







0037856

ROYAL BOTANIC GARDENS,  
KEW.



DUPLICATE

02

















Digitized by the Internet Archive  
in 2013

<http://archive.org/details/indexkewensispla21hook>



# INDEX KEWENSIS



# INDEX KEWENSIS

## AN ENUMERATION OF THE GENERA AND SPECIES OF FLOWERING PLANTS

FROM THE TIME OF LINNAEUS TO THE YEAR 1885 INCLUSIVE  
TOGETHER WITH THEIR AUTHORS' NAMES, THE WORKS IN  
WHICH THEY WERE FIRST PUBLISHED, THEIR NATIVE COUNTRIES  
AND THEIR SYNONYMS

COMPILED AT THE EXPENSE OF  
THE LATE CHARLES ROBERT DARWIN  
UNDER THE DIRECTION OF JOSEPH D. HOOKER

BY

B. DAYDON JACKSON

VOLUME II

OXFORD  
AT THE CLARENDON PRESS

M DCCC XCV



23 P8

# INDEX KEWENSIS

## PLANTARUM PHANEROGAMARUM

NOMINA ET SYNONYMA OMNIUM GENERUM ET SPECIERUM

A LINNAEO USQUE AD ANNUM MDCCCLXXXV

COMPLECTENS

NOMINE RECEPTO AUCTORE PATRIA

UNICUIQUE PLANTAE SUBJECTIS

SUMPTIBUS BEATI CAROLI ROBERTI DARWIN

DUCTU ET CONSILIO JOSEPHI D. HOOKER

CONFECIT B. DAYDON JACKSON

TOMUS II

OXONII

E PRELO CLARENDONIANO

MDCCCXCV



LONDINI

APUD HENRICUM FROWDE



NOVI EBORACI

APUD A. MACMILLAN ET SOCIOS



# INDEX KEWENSIS



# INDEX KEWENSIS

## AN ENUMERATION OF THE GENERA AND SPECIES OF FLOWERING PLANTS

FROM THE TIME OF LINNAEUS TO THE YEAR 1885 INCLUSIVE  
TOGETHER WITH THEIR AUTHORS' NAMES, THE WORKS IN  
WHICH THEY WERE FIRST PUBLISHED, THEIR NATIVE COUNTRIES  
AND THEIR SYNONYMS

COMPILED AT THE EXPENSE OF  
THE LATE CHARLES ROBERT DARWIN  
UNDER THE DIRECTION OF JOSEPH D. HOOKER

BY

B. DAYDON JACKSON

PART III

OXFORD  
AT THE CLARENDON PRESS

M DCCC XCIV



INDEX KEWENSIS  
PLANTARUM PHANEROGAMARUM

NOMINA ET SYNONYMA OMNIUM GENERUM ET SPECIERUM

A LINNAEO USQUE AD ANNUM MDCCCLXXXV

COMPLECTENS

NOMINE RECEPTO AUCTORE PATRIA

UNICUIQUE PLANTAE SUBJECTIS

SUMPTIBUS BEATI CAROLI ROBERTI DARWIN

DUCTU ET CONSILIO JOSEPHI D. HOOKER

CONFECIT B. DAYDON JACKSON

FASCICULUS III

OXONII

E PRELO CLARENDONIANO

MDCCCXCIV



*London*

HENRY FROWDE

OXFORD UNIVERSITY PRESS WAREHOUSE  
AMEN CORNER, E.C.



*New York*

MACMILLAN & CO., 66 FIFTH AVENUE



# INDEX KEWENSIS

## PLANTARUM PHANEROGAMARUM

### NOMINA ET SYNONYMA OMNIUM GENERUM ET SPECIERUM

#### A LINNAEO USQUE AD ANNUM M.DCCC.LXXXV

#### COMPLECTENS

#### KABLIKIA—KAGENECKIA.

**KABLIKIA**, Opiz, Seznam, 55 (1852) = **Primula**, Linn.

*minima*, Opiz, l. c. = *P. minima*.

**KADAKIA**, Rafin, Fl. Tellur. ii. 9 (1836) = **Pontederia**, Linn.

**KADALI**, Adans. Fam. ii. 234 (1763) = **Osbeckia**, Linn. (Melast.).

**KADALIA**, Rafin. Sylva Tellur. 101 (1838) = **Dissotis**, Benth. (1849) (Melastom.).

*antennina*, Rafin. l. c. = *D. antennina*.

*rotundifolia*, Rafin. l. c. = *D. rotundifolia*.

**KADSURA**, Kaempf. ex Juss. in Ann. Mus. Par. xvi. (1810) 340. **MAGNOLIACEAE**, Benth. & Hook. f. i. 19.

*SARCOCARPON*, Blume, Bijdr. 21 (1825).

*cauliflora*, Blume, Fl. Fav. Schiz. 11.—Java.

*chinensis*, Hance, ex Benth. Fl. Hongk. 8 = *Schisandra Hanceana*.

*chinensis*, Turcz. in Bull. Soc. Nat. Mosc. (1837) n. VII. 149 = *Schisandra chinensis*.

*grandiflora*, Wall. Tent. Fl. Nap. 10. t. 14 = *Schisandra grandiflora*.

*japonica*, Benth. in Hook. Kew Journ. iii. (1851) 258 = *Schisandra chinensis*.

*japonica*, Benth. Fl. Hongk. 8 = *Schisandra Hanceana*.

*japonica*, Fuss. in Ann. Mus. Par. xvi. (1810) 340; *Dun. Monog.* 57.—Japon.

*japonica*, Wall. Tent. Fl. Nap. 12 = *Roxburghiana*.

*propinqua*, Wall. l. c. 11. t. 15 = *Schisandra propinqua*.

*pubescens*, Miq. Fl. Ind. Bat. Suppl. 620.—Sumatra.

*Roxburghiana*, Arn. in Mag. Zool. & Bot. ii. (1838) 546.—Reg. Himal.

*scandens*, Blume, Fl. Fav. Schiz. 9.—Java.

*Wightiana*, Arn. in Mag. Zool. & Bot. ii. (1838) 546.—Ind. or.

**KADUA**, Cham. & Schlecht. in Linnaea, iv. (1829) 157. **RUBIACEAE**, Benth. & Hook. f. ii. 61.

*WIEGMANNIA*, Meyen, Reise, ii. 139 (1835).

*acuminata*, Cham. & Schlecht. in Linnaea, iv. (1829) 163.—Ins. Sandvic.

*affinis*, Cham. & Schlecht. l. c. 164 = *Gouldia sandwicensis*.

*Arnottii*, G. Don, Gen. Syst. iii. 533 = *Menziesiana*.

*centranthoides*, Hook. & Arn. Bot. Beech. Voy. 85.—Ins. Sandvic.

*Cookiana*, Cham. & Schlecht. in Linnaea, iv. (1829) 158.—Ins. Sandvic.

*cordata*, Cham. & Schlecht. l. c. 160.—Ins. Sandvic.

*glaucofolia*, A. Gray, in Proc. Am. Acad. iv. (1860) 318.—Ins. Sandvic.

#### **KADUA** :—

*glomerata*, Hook. & Arn. Bot. Beech. Voy. 85.—Ins. Sandvic.

*grandis*, A. Gray, in Proc. Am. Acad. iv. (1860) 318.—Ins. Sandvic.

*Kaala*, Wawra, in Flora, lvii. (1874) 273 = *grandis*.

*laxiflora*, H. Mann, in Proc. Am. Acad. vii. (1867) 171.—Ins. Sandvic.

*Menziesiana*, Cham. & Schlecht. in Linnaea, iv. (1829) 160.—Ins. Sandvic.

*parvula*, A. Gray, in Proc. Am. Acad. iv. (1860) 317.—Ins. Sandvic.

*petiolata*, A. Gray, l. c. 318 = *acuminata*, *grandis*.

*Romanzoffiensis*, Cham. & Schlecht. in Linnaea, iv. (1829) 162 = *Gouldia Romanzoffiensis*.

*Smithii*, Hook. & Arn. Bot. Beech. Voy. 86 = *Menziesiana*.

*Waimeae*, Wawra, in Flora, lvii. (1874) 264.—Ins. Sandvic.

**KADULA**, Rafin. Fl. Tellur. iv. 90 (1836) = **Cuscuta**, Tourn. (Convolv.).

*corymbosa*, Rafin. l. c. = *C. corymbosa*.

**KADURIAS**, Rafin. Fl. Tellur. iv. 91 (1836) = **Cuscuta**, Tourn. (Convolv.).

*reflexa*, Rafin. l. c. = *C. reflexa*.

**KAELERIA**, Boiss. Diagn. Ser. II. iv. 134 (1856) sphalm. = **Koeleria**, Pers. (Gramin.).

**KAEMPFERA**, Houst. Reliq. 3. t. 2 (1781) = **Tamonea**, Aubl. (Verben.).

**KAEMPFERA**, Spreng. Syst. i. 9 (1825) = seq.

**KAEMPFERIA**, Linn. Gen. ed. I. 331 (1737). **SCITAMINEAE**, Benth. & Hook. f. iii. 641.

*CADALVENA*, Fenzl, in Sitzb. Akad. Math.-Nat. Wien, li. Abth. II. (1865) 139.

*CIENKOWSKYA*, Solms, in Schweinf. Beitr. Fl. Aethiop. 197 (1867).

*MONOLOPHUS*, Wall. Pl. As. Rar. i. 24. t. 24 (1830).

*TRITOPHUS*, Lestib. in Ann. Sc. Nat. Sér. II. xv. (1841) 341.

*angustifolia*, Rosc. in Trans. Linn. Soc. viii. (1807) 351.—As. trop.

*candida*, Wall. Pl. As. Rar. i. 47. t. 56.—Burma.

*Crawfordia*, Wall. ex Horan. Prod. Scitam. 22 = *elegans*.

*diversifolia*, Link, ex A. Dietr. Sp. Pl. i. 57 = *ovalifolia*.

*elegans*, Wall. Cat. n. 6593.—Burma.

*Galanga*, Linn. Sp. Pl. 3.—As. trop.

*Gilberti*, Hort. Bull.—Cf. Gard. Chron. (1882) 1. 712.—Ind. or.

#### **KAEMPFERIA** :—

*Hedychium*, Lam. Tabl. Encyc. i. 7 = *Hedychium coronarium*.

*humilis*, Salisb. Prod. 6 = *K. Galanga*.

*lanceolata*, Lodd. ex Steud. Nom. ed. II. i. 843 (Quid ?).—Ind. or.

*latifolia*, Donn, Hort. Cantab. ed. III. 1; ed. VII. 3 = *K. Galanga*.

*linearis*, Wall. in Roxb. Fl. Ind. ed. Carey, i. 19.—Reg. Himal.

*longa*, Jacq. Hort. Schoenb. iii. 37 = *rotunda*.

*marginata*, Carey, in Rosc. Scit. Pl. t. 93.—Burma.

*ornata*, N. E. Br. in Illustr. Hort. xxxi. (1834) 159. t. 537.—Borneo.

*ovalifolia*, Roxb. Hort. Beng. 1; Pl. Corom. iii. 75.—Burma; Malaya.

*ovata*, Rosc. in Trans. Linn. Soc. viii. (1807) 351 = *pandurata*.

*pandurata*, Roxb. in As. Res. xi. (1810) 328.—As. trop.

*Parishii*, Hook. f. Bot. Mag. t. 5763 = *ovalifolia*.

*parviflora*, Wall. Cat. n. 6587.—Burma.

*plantaginea*, Steud. Nom. ed. II. i. 843 = seq.

*plantaginifolia*, Salisb. in Trans. Hort. Soc. i. 1812 286 = *K. Galanga*.

*procumbens*, Noronha, in Verb. Batav. Gen. v. (1790) ed. I. Art. iv. 19 = *K. Galanga*.

*purpurea*, Koen. in Netz. Obs. iii. 57.—Ind. or.

*Roscoeana*, Wall. in Bot. Rec. t. 1212.—Burma.

*Roscoeii*, Wall. Cat. n. 6584 = *præc.*

*rosea*, Schweinf. ex Benth. & Hook. f. Gen. iii. 642.—Afr. trop.

*rotunda*, Blanco, Fl. Filip. ed. I. 5 = *K. Galanga*.

*rotunda*, Donn, Hort. Cantab. ed. III. 1 = *pandurata*.

*rotunda*, Linn. Sp. Pl. 3.—As. trop.

*Roxburghiana*, Schult. Mant. i. 33 = *angustifolia*.

*scaposa*, Benth. & Hook. f. Gen. iii. 642.—Ind. or.

*secunda*, Wall. in Roxb. Fl. Ind. ed. Carey, i. 19.—Reg. Himal.; Burma.

*speciosa*, Thunb. Fl. Javan. 8 = *Costus speciosus*!

*undulata*, Link, Enum. Hort. Berol. i. 3 = *angustifolia*.

*undulata*, Teijsm. & Binn. in Nederl. Kruidk. Arch. iii. (1855) 391.—Hab.!

*versicolor*, Salisb. in Trans. Hort. Soc. i. (1812) 286 = *rotunda*.

*vittata*, N. E. Br. in Gard. Chron. (1882) 11. 264.—Sumatra.

**KAGENACKIA**, Steud. Nom. ed. II. i. 844 (1840) sphalm. = seq.

**KAGENECKIA**, Ruiz & Pav. Prod. 145. t. 37 (1794).

**ROSACEAE**, Benth. & Hook. f. i. 614.

*LYDEA*, Molina, Sagg. Chile, ed. II. 14 (1810).

*amygdalifolia*, Presl, Epim. Bot. 195.—Peruv.



**KAGENECKIA** :—

*angustifolia*, D. Don, in *Edinb. N. Phil. Journ.* xiii. (Oct.-Dec. 1831) 111.—Chili.  
*crataegifolia*, Lindl. Bot. Reg. t. 1836 = *oblonga*.  
*crataegoides*, D. Don, in *Edinb. N. Phil. Journ.* (Oct.-Dec. 1831) 111 = *oblonga*.  
*glutinosa*, H. B. & K. *Nov. Gen. et Sp.* vi. 237.—Peruv.  
*lanceolata*, Ruiz & Pav. *Syst. Veg.* 290.—Peruv.  
*oblonga*, Ruiz & Pav. l. c. 289.—Chili.  
*ovata*, Colla, in *Mem. Acc. Torin.* xxxvii. (1834) 64.—Chili.

**KAHIRIA**, Forsk. *Fl. Aegypt. Arab.* 153 (1775) = **Ethulia**, Linn. (Compos.).

**KAKILE**, Desf. *Fl. Atlant.* ii. 77 (1798) = **Cakile**, Tourn. (Crucif.).

**KAKOSMANTHUS**, Hassk. *Retzia*, 97 (1855); et in *Flora*, xxxviii. (1855) 577 = **Payena**, Linn. (Sapotac.).  
*macrophyllus*, Hassk. l. c. 97, 578.—Java.

**ALABOTIS**, Rafin. *Fl. Tellur.* ii. 19 (1826) = **Allium**, Tourn. (Liliac.).  
*canadensis*, Rafin. l. c. = *A. canadense*.  
*clusianum*, Rafin. l. c. = *A. subhirsutum*.  
*flavum*, Rafin. l. c. = *A. flavum*.  
*Moly*, Rafin. l. c. = *A. Moly*.  
*nigrum*, Rafin. l. c. = *A. nigrum*.  
*pallens*, Rafin. l. c. = *A. oleraceum*.  
*paniculatum*, Rafin. l. c. = *A. paniculatum*.

**KALANCHOË**, Adans. *Fam.* ii. 248 (1763) **CRAS-**

**SULACEAE**, Benth. & Hook. f. i. 659.  
**VEREIA**, Andr. Bot. Rep. t. 21 (1797).  
*abrupta*, Balf. f. in *Proc. Roy. Soc. Edinb.* xi. (1882) 512.—Ins. Socotr.  
*acutiflora*, Haw. *Syn. Pl. Succ.* 109.—Ind. or.?  
*acutiflora*, Kurz, in *Journ. As. Soc. Beng.* (1876) ii. 309 = *spathulata*.  
*aegyptiaca*, DC. *Pl. Grass.* t. 64 = *crenata*.  
*Azeliana*, Britten, in *Oliver, Fl. Trop. Afr.* ii. 393.—Afr. trop.  
*alternans*, Eckl. & Zeyh. ex Harv. & Sond. *Fl. Cap.* ii. 380 = *thyrsiflora*.  
*alternans*, Pers. *Syn.* i. 446.—Arab.  
*amplexicaulis*, Baill. in *Bull. Soc. Linn. Par. i.* (1885) 469 = *Kitchingia amplexicaulis*.  
*amplexicaulis*, Heyne, in *Wall. Cat. n.* 7221 = *floribunda*, Wight.  
*angustifolia*, A. Rich. *Tent. Fl. Abyss.* i. 313.—Afr. trop.  
*biternata*, Wight, ex Wall. *Cat. n.* 7221 = *laciniata*.  
*brachycalyx*, A. Rich. *Tent. Fl. Abyss.* i. 312.—Afr. trop.  
*brachyloba*, Welw. ex Oliver, *Fl. Trop. Afr.* ii. 392.—Afr. trop.  
*brasiliensis*, Cambess. in *St. Hil. Fl. Bras. Pl. Mer.* ii. 196.—Bras.  
*campanulata*, Baill. in *Bull. Soc. Linn. Par. i.* (1885) 469 = *Kitchingia campanulata*.  
*ceratophylla*, Haw. *Rev. Pl. Succ.* 23.—China.  
*coccinea*, Welw. ex Oliver, *Fl. Trop. Afr.* ii. 395.—Afr. trop.  
*cochleatum*, Lem. *Illustr. Hort.* vi. (1859), *Misc.* 100.—Hab.?  
*corymbosa*, Herb. Madr. ex Wall. *Cat. n.* 7224 = *spathulata*.  
*crenata*, Britten, in *Oliver, Fl. Trop. Afr.* ii. 394, partim = *spathulata*, brasiliensis.  
*crenata*, Haw. *Syn. Pl. Succ.* 109.—Afr. trop.  
*delagoensis*, Eckl. & Zeyh. *Enum.* 305 = *Bryophyllum tubiflorum*.  
*eriphylla*, Hilsenb. & Boj. ex Tul. in *Ann. Sc. Nat. Sér. IV.* viii. (1857) 149.—Madag.  
*farinacea*, Balf. f. in *Proc. Roy. Soc. Edinb.* xi. (1882) 512.—Ins. Socotr.  
*floribunda*, Tul. in *Ann. Sc. Nat. Sér. IV.* viii. (1857) 150.—Madag.  
*floribunda*, Wight & Arn. *Prod.* 359.—Ind. or.  
*floripendula*, Steud. *Nom. ed. II.* i. 252 = *Bryophyllum calycinum*.  
*glandulosa*, Hochst. ex A. Rich. *Tent. Fl. Abyss.* i. 312.—Ind. or.; Afr. trop.  
*glaucescens*, Britten, in *Oliver, Fl. Trop. Afr.* ii. 393.—Afr. trop.

**KALANCHOË** :—

*gracilipes*, Baill. in *Bull. Soc. Linn. Par. i.* (1885) 469 = *Kitchingia gracilipes*.  
*gracilis*, Hance, in *Journ. Bot.* viii. (1870) 6.—Ins. Formosa.  
*grandiflora*, A. Rich. *Tent. Fl. Abyss.* i. 310.—Afr. trop.  
*grandiflora*, Wight & Arn. *Prod.* 359; *Wall. Cat. n.* 7226.—Ind. or.  
*heterophylla*, Wight & Arn. l. c. 360 = *glandulosa*.  
*Hildebrandtii*, Baill. in *Bull. Soc. Linn. Par. i.* (1885) 468.—Madag.  
*hirta*, Harv. in *Harv. & Sond. Fl. Cap.* ii. 397.—Afr. austr.  
*humilis*, Britten, in *Oliver, Fl. Trop. Afr.* ii. 397.—Afr. trop.  
*hybrida*, Desf. ex Steud. *Nom. ed. I.* 135 = *spathulata*.  
*integerrima*, Lange, *Ind. Sem. Hort. Haun.* (1872) 5, adn.; et in *Bot. Tidsskr.* (1878) 139.—Afr. austr.?  
*laciniata*, DC. *Pl. Grass.* t. 100.—As. et Afr. trop.  
*lanceolata*, Pers. *Syn.* i. 446.—Arab.  
*macrosepala*, Hance, in *Journ. Bot.* viii. (1870) 5.—Ins. Hongkong.  
*miniata*, Hilsenb. & Boj. ex Tul. in *Ann. Sc. Nat. Sér. IV.* viii. (1857) 149 = *Kitchingia miniata*.  
*modesta*, Kotschy & Peyr. *Pl. Tinn.* 18 = *brachycalyx*.  
*multiceps*, Baill. in *Bull. Soc. Linn. Par. i.* (1885) 469.—Madag.  
*nudicaulis*, Buch.-Ham. ex C. B. Clarke, in *Hook. f. Fl. Brit. Ind.* ii. 414 = *spathulata*.  
*oblongifolia*, Harv. in *Harv. & Sond. Fl. Cap.* ii. 379.—Afr. austr.  
*orgyalis*, Baker, in *Journ. Bot.* xx. (1882) 110.—Madag.  
*panduriformis*, Baill. in *Bull. Soc. Linn. Par. i.* (1885) 469 = *Kitchingia panduriformis*.  
*paniculata*, Harv. in *Harv. & Sond. Fl. Cap.* ii. 380.—Afr. austr.  
*parviflora*, Baill. in *Bull. Soc. Linn. Par. i.* (1885) 468 = *Kitchingia parviflora*.  
*peltata*, Baill. l. c. = *Kitchingia peltata*.  
*Petitiana*, A. Rich. *Tent. Fl. Abyss.* i. 311 = *crenata*.  
*pinnata*, Pers. *Syn.* i. 446 = *Bryophyllum calycinum*.  
*platysepala*, Welw. ex Oliver, *Fl. Trop. Afr.* ii. 393.—Afr. trop.  
*porphyrocalyx*, Baill. in *Bull. Soc. Linn. Par. i.* (1885) 469 = *Kitchingia porphyrocalyx*.  
*pubescens*, R. Br. ex Oliver, *Fl. Trop. Afr.* ii. 396 = *brachycalyx*.  
*pumila*, Baker, in *Journ. Linn. Soc.* xx. (1883) 139.—Madag.  
*Quartiniana*, A. Rich. *Tent. Fl. Abyss.* i. 311.—Abyssin.  
*Ritchieana*, Dalz. in *Hook. Kew Journ.* iv. (1852) 346 = *glandulosa*.  
*robusta*, Balf. f. in *Proc. Roy. Soc. Edinb.* xi. (1882) 512.—Ins. Socotr.  
*rotundifolia*, Haw. in *Phil. Mag.* (1825) 31.—Afr. austr.  
*scapigera*, Welw. ex Oliver, *Fl. Trop. Afr.* ii. 397.—Afr. trop.  
*Schimperiana*, A. Rich. *Tent. Fl. Abyss.* i. 310.—Abyssin.  
*schizophylla*, Baill. in *Bull. Soc. Linn. Par. i.* (1885) 469 = *Kitchingia schizophylla*.  
*spathulata*, DC. *Pl. Grass.* t. 65.—As. trop.  
*spathulata*, Wall. *Cat. n.* 7224 = *floribunda*.  
*stenosiphon*, Britten, in *Oliver, Fl. Trop. Afr.* ii. 395.—Afr. trop.  
*subamplectens*, Wall. *Pl. As. Rar.* ii. t. 167 = *spathulata*.  
*synsepala*, Baker, in *Journ. Bot.* xx. (1882) 110.—Madag.  
*teretifolia*, Haw. in *Wall. Pl. As. Rar.* ii. 53. t. 166 = *laciniata*.  
*thyrsiflora*, Harv. in *Harv. & Sond. Fl. Cap.* ii. 380.—Afr. austr.  
*tomentosa*, Baker, in *Journ. Bot.* xx. (1882) 110.—Madag.  
*trichantha*, Baker, in *Journ. Linn. Soc.* xx. (1883) 140.—Madag.  
*varians*, Haw. in *Phil. Mag. N. S.* ix. (1829) 302 = *spathulata*.  
*velutina*, Welw. ex Oliver, *Fl. Trop. Afr.* ii. 396.—Afr. trop.  
*Verea*, Pers. *Syn.* i. 446 = *crenata*.  
*Welwitschii*, Britten, in *Oliver, Fl. Trop. Afr.* ii. 394.—Afr. trop.  
*Wightianum*, Wall. *Cat. n.* 7225 = *floribunda*.

**KALAWAEL**, Adans. *Fam.* ii. 344 (1763) = **Connarus**, Linn.

**KALBFUSSIA**, Sch. Bip. in *Flora*, xvi. (1833) 723 = **Leontodon**, Linn. (Compos.).  
*algeriensis*, Pomel, *Nouv. Mat. Fl. Atl.* 10.—Alger.  
*Kralikii*, Pomel, l. c. 11.—Alger.  
*Muelleri*, Sch. Bip. in *Ann. Sc. Nat. Sér. I.* i. (1834) 378 = L. Salzmanni.  
*oranensis*, Pomel, *Nouv. Mat. Fl. Atl.* 268.—Alger.  
*orientalis*, Jaub. & Spach, *Illustr.* iii. 117 = L. hispidulus.  
*parvifolia*, Pomel, *Nouv. Mat. Fl. Atl.* 11.—Alger.  
*Reboudiana*, Pomel, l. c. 268.—Alger.  
*Salzmanni*, Pomel, l. c. 10, 268 = *oranensis*.  
*Sultzmanni*, Sch. Bip. in *Ann. Sc. Nat. Sér. I.* i. (1834) 378 = L. Salzmanni.

**KALENICZENKIA**, Turcz. in *Bull. Soc. Nat. Mosc.* xxvi. (1853) i. 252 = **Brachysema**, R. Br. (Legumin.).  
*daviesioides*, Turcz. l. c. = B. daviesioides.

**KALERIA**, Adans. *Fam.* ii. 506 (1763) = **Silene**, Linn. (Caryoph.).

**KALI**, Tourn. ex Adans. *Fam.* ii. 261 (1763) = **Salsola**, Linn. (Chenopod.).  
*inermis*, Moench, *Meth.* 331 = S. Soda.  
*roseacea*, Moench, *Meth. Suppl.* 115 = S. rosacea.  
*Soda*, Moench, *Meth.* 331 = S. Kali.  
*Soda*, Scop. *Fl. Carn. ed. II.* i. 175 = S. Soda.  
*Tragus*, Scop. l. c. = S. Kali.

**KALIDIUM**, Moq. in *DC. Prod.* xiii. ii. 146 (1849).  
**CHENOPODIACEAE**, Benth. & Hook. f. iii. 63.  
*arabicum*, Moq. l. c. 147.—Arab.  
*caspicum*, Ung.-Sternb. in *Atti Congr. Bot. Firenz.* 1874 (1876) 317.—Reg. Casp.; Turkest.  
*circassianum*, Ledeb. ex Ung.-Sternb. l. c. 320 = Schrenkianum.  
*foliatum*, Moq. in *DC. Prod.* xiii. ii. 147.—Ross.; As. bor.  
*gracile*, Fenzl, in *Ledeb. Fl. Ross.* iii. 769.—Mongolia.  
*Pallasianum*, Bunge, ex Ung.-Sternb. *Verz. Syst. Salic.* 95 = Schrenkianum.  
*Schrenkianum*, Bunge, ex Ung.-Sternb. l. c.—Turkest.

**KALIMARES**, Rafin. *Fl. Tellur.* ii. 46 (1836) = **Aster**, Tourn. (Compos.).  
*Amellus*, Rafin. l. c. = A. Amellus.

**KALIMERIS**, Cass. in *Dict. Sc. Nat.* xxiv. 324 (1822) = **Aster**, Tourn. (Compos.).  
*platycephala*, Cass. l. c. 325 = A. incisus.

**KALIPHORA**, Hook. f. in Benth. & Hook. f. *Gen.* i. 951 (1867). **CORNACEAE**, Benth. & Hook. f. l. c.  
*madagascariensis*, Hook. f. in *Hook. Ic. Pl.* t. 1023.—Madag.

**KALLIAS**, Cass. in *Dict. Sc. Nat.* xxiv. 326 (1822) = **Heliopsis**, Pers. (Compos.).  
*dubia*, Cass. l. c. 333 = H. scabra.  
*ovata*, Cass. l. c. 327 = H. buphthalmoides.

**KALLOPHYLLON**, Pohl, ex Baker, in *Mart. Fl. Bras.* vi. ii. 365 (1876) = **Symphyopappus**, Turcz. (Compos.).  
*crenatum*, Pohl, ex Baker, l. c. 367 = S. reticulatus.  
*ovatum*, Pohl, ex Baker, l. c. 368 = S. reticulatus.

**KALLSTROEMIA**, Scop. *Introd.* 212 (1777) = **Tribulus**, Linn. (Zygophyll.).  
*cistoides*, Endl. in *Ann. Wien. Mus.* i. (1836) 184 = T. cistoides.  
*grandiflora*, Torr. ex A. Gray, *Pl. Wright.* i. 28 = T. grandiflorus.  
*maxima*, Wight & Arn. *Prod.* 145 = T. maximus.  
*minor*, Hook. f. in *Hook. Niger Fl.* 269 = T. maximus.  
*tribuloides*, Wight & Arn. *Prod.* 145 = T. brasiliensis.  
*Tribulus*, Meissn. *Gen. Comm.* 43 = T. maximus.

**KALMIA**, Linn. *Diss. Chen.* 18 (1750); *Amoen. Acad.* iii. 13 (1756). **ERICACEAE**, Benth. & Hook. f. ii. 596.



**KALMIA** :—

- angustifolia*, Linn. *Sp. Pl.* 391.—Am. bor.  
*ciliata*, Bartr. ex Dum.-Cours. Bot. Cult. ed. II. iii. 323 = *hirsuta*.  
*cuneata*, Michx. *Fl. Bor. Am.* i. 257.—Am. bor.  
*ericoides*, Griseb. *Cat. Pl. Cub.* 51.—Cuba.  
*glauc*, Ait. *Hort. Kew.* ed. I. ii. 64. t. 8.—Am. bor.  
*hirsuta*, Walt. *Fl. Carol.* 138.—Am. bor.  
*intermedia*, Lange, *Ind. Sem. Hort. Haun. App.* (1873) 3.—Hab.?  
*latifolia*, Linn. *Sp. Pl.* 391.—Am. bor.  
*myrtifolia*, Andr. in Rev. Hort. (1883) 10 = *latifolia*.  
*nitida*, Forbes, Hort. Woburn. 93 = *latifolia*?  
*oleaeifolia*, Dum.-Cours. Bot. Cult. ed. II. iii. 322 = *glauc*.  
*polifolia*, Wangenh. in Ges. Naturf. Fr. Berl. Schr. (1788) II. 130. t. 5 = *glauc*.  
*rosmarinifolia*, Dum.-Cours. Bot. Cult. ed. I. ii. 250; ed. II. iii. 250 = *glauc*.  
*serotina*, Hoffmgg. Verz. Pf. 70 = *latifolia*?
- KALOMIKTA**, Regel, in Bull. Phys.-Math. Acad. Pétersb. xv. (1857) 219 = **Actinidia**, Lindl. (Ternstroem.).  
*mandshurica*, Regel, l. c. = *A. callosa*.
- KALOPANAX**, Miq. in Ann. Mus. Bot. Lugd. Bat. i. 16 (1863) = **Acanthopanax**, Decne. (Araliac.).  
*divaricatum*, Miq. l. c. 17 = *A. divaricatum*.  
*innovans*, Miq. l. c. = *A. innovans*.  
*resectum*, Miq. l. c. 18 = *Macropanax oreophilum*?  
*ricinifolium*, Miq. l. c. 16 = *A. ricinifolium*.  
*sumatranum*, Miq. l. c. 17.—Sumatra.
- KALOSANTHES**, Haw. Rev. Pl. Succ. 6 (1821) = **Roechea**, DC. (Crassulac.).  
*bicolor*, Haw. l. c. 7 = *R. odoratissima*.  
*biconvexa*, Haw. in Phil. Mag. (1824) 185 = *R. biconvexa*.  
*capitata*, Sweet, Hort. Brit. ed. II. 224 = *R. odoratissima*.  
*coccinea*, Haw. Rev. Pl. Succ. 18 = *R. coccinea*.  
*cymosa*, Haw. l. c. 7 = *Crassula cymosa*.  
*fascicularis*, G. Don, Gen. Syst. iii. 108 = *R. fascicularis*.  
*flava*, Sweet, Hort. Brit. ed. I. 178 = *Crassula flava*.  
*jaminea*, Haw. Rev. Pl. Succ. 6 = *R. jaminea*.  
*media*, Haw. l. c. 7 = *R. versicolor*.  
*odoratissima*, Haw. l. c. 7 = *R. odoratissima*.  
*versicolor*, Haw. l. c. = *R. versicolor*.
- KALPANDRIA**, Walp. Rep. i. 435 (1842) = **CALPANDRIA**, Blume = **Camellia**, Linn. (Ternstroem.).
- KALYMOPETALON**, Pohl, ex Flora, viii. (1825) 183, nomen (Quid?).
- KAMBALA**, Rafin. Sylva Tellur. 19 (1838) = **Sonneratia**, Linn. f. (Lythrac.).  
*pendula*, Rafin. l. c. = *S. apetala*.
- KAMELIA**, Steud. Nom. ed. I. 455 (1821) = **Camellia**, Linn. (Ternstroem.).
- KAMETTIA**, Kostel. Allg. Med. Pharm. Fl. iii. 1062 (1834) = **Ellertonia**, Wight (1848) (Apocyn.).  
*malabarica*, Kostel. l. c. = *E. Rheedii*.
- KAMPMANNIA**, Rafin. in Med. Repos. N. York, v. (1808) 352 = **Zanthoxylum**, Linn. (Rutac.).  
*fraxinifolium*, Rafin. l. c. = *Z. Clava-Herculis*.
- KAMPMANNIA**, Steud. Syn. Pl. Gram. 34 (1855) = **Arundo**, Tourn. (Gramin.).  
*seelandica*, Steud. l. c. 35 = *A. conspicua*?
- KAMPTZIA**, Nees, Prog. Gratul. Kamptzia (1840); et in Nov. Act. Nat. Cur. xviii. Suppl. I. (1841) p. ix = **Syncarpia**, Tenore (Myrtac.).  
*albans*, Nees, ll. cc. = *S. laurifolia*.
- KANAHIA**, R. Br. in Mem. Wern. Soc. i. (1809) 39. **ASCLEPIADEAE**, Benth. & Hook. f. ii. 760.  
*Delilii*, Kotschy, ex Decne. in DC. Prod. viii. 537 = *laniflora*.  
*Forskälzii*, Decne. l. c. = *laniflora*.  
*laniflora*, R. Br. in Salt, Abyss. App. 64; G. Don, Gen. Syst. iv. 149.—Arab.; Abyssin.

**KANDELIA**, Wight & Arn. Prod. 310 (1834). **RHI-ZOPHOREAE**, Benth. & Hook. f. i. 679.  
*Rheedii*, Wight & Arn. l. c. 311.—Ind. or.; Malaya.

**KANDENA**, Rafin. Sylva Tellur. 138 (1838) = **Azima**, Lam. (Salvador.).  
*spinosa*, Rafin. l. c. = *A. tetracantha*.

**KANDIS**, Adans. Fam. ii. 422 (1763) = **Lepidium**, Tourn. (Crucif.).

**KANILIA**, Blume, Mus. Bot. Lugd. Bat. i. 140 (1849) = **Bruguiera**, Lam. (Rhizoph.).  
*caryophylloides*, Blume, l. c. 141 = *B. caryophylloides*.  
*parviflora*, Blume, l. c. 140 = *B. parviflora*.

**KANIMIA**, Gardn. in Hook. Lond. Journ. Bot. vi. (1847) 446. **COMPOSITAE**, Benth. & Hook. f. ii. 246.  
*corymbulosa*, Benth. & Hook. f. Gen. ii. 247.—N. Granat.  
*erythralina*, Benth. & Hook. f. l. c.—Bras.  
*gracilis*, Baker, in Mart. Fl. Bras. vi. ii. 371.—Bras.  
*nitida*, Baker, l. c. 370 = *erythralina*.  
*oblongifolia*, Baker, l. c. 369.—Bras.  
*palustris*, Gardn. in Hook. Lond. Journ. Bot. vi. (1847) 447.—Bras.  
*Pohlil*, Baker, in Mart. Fl. Bras. vii. ii. 370.—Bras.  
*purpurascens*, Baker, l. c. 371.—Bras.  
*strobilifera*, Gardn. in Hook. Lond. Journ. Bot. vi. (1847) 447.—Bras.  
*thapsoides*, Benth. & Hook. f. Gen. ii. 247.—Bras.

**KANOPIKON**, Rafin. Fl. Tellur. iv. 114 (1836) = **Euphorbia**, Linn.  
*atropurpureum*, Rafin. l. c. = *E. atropurpurea*.

**KANTEMON**, Rafin. New Fl. Am. iii. 19 (1836) = **Lonicera**, Linn. (Caprifol.).  
*angustifolium*, Rafin. l. c. = *L. sempervirens*.  
*ciliolum*, Rafin. l. c. = *L. ciliosa*.

**KANTUFFA**, Bruce, Trav. t. 14 (1790) = **Pterolobium**, R. Br. (Legumin.).

**KARA-ANGOLAM**, Adans. Fam. ii. 84 (1763) = **Alangium**, Lam. (Cornac.).

**KARAKA**, Rafin. Sylva Tellur. 72 (1838) = **Sterculia**, Linn.  
*colorata*, Rafin. l. c. = *S. colorata*.

**KARAMYSCHEWIA**, Fisch. & Mey. in Bull. Soc. Nat. Mosc. (1838) 266 = **Oldenlandia**, Linn. (Rubiace.).  
*hedyotoides*, Fisch. & Mey. l. c. = *O. ramosissima*.

**KARAMYSCHOVIA**, Fisch. ex Steud. Nom. ed. II. i. 844 (1840) = *pracc*.

**KARATAS**, [Plum.] Mill. Gard. Dict. ed. VI (1752). **BROMELIACEAE**, Benth. & Hook. f. iii. 660.  
**NIDULARIUM**, Lam. Jard. Fleur. (1846) Misc. iv. 60.  
**REGELIA**, Lem. Illustr. Hort. vii. (1860) sub t. 245, in nota.  
*acanthocrater*, Antoine, *Bromel.* 49. tt. 29, 30.—Bras.  
*agavaefolia*, Devans. in Fl. des Serres, Sér. II. xii. (1877) 233.—Guiana.  
*Binoti*, Antoine, *Bromel.* t. 34.—Bras.  
*Carolinae*, Antoine, l. c. 52. t. 31.—Bras.  
*coriacea*, Antoine, l. c. 51. t. 30.—Bras.  
*cruenta*, Nichols. Dict. Gard. ii. 216.—Bras.  
*fulgens*, Antoine, *Bromel.* 41. t. 24.—Bras.  
*humilis*, E. Morr. in Belg. Hort. (1872) 131.—Mexic.; N. Granat.  
*Innocentii*, Antoine, *Bromel.* 44. t. 24.—Bras.  
*Lagopus*, E. Morr. ex Devans. in Fl. des Serres, Sér. II. xii. (1877) 233 = *Plumieri*?  
*Laurentii*, Antoine, *Bromel.* 48. t. 28.—Bras.  
*Legrellae*, E. Morr. in Belg. Hort. (1872) 129.—Bras.  
*Meyendorffii*, Antoine, *Bromel.* 54. t. 32.—Bras.  
*Morreniana*, Antoine, l. c. t. 35.—Guiana.  
*olens*, Nichols. Dict. Gard. ii. 216 = *Carolinae*.  
*Penguin*, Mill. Gard. Dict. ed. VIII = *Bromelia Penguin*.  
*Plumieri*, E. Morr. in Belg. Hort. (1872) 131.—Panama.  
*purpurea*, Antoine, *Bromel.* 42. t. 25.—Bras.  
*Scheremetiewii*, Antoine, l. c. 46. t. 27.—Bras.  
*spectabilis*, Antoine, l. c. t. 33.—Bras.

**KARDANOGLYPHOS**, Schlecht. in Linnaea, xxviii (1856) 472 = **Cardamine**, Linn. (Crucif.).  
*nana*, Schlecht. l. c. = *C. nana*, C. Muell.

**KARE-KANDEL**, Adans. Fam. ii. 88 (1763) = **Carallia**, Roxb. (Rhizoph.).

**KARELINIA**, Less. in Linnaea, ix. (1834) 187  
**Pluchea**, Cass. (Compos.).  
*caspia*, Less. l. c.—Reg. Casp.

**KARIVIA**, Arn. in Hook. Journ. Bot. iii. (1841) 275 = **Melothria**, Linn. (Cucurb.).  
*amplexicaulis*, Arn. l. c. = *M. amplexicaulis*.  
*javanica*, Miq. Fl. Ind. Bat. i. i. 661 = *M. javanica*.  
*longicirra*, Miq. Ann. Mus. Bot. Lugd. Bat. ii. 80 = *Actinostemma lobatum*.  
*Rheedii*, M. Roem. Syn. Pepon. 45 = *M. heterophylla*.  
*samoensis*, A. Gray, Bot. U. St. Expl. Exped. i. 643 = *M. Grayana*.  
*sinuosa*, M. Roem. Syn. Pepon. 46 = *M. heterophylla*.  
*umbellata*, Arn. in Hook. Journ. Bot. iii. (1841) 275 = *M. heterophylla*.

**KARKANDELA**, Rafin. Sylva Tellur. 106 (1838) = **Musa**, Linn.  
*malabarica*, Rafin. l. c. = *M. paradisiaca*.

**KARKINETRON**, Rafin. Fl. Tellur. iii. 11 (1836) = **Muehlenbeckia**, Meissn. (Polygon.).  
*hastatum*, Rafin. l. c. = *M. sagittifolia*.  
*undulatum*, Rafin. l. c. = *M. sagittifolia*.

**KARPATON**, Rafin. Fl. Ludov. 78 (1817) (Ordo Ignot.).  
—Cf. Benth. & Hook. f. ii. 2.  
*hastatum*, Rafin. l. c. 79.—Am. bor.

**KARTHEMIA**, Sch. Bip. in Walp. Rep. ii. 953 (1843) = **VARTHEIMIA**, DC. = **Iphiona**, Cass. (Compos.).

**KARWINSKIA**, Zucc. Nov. Stirp. i. 349. t. 16 (1832). **RHAMNEAE**, Benth. & Hook. f. i. 377.  
*affinis*, Schlecht. in Linnaea, xv. (1841) 460 = *Humboldtiana*.  
*biniflora*, Schlecht. l. c. = *Humboldtiana*.  
*glandulosa*, Zucc. in Flora, vii. (1832) II. Beibl. 71 = *Humboldtiana*.  
*Humboldtiana*, S. Wats. Pl. Wheeler. 7 = *Rhamnus californica*.  
*Humboldtiana*, Zucc. Nov. Stirp. i. 351.—Am. bor. occ. mollis, Schlecht. in Linnaea, xv. (1841) 461.—Mexic. sessilifolia, Schlecht. l. c.—Mexic. subcordata, Schlecht. l. c. 462.—Mexic. umbellata, Schlecht. l. c. 460 = *Humboldtiana*?

**KASAILO**, Dennst. Schlus. Hort. Malab. 30 (1818) = **Ambelania**?, Aubl. (Apocyn.).  
*racemosa*, Dennst. l. c.—Malabar.

**KASTNERA**, Sch. Bip. in Flora, xxxvi. (1853) 37 = **Liabum**, Adans. (Compos.).  
*tenera*, Sch. Bip. l. c. 38.—N. Granat.

**KATARSIS**, Medic. Malv. 111 (1787) = **Gypsophila**, Linn. (Caryoph.).  
*arborescens*, Medic. l. c. = *G. arborescens*.

**KATOUTHEKA**, Adans. Fam. ii. 159 (1763) = **Ardisia**, Sw. (Myrsin.).

**KATOUTHEXA**, Steud. Nom. ed. II. i. 844 (1840) = *pracc*.

**KATUBALA**, Adans. Fam. ii. 67 (1763) = **Canna**, Linn. (Scitac.).

**KAUFMANNIA**, Regel, in Act. Hort. Petro. (1875) 293. **PRIMULACEAE**, Benth. & Hook. f. ii. 1239.  
*Semenovi*, Regel, l. c.—Turkest.

**KAULFUSSIA**, Dennst. Schlus. Hort. Malab. (1818) = **Xanthophyllum**, Roxb. (Polyp.).  
*geminiflora*, Dennst. l. c. = *X. flavescens*.

**KAULFUSSIA**, Nees, Hor. Phys. Berol. 53. t. 11 (1875) = **Charieis**, Cass. (Comp.).  
*amelloides*, Eckl. ex DC. Prod. v. 223 = *Aster Pet.*



## KAULFUSSIA:—

- amelloides*, Nees, Hor. Phys. Berol. 53. t. 11 = Charieis heterophylla.  
*ciliata*, Spreng. f. Tent. Suppl. 25 = *Gymnostephium ciliare*.  
*strigosa*, Spreng. f. l. c. = *Aster strigosus*.

KAVALAMA, Rafin. Sylva Tellur. 72 (1838) = *Sterculia*, Linn.  
*urens*, Rafin. l. c. = *S. urens*.

KAYEA, Wall. Pl. As. Rar. iii. 5. t. 210 (1832). *GUTTIFERAE*, Benth. & Hook. f. i. 176.

Beccariana, Baill. *Adansonia*, xi. (1876) 369.—Borneo.  
*cuspidata*, Planch. & Triana, in Ann. Sc. Nat. Sér. IV. xv. (1861) 296 = *stylosa*.  
*eugeniaefolia*, Pierre, Fl. For. Cochinch. t. 98.—Cambodia.

*ferruginea*, Pierre, l. c. t. 99.—Cambodia.  
*floribunda*, Wall. Pl. As. Rar. iii. 5.—Reg. Himal.  
*hexapetala*, Pierre, Fl. For. Cochinch. sub t. 98, in obs. = *Calophyllum hexapetalum*.  
*Korthalsiana*, Pierre, l. c.—Malaya.

*lepidota*, Pierre, l. c.—Cochinch.?  
*macrantha*, Baill. *Adansonia*, xi. (1876) 369.—Borneo.  
*macrocarpa*, Pierre, Fl. For. Cochinch. t. 100.—Cochinch.

*myrtifolia*, Baill. *Adansonia*, xi. (1876) 368.—Borneo.  
*nervosa*, T. Anders. in Hook. f. Fl. Brit. Ind. i. 277.—Burma; Malaya.

*philippinensis*, Planch. & Triana, in Ann. Sc. Nat. Sér. IV. xv. (1861) 298 = *floribunda*.

*racemosa*, Planch. & Triana, l. c. 297.—Malaya.  
*stylosa*, Thw. Enum. Pl. Zeyl. 50.—Zeylan.

KEDROSTIS, Medic. in Staatsw. Vorles. Churpf. Phys.-Ges. i. (1791) 229; et Phil. Bot. ii. 69 (1791). *CUCURBITACEAE*.

CONIANDRA, Schrad. in Eckl. & Zeyh. Enum. 275 (1836).

CYRTONEMA, Schrad. l. c. 276 (1836).

RHYNCHOCARPA, Schrad. in Linnaea, xii. (1838) 403.

*africana*, Cogn. in DC. Monog. Phan. iii. 643.—Afr. austr.

*Bainesii*, Cogn. l. c. 644.—Afr. trop.

*digitata*, Cogn. l. c. 639.—Afr. austr.

*foetidissima*, Cogn. l. c. 634.—Afr. trop.

*glauca*, Cogn. l. c. 640 = *grossulariaefolia*.

*grossulariaefolia*, Presl, Bot. Bemerk. 72.—Afr. austr.

*hirtella*, Cogn. in DC. Monog. Phan. iii. 644.—Abyssin.

*mollis*, Cogn. l. c. 637.—Afr. austr.

*nana*, Cogn. l. c.—Afr. austr.

*punctulata*, Cogn. l. c. 642.—Afr. austr.

*rostrata*, Cogn. l. c. 636.—Ind. or.

*Zeyheri*, Cogn. l. c. 641.—Afr. austr.

KEENANIA, Hook. f. Fl. Brit. Ind. iii. 101 (1881). *RUBIACEAE*.

*modesta*, Hook. f. l. c.—Reg. Himal.

KEERLIA, DC. Prod. v. 309 (1836), partim = *Aphanostephus*, DC. (Compos.).

*linearifolia*, DC. l. c. 310 = *Xanthocephalum Alamani*.

*ramosa*, DC. l. c. = *Aphanostephus ramosus*.

*skirrhobasis*, DC. in Deless. Ic. Sel. iv. t. 18 = *Leucopsis arkansana*.

KEERLIA, A. Gray & Engelm. in Proc. Am. Acad. i. (1848) 47. *COMPOSITAE*, Benth. & Hook. f. ii. 262.

*bellidifolia*, A. Gray & Engelm. l. c.—N. Mexic.

*effusa*, A. Gray, in Bost. Journ. Nat. Hist. vi. (1857) 222.—N. Mexic.

KEFERSTEINIA, Reichb. f. in Bot. Zeit. x. (1852) 633 = *Zygopetalum*, Hook. (Orchid.).

*bicallosa*, Reichb. f. Otia Bot. Hamb. 31, Ind. = *Z. bicallosum*.

*expansa*, Reichb. f. l. c. 9, in syn. = *Z. expansum*.  
*Gemma*, Reichb. f. in Gard. Chron. (1874) i. 406 = *Z. Gemma*.

*graminea*, Reichb. f. in Bot. Zeit. x. (1852) 634 = *Z. gramineum*.

*lactea*, Reichb. f. in Gard. Chron. (1872) 1290 = *Z. lacteum*.

*laminata*, Reichb. f. l. c. (1885) II. 70 = *Z. laminatum*.

## KEFERSTEINIA:—

*leucantha*, Reichb. f. ex Linden, Illustr. Hort. xxix. (1882) 52.—Venezuela.

*Mystacina*, Reichb. f. in Gard. Chron. (1881) i. 530 = *Zygopetalum Mystacinum*.

*sanguinea*, Pritz. Ic. Ind. ii. 161 = seq.

*sanguinolenta*, Reichb. f. in Bot. Zeit. x. (1852) 635 = *Z. sanguinolentum*.

*stapelioides*, Reichb. f. in Bot. Zeit. x. (1852) 634 = *Z. Moritzii*.

*taurina*, Reichb. f. in Linnaea, xli. (1877) 5 = *Z. taurinum*.

KEGELIA, Reichb. f. in Bot. Zeit. x. (1852) 670. *ORCHIDEAE*, Benth. & Hook. f. iii. 477.

Houtteana, Reichb. f. l. c. 671.—Guiana.

KEGELIA, Sch. Bip. in Linnaea, xxi. (1848) 245 = *Eleutheranthera*, Poit. (Compos.).

*ruderalis*, Sch. Bip. l. c. = *E. ovata*.

KEIRIA, Bowdich, Madeira, 259 (1825) (an Oleac.?).  
*lutea*, Bowdich, l. c.—Ins. Mader.

KEISKEA, Miq. in Ann. Mus. Bot. Lugd. Bat. ii. 105 (1865). *LABIATAE*, Benth. & Hook. f. ii. 1181.

*japonica*, Miq. l. c.—Japon.

KEITHIA, Benth. Lab. Gen. et Sp. 409 (1834). *LABIATAE*, Benth. & Hook. f. ii. 1189.

ERIOHYMUS, J. A. Schmidt, in Mart. Fl. Bras. viii. 171. t. 32 (1858).

*ciliata*, Benth. Lab. Gen. et Sp. 732.—Mexic.

*coccinea*, Benth. l. c. 412.—Bras.

*denudata*, Benth. l. c.—Bras.

*gracilis*, Benth. l. c.—Bras.

*lavanduloides*, Benth. l. c. 411 = *villosa*.

*marifolia*, Schau. in Linnaea, xx. (1847) 705 = *Poliomntha marifolia*.

*minima*, J. A. Schmidt, in Mart. Fl. Bras. viii. 173.—Bras.

*nitida*, Benth. in DC. Prod. xii. 247.—Bras.

*pilosa*, Benth. Lab. Gen. et Sp. 411 = *scutellarioides*.

*rubicea*, Benth. l. c. 410.—Bras.

*scutellarioides*, Benth. l. c.—Bras.

*villosa*, Benth. l. c. 411.—Bras.

KEITHIA, Spreng. Neue Entdeck. iii. 57 (1822) (an Capparid.?).

*brasiliensis*, Spreng. l. c.—Bras.

KEITIA, Regel, in Act. Hort. Petrop. v. (1877) 639. *IRIDEAE*, Benth. & Hook. f. iii. 697.

*natalensis*, Regel, l. c. 640.—Afr. austr.

KELLAUA, A. DC. in Ann. Sc. Nat. Sér. II. xvi. (1842) 96 = *Euclea*, Linn. (Ebenac.).

*Schimperii*, A. DC. l. c. xviii. (1842) 209 = *E. Kellau*.

KELLERIA, Endl. Gen. Suppl. iv. ii. 61 (1847) = *Drapetes*, Banks (Thymel.).

*Dieffenbachii*, Endl. l. c. = *D. Dieffenbachii*.

*villosa*, Bergg. in Minneskr. Fisiog. Sällks. Lund (1877) n. viii. 17.—N. Zel.

KELLETTIA, Seem. Bot. Voy. Herald, 85, 254 (1853) = *Prockia*, Linn. (Tiliac.).

*odorata*, Seem. l. c. 85 = *P. Crucis*.

*ovata*, C. Muell. in Walp. Ann. vi. 1202, sphalm. = *prae*.

KELLOGGIA, Torr. ex Benth. & Hook. f. Gen. ii. 137 (1873); et in Bot. U. St. Expl. Exp. ii. 332. t. 6 (1874). *RUBIACEAE*, Benth. & Hook. f. ii. 137.

*galioides*, Torr. l. c.—Calif.

KEMELIA, Rafin. Sylva Tellur. 138, 139 (1838) = *Camellia*, Linn. (Ternstroem.).

KEMOXIS, Rafin. Sylva Tellur. 86 (1838) = *Vitis*, Tourn. (Ampelid.).

*acida*, Rafin. l. c. = *V. acida*.

KENDRICKIA, Hook. f. in Benth. & Hook. f. Gen. i. 751 (1867). *MELASTOMACEAE*, Benth. & Hook. f. l. c.

*Walkerii*, Hook. f. l. c. 752.—Zeylan.

KENNEDYA, Vent. Jard. Malm. 104. t. 104 (1804) (Kennedia). *LEGUMINOSAE*, Benth. & Hook. f. i. 531.

*AMPHODUS*, Lindl. Bot. Reg. t. 1101 (1829).

*CAULINIA*, Moench, Meth. Suppl. 47 (1802).

*PHYSOLOBIUM*, Hueg. Bot. Archiv. t. 2 (1837).

*ZICHYA*, Hueg. l. c. t. 1 (1837).

*arabica*, Hochst. ex Benth. in Journ. Linn. Soc. viii. (1865) 265 = *Teramnus labialis*.

*arenaria*, Benth. in Enum. Pl. Hueg. 38 = *prostrata*.

*Baumanni*, Meissn. in Lehm. Pl. Preiss. i. 89 (Camptosematis sp.).—Austral.

*Beckxiana*, F. Muell. Fragm. xi. 98.—Austral.

*bracteata*, Gaudich. in Freyc. Voy. Bot. 486 = *prostrata*.

*coccinea*, Vent. Jard. Malm. 105. t. 105.—Austral.

*Comptoniana*, Link. Enum. Hort. Berol. ii. 235 = *Hardenbergia Comptoniana*.

*cordata*, Lindl. Bot. Reg. t. 944 = *Hardenbergia monophylla*.

*dilatata*, A. Cunn. ex Lindl. l. c. t. 1526 = *coccinea*.

*eximia*, Lindl. in Paxt. Mag. Bot. xvi. (1849) 35.—Austral.

*Fredwoodii*, Hort. ex Verlot, in Rev. Hort. (1866) 279, 332.—Austral.

*glabrata*, Lindl. Bot. Reg. t. 1838.—Austral.

*heterophylla*, Mackay, ex Sweet, Hort. Brit. ed. I. 481 = *coccinea*.

*inophylla*, Lindl. Bot. Reg. t. 1421 = *coccinea*.

*lateritia*, F. Muell. Fragm. iv. 78 = *macrophylla*.

*latifolia*, Lindl. ex Steud. Nom. ed. II. i. 844 = *Hardenbergia monophylla*.

*longiracemosa*, Lodd. Bot. Cab. t. 1940 = *Hardenbergia monophylla*.

*macrophylla*, Benth. Fl. Austral. ii. 252.—Austral.

*macrophylla*, Lindl. Bot. Reg. t. 1862 = *Hardenbergia Comptoniana*.

*Marryattae*, Lindl. l. c. t. 1790 = *prostrata*.

*Marryattiana*, Maund, Botanist, i. 83 = *prae*.

*microphylla*, Meissn. in Lehm. Pl. Preiss. i. 91.—Austral.

*microphylla*, Sieber, ex Steud. Nom. ed. II. i. 845 = *Glycine clandestina*.

*monophylla*, Vent. Jard. Malm. 106. t. 106 = *Hardenbergia monophylla*.

*monosperma*, Steud. Nom. ed. II. i. 845 = *Erythrina monosperma*.

*nigricans*, Lindl. Bot. Reg. t. 1715.—Austral.

*oblonga*, Lem. Hort. Univ. v. 127 (fide DC. Sched.).—Hab.?

*oblongata*, Lam. ex Regel, Ind. Sem. Hort. Petrop. (1861) 53 (an *prae*.?).—Hab.?

*ovata*, Sims, Bot. Mag. t. 2169 = *Hardenbergia monophylla*.

*parviflora*, Meissn. in Lehm. Pl. Preiss. i. 91.—Austral.

*phaseolifolia*, Hoffm. in Linnaea, xvi. (1842) Litt. 281 = *rubicunda*.

*physolobioides*, Walp. in Otto & Dietr. Allg. Gartenz. xiv. (1846) 186 = *parviflora*?

*procurrens*, Benth. in Mitch. Journ. Trop. Austral. 365.—Austral.

*prorepens*, F. Muell. Fragm. viii. 225.—Austral.

*prostrata*, [R. Br. in] Ait. Hort. Kew. ed. II. iv. 299.—Austral.

*retusa*, F. Muell. Fragm. v. 106.—Austral.

*rubicunda*, Vent. Jard. Malm. 104. t. 104.—Austral.

*sericea*, G. Don, Gen. Syst. ii. 343.—Austral.

*splendens*, Meissn. in Lehm. Pl. Preiss. i. 89 (Camptosematis sp.).—Austral.

*stipularis*, Desv. in Ann. Sc. Nat. Sér. I. ix. (1826) 421 = *prostrata*.

*Stirlingii*, Lindl. Bot. Reg. t. 1845.—Austral.

*tabacina*, Labill. Sert. Austr. Caled. 70. t. 70 = *Glycine tabacina*.

KENNEDYNELLA, Steud. Nom. ed. II. i. 845 (1840) = *Glycine*, Linn. (Legumin.).

*clandestina*, Steud. l. c. = *G. clandestina*.

*elongata*, Steud. l. c. = *G. tabacina*.

*microphylla*, Steud. l. c. = *G. clandestina*.

*tabacina*, Steud. l. c. = *G. tabacina*.

*tomentosa*, Steud. l. c. = *G. tomentosa*.

KENTIA, Adans. Fam. ii. 508 (1763) = *Trigonella*, Linn. (Legumin.).

KENTIA, Blume, in Bull. Néerl. (1838) 64; et Rumphia, ii. 94 (1843). *PALMAE*, Benth. & Hook. f. iii. 884.

*acuminata*, H. Wendl. & Drude, in Linnaea, xxxix. (1875) 207 = *Carpenteria acuminata*.



**KENTIA:**—

- australis*, Hort.—*Cf. Gard. Chron.* (1873) 6.—Ins. D. Howe.  
*Balmorea*, C. Moore, in *Illustr. Hort.* xxi. (1874) t. 191 = *Belmoreana*.  
*Baueri*, Seem. *Fl. Vit.* 269 = *Rhopalostylis Baueri*.  
*Beccarii*, F. Muell. *Extra-Trop. Pl. Ind. ed.* (1880) 163 = *Nengella montana*.  
*Belmoreana*, F. Muell. *Fragm.* vii. 99 = *Howea Belmoreana*.  
*Canterburyana*, F. Muell. l. c. 101 = *Hedyscepe Canterburyana*.  
*concinna*, T. Moore, in *Gard. Chron.* (1877) i. 43 = *Microkentia gracilis*.  
*costata*, Becc. *Malesia*, i. (1877) 36 = *Gulubia costata*.  
*Deplanchei*, Brongn. & Gris, in *Bull. Soc. Bot. Fr.* xi. (1864) 314 = *Microkentia Deplanchei*.  
*divaricata*, Planch. ex Brongn. in *Compt. Rend. Par.* lxxvii. (1873) 398 = *Kentiopsis divaricata*.  
*elegans*, Brongn. & Gris, in *Bull. Soc. Bot. Fr.* xi. (1864) 312 = *Cyphophoenix elegans*.  
*Exorrhiza*, H. Wendl. in *Bonplandia*, x. (1862) 191 = *Exorrhiza Wendlandiana*.  
*Forsteriana*, F. Muell. ex H. Wendl. in *Kerch. Palm.* 248 = *Howea Forsteriana*.  
*fulcata*, Brongn. in *Compt. Rend. Par.* lxxvii. (1873) 399 = *Cyphophoenix fulcata*.  
*gracilis*, Brongn. & Gris, in *Bull. Soc. Bot. Fr.* xi. (1864) 315 = *Microkentia gracilis*.  
*Humboldtiana*, Brongn. ex H. Wendl. in *Kerch. Palm.* 248 = *Cyphokentia Humboldtiana*.  
*Joannis*, F. Muell. ex H. Wendl. l. c. = *Veitchia Joannis*.  
*Lindenii*, Hort. *Linden*, ex *Illustr. Hort.* xxiv. (1877) t. 276 = *Kentiopsis macrocarpa*.  
*Luciani*, *Linden*.—*Cf. Gard. Chron.* (1878) i. 440; et *Illustr. Hort.* xxix. (1882) t. 451.—Hab.?  
*macrocarpa*, Vieill. ex Brongn. in *Compt. Rend. Par.* lxxvii. (1873) 398 = *Kentiopsis macrocarpa*.  
*macrostachya*, Panch. ex Brongn. l. c. 399 = *Cyphokentia macrostachya*.  
*minor*, F. Muell. *Fragm.* viii. 235.—Austral.  
*moluccana*, Becc. *Malesia*, i. (1877) 35 = *Gulubia moluccana*.  
*monostachya*, F. Muell. *Fragm.* vii. 82 = *Bacularia monostachya*.  
*Mooreana*, F. Muell. l. c. 101 = *Clinostigma Mooreanum*.  
*oleracea*, Seem. ex H. Wendl. in *Kerch. Palm.* 248 = *Oreodoxa oleracea*?  
*olivaeformis*, Brongn. & Gris, in *Compt. Rend. Par.* lxxvii. (1873) 399 = *Kentiopsis olivaeformis*.  
*Pancheri*, Brongn. & Gris, in *Bull. Soc. Bot. Fr.* xi. (1864) 316 = *Microkentia Pancheri*.  
*paradoxa*, Mart. *Hist. Nat. Palm.* iii. 312 = *Ophiria paradoxa*.  
*polystemon*, Panch. ex H. Wendl. in *Kerch. Palm.* 248 = *Kentiopsis divaricata*.  
*procera*, Blume, in *Bull. Néerl.* (1838) 65.—N. Guinea.  
*robusta*, Hort. *Linden*, ex H. Wendl. in *Kerch. Palm.* 248 = *Cyphokentia Vieillardii*.  
*rubricaulis*, Hort.—*Cf. Gard. Chron.* (1876) i. 603.—Austral.  
*rupicola*, Hort. *Linden*, l. c. (1878) t. 440.—Hab.?  
*sapida*, Mart. *Hist. Nat. Palm.* iii. 312 = *Rhopalostylis sapida*.  
*Storckii*, F. Muell. ex H. Wendl. in *Kerch. Palm.* 248 = *Veitchia Storckii*.  
*subglobosa*, F. Muell. ex H. Wendl. l. c. = *Veitchia subglobosa*.  
*Vieillardii*, Brongn. & Gris, in *Bull. Soc. Bot. Fr.* xi. (1864) 313 = *Cyphosperma Vieillardii*.  
*Wendlandiana*, F. Muell. *Fragm.* vii. 102 = *Hydriastele Wendlandiana*.

**KENTIA**, Steud. *Nom. ed.* II. i. 845 (1840) = **Fagraea**, Thunb. (Logan).  
*morindaefolia*, Steud. l. c. = *F. racemosa*.

**KENTIOPSIS**, Brongn. in *Comp. Rend. Par.* lxxvii. (1873) 398. **PALMAE**, Benth. & Hook. f. iii. 887. *divaricata*, Brongn. l. c. (an al. gen.?).—N. Caled. *Luciani*, Rodigas, in *Illustr. Hort.* xxix. (1882) sub t. 451 = *Kentia Luciani*. *macrocarpa*, Brongn. in *Comp. Rend. Par.* lxxvii. (1873) 398.—N. Caled. *olivaeformis*, Brongn. l. c.—N. Caled.

**KENTRANTHUS**, Neck. *Elem.* i. 122 (1790) = **Cen tranthus**, DC. (Valerian.).

**KENTROPHYLLUM**, Neck. *Elem.* i. 86 (1790) = **Carthamnus**, Linn. (Compos.).  
*aegyptiacum*, Tausch, in *Flora*, xii. (1829) 71, nomen.—Aegypt.  
*album*, Cass. in *Dict. Sc. Nat.* xxiv. 389 = *C. leucocaulos*.  
*alexandrinum*, Boiss. *Diagn. Ser. II.* vi. 115 = *C. glaucus*.  
*anatolicum*, Boiss. l. c. i. vi. 113 = *C. glaucus*.  
*arborescens*, Hook. *Bot. Mag.* t. 3302 = *C. arborescens*.  
*aureum*, Boiss. *Diagn. Ser. I.* x. 99 = *C. flavescens*.  
*baeticum*, Boiss. & Reut. *Pugill. Pl. Nov.* 65 = *C. lanatus*.  
*canescens*, C. Koch & Bouché, *Ind. Sem. Hort. Berol.* (1855) 13 = *C. canescens*?  
*coeruleum*, Gren. & Godr. *Fl. Fr.* ii. 264 = *Carduncellus caeruleus*.  
*creticum*, Boiss. *Diagn. Ser. I.* x. 99 = *C. glaucus*.  
*creticum*, Tausch, in *Flora*, xii. (1829) 71 = *C. lanatus*.  
*dentatum*, DC. *Prod.* vi. 611 = *C. dentatus*.  
*elatium*, Gasp. in *Rendic. Soc. Borb. Nap.* i. (1842) 186 = *C. arborescens*.  
*flavescens*, Tausch, in *Flora*, xii. (1829) 71 = *C. flavescens*.  
*glaucum*, Tausch, l. c. = *C. glaucus*.  
*incanum*, Tausch, l. c. = *C. lanatus*.  
*lanatum*, DC. & Duby, *Bot. Gall.* i. 293 = *C. lanatus*.  
*leucocaulon*, DC. *Prod.* vi. 610 = *C. leucocaulos*.  
*luteum*, Cass. in *Dict. Sc. Nat.* xxiv. 381 = *C. lanatus*.  
*mareoticum*, DC. *Prod.* vi. 611 = *C. mareoticum*.  
*montanum*, Pomel, *Nouv. Mat. Fl. Atl.* 22.—Alger.  
*purpureum*, Tausch, in *Flora*, xii. (1829) 71, nomen.—Hab.?  
*rubrum*, Link, in *Linnaea*, ix. (1834) 580 = *C. dentatus*.  
*syriacum*, Boiss. *Diagn. Ser. I.* x. 98 = *C. glaucus*.  
*tauricum*, C. A. Mey. *Verz. Pfl. Cauc.* 66 = *C. lanatus*.  
*tenue*, Boiss. & Blanche, *Diagn. Ser. II.* iii. 50 = *C. glaucus*.  
*turbinatum*, Gasp. ex Guss. *Fl. Sic. Syn.* ii. 430 = *C. turbinatus*.

**KENTROPHYTA**, Nutt. ex Torr. & Gray, *Fl. N. Am.* i. 353 (1840) = **Astragalus**, Linn. (Legumin.).  
*montana*, Nutt. ex Torr. & Gray, l. c. = *A. Kentrophyta*.  
*viridis*, Nutt. l. c. = *A. Kentrophyta*.

**KENTROPSIS**, Moq. *Chenop.* Enum. 83 (1840) = **Sclerolaena**, R. Br. (Chenopod.).  
*brevicuspis*, F. Muell. *Fragm.* iv. 150 = *Anisacantha brevicuspis*.  
*diacantha*, Moq. in *DC. Prod.* xiii. ii. 138 = *S. diacantha*.  
*eriacantha*, F. Muell. *Fragm.* ii. 140 = *S. lanicuspis*.  
*glabra*, F. Muell. l. c. i. 139 = *Anisacantha glabra*.  
*lanata*, Moq. *Chenop.* Enum. 83 = *S. bicornis*.

**KEPA**, Tourn. ex Rafin. *Fl. Tellur.* ii. 19 (1836) = **Allium**, Tourn. (Liliac.).  
*esculenta*, Rafin. l. c. 20 = *A. Cepa*.  
*fistulosa*, Rafin. l. c. = *A. fistulosum*.

**KEPPLERIA**, Mart. ex Endl. *Gen.* 251 (1837) = **Ben tinckia**, Berry (Palm.).

**KEPPLERIA**, Meissn. *Gen.* 355 (1842) = **Oncosperma**, Blume (Palm.).  
*tigillaria*, Meissn. l. c.; *Comm.* 266 = *O. filamentosa*.

**KERAMANTHUS**, Hook. f. *Bot. Mag.* t. 6271 (1876). **PASSIFLORACEAE**.  
*Kirkii*, Hook. f. l. c.—Afr. trop.

**KERAMOCARPUS**, Fenzl, in *Russegg. Reise*, ii. 966 (1843) = **Coriandrum**, Linn. (Umbellif.).  
*Tordylium*, Fenzl, l. c. = *C. tordylioides*.

**KERANDRENIA**, Steud. *Nom. ed.* II. i. 845 (1840), sphalm. = **Keraudrenia**, J. Gay (Stercul.).

**KERANTHUS**, Lour. ex Endl. *Gen.* 193, in syn. (1836) = **Dendrobium**, Sw. (Orchid.).

**KERASELMA**, Neck. *Elem.* ii. 353 (1790) = **Euphorbia**, Linn.  
*corifolia*, Rafin. *Fl. Tellur.* iv. 116 = *E. corifolia*.  
*Cyparissias*, Rafin. l. c. = *E. Cyparissias*.  
*diversifolia*, Rafin. l. c. = *E. Terracina*?  
*Esula*, Rafin. l. c. = *E. Esula*.  
*exigua*, Rafin. l. c. = *E. exigua*.

**KERASELMA:**—

*falcata*, Rafin. *Fl. Tellur.* iv. 116 = *Euphorbia falcata*.  
*genistoides*, Rafin. l. c. = *E. genistoides*.  
*lathyroides*, Rafin. l. c. = *E. lathyroides*.  
*leptophylla*, Rafin. l. c. = *E. tenuifolia*.  
*lucida*, Rafin. l. c. = *E. lucida*.  
*oleracea*, Rafin. l. c. = *E. Peplus*.  
*pallida*, Rafin. l. c. = *E. salicifolia*, *lucida*.  
*Peplus*, Rafin. l. c. = *E. Peplus*.  
*provincialis*, Rafin. l. c. = *E. Terracina*.  
*retusa*, Rafin. l. c. = *E. cornuta*?  
*rubra*, Rafin. l. c. = *E. falcata*?  
*segetalis*, Rafin. l. c. = *E. segetalis*.  
*Seguieri*, Rafin. l. c. = *E. Gerardi*.  
*squamosa*, Rafin. l. c. = *E. aspera*.  
*sylvatica*, Rafin. l. c. = *E. sylvatica*.

**KERASKOMION**, Rafin. *New Fl. Am.* iv. 21 (1836) = **Cicuta**, Tourn. (Umbellif.).  
*bulbiferum*, Rafin. l. c. = *C. bulbifera*.

**KERATEPHORUS**, Hassk. *Retzia*, 100 (1855); et in *Flora*, xxxviii. (1855) 578 = **Payena**, A. DC. (Sapotac.).  
*Leerii*, Hassk. ll. cc. 101; 579.—Sumatra.  
*Wightii*, Hassk. ll. cc. 100; 579 = *P. lucida*.  
*Wightii*, Maing. ex C. B. Clarke, in *Hook. f. Fl. Brit. Ind.* iii. 547 = *P. malaccensis*.

**KERATOPHORUS**, C. B. Clarke, in *Hook. f. Fl. Brit. Ind.* iii. 547 (1882) sphalm. = *praece*.

**KERAUDRENIA**, J. Gay, in *Mém. Mus. Par.* vii. (1821) 461. t. 23. **STERCULIACEAE**, Benth. & Hook. f. i. 227.

*adenolasia*, F. Muell. *Fragm.* x. 96 = *Seringia adenolasia*.  
*hermanniaefolia*, J. Gay, in *Mém. Mus. Par.* vii. (1821) 462. t. 23.—Austral.  
*Hillii*, F. Muell. ex Benth. *Fl. Austral.* i. 246.—Austral.  
*Hookeri*, F. Muell. *Fragm.* i. 28, 242 = seq.  
*Hookeriana*, Walp. *Ann.* ii. 164.—Austral.  
*integrifolia*, Hook. in *Mitch. Trop. Austral.* 341 = *Hookeriana*.  
*integrifolia*, Steud. in *Lehm. Pl. Preiss.* i. 236.—Austral.  
*lanceolata*, Benth. *Fl. Austral.* i. 245.—Austral.  
*microphylla*, Steetz, in *Lehm. Pl. Preiss.* ii. 347 = *hermanniaefolia*.  
*nephrosperma*, Benth. *Fl. Austral.* i. 246.—Austral.  
*velutina*, Steetz, in *Lehm. Pl. Preiss.* ii. 348 = *integrifolia*.

**KERBERA**, Fourn. in *Mart. Fl. Bras.* vi. iv. 290 (1885). **ASCLEPIADEAE**.  
*Eichleri*, Fourn. l. c.—Bras.

**KERCHOVEA**, Joriss. in *Belg. Hort.* xxxii. 1882 201. t. 8 = **Stromanthe**, Sond. (Scitam.).  
*floribunda*, Joriss. l. c.—Bras.

**KERIA**, Spreng. *Anleit.* ii. ii. 869 (1818) = **Kerria**, DC. (Rosac.).

**KERINGA**, Rafin. *Sylva Tellur.* 144 (1838) = **Vernonia**, Schreb. (Compos.).  
*amygdalina*, Rafin. l. c. = *V. amygdalina*.

**KERINOZOMA**, Steud. ex Zoll. *Syst. Verz. Ind. Archip.* 57 (1854); et *Syn. Pl. Gram.* 358 (1855) = **Ischaemum**, Linn. (Gramin.).—*Cf. Benth. & Hook. f. Gen.* iii. 1096.

*Cheribon*, Steud. *Syn. Pl. Gram.* 358 = *Ischaemum collina*, Steud. in *Zoll. Syst. Verz. Ind. Archip.* 57, nomen.—Java.  
*littoralis*, Steud. l. c. nomen.—Java.  
*Surabaja*, Steud. *Syn. Pl. Gram.* 358 = *littoralis*.

**KERMADECIA**, Brongn. & Gris, in *Bull. Soc. Bot. Fr.* x. (1863) 228. **PROTEACEAE**, Benth. & Hook. f. iii. 178.  
*austro-caledonica*, Benth. & Hook. f. l. c. = *N. Caled.*  
*Bleasdalei*, Benth. & Hook. f. l. c. = *Roupala Bleasdalei*.  
*elliptica*, Brongn. & Gris, in *Bull. Soc. Bot. Fr.* x. (1863) 228.—N. Caled.  
*retundifolia*, Brongn. & Gris, l. c.—N. Caled.  
*sinuata*, Brongn. & Gris, l. c.—N. Caled.



KERMULA, Noronha, in Verh. Batav. Gen. v. (1790) ed. I. Art. iv. 2 = **Fleurya**, Gaudich. (Urtic.).

KERNERA, Medic. in Pflanzeng. 71 (1792) = **Cochlearia**, Linn. (Crucif.).  
*auriculata*, Reichb. in Moessl. Handb. ed. II. ii. 1142 = *C. auriculata*.  
*Boissieri*, Reut. in Boiss. & Reut. Pugill. Pl. Nov. 9 = *C. saxatilis*?  
*decipiens*, Willk. in Willk. & Lange, Prod. Fl. Hisp. iii. 842 = *C. decipiens*.  
*glastifolia*, Reichb. Fl. Germ. Excurs. 669 = *C. glastifolia*.  
*myagroides*, Medic. in Usteri, Neue Ann. Bot. ii. (1794) 42 = *C. saxatilis*.  
*polysperma*, Willk. & Cost. in Linnaea, xxx. (1859-60) 86 = *C. polysperma*.  
*sagittata*, Miègev. in Bull. Soc. Bot. Fr. xiv. (1867) 145 = *Neslia paniculata*.  
*saxatilis*, Reichb. in Moessl. Handb. ed. II. ii. 1142 = *C. saxatilis*.  
*simplex*, Rafin. Atl. Journ. 178 (Quid?).—Am. bor.

KERNERA, Schrank, Baier. Reise, 50 (1786) = **Tozzia**, Linn. (Scrophul.).  
*bavarica*, Schrank, l. c. = *T. alpina*.

KERNERA, Willd. Sp. Pl. iv. 947 (1805) = **Posidonias**, Koen. (Naiad.).  
*antarctica*, Schult. f. Syst. vii. 170 = *Cymodocea antarctica*.  
*nodosa*, Schult. f. l. c. = *Cymodocea aequorea*.  
*oceanica*, Willd. Sp. Pl. iv. 947 = *P. oceanica*.  
*ovalis*, Schult. f. Syst. vii. 170 = *Halophila ovata*.  
*serrulata*, Schult. f. l. c. = *Cymodocea serrulata*.  
*spinulosa*, Schult. f. l. c. = *Halophila spinulosa*.

KERNERIA, Moench, Meth. 595 (1794) = **Bidens**, Tourn. (Compos.).  
*bipinnata*, Gren. & Godr. Fl. Fr. ii. 169 = *B. bipinnata*.  
*coreopsoides*, Cass. in Dict. Sc. Nat. lix. 328 = *B. chrysanthemoides*.  
*dubia*, Cass. l. c. xxiv. 398 = *B. pilosa*.  
*ferulaefolia*, Cass. l. c. li. 43 = *B. ferulaefolia*.  
*helianthoides*, Cass. l. c. xxiv. 399 = *B. chrysanthemoides*.  
*leucantha*, Cass. l. c. 398 = *B. pilosa*.  
*pilosa*, Lowe, Man. Fl. Mader. i. 474 = *B. pilosa*.  
*rubifolia*, Cass. in Dict. Sc. Nat. xxiv. 399 = *B. rubifolia*.  
*serrulata*, Cass. l. c. li. 474 = *B. grandiflora*.  
*tetragona*, Moench, Meth. 595 = *B. pilosa*.

KERRIA, DC. in Trans. Linn. Soc. xii. (1817) 156. **ROSACEAE**, Benth. & Hook. f. i. 613.  
*japonica*, DC. l. c. 157.—Japan.  
*tetrapetala*, Siebold, in Verh. Batav. Gen. xii. (1830) 69; Lem. in Illustr. Hort. xv. (1868) sub t. 556 = *japonica*.

KETELEERIA, Carr. in Rev. Hort. (1866) 449. **CONIFERAE** [Benth. & Hook. f. iii. 442].  
*Fortunei*, Carr. l. c.—Japan.

KETHOSIA, Rafin. Fl. Tellur. iv. 78 (1836) = **Hewittia**, Wight & Arn. (Convolv.).  
*involuta*, Rafin. l. c. = *H. bicolor*.

KETMIA, Tourn. ex Burm. Thes. Zeyl. 133 (1737) = **Hibiscus**, Linn. (Malvac.).  
*arborescens*, Moench, Meth. 617 = *H. syriacus*.  
*glandulosa*, Moench, Meth. Suppl. 202 = *H. cannabinus*.  
*mutabilis*, Moench, Meth. 617 = *H. mutabilis*.  
*syriaca*, Scop. Fl. Carn. ed. II. ii. 45 = *H. syriacus*.  
*syrorum*, Medic. Malv. 45 = *H. syriacus*.  
*Trionum*, Scop. Fl. Carn. ed. II. ii. 44 = *H. Trionum*.

KETMIASTRUM, Heist. Syst. 8 (1748) = praec.?

KETTMIA, Medic. in Vorles. Churpf. Phys.-Oek. Ges. iv. i. (1789) 240 = KETMIA, Tourn. = **Hibiscus**, Linn. (Malvac.).

KEULIA, Molina, Sagg. Chile, ed. II. 159 (1810) = **Gomortega**, Ruiz & Pav. (Laurin.).  
*chilensis*, Molina, l. c. = *G. nitida*.

KEURA, Forsk. Fl. Aegypt. Arab. 95, 122, 172 (1775) = **Pandanus**, Linn.  
*odora*, Thunb. Nov. Gen. 26 = seq.  
*odorifera*, Forsk. Fl. Aegypt. Arab. 172 = *P. odoratissimus*.

KEURVA, Endl. Gen. 242 (1837) = praec.

KEYSERLINGIA, Bunge, ex Boiss. Fl. Orient. ii. 629 (1872). **LEGUMINOSAE**.  
*Buxbaumii*, Bunge, ex Boiss. l. c. 630.—Persia.  
*Griffithii*, Boiss. l. c.—Afghan.

KHAYA, A. Juss. in Mém. Mus. Par. xix. (1830) 249; (Meliac. 97. t. 10). **MELIACEAE**, Benth. & Hook. f. i. 338.  
*anthotheca*, C. DC. in DC. Monog. Phan. i. 721.—Afr. trop.  
*senegalensis*, A. Juss. in Mém. Mus. Par. xix. (1830) 249 (Meliac. 98. t. 10).—Afr. trop.

KHAYEA, Planch. & Triana, in Bull. Soc. Bot. Fr. viii. (1861) 99 = **Kayea**, Wall. (Guttif.).

KHYTIGLOSSA, Nees, in DC. Prod. xi. 159, in syn. (1847) err. typ. = RHYTIGLOSSA, Nees = **Dianthera**, Gronov. (Acanthac.).

KIBARA, Endl. Gen. 314 (1837). **MONIMIACEAE**, Benth. & Hook. f. iii. 140.  
*BRONGNIARTIA*, Blume, Bijdr. 435 (1825).  
*SARCODISCUS*, Griff. Notul. iv. 380 (1854).  
*SCIADICARPUS*, Hassk. in Flora, xxv. (1842) II. Beibl. 20.  
*WILKIEA*, F. Muell. in Trans. Phil. Inst. Vict. ii. (1858) 64.  
*aruensis*, Becc. *Malesia*, i. (1877) 188.—N. Guinea.  
*Blumei*, Steud. Nom. ed. II. i. 846.—Malaya.  
*chartacea*, Blume, Mus. Bot. Lugd. Bat. ii. 89.—Sumatra.  
*coriacea*, Hook. f. & Thoms. Fl. Ind. i. 166 = *Blumei*.  
*cuspidata*, Blume, Mus. Bot. Lugd. Bat. ii. 89.—Sumatra.  
*formicarium*, Becc. *Malesia*, i. (1877) 188.—N. Guinea.  
*hospitans*, Becc. l. c. 189.—N. Guinea.  
*laxiflora*, Benth. Fl. Austral. v. 289.—Austral.  
*longipes*, Benth. l. c.—Austral.  
*macrophylla*, Benth. l. c. 288.—Austral.  
*obtusata*, Blume, Mus. Bot. Lugd. Bat. ii. 89.—Ins. Celebes.  
*olivaeformis*, Becc. *Malesia*, i. (1877) 187.—N. Guinea.  
*pubescens*, Benth. Fl. Austral. v. 290.—Austral.

KIBATALIA, G. Don, Gen. Syst. iv. 86 (1837) = **Kickxia**, Blume (Apocyn.).  
*arborescens*, G. Don. l. c. = *K. arborescens*.

KIBESSIA, Walp. Rep. ii. 148 (1843), sphalm. = **Kibessia**, DC. (Melastom.).

KIBERA, Adans. Fam. ii. 417 (1763) = **Sisymbrium**, Tourn. (Crucif.).

KIBESSIA, DC. Prod. iii. 196 (1828). **MELASTOMACEAE**, Benth. & Hook. f. i. 771.  
*MACROPLACIS*, Blume, Mus. Bot. Lugd. Bat. i. 7 (1849).  
*RECTOMITRA*, Blume, l. c. 6 (1849).  
*acuminata*, Decne. in Ann. Sc. Nat. Sér. III. v. (1846) 316.—Singapore.  
*angustifolia*, Blume, Mus. Bot. Lugd. Bat. i. 9.—Borneo.  
*azurea*, DC. Prod. iii. 196.—Java.  
*cordata*, Korth. Verh. Nat. Gesch. Bot. 253.—Sumatra.  
*cupularis*, Decne. in Deless. Ic. Sel. iii. 3. t. 5 = *simplex*.  
*pubescens*, Decne. in Ann. Sc. Nat. Sér. III. v. (1846) 318.—Penang.  
*sessilis*, Blume, Mus. Bot. Lugd. Bat. i. 8.—Java.  
*simplex*, Korth. Verh. Nat. Gesch. Bot. 253.—Malaya.  
*subulata*, Blume, Mus. Bot. Lugd. Bat. i. 8.—Sumatra.  
*subulata*, Triana, in Trans. Linn. Soc. xxviii. (1871) 152 sphalm. = praec.  
*tetraptera*, Miq. Fl. Ind. Bat. i. i. 571.—Java.  
*tuberculata*, Hook. f. ex C. B. Clarke, in Hook. f. Fl. Brit. Ind. ii. 553.—Malacca.

KICKXIA, Blume, Fl. Jav. Praef. p. vii (1828) (Kixia); et Rumphia, iv. 25 (1848). **APOCYNACEAE**, Benth. & Hook. f. ii. 721.  
*HASSELTIA*, Blume, Bijdr. 1045 (1826).

KICKXIA:—

*KIBATALIA*, G. Don, Gen. Syst. iv. 86 (1837).  
*africana*, Benth. in Hook. Ic. Pl. t. 1276.—Afr. trop.  
*arborescens*, Steud. Nom. ed. II. i. 846.—Java.  
*arborescens*, F. Villar, in Blanco, Fl. Philipp. ed. III. Nov. App. 132. t. 428 = *Blancoi*.  
*Blancoi*, Rolfe, in Journ. Linn. Soc. xxi. (1884) 313.—Ins. Philipp.

KICKXIA, Dum. Fl. Belg. 35 (1827) = **Linaria**, Tourn. (Scrophul.).  
*Elatine*, Dum. l. c. = *L. Elatine*.  
*spuria*, Dum. l. c. = *L. spuria*.

KIELBOUL, Adans. Fam. ii. 31 (1763) = **Aristida**, Linn. (Gramin.).

KIELMEYERA, Mart. Nov. Gen. et Sp. i. 109. t. 68-72 (1824). **TERNSTROEMIACEAE**, Benth. & Hook. f. i. 188.  
*MARTINIERIA*, Vell. Fl. Flum. 232 (1825); v. t. 114 (1827).  
*angustifolia*, Pohl, Pl. Bras. Ic. ii. 46.—Bras.  
*argentea*, Choisy, in Mém. Soc. Phys. Genève. xiv. (1855) 165.—Bras.  
*coriacea*, Mart. Nov. Gen. et Sp. i. 112.—Bras.  
*corymbosa*, Mart. l. c. 113. t. 72.—Bras.  
*excelsa*, Cambess. in St. Hil. Fl. Bras. Mer. i. 308.—Bras.  
*falcata*, Cambess. in St. Hil. l. c. 304.—Bras.  
*humifusa*, St. Hil. l. c. 307.—Bras.  
*membranacea*, Casar. Dec. Stirp. Nov. Bras. v. 39.—Bras.  
*microphylla*, Pohl, Pl. Bras. Ic. ii. 49.—Bras.  
*neriifolia*, Cambess. in St. Hil. Fl. Bras. Mer. i. 306.—Bras.  
*oblonga*, Pohl, Pl. Bras. Ic. ii. 47.—Bras.  
*petiolaris*, Mart. Nov. Gen. et Sp. i. 111. t. 69.—Bras.  
*pumila*, Pohl, Pl. Bras. Ic. ii. 48.—Bras.  
*rosea*, Mart. Nov. Gen. et Sp. i. 110.—Bras.  
*rubriflora*, Cambess. in St. Hil. Fl. Bras. Mer. i. 305.—Bras.  
*rugosa*, Choisy, in Mém. Soc. Phys. Genève. xiv. (1855) 165.—Bras.  
*speciosa*, St. Hil. Pl. Us. Bras. t. 58.—Bras.  
*tomentosa*, Cambess. in St. Hil. Fl. Bras. Mer. i. 308. t. 61.—Bras.  
*variabilis*, Mart. Nov. Gen. et Sp. i. 112. t. 71.—Bras.

KIELMIERA, G. Don, Gen. Syst. i. 564 (1831) = praec.

KIERSCHLEGERIA, Spach, in Ann. Sc. Nat. Sér. II. iv. (1835) 176 = **Fuchsia**, Linn. (Onagrar.).  
*Lindleyi*, Spach, l. c. = *F. parviflora*.  
*lycioides*, Spach, l. c. = *F. rosea*.

KIESERA, Reinw. ex Blume, Cat. Gew. Buitenz. 93 (1823); et in Syll. Ratisb. ii. (1828) 11 = **Tephrosia**, Pers. (Legumin.).  
*gracilis*, Miq. Fl. Ind. Bat. i. i. 291.—Java.  
*minor*, Miq. l. c.—Java.  
*sericea*, Reinw. ex Blume, Cat. Gew. Buitenz. 93; et in Syll. Ratisb. ii. (1828) 11 = *T. candida*.  
*sumatrana*, Miq. Fl. Ind. Bat. i. i. 1083.—Sumatra.

KIESERIA, Nees, in Neuwied, Reise nach Bras. ii. 338 (1821) = **Bonnetia**, Mart. (Ternstroem.).  
*stricta*, Nees, l. c. = *B. stricta*.

KIGELIA, DC. Prod. ix. 247 (1845). **BIGNONIACEAE**, Benth. & Hook. f. ii. 1053.  
*KIGELKEIA*, Rafin. Sylva Tellur. 166 (1838), nomen prius.  
*SOTOR*, Fenzl, in Ber. 21. Verssaml. Deutsch. Naturf. 1843 (1844) 168.  
*abyssinica*, A. Rich. Tent. Fl. Abyss. ii. 60.—Abyss.  
*aethiopica*, Decne. in Deless. Ic. Sel. Pl. v. 39. t. 93.—Afr. trop.  
*africana*, Benth. in Hook. Niger Fl. 463.—Afr. austr.  
*madagascariensis*, Baker, in Journ. Linn. Soc. xviii. (1881) 274.—Madag.  
*pinnata*, DC. Prod. ix. 247.—Afr. trop.

KIGELKEIA, Rafin. Sylva Tellur. 166 (1838) = praec.

KIGELLARIA, Endl. Ench. 479 (1841) = **Kiggelaria**, Linn. (Bixin.).



**KIGGELARIA**, Linn. Gen. ed. I. 309 (1737).  
*BIXINEAE*, Benth. & Hook. f. i. 130.  
*africana*, Linn. *Sp. Pl.* 1037.—Afr. austr.  
*Dregeana*, Turcz. in *Bull. Soc. Nat. Mosc.* xxvii.  
 (1854) ii. 333.—Afr. austr.  
*ferruginea*, Eckl. & Zeyh. *Enum.* 15.—Afr. austr.  
*glandulosa*, Salisb. *Prod.* 321 = *africana*.  
*integrifolia*, Jacq. *Coll.* ii. 296; Ic. *Pl. Rar.* t. 628 =  
*africana*.

**KIGGELARIA**, Linn. Syst. ed. I (1735) = **Cliffortia**?  
 Linn. (Rosac.).

**KILBERA**, Fourr. in *Ann. Soc. Linn. Lyon*, N. S. xvi.  
 (1868) 332 = **Sisymbrium**, Tourn. (Crucif.).  
*supina*, Fourr. l. c. = *S. supinum*.

**KILIANA**, Sch. Bip. ex Hochst. in *Flora*, xxiv. (1841) i.  
 Intell. 26, nomen = **Pulicaria**, Gaertn. (Compos.).  
*chrysopsioides*, Sch. Bip. l. c. = *P. petiolaris*.

**KILIANIA**, Sch. Bip. ex Benth. & Hook. f. *Gen.* ii. 336  
 (1873) = *praec.*

**KILLINGA**, Adans. *Fam.* ii. 498 (1763) = **Athamanta**,  
 Linn. (Umbellif.).

**KILLINGA**, Lestib. *Essai Cyp.* 28 (1819) = **Kyllinga**,  
 Rottb. (Cyperac.).

**KILLINGIA**, Juss. *Gen.* 2 (1789) = *praec.*

**KILLYNGIA**, Ham. *Prod. Pl. Ind. Occ.* 13 (1825) = *praec.*

**KINGIA**, R. Br. in *King, Narr. Surv. Austral. Coast*,  
 ii. 535 (1827). *FUNCACEAE*, Benth. & Hook. f.  
 iii. 865.  
*argentea*, Preiss, in *Lehm. Pl. Preiss.* ii. 52 = *australis*.  
*australis*, R. Br. in *King, Narr. Surv. Austral. Coast*,  
 ii. 535.—Austral.

**KINGSBOROUGHIA**, Liebm. in *Kjoeb. Vidensk.*  
 Meddel. (1850) 67 = **Meliosma**, Blume (Sabiace.).  
*alba*, Liebm. l. c. = *M. alba*.

**KINGSTONIA**, S. F. Gray, *Nat. Arr. Brit. Pl.* ii. 531  
 (1821) = **Saxifraga**, Linn.  
*guttata*, S. F. Gray, l. c. = *S. Hirculus*.

**KINGSTONIA**, Hook. f. & Thoms. in *Hook. f. Fl.*  
 Brit. Ind. i. 93 (1872). *ANONACEAE*.  
*nervosa*, Hook. f. & Thoms. l. c. = *Malaya*.

**KINIA**, Rafin. *Specch.* i. 87 (1814) (Gen. ex auctore  
*Medeolae et Trillio affine*).  
*biflora*, Rafin. l. c. 88.—Borneo.

**KINKINA**, Adans. *Fam.* ii. 147 (1763) = **Cinchona**,  
 Linn. (Rubiace.).

**KIOSMINA**, Rafin. *Fl. Tellur.* iii. 92 (1836) = **Salvia**,  
 Tourn. (Labiace.).  
*hispanica*, Rafin. l. c. = *S. hispanica*.

**KIPPISTIA**, Miers, in *Trans. Linn. Soc.* xxviii. (1872)  
 414, 416 = **Salacia**, Linn. (Hippocrate.).  
*cognata*, Miers, l. c. 417 = *S. cognata*.  
*diffusiflora*, Miers, l. c. 418 = *S. diffusiflora*.  
*organensis*, Miers, l. c. 416 = *S. serrata*.  
*serrata*, Miers, l. c. 419 = *S. serrata*.

**KIPPISTIA**, F. Muell. *Rep. Babb. Exped.* 12 (1858) =  
**Minuria**, DC. (Compos.).  
*suaedifolia*, F. Muell. l. c. 13 = *M. suaedifolia*.

**KIRCHNERA**, Opiz, in *Lotos*, viii. (1858) 65 = **Astra-**  
**galus**, Tourn. (Legumin.).  
*arenaria*, Opiz, l. c. = *A. arenarius*.

**KIRGANELIA**, Juss. *Gen.* 387 (1789) = **Phyllanthus**,  
 Linn. (Euphorb.).  
*alba*, Blanco, Fl. Filip. ed. I. 713 = *P. albus*.  
*Boiviniana*, Baill. *Adansonia*, ii. (1861–62) 49.—Ins.  
 Mayotte.  
*Bojeriana*, Baill. l. c. 47 = *P. Bojerianus*.  
*decipiens*, Baill. l. c. 49 = *P. decipiens*.  
*dubia*, Baill. *Etud. Gén. Euph.* 614 = *P. reticulatus*.  
*dumetosa*, Spreng. *Syst.* iii. 48 = *P. dumetosus*.  
*glandulosa*, Baill. *Etud. Gén. Euph.* 614 = *P. reti-*  
*culatus*.  
*elegans*, Juss. ex Spreng. *Syst.* iii. 48 = *P. Casticum*.

**KIRGANELIA** :—

*elliptica*, Spreng. *Syst.* iii. 48 = *Securinega elliptica*.  
*floribunda*, Baill. *Adansonia*, i. (1860–61) 83 = *Phyl-*  
*lanthus floribundus*.  
*floribunda*, Spreng. *Syst.* iii. 48 = *P. salviaefolius*.  
*glaucescens*, Baill. *Adansonia*, ii. (1861–62) 48.—  
 Madag.  
*intermedia*, Baill. *Etud. Gén. Euph.* 614 = *P. reti-*  
*culatus*.  
*multiflora*, Baill. l. c. = *P. reticulatus*.  
*nigrescens*, Blanco, Fl. Filip. ed. I. 712 = *P. nigrescens*.  
*Pervilleana*, Baill. *Adansonia*, ii. (1861–62) 50 =  
*P. Pervilleanus*.  
*phyllanthoides*, A. Juss. *Tent. Euph.* 108 = *P. Casti-*  
*cum*.  
*Prieuriana*, Baill. *Adansonia*, i. (1860–61) 82 = *P.*  
*reticulatus*.  
*puberula*, Baill. *Etud. Gén. Euph.* 614 = *P. reticulatus*.  
*pumila*, Blanco, Fl. Filip. ed. I. 712 = *P. pumilus*.  
*reticulata*, Baill. *Etud. Gén. Euph.* 613 = *P. reticulatus*.  
*salviaefolia*, Spreng. *Syst.* iii. 48 = *P. salviaefolius*.  
*sinensis*, Baill. *Etud. Gén. Euph.* 614, nomen =  
*P. reticulatus*.  
*timorensis*, Decne. in *Nouv. Ann. Mus. Par.* iii. (1834)  
 483 = *P. Casticum*.  
*triandra*, Blanco, Fl. Filip. ed. I. 711 = *P. triandrus*.  
*trilocularis*, Baill. *Etud. Gén. Euph.* 614 = *P. decipiens*.  
*Vieillardii*, Baill. *Adansonia*, ii. (1861–62) 231.—  
 N. Caled.  
*villosa*, Blanco, Fl. Filip. ed. I. 712 = *P. llanosi*.  
*virginica*, J. F. Gmel. *Syst.* 1008 = *P. Casticum*.  
*Wightiana*, Baill. *Etud. Gén. Euph.* 613, 614 =  
*P. reticulatus*.  
*zanzibariensis*, Baill. *Adansonia*, ii. (1861–62) 48.—  
 Afr. trop.

**KIRGANELLA**, J. F. Gmel. *Syst.* 1008 (1791) = *praec.*

**KIRGANELLIA**, Dum. *Anal. Fam.* 45 (1829) = *praec.*

**KIRILOVIA**, Lindl. *Veg. Kingd.* 513 (1847) = *seq.*

**KIRILOWIA**, Bunge, *Del. Sem. Hort. Dorpat.*  
 (1843) 7. *CHENOPODIACEAE*, Benth. & Hook. f.  
 iii. 57.  
*eriantha*, Bunge, l. c. 8.—Sibir.  
*pilosa*, Bunge, l. c. = *Pandera pilosa*.  
*villosa*, Benth. & Hook. f. *Gen.* iii. 57.—Afghan.

**KIRKIA**, Oliver, *Fl. Trop. Afr.* i. 310 (1868).  
*SIMARUBEAE*.  
*acuminata*, Oliver, l. c. 311; et in *Hook. Ic. Pl.* t. 1036.  
 —Afr. trop.

**KIRSCHLEGERA**, Reichb. *Nom.* 170 (1841) = *seq.*

**KIRSCHLEGERIA**, Reichb. *Handb.* 246 (1837) =  
**KIRSCHLEGERIA**, Spach = **Fuchsia**, Linn.  
 (Onagrar.).

**KISSENIA**, R. Br. ex T. Anders. in *Journ. Linn. Soc.* v.  
 Suppl. i. (1860) 43. *LOASEAE*, Benth. & Hook.  
 f. i. 803.

CNIDONE, E. Mey. ex Endl. *Gen. Suppl.* ii. 76, in  
 syn. (1842).

FISSENIA, R. Br. ex Endl. l. c. (1842).  
*spathulata*, R. Br. ex T. Anders. in *Journ. Linn. Soc.*  
 v. Suppl. i. (1860) 43.—Arab.; Afr. trop.

**KISSODENDRON**, Seem. *Journ. Bot.* iii. (1865) 201 =  
**Hedera**, Tourn. (Araliac.).  
*australianum*, Seem. l. c. = *H. australiana*.

**KITAIBELA**, Batsch, *Tab.* 19 (1802) = *seq.*

**KITAIBELIA**, Willd. in *Ges. Naturf. Fr. Neue*  
*Schr.* ii. (1799) 107. *MALVACEAE*, Benth. & Hook.  
 f. i. 200.  
*Balansae*, Boiss. *Fl. Orient.* i. 817.—Cilicia.  
*vitifolia*, Willd. in *Ges. Naturf. Fr. Neue Schr.* ii.  
 (1799) 108. f. 4.—Slavon.

**KITCHINGIA**, Baker, in *Journ. Linn. Soc.* xviii.  
 (1881) 268. *CRASSULACEAE*.  
*amplexicaulis*, Baker, l. c. xx. (1883) 142.—Madag.  
*campanulata*, Baker, l. c. xviii. (1881) 269.—Madag.  
*gracilipes*, Baker, l. c. 268.—Madag.  
*miniata*, Baker, in *Journ. Bot.* xx. (1882) 109.—  
 Madag.

**KITCHINGIA** :—

*panduriformis*, Baker, in *Journ. Linn. Soc.* xx. (1883)  
 141.—Madag.  
*parviflora*, Baker, l. c.—Madag.  
*peltata*, Baker, l. c. 140.—Madag.  
*porphyrocalyx*, Baker, l. c. 142.—Madag.  
*schizophylla*, Baker, l. c. xxi. (1884) 340.—Madag.

**KITTELIA**, Reichb. *Handb.* 186 (1837) = **Cyanea**,  
 Gaudich. (Campanulac.).

**KITTELOCHARIS**, Alef. in *Bot. Zeit.* xxi. (1863) 282  
 = **Reinwardtia**, Dum. (Lineae).  
*trigyna*, Alef. l. c. = *R. trigyna*.

**KIXIA**, Blume, *Fl. Jav. Praef.* p. vii (1830) = **Kickxia**,  
 Blume (Apocynac.).

**KIXIA**, Meissn. *Comm.* 215, in syn. (1843?) = **KICKXIA**,  
 Dum. = **Linaria**, Tourn. (Scrophul.).

**KLADNIA**, Schur, *Enum. Pl. Transs.* 53 (1866, =  
**Hesperis**, Linn. (Crucif.).  
*tristis*, Schur, l. c. = *H. tristis*.

**KLANDERIA**, F. Muell. in *Linnaea*, xxv. (1852) 426  
 = **Prostanthera**, Labill. (Labiace.).  
*chlorantha*, F. Muell. l. c. = *P. chlorantha*.

**KLAPROTHIA**, H. B. & K. *Nov. Gen. et Sp.* vi.  
 121. t. 537 (1823). *LOASEAE*, Benth. & Hook. f.  
 i. 804.  
*mentzeloides*, H. B. & K. l. c.—Ecuador.

**KLASEA**, Cass. in *Dict. Sc. Nat.* xxxv. 173 (1825); xli.  
 321 = **Serratula**, Dill. (Compos.).  
*centauroides*, Cass. l. c. xxv. 173 = *S. centauroides*.  
*cichoracea*, Webb, *Iter Hisp.* 34 = *S. flavescens*.  
*heterophylla*, Cass. in *Dict. Sc. Nat.* xxxv. 173; xli. 323  
 = *S. heterophylla*.  
*nudicaulis*, Fourr. in *Ann. Soc. Linn. Lyon*, N. S. xvii.  
 (1869) 98 = *S. nudicaulis*.  
*pinnatifida*, Cass. in *Dict. Sc. Nat.* xxxv. 173; xli. 321  
 = *S. radiata*.  
*pinnatifida*, Webb, *Iter Hisp.* 34 = *S. pinnatifida*.  
*quinquefolia*, Cass. in *Dict. Sc. Nat.* xxxv. 173; xli.  
 321 = *S. quinquefolia*.

**KLATTIA**, Baker, in *Journ. Linn. Soc.* xvi. (1877) 109.  
*IRIDEAE*, Benth. & Hook. f. iii. 702.  
*partita*, Baker, l. c. 110.—Afr. austr.

**KLAUSEA**, Endl. *Gen.* 480, in syn. (1838), *sphalm.* =  
**KLASEA**, Cass. = **Serratula**, Dill. (Compos.).

**KLEINHOFIA**, Gisek. *Prael.* 452 (1792) = *seq.*

**KLEINHOVEA**, Roxb. *Fl. Ind.* iii. 140 (1832) = *seq.*

**KLEINHOVIA**, Linn. *Sp. Pl.* ed. II. 1365 (1763).  
*STERCULIACEAE*, Benth. & Hook. f. i. 219.  
*Hospita*, Linn. l. c.—As. trop.

**KLEINIA**, Crantz, *Inst.* ii. 488 (1766) = **Quisqualis**,  
 Linn. (Combret.).  
*quadriflora*, Crantz, l. c. 489 = *Q. indica*.

**KLEINIA**, Jacq. *Stirp. Select. Am.* 215. t. 127 (1763)  
**Porophyllum**, Vaill. (Compos.).  
*brevifolia*, Hook. & Arn. in *Hook. Comp. Bot. Mag.*  
 ii. (1836) 52 = *P. linifolium*.  
*cacalioides*, Less. in *Linnaea*, vi. (1831) 132 = *P. caca-*  
*lioides*.  
*colorata*, H. B. & K. *Nov. Gen. et Sp.* iv. 158—  
*P. coloratum*.  
*decumbens*, Heynh. *Nom.* i. 437 = *P. decumbens*.  
*exserta*, Hook. & Arn. in *Hook. Comp. Bot. Mag.*  
 1836 52 = *P. exsertum*.  
*filifolia*, Spreng. *Syst.* iii. 438 = *P. linifolium*.  
*glandulosa*, [Moc. & Sesse] ex DC. *Prod.* v. 488—  
*P. macrocephalum*.  
*jorullensis*, H. B. & K. *Nov. Gen. et Sp.* iv. 156. t. 356  
 = *P. jorullense*.  
*linearis*, Hort. Par. ex DC. *Prod.* v. 650 = *P. decumbens*.  
*linifolia*, Gill. ex Hook. & Arn. in *Hook. Comp. Bot.*  
 Mag. ii. (1836) 52 = *P. lineare*.  
*obscura*, Spreng. *Syst.* iii. 438 = *P. lineare*.  
*oppositifolia*, Spreng. l. c. = *P. oppositifolium*.  
*Porophyllum*, Willd. *Sp. Pl.* iii. 1738 = *P. rudera-*



## KLEINIA:—

*pumila*, Hook. & Arn. in Hook. Comp. Bot. Mag. ii. (1836) 52 = *Porophyllum lineare*.  
*ruderalis*, Jacq. Enum. Pl. Carib. 28 = *P. ruderales*.  
*Selloi*, Spreng. Syst. iii. 438 = *Stevia oxylaena*.  
*suffruticosa*, Lodd. Bot. Cab. t. 1561 = *P. decumbens*.  
*suffruticosa*, Willd. Sp. Pl. iii. 1739 = *P. linifolium*.  
*tagetoides*, H. B. & K. Nov. Gen. et Sp. iv. 158 = *P. tagetoides*.  
*viridiflora*, H. B. & K. l. c. 157 = *P. viridiflorum*.

KLEINIA, Juss. in Ann. Mus. Par. ii. (1803) 424. t. 61. f. 1 = *Jaumea*, Pers. (Compos.).  
*carnosa*, Vis. Hort. Patav. (1842) 143 = *J. carnosa*.  
*linearifolia*, Juss. in Ann. Mus. Par. ii. (1803) 424 = *J. linearis*.

KLEINIA, Linn. Syst. ed. I (1735) = *Senecio*, Tourn. (Compos.).

*acaulis*, DC. Prod. vi. 339 = *S. acaulis*, Sch. Bip.  
*aizoidea*, St. Lag. in Ann. Soc. Bot. Lyon, vii. (1880) 128 = seq.  
*aizoides*, DC. Prod. vi. 337 = *S. aizoides*.  
*alata*, G. F. W. Mey. Prim. Fl. Esseq. 249 = *Mikania scandens*.  
*angulata*, Willd. Sp. Pl. iii. 1739 = *Emilia angulata*.  
*Anteuphorbia*, St. Lag. in Ann. Soc. Bot. Lyon, vii. (1880) 128 = seq.  
*Anteuphorbium*, DC. Prod. vi. 338 = *S. Anteuphorbium*.  
*articulata*, Haw. Syn. Pl. Succ. 315 = *S. articulatus*.  
*breviscapa*, DC. Prod. vi. 337 = *S. cicuticosus*.  
*cana*, DC. l. c. 338 = *S. quinquangulatus*.  
*crassulaefolia*, DC. l. c. 336 = *S. crassulaefolius*.  
*cuneifolia*, DC. l. c. 337 = *S. cuneifolius*.  
*Cusimbua*, Less. in Linnaea, vi. (1831) 133 = *Gynura angulosa*.  
*Ecklonis*, Harv. in Harv. & Sond. Fl. Cap. iii. 318. — Afr. austr.  
*ficoides*, Haw. Syn. Pl. Succ. 313 = *S. ficoides*.  
*fulgens*, Hook. f. Bot. Mag. t. 5590. — Afr. austr.  
*gonoclada*, DC. Prod. vi. 336 = *S. gonocladus*.  
*Haworthii*, DC. l. c. 338 = *S. Haworthii*, Sch. Bip.  
*hieracioides*, Less. in Linnaea, vi. (1831) 133 = *Gynura auriculata*.  
*japonica*, Less. l. c. 134 = *Gynura pinnatifida*.  
*longiflora*, DC. Prod. vi. 337 = *S. longiflorus*.  
*neriifolia*, Haw. Syn. Pl. Succ. 312 = *S. Kleinia*.  
*odora*, DC. Prod. vi. 339 = *S. odora*.  
*papillaris*, Haw. Syn. Pl. Succ. 313 = *S. papillaris*.  
*pendula*, DC. Prod. vi. 339 = *S. pendulus*.  
*pinguifolia*, DC. l. c. 336 = *S. pinguifolius*.  
*pteroneura*, DC. l. c. 338 = *S. pteroneurus*.  
*pugioniformis*, DC. l. c. = *S. pugioniformis*.  
*radicans*, Haw. in Till. Phil. Mag. (1823); DC. Prod. vi. 337 = *S. radicans*.  
*repens*, Haw. Syn. Pl. Succ. 313 = *S. succulentus*, Sch. Bip.  
*rigida*, DC. Prod. vi. 338 = *S. spinescens*.  
*semperviva*, DC. l. c. 339 = *S. sempervivus*.  
*subradiata*, DC. l. c. = *S. subradiatus*.  
*talinoidea*, DC. l. c. 337 = *S. talinoidea*.  
*teres*, Wall. Cat. n. 3164 = *Emilia prenanthoidea*.  
*tomentosa*, Haw. Syn. Pl. Succ. 314 = *S. Haworthii*, Sch. Bip.

KLEISTROCALYX, Steud. in Flora, xxxiii. (1850) 229, nomen = *Rhynchospora*, Vahl (Cyperac.).  
*junciformis*, Steud. l. c. = *R. oligantha*.

KLENZEA, Sch. Bip. ex Steud. Nom. ed. II. i. 847 (1840); et ex Hochst. in Flora, xxiv. (1841) i. Intell. 26 = *Athrixia*, Ker-Gawl. (Compos.) partim.  
*abyssinica*, Sch. Bip. ex Steud. l. c.; Hochst. l. c. = *Anthrixia abyssinica*.  
*lycopodioides*, Sch. Bip. ex Walp. Rep. ii. 973 = *Bryomorpha Zeyheri*.  
*rosmarinifolia*, Sch. Bip. ex Steud. Nom. ed. II. i. 847; Hochst. in Flora, xxiv. (1841) i. Intell. 26 = *A. rosmarinifolia*.

KLONION, Rafin. New Fl. Am. iv. 35 (1836) = *Eryngium*, Tourn. (Umbellif.).  
*gracile*, Rafin. l. c. 36 = *E. Baldwini*.  
*tenuifolium*, Rafin. l. c. = *E. Baldwini*.

KLOPSTOCKIA, Karst. in Linnaea, xxviii. (1856) 251 = *Ceroxylon*, Humb. (Palm.).  
*cerifera*, Karst. l. c. 251 = *C. Klopstockiae*.  
*coarctata*, Engel, l. c. xxxiii. (1864–65) 676 = *C. coarctatum*.

## KLOPSTOCKIA:—

*interrupta*, Karst. in Linnaea, xxviii. (1856) 252 = *Ceroxylon interruptum*.  
*parvifrons*, Engel, l. c. xxxiii. (1864–65) 674 = *C. parvifrons*.  
*quindiensis*, Karst. Fl. Colomb. i. 1. t. 1 = *C. quindiuense*.  
*utilis*, Karst. in Linnaea, xxviii. (1856) 252 = *C. utile*.  
*Vogeliana*, Engel, l. c. xxxiii. (1864–65) 673 = *C. Vogelianum*.

KLOTSCHIA, Endl. Gen. 767 (1839) = seq.

KLOTZSCHIA, Cham. in Linnaea, viii. (1833) 327. *UMBELLIFERAE*, Benth. & Hook. f. i. 880.  
*brasiliensis*, Cham. l. c. — Bras.

KLOTZSCHIPHITUM, Baill. Etud. Gén. Euph. 382 (1858) = *Croton*, Linn. (Euphorb.).  
*mauritanum*, Baill. l. c. 383 = *C. mauritanus*.

KLUGIA, Schlecht. in Linnaea, viii. (1833) 248. *GESNERACEAE*, Benth. & Hook. f. ii. 1019.  
*GLOSSANTHUS*, Klein, ex Benth. Scroph. Ind. 57 (1835).  
*ampliata*, C. B. Clarke, in DC. Monog. Phan. v. 160. — Reg. Himal.  
*azurea*, Schlecht. in Linnaea, viii. (1833) 248. — Mexic.  
*glabra*, Gardn. in Calc. Journ. Nat. Hist. vi. (1846) 489 = *Notoniana*.  
*Notoniana*, A. DC. in DC. Prod. ix. 276. — Ind. or.  
*Notoniana*, Hook. Bot. Mag. t. 4620 = *zeylanica*.  
*scabra*, Dalz. in Dalz. & Gibs. Bomb. Fl. 134 = *Notoniana*.  
*zeylanica*, Gardn. in Calc. Journ. Nat. Hist. vi. (1846) 490. — Zeylan.

KLUKIA, Andr. ex DC. Syst. ii. 459 (1821) = *Malcolmia*, R. Br. (Crucif.).  
*rigida*, Andr. ex DC. l. c. 480 = *M. torulosa*.

KNAFIA, Opiz, Seznam, 56 (1852) = *Salix*, Linn.  
*Helix*, Opiz, l. c. = *S. purpurea*.  
*purpurea*, Opiz, l. c. = *S. purpurea*.

KNANTIA, Hill, Veg. Syst. v. 18 (1772) sphalm. = *KNAUTIA*, Linn. = *Scabiosa*, Tourn. (Dipsac.).

KNAPPPIA, Ferd. Bauer, ex Steud. Nom. ed. II. i. 846 (1840); ii. 75 = *Rhynchoglossum*, Blume (Gesnerac.).

KNAPPPIA, Sm. Engl. Bot. t. 1127 (1803); Fl. Brit. iii. 1387 (1804) = *Mibora*, Adans. (Gramin.).  
*agrostidea*, Sm. ll. cc. = *M. verna*.  
*verna*, Trin. Ic. Gram. ii. t. 17 = *M. verna*.

KNAUTIA, Linn. Syst. ed. I (1735) = *Scabiosa*, Tourn. (Dipsac.).  
*alpigena*, Schur, Enum. Pl. Transs. 297 = *S. arvensis*.  
*ambigua*, Boiss. & Orph. in Boiss. Diagn. Ser. II. vi. 95 = *S. ambigua*.  
*angustifolia*, Reut. ex Willk. & Lange, Prod. Fl. Hisp. ii. 16 = *S. legionensis*.  
*arvensis*, Coult. Dipsac. 29 = *S. arvensis*.  
*bidens*, Boiss. Diagn. Ser. I. ii. 108 = *S. bidens*.  
*Brandzei*, Porc. in Magyar Növényt. Lapok, ix. (1885) 128 = *S. sylvatica*.  
*calycina*, Guss. Fl. Sic. Syn. i. 170. — Sicil.  
*carpathica*, Heuff. in Flora, xxxix. (1856) 50 = *S. arvensis*.  
*carpophyllax*, Jord. Cat. Gr. Jard. Gren. (1853) 12; F. Schultz, Arch. Fl. Fr. et Allem. 319 = *S. sylvatica*.  
*centauroides*, Pomel, Nouv. Mat. Fl. Atl. 65. — Alger.  
*ciliata*, Coult. Dipsac. 30 = *S. ciliata*.  
*ciliata*, Schur, Enum. Pl. Transs. 296 = *S. arvensis*.  
*collina*, Gren. & Godr. Fl. Fr. ii. 75 = *S. collina*.  
*communis*, Godr. Fl. Lorr. ed. I. i. 322 = *S. arvensis*.  
*craciunelensis*, Porc. in Magyar Növényt. Lapok, ix. (1885) 128 = *S. longifolia*.  
*cuspidata*, Jord. Cat. Gr. Jard. Gren. (1853); F. Schultz, Arch. Fl. Fr. et Allem. 320 = *S. sylvatica*.  
*diodon*, Guss. Fl. Sic. Syn. i. 171. — Sicil.  
*dipsacifolia*, Heuff. in Flora, xxxix. (1856) 54 = *S. sylvatica*.  
*diversifolia*, DC. Prod. iv. 652 = *S. banatica*.  
*Drymeja*, Heuff. in Flora, xxxix. (1856) 53 = *S. sylvatica*?  
*dumetorum*, Heuff. l. c. 51 = *S. arvensis*.  
*exaltata*, Schur, Enum. Pl. Transs. 296 = *S. arvensis*.

## KNAUTIA:—

*Godetii*, Reut. Ind. Sem. Hort. Genev. (1857) 4. — Cf. Linnaea, xxix. (1857–58) 723 = *S. longifolia*.  
*heterotricha*, C. Koch, in Linnaea, xxiv. (1851) 444 = *S. montana*.  
*hybrida*, Coult. Dipsac. 30 = *S. integrifolia*.  
*indivisa*, Bor. Fl. Cent. Fr. ed. III. ii. 316 = *S. arvensis*.  
*integrifolia*, Bertol. Fl. Ital. ii. 32 = *S. integrifolia*.  
*integrifolia*, C. Koch, in Linnaea, xxiv. (1851) 443. — As. Min.  
*integrifolia*, Schur, Enum. Pl. Transs. 295 = *S. arvensis*.  
*Kossuthii*, Pantoč. in Magyar Növényt. Lapok, vi. (1882) 162 = *S. pubescens*.  
*lanceolata*, Pomel, Nouv. Mat. Fl. Atl. 65. — Alger.  
*legionensis*, DC. Prod. iv. 652 = *S. legionensis*.  
*longifolia*, Koch, Syn. Fl. Germ. ed. I. 343 = *S. longifolia*.  
*lyrophylla*, Panč. ex Boiss. Fl. Orient. iii. 128 = *macedonica*?  
*macedonica*, Griseb. Spicil. Fl. Rumel. ii. 178. — Macedon.  
*magnifica*, Boiss. & Orph. ex Orph. in Bull. Congr. Bot. Pétersb. 1869 (1870) 138. — Macedon.  
*mauritanica*, Pomel, Nouv. Mat. Fl. Atl. 64. — Alger.  
*mollis*, Jord. Cat. Jard. Dijon, (1848) 25 = *S. graminifolia*.  
*montana*, DC. Prod. iv. 651 = *S. montana*.  
*neglecta*, Meurer, in Oestr. Bot. Zeitschr. xxvii. (1877) 366 = *S. arvensis*?  
*nympharum*, Boiss. & Heldr. Diagn. Ser. II. ii. 124 = *S. ciliata*.  
*occidentalis*, Hill, Veg. Syst. v. 18 (Quid?). — 'Am. bor.'  
*ochroleuca*, Boiss. Fl. Orient. iii. 129 = *S. ambigua*.  
*orientalis*, Linn. Sp. Pl. 101 = *S. orientalis*.  
*orientalis*, Urv. in Mém. Soc. Linn. Par. i. (1822) 270 = *S. integrifolia*.  
*ovatifolia*, G. Don, Gen. Syst. iii. 688 = *S. sylvatica*.  
*palaestina*, Linn. Mant. ii. 197 = *S. brachiata*.  
*pannonica*, Heuff. in Flora, xxxix. (1856) 52 = *S. sylvatica*.  
*plumosa*, Linn. Mant. ii. 197 = *S. plumosa*.  
*propontica*, Linn. Sp. Pl. ed. II. 1666 = *S. propontica*.  
*puberula*, Jord. in F. Schultz, Arch. Fl. Fr. et Allem. 320 = *S. sylvatica*.  
*sagittata*, Blanco, Fl. Filip. ed. I. 54 = *Mikania scandens*.  
*Salcedi*, G. Don, Gen. Syst. iii. 687. — Hispan.  
*silvatica*, Kern, in Oestr. Bot. Zeitschr. xx. (1870) 360 = *S. sylvatica*.  
*spathulata*, Lag. Gen. et Sp. Nov. 9 = *S. spathulata*, D. Dietr.  
*subacaulis*, Schur, Enum. Pl. Transs. 295 = *S. arvensis*.  
*subcanescens*, Cat. Jard. Jord. Gren. (1853) 12; F. Schultz, Arch. Fl. Fr. et Allem. 319 = *S. sylvatica*.  
*subscaposa*, Boiss. & Reut. Pugill. Pl. Nov. (1852) 53. — Hispan.  
*sylvatica*, Duby, Bot. Gall. i. 257 = *S. sylvatica*.  
*Timeroyi*, Jord. Cat. Jard. Dijon, (1848) 25 = *S. arvensis*.  
*tomentosa*, Payot, Fl. Mont-Blanc. — Cf. Bull. Soc. Bot. Fr. xxix. (1882) Bibl. 43 = *S. tomentosa*?  
*transalpina*, Dalla Torre, Atl. Alpenfl. 122. — Europ.  
*transsilvanica*, Schur, Enum. Pl. Transs. 296 = *S. sylvatica*.  
*trichotoma*, Moench, Meth. 487 = *S. orientalis*.  
*Urvillei*, Coult. Dipsac. 29. t. 1. f. 10 = *S. integrifolia*.  
*variabilis*, F. Schultz, in Arch. Fl. Fr. et Allem. 67 = *S. arvensis*.  
*virgata*, Jord. Cat. Jard. Dijon (1848) 26. — Pedem.

KNAVEL, Adans. Fam. ii. 506 (1763) = *Scleranthus*, Linn. (Illecebrac.).  
*annuum*, Scop. Fl. Carn. ed. II. i. 298 = *S. annuus*.

KNEIFFIA, Spach, Hist. Vég. Phan. iv. (1835) 73 = *Oenothera*, Linn. (Onagrar.).  
*angustifolia*, Spach, in Nouv. Ann. Mus. Par. iv. (1835) 367 = *Oe. fruticosa*.  
*chrysantha*, Spach, l. c. 368 = *Oe. pterisperma*.  
*floribunda*, Spach, Hist. Vég. Phan. 376 = *Oe. fruticosa*.  
*Fraseri*, Spach, l. c. 375 = *Oe. glauca*.  
*glauca*, Spach, l. c. 374 = *Oe. glauca*.  
*linearifolia*, Spach, in Ann. Sc. Nat. Sér. II. iv. (1835) 167 = *Oe. linifolia*.  
*linearis*, Spach, Hist. Vég. Phan. iv. 376 = *Oe. fruticosa*.



## KNEIFFIA:—

- linifolia*, Spach, in Nouv. Ann. Mus. Par. iv. (1835) 368 = *Oenothera linifolia*.  
*maculata*, Spach, Hist. Vég. Phan. iv. 375 = *Oe. fruticosa*?  
*Michauxii*, Spach, in Ann. Sc. Nat. Sér. II. iv. (1835) 167 = *Oe. pumila*.  
*pumila*, Spach, Hist. Vég. Phan. iv. 377 = *Oe. pterosperma*, *pumila*.  
*riparia*, Walp. Rep. ii. 84 = *Oe. fruticosa*.  
*suffruticosa*, Spach, Hist. Vég. Phan. iv. 374 = *Oe. fruticosa*.

KNEMA, Lour. Fl. Cochinch. 604 (1790) = **Myristica**, Linn.  
*bicolor*, Rafin. Sylva Tellur. 137 = *M. glaucescens*?  
*corticosa*, Lour. Fl. Cochinch. 605 = *M. glaucescens*?  
*glaucescens*, Jack, in Malay. Misc. ii. (1822) n. vii. 35 = *M. glaucescens*.  
*glaucescens*, Wall. Cat. n. 6810 = *M. furfuracea*.

KNESEBECKIA, Klotzsch, in Monatsb. Berl. Acad. (Maerz 1854) 122; et in Abh. Akad. Berl. (1855) 41. t. 2 C = **Begonia**, Linn.  
*acutiloba*, Klotzsch, in Abh. Akad. Berl. (1855) 41 = *B. acutiloba*.  
*aucubaefolia*, Klotzsch, in Monatsb. Berl. Acad. (Maerz 1854) 122 = *B. incarnata*.  
*Balmisiana*, Klotzsch, in Abh. Akad. Berl. (1855) 48 = *B. Balmisiana*.  
*biserrata*, Klotzsch, l. c. 45 = *B. biserrata*.  
*bracteata*, Hassk. Hort. Bog. ed. Nov. 316 = *B. lepidota*.  
*bulbifera*, Klotzsch, in Monatsb. Berl. Acad. (Maerz 1854) 122 = *B. bulbifera*.  
*crenatiflora*, Klotzsch & Putzeys, in Abh. Akad. Berl. (1854) 45 = *B. crenatiflora*.  
*discolor*, Klotzsch, in Monatsb. Berl. Acad. (Maerz 1854) 122 = *B. Evansiana*.  
*falciloba*, Klotzsch, in Abh. Akad. Berl. (1855) 46 = *B. falciloba*.  
*igneae*, Klotzsch, l. c. 46 = *B. ignea*.  
*incarnata*, Klotzsch, in Monatsb. Berl. Acad. (Maerz 1854) 122 = *B. incarnata*.  
*Martiana*, Klotzsch, l. c. = *B. Martiana*.  
*monoptera*, Klotzsch, in Abh. Akad. Berl. (1855) 48 = *B. monoptera*.  
*papillosa*, Klotzsch, in Monatsb. Berl. Acad. (Maerz 1854) 122 = *B. papillosa*.  
*pedata*, Klotzsch, in Abh. Akad. Berl. (1855) 44 = *B. pedata*.  
*phyllomaniaca*, Klotzsch, in Monatsb. Berl. Acad. (Maerz 1854) 122 = *B. phyllomaniaca*.

KNIFA, Adans. Fam. ii. 444 (1763) = **Hypericum**, Tourn.  
*brevistylis*, Rafin. Fl. Tellur. iii. 80 = *H. brevistylum*.

KNIFFA, Vent. Tabl. iii. 144 (1799) = *prae*.

**KNIGHTIA**, R. Br. in Trans. Linn. Soc. x. (1810) 193. t. 2. **PROTEACEAE**, Benth. & Hook. f. iii. 184.  
*EUCARPHA*, Spach, Hist. Vég. Phan. x. 402 (1841).  
*RYMANDRA*, Salisb. in Knight, Prot. 124 (1809).  
*Darlingii*, F. Muell. Fragm. v. 152 = *Darlingia spectatissima*.  
*Deplanchei*, Vicill. ex Brongn. & Gris, in Bull. Soc. Bot. Fr. xii. (1865) 46. — N. Caled.  
*excelsa*, R. Br. in Trans. Linn. Soc. x. (1810) 194. — N. Zel.  
*integrifolia*, A. Cunn. in Ann. Nat. Hist. Ser. I. i. (1838) 378 = *strobilina*.  
*strobilina*, R. Br. Prot. Nov. 32. — N. Caled.

**KNIPHOFIA**, Moench, Meth. 631 (1794). **LILIA-CEAE**, Benth. & Hook. f. iii. 775.  
*RUDOLPHO-ROEMERIA*, Steud. ex Hochst. in Flora, xxvii. (1844) 30.  
*TRICLISSA*, Salisb. Gen. Pl. Fragm. 75 (1866).  
*TRITOMA*, Ker-Gawl. in Bot. Mag. t. 744 (1805).  
*TRITOMANTHE*, Link, Enum. Hort. Berol. i. 333 (1821).  
*TRITOMIUM*, Link, Handb. i. 170 (1829).  
*abyssinica*, Schweinf. Beitr. Fl. Aethiop. 249. — Abyss. aloides, Moench, Meth. 632. — Afr. austr.  
*andongensis*, Baker, in Trans. Linn. Soc. Ser. II. i. (1878) 246 = *Notosceptrum angolense*.

VOL. II.

## KNIPHOFIA:—

- angolensis*, Benth. & Hook. f. Gen. iii. 775, in nota = *prae*.  
*benguellensis*, Welw. ex Baker, in Trans. Linn. Soc. Ser. II. i. (1878) 246 = *Notosceptrum benguellense*.  
*breviflora*, Harv. ex Baker, in Journ. Linn. Soc. xi. (1871) 361. — Afr. austr.  
*Buchanani*, Baker, in Journ. Bot. xxiii. (1885) 276. — Afr. austr.  
*Burchellii*, Kunth, Enum. Pl. iv. 552. — Afr. austr.  
*caulescens*, Baker, in Bot. Mag. t. 5946. — Afr. austr.  
*comosa*, Hochst. in Flora, xxvii. (1844) 31. — Abyss. ensifolia, Baker, in Journ. Bot. xxiii. (1885) 278. — Afr. austr.  
*foliosa*, Hochst. in Flora, xxvii. (1844) 30. — Abyss. gracilis, Harv. ex Baker, in Journ. Linn. Soc. xi. (1871) 362. — Afr. austr.  
*Grantii*, Baker, l. c. 363. — Afr. trop.  
*infundibularis*, Baker, in Journ. Bot. xxiii. (1885) 277. — Afr. austr.  
*isoëtifolia*, A. Rich. Tent. Fl. Abyss. ii. 324. — Abyss. laxiflora, Kunth, Enum. Pl. iv. 552 = *Burchellii*.  
*Leichtlinii*, Baker, in Bot. Mag. t. 6716. — Abyss. natalensis, Baker, in Journ. Bot. xxiii. (1885) 278. — Afr. austr.  
*Macowanii*, Baker, l. c. xii. (1874) 3. — Afr. austr.  
*odorata*, Heynh. Nom. ii. 335. — Afr. austr.  
*pallidiflora*, Baker, in Journ. Linn. Soc. xx. (1883) 273. — Madag.  
*parviflora*, Kunth, Enum. Pl. iv. 553. — Afr. austr.  
*pauciflora*, Baker, in Journ. Bot. xxiii. (1885) 280. — Afr. austr.  
*porphyrantha*, Baker, l. c. xii. (1874) 4. — Afr. austr.  
*praecox*, Baker, in Saund. Refug. Bot. t. 169. — Afr. austr.  
*pumila*, Kunth, Enum. Pl. iv. 552. — Afr. austr.  
*Quartiniana*, A. Rich. Tent. Fl. Abyss. ii. 323 = *foliosa*.  
*Rooperi*, Lem. Jard. Fleur. iv. (1854) t. 362. — Afr. austr.  
*sarmentosa*, Kunth, Enum. Pl. iv. 552. — Afr. austr.  
*Schimperii*, Baker, in Journ. Bot. xii. (1874) 4. — Abyss.  
*Thomsoni*, Baker, in Journ. Linn. Soc. xxi. (1885) 406. — Afr. trop.  
*triangularis*, Kunth, Enum. Pl. iv. 551. — Afr. austr.  
*Uvaria*, Hook. Bot. Mag. tt. 4816, 6553 = *aloides*.

KNIPHOFIA, Scop. Introd. 327 (1777) = **Terminalia**, Linn. (Combret.).

KNORREA, [Moç. & Sesse, ex] DC. Prod. ii. 80 (1825) = **Hedwigia**, Sw. (Burs.).  
*mexicana*, [Moç. & Sesse,] l. c. = *H. mexicana*.

KNOWLESIA, Hassk. in Flora, xlix. (1866) 215 = **Tradescantia**, Linn. (Commel.).  
*spicata*, Hassk. l. c. = *T. spicata*.

**KNOWLTONIA**, Salisb. Prod. 372 (1796). **RANUNCULACEAE**, Benth. & Hook. f. i. 4.  
*ANAMENIA*, Vent. Jard. Malm. t. 22 (1803).  
*THEBESIA*, Neck. Elem. ii. 313 (1790).  
*bracteata*, Harv. Gen. S. Afr. Pl. ed. II. 2, nomen. — Afr. austr.  
*Capitis-bonae-spei*, Turcz. in Bull. Soc. Nat. Mosc. (1854) ii. 274 [bis] = *rigida*.  
*daucifolia*, DC. Syst. i. 220. — Afr. austr.  
*daucifolia*, Eckl. & Zeyh. Enum. 2 = *hirsuta*.  
*gracilis*, DC. Syst. i. 219. — Afr. austr.  
*hirsuta*, DC. l. c. 220. — Afr. austr.  
*rigida*, Salisb. Prod. 372. — Afr. austr.  
*vesicatoria*, Sims, Bot. Mag. t. 775. — Afr. austr.

KNOXIA, P. Br. Hist. Jamaic. 140 (1756) = **Ernodea**, Sw. (Rubiace.).

**KNOXIA**, Linn. Fl. Zeyl. 189 (1747). **RUBIACEAE**, Benth. & Hook. f. ii. 104.  
*CUNCEA*, Buch.-Ham. ex D. Don, Prod. Fl. Nep. 185 (1825).  
*VISSADALI*, Adans. Fam. ii. 145 (1763).  
*brachycarpa*, R. Br. in Wall. Cat. n. 821. — Reg. Himal.  
*brasiliensis*, Spreng. Syst. i. 406 = *Declieuxia herbacea*.  
*Brunonis*, Benth. & Hook. f. Gen. ii. 104 = *brachycarpa*.  
*corymbosa*, Thw. Enum. Pl. Zeyl. 151. — mollis.

## KNOXIA:—

- corymbosa*, Willd. Sp. Pl. i. 582. — As. et Austral. trop.  
*dichotoma*, Willd. ex H. B. & K. Nov. Gen. et Sp. iii. 348 = *Diodia glabra*.  
*exserta*, DC. Prod. iv. 569 = *corymbosa*.  
*glabra*, DC. l. c. = *Hedyotis glabra*.  
*Heyneana*, DC. l. c. 570. — Ind. or.  
*hirsuta*, Arn. in Nov. Act. Nat. Cur. xviii. 1836, 344 = *platycarpa*.  
*laevis*, DC. Prod. iv. 570 = *brachycarpa*.  
*lineata*, DC. l. c. — Java.  
*longituba*, Franch. in Réveil, Çomali, 32. — Afr. trop.  
*microcarpa*, Kurz, in Journ. As. Soc. Beng. xlvii. (1877) ii. 138 = *brachycarpa*.  
*microphylla*, Franch. in Réveil, Çomali, 33. — Afr. trop.  
*mollis*, R. Br. in Wall. Cat. n. 820 = *corymbosa*.  
*mollis*, Wight & Arn. Prod. 439. — Ind. or.  
*plantaginea*, Wall. Pl. As. Rar. i. 27. t. 32. — Burma.  
*platycarpa*, Arn. in Nov. Act. Nat. Cur. xviii. (1836) 344. — Zeylan.  
*purpurea*, Lam. ex Poir. Encyc. Suppl. iii. 225.  
*Houstonia purpurea*.  
*senegalensis*, Reichb. ex Oliver, Fl. Trop. Afr. iii. 56 = *Oldenlandia senegalensis*.  
*simplex*, Willd. ex Roem. & Schult. Syst. iii. 532.  
*Spermacoe diversifolia*.  
*stricta*, Gaertn. Fruct. i. 122. t. 25 = *mollis*.  
*stricta*, Miq. Ann. Mus. Bot. Lugd. Bat. iv. 260. — Borneo.  
*stricta*, Thw. Enum. Pl. Zeyl. 152 = *corymbosa*.  
*sumatrensis*, DC. Prod. iv. 569 (*Hedyotis* sp.?) — Ind. or.  
*sumatrensis*, Wall. Cat. n. 6183 = *corymbosa*.  
*teres*, DC. Prod. iv. 569 = *corymbosa*.  
*teres*, Wall. Cat. n. 819 = *mollis*.  
*umbellata*, Banks, ex Spreng. Syst. i. 406 = *corymbosa*.  
*umbellifera*, Roxb. ex Wight & Arn. Prod. 440 = *mollis*.  
*Wightiana*, Schlecht. ex Hook. f. Fl. Brit. Ind. iii. 51 = *Hedyotis stylosa*.  
*Wightiana*, Wall. Cat. n. 6184. — Ind. or.  
*zeylanica*, Linn. Sp. Pl. 104. — Zeylan.

KOANOPHYLLON, Arruda, ex Koster, Trav. Braz. 495 (1816) (Gen. dub. Compos.).  
*tinctoria*, Arruda, ex Koster, l. c. — Peruv.

KOANOPHYLLUM, Arruda, ex Koster, Voy. Brés. (ex Gall.) ii. 496 (1817); fide DC. Prod. vii. 262 = *prae*.

**KOBRESIA**, Willd. Sp. Pl. iv. 205 (1805). **CYPERACEAE**, Benth. & Hook. f. iii. 1071.  
*COBRESIA*, Pers. Syn. ii. 534 (1807).  
*ELYNA*, Schrad. Fl. Germ. i. 155 (1806).  
*FROELICHIA*, Wulf. ex Roem. & Schult. Syst. ii. 156 in syn. (1817); Fl. Noric. 729 (1858).  
*HEMICAREX*, Benth. in Journ. Linn. Soc. xviii. (1865) 367 (sp. Cap. excl.).  
*KOBRIA*, St. Lag. in Ann. Soc. Bot. Lyon, viii. (1881) 175.  
*TRILEPIS*, Nees, in Edinb. N. Phil. Journ. xvii. (1834) 267, partim.  
*Bellardi*, Degl. in Loisel. Fl. Gall. ed. I. 626; ed. I. ii. 281 = *scirpina*.  
*bipartita*, Dalla Torre, Atl. Alpenfl. 216 = *caricina*.  
*capillifolia*, C. B. Clarke, in Journ. Linn. Soc. x. (1883) 378. — Reg. Himal.  
*caricina*, Willd. Sp. Pl. iv. 206. — Europ.  
*cyperina*, Willd. l. c. = *Mariscus Jacquini*.  
*filifolia*, C. B. Clarke, in Journ. Linn. Soc. xx. (1885) 381. — Dahuria.  
*filiformis*, Dewey, in Am. Journ. Sc. Ser. I. xxix. (1855) 253. t. Z. f. 85 = *scirpina*.  
*globularis*, Dewey, l. c. t. Z. f. 86 = *Carex filifolia*.  
*Hookeri*, Boeck. in Linnaea, xxxix. 1875 4. — Himal.  
*laxa*, Boeck. l. c. 6. — Reg. Himal.  
*mutans*, Boott, ex C. B. Clarke, in Journ. Linn. Soc. xx. (1883) 383 = *Hookeri*.  
*nitens*, C. B. Clarke, l. c. 379. — Reg. Himal.  
*Pseudolaxa*, C. B. Clarke, l. c. 381 = *laxa*.  
*reticularis*, Boeck. ex Benth. in Journ. Linn. Soc. xviii. (1865) 367. — Reg. Himal.  
*robusta*, Maxim. in Bull. Acad. Petersb. xxi. (1858) 218. — China.  
*Royleana*, Henders. Yarkand, 589 = *choenoides*.



**KOBRESIA** :—

- Royleana, Nees, ex Boeck. in *Linnaea*, xxxix. (1875) 8.  
—Reg. Himal.; As. centr.  
schoenoides, Boeck. l. c. 7.—Reg. Himal.; As. centr.  
schoenoides, Henders. Yarkand, 339 = Royleana.  
scirpina, Aitch. in Journ. Linn. Soc. xviii. (1881) 104;  
xix. (1882) 190 = capillifolia.  
scirpina, Willd. *Sp. Pl.* iv. 205.—Europ.; As.; Am. bor.  
seticulmis, Boeck. in *Linnaea*, xxxix. (1875) 3.—Reg.  
Himal.  
sibirica, Turcz. ex Boeck. l. c. 7 = schoenoides.  
stenocarpa, C. B. Clarke, in Journ. Linn. Soc. xx.  
(1883) 380 = Royleana.  
tibetica, Maxim. in Bull. Acad. Pétersb. xxix. (1883)  
219.—Reg. Himal.  
trinervis, Boeck. in *Linnaea*, xxxix. (1875) 4, adnot.—  
Reg. Himal.

KOBRIA, St. Lag. in Ann. Soc. Bot. Lyon, viii. (1881)  
175 = **Kobresia**, Willd. (Cyperac.).

KOBUS, Kaempf. ex Salisb. Parad. Lond. t. 87 (1807) =  
**Magnolia**, Linn.

**KOCHIA**, Roth, in Schrad. Journ. Bot. 1800 (1801);  
i. 307. t. 2. **CHENOPODIACEAE**, Benth. & Hook.  
f. iii. 60.

MAIREANA, Moq. Chenop. Enum. 95 (1840); et in  
Ann. Sc. Nat. Sér. II. xv. (1841) 97. t. 13.  
SCLEROCHLAMYS, F. Muell. in Trans. Phil. Inst.  
Vict. ii. (1858) 76.

PENTODON, Ehrenb. ex Boiss. Fl. Orient. iv. 925  
(1879).

americana, S. Wats. in Proc. Am. Acad. ix. (1874) 93.  
—Am. bor. occ.

aphylla, R. Br. Prod. 409.—Austral.

apressa, Benth. Fl. Austral. v. 188.—Austral.

arenaria, Roth, in Schrad. Journ. 1800 (1801) i. 307.  
t. 2.—Europ. austr.; As. occ.

atriplicifolia, Roth, Neue Beitr. i. 177 = *Cycloloma*  
platyphyllum.

brachyptera, F. Muell. 2nd Gen. Rep. 15.—Austral.

brevifolia, R. Br. Prod. 409.—Austral.

californica, S. Wats. in Proc. Am. Acad. xvii. (1881-  
82) 378.—Calif.

cana, Bunge, ex Boiss. Fl. Orient. iv. 924.—Persia.

ciliata, F. Muell. Rep. Babb. Exp. 20.—Austral.

dasyantha, Schrad. Neues Journ. iii. (1809) III. & IV.  
86 = arenaria.

dasyphylla, Fisch. & Mey. in Schrenk, Enum. Pl. Nov.  
Songar. 12.—Turkest.

decaptera, F. Muell. Fragm. ix. 75.—Austral.

densiflora, Turcz. ex Moq. in DC. Prod. xiii. II. 131.—  
Sibir. baical.

dentata, Willd. Hort. Berol. i. 28. t. 28 = *Cycloloma*  
platyphyllum.

dichoptera, F. Muell. Fragm. viii. 37.—Austral.

diffusa, Eichw. Skizze, 133.—Rossia.

dioica, Nutt. Gen. Am. i. 200.—Am. bor.

eriantha, F. Muell. Rep. Babb. Exp. 20.—Austral.

ericifolia, Viv. Pl. Alg. Dec. 25 = muricata.

eriophora, Schrad. Neues Journ. iii. (1809) III. & IV.  
86. t. 3.—Arab.; Persia.

fimbriolata, F. Muell. Fragm. ix. 75.—Austral.

Griffithii, Bunge, ex Boiss. Fl. Orient. iv. 924 = indica.

hirsuta, Nolte, Novit. Fl. Holsat. 24.—Europ.; As. occ.

humillima, F. Muell. Fragm. ix. 168.—Austral.

hyssopifolia, Schrad. Neues Journ. iii. (1809) III & IV.  
86.—Europ. austr.; As. occ.

indica, Wight, Ic. v. t. 1791.—Ind. or.

lanosa, Lindl. in Mitch. Journ. Trop. Austral. 88.—  
Austral.

latifolia, Fresen. in Mus. Senckenb. i. (1833) 179 =  
eriophora.

lobiflora, F. Muell. ex Benth. Fl. Austral. v. 184.—  
Austral.

maritima, Andr. ex Trautv. in Act. Hort. Petrop. ix.  
(1884) 128.—Rossia.

melanocoma, F. Muell. Fragm. xii. 14.—Austral.

melanoptera, Bunge, in Act. Hort. Petrop. vi. (1879)  
417.—Turkest.

microphylla, F. Muell. Fragm. viii. 148.—Austral.

monacantha, Steud. Nom. ed. II. i. 848 = *Cornulaca*  
monacantha.

monticola, Boiss. ex Moq. in DC. Prod. xiii. II. 133.—  
Syria; Persia.

muricata, Schrad. Neues Journ. iii. (1809) III & IV. 86.  
—Afr. bor.; Arab.

**KOCHIA** :—

- Noëana, Boiss. Fl. Orient. iv. 919 = *Pandera pilosa*.  
odontoptera, Schrenk, in Bull. Acad. Pétersb. i. (1843)  
361.—Persia; Reg. Himal.  
oppositifolia, F. Muell. in Trans. Vict. Inst. i. (1855)  
134.—Austral.  
pentatropis, Tate, in Trans. Roy. Soc. S. Austral. vii.  
(1885) 67.—Austral.  
planifolia, F. Muell. Fragm. i. 213.—Austral.  
platyphylla, Hort. ex Schult. Syst. vi. 274 = *Cycloloma*  
platyphyllum.  
prosthecochaeta, F. Muell. Fragm. xii. 14.—Austral.  
prostrata, Schrad. Neues Journ. iii. (1809) III & IV. 85.  
—Reg. Medit.; As. temp.  
pubescens, Moq. Chenop. Enum. 192 = villosa.  
pyramidata, Benth. Fl. Austral. v. 186.—Austral.  
Reuteriana, Nym. Syll. 337.—Hispan.  
salsoides, Fenzl, Nov. Stirp. Dec. Vind. (1839) 74.  
—Afr. austr.  
saxicola, Guss. Enum. Pl. Inar. 275. t. 13.—Ins.  
Ischia.  
scoparia, Schrad. Neues Journ. iii. (1809) III & IV. 85.  
—Europ.; As. bor.  
sedifolia, F. Muell. in Trans. Vict. Inst. i. (1855) 134.  
—Austral.  
sedoides, Schrad. Neues Journ. iii. (1809) III & IV. 86.  
—Rossia; As. bor.  
sericea, Schrad. l. c. 87.—Afr. austr.  
Sieversiana, C. A. Mey. in Ledeb. Fl. Alt. i. 415.—  
Sibir. altaic.  
spinifex, Schult. Syst. vi. 250 = sedoides.  
stellaris, Moq. Chenop. Enum. 93 = odontoptera.  
stelligera, F. Muell. Fragm. vii. 13.—Austral.  
suffruticulosa, Less. in *Linnaea*, ix. (1834) 202.—  
Reg. Aral.  
thymifolia, Lindl. in Mitch. Journ. Trop. Austral. 56 =  
brevifolia.  
tomentosa, F. Muell. Rep. Babb. Exp. 20 = villosa.  
trigyna, Link, Enum. Hort. Berol. i. 246 = *Suaeda*  
altissima.  
triptera, Benth. Fl. Austral. v. 185.—Austral.  
tripteris, Dum. Fl. Belg. 22 (an hirsuta?).—Europ.  
villosa, Lindl. in Mitch. Journ. Trop. Austral. 91.—  
Austral.  
virgata, Kostel. Ind. Sem. Hort. Prag. 77 = scoparia.

KODDAMPULI, Adans. Fam. ii. 541 (1763) = **Garcinia**,  
Linn. (Guttif.).

KODDA-PAIL, Adans. Fam. ii. 25 (1763) = **Pistia**,  
Linn.

KODDA-PANA, Adans. Fam. ii. 541 (1763) = CODDA-  
PANA, Adans. = **Corypha**, Linn. (Palm.).

**KOEBERLINIA**, Zucc. in Abb. Akad. Muench.  
i. (1832) 358. **SIMARUBEAE**, Benth. & Hook. f.  
i. 315.  
spinosa, Zucc. l. c. 359; et in Flora, xv. (1832) II.  
Beibl. 74.—Mexic.

**KOECHLEA**, Endl. Gen. Suppl. ii. 48 (1842). **COM-**  
**POSITAE**, Benth. & Hook. f. ii. 471.  
mitis, Endl. Cat. Hort. Vindob. i. 388.—Tauria.

KOEHLERIA, Benth. & Hook. f. Gen. ii. 1001, 1002 =  
KOHLERIA, Regel = **Isoloma**, Decne. (Gesner.).

KOELERA, St. Lag. in Ann. Soc. Bot. Lyon, viii. (1881)  
171 = **Koeleria**, Pers. (Gramin.).

KOELERA, Willd. Sp. Pl. iv. 750 (1805) = **Xylosma**,  
Forst. (Bixin).  
laurifolia, Willd. l. c. = **X. nitidum**?

**KOELERIA**, Pers. Syn. i. 97 (1805). **GRAMINEAE**,  
Benth. & Hook. f. iii. 1183.

AEGIALINA, Schult. Mant. ii. 13 (1824).

AEGIALITIS, Trin. Fund. Agrost. 127. t. 9. (1820).

AIROCHLOA, Link, Hort. Berol. i. 126 (1827); ii. 276  
(1831).

BRACHYSTYLUS, Dulac, Fl. Hautes-Pyr. 85 (1867).

COLLINARIA, Ehrh. Beitr. iv. 147 (1789).

LOPHOCHLOA, Reichb. Fl. Germ. Excurs. 42 (1830).

POARION, Reichb. Consp. 51 (1828).

WILHELMISIA, C. Koch, in *Linnaea*, xxi. (1848) 400.

aegyptiaca, Hort. Berol. ex Steud. Nom. ed. II. i.  
848 = phleoides.

**KOELERIA** :—

- airoides, Nutt. ex Steud. Nom. ed. I. 456 = *Arundo*  
airoides?  
albescens, DC. Cat. Hort. Monsp. 117.—Europ.  
albescens, Schur, in Oestr. Bot. Zeitschr. ix. (1859)  
159 = cristata?  
albida, Opiz, in Lotos, ii. (1852) 229 = cristata?  
alopecuroides, Spreng. ex Steud. Nom. ed. II. i. 848 =  
Trisetum panicum.  
Alopecurus, Nees, in *Linnaea*, vii. (1832) 320.—Afr.  
austr.  
alpicola, Gren. & Godr. Fl. Fr. iii. 527.—Europ.  
alpina, 'Less.' ex Steud. Nom. ed. II. i. 848 =  
'caucasica.'  
ambigua, Schur. Enum. Pl. Transs. 750 = cristata.  
amblyantha, E. Desv. ex Boiss. Diagn. Ser. II. iv.  
134 = phleoides.  
arenaria, Dum. Obs. Gram. Belg. 115 = albescens.  
argentea, Griseb. in Goett. Nachr. (1868) 77.—Tibet.  
aristata, Loisel. Fl. Gall. ed. II. i. 66 = Trisetum  
subspicatum.  
aristata, Salzm. ex Ball, in Journ. Linn. Soc. xvi.  
(1878) 723 = phleoides.  
aurata, Bubani, in Nuov. Giorn. Bot. Ital. v. (1873)  
317.—Hispan.  
aurea, Tenore, Cors. Bot. Lez. iv. i. 58 = Trisetum  
aureum, Tenore.  
australis, Kern. in Oestr. Bot. Zeitschr. xvii. (1867)  
8 = setacea.  
avenacea, Beauv. Agrost. 166 = phleoides.  
avenacea, Spreng. Syst. i. 332 = *Triodia avenacea*.  
Balansae, Coss. & Dur. in Ann. Sc. Nat. Sér. IV.  
i. (1854) 229.—Alger.  
Barrelieri, Tenore, Fl. Nap. t. 201; et Syll. 39 =  
villosa.  
Bergii, Hieron. in Bol. Acad. Nac. Córdoba, iii. (1879)  
376.—Reg. Argent.  
berythea, Boiss. & Blanche, Diagn. Ser. II. iv. 135 =  
phleoides.  
biseta, Steud. Nom. ed. II. i. 848.—As. Min.  
bivestita, Schur, in Oestr. Bot. Zeitschr. ix. (1859)  
159 = cristata.  
brachystachya, DC. Cat. Hort. Monsp. 119 = phleoides.  
brevifolia, Reut. Ind. Sem. Hort. Genev. (1861) 4 =  
hirsuta.  
brevifolia, Spreng. Pugill. ii. 21 = *Aeluropus pubescens*.  
brevis, Stev. in Bull. Soc. Nat. Mosc. xxx. (1857) II.  
110 = cristata.  
calycina, DC. & Duby, Bot. Gall. Suppl. 271 =  
*Schismus marginatus*.  
campestris, Phil. in *Linnaea*, xxix. (1857-58) 94.—  
Chili.  
cantabrica, Willk. & Lange, Prod. Fl. Hisp. i. 75.—  
Hispan.  
capensis, Nees, in *Linnaea*, vii. (1832) 321.—Afr. austr.  
carniolica, Kern. in Oestr. Bot. Zeitschr. xvii. (1867)  
7 = hirsuta.  
castellana, Boiss. & Reut. Pugill. Pl. Nouv. 122.—  
Hispan.  
caucasica, Steud. Nom. ed. II. i. 848, in syn. = cristata?  
caudata, Griseb. in Goett. Abh. xxiv. (1879) 292.—  
Reg. Argent.  
caudata, Hack. Catal. 21 = crassipes.  
caudata, Steud. Syn. Pl. Gram. 293.—Lusitan.  
cenisia, Reut. ex Nym. Consp. 816 = hirsuta.  
chilensis, Steud. Syn. Pl. Gram. 185.—Chili.  
coerulea, Tenore, Fl. Nap. Prod. 10 = *Sesleria cylin-*  
*drica*.  
coerulescens, Guss. Fl. Sic. Prod. Suppl. i. 39 = *Festuca*  
caerulescens.  
condensata, Boiss. & Blanche, Diagn. Ser. II. iv. 134 =  
phleoides.  
convoluta, Hochst. ex Steud. Syn. Pl. Gram. 293 =  
cristata.  
crassipes, Lange, in Kjoeb. Vidensk. Meddel. (1860) 43  
(Pugill. 42).—Europ. austr.  
cristata, Bertol. Amoen. Ital. 67 = phleoides.  
cristata, Griseb. in Goett. Abh. xix. (1874) 250 =  
microthraea.  
cristata, Kar. & Kir. in Bull. Soc. Nat. Mosc. (1841)  
864 = glauca.  
cristata, Pers. Syn. i. 97.—Reg. bor. temp.  
Cumingii, Nees, ex Steud. Syn. Pl. Gram. 294.—Chili.  
dactyloides, Reichb. Fl. Germ. Exeurs. 140<sup>9</sup> = glauca.  
dactyloides, Spreng. Syst. i. 334 = phleoides.  
discolor, Guss. Fl. Sic. Prod. i. 123 = villosa.  
eriotachya, Panč. in Verh. Zool. Bot. Ges. Wien, vi.  
(1856) 591.—Serbia.



**KOELERIA:—**

- Fenzliana*, Schur, in Oestr. Bot. Wochenbl. (1857) 314 = cristata.  
*Figareii*, De Notar. in Ann. Sc. Nat. Sér. III. ix. (1848) 325 = phleoides.  
*flexilis*, Janka, in Oestr. Bot. Zeitschr. viii. (1858) 93 = cristata.  
 Gerrardi, Munro, ex Benth. & Hook. f. Gen. iii. (1847) 1184, 1194.—Afr. austr.  
*getica*, Trin. ex Steud. Nom. ed. II. i. 849, nomen.—Hab. ?  
*gigantea*, Bess. ex Ledeb. Fl. Ross. iv. 401 = cristata.  
*glabra*, Gaud. ex Steud. Nom. ed. II. i. 849 = Trisetum aureum, Tenore.  
*glauca*, Colm. ex Willk. & Lange, Prod. Fl. Hisp. i. 76 = crassipes.  
*glauca*, DC. Cat. Hort. Monsp. 117.—Europ.; As. bor.  
*glauca*, Ledeb. Fl. Ross. iv. 402 = cristata.  
*glomerata*, Kunth, Rév. Gram. ii. t. 219.—Ins. Sandvic.  
*gracilis*, Guss. Fl. Sic. Prod. i. 121 = setacea.  
*gracilis*, Pers. Syn. i. 97 = cristata.  
*grandiflora*, Bertol. ex Schult. Mant. ii. 345 = cristata.  
*grandis*, Bess. ex Nym. Consp. 816 = cristata.  
*hirsuta*, Gaud. in Alpina, iii. (1808) 48.—Europ.  
*hirta*, Desv. Opusc. 99 = hirsuta ?  
*hirta*, Steud. ex Trin. in Bull. Sc. Acad. Pétersb. i. (1836) 66 = biseta.  
*hispida*, DC. Cat. Hort. Monsp. 119.—Reg. Mediterr.  
*hispida*, Salzm. ex Ball, in Journ. Linn. Soc. xvi. (1878) 723 = villosa.  
*intermedia*, Fries, Nov. Fl. Suec. 2 = glauca.  
*intermedia*, Guss. Fl. Sic. Prod. i. 126 = villosa.  
*interrupta*, Schur, in Verh. Siebenb. Ver. Naturw. iv. (1853) 84 = cristata.  
*lagopodioides*, Panz. ex Spreng. Syst. i. 332 = Aeluropus pubescens.  
*Langeana*, Willk. & Lange, Prod. Fl. Hisp. i. 76 = setacea.  
*laxa*, Link, Hort. Berol. i. 161.—Aegypt.  
 Lechleri, Steud. Syn. Pl. Gram. 294.—Chili.  
*Linkii*, Kunth, Enum. Pl. i. 381 = cristata.  
*lobata*, Roem. & Schult. Syst. ii. 620 = glauca.  
*lobata*, Steud. Nom. ed. II. i. 849 = Eatonia obtusata.  
*macilenta*, DC. Fl. Fr. Suppl. 270.—Reg. Mediterr.  
*macrantha*, Schult. Mant. ii. 345.—Sibir.  
*maritima*, Lange, Ind. Sem. Hort. Haun. (1859) 27.—Cf. Linnaea, xxx. (1859–60) 753 = albescens.  
*Michellii*, Coss. Expl. Scient. Algér. ii. 120 = macilenta.  
*micrathera*, Griseb. in Goett. Abh. xxi. (1879) 292.—Reg. Argent.  
*mollis*, Mann, ex Opiz, Natural. vii. (1824) 63 = cristata.  
*montana*, Jord. ex Nym. Consp. 816 = hirsuta.  
*multiflora*, Regel & Herd. Ind. Sem. Hort. Petrop. (1858) 23.—Chili.  
*nitida*, Nutt. Gen. Am. i. 74 = cristata.  
*nitida*, Tenore, Fl. Nap. Prod. 10 = setacea.  
*obtusata*, Trin. ex Steud. Nom. ed. II. i. 849 = Eatonia obtusata.  
*obtusiflora*, Boiss. Diagn. Ser. I. vii. 121 = phleoides.  
*pallida*, Wallr. Beitr. Fl. Hercyn. 173 = cristata ?  
*paniculata*, Nutt. Gen. Am. ii. Add. [2].—Florida.  
*paradoxa*, Steud. Syn. Pl. Gram. 294.—Istria.  
*Parreissiana*, Presl, Bot. Bemerk. 120 = cristata.  
*parviflora*, Bertol. ex Schult. Mant. ii. 344 = cristata.  
*parviflora*, Link, Enum. Hort. Berol. i. 83 = Trisetum parviflorum.  
*pennsylvanica*, DC. Cat. Hort. Monsp. 117 = Eatonia obtusata.  
*permollis*, Steud. Syn. Pl. Gram. 293; Doell, in Mart. Fl. Bras. ii. iii. 125.—Bras.  
*peruviana*, Beauv. ex Steud. Nom. ed. I. 457, 637 = Eragrostis peruviana.  
*phleoides*, Pers. Syn. i. 97.—Reg. Mediterr.  
*poaeoides*, Nees, ex Steud. Syn. Pl. Gram. 295.—Chili.  
*Pseudoglaucis*, Schur, Enum. Pl. Transs. 749 = cristata.  
*pubescens*, Beauv. Agrost. 85 = villosa.  
*pulchella*, Spreng. Syst. i. 322 = Triodia pulchella.  
*pungens*, Spreng. Pugill. ii. 20 = Echinaria capitata.  
*pyramidata*, Beauv. Agrost. 166 = setacea.  
*rigidula*, Steud. Syn. Pl. Gram. 293.—Chili.  
*Rochelii*, Schur, in Oestr. Bot. Wochenbl. (1857) 321 = glauca.  
*Salzmännii*, Boiss. Pugill. 123 = villosa.  
*scabriscula*, Hack. in Oestr. Bot. Zeitschr. (1877) 123.—Europ.  
*setacea*, DC. Cat. Hort. Monsp. 118.—Europ. austr.  
*sibirica*, Rudolph, ex Ledeb. Fl. Ross. iv. 383 = Festuca sibirica.

**KOELERIA:—**

- sinaica*, Boiss. Diagn. Ser. I. xiii. 53.—Arab.  
*spicata*, Willk. & Lange, Prod. Fl. Hisp. i. 72 = Trisetum subspicatum.  
*splendens*, Presl, Cyp. et Gram. Sic. 34 = setacea.  
*sterilis*, Steud. Syn. Pl. Gram. 293.—Reg. Magell.  
*subspicata*, Mart. ex Reichb. Fl. Germ. Excurs. 49, 140 = Trisetum subspicatum.  
*tenuicula*, Boiss. & Reut. Pugill. Pl. Nov. 123.—Hispan.  
*tenuiflora*, Salzm. ex Trin. in Mém. Acad. Pétersb. Sér. VI. i. (1831) 66 = macilenta.  
*trachyantha*, Phil. Fl. Atac. 55.—Chili.  
*transsilvanica*, Schur, in Oestr. Bot. Wochenbl. (1857) 313 = setacea.  
*trapezuntina*, C. Koch, in Linnaea, xxi. (1848) 396 = phleoides.  
*triaristata*, Schult. Mant. ii. 348 = Aira triaristata.  
*truncata*, Torr. Fl. N. York, ii. 469. t. 150 = Eatonia obtusata.  
*tuberosa*, Pers. Syn. i. 97 = setacea.  
*tunicata*, Presl, Cyp. et Gram. Sic. 34 = Festuca caerulea.  
*valesiaca*, Gaud. in Alpina, iii. (1808) 47 = setacea.  
*vestita*, Nees, ex Steud. Syn. Pl. Gram. 294 = glomerata.  
*villosa*, Bout. ex Willk. & Lange, Prod. Fl. Hisp. i. 75 = castellana.  
*villosa*, Pers. Syn. i. 97.—Reg. Mediterr.  
*Webbiana*, Parl. Giorn. Bot. i. iii. (1845) 376 = villosa.  
 KOELLEA, Biria, Diss. Renonc. 21 (1811) = **Eranthis**, Salisb. (Ranunc.).  
*hyemalis*, Biria, l. c. = E. hyemalis.  
 KOELLENSTEINIA, Reichb. f. in Bonplandia, ii. (1854) 17 = **Aganisia**, Lindl. (Orchid.).  
*graminea*, Reichb. f. l. c. iv. (1856) 323.—Bras.  
*ionopectera*, Reichb. f. ex Linden, Cat. n. 21 (1867) 14.—Peruv.  
*Kellneriana*, Reichb. f. in Bonplandia, ii. (1854) 17.—N. Granat.  
*tricolor*, Reichb. f. in Walp. Ann. vi. 552 = Acacallis cyanea.  
 KOELLIA, Moench, Meth. 407 (1794) = **Pycnanthemum**, Michx. (Labiata).  
*capitata*, Moench, l. c. 408 = P. linifolium.  
 KOELLIKERIA, Regel, in Flora, xxxi. (1848) 249. **GESNERACEAE**, Benth. & Hook. f. ii. 1000.  
*argyrostigma*, Regel, l. c. 250.—Venezuela.  
*subdimidiata*, Klotzsch & Hanst. in Linnaea, xxvii. (1854) 736.—Venezuela.  
 KOELOERIA, Parl. Fl. Palerm. i. 131 (1845), err. typ. = **Koeleria**, Pers. (Gramin.).  
 KOELPINIA, Pall. Reise, iii. 755 (1776); App. 74 (1778). **COMPOSITAE**, Benth. & Hook. f. ii. 509.  
*deflexa*, Stscheg. in Bull. Soc. Nat. Mosc. xxiv. (1851), ii. 471.—As. centr.  
*Hedynopsis*, Baill. ex Franch. in Ann. Sc. Nat. Sér. VI. xvi. (1883) 330.—Turkest.  
*linearis*, Pall. Reise, iii. 755.—As. occ. et bor.  
*rhagadioloides*, Sch. Bip. in Webb & Berth. Phyt. Canar. ii. 393.—Syria.  
*scaberrima*, Franch. in Ann. Sc. Nat. Sér. VI. xvi. (1883) 331.—Turkest.  
*sessilis*, Boiss. Diagn. Ser. I. xii. 34 = Dipterocome pusilla.  
 KOELPYNIA, Scop. Introd. 231, et Ind. (1777) = **Acronychia**, Forst. (Rutac.).  
 KOELREUTERA, Murr. in Nov. Comm. Gotting. iii. (1773) 67. t. 2. f. 1 = **Gisekia**, Linn. (Ficoid.).  
*molluginoides*, Murr. l. c. = G. pharnaceoides.  
 KOELREUTERA, Schreb. Gen. ii. 731 (1791) = seq.  
 KOELREUTERIA, Laxm. in Nov. Comm. Acad. Petrop. xvi. (1772) 561. t. 18. **SAPINDACEAE**, Benth. & Hook. f. i. 396.  
*arbores*, Blanco, Fl. Filip. ed. II. 202 (= *Guinea Perrottetii*).—Ins. Philipp.  
*chinensis*, Hoffmgg. Verz. Pfl. 70 = paniculata.

**KOELREUTERIA:—**

- edulis*, Blanco, Fl. Filip. ed. II. 202 (= *Otophora Blancoi*).—Ins. Philipp.  
*edulis*, Naves, ex Villar, in Blanco, l. c. ed. III. Nov. App. 52 = Capura primata.  
*japonica*, Hassk. Cat. Hort. Bog. Alt. 226 = paniculata.  
*paniculata*, Laxm. in Nov. Comm. Acad. Petrop. xvi. (1772) 561. t. 18.—China.  
*paullinoides*, L'Hérit. Sert. Angl. 18 = paniculata.  
*triphylla*, Pers. Syn. i. 414 = Urvillea ulmacea.  
 KOELREUTERIA, Medic. Beobacht. 1782 (1783) 22 = **Marsdenia**, R. Br. (Apocyn.).  
*completa*, Medic. in Act. Acad. Theod. Palat. vi. Phys. (1790) 407 = M. erecta ?  
*incompleta*, Medic. l. c. = M. erecta ?  
*procumbens*, Medic. Beobacht. 1782 (1783) 22 = M. erecta ?  
 KOENIGA, Benth. & Hook. f. Gen. i. 74 (1862) = **KONIGA**, R. Br. = **Alyssum**, Linn. (Crucif.).  
 KOENIGIA, Comm. ex Juss. Gen. 275 (1789) = **Dombea**, Cav. (Malvac.).  
 KOENIGIA, Linn. Mém. i. 3 (1767) = **Polygonum**, Tourn.  
*fertilis*, Maxim. in Bull. Acad. Pétersb. xxvii. (1881) 530.—China.  
*islandica*, Linn. Mém. i. 35.—Reg. Himal. et Arct.  
*monandra*, Decne. in Jacquem. Voy. Bot. 142. t. 147 = islandica.  
*nepalensis*, D. Don, Prod. Fl. Nep. 74 = P. filicaule.  
*pilosa*, Maxim. in Bull. Acad. Pétersb. xxvii. (1881) 531.—China.  
 KOERNICKEA, Klotzsch, in Schomb. Faun. & Fl. Gui. 1181, (1848) nomen. **SAPINDACEAE**.  
*guianensis*, Klotzsch, l. c. nomen.—Guiana.  
 KOERNICKEA, Regel, Ind. Sem. Hort. Petrop. (1857) 48; et Gartenfl. (1858) 309 = **Achimenes**, P. Br. (Gesnerac.).  
*lanata*, Regel, l. c. = A. lanata.  
 KOHAUTIA, Cham. et Schlecht. in Linnaea, iv. (1829) 156 = **Oldenlandia**, Linn. (Rubiace.).  
*amatymbica*, Eckl. & Zeyh. Enum. 360 = Hedyotis amatymbica.  
*arabica*, Hochst. ex Boiss. Fl. Orient. iii. 12 = O. Schimper.  
*caespitosa*, Schnizl. in Flora, xxv. (1842) i. Beibl. 145 = O. Schimper.  
*coccinea*, Royle, Illustr. Bot. Himal. 241. t. 53. f. 1 = O. coccinea.  
*cynanchica*, DC. Prod. iv. 430.—Afr. austr.  
*gracilis*, DC. l. c. = O. gracilis.  
*grandiflora*, DC. l. c. 430 = O. grandiflora.  
*lasiocarpa*, Klotzsch, in Peters, Reise Mossamb. Bot. 296 = O. lasiocarpa.  
*longiflora*, DC. Prod. iv. 430.—Afr. austr.  
*longiflora*, E. Mey. ex Sond. & Harv. Fl. Cap. iii. 11 = O. decumbens.  
*longifolia*, Klotzsch, in Peters, Reise Mossamb. Bot. 297 = O. virgata.  
*macrophylla*, Klotzsch, l. c. = O. caffra.  
*noctiflora*, Hochst. ex A. Rich. Tent. Fl. Abyss. i. 3 = O. noctiflora.  
*parviflora*, Benth. in Hook. Niger Fl. 403 = O. parviflora.  
*rigida*, Benth. l. c. 402 = O. rigida.  
*Schimperii*, Hochst. & Steud. ex Steud. Nom. ed. II. 849 = O. Schimper.  
*senegalensis*, Cham. & Schlecht. in Linnaea, iv. (1829) 156 = O. senegalensis.  
*setifera*, DC. Prod. iv. 430 = O. caffra.  
*stricta*, DC. l. c. = O. Heynii.  
*strumosa*, Hochst. in Flora, xxv. (1842) i. Beibl. 134 nomen = O. strumosa.  
 KOHLERIA, Regel, in Flora, xxxi. (1848) 249. **Isoloma**, Decne. (Gesner).  
*anonyma*, Hanst. in Linnaea, xxxiv. (1865) 66 41 (= *Cryptoloma anonymum*).—Hab. ?  
*ceborata*, Hanst. l. c. (= *Cryptoloma*).—N. Granat.  
*cordifolia*, Hanst. l. c. = I. cordifolia.  
*elongata*, Regel, in Gartenfl. (1855) 4 = *Regina*.



## KOHLERIA:—

- eriantha*, Hanst. in Linnaea, xxxiv. (1865–66) 442 = *Isoloma erianthum*.  
*guazumaefolia*, Regel, Gartenfl. (1854) 348 = *Gesneria guazumaefolia*.  
*hirsuta*, Regel, in Flora, xxxi. (1848) 250 = *I. hirsutum*.  
*hondensis*, Regel, l. c. = *I. hondense*.  
*Hookerii*, Hanst. in Linnaea, xxxiv. (1865–66) 442 = *I. hondense*.  
*ignorata*, Regel, in Bot. Zeit. ix. (1851) 893 = *I. ignorantum*.  
*incana*, Klotzsch & Hanst. in Linnaea, xxix. (1857–58) 592 = *I. incanum*.  
*Karsteniana*, Hanst. l. c. xxxiv. (1865–66) 442.—Hab. ?  
*Krameriana*, Hanst. l. c. xxix. (1857–58) 524 = *I. Kramerianum*.  
*lanata*, Lem. Illustr. Hort. viii. (1861) t. 287 = *I. longipedunculatum*.  
*leucomallos*, Hanst. in Linnaea, xxxiv. (1865–66) 441 = *Brachyloma leucomallon* (in Addend.).  
*Lindenii*, Hanst. l. c. (= *Calycostemma Lindenii*).—N. Granat.  
*Linkiana*, Hanst. l. c. xxvi. (1853) 160, 213. t. 1. f. 18 = *I. Linkianum*.  
*longiflora*, Hanst. l. c. xxxiv. (1865–66) 442.—Hab. ?  
*longifolia*, Hanst. l. c. xxix. (1857–58) 524 = *I. longifolium*.  
*longipedunculata*, Hanst. l. c. xxxiv. (1865–66) 441 = *I. longipedunculatum*.  
*longipes*, Hanst. l. c. 442.—Hab. ?  
*mollis*, Hanst. l. c. 441 = *I. molle*.  
*Moritziana*, Hanst. l. c. = *Brachyloma Moritzianum* (in Addend.).  
*petiolaris*, Hanst. l. c. 442 = *I. petiolare*.  
*picta*, Hanst. l. c. = *I. pictum*.  
*pilosa*, Hanst. l. c. = *I. pilosum*.  
*Regelii*, Hanst. l. c.—N. Granat.  
*rhodomallos*, Hanst. l. c. 441 = *Brachyloma rhodomallon* (in Addend.).  
*rubricaulis*, Hassk. in Bonplandia, viii. (1860) 97 = *I. rubricaulis*.  
*rupestris*, Seem. in Gard. Chron. (1871) 611 = *I. rupestre*.  
*Schiedeana*, Hanst. in Linnaea, xxix. (1857–58) 518 = *I. Schiedeum*.  
*Seemannii*, Hanst. l. c. xxvi. (1853) 203 = *I. Seemannii*.  
*spicata*, Oerst. in Vidensk. Selsk. Skr. V. v. (1858) 101 = *I. spicatum*.  
*stricta*, Hanst. in Linnaea, xxxiv. (1865–66) 442 = *I. strictum*.  
*tetragona*, Oerst. in Vidensk. Selsk. Skr. V. v. (1858) 101 = *I. tetragonum*.  
*tomentosa*, Hanst. in Linnaea, xxix. (1857–58) 522.—N. Granat.  
*Trianae*, Hanst. l. c. xxxiv. (1865–66) 442 = *I. Trianaei*.  
*triflora*, Regel, in Flora, xxxi. (1848) 250 = *I. triflorum*.  
*tubiflora*, Hanst. in Linnaea, xxxiv. (1865–66) 442 = *I. tubiflorum*.  
*ventricosa*, Hanst. l. c. 441 = *Brachyloma ventricosum* (in Addend.).  
*vestita*, Hanst. l. c. 442.—Hab. ?  
*Wagneri*, Regel, Ind. Sem. Hort. Turic. (1853); et Gartenfl. (1854) 347. t. 103 = *I. Kramerianum*.  
*Warszewiczii*, Hanst. in Linnaea, xxxiv. (1865–66) 441 (= *Sciadocalyx Warszewiczii*).—Venezuela.

KOHLRAUSCHIA, Kunth, Fl. Berol. ed. II. i. 108 (1838) = **Tunica**, Scop. (Caryophyll.).  
*diminuta*, Reichb. Ic. Fl. Germ. vi. 43 = *T. prolifera*.  
*obcordata*, Reichb. l. c. 43 = *T. glumacea*.  
*prolifera*, Kunth, Fl. Berol. ed. II. i. 109 = *T. prolifera*.  
*Sibthorpii*, Kunth, l. c. in obs. = *T. dianthoides*.  
*velutina*, Reichb. Ic. Fl. Germ. vi. 43 = *T. velutina*.

KOILODEPAS, Hassk. in Versl. en Med. Kon. Akad. Wetensch. iv. (1855) 139 = **Coelodepas**, Hassk. (Euphorb.).

KOKABUS, Rafin. Sylva Tellur. 55 (1838) = **Acnistus**, Schott (Solan.).  
*umbellatus*, Rafin. l. c. = *A. umbellatus*.

KOKERA, Adans. Fam. ii. 269 (1763) = **Chamissoa**, H. B. & K. (Amarant.).

KOKKIA, Zipp. ex Blume, Mus. Bot. Lugd. Bat. i. 206 (1850) = **Odina**, Roxb. (Anacard.).  
*speciosa*, Zipp. l. c. = *O. speciosa*.

**KOKOONA**, Thw. in Hook. Kew Journ. v. (1853) 379. **CELASTRINEAE**, Benth. & Hook. f. i. 362.  
**TRIGONOCARPUS**, Wall. Cat. n. 6520 (1831 ?).  
*littoralis*, M. Laws. in Hook. f. Fl. Brit. Ind. i. 617.—Malaya.  
*zeylanica*, Thw. in Hook. Kew Journ. v. (1853) 380. t. 6.—Zeylan.

KOKOSCHKINIA, Turcz. in Bull. Soc. Nat. Mosc. xxii. (1849) ii. 33 = **Tecoma**, Juss. (Bignoniac.).  
*paniculata*, Turcz. l. c. 34 = *T. Gaudichaudi*.

KOLBEA, Reichb. Consp. 113 (1828) = **KOLBIA**, Beauv. = **Modecca**, Lam. (Passifl.).

KOLBEA, Schlecht. in Linnaea, i. (1826) 80 = **Baeometra**, Salisb. (Liliac.).  
*Breyntiana*, Kunth, Enum. Pl. iv. 162 = *B. columellaris*.  
*uniflora*, Harv. Gen. S. Afr. Pl. 354.—Afr. austr.

KOLBIA, Adans. Fam. ii. 164 (1763) = **Blaeria**, Linn. (Ericac.).

KOLBIA, Beauv. Fl. Owar. ii. 91. t. 120 (1807) = **Modecca**, Lam. (Passifl.).  
*elegans*, Beauv. l. c.—Afr. trop.

KOLLERIA, Presl, Symb. Bot. 24. t. 14 (1830) = **Galenia**, Linn. (Ficoid.).  
*collina*, Eckl. & Zeyh. Enum. 327 = *G. collina*.  
*glauca*, Eckl. & Zeyh. l. c. 328 = *G. glauca*.  
*herniariaefolia*, Presl, Symb. Bot. 24. t. 14 = *G. herniariaefolia*.  
*pallens*, Eckl. & Zeyh. Enum. 328 = *G. pallens*.

KOLOFONIA, Rafin. Fl. Tellur. iv. 73 (1836) = **Ipomoea**, Linn. (Convolv.).  
*albinervia*, Rafin. l. c. = *I. albivenia*.

KOLOORATIA, Lestib. in Ann. Sc. Nat. Sér. II. xi. (1841) 341 = seq.

KOLOWRATIA, Presl, Rel. Haenk. i. 113. t. 20 (1827) = **Alpinia**, Linn. (Scitamin.).  
*elegans*, Presl, l. c. = *A. gracilis*.

KOLPAKOWSKIA, Regel, in Act. Hort. Petrop. v. (1877) 634; et Gartenfl. xxvii. (1878) 294. t. 953 = **Ixiolirion**, Herb. (Amaryll.).  
*ixiolirioides*, Regel, ll. cc. = *I. Kolpakowskiana*.

KOLRAUSCHIA, Jord. in Ann. Soc. Linn. Lyon, N. S. xvi. (1868) 345 = **KOHLRAUSCHIA**, Kunth = **Tunica**, Scop. (Caryoph.).

KOMANA, Adans. Fam. ii. 444 (1763) = **Hypericum**, Tourn.

KOMMIA, Ehrenb. ex Schweinf. Beitr. Fl. Aethiop. 181 (1867) = **Pupalia**, Juss. (Amarantac.).  
*hamulosa*, Ehrenb. l. c. = *P. lappacea*.

KONIG, Adans. Fam. ii. (23) (1763) = **Alyssum**, Tourn. (Crucif.).

KONIGA, R. Br. in App. Denh. et Clapp. Narr. Exp. Afr. 214 (1826) = **Alyssum**, Tourn. (Crucif.).  
*arabica*, Boiss. Diagn. Ser. I. viii. 26.—Aegypt.; Arab.

*Brunonis*, Webb, in Hook. Lond. Journ. Bot. v. (1846) t. 6 = *intermedia*.  
*canariensis*, Sweet, Hort. Brit. ed. II. 25 = *A. libycum* ?  
*dasycarpa*, Heynh. Nom. i. 439 = *A. dasycarpum*.  
*densiflora*, Heynh. l. c. = *A. strictum*.  
*edentula*, Heynh. l. c. = *A. gemonense*.  
*emarginata*, Nym. Syll. 200 = *A. emarginatum*.  
*halmifolia*, Reichb. Fl. Germ. Excurs. 669 = *A. maritimum*.  
*intermedia*, Webb, in Hook. Lond. Journ. Bot. v. (1846) 192. t. 6.—Ins. Canar.  
*Lagasciae*, Webb, Iter Hisp. 76 = *A. Lagasciae*.  
*libyca*, R. Br. in App. Denh. & Clapp. Narr. Exp. Afr. 215, 216 = *A. libycum*.  
*longicaulis*, Nym. Syll. 200 = *A. longicaule*.  
*macrocarpa*, Heynh. Nom. i. 439 = *A. macrocarpum*.  
*maritima*, R. Br. in App. Denh. & Clapp. Narr. Exp. Afr. ii. 214 = *A. maritima*.

## KONIGA:—

- nummularia*, Heynh. Nom. i. 439 = *Alyssum libycum*.  
*Perusiana*, Nym. Syll. 200 = *A. maritima*.  
*pyrenaica*, Heynh. Nom. i. 439 = *A. pyrenaicum*.  
*rupestris*, Heynh. l. c. = *A. rupestre*.  
*saxigena*, Jord. ex Nym. Consp. 54 = *A. macrocarpum*.  
*scardica*, Griseb. Reise, i. 278.—Macedon.  
*sibirica*, Spach, Hist. Vég. Phan. vi. 496 = *A. canescens*, tenuifolium.  
*spathulata*, J. A. Schmidt, Beitr. Fl. Cap. Verd. Ins. 266.—Ins. Cap. Verd.  
*spinosa*, Spach, Hist. Vég. Phan. vi. 493 = *A. spinosum*.  
*strigulosa*, Nym. Syll. 200 = *A. maritimum*.

KONIGIA, Comm. ex Cav. Diss. iii. 120, 121 (1787) = **Dombeya**, Cav. (Malvac.).

KOOCKIA, Moq. in Bélanger, Voy. Indes, t. absque numero (1846), sphalm. = **Kochia**, Roth (Chenopod.).

KOOKIA, Pers. Syn. i. 466 (1805) = **COOKIA**, Sonner. = **Clausena**, Burm. f. (Rutac.).

KOOMPASSIA, Maing. in Hook. Ic. Pl. t. 1164 (1873). **LEGUMINOSAE**.  
*malaccensis*, Maing. l. c.—Malaya.

KOON, Gaertn. Fruct. ii. 486. t. 180 (1791) = **Pachygone**, Miers (Menisp.).  
*zeylanicus*, Gaertn. l. c. = *P. ovata*.

KOPSIA, Blume, Cat. Gew. Buitenz. 12 (1823); Bijdr. 1030 (1826). **APOCYNACEAE**, Benth. & Hook. f. ii. 701.

**CALPICARPUM**, G. Don, Gen. Syst. iv. 100 (1837).  
*arborea*, Blume, Cat. Gew. Buitenz. 13; Bijdr. 1030.—Java.  
*flavida*, Blume, Rumphia, iv. 28.—Java.  
*fruticosa*, A. DC. in DC. Prod. viii. 352.—Burma; Malaya.  
*Lamarckii*, G. Don, ex DC. l. c. = *Cerbera oppositifolia*.  
*macrophylla*, Hook. f. Fl. Brit. Ind. iii. 639.—Singapore.  
*parallela*, Regel & Koern. Ind. Sem. Hort. Petrop. (1857) 44.—Hab. ?  
*pauciflora*, Hook. f. Fl. Brit. Ind. iii. 639.—Malacca.  
*pilosa*, A. DC. in DC. Prod. viii. 352 = *Carruthersia pilosa*.  
*vincaeflora*, Blume, Bijdr. 1030.—Java.

KOPSIA, Dum. Comm. Bot. 16 (1822) = **Orobanche**, Tourn.  
*aegyptiaca*, Caruel, in Parl. Fl. Ital. vi. 358 = *O. aegyptiaca*.  
*arenaria*, Dum. Comm. Bot. 17 = *O. arenaria*.  
*Borkhauseni*, Caruel, in Parl. Fl. Ital. vi. 355 = *Phelipaea arenaria*.  
*caerulea*, Dum. Comm. Bot. 17 = *O. caerulea*.  
*interrupta*, Dum. l. c. = *O. interrupta*.  
*lavandulacea*, Caruel, in Parl. Fl. Ital. vi. 357 = *Phelipaea lavandulacea*.  
*longiflora*, Dum. Comm. Bot. 18 = *O. longiflora*.  
*ramosa*, Dum. l. c. 16 = *O. ramosa*.  
*stricta*, Caruel, in Parl. Fl. Ital. vi. 356 = *O. Schultzii*.

KORDELESTRIS, Arruda, ex Koster Trav. Braz. i. 500 (1816) = **Jacaranda**, Juss. (Bignon.).  
*syphilitica*, Arruda, l. c. = *J. procera*.  
*undulata*, Arruda, l. c. = *J. undulata*.

KORNICKIA, Benth. & Hook. f. Gen. ii. 999 (1876) = **KOERINCKIA**, Regel = **Achimenes**, P. Br. (Gesnerac.).

KOROLKOWIA, Regel, Gartenfl. 161. t. 760 (1873); et in Act. Hort. Petrop. ii. (1873) 320 = **Fritillaria**, Linn. (Liliac.).  
*Sewerzowi*, Regel, ll. cc. 163; 320 = *F. Sewerzowi*.

KOROSVEL, Adans. Fam. ii. 442 (1763) = **Tetracera**, Linn. (Dilleniace.).

KORSARIA, Steud. Nom. ed. II. i. 850 (1840), sphalm. = **KOSARIA**, Forsk. = **Dorstenia**, Linn. (Urticac.).  
*Forskohlei*, Steud. l. c. = *D. radiata*.



**KORTHALSIA**, Blume, Rumphia, ii. 166. t. 130. f. 2 (1843). *PALMAE*, Benth. & Hook. f. iii. 932. *CALAMOSAGUS*, Griff. in Calc. Journ. Nat. Hist. v. (1845) 22.

*andamanensis*, Becc. *Malesia*, ii. (1884) 76.—Ins. Andaman.

*angustifolia*, Blume, Rumphia, ii. 172.—Borneo. *celebica*, H. Wendl. in Kerch. Palm. 248=Licuala celebica.

Cheb, Becc. *Malesia*, ii. (1884) 67.—Borneo. *debilis*, Blume, Rumphia, ii. 169.—Sumatra.

*echinometra*, Becc. *Malesia*, ii. (1884) 66.—Borneo. *ferox*, Becc. l. c. 73.—Borneo.

*Flabellum*, Miq. ex H. Wendl. in Kerch. Palm. 248=Licuala Flabellum.

*flagellaris*, Miq. Fl. Ind. Bat. Suppl. 591=angustifolia.

*hispidula*, Becc. *Malesia*, ii. (1884) 71.—Sumatra. *horrida*, Becc. l. c. 66.—Borneo.

*Junghuhnii*, Miq. Pl. Jungh. 162.—Java. *laciniata*, Mart. Hist. Nat. Palm. iii. 211.—Burma.

*Lobbiana*, H. Wendl. in Bot. Zeit. xvii. (1859) 174=rigida.

*penduliflora*, Miq. ex H. Wendl. in Kerch. Palm. 248=Licuala penduliflora.

*polystachya*, Mart. Hist. Nat. Palm. iii. 210. t. 172.—Malacca.

*rigida*, Blume, Rumphia, ii. 167.—Malaya. *robusta*, Blume, l. c. 170.—Malaya.

*rostrata*, Blume, l. c. 168.—Borneo. *rubiginosa*, Becc. *Malesia*, ii. (1884) 72.—Borneo.

*scaphigera*, Kurz, For. Fl. Brit. Burma, ii. 513=andamanensis.

*scaphigera*, Mart. Hist. Nat. Palm. iii. 211.—Malacca.

*Teysmannii*, Miq. Fl. Ind. Bat. Suppl. 591.—Sumatra. *wallichiaefolia*, H. Wendl. in Kerch. Palm. 248.—Ind. or.

*Zippellii*, Blume, Rumphia, ii. 171.—N. Guinea.

**KORYCARPUS**, Zea, in Act. Matr. (1806); ex Lag. Gen. et Sp. Nov. 4. (1816)=*Diarrhena*, Rafin. (Gramin.).

*arundinaceus*, Zea, l. c. ex Lag. l. c.=D. americana.

**KOSARIA**, Forsk. Fl. Aegypt. Arab. 164 (1775)=*Dorstenia*, Linn. (Urticac.).

*Barnimiana*, Schweinf. in Sitzb. Naturf. Ges. Berl. (Juli 21, 1863)=D. Barnimiana.

*obovata*, Schweinf. Beitr. Fl. Aethiop. 190=D. obovata.

*palmata*, Schweinf. Heart of Africa, i. 220.—Afr. trop.

*tropaeolifolia*, Schweinf. in Verh. Zool. Bot. Ges. Wien, xviii. (1868) 687=D. tropaeolifolia.

**KOSTELETSKYA**, Brongn. Enum. Gen. 77 (1843), sphalm.=seq.

**KOSTELETZKYA**, Presl, Rel. Haenk. ii. 130 t. 70. (1831). *MALVACEAE*, Benth. & Hook. f. i. 206.

*PENTAGONOCARPUS*, Michx. ex Parl. Fl. Ital. v. 105 (1872).

*acuminata*, Britten, Journ. Bot. xviii. (1880) 91.—Mexic.

*adoensis*, Mast. in Oliver, Fl. Trop. Afr. i. 192.—Afr. trop.

*altheaefolia*, A. Gray, Pl. Wright. i. 23.—Am. bor. occ.

*asterocarpa*, Turcz. in Bull. Soc. Nat. Mosc. xxxi. (1858) i. 191=sagittata.

*bataensis*, F. Villar, in Blanco, Fl. Philipp. ed. III. Nov. App. 24.—Ins. Philipp.

*cordata*, Presl, Rel. Haenk. ii. 132.—Mexic. *Coulteri*, A. Gray, Pl. Wright. i. 23.—Mexic.

*digitata*, A. Gray, in Proc. Am. Acad. viii. (1870) 289.—Am. bor.

*Grantii*, Garcke.—Cf. *Linnaea*, xxxviii. (1874) 697; xliii. (1880-82) 53.—Afr. trop.

*hastata*, Garcke, in Eichl. Jahrb. i. (1881) 222, in syn.—Ind. or.?

*hastata*, Presl, Rel. Haenk. ii. 130.—Mexic. *hispidula*, Baker, in Journ. Linn. Soc. xx. (1883) 98.—Madag.

*hispidula*, Presl, Rel. Haenk. ii. 132.—Mexic. *hispidula*, Garcke, in Eichl. Jahrb. i. (1881) 223, in syn.—Hab.?

### KOSTELETZKYA:—

*madagascariensis*, Baker, in Journ. Bot. xx. (1882) 46.—Madag.

*malacosperma*, Turcz. in Bull. Soc. Nat. Mosc. xxxi. (1858) i. 192.—Afr. austr.

*mexicana*, Garcke, in Eichl. Jahrb. i. (1881) 223, in syn.—Mexic.

*palmata*, Presl, Bot. Bemerk. 19.—Mexic. *paniculata*, Benth. Pl. Hartw. 285.—Mexic.

*pentacarpa*, Ledeb. Fl. Ross. i. 437.—Rossia. *pentasperma*, Griseb. Fl. Brit. W. Ind. 83.—Am. trop.

*sagittata*, Presl, Rel. Haenk. ii. 131. t. 70.—Mexic. *smilacifolia*, A. Gray, Pl. Wright. i. 23.—N. Mexic.

*Thouarsiana*, Baill. in Bull. Soc. Linn. Par. i. (1885) 541.—Madag.

*velutina*, Garcke, in Bremen, Abh. vii. (1881) 198.—Madag.

*virginica*, Presl, ex A. Gray. Gen. Illustr. ii. 80. t. 132.—Am. bor.

**KOTCHUBAEA**, Regel, ex Benth. & Hook. f. Gen. i. 98 (1862)=*Kutchubaea*, Fisch. (Rubiace.).

*laxiflora*, Benth. & Hook. f. l. c.=Kutchubaea insignis.

**KOTSCHYA**, Endl. Stirp. Nov. Dec. 4 (1839)=*Smithia*, Ait. (Legumin.).

*africana*, Endl. l. c. 6=S. Kotschy.

**KOTSJILETTI**, Adans. Fam. ii. 60 (1763)=*Xyris*, Linn.

**KOWALEWSKIA**, Turcz. in Bull. Soc. Nat. Mosc. (1859) i. 263=*Clethra*, Linn. (Ericac.).

*integerrima*, Turcz. l. c.=C. mexicana. *serrulata*, Turcz. l. c.=C. mexicana.

**KOZOLA**, Rafin. Fl. Tellur. ii. 25 (1836)=*Scilla*, Linn. (Liliac.).

*japonica*, Rafin. l. c.=S. japonica.

**KRALIKIA**, Coss. & Dur. in Bull. Soc. Bot. Fr. xiv. (1867) 89. *GRAMINEAE*, Benth. & Hook. f. iii. 1205.

*africana*, Coss. & Dur. l. c. 90.—Afr. bor.

**KRALIKIA**, Sch. Bip. in Schweinf. Beitr. Fl. Aethiop. 151 (1867)=*Chiliocephalum*, Benth. (Compos.).

*myriocephala*, Sch. Bip. l. c., nomen=C. Schimper. *Schultzei*, Buching. ex Sch. Bip. l. c., nomen=C. Schimper.

**KRAMERIA**, Loeff. It. Hisp. 195 (1758). *POLY-GALEAE*, Benth. & Hook. f. i. 140.

*IXINA* et *STEMEIA*, Rafin. Atl. Journ. 144 (1832). *argentea*, Mart. ex Spreng. Syst. ii. 844.—Bras.

*arida*, O. Berg, in Bot. Zeit. xiv. (1856) 762.—Venezuela. *Beyrichii*, Spörled. ex O. Berg, l. c. 752=lanceolata, Torr.

*canescens*, A. Gray, Pl. Wright. i. 42.—Am. bor. occ. *canescens*, Willd. ex Schult. Mant. iii. 303=triandra.

*cinerea*, Schau. in Linnaea, xx. (1847) 725.—Mexic. *cistoides*, Hook. & Arn. Bot. Beech. Voy. 8. t. 5.—Chili.

*cuspidata*, Presl, Rel. Haenk. ii. 103.—Mexic. *cytisoides*, Cav. Ic. iv. 61. t. 390.—Mexic.

*didymandra*, Turcz. in Bull. Soc. Nat. Mosc. xxvii. (1854) ii. 361.—Bras.

*erecta*, Willd. ex Schult. Mant. iii. 303=lanceolata, Torr.?

*evolvoloides*, Triana & Planch. ex A. W. Benn. in Mart. Fl. Bras. xiii. iii. 72=spartioides.

*glabra*, Spreng. Neue Entdeck. ii. 157=Zollernia flabata.

*grandiflora*, A. St. Hil. Fl. Bras. Mer. ii. 73.—Bras. *grandiflora*, O. Berg, in Bot. Zeit. xiv. (1856) 764.—Hab.?

*Illica*, Phil. Fl. Atac. 9.—Chili. *Ixina*, Benth. Pl. Hartw. 13=lanceolata, Torr.?

*Ixina*, H. B. & K. Nov. Gen. et Sp. vii. 244=tomentosa.

*Ixina*, Linn. Sp. Pl. ed. II. 177.—Am. austr. *Ixine*, Linn. Syst. ed. X. 899=pracc.

*lanceolata*, O. Berg, in Bot. Zeit. xiv. (1856) 765.—Venezuela.

*lanceolata*, Torr. in Ann. Lyc. N. York, ii. (1828) 166.—Am. bor. occ.

### KRAMERIA:—

*latifolia*, Moric. Pl. Nouv. Am. 63. t. 43.—Bras. *linearis*, Poir. Encyc. Suppl. iii. 226=pentapetala.

*linifolia*, Willd. ex Schult. Mant. iii. 303=K. Ixina. *longipes*, O. Berg, in Bot. Zeit. xiv. (1856) 765.—Bras.

*ovata*, O. Berg, l. c. 764=tomentosa. *parviflora*, Benth. Bot. Voy. Sulph. 6. t. 2.—Am. bor. occ.

*parvifolia*, Benth. l. c. 6. t. 1.—Mexic. *pauciflora*, [Moq. & Sesse,] ex DC. Prod. i. 341=lanceolata, Torr.

*pentapetala*, Ruiz & Pav. Fl. Per. i. 62. t. 794. f. a.—Peruv.

*ramosissima*, S. Wats. in Proc. Am. Acad. xvii. (1881-82) 326.—Mexic.

*revoluta*, O. Berg, in Bot. Zeit. xiv. (1856) 751.—Mexic.

*ruscifolia*, A. St. Hil. Fl. Bras. Mer. ii. 74=latifolia.

*secundiflora*, [Moq. & Sesse,] ex DC. Prod. i. 341=lanceolata, Torr.?

*spartioides*, Klotzsch, ex O. Berg, in Bot. Zeit. (1856) 761.—N. Granat.

*tomentosa*, A. St. Hil. Fl. Bras. Mer. ii. 74.—Bras. *triandra*, Ruiz & Pav. Fl. Per. i. 61.—Peruv.

**KRANIKOFA**, Rafin. Princ. Somiol. 30 (1814)=*KRASCHENINNIKOVIA*, Gueldenst.=*Eurotia*, Adans. (Chenop.).

**KRAPFIA**, DC. Syst. i. 228 (1818)=*Ranunculus*, Linn.

*ranunculacea*, Steud. Nom. ed. II. i. 850=seq. *ranunculina*, DC. Syst. i. 228=R. Krapfia.

**KRASCHENINNIKOVIA**, Turcz. ex Bess. in Flora, xvii (1834) i. Beibl. 9=*Stellaria*, Linn. (Caryophyll.).

*Davidi*, Franch. Pl. David. i. (1884) 51. t. 10.—China.

*heterantha*, Maxim. in Bull. Acad. Pétersb. xviii. 1873 376.—Japon.

*heterophylla*, Miq. Ann. Mus. Bot. Lugd. Bat. iii. 187.—Japon.

*Maximowicziana*, Franch. & Sav. Enum. Pl. Jap. ii. 297.—Japon.

*rupestris*, Turcz. in Bull. Soc. Nat. Mosc. 1835, 89. nomen=S. bulbosa.

*sylvatica*, Maxim. Prim. Fl. Amur. 57.—Reg. Amur.

**KRASCHENINNIKOVIA**, Gueldenst. in Nov. Comm. Acad. Petrop. xvi. (1772) 548. t. 17=*Eurotia*, Adans. (Chenopod.).

*ceratoides*, Gueldenst. l. c. 548, 555=E. ceratoides. *latens*, J. F. Gmel. Syst. 274=E. ceratoides.

*lutens*, Steud. Nom. ed. II. i. 850=pracc.

**KRASCHNIKOWIA**, Turcz. ex Ledeb. Fl. Ross. iii. 402, in syn. (1849)=*Marrubium*, Tourn. (Labiata).

*geraniifolia*, Turcz. ex Ledeb. l. c.=M. incisum.

**KRATZMANNIA**, Opiz, Seznam, 56 (1852)=*Agropyron*, J. Gaertn. (Gramin.).

*imbricata*, Opiz, l. c.=A. cristatum.

**KRAUHNIA**, Steud. Nom. ed. II. i. 850 (1840)=seq.

**KRAUHNIA**, Rafin. in Med. Repos. N. York, v. (1808) 352=*Wistaria*, Nutt. 1818. (Legumin.).

*frutescens*, Rafin. l. c.=W. frutescens.

**KRAUSSIA**, Harv. in Hook. Lond. Journ. Bot. i. (1842) 21. *RUBIACEAE*, Benth. & Hook. f. ii. 95.

*CARPOTHALIS*, E. Mey. in Drège, Zwei Pfl. Docum. 170 (1843).

*congesta*, Oliver, in Journ. Linn. Soc. xv. (1876) 44.—Afr. trop.

*coriacea*, Sond. in Linnaea, xliii. (1850) 53=*Trochilium* Sonderiana.

*floribunda*, Harv. in Hook. Lond. Journ. Bot. i. (1842) 21.—Afr. austr.

*lanceolata*, Sond. in Linnaea, xliii. (1850) 53.—Afr. austr.

*pavettoides*, Harv. in Harv. & Sond. Fl. Cap. iii. 22 (=Webera pavettoides).—Afr. austr.

**KRAUSSIA**, Sch. Bip. in Flora, xxvii. (1844) 672=*Amellus*, Linn. (Compos.).

*capensis*, Sch. Bip. l. c.=A. Lychnitis.



KREBSIA, Eckl. & Zeyh. Enum. 179 (1836) = **Lotononis**, Eckl. & Zeyh. (Legumin.).  
*argentea*, Eckl. & Zeyh. l. c. = *Lebeckia microphylla*.  
*Capnitidis*, Steud. Nom. ed. II. i. 850 = *L. Capnitidis*.  
*carnosa*, Eckl. & Zeyh. Enum. 180 = *L. carnosae*.  
*cytisoides*, Steud. Nom. ed. II. i. 850 = *L. cytisoides*.  
*divaricata*, Eckl. & Zeyh. Enum. 179 = *L. divaricata*.  
*eriocarpa*, Steud. Nom. ed. II. i. 850 = *L. cytisoides*.  
*genuflexa*, Steud. l. c. = *L. genuflexa*.  
*striata*, Steud. l. c. = *L. carnosae*.  
*stricta*, Eckl. & Zeyh. Enum. 179 = *L. cytisoides*.

KREBSIA, Harv. Gen. S. Afr. Pl. ed. II. 233 (1868) = **Gomphocarpus**, R. Br. (Asclep.).

KREIDEK, Adans. Fam. ii. 225 (1763) = **Scoparia**, Linn. (Scrophul.).

KREMERIA, Coss. & Dur. in Bull. Soc. Bot. Fr. iii. (1856) 671 = **Muricaria**, Desv. (Crucif.).  
*Cordyllocarpus*, Coss. & Dur. l. c. 672 = *M. prostrata*?

KREMERIA, Dur. in Duch. Rev. Bot. i. (1846) 64 = **Chrysanthemum**, Linn. (Compos.).  
*paludosa*, Dur. l. c. 365 = *C. paludosum*.

KREYSIGIA, Reichb. Ic. Exot. iii. 11. t. 229 (1829).  
**LILLIACEAE**, Benth. & Hook. f. iii. 829.  
**TRIPLADENIA**, D. Don, in Proc. Linn. Soc. i. (1839) 46.  
Cunninghami, *F. Muell. Fragm.* vii. 71. — Austral.  
multiflora, *Reichb. Ic. Exot.* iii. 11. t. 229. — Austral.

KRIGIA, Schreb. Gen. 532 (1791). **COMPOSITAE**, Benth. & Hook. f. ii. 507.  
**ADOPOGON**, Neck. Elem. i. 55 (1790).  
**CYNTHIA**, D. Don, in Edinb. N. Phil. Journ. (Mar. 1829) 309.  
**LUTHERA**, Sch. Bip. in Linnaea, x. (1836) 257.  
**SERINIA**, Rafin. Fl. Ludov. 149 (1817).  
*amplexicaulis*, *Nutt. Gen. Am.* ii. 127. — Am. bor.  
*bellidioides*, Scheele, in Linnaea, xxv. (1852) 257 = *occidentalis*.  
*caroliniana*, Hook. Comp. Bot. Mag. i. (1835) 100 = *K. Dandelion*.  
*caroliniana*, *Nutt. Gen. Am.* ii. 126 = *virginica*.  
*chilensis*, *Bert. in 'Merc. Chil.'* (1829); *et in Bull. Férussac*, xx. (1830) 112. — Chili.  
*chilensis*, *Nees, ex DC. Prod. vii.* 89 = *Microseris pygmaea*.  
*Dandelion*, *Nutt. Gen. Am.* ii. 127. — Am. bor.  
*dichotoma*, *Nutt. l. c.* = *virginica*.  
*integrifolia*, *Rafin. New Fl. Am.* iv. 86 (Quid?). — Am. bor.  
*leptophylla*, *DC. Prod. vii.* 88 = *virginica*.  
*montana*, *Nutt. Gen. Am.* ii. 127. — Am. bor.  
*nervosa*, *Hook. Ic. Pl.* t. 237 = *occidentalis*.  
*occidentalis*, *Nutt. in Journ. Acad. Philad.* vii. (1834) 104. — Am. bor.  
*oppositifolia*, *Rafin. Fl. Ludov.* 57 = *virginica*.  
*petiolaris*, *Rafin. New Fl. Am.* iv. 86 (Quid?). — Am. bor.  
*pinnatifida*, *Bert. ex DC. Prod. vii.* 89 = *Microseris pygmaea*.  
*pusilla*, *Hort. ex DC. l. c.* = *Microseris pygmaea*.  
*tenella*, *Reichb. Ic. Fl. Germ.* i. 72 = *virginica*.  
*virginica*, *Willd. Sp. Pl.* iii. 1618. — Am. bor.

KROCKERIA, Neck. Elem. ii. 317 (1790) = **Xylopia**, Linn. (Anonac.).

KROCKERIA, Steud. Nom. ed. II. i. 458 (1821) = **KROKERIA**, Moench = **Lotus**, Linn. (Legumin.).

KROKERIA, Endl. Gen. 832, in syn. (1841) = **KROCKERIA**, Neck. = **Xylopia**, Linn. (Anonac.).

KROKERIA, Moench, Meth. 143 (1794) = **Lotus**, Linn. (Legumin.).  
*edulis*, *Willk. & Lange, Prod. Fl. Hisp.* iii. 340 = *L. edulis*.  
*oligoceras*, *Moench, Meth.* 143 = *L. edulis*.

KROMBHOLTZIA, Benth. in Journ. Linn. Soc. xix. (1881) 121 = seq.

KROMBHOLTZIA, Rupr. ex Gal. in Bull. Acad. Brux. ix. II. (1844) 247 = **Zeugites**, Schreb. (Gramin.).  
*latifolia*, *Fourn. in Bull. Soc. Bot. Belg.* xv. (1876) 464 = *Z. latifolia*.  
*mexicana*, *Rupr. in Bull. Acad. Brux.* ix. II. (1844) 247 = *Z. Galeottiana*.

KROMON, Rafin. Fl. Tellur. ii. 21 (1836) = **Allium**, Tourn. (Liliac.).  
*parviflorum*, *Rafin. l. c.* = *A. parviflorum*.

KRUBERA, Hoffm. Gen. Umbell. 103 (1814) = **Capnophyllum**, Gaertn. (Umbellif.).  
*caffra*, Eckl. & Zeyh. Enum. 353 (= *Stenosemis caffra*). — Afr. austr.  
*leptophylla*, *Hoffm. Gen. Umbell.* 104. t. 3 = *C. dichotomum*.  
*peregrina*, *Lowe, Man. Fl. Mad.* i. 361 = *C. dichotomum*.

KRUEGERIA, Scop. Introd. 314 (1777) = **Macrolobium**, Schreb. (Legumin.).

KRUHSEA, Regel, in Nouv. Mém. Soc. Nat. Mosc. xi. (1859) 122 = **Streptopus**, Michx. (Liliac.).  
*Tilingiana*, *Regel, l. c.* = *S. roseus*.  
*Tilingii*, *Maxim. in Mém. Sav. Etr. Pétersb.* ix. (1859) 278 = *praec.*

KRYNITZIA, Reichb. Nom. 112 (1841) = seq.

KRYNITZKIA, Fisch. & Mey. Ind. Sem. Hort. Petrop. vii. 52 (1841). **BORAGINEAE**, [Benth. & Hook. f. ii. 851.]  
**PIPTOCALYX**, Torr. in Bot. U. St. Expl. Exped. ii. 413. t. 12 (1874).  
*affinis*, *A. Gray, in Proc. Am. Acad.* xx. (1885) 270. — Am. bor. occ.  
*alyssoides*, *A. Gray, l. c.* 280. — Chili.  
*ambigua*, *A. Gray, l. c.* 273. — Am. bor. occ.  
*angustifolia*, *A. Gray, l. c.* 272. — Calif.  
*barbigera*, *A. Gray, l. c.* 273. — Am. bor. occ.  
*californica*, *A. Gray, l. c.* 266. — Calif.  
*cedrosensis*, *Greene, in Bull. Calif. Acad.* i. iv. (1885) 204 = *maritima*.  
*Chorisiana*, *A. Gray, in Proc. Am. Acad.* xx. (1885) 267. — Calif.  
*circumcissa*, *A. Gray, l. c.* 275. — Am. bor. occ.  
*clandestina*, *A. Gray, l. c.* 274. — Chili.  
*Cooperi*, *A. Gray, l. c.* 267. — Arizona.  
*crassispala*, *A. Gray, l. c.* 268. — Am. bor. occ.  
*cycloptera*, *Greene, in Bull. Calif. Acad.* i. iv. (1885) 207 = *pterocarya*.  
*denticulata*, *Greene, l. c.* 205 = *muriculata*.  
*dichotoma*, *Greene, l. c.* 206. — Nevada.  
*dumetorum*, *Greene, ex A. Gray, in Proc. Am. Acad.* xx. (1885) 272. — Calif.  
*Fendleri*, *A. Gray, l. c.* 268. — Am. bor. occ.  
*floribunda*, *A. Gray, l. c.* 265. — Mexic.  
*foliosa*, *Greene, in Bull. Calif. Acad.* i. iv. (1885) 205. — Calif.  
*fulvocanescens*, *A. Gray, in Proc. Am. Acad.* xx. (1885) 280. — Am. bor. occ.  
*glomerata*, *A. Gray, l. c.* 279. — Am. bor. occ.  
*heliotropioides*, *A. Gray, l. c.* 265. — Texas.  
*holoptera*, *A. Gray, l. c.* 276. — Arizona.  
*intermedia*, *A. Gray, l. c.* 273. — Calif.  
*Jamesii*, *A. Gray, l. c.* 278. — Am. bor. occ.  
*Jonesii*, *A. Gray, l. c.* 274. — Calif.  
*leiocarpa*, *Benth. Pl. Hartw.* 326 = *oxycarya*.  
*leiocarpa*, *Fisch. & Mey. Ind. Sem. Hort. Petrop.* vii. 52. — Am. bor. occ.  
*leucophaea*, *A. Gray, in Proc. Am. Acad.* xx. (1885) 280. — Am. bor. occ.  
*linearis*, *A. Gray, l. c.* — Chili.  
*linifolia*, *A. Gray, l. c.* 266. — Reg. Andin.  
*lithocarya*, *Greene, ex A. Gray, l. c.* 265. — Calif.  
*maritima*, *Greene, in Bull. Calif. Acad.* i. iv. (1885) 204. — Calif.  
*micrantha*, *A. Gray, in Proc. Am. Acad.* xx. (1885) 275. — Am. bor. occ.  
*micromeres*, *A. Gray, l. c.* 274. — Calif.  
*microstachys*, *Greene, ex A. Gray, l. c.* 269. — Calif.  
*mohavensis*, *Greene, in Bull. Calif. Acad.* i. iv. (1885) 207. — Arizona.  
*mollis*, *A. Gray, in Proc. Am. Acad.* xx. (1885) 267. — Calif.  
*muriculata*, *A. Gray, l. c.* 273. — Am. bor. occ.

# KRYNITZKIA:—

*obovata*, *A. Gray, in Proc. Am. Acad.* xx. (1885) 265. — Sibir.  
*oxycarya*, *A. Gray, l. c.* 269. — Am. bor. occ.  
*oxygona*, *A. Gray, l. c.* 277. — Arizona.  
*Palmeri*, *A. Gray, l. c.* 278 = *Jamesii*.  
*Parryi*, *A. Gray, l. c.* 265. — Mexic.  
*Pattersoni*, *A. Gray, l. c.* 268. — Colorado.  
*phacelioides*, *Fisch. & Mey. ex Phil. f. Cat. Pl. Vasc.* Chil. 211 = *Eritrichium phacelioides*.  
*plebeia*, *A. Gray, in Proc. Am. Acad.* xx. (1885) 266. — Ins. Unalaschka.  
*pterocarya*, *A. Gray, l. c.* 276. — Am. bor. occ.  
*pusilla*, *A. Gray, l. c.* 274. — Texas.  
*racemosa*, *Greene, in Bull. Calif. Acad.* i. iv. (1885) 208. — Calif.  
*ramosa*, *A. Gray, in Proc. Am. Acad.* xx. (1885) 274. — Mexic.  
*ramosissima*, *A. Gray, l. c.* 277. — Am. bor. occ.  
*rostellata*, *Greene, in Bull. Calif. Acad.* i. iv. (1885) 203 = *microstachys*.  
*Scouleri*, *A. Gray, in Proc. Am. Acad.* xx. (1885) 267. — Am. bor. occ.  
*sericea*, *A. Gray, l. c.* 279. — Am. bor. occ.  
*setosissima*, *A. Gray, l. c.* 276. — Am. bor. occ.  
*sparsiflora*, *Greene, in Bull. Calif. Acad.* i. iv. (1885) 203. — Calif.  
*tenuifolia*, *A. Gray, in Proc. Am. Acad.* xx. (1885) 267. — Mexic.  
*texana*, *A. Gray, l. c.* 268. — Texas.  
*Torreyana*, *A. Gray, l. c.* 271. — Am. bor. occ.  
*trachycarpa*, *A. Gray, l. c.* 266. — Calif.; Chili.  
*virgata*, *A. Gray, l. c.* 279. — Am. bor. occ.  
*Watsoni*, *A. Gray, l. c.* 271. — Am. bor. occ.

KTENOSACHNE, Steud. Syn. Pl. Gram. 150 (1855) = **Prionachne**, Nees (Gramin.).  
*tenerrima*, *Steud. l. c.* — Hab.?

KTENOSPERMUM, Lehm. Del. Sem. Hort. Hamb. (1837) 7. — Cf. Linnaea, xiii. (1838) Litt. 84 = **Pectocarya**, DC. (Boragin.).  
*linifolium*, *Lehm. l. c.* — Hab.?

KUA, Rheede, ex Medic. in Act. Acad. Theod. Palat. vi. Phys. (1790) 394, cum ic. = **Curcuma**, Linn. (Scitam.).  
*domestica*, *Medic. l. c.* 396. — Ind. or.

KUALA, Karst. & Triana, in Linnaea, xxviii. (1856) 428 = **Esenbeckia**, Kunth (Rutac.).  
*alata*, *Karst. & Triana, l. c.* 429 = *E. alata*.  
*laevis*, *Karst. & Triana, l. c.* = *E. alata*.

KUESTERA, Regel, Gartenfl. vi. (1857) 345 = **Beloperrone**, Nees (Acanthac.).  
*aurantiaca*, *Regel, l. c.* = *B. aurantiaca*.

KUGIA, Bert. ex Lindl. Nat. Syst. ed. II. 438 (1836), nomen (Quid?).

KUHLIA, H. B. & K. Nov. Gen. et Sp. vii. 234. t. 652 (1825). **SAMYDACEAE**, Benth. & Hook. f. i. 798.  
*brasiliensis*, *A. Gray, Bot. U. St. Expl. Exped.* i. 74 = *Banara brasiliensis*.  
*glauca*, *H. B. & K. Nov. Gen. et Sp.* vii. 234. — N. Granat.  
*mollis*, *Poepp. & Endl. Nov. Gen. et Sp.* iii. 74. t. 285 = *Banara guianensis*.  
*parviflora*, *A. Gray, Bot. U. St. Expl. Exped.* i. 73 = *Banara parviflora*.  
*ulmifolia*, *H. B. & K. Nov. Gen. et Sp.* vii. 236. t. 653. — Am. austr.

KUHLIA, Reinw. in Blume, Cat. Gew. Buitenz. 51 (1823), nomen; et ex Blume, Bijdr. 777 (1826) = **Fagraea**, Thunb. (Logan.).  
*morindaefolia*, *Reinw. l. c.* = *F. morindaefolia*.

KUHNIA, Linn. Sp. Pl. ed. II. 1662 (1763). **COMPOSITAE**, Benth. & Hook. f. ii. 248.  
*albicaulis*, *Rafin. New Fl. Am.* iv. 105 (Quid?). — Am. bor.  
*altaica*, *Rafin. l. c.* 79 = *eupatorioides*.  
*arabica*, *Hochst. & Steud. ex DC. Prod.* vii. 267 = *Pegolettia senegalensis*.  
*arguta*, *H. B. & K. Nov. Gen. et Sp.* iv. 105. — N. Granat.



**KUHNIA:**—

- baccharoides*, DC. Prod. v. 127 = *Symphypappus viscosus*.  
*cinerea*, Rafin. New Fl. Am. iv. 106 (Quid?).—Am. bor.  
*Critonia*, Willd. Sp. Pl. iii. 1773 = *eupatorioides*.  
*dasyptia*, Rafin. New Fl. Am. i. 79 = *eupatorioides*.  
*divaricata*, Rafin. l. c. iv. 105 (Quid?).—Am. bor.  
*elliptica*, Rafin. l. c. i. 76, 79 = *eupatorioides*.  
*eupatorioides*, Linn. Sp. Pl. ed. II. 1662.—Am. bor.  
*frutescens*, Hornem. Hort. Hafn. ii. 79 = *rosmarinifolia*.  
*fruticosa*, Vent. ex Steud. Nom. ed. I. 322, in syn. = *praec.*  
*fulva*, Rafin. New Fl. Am. i. 80 = *eupatorioides*.  
*glabra*, Rafin. l. c. 79 = *eupatorioides*.  
*glabrata*, DC. Prod. v. 127 = *Eupatorium oblongifolium*.  
*glomerata*, Rafin. New Fl. Am. iv. 105 (Quid?).—Am. bor.  
*glutinosa*, DC. Prod. v. 127 = *Eupatorium altissimum*.  
*glutinosa*, Ell. Sketch, ii. 292 = *eupatorioides*.  
*hirtiflora*, DC. Prod. v. 127 = *Trichogonia hirtiflora*.  
*icosantha*, Sch. Bip. in Linnaea, xxii. (1849) 572 = *Trichogonia podocarpa*.  
*latifolia*, Rafin. New Fl. Am. iv. 105 (Quid?).—Am. bor.  
*leptophylla*, Scheele, in Linnaea, xxi. (1848) 598 = *rosmarinifolia*.  
*linearifolia*, Spreng. Syst. iii. 439 = *Jaumea linearis*.  
*macrantha*, Buckl. in Proc. Acad. Sc. Philad. 1861 (1862) 456 = *eupatorioides*.  
*Maximiliani*, Sinning, in Otto & Dietr. Allg. Gartenz. vii. (1839) 138 = *eupatorioides*.  
*media*, Rafin. New Fl. Am. i. 76 = *eupatorioides*.  
*multiramea*, Turcz. in Bull. Soc. Nat. Mosc. xxiv. (1851) i. 168 = *Ophryosporus triangularis*.  
*paniculata*, Cass. in Dict. Sc. Nat. xxiv. 516 = *eupatorioides*.  
*pinnata*, J. F. Gmel. Syst. 375 = *Petalostemon corymbosum*.  
*podocarpa*, DC. Prod. v. 127 = *Trichogonia podocarpa*.  
*pubescens*, Rafin. New Fl. Am. i. 80 = *eupatorioides*.  
*pyrifolia*, Mart. Hort. Erlang. 175; ex Steud. Nom. ed. II. i. 851.—Hab.?  
*rosmarinifolia*, Vent. Jard. Cels, t. 91.—Mexic.  
*Schaffneri*, A. Gray, in Proc. Am. Acad. xvii. (1881-82) 207.—Mexic.  
*spicata*, Baill. Hist. Pl. viii. 298 = *Liatris spicata*.  
*suaveolens*, Fresen. Enum. Sem. Hort. Francof. (1838).—Cf. Linnaea, xiii. (1839) Litt. 94 = *eupatorioides*.  
*tuberosa*, Rafin. New Fl. Am. i. 80 = *eupatorioides*.  
*villosa*, Spreng. Syst. iii. 439 = *Trichogonia villosa*.  
*virgata*, Rafin. New Fl. Am. iv. 105 (Quid?).—Am. bor.
- KUHNISTERA**, Lam. Encyc. iii. 370 (1789) = **Petalostemon**, Michx. (Legumin.).  
*carolinensis*, Lam. l. c. = *P. corymbosum*.  
*violacea*, Ait. ex Steud. Nom. ed. II. i. 851 = *P. violaceum*.
- KUHNISTRA**, Endl. Gen. 1270 (1840) = *praec.*
- KUKOLIS**, Rafin. Sylva Tellur. 55 (1838) = **Hebecladus**, Miers (1845) (Solnac.).  
*bicolor*, Rafin. l. c. = *H. bicolor*.
- KUMARA**, Medic. Theodora, 69. t. 4 (1786) = **Aloë**, Tourn. (Liliac.).  
*disticha*, Medic. l. c. 70. t. 4 = *A. plicatilis*.
- KUMBAYA**, Endl. ex Steud. Nom. ed. II. i. 663, in syn. (1840) = **Gardenia**, Ellis (Rubiace.).
- KUMLIENIA**, Greene, in Bull. Calif. Acad. i. iv. (1885) 337. **RANUNCULACEAE**.  
*hystriola*, Greene, l. c. = Am. bor. occ.
- KUMMERIA**, Mart. Herb. Fl. Bras. n. 1276 (1840?) = **Discophora**, Miers (Oclac.).  
*brasilensis*, Mart. l. c. = *D. guianensis*.
- KUNDA**, Rafin. Fl. Tellur. ii. 82 (1836) = **Amorphophallus**, Blume (Aroid.).  
*verrucosa*, Rafin. l. c. = *A. campanulatus*.

- KUNDMANNIA**, Scop. Introd. 116 (1777). **UMBELLIFERAE**, Benth. & Hook. f. i. 903.  
*BRIGNOLIA*, Bertol. in Desv. Journ. Bot. iv. (1815) 76.  
*CAMPDERIA*, Lag. Amen. Nat. ii. 99 (1821).  
*sicula*, DC. Prod. iv. 143.—Reg. Mediterr.  
*syriaca*, Boiss. Diagn. Ser. I. x. 31.—Syria.
- KUNIRIA**, Rafin. Fl. Tellur. iv. 61 (1836) = **Dicliptera**, Juss. (Acanthac.).  
*falcata*, Rafin. l. c. = *D. laevigata*.  
*malabarica*, Rafin. l. c. (Quid?).—Ind. or.
- KUNOKALE**, Rafin. Fl. Tellur. iii. 12 (1836) = **Fagopyrum**, Tourn. (Polygonac.).  
*carneum*, Rafin. l. c. = *F. esculentum*.
- KUNTHIA**, Dennst. Schlusss. Hort. Malab. 30 (1818) = **Garuga**, Roxb. (Burser.).  
*cochinensis*, Dennst. l. c. = *G. pinnata*.
- KUNTHIA**, Humb. & Bonpl. Pl. Aequin. ii. 128. t. 122 (1809) = **Chamaedorea**, Willd. (Palm.).  
*caryotoides*, Warsc. in Otto & Dietr. Allg. Gartenz. xiii. (1845) 253, nomen.—N. Granat.  
*Deppii*, Hort. ex Zucc. l. c. ii. (1834) 245 = *C. elegans*.  
*montana*, Humb. & Bonpl. Pl. Aequin. ii. 128. t. 122 (= *Morenia Lindeniana*).—N. Granat.  
*xalapensis*, Otto & Dietr. ex H. Wendl. in Kerch. Palm. 249 = seq.  
*xalapensis*, Hort. ex H. Wendl. Index Palm. (1854) 15 = *C. Schiedeana*.
- KUNTIA**, Dum. Anal. Fam. 56 (1829) = *praec.*
- KUNZEA**, Reichb. Consp. 175 (1828). **MYRTACEAE**, Benth. & Hook. f. i. 703.  
*PENTAGONASTER*, Klotzsch, in Otto & Dietr. Allg. Gartenz. iv. (1836) 113.  
*SALISIA*, Lindl. Swan River App. 10 (1839).  
*Baxteri*, Schau. in Lehm. Pl. Preiss. i. 123.—Austral.  
*brachyandra*, F. Muell. Fragm. ii. 27 = *Leptospermum abnorme*.  
*calida*, F. Muell. l. c. vi. 23.—Austral.  
*capitata*, Reichb. Consp. 175.—Austral.  
*corifolia*, Reichb. l. c.—Austral.  
*ericifolia*, F. Muell. in Trans. Vict. Inst. i. (1855) 123 = *Muelleri*.  
*ericifolia*, Reichb. Consp. 175.—Austral.  
*ericalyx*, F. Muell. Fragm. ii. 28.—Austral.  
*hirsuta*, Turcz. in Bull. Soc. Nat. Mosc. (1862) ii. 326 = *capitata*.  
*leptospermoides*, F. Muell. in Nederl. Kruidk. Arch. iv. (1859) 146 = *peduncularis*.  
*micrantha*, Schau. in Lehm. Pl. Preiss. i. 125.—Austral.  
*micromera*, Schau. l. c. 223.—Austral.  
*Muelleri*, Benth. Fl. Austral. iii. 113.—Austral.  
*oligandra*, Turcz. in Bull. Phys.-Math. Acad. Petersb. x. (1852) 336.—Austral.  
*opposita*, F. Muell. Fragm. vi. 24.—Austral.  
*parvifolia*, Schau. in Lehm. Pl. Preiss. i. 123.—Austral.  
*pauciflora*, Schau. l. c. 124.—Austral.  
*peduncularis*, F. Muell. in Trans. Vict. Inst. i. (1855) 124.—Austral.  
*pelagia*, F. Muell. in Nederl. Kruidk. Arch. iv. (1859) 145 = *corifolia*.  
*podantha*, F. Muell. Fragm. ii. 28 = *Leptospermum erubescens*.  
*pomifera*, F. Muell. in Trans. Vict. Inst. i. (1855) 124.—Austral.  
*praestans*, Schau. in Lehm. Pl. Preiss. i. 124 = *recurva*.  
*Preissiana*, Schau. l. c. 125.—Austral.  
*propinqua*, Schau. l. c. 126 = *ericifolia*.  
*recurva*, Schau. l. c. 125.—Austral.  
*Schaueri*, Schau. l. c. 123 = *capitata*.  
*sericea*, Turcz. in Bull. Soc. Nat. Mosc. xx. (1847) i. 162.—Austral.  
*sprengelioides*, Turcz. in Bull. Phys.-Math. Acad. Petersb. x. (1852) 336.—Austral.  
*squarrosa*, Turcz. l. c. 335 = *recurva*.  
*vestita*, Schau. in Lehm. Pl. Preiss. i. 126 = *ericifolia*.  
*villiceps*, Schau. l. c. 125 = *Preissiana*.
- KUNZIA**, Spreng. Syst. ii. 475 (1825) = **Purshia**, DC. (Rosac.).  
*tridentata*, Spreng. l. c. = *P. tridentata*.
- KUNZMANNIA**, Klotzsch & Schomb. Fauna & Fl. Brit. Gu. 1098 (1848), nomen. **TEREBINTHACEAE**.  
*Roraimae*, Klotzsch & Schomb. l. c. nomen.—Guian.

- KURITIS**, Rafin. Fl. Tellur. ii. 63 (1836) = **Selago**, Linn.  
*ciliata*, Rafin. l. c. 64 = *S. ciliata*.  
*Gilii*, Rafin. l. c. = *S. myrtifolia*.
- KURKAS**, Rafin. Sylva Tellur. 62 (1836) = **Croton**, Linn. (Euphorb.).  
*acuminatum*, Rafin. l. c. = *Mallotus japonicus*.  
*congestum*, Rafin. l. c. = *C. congestus*.  
*laxiflorum*, Rafin. l. c. = *C. laxiflorus*.  
*populifolium*, Rafin. l. c. = *C. populifolius*.  
*quadrissetosum*, Rafin. l. c. = *C. quadrissetosus*.  
*Tigilium*, Rafin. l. c. = *C. Tigilium*.
- KURRIA**, Hochst. & Steud. in Flora, xxiv. (1841) i. Intell. 28; xxv. (1842) 233 = **Hymenodictyon**, Wall. (Rubiace.).  
*floribunda*, Hochst. & Steud. ll. cc. 28; 234 = *H. Kurria*.
- KURRIA**, Steud. Nom. ed. II. i. 851 (1840) = **Her-mannia**, Linn. (Sterculiac.).  
*arabica*, Steud. l. c. = *H. arabica*.
- KURRIMIA**, Wall. Cat. n. 4334 (1831). **CELASTRINEAE**, Benth. & Hook. f. i. 365.  
*BHESA*, Buch.-Ham. in Edinb. Phil. Journ. xvi. (Apr. 1834) 315, partim.  
*NOTHOCNESTIS*, Miq. Fl. Ind. Bat. Suppl. 530 (1860).  
*PYROSPERMUM*, Miq. l. c. 402 (1860).  
*TROCHISANDRA*, Bedd. Fl. Sylv. i. t. 120 (1871).  
*bipartita*, M. Laws. in Hook. f. Fl. Brit. Ind. i. 622.—Ind. or.  
*calophylla*, Wall. Cat. n. 4335 = *pulcherrima*.  
*ceylanica*, Arn. in Nov. Act. Nat. Cur. xviii. i. (1836) 328.—Zeylan.  
*macrophylla*, Wall. Cat. n. 7200 = *Itea macrophylla*.  
*Maingayi*, M. Laws. in Hook. f. Fl. Brit. Ind. i. 622.—Singapore.  
*paniculata*, Wall. Cat. n. 4336.—Malaya.  
*pulcherrima*, Wall. l. c.—Ind. or.; Malaya.  
*robusta*, Kurz, ex M. Laws. in Hook. f. Fl. Brit. Ind. i. 622 = *pulcherrima*.
- KUSCHAKEWICZIA**, Regel & Smirn. in Act. Hort. Petrop. v. (1877) 625. **BORAGINEAE**.  
*turkestanica*, Regel & Smirn. l. c. 626.—Turkest.
- KUSTERA**, Benth. & Hook. f. Gen. ii. 1111 (1876).  
*KUESTERA*, Regel = *Beloperone*, Nees (Acanth.).
- KUTCHUBAEA**, Fisch. ex DC. Prod. iv. 373 (1830). **RUBIACEAE** [Benth. & Hook. f. ii. 98].  
*KOTCHUBAEA*, Regel, ex Benth. & Hook. f. l. c. (1862).  
*insignis*, Fisch. ex DC. l. c.—Guiana.
- KYBERIA**, Neck. Elem. i. 42 (1796) = **Bellis**, Linn. (Compos.).
- KYDIA**, Roxb. Hort. Beng. 50 [97] (1814); Pl. Corom. iii. 11. tt. 215, 216 (1819). **MALVACEAE**, Benth. & Hook. f. i. 203.  
*angustifolia*, Arn. in Nov. Act. Nat. Cur. xviii. i. (1836) 322 = *Julostyles angustifolia*.  
*axillaris*, Thw. Enum. Pl. Zeyl. 30 = *Dicellostyles axillaris*.  
*calycina*, Roxb. Hort. Beng. 50; Pl. Corom. iii. 11. t. 215.—Ind. or.; Burma.  
*fraterna*, Roxb. Pl. Corom. iii. t. 216 = *calycina*.  
*glabrescens*, Mast. in Hook. f. Fl. Brit. Ind. i. 343.—Reg. Himal.; Malaya.  
*jujubifolia*, Griff. Notul. iv. 534.—Zeylan.  
*paterna*, Roxb. Hort. Beng. [97] = *calycina*.  
*pulverulenta*, Buch.-Ham. in Wall. Cat. n. 1176 = *calycina*.  
*Roxburghiana*, Wight, Ic. iii. t. 881 = *calycina*.
- KYLINGA**, Roem. & Schult. Syst. ii. 236 (1817) = seq.
- KYLINGIA**, Stokes, Bot. Mat. Med. i. 126 (1804) = seq.
- KYLLINGA**, Rottb. Desc. et Ic. 12. t. 4 (1771). **CYPERACEAE**, Benth. & Hook. f. ii. 1045.  
*CYPEROLEPIS*, Steud. in Flora, xxiii. (1850) 229.  
*HEDYCHLOE*, Rafin. Ann. Nat. 1820 16.  
*LYPROLEPIS*, Steud. Syn. Pl. Cyp. 130 (1855).  
*THRYOCEPHALON*, Forst. Char. Gen. 129 (1776).



**KYLINGA:—**

*alata*, Nees, in *Linnaea*, ix. (1834) 286, nomen; et x. (1836) 139.—Afr. austr.  
*alba*, Nees, l. c. x. (1836) 140.—Afr. austr.  
*alba*, Steud. in *Flora*, xvi. (1842) 597 = controversa.  
*albescens*, Steud. Syn. Pl. Cyp. 68 = *Lipocarpa argentea*.  
*allata*, Nees, in *Linnaea*, x. (1836) 139 = *alata*.  
*ambigua*, Steud. Syn. Pl. Cyp. 70 = *Scirpus Steudneri*.  
*aphylla*, Kunth, Enum. Pl. ii. 127 = *vaginata*.  
*aromatica*, Ridl. in *Trans. Linn. Soc. Ser. II. ii.* (1884) 146 = *elatior*.  
*atrosanguinea*, Steud. in *Flora*, xxv. (1842) 599 = *pulchella*.  
*aurata*, Nees, in *Linnaea*, x. (1836) 139.—Afr.; Madag.  
*aurea*, T. Thoms. in *App. Speke, Journ.* 654 = *macrocephala*.  
*bifolia*, Miq. Fl. Ind. Bat. iii. 293 = *obtusata*.  
*biglumis*, Steud. Nom. ed. II. i. 851 = *Mariscus biglumis*.  
*bracheilema*, Steud. in *Flora*, xxv. (1842) 598.—Abyssin.  
*brevifolia*, Rottb. Desc. et Ic. 13. t. 4. f. 3.—Amphig. trop.  
*bulbocaulis*, Boeck. in *Flora*, lviii. (1875) 258.—Afr. trop.  
*bulbosa*, Beauv. Fl. Owar. i. 11. t. 8. f. 1.—Afr. trop.  
*bulbosa*, Koen. ex Vahl, Enum. ii. 376, in nota = *Mariscus umbellata*.  
*bulbosa*, Steud. Syn. Pl. Cyp. 62 = *Mariscus bulbocaulis*.  
*caespitosa*, Nees, in *Mart. Fl. Bras. ii. i.* 12 (syn. Kunth excl.) = *pumila*.  
*cayennensis*, Auct. vide *cayennensis*.  
*campestris*, Salzm. ex Steud. Syn. Pl. Cyp. 68 = *odorata*.  
*capensis*, Steud. in *Flora*, xii. (1829) 153.—Afr. austr.  
*capillaris*, Sw. Prod. Veg. Ind. Occ. 20 = *Mariscus filiformis*.  
*capitata*, Beauv. Fl. Owar. i. t. 31 = *vaginata*.  
*cayennensis*, Lam. Illustr. i. 149 = *Mariscus elatus*.  
*chlorotropis*, Steud. in *Flora*, xxv. (1842) 598.—Abyssin.  
*ciliata*, Kunth, Enum. Pl. ii. 136 = *Lehmanni*.  
*consanguinea*, Kunth, l. c. 135 = *aurata*.  
*controversa*, Steud. Syn. Pl. Cyp. 70.—Abyssin.  
*crassipes*, Boeck. in *Flora*, xlii. (1859) 444.—Afr. trop.  
*cristata*, Afzel. ex A. Rich. Tent. Fl. Abyss. ii. 493 = *squamulata*.  
*cristata*, Kunth, Enum. Pl. ii. 136 = *alba*.  
*cruciata*, Nees, in *Linnaea*, ix. (1834) 286 = *brevifolia*.  
*cruciformis*, Schrad. ex Schult. Mant. ii. 107 = *brevifolia*.  
*cylindrica*, Nees, in *Wight, Contrib.* 91.—Geront. trop.  
*cyperina*, Retz. Obs. vi. 21 = *Mariscus umbellatus*.  
*cyperoides*, Roxb. Hort. Beng. 81; Fl. Ind. i. 182 = *Courtoisia cyperoides*.  
*decora*, Steud. Syn. Pl. Cyp. 317 = *Ascolepis brasiliensis*.  
*dentata*, Hochst. ex A. Rich. Tent. Fl. Abyss. ii. 493 = *squamulata*.  
*dipsacoides*, Schum. in Schum. & Thonn. Beskr. Guin. Pl. 41 = *squamulata*.  
*dorsocrena*, Nees.—Cf. *Linnaea*, xxxv. (1867–68) 430 = *controversa*.  
*elata*, Steud. Syn. Pl. Cyp. 70 = *polyphylla*.  
*elatior*, Kunth, Enum. Pl. ii. 135.—Afr. austr.  
*elongata*, H. B. & K. Nov. Gen. et Sp. i. 211 = *odorata*.  
*erecta*, Schum. in Schum. & Thonn. Beskr. Guin. Pl. 42 = *obtusata*.  
*ericauloides*, Steud. in *Flora*, xxv. (1842) 597 = *Ascolepis ericauloides*.  
*exigua*, Boeck. in *Bremen, Abh.* vii. (1880) 36.—Madag.  
*filiformis*, Sw. Prod. Veg. Ind. Occ. 20 = *Mariscus filiformis*.  
*fraterna*, Steud. in *Lechl. Berb. Am. Austr.* 56 = *pumila*.  
*fuscata*, Miq. Fl. Ind. Bat. iii. 294 = *brevifolia*.  
*fuscens*, Boeck. in *Linnaea*, xxxv. (1867–68) 421 = *melanosperma*, *brevifolia*.  
*geminiflora*, Steud. Syn. Pl. Cyp. 70 = *triceps*.  
*globosa*, Beauv. Fl. Owar. i. t. 31 = *vaginata*.  
*gracilis*, Kunth, Enum. Pl. ii. 134 = *brevifolia*.  
*gracilis*, Zoll. Syst. Verz. 63 = *monocephala*.  
*gracillima*, Miq. Ann. Mus. Bot. Lugd. Bat. ii. 142 = *brevifolia*.  
*granularis*, Desf. ex Link, Jahrb. i. iii. 91 = *Mariscus gracilis*.  
*Hohenackeri*, Hochst. ex Steud. Syn. Pl. Cyp. 60 = *brevifolia*.

**KYLINGA:—**

*Honolulu*, Steud. ex Jard. in *Bull. Soc. Linn. Normand. Sér. II. ix.* (1875) 278, 281 = *brevifolia*.  
*hortensis*, Salzm. ex Schlecht. in *Bot. Zeit.* vii. (1849) 117 = *pumila*.  
*inaurata*, Nees, ex Boeck. in *Linnaea*, xxxv. (1867–68) 406 = *tetragona*.  
*incompleta*, Jacq. Coll. iv. 101; et Ic. t. 300 = *Mariscus elatus*.  
*intermedia*, R. Br. Prod. 219 = *brevifolia*.  
*intermedia*, Seem. in *Bonplandia*, ix. (1861) 261 = *monocephala*.  
*involuta*, Boj. ex Baker, Fl. Maurit. 415 = *polyphylla*.  
*laxa*, Schrad. ex Nees, in *Mart. Fl. Bras. ii. i.* 14 = *brevifolia*.  
*Lehmanni*, Nees, in *Linnaea*, x. (1835–36) 139.—Afr. austr.  
*leucantha*, Boeck. l. c. xxxviii. (1874) 356 = *macrocephala*.  
*leucocephala*, Baldw. in *Trans. Am. Phil. Soc. Philad. ii.* (1825) 170 = *odorata*.  
*leucocephala*, Boeck. in *Flora*, lviii. (1875) 257 = *macrocephala*.  
*Liebmanni*, Steud. Syn. Pl. Cyp. 67 = *Mariscus gracilis*.  
*longiculmis*, Miq. Fl. Ind. Bat. iii. 292 = *brevifolia*.  
*macrantha*, Boeck. in *Linnaea*, xxxv. (1867–68) 420 = *polyphylla*.  
*macrocephala*, A. Rich. Tent. Fl. Abyss. ii. 491.—Afr. trop.  
*maculata*, Michx. Fl. Bor. Am. i. 29 = *Lipocarpa Humboldtiana*.  
*Mariae*, Steud. Syn. Pl. Cyp. 69 (*Marisci* sp.)—Madag.  
*Martiana*, Schrad. ex Nees, in *Mart. Fl. Bras. ii. i.* 14 = *odorata*.  
*melanosperma*, Nees, in *Wight, Contrib.* 91.—As. et Afr. trop.  
*Metzii*, Hochst. ex Steud. Syn. Pl. Cyp. 70 = *squamulata*.  
*microcephala*, Liebm. in *Vidensk. Selsk. Skr. V. ii.* (1851) 234 = *Mariscus gracilis*.  
*microcephala*, Steud. Syn. Pl. Cyp. 70 = *Scirpus kyllingoides*.  
*mindorensis*, Steud. l. c. 67 = *monocephala*.  
*monocephala*, Linn. f. Suppl. 104 = *monocephala*, *brevifolia*.  
*monocephala*, Muhl. Desc. Gram. 3 = *odorata*.  
*monocephala*, Nees, in *Wight, Contrib.* 91 = *triceps*.  
*monocephala*, Rottb. Desc. et Ic. 13. t. 4. f. 4.—Geront. trop.  
*monocephala*, Sieber, ex Steud. Nom. ed. II. i. 851 = *pumila*.  
*monocephala*, Stokes, Bot. Mat. Med. i. 120 = *Scirpus Cephalotes*.  
*monocephala*, Thunb. Fl. Jap. 35 = *brevifolia*.  
*multinervis*, Steud. Syn. Pl. Cyp. 317 = *Cyperus dubius*.  
*nana*, Nees, in *Hook. & Arn. Bot. Beech. Voy.* 224 = *triceps*.  
*Naumanniana*, Boeck. in *Flora*, lxii. (1879) 516 = *pumila*.  
*nervosa*, Steud. l. c. xxv. (1842) 597.—Abyssin.  
*nivea*, Pers. Syn. i. 57 = *brevifolia*.  
*obtusata*, J. & C. Presl, Rel. Haenk. i. 183.—Amphig. trop.  
*odorata*, H. B. & K. Nov. Gen. et Sp. i. 211 = *pumila*.  
*odorata*, Liebm. in *Vidensk. Selsk. Skr. V. ii.* (1851) 233 = *brevifolia*.  
*odorata*, Thou. ex Steud. Nom. ed. II. i. 851 = *polyphylla*.  
*odorata*, Vahl, Enum. Pl. ii. 382.—Am. trop.  
*oligostachya*, Boeck. in *Linnaea*, xxxv. (1867–68) 407.—Ins. Fiji.  
*ovularis*, Michx. Fl. Bor. Am. i. 29 = *Mariscus ovularis*.  
*panicea*, Rottb. Desc. et Ic. 15. t. 4. f. 1 = *Mariscus umbellatus*.  
*pauciflora*, Ridl. in *Trans. Linn. Soc. II. ii.* (1884) 147. t. 23. ff. 1–4.—Afr. trop.  
*peruviana*, Lam. Encyc. iii. 366.—Afr. et Am. trop.  
*polycephala*, Link, Enum. Hort. Berol. i. 47 = *Cyperus Luzulae*.  
*polyphylla*, Thou. ex Link, *Jahrb.* i. iii. 91; Willd. ex Kunth, Enum. Pl. ii. 134.—Afr. trop.; Maurit.  
*pulchella*, Kunth, l. c. 137.—Afr. trop. et austr.  
*pumila*, Michx. Fl. Bor. Am. i. 28.—Afr. et Am. trop.  
*pumila*, Sieber, ex Presl, in *Oken, Isis*, xxi. (1828) 270 = *odorata*.  
*pumila*, Steud. in *Flora*, xxv. (1842) 596 = *triceps*.  
*Pumilio*, Steud. Syn. Pl. Cyp. 67.—Malaya.

**KYLINGA:—**

*pungens*, Link, Hort. Berol. i. 326 = *obtusata*.  
*pumicea*, J. F. Gmel. Syst. 122, sphalm. = *panicea*.  
*repens*, Salzm. ex Steud. Syn. Pl. Cyp. 67 = *obtusata*.  
*rigida*, Baldw. in *Trans. Am. Phil. Soc. Philad. ii.* (1825) 169 = *pungens*.  
*rigida*, Link, Hort. Berol. ii. 323 = *Cyperus umbellatus*.  
*rigidifolia*, Boeck. in *Linnaea*, xxxv. (1867–68) 432 (*Marisci* sp.)—Cuba.  
*rigidula*, Steud. Syn. Pl. Cyp. 71 (pl. *Nubica*) = *pumila*.  
*robusta*, Boeck. in *Linnaea*, xxxv. (1867–68) 409.—Bras.  
*scirpina*, Reichb. ex Steud. Nom. ed. II. i. 470, 852 = *Cyperus Luzulae*, etc.  
*sesquiflora*, Torr. in *Ann. Lyc. N. York*, iii. (1836) 287 = *odorata*.  
*Sojauxii*, Boeck. in *Flora*, lxii. (1879) 515 = *aurata*.  
*sororia*, Kunth, Enum. Pl. ii. 131 = *brevifolia*.  
*sphaerocephala*, Boeck. in *Flora*, lviii. (1875) 258.—Afr. trop.  
*squamulata*, Vahl, Enum. ii. 381.—As. et Afr. trop.  
*squamulosa*, Kunth, Enum. Pl. ii. 135 = *squamulata*.  
*squarrosa*, Baldw. in *Trans. Am. Phil. Soc. Philad. ii.* (1825) 170 = *Mariscus flavus*.  
*squarrosa*, Steud. Syn. Pl. Cyp. 68 (*Lipocarpha* sp.)—Ins. Molucc.  
*stricta*, Schrad. ex Nees, in *Mart. Fl. Bras. ii. i.* 13 = *obtusata*.  
*sumatrensis*, Retz. Obs. iv. 13 = *Mariscus umbellatus*.  
*tenuifolia*, Steud. Syn. Pl. Cyp. 69 = *pumila*.  
*tenuis*, Baldw. in *Trans. Am. Phil. Soc. Philad. ii.* (1825) 168 = *brevifolia*.  
*tenuis*, Boeck. in *Linnaea*, xxxv. (1867–68) 423 = *obtusata*.  
*tenuissima*, Steud. Syn. Pl. Cyp. 67 = *brevifolia*.  
*tetragona*, Spreng. ex Nees, in *Linnaea*, vii. (1832) 512.—Afr. austr.  
*tibialis*, Poit. ex Ledeb. Diss. Pl. Doming. n. 1.—Cf. Schrad. N. Journ. ii. (1807) II, iii. 291 = *vaginata*.  
*tricephala*, Salisb. Prod. 32 = *brevifolia*.  
*triceps*, Forst. f. Prod. 7 = *monocephala*.  
*triceps*, Linn. f. Suppl. 104 = *monocephala*, *triceps*.  
*triceps*, Rottb. Desc. et Ic. 14; Progr. 15.—Geront. trop.  
*triceps*, Sw. Obs. Bot. 33 = *odorata*.  
*triceps*, Thunb. Fl. Jap. 35 = *brevifolia*.  
*tuberosa*, Scheele, in *Linnaea*, xvii. (1843) 342 = *odorata*.  
*umbellata*, Rottb. Desc. et Ic. 15. t. 4. f. 2; Linn. f. Suppl. 105 = *Mariscus umbellatus*.  
*umbellata*, Sw. ex Kunth, Enum. Pl. ii. 117 = *Mariscus elatus*.  
*uncinata*, Link, Enum. Hort. Berol. i. 47 = *pumila*.  
*vaginata*, Lam. Tabl. Encyc. i. 148 = *peruviana*.  
*vaginata*, Reichb. f. ex Kunth, Enum. Pl. ii. 128 = *obtusata*.  
*vaginata*, Zoll. Syst. Verz. 63 = *melanosperma*.  
*viridiflora*, Link, Hort. Berol. ii. 322, in obs. = *pumila*.  
*viridiflora*, Roxb. ex Spreng. Cat. Sem. Hal.; ex Steud. Nom. ed. II. i. 852.—Hab. ?  
*viridula*, Hochst. ex A. Rich. Tent. Fl. Abyss. ii. 492 = *cylindrica*.  
*Welwitschii*, Ridl. in *Trans. Linc. Soc. Ser. II. ii.* (1884) 147 = *triceps*.

KYLINGIA, Linn. f. Suppl. ii. (1781) = *praec.*

KYMAPLEURA, Nutt. in *Trans. Am. Phil. Soc. N. S. vii.* (1841) errat. [455] = *Troximon*, Nutt. (Compos.).  
*heterophylla*, Nutt. l. c. = *T. heterophyllum*.

KYRSTENIA, Neck. Elem. i. 81 (1790) = *Eupatorium*, Tourn. (Compos.).

KYRTANDRA, J. F. Gmel. Syst. 37 (1791) = *Cyrtandra*, Forst. (Gesnerac.).

KYRTANTHUS, J. F. Gmel. Syst. 362 (1791) = *Posoqueria*, Aubl. (Rubiaceae).  
*longiflorus*, J. F. Gmel. l. c. = *P. longiflora*.

**L**

LABATIA, Mart. Nov. Gen. et Sp. ii. 70. tt. 161, 162 (1826). *SAPOTACEAE*, Benth. & Hook. f. ii. 657. *Caimito*, Mart. in *Flora*, xxi. (1888) II. Beibl. 90 = *Lucuma Caimito*.  
*chrysophyllifolia*, Griseb. Cat. Pl. Cub. 166.—Cuba.



**LABATIA:—**

- chrysophylloides*, Mart. in Flora, xxi. (1838) II. Beibl. 92 = *Lucuma chrysophylloides*.  
*conica*, Vell. Fl. Flum. 49; i. t. 125 = *macrocarpa*, Mart.  
*dictyonura*, Griseb. Cat. Pl. Cub. 166 = *Lucuma dictyonura*.  
*elliptica*, Pohl, ex Miq. in Mart. Fl. Bras. vii. 75 = *Lucuma ramiflora*.  
*glomerata*, Pohl, ex Miq. l. c. 81.—Bras.  
*laevigata*, Mart. in Flora, xxi. (1838) II. Beibl. 92.—Bras.  
*lasiocarpa*, Mart. l. c. 91 = *Lucuma lasiocarpa*.  
*macrocarpa*, Mart. Nov. Gen. et Sp. ii. 71. t. 161, 162.—Bras.  
*macrocarpa*, Panch. & Sebert, Not. Bois Nouv. Caléd. 196.—N. Caléd.  
*oblonga*, Pohl, ex Mart. Fl. Bras. vii. 74 = *Lucuma torta*.  
*parinarioides*, Radlk. in Sitzb. Math.-Phys. Acad. Muench. xiv. (1884) 451.—Bras.  
*pedunculata*, Willd. Sp. Pl. i. 624.—Guian.  
*psammophila*, Mart. in Flora, xxi. (1838) II. Beibl. 93 = *Lucuma psammophila*.  
*ramiflora*, Mart. l. c. = *Lucuma ramiflora*.  
*reticulata*, Mart. l. c. 90 = *Lucuma laurifolia*.  
*salicifolia*, Klotzsch, ex Walp. Rep. vi. 454.—Bras.  
*salicifolia*, Mart. in Flora, xxi. (1838) II. Beibl. 92 = *Lucuma Sellowii*.  
*torta*, Mart. l. c. 94 = *Lucuma torta*.

LABATIA, Scop. Introd. 197 (1777) = *Plex*, Linn.

LABATIA, Sw. Prod. Veg. Ind. Occ. 32 (1788); Fl. Ind. Occ. 263. t. 6 (1797) = *Lucuma*, Juss. (Sapot.).  
*sessiliflora*, Sw. II. cc.—Ind. occ.

**LABICHEA**, Gaudich. ex DC. Prod. ii. 507 (1825); et in Freyc. Voy. Bot. 485. t. 112 (1826). *LEGUMINOSAE*, Benth. & Hook. f. i. 573.  
*bipunctata*, Paxt. Mag. Bot. x. (1843) 150 = *lanceolata*.  
*Buettneriana*, F. Muell. in Melb. Chemist (June 1882).—Austral.  
*cassioides*, Gaudich. ex DC. Prod. ii. 507; et in Freyc. Voy. Bot. 486. t. 16.—Austral.  
*digitata*, Benth. in Mitch. Journ. Trop. Austral. 273 = *rupestris*.  
*diversifolia*, Meissn. in Lehm. Pl. Preiss. i. 23 = *lanceolata*.  
*lanceolata*, Benth. in Enum. Pl. Hueg. 41.—Austral.  
*nitida*, Benth. Fl. Austral. ii. 293.—Austral.  
*punctata*, Benth. in Lindl. Swan River App. 15.—Austral.  
*rupestris*, Benth. in Mitch. Journ. Trop. Austral. 342.—Austral.  
*tephrosiaefolia*, Meissn. in Bot. Zeit. xiii. (1855) 12.—Austral.

**LABILLARDIERA**, Roem. & Schult. Syst. v. pp. xxvi, 330 (1819) = *Billardiera*, Sm. (Pittosp.).  
*canariensis*, Roem. & Schult. l. c. 330 = *B. scandens*.  
*fusiformis*, Roem. & Schult. l. c. = *Sollya heterophylla*.  
*longiflora*, Roem. & Schult. l. c. = *B. longiflora*.  
*mutabilis*, Roem. & Schult. l. c. = *B. scandens*.  
*scandens*, Roem. & Schult. l. c. = *B. scandens*.

**LABISIA**, Lindl. Bot. Reg. (1845) t. 48. *MYRSINEAE*, Benth. & Hook. f. ii. 645.  
*Malouiana*, Linden & Rod. in Illustr. Hort. xxxii. (1885) 186. t. 580.—Borneo.  
*pothoina*, Lindl. Bot. Reg. (1845) t. 48.—Malaya.  
*pumila*, Benth. & Hook. f. Gen. ii. 645 = *pothoina*.

**LABLAB**, Adans. Fam. ii. 325 (1763) = *Dolichos*, Linn. (Legumin.).  
*benghalensis*, Medic. Phil. Bot. i. 205 = *D. Lablab*.  
*cultratus*, DC. Prod. ii. 402 = *D. Lablab*.  
*ferrugineus*, Medic. in Vorles. Churpf. Phys. Ges. ii. (1787) 354 = *D. Lablab*.  
*javanicus*, Miq. Fl. Ind. Bat. i. t. 191 = *D. Lablab*.  
*leuocarpus*, Savi, Diss. (1821) 22 = *D. Lablab*.  
*lignosus*, R. Grab. in Wall. Cat. n. 5537 = *D. Lablab*.  
*martinicensis*, Medic. Phil. Bot. i. 205 = *D. Lablab*.  
*microcarpus*, DC. Prod. ii. 402 = *D. Lablab*.  
*nankinicus*, Savi, Diss. (1821) 22 = *D. Lablab*.  
*niger*, Medic. in Vorles. Churpf. Phys. Ges. ii. (1787) 354 = *D. Lablab*.

VOL. II.

**LABLAB:—**

- perennans*, DC. Prod. ii. 402 = *Dolichos* Lablab.  
*purpureus*, Sweet, Hort. Brit. ed. I. 481 = *D. Lablab*.  
*rufus*, Medic. in Vorles. Churpf. Phys. Ges. ii. (1787) 354 = *D. Lablab*.  
*texasus*, Scheele, in Linnaea, xxi. (1848) 467 = *Galactia texana*.  
*uncinatus*, A. Br. ex A. Rich. Tent. Fl. Abyss. i. 225, in nota = *D. Lablab*.  
*vulgaris*, Savi, Diss. (1821) 19 = *D. Lablab*.

**LABLAVIA**, D. Don, in Sweet, Brit. Flow. Gard. Ser. II. t. 236 (1834) = *præc.*  
*vulgaris*, D. Don, l. c. = *D. Lablab*.

**LABORDEA**, Benth. in Journ. Linn. Soc. i. (1857) 82, sphalm. = *seq.*

**LABORDIA**, Gaudich. in Freyc. Voy. Bot. 449. t. 60 (1826). *LOGANIACEAE*, Benth. & Hook. f. ii. 792.  
*Echitis*, Baill. in Bull. Soc. Linn. Par. i. (1880) 239.—Ins. Sandvic.  
*fagraeoides*, Gaudich. in Freyc. Voy. Bot. 450. t. 60 (1826) = *fagraeoides*.—Ins. Sandvic.  
*fagraeoides*, A. Gray, in Proc. Am. Acad. iv. (1858–59) 323 (non *præc.*).—Ins. Sandvic.  
*hedysmifolia*, Baill. in Bull. Soc. Linn. Par. i. (1880) 240 = *fagraeoides*, Gaudich.  
*hirtella*, H. Mann, in Proc. Am. Acad. vii. (1867) 196.—Ins. Sandvic.  
*membranacea*, H. Mann, l. c. 197.—Ins. Sandvic.  
*molokaiana*, Baill. in Bull. Soc. Linn. Par. i. (1880) 240 = *fagraeoides*, Gaudich.  
*pallida*, H. Mann, in Proc. Am. Acad. vii. (1867) 196 = *fagraeoides*.  
*sessilis*, A. Gray, l. c. iv. (1858–59) 323 = *fagraeoides*, Gaudich.  
*tinifolia*, A. Gray, l. c. 322.—Ins. Sandvic.  
*Waialealae*, Wawra, in Flora, lv. (1872) 516.—Ins. Sandvic.  
*Waiolani*, Wawra, l. c. = *fagraeoides*, Gaudich.

**LABOUCHERIA**, F. Muell. in Journ. Linn. Soc. iii. (1859) 158 = *Erythrophloeum*, Afzel. (Legumin.).  
*chlorostachya*, F. Muell. l. c. 159 = *E. Laboucherii*.

**LABOURDONNAISIA**, Boj. in Mém. Soc. Phys. Genève. ix. (1841) 295, cum ic. *SAPOTACEAE*, Benth. & Hook. f. ii. 659.  
*albescens*, Benth. in Benth. & Hook. f. Gen. ii. 660.—Cuba.  
*calophylloides*, Boj. in Mém. Soc. Phys. Genève. ix. (1841) 298.—Ins. Mascar.  
*discolor*, Sond. in Linnaea, xxiii. (1850) 73.—Afr. austr.  
*glaucia*, Boj. in Mém. Soc. Phys. Genève. ix. (1841) 299.—Ins. Mascar.  
*revoluta*, Boj. l. c. 297.—Ins. Mascar.  
*sarcophleia*, Boj. l. c.—Ins. Mascar.  
*sericea*, Benth. & Hook. f. Gen. ii. 660 = *discolor*.

**LABOURDONNEIA**, Boj. Hort. Maurit. 199 (1837) = *præc.*

**LABRADIA**, Swediaur, Arzneymitt. i. (1801) 164 = *Mucuna*, Adans. (Legumin.).  
*pruriens*, Swediaur, l. c. = *M. pruriens*.  
*urens*, Swediaur, l. c. = *M. urens*.

**LABRAMIA**, A. DC. in DC. Prod. viii. 672 (1844). *SAPOTACEAE*, Benth. & Hook. f. ii. 660.  
*DELASTREA*, A. DC. in DC. Prod. viii. 195 (1844).  
*Bojeri*, A. DC. l. c. 673.—Cf. 196.—Madag.

**LABURNUM**, Linn. Syst. ed. I (1735); Medic. in Vorles. Churpf. Phys. Ges. ii. (1787) 362. *LEGUMINOSAE*, Benth. & Hook. f. i. 481.  
*PODOCYTISUS*, Boiss. & Heldr. Diagn. Ser. I. ix. 7 (1849).  
*Adami* ×, Lavall. Arb. Segrez. 60 = *Cytisus Adami*.  
*album*, J. Presl, Rostl. iii. 99 = *Cytisus albus*.  
*alpinum*, J. Presl, l. c.—Europ.  
*Alschingeri*, C. Koch & Fint. Wochenschr. ii. (1859) 405 = *Cytisus Alschingeri*.  
*anagyroides*, Medic. in Vorles. Churpf. Phys. Ges. ii. (1787) 363.—Europ.  
*arboresum*, J. Presl, Rostl. iii. 100 = *Cytisus arboresum*.  
*caramanicum*, Benth. & Hook. f. Gen. i. 481.—Græcia; As. Min.

**LABURNUM:—**

- fragrans*, Griseb. Spicil. Fl. Rumel. i. 7 = *Petteria ramentacea*.  
*grandiflorum*, J. Presl, Rostl. iii. 100 = *Cytisus grandiflorus*.  
*Heuffelii*, Wierzb. ex Fuss, Fl. Transs. 152 = *Cytisus austriacus*.  
*lanigerum*, J. Presl, Rostl. iii. 100 = *Calycotome villosa*.  
*molle*, J. Presl, l. c. = *Cytisus mollis*.  
*monadelphum*, Pritz. Ic. Ind. ii. 162, sphalm. = *Lacis monadelphum*.  
*nigracanthum*, Fuss, Fl. Transs. 151 = *seq.*?  
*nigracanthus*, J. Presl, Rostl. iii. 99 = *Cytisus nigracanthus*.  
*nubigenum*, J. Presl, l. c. = *Petteria ramentacea*.  
*patens*, J. Presl, l. c. 100 = *Cytisus patens*.  
*pendulum*, Rafin. Sylva Tellur. 24 = *anagyroides*.  
*præcox*, Fuss, Fl. Transs. 151 = *anagyroides*?  
*purpureum*, Drapiez, Encyc. et Fl. Serr. Angl. v. (1837) 6 = *Cytisus purpureus*.  
*ramentaceum*, C. Koch, Dendrol. i. 20 = *Petteria ramentacea*.  
*Rochelii*, Wierzb. ex Fuss, Fl. Transs. 153 = *Cytisus austriacus*.  
*sessilifolium*, J. Presl, Rostl. iii. 99 = *Cytisus sessilifolius*.  
*spinosum*, J. Presl, l. c. 100 = *Calycotome spinosa*.  
*tardiflorum*, Hort. in Rev. Hort. (1878) 120 = *anagyroides*.  
*triflorum*, J. Presl, Rostl. iii. 100 = *Cytisus triflorus*.  
*vulgare*, J. Presl, l. c. 99 = *anagyroides*.  
*Weldenii*, Griseb. ex Lavall. Arb. Segrez. 60 = *Petteria ramentacea*.

**LACAENA**, Lindl. Bot. Reg. (1843) Misc. 68. *ORCHIDEAE*, Benth. & Hook. f. iii. 547.  
*NAUENIA*, Klotzsch, in Otto & Dietr. Allg. Garten. xxi. (1853) 193.  
*bicolor*, Lindl. Bot. Reg. (1843) Misc. 68.—Mexic.  
*spectabilis*, Reichb. f. in Bonplandia, ii. (1854) 92.—Costa Rica.

**LACANTHIS**, Rafin. Fl. Tellur. ii. 94 (1836) = *Euphorbia*, Linn.  
*splendens*, Rafin. l. c. = *E. splendens*.

**LACARA**, Rafin. Fl. Tellur. iv. 70 (1836) = *Campanula*, Linn.  
*capitata*, Rafin. l. c. = *C. lingulata*.  
*saxatilis*, Rafin. l. c. = *C. saxatilis*.  
*scabra*, Rafin. l. c. = *C. lingulata*.  
*subtriloba*, Rafin. l. c.—Hab.?  
*villosa*, Rafin. l. c. = *C. lingulata*?

**LACARA**, Spreng. Neue Entdeck. iii. 56 (1822) = *Bauhinia*, Linn. (Legumin.).  
*triplinervia*, Spreng. l. c.—Bras.

**LACARIS**, Buch.-Ham. ex Pfeiff. Nom. ii. 4 (1871) = *Zanthoxylum*, Linn. (Rutac.).

**LACATHEA**, Salisb. Parad. Lond. t. 56 (1806) = *Gordonia*, Ellis (Rutac.).  
*florida*, Salisb. l. c. = *G. pubescens*.

**LACCODISCUS**, Radlk. in Sitzb. Math.-Phys. Acad. Muench. ix. (1879) 496 = *Cupania*, Plum. (Sapindac).  
*ferrugineus*, Radlk. l. c. 514 = *C. ferruginea*.

**LACCOSPADIX**, H. Wendl. & Drude, in Linnaea, xxxix. (1875) 205 = *Calyptracalyx*, Blume (Palm).  
*australasicus*, H. Wendl. & Drude, l. c. 206 = *C. australasicus*.

**LACCOSPERMA**, G. Mann & H. Wendl. in Kew. Palm. 249 (1873) = *Ancistrophyllum*, G. Mann & H. Wendl. (Palm.).  
*laeve*, G. Mann & H. Wendl. l. c.—Afr. trop.  
*opacum*, G. Mann & H. Wendl. l. c.—Afr. trop.

**LACELLIA**, Viv. Fl. Lib. Spec. 58. t. 22. f. 3 (1824) = *Volutarella*, Cass. (Compos.).  
*lybica*, Viv. l. c. = *V. bicolor*.

**LACEPEDEA**, H. B. & K. Nov. Gen. et Sp. v. 142. t. 144 (1821) = *Turpinia*, Vent. (Sapot.).  
*insignis*, H. B. & K. l. c. = *T. insignis*.  
*pinnata*, Schlecht. in Linnaea, x. (1836) 240 = *T. pinnata*.

**LACERDAEA**, Berg. in Linnaea, xxxii. (1861) 467 = *Campomanesia*, Ruiz & Pav. (Myrtac.).  
*Luschnathiana*, Berg. l. c. = *bras.*



LACERPITIUM, Thunb. Prod. Pl. Cap. 50 (1794) = **Laserpitium**, Tourn. (Umbellif.).

LACHANODENDRON, Reinw. ex Blume, Cat. Gew. Buitenz. 70 (1823), nomen = **Lansium**, Rumph. (Meliac.).  
*album*, Reinw. l. c. = seq.?  
*domesticum*, Nees, in Flora, viii. (1825) i. 103 = *L. domesticum*.

LACHANODES, DC. in Guill. Arch. Bot. ii. (1833) 332 = **Senecio**, Tourn. (Compos.).  
*cuneifolia*, DC. Prod. vi. 443 = *S. Leucadendron*.  
*Leucadendron*, DC. l. c. = *S. Leucadendron*.  
*Pladaroxylon*, Endl. Gen. 461 = *S. Leucadendron*.  
*prenanthiflora*, Burch. ex DC. Prod. vi. 443 = *S. prenanthiflorus*.

LACHANOSTACHYS, Endl. Gen. Suppl. iii. 64 (1843) = **Lachnostachys**, Hook. (Compos.).

LACHARA, Linn. Syst. ed. II. 22 (1740) = **Lachnaea**, Linn. (Thymel.).

**LACHENALIA**, Jacq. in Nov. Act. Helv. i. (1787) 39. **LILIACEAE**, Benth. & Hook. f. iii. 807.  
**BRACHYSCYPHA**, Baker, in Journ. Linn. Soc. xi. (1870) 393.  
**CHLORIZA**, Salisb. Gen. Pl. Fragm. 21 (1866).  
**COELANTHUS**, Willd. ex Schult. f. Syst. vii. (1830) p. xlvii, obs.  
**DIPCADIOIDES**, Medic. in Act. Acad. Theod. Palat. vi. Phys. (1790) 432.  
**HIMAS**, Salisb. Gen. Pl. Fragm. 21 (1866).  
**MONOESTES**, Salisb. l. c. (1866).  
**ORCHIASTRUM**, Lem. in Illustr. Hort. ii. (1855) Misc. 96.  
**ORCHIOPS**, Salisb. Gen. Pl. Fragm. 21 (1866).  
**PLATYESTES**, Salisb. l. c. (1866).  
**SCILLOPSIS**, Lem. in Illustr. Hort. ii. (1855) Misc. 96; iii. (1856) 33.  
**TRIALLOSA**, Rafin. Fl. Tellur. iii. 60 (1836).  
*albida*, Tratt. Obs. Bot. Tab. 162 = contaminata.  
*aloides*, Pers. Syn. i. 377 = tricolor.  
*anginea*, Sweet, Hort. Brit. ed. I. 420. — Afr. austr.  
*angustifolia*, Jacq. Coll. Suppl. 47 = contaminata.  
*aurea*, Lindl. in Loud. Encyc. Pl. 1543 = tricolor.  
*bicolor*, Lodd. Bot. Cab. t. 1129 = violacea.  
*bifolia*, Ker-Gawl. in Bot. Mag. t. 1611 = isopetala.  
*botryoides*, Tratt. Obs. Bot. Tab. t. 140 = purpureo-coerulea.  
*Bowieana*, Baker, in Journ. Linn. Soc. xi. (1871) 410. — Afr. austr.  
*campanulata*, Baker, in Journ. Bot. xii. (1874) 6. — Afr. austr.  
*carnosa*, Baker, in Journ. Linn. Soc. xi. (1871) 407. — Afr. austr.  
*contaminata*, [Soland. in] Ait. Hort. Kew. ed. I. i. 461. — Afr. austr.  
*convallarioides*, Baker, in Journ. Linn. Soc. xi. (1871) 407. — Afr. austr.  
*Cooperi*, Baker, l. c. 409. — Afr. austr.  
*declinata*, F. G. Dietr. Vollst. Lexic. Gaertn. Nachtr. iv. 292 = pustulata.  
*fistulosa*, Baker, in Gard. Chron. (1884) i. 668. — Afr. austr.  
*flava*, Andr. Bot. Rep. t. 456 = tricolor.  
*fragrans*, Andr. l. c. t. 302. — Afr. austr.  
*fragrans*, Jacq. Hort. Schoenb. i. 43. t. 82 = versicolor.  
*glaucina*, Jacq. Coll. Suppl. 39. — Afr. austr.  
*graminifolia*, Soland. ex Baker, in Journ. Linn. Soc. xi. (1871) 398 = Dipsadi hyacinthoides.  
*hirta*, Thunb. Prod. Pl. Cap. 64. — Afr. austr.  
*hyacinthoides*, Jacq. Coll. Suppl. 58 = contaminata.  
*hyacinthoides*, Lam. Encyc. iii. 373 = orchioides.  
*isopetala*, Jacq. l. c. 68. — Afr. austr.  
*juncifolia*, Baker, in Journ. Linn. Soc. xi. (1871) 409. — Afr. austr.  
*lancaefolia*, Jacq. Coll. Suppl. 69; Ic. t. 402 = Scilla lanceaefolia.  
*latifolia*, Tratt. Obs. Bot. Tab. 142. — Afr. austr.?  
*lilacina*, Baker, in Gard. Chron. (1884) i. 668. — Afr. austr.  
*liliflora*, Jacq. Coll. Suppl. 66. — Afr. austr.  
*linguiformis*, Lam. Encyc. iii. 372 = pendula, rubida.  
*lucida*, Ker-Gawl. in Bot. Mag. t. 1372. — Afr. austr.  
*lutea*, Sims, Bot. Mag. t. 1907 = tricolor.  
*luteola*, Jacq. Coll. iv. 148 = tricolor.

# **LACHENALIA** :—

*macrophylla*, Lem. Illustr. Hort. ii. (1855) Misc. 99 = tricolor.  
*maculata*, Tratt. Obs. Bot. Tab. t. 168 = Scilla lanceaefolia.  
*mediana*, Jacq. Coll. iii. 242. — Afr. austr.  
*mutabilis*, Sweet, Hort. Brit. ed. I. 420 = orchioides.  
*Nelsoni* x, Hort. — Cf. Gard. Chron. (1882) 366; (1884) i. 412.  
*nervosa*, Ker-Gawl. in Bot. Mag. t. 1497. — Afr. austr.  
*odoratissima*, Baker, in Gard. Chron. (1884) i. 668. — Afr. austr.  
*orchioides*, [Soland. in] Ait. Hort. Kew. ed. I. i. 460. — Afr. austr.  
*orthopetala*, Jacq. Coll. iii. 240. — Afr. austr.  
*pallida*, [DC. in] Red. Lil. t. 22 = lucida.  
*pallida*, [Soland. in] Ait. Hort. Kew. ed. I. i. 460. — Afr. austr.  
*patens*, Hort. ex Andr. Bot. Rep. sub t. 202. — Hab.?  
*patula*, Jacq. Coll. iv. 149. — Afr. austr.  
*pendula*, [Soland. in] Ait. Hort. Kew. i. 461. — Afr. austr.  
*pulchella*, Kunth, Enum. Pl. iv. 284 = orchioides.  
*punctata*, Jacq. Coll. ii. 323 = rubida.  
*purpurea*, Jacq. l. c. Suppl. 65 = versicolor.  
*purpureo-coerulea*, Jacq. l. c. 63. — Afr. austr.  
*pusilla*, Eckl. ex Kunth, Enum. Pl. iv. 283 = reflexa.  
*pusilla*, Jacq. Coll. Suppl. 71. — Afr. austr.  
*pustulata*, Berg. ex Kunth, Enum. Pl. iv. 284 = orchioides.  
*pustulata*, Jacq. Coll. iii. 244. — Afr. austr.  
*pyramidalis*, Dehnh. in Rev. Napol. i. III. 162; ex Walp. Ann. i. 853. — Afr. austr.  
*quadricolor*, Jacq. Coll. Suppl. 62 = tricolor.  
*racemosa*, Ker-Gawl. in Bot. Mag. t. 1517. — Afr. austr.  
*ramosa*, Lam. Encyc. iii. 373 = Phormium tenax.  
*reclinata*, F. G. Dietr. Vollst. Lexic. Gaertn. Nachtr. iv. 292 = pustulata.  
*reflexa*, Andr. Bot. Rep. t. 299 = Scilla lanceolata.  
*reflexa*, Thunb. Prod. Pl. Cap. 64. — Afr. austr.  
*rosea*, Andr. Bot. Rep. t. 296 = isopetala.  
*rubida*, Jacq. Coll. Suppl. 60. — Afr. austr.  
*sanguinolenta*, Willd. ex Kunth, Enum. Pl. iv. 286 = isopetala.  
*serosa*, Steud. Nom. ed. II. ii. 2, sphalm. = seq.  
*serotina*, Willd. Sp. Pl. ii. 175 = Dipsadi erythraeum.  
*sessiliflora*, Andr. Bot. Rep. t. 460 = glaucina.  
*sessilifolia*, Baker, in Journ. Linn. Soc. xi. (1871) 405, err. typ. = praec.  
*speciosa*, F. G. Dietr. Vollst. Lexic. Gaertn. ix. 358 = Dipsadi glaucum.  
*tenella*, Schneev. ex Steud. Nom. ed. I. 459 (Quid ?). — Hab.?  
*tigrina*, Jacq. Coll. Suppl. 67 = rubida.  
*trichophylla*, Baker, in Journ. Bot. xii. (1874) 368. — Afr. austr.  
*tricolor*, Jacq. in Nov. Act. Helv. i. (1787) 39. — Afr. austr.  
*unicolor*, Eckl. ex Kunth, Enum. Pl. iv. 284 = orchioides.  
*unicolor*, Jacq. Coll. Suppl. 61 = versicolor.  
*unifolia*, Jacq. Hort. Schoenb. i. 43. — Afr. austr.  
*ustulata*, Banks, ex Schult. f. Syst. vii. 601 = orthopetala.  
*versicolor*, Baker, in Journ. Linn. Soc. xi. (1871) 409. — Afr. austr.  
*violacea*, Jacq. Coll. iv. 147. — Afr. austr.  
*viridis*, Thunb. Prod. Pl. Cap. 64 = Dipsadi filamentosum.  
*Wrightii*, Baker, in Journ. Bot. xvi. (1878) 322. — Afr. austr.  
*Zeyheri*, Baker, in Journ. Linn. Soc. xi. (1871) 407. — Afr. austr.

**LACHNAEA**, Linn. Gen. ed. II. 165 (1742). **THYMELAEACEAE**, Benth. & Hook. f. iii. 196.  
**LACHARA**, Linn. Syst. ed. II. 22 (1740).  
**RADOJITSKYA**, Turcz. in Bull. Soc. Nat. Mosc. xxv. (1852) ii. 176.  
*alpina*, Meissn. in DC. Prod. xiv. 578. — Afr. austr.  
*ambigua*, Meissn. in Linnaea, xiv. (1840) 417. — Afr. austr.  
*aurea*, Eckl. & Zeyh. ex Meissn. in DC. Prod. xiv. 576. — Afr. austr.  
*axillaris*, Meissn. in Linnaea, xiv. (1840) 422. — Afr. austr.  
*Burchellii*, Meissn. l. c. 420. — Afr. austr.  
*buxifolia*, Eckl. & Zeyh. ex Meissn. in DC. Prod. xiv. 575 = macrantha.

# **LACHNAEA** :—

*buxifolia*, Lam. Encyc. iii. 373 = Gnidia filamentosa.  
*capitata*, Crantz, Inst. i. 129. — Afr. austr.  
*ciliata*, Crantz, l. c. = Cryptadenia ciliata.  
*conglomerata*, Eckl. & Zeyh. ex Meissn. in DC. Prod. xiv. 578 = capitata.  
*conglomerata*, Linn. Sp. Pl. 560 = Passerina ericoides.  
*crassifolia*, Meissn. in DC. Prod. xiv. 579 = diosmoides.  
*densiflora*, Meissn. l. c. 578. — Afr. austr.  
*diosmoides*, Meissn. in Linnaea, xiv. (1840) 418. — Afr. austr.  
*dodecandra*, Crantz, Inst. i. 129 = Struthiola erecta.  
*eriocephala*, Linn. Sp. Pl. 560 = Lasiosiphon eriocephalus.  
*ericoides*, Meissn. in DC. Prod. xiv. 579. — Afr. austr.  
*filamentosa*, Meissn. in Linnaea, xiv. (1840) 410. — Afr. austr.  
*filiformis*, Crantz, Inst. i. 129 = Passerina filiformis.  
*glaucina*, Salisb. Parad. Lond. t. 109 = filamentosa.  
*globulifera*, Meissn. in Linnaea, xiv. (1840) 412. — Afr. austr.  
*gracilis*, Meissn. l. c. 421. — Afr. austr.  
*grandiflora*, Baill. Hist. Pl. vi. 107 = Cryptadenia grandiflora.  
*hirsuta*, Crantz, Inst. i. 129 = Thymelaea hirsuta.  
*laevigata*, Crantz, l. c. = Gnidia oppositifolia.  
*macrantha*, Meissn. in DC. Prod. xiv. 575. — Afr. austr.  
*nervosa*, Meissn. in Linnaea, xiv. (1840) 579. — Afr. austr.  
*paleacea*, Banks, ex Wikstr. in Vet. Akad. Handl. Stockh. (1813) 324 = Passerina paleacea.  
*penicillata*, Meissn. in Linnaea, xiv. (1840) 421. — Afr. austr.  
*phyllicoides*, Lam. Encyc. iii. 374 = Passerina glomerata.  
*purpurea*, Andr. Bot. Rep. t. 293 = Lasiosiphon eriocephalus.  
*sericea*, Crantz, Inst. i. 129 = Gnidia sericea.  
*sphaerocephala*, Burm. f. Fl. Cap. Prod. 12 = Lasiosiphon eriocephalus.  
*striata*, Meissn. in Linnaea, xiv. (1840) 415. — Afr. austr.  
*uniflora*, Crantz, Inst. i. 130 = Cryptadenia uniflora.

**LACHNAGROSTIS**, Trin. Fund. Agrost. 128 (1820) = **Deyeuxia**, Clar. (Gramin.).  
*aemula*, Nees, ex Hook. f. Handb. N. Zeal. Fl. 329 = D. Forsteri.  
*Billardieri*, Trin. Gram. Unifl. 217 = D. Billardieri.  
*Chamissonis*, Trin. l. c. 216 = D. Chamissonis.  
*ciliata*, Nees, ex Steud. Syn. Pl. Gram. 193 = Calamagrostis ciliata.  
*ciliata*, Nees, ex Trin. in Mém. Acad. Pétersb. Sér. VI. vi. II. (1845) 373 = Agrostis ciliata.  
*filiformis*, Trin. Fund. Agrost. 128 = D. Forsteri.  
*Forsteri*, Trin. Gram. Unifl. 217 = D. Forsteri.  
*Gussonis*, Trin. Ic. xx. t. 243 = Triplachne nitens.  
*Hookeri*, Nees, ex Steud. Syn. Pl. Gram. 173 = D. Royleana (in Addend.).  
*Hookeriana*, Nees, ex Steud. l. c. 192 = Calamagrostis Hookeriana.  
*plebeia*, Trin. Gram. Unifl. 217 = D. Forsteri.  
*phleoides*, Nees & Meyen, in Nov. Act. Nat. Cur. xix. Suppl. i. (1843) 146 = Calamagrostis phleoides.  
*Preissii*, Nees, in Lehm. Pl. Preiss. ii. 97 = D. Forsteri.  
*retrofracta*, Trin. Fund. Agrost. 128 = D. Forsteri.  
*Royleana*, Steud. Syn. Pl. Gram. 173 = D. Royleana (in Addend.).  
*Roylei*, Nees, ex Steud. l. c. 193 = Calamagrostis Royleana.  
*rudis*, Trin. Gram. Unifl. 217 = D. scabra.  
*scabra*, Nees, ex Steud. Nom. ed. II. i. 250 = D. scabra.  
*Willdenowii*, Trin. in Hook. Lond. Journ. Bot. ii. (1843) 412 = D. Forsteri.

**LACHNANTHES**, Ell. Sketch, i. 47 (1817). **HAEMODORACEAE**, Benth. & Hook. f. iii. 674.  
**CAMDERIA**, Dum. Anal. Fam. 80 (1829).  
**GYROTHECA**, Salisb. in Trans. Hort. Soc. i. (1812) 327.  
*HERITIERA*, J. F. Gmel. Syst. ii. 113 (1791).  
*tinctoria*, Ell. Sketch, i. 47. — Am. bor.

**LACHNASTOMA**, Korth. in Nederl. Kruidk. Arch. ii. II. (1851) 201 = **Coffea**, Linn. (Rubiaceae).  
*triflorum*, Korth. l. c. = C. khasiana.

**LACHNEA**, Linn. Phil. Bot. 33 (1751) = **Lachnaea**, Linn. (Thymel.).



LACHNIA, Baill. Hist. Pl. vi. 107 (1875) = praec.

**LACHNOCAPSA**, Balf. f. in Proc. Roy. Soc. Edinb. xi. (1882) 500. *CRUCIFERAE*.  
spathulata, Balf. f. l. c. 501. — Ins. Socotra.

**LACHNOCAULON**, Kunth, Enum. Pl. iii. 497 (1841). *ERIOCAULEAE*, Benth. & Hook. f. iii. 1024.  
*Beyrichianum*, Sporl. ex Koern. in Linnaea, xxvii. (1854) 567 = Michauxii.  
diandrum, Heurck & Muell. Arg. in Heurck, Obs. Bot. 108. — Texas.  
digynum, Koern. in Linnaea, xxvii. (1854) 570 = Michauxii.  
glabrum, Koern. l. c. 568. — Am. bor.  
Michauxii, Kunth, Enum. Pl. iii. 497. — Am. bor.

**LACHNOCEPHALUS**, Turcz. in Bull. Soc. Nat. Mosc. xxii. (1849) II. 36 = **Mallophora**, Endl. (Verbenac.).  
lepidotus, Turcz. l. c. = M. globiflora.

**LACHNOCHLOA**, Steud. in Flora, xxxiii. (1850), nomen; Syn. Pl. Gram. 5 (1855) ('Genus delendum')  
Benth. & Hook. f. Gen. iii. 1096.  
pilosa, Steud. ll. cc. — Afr. trop.

**LACHNOLEPIS**, Miq. in Ann. Mus. Bot. Lugd. Bat. i. 182 (1863) = **Gyrinops**, Gaertn. (Thymel.).  
moluccana, Miq. l. c. — Ins. Molucc.

**LACHNOLOMA**, Bunge, Del. Sem. Hort. Dorpat. (1843), p. viii; et in Linnaea, xviii. (1844) 154. *CRUCIFERAE*, Benth. & Hook. f. i. 98.  
Lehmanni, Bunge, ll. cc. — Turkest.

**LACHNOPETALUM**, Turcz. in Bull. Soc. Nat. Mosc. xxi. (1848) I. 571 = **Ratonia**, DC. (Sapind.).  
glabrum, Turcz. l. c. — Ins. Philipp.

**LACHNOPHYLLUM**, Bunge, in Mém. Sav. Etr. Pétersb. vii. (1847) 327 (Rel. Lehm. 151). *COMPOSITAE*, Benth. & Hook. f. ii. 279.  
gossypinum, Bunge, ll. cc. — Turkest.  
Noëanum, Boiss. Diagn. Ser. II. iii. 17. — Persia.

**LACHNOPIDIUM**, Blume, in Flora, xiv. (1831) 477 = **Otanthera**, Blume (Melastom.).  
bracteatum, Blume, Mus. Bot. Lugd. Bat. i. 56 = O. bracteata.  
rubro-limbata, Blume, in Flora, xiv. (1831) 477 = O. rubro-limbata.

**LACHNOPYLIS**, Hochst. in Flora, xxvi. (1843) 77 = **Nuxia**, Lam. (Loganiac.).  
oppositifolia, Hochst. l. c. = N. oppositifolia.  
ternifolia, Hochst. l. c. = N. congesta.

**LACHNORHIZA**, A. Rich. Fl. Cub. Fanerog. ii. 34 (1853). *COMPOSITAE*, Benth. & Hook. f. ii. 231.  
asteroides, Griseb. Cat. Pl. Cub. 152. — Cuba.  
piloselloides, A. Rich. Fl. Cub. Fanerog. ii. 34. — Cuba.

**LACHNOSIPHONIUM**, Hochst. in Flora, xxv. (1842) 236 = **Randia**, Linn. (Rubiace.).  
obovatum, Hochst. l. c. 238 = R. Lachnosiphonium.

**LACHNOSPERMUM**, Willd. Sp. Pl. iii. 1787 (1808). *COMPOSITAE*, Benth. & Hook. f. ii. 325.  
CARPHOLOMA, D. Don, in Mem. Wern. Soc. v. (1826) 555.  
ericifolium, Willd. Sp. Pl. iii. 1787. — Afr. austr.  
ericoides, Harv. in Harv. & Sond. Fl. Cap. iii. 272 = praec.  
fasciculatum, Baill. Hist. Pl. viii. 183 = ericifolium.

**LACHNOSTACHYS**, Hook. Ic. Pl. tt. 414, 415 (1842). *VERBENACEAE*, Benth. & Hook. f. ii. 1139.  
PYCNOLACHNE, Turcz. in Bull. Soc. Nat. Mosc. (1863) II. 215.  
WALCOTTIA, F. Muell. Fragm. i. 241 (1859).  
albicans, Hook. Ic. Pl. t. 414. — Austral.  
bracteosa, F. Muell. Fragm. viii. 49 = Newcastleia bracteosa.  
Cliftoni, F. Muell. l. c. ix. 3. — Austral.  
ferruginea, Hook. Ic. Pl. t. 415. — Austral.  
verbasifolia, F. Muell. Fragm. vi. 158. — Austral.  
Walcottii, F. Muell. l. c. ii. 140. — Austral.

**LACHNOSTOMA**, H. B. & K. Nov. Gen. et Sp. iii. 198. t. 232 (1818). *ASCLEPIADEAE*, Benth. & Hook. f. ii. 767.

IBATIA, Decne. in DC. Prod. viii. 599 (1844).  
arizonicum, A. Gray, in Proc. Am. Acad. xx. (1885) 296. — Arizona.  
Balbisii, Decne. in DC. Prod. viii. 602 = Pherotrichis villosa.  
hastulatum, A. Gray, in Proc. Am. Acad. xi. (1876) 87 = Gonolobus hastulatus.  
lasiostemma, Hemsl. Biol. Centr. Am. Bot. ii. 335. — Guatemala.  
maritimum, Nichols. Dict. Gard. ii. 226. — Venezuela.  
nigrum, Decne. in DC. Prod. viii. 602. — Bras.  
ovatum, Turcz. in Bull. Soc. Nat. Mosc. xxv. (1852) II. 318. — Cuba.  
parviflorum, Torr. Bot. Mex. Bound. 165 = Gonolobus parviflorus.  
prostratum, Decne. in DC. Prod. viii. 602 = Gonolobus prostratus.  
tigrinum, H. B. & K. Nov. Gen. et Sp. iii. 199. t. 232. — N. Granat.

**LACHNOSTOMA**, Korth. ex Flora, xxxiv. (1851) II. 536 = **LACHNASTOMA**, Korth. = **Coffea**, Linn. (Rubiace.).

**LACHNOSTYLIS**, Turcz. in Bull. Soc. Nat. Mosc. xix. (1846) II. 503. *EUPHORBACEAE*, Benth. & Hook. f. iii. 269.  
capensis, Turcz. l. c. — Afr. austr.  
hirta, Muell. Arg. in DC. Prod. xv. II. 225 = capensis.  
minor, Sond. in Linnaea, xxiii. (1850) 132 = capensis.

**LACHNOTHALAMUS**, F. Muell. Fragm. iii. 156 (1863) = **Chthonocephalus**, Steetz (Compos.).  
tomentellus, F. Muell. l. c. = C. tomentellus.

**LACHRYMA-JOB**, Noronha, in Verh. Batav. Gen. v. (1790) ed. I. Art. iv. 19 = **Coix**, Linn. (Gramin.).

**LACHRYMARIA**, Heist. Syst. 12 (1748) = praec.

**LACIMARIA**, Hill, Veg. Syst. iv. 49 (1763) = **Liatris**, Schreb. (Compos.).  
scariosa, Hill, Hort. Kew. 70 = L. scariosa.  
squarrosa, Hill, l. c. = L. squarrosa.

**LACIS**, Dulac, Fl. Hautes-Pyr. 347 (1867) = **Trinia**, Hoffm. (Umbellif.).  
vulgaris, Dulac, l. c. = T. vulgaris.

**LACIS**, Schreb. Gen. 366 (1789), partim; Lindl. Introd. Nat. Syst. ed. II. 442 (1836). *PODOSTEMACEAE*, Benth. & Hook. f. iii. 109.  
aspera, Bong. in Mém. Acad. Pétersb. Sér. VI. iii. II. (1835) 73 = Mourera aspera.  
aspera, Rausch. Nom. Bot. ed. III. 158 = Mourera fluvialis.  
Bongardi, Tul. Podost. Monog. 69 = monadelpha.  
ceratophylla, Bong. in Mém. Acad. Pétersb. Sér. VI. iii. II. (1835) 78 = Podostemon Ceratophyllum.  
Chrysanthemum, Schnizl. Ic. t. 85 (= Neolacis Richardiana). — Guian.  
Dicraea, Steud. Nom. ed. II. ii. 2 = Podostemon minutiflorus, Dicraea imbricata.  
disticha, Cham. in Linnaea, viii. (1833) 653 = Podostemon distichus.  
fallacissima, Bisch. in Nov. Act. Nat. Cur. xvii. II. (1835) 963 = Apinagia Willdenowii.  
fluvialis, J. G. Gmel. Syst. 834; Willd. Sp. Pl. ii. 1225 = Mourera fluvialis.  
foeniculacea, Bong. in Mém. Acad. Pétersb. Sér. VI. iii. II. (1835) 74 = Marathrum foeniculaceum.  
foeniculacea, Schlecht. & Cham. in Linnaea, vi. (1831) 42 = Marathrum Schiedeannum.  
fucoides, Mart. Nov. Gen. et Sp. i. 5. t. 2 = Apinagia fucoides.  
membranacea, Bong. in Mém. Acad. Pétersb. Sér. VI. iii. II. (1835) 76 = Apinagia membranacea.  
monadelpha, Bong. l. c. 78. — Bras.  
pygmaea, Bong. l. c. 77 = Apinagia pygmaea.  
Riedelii, Bong. l. c. 75 = Apinagia Riedelii.  
ruppioides, Bong. l. c. 78 = Apinagia ruppioides.  
Schiedeana, Cham. in Linnaea, ix. (1834) 504. t. 6 = Marathrum Schiedeannum.  
Wallichii, Steud. Nom. ed. II. ii. 2 = Podostemon Wallichii.

**LACISTEMA**, Sw. Prod. Veg. Ind. Occ. 12 (1788). *LACISTEMACEAE*, Benth. & Hook. f. iii. 413.  
DIDYMANDRA, Willd. Sp. Pl. iv. 971 (1805).  
NEMATOSPERMUM, Rich. in Act. Soc. Hist. Nat. Par. i. (1792) 105.

SYNZYGANTHERA, Ruiz & Pav. Prod. Fl. Per. et Chil. 187. t. 50 (1794).  
alterum, Spreng. Neue Entdeck. iii. 20. — Am. trop.  
angustum, Schnizl. in Mart. Fl. Bras. iv. i. 283. t. 80. — Bras.  
Berterianum, Schult. Mant. i. 66 = alterum.  
Blancheti, A. DC. in DC. Prod. xvi. II. 592. — Bras.  
coriaceum, A. DC. l. c. 593. — Bras.  
ellipticum, Schnizl. in Mart. Fl. Bras. iv. i. 285. — Bras.  
elongatum, Schnizl. l. c. 282 = myricoides.  
floribundum, Miq. in Linnaea, xviii. (1844) 24. — Am. trop.  
grandifolium, Schnizl. in Mart. Fl. Bras. iv. i. 284. — Bras.  
intermedium, Schnizl. l. c. 281. t. 81. f. 2. — Bras.  
lucidum, Schnizl. l. c. 282. t. 79. f. 5. — Bras.  
myricoides, Sw. Prod. Veg. Ind. Occ. 12. — Am. trop.  
oblongum, Spreng. Syst. i. 124 = myricoides.  
Poepigii, A. DC. in DC. Prod. xvi. II. 593. — Am. trop.  
polystachyum, Schnizl. in Mart. Fl. Bras. iv. i. 284. t. 78. — Bras.  
pubescens, Mart. Nov. Gen. et Sp. i. 155. t. 94. — Bras.  
purpureum, A. DC. in DC. Prod. xvi. II. 593. — Peruv.  
recurvum, Schnizl. in Mart. Fl. Bras. iv. i. 283. t. 81. f. 4. — Bras.  
robustum, Schnizl. l. c. 281. t. 77. — Bras.  
rostratum, Schnizl. ex A. DC. in DC. Prod. xvi. II. 593 = recurvum.  
serrulatum, Mart. Nov. Gen. et Sp. i. 156. t. 95. — Bras.

**LACMELLIA**, Karst. in Linnaea, xxviii. (1856) 449. *APOCYNACEAE*, Benth. & Hook. f. ii. 694.  
ZSCHOKKEA, Muell. Arg. in Mart. Fl. Bras. vi. i. 20. tt. 6, 7 (1860).  
edulis, Karst. l. c. 450. — N. Granat.  
floribunda, Benth. & Hook. f. Gen. ii. 674. — Am. trop.  
lucida, Miers, Apocyn. S. Am. 14. — Am. trop.

**LACRYMA**, Medic. Phil. Bot. i. 177 (1789) = **Coix**, Linn. (Gram.).

**LACRYMA-JOB**, Tourn. ex Linn. Gen. ed. I. 280 (1737) = praec.

**LACTARIA**, Rumpf, ex Rafin. Sylva Tellur. 162 (1835); Miq. Fl. Ind. Bat. ii. 414 (1856) = **Ochrosia**, Juss. (Apocyn.).  
Ackerlingae, Teijsm. & Binn. in Tijdschr. Nederl. Ind. xxix. (1867) 249 = O. Ackerlingae.  
calocarpa, Hassk. in Nederl. Kruidk. Arch. iv. (1859) 9 = O. elliptica.  
coccinea, Teijsm. & Binn. in Tijdschr. Nederl. Ind. xxix (1867) 249 = O. coccinea.  
Moorei, F. Muell. Fragm. iii. 110 = O. Moorei.  
salubris, Rafin. Sylva Tellur. 162 = O. borbonica.

**LACTORIS**, Phil. in Verh. Zool.-Bot. Ges. Wien, (1865) 521. t. 13. *PIPERACEAE*, Benth. & Hook. f. iii. 127.

ANSONIA, Bert. ex Hemsl. Bot. Challenger, i. 153 (1884).  
fernandeziana, Phil. in Verh. Zool.-Bot. Ges. Wien, (1865) 523. — Ins. J. Fernandez.

**LACTUCA**, [Tourn.] Linn. Syst. ed. i. (1734) 1100. *COMPOSITAE*, Benth. & Hook. f. ii. 744.  
AGATHYRSUS, D. Don, in Edinb. N. Phil. Journ. (1828-29) 310.  
BRACHYRAMPHUS, DC. Prod. vii. 176 (1808).  
CEPHALORRHYNCHUS, Boiss. Diagn. Ser. I. iv. 25 (1844).  
CHORISMA, D. Don, in Edinb. N. Phil. Journ. (1828-29) 308.  
CHORSIS, DC. Prod. vii. 177 (1808).  
CICERBITA, Wallr. Sched. Crit. Fl. Ital. 433 (1822).  
CYANOSTATA, Schreb. Nom. Bot. (1789) 1100.  
DUBYAEA, DC. Prod. vii. 247 (1808).



**LACTUCA :—**

- GALATHENIUM*, Nutt. in Trans. Am. Phil. Soc. N. S. vii. (1841) 442.  
*IXERIS*, Cass. in Dict. Sc. Nat. xxiv. 49 (1822).  
*LACTUCOPSIS*, Sch. Bip. ex Vis. in Mem. Ist. Venet. xv. (1870) 5 (Vis. & Pang. Pl. Serb. Rar. Dec. iii. 5).  
*MELANOSERIS*, Decne. in Jacquem. Voy. Bot. 101. t. 109 (1844).  
*MICRAUCHENIA*, Froel. in DC. Prod. vii. 239 (1838).  
*MULGEDIUM*, Cass. in Dict. Sc. Nat. xxxiii. 296 (1824).  
*MYCELIS*, Cass. l. c. 483 (1824).  
*PHAENOPUS*, Cass. l. c. xxxix. 391 (1826).  
*PHAENOPUS*, DC. Prod. vii. 176 (1838).  
*PYRRHOPAPPUS*, A. Rich. Tent. Fl. Abyss. i. 463 (1847).  
*STEPTORHAMPHUS*, Bunge, in Mém. Sav. Etr. Pétersb. vii. (1847) 381 (Rel. Lehm. 205).  
*WISTIA*, Sch. Bip. in Herb. & Winckl. Jahrb. Pharm. iv. (1841) 154, in nota.  
*abyssinica*, Fresen. in Mus. Senckenb. iii. (1839) 72.—Abyssin.  
*acanthifolia*, Benth. & Hook. f. Gen. ii. 525.—Ins. Creta.  
*aculeata*, Boiss. Fl. Orient. iii. 809.—As. Min.  
*acuminata*, Spreng. Syst. iii. 659.—Am. bor.  
*adenophora*, Boiss. & Kotschy, in Boiss. Fl. Orient. iii. 814.—Armen.  
*adulteriana*, Gren. & Godr. Fl. Fr. ii. 319 = saligna.  
*alabamensis*, Bertol. in Nov. Comm. Acad. Bonon. vii. (1844) 200.—Am. bor.  
*albana*, C. A. Mey. Verz. Pfl. Cauc. 56 = racemosa.  
*albicaulis*, Boiss. Fl. Orient. iii. 809 = L. Scariola.  
*albiflora*, Maxim. in Bull. Acad. Pétersb. xix. (1874) 531.—Japan.  
*alpina*, Benth. & Hook. f. Gen. ii. 525.—Europ.  
*altaica*, Fisch. & Mey. in Ind. Sem. Hort. Petrop. xi. 73.—Reg. altaic.  
*altissima*, Bieb. Fl. Taur. Cauc. ii. 242 = sagittata.  
*ambigua*, Hort. ex G. Don, in Sweet, Hort. Brit. ed. III. 410 = deltoidea.  
*ambigua*, Schrad. Obs. in Cat. Hort. Gotting. (1834) = virosa.  
*amurensis*, Herder, Fl. Radd. iii. 4. p. 29 = Raddeana.  
*amurensis*, Regel & Maxim. in Ind. Sem. Hort. Petrop. (1857) 42 = brevirostris, Champ.  
*angulata*, Rafin. New Fl. Am. iv. 83 (Quid?).—Am. bor.  
*angustana*, Auct. = *angustana*.  
*angustifolia*, Gilib. Fl. Lituan. i. 234 = saligna.  
*angustifolia*, Lam. ex Steud. Nom. ed. I. 460 = L. Scariola.  
*arabica*, Faub. & Spach, Illustr. iii. 115.—Arab.  
*armena*, Boiss. Fl. Orient. iii. 808 = quercina.  
*arvensis*, Edgew. in Trans. Linn. Soc. xx. (1846) 79 = dissecta.  
*atlantica*, Pomel, Nouv. Mat. Fl. Atl. 265.—Alger.  
*augustana*, All. Fl. Pedem. i. 224 = L. Scariola.  
*augustana*, Reichb. ex Nym. Consp. 435 = sagittata.  
*auriculata*, Aitch. in Journ. Linn. Soc. xix. (1882) 173 = L. Scariola.  
*auriculata*, DC. Prod. vii. 140.—Reg. Himal.  
*autumnalis*, Bernh. Syst. Verz. Erf. 140 = Leontodon autumnalis.  
*axillaris*, Rafin. New Fl. Am. iv. 83 (Quid?).—Am. bor.  
*Benthamii*, C. B. Clarke, Comp. Ind. 273.—Reg. Himal.  
*biolata*, Griff. Notul. iv. 247 = brevirostris, Champ.  
*bracteata*, Hook. f. & Thoms. ex C. B. Clarke, Comp. Ind. 270.—Reg. Himal.  
*bracteata*, Wall. Cat. n. 3243 = L. Scariola.  
*brassicaefolia*, Boiss. Diagn. Ser. I. xi. 49.—Persia.  
*brevirostra*, Dulac, Fl. Hautes-Pyr. 494 = L. Plumieri.  
*brevirostris*, Champ. ex Benth. in Hook. Kew Journ. iv. (1852) 237.—As. or.  
*brevirostris*, Fenzl, in Kotschy, Reise Cilic. Taur. 384.—As. Min.  
*Brunonian*, C. B. Clarke, Comp. Ind. 266 = graciliflora.  
*canadensis*, A. Gray, Man. Bot. N. U. St. 803 = hirsuta.  
*canadensis*, Linn. Syst. ed. X. 1193.—Am. bor.  
*canescens*, Regel & Schmalh. in Act. Hort. Petrop. vi. (1879) 324.—Turkest.  
*capensis*, Thunb. Prod. Pl. Cap. 139.—Afr. austr.

**LACTUCA :—**

- capitata*, DC. Prod. vii. 138 = sativa.  
*caroliniana*, Walt. Fl. Carol. 193 = canadensis.  
*cataonica*, Boiss. & Haussk. in Boiss. Fl. Orient. iii. 815.—As. Min.  
*caucasica*, C. Koch, in Linnaea, xvii. (1843) 275 = saligna.  
*cernua*, Jacquem. Voy. Bot. 100 = Prenanthes violaeifolia.  
*Chaixii*, Vill. Prosp. 32 = sagittata.  
*chondrillaeflora*, Bor. Fl. Centr. Fr. ed. II. 312.—Europ. austr.  
*chondrilloides*, Steud. Nom. ed. II. ii. 3 = *prenanthoides*.  
*cichoriifolia*, DC. Fl. Fr. Suppl. 434 = perennis.  
*Clarkei*, Hook. f. Fl. Brit. Ind. iii. 406.—Reg. Himal.  
*coerulea*, Reichb. Fl. Germ. Excurs. 855.—Tyrol.  
*coriacea*, Sch. Bip. in Linnaea, xv. (1841) 725 = L. Scariola.  
*cracoviensis*, Bueck, ex Nym. Consp. 435 = saligna.  
*crambifolia*, Boiss. Fl. Orient. iii. 806.—Turkest.  
*crassifolia*, Balf. f. in Proc. Roy. Soc. Edinb. xi. (1882) 842.—Ins. Socotr.  
*cretica*, Desf. in Ann. Mus. Par. xi. (1808) 160.—Graecia; As. Min.  
*crispa*, Roth, Bot. Abh. 24 = L. Scariola.  
*cyanea*, C. Koch, in Linnaea, xxiii. (1850) 671 = saligna.  
*debilis*, Benth. & Hook. f. Gen. ii. 526.—Japan.  
*decipiens*, C. B. Clarke, Comp. Ind. 266.—Reg. Himal.  
*decorata*, Forsk. Fl. Aegypt. Arab. 216.—Reg. Mediterr.  
*Deggleriana*, Hegetschw. Fl. Schw. 759.—Helvet.  
*deltoidea*, DC. ex C. A. Mey. Verz. Pfl. Cauc. 56.—Reg. Caucas.  
*denticulata*, Maxim. in Bull. Acad. Pétersb. xix. (1874) 529.—Japan.  
*dissecta*, D. Don, Prod. Fl. Nep. 164.—Reg. Himal.  
*Dregeana*, DC. Prod. vii. 137.—Afr. austr.  
*dubia*, Jord. Pugill. 119 = L. Scariola.  
*Dubya*, C. B. Clarke, Comp. Ind. 271.—Reg. Himal.  
*elata*, Salisb. Prod. 180 = L. Scariola.  
*elongata*, Muhl. ex Willd. Sp. Pl. iii. 1525 = canadensis.  
*erysimifolia*, DC. Prod. vii. 140 = muralis.  
*esculenta*, Salisb. Prod. 180 = sativa.  
*Fischeriana*, DC. Prod. vii. 135.—Sibir.  
*fistulosa*, Rafin. Fl. Ludov. 58.—Am. bor.  
*flava*, Forsk. Fl. Aegypt. Arab. 143 = Launaea nudicaulis.  
*flavida*, Jord. Cat. Jard. Dijon (1848), 26 = virosa.  
*floridana*, Gaertn. Fruct. ii. 362.—Am. bor.  
*formosana*, Maxim. in Bull. Acad. Pétersb. xix. (1874) 525.—China; Formosa.  
*fragilis*, Asso, Syn. Stirp. Arag. 108 (= *Zollikoferia resedifolia*).—Hispan.  
*glabra*, DC. in Wight, Contrib. 26 = *Crepis acaulis*.  
*glandulifera*, Hook. f. in Journ. Linn. Soc. vii. (1864) 203.—Afr. trop.  
*glareosa*, Schott & Kotschy, in Boiss. Fl. Orient. iii. 812.—Cilicia.  
*glaucofilia*, Boiss. l. c. iii. 813.—Persia.  
*goraeensis*, Sch. Bip. in Flora, xxv. (1842) 422.—Afr. trop.  
*graciliflora*, DC. Prod. vii. 139.—Reg. Himal.; Malaya.  
*gracilis*, DC. l. c. 140.—Reg. Himal.  
*graeca*, Boiss. Fl. Orient. iii. 812.—Graecia.  
*graminea*, Spreng. Syst. iii. 659 = seq.  
*graminifolia*, Michx. Fl. Bor. Am. ii. 85.—Am. bor.  
*hastata*, DC. Prod. vii. 139.—Ind. or.  
*Heyneana*, DC. l. c. 140.—Ind. or.  
*hirsuta*, Muhl. ex Nutt. Gen. Am. ii. 124.—Am. bor.  
*hispida*, DC. Prod. vii. 139.—As. Min.; Syria.  
*Hochstetteri*, Sch. Bip. ex Hochst. in Flora, xxiv. (1841) i. Intell. 27 = capensis.  
*Hoffmeisteri*, Klotzsch, in Bot. Ergeb. Waldem. Reise, 81 = macrorhiza.  
*humilis*, Sch. Bip. ex A. Rich. Tent. Fl. Abyss. i. 463.—Abyssin.  
*indica*, Linn. Mant. ii. 278.—Malaya.  
*inermis*, Forsk. Fl. Aegypt. Arab. 144.—Arab.  
*integrifolia*, Bigel. Fl. Bost. ed. II. 287.—Am. bor.  
*integrifolia*, Nutt. Gen. Am. ii. 124 = pulchella.  
*intricata*, Boiss. Diagn. Ser. I. iv. 27.—As. Min.  
*intybacea*, Jacq. Ic. Pl. Rar. i. t. 162.—Nicaragua.  
*jamaicensis*, Griseb. Fl. Brit. W. Ind. 384.—Ind. occ.  
*japonica*, Regel, Ind. Sem. Hort. Petrop. (1866) 91.—Japan.  
*Kanitziana*, Martelli, in Nuov. Giorn. Bot. xv. (1883) 302.—Borneo.  
*Kotschyana*, Reut. Cat. Hort. Genev. (1867) 4 = scarioioides.

**LACTUCA :—**

- Kotschy*, Sch. Bip. in Linnaea, xv. (1841) 725 = taraxacifolia.  
*laciniata*, Roth, Catalect. i. 96 = L. Scariola.  
*Lactucarii*, Lamotte, in Soc. Dauph. (1880) 271.—Gallia.  
*laevigata*, C. B. Clarke, Comp. Ind. 269 = macrorhiza.  
*laevigata*, DC. Prod. vii. 140.—Java.  
*latifolia*, Gilib. Fl. Lituan. i. 234 = L. Scariola.  
*Lessertiana*, C. B. Clarke, Comp. Ind. 270.—Reg. Himal.  
*leucophaea*, A. Gray, in Proc. Am. Acad. xix. (1883) 73 = alpina.  
*leucophaea*, Sibth. Fl. Graec. t. 794 = cretica.  
*livida*, Boiss. & Reut. in Boiss. Voy. Bot. Espagne, ii. 742.—Hispan.  
*longidentata*, Moris, Pl. Sard. Elench. 2.—Sardoa.  
*longifolia*, DC. Prod. vii. 135.—Reg. Himal.  
*longifolia*, Michx. Fl. Bor. Am. ii. 85 = canadensis.  
*ludoviciana*, Riddell, Syn. Fl. W. St. 51; DC. Prod. vii. 141.—Am. bor. occ.  
*lutea*, Dulac, Fl. Hautes-Pyr. 495 = chondrillaeflora.  
*macrantha*, C. B. Clarke, Comp. Ind. 267.—Reg. Himal.  
*macrophylla*, A. Gray, Syn. Fl. N. Am. i. ii. 444.—Hab. ?  
*macrorhiza*, Hook. f. Fl. Brit. Ind. iii. 408.—Reg. Himal.  
*maculata*, Hornem. Hort. Hafn. 755.—Hab. ?  
*maritima*, Rafin. New Fl. Am. iv. 83.—Am. bor.  
*massaviensis*, Sch. Bip. ex A. Rich. Tent. Fl. Abyss. i. 460.—Arab.; Abyssin.  
*mauritiana*, Poir. Encyc. Suppl. iii. 292 = indica.  
*microcephala*, DC. Prod. vii. 134.—As. Min.  
*mulgedioides*, Boiss. & Kotschy, ex Boiss. Fl. Orient. iii. 815.—Kurdistan.  
*muralis*, E. Mey. Chor. Hannov. 431; Fresen. Taschenb. (1832) 484.—Europ.; As. occ.  
*napifolia*, DC. in Wight, Contrib. 27 = *Crepis japonica*.  
*nubica*, Sch. Bip. in Linnaea, xv. (1841) 725 = goraeensis.  
*nudicaulis*, Murr. in Comm. Gotting. iii. (1780) 74. t. 4 = Launaea nudicaulis.  
*oblongifolia*, Nutt. in Fras. Cat.; ex ej. Gen. Am. ii. 124 = pulchella.  
*obtus*, C. B. Clarke, Comp. Ind. 261 = Launaea nudicaulis.  
*octophylla*, Sch. Bip. in Linnaea, xv. (1841) 725 = goraeensis.  
*officinaria*, Crantz, Inst. i. 227 = L. Scariola.  
*Oldhami*, Maxim. in Bull. Acad. Pétersb. xix. (1874) 532 = L. Thunbergiana.  
*orientalis*, Boiss. Fl. Orient. iii. 819.—Reg. Himal.; As. Min.  
*ovatifolia*, Rafin. New Fl. Am. iv. 83.—Am. bor.  
*palmata*, Willd. Phyt. 10 = L. Scariola.  
*palmensis*, C. Bolle, in Bonplandia, vii. (1859) 298.—Ins. Canar.  
*paradoxa*, Sch. Bip. ex A. Rich. Tent. Fl. Abyss. i. 460.—Abyssin.  
*pentaphylla*, Sch. Bip. in Linnaea, xv. (1841) 725 = taraxacifolia.  
*perennis*, Linn. Sp. Pl. 796.—Europ. austr.  
*persica*, Boiss. Diagn. Ser. I. vii. 9.—Persia; Beluch.  
*Petitiana*, A. Rich. Tent. Fl. Abyss. i. 462 = goraeensis.  
*petraea*, Fisch. & Mey. in DC. Prod. vii. 134 = tuberosa.  
*picridiformis*, Boiss. Fl. Orient. iii. 807.—Beluch.  
*pilosa*, Rafin. New Fl. Am. iv. 83 (Quid?).—Am. bor.  
*plicata*, Balb. Cat. Hort. Taur. (1813) 45 = L. Scariola.  
*Plumieri*, Gren. & Godr. Fl. Fr. ii. 322.—Gallia.  
*polyccephala*, Benth. & Hook. f. Gen. ii. 526.—Ind. or.; Burma.  
*polyclada*, Boiss. Diagn. Ser. I. vii. 10.—Persia.  
*prenanthoides*, Scop. Fl. Carn. ed. II. ii. 100 = Chondrilla prenanthoides.  
*procera*, Schrad. ex DC. Prod. vii. 137 = canadensis.  
*procumbens*, Roxb. Hort. Beng. 60, nomen.—Ind. or.  
*Pseudo-virosa*, Sch. Bip. ex Nym. Consp. 435 = L. Scariola.  
*pulchella*, DC. Prod. vii. 134.—Am. bor. occ.  
*pygmaea*, Zoll. & Mor. in Nat. en Geneesk. Arch. Neêrl. Ind. ii. (1845) 565.—Java.  
*quercina*, Linn. Sp. Pl. 795.—Europ. austr.; Reg. Caucas.  
*querna*, Pall. Reise Statth. Suedl. Russl. i. 221 (an praec.?).—Reg. Casp.  
*racemosa*, Willd. Sp. Pl. iii. 1524.—Armenia.



**LACTUCA** :—

- Raddiana, *Maxim. in Bull. Acad. Pétersb.* xix. (1874) 526.—Japon.  
 ramosissima, Benth. & Hook. f. *Gen.* ii. 526 = denticulata.  
 ramosissima, *Gren. & Godr. Fl. Fr.* ii. 318.—Gallia.  
 rapunculoides, C. B. Clarke, *Comp. Ind.* 268.—Reg. Himal.  
 rariflora, *Fresen. in Mus. Senckenb.* iii. (1839) 73.—Abyss.  
 remotiflora, DC. in *Wight, Contrib.* 26.—Ind. occ.; Arab.  
 repens, Benth. & Hook. f. *Gen.* ii. 523.—Japon.  
 rhynchocarpa, Balf. f. in *Proc. Roy. Soc. Edinb.* xi. (1882) 841.—Ins. Socotr.  
 rigida, DC. *Prod.* vii. 135 = *Crepis acaulis*.  
 Roborowskii, *Maxim. in Bull. Acad. Pétersb.* xxix. (1883) 177.—China.  
 rostrata, Benth. & Hook. f. *Gen.* ii. 525 = graciliflora.  
 rosularis, Boiss. *Fl. Orient.* iii. 813.—Persia.  
 runcinata, DC. in *Wight, Contrib.* 26 = Heyneana.  
 sagittarioides, C. B. Clarke, *Comp. Ind.* 265.—Reg. Himal.  
 sagittata, Hook. f. & Thoms. ex C. B. Clarke, l. c. = sagittarioides.  
 sagittata, Waldst. & Kit. *Pl. Rar. Hung.* i. 1. t. 1.—Europ. austr.; As. Min.  
 sagittifolia, Ell. *Sketch.* ii. 253 = integrifolia.  
 salicifolia, Salisb. *Prod.* 180 = saligna.  
 saligna, Linn. *Sp. Pl.* 796.—Europ.; Afr. bor.; Oriens.  
 sanguinea, Bigel. *Fl. Bost. ed.* ii. 287 = hirsuta.  
 sarmentosa, Wight, *Contrib.* 27 = *Launaea pinnatifida*.  
 sativa, Linn. *Sp. Pl.* ed. I. 795 = L. Scariola.  
 Scariola, Linn. l. c. ed. II. 1119.—Europ.; Oriens.  
 scarioloides, Boiss. *Diagn. Ser. I.* xi. 49.—Persia.  
 Schimper, *Faub. & Spach, Illustr.* iii. 114 = remotiflora.  
 Schimper, *Jord. Pugill.* 119 = L. Scariola.  
 Schweinfurthii, *Oliver & Hiern, in Oliver, Fl. Trop. Afr.* iii. 452.—Afr. trop.  
 segusiana, Balb. *Elench. Fl. Taur.* 94 = tenerima.  
 Serriola, Linn. *Cent. Pl.* ii. 29.—Afr. trop.  
 seticuspid, Boiss. *Fl. Orient.* iii. 816.—Syria.  
 sibirica, Benth. ex *Maxim. in Bull. Acad. Pétersb.* xix. (1874) 528.—Sibiria.  
 sinuata, Forsk. *Fl. Aegypt. Arab.* 215 = virosa.  
 sonchifolia, Debeaux, *Fl. Tchéf.* 90 = denticulata.  
 sonchifolia, DC. *Prod.* vii. 134 = tatarica.  
 sonchifolia, *Pant. in Verh. Zool.-Bot. Ver. Wien.* vi. (1856) 559.—Europ.  
 sonchifolia, Willd. *Sp. Pl.* iii. 1530 = tuberosa.  
 sonchoides, Boiss. & Bal. ex Boiss. *Fl. Orient.* iii. 816.—As. Min.  
 sonchoides, Lapeyr. *Hist. Abr. Pl. Pyr.* 461 = perennis.  
 soongarica, Regel, in *Bull. Soc. Nat. Mosc.* xl. (1867) ii. 174.—Soongar.  
 sororia, *Miq. Ann. Mus. Bot. Lugd. Bat.* ii. 189.—Japon; China.  
 spiciformis, Dulac, *Fl. Hautes-Pyr.* 495 = saligna.  
 spinosa, Benth. & Hook. f. *Gen.* ii. 525.—Oriens.  
 spinosa, Lam. *Encyc.* iii. 408 = *Launaea spinosa*.  
 squarrosa, *Miq. Ann. Mus. Bot. Lugd. Bat.* ii. 189 = brevirostris, *Champ.*  
 Stocksii, Boiss. *Diagn. Ser. II.* iii. 96 = auriculata.  
 stolonifera, Benth. & Hook. f. *Gen.* ii. 526.—Japon.  
 stricta, Waldst. & Kit. *Pl. Rar. Hung.* i. 47 = quercina.  
 sylvestris, Lam. *Fl. Fr.* ii. 84 = L. Scariola.  
 taraxacifolia, Schum. & Thonn. *Beskr. Guin. Pl.* 380.—Afr. trop.  
 tatarica, C. A. Mey. *Verz. Pfl. Cauc.* 56.—As. occ.; Ind. or.  
 tenerima, *Pourr. in Mém. Acad. Toul.* iii. (1788) 321.—Europ. austr.; Maroc.  
 tephrocarpa, C. Koch, in *Linnaea*, xxiii. (1850) 672 = L. Scariola.  
 Thunbergii, *Maxim. in Bull. Acad. Pétersb.* xix. (1874) 530.—Japon.  
 Tommasiniana, Sch. Bip. in *Flora*, xvi. (1842) 160 = saligna.  
 triangulata, *Maxim. Prim. Fl. Amur.* 177.—Reg. Amur.  
 triquetra, Benth. & Hook. f. *Gen.* ii. 525.—Syria.  
 tuberosa, Jacq. *Hort. Vindob.* i. 18.—As. Min. Persia.  
 undulata, Ledeb. *Fl. Alt.* iv. 156.—As. occ. et bor.

**LACTUCA** :—

- versicolor, Sch. Bip. in *Bonplandia*, x. (1862) 331 = Fischeriana.  
 viala, Bell. in *Mém. Acad. Turin*, x-xi. (1802-3) 450 = quercina.  
 villosa, Jacq. *Hort. Schoenb.* iii. t. 367 = acuminata.  
 villosa, Muhl. ex Torr. & Gray, *Fl. Am.* ii. 497 = canadensis.  
 viminea, C. B. Clarke, *Comp. Ind.* 262 = orientalis.  
 viminea, J. & C. Presl, *Fl. Čech.* 160.—Reg. Mediterr.  
 violaeifolia, C. B. Clarke, *Comp. Ind.* 269 = *Prenanthes violaeifolia*.  
 virgata, Tausch, in *Flora*, iv. (1829) 36 = intybacea.  
 virosa, Hahl. *Taur.* 160 = saligna.  
 virosa, Linn. *Sp. Pl.* 795.—Europ.; As. bor.  
 virosa, Lucé, *Fl. Osil.* 260 = L. Scariola.  
 virosa, Thunb. *Prod. Pl. Cap.* 139 = Dregeana.  
 Wallothii, Spreng. *Pugill.* i. 53 = saligna.  
 Wilhelmsiana, Fisch. & Mey. ex DC. *Prod.* vii. 134.—Armenia.  
 LACTUCOPSIS, Sch. Bip. ex Vis. in *Mem. Ist. Venet.* xv. (1870) 5 (Vis. & Panö. *Pl. Serb. Rar. Dec.* iii. 5) = *Lactuca*, Tourn. (Compos.).  
 altissima, Sch. Bip. ex Vis. l. c. 6 = L. sagittata.  
 aurea, Sch. Bip. ex Vis. l. c. 7 = L. sonchifolia.  
 brevirostris, Sch. Bip. ex Vis. l. c. 6 = L. brevirostris, Fenzl.  
 Chaixii, Sch. Bip. ex Vis. l. c. = L. sagittata.  
 mulgedioides, Sch. Bip. ex Vis. l. c. 7 = L. mulgedioides.  
 Plumierii, Sch. Bip. ex Vis. l. c. 8 = L. Plumieri.  
 quercina, Sch. Bip. ex Vis. l. c. 7 = L. quercina.  
 Wilhelmsiana, Sch. Bip. ex Vis. l. c. 6 = L. Wilhelmsiana.  
 LACURIS, Buch.-Ham. in *Wall. Cat. n.* 7119 (1849) = *Zanthoxylum*, Linn. (Rutac.).  
 illicioides, Buch.-Ham. l. c. = Z. Rhetza.  
 LADANIUM, Spach, in *Ann. Sc. Nat. Sér. II.* vi. (1836) 67 = *Cistus*, Linn.  
 cyprum, Spach, l. c. = C. cyprum.  
 laurifolium, Spach, l. c. = C. laurifolium.  
 officinarum, Spach, l. c. = C. ladaniferus.  
 LADANUM, Dill. ex Linn. *Syst. ed. I* (1735) = *Galeopsis*, Tourn. (Labiata).  
 luteum, Gilib. *Fl. Lituan.* i. 83 = G. ochroleuca.  
 purpureum, Gilib. l. c. 82 = G. Ladanum.  
 LADANUM, Rafin. *Sylva Tellur.* 131 (1838) = *Cistus*, Linn.  
 verum, Rafin. l. c. = C. ladaniferus.  
 LADENBERGIA, Klotzsch, in Hayne, *Arzneigew.* xiv. adnot. ad t. 15 (excl. sp.) (1846). *RUBIACEAE*, Benth. & Hook. f. ii. 34.  
 JOOSIA, Karst. *Fl. Columb.* i. 9. t. 5 (1858).  
 acutifolia, Klotzsch, in Hayne, *Arzneigew.* xiv. t. 15, adnot. = *Cascarilla acutifolia*.  
 Bergeniana, Klotzsch, l. c. t. 15 = *Remijia Bergeniana*.  
 cava, Klotzsch, l. c. t. 15, adnot. = *Cascarilla Pavonii*.  
 cujabensis, Klotzsch, l. c. = *Remijia cujabensis*.  
 densiflora, Klotzsch, l. c. = *Remijia densiflora*.  
 dichotoma, Klotzsch, l. c. = Peruv.  
 dissimiliflora, Klotzsch, l. c. = *Exostemma dissimiliflorum*.  
 firmula, Klotzsch, l. c. = *Remijia firmula*.  
 hexandra, Klotzsch, l. c. = *Cascarilla hexandra*.  
 Lambertiana, Klotzsch, l. c. = *Cascarilla Lambertiana*.  
 macrocarpa, Klotzsch, l. c. = *Cascarilla macrocarpa*.  
 macrocnemia, Klotzsch, l. c. = *Remijia macrocnemia*.  
 magnifolia, Klotzsch, l. c. = *Cascarilla magnifolia*.  
 Moritziana, Klotzsch, l. c. = N. Granat.  
 nitida, Klotzsch, l. c. = *Cascarilla nitida*.  
 ovalifolia, Klotzsch, l. c. = *Macrocnemum Humboldtianum*.  
 Riedeliana, Klotzsch, l. c. = *Cascarilla Riedeliana*.  
 Roarimae, Klotzsch, l. c. = *Cascarilla Roarimae*.  
 Schomburgkii, Klotzsch, l. c. = Guiana.  
 stenocarpa, Klotzsch, l. c. = *Cascarilla stenocarpa*.  
 tenuiflora, Klotzsch, l. c. = *Remijia tenuiflora*.  
 undata, Klotzsch, l. c. = *Cascarilla undata*.  
 LADOICEA, Miq. *Fl. Ind. Bat.* iii. 48 (1855), sphalm.  
 Lodoicea, Comm. (Palm.).  
 LAEA, Brongn. *Enum. Gen.* 88 (1843) = *Loea*, Linn. (Ampelid.).

LAECHHARDTIA, Archer, ex Gord. *Pinet. Suppl.* 40 (1862), sphalm. = LEICHHARDTIA, Sheph. = *Callitris*, Vent. (Conif.).  
 Macleayana, Archer, ex Gord. l. c. = C. Macleayana.

LAELIA, Adans. *Fam.* ii. 423 (1763) = *Bunias*, Tourn. (Crucif.).  
 cochlearioides, Pers. *Syn.* ii. 185 = B. cochlearioides.  
 iberioides, Pers. l. c. = *Calepina Corvini*.  
 orientalis, Desv. *Journ. Bot.* iii. (1814) 160 = B. orientalis.  
 podocarpa, C. A. Mey. ex Rupr. *Fl. Cauc.* 136, in textu = B. orientalis?  
 prostrata, Pers. *Syn.* ii. 185 = *Muricaria prostrata*.

LAELIA, Lindl. *Gen. et Sp. Orch.* 115 (1831).  
 ORCHIDAEAE, Benth. & Hook. f. iii. 533.  
 AMALIA, Reichb. *Nom.* 52 (1841).  
 AMALIAS, Hoffmgg. *Preiss.-Verz. Orch.* 20; ex *Linnaea*, xvi. (1842), *Litt.* 228.  
 acuminata, Lindl. *Bot. Reg.* (1841), *Misc.* 17 = rubescens.  
 albida, Batem. ex Lindl. l. c. (1839) t. 54. *Misc.* 2.—Mexic.  
 amanda x, Reichb. f. in *Gard. Chron.* (1882) 776.  
 Amesiana x, Reichb. f. l. c. (1884) 109.  
 anceps, Lindl. *Bot. Reg.* t. 1751.—Mexic.  
 aurantiaca, Beer, *Prakt. Orch.* 209, 256 = *Epidendrum aurantiacum*.  
 autumnalis, Lindl. *Gen. et Sp. Orch.* 115.—Mexic.  
 Barkeriana, Knowles & Westc. *Flor. Cab. i.* (1837) 63 = anceps.  
 bella x, Reichb. f. in *Gard. Chron.* (1884) i. 174.  
 Boothiana, Reichb. f. in *Otto & Dietr. Allg. Gartenz.* xxiii. (1855) 322.—Bras.  
 Brysiana, Lem. *Illustr. Hort.* iii. (1856) 48 = elegans.  
 callistoglossa x, Reichb. f. in *Gard. Chron.* (1882) i. 76.  
 caloglossa x, Reichb. f. l. c. (1877) i. 202.  
 candida, Lodd. ex W. Baxt. in *Loud. Hort. Brit. Suppl.* iii. 573.—Mexic.  
 Canhamiana x, Reichb. f. l. c. (1885) ii. 6.  
 Casperiana, Reichb. f. in C. Koch, *Wochenschr.* ii. (1859) 336 = purpurata.  
 cattleyoides, *Rodrig. Orch. Nov.* i. 67.—Bras.  
 caulescens, Lindl. *Bot. Reg.* (1841) sub t. 1.—Bras.  
 cinnabarina, Batem. in *Bot. Mag.* t. 4302.—Bras.  
 cinnamomea, Reichb. f. in *Hamb. Gartens.* xvi. (1860) 180.—Bras.  
 Crawshayana, Reichb. f. in *Gard. Chron.* (1883) i. 142.—Hab.?  
 crispa, Reichb. f. in *Fl. des Serres, Sér. I.* ix. (1853-54) 102.—Bras.  
 crispilabia, A. Rich. ex Warner, *Sel. Orch. Ser. II.* t. 6.—Bras.  
 Dayana, Reichb. f. in *Gard. Chron.* (1876) ii. 772.—pumila.  
 Digbyana, Benth. in *Journ. Linn. Soc.* xviii. (1860) 314.—Honduras.  
 discolor, A. Rich. & Gal. in *Ann. Sc. Nat. Sér. III.* iii. (1845) 23 = albida.  
 Dormaniana, Reichb. f. in *Gard. Chron.* (1878) 332, 627 = *Cattleya Dormaniana*.  
 elegans, Reichb. f. in *Otto & Dietr. Allg. Gartenz.* xxiii. (1855) 242.—Bras.  
 eupathia, Reichb. f. in *Hamb. Gartenz.* xxi. (1860) 420 = *Schilleriana*.  
 flammea x, Reichb. f. in *Gard. Chron.* (1874) i. 599.  
 flava, Lindl. *Bot. Reg.* (1839) *Misc.* 88.—Mexic.  
 fulva, Lindl. ex Heynh. *Nom.* ii. 29 = flava?  
 furfuracea, Lindl. *Bot. Reg.* (1839) t. 26.—Mexic.  
 Galeottiana, Lindl. ex Heynh. *Nom.* ii. 29.—Mexic.  
 geraënsis, *Rodrig. Orch. Nov.* i. 68.—Bras.  
 gigantea, Warner, *Sel. Orch. Ser. I.* t. 6 = elegans.  
 glauca, Benth. in *Journ. Linn. Soc.* xvii. 1850-314.—Mexic.  
 grandiflora, Lindl. *Gen. et Sp. Orch.* 115.—Mexic.  
 grandis, Lindl. & Paxt. *Flow. Gard.* i. (1850-51) 10.—Bras.  
 harpachiana x, Reichb. f. in *Gard. Chron.* (1873) 342.  
 imbricata, Reichb. f. in *Hamb. Gartenz.* xv. (1859) 10.—Bras.  
 Jongheana, Reichb. f. in *Flora*, iv. (1872) 158; ex *Gard. Chron.* (1872) 425.—Bras.  
 Lawrenceana, Warner, *Sel. Orch. Ser. II.* t. 6 = crispilabia.  
 Lecana x, Reichb. f. in *Gard. Chron.* (1882) i. 492.



**LAELIA** :—

- Lindenii*, Lindl. Orchid. Linden. 10 = *Cattleyopsis delicatula*.  
*Lindleyana*, Nichols. Dict. Gard. ii. 229 = *Cattleya Lindleyana*.  
*longipes*, Reichb. f. *Xenia Orch.* ii. 59, in obs.—Bras.  
*Lundii*, Reichb. f. in *Otia Bot. Hamb.* 92, in obs.—Bras.  
*majalis*, Lindl. in Bot. Reg. (1839) Misc. 35 = *grandiflora*.  
*monophylla*, N. E. Br. in *Gard. Chron.* (1882) II. 782.—Jamaica.  
*Myliamiana* ×, Reichb. f. l. c. (1876) II. 740.  
*peduncularis*, Lindl. in Bot. Reg. (1842) Misc. 9 = *rubescens*.  
*Perinii*, Batem. in *Pact. Mag. Bot.* xiii. (1847) 5.—Bras.  
*Philbrickiana* ×, Reichb. f. in *Gard. Chron.* (1879) II. 102.  
*Pilcheri* ×, Dombr. Flor. Mag. t. 340 = seq.  
*Pilcheriana* ×, Reichb. f. in *Gard. Chron.* (1868) 375.  
*praestans*, Lindl. & Reichb. f. in Koch, Allg. Gartenz. (1857) 336 = *pumila*.  
*primulina*, Lindl. Bot. Reg. (1840), sub t. 41, in obs. (Quid?)—Hab.?  
*pubescens*, Lem. Jard. Fleur. ii. (1852) Misc. 79, 99 = *rubescens*.  
*pumila*, Reichb. f. in *Fl. des Serres*, Sér. I. ix. (1853–54) 102.—Bras.  
*purpurata*, Lindl. & Paxt. *Flow. Gard.* iii. (1852–53) 111.—Bras.  
*Regnellii*, Rodrig. *Orch. Nov.* ii. 154.—Bras.  
*Rivieri*, Carr. in Rev. Hort. (1874) 331 = *Boothiana*.  
*rubescens*, Lindl. Bot. Reg. (1840) Misc. 20. t. 41.—Mexic.  
*rupestris*, Lindl. l. c. xxviii. (1842) sub t. 62.—Bras.  
*Schilleriana* ×, Reichb. f. in Otto & Dietr. Allg. Gartenz. xxiii. (1855) 323.  
*Sedeni* ×, Reichb. f. in *Gard. Chron.* (1877) II. 424.  
*Stetzneriana*, Reichb. f. in Hamb. Gartenz. xvi. (1860) 282 = *Schilleriana*.  
*superbiens*, Lindl. in Bot. Reg. (1840) Misc. 46.—Mexic.  
*Turneri*, Hort. ex Warner, Sel. Orch. Ser. I. t. 12 = *elegans*.  
*Veitchiana* ×, Reichb. f.—Cf. *Gard. Chron.* (1874) I. 566.  
*Veitchii*, Hort. ex Nichols. Dict. Gard. ii. 229 = *flammea*.  
*violacea*, Reichb. f. in *Bonplandia*, ii. (1854) 89 = *rubescens*?  
*virens*, Lindl. Bot. Reg. (1844) Misc. 1.—Bras.  
*Wallisi*, Linden, in Belg. Hort. xv. (1865) 102 = *Cattleya labiata*.  
*Warnerii* ×, Hort. ex Warner, Orch. Sel. Ser. III. t. 1 = *Schilleriana*.  
*Wendlandi*, Reichb. f. in *Walp. Ann.* vi. 431.—Guatemala.  
*Wyattiana*, Reichb. f. in *Gard. Chron.* (1883) II. 426 = *purpurata*.  
*xanthina*, Lindl. in Bot. Mag. t. 5144.—Bras.
- LAELIOPSIS**, Lindl. in Paxt. *Flow. Gard.* iii. (1852–53) 155. t. 105 = *Epidendrum*, Linn. &c. (Orchid.).  
*chinensis*, Lindl. l. c. 156 = *E. nonchinense*.  
*cubensis*, Lindl. l. c. = *E. cubense*.  
*domingensis*, Lindl. & Paxt. l. c. 155 = *Broughtonia lilacina*.  
*Lindenii*, Lindl. l. c. 156 = *Cattleyopsis delicatula*.
- LAEMELLIA**, Pfeiff. Nom. ii. 10 (1871), sphalm. = **Lacmellia**, Karst. (Apocyn.).
- LAENECIA**, Sch. Bip. in Walp. Rep. ii. 952 (1843) = seq.
- LAENNECIA**, Cass. in Dict. Sc. Nat. xxv. 91 (1822) = **Conyza**, Linn. (Compos.).  
*alpina*, Poepp. & Endl. Nov. Gen. et Sp. ii. 56. t. 262.—Chili.  
*flaginoides*, DC. Prod. v. 376.—Mexic.  
*gnaphalioides*, Cass. in Dict. Sc. Nat. xxv. 92 = *C. gnaphalioides*.  
*parvifolia*, DC. Prod. v. 376.—Mexic.  
*pinnatifida*, Turcz. in Bull. Soc. Nat. Mosc. xxiv. (1851) I. 178.—Peruv.
- LAERTIA**, Gromow, ex Trautv. in Act. Hort. Petrop. ix. (1884) 34 = **Leersia**, Sw. (Gramin.).

**LAESTADIA**, Kunth, in Less. Syn. Comp. 203 (1832).  
**COMPOSITAE**, Benth. & Hook. f. ii. 260.  
**LESTADIA**, Spach, Hist. Vég. Phan. x. 28 (1841).  
*Lechleri*, Wedd. *Chlor. And.* i. 184.—Peruv.  
*musciola*, Wedd. l. c. t. 32.—N. Granat.  
*pinifolia*, Kunth, in Less. Syn. Comp. 203.—Am. austr.  
*rupestris*, Benth. Pl. Hartw. 203.—N. Granat.

**LAETIA**, Loeffl. It. Hisp. 190 (1758). **BIXINEAE**, Benth. & Hook. f. i. 126.  
**CASINGA**, Griseb. in Goett. Abh. ix. (1861) 27, 29.  
**GUIDONIA**, P. Br. Hist. Jamaic. 249 (1756).  
**LIGHTFOOTIA**, Sw. Prod. Veg. Ind. Occ. 83 (1788).  
**THIODIA**, Benn. Pl. Jav. Rar. 192 (1838).  
*acuminata*, Bonpl. ex Triana & Planch. in Ann. Sc. Nat. Sér. IV. xvii. (1862) 104.—N. Granat.  
*americana*, Linn. Syst. ed. X. 1074 = *apetala*.  
*apetala*, Jacq. Select. Am. 167. t. 108.—Am. austr.  
*calophylla*, Eichl. in Mart. Fl. Bras. xiii. I. 454.—Am. austr.  
*casearioides*, Sagot, ex Benth. in Journ. Linn. Soc. v. Suppl. ii. (1861) 85.—Guiana.  
*completa*, Jacq. Enum. Pl. Carib. 24.—Am. austr.  
*coriacea*, Spruce, ex Eichl. in Mart. Fl. Bras. xiii. I. 456.—Bras.  
*corymbulosa*, Spruce, ex Benth. in Journ. Linn. Soc. v. Suppl. ii. (1861) 83.—Bras.  
*crenata*, A. Rich. Ess. Fl. Cub. 87.—Cuba.  
*cupulata*, Spruce, ex Benth. in Journ. Linn. Soc. v. Suppl. ii. (1861) 84.—Bras.  
*floribunda*, Spruce, l. c. 83 = *corymbulosa*.  
*glandulosa*, Poepp. ex Tul. in Ann. Sc. Nat. Sér. III. vii. (1847) 288 = *Banara mollis*.  
*guazumaefolia*, H. B. & K. Nov. Gen. et Sp. v. 356.—Mexic.  
*Guidonia*, Sw. Prod. Veg. Ind. Occ. 83.—Jamaic.  
*hirtella*, H. B. & K. Nov. Gen. et Sp. v. 355.—Mexic.  
*longifolia*, A. Rich. Ess. Fl. Cub. 85.—Cuba.  
*lucida*, Tul. in Ann. Sc. Nat. Sér. III. vii. (1847) 286.—N. Granat.  
*parviflora*, Spreng. Syst. ii. 609.—Bras.  
*procera*, Eichl. in Mart. Fl. Bras. xiii. I. 453.—Bras.  
*scabra*, Spreng. Syst. ii. 609.—Ins. S. Doming.  
*serrulata*, Ruiz & Pav. Ic. Ined. x; ex Pritz. Ic. Ind. 615.—Hab.?  
*suaveolens*, Benth. in Journ. Linn. Soc. v. Suppl. ii. (1861) 85.—Am. austr.  
*ternstroemioides*, Griseb. in Mem. Am. Acad. N. S. viii. (1861) 156.—Cuba.  
*Thamnia*, Linn. Pl. Jam. Rar. 31; Amoen. Acad. v. 413 = *apetala*?  
*Thamnia*, Sw. Prod. Veg. Ind. Occ. 83.—Jamaic.

**LAETII**, Osb. ex Steud. Nom. ed. I. 460 (1821) = **Nepelium**, Linn. (Sapind.).  
*chinensis*, Osb. ex Steud. l. c. = *N. Litchi*.

**LAFOENSIA**, Vand. Fl. Lusit. 33. t. 2. f. 13 (1788); et in Roem. Script. 112. t. 7. f. 13 (1796). **LYTHRA-RIEAE**, Benth. & Hook. f. i. 781.  
**CALYPLECTUS**, Ruiz & Pav. Prod. 73. t. 13 (1794).  
**PTYCHODON**, Klotzsch, ex Reichb. Nom. 172 (1841).  
*acuminata*, DC. in Mém. Soc. Phys. Genève. iii. II. (1826) 73; Prod. iii. 94.—Peruv.  
*adenophylla*, Steud. Nom. ed. II. ii. 4 = *replicata*.  
*densiflora*, Pohl, Ic. Pl. Bras. ii. 142.—Bras.  
*emarginata*, Koehne, in Mart. Fl. Bras. xiii. II. 355.—Bras.  
*glyptocarpa*, Koehne, l. c. 353.—Bras.  
*illustris*, Vell. Fl. Flum. 218; v. t. 78 = *Vandelliana kielmeyeraefolia*, St. Hil. Fl. Bras. Mer. iii. 160 = *Vandelliana*.  
*lucida*, Klotzsch, ex Koehne, in Mart. Fl. Bras. xiii. II. 350 = *L. Pacari*.  
*mexicana*, [Moq. & Sesse,] ex DC. Prod. iii. 94 = *punicaefolia*.  
*microphylla*, Pohl, Ic. Pl. Bras. ii. 145 = *Vandelliana nummularifolia*, St. Hil. Fl. Bras. Mer. iii. 158.—Bras.  
*Pacari*, St. Hil. l. c. 159.—Bras.  
*petiolata*, Klotzsch, ex Koehne, in Mart. Fl. Bras. xiii. II. 350 = *L. Pacari*.  
*punicaefolia*, DC. in Mém. Soc. Phys. Genève. iii. II. (1826) 86. t. 1.—N. Granat.  
*replicata*, Pohl, Ic. Pl. Bras. ii. 145.—Bras.  
*scaberrima*, Poepp. ex Koehne, in Engl. Bot. Jahrb. iii. (1882) 149 = *Physocalymma scaberrimum*.

**LAFOENSIA** :—

*Sellowiana*, Klotzsch, ex Koehne, in Engl. Bot. Jahrb. iii. (1882) 151 = *L. Pacari*.  
*sessilifolia*, Klotzsch, ex Koehne, in Mart. Fl. Bras. xiii. II. 351 = *L. Pacari*.  
*speciosa*, DC. in Mém. Soc. Phys. Genève. iii. II. (1826) 73; Prod. iii. 94.—N. Granat.  
*Vandelliana*, Cham. & Schlecht. in Linnaea, ii. (1827) 346; DC. Prod. iii. 94.—Bras.

**LAFUENTEAE**, Lag. Gen. et Sp. Nov. 19 (1816)  
**SCROPHULARINEAE**, Benth. & Hook. f. ii. 962.  
**DURIEURA**, Méral, in Mém. Soc. Acad. Lille (1829), 432. t. 4.  
*rotundifolia*, Lag. Gen. et Sp. Nov. 19.—Hispan.

**LAFUENTIA**, Benth. Scroph. Rev. 7 (1835) = *praece*.

**LAGANSA**, Rumpf, ex Rafin. Sylva Tellur. 110 (1838) = **Cleome**, Linn. (Cappar.).  
*alba*, Rafin. l. c. = *C. graveolens*.

**LAGARINTHUS**, E. Mey. Comm. Pl. Afr. Austr. 202 (1837) = **Schizoglossum**, E. Mey. (Asclepiad.).  
*abyssinicus*, Hochst. ex Benth. & Hook. f. Gen. ii. 753 = *S. interruptum*.  
*barbatus*, Turcz. in Bull. Soc. Nat. Mosc. xxi. (1848) I. 257.—Afr. austr.  
*brevicuspis*, E. Mey. Comm. Pl. Afr. Austr. 204 = *Gomphocarpus brevicuspis*.  
*corniculatus*, G. Mey. l. c. 208 = *Gomphocarpus corniculatus*.  
*eustegioides*, E. Mey. l. c. 207 = *Gomphocarpus eustegioides*.  
*exilis*, Decne. in DC. Prod. viii. 556.—Afr. austr.  
*expansus*, E. Mey. in Drège, Zwei Pfl. Docum. 196 = *Gomphocarpus expansus*.  
*filiformis*, E. Mey. Comm. Pl. Afr. Austr. 203 = *Gomphocarpus filiformis* (in Addend.).  
*flexuosus*, E. Mey. ex Decne. in DC. Prod. viii. 556 = *Gomphocarpus flexuosus*.  
*gibbus*, E. Mey. Comm. Pl. Afr. Austr. 204 = *Gomphocarpus gibbus*.  
*gracilis*, E. Mey. l. c. 206.—Afr. austr.  
*hispidus*, Turcz. in Bull. Soc. Nat. Mosc. xxi. (1848) I. 257.—Afr. austr.  
*interruptus*, E. Mey. Comm. Pl. Afr. Austr. 208 = *Schizoglossum interruptum*.  
*involutcratus*, E. Mey. l. c. 203 = *Xysmalobium involutcratum*.  
*linearis*, E. Mey. l. c. 207 = *Gomphocarpus linearis*.  
*macer*, E. Mey. l. c. 206.—Afr. austr.  
*microdon*, Turcz. in Bull. Soc. Nat. Mosc. xxv. (1852) II. 317.—Afr. austr.  
*multicaulis*, E. Mey. Comm. Pl. Afr. Austr. 205 = *Gomphocarpus multicaulis*.  
*navicularis*, E. Mey. l. c. 204 = *Gomphocarpus navicularis*.  
*peltigerus*, E. Mey. l. c. 205 = *Gomphocarpus peltigerus*.  
*revolutus*, E. Mey. l. c. = *Gomphocarpus revolutus*.  
*tenellus*, Turcz. in Bull. Soc. Nat. Mosc. xxi. (1848) I. 256.—Afr. austr.  
*tenuis*, E. Mey. Comm. Pl. Afr. Austr. 203.—Afr. austr.  
*truncatus*, E. Mey. l. c. 206.—Afr. austr.  
*virgatus*, E. Mey. l. c. 208.—Afr. austr.

**LAGAROPYXIS**, Miq. Ann. Mus. Lugd. Bat. i. 198 (1863–64) = **Stereospermum**, Cham. (Bignon.).  
*gigantea*, Miq. l. c. = *S. hypostictum*.  
*glandulosa*, Miq. l. c. 199 = *S. glandulosum*.

**LAGAROSIPHON**, Harv. in Hook. Journ. Bot. iv. (1842) 230. t. 22. **HYDROCHARIDEAE**, Benth. & Hook. f. iii. 450.  
**NECHAMANDRA**, Planch. in Ann. Sc. Nat. Sér. III. xi. (1849) 78.  
*cordofanum*, Casp. in Pringsh. Jahrb. i. (1858) 504.—Afr. trop.  
*madagascariensis*, Casp. in Bremen, Abh. vii. (1882) 252.—Madag.  
*muscioides*, Harv. in Hook. Journ. Bot. iv. (1842) 230.—Afr. austr.  
*Roxburghii*, Benth. in Benth. & Hook. f. Gen. iii. 451.—Ind. or.  
*Schweinfurthii*, Casp. in Bot. Zeit. xxviii. (1870) 88.—Afr. trop.  
*Steudneri*, Casp. in Schweinf. Beitr. Fl. Aethiop. 200.—Afr. trop.



**LAGASCEA**, Cav. in Anal. Cienc. Nat. vi. (1803) 331 (Lagasea); Willd. Enum. Hort. Berol. 941 (1809). **COMPOSITAE**, Benth. & Hook. f. ii. 342. **NOCCA**, Cav. Ic. iii. 12. t. 224 (1794). **NOCCA**, Willd. Sp. Pl. iii. 2393 (1803); Jacq. Fragn. 58. t. 85 (1805). *angustifolia*, DC. Prod. v. 92.—Mexic. *biflora*, Hemsl. Diagn. Pl. Nov. 33.—Mexic. *campestris*, Gardn. in Hook. Lond. Journ. Bot. v. (1846) 238 = mollis. *decipiens*, Hemsl. Diagn. Pl. Nov. 33.—Mexic. *helianthifolia*, H. B. & K. Nov. Gen. et Sp. iv. 24. t. 311 = suaveolens. *heteropappus*, Hemsl. Diagn. Pl. Nov. 33.—Mexic. *Kunthiana*, Gardn. in Hook. Lond. Journ. Bot. v. (1846) 238 = mollis. *latifolia*, DC. Prod. v. 92 = suaveolens. *Liebmannii*, Sch. Bip. ex Klatt, in Leopoldina, xx. (1884) 91.—Mexic. *macrophylla*, Steud. Nom. ed. II. i. 4 = suaveolens. *Moçinniana*, DC. Prod. v. 92.—Mexic. *mollis*, Cav. in Anal. Cienc. Nat. vi. 333 (1803) t. 44.—Cuba. *mollis*, Sch. Bip. in Seem. Bot. Voy. Herald, 298 = *decipiens*. *rubra*, H. B. & K. Nov. Gen. et Sp. iv. 24. t. 311.—Mexic. *suaveolens*, H. B. & K. l. c.—Mexic.

**LAGENANDRA**, Dalz. in Hook. Kew Journ. iv. (1852) 289. **AROIDEAE**, Benth. & Hook. f. iii. 963. *insignis*, Trimen, in Journ. Bot. xxiii. (1885) 269.—Zeylan. *Koenigii*, Thw. Enum. Pl. Zeyl. 334.—Zeylan. *lancifolia*, Thw. l. c.—Zeylan. *ovata*, Thw. l. c. = *toxicaria*. *Thwaitesii*, Engl. in DC. Monog. Phan. ii. 621.—Zeylan. *toxicaria*, Dalz. in Hook. Kew Journ. iv. (1852) 289.—Ind. or.

**LAGENARIA**, Ser. in Mém. Soc. Phys. Genève. iii. 1. (1825) 25. t. 2. **CUCURBITACEAE**, Benth. & Hook. f. i. 823. *angolensis*, Naud. in Ann. Sc. Nat. Sér. V. v. (1866) 10 = *Adenopus breviflorus*. *cochinchenensis*, M. Roem. Syn. Pepon. 61 = vulgaris. *dasytemon*, Miq. Ann. Mus. Bot. Lugd. Bat. ii. 81 = *Benincasa cerifera*. *hispida*, Ser. in DC. Prod. iii. 299 = vulgaris. *idolatrica*, Ser. in DC. l. c. = vulgaris. *mascarena*, Naud. in Ann. Sc. Nat. Sér. IV. xviii. (1862) 187 = *Sphaerosicyos Meyer*. *microcarpa*, Naud. in Rev. Hort. (1855) 65 = vulgaris. *sagittata*, Harv. in Harv. & Sond. Fl. Cap. ii. 489 = *Trochomeria sagittata*. *sphaerica*, E. Mey. Zwei Pf. Docum. 197 = *Sphaerosicyos Meyer*. *sphaerocarpa*, Arn. in Hook. Journ. Bot. iii. (1841) 277 = *Sphaerosicyos Meyer*. *toxicaria*, Cogn. in DC. Monog. Phan. iii. 418, in syn. = *Lagenandra toxicaria*. *vittata*, Ser. in DC. Prod. iii. 299 = vulgaris. *vulgaris*, Ser. in Mém. Soc. Phys. Genève. iii. 1. (1825) 25.—Reg. trop.

**LAGENIA**, Fourn. in Mart. Fl. Bras. vi. iv. 293 (1885) = **Araujia**, Brot. (Asclep.). *angustifolia*, Fourn. l. c. 294 = *A. angustifolia*. *megapotamica*, Fourn. l. c. = *A. megapotamica*.

**LAGENIAS**, E. Mey. Comm. Pl. Afr. Austr. 186 (1837) = **Sebaea**, R. Br. (Gentian.). *pusillus*, E. Mey. l. c. = *S. pusilla*.

**LAGENIFERA**, Cass. in Bull. Soc. Philom. (1815) 199 = **Lagenophora**, Cass. (1818) (Compos.). *magellanica*, Cass. l. c. = *L. Commersonii*.

**LAGENOCARPUS**, Klotzsch, in Linnaea, xii. (1838) 215 = **Salaxis**, Salisb. (Ericac.). *imbricatus*, Klotzsch, l. c.—Afr. austr. *tenuis*, Benth. in DC. Prod. vii. 710.—Afr. austr.

**LAGENOCARPUS**, Nees, in Linnaea, ix. (1834) 304. **CYPERACEAE**, Benth. & Hook. f. iii. 1067. *ADAMOGETON*, Schrad. ex Nees, in Mart. Fl. Bras. ii. 1. 165 (1842).

#### LAGENOCARPUS:—

**ANOBYNA**, Nees, in Hook. Journ. Bot. ii. (1840) 395. **MICROLEPIS**, Schrad. ex Nees, in Mart. Fl. Bras. ii. 1. 164 (1842). **OROBIMUM**, Schrad. ex Nees, l. c. (1842). **PHAENOPYRUM**, Schrad. ex Nees, l. c. 166 (1842). *adamantinus*, Nees, in Mart. Fl. Bras. ii. 1. 165.—Bras. *crassipes*, Boeck. in Flora, lxiii. (1880) 453 = Martii. *guianensis*, Nees, in Linnaea, ix. (1834) 303.—Bras.; Guiana. *Martii*, Nees, in Mart. Fl. Bras. ii. 1. 169.—Bras. *Neesii*, Boeck. in Linnaea, xxxviii. (1874) 426 = rigidus. *rigidus*, Nees, in Mart. Fl. Bras. ii. 1. 167.—Bras. *topazinus*, Nees, l. c. 168.—Bras. *tremulus*, Nees, l. c.—Ins. Trinit. *velutinus*, Nees, l. c. 166.—Bras.

**LAGENOPHORA**, Cass. in Bull. Soc. Philom. (1818) 34. **COMPOSITAE**, Benth. & Hook. f. ii. 263. **EMPHYSOPUS**, Hook. f. in Hook. Lond. Journ. vi. (1847) 113. **IXAUCHENUS**, Cass. in Dict. Sc. Nat. lvi. 176 (1826). **LAGENIFERA**, Cass. in Bull. Soc. Philom. (1815) 199. **MICROCALIA**, A. Rich. Fl. Nouv. Zél. 230. t. 30 (1832). **SOLENOGYNE**, Cass. in Dict. Sc. Nat. lvi. 174 (1826). *Billardieri*, Cass. l. c. xxv. 111.—As. trop.; Austral. *Commersonii*, Cass. l. c. 110.—Reg. Magell. *emphysopus*, Hook. f. Fl. Tasm. i. 189.—Austral. *Forsteri*, A. Cunn. in Ann. Nat. Hist. Ser. I. ii. (1839) 126 = seq. ? *Forsteri*, DC. Prod. v. 307.—N. Zel. *gracilis*, Steetz, in Lehm. Pl. Preiss. i. 481 = *Billardieri*. *Gunniana*, Steetz, l. c. = *Huegelii*. *Harveyi*, Thw. Enum. Pl. Zeyl. 162 = *Billardieri*. *hirsuta*, Poepp. ex Less. in Linnaea, vi. (1831) 131.—Chili. *Huegelii*, Benth. Enum. Pl. Hueg. i. 56.—Austral. *javanica*, Blume, ex DC. Prod. v. 308 = *Myriactis Wightii*. *lanata*, A. Cunn. in Ann. Nat. Hist. Ser. I. ii. (1839) 126.—N. Zel. *latifolia*, Hook. f. in Hook. Lond. Journ. Bot. vi. (1847) 113 = *Billardieri*. *Lechleri*, Sch. Bip. in Bonplandia, iv. (1856) 54, nomen.—Peruv. *maviensis*, H. Mann, in Proc. Am. Acad. vii. (1867) 172.—Ins. Sandvic. *montana*, Hook. f. in Hook. Lond. Journ. Bot. vi. (1847) 113 = *Billardieri*. *musciicola*, Sch. Bip. in Bonplandia, iv. (1856) 54, nomen.—Peruv. *petiolata*, Hook. f. Fl. N. Zel. 125.—N. Zel. *Pickeringii*, A. Gray, in Proc. Am. Acad. v. (1861) 121.—Ins. Fiji. *pilosa*, Blume, ex DC. Prod. v. 308 = *Myriactis pilosa*. *pinnatifida*, Hook. f. Fl. N. Zel. 126.—N. Zel. *purpurascens*, Phil. in Anal. Univ. Chil. (1873) 489.—Chili. *Solenogyne*, F. Muell. Fragn. v. 62.—Austral. *sundana*, Miq. Fl. Ind. Bat. ii. 32 = *Billardieri*.

**LAGENULA**, Lour. Fl. Cochinch. 88 (1790) = **Fusanus**, R. Br. (Santal.). *pedata*, Lour. l. c. = *F. pedatus*.

**LAGERSTROEMIA**, Linn. Syst. ed. X. 1076 (1759). **LYTHRARIACEAE**, Benth. & Hook. f. i. 783. **ADAMBEA**, Lam. Encyc. i. 39 (1783). **FATIOA**, DC. Prod. iii. 88 (1828). **MUNCHASIA**, Linn. Mant. ii. 153 (1771). **PTEROCALYMNA**, Turcz. in Bull. Soc. Nat. Mosc. (1846) ii. 508. **SOTULARIA**, Rafin. Sylva Tellur. 98 (1838). **TSJINKIN**, Adans. Fam. ii. 401 (1763). *acuminata*, Wall. ex Koehne, in Engl. Bot. Jahrb. iv. (1883) 27 = villosa. *apetala*, T. Anders. ex Teijsm. & Binn. Cat. Hort. Bog. 241, nomen.—Burma. *Archeriana*, Bailey, Synops. Queensl. Flora, 196.—Austral. *augusta*, Wall. Cat. n. 2113 = *L. Flos-reginae*. *calycina*, Koehne, in Engl. Bot. Jahrb. iv. (1883) 25.—Ins. Philipp. *calyculata*, Kurz, in Journ. As. Soc. Beng. xli. (1872) ii. 307.—Burma.

#### LAGERSTROEMIA:—

*carinata*, Wall. Cat. n. 1599 = *floribunda*. *celebrica*, Blume, Mus. Bot. Lugd. Bat. ii. 127 = *ovalifolia*. *chinensis*, Lam. Encyc. iii. 375 = *indica*. *cuspidata*, Wall. Cat. n. 2116 = *floribunda*. *elegans*, Wall. ex Paxt. Mag. Bot. xiv. (1848) 269 = *indica*. *Engleriana*, Koehne, in Engl. Bot. Jahrb. iv. (1883) 24.—Ins. Timor. *Fatioa*, Blume, Mus. Bot. Lugd. Bat. ii. 125 = *parviflora*. *floribunda*, Jack, in Malay. Misc. i. (1820) v. 38.—Malaya. *floribunda*, Wall. Cat. n. 2115 A = *turbinata*. *Flos-reginae*, Retz. Obs. v. 25.—As. trop. *grandiflora*, Roxb. Hort. Beng. 38; Fl. Ind. ii. 503 = *Duabanga sonneratioides*. *hexaptera*, Miq. Fl. Ind. Bat. i. 1. 623.—Malaya. *hirsuta*, Rottl. ex C. B. Clarke, in Hook. f. Fl. Brit. Ind. ii. 576 = *Rottleri*. *hirsuta*, Willd. Sp. Pl. ii. 1178.—Ind. or. *hypoleuca*, Kurz, Andam. Report, App. p. viii; et in Journ. As. Soc. Beng. xli. (1872) ii. 307.—Ins. Andaman. *indica*, Linn. Syst. ed. X. 1076.—As. trop. *javanica*, Thunb. Fl. Javan. 21 (Quid ?)—Java. *lanceolata*, Wall. Cat. n. 2120.—Ind. or. *lanceolata*, Wight & Arn. Prod. 309 = *parviflora*. *Loudoni*, Teijsm. & Binn. in Tijdschr. Nederl. Ind. xxv. (1863) 425.—Siam. *macrocarpa*, Wall. Cat. n. 2114 A; Voigt, Hort. Suburb. Calc. 132 = *L. Flos-reginae*. *madagascariensis*, Baker, in Journ. Linn. Soc. xviii. (1881) 270.—Madag. *major*, Retz. Obs. i. 20 = *L. Flos-reginae*. *microcarpa*, Hance, in Journ. Bot. xvi. 1878 107 subcostata. *microcarpa*, Wight, Ic. i. t. 109 = *lanceolata*. *minor*, Retz. Obs. i. 20 = *L. Flos-reginae* ? *Munchausia*, Willd. Sp. Pl. ii. 1178 = *L. Flos-reginae*. *ovalifolia*, Teijsm. & Binn. in Naturk. Tijdschr. Nederl. Ind. ii. (1840) 306.—Malaya. *paniculata*, Vidal, Phan. Cuming. Philipp. 39, 115.—Ins. Philipp. *parviflora*, Roxb. Pl. Corom. i. 48. t. 66.—Ind. or. *piriformis*, Koehne, in Engl. Bot. Jahrb. iv. 1883 23.—Ins. Philipp. *plificifolia*, Stokes, Bot. Mat. Med. iii. 105 = *L. Flos-reginae*. *pubescens*, Wall. Cat. n. 2112 = *tomentosa*. *pulchra*, Salisb. Prod. 365 = *indica*. *punctata*, Blume, Mus. Bot. Lugd. Bat. ii. 126.—Malaya. *reginae*, Roxb. Pl. Corom. i. 46. t. 65 = *L. Flos-reginae*. *Riedeliana*, Oliver, in Journ. Linn. Soc. xv. (1876) 99 = *ovalifolia*. *Rottleri*, C. B. Clarke, in Hook. f. Fl. Brit. Ind. ii. 576.—Ind. or. *speciosa*, Pers. Syn. ii. 72 = *L. Flos-reginae*. *subcostata*, Koehne, in Engl. Bot. Jahrb. iv. (1883) 20.—China. *tomentosa*, Presl, Bot. Bemerk. 142.—Burma. *turbinata*, Koehne, in Engl. Bot. Jahrb. iv. (1883) 34.—Siam. *venusta*, Wall. Cat. n. 2117.—Burma. *villosa*, Wall. ex Kurz, in Journ. As. Soc. Beng. xli. (1873) ii. 234.—Burma.

**LAGETTA**, Juss. Gen. 77 (1789). **THYMELAEACEAE**, Benth. & Hook. f. iii. 195. *alpestris*, Gardn. in Hook. Lond. Journ. Bot. iv. 1846 135 = *Daphnopsis alpestris*. *funifera*, Mart. Nov. Gen. et Sp. i. 64. t. 39 = *Funifera utilis*. *linteraria*, Lam. Encyc. iii. 376, 440.—Ind. occ. *malabarica*, Poir. in Dict. Sc. Nat. xxv. 115 = *Cassaya Rheedii*. *Valenzuelana*, A. Rich. Fl. Cub. Fanerog. ii. 193.—Cuba.

**LAGGERA**, Sch. Bip. ex Hochst. in Flora. xxv. (1841) i. Intell. 26; Steud. Nom. ed. II. ii. 5. 1841 et in Walp. Rep. ii. 953 (1843). **COMPOSITAE**, Benth. & Hook. f. ii. 290. *alata*, Sch. Bip. ex Oliver, in Trans. Linn. Soc. xxxv. (1873) 94.—As. et Afr. trop.



**LAGGERA** :—

- arida*, C. B. Clarke, Comp. Ind. 92 = *Pluchea arguta*.  
*aurita*, Sch. Bip. ex C. B. Clarke, l. c. —As. et Afr. trop.  
*Braunii*, Vatke, in *Linnaea*, xxxix. (1875) 486. —Afr. trop.  
*brevipes*, Oliver & Hiern, in *Oliver, Fl. Trop. Afr.* iii. 327. —Afr. trop.  
*crassifolia*, Sch. Bip. ex *Hochst. in Flora*, xxiv. (1841) i. Intell. 26. —Abyss.  
*divaricata*, Oliver & Hiern, in *Oliver, Fl. Trop. Afr.* iii. 325 = *alata*.  
*flava*, Benth. & Hook. f. Gen. ii. 290. —As. trop.  
*heteromalla*, Vatke, in *Linnaea*, xxxix. (1875) 487 = *Inula Mannii*.  
*Musra*, Benth. & Hook. f. Gen. 290 = *Blumea lacera*.  
*oblonga*, Oliver & Hiern, in *Oliver, Fl. Trop. Afr.* iii. 327. —Afr. trop.  
*pterodonta*, Sch. Bip. ex *Oliver*, in *Trans. Linn. Soc.* xxix. (1873) 94 = *pupurascens*.  
*pupurascens*, Sch. Bip. ex *Hochst. in Flora*, xxiv. (1841) i. Intell. 26. —As. et Afr. trop.  
*senecionidea*, Benth. & Hook. f. Gen. ii. 290 = *Blumea membranacea*.  
*sordida*, Vatke, in *Oestr. Bot. Zeitschr.* (1875) 325 = *Pluchea sordida*.  
*squarrosa*, Oliver & Hiern, in *Oliver, Fl. Trop. Afr.* iii. 325. —Afr. trop.  
*tomentosa*, Sch. Bip. ex *Hochst. in Flora*, xxiv. (1841) i. Intell. 26. —Abyssin.

- LAGOCHILIUM**, Nees, in *Mart. Fl. Bras.* ix. 85. t. 10 (1847) = *Aphelandra*, R. Br. (Acanthac.).  
*aurantiacum*, Nees, in *DC. Prod.* xi. 292. —Bras.  
*bahiense*, Nees, l. c. 291. —Bras.  
*decoratum*, Nees, l. c. —Bras.  
*Hydromestus*, Nees, l. c. = *A. Hydromestus*.  
*igneum*, Nees, l. c. 292 = *Stenandrium igneum*.  
*luteum*, Nees, in *Mart. Fl. Bras.* ix. 87 = *A. lutea*.  
*maculatum*, Nees, in *DC. Prod.* xi. 290. —Peruv.  
*Maximilianum*, Nees, in *Mart. Fl. Bras.* ix. 85. —Bras.  
*molle*, Nees, in *DC. Prod.* xi. 292. —N. Granat.  
*montanum*, Nees, in *Mart. Fl. Bras.* ix. 87. —Bras.  
*mucronatum*, Nees, l. c. 86. —Bras.  
*obtusifolium*, Nees, in *DC. Prod.* xi. 291. —Bras.  
*obtusum*, Nees, in *Mart. Fl. Bras.* ix. 86. —Bras.  
*ornatum*, Nees, in *DC. Prod.* xi. 291 = *A. ornata*.  
*pictum*, Nees, l. c. 290 = *A. picta* ?  
*repandum*, Nees, in *Mart. Fl. Bras.* ix. 86. —Bras.  
*Schiedeanum*, Nees, l. c. 87 = *A. Schiedeana*.  
*spicatum*, Nees, in *DC. Prod.* xi. 293. —Mexic.

- LAGOCHILUS**, Bunge, in *Benth. Lab. Gen. et Sp.* 640 (1884). *LABIATAE*, Benth. & Hook. f. ii. 1211. *VERMOLOFIA*, Endl. Gen. 625 (1838).  
*acutibolus*, Fisch. & Mey. Enum. Pl. Schrenk, 31. —Turcoman.  
*affinis*, Rupr. Sert. Tiansch. 68. —As. centr.  
*alutaceus*, Bunge, Lab. Pers. 74. —Khorassan.  
*Aucherii*, Boiss. Diagn. Ser. I. v. 38. —Persia.  
*Bungei*, Benth. Lab. Gen. et Sp. 641. —Soongar.  
*cabulicus*, Benth. in *DC. Prod.* xii. 515. —Afghan.  
*cuneatus*, Benth. l. c. —Afghan.  
*diacanthophyllus*, Benth. Lab. Gen. et Sp. 641. —Mongol.  
*diacanthophyllus*, Benth. l. c. = Bungei.  
*diacanthophyllus*, Bong. et Mey. Verz. Saisang-nor. Pfl. 55. = *leiacanthus*.  
*glaberrimus*, C. Koch, in *Linnaea*, xxi. (1848) 679. —Tauria.  
*hirsutus*, Bunge, ex Kar. & Kir. in *Bull. Soc. Nat. Mosc.* (1842) i. 425 = *hirtus*.  
*hirtus*, Fisch. & Mey. Enum. Pl. Schrenk, 32. —Soongar.  
*hispidus*, Boiss. Fl. Orient. iv. 769. —Persia.  
*hispidus*, Fisch. & Mey. Enum. Pl. Schrenk, 33. —Ind. or.  
*ilicifolius*, Bunge, ex Benth. Lab. Gen. et Sp. 641. —Mongol.  
*inebrians*, Bunge, in *Mém. Sav. Etr. Pétersb.* vii. (1847) 438. —As. centr.  
*insignis*, Boiss. Fl. Orient. iv. 770 = *macranthus*.  
*insignis*, Fisch. & Mey. Enum. Pl. Schrenk, 33. —Persia.  
*kaschgaricus*, Rupr. Sert. Tiansch. 67. —Turkestan.  
*Kotschyanus*, Boiss. Diagn. Ser. I. xii. 87. —Persia.  
*leiacanthus*, Fisch. & Mey. Enum. Pl. Schrenk, 29. —Soongar.  
*macracanthus*, Fisch. & Mey. l. c. 30. —Persia.

**LAGOCHILUS** :—

- ocultiflorus*, Rupr. Sert. Tiansch. 67. —As. centr.  
*platyacanthus*, Rupr. l. c. 68. —As. centr.  
*platycalyx*, Fisch. & Mey. Ind. Sem. Hort. Petrop. ix. Suppl. 13. —Soongaria.  
*pungens*, Schrenk, in *Bull. Phys.-Math. Acad. Pétersb.* ii. (1844) 195. —Soongaria.

- LAGOCODES**, Rafin. Fl. Tellur. ii. 24 (1836) = *Scilla*, Linn. (Liliac.).  
*cernua*, Rafin. l. c. 25 = *S. sibirica*.  
*hyacinthoides*, Rafin. l. c. = *S. hyacinthoides*.  
*nutans*, Rafin. l. c. = *S. festalis*.  
*patula*, Rafin. l. c. = *S. hispanica*.

- LAGOËCIA**, Linn. Gen. ed. I. 61 (1737). *UMBELLIFERAE*, Benth. & Hook. f. i. 880.  
*CUMINOIDES*, Tourn. ex Moench, Meth. 93 (1794).  
*Cuminoides*, Linn. Sp. Pl. 203. —Hispan.; Oriens.  
*Cuminoides*, Soyer-Willems. Phytol. i. 254 = *Carum Carvi*.

- LAGONYCHIUM**, Bieb. Fl. Taur. Cauc. iii. 288 (1819) = *Prosopis*, Linn. (Legumin.).  
*Stephanianum*, Bieb. l. c. = *P. Stephaniana*.

- LAGOPHYLLA**, Nutt. in *Trans. Am. Phil. Soc. N. S.* vii. (1841) 390. *COMPOSITAE*, Benth. & Hook. f. ii. 395.

- HOLOZONIA**, Greene, in *Bull. Torrey Bot. Club*, ix. (1882) 122.  
*congesta*, Greene, in *Bull. Torrey Bot. Club*, x. (1883) 86. —Am. bor. occ.  
*dichotoma*, Benth. Pl. Hartw. 317. —Calif.  
*filipes*, A. Gray, in *Pacif. Rail. Rep.* iv. 109. —Calif.  
*glandulosa*, A. Gray, in *Proc. Am. Acad.* xvii. (1881–82) 219. —Am. bor. occ.  
*minima*, Kellogg, in *Proc. Calif. Acad.* v. (1873) 53 = seq.  
*ramosissima*, Nutt. in *Trans. Am. Phil. Soc. N. S.* vii. (1841) 391. —Am. bor. occ.  
*serrata*, Greene, in *Bull. Calif. Acad.* i. iv. (1885) 280. —Am. bor. occ.

- LAGOPSIS**, Bunge, ex Benth. Lab. Gen. et Sp. 586 (1834) = *Marrubium*, Tourn. (Labiata).  
*flava*, Kar. & Kir. in *Bull. Soc. Nat. Mosc.* xv. (1842) 425 = *M. flavum*.  
*incana*, Bunge, Verz. Suppl. Fl. Alt. 59 = *M. lanatum*.  
*viridis*, Bunge, ex Benth. Lab. Gen. et Sp. 586 = *M. eriostachyum*.

- LAGOPUS**, Bernh. Syst. Verz. Erf. 229 (1800) = *Trifolium*, Linn. (Legumin.).  
*flexuosus*, Bernh. l. c. 238 = *T. medium*.  
*glaber*, Bernh. l. c. —Europ.  
*montanus*, Bernh. l. c. 239 = *T. montanum*.  
*pratensis*, Bernh. l. c. = *T. pratense*.

- LAGOPUS**, Fourr. in *Ann. Soc. Linn. Lyon*, N. S. xvii. (1869) 140 = *Plantago*, Tourn.  
*albicans*, Fourr. l. c. = *P. albicans*.  
*arenensis*, Fourr. l. c. = *P. Lagopus*.  
*Bellardi*, Fourr. l. c. = *P. Bellardi*.  
*lanatus*, Fourr. l. c. = *P. Bellardi*.  
*lanceolatus*, Fourr. l. c. = *P. lanceolata*.  
*Timbali*, Fourr. l. c. = *P. lanceolata*.

- LAGOSERIS**, Hoffm. & Link, Fl. Port. ii. 149 (1820); Link, Enum. Hort. Berol. ii. 289 (1822) = *Crepis*, Linn. (Compos.).  
*alata*, Nym. Syll. 50 = *Pterotheca nemausensis*.  
*apargioides*, Link, Handb. i. 798 = *Chondrilla Peltidium*.  
*aralensis*, Boiss. Fl. Orient. iii. 882. —Turkestan.  
*bifida*, Koch, Syn. Fl. Germ. ed. I. 435 = *Pterotheca bifida*.  
*bursifolia*, Link, Enum. Hort. Berol. ii. 289 = *C. bursifolia*.  
*calycina*, Hoffm. & Link, Fl. Port. ii. 150. —Lusit.  
*cernua*, Link, Enum. Hort. Berol. ii. 289 = *C. neglecta*.  
*crepoides*, Bieb. Suppl. ad Cent. Pl. Ross. t. 30 = *Pterotheca bifida*.  
*frigida*, Boiss. Fl. Orient. iii. 882. —As. Min.  
*hieracioides*, Boiss. & Haussk. ex Boiss. l. c. 883. —Persia.  
*intybacea*, Hoffm. & Link, Fl. Port. ii. 149 = *C. taraxacifolia*.

**LAGOSERIS** :—

- leontodontoides*, Link, Enum. Hort. Berol. ii. 289 = *Crepis leontodontoides*.  
*nemausensis*, Bieb. Fl. Taur. Cauc. iii. 538 = *Pterotheca bifida*.  
*orientalis*, Boiss. Fl. Orient. iii. 882. —As. occ. et bor.  
*purpurea*, Stev. ex DC. Prod. vii. 180; Boiss. l. c. 883 = *Pterotheca bifida*.  
*raphanifolia*, Link, Enum. Hort. Berol. ii. 289 = *C. taraxacifolia*.  
*Ruppelii*, Sch. Bip. in *Flora*, xxii. (1839) 19 = *Pterotheca bifida*.  
*taraxacifolia*, Reichb. Ic. Fl. Germ. i. 28 = *C. taraxacifolia*.  
*taraxacoides*, Link, Handb. i. 797 = *C. taraxacoides*.  
*taurica*, Bieb. Fl. Taur. Cauc. iii. 539 = *Pterotheca bifida*.  
*taurinensis*, Link, Enum. Hort. Berol. ii. 289 = *C. Marschallii*.  
*tenuifolia*, Reichb. Ic. Fl. Germ. i. 11 = *C. tenuifolia*.  
*versicolor*, Fisch. ex Link, Enum. Hort. Berol. ii. 289 = *Lactuca Fischeriana*.

- LAGOTHAMNUS**, Nutt. in *Trans. Am. Phil. Soc. N. S.* vii. (1841) 416 = *Tetradymia*, DC. (Compos.).  
*ambiguus*, Nutt. l. c. 417 = *T. spinosa*.  
*microphyllus*, Nutt. l. c. 416 = *T. spinosa*.

- LAGOTIA**, C. Muell. in *Walp. Ann.* iv. 409 (1857), sphalm. = *SAGOTIA*, Duchass. & Walp. = *Desmodium*, Desv. (Legum.).

- LAGOTIS**, J. Gaertn. in *Nov. Comm. Acad. Petrop.* xiv. (1770) 533. t. 18. *SELAGINEAE* [Benth. & Hook. f. ii. 1129].

- GERBERTA*, Stell. ex Choisy, in *DC. Prod.* xii. 24 (1848).  
*GYMNANDRA*, Pall. Reise, iii. 710 (1776).  
*brachystachya*, Maxim. in *Bull. Acad. Pétersb.* xxvii. (1881) 525. —China.  
*brevituba*, Maxim. l. c. 524. —China.  
*cashmeriana*, Rupr. Sert. Tiansch. 64, in *textu* = *glauc.*  
*Clarkei*, Hook. f. Fl. Brit. Ind. iv. 559. —Reg. Himal.  
*decumbens*, Rupr. Sert. Tiansch. 64. —Turkestan.  
*glauc.*, J. Gaertn. in *Nov. Comm. Petrop.* xiv. (1770) 533. t. 18. f. 2. —As. et Am. bor. et arct.  
*globosa*, Hook. f. Fl. Brit. Ind. iv. 558. —Reg. Himal.  
*Gmelini*, Rupr. Sert. Tiansch. 64 = *glauc.*  
*Korolkowi*, Maxim. in *Bull. Acad. Pétersb.* xxvii. (1881) 522, 525. —Turkestan.  
*kunawurensis*, Rupr. Sert. Tiansch. 64 = *glauc.*  
*Pallasii*, Rupr. l. c. = *glauc.*  
*spectabilis*, Hook. f. Fl. Brit. Ind. iv. 560. —Reg. Himal.  
*Stelleri*, Rupr. Fl. Samoed. Cis. 49. n. 214 = *glauc.*  
*stolonifera*, Maxim. in *Bull. Acad. Pétersb.* xxvii. (1881) 525. —As. Min.

- LAGOTIS**, E. Mey. in *Drège, Zwei Pfl. Docum.* 197 (1843) = *Carpacoe*, Sond. (Rubiace.).  
*spermaceae*, E. Mey. l. c. = *C. Spermaceae*.  
*spermaceae*, E. Mey. ex Hook. Lond. Journ. Bot. ii. (1843) 541 = *C. Spermaceae*.

- LAGOWSKIA**, Trautv. in *Bull. Phys. Math. Pétersb.* xvi. (1858) 321 = *Coluteocarpus*, Boiss. (Crucif.).  
*physocarpa*, Trautv. l. c. 322 = *C. reticulatus*.

- LAGREZIA**, Moq. in *DC. Prod.* xiii. ii. 252 (1849) = *Celosia*, Linn. (Amarant.).  
*altissima*, Moq. l. c. 253 = *Deeringia altissima*.  
*madagascariensis*, Moq. l. c. 252 = *C. madagascariensis*.

- LAGUNA**, Cav. Diss. iii. 175. t. 71. f. 1 (1787) = *Hibiscus*, Linn. (Malvac.).  
*abyssinica*, Hochst. ex A. Rich. Tent. Fl. Abyss. i. 71 = *H. abyssinicus*.  
*aculeata*, Cav. Diss. iii. 173. t. 71. f. 1 = *H. ficulneus*.  
*angulata*, Hort. ex G. Don, Gen. Syst. i. 505 = *H. ficulneus*.  
*lanceolata*, Gaudich. in *Frey. Voy. Bot.* 476 = *H. lanceolatus*.  
*lobata*, Willd. Sp. Pl. iii. 733 = *H. Solandra*.  
*Patersonia*, Sims, Bot. Mag. t. 769; Pers. Syn. ii. 259 = *Lagunaria Patersonii*.  
*sileniflora*, Wall. Cat. n. 1882 = *H. Solandra*.  
*sinuata*, Hornem. Hort. Hafn. ii. 645 = *H. ficulneus*.



**LAGUNA:—**

*spathulata*, Gaudich. in Freyc. Voy. Bot. 476 = *Hibiscus spathulatus*, Gaudich.  
*squamea*, Vent. Jard. Malm. t. 42 = *Lagunaria Patersonii*.  
*ternata*, Willd. Sp. Pl. iii. 733 = *H. ternatus*.  
*tricolor*, G. Don, Gen. Syst. i. 505.—Afr. trop.

**LAGUNAEA**, Ag. Aph. 182 (1822) = **LAGUNEA**, Lour. = **Polygonum**, Linn.

**LAGUNAEA**, Schreb. Gen. ii. 463 (1791) = **LAGUNA**, Cav. = **Hibiscus**, Linn. (Malv.).

**LAGUNAENA**, Ritg. in Marb. Schrift. ii. (1831) 135 = **LAGUNEA**, Lour. = **Polygonum**, Linn.

**LAGUNARIA**, G. Don, Gen. Syst. i. 485 (1831). **MALVACEAE**, Benth. & Hook. f. i. 208.  
*cuneiformis*, G. Don, l. c. = *Fugosia cuneiformis*.  
*lilacina*, G. Don, in Sweet, Hort. Brit. ed. III. 77 = *Fugosia hakeaefolia*.  
*Patersonii*, G. Don, Gen. Syst. i. 485.—Austral.

**LAGUNCULARIA**, Gaertn. f. Fruct. iii. 209, t. 217 (1805). **COMBRETACEAE**, Benth. & Hook. f. i. 688.  
*HORAM*, Adans. Fam. ii. 80 (1763).  
*SPHENOCARPUS*, Rich. Anal. Fr. 92 (1802).  
*coccinea*, Gaudich. in Freyc. Voy. Bot. t. 104 = *Lumnitzera coccinea*.  
*glabriflora*, Presl, Rel. Haenk. ii. 22 = *racemosa*.  
*Haenkei*, Endl. in Ann. Wien. Mus. i. (1836) 180 = *Lumnitzera pedicellata*.  
*lutea*, Gaudich. in Freyc. Voy. Bot. 481, t. 105, f. 1 = *Lumnitzera lutea*.  
*obovata*, Miq. in *Linnaea*, xviii. (1844) 752.—Guian.  
*pedicellata*, Steud. Nom. ed. II. ii. 5 = *Lumnitzera pedicellata*.  
*purpurea*, Gaudich. in Freyc. Voy. Bot. 481 = *Lumnitzera coccinea*.  
*racemosa*, Gaertn. f. Fruct. iii. 209, t. 217, f. 2.—Ind. occ.; Guian.  
*rosea*, Gaudich. in Freyc. Voy. Bot. 481, t. 105, f. 2 = *Lumnitzera rosea*.

**LAGUNEA**, Lour. Fl. Cochinch. 220 (1790) = **Polygonum**, Linn.  
*cochinchinensis*, Lour. l. c. = *P. orientale*.

**LAGUNEA**, Pers. Syn. ii. 259 (1807) = **LAGUNA**, Cav. = **Hibiscus**, Linn. (Malvac.).

**LAGUNIZIA**, Scop. Introd. 216 (1777) = **Homalium**, Jacq. (Samyd.).

**LAGUNOA**, Poir. in Dict. Sc. Nat. xxv. 128 (1822) = **Lagunoa**, Ruiz & Pav. (Sapind.).

**LAGUOSTEMON**, Cass. in Dict. Sc. Nat. liii. 466 (1828) = **Saussurea**, DC. (Compos.).  
*liatroides*, Fisch. ex Wydl. in *Linnaea*, v. (1830) 427 = *S. pycnocephala*.  
*pygmaeus*, Cass. in Dict. Sc. Nat. liii. 467 = *S. pygmaea*.

**LAGURUS**, Linn. Gen. ed. I. 353 (1737). **GRAMINEAE**, Benth. & Hook. f. iii. 1154.  
*cylindricus*, Linn. Syst. ed. X. 878 = *Imperata arundinacea*.  
*ovatus*, Linn. Sp. Pl. 81.—Europ. austr.; Afr. bor.  
*Schoenanthus*, Steud. Nom. ed. I. 461, 46 = *Andropogon Schoenanthus*.

**LAGYNIAS**, E. Mey. in Drège, Zwei Pfl. Docum. 197 (1843) = **Vangueria**, Juss. (Rubiace.).  
*discolor*, E. Mey. l. c. = *V. lasiantha*.

**LAHAYA**, Roem. & Schult. Syst. v. 402 (1819) = **Polycarpaea**, Lam. (Caryophyll.).  
*alsinefolia*, Roem. & Schult. l. c. 405 = *Polycarpon alsinefolium*.  
*aristata*, Roem. & Schult. l. c. 403 = *P. aristata*.  
*corymbosa*, Roem. & Schult. l. c. 404 = *P. corymbosa*.  
*diffusa*, Roem. & Schult. l. c. 402 = *P. Teneriffae*.  
*fragilis*, Roem. & Schult. l. c. 406 = *P. fragilis*.  
*gnaphalioides*, Roem. & Schult. l. c. 405 = *P. nivea*.  
*latifolia*, Roem. & Schult. l. c. 403 = *P. latifolia*.  
*memphitica*, Roem. & Schult. l. c. 406 = *Polycarpon depressum*.

VOL. II.

**LAHAYA:—**

*minuartoides*, Roem. & Schult. Syst. v. 406 = *Polycarpaea minuartioides*.  
*polycarpoides*, Roem. & Schult. l. c. 404 = *Polycarpon peplodes*.  
*spadicea*, Roem. & Schult. l. c. = *P. corymbosa*.  
*stellata*, Roem. & Schult. l. c. 403 = *P. stellata*.  
*tenuifolia*, Roem. & Schult. l. c. 404 = *P. tenuifolia*.

**LAHIA**, Hassk. Hort. Bogor. ed. Nov. 99 (1858). **MALVACEAE**, Benth. & Hook. f. i. 213.  
*kutejensis*, Hassk. l. c. 100.—Borneo.

**LAIS**, Salisb. Gen. Pl. Fragm. 134 (1866) = **Hippeastrum**, Herb. (Amaryll.).  
*crocata*, Salisb. l. c. = *H. rutilum*.  
*fulgida*, Salisb. l. c. = *H. rutilum*.

**LALAGE**, Lindl. Bot. Reg. t. 1722 (1834) = **Bossiaea**, Vent. (Legumin.).  
*acuminata*, Meissn. in Lehm. Pl. Preiss. i. 86 = *B. ornata*.  
*angustifolia*, Meissn. l. c. = *B. ornata*.  
*hoveaefolia*, Benth. in Lindl. Swan River App. 15 = *B. ornata*.  
*ornata*, Lindl. Bot. Reg. t. 1722 = *B. ornata*.  
*stipularis*, Meissn. in Lehm. Pl. Preiss. i. 87 = *B. ornata*.

**LALLEMANDIA**, Walp. Rep. iii. 986 (1845) = seq.

**LALLEMANTIA**, Fisch. & Mey. Ind. Sem. Hort. Petrop. vi. 52 (1840). **LABIATAE**, Benth. & Hook. f. ii. 1200.  
*ZORNIA*, Moench, Meth. 410 (1794).  
*azurea*, Boiss. & Huet, ex Boiss. Fl. Orient. iv. 675 = *canescens*.  
*canescens*, Fisch. & Mey. Ind. Sem. Hort. Petrop. vi. 53.—As. Min.; Persia.  
*iberica*, Fisch. & Mey. l. c.—As. Min.; Syria.  
*peltata*, Fisch. & Mey. l. c.—Reg. Caucas.; Persia.  
*Royleana*, Benth. in DC. Prod. xii. 404.—Persia; Reg. Himal.  
*sulphurea*, C. Koch, in *Linnaea*, xxi. (1848) 679 = *iberica*.

**LAMANONIA**, Vell. Fl. Flum. 228 (1825); v. t. 104 (1827) = **Belangera**, Cambess. (Saxifr.).  
*ternata*, Vell. l. c. = *B. Lamanonia*.

**LAMARCHEA**, Gaudich. in Freyc. Voy. Bot. 483, t. 110 (1826). **MYRTACEAE**, Benth. & Hook. f. i. 704.  
*hakeaefolia*, Gaudich. l. c. 484, t. 110.—Austral.

**LAMARCKEA**, Steud. Nom. ed. II. ii. 6 (1841) = seq.

**LAMARCKIA**, DC. Fl. Fr. iii. 30 (1805) = **Lamarkia**, Moench (Gramin.).

**LAMARCKIA**, Hort. ex Endl. Gen. 1088, in syn. (1841) = **Elaeodendron**, Jacq. f. (Celastr.).

**LAMARCKIA**, Vahl, in Danske Nat. Selsk. Skrivt. vi. (1810) 93 = **Markea**, Rich. (Solanac.).

**LAMARKEA**, Pers. Syn. i. 218 (1805) = **Markea**, Rich. (Solanac.).  
*coccinea*, Pers. l. c. = *M. coccinea*.

**LAMARKEA**, Reichb. Consp. 175 (1828) = **Lamarchea**, Gaudich. (Myrtac.).

**LAMARKIA**, G. Don, Gen. Syst. iv. 487 (1837) = **Markea**, Rich. (Solanac.).

**LAMARKIA**, Medic. Phil. Bot. i. 28 (1789) = **Sida**, Linn. (Malvac.).  
*morifolia*, Medic. l. c. = *S. humilis*.

**LAMARKIA**, Moench, Meth. 201 (1794). **GRAMINEAE**, Benth. & Hook. f. iii. 1183.  
*CHRYSURUS*, Pers. Syn. i. 80 (1805).  
*PTERIUM*, Desv. in Journ. Bot. i. (1813) 75.  
*TINAEA*, Garzia, in Rel. Accad. Zel. Aci Reale, ann. 3-4, 24; ex Parl. Fl. Palerm. i. 138 (1845).  
*aurea*, Moench, Meth. 201.—Reg. Mediterr.; Oriens.  
*Hookeriana*, Griff. Itin. Not. 349; Notul. iii. 94 = *aurea*.  
*tenella*, DC. Cat. Hort. Monsp. 120 = *Aegopogon geminiflorus*.

**LAMBERTIA**, Sm. in Trans. Linn. Soc. iv. (1798) 214, t. 20. **PROTEACEAE**, Benth. & Hook. f. iii. 179.  
*Drummondii*, Gardn. in Gardn. & Field. Sert. Pl. t. 22 = *inermis*.  
*echinata*, R. Br. in Trans. Linn. Soc. x. (1810) 189.—Austral.  
*ericifolia*, R. Br. Prot. Nov. 30.—Austral.  
*formosa*, Sm. in Trans. Linn. Soc. iv. (1798) 223.—Austral.  
*ilicifolia*, Hook. Ic. Pl. t. 553.—Austral.  
*inermis*, R. Br. in Trans. Linn. Soc. x. (1810) 188.—Austral.  
*longifolia*, Lodd. ex Steud. Nom. ed. II. ii. 6.—Austral.  
*multiflora*, Lindl. Swan River App. 32.—Austral.  
*ovalifolia*, Heynh. Nom. i. 444 (Quid?).—Austral.  
*propinqua*, R. Br. Prot. Nov. 30 = *echinata*.  
*rariflora*, Meissn. in Lehm. Pl. Preiss. ii. 263.—Austral.  
*teretifolia*, Gaertn. f. Fruct. iii. 213, t. 217, f. 7 = *Hakea pugioniformis*.  
*uniflora*, R. Br. in Trans. Linn. Soc. x. (1810) 188.—Austral.

**LAMIA**, Endl. Gen. 949, in syn. (1841) = **LEMIA**, Vand. = **Portulaca**, Linn.

**LAMIELLA**, Fourr. in Ann. Soc. Linn. Lyon, N. S. xvii. (1869) 134 = **Lamium**, Tourn. (Labiata).  
*amplexicaulis*, Fourr. l. c. = *Lamium amplexicaule*.

**LAMIOPSIS**, Opiz, Seznam, 56 (1852) = **Lamium**, Tourn. (Labiata).  
*amplexicaulis*, Opiz, l. c. = *Lamium amplexicaule*.  
*purpurea*, Opiz, l. c. = *Lamium purpureum*.

**LAMIMUM**, [Tourn.] Linn. Syst. ed. I (1735). **LABIATAE**, Benth. & Hook. f. ii. 1210.  
*ERIANATHERA*, Benth. in Hook. Bot. Misc. iii. (1833) 380.  
*GALEOBDOLO*, Adans. Fam. ii. 190 (1763).  
*LAMIELLA*, Fourr. in Ann. Soc. Linn. Lyon, N. S. xvii. (1869) 134.  
*LAMIOPSIS*, Opiz, Seznam, 56 (1852).  
*ORVALA*, Linn. Gen. ed. I. 174 (1737).  
*POLLICHIA*, Schrank, in Act. Erf. iii. (1781) 35.  
*PSILOPSIS*, Neck. Elem. i. 319 (1790).  
*affine*, Guss. & Tenore, Fl. Nap. App. iv. p. x.—Italia.  
*albiflorum*, Schur, Enum. Pl. Transs. 534 = *purpureum*.  
*album*, Desf. Fl. Atlant. ii. 18 = *flexuosum*.  
*album*, Linn. Sp. Pl. 579.—Europ.; Oriens.  
*aleppicum*, Boiss. & Haussk. ex Boiss. Fl. Orient. 761.—Syria.  
*alpestre*, Trautv. in Act. Hort. Petrop. ii. (1873) 481 = *tomentosum*.  
*amplexicaule*, Linn. Sp. Pl. 579.—Europ.; As. bor.  
*armenum*, Boiss. Diagn. Ser. I. vii. 55.—Armenia.  
*barbatum*, Sieb. & Zucc. Fl. Jap. Fam. Nat. 34 = *album*.  
*bifidum*, Cyrilli, Pl. Rar. Neap. Fasc. i. 22, t. 7.—Europ. austr.  
*bithynicum*, Benth. in DC. Prod. xii. 505.—Bithynia.  
*calycinum*, Urv. in Mém. Soc. Linn. Par. i. (1822) 323 = *moschatum*.  
*capitatum*, Sm. in Rees, Cycl. xx. n. 7 = *album*.  
*Cardiacum*, Cogn. in Bull. Soc. Bot. Fr. xx. (1873) p. xxiv.—Gallia.  
*cathariaefolium*, Schott & Kotschy, in Tehihat. As. Min. Bot. ii. 178, nomen.—As. Min.  
*chinense*, Benth. in DC. Prod. xii. 512.—China.  
*Coesfeldiae*, Weihe, ex Reichb. Ic. Pl. Crit. iii. 21 = *purpureum*.  
*Columnae*, Tenore, Ind. Sem. Hort. Neap. (1827) 16; Syll. 285.—Italia.  
*confertum*, Fries, Summa Veg. Skand. 15, 198 = *purpureum*.  
*confusum*, Mart. Fl. Tarn. 561 = *purpureum*.  
*corsicum*, Gren. & Godr. Fl. Fr. ii. 673 = *purpureum*.  
*crinitum*, Month. & Auch. in Ann. Sc. Nat. Ser. II. 1836) 48.—As. Min.; Persia.  
*cryptanthum*, Guss. Fl. Sicul. Prod. ii. 97 = *bu*.  
*cupreum*, Schott, in Oestr. Bot. Wochenbl. 1855 357 = *Transsylv.*  
*cylleneum*, Boiss. & Orph. Diagn. Ser. II. iv. 45 = *striatum*.  
*cymbalariaefolium*, Boiss. Fl. Orient. iv. 752.—Ly.  
*decipiens*, Sond. ex Mart. Fl. Tarn. 560 = *purpureum*.  
*dilatatum*, Schur, Enum. Pl. Transs. 535 = *cuj*.  
*dissectum*, With. Bot. Arr. ed. III. iii. 527 = *purpureum*.  
*Durandoi*, Pomet, Nouv. Mat. Fl. Atl. 117.—Alg.



**LAMIUM** :—

*Ehrenbergii*, Boiss. & Reut. ex Boiss. *Fl. Orient.* iv. 761.—Syria.  
*elegantissimum*, Schur, Enum. Pl. Transs. 535 = *cupreum*.  
*eriocephalum*, Benth. in *DC. Prod.* xii. 506.—As. Min.  
*erythrorichum*, Boiss. *Diagn. Ser. I.* v. 26 = *Wiedmannia orientalis*.  
*filicaule*, Boiss. l. c. xii. 86 = *tomentosum*.  
*flexuosum*, Tenore, *Fl. Nap.* ii. 19. t. 52.—Reg. Mediterr.  
*foetidum*, Gilib. Exercit. i. 97 = *purpureum*.  
*foliosum*, Crantz, *Stirp. Austr.* ed. II. fasc. iv. 258 = *album*.  
*galactophyllum*, Boiss. & Reut. ex Boiss. *Fl. Orient.* iv. 766.—Armenia.  
*Galeobdolon*, Crantz, *Stirp. Austr.* ed. II. fasc. iv. 262.—Europ.  
*garganicum*, Linn. *Sp. Pl.* ed. II. 808.—Italia; Graecia; China.  
*glechomoides*, Sm. in Rees, *Cycl.* xx. n. 11 = *striatum*.  
*grandiflorum*, Herb. Willd. ex Benth. in *Linnaea*, xi. (1837) 334 = *maculatum*.  
*grandiflorum*, Pourr. in *Mém. Acad. Toul.* iii. (1788) 322 = *longiflorum*.  
*grandiflorum*, Salisb. *Prod.* 81 = *L. Orvala*.  
*Grenieri*, Mutel, *Fl. Fr.* iii. 25 = *maculatum*.  
*guestphalicum*, Weihe, ex Nym. *Consp.* 575 = *purpureum*.  
*Gundelsheimeri*, C. Koch, in *Linnaea*, xvii. (1843) 297.—Armenia.  
*heterophyllum*, Scheele, in *Linnaea*, xxii. (1849) 594.—Dalmat.  
*hirsutum*, Lam. *Encyc.* iii. 410 = *maculatum*.  
*hirtum*, Poir. *Encyc. Suppl.* 296 = *Stachys Macraei*.  
*hispidulum*, Michx. *Fl. Bor. Am.* ii. 4 = *Synandra grandiflora*.  
*humile*, Maxim. in *Bull. Acad. Petersb.* xxix. (1883) 179.—Japan.  
*hybridum*, Vill. *Hist. Pl. Dauph.* i. 251 = *purpureum*.  
*incisum*, Willd. *Sp. Pl.* iii. 89 = *purpureum*.  
*inflatum*, Heuff. in *Verh. Zool.-Bot. Ges. Wien*, viii. (1858) 179.—Europ. or.  
*intermedium*, Fries, *Novit. Fl. Suec.* ed. I. 105; ed. II. 192.—Europ. bor.  
*Ladanum*, Crantz, *Stirp. Austr.* ed. II. fasc. iv. 259 = *Galeopsis Ladanum*.  
*laevigatum*, DC. *Fl. Fr.* iii. 541 = *longiflorum*.  
*laevigatum*, Linn. *Sp. Pl.* ed. II. 808 = *maculatum*.  
*lasiodiades*, Stapf, in *Denkschr. Acad. Wien*, l. (1885) 101.—Mesopot.  
*latifolium*, Gromow, ex Trautv. in *Act. Hort. Petrop.* ix. (1884) 109 (sp. ignot.).—Russia.  
*longiflorum*, Tenore, *Fl. Nap. Prod.* p. xxxiv.—Europ. austr.  
*luteum*, Krock. *Fl. Siles. Suppl.* ii. 148 = *L. Galeobdolon*.  
*lycium*, Boiss. *Fl. Orient.* iv. 762.—Lycia.  
*macrodon*, Boiss. & Huet, *Diagn. Ser. II.* iv. 45.—Kurdistan.  
*maculatum*, Linn. *Sp. Pl.* ed. II. 809.—Europ.; Oriens.  
*Manganottianum*, Clem. in *Mem. Acc. Sc. Torino*, Ser. II. xvi. (1857) 311 = *veronicaefolium*.  
*melissaefolium*, Mill. *Gard. Dict.* ed. VIII. n. 5 = *maculatum*.  
*mesogaeon*, Heldr. ex Boiss. *Fl. Orient.* iv. 760 = *amplexicaule*.  
*Michaelianum*, Tausch, in *Flora*, xiv. (1831) 215 = *garganicum*.  
*micranthum*, Weinm. in *Syll. Ratisb.* i. (1824) 68.—Bras.?  
*microphyllum*, Boiss. *Diagn. Ser. I.* v. 25.—As. Min.  
*molle*, Boiss. & Orph. ex Boiss. *Fl. Orient.* iv. 756.—Macedon.  
*molle*, [Soland. in] Ait. *Hort. Kew.* ed. I. ii. 297 = *purpureum*.  
*moluccaefolium*, Link, *Handb.* i. 471, sphalm. = seq.  
*moluccaefolium*, Fries, *Nov. Fl. Suec.* 72; ex Reichb. *l. c.* Pl. Crit. iii. 72 = *intermedium*.  
*moschatum*, Mill. *Gard. Dict.* ed. VIII. n. 4.—Graecia; As. Min.  
*multifidum*, Linn. *Sp. Pl.* 579 = *Wiedmannia multifida*.  
*mutabile*, Dum. *Fl. Belg.* 45 = *maculatum*.  
*nepetaefolium*, Boiss. *Fl. Orient.* iv. 757 = *striatum*.  
*nivale*, Boiss. & Heldr. *Diagn. Ser. I.* vii. 54 = *striatum*.  
*niveum*, Hort. ex Reichb. f. *l. c.* *Fl. Germ.* xxviii. 3 = *album*.

**LAMIUM** :—

*niveum*, Schrad. in *Linnaea*, xv. (1841) Litt. 94 = *maculatum*.  
*nudum*, Crantz, *Stirp. Austr.* ed. II. fasc. iv. 259; Moench, *Meth.* 393 = *purpureum*.  
*numidicum*, Noé, in *Bull. Soc. Bot. Fr.* ii. (1855) 584 = *longiflorum*.  
*ochroleucum*, Link, in *Linnaea*, ix. (1834) 574 = *moschatum*.  
*ocimifolium*, Sm. in Rees, *Cycl.* xx. n. 14 = *purpureum*.  
*orthodon*, Boiss. & Huet, *Diagn. Ser. II.* iv. 45 = *macrodon*.  
*Orvala*, Linn. *Syst.* ed. X. 1099.—Europ. austr.  
*pallidum*, Salisb. *Prod.* 81 = *garganicum*.  
*palmatum*, Sm. in Rees, *Cyclop.* xx. n. 18 = *amplexicaule*.  
*pannonicum*, Scop. *Fl. Carn.* ed. II. i. 406 = *L. Orvala*.  
*parietariaefolium*, Benth. *Lab. Gen. et Sp.* 739 = *album*.  
*pedemontanum*, Reichb. *Fl. Germ. Excurs.* 322 = *longiflorum*.  
*persicum*, Boiss. & Buhse, in *Nouv. Mém. Soc. Nat. Mosc.* xii. (1860) 180 = *crinitum*.  
*petiolatum*, Royle, ex Benth. in *Hook. Bot. Misc.* iii. (1833) 381 = *album*.  
*Petitinum*, J. Gay, ex Benth. *Lab. Gen. et Sp.* 515 = *flexuosum*.  
*phalacranthera*, St. Lag. in *Ann. Soc. Bot. Lyon*, vii. (1880) 128 = *L. Orvala*.  
*pictum*, Boiss. & Heldr. *Diagn. Ser. II.* iv. 44 = *striatum*.  
*plebeium*, Boiss. l. c. 45 = *macrodon*.  
*plebeium*, Boiss. & Huet, ex Boiss. *Fl. Orient.* iv. 758 = *striatum*.  
*ponticum*, Boiss. & Bal. ex Boiss. l. c. 766.—As. Min.  
*pubescens*, Sibth. ex Benth. *Lab. Gen. et Sp.* 515.—Ital.  
*purpureum*, Linn. *Sp. Pl.* 579.—Europ.; As. bor.  
*rectum*, Schenk, *Pl. Nov. Sp. Aegypt.* 19 = *striatum*.  
*reniforme*, Montbr. & Auch. in *Ann. Sc. Nat. Sér. II.* vi. (1836) 47 = *striatum*.  
*rhomboideum*, Benth. *Lab. Gen. et Sp.* 509.—Reg. Himal.  
*Robertsonii*, Boiss. *Diagn. Ser. I.* vii. 54.—Persia.  
*rubrum*, Jenkinson, *Brit. Pl.* 128; Wallr. *Sched. Crit.* 300 = *maculatum*.  
*rugosum*, Sibth. & Sm. *Fl. Graec.* vi. 45. t. 555 = *pubescens*.  
*rugosum*, [Soland. in] Ait. *Hort. Kew.* ed. I. ii. 296 = *maculatum*.  
*stenosiphon*, Boiss. & Haussk. ex Boiss. *Fl. Orient.* iv. 760.—Persia.  
*stoloniferum*, Lapeyr. *Hist. Abr. Pl. Pyr.* 333 = *maculatum*.  
*striatum*, Sibth. & Sm. *Fl. Graec.* vi. 46. t. 557.—Graecia; As. Min.  
*tenuiflorum*, Fisch. & Mey. in *Ann. Sc. Nat. Sér. IV.* i. (1854) 34.—As. Min.  
*Tetrahit*, Crantz, *Stirp. Austr.* ed. II. fasc. iv. 261 = *Galeopsis Tetrahit*.  
*tomentosum*, Benth. ex Nym. *Consp.* 575 = *L. Columnae*.  
*tomentosum*, Willd. *Sp. Pl.* iii. 90.—As. Min.; Persia.  
*truncatum*, Boiss. *Diagn. Ser. I.* xii. 86.—Syria.  
*urticaefolium*, Weihe, ex Reichb. *l. c.* Pl. Crit. iii. 21 = *purpureum*.  
*veronicaefolium*, Benth. in *Ann. Sc. Nat. Sér. II.* vi. (1835) 47 = *armenum*.  
*veronicaefolium*, Benth. *Lab. Gen. et Sp.* 510.—Bithyn.  
*vestitum*, Benth. in *DC. Prod.* xii. 507 = *tomentosum*.  
*vulgatum*, Benth. *Lab. Gen. et Sp.* 514 = *album*, *maculatum*.  
*westfalicum*, Weihe, ex Boenn. in *Flora*, vi. (1823) 539 = seq.  
*westphalium*, Bluff & Fingerh. *Comp. Fl. Germ.* ed. II. i. ii. 353 = *purpureum*.

LAMOTTEA, Pomel, in *Bull. Soc. Bot. Fr.* xvii. (1870) 235 = *Munbya*, Pomel (*Legumin.*).  
*polystachya*, Pomel, l. c. = *M. polystachya*.

LAMOTTEA, Pomel, *Mat. Fl. Atl.* 3 (1860) = *Carduncellus*, Adans. (*Compos.*).  
*arenosa*, Pomel, in *Bull. Soc. Bot. Fr.* xvii. (1870) 235 (= *Onobroma arenosum*).—Alger.  
*caerulea*, Pomel, *Mat. Fl. Atl.* 4 = *C. caeruleus*.  
*calva*, Pomel, l. c. 7 (= *Onobroma calvum*).—Alger.  
*carlinoides*, Pomel, l. c. 5 (= *Onobroma carlinoides*).—Alger.

**LAMOTTEA** :—

*carthamoides*, Pomel, *Mat. Fl. Atl.* 6 (= *Onobroma carthamoides*).—Alger.  
*centaureoides*, Pomel, l. c. 5.—Alger.  
*Choulettiana*, Pomel, l. c. 3 (= *Onobroma Choulettiana*).—Alger.  
*depauperata*, Pomel, l. c. 6 (= *Onobroma depauperata*).—Alger.  
*hispanica*, Pomel, in *Bull. Soc. Bot. Fr.* xvii. (1870) 235 (= *Onobroma hispanicum*).—Alger.  
*incrassata*, Pomel, *Mat. Fl. Atl.* 5.—Alger.  
*montana*, Pomel, l. c. 4.—Alger.  
*multifida*, Pomel, l. c.—Alger.  
*pectinata*, Pomel, l. c. 6 = *C. pectinatus*.

LAMOUROUXIA, H. B. & K. *Nov. Gen. et Sp.* ii. 335. t. 167 ad 169 (1827). *SCROPHULARINEAE*, Benth. & Hook. f. ii. 978.  
*andicola*, Gill, ex Benth. in *DC. Prod.* x. 542, 554 = *Euphrasia andicola*.  
*bartsioides*, Hook. *Bot. Misc.* ii. (1831) 234 = *Bartsia densiflora*.  
*betonicaefolia*, Benth. in *DC. Prod.* x. 539 = *macrantha*.  
*breviflora*, Benth. l. c. 540.—Peruv.  
*cordata*, Schlecht. in *Linnaea*, v. (1830) 103 = *viscosa*.  
*dependens*, Benth. in *DC. Prod.* x. 539.—Guatemal.  
*euphrasioides*, Bert. ex Benth. in *DC. Prod.* x. 542 = *Bartsia densiflora*.  
*grandiflora*, Benth. ex Linden, *Cat.* n. 10 (1855) 6.—Mexic.  
*Gutierrezii*, Oerst. in *Kjoeb. Vidensk. Meddel.* (1 53) 29.—Venezuela.  
*laciniata*, Mart. & Gal. in *Bull. Acad. Brux.* xii. ii. (1845) 32 = *multifida*.  
*lanceolata*, Benth. in *DC. Prod.* x. 542.—Mexic.  
*linearis*, Benth. l. c. 540 = *tenuifolia*.  
*longiflora*, Benth. *Pl. Hartw.* 22.—Mexic.  
*loxensis*, Benth. l. c. 147.—Ecuador.  
*macrantha*, Mart. & Gal. in *Bull. Acad. Brux.* xii. ii. (1845) 32.—Mexic.  
*microphylla*, Mart. & Gal. l. c. 31.—Mexic.  
*multifida*, H. B. & K. *Nov. Gen. et Sp.* ii. 339.—Mexic.  
*ovata*, Mart. & Gal. in *Bull. Acad. Brux.* xii. ii. (1845) 33.—Mexic.  
*parviflora*, Hemsl. *Biol. Centr. Am. Bot.* ii. 465.—Mexic.  
*parvifolia*, Benth. in *DC. Prod.* x. 541 = *microphylla*.  
*rhinanthifolia*, H. B. & K. *Nov. Gen. et Sp.* ii. 337. t. 169.—Mexic.  
*scabra*, Benth. in *Seem. Bot. Voy. Herald*, 177. t. 33 = *Gutierrezii*.  
*serratifolia*, H. B. & K. *Nov. Gen. et Sp.* ii. 336. t. 168.—N. Granat.  
*spathacea*, Benth. in *DC. Prod.* x. 539.—Mexic.  
*subincisa*, Benth. l. c. 540.—Peruv.  
*sylvatica*, H. B. & K. *Nov. Gen. et Sp.* ii. 337. t. 169.—Peruv.  
*tenuifolia*, Mart. & Gal. in *Bull. Acad. Brux.* xii. ii. (1845) 32.—Mexic.  
*viejensis*, Oerst. in *Kjoeb. Vidensk. Meddel.* (1853) 28.—Nicaragua.  
*virgata*, H. B. & K. *Nov. Gen. et Sp.* ii. 336. t. 167.—Ecuador.  
*viscosa*, H. B. & K. l. c. 338.—Mexic.  
*xalapensis*, H. B. & K. l. c.—Mexic.

LAMPETIA, Rafin. *Fl. Tellur.* iii. 24 (1836) = *Mollugo*, Linn. (*Ficoid.*).  
*nudicaulis*, Rafin. l. c. = *M. nudicaulis*.

LAMPETIA, M. Roem. *Syn. Hesper.* 42 (1846) = *Atalantia*, Correa (*Rutac.*).  
*racemosa*, M. Roem. l. c. = *A. racemosa*.  
*sarmentosa*, M. Roem. l. c. = *Luvunga eleutherandra*.

LAMPOCARPYA, Spreng. *Anleit.* ii. i. 133 (1817) = seq.

LAMPOCARYA, R. Br. *Prod.* 238 (1810) = *Gahnia*, Forst. (*Cyperac.*).  
*affinis*, Brongn. in *Duperr. Voy. Coq. Bot.* 166. t. 29 = *G. Gaudichaudii*.  
*aspera*, R. Br. *Prod.* 238 = *G. aspera*.  
*Gaudichaudii*, Brongn. in *Duperr. Voy. Coq. Bot.* 166 = *G. Gaudichaudii*.  
*hexandra*, R. Br. *Prod.* 238 = *G. trifida*.  
*lacera*, Lesson, ex A. Rich. *Voy. Astrol.* 109 = *G. lacera*.



## LAMPOCARYA:—

- leptostachya*, Schrad. ex Boeck. in Linnaea, xxxviii. (1874) 354 = *Gahnia leptostachya*.  
*rawacensis*, Kunth, Enum. Pl. ii. 333 = *G. aspera*.  
*schoenoides*, R. Br. Prod. 238 = *G. schoenoides*.  
*setifolia*, Lesson & Rich. ex Hook. f. Handb. N. Zeal. Fl. 306 = *G. setifolia*.  
*tenax*, Hook. f. Fl. N. Zel. i. 277 = *Cladium Gunnii*.  
*xanthocarpa*, Hook. f. l. c. 278 = *G. xanthocarpa*.

LAMPRA, Benth. Pl. Hartw. 95 (1842) = **Weldenia**, Schult. (Commelin.).  
*volcanica*, Benth. l. c. = *W. candida*.

LAMPRA, Lindl. ex DC. Prod. iv. 72 (1830) = **Trachymene**, Rudge (Umbellif.).

**LAMPRACHAENIUM**, Benth. in Benth. & Hook. f. Gen. ii. 225 (1873). **COMPOSITAE**, Benth. & Hook. f. l. c.  
*microcephalum*, Benth. l. c. 226.—Ind. or.

LAMPROCAPNOS, Endl. Gen. Suppl. v. 32 (1850) = **Dicentra**, Bernh. (Papav.).

LAMPROCARPUS, Blume, in Schult. f. Syst. vii. 1615, 1726 (1830) = **Polia**, Thunb. (Commelin.).  
*thyrsiflorus*, Blume, l. c. 1726 = *P. thyrsiflora*.

LAMPROCARYA, Nees, in Linnaea, ix. (1834) 301 = LAMPOCARYA, R. Br. = **Gahnia**, Forst. (Cyperac.).

**LAMPROCAULOS**, Mast. in DC. Monog. Phan. i. 349. t. 3 (1878). **RESTIACEAE**, [Benth. & Hook. f. iii. 1032].  
*grandis*, Mast. l. c.—Afr. austr.  
*Neesii*, Mast. l. c. 350.—Afr. austr.

LAMPROCHLAENA, F. Muell. Fragm. iii. 157 (1863) = **Myriocephalus**, Benth. (Compos.).  
*Oldfieldii*, F. Muell. l. c. = *M. nudus*.

LAMPROCOCCUS, Beer, Bromel. 103 (1857) = **Aechmea**, Ruiz & Pav. (Bromel.).  
*caerulescens*, Regel, Gartenf. (1871) 225. t. 694 = *A. caerulescens*.  
*chlorocarpus*, Wawra, in Oestr. Bot. Zeitschr. xii. (1862) 382 = *A. parviflora*.  
*corallinus*, Beer, Bromel. 106 = *A. corallina*.  
*farinosus*, Regel, Ind. Sem. Hort. Petrop. (1868) 79; et in Ann. Sc. Nat. Sér. V. x. (1869) 381.—Bras.?  
*fulgens*, Beer, Bromel. 103 = *A. fulgens*.  
*glomeratus*, Beer, l. c. 105 = *A. glomerata*?  
*Laurentianus*, C. Koch, Wochenschr. iii. (1860) 73 = *A. Weilbachii*.  
*miniatus*, Beer, Bromel. 104 = *A. fulgens*.  
*ramosus*, Beer, l. c. 106.—Ind. occ.  
*Vallerandi*, Carr. in Rev. Hort. (1877) 129 = *Streptocalyx Vallerandi*.  
*Weilbachii*, E. Morr. in Belg. Hort. (1861) 305 = *A. Weilbachii*.

LAMPROCONUS, Lem. Jard. Fleur. ii. (1852) sub t. 127 = **Pitcairnia**, L'Hérit. (Bromel.).  
*Altensteinii*, Lem. l. c. = *P. Altensteinii*.  
*giganteus*, Lem. l. c. = *P. Altensteinii*.  
*Jacksoni*, Hemsl. Biol. Centr. Am. Bot. iii. 316 = *P. Jacksoni*.  
*undulatus*, Lem. Jard. Fleur. i. (1852) sub t. 127 = *P. undulata*.  
*Warszewiczii*, Lem. Illustr. Hort. viii. (1861) Misc. 14 = *P. atrorubens*.

LAMPRODITHYROS, Hassk. in Flora, xlv. (1863) 388 = **Aneilema**, R. Br. (Commelin.).  
*acuminatus*, Hassk. ex C. B. Clarke, in DC. Monog. Phan. iii. 223 = *A. acuminatum*.  
*adhaerens*, Hassk. in Schweinf. Beitr. Fl. Aethiop. 211 = *A. aequinoctiale*.  
*aequinoctialis*, Hassk. l. c. = *A. aequinoctiale*.  
*beniniensis*, Hassk. in Peters, Reise Mossamb. Bot. 529 = *A. beniniense*.  
*biflorus*, Hassk. ex C. B. Clarke, in DC. Monog. Phan. iii. 224 = *A. biflorum*.  
*Dregeanus*, Hassk. in Peters, Reise Mossamb. Bot. 529 = *A. Dregeanum*.

## LAMPRODITHYROS:—

- Ehrenbergii*, Hassk. in Schweinf. Beitr. Fl. Aethiop. 210 = *Aneilema Ehrenbergii*.  
*gracilis*, Kotschy & Peyr. Pl. Tinn. 47. t. 23 = *A. gracile*.  
*lanceolatus*, Hassk. in Schweinf. Beitr. Fl. Aethiop. 211 = *A. lanceolatum*.  
*paniculatus*, Hassk. in Flora, xlv. (1863) 389 = *Floscopa scandens*.  
*Petersii*, Hassk. l. c. = *A. Petersii*.  
*protensus*, Hassk. in Peters, Reise Mossamb. Bot. ii. 529 = *A. protensum*.  
*rivularis*, Hassk. in Schweinf. Beitr. Fl. Aethiop. 211 = *Floscopa rivularis*.  
*Russegeri*, Fenzl, in Sitzb. Acad. Wien, Math. Nat. t. i. Abth. II. (1865) 138 = *A. lanceolatum*.  
*Schomburgkianus*, Hassk. in Flora, xlv. (1863) 389 = *A. ovato-oblongum*.  
*stenorhachys*, Hassk. ex C. B. Clarke, in DC. Monog. Phan. iii. 226 = *A. ovato-oblongum*.  
*tacazeanus*, Hassk. in Peters, Reise Mossamb. Bot. 531 = *A. aequinoctiale*.

**LAMPROLOBIUM**, Benth. Fl. Austral. ii. 202 (1864). **LEGUMINOSAE**, Benth. & Hook. f. i. 495.  
*fruticosum*, Benth. l. c.—Austral.  
*megalophyllum*, F. Muell. Fragm. ix. 67.—Austral.

LAMPROPHYLLUM, Miers, in Proc. Linn. Soc. ii. (1854) 338; et in Trans. Linn. Soc. xxi. (1855) 249. t. 26 = **Rheedia**, Linn. (Guttif.).  
*Gardnerianum*, Triana & Planch. in Ann. Sc. Nat. Sér. IV. xiv. (1860) 322 = *R. Gardneriana*.  
*laetum*, Miers, in Proc. Linn. Soc. ii. (1854) 338; et in Trans. Linn. Soc. xxi. (1855) 249 (sp. dub.).—Am. trop.

**LAMPROSPERMUM**, Klotzsch, in Schomb. Fauna et Fl. Brit. Gui. 1181 (1848), nomen. **SAPINDACEAE**.  
*guianense*, Klotzsch, l. c.—Guiana.  
*Schomburgkii*, Klotzsch, l. c.—Guiana.

LAMPROSTACHYS, Boj. ex Benth. in DC. Prod. xii. 457 (1848) = **Achyropermum**, Blume (Labi.).  
*rosea*, Boj. ex Benth. l. c. 458 = *A. fruticosum*.

**LAMPROTHAMNUS**, Hiern, in Oliver, Fl. Trop. Afr. iii. 130 (1877). **RUBIACEAE**.  
*zanguebaricus*, Hiern, l. c.—Afr. trop.

LAMPROTIS, D. Don, in Edinb. N. Phil. Journ. xvii. (1834) 154 = **Erica**, Tourn.  
*aperta*, G. Don, Gen. Syst. iii. 812 = *E. borbonicaefolia*.  
*Aphanes*, G. Don, l. c. = *E. Aphanes*.  
*Bedfordiana*, G. Don, l. c. 811 = *E. leucantha*.  
*biflora*, G. Don, l. c. 812 = *E. dianthifolia*.  
*borbonicaefolia*, G. Don, l. c. = *E. borbonicaefolia*.  
*brevifolia*, G. Don, l. c. 811 = *E. brevifolia*.  
*calycina*, D. Don, in Edinb. N. Phil. Journ. xvii. (1834) 154 = *E. bracteata*.  
*calycinoides*, G. Don, Gen. Syst. iii. 811 = *E. glomerata*.  
*chlamydiflora*, G. Don, l. c. = *E. chlamydiflora*.  
*corifolia*, G. Don, l. c. 810 = *E. corifolia*.  
*dianthifolia*, G. Don, l. c. 812 = *E. dianthifolia*.  
*fabrilis*, G. Don, l. c. 811 = *E. fabrilis*.  
*flagellaris*, G. Don, l. c. = *E. teretiuscula*.  
*flagelliformis*, G. Don, l. c. = *E. teretiuscula*.  
*gnaphalodes*, G. Don, l. c. = *E. gnaphalodes*.  
*holosericea*, G. Don, l. c. = *E. andromedaeflora*.  
*hyssopifolia*, G. Don, l. c. = *E. bracteata*.  
*Loddigesii*, G. Don, l. c. = *E. spumosa*.  
*lucida*, G. Don, l. c. = *E. lucida*.  
*lutea*, D. Don, in Edinb. N. Phil. Journ. xvii. (1834) 154 = *E. lutea*.

*modesta*, G. Don, Gen. Syst. iii. 811 = *E. modesta*.  
*mucronata*, Steud. Nom. ed. II. ii. 7 = *E. mucronata*.  
*munda*, G. Don, Gen. Syst. iii. 811 = *E. nigrita*.  
*oppositifolia*, G. Don, l. c. = *E. lutea*.  
*pallida*, G. Don, l. c. 810 = *E. palliflora*.  
*paniculata*, G. Don, l. c. 811 = *E. paniculata*.  
*phylicoides*, G. Don, l. c. = *E. pulchella*.  
*rubella*, G. Don, l. c. 812 = *E. glomerata*.  
*rubida*, G. Don, l. c. 811 = *E. glomerata*.  
*selaginifolia*, G. Don, l. c. = *E. selaginifolia*.  
*spumosa*, G. Don, l. c. 810 = *E. spumosa*.  
*squamosa*, G. Don, l. c. 812 = *E. squamosa*.

## LAMPROTIS:—

- taxifolia*, D. Don, in Edinb. N. Phil. Journ. xvii. (1834) 154 = *Erica taxifolia*.  
*tenuifolia*, D. Don, l. c. = *E. tenuifolia*.  
*togata*, G. Don, Gen. Syst. iii. 812 = *E. borbonicaefolia*.  
*turgida*, G. Don, l. c. 810 = *E. taxifolia*.

LAMPSANA, [Tourn.] Rupp. Fl. Jen. ed. Hall. 209 (1745) = **Lapsana**, Linn. (Compos.).

LAMPUJANG, Koen. in Retz. Obs. iii. 62 (1783) = **Zingiber**, Adans. (Scitam.).  
*majus*, Medic. in Act. Acad. Theod. Palat. vi. Phys. (1790) 392.—Ind. or.

LAMYRA, Cass. in Dict. Sc. Nat. xxv. 218 (1822) = **Cnicus**, Linn. (Compos.).  
*alata*, Cass. l. c. 222; et l. 470 = *C. strictus*.  
*angustifolia*, Cass. l. c. xxv. 221 = *C. echinocephalus*.  
*diacantha*, Cass. l. c. = *C. diacanthus*.  
*glabella*, Cass. l. c. 222; et l. 470 = *C. strictus*.  
*hispanica*, Webb, Iter Hisp. 34 = *C. hispanicus*.  
*lobata*, Cass. in Dict. Sc. Nat. xxv. 221 = *C. afer*.  
*pinnatifida*, Cass. l. c. = *C. horridus*.  
*stipulacea*, Cass. l. c. 222 = *C. stellatus*.  
*triacantha*, Cass. l. c. 220 = *C. Casabonae*.  
*undulata*, Cass. l. c. = *C. hispanicus*.

LANARIA, Adans. Fam. ii. 255 (1763) = **Gypsophila**, Linn. (Caryophyll.).

**LANARIA**, Ait. Hort. Kew. ed. I. i. 462 (1769). **HAEMODORACEAE**, Benth. & Hook. f. iii. 675.  
*ARGOLASIA*, Juss. Gen. 69 (1789).  
*AUGEA*, Retz. Obs. v. 3 (1789).  
*plumosa*, Ait. Hort. Kew. ed. I. i. 462.—Afr. austr.

**LANCEA**, Hook. f. & Thoms. in Hook. Kew Journ. ix. (1857) 244. t. 7. **SCROPHULARINEAE**, Benth. & Hook. f. ii. 948.  
*tibetica*, Hook. f. & Thoms. l. c.—Reg. Himal.

LANCISIA, Lam. Illustr. Gen. t. 701. ff. 2, 3 (1798?) = **Lidbeckia**, Berg (Compos.).  
*anthemoides*, Moench, Meth. Suppl. 232 = *Cotula anthemoides*.  
*bipinnata*, Pers. Syn. ii. 463 = *Lasiospermum radiatum*.  
*lobata*, Pers. l. c. = *L. lobata*.  
*pectinata*, Lam. ex Pers. l. c. = *L. pectinata*.

LANCISIA, Ponted. ex Adans. Fam. ii. 126 (1763) Gaertn. Fruct. ii. 422 (1791) = **Cenia**, Juss. (Compos.).  
*turbinata*, Gaertn. l. c. = *C. turbinata*.

LANCRETIA, Delile, Fl. Egypte, 213. t. 25 (1813) = **Bergia**, Linn. (Elatin.).  
*suffruticosa*, Delile, l. c. = *B. odorata*.

LANDERSIA, Macfad. Fl. Jamaica. ii. 142 (1837) **Melothria**, Linn. (Cucurb.).  
*pervaga*, Macfad. l. c. = *M. pervaga*.

LANDIA, Comm. ex Juss. Gen. 201, in obs. (1789) **Mussaenda**, Burm. (Rubi.).  
*astrographa*, Comm. ex DC. Prod. iv. 372 = *M. arcuata*.  
*lappacea*, Domb. ex Vitm. Summa, iv. 340 = *M. Landia*.  
*stelligera*, Comm. ex DC. Prod. iv. 372 = *M. arcuata*.

LANDOLPHIA, D. Dietr. Syn. Pl. i. 561, 625 (1839) seq.

**LANDOLPHIA**, Beauv. Fl. Owar. i. 54. t. 34 (1806) **APOCYNACEAE**, Benth. & Hook. l. ii. 692.  
**ALSTONIA**, Scop. Introd. 198 (1777).  
**FATERNA**, Noronha, ex A. DC. in DC. Prod. iv. 327 (1844).  
**PACOURIA**, Aubl. Pl. Gui. i. 268. t. 105 (1775).  
**VAHEA**, Lam. Illustr. Gen. t. 169 (1798).  
**WILLUGHBEIA**, Klotzsch, in Peters, Reise Mossamb. Bot. 281 (1861).  
*capensis*, Oliver, in Hook. Ic. Pl. t. 1228.—At. 400.  
*comorensis*, Benth. & Hook. f. Gen. ii. 692.  
*Comor.*  
*florida*, Benth. in Hook. Niger Fl. 444.—Afr. 1000.



**LANDOLPHIA** :—

Heudelotii, *A. DC. in DC. Prod.* viii. 320.—Afr. trop.  
Kirkii, [*Dyer, in Kew Gard. Rep.* 1880 (1881) 39.—  
Afr. trop.  
madagascariensis, *Benth. & Hook. f. Gen.* ii. 693.—  
Madag.  
Mannii, [*Dyer, in Kew Gard. Rep.* 1880 (1881) 39.—  
Afr. trop.  
Michellini, *Benth. in Hook. Niger Fl.* 444.—Afr. trop.  
owariensis, *Beauv. Fl. Owar.* i. 54. t. 34.—Afr. trop.  
Petersiana, [*Dyer, in Kew Gard. Rep.* 1880 (1881)  
42.—Afr. trop.  
scandens, *Dirr. in Kjoeb. Vidensk. Meddel.* (1854)  
190.—Afr. trop.

**LANDTIA**, Less. *Syn. Comp.* 37 (1832). *COM-  
POSITAE*, *Benth. & Hook. f. ii.* 457.  
*SCHNITTSPAHNIA*, Sch. Bip. in *Flora*, xxv. (1842) 436.  
*UBIAEA*, J. Gay, in A. Rich. *Tent. Fl. Abyss.* i. 447  
(1847).

*hirsuta*, Less. *Syn. Comp.* 37.—Afr. austr.  
*media*, DC. *Prod.* vi. 495 = *hirsuta*, *nervosa*.  
*nervosa*, Less. *Syn. Comp.* 38.—Afr. austr.  
*Rueppellii*, *Benth. & Hook. f. Gen.* ii. 457 (*Ruppellii*) ;  
*et ex Vatke, in Linnaea*, xxxix. (1875) 509.—Afr.  
trop.  
*Schimperii*, *Benth. & Hook. f. l. c.* ; *et ex Vatke*,  
*l. c.*—Abyssin.

**LANEASAGUM**, Bedd. in *Madr. Journ. Sc. Ser.* II. xxii.  
(1861) 71 = *Cyclostemon*, Blume (*Euphorb.*).  
*oblongifolium*, Bedd. *l. c.* = *C. macrophyllus*.

**LANESSANIA**, Baill. *Adansonia*, xi. (1875) 298.  
*URTICACEAE*, *Benth. & Hook. f. iii.* 370.  
*turbinata*, *Baill. l. c.*—Bras.

**LANGFELDIA**, Steud. *Nom. ed. II. ii.* 7 (1841) =  
**Langeveldia**, Gaudich. (*Urtic.*).

**LANGERSTROEMIA**, Cram. *Disp.* 126 (1803), sphalm.  
= **Lagerstroemia**, Linn. (*Lythrar.*).

**LANGEVELDIA**, Gaudich. in *Freye. Voy. Bot.* 494  
(1826) = **Elatostema**, Forst. (*Urtic.*).  
*acuminata*, Gaudich. *l. c.* = *E. acuminatum*.

**LANGIA**, Endl. *Gen.* 304 (1837) = **Hermstaedtia**,  
Reichb. (*Amaranth.*).  
*glauca*, Endl. ex Moq. in *DC. Prod.* xiii. II. 247 = *H.*  
*glauca*.

**LANGLEIA**, Scop. *Introd.* 231 (1777) = **Casearia**,  
Jacq. (*Samyd.*).

**LANGSDORFFIA**, Fisch. ex Regel, *Ind. Sem. Hort.*  
*Petrop.* (1863) 26 = **Chloris**, Sw. (*Gramin.*).  
*repens*, Fisch. *l. c.* = *C. distichophylla*.

**LANGSDORFFIA**, Mart. in *Eschweg. Journ. Bras.*  
ii. (1818) 178. *BALANOPHOREAE*, *Benth. &  
Hook. f. iii.* 236.  
*SENFTENBERGIA*, Klotzsch & Karst. ex Eichl. in  
*DC. Prod.* xvii. 140 (1873).  
*hypogaea*, Mart. in *Eschweg. Journ. Bras.* ii. (1818)  
178. t. 5.—Mexic.  
*indica*, Wight & Arn. in *Hook. Ic. Pl. tt.* 205, 206 =  
*Balanophora indica*.  
*janeirensis*, Rich. in *Mém. Mus. Par. viii.* (1822) 412.  
t. 19 = *hypogaea*.  
*Moritziana*, *Klotzsch & Karst. in Linnaea*, xx. (1847)  
461.—N. Granat.  
*rubiginosa*, Wedd. in *Ann. Sc. Nat. Sér. III.* xiv.  
(1850) 187 = *hypogaea*.

**LANGSDORFFIA**, Raddi, in *Mem. Soc. Ital. Mod.*  
xviii. (1820) 347. t. 1 = **Cocos**, Linn. (*Palm.*).  
*Pseudo-cocos*, Raddi, *l. c.* = *C. Mikaniana*.

**LANGSDORFFIA**, Steud. *Nom. ed. II. ii.* 7 (1841) =  
**LANGSDORFFIA**, Leandro = **Zanthoxylum**, Linn.  
(*Rutac.*).

**LANGSDORFFIA**, Willd. ex Steud. *Nom. ed. II. ii.* 7  
(1841) = **Lycoseris**, Cass. (*Compos.*).

**LANGSDORFFIA**, Leandro, in *Denkschr. Akad.*  
*Muench.* vii. (1819) 229 = **Zanthoxylum**, Linn.  
(*Rutac.*).  
*instrumentaria*, Leandro, *l. c.* = *Z. monogynum*.

**LANGSDORFFIA**, 'Raddi', ex Pfeiff. *Nom. ii.* 23 (1874)  
= **LANGSDORFFIA**, = **Cocos**, Linn. (*Palm.*).

**LANGSDORFFIA**, Rafin. *Fl. Tellur.* iii. 74 (1836) =  
**Nicotiana**, Tourn. (*Solanac.*).  
*viridiflora*, Rafin. *l. c.* = *N. Langsdorffii*.

**LANGSDORFFIA**, Willd. ex Less. *Syn. Comp.* 97 (1832)  
= **Lycoseris**, Cass. (*Compos.*).  
*melastomoides*, Willd. ex Less. *l. c.* = *L. latifolia*.

**LANGUAS**, Koen. in *Retz. Obs.* iii. 64 (1783) = **Alpinia**,  
Linn. (*Scitam.*).  
*aquaticum*, Koen. *l. c.* 67 = *A. aquatica*.  
*chinensis*, Koen. *l. c.* 65 = *A. chinensis*.  
*vulgare*, Koen. *l. c.* 64 = *A. alba*.

**LANGEROSTEMMA**, Chapel. ex Endl. *Gen.* 1035  
(1840) = **Eliaea**, Cambess. (*Hypericin.*).

**LANIPIA**, Burch. *Trav.* i. 259 (1824) = **Lasio-  
spermum**, Lag. (*Compos.*).  
*capensis*, Burch. ex Steud. *Nom. ed. II. ii.* 7 = **Lasio-  
spermum radiatum**.

**LANIUM**, Lindl. ex Benth. in *Hook. Ic. Pl. t.* 1334  
(1881). *ORCHIDEAE*, *Benth. & Hook. f. iii.* 522.  
*Avicula*, *Lindl. ex Benth. l. c. t.* 1335.—Bras.  
*microphyllum*, *Lindl. ex Benth. l. c. t.* 1334.—  
Guiana.

**LANKESTERIA**, Lindl. *Bot. Reg.* (1845) Misc. 86.  
*ACANTHACEAE*, *Benth. & Hook. f. ii.* 1083.  
*Barteri*, *Hook. f. Bot. Mag. t.* 5533.—Afr. trop.  
*elegans*, T. Anders. in *Journ. Linn. Soc.* vii. (1864)  
33.—Afr. trop.  
*hispidula*, T. Anders. *l. c.* 32 = *parviflora*.  
*longiflora*, *Lindl. Bot. Reg.* (1846) t. 12 = *parvi-  
flora*.  
*parviflora*, *Lindl. l. c.* (1845) Misc. 86.—Afr. trop.

**LANNARIA**, Heist. *Syst.* 7 (1748) (gen. dub.).

**LANNEA**, A. Rich. in *Guill. & Perr. Fl. Seneg. Tent.*  
i. 153. t. 42 (1832) = **Odina**, Roxb. (*Anacard.*).  
*acida*, A. Rich. *l. c.* 154 = *O. acida*.  
*velutina*, A. Rich. *l. c.* = *O. velutina*.

**LANNEOMA**, Delile, in *Ann. Sc. Nat. Sér. II.* xx.  
(1843) 91. t. 1. f. 2. *ANACARDIACEAE*, *Benth.*  
& *Hook. f. i.* 428.  
*velutina*, *Delile, l. c.*—Abyssin.

**LANSBERGIA**, De Vriese, *Epim. Ind. Sem. Hort. Lugd.*  
*Bat.* (1846) 2 = **Trimezia**, Salisb. (*Irid.*).  
*caracasana*, De Vriese, *l. c.*—Cf. *Linnaea*, xxiv. (1851)  
166 = *T. lurida*.  
*cathartica*, Klatt, in *Linnaea*, xxxi. (1861–62) 549 =  
*T. juncifolia*.  
*juncifolia*, Klatt, *l. c.* = *T. juncifolia*.  
*martinicensis*, Baker, in *Journ. Linn. Soc.* xvi. (1877)  
127 = *T. lurida*.  
*meridensis*, Klatt, in *Abh. Naturf. Ges. Halle*, xiii.  
(1882) 364 = *T. lurida*.  
*monticola*, Klatt, in *Mart. Fl. Bras.* iii. I. 526 = *T.*  
*juncifolia*.  
*purgans*, Klatt, *l. c.* 527 = *T. juncifolia*.  
*setacea*, Klatt, in *Abh. Naturf. Ges. Halle*, xii. (1882)  
364.—Bras. ?  
*spathata*, Klatt, in *Mart. Fl. Bras.* iii. I. 528.—Bras.  
*violacea*, Klatt, *l. c.* 526 ; Warm. in *Kjoeb. Vidensk.*  
*Meddel.* (1872) 129 = *T. juncifolia*.

**LANSIUM**, Rumph. *Amb.* i. 151. t. 54 (1741) ; Jack,  
in *Trans. Linn. Soc.* xiv. I. (1823) 115. *MELIACEAE*,  
*Benth. & Hook. f. i.* 334.  
*LACHANODENDRON*, Reinw. in *Blume, Cat. Gew.*  
*Buitenz.* 70 (1823), nomen.  
*anamalaiense*, *Bedd. in Madr. Journ. Sc. Ser.* III. i.  
(1864) 40.—Ind. or.  
*anamalayanum*, *Bedd. in Trans. Linn. Soc.* xxv. (1865)  
212 = *praec.*  
*aqueum*, *Jack, l. c.* xiv. I. (1823) 116.—Malaya.  
*cinereum*, *Hiern, in Hook. f. Fl. Brit. Ind.* i. 558.—  
Malacc.

**LANSIUM** :—

domesticum, *Jack, in Trans. Linn. Soc.* xiv. I. (1823)  
115.—Malaya.  
*humile*, *Hassk. Hort. Bog. Desc.* i. 121.—Sumatra.  
*javanicum*, M. Roem. *Syn. Hesper.* 99 = domesticum.  
*montanum*, Steud. *Nom. ed. II. ii.* 8 (= *Milnea  
montana*).—Sumatra.  
*pedicellatum*, *Hiern, in Hook. f. Fl. Brit. Ind.* i. 558.  
—Malacc.  
*silvestre*, M. Roem. *Syn. Hesperid.* 99 = *Clausena  
Wampi*.

**LANTANA**, Linn. *Gen. ed. I.* 185 (1737). *VER-  
BENACEAE*, *Benth. & Hook. f. ii.* 1142.  
*RIEDELIA*, Cham. in *Linnaea*, vii. (1832) 240.  
*TAMONOPSIS*, Griseb. [*Pl. Lorentz.*] in *Abh. Goett.*  
(1874) 198.

*abyssinica*, Otto & Dietr. *Allg. Gartenz.* ix. (1841)  
378 = *Lippia adoensis*.

*achyranthifolia*, Desf. *Cat. Hort. Par. ed. III.* 392 =  
*trifolia*.

*aculeata*, Linn. *Sp. Pl.* 627 = *L. Camara*.  
*africana*, Linn. *l. c.* 628 = *Offia africana*.

*alba*, *Mill. Gard. Dict.* ed. VIII. n. 8.—Am. austr.  
*alba*, Schau. in *DC. Prod.* xi. 606 = *indica*.

*albo-purpurea*, Desf. *Cat. Hort. Par. ed. III.* 392 =  
*trifolia*.

*amethystina*, Otto & Dietr. *Allg. Gartenz.* ix. (1841)  
370 = *nivea*.

*angustifolia*, Mill. *Gard. Dict.* ed. VIII. n. 10 =  
*stricta*.

*annua*, Hort. Calc. ex C. B. Clarke, in *Hook. f. Fl.*  
*Brit. Ind.* iv. 563 = *crenulata*.

*annua*, Linn. *Sp. Pl.* 627 = *trifolia*.

*antidotalis*, *Schum. & Thonn. Beskr. Guin. Pl.* 276.—  
Afr. trop.

*antillana*, Rafin. *Sylva Tellur.* 82 = *L. Camara*.  
*armata*, Schau. in *DC. Prod.* xi. 597.—Venezuela.

*asperata*, Hort. Par. ex Vis. Hort. Patav. (1842) 142 =  
*nivea*.

*bahiensis*, *Turcz. in Bull. Soc. Nat. Mosc.* xxxvi.  
(1863) II. 206.—Bras.

*Bartramii*, *Baldw. Reliq. Baldwin.* 247 (Quid ?).—  
Am. bor.

*bracteosa*, Mart. & Gal. in *Bull. Acad. Brux.* xi. II.  
(1845) 326 = *Lippia callicarpaefolia*.

*brasiliensis*, *Link. Enum. Hort. Berol.* ii. 126.—Bras.  
*bullata*, Linn. *Sp. Pl.* 627 = *Cordia curassavica*.

*Camara*, Linn. *l. c.*—Am. trop.  
*canescens*, Hort. Calc. ex C. B. Clarke, in *Hook. f. Fl.*  
*Brit. Ind.* iv. 564 = *Lippia geminata*.

*canescens*, *H. B. & K. Nov. Gen. et Sp.* ii. 259.—Am.  
trop.

*capensis*, Thunb. *Prod. Pl. Cap.* 98 = *Offia africana*.  
*caracasana*, *Turcz. in Bull. Soc. Nat. Mosc.* xxxvi.  
(1863) II. 206.—Venezuela.

*celtidifolia*, H. B. & K. *Nov. Gen. et Sp.* ii. 259 =  
*trifolia*.

*chamaedrifolia*, Cham. in *Linnaea*, vii. (1832) 127.—  
Bras.

*Chamissonis*, *Benth. & Hook. f. Gen.* ii. 1142.—Bras.  
*cinerea*, Lam. ex Otto & Dietr. *Allg. Gartenz.* ix.  
(1841) 378 = *brasiliensis*.

*Clarazii*, Ball, in *Journ. Linn. Soc.* xxi. (1884) 229.  
—Patagon.

*coccinea*, *Lodd. ex G. Don, in Loud. Hort. Brit.* 245,  
*nomen*.—Am. austr.

*collina*, Decne. in *Jacquem. Voy. Bot.* 136. t. 141 =  
*indica*.

*corymbosa*, Linn. *Sp. Pl.* 628 = *Cordia ulmifolia*.  
*crenulata*, Otto & Dietr. *Allg. Gartenz.* ix. (1841)  
363.—Ind. or. ?

*crispa*, Thunb. *Prod. Pl. Cap.* 98 = *Offia africana*.  
*crocea*, *Jack. Hort. Schoenb.* iv. t. 473.—Ind. occ.

*cujabensis*, Schau. in *DC. Prod.* xi. 599.—Bras.  
*cuneatifolia*, Klotzsch, ex Walp. *Rep.* iv. 45 = *Lippia  
citrata*.

*decumbens*, Sellow, ex A. DC. in *DC. Prod.* xi. 604 =  
*Sellowiana*.

*delicatissima*, *Poit. in Rev. Hort.* Sér. IV. i. (1852)  
461.—Hab. ?

*dubia*, Royle, *Illustr. Bot. Himal.* 300. t. 73 = *alba*.  
*dubia*, Wall. ex Walp. *Rep.* iv. 63 = *trifolia*, *indica*.

*filiformis*, Domb. ex Schau. in *DC. Prod.* xi. 602 =  
*scabiosaeflora*.

*flava*, *Medic. in Act. Acad. Theod. Palat.* iii. *Phys.*  
(1775) 225.—Hab. ?

*floridana*, Rafin. *Atl. Journ.* 148 (Quid ?).—Am. bor.



**LANTANA** :—

- formosa*, Hort. ex C. Koch, Wochenschr. i. (1858) 322 = crocea.
- fucata*, Lindl. Bot. Reg. t. 798 = lilacina.
- fuscata*, C. Koch, Wochenschr. i. (1858) 322 = praec.
- geminata*, Spreng. Syst. ii. 763 = Lippia geminata.
- Geroldiana*, Otto & Dietr. Allg. Gartenz. ix. (1841) 372 = hispida.
- glutinosa*, Poepp. in Otto & Dietr. l. c. x. (1842) 315 = tiliaefolia.
- Gogchana*, Buch.-Ham. ex Voigt, Hort. Suburb. Calc. 472 = alba.
- hirsuta*, Mart. & Gal. in Bull. Acad. Brux. xi. (1844) 326. —Mexic.
- hirta*, R. Grah. in Edinb. N. Phil. Journ. (Oct.-Dec. 1826) 186 = hispida.
- hispida*, H. B. & K. Nov. Gen. et Sp. ii. 260. —Mexic.
- horrida*, H. B. & K. l. c. 261. —Mexic.
- incana*, Otto & Dietr. Allg. Gartenz. ix. (1841) 371 = involucrata.
- incarnata*, Rafin. Sylva Tellur. 83. —Hab. ?
- inconspicua*, Tausch, in Flora, xix. (1836) 391 = lilacina.
- indica*, Roxb. Hort. Beng. 46 ; Fl. Ind. iii. 89. —As. et Afr. trop.
- indica*, Wall. Cat. n. 1823 = trifolia.
- inermis*, Mill. Gard. Dict. ed. VIII. n. 2. —Jamaic.
- involucrata*, Forsk. ex Sw. Fl. Ind. Occ. ii. 1055 = stricta.
- involucrata*, Linn. Cent. Pl. ii. 22 ; Amoen. Acad. iv. 319. —Am. calid.
- Kisi*, A. Rich. Tent. Fl. Abyss. ii. 169. —Abyss.
- lamiifolia*, Otto & Dietr. Allg. Gartenz. ix. (1841) 372 = canescens.
- lanuginosa*, Mill. Gard. Dict. ed. VIII. n. 3 = involucrata.
- latifolia*, Tausch, in Flora, xix. (1836) 391 = indica.
- lavandulacea*, Willd. Sp. Pl. iii. 319 = Lippia asperifolia.
- leucantha*, Hort. ex Schau. in DC. Prod. xi. 606 = indica.
- lilacina*, Desf. Cat. Hort. Par. ed. III. 392. —Bras.
- lippioides*, Hook. & Arn. Bot. Beech. Voy. 305 = Lippia geminata.
- lippioides*, Spreng. Syst. ii. 763. —Bras.
- Lockhardtii*, D. Don, ex Schau. in Mart. Fl. Bras. ix. 232 = Chamissonis.
- lucida*, Schau. in DC. Prod. xi. 602. —Bras.
- Lundiana*, Schau. l. c. 605. —Bras.
- macrophylla*, Schau. l. c. 595. —Bras.
- macropoda*, Torr. Bot. Mex. Bound. 127. —Mexic.
- Maximiliani*, Schau. in DC. Prod. xi. 595. —Bras.
- melissaefolia*, [Soland. in] Ait. Hort. Kew. ed. I. ii. 352 = flava.
- melissodorifera*, Perr. in Mém. Soc. Linn. Par. iii. (1825) 124. —Guian.
- microcephala*, A. Rich. Fl. Cub. Fanerog. ii. 141. —Cuba.
- microphylla*, Franch. in Révoil, Comali, 49. —Afr. trop.
- microphylla*, Mart. Reise Bras. ii. 792. —Bras.
- mista*, Linn. Syst. ed. XII. 417. —Ind. occ.
- mixta*, Hort. ex Schau. in DC. Prod. xi. 598 = horrida.
- mixta*, Medic. in Act. Acad. Theod. Palat. iii. Phys. (1775) 227 = mista.
- mollis*, R. Grah. in Edinb. N. Phil. Journ. (Apr.-Oct. 1829) 184. —Mexic.
- mollissima*, Desf. Cat. Hort. Par. ed. III. 393 = Lippia geminata.
- Moritziana*, Otto & Dietr. Allg. Gartenz. ix. (1841) 369. —Venezuela.
- multicolor*, Lem. Fl. des Serres, Sér. I. iii. (1847) 239 Misc. 5. —Mexic.
- multiflora*, Hort. ex Otto & Dietr. Allg. Gartenz. ix. (1841) 370. —Ind. occ.
- mutabilis*, Lippold, ex Otto & Dietr. l. c. x. (1842) 314 = mista.
- mutabilis*, Salisb. Prod. 107 = L. Camara.
- mutabilis*, Weigel, in Phys. Sällsk. Handl. i. (1776) 46 = L. Camara ?
- nivea*, Vent. Jard. Malm. 8. t. 8. —Am. trop.
- odorata*, Linn. Syst. ed. XII. 418 = involucrata.
- odorata*, Weigelt, ex Cham. in Linnaea, vii. (1832) 215 = Lippia geminata.
- origanoides*, Mart. & Gal. in Bull. Acad. Brux. xi. ii. (1844) 327 = Lippia graveolens.
- parvifolia*, Desf. Cat. Hort. Par. ed. III. 392. —Hab. ?
- parvifolia*, Rafin. Herb. 21 ; Atl. Journ. 176 = involu-

**LANTANA** :—

- parvifolia*, Salisb. Prod. 107 = involucrata.
- peduncularis*, Anderss. in Vet. Akad. Handl. Stockh. 1853 (1854) 200. —Ins. Galap.
- Pettitiana*, A. Rich. Tent. Fl. Abyss. ii. 169. —Abyssin.
- pilosa*, H. B. & K. Nov. Gen. et Sp. ii. 260 = trifolia.
- Pohlana*, Schau. in DC. Prod. xi. 601. —Bras.
- polyacantha*, Schau. l. c. 597 = L. Camara.
- polyccephala*, R. Br. in Salt, Abyss. App. 65, nomen. —Abyssin.
- procurrens*, Schau. in DC. Prod. xi. 596. —Bras.
- Pseudo-thea*, St. Hil. Pl. Us. Bras. t. 70 = Lippia Pseudo-thea.
- purpurea*, Benth. & Hook. f. Gen. ii. 1142. —Mexic. ; Venezuela.
- purpurea*, Hornem. Hort. Hafn. ii. 583. —Am. austr.
- racemosa*, Lour. Fl. Cochinch. ii. 376. —Cochinch.
- Radula*, Sw. Prod. Veg. Ind. Occ. 92. —Ind. occ.
- recta*, Cham. in Linnaea, vii. (1832) 125 = lilacina.
- recta*, [Soland. in] Ait. Hort. Kew. ed. I. ii. 351 = involucrata.
- repens*, Spreng. ex C. B. Clarke, in Hook. f. Fl. Brit. Ind. iv. 563, sphalm. = Lippia nodiflora.
- reticulata*, Pers. Syn. ii. 141 = Sellowiana.
- reticulata*, Rafin. Sylva Tellur. 82. —Hab. ?
- Riedeliana*, Schau. in DC. Prod. xi. 601. —Bras.
- robusta*, Schau. l. c. —Bras.
- rosea*, Rafin. Sylva Tellur. 83. —Hab. ?
- rubra*, Ferr. in Mém. Soc. Linn. Par. iii. (1825) 124 = indica ?
- rugosa*, Thunb. Prod. Pl. Cap. 98 = salvifolia.
- rugosa*, Willd. ex Schau. in Mart. Fl. Bras. ix. 263 = L. Radula.
- rugulosa*, H. B. & K. Nov. Gen. et Sp. ii. 261. —Ecuador.
- salicifolia*, H. B. & K. l. c. 259. —N. Granat.
- salviaefolia*, Cham. in Linnaea, vii. (1832) 125 = lilacina.
- salvifolia*, Jacq. Hort. Schoenb. iii. 18. t. 285. —Afr. austr.
- salvifolia*, Linn. Syst. ed. X. 1116 = Buddleia salvifolia.
- Salzmanni*, Schau. in DC. Prod. xi. 602. —Bras.
- sanguinea*, Medic. in Act. Acad. Theod. Palat. iii. Phys. (1775) 229. —Hab. ?
- sarmentosa*, Spreng. ex C. B. Clarke, in Hook. f. Fl. Brit. Ind. iv. 563, sphalm. = Lippia nodiflora.
- scabiosaeflora*, H. B. & K. Nov. Gen. et Sp. ii. 261. —Peruv.
- scabra*, Wall. Cat. n. 1822. —Ind. or.
- scabrifolia*, [Soland. in] Ait. Hort. Kew. ed. I. ii. 352 = L. Camara.
- Selloi*, Steud. Nom. ed. II. ii. 8 = seq.
- Sellowiana*, Link & Otto, Ic. Pl. Sel. Berol. 107. t. 50. —Am. austr.
- spicata*, Vell. Fl. Flum. 254 ; vi. t. 58 = brasiliensis.
- Spiraeastrum*, Mart. & Schau. in DC. Prod. xi. 596. —Bras.
- splendens*, Medic. in Act. Acad. Theod. Palat. iii. Phys. (1775) 226 = crenulata.
- stricta*, Sw. Prod. Veg. Ind. Occ. 92. —Jamaic.
- suaveolens*, Desf. Cat. Hort. Par. ed. III. 393 = involucrata.
- suaveolens*, Poir. ex Spreng. Syst. ii. 762 = stricta.
- teucriifolia*, Otto & Dietr. Allg. Gartenz. ix. (1841) 371 = hispida.
- tiliaefolia*, Cham. in Linnaea, vii. (1832) 122. —Bras.
- trifolia*, Cham. in Linnaea, vii. (1832) 124, ex parte = undulata, Schrank.
- trifolia*, Linn. Sp. Pl. 626. —Am. trop.
- triplinervia*, Turcz. in Bull. Soc. Nat. Mosc. xxxvi. (1863) ii. 205. —Java.
- undulata*, Rafin. Sylva Tellur. 82 (Quid ?). —Am. bor. ?
- undulata*, Schrank, in Denkschr. Bot. Ges. Regensb. ii. (1822) 56. —Bras.
- urticaefolia*, Mill. Gard. Dict. ed. VIII. n. 5. —Mexic.
- variegata*, Otto & Dietr. Allg. Gartenz. x. (1842) 314 = purpurea.
- velutina*, Mart. & Gal. in Bull. Acad. Brux. xi. (1844) 325. —Mexic.
- viburnoides*, Blanco, Fl. Filip. ed. II. 345 = L. Camara.
- viburnoides*, Vahl, Symb. Bot. i. 45. —Abyssin. ; Arab.
- violacea*, Desf. Cat. Hort. Par. ed. III. 392 = salvifolia.
- viscosa*, Pohl, ex Schau. in DC. Prod. xi. 601. —Bras.
- Wightiana*, Wall. Cat. n. 2655 = indica.

**LANTANOPSIS**, Wright, ex Griseb. in Mem. Am. Acad. N. S. viii. (1863) 513. **COMPOSITAE**, Benth. & Hook. f. ii. 344.

*hispidula*, Wright, l. c. —Cuba.

**LANTHORUS**, Presl, Epim. Bot. 256 (1849) = **Loranthus**, Linn.

*spicifer*, Presl, l. c. 257 = Loranthus spicifer.

**LANZANA**, Stokes, Bot. Mat. Med. ii. 543 (1812) = **Buchanania**, Roxb. (Anacard.).

*solitaria*, Stokes, l. c. = B. Lanzan.

**LAOTHOË**, Rafin. Fl. Tellur. iii. 53 (1836) = **Chlorogalum**, Kunth (1843) (Liliac.).

*pomeridiana*, Rafin. l. c. = C. pomeridianum.

**LAPAGERIA**, Ruiz & Pav. Fl. Per. iii. 64. t. 297 (1802). **LILIACEAE**, Benth. & Hook. f. iii. 767.

**CAPIA**, Domb. ex Juss. in Dict. Sc. Nat. vi. 500 (1803).

**PAGERIA**, Juss. in Dict. Sc. Nat. iii. 53 (1816).

**PHAENOCODON**, Salisb. Gen. Pl. Fragm. 58 (1866).

*alba*, Decne. in Rev. Hort. Sér. IV. i. (1852) 441 = rosea.

*Hookeri*, Bridges, ex Hook. Journ. Bot. i. (1834) 178 = rosea.

*rosea*, Ruiz & Pav. Fl. Per. iii. 65. t. 297. —Chili.

**LAPASATHUS**, Presl, Bot. Bemerk. 132 (1844) ; in Abh. Boehm. Ges. V. iii. (1845) 562 = **Aspalathus**, Linn. (Legumin.).

*lanceolata*, Presl, l. c. = A. lanceolata.

**LAPATHON**, Rafin. New Fl. Am. iv. 51 (1836) = **Rumex**, Linn. (Polygon.).

*sylvaticum*, Rafin. l. c. = R. sanguineus.

**LAPATHUM**, [Tourn.] Adans. Fam. ii. 277 (1763) = **Rumex**, Linn. (Polygon.).

*Acetosa*, Scop. Fl. Carn. ed. II. i. 260 = R. Acetosa.

*Acetosella*, Scop. l. c. 261 = R. Acetosella.

*acutum*, Scop. l. c. 262 = R. acutus.

*alpestre*, Scop. l. c. 261 = R. scutatus.

*alpinum*, Lam. Fl. Fr. iii. 7 = R. alpinus.

*aquaticum*, Scop. Fl. Carn. ed. II. i. 263 = R. aquaticus.

*arborescens*, Moench, Meth. 355 = R. Lunaria.

*arvense*, Lam. Fl. Fr. iii. 8 = R. Acetosella.

*aureum*, S. F. Gray, Nat. Arr. Brit. Pl. ii. 275 = R. maritimus.

*bienne*, Moench, Meth. 354 = R. Britannica.

*bucephalophorum*, Lam. Fl. Fr. iii. 7 = R. bucephalophorus.

*bucephalorum*, Moench, Meth. 356 = praec.

*conglomeratum*, S. F. Gray, Nat. Arr. Brit. Pl. ii. 273 = R. conglomeratus.

*crispum*, Scop. Fl. Carn. ed. II. i. 261 = R. crispus.

*Daiwoo*, Siebold, in Verh. Bat. Gen. xii. (1830) 19. —Japon.

*digynum*, Lam. Fl. Fr. iii. 6 = Oxyria digyna.

*divaricatum*, Rénault, Fl. Dép. Orne, 60 = R. pulcher.

*giganteum*, Opiz, Seznam, 57 = R. Hydrolapathum.

*glomeratum*, Gilib. Exercit. ii. 444 = R. conglomeratus.

*hortense*, Lam. Fl. Fr. iii. 2 = R. Patientia.

*Hydrolapathum*, Scop. Fl. Carn. ed. II. i. 262 = R. Hydrolapathum.

*limosum*, Rénault, Fl. Dép. Orne, 60 = R. palustris.

*maritimum*, Moench, Meth. 355 = R. maritimus.

*maximum*, Gilib. Exercit. ii. 443 = R. aquaticus.

*minus*, Lam. Fl. Fr. iii. 4 = R. maritimus.

*nemorosum*, Fourr. in Ann. Soc. Linn. Lyon, N. S. xvii (1869) 145 = R. sanguineus.

*obtusifolium*, Moench, Meth. 356 = R. obtusifolius.

*palustre*, S. F. Gray, Nat. Arr. Brit. Pl. ii. 275 = R. palustris.

*persicarioides*, Moench, Meth. 355 = R. maritimus.

*pratense*, Lam. Fl. Fr. iii. 8 = R. Acetosa.

*pulchrum*, Moench, Meth. Suppl. 124 = R. pulcher.

*rivale*, Rénault, Fl. Dép. Orne, 60 = R. Hydrolapathum.

*rubellum*, Moench, Meth. 355 = R. sanguineum.

*sanguineum*, Moench, l. c. 354 = R. sanguineum.

*scutatum*, Lam. Fl. Fr. iii. 6 = R. scutatus.

*sinuatum*, Lam. l. c. 5 = R. pulcher.

*sphaestrum*, Lam. l. c. 4 = R. obtusifolius.

*vesicarium*, Moench, Meth. 356 = R. vesicarius.

*virgatum*, Moench, l. c. 355 = R. acutus.

*viride*, S. F. Gray, Nat. Arr. Brit. Pl. ii. 274 = R. sanguineus.



LAPEIROUSIA, Thunb. Prod. Pl. Cap. 163 (1800) = *Peyrousea*, DC. (Compos.).  
*calycina*, Thunb. l. c. = *P. calycina*.  
*Thunbergii*, Cass. in Dict. Sc. Nat. xxv. 251 = *P. calycina*.

LAPEYROUSA, Poir. in Dict. Sc. Nat. xxv. 252 (1822) = seq.

LAPEYROUSIA, Pourr. in Mém. Acad. Toul. iii. (1788) 79. t. 6 (Lapeirousia). *IRIDEAE*, Benth. & Hook. f. iii. 705.  
*ANOMATHECA*, Ker-Gawl. in Kon. & Sims, Ann. Bot. i. (1805) 227.  
*ANOMAZA*, Salisb. in Trans. Hort. Soc. i. (1812) 323.  
*MERISTOSTIGMA*, A. Dietr. Sp. Pl. ii. 593 (1833).  
*OVIEDA*, Spreng. Syst. i. 147 (1825).  
*PEYROUSIA*, Poir. in Dict. Sc. Nat. xxxix. 363 (1826).  
*PSILOSPHON*, Welw. ex Baker, in Trans. Linn. Soc. Bot. Ser. II. i. (1878) 272.  
*SOPHRONIA*, Licht. in Roem. & Schult. Syst. i. 482 (1817).  
*abyssinica*, Baker, in Journ. Linn. Soc. xvi. (1877) 155.—Afr. trop.  
*aculeata*, Sweet, Hort. Brit. ed. I. 396 = *compressa*.  
*anceps*, Ker-Gawl. in Kon. & Sims, Ann. Bot. i. (1805) 238 = *compressa*.  
*azurea*, Eckl. Top. Verz. 31 = *corymbosa*.  
*Bainesii*, Baker, in Journ. Bot. xiv. (1876) 338.—Afr. austr.  
*bracteata*, Ker-Gawl. in Kon. & Sims, Ann. Bot. i. (1805) 238; Bot. Mag. sub t. 1246 = *fissifolia*.  
*compressa*, Pourr. in Mém. Acad. Toul. iii. (1788) 80. t. 6.—Afr. austr.  
*corymbosa*, Ker-Gawl. in Bot. Mag. t. 595.—Afr. austr.  
*cyanescens*, Baker, in Trans. Linn. Soc. Bot. Ser. II. i. (1878) 272.—Afr. trop.  
*divaricata*, Baker, in Journ. Bot. xiv. (1876) 337.—Afr. austr.  
*erythrantha*, Baker, in Journ. Linn. Soc. xvi. (1877) 155.—Afr. austr. et trop.  
*Fabricii*, Ker-Gawl. in Bot. Mag. sub t. 1246.—Afr. austr.  
*falcata*, Ker-Gawl. in Kon. & Sims, Ann. Bot. i. (1805) 238.—Afr. austr.  
*fasciculata*, Ker-Gawl. l. c.—Afr. austr.  
*fastigiata*, Ker-Gawl. l. c. = *corymbosa*.  
*fissifolia*, Ker-Gawl. l. c.—Afr. austr.  
*fistulosa*, Baker, in Journ. Linn. Soc. xvi. (1877) 155.—Afr. austr.  
*fragrans*, Baker, in Trans. Linn. Soc. Bot. Ser. II. i. (1878) 272.—Afr. trop.  
*juncea*, Pourr. in Mém. Acad. Toul. iii. (1788) 79; Ker-Gawl. in Bot. Mag. t. 606.—Afr. austr.  
*littoralis*, Baker, in Trans. Linn. Soc. Bot. Ser. II. i. (1878) 272.—Afr. trop.  
*macrochlamys*, Baker, in Journ. Bot. xiv. (1876) 338.—Afr. austr.  
*manuleaeflora*, Eckl. Top. Verz. 31 = *micrantha*.  
*marmorata*, Steud. Nom. ed. II. ii. 9 = *juncea*.  
*micrantha*, Baker, in Journ. Linn. Soc. xvi. (1877) 156.—Afr. austr.  
*montana*, Klatt, in Abh. Naturf. Ges. Halle, xii. (1882) 359.—Afr. austr.  
*odoratissima*, Baker, in Trans. Linn. Soc. Bot. Ser. II. i. (1878) 273.—Afr. trop.  
*purpureo-lutea*, Baker, in Journ. Linn. Soc. xvi. (1877) 155.—Afr. austr.  
*silenoides*, Ker-Gawl. in Kon. & Sims, Ann. Bot. i. (1805) 238.—Afr. austr.

LAPEYROUSIA, Spreng. Anleit. ii. 552 (1818) = LAPEIROUSIA, Thunb. = *Peyrousea*, DC. (Compos.).

LAPHAMIA, A. Gray, Pl. Wright. i. 99. t. 9 (1852).  
*COMPOSITAE*, Benth. & Hook. f. ii. 398.  
*MONOTRIX*, Torr. in Stansb. Utah Exped. 389. t. 7 (1852).  
*aglossa*, Benth. & Hook. f. Gen. ii. 398.—Mexic.  
*angustifolia*, A. Gray, Pl. Wright. i. 100.—N. Mexic.  
*bisetosa*, Torr. ex A. Gray, l. c. ii. 106.—Mexic.  
*cinerea*, A. Gray, in Torr. Bot. Mex. Bound. 82.—Mexic.  
*coronopifolia*, Hemsl. Biol. Cent. Am. Bot. ii. 210.—Mexic.  
*dissecta*, Torr. ex A. Gray, Pl. Wright. ii. 81 = *Perityle dissecta*.

#### LAPHAMIA:—

*Emoryi*, Benth. & Hook. f. Gen. ii. 398 = *Perityle californica*.  
*halimifolia*, A. Gray, Pl. Wright. i. 100.—N. Mexic.  
*Lemmoni*, A. Gray, in Proc. Am. Acad. xvi. (1881) 101.—Mexic.  
*Lindheimeri*, A. Gray, Pl. Wright. i. 101.—Texas.  
*megacephala*, S. Wats. in Am. Natural. vii. (1873) 301.—Am. bor. occ.  
*nuda*, Benth. & Hook. f. Gen. ii. 398 = *Perityle californica*.  
*Palmeri*, A. Gray, in Proc. Am. Acad. xiii. (1878) 372.—Arizona.  
*Parryi*, Benth. & Hook. f. Gen. ii. 398.—Mexic.  
*peninsularis*, Greene, in Bull. Calif. Acad. i. n. i. (1884) 8.—Calif.  
*rupestris*, A. Gray, Pl. Wright. i. 100.—Mexic.  
*Stansburii*, A. Gray, l. c. 101.—Utah.

LAPIEDRA, Lag. Gen. et Sp. Nov. 14 (1816).  
*AMARYLLIDAE*, Benth. & Hook. f. iii. 720.  
*gracilis*, Baker, in Journ. Linn. Soc. xvi. (1878) 678 = *Tapeinanthus humilis*.  
*Martinezii*, Lag. Gen. et Sp. Nov. 14.—Hispan.  
*Placiana*, Herb. Amaryll. 188 = *Martinezii*.

LAPITHEA, Griseb. in DC. Prod. ix. 48 (1845) = *Sabbatia*, Adans. (Gentian.).  
*gentianoides*, Griseb. l. c. = *S. gentianoides*.

LAPLACEA, H. B. & K. Nov. Gen. et Sp. v. 207. t. 461 (1821). *TERNSTROEMACEAE*, Benth. & Hook. f. i. 186.  
*CLOSASCHIMA*, Korth. Verh. Nat. Gesch. Bot. 139. t. 28 (1842).  
*HAEMOCHARIS*, Salisb. Parad. Lond. sub n. 56 (1806).  
*LINDLEYA*, Nees, in Flora, iv. (1821) 299.  
*WIKSTROEMIA*, Schrad. in Goett. Gel. Anz. i. (1821) 710.  
*amboinensis*, Miq. Ann. Mus. Bot. Lugd. Bat. iv. 114.—Malaya.  
*aromatica*, Miq. Fl. Ind. Bat. Suppl. 482.—Malaya.  
*barbinervis*, Moric. in Mém. Soc. Phys. Genève. vii. (1830) 256; Pl. Nouv. Am. 16. t. 11.—Peruv.  
*buxifolia*, Miq. Fl. Ind. Bat. Suppl. 482.—Sumatra.  
*cameniacifolia*, Triana & Planch. in Ann. Sc. Nat. Sér. IV. xviii. (1862) 270.—N. Granat.  
*camenioides*, Sond. in Linnaea, xxii. (1849) 549.—Bras. Curtana, A. Rich. Ess. Fl. Cub. 225.—Cuba.  
*Haematoxylon*, G. Don, Gen. Syst. i. 569.—Jamaic.  
*inaequalilatera*, Schott, in Spreng. Syst. iv. App. 408 = *semiserrata*.  
*integerrima*, Miq. Ann. Mus. Bot. Lugd. Bat. iv. 113.—Java.  
*intermedia*, Benth. Pl. Hartw. 126.—Am. austr.  
*marginata*, Choisy, in Mém. Soc. Phys. Genève. xiv. (1855) 148.—Borneo.  
*ovalis*, Choisy, l. c.—Sumatra.  
*parviflora*, Mart. Reise Bras. i. 207, nomen.—Bras.  
*praemorsa*, Splitg. in Hoev. & De Vriese, Tijdschr. ix. (1842) 100.—Guian.  
*pubescens*, Planch. & Linden, in Ann. Sc. Nat. Sér. IV. xviii. (1862) 269.—N. Granat.  
*quinoderma*, Wedd. Hist. Nat. Quin. 33.—Boliv.; Peruv.  
*semiserrata*, Cambess. in St. Hil. Fl. Bras. Mer. i. 300.—Bras.  
*speciosa*, H. B. & K. Nov. Gen. et Sp. v. 207. t. 461.—Peruv.  
*subintegerrima*, Miq. Fl. Ind. Bat. Suppl. 483.—Sumatra.  
*symplocoides*, Triana & Planch. in Ann. Sc. Nat. Sér. IV. xviii. (1862) 269.—N. Granat.  
*tomentosa*, G. Don, Gen. Syst. i. 569.—Bras.  
*viscosa*, Griseb. Fl. Brit. W. Ind. 104.—Jamaic.  
*vulcanica*, Korth. Verh. Nat. Gesch. Bot. 136.—Sumatra.  
*Wrightii*, Griseb. in Mem. Am. Acad. N. S. viii. (1861) 166.—Cuba.

LAPORTEA, Gaudich. in Freyc. Voy. Bot. 498 (1826).  
*URTICACEAE*, Benth. & Hook. f. iii. 383.  
*DENDROCNIDE*, Miq. Pl. Jungh. i. 29 (1857).  
*DISCOCARPUS*, Liebm. in Vidensk. Selsk. Skrift. V. ii. (1852) 308.  
*OBLIXILIS*, Rafin. Fl. Tellur. iii. 49 (1836).  
*SCLEPSION*, Rafin. ex Wedd. in Ann. Sc. Nat. Sér. IV. vii. (1857) 355.

#### LAPORTEA:—

*alatipes*, Hook. f. in Journ. Linn. Soc. vii. (1864) 215.—Afr. occ.  
*americana*, Gaudich. in Freyc. Voy. Bot. 498.—Am. austr.  
*amplissima*, Miq. Fl. Ind. Bat. i. ii. 232.—Java.  
*bulbifera*, Wedd. Monog. Urtic. 139.—Japon.  
*canadensis*, Gaudich. in Freyc. Voy. Bot. 498.—Am. bor.  
*carolinensis*, Gaudich. l. c.—Am. bor.  
*contracta*, Blume, ex Miq. Fl. Ind. Bat. i. ii. 232 = *costata*.  
*costata*, Miq. l. c. 231.—Java.  
*crenulata*, Gaudich. in Freyc. Voy. Bot. 498.—As. trop.  
*decumana*, Wedd. Monog. Urtic. 129.—Malaya.  
*evitata*, Wedd. in DC. Prod. xvi. 79 = *terminalis*.  
*Gaudichaudiana*, Wedd. Monog. Urtic. 137.—Ins. Philipp.  
*gigantea*, Gaudich. in Freyc. Voy. Bot. 498 = *crenulata*.  
*Gigas*, Wedd. Monog. Urtic. 129. t. 3.—Austral.  
*Harveyi*, Seem. in Bonplandia, ix. (1861) 259; Fl. Vit. 238.—Ins. Fiji.  
*latifolia*, Gaudich. Bot. Voy. Bonite, t. 81 = *crenulata*.  
*laxiflora*, Wedd. in DC. Prod. xvi. i. 81.—Java.  
*Liebmannii*, Wedd. Monog. Urtic. 133 = *nicaraguensis*.  
*mexicana*, Wedd. in DC. Prod. xvi. i. 84 = *platycarpa*.  
*microstigma*, Gaudich. ex Wedd. l. c. 138.—Java.  
*Milnei*, Seem. Fl. Vit. 238.—Ins. Fiji.  
*moroides*, Wedd. Monog. Urtic. 142.—Austral.  
*nicaraguensis*, Wedd. in DC. Prod. xvi. i. 84.—Nicaragua.  
*oblongata*, Miq. in Zoll. Syst. Verz. Ind. Archip. 103, 106.—Java.  
*oleracea*, Wedd. Monog. Urtic. 141.—Reg. Himal.  
*peltata*, Gaudich. in Freyc. Voy. Bot. 498.—Malaya.  
*photiniphylla*, Urtic. Monog. Wedd. 138.—Austral.; Ins. Pacif.  
*platycarpa*, Wedd. in Ann. Sc. Nat. Sér. IV. i. (1854) 182.—Mexic.  
*pterostigma*, Wedd. in DC. Prod. xvi. i. 87.—Ins. Formosa.  
*pustulata*, Wedd. Monog. Urtic. 140 = *canadensis*.  
*repens*, Wedd. in DC. Prod. xvi. i. 81.—Afr. occ.  
*sinuata*, Blume, ex Wedd. l. c. 86 = *stimulans*.  
*stimulans*, Miq. in Zoll. Syst. Verz. Ind. Archip. 103.—Java.  
*terminalis*, Wight, Ic. vi. t. 1972.—Ind. or.  
*ternatense*, Miq. Ann. Mus. Bot. Lugd. Bat. iv. 302.—Ins. Ternate.  
*vitiensis*, Seem. in Bonplandia, ix. (1861) 259; Fl. Vit. 239 = *photiniphylla*.  
*Vriesiana*, Wedd. in DC. Prod. xvi. i. 81.—Java.

LAPPA, [Tourn.] Rupp. Fl. Jen. ed. Hall. 189 (1745) = *Arctium*, Linn. (Compos.).  
*amplissima*, Boiss. Diagn. Ser. I. vi. 108 = *Cousinia amplissima*.  
*amplissima*, Kotschy, Reise Taur. 412 = *A. majus*.  
*Arctium*, Hill, Veg. Syst. iv. 28 = *A. majus*.  
*atlantica*, Pomel, Nouv. Mat. Fl. Atl. 285.—Alger.  
*Bardana*, Moench, Meth. 552 = *A. majus*.  
*carduelis*, Lam. Encyc. i. 378 = *Carduus arctioides*.  
*conglomerata*, Schur, in Verh. Siebenb. Ver. Naturw. x. (1859) 79 = *A. minus*.  
*edulis*, Siebold, ex Miq. in Ann. Mus. Bot. Lugd. Bat. ii. 185 = *A. majus*.  
*glabra*, Lam. Fl. Fr. ii. 37 = *A. majus*.  
*intermedia*, Reichb. f. Ic. Fl. Germ. xv. 54. t. 812 = *A. nemorosum*.  
*intermedia* ×, Simk. in Termész. Füzetek, ii. (1878) 145.—Europ.  
*Kotschyi*, Hort. Vind. ex Boiss. Fl. Orient. iii. 458 = *A. majus*.  
*macrosperma*, Wallr. in Linnaea, xiv. (1840) 639; et Beitr. Fl. Hercyn. 269 = *A. nemorosum*.  
*major*, Gaertn. Fruct. ii. 379. t. 162 = *A. majus*.  
*minor*, Hill, Veg. Syst. iv. 28; DC. Fl. Fr. iv. 77 = *A. minus*.  
*nemorosa*, Koern. ex Griewank, in Arch. Ver. Naturg. Mecklenb. xxiii. (1870) 189 = *A. nemorosum*.  
*notha* ×, Ruhm. in Eichl. Jahrb. Berl. (1881) 238.—Europ.  
*officinalis*, All. Fl. Pedem. i. 145 = *A. majus*.  
*Personata*, Lam. Encyc. i. 378 = *Carduus Personata*.  
*platylepis*, Boiss. & Balansa, ex Boiss. Fl. Orient. iii. 458.—As. Min.



**LAPPA:—**

- puberis*, Bor. Fl. Cent. Fr. ed. III. ii. 758 = *Arctium minus*.  
*repens*, DC. ex Kar. in Bull. Soc. Nat. Mosc. (1839) 160, nomen.—Turcoman.  
*rosacea*, Wallr. Beitr. Fl. Hercyn. 270 = *A. majus*?  
*sylvestris*, Pomel, Nouv. Mat. Fl. Atl. 284.—Alger.  
*tenella*, Fisch. & Mey. in DC. Prod. vi. 662 = *Cousinia tenella*.  
*tomentosa*, Lam. Fl. Fr. ii. 37 = *A. majus*.  
*vulgaris*, Hill, Veg. Syst. iv. 28 = *A. majus*.

**LAPPAGO**, Schreb. Gen. 55 (1789) = **Tragus**, Hall. (Gramin.).

- aliena*, Spreng. Neue Entdeck. iii. 15 = *T. racemosus*.  
*Berteroniana*, Schult. ex Steud. Syn. Pl. Gram. 112, in syn. = *T. racemosus*.  
*biflora*, Roxb. Hort. Beng. 82; Fl. Ind. i. 281 = *T. racemosus*.  
*decipiens*, Fig. & De Not. in Mem. Acc. Torin. (1854) 387 = *T. breviflorus*.  
*latipes*, Steud. Nom. ed. II. ii. 9 = *Latipes senegalensis*.  
*oblismenoides*, Speg. in Anal. Soc. Cient. Argent. xvi. (1883) 132.—Reg. Argent.  
*phleoides*, Fig. & De Not. in Ann. Sc. Nat. Sér. III. xix. (1853) 373.—Nubia.  
*racemosa*, Honck. Syn. i. 440 = *T. racemosus*.  
*setacea*, Spreng. ex Steud. Nom. ed. II. ii. 9, 11 = *Lasiachloa hispida*.  
*setiformis*, Spreng. ex Steud. II. cc. = *Lasiachloa hirta*.

**LAPPAGOPSIS**, Steud. Syn. Pl. Gram. 112 (1855) = **Paspalum**, Linn. (Gramin.).

- bijuga*, Steud. I. c. = *P. dissitiflorum*.

**LAPPARIA**, Heist. Syst. 11 (1748) = **Xanthium**, Tourn. (Compos.).**LAPPULA**, Moench, Meth. 416 (1794) = **Echinosperrum**, Sw. (Boragin.).

- concava*, F. Muell. Census, 100 = *E. concavum*.  
*deflexa*, Garcke, Fl. Deutschl. ed. VI. 275 = *E. deflexum*.  
*echinata*, Gilib. Fl. Lituan. i. 25 = *E. Lappula*.  
*Myosotis*, Moench, Meth. 417 = *E. Lappula*.  
*squarrosa*, Dum. Fl. Belg. 40 = *E. Lappula*.

**LAPPULARIA**, Pomel, Nouv. Mat. Fl. Atl. 149 (1874) = **Caucalis**, Linn. (Umbellif.).

- bifrons*, Pomel, I. c. 150 = *C. bifrons*.  
*infesta*, Pomel, I. c. = *C. infesta*.  
*neglecta*, Pomel, I. c. = *C. infesta*.  
*nodosa*, Pomel, I. c. = *C. nodosa*.

**LAPSANA**, Linn. Meth. Sex. (1737); Syst. ed. II. 28 (1740) pro parte. **COMPOSITAE**, Benth. & Hook. f. ii. 509.**LAPSANA**, Tourn. ex Rupp. Fl. Jen. ed. Hall. 209 (1745).

- adenophora*, Boiss. Diagn. Ser. I. iv. 423.—As. Min.  
*alpina*, Boiss. & Bal. I. c. Ser. II. vi. 117.—As. Min.  
*apogonoides*, Maxim. in Bull. Acad. Petersb. xviii. (1873) 288.—Japon.  
*capillaris*, Linn. Sp. Pl. 812 = *Crepis virens*.  
*Cassia*, Boiss. Diagn. Ser. I. xi. 33 = *peduncularis*.  
*chondrilloides*, Linn. Sp. Pl. 812 = *Phaeacasium lampsanoides*.  
*communis*, Linn. I. c. 811.—Europ.; Oriens; As. bor.  
*crassifolia*, Vahl, ex DC. Prod. vii. 78 = *Pamphalea Commersonii*.  
*crispa*, Willd. Sp. Pl. iii. 1624 = *communis*.  
*foetida*, F. W. Schmidt, Samml. Phys. Aufs. i. (1795) 264 = *Hyoseris foetida*.  
*foetida*, Scop. Fl. Carn. ed. II. ii. 118 = *Crepis foetida*.  
*glandulifera*, Cass. in Dict. Sc. Nat. xxv. 211 = *grandiflora*.  
*gracilis*, Lam. Fl. Fr. ii. 102 = *Arnosieris pusilla*.  
*grandiflora*, Bieb. Fl. Taur. Cauc. ii. 261.—Reg. Caucas.  
*intermedia*, Bieb. Fl. Taur. Cauc. iii. 540.—Byzant.; Reg. Caucas.  
*japonica*, Burm. f. Fl. Ind. 174.—Japon.  
*Koelpinia*, Linn. f. Suppl. 248 = *Koelpinia linearis*.  
*lampsanaefolia*, Mill. Gard. Dict. ed. VIII. n. 3.—*Rhagadiolus edulis*.  
*leontodontoides*, Scop. ex DC. Prod. vii. 82 = *Crepis foetida*.

**LAPSANA:—**

- lyrata*, Willd. Enum. Hort. Berol. 832 = *grandiflora*.  
*macrocarpa*, Coss. in Bull. Soc. Fr. ix. (1862) 173 = *communis*.  
*minima*, All. Fl. Pedem. i. 206 = *Arnosieris pusilla*.  
*parviflora*, A. Gray, in Mem. Am. Acad. N. S. vi. (1858–59) 396.—Japon.  
*peduncularis*, Boiss. Fl. Orient. iii. 720.—As. Min.; Syria.  
*pisidica*, Boiss. & Heldr. Diagn. Ser. I. xi. 33 = *peduncularis*.  
*pubescens*, Hornem. Hort. Hafn. Suppl. 91 = *communis*.  
*pulchra*, Vill. Hist. Pl. Dauph. iii. 163 = *Phaeacasium lampsanoides*.  
*pusilla*, Willd. Sp. Pl. iii. 1623 = *Arnosieris pusilla*.  
*ramosissima*, Boiss. & Heldr. Diagn. Ser. I. xi. 34 = *peduncularis*.  
*ramosissima*, Crantz, Inst. i. 236 = *Rhagadiolus edulis*.  
*Rhagadiolus*, Linn. Sp. Pl. 812 = *Rhagadiolus edulis*.  
*silvatica*, Nym. Consp. 474 = *communis*.  
*sonchifolia*, Gilib. Fl. Lituan. i. 243 = *communis*?  
*stellata*, Linn. Sp. Pl. 811 = *Rhagadiolus edulis*.  
*sylvatica*, Wallr. Beitr. Fl. Hercyn. ii. 125; ex Sch. Bip. in Webb & Berth. Phyt. Canar. ii. 420 = *communis*.  
*taraxacoides*, Forsk. Fl. Aegypt. Arab. 145 = *Hyoseris lucida*.  
*taraxaconoides*, J. F. Gmel. Syst. 1571 = *praec.*  
*virgata*, Desf. Fl. Atlant. ii. 235.—Afr. bor.  
*vulgaris*, Gromow, ex Trautv. in Act. Hort. Petrop. viii. (1883) 513, nomen = *communis*.  
*Zacintha*, Linn. Sp. Pl. 811 = *Zacintha versicosa*.  
*Zazynta*, Steud. Nom. ed. II. ii. 9 = *praec.*

**LAPULA**, Gilib. Fl. Lituan. i. 25 (1781) = **LAPPULA** Moench = **Echinosperrum**, Sw. (Boragin.).**LARBRAEA**, Fourr. in Ann. Soc. Linn. Lyon, N. S. xvi. (1868) 348 = **LARBREA**, A. St. Hil. = **Stellaria**, Linn. (Caryophyll.).

- LARBREA*, A. St. Hil. in Mém. Mus. Par. ii. (1815) 287 = **Stellaria**, Linn. (Caryoph.).  
*aquatica*, A. St. Hil. I. c. 261 = *S. uliginosa*.  
*aquatica*, Ser. in DC. Prod. i. 395 = *S. aquatica*.  
*bracteata*, Reichb. Ic. Fl. Germ. xv. 36 t. 226 = *S. uliginosa*.  
*crassifolia*, Reichb. I. c. = *S. crassifolia*.  
*graminea*, Fuss, Fl. Transs. 119 = *S. graminea*.  
*linoides*, Opiz, Seznam, 57 = *S. linoides*.  
*palustris*, Fuss, Fl. Transs. 118 = *S. palustris*.  
*uliginosa*, Reichb. Ic. Fl. Germ. xv. 36 = *S. uliginosa*.

**LARDIZABALA**, Ruiz & Pav. Prod. 143. t. 37 (1794). **BERBERIDEAE**, Benth. & Hook. f. i. 42. BOISSIERA, Domb. ex DC. Syst. i. 512, in syn. (1818).

- COGYLIA*, Molina, Sagg. Chile, ed. II. 300 (1810).  
*bitermata*, Ruiz & Pav. Syst. Veg. 286.—Chili.  
*discolor*, Poepp. & Endl. Nov. Gen. et Sp. ii. 64. t. 189.—Am. austr.  
*infusiata*, Miers, in Ann. & Mag. Nat. Hist. Ser. III. ii. (1858) 431.—Chili.  
*silvicola*, Miers, I. c. 191.—Chili.  
*ternata*, Molina, Sagg. Chile, ed. II. 137.—Chili.  
*trifoliata*, Ruiz & Pav. Syst. Veg. 286 = *Boquila trifoliata*.  
*trifoliolata*, DC. Syst. i. 513 = *praec.*  
*tritermata*, Ruiz & Pav. Syst. Veg. 287.—Chili.

**LARENTIA**, Klatt, in Abb. Naturf. Ges. Halle, xii. (1882) 362 = **Cypella**, Herb. (Irid.).

- linearis*, Klatt, I. c. (= *Alophia linearis*).—Venezuela.

**LAREPHES**, Rafin. Fl. Tellur. iv. 86 (1836) = **Echium**, Tourn. (Boragin.).

- parviflorum*, Rafin. I. c. = *E. tenue*.

**LARETIA**, Gill & Hook. in Hook. Bot. Misc. i. (1830) 329. t. 65. **UMBELLIFERAE**, Benth. & Hook. f. i. 875.

- acaulis*, Gill & Hook. I. c.—Chili.

**LARIADENIA**, [Schlecht.] in Bot. Zeit. iv. (1846) 284, sphalm. = **Lasiadenia**, Benth. (Thymel.).**LARIX**, Tourn. ex Adans. Fam. ii. 480 (1763). **CONIFERAE**, Benth. & Hook. f. iii. 442.

- altaica*, Fisch. ex Gord. Pinet. 127 = *sibirica*.  
*ambilis*, [Nels.] Senilis, Pinac. 84 = *Pseudolarix Kaempferi*.  
*americana*, Michx. Fl. Bor. Am. ii. 203; Arb. Forest. Am. Sept. iii. 37. t. 4.—Am. bor.  
*archangelica*, Laws. Agric. Man. 389 = *sibirica*.  
*caducifolia*, Gilib. Exercit. ii. 413 = *europaea*.  
*Cedrus*, Mill. Gard. Dict. ed. VIII. n. 3 = *Cedrus Libani*.  
*chinensis*, Mill. I. c. n. 2 = *Cunninghamia sinensis*.  
*communis*, Laws. ex Gord. Pinet. 124 = *europaea*.  
*dahurica*, Turcz. in Bull. Soc. Nat. Mosc. (1838) 101.—Sibir.  
*decidua*, Mill. Gard. Dict. ed. VIII. n. 1 = *europaea*.  
*Deodara*, C. Koch, Wochenschr. x. (1867) 305 = *Cedrus Libani*.  
*europaea*, DC. Fl. Fr. iii. 277.—Europ.; As. bor.  
*europaea*, Middend. in Bull. Phys.-Math. Acad. Petersb. iii. (1845) 255 = *dahurica*.  
*excelsa*, Link, in Abh. Berl. Akad. (1827) 182 = *europaea*.  
*Fraseri*, Curt. ex Gord. Pinet. 129 = *americana*.  
*Gmelini*, Ledeb. ex Gord. I. c. 123 = *dahurica*.  
*Griffithiana*, Carr. Conif. ed. I. 278 = *seq.*  
*Griffithii*, Hook. f. & Thoms. in Hook. f. Illustr. Himal. Pl. t. 21.—Reg. Himal.  
*intermedia*, Fisch. ex Turcz. in Bull. Soc. Nat. Mosc. (1838) 101 = *sibirica*.  
*intermedia*, Lodd. Cat. (1836) 50; Link, in Linnaea, xv. (1841) 535 = *americana*.  
*japonica*, Hort. ex Carr. Conif. ed. I. 272 = *leptolepis*.  
*japonica*, A. Murr. Pines & Firs of Japan, 94. f. 178.—Japon.  
*Kaempferi*, Fortune, ex Gord. Pinet. 292 = *Pseudolarix Kaempferi*.  
*kamtschatica*, Hort. ex Carr. Conif. ed. I. 279 = *dahurica*.  
*laricina*, C. Koch, Dendrol. ii. 11. 263 = *americana*.  
*Ledebourii*, Rupr. Beitr. Pfl. Russ. Reich. ii. 56 = *sibirica*.  
*leptolepis*, Hort. ex Endl. Conif. 338.—Japon.  
*Lyallii*, Parl. in Journ. Bot. i. (1863) 35; Gard. Chron. (1863) 916.—Am. bor. occ.  
*microcarpa*, Forbes, Pinet. Woburn. 139. t. 47 = *americana*.  
*Nuttallii*, Parl. ex Gord. Pinet. ed. II. 176 = *occidentalis*.  
*occidentalis*, Nutt. Sylv. N. Am. ii. 199.—Am. bor. occ.  
*orientalis*, Thunb. Fl. Jap. 275 = *leptolepis*.  
*patula*, Salisb. in Trans. Linn. Soc. viii. (1808) 314 = *Cedrus Libani*.  
*pendula*, Salisb. I. c. 313 = *americana*.  
*Pseudo-larix*, Lodd. ex Gord. Pinet. 127 = *sibirica*.  
*pyramidalis*, Salisb. in Trans. Linn. Soc. viii. (1808) 313 = *europaea*.  
*repens*, Laws. ex Steud. Nom. ed. II. ii. 10 = *europaea*.  
*rossica*, Sabine, ex Loud. Encyc. Trees. 1054 = *europaea*.  
*rubra*, Hort. ex Steud. Nom. ed. II. ii. 10 = *americana*.  
*sibirica*, Ledeb. Fl. Alt. iv. 204.—Sibiria.  
*sibirica*, Nois. ex Steud. Nom. ed. I. 463; ed. II. ii. 10 = *europaea*, *leptolepis*.  
*sikkimensis*, Hook. ex Gord. Pinet. ed. II. 171 = *Griffithii*.  
*tenuifolia*, Salisb. in Trans. Linn. Soc. viii. (1808) 313 = *americana*.  
*vulgaris*, Fisch. ex Spach, Hist. Vég. Phan. xi. 432 = *europaea*.

**LARMZON**, Roxb. Fl. Ind. ii. 385, in syn. (1832) = **Buchanania**, Roxb. (Anacard.).**LARNALLES**, Rafin. Fl. Tellur. iii. 70 (1836) = **Commelina**?, Linn.

- dichotoma*, Rafin. I. c. 71 (Quid?).—Hab.!

- glauca*, Rafin. I. c. (Quid?).—Hab.!

**LARNANDRA**, Rafin. Neogenyt. 4 (1825) = **Epidendrum**, Linn. (Orchid.).

- conopsea*, Rafin. Fl. Tellur. ii. 40 = *E. conopseum*.  
*Magnolia*, Rafin. Neogenyt. 4 = *E. conopseum*.

**LARNASTYRA**, Rafin. Fl. Tellur. iii. 92 (1836) = **Salvia**, Tourn. (Labiata).

- Claytoni*, Rafin. I. c. = *S. Claytoni*.  
*indica*, Rafin. I. c. = *S. indica*.  
*lyrata*, Rafin. I. c. = *S. lyrata*.  
*urticifolia*, Rafin. I. c. = *S. urticifolia*.  
*verbenacea*, Rafin. I. c. = *S. Verbenaca*.



**LARNAX**, Miers, in Ann. & Mag. Mat. Hist. Ser. II. iv. (1849) 37 = *Athenaea*, Sendtn. (Solanae.).  
*Morrisoni*, Miers, Illustr. S. Am. Pl. ii. App. 60 = *Withania Morrisoni*.  
*orinocensis*, Miers, in Ann. & Mag. Nat. Hist. Ser. II. iv. (1849) 38 = *Withania orinocensis*.  
*ramosa*, Miers, Illustr. S. Am. Pl. ii. App. 61 = *ithania ramosa*.  
*sordida*, Miers, l. c. = *Chamaesaracha sordida*.  
*subtriflora*, Miers, in Ann. & Mag. Nat. Hist. Ser. II. iv. (1849) 38 = *Withania subtriflora*.  
*xalapensis*, Miers, l. c. = *A. xalapensis*.

**LAROCHEA**, Pers. Syn. i. 337 (1805) = **Crassula**, Dill.  
*coccinea*, Pers. Syn. i. 337 = *Rochea coccinea*.  
*cymosa*, Haw. Syn. Pl. Succ. 50 = *C. cymosa*.  
*falcata*, Pers. Syn. i. 337 = *C. falcata*.  
*fascicularis*, Schult. Syst. vi. 709 = *Rochea fascicularis*.  
*flava*, Haw. Syn. Pl. Succ. 50 = *C. flava*.  
*odoratissima*, Haw. l. c. 51 = *Rochea odoratissima*.  
*tiniflora*, Lem. Illustr. Hort. viii. (1861) sub t. 269 = *Rochea tiniflora*.

**LARRADIA**, Pritz. Ic. Ind. i. 619 (1855), sphalm. = **Lavradia**, Vell. (Violar.).

**LARREA**, Cav. in Anal. Hist. Nat. ii. (1800) 119. tt. 18, 19. **ZYGOPHYLLEAE**, Benth. & Hook. f. i. 267.  
*cuneifolia*, Cav. l. c. 123.—Reg. Argent.  
*divaricata*, Cav. l. c. 122.—Reg. Argent.  
*glutinosa*, Engelm. in Wislitz. Tour N. Mexic. 93.—Mexic.  
*mexicana*, Moric. Pl. Nouv. Am. 71. t. 48.—Mexic.  
*nitida*, Cav. in Anal. Hist. Nat. ii. (1800) 120.—Reg. Argent.  
*trigyna*, Kunze, ex Klotzsch, in Linnaea, x. (1835–36) 432 = *Wendtia Poeppigiana*.

**LARREA**, Orteg. Hort. Matr. Dec. 15. t. 2 (1797) = **Hoffmanseggia**, Cav. (Legumin.).  
*glauca*, Orteg. l. c. = *H. falcaria*.  
*gracilis*, Ruiz & Pav. Fl. Per. iv. t. 377 = *H. gracilis*.  
*viscosa*, Ruiz & Pav. l. c. = *H. viscosa*.

**LARYSACANTHUS**, Oerst. in Kjoeb. Vidensk. Meddel. (1854) 123 = **Ruellia**, Linn. (Acanthac.).  
*ciliatus*, Oerst. l. c. = *R. ciliata*.

**LASCADIUM**, Rafin. Fl. Ludov. 114 (1817) 'nomen delendum,' Benth. & Hook. f. Gen. iii. 256.  
*lanatum*, Rafin. Fl. Ludov. 114.—Louisiana.  
*lanuginosum*, Rafin. ex Steud. Nom. ed. II. ii. 10 = praec.

**LASEGUEA**, A. DC. in DC. Prod. viii. 481 (1844). **APOCYNACEAE**, Benth. & Hook. f. ii. 725.  
*acutifolia*, DC. in Ann. Sc. Nat. Sér. III. i. (1844) 261.—Bras.  
*antennacea*, Miers, Apocyn. S. Am. 251 = *Echites antennacea*.  
*bicolor*, Miers, l. c. 251 = *Echites bicolor*.  
*emarginata*, A. DC. in DC. Prod. viii. 481.—Bras.  
*erecta*, Muell. Arg. in Mart. Fl. Bras. vi. i. 135 = *acutifolia*.  
*foliosa*, Miers, Apocyn. S. Am. 253 = *Mandevilla foliosa*.  
*glabra*, DC. in Ann. Sc. Nat. Sér. III. i. (1844) 262 = *acutifolia*.  
*Guilleminiana*, A. DC. in DC. Prod. viii. 481 = *acutifolia*.  
*Hookeri*, Muell. Arg. in Mart. Fl. Bras. vi. i. 136.—Bras.  
*Jaegeri*, Miers, Apocyn. S. Am. 254 = *Urechites Jaegeri*.  
*latiuscula*, Miers, l. c. 251.—Guian.  
*leptocarpa*, Miers, l. c. 254 = *Parsonia leptocarpa*.  
*obliquinervia*, DC. in Ann. Sc. Nat. Sér. III. i. (1844) 261 = *acutifolia*.  
*Pentlandiana*, DC. l. c. 262.—Bras.  
*pubiflora*, Miers, Apocyn. S. Am. 253.—Ind. occ.  
*subspicata*, Miers, l. c. 252 = *Echites subspicata*.  
*venustula*, Miers, l. c.—Guian.  
*villosa*, Miers, l. c. 250.—Nicaragua.

**LASER**, Borck. ex Gaertn. Mey. & Scherb. Fl. Wett. i. 244, 384 (1799); Baumg. Enum. Stirp. Transsylv. i. 227 (1816) = **Laserpitium**, Linn. (Umbellif.).  
*aquilegifolium*, Rochl. ex Steud. Nom. ed. I. 463; ed. II. ii. 10 = *Siler trilobum*.

#### LASER:—

*trilobum*, Baumg. Enum. Stirp. Transsylv. i. 228 = *Laserpitium marginatum*.  
*trilobum*, Borck. ex Gaertn. Mey. & Scherb. Fl. Wett. i. 384 = *Siler trilobum*.

**LASERPICIUM**, Rivin. ex Aschers. Fl. Brandenb. 256 (1864) = seq.

**LASERPITIUM**, Linn. Syst. ed. I (1735). **UMBELLIFERAE**, Benth. & Hook. f. i. 929.  
**ASPIITIUM**, Neck. ex Steud. Nom. ed. II. ii. 10 (1841).

**GUILLONEA**, Coss. Pl. Nouv. Esp. 109 (1851).  
**LASER**, Borck. ex Gaertn. Mey. & Scherb. Fl. Wett. i. 244, 384 (1799).

*Aciphylla*, Linn. f. Suppl. 181 = *Ligusticum Aciphylla*.  
*affine*, Ledeb. Fl. Ross. ii. 335.—Reg. Caucas.  
*africanum*, F. G. Dietr. Vollst. Lexik. Gaertn. v. 315 (= *Cnidium Fontanesii*).—Afr. bor.

*alpinum*, Waldst. & Kit. Pl. Rar. Hung. ii. 281 = *Siler trilobum*.

*ambiguum*, Schur, in Verh. Siebenb. Ver. Naturw. iv. (1853) 31 = *marginatum*.

*angustifolium*, Georgi, Beschr. Russ. Reich. iv. 847 (Quid?).—Polon.

*angustifolium*, Linn. Sp. Pl. 248 = *gallicum*.

*angustifolium*, Scop. Fl. Carn. ed. II. i. 197 = *peucedanoides*.

*angustissimum*, Willd. Sp. Pl. i. 1416 = *gallicum*.

*aquilegiaefolium*, Jacq. Fl. Austr. ii. 29. t. 147 = *Siler trilobum*.

*aquilegifolium*, DC. Fl. Fr. Suppl. 510 = *Nestleri*.

*aquilegifolium*, Moretti, Notiz. in Mem. i. 255; ex Bertol. Fl. Ital. iii. 404 = *latifolium*.

*aquilegifolium*, Murr. Syst. ed. XIV. 281 = *Siler trilobum*.

*aquilegifolium*, Tenore, Fl. Nap. Prod. 19; ex ej. Fl. Nap. iii. 345 = *Trochiscanthes nodiflora*.

*Archangelica*, Hort. ex Link, Enum. Hort. Berol. i. 273 = *hispidum*.

*Archangelica*, Wulf. in Jacq. Coll. i. 214; Ic. Pl. Rar. i. t. 58.—Europ.

*aspermum*, Schur, Enum. Pl. Transs. 269 = *latifolium*.

*aspermum*, Crantz, Stirp. Austr. ed. I. fasc. iii. 50; ed. II. iii. 179 = *latifolium*.

*Athamantae*, Spreng. in Schult. Syst. vi. 624.—Sibiria.

*atlanticum*, Poir. Encyc. Suppl. iii. 304 = *Elaeoselinum foetidum*.

*aureum*, Willd. Sp. Pl. i. 1416.—As. Min.

*bavaricum*, Schrank, Baier. Fl. i. 548.—Bavar.

*canescens*, Boiss. Elench. 49 = *scabrum*.

*capense*, Thunb. Prod. Pl. Cap. 50 = *Peucedanum capense*.

*carniolicum*, Bernh. ex Steud. Nom. ed. II. ii. 10 = *Siler trilobum*.

*Carota*, Boiss. in Ann. Sc. Nat. Sér. III. ii. (1844) 46 = *Thapsia polygama*.

*caucasicum*, Bieb. Fl. Cauc. i. 222 = *Carum caucasicum*.

*Ceravaria*, C. C. Gmel. Fl. Bad. i. 657 = *latifolium*.

*chironicum*, Hill, Veg. Syst. vi. 30 = seq.

*Chironium*, Linn. Sp. Pl. 249 = *Opoponax Chironium*.

*Chironium*, Scop. Fl. Carn. ed. II. i. 197 = *L. Archangelica*.

*commune*, Mill. Gard. Dict. ed. VIII. n. 1 = *latifolium*.

*coniifolium*, Wall. Cat. n. 584 = *Selinum tenuifolium*.

*crispum*, Turra, Fl. Ital. Prod. 65 = *latifolium*.

*crithminum*, Link, in Buch, Beschr. Canar. Ins. 151 = *Astydamia canariensis*.

*cuneatum*, Moench, Meth. 79 = *gallicum*.

*cuneifolium*, Nestler, ex Soyer-Willem. Obs. 87 = *Nestleri*.

*cyanapiifolium*, Marschl. in Flora, xvi. (1833) 456 = *Ligusticum cynapiifolium*.

*daucoides*, Desf. Fl. Atlant. i. 253 = *Daucus laserpitoides*.

*daucoides*, Duf. ex DC. Prod. iv. 206 = *prutenicum*.

*dauricum*, Jacq. Hort. Vindob. iii. 22. t. 33 (= *Cnidium dahuricum*).—Dahuria.

*elegans*, Clarke, Trav. ii. 262 = *aureum*.

*ferulaceum*, Lapeyr. Hist. Abr. Pl. Pyr. 152.—Mont. Pyren.

*ferulaceum*, Linn. Sp. Pl. ed. II. 358 = *Prangos ferulacea*.

#### LASERPITIUM:—

*Fontanesii*, Pers. Syn. i. 313 = *Elaeoselinum foetidum*.

*formosum*, Willd. Sp. Pl. i. 1416 = *gallicum*.

*gallicum*, Linn. Sp. Pl. 248.—Europ.

*gallicum*, Scop. Fl. Carn. ed. II. i. 196 = *prutenicum*.

*garganicum*, Bertol. Fl. Ital. iii. 398 = *L. Siler*.

*garganicum*, Tenore, Fl. Nap. i. 122. t. 22.—Ital.; Graec.

*Gaudinii*, Moretti, in Comol. Prod. Fl. Com. 52 = *marginatum*.

*glabrum*, Crantz, Stirp. Austr. ed. I. fasc. iii. 54; ed. II. 181 = *latifolium*.

*glaucum*, Cav. Ic. ii. 72. t. 190 lapsu = *scabrum*.

*gracile*, Schur, in Verh. Siebenb. Ver. Naturw. iv. (1853) 30 = *latifolium*.

*gummiferum*, Desf. Fl. Atlant. i. 254. t. 72.—Hispan.; Afr. bor.

*Halleri*, All. Fl. Pedem. ii. 11 = *L. Panax*.

*hirsutum*, Gilib. Fl. Lituan. ii. 13 = *prutenicum*.

*hirsutum*, Lam. Fl. Fr. iii. 648 = *L. Panax*.

*hirtellum*, Gaud. Fl. Helv. ii. 350 = *nitidum*.

*hispidum*, Bieb. Fl. Taur. Cauc. i. 221.—Reg. Caucas.

*Krapfii*, Crantz, Cl. Umb. Emend. 67.—Istria.

*latifolium*, Linn. Sp. Pl. 248; Lam. Encyc. iii. 423.—Europ.

*laxiflorum*, Fisch. ex Sweet, Hort. Brit. ed. II. 253, nomen.—Sibiria.

*leucolaenum*, Boiss. & Bal. ex Boiss. Fl. Orient. ii. 1065 = *affine*.

*Libanotis*, Lam. Encyc. iii. 423 = *latifolium*.

*lineatum*, Tausch, in Flora, xiv. (1831) 667 = *L. Siler*.

*Lobelii*, Vill. Prosp. 24 = *Carum rigidulum*.

*longiradium*, Boiss. Voy. Bot. Espagne, ii. 734.—Hispan.

*lucidum*, [Soland. in] Ait. Hort. Kew. ed. I. i. 345 = *Ligusticum simplex*.

*luteolum*, Gaud. Fl. Helvet. ii. 348 = *marginatum*.

*macrophyllum*, Borb. in Rad. Fugos. Akad. Zagreb. li. (1880) 53.—Europ.

*marginatum*, Waldst. & Kit. Pl. Rar. Hung. ii. 210.—Europ. austr.

*meifolium*, Vent. ex DC. Prod. iv. 208 = *Lophosciadum meifolium*.

*meoides*, Desf. Fl. Atlant. i. 253 = *Elaeoselinum meoides*.

*montanum*, Lam. Fl. Fr. iii. 415 = *L. Siler*.

*multifidum*, Kit. in Linnaea, xxxii. (1863) 464.—Hungar.

*multipartitum*, Kit. l. c. = *multifidum*.

*mutellinoides*, Crantz, Cl. Umb. Emend. 67 = *Ligusticum simplex*.

*nebrodense*, Jan, ex DC. Prod. iv. 205 = *L. Siler*.

*Nestleri*, Soyer-Willem. Obs. 87.—Gallia.

*nitidum*, Zanted. in Comm. Ateneo Brescia, 1815 (1818) 89.—Europ. austr.

*obliquum*, Schur, in Verh. Siebenb. Ver. Naturw. iv. (1853) 30 (Quid?).—Transsylv.

*paludapifolium*, Mill. Gard. Dict. ed. VIII. n. 3 = *latifolium*.

*Panax*, Gouan, Illustr. 13.—Europ.

*petrophilum*, Boiss. & Heldr. Diagn. Ser. I. x. 46 = *Polylophium thalictroides*.

*peucedanoides*, Brot. Fl. Lusit. i. 428 = *Peucedanum lancifolium*.

*peucedanoides*, Desf. Fl. Atlant. i. 254 = *Elaeoselinum foetidum*.

*peucedanoides*, Linn. Cent. Pl. ii. 13.—Europ.

*pilosum*, Comol. Prod. Fl. Com. 53 = *nitidum*.

*pilosum*, Willd. Enum. Hort. Berol. 310 = *hispidum*.

*podolicum*, Rehm. in Verh. Zool.-Bot. Ges. Wien, xviii. (1868) 497.—Europ.

*polygamum*, Lam. Encyc. iii. 425 = *gummiferum*.

*pratense*, Ledeb. ex Sweet, Hort. Brit. ed. II. 253 (Quid?).—Sibiria.

*prutenicum*, Linn. Sp. Pl. 248.—Europ.

*prutenicum*, Pall. ex Bieb. Casp. App. 209 = *hispidum*.

*Pseudo-meum*, Orph. Heldr. & Sart. in Boiss. Diagn. Ser. II. ii. 95.—Graec.

*Pseudo-siler*, Schur, in Verh. Siebenb. Ver. Naturw. iv. (1853) 30 = *latifolium*.

*pubescens*, Lag. Gen. et Sp. Nov. 12 = *latifolium*.

*pubescens*, Willd. ex Ledeb. Fl. Ross. ii. 329 = *Zosimia orientalis*.

*resinosum*, Presl, Delic. Prag. 137 = *Ferula nudicaulis*.

*scabrum*, Cav. Ic. ii. 72. t. 190.—Hispan.

*selinoides*, Crantz, Stirp. Austr. ed. I. fasc. ii. 182; ed. II. 182 = *prutenicum*.



**LASERPITIUM:—**

- selinoides*, Mill. Gard. Dict. ed. VIII. n. 6 = gallicum ?  
*selinoides*, Scop. Fl. Carn. ed. II. i. 198 = *Selinum*  
*Carvifolia*.  
*siculum*, Spreng. Syst. i. 918 = *L. Siler*.  
*silaifolium*, Jacq. Fl. Austr. v. 52. t. 44 = *Carum*  
*rigidulum*.  
*Siler*, Linn. Sp. Pl. 249.—Europ.  
*Siler*, Sibth. & Sm. Fl. Graec. Prod. i. 191 = *garganicum*.  
*simplex*, Boeber, in Pall. N. Nord. Beitr. vi. 261 =  
*Selinum* *sylvestre*.  
*simplex*, Lapeyr. Hist. Abr. Pl. Pyr. 152 = *Meum*  
*pyrenaicum*.  
*simplex*, Linn. Mant. i. 56 = *Ligusticum simplex*.  
*simplex*, Pourr. ex Nym. Consp. 291 = *Ligusticum*  
*pyrenaicum*.  
*Stevani*, Fisch. Mey. & Trautv. Ind. Sem. Hort.  
*Petrop.* iv. 40.—Reg. Caucas.  
*striatum*, Wall. Cat. n. 583 = *Selinum striatum*.  
*ternatum*, Willd. ex Spreng. in Schult. Syst. vi. 555 =  
*Oreoscladium montanum*.  
*thapsiaeforme*, Brot. Fl. Lusit. i. 427 = *gummiferum*.  
*thapsioides*, Desf. Fl. Atlant. i. 252 = *Elaeoselinum*  
*foetidum*.  
*trifoliatum*, Sieber, ex Spreng. in Schult. Syst. vi. 619  
= *L. Siler*.  
*trifurcatum*, Lam. Fl. Fr. iii. 416 = *gallicum*.  
*trilobum*, Lapeyr. Hist. Abr. Pl. Pyr. 151 = *Nestleri*.  
*trilobum*, Linn. Sp. Pl. 248 = *Siler trilobum*.  
*trilobum*, Suter, Fl. Helvet. i. 163 = *marginatum*.  
*triquetrum*, Vent. Jard. Cels. 97 = *Prangos triquetra*.  
*triternatisectum*, Dulac, Fl. Hautes-Pyr. 358 =  
*Nestleri*.  
*ulopterum*, Trevir. in Linnaea, x. (1836) Litt. 73.—  
*Gallia*.  
*verticillatum*, Waldst. & Kit. Pl. Rar. Hung. ii. 186 =  
*Trochiscanthes nodiflora*.  
Winkler, Herlich, Sel. Pl. Rar. Galic. et Bukov. 11.  
—Austria.

**LASIA**, Lour. Fl. Cochinch. 81 (1790). *AROIDEAE*,  
Benth. & Hook. f. iii. 995.

- LASIUS*, Hassk. Cat. Hort. Bog. Alt. 59 (1844).  
*aculeata*, Lour. Fl. Cochinch. 81.—As. trop.  
*desciscens*, Schott, in Miq. Ann. Mus. Bot. Lugd. Bat.  
i. 127 = *aculeata*.  
*Hermannii*, Schott, in Bonplandia, v. (1857) 125 =  
*heterophylla*.  
*heterophylla*, Schott, Melet. 21 = *aculeata*.  
*Jenkinsii*, Schott, in Bonplandia, v. (1857) 125 =  
*aculeata*.  
*Loureirii*, Schott, Melet. i. 21 = *aculeata*.  
*Merkusii*, Hassk. Cat. Hort. Bog. Alt. 59 = *Cyrtosperma*  
*Merkusii*.  
*Roxburghii*, Griff. Notul. iii. 155 = *aculeata*.  
*spinosa*, Thw. Enum. Pl. Zeyl. 336 = *aculeata*.  
*stipitata*, N. E. Br. in Gard. Chron. (1882) II. 70 =  
*Podolasia stipitata*.  
*stipulata*, Hort. ex N. E. Br. l. c. 71, sphalm. =  
*prae*.  
*Zollingeri*, Schott, in Bonplandia, v. (1857) 125 =  
*aculeata*.

**LASIADENIA**, Benth. in Hook. Lond. Journ. Bot.  
iv. (1845) 632. *THYMELAEACEAE*, Benth. &  
Hook. f. iii. 192.

- LINODENDRON*, Griseb. in Mem. Am. Acad. N. S.  
viii. (1861) 187.  
*cubensis*, Benth. & Hook. f. Gen. iii. 192.—Cuba.  
*rupestris*, Benth. in Hook. Lond. Journ. Bot. iv. (1845)  
632.—Guian.

**LASIAGROSTIS**, Link. Hort. Berol. i. 99 (1827) =  
*Stipa*, Linn. (Gramin.).

- alpina*, F. Schmidt, Reisen. Amurl. 73.—Reg. Amur.  
*australis*, Zoll. & Mor. Syst. Verz. Zoll. 101 = *S.*  
*australis*.  
*Calamagrostis*, Link. Hort. Berol. i. 99 = *S. Calama-*  
*grostris*.  
*capensis*, Nees, Fl. Afr. Austr. 167 = *Trachypogon*  
*polymorphus*.  
*Caragana*, Trin. & Rupr. in Mém. Acad. Pétersb. Sér.  
VI. Sc. Nat. v. (1842) 90 = *S. Caragana*.  
*elongata*, Nees, l. c. = *S. elongata*.  
*gigantea*, Trin. & Rupr. in Mém. Acad. Pétersb. Sér.  
VI. Sc. Nat. v. (1842) 96 = *S. gigantea*.  
*Jacquemontii*, Munro, ex Boiss. Fl. Orient. v. 506 =  
*S. Jacquemontii*.

VOL. II.

**LASIAGROSTIS:—**

- mongolica*, Trin. & Rupr. in Mém. Acad. Pétersb.  
Sér. VI. Sc. Nat. v. (1842) 87 = *Stipa mongolica*.  
*splendens*, Kunth, Rév. Gram. i. 58 = *Muehlenbergia*  
*alpestris*.  
*subsessiliflora*, Rupr. Sert. Tiansch. 35.—Sibir.  
*tenacissima*, Trin. & Rupr. in Mém. Acad. Pétersb. Sér.  
VI. Sc. Nat. v. (1842) 94 = *S. tenacissima*.  
*tremula*, Rupr. Sert. Tiansch. 35.—Sibir.  
*variegata*, G. F. W. Mey. ex Steud. Nom. ed. II. ii. 11  
= *Melica ciliata*.

**LASIAKE**, Rafn. Fl. Tellur. iv. 89 (1836) = **Ver-**  
**bascum**, Tourn. (Scrophul.).

*lyratum*, Rafn. l. c. = *Celsia cretica*.  
*plicatum*, Rafn. l. c. = *V. plicatum*.

**LASIANDRA**, DC. Prod. iii. 127 (1828) = **Tibouchina**,  
Aubl. (Melastom.).

- adenostemon*, DC. l. c. 130 = *T. adenostemon*.  
*adenostemon*, Miq. in Linnaea, xxii. (1849) 539 =  
*T. multiflora*.  
*aegopogon*, Naud. in Ann. Sc. Nat. Sér. III. xiii. (1850)  
153 = *T. aegopogon*.  
*aemula*, DC. Prod. iii. 128 = *T. aemula*.  
*albiflora*, Naud. in Ann. Sc. Nat. Sér. III. xiii. (1850)  
159 = *T. hospita*.  
*andina*, Poepp. ex Naud. l. c. 149 = *T. ochypetala*.  
*angustifolia*, Naud. l. c. 135 = *T. angustifolia*.  
*annularis*, Naud. l. c. 138 = *T. setulosa*.  
*arborea*, Naud. l. c. 159 = *T. arborea*.  
*argentea*, DC. Prod. iii. 130 = *T. holosericea*.  
*aspera*, Salz. ex Triana, in Trans. Linn. Soc. xxviii.  
(1873) 44 = *T. sulcata*.  
*asperior*, Cham. in Linnaea, ix. (1834) 435 = *T. asperior*.  
*asperior*, Naud. in Ann. Sc. Nat. Sér. III. xiii. (1850)  
132 = *T. intermedia*.  
*barbigera*, Naud. l. c. 155 = *T. barbigera*.  
*Benthamiana*, Naud. l. c. 159 = *T. Benthamiana*.  
*bipenicillata*, Naud. l. c. 156 = *T. bipenicillata*.  
*calcarata*, Naud. l. c. 127 = *Desmoscelis calcarata*.  
*calyptrata*, Bunbury, in Proc. Linn. Soc. i. (1841) 108 =  
*T. canescens*.  
*Candolleana*, DC. Prod. iii. 129 = *T. Candolleana*.  
*cardinalis*, Naud. in Ann. Sc. Nat. Sér. III. xiii. (1850)  
132 = *T. cardinalis*.  
*Claussenii*, Naud. l. c. 152 = *T. Claussenii*.  
*coerulea*, Reichb. Hort. Bot. iii. 18. t. 250 = *T. viminea*.  
*collina*, Naud. in Ann. Sc. Nat. Sér. III. xiii. (1850)  
148 = *T. collina*.  
*collina*, Salz. ex Triana, in Trans. Linn. Soc. xxviii.  
(1871) 43 = *T. Lhotskyana*.  
*cordiformis*, Naud. in Ann. Sc. Nat. Sér. III. xiii.  
(1850) 143 = *T. Lhotskyana*.  
*corymbosa*, Naud. l. c. 159 = *T. Lindeniana*.  
*dendroides*, Naud. l. c. 132 = *T. dendroides*.  
*dimorphandra*, Miq. in Linnaea, xxii. (1849) 538 =  
*T. Fothergillae*.  
*Diplostegium*, Cham. in Linnaea, ix. (1834) 438 =  
*T. canescens*.  
*dubia*, Cham. l. c. 437 = *T. dubia*.  
*echinata*, Naud. in Ann. Sc. Nat. Sér. III. xiii. (1850)  
159 = *T. Gardneriana*.  
*elegans*, Naud. l. c. 159 = *T. elegans*.  
*Endlicheri*, Beer & Fenzl, ex Seem. in Harting. Parad.  
Vindob. 47. t. 78 = *Monochaetina Humboldtiana*.  
*exasperata*, Naud. in Ann. Sc. Nat. Sér. III. xiii. (1850)  
154 = *T. exasperata*.  
*fissinervia*, DC. Prod. iii. 130 = *T. fissinervia*.  
*Fontanesiana*, DC. l. c. = *T. granulosa*.  
*Fontanesiana*, Naud. in Ann. Sc. Nat. Sér. III. xiii.  
(1850) 150 = *T. Langsdorffiana*.  
*Fothergillae*, Cham. in Linnaea, ix. (1834) 437 =  
*T. Fothergillae*.  
*foveolata*, Naud. in Ann. Sc. Nat. Sér. III. xiii. (1850)  
148 = *T. foveolata*.  
*frigidula*, DC. Prod. iii. 127 = *T. frigidula*.  
*Gardneri*, Naud. in Ann. Sc. Nat. Sér. III. xiii. (1850)  
140 = *T. Gardneri*.  
*Gaudichaudiana*, DC. Prod. iii. 128 = *T. Gaudichau-*  
*diana*.  
*Gaudichaudiana*, Naud. in Ann. Sc. Nat. Sér. III.  
xiii. (1850) 136 = *T. corymbosa*.  
*gracilis*, Naud. l. c. 128 = *T. gracilis*.  
*heteromalla*, Naud. l. c. 158 = *T. heteromalla*.  
*hieracioides*, Naud. l. c. 127 = *T. hieracioides*.  
*hirsuta*, Naud. l. c. 159 = *T. gracilis*.  
*holosericea*, Naud. l. c. 139 = *T. villosissima*.

**LASIANDRA:—**

- hospita*, DC. Prod. iii. 129 = *Tibouchina hospita*.  
*hydrophila*, DC. l. c. 128 = *T. hygrophila*.  
*Imperatoris*, Wawra, in Oestr. Bot. Zeitschr. xiii. (1863)  
87 = *T. elegans*.  
*Kunthiana*, DC. Prod. iii. 128 = *T. Moricandiana*.  
*lanceolata*, Naud. in Ann. Sc. Nat. Sér. III. xiii. (1850,  
140 = *T. Candolleana*.  
*Langsdorffiana*, DC. Prod. iii. 130 = *T. Langsdorf-*  
*fiana*.  
*laxa*, Naud. in Ann. Sc. Nat. Sér. III. xiii. (1850) 159  
(= *Pleroma laxum*).—Peruv.  
*ledifolia*, Naud. l. c. = *Brachyotum ledifolium*.  
*lepidota*, Naud. l. c. 153 = *T. ochypetala*.  
*Lhotskyana*, Presl, Symb. Bot. ii. 2 = *T. Lhotskyana*.  
*longistyla*, Naud. in Ann. Sc. Nat. Sér. III. xiii. (1850)  
143 = *T. urceolaris*.  
*lutescens*, Naud. l. c. 137 = *T. Gaudichaudiana*.  
*macrantha*, Linden & Seem. in Journ. Bot. ii. (1864)  
361 = *T. semidecandra*.  
*macrantha*, Rich. ex Triana, in Trans. Linn. Soc. xxviii.  
(1871) 44 = *T. Candolleana*.  
*macrantha*, Vukot. in Rad Jugos. Akad. Zagreb  
xxvii. (1874) 212 (*Lasyandra*) (Quid?).—Hab.?  
*macrocarpa*, Naud. in Ann. Sc. Nat. Sér. III. xiii. (1850)  
152 = *T. semidecandra*.  
*macrochiton*, DC. Prod. iii. 129 = *T. macrochiton*.  
*macrophylla*, Naud. in Ann. Sc. Nat. Sér. III. xiii. (1850)  
140 = *T. heteromalla*.  
*martialis*, Cham. in Linnaea, ix. (1834) 433 = *T.*  
*martialis*.  
*martialis*, Naud. in Ann. Sc. Nat. Sér. III. xiii. (1850)  
134 = *T. Lindeniana*.  
*Martiana*, Cham. in Linnaea, ix. (1834) 431 = *T.*  
*Martusiana*.  
*Martusiana*, Cham. l. c. 431 = *T. frigidula*.  
*Martusiana*, DC. Prod. iii. 127 = *T. Martusiana*.  
*Matthaei*, Naud. in Ann. Sc. Nat. Sér. III. xiii. (1850)  
142 = *T. ochypetala*.  
*Maximiliana*, DC. Prod. iii. 128 = *T. Maximiliana*.  
*Maximiliana*, Naud. in Ann. Sc. Nat. Sér. III. xiii.  
(1850) 138 = *T. Gaudichaudiana*.  
*melastomoides*, Naud. l. c. 154 = *T. melastomoides*.  
*mollis*, Cham. in Linnaea, ix. (1834) 444 = *T. Chamis-*  
*soana*.  
*Moricandiana*, DC. Prod. iii. 128 = *T. Moricandiana*.  
*mucrifera*, Naud. in Ann. Sc. Nat. Sér. III. xiii.  
(1850) 141 = *T. Fothergillae*.  
*multiceps*, Naud. l. c. 149 = *T. multiceps*.  
*multiflora*, Naud. l. c. 159 = *T. multiflora*.  
*muricata*, Presl, Symb. Bot. i. 68 = *T. estreliniana*.  
*mutabilis*, Riedel, ex Naud. in Ann. Sc. Nat. Sér. III.  
xiii. (1850) 145 = *T. mutabilis*.  
*negrescens*, Naud. l. c. 147 = *T. trichopoda*.  
*nudicaulis*, Naud. l. c. 128 = *T. hieracioides*.  
*obscura*, Cham. in Linnaea, ix. (1834) 435 = *T.*  
*corymbosa*.  
*ochypetala*, DC. Prod. iii. 128 = *T. ochypetala*.  
*oleaeifolia*, Mart. Nov. Gen. et Sp. iii. 97. t. 244  
*Microlepis oleaeifolia*.  
*csbeckioides*, Steud. in Flora, xxvii. (1844) II. 720  
*T. Gaudichaudiana*.  
*oxypetala*, Walp. Ann. ii. 561 = *ochypetala*.  
*paniculata*, Rich. ex Triana, in Trans. Linn. Soc.  
xxviii. (1871) 43 = *T. adenostemon*.  
*papyrifera*, Pohl, ex Naud. in Ann. Sc. Nat. Sér. III.  
xiii. (1850) 157 = *T. papyrifera*.  
*petiolata*, R. Grab. in Hook. Bot. Mag. t. 3766  
*T. Gaudichaudiana*.  
*phalacrostemon*, Naud. in Ann. Sc. Nat. Sér. III. xiii.  
(1850) 137 = *T. Gaudichaudiana*.  
*pleromoides*, Naud. l. c. 131 (= *Pleroma maur-*  
*carpum*).—Peruv.  
*pogonanthra*, Naud. l. c. 153 = *T. pogonanthra*.  
*proteaeformis*, DC. Prod. iii. 130 = *T. holosericea*.  
*pulchella*, Naud. in Ann. Sc. Nat. Sér. III. xiii.  
129 = *T. gracilis*.  
*pulchra*, Cham. in Linnaea, ix. (1834) 439 = *T. j.*  
*Raddiana*, DC. Prod. iii. 129 = *T. Raddiana*.  
*Regnellii*, Miq. in Linnaea, xxii. (1849) 538 = *T.*  
*martialis*.  
*Riedelii*, Naud. in Ann. Sc. Nat. Sér. III. xiii. (1850)  
135 = *T. martialis*.  
*rigidula*, Naud. l. c. 150 = *T. aemula*.  
*salviaefolia*, Cham. in Linnaea, ix. (1834) 441 = *T.*  
*salviaefolia*.  
*salviaefolia*, Miq. l. c. xxii. (1849) 538 = *T.*  
*carpa*.



## LASIANDRA:—

- sarmentosa*, Naud. in Ann. Sc. Nat. Sér. III. xiii. (1850) 130 (= *Pleroma laxum*).—Peruv.  
*Sellowiana*, Cham. in Linnaea, ix. (1834) 440 = *Tibouchina Sellowiana*.  
*semidecandra*, Schrank & Mart. ex DC. Prod. iii. 129 = *T. semidecandra*.  
*sericans*, Miq. in Linnaea, xxii. (1849) 538 = *T. stenocarpa*.  
*sericea*, Naud. in Ann. Sc. Nat. Sér. III. xiii. (1850) 144 = *T. Lhotzkyana*.  
*setulosa*, Spring, ex Mart. in Flora, xxii. (1839) 1. Beibl. 9 = *T. setulosa*.  
*spathularis*, Naud. in Ann. Sc. Nat. Sér. III. xiii. (1850) 147 = *T. macrochiton*.  
*spoliata*, Naud. l. c. 137 = *T. Gaudichaudiana*.  
*stenocarpa*, DC. Prod. iii. 130 = *T. stenocarpa*.  
*strigillosa*, Naud. in Ann. Sc. Nat. Sér. III. xiii. (1850) 158 = *T. gracilis*.  
*sulcata*, Naud. l. c. 137 = *T. sulcata*.  
*terminalis*, Naud. l. c. 142 = *T. Moricandiana*.  
*tetraptera*, Naud. l. c. 133 = *T. Benthiana*.  
*Thereminiana*, DC. Prod. iii. 129 = *T. Thereminiana*.  
*tibouchinoides*, Cham. in Linnaea, ix. (1834) 432 = *T. multiceps*.  
*tibouchinoides*, DC. Prod. iii. 128 = *T. trichopoda*.  
*Tibuchina*, Naud. in Ann. Sc. Nat. Sér. III. xiii. (1850) 153 = *T. aspera*.  
*Trichopoda*, Naud. l. c. 159 = *T. trichopoda*.  
*trifolia*, DC. Prod. iii. 127 = *T. frigidula*.  
*urceolaris*, Naud. in Ann. Sc. Nat. Sér. III. xiii. (1850) 130 = *T. australis*.  
*ursina*, Cham. in Linnaea, ix. (1834) 443 = *T. ursina*.  
*Urvilleana*, DC. Prod. iii. 130 = *T. Urvilleana*.  
*velutina*, Naud. in Ann. Sc. Nat. Sér. III. xiii. (1850) 144 = *T. velutina*.  
*velutina*, Pohl, ex Triana, in Trans. Linn. Soc. xxviii. (1871) 42 = *T. urceolaris*.  
*versicolor*, Naud. in Ann. Sc. Nat. Sér. III. xiii. (1850) 146 = *T. Raddiana*.  
*verticillaris*, Naud. l. c. 134 = *T. frigidula*.  
*villosa*, Naud. l. c. 128 = *T. ursina*.  
*villosissima*, Mart. ex Triana, in Trans. Linn. Soc. xxviii. (1871) 43 = *T. villosissima*.  
*viminea*, Naud. in Ann. Sc. Nat. Sér. III. xiii. (1850) 159 = *T. viminea*.  
*virgata*, Naud. l. c. 159 = *T. virgata*.  
*Weddellii*, Naud. l. c. 151 = *T. Weddellii*.

LASIANDROS, St. Lag. in Ann. Soc. Bot. Lyon, vii. (1880) 128 = *præc.*

LASIANTHAEA, DC. Prod. v. 607 (1836) = *Zexmenia*, La Llave (Compos.).  
*helianthoides*, DC. l. c. 608 = *Z. helianthoides*, A. Gray.

LASIANTHEA, Endl. Ench. 239 (1841) = *præc.*

LASIANTHEMUM, Klotzsch, in Schomb. Faun. et Fl. Brit. Gui. 1181 (1848), nomen. *SAPINDACEAE*.  
*bijugum*, Klotzsch, l. c. nomen.—Guiana.  
*unijugum*, Klotzsch, l. c. nomen.—Guiana.

LASIANTHERA, Beauv. Fl. Owar. i. 85. t. 51 (1805). *OLACINEAE*, Benth. & Hook. f. i. 350.  
*MEDUSANTHERA*, Seem. in Journ. Bot. ii. (1864) 74.  
*STEMONURUS*, Blume, Bijdr. 648 (1825), partim.  
*URANDRA*, Thw. in Hook. Kew Journ. vii. (1855) 211.  
*africana*, Beauv. Fl. Owar. i. 85. t. 51.—Afr. trop.  
*apicalis*, Benth. & Hook. f. Gen. i. 350.—Zeylan.  
*australiana*, F. Muell. Fragm. vi. 3 = *Gomphandra australiana*.  
*austro-caledonica*, Baill. *Adansonia*, xi. (1873-76) 193.—N. Caled.  
*capitulata*, Miq. Fl. Ind. Bat. i. 1. 791.—Sumatra.  
*javanica*, Miq. l. c. 790.—Malaya.  
*lanceolata*, Mast. in Hook. f. Fl. Brit. Ind. i. 585.—Malacca.  
*littoralis*, Miq. Fl. Ind. Bat. i. 1. 792.—N. Guin.  
*macrocarpa*, Miq. l. c.—Borneo.  
*macrophylla*, Miq. l. c.—Malaya.  
*Maingayi*, Mast. in Hook. f. Fl. Brit. Ind. i. 585.—Malacca.  
*membranacea*, Miq. Fl. Ind. Bat. i. 1. 792.—Java.  
*ovalifolia*, Miq. l. c. Suppl. 342.—Sumatra.  
*papua*, Becc. *Malesia*, i. (1877) 108.—N. Guin.

## LASIANTHERA:—

- parviflora*, Miq. Fl. Ind. Bat. i. 1. 791.—Sumatra.  
*prasina*, Miq. l. c. = *Gomphandra affinis*.  
*secundiflora*, Miq. l. c. Suppl. 342. t. 2 = *apicalis*.  
*tetrandra*, Wall. in Roxb. Fl. Ind. ed. Carey, ii. 327 = *Gomphandra axillaris*.

LASIANTHUS, Gronov. ex Linn. Syst. ed. I (1735) = *Gordonia*, Ellis (Ternstroem.).

LASIANTHUS, Jack, in Trans. Linn. Soc. xiv. (1823) 125. *RUBIACEAE*, Benth. & Hook. f. ii. 129.  
*MEPHITIDIA*, Reinw. ex Blume, Cat. Gew. Buitenz. 51 (1823).  
*NOVATILEA*, Wight, in Calc. Journ. Nat. Hist. vi. (1846) 503.  
*OCTAVIA*, DC. Prod. iv. 464 (1830).  
*SANTIA*, Wight & Arn. Prod. 422 (1834).  
*acuminatus*, Wight, ex Hook. f. Fl. Brit. Ind. iii. 185 = *strigillosus*.  
*acuminatus*, Wight, in Calc. Journ. Nat. Hist. vi. (1846) 511.—Ind. or.  
*acutatus*, Miq. Fl. Ind. Bat. Suppl. 549 = *mucronulatus*.  
*africanus*, Hiern, in Oliver, Fl. Trop. Afr. iii. 228.—Afr. trop.  
*andamanicus*, Hook. f. Fl. Brit. Ind. iii. 189.—Burma.  
*apiocarpus*, Miq. Fl. Ind. Bat. ii. 318.—Sumatra.  
*appressus*, Hook. f. Fl. Brit. Ind. iii. 181.—Malaya.  
*attenuatus*, Jack, in Trans. Linn. Soc. xiv. (1823) 126.—Malaya.  
*Biermanni*, King, ex Hook. f. Fl. Brit. Ind. iii. 190.—Reg. Himal.  
*Blumeanus*, Wight, in Calc. Journ. Nat. Hist. vi. (1846) 507.—Ind. or.  
*Boivinianus*, Baill. *Adansonia*, xii. (1876-79) 232.—Ins. Comor.  
*bracteatus*, Wight, in Calc. Journ. Nat. Hist. vi. (1846) 501 = *cyanocarpus*.  
*bracteolatus*, Miq. Ann. Mus. Bot. Lugd. Bat. iv. 246.—Sumatra.  
*capitatus*, Blume, Bijdr. 996.—Java.  
*capitulatus*, Wight, in Calc. Journ. Nat. Hist. vi. (1846) 511.—Ind. or.  
*chinensis*, Benth. Fl. Hongk. 160.—Malaya; China.  
*chrysonerus*, Miq. Fl. Ind. Bat. ii. 322.—Java.  
*chrysophyllus*, Miq. l. c.—Sumatra.  
*ciliatus*, Wight, in Calc. Journ. Nat. Hist. vi. (1846) 509.—Ind. or.  
*cinnamomoides*, Miq. Fl. Ind. Bat. ii. 325 = *reticulatus*.  
*constrictus*, Wight, in Calc. Journ. Nat. Hist. vi. (1846) 515.—Burma.  
*crinitus*, Hook. f. Fl. Brit. Ind. iii. 182.—Malaya.  
*cyanocarpus*, Jack, in Trans. Linn. Soc. xiv. (1823) 125.—Sumatra.  
*densifolius*, Miq. Fl. Ind. Bat. ii. 321.—Malaya.  
*dichotomus*, Wight, in Calc. Journ. Nat. Hist. vi. (1846) 508.—Ind. or.  
*dubius*, Wight, l. c. 516 = *Psychotria Wightiana*.  
*ellipticus*, Wight, l. c. 507.—Malacca.  
*firmus*, Miq. Fl. Ind. Bat. Suppl. 549.—Sumatra.  
*foetens*, Wight, in Calc. Journ. Nat. Hist. vi. (1846) 517 = *Saprosma ceylanicum*.  
*Fordii*, Hance, in Journ. Bot. xxiii. (1885) 324.—China.  
*Gardneri*, Hook. f. Fl. Brit. Ind. iii. 186.—Zeylan.  
*glabrescens*, Miq. Fl. Ind. Bat. ii. 317.—Java.  
*Griffithii*, Wight, in Calc. Journ. Nat. Hist. vi. (1846) 505.—Malacca.  
*Helferi*, Hook. f. Fl. Brit. Ind. iii. 189.—Burma.  
*hexandrus*, Blume, Bijdr. 998.—Java.  
*Hookeri*, C. B. Clarke, ex Hook. f. Fl. Brit. Ind. iii. 184.—Reg. Himal.  
*inaequalis*, Blume, Bijdr. 996 = *cyanocarpus*.  
*inconspicuus*, Hook. f. Fl. Brit. Ind. iii. 187.—Reg. Himal.  
*inodorus*, Blume, Bijdr. 998.—Java.  
*iteophyllus*, Miq. Ann. Mus. Bot. Lugd. Bat. iv. 247.—Java.  
*Jackianus*, Wight, in Calc. Journ. Nat. Hist. vi. (1846) 502.—Ind. or.  
*japonicus*, Miq. Ann. Mus. Bot. Lugd. Bat. iii. 110.—Japon.  
*Kurzii*, Hook. f. Fl. Brit. Ind. iii. 183.—Burma.  
*laevicaulis*, Kurz, in Journ. Bot. xiii. (1875) 327 = *cyanocarpus*.  
*laevigatus*, Blume, Bijdr. 998.—Java.

## LASIANTHUS:—

*lanceifolius*, Hook. f. Fl. Brit. Ind. iii. 187.—Reg. Himal.  
*latifolius*, Blume, ex Miq. Fl. Ind. Bat. ii. 320.—Java.  
*longicauda*, Hook. f. Fl. Brit. Ind. iii. 190.—Reg. Himal.  
*longifolius*, Wight, in Calc. Journ. Nat. Hist. vi. (1846) 514.—Malacca.  
*lucidus*, Blume, Bijdr. 997.—Java.  
*lucidus*, Zoll. ex Miq. Fl. Ind. Bat. ii. 322 = *rigidus*.  
*Maingayi*, Hook. f. Fl. Brit. Ind. iii. 188.—Malaya.  
*micranthus*, Hook. f. l. c. 190.—Reg. Himal.  
*Moonii*, Wight, in Calc. Journ. Nat. Hist. vi. (1846) 504.—Zeylan.  
*Moralesii*, Wight, in Saw. Fl. Cub. 67.—Cuba.  
*mucronulatus*, Miq. Fl. Ind. Bat. ii. 325.—Borneo.  
*obliquus*, Thw. Enum. Pl. Zeyl. 420.—Zeylan.  
*oblongifolius*, Bedd. Ic. Pl. Ind. Or. i. 2.—Ind. or.  
*obovatus*, Bedd. l. c.—Ind. or.  
*obscurus*, Blume, ex Miq. Fl. Ind. Bat. ii. 317.—Java.  
*Oculus-cati*, Miq. l. c. 315 = *cyanocarpus*.  
*okelensis*, Schweinf. ex Hiern, in Oliver, Fl. Trop. Afr. iii. 122 = *Tricalysia okelensis*.  
*oliganthus*, Thw. Enum. Pl. Zeyl. 420.—Zeylan.  
*ovatus*, Miq. Fl. Ind. Bat. ii. 321.—Sumatra.  
*palembanicus*, Miq. Fl. Ind. Bat. Suppl. 549.—Sumatra.  
*parvifolius*, Wight, in Calc. Journ. Nat. Hist. vi. (1846) 512.—Ind. or.  
*pauciflorus*, Wight, l. c. 515.—Burma.  
*pilosus*, Wight, l. c. 506.—Malacca.  
*plagiophyllus*, Hance, in Journ. Bot. xiii. (1875) 196 = *Wallichii*.  
*platyphyllus*, Miq. Fl. Ind. Bat. ii. 318.—Sumatra.  
*polycarpus*, Miq. Ann. Mus. Bot. Lugd. Bat. iv. 247.—Borneo.  
*protractus*, Thw. Enum. Pl. Zeyl. 420 = *strigosus*.  
*pterospermus*, Wight, in Calc. Journ. Nat. Hist. vi. (1846) 510.—Malacca.  
*purpureus*, Blume, Bijdr. 1000.—Java.  
*reticulatus*, Blume, l. c.—Java.  
*retosus*, Wight, in Calc. Journ. Nat. Hist. vi. (1846) 506.—Malacca.  
*rhinophyllus*, Thw. Enum. Pl. Zeyl. 420.—Zeylan.  
*rhinozerotis*, Blume, Bijdr. 996.—Java.  
*rhizophyllus*, Hook. f. Fl. Brit. Ind. iii. 185, sphalm. = *rhinophyllus*.  
*rigidus*, Miq. Fl. Ind. Bat. ii. 321.—Java.  
*rostratus*, Wight, in Calc. Journ. Nat. Hist. vi. (1846) 510 = *ciliatus*.  
*Roxburghii*, Wight, l. c. 502 = *cyanocarpus*.  
*rufus*, Miq. Fl. Ind. Bat. ii. 325.—Java.  
*sikkimensis*, Hook. f. Fl. Brit. Ind. iii. 180.—Reg. Himal.  
*singalensis*, Miq. Ann. Mus. Bot. Lugd. Bat. iv. 247.—Sumatra.  
*spathulatus*, Miq. l. c. 246.—Borneo.  
*stercorarius*, Blume, Bijdr. 1000.—Java.  
*stercorarius*, Kurz, For. Fl. Br. Burm. ii. 31 = *Kurzii*.  
*stipularis*, Blume, Bijdr. 997.—Burma; Malaya.  
*strigillosus*, Hook. f. Fl. Brit. Ind. iii. 185.—Ind. or.  
*strigosus*, Wight, in Calc. Journ. Nat. Hist. vi. (1846) 512.—Zeylan.  
*subsessilis*, Miq. Fl. Ind. Bat. Suppl. 550.—Sumatra.  
*sylvestris*, Blume, Bijdr. 999.—Java.  
*tentaculatus*, Hook. f. Fl. Brit. Ind. iii. 181.—Reg. Himal.  
*Thwaitesii*, Hook. f. l. c. 185.—Zeylan.  
*tobingensis*, Miq. Ann. Mus. Bot. Lugd. Bat. iv. 249.—Sumatra.  
*tomentosus*, Blume, Bijdr. 997.—Java.  
*tomentosus*, Zoll. ex Miq. Fl. Ind. Bat. ii. 317 = *obscurus*.  
*truncatus*, Bedd. Ic. Pl. Ind. Or. i. 2.—Ind. or.  
*tubiferus*, Hook. f. Fl. Brit. Ind. iii. 183.—Reg. Himal.  
*tubiflorus*, Blume, Bijdr. 999 = *Hamiltonia suaveolens*.  
*varians*, Thw. Enum. Pl. Zeyl. 420.—Zeylan.  
*venosus*, Blume, Bijdr. 999.—Java.  
*venosus*, Wight, in Calc. Journ. Nat. Hist. vi. (1846) 514 = *Wightianus*.  
*venulosus*, Wight, l. c. 508.—Ind. or.  
*Vriesianus*, Miq. Ann. Mus. Bot. Lugd. Bat. iv. 249.—Borneo.  
*Walkerianus*, Wight, in Calc. Journ. Nat. Hist. vi. (1846) 513.—Zeylan.  
*Wallichii*, Wight, l. c. 503.—Reg. Himal.; Burma.  
*Wightianus*, Hook. f. Fl. Brit. Ind. iii. 188.—Malacca.



**LASIANTHUS**, Zucc. ex DC. Prod. v. 607 (1836) = **Zexmenia**, La Llave (Compos.).

**LASIERPA**, Torr. in Geol. Rep. N. York (1839), 152 = **Chioenes**, Salisb. (Oleac.).  
*hispidula*, Torr. l. c. = *C. serpyllifolia*.

**LASIMORPHA**, Schott, in Bonplandia, v. (1857) 127 = **Cyrtosperma**, Griff. (Aroid.).  
*Afzelii*, Schott, Gen. Aroid. t. 85. f. 11 = *C. Afzelii*.  
*senegalensis*, Schott, in Bonplandia, v. (1857) 127 = *C. senegalense*.

**LASINEMA**, Steud. Nom. ed. II. ii. 85, in syn. (1841) sphalm. = **Lysinema**, R. Br. (Epacrid.).

**LASINGROSTIS**, Link, Handb. i. 39 (1829), sphalm. = **LASIAGROSTIS**, Link = **Stipa**, Linn. (Gramin.).

**LASINIA**, Rafin. New Fl. Am. ii. 48 (1836) = **Baptisia**, Vent. (Legumin.).  
*bicolor*, Rafin. l. c. 49 = *Thermopsis mollis*.  
*bracteata*, Rafin. l. c. 50 = *B. leucophaea*.  
*cinerea*, Rafin. l. c. = *B. villosa*.  
*fulva*, Rafin. l. c. 49 = *B. villosa*.  
*grandifolia*, Rafin. l. c. = *Thermopsis mollis*.  
*mollis*, Rafin. l. c. 50 = *Thermopsis mollis*.  
*pallens*, Rafin. l. c. 49 = *Thermopsis mollis*.  
*reticulata*, Rafin. l. c. 48 = *B. lanceolata*.

**LASIOBEMA**, Miq. Fl. Ind. Bat. i. i. 71 (1855) = **Bauhinia**, Linn. (Legumin.).  
*anguina*, Miq. l. c. = *B. anguina*.  
*Horsfieldii*, Miq. l. c. = *B. anguina*.

**LASIOCARPHUS**, Pohl, ex Baker, in Mart. Fl. Bras. vi. ii. 138 (1873) = **Stilpnopappus**, Mart. (Compos.).  
*ferrugineus*, Pohl, ex Baker, l. c. = *S. ferrugineus*.

**LASIOCARPUS**, Banks & Soland. ex Hook. f. Fl. Antarct. ii. 264 (1847) = **Acaena**, Vahl (Rosac.).  
*humilis*, Banks & Soland. ex Hook. f. l. c. = *A. pumila*.

**LASIOCARPUS**, Liebm. in Kjoeb. Vidensk. Meddel. (1853) 90. **MALPIGHIACEAE**, Benth. & Hook. f. i. 255.  
*salicifolius*, Liebm. l. c. = Mexico.

**LASIOCEPHALUS**, Willd. ex Schlecht. in Ges. Nat. Fr. Berl. Mag. viii. (1814) 308 = **Culcitium**, Humb. & Bonpl. (Compos.).  
*lingulatus*, Schlecht. l. c. 309. — Am. mer.  
*ovatus*, Schlecht. l. c. — Am. mer.

**LASIOCHLOA**, Kunth, Rév. Gram. ii. 555. t. 192 (1830). **GRAMINEAE**, Benth. & Hook. f. iii. 1194. **TRIBOLIUM**, Desv. Opusc. 64 (1831).  
*adscendens*, Kunth, Enum. Pl. i. 388. — Afr. austr.  
*ciliaris*, Kunth, Rév. Gram. ii. 555. t. 192, excl. syn. = *adscendens*.  
*ciliaris*, Nees, Fl. Afr. Austr. 432. — Afr. austr.  
*hirta*, Kunth, Rév. Gram. ii. 559. t. 194. — Afr. austr.  
*hispida*, Kunth, Enum. Pl. i. 388. — Afr. austr.  
*laevis*, Kunth, l. c. — Afr. austr.  
*longifolia*, Kunth, Rév. Gram. ii. 557. t. 193. — Afr. austr.  
*obtusifolia*, Nees, Fl. Afr. Austr. 430. — Afr. austr.  
*ovata*, Nees, l. c. 431. — Afr. austr.  
*pectinata*, Trin. Sp. Gram. i. t. 73; ex Pritz. Ic. Ind. i. 620. — Hab.?  
*planifolia*, Trin. ex Steud. Nom. ed. II. ii. 12 (Quid?). — Hab.?  
*serrata*, Kunth, Enum. Pl. i. 388. — Afr. austr.  
*utriculosa*, Nees, Fl. Afr. Austr. 436. — Afr. austr.  
*villosa*, Kunth, Enum. Pl. i. 388. — Afr. austr.

**LASIOCLADUS**, Boj. ex Nees, in DC. Prod. xi. 510 (1847). **ACANTHACEAE**, Benth. & Hook. f. ii. 1122. **ANTHOSPERMIFOLIUS**, Boj. ex Nees, in DC. Prod. xi. 510. — Madag.  
*boerhaviaefolius*, Boj. l. c. = *Adhatoda boerhaviifolia*.  
*chlorotrichos*, Boj. l. c. — Madag.  
*spicatus*, Boj. l. c. = *Adhatoda spicata*.

**LASIOCORYS**, Benth. Lab. Gen. et Sp. 600 (1834). **LABIATAE**, Benth. & Hook. f. ii. 1213.  
*abyssinica*, Benth. l. c. — Abyssin.  
*arabica*, Jaub. & Spach, Illustr. iv. 126. — Arab.; Afr. trop.  
*capensis*, Benth. Lab. Gen. et Sp. 600. — Afr. austr.

### LASIOCORYS:—

*hyssopifolia*, Franch. in Révoil, Comali, 57. — Afr. trop.  
*flagellifera*, Balf. f. in Proc. Roy. Soc. Edinb. xii. (1884) 92. — Ins. Socotr.  
*royleioides*, Vatke, in Linnaea, xliii. (1880–82) 98 = *arabica*.  
*spiculifolia*, Balf. f. in Proc. Roy. Soc. Edinb. xii. (1884) 92. — Ins. Socotr.  
*stachydiformis*, Benth. in DC. Prod. xii. 534. — Abyssin.

**LASIOCROTON**, Griseb. Fl. Brit. W. Ind. 46 (1859). **EUPHORBIACEAE**, Benth. & Hook. f. iii. 317.  
*macrophyllus*, Griseb. l. c. — Jamaic.  
*prunifolius*, Griseb. in Goett. Nachr. (1865) 175 (al. gen. ?). — Cuba.

**LASIODISCUS**, Hook. f. in Benth. & Hook. f. Gen. i. 381 (1862). **RHAMNEAE**, Benth. & Hook. f. l. c. Mannii, Hook. f. l. c. — Afr. trop.  
*Pervillei*, Baill. Adansonia, viii. (1867–68) 202. — Madag.

**LASIOGYNE**, Klotzsch, in Nov. Act. Nat. Cur. xix. Suppl. i. (1843) 418 (Pl. Meyen.) = **Croton**, Linn. (Euphorb.).  
*brasiliensis*, Klotzsch, l. c. = *C. compressus*.  
*phlomoideus*, Griseb. in Goett. Abh. vii. (1857) 171 = *C. astroites*.  
*Pottsi*, Klotzsch, in Seem. Bot. Voy. Herald, 278 = *C. Pottsi*.

**LASIOLEPIS**, Benn. Pl. Jav. Rar. 202. t. 42 (1838) = **Harrisonia**, R. Br. (Rutac.).  
*Bennetii*, Planch. in Hook. Lond. Journ. Bot. v. (1846) 570 = *H. paucijuga*.  
*multijuga*, Benn. Pl. Jav. Rar. 202. t. 42 = *H. paucijuga*.  
*paucijuga*, Benn. l. c. = *H. paucijuga*.

**LASIOLEPIS**, Boeck. in Flora, lvi. (1873) 90 = **Eriocaulon**, Linn.  
*aquatica*, Boeck. l. c. 91 = *E. melanocephalum*.  
*brevifolia*, Boeck. l. c. 90. — Ind. or.  
*pilosa*, Boeck. l. c. 91 = *Paepalanthus Lamarckii*.

**LASIOLYTRUM**, Steud. in Flora, xxix. (1846) 18 = **Arthraxon**, Beauv. (Gramin.).  
*hispidum*, Steud. l. c. = *A. ciliaris*.  
*pilosum*, Steud. ex Jord. in Mém. Soc. Sc. Nat. Cherb. v. (1857) 299 = *A. ciliaris*.

**LASIONEMA**, D. Don, in Lond. & Edinb. Phil. Mag. ii. (1833) 377; et in Trans. Linn. Soc. xvii. (1834) 141 = **Macrocnemum**, R. Br. (Rubiace.).  
*cinchonoides*, Wedd. Hist. Nat. Quin. 99 = *M. cinchonoides*.  
*dubium*, Didr. in Kjoeb. Vidensk. Meddel. (1854) 188. — Bras.  
*glabrescens*, Benth. Bot. Voy. Sulph. 105 = *M. glabrescens*.  
*grandiflorum*, Wedd. Hist. Nat. Quin. 98 = *M. grandiflorum*.  
*Humboldtianum*, Wedd. l. c. 99 = *M. Humboldtianum*.  
*pubescens*, Benth. Pl. Hartw. 191 = *M. pubescens*.  
*roseum*, D. Don, in Lond. & Edinb. Phil. Mag. ii. (1833) 377 = *M. roseum*.

**LASIOPERA**, Hoffmgg. & Link, Fl. Port. i. 298 (1809) = **Bartsia**, Linn. (Scrophular.).  
*aspera*, Hoffmgg. & Link, l. c. 302. t. 59 = *B. aspera*.  
*Bocconi*, Presl, Fl. Sic. i. 34 = *Euphrasia Bocconi*.  
*frutescens*, Presl, Bot. Bernerk. 91 = *Euphrasia Bocconi*.  
*rhinanthina*, Hoffmgg. & Link, Fl. Port. i. 299. t. 58 = *B. Trixago*.  
*rigidifolia*, Presl, Fl. Sic. i. 34 = *Euphrasia rigidifolia*.  
*squamosa*, Presl, Bot. Bernerk. 91 = *B. purpurea*.  
*tenuifolia*, Hoffmgg. & Link, Fl. Port. i. 303. t. 60 = *Euphrasia tenuifolia*.  
*viscosa*, Hoffmgg. & Link, l. c. 301. t. 61 = *B. viscosa*.

**LASIOPETALUM**, Sm. in Trans. Linn. Soc. iv. (1798) 216. **STERCULIACEAE**, Benth. & Hook. f. i. 228.

**ASTEROCHITON**, Turcz. in Bull. Soc. Nat. Mosc. (1852) ii. 188.  
**CORETHROSTYLIS**, Endl. Nov. Stirp. Dec. 1 (1839).  
*acutiflorum*, Turcz. in Bull. Soc. Nat. Mosc. xxv. (1852) ii. 145. — Austral.

### LASIOPETALUM:—

*arborescens*, [Dryand. in] Ait. Hort. Kew. ed. II. ii. 36 = *Seringia platyphylla*.  
*Baueri*, Steetz, in Lehm. Pl. Preiss. ii. 339. — Austral.  
*Behrii*, F. Muell. in Trans. Phil. Soc. Vict. i. (1855) 36. — Austral.  
*bracteatum*, Benth. Fl. Austral. i. 266. — Austral.  
*capitellatum*, Turcz. in Bull. Soc. Nat. Mosc. xxv. (1852) ii. 148 = *discolor*.  
*confertiflorum*, F. Muell. in Linnaea, xxv. (1852) 377 = *discolor*.  
*cordifolium*, Endl. in Enum. Pl. Hueg. 10. — Austral.  
*dasyphyllum*, Sieber, ex Hook. Journ. Bot. ii. (1840) 414. — Austral.  
*discolor*, Hook. Comp. Bot. Mag. i. (1835) 276. — Austral.  
*Drummondii*, Benth. Fl. Austral. i. 264. — Austral.  
*dumosum*, Hort. ex Steetz, in Lehm. Pl. Preiss. ii. 356 = *Rulingia parviflora*.  
*dumosum*, Lodd. Bot. Cab. t. 1564 = *Rulingia hermannaefolia*.  
*ferrugineum*, Sm. in Andr. Bot. Rep. t. 208. — Austral.  
*Fitzgibbonii*, F. Muell. in Wing, South. Sc. Record, ii. (1882) 72. — Austral.  
*floribundum*, Benth. Fl. Austral. i. 265. — Austral.  
*glutinosum*, F. Muell. Fragm. xi. 113. — Austral.  
*Gunnii*, Steetz, in Lehm. Pl. Preiss. ii. 342 = *dasyphyllum*.  
*indutum*, Steud. l. c. i. 235. — Austral.  
*laxiflorum*, F. Muell. Fragm. xi. 112. — Austral.  
*ledifolium*, Vent. Jard. Malm. sub n. 59 = *Boroni ledifolia*.  
*macrophyllum*, R. Grah. in Bot. Mag. t. 3908. — Austral.  
*Maxwellii*, F. Muell. Fragm. xi. 107. — Austral.  
*membranaceum*, Benth. Fl. Austral. i. 266. — Austral.  
*micranthum*, Hook. f. Fl. Tasm. i. 51. — Tasman.  
*molle*, Benth. Fl. Austral. i. 266. — Austral.  
*Ogilvieanum*, F. Muell. Fragm. xi. 107. — Austral.  
*Oldfieldii*, F. Muell. l. c. ii. 6 = *acutiflorum*.  
*oppositifolium*, F. Muell. l. c. 5. — Austral.  
*parviflorum*, Rudge, in Trans. Linn. Soc. x. (1811) 297. t. 12. f. 2. — Austral.  
*parvuliflorum*, F. Muell. Fragm. vi. 174. — Austral.  
*prostratum*, Hort. ex Steetz, in Lehm. Pl. Preiss. i. 356 = *Rulingia parviflora*.  
*purpureum*, [Dryand. in] Ait. Hort. Kew. ed. II. ii. 36 = *Thomasia purpurea*.  
*pygmaeum*, F. Muell. Census, 16. — Austral.  
*quercifolium*, Andr. Bot. Rep. t. 459 = *Thomasia quercifolia*.  
*quinguenervium*, Turcz. in Bull. Soc. Nat. Mosc. xxv. (1852) ii. 146 = *acutiflorum*.  
*rosmarinifolium*, Benth. Fl. Austral. i. 264. — Austral.  
*rubiginosum*, A. Cunn. in Field, N. S. Wales, 354 = *ferrugineum*.  
*rufum*, R. Br. ex Benth. Fl. Austral. i. 263. — Austral.  
*Schulzenii*, Benth. l. c. 265. — Austral.  
*Sieberi*, Steetz, in Lehm. Pl. Preiss. ii. 338 = *ferrugineum*.  
*solanaceum*, Sims, Bot. Mag. t. 1486 = *Thomasia solanacea*.  
*stelligerum*, Turcz. in Bull. Soc. Nat. Mosc. (1852) ii. 147 = *Thomasia stelligera*.  
*Tepperi*, F. Muell. Fragm. xi. 109. — Austral.  
*tomentosum*, Cels, ex J. Gay, in Mém. Mus. Par. x (1823) 200 = *Rulingia pinnosa*.  
*triphyllum*, Labill. Nov. Holl. Pl. i. 63. t. 88 = *Thomasia triphylla*.  
*Wilhelmii*, F. Muell. in Trans. Phil. Soc. Vict. (1858) 65 = *dasyphyllum*.

**LASIOPHYTON**, Hook. & Arn. in Hook. Journ. Bot. iii. (1841) 44 = **Micropsis**, DC. (Compos.).  
*pusillum*, Hook. & Arn. l. c. = *M. nana*.

**LASIOPOA**, Ehrh. Beitr. iv. 147 (1789) = **Bromus**, Linn. (Gramin.).

**LASIOPOGON**, Cass. in Bull. Soc. Philom. 1815 75. **COMPOSITAE**, Benth. & Hook. f. ii. 304.  
*lanatum*, Cass. l. c. — Reg. Mediterr.; Persia; Afr. austr.  
*micropoides*, DC. Prod. vi. 246. — Afr. austr.  
*molluginoides*, DC. l. c. = *micropoides*.  
*musoides*, DC. l. c. = *lanatum*.

**LASIOPTERA**, Andr. ex DC. Syst. ii. 534 (1821) = **Lepidium**, Tourn. Crucif.  
*campestris*, Andr. ex DC. l. c. 535 = *L. campestris*.  
*hirta*, Andr. ex DC. l. c. 536 = *L. hirtum*.



LASIOPUS, Cass. in Bull. Soc. Philom. (1817) 152 = **Gerbera**, Gronov. (Compos.).  
*ambiguus*, Cass. in Dict. Sc. Nat. xxv. 299 = *G. ambigua*.  
*Bojeri*, DC. Prod. vii. 19 = *G. Bojeri*.  
*Candollei*, DC. l. c. = *G. Candollei*.  
*coriaceus*, DC. l. c. = *G. ambigua*.  
*viridifolius*, DC. l. c. = *G. viridifolia*.

LASIOPUS, D. Don, in Sweet, Brit. Flow. Gard. Ser. II. t. 346 (1836) = **Taraxacum**, Hall. (Compos.).  
*sonchoides*, D. Don, l. c. = *T. montanum*.

LASIORRHIZA, Lag. Amen. Nat. i. 32 (1811) = **Leuceria**, Lag. (Compos.).  
*ceterachifolia*, Cass. in Dict. Sc. Nat. xliii. 80 = *Leuceria gossypina*.  
*cinerea*, Less. Syn. Comp. 404 = *Leuceria cinerea*.  
*glacialis*, Poepp. ex Less. l. c. 407 = *Leuceria pulchella*.  
*lithospermifolia*, Less. l. c. 406 (= *Chabrea lithospermifolia*).—Chili.  
*pulchella*, Steud. Nom. ed. II. ii. 12 = *Leuceria pulchella*.  
*purpurea*, Less. in Linnaea, v. (1830) 11 = *Leuceria purpurea*.  
*rosea*, Less. Syn. Comp. 405 = *Leuceria runcinata*.  
*tomentosa*, Less. in Linnaea, v. (1830) 12 = *Leuceria Bridgesii*.  
*viscosa*, Cass. in Dict. Sc. Nat. xliii. 80 = *Leuceria gossypina*.

LASIOSIPHON, Fresen. in Flora, xx. (1838) 602. **THYMELAEACEAE**, Benth. & Hook. f. iii. 197.  
*affinis*, Kotschy & Peyr. Pl. Tinn. 39. t. 19 B.—Afr. trop.  
*anthylloides*, Meissn. in DC. Prod. xiv. 595.—Afr. austr.  
*Bojerianus*, Decne. in Jacquem. Voy. Bot. 149.—Madag.  
*Burchellii*, Meissn. in DC. Prod. xiv. 594.—Afr. austr.  
*caffer*, Meissn. l. c. 593.—Afr. austr.  
*cuneatus*, Decne. in Jacquem. Voy. Bot. 149.—Madag.  
*Dregeanus*, Endl. Gen. Suppl. iv. II. 67.—Afr. austr.  
*eriocephalus*, Decne. in Jacquem. Voy. Bot. 148.—Ind. or.  
*glaucus*, Fresen. in Flora, xxi. (1838) 603.—Abyssin.  
*Huegelii*, Meissn. in DC. Prod. xiv. 598 = *eriocephalus*.  
*insularis*, Meissn. l. c. = *eriocephalus*.  
*Kraussii*, Meissn. l. c. 596.—Afr. austr.  
*linifolius*, Decne. in Jacquem. Voy. Bot. 148.—Afr. austr.  
*macropetalus*, Meissn. in DC. Prod. xiv. 594.—Afr. austr.  
*madagascariensis*, Decne. in Jacquem. Voy. Bot. 148.—Madag.  
*Meissnerianus*, Endl. Gen. Suppl. iv. II. 67.—Afr. austr.  
*Metzianus*, Miq. Analect. Bot. Ind. ii. 3. t. 1 = *eriocephalus*.  
*microphyllus*, Meissn. in DC. Prod. xiv. 593.—Afr. austr.  
*pubescens*, Decne. in Jacquem. Voy. Bot. 148.—Madag.  
*pulchellus*, Decne. l. c. 149.—Afr. austr.  
*rostratus*, Meissn. in DC. Prod. xiv. 597.—Madag.  
*scandens*, Endl. Gen. Suppl. iv. II. 67 = *Linostoma scandens*.  
*sisparsensis*, Meissn. in DC. Prod. xiv. 598 = *eriocephalus*.  
*socratranus*, Balf. f. in Proc. Roy. Soc. Edinb. xii. (1884) 92.—Ins. Socotr.  
*speciosus*, Decne. in Jacquem. Voy. Bot. 147. t. 150 = *eriocephalus*.  
*splendens*, Endl. Gen. Suppl. iv. II. 67.—Afr. austr.  
*triplinervis*, Decne. in Jacquem. Voy. Bot. 149.—Afr. austr.

LASIOSPERMUM, Fisch. Hort. Gorenk. ed. II. 34 (1812) = **Scorzonera**, Tourn. (Compos.).  
*angustifolium*, Fisch. l. c. = *E. eriosperma*.  
*ensifolium*, Fisch. l. c. = *E. ensifolia*.  
*hirsutum*, Steud. Nom. ed. II. i. 12 = seq.  
*hirtum*, Fisch. Hort. Gorenk. ed. II. 34.—Hab. ?

LASIOSPERMUM, Lag. Gen. et Sp. Nov. 31 (1816). **COMPOSITAE**, Benth. & Hook. f. ii. 416.  
**ERIOCARPA**, Lag. ex DC. Prod. vi. 38 (1837).  
**ERIOSPHAERA**, F. G. Dietr. Vollst. Lexik. Gaertn. Nachtr. iii. 221 (1817).

### LASIOSPERMUM :—

**LANIPIA**, Burch. Trav. i. 259 (1824).  
**MATAXA**, Spreng. Syst. iv. Cur. Post. 297 (1827).  
*alpinum*, Reichb. Fl. Germ. Excurs. ii. 225 = pedunculare.  
*anthemoides*, G. Don, ex Loud. Hort. Brit. 337 = *Anthemis cretica*.  
*brachyglossum*, DC. Prod. vi. 38.—Afr. austr.  
*crithmifolia*, G. Don, ex Loud. Hort. Brit. 337 = *Santolina crithmifolia*.  
*eriospermum*, G. Don, l. c. = pedunculare.  
*pedunculare*, Lag. Gen. et Sp. Nov. 31.—Afr. austr.  
*radiatum*, Trevir. in Nov. Act. Nat. Cur. xiii. i. (1826) 205.—Afr. austr.  
*rigidum*, G. Don, ex Loud. Hort. Brit. 337 = *Anthemis cretica*.

LASIOSPORA, Cass. in Dict. Sc. Nat. xxv. 306 (1822) = **Scorzonera**, Tourn. (Compos.).  
*angustifolia*, Cass. in Dict. Sc. Nat. xxv. 306 = *S. eriosperma*.  
*candidissima*, Sch. Bip. in Nov. Act. Nat. Cur. xxi. i. (1845) 166 = *S. veratrifolia*.  
*cretica*, Cass. in Dict. Sc. Nat. xxv. 308 = *S. cretica*.  
*divaricata*, Sch. Bip. in Nov. Act. Nat. Cur. xxi. i. (1845) 166 = *S. Aucheriana*.  
*ensifolia*, Cass. in Dict. Sc. Nat. xxv. 307 = *S. ensifolia*.  
*eriphora*, Sch. Bip. in Nov. Act. Nat. Cur. xxi. i. (1845) 166 = *S. eriphora*.  
*eriosperma*, Sch. Bip. l. c. = *S. eriosperma*.  
*hirsuta*, Cass. in Dict. Sc. Nat. xxv. 308 = *S. hirsuta*.  
*ispahanica*, Walp. Rep. vi. 347 = *S. ispahanica*.  
*lanata*, Fisch. & Mey. Ind. Sem. Hort. Petrop. i. 10 = *S. lanata*.  
*lasiosperma*, Sch. Bip. ex Walp. Rep. vi. 346 = *S. eriosperma*.  
*latifolia*, Fisch. & Mey. Ind. Sem. Hort. Petrop. i. 10 = *S. nervosa*.  
*macrophylla*, Sch. Bip. in Nov. Act. Nat. Cur. xxi. i. (1845) 166 = *S. macrophylla*.  
*nervosa*, Sch. Bip. l. c. = *S. nervosa*.  
*paniculata*, Walp. Rep. vi. 347 = *S. nervosa*.  
*tuberosa*, Cass. in Dict. Sc. Nat. xxxv. 307 = *S. tuberosa*.  
*veratrifolia*, Walp. Rep. vi. 347 = *S. veratrifolia*.

LASIOSTEGA, Rupr. ex Benth. Pl. Hartw. 347 (1857) = **Buchloë**, Engelm. (1859) (Gramin.).  
*humilis*, Rupr. ex Benth. l. c. = *B. dactyloides*.

LASIOSTELMA, Benth. in Benth. & Hook. f. Gen. ii. 776 (1876). **ASCLEPIADEAE**, Benth. & Hook. f. l. c.  
*Sandersoni*, Oliver, in Hook. Ic. Pl. t. 1449.—Afr. austr.

LASIOSTEMON, Benth. & Hook. f. Gen. i. 285 (1862) = **LASIOSTEMUM**, Nees & Mart. = **Cusparia**, Humb. (Rutac.).

LASIOSTEMON, Schott, ex Endl. Gen. 690, in syn. (1839) = **Esterhazyia**, Mikan. (Scrophular.).

LASIOSTEMUM, Nees & Mart. in Nov. Act. Nat. Cur. xi. (1823) 152, 171 = **Cusparia**, Humb. (Rutac.).  
*arborescens*, Zipp. ex Blume, Mus. Bot. Lugd. Bat. i. 239 = *Geniostoma lasiostemon*.  
*silvestre*, Nees & Mart. in Nov. Act. Nat. Cur. xi. (1823) 171 = *C. silvestris*.

LASIOSTOMA, Schreb. Gen. 75 (1789) = **Strychnos**, Linn. (Loganiac.).  
*Bredemeyeri*, Schult. Mant. iii. 64.—Venezuela.  
*cirrhosa*, Willd. Sp. Pl. i. 624 = *S. Rouhamon*.  
*cornifolium*, Spreng. Neue Entdeck. i. 281.—Bras.  
*Curare*, H. B. & K. Nov. Gen. et Sp. vii. 210 = *S. Rouhamon*.  
*divaricata*, G. F. W. Mey. Prim. Fl. Esseq. 83 = *S. Rouhamon*.  
*glabrum*, Willd. ex DC. Prod. ix. 18 = *Bredemeyeri*.  
*Rouhamon*, Roem. & Schult. Syst. iii. 105 = *S. Rouhamon*.  
*Rouhamon*, J. F. Gmel. Syst. 248 = *S. Rouhamon*.  
*stans*, Willd. ex Schult. Mant. iii. 64.—Bras.

LASIOSTOMA, Spreng. Syst. i. 422 (1825) = **Hydnophytum**, Jack (Rubiace.).  
*formicarum*, Spreng. Syst. i. 423 = *H. formicarum*.  
*loranthifolium*, Benth. in Hook. Lond. Journ. Bot. ii. (1843) 224 = *H. loranthifolium*.

### LASIOSTOMA :—

*oblongum*, Benth. in Hook. Lond. Journ. Bot. ii. (1843) 223 = *Hydnophytum oblongum*.  
*tuberosum*, Spreng. Syst. i. 423 = *H. Gaudichaudii*.

LASIOSTOMUM, Zipp. ex Blume, Mus. Bot. Lugd. Bat. i. (1850) 239 = **Geniostoma**, Forst. (Logan.).  
*arborescens*, Zipp. ex Blume, l. c. = *G. lasiostemon*.

LASIOSTYLES, Presl, Bot. Bemerk. 149 (1844); in Abh. Boehm. Ges. V. iii. (1845) 579 = **Cleidion**, Blume (Euphorb.).  
*salicifolia*, Presl, ll. cc. = *C. javanicum*.

LASIOTRICHOS, Lehm. Cat. Lem. Hort. Hamb. (1834).—Cf. Linnaea, x. (1836) Litt. 113 = **Fingerhuthia**, Nees (Gramin.).

LASIPANA, Rafin. Sylva Tellur. 21 (1838) = **Mallotus**, Lour. (Euphorb.).  
*tricuspis*, Rafin. l. c. 22 = *M. paniculatus*.

LASIURUS, Boiss. Diagn. Ser. II. iv. (1859) 145 = **Rottboellia**, Linn. f. (Gramin.).  
*hirsutus*, Boiss. l. c. 146 = *R. hirsuta*.

LASIUS, Hassk. Cat. Hort. Bog. Alt. 59 (1844) = **Lasia**, Lour. (Aroid.).

LASS, Adans. Fam. ii. 400 (1763) = **Abutilon**, Tourn. (Malvac.).

LASSIA, Baill. Etud. Gén. Euph. 464. t. 4 (1858) = **Tragia**, Linn. (Euphorb.).  
*scandens*, Baill. l. c. 465 = *T. scandens*.

LASTARRIACA, Remy, in C. Gay, Fl. Chil. v. 289. t. 58 (1849). **POLYGONACEAE**, Benth. & Hook. f. iii. 94.

DONATIA, Bert. ex Remy, in C. Gay, Fl. Chil. v. 289 (1849).  
*chilensis*, Remy, in C. Gay, Fl. Chil. v. 290.—Chili.

LASTHENIA, Cass. Opusc. iii. 88 (1834). **COMPOSITAE**, Benth. & Hook. f. ii. 400.

**HOLEGYMNE**, Bartl. Ind. Sem. Hort. Gotting.; ex Linnaea, xii. (1838) Litt. 81.  
**RANCAGUA**, Poepp. & Endl. Nov. Gen. et Sp. i. 15. tt. 24, 25 (1835).

XANTHO, Remy, in Ann. Sc. Nat. Sér. III. xii. (1849) 191.

*ambigua*, A. Gray. in Proc. Am. Acad. vi. (1864-65) 547 = *Eriophyllum ambiguum*.

*aurea*, Passer. Ind. Sem. Hort. Parm. (1855) 3.—Hab. ?  
*Bridgesii*, Steud. Nom. ed. II. ii. 12 = *obtusifolia*.

*californica*, DC. ex Lindl. Bot. Reg. sub t. 1780 = *glabrata*.

*canescens*, Regel, Gartenfl. (1870) 82.—Am. bor. ?  
*Coulteri*, Greene, in Bull. Calif. Acad. i. iv. (1885) 192 = *glabrata*.

*glaberrima*, DC. Prod. v. 664 = *glabrata*.  
*glabrata*, Lindl. Bot. Reg. t. 1780.—Calif.

*Kunthii*, Hook. & Arn. in Hook. Journ. Bot. iii. (1841) 319 = *obtusifolia*.

*obtusifolia*, Cass. Opusc. iii. 89.—Chili.

LASTILA, Alef. in Bonplandia, ix. (1861) 146 = **Lathyrus**, Tourn. (Legumin.).

*hirsuta*, Alef. l. c. = *L. hirsutus*.

LASYNEMA, Poir. Encyc. Suppl. ii. 553, 555 (1811) = **Lysinema**, R. Br. (Epacrid.).

LATANA, Robin, Voy. Louis. iii. 385 (1807) = **Lantana**, Linn. (Verben.).

LATANIA, Comm. ex Juss. Gen. 39 (1789). **PALMAE**, Benth. & Hook. f. iii. 940.

**CLEOPHORA**, Gaertn. Fruct. ii. 185. t. 120 (1791).  
*aurea*, Duncan, Cat. Hort. Maur. 56.—Ins. Rodriguez.

*borbonica*, Lam. Encyc. iii. 427 = *Commersonii*.  
*chinensis*, Jacq. Fragm. 16. t. 16. f. 1 = *Commersonii*.

*Commersonii*, J. F. Gmel. Syst. 1035.—Ins. Mascar.  
*glaucophylla*, Hort. ex Baker, Fl. Maurit. 381 = *Loddigesii*.

*Loddigesii*, Mart. Hist. Nat. Palm. iii. 224. t. 161. f. ii. 10-14.—Ins. Maurit.

*plagaecoma*, Comm. ex Baker, Fl. Maurit. 381 = *Commersonii*.

*rubra*, Jacq. Fragm. 13. t. 8 = *Commersonii*.  
*Verschaffeltii*, Lem. Illustr. Hort. vi. (1859) t. 229 = *aurea*.



LATERIFISSUM, Dulac, Fl. Hautes-Pyr. 366 (1867) = *Montia*, Linn. (Portulac.).  
*minus*, Dulac, l. c. = *M. fontana*.  
*revulare*, Dulac, l. c. = *M. fontana*.

LATHIRUS, Neck. Delic. Gallo-Belg. ii. 305 (1768) = *Lathyrus*, Tourn. (Legum.).

LATHRAEA, Linn. Syst. ed. I (1735); Gen. ed. I. 5 (1737). OROBANCHACEAE, Benth. & Hook. f. ii. 985.

ANBLATUM, Tourn. ex Adans. Fam. ii. 207 (1763).  
 CLANDESTINA, Tourn. ex Adans. l. c. (1763).  
 SQUAMARIA, Riv. ex Linn. Gen. ed. I. 183 (1737).  
*amentacea*, Schlecht. ex Ledeb. Fl. Ross. iii. 323 = *Boschniakia glabra*.  
*Anblatum*, Linn. Sp. Pl. 606 = *Phelypaea coccinea*?  
*Clandestina*, Georgi, Reise, i. 223 = *Boschniakia glabra*.  
*Clandestina*, Linn. Sp. Pl. 605.—Europ. austr.  
*Clandestina*, Uspenski, Jekaterinenb. 262 = *L. Squamaria*.  
*japonica*, Maxim. ex Franch. & Sav. Enum. Pl. Jap. ii. 461, 462 = *Miqueliana*.  
*Miqueliana*, Franch. & Sav. l. c. 461.—Japon.  
*Phelipaea*, Gueldenst. Reisen, i. 422 = *Phelypaea coccinea*.  
*Phelypaea*, Linn. Sp. Pl. 606 = *Phelypaea tinctoria*.  
*Phelypaea*, Forsk. Fl. Aegypt. Arab. 111 = *Orobancha ramosa*.  
*quinquefida*, Forsk. l. c. = *Phelypaea lutea*.  
*rhodopea*, Dingl. in Bot. Zeit. xxxv. (1877) 74.—Thracia.  
*simplex*, S. F. Gray, Nat. Arr. Brit. Pl. ii. 316 = *L. Squamaria*.  
*Squamaria*, Linn. Sp. Pl. 606.—Europ.; As. bor.  
*strobilacea*, Schlecht. ex Ledeb. Fl. Ross. iii. 323 = *Boschniakia glabra*.

LATHRAEOPHILA, Hook. f. in Trans. Linn. Soc. xxii. (1859) 55 = LATHRAEOPHILA, Leandr. Sacram. = *Helosis*, Rich. (Balanoph.).

LATHRIOGYNA, Eckl. & Zeyh. Enum. 170 (1836). LEGUMINOSAE, Benth. & Hook. f. i. 472.  
 HEUDUSA, E. Mey. Comm. Pl. Afr. Austr. 153 (1835).  
*candicans*, Eckl. & Zeyh. Enum. 171.—Afr. austr.  
*parvifolia*, Eckl. & Zeyh. l. c. 170.—Afr. austr.

LATHRISIA, Sw. Annot. Bot. 48 (1829) = *Bartholina*, R. Br. (Orchid.).  
*pectinata*, Sw. l. c. = *B. pectinata*.

LATHROPHYTUM, Eichl. in Bot. Zeit. xxvi. (1868) 513. t. 9. BALANOPHOREAE, Benth. & Hook. f. iii. 239.  
*Peckolti*, Eichl. l. c. 550.—Bras.

LATHYRAEA, Gled. in Act. Berl. v. (1749) 129, sphalm. = *Lathraea*, Linn. (Orobanch.).

LATHYROS, St. Lag. in Ann. Soc. Bot. Lyon, vii. (1880) 129 = *Lathyrus*, Tourn. (Legum.).  
*clymenus*, St. Lag. l. c. = *Lathyrus Clymenum*.

LATHYRUS, [Tourn.] Linn. Syst. ed. I (1735). LEGUMINOSAE, Benth. & Hook. f. i. 526.  
 ANURUS, Presl, in Weitenw. Beitr. ii. (1837) 24.  
 APHACA, Tourn. ex Linn. Gen. ed. I. 217 (1737).  
 ASTROPHIA, Nutt. ex Torr. & Gray, Fl. N. Am. i. 278 (1838).  
 CICERULA, Medic. in Vorles. Churpf. Phys. Ges. ii. (1787) 358.  
 CICERELLA, DC. Prod. ii. 369 (1825).  
 CLYMENUM, Tourn. ex Adans. Fam. ii. 330 (1763).  
 GRAPHIOSA, Alef. in Bonplandia, ix. (1861) 128.  
 LASTILA, Alef. l. c. 146 (1861).  
 LENS, Tourn. ex Hall. Enum. Stirp. Helv. ii. 601 (1742) partim.  
 NAVIDURA, Alef. in Bonplandia, ix. (1861) 147.  
 OCHRUS, Tourn. ex Adans. Fam. ii. 330 (1763).  
 OROBUS, Linn. Syst. ed. I (1735).  
 PISUM, Tourn. ex Linn. Gen. ed. I. 222 (1737) partim.  
 PLATYSTYLIS, Sweet, Brit. Flow. Gard. t. 239 (1828).  
 SPATULIMA, Rafin. Fl. Tellur. ii. 83 (1836).  
*acirrosus*, Schur, Enum. Pl. Transs. 931, Index = *hirsutus*.

## LATHYRUS:—

*acutifolius*, Vog. in Linnaea, xiii. (1839) 27 = *pubescens*.  
*acutus*, Gromow, ex Trautv. in Act. Hort. Petrop. iii. 1. (1873) 75, nomen.—Ross.  
*aegyptiacus*, Hasselq. Iter Palaest. 482 = *tingetanus*.  
*affinis*, Guss. Fl. Sic. Syn. ii. 853 = *L. Aphaca*.  
*alatus*, Sibth. & Sm. Fl. Graec. Prod. ii. 66 = *L. Clymenum*.  
*alatus*, Tenore, Fl. Nap. Prod. 42.—Ital.  
 Alberjilla, Steud. Nom. ed. II. ii. 13.—Chili.  
*albidus*, Aikin, ex Eaton, Man. Bot. N. Am. ed. VI. 198 = *ochroleucus*.  
*albus*, Garcke, Fl. Deutschl. ed. IV. 94 = *pannonicus*.  
*albus*, A. Gray, in S. Wats. Bot. Calif. ii. 442.—Calif.  
 Allardi, Battand. in Bull. Soc. Bot. Fr. xxix. (1882) 288.—Alger.  
*alpestris*, Kit. ex Reichb. Ic. Fl. Germ. t. 2270.—Europ.  
*altaicus*, Ledeb. Fl. Alt. iii. 355.—As. bor.  
*americanus*, Mill. Gard. Dict. ed. VIII. n. 19 = *Baptisia perfoliata*?  
*amoenus*, Fenzl, in Russegg. Reis. i. 890. t. 2; Pugill. Pl. Nov. Syr. 3.—Syria.  
*amphicarpos*, Gouan, Hort. Monsp. 368 = *setifolius*.  
*amphicarpos*, Linn. Sp. Pl. 729 = *sativus*?  
*amphicarpos*, Sibth. & Sm. Fl. Graec. vii. 62. t. 693 = *blepharicarpus*.  
*angulatus*, Linn. Mant. ii. 443 = *sphaericus*.  
*angulatus*, Linn. Sp. Pl. 731.—Europ.  
*angustifolius*, Martr. Fl. Tarn, 184 = *latifolius*.  
*angustifolius*, Medic. in Vorles. Churpf. Phys. Ges. ii. (1787) 358 = *sylvestris*.  
*annuus*, Linn. Amoen. Acad. iii. 417, nota.—Reg. Medit.; Oriens.  
*anomalus*, Phil. in Linnaea, xxviii. (1856) 627 = *Vicia bijuga*.  
*Aphaca*, Linn. Sp. Pl. 729.—Europ.; Oriens.  
*aphyllus*, S. F. Gray, Nat. Arr. Brit. Pl. ii. 609 = *L. Aphaca*.  
*aphyllus*, Link. ex Webb & Berth. Phyt.-Canar. ii. 103.—Ins. Canar.  
*aristatus*, Vis. Ind. Sem. Hort. Patav. (1826); Fl. Dalmat. ii. 330, in syn. t. 47 = *ciliatus*.  
*Armitageanus*, Knowles & Weste. Flor. Cab. iii. ('1840') [1839] 81 = *nervosus*, Lam.  
*articulatus*, Linn. Sp. Pl. 731.—Reg. Mediterr. occ.  
*articulatus*, Loisel. Fl. Gall. ii. 144 = *L. Clymenum*.  
*armensis*, Phil. in Linnaea, xxviii. (1856) 624 = *stipularis*.  
*asphodeloides*, Gren. & Godr. Fl. Fr. i. 488.—Gallia.  
*attenuatus*, Tenore, Fl. Nap. Prod. 41 = *sessilifolius*.  
*attenuatus*, Viv. Fragm. t. 19 = *tuberosus*.  
*aurantius*, C. Koch, in Linnaea, xv. (1841) 723.—Reg. Cauc.  
*auriculatus*, Bertol. Rar. Ital. Pl. Dec. ii. ed. I. 38 = *L. Clymenum*.  
*axillaris*, Lam. Encyc. ii. 706 = *inconspicuus*, *sphaericus*.  
*barcinonensis*, Pourr. ex Willk. & Lange, Prod. Fl. Hisp. iii. 299 = *Vicia bithynica*.  
*Berterianus*, Colla, in Mem. Acc. Torin. xxxvii. (1834) 61 = *stipularis*.  
*bijugus*, Boiss. & Noé, Diagn. Ser. II. v. 94.—Persia.  
*bithynicus*, Linn. Sp. Pl. 731 = *Vicia bithynica*.  
*blepharicarpus*, Boiss. Diagn. Ser. I. ix. 126.—Syria.  
*Bolanderi*, S. Wats. in Proc. Am. Acad. xx. (1885) 363.—Calif.  
*brachyphyllus*, Schur, in Oestr. Bot. Zeitschr. ix. (1861) 85 = *latifolius*.  
*brachyterus*, Alef. in Bonplandia, ix. (1861) 151.—As. Min.?  
*brutius*, Tenore, Ind. Sem. Hort. Neap. (1825) 12 = *grandiflorus*.  
*californicus*, Dougl. in Lindl. Bot. Reg. t. 1144 = *maritimus*.  
*campestris*, Phil. in Linnaea, xxviii. (1856) 626.—Chili.  
*canescens*, Gren. & Godr. Fl. Fr. i. 489.—Gallia.  
*cashmericus*, Royle, ex Baker, in Hook. f. Fl. Brit. Ind. ii. 180 = *pratensis*.  
*cassius*, Boiss. Diagn. Ser. I. ix. 128.—Syria.  
*chilensis*, Steud. Nom. ed. II. ii. 13 = *magellanicus*.  
*chius*, Boiss. & Orph. in Boiss. Diagn. Ser. II. vi. 68 = *hierosolymitanus*.  
*chloranthus*, Boiss. & Bal. l. c. 67.—As. Min.; Persia.  
*chrysanthus*, Boiss. l. c. Ser. I. vi. 46.—Mesopot.  
*Cicer*, Habl. Taur. 125; ex Bieb. Fl. Taur. Cauc. ii. 156 = *hirsutus*.  
*Cicera*, All. Fl. Pedem. i. 329 = *articulatus*.

## LATHYRUS:—

*Cicera*, Linn. Sp. Pl. 730.—Europ.; Oriens.  
*ciliatus*, Guss. Pl. Rar. 296. t. 49.—Europ. austr.  
*cirrhosus*, Ser. in DC. Prod. ii. 374.—Mont. Pyren.  
*clymenoides*, Ser. l. c.—Ins. Maurit.  
*Clymenum*, Linn. Sp. Pl. 732.—Reg. Mediterr.  
*coccineus*, All. Fl. Pedem. i. 330 = *sphaericus*.  
*coerulescens*, Boiss. & Reut. Pugill. Pl. Nov. (1852) 43.—Marocco.  
*controversus*, Loret & Barr. Fl. Montp. ii. 808, in obs. = *sphaericus*.  
*cornutus*, Spreng. Fl. Hal. Mant. 47 = *L. Clymenum*.  
*crassipes*, Gill. ex Hook. & Arn. in Hook. Bot. Misc. iii. (1833) 198 = *stipularis*.  
*crassipes*, Phil. in Linnaea, xxxiii. (1864-65) 54.—Chili.  
*currentifolius*, Lam. Fl. Fr. ii. 571 = *L. Ochrus*.  
*curvus*, Roth, Bot. Abh. 13 = *incurvus*.  
*Cusickii*, S. Wats. in Proc. Am. Acad. xvii. (1861-82) 371.—Am. bor. occ.  
*cyaneus*, C. Koch, in Linnaea, xv. (1841) 723.—Rossia.  
*Davidii*, Hance, in Journ. Bot. ix. (1871) 130.—Manchur.  
*debilis*, Clos, in C. Gay, Fl. Chil. ii. 142.—Chili.  
*debilis*, Vog. in Linnaea, xiii. (1839) 26 = *subulatus*.  
*decaphyllus*, Hook. Fl. Bor. Am. i. 159 = *venosus*?  
*decaphyllus*, Pursh, Fl. Am. Sept. ii. 471 = *polymorphus*.  
*denudatus*, Gilib. Fl. Lituan. ii. 98 = *pratensis*.  
*dicirrhus*, Clos, in C. Gay, Fl. Chil. ii. 143.—Chili.  
*diffusus*, G. Don, Gen. Syst. ii. 336 = *Vicia americana*.  
*dissitifolius*, Nutt. ex Torr. & Gray, Fl. N. Am. i. 277 = *Vicia americana*.  
*diversifolius*, Presl, Delic. Prag. 38.—Sicilia.  
*Dolichos*, Medic. Beob. (1783) 215 (Quid?).—Hab. Drummondii, Hort.—Cf. Gard. Chron. (1876, II. 16).—Hab.?  
*dubius*, Tenore, Ind. Sem. Hort. Neap. (1825) 11. n. 12 = *L. Cicera*.  
*dumetorum*, Ledeb. Comm. in J. G. Gmel. Fl. Sib. 110.—Sibir.  
*dumetorum*, Phil. in Linnaea, xxviii. (1856) 626.—Chili.  
*elegans*, Vog. l. c. xiii. (1839) 30 = *nervosus*, Lam.  
 Engelmanni, Bischoff, Del. Sem. Hort. Heidelb. 1839.—Cf. Linnaea, xiv. (1840) Litt. 132.—Am. bor. occ.  
*ensifolius*, Badarso, in Brugnati. Giorn. Fis. Dec. II. vii. (1824) 369 = *latifolius*.  
*ensifolius*, J. Gay, in Ann. Sc. Nat. Sér. IV. viii. (1857) 313 = *canescens*.  
*epetolaris*, Clos, in C. Gay, Fl. Chil. ii. 146.—Chili.  
*erectus*, Lag. ex Willk. & Lange, Prod. Fl. Hisp. iii. 313 = *angulatus*.  
*erectus*, Lag. Gen. et Sp. Nov. 22.—Europ. austr.; Oriens.  
*erythrinus*, Presl, Fl. Sicul. p. xxiii = *L. Cicera*.  
 Ewaldi, Meinh. Fl. Ingr. 90.—Ingria.  
*filiformis*, J. Gay, in Ann. Sc. Nat. Sér. IV. viii. (1857) 315.—Europ. austr.  
*filipetiolatus*, St. Lag. in Ann. Soc. Bot. Lyon, vii. (1880) 129 = *L. Aphaca*.  
*fissus*, Ball, in Journ. Bot. xi. (1873) 332.—Marocco.  
*foliaceopetiolatus*, St. Lag. in Ann. Soc. Bot. Lyon, vii. (1880) 129 = *L. Nissolia*.  
*frigidus*, Schott & Kotschy, in Boiss. Diagn. Ser. II v. 94 = *Pisum formosum*.  
*fruticosus*, Cav. Ic. i. 58. t. 84.—Peruv.  
*Gerardi*, Roth, Catalect. fasc. ii. 96 = *sphaericus*.  
*gladiatus*, Hook. Ic. Pl. t. 72 = *magellanicus*.  
*glaucofolius*, Beck, Bot. N. & Mid. St. 90 = *ochroleucus*.  
*Gorgoni*, Heldr. ex Nym. Censp. 293 = *annuus*.  
*Gorgoni*, Parl. in Giorn. Sc. Sicil. lxii. 1838.—Sicil.  
*gracilis*, Phil. in Linnaea, xxviii. (1856) 627.—Sicil.  
*gramineus*, S. F. Gray, Nat. Arr. Brit. Pl. ii. 610 = *L. Nissolia*.  
*grandiflorus*, Lang, in Syll. Ratib. i. (1824) 182 = *sylvestris*.  
*grandiflorus*, Sibth. & Sm. Fl. Graec. Prod. ii. 67.—Ital.; Graec.  
*grandifolius*, Schur, Enum. Pl. Transs. 176 = *latifolius*.  
*granulatus*, Schur, l. c. = *palustris*.  
*Hallersteinii*, Baumg. Enum. Stirp. Transs. ii. 333 = *pratensis*.  
*helodes*, Link. ex DC. Prod. ii. 376, nomen.—Hab.



**LATHYRUS:—**

*heterophyllus*, Gouan, Hort. Monsp. 370 = latifolius.  
*heterophyllus*, Lapeyr. Hist. Abr. Pl. Pyr. 416 = sylvestris.  
*heterophyllus*, Linn. Sp. Pl. 733.—Europ.  
*hexaedrus*, Chaub. in 'Ann. Sc. Obs. (Juin, 1830)'; ex Bory & Chaub. Fl. Pélop. 47 = angulatus.  
*hierosolymitanus*, Boiss. Diagn. Ser. I. ix. 127.—Syria.  
*kimalayensis*, Cambess. in Jacquem. Voy. i. 44 = Vicia rigidula.  
*hirsutus*, Linn. Sp. Pl. 732.—Europ.; Oriens.  
*hirtus*, Lam. Encyc. ii. 706.—Hab.?  
*hispanicus*, Hasselq. ex Steud. Nom. ed. I. 466 = tingitanus.  
*hispanicus*, Mill. Gard. Dict. ed. VIII. n. 5 = articulatus.  
*hispidulus*, Boiss. Diagn. Ser. I. vi. 46 = inconspicuus.  
*Hookeri*, G. Don, Gen. Syst. ii. 332 = magellanicus.  
*Hookerianus*, Gill. ex Hook. & Arn. in Hook. Bot. Misc. iii. (1833) 198 = subulatus.  
*humilis*, Fisch. ex Ser. in DC. Prod. ii. 378 = altaicus.  
*hydrophilus*, Nutt. ex Torr. & Gray, Fl. N. Am. i. 276 = palustris.  
*inconspicuus*, Linn. Sp. Pl. 730.—Europ.; Oriens.  
*incurvus*, Rafin. Atl. Journ. 151 (Quid?).—Am. bor.  
*incurvus*, Reichb. Fl. Germ. Excurs. 536 = palustris.  
*incurvus*, Willd. Sp. Pl. iii. 1091.—Rossia; As. Min.  
*inermis*, Rochel, ex Frivald. in Magyar Tud. Tár. Evköny. ii. (1835) 250. t. 2 = hirsutus.  
*intermedius*, Eichw. Skizze, 168 = heterophyllus.  
*intermedius*, Wallr. Sched. Crit. 386 = sylvestris.  
*italicus*, Fisch. ex DC. Prod. ii. 376, nomen.—Ital.  
*italicus*, Hort. ex Hornem. Enum. Pl. Hort. Hafn. (1807) 41 = Vicia articulata.  
*japonicus*, Willd. Sp. Pl. iii. 1092 = maritimus.  
*Lanswertii*, Kellogg, in Proc. Calif. Acad. ii. (1863) 150 = palustris.  
*latifolius*, Linn. Sp. Pl. 733.—Europ.  
*latifolius*, Sibth. & Sm. Fl. Graec. Prod. ii. 69 = undulatus.  
*latifolius*, Vis. Stirp. Dalmat. 39 = sylvestris.  
*Ledebourii*, Trautv. in Act. Hort. Petrop. iii. (1875) 72.—Rossia.  
*Lens*, Bernh. Syst. Verz. Erf. 247 = Lens esculenta.  
*Lenticula*, Peterm. Deutschl. Fl. 155 = Lens Lenticula.  
*leptophyllus*, Bieb. Fl. Taur. Cauc. ii. 155.—Reg. Caucas.  
*leptophyllus*, C. Koch, ex Boiss. Fl. Orient. ii. 609 = hirsutus.  
*leptophyllus*, Maly, Enum. Pl. Austr. 365 = annuus.  
*linearifolius*, Nym. Consp. 202 = palustris.  
*linearifolius*, Vog. in Linnaea, xlii. (1839) 28.—Reg. Argent.  
*linearis*, Nutt. ex Torr. & Gray, Fl. N. Am. i. 276 = Vicia americana.  
*littoralis*, Phil. in Linnaea, xxviii. (1856) 625.—Chili.  
*littoralis*, Endl. ex Walp. Rep. i. 722.—Am. bor. occ.  
*longepedunculatus*, Ledeb. Ind. Hort. Dorpat. (1825) Suppl. 5 = angulatus.  
*longifolius*, Tenore, Ind. Sem. Hort. Neap. (1825) 12 = latifolius.  
*longipes*, Phil. in Linnaea, xxviii. (1856) 625.—Chili.  
*lusitanicus*, Mart. ex DC. Prod. ii. 376.—Hispan.  
*Lusseri*, Heer, ex Koch, Syn. Fl. Germ. ed. II. 1021 = pratensis.  
*luteus*, Baker, in Hook. f. Fl. Brit. Ind. ii. 180 = montanus?  
*luteus*, Moench, Meth. 138 = annuus.  
*luteus*, Munby, Fl. Algér. 73.—Algeria.  
*lycius*, Boiss. & Heldr. Diagn. Ser. I. ix. 128.—Lycia.  
*Maccaguenii*, Tod. ex Nym. Consp. 201 = odoratus.  
*Macraei*, Hook. & Arn. Bot. Beech. Voy. 21.—Chili.  
*macropus*, Gill. ex Hook. & Arn. in Hook. Bot. Misc. iii. (1833) 198 = pubescens.  
*macrorrhizus*, Wimm. Fl. Schles. (1841) 166.—Europ.  
*macrostachys*, Vog. in Linnaea, xlii. (1839) 23 = magellanicus.  
*magellanicus*, D. Don, in Sweet, Brit. Flow. Gard. Ser. II. t. 344 = nervosus, Lam.  
*magellanicus*, Lam. Encyc. ii. 708.—Reg. Magellan.  
*magniflorus*, Mill. Gard. Dict. ed. VIII. n. 14.—Hab.?  
*maritimus*, Bigel. Fl. Bost. ed. III. 286.—Europ.; Am. bor.  
*maritimus*, Torr. Bot. Mex. Bound. 49 = vestitus.

**LATHYRUS:—**

*marmoratus*, Boiss. & Bal. ex Boiss. Fl. Orient. ii. 606.—Syria; Aegypt.  
*megalanthos*, Steud. Nom. ed. II. ii. 14 = sylvestris.  
*membranaceus*, Presl, Delic. Prag. 40 = latifolius.  
*Messerschmidii*, Franch. & Sav. Enum. Pl. Jap. i. 106.—Japan.  
*mexicanus*, [Wender.] Ind. Sem. Hort. Marb. (1837).—Cf. Linnaea, xii. (1838) Litt. 85.—Mexic.  
*micranthus*, Gérard, ex Loisel. in Desv. Journ. Bot. ii. (1809) 362 = inconspicuus.  
*microphyllus*, Scheele, in Linnaea, xxi. (1848) 575.—Dalmat.  
*miniatus*, Bieb. ex Stev. in Bull. Soc. Nat. Mosc. xxix. (1856) ii. 161 = rotundifolius.  
*mollis*, Steud. Nom. ed. II. ii. 14.—Chili.  
*monanthos*, Baumg. Enum. Stirp. Transs. ii. 332 = Vicia tetrasperma.  
*monanthos*, Willd. Sp. Pl. iii. 1083 = Vicia monantha.  
*monspeiensis*, Delile, ex Lorr. & Barr. Fl. Montp. 195 = latifolius.  
*montanus*, Bernh. Syst. Verz. Erf. 247; Gren. & Godr. Fl. Fr. i. 486.—Europ.; As. bor.  
*montevicensis*, Vog. in Linnaea, xlii. (1839) 22 = stipularis.  
*multiceps*, Clos, in C. Gay, Fl. Chil. ii. 149.—Chili.  
*multiflorus*, Nutt. ex Torr. & Gray, Fl. N. Am. i. 274 = venosus.  
*multiflorus*, Peterm. Deutschl. Fl. 155.—German.  
*mutabilis*, Klinggr. ex Nym. Consp. 202 = pisiformis.  
*mutabilis*, Sweet, Brit. Flow. Gard. Ser. II. t. 194.—Siberia.  
*myrtifolius*, Muhl. ex Willd. Sp. Pl. iii. 1091 = palustris.  
*myrtifolius*, Spreng. Syst. iii. 264 = polymorphus.  
*neglectus*, Puel, Cat. Pl. Lot. 179 = sylvestris.  
*nervatus*, Presl, Delic. Prag. 39.—Sicilia.  
*nervosus*, Boiss. Fl. Orient. ii. 609.—Mesopot.  
*nervosus*, Lam. Encyc. ii. 708.—Reg. Argent.  
*neurolobus*, Boiss. & Heldr. Diagn. Ser. I. ix. 125.—Ins. Creta.  
*nevadensis*, S. Wats. in Proc. Am. Acad. xi. (1876) 133.—Am. bor. occ.  
*niger*, Bernh. Syst. Verz. Erf. 247; Wimm. Fl. Schles. (1841) 166.—Europ.; Reg. Cauc.  
*nigricans*, Peterm. Deutschl. Fl. 155 = Lens nigricans.  
*Nissolia*, Linn. Sp. Pl. 729.—Europ.; Oriens.  
*nitens*, Vog. in Linnaea, xlii. (1839) 25.—Reg. Argent.  
*Noëanus*, Alef. in Bonplandia, ix. (1861) 152 = sylvestris.  
*occidentalis*, Nutt. ex Torr. & Gray, Fl. N. Am. i. 276 = palustris.  
*ochraceus*, Kittel, Fl. Deutschl. ed. II. 1301.—Europ.  
*ochroleucus*, Hook. Fl. Bor. Am. i. 159.—Am. bor. occ.  
*ochroleucus*, Torr. in Bot. U. St. Expl. Exped. ii. 267 = venosus.  
*Ochrus*, DC. Fl. Fr. iv. 578.—Reg. Mediterr.  
*odoratus*, Linn. Sp. Pl. 732.—Ital.  
*odoratus-seylanicus*, Burm. f. Fl. Ind. 162 = odoratus.  
*odorus*, Thomas, ex Tenore, Syll. 355 = grandiflorus.  
*oleraceus*, Lam. Fl. Fr. ii. 580 = Pisum arvense.  
*ornatus*, Nutt. ex Torr. & Gray, Fl. N. Am. i. 277.—Am. bor. occ.  
*ovalifolius*, Phil. in Anal. Univ. Chil. (1872) 694.—Chili.  
*ovatus*, Royle, Illustr. Bot. Himal. 200 = altaicus.  
*pallescens*, C. Koch, in Linnaea, xv. (1841) 723.—Rossia.  
*paluster*, Auct. = seq.  
*palustris*, Lang, ex Tenore, Syll. 356 = L. Clymenum.  
*palustris*, Linn. Sp. Pl. 733.—Amphig. bor.  
*pannonicus*, Garcke, Fl. Deutschl. ed. VI. 112.—Europ.; As. bor.  
*parisiensis*, Mill. Gard. Dict. ed. VIII. n. 4.—Europ.  
*Parreiszii*, Presl, in Weitenw. Beitr. ii. (1837) 30.—Tauria.  
*parviflorus*, Roth, Catalect. fasc. i. 88 = inconspicuus.  
*parvifolius*, S. Wats. in Proc. Am. Acad. xvii. (1881-82) 345.—Am. bor.  
*peduncularis*, Poir. Encyc. Suppl. ii. 775 = rotundifolius.  
*pentaphyllus*, Noronha, in Verh. Batav. Gen. v. (1790) ed. I. Art. iv. 19 (Quid?).—Java.  
*petiolaris*, Vog. in Linnaea, xlii. (1839) 29 = pubescens.  
*Philippii*, Alef. ex Phil. in Anal. Univ. Chil. (1872) 694 = magellanicus.  
*pilosus*, Cham. in Linnaea, vi. (1831) 548 = palustris.

**LATHYRUS:—**

*pilosus*, Steud. & Hochst. ex Reichb. Fl. Germ. Excurs. 534 = L. Cicera.  
*pisaster*, Clos, in C. Gay, Fl. Chil. ii. 148.—Chili.  
*pisiformis*, Houtt. Handleid. x. 197. t. 85. f. 1 = maritimus.  
*pisiformis*, Linn. Sp. Pl. 734.—Europ.; As. bor.  
*pisiformis*, Richards. in Frankl. Journ. App. 17 = ochroleucus.  
*platyphyllus*, A. Gouault, in Rev. Hort. Sér. IV. iii. (1854) 321 = seq.?  
*platyphyllus*, Retz. Prod. Fl. Scand. ed. II. 170 = sylvestris.  
*polyanthus*, Boiss. & Blanche, Diagn. Ser. II. ii. 43, in nota.—Syria; Mesopot.; Oriens.  
*polymorphus*, Hook. Lond. Journ. Bot. vi. (1847) 207 = nevadensis.  
*polymorphus*, Nutt. Gen. Am. ii. 97.—Am. bor. occ.  
*polyphyllus*, Nutt. ex Torr. & Gray, Fl. N. Am. i. 274.—Am. bor. occ.  
*polyphyllus*, S. Wats. in Rep. King's Exp. v. 78 = palustris.  
*pratensis*, Linn. Sp. Pl. 733.—Reg. bor. temp.  
*prostratus*, Presl, Fasc. Pl. Forojul. 28 = setifolius.  
*Pseudo-aphaca*, Boiss. Diagn. Ser. I. ii. 105.—As. Min.  
*pterochaulos*, Phil. in Anal. Univ. Chil. (1872) 695.—Chili.  
*pubescens*, Hook. Bot. Mag. t. 3996 = tomentosus.  
*pubescens*, Hook. & Arn. Bot. Beech. Voy. 21.—Chili.  
*pubescens*, Nutt. ex Torr. & Gray, Fl. N. Am. i. 274 = venosus.  
*pubescens*, Porter & Coult. Fl. Colerad. 32 = palustris.  
*pulcher*, J. Gay, in Ann. Sc. Nat. Sér. IV. viii. (1857) 311 = latifolius.  
*pulcher*, Salisb. Prod. 338 = tingitanus.  
*purpureo-coeruleus*, Knowles & Westc. Flor. Cab. ii. (1838) 126, 177. t. 88.—Bras.  
*purpureus*, Desf. in Ann. Mus. Par. xii. (1808) 56. t. 7 = L. Clymenum.  
*purpureus*, Gilib. Fl. Lituan. ii. 99 = latifolius.  
*purpureus*, Presl, Delic. Prag. 39.—Sicilia.  
*pusillus*, Ell. Sketch, ii. 223.—Am. bor.  
*pyrenaicus*, Jord. Cat. Jard. Dijon (1848), 27 = sylvestris.  
*quadrmarginatus*, Bory & Chaub. Fl. Pélop. 47.—Graecia.  
*roseus*, Phil. in Linnaea, xxviii. (1856) 626.—Chili.  
*roseus*, Stev. in Mém. Soc. Nat. Mosc. iv. (1813) 92.—Reg. Caucas.  
*rotundifolius*, Janka, in Linnaea, xxx. (1859-60) 565 = latifolius.  
*rotundifolius*, Willd. Sp. Pl. iii. 1088.—Ross.; Oriens.  
*sagittatus*, Molina, Sagg. Chile, ed. II. 293 = magellanicus.  
*sanguineus*, Haberle, ex Steud. Nom. ed. II. ii. 14 = pisiformis.  
*sativus*, Linn. Sp. Pl. 730.—Europ.; Afr. bor.; Oriens.  
*sativus*, Sibth. & Sm. ex Steud. Nom. ed. II. ii. 14 = quadrmarginatus.  
*saxatilis*, Vis. Fl. Dalmat. iii. 330 = ciliatus.  
*segetum*, Lam. Fl. Fr. ii. 571 = L. Aphaca.  
*sepium*, Scop. Fl. Carn. ed. II. 64 = pratensis.  
*sericeus*, Colla, in Mem. Acc. Torin. xxxvii. (1834) 60.—Chili.  
*sericeus*, Lam. Encyc. ii. 709.—Bras.  
*sessilifolius*, Hook. & Arn. Bot. Beech. Voy. 20 = magellanicus.  
*sessilifolius*, Tenore, Fl. Neap. Prod. App. v. 21.—Italia.  
*setifolius*, Gouan, Hort. Monsp. 368 = sphaericus.  
*setifolius*, Linn. Sp. Pl. 731.—Europ. austr.  
*setiger*, Phil. in Linnaea, xxxiii. (1864-65) 53.—Chili.  
*siculus*, Steud. Nom. ed. II. ii. 14 = purpureus.  
*sinensis*, Mart. ex DC. Prod. ii. 376.—China.  
*speciosus*, G. Don, Gen. Syst. ii. 333.—Mexic.  
*speciosus*, Hort. ex Steud. Nom. ed. II. ii. 14 = articulatus.  
*spectabilis*, Forsk. Fl. Aegypt. Arab. 135.—Arab.  
*sphaericus*, Bieb. Tabl. Prov. Casp. 210 = leptophyllus.  
*sphaericus*, Retz. Obs. iii. 39.—Europ. austr.  
*sphaericus*, Schur, Enum. Pl. Transs. 174 = L. Nissolia.  
*spissus*, Steph. ex Ledeb. Fl. Ross. i. 677 = Vicia costata.  
*splendens*, Kellogg, in Proc. Calif. Acad. vii. i. (1877) 90.—Calif.



**LATHYRUS:—**

- spurius*, Willd. Enum. Hort. Berol. 760 = *articulatus*.  
*stans*, Vis. in Flora, xii. (1829) I. Erg. 19 = *inconspicuus*.  
*stenolobus*, Boiss. *Diagn.* Ser. I. ix. 124. — Syria.  
*stenophyllus*, Boiss. & Heldr. l. c. 126. — As. Min.; Syria.  
*stipulaceus*, Le Conte, in Torr. Cat. Pl. N. York, 60, 92 = *palustris*.  
*stipularis*, Presl, in *Weitenw. Beitr.* ii. (1837) 30. — Peruv.  
*strictus*, Grauer, *Dec.* 12. — Hab. ?  
*strictus*, Nutt. ex Torr. & Gray, Fl. N. Am. i. 276 = *vestitus*.  
*subandinus*, Phil. in *Linnaea*, xxxiii. (1864-65) 52. — Chili.  
*subrotundus*, Maxim. in *Bull. Acad. Pétersb.* xviii. (1873) 390. — Manchur.  
*subulatus*, Lam. *Encyc.* ii. 707. — Bras.  
*sulphureus*, Brewer, ex A. Gray, in *Proc. Am. Acad.* vii. (1868) 399. — Calif.  
*sylvestris*, Linn. *Sp. Pl.* 733. — Europ.  
*Szowitsii*, Boiss. *Fl. Orient.* ii. 605. — Persia.  
*Tanakae*, Franeh. & Sav. *Enum. Pl. Jap.* i. 105; ii. 326. — Japon.  
*tataricus*, Schreb. ex Steud. *Nom. ed.* II. ii. 14 = *L. Clymenum*.  
*tenuifolius*, Desf. *Fl. Atlant.* ii. 160 = *L. Clymenum*.  
*tetrapterus*, Pomel, *Nouv. Mat. Fl. Atl.* 194. — Alger.  
*Thirkaenus*, C. Koch, in *Linnaea*, xix. (1847) 65 = *L. Ochrus*.  
*tingitanus*, Linn. *Sp. Pl.* 732. — Reg. Mediterr. occ.  
*tomentosus*, Forsk. *Fl. Aegypt. Arab.* 135 = *Tephrosia tomentosa*.  
*tomentosus*, Lam. *Encyc.* ii. 709. — Bras.  
*tomentosus*, Steud. *Nom. ed.* II. ii. 14 = *Coursetia tomentosa*.  
*Torreyi*, A. Gray, in *Proc. Am. Acad.* vii. (1868) 337. — Calif.  
*trachycarpus*, Boiss. *Fl. Orient.* ii. 608. — Mesopot.  
*trachyspermus*, Webb, ex Rodr. in *Bull. Soc. Bot. Fr.* xxv. (1878) 239. — Ins. Canar.  
*trichocalyx*, Phil. in *Anal. Univ. Chil.* (1872) 695. — Chili.  
*trigonus*, Vog. in *Linnaea*, xiii. (1839) 31 = *nervosus*, Lam.  
*tuberculatus*, Gaud. *Fl. Helv.* iv. 488. in obs. = seq. ?  
*tuberosus*, Linn. *Sp. Pl.* 732. — Geront. bor.  
*tumidus*, Willd. *Sp. Pl.* iii. 1082 = *Vicia bithynica*.  
*turgidus*, Lam. *Encyc.* ii. 706 = *Vicia bithynica*.  
*undulatus*, Boiss. *Diagn.* Ser. II. ii. 41. — Byzant.  
*variegatus*, Gilib. *Fl. Lituan.* ii. 99 = *sylvestris*.  
*variegatus*, Gren. & Godr. *Fl. Fr.* i. 485 = *multiflorus*.  
*variegatus*, Host, *Fl. Austr.* ii. 327 = *hirsutus*.  
*varius*, C. Koch, in *Linnaea*, xv. (1841) 723. — Italia.  
*venosus*, Muhl. ex Willd. *Sp. Pl.* iii. 1092. — Am. bor.  
*venosus*, Sweet, *Brit. Flow. Gard. Ser. I.* t. 37 = *maritimus*.  
*vernus*, Bernh. *Syst. Verz. Erf.* 247; *Wimm. Fl. Schles.* (1841) 166. — Europ.  
*vestitus*, Nutt. ex Torr. & Gray, *Fl. N. Am.* i. 276. — Am. bor. occ.  
*viciaefolius*, Ledeb. *Fl. Ross.* i. 686 = *palustris*.  
*viciaeformis*, Gilib. *Fl. Lituan.* ii. 100; Wallr. *Sched. Crit.* 388 = *palustris*.  
*villosus*, Frivald. in *Flora*, xix. (1836) 437. — Rumelia.  
*vinealis*, Boiss. & Noé, *Diagn.* Ser. II. ii. 42. — Armen.  
*Volckmanni*, Phil. in *Anal. Univ. Chil.* (1862) II. 443. — Chili.

**LATICOMA**, Rafin. *Fl. Tellur.* iv. 12 (1836) = **Nerine**, Herb. (Amaryll.).  
*compressa*, Rafin. l. c. = *N. lucida*.

**LATIPES**, Kunth, Rév. Gram. i. 261. t. 42 (1830).  
**GRAMINEAE**, Benth. & Hook. f. iii. 1123.  
*senegalensis*, Kunth, l. c. — Afr. trop.

**LATOUREA**, Benth. & Hook. f. Gen. iii. 501 (1833) = seq.

**LATOURIA**, Blume, Rumphia, iv. 41. t. 195, 199 (1850) = *Dendrobium*, Sw. (Orchid.).  
*spectabilis*, Blume, l. c. = *D. spectabile*.

**LATOURIA**, Lindl. *Veg. Kingd.* 695 (1847) = *Leschenaultia*, R. Br. (Goodenov.).  
*filiformis*, De Vriese, in *Verh. Haarl.* x. (1854) 187 = *Leschenaultia filiformis*.

**LATRAEOPHILA**, Leandr. *Sacram. ex A. St. Hil.* in *Ann. Sc. Nat. Sér. II.* vii. (1837) 32 = *Helosis*, Rich. (Balanoph.).

**LATREILLEA**, DC. *Prod.* v. 504 (1836) = **Ichthyothere**, Mart. (Compos.).  
*dicarpa*, Toro, ex Ernst, in *Flora*, lviii. (1874) 212. — Venezuela.  
*glabrata*, Benth. in *Hook. Journ. Bot.* ii. (1840) 42 = *L. Cunabi*.  
*integrifolia*, DC. *Prod.* v. 504 = *L. integrifolia*.  
*latifolia*, Benth. in *Ann. Nat. Hist. Ser. I.* ii. (1839) 110 = *L. latifolia*.  
*linearis*, Benth. l. c. = *L. linearis*.  
*peruviana*, Poepp. & Endl. *Nov. Gen. et Sp.* iii. 46. t. 46 = *L. peruviana*.  
*serrata*, DC. *Prod.* v. 504 = *L. Cunabi*.

**LATRIENDA**, Rafin. *Fl. Tellur.* iv. 81 (1836) = **Convolvulus**, Tourn., etc.  
*brasiliensis*, Rafin. l. c. = *Ipomoea Pes-caprae*.  
*Imperati*, Rafin. l. c. = *Ipomoea carnosae*.  
*multiflora*, Rafin. l. c. = *Ipomoea sidaefolia*.  
*palmata*, Rafin. l. c. = *Ipomoea quinquefolia*.  
*Soldanella*, Rafin. l. c. = *C. Soldanella*.

**LATROBEA**, Meissn. in *Lehm. Pl. Preiss.* ii. 219 (1847). **LEGUMINOSAE**, Benth. & Hook. f. i. 471.  
**LEPTOCYTISUS**, Meissn. l. c. 211 (1847).  
*Brunonis*, Meissn. l. c. 219. — Austral.  
*diosmifolia*, Benth. *Fl. Austral.* ii. 142. — Austral.  
*genistoides*, Meissn. in *Lehm. Pl. Preiss.* ii. 219. — Austral.  
*hirtella*, Benth. *Fl. Austral.* ii. 142. — Austral.  
*pungens*, Benth. l. c. 140. — Austral.  
*tenella*, Benth. l. c. 142. — Austral.

**LATUA**, Phil. in *Bot. Zeit.* xvi. (1858) 242. **SOLANACEAE**, Benth. & Hook. f. ii. 896.  
*venenosa*, Phil. l. c. 242. — Chili.

**LATYRUS**, Gren. in *Acad. Sc. Besançon. Séances Publ.* (1838) 131 = **Lathyrus**, Tourn. (Legumin.).

**LAUBERTIA**, A. DC. in *DC. Prod.* viii. 486 (1844).  
**APOCYNACEAE**, Benth. & Hook. f. ii. 724.  
*Boissieri*, A. DC. l. c. 487. — Peruv. ?

**LAUCHEA**, Klotzsch, in *Abh. Akad. Berl.* 1854 (1855) 121 = *Begonia*, Linn.  
*verticillata*, Klotzsch, l. c. 122 = *B. verticillata*.

**LAUGERIA**, Linn. *Syst. ed.* XII. 177 (1767) = **LAUGIERIA**, Jacq. = **Guettarda**, Linn. (Rubiace.).

**LAUGERIA**, Vahl, *Eclog. Am.* 26. t. 10 (1796) partim. **RUBIACEAE**, Benth. & Hook. f. ii. 100.  
*coriacea*, Vahl, l. c. = *Guettarda coriacea*.  
*densiflora*, Benth. & Hook. f. Gen. ii. 101. — Ind. occ.  
*dependens*, Ruiz & Pav. *Fl. Per.* ii. 23 = *Guettarda dependens*.  
*dichotoma*, [Moq. & Sesse,] ex DC. *Prod.* iv. 461 = *Antirrhoea dichotoma*.  
*hirsuta*, Ruiz & Pav. *Fl. Per.* ii. 22 = *Guettarda hirsuta*.  
*lucida*, Sw. *Prod. Veg. Ind. Occ.* 48 = *Antirrhoea lucida*.  
*resinosa*, Vahl, *Eclog. Am.* i. 27. — Am. austr.  
*tomentosa*, Sw. *Prod. Veg. Ind. Occ.* 48 (= *Stenostomum tomentosum*). — Jamaic.  
*tubulosa*, Fors. ex DC. *Prod.* iv. 458 = *Guettarda coriacea*.

**LAUGIERIA**, Jacq. *Enum. Pl. Carib.* 2 (1760) = **Guettarda**, Linn. (Rubiace.).  
*Edechia*, Crantz, *Inst.* ii. 381 = *G. odorata*.  
*odorata*, Jacq. *Enum. Pl. Carib.* 16 = *G. odorata*.

**LAUNAEA**, Cass. in *Dict. Sc. Nat.* xxv. 321 (1822).  
**COMPOSITAE** [Benth. & Hook. f. ii. 520].  
*AMMOSERIS*, Endl. *Gen.* 500 (1838).  
*LOMATOFIPIS*, Cass. in *Dict. Sc. Nat.* xlvi. 422 (1827).  
*MICRORHYNCHUS*, Less. *Syn. Comp.* 139 (1832).  
*RHABDOTHECA*, Cass. in *Dict. Sc. Nat.* xlvi. 424 (1827).  
*ZOLLIKOFERIA*, DC. *Prod.* vii. 183 (1830).  
*aspleniifolia*, Hook. f. *Fl. Brit. Ind.* iii. 415. — Ind. or.  
*bellidifolia*, Cass. in *Dict. Sc. Nat.* xxv. 321. — Afr. trop.

**LAUNAEA:—**

- chondrilloides*, Hook. f. *Fl. Brit. Ind.* iii. 415. — Oriens; Ind. or.  
*crepoides*, Balf. f. in *Proc. Roy. Soc. Edinb.* xi. (1882) 842. — Ins. Socotr.  
*glomerata*, Hook. f. *Fl. Brit. Ind.* iii. 417. — Afr. bor.; Oriens.  
*microcephala*, Hook. f. l. c. 415. — Reg. Himal.  
*nudicaulis*, Hook. f. l. c. 416. — Oriens; Ind. or.  
*pinnatifida*, Cass. in *Ann. Sc. Nat. Ser. I.* xxiii. (1831) 85. — As. et Afr. trop.  
*secunda*, Hook. f. *Fl. Brit. Ind.* iii. 416. — Reg. Himal.  
*spinosa*, Sch. Bip. in *Webb & Berth. Phyt. Canar.* ii. 428. — Maroc.

**LAUNAYA**, Reichb. *Nom.* 95 (1841) = *praec.*

**LAUNEA**, Endl. *Gen. Suppl.* i. 1388, in syn. (1841) = **Launaea**, Cass. (Compos.).

**LAUNZAN**, Buch.-Ham. in *As. Res.* v. (1799) 123 = **Buchanania**, Roxb. (Anacard.).

**LAUNZEA**, Endl. *Ench.* 599 (1841) = *praec.*

**LAURADIA**, Vand. *Fl. Lusit.* 15 (1788) = **Lavradia**, Vell. (Violar.).

**LAUREA**, Gaudich. *Bot. Voy. Bonite*, 513. t. 88 (1826) **Bagassa**, Aubl. (Urticac.).  
*tiliaefolia*, Gaudich. l. c. = *B. Sagotiana*.

**LAURELIA**, Juss. in *Ann. Mus. Par.* xiv. (1809) 134. **MONIMIACEAE**, Benth. & Hook. f. iii. 145.  
**PAVONIA**, Ruiz & Pav. *Fl. Per. Prod.* 127. t. 28 (1794).  
*THIGA*, Molina, *Sagg. Chile*, ed. II. 297 (1810).  
*aromatica*, Juss. ex Poir. *Encyc. Suppl.* iii. 313. — Chili.  
*crenata*, Poepp. ex Tul. in *Arch. Mus. Par.* viii. (1855-56) 416 = *aromatica*.  
*Novae-Zelandiae*, A. Cunn. in *Ann. Nat. Hist. Ser. I.* i. (1838) 381. — N. Zel.  
*sempervirens*, Tul. in *Arch. Mus. Par.* viii. (1855-56) 416 = *aromatica*.  
*serrata*, Bert. Merc. *Chil.* 685; ex *Am. Journ. Sc.* xxiii. (1833) 89 = *aromatica*.

**LAUREMBERGIA**, Berg. *Desc. Pl. Cap.* 350 (1767) = **Serpicula**, Linn. (Halorag.).  
*capensis*, J. F. Gmel. *Syst.* 284 = *S. repens*.  
*coccinea*, Kanitz, in *Mart. Fl. Bras.* viii. II. 377. — Bras.  
*repens*, Berg. *Desc. Pl. Cap.* 350 = *S. repens*.  
*tetrandra*, Kanitz, in *Mart. Fl. Bras.* xiii. II. 378. — Bras.

**LAURENCELLIA**, Neum. in *Rev. Hort.* Sér. II. iv. (1845) 26 = **LAWRENCELLIA**, Lindl. = **Helichrysum**, Vaill. (Compos.).

**LAURENTA**, Medic. in *Staatsw. Vorles. Churpf. Phys.-Oek. Ges.* i. (1791) 207 = seq.

**LAURENTIA**, Michx. ex Adans. *Fam.* ii. 134 (1763); Neck. *Elem.* i. 131 (1790). **CAMPANULACEAE**, Benth. & Hook. f. ii. 549.  
**ENCHYSIA**, Presl, *Prod. Monog. Lobel.* 40 (1836).  
**PORTERELLA**, Torr. in *Hayd. Rep. Geol. Sur. Montana*, 483 (1872).  
**SOLENOPSIS**, Presl, *Prod. Monog. Lobel.* 32 (1836).  
*arabidea*, A. DC. in *DC. Prod.* vii. 410. — Afr. austr.  
*Baueri*, A. DC. l. c. 411 = *Isotoma fluviatilis*.  
*bifida*, Sond. in *Harv. & Sond. Fl. Cap.* iii. 552 = *Dregeana*.  
*canariensis*, A. DC. in *DC. Prod.* vii. 410. — Ins. Canar.  
*carnosula*, Benth. & Hook. f. Gen. ii. 549. — Am. l. c. occ.  
*commutata*, Tod. *Ind. Sem. Hort. Panorm.* 1872. — *Nuov. Giorn. Bot.* v. (1873) 160. — Sicil. l.  
*Dregeana*, A. DC. in *DC. Prod.* vii. 411. — Afr. austr.  
*erinoides*, Nichols. *Dict. Gard.* ii. 238. — Afr. austr.  
*etbaica*, Schweinf. in *Verh. Zool.-Bot. Ges. Wien* xviii. (1868) 683. — Afr. trop.  
*Gaudichaudii*, A. DC. in *DC. Prod.* vii. 411 = *fluviatilis*.  
*hederacea*, Sond. in *Harv. & Sond. Fl. Cap.* iii. 553. — Afr. austr.



**LAURENTIA** :—

- Michellii, A. DC. in DC. Prod. vii. 409.—Reg. Mediterr.  
*Michellii*, Ind. Sem. Hort. Berol. (1866) 17; ex Tod. in  
 Nuov. Giorn. Bot. v. (1873) 160 = commutata.  
*micrantha*, A. DC. in DC. Prod. vii. 411.—Afr. austr.  
*minuta*, A. DC. l. c. 410.—Afr. austr.  
*platycalyx*, F. Muell. in Trans. Vict. Inst. i. (1855) 39  
 = Pratia platycalyx.  
*pusilla*, A. DC. in DC. Prod. vii. 411 = Isotoma  
 pusilla.  
*pygmaea*, Sond. in Harv. & Sond. Fl. Cap. iii. 552 =  
 micrantha.  
*ramosissima*, Benth. & Hook. f. Gen. ii. 549.—Mexic.  
*repens*, Benth. & Hook. f. l. c.—Afr. austr.  
*tenella*, A. DC. in DC. Prod. vii. 410.—Reg. Mediterr.

LAURENTIA, Steud. Nom. ed. I. 466 (1821) = LOREN-  
 TEA, Orteg. = *Sanvitalia*, Gualt. (Compos.).  
*atropurpurea*, Steud. l. c. = S. procumbens.

LAUREOLA, M. Roem. Syn. Hesper. 74 (1846) =  
*Skimmia*, Thunb. (Rutac.).  
*fragrans*, M. Roem. l. c. = S. Laureola.

LAUREOLA, Rupp. Fl. Jen. ed. Hall. 40 (1745) =  
*Daphne*, Linn. (Thymel.).  
*sempervirens*, Fourr. in Ann. Soc. Linn. Lyon, N. S.  
 xvii. (1869) 147 = D. Laureola.

LAURERIA, Schlecht. in Linnaea, viii. (1833) 513 =  
*Juanulloa*, Ruiz & Pav. (Solanac.).  
*mexicana*, Schlecht. l. c. = J. mexicana.

LAURIDIA, Eckl. & Zeyh. Enum. 124 (1835) = *Elaeo-*  
*dendron*, Jacq. (Celastrin.).  
*reticulata*, Eckl. & Zeyh. l. c. 125.—Afr. austr.  
*rupicola*, Eckl. & Zeyh. l. c. = *reticulata*?

LAUROCERASUS, [Tourn.] M. Roem. Syn. Rosifl. 5,  
 89 (1847) = *Prunus*, Linn. (Rosac.).  
*acuminata*, M. Roem. l. c. 92 = P. acuminata.  
*brachybotrys*, M. Roem. l. c. 91 = P. brachybotrys.  
*brasiliensis*, M. Roem. l. c. 90 = P. brasiliensis.  
*caroliniana*, M. Roem. l. c. = P. caroliniana.  
*ferruginea*, M. Roem. l. c. 91 = P. ferruginea.  
*Hixa*, M. Roem. l. c. 92 = P. Hixa.  
*ilicifolia*, M. Roem. l. c. = P. ilicifolia.  
*laurifolia*, M. Roem. l. c. 91 = P. laurifolia, *Decne.*  
*lusitanica*, M. Roem. l. c. 92 = P. lusitanica.  
*mexicana*, M. Roem. l. c. 90 = P. laurifolia, *Schlecht.*  
*multiglandulosa*, M. Roem. l. c. 92 = P. Hixa.  
*occidentalis*, M. Roem. l. c. 89 = P. occidentalis.  
*officinalis*, M. Roem. l. c. 91 = P. Laurocerasus.  
*opaca*, M. Roem. l. c. = P. opaca.  
*Ottinii*, Carr. in Rev. Hort. (1877) 159 = P. Lauro-  
 cerasus.  
*reflexa*, M. Roem. Syn. Rosifl. 91 = P. reflexa.  
*salicifolia*, M. Roem. l. c. 89 = P. salicifolia.  
*samydoides*, M. Roem. l. c. 92 = P. samydoides.  
*sphaerocarpa*, M. Roem. l. c. 89 = P. sphaerocarpa.  
*undulata*, M. Roem. l. c. 92 = P. undulata.  
*vulgaris*, Carr. in Rev. Hort. (1877) 160 = P. Lauro-  
 cerasus.

LAUROPHYLLUS, Roem. & Schult. Syst. iii. 30 (1818)  
 = seq.

LAUROPHYLLUS, Thunb. Nov. Gen. vi. 104 (1792) =  
*Botryceras*, Willd. (Anacard.).  
*capensis*, Thunb. l. c. = B. laurinum.

**LAURUS**, [Tourn.] Linn. Gen. ed. I. 120 (1737).

- LAURINEAE, Benth. & Hook. f. iii. 163.  
 AJOVEA, Rafin. Sylva Tellur. 134. (1838).  
 BALANOPSIS, Rafin. l. c. (1838).  
*abbreviata*, Salisb. Prod. 344.—Am. bor.  
*acuminata*, R. Br. ex Meissn. in DC. Prod. xv. i. 78  
 = Cryptocarya triplinervis.  
*acuminata*, Reinw. ex Nees, Syst. Laurin. 611 = Linderia  
 acuminata.  
*acuminata*, Ruiz & Pav. ex Meissn. in DC. Prod. xv.  
 i. 117 (= *Oreodaphne sublanuginosa*).—Peruv.  
*acuminata*, Wall. ex Meissn. l. c. 34 = Phoebe pallida.  
*acutifolia*, Pav. Laurin. Peruv. t. 17 = Nectandra  
 berchemiaefolia.  
*aestivalis*, Lam. Encyc. iii. 453 = Litsea geniculata.  
*aestivalis*, Linn. Sp. Pl. 370 = Linderia Benzoin.

**LAURUS** :—

- aestivalis*, Mill. ex Willd. Sp. Pl. ii. 484 = Nectandra  
 Willdenoviana.  
*aestivalis*, Sesse, ex Meissn. in DC. Prod. xv. i. 193 =  
 Litsea glaucescens.  
*aestivalis*, Vell. Fl. Flum. 164; iv. t. 54 = Nectandra  
 villosa.  
*aggregata*, Sims, ex Meissn. in DC. Prod. xv. i. 516.  
 —China.  
*alba*, Reinw. ex Mig. Fl. Ind. Bat. i. ii. 582.—Java.  
*albida*, Loud. ex Meissn. in DC. Prod. xv. i. 513, 516 =  
 Sassafras officinale.  
*albiflora*, Wall. Cat. n. 2569 = Cinnamomum Tamala.  
*alpigena*, Sw. Fl. Ind. Occ. ii. 704 = Persea alpigena.  
*americana*, Herb. Berol. ex Nees, Syst. Laurin. 135 =  
 Persea indica.  
*americana*, Mill. Gard. Dict. ed. VIII. n. 10 = Daph-  
 nopsis tinifolia, Meissn.  
*amygdalina*, Buch.-Ham. ex Wall. Cat. n. 2585 =  
 Cryptocarya amygdalina.  
*angusta*, Rafin. Sylva Tellur. 136 = nobilis?  
*angustifolia*, Willd. ex Nees, Syst. Laurin. 401 =  
 Acrodiclidium salicifolium.  
*armeniaca*, Poepp. ex Nees, l. c. 264 (= *Oreodaphne*  
*evonymodaphne*).—Peruv.  
*atra*, Vell. Fl. Flum. 163; iv. t. 51 = Nectandra  
 puberula?  
*attenuata*, Wall. Cat. n. 2600 = Phoebe attenuata.  
*aurantiodora*, Ruiz & Pav. Fl. Per. iv. t. 349  
 (= *Mespilodaphne aurantiodora*).—Peruv.  
*australis*, A. Cunn. ex Hook. Journ. Bot. iv. (1842)  
 436 = Cryptocarya australis.  
*axillaris*, Lam. Encyc. iii. 453 = Litsea geniculata.  
*balanocarpa*, Ruiz & Pav. Fl. Per. iv. t. 354 (= *Mes-*  
*pilodaphne balanocarpa*).—Peruv.  
*Barbujana*, Cav. in Anal. Cienc. Nat. iii. (1801) 52 =  
 Apollonia canariensis.  
*Barbusana*, Lowe, in Trans. Camb. Phil. Soc. iv. (1831)  
 16 = canariensis.  
*Barbusano*, Hochst. ex Webb & Berth. Phyt. Canar.  
 iii. 229 = praec.  
*Bazania*, Buch.-Ham. in Trans. Linn. Soc. xiii. (1822)  
 560 = Cinnamomum obtusifolium.  
*Bejolphota*, Buch.-Ham. l. c. 559 = Cinnamomum  
 obtusifolium.  
*Bellota*, Miers, ex Nees, Syst. Laurin. 178 = Peumus  
 Boldus.  
*Benzoin*, Buch.-Ham. ex Wall. Cat. n. 2574 B = Cinna-  
 momum obtusifolium.  
*Benzoin*, Linn. Sp. Pl. 370 = Linderia Benzoin.  
*Bezolphota*, Buch.-Ham. ex Wall. Cat. n. 2574 C =  
 Cinnamomum obtusifolium.  
*bibracteata*, Blume, Bijdr. 553 (= *Daphnidium*  
*bibracteatum*).—Java.  
*biflora*, Pav. ex Meissn. in DC. Prod. xv. i. 119, 234  
 (= *Oreodaphne cuneata*).—Peruv.  
*bilocularis*, Roxb. Hort. Beng. [30]; Fl. Ind. ii. 311  
 = Beilschmiedia Roxburghiana.  
*Bofo*, Willd. ex Nees, Syst. Laurin. 441 = Ocotea Bofo.  
*bogotensis*, Willd. ex Nees, l. c. 163 = Persea Mutisii.  
*bombycina*, Buch.-Ham. ex Wall. Cat. n. 2607 D =  
 Machilus odoratissima.  
*Borbonia*, Hort. ex Meissn. in DC. Prod. xv. i. 233 =  
 canariensis.  
*Borbonia*, Lam. Encyc. iii. 450 (= *Oreodaphne*  
*Martiniana*).—Guian.  
*Borbonia*, Linn. Sp. Pl. 370 = Persea caroliniensis.  
*Borbonia*, Sw. Fl. Ind. Occ. ii. 714 = Nectandra  
 antillana.  
*Bowiei*, Hook. Journ. Bot. iv. (1842) 419. t. 23 =  
 Cryptocarya australis.  
*bullata*, Burch. ex Nees, Syst. Laurin. 449 = Ocotea  
 bullata.  
*Burmanni*, Nees, Cinn. Disp. 57 = Cinnamomum  
 Burmanni.  
*caerulea*, Ruiz & Pav. Fl. Per. iv. t. 350 = Persea  
 laevigata.  
*caesia*, Reinw. ex Blume, Bijdr. 553 = Linderia caesia.  
*calicaris*, Soland. ex A. Cunn. in Ann. Nat. Hist. Ser.  
 I. i. (1838) 380 (= *Tetranthera Tangao*).—N. Zel.  
*calophylla*, Reinw. ex Nees, Cinn. Disp. 63 = Cinna-  
 momum camphoratum.  
*calycaris*, Soland. ex Meissn. in DC. Prod. xv. i. 191,  
 234 (= *Tetranthera Tangao*).—N. Zel.  
*calycina*, Stokes, Bot. Mat. Med. ii. 421 = suma-  
 trensis.  
*Camellia*, Willd. ex Meissn. in Mart. Fl. Bras. v. II.  
 199 = Ocotea pretiosa.

**LAURUS** :—

- Camphora*, Linn. Sp. Pl. 369 = Cinnamomum Cam-  
 phora.  
*Camphora*, Thunb. ex Blume, Mus. Bot. Lugd. Bat. i.  
 346 = Litsea zeylanica.  
*camphorata*, Buch.-Ham. ex Nees, in Wall. Pl. As.  
 Rar. ii. 71 = Phoebe lanceolata.  
*camphorifera*, Salisb. Prod. 343 = Cinnamomum  
 Camphora.  
*canaliculata*, Rich. in Act. Soc. Hist. Nat. Par. i.  
 (1792) 108 (= *Oreodaphne cayennensis*).—Guian.  
*canariensis*, Webb & Berth. Phyt. Canar. iii. 3,  
 229.—In. Canar.  
*canariensis*, Willd. Enum. Hort. Berol. i. 435 =  
 Apollonia canariensis.  
*Canella*, Mill. Gard. Dict. ed. VIII. n. 12 = Litsea zey-  
 lanica.  
*Canella*, Vell. Fl. Flum. 164; iv. t. 56 (Quid?).—Bras.  
*Canellila*, Willd. ex Nees, Syst. Laurin. 237 = Ocotea  
 pretiosa.  
*carolinensis*, Catesby, Carol. i. 63; Michx. Fl. Bor. Am.  
 i. 265 = Persea carolinensis.  
*carolinensis*, Hort. ex Meissn. in DC. Prod. xv. i. 233 =  
 canariensis.  
*caryophyllata*, Reinw. ex Meissn. in DC. l. c. 20, 235 =  
 Cinnamomum iners.  
*Caryophyllus*, Lour. Fl. Cochinch. 250 = Cinnamomum  
 Culilawan.  
*Cassia*, Burm. f. Fl. Ind. 91 = Cinnamomum zeylanicum.  
*Cassia*, Heyne, ex Wall. Cat. n. 2583 D = Cinnamomum  
 sulphuratum.  
*Cassia*, Hort. ex Nees, Syst. Laurin. 42 = Cinnamomum  
 iners.  
*Cassia*, Linn. Sp. Pl. 369 = Litsea zeylanica, Cinna-  
 momum zeylanicum.  
*Cassia*, Nees, Diss. Laurin. 53 = Cinnamomum Cassia.  
*Cassia*, Roxb. Hort. Beng. 30; Fl. Ind. ii. 297 = Cinna-  
 momum Tamala.  
*Cassia*, Wight, ex Nees, Syst. Laurin. 41 = Cinnamomum  
 obtusifolium.  
*Catesbaei*, Pers. Syn. i. 449 = Nectandra Willdenowiana.  
*Catesbyana*, Michx. Fl. Bor. Am. i. 244 = Nectandra  
 Willdenowiana.  
*Cathia*, Buch.-Ham. ex Meissn. in DC. Prod. xv. i. 23,  
 235 = Phoebe paniculata.  
*caudata*, Wall. Cat. n. 2603 = Cinnamomum caudatum.  
*caustica*, Molina, Sagg. Chile, 176 = Mauria simplicifolia.  
*Cervantesii*, H. B. & K. Nov. Gen. et Sp. i. 169 =  
 Litsea glaucescens.  
*Champa*, Buch.-Ham. ex Wall. Cat. n. 2607 C =  
 Machilus odoratissima.  
*chinensis*, Hort. Berol. ex Nees, Syst. Laurin. 92 =  
 Cinnamomum Parthenoxylon.  
*chinensis*, Meissn. in DC. Prod. xv. i. 211 = Actino-  
 daphne chinensis.  
*Chloroxylon*, Linn. Syst. ed. X. 1010 = Ceanothus  
 Chloroxylon.  
*Chloroxylon*, Sw. Prod. Veg. Ind. Occ. 260 (Cocculi sp.).  
 —Ind. occ.  
*cinnamifera*, Stokes, Bot. Mat. Med. ii. 412 = Cinna-  
 momum zeylanicum?  
*cinnamomea*, Salisb. Prod. 343 = Cinnamomum zey-  
 lanicum.  
*cinnamomoides*, Hort. Berol. ex Nees, Syst. Laurin.  
 62 = Cinnamomum Burmanni.  
*cinnamomoides*, Mutis, ex H. B. & K. Nov. Gen. et Sp.  
 ii. 169 = Nectandra cinnamomoides.  
*Cinnamomum*, Andr. Bot. Rep. t. 596 = Cinnamomum  
 Cassia.  
*Cinnamomum*, Blanco, Fl. Filip. ed. I. 319 = Cinna-  
 momum Burmanni.  
*Cinnamomum*, Linn. Sp. Pl. 369 = Cinnamomum  
 zeylanicum.  
*Cinnamomum*, Lour. Fl. Cochinch. i. 305 = Cinna-  
 momum Loureirii.  
*Cinnamomum*, Wight, ex Nees, in Wall. Pl. As. Rar.  
 ii. 74 = Cinnamomum obtusifolium.  
*citriformis*, Vell. Fl. Flum. 164; iv. t. 53 (Quid?).—  
 Bras.  
*citriodora*, Sieb. & Zucc. ex Meissn. in DC. Prod. xv.  
 i. 516 (= *Aperula citriodora*).—Japon.  
*coccineus*, Boj. ex Meissn. l. c. 511 (= *Mespilodaphne*  
*Lindleyana*).—Madag.  
*coerulea*, Ruiz & Pav. ex Meissn. l. c. 49, 235 = Persea  
 laevigata.  
*cordata*, Vell. Fl. Flum. 163; iv. t. 50 = Persea pyrifolia.  
*coriacea*, Sw. Prod. Veg. Ind. Occ. 65 = Nectandra  
 Willdenoviana.



## LAURUS:—

*coruscans*, Willd. ex Nees, Syst. Laurin. 305 = *Nectandra cymbarum*.  
*crassifolia*, Poir. Encyc. Suppl. iii. 323 = *Ocotea puberula*.  
*crucifolia*, Noronha, in Verh. Batav. Gen. v. (1790) ed. I. Art. iv. 19 = *Litsea sebifera*.  
*Cubeba*, Lour. Fl. Cochinch. 252 = *Litsea Cubeba*.  
*Cuipala*, Buch.-Ham. ex Meissn. in DC. Prod. xv. i. 221, 235 = *Litsea lanuginosa*.  
*Culilaban*, Blanco, Fl. Filip. ed. I. 315 = *Cinnamomum pauciflorum*.  
*Culilaban*, Linn. Mant. ii. 237 = *Cinnamomum Culilawan*.  
*Culilawan*, Hort. ex Nees, Syst. Laurin. 613 (= *Daphnidium gracile*).—Hab.?  
*Culilawan*, Reinw. ex Meissn. in DC. Prod. xv. i. 18 = *Cinnamomum Tamala*.  
*Culilawang*, Nees, Disp. Cinnam. 61 = *Cinnamomum Culilawan*.  
*Culillaban*, Buch.-Ham. in Wall. Cat. n. 2583 C = *Cinnamomum iners*?  
*Culitlaban*, Buch.-Ham. ex Nees, in Wall. Pl. As. Rar. ii. 74 = *Cinnamomum zeylanicum*.  
*Culitlaban*, Roxb. Hort. Beng. [30]; Fl. Ind. ii. 299 = *Cinnamomum Culilawan*.  
*cuneata*, Domb. ex Nees, Syst. Laurin. 385 (= *Oreodaphne cuneata*).—Peruv.  
*cuneifolia*, Ruiz & Pav. Fl. Per. iv. t. 359 (= *Oreodaphne cuneata*).—Peruv.  
*cuneifolia*, Tafalla, ex Walp. Ann. iii. 312 (= *Oreodaphne obovata*).—Peruv.  
*cupularis*, Lam. Encyc. iii. 447 (= *Mespilodaphne cupularis*).—Ins. Mascar.  
*cupularis*, Pers. ex Meissn. in DC. Prod. xv. i. 105 (= *Mespilodaphne Persooniana*).—Ins. Mascar.?  
*cupularis*, Schott, ex Nees, Syst. Laurin. 308 = *Nectandra paterifera*.  
*curvifolia*, Lour. Fl. Cochinch. 252 = *Cinnamomum curvifolium*.  
*cuspidata*, D. Don, Prod. Fl. Nep. 64 = *Lindera melastomacea*.  
*cyathifera*, Vahl, ex Meissn. in DC. Prod. xv. i. 165 = *Nectandra Willdenowiana*, sanguinea.  
*cymosa*, Willd. ex Nees, Syst. Laurin. 437 (= *Mespilodaphne cupularis*).—Ins. Mascar.  
*cynamomum*, Vell. Fl. Flum. 163; iv. t. 47.—Bras.  
*declinata*, Blume, Cat. Gew. Buitenz. 66 = *Phoebe declinata*.  
*difformis*, Rich. in Act. Soc. Hist. Nat. Par. i. (1792) 108 (*Ocotea* sp.).—Guian.  
*dioica*, Wall. Cat. n. 7983 = *Gelonium lanceolatum*.  
*diospyroides*, Michx. Fl. Bor. Am. i. 243 = *Lindera melissaeifolia*.  
*Diospyros*, Pursh, Fl. Am. Sept. i. 276 = *Lindera melissaeifolia*.  
*discolor*, Rich. in Act. Soc. Hist. Nat. Par. i. (1792) 108 (Quid?).—Guian.  
*discolor*, Willd. ex Nees, Syst. Laurin. 286 = *Nectandra discolor*.  
*divaricata*, Poir. Encyc. Suppl. iii. 322 (= *Oreodaphne divaricata*).—Guian.  
*dubia*, Wall. Cat. n. 2571 = *Cinnamomum iners*, multiflorum.  
*dulcis*, Roxb. Hort. Beng. [30]; Fl. Ind. ii. 303 = *Cinnamomum Burmanni*.  
*dysodantha*, Ruiz & Pav. Fl. Per. iv. t. 355 (= *Goeppertia dysodantha*).—Peruv.  
*elegans*, Blume, in Flora, vii. (1824) 291 (Quid?).—Java.  
*elongata*, Salisb. Prod. 344 = *Persea carolinensis*.  
*elongata*, Vahl, ex Nees, Syst. Laurin. 116 = *Phoebe elongata*.  
*elongata*, Willd. ex Nees, l. c. 117 = *Nectandra patens*.  
*enervia*, Mill. Gard. Dict. ed. VIII. n. 8.—Am. bor.  
*Engelmanni*, Steud. Nom. ed. II. ii. 16, lapsu = *Lathyrus Engelmanni*.  
*erythropus*, Mart. Reisc. Bras. i. 401, nomen = *Persea erythropus*.  
*exaltata*, Rudolph, ex Meissn. in DC. Prod. xv. i. 143 = *Ocotea floribunda*.  
*exaltata*, Schott, ex Nees, Syst. Laurin. 322 = *Nectandra concinna*.  
*exaltata*, Spreng. ex Nees, l. c. 310 = *Nectandra leucantha*.  
*exaltata*, Sw. Prod. Veg. Ind. Occ. 65 = *Nectandra sanguinea*.

VOL. II.

## LAURUS:—

*exaltata*, Willd. ex Nees, Syst. Laurin. 412 = *Ocotea botryophylla*.  
*ferruginea*, Ruiz & Pav. Fl. Per. iv. t. 372 = *Persea ferruginea*.  
*firma*, Wall. Cat. n. 2597 = *Endiandra firma*.  
*flava*, Reinw. ex Blume, Cat. Gew. Buitenz. 66 = *Cryptocarya costata*.  
*floribunda*, Sw. Prod. Veg. Ind. Occ. 65 = *Ocotea floribunda*.  
*floribunda*, Wall. Cat. n. 2593 = *Cryptocarya amygdalina*.  
*floribunda*, Wall. l. c. n. 2593 B = *Phoebe pallida*.  
*foetens*, Brouss. ex Meissn. in DC. Prod. xv. i. 65 = *Apollonias canariensis*.  
*foetens*, [Soland. in] Ait. Hort. Kew. ed. I. ii. 39 = *Ocotea foetens*.  
*foetens*, Willd. ex Nees, Syst. Laurin. 151 = *Persea carolinensis*.  
*fragrans*, Salisb. Prod. 344 = *Lindera Benzoin*.  
*fruticosa*, Reinw. ex Nees, Syst. Laurin. 543 = *Litsea amara*.  
*furcata*, Ruiz & Pav. Fl. Per. iv. t. 367 = *Nectandra furcata*.  
*geminiflora*, Desv. in Ham. Prod. Pl. Ind. Occ. 37 (= *Goeppertia geminiflora*).—Bras.  
*geminiflora*, Reinw. ex Nees, Syst. Laurin. 102 = *Phoebe excelsa*.  
*geminiflora*, Steud. Nom. ed. II. ii. 16, sphalm. = seq. *geminiflora*, Blume, Bijdr. 555 (= *Daphnidium gemmiflorum*).—Java.  
*geminiflora*, Reinw. ex Blume, Mus. Bot. Lugd. Bat. i. 328 = *Phoebe cuspidata*.  
*geniculata*, Michx. Fl. Bor. Am. i. 204; Walt. Fl. Carol. 133 = *Litsea geniculata*.  
*glandulifera*, Jenkins, ex Meissn. in DC. Prod. xv. i. 26 = *Cinnamomum Parthenoxylon*.  
*glandulifera*, Wall. in Act. Soc. Med. Phys. Calc. i. (1825) 45, 51. t. 1 = *Cinnamomum glanduliferum*.  
*glauca*, Hort. Wuerz. ex Nees, Syst. Laurin. 613 (= *Daphnidium gracile*).—Hab.?  
*glauca*, Thunb. Fl. Jap. 173 = *Litsea glauca*.  
*glaucescens*, Buch.-Ham. ex Wall. Pl. As. Rar. ii. 70 = *Cinnamomum Cecidodaphne*.  
*glaucescens*, Roxb. Hort. Beng. [30]; Fl. Ind. ii. 307 = *Phoebe pallida*.  
*glaucescens*, Willd. ex Nees, Syst. Laurin. 538 = *Litsea glaucescens*.  
*globosa*, Aubl. Pl. Gui. i. 364 = *Nectandra sanguinea*.  
*globosa*, Lam. Encyc. iii. 451 = *Nectandra antillana*.  
*glomerata*, Blume, Cat. Gew. Buitenz. 66 = *Actinodaphne glomerata*.  
*glomerata*, Lam. Encyc. iii. 452 = *Litsea geniculata*.  
*gracilis*, Hort. Berol. ex Meissn. in DC. Prod. xv. i. 230 (= *Daphnidium gracile*).—Hab.?  
*gracilis*, Hort. ex G. Don, in Loud. Hort. Brit. 160 = *Cinnamomum Camphora*.  
*granadensis*, Forsyth, ex Meissn. in DC. Prod. xv. i. 164 = *Nectandra sanguinea*.  
*grandis*, Wall. Cat. n. 2594 A = *Phoebe opaca*.  
*grandis*, Wall. Cat. n. 2594 B = *Alseodaphne costalis*.  
*Gullavara*, Buch.-Ham. ex Nees, in Wall. Pl. As. Rar. ii. 65 = *Actinodaphne angustifolia*.  
*Hamiltonii*, Spreng. Syst. iv. Cur. Post. 155.—Reg. Himal.  
*heteranthera*, Ruiz & Pav. Fl. Per. iv. t. 364 = *Phoebe Ruiziana*.  
*hexandra*, Blanco, Fl. Filip. ed. II. 222 = *Itadaphne confusa*.  
*hexandra*, Spreng. ex Nees, Syst. Laurin. 420 (= *Mespilodaphne notata*).—Bras.  
*hexandra*, Willd. Sp. Pl. ii. 482 = *Aiouea guianensis*.  
*Heyneana*, Wall. Cat. n. 2576 = *Cinnamomum Heyneanum*, iners.  
*Hihua*, Ruiz & Pav. Fl. Per. iv. t. 366 = *Nectandra leucantha*.  
*hundaris*, Nees, Syst. Laurin. 711, Index = seq.  
*hundensis*, Willd. ex Nees, l. c. 139 = *Phoebe cinnamomifolia*.  
*hypericifolia*, Willd. ex Nees, l. c. 165 = *Persea hypericifolia*.  
*iavitensis*, Spreng. vide *javitensis*.  
*incrassata*, Jack, in Malay. Misc. ii. (1822) n. vii. 33 = *Dehasia microcarpa*.  
*indica*, Linn. Sp. Pl. 370 = *Persea indica*.  
*indica*, Lour. Fl. Cochinch. i. 253 = *Machilus odoratissima*.

## LAURUS:—

*indica*, Sieber, ex Nees, Syst. Laurin. 128 = *Persea gratissima*.  
*indica*, Thunb. Fl. Jap. 173 = *Machilus Thunbergii*.  
*iners*, Reinw. ex Nees, in Wall. Pl. As. Rar. ii. 73 = *Cinnamomum iners*.  
*involuta*, Koen. in Retz. Obs. vi. 27 = *Litsea sebifera*.  
*involuta*, Lam. Encyc. iii. 445 = *Litsea zeylanica*.  
*javitensis*, H. B. & K. Nov. Gen. et Sp. i. 169.—Venezuela.  
*javitensis*, Spreng. ex Nees, Syst. Laurin. 145 = *Persea pyrifolia*.  
*Keule*, Domb. ex Lam. Encyc. iii. 455 = *Gomolitega nitida*.  
*laevigata*, Willd. ex Meissn. in DC. Prod. xv. i. 49, 237 = *Persea laevigata*.  
*lanceifolia*, Willd. ex Nees, Syst. Laurin. 316 = *Nectandra turbacensis*.  
*lanceolaria*, Roxb. Hort. Beng. [30]; Fl. Ind. ii. 309 = *Phoebe lanceolata*.  
*lanceolata*, Wall. Cat. n. 2599, sphalm. = *lanceolaria lanosa*, Blanco, Fl. Filip. ed. I. 318 = *Litsea villosa*.  
*latifolia*, Herb. Banks, ex Meissn. in DC. Prod. xv. i. 164, 237 = *Nectandra sanguinea*.  
*latifolia*, Salisb. Prod. 343 = *Persea indica*.  
*leptobotra*, Ruiz & Pav. Fl. Per. iv. t. 368 = *Oreodaphne leptobotra*.—Peruv.  
*leucocarpa*, Salzm. ex Meissn. in DC. Prod. xv. i. 250 = *Sparattanthelium botocudorum*.  
*Leucoxydon*, Sw. Prod. Veg. Ind. Occ. 65 = *Ocotea Leucoxydon*.  
*Leucoxydon*, Willd. ex Nees, Syst. Laurin. 141 = *Phoebe antillana*.  
*Ligi*, Domb. ex Nees, l. c. 157 = *Persea Lingue*.  
*ligustrina*, Wall. Cat. n. 2588 = *Phoebe lanceolata*.  
*ligustrina*, Wall. l. c. n. 2588 A = *Phoebe declinata*.  
*limbosa*, Ruiz & Pav. Fl. Per. iv. t. 361 = *Nectandra limbata*.  
*lineatifolia*, Ruiz & Pav. l. c. t. 371 = *Nectandra Amazonum*.  
*Linge*, Ruiz, ex Meissn. in DC. Prod. xv. i. 48 = *Phoebe*.  
*Lingue*, Ruiz & Pav. Fl. Per. iv. t. 358 = *Phoebe Lingue*.  
*Lingui*, Bridges, ex Nees, Syst. Laurin. 672 = *Peumus Boldus*.  
*Lingui*, Gill. ex Meissn. in DC. Prod. xv. i. 48 = *Persea Meyeniana*.  
*Lingui*, Miers, ex Nees, Syst. Laurin. 157 = *Persea Lingue*.  
*longifolia*, Reinw. ex Blume, Mus. Bot. Lugd. Bat. i. 327 = *Phoebe parviflora*.  
*longifolia*, Ruiz & Pav. Fl. Per. iv. t. 370 = *Nectandra crassipes*, *longifolia*, Nees.  
*longifolia*, Vahl, in West. Bidr. Ste-Croix, 282, nomen (Quid?).—Ind. occ.  
*longifolia*, Willd. ex Meissn. in DC. Prod. xv. i. 112, 237 = *Ocotea longifolia*.  
*longipes*, Schlecht. in Linnaea, vii. (1832) 390 = *Persea longipes*.  
*lucida*, Thunb. Fl. Jap. 174 (non *Laurinea*).—Japon.  
*lucida*, Wall. Cat. n. 2590 = *Alseodaphne lucida*.  
*ludoviciana*, Rafin. Fl. Ludov. 27 (Quid?).—Am. bor.  
*Machilus*, Reinw. ex Miq. Fl. Ind. Bat. i. i. 929 = *Dehasia media*.  
*macrantha*, Wall. Cat. n. 2587 = *Machilus macrantha*.  
*macrophylla*, A. DC. ex A. Cunn. in Bot. Beechey. Ser. I. i. (1838) 379 = *Nesodaphne macrophylla*.  
*macrophylla*, D. Don, Prod. Fl. Nep. 64 = *Nesodaphne macrophylla*.  
*macrophylla*, Neesiana, Dodecadenia grandiflora.  
*macrophylla*, Wall. Cat. n. 2575 = *Cinnamomum obtusifolium*.  
*madagascariensis*, Juss. ex Baill. in Bull. Soc. Linn. Par. i. (1855) 448 = *Ravensara Topak*.  
*Madang*, Blume, Bijdr. 555 = *Beilschmiedia Madang*.  
*maderensis*, Lam. Encyc. iii. 449 = *Ocotea foetens*.  
*malabathrica*, Roxb. Hort. Beng. [30]; Fl. Ind. ii. 297 = *Cinnamomum malabathricum*.  
*Malabathrum*, Reinw. ex Nees, in Wall. Pl. As. Rar. 74 = *Cinnamomum Cassia*.  
*Malabathrum*, Wall. Cat. n. 2583 = *Cinnamomum malabathricum*.  
*Malabathrum*, Burm. f. Fl. Ind. 92 = *Cinnamomum javanicum*.  
*Malabathrum*, Lam. Encyc. iii. 445 = *Cinnamomum iners*.  
*martiniensis*, Blanco, Fl. Filip. ed. I. 317 = *Beilschmiedia Madang*.  
*martiniensis*, Jacq. Coll. ii. 109 = *Oreodaphne Jacquinii*, *Nectandra sanguinea*.

G



## LAURUS:—

- martinicensis*, Sieber, ex Meissn. in DC. Prod. xv. i. 137 = *Ocotea* Sieberi.  
*mauritiana*, Stadm. ex Soyer-Willem. in Usteri, Ann. Bot. xviii. (1796) 31; Boj. ex Meissn. l. c. 104 (= *Mespilodaphne cupularis*).—Ins. Mascar.  
*maxima*, Salzm. ex Meissn. l. c. 83, 237 = *Aiouea brasiliensis*.  
*melissaefolia*, Walt. Fl. Carol. 134 = *Lindera melissae-folia*.  
*membranacea*, Sw. Prod. Veg. Ind. Occ. 65 = *Nectandra membranacea*.  
*microphylla*, Reinw. ex Blume, Mus. Bot. Lugd. Bat. i. 351 = *Lindera acuminata*.  
*Mimosa*, Vell. Fl. Flum. 163; iv. t. 49 (Quid?).—Bras.  
*montana*, Link. ex Meissn. in DC. Prod. xv. i. 13, 237 = *Cinnamomum zeylanicum*.  
*montana*, Poepp. ex Meissn. l. c. 31 = *Phoebe antillana*.  
*montana*, Sw. Prod. Veg. Ind. Occ. 65 = *Phoebe montana*.  
*moschata*, Pav. ex Meissn. in DC. Prod. xv. i. 106, 237 (= *Mespilodaphne moschata*).—Peruv.  
*Muca*, Ruiz & Pav. Fl. Per. iv. t. 360 = *Ayendron Muca*.  
*mucronata*, Poir. Encyc. Suppl. iii. 323 = *Cryptocarya mucronata*.  
*multiflora*, Roxb. Hort. Beng. [89]; Fl. Ind. ii. 298 = *Cinnamomum multiflorum*.  
*multiflora*, Ruiz, ex Meissn. in DC. Prod. xv. i. 150 = *Nectandra Amazonum*.  
*multiflora*, Ruiz, ex Nees, in Linnaea, xxi. (1848) 501 = *Nectandra canescens*.  
*multiglandulosa*, Ruiz & Pav. Fl. Per. iv. t. 365 (= *Oreodaphne Poeppigiana*).—Peruv.  
*Myrrha*, Lour. Fl. Cochinch. 251 = *Litsea trinervia*?  
*Nacushia*, Meissn. in DC. Prod. xv. i. 231 = seq.  
*Nacusua*, D. Don, Prod. Fl. Nep. 64 (*Linderae* sp.).—Nepal.  
*Naucushia*, Buch.-Ham. ex D. Don, l. c. = praec.  
*Neesiana*, Schott, ex Nees, Syst. Laurin. 438 (= *Mespilodaphne cupularis*).—Ins. Mascar.  
*nervosa*, Pav. ex Meissn. in DC. Prod. xv. i. 165 = *Nectandra Willdenowiana*.  
*nitida*, Domb. ex Nees, Syst. Laurin. 385 (= *Oreodaphne cuneata*).—Peruv.  
*nitida*, Heyne, ex Wall. Cat. n. 2582 B = *Litsea zeylanica*.  
*nitida*, Masson, ex Meissn. in DC. Prod. xv. i. 506 = *Apollonias canariensis*.  
*nitida*, Roxb. Hort. Beng. [30]; Fl. Ind. iii. 300 = *Cinnamomum iners*.  
*nitida*, Ruiz & Pav. Fl. Per. iv. t. 353 (= *Mespilodaphne nitida*).—Peruv.  
*nivea*, Lodd. ex Loud. Hort. Brit. 161 (Quid?).—Hab.?  
*nobilis*, Cav. in Anal. Cienc. Nat. iii. (1801) 55 = *canariensis*.  
*nobilis*, Linn. Sp. Pl. 369.—Reg. Mediterr.  
*nutans*, Hornem. ex Nees, Syst. Laurin. 424 = *Ocotea Sieberi*.  
*nutans*, Isert, ex Nees, l. c. 141 = *Phoebe cubensis*.  
*oblongo obovata*, Ruiz, ex Nees, in Linnaea, xxi. (1848) 518 (= *Oreodaphne cuneata*).—Peruv.  
*obovata*, Buch.-Ham. ex Nees, in Wall. Pl. As. Rar. ii. 64 = *Actinodaphne obovata*.  
*obovata*, Ruiz & Pav. Fl. Per. iv. t. 357 (= *Oreodaphne obovata*).—Peruv.  
*obtusifolia*, Pav. ex Meissn. in DC. Prod. xv. i. 119 = *Oreodaphne obovata*.  
*obtusifolia*, Roxb. Hort. Beng. [30]; Fl. Ind. ii. 302 = *Cinnamomum obtusifolium*.  
*obtusifolia*, Wall. Cat. n. 2574 = *Cinnamomum Bazania*.  
*obtusifolia*, Willd. ex Meissn. in DC. Prod. xv. i. 94, 238 = *Ayendron obtusifolium*.  
*Ocotea*, Rich. in Act. Soc. Hist. Nat. Par. i. (1792) 108 = *Ocotea guianensis*.  
*octandra*, Vell. Fl. Flum. 164; iv. t. 57 (Quid?).—Bras.  
*odoratissima*, Steud. Nom. ed. II. ii. 16 = *odorifera*.  
*odoratissima*, Wall. Cat. n. 2607 = *Machilus odoratissima*.  
*odorifera*, Vell. Fl. Flum. 164; iv. t. 58 = *Ayendron suaveolens*.  
*opifera*, Meissn. in Mart. Fl. Bras. v. II. 195 = *Ocotea opifera*.  
*ovalifolia*, Ruiz & Pav. Fl. Per. iv. t. 346 (= *Oreodaphne sublanuginosa*).—Peruv.

## LAURUS:—

- pallens*, Meissn. in DC. Prod. xv. i. 515 = *Dodecadenia grandiflora*.  
*palustris*, Poepp. ex Meissn. l. c. 48 = *Persea Lingue*.  
*paniculata*, Poir. Encyc. Suppl. iii. 323 = *Phoebe cubensis*.  
*paniculata*, Wall. Cat. n. 2598 = *Phoebe paniculata*.  
*Parthenoxylon*, Jack, in Malay. Misc. i. (1820) v. 28 = *Cinnamomum Parthenoxylon*.  
*parviflora*, Balb. ex Meissn. in DC. Prod. xv. i. 3 = *Phoebe antillana*.  
*parviflora*, Poepp. ex Nees, Syst. Laurin. 120 = *Acroclidium jamaicense*.  
*parviflora*, Pohl, ex Meissn. in DC. Prod. xv. i. 98 (= *Mespilodaphne notata*).—Bras.  
*parviflora*, Sw. Fl. Ind. Occ. ii. 717 (= *Oreodaphne parviflora*).—Jamaic.  
*parvifolia*, Lam. Encyc. iii. 451 = *Acroclidium jamaicense*.  
*patens*, Sw. Prod. Veg. Ind. Occ. 65 = *Phoebe antillana*.  
*pauciflora*, Blume, Bijdr. 555 (= *Aperula confusa*).—Java.  
*pauciflora*, Schlecht. ex Nees, Syst. Laurin. 405 = *Nectandra nitidula*.  
*pauciflora*, Wall. Cat. n. 2579 = *Cinnamomum pauciflorum*.  
*pauperata*, Rich. in Act. Soc. Hist. Nat. Par. i. (1792) 108 (Quid?).—Guiana.  
*peduncularis*, Wall. Cat. n. 2596 (= *Haasea peduncularis*).—Ind. or.  
*peduncularis*, Thunb. Fl. Jap. 174 = *Cinnamomum pedunculatum*.  
*pendens*, Willd. ex Nees, Syst. Laurin. 302 = *Nectandra sanguinea*.  
*pendula*, Sw. Prod. Veg. Ind. Occ. 65 = *Beilschmiedia pendula*.  
*Persea*, Linn. Sp. Pl. 370 = *Persea gratissima*.  
*Persea*, Willd. ex Nees, Syst. Laurin. 441 = *Ocotea Bofa*.  
*Peumo*, Domb. ex Lam. Encyc. iii. 455 = *Cryptocarya Peumus*.  
*Peumus*, Miers, in Hook. & Arn. Bot. Beech. Voy. 45 = *Cryptocarya Peumus*.  
*Pichurim*, Herb. Berol. ex Nees, Syst. Laurin. 458 = *Ocotea polyantha*.  
*Pichurim*, Willd. ex Nees, Syst. Laurin. 249 = *Ayendron Laurel*.  
*pilosa*, Lour. Fl. Cochinch. 253 = *Machilus pilosa*.  
*piperita*, Meissn. in DC. Prod. xv. i. 238 = *Litsea Cubeba*.  
*polyadelpha*, Lour. Fl. Cochinch. 251.—Cochinch.  
*polyantha*, Blume, Bijdr. 554 (= *Aperula polyantha*).—Java.  
*porrecta*, Roxb. Hort. Beng. [30]; Fl. Ind. ii. 308 = *Cinnamomum Parthenoxylon*.  
*pruinosa*, Reinw. ex Blume, Mus. Bot. Lugd. Bat. i. 323 = *Cinnamomum Parthenoxylon*.  
*pruinosa*, Wall. Cat. n. 2584 = *Actinodaphne pruinosa*.  
*pruinosa*, Willd. ex Nees, Syst. Laurin. 146 = *Persea laevigata*.  
*Pseudo-Benzoin*, Michx. Fl. Bor. Am. i. 243 = *Lindera Benzoin*.  
*Pseudo-Cassia*, Herb. Zucc. ex Meissn. in DC. Prod. xv. i. 503 = *Cinnamomum Burmanni*.  
*Pseudo-Cassia*, Reinw. ex Nees, Syst. Laurin. 663 = *Cinnamomum javanicum*, camphoratum.  
*Pseudo-Sassafras*, Blume, Bijdr. 573 = *Cinnamomum Parthenoxylon*.  
*psychotrioides*, Willd. ex Nees, Syst. Laurin. 453 = *Ocotea psychotrioides*.  
*puberula*, Rich. in Act. Soc. Hist. Nat. Par. i. (1792) 108 = *Ocotea puberula*.  
*pubescens*, D. Don, ex Nees, Syst. Laurin. 588 = *Dodecadenia grandiflora*.  
*pubescens*, Wall. Cat. n. 2595 = *Phoebe pallida*, paniculata.  
*pubescens*, Willd. ex Nees, Syst. Laurin. 293 = *Nectandra macrophylla*.  
*Pucheri*, Humb. ex Willd. l. c. 250 = *Ayendron firmulium*, Sellowii.  
*Puchiry*, Ruiz & Pav. Fl. Per. iv. t. 352 = *Nectandra limbata*.  
*punctata*, Ruiz & Pav. l. c. t. 347 = *Nectandra punctata*.  
*punctata*, Spreng. Neue Entdeck. ii. 112 (al. ordin.).—Bras.  
*purpurea*, Ruiz & Pav. Fl. Per. iv. t. 351 = *Nectandra polita*.  
*pyrifolia*, Willd. ex Meissn. in Mart. Fl. Bras. v. II. 276 = *Ocotea squarrosa*.

## LAURUS:—

- pyrifolia*, Willd. ex Nees, Syst. Laurin. 146 = *Persea laevigata*.  
*Quixos*, Lam. Encyc. iii. 455 = *Ocotea pretiosa*.  
*recurvata*, Roxb. ex Wall. Cat. n. 2564 B = *Litsea umbrosa*.  
*recurvata*, Roxb. Hort. Beng. [30]; Fl. Ind. ii. 301 = *Cinnamomum pauciflorum*.  
*reticulata*, Poir. Encyc. Suppl. iii. 322 = *Apollonias canariensis*.  
*reticulata*, Ruiz & Pav. Fl. Per. iv. t. 348 = *Nectandra villosa*.  
*retroflexa*, Poir. Encyc. Suppl. iii. 323 = *Ocotea floribunda*.  
*revoluta*, Willd. ex Nees, Syst. Laurin. 250 = *Ayendron firmulium*.  
*rigida*, Wall. Cat. n. 2570 = *Cinnamomum zeylanicum*.  
*rigida*, Willd. ex Nees, Syst. Laurin. 284 = *Nectandra rigida*.  
*rimosa*, Blume, Bijdr. 574 = *Machilus rimosa*.  
*rimosa*, Zoll. ex Meissn. in DC. Prod. xv. i. 35 = *Phoebe sumatrana*.  
*robusta*, Reinw. ex Zoll. in Flora, xxx. (1847) 474 = *Litsea robusta*.  
*rotundifolia*, Wall. Cat. n. 2591.—China.  
*rubescens*, Buek, Ind. ad DC. Prod. iv. 198, cit. falsa = *pubescens*?  
*Sailiana*, Spreng. Syst. ii. 266 = seq.  
*Sailyana*, Buch.-Ham. in Trans. Linn. Soc. xiii. (1822) 558 = *Cinnamomum Tamala*.  
*salicifolia*, Banks & Soland. ex A. Cunn. in Ann. Nat. Hist. Ser. I. i. (1838) 379 (= *Nesodaphne Tawa*).—N. Zel.  
*salicifolia*, Buch.-Ham. ex Nees, Syst. Laurin. 109 = *Phoebe lanceolata*.  
*salicifolia*, Hort. ex Nees, l. c. 580 = *nobilis*.  
*salicifolia*, Schott, ex Nees, l. c. 254 = *Ayendron microbotryum*.  
*salicifolia*, Sw. Fl. Ind. Occ. ii. 709 = *Acroclidium salicifolium*.  
*salicifolia*, Trevir. ex Nees, Syst. Laurin. 439 (= *Oreodaphne domingensis*).  
*salicifolia*, Wight, ex Nees, l. c. 560 (= *Tetranthera glabrata*).—Ind. or.  
*salicifolia*, Willd. ex Nees, l. c. 290 = *Nectandra Willdenowiana*.  
*Sassafras*, Noronha, in Verh. Batav. Gen. v. (1790) ed. I. Art. iv. 19, sphalm. ? = *L. Sassafras*.  
*sanguinea*, Sw. Fl. Ind. Occ. ii. 707 = *Nectandra sanguinea*.  
*sarcocalyx*, Mart. ex Meissn. in DC. Prod. xv. i. 167, 239 = *Nectandra nitidula*.  
*Sassafras*, Linn. Sp. Pl. 371 = *Sassafras officinale*.  
*Sassafras*, Lour. Fl. Cochinch. 254 = *Sassafras Parthenoxylon*.  
*semecarpifolia*, Wall. Cat. n. 2586 = *Alseodaphne semicarpifolia*.  
*sericea*, Blume, Bijdr. 554.—Java.  
*sericea*, Hook. ex Nees, Syst. Laurin. 369 = *Ayendron sericeum*.  
*sericea*, Wall. Cat. n. 2606 = *Machilus sericea*.  
*sericea*, Willd. ex Nees, Syst. Laurin. 162 = *Persea sericea*.  
*serrata*, Blanco, Fl. Filip. ed. I. 319 = *Casearia glomerata*.  
*smilacifolia*, Wall. Cat. n. 2572 = *Grewia laurifolia*.  
*Soilyana*, Buch.-Ham. ex Wall. l. c. n. 2569 D = *Cinnamomum Tamala*.  
*solaniformis*, Vell. Fl. Flum. 163; iv. t. 52 (Quid?).—Bras.  
*Soncaurium*, Buch.-Ham. in Trans. Linn. Soc. xiii. (1822) 557 = *Cinnamomum Tamala*.  
*splendens*, Forsyth, ex Meissn. in DC. Prod. xv. i. 174, 239 = *Ayendron sericeum*.  
*splendens*, Willd. ex Meissn. in Mart. Fl. Bras. v. II. 276 = *Nectandra sanguinea*.  
*splendens*, Willd. ex Nees, Syst. Laurin. 302 = *Nectandra salicifolia*.  
*subcordata*, Ruiz & Pav. Fl. Per. iv. t. 369 = *Persea subcordata*.  
*sublanuginosa*, Ruiz, ex Nees, in Linnaea, xxi. (1848) 515 (= *Oreodaphne sublanuginosa*).—Peruv.  
*subscandens*, Vell. Fl. Flum. 164; iv. t. 59 (Quid?).—Bras.  
*subumbelliflora*, Blume, Bijdr. 534 (= *Aperula confusa*).—Java.  
*sulcata*, Ruiz & Pav. Fl. Per. iv. t. 356 = *Persea sulcata*.  
*sumatrensis*, J. F. Gmel. ex Nees, 650 = *Cinnamomum Camphora*?



**LAURUS:—**

*Surca*, Willd. ex Nees, Syst. Laurin. 478 = *Ocotea guianensis*.  
*surinamensis*, Sw. Fl. Ind. Occ. ii. 708 = *Ocotea guianensis*.  
*sylvestris*, Buch.-Ham. ex Roxb. Fl. Ind. ii. 307 = *Phoebe pallida*.  
*Tama*, Meissn. in DC. Prod. xv. i. 66, sphalm. = *Tawa*.  
*Tamala*, Buch.-Ham. in Trans. Linn. Soc. xiii. (1822) 533, excl. syn. = *Cinnamomum Tamala*.  
*Tarairi*, A. Cunn. in Ann. Nat. Hist. Ser. I. i. (1838) 379 (= *Nesodaphne Tarairi*).—N. Zel.  
*Tawa*, A. Cunn. l. c. (= *Nesodaphne Tawa*).—N. Zel.  
*Tasia*, Buch.-Ham. in Trans. Linn. Soc. xiii. (1822) 557 = *Cinnamomum Tamala*.  
*Teneriffae*, Poir. Encyc. Suppl. iii. 322 = *Persea indica*.  
*tenuifolia*, Mill. Gard. Dict. ed. VIII. n. 3 = *nobilis*.  
*thyrsiflora*, Poir. Encyc. iii. 322 (= *Hufelandia thyrsiflora*).—Madag.  
*tigricida*, Mutis, ex Nees, Syst. Laurin. 286 = *Nectandra discolor*.  
*Tihua*, Ruiz, ex Meissn. in DC. Prod. xv. i. 151, sphalm. = *L. Hihua*.  
*Till*, Poir. Encyc. Suppl. iii. 324 = *Ocotea foetens*.  
*tomentosa*, Buch.-Ham. ex Meissn. in DC. Prod. xv. i. 23, 240 = *Cinnamomum tomentosum*.  
*tomentosa*, Hort. ex Meissn. l. c. 233 = *canariensis*.  
*triandra*, Sw. Prod. Veg. Ind. Occ. 65 = *Acroclidium jamaicense*.  
*triplinervia*, Reinw. ex Wall. Pl. As. Rar. ii. 75 = *Cinnamomum Tamala*.  
*triplinervis*, Ruiz & Pav. Fl. Per. iv. t. 363 = *Phoebe peruviana*.  
*umbellata*, Buch.-Ham. ex Spreng. Syst. iv. Cur. Post. 155 = *Hamiltonii*.  
*umbellata*, Thunb. Fl. Jap. 175 = *Rhaphiolepis japonica*.  
*umbrosa*, Willd. ex Nees, Syst. Laurin. 456 = *Ocotea umbrosa*, H. B. & K.  
*undulata*, Mill. Gard. Dict. ed. VIII. n. 2 = *nobilis*.  
*variifolia*, Salisb. Prod. 344 = *Sassafras officinale*.  
*venosa*, Domb. ex Nees, Syst. Laurin. 291 = *Nectandra villosa*.  
*verticillata*, Royen, ex Blume, Mus. Bot. Lugd. Bat. i. 346 = *Litsea zeylanica*.  
*viburnoides*, Willd. ex Nees, Syst. Laurin. 148 = *Persea laevigata*.  
*Victoriana*, Colenso, ex Hook. f. Handb. N. Zeal. Fl. 239 (= *Nesodaphne Tawa*).—N. Zel.  
*villosa*, Roxb. Hort. Beng. [89]; Fl. Ind. ii. 310 = *Phoebe pallida*.  
*villosa*, Willd. ex Nees, Syst. Laurin. 287 = *Nectandra villosa*.  
*viminea*, Wall. Cat. n. 2578 = *Cinnamomum vimineum*.  
*virgultosa*, Mart. ex Nees, Syst. Laurin. 304 = *Ocotea virgultosa*.  
*Winterana*, Linn. Sp. Pl. 371 = *Canella alba*.  
*zeylanica*, Lam. ex Meissn. in DC. Prod. xv. i. 240 = *Litsea zeylanica*.

**LAUSONIA**, Juss. Gen. 331 (1789) = **Lawsonia**, Linn. (Lythrac.).

**LAUTEMBERGIA**, Baill. Etud. Gén. Euph. 451 (1858) = **Alchornea**, Sw. (Euphorb.).  
*multispicata*, Baill. l. c. 452 = *A. multispicata*.

**LAVALLEA**, Baill. Adansonia, ii. (1862) 359 = **Strombosia**, Blume (Olacl.).  
*philippinensis*, Baill. l. c. = *S. philippinensis*.  
*zeylanica*, Baill. l. c. = *S. ceylanica*.

**LAVANDULA**, Tourn. ex Linn. Syst. ed. II. 25 (1740). **LABIATAE**, Benth. & Hook. f. ii. 1179. **CHAETOSTACHYS**, Benth. in Wall. Pl. As. Rar. ii. 19 (1831).  
*FABRICIA*, Adans. Fam. ii. 188 (1763).  
*STOECHAS*, Tourn. ex Linn. Syst. ed. I (1735).  
*STYPHONIA*, Medic. Phil. Bot. ii. 70 (1791).  
*abrotanoides*, Lam. Encyc. iii. 429.—Ins. Canar.  
*angustifolia*, Mill. Gard. Dict. ed. VIII. n. 2 = *vera*.  
*angustifolia*, Moench, Meth. 389; Risso, Hist. Nat. Eur. Méc. ii. 448 = *L. Spica*.  
*apiifolia*, C. Sm. in Tuckey, Congo, 250, nomen = *rotundifolia*?  
*atriplicifolia*, Benth. in DC. Prod. xii. 146.—Aegypt.  
*Buchii*, Webb & Berth. Phyt. Canar. iii. 58 = *pinnata*.

**LAVANDULA:—**

Burmanni, Benth. Lab. Gen. et Sp. 151.—Ind. or.  
*candriensis*, Mill. Gard. Dict. ed. VIII. n. 4 = *abrotanoides*.  
*cariensis*, Boiss. Diagn. Ser. I. v. 3.—As. Min.  
*carnosa*, Linn. f. Suppl. 273 = *Anisochilus carnosus*.  
*coronipifolia*, Poir. Encyc. iii. 308.—Aegypt.; Oriens.  
*delphinensis*, Jord. ex Billot, Cent. 27, 28 (1859) [text], 4 = *L. Spica*.  
*dentata*, Linn. Sp. Pl. 572.—Reg. Mediterr.  
*elegans*, Desf. Tabl. ed. I. 59 = *abrotanoides*.  
*erigens*, Jord. & Fourr. Brev. Pl. Nov. fasc. ii. 88 = *L. Spica*.  
*formosa*, F. G. Dietr. ex Link, Enum. Hort. Berol. ii. 103 = *pinnata*.  
*fragrans*, Salisb. Prod. 78 = *L. Spica*.  
*Gibsoni*, J. Grah. Cat. Bomb. Pl. 149.—Ind. or.  
*heterophylla*, Hort. Par. ex Poir. Encyc. Suppl. iii. 308 = *dentata*, *vera*.  
*heterophylla*, Viv. Elench. Pl. Hort. Dinagro, 23.—Hab.?  
*incana*, Salisb. Prod. 78 = *L. Stoechas*.  
*inclians*, Jord. & Fourr. Brev. Pl. Nov. fasc. ii. 88 = *L. Spica*.  
*interrupta*, Jord. & Fourr. l. c. 89 = *L. Spica*.  
*lanata*, Boiss. Elench. 72.—Hispan.  
*latifolia*, Medic. Beobacht. (1783) 135; Vill. Hist. Pl. Dauph. ii. 363; Ehrh. Beitr. vii. 55 = *L. Spica*.  
*Lawii*, Wight, Ic. t. 1439 = *Gibsoni*.  
*Massoni*, Cels. ex Ging. Hist. Lav. 137 = *viridis*.  
*Minutoli*, C. Bolle, in Bonplandia, viii. (1860) 279.—Ins. Canar.  
*multifida*, Burm. f. Fl. Ind. 126 = *Burmanni*.  
*multifida*, Burm. f. l. c. t. 38. f. 1 = *coronipifolia*.  
*multifida*, Linn. Sp. Pl. 572.—Reg. Mediterr. occ.  
*Nimmoi*, Benth. in DC. Prod. xii. 148.—Ins. Socotr.?  
*officinalis*, Chaix, in Vill. Hist. Pl. Dauph. i. 355; iii. 363 = *vera*.  
*ovata*, Steud. Nom. ed. II. ii. 17 = *L. Spica*.  
*pedunculata*, Cav. Desc. 70.—Hispan.; Ins. Mader.  
*Perrottetii*, Benth. in DC. Prod. xii. 147 = *Gibsoni*.  
*pinnata*, Linn. f. Diss. Lav. 55.—Ins. Mader. et Canar.  
*pinnata*, Moench, Meth. Suppl. 135 = *dentata*.  
*pinnatifida*, Salisb. Prod. 79 = *pinnata*.  
*pinnatifida*, Webb, Iter Hisp. 19 = *multifida*.  
*Pseudostoechas*, Reichb. ex Holl, in Flora, xii. (1829) 691 = *L. Stoechas*.  
*pubescens*, Decne. in Ann. Sc. Nat. Sér. II. ii. (1834) 246.—Aegypt.; Arab.  
*pyrenaica*, DC. Fl. Fr. v. 398 = *vera*.  
*rotundifolia*, Benth. Lab. Gen. et Sp. 150.—Ins. Cap. Virid.  
*santolinaefolia*, Spach, in Faub. & Spach, Illustr. iv. iii. t. 373.—Oriens.  
*setifera*, T. Anders. in Journ. Linn. Soc. v. Suppl. I. (1860) 29.—Arab.  
*spectabilis*, C. Koch, in Linnaea, xxi. (1848) 646 = *cariensis*.  
*Spica*, Cav. Desc. 69; DC. Fl. Fr. v. 397.—Reg. Mediterr.  
*Spica*, Loisel. Fl. Gall. ii. 346 = *vera*.  
*stoechadensis*, St. Lag. in Ann. Soc. Bot. Lyon, vii. (1880) 128 = *seq.*  
*Stoechas*, Linn. Sp. Pl. 573.—Reg. Mediterr.  
*striata*, Boiss. Fl. Orient. iv. 542, sphalm. = *seq.*  
*stricta*, Delile, Fl. Egypte, 238. t. 32 = *coronipifolia*.  
*subnuda*, Benth. in DC. Prod. xii. 148.—Arab.  
*tenuisecta*, Coss. in Bull. Soc. Bot. Fr. xxii. (1875) 65, nomen.—Maroc.  
*vera*, DC. Fl. Fr. Suppl. 398.—Reg. Mediterr.  
*viridis*, L'Hérit. Sert. Angl. 19.—Lusitan.; Ins. Mader.  
*vulgaris*, Lam. Fl. Fr. ii. 403 = *vera*.

**LAVANGA**, Meissn. Gen. 46; Comm. 34 (1837), sphalm. = **Luvunga**, Buch.-Ham. (Rutac.).

**LAVATERA**, Linn. Gen. ed. I. 205 (1737). **MALVACEAE**, Benth. & Hook. f. i. 200.  
*ANTHEMA*, Medic. Malv. 42 (1787).  
*AXOLOPHA*, Alef. in Oestr. Bot. Zeitschr. xii. (1862) 258.  
*NAVAEA*, Webb, Phyt. Canar. i. 32. t. 1 C (1836).  
*OLBIA*, Medic. Malv. 41 (1787).  
*SAVINIONA*, Webb, Phyt. Canar. i. 30. t. 1 B (1836).  
*STEGIA*, DC. Fl. Fr. iv. 835 (1805).  
*acerifolia*, Cav. in Anal. Cienc. Nat. vi. (1803) 339. Ins. Canar.

**LAVATERA:—**

*acutifolia*, Lam. Fl. Fr. iii. 137 = *L. Olbia*.  
*africana*, Cav. Diss. v. 282. t. 139. f. 1 = *L. Olbia*.  
*africana*, Mill. Gard. Dict. ed. VIII. n. 2 = *trimestris*.  
*agrigentina*, Tineo, Pl. Rar. Sic. Pugill. i. 13 = *flava*.  
*alba*, Medic. Malv. 41 = *trimestris*.  
*albida*, Boj. Hort. Maurit. 26 (Quid?).—Hab.?  
*altheaefolia*, Mill. Gard. Dict. ed. VIII. n. 1 = *trimestris*.  
*ambigua*, DC. Prod. i. 440 = *thuringiaca*.  
*americana*, Linn. Syst. ed. X. 1148 = *Abutilon Jacquinii*.  
*arborea*, Linn. Sp. Pl. 690.—Europ. occ.; Afr. bor.  
*assurgentiflora*, Kellogg, in Proc. Calif. Acad. i. (1854) 4.—Calif.  
*australis*, A. Cunn. ex Hook. f. in Hook. Journ. Bot. ii. (1840) 412 = *plebeia*.  
*Behriana*, Schlecht. in Linnaea, xxiv. 1851; 699 = *plebeia*.  
*biennis*, Bieb. Fl. Taur. Cauc. ii. 143.—Reg. Caucas.  
*biennis*, Guss. Fl. Sic. Prod. ii. 347 = *punctata*.  
*biflora*, E. Mey. ex Harv. & Sond. Fl. Cap. i. 166 (= *Sphaeroma Julii*).—Afr. austr.  
*brachyfolia*, Walp. Rep. i. 291.—Ins. Canar.  
*bryoniaefolia*, Mill. Gard. Dict. ed. VIII. n. 11 = *unguiculata*.  
*cachemiriana*, Cambess. in Jacquem. Voy. iv. 29.—Reg. Himal.  
*calicina*, Poir. Encyc. Suppl. iii. 310 = *triloba*.  
*coccinea*, F. G. Dietr. Vollst. Lexic. Gaertn. Nachtr. iv. 329 = *phoenicea*.  
*cretica*, Linn. Sp. Pl. 691.—Reg. Mediterr.  
*Empedoclis*, Ucria, in Roem. Arch. i. i. 69 = *cretica*.  
*ericalyx*, Steud. in Flora, xxxix. (1856) 438 = *arborea*.  
*flava*, Desf. Fl. Atlant. ii. 119. t. 172.—Reg. Mediterr.  
*gallica*, Hort. Par. ex Nym. Consp. 128 = *maritima*.  
*grandiflora*, Lam. Fl. Fr. iii. 137; Moench, Meth. 615 = *trimestris*.  
*hirsuta*, Mill. Gard. Dict. ed. VIII. n. 5 = *Malv. plicata*.  
*hispanica*, Mill. l. c. n. 9 = *maritima*.  
*hispida*, Desf. Fl. Atlant. ii. 118. t. 171 = *L. Olbia*.  
*hispida*, Sims, Bot. Mag. t. 2269 = *plebeia*.  
*insularis*, S. Wats. in Proc. Am. Acad. xii. 1877; 249.—Calif.  
*Julii*, Burch. ex DC. Prod. i. 438 (= *Sphaeroma Julii*).—Afr. austr.  
*kashmiriana*, Mast. in Hook. f. Fl. Brit. Ind. i. 319 = *cachemiriana*.  
*lanata*, Steud. Nom. ed. II. ii. 18, sphalm. = *Lavandula lanata*.  
*lancolata*, Willd. Enum. Hort. Berol. 733.—Hab.?  
*lusitanica*, Auct. ex Hoffm. Verz. Pfl. Nachtr. 146 = *septembola*.  
*lusitanica*, Linn. Sp. Pl. 691.—Lusitan.  
*maritima*, Gowan, Illustr. 46. t. 11. f. 2.—Reg. Mediterr. occ.  
*mauritanica*, Duch. Revue Bot. ii. (1846–47) 436.—Afr. bor.  
*meonanthea*, Link, Handb. ii. 359 = *trimestris*?  
*micans*, Linn. Sp. Pl. 690.—Hispan.  
*minoricensis*, Cambess. in Mém. Mus. Par. xiv. (1827) 334 = *triloba*.  
*mollis*, Ehrenb. ex Sweet, Hort. Brit. ed. II. 60 = *cretica*?  
*moschata*, Moris, Elench. Fl. Sard. 9 = *triloba*.  
*muricata*, Panf. in Verh. Zool. Bot. Ver. Wien, vi (1856) 497.—Servia.  
*neapolitana*, Tenore, Prod. Fl. Nap. p. lxii = *cretica*.  
*oblongifolia*, Boiss. in Bibl. Univ. Genève. (1838) 11. t. 33.—Hispan.  
*occidentalis*, S. Wats. in Proc. Am. Acad. xi. (1876) 113, 125.—Calif.  
*Olbia*, Linn. Sp. Pl. 690.—Europ. austr.  
*Olbia*, Sibth. & Sm. Fl. Graec. Prod. ii. 46 = *unguiculata*.  
*Olbia*, Steph. Fl. Mosq. n. 469 = *thuringiaca*.  
*pallens*, Moris, Fl. Sard. i. 301 = *triloba*.  
*phoenicea*, Vent. Jard. Malm. 120. t. 120.—Ins. Mader.  
*phoenicea*, Willd. Enum. Hort. Berol. Suppl. 49 = *acerifolia*.  
*plebeia*, Sims, Bot. Mag. t. 2269.—Austral.  
*prostrata*, E. Mey. ex Harv. & Sond. Fl. Cap. i. 166 (= *Sphaeroma prostrata*).—Afr. austr.  
*Pseudo-olbia*, Desf. Tabl. ed. I. 145 = *L. Olbia*.  
*Pseudo-olbia*, Poir. Encyc. Suppl. iii. 309 = *L. Olbia*.  
*punctata*, Atl. Luctuar. 26.—Europ. austr.; Afr. austr.



**LAVATERA** :—

- ramosissima, *Opiz, Natural.* x. (1825) 192; *et ex Turcz. in Bull. Soc. Nat. Mosc.* xxxi. (1858) i. 187. —Hab. ?
- rosea, *Medic. Malv.* 40 = trimestris.
- rotundata, *Láz. in Trab. Soc. Linn. Matr.* (1880) 33 = triloba.
- rotundifolia, *Lam. Fl. Fr.* iii. 138 = maritima.
- rupestris, *Pomel, Nouv. Mat. Fl. Atl.* 343 = triloba.
- salvitellensis, *Brign. ex Loud. Hort. Brit. Suppl.* ii. 644; *Hort. ex Turcz. in Bull. Soc. Nat. Mosc.* xxxi. (1858) i. 186 = thuringiaca.
- scabra, *Hort. ex Turcz. l. c.* 187. —Hab. ?
- septemloba, *Hoffm. Vers. Pfl. Nachtr.* 146. —Hab. ?
- sicula, *Tineo, Pl. Rar. Sic. Pugill.* i. 14 = cretica.
- subovata, *DC. Prod.* i. 439. —Mauritan.
- sylvestris, *Brot. Fl. Lusit.* ii. 277 = cretica.
- sylvestris, *Cyrilli, ex Tenore, Prod. p. xl* = thuringiaca.
- Thirkeana, *C. Koch, in Linnaea*, xix. (1847) 58 = thuringiaca.
- thuringiaca, *All. Fl. Pedem.* ii. 42 = L. Olbia.
- thuringiaca, *Linn. Sp. Pl.* 691. —Europ. austr.; As. Min.
- thuringiaca, *Savi, Fl. Pis.* ii. 126 = punctata.
- tomentosa, *Dum.-Cours. Bot. Cult. ed. II.* v. 74 = unguiculata.
- triloba, *Gouan, Fl. Monsp.* 48 = maritima.
- triloba, *Jacq. Hort. Vindob.* 30. t. 74 = L. Olbia.
- triloba, *Linn. Sp. Pl.* 691. —Hispan.
- triloba, *Sebast. & Mauri, Fl. Rom.* 227 = cretica.
- trimestris, *Linn. Sp. Pl.* 692. —Reg. Mediterr.
- tripartita, *DC. Prod.* i. 440. —Hab. ?
- undulata, *Desf. Arb.* i. 471 = L. Olbia.
- undulata, *Mill. Gard. Dict. ed. VIII.* n. 10 = lusitanica.
- unguiculata, *Desf. Arb.* i. 471. —Sicil.; Graecia; Ins. Samos.
- veneta, *Mill. Gard. Dict. ed. VIII.* n. 6 = arborea.
- venosa, *S. Wats. in Proc. Am. Acad.* xii. (1877) 249. —Am. bor. occ.
- vitifolia, *Wierzb. ex Schur, Enum. Pl. Transs.* 129 = thuringiaca.
- vulgaris, *H. Mart. Fl. Mosq.* 121 = thuringiaca.
- Weinmanniana, *Bess. Hort. Cremen.* (1823); *ex Reichb. Ic. Bot. Exot.* 45. t. 60 = plebeia.
- Weinmanniana, *Trev. ex DC. Prod.* i. 440 = cretica.

**LAVAUZIA**, *Spach, Hist. Vég. Phan.* iv. 366 (1835) = **Oenothera**, *Linn. (Onagrar.)*.

centaurifolia, *Spach, in Nouv. Ann. Mus. Par.* iv. (1835) 359 = O. centaurifolia.

cuspidata, *Spach, l. c.* 358 = O. acaulis.

mutica, *Spach, l. c.* 359 = O. acaulis.

Nuttalliana, *Spach, l. c.* 358 = O. triloba.

**LAVENDULA**, *Linn. Syst. ed. I* (1735) = **Lavandula**, *Tourn. (Labiata.)*.

- LAVENIA**, *Sw. Prod. Veg. Ind. Occ.* 112 (1788); *Fl. Ind. Occ.* 1329 (1806) = **Adenostemma**, *Forst.* (Compos.).
- alba, *Wall. Cat. n.* 3220 = A. viscosum.
- aquatica, *Spreng. Syst.* iii. 445 = A. viscosum.
- carnosa, *Wall. Cat. n.* 3219 = A. viscosum.
- decumbens, *Spreng. Syst.* iii. 445 = A. Berterii.
- decumbens, *Sw. Prod. Veg. Ind. Occ.* 112 = A. Swartzii.
- dentata, *Wall. Cat. n.* 3216 = Myriactis nepalensis.
- divaricata, *Buch.-Ham. ex DC. Prod.* v. 111 = A. viscosum.
- elata, *Spreng. Syst.* iii. 445 = A. viscosum.
- erecta, *Sw. Prod. Veg. Ind. Occ.* 112 = A. viscosum.
- fastigiata, *Blume, Bijdr.* 905 = A. viscosum.
- glutinosa, *Gaudich. in Freyc. Voy. Bot.* 471 = A. glutinosum.
- hirsuta, *Blume, Bijdr.* 905 = A. hirsutum.
- latifolia, *Spreng. Syst.* iii. 445 = A. viscosum.
- macrophylla, *Blume, Bijdr.* 905 = A. viscosum.
- montana, *Mart. ex Baker, in Mart. Fl. Bras.* vi. II. 185 = A. viscosum.
- nudiflora, *Hort. Calc. ex DC. Prod.* v. 112 = A. viscosum.
- parviflora, *Blume, Bijdr.* 905 = A. viscosum.
- rigida, *Wall. Cat. n.* 3215 = Rhynchospermum verticillatum.
- rugosa, *Wight, in Wall. l. c. n.* 3221 = A. viscosum.
- sphaerantha, *Wall. l. c. n.* 3217 = Myriactis nepalensis.
- viscida, *Buch.-Ham. in Wall. l. c. n.* 3222 = A. viscosum.

**LAVOISERIA**, *Spreng. Gen.* i. 341 (1830) = seq.

- LAVOISIERA**, *DC. Prod.* iii. 102 (1828). **MELASTOMACEAE**, *Benth. & Hook. f.* i. 738.
- LAVOISERIA, *Spreng. Gen.* i. 341 (1830).
- alba, *DC. Prod.* iii. 103. —Bras.
- australis, *Naud. in Ann. Sc. Nat. Sér.* III. ii. (1844) 151. —Bras.
- Bergii, *Cogn. in Mart. Fl. Bras.* xiv. III. 154. —Bras.
- bicolor, *Naud. in Ann. Sc. Nat. Sér.* III. ii. (1844) 151. —Bras.
- Blanchetiana, *Naud. l. c.* 150 = Microlicia Blanchetiana.
- blepharocentra, *Mart. in DC. Prod.* iii. 103 = imbricata.
- caryophyllea, *Naud. in Ann. Sc. Nat. Sér.* III. ii. (1844) 150. —Bras.
- cataphracta, *DC. Prod.* iii. 102 = imbricata.
- centiformis, *Naud. in Ann. Sc. Nat. Sér.* III. ii. (1844) 151 = imbricata.
- cerifera, *Gardn. in Field. Sert. Pl.* t. 63. —Bras.
- Chamaepitys, *Naud. in Ann. Sc. Nat. Sér.* III. ii. (1844) 153. —Bras.
- compta, *DC. Prod.* iii. 103 = imbricata.
- confertiflora, *Naud. in Ann. Sc. Nat. Sér.* III. ii. (1844) 149. —Bras.
- cordata, *Cogn. in Mart. Fl. Bras.* xiv. III. 140. —Bras.
- crassifolia, *DC. Prod.* iii. 104. —Bras.
- elegans, *Cogn. in Mart. Fl. Bras.* xiv. III. 160. —Bras.
- firmita, *DC. Prod.* iii. 104. —Bras.
- Francavillana, *Cogn. in Mart. Fl. Bras.* xiv. III. 158. —Bras.
- Gardneri, *Naud. in Ann. Sc. Nat. Sér.* III. xii. (1849) 221 = mucrifera.
- gentianoides, *DC. Prod.* iii. 104. —Bras.
- glandulifera, *Naud. in Ann. Sc. Nat. Sér.* III. ii. (1844) 149. —Bras.
- glandulifolia, *Naud. l. c.* iii. (1845) 192 = praec.
- Glazioviana, *Cogn. in Mart. Fl. Bras.* xiv. III. 157. —Bras.
- glutinosa, *Cogn. l. c.* 145. —Bras.
- grandiflora, *Naud. in Ann. Sc. Nat. Sér.* III. ii. (1844) 148. —Bras.
- humilis, *Naud. l. c.* 153. —Bras.
- imbricata, *Benth. in Hook. Journ. Bot.* ii. (1840) 300 = Glazioviana.
- imbricata, *DC. Prod.* iii. 103. —Bras.
- insignis, *DC. l. c.* —Bras.
- itambana, *DC. l. c.* 104. —Bras.
- linifolia, *DC. l. c.* = Microlicia linifolia.
- lycopodioides, *Gardn. ex Hook. Ic. Pl.* t. 502 = tetragona.
- macrocarpa, *Naud. in Ann. Sc. Nat. Sér.* III. ii. (1844) 148. —Bras.
- microlicioides, *Naud. l. c.* xii. (1849) 221. —Bras.
- microphylla, *Naud. l. c.* ii. (1844) 150 = Microlicia decipiens.
- mucrifera, *DC. Prod.* iii. 103. —Bras.
- nervulosa, *Naud. in Ann. Sc. Nat. Sér.* III. ii. (1844) 149. —Bras.
- pectinata, *Cogn. in Mart. Fl. Bras.* xiv. III. 155. —Bras.
- phyllocalycina, *Cogn. l. c.* 156. —Bras.
- Pohlana, *Berg. ex Triana, in Trans. Linn. Soc.* xxviii. (1871) 30. —Bras.
- pulchella, *Champ. in Linnaea*, ix. (1834) 370. —Bras.
- pulchella, *Triana, in Trans. Linn. Soc.* xxviii. (1871) 30, partim = australis.
- pulcherrima, *DC. Prod.* iii. 104. —Bras.
- punctata, *DC. l. c.* —Bras.
- reticulata, *Moric. Pl. Nouv. Am.* 170. t. 99 = nervulosa.
- Riedeliana, *Cogn. in Mart. Fl. Bras.* xiv. III. 141. —Bras.
- rigida, *Cogn. l. c.* 144. —Bras.
- scaberula, *Naud. in Ann. Sc. Nat. Sér.* III. ii. (1844) 151. —Bras.
- scabrella, *Naud. l. c.* xii. (1849) 226 = scaberula.
- Selloana, *Cogn. in Mart. Fl. Bras.* xiv. III. 152. —Bras.
- serrulata, *Cogn. l. c.* 153. —Bras.
- subulata, *Triana, in Trans. Linn. Soc.* xxviii. (1871) 30. —Bras.
- tetragona, *DC. Prod.* iii. 103. —Bras.
- viminialis, *DC. l. c.* = Microlicia viminialis.

**LAVRADIA**, *Swediaur, Arzneymitt.* i. (1801) 111, in syn. = **LABRADIA**, *Swediaur* = **Mucuna**, *Adans.* (Legumin.).

- LAVRADIA**, *Vell. ex Vand. Fl. Lusit.* 15. t. 1. f. 6 (1788); *et Roem. Script. Lus. et Bras.* 88. t. 6. f. 6. **VIOLARIEAE**, *Benth. & Hook. f.* i. 120.
- LAURADIA, *Vand. l. c.*, in textu (1788).
- alpestris, *Mart. Nov. Gen. et Sp.* i. 32. t. 22. —Bras.
- capillaris, *A. St. Hil. in Mém. Mus. Par.* xi. (1824) 113. —Bras.
- elegantissima, *A. St. Hil. l. c.* 109. —Bras.
- ericoides, *A. St. Hil. l. c.* 108. —Bras.
- glandulosa, *A. St. Hil. l. c.* 112 = montana.
- montana, *Mart. Nov. Gen. et Sp.* 33. t. 23. —Bras.
- Vellozia, *A. St. Hil. in Mém. Mus. Par.* xi. (1824) 110 = Velloziana.
- Velloziana, *Vand. ex Steud. Nom. ed. I.* 466. —Bras.

**LAWIA**, *Griff. ex Tul. in Ann. Sc. Nat. Sér.* III. xi. (1849) 112 = **Terniola**, *Tul. (Podost.)*.

longipes, *Tul. l. c.* 113 = T. longipes.

pulchella, *Tul. l. c.* = T. pulchella.

zeylanica, *Tul. l. c.* 112 = T. zeylanica.

**LAWIA**, *Wight, in Calc. Journ. Nat. Hist.* vii. (1847) 14 = **Adenosacme**, *Wall. (Rubiace.)*.

acuminata, *Wight, l. c.* 15; *et Ic. t.* 1070 = A. Lawii.

**LAWRENCELLA**, *Lindl. Swan River App.* 23 (1839) = **Helichrysum**, *Vaill. (Compos.)*.

rosea, *Lindl. l. c.* = H. Lawrenceella.

**LAWRENCIA**, *Hook. Ic. Pl.* t. 261 (1840) = **Plagi-anthus**, *Forst. (Malvac.)*.

glomerata, *Hook. l. c.* t. 417 = P. glomeratus.

spicata, *Hook. l. c.* t. 262 = P. spicatus.

squamata, *Nees, in Lehm. Pl. Preiss.* i. 242 = P. squamatus.

**LAWSONIA**, *Linn. Gen. ed. I.* 111 (1737). **LYTHRARIEAE**, *Benth. & Hook. f.* i. 782.

ALCANNA, *Gaertn. Fruct.* ii. 133. t. 110 (1791).

PONTALETSE, *Adans. Fam.* ii. 159 (1763).

Achronychia, *Linn. f. Suppl.* 219; *Labill. Sert. Austro-Caled.* 66. t. 65 = Acronychia laevis.

alba, *Lam. Encyc.* iii. 106. —Oriens.

coccinea, *Sm. in Rees, Cycl.* xx. n. 3 = alba.

falcata, *Lour. Fl. Cochinch.* 229 = alba?

falcifolia, *Stokes, Bot. Mat. Med.* ii. 364 = alba?

inermis, *Linn. Sp.* 349 = alba.

purpurea, *Lam. Encyc.* iii. 107 = alba.

spinosa, *Linn. Sp. Pl.* 349 = alba.

**LAXANON**, *Rafin. New Fl. Am.* ii. 16 (1836) = **Apogon**? *Ell. (Compos.)*.

diversifolium, *Rafin. l. c.* ii. 46. —Am. bor.

heterophyllum, *Rafin. l. c.* iv. 106. —Am. bor.

parviflorum, *Rafin. l. c.* ii. 16. —Am. bor.

**LAXMANNIA**, *R. Br. Prod.* 285 (1810). **LILIACEAE**, *Benth. & Hook. f.* iii. 796.

acuta, *Endl. in Lehm. Pl. Preiss.* ii. 42 = squarrosa.

brachyphylla, *F. Muell. Fragm.* i. 158. —Austral.

gracilis, *R. Br. Prod.* 286. —Austral.

grandiflora, *Lindl. Swan River App.* 56. t. 7. —Austral.

grandiflora, *F. Muell. Fragm.* vii. 88 = squarrosa.

illecebrosa, *Reichb. f. Beitr. Syst. Pfl.* 72 = gracilis.

minor, *R. Br. Prod.* 286. —Austral.

minor, *Hook. f. Tasm.* ii. 60 = sessiliflora.

paleacea, *F. Muell. Fragm.* i. 159 = grandiflora.

pauciflora, *Endl. in Lehm. Pl. Preiss.* ii. 42 = squarrosa.

ramosa, *Lindl. Swan River App.* 56. —Austral.

Roei, *Endl. in Lehm. Pl. Preiss.* ii. 42 = minor.

sessiliflora, *Decne. in Nouv. Ann. Mus. Par.* iii. (1834) 363. —Austral.

sessilis, *Endl. in Lehm. Pl. Preiss.* ii. 42 = squarrosa.

sessilis, *Lindl. Swan River App.* 56. —Austral.

squarrosa, *Endl. in Lehm. Pl. Preiss.* ii. 42 = grandiflora.

squarrosa, *Lindl. Swan River App.* 56. —Austral.

sylvestris, *Endl. in Lehm. Pl. Preiss.* ii. 42 = squarrosa.

**LAXMANNIA**, *Fisch. Hort. Gorenk. ed. II.* 67 (1812) = **Coluria**, *R. Br. (Rosac.)*.

geoides, *Fisch. ex Ledeb. Fl. Alt.* ii. 263 = C. geoides.

potentilloides, *Fisch. Cat. Hort. Gorenk. ed. II.* 67 = C. potentilloides.

**LAXMANNIA**, *Forst. Char. Gen.* 94. t. 47 (1776) = **Petrobium**, *R. Br. (Compos.)*.

arborea, *Forst. l. c.* = P. arboreum.



LAXMANNIA, S. G. Gmel. ex Trin. in Mém. Acad. Pétersb. vi. (1818) 492. t. 11 = *Crucianella*, Linn. (Rubiaceae).  
*fasciculata*, Trin. in Mém. Acad. Pétersb. vi. (1818) 492 = *C. stylosa*.

LAXMANNIA, Schreb. Gen. ii. 800 (1791) = *Acronychia*, Forst. (Rutac.).  
*Ankenda*, Rausch. Nom. ed. III. 99 = *A. laurifolia*.

LAXOPETALUM, Pohl, ex Baker, in Mart. Fl. Bras. vi. ii. 163 (1873) = *Eremanthus*, Less. (Compos.).  
*albidum*, Pohl, l. c. = *E. goyazensis*.

LAYA, Endl. Gen. 1309, in syn. (1841) = seq.

LAYIA, Hook. & Arn. Bot. Beech. Voy. 148 in nota, 357 (1833). *COMPOSITAE*, Benth. & Hook. f. ii. 395.  
*CALLIACHYRIS*, Torr. & Gray, in Journ. Bost. Soc. Nat. Hist. v. (1844) 110.  
*CALICHROA*, Fisch. & Mey. Ind. Sem. Hort. Petrop. ii. 31 (1835).  
*CALLIGLOSSA*, Hook. & Arn. Bot. Beech. Voy. 356 (1840).  
*ERIOPAFFUS*, Arn. in Lindl. Introd. Nat. Syst. ed. II. 443 (1836).  
*MADAROGLOSSA*, DC. Prod. v. 694 (1836).  
*OXYURA*, DC. l. c. 693 (1836).  
*TOLLATIA*, Endl. Gen. 428 (1838).  
*UROSYLIS*, Meissn. Gen. 207 (1839).  
*Calliglossa*, A. Gray, in Mem. Am. Acad. N. S. iv. (1849) 103. —Calif.  
*carnosa*, Torr. & Gray, Fl. N. Am. ii. 394. —Calif.  
*chrysanthemoides*, A. Gray, in Proc. Am. Acad. vii. (1868) 360. —Calif.  
*Douglasii*, Hook. & Arn. Bot. Beech. Voy. 358. —Am. bor. occ.  
*elegans*, Torr. & Gray, Fl. N. Am. ii. 394. —Calif.  
*Fremonti*, A. Gray, in Mem. Am. Ac. N. S. iv. (1849) 103. —Calif.  
*gaillarooides*, Hook. & Arn. Bot. Beech. Voy. 148. —Calif.  
*glandulosa*, Hook. & Arn. l. c. Suppl. 358. —Am. bor. occ.  
*graveolens*, Greene, in Bull. Calif. Acad. i. n. III. (1885) 92 = *heterotricha*.  
*heterotricha*, Hook. & Arn. Bot. Beech. Voy. Suppl. 358. —Calif.  
*hieracioides*, Hook. & Arn. l. c. —Calif.  
*Jonesii*, A. Gray, in Proc. Am. Acad. xix. (1883) 18. —Calif.  
*neo-mexicana*, A. Gray, Pl. Wright. ii. 98 = *glandulosa*.  
*pentachaeta*, A. Gray, in Pacif. Rail. Rep. iv. 108. t. 16. —Calif.  
*platyglossa*, A. Gray, in Mem. Am. Ac. N. S. iv. (1849) 103. —Calif.

LAYIA, Hook. & Arn. Bot. Beech. Voy. 183. t. 38 (1833) = *Ormosia*, Jacks. (Legumin.).  
*emarginata*, Hook. & Arn. l. c. = *O. emarginata*.

LAZAROLUS, Medic. Phil. Bot. i. 15 (1789) = *Pyrus*, Tourn. (Rosac.).  
*Aria*, Borckh. in Roem. Arch. i. III. 88 = *P. Aria*.  
*Chamaemespilus*, Borckh. l. c. = *P. Chamaemespilus*.  
*intermedia*, Borckh. l. c. = *P. intermedia*.  
*oxyacanthoides*, Borckh. l. c. = *Crataegus Azarolus*.  
*pinnatifida*, Borckh. l. c. = *P. Aucuparia*.  
*Pollveria*, Medic. Geschich. 81 = *P. Pollveria*.  
*Pollwilleriana*, Borckh. in Roem. Arch. i. III. 88 = *P. Pollveria*.  
*tormalis*, Borckh. l. c. = *P. tormalis*.

LEA, Stokes, Bot. Mat. Med. i. 455 (1812) = *Leea*, Royle (Ampelid.).

LEACHIA, Cass. in Dict. Sc. Nat. xxv. 388 (1822) = *Coreopsis*, Linn. (Compos.).  
*crassifolia*, Cass. l. c. = *C. lanceolata*.  
*lanceolata*, Cass. l. c. = *C. lanceolata*.  
*trifoliata*, Cass. l. c. 389 = *C. lanceolata*.

LEAEBIA, Forsk. Fl. Aegypt. Arab. 172 (1775) = *Cocculus*, DC. (Menisperm.).  
*dubia*, J. F. Gmel. Syst. 567 = *C. Leaebia*.

LEANDRA, Raddi, in Mem. Mod. xviii. Fis. (1820) 385. *MELASTOMACEAE*, Benth. & Hook. f. i. 760.  
*agrestis*, Raddi, l. c. xx. (1829) 157. —Bras.  
*amplexicaulis*, DC. Prod. iii. 153. —Bras.  
*angustifolia*, DC. l. c. 154 = *Ossaea angustifolia*.

LEANDRA:—

*asperifolia*, Cham. in Linnaea, x. (1835–36) 33 = *mela-stomoides*.  
*auricoma*, Spring, ex Mart. in Flora, xx. (1837) Beibl. ii. 74 = *Oxymeris aurea*.  
*bullosa*, Raddi, in Mem. Mod. xx. (1829) 160. —Bras.  
*capillaris*, Raddi, l. c. 153. —Bras.  
*ciliata*, Cham. in Linnaea, x. (1835–36) 36. —Bras.  
*corcovadensis*, Raddi, in Mem. Mod. xx. (1829) 141. —Bras.  
*dubia*, DC. Prod. iii. 154 = *Oxymeris dubia*.  
*estrellensis*, Raddi, in Mem. Mod. xx. (1829) 148. —Bras.  
*fimbriata*, Raddi, l. c. 158. —Bras.  
*hirsutissima*, Raddi, l. c. 152. —Bras.  
*hirta*, Raddi, l. c. xviii. Fis. (1820) 387 = *Oxymeris hirta*.  
*hispidula*, Schrank & Mart. ex DC. Prod. iii. 153 = *amplexicaulis*.  
*involuta*, DC. l. c. 154. —Bras.  
*involuta*, Raddi, in Mem. Mod. xx. (1829) 145 = *mela-stomoides*.  
*mela-stomoides*, Raddi, l. c. xviii. Fis. (1820) 386. —Bras.  
*paulina*, DC. Prod. iii. 153. —Bras.  
*punicea*, Raddi, in Mem. Mod. xx. (1829) 156. —Bras.  
*racemifera*, DC. Prod. iii. 155 = *Miconia racemifera*.  
*Raddii*, Mart. ex DC. l. c. 154 = *sericea*?  
*rubella*, Raddi, in Mem. Mod. xx. (1829) 147. —Bras.  
*salicifolia*, Raddi, l. c. 142. —Bras.  
*scabra*, DC. Prod. iii. 154. —Bras.  
*sericea*, DC. l. c. —Bras.  
*staminea*, Raddi, in Mem. Mod. xx. (1829) 154. —Bras.  
*sylvestris*, DC. Prod. iii. 154 = *Oxymeris sylvestris*.  
*umbellata*, DC. l. c. 153. —Bras.  
*variabilis*, Raddi, in Mem. Mod. xx. (1829) 150. —Bras.  
*villosa*, DC. Prod. iii. 154 = *scabra*.

LEANTRIA, Soland. ex Forst. f. in Comm. Gotting. ix. (1789) 45 = *Myrtus*, Tourn.  
*myrtoides*, Soland. ex Forst. f. l. c. nomen (Quid?) —Hab. ?

LEAROSA, Reichb. Nom. 69 (1841) = *Doryphora*, Endl. (Monimiaceae).

LEAVENWORTHIA, Torr. in Ann. Lyc. N. York, iii. (1837) 87. t. 5. *CRUCIFERAE*, Benth. & Hook. f. i. 70.  
*aurea*, Torr. l. c. 88 = *Michauxii*.  
*Michauxii*, Torr. l. c. 89. —Am. bor. occ.  
*stylosa*, A. Gray, ex Chapm. Fl. S. U. St. Suppl. 605. —Am. bor.  
*torulosa*, A. Gray, ex Chapm. l. c. —Am. bor.

LEBECKIA, Thunb. Nov. Gen. 139 (1800); Prod. Pl. Cap. 122 (1800). *LEGUMINOSAE*, Benth. & Hook. f. i. 477.

*ACANTHOBOTRYA*, Eckl. & Zeyh. Enum. 192 (1836).  
*CALOBOTA*, Eckl. & Zeyh. l. c. 191 (1836).  
*SARCOPHYLLUM*, E. Mey. Comm. Pl. Afr. Austr. 32 (1835).

*STIZA*, E. Mey. l. c. 81 (1835).  
*ambigua*, E. Mey. l. c. 34. —Afr. austr.  
*ambigua*, E. Mey. l. c. quoad litt. C. = *sepiaria*.  
*angustifolia*, E. Mey. in Linnaea, viii. (1833) 155 = *multiflora*.  
*aphylla*, Thunb. Nov. Gen. 140 = *Indigofera filifolia*?  
*armata*, E. Mey. Comm. Pl. Afr. Austr. 35 = *spinescens*.  
*armata*, Thunb. Nov. Gen. 141 = *Wiborgia spinescens*.  
*armata*, Willd. ex Walp. in Linnaea, xiii. (1839) 478 = *microphylla*.  
*Bouriana*, Benth. in Hook. Lond. Journ. Bot. iii. (1844) 362. —Afr. austr.  
*Burchellii*, Spreng. Syst. iv. Cur. Post. 273 = *Vigna Burchellii*.  
*Candolleana*, Walp. in Linnaea, xiii. (1839) 477 = *contaminata*.  
*canescens*, E. Mey. Comm. Pl. Afr. Austr. 34 = *multiflora*.  
*cinerea*, E. Mey. l. c. 35. —Afr. austr.  
*contaminata*, DC. Prod. ii. 136. —Afr. austr.  
*contaminata*, Eckl. & Zeyh. ex Presl, Bot. Bemerk. 126 = *ambigua*.  
*contaminata*, Thunb. Nov. Gen. 140 = *Aspalathus corymbosa*.  
*cytisoides*, Thunb. l. c. 143. —Afr. austr.  
*decipiens*, E. Mey. Comm. Pl. Afr. Austr. 35 = *sericea*.  
*decutiens*, E. Mey. l. c. 34 = *multiflora*.

LEBECKIA:—

*densa*, Thunb. Nov. Gen. 142. —Afr. austr.  
*disticha*, Steud. Nom. ed. II. ii. 19. —Afr. austr.  
*epiaria*, Thunb. Prod. Pl. Cap. 122, err. typ. = *sepiaria*.  
*fasciculata*, Benth. in Hook. Lond. Journ. Bot. iii. (1844) 361 = *humilis*.  
*flexuosa*, E. Mey. in Linnaea, viii. (1833) 34 = *sericea*.  
*gracilis*, Eckl. & Zeyh. Enum. 192 = *sepiaria*.  
*grandiflora*, Benth. in Hook. Lond. Journ. Bot. iii. (1844) 357. —Afr. austr.  
*humilis*, Thunb. Nov. Gen. 142. —Afr. austr.  
*leptophylla*, Benth. in Hook. Lond. Journ. Bot. iii. (1844) 359. —Afr. austr.  
*linearifolia*, E. Mey. Comm. Pl. Afr. Austr. 33. —Afr. austr.  
*linearis*, DC. Prod. ii. 137. —Afr. austr.  
*macrantha*, Harv. & Sond. Fl. Cap. ii. 83. —Afr. austr.  
*marginata*, E. Mey. Comm. Pl. Afr. Austr. 35. —Afr. austr.  
*Meyeriana*, Eckl. & Zeyh. Enum. 192. —Afr. austr.  
*microphylla*, E. Mey. Comm. Pl. Afr. Austr. 155. —Afr. austr.  
*mucronata*, Benth. in Hook. Lond. Journ. Bot. iii. (1844) 359. —Afr. austr.  
*multiflora*, E. Mey. Comm. Pl. Afr. Austr. 34. —Afr. austr.  
*nuda*, Sims, Bot. Mag. t. 2214 = *Indigofera filifolia*?  
*pauciflora*, Baker, in Harv. & Sond. Fl. Cap. ii. 85 = *contaminata*.  
*pauciflora*, Eckl. & Zeyh. Enum. 192. —Afr. austr.  
*Plukenetiana*, E. Mey. Comm. Pl. Afr. Austr. 33. —Afr. austr.  
*psiloloba*, Walp. in Linnaea, xiii. (1839) 478. —Afr. austr.  
*pulchella*, Walp. l. c. 477 = *sericea*.  
*pungens*, Thunb. Nov. Gen. 141. —Afr. austr.  
*retamoides*, Baker, in Journ. Linn. Soc. xx. (1833) 123. —Madag.  
*sarcophylloides*, E. Mey. in Linnaea, vii. (1832) 155 = *Simsiana*.  
*Scorpius*, Thunb. Nov. Gen. 141 = *Wiborgia spinescens*.  
*sepiaria*, Benth. in Hook. Lond. Journ. Bot. iii. (1844) 357 = *Simsiana*.  
*sepiaria*, Thunb. Nov. Gen. 140. —Afr. austr.  
*sericea*, Thunb. l. c. 143. —Afr. austr.  
*sessilifolia*, Benth. in Hook. Lond. Journ. Bot. iii. (1844) 362. —Afr. austr.  
*Simsiana*, Eckl. & Zeyh. Enum. 192. —Afr. austr.  
*simsioides*, Steud. Nom. ed. II. ii. 19 = *prae*.  
*spinescens*, Harv. in Harv. & Sond. Fl. Cap. ii. 88. —Afr. austr.  
*subnuda*, DC. Prod. ii. 136. —Afr. austr.  
*subternata*, Link, Enum. Hort. Berol. ii. 225 = *Cyclopia latifolia*.

LEBETANTHUS, Endl. Gen. Suppl. i. 1411 (1841). *EPACRIDAEAE*, Benth. & Hook. f. ii. 616.  
*ALLODAPE*, Endl. Gen. 749 (1839), nomen prius.  
*JACQUINOTIA*, Hombr. & Jacquinot, Bot. Astrol. et Zél. Dicot. Phan. t. 22 (1846); et ex Decne. Bot. Voy. Astrol. et Zél. 32 (1853).  
*americanus*, Endl. Ench. 384. —Reg. Magellan.

LEBETHANTHUS, Reichb. Nom. 123 (1841) = *prae*.

LEBETINA, Cass. in Dict. Sc. Nat. xxv. 394 (1822) = *Adenophyllum*, Pers. (Compos.).  
*cancellata*, Cass. l. c. = *A. Porophyllum*.

LEBIDIBIA, Griseb. Cat. Pl. Cub. 78 (1866) = *L. DIBIA*, Schlecht. = *Caesalpinia*, Linn. (Leg.).

LEBIDIERA, Baill. Etud. Gen. Euph. Atlas, 50. t. 27 (1858) = *Cleistanthus*, Hook. f. (Euphorb.).  
*Cunninghamii*, Muell. Arg. in Linnaea, xxxii. 186. 80 = *C. Cunninghamii*.  
*ferruginea*, Baill. Etud. Gen. Euph. Atlas, 50 = *ferruginea*.  
*laurina*, Muell. Arg. in Linnaea, xxxii. 186. 80 = *C. stipitatus*.  
*malabarica*, Muell. Arg. l. c. 81 = *C. stipitatus*.  
*pallida*, Muell. Arg. l. c. 80 = *C. stipitatus*.  
*patula*, Muell. Arg. l. c. 81 = *C. stipitatus*.  
*stipularis*, Muell. Arg. l. c. = *C. stipitatus*.  
*Tulasneana*, Muell. Arg. l. c. = *C. stipitatus*.



LEBIDIEROPSIS, Muell. Arg. in *Linnaea*, xxxii. (1863) 79 = *Cleistanthus*, Hook. f. (Euphorb.).  
*collina*, Muell. Arg. l. c. 80 = *C. collinus*.  
*orbicularis*, Muell. Arg. in DC. *Prod.* xv. II. 509 = *C. collinus*.

LEBRETONIA, Schrank, Pl. Rar. Hort. Monac. t. 90 (1819) = *Pavonia*, Cav. (Malvac.).  
*acuminata*, A. Rich. Tent. Fl. Abyss. i. 54 = *P. Kraussiana*.  
*cernua*, Span. in *Linnaea*, xv. (1841) 168 = *P. cernua*.  
*coccinea*, Schrank, Pl. Rar. Hort. Monac. t. 90 = *P. Schrankii*.  
*cordata*, Hochst. ex Mast. in Oliver, Fl. Trop. Afr. i. 190 = *P. glechomifolia*.  
*crenata*, Hochst. ex Walp. Rep. v. 89; iv. Index, 506 = *P. Kraussiana*.  
*flava*, Wall. Cat. n. 1883 = *P. glechomifolia*.  
*glechomaefolia*, A. Rich. Tent. Fl. Abyss. i. 54 = *P. glechomifolia*.  
*latifolia*, Nees & Mart. in Nov. Act. Nat. Cur. xi. (1823) 98 = *P. latifolia*.  
*procumbens*, Wight & Arn. Prod. 47 = *P. glechomifolia*.  
*semiserrata*, DC. Prod. i. 446 = *P. semiserrata*.

LEBRETONNIA, Brongn. Enum. Gen. 77 (1843) = *praec.*

LECANANTHUS, Jack, in Malay. Misc. ii. (1822) n. VII. 83. RUBIACEAE, Benth. & Hook. f. ii. 73. *erubescens*, Jack, l. c. —Malaya.

LECANIODISCUS, Planch. ex Benth. in Hook. Niger Fl. 250 (1849). SAPINDACEAE, Benth. & Hook. f. i. 402.  
*cupanioides*, Planch. l. c. 251. —Afr. trop.  
*fraxinifolia*, Baker, in Oliver, Fl. Trop. Afr. i. 429. —Afr. trop.

LECANOCARPUS, Nees, in Nees & Sinning, Amoen. Bot. Bonn. ii. (1824) 4. t. 2 = *Acroglochin*, Schrad. (Chenop.).  
*aristata*, Zucc. in Mart. Hort. Monac. (1829) 56 = *A. chenopodioides*?  
*cauliflorus*, Nees, in Nees & Sinning, Amoen. Bot. Bonn. ii. (1824) 5 = *A. chenopodioides*.  
*nepalensis*, Nees, l. c. t. 2 = *A. chenopodioides*.

LECANOCNIDE, Blume, Mus. Bot. Lugd. Bat. ii. 193. t. 12 (1856) = *Maoutia*, Wedd. (Urtic.).  
*borbonica*, Blume, l. c. 194 = *Pouzolzia viminea*.  
*diversifolia*, Blume, l. c. t. 11 = *M. diversifolia*.  
*heterophylla*, Blume, l. c. 194 = *M. diversifolia*.  
*rubricaulis*, Blume, l. c. = *Pouzolzia rubricaulis*.  
*scaberrima*, Blume, l. c. t. 12. —Hab. ?

LECANORCHIS, Blume, Mus. Bot. Lugd. Bat. ii. 188 (1856). ORCHIDACEAE, Benth. & Hook. f. iii. 606.  
*japonica*, Blume, l. c. —Japan.  
*javanica*, Blume, l. c. —Java.

LECANTHUS, Wedd. in Ann. Sc. Nat. Sér. IV. i. (1854) 187. URTICACEAE, Benth. & Hook. f. iii. 385.  
*major*, Wedd. l. c. = *Wightii*.  
*peduncularis*, Wedd. in DC. Prod. xvi. I. 164 = *Wightii*.  
*Solandrii*, Seem. Fl. Vit. 236. —Ins. Fiji.  
*Wallichii*, Wedd. in Ann. Sc. Nat. Sér. IV. i. (1854) 187 = *Wightii*.  
*Wightii*, Wedd. l. c. —Ind. or.

LECHEA, Kalm, ex Linn. Diss. Chen. 13. '15' (1751); Amoen. Acad. iii. 10 (1756). CISTINEAE, Benth. & Hook. f. i. 114.  
*GAURA*, Lam. Illustr. t. 281. f. 3 (1793?).  
*HORANTHES*, Rafin. New Fl. Am. iii. 30 (1836).  
*LECHIDIUM*, Spach, in Hook. Comp. Bot. Mag. ii. (1836) 286.  
*brevifolia*, Rafin. New Fl. Am. i. 96 = *thymifolia*?  
*cinerea*, Rafin. l. c. 91 = *Torreyi*.  
*corymbosa*, Rafin. l. c. 94. —Am. bor.  
*cubensis*, Leggett, in Bull. Torrey Bot. Club, vi. (1875) 252. —Cuba.  
*divaricata*, Shuttlew. ex Leggett, l. c. 251 = *major*?  
*Drummondii*, Spach, in Hook. Comp. Bot. Mag. ii. (1836) 284 = *major*?

#### LECHEA:—

*Drummondii*, Torr. & Gray, Fl. N. Am. i. 154. t. 88. —Am. bor.  
*floridana*, Rafin. New Fl. Am. i. 95 (Quid?). —Am. bor.  
*furfuracea*, Rafin. l. c. 92 (Quid?). —Am. bor.  
*glomerata*, Rafin. l. c. 94 (Quid?). —Am. bor.  
*heterophylla*, Rafin. l. c. 93 (Quid?). —Am. bor.  
*juncifolia*, Walt. Fl. Carol. 83 = *tenuifolia*?  
*laxiflora*, Rafin. New Fl. Am. i. 92 = *minor*?  
*major*, Linn. Sp. Pl. 90 = *Helianthemum canadense*.  
*major*, Michx. Fl. Bor. Am. i. 76. —Am. bor.  
*mexicana*, Hort. Berol. ex Spach, in Hook. Comp. Bot. Mag. ii. (1836) 289 = *Helianthemum glomeratum*.  
*minor*, Hook. Journ. Bot. i. (1834) 192 = *Novae-Cesareae*?  
*minor*, Linn. Sp. Pl. 90; Amoen. Acad. iii. 10 = *major*.  
*minor*, Walt. Fl. Carol. 83. —Am. bor.  
*mucronata*, Rafin. in Am. Monthly Mag. (1817) 359, nomen; New Fl. Am. i. 93 = *major*.  
*Novae-Cesareae*, C. F. Austin, ex A. Gray, Man. Bot. N. U. St. 81. —Am. bor.  
*patula*, Leggett, in Bull. Torrey Bot. Club, vi. (1875) 251, nomen. —Am. bor.  
*pauciflora*, Rafin. New Fl. Am. i. 96 = *thymifolia*?  
*pulchella*, Rafin. l. c. 91 = *minor*?  
*racemulosa*, Hook. Journ. Bot. i. (1834) 193 = *Torreyi*.  
*racemulosa*, Lam. Illustr. ii. 423. t. 281. f. 3. —Am. bor.  
*recurvata*, Rafin. New Fl. Am. i. 93 (Quid?). —Am. bor.  
*revoluta*, Rafin. l. c. 94 (Quid?). —Am. bor.  
*secundiflora*, Rafin. l. c. 95 = *thymifolia*?  
*sessiliflora*, Rafin. l. c. 97 = *patula*?  
*Skinneri*, Benth. Bot. Voy. Sulph. 66. —Am. bor. occ.  
*stellata*, Rafin. New Fl. Am. i. 96 = *thymifolia*, *Novae-Cesareae*.  
*surculosa*, Rafin. l. c. 94 = *minor*?  
*tenuifolia*, Michx. Fl. Bor. Am. i. 77. —Am. bor.  
*ternifolia*, Rafin. New Fl. Am. i. 91 = *racemulosa*?  
*thesioides*, Spach, in Hook. Comp. Bot. Mag. ii. (1836) 285 = *racemulosa*.  
*thymifolia*, Michx. Fl. Bor. Am. i. 77. —Am. bor.  
*Torreyi*, Leggett, in S. Wats. Bibl. Ind. N. Am. Bot. i. 81. —Am. bor.  
*uniflora*, Rafin. New Fl. Am. i. 96 = *thymifolia*?  
*verna*, Rafin. l. c. 92 = *tenuifolia*.  
*verticillata*, Willd. Sp. Pl. i. 495 = *Bergia ammannioides*.  
*villosa*, Ell. Sketch, i. 184 = *major*.  
*virgata*, Rafin. New Fl. Am. i. 95 (Quid?). —Am. bor.

LECHEA, Lour. Fl. Cochinch. 60 (1790) = *Commelina*, Linn.  
*chinensis*, Lour. l. c. = *C. Loureiri*.

LECHENAULTIA, R. Br. Prod. 581 (1810) = *Le-schenaultia*, R. Br. (Gooden.).

LECHEOIDES, Endl. Gen. 905 (1839) sphalm. = seq.

LECHIDIUM, Spach, in Hook. Comp. Bot. Mag. ii. (1836) 286 = *Lechea*, Kalm (Cistin.).  
*Drummondii*, Spach, l. c. = *Lechea Drummondii*.

LECHLERA, Griseb. in Lech. Berb. Am. Austr. 53 (1857) = *Solenomelus*, Miers (Irid.).  
*Sisyrinchium*, Griseb. l. c. = *S. Lechleri*.

LECHLERA, Miq. ex Steud. Syn. Pl. Gram. 101 in nota sub RELCHELA (1855). 'Xanthoxylearum. Quid?'

LECHLERA, Steud. Syn. Pl. Gram. 101, in nota (1855) = RELCHELA, Steud. = *Calamagrostis*, Roth (Gramin.).

LECHLERIA, Phil. ex eod. in *Linnaea*, xxviii. (1856) 654 = *Huanaca*, Cav. (Umbellif.).  
*palmata*, Phil. l. c. = *H. Cavanillesii*.

LECISCUM, Gaertn. f. Fruct. iii. 221. t. 220 (1805). An Myrtaceae?  
*drupaceum*, Gaertn. f. l. c. (Quid?). —Hab. ?

LECOCARPUS, Decne. Voy. Vénus, 19. t. 14 (1864). COMPOSITAE, Benth. & Hook. f. ii. 348.  
*foliosus*, Decne. l. c. 19. —Ins. Galap.  
*pinnatifidus*, Decne. l. c. t. 14 = *foliosus*.

LECOCKIA, Meissn. Gen. Comm. 108 (1843) = seq.

LECOKIA, DC. Coll. Mém. v. 67 (1829); Prod. iv. 240 (1830). UMBELLIFERAE, Benth. & Hook. f. i. 882.  
*cretica*, DC. II. cc. —Orens.

LECONTEA, A. Rich. in Mém. Soc. Hist. Nat. Par. v. (1830) 195. t. 20, f. 1 bis. RUBIACEAE, Benth. & Hook. f. ii. 134.  
*argentea*, A. Rich. l. c. 195. —Madag.  
*Bojeriana*, A. Rich. l. c. —Madag.

LECONTIA, W. Cooper, ex Torr. Compend. Fl. 358 [bis] (1826) = *Peltandra*, Rafin. (Aroid.).  
*virginica*, Torr. l. c. = *P. alba*.

LECOSTEMON, [Moç. & Sesse,] ex DC. Prod. ii. 639 (1825). ROSACEAE, Benth. & Hook. f. i. 609.  
*amazonicum*, Spruce, ex Benth. in Hook. Kew Journ. v. (1853) 295. —Bras.  
*crassipes*, Spruce, ex Benth. l. c. —Bras.  
*Gardnerianum*, Benth. l. c. —Bras.  
*macrophyllum*, Spruce, ex Benth. l. c. 296. —Bras.  
*terniflorum*, [Moç. & Sesse,] ex DC. Prod. ii. 639. —Mexic.

LECOSTOMUM, Steud. Nom. ed. II. ii. 20 (1841) = *praec.*

LECYTHIS, Loebl. It. Hisp. 189 (1758). MYRTACEAE, Benth. & Hook. f. i. 723.  
*CHYTROMA*, Miers, in Trans. Linn. Soc. xxx. (1874) 229.  
*ESCHWEILERA*, Mart. in DC. Prod. iii. 293 (1825).  
*JUGASTRUM*, Miers, in Trans. Linn. Soc. xxx. (1874) 275.  
*acuminata*, DC. Prod. iii. 292. —Bras.  
*acuminatissima*, Berg, in Mart. Fl. Bras. xiv. I. 494. —Bras.  
*albiflora*, DC. Prod. iii. 292. —Bras.  
*amara*, Aubl. Pl. Gui. ii. 716. t. 286, et t. 285. f. 1. —Guian.  
*Amazonii*, Mart. ex Berg, in Mart. Fl. Bras. xiv. I. 484. —Bras.  
*ampla*, Miers, in Trans. Linn. Soc. xxx. (1874) 204. —N. Granat.  
*ampullaria*, Miers, l. c. 201. —N. Granat.  
*angustifolia*, Endl. ex Walp. Rep. ii. 193. —Bras.  
*basizone*, Berg, in Mart. Fl. Bras. xiv. I. 617. —Guian.  
*biserrata*, Miers, in Trans. Linn. Soc. xxx. (1874) 213. —Bras.  
*Blanchetiana*, Berg, in Mart. Fl. Bras. xiv. I. 495. —Bras.  
*bracteata*, Willd. Sp. Pl. ii. 1174 = *Couroupita guianensis*.  
*bracteosa*, Poepp. ex Berg, in Mart. Fl. Bras. xiv. I. 495. —Bras.  
*brasiliensis*, Spreng, Syst. ii. 603. —Bras.  
*chartacea*, Berg, in *Linnaea*, xxvii. (1854) 450. —Guian.  
*cognata*, Miers, in Trans. Linn. Soc. xxx. (1874) 215. —Guian.  
*compressa*, Vell. Fl. Flum. 222; v. t. 87 = *angustifolia*.  
*cordata*, Berg, in *Linnaea*, xxvii. (1854) 457. —Bras.  
*coriacea*, DC. Prod. iii. 291. —Bras.  
*corrugata*, Poit. in Mém. Mus. Par. xiii. (1825) 146. f. 3. —Guian.  
*Couratari*, Spreng, Syst. iv. Cur. Post. 208 = *Couratari guianensis*.  
*Coxiana*, Miers, in Trans. Linn. Soc. xxx. (1874) 217. —Bras.  
*crassinoda*, Miers, l. c. 216. —Guian.  
*cupularis*, Miers, l. c. 224. —Bras.  
*densa*, Miers, l. c. 211. —Bras.  
*dubia*, H. B. & K. Nov. Gen. et Sp. vii. 259. —N. Granat.  
*elegans*, Berg, in Mart. Fl. Bras. xiv. I. 499. —Bras.  
*elliptica*, H. B. & K. Nov. Gen. et Sp. vii. 259. —N. Granat.  
*figifolia*, Miq. ex Berg, in *Linnaea*, xxvii. (1854) 451. —Guian.  
*glabra*, Berg, l. c. 452 = *Lecythis glabra*.  
*gracilipes*, Sagot, in Ann. Sc. Nat. Sér. VI. xx. (1885) 203. —Guian.  
*grandiflora*, Aubl. Pl. Gui. ii. 712, tt. 283, 284, 285. —Guian.



**LECYTHIS:—**

- grandifolia, *Berg, in Mart. Fl. Bras.* xiv. i. 494.—Bras.  
 Idatimon, *Aubl. Pl. Gui.* ii. 721. t. 289.—Guian.  
 Idatimon, *DC. ex Berg, in Mart. Fl. Bras.* xiv. i. 498 = ovata.  
 idatimonoides, *Berg, l. c.* 496.—Guian.  
 integrifolia, *Ruiz & Pav. Fl. Per.* 529; *ex Miers, in Trans. Linn. Soc.* xxx. (1874) 225.—Ecuador.  
 laevicula, *Miers, l. c.* 224.—Guian.  
 laevifolia, *Griseb. Fl. Brit. W. Ind.* 711, nomen; *Miers, l. c.* 256.—Ins. Trinit.  
 lanceolata, *Poir. Encyc.* vi. 27.—Bras.  
 Langsdorffii, *Berg, in Mart. Fl. Bras.* xiv. i. 615.—Bras.  
 limbatia, *Miers, in Trans. Linn. Soc.* xxx. (1874) 214.—Bras.  
 longifolia, *H. B. & K. Nov. Gen. et Sp.* vii. 259.—Venezuela.  
 longipes, *Poit. in Mém. Mus. Par.* xiii. (1825) 144. t. 2.—Guian.  
 Luschathii, *Berg, in Mart. Fl. Bras.* xiv. i. 499.—Bras.  
 lutea, *Aubl. Pl. Gui.* ii. 721.—Guian.  
 macrophylla, *Berg, in Mart. Fl. Bras.* xiv. i. 616.—Guian.  
 marawynensis, *Berg, l. c.* 489.—Guian.  
 Marcgravia, *Miers, in Trans. Linn. Soc.* xxx. (1874) 210.—Bras.  
 Martiana, *Berg, in Mart. Fl. Bras.* xiv. i. 487.—Bras.  
 Martini, *Berg, l. c.* 616.—Guian.  
 Melinonis, *Sagot, in Ann. Sc. Nat. Sér. VI.* xx. (1885) 202.—Guian.  
 nicaraguensis, *Steud. Nom. ed. II.* ii. 20, sphalm. = nicaraguarensis.  
 micrantha, *Berg, in Linnaea*, xxvii. (1854) 454.—Guian.  
 minor, *Jacq. Stirp. Select. Am.* 168. t. 109.—N. Granat.  
 minor, *Vell. Fl. Flum.* 222; v. t. 85 = lanceolata.  
 monosperma, *Mart. ex Berg, in Mart. Fl. Bras.* xiv. i. 485.—Bras.  
 multiflora, *Sm. in Rees, Cycl.* xx. n. 8.—Guian.  
 nana, *Berg, in Mart. Fl. Bras.* xiv. i. 617.—Bras.  
 nicaraguarensis, [Moq. & Sesse.] *ex DC. Prod.* iii. 294 = Couroupita nicaraguarensis.  
 obversa, *Berg, in Mart. Fl. Bras.* xiv. i. 503.—Bras.  
 odora, *Poepp. ex Berg, l. c.* 492.—Bras.  
 odoratissima, *Salm. ex Miers, in Trans. Linn. Soc.* xxx. (1874) 255.—Bras.  
 Ollaria, *Linn. Syst. ed. X.* 1071.—Am. trop.  
 Ollaria, *Saldanha, Configuraço, 70* = biserrata.  
 Ollaria, *Spruce, in Hook. Kew Journ.* ii. (1850) 74 = usitata.  
 Ollaria, *Vell. Fl. Flum.* 222; v. t. 88 = Velloziana.  
 ovalifolia, *DC. Prod.* iii. 292.—Bras.  
 ovata, *Cambess. in St. Hil. Fl. Bras. Mer.* ii. 378.—Bras.  
 pachysepala, *Spruce, ex Berg, in Mart. Fl. Bras.* xiv. i. 494.—Bras.  
 paniculata, *Berg, l. c.* 501.—Bras.  
 parviflora, *Aubl. Pl. Gui.* ii. 717.—Guiana.  
 parviflora, *Sagot, ex Miers, in Trans. Linn. Soc.* xxx. (1874) 262.—Guian.  
 parvifolia, *Berg, in Mart. Fl. Bras.* xiv. i. 496.—Bras.  
 pedicellaris, *DC. Prod.* iii. 292.—Bras.  
 pedicellata, *Rich. in Act. Soc. Hist. Nat. Par.* i. (1792) 111.—Guian.  
 persistens, *Sagot, in Ann. Sc. Nat. Sér. VI.* xx. (1885) 201.—Guian.  
 pilaris, *Miers, in Trans. Linn. Soc.* xxx. (1874) 228.—Bras.  
 pilosa, *Poepp. ex Berg, in Mart. Fl. Bras.* xiv. i. 500.—Bras.  
 Pisonis, *Cambess. in St. Hil. Fl. Bras. Mer.* ii. 377.—Bras.  
 platycarpa, *Poit. in Mém. Mus. Par.* xiii. (1825) 146 (platicarpa).—Bras.  
 platyzona, *Berg, in Mart. Fl. Bras.* xiv. i. 485.—Bras.  
 Pohlui, *Berg, l. c.* 484.—Bras.  
 Poiteau, *Berg, l. c.* 615.—Guian.  
 pyramidata, *Vell. Fl. Flum.* 222; v. t. 86 = Lecythopsis rufescens.  
 racemiflora, *Sagot, in Ann. Sc. Nat. Sér. VI.* xx. (1885) 200.—Guian.  
 retusa, *Spruce, ex Berg, in Mart. Fl. Bras.* xiv. i. 487.—Bras.  
 Riedeliana, *Berg, l. c.* 618.—Bras.

**LECYTHIS:—**

- rorida, *Berg, in Mart. Fl. Bras.* xiv. i. 488.—Bras.  
 rosea, *Spruce, ex Berg, l. c.*—Bras.  
 rubicunda, *Miers, in Trans. Linn. Soc.* xxx. (1874) 226.—Guian.  
 rufescens, *Berg, in Linnaea*, xxvii. (1854) 451 = Lecythopsis rufescens.  
 salebrosa, *Berg, in Mart. Fl. Bras.* xiv. i. 488.—Guian.  
 Schomburgkii, *Berg, in Linnaea*, xxvii. (1854) 456.—Bras.  
 setifera, *Miers, in Trans. Linn. Soc.* xxx. (1874) 227.—Bras.  
 Siberiana, *Berg, in Mart. Fl. Bras.* xiv. i. 501.—Bras.  
 sphaeroides, *Miers, in Trans. Linn. Soc.* xxx. (1874) 212.—Bras.  
 Spruceana, *Berg, in Mart. Fl. Bras.* xiv. i. 487.—Bras.  
 subbiflora, *Ruiz & Pav. Fl. Per.* iv. t. 461.—Peruv.  
 subglandulosa, *Steud. ex Berg, in Linnaea*, xxvii. (1854) 459.—Guian.  
 tenax, *Moritz, ex Berg, l. c.* 456.—Venezuela.  
 tenuifolia, *Berg, in Mart. Fl. Bras.* xiv. i. 502.—Bras.  
 tuberculata, *Miers, in Trans. Linn. Soc.* xxx. (1874) 218.—Bras.  
 tumefacta, *Miers, l. c.* 216.—Guian.  
 turbinata, *Berg, in Mart. Fl. Bras.* xiv. i. 493.—Bras.  
 urnigera, *Mart. l. c.* 483.—Bras.  
 usitata, *Miers, in Trans. Linn. Soc.* xxx. (1874) 208.—Bras.  
 validissima, *Miers, l. c.* 205.—Guian.  
 variolata, *Miers, l. c.* 220.—Bras.  
 vasiformis, *Miers, l. c.* 204.—Bras.  
 Velloziana, *Miers, l. c.* 203.—Bras.  
 venusta, *Miers, l. c.* 214.—Guian.  
 verrucosa, *Hoffm. ex Berg, in Mart. Fl. Bras.* xiv. i. 498 = ovata.  
 verruculosa, *Berg, l. c.* 502.—Bras.  
 Wulschlaegelia, *Berg, l. c.* 493.—Guian.  
 Zabucayo, *Aubl. Pl. Gui.* ii. 719, tt. 288, 284.—Guian.  
 Zabucayo, *Hook. Kew Journ.* ii. (1850) 74 = usitata.
- LECYTHOPSIS**, Schrank, in *Denkschr. Akad. Muench.* vii. (1821) 241. *MYRTACEAE*, Benth. & Hook. f. i. 723.  
 COURATARI, Cambess. in *St. Hil. Fl. Pav. Mer.* ii. 379 (1829).  
 glabra, *Berg, in Mart. Fl. Bras.* xiv. i. 505.—Bras.  
 rufescens, *Berg, l. c.* 504.—Bras.
- LEDEBOURIA**, Reichb. *Consp.* 143 (1828) = **LEDEBURIA**, Link = **Pimpinella**, Linn. (Umbellif.).  
 pimineloides, Link, l. c. = P. peregrina.
- LEDEBURIA**, Roth, *Nov. Pl. Sp.* 194 (1821) = **Scilla**, Linn. (Liliac.).  
 hyacinthina, Roth, l. c. 195 = S. indica.  
 hyacinthoides, Steud. *Nom. ed. II.* ii. 20 = praec.  
 maculata, Dalz. in *Hook. Kew Journ.* ii. (1850) 143 = S. indica.
- LEDEBURIA**, Link, *Enum. Hort. Berol.* i. 286 (1821) = **Pimpinella**, Linn. (Umbellif.).  
 pimineloides, Link, l. c. = P. peregrina.
- LEDELIA**, Rafin. *Sylva Tellur.* 154 (1838) = **Pomaderris**, Labill. (Rhamnac.).  
 betulina, Rafin. l. c. = P. betulina.
- LEDENBERGIA**, Klotzsch, *ex Moq. in DC. Prod.* xiii. ii. 14 (1849). *PHYTOLACCACEAE*, Benth. & Hook. f. iii. 81.  
 rosea-aenea, *Lem. Illustr. Hortic.* xvi. (1869) t. 591.—Bras.  
 seguieroides, *Klotzsch, ex Moq. in DC. Prod.* xiii. ii. 14.—Am. austr.
- LEDGERIA**, F. Muell. *Fragm.* i. 238 (1859) = **Galeola**, Lour. (Orchid.).  
 aphylla, F. Muell. l. c. 239 = G. cassythoides.  
 foliata, F. Muell. l. c. ii. 167 = G. foliata.
- LEDOCARPON**, Desf. in *Mém. Mus. Par.* iv. (1818) 250 = **Balbisia**, Cav. (Geraniac.).  
 argenteum, Presl, *Symb. Bot.* v. 67 = B. verticillata.  
 chilense, Steud. *Nom. ed. II.* ii. 20 = seq.  
 chilense, Desf. in *Mém. Mus. Par.* iv. (1818) 551. t. 13 = B. verticillata.  
 cistiflorum, Meyen, *Reise*, i. 470 = B. peduncularis.  
 Meyenianum, Steud. *Nom. ed. II.* ii. 20 = B. Meyeniana.  
 peduncularis, Lindl. *Bot. Reg.* t. 1392 = B. verticillata.  
 Reynoldsii, Hook. *IC. Pl.* t. 14 = Wendtia Reynoldsii.

**LEDOCARPUM**, DC. *Prod.* i. 702 (1824) = praec.

- LEDONIA**, Spach, in *Ann. Sc. Nat. Sér. II.* vi. (1836) 369 = **Cistus**, Tourn.  
 aprica, Jord. & Fourr. *Brev. Pl. Nov. fasc.* ii. 18 = C. salvifolius.  
 arrigens, Jord. & Fourr. l. c. 17 = C. salvifolius.  
 elegans, Jord. & Fourr. l. c. 18 = C. salvifolius.  
 fruticans, Jord. & Fourr. l. c. = C. salvifolius.  
 heterophylla, Spach, in *Ann. Sc. Nat. Sér. II.* vi. (1836) 369 = C. longifolius, Lam.  
 hirsuta, Spach, l. c. = C. hirsutus.  
 humilis, Jord. & Fourr. *Brev. Pl. Nov. fasc.* ii. 17 = C. salvifolius.  
 microphylla, Jord. & Fourr. l. c. = C. salvifolius.  
 peduncularis, Spach, in *Ann. Sc. Nat. Sér. II.* vi. (1836) 369 = C. salvifolius.  
 platyphylla, Jord. & Fourr. *Brev. Pl. Nov. fasc.* ii. 18 = C. salvifolius.  
 populifolia, Spach, in *Ann. Sc. Nat. Sér. II.* vi. (1836) 369 = C. populifolius.  
 rhodanensis, Jord. & Fourr. *Brev. Pl. Nov. fasc.* ii. 16 = C. salvifolius.  
 salviaefolia, Fourr. in *Ann. Soc. Linn. Lyon*, N. S. xvi. (1868) 339 = C. salvifolius.  
 velutina, Jord. & Fourr. *Brev. Pl. Nov. fasc.* ii. 18 = C. salvifolius.

**LEDOTHAMNUS**, Meissn. in *Mart. Fl. Bras.* vii. 172 (1863). *ERICACEAE*, Benth. & Hook. f. ii. 597.  
 guyanensis, Meissn. l. c.—Am. trop.

**LEDUM**, Reichb. in Moessl. *Handb. ed. II.* i. p. 1 (1827), sphalm. = **Sedum**, Tourn. (Crassul.).

- LEDUM**, Rupp. *ex Linn. Syst. ed. I* (1735). *ERICACEAE*, Benth. & Hook. f. ii. 599.  
 DULIA, Adans. *Fam.* ii. 165 (1763).  
 buxifolium, *Berg. in Act. Acad. Petrop. i.* i. (1777) 213 = *Leiophyllum buxifolium*.  
 californicum, Kellogg, in *Proc. Calif. Acad.* ii. 1863. 14.—Calif.  
 canadense, Lodd. *Bot. Cab. t.* 1049 = latifolium.  
 decumbens, Lodd. *ex Steud. Nom. ed. II.* ii. 20 = palustre.  
 dilatatum, Rupr. in *Beitr. Pfl. Russ. Reich.* iv. 57 = palustre.  
 glandulosum, Nutt. in *Trans. Am. Phil. Soc.* viii. (1843) 270.—Am. bor. occ.  
 graveolens, Gilib. *Fl. Lituan.* ii. 199 = palustre.  
 groenlandicum, Retz. *Fl. Scand. Prod.* i. 77 = latifolium.  
 latifolium, Jacq. *Coll.* ii. 308.—Am. bor.  
 palustre, Linn. *Sp. Pl.* 391.—Reg. bor. et arct.  
 palustre, Michx. *Fl. Bor. Am.* i. 259 = latifolium.  
 serpyllifolium, L'Hérit. *ex DC. Prod.* vii. 730 = *Leiophyllum buxifolium*.  
 thymifolium, Lam. *Encyc.* iii. 459 = *Leiophyllum buxifolium*.  
 tomentosum, Stokes. *Bot. Mat. Med.* ii. 502 = palustre.

- LEEAE**, Royen, *ex Linn. Mant.* i. 17, 124 (1767). *AMPELIDEAE*, Benth. & Hook. f. i. 388.  
 AQUILICIA, Linn. *Mant.* ii. 146, 211 (1771).  
 OTILLIS, Gaertn. *Fruct.* i. 275. t. 57 (1788).  
 LEEANIA, Rafin. *Princ. Somiol.* 30 (1814).  
 SANSOVINIA, Scop. *Introd.* 228 (1777).  
 aculeata, Blume, *Bijdr.* 197; Blanco, *Fl. Filip.* ed. II. 127.—Malaya; Ins. Philipp.  
 acuminata, Herb. Kew. *ex C. B. Clarke, in Journ. Bot.* xix. (1881) 141 = umbraculifera.  
 acuminata, Wall. *Cat. n.* 6830.—Reg. Himal.; Malaya.  
 aequata, Linn. *Mant.* i. 124.—Bengal; Burma; Malaya.  
 aequata, Roxb. *ex Wight & Arn. Prod.* 132: Wall. *Cat. n.* 6824 D = sambucina.  
 alata, Edgew. in *Trans. Linn. Soc.* xx. (1846) 479.—Reg. Himal.  
 amabilis, Hort. Veitch. *ex Mast. in Gard. Journ.* (1882) i. 492.—Borneo.  
 ancolana, Miq. *Fl. Ind. Bat.* i. ii. 611.—Sumbawa.  
 angulata, Korth. *ex Miq. Ann. Mus. Bot. Lugd.* i. 97.—Java.  
 angustifolia, M. Laws. in *Hook. f. I.* 124.—Sumbawa.  
 parallela, Boj. *Hort. Maurit.* 61.—Gambier.  
 arborea, Sieber, *ex Miq. Ann. Mus. Bot. Lugd.* i. 99 = sambucina.  
 aspera, Edgew. in *Trans. Linn. Soc.* xx. (1846) 479.—Ind. or.



**LEEA:—**

*aspera*, Kurz, in Journ. As. Soc. xlv. (1873) II. 178 = herbacea.  
*aspera*, Wall. ex Roxb. Fl. Ind. ed. Carey, II. 468 = robusta.  
*aurantiaca*, Zoll. & Mor. in Nat. en Geneesk. Arch. Neêrl. Indie, II. (1845) 577.—Java.  
*biserrata*, Miq. Fl. Ind. Bat. Suppl. 518.—Ins. Banca.  
*bracteata*, C. B. Clarke, in Journ. Bot. xix. (1881) 164.—Reg. Himal.  
*Brunoniana*, C. B. Clarke, l. c. 166.—Austral.  
*callosa*, Zipp. ex Miq. Ann. Mus. Bot. Lugd. Bat. i. 96 = *sundaica*.  
*celebica*, C. B. Clarke, in Journ. Bot. xix. (1881) 166.—Ins. Celebes.  
*cinerea*, M. Laws. in Hook. f. Fl. Brit. Ind. i. 665 = *latifolia*.  
*coccinea*, Boj. Hort. Maurit. 61 = *sambucina*.  
*coccinea*, Planch. in Hort. Donat. 6; et in Hook. Bot. Mag. t. 5299.—Burma.  
*compactiflora*, Kurz, in Journ. As. Soc. Beng. xlii. (1873) II. 65.—Burma.  
*cordata*, Wall. Cat. n. 6819 (*Vitis* sp.).—Ind. or.  
*coriacea*, M. Laws. in Hook. f. Fl. Brit. Ind. i. 665 = *latifolia*.  
*crispa*, M. Laws. l. c. partim = herbacea.  
*crispa*, Linn. Mant. i. 124.—Ind. or.; Burma.  
*Cumingii*, C. B. Clarke, in Journ. Bot. xix. (1881) 166.—Ins. Philipp.  
*diffusa*, M. Laws. in Hook. f. Fl. Brit. Ind. i. 667 = robusta.  
*divaricata*, Teijsm. & Binn. Cat. Hort. Bog. 388, nomen.—Hab. ?  
*fuliginosa*, Miq. Fl. Ind. Bat. Suppl. 518 = *sundaica*.  
*gigantea*, Griff. Notul. iv. 697.—Burma; Malaya.  
*gigantea*, Kurz, in Journ. As. Soc. Beng. xlii. (1873) II. 65 = *tuberculosemen*.  
*grandifolia*, Kurz, in Journ. Bot. xlii. (1875) 325.—Ins. Nicobar.  
*guineense*, G. Don, Gen. Syst. i. 712.—Afr. trop.  
*herbacea*, Buch-Ham. in Wall. Cat. n. 6829, 6824, partim.—Reg. Himal.  
*heterophylla*, Zipp. ex Miq. Ann. Mus. Bot. Lugd. Bat. i. 99 = *sambucina*.  
*hirsuta*, Blume, Bijdr. 197 = *aequata*.  
*hirta*, Banks, ex Roxb. Hort. Beng. 18; Fl. Ind. i. 655.—Reg. Himal.; Burma; Malaya.  
*hirta*, Hornem. Hort. Hafn. i. 231 = *aequata*.  
*horrida*, Teijsm. & Binn. Cat. Hort. Bog. 169 = *angulata*.  
*humilis*, Hassk. Cat. Hort. Bog. Alt. 168.—Java.  
*integrifolia*, Roxb. Hort. Beng. 85; Fl. Ind. i. 659.—Ind. or.  
*javanica*, Blume, Bijdr. 197.—Malaya.  
*Kurzii*, C. B. Clarke, in Journ. Bot. xix. (1881) 165.—Ins. Andam.  
*laeta*, Wall. Cat. n. 6831.—Burma; Java.  
*laevis*, Heyne, ex Wall. Cat. n. 1258 = *Heynea* trijuga.  
*latifolia*, Wall. l. c. n. 6821.—Ind. or.  
*linearifolia*, C. B. Clarke, in Journ. Bot. xix. (1881) 165.—Cambodia.  
*lucida*, Linden, ex Hook. Bot. Mag. sub t. 5299 = *coccinea*.  
*macrophylla*, DC. Prod. i. 635 = *latifolia*.  
*macrophylla*, M. Laws. in Hook. f. Fl. Brit. Ind. i. 664, partim = *latifolia*.  
*macrophylla*, Roxb. ex Hornem. Hort. Hafn. i. 251; Wight, l. c. t. 1154.—Ind. or.; Burma.  
*maculata*, Desf. Cat. Hort. Par. ed. III. 406.—Hab. ?  
*manillensis*, Walp. in Nov. Act. Nat. Cur. xix. Suppl. i. (1843) 314.—Ins. Philipp.  
*Mastersii*, C. B. Clarke, in Journ. Bot. xix. (1881) 142.—Reg. Himal.  
*moluccana*, Zipp. ex Miq. Ann. Mus. Bot. Lugd. Bat. i. 99 = *aculeata*.  
*odontophylla*, Wall. Cat. n. 6820 = *Vitis* lanata ?  
*Ottulis*, DC. Prod. i. 636 = *sambucina*.  
*palembanica*, Miq. Fl. Ind. Bat. Suppl. 519 = *sundaica*.  
*parallela*, Wall. Cat. n. 6828.—Bengal; Burma.  
*pinnata*, Andr. Bot. Rep. v. t. 355 = *crispa*.  
*polyphylla*, Miq. Fl. Ind. Bat. i. II. 610.—Sumatra.  
*pubescens*, Zipp. ex Miq. in Ann. Mus. Bot. Lugd. Bat. i. 97.—Ins. Timor.  
*pumila*, Kurz, in Journ. As. Soc. Beng. xli. (1872) II. 302.—Burma.  
*robusta*, Blume, Bijdr. 198 = *sundaica*.  
*robusta*, M. Laws. in Hook. f. Fl. Brit. Ind. i. 667 = *bracteata*.  
*robusta*, Roxb. Hort. Beng. 8; Fl. Ind. i. 655.—Ind. or.; Burma.

**LEEA:—**

*robusta*, Wight, ex C. B. Clarke, in Journ. Bot. xix. (1881) 105 = *Wightii*.  
*rubra*, Blume, Bijdr. 197.—Burma; Malaya.  
*rubra*, Kurz, in Journ. As. Soc. Beng. xlii. (1873) II. 66 = *praece*.  
*rubra*, Royle, Illustr. Bot. Himal. 145 = *alata*.  
*sambucifolia*, Salisb. Prod. 144 = *sambucina*.  
*sambucina*, Benth. Fl. Austral. i. 451 = *Brunoniana*.  
*sambucina*, Blanco, Fl. Filip. ed. II. 126 = *rubra* ?  
*sambucina*, M. Laws. in Hook. f. Fl. Brit. Ind. i. 166 = *aequata*.  
*sambucina*, Schum. & Thonn. Beskr. Guin. Pl. 134 = *guineense*.  
*sambucina*, Willd. Sp. Pl. i. 1177.—Geront. trop.  
*sanguinea*, Kurz, in Journ. As. Soc. Beng. xlii. (1873) II. 66 = *rubra*.  
*sanguinea*, M'Lell. ex C. B. Clarke, in Journ. Bot. xix. (1881) 102 = *pumila*.  
*sanguinea*, Wall. Cat. n. 6824 M = *laeta*.  
*sanguinea*, Wall. ex Boj. Hort. Maurit. 61.—Ind. or.  
*scabra*, Roxb. ex Roem. & Schult. Syst. iv. 814, in obs. = *hirta*.  
*serrulata*, Miq. Ann. Mus. Bot. Lugd. Bat. i. 99 = *acuminata*.  
*setuligera*, C. B. Clarke, in Journ. Bot. xix. (1881) 105.—Ind. or.  
*simplex*, Zipp. ex Miq. Ann. Mus. Bot. Lugd. Bat. i. 99 = *sambucina*.  
*simplicifolia*, Griff. Notul. iv. 697 = *macrophylla*.  
*simplicifolia*, Zipp. ex Miq. Ann. Mus. Bot. Lugd. Bat. i. 101 = *Zippeliana*.  
*simplicifolia*, Zoll. & Mor. in Nat. en Geneesk. Arch. Neêrl. Ind. II. (1845) 578.—Sumatra.  
*speciosa*, Sieber, ex Miq. Ann. Mus. Bot. Lugd. Bat. i. 99 = *sambucina*.  
*spinosa*, Spreng. Syst. i. 670 = *Aralia* spinosa.  
*Staphylea*, Roxb. Hort. Beng. 18; Fl. Ind. i. 658 = *sambucina*.  
*Staphylea*, Wall. Cat. n. 6824 = *acuminata*, *alata*.  
*Staphylea*, Wight, Illustr. t. 58 = *Wightii*.  
*striata*, Zipp. ex Miq. Ann. Mus. Bot. Lugd. Bat. i. 96 = *sundaica*.  
*sumatrana*, Miq. Fl. Ind. Bat. i. II. 610.—Sumatra.  
*sundaica*, Miq. l. c.—Java.  
*tinctoria*, Lindl. ex Baker, in Oliver, Fl. Trop. Afr. i. 416.—Afr. trop.  
*trifoliata*, M. Laws. in Hook. f. Fl. Brit. Ind. i. 666.—Reg. Himal.  
*tuberculosemen*, C. B. Clarke, in Journ. Bot. xix. (1881) 141.—Burma.  
*umbraculifera*, C. B. Clarke, l. c.—Reg. Himal.  
*viridiflora*, Planch. Hort. Donat. 6 = *sambucina*.  
*Wrightii*, C. B. Clarke, in Journ. Bot. xix. (1881) 105.—Malabar.  
*Zippeliana*, Miq. Ann. Mus. Bot. Lugd. Bat. i. 101.—N. Guin.

LEEANIA, Rafin. Princ. Somiol. 30 (1814) = *praece*.

LEERIA, Steud. Nom. ed. I. 469 (1821) = *LERIA*, DC. = *Chaptalia*, Vent. (Compos.).

LEERSIA, Soland. ex Sw. Prod. Veg. Ind. Occ. 21 (1788). GRAMINEAE, Benth. & Hook. f. III. 1117. ASPRELLA, Schreb. Gen. 45 (1789). BLEPHAROCLOA, Endl. Gen. 1352 (1841). EHRHARTIA, [Web. in] Wigg. Prim. Fl. Holsat. 63 (1780). ENDODIA, Rafin. Neogenyt. 4 (1825). HOMALOCENCHRUS, Mieg. ex Hall. Stirp. Helv. II. 201 (1768), nomen prius. LAERTIA, Gromow, ex Trautv. in Act. Hort. Petrop. ix. (1884) 354. PSEUDORYZA, Griff. Ic. Pl. Asiat. t. 144 (1847). abyssinica, Hochst. ex A. Rich. Tent. Fl. Abyss. II. 356 = hexandra. aegyptiaca, Figar. & De Not. in Mem. Acc. Torin. Ser. II. xiv. (1853) 317 = hexandra. aristata, Roxb. Hort. Beng. 26; Fl. Ind. II. 207 = Hygroyza aristata. aspera, Nees, ex Trin. in Mém. Acad. Pétersb. Sér. VI. v. (1839) 168 = monandra. asperima, Willd. ex Trin. l. c. 171 = oryzoides. australis, R. Br. Prod. 210 = hexandra. brasiliensis, Spreng. Nov. Prodr. 47.—Bras. capensis, C. Muell. in Bot. Zeit. xiv. (1856) 345.—Afr. austr.

**LEERSIA:—**

*ciliata*, Roxb. Hort. Beng. 26; Fl. Ind. II. 207 = hexandra.  
*contracta*, Nees, Agrost. Bras. 516 = hexandra.  
*debilis*, Bal. & Poitrass. in Bull. Soc. Hist. Nat. Toul. xii. (1878) 220.—Paraguay.  
*digitata*, Poir. Encyc. Suppl. III. 329.—Am. austr.  
*disticha*, Benth. in Hook. Niger Fl. 556.—Afr. trop.  
*distichophylla*, Bal. & Poitrass. in Bull. Soc. Hist. Nat. Toul. xii. (1878) 221.—Paraguay.  
*elongata*, Willd. ex Trin. in Mém. Acad. Pétersb. Sér. VI. v. (1839) 172 = hexandra.  
*ferox*, Figar. & De Not. in Mem. Acc. Torin. Ser. II. xiv. (1853) 173 = hexandra.  
*glaberrima*, Trin. in Mém. Acad. Pétersb. Sér. VI. v. (1839) 173.—Texas.  
*Gouini*, Fourn. ex Hems. Biol. Centr. Am. Bot. III. 514.—Mexic.  
*gracilis*, Willd. ex Trin. in Mém. Acad. Pétersb. Sér. VI. v. (1839) 173 = hexandra.  
*Griffithiana*, C. Muell. in Bot. Zeit. xiv. (1856) 345.—Ind. or.  
*hexandra*, Sw. Prod. Veg. Ind. Occ. 21.—Amphig. trop.  
*imbricata*, Poir. Encyc. Suppl. III. 329 = virginica.  
*latifolia*, Willd. ex Steud. Nom. ed. II. II. 21 = *Maltebrunia* leersoides.  
*lenticularis*, Michx. Fl. Bor. Am. i. 39.—Am. bor.  
*ligularis*, Trin. in Mém. Acad. Pétersb. Sér. VI. v. (1839) 168.—Mexic.  
*lusonensis*, J. & C. Presl, Rel. Haenk. i. 207 = hexandra.  
*mauritanica*, Salz. ex Trin. in Mém. Acad. Pétersb. Sér. VI. v. (1839) 174 = oryzoides.  
*mexicana*, H. B. & K. Nov. Gen. et Sp. i. 195 = hexandra.  
*mexicana*, Rupr. in Bull. Acad. Brux. ix. (1842) 245 = *Gouini*.  
*monandra*, Sw. Prod. Veg. Ind. Occ. 21.—Jamaic.  
*oryzoides*, Michx. Fl. Bor. Am. i. 37 = virginica.  
*oryzoides*, Sw. Prod. Veg. Ind. Occ. 21.—Amphig.  
*ovata*, Poir. Encyc. Suppl. III. 329.—Am. bor.  
*parviflora*, Desv. Ous. 61.—Aegypt.  
*Triniana*, Sieber, ex Trin. in Mém. Acad. Pétersb. Sér. VI. v. (1839) 174 = hexandra.  
*virginica*, Willd. Sp. Pl. i. 325.—Am. bor.

LEEUWENHOCKIA, Steud. Nom. ed. II. II. 21 (1841) = *Levenhookia*, R. Br. (Stylid.).

LEEUWENHOECKIA, E. Mey. ex Endl. Nov. Stirp. Dec. 37 (1839) = *Dombeya*, Cav. (Stercul.).  
*tiliacea*, E. Mey. l. c. = *D. tiliacea*.

LEEUWENHOECKIA, Spreng. Anleit. II. I. 300 (1817) = *Levenhookia*, R. Br. (Stylid.).

LEEUWENHOOKIA, Reichb. Consp. 91 (1828) = *praece*.

LEFEBUREA, Endl. Gen. Suppl. II. 69 (1842) = *Lefebvrea*, A. Rich. (Umbellif.).

LEFEBURIA, Lindl. Veg. Kingd. 778 (1847) = *praece*.

LEFEBVREA, A. Rich. in Ann. Sc. Nat. Sér. II. xiv. (1840) 260. t. 15. f. 1. UMBELLIFERAE, Benth. & Hook. f. i. 921.  
*abyssinica*, A. Rich. l. c.—Abyss.  
*brachystyla*, Hiern, ex Oliver, in Trans. Linn. Soc. xxix. (1873) 80.—Afr. trop.

LEGAZPIA, Blanco, Fl. Filip. ed. II. 338 (1845) = *Torenia*, Linn. (Scrophul.).  
*triptera*, Blanco, l. c. 339 = *T. cardiosepala*.

LEGENDREA, Webb & Berth. Phyt. Canar. III. 26 (1836–50). CONVOLVULACEAE, Benth. & Hook. f. II. 870.  
*mollissima*, Webb & Berth. l. c. 27.—Ins. Canar.

LEGNEPHORA, Miers, in Ann. & Mag. Nat. Hist. Ser. III. xix. (1867) 88 = *Pericampylus*, Miers (Menisp.).  
*Moorii*, Miers, l. c. 90 = *P. incanus*.

LEGNOTIS, Sw. Prod. Veg. Ind. Occ. 84 (1788) = *Cassipourea*, Aubl. (Rhizoph.).  
*Cassipourea*, Sw. l. c. = *C. macrophylla*.  
*elliptica*, Sw. l. c. = *C. elliptica*.  
*macrophylla*, Mart. ex DC. Prod. III. 34 = *C. macrophylla*.



- LEGOUIXIA**, Heurck. & Muell. Arg. in Heurck. Obs. Bot. 145 (1871) = **Epigynum**, Wight (Apocyn.). *amabilis*, Heurck. & Muell. Arg. l. c. 146 = *E. Griffithianum*.
- LEGOUSIA**, Durand, Fl. Bourg. i. 37; ii. 26 (1782) = **Specularia**, Heist. (Campanul.). *arvensis*, Durand, l. c. = *S. Speculum*. *Durandi*, Delarb. Fl. Auv. ed. II. 45 = *S. Speculum*. *ericoides*, Buck, Ind. ad DC. Prod. iii. 255 = *Prismatocarpus paniculatus*. *hybrida*, Delarb. Fl. Auv. ed. II. 47 = *S. hybrida*. *parviflora*, S. F. Gray, Nat. Arr. Brit. Pl. ii. 410 = *S. hybrida*. *Speculum*, Fisch. ex A. DC. Monog. Camp. 347 = *S. Speculum*.
- LEGOUZIA**, Delarb. Fl. Auv. ed. II. 45 (1800) = *præc.*
- LEGUMINARIA**, Bur. Monog. Bign. 42 (1864) = **Adenocalymma**, Mart. (Bignon.).
- LEHMANNIA**, Casseb. & Theob. Fl. Wett. ed. II. 32 (1847) = **Gentiana**, Linn. *ciliata*, Casseb. & Theob. l. c. = *G. ciliata*.
- LEHMANNIA**, Jacq. ex Steud. Nom. ed. II. ii. 21 (1841); Jacq. f. Ecl. ii. t. 108 (1844) = **Moschosma**, Reichb. (Labi.). *ocymoides*, Jacq. l. c. = *M. polystachya*.
- LEHMANNIA**, Spreng. Anleit. ii. i. 458 (1817) = **Nicotiana**, Linn. (Solan.). *tomentosa*, Spreng. l. c. = *N. tomentosa*.
- LEHMANNIA**, Tratt. Ros. Monog. iv. 144 (1824) = **Potentilla**, Linn. (Rosac.). *lignosa*, Tratt. l. c. 145 = *P. lignosa*.
- LEIACHENIS**, Rafin. Fl. Tellur. ii. 45 (1836) = **Aster**, Tourn. (Compos.). *cordifolia*, Rafin. l. c. = *A. cordifolius*. *corymbosa*, Rafin. l. c. = *A. corymbosus*. *dumosa*, Rafin. l. c. = *A. dumosus*. *foliolosus*, Rafin. l. c. = *A. vimineus*. *paludosa*, Rafin. l. c. = *A. paludosus*. *paniculata*, Rafin. l. c. = *A. paniculatus*. *sparsiflorus*, Rafin. l. c. = *A. sparsiflorus*.
- LEIANDRA**, Rafin. Fl. Tellur. ii. 17 (1836) = **Trade-scantia**, Linn. (Commel.). *cordifolia*, Rafin. l. c. = *T. cordifolia*. *divaricata*, Rafin. l. c. = *T. virginica*.
- LEIANTHOSTEMON**, Miq. Stirp. Surin. Sel. 147 (1850) = **Voyria**, Aubl. (Gentian.). *corymbosus*, Miq. l. c. = *V. corymbosa*. *niveus*, Miq. l. c. 148 = *V. nivea*.
- LEIANTHUS**, Griseb. Gen. et Sp. Gent. 196 (1839). **GENTIANEAE**, Benth. & Hook. f. ii. 807. **OMPHALOSTIGMA**, Griseb. Gen. et Sp. Gent. 198 (1839). **PETASOSTYLIS**, Griseb. in DC. Prod. ix. 71 (1845). *axillaris*, Hemsl. Biol. Centr. Am. Bot. ii. 344. — Am. centr. *brevidentatus*, Hemsl. l. c. — Guatemala. *cordifolius*, Griseb. Gen. et Sp. Gent. 197. — Ind. occ. *cuspidatus*, Griseb. in DC. Prod. ix. 82 = *nigrescens*. *exsertus*, Griseb. Gen. et Sp. Gent. 197. — Jamaic. *lanceolatus*, Benth. Pl. Hartw. 24 = *Gentiana lanceolata*. *latifolius*, Griseb. Gen. et Sp. Gent. 199. — Jamaic. *longifolius*, Griseb. l. c. 196. — Jamaic. *nigrescens*, Griseb. l. c. 199. — Mexic. *saponarioides*, Griseb. l. c. 198. — Mexic. *Seemanni*, Griseb. in Seem. Bot. Voy. Herald, 170. — Costa Rica. *silenifolius*, Griseb. Cat. Pl. Cub. 180. — Cuba. *Skinneri*, Hemsl. Biol. Centr. Am. Bot. ii. 345. — Guatemala. *umbellatus*, Griseb. Gen. et Sp. Gent. 199. — Jamaic.
- LEIBNITZIA**, Cass. in Dict. Sc. Nat. xxv. 420 (1822) = **Gerbera**, Gronov. (Compos.). *cryptogama*, Cass. l. c. 421 = *G. Anandria*. *phanerogama*, Cass. l. c. 422 = *G. Anandria*.
- LEIBOLDIA**, Schlecht. in Linnaea, xix. (1847) 742 = **Vernonia**, Schreb. (Compos.). *arctioides*, Schlecht. l. c. 743 = *V. arctioides*. *ovata*, Schlecht. l. c. 742 = *V. Leiboldiana*.
- LEICESTERIA**, Pritz. Ic. Ind. i. 628 (1855) = **Leycesteria**, Wall. (Caprifol.).
- LEICHARDTIA**, R. Br. in Sturt, Exped. Centr.-Austr. App. 81 (1849) = *seq.*
- LEICHHARDTIA**, R. Br. in Sturt, Exped. Centr. Austr. ii. App. 81 (1849) = **Marsdenia**, R. Br. (Asclep.). *australis*, R. Br. l. c. = *M. Leichhardtiana*.
- LEICHHARDTIA**, F. Muell. Fragm. x. 67 (1876). **MENISPERMACEAE**. *clamboides*, F. Muell. l. c. 68. — Austral.
- LEICHHARDTIA**, Sheph. Cat. Pl. Cult. Sydn. (1851) 15 = **Callitris**, Vent. (Conif.). *Macleayana*, Sheph. l. c. = *C. Macleayana*.
- LEIDESIA**, Muell. Arg. in DC. Prod. xv. ii. 792 (1866). **EUPHORBACEAE**, Benth. & Hook. f. iii. 810. *capensis*, Muell. Arg. l. c. 793. — Afr. austr. *obtusata*, Muell. Arg. l. c. — Afr. austr.
- LEIENA**, Rafin. Fl. Tellur. iv. 33 (1836) = **Restio**, Linn.
- LEIGHIA**, Cass. in Dict. Sc. Nat. xxv. 435 (1822) = **Viguiera**, H. B. & K. (Compos.). *anchusaefolia*, DC. Prod. v. 580 = *V. anchusaefolia*. *angustifolia*, DC. l. c. 582 = *Aspilula bupththalmiflora*. *arillata*, DC. l. c. = *Aspilula bupththalmiflora*. *Baldwiniana*, Nutt. in Trans. Am. Phil. Soc. N. S. vii. (1841) 365. — Am. austr. *bicolor*, Cass. in Dict. Sc. Nat. xxv. 436 = *Helianthus angustifolius*. *bupththalmiflora*, DC. Prod. v. 582 = *Aspilula bupththalmiflora*. *calendulacea*, DC. l. c. 582 = *Aspilula bupththalmiflora*. *debilis*, Nutt. in Trans. Am. Phil. Soc. N. S. vii. (1841) 365. — Reg. Argent. *dissitifolia*, DC. Prod. v. 581 = *V. dissitifolia*. *ecliptaefolia*, DC. l. c. 583 = *Aspilula ecliptaefolia*. *elegans*, Cass. in Dict. Sc. Nat. xxv. 435 = *V. linearis*. *Gilliesii*, Hook. & Arn. in Hook. Journ. Bot. iii. (1841) 313 = *V. Gilliesii*. *grandiflora*, Gardn. in Field. Sert. Pl. tt. 54, 55 = *V. grandiflora*. *Hookeriana*, Nutt. in Trans. Am. Phil. Soc. N. S. vii. (1841) 365 = *Wyethia angustifolia*. *immarginata*, DC. Prod. v. 581 = *V. stenophylla*. *lanceolata*, Nutt. in Trans. Am. Phil. Soc. N. S. vii. (1841) 365 = *Helianthella uniflora*? *laxa*, DC. Prod. v. 580 = *V. laxa*. *leptocephala*, DC. l. c. 582. — Mexic.? *linearis*, DC. l. c. 581 = *V. linearis*. *lomatoneura*, DC. l. c. = *V. anchusaefolia*. *longifolia*, Nutt. in Trans. Am. Phil. Soc. N. S. vii. (1841) 365 = *Helianthus longifolius*. *microphylla*, Cass. in Dict. Sc. Nat. xxv. 436 = *Helianthus microphyllus*. *nonneaeefolia*, DC. Prod. v. 581 = *V. nonneaeefolia*. *ovatifolia*, DC. l. c. 583 = *V. ovatifolia*. *silphioides*, Hook. & Arn. in Hook. Journ. Bot. iii. (1841) 314 = *Aspilula silphioides*. *speciosa*, DC. Prod. v. 583 = *Tithonia speciosa*. *sphaerocephala*, DC. l. c. 582 = *V. sphaerocephala*. *stenophylla*, Hook. & Arn. in Hook. Journ. Bot. iii. (1841) 313 = *V. stenophylla*. *tucumanensis*, Hook. & Arn. l. c. 314 = *V. tucumanensis*. *uniflora*, Nutt. in Trans. Am. Phil. Soc. N. S. vii. (1841) 364 = *Helianthella uniflora*. *urticiformis*, DC. Prod. v. 582 = *V. urticiformis*.
- LEIGHIA**, Scop. Introd. 128 (1777) = **Ethulia**, Linn. (Compos.).
- LEIMANISA**, Rafin. New Fl. Am. iv. 93 (1836) = **Gentiana**, Linn. *pratensis*, Rafin. l. c. = *G. Amarella*.
- LEIMANTHEMUM**, Ritg. in Marb. Schrift. ii. 1830 130 = *seq.*
- LEIMANTHIUM**, Willd. in Ges. Naturf. Fr. Berl. Mag. ii. (1808) 24 = **Melanthium**, Linn. (Liliac.). *glaucum*, Schult. f. Syst. vii. 1551 = *Zygadenus glaucus*. *hybridum*, Sweet, Hort. Brit. ed. I. 429 = *M. virginicum*. *laetum*, Willd. in Ges. Naturf. Fr. Berl. Mag. ii. (1808) 24 = *Zygadenus muscaetoxicus*. *monoicum*, Sweet, Hort. Brit. ed. I. 429 = *Veratrum parviflorum*. *Nuttallii*, Hook. Fl. Bor. Am. ii. 177 = *Zygadenus Nuttallii*. *pallidum*, Willd. in Ges. Naturf. Fr. Berl. Mag. ii. (1808) 24 = *Zygadenus muscaetoxicus*. *sibiricum*, Schult. f. Syst. vii. 1551 = *Zygadenus sibiricus*. *virginicum*, Willd. in Ges. Naturf. Fr. Berl. Mag. ii. (1808) 24 = *M. virginicum*.
- LEINCKERIA**, Neck. Elem. ii. 172 (1790) = *seq.*
- LEINKERIA**, Scop. Introd. 345 (1777) = **Roupala**, Aubl. (Proteac.).
- LEIOCALYX**, Planch. ex Hook. Niger Fl. 350 (1849) = **Dissotis**, Benth. (Melastom.).
- LEIOCARPUS**, Blume, Bijdr. 581 (1825) = **Aporosa**, Blume (Euphorb.). *arborescens*, Hassk. Cat. Hort. Bog. Desc. 59 = *A. arborescens*. *arboreus*, Blume, Bijdr. 582 = *A. arborea*. *arboreus*, Miq. Fl. Ind. Bat. Suppl. 443 = *A. Miqueliana*. *fruticosus*, Blume, Bijdr. 582 = *A. fruticosa*. *quadrilocularis*, Miq. Fl. Ind. Bat. Suppl. 443 = *A. quadrilocularis*. *serratus*, Hassk. Cat. Hort. Bog. Desc. 55, in obs. = *A. microcalyx*.
- LEIOCARYA**, Hochst. in Flora, xxvii. (1844) 30 = **Trichodesma**, R. Br. (Borag.). *Kotschyana*, Hochst. l. c. = *T. zeylanicum*.
- LEIOCHILUS**, Benth. in Journ. Linn. Soc. xviii. (1851) 328 = **Leochilus**, Knowles & Westc. (Orchid.).
- LEIOCHILUS**, Hook. f. in Benth. & Hook. f. Gen. ii. 116 (1873). **RUBIACEAE**, Benth. & Hook. f. l. c. *resinosus*, Hook. f. l. c. — Madag.
- LEIOCLUSIA**, Baill. in Bull. Soc. Linn. Par. i. (1881) 244. **GUTTIFERAE**. *Boiviniana*, Baill. l. c. — Madag.
- LEIOLIGO**, Rafin. Fl. Tellur. ii. 42 (1836) = **Solidago**, Vaill. (Compos.). *caesia*, Rafin. l. c. = *S. caesia*. *corymbosa*, Rafin. l. c. = *S. Virgaurea*? *elata*, Rafin. l. c. = *S. petiolaris*. *erecta*, Rafin. l. c. = *S. petiolaris*. *lithospermifolia*, Rafin. l. c. = *S. sempervirens*. *petiolaris*, Rafin. l. c. = *S. petiolaris*. *pulverulenta*, Rafin. l. c. = *S. puberula*. *pyramidata*, Rafin. l. c. = *S. pilosa*. *rigida*, Rafin. l. c. = *S. rigida*. *salicina*, Rafin. l. c. = *S. patula*. *speciosa*, Rafin. l. c. = *S. speciosa*.
- LEIOLOBIUM**, Benth. in Ann. Wien. Mus. ii. (1854) 94 = **Dalbergia**, Linn. (Legumin.). *nigrum*, Benth. l. c. = *D. nigra*.
- LEIOLOBIUM**, Reichb. Consp. 184 (1828) = **Nasturtium**, R. Br. (Crucif.). *austriacum*, Opiz. Seznam, 58 = *N. austriacum*.
- LEIOPHYLLUM**, Ehrh. Beitr. iv. 146 (1789) = **Scirpus**, Tourn. (Cyperac.).
- LEIOPHYLLUM**, Hedw. f. Gen. 313 (1804). **CACEAE**, Benth. & Hook. f. ii. 597. *AMMURSINE*, Pursh, Fl. Am. Sept. i. 301 (1814). *DENDRIUM*, Desv. Journ. Bot. iii. (1814) 36. *FISCHERIA*, Sw. in Mem. Soc. Nat. Mosc. v. 1817 14. *buxifolium*, Ell. Sketch, i. 483. — Am. l. *Lyoni*, Sweet, Hort. Brit. ed. III. 444 = *buxifolium*. *prostratum*, Loud. Arboret. 1155 = *buxifolium*. *serpyllifolium*, DC. Prod. vii. 730 = *buxifolium*. *thymifolium*, Steud. Nom. ed. I. 469 = *buxifolium*.



LEIOPYXIS, Miq. Fl. Ind. Bat. Suppl. 445 (1860) = **Cleistanthus**, Hook. f. (Euphorb.).  
*sumatrana*, Miq. l. c. 446 = *C. sumatranus*.

LEIOSANDRA, Rafin. Fl. Tellur. iv. 89 (1836) = **Verbascum**, Tourn. (Scrophul.).  
*crassifolia*, Rafin. l. c. = *V. crassifolium*.  
*cuspidata*, Rafin. l. c. = *V. Thapsus*.

LEIOSPERMUM, D. Don, in Edinb. N. Phil. Journ. (Apr.–June 1830) 91 = **Weinmannia**, Linn. (Saxi-frag.).  
*parviflorum*, D. Don, l. c. = *W. parviflora*.  
*racemosum*, D. Don, l. c. = *W. racemosa*.

LEIOSPERMUM, Wall. Cat. n. 6923 (1832?) = **Psilochrysum**, Blume (Amarant.).  
*ferrugineum*, Wall. Cat. n. 6923 = *Ps. ferrugineum*.  
*ferrugineum*, Wight, Ic. t. 721 = *Ps. trichotomum*.

LEIOSTEGIA, Benth. in Hook. Journ. Bot. ii. (1840) 294 = **Comolia**, DC. (Melastom.).  
*vernica*, Benth. l. c. = *C. vernica*.

LEIOSTEMON, Rafin. Neogenyt. 2 (1825) = **Pentstemon**, Mitch. (Scrophul.).  
*frutescens*, Rafin. l. c. = *P. frutescens*.  
*purpureum*, Rafin. Atl. Journ. 145.—Am. bor.

LEIOTHAMNUS, Griseb. Gen. et Sp. Gent. 205 (1839) = **Lisianthus**, Linn. (Gentian.).  
*anomalus*, Griseb. l. c. = *Lisianthus anomalus*.  
*Elisabethae*, Schomb. in Verh. Preuss. Ver. Gartenb. xviii. (1847) 155. t. 1 = *Lisianthus Elisabethae*.

LEIOTULUS, Ehrenb. in Linnaea, iv. (1829) 399 = **Malabaila**, Hoffm. (Umbellif.).  
*alexandrinus*, Ehrenb. l. c. = *M. Sekakul*.

LEIPHAIMOS, Schlecht. & Cham. in Linnaea, vi. (1831) 387 = **Voyria**, Aubl. (Gentian.).  
*aurantiacus*, Miq. Stirp. Surin. Sel. 148 = *V. aurantiaca*.  
*mexicanus*, Miq. l. c. = *V. mexicana*?  
*nudus*, Miq. l. c. = *V. nuda*.  
*pallidus*, Walp. Ann. iii. 83 = *V. aphylla*.  
*parasitica*, Schlecht. & Cham. in Linnaea, vi. (1831) 387 = *V. mexicana*.  
*spathaceus*, Miq. Stirp. Surin. Sel. 148 = *V. spathacea*.  
*tenellus*, Miq. l. c. = *V. tenella*.  
*tenuiflorus*, Miq. l. c. = *V. tenuiflora*.  
*uniflorus*, Miq. l. c. = *V. aphylla*.

LEITGEBIA, Eichl. in Mart. Fl. Bras. xiii. i. 413 (1871). **VIOLARIEAE**.  
*guianensis*, Eichl. l. c.—Guiana.

LEITNERIA, Chapm. Fl. S. U. St. 427 (1860). **LEITNERIEAE**, Benth. & Hook. f. iii. 397.  
*floridana*, Chapm. l. c. 428.—Am. bor.

LEJICA, DC. Prod. v. 534, in syn. (1836) = **LEPIA**, Hill = **Zinnia**, Linn. (Compos.).

LELOUTRIA, Gaudich. Bot. Voy. Bonite, t. 110. (1844) 52 = **Dolia**, Lindl. (Convolv.).  
*aplocaryoides*, Gaudich. l. c.—Am. austr.

LEMAIREA, De Vriese, in Nat. Verh. Haarl. x. (1854) (Gooden.) 189. 'Genus delendum,' Benth. & Hook. f. ii. 537.  
*amboinensis*, De Vriese, l. c.—Ins. Amboina.

LEMBOTROPIS, Griseb. Spicil. Fl. Rumel. i. 10 (1843) = **Cytisus**, Linn. (Umbell.).  
*affinis*, Presl, Bot. Bemerk. 138 = *C. affinis*.  
*nigricans*, Griseb. Spicil. Fl. Rumel. i. 10 = *C. nigricans*.  
*sessilifolia*, C. Koch, Dendrol. i. 22 = *C. sessilifolius*.  
*triflora*, Presl, Bot. Bemerk. 138 = *C. triflorus*.

LEMIA, Vand. Fl. Lusit. 35. t. 2. f. 15 (1788); et in Roem. Script. 116. t. 7. f. 15 (1796) = **Portulaca**, Tourn.

LEMMATIUM, DC. Prod. v. 669 (1836) = **Calea**, Linn. (Compos.).  
*rotundifolium*, DC. l. c.; et in Deless. Ic. Sel. iv. t. 44 = *C. rotundifolia*.

**LEMMONIA**, A. Gray, in Proc. Am. Acad. xii. (1877) 162. **HYDROPHYLLACEAE**.  
*californica*, A. Gray, l. c.—Calif.

**LEMNA**, Linn. Syst. ed. I (1735). **LEMNACEAE**, Benth. & Hook. f. iii. 1001.  
**HYDROPHACE**, Hall. Enum. Stirp. Helv. iii. 68 (1768).

**LENTICULA**, Mich. ex Adans. Fam. ii. 471 (1763).  
**SPIRODELA**, Schleid. in Linnaea, xiii. (1839) 391.  
**STAUROGETON**, Reichb. Nom. 33 (1841).  
**TELMATOPHACE**, Schleid. in Linnaea, xiii. (1839) 391.

*aequinoctialis*, Welw. Apont. 578 = *angolensis*.  
*angolensis*, Welw. in Journ. Bot. iii. (1865) 112.—Afr. trop.

*arrhiza*, Linn. Mant. ii. 294 = *Wolffia Michellii*.  
*arrhiza*, Willd. ex Schleid. in Linnaea, xiii. (1839) 390 = *Wolffia Delilii*.

*bannatica*, Waldst. & Kit. ex Schleid. l. c. 392 = *polyrrhiza*.  
*bisulca*, Veessenm. in Beitr. Pfl. Russ. Reich. ix. 104 = *trisulca*?

*conjugata*, Willd. ex Schleid. in Linnaea, xiii. (1839) 391 = *minor*.  
*cruciata*, Roxb. Hort. Beng. 66; Fl. Ind. iii. 566 = *trisulca*.

*cyclostasa*, Ell. ex Chev. Fl. Par. ii. 256; Schleid. in Linnaea, viii. (1839) 390 = *minor*.  
*dimidiata*, Rafin. in Am. Monthly Mag. ii. (1817) 43

*Ricciae* sp. (Crypt.).  
*gibba*, Blanco, Fl. Filip. ed. I. 672 = *oligorrhiza*.  
*gibba*, Linn. Sp. Pl. 970.—Reg. bor. et austr.

*gibba*, Seem. ex Kurz, in Journ. Linn. Soc. ix. (1867) 266 (an praec.?).—Ins. Fiji.  
*gibba*, Weber, ex Mert. & Koch, Deutschl. Fl. i. 295 = *minor*.

*globosa*, Roxb. Hort. Beng. 66; Fl. Ind. iii. 565 = *Wolffia Michellii*.

*hyalina*, Delile, Fl. Aegypt. 27 = *Wolffia Delilii*.  
*intermedia*, Ruthe, ex Schleid. in Linnaea, xiii. (1839) 391 = *trisulca*.

*javanica*, Bauer, ex Hegelm. Lemnac. 150 = *oligorrhiza*.  
*major*, Griff. Notul. iii. 216 = *polyrrhiza*.

*melanorrhiza*, F. Muell. ex Kurz, in Journ. Bot. v. (1867) 115 = *oligorrhiza*.  
*microscopica*, Schur, Enum. Pl. Transs. 635 = *Wolffia Michellii*.

*minima*, Chev. Fl. Par. ii. 256 = *minor*.  
*minima*, Phil. in Linnaea, xxxiii. (1864–65) 239, in syn. = *minuta*.

*minor*, Griff. Notul. iii. 216 = *paucicostata*.  
*minor*, Linn. Sp. Pl. 970.—Amphig.

*minuta*, Desv. ex Steud. Nom. ed. I. 469 = *Marsilea minuta* (Crypt.).  
*minuta*, H. B. & K. Nov. Gen. et Sp. i. 372 = *minor*.

*minuta*, Rafin. in Med. Repos. N. York, v. (1808) 352, nomen (Quid?).—Ind. or.  
*obcordata*, Boj. Hort. Maurit. 358 = *minor*.

*obcordata*, Buch.-Ham. in Wall. Cat. n. 5201 (Quid?).—Ind. or.  
*obcordata*, Vahl, Symb. Bot. ii. 95 = *Ricciae* sp. (Crypt.).

*oblonga*, Phil. in Linnaea, xxix. (1857–58) 45.—Chili.  
*oligorrhiza*, Kurz, in Journ. Linn. Soc. ix. (1867) 267. —Austral.; As. et Am. trop.

*orbicularis*, Kit. ex Schult. Oestr. Fl. ed. II. i. 64 = *polyrrhiza*.  
*orbiculata*, Roxb. Hort. Beng. 66; Fl. Ind. iii. 565 = *polyrrhiza*.

*ovata*, A. Br. ex Krauss, in Flora, xxviii. (1845) 344 = *minor*.  
*palustris*, Haenke, ex Mert. & Koch, Deutschl. Fl. i. 295 = *minor*.

*paucicostata*, Hegelm. Lemnac. 138. t. 8.—As. et Am. trop.

*perpusilla*, Torr. Fl. N. York, i. 245.—Am. bor.  
*pleiorrhiza*, F. Muell. in Journ. Bot. v. (1867) 115 = *oligorrhiza*.

*polyrrhiza*, Linn. Sp. Pl. 970.—Reg. bor. et austr.  
*punctata*, G. F. W. Mey. Prim. Fl. Esseq. 262.—Guian.

*quadrifolia*, Steud. Nom. ed. I. 469 = *Marsilea quadrifolia* (Crypt.).  
*tenera*, Kurz, in Journ. As. Soc. Beng. xl. (1871) II. 78. —Ind. or.

*thermalis*, Beauv. ex Nutt. Gen. Am. i. 19 = *polyrrhiza*.  
*Torreyi*, Austin, in A. Gray, Man. Bot. N. U. St. (1867) 479 = *valdiviana*.

**LEMNA**:—  
*transsilvanica*, Schur, Enum. Pl. Transs. 635 = *polyrrhiza*.

*trichorrhiza*, Thuill. ex Schleid. in Linnaea, xiii. (1839) 391 = *gibba*, Linn.

*trisulca*, Linn. Sp. Pl. 970.—Reg. bor. et austr.  
*umbonata*, A. Br. ex Hegelm. Lemnac. 156 = *polyrrhiza*.

*Valdesiana*, S. Wats. in Bot. King's Exp. 336, sphalm. = seq.  
*valdiviana*, Phil. in Linnaea, xxxiii. (1864) 239.—Chili; Mexic.

*vulgaris*, Lam. Encyc. iii. 464 = *gibba*, minor.

**LEMNESCIA**, Willd. Sp. Pl. ii. 1172 (1799) = seq.

**LEMNISCIA**, Schreb. Gen. 358 (1789) = **Vantanea**, Aubl. (Humiriace.).  
*floribunda*, Willd. Sp. Pl. ii. 1172 = *V. guianensis*.  
*guianensis*, J. F. Gmel. Syst. 817 = *V. guianensis*.

**LEMNOPSIS**, Zipp. in Flora, xii. (1829) i. 285 (Quid?).  
**PODOSTEMACEAE**?

*major*, Zoll. Syst. Verz. Ind. Archip. 75.—Malaya.  
*minioides*, Zipp. in Flora, xii. (1829) i. 285; et in Alg. Konst. en Letter-bode, i. (1829) 297.—Malaya.

*minor*, Zoll. Syst. Verz. Ind. Archip. 75.—Malaya.

**LEMONIA**, Lindl. Bot. Reg. (1840) t. 59 = **Ravenia**, Vell. (Rutac.).  
*spectabilis*, Lindl. l. c. = *R. spectabilis*.

**LEMONIA**, Pers. Syn. i. 44 (1805), ut sect. = **LOMENIA**, Pourr. = **Watsonia**, Mill. (Irid.).

**LEMOTRIS**, Rafin. Fl. Tellur. ii. 26 (1836) = seq.

**LEMOTRYS**, Rafin. Fl. Tellur. iii. 50 (1836) = **Camassia**, Lindl. (Liliac.).  
*hyacinthina*, Rafin. l. c. 51 = *C. esculenta*.

**LENCYMMAEA**, Presl, Epim. Bot. 211 (1849).  
'Genus dubium,' Benth. & Hook. f. i. 735.  
*salicifolia*, Presl, l. c.—Burma.

**LENIDIA**, Thou. Gen. Nov. Madag. 17 (1806) = **Wormia**, Rottb. (Dillen.).

*alata*, Poir. in Dict. Sc. Nat. xxv. 448 = *W. alata*.  
*dentata*, Poir. l. c. = *W. triquetra*.  
*madagascariensis*, Poir. Encyc. Suppl. iii. 330 = *W. madagascariensis*.

*triquetra*, Poir. in Dict. Sc. Nat. xxv. 448 = *W. triquetra*.

**LENNEA**, Klotzsch, in Link, Klotzsch & Otto, Ic. Pl. Hort. Berol. ii. 65. t. 26 (1842). **LEGUMINOSAE**, Benth. & Hook. f. i. 500.

*robinoides*, Klotzsch, l. c.—Mexic.  
*viridiflora*, Seem. Bot. Voy. Herald, 107.—Uruguay.

**LENNOA**, Lex. in La Llave & Lex. Nov. Veg. Desc. fasc. i. 7 (1824). **LENNOACEAE**, Benth. & Hook. f. ii. 622.

**CORALLOPHYLLUM**, H. B. & K. Nov. Gen. et Sp. vii. 275. t. 660 bis (1825).

*arenaria*, Fourn. in Bull. Soc. Bot. Fr. xvi. (1869) 11 = *Pholisma arenarium*.  
*caerulea*, Fourn. l. c.; Solms, in Abh. Naturf. Ges. Halle, xi. (1870) 176.—Mexic.

*madrepoides*, Steud. Nom. ed. II. ii. 22, sphalm. = seq.  
*madrepoides*, Lex. in La Llave & Lex. Nov. Veg. Desc. fasc. i. 7.—Mexic.

**LENORMANDIA**, Steud. in Flora, xxxiii. (1850) 229, nomen; Syn. Pl. Gram. 359 (1855) = **Andropogon**, Linn. (Gramin.).

*insignis*, Steud. II. cc. = *A. squarrosus*.

**LENS**, [Tourn.] Linn. Syst. ed. I (1735); Moench, Meth. 131 (1794); Gren. & Godr. Fl. Fr. i. 476 (1848). **LEGUMINOSAE**, Benth. & Hook. f. i. 525.

*abyssinica*, Alef. in Bonplandia, ix. (1861) 131 = *esculenta*.  
*Biebersteinii*, Lamotte, Prod. i. 220 = *nigricans*.

*camelorum*, Webb & Berth. Phyt. Canar. ii. 97 = *esculenta*.  
*culinare*, Medic. in Vories. Chnurf. Phys. Ges. ii. (1787) 361 = *esculenta*.

*cyanea*, Alef. in Bonplandia, ix. (1861) 129.—Persia.



**LENS:—**

*disperma*, Webb & Berth. Phyt. Canar. ii. 97 = *esculenta*.  
*esculenta*, Moench, Meth. 131.—Oriens.  
*himalayensis*, Alef. in *Bonplandia*, ix. (1861) 130  
 (Quid?).—Reg. Himal.  
*Hohenackeri*, Webb & Berth. Phyt. Canar. ii. 97 =  
 L. *Lenticula*.  
*Lenticula*, Alef. in *Bonplandia*, ix. (1861) 129.—Europ.  
*lentoides*, Webb & Berth. Phyt. Canar. ii. 97 = *nigri-*  
*cans*.  
*monantha*, Moench, Meth. 131 = *Vicia monanthos*.  
*nigricans*, Godr. Fl. Lorr. ed. I. i. 173.—Reg. Mediterr.  
*Nummularia*, Alef. in *Bonplandia*, ix. (1861) 130 =  
*esculenta*.  
*sativa*, Hell. Fl. Wirceb. ii. 169 = *esculenta*.  
*Schnittspahnii*, Alef. in *Bonplandia*, ix. (1861) 129  
 (= *Ervum orientale*).—Persia; Ind. or.  
*Tenorei*, Lamotte, Prod. i. 220, in obs. = *nigricans*.  
*uniflora*, Schur, Enum. Pl. Transs. 171 = L. *Lenticula*.  
*vulgaris*, Delarb. Fl. Auv. ed. II. 472 = *esculenta*.

**LENTAGO**, Rafin. in Ann. Gén. Sc. Phys. vi. (1820) 87  
 = **Viburnum**, Tourn. (Caprifol.).

**LENTIBULARIA**, Adans. Fam. ii. 208 (1763) = **Utricu-**  
**laria**, Linn. (Lentib.).  
*major*, Gilib. Fl. Lituan. i. 189 = U. *vulgaris*.  
*minor*, Rafin. Fl. Tellur. iv. 108 = U. *minor*.  
*vulgaris*, Moench, Meth. 520 = U. *vulgaris*.

**LENTICULA**, Mich. ex Adans. Fam. ii. 471 (1763) =  
**Lemna**, Linn.  
*arrhiza*, Lam. Fl. Fr. ii. 190 = *Wolfia* Michellii.  
*cyclostasa*, Kurz, in Journ. Linn. Soc. ix. (1867) 266 =  
*Lemna* *minor*.  
*gibba*, Moench, Meth. 319 = *Lemna* *gibba*.  
*gibbosa*, Renault, Fl. Dép. Orne, 40 = *Lemna* *gibba*.  
*minima*, Kurz, in Journ. Linn. Soc. ix. (1867) 266 =  
*Lemna* *minor*.  
*minor*, Scop. Fl. Carn. ed. II. ii. 213 = *Lemna* *minor*.  
*polyrhiza*, Lam. Fl. Fr. ii. 189 = *Lemna* *polyrhiza*.  
*ramosa*, Lam. l. c. = *Lemna* *trisulca*.  
*trisulca*, Scop. Fl. Carn. ed. II. ii. 213 = *Lemna* *trisulca*.  
*vulgaris*, Lam. Fl. Fr. ii. 189 = *Lemna* *minor*, *gibba*.

**LENTISCUS**, [Tourn.] Linn. Syst. ed. I (1735) =  
**Pistacia**, Linn. (Anacard.).  
*massiliensis*, Fourr. in Ann. Soc. Linn. Lyon, N. S.  
 xvii. (1869) 195 = P. *Lentiscus*.  
*vulgaris*, Fourr. l. c. xvi. (1868) 356 = P. *Lentiscus*.

**LENZIA**, Phil. in Linnaea, xxxiii. (1864-65) 222.  
 Gen. dub. **AMARANTAC.**—Cf. Benth. & Hook. f.  
 iii. 23.  
*Chamaepitys*, Phil. l. c.—Chili.

**LEOBARDIA**, Pomel, Nouv. Mat. Fl. Atl. 162 (1874) =  
 seq.

**LEOBORDEA**, Delile, in Laborde, Voy. Arab. Pétr. 86  
 (1833) = **Lotononis**, Eckl. & Zeyh. (Legumin.).  
*abyssinica*, Hochst. ex A. Rich. Tent. Fl. Abyss. i.  
 161 = Lot. *Leobordea*.  
*argyrolobioides*, Jaub. & Spach, in Ann. Sc. Nat. Sér.  
 II. xix. (1843) 237 = Lot. *genistoides*.  
*clandestina*, Steud. Nom. ed. II. ii. 23 = Lot. *clande-*  
*stina*.  
*cytisoides*, Bal. ex Boiss. Fl. Orient. ii. 31 = Lot.  
*genistoides*.  
*genistoides*, Fenzl, Pugill. Pl. Nov. Syr. 6, adnot. = Lot.  
*genistoides*.  
*lotoidea*, Delile, in Laborde, Voy. Arab. Pétr. 86 = Lot.  
*Leobordea*.  
*lotoides*, Fenzl, Pugill. Pl. Nov. Syr. 6, sphalm. = Lot.  
*genistoides*.  
*lupinifolia*, Boiss. ex Jaub. & Spach, in Ann. Sc. Nat.  
 Sér. II. xix. (1843) 237 = Lot. *lupinifolia*.  
*persica*, Jaub. & Spach, l. c. 235 = Lot. *Leobordea*.  
*porrecta*, Steud. Nom. ed. II. ii. 23 = Lot. *porrecta*.  
*sericea*, Ledeb. Fl. Ross. i. 512 = Lot. *genistoides*.  
*sphaerosperma*, Jaub. & Spach, in Ann. Sc. Nat. Sér.  
 II. xix. (1843) 235 = Lot. *Leobordea*.  
*villosa*, Pomel, Nouv. Mat. Fl. Atl. 162.—Alger.

**LEOCHILUS**, Knowles & Westc. Flor. Cab. ii. (1838)  
 143. **ORCHIDEAE**, Benth. & Hook. f. iii. 564.  
**CRYPTOSACCUS**, Reichb. f. Xenia Orch. i. 15 (1858).  
**CRYPTOSANUS**, Scheidw. in Otto & Dietr. Allg.  
 Gartenz. xi. (1843) 101.

**LEOCHILUS:—**

**LEOCHILUS**, Benth. in Journ. Linn. Soc. xviii. (1881)  
 328.  
**RHYNCHOSTELIS**, Reichb. f. in Bot. Zeit. x. (1852)  
 770.  
*carinatus*, Lindl. Bot. Reg. (1842). Misc. 23.—Mexic.  
*cochlearis*, Lindl. l. c.—Jamaic.  
*herbaceus*, Lindl. l. c. (1844). Misc. 90.—Venezuel.  
*Leiboldi*, Reichb. f. in Linnaea, xviii. (1844) 404 =  
*Papperitzia* *Leiboldi*.  
*oncioides*, Knowles & Westc. Flor. Cab. ii. (1838)  
 143.—Mexic.  
*salvus*, Griseb. Cat. Pl. Cub. 267.—Cuba.  
*sanguinolentus*, Lindl. Bot. Reg. (1844). Misc. 91.—  
 Peruv.  
*scriptus*, Reichb. f. Xenia Orch. 15.—Mexic.

**LEONHARDIA**, Opiz, in Lotos, vii. (1857) 88 = **Ulex**,  
 Linn. (Legumin.).  
*Boivini*, Opiz, l. c. 89 = U. *Boivini*.  
*Cossonii*, Opiz, l. c. = U. *Cossonii*.  
*Escayracii*, Opiz, l. c. = U. *Escayracii*.  
*lurida*, Opiz, l. c. = U. *Webbianus*.  
*megalorites*, Opiz, l. c. = U. *Boivini*.  
*Salsmanni*, Opiz, l. c. = U. *Boivini*.  
*Vaillantii*, Opiz, l. c. = U. *Boivini*.  
*Webbiana*, Opiz, l. c. = U. *Webbianus*.

**LEONIA**, Cerv. in La Llave & Lex. Nov. Veg. Desc.  
 fasc. ii. 6 (1825) = **Salvia**, Tourn. (Labiata).  
*salvifolia*, Cerv. l. c. = S. *Leonia*.

**LEONIA**, Mutis, ex Kunth, Syn. 462 (1822) = **Siparuna**,  
 Aubl. (Monimiac.).

**LEONIA**, Ruiz & Pav. Fl. Per. ii. 69. t. 222 (1799).  
**VIOLARIEAE**, Benth. & Hook. f. i. 119.  
**STEUDERIA**, Mart. Nov. Gen. et Sp. t. 168  
 (1827).  
*cymosa*, Mart. Nov. Gen. et Sp. ii. 88.—Bras.  
*glycyarpa*, Ruiz & Pav. Fl. Per. ii. 69.—Bras.  
*paniculata*, Mart. in Flora, xxiv. (1841) II. Beibl. 26 =  
*Villaresia* *paniculata*.  
*racemosa*, Mart. Nov. Gen. et Sp. ii. 86. t. 168 =  
*glycyarpa*.

**LEONICENIA**, Scop. Introd. 212 (1777) = **Miconia**,  
 Ruiz & Pav. (Melastom.).

**LEONITIS**, Spach, Hist. Vég. Phan. ix. 210 (1840) =  
 seq.

**LEONOTIS**, R. Br. in Ait. Hort. Kew. ed. II. iii. 409  
 (1811). **LABIATAE**, Benth. & Hook. f. ii. 1214.  
**HEMISODON**, Rafin. Fl. Tellur. iii. 88 (1836).  
*capensis*, Rafin. Fl. Tellur. iii. 88 = L. *Leonitis*.  
*caribea*, Rafin. l. c. = *Leucas martinicensis*.  
*dubia*, E. Mey. Comm. Pl. Afr. Austr. 242.—Afr.  
*aust.*  
*dysophylla*, Benth. in E. Mey. l. c.—Afr. austr.  
*hirtiflora*, Benth. in DC. Prod. xii. 536.—Afr. austr.  
*intermedia*, Lindl. Bot. Reg. t. 850.—Afr. austr.  
*Leonitis*, [R. Br. in] Ait. Hort. Kew. ed. II. iii. 410.—  
 Afr. austr.  
*Leonurus*, [R. Br.] l. c.—Afr. austr.  
*mollis*, Benth. in E. Mey. Comm. Pl. Afr. Austr. 242.  
 —Afr. austr.  
*nepetaefolia*, [R. Br. in] Ait. Hort. Kew. ed. II. iii.  
 409.—Amphig. trop.  
*nepetaefolia*, Schimp. ex Benth. in DC. Prod. x. 535 =  
*rugosa*.  
*ovata*, Boj. Hort. Maurit. 250 = *nepetaefolia*.  
*ovata*, Spreng. Syst. ii. 744 = L. *Leonitis*.  
*pallida*, Benth. Lab. Gen. et Sp. 619.—Afr. trop.  
*parvifolia*, Benth. l. c. = *dubia*.  
*Raineriana*, Vis. Ort. Bot. Pudov. (1842) 142.—Afr.  
*bor.*  
*rugosa*, Benth. in DC. Prod. xii. 535.—Abyssin.  
*tuberosa*, Hoffm. Vers. Pfl. 71.—Sibir.  
*velutina*, Fenzl, in Flora, xxvii. (1844) 312 = *Raineriana*.

**LEONTIA**, Reichb. Consp. 195 (1828) = **LUNTIA**, Neck.  
 = **Croton**, Linn. (Euphorb.).

**LEONTICE**, Linn. Syst. ed. I (1735). **BERBERI-**  
**DEAE**, Benth. & Hook. f. i. 43.  
**GYMNOSPERMIUM**, Spach, Hist. Vég. Phan. viii. 66  
 (1839).

**LEONTICE:—**

**LEONTOPETALON**, Tourn. ex Adans. Fam. ii. 433  
 (1763).  
*Alberti*, Regel, Gartenfl. (1881) 293.—Turkestan.  
*altaica*, Pall. in Act. Acad. Petrop. i. (1779) II. 257.  
 t. 8. f. 1-3 = *Bongardia* *Rauwolfii*.  
*armeniaca*, Boiv. in Bélang. Voy. Ind. Or. Icon. absque  
 num. (1846) = *minor*.  
*brevibracteata*, St. Lag. in Ann. Soc. Bot. Lyon, vii.  
 (1880) 129 = L. *Leontopetalum*.  
*chrysogonia*, St. Lag. l. c. = seq.  
*Chrysogonium*, Linn. Sp. Pl. 312 = *Bongardia* *Rauwolfii*.  
*darwasica*, Regel, in Act. Hort. Petrop. viii. (1884) 692  
 —Bokhara.  
*Eversmanni*, Bunge, in Arb. Naturf. Ver. Riga,  
 i. (1848) 131.—Persia; Turkest.  
*incerta*, Pall. Reise, iii. 726 = L. *Leontopetalum*.  
*leontopetaloides*, Linn. Sp. Pl. 313 = *Tacca pinnatifida*.  
*Leontopetalum*, Hook. f. & Thoms. Fl. Ind. i. 229  
 = *Eversmanni*.  
*Leontopetalum*, Linn. Sp. Pl. 312.—Ital.; Oriens.  
*microrrhyncha*, S. Moore, in Journ. Linn. Soc. xvii.  
 (1879) 377.—China.  
*minor*, Boiss. Fl. Orient. i. 100.—Persia.  
*odessana*, Fisch. ex G. Don, Gen. Syst. i. 119 = *Bon-*  
*gardia* *Rauwolfii*.  
*Oliverii*, Steud. Nom. ed. II. ii. 23 = *Bongardi*  
*Rauwolfii*.  
*secunda*, Griff. Notul. iv. 701; Ic. Pl. Asiat. t. 647  
*Bongardia* *Rauwolfii*.  
*Smirnowii*, Trautv. in Act. Hort. Petrop. vii. (1880)  
 405.—Reg. Caucas.  
*thalictrifolium*, Salisb. Prod. 252 = seq.  
*thalictroides*, Linn. Sp. Pl. 312 = *Caulophyllum thalic-*  
*troides*.  
*triphylla*, Sm. in Rees, Cycl. xx. n. 5 = *Achlys triphylla*.  
*vesicaria*, Willd. Sp. Pl. ii. 148 = L. *Leontopetalum*.

**LEONTOCHIR**, Phil. in Anal. Univ. Chil. (1873) 545  
 (Descr. Nuev. Pl. ii. 68). **AMARYLLIDAEAE**, Benth.  
 & Hook. f. iii. 737.  
*Ovallei*, Phil. l. c.—Chili.

**LEONTODON**, Adans. Fam. ii. 112 (1763) = **Tara-**  
**xacum**, Hall. (Compos.).

**LEONTODON**, Linn. Gen. ed. I. 239 (1737). **COM-**  
**POSITAE**, Benth. & Hook. f. ii. 520.  
**ANTODON**, Neck. Elem. i. 58 (1790).  
**APARGIA**, Scop. Fl. Carn. ed. II. ii. 113 (1772).  
**APARGIDIUM**, Torr. & Gray, Fl. N. Am. ii. 47  
 (1841).  
**ASTEROTHRIX**, Cass. in Dict. Sc. Nat. xlviii. 422, 430  
 (1827).  
**BALDINGERIA**, F. W. Schmidt, Samml. Phys. Aufg.  
 i. 277 (1795).  
**COLOBIUM**, Roth, in Roem. Archiv, i. 1. 36 1796.  
**DELODERIUM**, Cass. in Dict. Sc. Nat. xlviii. 430  
 (1827).  
**FIDELIA**, Sch. Bip. in Flora, xvii. (1834) 482.  
**HEDYPNOIS**, [Tourn.] Scop. Fl. Carn. ed. II. ii. 99  
 (1772).  
**HEMILEPIS**, Kunze, Ind. Sem. Hort. Lips. (1838) : ex  
 Schlecht. in Bot. Zeit. x. (1852) 875.  
**KALBFUSSIA**, Sch. Bip. in Flora, xvi. (1833) 723.  
**MILLINA**, Cass. in Dict. Sc. Nat. xxxi. 89 (1824).  
**OPORINIA**, D. Don, in Edinb. N. Phil. Journ. 1828  
 29, 309.  
**PLANCIA**, Neck. Elem. i. 49 1790).  
**SCORZONERODES**, Moench, Meth. 549 1794.  
**STRECKERA**, Sch. Bip. in Flora, xvii. (1834) 483.  
**THRICA**, S. F. Gray, Nat. Arr. Brit. Pl. ii. 12  
 (1821).  
**THRINCIA**, Roth, in Roem. Archiv, i. 1. 36 1796  
 et Catal. i. 97 (1797).  
**THRINIA**, Dulac, Fl. Hautes-Pyr. 495 (1867).  
**VIREA**, Adans. Fam. ii. 112 (1763).  
*acutissimus*, Noronha, in Verh. Batav. Gen. v. (1790)  
 ed. I. Art. iv. 19 = *Lactuca indica*.  
*adhaerens*, Fenzl, ex Ball, in Ann. & Mag. Nat. Hist.  
 Ser. II. vi. (1850) 15.—As. Min.  
*alpestris*, Tausch, in Flora, iv. (1821) 564 = *Taraxacum*  
*officinale*.  
*alpinus*, Guss. Pl. Rar. Sic. 395 = *Taraxacum apenninu-*  
*alpinus*, Jacq. Fl. Austr. i. 58 = *hastilis*.  
*alpinus*, Stev. in Mem. Soc. Nat. Mosc. iv. (1813) 13  
 100 = *Taraxacum officinale*.  
*alpinus*, Vill. Prosp. 34 = *incanus*.



## LEONTODON :—

annuus, *DC. Prod.* vii. 104.—Aegypt.  
 anomalus, *Ball, in Ann. & Mag. Nat. Hist.* Ser. II. vi. (1850) 9.—Italia.  
*apenninus*, Tenore, *Rel. Viagg. Abruzz.* 83 = *Taraxacum appenninum*.  
*apiculatus*, Ledeb. ex Reichb. *Fl. Germ. Excurs.* 270 = *Taraxacum officinale*.  
*arabicus*, Boiss. *Fl. Orient.* iii. 728.—Arab.  
*arcuatus*, Tausch, in *Flora*, iv. (1821) 567 = *Taraxacum officinale*.  
*asper*, Forsk. *Fl. Aegypt. Arab.* 145 = annuus.  
*asper, Reichb. Fl. Germ. Excurs.* 252.—Europ. austr.; Oriens.  
*aspermus*, Boiss. ex *Ball, in Ann. & Mag. Nat. Hist.* Ser. II. vi. (1850) 15.—As. Min.; Persia.  
*aspermus*, Schur, *Enum. Pl. Transs.* 358 = hispidus.  
*aurantiacus*, Reichb. *Fl. Germ. Excurs.* 853 = pyrenaicus.  
*aureus*, Georgi, *Beschr. Russ. Reich.* iv. 1209 (Quid?).—Ross. med.  
*aureus*, Linn. *Syst. ed. X.* 1193 = *Crepis aurea*.  
*autumnalis*, Linn. *Sp. Pl.* 798.—Europ.  
*autumnalis*, Oed. *Fl. Dan.* t. 501 = *Crepis tectorum*.  
*Balansae*, Boiss. *Diagn. Ser. II.* iii. 89.—Algeria.  
*Berinii*, Reichb. *Fl. Germ. Excurs.* 253.—Europ. austr.  
*bessarabicus*, Fisch. *Cat. Hort. Gorenk.* ed. II. (1812) 34 = *Taraxacum palustre*.  
*bicolor*, Turcz. ex *DC. Prod.* vii. 149 = *Taraxacum bicolor*.  
*biscutellaefolius*, *DC. Prod.* vii. 103 = *asper*.  
*biscutellaefolius*, Heldr. ex Boiss. *Diagn. Ser. I.* xi. 41 = *oxylepis*.  
*borealis*, *DC. Prod.* vii. 102.—Am. bor. occ.  
*Boryi*, Boiss. in *DC. l. c.* 103.—Hispan.  
*Bourgaenus*, Willk. in *Willk. & Lange, Prod. Fl. Hesp.* ii. 217.—Hispan.  
*brachyglossus*, Peterm. *Fl. Bienitz*, 53 = autumnalis.  
*Brumati*, Reichb. *Fl. Germ. Excurs.* 253 = hastilis.  
*bulbosus*, Linn. *Sp. Pl.* 798 = *Crepis bulbosa*.  
*carolinianus*, Walt. *Fl. Carol.* 192 = *Pyrrhopappus carolinianus*.  
*carpetanus*, Lange, in *Kjoeb. Vidensk. Meddel.* (1861) 96; (*Pugill.* 146).—Hispan.  
*caucasicus*, Fisch. *Cat. Hort. Gorenk.* ed. II. (1812) 34 = hastilis.  
*caucasicus*, Stév. in *Mém. Soc. Nat. Mosc.* iv. (1812–13) 100; Bieb. *Fl. Taur. Cauc.* iii. 530 = *Taraxacum officinale*.  
*ceratophorus*, Ledeb. *Fl. Alt.* iv. 149, in nota = *Taraxacum officinale*.  
*chilensis*, D. Don, ex Hook. & Arn. in Hook. *Comp. Bot. Mag.* i. (1835) 31 = *Taraxacum Gilliesii*.  
*chillensis*, *DC. Prod.* vii. 105 (chilensis).—Ecuador.  
*chondrillaefolius*, Scop. *Fl. Carn.* ed. II. ii. 112 = hispidus.  
*cichoraceus*, Boiss. *Fl. Orient.* iii. 729.—Europ. austr.  
*cichoriaceus*, Schleich. *Cat. Pl. Helv.* (1821) 22; et ex Reichb. *Fl. Germ. Excurs.* 270 = *Taraxacum officinale*.  
*ciliatus*, Scop. *Fl. Carn.* ed. II. ii. 112 = *Hypochoeris radicata*.  
*collinus*, Turcz. in *Bull. Soc. Nat. Mosc.* xxi. (1848) ii. 102.—Sibir. baical.  
*contortus*, Dum. *Fl. Belg.* 63 = autumnalis?  
*corniculatus*, Kit. in Schult. *Oestr. Fl. ed. II.* ii. 406 = *Taraxacum officinale*.  
*coronopifolius*, *Comm. ex Sch. Bip. in Nov. Act. Nat. Cur.* xii. i. (1845) 124.—Reg. Magellan.  
*coronopifolius*, Desf. *Fl. Atlant.* ii. 229. t. 214 = *Picris radicata*.  
*corymbosus*, Borkh. in Roem. *Neu. Mag. Bot.* 24 = *Picris hieracioides*.  
*crepidiformis*, Lam. *Encyc.* iii. 530 = pyrenaicus.  
*creticus*, Boiss. *Fl. Orient.* iii. 728.—Ins. Creta.  
*crispatus*, Griseb. & Schenk, in *Linnaea*, xxv. (1852) 610 = hispidus.  
*crispus*, *DC. ex Nym. Consp.* 468 = hastilis.  
*crispus*, Vill. *Prosp.* 34; *Hist. Pl. Dauph.* iii. 84. t. 25.—Europ. austr.  
*croceus*, Haenke, in Jacq. *Coll.* ii. 16 = pyrenaicus.  
*dandaleus*, Sieber, ex Steud. *Nom. ed. II.* ii. 23 (Quid?).—Creta.  
*Dandelion*, Hill, *Veg. Syst.* iii. 161 = *Taraxacum officinale*.  
*Dandelion*, Linn. *Sp. Pl.* 798 = *Kirgia Dandelion*.  
*danubialis*, Jacq. *Enum. Hort. Vindob.* 139, 270 = hastilis.  
*dentatus*, Linn. *Mant.* i. 107 = *Crepis pygmaea*.

## LEONTODON :—

*dentatus*, Tausch, in *Flora*, vii. (1824) 248 = *Taraxacum palustre*.  
*dissectus*, Ledeb. in *Mém. Acad. Pétersb.* v. 1812 (1814) 555 = *Taraxacum dissectum*.  
*divaricatus*, Boiss. *Diagn. Ser. I.* xi. 41 = adhaerens.  
*dubius*, Reichb. *Fl. Germ. Excurs.* 252 = hastilis.  
*dubius*, Timb. in *Bull. Soc. Sc. Phys.-Nat. Toul.* vi. (1883–84) 177.—Gallia.  
*elegans*, Banks & Soland. ex Hook. f. *Fl. N. Zel.* i. 153 = *Hieracium fragile*, Banks & Soland.  
*erectus*, Mayer, Arb. *Eintr. Fr.* i. iii. 69; ex Schrank, Baier. *Fl.* ii. 315 = *Taraxacum palustre*.  
*eripodion*, D. Don, in *Mem. Wern. Soc.* iii. (1820) 413 = *Taraxacum officinale*.  
*eripus*, Spreng. *Syst.* iii. 658 = praec.  
*erythrospermus*, Eichw. *Skizze*, 150 = *Taraxacum officinale*.  
*fasciculatus*, Nym. *Syll.* 53.—Europ. austr.  
*glaber*, Baill. *Hist. Pl.* viii. 294 = *Hypochoeris glabra*.  
*glaber*, Gilib. *Fl. Lituan.* i. 229 = autumnalis.  
*glaber*, Ucria, in Roem. *Arch.* i. i. 70.—Sicilia.  
*glaber*, Vukot. in Rad Jugos. *Akad. Zagreb.* xxxiv. (1876) 120 = hastilis?  
*glandulosus*, Pav. ex Fries, *Symb. Hierac.* 136 = *Hieracium perianthum*.  
*glaucanthus*, Ledeb. *Fl. Alt.* iv. 151 = *Taraxacum officinale*.  
*glaucescens*, Bieb. *Fl. Taur. Cauc.* iii. 530 = *Taraxacum officinale*.  
*Gouani*, *DC. Prod.* vii. 101 = pyrenaicus.  
*graecus*, Boiss. & Heldr. *Diagn. Ser. I.* xi. 39.—Graecia.  
*Gussoni*, Spreng. *Syst.* iii. 658 = *Crepis bursifolia*.  
*gymnanthus*, Link. in *Linnaea*, ix. (1834) 582 = *Taraxacum gymnanthum*.  
*hastilis*, Linn. *Sp. Pl.* ed. II. 1123.—Europ.; Oriens.  
*Heldreichianus*, Boiss. *Fl. Orient.* iii. 731 = graecus.  
*helminthioides*, Coss. & Dur. in *Bull. Soc. Bot. Fr.* xxii. (1875) 62; et ex Ball, in *Journ. Linn. Soc.* xvi. (1878) 544.—Afr. bor.  
*helveticus*, Méral, in *Ann. Sc. Nat. Sér. I.* xxii. (1831) 108 = pyrenaicus.  
*hieracioides*, *DC. Prod.* vii. 105 = *Picris hieracioides*.  
*hirsutus*, Hook. *Fl. Bor. Am.* i. 296 = *Troximon humile*.  
*hirtus*, Linn. *Syst. ed. X.* 1194.—Europ.  
*hirtus*, Pall. ex Georgi, *Beschr. Russ. Reich.* iv. 1210 = *asper*.  
*hispanicus*, Bess. *Enum. Pl. Volh.* 31 = *asper*.  
*hispanicus*, Poir. *Encyc. Suppl.* iii. 453; Méral, in *Ann. Sc. Nat. Sér. I.* xxii. (1831) 106.—Hispan.  
*hispidulus*, Boiss. *Fl. Orient.* iii. 727.—Afr. bor.; Oriens.  
*hispidus*, Cav. *l. c.* t. 149 = hispanicus.  
*hispidus*, Coss. & Bourg. ex Willk. & Lange, *Prod. Fl. Hesp.* ii. 217 = Bourgaenus.  
*hispidus*, Linn. *Sp. Pl.* 799.—Europ.  
*hispidus*, Poll. *Hist. Pl. Palat.* ii. 382 = hirtus.  
*hispidus*, Scop. *Fl. Carn.* ed. II. ii. 112 = crispus.  
*hispidus*, Vand. *Fasc. Pl.* 18 = *Hieracium intybaceum*.  
*Huguenini* x, Bruegg. in *Jahresb. Naturf. Ges. Graub.* II. xxiii–xxiv. (1880) 110.—Europ.  
*hyoseroides*, *DC. Prod.* vii. 104 = hirtus?  
*hyoseroides*, Welw. ex Reichb. *Fl. Germ. Excurs.* 863 = hastilis.  
*incanus*, Schrank, Baier. *Reise*, 14; *DC. Fl. Fr.* iv. 56.—Europ.  
*infestus*, Salisb. *Prod.* 181 = *Taraxacum officinale*.  
*keretinus*, F. Nyland. *Spicil. Pl. Fennic.* i. n. 75 = pyrenaicus.  
*Kotschy*, Boiss. *Diagn. Ser. I.* xi. 40 = *asper*.  
*Kunthianus*, Wall. *Cat. n.* 3292 = *Saussurea Kunthiana*.  
*lactuoides*, Banks & Soland. ex Hook. f. *Fl. N. Zel.* i. 151 = *Microseris Forsteri*.  
*laevigatus*, Willd. *Sp. Pl.* iii. 1546 = *Taraxacum officinale*.  
*lanatus*, Ledeb. in *Mém. Acad. Sc. Pétersb.* v. 1812 (1814), 554 = *Taraxacum serotinum*.  
*lanatus*, Linn. *Cent. Pl.* i. 26; Amoen. *Acad.* iv. 287 = *Scorzonera lanata*.  
*leptoccephalus*, Koch, *Syn. Fl. Germ.* ed. I. 429, in syn. = *Taraxacum officinale*.  
*leucanthus*, Ledeb. *Fl. Alt.* iv. 154 = *Taraxacum bicolor*.  
*libanoticus*, Boiss. *Diagn. Ser. I.* xi. 39.—Syria.  
*Linkii*, Wallr. in *Linnaea*, xiv. (1840) 662; Beitr. *Fl. Hercyn.* 292 = autumnalis.  
*liveus*, All. *Fl. Pedem.* i. 210 = *Taraxacum palustre*.

## LEONTODON :—

*lividus*, Waldst. & Kit. *Pl. Rar. Hung.* ii. 120 = *Taraxacum palustre*.  
*longifolius*, Schur, *Enum. Pl. Transs.* 358 = hastilis.  
*lucidus*, *DC. Prod.* vii. 104.—Italia.  
*lyratus*, Ledeb. *Fl. Alt.* iv. 152 = *Taraxacum lyratum*.  
*macrorrhizus*, Steud. *Nom. ed. II.* ii. 24.—Italia.  
*major*, Méral, in *Ann. Sc. Nat. Sér. I.* xxii. (1831) 106 = hispidus.  
*maroccanus*, Ball, in *Journ. Linn. Soc.* xvi. (1878) 544.—Hispan.; Maroc.  
*masmenaeus*, Boiss. & Bal. *Diagn. Ser. II.* v. 117.—Cappadoc.  
*medius*, Chaill. ex *DC. Prod.* vii. 146 = *Taraxacum officinale*.  
*megalorrhizus*, Forsk. *Fl. Aegypt. Arab.* 216.—Byzant.  
*microcephalus*, Boiss. *Voy. Bot. Espagne*, ii. 380. t. 115.—Hispan.  
*minimus*, Brigant. ex Guss. *Fl. Sic. Syn.* ii. 397 = *Taraxacum minimum*.  
*montanus*, Lam. *Fl. Fr.* iii. 640 = *Taraxacum officinale*.  
*montanus*, C. A. Mey. *Verz. Pfl. Cauc.* 58 = *Taraxacum montanum*.  
*mucronatus*, Forsk. *Fl. Aegypt. Arab.* 144 = *Launaea chondrilloides*.  
*muricatus*, L. Hérit. *Stirp. Nov.* 173 = *Picris asplenoides*.  
*nevadensis*, Lange, in *Kjoeb. Vidensk. Meddel.* (1877–78) 230.—Hispan.  
*nigricans*, Kit. in Schult. *Oestr. Fl. ed. II.* ii. 405 = *Taraxacum officinale*.  
*nivalis*, Hegetschw. *Fl. Schw.* 755 = *L. Taraxaci*.  
*nudicaulis*, Banks, ex Lowe, in *Trans. Camb. Phil. Soc.* iv. (1831) 28; Soland. ex Lowe, *Man. Fl. Mad.* i. 535 = Rothii.  
*nudicaulis*, Méral, in *Ann. Sc. Nat. Sér. I.* xxii. (1831) 109 = hirtus.  
*obliquus*, Fries, *Nov. Fl. Suec.* ed. II. 243 = *Taraxacum officinale*.  
*obovatus*, Willd. *Sp. Pl.* iii. 1546 = *Taraxacum officinale*.  
*officinalis*, J. F. Gmel. *Syst.* 1174; With. *Arr. Brit. Pl. ed. III.* 679 = *Taraxacum officinale*.  
*oligocephalus*, Schur, *Enum. Pl. Transs.* 357 = autumnalis?  
*oxylepis*, Boiss. & Heldr. *Diagn. Ser. I.* xi. 40.—As. Min.  
*paludosus*, Vitm. *Summa Pl.* iv. 399 = *Taraxacum palustre*.  
*palustris*, Sm. *Fl. Brit.* ii. 823 = *Taraxacum palustre*.  
*parviflorus*, Tausch, in *Flora*, xiv. (1831) 224 = *Taraxacum palustre*.  
*parvulus*, Wall. *Cat. n.* 3247 = *Taraxacum officinale*.  
*Pavonii*, Boiss. *Diagn. Ser. II.* iii. 87.—Hispan.  
*pectinatus*, Boiss. *Fl. Orient.* iii. 733 = masmenaeus.  
*permiatus*, Schur, *Enum. Pl. Transs.* 359 = hastilis.  
*pinnatifidus*, Ball, in *Ann. & Mag. Nat. Hist.* Ser. II. vi. (1850) 17.—Italia.  
*pinnatifidus*, Tausch, in *Flora*, vii. (1824) 248 = *Taraxacum palustre*.  
*Pollinii*, Welw. ex Reichb. *Fl. Germ. Excurs.* 853 = pyrenaicus.  
*praecox*, Kit. ex Reichb. *l. c.* 270 = *Taraxacum officinale*.  
*pratensis*, Lam. *Fl. Fr.* ii. 115 = crispus.  
*pratensis*, Reichb. *Fl. Germ. Excurs.* 253 = autumnalis.  
*Preslii*, *DC. Prod.* vii. 105.—Sicilia.  
*proteiformis*, Vill. *Prosp.* 34 = hastilis.  
*proteiformis*, Balb. ex Pers. *Syn.* ii. 369 = praec.  
*Pseudocrispus*, Sch. Bip. ex Nym. *Consp.* 468 = hastilis.  
*Pseudo-Taraxaci*, Schur, *Enum. Pl. Transs.* 357 = pyrenaicus.  
*psilocalix*, Méral, in *Ann. Sc. Nat. Sér. I.* xxii. (1831) 106 = hirtus.  
*pycnocephalus*, Ledeb. ex Herd. in *Bull. Soc. Nat. Mosc.* xliii. (1870) i. 185 = *Taraxacum officinale*.  
*pyrenaicus*, Gouan, *Illustr.* 55. t. 22.—Mont. Pyren.  
*radiatus*, Lam. *Fl. Fr.* ii. 114 = *Hyoseris radiata*.  
*radicatus*, Baill. *Hist. Pl.* viii. 294 = *Hypochoeris radicata*.  
*Raii*, Gouan, *Illustr.* 55 = *Taraxacum palustre*.  
*recognitus*, Monn. *Ess. Hierac.* 82 = hastilis.  
*repens*, Schur, in Verh. Siebenb. *Ver. Naturw.* x. (1859) 148 = *Taraxacum officinale*.  
*Rosani*, *DC. Prod.* vii. 104 = hirtus.  
*Rothii*, Ball, in *Journ. Linn. Soc.* xvi. (1878) 543 = saxatilis.



**LEONTODON :—**

- runcinatus*, Gilib. Fl. Lituan. i. 228 = *Taraxacum officinale*.  
*salinus*, Ledeb. Fl. Alt. iv. 153 = *Taraxacum collinum*.  
*salinus*, Poll. Hist. Pl. Palat. ii. 380 = *Taraxacum palustre*.  
*salsus*, Link, Enum. Hort. Berol. ii. 283 = *Taraxacum palustre*.  
 Salzmanni, Ball, in Journ. Linn. Soc. xvi. (1878) 545.—Reg. Mediterr.  
*saxatilis*, Lam. Fl. Fr. ii. 115.—Reg. Mediterr. occ.  
*saxatilis*, Reichb. Fl. Germ. Excurs. 252 = *crispus*.  
*scaber*, Mielich. in Flora, xxii. (1839) 492 = *hispidus*.  
*Scorzonera*, Roth, Neue Beitr. i. 229 = *Taraxacum palustre*.  
*serotinus*, Sibth. & Sm. Fl. Graec. viii. 71. t. 796 = *Taraxacum officinale*.  
*serotinus*, Waldst. & Kit. Pl. Rar. Hung. ii. 119. t. 144 = *Taraxacum serotinum*.  
*setosus*, Schur, Enum. Pl. Transs. 359 = *hastilis*.  
*siculus*, Nym. Syll. 54 = *hastilis*.  
*sinensis*, Lour. Fl. Cochinch. ii. 479 = *Taraxacum officinale*.  
*spatulifolius*, Schloss. & Vuk. Syll. 59; et in Bull. Soc. Bot. Fr. xxix. (1882) Bibl. 6 = *incanus*.  
*squamosus*, Lam. Encyc. iii. 529 = *pyrenaicus*.  
*Stevenii*, Spreng. Syst. iii. 658 = *Taraxacum officinale*.  
*sublyratus*, Mérat, in Ann. Sc. Nat. Sér. I. xxii. (1831) 108.—Europ.  
*Taraxaci*, Loisel. Fl. Gall. ed. I. 513.—Europ.  
*taraxacifolius*, St. Lag. in Ann. Soc. Bot. Lyon, vii. (1880) 129 = *praec*.  
*taraxacoides*, Hoppe, in Sturm, Deutschl. Fl. Heft 41 = *Taraxacum officinale*.  
*taraxacoides*, Mérat, in Ann. Sc. Nat. Sér. I. xxii. (1831) 108.—Gall.; Hispan.  
*Taraxacon*, Neck. Delic. Gallo-Belg. ii. 329 = *Taraxacum officinale*.  
*Taraxacon*, With. Arr. Brit. Pl. ed. III. 679 = *Taraxacum palustre*.  
*Taraxaconastrum*, Vand. Fasc. Pl. 18 = *seq.*?  
*taraxaconoides*, Vand. l. c. 17 = *hirtus*.  
*Taraxacum*, Linn. Sp. Pl. 798 = *Taraxacum officinale*.  
*Tenorii*, Nym. Consp. 468 = *hastilis*.  
*tenuiflorus*, DC. Prod. vii. 102.—Helvet.  
*tenuiflorus*, Reichb. Fl. Germ. Excurs. 853 = *alpinus*.  
*tenuiflorus*, Hoppe, ex Sturm, Deutschl. Fl. Heft 41 = *Taraxacum tenuifolium*.  
*terglouensis*, Hacq. Pl. Carn. 11. t. 2. f. 5 = *Crepis hyoseridifolia*.  
*tingitanus*, Ball, in Journ. Linn. Soc. xvi. (1878) 544.—Hispan.; Maroc.  
*tomentosus*, Linn. f. Suppl. 37 = *Chaptalia albicans*.  
*tomentosus*, Vahl, ex Lange, in Kjoeb. Vidensk. Meddel. (1861) 101 = *Taraxacum serotinum*.  
*trivialis*, Ball, in Journ. Bot. xi. (1873) 372 = *hispidulus*.  
*tuberosus*, Georgi, Beschr. Russ. Reich. iv. 1210 (Quid?).—Reg. Caucas.  
*tuberosus*, Linn. Sp. Pl. 799.—Europ. austr.; Oriens.  
*uliginosus*, Schult. ex Steud. Nom. ed. I. 470.—Hab.?  
*umbellatus*, Schrank, Baier. Fl. ii. 334 = *Picris hieracioides*.  
*validus*, Peterm. Fl. Lips. Excurs. 578 = *autumnalis*?  
*variegatus*, Poir. Encyc. Suppl. iii. 455; DC. Prod. vii. 105 = *Hypochoeris variegata*.  
*Villarsii*, Loisel. Fl. Gall. ed. I. 514 = *hirtus*.  
*vulgaris*, Kitt. Taschenb. ed. II. 534 = *hispidus*, *hastilis*, &c.  
*vulgaris*, Lam. Fl. Fr. ii. 113 = *Taraxacum officinale*.

**LEONTOGLOSSUM**, Hance, in Walp. Ann. ii. 18 (1851) = **Tetracera**, Linn. (Dilleniac.).  
*scabrum*, Hance, l. c. = *T. sarmentosa*.

**LEONTODON**, Robin, Voy. Louis. iii. 425 (1807),  
 sphalm. = **Leontodon**, Linn. (Compos.).

**LEONTONIX**, Heynh. Nom. i. 453 (1840) = *seq.*

**LEONTONYX**, Cass. in Dict. Sc. Nat. xxv. 466 (1822). **COMPOSITAE**, Benth. & Hook. f. ii. 312.  
**SPIRALEPIS**, D. Don, in Mem. Wern. Soc. v. (1826) 551.  
*angustifolius*, DC. Prod. vi. 168.—Afr. austr.  
*bicolor*, DC. l. c.—Afr. austr.  
*candidissimus*, DC. l. c. 169 = *spatulatus*.  
*coloratus*, Cass. in Dict. Sc. Nat. xxv. 467.—Afr. austr.

**LEONTONYX :—**

- declinatus*, Heynh. Nom. i. 453; ii. 349 = *Helichrysum declinatum*.  
*glomeratus*, DC. Prod. vi. 168 = *coloratus*.  
*modestus*, Heynh. Nom. i. 453; ii. 349 = *Helipterum gnaphalioides*.  
*pusillus*, Drège, ex Harv. & Sond. Fl. Cap. iii. 207 = *spatulatus*.  
*pusillus*, Less. Syn. Consp. 327.—Afr. austr.  
*spatulatus*, Less. l. c.—Afr. austr.  
*squarrosus*, DC. Prod. vi. 167 = *tomentosus*.  
*stramineus*, DC. l. c. 168 (sp. dub.).—Afr. austr.  
*tinctus*, DC. l. c. = *tomentosus*.  
*tomentosus*, Cass. in Dict. Sc. Nat. xxv. 466.—Afr. austr.

**LEONTOPETALON**, Tourn. ex Adans. Fam. ii. 433 (1763) = **Leontice**, Linn. (Berberid.).

**LEONTOPHTHALMUM**, Willd. in Ges. Naturf. Fr. Berl. Mag. i. (1807) 140 = **Calea**, Linn. (Compos.).  
*peruvianum*, H. B. & K. Nov. Gen. et Sp. iv. 296. t. 409 = *C. Leontophthalmum*.

**LEONTOPODION**, St. Lag. in Ann. Soc. Bot. Lyon, vii. (1880) 85 = *seq.*

**LEONTOPODIUM**, R. Br. in Trans. Linn. Soc. xii. (1817) 124. **COMPOSITAE**, Benth. & Hook. f. ii. 302.

- alpinum*, Cass. in Dict. Sc. Nat. xxv. 474.—Europ.; Reg. Himal.  
*alpinum*, Colm. ex Willk. & Lange, Prod. Fl. Hisp. ii. 64 = *Evax exigua*.  
*Andersoni*, C. B. Clarke, Comp. Ind. 100 = *alpinum*.  
*catipes*, F. Muell. in Papers Roy. Soc. Tasm. (1882) 44 = *Raoulia catipes*.  
*helveticum*, D. Don, ex G. Don, in Loud. Hort. Brit. 340 = *alpinum*.  
*himalayanum*, DC. Prod. vi. 276 = *alpinum*.  
*japonicum*, Miq. Ann. Mus. Bot. Lugd. Bat. ii. 178.—Japan.  
*javanicum*, Zoll. & Mor. in Nat. en Geneesk. Arch. Neêrl. Ind. ii. (1845) 263 = *Gnaphalium japonicum*.  
*linearifolium*, Benth. & Hook. f. Gen. ii. 303.—Bolivia.  
*Meredithae*, F. Muell. Census, 80.—Tasman.  
*monocephalum*, Edgew. in Trans. Linn. Soc. xx. (1846) 73 = *alpinum*.  
*monoicum*, Benth. & Hook. f. Gen. ii. 303.—N. Granat.  
*sibiricum*, Cass. in Dict. Sc. Nat. xxv. 475.—As. bor. occ.  
*umbellatum*, Bluff & Fingerh. Comp. Fl. Germ. ed. I. ii. 346 = *alpinum*.

**LEONURA**, Usteri, ex Steud. Nom. ed. II. ii. 25 (1841) = **Salvia**, Tourn. (Labiata.).  
*spaendochea*, Usteri, ex Steud. l. c. = *S. leonuroides*.

**LEONUROS**, St. Lag. in Ann. Soc. Bot. Lyon, vii. (1880) 129 = *seq.*

**LEONURUS**, Linn. Syst. ed. I (1735); Gen. ed. I. 176 (1737). **LABIATAE**, Benth. & Hook. f. ii. 1210.

- Cardiaca*, Moench, Meth. 401 (1794).  
*Chaiturus*, Willd. Prod. Fl. Berl. 200 (1787).  
*Panzeria*, Moench, Meth. 402 (1794).  
*aconitifolius*, Schlecht. ex Ledeb. Fl. Ross. iii. 423 = *L. Cardiaca*.  
*africanus*, Mill. Gard. Dict. ed. VIII. n. 1 = *Leonotis Leonurus*.  
*alpinus*, Schang. in Pall. N. Nord. Beitr. vi. 64 = *Phlomis alpina*.  
*altaicus*, Spreng. Syst. ii. 738 = *sibiricus*.  
*altissimus*, Bunge, ex Benth. Lab. Gen. et Sp. 521 = *sibiricus*.  
*campestris*, Andr. ex Benth. l. c. 518 = *L. Cardiaca*.  
*canescens*, Dum. Fl. Belg. 46; Steud. Nom. ed. II. ii. 25 = *L. Cardiaca*.  
*capitatus*, Fresen. in Linnaea, xv. (1841) Litt. 91.—Am. bor.  
*Cardiaca*, Linn. Sp. Pl. 584.—Reg. bor. temp.  
*condensatus*, Dum.-Cours. Bot. Cult. ed. II. iii. 67 = *Phlomis condensata*.  
*condensatus*, Hort. ex Hornem. Hort. Hafn. ii. 557 = *L. Cardiaca*.  
*cordifolius*, Noronha, in Verh. Batav. Gen. v. (1790) ed. I. Art. IV. 19 (Quid?).—Java.

**LEONURUS :—**

- crispus*, Murr. in Nov. Comm. Gotting. viii. (1777) 44. t. 4 = *L. Cardiaca*.  
*discolor*, Koch, in Linnaea, xxi. (1848) 680 = *L. Cardiaca*.  
*dschungaricus*, Regel, in Act. Hort. Petrop. vi. (1879) 367.—Turkestan.  
*eriophorus*, Turcz. ex Steud. Nom. ed. II. ii. 25 = *seq.*  
*eristachys*, Turcz. ex Benth. Lab. Gen. et Sp. 586 = *Marrubium eristachyum*.  
*Galeobdolon*, Scop. Fl. Carn. ed. II. i. 409 = *Lamium Galeobdolon*.  
*germanica*, Gueldenst. Reisen, ii. 20 = *Stachys germanica*?  
*glabra*, Gilib. Fl. Lithuan. ed. Usteri, Delect. ii. 321 (Quid?).—Europ.  
*glaucescens*, Bunge, in Ledeb. Fl. Alt. ii. 409.—Sibir. altaic.  
*globosus*, Moench, Meth. 400 = *Leonotis nepetaefolia*.  
*grandiflorus*, Moench, l. c. = *Leonotis Leonurus*.  
*heterophyllus*, Sweet, Hort. Brit. ed. I. 321; Brit. Flow. Gard. Ser. I. t. 197 = *sibiricus*.  
*illyricus*, Hort. ex Benth. Lab. Gen. et Sp. 518 = *L. Cardiaca*.  
*indicus*, Linn. Syst. ed. X. 1101; Burm. f. Fl. Ind. 127 = *Leucas linifolia*.  
*indicus*, Noronha, in Verh. Batav. Gen. v. (1790) ed. I. Art. IV. 19 = *javanicus*?  
*intermedius*, Didr. Ind. Sem. Hort. Haun. (1649) 14.—Ins. Tahiti.  
*japonicus*, Miq. Ann. Mus. Bot. Lugd. Bat. ii. 112 = *macranthus*.  
*javanicus*, Blume, Bijdr. 828.—Java.  
*javanicus*, Span. ex Planch. in Ann. Sc. Nat. Sér. III. x. (1848) 339 = *Gironniera nervosa*.  
*lacerus*, Lindl. in Trans. Hort. Soc. vi. (1829) 203 = *L. Cardiaca*.  
*lanatus*, Pers. Syn. ii. 126; Spreng. Syst. ii. 738.—Sibir.; China.  
*macranthus*, Maxim. Prim. Fl. Amur. 476.—Reg. Amur.  
*Marrubiastrum*, Burm. f. Fl. Ind. 127 = *Leucas zeylanica*.  
*Marrubiastrum*, Linn. Sp. Pl. 584.—Europ.; As. bor.  
*Marrubiastrum*, Lour. Fl. Cochinch. 436 = *Leonotis nepetaefolia*.  
*marrubifolius*, Noronha, in Verh. Batav. Gen. v. (1790) ed. I. Art. IV. 19 = *oblongifolius*.  
*marrubifolius*, St. Lag. in Ann. Soc. Bot. Lyon, vii. (1880) 129 = *L. Marrubiastrum*.  
*mollis*, Ehrenb. ex Boiss. Fl. Orient. iv. 721 = *Stachys Ehrenbergii*.  
*multifidus*, Desf. Tabl. ed. II. 270; Cat. Hort. Par. ed. III. 395 = *sibiricus*.  
*neglectus*, Schrank, in Syll. Ratisb. ii. (1828) 61 = *L. Cardiaca*.  
*nepetaefolius*, Mill. Gard. Dict. ed. VIII. n. 2 = *Leonotis nepetaefolia*.  
*oblongifolius*, Blume, Bijdr. 828.—Java.  
*occidentalis*, Colla, in Mem. Acc. Torin. xxxiii. (1829) 154 = *sibiricus*.  
*parviflorus*, Moench, Meth. 401 = *Leucas zeylanica*.  
*parviflorus*, Salisb. Prod. 84 = *L. Marrubiastrum*.  
*persicus*, Boiss. Diagn. Ser. I. v. 27.—Persia.  
*pubescens*, Benth. in Wall. Pl. As. Rar. i. 63 = *L. Cardiaca*.  
*quinquelobatus*, Gilib. Fl. Lithuan. ed. Usteri, Delect. ii. 321 (Quid?).—Europ.  
*Royleanus*, Benth. in Wall. Pl. As. Rar. i. 63 = *L. Cardiaca*.  
*ruderalis*, Salisb. Prod. 84 = *L. Cardiaca*.  
*sibiricus*, Linn. Sp. Pl. 584.—Sibir.; China.  
*sibiricus*, Schang. in Pall. N. Nord. Beitr. vi. 97 = *glaucescens*.  
*superbus*, Medic. Beobacht. (1783) 127 = *L. Leonurus*.  
*supinus*, Steph. ex Willd. Sp. Pl. iii. 116 = *Marrubium incisum*.  
*tataricus*, Burm. f. Fl. Ind. 127 = *sibiricus*.  
*tataricus*, Linn. Sp. Pl. 584.—Asia med.  
*tataricus*, Tchihat. Asie Min. Bot. ii. 172 = *L. Cardiaca*.  
*trilobatus*, Dulac. Fl. Hautes-Pyr. 409 = *L. Cardiaca*.  
*villosus*, Desf. Tabl. ed. II. 73 = *L. Cardiaca*.

**LEOPARDANTHUS**, Blume, Rumphia, iv. 47. 1845 et Mus. Bot. Lugd. Bat. i. 47. t. 15. 1849 = **Dipodidum**, R. Br. Orchid.  
*scandens*, Blume, l. c. 47. t. 15.—Malaya.



LEOPOLDIA, Herb. in Bot. Mag. sub t. 2113, in nota (1819) = *Hippeastrum*, Herb. (Amaryll.). *Belladonna*, M. Roem. Syn. Ensat. 129 = *Amaryllis Belladonna*. *illustris*, M. Roem. l. c. 130 = *H. psittacinum*. *Principis*, M. Roem. l. c. 129 = *H. reticulatum*. *reticulata*, Herb. in Bot. Mag. sub t. 2113, in nota = *H. reticulatum*. *striatifolia*, Herb. in Trans. Hort. Soc. iv. (1822) 181 = *H. reticulatum*.

LEOPOLDIA, Parl. Fl. Palerm. i. 435 (1845); et in Giorn. Bot. Ital. ii. ii. (1847) 57 = *Muscari*, Mill. (Liliac.).

*abortiva*, Jord. ex Nym. Consp. 732 = *Hyacinthus trifolius*.

*Bowiana*, Heldr. ex Nym. Consp. 733 (= *Bellevalia Bowiana*).—Graecia.

*Calandriniana*, Parl. Fl. Ital. ii. 496 = *M. comosum*.

*Clusiana*, Heldr. ex Nym. Consp. 732 = *M. comosum*. *comosa*, Parl. in Giorn. Bot. Ital. ii. ii. (1847) 160 = *M. comosum*.

*constricta*, Heldr. in Bull. Soc. Nat. Mosc. liii. (1878) i. 71 = *M. constrictum*.

*Cupaniana*, Parl. Fl. Ital. ii. 497 = *M. Cupanianum*.

*curta*, Heldr. in Bull. Soc. Nat. Mosc. liii. (1878) i. 65 = *M. Holzmanni*.

*graeca*, Heldr. l. c. 67 = *M. graecum*.

*graminifolia*, Heldr. ex Nym. Consp. 733 (= *Bellevalia graminifolia*).—Ins. Graec.

*Gussonii*, Parl. Fl. Ital. ii. 498 = *M. Gussonii*.

*Holzmanni*, Heldr. in Bull. Soc. Nat. Mosc. liii. (1878) i. 65 = *M. Holzmanni*.

*maritima*, Parl. in Giorn. Bot. Ital. ii. ii. (1847) 162 = *M. maritimum*.

*Neumayerii*, Heldr. in Bull. Soc. Nat. Mosc. liii. (1878) i. 70 = *M. Neumayeri*.

*pharmacusanum*, Heldr. l. c. 66 = *M. pharmacusanum*.

*Pinardi*, Parl. in Giorn. Bot. Ital. ii. ii. (1847) 162 = *M. Pinardi*.

*pyramidalis*, Heldr. in Bull. Soc. Nat. Mosc. liii. (1878) i. 71 = *M. pyramidalis*.

*Sartoriana*, Heldr. l. c. 66 = *M. Sartorianum*.

*tenuiflora*, Heldr. l. c. 70 = *M. caucasicum*.

*theraea*, Heldr. l. c. 69 = *M. theraeum*.

*trojana*, Heldr. l. c. 68 = *M. trojanum*.

*Weissii*, Freyn, in Oestr. Bot. Zeitschr. xxviii. (1878) 87 = *M. Weissii*.

LEOPOLDINIA, Mart. Hist. Nat. Palm. ii. 58 (1824). *PALMAE*, Benth. & Hook. f. iii. 920.

*insignis*, Mart. l. c. 60. t. 53. f. 16, 17.—Bras.

*major*, Wallace, Palm-trees. Amaz. 15. t. 5.—Bras.

*Piassaba*, Wallace, ex Archer, in Hook. Kew Journ. vii. (1855) 213.—Am. trop.

*pulchra*, Hort. Linden, ex Seem. in Gard. Chron. (1870) 495 = *Cocos Weddelliana*.

*pulchra*, Mart. Hist. Nat. Palm. ii. 59. tt. 52, 53.—Bras.

LEPACHIS, Rafin. in Am. Monthly Mag. (1819) 195 = *Echinacea*, Moench (Compos.).

*purpurea*, Rafin. l. c. = *E. purpurea*.

LEPACHYS, Rafin. in Journ. Phys. lxxxix. (1819) 100. *COMPOSITAE* [Benth. & Hook. f. ii. 366].

*OBELISCARIA*, Cass. in Dict. Sc. Nat. xxxv. 272 (1825).

*RATIBIDA*, Rafin. in Am. Monthly Mag. (1818) 268.

*angustifolia*, Torr. & Gray, Fl. N. Am. ii. 314, in syn. = *pinnatifida*.

*columnaris*, Torr. & Gray, l. c. 315.—Am. bor. occ.

*peduncularis*, Torr. & Gray, l. c.—Texas.

*pinnata*, Torr. & Gray, l. c. 314 = *pinnatifida*.

*pinnatifida*, Rafin. in Journ. Phys. lxxxix. (1819) 100.—Am. bor.

*serratus*, Buckl. in Proc. Acad. Sc. Philad. 1861 (1862) 457 = *peduncularis*.

*Tagetes*, A. Gray, in Pacif. Rail. Rep. iv. 103.—Am. bor. occ.

LEPADENA, Rafin. Fl. Tellur. iv. 113 (1836) =

*Euphorbia*, Linn.

*leucoloma*, Rafin. l. c. 114 = *E. marginata*.

LEPANTES, Sw. in Schrad. Journ. ii. (1799) 249 = seq.

LEPANTHES, Sw. in Nov. Act. Soc. Sc. Upsal. vi. (1799) 85. *ORCHIDEAE*, Benth. & Hook. f. iii. 491.

*andrenoglossa*, Reichb. f. in Bonplandia, iii. (1855) 241.—Ecuador.

*Aquila-Borussiae*, Reichb. f. l. c. ii. (1854) 22.—Venezuela.

*armeniaca*, Rodrig. Orch. Nov. ii. 58.—Bras.

*Avis*, Reichb. f. Xenia Orch. i. 144. t. 50; ii. 5-7.—Mexic.

*bicarinata*, Rodrig. Orch. Nov. ii. 54.—Bras.

*bicolor*, Rodrig. l. c. 49; et in Rev. de Engenh. iii. (1881) 110. n. 7.—Bras.

*bicomuta*, Rodrig. l. c. 61.—Bras.

*biloba*, Lindl. in Hook. Comp. Bot. Mag. ii. (1836) 356.—Peruv.

*blepharistes*, Reichb. f. Beitr. Orch. Centr.-Am. 92.—Costa Rica.

*calodictyon*, Hook. Bot. Mag. t. 5259.—Ecuador.

*capitana*, Reichb. f. in Bonplandia, iii. (1855) 241.—Peruv.

*carinifera*, Rodrig. in Rev. de Engenh. iii. (1881) 110. n. 8.—Bras.

*cassidea*, Reichb. f. Xenia Orch. i. 146.—Peruv.

*chrysosepala*, Rodrig. Orch. Nov. ii. 44.—Bras.

*chrysostigma*, Lindl. in Ann. & Mag. Nat. Hist. Ser. III. i. (1858) 329.—Cuba.

*ciliata*, Lindl. ex Griseb. Cat. Pl. Cub. 260 = *Pleurothallis blepharophylla*.

*cochlearifolia*, Sw. in Nov. Act. Soc. Sc. Upsal. vi. (1799) 86.—Jamaic.

*concinna*, Sw. l. c. 85.—Jamaic.

*crassicaulis*, Rodrig. Orch. Nov. ii. 60.—Bras.

*crassifolia*, Reichb. f. in Linnaea, xli. (1877) 47.—Jamaic.?

*crebifolia*, Rodrig. Orch. Nov. ii. 67.—Bras.

*crinita*, Rodrig. l. c. 66.—Bras.

*cristata*, Rodrig. l. c. 57.—Bras.

*cryptophyta*, Rodrig. l. c. 65.—Bras.

*cyanoptera*, Reichb. f. in Linnaea, xxii. (1849) 819.—Venezuela.

*dorsalis*, Lindl. in Ann. & Mag. Nat. Hist. Ser. III. i. (1858) 329.—Cuba.

*elata*, Reichb. f. Beitr. Orch. Centr.-Am. 90.—Costa Rica.

*erinacea*, Reichb. f. in Bonplandia, iii. (1855) 225.—Costa Rica.

*Ferdinandiana*, Rodrig. Orch. Nov. ii. 64.—Bras.

*flaminea*, Rodrig. in Rev. de Engenh. iii. (1881) 109. n. 4.—Bras.

*fulva*, Lindl. in Ann. & Mag. Nat. Hist. Ser. III. i. (1858) 329.—Cuba.

*Gargantua*, Reichb. f. Xenia Orch. i. 150.—Peruv.

*granulosa*, Rodrig. Orch. Nov. ii. 45.—Bras.

*Gunningiana*, Rodrig. l. c. 48.—Bras.

*helicocephala*, Reichb. f. Xenia Orch. i. 150.—Guian.

*horrida*, Reichb. f. in Bonplandia, iii. (1855) 70.—Costa Rica.

*imbricata*, Rodrig. Orch. Nov. ii. 56.—Bras.

*ionoptera*, Reichb. f. in Bonplandia, iii. (1855) 70.—N. Granat.

*Jamiesoni*, Lindl. ex Reichb. f. Xenia Orch. i. 152.—Ecuador.

*laciniata*, Rodrig. Orch. Nov. ii. 68.—Bras.

*Lindleyana*, Oerst. ex Reichb. f. in Bonplandia, iii. (1855) 225; *Xenia Orch.* i. 149. t. 50.—Costa Rica.

*lineolata*, Rodrig. Orch. Nov. ii. 53.—Bras.

*lobisserrata*, Rodrig. l. c. 63.—Bras.

*Loddigesiana*, Lindl. Bot. Reg. t. 1762; *Reichb. f. Xenia Orch.* i. 145.—Jamaic.

*mandibularis*, Reichb. f. in Flora, xlviii. (1865) 275.—Ind. occ.

*marginata*, Rodrig. Orch. Nov. ii. 68.—Bras.

*marmorata*, Rodrig. l. c. 42.—Bras.

*mesochlora*, Reichb. f. Xenia Orch. i. 147.—Peruv.

*microphyta*, Rodrig. Orch. Nov. ii. 67.—Bras.

*modesta*, Rodrig. l. c. 62.—Bras.

*monoptera*, Lindl. in Hook. Journ. Bot. i. (1834) 10.—Peruv.

*montana*, Rodrig. Orch. Nov. i. 22, nomen.—Bras.

*mucronata*, Lindl. in Hook. Comp. Bot. Mag. ii. (1836) 356.—Peruv.

*muscolica*, Rodrig. Orch. Nov. ii. 56.—Bras.

*muscosa*, Rodrig. l. c. 43.—Bras.

*nanegalensis*, Reichb. f. in Linnaea, xli. (1877) 46.—Ecuador.

*nemorosa*, Rodrig. Orch. Nov. ii. 54.—Bras.

LEPANTHES:—

*nubicola*, Reichb. f. Xenia Orch. i. 149.—N. Granat.

*nummularia*, Reichb. f. l. c. 142.—Peruv.

*orbiculata*, Lindl. ex Reichb. f. l. c. 152.—Hab.?

*otostalis*, Reichb. f. in Bonplandia, iii. (1855) 241.—Ecuador.

*Paivaana*, Reichb. f. Xenia Orch. iii. 26.—Chili.

*papyrophylla*, Reichb. f. l. c. i. 151.—Ecuador.

*parahybunensis*, Rodrig. Orch. Nov. ii. 57.—Bras.

*pellifeloides*, Rodrig. in Rev. de Engenh. iii. (1881) 110. n. 5.—Bras.

*picnostachia*, Rodrig. Orch. Nov. ii. Ind. p. vii, nomen (Quid?).—Bras.

*pristidis*, Reichb. f. in Linnaea, xxii. (1849) 820.—Mexic.

*pteropogon*, Reichb. f. Xenia Orch. i. 146.—Peruv.

*pulchella*, Sw. in Nov. Act. Soc. Sc. Upsal. vi. (1799) 86.—Jamaic.

*punctata*, Rodrig. Orch. Nov. ii. 52.—Bras.

*punctatifolia*, Rodrig. l. c. 55.—Bras.

*pusilla*, Rodrig. in Rev. de Engenh. iii. (1881) 110. n. 6.—Bras.

*quadridentata*, Rodrig. Orch. Nov. ii. 50.—Bras.

*ramphastorhyncha*, Rodrig. l. c. 55.—Bras.

*recurvipetala*, Rodrig. l. c. 62.—Bras.

*renipetala*, Rodrig. l. c. 66.—Bras.

*roseola*, Reichb. f. in Linnaea, xli. (1877) 46.—Ecuador.

*rotundata*, Griseb. Fl. Brit. W. Ind. 610.—Ind. occ.

*ruscifolia*, Reichb. f. in Linnaea, xxii. (1849) 819.—Venezuela.

*sanguinea*, Hook. Bot. Mag. t. 4112.—Jamaic.

*sarcopetala*, Rodrig. Orch. Nov. ii. 46.—Bras.

*Schiedei*, Reichb. f. in Linnaea, xxii. (1849) 820.—Mexic.

*secunda*, Rodrig. Orch. Nov. ii. 70.—Bras.

*selenitepala*, Reichb. f. in Ber. Deutsch. Bot. Ges. iii. (1885) 279.—Ind. occ.

*striata*, Rodrig. Orch. Nov. ii. 59.—Bras.

*tabacina*, Rodrig. l. c. 47.—Bras.

*tenera*, Rodrig. l. c. 51.—Bras.

*tipulifera*, Reichb. f. Beitr. Orch. Centr.-Am. 91. t. 10.—Costa Rica.

*tricarinata*, Rodrig. Orch. Nov. ii. 43.—Bras.

*trichodactyla*, Lindl. in Mem. Acad. Am. N. S. viii. (1860) 220.—Cuba.

*tricolor*, Rodrig. Orch. Nov. ii. 52.—Bras.

*tridentata*, Sw. in Nov. Act. Soc. Sc. Upsal. vi. (1799) 86.—Jamaic.

*trilineata*, Rodrig. Orch. Nov. ii. 42.—Bras.

*Turialvae*, Reichb. f. in Bonplandia, iii. (1855) 225.—Costa Rica.

*umbrosa*, Rodrig. Orch. Nov. ii. 60.—Bras.

*urotepala*, Reichb. f. Xenia Orch. i. 151.—Hab.?

*variegata*, Rodrig. Orch. Nov. ii. 61.—Bras.

*Vespertilio*, Reichb. f. Xenia Orch. i. 143.—Peruv.

*viridula*, Rodrig. Orch. Nov. ii. 51.—Bras.

*Wagneri*, Reichb. in Bonplandia, iii. (1855) 70.—Mexic.

*Wawraana*, Rodrig. Orch. Nov. ii. 46.—Bras.

*Wendlandi*, Reichb. f. Beitr. Orch. Centr.-Am. 91. t. 9.—Costa Rica.

*Wrightii*, Reichb. f. in Flora, xlviii. (1865) 275.—Cuba.

LEPANTHOS, St. Lag. in Ann. Soc. Bot. Lyon, vii. (1880) 56 = praec.

LEPARGYRAEA, Steud. Nom. ed. II. ii. 25 (1841) = seq.

LEPARGYREA, Rafin. in Am. Monthly Mag. (1818) 176 = *Elaeagnus*, Linn.

LEPECHINIA, Willd. Hort. Berol. i. 20. t. 21 (1806). *LABIATAE*, Benth. & Hook. f. ii. 1192.

*ULRICIA*, Jacq. ex Steud. Nom. ed. I. 862 (1821).

*clinopodiifolia*, Willd. Hort. Berol. sub t. 21 = *Mentha dahurica*.

*procumbens*, Benth. Lab. Gen. et Sp. 415.—Mexic.

*Schiedeana*, Vatke, in Verh. Bot. Ver. Brandenb. (1875) 36 = *procumbens*.

*spicata*, Willd. Hort. Berol. i. 21. t. 21.—Mexic.

LEPEOCERCIS, Trin. Fund. Agrost. 203 (1820) = *Andropogon*, Linn. (Gramin.).

*annulata*, Nees, Fl. Afr. Austr. 98 = *A. annulatus*.

*Bladhii*, Nees, ex Steud. Syn. Pl. Gram. 380 = *A. annulatus*.

*digitata*, Nees, Fl. Afr. Austr. 99 = *Trachypogon dactyloides*?



## LEPEOCERCIS:—

- mollissima*, Nees, ex Baker, Fl. Maurit. 444 = *Andropogon caricosus*.  
*pertusa*, Hassk. Pl. Jav. Rar. 52 = *A. pertusus*.  
*serrata*, Trin. Fund. Agrost. 203. t. 18 = *A. caricosus*.

LEPEOSTEGERES, Blume, in Schult. f. Syst. vii. 1731 (1830) = **Loranthus**, Linn.

- bahajensis*, Miq. Fl. Ind. Bat. i. II. 833 = *Lor. bahajensis*.  
*gemmiflorus*, Blume, in Schult. f. Syst. vii. 1731 = *Lor. gemmiflorus*.  
*sankumbangensis*, Miq. Fl. Ind. Bat. i. I. 834. — Borneo.

LEPERIZA, Herb. App. 41 (1821) = **Urceolina**, Reichb. (Amayll.).

- eucrosioides*, Baker, in Gard. Chron. (1878) II. 170. — Am. trop.  
*latifolia*, Herb. App. 41 = *U. latifolia*.

LEPIA, Desv. Journ. Bot. iii. (1814) 166 = **Lepidium**, Linn. (Crucif.).

- accedens*, Fourr. in Ann. Soc. Linn. Lyon, N. S. xvi. (1868) 338. — Gallia.  
*Bonanniana*, Presl, Fl. Sic. 84 = *Lepidium hirtum*.  
*campestre*, Desv. Journ. Bot. iii. (1814) 165 = *Lepidium campestre*.  
*campicola*, Fourr. in Ann. Soc. Linn. Lyon, N. S. xvi. (1868) 338 = *Lepidium campestre*.  
*errabunda*, Fourr. l. c. = *Lepidium campestre*.  
*glastifolia*, Desv. Journ. Bot. iii. (1814) 166 = *Lepidium glastifolium*.  
*hirta*, Desv. l. c. = *Lepidium hirtum*.  
*latifolia*, Desv. l. c. = *Thlaspi latifolium*.  
*linifolia*, Desv. l. c. = *Lepidium linifolium*.  
*marginata*, Desv. l. c. = *Aethionema saxatile*.  
*membranacea*, Desv. l. c. 166, 181 = *Aethionema membranaceum*.  
*oppositifolia*, Desv. l. c. 166 = *Aethionema oppositifolium*.  
*rotunda*, Desv. l. c. = *Lepidium rotundum*.  
*sativa*, Desv. l. c. 165 = *Lepidium sativum*.  
*stylata*, Webb, Iter Hisp. 76 = *Lepidium nebrodense*?

LEPIA, Hill, Veg. Syst. ii. 97 (1761) = **Zinnia**, Linn. (Compos.).

- multiflora*, Hill, Hort. Kew. 18 = *Z. pauciflora*.  
*pauciflora*, Hill, l. c. = *Z. pauciflora*.

LEPIACTIS, Rafn. Fl. Tellur. ii. 43 (1836) = **Solidago**, Vaill. (Compos.).

- virgata*, Rafn. l. c. = *S. stricta*.

LEPIACTIS, Rafn. Fl. Tellur. iv. 109 (1836) = **Utricularia**, Linn. (Lentibul.).

- stellaris*, Rafn. l. c. = *U. stellaris*.

LEPIANTHES, Rafn. Sylva Tellur. 84 (1838) = **Piper**, Linn.

- granulatum*, Rafn. l. c. 85 = *P. angustifolium*.  
*maculosum*, Rafn. l. c. = *Peperomia maculosa*.  
*peltatum*, Rafn. l. c. = *P. peltatum*.  
*umbellatum*, Rafn. l. c. = *P. umbellatum*.

LEPICAUNE, Lapeyr. Hist. Abr. Pl. Pyr. 478 (1813) = **Crepis**, Linn. (Compos.).

- albida*, Lapeyr. ex DC. Prod. vii. 152 = *C. albida*.  
*balsamea*, Lapeyr. Hist. Abr. Pl. Pyr. 478 = *Hieracium amplexicaule*.  
*blattarioides*, Fourr. in Ann. Soc. Linn. Lyon, N. S. xvii. (1869) 104 = *C. blattarioides*.  
*ciliata*, C. Koch, in Linnaea, xxiii. (1850) 683 = *C. ciliata*.  
*dshimilensis*, C. Koch, l. c. = *C. djimilensis*.  
*grandiflora*, Lapeyr. Hist. Abr. Pl. Pyr. 479 = *C. grandiflora*.  
*intybacea*, Lapeyr. l. c. = *C. grandiflora*.  
*multicaulis*, Lapeyr. l. c. 480 = *C. blattarioides*.  
*prunellaefolium*, Lapeyr. ex DC. Prod. vii. 169 = *C. pygmaea*.  
*sibirica*, C. Koch, in Linnaea, xxiii. (1850) 683 = *C. sibirica*.  
*spinulosa*, Lapeyr. Hist. Abr. Pl. Pyr. 480 = *Sonchus oleraceus*.  
*tomentosa*, Lapeyr. l. c. 481 = *Senecio Doronicum*.  
*turbinata*, Lapeyr. l. c. 480, 481 = *C. blattarioides*.

LEPICEPHALUS, Lag. Gen. et Sp. Nov. 7 (1816) = **Cephalaria**, Schrad. (Dipsac.).

- alpinus*, Lag. l. c. 8 = *C. alpina*.  
*atratus*, Lag. l. c. 7 = *C. tatarica*.

## LEPICEPHALUS:—

- attenuatus*, Lag. Gen. et Sp. Nov. 8 = *Cephalaria attenuata*.  
*centaurioides*, Lag. l. c. 7 = *C. corniculata*.  
*ciliata*, Lag. l. c. 8 = *Scabiosa ciliata*.  
*coriaceus*, Lag. l. c. = *C. corniculata*.  
*corniculatus*, Lag. l. c. = *C. corniculata*.  
*cretaceus*, Lag. ex Eichw. Skizze, 152 = *C. corniculata*.  
*decurrens*, Lag. Gen. et Sp. Nov. 8 = *C. attenuata*.  
*humilis*, Lag. l. c. = *C. attenuata*.  
*inflexus*, Eichw. Skizze, 151 = *Scabiosa australis*.  
*inflexus*, Steud. Nom. ed. II. ii. 26 = *Scabiosa Succisa*.  
*leucanthemus*, Lag. Gen. et Sp. Nov. 7 = *C. corniculata*.  
*leucanthus*, Lag. l. c. = *C. leucantha*.  
*rigidus*, Lag. l. c. 8 = *C. rigida*.  
*scabra*, Lag. l. c. = *C. scabra*.  
*Succisa*, Eichw. Skizze, 151 = *Scabiosa Succisa*.  
*syriacus*, Lag. Gen. et Sp. Nov. 8 = *C. syriaca*.  
*tartarica*, Lag. l. c. = *C. tatarica*.  
*transsylvanicus*, Lag. l. c. = *C. transsylvanica*.  
*uralensis*, Lag. l. c. = *C. corniculata*.  
*ustulatus*, Lag. l. c. = *C. ustulata*.

LEPICLINE, Less. Syn. Comp. 296. (1832) = **LEPISCLINE**, Cass. = **Helichrysum**, Vaill. (Compos.).LEPIDACANTHUS, Presl, Bot. Bemerk. 96 (1844); in Abh. Boehm. Ges. V. iii. (1845) 526. **ACANTHACEAE**.

- comosus*, Presl, II. cc. — Bras.  
*latibracteatus*, Presl, II. cc. — Bras.

LEPIDADENIA, Nees, in Edinb. N. Phil. Journ. xv. (Apr.-Oct. 1833) 379; Laurin. Expos. 19 (1833) = **Litsea**, Lam. (Laurin.).

- costata*, Miq. Fl. Ind. Bat. i. I. 938. — Arch. Sunda.  
*cuneata*, Miq. l. c. 936. — Sumatra.  
*diversifolia*, Miq. l. c. = *Litsea diversifolia*.  
*ferruginea*, Miq. l. c. 935 = *Litsea ferruginea*.  
*fusca*, Miq. l. c. 937. — Sumatra.  
*fuscescens*, Miq. l. c. 939. — Ins. Banca.  
*glabrata*, Wight, Ic. t. 1838. — Ind. or.  
*Griffithii*, Wight, l. c. t. 1846 (= *Cylicodaphne myrsiticaefolia*). — Ind. or.  
*grisea*, Miq. Fl. Ind. Bat. i. I. 939. — Sumatra.  
*hirta*, Miq. l. c. 940. — Java.  
*lucida*, Miq. l. c. 937. — Sumatra.  
*magnifica*, Miq. l. c. 936. — Sumatra.  
*mollis*, Miq. l. c. 940. — Java?  
*Neesiana*, Wight, Ic. t. 1840 (= *Cylicodaphne Neesiana*). — Malacca.  
*Noronhiana*, Miq. Fl. Ind. Bat. i. I. 934 = *Litsea Noronhae*.  
*ochracea*, Miq. l. c. 938. — Sumatra.  
*ovalifolia*, Wight, Ic. t. 1839 = *Litsea ovalifolia*.  
*pallida*, Miq. Fl. Ind. Bat. i. I. 935. — Ins. Molucc.  
*polyneura*, Miq. l. c. 938. — Java?  
*punctata*, Miq. l. c. 939. — Borneo.  
*robusta*, Miq. l. c. 934 = *Litsea robusta*.  
*rubiginosa*, Miq. l. c. 938. — Sumatra.  
*rubra*, Miq. l. c. 934 = *Litsea rubra*.  
*Seloany*, Miq. l. c. Suppl. 361. — Sumatra.  
*sumatrana*, Miq. l. c. i. I. 937. — Sumatra.  
*tephrophylla*, Miq. l. c. 940. — Java.  
*tuberculata*, Miq. l. c. 937. — Sumatra.  
*velutina*, Miq. l. c. 935. — Java.  
*Wightiana*, Nees, in Edinb. N. Phil. Journ. xv. (Apr.-Oct. 1833) 379 = *Litsea Sebifera*.

LEPIDAGATHIS, Willd. Sp. Pl. iii. 400 (1800). **ACANTHACEAE**, Benth. & Hook. f. ii. 1101.

- APOLEPSIS*, Hassk. Cat. Hort. Bog. Alt. 150 (1844).  
*RUSSEGERA*, Endl. Nov. Stirp. Dec. 38 (1839).  
*TELIOSTACHYA*, Nees, in Mart. Fl. Bras. ix. 71, t. 8. (1847).  
*alopecuroides*, R. Br. ex Griseb. Fl. Brit. W. Ind. 453. — Am. trop.  
*anobrya*, Nees, in DC. Prod. xi. 255. — Afr. trop.  
*aristata*, Nees, in Wall. Pl. As. Rar. iii. 95 = *hyalina*.  
*attenuata*, Zipp. ex Span. in Linnaea, xv. (1841) 329 = *humifusa*.  
*axillaris*, Wight, ex Nees, in DC. Prod. xi. 259 = *trinervis*.  
*Beddomei*, T. Anders. in Journ. Linn. Soc. ix. (1867) 499 = *Hamiltoniana*.  
*Billardieriana*, Nees, in DC. Prod. xi. 253. — Java.  
*calycina*, Hochst. ex DC. l. c. 252. — Scind.; Abyssin.  
*ceylanica*, Nees, in Nov. Act. Nat. Cur. xix. Suppl. ii. (1841) p. li. — Zeylan.  
*chlorostachya*, Nees, in DC. Prod. xi. 256. — Burma.

## LEPIDAGATHIS:—

- clavata*, Dalz. in Hook. Kew Journ. ii. (1850) 340. — Ind. or.  
*cristata*, Willd. Sp. Pl. iii. 400. — Ind. or.  
*cuspidata*, Nees, in Wall. Pl. As. Rar. iii. 97. — Ind. or.  
*diffusa*, C. B. Clarke, in Hook. f. Fl. Brit. Ind. iv. 518. — Ind. or.  
*discolor*, Stocks, ex Boiss. Fl. Orient. iv. 525 = *calycina*.  
*dulcis*, Nees, in Wall. Pl. As. Rar. iii. 96. — Burma.  
*eucephala*, Miq. Fl. Ind. Bat. ii. 814. — Malaya.  
*falcata*, Nees, in Wall. Pl. As. Rar. iii. 96. — Burma.  
*fasciculata*, Nees, l. c. 95. — Ind. or.  
*glandulosa*, Nees, in DC. Prod. xi. 243. — Abyssin.  
*goënsis*, Dalz. in Hook. Kew Journ. ii. (1850) 340 = *fasciculata*.  
*grandiflora*, Dalz. l. c. 138 = *Calacantha Dalzelliana*.  
*Hamiltoniana*, Wall. Pl. As. Rar. iii. 96; Cat. n. 2422. — Ind. or.  
*Heudelotiana*, Nees, in DC. Prod. xi. 254. — Afr. trop.  
*hirta*, Nees, in Nov. Act. Nat. Cur. xix. Suppl. ii. (1841) p. liii = *fasciculata*.  
*humifusa*, Decne. in Nouv. Ann. Mus. Par. iii. 1834 386. — Ins. Timor.  
*hyalina*, Nees, in Wall. Pl. As. Rar. iii. 95. — As. trop.  
*hyssopifolia*, T. Anders. in Journ. Linn. Soc. vii. (1864) 34. — Afr. trop.  
*incana*, Nees, in DC. Prod. xi. 259. — Java.  
*incurva*, Buch.-Ham. ex D. Don, Prod. Fl. Nep. 119 = *hyalina*.  
*iridescens*, T. Anders. in Journ. Linn. Soc. ix. (1867) 496 = *hyalina*.  
*javanica*, Blume, Bijdr. 801. — Java.  
*javanica*, Hort. Bogor. ex Miq. Fl. Ind. Bat. ii. 812 = *straminea*.  
*laciniata*, Wall. ex Nees, in DC. Prod. xi. 227, in syn. = *Barleria cristata*.  
*laguroidea*, T. Anders. in Journ. Linn. Soc. vii. (1864) 34. — Afr. trop.  
*lanata*, Wall. ex Nees, in DC. Prod. xi. 252, in syn. = *scariosa*.  
*laxa*, Nees, l. c. 251. — Ins. Philipp.  
*linearis*, T. Anders. Cat. Hort. Calc. 43, nomen; et in Journ. Linn. Soc. ix. (1867) 496. — Burma.  
*longifolia*, Wight, Ic. iv. t. 1564. — Ind. or.  
*lutea*, Dalz. in Hook. Kew Journ. ii. (1850) 139. — Ind. or.  
*luzona*, Nees, in DC. Prod. xi. 259. — Ins. Philipp.  
*Medusae*, S. Moore, in Journ. Bot. xviii. 1850, 39. — Afr. trop.  
*mitis*, Dalz. in Hook. Kew Journ. iii. 1851 226. — Ind. or.  
*mollis*, T. Anders. in Journ. Linn. Soc. vii. (1864) 34. — Afr. trop.  
*mucronata*, Nees, in Wall. Pl. As. Rar. iii. 93 = *hyalina*.  
*myrsifolia*, S. Moore, in Journ. Bot. xviii. (1850) 38. — Afr. trop.  
*Neesiana*, Wight, ex T. Anders. in Journ. Linn. Soc. ix. (1867) 499 = *Neuracanthus Neesianus*.  
*nervata*, Wight, Ic. iv. t. 1620 = *ceylanica*.  
*neurophylla*, T. Anders. in Journ. Linn. Soc. ix. (1867) 497 = *hyalina*.  
*pallescens*, S. Moore, in Journ. Bot. xviii. (1850) 30. — Afr. trop.  
*parviflora*, Blume, Bijdr. 801. — Java.  
*parviflora*, Decne. in Nouv. Ann. Mus. Par. iii. 1834 387 = *javanica*.  
*Pavala*, Nees, in DC. Prod. xi. 160. — Ind. or.  
*peniculifera*, S. Moore, in Journ. Bot. xviii. (1850) 39. — Afr. trop.  
*prostrata*, Dalz. in Hook. Kew Journ. ii. (1850) 139. — Ind. or.  
*psilantha*, Nees, in DC. Prod. xi. 251. — Ins. Philipp.  
*pungens*, Nees, in Wall. Pl. As. Rar. iii. 97. — Ind. or.  
*purpuricaulis*, Nees, l. c. 96. — Reg. Himal.; Burma.  
*radicalis*, Hochst. ex Nees, in DC. Prod. xi. 253. — Abyssin.  
*repanda*, Blume, Bijdr. 802. — Java.  
*repens*, Spreng. Syst. ii. 827. — Coch. China.  
*Riedeliana*, Nees, in Mart. Fl. Bras. ix. 71. — Bras.  
*rigida*, Dalz. in Hook. Kew Journ. ii. (1850) 139. — Ind. or.  
*riparia*, Nees, in DC. Prod. xi. 253 = *hyalina*.  
*rupestris*, Bedd. Ic. Pl. Ind. Or. t. 229. — Ind. or.  
*rupestris*, Nees, in Wall. Pl. As. Rar. iii. 96 = *crucifolia*.  
*scariosa*, Nees, l. c. 95. — Ind. or.; Abyssin.  
*secunda*, Nees, in DC. Prod. xi. 259. — Ins. Philipp.  
*semitrilocata*, Nees, in Wall. Pl. As. Rar. iii. 97 = *hyalina*.



**LEPIDAGATHIS** :—

- setigera, *Blume, Bijdr.* 802.—Java.  
*Shuteri*, T. Anders. in Journ. Linn. Soc. ix. (1867) 494 = cristata.  
 simplex, T. Anders. l. c. 497.—Burma.  
*sphaerostachya*, Nees, in DC. Prod. xi. 254 = *Neuracanthus sphaerostachyus*.  
*spinosa*, Wight, ex Nees, in Wall. Pl. As. Rar. iii. 97.—Ind. or.  
*straminea*, Miq. Fl. Ind. Bat. ii. 812.—Java?  
*striata*, Nees, in Wall. Pl. As. Rar. iii. 96 = *purpuricaulis*.  
*strobilifera*, Stocks, in Hook. Kew Journ. iv. (1852) 177 = *calycina*.  
*strobilina*, T. Anders. ex Kurz, in Journ. As. Soc. Beng. xlii. (1873) ii. 96.—Burma.  
*subuninervia*, C. B. Clarke, in Hook. f. Fl. Brit. Ind. iv. 519.—Burma.  
*terminalis*, Hochst. ex Nees, in DC. Prod. xi. 251 = *scariosa*.  
*timorensis*, Steud. Nom. ed. II. ii. 26 = *javanica*.  
*trinervis*, Nees, in Wall. Pl. As. Rar. iii. 96.—Ind. or.  
*ustulata*, Nees, l. c. 95 = *hyalina*.  
*Walkeriana*, Nees, in DC. Prod. xi. 260.—Zeylan.

**LEPIDAMPHORA**, Zoll. ex Miq. Fl. Ind. Bat. i. i. 217 (1855) = **Diolea**, H. B. & K. (Legumin.).  
*volubilis*, Zoll. l. c. = *D. reflexa*.

**LEPIDANCHE**, Engelm. in Am. Journ. Sc. xliii. (1842) 343. t. 6 = **Cusecuta**, Linn. (Convolv.).  
*adpressa*, Engelm. in Hook. Lond. Journ. Bot. ii. (1842) 194, 198 = *C. compacta*.  
*compositarum*, Engelm. in Am. Journ. Sc. xliii. (1842) 344. t. 6. f. 30–35 = *C. glomerata*.

**LEPIDANTHEMUM**, Klotzsch, in Peters, Reise Mosamb. Bot. 64 (1861) = **Dissotis**, Benth. (Melastom.).  
*tripplinervium*, Klotzsch, l. c. = *D. prostrata*.

**LEPIDANTHUS**, Nees, in Linnaea, v. (1830) 665 = **Hypodiscus**, Nees (Restiac.).  
*Willdenowia*, Nees, l. c. 665 = *H. Willdenovia*.

**LEPIDANTHUS**, Nutt. in Trans. Am. Phil. Soc. v. (1837) 175 = **Andrachne**, Linn. (Euphorb.).  
*phyllanthoides*, Nutt. l. c. = *A. Roemeriana*.

**LEPIDANTHUS**, Nutt. in Trans. Am. Phil. Soc. N. S. vii. (1841) 396 = **Matricaria**, Tourn. (Compos.).  
*suaveolens*, Nutt. l. c. 397 = *M. discoidea*.

**LEPIDAPLOA**, Cass. in Bull. Soc. Philom. (1817) 66; et in Dict. Sc. Nat. xxvi. 16 (1823) = **Vernonia**, Schreb. (Compos.).  
*albicaulis*, Cass. in Dict. Sc. Nat. xxvi. 17 = *V. longifolia*.  
*aristata*, Cass. l. c. = *V. aristata*.  
*buxifolia*, Cass. l. c. 18 = *V. buxifolia*.  
*canescens*, Cass. l. c. = *V. canescens*.  
*lanceolata*, Cass. l. c. = *V. longifolia*.  
*phyllostachya*, Cass. l. c. 16 = *V. arborescens*.  
*scorpioides*, Cass. l. c. = *V. scorpioides*.

**LEPIDEILEMA**, Trin. in Mém. Acad. Pétersb. Sér. VI. i. (1831) 93 = **Streptochoaeta**, Schrad. (Gramin.).  
*lancifolium*, Trin. l. c. = *S. spicata*.

**LEPIDEREMA**, Radlk. in Sitzb. Math.-Phys. Acad. Muench. ix. (1879) 498. **SAPINDACEAE**.  
*papuana*, Radlk. l. c. 535.—N. Guin.

**LEPIDIBERIS**, Fourr. in Ann. Soc. Linn. Lyon, N. S. xvi. (1868) 338 = **Lepidium**, Linn. (Crucif.).  
*graminifolia*, Fourr. l. c. = *Lepidium graminifolium*.  
*polyclada*, Fourr. l. c. = *Lepidium graminifolium*.

**LEPIDION**, St. Lag. in Ann. Soc. Bot. Lyon, vii. (1880) 129 = seq.

**LEPIDIUM**, Linn. Syst. ed. I (1735); Gen. ed. I. 192 (1737). **CRUCIFERAE**, Benth. & Hook. f. i. 87.  
**CARDAMON**, Fourr. in Ann. Soc. Linn. Lyon, N. S. xvi. (1868) 338.  
**CARDARIA**, Desv. Journ. Bot. iii. (1814) 163.  
**CYNOCARDAMUM**, Webb & Berth. Phyt. Canar. i. 96 (1836).  
**DILEPTIUM**, Rafin. Fl. Ludov. 85 (1817).  
**DISCOVIUM**, Rafin. in Journ. Phys. lxxxix. (1819) 96.  
**IBERIS**, Adans. Fam. ii. 422 (1763).  
**JUNDZILLIA**, Andr. ex DC. Syst. ii. 529 (1821).

**LEPIDIUM** :—

- KANDIS**, Adans. Fam. ii. 422 (1763).  
**LASIOPTERA**, Andr. ex DC. Syst. ii. 534 (1821).  
**LEPIA**, Desv. Journ. Bot. iii. (1814) 166.  
**LEPIDIBERIS**, Fourr. in Ann. Soc. Linn. Lyon, N. S. xvi. (1868) 338.  
**MONOPOLOCA**, Bunge, in Lehm. Pl. Preiss. i. 259 (1845).  
**NASTURTIODES**, Medic. Pflanzeng. i. 81 (1792).  
**PHYSOLEPIDIUM**, Schrenk, Enum. Pl. 97 (1841).  
**SENCKENBERGIA**, Gaertn. Mey. & Schreb. Fl. Wett. ii. 413 (1800).  
**THLASPIDIUM**, Spach, Hist. Vég. Phan. vi. 557 (1838).  
*abrotanifolium*, Turcz. in Bull. Soc. Nat. Mosc. xxvii. (1854) ii. 308.—Ecuador.  
*abyssinicum*, Hochst. in A. Rich. Tent. Fl. Abyss. i. 21.—Abyss.  
*afghanum*, Boiss. Fl. Orient. i. 358.—Afghanist.  
*affine*, Ledeb. Ind. Sem. Hort. Dorpat. (1821) 22; et in Link, Enum. Hort. Berol. ii. 152 = *latifolium*.  
*affine*, Wedd. in Ann. Sc. Nat. Sér. V. i. (1864) 284.—Bolivia.  
*africanum*, DC. Syst. ii. 552 = *ruderales*.  
*alpinum*, A. Rich. Tent. Fl. Abyss. i. 22.—Abyss.  
*alpinum*, Linn. Cent. Pl. ii. 23; Amoen. Acad. iv. 321 = *Hutchinsia alpina*.  
*alpinum*, O. F. Muell. in Fl. Dan. t. 569 = *groenlandicum*.  
*alpinum*, Sievers, in Pall. N. Nord. Beitr. vii. 350 = *Smelowskia calycina*.  
*alysoides*, A. Gray, in Mem. Am. Acad. N. S. iv. (1849) 10.—N. Mexic.  
*ambiguum*, Lange, in Kjoeb. Vidensk. Meddel. (1865) 74 = *L. Cardamines*.  
*ambiguum*, F. Muell. in Trans. Phil. Soc. Vict. i. (1855) 34 = *ruderales*.  
*americanum*, Vell. Fl. Flum. 271; vi. t. 108 = *Senebiera pinnatifida*.  
*amplexicaule*, Stev. ex DC. Syst. ii. 554 = *cordatum*.  
*amplexicaule*, Willd. Sp. Pl. iii. 436.—Sibir.  
*anglicum*, Huds. Fl. Angl. ed. II. i. 280 = *Senebiera pinnatifida*.  
*angulosum*, Urv. in Mém. Soc. Linn. Par. i. (1822) 334 = *incisum*.  
*apetalos*, Gilib. Fl. Lituan. ii. 54 = *ruderales*.  
*apetalum*, Willd. Sp. Pl. iii. 439 = *incisum*.  
*arcuatum*, DC. in Mém. Soc. Hist. Nat. Par. (1799) 145 = *L. Iberis*.  
*armoracium*, Fisch. & Mey Ind. Sem. Hort. Petrop. ix. 77.—Abyss.  
*arvense*, Mill. Gard. Dict. ed. VIII. n. 2 = *L. Draba*.  
*Aucheri*, Boiss. in Ann. Sc. Nat. Sér. II. xvii. (1842) 195.—Persia; Afghan.  
*auriculatum*, Regel & Koern. Ind. Sem. Hort. Petrop. (1857) 51.—Hab.?  
*auritum*, Turcz. in Bull. Soc. Nat. Mosc. xxvii. (1854) ii. 307.—Ecuador.  
*australe*, T. Kirk, in Trans. N. Z. Inst. xiv. (1882) 381.—N. Zel.  
*Berteronianum*, Steud. Nom. ed. II. ii. 26.—Chili.  
*bidentatum*, Montin, in Nov. Act. Nat. Cur. vi. (1778) 324. t. 5 = *piscidium*.  
*bipinnatifidum*, Desv. Journ. Bot. iii. (1814) 165.—Am. austr.  
*bipinnatum*, Thunb. Prod. Pl. Cap. 107.—Afr. austr.  
*Bonannianum*, Guss. Fl. Sic. Prod. ii. 211 = *nebrodense*.  
*bonariense*, Bert. ex Steud. Nom. ed. II. ii. 26 = *Berteronianum*.  
*bonariense*, Linn. Sp. Pl. 645.—Bras.  
*bonariense*, Mill. Gard. Dict. ed. VIII. n. 13 = *Senebiera pinnatifida*.  
*bonariense*, Pall. Reise, ii. 329 = *incisum*.  
*brevicaule*, Barn. in C. Gay, Fl. Chil. i. 165.—Chili.  
*brevicaule*, Hoppe, ex Mert. & Koch, Deutschl. Fl. iv. 519 = *Hutchinsia alpina*.  
*Bursa-pastoris*, Willd. Prod. Fl. Berl. 211 = *Capsella Bursa-pastoris*.  
*caespitosum*, Desv. in Journ. Bot. iii. (1814) 165, 178.—Armenia.  
*californicum*, Nutt. ex Torr. & Gray, Fl. N. Am. i. 115 = *Menziesii*.  
*calycinum*, Godr. in Mém. Acad. Montp. (Sect. Medic.) i. (1853) 416.—Hab.?  
*calycinum*, Steph. ex Willd. Sp. Pl. iii. 433 = *Smelowskia calycina*.  
*calycotrichum*, Kunze, in Flora, xxix. (1846) 756 = *nebrodense*.  
*campestre*, Brot. ex Nym. Consp. 65 = *hirtum*.

**LEPIDIUM** :—

- campestre*, [R. Br. in] Ait. Hort. Kew. ed. II. iv. 88.—Europ.  
*campicolum*, Jord. Diagn. i. 329 = *campestre*.  
*Candollei*, Desv. Journ. Bot. iii. (1814) 165 = *crassifolium*.  
*capense*, R. Br. ex Hook. f. & Thoms. in Journ. Linn. Soc. v. (1861) 175 = *ruderales*.  
*capense*, Eckl. & Zeyh. Enum. 6 = *africanum*.  
*capense*, E. Mey. ex Harv. & Sond. Fl. Cap. i. 30 = *divaricatum*.  
*capense*, Thunb. Prod. Pl. Cap. 107.—Afr. austr.  
*capitatum*, Hook. f. & Thoms. in Journ. Linn. Soc. v. (1861) 175.—Reg. Himal.  
*Cardamines*, Linn. Cent. Pl. i. 17; Amoen. Acad. iv. 278.—Hispan.  
*Carrerasii*, Rodrig. in Anal. Soc. Esp. Hist. Nat. iii. (1874) 7.—Hispan.  
*cepeaeifolium*, Reichb. in Moessl. Handb. ed. II. ii. 1125 = *Thlaspi cepeaeifolium*.  
*ceratocarpum*, Pall. Reise, ii. 740 = *Thlaspi ceratocarpum*.  
*chalepense*, Fisch. ex DC. Syst. ii. 388 = *Thlaspi hastulatum*.  
*chalepense*, Ledeb. Fl. Ross. i. 203 = *L. Draba*.  
*chalepense*, Linn. Cent. Pl. ii. 23; Amoen. Acad. iv. 321.—Oriens.  
*Chichicara*, Desv. Journ. Bot. iii. (1814) 165.—Bras.  
*chilense*, Kunze, ex Walp. in Nov. Act. Nat. Cur. xix. Suppl. i. (1843) 250.—Chili.  
*chinense*, Franch. Pl. Davidian. i. (1884) 39.—China.  
*chinense*, Stokes, Bot. Mat. Med. iii. 429 = *Nasturtium sinense*.  
*chloraefolium*, Willd. ex Spreng. Syst. ii. 865 = *Aethionema chloraefolium*.  
*cordatum*, Willd. ex DC. Syst. ii. 554.—Turkest.; Sibir.  
*cornutum*, Sibth. & Sm. Fl. Graec. Prod. ii. 6 = *spinorum*.  
*cornutum*, Urv. in Mém. Soc. Linn. Par. i. (1822) 334 = *Andrzeiowskia Cardamine*.  
*coronopifolium*, [Fisch.] Cat. Hort. Gorenk. ed. I. (1808) 79.—Persia; Turkest.  
*coronopifolium*, H. B. & K. ex DC. Syst. ii. 532 = *Humboldtii*.  
*corymbosum*, Hook. & Arn. Bot. Beech. Voy. 323 = *montanum*.  
*crassifolium*, Walld. & Kit. Pl. Rar. Hung. i. 4. t. 4.—Hungar.; Oriens.  
*crenatifolium*, Boiss. & Bal. Diagn. Ser. II. vi. 22.—Cappadoc.  
*crispum*, Desv. Journ. Bot. iii. (1814) 165, 176 = *ruderales*.  
*cristatum*, Lapeyr. Hist. Abr. Pl. Pyr. 366 = *Senebiera Coronopus*.  
*Cumingianum*, Fisch. & Mey. Ind. Sem. Hort. Petrop. i. 30.—Chili.  
*cuneifolium*, DC. Syst. ii. 545 = *foliosum*.  
*decumbens*, Desv. Journ. Bot. iii. (1814) 165, 176 = *incisum*.  
*densiflorum*, Schrad. Ind. Sem. Hort. Gotting. (1832) 4 = *incisum*.  
*dentatum*, Bieb. ex Georgi, Besch. Russ. Reich. III. iv. 1021.—Ross.  
*Descemetri*, Rayneval, in Bull. Soc. Bot. Fr. ii. (1855) 788 = *crassifolium*.  
*desertorum*, Eckl. & Zeyh. Enum. 6.—Afr. austr.  
*desertorum*, Schrenk, Enum. Pl. Nov. 99 = *Stroganowia brachyota*.  
*dhayense*, Munby, in Bull. Soc. Bot. Fr. ii. (1855) 282 = *nebrodense*.  
*diandrum*, Medic. in Usteri, Ann. Bot. viii. (1794) 45 = *L. Iberis*.  
*dictyotum*, A. Gray, in Proc. Am. Acad. vii. (1868) 329.—Am. bor. occ.  
*didymum*, Linn. Mant. i. 92 = *Senebiera didyma*.  
*diffusum*, DC. Syst. ii. 554.—Am. bor.  
*divaricatum*, [Soland. in] Ait. Hort. Kew. ed. I. ii. 375.—Afr. austr.  
*divaricatum*, Willd. ex DC. Syst. ii. 553 = *incisum*.  
*diversifolium*, Pers. Syn. ii. 187 = *capense*.  
*Draba*, Linn. Sp. Pl. 645.—Europ.; Oriens.  
*drabifolium*, St. Lag. in Ann. Soc. Bot. Lyon, vii. (1880) 129 = *praec*.  
*Eckloni*, Schrad. ex Regel, Ind. Sem. Hort. Petrop. (1856) 33 = *capense*.  
*eremophilum*, Schrenk, in Bull. Phys.-Math. Acad. Pétersb. ii. (1844) 199.—As. centr.  
*erinaceum*, Boiss. Diagn. Ser. I. vi. 17.—Persia.  
*errabundum*, Jord. Diagn. i. 330 = *campestris*.



## LEPIDIUM:—

*exiguiflorum*, [Clairv.] Man. Herb. 214 = *L. Iberis*.  
*fastigiatum*, Ledeb. Fl. Ross. 205.—Ross. austr.  
*fenestratum*, E. Mey. ex Harv. & Sond. Fl. Cap. i. 129 = *desertorum*.  
*flaccidum*, Roth, ex Turcz. in Bull. Soc. Nat. Mosc. xxvii. (1854) ii. 309.—Reg. Casp.  
*flavum*, Torr. in Pacif. Rail. Rep. iv. 67.—Am. bor. occ.  
*flexicaule*, T. Kirk, in Trans. N. Z. Inst. xiv. (1882) 380.—N. Zel.  
*flexuosum*, Eckl. & Zeyh. Enum. 6 = *capense*.  
*flexuosum*, Thunb. Prod. Pl. Cap. 107.—Afr. austr.  
*foliosum*, Desv. Journ. Bot. iii. (1814) 164, 180.—Austral.  
*fragrans*, Willd. in Roem. & Usteri, Mag. iv. (1790) 11tes St. 36 = *Alyssum maritimum*.  
*Fremontii*, S. Wats. in Bot. King's Exped. 30. t. 4. ff. 3, 4.—Am. bor. occ.  
*fruticosum*, DC. Prod. i. 208 = seq.  
*fruticulosum*, Desv. Journ. Bot. iii. (1814) 165, 180 = *ruderales*.  
*gelidum*, Wedd. in Ann. Sc. Nat. Sér. V. i. (1864) 283.—Bolivia.  
*glastifolium*, Desf. Fl. Atlant. ii. 66. t. 147.—Alger.  
*glaucescens*, Dum. Fl. Belg. 119 = *ruderales*?  
*gramineum*, Lam. Fl. Fr. ii. 469 = *L. Iberis*.  
*graminifolium*, Cav. Ic. ii. 41. t. 151. f. 2 = *suffruticosum*, Linn.  
*graminifolium*, Linn. Syst. ed. X. 1127.—Europ.; Syria.  
*granatense*, Coss. Notes Crit. ii. 27 = *nebrodenses*.  
*groenlandicum*, Hornem. in Fl. Dan. t. 569.—Groenland.  
*Gussoni*, Schrad. ex Steud. Nom. ed. II. ii. 27 = *nebrodenses*.  
*Halleri*, Crantz, Stirp. Austr. ed. I. fasc. i. 5 = *Hutchinsia alpina*.  
*heterophyllum*, Benth. Cat. Pl. Pyr. 95 = *hirtum*.  
*heterophyllum*, Boiss. Voy. Bot. Espagne, ii. 51 = *nebrodenses*.  
*hirtellum*, Sond. in Harv. & Sond. Fl. Cap. i. 30.—Afr. austr.  
*hirtum*, Sm. Comp. Fl. Brit. ed. III. 98.—Europ.  
*Humboldtii*, DC. Syst. ii. 532.—Ecuador.  
*humifusum*, Req. Cat. 9; et ex Spreng. Syst. iv. Cur. Post. 240.—Corsica.  
*hyssopifolium*, Desv. Journ. Bot. iii. (1814) 164, 179 = *ruderales*.  
*ibericum*, Schrad. ex Fisch. & Mey. Ind. Sem. Hort. Petrop. iii. 39 = *ruderales*.  
*iberifolium*, St. Lag. in Ann. Soc. Bot. Lyon, vii. (1880) 129 = *L. Iberis*.  
*iberioides*, Desv. Journ. Bot. iii. (1814) 165, 176 = *ruderales*.  
*Iberis*, Linn. Sp. Pl. 645.—Europ. austr.  
*Iberis*, Poll. Hist. Pl. Palat. ii. 209 = *graminifolium*.  
*Iberis*, Schkuhr, Handb. ii. 222. t. 180 = *virginicum*.  
*impressum*, Bunge, in Lehm. Pl. Preiss. i. 260 = *foliosum*.  
*incisum*, Banks & Soland. ex Hook. f. Fl. N. Zel. i. 15.—N. Zel.  
*incisum*, Edgew. in Trans. Linn. Soc. xx. (1851) 33 = *capitatum*.  
*incisum*, Roth, Neue Beitr. i. 224; Bieb. Fl. Taur. Cauc. ii. 98.—Rossia; Sibir.  
*integrifolium*, Nutt. ex Torr. & Gray, Fl. N. Am. i. 116.—Am. bor. occ.  
*intermedium*, A. Gray, Pl. Wright. ii. 15.—Am. bor. occ.  
*intermedium*, A. Rich. Tent. Fl. Abyss. i. 21.—Abyssin.  
*intermixtum*, Tenore, Fl. Neap. Syll. App. v. 18.—Ital.  
*intricatum*, Boiss. & Buhse, in Nouv. Mém. Soc. Nat. Mosc. xii. (1860) 26 = *Moriera spinosa*.  
*karataviense*, Regel & Schmalh. in Act. Hort. Petrop. v. (1877) 242.—Turkestan.  
*Kawarau*, Petrie, in Trans. N. Z. Inst. xvii. (1885) 270.—N. Zel.  
*Kirilowii*, Trautv. in Bull. Soc. Nat. Mosc. xxxiii. (1860) i. 130.—As. centr.  
*lacerum*, C. A. Mey. in Ledeb. Fl. Alt. iii. 191.—Persia; Sibir.  
*laciniatum*, Willd. ex DC. Syst. ii. 532 = *coronopifolium*.  
*lanatum*, Barn. in C. Gay, Fl. Chil. i. 167.—Chili.  
*lanceolatum*, Presl, Fl. Sic. i. 82.—Sicilia.  
*lanceolatum*, Walp. in Nov. Act. Nat. Cur. xix. Suppl. i. (1843) 250.—Peruv.  
*lasiocarpum*, Nutt. ex Torr. & Gray, Fl. N. Am. i. 115.—Am. bor. occ.  
 VOL. II.

## LEPIDIUM:—

*latifolium*, Linn. Sp. Pl. 644.—Europ.; As. bor.; Oriens.  
*latipes*, Hook. Ic. Pl. t. 41.—Am. bor. occ.  
*leiocarpum*, DC. Syst. ii. 536 = *Aethionema coridifolium*.  
*leiocarpum*, Hook. & Arn. Bot. Beech. Voy. 324 = *nitidum*.  
*leptopetalum*, F. Muell. Vict. Pl. i. 48.—Austral.  
*lineare*, DC. in Lam. Encyc. v. 46.—Hispan.  
*linifolium*, Steud. Nom. ed. II. ii. 27; Benth. Fl. Austral. i. 84.—Austral.  
*Linnaei*, Crantz, Stirp. Austr. ed. I. fasc. i. 7 = *Hutchinsia petraea*.  
*linoides*, Thunb. Prod. Pl. Cap. 107.—Afr. austr.  
*lyratum*, Linn. Sp. Pl. 644.—Armenia.  
*majus*, Darracq, in Bull. Soc. Bot. Fr. xv. (1868) p. xiii.—Gallia.  
*marginatum*, Griseb. in Goett. Abh. xix. (1874) 72.—Reg. Argent.  
*marginatum*, Lapeyr. Hist. Abr. Pl. Pyr. i. 365 = *Aethionema ovalifolium*.  
*membranaceum*, Steud. Nom. ed. II. ii. 27 = *Aethionema membranaceum*.  
*mendocinum*, Phil. Sert. Mendoc. Alt. 2.—Chili.  
*Menziesii*, DC. Syst. ii. 539.—Am. bor. occ.  
*Meyenii*, Walp. in Nov. Act. Nat. Cur. xix. Suppl. i. (1843) 249.—Bolivia.  
*Meyeri*, Claus, in Beitr. Pfl. Russ. Reich. vii. 286.—Ross.  
*micranthum*, Ledeb. Ic. Pl. Ross. i. 22. t. 92 = *incisum*, Roth.  
*micropetalum*, Stev. ex Ledeb. Fl. Ross. i. 205 = *incisum*, Roth.  
*micropterum*, Miq. Stirp. Surin. Sel. 106.—Guian.  
*microstylum*, Boiss. & Heldr. Diagn. Ser. II. vi. 1 = *nebrodenses*.  
*miscellaneorum*, Schultz, Obs. Bot. 122 = *L. Iberis*.  
*mixtum*, Jord. Diagn. i. 332 = *graminifolium*.  
*monoplocoides*, F. Muell. in Trans. Phil. Soc. Vict. i. (1855) 35.—Austral.  
*montanum*, Nutt. ex Torr. & Gray, Fl. N. Am. i. 116.—Am. bor. occ.  
*myriocarpum*, Sond. in Linnaea, xxiii. (1850) 4.—Afr. austr.  
*nanum*, S. Wats. in Bot. King's Exped. 30. t. 4. ff. 5–7.—Am. bor. occ.  
*nebrodenses*, Guss. Fl. Sic. Syn. ii. 154.—Sicil.; Ins. Graec.  
*niloticum*, Sieber, ex Steud. Nom. ed. II. ii. 26.—Aegypt.  
*nitidum*, Nutt. ex Torr. & Gray, Fl. N. Am. i. 116.—Am. bor. occ.  
*Novae-Hollandiae*, Desv. Journ. Bot. iii. (1814) 177 = *ruderales*.  
*nudicaule*, Linn. Sp. Pl. 643 = *Teesdalia nudicaulis*.  
*obovatum*, Kit. ex Steud. Nom. ed. II. ii. 27 = *incisum*.  
*obtusum*, Basiner, in Bull. Phys.-Math. Acad. Pétersb. ii. (1844) 203.—As. med.  
*oleraceum*, Forst. f. Prod. 46.—N. Zel.  
*oleraceum*, [Soland. in] Ait. Hort. Kew. ed. I. ii. 374 = *pscidium*.  
*oppositifolium*, Labill. Ic. Pl. Syr. Dec. v. 14. t. 9 = *Aethionema oppositifolium*.  
*owaihiense*, Cham. & Schlecht. in Linnaea, i. (1826) 32.—Ins. Sandvic.  
*oxycarpum*, Nutt. ex Torr. & Gray, Fl. N. Am. i. 116.—Am. bor. occ.  
*oxyotum*, DC. Syst. ii. 530 = *humifusum*.  
*papillosum*, F. Muell. in Linnaea, xxv. (1852) 370.—Austral.  
*parviflorum*, Pomel, Nouv. Mat. Fl. Atl. 378.—Alger.  
*pedicellosum*, F. Muell. Fragm. xi. 27.—Austral.  
*perfoliatum*, Linn. Sp. Pl. 643.—Europ. austr.; Oriens.  
*persicum*, Boiss. in Ann. Sc. Nat. Sér. II. xvii. (1842) 196.—Persia.  
*petraeum*, Linn. Sp. Pl. 644 = *Hutchinsia petraea*.  
*petraeum*, Lour. Fl. Cochinch. 395 = *Nasturtium sinense*.  
*petrophilum*, Coss. Notes Crit. 148 = *nebrodenses*?  
*phlebopetalum*, F. Muell. Vict. Pl. i. 47.—Austral.  
*pinnatifidum*, Ledeb. Fl. Ross. i. 206.—Reg. Casp.  
*pinnatum*, Eckl. & Zeyh. Enum. 7; et ex Harv. & Sond. Fl. Cap. i. 30 = *hirtellum*.  
*pinnatum*, Thunb. Prod. Pl. Cap. 107 = *divaricatum*.  
*pscidium*, Forst. f. Prod. 46.—Ins. Pacif.  
*Pollichii*, Roth, Tent. Fl. Germ. ii. 91 = *graminifolium*.  
*polycladum*, Jord. Diagn. i. 331 = *graminifolium*.

## LEPIDIUM:—

*pratense*, Serres, ex Billot, in F. Schultz, Arch. Fl. Fr. et Allem. 197 = *hirtum*.  
*praecox*, DC. Syst. ii. 554 = *virginicum*.  
*procumbens*, Linn. Sp. Pl. 643 = *Capsella procumbens*.  
*propinquum*, Fisch. & Mey. in Bull. Soc. Nat. Mosc. (1838) 378.—Reg. Caucas.  
*prostratum*, Savi, in Santi, Viag. ii. 18. t. 1 = *Senebiera pinnatifida*.  
*puberulum*, Bunge, in Lehm. Pl. Preiss. i. 261 = *ruderales*.  
*pubescens*, Desv. Journ. Bot. iii. (1814) 165, 180.—Bras.  
*pubescens*, Tineo, Cat. Hort. Panorm. 150 = *nebrodenses*.  
*pumilum*, Boiss. & Bal. Diagn. Ser. II. vi. 21.—Cappadoc.  
*pusillum*, Lam. Fl. Fr. ii. 468 = *Capsella procumbens*.  
*quitense*, Turcz. in Bull. Soc. Nat. Mosc. xxvii. (1854) ii. 309.—Ecuador.  
*racemosum*, Griseb. in Goett. Abh. vi. (1854) 116.—Reg. Magellan.  
*Ramburii*, Boiss. Voy. Bot. Espagne, ii. 52. t. 14.—Hispan.  
*repens*, Boiss. Fl. Orient. i. 356 = *L. Draba*.  
*rigidum*, Pomel, Nouv. Mat. Fl. Atl. 378.—Alger.  
*rotundifolium*, All. Fl. Pedem. i. 252 = *Thlaspi rotundifolium*.  
*rotundum*, DC. Syst. ii. 537.—Austral.  
*ruderales*, Burm. f. Prod. Fl. Cap. 17 = *Iberis pinnata*.  
*ruderales*, Linn. Sp. Pl. 645.—Europ.; Oriens; Austral.  
*salinum*, Georgi, Beschr. Russ. Reich. III. iv. 1121 = seq.  
*salsum*, Pall. Reise in Suedl. Statth. Russ. Reich. ii. 336 = *crassifolium*.  
*sativum*, Cambess. Enum. Pl. Balear. 38 = *Carrerasii*.  
*sativum*, Linn. Sp. Pl. 644.—Oriens.  
*scapiferum*, Wallr. Sched. Crit. 344 = *Teesdalia nudicaulis*.  
*sectifolium*, Steud. in Flora, xxxix. (1856) 412.—Peruv.  
*Serra*, H. Mann, in Proc. Am. Acad. vii. (1867) 149.—Ins. Sandvic.  
*setosum*, Boiss. Diagn. Ser. II. i. 45.—Afghan.  
*sibiricum*, Pall. Reise, iii. 34 = *Draba repens*.  
*sibiricum*, Schweigg. Enum. Pl. Hort. Regiom. (1812) 43 = *latifolium*.  
*Sieberi*, W. Mann, in Syll. Ratisb. i. (1824) 171.—Creta.  
*sisymbrioides*, Hook. f. Handb. N. Zel. Fl. 14.—N. Zel.  
*Smithii*, Hook. Brit. Fl. ed. III. 300 = *hirtum*.  
*Solandri*, T. Kirk, in Trans. N. Z. Inst. xiv. (1882) 380 = *sisymbrioides*.  
*songaricum*, Schrenk, Enum. Pl. Nov. 98 = *coronopifolium*.  
*sordidum*, A. Gray, Pl. Wright. i. 10; ii. 15.—Texas.  
*spathulatum*, Phil. Fl. Atac. 8.—Chili.  
*spicatum*, Desv. Journ. Bot. iii. (1814) 164, 178.—Chili.  
*spinescens*, DC. Syst. ii. 534.—Syria; Mesopot.  
*spinosa*, Linn. Mant. ii. 253.—Oriens.  
*squamatum*, Forsk. Fl. Aegypt. Arab. 117 = *Senebiera Coronopus*.  
*strongylophyllum*, F. Muell. ex Benth. Fl. Austral. i. 84.—Austral.  
*stylatum*, Lag. & Rodr. in Cienc. Anal. Nat. v. (1862) 276 = *nebrodenses*?  
*stylosum*, Pers. Syn. ii. 187 = *Nasturtium pyrenaicum*.  
*subdentatum*, Borch. ex DC. Syst. ii. 545 = *linoides*.  
*subdentatum*, Eckl. & Zeyh. Enum. 6 = *africanum*.  
*subdentatum*, Meissn. ex Harv. & Sond. Fl. Cap. i. 31 = *capense*.  
*subulatum*, Lapeyr. Hist. Abr. Pl. Pyr. Suppl. 90 = *ruderales*.  
*subulatum*, Linn. Sp. Pl. 644.—Europ.  
*subvaginatum*, Steud. Nom. ed. II. ii. 28.—Chili.  
*suffruticosum*, Linn. Mant. i. 91.—Hispan.  
*suffruticosum*, Phil. in Linnaea, xxviii. (1856) 67.—Chili.  
*sylvaticum*, Eckl. & Zeyh. Enum. 6 = *capense*.  
*tenuicaule*, T. Kirk, in Trans. N. Z. Inst. xiv. (1882) 381.—N. Zel.  
*tenuissimum*, Steud. Nom. ed. II. ii. 28.—Chili.  
*tetrasperum*, Dufour, ex DC. Syst. ii. 390 = *Hutchinsia petraea*.  
*texanum*, Buckl. in Proc. Acad. Sc. Philad. 1861 (1862) 449 = *intermedium*, A. Gray.  
*Thlaspi*, Roxb. Hort. Beng. 43; Fl. Ind. iii. 116 = *Thlaspi arvense*.



**LEPIDIUM** :—

- thlaspidioides*, Pall. Reise, iii. 161 = *Thlaspi alpestre*.  
*Tournefortii*, Spreng. Syst. ii. 866 = *Aethionema cordatum*.  
*triandrum*, Stokes, Bot. Mat. Med. iii. 426 = *virginicum*.  
*trifurcum*, Sond. in *Linnaea*, xxiii. (1850) 4.—Afr. austr.  
*tuberosum*, DC. Syst. ii. 554 = *Cardamine rhomboidea*?  
*utaviense*, Regel, in Act. Hort. Petrop. i. (1871) 92 = *montanum*.  
*vagum*, Jord. Diagn. i. 331 = *campestre*.  
*verrucosum*, DC. in Mém. Soc. Hist. Nat. Par. (1799) 145 = *crassifolium*.  
*vesicarium*, Linn. Sp. Pl. 643.—Reg. Cauc.; Persia.  
*Villarsii*, Gren. & Godr. Fl. Fr. i. 150 = *hirtum*.  
*violiforme*, DC. in Mém. Soc. Hist. Nat. Par. (1799) 145 = *Cochlearia acaulis*.  
*virgatum*, Jord. Diagn. i. 333 = *graminifolium*.  
*virginicum*, Gren. & Godr. Fl. Fr. i. 151 = *majus*.  
*virginicum*, Linn. Sp. Pl. 645.—Am. bor.  
*Wrightii*, A. Gray, Pl. Wright. ii. 15.—Am. bor. occ.

- LEPIDOBOLUS**, Nees, in Lehm. Pl. Preiss. ii. 66 (1846). *RESTIACEAE*, Benth. & Hook. f. iii. 1033.  
*chaetoccephalus*, F. Muell. Fragm. viii. 84.—Austral.  
*drapetocoleus*, F. Muell. l. c.—Austral.  
*Preissianus*, Nees, in Lehm. Pl. Preiss. ii. 66.—Austral.

- LEPIDOCARPA**, Korth. in Nederl. Kruidk. Arch. iii. (1855) 385 = *Parinarium*, Juss. (Rosac.).  
*costata*, Korth. l. c. 387 = *P. costatum*.  
*ovalis*, Korth. l. c. 386 = *P. costatum*.

- LEPIDOCARPUS**, Adans. Fam. ii. 284 (1763) = *Protea*, Linn.

- LEPIDOCARYA**, Korth. ex Miq. Fl. Ind. Bat. i. 1. 353 (1855) = *præc.*

- LEPIDOCARYON**, Spreng. Syst. ii. 138 (1825) = *seq.*

- LEPIDOCARYUM**, Mart. Hist. Nat. Palm. ii. 49 (1824). *PALMAE*, Benth. & Hook. f. iii. 938.  
*casiquiarensis*, Spruce, ex Drude, in Mart. Fl. Bras. iii. 11. 300 = *tenuis*.  
*enneaphyllum*, Rodrig. Enum. Palm. Nov. 19 = *tenuis*.  
*gracile*, Mart. Hist. Nat. Palm. ii. 50. tt. 45, 46.—Bras.  
*guainiense*, Spruce, ex Drude, in Mart. Fl. Bras. iii. 11. 300.—Bras.  
*quadrupartitum*, Spruce, l. c. 298 = *tenuis*.  
*sexpartitum*, Rodrig. Enum. Palm. Nov. 19 = *tenuis*.  
*tenuis*, Mart. Hist. Nat. Palm. ii. 51. t. 47.—Bras.

- LEPIDOCERAS**, Hook. f. Fl. Antarct. ii. 293 (1846).  
*LORANTHACEAE*, Benth. & Hook. f. iii. 216.  
*MYRTOBIMUM*, Miq. in *Linnaea*, xxv. (1852) 652.  
*Dombeii*, Hook. f. Fl. Antarct. ii. 293.—Chili.  
*Kingii*, Hook. f. l. c.—Chili.  
*punctulatum*, Clos, in C. Gay, Fl. Chil. iii. 165 = *Eremolepis punctulata*.  
*punctulatum*, Griseb. in Goett. Abb. vi. (1854) 124 = *Eremolepis verrucosa*.  
*squamifer*, Clos, in C. Gay, Fl. Chil. iii. 166.—Chili.

- LEPIDOCOCCA**, Turcz. in Bull. Soc. Nat. Mosc. xxi. (1848) 1. 588 = *Caperonia*, St. Hil. (Euphorb.).  
*serrata*, Turcz. l. c. 589 = *Chrozophora senegalensis*.  
*Sieberi*, Turcz. l. c. = *Caperonia palustris*.

- LEPIDOCOCCUS**, H. Wendl. & Drude, in Kerch. Palm. 249 (1878) = *Mauritia*, Linn. (Palm.).  
*aculeatus*, H. Wendl. & Drude, l. c. = *M. aculeata*.  
*armatus*, H. Wendl. & Drude, l. c. = *M. armata*.  
*pumilus*, H. Wendl. & Drude, l. c. = *M. pumila*.

- LEPIDOCOMA**, Jungh. Reisen durch Java, 338 (1845) = *Flemingia*, Roxb. (Legumin.).  
*trifoliatum*, Jungh. l. c. = *F. involucrata*.

- LEPIDOCROTON**, Klotzsch, in Schomb. Faun. et Fl. Gui. 1162, nomen (1848). *MENISPERMACEAE*?  
*latifolius*, Klotzsch, l. c. (Quid?).—Guian.

- LEPIDOCROTON**, Presl, Epim. Bot. 213 (1850) = *Chrozophora*, Neck. (Euphorb.).  
*serratus*, Presl, l. c. = *C. senegalensis*.

- LEPIDOGYNE**, Blume, Orch. Archip. Ind. 93. t. 25 (1858). *ORCHIDEAE*, Benth. & Hook. f. iii. 603.  
*longifolia*, Blume, l. c.—Java.

- LEPIDONEMA**, Fisch. & Mey. Ind. Sem. Hort. Petrop. i. 31 (1835) = *Microseris*, D. Don (Compos.).  
*chilense*, Fisch. & Mey. l. c. = *M. pygmaea*.

- LEPIDOPAPPUS**, Moç. & Sesse, ex DC. Prod. v. 655 (1836) = *Florestina*, Cass. (Compos.).  
*tripteris*, Moç. & Sesse, l. c. = *F. tripteris*.

- LEPIDOPELMA**, Klotzsch, in Bot. Ergeb. Waldem. Reise, 118. t. 22 (1862) = *Sarcococca*, Lindl. (Euphorb.).  
*podocarpifolia*, Klotzsch, l. c. = *S. pruniformis*.

- LEPIDOPETALUM**, Blume, Rumphia, iii. 171 (1847) = *Ratonia*, DC. (Sapind.).  
*Jackianum*, Radlk. in Sitzb. Math.-Phys. Acad. Muench. ix. (1879) 623 = *Cupania Jackiana*.  
*montanum*, Radlk. l. c.—Sumatra.  
*Perrottetii*, Blume, Rumphia, iii. 172.—Ins. Philipp.

- LEPIDOPHORUM**, Neck. Elem. i. 14 (1790) = *Anthemis*, Mich. (Compos.).  
*repandum*, DC. Prod. vi. 19 = *A. repanda*.

- LEPIDOPHYLLUM**, Cass. in Bull. Soc. Philom. (1816) 199. *COMPOSITAE*, Benth. & Hook. f. ii. 257.  
*TOLA*, Wedd. ex Benth. & Hook. f. Gen. ii. 257 (1873).  
*acaule*, Benth. & Hook. f. Gen. ii. 259.—Bolivia.  
*cupressiforme*, Cass. in Dict. Sc. Nat. xxvi. 37.—Reg. Magell.  
*Meyeni*, A. Gray, in Proc. Am. Acad. v. (1862) 123.—Reg. Andin.  
*quadrangulare*, Benth. & Hook. f. Gen. ii. 258 = *Meyeni*.  
*rigidum*, A. Gray, in Proc. Am. Acad. v. (1862) 123.—Reg. Andin.  
*rupestre*, A. Gray, l. c.—Reg. Andin.

- LEPIDOPHYTON**, Benth. & Hook. f. Gen. iii. 238 (1880) = *seq.*

- LEPIDOPHYTUM**, Hook. f. in Lindl. Veg. Kingd. ed. III. 90 (1853), nomen = *Lophophytum*, Schott (Balanoph.).

- LEPIDOPIRONIA**, A. Rich. Tent. Fl. Abyss. ii. 442. t. 101 (1850). *GRAMINEAE*, Benth. & Hook. f. iii. 1170.  
*cenchriformis*, A. Rich. l. c.—Abyssin.

- LEPIDOPLOA**, Sch. Bip. in *Linnaea*, xx. (1847) 508  
*sphalm.* = *LEPIDAPLOA*, Cass. = *Vernonia*, Schreb. (Compos.).

- LEPIDOPOGON**, Tausch, in Flora, xii. (1829) 1. Erg. 37 = *Cylindrocline*, Cass. (Compos.).  
*gnaphalodes*, Tausch, l. c. xiv. (1831) 224 = *C. Comersonii*.  
*Ponae*, Tausch, l. c. xii. (1829) 1. Erg. 37 = *C. Comersonii*.

- LEPIDOPYRONIA**, Benth. in Journ. Linn. Soc. xix. (1881) 106 = *Lepidopironia*, A. Rich. (Gramin.).

- LEPIDOSERIS**, Fourr. in Ann. Soc. Linn. Lyon, N. S. xvii. (1869) 103 = *Crepis*, Linn. (Compos.).  
*recognita*, Fourr. l. c. = *C. recognita*.  
*taraxacifolia*, Fourr. l. c. = *C. taraxacifolia*.

- LEPIDOSPARTUM**, A. Gray, in Proc. Am. Acad. xix. (1883) 50. *COMPOSITAE*.  
*squamatum*, A. Gray, l. c.—Calif.

- LEPIDOSPERMA**, Labill. Pl. Nov. Holl. i. 14. t. 11 (1804). *CYPERACEAE*, Benth. & Hook. f. iii. 1065.

- LEPIDOTOSPERMA**, Roem. & Schult. Syst. ii. 78 (1817).

**LEPIDOSPERMA** :—

- MACHAERINA*, Nees, in Lehm. Pugill. viii. 54 (1844) (Macherina).  
*anceps*, Willd. ex Link, Jahrb. i. III. 75 = *Cladium iridifolium*.  
*angustatum*, R. Br. Prod. 235.—Austral.  
*angustifolium*, Hook. f. Fl. Tasm. ii. 92. t. 147 = *laterale*.  
*aphyllum*, R. Br. Prod. 235.—Austral.  
*australe*, Hook. f. Fl. N. Zel. i. 279 = *tetragonum*.  
*Brunonianum*, Nees, in Lehm. Pl. Preiss. ii. 92.—Austral.  
*Burmanni*, Spreng. Syst. i. 194 (= *Schoenus Burmanni*).—Afr. austr.  
*canescens*, Boeck. in *Linnaea*, xxxviii. (1874) 330.—Austral.  
*carphoides*, F. Muell. ex Benth. Fl. Austral. vii. 400.—Austral.  
*chinense*, Nees, ex Meyen, in *Linnaea*, ix. (1834) 302.—China; Malacca.  
*Colensoi*, Boeck. l. c. xxxviii. (1874) 328 = *Cladium junceum*.  
*concauum*, R. Br. Prod. 234.—Austral.  
*concauum*, Hook. f. Fl. Tasm. ii. 91. t. 146 = *laterale*.  
*confine*, Nees, in Lehm. Pl. Preiss. ii. 93 = *striatum*.  
*congestum*, R. Br. Prod. 234.—Austral.  
*costale*, Nees, in Lehm. Pl. Preiss. ii. 92.—Austral.  
*Drummondii*, Benth. Fl. Austral. vii. 391.—Austral.  
*effusum*, Benth. l. c. 387.—Austral.  
*elatus*, A. Cunn. ex Hook. f. Handb. N. Zeal. Fl. 307.—N. Zel.  
*elatus*, Labill. Nov. Holl. Pl. i. 15. t. 11.—Austral.  
*ensatum*, Nees, in Ann. Nat. Hist. Ser. I. vi. (1841) 47 = *gladiatum*.  
*ensifolium*, Willd. ex Kunth, Enum. Pl. ii. 315 = *Cladium ensifolium*.  
*exaltatum*, R. Br. Prod. 234.—Austral.  
*filiforme*, Labill. Pl. Nov. Holl. i. 17. t. 15.—Austral.  
*fimbriatum*, Nees, in Lehm. Pl. Preiss. ii. 91 = *angustatum*.  
*flexuosum*, R. Br. Prod. 235.—Austral.  
*gladiatum*, Labill. Nov. Holl. Pl. i. 15. t. 12.—Austral.  
*gladiatum*, Nees, ex Benth. Fl. Austral. vii. 390 = *squamatum*.  
*globosum*, Labill. Nov. Holl. Pl. i. 16. t. 14.—Austral.  
*gracile*, R. Br. Prod. 235.—Austral.  
*Gunnii*, Boeck. in *Linnaea*, xxxviii. (1874) 325 = *lineare*.  
*humile*, Boeck. l. c.—Austral.  
*involutum*, Hort. Lucae, ex Steud. Nom. ed. II. i. 341, in syn. = *Schoenus flexuosus*.  
*involutum*, Roem. & Schult. Syst. ii. 81.—Austral.  
*involutum*, Schrad. ex Schult. Mant. ii. 474 = *Rottboellii*.  
*iridifolium*, Willd. ex Link, Jahrb. i. III. 75 = *Cladium iridifolium*.  
*laeve*, R. Br. Prod. 235 = *globosum*.  
*laterale*, R. Br. l. c. 234.—Austral.  
*laterale*, Hook. f. Fl. Tasm. ii. 91. t. 147 = *squamatum*.  
*leptophyllum*, Benth. Fl. Austral. vii. 398.—Austral.  
*leptostachyum*, Benth. l. c. 397.—Austral.  
*lineare*, R. Br. Prod. 235.—Austral.  
*lineare*, Nees, ex Kunth, Enum. Pl. ii. 318 = *laterale*.  
*longitudinale*, R. Br. Prod. 234 = *laterale*.  
*longitudinale*, Labill. Nov. Holl. Pl. i. 16. t. 13.—Austral.  
*Muelleri*, Boeck. in *Linnaea*, xxxviii. (1874) 320 = *angustatum*.  
*Neesii*, Kunth, Enum. Pl. ii. 319.—Austral.  
*Oldfieldii*, Hook. f. Fl. Tasm. ii. 91. t. 146.—Austral.  
*pauciflorum*, F. Muell. Fragm. ix. 23 = *Tricostularia pauciflora*.  
*pubisquameum*, Steud. Syn. Pl. Cyp. 158.—Austral.  
*resinosum*, F. Muell. ex Benth. Fl. Austral. vii. 392.—Austral.  
*Rottboellii*, Schrad. ex Schult. Mant. ii. 474.—Afr. austr.  
*rupestre*, Benth. Fl. Austral. vii. 388.—Austral.  
*scabrum*, Nees, in Lehm. Pl. Preiss. ii. 92.—Austral.  
*semiteres*, F. Muell. ex Boeck. in *Linnaea*, xxxviii. (1874) 327.—Austral.  
*Sieberi*, Kunth, Enum. Pl. ii. 320 = *squamatum*.  
*Sieberi*, Nees, in Lehm. Pl. Preiss. ii. 90 = *resinosum*.  
*squamatum*, Labill. Nov. Holl. Pl. i. 17. t. 16.—Austral.  
*striatum*, R. Br. Prod. 235.—Austral.



**LEPIDOSPERMA** :—

*striatum*, F. Muell. Fragm. ix. 27 = carphoides. tenue, *Benth. Fl. Austral.* vii. 397.—Austral. tetragonum, *R. Br. Prod.* 235.—Austral. tetragonum, Labill. Nov. Holl. Pl. i. 17. t. 17 = *Cladium tetraquetrum*. tetragonum, Nees, ex Kunth, Enum. Pl. ii. 319 = Neesii. tetragynum, R. Br. Prod. 234 = laterale. tetraquetrum, Nees, in *Lehm. Pl. Preiss.* ii. 90.—Austral. thermale, Schrad. in Goett. Gel. Anz. (1821) III. 2070 (*Tetrariae* sp.).—Afr. austr. tortuosum, F. Muell. Fragm. ix. 23.—Austral. triangulare, Boeck. in *Linnaea*, xxxviii. (1874) 336 (*Tetrariae* sp.).—Afr. austr. tuberculatum, Nees, in *Lehm. Pl. Preiss.* ii. 90.—Austral. uncinatum, Nees, l. c. 93 = Mesomelaena stygia. ustulatum, Steud. Syn. Pl. Cyp. 157 = angustatum. viscidum, R. Br. Prod. 234 = angustatum. waigiensis, Steud. Syn. Pl. Cyp. 158.—Ins. Waigiu. zeylanicum, Lindl. ex Boeck. in *Linnaea*, xxxviii. (1874) 332 = *Cladium undulatum*.

**LEPIDOSPORA**, F. Muell. Fragm. ix. 34 (1875). **CYPERACEAE**. tenuissima, F. Muell. l. c.—Austral.

**LEPIDOSTACHYS**, Wall. Cat. n. 6816 (1832) = *Aporosa*, Blume (*Euphorb.*). grandifolia, Planch. ex Muell. Arg. in DC. Prod. xv. II. 471 = A. fusiformis. lanceolata, Tul. in Ann. Sc. Nat. Sér. III. xv. (1851) 254 = A. lanceolata. macrophylla, Tul. l. c. 253 = A. macrophylla. oblonga, Wall. Cat. n. 7299 = A. oblonga. parviflora, Planch. ex Baill. Etud. Gén. Euph. 645, nomen = A. Planchoniana. Roxburghii, Wall. Cat. n. 6816 = A. Roxburghii. villosa, Wall. l. c. 7298 = A. villosa.

**LEPIDOSTEMON**, Hassk. Cat. Hort. Bog. Alt. 140 (1844) = *Lepistemon*, Blume (*Convolv.*).

**LEPIDOSTEMON**, Hook. f. & Thoms. in Journ. Linn. Soc. v. (1861) 131. **CRUCIFERAE**, Benth. & Hook. f. i. 77. pedunculatus, Hook. f. & Thoms. l. c. 156.—Reg. Himal.

**LEPIDOSTEMON**, Lem. Illustr. Hort. ix. (1862) t. 315 = *Pentstemon*, Mitch. (*Scrophul.*). *penstemonoides*, Lem. l. c. = P. antirrhinoides.

**LEPIDOSTEPHANUS**, Bartl. Ind. Sem. Hort. Gotting. (1837); ex *Linnaea*, xii. (1838) Litt. 82 = *Achyra-chaena*, Schau. (*Compos.*). madioides, Bartl. l. c. = A. mollis.

**LEPIDOSTEPHIUM**, Oliver, in Hook. Ic. Pl. xi. 22. t. 1030 (1868). **COMPOSITAE**, Benth. & Hook. f. ii. 422. denticulatum, Oliver, l. c.—Afr. austr.

**LEPIDOTHAMNUS**, Phil. in *Linnaea*, xxx. (1859-60) 730 = *Dacrydium*, Soland. (*Conif.*). *Fonki*, Phil. l. c. 731.—Chili.

**LEPIDOTHECA**, Nutt. in Am. Phil. Trans. vii. (1841) [454] = *Matricaria*, Tourn. (*Compos.*). *suaveolens*, Nutt. l. c. [454.] 397 = M. discoidea.

**LEPIDOTOSPERMA**, Roem. & Schult. Syst. ii. 78 (1817) = *Lepidosperma*, Labill. (*Cyperac.*).

**LEPIDOTURUS**, Baill. Etud. Gén. Euph. 448 (1858). **EUPHORBIAEAE**, Benth. & Hook. f. iii. 316. alnifolius, Baill. l. c. 449.—Madag. laxiflorus, Benth. in Hook. Ic. Pl. xiii. 76. t. 1297.—Afr. trop. occidentalis, Muell. Arg. in Journ. Bot. ii. (1864) 332.—Afr. occ.

**LEPIDOTURUS**, Boj. Hort. Maurit. 285 (1837), nomen. Gen. dub. Euphorbiac. alnifolius, Boj. l. c. (*Acalyphae* sp. ?)—Madag.

**LEPIDOZAMIA**, Regel, Gartenfl. vi. (1857) 11 = *Macrozamia*, Miq. (*Cycad.*). Denisoni, Regel, l. c. (1876) 3. t. 854 = M. Denisonii. Hopei, Regel, l. c. 5, 6 = M. Peroffskyana. minor, Miq. in Verh. Kon. Akad. Wetensch. II. iii. (1869) 56 = M. Peroffskyana. Peroffskyana, Regel, in Bull. Soc. Nat. Mosc. (1857) I. 182 = M. Peroffskyana.

**LEPIGONUM**, Wahlb. Fl. Gothob. 45 (1820) = *Spergularia*, J. & C. Presl (*Caryoph.*). anceps, Bartl. in Lehm. Pl. Preiss. i. 244 = S. rubra. arenarium, Kindb. Syn. Framst. Lepig. 13 = S. grandis. australe, F. Muell. ex Kindb. Monog. Lepig. in Ind. = S. media. azoricum, Kindb. l. c. 30. t. 11. f. 15 = S. media. brevifolium, Bartl. in Lehm. Pl. Preiss. i. 243 = S. rubra. caespitosum, Kindb. Syn. Framst. Lepig. 13 = S. grandis. campestre, Kindb. Monog. Lepig. 35 = S. diandra. canadense, Fisch. & Mey. Ind. Sem. Hort. Petrop. iii. 14 = S. media, salina. caninum, Leffl. in Oestr. Bot. Zeitschr. xix. (1869) 103 = S. salina, media, rubra. capense, Fisch. & Mey. Ind. Sem. Hort. Petrop. i. 10; Regel, l. c. (1856) 34 = S. media. capillaceum, Kindb. & Lange, Pl. Hisp. Nov. fasc. i. 4 = S. capillacea. chilense, Fisch. & Mey. Ind. Sem. Hort. Petrop. iii. 14 = S. macrotheca. depauperatum, Kindb. Monog. Lepig. 25.—Chili. depressum, Kindb. l. c. 17 = S. grandis. diandrum, Kindb. Syn. Framst. Lepig. 35 = S. campestre. diandrum, Nym. Syll. 250; Fries, Ind. Sem. Hort. Upsal. (1855); ex Kindb. l. c. 7 = S. diandra. dubium, Kindb. Monog. Lepig. 18. t. I. f. 6 = S. media. eximium, Kindb. l. c. 32.—Syria. fasciculare, Loennr. Obs. Crit. Pl. Suec. (1854) 13 = S. media. fimbriatum, Kindb. Monog. Lepig. 21 = S. fimbriata. firmum, Kindb. l. c. 33 = S. purpureum. floribundum, Kindb. Syn. Framst. Lepig. 5 = *depau- peratum*. glandulosum, Fisch. & Mey. Ind. Sem. Hort. Petrop. iii. 14; Regel, l. c. (1856) 35 = S. diandra. glandulosum, Liebm. Ind. Sem. Hort. Haun. (1853) 21.—Cf. *Linnaea*, xxix. (1857-58) 737 = S. Liebmanniana. glutinosum, G. Don, in Sweet, Hort. Brit. ed. III. 69 = *Holosteum liniflorum*. gracile, S. Wats. in Proc. Am. Acad. xvii. (1882) 367 = Am. bor. occ. grande, Kindb. Syn. Framst. Lepig. 15 = S. grandis. grandiflorum, Kindb. Monog. Lepig. 34 = S. grandiflora. halophilum, Fisch. & Mey. ex Avé-Lall. Ind. Sem. Hort. Petrop. x. 22 = S. media. heterospermum, Guss. Enum. Pl. Inar. 51; Grech-Delic. Fl. Melit. 6.—Europ. austr. heterospermum, Schur, Enum. Pl. Transs. 126 = S. media. laeve, Kindb. Monog. Lepig. 32. t. 11. f. 18 = *Spergula laevis*. largiflorum, F. Muell. ex Kindb. Monog. Lepig. 29 = S. rubra. laxiflorum, Bartl. in Lehm. Pl. Preiss. i. 244 = S. rubra. leiospermum, Kindb. Monog. Lepig. 23 = S. salina. Liebmannianum, Lange, Ind. Sem. Hort. Haun. (1858) App. 2 = S. Liebmanniana. macrorrhizon, Nym. Syll. 249 = S. macrorrhiza. macrorrhizon, Kindb. Monog. Lepig. 22 = praec. macrothecum, Fisch. & Mey. Ind. Sem. Hort. Petrop. iii. 14 = S. macrotheca. marginatum, Koch, Syn. Fl. Germ. ed. II. 121 = S. media. marinum, Kindb. Monog. Lepig. 18 = S. marina. marinum, Wahlb. Fl. Gothob. 45; Fries, Mant. iii. 35 = S. media. medium, Fries, l. c. 33 = S. salina. medium, Wahlb. Fl. Gothob. 45 = S. marina. melanospermum, Lange, ex Kindb. Monog. Lepig. 42 = S. diandra.

**LEPIGONUM** :—

*microspermum*, Kindb. Monog. Lepig. 26.—Abyssin. mollugineum, Fries, Ind. Sem. Hort. Upsal. (1856).—Cf. *Linnaea*, xxix. (1857-58) 738 = *Arenaria molluginea*. murale, Kindb. Monog. Lepig. 31 = S. villosa. neglectum, Kindb. Syn. Framst. Lepig. 6 = S. salina. paradoxum, Kindb. Monog. Lepig. 44 = *Arenaria lanuginosa*. prostratum, Kindb. l. c. = S. prostrata. purpureum, Kindb. l. c. 33 = S. capillacea. radicans, Kindb. Syn. Framst. Lepig. 10 = S. rubra. rubrum, Wahlb. Fl. Gothob. 45 = S. rubra. rupestre, Lebel, ex Kindb. Monog. Lepig. 29 = S. rupestris. rupicola, Lebel, ex Kindb. Syn. Framst. Lepig. 8 = S. rupestris. salinum, G. Don, in Sweet, Hort. Brit. ed. III. 69; Fries, Mant. iii. 34 = S. salina. salsugineum, Fisch. & Mey. Ind. Sem. Hort. Petrop. i. 10 = S. salsugineum. salsugineum, Kindb. Monog. Lepig. 42. t. 3 S. diandra. segetale, Koch, Syn. Fl. Germ. ed. II. 120 = S. segetalis. sperguloideus, Fisch. & Mey. Ind. Sem. Hort. Petrop. i. 10 = S. rubra. tasmanicum, Kindb. Monog. Lepig. 31 = S. media? trachyspermum, Kindb. l. c. = S. villosa. villosum, Fisch. & Mey. Ind. Sem. Hort. Petrop. iv. 15 = *Arenaria villosa*.

**LEPILAENA**, J. Drum. ex Harv. in Hook. Kew Journ. vii. (1855) 57. **NAIADACEAE**, Benth. & Hook. f. iii. 1016.

**HEXATHECA**, Sond. ex F. Muell. Fragm. viii. 217 (1874). australis, J. Drum. ex Harv. in Hook. Kew Journ. vii. (1855) 58.—Austral. cylindrocarpa, Benth. Fl. Austral. vii. 180.—Austral. Preissii, F. Muell. Fragm. viii. 217.—Austral.

**LEPIMENES**, Rafin. Fl. Tellur. iv. 91 (1836) = *Cuscuta*. Linn. (*Convolv.*). Epithymum, Rafin. l. c. = C. Epithymum.

**LEPINEMA**, Rafin. Fl. Tellur. iii. 26 (1836) = *Enicostema*, Blume (*Gentian.*). verticillata, Rafin. l. c. 27 = E. littorale.

**LEPINIA**, Decne. in Ann. Sc. Nat. Sér. III. xii. (1849) 194. t. 9. **APOCYNACEAE**, Benth. & Hook. f. ii. 698. taitensis, Decne. l. c.—Ins. Tahiti.

**LEPIONURUS**, Blume, Bijdr. 1148 (1826). **OLACI-NEAE**, Benth. & Hook. f. i. 349.

**LEPTONIUM**, Griff. in Calc. Journ. Nat. Hist. iv. (1843) 236. javanicus, G. Don, Gen. Syst. ii. 16 = sylvestris. oblongifolius, Mast. in Hook. f. Fl. Brit. Ind. i. 583.—Ind. or.; Malaya. sylvestris, Blume, Bijdr. 1148.—Java.

**LEPIOSTEGERES**, Benth. & Hook. f. Gen. iii. 211 (1880) err. typ. = *LEPEOSTEGERES*, Blume *Loranthus*, Linn.

**LEPIPOGON**, Bertol. f. in Mem. Acc. Sc. Bologn. iv (1853) 539. t. 21. **RUBIACEAE**. obovatum, Bertol. f. l. c.—Afr. trop.

**LEPIRODIA**, Juss. in Dict. Sc. Nat. xlv. 272 (1827) = *Lepyrodia*, R. Br. (*Restiac.*).

**LEPIRONIA**, Rich. in Pers. Syn. i. 70. **CYPERACEAE**, Benth. & Hook. f. iii. 1056. **CHONDRACHNE**, R. Br. Prod. 220 (1810). **CHORICARPHA**, Boeck. in Flora, xli. (1858) *bancana*, Miq. Fl. Ind. Bat. Suppl. 604 = *Mapania bancana*. *ceylanica*, Miq. Illustr. Fl. Arch. Ind. 61. t. 23. *Mapania zeylanica*. *cuspidata*, Miq. Fl. Ind. Bat. Suppl. 603 = *Mapania humilis*. *enodis*, Miq. l. c. (*Mapaniae* sp.).—Ins. Ma. *foliosa*, Miq. l. c. (*Mapaniae* sp.).—Malaya. *humilis*, Miq. Illustr. Fl. Arch. Ind. 61. t. 23 = *Mapania humilis*.



**LEPIRONIA** :—

- macrocephala*, Miq. l. c. 64. t. 27 (Mapaniae sp.).—Malaya.  
*mucronata*, Rich. in Pers. Syn. i. 70.—Madag.; As. trop.; Austral.; Polynesia.  
*palustris*, Miq. Illustr. Fl. Arch. Ind. 63. t. 25 = *Mapania palustris*.  
*squamata*, Miq. l. c. 64. t. 26 (Mapaniae sp.).—Malaya.  
*sumatrana*, Miq. Fl. Ind. Bat. Suppl. 604 = *Mapania sumatrana*.

**LEPISANTHES**, Blume, Bijdr. 238 (1825). **SAPINDACEAE**, Benth. & Hook. f. i. 403.

- angustifolia*, Blume, Rumphia, iii. 154.—Sumatra.  
*Browniana*, Hiern, in Hook. f. Fl. Brit. Ind. i. 680.—Burma.  
*burmanica*, Kurz, in Journ. As. Soc. Beng. xlv. (1875) ii. 183.—Burma.  
*confinis*, Blume, Rumphia, iii. 153.—Java.  
*cuneata*, Hiern, in Hook. f. Fl. Brit. Ind. i. 680.—Penang.  
*deficiens*, Radlk. in Sitzb. Math.-Phys. Acad. Muench. viii. (1878) 276 = *Hemigyrosa deficiens*.  
*eriolepis*, Radlk. in Act. Congr. Bot. Amst. 1877 (1879) 106.—Ins. Philipp.  
*frutescens*, Blume, Rumphia, iii. 152.—Java.  
*heterolepis*, Blume, l. c. 153.—Borneo.  
*hirtella*, Radlk. in Act. Congr. Bot. Amst. 1877 (1879) 105.—Borneo.  
*longifolia*, Radlk. in Sitzb. Math.-Phys. Acad. Muench. viii. (1878) 276 = *Hemigyrosa longifolia*.  
*montana*, Blume, Bijdr. 238.—Java.  
*pallens*, Radlk. in Sitzb. Math.-Phys. Acad. Muench. viii. (1878) 300, 309.—Ins. Timor.  
*schizolepis*, Radlk. Sapind. Holland.-Ind. Nachtr. 87.—Malaya.  
*sessiliflora*, Blume, Rumphia, iii. 153.—Java.  
*tetraphylla*, Radlk. in Sitzb. Math.-Phys. Acad. Muench. viii. (1878) 276 = *Hemigyrosa canescens*.

**LEPISCLINE**, Cass. in Bull. Soc. Philom. (1818) 31 =

- Helichrysum**, Vaill. (Compos.).  
*cymosa*, Cass. in Dict. Sc. Nat. xxvi. 49 = *H. cymosum*.  
*nudifolia*, Cass. l. c. = *H. nudifolium*.

**LEPISELINUM**, Presl, Bot. Bemerk. 75 (1844) =

- LEPISMA**, E. Mey. (Umbellif.).  
*paniculatum*, Presl, l. c. = *Lepisma paniculatum*.

**LEPISIA**, Presl, Lepis. Nov. Pl. Gen. (1829); et Symb.

- Bot. i. 9. t. 5 (1830) = **Tetraria**, Beauv. (Cyperac.).  
*ustulata*, Presl, l. c. (= *Elynanthus ustulatus*).—Afr. austr.

**LEPISIPHON**, Turcz. in Bull. Soc. Nat. Mosc. xxiv.

- (1851) i. 180 = **Osteospermum**, Linn. (Compos.).  
*dentatus*, Turcz. l. c. = *O. moniliferum*.

**LEPISMA**, E. Mey. in Drège, Zwei Pfl. Docum. 198

- (1843) (Umbellif.).  
*paniculatum*, E. Mey. l. c. = *Rhyticarpus rugosus*, et *Annesorhizae* sp. (*Glia gummiifera*).—Afr. austr.  
*verticillatum*, E. Mey. l. c. = *Polemannia verticillata*.

**LEPISMIUM**, Pfeiff. in Otto & Dietr. Allg. Gartenz. iii.

- (1835) 315, 380 = **Rhipsalis**, Gaertn. (Cactae).  
*alternatum*, Hort. ex W. Baxt. in Loud. Hort. Brit. Suppl. iii. 576 = *R. alternata*.  
*commune*, Pfeiff. in Otto & Dietr. Allg. Gartenz. iii. (1835) 315 = *R. Mittleri*.  
*crusiforme*, Miq. in Bull. Néerl. (1838) 49 = *R. cereiformis*?

**Duprei**, Hort. Par. ex Foerst. Handb. Cact. ed. I. 456.

- Hab.?  
*fluminense*, Miq. in Bull. Néerl. (1838) 48.—Bras.

**Knightii**, Pfeiff. in Otto & Dietr. Allg. Gartenz. iii.

- (1835) 380 = *R. Knightii*.  
*laevigatum*, Salm-Dyck, Cat. Hort. Dyck, ed. I. 41, nomen.—Hab.?

**Myosurus**, Pfeiff. Enum. Diagn. Cact. 139 = *R. Myosurus*.

- paradoxum*, Salm-Dyck, ex Pfeiff. l. c. 140 = *R. paradoxa*.  
*ramosissimum*, Lem. Illustr. Hort. xi. (1864) Misc. 73.—Bras.

**tenuis**, Pfeiff. in Otto & Dietr. Allg. Gartenz. iii. (1835)

- 315.—Hab.?

**LEPISTACHYA**, Zipp. ex Miq. Illustr. Fl. Ind. Arch.

- 61 (1871) = **Mapania**, Aubl. (Cyperac.).  
*praemorsa*, Zipp. ex Miq. l. c. = *M. humilis*.

**LEPISTEMON**, Blume, Bijdr. 722 (1825). **CONVOLVULACEAE**, Benth. & Hook. f. ii. 873.

- LEPIDOSTEMON**, Hassk. Cat. Hort. Bog. Alt. 140 (1844).  
**NEMODON**, Griff. Notul. iv. 286 (1854).

*africanum*, Oliver, in Hook. Ic. Pl. t. 1270.—Afr. trop.

- Fitzalani*, F. Muell. Fragm. x. 111.—Austral.  
*flavescens*, Blume, Bijdr. 722.—Java.

*flavescens*, Wight, Ic. t. 1362 = *Wallichii*.

- Lucae*, F. Muell. in Victoria Naturalist, (Oct. 1885).—Austral.

*muricatum*, Span. in Linnaea, xv. (1841) 339 = *Ipomoea*

- chryseides*.  
*reniformis*, Hassk. Pl. Jav. Rar. 524 = *Ipomoea reniformis*.

*urceolatus*, F. Muell. Census, 94 = *Fitzalani*.

- Wallichii*, Choisy, Conv. Or. 61.—Ind. or.

**LEPISTEMUM**, Reichb. Nom. 113 (1841) = *praec.***LEPISTOMA**, Blume, Fl. Jav. Praef. 7 (1828) = **Cryptolepis**, R. Br. (Asclep.).

- javanicum*, Blume, ex Steud. Nom. ed. II. ii. 29 = *C. javanica*.

**LEPITOMA**, Torr. ex Steud. Nom. ed. II. ii. 29 (1841)

- = **Pleuropogon**, R. Br. (Gramin.).  
*brevifolia*, Torr. ex Steud. l. c. = *P. Douglassii*.

**LEPIURUS**, Dum. Obs. Gram. Belg. 140 (1823) =

- Lepturus**, R. Br. (Gramin.).

**LEPOSMA**, Blume, Bijdr. 1049 (1826) = **Cryptolepis**, R. Br. (Asclep.).

- javanicum*, Blume, l. c. = *C. javanica*.

**LEPSIA**, Klotzsch, in Monatsb. Berl. Acad. (Maerz 1854)

- 123; et in Abh. Akad. Berl. (1855) 61. t. 5 A = **Begonia**, Linn.

*foliosa*, Klotzsch, in Abh. Akad. Berl. (1855) 62 =

- B. foliosa*.  
*microphylla*, Klotzsch, in Monatsb. Berl. Acad. (Maerz 1854) 123 = *B. microphylla*.

*Poeppigiana*, Klotzsch, in Abh. Akad. Berl. (1855) 63

- = *B. Poeppigiana*.

**LEPTA**, Lour. Fl. Cochinch. 82 (1790) = **Evodia**, Forst.

- (Rutac.).  
*triphylla*, Lour. l. c. = *E. triphylla*.

**LEPTACANTHUS**, Nees, in Wall. Pl. As. Rar. iii. 75,

- 169 (1832) = **Strobilanthes**, Blume (Acanth.).  
*alatus*, Wight, Ic. iv. t. 1527 = *S. perfoliatus*.

*helicoides*, Nees, in DC. Prod. xi. 170 = *S. helicoides*.

- rubicundus*, Nees, in Wall. Pl. As. Rar. iii. 90 = *S. rubicundus*.

*Walkerii*, Nees, in Hook. Comp. Bot. Mag. ii. (1836)

- 313 = *S. pulcherrimus*.  
*Walkerii*, Wight, Ic. t. 1507 = *S. amabilis*.

**LEPTACTINA**, Hook. f. Ic. Pl. t. 1092 (1871).

- RUBIACEAE**, Benth. & Hook. f. ii. 85.

*densiflora*, Hook. f. Ic. Pl. xi. 74, sub t. 1092.—Afr. trop.

- heinsoides*, Hiern, in Oliver, Fl. Trop. Afr. iii. 88.—Afr. trop.

*involuta*, Hook. f. Ic. Pl. iv. 74, sub t. 1092.—Afr. trop.

- Mannii*, Hook. f. t. 1092.—Afr. trop.

*senegambica*, Hook. f. xi. 74.—Afr. trop.

- tetraloba*, N. E. Br. in Gard. Chron. (1885) ii. 391.—Afr. trop.

**LEPTACTINIA**, Hook. f. in Benth. & Hook. f. Gen. ii.

- 85 (1873) sphalm. = *praec.*

**LEPTADENIA**, R. Br. in Mem. Wern. Soc. i. (1809)

34. **ASCLEPIADEAE**, Benth. & Hook. f. ii. 778.

*abyssinica*, Decne. in DC. Prod. viii. 628.—Abyssin.

- appendiculata*, Decne. in DC. Prod. viii. 628 = *reticulata*.

*Bojeriana*, Decne. in DC. Prod. viii. 629.—Madag.

- brevipes*, Wight, ex Hook. f. Fl. Brit. Ind. iv. 63 = *reticulata*.

*cordata*, Hochst. ex Decne. in DC. Prod. viii. 628 =

- lancifolia*.  
*Delilei*, Decne. l. c. = *heterophylla*.

**LEPTADENIA** :—

- elliptica*, Blume, Bijdr. 1066.—Java.

*Forskälii*, G. Don, Gen. Syst. iv. 124; *Decne. in Ann.*

- Sc. Nat. Sér. II. ix. (1838) 269.*—Arab.

*gracilis*, Decne. l. c. = *L. Spartum*.

- hastata*, Decne. in DC. Prod. viii. 551; *Vatke*, in Linnaea, xl. (1876) 217 = *lancifolia*.

*heterophylla*, Decne. in Ann. Sc. Nat. Sér. II. ix. (1838)

- 270.—Oriens.

*imberbis*, Wight, Contrib. 48 = *reticulata*.

- Jacquemontiana*, Decne. in Ann. Sc. Nat. Sér. II. ix. (1838) 270 = *L. Spartum*.

*lancifolia*, Decne. l. c. 269.—Afr. trop.

- madagascariensis*, Decne. in DC. Prod. viii. 629.—Madag.

*pallida*, Hochst. ex Decne. l. c. = *Abyssin.*

- pyrotechnica*, Decne. in Ann. Sc. Nat. Sér. II. ix. (1838) 269 = *L. Spartum*.

*reticulata*, Wight, Contrib. 47.—Ind. or.; *Burma.*

- Spartum*, Wight, l. c. 48.—Ind. bor. occ.; Arab.; Afr. bor.

*visciformis*, *Vatke*, in Oestr. Bot. Zeitschr. xxvi. (1876)

- 146.—Afr. trop.

**LEPTALEA**, D. Don, ex Hook. & Arn. in Comp. Bot.

- Mag. i. (1835) 102 = **Facelis**, Cass. (Compos.).

*apiculata*, D. Don, l. c. = *F. apiculata*.**LEPTALEUM**, DC. Syst. ii. 510 (1821). **CRUCIFERAE**, Benth. & Hook. f. i. 81.

- filifolium*, DC. l. c. 511.—Sibir.

*pygmaeum*, DC. l. c. = *filifolium*.**LEPTALIUM**, Sweet, Hort. Brit. ed. III. 38 (1839) =

- praec.*

**LEPTALIX**, Rafin. New Fl. Am. iii. 93 (1836) =

- Fraxinus**, Tourn. (Oleac.).

*acuminata*, Rafin. l. c. = *F. americana*.

- alba*, Rafin. Alsog. Am. 32 = *F. americana*.

*atrovirens*, Rafin. l. c. 37 = *F. excelsa*.

- canaliculata*, Rafin. l. c. 35 = *F. canaliculata*.

*caroliniana*, Rafin. New Fl. Am. iii. 93 = *F. platycarpa*.

- cinerea*, Rafin. Alsog. Am. 32 = *F. cinerea*.

*cordata*, Rafin. l. c. 34 = *F. cordata*.

- elliptica*, Rafin. l. c. 32 = *F. pubescens*.

*epiptera*, Rafin. l. c. 33 = *F. americana*.

- expansa*, Rafin. l. c. = *F. viridis*.

*fusca*, Rafin. l. c. = *F. fusca*.

- glaucula*, Rafin. l. c. = *F. glauca*.

*grandifolia*, Rafin. l. c. 38 = *F. grandifolia*.

- juglandifolia*, Rafin. New Fl. Am. iii. 93 = *F. americana*.

*lacera*, Rafin. Alsog. Am. 38 = *F. lacera*.

- lancifolia*, Rafin. l. c. 35 = *F. americana*.

*longifolia*, Rafin. l. c. 32 = *F. pubescens*.

- media*, Rafin. l. c. 36 = *F. media*.

*mixta*, Rafin. l. c. 32 = *F. parvifolia*.

- mollis*, Rafin. l. c. 34 = *F. mollis*.

*multifolia*, Rafin. l. c. 37 = *F. multifolia*.

- nana*, Rafin. l. c. 33 = *F. excelsior*.

*nigra*, Rafin. l. c. = *F. nigra*.

- obliqua*, Rafin. l. c. 38 = *F. oxyphylla*.

*ovata*, Rafin. l. c. 32 = *F. pubescens*.

- pallida*, Rafin. l. c. 33 = *F. platycarpa*.

*palustris*, Rafin. l. c. 35 = *F. palustris*.

- pannosa*, Rafin. l. c. 34 = *F. pannosa*.

*platycarpa*, Rafin. l. c. 35 = *F. platycarpa*.

- pleurodes*, Rafin. l. c. = *F. pleurodes*.

*porosa*, Rafin. l. c. 34 = *F. porosa*.

- pubescens*, Rafin. New Fl. Am. iii. 93 = *F. pubescens*.

*pulverulenta*, Rafin. Alsog. Am. 32 = *F. pulverulenta*.

- quadrangulata*, Rafin. l. c. 37 = *F. quadrangulata*.

*repanda*, Rafin. l. c. = *F. repanda*.

- reticulata*, Rafin. l. c. 34 = *F. reticulata*.

*retusa*, Rafin. l. c. = *F. retusa*, Rafin.

- Richardi*, Rafin. l. c. 32 = *F. Richardi*.

*rubicunda*, Rafin. l. c. = *F. rubicunda*.

- rufa*, Rafin. l. c. 33 = *F. rufa*.

*teres*, Rafin. l. c. 36 = *F. teres*.

- undulata*, Rafin. l. c. 37 = *F. undulata*.

*viridis*, Rafin. l. c. 32 = *F. viridis*.**LEPTAMNIUM**, Steud. Nom. ed. II. ii. 29 (1841) = *seq.*

- LEPTAMNIUM**, Rafin. in Am. Monthly Mag. (1818)

- 267 = **Epifagus**, Nutt. (Orobanch.).

- virginianum*, Rafin. l. c. = *E. americanus*.



- LEPTANDRA**, Nutt. Gen. Am. i. 7 (1818) = **Veronica**, Tourn. (Scrophul.).  
*alba*, Rafin. Med. Fl. ii. 21 = *V. virginica*.  
*angustifolia*, Lehm. Del. Sem. Hort. Hamb. (1839).  
—Cf. Linnaea, xiv. (1840) Litt. 130 = *V. tubiflora*.  
*caerulea*, Rafin. Med. Fl. ii. 21, in obs. = *V. virginica*.  
*japonica*, Rafin. l. c. = *V. virginica*?  
*Meyeri*, G. Don, Gen. Syst. iv. 579 = *V. tubiflora*.  
*oppositifolia*, Rafin. New Fl. Am. ii. 21 = *V. virginica*.  
*purpurea*, Rafin. Med. Fl. ii. 20 = *V. virginica*.  
*sibirica*, Nutt. Gen. Am. i. 7 = *V. virginica*.  
*tubiflora*, Fisch. & Mey. in Ann. Sc. Nat. Sér. II. v. (1836) 301 = *V. tubiflora*.  
*villosa*, Rafin. Med. Fl. ii. 21 = *V. virginica*.  
*virginica*, Nutt. Gen. Am. i. 7 = *V. virginica*.
- LEPTANTHE**, Klotzsch, in Bot. Ergeb. Waldem. Reise, 95. t. 63 (1862) = **Macrotomia**, DC. (Boragin.).  
*macrostachya*, Klotzsch, l. c. = *M. Benthami*.
- LEPTANTHES**, Wight, ex Wall. Cat. sub n. 5048 (1831) = **Hydrilla**, Rich. (Hydroch.).  
*verticillatus*, Wight, l. c. = *H. verticillata*.
- LEPTANTHUS**, Michx. Fl. Bor. Am. i. 24. t. 5 (1803) = **Heteranthera**, Ruiz & Pav. (Ponted.).  
*gramineus*, Michx. l. c. 25 = *H. graminea*.  
*ovalis*, Michx. l. c. = *H. limosa*.  
*peruvianus*, Pers. Syn. i. 56 = *H. reniformis*.  
*reniformis*, Michx. Fl. Bor. Am. i. 24 = *H. reniformis*.  
*virginicus*, Pers. Syn. i. 56 = *H. reniformis*.
- LEPTARGYREIA**, Schlecht. in DC. Prod. xiv. 607 (1857) = **Shepherdia**, Nutt. (Elaeagn.).
- LEPTARRHENA**, R. Br. Chlor. Melv. 15 (1824); in Parry's First Voy. Suppl. 273. **SAXIFRAGEAE**, Benth. & Hook. f. i. 634.  
*amplexifolia*, R. Br. l. c. — Am. arct.  
*inundata*, Behr, ex Kellogg, in Proc. Calif. Acad. i. (1855) 45 = *Saxifraga peltata*.  
*micrantha*, 'Fisch.'; Rafin. Fl. Tellur. ii. 72'; ex S. Wats. Bibl. Ind. N. Am. Bot. 328 = *amplexifolia*.  
*pyrolifolia*, Ser. in DC. Prod. iv. 48 = *amplexifolia*.
- LEPTASEA**, Haw. Saxifr. Enum. 39 (1821) = **Saxifraga**, Tourn.  
*aizoides*, Haw. l. c. 40 = *S. aizoides*.  
*mutata*, Fourr. in Ann. Soc. Linn. Lyon, N. S. xvi. (1868) 385 = *S. mutata*.  
*tricuspidata*, Haw. Saxifr. Enum. 40 = *S. tricuspidata*.
- LEPTASPIS**, R. Br. Prod. 211 (1810). **GRAMINEAE**, Benth. & Hook. f. iii. 1110.  
*Banksii*, R. Br. l. c. 211. — Austral.  
*cochleata*, Thw. Enum. Pl. Zeyl. 357. — Zeylan.  
*Cumingii*, Steud. Syn. Pl. Gram. 416. — Ins. Philipp.  
*lanceolata*, Zoll. Syst. Vers. Ind. Archip. 53. — Java.  
*manillensis*, Steud. Syn. Pl. Gram. 8 = *urceolata*.  
*umbrosa*, Balansa, in Bull. Soc. Bot. Fr. xix. (1872) 326. — N. Caled.  
*urceolata*, R. Br. in Benn. Pl. Jav. Rar. 23. — Ind. or.; Malaya.  
*zeylanica*, Nees, ex Steud. Syn. Pl. Gram. 8 = *urceolata*.
- LEPTATHERUM**, Nees, in Proc. Linn. Soc. i. (1841) 92 = **Pollinia**, Trin. (Gramin.).  
*japonicum*, Franch. & Sav. Enum. Pl. Jap. ii. 609 = *P. nuda*.  
*Royleanum*, Nees, in Proc. Linn. Soc. i. (1841) 93 = *P. nuda*.
- LEPTAULUS**, Benth. in Benth. & Hook. f. Gen. i. 351, 996 (1862). **OLACINEAE**, Benth. & Hook. f. i. 351.  
*citrioides*, Baill. Adansonia, iii. (1862-63) 375. — Madag.  
*daphnoides*, Benth. in Benth. & Hook. f. Gen. i. 351. — Afr. trop.
- LEPTAXIS**, Rafin. Fl. Tellur. ii. 75 (1836) = **Tolmiea**, Torr. & Gray (1840) (Saxifr.).  
*Menziesii*, Rafin. l. c. 76 = *T. Menziesii*.
- LEPTEIRIS**, Rafin. New Fl. Am. ii. 73 (1836) = **Pentstemon**, Mitch. (Scrophul.).  
*parviflora*, Rafin. l. c. = *P. confertus*.

- LEPTEMON**, Rafin. in Med. Repos. N. York, v. (1808) 352 = **Crotonopsis**, Michx. (Euphorb.).  
*lineare*, Rafin. Sylva Tellur. 67 = *C. linearis*.
- LEPTERANTHUS**, Neck. Elem. i. 73 (1790) = **Centaurea**, Linn. (Compos.).  
*acutifolius*, Fourr. in Ann. Soc. Linn. Lyon, N. S. xvii. (1869) 96 = *C. pectinata*.  
*comatus*, Fourr. l. c. = *C. pectinata*.  
*fuscatus*, Fourr. l. c. = *C. pectinata*.  
*hygrometicus*, Cass. in Dict. Sc. Nat. xxvi. 65 = *C. phrygia*.  
*incoronatus*, Cass. l. c. 66 = *C. flosculosa*.  
*linifolius*, Webb, Iter Hisp. 32 = *C. linifolia*.  
*pectinatus*, Fourr. in Ann. Soc. Linn. Lyon, N. S. xvii. (1869) 96 = *C. pectinata*.  
*rufescens*, Fourr. l. c. = *C. pectinata*.  
*supinus*, Fourr. l. c. = *C. pectinata*.
- LEPTICA**, E. Mey. ex DC. Prod. vii. 16 (1838) = **Gerbera**, Gronov. (Compos.).  
*ciliata*, E. Mey. ex DC. l. c. 17 = *G. piloselloides*.  
*sinuata*, E. Mey. ex Steud. Nom. ed. II. ii. 29 = *G. piloselloides*.
- LEPTIDIUM**, Presl, Bot. Bemerk. 49 (1844); in Abh. Boehm. Ges. V. iii. (1845) 479 = **LEPTIS**, E. Mey. = **Lotononis**, Eckl. & Zeyh. (Legumin.).  
*brachylobum*, Presl, ll. cc. = *Loton. brachyloba*.  
*calycinum*, Presl, ll. cc. = *Loton. calycina*.  
*debile*, Presl, ll. cc. = *Loton. porrecta*.  
*divaricatum*, Presl, ll. cc. = *Loton. calycina*.  
*erubescens*, Presl, ll. cc. = *Loton. pumila*.  
*falcatum*, Presl, ll. cc. = *Loton. falcata*.  
*filicaule*, Presl, ll. cc. = *Loton. versicolor*.  
*molle*, Presl, ll. cc. = *Loton. mollis*.  
*tenellum*, Presl, ll. cc. = *Loton. tenella*.  
*versicolor*, Presl, ll. cc. = *Loton. versicolor*.
- LEPTILIX**, Rafin. Neogent. 3 (1825) = **Tofieldia**, Huds. (Liliac.).
- LEPTILON**, Rafin. in Am. Monthly Mag. (1818) 268 = **Erigeron**, Linn. (Compos.).  
*divaricatum*, Rafin. l. c. = *E. divaricatus*.
- LEPTINELLA**, Cass. in Bull. Soc. Philom. (1822) 127 = **Cotula**, Tourn. (Compos.).  
*acaenoides*, Hook. & Arn. in Hook. Journ. Bot. iii. (1841) 325 = *C. reptans*?  
*bogotensis*, DC. Prod. vi. 142 = *Plagiocheilus bogotensis*.  
*dioica*, Hook. f. Fl. N. Zel. i. 129 = *C. dioica*.  
*Featherstonii*, F. Muell. Veg. Pl. Chath. Isl. 27. t. 5 = *C. Featherstonii*.  
*Filicula*, Hook. f. Fl. Tasm. i. 194. t. 51 B = *C. Filicula*.  
*intricata*, Hook. f. in Hook. Lond. Journ. Bot. vi. (1847) 117 = *C. reptans*.  
*lanata*, Hook. f. Fl. Antarct. i. 26 = *C. lanata*.  
*longipes*, Hook. f. in Hook. Lond. Journ. Bot. vi. (1847) 117 = *C. reptans*.  
*minor*, Hook. f. Fl. N. Zel. i. 129 = *C. minor*.  
*multifida*, Hook. f. in Hook. Lond. Journ. Bot. vi. (1847) 118 = *C. reptans*.  
*peduncularis*, DC. Prod. vi. 141 = *Plagiocheilus peduncularis*.  
*perpusilla*, Fisch. & Mey. Ind. Sem. Hort. Petrop. ii. 14. — Persia.  
*pinnata*, Cass. in Bull. Soc. Philom. (1822) 127. — Am. austr.  
*plumosa*, Hook. f. Fl. Antarct. i. 26. t. 20 = *C. plumosa*.  
*potentillina*, F. Muell. Veg. Pl. Chath. Isl. 28. t. 6 = *C. lanata*?  
*propinqua*, Hook. f. Fl. Antarct. i. 27. — Ins. Antarct.  
*pusilla*, Hook. f. Fl. N. Zel. i. 129 = *C. perpusilla*.  
*scariosa*, Cass. in Bull. Soc. Philom. (1822) 127 = *C. reptans*.  
*squalida*, Hook. f. Fl. N. Zel. i. 129 = *C. squalida*.
- LEPTIS**, E. Mey. ex Eckl. & Zeyh. Enum. 174 (1836) = **Lotononis**, Eckl. & Zeyh. (Legumin.).  
*argentea*, Walp. Rep. ii. 837 = *Loton. argentea*.  
*brachygloba*, Steud. Nom. ed. II. ii. 29 = seq.  
*brachyloba*, Benth. in Ann. Wien. Mus. ii. (1838) 142 = *Loton. brachyloba*.

- LEPTIS**:—  
*calycina*, Benth. in Ann. Wien. Mus. ii. (1838) 142 = *Lotononis calycina*.  
*debilis*, Eckl. & Zeyh. Enum. 175 = *Loton. porrecta*.  
*divaricata*, Eckl. & Zeyh. l. c. = *Loton. calycina*.  
*erubescens*, Benth. in Ann. Wien. Mus. ii. (1838) 142 = *Loton. pumila*.  
*falcata*, Benth. l. c. = *Loton. falcata*.  
*filicaulis*, Eckl. & Zeyh. Enum. 175 = *Loton. versicolor*.  
*Kraussiana*, Walp. Rep. ii. 837 = *Loton. versicolor*.  
*mollis*, Benth. in Ann. Wien. Mus. ii. (1838) 142 = *Loton. mollis*.  
*prolifera*, Eckl. & Zeyh. Enum. 175 = *Loton. porrecta*.  
*tenella*, Benth. in Ann. Wien. Mus. ii. (1838) 142 = *Loton. tenella*.  
*versicolor*, Eckl. & Zeyh. Enum. 175 = *Loton. versicolor*.
- LEPTOBAEA**, Benth. in Benth. & Hook. f. Gen. ii. 1025 (1876). **GESNERACEAE**, Benth. & Hook. f. l. c. **CHAMPIONIA**, C. B. Clarke, Comm. et Cyrt. Perg. 98. t. 68 (1874).  
*glabra*, C. B. Clarke, in DC. Monog. Phan. v. 165. — Ind. or.  
*multiflora*, Gamble, Darjeeling List, 58. — Reg. Himal.
- LEPTOBASIS**, Dulac, Fl. Hautes-Pyr. 198 (1867) = **Sisymbrium**, Tourn. (Crucif.).  
*pinnatifidipartita*, Dulac, l. c. = *S. tanacetifolia*.
- LEPTOBOTRYS**, Baill. Etud. Gén. Euph. 478. t. 2 (1858) = **Tragia**, Plam. (Euphorb.).  
*discolor*, Baill. l. c. = *T. innocua*.
- LEPTOCALLIS**, G. Don, Gen. Syst. iv. 260 (1837) = **Ipomoea**, Linn. (Convolv.).  
*armata*, G. Don, in Sweet, Hort. Brit. ed. III. 482. I. armata.  
*quinata*, G. Don, Gen. Syst. iv. 260 = *I. armata*.  
*ternata*, G. Don, l. c. = *I. ternifolia*.
- LEPTOCARPAEA**, DC. Syst. ii. 201 (1821) = **Sisymbrium**, Tourn. (Crucif.).  
*Loeselii*, DC. l. c. 202 = *S. Loeselii*.
- LEPTOCARPHA**, DC. Prod. v. 495 (1836). **COMPOSITAE**, Benth. & Hook. f. ii. 361.  
*rivularis*, DC. l. c. = *Chili*; Peruv.
- LEPTOCARPHA**, Endl. Gen. Suppl. i. 1383 in syn. (1841), spalm. = **LEPTOPHORA**, Rafin. = **Helanium**, Linn. (Compos.).
- LEPTOCARPUS**, R. Br. Prod. 250 (1810). **RESTIACEAE**, Benth. & Hook. f. iii. 1032.  
*CALOPSIS*, Beauv. ex Desv. in Ann. Sc. Nat. Sér. I. xiii. (1828) 44. t. 3.  
*SCHOENODUM*, Labill. Nov. Holl. Pl. ii. 79. t. 229 (1806), partim.  
*aristatus*, R. Br. Prod. 250. — Austral.  
*aristatus*, F. Muell. Fragm. viii. 91 = *erianthus*.  
*Brownii*, Hook. f. Fl. Tasm. ii. 73. t. 136. — Austral.  
*Burchellii*, Mast. in Journ. Linn. Soc. x. (1869) 222. — Afr. austr.  
*canus*, Nees, in Ann. & Mag. Nat. Hist. Ser. I. (1841) 50. — Austral.  
*chilensis*, Mast. in DC. Monog. Phan. i. 341. — Chili  
*ciliaris*, Nees, in Lehm. Pl. Preiss. ii. 64 = *canus*.  
*coangustatus*, Nees, l. c. 65. — Austral.  
*desertus*, F. Muell. Fragm. viii. 93 = *spallansii*.  
*dichotomus*, Heynh. Nom. i. 455. — Ind. Austr.  
*disjunctus*, Mast. in Journ. Linn. Soc. x. (1869) 222. 314. — Cochinch.  
*distachyos*, R. Br. Prod. 250 = *Thamnochortus umbellatus*.  
*elator*, R. Br. l. c. 250. — Austral.  
*erianthus*, Benth. Fl. Austral. vii. 235. — Austral.  
*glaucus*, Nees, in Lehm. Pl. Preiss. ii. 64 = *lanceolatus*.  
*glaucus*.  
*imbricatus*, R. Br. Prod. 250 = *Thamnochortus imbricatus*.  
*imbricatus*, Sieber, ex Kunth, Enum. Pl. iii. 400. — Restio biindus.  
*incurvatus*, Mast. in Journ. Linn. Soc. x. (1869) 222. — Afr. austr.  
*modestus*, Mast. l. c. 225. — Afr. austr.  
*neglectus*, Mast. l. c. — Afr. austr.  
*oxylepis*, Mast. l. c. — Afr. austr.  
*paniculatus*, Mast. l. c. 221. — Afr. austr.



**LEPTOCARPUS** :—

- peronatus, *Mast. in Journ. Linn. Soc.* x. (1869) 224.  
—Afr. austr.  
ramosus, *R. Br. Prod.* 250.—Austral.  
scariosus, *R. Br. l. c.*—Austral.  
Schultzii, *Benth. Fl. Austral.* vii. 237.—Austral.  
setuligerus, *F. Muell. Fragm.* viii. 97 = tenax.  
simplex, *R. Br. Prod.* 250, partim = Brownii.  
simplex, *A. Rich. Fl. N. Zél.* 142.—N. Zél.  
spathaceus, *R. Br. l. c.*—Austral.  
squarrosus, [Nees, in] Sieber, ex Kunth, *Enum. Pl.* iii. 419 = Hypolaena lateriflora.  
tenax, *R. Br. Prod.* 250.—Austral.  
tenellus, *F. Muell. Fragm.* viii. 90 = aristatus.  
thamnohortoides, *F. Muell. l. c.* 96 = tenax.

LEPTOCARPUS, Willd. ex Link, *Jahrb.* i. iii. 51 (1820) = **Tamonea**, Aubl. (Verben.).  
*chamaedrifolius*, Willd. l. c. = T. spicata.

LEPTOCARYDION, Hochst. ex Benth. & Hook. f. *Gen.* iii. 1176 (1883) = **Triodia**, R. Br. (Gramin.).

LEPTOCAULIS, Nutt. ex DC. *Coll. Mém.* v. 39. t. 10 (1829); et *Prod.* iv. 107 (1830) = **Apium**, Linn. (Umbell.).  
*diffusus*, Nutt. ex DC. *Prod.* iv. 107 = seq.  
*divaricatus*, DC. *Coll. Mém.* v. 39. t. 10 = A. divaricatum.  
*echinatus*, Nutt. ex DC. *Prod.* iv. 107 = A. echinatum.  
*inermis*, Nutt. ex DC. l. c. = A. patens?  
*patens*, Nutt. ex DC. l. c. = A. patens.

LEPTOCERAS, Lindl. *Swan River App.* 53 (1839) = **Caladenia**, R. Br. (Orchid.).  
*fimbriata*, Lindl. l. c. = C. fimbriata.  
*macrophylla*, Lindl. *Gen. et Sp. Orch.* 416 = C. Menziesii.  
*Menziesii*, Lindl. l. c. = C. Menziesii.  
*oblonga*, Lindl. *Swan River App.* 53 = C. Menziesii.  
*pectinata*, Endl. in *Lehm. Pl. Preiss.* ii. 6 = *Lyperanthus nigricans*.  
*pectinata*, Lindl. *Swan River App.* 53 = C. fimbriata.  
*sulphurea*, Lindl. *Gen. et Sp. Orch.* 416 = C. suaveolens.

LEPTOCERCUS, Rafin. in *Am. Monthly Mag.* (1819) 190 = **Lepturus**, R. Br. (Gramin.).

LEPTOCHLAENA, Spreng. *Gen.* i. 355 (1830) = **Leptolaena**, Thou. (Chlaenac.).

**LEPTOCHLOA**, Beauv. *Agrost.* 71. t. 15. f. 1 (1812).  
**GRAMINEAE**, Benth. & Hook. f. iii. 1172.  
LEPTOSTACHYS, G. F. W. Mey. *Prim. Fl. Esseq.* 73 (1818).  
OXYDENIA, Nutt. *Gen. Am.* i. 76 (1818).  
RAEDOCHLOA, Beauv. *Agrost.* 84. t. 17. f. 3 (1812).  
*anoplia*, Nees, in *Linnaea*, xix. (1847) 691 = *Chloris anoplia*.  
*arabica*, Kunth, *Rév. Gram.* i. 91 = *Dinebra arabica*.  
*arenaria*, Hochst. & Steud. ex Steud. *Nom. ed.* II. ii. 29 = *Diplachne arenaria*.  
*attenuata*, Steud. *Syn. Pl. Gram.* 209 = *mucronata*.  
*brachiata*, Steud. l. c. —Ind. occ.  
*Burchellii*, Munro, ex Doell, in *Mart. Fl. Bras.* ii. iii. 94.—Bras.  
*calycina*, Kunth, *Rév. Gram.* i. 91.—Ind. or.  
*capillacea*, Beauv. *Agrost.* 71.—As. trop.; Austral.  
*chinensis*, Nees, in *Syll. Ratisb.* i. (1824) 4; *Agrost.* Bras. 432 = *capillacea*.  
*coerulescens*, Steud. *Syn. Pl. Gram.* 209.—Ind. or.  
*coromandelina*, Steud. l. c. —Ind. or.  
*cynosuroides*, Roem. & Schult. *Syst.* ii. 579.—Ind. or.  
*Digitaria*, Nees, *Agrost. Bras.* 433.—Ecuador.  
*domingensis*, Trin. *Fund. Agrost.* 133; *Link, Enum. Hort. Berol.* i. 103.—Am. austr.  
*dubia*, Nees, in *Syll. Ratisb.* i. (1824) 4; *Agrost. Bras.* 433 = *Diplachne dubia*.  
*eragrostoides*, Steud. *Syn. Pl. Gram.* 208.—Japon.  
*fascicularis*, A. Gray, *Man. Bot. N. U. St. ed.* V. 623 = *Diplachne fascicularis*.  
*fascicularis*, Griseb. ex Benth. in *Journ. Linn. Soc.* xix. (1881) 108 = *Panicum sanguinale*.  
*filiformis*, Beauv. *Agrost.* 71.—Am. austr.; Ins. Phil.  
*filiformis*, J. & C. Presl, *Rel. Haenk.* i. 288 = *mucronata*.

**LEPTOCHLOA** :—

- filiformis*, Roem. & Schult. *Syst.* ii. 580 = *cynosuroides*.  
*floribunda*, Doell, in *Mart. Fl. Bras.* ii. iii. 89.—Bras.  
*fusca*, Kunth, *Rév. Gram.* i. 91 = *Diplachne fusca*.  
*gracilis*, Nees, in *Syll. Ratisb.* i. (1824) 4 = Am. austr.  
*gracilis*, Wight, ex Steud. *Syn. Pl. Gram.* 213 = *uniflora*.  
*grandiglumis*, Nees, *Fl. Afr. Austr.* 252 (*Diplachne* sp.).  
—Afr. austr.  
*hirta*, Steud. *Syn. Pl. Gram.* 209.—Ins. Galap.  
*humilis*, Nees, ex Steud. l. c. 210 = *Chloris anoplia*.  
*imbricata*, Thurb. in *S. Wats. Bot. Calif.* ii. 293 = *Diplachne imbricata*.  
*Langloisii*, Vasey, in *Bull. Torrey Bot. Club.* xii. (1885) 7.—Am. bor.  
*laxa*, Trin. ex Steud. *Nom. ed.* II. ii. 30 (Quid?).  
—Hab.?  
*Liebmannii*, Fourn. ex Hemsl. *Biol. Centr. Am. Bot.* iii. 565.—Mexic.  
*Lindleyana*, Kunth, *Enum. Pl.* i. 525.—Ins. Galap.  
*loliiformis*, F. Muell. *Fragm.* viii. 128 = *Diplachne loliiformis*.  
*longa*, Griseb. *Fl. Brit. W. Ind.* 538.—Ind. occ.  
*mollis*, Kunth, *Rév. Gram.* ii. 443. t. 135.—Afr. trop.  
*monostachya*, Roem. & Schult. *Syst.* ii. 580.—Ind. or.  
*mucronata*, Kunth, *Rév. Gram.* i. 91.—Am. bor.  
*mutica*, Steud. *Syn. Pl. Gram.* 208 = *virgata*.  
*Nealleyi*, Vasey, in *Bull. Torrey Bot. Club.* xii. (1885) 7.—Am. bor.  
*Neesii*, Benth. in *Journ. Linn. Soc.* xix. (1881) 108.—Zeylan.  
*obtusiflora*, Trin. ex Steud. *Nom. ed.* II. ii. 30 = *Diplachne dubia*.  
*obtusifolia*, Hochst. in *Flora*, xxxviii. (1855) 203.—Abyss.  
*panicoides*, Wight, ex Steud. *Syn. Pl. Gram.* 62.—Ind. or.  
*paniculata*, Fourn. in *Bull. Soc. Bot. Fr.* xxvii. (1880) 296.—Nicaragua.  
*patens*, Kunth, *Enum. Pl.* i. 271.—Chili.  
*pectinata*, Kunth, *Rév. Gram.* i. 91.—Ind. or.  
*pellucida*, Steud. *Syn. Pl. Gram.* 209 = *mucronata*.  
*phleodea*, Willk. & Lange, *Prod. Fl. Hisp.* i. 74, in syn. = *Koeleria phleoides*.  
*plumosa*, Anderss. in *Peters, Reise Mossamb.* Bot. 557 = *Diplachne alopecuroides*.  
*polystachya*, Benth. *Fl. Austral.* vii. 617.—Austral.  
*polystachya*, Kunth, *Rév. Gram.* i. 91 = *Diplachne fascicularis*.  
*procera*, Nees, in *Syll. Ratisb.* i. (1824) 2.—Am. austr.  
*racemosa*, Kunth, *Rév. Gram.* i. 91 = *Eleusine verticillata*.  
*rigida*, Munro, ex A. Gray, in *Proc. Acad. Sc. Philad.* 1862 (1863) 336 = *Diplachne rigida*.  
*scabra*, Nees, *Agrost. Bras.* 435.—Bras.  
*Schimperiana*, Hochst. in *Flora*, xxxviii. (1855) 203.—Abyss.  
*setacea*, Hochst. l. c. xxiv. (1841) I. *Intell.* 20, nomen.—Abyss.  
*stricta*, Fourn. ex Hemsl. *Biol. Centr. Am. Bot.* iii. 566.—Mexic.  
*stricta*, Trin. ex Steud. *Nom. ed.* II. ii. 30, nomen (Quid?).—Hab.?  
*subdigitata*, Trin. ex Steud. *Syn. Pl. Gram.* 210.—Austral.  
*tenerrima*, Roem. & Schult. *Syst.* ii. 581 = *capillacea*.  
*tetraquetra*, J. & C. Presl, *Rel. Haenk.* i. 288.—Ins. Philipp.  
*uniflora*, Hochst. ex A. Rich. *Tent. Fl. Abyss.* ii. 409.—Abyss.  
*uniflora*, Trin. ex Steud. *Nom. ed.* II. ii. 463, in syn. = *Diplachne fascicularis*.  
*verticillata*, Kunth, *Rév. Gram.* i. 91 = *Eleusine verticillata*.  
*virgata*, Beauv. *Agrost.* 71.—Am. austr.  
*virgata*, Spreng. *Syst.* i. 350 = *domingensis*.  
*virgata*, Wight, ex Steud. *Syn. Pl. Gram.* 213.—Ind. or.  
*Virletii*, Fourn. ex Hemsl. *Biol. Centr. Am. Bot.* iii. 566.—Mexic.  
*Wightiana*, Nees, ex Steud. *Syn. Pl. Gram.* 209 (*Eragrostidis* sp. ?)—Ind. or.

LEPTOCLADUS, Oliver, in *Journ. Linn. Soc.* viii. (1864) 160. t. 12 = **Mostuea**, Didr. (Logan.).  
*Thomsoni*, Oliver, l. c. = M. Thomsoni.

**LEPTOCLINIUM**, Benth. in Benth. & Hook. f. *Gen.* ii. 244 (1873). **COMPOSITAE**, Benth. & Hook. f. ii. 244.  
*fruticosum*, A. Gray, in *Proc. Am. Acad.* xv. (1880) 48 = *Garberia fruticosa*.  
*trichotomum*, Benth. ex Baker, in *Mart. Fl. Bras.* vi. ii. 272.—Bras.

LEPTOCNEMIA, Nutt. ex Torr. & Gray, *Fl. N. Am.* i. 624 (1840) = **Cymopterus**, Rafin. (Umbellif.).  
*campestris*, Nutt. ex Torr. & Gray, l. c. = C. campestris.

LEPTOCNIDE, Blume, *Mus. Bot. Lugd. Bat.* ii. 193. t. 57 (1856) = **Pouzolzia**, Gaudich. (Urtic.).  
*borbonica*, Blume, l. c. 194 = P. viminea.  
*heterophylla*, Blume, l. c. = P. heterophylla.  
*rubricaulis*, Blume, l. c. = P. rubricaulis.

**LEPTOCODON**, Lem. *Illustr. Hort.* iii. (1856) Misc.49; Hook. f. & Tho. ms. in *Journ. Linn. Soc.* ii. (1858) 17. **CAMPANULACEAE**, Benth. & Hook. f. ii. 557.  
*gracilis*, Lem. l. c.—Reg. Himal.

LEPTOCODON, Sond. in *Fl. Harv. & Sond. Fl. Cap.* iii. 584 (1865) = **Treichelia**, Vatke (Campan.).  
*longibracteatum*, Sond. l. c. 585 = T. longibracteata.

LEPTOCOMA, Less. in *Linnaea*, vi. (1831) 130 = **Rhynchospermum**, Reinw. (Compos.).  
*racemosa*, Less. l. c. = R. verticillatum.

LEPTOCORYPHIUM, Nees, *Agrost. Bras.* 83 (1829) = **Anthaeantia**, Beauv. (Gramin.).  
*Drummondii*, C. Muell. in *Bot. Zeit.* xix. (1861) 314.—Am. bor.  
*lanatum*, Nees, *Agrost. Bras.* 84 = A. lanata.  
*molle*, Nees, l. c. 85 = A. lanata.  
*obtusum*, Steud. *Syn. Pl. Gram.* 34.—Am. bor.  
*penicilligerum*, Speg. in *Anal. Soc. Cient. Argent.* xvi. (1883) 102.—Reg. Argent.

LEPTOCYAMUS, Benth. in *Trans. Linn. Soc.* xviii. (1839) 209, adnot. = **Glycine**, Linn. (Legumin.).  
*clandestinus*, Benth. in Hook. f. *Fl. Tasm.* i. 102 = G. clandestina.  
*elongatus*, Benth. in *Trans. Linn. Soc.* xviii. (1839) 209 = G. tabacina.  
*latifolius*, Benth. in *Mitch. Journ. Trop. Austral.* 361 = G. tabacina.  
*microphyllus*, Benth. in *Trans. Linn. Soc.* xviii. (1839) 209 = G. clandestina.  
*sericeus*, F. Muell. in *Trans. Phil. Soc. Vict.* i. (1855) 40 = G. sericea.  
*tasmanicus*, Benth. in Hook. f. *Fl. Tasm.* i. 102. t. 17 = G. Latrobeana.  
*tomentosus*, Benth. in *Trans. Linn. Soc.* xviii. (1839) 209 = G. tomentosus.

LEPTOCYTISUS, Meissn. in *Lehm. Pl. Preiss.* ii. 211 (1847) = **Latrobea**, Meissn. (Legumin.).  
*hirtellus*, Turcz. in *Bull. Soc. Nat. Mosc.* xxvi. (1853) i. 258 = Latr. hirtella.  
*tenellus*, Meissn. in *Lehm. Pl. Preiss.* ii. 211 = Latr. tenella.

LEPTODACTYLON, Hook. & Arn. *Bot. Beech. Voy.* 369. t. 89 (1841) = **Gilia**, Ruiz & Pav. (Polem.).  
*caespitosum*, Nutt. in *Journ. Acad. Philad. N. S.* i. (1847) 157 = G. pungens.  
*californicum*, Hook. & Arn. *Bot. Beech. Voy. Suppl.* 369 = G. californica.  
*Hookeri*, Nutt. in *Journ. Acad. Philad. N. S.* i. (1847) 157 = G. pungens.  
*pungens*, Nutt. l. c. = G. pungens.

LEPTODAPHNE, Nees, *Laurin. Expos.* 16 (1833) = **Ocotea**, Aubl. (Laurin.).  
*Pseudopsychotria*, Nees, ex Meissn. in *Mart. Fl. Bras.* v. ii. 238 = O. Sieberi.  
*subalpina*, Nees, *Syst. Laurin.* 361.—Bras.  
*tenuiflora*, Nees, l. c. 359.—Bras.

**LEPTODERMIS**, Wall. in *Roxb. Fl. Ind. ed. Carey*, ii. 191 (1824). **RUBIACEAE**, Benth. & Hook. f. ii. 135.  
*Griffithii*, Hook. f. *Fl. Brit. Ind.* iii. 198.—Reg. Himal.  
*lanceolata*, Wall. in *Roxb. Fl. Ind. ed. Carey*, ii. 191.—Reg. Himal.



**LEPTODERMIS:—**

*oblonga*, Bunge, in *Mém. Sav. Etr. Pétersb.* ii. (1835) 108.—China.  
*scabrida*, Hook. f. *Fl. Brit. Ind.* iii. 199.—Reg. Himal.  
*virgata*, Edgew. ex Aitch. *Cat. Punjab Pl.* 70; et ex Hook. f. *Fl. Brit. Ind.* iii. 198.—Reg. Himal.

**LEPTODESMIA**, Benth. in Benth. & Hook. f. *Gen.* i. 522 (1875). **LEGUMINOSAE**, Benth. & Hook. f. l. c.  
*congesta*, Benth. ex Baker, in Hook. f. *Fl. Brit. Ind.* ii. 152.—Ind. or.

**LEPTOGLOSSIS**, Benth. Bot. Voy. Sulph. 143 (1844). **SOLANACEAE**, Benth. & Hook. f. ii. 908.  
**CYCLOSTIGMA**, Phil. Sert. Mendoc. Alt. 39 (1871).  
*Coulteri*, A. Gray, in Proc. Am. Acad. xii. (1877) 165 = *Nierembergia Coulteri*.  
*linifolia*, Benth. & Hook. f. *Gen.* ii. 909.—Chili.  
*schwenkioides*, Benth. Bot. Voy. Sulph. 143.—Peruv.  
*tenuis*, Benth. & Hook. f. *Gen.* ii. 909.—Chili.  
*texasna*, A. Gray, in Proc. Am. Acad. xii. (1877) 164 = *Nierembergia viscosa*.

**LEPTOGLOTTIS**, DC. *Mém. Lég.* 451 (1825) = *Schrankia*, Willd. (Legumin.).  
*Nuttallii*, DC. l. c. = *S. uncinata*.

**LEPTOGONUM**, Benth. in Benth. & Hook. f. *Gen.* iii. 103 (1880). **POLYGONACEAE**, Benth. & Hook. f. l. c.  
*domingensis*, Benth. l. c. 104.—Ins. S. Doming.

**LEPTOGYNE**, Less. in *Linnaea*, vi. (1831) 151 = *Cotula*, Tourn. (Compos.).  
*rosea*, Less. l. c. 152 = *C. rosea*.

**LEPTOLAENA**, Thou. Hist. Vég. Afr. Austr. 41. t. 11 (1807). **CHLAENACEAE**, Benth. & Hook. f. i. 195.  
**LEPTOCHLAENA**, Spreng. *Gen.* i. 355 (1830).  
*multiflora*, Thou. Hist. Vég. Afr. Austr. 41. t. 11.—Madag.  
*pauciflora*, Baker, in *Journ. Linn. Soc.* xx. (1883) 96.—Madag.  
*turbinata*, Baker, l. c. 97.—Madag.

**LEPTOLOBIUM**, Benth. in *Ann. Wien. Mus.* ii. (1838) 124 = *Glycine*, Linn. (Legumin.).  
*clandestinum*, Benth. l. c. 125 = *G. clandestina*.  
*elongatum*, Benth. l. c. = *G. tabacina*.  
*microphyllum*, Benth. l. c. = *G. clandestina*.  
*tabacinum*, Benth. l. c. = *G. tabacina*.  
*tomentosum*, Benth. l. c. = *G. tomentosa*.

**LEPTOLOBIUM**, Vog. in *Linnaea*, xi. (1837) 388 = *Sweetia*, Spreng. (Legumin.).  
*aurantiacum*, Mart. Herb. Fl. Bras. n. 1149 = *Diptychandra aurantiaca*.  
*bijugum*, Vog. in *Linnaea*, xi. (1837) 391 = *S. bijuga*.  
*costulatum*, Miq. Stip. Surin. Sel. 17 (Ormosiae sp.).—Guian.  
*dasy carpum*, Vog. in *Linnaea*, xi. (1837) 388 = *S. dasy carpum*.  
*elegans*, Vog. l. c. 390 = *S. elegans*.  
*glabrifolium*, Tul. in Arch. Mus. Par. iv. (1844) 119 = *S. dasy carpum*.  
*lanceolatum*, Tul. l. c. 118 = *S. dasy carpum*.  
*leiocarpum*, Vog. in *Linnaea*, xi. (1837) 393 = *Apuleia praecox*.  
*luteum*, Mart. Herb. Fl. Bras. n. 1148 = *Sclerolobium aureum*.  
*nitens*, Vog. in *Linnaea*, xi. (1837) 394 = *S. nitens*.  
*nitidulum*, Miq. Stip. Surin. Sel. 18 = *S. nitens*.  
*punctatum*, Benth. in *Linnaea*, xxii. (1849) 526 = *Myrocarpus frondosus*.  
*tenuifolium*, Vog. l. c. xi. (1837) 390 = *S. tenuifolia*.  
*tortum*, Mart. Herb. Fl. Bras. n. 1151 = *S. dasy carpum*.  
*tortuosum*, Mart. ex Benth. in *Journ. Linn. Soc.* viii. (1865) 262 = *S. glabrifolia*.

**LEPTOMERIA**, R. Br. Prod. 353 (1810). **SANTALACEAE**, Benth. & Hook. f. iii. 229.  
*acerba*, R. Br. l. c. 354 = *Omphacomeria acerba*.  
*acerba*, A. Cunn. ex A. DC. in DC. Prod. xiv. 680 = *Omphacomeria psilotoides*.  
*acerba*, Sieber, ex Benth. Fl. Austral. vi. 229 = *Exocarpus cupressiformis*.

**LEPTOMERIA:—**

*acida*, R. Br. Prod. 353.—Austral.  
*aphylla*, R. Br. l. c. 354.—Austral.  
*aphylla*, A. DC. in DC. Prod. xiv. 677 = *pauciflora*.  
*aphylla*, Sieber, ex Benth. Fl. Austral. vi. 219 = *Choretrum lateriflorum*.  
*axillaris*, R. Br. Prod. 354.—Austral.  
*Billardieri*, Sieber, ex Benth. Fl. Austral. vi. 219 = *Choretrum Candollei*.  
*Billardieri*, R. Br. Prod. 354.—Austral.  
*Brownii*, Miq. in *Lehm. Pl. Preiss.* i. 612 = *squarrulosa*.  
*chrysadena*, Miq. l. c. = *scrobiculata*.  
*Cunninghamii*, Miq. l. c. 611.—Austral.  
*empetriformis*, Miq. l. c. 610.—Austral.  
*ericoides*, Miq. l. c. 611 = *scrobiculata*.  
*glomerata*, F. Muell. ex Hook. f. Fl. Tasm. ii. 370.—Austral.  
*hirtella*, Miq. in *Lehm. Pl. Preiss.* i. 610 = *empetriformis*.  
*laxa*, Miq. l. c. 612.—Austral.  
*Lehmannii*, Miq. l. c. 614 = *pauciflora*.  
*obovata*, Miq. l. c. 613.—Austral.  
*odorata*, Miq. l. c. = *Exocarpus odoratus*.  
*pauciflora*, R. Br. Prod. 354.—Austral.  
*Preissiana*, A. DC. in DC. Prod. xiv. 678.—Austral.  
*pungens*, F. Muell. in *Trans. Vict. Inst.* i. (1855) 41 = *aphylla*.  
*scrobiculata*, R. Br. Prod. 354.—Austral.  
*spinosa*, A. DC. in DC. Prod. xiv. 678.—Austral.  
*squarrulosa*, R. Br. Prod. 354.—Austral.  
*xiphoclada*, Sieber, ex Spreng. Syst. iv. Cur. Post. 109 = *Amperea spartioides*.

**LEPTOMON**, Steud. Nom. ed. II. i. 447, in syn. (1840) = **LEPTEMON**, Rafin. = **Crotonopsis**, Michx. (Euphorb.).

**LEPTONEMA**, Hook. Ic. Pl. t. 692. (1844) = **Dolichostylis**, Turcz. (Crucif.).  
*Lindenii*, Hook. l. c. = *D. Lindenii*.

**LEPTONEMA**, A. Juss. Euph. Tent. 19. t. 4 (1824). **EUPHORBACEAE**, Benth. & Hook. f. iii. 275.  
*melanthesoides*, F. Muell. in Hook. Kew Journ. ix. (1857) 17 = *Fluggea microcarpa*.  
*venosum*, A. Juss. Euph. Tent. 19. t. 4. f. 12.—Madag.

**LEPTONIUM**, Griff. in *Calc. Journ. Nat. Hist.* iv. (1843) 236 = **Lepionurus**, Blume (Olacin.).  
*oblongifolium*, Griff. l. c. 237 = *Lepionurus oblongifolius*.

**LEPTONYCHIA**, Turcz. in Bull. Soc. Nat. Mosc. xxxi. (1858) i. 222. **STERCULIACEAE**, Benth. & Hook. f. i. 983.  
**BINNENDYKIA**, Kurz, in Tijdschr. Nederl. Ind. xxviii. (1865) 164.  
*acuminata*, Mast. in Hook. f. Fl. Brit. Ind. i. 379.—Malacca.  
*glabra*, Turcz. in Bull. Soc. Nat. Mosc. xxxi. (1858) i. 222.—Burma; Malaya.  
*heteroclita*, Kurz, in Journ. As. Soc. Beng. xxxix. (1870) ii. 67 = *glabra*.  
*lanceolata*, Mast. in Oliver, Fl. Trop. Afr. i. 239.—Afr. trop.  
*moacurroides*, Bedd. Fl. Sylvat. i. t. 114.—Ind. or.  
*urophylla*, Welw. ex Mast. in Oliver, Fl. Trop. Afr. i. 238.—Afr. trop.

**LEPTOPAETIA**, Harv. Gen. Pl. S. Afr. ed. II. f. 231 (1868) = **Tacazzea**, Decne. (Asclep.).

**LEPTOPETALUM**, Hook. & Arn. Bot. Beech. Voy. 295 (1841) = **Hedyotis**, Linn. (Rubiace.).  
*mexicanum*, Hook. & Arn. l. c. = *H. leptopetala*.

**LEPTOPETION**, Schott. Gen. Aroid. t. 8 (1856) = **Biarum**, Schott (Aroid.).  
*alexandrinum*, Schott, l. c. = *B. Olivieri*.

**LEPTOPHOBA**, Ehrh. Beitr. iv. 146 (1789) = **Aira**, Linn. (Gramin.).

**LEPTOPHOENIX**, Becc. in Ann. Jard. Buitenz. ii. (1885) 82. **PALMAE**.  
*affinis*, Becc. l. c. —N. Guin.  
*pinangoides*, Becc. l. c. —N. Guin.

**LEPTOPHORA**, Rafin. in Am. Monthly Mag. (1819) 195 = **Helenium**, Linn. (Compos.).

**LEPTOPHRAGMA**, Benth. ex Dun. in DC. Prod. xiii. i. 578 (1852) = **Petunia**, Juss. (Solan.).  
*montevideensis*, Benth. ex Dun. l. c. 579 = *P. parviflora*?  
*prostrata*, Benth. ex Dun. l. c. 578 = *P. parviflora*.

**LEPTOPHRAGMA**, R. Br. ex Benn. Pl. Jav. Rar. 155 (1840?). **MELIACEAE**?—Cf. Benth. & Hook. f. Gen. i. 330.

**LEPTOPHYLLUM**, Ehrh. Beitr. iv. 147 (1784) = **Arenaria**, Rupp. (Caryoph.).

**LEPTOPHYTUS**, Cass. in Bull. Soc. Philom. (1817) 11; et in Dict. Sc. Nat. xxvi. 77 (1823) = **Leysera**, Linn. (Compos.).  
*leyseroides*, Cass. in Dict. Sc. Nat. xxiii. 560; xxvi. 78 = *Leysera capillifolia*.

**LEPTOPODA**, Nutt. Gen. Am. ii. 174 (1818) = **Helenium**, Linn. (Compos.).  
*acaulis*, DC. Prod. v. 663 = *Actinella acaulis*.  
*brachypoda*, Torr. & Gray, Fl. N. Am. ii. 388 = *H. nudiflorum*.  
*brevifolia*, Nutt. in Trans. Am. Phil. Soc. N. S. vii. (1841) 373 = *H. brevifolium*.  
*decurrens*, Macbr. in Ell. Sketch, ii. 446 = *H. Nuttallii*.  
*denticulata*, Nutt. in Trans. Am. Phil. Soc. N. S. vii. (1841) 373 = *H. Nuttallii*.  
*fimbriata*, Torr. & Gray, Fl. N. Am. ii. 387 = *H. fimbriatum*.  
*floridana*, Rafin. Atl. Journ. 147 (Quid?).—Am. bor.  
*helenioides*, Cass. in Dict. Sc. Nat. xxvi. 80 = *H. Nuttallii*.  
*Helenium*, Nutt. Gen. Am. ii. 174 = *H. Nuttallii*.  
*incisa*, Torr. & Gray, Fl. N. Am. ii. 387 = *H. Nuttallii*.  
*integrifolia*, M. A. Curt. ex Torr. & Gray, l. c. = *H. Curtisii*.  
*pinnatifida*, Schweinitz, ex Nutt. in Trans. Am. Phil. Soc. N. S. vii. (1841) 372 = *H. vernale*.  
*puberula*, Macbr. in Ell. Sketch, ii. 445 = *H. vernale*.

**LEPTOPTERIS**, Blume, Mus. Bot. Lugd. Bat. i. 240. t. 34 (1850) = **Gelsemium**, Juss. (Logani.).  
*sumatrana*, Blume, l. c. = *G. elegans*.

**LEPTOPUS**, Decne. in Jacquem. Voy. Bot. 155. t. 156 (1844) = **Andrachne**, Linn. (Euphorb.).  
*cordifolius*, Decne. l. c. = *A. cordifolius*.

**LEPTOPUS**, Klotzsch & Garcke, in Monatsb. Akad. Berl. (1859) 249 = **Euphorbia**, Linn.  
*adiantoides*, Klotzsch & Garcke, l. c. = *E. adiantoides*.  
*brasiliensis*, Klotzsch & Garcke, l. c. = *E. sciadophila*.  
*Hartwegii*, Klotzsch & Garcke, in Abh. Akad. Berl. (1860) 46 = *E. adiantoides*.  
*ocymoides*, Klotzsch & Garcke, in Monatsb. Akad. Berl. (1859) 249 = *E. ocymoides*.  
*orinocensis*, Klotzsch & Garcke, l. c. 250.—Bras.  
*Poeppigii*, Klotzsch & Garcke, l. c. = *E. Poeppigii*.  
*segoviensis*, Klotzsch & Garcke, l. c. = *E. segoviensis*.

**LEPTOPYRUM**, Rafin. in Med. Repos. N. York, v. (1808) 351 = **Avena**, Linn. (Gramin.).  
*tenellum*, Rafin. l. c. (Quid?).—Am. bor.

**LEPTOPYRUM**, Reichb. Consp. 192 (1828) = **Isopyrum**, Linn. (Ranunc.).  
*fumarioides*, Reichb. l. c. = *I. fumarioides*.

**LEPTORACHIS**, Baill. Etud. Gén. Euph. 495 (1858).  
**LEPTORHACHIS**, Klotzsch & Garcke, in Tragia, Plum. (Euphorb.).

**LEPTORDERMIS**, DC. Prod. iv. 462 (1830) sphalm. = **Leptodermis**, Wall. (Rubiace.).

**LEPTORHABDOS**, Schrenk, in Fisch. & Mey. Pl. Schrenk. i. 23 (1841). **SCITINACEAE**.  
*Benth. & Hook. f. ii. 971.*  
**DARGERIA**, Decne. in Jacquem. Voy. Bot. 115 (1844).



**LEPTORHABDOS:**

Benthiana, Walp. Rep. iii. 387.—Reg. Himal.  
brevidens, Fisch. & Mey. Ind. Sem. Hort. Petrop. ix.  
Suppl. 13.—Sibir. altaic.  
linifolia, Walp. Rep. iii. 388.—Reg. Himal.  
micrantha, Schrenk, in Fisch. & Mey. Pl. Schrenk, i.  
24.—Soongaria.  
parviflora, Benth. in DC. Prod. x. 510 = Benth-  
miana.  
virgata, Benth. l. c. = Benthiana.

LEPTORHACHIS, Klotzsch, in Wieg. Archiv, vii.  
(1841) 189 = **Tragia**, Plum. (Euphorb.).  
capensis, Muell. Arg. in DC. Prod. xv. ii. 926 = T.  
capensis.  
hastata, Klotzsch, in Wieg. Archiv, vii. (1841) 189 =  
T. hastata.

LEPTORHACHYS, Meissn. Comm. 369 (1843) = praec.

LEPTORHOËS, C. B. Clarke, in Hemsl. Diagn. Pl.  
Nov. 55 (1880). **COMMELINACEAE**, Benth. &  
Hook. f. iii. 856.  
filiformis, C. B. Clarke, l. c.—Mexic.

LEPTORHYNCHOS, Less. Syn. Comp. 273 (1832).  
**COMPOSITAE**, Benth. & Hook. f. ii. 307.  
APHANORHYNCHUS, Endl. Gen. 445 (1838).  
DORATOLEPIS, Schlecht. in Linnaea, xx. (1847) 593.  
RHYTIDANTHE, Benth. in Enum. Pl. Hueg. 63 (1837).  
ambiguus, Benth. Fl. Austral. iii. 609.—Austral.  
aureus, Benth. in Enum. Pl. Hueg. 64 = Waitzia aurea.  
Bailey, F. Muell. Fragm. x. 101.—Austral.  
citrinus, Benth. in Enum. Pl. Hueg. 64 = Waitzia  
Steetziana.  
elongatus, DC. Prod. vi. 160.—Austral.  
gracilis, Walp. in Linnaea, xiv. (1840) 317 = squamatus.  
hemisphaericus, DC. Prod. vi. 160 = squamatus.  
Lhotskyanus, Walp. in Linnaea, xiv. (1840) 317 =  
squamatus.  
linearis, Less. Syn. Comp. 273.—Austral.  
medius, A. Cunn. in DC. Prod. vi. 160 = elongatus.  
nitidulus, DC. Prod. vi. 160 = squamatus.  
pannaetioideus, Benth. Fl. Austral. iii. 609.—Austral.  
Podolepis, DC. Prod. vi. 160 = Waitzia Podolepis.  
pulchellus, F. Muell. Fragm. i. 53.—Austral.  
Rhytidanthe, Benth. in DC. Prod. vi. 679 = elongatus.  
squamatus, Less. Syn. Comp. 273.—Austral.  
suaveolens, Benth. in Enum. Pl. Hueg. 64 = Waitzianivea.  
tenuifolius, F. Muell. Fragm. i. 52.—Austral.  
Waitzia, Sond. in Linnaea, xxv. (1852) 501.—Austral.

LEPTORMUS, Eckl. & Zeyh. Enum. 8 (1835) = **Helio-  
phila**, Linn. (Crucif.).  
acuminatus, Eckl. & Zeyh. Enum. 8 = H. acuminata.  
caledonicus, l. c. 9 = H. caledonica.  
dissectus, Eckl. & Zeyh. l. c. 8 = H. dissecta.  
longifolius, Eckl. & Zeyh. l. c. 9 = H. longifolia.  
pendulus, Eckl. & Zeyh. l. c. = H. pendula.  
rivalis, Eckl. & Zeyh. l. c. = H. rivalis.  
tenellus, Eckl. & Zeyh. l. c. = H. dissecta.  
trifidus, Eckl. & Zeyh. l. c. = H. trifida.  
tripartitus, Eckl. & Zeyh. l. c. = H. Zeyheri.

LEPTORHYNCHUS, F. Muell. Fragm. x. 101 (1877) =  
**Leptorhynchus**, Less. (Comp.).

LEPTOSCELA, Hook. f. in Benth. & Hook. f. Gen. ii.  
59 (1873). **RUBIACEAE**, Benth. & Hook. f. l. c. 59.  
ruelliodes, Hook. f. l. c. Pl. t. 1149.—Bras.

LEPTOSCHOENUS, Nees, in Hook. Journ. Bot. ii. (1840)  
393 = **Rynchospora**, Vahl (Cyperac.).  
prolifer, Nees, l. c.—Am. trop.

LEPTOSEMA, Benth. in Ann. Wien. Mus. ii. (1838)  
84 = **Brachysema**, R. Br. (Legumin.).  
bossiaoides, Benth. l. c. = B. bossiaoides.  
Chambersii, F. Muell. Pl. Fitzalan. 8 = B. Chambersii.  
oxyloboides, F. Muell. l. c. = B. oxyloboides.

LEPTOSERIS, Nutt. in Trans. Am. Phil. Soc. N. S. vii.  
(1841) 438 = **Malacothrix**, DC. (Compos.).  
californica, A. Gray, Syn. Fl. N. Am. i. ii. 465 (Index),  
sphalm. = M. saxatilis.  
saxatilis, A. Gray, l. c. = M. saxatilis.  
sonchoides, Nutt. in Trans. Am. Phil. Soc. N. S. vii.  
(1841) 439 = M. sonchoides.

LEPTOSILENE, Fourr. in Ann. Soc. Linn. Lyon, N. S.  
xvi. (1868) 344 = **Silene**, Linn. (Caryoph.).  
inaperta, Fourr. l. c. = S. inaperta.

LEPTOSIPHON, Benth. in Bot. Reg. sub t. 1622 (1833)  
= **Gilia**, Ruiz & Pav. (Polem.).  
androsaceus, Benth. l. c. = G. androsacea.  
bicolor, Nutt. in Journ. Acad. Philad. N. S. i. (1847)  
156 = G. tenella.  
densiflorus, Benth. in Bot. Reg. sub t. 1622 = G. densi-  
flora.  
grandiflorus, Benth. l. c. = G. densiflora.  
luteus, Benth. l. c. = G. micrantha.  
parviflorus, Benth. l. c. = G. micrantha.  
parviflorus, Hook. f. Bot. Mag. t. 5863 = G. androsacea.  
roseus, Thoms. ex Gard. Chron. (1871) 1264 = Gilia  
micrantha.

LEPTOSKELA, Hook. f. l. c. Pl. t. 1149 (1873), lapsu =  
**Leptoscela**, Hook. f. (Rubiace.).

LEPTOSOLENA, Presl, Rel. Haenk. i. 111. t. 18  
(1827). **SCITAMINEAE**, Benth. & Hook. f. iii.  
647.  
Haenkei, Presl, l. c.—Ins. Philipp.

LEPTOSOMUS, Schlecht. in Abh. Naturf. Ges. Halle,  
vi. (1862) 174 = **Eichhornia**, Kunth (Ponted.).  
natans, Schlecht. l. c. = E. natans.

LEPTOSPATION, Griff. Notul. iv. 511 (1854); l. c. Pl.  
Asiat. t. 591 = **Duabanga**, Buch.-Ham. (Lythrar.).  
grandiflora, Griff. l. c. = D. sonneratioides.

LEPTOSPERMUM, Forst. Char. Gen. 71. t. 36  
(1776). **MYRTACEAE**, Benth. & Hook. f. i. 703.  
FABRICIA, Gaertn. Fruct. i. 175. t. 35. f. 4 (1788).  
GLAPHYRIA, Jack, in Trans. Linn. Soc. xiv. (1823)  
128.  
HOMALOSPERMUM, Schau. in Linnaea, xvii. (1843)  
242.  
MACKLOTTIA, Korth. in Nederl. Kruidk. Arch. i.  
(1847) 196.  
PERICALYMA, Endl. Gen. 1230 (1840).  
abnorme, F. Muell. ex Benth. Fl. Austral. iii. 109.—  
Austral.  
acerosum, Schau. ex Otto & Dietr. Allg. Gartenz. ix.  
(1841) 250 = seq.?  
acicular, Schau. in Linnaea, xv. (1841) 429 =  
scoparium.  
acuminatum, Wendl. ex Steud. Nom. ed. I. 473 = stel-  
latum.  
acutifolium, Hort. Vratisl. ex Otto & Dietr. Allg.  
Gartenz. ix. (1841) 225 = flavesens.  
alpestre, Blume, Bijdr. 1100.—Java.  
ambiguum, Sm. in Trans. Linn. Soc. iii. (1797) 264 =  
Kunzea corifolia.  
amboinense, Blume, Bijdr. 1100; DC. Prod. iii. 229 =  
flavesens.  
angustifolium, Endl. in Enum. Pl. Hueg. 50 = Hypo-  
calymna angustifolia.  
Annae, Stein, in Regel, Gartenfl. (1835) 66.—Ins.  
Philipp.  
aquaticum, Hort. ex Otto & Dietr. Allg. Gartenz. ix.  
(1841) 243 = flavesens.  
arachnoideus, Gaertn. Fruct. i. 175. t. 35 = arachnoideum.  
arachnoideum, Hort. Berol. ex Schau. in Linnaea, xv.  
(1841) 433 = scoparium.  
arachnoideum, Sm. in Trans. Linn. Soc. iii. (1797) 263.  
—Austral.  
attenuatum, Sm. in Trans. Linn. Soc. iii. (1797) 262.  
—Austral.  
australe, Salisb. Prod. 350 = pubescens.  
baccatum, Schau. in Linnaea, xv. (1841) 433 =  
scoparium.  
baccatum, Sm. in Trans. Linn. Soc. iii. (1797) 264 =  
arachnoideum.  
Blumei, Steud. Nom. ed. II. ii. 31 = flavesens.  
brevifolium, Rudge, in Trans. Linn. Soc. viii. (1807) 299.  
t. 14 = Baeckea brevifolia.  
brevifolium, Schau. in Walp. Rep. ii. 168, sphalm. =  
buxifolium, Wendl. f.  
brevipes, F. Muell. in Trans. Vict. Inst. i. (1855) 125 =  
attenuatum.  
bullatum, Hort. ex Loud. Hort. Brit. Suppl. iii. 576 =  
scoparium.  
buxifolium, Dehn. Revist. Napol. i. III. 172; ex Walp.  
Rep. ii. 169 (sp. dub.).—Austral.

**LEPTOSPERMUM:**

buxifolium, Wendl. f. in Otto & Dietr. Allg. Gartenz.  
i. (1833) 186 = flavesens.  
Candollei, Schau. in Linnaea, xv. (1841) 441 =  
pubescens.  
canescens, Wendl. ex Steud. Nom. ed. I. 493 (sp. dub.).  
—Hab.?  
Celsianum, Tenore, Ind. Sem. Hort. Neap. (1825) 11.  
n. 13.—Austral.?  
ciliatum, Forst. Char. Gen. 72 = Metrosideros ciliata.  
ciliolatum, Otto & Dietr. Allg. Gartenz. ix. (1841) 241  
(sp. dub.).—Austral.  
collinum, Forst. Char. Gen. 72 = Metrosideros collina.  
crassipes, Lehm. Ind. Sem. Hort. Hamb. (1842).—  
Austral.  
cuneatum, Hoffmgg. Verz. Pf. 72 = pubescens.  
cuneiforme, Otto & Dietr. Allg. Gartenz. ix. (1841) 251  
(sp. dub.).—Austral.  
Cunninghamii, Schau. in Linnaea, xv. (1841) 420 =  
pubescens.  
cupressinum, Otto & Dietr. Allg. Gartenz. ix. (1841)  
250 (sp. dub.).—Austral.  
cuspidatum, Hoffmgg. Verz. Pf. 72 = pubescens?  
divaricatum, Schau. in Walp. Rep. ii. 923 = scoparium.  
dubium, Spreng. Syst. ii. 492 = Astartea fascicularis.  
ellipticum, Endl. in Enum. Pl. Hueg. 51.—Austral.  
emarginatum, Wendl. f. ex Link, Enum. Hort. Berol.  
ii. 25 = flavesens.  
ericoides, A. Rich. Bot. Voy. Astrolab. i. 338.—  
N. Zel.  
eriocalyx, Sieber, ex Spreng. Syst. iv. Cur. Post. 194 =  
parvifolium.  
erubescens, Schau. in Lehm. Pl. Preiss. i. 121.—  
Austral.  
Fabricia, Benth. Fl. Austral. iii. 102.—Austral.  
firmum, Benth. l. c. 104.—Austral.  
flavesens, Sm. in Trans. Linn. Soc. iii. (1797) 262.—  
Austral.  
flexuosum, Spreng. Nov. Prov. 25 = Agonis flexuosa.  
floribundum, Jungh. Java, i. 578; et in Nat. en Geneesk.  
Arch. Neerl. Indie, ii. (1845) 37 = javanicum.  
floribundum, Salisb. Prod. 349 = scoparium.  
floridum, Benth. Fl. Austral. iii. 110.—Austral.  
glaucescens, Schau. in Linnaea, xv. (1841) 421 =  
pubescens.  
glomeratum, Wendl. f. in Flora, ii. (1819) 678 = Agonis  
flexuosa.  
gnidiaefolium, DC. Prod. iii. 228 = attenuatum.  
gnidiaefolium, Hort. ex Benth. Fl. Austral. iii. 107 =  
stellatum.  
grandiflorum, Lodd. Bot. Cab. t. 514 = flavesens.  
grandifolium, Sm. in Trans. Linn. Soc. vi. (1802) 299  
= pubescens.  
humifusum, A. Cunn. ex Schau. in Linnaea, xv. (1841)  
425 = scoparium.  
hypericifolium, Otto & Dietr. Allg. Gartenz. ix. (1841)  
243, nomen = Agonis hypericifolia.  
imbricatum, Sm. in Trans. Linn. Soc. vi. (1802) 300 =  
Baeckea camphorata.  
incanum, Turcz. in Bull. Phys.-Math. Acad. Petersb. x.  
(1852) 335.—Austral.  
javanicum, Blume, Bijdr. 1100.—Burma; Java.  
juniperifolium, Cav. Ic. iv. 18 = scoparium.  
juniperinum, Sm. in Trans. Linn. Soc. iii. (1797) 263  
= scoparium.  
laevigatum, F. Muell. Ann. Rep. (1858) 22; Fragm.  
iv. 60.—Austral.  
lanigerum, Sm. in Trans. Linn. Soc. iii. (1797) 263 =  
pubescens.  
laricifolium, A. Cunn. ex Schau. in Walp. Rep. ii. 922  
= Astartea fascicularis.  
Leucadendrum, Forst. Char. Gen. 72 = flavesens,  
pubescens.  
linearifolium, DC. Prod. iii. 227 = Agonis linearifolia.  
linifolium, Dum.-Cours. Bot. Cult. ed. II. v. 384 =  
scoparium.  
lucidum, Hort. Vinar. ex Schau. in Linnaea, xv. (1841)  
435 = attenuatum.  
macrocarpum, A. Cunn. ex Schau. l. c. 425 = scoparium.  
marginatum, Labill. Nov. Holl. Pl. ii. 10. t. 148 =  
Agonis marginata.  
micromyrtus, Miq. in Nederl. Kruidk. Arch. iv. (1859)  
145 = flavesens.  
microphyllum, Hoffmgg. Verz. Pf. 72 = pubescens?  
microphyllum, F. Muell. ex Miq. in Nederl. Kruidk.  
Arch. iv. (1859) 142 = pubescens.  
mucronatum, Cels, ex DC. Prod. iii. 229, nomen.—  
Hab.?



## LEPTOSPERMUM:—

- multicaule*, A. Cunn. in Field, N. S. Wales, 349 = *myrtifolium*.  
*multiflorum*, Cav. Ic. iv. 17. t. 331. f. 1 = *scoparium*.  
*myrsinoides*, Schlecht. in *Linnaea*, xx. (1847) 653.—Austral.  
*myrtifolium*, Sieber, ex DC. Prod. iii. 228.—Austral.  
*nervosum*, Hort. ex Otto & Dietr. Allg. Gartenz. ix. (1841) 260 = *flavescens*.  
*nitens*, Turcz. in Bull. Phys.-Math. Acad. Pétersb. x. (1852) 335.—Austral.  
*nitidum*, Hook. f. Fl. Tasm. i. 139 = *pubescens*.  
*nobile*, F. Muell. ex Miq. in Nederl. Kruidk. Arch. iv. (1859) 145 = *flavescens*.  
*obliquum*, Colla, Hort. Ripul. App. ii. 351 = *scoparium*.  
*obovatum*, Sweet, Fl. Austral. t. 36 = *flavescens*.  
*obtusum*, Lodd. Cat. ex G. Don, in Loud. Hort. Brit. 195, nomen = *flavescens*.  
*oligandrum*, Turcz. in Bull. Phys.-Math. Acad. Pétersb. x. (1852) 335.—Austral.  
*ovale*, Dum.-Cours. Bot. Cult. ed. II. v. 385 = *parvifolium*.  
*ovalifolium*, Sweet, Hort. Brit. ed. I. 155 = *pubescens*?  
*Oxycedrus*, Schau. in *Linnaea*, xv. (1841) 432 = *scoparium*.  
*paludosum*, Hort. Berol. ex Schau. l. c. 410 = *flavescens*.  
*parvifolium*, Sm. in Trans. Linn. Soc. iii. (1797) 263.—Austral.  
*parvulum*, Labill. Sert. Austro-Caled. 62. t. 61 = *Baekia virgata*.  
*pendulum*, Sieber, ex Benth. Fl. Austral. iii. 108 = *attenuatum*.  
*perforatum*, Forst. Char. Gen. 72 = *Metrosideros scandens*.  
*persiciflorum*, Reichb. Hort. Bot. iii. 8. t. 220 = *scoparium*.  
*pilosum*, Schau. in Walp. Rep. ii. 923 = *pubescens*.  
*pinifolium*, Labill. Sert. Austro-Caled. 63. t. 62 = *Baekia pinifolia*.  
*polygalaeifolium*, Salisb. Prod. 350 = *flavescens*.  
*porophyllum*, Cav. Ic. iv. 17 = *flavescens*.  
*pubescens*, Lam. Encyc. iii. 466.—Austral.  
*pungens*, Banks, ex Dum.-Cours. Bot. Cult. ed. II. v. 385.—Austral.  
*pungens*, Otto & Dietr. Allg. Gartenz. ix. (1841) 260.—Austral.  
*recurvifolium*, Salisb. Prod. 350 = *scoparium*.  
*recurvum*, Hook. f. Ic. Pl. t. 893.—Borneo.  
*resiniferum*, Bertol. Amoen. Ital. 29 = *Agonis flexuosa*.  
*retusum*, Hort. ex Otto & Dietr. Allg. Gartenz. ix. (1841) 243 = *flavescens*.  
*robustum*, Endl. in Enum. Pl. Hueg. 50 = *Hypocalymma robustum*.  
*Roei*, Benth. Fl. Austral. iii. 110.—Austral.  
*roseum*, Hort. ex Otto & Dietr. Allg. Gartenz. ix. (1841) 243 = *flavescens*.  
*rubricaulis*, Cels, ex Link, Enum. Hort. Berol. ii. 25 = *scoparium*.  
*rupestre*, Hook. f. Ic. Pl. t. 308.—Tasman.  
*salicifolium*, Lam. Encyc. iii. 467.—Java.  
*scabrum*, Wall. Cat. sub n. 3650 = *Deutzia staminea*.  
*scandens*, Forst. Char. Gen. 72 = *Metrosideros florida*.  
*scoparium*, Forst. l. c.—Austral.; N. Zel.  
*sericatum*, Lindl. in Mitch. Journ. Trop. Austral. 298 = *stellatum*.  
*sericeum*, Hort. Berol. ex Schau. in *Linnaea*, xv. (1841) 421 = *pubescens*.  
*sericeum*, Labill. Nov. Holl. Pl. ii. 9. t. 147 = *Kunzea sericea*.  
*sericeum*, Schau. in Lehm. Pl. Preiss. i. 121 = *erubescens*.  
*sericophyllum*, Schau. in *Linnaea*, xv. (1841) 420 = *pubescens*.  
*speciosum*, Schau. in Walp. Rep. ii. 923 = *Melaleuca Leucadendron*.  
*spinescens*, Endl. in Enum. Pl. Hueg. 51.—Austral.  
*splendens*, Schau. in Walp. Rep. ii. 923 = *pubescens*.  
*squarrosus*, Gaertn. Fruct. i. 174. t. 35; Sieber, ex Spreng. Syst. iv. Cur. Post. 194 = *scoparium*.  
*stamineum*, Wall. Cat. sub n. 3651 = *Deutzia staminea*.  
*stellatum*, Cav. Ic. iv. 16. t. 330. f. 1.—Austral.  
*styphelioides*, Schau. in *Linnaea*, xv. (1841) 423 = *scoparium*.  
*tenuifolium*, Cav. ex Steud. Nom. ed. I. 474; ed. II. ii. 32 = *scoparium*.  
*Thea*, Willd. Sp. Pl. ii. 949 = *flavescens*.

VOL. II.

## LEPTOSPERMUM:—

- theaeforme*, A. Cunn. ex Schau. in Walp. Rep. v. 739 = *Agonis hypericifolia*.  
*thymifolium*, A. Cunn. in Field, N. S. Wales, 349 = *pubescens*.  
*thymifolium*, Hoffmgg. Verz. Pfl. 72 = *praec.*?  
*tomentosum*, Hort. ex Dum.-Cours. Bot. Cult. ed. II. v. 384 = *pubescens*.  
*tonsum*, Schau. in *Linnaea*, xv. (1841) 422 = *pubescens*.  
*tortuosum*, Dehnh. Revist. Napol. i. iii. 171; ex Walp. Rep. ii. 169 (sp. dub.).—Austral.  
*triloculare*, Vent. Jard. Malm. 88. t. 84 = *arachnoideum*.  
*trinerve*, White, ex Sm. in Trans. Linn. Soc. iii. (1797) 263, err. = *Melaleuca trinervia*, White.  
*tuberculatum*, Poir. Encyc. Suppl. iii. 338 = *flavescens*.  
*umbellatum*, Gaertn. Fruct. i. 174. t. 35. f. 3 = *Eucalyptus tereticornis*.  
*villosus*, Fisch. Hort. Gorenk. ed. II. (1812) 63 (sp. dub.).—Hab.?  
*villosus*, Otto & Dietr. Allg. Gartenz. ix. (1841) 242 = *pubescens*.  
*virgatum*, Forst. Char. Gen. 72 = *Baekia virgata*.  
*virgatum*, Willd. Sp. Pl. ii. 951 = *flavescens*.
- LEPTOSTACHIA, Mitch. in Act. Phys. Med. Soc. Nat. Cur. viii. (1748), App. 212 = *Phryma*, Linn. (Verbenac.).
- LEPTOSTACHYA, Benth. & Hook. f. Gen. ii. 1137 (1876) = *praec.*
- LEPTOSTACHYA, Nees, in Wall. Pl. As. Rar. iii. 105 (1832) = *Dianthera* et *Justicia*, Linn. (Acanth.).  
*antirrhina*, Nees, in Mart. Fl. Bras. ix. 150 = *J. antirrhina*.  
*campylostemon*, Nees, in DC. Prod. xi. 378 = *J. campylostemon*.  
*comata*, Kostel. Allg. Med.-Pharm. Flora, iii. 932 = *D. comata*.  
*cordata*, Nees, in DC. Prod. xi. 378 = *J. cordata*.  
*crinita*, Nees, in Benth. Bot. Voy. Sulph. 147.—N. Granat.  
*dichotoma*, Nees, in DC. Prod. xi. 379 = *D. dichotoma*.  
*heterophylla*, Nees, in Mart. Fl. Bras. ix. 150 = *D. heterophylla*.  
*laxa*, Nees, l. c. 151.—Bras.  
*lucida*, Nees, l. c. 149.—Bras.  
*Martiana*, Nees, in Benth. Bot. Voy. Sulph. 147 = *D. comata*.  
*parviflora*, Nees, in Mart. Fl. Bras. ix. 151 = *D. comata*.  
*pectoralis*, Nees & Mart. in Flora, xxii. (1839) i. Beibl. 8; et ex Kostel. Allg. Med.-Pharm. Flora, iii. 932 = *D. pectoralis*.  
*Poeppigiana*, Nees, in Mart. Fl. Bras. ix. 150.—Peruv.  
*reptans*, Kostel. Allg. Med.-Pharm. Flora, iii. 932 = *D. reptans*?  
*rupestris*, Gardn. in Hook. Lond. Journ. Bot. i. (1842) 532.—Bras.  
*secundiflora*, Nees, in DC. Prod. xi. 378.—Peruv.  
*virens*, Nees, l. c.—Afr. trop.  
*virgata*, Nees, in Wall. Pl. As. Rar. iii. 105 = *D. virgata*?  
*Wallichii*, Nees, l. c. = *D. Wallichii*.  
*zeylanica*, Nees, in DC. Prod. xi. 379 = *J. Hookeriana*.
- LEPTOSTACHYS, Ehrh. Beitr. iv. 147 (1789) = *Carex*, Linn. (Cyperac.).
- LEPTOSTACHYS, G. F. W. Mey. Prim. Fl. Esseq. 73 (1818) = *Leptochloa*, Beauv. (Gramin.).  
*Digitaria*, G. F. W. Mey. l. c. 74 = *Leptochloa Digitaria*.  
*domingensis*, G. F. W. Mey. l. c. = *Leptochloa domingensis*.  
*dubia*, G. F. W. Mey. l. c. = *Diplachne dubia*.  
*filiformis*, G. F. W. Mey. l. c. = *Leptochloa filiformis*.  
*gracilis*, G. F. W. Mey. l. c. = *Leptochloa gracilis*.  
*virgata*, G. F. W. Mey. l. c. = *Leptochloa virgata*.
- LEPTOSTELMA, D. Don, in Sweet, Brit. Flow. Gard. Ser. II. t. 38 (1830) = *Erigeron*, Linn. (Compos.).  
*Donianum*, Gill. ex Hook. & Arn. in Hook. Comp. Bot. Mag. i. (1835) 243 = *Eupatorium macrocephalum*, leptolepis.  
*maxima*, D. Don, in Sweet, Brit. Flow. Gard. Ser. II. t. 38 = *Erigeron maximus*.

- LEPTOSTEMMA, Blume, Bijdr. 1057 (1826) = *Dischidia*, R. Br. (Asclep.).  
*fasciculatum*, Blume, l. c. 1058 = *D. hirsuta*.  
*hirsutum*, Blume, l. c. = *D. hirsuta*.  
*lanceolatum*, Blume, l. c. 1057 = *D. lanceolata*.  
*latifolium*, Blume, l. c. 1058 = *D. latifolia*.  
*peltatum*, Zipp. ex Blume, Mus. Bot. Lugd. Bat. i. 148 = *D. peltata*.  
*pictum*, Zipp. ex Blume, l. c. = *D. picta*.  
*punctatum*, Blume, Bijdr. 1058 = *D. punctata*.  
*sagittatum*, Blume, l. c. 1057 = *D. sagittata*.  
*truncatum*, Blume, l. c. 1058 = *D. truncata*.  
*truncatum*, Zoll. ex Miq. Fl. Ind. Bat. ii. 519 = *D. rhombifolia*.

- LEPTOSTIGMA, Arn. in Hook. Journ. Bot. iii. (1841) 270 = *Nertera*, Banks & Soland. (Rubiace.).  
*Arnottianum*, Walp. Rep. ii. 463 (= *Coprosma calycina*).—Chili.

- LEPTOSTYLIS, Benth. in Benth. & Hook. f. Gen. ii. 659 (1876). *SAPOTACEAE*, Benth. & Hook. f. l. c. filipes, Benth. l. c.—N. Caled.  
*longiflora*, Benth. l. c.—N. Caled.

- LEPTOSYNE, DC. Prod. v. 531 (1836). *COMPOSITAE*, [Benth. & Hook. f. ii. 385].  
*ACOMA*, Benth. Bot. Voy. Sulph. 29. t. 17 (1844).  
*PUGIOPAPPUS*, A. Gray, ex Torr. in Pacif. Rail. Rep. iv. 104 (1857).  
*TUCKERMANNIA*, Nutt. in Trans. Am. Phil. Soc. N. S. vii. (1841) 363.  
*arizonica*, A. Gray, in Proc. Am. Acad. xvii. (1881-82) 218.—Arizona.  
*Bigelevii*, A. Gray, Syn. Fl. N. Am. i. ii. 300.—Calif.  
*californica*, Nutt. in Trans. Am. Phil. Soc. N. S. vii. (1841) 363 = *Douglasii*.  
*calliopsidea*, A. Gray, Syn. Fl. N. Am. i. ii. 300.—Calif.  
*dissecta*, A. Gray, l. c. 301.—Calif.  
*Douglasii*, DC. Prod. x. 531.—Calif.  
*gigantea*, Kellogg, in Proc. Calif. Acad. iv. (1870) 198.—Calif.  
*heterocarpa*, A. Gray, Syn. Fl. N. Am. i. ii. 301 = *Coreocarpus heterocarpus*.  
*maritima*, A. Gray, in Proc. Am. Acad. vii. (1868) 358.—Calif.  
*Newberryi*, A. Gray, l. c. = *Douglasii*.  
*parthenioides*, A. Gray, Syn. Fl. N. Am. i. ii. 301 = *Coreocarpus parthenioides*.  
*Stillmannii*, A. Gray, in Torr. Bot. Mex. Bound. 92.—Calif.

- LEPTOTAENIA, Nutt. ex Torr. & Gray, Fl. N. Am. i. 629 (1840) = *Ferula*, Tourn. (Umbellif.).  
*californica*, Nutt. l. c. 630 = *F. californica*.  
*dissecta*, A. Gray, in Am. Journ. Sc. Ser. II. xxxiii. (1862) 408 = *Peucedanum nudicaule*.  
*dissecta*, Nutt. ex Torr. & Gray, Fl. N. Am. i. 630 = *F. dissoluta*.  
*multifida*, Nutt. l. c. = *F. multifida*.

- LEPTOTES, Lindl. Bot. Reg. t. 1625 (1833) = *Tetramicra*, Lindl. (Orchid.).  
*bicolor*, Lindl. l. c. = *T. bicolor*.  
*glaucophylla*, Hoffmgg. in Bot. Zeit. i. (1843) 833 = *T. bicolor*.  
*paranaënsis*, Rodrig. Orch. Nov. ii. 163.—Bras.  
*serrulata*, Lindl. Sert. Orch. (1838) t. 11 = *T. bicolor*.  
*tenuis*, Reichb. f. in Hamb. Gartenz. xxi. (1865) 296.—Bras.  
*unicolor*, Rodrig. Orch. Nov. i. 74.—Bras.

- LEPTOTHAMNUS, DC. Prod. v. 367 (1836) = *Nolletia*, Cass. (Compos.).  
*ciliaris*, DC. l. c. = *N. ciliaris*.  
*rarifolius*, Turcz. in Bull. Soc. Nat. Mosc. xxiv. (1851) ii. 65 = *N. rarifolia*.

- LEPTOTHERIUM, D. Dietr. Syn. Pl. i. 398 (1839) —

- LEPTOTHRIUM, Kunth, in H. B. & K. Nov. Gen. et Sp. i. 340 (1815) = *Isochilus*, R. Br. (Orchid.).  
*lineare*, Kunth, l. c. = *I. lineare*.

- LEPTOTHRIUM, Kunth, Rev. Gram. 156 (1835) et Enum. Pl. i. 470. t. 38. i. 2 (1835). *GRAMINEAE*, Benth. & Hook. f. iii. 1124  
*rigidum*, Kunth, l. c. 156; 471.—Am. trop.

K



**LEPTOTHYRSA**, Hook. f. in Benth. & Hook. f. Gen. i. 284 (1862). *RUTACEAE*, Benth. & Hook. f. l. c.  
*Sprucei*, Hook. f. l. c.—Bras.

**LEPTOTIS**, Hoffmgg. Verz. Pf. 72 (1824) = **Ursinia**, Gaertn. (Compos.).  
*anthemoides*, Hoffmgg. l. c. = *U. anthemoides*.

**LEPTOTRICHE**, Turcz. in Bull. Soc. Nat. Mosc. xxiv. (1851) ii. 73 = **Gnephosis**, Cav. (Compos.).  
*perpusilla*, Turcz. l. c. = *G. pygmaea*.

**LEPTRANTHUS**, Steud. Nom. ed. II. ii. 32 (1841) = **LEPTERANTHUS**, Neck. = **Centaurea**, Linn. (Compos.).

**LEPTRINA**, Rafin. in Am. Monthly Mag. (1819) 192 = **Montia**, Linn. (Portulac.).  
*autumnalis*, Rafin. in Journ. Phys. (1819) 96 = *M. fontana*.

**LEPTRINIA**, Schult. Mant. ii. 38 (1824) = *praec.*

**LEPTUNIS**, Stev. in Bull. Soc. Nat. Mosc. xxix. (1856) ii. 366, in textu = **Asperula**, Linn. (Rubiace.).  
*tenuis*, Stev. l. c. = *A. trichodes*.

**LEPTUOPSIS**, Steud. Syn. Pl. Gram. 357 (1855) *GRAMINEARUM* gen. dub.—Cf. Benth. & Hook. f. iii. 1096.  
*triaristata*, Steud. l. c. 358.—'Ins. Loss Guineae.'

**LEPTURUS**, R. Br. Prod. 207 (1810). *GRAMINEAE*, Benth. & Hook. f. iii. 1204.  
**LEPIURUS**, Dum. Obs. Gram. Belg. 140 (1823).  
**LEPTOCERCUS**, Rafin. in Am. Monthly Mag. (1819) 190.

**PHOLIURUS**, Trin. Fund. Agrost. 131 (1820).  
**ROTTBOELLIA**, Host, Gram. Austr. i. t. 24 (1801).  
*aciculatus*, Steud. Syn. Pl. Gram. 357.—Ind. or.  
*acutiglumis*, Steud. l. c.—Ins. Tahiti.  
*Bolanderi*, Thurb. ex A. Gray, in Proc. Am. Acad. vii. (1868) 401.—Calif.  
*compressus*, Steud. Syn. Pl. Gram. 357 = *filiformis*.  
*cylindricus*, Trin. Fund. Agrost. 123.—Reg. bor. et austr.  
*erectus*, Szov. ex Griseb. in Ledeb. Fl. Ross. iv. 325 = *incurvatus*.  
*fasciculatus*, Trin. Fund. Agrost. 123 = *Hemarthria compressa*.  
*filiformis*, Trin. l. c.—Europ.; Afr. bor.  
*hirtulus*, Regel, in Act. Hort. Petrop. vii. (1880) 576.—Turkestan.  
*incurvatus*, Trin. Fund. Agrost. 123.—Reg. bor. et austr.  
*minimus*, Hochst. in Flora, xxxviii. (1855) 333.—Abyssin.  
*paniculatus*, Nutt. Gen. Am. i. 81 = *Schedonnardus texanus*.  
*panonicus*, Kunth, Rév. Gram. i. 151.—Europ. austr.; Reg. Caucas.  
*persicus*, Boiss. Diagn. Ser. I. xiii. 71.—Persia.  
*pubescens*, Boiss. Fl. Orient. v. 685.—Mesopot.  
*ramosus*, Kunth, Rév. Gram. i. 152.—Afr. bor.  
*repens*, Boj. Hort. Maurit. 372 = *Stenotaphrum subulatum*.  
*repens*, R. Br. Prod. 207.—Austral.; Ins. Pacif.  
*Roxburghianus*, Steud. Syn. Pl. Gram. 357.—Ind. or.  
*simplex*, Kunth, Enum. Pl. i. 463 = *cylindricus*?  
*strigosus*, Dum. Obs. Gram. Belg. 146 = *filiformis*.  
*subulatus*, Kunth, Rév. Gram. i. 151 = *cylindricus*.  
*tenuis*, Balf. f. in Proc. Roy. Soc. Edinb. xii. (1884) 97.—Ins. Socotr.

**LEPURANDRA**, Nimmo, in J. Grah. Cat. Bomb. Pl. 193 (1839) = **Antiaris**, Lesch. (Urticac.).  
*saccidora*, Nimmo, l. c. = *A. toxicaria*.

**LEPUROPETALON**, Ell. Sketch, i. 37 (1817).  
*SAXIFRAGEAE*, Benth. & Hook. f. i. 639.  
**CRYPTOPETALUM**, Hook. & Arn. in Hook. Bot. Misc. iii. (1833) 344.  
*pusillum*, C. Gay, Fl. Chil. iii. 42.—Chili.  
*spathulatum*, Ell. Sketch, i. 370.—Am. bor.

**LEPYRODIA**, R. Br. Prod. 247 (1810). *RESTIACEAE*, Benth. & Hook. f. iii. 1030.  
**SPORADANTHUS**, F. Muell. ex J. Buch. in Trans. N. Z. Inst. vi. (1874) 340; x. (1878) App. 41.

# LEPYRODIA :—

*anaetocolea*, F. Muell. Fragm. viii. 78.—Austral.  
*Anarthria*, F. Muell. l. c. 73.—Austral.  
*Drummondiana*, Steud. Syn. Pl. Cyp. 248.—Austral.  
*elongata*, Spreng. Syst. iv. Cur. Post. 36 = *Hypolaena lateriflora*.  
*glaucia*, F. Muell. Fragm. viii. 77.—Austral.  
*gracilis*, R. Br. Prod. 247.—Austral.  
*hermaphrodita*, R. Br. Prod. 248.—Austral.  
*hermaphrodita*, Nees, ex Benth. Fl. Austral. vii. 216 = *scariosa*.  
*interrupta*, F. Muell. Fragm. viii. 74.—Austral.  
*macra*, Nees, in Ann. & Mag. Nat. Hist. Ser. I. vi. (1841) 50.—Austral.  
*monoica*, F. Muell. Fragm. viii. 76.—Austral.  
*Muelleri*, Benth. Fl. Austral. vii. 215.—Austral.  
*Muirii*, F. Muell. Fragm. viii. 78.—Austral.  
*paniculata*, F. Muell. 2nd Gen. Rep. 16 = *tasmanica*.  
*scariosa*, R. Br. Prod. 248.—Austral.  
*stricta*, R. Br. l. c. 247.—Austral.  
*stricta*, F. Muell. ex Benth. Fl. Austral. vii. 216 = *Muelleri*.  
*stricta*, Nees, ex Benth. l. c. 216 = *gracilis*.  
*succedanea*, Nees, in Lehm. Pl. Preiss. ii. 60 = *stricta*.  
*tasmanica*, Hook. f. Fl. Tasm. ii. 72. t. 135.—Austral.  
*tasmanica*, F. Muell. Fragm. viii. 75 = *Muelleri*.  
*Traversii*, F. Muell. l. c. 79.—Ins. Chath.

**LEPYRODICLIS**, Fenzl, ex Endl. Gen. 966 (1840) = **Arenaria**, Rupp. (Caryoph.).  
*cerastioides*, Kar. & Kir. in Bull. Soc. Nat. Mosc. xv. (1842) 170.—As. centr.  
*holosteoides*, Fenzl, ex Fisch. & Mey. Enum. Pl. Nov. Schrenk, 93, in nota = *A. holosteoides*.  
*stellarioides*, Fisch. & Mey. l. c. = *A. stellarioides*.  
*tenera*, Boiss. Diagn. Ser. II. i. 84 = *A. tenera*.

**LEPYRONIA**, Lestib. Ess. Cyp. 25 (1819) = **Lepironia**, Rich. (Cyperac.).

**LERCHEA**, Hall. Hort. Gotting. 21 (1743) = **Suaeda**, Forsk. (Chenop.).  
*altissima*, Medic. Phil. Bot. i. 33 = *S. altissima*.  
*fruticosa*, Medic. l. c. = *S. fruticosa*.  
*obtusifolia*, Steud. Nom. ed. I. 187, in syn. = *S. fruticosa*.  
*salsa*, Medic. Phil. Bot. i. 33 = *S. salsa*.

**LERCHEA**, Linn. Mant. ii. 155 (1767). *RUBIACEAE*, Benth. & Hook. f. ii. 53.  
**CODARIA**, Linn. ex Benn. Pl. Jav. Rar. 99 (1838).  
*calycina*, A. Gray, in Proc. Am. Acad. iv. (1858–59) 311.—Ins. Pacif.  
*fruticulosa*, Reinw. ex Korth, in Nederl. Kruiddk. Arch. ii. ii. (1851) 165 = *Xanthophyllum fruticulosum*.  
*interrupta*, Korth. l. c. 164.—Sumatra.  
*longicauda*, Linn. Mant. ii. 256.—Java.

**LERCHENFELDIA**, Schur, Enum. Pl. Transs. 753 (1866) = **Deschampsia**, Beauv. (Gramin.).  
*cuprina*, Schur, l. c. = *D. flexuosa*.  
*flexuosa*, Schur, l. c. = *D. flexuosa*.  
*uliginosa*, Schur, l. c. 754 = *D. flexuosa*.

**LERCHIA**, Endl. Gen. 298, in syn. (1837) = **Lerchea**, Linn. (Rubiace.).

**LERCHIA**, Reichb. Consp. 109 (1828) = **LEACHIA**, Cass. = **Coreopsis**, Linn. (Compos.).

**LERESCHIA**, Boiss. in Ann. Sc. Nat. Sér. III. i. (1844) 127 = **Pimpinella**, Linn. (Umbellif.).  
*Thomasii*, Boiss. l. c. 128 = *P. Thomasii*.

**LERETIA**, Vell. Fl. Flum. 99; iii. t. 2 (1825) = **Mappia**, Jacq. (Vell.).  
*ampla*, Miers, in Ann. & Mag. Nat. Hist. Ser. III. iv. (1859) 364 = *M. ampla*.  
*cordata*, Vell. Fl. Flum. 99; iii. t. 2 = *M. cordata*.  
*nitida*, Miers, in Ann. & Mag. Nat. Hist. Ser. III. iv. (1859) 365 = *M. nitida*.  
*paniculata*, Mart. Fl. Bras. vii. 17 = *Villaresia paniculata*.  
*Vellozii*, Miers, in Ann. & Mag. Nat. Hist. Ser. II. ix. (1852) 392 = *M. cordata*.

**LERIA**, DC. in Ann. Mus. Par. xix. (1812) 68 = **Chaptalia**, Vent. (Compos.).  
*albicans*, DC. l. c. = *C. albicans*.

# LERIA :—

*araneosa*, Sch. Bip. ex Baker, in Mart. Fl. Bras. vi. iii. 374 = *Trichocline araneosa*.  
*caespitosa*, Spreng. Syst. iv. 502 = *Chevreulia stolonifera*.  
*dentata*, Spreng. l. c. = *Chaptalia dentata*.  
*exscapa*, DC. in Ann. Mus. Par. xix. (1812) 68 = *C. exscapa*.  
*integrifolia*, Cass. in Dict. Sc. Nat. xxvi. 103 = *C. integrifolia*.  
*leiocarpa*, DC. Prod. vi. 42 = *C. integrifolia*.  
*lutescens*, Sch. Bip. in Linnaea, xxxiv. (1865–66) 527.—Bolivia.  
*lyrata*, DC. in Ann. Mus. Par. xix. (1812) 68 = *C. nutans*.  
*Mandonii*, Sch. Bip. in Linnaea, xxxiv. (1865–66) 527, nomen = *C. piloselloides*.  
*media*, Griseb. in Mem. Am. Acad. N. S. viii. (1863) 515.—Ind. occ.  
*nervosa*, Spreng. Syst. iii. 501 = *Landtia nervosa*.  
*nutans*, DC. in Ann. Mus. Par. xix. (1812) 68 = *C. nutans*.  
*nutans*, Less. in Linnaea, v. (1830) 154, partim = *C. integrifolia*.  
*pumila*, DC. in Ann. Mus. Par. xix. (1812) 68 = *C. sinuata*.  
*rotundifolia*, Sch. Bip. in Linnaea, xxxiv. (1865–66) 527, nomen = *C. rotundifolia*.  
*sarmentosa*, DC. in Ann. Mus. Par. xix. (1812) 68 = *Chevreulia stolonifera*.  
*sinuata*, DC. Prod. vii. 42 = *C. sinuata*.  
*spathulata*, D. Don, in Trans. Linn. Soc. xvi. (1830) 249 = *C. spathulata*.  
*stenocephala*, Griseb. Cat. Pl. Cub. 158.—Cuba.  
*tomentosa*, Griseb. Fl. Brit. W. Ind. 383, in obs. = *C. tomentosa*.

**LEROUXIA**, Mérat, Nouv. Fl. Par. 77 (1812) = **Lysimachia**, Linn. (Primul.).  
*nemorum*, Mérat, l. c. = *Lysim. nemorum*.

**LESCAILLEE**, Griseb. Cat. Pl. Cub. 156 (1866). *COMPOSITAE*, Benth. & Hook. f. ii. 408.  
*equisetiformis*, Griseb. l. c. 157.—Cuba.

**LESCHENAUTIA**, R. Br. Prod. 581 (1810) (*Lechenaultia*). *GOODENOVIÆAE*, Benth. & Hook. f. ii. 537.

**LATOURIA**, Lindl. Veg. Kingd. 695 (1847).  
*acutiloba*, Benth. Fl. Austral. iv. 41.—Austral.  
*agrostophylla*, F. Muell. Fragm. vi. 8.—Austral.  
*arcuata*, De Vriese, in Lehm. Pl. Preiss. i. 416 = *linarioides*.  
*Baxteri*, G. Don, in Loud. Hort. Brit. 79 = *formosa*.  
*biloba*, Lindl. Swan River App. 27.—Austral.  
*chlorantha*, F. Muell. Fragm. ii. 20.—Austral.  
*divaricata*, F. Muell. l. c. iii. 33.—Austral.  
*Drummondii*, De Vriese, Gooden. (in Verh. Haarl. x.) 182 = *biloba*.  
*expansa*, R. Br. Prod. 581.—Austral.  
*expansa*, De Vriese, Gooden. 184 = *floribunda*.  
*filiformis*, R. Br. Prod. 581.—Austral.  
*floribunda*, Benth. in Enum. Pl. Hueg. 70.—Austral.  
*formosa*, R. Br. Prod. 581.—Austral.  
*glaucia*, Lindl. Swan River App. 27 = *floribunda*.  
*grandiflora*, DC. Prod. vii. 519 = *biloba*.  
*heteromera*, Benth. Fl. Austral. iv. 43.—Austral.  
*hirsuta*, F. Muell. Fragm. vi. 9.—Austral.  
*humilis*, Spreng. Syst. i. 720 = *Anthotium humile*.  
*laricina*, Lindl. Swan River App. 27.—Austral.  
*linarioides*, DC. Prod. vii. 519.—Austral.  
*longiloba*, F. Muell. Fragm. vi. 10.—Austral.  
*multiflora*, Lodd. Bot. Cab. t. 1579 = *formosa*.  
*oblata*, Sweet, Fl. Austral. t. 46 = *formosa*.  
*pallidescens*, De Vriese, in Lehm. Pl. Preiss. i. 415 = *floribunda*.  
*parviflora*, De Vriese, l. c. i. 416 = *laricina*.  
*pinastroides*, Lehm. l. c. ii. 244 = *tubiflora*.  
*splendens*, Hook. Bot. Mag. t. 4256 = *laricina*.  
*stricta*, F. Muell. Fragm. viii. 245.—Austral.  
*superba*, F. Muell. l. c. vi. 10.—Austral.  
*tenuifolia*, De Vriese, in Lehm. Pl. Preiss. i. 415 = *laricina*.  
*tubiflora*, R. Br. Prod. 581.—Austral.

**LESEMIA**, Rafin. Fl. Tellur. iii. 91 (1836) = **Salvia**, Tourn. (Labi.).  
*coccinea*, Rafin. l. c. = *S. Grahmi*.



**LESOURDIA**, Fourn. in Bull. Soc. Bot. Fr. xvii. (1880) 102. tt. 3, 4 = *Scleropogon*, Phil. (Gramin.). *Karwinskyana*, Fourn. l. c. = *S. brevifolius*. *multiflora*, Fourn. l. c. = *S. brevifolius*.

**LESPEDEZA**, Michx. Fl. Bor. Am. ii. 70. t. 39 (1803). **LEGUMINOSAE**, Benth. & Hook. f. i. 524. **CAMPYLotropis**, Bunge, Pl. Monghol.-Chin. 6 (1835). **OXYRAMPHIS**, Wall. Cat. n. 5348 (1831). **PHLEBOSPORIUM**, Jungh. Reise, 346 (1845). *angustifolia*, Darl. Florul. Cestr. 81; et Fl. Cestr. ed. I. 419; Rafn. ex DC. Prod. ii. 349 = reticulata. *angustifolia*, Ell. Sketch, ii. 206. —Am. bor. *angustifolia*, Nutt. ex Maxim. in Act. Hort. Petrop. ii. (1873) 379 = polystachya. *argyrea*, Sieb. & Zucc. in Abh. Akad. Muench. iv. II. (1843) 120 = juncea. *bicolor*, Turcz. in Bull. Soc. Nat. Mosc. (1840) 69. —China. *Buergeri*, Miq. Ann. Mus. Bot. Lugd. Bat. iii. 47. —Japan. *capitata*, Michx. Fl. Bor. Am. ii. 71. —Am. bor. *Caraganae*, Bunge, Pl. Monghol.-Chin. 11. —China. *chinensis*, G. Don, Gen. Syst. ii. 307. —China. *ciliata*, Benth. in Hook. Kew Journ. iv. (1852) 48. —China. *coriacea*, Desv. in Ann. Sc. Nat. Sér. I. ix. (1826) 417 = *Desmodium ciliare*! *cuneata*, G. Don, Gen. Syst. ii. 307 = juncea. *cyrtobotrya*, Miq. Ann. Mus. Bot. Lugd. Bat. iii. 48. —Japan. *cytisoides*, Benth. in Miq. Pl. Fungh. 230. —Java. *cytisoides*, Bertol. Misc. Bot. ix. 14 = *Rhynchosia galactioides*. *Davidi*, Franch. Pl. Davidian. i. (1884) 94. —China. *decora*, Kurz, in Journ. As. Soc. Beng. xlii. (1873) II. 231. —Burma. *divergens*, Pursh, Fl. Am. Sept. ii. 481 = violacea. *elegans*, Cambess. in Jacquem. Voy. Bot. 43. t. 52. —Reg. Himal. *elliptica*, Benth. ex Maxim. in Act. Hort. Petrop. ii. (1873) 353 = Sieboldi. *eriocarpa*, DC. in Ann. Sc. Nat. Sér. I. iv. (1825) 102. —Reg. Himal. *floribunda*, Bunge, Pl. Monghol.-Chin. 13. —China. *frutescens*, DC. Prod. ii. 349 (excl. syn.) = reticulata. *frutescens*, Ell. Sketch, ii. 206 = capitata. *fruticosa*, Pers. Syn. ii. 318 = capitata. *Gerardiana*, R. Grah. in Wall. Cat. n. 5744. —Reg. Himal. *glomerata*, Hornem. Hort. Hafn. Suppl. 81 = villosa. *hirta*, Ell. Sketch, ii. 207 = polystachya. *hirta*, Hornem. Hort. Hafn. 699 = villosa. *indica*, Spreng. Syst. iii. 202 = *Rhynchosia rufescens*. *involuta*, Wall. Cat. n. 5742 = *Flemingia involu-crata*. *juncea*, Pers. Syn. ii. 318. —Reg. Himal. ; As. bor. *juncea*, Wall. Cat. n. 5743 B = *Indigofera aspalathoides*. *kanaorensis*, Cambess. in Jacquem. Voy. Bot. 42 = juncea. *lagopoides*, Pers. Syn. ii. 318 = *Uraria lagopoides*. *lanata*, Benth. Fl. Austral. ii. 241. —Austral. *latebrosa*, Pers. Syn. ii. 318 = *Heylandia latebrosa*. *leptostachya*, Engelm. ex A. Gray, in Proc. Am. Acad. xii. (1877) 57. —Am. bor. *lineata*, Pers. Syn. ii. 318 = *Flemingia lineata*. *longifolia*, DC. Prod. ii. 349 = capitata. *macrocarpa*, Bunge, in Mém. Sav. Etr. Pétersb. ii. (1835) 92. —China. *macrophylla*, Bunge, Pl. Monghol.-Chin. 10 = villosa. *macrostyla*, Baker, ex Maxim. in Act. Hort. Petrop. ii. (1873) 348 = sericea. *medicaginoides*, Bunge, in Mém. Sav. Etr. Pétersb. ii. (1835) 93. —China. *Nuttallii*, Darl. Fl. Cestr. ed. I. 420 = Stuvei. *Oldhami*, Miq. Ann. Mus. Bot. Lugd. Bat. iii. 48 = Buergeri. *Pallasii*, G. Don, Gen. Syst. ii. 307. —Siberia. *paniculata*, Royle, ex Maxim. in Act. Hort. Petrop. ii. (1873) 349 = *eriocarpa*. *parviflora*, Kurz, in Journ. As. Soc. Beng. xlii. (1873) II. 231. —Burma. *pilosa*, Sieb. & Zucc. in Abh. Akad. Muench. iv. II. (1843) 121. —Japan.

**LESPEDEZA** :—

*pinetorum*, Kurz, in Journ. As. Soc. Beng. xlii. (1873) II. 230. —Burma. *polystachya*, Michx. Fl. Bor. Am. ii. 71. t. 40. —Am. bor. *procumbens*, Michx. l. c. 70. t. 39 = repens. *prostrata*, Pursh, Fl. Am. Sept. ii. 481 = repens. *repens*, Barton, Prod. Fl. Philad. ii. 77. —Am. bor. *reticulata*, Pers. Syn. ii. 318. —Am. bor. *Royleana*, Miq. Ann. Mus. Bot. Lugd. Bat. iii. 50 = sericea. *sericea*, Benth. in Miq. Pl. Fungh. 227. —Reg. Himal. *sericea*, Miq. Ann. Mus. Bot. Lugd. Bat. iii. 49 = juncea. *sericea*, Royle, ex Maxim. in Act. Hort. Petrop. ii. (1873) 349 = stenocarpa. *sessiliflora*, Michx. Fl. Bor. Am. ii. 70 = reticulata. *sessiliflora*, Nutt. Gen. Am. ii. 107. —Am. bor. *Sieboldi*, Miq. Ann. Mus. Bot. Lugd. Bat. iii. 47. —Japan. ; Reg. Himal. *speciosa*, Royle, ex Maxim. in Act. Hort. Petrop. ii. (1873) 350 = *eriocarpa*. *stenocarpa*, Maxim. l. c. 349. —Reg. Himal. *stipulacea*, Maxim. Prim. Fl. Amur. 85 = striata. *striata*, Hook. & Arn. Bot. Beech. Voy. 262. —Japan. *Stuvei*, Nutt. Gen. Am. ii. 107. —Am. bor. *Swinhoei*, Hance, in Ann. Sc. Nat. Sér. V. v. (1866) 210 = virgata. *Thomsoni*, Benth. ex Baker, in Hook. f. Fl. Brit. Ind. ii. 144. —Reg. Himal. *tomentosa*, Siebold, ex Maxim. in Act. Hort. Petrop. ii. (1873) 376 = villosa. *trichocarpa*, Pers. Syn. ii. 318. —Siberia. *variegata*, Cambess. in Jacquem. Voy. Bot. 42 = juncea. *viatorum*, Champ. ex Benth. in Hook. Kew Journ. iv. (1852) 46. —China. *villosa*, Pers. Syn. ii. 318. —Am. bor. *violacea*, Ell. Sketch, ii. 205 = reticulata. *violacea*, Pers. Syn. ii. 318. —Am. bor. *virgata*, DC. Prod. ii. 350. —Japan. *virgata*, Miq. Fl. Ind. Bat. i. I. 230. —Java. *virgata*, Nutt. ex Darl. Fl. Cestr. ed. I. 420 = Stuvei. *virgata*, Sieb. & Zucc. in Abh. Akad. Muench. iv. II. (1843) 121 = *cyrtobotrya*.

**LESPEDEZIA**, Spreng. Syst. iii. 202 (1826) = **Lespedeza**, Michx. (Legumin.).

**LESQUEREUXIA**, Boiss. & Reut. Diagn. Ser. I. xii. 43 (1853) = *Siphonostegia*, Benth. (Scrophul.). *syriaca*, Boiss. & Reut. l. c. 44 = *S. syriaca*.

**LESSERTIA**, DC. Astrag. 37 (1802). **LEGUMINOSAE**, Benth. & Hook. f. i. 503.

**SULITRA**, Medic. in Vorles. Churpf. Phys. Ges. ii. (1787) 366. *abbreviata*, E. Mey. Comm. Pl. Afr. Austr. 118. —Afr. austr. *acuminata*, E. Mey. l. c. = physodes. *annua*, DC. Astrag. 37 = linearis. *annularis*, Burch. Trav. i. 304. —Afr. austr. *arcuata*, Eckl. & Zeyh. Enum. 248 = annularis. *argentea*, Harv. in Harv. & Sond. Fl. Cap. ii. 221. —Afr. austr. *astragalina*, Meissn. in Hook. Lond. Journ. Bot. ii. (1843) 88 = pulchra. *astragalina*, Poepp. ex Harv. & Sond. Fl. Cap. ii. 218 = Pappeana. *benguellensis*, Baker, in Oliver, Fl. Trop. Afr. ii. 137. —Afr. trop. *brachypus*, Harv. in Harv. & Sond. Fl. Cap. ii. 214. —Afr. austr. *brachystachya*, DC. Mém. Lég. vi. 291. —Afr. austr. *candida*, E. Mey. Comm. Pl. Afr. Austr. 116. —Afr. austr. *capitata*, E. Mey. l. c. 118. —Afr. austr. *carcosa*, Eckl. & Zeyh. Enum. 248. —Afr. austr. *depressa*, Harv. in Harv. & Sond. Fl. Cap. ii. 219. —Afr. austr. *diffusa*, [R. Br. in] Ait. Hort. Kew. ed. II. iv. 327. —Afr. austr. *diffusa*, Eckl. & Zeyh. Enum. 250 = excisa. *excisa*, DC. Prod. ii. 272. —Afr. austr. *excisa*, Eckl. & Zeyh. Enum. 250 = tomentosa. *falciformis*, DC. Mém. Lég. vi. t. 46. —Afr. austr. *falciformis*, Eckl. & Zeyh. Enum. 248 = annularis.

**LESSERTIA** :—

*flexuosa*, E. Mey. Comm. Pl. Afr. Austr. 116. —Afr. austr. *fruticosa*, Lindl. Bot. Reg. t. 970. —Afr. austr. *inflata*, Harv. in Harv. & Sond. Fl. Cap. ii. 219. —Afr. austr. *lanata*, Harv. l. c. 224. —Afr. austr. *linearis*, DC. Prod. ii. 272. —Afr. austr. *macrostachya*, DC. in Ann. Sc. Nat. Sér. I. iv. (1825) 100. —Afr. austr. *macrostachya*, Eckl. & Zeyh. Enum. 249 = flexuosa. *margaritacea*, E. Mey. Comm. Pl. Afr. Austr. 116. —Afr. austr. *microcarpa*, E. Mey. l. c. 119. —Afr. austr. *monticola*, R. Cunn. ex A. Gray, Bot. U. St. Expl. Exped. i. 411 = *Swainsona monticola*. *mucronata*, Harv. in Harv. & Sond. Fl. Cap. ii. 223. —Afr. austr. *obtusata*, DC. Prod. ii. 272. —Afr. austr. *obtusata*, Eckl. & Zeyh. Enum. 247 = stenoloba. *Pappeana*, Harv. in Harv. & Sond. Fl. Cap. ii. 218. —Afr. austr. *pauciflora*, Harv. l. c. 216. —Afr. austr. *perennans*, DC. Astrag. 47. —Afr. austr. *perennans*, Eckl. & Zeyh. Enum. 250 = excisa. *physodes*, Eckl. & Zeyh. l. c. 249. —Afr. austr. *polystachya*, Harv. in Harv. & Sond. Fl. Cap. ii. 222. —Afr. austr. *procumbens*, DC. Prod. ii. 273. —Afr. austr. *propinqua*, Eckl. & Zeyh. Enum. 250 = linearis. *prostrata*, DC. Prod. ii. 272. —Afr. austr. *prostrata*, Eckl. & Zeyh. Enum. 249 = depressa. *pubescens*, DC. Prod. ii. 272. —Afr. austr. *pubescens*, Eckl. & Zeyh. Enum. 249 = pulchra. *pulchra*, Sims, Bot. Mag. t. 2064. —Afr. austr. *rigida*, DC. Prod. ii. 272 = flexuosa. *rigida*, E. Mey. Comm. Pl. Afr. Austr. 115 = fruticosa. *spinescens*, E. Mey. l. c. —Afr. austr. *stenoloba*, E. Mey. l. c. 121. —Afr. austr. *subumbellata*, Harv. in Harv. & Sond. Fl. Cap. ii. 217. —Afr. austr. *sulcata*, E. Mey. Comm. Pl. Afr. Austr. 116. —Afr. austr. *tenuifolia*, E. Mey. l. c. 117. —Afr. austr. *tomentosa*, DC. Prod. ii. 272. —Afr. austr. *tomentosa*, Eckl. & Zeyh. Enum. 250, partim = lanata. *tumida*, Eckl. & Zeyh. l. c. 249 = physodes. *venusta*, Eckl. & Zeyh. l. c. 248 = pulchra. *vesicaria*, DC. Prod. ii. 272. —Afr. austr. *vesicaria*, Eckl. & Zeyh. Enum. 250 = argentea. *vesicaria*, E. Mey. Comm. Pl. Afr. Austr. 119 = inflata. *villosa*, E. Mey. in Linnaea, vii. (1832) 169 = argentea.

**LESSINGIA**, Cham. in Linnaea, iv. (1829) 203. t. 2. f. 2. **COMPOSITAE**, Benth. & Hook. f. ii. 257. *adenophora*, Greene, in Bull. Calif. Acad. i. IV. (1885) 190 = ramulosa. *germanorum*, Cham. in Linnaea, iv. 1829. 203. —Calif. *glandulifera*, A. Gray, in Proc. Am. Acad. xvii. (1881) 207. —Calif. *leptoclada*, A. Gray, l. c. vii. (1868) 351. —Calif. *nana*, A. Gray, in Benth. Pl. Hartw. 315. —Calif. *nemaclada*, Greene, in Bull. Calif. Acad. i. IV. (1885) 191. —Calif. *Parryi*, Greene, l. c. —Calif. *ramulosa*, A. Gray, in Benth. Pl. Hartw. 314. —Calif. *virgata*, A. Gray, l. c. 315. —Calif.

**LESSONIA**, Bert. ex Hook. & Arn. in Hook. Bot. Misc. iii. (1833) 352, in syn. ; et in Deless. Ic. Sel. iii. 45 t. 78 (1837) = *Eryngium*, Linn. (Umbellif.). *bupleurifolia*, Bert. ex Deless. Ic. Sel. iii. 45 = seq. *bupleuroides*, Bert. ex Hook. & Arn. in Hook. Bot. Misc. iii. (1833) 352 = *E. bupleuroides*. *sarcophyllum*, Steud. Nom. ed. II. ii. 34 = *E. sarcophyllum*.

**LESTADIA**, Spach, Hist. Vég. Phan. x. 28 (1841) = **Laestadia**, Kunth (Compos.).

**LESTIBODEA**, Neck. Elem. i. 40 (1790) = **Dimorphotheca**, Moench (Compos.).

**LESTIBONDESIA**, Reichb. in Moessl. Handb. ed. II i. p. lii (1827), sphalm. = *scilla*.

**LESTIBOUDESIA**, Reichb. Conspect. 164 (1828) = **LESTIBOUDESIA**, Thun. = *Celosia*, Linn. (Amarant.).



LESTIBUDAEA, Juss. in Dict. Sc. Nat. xxvi. 140 (1823) = *Dimorphotheeca*, Moench (Compos.).

LESTIBUDESIA, Thou. Hist. Vég. Iles Austr. Afr. 53. t. 16 (1806) = *Celosia*, Linn. (Amarant.).  
*altissima*, A. Cunn. ex Moq. in DC. Prod. xiii. II. 253 = *Deeringia altissima*.  
*arborescens*, R. Br. Prod. 414 = *Deeringia altissima*.  
*caffra*, Meissn. in Hook. Lond. Journ. Bot. II. (1843) 549 (err. typ. 449) = *C. virgata*?  
*latifolia*, Blume, Bijdr. 541 = *C. latifolia*.  
*paniculata*, R. Br. Prod. 414 = *C. paniculata*.  
*paniculata*, Herb. ex Moq. in DC. Prod. xiii. II. 250 = *Chamissoa altissima*.  
*philippica*, Weinm. in Syll. Ratisb. i. (1824) 118 = *C. philippica*.  
*recurva*, Moq. in DC. Prod. xiii. II. 247 = *Hermbo-staedia elegans*.  
*spicata*, Thou. Hist. Vég. Iles Austr. Afr. t. 16 = *C. spicata*.  
*trigyna*, R. Br. Prod. 414 = *C. trigyna*.  
*virgata*, R. Br. l. c. = *C. virgata*.

LETHEA, Noronha, in Verh. Batav. Gen. v. (1790) ed. I. Art. IV. 2 = *Disporum*, Salisb. (Liliac.).

LETHEDON, Spreng. Fl. Hal. Mant. 53 (1807) = *Litsea*?, Lam. (Laurin).  
*tannensis*, Spreng. l. c. = *Ins. Tanna*.

LETSOMIA, Reichb. Handb. 302 (1837) = LETTSOMIA, Ruiz & Pav. = *Freziera*, Sw. (Ternstroem.).

LETTSSOMIA, Roxb. Hort. Beng. [13] (1814); Fl. Ind. i. 487 (1832). *CONVOLVULACEAE*, Benth. & Hook. f. ii. 870.  
*adpressa*, Miq. Fl. Ind. Bat. ii. 591. — *Ins. Penang*.  
*aggregata*, Roxb. Hort. Beng. [13]; Fl. Ind. i. 488. — *Ind. or.*; *Burma*.  
*argentea*, Roxb. l. c. 489 = *Argyrea argentea*.  
*atropurpurea*, C. B. Clarke, in Hook. f. Fl. Brit. Ind. iv. 194. — *Reg. Himal.*  
*bancana*, Miq. Fl. Ind. Bat. Suppl. 561. — *Ins. Banca*.  
*barbata*, C. B. Clarke, in Hook. f. Fl. Brit. Ind. iv. 195. — *Burma*.  
*barbigera*, Benth. & Hook. f. Gen. ii. 870; C. B. Clarke, l. c. 193. — *Assam*; *Burma*.  
*bella*, C. B. Clarke, l. c. 192. — *Ind. or.*  
*Bona-nox*, Roxb. Hort. Beng. [13]; Fl. Ind. i. 494 = *Rivea hypocrateriformis*.  
*bracteosa*, C. B. Clarke, in Hook. f. Fl. Brit. Ind. iv. 192. — *Burma*.  
*capitata*, Benth. & Hook. f. Gen. ii. 870 = *strigosa*.  
*capitata*, Miq. Fl. Ind. Bat. ii. 591 = *strigosa*.  
*Chalmersii*, Hance, in Journ. Bot. xvi. (1878) 230. — *China*.  
*Championi*, Benth. & Hook. f. Gen. ii. 869. — *Hong-kong*.  
*cuneata*, Roxb. Hort. Beng. [13]; Fl. Ind. i. 491 = *Argyrea cuneata*.  
*cymosa*, Roxb. l. c. 492 = *Argyrea cymosa*.  
*elliptica*, Wight, Ic. t. 1356, in nota. — *Ind. or.*  
*festiva*, Benth. & Hook. f. Gen. ii. 870. — *China*.  
*guianensis*, Klotzsch, in Schomb. Faun. et Fl. Gui. 1092, nomen. — *Guian*.  
*hancorniaefolia*, C. B. Clarke, in Hook. f. Fl. Brit. Ind. iv. 196. — *Zeylan*.  
*hirsutissima*, C. B. Clarke, l. c. 193. — *Reg. Himal.*  
*hispida*, Hook. ex Choisy, Conv. Or. 40 = *Argyrea mollis*.  
*Kurzii*, C. B. Clarke, in Hook. f. Fl. Brit. Ind. iv. 196. — *Burma*.  
*Maingayi*, C. B. Clarke, l. c. 195. — *Malaya*.  
*mysorensis*, C. B. Clarke, l. c. 192. — *Ind. or.*  
*nervosa*, Hort. Calc. ex C. B. Clarke, l. c. 187 = *Argyrea Wallichii*.  
*nervosa*, Roxb. Hort. Beng. [13]; Fl. Ind. i. 488 = *Argyrea speciosa*.  
*ornata*, Roxb. l. c. 496 = *Rivea ornata*.  
*peguensis*, C. B. Clarke, in Hook. f. Fl. Brit. Ind. iv. 193. — *Burma*.  
*penangiana*, Miq. Fl. Ind. Bat. ii. 592. — *Ins. Penang*.  
*pomacea*, Roxb. Hort. Beng. [13]; Fl. Ind. i. 493 = *Argyrea pomacea*.  
*rubens*, C. B. Clarke, in Hook. f. Fl. Brit. Ind. iv. 195. — *Assam*.  
*rubicunda*, C. B. Clarke, l. c. — *Malacca*.  
*setosa*, Roxb. Hort. Beng. [13]; Fl. Ind. i. 490. — *Ind. or.*

#### LETTSSOMIA :—

*sikkimensis*, C. B. Clarke, in Hook. f. Fl. Brit. Ind. iv. 194. — *Reg. Himal.*  
*speciosa*, Roxb. Hort. Beng. [13], nomen = *Argyrea speciosa*, Sweet.  
*splendens*, Roxb. l. c.; Fl. Ind. i. 487 = *Argyrea splendens*.  
*strigosa*, Roxb. II. cc. — *Ind. or.*; *Malaya*.  
*sumatrana*, Miq. Fl. Ind. Bat. Suppl. 560. — *Sumatra*.  
*Thomsoni*, C. B. Clarke, in Hook. f. Fl. Brit. Ind. iv. 193. — *Reg. Himal.*  
*tomentella*, Miq. Fl. Ind. Bat. Suppl. 560. — *Sumatra*.  
*uniflora*, Roxb. Hort. Beng. 84; Fl. Ind. i. 495 = *Rivea hypocrateriformis*.

LETTSSOMIA, Ruiz & Pav. Prod. 77. t. 14 (1794) = *Freziera*, Sw. (Ternstroem.).  
*candicans*, Choisy, in Mém. Soc. Phys. Genève. xiv. (1855) 125 = *F. candicans*.  
*Dombeyana*, Choisy, l. c. = *F. Dombeyana*.  
*lanata*, Ruiz & Pav. Syst. Veg. 135 = *F. canescens*.  
*longipes*, Choisy, in Mém. Soc. Phys. Genève. xiv. (1855) 125 = *F. longipes*.  
*tomentosa*, Ruiz & Pav. Syst. Veg. 134 = *F. chrysophylla*.

LEUCADENDRON, Berg. in Vet. Akad. Handl. Stockh. (1766) 325, partim; R. Br. in Trans. Linn. Soc. x. (1810) 50. *PROTEACEAE*, Benth. & Hook. f. iii. 169.

*CHASME*, Salisb. in Knight, Prot. 16 (1809).  
*CONOCARPUS*, Adans. Fam. ii. 284 (1763).  
*EURYSpermum*, Salisb. Parad. Lond. t. 75 (1807); et in Knight, Prot. 18 (1809).  
*GISSONIA*, Salisb. l. c. sub t. 67 (1806); et in Knight, l. c. 32 (1809).  
*LEUCADENDRON*, Neck. Elem. i. 106 (1790).  
*PROTEA*, Linn. Gen. ed. II. 38 (1742); ed. V. 41 (1754).  
*VIONAEA*, Neck. Elem. i. 107 (1790).  
*abietinum*, R. Br. in Trans. Linn. Soc. x. (1810) 64. — *Afr. austr.*  
*abietinum*, Drège, ex Meissn. in DC. Prod. xiv. 224 = *aemulum*.  
*acuminatum*, Buek, ex Meissn. l. c. xiv. 223 = *concinnum*.  
*acutum*, Meissn. l. c. 228. — *Afr. austr.*  
*adscendens*, R. Br. in Trans. Linn. Soc. x. (1810) 61. — *Afr. austr.*  
*aemulum*, R. Br. l. c. 64. — *Afr. austr.*  
*angustatum*, R. Br. l. c. 54. — *Afr. austr.*  
*angustatum*, Drège, ex Meissn. in DC. Prod. xiv. 215 = *imbricatum*.  
*argenteum*, R. Br. in Trans. Linn. Soc. x. (1810) 52. — *Afr. austr.*  
*aurantiacum*, Buek, ex Meissn. in DC. Prod. xiv. 217. — *Afr. austr.*  
*brunioides*, Meissn. l. c. 215. — *Afr. austr.*  
*Buckianum*, Meissn. l. c. 214. — *Afr. austr.*  
*buxifolium*, R. Br. in Trans. Linn. Soc. x. (1810) 55. — *Afr. austr.*  
*callosum*, Hoffm. Verz. Pfl. 72 (Quid?). — *Hab. ?*  
*canaliculatum*, E. Mey. ex Meissn. in DC. Prod. xiv. 215 = *imbricatum*.  
*cartilagineum*, R. Br. in Trans. Linn. Soc. x. (1810) 67. — *Afr. austr.*  
*caudatum*, Hort. Angl. ex Link, Enum. Hort. Berol. i. 115. — *Hab. ?*  
*ciliatum*, Buek, ex Meissn. in DC. Prod. xiv. 219 = *concolor*.  
*cinereum*, R. Br. in Trans. Linn. Soc. x. (1810) 57. — *Afr. austr.*  
*cinereum*, E. Mey. ex Meissn. in DC. Prod. xiv. 217 = *nitidum*.  
*comosum*, R. Br. in Trans. Linn. Soc. x. (1810) 64. — *Afr. austr.*  
*concinnum*, R. Br. l. c. 61. — *Afr. austr.*  
*concolor*, R. Br. l. c. 58. — *Afr. austr.*  
*coniferum*, Meissn. in DC. Prod. xiv. 227. — *Afr. austr.*  
*coniferum*, Sieber, ex Meissn. l. c. 222 = *virgatum*.  
*corymbosum*, Berg. in Vet. Akad. Handl. Stockh. (1766) 325. — *Afr. austr.*  
*crassifolium*, R. Br. in Trans. Linn. Soc. x. (1810) 66. — *Afr. austr.*  
*crinitum*, Steud. Nom. ed. II. ii. 399, in syn. = *Leucospermum crinitum*.  
*cuspidatum*, Klotzsch, ex Meissn. in DC. Prod. xiv. 223 = *salignum*.  
*daphnoides*, Meissn. l. c. 226. — *Afr. austr.*

#### LEUCADENDRON :—

*decorum*, R. Br. in Trans. Linn. Soc. x. (1810) 58. — *Afr. austr.*  
*decurrens*, R. Br. l. c. 59. — *Afr. austr.*  
*discolor*, Buek, ex Meissn. in DC. Prod. xiv. 214 = *Buckianum*.  
*divaricatum*, Berg. in Vet. Akad. Handl. Stockh. (1766) 324 = *Mimetes divaricata*.  
*Dregei*, E. Mey. ex Meissn. in DC. Prod. xiv. 217. — *Afr. austr.*  
*dubium*, Buek, ex Meissn. l. c. 215 = *buxifolium*.  
*elatum*, Buek, ex Meissn. l. c. 217. — *Afr. austr.*  
*elongatum*, Berg. in Vet. Akad. Handl. Stockh. (1766) 327 = *Serruria elongata*.  
*ericifolium*, R. Br. in Trans. Linn. Soc. x. (1810) 66. — *Afr. austr.*  
*ericifolium*, Drège, ex Meissn. in DC. Prod. xiv. 224 = *comosum*.  
*eucalyptifolium*, Buek, ex Meissn. l. c. 221. — *Afr. austr.*  
*flavescens*, Link, Enum. Hort. Berol. i. 115, nomen. — *Hab. ?*  
*floridum*, R. Br. in Trans. Linn. Soc. x. (1810) 63. — *Afr. austr.*  
*floridum*, Drège, ex Meissn. in DC. Prod. xiv. 222 = *lanigerum*.  
*fusciflorum*, R. Br. in Trans. Linn. Soc. x. (1810) 216. — *Afr. austr.*  
*glabrum*, R. Br. l. c. 60. — *Afr. austr.*  
*Globularia*, R. Br. l. c. 65. — *Afr. austr.*  
*grandiflorum*, R. Br. l. c. 59. — *Afr. austr.*  
*grandiflorum*, Buek, ex Meissn. in DC. Prod. xiv. 219 = *concolor*.  
*heterophyllum*, E. Mey. ex Meissn. l. c. 222 = *lanigenum*.  
*hirsutum*, Hoffm. Verz. Pfl. 72 = *L. Levisanus*.  
*hirsutum*, Meissn. in DC. Prod. xiv. 227. — *Afr. austr.*  
*humifusum*, E. Mey. ex Meissn. l. c. 220 = *ovale*.  
*imbricatum*, R. Br. in Trans. Linn. Soc. x. (1810) 55. — *Afr. trop.*  
*inflexum*, Klotzsch, ex Meissn. in DC. Prod. xiv. 215 = *brunioides*.  
*inflexum*, Klotzsch, ex Meissn. l. c. 216 = *tortum*.  
*inflexum*, Link, Enum. Hort. Berol. i. 115 = *salignum*.  
*insigne*, Buek, ex Meissn. in DC. Prod. xiv. 219 = *concolor*.  
*involutum*, Meissn. l. c. 228. — *Afr. austr.*  
*laeve*, Meissn. l. c. 227. — *Afr. austr.*  
*lanigenum*, Buek, ex Meissn. l. c. 222. — *Afr. austr.*  
*Levisanus*, Berg. in Vet. Akad. Handl. Stockh. (1766) 324. — *Afr. austr.*  
*lineare*, Steud. Nom. ed. II. ii. 34 = *angustatum*.  
*linifolium*, R. Br. in Trans. Linn. Soc. x. (1810) 216. — *Afr. austr.*  
*marginatum*, Link, Enum. Hort. Berol. i. 115. — *Afr. austr.*  
*Meyerianum*, Buek, ex Meissn. in DC. Prod. xiv. 215 = *brunioides*.  
*nanum*, Berg. in Vet. Akad. Handl. Stockh. (1766) 525 = *Protea rosacea*.  
*nitidum*, Buek, ex Meissn. in DC. Prod. xiv. 217. — *Afr. austr.*  
*obtusatum*, Meissn. l. c. 227. — *Afr. austr.*  
*odoratum*, Steud. Nom. ed. II. ii. 35. — *Afr. austr.*  
*oleaefolium*, Berg. in Vet. Akad. Handl. Stockh. (1766) 320 = *Leucospermum oleaefolium*.  
*ovale*, R. Br. in Trans. Linn. Soc. x. (1810) 59. — *Afr. austr.*  
*pendunculatum*, Meissn. in DC. Prod. xiv. 216. — *Afr. austr.*  
*phylicoides*, Berg. in Vet. Akad. Handl. Stockh. (1766) 328 = *Serruria phylicoides*.  
*pinifolium*, DC. ex Meissn. in DC. Prod. xiv. 241 = *Protea rosacea*.  
*platyspermum*, R. Br. in Trans. Linn. Soc. x. (1810) 63. — *Afr. austr.*  
*plumosum*, R. Br. l. c. 53. — *Afr. austr.*  
*polygaloides*, Link, Enum. Hort. Berol. i. 115, nomen = *imbricatum*.  
*prostratum*, Meissn. in DC. Prod. xiv. 227. — *Afr. austr.*  
*proteoides*, E. Mey. ex Meissn. l. c. 217 = *aurantiacum*.  
*pruinatum*, Mund, ex Meissn. l. c. 216 = *tortum*.  
*pubescens*, R. Br. in Trans. Linn. Soc. x. (1810) 66. — *Afr. austr.*  
*pyramidale*, Steud. Nom. ed. II. ii. 35. — *Afr. austr.*  
*ramosissimum*, Buek, ex Meissn. in DC. Prod. xiv. 221. — *Afr. austr.*  
*reticulatum*, Meissn. l. c. 227. — *Afr. austr.*



**LEUCADENDRON:—**

- retusum, *R. Br. in Trans. Linn. Soc. x.* (1810) 53.—Afr. austr.
- retusum, Drège, ex Meissn. in DC. Prod. xiv. 219 = concolor.
- rubricallosum, Buek, ex Meissn. l. c. 222 = lanigenum.
- rugosum, Meissn. l. c. 227.—Afr. austr.
- salignum, Berg. in Vet. Akad. Handl. Stockh. (1766) 323 = adscendens.
- salignum, *R. Br. in Trans. Linn. Soc. x.* (1810) 62.—Afr. austr.
- scabrum, *R. Br. l. c.* 65.—Afr. austr.
- scabrum, Steud. ex Meissn. in DC. Prod. xiv. 225 = ericifolium.
- scoparium, E. Mey. ex Meissn. l. c. 305 = Soroccephalus Dregei.
- sericeum, *R. Br. in Trans. Linn. Soc. x.* (1810) 65.—Afr. austr.
- sessile, *R. Br. l. c.* 54.—Afr. austr.
- spathulatum, *R. Br. l. c.*—Afr. austr.
- spathulatum, Buek, ex Meissn. in DC. Prod. xiv. 226 = crassifolium.
- sphaerocephalum, Berg. in Vet. Akad. Handl. Stockh. (1766) 327 = Serruria Bergii.
- spicatum, Berg. l. c. 367 = Nivenia spicata.
- squarrosus, *R. Br. in Trans. Linn. Soc. x.* (1810) 58.—Afr. austr.
- stellare, Steud. Nom. ed. I. 475 = fusciflorum.
- stellatum, Sweet, Hort. Brit. ed. I. 345 = fusciflorum.
- strictum, *R. Br. in Trans. Linn. Soc. x.* (1810) 60.—Afr. austr.
- tenuifolium, Meissn. in DC. Prod. xiv. 227.—Afr. austr.
- Thunbergii, Endl. Gen. Suppl. iv. II. 75 = Protea glabra.
- thymelaoides, Berg. in Vet. Akad. Handl. Stockh. (1766) 324 = Mimetes thymelaoides.
- tortum, *R. Br. in Trans. Linn. Soc. x.* (1810) 56.—Afr. austr.
- truncatum, Meissn. in DC. Prod. xiv. 228.—Afr. austr.
- uliginosum, *R. Br. in Trans. Linn. Soc. x.* (1810) 63.—Afr. austr.
- undulatum, Link, Enum. Hort. Berol. i. 115, nomen.—Afr. austr.?
- venosum, *R. Br. in Trans. Linn. Soc. x.* (1810) 59.—Afr. austr.
- verticillatum, Meissn. in DC. Prod. xiv. 228.—Afr. austr.
- virgatum, *R. Br. in Trans. Linn. Soc. x.* (1810) 60.—Afr. austr.
- virgatum, Drège, ex Meissn. in DC. Prod. xiv. 222 = adscendens.
- LEUCADENDRON**, Linn. Syst. ed. II. 18 (1740) = **Protea**, Linn.
- acaulon, Linn. Sp. Pl. 92 = P. acaulis.
- aureum, Burm. f. Fl. Cap. Prod. 4 (Quid?).—Afr. austr.
- bellidifolium, Knight, Prot. 56.—Afr. austr.
- calligerum, Knight, l. c. 60 = Leucospermum puberum.
- cancellatum, Linn. Sp. Pl. 91 = Aulax pinifolia.
- cervinum, Knight, Prot. 55 = Leucospermum conocarpum.
- cinaroides, Linn. Sp. Pl. 92 = P. cynaroides, grandiflora.
- Conocarpodendron, Linn. l. c. 93 = Leucospermum conocarpum.
- cordifolium, Knight, Prot. 54.—Afr. austr.
- crassicaule, Knight, l. c. 55 = Leucospermum conocarpum.
- criniflorum, Knight, l. c. 58 = Leucospermum crinitum.
- cucullatum, Linn. Sp. Pl. 93 = Mimetes cucullata.
- cuneiforme, Burm. f. Fl. Cap. Prod. 4.—Afr. austr.
- cyanooides, Linn. Sp. Pl. 93 = Serruria cyanooides.
- ellipticum, Knight, Prot. 53 = Leucospermum ellipticum.
- fallax, Knight, l. c. 52 = Leucospermum lineare.
- filamentosum, Burm. f. Fl. Cap. Prod. 4.—Afr. austr.
- formosum, Knight, Prot. 54 = Leucospermum medium.
- glomeratum, Herb. Linn. ex Meissn. in DC. Prod. xiv. 285 = Serruria furcellata.
- glomeratum, Linn. Sp. Pl. ed. II. 134 = Serruria glomerata.
- glomiflorum, Knight, Prot. 59.—Afr. austr.
- gnaphaliifolium, Knight, l. c. 60.—Afr. austr.
- gracile, Knight, l. c. 59.—Afr. austr.
- grandiflorum, Salisb. Parad. Lond. t. 116 = Leucospermum grandiflorum.

**LEUCADENDRON:—**

- hirtum, Linn. Pl. Afr. Rar. 8; Amoen. Acad. vi. 83 = Mimetes hirta.
- horizontale, Knight, Prot. 53 = Leucospermum tottum.
- Hypophyllocarpodendron, Linn. Sp. Pl. 93 = Leucospermum Hypophyllum.
- hypophyllum, Knight, Prot. 56 = praec.
- Lepidocarpodendron, Linn. Sp. Pl. 91 = P. Lepidocarpodendron.
- lineare, Burm. f. Fl. Cap. Prod. 4 = Leucospermum lineare.
- parile, Knight, Prot. 57.—Afr. austr.
- phyllanthifolium, Knight, l. c. 55 = Leucospermum Zeyheri.
- pinifolium, Linn. Mant. i. 36 = Aulax pinifolia.
- polifolium, Burm. f. Fl. Cap. Prod. 4.—Afr. austr.
- proteoides, Linn. Sp. Pl. 91 = Mimetes purpurea.
- puberum, Knight, Prot. 61 = Leucospermum puberum.
- pubigerum, Linn. ex Meissn. in DC. Prod. xiv. 229, 259 = Leucospermum puberum.
- racemosum, Linn. Sp. Pl. 91 = Spatalla ramulosa.
- repens, Linn. l. c. = P. repens.
- rodolentum, Knight, Prot. 58 = Leucospermum tomentosum.
- royanaefolium, Knight, Prot. 59.—Afr. austr.
- rubrum, Burm. f. Fl. Cap. Prod. 4.—Afr. austr.
- saxatile, Knight, Prot. 58.—Afr. austr.
- scolymocephalum, Linn. Sp. Pl. 92 = P. Scolymus.
- Serraria, Burm. ex Meissn. in DC. Prod. xiv. 292 = Serruria phyllicoides.
- Serraria, Linn. Sp. Pl. 93 = Serruria Burmanni, glomerata.
- speciosum, Linn. Mant. i. 36 = P. speciosa.
- splendens, Burm. f. Fl. Cap. Prod. 4.—Afr. austr.
- tomentosum, Knight, Prot. 57 = Leucospermum tomentosum.
- truncatum, Knight, l. c. 61 = Leucospermum puberum.
- xeranthemifolium, Knight, l. c. 60.—Afr. austr.

**LEUCADENDRON**, Salisb. Parad. Lond. sub t. 67 (1807) = **Leucospermum**, *R. Br.* (Proteac.).

**LEUCADENIA**, Klotzsch, ex Baill. Adansonia, iv. (1864) 338 = **Croton**, Linn. (Euphorb.).

pilosa, Klotzsch, ex Baill. l. c. = C. fuscus.

**LEUCADENIUM**, Klotzsch, ex Benth. & Hook. f. Gen. iii. 295 (1880) = praec.

**LEUCAENA**, Benth. in Hook. Journ. Bot. iv. (1842) 416. **LEGUMINOSAE**, Benth. & Hook. f. i. 594.

canescens, Benth. Pl. Hartw. 117.—Guatemal.

diversifolia, Benth. in Hook. Journ. Bot. iv. (1842) 417.—Mexic.

esculenta, Benth. in Trans. Linn. Soc. xxx. (1875) 442.—Mexic.

formosa, Griseb. Cat. Pl. Cub. 82 = Lysiloma Sabicu.

Forsteri, Benth. in Hook. Lond. Journ. Bot. v. (1846) 94.—Ins. Pacif.

glauca, Benth. in Hook. Journ. Bot. iv. (1842) 416.—Amphig. trop.

macrophylla, Benth. Bot. Voy. Sulph. 90.—Mexic.

pulverulenta, Benth. in Hook. Journ. Bot. iv. (1842) 417.—Mexic.

retusa, Benth. in A. Gray, Pl. Wright. i. 64.—Texas.

trichodes, Benth. in Hook. Journ. Bot. iv. (1842) 417.—Peruv.

**LEUCAERIA**, DC. in Ann. Mus. Par. xix. (1812) 66

**Leucheria**, Lag. (Compos.).

**LEUCAMPYX**, A. Gray, ex Benth. & Hook. f. Gen. ii. 422 (1873). **COMPOSITAE**, Benth. & Hook. f. l. c.

Newberry, A. Gray, ex Porter & Coult. Fl. Colorad. 77.—Am. bor. occ.

**LEUCANDRA**, Klotzsch, in Wieg. Archiv. vii. (1841) 188 = **Tragia**, Plum. (Euphorb.).

betonicaefolia, Klotzsch, l. c. = T. betonicaefolia.

**LEUCANDRON**, Steud. Nom. ed. II. ii. 35 (1841) seq.

**LEUCANDRUM**, Neck. Elem. i. 106 (1790) = **Leucadendron**, Berg. (Proteac.).

**LEUCANOTIS**, D. Dietr. Syn. Pl. i. 418 (1839) = **Leuconotis**, Jack (Apocyn.).

**LEUCANTHA**, S. F. Gray, Nat. Arr. Brit. Pl. ii. 443 (1821) = **Centauraea**, Linn. (Compos.).

cyanifolia, S. F. Gray, l. c. 444 = C. solstitialis.

**LEUCANTHEA**, Scheele, in Linnæa, xxv. (1852) 258 = **Bouchetia**, DC. (Scrophul.).

Roemeriana, Scheele, l. c. 259 = B. erecta.

**LEUCANTHEMUM**, [Tourn.] Linn. Syst. ed. I. (1735) = **Chrysanthemum**, Tourn. (Compos.).

affine, Nym. Consp. 371 = C. montanum.

affine, Pomel, Nouv. Mat. Fl. Atl. 58.—Alger.

algidum, Fisch. ex Herd. in Bull. Soc. Nat. Mosc. xxxviii. (1865) 1. 416 = C. integrifolium.

alpinum, Lam. Fl. Fr. ii. 138 = C. alpinum.

anomalum, DC. Prod. vi. 49 = C. oppositifolium.

arcticum, DC. l. c. vi. 45 = C. arcticum.

arenarium, Pomel, Nouv. Mat. Fl. Atl. 58.—Alger.

armenum, DC. Prod. vii. 297 = C. fruticosum.

atratum, DC. l. c. vi. 48 = C. atratum.

atratum, Nym. Consp. 371 = C. montanum.

auriculatum, Nym. l. c. = C. montanum.

Barrelieri, Timb. in Bull. Soc. Bot. Fr. xiii. (1866) p. cliii = C. atratum?

Bauhini, Steud. Nom. ed. II. ii. 35 = C. atratum.

Candolleum, Martr. Fl. Tarn, 356 = C. pallens.

canescens, Pourr. ex Nym. Consp. 370 = C. montanum.

cebennense, DC. Prod. vi. 48 = C. monspeliense.

ceratophylloides, Nym. Syll. 10 = C. atratum.

Chamaemelum, Lam. Fl. Fr. ii. 139 = Matricaria Chamaemilla.

commutatum, Timb. & Martr. in Martr. Pl. Crit. Tarn, 29 = C. montanum.

coronopifolium, Vill. Prosp. 32 = C. coronopifolium.

corsicum, DC. Prod. vi. 47 = C. coronopifolium, Vill.

corymbosum, Gren. & Godr. Fl. Fr. ii. 145 = C. corymbosum.

crassifolium, Lange, in Willk. & Lange, Prod. Fl. Hisp. ii. 96.—Hispan.

decipiens, Pomel, Nouv. Mat. Fl. Atl. 59.—Alger.

Delarbei, Timb. in Lamotte, Prod. Fl. Centr. Fr. ii. 404 = C. Leucanthemum.

discoideum, Bourg. ex Nym. Consp. 370 = C. montanum.

Fontanesii, Boiss. & Reut. Diagn. Ser. II. iii. 26.—Alger.

Gaudini, Dalla Torre, Atl. Alpenfl. 130.—Europ.

glabrum, Boiss. & Reut. Pugill. Pl. Nov. 57 = C. paludosum.

Gmelini, Ledeb. Fl. Ross. ii. 541 = C. arcticum?

gracilicaule, Nym. Consp. 371 = C. montanum.

graminifolium, Lam. Fl. Fr. ii. 137 = C. graminifolium.

Gussonii, Nym. Consp. 371 = C. graminifolium.

Herminii, Nym. l. c. 372 = C. oppositifolium.

heterophyllum, DC. Prod. vi. 47 = C. lanceolatum.

heterophyllum, Schnr. ex Nym. Consp. 370 = C. pallens.

integrifolium, DC. Prod. vi. 46 = C. integrifolium.

ircutianum, DC. l. c. 47 = C. ircutianum.

lanceolatum, DC. l. c. = C. lanceolatum.

lanceolatum, Nym. Consp. 371 = C. montanum.

latifolium, DC. Prod. vi. 47 = C. lacustre.

maximum, DC. l. c. 46 = C. maximum.

minimum, Vill. Prosp. 32 = C. alpinum.

montanum, DC. Prod. vi. 48 = C. montanum.

murcicum, J. Gay, ex Willk. in Bot. Zeit. xxii. (1864) 253 = C. glabrum.

nipponicum, Franch. ex Maxim. in Bull. Acad. Petersb. xvii. (1872) 420.—Japon.

odoratum, Dulac, Fl. Hautes-Pyr. 504 = C. Parthenium.

pallens, DC. Prod. vi. 47 = C. pallens.

palmatum, Lam. Fl. Fr. iii. 138 = C. monspeliense.

Parthenium, Gren. & Godr. Fl. Fr. ii. 145 = C. Parthenium.

pectinatum, DC. Prod. vi. 49 = C. pectinatum.

persicaefolium, Timb. in Rod. & Bot. Agr. ii. 447; ex ej. in Bull. Soc. Sc. Phys. & Nat. Toul. ii. (1874) 460.—Europ.

platylepis, Borb.—Cf. Oestr. Bot. Zeitschr. xviii. (1878) 259 = C. lanceolatum.

Reboudianum, Pomel, Nouv. Mat. Fl. Atl. 58.—Alger.

rotundifolium, DC. Prod. vi. 48 = C. rotundifolium.

rotundifolium, Schur, Enum. Pl. Tarn, 333 = Tarnacetum rotundifolium.

sericeum, Nym. Syll. 10 = C. oppositifolium.

setabense, DC. Prod. vi. 49 = C. paludosum.



## LEUCANTHEMUM:—

*sibiricum*, DC. Prod. vi. 46 = *C. arcticum*.  
*silvaticum*, Willk. & Lange, Prod. Fl. Hesp. ii. 107, sphalm. = montanum.  
*simplex*, Boiss. Fl. Orient. iii. 341 = *C. palustre*.  
*sinuatum*, DC. Prod. vi. 46 = *C. sinuatum*.  
*subglaucum*, De Laramb. Soc. Litt. Castres (1861); ex Martr. Fl. Tarn, 356 = *C. pallens*.  
*suffruticulosum*, Timb. in Bull. Soc. Phys. & Nat. Toul. ii. (1874) 69 = *C. montanum*.  
*tomentosum*, Gren. & Godr. Fl. Fr. ii. 144 = *C. tomentosum*.  
*varians*, Martr. Pl. Crit. Tarn, 30; ex Fl. Tarn, 356 = *C. monspeliense*.  
*virgatum*, Clos, in Bull. Soc. Bot. Fr. xvii. (1870) 185 = *C. flosculosum*.  
*vulgare*, Lam. Fl. Fr. ii. 137 = *C. Leucanthemum*.  
*Weyrichii*, Maxim. Prim. Fl. Amur. 156.—Ins. Sachalin.  
*Zawadskii*, Nym. Consp. 372 = *C. arcticum*.

## LEUCAS, Burm. Thes. Zeyl. 140 (1737); R. Br. Prod.

504 (1810). *LABIATAE*, Benth. & Hook. f. ii. 1213.

BLANDINA, Rafin. Fl. Tellur. iii. 88 (1836).

ELBUNIS, Rafin. l. c. (1836).

ENEODON, Rafin. l. c. (1836).

HEMISTEMMA, Reichb. Consp. 116 (1828).

HEMISTOMA, Ehrenb. ex Benth. in Wall. Pl. As.

Rar. i. 60 (1830).

HEPTILIS, Rafin. Fl. Tellur. iii. 89 (1836).

HETREPTA, Rafin. l. c. 88 (1836).

ISODECA, Rafin. l. c. (1836).

LEUCASIA, Rafin. l. c. (1836).

LOXOSTOMA, Benth. ex Steud. Nom. ed. II. ii. 75

(1841).  
 PHYSOLEUCAS, Jaub. & Spach, Illustr. v. 48. t. 445 (1855?).

acrodonta, Steud. Nom. ed. II. ii. 36.—Arab.

affinis, R. Br. in Salt, Abyss. App. 64, nomen.—Abyssin.

angularis, Benth. in Wall. Pl. As. Rar. i. 62.—Ind. or.; Malaya.

angustifolia, Wall. l. c. = mollissima.

aspera, Link. Enum. Hort. Berol. ii. 113; Spreng. Syst. ii. 743.—Ind. or.; Malaya.

bancana, Miq. Fl. Ind. Bat. Suppl. 572.—Malaya.

Benthamiana, Hook. & Arn. Bot. Beech. Voy. 204.—China.

biflora, Benth. in Wall. Cat. n. 2063, partim = procumbens.

biflora, R. Br. Prod. 504.—Ind. or.

calostachys, Oliver, in Trans. Linn. Soc. xxix. (1875) 139.—Afr. trop.

capitata, Desf. in Mém. Mus. Par. xi. (1824) 8. t. 4.—Ind. or.

Cephalotes, Spreng. Syst. ii. 743 = capitata.

chinensis, R. Br. Prod. 504.—Ind. or.; China.

ciliata, Benth. in Wall. Pl. As. Rar. i. 61.—Ind. or.

ciliata, Hochst. ex Benth. in DC. Prod. xii. 530 = nubica.

Clarkei, Hook. f. Fl. Brit. Ind. iv. 688.—Ind. or.

collina, Dalz. in Hook. Kew Journ. ii. (1850) 338 = lanata.

decumbentata, R. Br. Prod. 504 = flaccida.

decurva, Benth. in Wall. Pl. As. Rar. i. 60 = nutans.

deflexa, Hook. f. in Journ. Linn. Soc. vii. (1864) 213.—Afr. trop.

densiflora, Vatke, in Oestr. Bot. Zeitschr. xxv. (1875) 95.—Afr. trop.

diffusa, Benth. Lab. Gen. et Sp. 615.—Ind. or.

dimidiata, Benth. in DC. Prod. xii. 532 = aspera.

dimidiata, Spreng. Syst. ii. 743.—Ind. or.

ebracteata, Peyr. in Sitzb. Acad. Wien, Math.-Nat. xxxviii. (1860) 577.—Afr. trop.

eristoma, Hook. f. Fl. Brit. Ind. iv. 686—Ind. or.

flaccida, R. Br. Prod. 505.—Ind. or.; Austral.

flaccida, Mor. & Zoll. Verz. Pfl. Zoll. 54 = biflora.

galeopsidea, Hochst. ex Benth. in DC. Prod. xii. 524 = glabrata.

glaberrima, Jaub. & Spach, Illustr. iv. 131. t. 387.—Oriens.

glabrata, R. Br. Prod. 504.—Arab.

globulifera, Hassk. Cat. Hort. Bog. Alt. 133.—Java?

grandis, Vatke, in Linnaea, xliii. (1880–82) 96.—Afr. trop.

haematula, Wight & Arn. ex Steud. Nom. ed. II. ii. 36 = seq.

hamatula, Arn. in Nov. Act. Nat. Cur. xviii. (1836) 355 = stelligera.

## LEUCAS:—

Hamiltoniana, Benth. in Wall. Pl. As. Rar. i. 62 = montana.

Helferi, Hook. f. Fl. Brit. Ind. iv. 681.—Burma.

helianthemifolia, Benth. in Wall. Pl. As. Rar. i. 61 = hirta.

helianthemifolia, Desf. in Mém. Mus. Par. xi. (1824) 2. t. 1.—Ind. or.

hirta, Spreng. Syst. ii. 743.—Ind. or.

hyssopifolia, Benth. in Wall. Pl. As. Rar. i. 60.—Reg. Himal.

indica, R. Br. Prod. 504.—Ind. or.

indica, Vatke, in Oestr. Bot. Zeitschr. xxv. (1875) 95.—Afr. trop.

inflata, Benth. Lab. Gen. et Sp. 744.—Nubia; Arab.

inflata, Hochst. & Steud. ex Steud. Nom. ed. II. ii. 36 = acrodonta.

involuta, Benth. in Wall. Cat. n. 2047 = zeylanica.

javanica, Benth. Lab. Gen. et Sp. 611.—Java.

lamiifolia, Desf. in Mém. Mus. Par. xi. (1824) 4.—Ind. or.

lamiifolia, Zipp. ex Span. in Linnaea, xv. (1841) 333 = chinensis.

lanata, Benth. in Wall. Pl. As. Rar. i. 61.—Ind. or.; China.

lanceaefolia, Desf. in Mém. Mus. Par. xi. (1824) 5.—Ind. or.

lanciformis, Wall. Cat. n. 2759 = praec.

lavandulaefolia, Sm. in Rees, Cycl. xx. n. 2.—Ind. or.; Malaya.

leptostoma, Wight, ex Hook. f. Fl. Brit. Ind. iv. 686 = eriostoma.

leucocephala, Miq. Fl. Ind. Bat. ii. 981.—Java.

linifolia, Spreng. Syst. ii. 743 = lavandulaefolia.

longifolia, Benth. Lab. Gen. et Sp. 744.—Ind. or.

malayana, Hance, in Walp. Ann. iii. 269.—Singapore.

marrubioides, Desf. in Mém. Mus. Par. xi. (1824) 6. t. 3. f. 1.—Ind. or.

marrubioides, Wall. Cat. n. 2524 = pubescens.

martinicensis, R. Br. Prod. 504.—Amphig. trop.

masaiensis, Oliver, in Journ. Linn. Soc. xxi. (1885) 403.—Afr. trop.

melissaeflora, Benth. in Wall. Cat. n. 2062 = seq.

melissaefolia, Benth. in Wall. Pl. As. Rar. i. 62 = flaccida.

membranacea, Benth. in Wall. Cat. n. 2052 = urticaefolia.

microphylla, Vatke, in Linnaea, xliii. (1880–82) 97.—Afr. trop.

mollissima, Wall. Pl. As. Rar. i. 62.—Ind. or.; China.

moluccoides, Sm. in Rees, Cycl. xx. n. 9.—Arab.

montana, Spreng. Syst. ii. 742.—Ind. or.

natalensis, Sond. in Linnaea, xxiii. (1850) 85.—Afr. austr.

nepetaefolia, Benth. in Wall. Pl. As. Rar. i. 62.—Ind. or.

Neufiseana, Courb. in Ann. Sc. Nat. Sér. IV. xviii. (1862) 145.—Abyssin.

nubica, Benth. in DC. Prod. xii. 530.—Nubia.

nutans, Benth. in Wall. Pl. As. Rar. i. 60 = dimidiata.

nutans, Spreng. Syst. ii. 743.—Ind. or.

oligocephala, Hook. f. in Journ. Linn. Soc. vii. (1864) 213.—Afr. trop.

ovata, Benth. in Wall. Pl. As. Rar. i. 61.—Burma.

oxydon, Miq. Fl. Ind. Bat. ii. 981.—Java.

parviflora, Benth. in Wall. Pl. As. Rar. i. 62 = flaccida.

paucicrenata, Vatke, in Linnaea, xliii. (1880–82) 98.—Afr. trop.

pilosa, Benth. in Wall. Pl. As. Rar. i. 62.—Burma.

Plukenetii, Spreng. Syst. ii. 743; Benth. l. c. 60 = aspera.

polycephala, Wall. Cat. n. 2051 = martinicensis.

pratensis, Vatke, in Linnaea, xliii. (1880–82) 97.—Afr. trop.

procumbens, Desf. in Mém. Mus. Par. xi. (1824) 7. t. 3. f. 2.—Ind. or.

procumbens, Thw. Enum. Pl. Zeyl. 240 = biflora.

pubescens, Benth. Lab. Gen. et Sp. 610.—Ind. or.

pubescens, Thw. Enum. Pl. Zeyl. 240 = angularis.

quinguedentata, R. Br. in Salt, Abyss. App. 64, nomen = Lasiocorys abyssinica.

rosmarinifolia, Benth. in Wall. Pl. As. Rar. i. 61.—Ind. or.

rufescens, Benth. in Wall. Cat. n. 2053 = hirta.

Schimperi, Hochst. ex A. Br. in Flora, xxiv. (1841) 1. 279 = martinicensis.

Schimperi, Presl, Bot. Bemerk. 101 = acrodonta.

## LEUCAS:—

somalensis, Vatke, in Linnaea, xl. (1876) 181.—Afr. trop.

stachydiformis, Hochst. in Flora, xxvii. (1844) 100 = Ballota stachydiformis.

stachyoides, Spreng. Syst. ii. 743 = flaccida.

stelligera, Wall. Pl. As. Rar. i. 61.—Ind. or.

stricta, Benth. in Wall. l. c.—Ind. or.

strigosa, Benth. l. c. 62 = mollissima.

suffruticosa, Benth. Lab. Gen. et Sp. 611.—Ind. or.

teres, Benth. in Wall. Pl. As. Rar. i. 62.—Burma.

ternifolia, Desf. in Mém. Mus. Par. xi. (1824) 4 = helianthemifolia.

tettensis, Vatke, in Linnaea, xl. (1876) 180.—Afr. trop.

trachyphylla, Jaub. & Spach, Illustr. iv. 130. t. 386.—Arab.

urticaefolia, R. Br. Prod. 504.—Nubia; Arab.; Ind. or.

vestita, Benth. in Wall. Pl. As. Rar. i. 61.—Ind. or.

virgata, Balf. f. in Proc. Roy. Soc. Edinb. xii. (1884) 91.—Ins. Socotr.

Walkerii, Benth. in DC. Prod. xii. 531 = zeylanica.

Wightiana, Benth. in Wall. Pl. As. Rar. i. 60.—Ind. or.

zeylanica, Boj. Hort. Maurit. 250 = aspera.

zeylanica, R. Br. Prod. 504.—Ind. or.; Malaya.

## LEUCASIA, Rafin. Fl. Tellur. iii. 88 (1836) = Leucas,

Burm. (Labiata).

zeylanica, Rafin. l. c. = L. zeylanica.

## LEUCASTER, Choisy, in Mém. Soc. Phys. Genève.

xii. (1849) 167. *NYCTAGINEAE*, Benth. & Hook. f. iii. 10.

caniflorus, Choisy, in DC. Prod. xiii. II. 458.—Bras.

## LEUCE, Opiz, Seznam, 59 (1852) = Populus, Linn.

(Salicin.).

alba, Opiz, l. c. = P. alba.

canescens, Opiz, l. c. = P. alba.

## LEUCEA, Presl, Fl. Sicul. i. p. xxx (1826) = Leuzea,

DC. (Compos.).

## LEUCERIA, Lag. Amen. Nat. i. 32 (1811) (Leucheria).

COMPOSITAE, Benth. & Hook. f. ii. 499.

CASSIOPEA, D. Don, in Trans. Linn. Soc. xvi. (1830) 215.

CHABRAEA, DC. in Ann. Mus. Par. xix. (1812) 65. t. 5.

EIZAGUIRREA, Remy, in C. Gay, Fl. Chil. iii. 401 (1849).

FRAGERIA, Delile, ex Steud. Nom. ed. II. i. 645 (1840).

LASIORRHIZA, Lag. Amen. Nat. i. 32 (1811).

MACLOVIA, DC. ex Steud. Nom. ed. II. i. 338, in syn. (1840).

PTILURUS, D. Don, in Trans. Linn. Soc. xvi. (1830) 218.

abbreviata, Steud. Nom. ed. II. ii. 36.—Chili.

acanthoides, D. Don, in Trans. Linn. Soc. xvi. (1830) 213.—Chili.

achillaeifolia, Hook. & Arn. in Hook. Comp. Bot. Mag. ii. (1836) 43.—Patagon.

amoena, Phil. in Linnaea, xxviii. (1856) 714.—Chili.

andryaloides, DC. in Deless. Ic. Sel. iv. t. 86.—Chili.

Bridgesii, Hook. & Arn. in Hook. Comp. Bot. Mag. i. (1835) 36.—Chili.

candidissima, Gill. & D. Don, in Phil. Mag. (1832) 389.—Chili.

cerberoana, Remy, in C. Gay, Fl. Chil. iii. 386.—Chili.

cinerea, D. Don, in Trans. Linn. Soc. xvi. (1830) 215.—Chili.

coerulescens, Remy, in C. Gay, Fl. Chil. iii. 382.—Chili.

congesta, Gill. ex D. Don, in Phil. Mag. (1832) 389.—Chili.

conyzoides, D. Don, ex Baker, in Mart. Fl. Bras. vi. III. 391 = Trixis ochroleuca.

Cummingii, Hook. & Arn. in Hook. Comp. Bot. Mag. i. (1835) 36.—Chili.

divaricata, D. Don, in Trans. Linn. Soc. xvi. (1830) 214 = paniculata.

echioides, D. Don, in Phil. Mag. (1832) 38 = Trixis brasiliensis.

eriochlaena, Remy, in C. Gay, Fl. Chil. iii. 384.—Chili.

floribunda, DC. in Deless. Ic. Sel. iv. t. 88.—Chili.



**LEUCERIA** :—

- foliosa, *Phil. in Linnaea*, xxviii. (1856) 720.—Chili.  
Garciana, *Remy, in C. Gay, Fl. Chil.* iii. 381.—Chili.  
*Gilliesii*, Hook. & Arn. in Hook. Comp. Bot. Mag. i. (1835) 35 = cinerea.  
glandulosa, *D. Don, in Trans. Linn. Soc.* xvi. (1830) 217.—Chili.  
glandulosa, *Phil. in Anal. Univ. Chil.* (1872) 743.—Chili.  
gossypina, *Hook. & Arn. in Hook. Comp. Bot. Mag.* ii. (1836) 43.—Ins. Falkland.  
hieracioides, *Cass. in Dict. Sc. Nat.* lv. 392.—Chili.  
laciniosa, *Hook. & Arn. in Hook. Comp. Bot. Mag.* i. (1835) 36.—Chili; Boliv.?  
Menana, *Remy, in C. Gay, Fl. Chil.* iii. 387.—Chili.  
Meyeniana, *Walp. in Nov. Act. Nat. Cur.* xix. Suppl. I. (1843) 289.—Chili.  
multiflora, *Phil. in Anal. Univ. Chil.* (1872) 743.—Chili.  
Neaei, *DC. Prod.* vii. 58.—Peruv.; Chili.  
oligocephala, *Remy, in C. Gay, Fl. Chil.* iii. 383.—Chili.  
paniculata, *Poepp. ex Less. Syn. Comp.* 403.—Chili.  
peduncularis, *Remy, in C. Gay, Fl. Chil.* iii. 385.—Chili.  
pulchella, *D. Don, in Trans. Linn. Soc.* xvi. (1830) 216.—Chili.  
purpurea, *Hook. & Arn. in Hook. Comp. Bot. Mag.* ii. (1836) 43.—Reg. Magellan.  
rosea, *Poepp. ex Less. Syn. Comp.* 402 = andryaloides.  
runcinata, *Gill. & D. Don, in Phil. Mag.* (1832) 389.—Chili.  
scrobiculata, *Gill. & Don, l. c.*—Chili.  
senecioides, *Hook. & Arn. Bot. Beech. Voy.* 28.—Chili.  
tenuis, *Less. Syn. Comp.* 401.—Chili.  
thrinoides, *Griseb. in Goett. Abh.* xix. (1874) 197.—Reg. Argent.  
volcanica, *Hook. & Arn. in Hook. Comp. Bot. Mag.* ii. (1836) 42.—Chili.

**LEUCESTERIA**, Meissn. Gen. i. 155 (1838) = **Leycesteria**, Wall. (Caprifol.).

**LEUCHAERIA**, Less. in *Linnaea*, v. (1830) 10 = **Leuceria**, Lag. (Compos.).

**LEUCHTENBERGIA**, [Fisch.] Hook. Bot. Mag. t. 4393 (1848); Salm-Dyck, Cact. (1850) 177. **CACTEAE**, Benth. & Hook. f. i. 848. Principis, [Fisch.] *ll. cc.*—Mexic.

**LEUCOBLEPHARIS**, Arn. in Mag. Zool. & Bot. ii. (1838) 422 = **Blepharispermum**, Wight (Compos.). *subsessilis*, Arn. l. c. = B. *subsessile*.

**LEUCOCARPON**, Endl. Gen. 918, in syn. (1841) = seq.

**LEUCOCARPUM**, A. Rich. Sert. Astrol. 46. t. 18 (1834) = **Denhamia**, Meissn. (Celastr.). *obscurum*, A. Rich. l. c. = D. *obscurum*. *Oleaster*, F. Muell. in Trans. Roy. Soc. N. S. Wales, (1881) 15 = D. *Oleaster*. *pittosporoides*, F. Muell. l. c. = D. *pittosporoides*.

**LEUCOCARPUS**, D. Don, in Sweet, Brit. Flow. Gard. Ser. II. t. 124 (1830). **SCROPHULARINEAE**, Benth. & Hook. f. ii. 943. *alatus*, D. Don, l. c. = Am. trop. *fruticosus*, Benth. in DC. Prod. x. 336 = *Hemichaena fruticosa*. *perfoliatus*, Benth. l. c. 335 = *alatus*.

**LEUCOCASIA**, Schott, in Oestr. Bot. Wochenbl. (1857) 34 = **Colocasia**, Schott (Aroid.). *gigantea*, Schott, l. c. = C. *indica*.

**LEUCOCEPHALA**, Roxb. Hort. Beng. 68 (1814); Fl. Ind. iii. 612 (1832) = **Eriocaulon**, Linn. *graminifolia*, Roxb. ll. cc. 68, 612 = E. *quinquangulare*. *spathacea*, Roxb. ll. cc. 68, 613 = E. *sexangulare*.

**LEUCOCERA**, Turcz. in Bull. Soc. Nat. Mosc. xxi. (1848) 1. 582 = **Calycera**, Cav. *annua*, Turcz. l. c. 583 = C. *lanata* (in Addend.).

**LEUCOCHLAMYS**, Poepp. ex Engl. in DC. Monog. Phan. ii. 230 (1879) = **Spathiphyllum**, Schott (Aroid.). *callacea*, Poepp. ex Engl. l. c. = S. *cannaeforme*.

**LEUCOCHYLE**, Klotzsch, Ind. Sem. Hort. Berol. (1854) App. 1 = **Trichopilia**, Lindl. (Orchid.). *Warszewiczii*, Klotzsch, l. c. = T. *hymenantha*.

**LEUCOCNIDE**, Miq. Pl. Jungh. i. 36 (1851) = **Debregeasia**, Gaudich. (Urtic.). *affinis*, Miq. l. c. 39 = D. *dichotoma*. *alba*, Miq. l. c. 37 = *Leucosyke alba*. *angustata*, Miq. ex Blume, Mus. Bot. Lugd. Bat. ii. 156 = D. *velutina*. *candidissima*, Miq. Pl. Jungh. i. 37 = *Leucosyke javanica*. *dichotoma*, Miq. l. c. 38 = D. *dichotoma*. *sororia*, Miq. l. c. = D. *dichotoma*.

**LEUCOCOCCUS**, Liebm. in Vidensk. Selsk. Skr. V. ii. (1851) 311 = **Pouzolzia**, Gaudich. (Urtic.). *occidentalis*, Liebm. l. c. = P. *occidentalis*. *orientalis*, Liebm. l. c. 312, in nota = P. *orientalis*.

**LEUCOCODON**, Gardn. in Calc. Journ. Nat. Hist. vii. (1847) 4. **RUBIACEAE**, Benth. & Hook. f. ii. 67. *reticulatum*, Gardn. l. c. 5.—Zeylan.

**LEUCOMA**, Ehrh. Beitr. iv. 146 (1789) = **Eriophorum**, Linn. (Cyperac.).

**LEUCOCORYNE**, Lindl. Bot. Reg. t. 1293 (1830). **LILIACEAE**, Benth. & Hook. f. iii. 799. *alliacea*, Lindl. l. c. sub t. 1293.—Chili. *angustipetala*, C. Gay, Fl. Chil. vi. 124.—Chili. *Gayi*, Baker, in Journ. Linn. Soc. xi. (1871) 375 = *Tristagma dimorphopetala*. *ixioides*, Lindl. Bot. Reg. sub t. 1293.—Chili. *macropetala*, Phil. in *Linnaea*, xxix (1857–58) 74.—Chili. *narcissiflora*, Baker, in Journ. Linn. Soc. xi. (1871) 374 = *ixioides*. *narcissoides*, Phil. Fl. Atac. 52 = *ixioides*. *odorata*, Lindl. Bot. Reg. t. 1293 = *ixioides*. *purpurea*, G. Gay, Fl. Chil. vi. 122 = *ixioides*.

**LEUCOCRINUM**, Nutt. ex A. Gray, in Ann. Lyc. N. York, iv. (1837) 110. **LILIACEAE**, Benth. & Hook. f. iii. 793. *LEUCRINIS*, Rafin. Fl. Tellur. iv. 27 (1836). *montanum*, Nutt. ex A. Gray, l. c. 110.—Calif.

**LEUCOCROTON**, Griseb. in Goett. Abh. ix. (1861) 20. **EUPHORBIACEAE**, Benth. & Hook. f. iii. 312. *flavescens*, Benth. & Hook. f. Gen. iii. 312 = seq. *flavicans*, Muell. Arg. in DC. Prod. xv. ii. 757 = Wrightii, revolutus. *revolutus*, Wright, in Sauv. Fl. Cub. 129.—Cuba. *virens*, Griseb. in Goett. Nachr. (1865) 175.—Cuba. *Wrightii*, Griseb. in Goett. Abh. ix. (1861) 21.—Cuba.

**LEUCOCYCLUS**, Boiss. Diagn. Ser. I. xi. 13 (1849) = **Anacyclus**, Linn. (Compos.). *formosus*, Boiss. l. c. 14 = A. *formosus*.

**LEUCODERMIS**, Planch. ex Benth. & Hook. f. Gen. i. 357 (1862) = **Ilex**, Tourn. *javanica*, Planch. ex Hook. f. Fl. Brit. Ind. i. 605 = I. *cymosa*.

**LEUCODESMIS**, Rafin. Fl. Tellur. iv. 19 (1836) = **Haemanthus**, Tourn. (Amaryll.). *pubescens*, Rafin. l. c. = H. *albiflos*.

**LEUCODICTYON**, Dalz. in Hook. Kew Journ. ii. (1850) 264 = **Galactia**, P. Br. (Legumin.). *malvensis*, Walp. Ann. ii. 431 = G. *tenuiflora*.

**LEUCODONIUM**, Opiz, Seznam, 59 (1852) = **Cerastium**, Dill. (Caryophyll.). *arvense*, Opiz, l. c. = C. *arvense*.

**LEUCOGLOCHIN**, Heuff. in Flora, xxvii. (1844) 523 = **Carex**, Linn. (Cyperac.). *pauciflora*, Heuff. l. c. = C. *pauciflora*.

**LEUCOHYLE**, Reichb. in Walp. Ann. vi. 679 (1861) sphalm. = **LEUCOCHYLE**, Klotzsch = **Trichopilia**, Lindl. (Orchid.).

**LEUCOIUM**, Linn. Gen. ed. I. 102 (1737) = **Leucojum**, Linn. (Amaryll.).

**LEUCOIUM**, Tourn. ex Adans. Fam. ii. 418 (1763) = **Matthiola**, R. Br. (Crucif.). *incanum*, Moench, Meth. 257 = M. *incana*. *monomotapense*, Herb. Burm. ex Sond. in Abh. Geb. Naturw. Hamb. i. (1846) 258 = *Heliophila callosa*.

**LEUCOJUM**, Linn. Syst. ed. I (1735). **AMARYLLIDAE**, Benth. & Hook. f. iii. 720. *ACIS*, Salisb. Parad. Lond. sub t. 74 (1807). *ERINOSMA*, Herb. Amaryll. 330 (1837). *NIVARIA*, Medic. in Act. Acad. Theod. Palat. vi. Phys. (1790) 421.

*RUMINIA*, Parl. 'Due Nuov. Gen. Monocot. 3;' ex ej. Fl. Ital. iii. 84 (1858). *aestivum*, Linn. Syst. ed. X. 975.—Europ.; Oriens. *auctumnale*, J. F. Gmel. Syst. 534 = *auctumnale*. *auctumnale*, Balb. Misc. Alt. 14 = *hyemale*. *auctumnale*, Gouan, Hort. Monsp. 163 = *aestivum*. *auctumnale*, Linn. Sp. Pl. 289.—Reg. Mediterr. *capitulatum*, Lour. Fl. Cochinch. 199.—Cochinch. *carpathicum*, Steud. Nom. ed. II. ii. 37; Salisb. Gen. Pl. Fragm. 96.—Hungar. *grandiflorum*, [DC. in] Red. Lil. t. 217 = *trichophyllum*.

*Hernandezianum*, Schult. f. Syst. vii. 784 = seq. *Hernandezii*, Cambess. in Mém. Mus. Par. xiv. (1827) 315 = *pulchellum*. *hyemale*, DC. Fl. Fr. Suppl. 326 (*hiemale*).—Europ. austr. *longifolium*, J. Gay, ex Salis, in Flora, xvi. (1833) 491; Gren. & Godr. Fl. Fr. iii. 252.—Ins. Corsic. *nicæense*, Ardoine, Fl. Alpes-Marit. 371 = *hyemale*. *pulchellum*, Salisb. Parad. Lond. t. 74.—Ins. Balear. *roseum*, Mart. Bibl. Phys. Econ. (1804) 344; Loisel. Fl. Gall. ed. I. 190.—Ins. Corsica. *strumosum*, Ait. Hort. Kew. ed. I. i. 407 = *Hesaea filifolia*. *tingitanum*, Baker, in Journ. Linn. Soc. xvi. (1878) 678.—Marocco. *trichophyllum*, Reichb. Ic. Pl. Crit. 703 = *longifolium*. *trichophyllum*, Schousb. Vestr. Marokko, 154.—Reg. Medit. occ. *vernale*, Salisb. Prod. 219 = *vernum*. *vernum*, Gueldenst. Reise, i. 149 = *aestivum*. *vernum*, Linn. Sp. Pl. 289.—Europ.

**LEUCOLAENA**, R. Br. App. Flind. Voy. 557 (1814) = **Xanthosia**, Rudge (Umbellif.). *candida*, Benth. in Enum. Pl. Hueg. 55 = X. *candida*. *Huegelii*, Benth. l. c. = X. *Huegelii*. *montana*, Benth. l. c. in nota = X. *pilosa*. *pannosa*, Benth. l. c. in nota = X. *pilosa*. *peltigera*, Hook. Ic. Pl. t. 45 = X. *peltigera*. *pilosa*, Benth. Fl. Austral. iii. 361 in syn. = X. *pilosa*. *rotundifolia*, Benth. in Enum. Pl. Hueg. 55 = X. *rotundifolia*. *tridentata*, R. Br. ex DC. Prod. iv. 75 = X. *tridentata*.

**LEUCOLINUM**, Fourr. in Ann. Soc. Linn. Lyon, N. S. xvi. (1868) 349 = **Linum**, Tourn. *suffruticosum*, Fourr. l. c. = *Linum suffruticosum*. *tenuifolium*, Fourr. l. c. = *Linum tenuifolium*.

**LEUCOMALLA**, Phil. Sert. Mendoc. Alt. 31 (1871) = **Evolvulus**, Linn. (Convolv.). *lanuginosa*, Phil. l. c. = E. *incanus*.

**LEUCOMERIS**, D. Don, Prod. Fl. Nep. 169 (1825) **COMPOSITAE**, Benth. & Hook. f. ii. 490. *celebica*, Blume, ex DC. Prod. v. 21 = *Vernonia arborea*. *decora*, Kurz, in Journ. As. Soc. Beng. xli. (1872) 11. 317.—Burma. *glabra*, Blume, ex DC. Prod. v. 22 = *Vernonia arborea*. *javanica*, Blume, ex DC. l. c. = *Vernonia arborea*. *macrophylla*, DC. l. c. 25 = *spectabilis*. *scandens*, Sch. Bip. in Zoll. Syst. Verz. Ind. Archij. 126 = *Pertya scandens*. *spectabilis*, D. Don, Prod. Fl. Nep. 170.—Nepal.

**LEUCOMPHALOS**, Benth. in Hook. Ic. Pl. t. 784 (1848). **LEGUMINOSAE**, Benth. & Hook. l. i. 553. *capparideus*, Benth. in Hook. Ic. Pl. t. 784.—At. trop.



**LEUCOMPHALUS**, Benth. in Hook. Niger Fl. 322 (1849) = *praeac*.

**LEUCONOE**, Fourr. in Ann. Soc. Linn. Lyon, N. S. xvi. (1868) 323 = *Ranunculus*, Linn.  
*alpestris*, Fourr. l. c. = *R. alpestris*.  
*crenatus*, Fourr. l. c. = *R. crenatus*.  
*magellensis*, Fourr. l. c. = *R. alpestris*?  
*Trauffelneri*, Fourr. l. c. = *R. alpestris*.

**LEUCONOTIS**, Jack, in Trans. Linn. Soc. xiv. (1823) 121. t. 4. *APOCYNACEAE*, Benth. & Hook. f. ii. 691.  
*anceps*, Jack, in Trans. Linn. Soc. xiv. (1823) 121. t. 4. —Sumatra.  
*cuspidatus*, Blume, Mus. Bot. Lugd. Bat. i. 112 = *eugenifolius*.  
*engenifolius*, A. DC. in DC. Prod. viii. 331. —Ins. Penang.  
*Griffithii*, Hook. f. Fl. Brit. Ind. iii. 628. —Malacca.  
*Maingayi*, Dyer, ex Hook. f. l. c. —Singapore.

**EUCOPHAE**, Webb & Berth. Phyt. Canar. iii. 99 (1836-50) = *Sideritis*, Linn. (Labiata).  
*argosphacelus*, Webb & Berth. l. c. 101 = *S. argosphacelus*.  
*canariensis*, Webb & Berth. l. c. 103 = *S. canariensis*.  
*candicans*, Webb & Berth. l. c. 100 = *S. candicans*.  
*dasygnaphala*, Webb & Berth. l. c. 101 = *S. dasygnaphala*.  
*macrostachys*, Webb & Berth. l. c. 102 = *S. macrostachys*.  
*Massoniana*, Webb & Berth. l. c. = *S. Massoniana*.

**LEUCOPHORA**, Ehrh. Beitr. iv. 148 (1789) = *Luzula*, DC. (Juncac.).

**LEUCOPHOLIS**, Gardn. in Hook. Lond. Journ. Bot. ii. (1843) 10. *COMPOSITAE*, Benth. & Hook. f. ii. 312.  
*latifolia*, Benth. in Hook. Ic. Pl. t. 1115. —Bras.  
*phylloides*, Gardn. in Hook. Lond. Journ. Bot. ii. (1843) 10. —Bras.

**LEUCOPHYLLUM**, Humb. & Bonpl. Pl. Aequin. ii. 95. t. 109 (1809). *SCROPHULARINEAE*, Benth. & Hook. f. ii. 927.  
*ambiguum*, Humb. & Bonpl. l. c. —Mexic.  
*campanulatum*, Miers, in Ann. & Mag. Nat. Hist. Ser. II. v. (1850) 254 = *ambiguum*.  
*minus*, A. Gray, Bot. Mex. Bound. 115. —N. Mexic.  
*texanum*, Benth. in DC. Prod. x. 344. —Texas.

**LEUCOPHYTA**, R. Br. in Trans. Linn. Soc. xii. (1817) 106 = *Calocephalus*, R. Br. (Compos.).  
*Brownii*, Cass. in Dict. Sc. Nat. xxvi. 159 = *C. Brownii*.

**LEUCOPLOCUS**, Endl. Ench. 67 (1841) sphalm. = *seq.*

**LEUCOPLOEUS**, Nees, in Lindl. Introduct. Nat. Syst. ed. II. 450 (1836) = *Hypodiscus*, Nees (Restiac.).  
*argenteus*, Nees, l. c. = *H. argenteus*.  
*striatus*, Nees, ex Mast. in Journ. Linn. Soc. x. (1868) 261 = *H. Neesii*.

**LEUCOPOA**, Griseb. in Ledeb. Fl. Ross. iv. 383 (1853) = *Festuca*, Tourn. (Gramin.).  
*sibirica*, Griseb. l. c. = *F. sibirica*.

**LEUCOPODON**, Benth. & Hook. f. Gen. ii. 303 (1873) = *seq.*

**LEUCOPODUM**, Gardn. in Hook. Lond. Journ. Bot. iv. (1845) 124 = *Chevreulia*, Cass. (Compos.).  
*campestre*, Gardn. l. c. 125 = *C. acuminata*.

**LEUCOPOGON**, R. Br. Prod. 541 (1810). *EPA-CRIDEAE*, Benth. & Hook. f. ii. 614.  
*ANACYCLODON*, Jungh. in Nat. en Geneesk. Arch. Neêrl. Indie, ii. (1845) 49.  
*PENTAPLELION*, Turcz. in Bull. Nat. Mosc. Soc. (1833) ii. 194.  
*PEROA*, Pers. Syn. i. 174 (1805).  
*PEROJA*, Cav. Ic. iv. 29. t. 349 (1797), nomen prius.  
*PHANERANDRA*, Stschegl. in Bull. Soc. Nat. Mosc. (1859) i. 20.

### LEUCOPOGON:—

*abnormis*, Sond. in Lehm. Pl. Preiss. i. 325. —Ins. Wagiau.  
*acicularis*, Benth. Fl. Austral. iv. 199. —Austral.  
*acuminatus*, Brongn. Voy. Coq. Bot. t. 53 = *abnormis*.  
*acuminatus*, R. Br. Prod. 545. —Austral.  
*acutifolius*, Stschegl. in Bull. Soc. Nat. Mosc. xxxii. (1859) i. 18 = *unilateralis*.  
*adpressus*, Sieber, ex DC. Prod. vii. 747 = *muticus*.  
*affinis*, R. Br. Prod. 541 = *lanceolatus*.  
*albicans*, Brongn. & Gris, in Bull. Soc. Bot. Fr. xi. (1864) 67. —N. Caled.  
*Allittii*, F. Muell. Fragm. iv. 103. —Austral.  
*alternifolius*, R. Br. Prod. 543. —Austral.  
*amplexicaulis*, R. Br. l. c. —Austral.  
*angustatus*, Benth. in Enum. Pl. Hueg. 77 = *revolutus*.  
*apiculatus*, R. Br. Prod. 542. —Austral.  
*apiculatus*, Sond. in Linnaea, xxvi. (1853-55) 248 = *concurvus*.  
*appressus*, R. Br. Prod. 546. —Austral.  
*appressus*, DC. Prod. vii. 754 = *esquamatus*.  
*appressus*, Sieber, ex Benth. Fl. Austral. iv. 209 = *muticus*.  
*assimilis*, Benth. in Enum. Pl. Hueg. 77 = *polymorphus*.  
*assimilis*, R. Br. Prod. 545. —Austral.  
*astrolomioides*, F. Muell. ex Sond. in Linnaea, xxvi. (1853) 249 = *rufus*.  
*atherolepis*, Stschegl. in Bull. Soc. Nat. Mosc. xxxii. (1859) i. 13. —Austral.  
*attenuatus*, A. Cunn. in Field, N. S. Wales, 341. —Austral.  
*australis*, R. Br. Prod. 541. —Austral.  
*australis*, Sieber, ex DC. Prod. vii. 744 = *lanceolatus*.  
*Bellignianus*, Raoul, in Ann. Sc. Nat. Sér. II. ii. (1844) 118 = *Fraseri*.  
*biflorus*, R. Br. Prod. 545. —Austral.  
*Billardieri*, Montr. in Mém. Acad. Lyon, x. (1860) 226. —N. Caled.  
*blepharodes*, DC. Prod. vii. 753 = *Astroloma pallidum*.  
*blepharolepis*, F. Muell. Fragm. vi. 48. —Austral.  
*Bossiaea*, F. Muell. l. c. 47. —Austral.  
*brachycephalus*, DC. Prod. vii. 746 = *cucullatus*.  
*bracteolaris*, Benth. Fl. Austral. iv. 197. —Austral.  
*brevibarbis*, Stschegl. in Bull. Soc. Nat. Mosc. xxxii. (1859) i. 14. —N. Zel.  
*brevicuspis*, Benth. Fl. Austral. iv. 210. —Austral.  
*breviflorus*, F. Muell. Fragm. iv. 102. —Austral.  
*brevifolius*, Stschegl. in Bull. Soc. Nat. Mosc. xxxii. (1859) i. 17 = *obtusatus*.  
*capitellatus*, DC. Prod. vii. 747. —Austral.  
*carinatus*, R. Br. Prod. 545. —Austral.  
*carinatus*, DC. Prod. vii. 750 = *assimilis*.  
*ciliatus*, A. Cunn. ex DC. Prod. vii. 746 = *collinus*.  
*coelophyllus*, A. Cunn. l. c. 753 = *Coleanthera coelophylla*.  
*Colensoi*, Hook. f. Fl. N. Zel. i. 165 = *Cyathodes Colensoi*.  
*collinus*, R. Br. Prod. 543. —Austral.  
*compactus*, Stschegl. in Bull. Soc. Nat. Mosc. xxxii. (1859) i. 13. —Austral.  
*concinus*, Benth. Fl. Austral. iv. 212. —Austral.  
*concurvus*, F. Muell. Fragm. iii. 144. —Austral.  
*confertus*, Benth. Fl. Austral. iv. 208. —Austral.  
*conostephioides*, DC. Prod. vii. 753. —Austral.  
*cordatus*, Sond. in Lehm. Pl. Preiss. i. 313. —Austral.  
*cordifolius*, Lindl. in Mitch. Three Exped. ii. 122. —Austral.  
*corifolius*, Endl. Nov. Stirp. Dec. 15. —Austral.  
*corynocarpus*, Sond. in Lehm. Pl. Preiss. i. 322. —Austral.  
*crassiflorus*, F. Muell. Fragm. vi. 40. —Austral.  
*crassifolius*, Sond. in Lehm. Pl. Preiss. i. 316. —Austral.  
*cryptanthus*, Benth. Fl. Austral. iv. 199. —Austral.  
*cucullatus*, R. Br. Prod. 545. —Austral.  
*cucullatus*, A. Cunn. ex DC. Prod. vii. 752 = *tamariscinus*.  
*cuneifolius*, Stschegl. in Bull. Soc. Nat. Mosc. xxxii. (1859) i. 18. —Austral.  
*Cunninghami*, R. Br. ex DC. Prod. vii. 745 = *lanceolatus*.  
*cuspidatus*, R. Br. Prod. 545. —Austral.  
*cuspidatus*, Lindl. in Mitch. Journ. Trop. Austral. 225 = *Mitchellii*.  
*cymbiformis*, A. Cunn. ex DC. Prod. vii. 750. —Austral.  
*Cymbulae*, Labill. Sert. Austro-Caled. 36. t. 39. —N. Caled.  
*dammarifolius*, Brongn. & Gris, in Bull. Soc. Bot. Fr. xi. (1864) 67. —N. Caled.

### LEUCOPOGON:—

*dasystylis*, Sond. in Lehm. Pl. Preiss. i. 325 = *imbri-catus*.  
*decussatus*, Stschegl. in Bull. Soc. Nat. Mosc. xxxii. (1859) i. 11 = *elator*.  
*deformis*, R. Br. Prod. 546. —Austral.  
*denudatus*, Sieber, ex Spreng. Syst. iv. Cur. Post. 67 = *microphyllus*.  
*distans*, R. Br. Prod. 544. —Austral.  
*Drummondii*, DC. Prod. vii. 745 = *australis*.  
*durus*, Benth. Fl. Austral. iv. 222. —Austral.  
*elator*, Sond. in Lehm. Pl. Preiss. i. 314. —Austral.  
*elegans*, Sond. l. c. 318. —Austral.  
*Epacridis*, DC. Prod. vii. 754 = *Astroloma divaricatum*.  
*ericoides*, R. Br. Prod. 543. —Austral.  
*esquamatus*, R. Br. l. c. 546. —Austral.  
*exarthenus*, F. Muell. Fragm. i. 178 = *Styphelia pusilliflora*.  
*exolacius*, F. Muell. l. c. vi. 34. —Austral.  
*exsertus*, F. Muell. l. c. iii. 143 = *Styphelia Leucopogon*.  
*fasciculatus*, A. Rich. Bot. Voy. Astrolab. 215. —N. Zel.  
*fastigiatus*, Sieber, ex Spreng. Syst. iv. Cur. Post. 67 = *squamatus*.  
*fimbriatus*, Stschegl. in Bull. Soc. Nat. Mosc. xxxii. (1859) i. 17. —Austral.  
*flavescens*, Sond. in Lehm. Pl. Preiss. i. 322. —Austral.  
*flexifolius*, R. Br. Prod. 546. —Austral.  
*florulentus*, Benth. Fl. Austral. iv. 194. —Austral.  
*Forsteri*, A. Rich. Bot. Voy. Astrolab. 216 = *Cyathodes acerosa*.  
*Fraseri*, A. Cunn. ex DC. Prod. vii. 753 = *multiflorus*.  
*Fraseri*, A. Cunn. in Ann. Nat. Hist. Ser. I. ii. (1839) 47. —Austral.  
*fraternus*, DC. Prod. vii. 749 = *microphyllus*.  
*gibbosus*, Stschegl. in Bull. Soc. Nat. Mosc. xxxii. (1859) i. 12. —Austral.  
*Gilbertii*, Stschegl. l. c. 15. —Austral.  
*glabellus*, R. Br. Prod. 544. —Austral.  
*glacialis*, Lindl. in Mitch. Three Exped. ii. 175. —Austral.  
*glaucescens*, DC. Prod. vii. 745 = *verticillatus*.  
*gnaphalioides*, Stschegl. in Bull. Soc. Nat. Mosc. xxxii. (1859) i. 14. —Austral.  
*Gnidium*, Gunn, ex Hook. Comp. Bot. Mag. ii. (1836) 41 = *Richei*?  
*gracilis*, R. Br. Prod. 544. —Austral.  
*gracillimus*, DC. Prod. vii. 747. —Austral.  
*grandiusculus*, F. Muell. Fragm. vi. 47 = *atherolepis*.  
*hirsutus*, Sond. in Lehm. Pl. Preiss. i. 310. —Austral.  
*hirtellus*, F. Muell. ex Benth. Fl. Austral. iv. 218. —Austral.  
*Hookeri*, Sond. in Linnaea, xxvi. (1853) 248. —Austral.  
*Huegelii*, Planch. Hort. Donat. 46. —Austral.  
*imbricatus*, R. Br. Prod. 545. —Austral.  
*insularis*, A. Cunn. ex DC. Prod. vii. 754. —Austral.  
*interruptus*, R. Br. Prod. 541. —Austral.  
*javanicus*, De Vriese, in Mig. Pl. Fungh. 84. —Java.  
*juniperinus*, R. Br. Prod. 546. —Austral.  
*lanceolatus*, R. Br. l. c. 541. —Austral.  
*lanceolatus*, Sieber, ex DC. Prod. vii. 745 = *Richei*.  
*lancifolius*, Hook. f. in Hook. Ic. Pl. t. 898. —Borneo.  
*lanigerus*, A. Cunn. ex DC. Prod. vii. 749 = *glabellus*.  
*lasiophyllus*, Stschegl. in Bull. Soc. Nat. Mosc. xxxii. (1859) i. 16. —Austral.  
*lasiostachys*, Stschegl. l. c. 11. —Austral.  
*leptanthus*, Benth. Fl. Austral. iv. 225. —Austral.  
*leptospermoides*, R. Br. Prod. 546. —Austral.  
*linifolius*, A. Cunn. ex DC. Prod. vii. 747 = *melaleucoides*.  
*lissanthoides*, F. Muell. Fragm. iv. 101 = *cuneifolius*.  
*longistylis*, Brongn. & Gris, in Bull. Soc. Bot. Fr. xi. (1864) 67. —N. Caled.  
*Maccraei*, F. Muell. in Trans. Phil. Soc. Vict. i. (1855) 106. —Austral.  
*malayanus*, Jack, in Malay. Misc. i. (1820) n. v. 20. —Malaya.  
*margarodes*, R. Br. Prod. 542. —Austral.  
*megacarpus*, F. Muell. Fragm. iv. 102 = *planifolius*.  
*melaleucoides*, A. Cunn. ex DC. Prod. vii. 750. —Austral.  
*microphyllus*, R. Br. Prod. 544. —Austral.  
*Mitchellii*, Benth. Fl. Austral. iv. 220. —Austral.  
*moluccanus*, Scheff. in Tijdschr. Nederl. Ind. xxxii. (1871) 419. —Malaya.  
*mucronatus*, DC. Prod. vii. 751 = *attenuatus*.  
*multiflorus*, R. Br. Prod. 542. —Austral.



**LEUCOPOGON:—**

- muticus, *R. Br. Prod.* 543.—Austral.  
 neo-anglicus, *F. Muell. ex Benth. Fl. Austral.* iv. 223.—Austral.  
*nervosus*, *R. Br. Prod.* 544 = striatus.  
*nesophilus*, *DC. Prod.* vii. 752 = Fraseri.  
*neurophyllus*, *F. Muell. Fragm.* i. 37 = lanceolatus.  
*oblongifolius*, *Sond. in Lehm. Pl. Preiss.* i. 323 = insularis.  
*obovatus*, *R. Br. Prod.* 542 = revolutus.  
*obovatus*, *Fawc. in Forbes, Nat. Wand. East. Archip.* 509.—Ins. Timor.  
*obovatus*, *Hort. Par. ex DC. Prod.* vii. 747 = ericoides.  
*obtusatus*, *Benth. Fl. Austral.* iv. 223.—Austral.  
*obtusatus*, *Hook. f. in Hook. Lond. Journ. Bot.* vi. (1847) 269 = Hookeri.  
*obtusatus*, *Sond. in Lehm. Pl. Preiss.* i. 313.—Austral.  
*Oldfieldii*, *Benth. Fl. Austral.* iv. 203.—Austral.  
*opponens*, *F. Muell. Fragm.* vi. 48.—Austral.  
*oppositifolius*, *Sond. in Lehm. Pl. Preiss.* i. 316.—Austral.  
*ovalifolius*, *Sond. l. c.* 324.—Austral.  
*ovatus*, *Sond. l. c.* 319 = carinatus.  
*Oxycedrus*, *Sond. l. c.* 321.—Austral.  
*ozothamnoides*, *F. Muell. ex Benth. Fl. Austral.* iv. 205.—Austral.  
*Pancheri*, *Brongn. & Gris, in Bull. Soc. Bot. Fr.* xi. (1864) 67.—N. Caled.  
*paniculatus*, *Sond. in Lehm. Pl. Preiss.* i. 306 = australis.  
*parviflorus*, *Lindl. Bot. Reg. t.* 1560 = Richei.  
*parvifolius*, *DC. Prod.* vii. 752 = tamariscinus.  
*parvifolius*, *Sond. in Lehm. Pl. Preiss.* i. 319 = sprengelioides.  
*pauciflorus*, *R. Br. Prod.* 546 = leptospermoides.  
*pendulus*, *Benth. in Enum. Pl. Hueg.* 77 = secundiflorus.  
*pendulus*, *R. Br. Prod.* 545.—Austral.  
*penicillatus*, *Stschegl. in Bull. Soc. Nat. Mosc.* xxxii. (1859) i. 12 = distans.  
*petiolaris*, *DC. Prod.* vii. 753 = Cyathodes ascendens.  
*phyllostachys*, *Benth. Fl. Austral.* iv. 193.—Austral.  
*pilibundus*, *A. Cunn. ex DC. Prod.* vii. 746 = microphyllus.  
*pimeleoides*, *A. Cunn. ex DC. l. c.* 744 = lanceolatus.  
*planifolius*, *Sond. in Lehm. Pl. Preiss.* i. 322.—Austral.  
*pleiospermus*, *F. Muell. Fragm.* vi. 41.—Austral.  
*pleurandroides*, *F. Muell. l. c.* iii. 143.—Austral.  
*plumuliflorus*, *F. Muell. l. c.* vi. 29.—Austral.  
*pluriloculatus*, *F. Muell. l. c.* i. 37.—Austral.  
*pogonocalyx*, *F. Muell. ex Benth. Fl. Austral.* iv. 222.—Austral.  
*polymorphus*, *Sond. in Lehm. Pl. Preiss.* i. 309.—Austral.  
*polystachyus*, *R. Br. Prod.* 542.—Austral.  
*polystachyus*, *Lodd. Bot. Cab. t.* 1436 = Richei.  
*propinquus*, *R. Br. Prod.* 543.—Austral.  
*psilopus*, *Stschegl. in Bull. Soc. Nat. Mosc.* xxxii. (1859) i. 19 = pendulus.  
*pulchellus*, *Sond. in Lehm. Pl. Preiss.* i. 310.—Austral.  
*pungens*, *Sond. l. c.* 324 = propinquus.  
*racemulosus*, *DC. Prod.* vii. 747.—Austral.  
*ramulosus*, *A. Cunn. ex DC. l. c.* 753 = attenuatus.  
*reclinatus*, *A. Cunn. l. c.* 752 = attenuatus.  
*recurvatus*, *A. Cunn. l. c.* 754 = attenuatus.  
*reflexus*, *R. Br. Prod.* 544.—Austral.  
*revolutus*, *R. Br. l. c.* 542.—Austral.  
*Richei*, *R. Br. l. c.* 541.—Austral.  
*rigidus*, *A. Cunn. ex DC. Prod.* vii. 753 = conostephioides.  
*rotundifolius*, *R. Br. Prod.* 546.—Austral.  
*rotundifolius*, *Sond. in Lehm. Preiss.* i. 323 = cordifolius.  
*rubicundus*, *F. Muell. ex Benth. Fl. Austral.* iv. 207.—Austral.  
*rubicundus*, *F. Muell. Fragm.* iv. 102 = L. *Oxycedrus*.  
*rubricaulis*, *R. Br. Prod.* 542 = revolutus.  
*rudis*, *F. Muell. Fragm.* iv. 106 = assimilis.  
*rufus*, *Lindl. in Mitch. Three Exped.* ii. 179.—Austral.  
*rusticis*, *Sond. in Lehm. Pl. Preiss.* i. 315 = striatus.  
*ruscifolius*, *R. Br. Prod.* 545.—Austral.  
*salicifolius*, *Brongn. & Gris, in Bull. Soc. Bot. Fr.* xi. (1864) 68.—N. Caled.  
*scariosus*, *Panch. ex Brongn. & Gris, l. c.* 6 = albicans.  
*secundiflorus*, *Sond. in Lehm. Pl. Preiss.* i. 320 = pendulus.  
**VOL. II.**

**LEUCOPOGON:—**

- semioppositus*, *F. Muell. Fragm.* vi. 49 = elatior.  
*setiger*, *R. Br. Prod.* 545.—Austral.  
*Shuttleworthii*, *Sond. in Lehm. Pl. Preiss.* i. 307 = apiculatus.  
*Sieberi*, *DC. Prod.* vii. 751 = juniperinus.  
*similis*, *Sond. in Lehm. Pl. Preiss.* i. 321 = biflorus.  
*sparsus*, *A. Cunn. ex DC. Prod.* vii. 751 = biflorus.  
*sprengelioides*, *Sond. in Lehm. Pl. Preiss.* i. 319.—Austral.  
*squamatus*, *Steud. Nom. ed. II. ii.* 38 = esquamatus.  
*squarrosus*, *Benth. in Enum. Pl. Hueg.* 77.—Austral.  
*striatus*, *R. Br. Prod.* 544.—Austral.  
*strictus*, *Benth. Fl. Austral.* iv. 219.—Austral.  
*strongylophyllus*, *F. Muell. Fragm.* iv. 101.—Austral.  
*Stuartii*, *F. Muell. ex Sond. in Linnaea*, xxvi. (1853–55) 249 = Fraseri.  
*suaveolens*, *Hook. f. in Hook. Ic. Pl.* sub t. 898.—Borneo.  
*subulatus*, *F. Muell. Fragm.* iv. 103 = insularis.  
*tamariscinus*, *R. Br. Prod.* 544.—Austral.  
*tectus*, *Sond. in Lehm. Pl. Preiss.* i. 318 = carinatus.  
*tenuis*, *DC. Prod.* vii. 744.—Austral.  
*tetragonus*, *Sond. in Lehm. Pl. Preiss.* i. 317.—Austral.  
*thymifolius*, *Lindl. ex Benth. Fl. Austral.* iv. 189.—Austral.  
*trichocarpus*, *R. Br. Prod.* 543 = ericoides.  
*triquetus*, *Stschegl. in Bull. Soc. Nat. Mosc.* xxxii. (1859) i. 15 = pulchellus.  
*unilateralis*, *Stschegl. l. c.* 19.—Austral.  
*vaccinioides*, *Sond. in Lehm. Pl. Preiss.* i. 325 = Pentachondra pumila.  
*vaginans*, *Sond. l. c.* i. 315 = tamariscinus.  
*variifolius*, *Sond. l. c.* 314 = glabellus.  
*verticillatus*, *R. Br. Prod.* 541.—Austral.  
*Viellardi*, *Brongn. & Gris, in Bull. Soc. Bot. Fr.* xi. (1864) 67.—N. Caled.  
*Viellardi*, *Panch. ex Brongn. & Gris, l. c.* 66 = L. *Cymbulae*.  
*villosus*, *R. Br. Prod.* 542 = revolutus.  
*villosus*, *Lindl. ex Benth. Fl. Austral.* iv. 190 = thymifolius.  
*virgatus*, *R. Br. Prod.* 543.—Austral.  
*vitellinus*, *Sond. in Lehm. Pl. Preiss.* i. 309 = assimilis.  
*Woodsii*, *F. Muell. Fragm.* i. 178.—Austral.
- LEUCOPSIDIUM**, *DC. Prod.* vi. 43 (1837) = **Aphanostephus**, *DC. (Compos.)*.  
*arkansanum*, *DC. l. c.* = A. *arkansanus*.  
*humile*, *Benth. Pl. Hartw.* 18 = A. *humilis*.  
*texanum*, *Hort. ex Vilm. Fl. Pl. Terre*, ed. I. 437 = A. *arkansanus*.
- LEUCOPSIS**, *Baker, in Mart. Fl. Bras.* vi. III. 5 (1882). **COMPOSITAE**.  
*calendulacea*, *Baker, l. c.* 9.—Bras.; Reg. Argent.  
*calvata*, *Baker, l. c.* 8.—Bras.  
*diffusa*, *Baker, l. c.*—Bras.; Reg. Argent.  
*gnaphalioides*, *Baker, l. c.*—Bras.  
*Harveyi*, *Baker, l. c.* 7, in obs.—Paraguay.  
*macrocephala*, *Baker, l. c.*—Paraguay.  
*podocomaoides*, *Baker, l. c.* 6.—Bras.  
*scaposa*, *Baker, l. c.*—Bras.  
*sericea*, *Baker, l. c.* 7.—Am. austr.  
*Tweediei*, *Baker, l. c.* 9.—Bras.
- LEUCOPSORA**, *Rafin. Fl. Tellur.* iv. 95 (1836) = **Cephalaria**, *Schrad. (Dipsac.)*.  
*leucantha*, *Rafin. l. c.* = C. *leucantha*.
- LEUCORAPHIS**, *T. Anders. in Journ. Linn. Soc.* vii. (1864) 21 = **LEUCORHAPHIS**, *Nees = Brillantaisia*, *Beauv. (Acanthac.)*.
- LEUCORCHIS**, *Blume, Mus. Bot. Lugd. Bat.* i. 31 (1849) = **Didymoplexis**, *Griff. (Orchid.)*.  
*minuta*, *Blume, Orch. Ind. Arch.* 147 = D. *pallens*.  
*sylvatica*, *Blume, Mus. Bot. Lugd. Bat.* i. 31 = D. *pallens*.
- LEUCORCHIS**, *E. Mey. Preuss. Pflanzeng.* 50 (1839) **Habenaria**, *Willd. (Orchid.)*.  
*albida*, *E. Mey. ex Schur, Sert.* 72. n. 2703; ex ej. *Enum. Pl. Transs.* 645 = H. *albida*.  
*Friwaldskiana*, *Fuss, Fl. Transs.* 625 (= *Gymnadenia Friwaldskiana*).—Transsylyv.  
*lucida*, *Fuss, l. c.* = H. *albida*!

**LEUCORHAPHIS**, *Nees, in DC. Prod.* xi. 97 (1847) = **Brillantaisia**, *Beauv. (Acanthac.)*.  
*Lamium*, *Nees, l. c.* = B. *owariensis*.  
*Vogeliana*, *Nees, l. c.* = B. *Vogeliana*.

**LEUCORRHAPHIS**, *Walp. Ann.* iii. 213 (1852), *sphalm.* = *præc.*

**LEUCOSCEPTRUM**, *Sm. Exot. Bot.* ii. 113. t. 116 (1806). **LABIATAE** [*Benth. & Hook. f. ii.* 1221].  
*canum*, *Sm. l. c.*—Reg. Himal.

**LEUCOSEDUM**, *Fourr. in Ann. Soc. Linn. Lyon, N. S.* xvi. (1868) 384 = **Sedum**, *Tourn. (Crassul.)*.  
*album*, *Fourr. l. c.* = S. *album*.  
*dasyphyllum*, *Fourr. l. c.* = S. *dasyphyllum*.  
*hirsutum*, *Fourr. l. c.* = S. *hirsutum*.

**LEUCOSERIS**, *Fourr. in Ann. Soc. Linn. Lyon, N. S.* xvi. (1868) 404 = **Senecio**, *Tourn. (Compos.)*.  
*maritimus*, *Fourr. l. c.* = S. *Cineraria*.

**LEUCOSERIS**, *Nutt. in Trans. Am. Phil. Soc. N. S.* vii (1841) 439 = **Malacothrix**, *DC. (Compos.)*.  
*californica*, *Nutt. l. c.* 440 = M. *saxatilis*.  
*saxatilis*, *Nutt. l. c.* = M. *saxatilis*.  
*tenuifolia*, *Nutt. l. c.* = M. *saxatilis*.

**LEUCOSIA**, *Thou. Gen. Nov. Madag.* 23 (1806).  
**Chaillietia**, *DC.*  
*Thouarsiana*, *Roem. & Schult. Syst.* v. 324 = C. *Leucosia*.

**LEUCOSIDEA**, *Eckl. & Zeyh. Enum.* 265 (1836).  
**ROSACEAE**, *Benth. & Hook. f. i.* 622.  
*NESTLERA*, *E. Mey. ex Walp. Ann.* iii. 856 (1852).  
*acaenoides*, *Presl, Epim. Bot.* 200.—Afr. austr.  
*sericea*, *Eckl. & Zeyh. Enum.* 265.—Afr. austr.

**LEUCOSINAPIS**, *Spach, Hist. Vég. Phan.* vi. 348 (1838) = **Brassica**, *Tourn. (Crucif.)*.  
*alba*, *Spach, l. c.* 350 = B. *alba*.  
*hispida*, *Spach, l. c.* 352 = B. *hispida*.

**LEUCOSMIA**, *Benth. in Hook. Lond. Journ. Bot.* i (1843) 231. **THYMELAEACEAE**, *Benth. & Hook. f. iii.* 199.  
*acuminata*, *A. Gray, in Journ. Bot.* iii. (1865) 306.—Ins. Fiji.  
*Burnettiana*, *Benth. in Hook. Lond. Journ. Bot.* ii. (1843) 231.—Ins. Fiji.  
*ovata*, *Decne. Bot. Voy. Vénus*, 17.—Ins. Fiji.  
*pabiflora*, *A. Gray, in Journ. Bot.* iii. (1865) 306.—Ins. Fiji.

**LEUCOSPERMUM**, *R. Br. in Trans. Linn. Soc.* x. (1810) 95. **PROTEACEAE**, *Benth. & Hook. f. iii.* 170.  
**DIATELLA**, *Salisb. in Knight, Prot.* 61 (1809).  
**LEUCADENDRUM**, *Salisb. Parad. Lond.* sub t. 67 (1807).  
*attenuatum*, *R. Br. in Trans. Linn. Soc.* x. (1810) 96.—Afr. austr.  
*buxifolium*, *R. Br. l. c.* 100.—Afr. austr.  
*candicans*, *Loud. ex Meissn. in DC. Prod.* xiv. 258 = tomentosum.  
*Conocarpodendron*, *Buck, Ind. ad DC. Prod.* iv. 203 seq.  
*conocarpum*, *R. Br. in Trans. Linn. Soc.* x. (1810) 99.—Afr. austr.  
*crinium*, *R. Br. l. c.* 103.—Afr. austr.  
*crinitum*, *Klotzsch, ex Meissn. in DC. Prod.* xiv. 261 = Mundii.  
*cryptanthum*, *Buck, ex Meissn. l. c.* 260 = crinitum.  
*diffusum*, *R. Br. in Trans. Linn. Soc.* x. (1810) 100.—Afr. austr.  
*diffusum*, *Sieber, ex Meissn. in DC. Prod.* xiv. 257 = L. *Hypophyllum*.  
*Ecklonii*, *Buck, ex Meissn. l. c.* 258 = tomentosum.  
*ellipticum*, *R. Br. in Trans. Linn. Soc.* x. (1810) 100.—Afr. austr.  
*formosum*, *Knight, ex Loud. Encyc. Pl.* 82 = *formosa*.  
*grandiflorum*, *R. Br. in Trans. Linn. Soc.* x. (1810) 100.—Afr. austr.  
*Gucinii*, *Meissn. in DC. Prod.* xiv. 254.—Afr. austr.



**LEUCOSPERMUM** :—

- Hypophyllum, *R. Br. in Trans. Linn. Soc. x.* (1810) 102.—Afr. austr.  
 involucreta, *Roem. & Schult. Syst. iii.* 363.—Afr. austr.  
 lineare, *R. Br. in Trans. Linn. Soc. x.* (1810) 96.—Afr. austr.  
 marginatum, Spreng. *Syst. i.* 464 = *Leucadendron marginatum*.  
 medium, *R. Br. in Trans. Linn. Soc. x.* (1810) 97.—Afr. austr.  
 molle, *R. Br. l. c.* 103.—Afr. austr.  
 molle, Klotzsch, ex Meissn. in *DC. Prod. xiv.* 260 = *crinitum*.  
 Mundii, *Meissn. l. c.* 261.—Afr. austr.  
 nutans, *R. Br. in Trans. Linn. Soc. x.* (1810) 98.—Afr. austr.  
 oleaefolium, *R. Br. l. c.* 104.—Afr. austr.  
 ovatum, *Schult. Mant. iii.* 266.—Afr. austr.  
 parile, Knight, ex Loud. *Encyc. Pl.* 82 = *Serruria physaloides*.  
 patulum, *R. Br. in Trans. Linn. Soc. x.* (1810) 100 = *puberum*.  
 pedunculatum, Klotzsch, ex Krauss, in *Flora*, xxviii. (1845) 76.—Afr. austr.  
 penicillatum, Buek, in *Drège, Zwei Pfl. Docum.* 85, nomen.—Afr. austr.  
 praemorsum, Buek, ex Meissn. in *DC. Prod. xiv.* 257 = *attenuatum*.  
 puberum, *R. Br. in Trans. Linn. Soc. x.* (1810) 100.—Afr. austr.  
 purpureum, Mund, ex Meissn. *l. c.* 261 = *Mundii*.  
 reflexum, Buek, ex Meissn. *l. c.* 254.—Afr. austr.  
 Rochetianum, A. Rich. in *Compt. Rend. Par.* (1851) i. 229.—Abyssin.  
 spathulatum, *R. Br. in Trans. Linn. Soc. x.* (1810) 101.—Afr. austr.  
 spathulatum, Drège, ex Meissn. in *DC. Prod. xiv.* 299 = *Nivenia Sceptrum*.  
 tomentosum, *R. Br. in Trans. Linn. Soc. x.* (1810) 101.—Afr. austr.  
 tottum, *R. Br. l. c.* 97.—Afr. austr.  
 truncatum, Buek, ex Meissn. in *DC. Prod. xiv.* 256 = *Zeyheri*.  
 Zeyheri, *Meissn. l. c.* 255.—Afr. austr.
- LEUCOSPORA**, Nutt. in *Journ. Acad. Philad. vii.* (1834) 87 = *Conobea*, Aubl. (Scrophul.).  
*multifida*, Nutt. *l. c.* = *C. multifida*.
- LEUCOSTACHYS**, Hoffm. *Preiss. Orch.* (1842) 26.—Cf. *Linnaea*, xvi. (1842) Litt. 234 = *Goodyera*, R. Br. (Orchid.).  
*procera*, Hoffm. *ll. cc.* = *G. procera*.
- LEUCOSTEMMA**, Benth. in *Wall. Cat. n.* 642 (1828); et ex G. Don, *Gen. Syst. i.* 449 (1831) = *Stellaria*, Linn. (Caryoph.).  
*angustifolium*, Royle, *Illustr. Bot. Himal. t.* 21 = *S. Webbiana*.  
*latifolium*, Benth. in *Wall. Cat. n.* 643; et ex G. Don, *Gen. Syst. i.* 449 = *S. latifolia*.  
*Webbiana*, Benth. *ll. cc.* = *S. Webbiana*.
- LEUCOSTEMMA**, D. Don, in *Mem. Wern. Soc. v.* (1823-24) 540 = *Helichrysum*, Vaill. (Compos.).  
*lingulatum*, D. Don, *l. c.* 541 = *H. vestitum*.  
*vestitum*, D. Don, *l. c.* = *H. vestitum*.
- LEUCOSTOMON**, G. Don, *Gen. Syst. ii.* 481 (1832) = *Lecostemon*, Moq. & Sesse (Rosac.).
- LEUCOSYKE**, Zoll. & Mor. in *Mor. Syst. Verz. Zoll.* 76 (1845-46). *URTICACEAE*, Benth. & Hook. f. iii. 391.  
 MISSISSY, Gaudich. *Bot. Voy. Bonite*, t. 93 (1853?).  
 alba, Zoll. & Mor. in *Syst. Verz. Ind. Archip.* 100.—Java.  
*bimensis*, Zoll. & Mor. *l. c.* 100, 103 = alba.  
 bornensis, *Miq. Fl. Ind. Bat. i.* ii. 267.—Borneo.  
 candidissima, Wedd. in *DC. Prod. xvi.* i. 235<sup>26</sup> = *javanica*.  
 capitellata, Wedd. *l. c.* 235<sup>27</sup> = alba.  
 celebica, *Miq. Fl. Ind. Bat. i.* ii. 267.—Ins. Celebes.  
 celtidifolia, *Miq. l. c.* 266 = alba.

**LEUCOSPERMUM** :—

- corymbulosa, Wedd. in *DC. Prod. xvi.* i. 235<sup>30</sup>.—Ins. Philipp.  
 elongata, *Miq. Fl. Ind. Bat. i.* ii. 266 = alba.  
 falcata, *Miq. l. c.* = alba.  
 hispidissima, *Miq. l. c.* 265.—Ins. Philipp.  
 javanica, Zoll. & Mor. *Syst. Verz. Zoll.* 76.—Java.  
 mutabilis, *Miq. Fl. Ind. Bat. i.* ii. 266 = alba.  
 ochroneura, Wedd. in *DC. Prod. xvi.* i. 235<sup>29</sup>.—Ins. Molucc.  
 rubiginosa, *Miq. Fl. Ind. Bat. i.* ii. 267.—Borneo.  
 sumatrana, *Miq. l. c.* = Sumatra.  
 villosa, *Miq. l. c.* 266 = alba.

**LEUCOTHAMNUS**, Lindl. *Swan River App.* 19 (1839) = *Thomasia*, J. Gay (Stercul.).  
*montanus*, Lindl. *l. c.* = *T. macrocarpa*.  
*polyspermus*, Turcz. in *Bull. Soc. Nat. Mosc. xxii.* (1849) ii. 11 = *T. rugosa*.

**LEUCOTHEA**, Moq. & Sesse, ex DC. in *Mém. Soc. Phys. Genève. i.* (1821) 419 = *Saurauja*, Willd. (Ternstr.).  
*serrata*, Moq. & Sesse, ex DC. *l. c.* 420 = *S. serrata*.  
*villosa*, Moq. & Sesse, ex DC. *l. c.* = *S. villosa*.

**LEUCOTHOË**, D. Don, in *Edinb. N. Phil. Journ. xvii.* (1834) 159. *ERICACEAE*, Benth. & Hook. f. ii. 584.

- EUBOTRYS, Nutt. in *Trans. Am. Phil. Soc. N. S. viii.* (1843) 269.  
 acuminata, G. Don, *Gen. Syst. iii.* 832.—Am. bor.  
 affinis, A. Rich. *Fl. Cub. Fanerog.* ii. 74.—Cuba.  
 ambigua, *Meissn. in Mart. Fl. Bras. vii.* 156.—Bras.  
 axillaris, D. Don, in *Edinb. N. Phil. Journ. xvii.* (1834) 159.—Am. bor.  
 bahiensis, DC. *Prod. vii.* 604 = *revoluta*.  
 Bojeri, DC. *l. c.* 603 (Agauria sp.).—Madag.  
 bracamorensis, DC. *l. c.* = *Agarista bracamorensis*.  
 breviflora, *Meissn. in Mart. Fl. Bras. vii.* 165.—Bras.  
 buxifolia, DC. *Prod. vii.* 603 = *Agauria buxifolia*.  
 Catesbaei, A. Gray, *Man. Bot. N. U. St. ed. II.* 252.—Am. bor.  
 chlorantha, DC. *Prod. vii.* 604 = *Agarista chlorantha*.  
 chlorantha, A. Gray, in *Mem. Am. Acad. N. S. vi.* (1858-59) 399.—Japon.  
 ciliata, DC. *Prod. vii.* 605.—Bras.  
 coccinea, DC. *l. c.* = Bras.  
 cordifolia, *Meissn. in Mart. Fl. Bras. vii.* 162.—Bras.  
 coriacea, DC. *Prod. vii.* 602 = *Andromeda nitida*.  
 coriifolia, DC. *l. c.* 605.—Bras.  
 crassifolia, DC. *l. c.* = Bras.  
 Davisiae, Torr. ex A. Gray, in *Proc. Am. Acad. vii.* (1868) 400.—Calif.  
 eriophylla, DC. *Prod. vii.* 606 = *Gaultheria ferruginea*.  
 eucalyptoides, DC. *l. c.* 605 = *Agarista eucalyptoides*.  
 floribunda, D. Don, in *Edinb. N. Phil. Journ. xvii.* (1834) 159 = *Pieris floribunda*.  
 glandulosa, A. Rich. *Fl. Cub. Fanerog.* ii. 74.—Cuba.  
 Grayana, Maxim. in *Bull. Acad. Pétersb. xviii.* (1873) 46.—Japon.  
 Griffithiana, C. B. Clarke, in *Hook. f. Fl. Brit. Ind. iii.* 460.—Reg. Himal.  
 hirta, DC. *Prod. vii.* 606.—Hab.?  
 hispidula, *Meissn. in Mart. Fl. Bras. vii.* 164.—Bras.  
 ilicifolia, DC. *Prod. vii.* 605 = *Agarista ilicifolia*.  
 intermedia, *Meissn. in Mart. Fl. Bras. vii.* 163.—Bras.  
 katagherensis, DC. *Prod. vii.* 606 = *Gaultheria fragrantissima*.  
 Keiskei, *Miq. in Ann. Mus. Bot. Lugd. Bat. i.* 32.—Japon.  
 latifolia, A. Rich. *Fl. Cub. Fanerog.* ii. 74.—Cuba.  
 laxiflora, *Meissn. in Mart. Fl. Bras. vii.* 157.—Bras.  
 littoralis, DC. *Prod. vii.* 602 (Agauria sp.).—Madag.  
 Mariana, DC. *l. c.* = *Andromeda nitida*.  
 Martii, *Meissn. in Mart. Fl. Bras. vii.* 155.—Bras.  
 multiflora, DC. *Prod. vii.* 605 = *Agarista multiflora*.  
 myrsinefolia, A. Rich. *Fl. Cub. Fanerog.* ii. 74.—Cuba.  
 neriifolia, DC. *Prod. vii.* 605 = *Agarista neriifolia*.  
 nummularia, DC. *l. c.* 603 = *Agarista nummularia*.  
 oleifolia, DC. *l. c.* 605 = *Agarista oleifolia*.  
 organensis, Gardn. in *Hook. Lond. Journ. Bot. iv.* (1852) 132.—Bras.  
 Pistrix, DC. *Prod. vii.* 604 = *Agarista Pistrix*.

**LEUCOTHOË** :—

- pulchella, DC. *Prod. vii.* 604 = *Agarista pulchella*.  
 pulchra, DC. *l. c.* = *Agarista pulchra*.  
 racemosa, A. Gray, *Man. Bot. N. U. St. ed. II.* 252.—Am. bor.  
 recurva, A. Gray, *l. c.* = Am. bor.  
 revoluta, DC. *Prod. vii.* 604.—Bras.  
 rhomboidalis, A. Gray, *Syn. Fl. N. Am. ii.* i. 33 = *Lyonia ferruginea*.  
 salicifolia, DC. *Prod. vii.* 602 = *Agauria salicifolia*.  
 secunda, DC. *l. c.* 606 = *Andromeda Polifolia*.  
 serrata, DC. *l. c.* = *Agarista pulchra*.  
 serrulata, DC. *l. c.* 604 = *Agarista serrulata*.  
 spectabilis, *Meissn. in Mart. Fl. Bras. vii.* 159.—Bras.  
 spicata, G. Don, *Gen. Syst. iii.* 832 = *racemosa*.  
 spinulosa, G. Don, *l. c.* = *Catesbaei*.  
 subcanescens, *Meissn. in Mart. Fl. Bras. vii.* 163.—Bras.  
 subrotunda, DC. *Prod. vii.* 603 = *Agarista subrotunda*.  
 Tschonoskii, Maxim. in *Bull. Acad. Pétersb. xviii.* (1873) 46.—Japon.  
 Varnhageniana, Reichardt, in *Verh. Zool.-Bot. Ges. Wien, xxxiii.* (1884) 323.—Bras.
- LEUCOXYLON**, G. Don, *Gen. Syst. ii.* 21 (1832) = **LEUCOXYLUM**, Blume = **Diospyros**, Linn. (Ebenac.).
- LEUCOXYLON**, Rafin. *Sylva Tellur. 77* (1838) = **Tecoma**, Juss. (Bignon.).  
 acuminata, Rafin. *l. c.* 78 = *T. Leucoxydon*.  
 riparia, Rafin. *l. c.* 77 = *T. Leucoxydon*.
- LEUCOXYLUM**, Blume, *Bijdr. 1169* (1826) = **Diospyros**, Linn. (Ebenac.).  
 buxifolium, Blume, *l. c.* = *D. microphylla*.  
 laurinum, E. Mey. in *Drège, Zwei Pfl. Docum.* 199, nomen (Quid?).—Afr. austr.
- LEUCRINIS**, Rafin. *Fl. Tellur. iv.* 27 (1836) = **Leucocrinum**, Nutt. (Liliac.).
- LEUKERIA**, Endl. *Ench. 249* (1841) = **Leucheria**, Lag. (Compos.).
- LEUKOSYKE**, Endl. *Gen. Suppl. iv.* 34 (1847) = **Leucosyke**, Zoll. & Mor. (Urtic.).
- LEUNISIA**, Phil. in *Linnaea*, xxxiii. (1864-65) 120. *COMPOSITAE*, Benth. & Hook. f. ii. 501.  
 laeta, Phil. *l. c.* = Chili.
- LEURADIA**, Poir. *Encyc. Suppl. iii.* 346 (1813) = **Lavradia**, Vell. (Violar.).
- LEUWENHOEKIA**, Bartl. *Ord. 49* (1830) = **Levenhookia**, R. Br. (Stylid.).
- LEUZEIA**, DC. *Fl. Fr. iv.* 109 (1805). *COMPOSITAE*, Benth. & Hook. f. ii. 477.  
 RHACOMA, Adans. *Fam. ii.* 117 (1763).  
 altaica, Fisch. ex Schau. *Cat. Sem. Hort. Vrat.* (1834) = *Centaurea carthamoides*.  
 altaica, Link, *Enum. Hort. Berol. ii.* 356 = *Centaurea salina*.  
 australis, Gaudich. in *Frey. Voy. Bot.* 462. t. 92 = *Centaurea australis*.  
 carthamoides, DC. *Diss. Comp. 49. n.* 2 = *Centaurea carthamoides*.  
 conifera, DC. *Fl. Fr. iv.* 109.—Reg. Mediterr.  
 conifera, Spreng. *Syst. iii.* 382 = *Serratula canariensis*.  
 dahurica, Bunge, *Enum. Pl. Chin. Bor.* 37 = *Centaurea monanthos*.  
 exaltata, Cutanda, ex Willk. in *Linnaea*, xxx. (1859-60) 117 = *Centaurea rhapsodicoides*.  
 longifolia, Hoffm. & Link, *Fl. Port. ii.* 217.—Hispan.  
 Palmellana, Welw. ex Benth. & Hook. f. *Gen. ii.* 477 = *longifolia*.  
 pinnatifida, DC. *Prod. vi.* 666.—Hab.?  
 pumila, Steud. *Nom. ed. II.* ii. 39, sphalm. = seq.  
 pusilla, Spreng. *Syst. iii.* 382 = *Centaurea pygmaea*.  
 rhapsodicoides, Graells (Ramill. 10.) in *Mem. Acad. Cienc. Madr. ii.* (1859) 468 = *Centaurea rhapsodicoides*.  
 salina, Spreng. *Syst. iii.* 382 = *Centaurea salina*.  
 sclerophylla, Boiss. & Heldr. *Diagn. Ser. I. x.* 97 = *Centaurea serratuloides*.  
 serratuloides, Fisch. & Mey. ex DC. *Prod. vi.* 666 = *Centaurea serratuloides*.



LEVENHOEKIA, Steud. Nom. ed. I. 477 (1821) = seq.

**LEVENHOOKIA**, R. Br. Prod. 572 (1810). *STYLIDIEAE*, Benth. & Hook. f. ii. 535.  
*COLEOSTYLIS*, Sond. in Lehm. Pl. Preiss. i. 391 (1845).  
*GYNOCAMPUS*, Lesch. ex DC. Prod. vii. 338 (1839).  
*STIBAS*, Comm. ex DC. l. c. (1839).  
*creberrima*, F. Muell. Fragm. iii. 121 = dubia.  
*dubia*, Sond. in Lehm. Pl. Preiss. i. 392.—Austral.  
*leptantha*, Benth. Fl. Austral. iv. 35.—Austral.  
*pauciflora*, Benth. in Enum. Pl. Hueg. 74.—Austral.  
*Preissii*, F. Muell. Fragm. iv. 94.—Austral.  
*pusilla*, R. Br. Prod. 573.—Austral.  
*Sonderi*, F. Muell. Fragm. i. 18.—Austral.  
*stipitata*, F. Muell. l. c. iv. 94.—Austral.  
*stylidioides*, F. Muell. l. c. 77 = pauciflora.

**LEVIERIA**, Becc. Malesia, i. (1877) 192. *MONIMIACEAE*, Benth. & Hook. f. iii. 142.  
*montana*, Becc. l. c. 193.—Ins. Amboina.

**LEVINA**, Adans. Fam. ii. 190 (1763) = **Prasium**, Linn. (Labiata).

**LEVISANUS**, Schreb. Gen. i. 149 (1789) = **Staavia**, Dahl (Bruniac).

**LEVISIA**, Steud. Nom. ed. II. ii. 39 (1841) = **Lewisia**, Pursh (Portulac).

**LEVISTICUM**, Riv. ex Linn. Syst. ed. I (1735).  
*UMBELLIFERAE*, Benth. & Hook. f. i. 916.  
*argutum*, Lindl. in Royle, Illustr. Bot. Himal. 232 = *Ligusticum elatum*.  
*grandiflorum*, Sond. in Harv. & Sond. Fl. Cap. ii. 553 (Annesorhizae sp.).—Afr. austr.  
*officinale*, Koch, in Nov. Act. Nat. Cur. xii. i. (1824) 101. f. 41.—Europ.  
*paludapifolium*, Aschers. Fl. Brandenb. 250 = officinale.  
*vulgare*, Reichb. Fl. Germ. Excurs. 463 = officinale.

**LEVRETONIA**, Reichb. in Moessl. Handb. ed. II. i. p. LXIII (1827) = **LEBRETONIA**, Schrank = **Pa-vonia**, Linn. (Malv.).

**LEWISIA**, Pursh, Fl. Am. Sept. ii. 368 (1814).  
*PORTULACAEAE*, Benth. & Hook. f. i. 159.  
*alba*, Kellogg, in Proc. Calif. Acad. ii. (1863) 115 = rediviva.  
*brachyanthex*, Engelm. ex A. Gray, in Proc. Am. Acad. vii. (1868) 400.—Calif.  
*brachycarpa*, [S. Wats.] in Bot. Calif. i. 79, sphalm. = praec.  
*rediviva*, Pursh, Fl. Am. Sept. ii. 368.—Am. bor. occ.

**LEXARZA**, La Llave, in La Llave, & Lex. Nov. Veg. Desc. fasc. ii. 7 (1825) = **Myrodia**, Sw. (Stercul.).  
*funeris*, La Llave, l. c. = **M. funeris**.

**LEXIPYRETUM**, Dulac, Fl. Hautes-Pyr. 449 (1867) = **Gentiana**, Linn.  
*acaule*, *campestre*, *ciliatum*, *luteum*, *nivale*, *Pneumonanthe*, *punctatum*, *pyrenaicum*, *tenellum*, *vernum*, Dulac, l. c. 450, 451 = *Gentianae* sp. homonymac.

**LEYCESTERA**, Reichb. Consp. 96 (1828) = seq.

**LEYCESTERIA**, Wall. in Roxb. Fl. Ind. ed. Carey, ii. 181 (1824). *CAPRIFOLIACEAE*, Benth. & Hook. f. ii. 5.  
*formosa*, Wall. l. c. 182.—Reg. Himal.  
*glaucophylla*, Hook. f. Fl. Brit. Ind. iii. 16.—Reg. Himal.  
*gracilis*, Kurz, in Journ. As. Soc. Beng. xxxix. (1870) ii. 77, in obs. = *glaucophylla*.

**LEYCESTRIA**, Endl. Gen. 568 (1838) = praec.

**LEYMUS**, Hochst. in Flora, xxxi. (1848) 118, in adnot. = **Elymus**, Linn. (Gramin.).  
*arenarius*, Hochst. l. c. = **E. arenarius**.

**LEYSERIA**, Neck. Elem. i. 11 (1790) = seq.

**LEYSSERA**, Linn. Sp. Pl. ed. II. 1249 (1763) (Leysera). *COMPOSITAE*, Benth. & Hook. f. ii. 327.  
*ASTEROPTERUS*, Gaertn. Fruct. ii. 460. t. 173 (1791).  
*CALLICORNIA*, Burm. f. Prod. Fl. Cap. 24 (1768).  
*LEPTOPHYTUS*, Cass. in Bull. Soc. Philom. (1817) 11.  
*LONGCHAMPIA*, Willd. in Ges. Nat. Fr. Berl. Mag. v. (1811) 159.  
*arctioides*, Thunb. Prod. Pl. Cap. 160 = *Heterolepis decipiens*.  
*Callicornia*, Linn. Mant. ii. 286.—Afr. austr.  
*Callicornia*, Thunb. Prod. Pl. Cap. 160 = *gnaphalioides*.  
*Callicornia*, Willd. ex Less. in DC. Prod. vii. 13 = *Printzia aromatica*.  
*capillifolia*, Spreng. Nov. Prov. 25.—Reg. Mediterr.  
*caroliniana*, Walt. Fl. Carol. 211 (Quid ?).—Am. bor.  
*ciliata*, Thunb. Prod. Pl. Cap. 160 = *Mairia taxifolia*.  
*discoidea*, Spreng. Pugill. ii. 78 = *capillifolia*.  
*ericoides*, Berg. Desc. Pl. Cap. 294 = *Relhania ericoides*.  
*gnaphalodes*, Linn. Pl. Rar. Afr. 23; *Amoen. Acad.* vi. 104.—Afr. austr.  
*gnaphalioides*, Thunb. Prod. Pl. Cap. 160 = *Helipterum gnaphalioides*.  
*incana*, Thunb. l. c.—Afr. austr.  
*odorata*, Ruiz & Pav. ex DC. Prod. vii. 34 = *Onoseris odorata*.  
*ovata*, Thunb. Prod. Pl. Cap. 160 = *Amellus annuus*.  
*paleacea*, Linn. Syst. ed. XII. 560 = *Relhania ericoides*.  
*picta*, Thunb. Prod. Pl. Cap. 160 = *Dicoma radiata*.  
*pilosella*, Thunb. l. c. = *Aster hispidus*, *Mairia perezioides*.  
*polifolia*, Thunb. l. c. 161 = *Printzia Bergii*.  
*squarrosa*, Thunb. l. c. 160 = *Helipterum gnaphalioides*.  
*tenella*, DC. Prod. vi. 279.—Afr. austr.  
*tenuifolia*, Salisb. Prod. 202 = *gnaphalioides*.  
*tridactyla*, E. Mey. ex DC. Prod. v. 215 = *Amellus tridactylus*.

**LHODRA**, Endl. Gen. Suppl. ii. 68 (1842) = **LODHRA**, G. Don = **Symplocos**, Linn. (Styrac.).

**LHOTSKYA**, Schau. in Linnaea, x. (1835-36) 309.  
*MYRTACEAE*, Benth. & Hook. f. i. 699.  
*acutifolia*, Lindl. Swan River App. 7.—Austral.  
*brevifolia*, Schau. in Lehm. Pl. Preiss. i. 103.—Austral.  
*ciliata*, F. Muell. ex Benth. Fl. Austral. iii. 54.—Austral.  
*cuspidata*, F. Muell. in Hook. Kew Journ. viii. (1856) 324 = *Calythrix achaeta*.  
*ericoides*, Schau. in Linnaea, x. (1835-36) 309.—Austral.  
*genethyloides*, F. Muell. in Trans. Phil. Soc. Vict. i. (1855) 16.—Austral.  
*glaberima*, F. Muell. Fragm. i. 13.—Austral.  
*Harvestiana*, F. Muell. l. c. xi. 8.—Austral.  
*hirta*, Regel, Gartenfl. (1863) 337. t. 415 = *ericoides*.  
*purpurea*, F. Muell. Fragm. i. 224.—Austral.  
*scabra*, Turcz. in Bull. Soc. Nat. Mosc. (1862) II. 324 = *ericoides*.  
*violacea*, Lindl. Swan River App. 7.—Austral.

**LHOTZKYA**, Endl. in Enum. Pl. Hueg. 46 (1837) = praec.

**LIABUM**, Adans. Fam. ii. 131 (1763). *COMPOSITAE*, Benth. & Hook. f. ii. 435.  
*ALIBUM*, Less. Syn. Comp. 152 (1832).  
*ANDROMACHIA*, Humb. & Bonpl. Pl. Aequin. ii. 104. t. 112 (1809).  
*CHRYSACTINUM*, Wedd. Chlor. And. i. 212. t. 39 (1855).  
*ERATO*, DC. Prod. v. 317 (1836).  
*KASTNERA*, Sch. Bip. in Flora, xxxvi. (1853) 37.  
*MUNNOZIA*, Ruiz & Pav. Prod. Fl. Per. 108. t. 23 (1794).  
*OLIGACTIS*, Cass. in Dict. Sc. Nat. xxxvi. 16 (1825).  
*PARANEPHELIUS*, Poepp. & Endl. Nov. Gen. et Sp. iii. 42. t. 248 (1842).  
*PRIONOLEPIS*, Poepp. & Endl. l. c. 55. t. 261 (1842).  
*SINCLAIRIA*, Hook. & Arn. Bot. Beech. Voy. 433 (1841).  
*STARKEA*, Willd. Sp. Pl. iii. 2216 (1803).  
*VIVIANA*, Willd. ex DC. Prod. v. 95 (1836).

**LIABUM** :—

*acaule*, DC. Prod. v. 97.—Ecuador.  
*amplexicaule*, Poepp. & Endl. Nov. Gen. et Sp. iii. 43.—Peruv.  
*Andrieuxii*, Benth. & Hook. f. Gen. ii. 437.—Mexic.  
*andromachioides*, Benth. & Hook. f. l. c. 436.—Mexic.  
*asclepiadeum*, Sch. Bip. in Linnaea, xx. (1847) 521.—N. Granat.  
*auriculatum*, Griseb. in Goett. Abh. xxiv. (1879) 202.—Reg. Argent.  
*Bonplandii*, Cass. in Dict. Sc. Nat. xxvi. 206.—Ecuador.  
*Brownei*, Cass. l. c. 203.—Ind. occ.  
*candidum*, Griseb. in Goett. Abh. xxiv. (1879) 203.—Reg. Argent.  
*corymbosum*, Sch. Bip. in Flora, xxxvi. (1853) 34.—Am. austr.  
*Depeanum*, Hemsl. Biol. Centr. Am. Bot. ii. 232.—Mexic.  
*discolor*, Benth. & Hook. f. ex Hemsl. l. c.—Mexic.  
*ericoides*, Less. in Linnaea, vi. (1831) 704.—Peruv.  
*erigeroides*, Benth. Pl. Hartw. 206.—Mexic.  
*eriocaulon*, Poepp. & Endl. Nov. Gen. et Sp. iii. 43. t. 249.—Peruv.  
*floribundum*, Less. in Linnaea, vi. (1831) 702 = *Bonplandii*.  
*floribundum*, Sch. Bip. l. c. xx. (1847) 582.—Am. trop.  
*glabrum*, Hemsl. Biol. Centr. Am. Bot. ii. 232.—Mexic.  
*grandiflorum*, Less. in Linnaea, vi. (1831) 698.—Ecuador.  
*hastifolium*, Poepp. & Endl. Nov. Gen. et Sp. iii. 43.—Peruv.  
*hieracioides*, DC. Prod. v. 97.—Peruv.  
*igniarium*, Less. in Linnaea, vi. (1831) 701 = *Bonplandii*.  
*Jussieui*, Cass. in Dict. Sc. Nat. xxvi. 205 (Jussiei).—Am. austr.  
*lanceolatum*, Sch. Bip. in Flora, xxxvi. (1853) 34.—Peruv.  
*Lechleri*, Sch. Bip. in Bonplandia, iii. (1855) 236 = *Diplostegium Lechleri*.  
*lyratum*, A. Gray, in Proc. Am. Acad. v. (1861) 115.—Peruv.  
*megacephalum*, Sch. Bip. in Flora, xxxvi. (1853) 38.—Venezuela.  
*melastomoides*, Less. in Linnaea, vi. (1831) 699.—N. Granat.  
*nubigenum*, Less. l. c. 704.—Ecuador.  
*ovatum*, Ball, in Journ. Linn. Soc. xxii. (1885) 46.—Peruv.  
*sagittatum*, Sch. Bip. in Flora, xxxvi. (1853) 37.—Peruv.  
*sericolepis*, Hemsl. Biol. Centr. Am. Bot. ii. 232.—Mexic.  
*sessiliflorum*, Less. in Linnaea, vi. (1831) 703.—Peruv.  
*solidagineum*, Less. l. c. 700.—Peruv.  
*trinerve*, Sch. Bip. in Flora, xxxvi. (1853) 34.—Peruv.  
*umbellatum*, Sch. Bip. in Journ. Bot. i. (1863) 236.—Ind. occ.  
*uniflorum*, Ball, in Journ. Linn. Soc. xxii. (1885) 46.—Peruv.  
*uniflorum*, Sch. Bip. in Flora, xxxvi. (1853) 34.—Am. austr.  
*venosissimum*, Sch. Bip. in Flora, xxxvi. (1853) 34.—Peruv.  
*verbascifolium*, Less. in Linnaea, vi. (1831) 700.—Ecuador.  
*volubile*, Less. l. c. 704.—Ecuador.  
*Wrightii*, Griseb. in Mem. Am. Acad. N. S. viii. (1868) 515.—Ind. occ.

**LIATHRIS**, C. Muell. in Walp. Ann. v. 162 (1858) = seq.

**LIATRIS**, Schreb. Gen. 542 (1791). *COMPOSITAE*, Benth. & Hook. f. ii. 248.  
*CALOSTELMA*, D. Don, in Sweet, Brit. Flow. Gard. Ser. II. sub t. 184 (1833).  
*LACIMARIA*, Hill, Veg. Syst. iv. 49 (1763).  
*PSILOANTHUS*, Neck. Elem. i. 69 (1790).  
*acidota*, Engelm. & Gray, in Bot. Journ. Nat. Hist. v. (1847) 218.—Texas.  
*amplexicaulis*, Rafin. New Fl. Am. iv. 76 (Quid ?).—Am. bor.  
*aspera*, Michx. Fl. Bor. Am. ii. 92 = *scariosa*.  
*baicalensis*, Adams, in Mem. Soc. Nat. Mosc. v. (1817) 115 = *Saussurea pycnocephala*.



## LIATRIS:—

- bellidifolia*, Michx. Fl. Bor. Am. ii. 92 = Carphophorus bellidifolius.  
*borealis*, Nutt. ex Macnab, in Edinb. N. Phil. Journ. xix. (1835) 60; Paxt. Mag. Bot. v. (1838) 27.—Am. bor.  
*Botrys*, Rafin. New Fl. Am. iv. 76 (Quid?).—Am. bor. Boykini, Torr. & Gray, Fl. N. Am. ii. 70.—Am. bor.  
*brachystachya*, Nutt. in Journ. Acad. Philad. vii. (1834) 72 = pycnostachya.  
*brasilensis*, Gardn. in Hook. Lond. Journ. Bot. v. (1846) 461.—Bras.  
*Chapmanii*, Torr. & Gray, Fl. N. Am. ii. 502 (Suppl.).—Am. bor.  
*cordata*, Royle, ex C. B. Clarke, Comp. Ind. 247 = Ainsliaea aptera.  
*corymbosa*, Nutt. Gen. Am. ii. 132 = Carphophorus corymbosus.  
*cylindracea*, Michx. Fl. Bor. Am. ii. 93.—Am. bor.  
*cylindrica*, Torr. in Ann. Lyc. N. York, ii. (1828) 210 = punctata.  
*dubia*, Barton, Veg. Mat. Med. ii. 223. t. 49 = graminifolia.  
*elegans*, Willd. Sp. Pl. iii. 1635.—Am. bor.  
*flexuosa*, D. Thomas, in Am. Journ. Sc. xxxvii. (1839) 338 = cylindracea.  
*fruticosa*, Nutt. l. c. v. (1822) 299 = Garberia fruticosa.  
*Garberi*, A. Gray, in Proc. Am. Acad. xv. (1880) 48.—Am. bor.  
*gracilis*, Pursh, Fl. Am. Sept. ii. 508.—Am. bor.  
*graminifolia*, Pursh, l. c.—Am. bor.  
*graminifolia*, Willd. Sp. Pl. iii. 1636 = cylindracea.  
*heterophylla*, [R. Br. in] Ait. Hort. Kew. ed. II. iv. 503 = scariosa.  
*hirsutiflora*, Kostel. Allg. Med.-Pharm. Fl. ii. 651 = pycnostachya.  
*hirsutissima*, Poir. ex Steud. Nom. ed. II. ii. 40 = pycnostachya.  
*intermedia*, Lindl. Bot. Reg. t. 948 = squarrosa.  
*laevigata*, Nutt. in Trans. Am. Phil. Soc. N. S. vii. (1841) 285 = tenuifolia.  
*lanata*, Spreng. ex DC. Prod. vi. 540 = Saussurea albescens.  
*lanceolata*, Bertol. Misc. Bot. v. 11. t. 3 = gracilis.  
*latifolia*, D. Don, Prod. Fl. Nep. 169 = Ainsliaea pteropoda.  
*Linaria*, Rafin. Fl. Ludov. 61 = pycnostachya.  
*lobelioides*, Wall. ex C. B. Clarke, Comp. Ind. 246 = Ainsliaea pteropoda.  
*macrostachya*, Michx. Fl. Bor. Am. ii. 91 = spicata.  
*marginata*, Cass. in Dict. Sc. Nat. xxvi. 236.—Am. bor.  
*monocephala*, Cass. l. c. 237 = cylindracea, graminifolia.  
*mucronata*, DC. Prod. v. 129.—Mexic.  
*mucronata*, Torr. & Gray, Fl. N. Am. ii. 70 = acidota.  
*odoratissima*, Willd. Sp. Pl. iii. 1637 = Trilisa odoratissima.  
*oppositifolia*, Nutt. in Am. Journ. Sc. v. (1822) 299 = Eupatorium iuaefolium.  
*paniculata*, Michx. Fl. Bor. Am. ii. 93; Willd. Sp. Pl. iii. 1637 = Trilisa paniculata.  
*pauciflora*, Pursh, Fl. Am. Sept. ii. 510.—Am. bor.  
*pauciflosculosa*, Nutt. in Journ. Acad. Philad. vii. (1834) 71 = gracilis.  
*picta*, Barton, ex DC. Prod. v. 130 = spicata.  
*pilosa*, [Ker-Gawl. in] Bot. Reg. t. 595 = spicata.  
*pilosa*, Willd. Sp. Pl. iii. 1636 = graminifolia.  
*propinqua*, Hook. Bot. Mag. t. 3829 = graminifolia.  
*pumila*, Lodd. Bot. Cab. t. 147 = spicata.  
*punctata*, Hook. Fl. Bor. Am. i. 306. t. 105.—Am. bor. occ.  
*pycnostachya*, Michx. Fl. Bor. Am. ii. 91.—Am. bor.  
*radians*, Bertol. Misc. Bot. v. 9. t. 1 = elegans.  
*resinosa*, DC. Prod. v. 129 = punctata.  
*resinosa*, Nutt. Gen. Am. ii. 131 = spicata.  
*scariosa*, Willd. Sp. Pl. iii. 1635.—Am. bor.  
*secunda*, Ell. Sketch, ii. 278 = pauciflora.  
*sessiliflora*, Bertol. Misc. Bot. v. 10. t. 2 = spicata.  
*sphaeroides*, Michx. Fl. Bor. Am. ii. 92 = scariosa.  
*spicata*, Willd. Sp. Pl. iii. 1636.—Am. bor.  
*squamosa*, Nutt. in Journ. Acad. Philad. vii. (1834) 73 = Carphophorus Pseudo-liatris.  
*squarrosa*, Willd. Sp. Pl. iii. 1634.—Am. bor.  
*squarrosula*, Michx. Fl. Bor. Am. ii. 92 = scariosa.  
*stricta*, Macnab, in Edinb. N. Phil. Journ. xix. (1835) 60 = cylindracea.  
*tenuifolia*, Nutt. Gen. Am. ii. 131.—Am. bor.  
*tomentosa*, Michx. Fl. Bor. Am. ii. 93 = Carphophorus tomentosus.

## LIATRIS:—

- trichotoma*, Gardn. in Hook. Lond. Journ. Bot. vi. (1847) 435 = Leptoclinium trichotomum.  
*turbinata*, Sweet, Hort. Brit. ed. I. 220, nomen = spicata.  
*umbellata*, Bertol. Misc. Bot. v. 13. t. 4 = Vernonia angustifolia.  
*uniflora*, Rafin. New Fl. Am. iv. 76 (Quid?).—Am. bor.  
*varia*, Banks, ex Pursh, Fl. Am. Sept. ii. 508 = scariosa.  
*virgata*, Nutt. in Journ. Acad. Philad. vii. (1834) 72 = graminifolia.  
*Walteri*, Ell. Sketch, ii. 285 = Carphophorus tomentosus.

LIBANOTHAMNUS, Ernst, in Vargasia (1870) 186 = Espeletia, Humb. & Bonpl. (Compos.).  
*neriifolius*, Ernst, l. c. = E. neriifolia.

LIBANOTIS, Rafin. Sylva Tellur. 132 (1838) = Cistus, Tourm.  
*populifolius*, Rafin. l. c. = C. populifolius.  
*umbellata*, Rafin. l. c. = Helianthemum Libanotis.

LIBANOTIS, Riv. ex Hall. Enum. Helv. ii. 450 (1742) = Seseli, Linn. (Umbell.).

- alpina*, Schur, in Verh. Siebenb. Ver. Naturw. iv. (1853) 29 = S. Libanotis.  
*annua*, Crantz, Class. Umb. Emend. 107 = Athamanta cretensis.  
*annua*, [Weber, in] Wigg. Prim. Fl. Holsat. 25 = Selinum sylvestre.  
*arctica*, Rupr. Beitr. Pfl. Russl. ii. 36. t. 2 = condensata?  
*athamantoides*, DC. Prod. iv. 150 = S. athamantoides.  
*athamantica*, Gaertn. Mey. & Scherb. Fl. Wett. i. 427 = S. Libanotis.  
*athamantoides*, Schur, Enum. Pl. Transs. 258 = S. Libanotis.  
*aurea*, Vis. Fl. Dalm. iii. 44 = Athamanta aurea.  
*bayonnensis*, Griseb. Veget. 232, ex Nym. Consp. 295 = Candollei.  
*buchtormensis*, DC. Coll. Mém. v. t. 8. f. 5 = S. buchtormense.  
*cachroides*, DC. Prod. iv. 151 = Phloioidicarpus dahuricus.  
*Candollei*, Lange, in Willk. & Lange, Prod. Fl. Hispan. iii. 61.—Hispan.  
*chachroides*, Steud. Nom. ed. II. ii. 41, sphalm. = cachroides.  
*condensata*, Fisch. ex Turcz. in Bull. Soc. Nat. Mosc. xvii. (1844) 724.—Sibiria.  
*cretensis*, Gaertn. Fruct. i. 84. t. 21. f. 1 = S. Libanotis.  
*cretensis*, Scop. Fl. Carn. ed. II. i. 192 = Athamanta cretensis.  
*crithmoides*, Nym. Consp. 395 = S. Libanotis.  
*daucifolia*, Reichb. Fl. Germ. Excurs. 468 = S. Libanotis.  
*daucoides*, Scop. Fl. Carn. ed. II. i. 193 = S. Libanotis.  
*Daucus-creticus*, Crantz, Stirp. Austr. ed. I. fasc. iii. 112; ed. II. 219 = praec.  
*elata*, C. Koch, ex Boiss. Fl. Orient. ii. 967 = S. sibiricum.  
*eriocarpa*, Schrenk, in Bull. Phys.-Math. Acad. Pétersb. ii. (1843) 195.—Sibir.  
*fastigiata*, Rupr. in Beitr. Pfl. Russ. Reich. ii. 36, in textu = condensata?  
*filifolia*, Roehl. ex Steud. Nom. ed. II. ii. 41 = Athamanta Matthioli.  
*gracilis*, Reichb. Fl. Germ. Excurs. 468 = S. Libanotis.  
*graveolens*, G. Don, Gen. Syst. iii. 312 = S. graveolens.  
*gummifera*, Crantz, Class. Umb. Emend. 108 = S. gummiferum.  
*hirsuta*, Lam. Fl. Fr. iii. 428 = Athamanta cretensis.  
*Hosteana*, Schur, Enum. Pl. Transs. 258 = S. Libanotis.  
*humilis*, Schur, in Oestr. Bot. Wochenbl. (1858) 21 = S. Libanotis.  
*intermedia*, Rupr. Beitr. Pfl. Russ. Reich. iv. 53 = S. sibiricum.  
*italica*, Crantz, Stirp. Austr. ed. I. fasc. iii. 117; ed. II. 222 = Athamanta cretensis.  
*Lehmanniana*, Bunge, in Mém. Sav. Etr. Pétersb. vii. (1851) 300 = S. Lehmannianum.  
*macedonica*, Crantz, Cl. Umb. Emend. 107 = Athamanta macedonica.  
*major*, Hall. ex Gouan, Illustr. t. 26; fide Pritz. Ic. Ind. 635 = S. Libanotis?  
*Matthioli*, Bertol. Fl. Ital. iii. 320 = Athamanta Matthioli.  
*montana*, Crantz, Stirp. Austr. ed. I. fasc. iii. 117; ed. II. 222; Lam. Fl. Fr. iii. 427 = S. Libanotis.  
*montana-ferulacea*, Lange, Ind. Sem. Hort. Haun. (1855) 25.—Mont. Pyren.

## LIBANOTIS:—

- nitens*, Vis. Fl. Dalm. iii. 43, in syn. = Seseli athamantoides.  
*nitida*, Vis. l. c. t. 28 = praec.  
*Patriniana*, DC. Prod. iv. 150 = S. graveolens.  
*pubescens*, Nym. Consp. 295 = S. Libanotis.  
*pumila*, Crantz, Stirp. Austr. ed. I. fasc. iii. 117 = Athamanta cretensis.  
*pumila*, Schur, Enum. Pl. Transs. 258 = S. Libanotis.  
*pyrenaica*, Bourg. ex Nym. Consp. 295 = S. Libanotis.  
*rigida*, Crantz, Cl. Umb. Emend. 108.—Sicilia.  
*Riviniiana*, Scop. Fl. Carn. ed. II. i. 193 = S. Libanotis.  
*rupestris*, Scop. l. c. 192 = Athamanta Matthioli.  
*seseloides*, Turcz. in Bull. Soc. Nat. Mosc. xvii. (1844) 725 = Ligusticum seseloides.  
*sibirica*, Koch, Syn. Fl. Germ. ed. I. 296 = S. Libanotis.  
*sicula*, Bertol. Fl. Ital. iii. 317 = Athamanta sicula.  
*Stephaniana*, DC. Prod. iv. 151.—Sibir.  
*tenuifolia*, DC. l. c. = S. tenuifolium.  
*Turbith*, Crantz, Cl. Umb. Emend. 108 = Athamanta Matthioli.  
*verticillata*, DC. Prod. iv. 151 = Carum graecum.  
*villosa*, Turcz. ex Fisch. & Mey. Ind. Sem. Hort. Petrop. i. 31.—Sibiria.  
*vulgaris*, DC. Prod. iv. 150 = S. Libanotis.

LIBANOTUS, Stackh. De Liban. 13 (1814) = Boswellia, Roxb. (Burser.).  
*asiaticus*, Stackh. l. c. = B. serrata.

LIBANUS, Colebr. in As. Res. ix. (1807) 382. t. 5. f. 1 = Boswellia, Roxb. (Burserac.).  
*thuriferus*, Colebr. l. c. = B. serrata.

LIBERTIA, Dum. Comm. Bot. 9 (1822) = Funkia, Spreng. (Liliac.).

LIBERTIA, Lej. in Nov. Act. Nat. Cur. xii. (1825) 755. t. 65. = Bromus, Linn. (Gramin.).  
*arduennensis*, Lej. l. c. = B. arduennensis.

- LIBERTIA, Spreng. Syst. i. 127, 168 (1825). *IRIDEAE*, Benth. & Hook. f. iii. 696.  
*NEMATOSTIGMA*, A. Dietr. Sp. Pl. ii. 509 (1833).  
*RENEALMIA*, R. Br. Prod. Add. (1810).  
*TAUMASTOS*, Rafin. Fl. Tellur. iv. 9 (1836).  
*caerulescens*, Kunth, in Linnaea, xix. (1847) 382.—Chili.  
*chilensis*, Klotzsch, ex Baker, in Journ. Linn. Soc. xvi. (1877) 153.—Chili.  
*crassa*, R. Grah. in Edinb. N. Phil. Journ. (Oct. 1833) 383 = formosa.  
*elegans*, Poepp. Fragm. Syn. Pl. Chil. 1.—Chili.  
*formosa*, R. Grah. in Edinb. N. Phil. Journ. (Oct. 1833) 383.—Chili.  
*graminea*, Endl. in Lehm. Pl. Preiss. ii. 32 = Orthrosanthus gramineus.  
*grandiflora*, Phil. in Bot. Zeit. xiv. (1856) 648 = formosa.  
*grandiflora*, Sweet, Hort. Brit. ed. II. 498.—N. Zel.  
*ixioides*, C. Gay, Fl. Chil. vi. 31 = elegans.  
*ixioides*, Klatt, in Mart. Fl. Bras. iii. 530. t. 68. f. 2 = formosa.  
*ixioides*, Spreng. Syst. i. 168.—N. Zel.  
*Laurencii*, Hook. f. Fl. Tasman. ii. 34. t. 129 = pulchella.  
*laxa*, Endl. in Lehm. Pl. Preiss. ii. 32 = Orthrosanthus laxus.  
*macrocarpa*, Klatt, in Linnaea, xxxi. (1861-62) 384 = grandiflora.  
*micrantha*, A. Cunn. in Hook. Comp. Bot. Mag. ii. (1836) 375 = pulchella.  
*orbicularis*, Colenso, in Trans. N. Z. Inst. xv. (1883) 329 = ixioides.  
*paniculata*, Spreng. Syst. i. 168.—Austral.  
*pulchella*, Spreng. l. c. 169.—Austral.; N. Zel.  
*restoides*, Klatt, in Linnaea, xxxi. (1861-62) 383 = ixioides.  
*stricta*, Endl. in Lehm. Pl. Preiss. ii. 32 = Orthrosanthus multiflorus.  
*tricolor*, Phil. in Linnaea, xxix. (1857-58) 63.—Chili.  
*tricolor*, Lem. Illustr. Hort. x. (1863) Misc. 35.—N. Zel.

LIBIDIBIA, Schlecht. in Linnaea, v. (1830) 192 = Caesalpinia, Linn. (Legum.).  
*coriaria*, Schlecht. l. c. 193 = G. coriaria.  
*pauciflora*, Griseb. Cat. Pl. Cub. 78 = C. pauciflora.  
*pinnata*, Griseb. l. c. 79.—Cuba.



**LIBOCEDRUS**, Endl. Syn. Conif. 42 (1847). *CONIFERAE*, Benth. & Hook. f. iii. 426.  
**CALOCEDRUS**, Kurz, in Journ. Bot. xi. (1873) 196. t. 133.  
**HEYDERIA**, C. Koch, Dendrol. ii. 1179 (1873). austro-caledonicus, Brongn. & Gris, in Bull. Soc. Bot. Fr. xviii. (1871) 140.—N. Caled.  
**Bidwillii**, Hook. f. Handb. N. Zeal. Fl. 257.—N. Zel. chilensis, Endl. Syn. Conif. 44.—Chili.  
**Craigiana**, Low, ex Gord. Pinet. Suppl. 102 = *Thuya gigantea*.  
**decurrens**, Torr. Pl. Frémont. 7. t. 3.—Calif.  
**dolabrata**, [Nelson] Senilis, Pinaceae, 65 = *Thuya dolabrata*.  
**Doniana**, Endl. Syn. Conif. 43.—N. Zel.  
**excelsa**, Hort. ex Gord. Pinet. 132 = chilensis.  
**gigantea**, Low, ex Gord. Pinet. Suppl. 102 = *Thuya gigantea*.  
**macrolepis**, Benth. & Hook. f. Gen. iii. 426.—China.  
**tetragona**, Endl. Syn. Conif. 44.—Chili.  
**LIBONIA**, C. Koch, ex Linden, Prix-Cour. (1863) n. 18. p. 2 = *Jacobinia*, Moric. (Acanthac.).  
**floribunda**, C. Koch, l. c.; et in Wochenschr. vi. (1863) 266 = *J. pauciflora*.  
**LIBONIA**, Lem. Illustr. Hort. ii. (1855) t. 48 = *Billbergia*, Thunb. (Liliac.).  
**marmorata**, Lem. l. c. = *B. marmorata*.  
**LIBONIA**, Lem. Jard. Fleur. iii. (1852-53) t. 290 = *Griffinia*, Ker-Gawl. (Liliac.).  
**bicolor**, Lem. l. c. = *G. bicolor*.  
**LICANIA**, Aubl. Pl. Gui. i. 119. t. 45 (1775). *ROSACEAE*, Benth. & Hook. f. i. 606.  
**HEDYCREA**, Schreb. Gen. i. 160 (1789).  
**angelisia**, Blume, Mélanges Bot. (1855).—Cf. *Flora*, xli. (1858) 256.—Malaya.  
**aperta**, Benth. in Hook. Journ. Bot. ii. (1840) 218 = *Moquilea Turiuva*.  
**arborea**, Seem. Bot. Voy. Herald, 118. t. 25.—N. Granat.  
**Benthami**, Hook. f. in Mart. Fl. Bras. xiv. ii. 12.—Bras.  
**bothynophylla**, Mart. in Flora, xxiv. (1841) ii. Beibl. 15 = *Moquilea bothynophylla*.  
**caracasana**, Klotzsch, ex Hook. f. in Mart. Fl. Bras. ii. 25 = *Moquilea Turiuva*.  
**conduplicata**, Klotzsch, in Schomb. Faun. & Fl. Gui. 1198 = *Moquilea Turiuva*.  
**coriacea**, Benth. in Hook. Journ. Bot. ii. (1840) 221.—Guian.  
**costata**, Spruce, ex Hook. f. in Mart. Fl. Bras. xiv. ii. 10 = glabra.  
**crassifolia**, Benth. in Hook. Journ. Bot. ii. (1840) 221.—Guian.  
**crassivenia**, Spruce, ex Hook. f. in Mart. Fl. Bras. xiv. ii. 14.—Bras.  
**dealbata**, Hook. f. l. c. 13.—Bras.  
**Diamenia**, Blume, Mélanges Bot. (1855).—Cf. *Flora*, xli. (1858) 256.—Malaya.  
**divaricata**, Benth. in Hook. Journ. Bot. ii. (1840) 221.—Guian.  
**emarginata**, Spruce, ex Hook. f. in Mart. Fl. Bras. xiv. ii. 15.—Bras.  
**flavicans**, Klotzsch, in Schomb. Faun. & Fl. Gui. 1103, nomen.—Guian.  
**floribunda**, Benth. in Hook. Journ. Bot. ii. (1840) 219 = *Moquilea floribunda*.  
**glabra**, Mart. ex Hook. f. in Mart. Fl. Bras. xiv. ii. 10.—Bras.  
**Glazioviana**, Warm. in Kjoeb. Vidensk. Meddel. (1874) 68.—Bras.  
**guyanensis**, Klotzsch, in Schomb. Faun. & Fl. Gui. 1199, nomen; et ex Hook. f. in Mart. Fl. Bras. xiv. ii. 12 = heteromorpha.  
**habantha**, Mart. ex Hook. f. l. c. 17.—Bras.  
**helvola**, Spruce, ex Hook. f. l. c. 18 = micrantha.  
**heteromorpha**, Benth. in Hook. Journ. Bot. ii. (1840) 221.—Guian.  
**humilis**, Cham. & Schlecht. in Linnaea, i. (1826) 549 = *Moquilea humilis*.  
**hypoleuca**, Benth. Bot. Voy. Sulph. 91. t. 32.—N. Granat.  
**incana**, Aubl. Pl. Gui. i. 119. t. 45.—Guian.  
**incana**, Benth. in Hook. Journ. Bot. ii. (1840) 220 = Kunthiana.

**LICANIA** :—  
**intrapetiolaris**, Spreng. ex Hook. f. in Mart. Fl. Bras. xiv. ii. 11.—Bras.  
**Kunthiana**, Hook. f. l. c. 16.—Bras.  
**latifolia**, Benth. ex Hook. f. l. c. 11.—Bras.  
**leptostachya**, Benth. in Hook. Journ. Bot. ii. (1840) 220 = incana.  
**leucosepala**, Griseb. in Goett. Abh. vii. (1857) 198.—Ind. occ.  
**littoralis**, Warm. in Kjoeb. Vidensk. Meddel. (1874) 67.—Bras.  
**macrophylla**, Benth. in Hook. Kew Journ. ii. (1850) 240.—Bras.  
**macrophylla**, Klotzsch, in Schomb. Faun. & Fl. Gui. 1198, nomen.—Guian.  
**majuscula**, Sagot, in Ann. Sc. Nat. Sér. VI. xv. (1883) 306.—Guian.  
**micrantha**, Kunth, ex Hook. f. in Mart. Fl. Bras. xiv. ii. 16 = Kunthiana.  
**micrantha**, Mig. Stirp. Surin. Sel. 29.—Guian.  
**microcarpa**, Hook. f. in Mart. Fl. Bras. xiv. ii. 15.—Bras.  
**mollis**, Benth. in Hook. Journ. Bot. ii. (1840) 219.—Guian.  
**myristicoides**, Benth. ex Hook. f. in Mart. Fl. Bras. xiv. ii. 24 = *Moquilea sclerophylla*.  
**nitida**, Hook. f. in Mart. Fl. Bras. xiv. ii. 17.—Bras.  
**obovata**, Benth. ex Hook. f. l. c. 11.—Bras.  
**odorata**, Klotzsch, in Schomb. Faun. & Fl. Gui. 1199, nomen.—Guian.  
**orbicularis**, Spruce, ex Hook. f. in Mart. Fl. Bras. xiv. ii. 13.—Bras.  
**pallida**, Spruce, ex Hook. f. l. c. 18 = parviflora.  
**parviflora**, Benth. in Hook. Journ. Bot. ii. (1840) 221.—Guian.  
**pendula**, Benth. l. c. 218 = *Moquilea pendula*.  
**polita**, Spruce, ex Hook. f. in Mart. Fl. Bras. xiv. ii. 17.—Bras.  
**prismatocarpa**, Spruce, ex Hook. f. l. c. 19.—Bras.  
**pubiflora**, Benth. in Hook. Journ. Bot. ii. (1840) 219 = *Moquilea Turiuva*.  
**pyrifolia**, Griseb. Fl. Brit. W. Ind. 230.—Ins. Trinit.  
**rigida**, Benth. in Hook. Journ. Bot. ii. (1840) 220.—Bras.  
**robusta**, Sagot, in Ann. Sc. Nat. Sér. VI. xv. (1883) 306.—Guian.  
**rufescens**, Klotzsch, in Schomb. Faun. & Fl. Gui. 1103, nomen.—Guian.  
**scabra**, Benth. ex Hook. f. in Mart. Fl. Bras. xiv. ii. 24 = *Moquilea sclerophylla*.  
**Schomburgkiana**, Klotzsch, in Schomb. Faun. & Fl. Gui. 1199, nomen.—Guian.  
**sclerophylla**, Mart. ex Hook. f. in Mart. Fl. Bras. xiv. ii. 24 = *Moquilea sclerophylla*.  
**Sellowiana**, Klotzsch, ex Hook. f. l. c. 26 = *Moquilea bothynophylla*.  
**spicata**, Hook. f. l. c. 16.—Bras.  
**subfalcata**, Spruce, ex Hook. f. l. c. 18 = parviflora.  
**surinamensis**, Klotzsch, in Schomb. Faun. & Fl. Gui. 1198, nomen.—Guian.  
**triandra**, Mart. ex Hook. f. in Mart. Fl. Bras. xiv. ii. 18.—Bras.  
**turbinata**, Benth. in Hook. Journ. Bot. ii. (1840) 218 = *Moquilea turbinata*.  
**Turiuva**, Cham. & Schlecht. in Linnaea, ii. (1827) 550 = *Moquilea Turiuva*.  
**unccolaris**, Hook. f. in Mart. Fl. Bras. xiv. ii. 15.—Bras.

**LICARIA**, Aubl. Pl. Gui. 313. t. 121 (1775) 'nomen delend.' Benth. & Hook. f. iii. 150.  
**guianensis**, Aubl. l. c. (= *Dicypellium caryophyllum*, fide Nees).—Guian.

**LICHENORA**, Wight, Ic. v. t. 1738 (1852) = *Eria*, Lindl. (Orchid.).  
**Jerdoniana**, Wight, l. c. = *E. Lichenora*.

**LICHINORA**, Wight, Ic. v. 18 (1852) = praec.

**LICHNIS**, Crantz, Inst. i. 194 (1766) = *Lychnis*, Tourn. (Caryoph.).

**LICHTENSTEINIA**, Cham. & Schlecht. in Linnaea, i. (1826) 394. t. 5. *UMBELLIFERAE*, Benth. & Hook. f. i. 887.  
**Ruthea**, Bolle, in Verh. Bot. Ver. Brandenb. iii. (1861-62) 174.

**LICHSTENSTEINIA** :—  
**Beiliana**, Eckl. & Zeyh. Enum. 343.—Afr. austr.  
**Burchellii**, Hook. f. in Hook. Ic. Pl. t. 1033.—Ins. St. Helena.  
**crassijuga**, E. Mey. in Drège, Zwei Pfl. Docum. 199.—Afr. austr.  
**inebrians**, Eckl. & Zeyh. Enum. 343 = *Beiliana*.  
**inebrians**, E. Mey. ex Harv. & Sond. Fl. Cap. ii. 548 (= *Glia gummifera*).—Afr. austr.  
**interrupta**, E. Mey. in Drège, Zwei Pfl. Docum. 199 = *pyrethrifolia*.  
**lacera**, Cham. & Schlecht. in Linnaea, i. (1826) 395.—Afr. austr.  
**latifolia**, Eckl. & Zeyh. Enum. 343.—Afr. austr.  
**palmata**, DC. Prod. iv. 135 = trifida.  
**pyrethrifolia**, Cham. & Schlecht. in Linnaea, i. (1826) 397.—Afr. austr.  
**runcinata**, E. Mey. ex Harv. & Sond. Fl. Cap. ii. 543 = trifida.  
**Sprengeliana**, Eckl. & Zeyh. Enum. 344 = *pyrethrifolia*.  
**trifida**, Cham. & Schlecht. in Linnaea, i. (1826) 396.—Afr. austr.  
**triradiata**, E. Mey. in Drège, Zwei Pfl. Docum. 199 = *Beiliana*.

**LICHTENSTEINIA**, Wendl. Coll. i. ii. 4. t. 39 (1808) = *Loranthus*, Linn.  
**oleaeifolia**, Wendl. l. c. 5 = *Loranthus oleaeifolius*.

**LICHTENSTEINIA**, Willd. in Ges. Naturf. Fr. Berl. Mag. ii. (1808) 19. t. 1 = *Ornithoglossum*, Salisb. (Liliac.).  
**laevigata**, Willd. l. c. 20 = *O. glaucum*.  
**undulata**, Willd. l. c. = *O. glaucum*.

**LICHTERVELDIA**, Lem. Illustr. Hort. ii. (1855) t. 59 = *Odontoglossum*, H. B. & K. (Orchid.).  
**Lindleyi**, Lem. l. c. = *O. citrosum*.

**LICINIA**, Rafin. Fl. Tellur. iii. 57 (1836) = *Anthericum*, Linn. (Liliac.).  
**canaliculata**, Rafin. l. c. = *A. canaliculatum*.

**LICOPERSICUM**, Neck. Elem. ii. 61 (1790) = *Lycopersicum*, Mill. (Solan.).

**LICOPSIS**, Neck. Delic. Gallo-Belg. i. 102 (1768) = *Lycopsis*, Linn. (Borag.).

**LICOPUS**, Neck. Delic. Gallo-Belg. i. 14 (1768) = *Lycopus*, Tourn. (Labiata.).

**LICUALA**, Thunb. in Vet. Acad. Nya Handl. (1782) 284; Diss. Nov. Gen. iii. 70. *PALMAE*, Benth. & Hook. f. iii. 928.

**PERICYCLA**, Blume, Rumphia, ii. 47. t. 94 (1843).  
**acutifida**, Mart. Hist. Nat. Palm. iii. 236. t. 135. f. 34.—Malaya.

**amplifrons**, Mig. Fl. Ind. Bat. Suppl. 591.—Sumatra.  
**aruensis**, Becc. Malesia, i. (1877) 83.—N. Guin.  
**australasica**, Hort. ex H. Wendl. in Kerch. Palm. 249. nomen.—Australas.

**bacularia**, Becc. Malesia, i. (1877) 82.—N. Guin.  
**Bissula**, Mig. Fl. Ind. Bat. iii. 57.—Ins. Celebes.  
**celebica**, Mig. in Verh. Kon. Akad. Wetensch. xi. (1863) n. v. 11.—Ins. Celebes.

**densiflora**, Hort. ex H. Wendl. in Kerch. Palm. 249. nomen.—Hab. ?

**elegans**, Blume, Rumphia, ii. 42.—Sumatra.  
**flabellum**, Mart. Hist. Nat. Palm. iii. 237.—Ins. Celebes.

**glabra**, Griff. ex Mart. l. c. 238; et in Calc. Journ. Nat. Hist. v. (1845) 329.—Malaya.

**gracilis**, Blume, in Schult. f. Syst. vii. 1303.—Java.  
**grandis**, H. Wendl. in Illustr. Hort. xxvii. 1880 t. 412.—Nov. Brit.

**horrida**, Blume, Rumphia, ii. 39 = spinosa.  
**insignis**, Becc. Malesia, i. (1877) 80.—N. Guin.

**longipes**, Griff. ex Mart. Hist. Nat. Palm. iii. 237; et in Calc. Journ. Nat. Hist. v. (1845) 330.—Malaya.

**Muelleri**, H. Wendl. & Drude, in Linnaea, xxxix. (1875) 223.—Austral.

**nana**, Blume, Rumphia, ii. 46. t. 93.—Sumatra.  
**Oxleyi**, H. Wendl. in Kerch. Palm. 249 = *paludosa*.



**LICUALA** :—

paludosa, *Griff. ex Mart. Hist. Nat. Palm.* iii. 237; *et in Calc. Journ. Nat. Hist. v.* (1845) 823.—Malaya. peltata, *Roxb. Hort. Beng.* 25; *Fl. Ind.* ii. 179.—Reg. Himal.; Burma; Ind. or. penduliflora, [*Zipf. ex*] *Mackl. in Bijdr. Nat. Wet. v.* (1830) 178, nomen; *et ex Blume, Rumphia*, ii. 47.—N. Guin. pilearia, *Blume, Rumphia*, ii. 42.—Cochinch. pumila, *Blume, in Schult. f. Syst.* vii. 1302.—Malaya. ramosa, *Blume*, l. c. 1303 = spinosa. rotundifolia, *Blume*, l. c. 1305 = *Livingstonia rotundifolia*. Rumphii, *Blume, Rumphia*, ii. 41.—Ins. Molucc. spectabilis, *Miq. Pl. Fung.* 163.—Java. spinosa, *Poir. Encyc. Suppl.* iii. 430; *Blume, Rumphia*, ii. 41 = Rumphii. spinosa, *Roxb. Hort. Beng.* 25; *Fl. Ind.* ii. 181 = acutifida. spinosa, *Thunb. in Vet. Akad. Nya Handl.* (1782) 287.—Malaya. telifera, *Becc. Malesia*, i. (1877) 81.—N. Guinea. ternata, *Griff. ex Mart. Hist. Nat. Palm.* iii. 238.—Malaya. triphylla, *Griff. ex Mart.* l. c.; *et in Calc. Journ. Nat. Hist. v.* (1845) 332 = ternata. Waraguh, *Blume, in Schult. f. Syst.* vii. 1305 = *Rhapis javanica*. Wiru, *Mart. Hist. Nat. Palm.* iii. 254 = seq. Wiruh, *Blume, Rumphia*, ii. 56 = seq. Wixu, *Blume, in Schult. f. Syst.* vii. 1305 = *Rhapis javanica*.

**LIDBECKIA**, *Berg. Desc. Pl. Cap.* 306. t. 5. f. 9 (1767). *COMPOSITAE*, *Benth. & Hook. f. ii.* 423.

LANCISIA, *Lam. Illustr. t.* 701. f. 2, 3 (1798?). americana, *Spreng. Syst.* iii. 589.—Am. austr. bipinnata, *Thunb. Prod. Pl. Cap.* 161 = *Lasiospermum radiatum*. capensis, *J. F. Gmel. Syst.* 227 = pectinata. lobata, *Thunb. Prod. Pl. Cap.* 161.—Afr. austr. pectinata, *Berg. Desc. Pl. Cap.* 307. t. 5. f. 9.—Afr. austr. pruinosa, *E. Mey. ex DC. Prod.* vi. 82 = *Cenia turbinata*. quinqueloba, *Cass. in Dict. Sc. Nat.* xxvi. 276 = lobata. turbinata, *Thunb. Prod. Pl. Cap.* 161 = *Cenia turbinata*.

LIDBEKIA, *Spreng. Gen.* ii. 635 (1831) = praec.

LIEBERKUEHNA, *Reichb. Consp.* 100 (1828) = seq.

LIEBERKUEHNIA, *Reichb. Nom.* 87 (1841) = seq.

LIEBERKUHNIA, *Cass. in Dict. Sc. Nat.* xxvi. 286 (1823) = *Chaptalia*, *Vent. (Compos.)*. bracteata, *Cass. l. c.* 286 = *C. piloselloides*. nudipes, *Cass. l. c.* 287 = *C. sinuata*. piloselloides, *Steud. Nom. ed. II.* ii. 726 = *C. piloselloides*. spatulata, *DC. Prod.* vii. 43 = *C. spatulata*.

LIEBERKUHNIA, *Less. Syn. Comp.* 122 (1832) = praec.

LIEBICHIA, *Opiz, Seznam*, 59 (1852) = *Ribes*, *Linn. (Saxifrag.)*. alpina, *Opiz*, l. c. = *R. alpinum*.

LIEBIGIA, *Endl. Gen.* 1407 (1841) = *Chirita*, *Buch.-Ham. (Gesner.)*. bracteosa, *Zoll. & Mor. in Nat. en Geneesk. Arch. Neerl. Indie*, ii. (1845) 574 = *C. Horsfieldii*. elongata, *DC. Prod.* ix. 259 = *Dichrotrichum ternatum*. speciosa, *DC. l. c.* = *C. Blumii*.

LIENTZIA, *Regel, Gartenfl.* (1880) 97. *GESNERACEAE*. brasiliensis, *Regel & Schmidt, l. c.*—Bras.

LIEVENA, *Regel, in Act. Hort. Petrop.* vi. (1879) 537 = *Quesnelia*, *Gaudich. (Bromel.)*. Princeps, *Regel*, l. c. = *Q. rufa*.

LIGEA, *Poit. ex Tul. in Ann. Sc. Nat. Sér.* III. xi. (1849) 96; *et in Arch. Mus. Par. vi.* (1852) (Podost.

**LIGEA** :—

Monog.) 85. tt. 4-7. *PODOSTEMACEAE*, *Benth. & Hook. f. iii.* 110. OENONE, *Tul. in Ann. Sc. Nat. Sér.* III. xi. (1849) 96. alcinomis, *Tul. in Arch. Mus. Par. vi.* (1852) 94. t. 7. f. 1.—Bras. corymbosa, *Benth. & Hook. f. Gen.* iii. 111.—Guian. dissecta, *Benth. & Hook. f. l. c.*—Bras. flexuosa, *Tul. Podost. Monog.* 88.—Guian. longifolia, *Tul. l. c.* 86.—Guian. Richardiana, *Tul. in Ann. Sc. Nat. Sér.* III. xi. (1849) 96.—Guian. secundiflora, *Tul. l. c.* 97.—Guian.

LIGERIA, *Decne. in Rev. Hort. Sér.* III. ii. (1848) 463 = *Sinningia*, *Nees (Gesner.)*. andina, *Griseb. in Goett. Abh.* xix. (1874) 227.—Reg. Argent. barbata, *Hanst. in Mart. Fl. Bras.* viii. 390 = *S. Carolinae*. caulescens, *Decne. in Rev. Hort. Sér.* III. ii. (1848) 463 = *S. speciosa*. concinna, *Hanst. in Mart. Fl. Bras.* viii. 386.—Bras. digitaliflora, *Decne. in Rev. Hort. Sér.* III. ii. (1848) 463 = *Gloxinia digitaliflora*. discolor, *Decne. ex Hanst. in Mart. Fl. Bras.* viii. 388.—Bras. gesnerifolia, *Hanst. l. c.* 389 = *S. villosa*. gracilis, *Hanst. l. c.* 390.—Bras. hirsuta, *Decne. ex Hanst. l. c.* 386.—Bras. macrophylla, *Hanst. l. c.* 387.—Bras. Maximiliana, *Hanst. l. c.*—Bras. Menziesiana, *Hanst. l. c.* 388 = *S. speciosa*. pusilla, *Hanst. l. c.* 386.—Bras. speciosa, *Decne. in Rev. Hort. Sér.* III. ii. (1848) 464 = *S. speciosa*. Teuchleri, *Decne. l. c.* = *Gloxinia Teuchleri*. villosa, *Hook. ex Hanst. in Mart. Fl. Bras.* viii. 420 = *S. villosa*.

**LIGHTFOOTIA**, *L'Hérit. Sert. Angl. t.* 4 (1788). *CAMPANULACEAE*, *Benth. & Hook. f. ii.* 555.

CONCILIUM, *Rafin. Fl. Tellur.* ii. 78 (1836). abyssinica, *Hochst. in Flora*, xxiv. (1841) i. *Intell.* 25, nomen; *et ex A. Rich. Tent. Fl. Abyss.* ii. 1.—Abyss. adpressa, *A. DC. Monog. Camp.* 110 = *Wahlenbergia adpressa*. albanensis, *Sond. in Harv. & Sond. Fl. Cap.* iii. 557.—Afr. austr. albens, *Spreng. ex A. DC. Monog. Camp.* 110.—Afr. austr. albicaulis, *Sond. in Harv. & Sond. Fl. Cap.* iii. 556.—Afr. austr. angustifolia, *A. DC. in DC. Prod.* vii. 418 = rubens. annua, *DC. in Ann. Sc. Nat. Sér.* V. vi. (1866) 329.—Afr. austr. anomala, *A. DC. in DC. Prod.* vii. 418 = *Thunbergiana*. arenaria, *A. DC. in Ann. Sc. Nat. Sér.* V. vi. (1866) 329.—Afr. trop. axillaris, *Sond. in Harv. & Sond. Fl. Cap.* iii. 558.—Afr. austr. Buekii, *Sond. l. c.* iii. 560.—Afr. austr. caledonica, *Sond. l. c.* 559.—Afr. austr. capillaris, *Buek, in Eckl. & Zeyh. Enum.* 372.—Afr. austr. ciliata, *Sond. in Harv. & Sond. Fl. Cap.* iii. 561 = tenella. ciliata, *Spreng. Syst.* i. 809 = *Prismatocarpus subulatus*. cinerea, *Sond. in Harv. & Sond. Fl. Cap.* iii. 557 = grisea. collumoides, *A. DC. in Ann. Sc. Nat. Sér.* V. vi. (1866) 328.—Afr. trop. debilis, *A. DC. l. c.* 331.—Afr. trop. denticulata, *Sond. in Harv. & Sond. Fl. Cap.* iii. 559 = capillaris. diffusa, *Buek, in Eckl. & Zeyh. Enum.* 376 = fasciculata. divaricata, *Buek, l. c.* 375 = tenella. exilis, *A. DC. in Ann. Sc. Nat. Sér.* V. vi. (1866) 330.—Afr. trop. fasciculata, *Spreng. ex A. DC. in Monog. Camp.* 112.—Afr. austr. gracilis, *A. DC. in Ann. Sc. Nat. Sér.* V. vi. (1866) 330.—Afr. trop. gracilis, *Miq. Fl. Ind. Bat.* ii. 567 = *Wahlenbergia gracilis*.

**LIGHTFOOTIA** :—

grisea, *Buek, in Eckl. & Zeyh. Enum.* 374.—Afr. austr. Huttonii, *Sond. in Harv. & Sond. Fl. Cap.* iii. 556.—Afr. austr. intermedia, *Buek, ex Eckl. & Zeyh. Enum.* 374 = *uitenhagensis*. juncea, *Sond. in Harv. & Sond. Fl. Cap.* iii. 563.—Afr. austr. lanceolata, *Link, Enum. Hort. Berol.* i. 217 = *oxyocoides*? laricina, *Buek, in Eckl. & Zeyh. Enum.* 373 = *albans*, *Buekii*. laxiflora, *Sond. in Harv. & Sond. Fl. Cap.* iii. 564.—Afr. austr. linearis, *Eckl. ex A. DC. in DC. Prod.* vii. 417 = *longifolia*. Loddigesii, *A. DC. Monog. Camp.* 114 = *tenella*. longifolia, *A. DC. l. c.* 107.—Afr. austr. lycopodioides, *A. DC. l. c.* 114 = *unidentata*. macrostachys, *A. DC. l. c.* 787 = *spicata*. madagascariensis, *A. DC. Monog. Camp.* 116.—Madag. marginata, *A. DC. in Ann. Sc. Nat. Sér.* V. vi. (1866) 326.—Afr. trop. mucronulata, *Buek, in Eckl. & Zeyh. Enum.* 375 = *tenella*. muscosa, *Link, Enum. Hort. Berol.* i. 217 = *oppositifolia*. namaquana, *Sond. in Harv. & Sond. Fl. Cap.* iii. 556.—Afr. austr. napiformis, *A. DC. in Ann. Sc. Nat. Sér.* V. vi. (1866) 328.—Afr. trop. nodosa, *Buek, in Eckl. & Zeyh. Enum.* 376 = *fasciculata*. oppositifolia, *A. DC. Monog. Camp.* 115.—Afr. austr. oxycoccoides, *Drège, ex A. DC. in DC. Prod.* vii. 418 = *spicata*. oxycoccoides, *L'Hérit. Sert. Angl. t.* 4.—Afr. austr. oxycoccoides, *Spreng. Syst.* i. 809, partim = *oppositifolia*. paniculata, *A. DC. in Ann. Sc. Nat. Sér.* V. vi. (1866) 331.—Afr. trop. paniculata, *Sond. in Harv. & Sond. Fl. Cap.* iii. 560.—Afr. austr. pubescens, *A. DC. in DC. Prod.* vii. 419.—Afr. austr. robusta, *A. DC. l. c.* 420 = *Wahlenbergia rigida*. rubens, *Buek, in Eckl. & Zeyh. Enum.* 373.—Afr. austr. rubioides, *Buek, l. c.* 377 = *ciliata*. rubioides, *A. DC. Monog. Camp.* 116.—Afr. austr. sessiliflora, *Sond. in Harv. & Sand. Fl. Cap.* iii. 555 = *subulata*. sessiliflora, *Spreng. Syst.* i. 809 = *Prismatocarpa strictus*. sessilifolia, *Zeyh. ex A. DC. in DC. Prod.* vii. 498 = *Cyphia linarioides*. spicata, *Buek, in Eckl. & Zeyh. Enum.* 374.—Afr. austr. subaphylla, *Baker, in Journ. Linn. Soc.* xx. (1883) 193.—Madag. subulata, *Drège, ex A. DC. in DC. Prod.* vii. 418 = *spicata*. subulata, *L'Hérit. Sert. Angl. t.* 5.—Afr. trop. tenella, *A. DC. Monog. Camp.* 111. t. 3. f. B = *fasciculata*. tenella, *Lodd. Bot. Cab.* t. 1038.—Afr. austr. tenerima, *Buek, in Eckl. & Zeyh. Enum.* 375 = *fasciculata*. tenuifolia, *A. DC. in Ann. Sc. Nat. Sér.* V. vi. (1866) 327.—Afr. trop. Thunbergiana, *Buek, in Eckl. & Zeyh. Enum.* 376.—Afr. austr. thymifolia, *Buek, l. c.* 373.—Afr. austr. uitenhagensis, *Buek, l. c.*—Afr. austr. unidentata, *A. DC. Monog. Camp.* 107.—Afr. austr. Welwitschii, *A. DC. in Ann. Sc. Nat. Sér.* V. vi. (1866) 332.—Afr. trop.

**LIGHTFOOTIA**, *Schreb. Gen.* i. 122 (1789) = *Rondeletia*, *Linn. (Rubiace.)*.

**LIGHTFOOTIA**, *Sw. Prod. Veg. Ind. Occ.* 83 (1788) = *Laetia*, *Linn. (Bixin.)*. indica, *Sw. l. c.*—Ind. occ. integrifolia, *Vahl, Symb. Bot.* iii. 70 = *Aphloia mauritiana*. serrata, *Sw. Prod. Veg. Ind. Occ.* 83 = *Aphloia mauritiana*. theaeformis, *Vahl, Symb. Bot.* iii. 69 = *Aphloia mauritiana*.



**LIGHTIA**, Schomb. in Linnaea, xx. (1847) 757. *VOCHYSIACEAE*.  
*guianensis*, Schomb. l. c.—Guian.  
*licanoides*, Spruce, ex Warm. in Mart. Fl. Bras. xiii. ii. 122.—Bras.

**LIGHTIA**, Schomb. in Rep. Brit. Assoc. (1844) II. 71 = **Herrania**, Goudot. (Stercul.).  
*lemniscata*, Schomb. l. c. = H. Mariae.

**LIGIA**, Fasano, ex Pritz. Ic. Ind. 638 (1855) = **LYGIA**, Fasano = **Thymelaea**, Tourn.

**LIGNONIA**, Scop. Introd. 292 (1777) = **Paypayrola**, Aubl. (Violar.).  
*monodynamia*, J. F. Gmel. Syst. 373 = P. guianensis.

**LIGOSTICON**, St. Lag. in Ann. Soc. Bot. Lyon, vii. (1880) 129 = **Ligusticum**, Linn. (Umbellif.).  
*aciphyllum*, St. Lag. l. c. = Ligust. Aciphylla.

**LIGTU**, Adans. Fam. p. (20) (1763) = **Alstroemeria**, Linn. (Amaryll.).

**LIGULARIA**, Cass. in Bull. Soc. Philom. (1816) 198 = **Senecio**, Tourn. (Compos.).  
*altaica*, DC. Prod. vi. 315 = S. altaicus.  
*amplexicaulis*, DC. l. c. 314 = S. amplexicaulis, Wall.  
*araneosa*, DC. l. c. = S. chionopappus.  
*arnicoides*, DC. l. c. = S. arnicoides.  
*Aucherii*, DC. l. c. vii. 800 = S. taraxacifolius.  
*auriculata*, Turcz. ex DC. l. c. vi. 329 = S. dahuricus.  
*calthaefolia*, Maxim. in Bull. Acad. Pétersb. xv. (1871) 374 = S. calthaefolius.  
*caucasica*, G. Don, in Sweet, Hort. Brit. ed III. 382 = S. caucasicus.  
*clivorum*, Maxim. in Bull. Acad. Pétersb. xv. (1871) 374 = S. clivorum.  
*corymbosa*, DC. Prod. vi. 314 = S. amplexicaulis, Wall.  
*euodon*, Miq. Ann. Mus. Bot. Lugd. Bat. iii. 188 = S. Ligularia.  
*Farfugium*, C. Koch, in Regel, Gartenfl. (1859) 15 = S. Kaempferi.  
*Fischeri*, Turcz. in Bull. Soc. Nat. Mosc. xx. (1847) II. 11 = *speciosa*.  
*frigida*, Sch. Bip. ex Hook. f. Fl. Brit. Ind. iii. 351 = S. arnicoides.  
*geifolia*, DC. Prod. vi. 316 = S. geifolius.  
*gigantea*, Sieb. & Zucc. Fl. Jap. i. 79. t. 36 = S. Kaempferi.  
*hastata*, Less. Syn. Comp. 390 = S. sagittatus.  
*heterophylla*, Rupr. Sert. Tiansch. 53.—Turkestan.  
*Hodgsoni*, Hook. f. Bot. Mag. t. 5417.—Japon.  
*japonica*, Less. Syn. Comp. 390 = S. japonicus.  
*Kaempferi*, Sieb. & Zucc. Fl. Jap. i. 77. t. 35 = S. Kaempferi.  
*Kareliniana*, Stschegl. in Bull. Soc. Nat. Mosc. (1854) I. 176.—As. centr.  
*lanata*, Less. Syn. Comp. 390 = *Alciope lanata*.  
*macrophylla*, DC. Prod. vi. 316 = S. Ledebourii.  
*mongolica*, DC. l. c. 315 = S. mongolicus.  
*nana*, Decne. in Jacquem. Voy. Bot. 91. t. 99 = *Werneria nana*.  
*palmata*, Hook. f. & Thoms. ex C. B. Clarke, Comp. Ind. 168 = *Cremanthodium palmatum*.  
*persica*, Boiss. Diagn. Ser. I. vi. 93 = S. persicus.  
*pinnatifida*, Hook. f. & Thoms. ex C. B. Clarke, Comp. Ind. 167 = *Cremanthodium pinnatifidum*.  
*racemosa*, DC. Prod. vi. 314 = S. Ligularia.  
*Reichenbachii*, Steud. Nom. ed. II. ii. 42 = S. Ligularia.  
*renifolia*, DC. Prod. vi. 316 = S. renifolius.  
*reniformis*, DC. l. c. 315 = *Cremanthodium reniforme*.  
*retusa*, DC. l. c. 314 = S. retusus.  
*robusta*, DC. l. c. 316 = S. robustus, Sch. Bip.  
*sibirica*, Cass. in Dict. Sc. Nat. xxvi. 402 = S. Ligularia.  
*speciosa*, Fisch. & Mey. Ind. Sem. Hort. Petrop. v. 38 = S. Ligularia?  
*tabularis*, Less. Syn. Comp. 290 = *Alciope tabularis*.  
*thyrsoides*, DC. Prod. vi. 315 = S. sibiricus.

**LIGULARIA**, Duval, Pl. Succ. Hort. Alenç. 11 (1809) = **Saxifraga**, Linn.  
*sarmentosa*, Duval, l. c. = S. sarmentosa.

**LIGULARIA**, Eckl. & Zeyh. Enum. 69 (1835) = **Pelargonium**, L'Hérit. (Geraniac.).  
*canescens*, Eckl. & Zeyh. l. c. = P. incisum.  
*dissecta*, Eckl. & Zeyh. l. c. = P. dissectum, Steud.  
*hirta*, Eckl. & Zeyh. l. c. 70 = P. tenuifolium.  
*incisa*, Eckl. & Zeyh. l. c. 69 = P. incisum.

*ionidiflora*, Eckl. & Zeyh. Enum. 69 = P. incisum.  
*ramosissima*, Eckl. & Zeyh. l. c. 70 = P. ramosissimum.  
*tenuifolia*, Eckl. & Zeyh. l. c. = P. tenuifolium.  
*trifida*, Eckl. & Zeyh. l. c. 69 = P. tripartitum.  
*villosa*, Eckl. & Zeyh. l. c. = P. villosum.

**LIGUSTICUM**, Linn. Gen. ed. I. 76 (1737). **UMBELLIFERAE**, Benth. & Hook. f. i. 911.  
**CONIOSELINUM**, Fisch. in Hoffm. Gen. Umb. 185 (1816).  
**CORISTOSPERMUM**, Bertol. Fl. Ital. iii. 466 (1837).  
**CYNAPIUM**, Nutt. ex Torr. & Gray, Fl. N. Am. i. 640 (1840).  
**ENDRESSIA**, J. Gay, in Ann. Sc. Nat. Sér. I. xxvi. (1832) 223.  
**GAYA**, Gaud. Fl. Helv. ii. 389 (1828).  
**HALOSCIAS**, Fries, Summ. Veg. Scand. 180 (1846).  
**HANSENIA**, Turcz. in Bull. Soc. Nat. Mosc. xvii. 754 (1844) (Fl. Baic. Dahur. i. 513).  
**NEOGAYA**, Meissn. Gen. 144 (1838).  
**PACHYPLEURUM**, Ledeb. Fl. Alt. i. 296 (1829).  
*acaule*, Turcz. ex Trautv. in Act. Hort. Petrop. viii. (1883) 386, nomen.—Sibir.  
*Aciphylla*, Spreng. Umbell. Prod. 40; & in Schult. Syst. vi. 554.—N. Zel.  
*actaeifolium*, Bigel. Fl. Bost. ed. III. 118 = *Archangelica* Gmelini.  
*actaeifolium*, Michx. Fl. Bor. Am. i. 166.—Am. bor.  
*acutibulum*, Sieb. & Zucc. in Abh. Akad. Muench. iv. II. (1843) 203.—Japon.  
*Ajawain*, Roxb. ex Flem. in As. Res. xi. (1810) 171 = *Carum copticum*.  
*Ajawain*, Spreng. in Schult. Syst. vi. 556 = *Ptychotis Ajowan*.  
*alatum*, Boiss. Fl. Orient. ii. 972.—Reg. Caucas.  
*alatum*, Spreng. Umbell. Prod. 40; Umbell. Spec. 125.—Reg. Caucas.  
*alpinum*, Spreng. Syst. i. 908 = *Carum alpinum*.  
*alsaticum*, Link, Enum. Hort. Berol. i. 275 = *Peucedanum alsaticum*.  
*Angelica*, Stokes, Bot. Mat. Med. ii. 96 = *Archangelica officinalis*.  
*angelicoides*, Wall. Cat. n. 548 = *Pleurospermum angelicoides*.  
*angustilobum*, Phil. in Linnaea, xxxiii. (1864–65) 95.—Chili.  
*anisatum*, Banks & Soland. ex Hook. f. Fl. N. Zel. i. 89.—N. Zel.  
*antipodium*, Homb. & Jacquinot, ex Decne. Bot. Voy. Astrol. et Zél. 63.—Ins. Dom. Auckland.  
*apiifolium*, Desf. Tabl. ed. II. 144 = *Carum rigidulum*.  
*apiifolium*, A. Gray, in Proc. Am. Acad. vii. (1868) 347.—Am. bor.  
*apiifolium*, S. Wats. Bot. King's Exped. 125 = *filicinum*.  
*apioides*, Lam. Encyc. iii. 577 = *Carum rigidulum*.  
*apioides*, Phil. in Anal. Univ. Chil. (1872) 726.—Chili.  
*aquelegifolium*, Willd. Sp. Pl. i. 1425 = *Physospermum aquelegifolium*.  
*Archangelica*, Geners. Fl. Scep. Elench. n. 252; ex DC. Prod. iv. 244 = *Pleurospermum austriacum*.  
*arenarium*, Link, Enum. Hort. Berol. i. 276 = *Silaus tenuifolius*.  
*argutum*, Nutt. ex Torr. & Gray, Fl. N. Am. i. 641 = *Arracacia arguta* (in Addend.).  
*aromaticum*, Banks & Soland. ex Hook. f. Fl. N. Zel. i. 89.—N. Zel.  
*athananthicum*, Adams, ex DC. Prod. iv. 151 = *Schultzia compacta*.  
*athanantoides*, Spreng. Umbell. Prod. 40 = *Seseli athanantoides*.  
*austriacum*, Linn. Sp. Pl. 250 = *Pleurospermum austriacum*.  
*balearicum*, Linn. Mant. ii. 218 = *Kundmannia sicula*.  
*barbinode*, Michx. Fl. Bor. Am. i. 167 = *Thaspium barbinode*.  
*Benthami*, Wall. Cat. n. 542 = *Pleurospermum Benthami*.  
*bivernatum*, Stokes, Bot. Mat. Med. ii. 94 = *scoticum*.  
*boreale*, Salisb. Prod. 164 = *scoticum*.  
*Brancionis*, Schrank, Baier. Fl. i. 551 = *Molopospermum cicutarium*.  
*brevistyle*, Hook. f. Handb. N. Zel. Fl. 95.—N. Zel.  
*Brunonis*, Wall. Cat. n. 545 = *Pleurospermum Brunonis*.  
*Bulbocastanum*, Crantz, Cl. Umbell. Emend. 83 = *Carum Bulbocastanum*.  
*bulbosum*, Boiss. Fl. Orient. ii. 882 = *Carum multiflorum*.  
*bulbosum*, Pers. Syn. i. 315 = *Erigenia bulbosa*.

# LIGUSTICUM:—

*Bunius*, Link, Enum. Hort. Berol. i. 276 = *Carum Bunius*.  
*candicans*, [Soland. in] Ait. Hort. Kew. ed. I. i. 348.—Hab.?  
*Candollei*, Wall. Cat. n. 544 = *Pleurospermum Candollei*.  
*capense*, DC. Prod. iv. 159.—Afr. austr.  
*capillaceum*, Lam. Fl. Fr. iii. 454 = *Meum athamanticum*.  
*carniolicum*, Host, Fl. Austr. i. 378 = *Pleurospermum Golaka*.  
*camulosum*, Hook. f. Handb. N. Zel. Fl. 96.—N. Zel.  
*Carvi*, Roth, Tent. Fl. Germ. i. 124 = *Carum Carvi*.  
*caucasicum*, Willd. ex Schult. Syst. vi. 457 = *Eleutherospermum grandifolium*.  
*Cervaria*, Spreng. Umbell. Prod. 40 = *Peucedanum Cervaria*.  
*cicutaefolium*, Vill. Hist. Pl. Dauph. ii. 612 = *Carum rigidulum*.  
*cicutarium*, Lam. Fl. Fr. iii. 453 = *Molopospermum cicutarium*.  
*commutatum*, Regel, Ind. Sem. Hort. Petrop. (1867) 34.—Hab.?  
*condensatum*, Spreng. Umbell. Prod. 40 = *Seseli Libanotis*.  
*coniifolium*, DC. Prod. iv. 158 = *Selinum tenuifolium*.  
*cornubiense*, Linn. Cent. Pl. ii. 13; Amoen. Acad. iv. 310 = *Physospermum aquilegifolium*.  
*orsicum*, J. Gay, in Ann. Sc. Nat. Sér. I. xxvi. (1832) 222.—Corsica.  
*Cuminum*, Crantz, Cl. Umbell. Emend. 82 = *Cuminum Cuminum*.  
*cuneifolium*, Guss. Pl. Rar. 130. t. 26.—Ital.  
*cynapifolium*, Viv. ex DC. Prod. iv. 158.—Corsica.  
*cyprum*, Spreng. Umbell. Sp. 125 = *Carum multiflorum*.  
*decussatum*, Moench, Meth. 81 = *Peucedanum carvifolium*.  
*deltoidum*, Cheesm. in Trans. N. Z. Inst. xiv. (1882) 299.—N. Zel.  
*dentatum*, Wall. Cat. n. 547 = *Pleurospermum dentatum*.  
*Dieffenbachii*, Hook. f. Handb. N. Zel. Fl. 729 = *Angelica Dieffenbachii*.  
*diffusum*, Roxb. ex Sm. in Rees, Cycl. xxi. n. 11; et in Roxb. Hort. Beng. 21; Fl. Ind. ii. 92 = *Seseli indicum*.  
*discolor*, Ledeb. Fl. Alt. i. 321.—Sibir. altaic.  
*divaricatilobum*, Clos, in C. Gay, Fl. Chil. iii. 131.—Chili.  
*divaricatum*, Ledeb. Ind. Sem. Hort. Dorpat. (1824) 5 = *Silaus longifolius*.  
*dubium*, H. B. & K. Nov. Gen. et Sp. v. 19.—Mexic.  
*dubium*, Spreng. Fl. Hal. Mant. 37.—Hab.?  
*dumetorum*, Phil. in Linnaea, xxxiii. (1864–65) 96.—Chili.  
*elatum*, C. B. Clarke, in Hook. f. Fl. Brit. Ind. ii. 698.—Reg. Himal.  
*Enysii*, T. Kirk, in Trans. N. Z. Inst. ix. (1877) 548.—N. Zel.  
*ferulaceum*, All. Fl. Pedem. ii. 13. t. 60. f. 1.—Europ.  
*ferulaceum*, Lam. Fl. Fr. iii. 453 = *pyrenaicum*.  
*ferulaceum*, Lapeyr. Hist. Abr. Pl. Pyr. 155 = *Seseli Libanotis*.  
*filicinum*, S. Wats. in Proc. Am. Acad. xi. (1876) 140.—Am. bor. occ.  
*filifolium*, Hook. f. Handb. N. Zel. Fl. 95.—N. Zel.  
*Fischeri*, D. Dietr. Syn. Pl. ii. 960 = *Selinum Benthami*.  
*Fischeri*, Link, Enum. Hort. Berol. i. 276 = *Silaus longifolius*.  
*Foeniculum*, Roth, Tent. Fl. Germ. i. 124 = *Foeniculum vulgare*.  
*Fontanesii*, Spreng. in Schult. Syst. vi. 565 (= *Cnidium Fontanesii*).—Numidia.  
*garganicum*, Tenore, Prod. Fl. Nap. p. xix = *Laserpitium Siler*.  
*Gingidium*, Forst. f. Prod. 22 = *Angelica Gingidium*.  
*Gmelini*, Cham. & Schlecht. in Linnaea, i. 1–24 = *Selinum Benthami*.  
*Gmelini*, Vill. Prosp. 24; Hist. Pl. Dauph. ii. 610. t. 13 = *Pleurospermum austriacum*.  
*Govanianum*, Wall. Cat. n. 546; et ex DC. Prod. iv. 246 = *Pleurospermum Govanianum*.  
*graecum*, DC. Prod. iv. 159 = *Carum multiflorum*.  
*Haastii*, F. Muell. ex Hook. f. Handb. N. Z. Fl. 730.—N. Zel.  
*Hacquetii*, Guss. Pl. Rar. 132 = *Pleurospermum austriacum*.



**LIGUSTICUM:—**

*Halleri*, Vill. Prosp. 25 (Quid?).—Gallia.  
*hirsutum*, Crantz, Stirp. Austr. ed. I. fasc. iii. 74 = *Chaerophyllum hirsutum*.  
*humile*, Phil. in *Anal. Univ. Chil.* (1872) 726.—Chili.  
*imbricatum*, Hook. f. *Handb. N. Zeal. Fl.* 97.—N. Zel.  
*indicum*, Wall. Cat. n. 7215 = *Seseli indicum*.  
*intermedium*, Hook. f. *Handb. N. Zeal. Fl.* 94.—N. Zel.  
*japonicum*, Maxim. in *Bull. Acad. Pétersb.* xix. (1874) 270.—Japon.  
*kamtschaticum*, Steud. Nom. ed. I. 478 = *Pleurospermum kamtschaticum*.  
*Kellerianum*, Vis. in *Mem. Ist. Venet.* vi. (1856) 258.—Europ.  
*Landbeckii*, Phil. in *Linnaea*, xxxiii. (1864–65) 95.—Chili.  
*latifolium*, Hook. f. *Handb. N. Zeal. Fl.* 94.—N. Zel.  
*Levisticum*, Linn. Sp. Pl. 250 = *Levisticum officinale*.  
*Lobelii*, Vill. Prosp. 24 = *Carum rigidulum*.  
*longifolium*, Willd. Sp. Pl. i. 1428 = *Peucedanum ruthenicum*.  
*lucidum*, Mill. Gard. Dict. ed. VIII. n. 4 = *pyrenaicum*.  
*luteum*, Poir. Voy. Barb. ii. 136 = *Ferula sulcata*.  
*Lyallii*, Hook. f. *Handb. N. Zeal. Fl.* 95.—N. Zel.  
*marginatum*, C. B. Clarke, in Hook. f. *Fl. Brit. Ind.* ii. 698.—Reg. Himal.  
*Massalongianum*, Vis. in *Mem. Ist. Venet.* vi. (1856) 259.—Europ.  
*meoides*, Jacquem. ex C. B. Clarke, in Hook. f. *Fl. Brit. Ind.* ii. 671 = *Vicatia conifolia*.  
*Meum*, Crantz, Stirp. Austr. ed. I. fasc. iii. 82; ed. II. 199 = *Meum athamanticum*.  
*minus*, Lam. Fl. Fr. iii. 454 = *Selinum Monnierii*.  
*montanum*, Benth. & Hook. f. *Gen.* i. 912; *A. Gray*, in *Proc. Am. Acad.* vii. (1868) 347.—Am. bor. occ.  
*montanum*, Spreng. Syst. i. 907 = *Apium montanum*.  
*multifidum*, Sm. in *Rees, Cycl.* xxi. n. 8.—Siberia.  
*Mutellina*, Crantz, Stirp. Austr. ed. I. fasc. iii. 81.—Europ.  
*mutellinoides*, Vill. Prosp. 25 = *simplex*.  
*memorosum*, Phil. in *Linnaea*, xxxiii. (1864–65) 94 = *Pimpinella nemorosa*.  
*nepalense*, D. Don, *Prod. Fl. Nep.* 125.—Nepal.  
*nodiflorum*, Vill. Prosp. 25 = *Trochiscanthus nodiflora*.  
*nodosum*, Willd. ex Schult. Syst. vi. 570 = *Ferula nodosa*.  
*obtusifolium*, Hornem. *Enum. Pl. Hort. Hafn.* (1807) 23.—Afr. bor.  
*obtusiusculum*, Wall. Cat. n. 543 = *Trachydium obtusiusculum*.  
*Pansil*, Bert. ex DC. *Prod.* iv. 669.—Chili.  
*Pansil*, Phil. ex Benth. & Hook. f. *Gen.* i. 912 = *Pimpinella Pansil*.  
*Panul*, Clos, in C. Gay, *Fl. Chil.* iii. 131 = *L. Pansil*.  
*peloponense*, Falk, Beitr. ii. 147 (Quid?).—Rossia.  
*peloponesiacum*, Scop. Fl. Carn. ed. II. i. 205 = *Molopospermum cicutarium*.  
*peloponnense*, Lam. *Encyc.* iii. 576 = *Molopospermum cicutarium*.  
*peloponnense*, [Retz.] in Murr. Syst. Veg. ed. XIII. 233 = *Retzii*.  
*peloponnesiacum*, Georgi, Reise, i. 204 = *Pleurospermum uralense*.  
*peloponnesiacum*, Linn. Sp. Pl. 250 = *Thapsia foetida*?  
*peloponnesiacum*, Pall. Reise, ii. 124 = *discolor*.  
*peregrinum*, Linn. Sp. Pl. ed. II. 360 = *Carum peregrinum*.  
*peucedanoides*, Presl, ex DC. *Prod.* iv. 158 (sp. dub.).—Chili.  
*Phellandrium*, Roth, Tent. Fl. Germ. i. 123 = seq.? *Phellandrium*, Crantz, Stirp. Austr. ed. I. fasc. iii. 84; ed. II. 200 = *Oenanthe Phellandrium*.  
*piliferum*, Hook. f. *Handb. N. Zeal. Fl.* 96.—N. Zel.  
*pimpinellifolium*, Phil. in *Linnaea*, xxxiii. (1864–65) 94.—Chili.  
*pinnovelum*, Koch & Bouché, *Ind. Sem. Hort. Berol.* (1854) 14.—Hab.?  
*Podagraria*, Crantz, Stirp. Austr. ed. I. fasc. iii. 84; ed. II. 200 = *Aegopodium Podagraria*.  
*pumilum*, Wall. Cat. n. 550; ex DC. *Prod.* iv. 245 = *Pleurospermum pumilum*.  
*pusillum*, Pers. Syn. i. 315 = *Apium divaricatum*.  
*pyrenaicum*, Gouan, *Illustr.* 14. t. 7.—Mont. Pyren.  
*resinosum*, Guss. Fl. Sic. *Prod.* i. 335 = *Ferula nudicaulis*.  
*Retzii*, Vitm. *Summa Pl.* ii. 158.—Hab.?  
*rotundatum*, Wall. Cat. n. 549; et ex DC. *Prod.* iv. 245 = *Pleurospermum rotundatum*.

**LIGUSTICUM:—**

*saxifragum*, Boiss. & Sprun. in *Ann. Sc. Nat. Sér. III.* i. (1844) 300 = *Carum multiflorum*.  
*scopulorum*, A. Gray, in *Proc. Am. Acad.* vii. (1868) 347.—Am. bor. occ.  
*scopulorum*, Parry, in *Am. Natural.* ix. (1875) 271 = *filicinum*.  
*scoticum*, Linn. Sp. Pl. 250 (scothicum).—Europ.; As. et Am. bor.  
*scoticum*, Lour. Fl. Cochinch. 224 (Quid?).—Cochinch.  
*Seguieri*, Koch, in *Nov. Act. Nat. Cur.* xii. i. (1824) 105.—Alp. Europ. austr.  
*Seguieri*, Vill. Prosp. 25 = *ferulaceum*.  
*seseloides*, Fisch. & Mey. ex Turcz. in *Bull. Soc. Nat. Mosc.* xvii. (1844) 725.—Dauria.  
*sibiricum*, Spreng. *Prod. Umbell.* 40 = *Seseli Libanotis*.  
*silafolium*, Gaud. Fl. Helv. ii. 399 = *Carum rigidulum*.  
*Silaus*, Vill. Prosp. 25; All. Fl. Pedem. ii. 14 = *Silaus pratensis*.  
*simplex*, All. l. c. ii. 15.—Europ.  
*simplex*, Benth. Cat. Pl. Pyr. 95 = *pyrenaicum*.  
*splendens*, Lapeyr. Hist. Abr. Pl. Pyr. 146 (= *Wallrothia tenuifolia*).—Mont. Pyren.  
*Sprengelii*, Sieber, ex Spreng. *Umbell. Sp.* 124 = *Pleurospermum Golaka*.  
*striatum*, DC. *Prod.* iv. 158 = *Selinum striatum*.  
*tenuifolium*, Ram. in DC. Fl. Fr. iv. 309 (= *Wallrothia tenuifolia*).—Gallia.  
*tenuifolium*, Salisb. *Prod.* 164 = *Physospermum aquilegifolium*.  
*tenuifolium*, S. Wats. in *Proc. Am. Acad.* xvi. (1879) 293.—Am. bor. occ.  
*ternatum*, Willd. ex Schult. Syst. vi. 555 = *Apium montanum*.  
*Thomsoni*, C. B. Clarke, in Hook. f. *Fl. Brit. Ind.* ii. 698.—Reg. Himal.  
*toluccense*, H. B. & K. Nov. Gen. et Sp. v. 19. t. 422 = *Arracacia tolucensis*.  
*trifoliolatum*, Hook. f. *Handb. New Zeal. Fl.* 97.—N. Zel.  
*tripartitum*, Dum. Fl. Belg. 79.—Belg.  
*vaginatum*, Spreng. *Pugill.* ii. 57 = *Pleurospermum austriacum*.

**LIGUSTRIDIUM**, Spach, Hist. Vég. Phan. viii. 271 (1839) = **Ligustrum**, Tourn. (Oleac.).  
*japonicum*, Spach, l. c. 272 = *Ligustrum japonicum*.

**LIGUSTRINA**, Rupr. Beitr. Pfl. Russ. Reich. xi. 55 (1859) = **Syringa**, Linn. (Oleac.).  
*amurensis*, Rupr. l. c. 72; Dec. Pl. Amur. t. 9 = *S. amurensis*.

**LIGUSTRUM**, [Tourn.] Linn. Syst. ed. I (1735).  
**OLEACEAE**, Benth. & Hook. f. ii. 679.  
**FAULTA**, Rafin. Fl. Tellur. ii. 84 (1836).  
**LIGUSTRIDIUM**, Spach, Hist. Vég. Phan. viii. 271 (1839).  
**PHLYARODOXA**, S. Moore, in *Journ. Bot.* xiii. (1875) 229.  
**VISIANIA**, DC. *Prod.* viii. 289 (1844).  
*album*, Gueldenst. ex Ledeb. Fl. Ross. iii. 39 = *vulgare*.  
*amurense*, Carr. in *Rev. Hort.* (1861) 352.—Reg. Amur.  
*amurense*, Hort. ex Decne. in Fl. des Serres, xxii. (1877) 11 = *Lippia ligustrifolia*.  
*angustifolium*, Gilib. Exercit. i. 2; Fl. Lituan. i. 2 = *vulgare*.  
*australianum*, F. Muell. *Fragm.* v. 20.—Austral.  
*brachystachyum*, Decne. in *Nouv. Arch. Mus. Par. Sér. II.* ii. (1879) 34.—China.  
*bracteolatum*, D. Don, *Prod. Fl. Nep.* 107 = *nepalense*.  
*bracteolatum*, Hook. [f.] ex Decne. in Fl. des Serres, xxii. (1877) 10 = *robustum*.  
*caeruleum*, Descourt. ex Decne. l. c. 11 (*Lippia* sp.).—Ind. occ.  
*californicum*, Hort. ex Decne. l. c. 5 = *ovalifolium*.  
*Calleryanum*, Decne. in *Nouv. Arch. Mus. Par. Sér. II.* ii. (1879) 35.—China.  
*Candolleianum*, Blume, Mus. Bot. Lugd. Bat. i. 315 = *Roxburghii*.  
*Candolleianum*, Decne. in *Nouv. Arch. Mus. Par. Sér. II.* ii. (1879) 28 = *neilgherrense*.  
*ceylanicum*, Decne. l. c. 30 = *Walkeri*.  
*chinense*, Carr. in *Rev. Hort.* (1863) 88 = *Stauntoni*.  
*ciliatum*, Siebold, ex Blume, Mus. Bot. Lugd. Bat. i. 312 = *L. Ibota*.  
*compactum*, Hook. f. & Thoms. ex Decne. in Fl. des Serres, xxii. (1877) 10 = *Roxburghii*, C. B. Clarke.

**LIGUSTRUM:—**

*confusum*, Decne. in *Nouv. Arch. Mus. Par. Sér. II.* ii. (1879) 24.—Ind. or.  
*coriaceum*, Hort. ex Decne. in Fl. des Serres, xxii. (1877) 10 = *Olea Roxburghii*.  
*cotinifolium*, Jacques, Man. Pl. iii. 3 = *Linociera cotinifolia*.  
*Cumingianum*, Decne. in *Nouv. Arch. Mus. Par. Sér. II.* ii. (1879) 28.—Ind. or.  
*Decaisnei*, C. B. Clarke, in Hook. f. *Fl. Brit. Ind.* iii. 616.—Ind. or.  
*glabrum*, Hort. ex Decne. in Fl. des Serres, xxii. (1877) 10 = *japonicum*.  
*glomeratum*, Blume, Mus. Bot. Lugd. Bat. i. 314.—Java.  
*Hookeri*, Decne. in Fl. des Serres, xxii. (1877) 10 = *Wallichii*.  
*Ibota*, Siebold, in *Verh. Batav. Gen.* xii. (1830) 36.—Japon.  
*insulare*, Decne. in *Nouv. Arch. Mus. Par. Sér. II.* ii. (1879) 24 = seq.  
*insulense*, Hort. ex Decne. in Fl. des Serres, xxii. (1877) 10.—Hab.?  
*italicum*, Mill. Gard. Dict. ed. VIII. n. 2 = *vulgare*.  
*japonicum*, Buch.-Ham. ex D. Don, *Prod. Fl. Nep.* 107 = *nepalense*.  
*japonicum*, Hort. ex Decne. in Fl. des Serres, xxii. (1877) 8 = *lucidum*.  
*Kellerianum*, Vis. Revis. Pl. Min. Cogn. Hort. Patav. (1855) 7 = *japonicum*.  
*kumaonense*, Decne. in *Nouv. Arch. Mus. Par. Sér. II.* ii. (1879) 28 = *nepalense*.  
*lanceolatum*, Herb. Lamb. ex D. Don, *Prod. Fl. Nep.* 107 = *nepalense*.  
*lancifolium*, Carr. ex Decne. in Fl. des Serres, xxii. (1877) 10 = *compactum*.  
*latifolium*, Vitm. *Summa Pl.* i. 21 = *japonicum*.  
*lawrifolium*, Roxb. Hort. Beng. 3, nomen = *Myxopyrum smilacifolium*.  
*longifolium*, Hort. ex Decne. in Fl. des Serres, xxii. (1877) 8, 10 = *Massalongianum*, *compactum*.  
*lucidum*, Ait. Hort. Kew. ed. II. i. 19 = *Olea Roxburghii*.  
*lucidum*, Buch.-Ham. ex Wall. Cat. n. 2816 C = *robustum*.  
*lucidum*, Hort. ex C. Koch, *Dendrol.* ii. i. 274 = *ovalifolium*.  
*macrophyllum*, Hort. ex Decne. in Fl. des Serres, xxii. (1877) 9 = *japonicum*.  
*Massalongianum*, Vis. Revis. Pl. Min. Cogn. Hort. Patav. (1855) 8.—Reg. Himal.  
*medium*, Franch. & Sav. *Enum. Pl. Jap.* ii. 437.—Japon.  
*mellosum*, Decne. in *Nouv. Arch. Mus. Par. Sér. II.* ii. (1879) 22.—Tibet.  
*micranthum*, Zucc. in *Abh. Akad. Muench.* iv. III. (1846) 168.—Japon.  
*microphyllum*, Bedd. *Forest. Man. Bot.* 154.—Ind. or.  
*microphyllum*, Wight, ex C. B. Clarke, in Hook. f. Fl. Brit. Ind. iii. 616 = *Decaisnei*.  
*molliculum*, Hance, in *Journ. Bot.* xx. (1882) 291.—China.  
*multiflorum*, Hort. ex Jacques, in *Rev. Hort.* (1863) 339 = *Lippia ligustrifolia*.  
*Myrsinites*, Decne. & Zucc. in *Nouv. Arch. Mus. Par. Sér. II.* ii. (1879) 33.—Ind. or.  
*myrtifolium*, Hort. ex Decne. in Fl. des Serres, xxii. (1877) 8 = *Massalongianum*.  
*neilgherrense*, Decne. in *Nouv. Arch. Mus. Par. Sér. II.* ii. (1879) 32 = *Decaisnei*.  
*neilgherrense*, Wight, l. c. t. 1243.—Ind. or.  
*nepalense*, Hort. ex Decne. in Fl. des Serres, xxii. (1877) 10 = *robustum*.  
*nepalense*, Wall. in *Roxb. Fl. Ind. ed. Carey*, i. 151.—Reg. Himal.  
*oblongifolium*, Hort. Panorm. ex Decne. in Fl. des Serres, xxii. (1877) 10 = *Roxburghii*.  
*obovatum*, Decne. in *Arch. Nouv. Mus. Par. Sér. II.* ii. (1879) 22 = *neilgherrense*.  
*obtusifolium*, Sieb. & Zucc. in *Abh. Akad. Muench.* iv. III. (1846) 168 = *L. Ibota*.  
*obtusiusculum*, Blume, Mus. Bot. Lugd. Bat. i. 314.—Java.  
*ovalifolium*, Hassk. Cat. Hort. Bog. Alt. 119.—Japon.  
*ovalifolium*, Hort. ex Decne. in Fl. des Serres, xxii. (1877) 10 = *japonicum*.



**LIGUSTRUM:—**

- paniculatum*, Blume, Mus. Bot. Lugd. Bat. i. 314 = *glomeratum*.  
*parviflorum*, Vis. in Atti Ist. Venet. Sc. Ser. III. iv. (1858-59) 137 = *nepalense*.  
*Perrottetii*, A. DC. in DC. Prod. viii. 294.—Ind. or.  
*pubescens*, Wall. Cat. n. 2841; Pl. As. Rar. iii. 44 = *robustum*.  
*pubinerve*, Blume, Mus. Bot. Lugd. Bat. i. 314.—Ins. Philipp.  
*punctatum*, Griff. Notul. iv. 741 = *robustum*.  
*quadriloculare*, Blanco, Fl. Filip. ed. I. 10 = *Clerodendron Navesianum*.  
*Quihoui*, Carr. in Rev. Hortic. (1869) 377.—China.  
*racemosum*, Noronha, in Verh. Batav. Gen. v. (1790) ed. I. Art. iv. 19 = *obtusiusculum*.  
*reticulatum*, Blume, Mus. Bot. Lugd. Bat. i. 313 = *ovalifolium*.  
*robustum*, Bedd. For. Man. 154 = *Roxburghii*.  
*robustum*, Blume, Mus. Bot. Lugd. Bat. i. 313.—Ind. or.  
*robustum*, Thw. Enum. Pl. Zeyl. 188 = *Walkeri*.  
*rosmarinifolium*, Hort. ex Gard. Chron. (1881) II. 149 = *Massalongianum*.  
*Roxburghii*, Blume, Mus. Bot. Lugd. Bat. i. 315 = *lucidum*.  
*Roxburghii*, C. B. Clarke, in Hook. f. Fl. Brit. Ind. iii. 615.—Ind. or.  
*Roxburghii*, Hort. ex Decne. in Fl. des Serres, xxii. (1877) 6 = *L. Ibota*.  
*salicifolium*, Carr. in Rev. Hortic. (1866) 380.—Hab.?  
*sempervirens*, Fl. Corc. in Ionios Anthol. i. 439 = *vulgare*.  
*Sieboldi*, Hort. ex Decne. in Fl. des Serres, xxii. (1877) 10 = *japonicum*.  
*Simonii*, Carr. ex Decne. l. c. = *Roxburghii*.  
*sinense*, Hort. ex Decne. l. c. 6 = *L. Ibota*.  
*sinense*, Lour. Fl. Cochinch. 19.—China.  
*spicatum*, Buch.-Ham. ex D. Don, Prod. Fl. Nep. 107 = *nepalense*.  
*spicatum*, Hort. ex Decne. in Fl. des Serres, xxii. (1877) 8 = *Massalongianum*.  
*spicatum*, Jacques, in Rev. Hortic. (1863) 339 = *Lippia ligustrifolia*.  
*Stauntoni*, DC. Prod. viii. 294.—China.  
*Stauntoni*, Hort. ex Decne. in Fl. des Serres, xxii. (1877) 10 = *insulense*.  
*syringaeiflorum*, Hort. ex Decne. l. c. 9 = *japonicum*.  
*syringaeifolium*, Hort. ex Decne. l. c. = *japonicum*.  
*thibeticum*, Decne. in Nouv. Arch. Mus. Par. Sér. II. ii. (1879) 21.—Tibet.  
*Tschonoskii*, Decne. l. c. 18.—Japon.  
*undulatum*, Blume, Mus. Bot. Lugd. Bat. i. 314.—N. Guinea.  
*Uva-ursi*, Decne. in Nouv. Arch. Mus. Par. Sér. II. ii. (1879) 34 = *L. Myrsinites*.  
*vestitum*, Wall. Cat. n. 6304 = *nepalense*.  
*villosum*, May, in Rev. Hortic. (1874) 299; (1875) 460 = *sinense*.  
*vulgare*, Linn. Sp. Pl. 7.—Europ.  
*vulgare*, Thunb. Fl. Jap. 17 = *ovalifolium*.  
*Walkeri*, Decne. in Nouv. Arch. Mus. Par. Sér. II. ii. (1879) 27.—Zeylan.  
*Wallichii*, Blume, Mus. Bot. Lugd. Bat. i. 315 = *nepalense*.  
*Wallichii*, Vis. in Att. Ist. Venet. Ser. III. iv. (1858-59) 138.—Reg. Himal.

- LIJNDENIA**, Zoll. & Mor. Syst. Verz. Mor. 10 (1845) = *Memecylon*, Linn. (Melastom.).  
*dioica*, Naud. in Ann. Sc. Nat. Sér. III. xviii. (1852) 282 = seq.  
*laurina*, Zoll. & Mor. Syst. Verz. Zoll. 9.—Java.

- LILAC**, Tourn. ex Adans. Fam. ii. 223 (1763) = *Syringa*, Linn. (Oleac.).  
*cordato-folia*, Gilib. Exercit. i. 1 = *S. vulgaris*.  
*media*, Dum.-Cours. Bot. Cult. ed. II. ii. 574 = *S. vulgaris*.  
*minor*, Moench, Meth. 481 = *S. persica*.  
*perpensa*, Lam. Encyc. iii. 513 = *Forsythia suspensa*.  
*persica*, Lam. l. c. = *S. persica*.  
*sterilis*, Lavy, Etat Gén. Vég. Origin. 12 = *S. persica*.  
*suaveolens*, Gilib. Fl. Lituan. i. 1 = *S. vulgaris*.  
*varina*, Dum.-Cours. Bot. Cult. v. 124; ed. II. ii. 574 = *S. chinensis*.  
*vulgaris*, Lam. Fl. Fr. ii. 305 = *S. vulgaris*.

VOL. II.

- LILAEA**, Humb. & Bonpl. Pl. Aequin. i. 221. t. 63 (1808). *NAIADACEAE*, Benth. & Hook. f. iii. 1013.  
*HETEROSTYLIS*, Hook. Fl. Bor. Am. ii. 171. t. 185 (1840).  
*subulata*, Humb. & Bonpl. Pl. Aequin. i. 22. 63.—N. Granat.

- LILAVIA**, Rafin. Fl. Tellur. iv. 35 (1836) = *Alstroemeria*, Linn. (Amaryll.).  
*psittacina*, Rafin. l. c. = *A. pulchella*

- LILENIA**, Bert. in Merc. Chil. (1829); ex Bull. Férussac, xx. (1830) 108, nomen = *Azara*, Ruiz & Pav. (Bixin.).

- LILIACUM**, Renault, Fl. Dép. Orne, 100 (1800) = *Syringa*, Linn. (Oleac.).  
*album*, Renault, l. c. = *S. vulgaris*.  
*laciniatum*, Renault, l. c. = *S. persica*.  
*persicum*, Renault, l. c. = *S. persica*.  
*rothomagensis*, Renault, l. c. = *S. chinensis*.  
*vulgare*, Renault, l. c. = *S. vulgaris*.

- LILIAGO**, [Caesalp.] Linn. Class. Pl. 22 (1747); Presl, Bot. Bemer. 104 (1844); Salisb. Gen. Pl. Fragm. 70 (1866) = *Anthericum*, Linn. (Liliac.).  
*abyssinica*, Presl, l. c. = *Chlorophytum tetraphyllum*.  
*baetica*, Presl, l. c. = *A. Liliago*.  
*ciliata*, Presl, l. c. = *A. Humboldtii*.  
*eccremorhiza*, Presl, l. c. = *A. eccremorrhizum*.  
*flavescens*, Presl, l. c. = *A. flavescens*.  
*glauca*, Presl, l. c. = *A. glaucum*.  
*indica*, Presl, l. c. = *Chlorophytum attenuatum*.  
*japonica*, Presl, l. c. = *A. japonicum*.  
*latifolia*, Presl, l. c. = *A. glaucum*.  
*nepalensis*, Presl, l. c. = *Chlorophytum nepalense*.  
*nivea*, Presl, l. c. = *Chlorophytum tuberosum*.  
*ramosa*, Presl, l. c. = *A. ramosum*.  
*scilloides*, Presl, l. c. = *A. scilloides*.  
*tuberosa*, Presl, l. c. = *Chlorophytum tuberosum*.  
*vulgaris*, Presl, l. c. = *A. Liliago*.

- LILIASTRUM**, [Tourn.] Link, Handb. i. 173 (1829) = *Paradisea*, Mazz. (Liliac.).  
*album*, Link, l. c. = *P. Liliastrum*.

- LILIORHIZA**, Kellogg, in Proc. Calif. Acad. ii. (1863) 46 = *Fritillaria*, Linn. (Liliac.).  
*lanceolata*, Kellogg, l. c. = *F. liliacea*.

- LILIUM**, Tourn. ex Linn. Gen. ed. I. 91 (1737).  
*LILIACEAE*, Benth. & Hook. f. iii. 816.  
*AMBLIRION*, Rafin. in Am. Monthly Mag. (1818) 265.  
*CARDIOCRINUM*, Lindl. Veg. Kingd. 205 (1847).  
*LIRIUM*, Linn. Syst. ed. I (1735); J. G. Gmel. Fl. Sibir. i. 41 (1747).  
*MARTAGON*, Rupp. Fl. Jen. ed. Hall. 148 (1745).  
*NOTHOLIRION*, Wall. ex Voigt, Hort. Suburb. Calc. 654 (1845).  
*abchasicum*, Hort. ex Baker, in Journ. Linn. Soc. xiv. (1875) 230 = *longiflorum*.  
*affine*, Schult. f. Syst. vii. 400 = *Fritillaria camtschatcensis*.  
*albanicum*, Griseb. Spicil. Fl. Rumel. ii. 385 = *chalcadonicum*.  
*albiflorum*, Hook. Bot. Mag. t. 3785 = *speciosum*.  
*alpinum*, Kit. in Linnaea, xxxii. (1863) 335 (Quid?).—Hungar.  
*alternans*, Siebold, ex Duch. in Journ. Soc. Hort. Par. Sér. II. iv. (1870) 215, 473 = *elegans*.  
*altissimum*, Hort. ex Duch. l. c. 478 = *testaceum*.  
*andinum*, Nutt. in Fraser, Cat. (1813); et in Gen. Am. i. 221 = *philadelphicum*.  
*angustifolium*, Mill. Gard. Dict. ed. VIII. n. 6 = *pomponium*.  
*atrosanguineum*, Hort. ex Vilm. Fl. Pl. Terre, ed. III. 629 = *bulbiferum*.  
*atrosanguineum*, Siebold, ex Loud. Hort. Brit. Suppl. ii. 645.—Japon.  
*aurantiacum*, Dum.-Cours. Bot. Cult. ed. II. ii. 1972 = *croceum*.  
*aurantiacum*, Paxt. Mag. Bot. vi. (1839) 127 = *bulbiferum*.  
*aurantianum*, Siebold, ex Loud. Hort. Brit. Suppl. ii. 645 = *bulbiferum*.  
*aurantium*, Haw. ex Loud. l. c. = *croceum*.  
*auratum*, Lindl. in Gard. Chron. (1862) 644.—Japon.

**LILIUM:—**

- autumnale*, Lodd. Bot. Cab. t. 355 = *superbum*.  
*avenaceum*, Fisch. ex Regel, Gartenfl. (1865) 290. t. 485 = *maculatum*.  
*Bartramii*, Nutt. ex Baker, in Journ. Linn. Soc. xiv. (1874) 232 = *Washingtonianum*.  
*Batisua*, Buch.-Ham. ex D. Don, Prod. Fl. Nep. 52 = *Wallichianum*.  
*Belladonna*, Hort. Leichtl. ex Baker, in Journ. Linn. Soc. xiv. (1874) 232.—Hab.?  
*biligulatum*, Hort. ex Baker, in Journ. Hort. Soc. N. S. iv. (1877) 43 = *bulbiferum*.  
*Bloomerianum*, Kellogg, in Proc. Calif. Acad. iii. (1863) 160 = *Humboldtii*.  
*Boisseri*, Orphan. ex Nym. Consp. 721 = *L. Martagon*.  
*Bolanderi*, S. Wats. in Proc. Am. Acad. xx. (1885) 377.—Calif.  
*Broussarti*, Morr. in Van Houtte & Morr. Hortic. Belg. i. (1834) 371. t. 23 = *speciosum*.  
*Brownii*, Poit. in Rev. Hortic. Sér. II. ii. (1843-44) 496 = *japonicum*.  
*bulbiferum*, DC. Fl. Fr. iii. 202 = *croceum*.  
*bulbiferum*, Linn. Sp. Pl. 302.—Europ. austr.  
*bulbiferum*, Thunb. Fl. Jap. 134 = *lancifolium*.  
*bulbiferum*, Thunb. in Trans. Linn. Soc. ii. (1794) 333 = *elegans*.  
*Buschianum*, Lodd. Bot. Cab. t. 1628 = *bulbiferum*.  
*byzantinum*, Hort. ex Duch. in Journ. Soc. Hort. Par. Sér. II. v. (1871) 280 = *chalcadonicum*.  
*byzantinum*, Steud. Nom. ed. II. ii. 44 = *candidum*.  
*californicum*, [Dombrain,] in Floral Mag. (1872), textu sub t. 33 = *pardalinum*.  
*californicum*, Hort. ex Duch. in Journ. Soc. Hort. Par. Sér. II. iv. (1870) 216; v. (1871) 98 = *Humboldtii*.  
*callosum*, Sieb. & Zucc. Fl. Jap. i. 86. t. 14.—Japon.  
*camtschatcense*, Linn. Sp. Pl. 303 = *Fritillaria camtschatcensis*.  
*camtschatcense*, Lour. Fl. Cochinch. 207 = *elegans*.  
*canadense*, Linn. Sp. Pl. 303.—Am. bor.  
*canadense*, Thunb. Fl. Jap. 135 = *medeoloides*?  
*candidum*, Linn. Sp. Pl. 302.—Europ. austr.; Syria.  
*candidum*, Thunb. Fl. Jap. 133 = *longiflorum*.  
*carniolicum*, Bernh. ex Mert. & Koch, Deutschl. Fl. ii. 536; Syn. Fl. Germ. ed. I. 708.—Europ. austr.  
*carniolicum*, Heldr. ex Freyn, in Flora, lxiii. (1860) 28 = *Heldreichii*.  
*carolinianum*, Bosc, ex Lam. Encyc. iii. 535 = *Catesbaei*.  
*carolinianum*, Michx. Fl. Bor. Am. i. 197 = *superbum*.  
*Catanii*, Baker, in Journ. Hort. Soc. N. S. iv. (1877) 45 = *L. Martagon*.  
*Catesbaei*, Hort. Bouch. ex Kunth, Enum. Pl. iv. 264 = *dauricum*.  
*Catesbaei*, Walt. Fl. Carol. 123.—Am. bor.  
*Cattaniae*, Vis. in Mem. Ist. Venet. xvi. (1871) 64 = *L. Martagon*.  
*chalcadonicum*, Linn. Sp. Pl. 302.—Carniol.  
*chalcadonicum*, Linn. l. c. ed. II. 434, partim = *carniolicum*.  
*colchicum*, Hort. ex Planch. Fl. des Serres, Sér. I. v. (1849) 507, 509 = *monadelphum*.  
*columbianum*, Hort.—Cf. Gard. Chron. (1871) 1257; et Hanson, ex Baker, in Journ. Linn. Soc. xiv. (1874) 248.—Am. bor. occ.  
*concolor*, Salisb. Parad. Lond. t. 47.—China.  
*cordifolium*, D. Don, Prod. Fl. Nep. 52 = *giganteum*.  
*cordifolium*, Thunb. in Trans. Linn. Soc. ii. (1794) 332.—Japon.  
*coridion*, Siebold & De Vriese, Tuinbouw Fl. ii. (1855) 341 = *concolor*.  
*coruscans*, Hort. ex Baker, in Journ. Linn. Soc. xiv. (1874) 240 = *elegans*.  
*croceum*, Chaix, in Vill. Hist. Pl. Dauph. i. 322.—Europ. austr.  
*dalmaticum*, Vis. in Mem. Ist. Venet. xvi. (1871) 64 = *L. Martagon*.  
*dauricum*, Ker-Gawl. in Bot. Mag. sub t. 1210.—Dahuria.  
*Davidi*, Duch. in Elwes, Monog. Lil. t. 24.—China.  
*Dexteri*, Hovey, ex Duch. in Journ. Soc. Hort. Par. Sér. II. iv. (1870) 480 = *auratum*.  
*elatum*, Salisb. Prod. 237 = *bulbiferum*.  
*elegans*, Thunb. in Mem. Acad. Petersb. iii. (1811) 203. t. 3. f. 2.—Japon.  
*excelsum*, Hort. ex Seem. in Harting. Parad. Vindob. 2 = *testaceum*.  
*eximium*, Court. ex Spac. Mém. Gen. Lis. 14 = *longiflorum*.



## LILIUM:—

- eximium*, Hort. ex Kunth, Enum. Pl. iv. 259 = speciosum.  
*flavum*, Lam. Fl. Fr. iii. 283 = pyrenaicum.  
 formosissimum, *Leichtl. ex Duch. in Journ. Soc. Hort. Par. Sér. II. iv.* (1870) 216, nomen.—Hab.?  
 formosum, *Lem. Illustr. Hort. xii.* (1865) t. 459.—Japan.  
 Fortunei, *Lindl. in Gard. Chron.* (1862) 212.—Japon.  
 fulgens, Hort. ex W. Baxt. in Loud. Hort. Brit. Suppl. ii. 645 = atrosanguineum.  
 fulgens, Morr. ex Spae, Mém. Gen. Lis, 19 = bulbiferum.  
 giganteum, Wall. Tent. Fl. Nep. 21. t. 12 = cordifolium.  
 glabrum, Spreng. Syst. ii. 62 = L. Martagon.  
 Glehni, *F. Schmidt, Reis. Amurl.* 187.—Japon.  
 gracile, Ebel, Zwölf Tage auf Montenegro, 8. t. 1 = chalcidonicum.  
 Grayi, *S. Wats. in Proc. Am. Acad.* xiv. (1879) 256.—Am. bor. occ.  
 haematochromum, *Lem. Illustr. Hort. xiv.* (1867) t. 503 = bulbiferum.  
 Handsoni, *Elwes, Monog. Lil. i. t. 34.*—Mandshuria.  
 Hansoni, *Leichtl. ex Baker, in Journ. Linn. Soc.* xiv. (1874) 245.—Japon.  
 Harrisii, Carr. in Rev. Hort. (1883) 211 = longiflorum.  
 Heldreichii, *Freyn, in Flora*, lxiii. (1880) 28.—Graecia.  
 hirsutum, Mill. Gard. Dict. ed. VIII. n. 10 = L. Martagon.  
 Hookeri, *Baker, in Gard. Chron.* (1871) 201.—Reg. Himal.  
 Humboldtii, *Roezl & Leichtl. ex Duch. in Journ. Soc. Hort. Par. Sér. II. v.* (1871) 43.—Calif.  
 humile, Mill. Gard. Dict. ed. VIII. n. 3 = bulbiferum.  
 Isabellinum, Kunze, in Bot. Zeit. i. (1843) 609 = testaceum.  
 Jama-Furi, Siebold & De Vriese, *Tuinbouw Fl. i.* (1855) 320. t. 11 = longiflorum.  
 Jankae, Kern. in Oestr. Bot. Zeitschr. xxvii. (1877) 402 = chalcidonicum.  
 japonicum, D. Don, Prod. Fl. Nep. 40. t. 29 = Wallichianum.  
 japonicum, *Thunb. Fl. Jap.* 133.—Japon.  
 Jeffersoni, *Duch. in Journ. Soc. Hort. Par. Sér. II. iv.* (1870) 216, nomen.—Hab.?  
 kamschatkaense, Hoffmgg. Verz. Pfl. 73 = Fritillaria kamschatcensis.  
 Krameri, Hort. Teutschel, ex Hook. f. Bot. Mag. t. 6058 = japonicum.  
 Kramerianum, Hort. ex Flor. Mag. (1874) t. 105 = praec.  
 lancifolium, Hort. Bouch. ex Kunth, Enum. Pl. iv. 364 = bulbiferum.  
 lancifolium, Hort. ex Guill. Arch. Bot. ii. (1833) 271 = speciosum.  
 lancifolium, *Thunb. in Trans. Linn. Soc. ii.* (1794) 333.—Japon.  
 lateritium, Hort. ex Baker, in Journ. Hort. Soc. N. S. iv. (1877) 43 = bulbiferum.  
 latifolium, Link, Enum. Hort. Berol. i. 321 = bulbiferum.  
 Ledebourii, Boiss. Fl. Orient. v. 175 = monadelphum.  
 Leichtlinii, *Hook. f. Bot. Mag.* t. 5673.—Japon.  
 Leopoldi, Hort. ex Baker, in Journ. Linn. Soc. xiv. (1874) 233 = tigrinum.  
 lilacinum, *Leichtl. ex Duch. in Journ. Soc. Hort. Par. Sér. II. iv.* (1870) 216, nomen.—Hab.?  
 linifolium, Hornem. Hort. Hafn. i. 326 = tenuifolium.  
 Lismanni, T. Moore, Florist (1872), 260; (1873) 16 = tigrinum.  
 Loddigesianum, Schult. f. Syst. vii. 416 = monadelphum.  
 longiflorum, Hort. ex Steud. Nom. ed. II. ii. 440 = eximium.  
 longiflorum, *Thunb. in Trans. Linn. Soc. ii.* (1794) 333.—Japon.; China.  
 longiflorum, Wall. Tent. Fl. Nep. 40. t. 29 = Wallichianum.  
 longifolium, Griff. Ic. Pl. Asiat. t. 277 = roseum.  
 lucidum, Kellogg, in Proc. Calif. Acad. vi. (1874) 144 = columbianum.  
 maculatum, *Thunb. in Trans. Linn. Soc. ii.* (1794) 334.—Japon.  
 Manglesii ×, [Mast. in] Gard. Chron. (1881) ii. 152.  
 maritimum, Kellogg, in Proc. Calif. Acad. vi. (1874) 140.—Calif.

## LILIUM:—

- Martagon*, Ledeb. Fl. Ross. iv. 149, partim = avenaceum.  
 Martagon, *Linn. Sp. Pl.* 303.—Europ. austr.  
 Martagon, Walt. Fl. Carol. 123 = superbum.  
 martagonum, St. Lag. in Ann. Soc. Bot. Lyon, vii. (1880) 129 = L. Martagon.  
 Maximowiczii, Regel, Ind. Sem. Hort. Petrop. 1866 Suppl. (1867) 26 = Leichtlinii.  
 medeoloides, A. Gray, in Mem. Am. Acad. N. S. vi. (1858–59) 415.—Japon.  
 Metzii, Steud. ex Duch. in Journ. Soc. Hort. Par. Sér. II. iv. (1870) 556 = neilgherrense.  
 Michauxianum, Schult. f. Syst. vii. 258 = superbum.  
 Michauxii, Poir. Encyc. iii. 457 = superbum.  
 Milleri, Schult. Obs. Bot. 67 = L. Martagon.  
 miniatum, Salisb. Prod. 237 = chalcidonicum.  
 monadelphum, *Bieb. Fl. Taur. Cauc. i.* 267.—Reg. Caucas.  
 nanum, Klotzsch, in Bot. Ergeb. Waldem. Reise, 53 = nepalense.  
 neilgherrense, Hort. Veitch, ex Lem. Illustr. Hort. x. (1863) t. 353 = seq.  
 neilgherrense, Wight, Ic. t. 2031.—Ind. or.  
 nepalense, D. Don, in Mem. Wern. Soc. iii. (1820) 412.—Reg. Himal.  
 nigrum, Siebold, in Verh. Batav. Gen. xii. (1830) 16 = Fritillaria camtschatcensis?  
 nitidum, Hort. Bull. ex Baker, in Gard. Chron. (1880) ii. 198.—Calif.  
 noricum, Bernh. ex Steud. Nom. ed. II. ii. 44 = chalcidonicum.  
 ochroleucum, Wall. ex Baker, in Journ. Linn. Soc. xiv. (1872) 231 = nepalense.  
 odorum, Planch. Fl. des Serres, Sér. I. ix. (1853–54) 53. t. 876 = japonicum.  
 oxypetalum, Baker, in Journ. Linn. Soc. xiv. (1874) 234.—Reg. Himal.  
 Packmanni, T. Moore, in Gard. Chron. (1875) ii. 366, sphalm. = Parkmanni.  
 pardalinum, Kellogg, in Proc. Calif. Acad. ii. (1863) 12.—Calif.  
 pardinum, Moore, in Flor. & Pom. (1868) 121, in textu = bulbiferum.  
 Parkmanni ×, Sargent, ex T. Moore, in Gard. Chron. (1875) ii. 366, 494, 525.  
 Parryi, S. Wats. in Proc. Davenport. Acad. ii. 188. tt. 5, 6.—Calif.  
 parthenion, Siebold & De Vriese, in *Tuinbouw Fl. ii.* (1855) 341 = concolor.  
 parviflorum, Hort. ex Flor. Mag. N. S. (1874) t. 136 = canadense.  
 parvum, Kellogg, in Proc. Calif. Acad. ii. (1863) 179. t. 52.—Calif.  
 penduliflorum, [DC. in] Red. Lil. t. 105 = canadense.  
 pendulum, Noronha, in Verh. Batav. Gen. v. (1790) ed. I. Art. iv. 19 = Crinum asiaticum.  
 pendulum, Spae, Mém. Gen. Lis, 28 = canadense.  
 pensylvanicum, Ker-Gawl. in Bot. Mag. t. 872 = bulbiferum.  
 peregrinum, Hort. Germ. ex Lem. in Fl. des Serres, Sér. I. i. (1845) 92 = testaceum.  
 peregrinum, Mill. Gard. Dict. ed. VIII. n. 2 = candidum.  
 perenne, Gueldenst. Reise durch Russl. ii. 65, sphalm. = Linum perenne.  
 persicum, Fisch. ex Steud. Nom. ed. I. 480, nomen.—Persia.  
 philadelphicum, *Linn. Sp. Pl.* ed. II. 435.—Am. bor.  
 philadelphicum, Thunb. Fl. Jap. 135 = elegans.  
 philippinense, Baker, in Gard. Chron. (1873) 1141.—Ins. Philipp.  
 pictum, Hort. Siebold, ex Baker, in Journ. Hort. Soc. N. S. iv. (1877) 43 = bulbiferum.  
 pinifolium, Leichtl. ex Duch. in Journ. Soc. Hort. Par. Sér. II. iv. (1870) 217 nomen (Quid?).—Hab.?  
 polyphyllum, D. Don, in Royle, Illustr. Bot. Himal. 388.—Reg. Himal.  
 pomponicum, Thunb. Fl. Jap. 134 = callosum.  
 pomponium, [DC. in] Red. Lil. t. 7 = chalcidonicum.  
 pomponium, *Linn. Sp. Pl.* 302.—Sibir.  
 pomponium, Lour. Fl. Cochinch. 207 = tigrinum.  
 ponticum, C. Koch, in Linnaea, xxii. (1849) 234.—As. Min.  
 praecox, Lodd. ex Steud. Nom. ed. II. ii. 44 (Quid?).—Hab.?  
 Pseudo-tigrinum, Carr. in Rev. Hort. (1867) 411 = Leichtlinii.

## LILIUM:—

- puberulum*, Hort. Leichtl. ex Baker, in Journ. Linn. Soc. xiv. (1874) 242 = pardalinum.  
 puberulum, Torr. ex Duch. in Journ. Hort. Soc. Par. Sér. II. iv. (1870) 217; v. (1871) 54.—Am. bor.  
 pubescens, Bernh. ex Hornem. Hort. Hafn. ii. 962 = bulbiferum.  
 pudicum, Pursh, Fl. Am. Sept. i. 228. t. 8 = Fritillaria pudica.  
 pulchellum, Fisch. ex Fisch. Mey. & Avé-Lall. Ind. Sem. Hort. Petrop. vi. 56.—Dahuria.  
 pulchrum, Salisb. Prod. 237 = canadense.  
 pumilum, [DC. in] Red. Lil. t. 378 = tenuifolium.  
 pumilum, Hort. Bouch. ex Kunth, Enum. Pl. iv. 265 = croceum.  
 punctatum, Hort. ex Lem. in Fl. des Serres, Sér. I. iii. (1847) 276, 277 = speciosum.  
 punctatum, Jacquem. ex Duch. in Journ. Hort. Soc. Par. Sér. II. iv. (1870) 545 = polyphyllum.  
 puniceum, Siebold & De Vriese, in Ann. Hort. Pays-Bas (1861) 23 = tenuifolium.  
 purpureo-croceum, Bosc, ex Steud. Nom. ed. I. 480 = bulbiferum.  
 purpureum, Regel, Cat. Pl. Hort. Aksakov, 83 (Quid?).—Hab.?  
 pygmaeum, Leichtl. ex Duch. in Journ. Hort. Soc. Par. Sér. II. iv. (1870) 218, nomen.—Hab.?  
 pyrenaicum, Baumg. Enum. Stirp. Transs. i. 301 = chalcidonicum.  
 pyrenaicum, Gouan, Illustr. 25.—Mont. Pyren.  
 pyrenaicum, Ledeb. Fl. Ross. iv. 151 = Ledebourii.  
 quadrifoliatum, E. Mey. in Presl, Rel. Haenk. i. 126 = Fritillaria camtschatcensis.  
 recurvum, Hort. Belv. ex Steud. Nom. ed. I. 480, nomen.—Hab.?  
 Robinsonianum, Hort. ex Baker, in Journ. Linn. Soc. xiv. (1874) 244 = Humboldtii.  
 Roesli, Regel, Gartenfl. (1870) 321. t. 667 = pardalinum.  
 roseum, Wall. Cat. n. 5077.—Ind. or.  
 rubescens, S. Wats. in Proc. Am. Acad. xiv. (1879) 256.—Calif.  
 rubrum, Lam. Fl. Fr. iii. 283 = pomponium.  
 sanguineum, Hort. ex Lindl. Bot. Reg. (1846) t. 50 = bulbiferum.  
 sarniense, Hort. Angl. ex Curt. Bot. Mag. t. 294 = Nerine sarniense.  
 Sayii, Nutt. ex Duch. in Journ. Hort. Soc. Par. Sér. II. v. (1871) 273 = columbianum.  
 scabrum, Moench, Meth. 305 = bulbiferum.  
 sibiricum, Willd. Enum. Hort. Berol. Suppl. 17 = bulbiferum.  
 Sieboldi, Leichtl. ex Duch. in Journ. Hort. Soc. Par. Sér. II. iv. (1870) 218, nomen.—Japon.  
 sinense, Hort. ex Steud. Nom. ed. II. ii. 44 = tigrinum.  
 sinicum, Lindl. & Paxt. Flow. Gard. ii. (1851–52) 115. t. 193 = concolor.  
 speciosissimum, Hort. ex W. Baxt. in Loud. Hort. Brit. Suppl. ii. 645 = longiflorum.  
 speciosum, Andr. Bot. Rep. t. 586 = tigrinum.  
 speciosum, Siebold, in Verh. Batav. Gen. xii. (1830) 15 = longiflorum.  
 speciosum, Thunb. in Trans. Linn. Soc. ii. (1794) 332.—Japon.  
 spectabile, Link, Enum. Hort. Berol. i. 321 = dauricum.  
 spectabile, Salisb. Ic. Stirp. Rar. 9 = Catesbaei.  
 splendens, Baker, in Journ. Hort. Soc. N. S. iv. (1877) 41 = tigrinum.  
 stenophyllum, Baker, in Journ. Linn. Soc. xiv. (1874) 251 = tenuifolium.  
 striatum, Baker, in Journ. Hort. Soc. N. S. iv. (1877) 41 = candidum.  
 superbum, *Linn. Sp. Pl.* ed. II. 434.—Am. bor.  
 superbum, Thunb. Fl. Jap. 134 = speciosum.  
 Szovitsianum, Fisch. & Avé-Lall. Ind. Sem. Hort. Petrop. vi. 58 = monadelphum.  
 Takesima, Hort. ex Baker, in Journ. Linn. Soc. xiv. (1874) 230 = longiflorum.  
 tenuifolium, Fisch. Hort. Gorenk. ed. II. (1812) 8; Schrank, Pl. Rar. Hort. Monac. t. 91.—Davuria.  
 testaceum, Lindl. Bot. Reg. (1842) Misc. 51.—Japon.  
 Thomsonianum, Lindl. l. c. (1845) t. 1 = roseum.  
 Thunbergianum, Schult. Syst. vii. 415 = elegans.  
 tigrinum, Ker-Gawl. in Bot. Mag. t. 1237.—China; Japon.  
 triceps, Klotzsch, in Bot. Ergeb. Waldem. Reise, 53 = nepalense.



**LILIUM**—

- tricolor*, Leichtl. ex Duch. in Journ. Hort. Soc. Par. Sér. II. iv. (1870) 219, nomen.—Hab.?  
*tubiflorum*, Wight, Ic. t. 2033 = neilgherrense.  
*umbellatum*, Hort. ex Baker, in Journ. Linn. Soc. xiv. (1874) 239 = dauricum.  
*umbellatum*, Pursh, Fl. Am. Sept. i. 229 = philadelphicum.  
*venustum*, Hort. Berol. (1841); ex Kunth, Enum. Pl. iv. 265 = bulbiferum.  
*versicolor*, Salisb. Prod. 237 = L. Martagon.  
*verticillatum*, Gilib. Exercit. ii. 466 = L. Martagon.  
*verticillatum*, Willd. ex Kunth, Enum. Pl. iv. 263 = philadelphicum.  
*vestale*, Mast. in Gard. Chron. (1872) 1522 = speciosum.  
*Wallichianum*, Schult. f. Syst. vii. 1689.—Reg. Himal.  
*Wallichianum*, Wight, Ic. t. 2035 = neilgherrense.  
*wansharicum*, Hort. ex Duch. in Journ. Hort. Soc. Par. Sér. II. v. (1871) 49 = philadelphicum.  
*Washingtonianum*, [Dombroin,] in Floral Mag. (1872) t. 33 = pardalinum.  
*Washingtonianum*, Kellogg, in Proc. Calif. Acad. ii. (1863) 13.—Calif.  
*Wilsoni*, Hort. ex T. Moore, in Flor. et Pomol. (1868) 192 = bulbiferum.  
*Wittei*, Suring. in C. Koch, Wochenschr. x. (1867) 294 = auratum.

**LILIUM-CONVALLIUM**, Tourn. ex Moench, Meth. 636 (1794) = **Convallaria**, Linn. (Liliac.).  
*majale*, Moench, l. c. = C. majalis.

**LILLIUM**, Hill, Hort. Kew. 354 (1768) = **Lilium**, Tourn.

**LIMACIA**, F. G. Dietr. Vollst. Lexik. Gaertn. Nachtr. iv. 383 (1818) = **Xylosma**, Forst. f. (Bixin.).  
*coriacea*, Steud. Nom. ed. I. 480 = X. nitidum.  
*laurifolia*, F. G. Dietr. Vollst. Lexik. Gaertn. Nachtr. iv. 384 = X. nitidum.

**LIMACIA**, Lour. Fl. Cochinch. 620 (1790). **MENISPERMACEAE**, Benth. & Hook. f. i. 36.  
**HYPERPA**, Miers, in Ann. & Mag. Nat. Hist. Ser. II. vii. (1851) 40.  
*Amherstiana*, Miers, Contrib. iii. 112 = triandra.  
*borneensis*, Miq. Ann. Mus. Bot. Lugd. Bat. iv. 83.—Borneo.  
*cerasifera*, Becc. Malesia, i. (1877) 150.—Borneo.  
*cuspidata*, Hook. f. & Thoms. Fl. Ind. i. 189.—Ind. or.; Malaya.  
*distincta*, Miers, Contrib. iii. 111 = velutina.  
*inornata*, Miers, l. c. = velutina.  
*longifolia*, Miers, in Ann. & Mag. Nat. Hist. Ser. III. xiv. (1864) 367 = Coccus longifolius.  
*microphylla*, Miq. Fl. Ind. Bat. Suppl. 386.—Sumatra.  
*oblonga*, Miers, in Ann. & Mag. Nat. Hist. Ser. II. vii. (1851) 43.—Malaya.  
*scandens*, Lour. Fl. Cochinch. 621.—Cochinch.  
*sumatrana*, Scheff. in Tijdschr. Nederl. Ind. xxxii. (1871) 398.—Sumatra.  
*triandra*, Miers, in Ann. & Mag. Nat. Hist. Ser. II. vii. (1851) 43.—Burma; Malaya.  
*velutina*, Miers, l. c.—Malaya.  
*Wallichiana*, Miers, Contrib. iii. 113 = triandra.

**LIMATODES**, Lindl. Gen. et Sp. Orch. 252 (1833) = seq.

**LIMATODIS**, Blume, Bijdr. 375 (1825) = **Phaius**, Lour. (Orchid.).  
*gracilis*, Lindl. Fol. Orch. Limat. 1 = Calanthe gracilis.  
*grata*, Miq. Fl. Ind. Bat. iii. 672 = P. gratus.  
*labrosa*, Reichb. f. in Gard. Chron. (1879) i. 202 = Calanthe labrosa.  
*mishmensis*, Lindl. & Paxt. Flow. Gard. iii. (1852-53) 36 = P. mishmensis.  
*pauciflora*, Blume, Bijdr. 375. t. 62 = P. pauciflorus.  
*punctata*, Lindl. Fol. Orch. Limat. 2 = P. pauciflorus.  
*rosea*, Lindl. in Lindl. & Paxt. Flow. Gard. iii. (1852-53) 35. t. 81 = Calanthe rosea.

**LIMBARDA**, Adans. Fam. ii. 125 (1763) = **Inula**, Linn. (Compos.).  
*arabica*, Rafin. Fl. Tellur. ii. 48 = Pulicaria arabica.  
*crithmifolia*, Rafin. l. c. = I. crithmifolia.  
*crithmoides*, Dum. Fl. Belg. 68 = I. crithmoides.

**LIMBARDA**—

- japonica*, Rafin. Fl. Tellur. ii. 48 = Inula japonica.  
*pinifolia*, Rafin. l. c. = Senecio pinifolius.  
*tricuspis*, Cass. in Dict. Sc. Nat. xxvi. 438 = I. crithmoides.

**LIMBORCHIA**, Scop. Introd. 139 (1777) = **Coutoubea**, Aubl. (Gentian.).

**LIMEUM**, Linn. Syst. ed. X. 995 (1759). **FI-COIDEAE**, Benth. & Hook. f. i. 859.

**ACANTHOCARPEA**, Klotzsch, in Peters, Reise Mosamb. Bot. 137. t. 24 (1861).

**DICARPEA**, Presl, Symb. Bot. i. 37. t. 26 (1830).

**GAUDINIA**, J. Gay, in Bull. Férussac, xviii. (1829) 412.

**LINSCOTIA**, Adans. Fam. ii. 269 (1763).

*aethiopicum*, Burm. f. Fl. Cap. Prod. 11.—Afr. austr. africanum, Linn. Syst. ed. X. 995.—Afr. austr.

*africanum*, Sieber, ex Moq. in DC. Prod. xiii. II. 23 = viscosum.

*africanum*, Zeyh. ex Moq. l. c. 22 = capense.

*aphyllum*, Linn. f. Suppl. 214 = capense.

*argute-carinatum*, Wawra, in Sitzb. Acad. Wien, Math.-Nat. xxxviii. (1860) 563 = linifolium.

*canescens*, E. Mey. ex Fenzl, in Ann. Wien. Mus. i. (1836) 342.—Afr. austr.

*capense*, Thunb. Prod. Pl. Cap. 68.—Afr. austr.

*fluviatile*, Eckl. & Zeyh. Enum. 287 = aethiopicum.

*glomeratum*, Eckl. & Zeyh. l. c. 288.—Afr. austr.

*humile*, Forsk. Fl. Aegypt. Arab. 79 = Andrachne telephioides.

*indicum*, Stocks, ex T. Anders. in Journ. Linn. Soc. v. Suppl. i. (1860) 30.—Ind. or.; Afr. trop.

*linifolium*, Fenzl, in Ann. Wien. Mus. i. (1836) 342.—Afr. trop.

*litorale*, Eckl. & Zeyh. Enum. 287 = africanum.

*Meyeri*, Fenzl, in Ann. Wien. Mus. i. (1836) 342 = glomeratum.

*pauciflorum*, Moq. in DC. Prod. xiii. II. 23.—Afr. austr.

*telephioides*, E. Mey. ex Fenzl, Nov. Stirp. Dec. 87 = capense.

*viscosum*, Fenzl, l. c.—Afr. trop.

**LIMIA**, Vand. Fl. Lusit. 42. t. 3. f. 21 (1788) = **Vitex**, Linn. (Verbenac.).

**LIMNANTHEMUM**, S. P. Gmel. in Nov. Comm. Acad. Petrop. xiv. i. 1769 (1770) 527. t. 17. f. 2.

**GENTIANAEAE**, Benth. & Hook. f. ii. 819.

**LIMNANTHUS**, Neck. Elem. ii. 27 (1790).

**NYMPHOIDES**, Tourn. ex Medic. Phil. Bot. i. 35 (1789).

**SCHWEYCKERTA**, C. C. Gmel. Fl. Bad. i. 447 (1805).

**TRACHYSPERMA**, Rafin. in Med. Repos. N. York, v. (1808) 352.

**VILLARSIA**, J. F. Gmel. Syst. 447 (1791).

**WALDSCHMIDIA**, [Web. in] Wigg. Prim. Fl. Holsat. 19 (1780).

*albiflorum*, F. Muell. Census, 90 = Villarsia albiflora.

*aurantiacum*, Dals. in Hook. Kew Journ. ii. (1850) 136.—Ind. or.

*biflorum*, Thw. Enum. Pl. Zeyl. 205 = aurantiacum.

*brevipedicellatum*, Vatke, in Linnaea, xl. (1876) 220.—Abyssin.

*calthifolium*, F. Muell. Fragm. ix. 164 = Villarsia calthifolia.

*calycinum*, Miq. Fl. Ind. Bat. ii. 564 = indicum.

*capitatum*, F. Muell. Fragm. ix. 164 = Villarsia capitata.

*congestiflorum*, F. Muell. Census, 90 = Villarsia congestiflora.

*crenatum*, F. Muell. in Trans. Phil. Soc. Vict. i. (1855) 17.—Austral.

*cristatum*, Griseb. Gen. et Sp. Gent. 342.—Ind. or.; China.

*Ecklonianum*, Griseb. l. c. 346 = indicum.

*exaltatum*, F. Muell. Fragm. ix. 165 = Villarsia reniformis.

*exiguum*, F. Muell. Fragm. i. 40.—Tasman.

*exiliflorum*, F. Muell. l. c. v. 46.—Austral.

*Forbesianum*, Griseb. Gen. et Sp. Gent. 345.—Zeylan.

*Fraserianum*, Griseb. l. c. 346 = indicum.

*geminatum*, Griseb. l. c.—Austral.

*Grayanum*, Griseb. Cat. Pl. Cub. 181.—Cuba.

*Gunnii*, Hook. f. Fl. Tasm. ii. 368 = Liparophyllum Gunnii.

**LIMNANTHEMUM**—

*Humboldtianum*, Griseb. Gen. et Sp. Gent. 347.—Am. austr.

*hydrocharoides*, F. Muell. ex Benth. Fl. Austral. iv. 380.—Austral.

*Hydrophyllum*, Griseb. Gen. et Sp. Gent. 348.—Cochinch.

*indicum*, Griseb. l. c. 343 = cristatum.

*indicum*, Thw. Enum. Pl. Zeyl. 205.—Amphig. trop.

*Kleinianum*, Griseb. Gen. et Sp. Gent. 344 = indicum.

*lacunosum*, Griseb. l. c. 347.—Am. bor.

*lasiospermum*, F. Muell. Fragm. ix. 165 = Villarsia lasiosperma.

*latifolium*, F. Muell. l. c. 164 = Villarsia latifolia.

*microphyllum*, Griseb. Gen. et Sp. Gent. 364.—Bras.

*minimum*, F. Muell. Fragm. i. 40.—Austral.

*Moonii*, Thw. Enum. Pl. Zeyl. 205 = parvifolium.

*niloticum*, Kotschy & Peyr. Pl. Tinn. 28. t. 9 A.—Afr. trop.

*nymphoides*, Hoffm. & Link, Fl. Port. i. 344.—Europ.; As. bor.

*orbiculatum*, Griseb. Gen. et Sp. Gent. 348 = indicum?

*parnassifolium*, F. Muell. Fragm. ix. 165 = Villarsia parnassifolia.

*parvifolium*, Griseb. in DC. Prod. ix. 141.—Ind. or.

*petatum*, S. P. Gmel. in Nov. Comm. Acad. Petrop. xiv. 1769 (1770) 527. t. 17.—Europ.

*petatum*, Griseb. Gen. et Sp. Gent. 348 = Brasenia Schreberi.

*tenellum*, Sm. ex C. B. Clarke, in Journ. Linn. Soc. xiv. (1875) 450 = parvifolium.

*Thunbergianum*, Griseb. Gen. et Sp. Gent. 345 = indicum.

*trachyspermum*, A. Gray, Man. Bot. N. U. St. ed. I. 363.—Am. bor.

*violifolium*, F. Muell. Census, 90 = Villarsia violifolia.

*Wightianum*, Griseb. Gen. et Sp. Gent. 344 = indicum.

**LIMNANTHES**, R. Br. in Lond. & Edinb. Phil. Mag. ii. (1833) 70. **GERANIACEAE**, Benth. & Hook. f. i. 274.

*alba*, Hartw. ex Benth. Pl. Hartw. 301.—Calif.

*Douglasii*, R. Br. in Lond. & Edinb. Phil. Mag. ii. (1833) 70.—Am. bor. occ.

*rosea*, Hartw. ex Benth. Pl. Hartw. 302 = Douglasii.

*sulphurea*, Loud. Encyc. Pl. 1543 = Douglasii?

**LIMNANTHES**, Stokes, Bot. Mat. Med. i. 300 (1812) = **Limnanthemum**, S. P. Gmel. (Gentian.).

*nymphoides*, Stokes, l. c. = Limnanthemum nymphoides.

*petata*, S. F. Gray, Nat. Arr. Brit. Pl. ii. 340 = Limnanthemum nymphoides.

**LIMNANTHUS**, Neck. Elem. ii. 27 (1790) = **Limnanthemum**, S. P. Gmel. (Gentian.).

**LIMNANTHUS**, Reichb. Handb. 290 (1837) = **Limnanthes**, R. Br. (Geran.).

**LIMNAS**, Ehrh. Beitr. iv. 146 (1789) = **Malaxis**, Sw. (Orchid.).

**LIMNAS**, Trin. Fund. Agrost. 116. t. 6 (1820).

**GRAMINEAE**, Benth. & Hook. f. iii. 1118.

*arkansana*, Trin. ex Steud. Nom. ed. II. ii. 45 =

*Thurberia arkansana*.

*Stelleri*, Trin. Fund. Agrost. 116. t. 6.—Kamtschatk.

**LIMNASPIDIUM**, Fourr. in Ann. Soc. Linn. Lyon, N. S. xvii. (1869) 128 = **Veronica**, Tourn. (Scrophul.).

*parmularium*, Fourr. l. c. = V. scutellaria.

*scutellatum*, Fourr. l. c. = V. scutellaria.

**LIMNETIS**, Rich. in Pers. Syn. i. 72 (1805) = **Spartina** Schreb. (Gramin.).

*cynosuroides*, Rich. in Pers. l. c. = S. cynosuroides.

*glabra*, Nutt. Gen. Am. i. 38 = S. cynosuroides.

*junccea*, Rich. in Pers. Syn. i. 72 = S. junccea.

*polystachya*, Rich. l. c. = S. polystachya.

*pungens*, Rich. l. c. = S. stricta.

**LIMNIA**, Linn. in Act. Soc. Sc. Upsal. (1746) 130.

**Claytonia**, Gronov. (Portul.).

*alsinoides*, Haw. Syn. Pl. Succ. 11 = C. sibirica.

*perfoliata*, Haw. l. c. 12 = C. perfoliata.

*sibirica*, Haw. l. c. 11 = C. sibirica.



LIMNIRION, Opiz, Seznam, 59 (1852) = *Iris*, Tourn.  
*Pseudacorus*, Opiz, l. c. = *I. Pseudacorus*.  
*sibiricum*, Opiz, l. c. = *I. sibirica*.

LIMNIRIS, Fuss, Fl. Transs. 636 (1866) = *Iris*,  
 Tourn.  
*graminea*, Fuss, l. c. 637 = *I. graminea*.  
*humilis*, Fuss, l. c. = *I. humilis*.  
*Pseudacorus*, Fuss, l. c. 636 = *I. Pseudacorus*.  
*ruthenica*, Fuss, l. c. 637 = *I. ruthenica*.  
*sibirica*, Fuss, l. c. = *I. sibirica*.  
*spuria*, Fuss, l. c. = *I. spuria*.

LIMNOBIUM, Rich. in Mém. Inst. Par. (1811) 32,  
 66. t. 8. *HYDROCHARIDEAE*, Benth. & Hook. f.  
 iii. 452.  
*JALAMBICEA*, La Llave & Lex. Nov. Veg. Desc. ii.  
 12 (1825).  
*HYDROCHARELLA*, Spruce, ex Benth. & Hook. f.  
 Gen. iii. 452, in nota (1883).  
*HYDROMYSTRIA*, G. F. W. Mey. Prim. Fl. Esseq.  
 152 (1818).  
*TRIANEA*, Karst. in Linnaea, xxviii. (1856) 424.  
 Bosci, Rich. in Mém. Inst. Par. (1811) 32. t. 8.—Am.  
 bor.  
 Sinclairi, Benth. Bot. Voy. Sulph. 175.—Mexic.  
 Spongia, Steud. Nom. ed. II. ii. 45 = Bosci.  
 stoloniferum, Griseb. Fl. Brit. W. Ind. 506.—Am.  
 trop.; Ind. occ.

LIMNOCHARIS, Humb. & Bonpl. Pl. Aequin. i.  
 116. t. 34 (1808). *ALISMACEAE*, Benth. & Hook. f.  
 iii. 1009.  
*Commerstonii*, Spreng. Syst. ii. 634 = *Hydrocleys*  
*Commerstonii*.  
*emarginata*, Humb. & Bonpl. Pl. Aequin. i. 116. t. 32.  
 —Am. trop.  
*flava*, Buch. in Bremen, Abh. ii. (1871) 2 = *emarginata*.  
 Haenkei, Presl, Rel. Haenk. ii. 88.—Chili.  
*Humboldtii*, Rich. in Mém. Mus. Par. i. (1815) 369.  
 t. 19 = *Hydrocleys Commerstonii*.  
*Laforesti*, Duchass. ex Griseb. in Bonplandia, vi. (1858)  
 11 = *emarginata*.  
*Martii*, Micheli, in DC. Monog. Phan. iii. 92 =  
*Hydrocleys Martii*.  
*nymphoides*, Micheli, l. c. 91 = *Hydrocleys Commer-*  
*stonii*.  
*parviflora*, Micheli, l. c. 93 = *Hydrocleys parviflora*.  
*Plumieri*, Rich. in Mém. Mus. Par. i. (1815) 370. t.  
 19. f. 2 = *emarginata*.

LIMNOCHARIS, Kunth, Enum. Pl. ii. 153 (1837) =  
*Eleocharis*, R. Br. (Cyper.).

LIMNOCHLOA, Beauv. ex Lestib. Ess. Cyp. 41  
 (1819) = *Eleocharis*, R. Br. (Cyperac.).  
*acicularis*, Reichb. in Moessl. Handb. ed. II. iii. 1808  
 = *E. acicularis*.  
*acutangula*, Nees, in Wight, Contrib. 114 = *E. fistu-*  
*losa*.  
*albibracteata*, Nees, ex Kunth, Enum. Pl. ii. 143 = *E.*  
*albibracteata*.  
*alpina*, Drejer, Fl. Excurs. Hafn. 18 = *Eriophorum*  
*alpinum*.  
*alpina*, Reichb. Fl. Germ. Excurs. 140<sup>11</sup> = *Scirpus*  
*pumilus*.  
*articulata*, Nees, in Linnaea, ix. (1834) 294 = *E. inter-*  
*stincta*.  
*Baeothryon*, Reichb. in Moessl. Handb. ed. II. iii. 1808  
 = *Scirpus pauciflorus*.  
*caduciflora*, Turcz. ex Trin. in Mém. Acad. Pétersb.  
 Sér. VI. v. (1840) 185 = *Zizania aquatica*.  
*caespitosa*, Reichb. in Moessl. Handb. ed. II. iii. 1808  
 = *Scirpus caespitosus*.  
*calyptrata*, Liebm. in Vidensk. Selsk. Skr. V. ii. (1851)  
 244 = *E. sulcata*.  
*capensis*, Krauss, in Flora, xxviii. (1845) 759 = *E.*  
*limosa*.  
*capensis*, Nees, in Linnaea, x. (1835–36) 185 = *E.*  
*palustris*.  
*constricta*, Nees, in Mart. Fl. Bras. ii. 1. 99 = *E. geni-*  
*culata*.  
*costulata*, Nees, ex Kunth, Enum. Pl. ii. 142 = *E.*  
*acicularis*.  
*crassiculmis*, Nees, in Mart. Fl. Bras. ii. 1. 99 = *E.*  
*geniculata*.  
*densa*, Liebm. in Vidensk. Selsk. Skr. V. ii. (1851) 244  
 = *E. geniculata*.

LIMNOCHLOA:—

*equisetoides*, Walp. Ann. iii. 684 = *Eleocharis inter-*  
*stincta*.  
*fistulosa*, Nees, in Linnaea, ix. (1834) 294 = *E. fistu-*  
*losa*.  
*geniculata*, Nees, in Mart. Fl. Bras. ii. 1. 99 = *E. geni-*  
*culata*.  
*limosa*, Nees, in Linnaea, ix. (1834) 294 = *E. limosa*.  
*media*, Nees, in Wight, Contrib. 114 = *E. fistulosa*.  
*montevidensis*, Nees, in Mart. Fl. Bras. ii. 1. 99 =  
*E. montevidensis*.  
*multicaulis*, Reichb. Fl. Germ. Excurs. 140<sup>11</sup> = *E.*  
*multicaulis*.  
*multiculmis*, Reichb. in Moessl. Handb. ed. II. iii. 1808  
 = *praec.*  
*mutata*, Nees, in Mart. Fl. Bras. ii. 1. 101 = *E. mutata*.  
*obsoleta*, Nees, l. c. 100 = *E. interstincta*.  
*obtusangula*, Nees, in Linnaea, ix. (1834) 294 = *E.*  
*obtusangula*.  
*obtusetrigona*, Lindl. & Nees, in Mart. Fl. Bras. ii. 1.  
 100 = *E. mutata*.  
*parvula*, Reichb. in Moessl. Handb. ed. II. iii. 1808 =  
*Scirpus nanus*.  
*pauciflora*, Peterm. Fl. Bienitz, 21 = *Scirpus pauciflorus*.  
*plantaginea*, Nees, in Wight, Contrib. 114 = *E.*  
*plantaginea*.  
*quadrangulata*, Nees, in Linnaea, ix. (1834) 294 = *E.*  
*mutata*.  
*spiralis*, Nees, in Wight, Contrib. 114 = *E. spiralis*.  
*tetraquetra*, Nees, l. c. 113 = *E. tetraquetra*.  
*truncata*, Liebm. in Vidensk. Selsk. Skr. V. ii. (1851)  
 244 = *E. montana*.  
*tumida*, Nees, in Wight, Contrib. 114 = *E. planta-*  
*ginea*.

LIMNOCREPIS, Fourr. in Ann. Soc. Linn. Lyon, N. S.  
 xvii. (1869) 104 = *Crepis*, Linn. (Compos.).  
*paludosa*, Fourr. l. c. = *C. paludosa*.

LIMNOGENNETON, Sch. Bip. in Walp. Rep. vi. 146  
 (1846–47) = *Sigesbeckia*, Linn. (Compos.).  
*abyssinicum*, Sch. Bip. l. c. 147 = *S. orientalis*.

LIMNOGETON, Edgew. in Lindl. Veg. Kingd. 210  
 (1847) = *Aponogeton*, Thunb. (Naiad.).

LIMNONESIS, Klotzsch, in Abh. Akad. Berl. (1853)  
 24, 361, 352 = *Pistia*, Linn. (Aroid.).  
*commutata*, Klotzsch, l. c. = *P. Stratiotes*.  
*Friedrichsthaliana*, Klotzsch, l. c. = *P. Stratiotes*.

LIMNOPEUCE, Adans. Fam. ii. 80 (1763) = *Hippuris*,  
 Linn. (Halorag.).

LIMNOPHILA, R. Br. Prod. 442 (1810). *SCRO-*  
*PHULARINEAE*, Benth. & Hook. f. ii. 950.  
*AMBULIA*, Lam. Encyc. i. 128 (1783).  
*CYBBANTHERA*, Buch.-Ham. in D. Don, Prod. Fl.  
 Nep. 87 (1825).

DICEROS, Lour. Fl. Cochinch. 381 (1790).  
 HONOTIA, Reichb. Consp. 172 (1825).  
 HOTTONIA, Burm. Thes. Zeyl. 121. t. 55. f. 1  
 (1737).

HYDROPITYON, Gaertn. f. Fruct. iii. 19. t. 183  
 (1805).

LYMNOPHILA, Blume, Bijdr. 748 (1826).  
 TALA, Blanco, Fl. Filip. ed. I. 484 (1837); ed. II.  
 338 (1845).

*albiflora*, Voigt, Hort. Suburb. Calc. 502.—Ind. or.  
*balsamea*, Benth. in DC. Prod. x. 386.—Burma.  
*bancana*, Miq. Fl. Ind. Bat. Suppl. 562.—Malaya.  
*Benthamiana*, Miq. ex Hook. f. Fl. Brit. Ind. iv. 271  
 = *racemosa*.

*campanuloides*, Benth. in Wall. Cat. n. 3908 = *Mitra-*  
*sacme polymorpha*.

*camphorata*, Hook. f. Fl. Brit. Ind. iv. 267 = *diffusa*.  
*cana*, Griff. Notul. iv. 98.—Ind. or.

*chamaedrifolia*, G. Don, Gen. Syst. iv. 543 = *gratis-*  
*sima*.

*conferta*, Benth. in DC. Prod. x. 387.—Ind. or.  
*diffusa*, Benth. l. c.—Ind. or.; Malaya.

*diffusa*, G. Don, Gen. Syst. iv. 543 = *Ebermeiera*  
*thyrsoides*.

*elongata*, Benth. in Wall. Cat. n. 3903 = *gratioloides*.  
*erecta*, Benth. in DC. Prod. x. 388.—Ind. or.

*fragrans*, Seem. Fl. Vit. 180 = *serrata*.  
*gratioloides*, R. Br. Prod. 442.—Geront. trop.

*gratissima*, Blume, Bijdr. 749.—As. et Austral. trop.

LIMNOPHILA:—

*Griffithii*, Hook. f. Fl. Brit. Ind. iv. 271.—Malacca.  
*Helferi*, Hook. f. l. c. 269.—Burma.  
*heterophylla*, Benth. in Wall. Cat. n. 905; *Scroph.*  
*Ind.* 25.—As. trop.

*hirsuta*, Benth. in DC. Prod. x. 388.—As. et Austral.  
 trop.

*hypericifolia*, Benth. l. c. 386.—Ind. or.  
*hyssopifolia*, Roth, Nov. Pl. Sp. 297.—Ind. or.

*javanica*, A. DC. in DC. Prod. x. 594.—Java.  
*laxa*, Benth. in DC. l. c. 388.—Burma; Zeylan.

*laxa*, Benth. l. c., partim = *pulcherrima*.  
*Menthastrum*, Benth. l. c. 386 = *Roxburghii*.

*micrantha*, Benth. l. c. 387.—As. trop.  
*Morgania*, F. Muell. Fragm. vi. 104 = *Morgania flori-*  
*bunda*, pubescens, glabra.

*myriophylloides*, Roth, Nov. Pl. Sp. 294 = *gratio-*  
*loides*.

*pinnatifida*, Blume, Bijdr. 749.—Java.  
*polyantha*, Kurz, ex Hook. f. Fl. Brit. Ind. iv. 268.—  
 Burma.

*polystachya*, Benth. in Wall. Cat. n. 3909; *Scroph.*  
*Ind.* 26.—Ind. or.

*pulcherrima*, Hook. f. Fl. Brit. Ind. iv. 267.—Ind. or.;  
 Malaya.

*punctata*, Blume, Bijdr. 750 = *gratissima*.  
*punctata*, Hook. f. Fl. Brit. Ind. iv. 266, sphalm. =  
*conferta*.

*pygmaea*, Hook. f. l. c. 268.—Burma; Malacca.  
*racemosa*, Benth. in Wall. Cat. n. 3907; *Scroph. Ind.*  
 26.—Ind. or.; Malaya.

*reflexa*, Benth. ll. cc. n. 3904; 25 = *heterophylla*.  
*repens*, Benth. in DC. Prod. x. 387 = *conferta*.

*Roxburghii*, Benth. l. c. 388 = *racemosa*.  
*Roxburghii*, G. Don, Gen. Syst. iv. 543.—As. trop.;  
 Ins. Pacif.

*serrata*, Gaudich. in Freyc. Voy. Bot. 448. t. 57.—  
 Malaya; Ins. Pacif.

*sessiliflora*, Blume, Bijdr. 750.—As. trop.  
*sessiliflora*, Griff. Notul. iv. 99 = *Griffithii*.

*tillaeoides*, Hook. f. Fl. Brit. Ind. iv. 270.—Assam.  
*torenioides*, Baker, in Journ. Bot. xx. (1882) 221 =  
*Mimulus madagascariensis*.

*trifida*, Spreng. Syst. ii. 802 = *gratioloides*.  
*villifera*, Miq. Fl. Ind. Bat. ii. 682.—Sumatra.

*villosa*, Blume, Bijdr. 750.—Java.

LIMNOPHYLLA, Griff. Notul. iv. 97 (1854) = *praec.*

LIMNOPHYTON, Miq. Fl. Ind. Bat. iii. 242 (1855).  
*ALISMACEAE*, Benth. & Hook. f. iii. 1005.

DIPSEUDOCHORION, Buchen. in Flora, xlviii. (1865)  
 245.

*obtusifolium*, Miq. l. c. 243.—As. et Afr. trop.

LIMNOSERIS, 'Peterm.' ex Linnaea, xiii. (1839) Litt. 23  
 = *LIMNOSERIS*, Peterm. = *Crepis*, Linn. (Com-

pos.).

LIMNOSIPANEA, Hook. f. in Hook. Ic. Pl.  
 t. 1050 (1868). *RUBIACEAE*, Benth. & Hook. f.  
 ii. 53.

*palustris*, Hook. f. l. c. sub t. 1050.—Am. trop.  
*Schomburgkii*, Hook. f. l. c.—Guiana.

*Spruceana*, Hook. f. l. c. t. 1050.—Bras.

LIMNOSTACHYS, F. Muell. Fragm. i. 24 (1858) =  
*Monochoria*, Presl (Portul.).

*cyanea*, F. Muell. l. c. = *M. cyanea*.

LIMNOXERANTHEMUM, Salzm. ex Steud. Syn. Pl.  
 Cyp. 281 (1855) = *Paepalanthus*, Mart. (Erioc.).

*glabrum*, Salzm. ex Steud. l. c. = *P. gracilis*.

LIMODORON, St. Lag. in Ann. Soc. Bot. Lyon, vii.  
 (1880) 129 = *Limodorum*, Tourn. (Orchid.).

*fasciolum*, St. Lag. l. c. = *Vanilla Fasciola*.

LIMODORUM, [Tourn.], Linn. Syst. ed. II. 29 (1740);  
 Rich. in Mém. Mus. Par. iv. (1818) 50. *ORCHI-*  
*DEAE*, Benth. & Hook. f. iii. 618.

*abortivum*, Sw. in Nov. Act. Soc. Sc. Upsal. vi. (1799)  
 80.—Europ.

*altum*, Linn. Syst. ed. XII. 594 = *Bletia verecunda*.  
*angustifolium*, Buch.-Ham. ex Lindl. Gen. et Sp.

Orch. 163 = *Cymbidium longifolium*.

*aphyllum*, Roxb. Pl. Corom. i. 34. t. 41 = *Dendrobium*  
*Pierardi*?



**LIMODORUM** :—

- articulatum*, Schum. & Thonn. Beskr. Guin. Pl. 399 = *Eulophia articulata*.  
*autumnale*, Auct. ex Steud. Nom. ed. II. ii. 46 = *Earina mucronata*.  
*autumnale*, Walt. Fl. Carol. 221 = *Spiranthes cernua*.  
*barbatum*, Lam. Encyc. iii. 515 = *Calopogon pulchellus*.  
*barbatum*, Thunb. Prod. Pl. Cap. 4 = *Eulophia barbata*.  
*bicallosum*, Buch.-Ham. ex D. Don, Prod. Fl. Nep. 30 = *Liparis bituberculata*?  
*bicolor*, Roxb. Hort. Beng. 63; Fl. Ind. iii. 469 = *Eulophia herbacea*.  
*bidens*, Afzel. ex Sw. in Vet. Acad. Handl. Stockh. (1800) 243, nomen; Pers. Syn. ii. 521 (Quid?).—Afr. trop.  
*bidentatum*, Willd. Sp. Pl. iv. 124 (Quid?).—Ind. or.  
*boreale*, Sw. in Schrad. Neues Journ. i. (1805) 85 = *Calypso borealis*.  
*bracteatum*, Roxb. Hort. Beng. 63; Fl. Ind. iii. 466 = *Phaius albus*.  
*brasiliense*, Nois. ex Steud. Nom. ed. II. ii. 46, nomen.—Bras.  
*callosum*, Blume, Bijdr. 374 = *Phaius callosus*.  
*canaliculatum*, Aubl. Pl. Gui. ii. 821 (Quid?).—Guian.  
*candidum*, Roxb. Hort. Beng. 63; Fl. Ind. iii. 470 = *Geodorum dilatatum*?  
*capense*, Berg. Desc. Pl. Cap. 347 = *Eulophia tristis*.  
*carinatum*, Willd. Sp. Pl. iv. 124 = *Eulophia virens*?  
*ciliatum*, Schum. & Thonn. Beskr. Guin. Pl. 400 = *Eulophia gracilis*.  
*clavatum*, Willd. Sp. Pl. iv. 126 = *Saccolabium clavatum*.  
*complanatum*, Willd. l. c. = *Cleisostoma complanatum*.  
*concolor*, Thou. Orch. Iles Afr. t. 45 = *Eulophia concolor*.  
*coriaceum*, Thunb. ex Sw. in Schrad. Journ. ii. (1799) 234 = *Aërides coriaceum*.  
*crispum*, Reinw. ex Blume, Mus. Bot. Lugd. Bat. ii. 180 = *Phaius crispus*.  
*cristatum*, Afzel. ex Sw. in Vet. Acad. Handl. Stockh. (1800) 243, nomen; Pers. Syn. ii. 521 = *Eulophia cristata*.  
*cucullatum*, Afzel. ex Sw. l. c.; et Pers. l. c. = *Polystachya grandiflora*.  
*cyperifolium*, Buch.-Ham. ex Lindl. Gen. et Sp. Orch. 163 = *Cyperorchis elegans*.  
*Dabia*, Buch.-Ham. ex D. Don, Prod. Fl. Nep. 30 = *Eulophia campestris*.  
*densiflorum*, Lam. Encyc. iii. 516 = *Geodorum dilatatum*.  
*difterum*, Tausch, ex Steud. Nom. ed. II. ii. 46 = *Cryptopus elatus*.  
*diurnum*, Jacq. Coll. iv. 107 = *Cymbidium diurnum*.  
*dubium*, Buch.-Ham. ex Lindl. Gen. et Sp. Orch. 185 = *Eulophia campestris*.  
*eburneum*, Willd. Sp. Pl. iv. 125 = *Angraecum eburneum*.  
*emarginatum*, Afzel. ex Sw. in Vet. Acad. Handl. Stockh. (1800) 243, nomen; Pers. Syn. ii. 521 (Quid?).—Afr. trop.  
*ensatum*, Thunb. Fl. Jap. 29 = *Cymbidium ensifolium*.  
*epidendroides*, Willd. Sp. Pl. iv. 124 = *Eulophia virens*.  
*Epipogium*, Sw. in Nov. Act. Soc. Sc. Upsal. vi. (1799) 80 = *Epipogon aphyllum*.  
*falcatum*, Thunb. in Trans. Linn. Soc. ii. (1794) 326; Sw. in Schrad. Journ. ii. (1799) 231 = *Angraecum falcatum*.  
*Fasciola*, Sw. l. c. = *Vanilla Fasciola*.  
*filiforme*, Sw. in Nov. Act. Soc. Sc. Upsal. vi. (1799) 80 = *Acranthus filiformis*.  
*flabellatum*, Thou. Orch. Iles Afr. tt. 39, 40 = *Cymbidium flabellatum*.  
*flavum*, Blume, Bijdr. 375 = *Phaius flavus*.  
*flexuosum*, Willd. Sp. Pl. iv. 128 (Quid?).—Ind. occ.  
*floridum*, Salisb. Prod. 9 = *Bletia florida*.  
*Flos-aëris*, Sw. in Nov. Act. Soc. Sc. Upsal. vi. (1799) 80 = *Arachnanthe moschifera*.  
*funale*, Sw. l. c. 79 = *Dendrophylax funalis*.  
*gentianoides*, Sw. Prod. Veg. Ind. Occ. 119 = *Pogonia gentianoides*.  
*giganteum*, Thunb. Prod. Pl. Cap. 4 (= *Cyrtopera gigantea*).—Afr. austr.  
*grandiflorum*, Aubl. Pl. Gui. ii. 818 = *Cymbidium grandiflorum*.  
*hians*, Thunb. Prod. Pl. Cap. 3 = *Eulophia hians*.  
*hyacinthinum*, Donn, Hort. Cantab. ed. IV. 201 = *Bletia hyacinthina*.

**LIMODORUM** :—

- imbricatum*, Sw. in Schrad. Neues Journ. i. (1805) 87 (Quid?).—Afr. trop.  
*Incarvillei*, Blume, Bijdr. 374 = *Phaius Wallichii*.  
*Incarvillei*, Pers. Syn. ii. 520 = *Phaius grandifolius*.  
*lanceolatum*, Aubl. Pl. Gui. ii. 821 (= *Stenorrhynchus lanceolatus*).—Guian.  
*latifolium*, Thunb. ex Sw. in Schrad. Journ. ii. (1799) 234 = *Aërides odoratum*.  
*laxiflorum*, Lam. Encyc. iii. 516 (Quid?).—Ind. or.  
*longicornu*, Sw. in Schrad. Journ. ii. (1799) 230 = *Mystacidium filicorne*.  
*longifolium*, Buch.-Ham. ex Lindl. Gen. et Sp. Orch. 163 = *Cymbidium giganteum*.  
*longifolium*, Roxb. Hort. Beng. 63; Fl. Ind. iii. 468 = *Cymbidium cyperifolium*.  
*luridum*, Pers. Syn. ii. 521 = *Eulophia lurida*.  
*luridum*, Sw. in Schrad. Neues Journ. i. (1805) 87 = *Angraecum luridum*.  
*luteum*, Lam. Encyc. iii. 516 = *Chloraea crispa*.  
*maculatum*, Reinw. ex Lindl. in Journ. Linn. Soc. iii. (1859) 23 = *Nephelaphyllum pulchrum*.  
*monile*, Thunb. in Trans. Linn. Soc. ii. (1794) 327 = *Dendrobium catenatum*.  
*nutans*, Roxb. Pl. Corom. i. 33. t. 40 = *Geodorum purpureum*.  
*orchideum*, Willd. Sp. Pl. iv. 126 (= *Ceratochilus orchideus*).—Ind. or.  
*pendulum*, Aubl. Pl. Gui. ii. 819 = *Dichaea echinocarpa*.  
*Piquichen*, Lam. Encyc. iii. 516 = *Chloraea virescens*.  
*plantagineum*, Thou. Orch. Iles Afr. tt. 41, 42 = *Cyrtopodium plantagineum*.  
*plicatum*, Roxb. Hort. Beng. 63; Fl. Ind. iii. 465 = *Phaius callosus*.  
*praecox*, Walt. Fl. Carol. 221 = *Spiranthes graminea*.  
*pulchellum*, Salisb. Prod. 8 = *Calopogon pulchellus*.  
*pulchrum*, Thou. Orch. Iles Afr. t. 43 = *Eulophia pulchra*.  
*purpureum*, Lam. Encyc. iii. 515 = *Bletia verecunda*.  
*purpureum*, Lour. ex Steud. Nom. ed. II. ii. 46 = *Epidendrum atropurpureum*.  
*pusillum*, Willd. Sp. Pl. iv. 126 (*Sarcochili* sp.).—Ind. or.  
*ramentaceum*, Roxb. Hort. Beng. 63; Fl. Ind. iii. 467 = *Eulophia campestris*.  
*recurvum*, Roxb. Pl. Corom. i. tt. 33, 39 = *Geodorum dilatatum*.  
*retusum*, Sw. in Nov. Act. Soc. Sc. Upsal. vi. (1799) 80 = *Rhynchostylis retusa*.  
*roseum*, D. Don, Prod. Fl. Nep. 30 = *Epipogon nutans*.  
*scriptum*, Thou. Orch. Iles Afr. tt. 46, 47 = *Eulophia scripta*.  
*spathulatum*, Willd. Sp. Pl. iv. 125 = *Vanda spathulata*.  
*spectabile*, Salisb. Prod. 9 = *Phaius grandifolius*.  
*sphaerocyllos*, Spreng. Syst. iv. Cur. Post. 306 = *abortivum*.  
*sphaerolabium*, Viv. App. Fl. Cors. Prod. 6 = *abortivum*.  
*striatum*, Sw. in Nov. Act. Soc. Sc. Upsal. vi. (1799) 79 = *Calanthe striata*.  
*striatum*, Thunb. Fl. Jap. 28 = *Bletia hyacinthina*.  
*suaveolens*, Herb. Reinw. ex Blume, Rumphia, iv. 49 = *Vanda tricolor*.  
*subulatum*, Willd. Sp. Pl. iv. 126 = *Aërides cylindricum*.  
*Tancarvilleae*, Banks, in L'Hérit. Sert. Angl. 28 = seq.  
*Tankervilleae*, Ait. Hort. Kew. ed. I. iii. 302 = *Phaius grandifolius*.  
*Tankervilleae*, Roxb. Fl. Ind. iii. 466 = *Phaius Wallichii*.  
*tetragonum*, A. Rich. in Mém. Soc. Hist. Nat. Par. iv. (1828) 41 = *Phaius tetragonus*.  
*trifidum*, Michx. Fl. Bor. Am. ii. 159 = *Bletia verecunda*.  
*triste*, Thunb. Prod. Pl. Cap. 4 = *Eulophia tristis*.  
*tuberculosum*, Thou. Orch. Iles Afr. t. 31 = *Phaius tuberculosus*.  
*tuberosum*, Jacq. Coll. iv. 108 = *Bletia verecunda*.  
*tuberosum*, Linn. Sp. Pl. 950 = *Calopogon pulchellus*.  
*unguiculatum*, Labill. Sert. Austro-Caled. 19. t. 25 = *Calanthe striata*.  
*unifolium*, Muhl. ex Nutt. Gen. Am. ii. 195 = *Tipularia discolor*.  
*utriculatum*, Sw. Prod. Veg. Ind. Occ. 119 = *Govenia utriculata*.  
*variegatum*, Lam. Encyc. iii. 516 = *Eulophia virens*.  
*venosum*, Lam. l. c. = *Chloraea Pavonii*.  
*ventricosum*, Steud. Nom. ed. I. 481 = *Calanthe veratrifolia*.

**LIMODORUM** :—

- veratrifolium*, Willd. Sp. Pl. iv. 122 = *Calanthe veratrifolia*.  
*verecundum*, Salisb. Prod. 9 = *Bletia verecunda*.  
*villosum*, Thou. Orch. Iles Afr. t. 32 = *Phaius villosus*.  
*virens*, Roxb. Pl. Corom. i. 32 = *Eulophia virens*.  
**LIMON**, Tourn. ex Mill. Gard. Diet. ed. VI (1752) = **Citrus**, Linn. (Rutac.).  
*racemosum*, Mill. l. c. ed. VIII. n. 3 = **C. Medica**.  
*spinosum*, Mill. l. c. n. 2 = **C. Medica**.  
*vulgare*, Mill. l. c. n. 1 = **C. Medica**.  
**LIMONAEITES**, Ehrh. Beitr. iv. 148 (1789) = **Carex**, Dill. (Cyperac.).  
**LIMONANTHUS**, Kunth, Enum. Pl. iv. 194, in adnot. (1843) = **LEIMANTHIUM**, Willd. = **Melanthium**, Linn. (Liliac.).  
**LIMONIA**, Gaertn. Fruct. i. 278. t. 58. f. 4 (1789) = **Sceloporia**, Schreb. (Bixin.).  
*pusilla*, Gaertn. l. c. 279 = **S. Gaertneri**.  
**LIMONIA**, Linn. Sp. Pl. ed. II. 554 (1763). **RUTA-CEAE**, Benth. & Hook. f. i. 303.  
**HESPERETHUSA**, M. Roem. Syn. Hesper. 31, 38 (1846).  
**WINTERLIA**, Dennst. Schlusss. Hort. Malab. 27 (1818).  
*acidissima*, Linn. Sp. Pl. ed. II. 554.—Ind. or.  
*alata*, Wall. Cat. n. 6363; Wight & Arn. Prod. 92.—Ind. or.  
*alternans*, Wall. ex Voigt, Hort. Suburb. Calc. 139.—Burma.  
*alternifolia*, Kurz, in Journ. As. Soc. Beng. xlii. (1873) ii. 64 = *alternans*.  
*ambigua*, DC. Prod. i. 536 = *acidissima*.  
*angulata*, Wight & Arn. Prod. 91.—Ins. Amboina.  
*angustifolia*, Wall. Cat. n. 6360 = *Glycosmis pentaphylla*.  
*arborea*, Roxb. Pl. Corom. i. 60. t. 85 = *Glycosmis pentaphylla*.  
*aurantiifolia*, M. Roem. Syn. Hesper. 39.—Guian.  
*australis*, A. Cunn. ex G. Don, in Sweet, Hort. Brit. ed. III. 91 = *Citrus australis*.  
*bilocularis*, Roxb. Hort. Beng. 32; Fl. Ind. ii. 377 = *Atalantia buxifolia*.  
*caudata*, Wall. ex Voigt, Hort. Suburb. Calc. 139, nomen; Oliver, in Journ. Linn. Soc. v. Suppl. ii. (1861) 25 = *Atalantia caudata*.  
*citrifolia*, Moon, Cat. Pl. Ceyl. 34 = *Atalantia ceylanica*.  
*citrifolia*, Roxb. Hort. Beng. 32; Fl. Ind. ii. 379 = *Paramignya citrifolia*.  
*citrifolia*, Salisb. Prod. 320.—Ind. or.  
*citrifolia*, Willd. Enum. Hort. Berol. 448 = *Glycosmis pentaphylla*.  
*cochinchinensis*, Baill. Hist. Pl. iv. 398.—Cochinch.  
*corymbosa*, Blanco, Fl. Filip. ed. II. 251.—Ins. Philipp.  
*crenulata*, Roxb. Pl. Corom. i. 60. t. 86 = *acidissima*.  
*curvispina*, Miq. Fl. Ind. Bat. Suppl. 500.—Sumatra.  
*diacantha*, DC. Prod. i. 536 = *Triphasia Aurantiola*.  
*diphylla*, M. Roem. Syn. Hesper. 39.—Java.  
*disticha*, Blanco, Fl. Filip. ed. I. 356 = *Atalantia racemosa*.  
*dubia*, Blume, Bijdr. 133.—Java.  
*dulcis*, J. F. Gmel. Syst. 684.—N. Guinea.  
*flavicans*, Wall. ex Hook. f. Fl. Brit. Ind. i. 508.—Burma.  
*glutinosa*, Blanco, Fl. Filip. ed. I. 358 = *Aegle decandra*.  
*grandiflora*, Wall. Cat. n. 6361 = *Paramignya grandiflora*.  
*grata*, Wall. ex Voigt, Hort. Suburb. Calc. 139, nomen.—Hab.?  
*horrida*, Blume, Bijdr. 133.—Java.  
*Laureola*, Blanco, Fl. Filip. ed. II. 251.—Ins. Philipp.  
*Laureola*, DC. Prod. i. 536 = *Skimmia Laureola*.  
*leptostachya*, Jack, ex Hook. f. Fl. Brit. Ind. i. 492 = *Zanthoxylum ovalifolium*.  
*linearis*, Blanco, Fl. Filip. ed. I. 357 = *Atalantia monophylla*.  
*lucida*, Forst. f. Prod. 33.—N. Hebrid.  
*madagascariensis*, Lam. Encyc. iii. 517.—Madag.  
*malliculensis*, Forst. ex Steud. Nom. ed. II. ii. 47 = *Muraya exotica*.  
*mauritiana*, Lam. Encyc. iii. 517.—Ins. Maurit.  
*microphylla*, Voigt, in Syll. Ratib. ii. (1828) 53.—Hab.?



**LIMONIA** :—

- minuta*, Forst. f. Prod. 33 = *Micromelum pubescens*.  
*missionis*, Wall. Cat. n. 6358 = *Atalantia missionis*,  
*racemosa*, Paramignya Griffithii.  
*mollis*, Wall. Cat. n. 6362 = *Clausena pentaphylla*.  
*monadelpha*, Thonn. in Schum. & Thonn. Beskr. Guin.  
 Pl. 217.—Afr. trop.  
*monophylla*, Linn. Mant. 237 = *Atalantia monophylla*.  
*monophylla*, Lour. Fl. Cochinch. 271 = *Atalantia*  
*Hindsii*.  
*oblonga*, Wall. Cat. n. 6359 = *Paramignya Griffithii*.  
*octandra*, Herb. Heyne, ex Wall. Cat. n. 6353 = *Atalantia*  
*monophylla*.  
*oligandra*, Dalz. in Hook. Kew Journ. ii. (1850) 258 =  
*Toddalia aculeata*.  
*parviflora*, Sims, Bot. Mag. t. 2416 = *Glycosmis penta-*  
*phylla*.  
*pentagyna*, Roxb. Fl. Ind. ii. 382 = *Bursera serrata*.  
*pentaphylla*, Lam. ex DC. Prod. i. 538 = *Clausena*  
*pentaphylla*.  
*pentaphylla*, Retz. Obs. v. 24 = *Glycosmis penta-*  
*phylla*.  
*pubescens*, Wall. Cat. n. 6365.—Burma.  
*retusa*, D. Don, Prod. Fl. Nep. 224 = *Triphasia*  
*Aurantiola*?  
*scandens*, Roxb. Hort. Beng. 32; Fl. Ind. ii. 380 =  
*Luvunga scandens*.  
*spectabilis*, Miq. Fl. Ind. Bat. Suppl. 500.—Sumatra.  
*spinosa*, Spreng. Syst. iv. Cur. Post. 162 (= *Sclerostylis*  
*spinosa*).—Java.  
*torulosa*, Dennst. Schluess. Hort. Malab. 30 = *Randia*  
*virosa*.  
*trichocarpa*, Hance, in Journ. Bot. xx. (1882) 258.—  
 China.  
*trifolia*, Burm. f. Fl. Ind. 103. t. 35. f. 1 = *Triphasia*  
*Aurantiola*.  
*trifoliata*, Linn. Mant. ii. 237 = *Triphasia Aurantiola*.  
*Winterlia*, Steud. Nom. ed. II. ii. 47.—Ind. or.

**LIMONIASTRUM**, Moench, Meth. 423 (1794).  
**PLUMBAGINEAE**, Benth. & Hook. f. ii. 627.

- BUBANIA**, Girard, in Mém. Acad. Montp. (Sect. Sc.)  
 i. (1848) 182.  
*articulatum*, Moench, Meth. 423.—Reg. Mediterr.  
*Guyonianum*, Dur. ex Boiss. in DC. Prod. xii. 689.  
 —Alger.  
*monopetalum*, Boiss. l. c. = *articulatum*.  
*ouarglense*, Pomel, Nouv. Mat. Fl. Atl. 126.—Alger.  
*speciosum*, Moench, Meth. Suppl. 149 = *Statice speciosa*.

**LIMONIUM**, Tourn. ex Mill. Gard. Dict. ed. VI. (1752)  
 = **Statice**, Linn. (Plumbag.).

- africanum*, Mill. Gard. Dict. ed. VIII. n. 8 = *S.*  
*Thouini*.  
*bellidifolium*, Dum. Fl. Belg. 27 = *S. bellidifolia*.  
*commune*, S. F. Gray, Nat. Arr. Brit. Pl. ii. 296, 732 =  
*S. Limonium*.  
*confusum*, Fourr. in Ann. Soc. Linn. Lyon, N. S. xvii.  
 (1869) 141 = *S. confusa*.  
*cordatum*, Mill. Gard. Dict. ed. VIII. n. 10 = *S. cordata*.  
*duriusculum*, Fourr. in Ann. Soc. Linn. Lyon, N. S.  
 xvii. (1869) 141 = *S. duriuscula*.  
*echioides*, Mill. Gard. Dict. ed. VIII. n. 11 = *S.*  
*echioides*.  
*fruticosum*, Mill. l. c. n. 12 = *S. cylindrifolia*.  
*Girardianum*, Fourr. in Ann. Soc. Linn. Lyon, N. S.  
 xvii. (1869) 141 = *S. Girardiana*.  
*humile*, Mill. Gard. Dict. ed. VIII. n. 4 = *S. Limonium*.  
*latifolium*, Moench, Meth. 623 = *S. tatarica*.  
*minutum*, Fourr. in Ann. Soc. Linn. Lyon, N. S. xvii.  
 (1869) 141 = *S. minuta*.  
*monopetalum*, Hill, Hort. Kew. 183 = *Limoniastrum*  
*articulatum*.  
*narbonense*, Mill. Gard. Dict. ed. VIII. n. 2 = *S.*  
*Limonium*.  
*oleaefolium*, Mill. l. c. n. 3 = *S. oleaefolia*.  
*reticulatum*, Mill. l. c. n. 9 = *S. reticulata*.  
*siculum*, Mill. l. c. n. 7 = *Limoniastrum articulatum*.  
*sinuatum*, Mill. l. c. n. 6 = *S. sinuata*.  
*tataricum*, Mill. l. c. n. 5 = *S. tatarica*.  
*virgatum*, Fourr. in Ann. Soc. Linn. Lyon, N. S. xvii.  
 (1869) 141 = *S. virgata*.  
*vulgare*, Mill. Gard. Dict. ed. VIII. n. 1; Hill, Hort.  
 Kew. 183 = *S. Limonium*.

**LIMONOSERIS**, Peterm. Fl. Lips. 589 (1838) = **Crepis**,  
 Linn. (Compos.).  
*biennis*, Peterm. l. c. = *C. biennis*.**LIMOSELLA**, Linn. Syst. ed. I (1735). **SCRO-**  
**PHULARINEAE**, Benth. & Hook. f. ii. 958.

- DANUBIUNCULUS**, Sailer, ex Walp. Ann. i. 534  
 (1849).  
**MUTAFINIA**, Rafin. Fl. Tellur. iv. 57 (1836).  
**PLANTAGINELLA**, Dill. ex Moench, Meth. 427  
 (1794).  
**YGRAMELA**, Rafin. Atl. Journ. 199 (1833).  
*annua*, Lindern. Hort. Alsat. 156. t. 5 = *aquatica*.  
*aquatica*, Linn. Sp. Pl. 631.—Reg. temp. bor. et austr.  
*australis*, R. Br. Prod. 443 = *aquatica*.  
*borealis*, Less. ex Ledeb. Fl. Ross. iii. 226 = *aquatica*.  
*calycina*, Forsk. Fl. Aegypt. Arab. 112 = *Herpestis*  
*Monnieri*.  
*capensis*, Benth. in DC. Prod. x. 427 = *grandiflora*.  
*capensis*, Thunb. Prod. Pl. Cap. 104.—Afr. austr.  
*coerulea*, Burch. Trav. i. 259 = *capensis*.  
*Curdiana*, F. Muell. Fragm. ix. 166.—Austral.  
*diandra*, Krock. Fl. Siles. ii. 1. 406 = *aquatica*.  
*diandra*, Linn. Mant. i. 252 = *Glossostigma spathu-*  
*latum*.  
*Drummondii*, F. Muell. Fragm. vi. 104 = *Glossostigma*  
*elatinoide*, *spatulatum*, *Drummondii*.  
*grandiflora*, Benth. in DC. Prod. x. 427.—Afr. austr.  
*maritima*, Rafin. Atl. Journ. 199 (Quid?).—Am.  
 bor.  
*plantaginifolia*, Gilib. Fl. Lituan. i. 122 = *aquatica*.  
*subulata*, Ives, in 'Med. Phys. N. York, 440;' ex eod.  
 in Am. Journ. Sc. i. (1819) 74 = *aquatica*.  
*tenuifolia*, Wolf. ex Hoffm. Deutschl. Fl. ed. II. i. II.  
 29 = *aquatica*.

**LIMOSTELLA**, Ledeb. Fl. Ross. iii. 226 (1849), *sphalm.*  
 = *prae*.

- LINAGROSTIS**, [Tourn.] Michx. ex Scop. Fl. Carn.  
 ed. II. i. 47 (1772) = **Eriophorum**, Linn. (Cyperac.).  
*alpina*, Scop. l. c. 48 = *E. alpinum*.  
*paniculata*, Lam. Fl. Fr. iii. 555 = *E. latifolium*.  
*polystachia*, Scop. Fl. Carn. ed. II. i. 48 = *E. lati-*  
*folium*.  
*vaginata*, Scop. l. c. 47 = *E. vaginatum*.

**LINANTHUS**, Benth. in Bot. Reg. sub t. 1622 (1833) =  
**Gilia**, Ruiz & Pav. (Polemon.).  
*dichotomus*, Benth. l. c. = *G. dichotoma*.**LINARIA**, Tourn. ex Mill. Gard. Dict. ed. VI (1752).

- SCROPHULARINEAE**, Benth. & Hook. f. ii. 932.  
**CHAENARRHINUM**, Reichb. Cons. 123 (1828).  
**CYMBALARIA**, Medic. in Staatsw. Vorles. Churpf.  
 Phys.-Oek. Ges. i. (1791) 230.  
**ELATINE**, Rupp. Fl. Jen. ed. Hall. 242 (1742).  
**KICKXIA**, Dum. Fl. Belg. 35 (1827).  
**TERMONTIS**, Rafin. Chl. Aetn. 5 (1813).  
*Acerbiana*, Boiss. Fl. Orient. iv. 366.—Aegypt.  
*acutangula*, Tenore, Syll. Fl. Nap. 302.—Ital.  
*acutifolia*, Fisch. ex Sweet, Hort. Brit. ed. II. 391,  
 nomen.—Oriens.  
*acutifolia*, Fisch. ex Reichb. Pl. Crit. v. 14. t. 424 = *vul-*  
*garis*.  
*aegyptiaca*, Dum.-Cours. Bot. Cult. ed. I. ii. 92.—  
 Aegypt.; Syria.  
*aequitriboia*, Spreng. Syst. ii. 790.—Corsic.  
*aeruginea*, Losc. & Pard. Ser. Inconf. 76 = *tristis*.  
*agglutinans*, Pomel, Nouv. Mat. Fl. Atl. 96.—Alger.  
*alba*, Moench, Meth. 524 = *chalepensis*.  
*albifrons*, Spreng. Syst. ii. 793.—Ins. Rhodus; Afr.  
 bor.; Oriens.  
*algarbiensis*, Welw. ex Nym. Consp. 538 = *hirta*.  
*algarviana*, Chav. Monog. Antirrh. 142.—Hispan.  
*almijarensis*, Campo & Amo, in Revista, v. (1855) 55  
 = *tristis*?  
*alpina*, Mill. Gard. Dict. ed. VIII. n. 4.—Europ.  
*alsinaefolia*, Benth. in DC. Prod. x. 269 = *Acerbiana*.  
*alsinaefolia*, Spreng. Syst. ii. 792.—Sardin.; Corsic.  
*altaica*, Fisch. ex Ledeb. Fl. Alt. ii. 448 = *odora*.  
*ambigua*, Huet, in Ann. Sc. Nat. Sér. III. xix. (1853)  
 254 = *supina*.  
*amethystea*, Hoffmgg. & Link, Fl. Port. i. 253. t. 47.  
 —Hispan.; Marocc.  
*amethystina*, Spreng. Syst. ii. 795 = *prae*.  
*Amoi*, Campo, ex Campo & Amo in Revista, v. (1855)  
 56 = *tristis*.  
*angustifolia*, Reichb. Fl. Germ. Excurs. 375 = *italica*.  
*anticaria*, Boiss. & Reut. Pugill. Pl. Nov. (1852) 86.  
 —Hispan.

**LINARIA** :—

- anthirrhinoides*, Coss. ex Boiss. Diagn. Ser. II. iii. 162  
 = *Cavanillesii*.  
*aparinoides*, F. G. Dietr. Vollst. Lexik. Gaertn. Nachtr.  
 iv. 395 = *heterophylla*.  
*apennina*, Tausch, in Syll. Ratisb. ii. (1828) 247 =  
*pallida*?  
*aphylla*, F. G. Dietr. Vollst. Lexik. Gaertn. Nachtr. iv.  
 396; Steud. Nom. ed. I. 482; Spreng. Syst. ii. 797  
 = *Utricularia capensis*.  
*arenaria*, DC. Ic. Gall. Rar. i. 5. t. 14.—Gallia.  
*armeniaca*, Chav. Monog. Antirrh. 147.—Reg. Caucas.  
*arrabidensis*, Welw. ex Nym. Consp. 539 = *tristis*.  
*arvensis*, Desf. Fl. Atlant. ii. 45.—Reg. Meditr.  
*ascalonica*, Boiss. & Kotschy, Diagn. Ser. II. iii. 165.  
 —Palaestin.  
*asparagoides*, Schweinf. Beitr. Fl. Aethiop. 99.—Afr.  
 bor.  
*atlantica*, Boiss. & Reut. Pugill. Pl. Nov. (1852) 90.  
 —Hispan.; Afr. bor.  
*Aucheri*, Boiss. Diagn. Ser. I. vii. 44.—Persia.  
*aurasiaca*, Pomel, Nouv. Mat. Fl. Atl. 299.—Alger.  
*Balansae*, Boiss. & Reut. Diagn. Ser. II. iii. 163 =  
*genistifolia*.  
*barbata*, F. G. Dietr. Vollst. Lexik. Gaertn. Nachtr. iv.  
 396 = *Antirrhinum barbatum*.  
*Bauhini*, H. C. Wats. in Hook. Lond. Journ. Bot.  
 i. (1842) 76.—Europ.  
*bellidifolia*, Dum.-Cours. Bot. Cult. ed. II. iii. 113 =  
*Anarrhinum bellidifolium*.  
*Besseriana*, Reichb. Pl. Crit. v. 20 = *macrourea*.  
*Biancae*, Lojac. Osserv. Lin. Eur. 7, 13 = *L. Elatine*.  
*Biebersteinii*, Bess. Enum. Pl. Vohl. 25 = *vulgaris*.  
*Biebersteinii*, Schur, Enum. Pl. Transs. 491 = *hybrida*.  
*bipartita*, Willd. Enum. Hort. Berol. 640.—Afr. bor.  
 occ.  
*bipunctata*, Dum.-Cours. Bot. Cult. ed. I. ii. 93 =  
*glauc*.  
*bipunctata*, Hort. ex Reichb. Fl. Germ. Excurs. 375 =  
*versicolor*.  
*bipunctata*, Nym. Consp. 540 = *amethystea*.  
*Boissieri*, Walp. Rep. iii. 211 = *filifolia*.  
*bombycina*, Boiss. & Blanch. Diagn. Ser. II. iii. 161 =  
*L. Elatine*.  
*Bourgaei*, Jord. Pugill. Pl. Nov. 129 = *origanifolia*.  
*Broussonetii*, Chav. Monog. Antirrh. 169.—Marocc.;  
 Lusit.  
*Brunneri*, Benth. in DC. Prod. x. 270.—Ins. Cap.  
 Verd.  
*buratica*, Turcz. in Bull. Soc. Nat. Mosc. (1838) 98,  
 nomen; xxiv. (1851) II. 302.—Sibir. baical.  
*cabulica*, Benth. in DC. Prod. x. 270.—Persia; Ind.  
 bor. occ.  
*caelestria*, Boiss. Diagn. Ser. I. xii. 41 = *Aucheri*.  
*caerulea*, Hort. ex Chav. Monog. Antirrh. 145 = *bipar-*  
*tita*.  
*caesia*, DC. ex Chav. l. c. 174.—Hispan.  
*calcarata*, Scheele, in Flora, xxvi. (1843) 586 =  
*armeniaca*.  
*calycina*, Boiss. & Bal. Diagn. Ser. II. vi. 130 = *dalma-*  
*tica*.  
*canadensis*, Dum.-Cours. Bot. Cult. ed. I. ii. 96.—Am.  
 bor. et austr.  
*Candollei*, Chav. Monog. Antirrh. 165 = *arenaria*.  
*capensis*, F. G. Dietr. Vollst. Lexik. Gaertn. Nachtr.  
 iv. 397 = *Nemesia linearis*.  
*capilliflora*, Steud. Nom. ed. II. ii. 48 = *glandulifera*?  
*capillipes*, Hochst. ex Benth. in DC. Prod. x. 269 =  
*hastata*.  
*capitellata*, Steud. Nom. ed. I. 482 = *glauc*.  
*capraria*, Moris & De Not. Fl. Caprar. 98.—Ins.  
 Caprar.  
*carnosa*, Moench, Meth. 523 = *arvensis*.  
*caucasica*, Muss. ex Spreng. Syst. ii. 790 = *L. Elatine*.  
*caulirhiza*, Delile, ex Willk. & Lange, Prod. Fl. Hisp.  
 ii. 559 = *graeca*.  
*Cavanillesii*, Chav. Monog. Antirrh. 117.—Hispan.  
*chalepensis*, Mill. Gard. Dict. ed. VIII. n. 12.—Europ.  
 austr.; Oriens.  
*chinensis*, Bunge, ex Benth. in DC. Prod. x. 273 = *vul-*  
*garis*.  
*chloraefolia*, Reichb. Pl. Crit. v. 21 = *genistifolia*.  
*ciliata*, Lange, ex Reichb. l. c. 13 = *italica*.  
*circinnata*, D. Don, in Sweet, Brit. Flow. Gard. Ser. II.  
 t. 235 = *sagittata*.  
*cirrhuosa*, Willd. Enum. Hort. Berol. 689.—Reg.  
 Meditr.  
*Clementei*, Haensel. ex Boiss. Elench. 69.—Hispan.



## LINARIA:—

- coelesyriaca*, Auct. = *caeslyriaca*.  
*commutata*, Bernh. ex Reichb. Fl. Germ. Excurs. 373 = *graeca*.  
*commutata*, Schur, Enum. Pl. Transs. 488 = L. Elatine.  
*concolor*, Griseb. Spicil. Fl. Rumel. ii. 21 = *genistifolia*.  
*confertiflora*, Benth. in DC. Prod. x. 272. — Mesopot.  
*coridifolia*, Boiss. Fl. Orient. iv. 376 = seq.  
*corifolia*, Desf. in Ann. Mus. Par. xi. (1808) 53. t. 3. — As. Min.  
*crassifolia*, DC. Fl. Fr. Suppl. 410, in obs.; Kunze, in Flora, xxix. (1846) 635 = *organifolia*.  
*crenifolia*, Hort. Matrit. ex Lange, in Willk. & Lange, Prod. Fl. Hisp. ii. 560 = L. Elatine.  
*cretacea*, Fisch. ex Spreng. Syst. ii. 791. — Sibiria.  
*crinita*, Mabile, Rech. Pl. Corse, fasc. i. 30 = L. Elatine.  
*cryptarum*, Boiss. & Haussk. ex Boiss. Fl. Orient. iv. 383. — Cataonia.  
*cuneata*, Pritz. Ic. Ind. ii. 170, sphalm. = *Veronica cuneata*.  
*Cymbalaria*, Mill. Gard. Dict. ed. VIII. n. 17. — Europ.  
*Cyparissias*, Tausch, in Flora, xiv. (1831) 221 = *repens*.  
*dalmatica*, Mill. Gard. Dict. ed. VIII. n. 13. — Dalmat.; Oriens.  
*damascena*, Boiss. & Gaill. Diagn. Ser. II. vi. 130. — Syria.  
*dealbata*, Hoffmgg. & Link, Fl. Port. i. 232. t. 34 = *lanigera*.  
*decumbens*, Moench, Meth. 523 = *repens*.  
*delphinoides*, J. Gay, in Ann. Sc. Nat. Sér. II. vi. (1836) 127 = *sapphirina*.  
*dentata*, F. G. Dietr. Vollst. Lexik. Gaertn. Nachtr. iv. 393 = *scariosa*.  
*dentata*, Schur, Enum. Pl. Transs. 488 = *spuria*.  
*dentata*, Steud. Nom. ed. I. 482 = *Nemesia monomota-pensis*.  
*depauperata*, Leresche, ex Willk. & Lange, Prod. Fl. Hisp. ii. 569. — Hispan.  
*Derderiana*, Auch. ex Boiss. Fl. Orient. iv. 374 = *Michauxii*.  
*dianthifolia*, Donnersm. ex Chav. Monog. Antirrh. 181, nomen. — Hab.?  
*dichondraefolia*, Benth. in DC. Prod. x. 270. — Ins. Cap. Verd.  
*diffusa*, Hoffmgg. & Link, Fl. Port. i. 257. t. 49 = *multicaulis*.  
*dissita*, Pomel, Nouv. Mat. Fl. Atl. 98. — Alger.  
*dshorochensis*, C. Koch, in Linnaea, xxii. (1849) 718. — As. Min.  
*dubia*, Dum. Fl. Belg. 34 = *supina*.  
*Elatine*, Mill. Gard. Dict. ed. VIII. n. 16 (Elatina). — Europ.; Oriens.  
*Elatine*, Urv. in Mém. Soc. Linn. Par. i. (1822) 330 = *graeca*.  
*elatiniflora*, Nym. Consp. 542 = *spuria*.  
*elatinoides*, Desf. Fl. Atlant. ii. 39. t. 132. — Afr. bor.  
*elatinoides*, Schur, Enum. Pl. Transs. 488 = L. Elatine.  
*elegans*, Cav. Desc. 338. — Hispan.  
*elegans*, Hort. ex Vilum. Fl. Pl. Terre, ed. III. 604 = *bipartita*.  
*elegans*, Munby, in Bull. Soc. Bot. Fr. xi. (1864) 46. — Alger.  
*elongata*, Dum. Fl. Belg. 34 = *vulgaris*.  
*eriocalyx*, Boiss. Fl. Orient. iv. 372 = *pycnophylla*.  
*exilis*, Coss. & Kralik, in Bull. Soc. Bot. Fr. iv. (1857) 406. — Afr. bor.  
*fasciculata*, Otto, ex Sweet, Hort. Brit. ed. II. 391, nomen. — Hab.?  
*fastigiata*, Chav. Monog. Antirrh. 125. t. 7. — Persia.  
*faucicola*, Leresche & Levier, in Journ. Bot. xvii. (1879) 200. — Hispan.  
*filicaulis*, Boiss. ex Leresche & Levier, l. c. — Hispan.  
*filifolia*, Lag. Gen. et Sp. Nov. 19. — Hispan.  
*filiformis*, Moench, Meth. 523 = *supina*.  
*filiformis*, Spreng. Fl. Hal. Mant. 45. — Hab.?  
*flava*, Desf. Fl. Atlant. ii. 42. t. 136. — Afr. bor.  
*flavissima*, Boiss. Fl. Orient. iv. 378 = *genistifolia*.  
*flexuosa*, Desf. Fl. Atlant. ii. 47. t. 139. — Afr. bor.  
*floribunda*, Boiss. Diagn. Ser. I. xii. 40. — Palaestin.  
*floridana*, Chapm. Fl. S. U. St. 290. — Am. bor.  
*Fontanesiana*, Chav. Monog. Antirrh. 168. — Hispan.  
*fragilis*, Rodriq. in Bull. Soc. Bot. Fr. xxv. (1878) 240. — Ins. Balear.  
*frutescens*, F. G. Dietr. Vollst. Lexik. Gaertn. Nachtr. iv. 400 = *Nemesia fruticans*.

## LINARIA:—

- fruticans*, Spreng. Syst. ii. 789 = *praec.*  
*fruticosa*, Desf. Fl. Atlant. ii. 39. t. 133. — Afr. bor.  
*galioides*, Ball, in Journ. Bot. xiii. (1875) 173. — Maroc.  
*galioides*, Schult. ex Steud. Nom. ed. I. 482 = *repens*.  
*gangitis*, Duval-Jouve, in Mém. Acad. Montp. ix. (1878) reimp. 5 = *organifolia*.  
*Gebleri*, Bess. ex Chav. Monog. Antirrh. 132 = *vulgaris*.  
*geminiflora*, F. Schmidt, Reis. Amurl. 161. — Ins. Sachalin.  
*genistifolia*, Benth. Cat. Pl. Pyr. 67 = *vulgaris*.  
*genistifolia*, DC. Fl. Fr. iii. 591 = *italica*.  
*genistifolia*, Mill. Gard. Dict. ed. VIII. n. 14. — Europ.; As. occ. et bor.  
*glabrata*, H. B. & K. Nov. Gen. et Sp. ii. 362 = *triphylla*.  
*glacialis*, Boiss. Elench. 70. — Hispan.  
*glandulifera*, Tenore, Ind. Sem. Hort. Neapol. (1840); ex Walp. Rep. iii. 221. — Hab.?  
*glareosa*, Boiss. & Reut. Pugill. Pl. Nov. (1852) 84 = *organifolia*.  
*glaucia*, [R. Br. in] Ait. Hort. Kew. ed. II. iv. 15. — Hispan.  
*glaucia*, Ehrenb. ex Boiss. Fl. Orient. iv. 382 = *albi-frons*.  
*glaucia*, Schur, Enum. Pl. Transs. 491 = *vulgaris*.  
*glaucohylla*, Hoffmgg. & Link, Fl. Port. i. 250 = *supina*.  
*glaucohylla*, Schur, Enum. Pl. Transs. 491 = *vulgaris*.  
*glutinosa*, Benth. in DC. Prod. x. 284 = *Tournefortii*.  
*glutinosa*, Hoffmgg. & Link, Fl. Port. i. 234 = *filifolia*.  
*gracilescens*, Pomel, Nouv. Mat. Fl. Atl. 97. — Alger.  
*gracilis*, R. Br. in Salt, Abyss. App. 64, nomen; Benth. in DC. Prod. x. 269. — Abyss.  
*gracilis*, Desf. ex Chav. Monog. Antirrh. 168 = *Fontanesiana*.  
*gracilis*, F. G. Dietr. Vollst. Lexik. Gaertn. Nachtr. iv. 401 = *Pelisseriana*.  
*graeca*, Chav. Monog. Antirrh. 108. — Reg. Mediterr.  
*granatensis*, Willk. in Bot. Zeit. v. (1847) 877 = *villosa*.  
*grandiflora*, Desf. in Ann. Mus. Par. xi. (1808) 51 = *dalmatica*.  
*Griffithii*, Benth. in DC. Prod. x. 272. — Afghan.  
*Haelava*, Delile, Fl. Aegypt. Illustr. 66. — Aegypt.; Arab.  
*Haenseleri*, Boiss. & Reut. Pugill. Pl. Nov. (1852) 88. — Hispan.  
*hastata*, R. Br. in Salt, Abyss. App. 64, nomen; Benth. in DC. Prod. x. 269. — Abyss.  
*hastata*, Royle, ex Chav. Monog. Antirrh. 112 = *ramosissima*.  
*hederaefolia*, Salz. ex Chav. l. c. 100 = *hepaticae-folia*.  
*hederaefolia*, Steud. Nom. ed. I. 482 = L. *Cymbalaria*.  
*Hegelmaieri*, Lange, in Kjoeb. Vidensk. Meddel. (1881) 101. — Hispan.  
*hepatica*, Bunge, in Ledeb. Fl. Alt. ii. 445 = *macrourea*.  
*hepaticae-folia*, Steud. Nom. ed. I. 482; Spreng. Syst. ii. 790. — Cors.; Sardin.  
*heterophylla*, Desf. Fl. Atlant. ii. 48. t. 140. — Reg. Mediterr.  
*heterophylla*, Steud. Nom. ed. I. 482; Spreng. Syst. ii. 790 = *sagittata*.  
*hexandra*, F. G. Dietr. Vollst. Lexik. Gaertn. Nachtr. iv. 394 = *Vandellia crustacea*.  
*hians*, Fenzl, ex Benth. in DC. Prod. x. 275 = *genistifolia*.  
*hians*, Spreng. Syst. ii. 794 = *vulgaris*.  
*hirta*, Moench, Meth. Suppl. 170. — Hispan.  
*humilis*, Guss. Fl. Sic. Syn. ii. 123 = *heterophylla*.  
*Huteri*, Lange, in Kjoeb. Vidensk. Meddel. (1881) 99. — Hispan.  
*hybrida*, Schur, Enum. Pl. Transs. 491. — Transsilv.  
*iconia*, Boiss. & Heldr. Diagn. Ser. I. xii. 42. — Lycania.  
*ignescens*, Kunze, in Flora, xxix. (1846) 692 = *Broussonetii*.  
*incana*, Wall. Pl. As. Rar. ii. 43. — Reg. Himal.  
*incarnata*, Spreng. Syst. ii. 796 = *bipartita*.  
*indecora*, Franch. in Réveil, Çomalı, 55. — Afr. trop.  
*intermedia*, Schur, in Verh. Siebenb. Ver. Naturw. x. (1859) 175 = *vulgaris*.  
*italica*, Trevir. in Nov. Act. Nat. Cur. xiii. I. (1826) 188. — Europ. austr.

## LINARIA:—

- japonica*, Miq. Ann. Mus. Bot. Lugd. Bat. ii. 115. — Japon.  
*juncea*, [R. Br. in] Ait. Hort. Kew. ed. II. iv. 17. — Hispan.  
*juncea*, Desf. Fl. Atlant. ii. 43 = *spartea*.  
*juncea*, Reichb. Pl. Crit. v. 15. t. 425 = *odora*.  
*Kocianovichii* x, Aschers. — Cf. Bull. Soc. Bot. Fr. xvi. (1869) Bibl. 50. — Europ.  
*koensis* x, Simk. in Termész. Füzetek, ii. (1878) 143. — Hungar.  
*kokanica*, Regel, Pl. Nov. Fedtsch. 60. — Kokania.  
*kurdica*, Boiss. & Hohen. in Boiss. Diagn. Ser. I. iv. 73. — Kurdist.  
*lagopodioides*, F. G. Dietr. Vollst. Lexik. Gaertn. Nachtr. iv. 415 = *saxatilis*.  
*Lancerottae*, Delile, Ind. Sem. Hort. Monsp. (1836) 26 = *sagittata*.  
*lancifolia*, Schur, in Verh. Siebenb. Naturw. Ver. (1851) 197 = *genistifolia*.  
*Langei*, Nym. Consp. 541. — Hispan.  
*lanigera*, Desf. Fl. Atlant. ii. 38. t. 130. — Reg. Mediterr.  
*lanigera*, Hoffmgg. & Link, Fl. Port. i. 231. t. 34 = *spuria*.  
*Lapeyrousiana*, Jord. Pugill. Pl. Nov. 129 = *organifolia*.  
*lasiopoda*, Freyn, in Verh. Zool.-Bot. Ges. Wien, xxvii. (1878) 389 = L. Elatine.  
*latifolia*, Desf. Fl. Atlant. ii. 40. t. 134. — Reg. Medit. occ.  
*latifolia*, Gueldenst. Reisen, ii. 178 (Quid?). — Ross. austr.  
*laxiflora*, Coss. ex Willk. & Lange, Prod. Fl. Hisp. ii. 565 = *nigricans*.  
*laxiflora*, Desf. Fl. Atlant. ii. 45. t. 138. — Afr. bor.  
*lilacina*, Lange, Ind. Sem. Hort. Havn. (1854) 24. — Hispan.  
*linarioides*, Steud. Nom. ed. I. 482 = *vulgaris*.  
*lineolata*, Boiss. Diagn. Ser. I. xii. 42. — Persia.  
*linifolia*, F. G. Dietr. Vollst. Lexik. Gaertn. Nachtr. iv. 415 = *vulgaris*.  
*linifolia*, Reichb. Pl. Crit. v. 14. t. 422 = *genistifolia*.  
*linifolia*, Rochel, Pl. Rar. Banat. 60. t. 22 = *italica*.  
*linogrisea*, Hoffmgg. & Link, Fl. Port. i. 240. t. 11 = *bipartita*.  
*litoralis*, Willd. Enum. Hort. Berol. 641. — Mare Adriat.  
*Loeslii*, Schweigger, in Koenigsb. Archiv Naturw. i. (1812) 228 = *odora*.  
*longipes*, Boiss. & Heldr. Diagn. Ser. I. xii. 40. — As. Min.  
*lurida*, Ball, in Journ. Bot. xiii. (1875) 173 = *tristis*.  
*lusitanica*, Hoffmgg. & Link, Fl. Port. i. 247. t. 43 = *tristis*.  
*lusitanica*, Mill. Gard. Dict. ed. VIII. n. 3 = *trior-nithophora*.  
*macedonica*, Griseb. Spicil. Fl. Rumel. ii. 19. — Macedon.  
*macilenta*, Decne. in Ann. Sc. Nat. Sér. II. ii. (1834) 252. — Arab.  
*macrocalyx*, Pomel, Nouv. Mat. Fl. Atl. 98. — Alger.  
*macropoda*, Boiss. & Reut. Pugill. Pl. Nov. 88. — Hispan.  
*macrourea*, Link, Enum. Hort. Berol. ii. 137; Reichb. Pl. Crit. v. 20. t. 432. — Reg. Caucas.  
*macrura*, Schur, Enum. Pl. Transs. 491 = *hybrida*.  
*marginata*, Desf. Fl. Atlant. ii. 43 = *tristis*.  
*maritima*, DC. Ic. Pl. Rar. 5. t. 12 = *supina*.  
*maritima*, Reichb. Fl. Germ. Excurs. 375 = *odora*.  
*maroccana*, Hook. f. Bot. Mag. t. 5983. — Maroc.  
*melanantha*, Boiss. & Reut. Pugill. Pl. Nov. 85 = *tristis*.  
*meonantha*, Hoffmgg. & Link, Fl. Port. i. 236. t. 37 = *spartea*.  
*Michauxii*, Chav. Monog. Antirrh. 124. t. 7. f. B. — Persia.  
*micrantha*, Hoffmgg. & Link, Fl. Port. i. 258 = *parviflora*.  
*microcalyx*, Boiss. Diagn. Ser. I. iv. 72. — Graccia.  
*microsepala*, A. Kern. Sched. Fl. Exsicc. i. 50. — Europ.  
*minor*, Desf. Fl. Atlant. ii. 46 = *viscida*.  
*minutiflora*, C. A. Mey. Verz. Pil. Cauc. 109 = *albi-frons*.  
*modesta*, Boiss. Diagn. Ser. I. xii. 43 = *allatensis*.  
*monochroma*, Boiss. & Heldr. in Boiss. Diagn. Ser. I. xii. 41 = *genistifolia*.



## LINARIA:—

- monomotapensis*, Desf. ex Spreng. Syst. ii. 797 = *Nemesia monomotapensis*.  
*monspessulana*, Mill. Gard. Dict. ed. VIII. n. 9 = *repens*.  
*Muelleri*, Moris, Diagn. Stirp. Sard. Nov. 1 = pilosa.  
*multicaulis*, Mill. Gard. Dict. ed. VIII. n. 7.—Reg. Mediterr.  
*multicaulis*, Welw. ex Willk. & Lange, Prod. Fl. Hispan. ii. 567 = *Broussonnetii*.  
*multiplurata*, Hoffmgg. & Link, Fl. Port. i. 254. t. 48 = *Broussonnetii*.  
*Munbyana*, Boiss. & Reut. Pugill. Pl. Nov. (1852) 89. —Reg. Mediterr. occ.  
*muralis*, Salzm. ex Chav. Monog. Antirrh. 93 = villosa.  
*Muteli*, Timb. in Bull. Soc. Phys. & Nat. Toul. vi. (1883–84) 135 = *origanifolia*.  
*neglecta*, Guss. Pl. Rar. 248 = *triphylla*.  
*nervosa*, Schur, Enum. Pl. Transs. 490 = *genistifolia*.  
*nevadensis*, Boiss. & Reut. Pugill. Pl. Nov. (1852) 87 = *supina*.  
*nigricans*, Lange, in Willk. & Lange, Prod. Fl. Hispan. ii. 565.—Hispan.  
*nivea*, Boiss. & Reut. Diagn. Pl. Nov. Hispan. 22.—Hispan.  
*nummularia*, Lange, in Willk. & Lange, Prod. Fl. Hispan. ii. 581 = villosa.  
*nurensis*, Boiss. & Haussk. ex Boiss. Fl. Orient. iv. 374.—Persia.  
*oblongifolia*, Boiss. & Reut. Pugill. Pl. Nov. (1852) 86.—Hispan.  
*ochroleuca* ×, Bréb. ex Nym. Consp. 539.—Europ.  
*ocimifolia*, Spreng. Syst. ii. 793.—Hispan.  
*odora*, [Fisch.] Cat. Hort. Gorenk. ed. II. (1812) 25; Chav. Monog. Antirrh. 136.—Oriens.  
*oligantha*, Lange, in Kjoeb. Vidensk. Meddel. (1881) 100.—Hispan.  
*oligotricha* ×, Borb. in Oestr. Bot. Zeitschr. xxviii. (1878) 393.—Europ.  
*oppositiflora*, Steud. Nom. ed. I. 483; Spreng. Syst. ii. 792.—Marocc.  
*orchioidea*, Herb. Pourr. ex Willk. & Lange, Prod. Fl. Hispan. ii. 563 = *sappharina*.  
*orgyalis*, Reut. ex Boiss. Fl. Orient. iv. 377 = *genistifolia*.  
*origanifolia*, DC. Fl. Fr. iii. 591.—Europ. austr.  
*Osyris*, Link, Handb. i. 537 = *chalepensis*.  
*ovata*, Boiss. Fl. Orient. iv. 369.—Afghan.  
*pallida*, Sprun. ex Boiss. l. c. 378 = *Sibthorpiana*.  
*pallida*, Tenore, Fl. Nap. i. 32. t. 159.—Italia.  
*paniculata*, Peyer, ex Vest, in Flora, xii. (1829) i. Erg. 30 = *italica*.  
*parnassica*, Boiss. & Heldr. Diagn. Ser. II. iii. 164 = *Sibthorpiana*.  
*parviflora*, Desf. Fl. Atlant. ii. 44. t. 137.—Hispan.; Afr. bor.  
*parvula*, Duf. ex Willk. & Lange, Prod. Fl. Hispan. ii. 567 = *Munbyana*.  
*patens*, F. G. Dietr. Vollst. Lexik. Gaertn. Nachtr. iv. 403 = *Nemesia patens*.  
*pauciflora*, Bonpl. Desc. Pl. Rar. Malm. 48. t. 18 = *multicaulis*.  
*pedunculata*, F. G. Dietr. Vollst. Lexik. Gaertn. Nachtr. iv. 417.—Hispan.  
*Pelisseriana*, Mill. Gard. Dict. ed. VIII. n. 11.—Europ. austr.; As. Min.  
*Pellicieriana*, Puel, in Bull. Soc. Bot. Fr. viii. (1861) 631 = *praecox*.  
*peloponnesiaca*, Boiss. & Heldr. Diagn. Ser. II. iii. 163 = *Sibthorpiana*.  
*pensylvanica*, Scheele, in Flora, xxvi. (1843) 586 = *vulgaris*.  
*Perezii*, J. Gay, in Ann. Sc. Nat. Sér. II. vi. (1836) 127 = *Tournefortii*.  
*persica*, Chav. Monog. Antirrh. 173.—Persia.  
*petraea*, Ford, in Compt.-Rend. Soc. Hallér. (1854–56) 116.—Europ.  
*petraea*, Stev. in Bull. Soc. Nat. Mosc. xxx. (1857) i. 347 = *genistifolia*.  
*pilosa*, DC. Fl. Fr. iii. 584.—Italia.  
*platycalyx*, Boiss. Voy. Bot. Espagne, ii. 459. t. 130.—Hispan.  
*polyclada*, Fenzl, in Tchihat. Asie Min. Bot. ii. 23 = *genistifolia*.  
*polygalaeifolia*, Hoffmgg. & Link, Fl. Port. i. 248 = *supina*.  
*polygalaeifolia*, Steud. Nom. ed. I. 483 = *italica*.

## LINARIA:—

- polygonifolia*, Benth. in DC. Prod. x. 282 = *verticillata*.  
*polygonifolia*, Steud. Nom. ed. I. 483; Spreng. Syst. ii. 791.—Hispan.  
*praecox*, Boiss. & Bal. Diagn. Ser. II. iii. 162.—Cilicia.  
*praecox*, Bunge, in Ledeb. Fl. Alt. ii. 446 = *odora*.  
*praecox*, Hoffmgg. & Link, Fl. Port. i. 234. t. 37 = *spartea*.  
*praeternissa*, Delastre, in Ann. Sc. Nat. Sér. II. xviii. (1842) 151 = *viscida*.  
*Prestandreae*, Tin. in Guss. Fl. Sic. Syn. ii. 842 = *L. Elatine*.  
*procera*, DC. Cat. Hort. Monsp. 121 = *repens*.  
*propinqua*, Boiss. & Reut. Pugill. Pl. Nov. (1852) 88.—Europ.  
*propinqua*, R. Br. in Salt, Abyss. App. 64, nomen = *gracilis*.  
*prostrata*, Boenn. Prod. Fl. Monast. 187 = *vulgaris*.  
*Pseudo-laxiflora*, Lojac. in Natural. Sicil. iv. (1885) 136.—Sicilia.  
*pterospora*, Boiss. Fl. Orient. iv. 384.—As. Min.; Persia.  
*pubescens*, Desf. ex Chav. Monog. Antirrh. 98 = *litoralis*.  
*pubescens*, Presl, Delic. Prag. 74 = *pilosa*.  
*pulchella*, Hohen. ex Boiss. Fl. Orient. iv. 379 = *lineolata*.  
*purpurascens*, Bernh. ex Hornem. Hort. Hafn. ii. 573 = *purpurea*.  
*purpurea*, Mill. Gard. Dict. ed. VIII. n. 5.—Europ. austr.  
*pyncophylla*, Boiss. & Bal. Diagn. Ser. II. vi. 129.—As. Min.  
*pyramidata*, F. G. Dietr. Vollst. Lexik. Gaertn. Nachtr. iv. 417; Steud. Nom. ed. I. 483 = *pyramidata*.  
*pyramidata*, Schur, Enum. Pl. Transs. 490 = *genistifolia*.  
*pyramidata*, Spreng. Syst. ii. 796.—Reg. Caucas.  
*pyrenaica*, DC. Fl. Fr. iii. 587 = *supina*.  
*quadrifolia*, Hance, in Journ. Bot. ix. (1871) 133.—China.  
*racemosa*, F. G. Dietr. Vollst. Lexik. Gaertn. Nachtr. iv. 405 = *vulgaris*.  
*radicans*, Le Gall, ex Gren. & Godr. Fl. Fr. ii. 575 = *gracca*.  
*Ramburei*, Boiss. ex Benth. in DC. Prod. x. 276 = *viscosa*.  
*ramosissima*, Boiss. Voy. Bot. Espagne, ii. 457 = *filifolia*.  
*ramosissima*, Wall. Pl. As. Rar. ii. 43. t. 153.—Ind. or.; Burma.  
*Raveyi*, Boiss. Elench. 70 = *rubrifolia*.  
*reflexa*, Desf. Fl. Atlant. ii. 42.—Reg. Mediterr.  
*repens*, Mill. Gard. Dict. ed. VIII. n. 6.—Europ.  
*reticulata*, Desf. Fl. Atlant. ii. 48.—Afr. bor.; Lusit.  
*reticulata*, Dulac, Fl. Hautes-Pyr. 375 = *L. Elatine*.  
*reticulata*, Reichb. Pl. Crit. v. 19. t. 431. f. 620 = *heterophylla*.  
*reticulata*, Webb, It. Hispan. 26 = *Clementei*.  
*rhegna*, Spreng. Syst. ii. 792 = *reflexa*.  
*Rossmassleri*, Willk. in Linnaea, xxx. (1859–60) 118 = *tristis*?  
*Roylei*, Chav. Monog. Antirrh. 112 = *ramosissima*.  
*rubioidea*, Vis. & Panč. in Mem. Ist. Venet. xii. (1864) 473.—Austria.  
*rubrifolia*, Rob. & Cast. ex DC. Fl. Fr. Suppl. 410.—Europ. austr.  
*rudis*, Janka, ex Nym. Consp. 537 = *vulgaris*.  
*rupestris*, C. A. Mey. Verz. Pf. Cauc. 110 = *macroua*.  
*rupestris*, Guss. Fl. Sic. Syn. ii. 120 = *rubrifolia*.  
*rytidosperra*, Boiss. Diagn. Ser. I. iv. 73 = *persica*.  
*sabulicola*, Pomel, Nouv. Mat. Fl. Atl. 98.—Alger.  
*saetabensis*, Auct. = *setabensis*.  
*sagittata*, Hook. f. Bot. Mag. t. 6060.—Marocc.; Ins. Canar.  
*sagittata*, Steud. Nom. ed. I. 483 = *heterophylla*.  
*Salzmanni*, Boiss. Voy. Bot. Espagne, ii. 456. t. 128 = *viscosa*.  
*saphiria*, Steud. Nom. ed. I. 483 = *amethystea*.  
*sapphirina*, Hoffmgg. & Link, Fl. Port. i. 241. t. 42.—Lusitan.  
*satureioides*, Boiss. Voy. Bot. Espagne, ii. 463. t. 133.—Hispan.  
*saxatilis*, Benth. in DC. Prod. x. 284 = *Tournefortii*.  
*saxatilis*, Boiss. Voy. Bot. Espagne, ii. 462 = *verticillata*.

## LINARIA:—

- saxatilis*, DC. Fl. Fr. iii. 590; Suppl. 409 = *arenaria*.  
*saxatilis*, Hoffmgg. & Link, Fl. Port. i. 238.—Lusitan.  
*scabra*, Spreng. Syst. ii. 792 = *Nemesia chamaedrifolia*.  
*scariosa*, Desf. Fl. Atlant. ii. 38. t. 131.—Afr. bor.  
*scoparia*, Brouss. ex Spreng. Syst. ii. 789 = *spartioides*.  
*segetalis*, C. Koch, in Linnaea, xvii. (1843) 286 = *armeniaca*.  
*segoviensis*, Reut. ex Nym. Consp. 541 = *origanifolia*.  
*semiglabra*, Salzm. ex Chav. Monog. Antirrh. 116 = *hirta*.  
*sepium* ×, J. G. Allm. in Proc. Irish Acad. ii. (1844) 404.—Europ.  
*serpyllifolia*, Lange, in Kjoeb. Vidensk. Meddel. (1863) 39.—Hispan.  
*setabensis*, Leresche, ex Lange, in Prod. Fl. Hispan. ii. 580 (*saetabensis*) = *origanifolia*.  
*Sibthorpiana*, Boiss. & Heldr. ex Boiss. Fl. Orient. iv. 378.—Graecia.  
*Sieberi*, Reichb. Fl. Germ. Excurs. 374 = *L. Elatine*.  
*silenifolia*, Fisch. Cat. Hort. Gorenk. 25; Reichb. Pl. Crit. v. 22. t. 437 = *genistifolia*.  
*simplex*, DC. Fl. Fr. iii. 588 = *arvensis*.  
*Smithii*, Boiss. & Orph. ex Boiss. Fl. Orient. iv. 376 = *dalmatica*.  
*somalensis*, Vatke, in Linnaea, xliii. (1880–82) 305.—Afr. trop.  
*spartea*, Hoffmgg. & Link, Fl. Port. i. 233.—Reg. Mediterr. occ.  
*spartioides*, Brouss. ex Buch, Besch. Canar. Ins. 163.—Ins. Canar.  
*speciosa*, Jacq. f. Eclog. i. 141. t. 95 = *bipartita*.  
*speciosa*, Tenore, Fl. Nap. v. 40 = *vulgaris*.  
*spectabilis*, Pomel, Nouv. Mat. Fl. Atl. 299.—Alger.  
*sphaerocarpa*, Benth. in DC. Prod. x. 287 = *Schwein-furthia sphaerocarpa*.  
*spicata*, Kunze, in Flora, xxix. (1846) 645 = *viscosa*.  
*spinescens*, Spreng. Syst. ii. 789 = *aegyptiaca*.  
*spuria*, Mill. Gard. Dict. ed. VIII. n. 15.—Europ.; Afr. bor.  
*stenantha*, Franch. in Réveil, Çomali, 55.—Afr. trop.  
*Stevani*, Nym. Syll. Suppl. 22 = *genistifolia*.  
*striata*, DC. Fl. Fr. iii. 586 = *repens*.  
*striata*, Ledeb. Fl. Ross. iii. 210 = *lineolata*.  
*stricta*, Guss. Pl. Rar. Sic. 250 = *heterophylla*.  
*stricta*, Hornem. Hort. Hafn. ii. 575 = *repens*.  
*subalpina*, Steud. Nom. ed. I. 483 = *amethystea*.  
*supina*, Desf. Fl. Atlant. ii. 44.—Reg. Mediterr.  
*sympirensis*, C. Koch, in Linnaea, xxii. (1849) 717 = *genistifolia*.  
*tatarica*, Fisch. ex Ledeb. Fl. Ross. iii. 207 = *macroua*.  
*tenella*, DC. Fl. Fr. Suppl. 410, in obs.—Hispan.  
*tenella*, F. G. Dietr. Vollst. Lexik. Gaertn. Nachtr. iv. 408; Steud. Nom. ed. I. 483 = *Collinsia verna*.  
*tenuis*, Spreng. Syst. ii. 795.—Afr. bor.  
*texana*, Scheele, in Linnaea, xxi. (1848) 761 = *canadensis*.  
*Thuillieri*, Mérat, Fl. Par. ed. III. ii. 192 = *supina*.  
*thymifolia*, DC. Fl. Fr. iii. 587.—Gallia.  
*thymophyllum*, St. Lag. in Ann. Soc. Bot. Lyon, viii. (1881) 203 = *thymifolia*.  
*tingitana*, Boiss. & Reut. Pugill. Pl. Nov. (1852) 84 = *heterophylla*.  
*Tournefortii*, Steud. Nom. ed. I. 483; ed. II. ii. 49.—Hispan.  
*transilvanica*, Schur, Enum. Pl. Transs. 490 = *dalmatica*.  
*transtagana*, Spreng. Syst. ii. 792 = *pedunculata*.  
*triornithophora*, Willd. Enum. Hort. Berol. 639; Hoffmgg. & Link, Fl. Port. i. 244.—Lusitan.  
*triphylla*, Mill. Gard. Dict. ed. VIII. n. 2.—Reg. Mediterr.  
*triquetra*, Hort. ex Fisch. Mey. & Avé-Lall. Ind. Sem. Hort. Petrop. xi. 74 = *spartea*.  
*tristis*, Mill. Gard. Dict. ed. VIII. n. 8.—Hispan.  
*tumens*, Steud. Nom. ed. II. ii. 53, nomen.—Aegypt.  
*venosa*, Lindl. Bot. Reg. (1841) Misc. 69 = *odora*.  
*ventricosa*, Coss. & Bal. in Bull. Soc. Bot. Fr. xx. (1873) 252.—Marocc.  
*veronicoides*, A. Rich. Tent. Fl. Abyss. ii. 114.—Abyssin.  
*versicolor*, Moench, Meth. 523.—Gall. austr.  
*verticillata*, Boiss. Voy. Bot. Espagne, ii. 462. t. 132.—Hispan.  
*villosa*, DC. Fl. Fr. Suppl. 410, in obs.—Hispan.; Marocc.  
*villosa*, Mill. Gard. Dict. ed. VIII. n. 10 = *hirta*.



**LINARIA** :—

- violacea*, Haensel, ex Willk. in Bot. Zeit. iv. (1846) 313 = *satureioides*.  
*virgata*, Desf. *Fl. Atlant.* ii. 41. t. 135.—Afr. bor.  
*virgatula*, Spreng. Syst. ii. 796 = *spartea*.  
*viscosa*, Moench, *Meth.* 524.—Europ.; Afr. bor.  
*viscosa*, Dum.-Cours. Bot. Cult. ed. I. ii. 93.—Reg. Mediterr. occ.  
*vulgaris*, Mill. *Gard. Dict.* ed. VIII. n. 1.—Europ.; Reg. Caucas.  
*vulgaris*, Plan. Ens. Fl. Gallega, 315 = *Tournefortii*.  
*Warionis*, Pomel, *Nouv. Mat. Fl. Atl.* 96.—Alger.  
*Webbiana*, J. A. Schmidt, *Beitr. Fl. Cap. Verd. Ins.* 240.—Ins. Cap. Verd.  
*Webbiana*, Vis. Ort. Bot. Torin. 142 = *sagittata*.  
*Zelliceriana*, Fourn. in Ann. Soc. Linn. Lyon, N. S. xvii. (1869) 126, err. typ. = *Pelissieriana*.

**LINARIOPSIS**, Welw. in Trans. Linn. Soc. xxvii. (1869) 53. *PEDALINEAE*, Benth. & Hook. f. ii. 1060.  
*prostrata*, Welw. l. c. 54.—Afr. trop.

**LINCANIA**, G. Don, Gen. Syst. ii. 479 (1832) = **Licania**, Aubl. (Rosac.).

**LINCONIA**, Linn. Mant. ii. 216 (1767). **BRUNIACEAE**, Benth. & Hook. f. i. 672.  
*alopeuroides*, Linn. l. c.—Afr. austr.  
*capitata*, Banks, ex Brongn. in Ann. Sc. Nat. Sér. I. viii. (1826) 381 = *Nebelia affinis*.  
*cuspidata*, Sw. in *Ges. Naturf. Fr. Berl. Mag.* v. (1811) 284.—Afr. austr.  
*peruviana*, Lam. *Encyc.* iii. 527.—Peruv.  
*tamariscina*, E. Mey. in Drège, *Zwei Pfl. Docum.* 199 = *Brunia pinifolia*.  
*thymifolia*, Sw. in *Ges. Naturf. Fr. Berl. Mag.* iv. (1810) 86. t. 4.—Afr. austr.

**LINDACKERA**, Sieber, ex Endl. Gen. 893, in syn. (1841) = **Capparis**, Linn.  
*capparoidea*, Sieber, ex Steud. Nom. ed. II. ii. 501 = *C. aphylla*.

**LINDACKERIA**, Presl, Rel. Haenk. ii. 89. t. 65 (1831) = **Oncoba**, Forsk. (Bixin.).  
*latifolia*, Benth. in Hook. Kew Journ. iii. (1851) 118 = *O. latifolia*.  
*laurina*, Presl, Rel. Haenk. ii. 89 = *Mayna laurina*.  
*maynensis*, Poepp. & Endl. Nov. Gen. et Sp. iii. 63. t. 270 = *O. maynensis*.  
*pauciflora*, Benth. in Hook. Kew Journ. iii. (1851) 118 = *O. pauciflora*.  
*vernica*, Karst. Fl. Columb. ii. 11. t. 106.—N. Granat.

**LINDBLOMIA**, Fries, in Lindb. Bot. Notiser (1843) 134 = **Habenaria**, Willd. (Orchid.).

**LINDELOFIA**, Lehm. in Hamb. Gartenz. vi. (1850) 351. **BORAGINEAE**, Benth. & Hook. f. ii. 848.  
**ANCHUSOPSIS**, Bisch. Del. Sem. Hort. Heidelb. (1852).  
*anchusoides*, Lehm. in Hamb. Gartenz. vi. (1850) 352 = *Paracarpum heliocarpum*.  
*Benthami*, Hook. f. Fl. Brit. Ind. iv. 159.—Reg. Himal.  
*spectabilis*, Lehm. in Hamb. Gartenz. vi. (1850) 352 —Reg. Himal.

**LINDENBERGIA**, Lehm. in Link & Otto, Ic. Pl. Rar. 95. t. 48 (1828). **SCROPHULARINEAE**, Benth. & Hook. f. ii. 948.  
*BOVEA*, Decne. in Ann. Sc. Nat. Sér. II. ii. (1834) 253.  
*BRACHYCORYS*, Schrad. Ind. Sem. Hort. Gotting. (1830).—Cf. *Linnaea*, vi. (1831) Litt. 72.  
*HEMIOCHIS*, Ehrenb. ex Schweinf. Beitr. Fl. Aethiop. 241 (1867).  
*abyssinica*, Hochst. ex Benth. in DC. Prod. x. 377.—Sind.; Arab.; Abyssin.  
*fruticosa*, Benth. in DC. Prod. x. 377.—Arabia.  
*grandiflora*, Benth. *Scroph. Ind.* 22.—Reg. Himal.  
*Griffithii*, Hook. f. Fl. Brit. Ind. iv. 262.—Reg. Himal.  
*Hookeri*, C. B. Clarke, ex Hook. f. l. c. iv. 261.—Reg. Himal.  
*indica*, Vatke, in Oestr. Bot. Zeitschr. xxv. (1875) 10 = *polyantha*

VOL. II.

**LINDENBERGIA** :—

- macrostachya*, Benth. *Scroph. Ind.* 22.—Reg. Himal.; China.  
*nigrescens*, Vatke, in Oestr. Bot. Zeitschr. xxv. (1875) 10.—Afr. trop.  
*philippinensis*, Benth. in DC. Prod. x. 377.—Burma; Malaya.  
*polyantha*, Royle, ex Benth. *Scroph. Ind.* 22.—Ind. or.  
*ruderalis*, Voigt, Hort. Suburb. Calc. 501 = *urticaefolia*.  
*scutellarioides*, Aschers. in Schweinf. Beitr. Fl. Aethiop. 241.—Afr. trop.  
*siamensis*, Miq. ex Hook. f. Fl. Brit. Ind. iv. 262 = *macrostachya*.  
*siamensis*, Teijsm. & Binn. in Tijdschr. Nederl. Ind. xxv. (1863) 411.—Siam.  
*sinaica*, Benth. *Scroph. Ind.* 22.—Arabia.  
*urticaefolia*, Lehm. Ind. Sem. Hort. Berol. 1829 (1830) 5, nomen; et in Link & Otto, Ic. Pl. Rar. Berol. 95. t. 48.—Ind. or.  
*virens*, Vatke, in *Linnaea*, xliii. (1880–82) 306.—Arab.

**LINDENIA**, Benth. Pl. Hartw. 84, 351 (1842). **RUBIACEAE**, Benth. & Hook. f. ii. 51.  
*SIPHONIA*, Benth. Pl. Hartw. 84 (1841).  
*acutiflora*, Benth. in Hook. Ic. Pl. t. 475.—Mexic.  
*austro-caledonia*, Brongn. in Bull. Soc. Bot. Fr. xii. (1865) 407.—N. Caled.  
*rivalis*, Benth. Pl. Hartw. 351.—Guatemala.  
*vitiensis*, Seem. in *Bonplandia*, ix. (1861) 256; x. (1862) 83. t. 8.—Ins. Fiji.

**LINDENIA**, Mart. & Gal. in Bull. Acad. Brux. x. ii. (1843) 357 = **Senkenbergia**, Schau. (Nyctagin.).  
*gypsophiloides*, Mart. & Gal. l. c. = *S. annulata*.

**LINDERA**, Adans. Fam. ii. 499 (1763) = **Myrrhis**, Scop. (Umbellif.).

**LINDERA**, Thunb. Diss. Nov. Gen. iii. 44 (1783); Fl. Jap. 9, 145. t. 21 (1784). **LAURINEAE**, Benth. & Hook. f. iii. 163.  
*APERULA*, Blume, Mus. Bot. Lugd. Bat. i. 365 (1851).  
*BENZOIN*, Nees, Laurin. Expos. 17 (1833).  
*DAPHNIDIUM*, Nees, in Wall. Pl. As. Rar. ii. 61, 63 (1831); et l. c. 19 (1833).  
*EUOSMUS*, Nutt. Gen. Am. i. 258 (1818).  
*EVELYNA*, Rafin. Sylva Tellur. 164 (1838).  
*OZANTHES*, Rafin. l. c. 133 (1838).  
*POLYADENIA*, Nees, Laurin. Expos. 18 (1833).  
*SASSAFRAS*, Presl, Rostl. ii. (1825) 67.  
*acuminata*, Villar, in Blanco, Fl. Philipp. ed. III. Nov. App. 181.—Ins. Philipp.  
*aestivalis*, Blume, Mus. Bot. Lugd. Bat. i. 324 = *L. Benzoïn*.  
*assamica*, Kurz, For. Fl. Brit. Burma, ii. 308.—Reg. Himal.; Burma.  
*Benzoïn*, Meissn. in DC. Prod. xv. i. 244.—Am. bor.  
*bootanica*, Meissn. l. c. 245.—Reg. Himal.  
*caesia*, Reinw. ex Villar, in Blanco, Fl. Philipp. ed. III. Nov. App. 181.—Ins. Philipp.; Java.  
*glauca*, Blume, Mus. Bot. Lugd. Bat. i. 325.—Japon.  
*Griffithii*, Meissn. in DC. Prod. xv. i. 245.—Reg. Himal.  
*heterophylla*, Meissn. l. c. 246.—Reg. Himal.  
*Hookeri*, Meissn. l. c. 245.—Reg. Himal.  
*hypoglaucula*, Maxim. in Bull. Acad. Pétersb. xii. (1868) 71.—Japon.  
*lancifolia*, Trimen, Cat. Pl. Ceyl. 76 = *Litsea lancifolia*.  
*Loureiri*, Blume, Mus. Bot. Lugd. Bat. i. 325.—Cochinch.  
*melastomacea*, Villar, in Blanco, Fl. Philipp. ed. III. Nov. App. 181.—Reg. Himal.  
*melissaefolia*, Blume, Mus. Bot. Lugd. Bat. i. 324.—Am. bor.  
*membranacea*, Maxim. in Bull. Acad. Pétersb. xii. (1868) 72.—Japon.  
*mollis*, Oliver, in Journ. Linn. Soc. ix. (1865) 168 = *obtusiloba*.  
*Neesiana*, Kurz, For. Fl. Brit. Burma, ii. 309.—Reg. Himal.  
*nervosa*, Kurz, l. c. 308.—Burma.  
*obtusula*, Franch. & Sav. Enum. Pl. Jap. ii. 483.—Japon.  
*obtusiloba*, Blume, Mus. Bot. Lugd. Bat. i. 325.—Japon.  
*praecox*, Blume, l. c. 324.—Japon.  
*reticulata*, Benth. & Hook. f. Gen. iii. 163.—Reg. Himal.  
*sericea*, Blume, Mus. Bot. Lugd. Bat. i. 324.—Japon.

**LINDERA** :—

- sikkimensis*, Meissn. in DC. Prod. xv. i. 245.—Reg. Himal.  
*strychnifolia*, Villar, in Blanco, Fl. Philipp. ed. III. Nov. App. 182.—Ins. Philipp.  
*triloba*, Blume, Mus. Bot. Lugd. Bat. i. 325.—Japon.  
*triloba*, Hook. f. & Thoms. ex Meissn. in DC. Prod. xv. i. 246 = *heterophylla*.  
*umbellata*, Thunb. Fl. Jap. 145. t. 21.—Japon.

**LINDERNIA**, All. Misc. Taur. iii. (1755) 178. t. 5  
**Vandellia**, Linn. (Scrophul.).  
*alsinoides*, R. Br. Prod. 441 = *V. alsinoides*.  
*attenuata*, Muhl. Cat. ex Ell. Sketch, i. 17 = *Ilysanthes riparia*.  
*capensis*, Thunb. Prod. Pl. Cap. 104 = *Ilysanthes capensis*.  
*clausa*, F. Muell. Fragm. vi. 102 = *Bonnaya clausa*.  
*crustacea*, F. Muell. Census, 97 = *V. crustacea*.  
*dianthera*, Sw. Prod. Veg. Ind. Occ. 92 = *Herpestis chamaedryoides*.  
*dilatata*, Muhl. Cat. ex Ell. Sketch, i. 16 = *Ilysanthes riparia*.  
*grandiflora*, Nutt. Gen. Am. ii. 43 = *Ilysanthes grandiflora*.  
*gratioloides*, Poir. ex Steud. Nom. ed. I. 484 = *V. erecta*.  
*inundata*, Schur, Enum. Pl. Transs. 933, sphalm. = *V. erecta*.  
*japonica*, Thunb. Fl. Jap. 253 = *Mazus rugosus*.  
*Kitaibeli*, G. Don, Gen. Syst. iv. 551 = *V. erecta*.  
*lobelioides*, F. Muell. Census, 97 = *Ilysanthes lobelioides*.  
*micrantha*, D. Don, Prod. Fl. Nep. 85 = *V. angustifolia*.  
*montevideensis*, Spreng. Syst. ii. 769 = *Petunia parviflora*.  
*monticola*, Nutt. Gen. Am. i. 9 = *Ilysanthes refracta*.  
*plantaginea*, F. Muell. Fragm. vi. 102 = *Hemiarthena plantaginea*.  
*pubescens*, F. Muell. Census, 97 = *V. pubescens*.  
*pyxidaria*, All. Misc. Taur. iii. 178 = *V. erecta*.  
*pyxidaria*, Pursh, Fl. Am. Sept. ii. 419 = *Ilysanthes riparia*.  
*refracta*, Ell. Sketch, i. 579 = *Ilysanthes refracta*.  
*saxicola*, M. A. Curt. in Am. Journ. Sc. Ser. I. xlv. (1843) 83 = *Ilysanthes refracta*.  
*scapigera*, R. Br. Prod. 441 = *V. scapigera*.  
*serrata*, F. Muell. Census, 97 = *Bonnaya brachiata*.  
*sesamoides*, Spreng. Neue Entdeck. i. 261 = *Herpestis floribunda*.  
*subulata*, R. Br. Prod. 441 = *V. subulata*.  
*veronicifolia*, F. Muell. Fragm. vi. 101 = *Bonnaya veronicaefolia*.

**LINDHEIMERA**, A. Gray & Engelm. in Proc. Am. Acad. i. (1847) 47. **COMPOSITAE**, Benth. & Hook. f. ii. 351.  
*mexicana*, A. Gray, l. c. xv. (1880) 34.—Mexic.  
*texana*, A. Gray, l. c. i. (1847) 47.—Texas.

**LINDLEYA**, H. B. & K. Nov. Gen. et Sp. v. t. 480 (1821); Kunth, Malv. 10 (1822) = **Casearia**, Jacq. (Samydac.).  
*glabra*, H. B. & K. l. c. t. 479 = *C. javitensis*.  
*mollis*, H. B. & K. l. c. t. 480 = *C. hirsuta*.

**LINDLEYA**, H. B. & K. Nov. Gen. et Sp. vi. 239. t. 562, bis (1823). **ROSACEAE**, Benth. & Hook. f. i. 615.  
*mespiloides*, H. B. & K. l. c.—Mexic.

**LINDLEYA**, Nees, in Flora, iv. (1821) 299 = **Laplacea** H. B. & K. (Ternstr.).  
*fruticosa*, Nees, l. c. = *Laplacea semiserrata*.

**LINDNERA**, Reichb. Handb. 303 (1837) = **Tilia**, Tourn. alba, Fuss, Fl. Transs. 131 = *T. tomentosa*.

**LINGOUM**, Adans. Fam. ii. 319 (1763) = **Pterocarpus**, Linn. (Legumin.).

**LINHAREA**, Arruda, ex Steud. Nom. ed. I. 484 (1821) = seq.

**LINHARIA**, Arruda, ex Koster, Trav. Bras. 493 (1819) = **Umbellularia** Nutt. (Laurin.).  
*aromatica*, Arruda, ex Koster, l. c.—Bras.  
*tinctoria*, Arruda, ex Koster, l. c.—Bras.



**LINKIA**, Cav. Ic. iv. 61. t. 389 (1797) = **Persoonia**, Sm. (Proteac.).  
*laevis*, Cav. l. c. = *P. lanceolata*, salicina.

**LINKIA**, Pers. Syn. i. 219 (1805) = **Desfontainia**, Ruiz & Pav. (Logan.).  
*peruviana*, Pers. l. c. = *D. spinosa*.  
*spinosa*, Poir. Encyc. Suppl. iii. 449 = *D. spinosa*.  
*splendens*, Poir. l. c. = *D. spinosa*.

**LINNAEA**, Gronov. in Linn. Gen. ed. I. 188 (1737).  
**CAPRIFOLIACEAE**, Benth. & Hook. f. ii. 5.  
DICODON, Ehrh. Beitr. iv. 146 (1789).  
*americana*, Forbes, Hort. Woburn. 135 = borealis.  
*borealis*, Linn. Sp. Pl. 631. —Europ.; Am. bor.  
*chinensis*, A. Br. & Vatke, in Oestr. Bot. Zeitschr. xxii. (1872) 291 = *Abelia chinensis*.  
*floribunda*, A. Br. & Vatke, l. c. = *Abelia floribunda*.  
*rupestris*, A. Br. & Vatke, l. c. = *Abelia chinensis*.  
*triflora*, A. Br. & Vatke, l. c. = *Abelia triflora*.  
*uniflora*, A. Br. & Vatke, l. c. = *Abelia uniflora*.

**LINNEA**, Neck. Elem. i. 378 (1790) = praec.

**LINOCHILUS**, Benth. Pl. Hartw. 197 (1845) = **Diplostephium**, H. B. & K. (Compos.).  
*floribundus*, Benth. l. c. 203 = *D. floribundum*.  
*jodopappus*, Sch. Bip. ex Wedd. Chlor. And. i. 204 = *D. Schultzii*.  
*lavandulifolius*, Sch. Bip. l. c. 200 = *Aster lavandulaeaceus*.  
*Meyenii*, Sch. Bip. l. c. 201 = *D. Meyenii*.  
*microphyllum*, Sch. Bip. l. c. = *D. microphyllum*.  
*ochraceus*, Sch. Bip. l. c. 205 = *D. floribundum*.  
*phylicoides*, Sch. Bip. l. c. = *Tetramolopium phylicoides*.  
*rosmarinifolius*, Benth. Pl. Hartw. 197 = *D. rosmarinifolium*.

**LINOCIERA**, Steud. Nom. ed. II. ii. 50 (1841) = **LINOCIRIA**, Neck. = **Haloragis**, Forst.

**LINOCIERA**, Sw. in Schreb. Gen. ii. 784 (1791); Fl. Ind. Occ. i. 49. t. 2 (1797). **OLEACEAE**, Benth. & Hook. f. ii. 678.  
BONAMICA, Vell. Fl. Flum. 21 (1825); Ic. i. t. 50 (1827).  
CERANTHUS, Schreb. Gen. i. 14 (1789).  
CHIONANTHUS, Gaertn. Fruct. i. 189. t. 39 (1788).  
FREYERIA, Scop. Intro. 208 (1777).  
HAENIANTHUS, Griseb. in Mem. Am. Acad. N. S. viii. (1863) 518.  
MAYEPEA, Aubl. Pl. Gui. i. 81. t. 31 (1775), nomen prius.  
MINUTIA, Vell. Fl. Flum. 19 (1825); Ic. i. t. 47 (1827).  
TESSARANDRA, Miers, ex Lindl. Veg. Kingd. 617 (1847); et in Ann. & Mag. Nat. Hist. Ser. II. vii. (1851) 179.

THOUINIA, Linn. f. Suppl. 9, 89 (1781).  
*acuminata*, Wall. Cat. n. 2844 = *terniflora*.  
*alba*, Poit. ex DC. Prod. viii. 296 = *compacta*.  
*albidiflora*, C. B. Clarke, in Hook. f. Fl. Brit. Ind. iii. 608. —Zeylan.; Austral.  
*arborea*, Eichl. in Mart. Fl. Bras. vi. i. 308. —Bras.  
*axilliflora*, Griseb. in Mem. Am. Acad. N. S. viii. (1863) 519. —Ind. occ.  
*bumelioides*, Griseb. Cat. Pl. Cub. 169. —Cuba.  
*cambodiana*, Hance, in Journ. Bot. xv. (1877) 335. —Cambodia.  
*compacta*, R. Br. Prod. 523. —Ind. occ.  
*cotinifolia*, Vahl, Enum. i. 46. —Zeylan.  
*crassifolia*, Mart. in Flora, xxiv. (1841) II. Beibl. 64. —Bras.  
*Cumingiana*, Vidal, Phan. Cuming. Philipp. 185. —Ins. Philipp.  
*densiflora*, Zoll. & Mor. Syst. Verz. Zoll. 58. —Java.  
*dichotoma*, Wall. Cat. n. 2825 = *purpurea*.  
*effusiflora*, F. Muell. Fragm. iv. 83 = *macrophylla*.  
*elegans*, Eichl. in Mart. Fl. Bras. vi. i. 306. —Bras.  
*flavicans*, Vahl, Enum. i. 47 = *Noronhia emarginata*.  
*glomerata*, Pohl, Pl. Bras. Ic. ii. 98. t. 164. —Bras.  
*insignis*, C. B. Clarke, in Hook. f. Fl. Brit. Ind. iii. 610. —Burma.  
*intermedia*, Wight, Ic. t. 1245. —Ind. or.  
*latifolia*, Vahl, Enum. i. 46. —Ins. S. Doming.  
*laxiflora*, Blume, ex C. B. Clarke, in Hook. f. Fl. Brit. Ind. iii. 610. —Malaya.  
*leprocarpa*, C. B. Clarke, l. c. 608. —Zeylan.

# **LINOCIERA** :—

*ligustrina*, Sw. Fl. Ind. Occ. i. 50. —Ind. occ.  
*loranthifolia*, Wall. Cat. n. 2842. —Burma.  
*luzonica*, Villar, in Blanco, Fl. Philipp. ed. III. Nov. App. 128. —Ins. Philipp.  
*macrophylla*, Wall. Cat. n. 2826. —Reg. Himal.  
*malabarica*, Wall. l. c. n. 2828. —Ind. or.  
*mandioccana*, Eichl. in Mart. Fl. Bras. vi. i. 308. —Bras.  
*micrantha*, Mart. in Flora, xxiv. (1841) II. Beibl. 63. —Bras.  
*minutiflora*, C. B. Clarke, in Hook. f. Fl. Brit. Ind. iii. 610. —Burma.  
*montana*, DC. Prod. viii. 297. —Java.  
*Muelleri*, Heurck, Obs. Bot. 124 = *Bouea microphylla*?  
*nigra*, Poit. ex DC. Prod. viii. 296 = *ligustrina*.  
*niotica*, Oliver, in Trans. Linn. Soc. xxix. (1875) 106. —Afr. trop.  
*oblonga*, Wall. Cat. n. 2843 = *intermedia*.  
*odorata*, Jack, in Malay. Misc. ii. (1822) n. VII. 96 = *purpurea*.  
*pauciflora*, C. B. Clarke, in Hook. f. Fl. Brit. Ind. iii. 609. —Ins. Penang.  
*picrophloia*, F. Muell. Fragm. iii. 139 = *intermedia*.  
*purpurea*, Vahl, Enum. i. 47. —Zeylan.  
*ramiflora*, Wall. Cat. n. 2824 = *macrophylla*.  
*rostrata*, C. B. Clarke, in Hook. f. Fl. Brit. Ind. iii. 608 = *albidiflora*.  
*rostrata*, Teijsm. & Binn. in Nederl. Kruidk. Arch. iii. (1855) 404. —Java.  
*subsessilis*, Eichl. in Kjoeb. Vidensk. Meddel. (1870) 198. —Bras.  
*tenuiflora*, Wall. Cat. n. 2827 = *macrophylla*.  
*terniflora*, Wall. l. c. n. 2845. —Burma.  
*tetrandra*, R. Br. Prod. 523. —Guian.  
*Wightii*, C. B. Clarke, in Hook. f. Fl. Brit. Ind. iii. 608. —Ind. or.

**LINOCIRIA**, Neck. Elem. iii. 366 (1790) = **Haloragis**, Forst.

**LINODENDRON**, Griseb. in Mem. Am. Acad. N. S. viii. (1861) 187 = **Lasiadenia**, Benth. (Thymel.).  
*aromifolium*, Griseb. Cat. Pl. Cub. 110. —Cuba.  
*cubense*, Griseb. l. c. = *Lasiadenia cubensis*.  
*Lagetta*, Griseb. in Mem. Am. Acad. N. S. viii. (1861) 187. —Cuba.  
*venosum*, Griseb. Cat. Pl. Cub. 110. —Cuba.

**LINOIDES**, Rupp. Fl. Jen. ed. Hall. 91 (1745) = **Radiola**, Dill. (Lineae).

**LINOPSIS**, Reichb. Handb. 306 (1837) = **Linum**, Linn.  
*aethiopica*, Reichb. l. c. 307 = *Linum africanum*.  
*africana*, Reichb. l. c. = *Linum africanum*.  
*corymbosa*, Reichb. l. c. = *Linum strictum*?  
*maritima*, Reichb. l. c. = *Linum maritimum*.  
*quadrifolia*, Reichb. l. c. = *Linum quadrifolium*.

**LINOSPADIX**, Becc. Malesia, i. (1877) 62.  
**PALMAE**, Benth. & Hook. f. iii. 903.  
*arfakianus*, Becc. l. c. —N. Guin.  
*flabellatus*, Becc. l. c. 64. —N. Guin.  
*multifidus*, Becc. l. c. —N. Guin.

**LINOSPADIX**, H. Wendl. & Drude, in Linnaea, xxxix. (1875) 177 = **Bacularia**, F. Muell. (Palm.).  
*monostachyos*, H. Wendl. & Drude, l. c. 199 = *B. monostachya*.

**LINOSPARTON**, Adans. Fam. ii. 34 (1763) = **Lygeum**, Loeff. (Gramin.).

**LINOSPARTUM**, Steud. Nom. ed. II. ii. 50 (1841) = praec.

**LINOSTACHYS**, Klotzsch, ex Schlecht. in Linnaea, xix. (1847) 235, in nota = **Acalypha**, Linn. (Euphorb.).  
*padifolia*, Schlecht. l. c. = *A. Schlechtendahlana*.  
*urticaefolia*, Klotzsch, ex Schlecht. l. c., in nota = *A. urticaefolia*.

**LINOSTIGMA**, Klotzsch, in Linnaea, x. (1835) 438 = **Viviania**, Cav. (Geran.).  
*petiolatum*, Klotzsch, l. c. 439. —Bras.

**LINOSTOMA**, Wall. Cat. n. 4203 (1831). **THYMELAEACEAE**, Benth. & Hook. f. iii. 197.

**ENKLEIA**, Griff. in Calc. Journ. Nat. Hist. iv. (1844) 234.

**LOPHOSTOMA**, Meissn. in Mart. Fl. Bras. v. i. 72 (1855).

**NECTANDRA**, Roxb. Fl. Ind. ii. 425 (1832).  
**PSILAEA**, Miq. Fl. Ind. Bat. Suppl. 355 (1860).

*calophylloides*, Meissn. in Mart. Fl. Bras. v. i. 72. —Bras.

*decandrum*, Wall. Cat. n. 4203. —Ind. or.; Burma.

*ovatum*, Benth. & Hook. f. Gen. iii. 198. —Venezuela.

*pauciflorum*, Griff. in Calc. Journ. Nat. Hist. iv. (1844) 234. —Burma; Malaya.

*scandens*, Kurz, in Journ. As. Soc. Beng. xxxix. (1870) II. 83. —Burma; Malaya.

*siamense*, Kurz, l. c. 82 = *scandens*.

**LINOSTROPHUM**, Schrank, Fl. Prim. Salisb. 163 (1792) = **Camelina**, Crantz (Crucif.).

*sativum*, Schrank, l. c. = *C. sativa*.

**LINOSTYLIS**, Fenzl, ex Sond. in Linnaea, xxiii. (1850) 94 = **Calophanes**, D. Don (Acanth.).

*fasciculiflora*, Fenzl, ex Sond. l. c. 95. —Afr. trop.

*ovata*, Sond. l. c. 94 = *C. Perrottetii*.

**LINOSYRIS**, Cass. in Dict. Sc. Nat. xxxvii. 460, 476 (1825) = **Aster**, Tourn. (Compos.).

*candicans*, DC. Prod. v. 352 (= *Varthemia candicans*). —Aegypt.

*Capusi*, Franch. in Ann. Sc. Nat. Sér. VI. xvi. (1883) 306. —Turkestan.

*divaricata*, DC. Prod. v. 352 = *A. divaricatus*?

*foliosa*, Cass. ex Desf. Cat. Hort. Par. ed. III. 166 = *A. Linosyris*.

*glabrata*, DC. Prod. v. 353. —Sibir. alt.

*Grimmi*, Regel & Schmalh. in Act. Hort. Petrop. v. (1877) 615. —Turkestan.

*hastata*, DC. Prod. v. 352 = *Vernonia atriplicifolia*.

*montana*, DC. l. c. (= *Varthemia montana*). —Syria; Arab.

*palustris*, Nym. Consp. 386 = *A. Linosyris*.

*punctata*, DC. Prod. v. 352 = *A. acris*.

*punctata*, Regel & Schmalh. in Act. Hort. Petrop. v. (1877) 613. —Turkestan.

*scoparia*, Kar. & Kir. in Bull. Soc. Nat. Mosc. xv. (1842) 378. —Sibir.

*tarbagatensis*, C. Koch, in Linnaea, xxiii. (1850) 703. —Reg. Caucas.

*uniflora*, DC. Prod. v. 352. —Aegypt.

*villosa*, DC. l. c. —Europ. or.; As. bor.

*vulgaris*, Cass. ex Less. Syn. Comp. 195 = *A. Linosyris*.

**LINOSYRIS**, Torr. & Gray, Fl. N. Am. ii. 232 (1840) = **Bigelovia**, DC. (Compos.).

*albicaulis*, Torr. & Gray, l. c. 234 = *B. dracunculoides*.

*arborescens*, A. Gray, in Torr. Bot. Mex. Bound. 79 = *B. arborescens*.

*Bigelovii*, A. Gray, in Pacif. Rail. Rep. iv. 98 = *B. Bigelovii*.

*Bolanderi*, A. Gray, in Proc. Am. Acad. vii. (1868) 354 = *B. Bolanderi*.

*carnosa*, A. Gray, Pl. Wright. ii. 80 = *Aster carnosus*.

*ceruminosa*, Durand & Hilg. in Pacif. Rail. Rep. v. 9 = *B. ceruminosa*.

*coronopifolia*, A. Gray, Pl. Wright. i. 96 = *B. coronopifolia*.

*dentata*, Kellogg, in Proc. Calif. Acad. ii. (1863) 16 = *B. veneta*.

*depressa*, Torr. in Sitgreave, Rep. 161 = *B. depressa*.

*Drummondii*, Torr. & Gray, Fl. N. Am. ii. 233 = *B. Drummondii*.

*graveolens*, Torr. & Gray, l. c. 234 = *B. dracunculoides*.

*heterophylla*, A. Gray, Pl. Wright. i. 95 = *B. Wrightii*.

*hirtella*, A. Gray, l. c. = *B. Wrightii*.

*Howardii*, Parry, in Proc. Am. Acad. vi. (1865) 541 = *B. Howardii*.

*humilis*, Torr. & Gray, Fl. N. Am. ii. 234 = *Aster angustus*.

*lanceolata*, Torr. & Gray, l. c. 233 = *B. viscidiflora*.

*Mandonii*, Sch. Bip. in Linnaea, xxxiv. (1865–66) 534, nomen; A. Gray, in Proc. Am. Acad. viii. (1873) 638 = *B. hypoleuca*.

*mexicana*, Schlecht. in Linnaea, xiv. (1840) Litt. 128 = *B. veneta*.

*nudata*, Bertol. Misc. Bot. vi. 27 = *B. nudata*.



## LINOSYRIS:—

- Parryi*, A. Gray, in Proc. Acad. Sc. Philad. 1863 (1864) 66 = *Bigelovia* Parryi.  
*pluriflora*, Torr. & Gray, Fl. N. Am. ii. 233 = *B. pluriflora*.  
*pulchella*, A. Gray, Pl. Wright. i. 96 = *B. pulchella*.  
*pumila*, A. Gray, l. c. ii. 80, in nota = *B. viscidiflora*.  
*ramulosa*, A. Gray, l. c. i. 97; ii. 80 = *Baccharis pteronioides*.  
*serrulata*, Torr. in Stansb. Exped. Utah, 389 = *B. viscidiflora*.  
*sonoriensis*, A. Gray, in Proc. Am. Acad. viii. (1870) 291 = *B. diffusa*.  
*squamata*, A. Gray, l. c. = *Lepidospartum squamatum*.  
*teretifolia*, Durand & Hilg. in Pacif. Rail. Rep. v. 9 = *B. teretifolia*.  
*texana*, Torr. & Gray, Fl. N. Am. ii. 232 = *Baccharis texana*.  
*viscidiflora*, Hook. Lond. Journ. Bot. vi. (1847) 243, partim = *B. dracunculoides*.  
*viscidiflora*, Torr. & Gray, Fl. N. Am. ii. 234 = *B. viscidiflora*.  
*Wrightii*, A. Gray, Pl. Wright. i. 95 = *B. Wrightii*.

LINSCHOTENIA, De Vriese, in Mitch. Journ. Trop. Austral. 345 (1848) = *Dampiera*, R. Br. (Gooden.).  
*discolor*, De Vriese, l. c. 346 = *D. Linschotenii*.

LINSCHOTTIA, Comm. ex Juss. Gen. 343, in obs. (1789) = *Homalium*, Jacq. (Samyd.).

LINSCOTIA, Adans. Fam. ii. 269 (1763) = *Limeum*, Linn. (Ficoid.).

LINSECOMIA, Buckl. in Proc. Acad. Sc. Philad. 1861 (1862) 458 = *Helianthus*, Linn. (Compos.).  
*glauca*, Buckl. l. c. = *H. ciliaris*.

LINTIBULARIA, Gilib. Fl. Lituan. i. 139 (1781), sphalm. = LENTIBULARIA, Adans. = *Utricularia*, Linn. (Lentib.).

LINUM, Tourn. ex Linn. Syst. ed. I (1735). *LINEAE*, Benth. & Hook. f. i. 242.

- ADENOLINUM, Reichb. Handb. 306 (1837).  
 ALSOLINUM, Fourr. in Ann. Soc. Linn. Lyon, N. S. xvi. (1868) 349.  
 CATHARTOLINUM, Reichb. Handb. 306 (1837).  
 CHRYSOLINUM, Fourr. in Ann. Soc. Linn. Lyon, N. S. xvi. (1868) 349.  
 CLIOCOCCA, Bab. in Proc. Linn. Soc. i. (1841) 90; et in Trans. Linn. Soc. xix. (1842) 33. t. 3.  
 LEUCOLINUM, Fourr. in Ann. Soc. Linn. Lyon, N. S. xvi. (1868) 349.  
 LINOPSIS, Reichb. Handb. 306 (1837).  
 MEIAPINON, Rafin. Fl. Tellur. iii. 32 (1836).  
 MESYNIUM, Rafin. l. c. 33 (1836).  
 NEZERA, Rafin. New Fl. Am. iv. 64 (1836).  
 NUMISAUREUM, Rafin. Fl. Tellur. iii. 32 (1836).  
 XANTHOLINUM, Reichb. Handb. 306 (1837).  
*abyssinicum*, Hochst. in Flora, xxiv. (1841) i. Intell. 30 = gallicum, strictum.  
*acuminatum*, E. Mey. in Drège, Zwei Pfl. Docum. 199 = africanum.  
*acuminatum*, Moench, Meth. 287 = angustifolium, narbonne.  
*adenophyllum*, A. Gray, in Proc. Am. Acad. viii. (1873) 624. — Calif.  
*adustum*, E. Mey. ex Planch. in Hook. Lond. Journ. Bot. vii. (1848) 492. — Afr. austr.  
*aethiopicum*, Thunb. Prod. Pl. Cap. 57 = africanum.  
*affine*, Panz. ex Schult. Syst. vi. 737 = angustifolium.  
*africanum*, Linn. Sp. Pl. 280. — Afr. austr.  
*agrestre*, Brot. Fl. Lusit. i. 481 = angustifolium.  
*album*, Kotschy, ex Boiss. Diagn. Ser. I. vi. 27. — Persia.  
*alpinum*, Linn. Sp. Pl. ed. II. 1672. — Europ.; Afr. bor.  
*alpinum*, Pall. Tabl. Taur. 49 = austriacum.  
*alpinum*, Schangin, in Pall. N. Nord. Beitr. vi. 47 = perenne.  
*altaicum*, Fisch. ex Steud. Nom. ed. II. ii. 51, nomen. — Sibir. altaic.  
*alterniflorum*, Delile, ex Spreng. Syst. iv. Cur. Post. 127 = strictum.  
*alternum*, Pieri, Fl. Corcir. 25 = strictum.  
*ambiguum*, Jord. Cat. Jard. Dijon (1848) 27 = angustifolium.  
*amurense*, Alef. in Bot. Zeit. xxv. (1867) 251. — Reg. Amur.

## LINUM:—

- anatolicum*, Boiss. Diagn. Ser. I. i. 56 = hirsutum.  
*anglicum*, Mill. Gard. Dict. ed. VIII. n. 5 = perenne.  
*angustifolium*, DC. Prod. i. 426 = marginale.  
*angustifolium*, Huds. Fl. Angl. ed. II. 134. — Europ.; Afr. bor.  
*angustifolium*, Lodd. Bot. Cab. t. 1543 = austriacum.  
*annotinum*, C. Koch, in Linnaea, xv. (1841) 713. — Armenia.  
*annuum*, Nees, in Neuwied, Reise Nord-Am. ii. 431 = Berlandieri.  
*aquilinum*, Molina, Sagg. Chil. 150 = Chamissonis, Macraei.  
*arborescens*, Linn. Sp. Pl. 279. — Creta.  
*arborescens*, Pall. ex Bieb. Fl. Taur. Cauc. i. 255 = flavum.  
*aretioides*, Boiss. Diagn. Ser. I. i. 55. — As. Min.  
*aristatum*, Engelm. in Wislitz. Tour North Mexico, 101. — Am. bor. occ.  
*aroanum*, Boiss. & Orph. Diagn. Ser. II. i. 96. — Graecia.  
*arvense*, Neck. Delic. Gallo-Belg. i. 159 = usitatissimum.  
*ascyriifolium*, Sims, Bot. Mag. t. 1087 = hirsutum.  
*asiaticum*, Mart. Hort. Erlang. 84, nomen. — Hab.?  
*asperifolium*, Boiss. & Reut. Pugill. Pl. Nov. (1852) 25. — Alger.  
*Aucherii*, Planch. in Hook. Lond. Journ. Bot. vii. (1848) 173 = nervosum.  
*aureum*, DC. Prod. i. 432 = nodiflorum.  
*aureum*, Waldest. & Kit. Pl. Rar. Hung. ii. 193. t. 177 = gallicum.  
*austriacum*, DC. Fl. Fr. Suppl. 615 = alpinum.  
*austriacum*, Lam. Encyc. iii. 521 = diffusum.  
*austriacum*, Linn. Sp. Pl. 278. — Europ.; Oriens.  
*austriacum*, Sims, Bot. Mag. t. 1086 = angustifolium, perenne.  
*Babingtonii*, Planch. in Hook. Lond. Journ. Bot. vii. (1848) 179 = selaginoides?  
*Balsanae*, Boiss. Fl. Orient. i. 855. — As. Min.  
*barbulatum*, Lange, ex Reichb. Fl. Germ. Excurs. 832 = austriacum.  
*Bartlingii*, Eckl. & Zeyh. Enum. 35 = africanum.  
*bavaricum*, Schult. in Flora, xxi. (1838) 643 = alpinum.  
*Beauharnaisianum*, Spadoni, Lino di Siberia, t. 1. — Sibir.  
*Berendieri*, vide seq.  
*Berlandieri*, Hook. Bot. Mag. t. 3480 (sphalm. Berendieri). — Texas.  
*betsiliense*, Baker, in Journ. Bot. xx. (1882) 48. — Madag.  
*bicolor*, Schousb. ex DC. Prod. i. 428. — Maroc.  
*Biebersteini*, Spreng. Gartens. iii. 133; ex Schult. Syst. vi. 758, nomen. — Reg. Caucas.  
*bienne*, Mill. Gard. Dict. ed. VIII. n. 8. — Istria.  
*bipunctatum*, Bartl. ex Steud. Nom. ed. II. ii. 51 = oligophyllum.  
*boerhaviaefolium*, Hort. ex Steud. l. c. ed. I. 484 = Reinwardtia trigyna.  
*Boottii*, Planch. in Hook. Lond. Journ. Bot. vii. (1848) 475 = sulcatum.  
*brevifolium*, St. Hil. & Naud. in Ann. Sc. Nat. Sér. II. xviii. (1842) 30. — Bras.  
*Breweri*, A. Gray, in Proc. Calif. Acad. iii. (1863) 102. — Calif.  
*Broteri*, Hoffm. ex Schult. Syst. vi. 758. — Lusitan.  
*Bungei*, Boiss. Fl. Orient. i. 861. — Persia.  
*caespitosum*, Sibth. & Sm. Fl. Graec. Prod. i. 216 = arborescens.  
*californicum*, Benth. Pl. Hartw. 299. — Calif.  
*campanulatum*, Bieb. Fl. Taur. Cauc. i. 255 = flavum, tauricum.  
*campanulatum*, Linn. Sp. Pl. 280. — Europ.  
*capitatum*, Griseb. ex Planch. in Hook. Lond. Journ. Bot. vii. (1848) 510 = flavum?  
*capitatum*, Kit. ex Schult. Oesterr. Fl. ed. II. i. 528, in obs. — Europ. austr.  
*cariense*, Boiss. Diagn. Ser. I. v. 86. — Caria.  
*carneum*, A. St. Hil. Fl. Bras. Mer. i. 132. — Bras.  
*carnosolum*, Boiss. Diagn. Ser. I. viii. 104. — As. Min.  
*catharticum*, Linn. Sp. Pl. 281. — Europ.; Oriens.  
*Chamissonis*, Schiede, in Linnaea, i. (1826) 69. — Chili.  
*chilense*, Kostel. Allg. Med.-pharm. Flora, v. 1912. — Chili.  
*chironioides*, Griseb. in Goett. Abh. vi. (1854) 118 = Macraei.  
*Cicanobium*, Buch.-Ham. in D. Don, Prod. Fl. Nep. 217 = Reinwardtia tetragyna.

## LINUM:—

- cilicicum*, Fenzl, in Tchihat. Asie Min. Bot. i. 141 = tenuifolium.  
*Clevelandii*, Greene, in Bull. Torrey Bot. Club, ix. (1882) 121. — Calif.  
*collinum*, Guss. Fl. Sic. Syn. ii. 808, in textu = austriacum.  
*complanatum*, Gromow, ex Trautv. in Act. Hort. Petrop. viii. (1883) 159, nomen (Quid?). — Ross.  
*congestum*, A. Gray, in Proc. Am. Acad. vi. (1864-65) 521. — Calif.  
*corymbiferum*, Desf. Fl. Atlant. i. 279. t. 80. — Afr. bor.  
*corymbulosum*, Reichb. Fl. Germ. Excurs. 834 = strictum.  
*Coulterianum*, Planch. in Hook. Lond. Journ. Bot. vii. (1848) 498. — Mexic.  
*crepitans*, Dum. Fl. Belg. 111 = usitatissimum.  
*cribrosum*, Reichb. Ic. Fl. Germ. vi. 63. t. 330. f. 5158 = angustifolium.  
*crispum*, Steud. Nom. ed. I. 484 = salsoloides.  
*Cruciata*, Planch. in Hook. Lond. Journ. Bot. vii. (1848) 499. — Mexic.  
*Cumingii*, Lodd. Bot. Cab. t. 1996 = Macraei.  
*cuspidatum*, Rafin. New Fl. Am. iv. 66 (Quid?). — Am. bor.  
*darmstadtinum*, Alef. in Bot. Zeit. xxv. (1867) 252 (Quid?). — Europ.  
*davuricum*, Miq. Ann. Mus. Bot. Lugd. Bat. ii. 260 = stelleroides.  
*davuricum*, Schult. Syst. vi. 752. — Dahuria.  
*decoloratum*, Griseb. Spicil. Fl. Rumel. i. 117 = pubescens.  
*decumbens*, Desf. Fl. Atlant. i. 278. t. 78. — Tunis.  
*decurrens*, Kellogg, in Proc. Calif. Acad. iii. (1863) 44. f. 11 = perenne.  
*depressum*, Hort. ex Schult. Syst. vi. 758, nomen. — Hab.?  
*dichotomum*, Bout. ex Willk. & Lange, Prod. Fl. Hisp. iii. 546 = tenue.  
*diffusum*, Schult. Obs. Bot. 63. — Hab.?  
*diffusum*, Wood, Class-Book (1861) 276 = striatum?  
*digynum*, A. Gray, in Proc. Am. Acad. vii. (1868) 334. — Calif.  
*diversifolium*, Gilib. Fl. Lituan. ii. 143 = catharticum.  
*drymaroides*, Curran, in Bull. Calif. Acad. i. n. iii. (1885) 152. — Calif.  
*elatum*, Salisb. Prod. 177 = perenne.  
*elegans*, Sprun. ex Boiss. Diagn. Ser. II. i. 99. — Graecia.  
*emirnense*, Boj. in Bouton, 12<sup>me</sup> Rapp. Ann. Maur. (1843) 16. — Madag.  
*empetrifolium*, Schott & Kotschy, in Tchihat. Asie Min. Bot. i. 143 = carnosolum.  
*erigeroides*, St. Hil. Fl. Bras. Mer. i. 132. — Reg. Argent.  
*exiguum*, Salisb. Prod. 177 = Radiola linoides.  
*extraaxillare*, Kit. in Linnaea, xxxii. (1863) 573. — Bannat.  
*fasciculare*, Van Geuns, Cat. Turic. (1802) : ex Schult. Syst. vi. 758, nomen. — Hab.?  
*fasciculatum*, Mart. ex Steud. Nom. ed. II. ii. 51 = fasciculare.  
*fastigiatum*, Tausch, in Syll. Ratisb. ii. (1828) 244. — Europ. austr.  
*filiforme*, Urban, in Linnaea, xli. (1877) 643. — Ecuador.  
*flavum*, Hahl. Taur. 150; ex Bieb. Fl. Taur. Cauc. i. 255 = campanulatum.  
*flavum*, Linn. Sp. Pl. 279. — Europ. austr.; Reg. Caucas.  
*flexuosum*, Hort. ex Steud. Nom. ed. II. ii. 51, nomen. — Hab.?  
*formosum*, Urban, in Mart. Fl. Bras. xii. ii. 460. — Bras.  
*fruticosum*, Mill. Gard. Dict. ed. VIII. n. 11 = suffruticosum.  
*fruticulosum*, Planch. ex Walp. Ann. ii. 128 = thesioides?  
*gallicum*, Linn. Sp. Pl. ed. II. 401. — Reg. Mediterr. Abyssin.  
*gallicum*, Sibth. & Sm. Fl. Graec. iv. 3. t. 303 = strictum.  
*Galloi*, Saroti, ex Parl. Fl. Ital. v. 290 = nodiflorum.  
*glandulosum*, Moench, Meth. 287 = campanulatum.  
*glaucum*, Boiss. & Noé, Diagn. Ser. II. v. 66 = alpinum.  
*globulariaefolium*, Poir. Encyc. Suppl. iii. 445 = arboreum.



## LINUM:—

- gracile*, Planch. in Hook. Lond. Journ. Bot. vii. (1848) 496 = africanum.  
*gracile*, Sm. ex Planch. l. c. 169 = marginale.  
*grandiflorum*, Desf. *Fl. Atlant.* i. 278. t. 78.—Alger.  
*grandiflorum*, Hort. ex Reichb. Pl. Crit. iv. 8 = usitatissimum.  
*Greggii*, Engelm. ex A. Gray, Pl. Wright. i. 26.—Mexic.  
*guatemalense*, Benth. Bot. Voy. Sulph. 67.—Mexic.  
*heterophyllum*, Moench, Meth. Suppl. 99 = maritimum.  
*heterosepalum*, Regel, in Act. Hort. Petrop. ii. (1873) 433.—Turkest.  
*hirsutum*, DC. Fl. Fr. iv. 800 = viscosum.  
*hirsutum*, Linn. Sp. Pl. 277.—Europ. austr.; As. Min.  
*hirsutum*, Sibth. & Sm. Fl. Graec. Prod. i. 215 = olym-picum.  
*hirsutum*, Sieber, ex Presl, Fl. Sic. 170 = pubescens.  
*hispanicum*, Mill. Gard. Dict. ed. VIII. n. 7 = angustifolium.  
*Hohenackeri*, Boiss. Diagn. Ser. II. i. 97 = angustifolium.  
*hologynum*, Reichb. Fl. Germ. Excurs. 833.—Bannat.  
*hudsonioides*, Planch. in Hook. Lond. Journ. Bot. vii. (1848) 186 = multicaule.  
*humile*, Heyne, ex Wall. Cat. n. 1507 = mysorensis.  
*humile*, Mill. Gard. Dict. ed. VIII. n. 2 = angustifolium.  
*hypericifolium*, Presl, Rel. Haenk. ii. 2.—Mexic.  
*hypericifolium*, Salisb. ex Steud. Nom. ed. I. 484 = viscosum.  
*iberidifolium*, Auch. ex Planch. in Hook. Lond. Journ. Bot. vii. (1848) 515 = elegans.  
*imbricatum*, Rafin. New Fl. Am. iv. 66 (Quid?).—Am. bor.  
*inaequale*, Presl, Delic. Prag. 58 = strictum.  
*juncum*, St. Hil. Fl. Bras. Mer. i. 134. t. 24.—Bras.  
*juniperifolium*, Eckl. & Zeyh. Enum. 35 = africanum.  
*Kingii*, S. Wats. in Bot. King's Exped. 49.—Am. bor. occ.  
*kirgisicum*, Alef. in Bot. Zeit. xxv. (1867) 255.—Turkest.  
*laeve*, Reichb. Fl. Germ. Excurs. 833 = narbonense.  
*laeve*, Scop. Fl. Carn. ed. II. i. 230 = alpinum.  
*lambesatum*, Boiss. & Reut. Diagn. Ser. II. v. 65.—Alger.  
*lecheoides*, S. Wats. in Proc. Am. Acad. xvii. (1881–82) 332.—Am. bor. occ.  
*Leonii*, Schultz, in Flora, xxi. (1838) 644 = alpinum.  
*leucanthum*, Boiss. & Sprun. Diagn. Ser. I. i. 55.—Graecia.  
*Lewisii*, Pursh, Fl. Am. Sept. i. 210 = perenne.  
*liburnicum*, Auct. ex Nym. Consp. 126 = strictum.  
*liburnicum*, Scop. Fl. Carn. ed. II. i. 230 = nodiflorum.  
*limanense*, Lamotte, Prod. Fl. Centr. Fr. i. 157 = austriacum.  
*littorale*, St. Hil. Fl. Bras. Mer. i. 133.—Bras.  
*Loreyi*, Jord. Cat. Jard. Dijon (1848) 27 = austriacum.  
*luteolum*, Bieb. Fl. Taur. Cauc. i. 256 = nodiflorum.  
*Lyallianum*, Alef. in Bot. Zeit. xxv. (1867) 251 = perenne.  
*Macraei*, Benth. in Bot. Reg. sub t. 1326.—Chili.  
*Macraei*, Hook. Bot. Mag. t. 5474 = Chamissonis.  
*marginale*, A. Cunn. ex Planch. in Hook. Lond. Journ. Bot. vii. (1848) 169.—Austral.  
*marginatum*, Poir. Encyc. Suppl. iii. 443 = angustifolium.  
*marginatum*, Reichb. Fl. Germ. Excurs. 832 = austriacum.  
*marinum*, Suffren, Pl. Frivol. 132 = seq.  
*maritimum*, Linn. Sp. Pl. 280.—Reg. Mediterr.  
*mauritanicum*, Pomel, Nouv. Mat. Fl. Atl. 214.—Alger.  
*melianthum*, Brot. Fl. Lusit. i. 484 = tenue?  
*mexicanum*, H. B. & K. Nov. Gen. et Sp. vi. 39.—Mexic.  
*micranthum*, A. Gray, in Proc. Am. Acad. vii. (1868) 333.—Calif.  
*millegranum*, S. F. Gray, Nat. Arr. Brit. Pl. ii. 641 = Radiola linoides.  
*monadelphum*, Hort. ex Reichb. Pl. Crit. iv. 8 = usitatissimum.  
*monadelphum*, Mart. Hort. Erlang. 84 = praec.?  
*monogynum*, Forst. f. Prod. 23.—N. Zel.  
*monogynum*, Hort. ex Reichb. Fl. Germ. Excurs. 833 = hologynum.

## LINUM:—

- monopetalum*, Steph. Fl. Mosq. n. 214.—Cf. DC. Prod. i. 425 = flavum.  
*montanum*, Lorey & Dur. ex Nym. Consp. 125 = austriacum.  
*montanum*, Schleich. Cat. Pl. Helv. ed. III. 19 = alpinum.  
*mucronatum*, Bertol. Misc. Bot. i. 18 = orientale.  
*mucronatum*, Gilib. Fl. Lituan. ii. 143 = usitatissimum.  
*Muelleri*, Moris, App. ad Elench. Fl. Sard. 1.—Sardinia.  
*multicaule*, Hedw. ex Steud. Nom. ed. I. 485 = angustifolium.  
*multicaule*, Hook. ex Torr. & Gray, Fl. N. Am. i. 678.—Am. bor. occ.  
*multiflorum*, Lam. Fl. Fr. iii. 70 = Radiola linoides.  
*Munbyanum*, Boiss. & Reut. Pugill. Pl. Nov. (1852) 24.—Alger.  
*mysorensis*, Heyne, ex Wall. Cat. n. 1507.—Ind. or.  
*narbonense*, Desf. Fl. Atlant. i. 279; Bieb. Fl. Taur. Cauc. i. 254 = angustifolium.  
*narbonense*, Hort. ex Reichb. Pl. Crit. iv. 8 = usitatissimum.  
*narbonense*, Linn. Sp. Pl. 278.—Europ. austr.  
*narbonense*, Pall. ex Bieb. Fl. Taur. Cauc. i. 254 = nervosum.  
*narbonense*, Suter, Fl. Helvet. i. 184 = alpinum.  
*neo-mexicanum*, Greene, in Coult. Bot. Gaz. vi. (1881) 133.—N. Mexic.  
*nervosum*, Waldst. & Kit. Pl. Rar. Hung. ii. 109. t. 105.—Europ. austr.; Oriens.  
*nodiflorum*, Linn. Sp. Pl. 280.—Europ. austr.; Oriens.  
*nutans*, Maxim. in Bull. Acad. Pétersb. xxvi. (1880) 430.—China.  
*obtusatum*, Boiss. Fl. Orient. i. 865 = alpinum.  
*oligophyllum*, Hook. & Arn. Bot. Beech. Voy. 11 = Macraei.  
*oligophyllum*, Planch. in Hook. Lond. Journ. Bot. vii. (1848) 486 = filiforme.  
*oligophyllum*, Willd. ex Schult. Syst. vi. 758.—Am. austr.  
*olympicum*, Boiss. Diagn. Ser. I. i. 56.—As. Min.  
*organense*, Gardn. in Hook. Lond. Journ. Bot. iv. (1845) 100.—Bras.  
*orientale*, Boiss. Fl. Orient. i. 855.—As. Min.  
*Orizabae*, Planch. in Hook. Lond. Journ. Bot. vii. (1848) 482.—Mexic.  
*Ortegae*, Planch. l. c. 184.—Hispan.  
*Pallasianum*, Schult. Syst. vi. 758 = tauricum.  
*pallescens*, Bunge, in Ledeb. Fl. Alt. i. 438.—Sibir. altaic.  
*palustre*, Gardn. in Hook. Lond. Journ. Bot. iv. (1845) 99.—Bras.  
*pamphylicum*, Boiss. & Heldr. ex Planch. in Hook. Lond. Journ. Bot. vii. (1848) 511 = orientale.  
*paniculatum*, Desv. ex Steud. Nom. ed. II. ii. 52 = strictum.  
*paniculatum*, Moench, Meth. Suppl. 98 = narbonense.  
*paposanum*, Phil. Fl. Atac. 13.—Chili.  
*parviflorum*, Medic. Beobacht. (1783) 145.—Hab.?  
*perenne*, Guss. Fl. Sic. Prod. i. 386 = austriacum.  
*perenne*, Lam. Fl. Fr. iii. 66 = alpinum.  
*perenne*, Linn. Sp. Pl. 277.—Reg. bor. temp.  
*perenne*, Vill. Hist. Pl. Dauph. ii. 550 = angustifolium.  
*persicum*, Boiss. Diagn. Ser. I. vi. 27.—Persia.  
*piliferum*, Boiss. Fl. Orient. i. 860 = pubescens.  
*piligerum*, Presl, Fl. Sic. i. 170 = pubescens.  
*Plotzii*, Hook. Bot. Mag. sub t. 3480 = Berlandieri.  
*polygaloides*, Planch. in Hook. Lond. Journ. Bot. vii. (1848) 487.—Peruv.  
*procumbens*, Hort. ex Steud. Nom. ed. II. ii. 52; Planch. in Fl. des Serres, Sér. I. ix. (1853–54) 280, nota, t. 965. f. 2 = decumbens.  
*prostratum*, Domb. ex Lam. Encyc. iii. 525.—Peruv.  
*provinciale*, Jord. Obs. Pl. Crit. vii. (1849) 17 = austriacum.  
*pubescens*, [Soland. in] Russ. Aleppo, ed. II. ii. 268.—Graecia; As. Min.  
*pubescens*, Willd. ex Schult. Syst. vi. 758 = tauricum.  
*punctatum*, Presl, Delic. Prag. 58.—Sicil.  
*pungens*, Planch. in Hook. Lond. Journ. Bot. vii. (1848) 491 = africanum.  
*pusillum*, Pall. Tabl. Taur. 49 = nodiflorum.  
*pynophyllum*, Boiss. & Heldr. Diagn. Ser. II. i. 97 = alpinum.  
*pyrenaicum*, Pourr. in Mém. Acad. Toul. iii. (1788) 322 = angustifolium.  
*quadrifolium*, Linn. Sp. Pl. 281.—Afr. austr.

## LINUM:—

- quadrifolium*, Thunb. Fl. Cap. ed. Schult. 277 = Thunbergii.  
*racemosum*, E. Mey. in Drège, Zwei Pfl. Docum. 199 = Thunbergii.  
*Radiola*, Linn. Sp. Pl. 281 = Radiola linoides.  
*ramosissimum*, C. Gay, Fl. Chil. i. 463.—Chili.  
*ramosissimum*, Willk. in Bot. Zeit. v. (1847) 240 = tenue?  
*reflexum*, [Soland. in] Ait. Hort. Kew. ed. I. i. 387.—Europ. austr.  
*refractum*, Rafin. New Fl. Am. iv. 64 (Quid?).—Am. bor.  
*Reichenbachii*, Planch. in Hook. Lond. Journ. Bot. vii. (1848) 495 = Thunbergii.  
*repens*, Buch.-Ham. in D. Don, Prod. Fl. Nep. 217 = Reinwardtia trigyna.  
*rigidum*, Pursh, Fl. Am. Sept. i. 210.—Am. bor. occ.  
*rigidum*, Sarato, ex Parl. Fl. Ital. v. 293 = strictum.  
*rigidum*, Torr. & Gray, Fl. N. Am. i. 204 = striatum, sulcatum.  
*rubrum*, Rafin. Caratteri, 74 = decumbens.  
*rupestre*, Engelm. in Bost. Journ. Nat. Hist. vi. (1850) 232.—Am. bor. occ.  
*ruscinosense*, Timb. in Bull. Soc. Bot. Fr. vii. (1860) 509 = alpinum.  
*salsoloides*, Lam. Encyc. iii. 521.—Gallia.  
*sansabeanum*, Buckl. in Proc. Acad. Sc. Philad. 1861 (1862) 450 = Lechea Drummondii.  
*sardoum*, Muell. ex Moris, Fl. Sard. i. 358 = Muelleri.  
*sativum*, Hasselq. Iter Palaest. 462 = usitatissimum.  
*saxicola*, Jord. Cat. Jard. Dijon (1848) 28 = austriacum.  
*scabrellum*, Planch. in Hook. Lond. Journ. Bot. vii. (1848) 507.—Mexic.  
*scabridum*, Steud. ex Boiss. Fl. Orient. i. 852 = strictum.  
*scabrum*, Kunze, in Flora, xxix. (1846) 654 = tenue.  
*scariosum*, Scheele, in Flora, xxvi. (1843) 433.—Europ.  
*Schiedeanum*, Cham. & Schlecht. in Linnaea, v. (1830) 234.—Mexic.  
*scoparium*, Griseb. in Goett. Abh. xix. (1874) 103.—Bras.  
*selaginoides*, Lam. Encyc. iii. 525.—Reg. Argent.  
*selaginoides*, Torr. & Gray, Fl. N. Am. i. 205 = multicaule.  
*semitrigynum*, Buch.-Ham. ex D. Don, Prod. Fl. Nep. 217 = Reinwardtia trigyna.  
*serotinum*, Cham. Reise Suedl. Statth. Russ. Reich. ii. 80.—Tauria.  
*serrulatum*, Bertol. Fl. Ital. iii. 549 = capitatum.  
*sessiliflorum*, Lam. Encyc. iii. 523 = strictum.  
*setaceum*, Brot. Fl. Lusit. i. 484.—Reg. Mediterr. occ.  
*sibiricum*, DC. Prod. i. 427 = perenne.  
*Sibthorpium*, Margot & Reut. in Mém. Soc. Phys. Genève. viii. (1839) 283 = pubescens.  
*siculum*, Presl, Fl. Sic. 171 = angustifolium.  
*simplex*, Wood, Class Book (1861) 276; Bot. & Flor. 66 = sulcatum?  
*Simsii*, Planch. in Hook. Lond. Journ. Bot. vii. (1848) 512 = arboreum.  
*spergulinum*, A. Gray, Proc. Am. Acad. vii. (1868) 333.—Calif.  
*spicatum*, Lam. Encyc. iii. 523 = strictum.  
*squamatum*, Herb. Unio. It. ex Steud. Nom. ed. II. ii. 52 = seq.  
*squamulosum*, Rudolphi, ex Willd. Enum. Hort. Berol. 338 = austriacum.  
*squarrosus*, Munby, in Bull. Soc. Bot. Fr. ii. (1855) 283.—Alger.  
*stelleroides*, Planch. in Hook. Journ. Lond. Bot. vii. (1848) 178.—China.  
*Stocksianum*, Boiss. Diagn. Ser. II. i. 98 = perenne.  
*striatum*, Nutt. Gen. Am. i. 206 = sulcatum.  
*striatum*, Walt. Fl. Carol. 118.—Am. bor.  
*strictissimum*, Pall. Reise Suedl. Statth. Russ. Reich. ii. 80 = gallicum?  
*strictum*, Linn. Sp. Pl. 279.—Reg. Mediterr.; Oriens.  
*strictum*, Pall. Tabl. Taur. 49 = gallicum.  
*suaedaefolium*, Planch. in Hook. Lond. Journ. Bot. vii. (1848) 168.—Austral.  
*suffruticosum*, DC. Fl. Fr. Suppl. 616 = salsoloides.  
*suffruticosum*, Linn. Sp. Pl. 279.—Reg. Mediterr. occ.  
*suffruticosum*, Orteg. ex Planch. in Hook. Lond. Journ. Bot. vii. (1848) 184 = Ortégae.  
*sulcatum*, Riddel, Cat. Pl. Ohio, Suppl. 10.—Am. bor.  
*sulphureum*, Boiss. & Hassk. in Boiss. Fl. Orient. i. 857.—Syria.



**LINUM** :—

- sylvestre*, Scop. Fl. Carn. ed. II. i. 229 = viscosum.  
*syriacum*, Boiss. & Gaill. ex Boiss. Fl. Orient. i. 856.  
 —Syria.  
*tauricum*, Willd. Enum. Hort. Berol. 339.—Graecia;  
 Reg. Cauc.  
*tenellum*, Cham. & Schlecht. in Linnaea, v. (1830)  
 235.—Mexic.  
*Teneriffae*, Hoffmgg. Verz. Pfl. Nachtr. ii. 150.—  
 Teneriffa.  
*tenue*, Desf. Fl. Atlant. i. 280. t. 81.—Hispan.; Afr.  
 bor.  
*tenua*, Munby, Fl. Algér. 33 = Munbyanum.  
*tenuifolium*, Asso, Syn. Stirp. Arag. 41 = suffruti-  
 cosum.  
*tenuifolium*, Linn. Sp. Pl. 278.—Europ.; As. Min.  
*tenuifolium*, Schousb. Vextr. Marokk. 149 = setaceum.  
*tenuifolium*, With. Bot. Arr. Brit. Pl. ed. III. ii. 322  
 = angustifolium.  
*tetragynum*, Colebr. ex Wall. Cat. n. 1506 = Rein-  
 wardtia tetragyna.  
*tetrapetalum*, Gilib. Fl. Lituani. ii. 144 = Radiola  
 linoides.  
*tetraphyllum*, Hebenstr. ex Steud. Nom. ed. II. ii. 52 =  
 quadrifolium.  
*thesioides*, Bartl. in Linnaea, vii. (1832) 540.—Afr.  
 austr.  
*Thunbergii*, Eckl. & Zeyh. Enum. 35.—Afr. austr.  
*tmoleum*, Boiss. Diagn. Ser. I. viii. 105.—As. Min.  
*Tommasinii*, Nym. Syll. 218 = austriacum.  
*toxicum*, Boiss. Fl. Orient. i. 854.—Syria.  
*transsilvanicum*, Schur, Enum. Pl. Transs. 128 =  
 alpinum.  
*trigynum*, Linn. Sp. Pl. 279 = gallicum.  
*trigynum*, Roxb. in As. Res. vi. (1799) 357 = Rein-  
 wardtia trigyna.  
*trinervium*, Freyn, in Oestr. Bot. Zeitschr. xxvi.  
 (1876) 228.—Transsilv.  
*trinervium*, Herb. Hohen. ex Hook. f. Fl. Brit. Ind.  
 i. 411 = mysorensis.  
*trinervium*, Heyne, ex Roth, Nov. Pl. Sp. 187 =  
 usitatissimum.  
*trisepalum*, Kellogg, in Proc. Calif. Acad. iii. (1863)  
 42 = Helianthemum scoparium.  
*ucranicum*, Czernw. ex Gruner, in Bull. Soc. Nat.  
 Mosc. xli. 1868 (1869) II. 130 in textu.—Ucrania.  
*uniflorum*, Kit. in Linnaea, xxxii. (1863) 574.—  
 Hungar.  
*usitatissimum*, Griseb. Spicil. Fl. Rumel. i. 117  
 (excl. syn.) = angustifolium.  
*usitatissimum*, Linn. Sp. Pl. 277.—Europ.; Oriens.  
*utile*, Salisb. Prod. 177 = usitatissimum.  
*velutinum*, Steud. ex Planch. in Hook. Lond. Journ.  
 Bot. vii. (1848) 517.—Kurdistan.  
*venustum*, Andr. Bot. Rep. t. 477 = viscosum.  
*verticillatum*, Linn. Sp. Pl. 281.—Italia.  
*violascens*, Bunge, in Ledeb. Fl. Alt. i. 439.—Sibir.  
 altaica.  
*virgatum*, Salzm. ex Ball, in Journ. Linn. Soc. xvi.  
 (1878) 379 = corymbiferum.  
*virgatum*, Schousb. Vextr. Marokko, 151 = tenue.  
*virginianum*, Linn. Sp. Pl. 279.—Am. bor.  
*virginianum*, Reichb. Hort. Bot. ii. 35 = striatum.  
*virgultorum*, Boiss. & Heldr. ex Planch. in Hook.  
 Lond. Journ. Bot. vii. (1848) 172.—As. Min.  
*viscosum*, Hb. Taur. 150; ex Bieb. Fl. Taur. Cauc.  
 i. 253 = hirsutum.  
*viscosum*, Linn. Sp. Pl. ed. II. 398.—Europ. austr.
- LINZIA**, Sch. Bip. in Flora, xxiv. (1841) I. Intell. 26  
 = *Vernonia*, Schreb. (Compos.).  
*glabra*, Steetz, in Peters, Reise Mossamb. Bot. 353 =  
 V. glabra.  
*vernonioides*, Sch. Bip. in Flora, xxiv. (1841) I. Intell.  
 26 = V. Quartiniana.
- LLOYDIA**, Neck. Elem. i. 4 (1790) = *Printzia*, Cass.  
 (Compos.).
- LIPANDRA**, Moq. Chenop. Enum. 19 (1840) = *Cheno-  
 podium*, Linn.  
*atriplicoides*, Moq. l. c. = C. polyspermum.
- LIPARENA**, Poit. ex Leman, in Dict. Sc. Nat. xxvii. 6  
 (1823) = *Drypetes*, Vahl (Euphorb.).
- LIPARENE**, Poit. ex Baill. Hist. Pl. v. 248 in syn.  
 (1874) = praec.

**LIPARIA**, Linn. Mant. ii. 156 (1767). **LEGUMI-**

- NOSAE**, Benth. & Hook. f. i. 472.  
*badocana*, Blanco, Fl. Filip. ed. I. 597 = Psoralea  
 badocana.  
*Burchellii*, Benth. in Hook. Lond. Journ. Bot. ii.  
 (1843) 443.—Afr. austr.  
*capitata*, Thunb. Prod. Pl. Cap. 124 = Priestleya  
 capitata.  
*comantha*, Eckl. & Zeyh. Enum. 164.—Afr. austr.  
*crassinervia*, Meissn. in Hook. Lond. Journ. Bot. ii.  
 (1843) 63 = parva?  
*graminifolia*, Linn. Mant. ii. 268 = Priestleya grami-  
 nifolia.  
*hirsuta*, Moench, Meth. Suppl. 52 = Borbonia trinervia.  
*hirsuta*, Thunb. Prod. Pl. Cap. 124 = Priestleya hirsuta.  
*hybrida*, Hort. ex Steud. Nom. ed. I. 485 = Priestleya  
 hirsuta.  
*laevigata*, Thunb. Prod. Pl. Cap. 123 = Priestleya  
 Thunbergii.  
*myrtifolia*, Thunb. l. c. = Priestleya myrtifolia.  
*opposita*, Linn. Mant. ii. 269 = Rafnia opposita.  
*parva*, Vog. ex Walp. in Linnaea, xlii. (1839) 468.—  
 Afr. austr.  
*sericea*, Linn. Mant. ii. 269 = Priestleya sericea.  
*sphaerica*, Linn. l. c. 268.—Afr. austr.  
*tecta*, Thunb. Prod. Pl. Cap. 124 = Priestleya tecta.  
*teres*, Thunb. l. c. = Priestleya teres.  
*tomentosa*, Thunb. l. c. = Priestleya tomentosa.  
*umbellata*, Linn. Mant. ii. 269 = Priestleya laevigata.  
*umbellifera*, Thunb. Prod. Pl. Cap. 124 = Priestleya  
 umbellifera.  
*vestita*, Thunb. l. c. = Priestleya vestita.  
*villosa*, Andr. Bot. Rep. t. 382 = Priestleya vestita.  
*villosa*, Linn. Mant. ii. 269 = Priestleya villosa.  
*villosa*, Sieber, ex Benth. in Hook. Lond. Journ. Bot.  
 ii. (1843) 446 = Priestleya Thunbergii.  
*villosa*, Thunb. Prod. Pl. Cap. 124 = Priestleya lanceo-  
 lata.
- LIPARIS**, Rich. in Mém. Mus. Par. iv. (1818) 43, 52.  
**ORCHIDAEAE**, Benth. & Hook. f. iii. 495.  
*ALISPA*, Hoffmgg. [Verz. Orchid. 20 (1842)]; ex  
 Linnaea, xvi. (1842) Litt. 228.  
*ANDROCHILUS*, Liebm. in Bot. Notiser (1844), 101.  
*CESTICHIS*, Thou. Orch. Afr. t. 90 (1822).  
*DISTICHIS*, Thou. ex Lindl. Veg. Kingd. 181 (1847).  
 —Cf. Thou. Orch. Isles Austr. Afr. Tabl. 3<sup>me</sup>.  
*DITULIS*, Rafn. Fl. Tellur. iv. 49 (1836).  
*EMPUSA*, Lindl. Bot. Reg. sub n. 825 (1824).  
*EMPUSARIA*, Reichb. Consp. 69 (1828).  
*EPHIPPIANTHUS*, Reichb. f. in F. Schmidt, Reisen  
 Amurl. 180. t. 5 (1868).  
*GASTROGLOTTIS*, Blume, Bijdr. 397 (1825).  
*IEBINE*, Rafn. Fl. Tellur. iv. 39 (1836).  
*MELAXIS*, Steud. Nom. ed. II. ii. 118 (1841), sphalm.  
*MESOPTERA*, Rafn. Fl. Tellur. iv. 49 (1836).  
*PALIRIS*, Dum. Fl. Belg. 134 (1827).  
*PLATYSTYLIS*, Lindl. Gen. et Sp. Orch. 18 (1830).  
*PSEUDORCHIS*, S. F. Gray, Nat. Arr. Brit. Pl. ii.  
 213 (1821).  
*STICHORCHIS*, Thou. Orch. Isles Austr. Afr. Tabl.  
 1<sup>re</sup>. (1822).  
*STURMIA*, Reichb. in Moessl. Handb. ed. II. ii. 1576  
 (1828); Consp. 69 (1828).  
*abyssinica*, A. Rich. Tent. Fl. Abyss. ii. 291.—Abyssin.  
*acutissima*, Reichb. f. Otia Bot. Hamb. 37.—Cambod.  
*affinis*, Lindl. Gen. et Sp. Orch. 31.—Java.  
*alata*, A. Rich. in Ann. Sc. Nat. Sér. II. xv. (1841)  
 17.—Ind. or.  
*alata*, Scheidw. in Otto & Dietr. Allg. Gartens. x.  
 (1842) 293.—Mexic.  
*angustifolia*, Lindl. Gen. et Sp. Orch. 31 = caespitosa.  
*arnoglossophylla*, Hemsl. Bot. Centr. Am. Bot. iii. 212.  
 —Mexic.  
*atropurpurea*, Lindl. Gen. et Sp. Orch. 28.—Ind. or.  
*atropurpurea*, Wight, Ic. t. 904 = Wightiana.  
*auriculata*, Blume, ex Miq. Ann. Mus. Bot. Lugd.  
 Bat. ii. 203.—Japon.  
*auriculata*, Reichb. f. in Flora, lv. (1872) 277.—Ind. or.  
*aurita*, Ridl. in Forbes, Nat. Wand. East. Archip.  
 518.—Ins. Timor.  
*barbata*, Lindl. Gen. et Sp. Orch. 27.—Zeylan.  
*Bernaysii*, F. Muell. Fragm. xi. 21 = Microstylis  
 congesta.  
*bicornis*, Ridl. in Journ. Linn. Soc. xxi. (1885) 458.—  
 Madag.  
*bidentata*, Griff. Notul. iii. 277 (non Liparidis sp.).—  
 Assam.

**LIPARIS** :—

- biloba*, Wight, Ic. t. 1633.—Ind. or.  
*bistriata*, Par. & Reichb. f. in Trans. Linn. Soc. xxx.  
 (1874) 155.—Burma.  
*bituberculata*, Lindl. Bot. Reg. sub t. 882.—Reg. Himal.  
*bootanensis*, Griff. Notul. iii. 278.—Reg. Himal.  
*Boothii*, Regel, Ind. Sem. Hort. Petrop. (1864) Suppl.  
 14 = longipes?  
*Bowkeri*, Harv. Thes. Cap. ii. 6.—Afr. austr.  
*brachyglottis*, Reichb. f. ex Trimen, Cat. Pl. Ceyl. 87.  
 —Zeylan.  
*brachystalix*, Reichb. f. in Linnaea, xli. (1877) 43.—  
 Ecuador.  
*bracteosa*, Lindl. in Wall. Cat. n. 7406 = Dendrochilum  
 bracteosum.  
*caespitosa*, Lindl. in Bot. Reg. sub t. 882.—Ins.  
 Mascar.  
*campestris*, Rodrig. Orch. Nov. i. 36.—Bras.  
*campylostalis*, Reichb. f. in Linnaea, xli. (1877) 45.  
 —Ind. or.  
*capensis*, Lindl. in Ann. Nat. Hist. Ser. I. iv. (1840)  
 314.—Afr. austr.  
*chlororantha*, Hance, in Journ. Bot. xxi. (1883) 231.—  
 China.  
*Clypeolum*, Lindl. Gen. et Sp. Orch. 29.—Ins. Tahiti.  
*coelogyoides*, F. Muell. Fragm. ii. 71.—Austral.  
*compressa*, Lindl. Gen. et Sp. Orch. 32.—Malaya.  
*condylobulbon*, Reichb. f. in Hamb. Gartenz. xviii.  
 (1862) 34.—Burma.  
*connata*, Ridl. in Journ. Linn. Soc. xxi. (1885) 462.—  
 Madag.  
*Correana*, Spreng. Syst. iii. 740 = Loeselii.  
*crenulata*, Lindl. Gen. et Sp. Orch. 30.—Java.  
*crispifolia*, Reichb. f. in Linnaea, xli. (1877) 43.—  
 Peruv.  
*cuneilabris*, F. Muell. Fragm. iv. 164 = reflexa.  
*decursiva*, Reichb. f. in Gard. Chron. (1884) II. 38 =  
 reflexa.  
*Dendrochilum*, Reichb. f. in Flora, lv. (1872) 278.—  
 Ind. or.?  
*densiflora*, A. Rich. in Ann. Sc. Nat. Sér. II. xv. (1841)  
 18 = Microstylis versicolor.  
*diodon*, Reichb. f. in Linnaea, xli. (1877) 43.—Reg.  
 Himal.  
*disepala*, Reichb. f. l. c. 97.—Caled.  
*disticha*, Lindl. in Bot. Reg. sub t. 882.—Malaya.  
*Eggersii*, Reichb. f. in Ber. Deutsch. Bot. Ges. iii.  
 (1885) 278.—Ind. occ.  
*elata*, Lindl. Bot. Reg. t. 1175.—Ind. occ.; Bras.  
*elegans*, Lindl. in Wall. Cat. n. 1943.—Malaya.  
*elliptica*, Reichb. f. in Walp. Ann. vi. 218.—Ind. occ.;  
 Mexic.  
*elliptica*, Wight, Ic. t. 1735 = viridiflora.  
*ferruginea*, Lindl. in Gard. Chron. (1848) 55.—Malaya.  
*flaccida*, Reichb. f. in Linnaea, xli. (1877) 45.—Malaya.  
*flavescens*, Lindl. in Bot. Reg. sub t. 882.—Ins. Mascar.  
*foliosa*, Lindl. l. c. t. 882 = reflexa.  
*formosana*, Reichb. f. in Gard. Chron. (1880) I. 394 =  
 bituberculata.  
*Galeottiana*, Hemsl. l. c. (1879) I. 559 = elliptica.  
*Gerrardii*, Reichb. f. in Flora, l. (1867) 118.—Afr.  
 austr.  
*Glossula*, Reichb. f. in Linnaea, xli. (1877) 44.—Reg.  
 Himal.  
*grandiflora*, Ridl. in Journ. Bot. xxii. (1884) 333.—  
 Borneo.  
*gregaria*, Lindl. Gen. et Sp. Orch. 33 = disticha.  
*grossa*, Reichb. f. in Gard. Chron. (1883) I. 110.—  
 Burma.  
*guineensis*, Lindl. Bot. Reg. t. 1671.—Afr. trop.  
*Guingangae*, Reichb. f. in Flora, l. (1867) 103.—Afr.  
 trop.  
*habenarina*, F. Muell. Fragm. iv. 131.—Austral.  
*hawaiensis*, H. Mann, in Proc. Am. Acad. vii. (1867)  
 207.—Ins. Sandvic.  
*intermedia*, A. Rich. in Ann. Sc. Nat. Sér. II. xv.  
 (1841) 17 = Microstylis versicolor, Lindl.  
*jamaicensis*, Lindl. ex Griseb. Cat. Pl. Cub. 261  
 elliptica.  
*Jovis-pluvii*, Par. & Reichb. f. in Trans. Linn. S.  
 xxx. (1874) 154.—Burma.  
*Kappleri*, Reichb. f. in Walp. Ann. vi. 218.—Goian.  
*Krameri*, Franch. & Sav. Enum. Pl. Jap. ii. 509.—  
 Japon.  
*labiata*, Spreng. Syst. iii. 741 = Leochilus cochlearis.  
*latifolia*, Lindl. Gen. et Sp. Orch. 30.—Java.  
*liliifolia*, A. Rich. ex Lindl. in Bot. Reg. sub t. 882.  
 —Am. bor.



**LIPARIS:—**

- Lindeniana*, Hemsl. in Gard. Chron. (1879) i. 559 = elliptica.  
*livida*, Royle, Illustr. Bot. Himal. 364, nomen = bituberculata?  
 Loeseli, A. Rich. in Mém. Mus. Par. iv. (1818) 60.—Europ.  
 longa, Reichb. f. in Linnaea, xli. (1877) 98.—Hab.? longicaulis, Ridl. in Journ. Linn. Soc. xxi. (1885) 461.—Madag.  
 longipes, Lindl. Gen. et Sp. Orch. 30.—As. trop.; Ins. Pacif.  
 longipetala, Ridl. in Journ. Linn. Soc. xxi. (1885) 459.—Madag.  
 lutea, Ridl. l. c. 458.—Madag.  
 luteola, Lindl. in Wall. Cat. n. 1944; Gen. et Sp. Orch. 32.—Reg. Himal.; Burma.  
 Mannii, Reichb. f. in Flora, lv. (1872) 275.—Reg. Himal.  
 minima, Lindl. Gen. et Sp. Orch. 32.—Java.  
 monophylla, Spreng. Syst. iii. 741 = Epidendrum monophyllum?  
 montana, Lindl. Gen. et Sp. Orch. 29.—Java.  
 mucronata, Lindl. l. c. 32 = disticha.  
 nepalensis, Lindl. in Bot. Reg. sub t. 882.—Reg. Himal.  
 nervosa, Lindl. Gen. et Sp. Orch. 26.—Japon; China.  
 nesophila, Reichb. f. Otia Bot. Hamb. 56 = longipes?  
 neuroglossa, Reichb. f. Xenia Orch. iii. 26.—Bolivia.  
 obcordata, Vahl, ex King, in Atkins. Gaz. N. W. Ind. 318, nomen.—Ind. or.  
 ochracea, Ridl. in Journ. Linn. Soc. xxi. (1885) 461.—Madag.  
 odontostoma, Reichb. f. in Linnaea, xli. (1877) 97.—Reg. Himal.  
 odorata, Lindl. Gen. et Sp. Orch. 26.—As. trop. et subtrop.  
 olivacea, Lindl. in Wall. Cat. n. 1942; Gen. et Sp. Orch. 27.—Reg. Himal.  
 olivacea, Wight, Ic. t. 903 = atropurpurea.  
 orbicularis, Lodd. ex Hemsl. in Gard. Chron. (1881) ii. 592 = plantaginea.  
 ornithorrhynchos, Ridl. in Journ. Linn. Soc. xxi. (1885) 460.—Madag.  
 pachypus, Par. & Reichb. f. in Trans. Linn. Soc. xxx. (1874) 155.—Burma.  
 pallida, Lindl. Gen. et Sp. Orch. 31.—Java.  
 Pappei, Lindl. ex Harv. Thes. Cap. ii. 7.—Afr. austr.  
 paradoxa, Reichb. f. in Walp. Ann. vi. 218 = odorata.  
 parva, Ridl. in Journ. Linn. Soc. xxi. (1885) 462.—Madag.  
 parviflora, Lindl. Gen. et Sp. Orch. 31.—Java.  
 pendula, Lindl. Bot. Reg. (1838) Misc. 94 = longipes.  
 plantaginea, Lindl. Gen. et Sp. Orch. 29.—Reg. Himal.  
 plicata, Franch. & Sav. Enum. Pl. Jap. ii. 509.—Japon.  
 polycardia, Reichb. f. in Flora, lxviii. (1885) 543.—Afr. austr.  
 priochilus, Lodd. Bot. Cab. t. 1751 = Microstylis versicolor, Lindl.  
 purpurascens, Lindl. in Bot. Reg. sub t. 882.—Ins. Mascar.  
 ramosa, Poepp. & Endl. Nov. Gen. et Sp. ii. 9. t. 112.—Peruv.  
 reflexa, Lindl. in Bot. Reg. sub t. 882.—Austral.  
 revoluta, Hook. & Arn. Bot. Beech. Voy. 70. t. 16.—Ins. Societ.  
 Rheedii, Lindl. Gen. et Sp. Orch. 26.—Java.  
 rostrata, Reichb. f. in Linnaea, xli. (1877) 44.—Reg. Himal.  
 rupestris, Griff. Notul. iii. 276.—Reg. Himal.  
 Saundersiana, Reichb. f. in Gard. Chron. (1872) 1003.—Jamaica.  
 selligera, Reichb. f. in Linnaea, xli. (1877) 42 = plantaginea.  
 serraeformis, Lindl. in Wall. Cat. n. 1946 = Sarcophilus arachnites.  
 spathulata, Lindl. Bot. Reg. (1840) Misc. 81 = longipes.  
 stachyurus, Reichb. f. in Flora, lv. (1872) 274.—Reg. Himal.  
 stenoglossa, Par. & Reichb. f. in Trans. Linn. Soc. xxx. (1874) 154.—Burma.  
 Stricklandiana, Reichb. f. in Gard. Chron. (1880) i. 232.—Reg. Himal.?  
 tradescantifolia, Lindl. Gen. et Sp. Orch. 29.—Java.

**LIPARIS:—**

- tricallosa, Reichb. f. in Gard. Chron. (1879) i. 684.—Borneo.  
 tristis, Lodd. ex W. Baxt. in Loud. Hort. Brit. Suppl. iii. 579, nomen.—Zeylan.  
 vestita, Reichb. f. in Flora, lv. (1872) 274.—Reg. Himal.  
 viridiflora, Lindl. Gen. et Sp. Orch. 31.—Ind. or.; Malaya.  
 viridipurpurea, Griseb. Cat. Pl. Cub. 261.—Cuba.  
 Wageri, Reichb. f. in Walp. Ann. vi. 218.—N. Granat.  
 Walkeriae, R. Grah. in Edinb. N. Phil. Journ. (Jan. 1836) 194.—Ind. or.; Zeylan.  
 Walkeiae, Wight, Ic. t. 905 = atropurpurea.  
 Welwitschii, Reichb. f. in Flora, lxviii. (1865) 184.—Afr. trop.  
 Wendlandi, Reichb. f. Beitr. Orch. Centr. Am. 98.—Costa Rica.  
 Wightiana, Thw. Enum. Pl. Zeyl. 295.—Zeylan.  
 Wightii, Reichb. f. in Walp. Ann. vi. 218 = viridiflora.  
 zeylanica, Lodd. ex W. Baxt. in Loud. Hort. Brit. Suppl. iii. 579, nomen.—Zeylan.

**LIPAROPHYLLUM**, Hook. f. in Hook. Lond. Journ. Bot. vi. (1847) 472. *GENTIANEA*, Benth. & Hook. f. ii. 820.  
 Gunnii, Hook. f. l. c. 473.—Tasmania.

**LIPOCERCIS**, Nees, Fl. Afr. Austr. 97 (1841), sphalm. = **LEPEOCERCIS**, Trin. = **Andropogon**, Linn. (Gramin.).

**LIPHONOGLOSSA**, Torr. in Bot. Mex. Bound. 124, err. typ. = **Siphonoglossa**, Oerst. (Acanthac.).

**LIPOCARPHA**, R. Br. in Tuckey, Congo, 459 (1818). *CYPERACEAE*, Benth. & Hook. f. iii. 1054.

**HYPAELYPTUM**, Vahl, Enum. ii. 283 (1806), partim. **TUNGA**, Roxb. Fl. Ind. ed. Carey, i. 183, partim (1820).

albiceps, Ridl. in Trans. Linn. Soc. Ser. II. ii. (1884) 163.—Afr. trop.

argentea, R. Br. in Tuckey, Congo, 477.—Geront. trop.

atra, Ridl. in Trans. Linn. Soc. Ser. II. ii. (1884) 162.—Afr. trop.

cochleata, Griseb. Cat. Pl. Cub. 241 = Humboldtiana. filiformis, Kunth, Enum. Pl. ii. 267.—Afr. trop.

foliosa, Miq. Fl. Ind. Bat. iii. 332 = Remirea maritima. glomerata, Nees, in Mart. Fl. Bras. ii. i. 64 = Sellowiana.

gracilis, Nees, in Linnaea, ix. (1834) 287; et in Mart. Fl. Bras. ii. i. 64 = sphacelata, Humboldtiana.

Humboldtiana, Nees, in Linnaea, ix. (1834) 287.—Am. trop.

laevigata, Nees, in Wight, Contrib. 92 = argentea. maculata, Torr. in Ann. Lyc. N. York, iii. (1836) 288 = Humboldtiana.

mexicana, Liebm. in Vidensk. Selsk. Skr. V. ii. (1851) 235 = sphacelata.

microcephala, Kunth, Enum. Pl. ii. 268.—As. or.; Austral.

Prieuriana, Steud. Syn. Pl. Cyp. 130.—Afr. trop. pulcherrima, Ridl. in Trans. Linn. Soc. Ser. II. ii. (1884) 162.—Afr. trop.

purpureo-lutea, Ridl. l. c. 163.—Afr. trop. Salzmanniana, Steud. Syn. Pl. Cyp. 129 = Humboldtiana.

Schweinfurthiana, Boeck. in Flora, lxii. (1879) 567 = Prieuriana.

Sellowiana, Kunth, Enum. Pl. ii. 267.—Am. austr. sphacelata, Kunth, l. c.—Amphig. trop.

triceps, Nees, in Wight, Contrib. 92 = sphacelata. Zollingeriana, Boeck. in Flora, xlii. (1859) 100 = microcephala.

**LIPOCHAETA**, DC. Prod. v. 610 (1836), partim. *COMPOSITAE*, Benth. & Hook. f. ii. 372.

APHANOPAPPUS, Endl. Gen. Suppl. ii. 43 (1842). **LIPOTRICHE**, Less. in Linnaea, vi. (1831) 408, 510.

**MACRAEA**, Hook. f. in Proc. Linn. Soc. i. (1845) 278.

**MICROCHAETA**, Nutt. in Trans. Am. Phil. Soc. N. S. vii. (1841) 450.

**SCHIZOPHYLLUM**, Nutt. l. c. 452 (1841).

**TRIGONOPTERUM**, Steetz, in Vet. Akad. Handl. Stockh. (1853) 161.

**LIPOCHAETA:—**

- amazonica*, Poepp. & Endl. Nov. Gen. et Sp. iii. 49. t. 256 = Blainvillea amazonica.  
*australis*, A. Gray, in Proc. Am. Acad. v. (1861) 129 = connata, lobata.  
 calycosa, A. Gray, l. c. 130.—Ins. Sandvic.  
 cavarum, Walp. Rep. ii. 620, sphalm. = lavarum.  
 connata, DC. Prod. v. 611.—Ins. Sandvic.  
 costaricensis, Benth. & Hook. f. Gen. ii. 373, sphalm. = Zexmenia costaricensis.  
 fasciculata, DC. Prod. v. 610 = Zexmenia fasciculata.  
 goyazensis, Gardn. in Hook. Lond. Journ. Bot. vii. (1848) 406 = Zexmenia goyazensis.  
 hastata, Kellogg, in Proc. Calif. Acad. ii. (1863) 106.—Calif.  
 hastulata, DC. Prod. v. 611.—Ins. Sandvic.  
 heterophylla, A. Gray, in Proc. Am. Acad. v. (1861) 130 = lobata.  
 integrifolia, A. Gray, l. c.—Ins. Sandvic.  
 Lahaina, Wawra, in Flora, lvi. (1873) 77 = lavarum.  
 lantanifolia, Schau. in Linnaea, xix. (1847) 729 = Zexmenia lantanifolia.  
 lavarum, DC. Prod. v. 611.—Ins. Sandvic.  
 lobata, DC. l. c.—Ins. Sandvic.  
 longipes, Benth. & Hook. f. Gen. ii. 373, sphalm. = Zexmenia longipes.  
 macrocephala, Hook. & Arn. Bot. Beech. Voy. 436 = Zexmenia macrocephala.  
 micrantha, A. Gray, in Proc. Am. Acad. v. (1861) 131.—Ins. Sandvic.  
 monocephala, DC. Prod. v. 610 = Zexmenia monocephala.  
 Remyi, A. Gray, in Proc. Am. Acad. v. (1861) 131.—Ins. Sandvic.  
 scaberrima, Benth. in Hook. Journ. Bot. ii. (1840) 43 = Zexmenia scaberrima.  
 serrata, DC. Prod. v. 611 = Zexmenia serrata.  
 strigosa, DC. l. c. 610 = Zexmenia strigosa.  
 subcordata, A. Gray, in Proc. Am. Acad. v. (1861) 130.—Ins. Sandvic.  
 succulenta, DC. Prod. v. 611.—Ins. Sandvic.  
 tagetiflora, G. Don, in Sweet, Hort. Brit. ed. III. 360 = Zexmenia tagetiflora.  
 tenuifolia, A. Gray, in Proc. Am. Acad. v. (1861) 131.—Ins. Sandvic.  
 texana, Torr. & Gray, Fl. N. Am. ii. 357 = Zexmenia hispida.  
 umbellata, DC. Prod. v. 610 = Zexmenia ceanothifolia.  
 umbellata, Hook. & Arn. Bot. Beech. Voy. 436 = Zexmenia microcephala.

**LIPOCHAETE**, Benth. in Hook. Journ. Bot. ii. (1840) 43 = praec.

**LIPONEURON**, Schott, Nym. & Kotschy, Analect. Bot. 55 (1854) = **Lychnis**, Linn. (Caryoph.).

**LIPOPHRAGMA**, Schott & Kotschy, ex Boiss. Diagn. Ser. II. v. 42 (1856) = **Moriera**, Boiss. (Crucif.).  
*eunomioides*, Schott & Kotschy, ex Boiss. l. c. (= *Crenularia eunomioides*).—Cilicia.

**LIPOPHYLLUM**, Miers, in Trans. Linn. Soc. xxi. (1855) 251. t. 26 = **Clusia**, Linn. (Guttif.).  
*latum*, Miers, l. c. 257.—Am. trop.

**LIPOSTOMA**, D. Don, in Edinb. N. Phil. Journ. (Jan.-Apl. 1830) 168 = **Cococypselum**, R. Br. (Rubiace.).  
*campanulaeflora*, Steud. Nom. ed. II. ii. 54 = C. campanuliflorum.  
*capitatum*, D. Don, in Edinb. N. Phil. Journ. (Jan.-Apl. 1830) 168 = C. campanuliflorum.  
*sericeum*, D. Don, l. c. 169.—Bras.

**LIPOTACTES**, Blume, in Schult. f. Syst. vii. 1729 (1830) = **Loranthus**, Linn.  
*pauciflora*, Blume, l. c. = Loranthus pauciflorus.

**LIPOTRICHE**, R. Br. in Trans. Linn. Soc. xii. (1817) 118 = **Melanthera**, Rohr (Compos.).  
*Brownei*, DC. Prod. v. 544 = M. Brownei.

**LIPOTRICHE**, Less. in Linnaea, vi. (1831) 408, 510 = **Lipochaeta**, DC. (Compos.).  
*australis*, Less. l. c. 510 = Lipochaeta lobata.  
*gymnolomoides*, Less. l. c. 408 = Perymenium gymnomoides.



LIPOZYGIS, E. Mey. Comm. Pl. Afr. Austr. 76 (1835) = *Lotononis*, Eckl. & Zeyh. (Legumin.).  
*argentea*, Meissn. in Hook. Lond. Journ. Bot. ii. (1843) 80.—Afr. austr.  
*brachyloba*, E. Mey. Comm. Pl. Afr. Austr. 78 = *Loton. brachyloba*.  
*calycina*, E. Mey. l. c. = *Loton. calycina*.  
*carinata*, E. Mey. l. c. 80 = *Loton. carinata*.  
*corymbosa*, E. Mey. l. c. 79 = *Loton. corymbosa*.  
*erubescens*, E. Mey. l. c. 76 = *Loton. pumila*.  
*falcata*, E. Mey. l. c. 78 = *Loton. falcata*.  
*humifusa*, E. Mey. l. c. 77 = *Loton. humifusa*.  
*involuta*, E. Mey. l. c. 80 = *Loton. involuta*.  
*Kraussiana*, Meissn. in Hook. Lond. Journ. Bot. ii. (1843) 79 = *Loton. versicolor*.  
*mollis*, E. Mey. Comm. Pl. Afr. Austr. 79 = *Loton. mollis*.  
*peduncularis*, E. Mey. l. c. = *Loton. peduncularis*.  
*pentaphylla*, E. Mey. l. c. = *Loton. pentaphylla*.  
*polycephala*, E. Mey. l. c. = *Loton. polycephala*.  
*quinata*, E. Mey. l. c. 77 = *Loton. quinata*.  
*Radula*, E. Mey. l. c. = *Loton. humifusa*.  
*tenella*, E. Mey. l. c. 78 = *Loton. tenella*.  
*umbellata*, E. Mey. l. c. 76 = *Loton. umbellata*.  
*villosa*, Benth. in Hook. Lond. Journ. Bot. ii. (1843) 609 = *Loton. mollis*.

LIPPAYA, Endl. Atakt. 13. t. 13 (1833) = *Dentella*, Forst. (Rubiaceae).  
*telephioides*, Endl. l. c. = *D. repens*.

LIPPIA, Houst. ex Linn. Gen. ed. I. 347 (1737).  
 VERBENACEAE, Benth. & Hook. ii. 1142.  
 ACANTHOLIPPIA, Griseb. in Goett. Abh. xix. (1874) 244.  
 ALOYSIA, Ort. & Palau, ex L'Hérit. Stirp. i. 21 (1784).  
 CRYPTOCALYX, Benth. in Ann. Nat. Hist. Ser. I. ii. (1839) 446.  
 DIPTEROCALYX, Cham. in Linnaea, vii. (1831) 241.  
 PANOPE, Rafin. Fl. Tellur. ii. 103 (1836).  
 PHYLA, Lour. Fl. Cochinch. 66 (1790).  
 PIARIMULA, Rafin. Fl. Tellur. ii. 102 (1836).  
 PLATONIA, Rafin. in Med. Repos. N. York, v. (1808) 352.  
 ZAPANIA, Lam. Illustr. t. 17, textu, n. 42 (1791).  
*acuminata*, Wright, ex Griseb. Cat. Pl. Cub. 215.—Cuba.  
*acutidens*, Mart. & Schau. in DC. Prod. xi. 590.—Bras.  
*adoënsis*, Hochst. in Flora, xxiv. (1841) i. Intell. 23, nomen; Schau. l. c. 578.—Abyssin.  
*aegyptiaca*, Carr. in Rev. Hortie. (1872) 316.—Aegypt.  
*affinis*, Schau. in DC. Prod. xi. 576.—Bras.  
*alnifolia*, Schau. l. c. 588.—Bras.  
*americana*, Linn. Sp. Pl. 633.—Mexic.  
*angustifolia*, Cham. in Linnaea, vii. (1832) 377.—Bras.  
*argyrophylla*, Schau. in DC. Prod. xi. 581.—Hab. ?  
*aristata*, Schau. l. c.—Bras.  
*asperifolia*, Poepp. ex Cham. in Linnaea, vii. (1832) 215 = *geminata*.  
*asperifolia*, Reichb. Ic. Exot. Bot. ii. 27. t. 169 = *dulcis*.  
*asperifolia*, Rich. Cat. Hort. Med. Par. 67.—Am. austr.  
*asprerrima*, Cham. in Linnaea, vii. (1832) 215.—Bras.  
*attenuata*, Mart. in Flora, xxi. (1838) ii. Beibl. 59 = *veronioides*.  
*Berlandieri*, Torr. Bot. Mex. Bound. 127 = *graveolens*.  
*Berterii*, Spreng. Syst. ii. 752.—Bras.  
*betulaefolia*, H. B. & K. Nov. Gen. et Sp. ii. 264.—Venezuela.  
*bicolor*, Kunth & Bouché, Ind. Sem. Hort. Berol. (1845) 10 = *callicarpaefolia*.  
*bicolor*, Mart. & Schau. in DC. Prod. xi. 587.—Bras.  
*bracteata*, Hort. ex Rev. Hortie. (1881) 380.—Hab. ?  
*caffra*, Sond. in Linnaea, xxiii. (1850) 88.—Afr. austr.  
*callicarpaefolia*, H. B. & K. Nov. Gen. et Sp. ii. 268.—Mexic.  
*calocephala*, Zucc. Del. Sem. Hort. Monac. (1846) 4 = *callicarpaefolia*.  
*canescens*, H. B. & K. Nov. Gen. et Sp. ii. 263.—Peruv.  
*capensis*, Spreng. Syst. ii. 751 = *asperifolia*.  
*cardiostegia*, Benth. Bot. Voy. Sulph. 153.—Mexic.

LIPPIA :—  
*chamaedrifolia*, Steud. Nom. ed. II. ii. 54.—Bras.  
*Chamissonis*, D. Dietr. Syn. Pl. iii. 598 = *Lantana Chamissonis*.  
*chilensis*, Schau. in DC. Prod. xi. 573.—Chili.  
*citrata*, Willd. ex Cham. in Linnaea, vii. (1832) 214 = *geminata*.  
*citriodora*, H. B. & K. Nov. Gen. et Sp. ii. 269.—Am. austr.  
*Claussenii*, Turcz. in Bull. Soc. Nat. Mosc. xxxvi. (1863) ii. 204.—Bras.  
*cordata*, Turcz. l. c. 205.—Bras.  
*corymbosa*, Cham. in Linnaea, vii. (1832) 219.—Bras.  
*cuneifolia*, Steud. Nom. ed. II. ii. 54.—N. Mexic.  
*cuneifolia*, Zipp. ex Span. in Linnaea, xv. (1841) 330, nomen.—Ins. Timor.  
*cylindrica*, Scheele, in Linnaea, xvii. (1843) 351 = *Stachytarpheta cayennensis*.  
*cymosa*, Sw. Prod. Veg. Ind. Occ. 93 (Rubiaceae).—Jamaica.  
*densispicata*, Kunth & Bouché, Ind. Sem. Hort. Berol. (1847) 12.—Am. austr.  
*deserticola*, Phil. in Anal. Univ. Chil. (1865) ii. 350.—Chili.  
*dracocephaloides*, Turcz. in Bull. Soc. Nat. Mosc. xxxvi. (1863) ii. 205.—Bras.  
*dulcis*, Trevir. in Nov. Act. Nat. Cur. xiii. (1826) 187.—Cuba.  
*Echinus*, Spreng. Syst. iv. Cur. Post. 351 = *Hyptis Sideritis*.  
*elegans*, Cham. in Linnaea, vii. (1832) 225 = *organoides*.  
*elliptica*, Schau. in DC. Prod. xi. 593.—Bras.  
*eupatorioides*, St. Lag. in Ann. Soc. Bot. Lyon, vii. (1880) 129 = seq.  
*Eupatorium*, Schau. in DC. Prod. xi. 592.—Bras.  
*ferruginea*, H. B. & K. Nov. Gen. et Sp. ii. 265.—Peruv.  
*filifolia*, Mart. & Schau. in DC. Prod. xi. 586.—Bras.  
*filiformis*, Schrad. Ind. Sem. Hort. Gotting. (1834); ex Schau. l. c. 585 = *canescens*.  
*floribunda*, H. B. & K. Nov. Gen. et Sp. ii. 267 = *americana*.  
*florida*, Cham. in Linnaea, vii. (1832) 221.—Bras.  
*foliolosa*, Phil. Sert. Mendoc. Alt. 34.—Chili.  
*fragrans*, Turcz. in Bull. Soc. Nat. Mosc. xxxvi. (1863) ii. 203.—Chili.  
*Gardneriana*, Schau. in DC. Prod. xi. 592.—Bras.  
*geminata*, H. B. & K. Nov. Gen. et Sp. ii. 266.—Am. bor. et austr.  
*glabrescens*, Meissn. ex Walp. Rep. iv. 56 = *hirta*.  
*glandulosa*, Schau. in DC. Prod. xi. 577.—Bras.  
*gracilis*, Schau. l. c. 576.—Bras.  
*grandiflora*, Mart. & Schau. l. c. 591.—Bras.  
*grandifolia*, Hochst. ex A. Rich. Tent. Fl. Abyss. ii. 167.—Abyss.  
*grata*, Schau. in DC. Prod. 576.—Bras.  
*graveolens*, H. B. & K. Nov. Gen. et Sp. ii. 267.—Am. bor. et austr.  
*guayaquilensis*, Turcz. in Bull. Soc. Nat. Mosc. xxxvi. (1863) ii. 202.—Ecuador.  
*hastulata*, Hieron. in Bol. Acad. Nac. Córdoba, iv. (1881) 407.—Reg. Argent.  
*havanensis*, Turcz. in Bull. Soc. Nat. Mosc. xxxvi. (1863) ii. 202.—Cuba.  
*hederaefolia*, Mart. & Schau. in DC. Prod. xi. 593.—Bras.  
*hemisphaerica*, Jacq. Enum. Pl. Carib. 25; Select. Am. 176.—Am. austr.  
*herbacea*, Mart. ex Schau. in DC. Prod. xi. 589.—Bras.  
*hermannioides*, Cham. in Linnaea, vii. (1832) 219.—Bras.  
*hieracifolia*, Cham. l. c. 375.—Bras.  
*hirsuta*, Linn. f. Suppl. 288.—N. Granat.  
*hirta*, Meissn. ex Walp. Rep. iv. 56; Schau. in DC. Prod. xi. 579.—Bras.  
*hyptoides*, Benth. Pl. Hartw. 122 = *americana*.  
*integrifolia*, Hieron. in Bol. Acad. Nac. Córdoba, iv. (1881) 406.—Reg. Argent.  
*intermedia*, Cham. in Linnaea, vii. (1832) 378.—Bras.  
*iodophylla*, Schau. in DC. Prod. xi. 588.—Bras.  
*iresinoides*, Griseb. in Goett. Abh. xxiv. (1879) 278.—Reg. Argent.  
*javanica*, Spreng. Syst. ii. 752.—Java.  
*juncea*, Schau. in DC. Prod. xi. 573 = *Baillonia juncea*.  
*kituensis*, Vatke, in Linnaea, xliii. (1880–82) 528.—Afr. trop.  
*lacunosa*, Mart. & Schau. in DC. Prod. xi. 590.—Bras.

LIPPIA :—  
*lanata*, Walp. Rep. iv. 43.—Mexic.  
*lanceolata*, Michx. Fl. Bor. Am. ii. 15.—Am. bor.  
*lantanifolia*, Griseb. in Goett. Abh. xix. (1874) 242.—Reg. Argent.  
*lantanifolia*, F. Muell. Fragm. vi. 151.—Austral.  
*lasiocalycina*, Cham. in Linnaea, vii. (1832) 231.—Bras.  
*ligustrifolia*, Thuret, ex Decne. in Fl. des Serres, xxii. (1877) 11.—Hab. ?  
*linearis*, H. B. & K. Nov. Gen. et Sp. ii. 262.—N. Granat.  
*lupulina*, Cham. in Linnaea, vii. (1832) 222.—Bras.  
*lycioides*, Steud. Nom. ed. II. ii. 54.—Am. bor. et austr.  
*macrophylla*, Cham. in Linnaea, vii. (1832) 213 = *Lantana macrophylla*.  
*macrostachya*, S. Wats. in Proc. Am. Acad. xviii. (1882–83) 134.—N. Mexic.  
*marrubifolia*, Reichardt, in Verh. Zool.-Bot. Ges. Wien, xxxiii. (1884) 322.—Bras.  
*Martiana*, Schau. in DC. Prod. xi. 578.—Bras.  
*megapotamica*, Spreng. Syst. iv. Cur. Post. 231.—Bras.  
*microcephala*, Cham. in Linnaea, vii. (1832) 220.—Bras.  
*micromera*, Schau. in DC. Prod. xi. 587.—Ind. occ.  
*microphylla*, Benth. in Hook. Journ. Bot. ii. (1840) 52 = *Schomburgkiana*.  
*microphylla*, Cham. in Linnaea, vii. (1832) 226.—Bras.  
*microphylla*, Phil. in Anal. Univ. Chil. (1865) ii. 350 = *deserticola*.  
*montevidensis*, Spreng. Syst. ii. 751 = *Lantana Sellowiana*.  
*Moritzii*, Turcz. in Bull. Soc. Nat. Mosc. xxxvi. (1863) ii. 204.—Venezuela.  
*myriocephala*, Schlecht. & Cham. in Linnaea, v. (1830) 98.—Mexic.  
*myrtifolia*, Griseb. Cat. Pl. Cub. 215.—Cuba.  
*nana*, Schau. in DC. Prod. xi. 582.—Bras.  
*nepetacea*, Schau. l. c. 577.—Bras.  
*nodiflora*, Cham. in Linnaea, vii. (1832) 213 = *canescens*.  
*nodiflora*, Michx. Fl. Bor. Am. ii. 15.—Amphig. trop.  
*oligophylla*, Baker, in Journ. Linn. Soc. xx. (1863) 225 = *Acrocephalus villosus*.  
*organoides*, H. B. & K. Nov. Gen. et Sp. ii. 267.—Am. trop.  
*ovata*, Linn. Mant. i. 89 = *Microdon ovatus*.  
*oxycnemis*, Schau. in DC. Prod. xi. 589.—Bras.  
*pallenscens*, Benth. Pl. Hartw. 245 = *Lantana canescens*.  
*panamensis*, Turcz. in Bull. Soc. Nat. Mosc. xxxvi. (1863) ii. 201 = *geminata*.  
*pauciserrata*, Turcz. l. c. 203.—N. Granat.  
*peruviana*, Turcz. l. c. 200.—Peruv.  
*Pohlana*, Schau. in DC. Prod. xi. 577.—Bras.  
*polygalaefolia*, Steud. Nom. ed. II. ii. 54.—Bras.  
*polystachya*, Griseb. in Goett. Abh. xix. (1874) 242.—Reg. Argent.  
*Pseudo-thea*, Schau. in DC. Prod. xi. 582.—Bras.  
*pumila*, Cham. in Linnaea, vii. (1832) 218.—Bras.  
*purpurea*, Dum.-Cours. Bot. Cult. ed. II. vii. 131 = *Lantana trifolia*.  
*purpurea*, Jacq. f. Eclog. i. 126. t. 85 = *Lantana purpurea*, Benth. & Hook. f.  
*pyramidata*, Crantz, Inst. i. 546 = *americana*.  
*queretarensis*, H. B. & K. Nov. Gen. et Sp. ii. 264 = *lanceolata*.  
*renifolia*, Turcz. in Bull. Soc. Nat. Mosc. xxxvi. (1863) ii. 204.—Bras.  
*repens*, Hort. ex Vilm. Fl. Pl. Terre, ed. I. 446 = *canescens*.  
*repens*, Spreng. Syst. ii. 752 = *nodiflora*.  
*reptans*, H. B. & K. Nov. Gen. et Sp. ii. 263.—Ind. occ.  
*rhodocnemis*, Mart. & Schau. in DC. Prod. xi. 592.—Bras.  
*Riedeliana*, Schau. l. c. 582.—Bras.  
*rigida*, Schau. l. c. 577.—Bras.  
*rosmarinifolia*, Anderss. in Vet. Akad. Handl. Stockh. 1853 (1855) 198.—Ins. Galap.  
*rotundifolia*, Cham. in Linnaea, vii. (1832) 230.—Bras.  
*rubiginosa*, Gill. ex Ball, in Journ. Linn. Soc. xxi. (1884) 230 = *seriphioides*.  
*rubiginosa*, Schau. in DC. Prod. xi. 574.—Bras.  
*salicifolia*, Anderss. in Vet. Akad. Handl. Stockh. 1853 (1855) 198.—Ins. Galap.  
*salsa*, Griseb. in Goett. Abh. xix. (1874) 243.—Reg. Argent.  
*salsoloides*, Benth. & Hook. f. Gen. ii. 1143.—Reg. Argent.  
*salviacifolia*, Cham. in Linnaea, vii. (1832) 227.—Bras.



**LIPPIA** :—

- sarmentosa*, Spreng. Syst. ii. 752 = *nodiflora*.  
*satureiaefolia*, Mart. & Schau. in DC. Prod. xi. 586.—Bras.  
*scaberrima*, Sond. in Linnaea, xxiii. (1850) 87.—Afr. austr.  
*scabra*, Hochst. in Flora, xxviii. (1845) 68 = *asperifolia*.  
*Schaueriana*, Mart. ex Schau. in DC. Prod. xi. 590.—Bras.  
*Schimperi*, Hochst. in Flora, xxiv. (1841) i. Intell. 23 = *Lantana viburnoides*.  
*Schimperi*, Walp. Rep. iv. 53 = *adoënsis*.  
*Schlumi*, Turcz. in Bull. Soc. Nat. Mosc. xxxvi. (1863) ii. 204.—N. Granat.  
*Schomburgkiana*, Schau. in DC. Prod. xi. 577.—Guiana.  
*scirpea*, Phil. in Linnaea, xxxiii. (1864-65) 196 (= *Dioslea scirpea*).—Chili.  
*scorodonoides*, H. B. & K. Nov. Gen. et Sp. ii. 269.—Ecuador.  
*sericea*, Cham. in Linnaea, vii. (1832) 228.—Bras.  
*seriphioides*, A. Gray, in Proc. Am. Acad. vi. (1862) 49.—Patagon.  
*sidoides*, Cham. in Linnaea, vii. (1832) 224.—Bras.  
*somalensis*, Vatke, l. c. xliii. (1880-82) 527.—Afr. trop.  
*sphacelifolia*, Benth. Pl. Hartw. 245 = *hirsuta*.  
*stachyoides*, Cham. in Linnaea, vii. (1832) 227.—Bras.  
*stoechadifolia*, H. B. & K. Nov. Gen. et Sp. ii. 265.—Ind. occ.  
*strigulosa*, Mart. & Gal. in Bull. Acad. Brux. xi. ii. (1844) 319 = *reptans*.  
*substrigosa*, Turcz. in Bull. Soc. Nat. Mosc. xxxvi. (1863) ii. 202.—Mexic.  
*thymoides*, Mart. & Schau. in DC. Prod. xi. 586.—Bras.  
*trifida*, C. Gay, Fl. Chil. v. 29.—Chili.  
*trifida*, Phil. Fl. Atac. 40 = *deserticola*.  
*triplinervis*, Gardn. in Hook. Lond. Journ. Bot. iv. (1845) 133 = *microcephala*.  
*turbinata*, Griseb. in Goett. Abh. xix. (1874) 243.—Reg. Argent.  
*turnerifolia*, Cham. in Linnaea, vii. (1832) 217.—Bras.  
*ukambensis*, Vatke, l. c. xliii. (1880-82) 528.—Afr. trop.  
*umbellata*, Cav. Ic. ii. 75. t. 194.—Mexic.  
*uncinuligera*, Nees, ex Walp. in Nov. Act. Nat. Cur. xix. Suppl. i. (1843) 377 = *canescens*.  
*urticoides*, Steud. Nom. ed. II. ii. 51.—Bras.  
*valerianoides*, Walp. in Nov. Act. Nat. Cur. xix. Suppl. i. (1843) 377 (*Valeriana* sp.).—Peruv.  
*velutina*, Schau. in DC. Prod. xi. 576.—Bras.  
*vernonioides*, Cham. in Linnaea, vii. (1832) 232.—Bras.  
*virgata*, Steud. Nom. ed. II. ii. 751, sphalm. = *urticoides*.  
*Wrightii*, A. Gray, in Am. Journ. Sc. Ser. II. xvi. (1853) 98, nomen; Torr. Bot. Mex. Bound. 126.—Mexic.; Arizona.

- LIPUSA**, Alef. Landw. Fl. 26 (1866) = **Phaseolus**, Linn. (Legumin.).  
*formosa*, Alef. in Bot. Zeit. xxiv. (1866) 254 = *P. formosus*.  
*multiflora*, Alef. Landw. Fl. 26 = *P. multiflorus*.

**LIQUIDAMBAR**, Linn. Hort. Cliff. 486 (1737).

- HAMAMELIDEAE**, Benth. & Hook. f. i. 669.  
*acerifolia*, Maxim. in Bull. Acad. Pétersb. x. (1866) 486 = *formosana*.  
*Altingia*, Blume, Fl. Jav. Balsam. 8. tt. 1, 2 = seq.  
*Altingiana*, Blume, Bijdr. 527 = *Altingia excelsa*.  
*Altingiana*, Teijsm. ex A. DC. in DC. Prod. xvi. ii. 158 = *Bucklandia populnea*.  
*asplenifolia*, Linn. Sp. Pl. ed. II. 1418 = *Myrica Comptonia*.  
*barbata*, Stokes, Bot. Mat. Med. iv. 332 = *styraciflua*.  
*chinensis*, Champ. ex Benth. in Hook. Kew Journ. iv. (1852) 164 = *Altingia chinensis*.  
*formosana*, Hance, in Ann. Sc. Nat. Sér. V. v. (1866) 215.—China.  
*gummifera*, Salisb. Prod. 393 = *L. styraciflua*.  
*imberbis*, Ait. Hort. Kew. ed. I. iii. 365 = *orientalis*.  
*macrophylla*, Oerst. Am. Centr. 16 t. 10, 11.—Am. centr.  
*Maximowiczii*, Miq. Ann. Mus. Bot. Lugd. Bat. iii. 200 = *formosana*.

**LIQUIDAMBAR** :—

- orientalis*, Mill. Gard. Dict. ed. VIII. n. 2.—As. Min.  
*peregrina*, Linn. Sp. Pl. 999 = *Myrica Comptonia*.  
*Rasamala*, Blume, Cat. Gew. Buitenz. 6 = *Altingia excelsa*.  
*styraciflua*, Linn. Sp. Pl. 999.—Am. bor.  
*tricuspis*, Miq. Fl. Ind. Bat. i. i. 1097 = *Bucklandia populnea*.

- LIQUIRITIA**, Medic. in Vorles. Churpf. Phys. Ges. ii. (1787) 367 = **Glycyrrhiza**, Linn. (Legumin.).  
*lepidota*, DC. Prod. ii. 248 = *G. lepidota*.  
*officinalis*, Moench, Meth. 152 = *G. glabra*.  
*offinarum*, Medic. in Vorles. Churpf. Phys. Ges. ii. (1787) 367 = *G. glabra*.

- LIRIACIS**, Rafin. Fl. Tellur. ii. 97 (1836) = **Tulipa**, Tourn. (Liliac.).  
*albiflora*, Rafin. l. c. = *T. stellata*.

- LIRIAMUS**, Rafin. Fl. Tellur. iv. 23 (1836) = **Crinum**, Linn. (Amaryll.).  
*quinqueflorus*, Rafin. l. c. = *C. angustifolium*.

- LIRIANTHE**, Spach, Hist. Vég. Phan. vii. 485 (1839) = **Magnolia**, Linn.  
*grandiflora*, Spach, l. c. = *M. pterocarpa*.

- LIRIODENDRON**, Linn. Sp. Pl. ed. I. 535 (1753).  
**MAGNOLIACEAE**, Benth. & Hook. f. i. 19.

- TULIPIFERA**, Herm. ex Mill. Gard. Dict. ed. VI. (1752).  
*Coco*, Lour. Fl. Cochinch. 347 = *Magnolia pumila*.  
*Figo*, Lour. l. c. = *Michelia fuscata*.  
*grandiflora*, Roxb. Hort. Beng. 43; Fl. Ind. ii. 653 = *Magnolia pterocarpa*.  
*heterophylla*, Hort. ex C. Koch, Dendrol. i. 381 = *tulipifera*.  
*indica*, Spreng. Syst. ii. 642 = *Magnolia pterocarpa*.  
*integrifolia*, Hort. ex Steud. Nom. ed. I. 486 = *tulipifera*.  
*lilifera*, Linn. Sp. Pl. ed. II. 755 = *Magnolia pumila*.  
*lilifera*, Roxb. Hort. Beng. 43; Fl. Ind. ii. 654 = *Talauma Rabaniana*.  
*liliflora*, Steud. Nom. ed. II. ii. 55 = *Magnolia obovata*.  
*obtusiloba*, Hort. ex C. Koch, Dendrol. i. 381 = *tulipifera*.  
*procera*, Salisb. Prod. 379 = *tulipifera*.  
*truncatifolia*, Stokes, Bot. Mat. Med. iii. 233 = *tulipifera*.  
*tulipifera*, Linn. Sp. Pl. 535.—Am. bor.; China?  
*tulipiflora*, St. Lag. in Ann. Soc. Bot. Lyon, vii. (1880) 129 = *praec.*

- LIRIODENDRUM**, Linn. Coroll. 9. (1737) = *praec.*

- LIRIOPE**, Herb. App. 41 (1821) = **Elisena**, Herb. (Amaryll.).  
*ringens*, Herb. l. c. 42 = *E. ringens*.

- LIRIOPE**, Lour. Fl. Cochinch. 200 (1790). **HAEMODORACEAE**, Benth. & Hook. f. iii. 678.  
**OPHIPOGON**, Kunth, Enum. Pl. v. 297 (1850).  
*graminifolia*, Baker, in Journ. Linn. Soc. xiv. (1875) 538; xvii. (1879) 499 = *spicata*.  
*spicata*, Lour. Fl. Cochinch. 201.—China; Cochinch.

- LIRIOPE**, Salisb. Gen. Pl. Fragm. 74 (1866) = **Reineckia**, Kunth (Liliac.).

- LIRIOPOGON**, Rafin. Fl. Tellur. ii. 35 (1836) = **Tulipa**, Tourn. (Liliac.).  
*biflorum*, Rafin. l. c. = *T. biflora*.  
*Celsianum*, Rafin. l. c. = *T. australis*.  
*sylvestre*, Rafin. l. c. = *T. sylvestris*.

- LIRIOPSIS**, Reichb. Consp. 62 (1828) = **Elisena**, Herb. (Amaryll.).  
*longipetala*, M. Roem. Syn. Ens. 184 = seq.?  
*ringens*, Reichb. ex M. Roem. l. c. 183 = *E. ringens*.

- LIRIOPSIS**, Spach, Hist. Vég. Phan. vii. 460 (1839) = **Michelia**, Linn. (Magnol.).  
*fuscata*, Spach, l. c. 461 = *M. fuscata*.

- LIRIOSMA**, Poepp. & Endl. Nov. Gen. et Sp. iii. 33. t. 239 (1842). **OLACINEAE**, Benth. & Hook. f. i. 347.

- DULACIA**, Vell. Fl. Flum. i. t. 78 (1827).  
**HYPOCARPUS**, A. DC. in DC. Prod. viii. 245, 673 (1844).  
*acuta*, Miers, in Ann. & Mag. Nat. Hist. Ser. III. iv. (1859) 363.—Bras.  
*adhaerens*, Spruce, ex Engl. in Mart. Fl. Bras. xii. ii. 26.—Bras.; Peruv.  
*candida*, Poepp. & Endl. Nov. Gen. et Sp. iii. 33. t. 239.—Am. austr.  
*Gardneriana*, A. DC. in DC. Prod. viii. 673.—Bras.  
*grandiflora*, Engl. in Mart. Fl. Bras. xii. ii. 25.—Bras.  
*guianensis*, Engl. l. c.—Guian.  
*inopiflora*, Miers, in Ann. & Mag. Nat. Hist. Ser. III. iv. (1859) 362.—Bras.  
*macrophylla*, Benth. ex Miers, l. c. 364.—Bras.  
*micrantha*, Spruce, ex Engl. in Mart. Fl. Bras. xii. ii. 28 = *inopiflora*.  
*ovata*, Miers, in Ann. & Mag. Nat. Hist. Ser. III. iv. (1859) 363.—Bras.  
*pallida*, Miers, l. c. 362.—Bras.  
*pauciflora*, A. DC. in DC. Prod. viii. 673.—Bras.  
*Pohlana*, Engl. in Mart. Fl. Bras. xii. ii. 33.—Bras.  
*Spruceana*, Engl. l. c. 24.—Peruv.  
*Velloziana*, A. DC. in DC. Prod. viii. 673.—Bras.

- LIRIUM**, Linn. Syst. ed. I. (1735); J. G. Gmel. Fl. Sibir. i. 41 (1747) = **Lilium**, Tourn.

- LISAEA**, Boiss. in Ann. Sc. Nat. Sér. III. ii. (1844) 54 = **Caucalis**, Tourn. (Umbellif.).  
*grandiflora*, Boiss. l. c. = *C. grandiflora* (in Addend.).  
*heterocarpa*, Boiss. Fl. Orient. ii. 1088 = *C. grandiflora* (in Addend.).  
*papyracea*, Boiss. in Ann. Sc. Nat. Sér. III. ii. (1844) 55.—As. Min.  
*syrica*, Boiss. l. c.—Syria.

- LISIANTHUS**, P. Br. Hist. Jamaic. 157 (1756) = seq.

- LISIANTHUS**, Linn. Mant. i. 6 (1767). **GENTIANEA**, Benth. & Hook. f. ii. 813.  
*HELIA*, Mart. Nov. Gen. et Sp. ii. 122. t. 191 (1827).  
*IRLBACHIA*, Mart. l. c. 101. t. 179 (1827).  
**LEIOTHAMNUS**, Griseb. Gen. et Sp. Gent. 205 (1839).  
**SCHLIMIA**, Regel, in Act. Hort. Petrop. iii. ii. (1875) 285.  
**SYMBOLANTHUS**, G. Don, Gen. Syst. iv. 210 (1837).  
**WALLISIA**, Regel, Gartenfl. xxiv. (1875) 230. t. 839.  
*acuminatus*, Desr. in Lam. Encyc. iii. 660 = *frigidus*.  
*acutangulus*, Mart. in Flora, xxi. (1838) ii. Beibl. 49.—Bras.  
*acutangulus*, Ruiz & Pav. Fl. Per. ii. 14 = *tetragonus*.  
*alatus*, Aubl. Pl. Gui. i. 204.—Guian.  
*alatus*, Willd. ex Griseb. Gen. et Sp. Gent. 185 = *trifidus*.  
*albus*, Spruce, ex Prog. in Mart. Fl. Bras. vi. i. 237.—Bras.  
*alpestris*, Mart. Nov. Gen. et Sp. ii. 93. t. 171.—Bras.  
*amoenus*, Miq. in Linnaea, xix. (1847) 139 = *uliginosus*.  
*amplissimus*, Mart. Nov. Gen. et Sp. ii. 96. t. 175.—Bras.  
*angustifolius*, H. B. & K. Nov. Gen. et Sp. iii. 181.—Venezuela.  
*angustifolius*, Mart. Nov. Gen. et Sp. ii. 99. t. 178 = *tenuifolius*.  
*anomalus*, H. B. & K. Nov. Gen. et Sp. iii. 184.—N. Granat.; Peruv.  
*aphyllus*, Vell. Fl. Flum. 78; ii. t. 80.—Bras.  
*arboreus*, Spruce, ex Prog. in Mart. Fl. Bras. vi. i. 240.—Bras.  
*auriculatus*, Benth. Pl. Hartw. 226.—N. Granat.  
*bifidus*, H. B. & K. Nov. Gen. et Sp. iii. 181.—Venezuela.  
*breviflorus*, Benth. in Hook. Journ. Bot. ii. (1840) 45 = *Pagaea breviflora*.  
*brevifolius*, Griseb. Gen. et Sp. Gent. 187.—Bras.  
*caerulescens*, Aubl. Pl. Gui. i. 207.—Am. austr.  
*callosus*, Bert. ex Spreng. Syst. i. 585 = *Leianthus exsertus*.  
*calygonus*, Ruiz & Pav. Fl. Per. ii. 14.—Peruv.  
*campanulaceus*, Desr. in Lam. Encyc. iii. 660.—Am. austr.



**LISIANTHUS:**

- campanuloides, *Spruce, ex Benth. in Hook. Kew Journ.* vi. (1854) 201.—Bras.  
 carinatus, Desr. in *Lam. Encyc.* iii. 658 = *Tachiadenus carinatus*.  
 chelonoides, *Linn. f. Suppl.* 134.—Am. austr.  
 coerulescens, Auct. = caerulea.  
 cordifolius, *Linn. Mant.* i. 43 = *Leianthus longifolius*.  
 corymbosus, *Ruiz & Pav. Fl. Per.* ii. 14 = glaber.  
 crassicaulis, *Mart. & Gal. in Bull. Acad. Brux.* xi. 1. (1844) 374.—Mexic.  
 cuspidatus, *Bertol. in Nov. Comm. Bonon.* iv. (1840) 408 = *Leianthus nigrescens*.  
 daturoides, *Griseb. Gen. et Sp. Gent.* 177.—Peruv.  
 densiflorus, *Benth. Pl. Hartw.* 227.—N. Granat.  
 elegans, *Mart. Nov. Gen. et Sp.* ii. 98. t. 177.—Bras.  
 Elisabethae, *Griseb. in Linnaea*, xxii. (1849) 40.—Guian.  
 exaltatus, Desr. in *Lam. Encyc.* iii. 662 = *Eustoma silenifolium*.  
 exsertus, *Sw. Prod. Veg. Ind. Occ.* 40 = *Leianthus exsertus*.  
 fistulosus, *Poir. in Lam. Encyc. Suppl.* iii. 564.—Am. austr.  
 frigidus, *Sw. Prod. Veg. Ind. Occ.* 40.—Ind. occ.  
 glaber, *Linn. f. Suppl.* 134.—Am. austr.  
 glandulosus, *A. Rich. Fl. Cub. Phanerog.* ii. 102.—Cuba.  
 glaucifolius, *Jacq. Coll.* i. 64 = *Eustoma silenifolium*.  
 glaucifolius, *Nutt. in Trans. Am. Phil. Soc.* v. (1837) 197 = *Eustoma Russellianum*.  
 gracilis, *Griseb. Gen. et Sp. Gent.* 182 = uliginosus.  
 grandiflorus, *Aubl. Pl. Gui.* i. 205.—Am. austr.  
 grandiflorus, *Willd. ex Griseb. Gen. et Sp. Gent.* 182 = uliginosus.  
 inflatus, *Mart. Nov. Gen. et Sp.* ii. 95. t. 174 = speciosus.  
 Kunthii, *G. Don, Gen. Syst.* iv. 208 = angustifolius.  
 latifolius, *Sw. Prod. Veg. Ind. Occ.* 40 = *Leianthus latifolius*.  
 leucanthus, *Lyall, ex Griseb. Gen. et Sp. Gent.* 202 = *Tachiadenus longiflorus*.  
 longiflorus, *Boj. ex Griseb. l. c.* = *Tachiadenus longiflorus*.  
 longiflorus, *Willd. ex Roem. & Schult. Syst.* iv. 787 = *Escobedia scabrifolia*.  
 longifolius, *Linn. Mant.* i. 43 = *Leianthus longifolius*.  
 loranthoides, *Griseb. Gen. et Sp. Gent.* 179.—Peruv.  
 luteus, *Rafin. Atl. Journ.* 146 (Quid?).—Am. bor.  
 macranthus, *Benth. Pl. Hartw.* 144.—Ecuador.  
 macrophyllus, *Cham. & Schlecht. in Linnaea*, i. (1826) 200 = obtusifolius.  
 macrophyllus, *H. B. & K. Nov. Gen. et Sp.* iii. 183.—N. Granat.  
 madagascariensis, *Spreng. Syst.* i. 586 = *Tachiadenus trinervis*.  
 Martii, *Griseb. Gen. et Sp. Gent.* 187.—Bras.  
 Mathewii, *Griseb. l. c.* 361.—Peruv.  
 neroides, *Griseb. in Linnaea*, xxii. (1849) 39.—N. Granat.  
 nigrescens, *Cham. & Schlecht. l. c.* vi. (1831) 388 = *Leianthus nigrescens*.  
 oblongifolius, *Griseb. Gen. et Sp. Gent.* 187.—Bras.  
 obtusifolius, *Griseb. l. c.* 175.—Bras.  
 Oerstedii, *Griseb. in Kjoeb. Vidensk. Meddel.* (1853) 54 = alatus.  
 Ophiorrhiza, *Vell. Fl. Flum.* 77; ii. t. 78 = *Metterichia principis*.  
 ovalis, *Ruiz & Pav. Fl. Per.* ii. 13.—Peruv.  
 ovatifolius, *Vell. Fl. Flum.* 78; ii. t. 79 = alpestris?  
 paniculatus, *Spreng. Syst. iv. Cur. Post.* 340.—Bras.  
 parvifolius, Desr. in *Lam. Encyc.* iii. 660 = caerulea.  
 pedunculatus, *Schlecht. ex Spreng. Syst. iv. Cur. Post.* 59, 339 = elegans.  
 pendulus, *Mart. Nov. Gen. et Sp.* ii. 94. t. 172.—Bras.  
 pratensis, *H. B. & K. Nov. Gen. et Sp.* iii. 180.—Venezuela.  
 Princeps, *Lindl. in Journ. Hort. Soc.* iv. (1849) 261.—N. Granat.  
 pulcher, *Hook. Bot. Mag.* t. 4424.—N. Granat.  
 pulcherrimus, *Mart. Nov. Gen. et Sp.* ii. 97.—Bras.  
 pumilus, *Benth. in Hook. Kew Journ.* vi. (1854) 200.—Bras.  
 purpurascens, *Aubl. Pl. Gui.* i. 201.—Am. austr.  
 purpurascens, *H. B. & K. Nov. Gen. et Sp.* iii. 182 = uliginosus.  
 racemosus, *Willd. ex Griseb. Gen. et Sp. Gent.* 186 = bifidus.  
 ramosissimus, *Benth. in Hook. Kew Journ.* vi. (1854) 200.—Bras.

VOL. II.

**LISIANTHUS:**

- recurvus, *Benth. in Hook. Kew Journ.* vi. (1854) 201 = *Pagaea recurva*.  
 revolutus, *Poepp. ex Griseb. in DC. Prod.* ix. 77 = glaber.  
 revolutus, *Ruiz & Pav. Fl. Per.* ii. 14.—Peruv.  
 Russellianus, *Hook. Bot. Mag.* t. 3626 = *Eustoma Russellianum*.  
 saponarioides, *Cham. & Schlecht. in Linnaea*, vi. (1831) 389 = *Leianthus saponarioides*.  
 scandens, *Spreng. Syst.* i. 587 = *Coutoubea volubilis*.  
 Schomburgkii, *Griseb. in DC. Prod.* ix. 75.—Guian.  
 sempervirens, *Mill. ex Steud. Nom. ed. l.* 486 = *Gelsemium sempervirens*.  
 spatulatus, *H. B. & K. Nov. Gen. et Sp.* iii. 181.—N. Granat.  
 speciosus, *Cham. & Schlecht. in Linnaea*, i. (1826) 198.—Am. austr.  
 splendens, *Hook. Lond. Journ. Bot.* vi. (1847) 264.—N. Granat.  
 Spruceanus, *Benth. in Hook. Kew Journ.* vi. (1854) 202.—Bras.  
 subcordatus, *Benth. l. c.* 200 = *Pagaea subcordata*.  
 tenuifolius, *Spreng. Syst. iv. Cur. Post.* 339.—Bras.  
 tetragono-alatus, *Steud. Nom. ed. II.* ii. 55 = acut-angulus.  
 tetragonus, *Benth. Pl. Hartw.* 68.—Mexic.  
 thamnoides, *Griseb. Fl. Brit. W. Ind.* 424.—Ind. occ.  
 trifidus, *H. B. & K. Nov. Gen. et Sp.* iii. 182.—N. Granat.  
 trinervis, Desr. in *Lam. Encyc.* iii. 659 = *Tachiadenus trinervis*.  
 tubiflorus, *Thou. ex Roem. & Schult. Syst.* iv. 788 = *Tachiadenus tubiflorus*.  
 uliginosus, *Griseb. Gen. et Sp. Gent.* 181.—Am. austr.  
 umbellatus, *Sw. Prod. Veg. Ind. Occ.* 40 = *Leianthus umbellatus*.  
 vasculosus, *Griseb. in Linnaea*, xxii. (1849) 37.—Venezuela.  
 virgatus, *Boj. ex Griseb. in DC. Prod.* ix. 79, 82 = *Tachiadenus gracilis*.  
 virgatus, *Prog. in Mart. Fl. Bras.* vi. i. 239.—Bras.  
 viridiflorus, *Mart. Nov. Gen. et Sp.* ii. 94.—Bras.  
 viscosus, *Ruiz & Pav. Fl. Per.* ii. 14.—Peruv.  
 volubilis, *Salisb. Prod.* 137 = *Gelsemium sempervirens*.  
 zeylanicus, *Spreng. Syst.* i. 586 = *Exacum Wightianum*.
- LISIMACHIA**, Neck. Delic. Gallo-Belg. i. 108 (1768) = **Lysimachia**, *Linn.* (Primul.).
- LISIONOTUS**, *Reichb. Handb.* 199 (1837) = **Lysionotus**, *D. Don* (Gesnerac.).
- LISSANTHE**, *R. Br. Prod.* 540 (1810). **EPA-CRIDEAE**, *Benth. & Hook. f. ii.* 613.  
 acerosa, *Spreng. Syst.* i. 660 = *Cyathodes acerosa*.  
 ciliata, *R. Br. Prod.* 541 = *Brachyloma ciliatum*.  
 Cunninghamii, *DC. Prod.* vii. 743 = *Brachyloma daphnoides*.  
 daphnoides, *R. Br. Prod.* 541 = *Brachyloma daphnoides*.  
 depressa, *F. Muell. Fragm.* i. 36 = *Brachyloma depressum*.  
 divaricata, *Hook. f. in Hook. Lond. Journ. Bot.* vi. (1847) 269 = *Cyathodes divaricata*.  
 intermedia, *A. Cunn. ex DC. Prod.* vii. 742 = strigosa.  
 montana, *R. Br. Prod.* 540.—Austral.  
 mucronata, *DC. Prod.* vii. 743.—Austral.  
 Oxycedrus, *Spreng. Syst.* i. 660 = *Cyathodes acerosa*.  
 parvifolia, *Spreng. l. c.* = *Cyathodes parvifolia*.  
 propinqua, *A. Cunn. ex DC. Prod.* vii. 742 = *Leucopogon juniperinus*.  
 rigida, *Benth. in Enum. Pl. Hueg.* 76 = strigosa.  
 sapida, *R. Br. Prod.* 540.—Austral.  
 stellata, *Knowles & Westc. Flor. Cab.* iii. (1840) 79 = *Brachyloma daphnoides*.  
 strigosa, *R. Br. Prod.* 540.—Austral.  
 strigosa, *Sieber, ex DC. Prod.* vii. 751 = *Leucopogon juniperinus*.  
 subulata, *R. Br. Prod.* 540 = strigosa.  
 ulicina, *A. Cunn. ex DC. Prod.* vii. 743 = strigosa.  
 verticillata, *Lindl. Swan River App.* 25 = *Leucopogon verticillatus*.
- LISSERA**, *Steud. Nom. ed. II.* i. 669, in syn. (1840) = **LISTERA**, *Adans.* = **Genista**, *Linn.* (Legum.).  
 anglica, *Fourr. in Ann. Soc. Linn. Lyon*, N. S. xvi. (1868) 357 = *G. anglica*.  
 germanica, *Fourr. l. c.* 358 = *G. germanica*.  
 hispanica, *Fourr. l. c.* = *G. hispanica*.

**LISSOCARPA**, *Benth. in Benth. & Hook. f. Gen.* ii. 671 (1876). **STYRACEAE**, *Benth. & Hook. f. l. c.*

**LISSOCHILUS**, *Bartl. Ord.* 57 (1830) = seq.

- LISSOCHILUS**, *R. Br. in Lindl. Bot. Reg.* t. 573 (err. typ. 578) (1821); *Coll. Bot.* t. 31 (1822). **ORCHIDEAE**, *Benth. & Hook. f. iii.* 536.  
 HYPODEMATIUM, *A. Rich. Tent. Fl. Abyss.* ii. 286. t. 83 (1851).  
 aequalis, *Lindl. in Hook. Comp. Bot. Mag.* ii. (1836) 204.—Afr. austr.  
 Alexandri, *Reichb. f. in Flora*, lxxv. (1882) 532.—Afr. trop.  
 amazonicus, *Rodrig. Orch. Nov.* i. 89.—Bras.  
 angoanensis, *Reichb. f. in Flora*, xlvi. (1865) 188 = *Galeandra anjoanensis*.  
 angolensis, *Reichb. f. Otia Bot. Hamb.* 64.—Afr. trop.  
 antennisepalus, *Reichb. f. in Flora*, lxxv. (1882) 533.—Afr. trop.  
 arabicus, *Lindl. Gen. et Sp. Orch.* 192.—Arab.  
 arenarius, *Lindl. in Journ. Linn. Soc.* vi. (1862) 133.—Afr. trop.  
 aurantiacus, *Reichb. f. in Flora*, xlvi. (1865) 187.—Afr. trop.  
 Bouliawongo, *Reichb. f. l. c.* 188 = *Galeandra Bouliawongo*.  
 Buchananii, *Reichb. f. Otia Bot. Hamb.* 64.—Afr. trop.  
 calopterus, *Reichb. f. in Bonplandia*, iii. (1855) 218.—Afr. trop.  
 caricifolius, *Reichb. f. in Linnaea*, xli. (1877) 74.—Afr. trop.  
 clitellifer, *Reichb. f. l. c.* xx. (1847) 687.—Afr. austr.  
 dilectus, *Reichb. f. Otia Bot. Hamb.* 62.—Afr. trop.  
 Ehippium, *Reichb. f. in Flora*, lxxv. (1882) 533 (Ehippium).—Afr. trop.  
 fallax, *Reichb. f. Otia Bot. Hamb.* 115.—Afr. trop.  
 Friderici, *Reichb. f. in Flora*, l. (1867) 113.—Afr. trop.  
 giganteus, *Welw. ex Reichb. f. l. c.* xlvi. (1865) 187.—Afr. trop.  
 graniticus, *Reichb. f. Otia Bot. Hamb.* 75.—Abyssin.  
 Grantii, *Reichb. f. in Trans. Linn. Soc.* xxix. (1875) 153.—Afr. trop.  
 heteroglossus, *Reichb. f. Otia Bot. Hamb.* 115.—Afr. trop.  
 Heudelotii, *Reichb. f. l. c.* 63.—Afr. trop.  
 Horsfallii, *Batem. in Hook. Bot. Mag.* t. 5486.—Afr. trop.  
 Krebsii, *Reichb. f. in Linnaea*, xx. (1847) 685.—Afr. austr.  
 Lindleyanus, *Reichb. f. Otia Bot. Hamb.* 65.—Afr. trop.  
 Livingstonianus, *Reichb. f. l. c.* 114.—Afr. trop.  
 longifolius, *Benth. in Hook. Niger Fl.* 530.—Afr. trop.  
 luteus, *Sweet, Hort. Brit.* ed. I. 386, nomen.—Afr. austr.  
 macranthus, *Lindl. Gen. et Sp. Orch.* 191.—Afr. trop.  
 madagascariensis, *Kraentz. in Bremen, Abh.* vii. (1882) 256.—Madag.  
 malanganus, *Reichb. f. in Flora*, lxxv. (1882) 533.—Afr. trop.  
 malangensis, *Reichb. f. Otia Bot. Hamb.* 114.—Afr. trop.  
 Mechowii, *Reichb. f. l. c.* 75.—Afr. trop.  
 microceras, *Reichb. f. l. c.* 115.—Afr. trop.  
 Oliverianus, *Reichb. f. in Trans. Linn. Soc.* xxix. (1875) 154.—Afr. trop.  
 orthoplectrus, *Reichb. f. Otia Bot. Hamb.* 63.—Afr. trop.  
 Paivaeanus, *Reichb. f. in Flora*, xlvi. (1865) 187.—Afr. trop.  
 paludiculus, *Reichb. f. Otia Bot. Hamb.* 63.—Afr. trop.  
 parviflorus, *Lindl. Gen. et Sp. Orch.* 191 = *Eulophus streptopetalus*.  
 platypetalus, *Lindl. in Hook. Comp. Bot. Mag.* ii. (1836) 204.—Afr. austr.  
 platypterus, *Reichb. f. in Flora*, lxxv. (1882) 533.—Afr. trop.  
 porphyroglossus, *Reichb. f. Otia Bot. Hamb.* 61.—Afr. trop.  
 purpuratus, *Lindl. in Journ. Linn. Soc.* vi. (1862) 133.—Afr. trop.  
 pyrophilus, *Reichb. f. Otia Bot. Hamb.* 65.—Afr. trop.  
 Renschianus, *Reichb. f. l. c.* 75.—Afr. trop.  
 Roscheri, *Reichb. f. l. c.* 62.—Afr. trop.  
 roseus, *Lindl. Bot. Reg.* 1843 *Mss.* 26.—Afr. trop.  
 Rueppelii, *Reichb. f. in Linnaea*, xv. (1847) 685.—Abyssin.?  
 Rutenbergianus, *Kraentz. in Bremen, Abh.* vii. (1882) 257.—Madag.



**LISSOCHILUS** :—

Sandersoni, Reichb. f. *Otia Bot. Hamb.* 62.—Afr. austr.  
Schweinfurthii, Reichb. f. l. c. 60.—Afr. trop.  
speciosus, R. Br. ex Lindl. *Coll. Bot.* 31.—Afr. austr.  
*streptopetalus*, Lindl. *Gen. et Sp. Orch.* 191 = *Eulophia*  
*streptopetala*.  
stylites, Reichb. f. *Otia Bot. Hamb.* 61.—Afr. trop.  
Wakefieldi, Reichb. f. & S. Moore, in *Journ. Bot.* xvi.  
(1878) 136.—Afr. trop.  
Welwitschii, Reichb. f. in *Flora*, xlviii. (1865) 188.—  
Afr. trop.

**LISSOSCHILUS**, Hornsch. in *Syll. Ratisb.* i. (1824) 125  
= *praeac.*

**LISTERA**, Adans. *Fam.* ii. 321 (1763).—Cf. **LISSERA**,  
Steud. = **Genista**, Tourn. (*Legum.*).

**LISTERA**, R. Br. in *Ait. Hort. Kew.* ed. II. v. 201  
(1813). **ORCHIDEAE**, Benth. & Hook. f. iii. 595.  
*DIPHRYLLUM*, Rafin. *Med. Repos. N. York*, v. (1808)  
356.

**DISTOMAEA**, Spenn. *Fl. Friburg.* i. 245 (1825).  
**POLLINIRHIZA**, Dulac, *Fl. Hautes-Pyr.* 120 (1867).  
*australis*, Lindl. *Gen. et Sp. Orch.* 456.—Am. bor.  
*Banksiana*, Lindl. l. c. 455 = *Eschscholzia*.  
*convallarioides*, Ell. *Sketch*, ii. 494 = *australis*.  
*convallarioides*, Nutt. *Gen. Am.* ii. 191.—Am. bor.  
*cordata*, R. Br. in *Ait. Hort. Kew.* ed. II. v. 201.—  
Reg. bor. temp.  
*Eschscholzia*, Cham. & Schlecht. in *Linnaea*, iii.  
(1828) 33.—As. bor.  
*japonica*, Blume, *Orch. Archip. Ind.* 136.—Japon.  
*micrantha*, Lindl. in *Journ. Linn. Soc.* i. (1857) 176.  
—Reg. Himal.  
*Nidus-avis*, Hook. *Fl. Lond.* t. 58 = *Neottia Nidus-avis*.  
*ovata*, R. Br. in *Ait. Hort. Kew.* ed. II. v. 201.—  
Europ.; As. bor.  
*pinetorum*, Lindl. in *Journ. Linn. Soc.* i. (1857) 175.  
—Reg. Himal.  
*puberula*, Maxim. in *Bull. Acad. Pétersb.* xxix. (1884)  
204.—China.  
*pubescens*, Ell. *Sketch*, ii. 494 = *Ponthieva glandulosa*.  
*reniformis*, D. Don, *Prod. Fl. Nep.* 28 (= *Neottia*  
*reniformis*).—Ind. or.  
*tenuis*, Lindl. in *Journ. Linn. Soc.* i. (1857) 176.—Reg.  
Himal.

**LISTERIA**, Neck. *Elem.* i. 206 (1790) = **Oldenlandia**,  
Linn. (*Rubiaceae*).

**LISTERIA**, Spreng. *Anleit.* ii. i. 293 (1817) = **Listera**,  
R. Br. (*Orchid.*).

**LISTIA**, E. Mey. *Comm. Pl. Afr. Austr.* 80 (1835).  
**LEGUMINOSAE**, Benth. & Hook. f. i. 476.  
*heterophylla*, E. Mey. l. c. 81.—Afr. austr.

**LISTROSTACHYS**, Reichb. f. in *Bot. Zeit.* x. (1852)  
930 = **Angraecum**, Bory (*Orchid.*).  
*anthomaniaca*, Reichb. f. in *Linnaea*, xli. (1877) 75.—  
Afr. trop.  
*Aphrodite*, Balf. f. & S. Moore, in Baker, *Fl. Maurit.*  
354.—Ins. Rodrig.  
*arcuata*, Reichb. f. in Walp. *Ann.* vi. 907 = *A. arcua-*  
*tum*.  
*ashantensis*, Reichb. f. in Walp. l. c. 908 = *A. ashan-*  
*tense*.  
*capitata*, Reichb. f. in *Flora*, xlviii. (1865) 190 =  
*A. capitatum*.  
*caudata*, Reichb. f. in Walp. *Ann.* vi. 907 = *A. caudatum*.  
*Cephalotes*, Reichb. f. in *Gard. Chron.* (1872) 1687.—  
Afr. trop.  
*Chailluana*, Reichb. f. in *Flora*, lxviii. (1885) 381 =  
*A. Chailluana*.  
*dactyloceras*, Reichb. f. l. c. xlviii. (1865) 190.—Afr.  
trop.  
*fragrantissima*, Reichb. f. l. c. 189.—Afr. trop.  
*Jenischiana*, Reichb. f. in *Bot. Zeit.* x. (1852) 930 =  
*A. pertusum*.  
*monodon*, Reichb. f. in Walp. *Ann.* vi. 908 = *A. mono-*  
*don*.  
*Monteirae*, Reichb. f. in *Linnaea*, xli. (1877) 76.—Afr.  
trop.  
*odoratissima*, Reichb. f. in *Gard. Chron.* (1880) i. 806,  
in obs. = *A. odoratissimum*.

**LISTROSTACHYS** :—

*Papagayi*, Reichb. f. in *Flora*, xlviii. (1865) 189.—Afr.  
trop.  
*parviflora*, S. Moore, in Baker, *Fl. Maurit.* 355 =  
*Angraecum parviflorum*.  
*pellucida*, Reichb. f. in Walp. *Ann.* vi. 908 = *A. pellu-*  
*cidum*.  
*pertusa*, Reichb. f. in *Bot. Zeit.* x. (1852) 930 = *A.*  
*pertusum*.  
*Pescatoriana*, S. Moore, in Baker, *Fl. Maurit.* 354 =  
*A. Pescatorianum*.  
*polystachys*, Reichb. f. in Walp. *Ann.* vi. 909 = *Aeon-*  
*ia polystachya*.  
*ringens*, Reichb. f. in *Gard. Chron.* (1878) ii. 266.—  
Afr. trop.  
*Sedeni*, Reichb. f. l. c. (1878) i. 138 = *A. arcuatum*.  
*subulata*, Reichb. f. in Walp. *Ann.* vi. 909 = *A. subu-*  
*latum*.  
*tridens*, Reichb. f. in *Flora*, xlviii. (1865) 190 =  
*A. tridens*.  
*vesicata*, Reichb. f. l. c. = *A. vesicatum*.  
*Welwitschii*, Reichb. f. l. c.—Afr. trop.

**LISYANTHUS**, Aubl. *Pl. Gui.* i. 201 (1775) = **Lisian-**  
**thus**, Linn. (*Gentian.*).

**LITA**, Schreb. *Gen.* ii. 795 (1791) = **Voyria**, Aubl.  
(*Gentian.*).  
*aphylla*, F. G. Dietr. *Vollst. Lexik. Gaertn.* v. 531 = *V.*  
*aphylla*.  
*breviflora*, Spreng. *Syst.* i. 581 = *V. breviflora*.  
*coerulea*, Willd. *Sp. Pl.* i. 1071 = *V. coerulea*.  
*rosea*, Willd. l. c. = *V. rosea*.  
*spathacea*, Spreng. *Syst.* i. 581 = *V. spathacea*.

**LITANTHES**, Lindl. *Veg. Kingd.* 205 (1847) = seq.

**LITANTHUS**, Harv. in Hook. *Lond. Journ. Bot.* iii.  
(1844) 314. t. 9. **LILIACEAE**, Benth. & Hook. f. iii.  
808.  
*pusillus*, Harv. l. c. 315. t. 9.—Afr. austr.

**LITCHI**, Sonner. *Voy. Ind.* iii. 255 (1782) = **Nephe-**  
**lium**, Linn. (*Sapind.*).  
*chinensis*, Sonner. l. c. = *N. Litchi*.  
*sinensis*, J. F. Gmel. *Syst.* 635 = *N. Litchi*.

**LITHACHNE**, Beauv. *Agrost.* 135. t. 24 (1812) =  
**Olyra**, Linn. (*Gramin.*).  
*axillaris*, Beauv. l. c. 166 = *O. pauciflora*.  
*pauciflora*, Beauv. l. c. 135 = *O. pauciflora*.

**LITHACNE**, Poir. in *Dict. Sc. Nat.* xxvii. 60 (1823) =  
*praeac.*

**LITHAGROSTIS**, Gaertn. *Fruct.* i. 7. t. 1 (1788) =  
**Coix**, Linn. (*Gramin.*).  
*Lachryma-Jobi*, Moench, *Meth.* 209 = seq.  
*Lacryma-Jobi*, Gaertn. *Fruct.* i. 7. t. 1. f. 10 =  
*C. Lacryma-Jobi*.

**LITHANTHUS**, Pfeiff. *Nom.* ii. 136 (1874) = **Litan-**  
**thus**, Harv. (*Liliac.*).

**LITHOBIUM**, Bong. in *Mém. Acad. Pétersb. Sér. VI.*  
iv. ii. Bot. (1835) 140. t. 8. f. 2. **MELASTOMACEAE**,  
Benth. & Hook. f. i. 736.  
**PETROBIUM**, Bong. in *Mém. Acad. Pétersb. Sér. VI.*  
iv. ii. Bot. t. 4 (1838).  
*cordatum*, Bong. l. c. 140.—Bras.

**LITHOCARPOS**, Targ.-Tozz. ex Steud. *Nom. ed. II.* ii.  
56 (1841) = **Cocos**, Linn. (*Palm.*).  
*cocciformis*, Targ.-Tozz. ex Steud. l. c. = *C. lapidea*.

**LITHOCARPUS**, Blume, *Bijdr.* 526 (1825); *Fl. Jav.*  
*Cupul.* 34. t. 20 (1828) = **Quercus**, Tourn. (*Cupul.*).  
*angustifolia*, Miq. *Fl. Ind. Bat.* i. i. 865 (nom. delend.).  
—Sumatra.  
*javanensis*, Blume, *Bijdr.* 526 = *Q. javensis*.  
*scutigera*, Oudem. in *Versl. en Med. Kon. Akad.*  
Wetensch. xii. (1861) 207 = *Q. costata*.

**LITHOCARPUS**, Targ.-Tozz. ex Steud. *Nom. ed. II.* i.  
170. in syn. (1840) = **LITHOCARPOS**, Targ.-Tozz.  
= **Cocos**, Linn. (*Palm.*).

**LITHOCNIDES**, Rafin. *Fl. Tellur.* iii. 48 (1836) =  
**Rousselia**, Gaudich. (*Urtic.*).  
*lappulacea*, Rafin. l. c. = *R. lappulacea*.

**LITHODORA**, Griseb. *Spicil. Fl. Rumel.* ii. 85 (1844)  
= **Lithospermum**, Tourn. (*Boragin.*).  
*calabra*, Griseb. l. c. = *Lithosp. calabrum*.  
*fruticosa*, Griseb. l. c. = *Lithosp. fruticosum*.  
*graminifolia*, Griseb. l. c. = *Lithosp. graminifolium*.  
*hispidula*, Griseb. l. c. = *Lithosp. hispidulum*.  
*oleifolia*, Griseb. l. c. = *Lithosp. oleaefolium*.  
*prostrata*, Griseb. l. c. = *Lithosp. fruticosum*.

**LITHOFRAGMA**, Nutt. in *Journ. Acad. Philad.* vii.  
(1834) 26 = **LITHOPHRAGMA**, Torr. & Gray =  
**Tellima**, R. Br. (*Saxif.*).

**LITHOPHILA**, Sw. *Prod. Veg. Ind. Occ.* 14 (1788);  
*Fl. Ind. Occ.* i. 47. t. 1 (1797) = **Alternanthera**,  
Forsk. (*Amarant.*).  
*japonica*, J. F. Gmel. *Syst.* 1577, (Index) lapsu =  
*Globba japonica*.  
*muscoides*, Sw. *Prod. Veg. Ind. Occ.* 14; *Fl. Ind.*  
*Occ.* i. 47 = *A. muscoides*.

**LITHOPHRAGMA**, Torr. & Gray, *Fl. N. Am.* i. 583  
(1840) = **Tellima**, R. Br. (*Saxifr.*).  
*affinis*, A. Gray, in *Proc. Am. Acad.* vi. (1864-65) 534  
= *T. affinis*.

*Bolanderii*, A. Gray, l. c. 535 = *T. Bolanderi*.  
*Cymbalaria*, Torr. & Gray, *Fl. N. Am.* i. 585 = *T.*  
*Cymbalaria*.  
*glabra*, Nutt. ex Torr. & Gray, l. c. i. 584 = *T. tenella*.  
*heterophylla*, Torr. & Gray, l. c. = *T. heterophylla*.  
*micrantha*, Nutt. ex Torr. & Gray, l. c. = *T. parviflora*.  
*nudicaulis*, Nutt. ex Torr. & Gray, l. c. 587 = *Mitella*  
*trifida*.  
*parviflora*, Nutt. ex Torr. & Gray, l. c. 584 = *T. parvi-*  
*flora*.  
*parvifolia*, Walp. *Rep.* iv. 523 (Index) = *praeac.*  
*tenella*, Nutt. ex Torr. & Gray, *Fl. N. Am.* i. 584 = *T.*  
*tenella*.

**LITHOPLIS**, Rafin. *Sylva Tellur.* 32 (1838) = **Rham-**  
**nus**, Tourn.  
*saxatilis*, Rafin. l. c. = *R. saxatilis*.

**LITHOSANTHES**, 'Blume,' ex *Flora*, viii. (1825) 129 =  
**Litosanthes**, Blume (*Rubiaceae*).

**LITHOSCIADIUM**, Turcz. in *Bull. Soc. Nat. Mosc.*  
xvii. (1844) 730 = **Selinum**, Linn. (*Umbell.*).  
*multicaule*, Turcz. l. c. 731 (= *Cnidium multicaule*).—  
Sibir. baical.

**LITHOSPERMUM**, [Tourn.] Linn. *Syst. ed. I*  
(1735). **BORAGINEAE**, Benth. & Hook. f. ii. 860.  
**AEGONYCHON**, S. F. Gray, *Nat. Arr. Brit. Pl.* ii.  
354 (1821).

**BATSCHIA**, J. F. Gmel. *Syst.* 315 (1791).  
**BUGLOSSOIDES**, [Riv.] Moench, *Meth.* 418 (1794).  
**CYPHORIMA**, Rafin. in *Am. Monthly Mag.* (1819)  
191, 357; *Catal.* 13 (1824).  
**GYMNOLEIMA**, Decne. in *Jacquem. Voy. Bot.* 122  
(1844).

**LITHODORA**, Griseb. *Spicil. Fl. Rumel.* ii. 85 (1844).  
**MARGAROSPERMUM**, Spach, *Hist. Vég. Phan.* ix. 31  
(1840); Decne. in *Jacquem. Voy. Bot.* 122 (1844).  
**PENTALOPHUS**, A. DC. in *DC. Prod.* x. 86 (1846).  
**RHYTISPERMUM**, Link. *Handb.* i. 579 (1829).

*aegyptiacum*, Mikan, ex Schrank, in *Denkschr. Akad.*  
Muench. 1813 (1814) 73 = *tenuiflorum*.

*affine*, DC. *Prod.* x. 78.—Afr. austr.  
*aggregatum*, Ruiz & Pav. *Fl. Per.* ii. 4.—Peruv.  
*alpinum*, Willd. ex Roem. & Schult. *Syst.* iv. 742 =  
*Krynitzkia linifolia*.

*ambiguum*, R. Br. in *Salt, Abyss. App.* 62, nomen.—  
Abyssin.

*angustifolium*, Forsk. *Fl. Aegypt. Arab.* 39 = *callosum*.  
*angustifolium*, Michx. *Fl. Bor. Am.* i. 130.—Am. bor.  
*apulum*, Bert. in *Merc. Chil.* 620; ex Colla, in *Mem.*  
Acc. *Torin.* xxxviii. (1835) 127 = *Amsinkia angusti-*  
*folia*.

*apulum*, Eichw. *Casp. Cauc.* 6 = *tenuiflorum*.  
*apulum*, Frivald. ex Boiss. *Fl. Orient.* iv. 229 =  
*Alkanna primuliflora*.

*apulum*, Vahl, *Symb. Bot.* ii. 33.—Europ.; Reg. *Mediterr.*  
*Arnebia*, Delile, *Fl. Aegypt. Illustr.* 55 = *Arnebia tinc-*  
*toria*.

*arvense*, Bove, ex DC. *Prod.* x. 74 = *incrassatum*.

*arvense*, Ledeb. *Fl. Alt.* i. 174 = *tenuiflorum*.

*arvense*, Linn. *Sp. Pl.* 132.—Europ.; Oriens.



## LITHOSPERMUM:—

*arvense*, Thunb. Fl. Jap. 81 = erythrorhizon.  
*bejariense*, DC. Prod. x. 79 = hirtum.  
*bicolor*, Bertol. Misc. Bot. i. 14 = arvense.  
*breviflorum*, Engelm. & Gray, in Bost. Journ. Nat. Hist. v. (1845) 252 = angustifolium.  
*caeruleum*, Gueldenst. Reisen, ii. 25 = purpureocaeruleum.  
*calabrum*, Tenore, Fl. Nap. iii. 177; Syll. Fl. Neap. 80.—Italia.  
*californicum*, A. Gray, in Proc. Am. Acad. x. (1874) 51.—Calif.  
*callosum*, Vahl, Symb. Bot. i. 14.—Am. bor.; Peruv.  
*calycinum*, Moris, in Mem. Acc. Torin. xxxvii. (1834) 98 = Amsinckia angustifolia.  
*calycinum*, Wettstein, ex Stapf, in Denkschr. Acad. Wien, i. (1885) 30.—Reg. Cauc.  
*canescens*, Lehm. Asperif. 305.—Am. bor. occ.  
*canescens*, Torr. in Pacif. Rail. Rep. iv. 124 = californicum.  
*carolinianum*, Lam. Tabl. Encyc. i. 397 = Onosmodium molle.  
*Chamaecistus*, Pourr. ex Willd. & Lange, Prod. Fl. Hisp. ii. 499 = fruticosum.  
*chilense*, Colla, in Mem. Acc. Torin. xxxvii. (1834) 127. t. 40.—Chili.  
*chinensis*, Hook. & Arn. Bot. Beech. Voy. 202.—China.  
*ciliatum*, Forsk. Fl. Aegypt. Arab. 39; Lehm. Asperif. 314 = callosum.  
*ciliatum*, Rafin. New Fl. Am. iv. 18 (Quid ?).—Am. bor.  
*cinereum*, DC. Prod. x. 73.—Afr. austr.  
*circumscissum*, Hook. & Arn. Bot. Beech. Voy. 370 = Krynitzkia circumscissa.  
*clandestinum*, Trev. ex DC. Prod. x. 58, 129 = Krynitzkia clandestina.  
*cobrense*, Greene, in Coult. Bot. Gaz. vi. (1881) 157.—Mexic.  
*collinum*, Salisb. Prod. 113 = fruticosum.  
*commutatum*, Bianca, in Atti Gioen. Catan. Ser. II. i. (1844) 292 = Alkanna tinctoria.  
*confertiflorum*, Miq. Ann. Mus. Bot. Lugd. Bat. ii. 95.—Japan.  
*consobrinum*, Pomel, Nouv. Mat. Fl. Atl. 296.—Alger.  
*conspicuum*, Spreng. Syst. i. 544 = canescens.  
*cornutum*, Ledeb. Fl. Alt. i. 175 = Arnebia cornuta.  
*Corsonianum*, G. Don, in Loud. Gard. Mag. (1842) 371.—Ins. Timor.  
*corymbosum*, Lehm. Pugill. ii. 27 = Mertensia paniculata.  
*crassifolium*, Lehm. Asperif. 324.—As. Min.  
*cuneifolium*, Pers. Syn. i. 158.—Peruv.  
*cuspidatum*, Rafin. New Fl. Am. iv. 18 (Quid ?).—Am. bor.  
*cyanochromum*, Boiss. Diagn. Ser. I. vii. 33 = Macrotonia perennis.  
*davuricum*, Lehm. Asperif. 296 = Mertensia dahurica.  
*decumbens*, Torr. in Ann. Lyc. N. York, ii. (1828) 225 = hirtum, pilosum.  
*decumbens*, Vent. Jard. Cels. 37 = Arnebia cornuta.  
*deflexum*, Schur, Enum. Pl. Transs. 934, Index = Echinospermum deflexum.  
*densiflorum*, Ledeb. ex Nordm. in Bull. Sc. Pétersb. ii. (1837) 312 = Macrotonia Cephalotes.  
*denticulatum*, Lehm. Asperif. ii. 249 = Mertensia sibirica.  
*dichotomum*, Ruiz & Pav. Fl. Per. ii. 5 = Coldenia dichotoma.  
*dictyocarpum*, DC. ex A. DC. in DC. Prod. x. 85, 101 = Alkanna hirsutissima.  
*diffusum*, Lag. in Varied. Cienc. ii. iv. (1805) 39 = fruticosum.  
*digynum*, Forsk. Fl. Aegypt. Arab. 40 = Heliotropium luteum.  
*discolor*, Mart. & Gal. in Bull. Acad. Brux. xi. (1844) 337.—Mexic.  
*dispermum*, Linn. Sp. Pl. ed. II. 191 = Rochelia stellulata.  
*distichum*, Orteg. Hort. Matr. Dec. 8.—Cuba.  
*divaricatum*, Sieber, ex Spreng. Syst. i. 543 = Echichilon fruticosum.  
*diversifolium*, DC. Prod. x. 77.—Afr. austr.  
*Drummondii*, Lehm. Pugill. ii. 26 = Mertensia sibirica.  
*echioides*, Benth. in Royle, Illustr. Bot. Himal. 305 = Mertensia echioides.  
*elongatum*, Decne. in Jacquem. Voy. Bot. 120 = Mertensia elongata.  
*ericetorum*, Salzm. ex DC. Prod. x. 81 = fruticosum.

## LITHOSPERMUM:—

*erythrorhizon*, Sieb. & Zucc. in Abh. Akad. Muench. iv. III. (1846) 149.—Japan.  
*euchromon*, Royle, Illustr. Bot. Himal. 305 = Macrotonia perennis.  
*flavescens*, Steud. Nom. ed. II. ii. 56 = Alkanna lutea.  
*flexuosum*, Lehm. Asperif. ii. 333.—Afr. austr.  
*floridanum*, Rafin. New Fl. Am. iv. 18 (Quid ?).—Florida.  
*frondosum*, Salisb. Prod. 113 = Alkanna lutea.  
*frutescens*, Pall. Reise, i. 188.—Ross. med.  
*fruticosum*, Linn. Sp. Pl. 133.—Europ. austr.  
*fruticosum*, Sibth. & Sm. Fl. Graec. ii. 52. t. 161 = rosmarinifolium.  
*fruticosum*, Vitm. Sagg. 45, 47 = graminifolium.  
*fulvidulum*, Bertol. Misc. Bot. i. 13 = tenuiflorum.  
*Gasparrinii*, Heldr. ex Guss. Fl. Sic. Syn. i. 217 = incrassatum.  
*Gastoni*, Benth. in DC. Prod. x. 83.—Mont. Pyren.  
*glabrum*, A. Gray, in Proc. Am. Acad. xvii. (1881–82) 227.—Arizona.  
*gracile*, Rafin. New Fl. Am. iv. 17 (Quid ?).—Am. bor.  
*graminifolium*, Roem. & Schult. Syst. iv. 46 = rosmarinifolium.  
*graminifolium*, Viv. Fl. Ital. Fragm. i. 3. t. 5.—Italia.  
*helianthemoides*, Shutt. ex DC. Prod. x. 85, 78 = angustifolium?  
*heliotropoides*, Forsk. Fl. Aegypt. Arab. 39 = Heliotropium supinum.  
*hirsutissimum*, Bertol. Misc. Bot. i. 13 = Alkanna hirsutissima.  
*hirsutum*, E. Mey. ex DC. Prod. x. 77 = diversifolium.  
*hirtum*, Lehm. Asperif. 304.—Am. bor.  
*hispidissimum*, Lehm. Ic. Nov. Stirp. t. 39 = Arnebia hispidissima.  
*hispidulum*, Sibth. & Sm. Fl. Graec. ii. 53. t. 162.—As. Min.  
*hispidum*, Forsk. Fl. Aegypt. Arab. 39 = Heliotropium undulatum.  
*hispidum*, Ruiz & Pav. Fl. Per. ii. 5.—Peruv.  
*humifusum*, Spreng. Syst. i. 543 = Heliotropium humifusum.  
*hypocrateriforme*, Hornem. Hort. Hafn. Suppl. 19 = latifolium?  
*hypocrateriforme*, Sch. Schult. Pl. Nov. Hort. Tubing. (1825) 23.—Hab.?  
*incanum*, Forsk. f. Prod. 12 = Heliotropium anomalum.  
*incanum*, Ruiz & Pav. Fl. Per. ii. 4 = cuneifolium.  
*incisum*, Lehm. Asperif. ii. 303 = angustifolium.  
*incrassatum*, Guss. Ind. Sem. Hort. Boccad. (1826) 6; Fl. Sic. Prod. i. 211.—Reg. Mediterr.  
*incurvum*, Thib. ex Steud. Nom. ed. I. 487 = Rochelia stellulata.  
*inornatum*, DC. Prod. x. 73.—Afr. austr.  
*japonicum*, A. Gray, in Bot. Perry, Jap. Exped. ii. 316.—Japan.  
*javanicum*, Spreng. Syst. i. 547.—Java.  
*kamczaticum*, Turcz. in Bull. Soc. Nat. Mosc. (1840) 75 = Mertensia paniculata.  
*Kotschy*, Boiss. & Hohen. Diagn. Ser. I. iv. 49 = Sericostoma Kotschy.  
*latifolium*, Forsk. Fl. Aegypt. Arab. 39 = callosum.  
*latifolium*, Michx. Fl. Bor. Am. i. 131.—Am. bor.  
*Ledebourii*, Steud. Nom. ed. II. ii. 56 = Rochelia leio-carpa.  
*Lehmanni*, Tineo, in Guss. Fl. Sic. Syn. ii. 791 = Alkanna tinctoria.  
*Leithneri*, Heldr. ex Boiss. Fl. Orient. iv. 216 = incrassatum.  
*leucophlaeum*, Schweinf. ex C. B. Clarke, in Hook. f. Fl. Brit. Ind. iv. 152 = Heliotropium rariflorum.  
*lignosum*, Schweinf. ex Vatke, in Oestr. Bot. Zeitschr. (1875) 167 = Heliotropium lignosum.  
*linearifolium*, Goldie, in Edinb. Phil. Journ. (Apr. 1822) 322 = angustifolium.  
*lineatum*, Lehm. Asperif. 312.—Hab.?  
*linifolium*, Mart. & Gal. in Bull. Acad. Brux. xi. (1844) 338.—Mexic.  
*longiflorum*, Moç. & Sesse, ex A. DC. in DC. Prod. x. 68 = Macromeria longiflora.  
*longiflorum*, Salisb. Prod. 113 = purpureocaeruleum.  
*longiflorum*, Spreng. Syst. i. 554 = angustifolium.  
*longiflorum*, Willd. ex Roem. & Schult. Syst. iv. 742 = Onosmodium strigosum.  
*lutescens*, N. Coleman, Cat. Pl. Gr. Rapids Michig. (1874) 29 = latifolium.

## LITHOSPERMUM:—

*lycopoides*, Lehm. Pugill. ii. 28 = Amsinckia lycopoides.  
*majus*, Gilib. Fl. Litan. i. 21 = officinale.  
*mandanense*, Spreng. Syst. i. 554 = angustifolium.  
*marginatum*, Lehm. in Hook. Fl. Bor. Am. ii. 86 = Mertensia oblongifolia.  
*marginatum*, Spreng. Syst. i. 547 = Mertensia lanceolata.  
*maritimum*, Lehm. Asperif. 291 = Mertensia maritima.  
*matamorensis*, DC. Prod. x. 76.—Texas.  
*medium*, Chev. Fl. Env. Paris, ii. 489 = arvense.  
*mesopotamicum*, DC. Prod. x. 75 = apulum.  
*micranthum*, Viv. Fl. Lib. Spec. 10. t. 1. f. 4 = Arnebia cornuta.  
*microspermum*, Boiss. Diagn. Ser. II. iii. 135.—Afr. bor. occ.  
*minimum*, Moris, Sard. Elench. ii. 7.—Italia.  
*minus*, Gilib. Fl. Litan. i. 21 = arvense.  
*molle*, Muhl. Cat. 19 = Onosmodium molle.  
*moltkioides*, Decne. in Jacquem. Voy. Bot. 122 = Mertensia moltkioides.  
*multiflorum*, S. Wats. in Bot. King's Exped. 238.—Am. bor. occ.  
*Murasaki*, Siebold, in Verh. Batav. Gen. xii. (1830) 32 = erythrorhizon.  
*muricatum*, Ruiz & Pav. Fl. Per. ii. 4 = Eritrichium muricatum.  
*mysotoides*, Lehm. Asperif. 319 = Plagiobothrys tinctorius.  
*niveum*, Poir. Encyc. Suppl. ii. 836 = callosum.  
*obtusum*, Vis. in Flora, xx. (1837) 442.—Aegypt.  
*ochroleucum*, Stokes, Bot. Mat. Med. i. 270 = officinale.  
*officinale*, Linn. Sp. Pl. 132.—Europ.; Oriens; As. bor.  
*oleaeifolium*, Lapeyr. Hist. Abr. Pl. Pyr. Suppl. 23.—Mont. Pyren.  
*orientale*, Georgi, Besch. Russ. Reich. III. iv. 751 = Nonnea lutea.  
*orientale*, Kotschy, ex A. DC. in DC. Prod. x. 86, 98 = Alkanna Kotschyana.  
*orientale*, Linn. Syst. ed. XII. 145 = Alkanna orientalis.  
*orientale*, Loisel. Fl. Gall. ed. II. i. 149 = Alkanna lutea.  
*ovalifolium*, Decne. in Jacquem. Voy. Bot. 119 = Mertensia racemosa.  
*Pallasii*, Ledeb. Fl. Alt. i. 176 = Mertensia sibirica.  
*Palmeri*, S. Wats. in Proc. Am. Acad. xviii. (1882–83) 122.—Mexic.  
*paniculatum*, Lehm. Asperif. ii. 289 = Mertensia paniculata.  
*papillosum*, Thunb. Prod. Pl. Cap. 34.—Afr. austr.  
*pentagonum*, Pers. Syn. i. 158 = Arnebia cornuta.  
*permixtum*, Jord. in F. Schultz, Arch. Fl. Fr. et Allem. 344 = incrassatum.  
*peruvianum*, DC. Prod. x. 77.—Peruv.  
*petraeum*, A. DC. l. c. 82 = Moltkia petraea.  
*pilosum*, A. Gray, in Am. Journ. Sc. Ser. II. xxxiv. (1862) 256 = multiflorum.  
*pilosum*, Nutt. in Journ. Acad. Sc. Philad. vii. (1834) 43.—Am. bor. occ.  
*plebeium*, Cham. in Linnaea, ix. (1829) 446 = Krynitzkia plebeia.  
*prostratum*, Buckl. in Proc. Acad. Sc. Philad. 1861 (1862) 462 = matamorensis.  
*prostratum*, Loisel. Fl. Gall. i. 105. t. 4 = fruticosum.  
*pulchrum*, Lehm. Asperif. 290 = Mertensia pulmonarioides.  
*pumilum*, Lehm. l. c. 319.—Am. bor.  
*purpurascens*, Gueldenst. Reisen, i. 189 = purpureocaeruleum.  
*purpureo-coeruleum*, Desf. ex DC. Prod. x. 83 = Gastoni.  
*purpureo-coeruleum*, Thore, Chlor. Landes, 51 = fruticosum.  
*purpureum*, Gueldenst. Reisen, i. 421 = seq.  
*purpureocaeruleum*, Linn. Sp. Pl. 132.—Europ.; Oriens.  
*ramosum*, Willd. ex Lehm. Asperif. 328 = Krynitzkia ramosa.  
*repens*, Stokes, Bot. Mat. Med. i. 271 = purpureocaeruleum.  
*retortum*, Pall. Reise, iii. 718 = Rochelia stellulata.  
*rivulare*, Turcz. in Bull. Soc. Nat. Mosc. (1840) 74 = Mertensia rivularis.  
*Rochelii*, Frivald. in Flora, xviii. (1835) 336 = arvense.  
*rosmarinifolium*, Reichb. Fl. Germ. Excurs. 337 = Moltkia petraea.  
*rosmarinifolium*, Tenore, Fl. Nap. iii. 178. t. 114 = Italia; Graecia.  
*rudemale*, Dougl. ex Lehm. Pugill. ii. 28 = pilosum.



**LITHOSPERMUM** :—

- rugosum*, DC. Prod. x. 83 = *Moltkia coerulea*.  
*rugosum*, Lucé, Topog. Nachr. Oesel, 43 = *arvense*.  
*scabrum*, Thunb. Prod. Pl. Cap. 34. — Afr. austr.  
*Schreberianum*, Spreng. Syst. i. 546 = *Mertensia paniculata*.  
*secundiflorum*, Decne. in Jacquem. Voy. Bot. 120. t. 125 = *Mertensia echioides*.  
*sericeum*, Lehm. Asperif. 306 = *canescens*.  
*serrulatum*, Turcz. in Bull. Soc. Nat. Mosc. (1840) 246 = *Mertensia serrulata*.  
*setosum*, Fisch. & Mey. Ind. Sem. Hort. Petrop. i. 31 = *Macrotomia echioides*.  
*sibiricum*, Lehm. Asperif. 293 = *Mertensia sibirica*.  
*Sibthorpium*, Griseb. Spicil. Fl. Rumel. ii. 86. — Oriens.  
*simplissimum*, Lehm. Asperif. 295 = *Mertensia simplicissima*.  
*spathulatum*, Mart. & Gal. in Bull. Acad. Brux. xi. (1844) 337. — Mexic.  
*Splitgerberi*, Guss. Fl. Sic. Syn. i. 217. — Sicil.  
*strictum*, Lehm. Asperif. 303. — Am. austr.  
*strigosum*, Bieb. Fl. Taur. Cauc. iii. 121 = *apulum*.  
*strigosum*, Rafin. New Fl. Am. iv. 18 (Quid?). — Am. bor.  
*stylosum*, Fisch. ex Turcz. in Bull. Soc. Nat. Mosc. (1840) 249 = *Mertensia stylosa*.  
*suffruticosum*, A. Kern. Sched. Fl. Exsicc. i. 52 = *graminifolium*.  
*tenellum*, Nutt. in Trans. Am. Phil. Soc. v. (1837) 188 = *Heliotropium tenellum*.  
*tenellum*, Rafin. in Am. Monthly Mag. (1819) 195 = *Myosotis stricta*.  
*tenuiflorum*, Herb. ex Nym. Consp. 519 = *minimum*.  
*tenuiflorum*, Linn. f. Suppl. 130. — Oriens; Ind. or.  
*tenuiflorum*, Sibth. & Sm. Fl. Graec. t. 159 = *Sibthorpium*.  
*tetrastigma*, Lam. Encyc. iii. 30 = *Arnebia tinctoria*.  
*tinctorium*, Auch. ex DC. Prod. x. 86, 101 = *Alkanna megacarpa*.  
*tinctorium*, Bertol. Fl. Ital. ii. 282 = *Alkanna scardica*.  
*tinctorium*, Linn. Sp. Pl. 132 = *Alkanna tinctoria*.  
*tinctorium*, Ruiz & Pav. Fl. Per. ii. 4 = *Plagiobothrys tinctorius*.  
*tinctorium*, Vahl, Symb. Bot. ii. 33. t. 28 = *Arnebia tinctoria*.  
*tingens*, Roem. & Schult. Syst. iv. 44, 778. — Chili.  
*Torreyi*, Nutt. in Journ. Acad. Sc. Philad. vii. (1834) 44 = *pilosum*.  
*tubatum*, Bertol. Misc. Bot. i. 14 = *Arnebia cornuta*.  
*tuberosum*, Rugel, ex A. DC. in DC. Prod. x. 76. — Am. bor.  
*vesicarium*, Loisel. Fl. Gall. ed. II. i. 149 = *Nonnea nigricans*.  
*vestitum*, Wall. Cat. n. 941 = *Arnebia hispidissima*.  
*villosulum*, Lehm. Asperif. 288 = *Mertensia villosula*.  
*villosum*, G. Don, in Sweet, Hort. Brit. ed. III. 490; et ex DC. Prod. x. 861 = *Arnebia hispidissima*.  
*villosum*, Spreng. Syst. i. 546. — Europ. austr.  
*violaceum*, Lam. Fl. Fr. ii. 271 = *purpureoeruleum*.  
*virginianum*, Linn. Sp. Pl. 132 = *Onosmodium virginianum*.  
*virginicum*, Billb. in Linneska Samfund. i. 1832 (1833) 16 = *Mertensia pulmonarioides*.  
*virginicum*, Linn. Syst. ed. XII. 145 = *virginianum*.  
*viride*, Greene, in Coul. Bot. Gaz. vi. (1881) 158. — N. Mexic.  
*viridiflorum*, Roxb. Hort. Beng. [13]; Fl. Ind. i. 455 = *Tournefortia sarmentosa*.  
*Webbii*, Coss. & Dur. in Bull. Soc. Bot. Fr. xxii. (1875) 64, nomen = *microspermum*.  
*Zollingeri*, A. DC. in DC. Prod. x. 587. — Java.

**LITHOTHAMNUS**, Zipp. ex Span. in Linnaea, xv. (1841) 334 = *Ehretia*, Linn. (Borag.).  
*buxioides*, Zipp. ex Span. l. c. = *E. buxifolia*.

**LITHOXYLON**, Endl. Gen. 1122 (1840) = *Actephila*, Blume (Euphorb.).  
*grandifolium*, Muell. Arg. in Linnaea, xxxiv. (1865–66) 65 = *A. grandifolia*.  
*Lindleyi*, Steud. Nom. ed. II. ii. 57. — Ins. Tahiti.  
*nitidum*, Muell. Arg. in DC. Prod. xv. II. 232 = *Lindleyi*.

**LITHRAEA**, Miers, Trav. Chili, ii. 529 (1826), partim. **ANACARDIACEAE**, (Benth. & Hook. f. i. 418.)  
*Aroeirinha*, March. ex Warm. in Kjoeb. Vidensk. Meddel. (1873) 61. — Bras.; Chili.

**LITHRAEA** :—

- australiensis*, Engl. in Engl. Bot. Jahrb. i. (1881) 422 = *brasiliensis*.  
*brasiliensis*, March. Anacard. Rev. 188. — Am. trop.  
*caustica*, Hook. & Arn. in Hook. Bot. Misc. iii. (1833) 175 = *venenosa*.  
*crenata*, Phil. in Linnaea, xxxiii. (1864–65) 39. — Chili.  
*Gilliesii*, Griseb. in Goett. Abh. xix. (1874) 114 = *L. Aroeirinha*.  
*laurina*, Walp. Rep. i. 551 = *Rhus laurina*.  
*Molle*, C. Gay, Fl. Chil. ii. 45 = *Schinus latifolius*.  
*Molle*, Griseb. ex Engl. in DC. Monog. Phan. iv. 349 (non Anacard.). — Am. austr.  
*molleoides*, Engl. in Mart. Fl. Bras. xii. II. 394. t. 83 = *L. Aroeirinha*.  
*montana*, Phil. in Linnaea, xxxiii. (1864–65) 37. — Chili.  
*venenosa*, Miers, Trav. Chil. ii. 529. — Am. austr.  
*verrucosa*, Miers, ex Engl. in DC. Monog. Phan. iv. 347 = *brasiliensis*.

**LITHREA**, Hook. Bot. Misc. iii. (1833) 175, sphalm. = *prae*.

**LITHRUM**, Huds. Fl. Angl. ed. I. 179, 180 (1762) = *Lythrum*, Linn.

**LITOGYNE**, Harv. Thes. Cap. ii. 35. t. 155 (1863) = *Epaltes*, Cass. (Compos.).  
*glabra*, Harv. l. c. = *E. gariopina*.  
*scabra*, Harv. l. c. 36 = *E. alata*.

**LITONIA**, Pritz. Ic. Ind. ii. 171 (1855) = *Littonia*, Hook. (Liliac.).

**LITOPHILA**, Sw. Prod. Veg. Ind. Occ. 14 (1788) = *LITHOPHILA*, Sw. = *Alternanthera*, Forsk. (Amarant.).

**LITORELLA**, Aschers. Fl. Brandenb. 544 (1864) = *Littorella*, Berg. (Plantag.).

**LITOSANTHES**, Blume, Cat. Gew. Buitenz. 21 (1823); et Bijdr. 994. **RUBIACEAE**, Benth. & Hook. f. ii. 131.  
*biflora*, Blume, ll. cc. 22, 994. — Java.

**LITREA**, Phil. in Linnaea, xxxiii. (1864–65) 38 = seq.

**LITRIA**, G. Don, in Sweet, Hort. Brit. ed. III. 144 (1839) = *Lithraea*, Miers (Anacard.).

**LITSAEA**, Pers. Syn. ii. 4 (1807) = seq.

**LITSEA**, Lam. Encyc. iii. 574 (1789). **LAURINEAE**, Benth. & Hook. f. iii. 161.  
*BERRYA*, Klein, ex Willd. Sp. Pl. ii. 840, in syn. (1800).  
*BRYANTEA*, Rafin. Sylva Tellur. 165 (1838).  
*CYLCODAPHNE*, Nees, in Wall. Pl. As. Rar. ii. 61 (1831).  
*DARWINIA*, Dennst. Schluess. Hort. Malab. 31 (1818).  
*DECAPENTA*, Rafin. Sylva Tellur. 165 (1838).  
*DIPLIATHUS*, Rafin. l. c. 135 (1838).  
*FIWA*, J. F. Gmel. Syst. 745 (1791).  
*GLABRARIA*, Linn. Mant. ii. 156 (1771); Miq. Fl. Ind. Bat. i. i. 940 (1857).  
*HECKERIA*, Rafin. Sylva Tellur. 165 (1838).  
*HEXANTHUS*, Lour. Fl. Cochinch. 195 (1790).  
*LEPIDADENIA*, Nees, in Edinb. N. Phil. Journ. xv. (Apr.–Oct. 1833) 379; Laurin. Expos. 19 (1833).  
*PIPALA*, Stokes, Bot. Mat. Med. iv. 456 (1812).  
*SEBIFERA*, Lour. Fl. Cochinch. 637 (1790).  
*TETRADENIA*, Nees, in Wall. Pl. As. Rar. ii. 61 (1831).  
*TETRANTHERA*, Jacq. Hort. Schoenb. i. 59. t. 113 (1797).  
*TOMEX*, Thunb. Nov. Gen. 65 (1783).  
*acerina*, Blume, Mus. Bot. Lugd. Bat. i. 350. — Java.  
*aciculata*, Blume, l. c. 347. — Japon.  
*amara*, Blume, Bijdr. 563. — Malaya.  
*ambigua*, Meissn. in DC. Prod. xv. i. 226. — Zeylan.  
*angulata*, Blume, Bijdr. 563. — Java.  
*angulata*, Villar, in Blanco, Fl. Philipp. ed. III. Nov. App. 181 = *Perrottetii*.

**LITSEA** :—

- angustifolia*, Blume, Bijdr. 566 = *Actinodaphne areolata*.  
*angustifolia*, Kurz, For. Fl. Brit. Burma, ii. 305 = *Actinodaphne angustifolia*.  
*apetala*, R. Br. ex Meissn. in DC. Prod. xv. i. 227 = *L. Sebifera*.  
*apetala*, Pers. Syn. ii. 4 = *polyantha*.  
*Baueri*, Endl. Ic. iv. t. 44. — Austral.  
*Bindoniana*, F. Muell. Fragm. v. 167. — Austral.  
*brachystachya*, Villar, in Blanco, Fl. Philipp. ed. III. Nov. App. 180. — Ins. Philipp.  
*californica*, Benth. & Hook. f. Gen. iii. 161. — Calif.  
*caloneura*, Villar, in Blanco, Fl. Philipp. ed. III. Nov. App. 181. — Ins. Philipp.  
*cassiaefolia*, Blume, Mus. Bot. Lugd. Bat. i. 348. — Java.  
*celebica*, Blume, l. c. 350 = *Actinodaphne celebica*.  
*Cervantesii*, H. B. & K. Nov. Gen. et Sp. ii. 168 = *glaucescens*.  
*ceylanica*, C. & T. Nees, Cinnam. Disp. i. (1823) t. 5 = *zeylanica*.  
*chinensis*, Blume, Bijdr. 565 = *Actinodaphne chinensis*.  
*chinensis*, Heyne, ex Nees, in Wall. Pl. As. Rar. ii. 65 = *ligustrina*.  
*chinensis*, Lam. Encyc. iii. 574 = *L. Sebifera*.  
*chrysocoma*, Blume, Mus. Bot. Lugd. Bat. i. 348. — Java.  
*cinnamomea*, Blume, l. c. 349. — Ins. Molucc.  
*citrata*, Blume, Bijdr. 565. — Reg. Himal.; Malaya.  
*citrifolia*, Juss. in Ann. Mus. Par. vi. (1805) 211 = *L. Sebifera*?  
*concolor*, Kurz, For. Fl. Brit. Burma, ii. 304 = *Actinodaphne concolor*.  
*consimilis*, Nees, Syst. Laurin. 628 = *zeylanica*.  
*cordifolia*, Villar, in Blanco, Fl. Philipp. ed. III. Nov. App. 181. — Ins. Philipp.  
*Cubeba*, Pers. Syn. ii. 4. — Cochinch.; China.  
*Cuipala*, Nees, Syst. Laurin. 638 = *lanuginosa*.  
*dealbata*, Nees, l. c. 630. — Austral.  
*densifolia*, Miq. Fl. Ind. Bat. i. i. 973. — Java.  
*discolor*, Zipp. ex Blume, Mus. Bot. Lugd. Bat. i. 382 = *timoriensis*.  
*diversifolia*, Blume, Bijdr. 564. — Java.  
*elliptica*, Blume, l. c. 563. — Java.  
*elongata*, Benth. & Hook. f. Gen. iii. 163, in nota sub *Lindera*. — Ind. or.  
*ferruginea*, Blume, Bijdr. 561. — Malaya; Java.  
*foliosa*, Nees, Syst. Laurin. 622 = *zeylanica*.  
*foliosa*, Sieb. & Zucc. in Abh. Akad. Muench. iv. III. (1846) 207 = *aciculata*.  
*fruticosa*, Span. ex Blume, Mus. Bot. Lugd. Bat. i. 374 = *L. Sebifera*?  
*fulva*, Villar, in Blanco, Fl. Philipp. ed. III. Nov. App. 181. — Ins. Philipp.  
*furfuracea*, Nees, Syst. Laurin. 625 = *zeylanica*.  
*fuscata*, Thw. Enum. Pl. Zeyl. 258. — Zeylan.  
*Gardneri*, Meissn. in DC. Prod. xv. i. 227; *Trimen*, Cat. Pl. Ceyl. 76. — Zeylan.  
*geminata*, Blume, Bijdr. 564 = *L. Sebifera*.  
*geniculata*, Benth. & Hook. f. Gen. iii. 162; *Nichols*. Dict. Gard. ii. 287. — Am. bor.  
*glaberrima*, *Trimen*, Cat. Pl. Ceyl. 76. — Zeylan.  
*Glabraria*, Juss. in Ann. Mus. Par. vi. (1805) 212; Pers. Syn. ii. 4 = *L. Sebifera*.  
*glauc*, Siebold, in Verh. Batav. Gen. xii. (1830) 24. — Japon.  
*glaucescens*, H. B. & K. Nov. Gen. et Sp. ii. 168. — Mexic.  
*glaucescens*, Spreng. ex Nees, Syst. Laurin. 145 = *Persea pyrifolia*.  
*glomerata*, Blume, Bijdr. 566 = *Actinodaphne glomerata*.  
*hexantha*, Fuss. in Ann. Mus. Par. vi. (1805) 212. — Cochinch.  
*hexantha*, Siebold, ex Blume, Mus. Bot. Lugd. Bat. i. 378 = *polyantha*.  
*japonica*, *Mirr*. Hist. Nat. Pl. ed. II. xi. 150; *Fuss*. l. c. — Japon.  
*javanica*, Blume, Mus. Bot. Lugd. Bat. i. 348. — Java.  
*khasyana*, Meissn. in DC. Prod. xv. i. 227. — Reg. Himal.  
*laeta*, Benth. & Hook. f. Gen. iii. 161; *Trimen*, Cat. Pl. Ceyl. 76. — Zeylan.  
*laevis*, Juss. in Ann. Mus. Par. vi. (1805) 212 = *L. Sebifera*.  
*lancifolia*, Villar, in Blanco, Fl. Philipp. ed. III. Nov. App. 181. — Ins. Philipp.



**LITSEA:—**

- lanuginosa, Nees, Syst. Laurin. 634.—Ind. or.  
 latifolia, Blume, Mus. Bot. Lugd. Bat. i. 349.—  
 Sumatra.  
 latifolia, Miq. Fl. Ind. Bat. i. 1. 973, partim =  
 cinnamomea.  
 leiophylla, Kurz, in Journ. As. Soc. Beng. xlii. (1873)  
 ii. 103.—Burma.  
 ligustrina, Trimen, Cat. Pl. Ceyl. 76.—Ind. or.  
 ligustrina, Villar, in Blanco, Fl. Philipp. ed. III.  
 Nov. App. 180.—L. Sebifera.  
 litoralis, Villar, l. c. = zeylanica.  
 longifolia, Benth. & Hook. f. Gen. iii. 161.—Zeylan.  
 lucida, Blume, Bijdr. 562.—Java.  
 luzonica, Villar, in Blanco, Fl. Philipp. ed. III. Nov.  
 App. 181.—Ins. Philipp.  
 macrocarpa, Blume, Bijdr. 565 (= *Nothaphoebe cuneata*).  
 —Malaya.  
 macrophylla, Blume, l. c. 567 = *Actinodaphne macro-*  
*phylla*.  
 macrophylla, Kurz, For. Fl. Brit. Burma, ii. 305.—  
 Burma; Penang.  
 magnifica, Villar, in Blanco, Fl. Philipp. ed. III.  
 Nov. App. 181.—Ins. Philipp.  
 minuta, Reinw. ex Meissn. in DC. Prod. xv. i. 194,  
 228.—Malaya.  
 monopetalas, Pers. Syn. ii. 4 = polyantha.  
 multiflora, Blume, Bijdr. 564 = L. Sebifera.  
 Myrrha, Mirb. Hist. Nat. Pl. ed. II. xi. 150 = trinervia.  
 Neesiana, Hemsl. Biol. Centr. Am. Bot. iii. 76.—  
 Mexic.  
 nemoralis, Trimen, Cat. Pl. Ceyl. 76.—Zeylan.  
 Noronhae, Blume, Bijdr. 561.—Malaya.  
 oblonga, Meissn. in DC. Prod. xv. i. 228.—Reg.  
 Himal.  
 oblonga, Nees, Syst. Laurin. 678 = zeylanica.  
 obovata, Nees, l. c. 636 = *Actinodaphne obovata*.  
 obtusa, Blume, Bijdr. 564.—Java.  
 obtusata, Villar, in Blanco, Fl. Philipp. ed. III. Nov.  
 App. 181.—Ins. Philipp.  
 orbicularis, Thw. Enum. Pl. Zeyl. 258.—Zeylan.  
 ovalifolia, Trimen, Cat. Pl. Ceyl. 76.—Zeylan.  
 Perrottetii, Villar, in Blanco, Fl. Philipp. ed. III. Nov.  
 App. 180.—Ins. Philipp.  
 piperita, Mirb. Hist. Nat. Pl. ed. II. xi. 150; Juss. ex  
 Pers. Syn. ii. 4 = L. Cubeba.  
 platyphylla, Pers. Syn. ii. 4 = L. Sebifera.  
 plumbea, Blume, Mus. Bot. Lugd. Bat. i. 350.—Java.  
 polita, Blume, l. c. 348.—Java.  
 polyantha, Juss. in Ann. Mus. Par. vi. (1805) 211.—  
 Ind. or.; Malaya.  
 procera, Blume, Bijdr. 560 = *Actinodaphne procera*.  
 pruinosa, Blume, l. c. = *Actinodaphne procera*.  
 pruinosa, Nees, Syst. Laurin. 636 = *Cinnamomum*  
*Parthenoxylon*.  
 Pseudoculitlawan, Nees, l. c. 632.—Hab. ?  
 puberula, Miq. Fl. Ind. Bat. i. 1. 974 = *chrysocoma*,  
*plumbea*.  
 pulchella, Meissn. in DC. Prod. xv. i. 224 = zeylanica.  
 Reinwardtii, Blume, ex Meissn. l. c. 197, 228 =  
 angulata.  
 resinosa, Blume, Bijdr. 562.—Malaya.  
 robusta, Blume, l. c. 560.—Java.  
 rubra, Blume, l. c. 561.—Java.  
 rubra, Miq. ex Meissn. in DC. Prod. xv. i. 228 =  
 Noronhae.  
 rufa, Nees, Syst. Laurin. 631.—Austral.  
 rugosa, Kurz, in Flora, lv. (1872) 172.—Penang.  
 Rumphii, Villar, ex Blanco, Fl. Philipp. ed. III. Nov.  
 App. 180.—Ins. Philipp.  
 scrobiculata, Meissn. in DC. Prod. xv. i. 223 = zey-  
 lanica.  
 Sebifera, Blume, Bijdr. 560 = L. Tetranthera.  
 Sebifera, Pers. Syn. ii. 4.—Ind. or.; Malaya.  
 sphaerocarpa, Blume, Bijdr. 559 = *Actinodaphne sphae-*  
*rocarpa*.  
 striolata, Blume, Mus. Bot. Lugd. Bat. i. 347 = zey-  
 lanica.  
 tenuiramis, Miq. Pl. Jungh. 185 (= *Daphnidium*  
*bibracteatum*).—Java.  
 Tetranthera, Mirb. Hist. Nat. Pl. ed. II. xi. 150; Pers.  
 Syn. ii. 4.—Malaya.  
 Thunbergii, Siebold, in Verh. Batav. Gen. xii. (1830)  
 24 = japonica.  
 timoriana, Span. in Hook. Comp. Bot. Mag. i. (1835)  
 350.—Ins. Timor.  
 tomentosa, Blume, Bijdr. 566.—Java.  
 tomentosa, Heyne, ex Wall. Cat. sub n. 2550.—Ind. or.

**LITSEA:—**

- trinervia, Buerg. ex Blume, Mus. Bot. Lugd. Bat. i.  
 352 = *Lindera strychnifolia*.  
 trinervia, Juss. in Ann. Mus. Par. vi. (1805) 212.—  
 Cochinch.  
 trinervia, Juss. in Dict. Sc. Nat. xxvii. 79 = zeylanica.  
 triplinervia, Blume, Bijdr. 559.—Java.  
 umbrosa, Nees, Syst. Laurin. 623.—Reg. Himal.  
 undulata, Zipp. ex Blume, Mus. Bot. Lugd. Bat. i. 374  
 = L. Sebifera?  
 verticillata, Hance, in Journ. Bot. xxi. (1883) 356.—  
 China.  
 villosa, Blume, Mus. Bot. Lugd. Bat. i. 349.—Am-  
 boina.  
 villosa, Spreng. ex Meissn. in DC. Prod. xv. i. 148, 228  
 = *Neetandra villosa*.  
 Walkeri, Trimen, Cat. Pl. Ceyl. 76.—Zeylan.  
 Wightiana, Benth. & Hook. f. Gen. iii. 162.—Ind. or.  
 zeylanica, Blume, Bijdr. 559 = javanica.  
 zeylanica, C. & T. Nees, Cinnam. Disp. i. (1823) 58.  
 t. 5.—As. et Austral. trop.  
 zeylanica, Thw. Enum. Pl. Zeyl. 257, ex parte =  
 ambigua.
- LITTAEA**, Tagliabue, in Bibl. Ital. i. (1816) 106 =  
**Agave**, Linn. (Amaryll.).  
 geminiflora, Tagliabue, l. c. = A. geminiflora,  
 gracilis, Versch. Cat. n. v. (1864) = A. atrovirens?
- LITTANELLA**, Roth, Tent. Fl. Germ. i. 405 (1788), err.  
 typ. = **Littorella**, Berg. (Plantag.).
- LITTONIA**, Hook. Bot. Mag. t. 4723 (1853).  
**LILIACEAE**, Benth. & Hook. f. iii. 831.  
 minor, Defters, in Bull. Soc. Bot. Fr. xxxii. (1885) 353.  
 —Arab.  
 modesta, Hook. Bot. Mag. t. 4723.—Afr. austr.  
 Revoili, Franch. in Revoil, Comali, 66.—Afr. trop.  
 Welwitschii, Benth. & Hook. f. Gen. iii. 831.—Afr. trop.
- LITTORELLA**, Berg. in Vet. Acad. Handl. Stockh.  
 xxix. (1768) 341. **PLANTAGINEAE**, Benth. &  
 Hook. f. ii. 1224.  
 LITTANELLA, Roth, Tent. Fl. Germ. i. 405 (1788),  
 err. typ.  
 australis, Griseb. in Lechl. Berb. Am. Austr. 53.—  
 Chili.  
 flexuosa, Rafin. in New Fl. Am. iv. 12 (Quid?).—Am.  
 bor.  
 juncea, Berg. in Vet. Acad. Handl. Stockh. xxix. (1768)  
 341.—Europ.  
 lacustris, Linn. Mant. ii. 295 = juncea.  
 uniflora, Aschers. Fl. Brandenb. 544 = juncea.
- LIVISTONA**, R. Rr. Prod. 267 (1810). **PALMAE**,  
 Benth. & Hook. f. iii. 929.  
 SARIBUS, Blume, Rumphia, ii. 48. t. 95, 96 (1836).  
 altissima, Zoll. in Tijdschr. Nederl. Ind. xiv. (1857)  
 150.—Ins. Sund.  
 australis, Mart. Hist. Nat. Palm. iii. 242.—Austral.  
 Bissula, Mart. l. c. 319.—Ins. Celebes.  
 chinensis, R. Br. Prod. 268.—China.  
 cochinchinensis, Blume, Rumphia, ii. 49.—Cochinch.  
 Diepenhorstii, Hassk. in Bonplandia, vi. (1858) 180 =  
 Pholidocarpus Ihur.  
 filifera, Hort. ex H. Wendl. in Kerch. Palm. 250 =  
 inermis.  
 Gaudichaudii, Mart. Hist. Nat. Palm. iii. 242 =  
 Pritchardia Gaudichaudii.  
 Hasseltii, Hassk. ex H. Wendl. in Kerch. Palm. 250.—  
 Hab. ?  
 Hoogendorpii, Hort. Bog. ex Teijsm. & Binn. Cat.  
 Hort. Bogor. 71; André, Illustr. Hort. xxi. (1874)  
 108, 121. t. 174.—Java.  
 humilis, R. Br. Prod. 268.—Austral.  
 inermis, R. Br. l. c.—Austral.  
 Jenkinsiana, Griff. in Calc. Journ. Nat. Hist. v. (1845)  
 334.—Reg. Humal.  
 Jenkinsii, Griff. ex Mart. Hist. Nat. Palm. iii. 242 =  
 praec.  
 Leichhardtii, F. Muell. Fragm. v. 49; viii. 221 =  
 humilis.  
 Mariae, F. Muell. l. c. 283 = humilis?  
 Martiana, Mart. Hist. Nat. Palm. iii. 242 = seq.  
 Martii, Gaudich. Bot. Voy. Bonite, t. 58, 59  
 Pritchardia Martii.  
 mauritiana, Wall. ex Voigt, Hort. Suburb. Calc. 641,  
 nomen = chinensis.

**LIVISTOMA:—**

- moluccana, Hort. ex H. Wendl. in Kerch. Palm. 250.  
 —Malaya.  
 Muelleri, Hort. l. c.—Austral.  
 olivaeformis, Mart. Hist. Nat. Palm. iii. 319.—Java.  
 papuana, Becc. Malesia, i. (1877) 84.—N. Guin.  
 Ramsayi, F. Muell. Fragm. viii. 221 = inermis.  
 rotundifolia, Mart. Hist. Nat. Palm. iii. 241. t. 102.—  
 Java.  
 speciosa, Kurz, in Journ. As. Soc. Beng. xliii. (1874)  
 ii. 204.—Burma.  
 spectabilis, Griff. in Calc. Journ. Nat. Hist. v. (1845)  
 336 = rotundifolia.  
 subglobosa, Mart. Hist. Nat. Palm. iii. 319.—Java.
- LIZERON**, Rafin. Fl. Tellur. iv. 70 (1836) = **Convol-**  
**vulus**, Tourn.  
 arvensis, Rafin. l. c. = C. arvensis.  
 chinensis, Rafin. l. c. = C. arvensis.  
 persicus, Rafin. l. c. = C. persicus.  
 tricolor, Rafin. l. c. = C. tricolor.  
 verticillatus, Rafin. l. c. = *Jacquemontia hirsuta*.
- LLAGUNOA**, Ruiz & Pav. Prod. 126. t. 28 (1794).  
**SAPINDACEAE**, Benth. & Hook. f. i. 409.  
 AMIROLA, Pers. Syn. ii. 565 (1807).  
 ORBIGNYA, Bert. in Merc. Chil. 737 (1829).—Cf.  
 Am. Journ. Sc. Ser. I. xxiii. (1833) 259.  
 glandulosa, G. Don, Gen. Syst. i. 673.—Chili.  
 mollis, H. B. & K. Nov. Gen. et Sp. v. 131.—Ecuador.  
 nitida, Ruiz & Pav. Syst. Veg. 252.—Peruv.  
 nitida, Steud. Nom. ed. II. ii. 58 = prunifolia.  
 prunifolia, H. B. & K. Nov. Gen. et Sp. v. 131.—  
 Ecuador.
- LLANOSIA**, Blanco, Fl. Filip. ed. II. 319 (1845) =  
**Ternstroemia**, Linn.  
 Toquian, Blanco, l. c. = T. Toquian.
- LLAVEA**, Liebm. in Kjoeb. Vidensk. Meddel. (1853)  
 95. **CELASTRINEAE**, Benth. & Hook. f. i. 370.  
 integrifolia, Hemsl. Diagn. Pl. Nov. 6.—Mexic.  
 viscosa, Liebm. in Kjoeb. Vidensk. Meddel. (1853) 96.  
 —Mexic.
- LLERASIA**, Triana, in Ann. Sc. Nat. Sér. IV. ix. (1856)  
 37 = **Vernonia**, Schreb. (Compos.).  
 Lindenii, Triana, l. c. = N. Granat.
- LLOYDIA**, Benth. & Hook. f. Gen. ii. 333 (1873) =  
 LLOYDIA, Neck. = **Printzia**, Cass. (Compos.).
- LLOYDIA**, Salisb. in Trans. Hort. Soc. i. (1812) 328.  
**LILIACEAE**, Benth. & Hook. f. iii. 820.  
 CRONYXIIUM, Rafin. Fl. Tellur. ii. 28 (1836).  
 HEMIERIUM, Rafin. l. c. 27 (1836).  
 NECTAROBOTRIUM, Ledeb. Fl. Alt. ii. 36 (1830).  
 RHABDOCRINUM, Reichb. Consp. 65 (1828).  
 alpina, Salisb. in Trans. Hort. Soc. i. (1812) 328.—  
 Europ.  
 cretica, Boiss. ex Baker, in Journ. Linn. Soc. xiv. (1874)  
 301 = graeca.  
 graeca, Endl. Gen. 140; Kunth, Enum. Pl. iv. 245.—  
 Graec.: As. Min.  
 himalensis, Royle, Illustr. Bot. Himal. i. 388. t. 93.  
 f. 2 = alpina.  
 kunawurensis, Royle, l. c. 3 = *Gagea persica*.  
 libanotica, Hochst. in Lorent, Wanderungen, 326  
 rubroviridis.  
 longiscapa, Hook. Ic. Pl. t. 834 = alpina.  
 rubroviridis, Baker, in Journ. Linn. Soc. xiv. (1874)  
 301.—Syria.  
 serotina, Sweet, Hort. Brit. ed. II. 527 = alpina.  
 sicula, Huet, ex Baker, in Journ. Linn. Soc. xiv. (1874)  
 300 = alpina.  
 striata, Sweet, Hort. Brit. ed. II. 527 = alpina.  
 triflora, Baker, in Journ. Linn. Soc. xiv. (1874) 300.—  
 Sibir. or.  
 trinervia, Coss. in Bull. Soc. Bot. Fr. xii. (1865) 279;  
 285 = alpina.
- LLOYDIA**, Steud. Nom. ed. II. ii. 58 (1841) sphae-  
 = praec.
- LOASA**, Adans. Fam. ii. 501 (1763); Juss. Gen. 322  
 1782). **LOASEAE**, Benth. & Hook. f. i. 804.  
 HUDOBRIA, C. Gay, Fl. Chil. ii. 188 = 288 (1860).  
 ILLAIREA, Lenné & Kunt. in Arch. Bot. (Hort.)  
 Ver. N. Reihe, i. (1853) 397.



**LOASA:—**

- OCHETOCARPUS, Meyen, Reise, i. 310 (1834).  
 ORTIGA, Neck. Elem. ii. 400 (1790).  
*acanthifolia*, Lam. Encyc. iii. 579.—Chili.  
*acanthifolia*, Lindl. Bot. Reg. t. 785 = Placai.  
*acerifolia*, Domb. ex A. Fuss. in Ann. Mus. Par. v. (1804) 24. t. 1. f. 2.—Chili.  
*acuminata*, Wedd. Chlor. And. ii. 220.—Ecuador.  
*alba*, D. Don, in Sweet, Brit. Flow. Gard. Ser. II. t. 192.—Chili.  
*Aldunatea*, C. Gay, Fl. Chil. ii. 442.—Chili.  
*ambrosiaefolia*, Juss. in Ann. Mus. Par. v. (1804) 26. t. 4. f. 1. = hispida.  
*argemonoides*, Fuss. l. c.—N. Granat.  
*Arnottiana*, C. Gay, Fl. Chil. ii. 442.—Chili.  
*atriplicifolia*, Presl, Symb. Bot. i. 61.—Am. austr.  
*aurantiaca*, Hort. ex Nichols. Dict. Gard. ii. 289 = lateritia.  
*Barneoudii*, C. Gay, Fl. Chil. ii. 452.—Chili.  
*Bergii*, Hieron. in Bull. Acad. Nac. Córdoba, iii. (1879) 349.—Reg. Argent.  
*bicolor*, Klotzsch, in Otto & Dietr. Allg. Gartenz. xix. (1851) 361.—Am. trop.  
*Blacei*, Ruschen. in Am. Journ. Sc. xxiii. (1833) 94, err. typ. = Placai.  
*bryoniaefolia*, Schrad. ex DC. Prod. iii. 341.—Chili.  
*calycina*, Benth. Pl. Hartw. 132.—Ecuador.  
*canarinoides*, Nichols. Dict. Gard. ii. 289.—Am. centr.  
*carduifolia*, Ball, in Journ. Linn. Soc. xxii. (1885) 39, in syn. = Blumenbachia carduifolia.  
*chelidonifolia*, Benth. Bot. Voy. Sulph. 101.—Peruv.  
*chenopodiifolia*, Lam. Encyc. iii. 550.—Peruv.  
*chuguitensis*, Meyen, Reise, i. 483 = Blumenbachia chuguitensis.  
*cirsifolia*, Kunze, in Nov. Act. Nat. Cur. xix. Suppl. i. (1843) 338 = sclareaefolia.  
*coccinea*, Hort. ex Loud. Encyc. Pl. Suppl. i. 1246 = lateritia.  
*contorta*, Lam. Encyc. iii. 579 = Blumenbachia contorta.  
*coronata*, Gill. ex Arn. in Edinb. Journ. Geogr. Sc. iii. (1831) 274 = Blumenbachia coronata.  
*decorticans*, Steud. Nom. ed. II. ii. 58.—Chili.  
*dissecta*, Hook. & Arn. in Hook. Bot. Misc. iii. (1833) 330.—Chili.  
*elongata*, Hook. & Arn. l. c. 329.—Chili.  
*filicifolia*, Poepp. Fragm. Syn. Pl. Chil. 23.—Chili.  
*floribunda*, Hook. & Arn. in Hook. Bot. Misc. iii. (1833) 329.—Chili.  
*furcata*, Phil. in Anal. Univ. Chil. (1865) II. 328.—Chili.  
*grandiflora*, Lam. Encyc. iii. 580 = Blumenbachia contorta.  
*helicteroides*, Meyen, ex Walp. in Nov. Act. Nat. Cur. xix. Suppl. i. (1843) 339 = Blumenbachia scandens.  
*heptamera*, Wedd. Chlor. And. ii. 218.—Bolivia.  
*Herbertii*, Paxt. ex Loud. Hort. Brit. Suppl. iii. 579 = *Caioophora Herbertii*.  
*heterophylla*, Bert. in Merc. Chil. (1829); ex Am. Journ. Sc. xxiii. (1833) 94 = seq.?  
*heterophylla*, Hook. & Arn. in Hook. Bot. Misc. iii. (1833) 328.—Chili.  
*hibiscifolia*, Griseb. in Goett. Abh. xxiv. (1879) 138.—Reg. Argent.  
*hispida*, Linn. Syst. ed. XII. 364.—Peruv.  
*illapelina*, Phil. in Anal. Univ. Chil. (1863) ii. 380.—Chili.  
*incana*, R. Grah. in Edinb. N. Phil. Journ. (Oct.—Dec. 1830) 169.—Peruv.  
*insons*, Poepp. Fragm. Syn. Pl. Chil. 24 = Meyeniana.  
*intricata*, C. Gay, Fl. Chil. ii. 455.—Chili.  
*lateritia*, Gill. ex Arn. in Edinb. Journ. Geogr. Sc. iii. (1831) 275.—Chili.  
*Lechleriana*, Miq. in Lechl. Berb. Am. Austr. 55 = acerifolia.  
*leucantha*, Bert. ex Steud. Nom. ed. II. ii. 58 (Quid?).—Chili.  
*longiseta*, Phil. in Anal. Univ. Chil. (1856) II. 347.—Chili.  
*loxensis*, H. B. & K. Nov. Gen. et Sp. vi. 116.—Peruv.  
*magnifica*, Warsz. in Otto & Dietr. Allg. Gartenz. xx. (1852) 292.—Bolivia; Peruv.  
*malesherbioides*, Phil. in Linnaea, xxxiii. (1864–65) 74.—Chili.  
*Martini*, Phil. in Anal. Univ. Chil. (1872) 716.—Chili.  
*Meyeniana*, Walp. in Nov. Act. Nat. Cur. xix. Suppl. i. (1843) 338.—Chili.  
*micrantha*, Poepp. Fragm. Syn. Pl. Chil. 24.—Chili.

**LOASA:—**

- multifida, C. Gay, Fl. Chil. ii. 457.—Chili.  
*muralis*, Griseb. in Goett. Abh. xix. (1874) 151 = Blumenbachia insignis.  
*nitida*, Hook. Bot. Mag. f. 2372 = *acanthifolia*.  
*nitida*, Lam. Encyc. iii. 581.—Peruv.; Chili.  
*Ochagaviae*, Phil. in Linnaea, xxviii. (1856) 641.—Chili.  
*pallida*, Gill. ex Arn. in Edinb. Journ. Geogr. Sc. iii. (1831) 274.—Chili.  
*palmata*, Spreng. Syst. ii. 601 = Blumenbachia insignis.  
*papaverifolia*, H. B. & K. Nov. Gen. et Sp. vi. 118.—N. Granat.  
*parviflora*, Schrad. Pl. Rar. Bras. ex DC. Prod. iii. 342.—Bras.  
*patula*, R. Grah. in Edinb. N. Phil. Journ. (Oct.—Dec. 1827) 174 = Blumenbachia insignis.  
*pedicularifolia*, Meyen, Reise, i. 310 = volubilis.  
*peduncularis*, Presl, Symb. Bot. ii. 41.—Peruv.  
*Pentlandii*, Paxt. Mag. Bot. ix. (1842) 7 (= *Caioophora Pentlandii*).—Peruv.  
*picta*, Hook. Bot. Mag. t. 4428.—Peruv.  
*pilosa*, Meyen, Reise, i. 470 = Blumenbachia coronata.  
*pinnatifida*, Gill. ex Arn. in Edinb. Journ. Geogr. Sc. iii. (1831) 275 = filicifolia.  
*Placei*, Bert.—Cf. Am. Journ. Sc. xxiii. (1833) 94 = nitida.  
*Placei*, Lindl. in Trans. Hort. Soc. vi. (1826) 95.—Chili.  
*prostrata*, Gill. ex Arn. in Edinb. Journ. Geogr. Sc. iii. (1831) 274.—Chili.  
*punicea*, Phil. in Anal. Univ. Chil. (1884), reimpr. 4.—Chili.  
*ranunculifolia*, Humb. & Bonpl. Pl. Aequin. i. 50. t. 14.—Peruv.  
*Remyi*, C. Gay, Fl. Chil. ii. 462.—Chili.  
*rheoadifolia*, Schlecht. in Linnaea, xiv. (1840) 382.—Mexic.  
*rosulata*, Wedd. Chlor. And. ii. 219.—Peruv.  
*rudis*, Benth. Pl. Hartw. 75.—Ecuador.  
*Ruiziana*, G. Don, Gen. Syst. iii. 64.—Peruv.  
*rupestris*, Gardn. in Hook. Ic. Pl. t. 663.—Bras.  
*sagittata*, Hook. & Arn. in Hook. Bot. Misc. iii. (1833) 328.—Chili.  
*scandens*, Meyen, Reise, i. 310 = Blumenbachia scandens.  
*Schlimiana*, Planch. & Linden, in Fl. des Serres, x. (1854–55) 89.—Venezuela.  
*sclareaefolia*, Fuss. in Ann. Mus. Par. v. (1804) 25. t. 1. f. 1.—Chili.  
*Simoni*, Phil. in Linnaea, xxx. (1859–60) 188.—Chili.  
*solanifolia*, C. Gay, Fl. Chil. ii. 449.—Chili.  
*stenocarpa*, Poepp. Fragm. Syn. Pl. Chil. 23 = *Grammatocarpus volubilis*.  
*striata*, Meyen, Reise, i. 310 = *Grammatocarpus volubilis*.  
*tricolor*, Lindl. Bot. Reg. t. 667.—Chili.  
*tricolor*, Weinm. in Syll. Ratisb. ii. (1828) 21.—Chili.  
*triloba*, Fuss. in Ann. Mus. Par. v. (1804) 24. t. 1. f. 3.—Peruv.  
*triphylla*, Fuss. l. c. 27. t. 5. f. 2.—Peruv.  
*urens*, Jacq. Obs. Bot. ii. 15 = hispida.  
*urens*, Vell. Fl. Flum. 225. t. 98 = Blumenbachia latifolia.  
*Urmenetae*, Phil. in Anal. Univ. Chil. (1872) 714.—Chili.  
*urticaefolia*, Bert. ex Steud. Nom. ed. II. ii. 58 (Quid?).—Chili.  
*Volckmanni*, Phil. in Anal. Univ. Chil. (1872) 715.—Chili.  
*volubilis*, Hort. ex G. Don, in Loud. Hort. Brit. 321 = *Grammotocarpus volubilis*.  
*volubilis*, Fuss. in Ann. Mus. Par. v. (1804) 26. t. 5. f. 1.—Chili.  
*vulcanica*, André, in Illustr. Hort. xxv. (1878) t. 302.—N. Granat.  
*Wallisii*, Hort. ex Regel, Gartenfl. (1878) 357 = vulcanica.  
*xanthiifolia*, Fuss. in Ann. Mus. Par. v. (1804) 26. t. 2. f. 1.—Peruv.

- LOBADIUM, Rafin. in Am. Monthly Mag. (1819) 357; et in Journ. Phys. lxxxix. (1819) 98 = *Rhus*, Linn. (Anacard.).  
*amentaceum*, Rafin. in Am. Monthly Mag. (1819) 358 = *R. aromatica*.

**LOBADIUM:—**

- aromaticum*, Steud. Nom. ed. I. 689, in syn. = *Rhus aromatica*.  
*suaveolens*, Rafin. in Journ. Phys. lxxxix. (1819) 98 = *R. aromatica*.  
*trifoliatum*, Rafin. Cat. 14 = *R. aromatica*.

- LOBAKE, Rafin. Fl. Tellur. iv. 81 (1836) = *Ipomoea*, Linn. (Convolv.).  
*guyanensis*, Rafin. l. c. = *I. guyanensis*.

- LOBARIA, Haw. Enum. Saxifr. 20 (1821) = *Saxifraga*, Tourn.

- cernua*, Haw. l. c. = *S. cernua*.  
*cuneifolia*, Haw. l. c. 19 = *S. cuneifolia*.  
*hederacea*, Haw. l. c. 18 = *S. hederacea*.  
*orientalis*, Haw. l. c. = *S. cymbalaria*.  
*paradoxa*, Haw. l. c. 18, 20 = *S. paradoxa*.  
*reticulata*, Haw. l. c. = *S. cymbalaria*.  
*rivularis*, Haw. l. c. 19 = *S. rivularis*.  
*sibirica*, Haw. l. c. 21 = *S. sibirica*.

- LOBBIA, Planch. in Hook. Lond. Journ. Bot. vi. (1847) 144. t. 3 = *Thottea*, Rottb. (Aristol.).  
*dependens*, Planch. l. c. = *T. dependens*.

- LOBELIA, Adans. Fam. ii. 157 (1763) = *Scaevola*, Linn. (Goodeniace.).

**LOBELIA, Plum. ex Linn. Gen. ed. I. 267 (1737).**

- CAMPANULACEAE**, Benth. & Hook. f. ii. 551.  
*DOBROWSKYA*, Presl, Prod. Monog. Lobel. 8 (1836).  
*DORTMANNA*, Linn. Syst. ed. I (1735).  
*GRAMMATOTHECA*, Presl, Prod. Monog. Lobel. 43 (1836).  
*HOLOSTIGMA*, G. Don, Gen. Syst. iii. 716 (1834).  
*HOLOSTIGMATEIA*, Reichb. Nom. 102 (1841).  
*ISOLOBUS*, A. DC. in DC. Prod. vii. 352 (1839).  
*JUCHIA*, Neck. Elem. i. 132 (1790).  
*MECOSCHISTUM*, Dulac, Fl. Hautes-Pyr. 459 (1867).  
*MEZLERIA*, Presl, Prod. Monog. Lobel. 7 (1836).  
*MONOPSIS*, Salisb. in Trans. Hort. Soc. ii. (1817) 37. t. 2.  
*PARASTRANTHUS*, G. Don, Gen. Syst. iii. 716 (1834).  
*PRATIA*, G. Don, Gen. Syst. iii. 699 (1834), partim.  
*RAPUNTUM*, Tourn. ex Mill. Gard. Dict. ed. VIII. (1768).  
*RHYNCHOPETALUM*, Fresen. in Flora, xxi. (1838) II. 603.  
*STOORIA*, Neck. Elem. i. 132 (1790).  
*TRIMERIS*, Presl, Prod. Monog. Lobel. 46 (1836).  
*TUPA*, G. Don, Gen. Syst. iii. 700 (1834).  
*TYLOMIUM*, Presl, Prod. Monog. Lobel. 31 (1836).  
*YMNOSTEMA*, Neck. Elem. i. 132 (1790).  
*acuminata*, Sw. Prod. Veg. Ind. Occ. 115.—Ind. occ.  
*acutangula*, A. DC. in DC. Prod. vii. 369.—Afr. austr.  
*acutidens*, Hook. f. in Journ. Linn. Soc. vii. (1864) 204.—Afr. trop.  
*adenophora*, Roem. & Schult. Syst. v. Index 615 = *Lysipoma aretioides*.  
*adscendens*, De Vriese, in Lehm. Pl. Preiss. i. 395 = *tenuior*.  
*affinis*, Mirb. Hist. Nat. Pl. ed. II. [1805] xiv. 237 = *Siphocampylus campanulatus*.  
*affinis*, Wall. Cat. n. 1311.—As. trop.  
*alata*, Hayne, ex C. B. Clarke, in Hook. f. Fl. Brit. Ind. iii. 425 = *zeylanica*.  
*alata*, Labill. Nov. Holl. Pl. i. 51. t. 72 = *anceps*.  
*alata*, Leperr. & Bout. ex A. DC. in DC. Prod. vii. 368 = *madagascariensis*.  
*algoënsis*, A. DC. in DC. l. c. 369 = *L. Erinus*.  
*alpina*, Vell. Fl. Flum. viii. t. 154.—Bras.  
*alsinoides*, Lam. Encyc. iii. 588.—Afr. austr.  
*alyssifolia*, Salisb. Ic. 19 = *pubescens*.  
*ambigua*, Cham. in Linnaea, viii. (1833) 221 = *Rolandia ambigua*.  
*americana*, Willd. ex A. DC. in DC. Prod. vii. 387, 507 = *Scaevola Lobelia*.  
*amoena*, Michx. Fl. Bor. Am. ii. 152.—Am. bor.  
*amplexicaulis*, De Vriese, in Lehm. Pl. Preiss. i. 397 = *Bergiana*.  
*amygdalina*, Willd. ex Roem. & Schult. Syst. v. 57.—Am. austr.  
*anceps*, Linn. f. Suppl. 395.—Reg. temp. austr.  
*andina*, Benth. Pl. Hartw. 213.—N. Granat.  
*Andropogon*, Cav. Ic. vi. 10 = *Centropogon Andropogon*.



**LOBELIA:—**

*androsacea*, Willd. ex Roem. & Schult. Syst. v. 41 = *Lysipoma acaulis*.  
*angulata*, Forst. f. Prod. 58 = *Pratia angulata*.  
*angulato-dentata*, Hook. & Arn. Bot. Beech. Voy. 301 = *laxiflora*.  
*angustifolia*, Benth. in Enum. Pl. Hueg. 74 = *anceps*.  
*angustifolia*, Cham. in Linnæa, viii. (1833) 219. — (= *Delissea angustifolia*). — Ins. Sandvic.  
*antisiphilitica*, Hayne, Arzn. Gew. xiii. t. 9. — Am. bor.  
*aphylla*, Nutt. in Am. Journ. Sc. v. (1822) 297 (Quid?). — Am. bor.  
*aphylla*, Spreng. ex Presl, Prod. Monog. Lobel. 52 (sp. dub.). — Afr. austr.  
*appendiculata*, A. DC. in DC. Prod. vii. 376. — Am. bor.  
*aquatica*, Cham. in Linnæa, viii. (1833) 211. — Bras.  
*arabidea*, Steud. Nom. ed. II. ii. 59 = *Laurentia arabidea*.  
*arabidioides*, Hook. & Arn. Bot. Beech. Voy. 301. t. 66 = *Heterotoma arabidioides*.  
*arborea*, Forst. f. Prod. 58 = *Sclerotheca arborea*.  
*arenaria*, Salzm. ex A. DC. in DC. Prod. vii. 387, 421 = *Cephalostigma Perrottetii*.  
*arenarioides*, A. DC. l. c. 367 = *trigona*.  
*areolata*, Rich. ex Juss. in Ann. Mus. Par. xviii. (1811) 3 = *stricta*.  
*arguta*, Hort. ex A. DC. in DC. Prod. vii. 370 = *hederacea*.  
*arguta*, Lindl. in Bot. Reg. t. 973 = *salicifolia*.  
*aromatica*, Moon, Cat. Pl. Ceyl. 14 = *excelsa*.  
*ascendens*, De Vriese, in Lehm. Pl. Preiss. i. 395. — Austral.  
*asclepiadea*, Willd. ex Roem. & Schult. Syst. v. 57 = *Siphocampylus ferrugineus*.  
*aspera*, Spreng. Neue Entdeck. i. 222. — Afr. austr.  
*asperulata*, Klotzsch, in Peters, Reise Mossamb. Bot. 300 = *fervens*.  
*asplenifolia*, Hort. ex A. DC. in DC. Prod. vii. 387, 412 = *Isotoma axillaris*.  
*assurgens*, Linn. Syst. ed. X. 1237. — Ind. occ.  
*attenuata*, Presl, Prod. Monog. Lobel. 34 = *Siphocampylus attenuatus*.  
*ayavensis*, Willd. ex Spreng. Syst. i. 709 = *Siphocampylus umbellatus*.  
*barbata*, Cav. Ic. vi. 12 = *Centropogon barbatus* (in Addend.).  
*begonifolia*, Wall. in As. Res. xiii. (1820) 377 = *Pratia begonifolia*.  
*bellidiflora*, Linn. f. Suppl. 396. — Afr. austr.  
*bellidifolia*, Thunb. Prod. Pl. Cap. 40 = *præc.*  
*Benthani*, F. Muell. Census, 85. — Austral.  
*Bergiana*, Cham. in Linnæa, viii. (1833) 217. — Afr. austr.; Austral.  
*Berlandieri*, A. DC. in DC. Prod. vii. 367. — Mexic.  
*Berlandieri*, Torr. Bot. Mex. Bound. 107 = *Cliffortiana*.  
*Berteriana*, Spreng. Syst. i. 712 = *Centropogon Berterianus*.  
*beslerioides*, H. B. & K. Nov. Gen. et Sp. iii. 306 = *Centropogon beslerioides*.  
*betulaefolia*, Cham. in Linnæa, viii. (1833) 204 = *Siphocampylus betulaefolius*.  
*bicolor*, Boj. Hort. Maurit. 193 = *serpens*.  
*bicolor*, Sims, Bot. Mag. t. 514 = *L. Erinus*.  
*bidentata*, Donn, Hort. Cantab. ed. IV. 41 = *tenella*.  
*bifida*, Thunb. Prod. Pl. Cap. 40 = *Laurentia Dregeana*.  
*biserrata*, Cav. Ic. vi. 10 = *Siphocampylus biserratus*.  
*biserrata*, Ruiz & Pav. ex A. DC. in DC. Prod. vii. 397 = *Siphocampylus laciniatus*.  
*Bivonae*, Tineo, Cat. Pl. Hort. Panorm. (1827) 279 = *Laurentia tenella*.  
*Boivinii*, Sond. in Harv. & Sond. Fl. Cap. iii. 546. — Afr. austr.  
*Bonplandiana*, Roem. & Schult. Syst. v. 57 = *Centropogon Bonplandianus*.  
*Boykinii*, Torr. & Gray, ex A. DC. in DC. Prod. vii. 374. — Am. bor.  
*bracteolata*, A. DC. l. c. 371. — Hab. ?  
*bracteolata*, Vathek, in Linnæa, xxxviii. (1874) 721. — Venezuela.  
*Brandtii*, Hort. ex A. DC. in DC. Prod. vii. 393 = *salicifolia*.  
*brevifolia*, Nutt. ex A. DC. l. c. 377. — Am. bor.  
*Breyonii*, Lam. Encyc. iii. 588. — Afr. austr.  
*Breyonii*, Spreng. ex Eckl. & Zeyh. Enum. 397 = *L. Erinus*.

**LOBELIA:—**

*Bridgesii*, Hook. & Arn. in Hook. Journ. Bot. i. (1834) 278. — Chili.  
*Broussonetia*, Bory, Ess. Isles Fortun. 330 = *Wahlenbergia lobelioides*.  
*Browniana*, Roem. & Schult. Syst. v. 71 = *gibbosa*.  
*bryoides*, Willd. l. c. 41 = *Arenaria dicranoides*.  
*bulbosa*, Linn. Sp. Pl. 933 = *Cyphia bulbosa*.  
*Burmänniana*, D. Dietr. Syn. Pl. i. 728. — Afr. austr.  
*caerulea*, Hook. Bot. Mag. t. 2701 = *coronopifolia*.  
*caespitosa*, Blume, Bijdr. 729 = *radicans*.  
*calcarata*, Bertol. Fl. Guatim. 9 = *Heterotoma lobelioides*.  
*calycina*, Cham. in Linnæa, viii. (1833) 222 = *Rollandia calycina*.  
*campanulata*, Cav. Ic. vi. 11 = *Siphocampylus campanulatus*.  
*campanulata*, Lam. Encyc. iii. 588. — Afr. austr.  
*campanuloides*, Thunb. in Trans. Linn. Soc. ii. (1794) 331 = *radicans*.  
*camporum*, Pohl, Bras. Pl. Ic. ii. 100. — Bras.  
*camtschatica*, Pall. ex Lamb. in Trans. Linn. Soc. x. (1811) 260 = *sessilifolia*.  
*cana*, Presl, Prod. Monog. Lobel. 37 = *Siphocampylus macropodus*.  
*canariensis*, Hort. Par. ex A. DC. in DC. Prod. vii. 388 = *Wahlenbergia lobelioides*.  
*Canbyi*, A. Gray, Man. Bot. N. U. St. ed. V. 284. — Am. bor.  
*candida*, Hort. ex Link, Enum. Hort. Berol. i. 219 = *L. Erinus*.  
*canescens*, Presl, Prod. Monog. Lobel. 38 = *Siphocampylus canescens*.  
*Caoutchouc*, H. B. & K. Nov. Gen. et Sp. iii. 304 = *Siphocampylus Caoutchouc*.  
*Caoutchouc*, Steud. Nom. ed. II. ii. 59 = *præc.*  
*capillifolia*, A. DC. in DC. Prod. vii. 362. — Afr. austr.  
*capitata*, Burm. f. Fl. Cap. Prod. 29. (err. typ. 25) = *triquetra*.  
*Cardamines*, Thunb. Prod. Pl. Cap. 39 = *Cyphia Cardamines*.  
*cardinalis*, Linn. Sp. Pl. 930. — Am. bor.  
*cardiophylla*, Presl, Prod. Monog. Lobel. 37 = *Siphocampylus corymbiferus*.  
*carnosula*, Hook. & Arn. Bot. Beech. Voy. 362 = *Laurentia carnosula*.  
*Cautschuk*, Willd. ex Roem. & Schult. Syst. v. 58 = *Siphocampylus Caoutchouc*.  
*Cavanillesiana*, Roem. & Schult. Syst. v. 43 = *laxiflora*.  
*Cavanillesii*, Mart. Ausw. Pfl. Muench. 12. t. 9 = *præc.*  
*ceratophylla*, A. Dietr. Syn. Pl. i. 728 = *tomentosa*.  
*chamaedryfolia*, A. DC. in DC. Prod. vii. 364. — Afr. austr.  
*Chamaepitys*, Lam. Encyc. iii. 590 = *tomentosa*.  
*Chamaepitys*, Spreng. Syst. i. 714 = *aspera*.  
*Chamissoniana*, Presl, Prod. Monog. Lobel. 36 = *Siphocampylus Westinianus*.  
*Cheiranthus*, Linn. Sp. Pl. 933 = *Manulea Cheiranthus*.  
*chenopodiifolia*, Wall. Cat. n. 1312 = *Cliffortiana*.  
*chinensis*, Lour. Fl. Cochinch. 514. — China.  
*chirensis*, A. Rich. Tent. Fl. Abyss. ii. 6. — Abyssin.  
*ciliata*, De Vriese, in Lehm. Pl. Preiss. i. 397 = *tenuior*.  
*ciliata*, Spreng. f. ex Presl, Prod. Monog. Lobel. 52 (Prismatocarp sp.). — Hab. ?  
*cinerea*, Thunb. Prod. Pl. Cap. 40 = *Lightfootia grisea*.  
*circaeoides*, A. DC. ex DC. Prod. vii. 379. — Mexic.  
*cirsiifolia*, Lam. Encyc. iii. 584. — Ins. Cap. Virid.  
*cladlomesa*, Rafin. New Fl. Am. ii. 17 (Quid?). — Am. bor.  
*Claytoniana*, Michx. Fl. Bor. Am. ii. 153 = *spicata*.  
*Clermontiana*, Gaudich. in Freyc. Voy. Bot. 459 = *Clermontia persicifolia*.  
*Cliffortiana*, Linn. Sp. Pl. 931. — Am. trop.  
*Cliffortiana*, Michx. Fl. Bor. Am. ii. 152 = *præc.* ?  
*coccinea*, Stokes, Bot. Mat. Med. i. 343 = *cardinalis*.  
*coelestis*, Nutt. ex Loud. Hort. Brit. 592 = *fenestralis*.  
*coerulea*, Auct. = *caerulea*.  
*collina*, H. B. & K. Nov. Gen. et Sp. iii. 312. — Peruv.  
*colorata*, Sweet, Brit. Flow. Gard. Ser. II. t. 180 = *amoena*.  
*colorata*, Wall. Pl. As. Rar. ii. 42. — Reg. Himal.  
*Columnae*, Linn. f. Suppl. 393 = *Siphocampylus Columnae*.  
*columbaris*, Hook. f. in Journ. Linn. Soc. vi. (1862) 14. — Afr. trop.  
*commutata*, Roem. & Schult. Syst. v. 36 = *neglecta*.  
*commutata*, Roem. & Schult. l. c. 73 = *pauciflora*.

**LOBELIA:—**

*comosa*, Cav. Ic. vi. 9. t. 512. f. 2 = *Siphocampylus comosus*.  
*comosa*, Linn. Sp. Pl. ed. II. 1323 = *triquetra*.  
*concolor*, R. Br. Prod. 563 = *Pratia erecta*.  
*concolor*, Mart. & Gal. in Bull. Acad. Brux. xi. (1842), reimp. 15. — Mexic.  
*conglobata*, Lam. Encyc. iii. 585. — Ins. Martinic.  
*conglomerata*, Sieber, ex Steud. Nom. ed. II. ii. 59 = *præc.*  
*convolvulacea*, Cham. in Linnæa, viii. (1833) 205 = *Siphocampylus convolvulaceus*.  
*cordata*, Willd. ex Roem. & Schult. Syst. v. 308 = *Siphocampylus volubilis*.  
*cordifolia*, Hook. & Arn. Bot. Beech. Voy. 301 = *Heterotoma tenella*.  
*cordigera*, Cav. Ic. vi. 14. t. 523. — Chili.  
*cornuta*, Linn. Sp. Pl. 930 = *Centropogon surinamensis*.  
*coronopifolia*, Linn. l. c. 933. — Afr. austr.  
*corymbifera*, Presl, Prod. Monog. Lobel. 37 = *Siphocampylus corymbiferus*.  
*corymbosa*, Berg. Desc. Pl. Cap. 344 = *triquetra*.  
*corymbosa*, R. Grah. in Edinb. N. Phil. Journ. (Jul.-Oct. 1826) 385. — Afr. austr.  
*crassiuscula*, Michx. Fl. Bor. Am. ii. 152 = *glandulosa*.  
*crenata*, Presl, Prod. Monog. Lobel. 37 = *Siphocampylus crenatifolius*.  
*crenata*, Thunb. Prod. Pl. Cap. 39 = *Cyphia crenata*.  
*cretica*, Herb. Juss. ex A. DC. in DC. Prod. vii. 410 = *Laurentia tenella*.  
*crispa*, Gaudich. in Freyc. Voy. Bot. 459; D. Dietr. Syn. Pl. i. 728 = *Rollandia crispa*.  
*crispa*, R. Grah. in Edinb. N. Phil. Journ. (Apr.-July 1826) 173 = *fenestralis*.  
*cuneifolia*, Link & Otto, Ic. Pl. Sel. Berol. t. 39. — Afr. austr.  
*cuneiformis*, Labill. Nov. Holl. Pl. i. 51. t. 73 = *anceps*.  
*Cymbalaria*, Griseb. in Goett. Abh. xix. (1874) 200. — Reg. Argent.  
*Cyphia*, J. F. Gmel. Syst. 357 = *Cyphia bulbosa*.  
*Cyphia*, Thunb. Prod. Pl. Cap. 39 = *Cyphia digitata*.  
*cyphoides*, Harv. Thes. Cap. ii. 40. — Afr. austr.  
*Davidi*, Franch. Pl. Davidian. i. (1884) 191. — China.  
*debilis*, Eckl. ex A. DC. in DC. Prod. vii. 370 = *triquetra*.  
*debilis*, Linn. f. Suppl. 395. — Afr. austr.  
*decipiens*, Sond. in Harv. & Sond. Fl. Cap. iii. 540. — Afr. austr.  
*Deckenii*, Hemsl. in Oliver, Fl. Trop. Afr. iii. 466. — Afr. trop.  
*decumbens*, Juss. ex A. DC. in DC. Prod. vii. 388 = *Siphocampylus decumbens*.  
*decumbens*, Rich. ex Roem. & Schult. Syst. v. 67. — Ind. occ.  
*decumbens*, Sims, Bot. Mag. t. 2277 = *anceps*.  
*decurrens*, Cav. Ic. vi. 13. t. 521. — Chili.  
*decurrens*, Roth, Nov. Pl. Sp. 145 = *zeylanica*.  
*decurrens*, Willd. ex Spreng. Syst. i. 718 = *madagascariensis*.  
*Delisseana*, Gaudich. in Freyc. Voy. Bot. 437 (= *Delissea acuminata*). — Ins. Sandvic.  
*densiflora*, Rennie, Mag. Gard. & Bot. i. (1833) t. 67; ex Paxt. Mag. Bot. xvi. (1849) 66. — Hab. ?  
*dentata*, Cav. Ic. vi. 14. t. 522. — Austral.  
*dentata*, Sieber, ex A. DC. in DC. Prod. vii. 364 = *gracilis*.  
*dentata*, Torr. ex A. DC. l. c. 377 = *brevifolia*.  
*dentata*, Willd. ex Roem. & Schult. Syst. v. 57 = *Centropogon Bonplandianus*.  
*dependens*, Ruiz & Pav. ex A. DC. in DC. Prod. vii. 388, 399 = *Siphocampylus dependens*.  
*depressa*, Linn. f. Suppl. 395. — Afr. austr.  
*depressa*, Thunb. ex Harv. & Sond. Fl. Cap. iii. 551 = *Laurentia repens*.  
*dichotoma*, Miq. Fl. Ind. Bat. ii. 576 = *zeylanica*.  
*digitata*, Thunb. 'in Act. Gorenk. v. (1811) 62.' — C. Fl. Cap. ii. 50 = *Cyphia digitata*.  
*dioica*, R. Br. Prod. 565. — Austral.  
*discolor*, Klotzsch, in Link, Klotzsch & Otto, Ic. Pl. Hort. Berol. i. t. 2 = *subnuda*.  
*divaricata*, Hook. & Arn. Bot. Beech. Voy. 301. t. C. — Mexic.  
*divaricata*, Seem. Bot. Voy. Herald, 316 = *Heterotoma intermedia*.  
*diversifolia*, Cham. in Linnæa, viii. (1833) 209 = *Wahlenbergia liuarioides*.



**LOBELIA :—**

*diversifolia*, Roem. & Schult. Syst. v. 68.—Am. austr. *Dobrowskiana*, D. Dietr. Syn. Pl. i. 732 = *tenella*. *Dombeyana*, Presl, Prod. Monog. Lobel. 39 = *Siphocampylus Dombeyanus*. *domingensis*, A. DC. in DC. Prod. vii. 359.—Ins. S. Doming. *dopatroides*, Kurz, in Journ. As. Soc. Beng. xxxix. (1870) ii. 77 = *Griffithii*. *Dortmanna*, Linn. Sp. Pl. 929.—Europ.; Am. bor. *Draba*, Willd. ex Roem. & Schult. Syst. v. 67 = *trigona*. *dracunculoides*, Willd. l. c. 56 = *persicaefolia*. *Dregeana*, A. DC. in DC. Prod. vii. 371.—Afr. austr. *dubia*, De Vriese, in Lehm. Pl. Preiss. ii. 242.—Austral. *Eckloniana*, D. Dietr. Syn. Pl. i. 736.—Afr. austr. *edulis*, Presl, Prod. Monog. Lobel. 48 = *Centropogon surinamensis*. *Ehrenbergii*, Vathe, in Linnaea, xxxviii. (1874) 719.—Mexic. *elegans*, De Vriese, in Lehm. Pl. Preiss. i. 396 = *Isotoma pusilla*. *elliptica*, Willd. ex Roem. & Schult. Syst. v. 57.—Am. austr. *ensiformis*, Vell. Fl. Flum. viii. t. 155.—Bras. *erecta*, De Vriese, in Lehm. Pl. Preiss. i. 395 = *anceps*. *erecta*, Hook. f. & Thoms. in Journ. Linn. Soc. ii. (1858) 28.—Reg. Himal. *ericetorum*, A. DC. in DC. Prod. vii. 784.—Afr. austr. *ericoides*, Presl, ex D. Dietr. Syn. Pl. i. 733.—Afr. austr. *erina*, St. Lag. in Ann. Soc. Bot. Lyon, vii. (1880) 129 = *L. Erinus*. *erinifolia*, Salisb. Prod. 129 = *Laurentia erinoides*. *erinoides*, Linn. Sp. Pl. 932 = *Laurentia erinoides*. *erinoides*, Sickm. ex A. DC. in DC. Prod. vii. 408 = *repens*. *erinoides*, Thunb. Prod. Pl. Cap. 40 = *radicans*. *Erinus*, Linn. Sp. Pl. 932.—Afr. austr. *Erinus*, Thunb. Fl. Cap. 179 = *radicans*. *euphrasioides*, Steud. Nom. ed. ii. 60.—Afr. austr. *eurostos*, Voigt, Hort. Suburb. Calc. 367.—Ind. or. *exaltata*, Pohl, Pl. Bras. Ic. ii. 101. t. 166 = *Haynaldia exaltata*. *excelsa*, Bonpl. Desc. Jard. Malm. 112 = *salicifolia*. *excelsa*, Leschen. in Roxb. Fl. Ind. ed. Carey, ii. 114.—Ind. or. *exigua*, Pers. Syn. ii. 212 = *campanulata*. *exilis*, Hochst. in A. Rich. Tent. Fl. Abyss. ii. 7.—Afr. trop. *falcata*, Rafin. New Fl. Am. ii. 18 = *Kalmii*? *Farsetia*, Vand. Fasc. Pl. 19 = *urens*. *fastigiata*, H. B. & K. Nov. Gen. et Sp. iii. 313.—Ecuador. *Feayana*, A. Gray, in Proc. Am. Acad. xii. (1877) 60.—Am. bor. *fenestralis*, Cav. Ic. vi. 8. t. 512. f. 1.—Mexic. *ferruginea*, Linn. f. Suppl. 394 = *Siphocampylus ferrugineus*. *fervens*, Thunb. Fl. Cap. ii. 46.—Afr. austr. *Feuillei*, Hort. ex Nichols. Dict. Gard. ii. 291 = *L. Tupa*. *filiformis*, Lam. Encyc. iii. 588 = *serpens*. *filiformis*, Sieber, ex A. DC. in DC. Prod. vii. 372 = *Cliffortiana*. *fissa*, Willd. ex Roem. & Schult. Syst. v. 57 = *laxiflora*. *fistulosa*, Rafin. New Fl. Am. ii. 18 (Quid?)—Am. bor. *fistulosa*, Vell. Fl. Flum. viii. t. 157.—Bras. *flaccida*, A. DC. in DC. Prod. vii. 360 = *L. Erinus*. *flava*, D. Dietr. Syn. Pl. i. 734.—Afr. austr. *Fleuryana*, Gaudich. in Freyc. Voy. Bot. 456 = *Isotoma axillaris*. *flexuosa*, A. DC. in DC. Prod. vii. 379.—Mexic. *floribunda*, Bonpl. ex A. DC. l. c. 383 = *laxiflora*. *floridana*, Chapm. in Coult. Bot. Gaz. iii. (1878) 9 = *paludosa*. *fluminensis*, Vell. Fl. Flum. viii. t. 159.—Bras. *fluviatilis*, R. Br. Prod. 563 = *Isotoma fluviatilis*. *foetida*, Willd. ex H. B. & K. Nov. Gen. et Sp. iii. 304 = *Siphocampylus foetidus*. *foliosa*, H. B. & K. l. c. 310 = *decurrens*. *formosa*, Roth, in Roem. & Schult. Syst. v. 50 = *fulgens*. *frutescens*, Mill. Gard. Dict. ed. VIII. n. 1 = *Scaevola Koenigii*. *fruticosa*, Linn. f. Suppl. 395.—Afr. austr. *fulgens*, Willd. Hort. Berol. t. 85.—Mexic.

**LOBELIA :—**

*fusca*, Presl, Prod. Monog. Lobel. 40 = *Siphocampylus fuscus*. *Gardneriana*, Kanitz, in Mart. Fl. Bras. vi. iv. 138.—Bras. *Gasparrini*, Tineo, Cat. Pl. Panorm. (1827) 279 = *Laurentia Michelii*. *Gattingeri*, A. Gray, in Proc. Am. Acad. xvii. (1881–82) 221.—Am. bor. *Gaudichaudii*, A. DC. in DC. Prod. vii. 384.—Ins. Sandvic. *gelida*, F. Muell. Fragm. iv. 183 = *Pratia gelida*. *genistoides*, A. DC. in DC. Prod. vii. 358.—Afr. austr. *Ghiesbreghtii*, Decne. in Rev. Hort. Sér. III. ii. (1848) 341 (*Centropogonis* sp.?).—Mexic. *Ghiesbreghtii*, Lem. Illustr. Hort. i. (1854) t. 34.—Mexic.; Bras. *Gibberoa*, Hemsl. in Oliver, Fl. Trop. Afr. iii. 465.—Afr. trop. *gibbosa*, Labill. Nov. Holl. Pl. i. 50. t. 71.—Austral. *gigantea*, Cav. Ic. vi. 9 = *Siphocampylus giganteus*. *gigantea*, Sims, Bot. Mag. t. 1825 = *salicifolia*. *glabrata*, H. B. & K. Nov. Gen. et Sp. iii. 307 = *Siphocampylus glabratus*. *glabrifolia*, E. Mey. ex Presl, Prod. Monog. Lobel. 12 = *leptocarpa*. *glandulosa*, Dennis, ex W. Baxt. in Loud. Hort. Brit. Suppl. ii. 646 = *syphilitica*. *glandulosa*, Engelm. & A. Gray, Pl. Lindh. i. 14 = *puberula*. *glandulosa*, Walt. Fl. Carol. 218.—Am. bor. *glandulosa*, Willd. in Roem. & Schult. Syst. v. 41 = *Lysipoma aretioides*. *globosa*, R. Br. ex G. Don, in Loud. Hort. Brit. 78, nomen.—Hab. ? *goodenioides*, Willd. Hort. Berol. t. 30 = *spicata*. *gracilis*, Andr. Bot. Rep. t. 340.—Afr. austr.; Austral. *gracilis*, Hook. f. in Trans. Linn. Soc. xx. (1847) 206.—Ins. Galapag. *gracilis*, Nutt. Gen. Am. ii. 77 = *Nuttallii*. *gracilis*, Salisb. Prod. 129 = *Laurentia Michelii*. *graminea*, Lam. Encyc. iii. 538.—Peruv. *grandidentata*, Schlecht. in Linnaea, ix. (1834) 262 = *Siphocampylus grandidentatus*. *grandiflora*, Gaudich. in Freyc. Voy. Bot. 459 = *Clermontia grandiflora*. *grandis*, Linn. f. Suppl. 394 = *Centropogon grandis*. *gratioloides*, Roxb. ex Presl, Prod. Monog. Lobel. 50 = *trigona*. *Griffithii*, Hook. f. & Thoms. in Journ. Linn. Soc. ii. (1858) 28.—Burma. *Grimesiana*, Gaudich. in Freyc. Voy. Bot. 458 = *Cyanea Grimesiana*. *gruina*, Cav. Ic. vi. 8. t. 511.—Mexic. *Gulparae*, Buch-Ham. ex Wall. Cat. n. 1311 = *affinis*. *Haenkeana*, A. DC. in DC. Prod. vii. 382.—Ins. Philipp. *Hartlaubi*, Buchen. in Bremen, Abh. vii. (1881) 201.—Madag. *Hartwegi*, Benth. ex A. DC. in DC. Prod. vii. 361.—Mexic. *hederacea*, Cham. in Linnaea, viii. (1833) 212 = *Pratia hederacea*. *hederacea*, Hort. Kew. ex A. DC. in DC. Prod. vii. 370.—Hab. ? *heteromalla*, Schrad. ex A. DC. l. c. 370 = *triquetra*. *heterophylla*, Hook. Bot. Mag. t. 3784 = *tenuior*. *heterophylla*, Labill. Nov. Holl. Pl. i. 52. t. 74.—Austral. *heterophylla*, Willd. ex Spreng. Syst. i. 736 = *Wahlenbergia linarioides*. *Heyniana*, Roem. & Schult. Syst. v. 50 = *zeylanica*. *Heyniana*, Spreng. Syst. i. 717 = *domingensis*. *hirsuta*, Linn. Sp. Pl. 932.—Afr. austr. *hirta*, Cav. Ic. vi. 13 = *Centropogon hirtus*. *hirta*, Linn. Sp. Pl. 932.—Afr. austr. *hirta*, Roxb. Fl. Ind. ii. 113 = *affinis*. *Horsfieldiana*, Miq. Fl. Ind. Bat. ii. 577 = *Pratia begoniifolia*. *hortensis*, A. DC. in DC. Prod. vii. 377 = *amoena*. *Humboldtiana*, Presl, Prod. Monog. Lobel. 35 = *Siphocampylus Humboldtianus*. *Humboldtiana*, Roem. & Schult. Syst. v. 68 = *Specularia perfoliata*. *humilis*, Klotzsch, in Peters, Reise Mossamb. Bot. 302 = *fervens*. *humistrata*, F. Muell. ex Benth. Fl. Austral. iv. 130.—Austral.

**LOBELIA :—**

*hypocrateriformis*, R. Br. Prod. 565 = *Isotoma Brownii*. *hyssopifolia*, Salzm. ex A. DC. in DC. Prod. vii. 389.—Chili. *igneae*, Paxt. Mag. Bot. vi. (1839) 247 = *fulgens*. *igneae*, Vell. Fl. Flum. viii. t. 158.—Bras. *ilicifolia*, Ker-Gawl. in Bot. Mag. t. 1896 = *purpurascens*. *imbricata*, Cham. in Linnaea, viii. (1833) 206 = *Siphocampylus imbricatus*. *incana*, Ruiz & Pav. ex A. DC. in DC. Prod. vii. 392.—Peruv. *incisa*, D. Dietr. Syn. Pl. i. 733.—Afr. austr. *incisa*, Thunb. Prod. Pl. Cap. 39 = *Cyphia incisa*. *incisa*, Wall. ex Hook. f. & Thoms. Journ. Linn. Soc. ii. (1857) 29 = *Cliffortiana*. *inconspicua*, A. Rich. Tent. Fl. Abyss. ii. 8.—Abyss. *incurva*, Rafin. New Fl. Am. ii. 18 = *Kalmii*? *inflata*, Linn. Sp. Pl. 931.—Am. bor. *integrifolia*, Hort. Nois. ex Presl, Prod. Monog. Lobel. 50, nomen.—Hab. ? *inundata*, R. Br. Prod. 563 = *Isotoma fluviatilis*. *inundata*, A. Cunn. ex Walp. Rep. vi. 372 = *Pratia erecta*. *irasuensis*, Planch. & Oerst. in Kjoeb. Vidensk. Meddel. (1857) 153.—Am. centr. *irrigua*, R. Br. Prod. 563 = *Pratia irrigua*. *Jamesoniana*, Presl, Prod. Monog. Lobel. 36 = *Siphocampylus Jamesonianus*. *japonica*, F. G. Dietr. Vollst. Lexik. Gaertn. v. 552 = *radicans*. *javanica*, Thunb. Fl. Javan. 9.—Java. *Kalmii*, Bart. Fl. Am. Sept. t. 34 = *Nuttallii*. *Kalmii*, Linn. Sp. Pl. 930.—Am. bor. *kamtschatica*, Pall. ex Spreng. Syst. i. 712 = *sessilifolia*. *Kohautiana*, Vathe, in Linnaea, xxxviii. (1874) 719.—Afr. trop. *Kraussii*, R. Grah. in Edinb. N. Phil. Journ. (Jan.–March 1830) 379.—Ins. S. Doming. *Krebsiana*, A. DC. in DC. Prod. vii. 385 = *L. Erinus*. *Kunthiana*, Presl, Prod. Monog. Lobel. 39 = *Centropogon Chamissonianus*. *laciniata*, Lam. Encyc. iii. 584 = *Siphocampylus Lamarckii*. *laciniata*, Presl, Prod. Monog. Lobel. 40 = *Siphocampylus laciniatus*. *lacustris*, Salisb. Prod. 128 = *L. Dortmanna*. *laevigata*, Linn. f. Suppl. 392 = *Centropogon laevigatus*. *lanceolata*, Hook. & Arn. Bot. Beech. Voy. 88 = *laxiflora*. *laricina*, Spreng. f. Tent. Suppl. 9 = *Prismatocarpus diffusus*. *lasiantha*, A. DC. in DC. Prod. vii. 362.—Afr. austr. *Laurentia*, Linn. Sp. Pl. 931 = *Laurentia Michelii*. *Laurentia*, Willd. Sp. Pl. i. 948, partim = *Laurentia tenella*. *lavendulacea*, Klotzsch, in Peters, Reise Mossamb. Bot. 302 = *triquetra*. *laxiflora*, H. B. & K. Nov. Gen. et Sp. iii. 311.—Mexic. *Lehmannii*, De Vriese, in Lehm. Pl. Preiss. i. 394 = *Isotoma Brownii*. *leptocarpa*, Griessel. in Linnaea, v. (1830) 419.—Afr. austr. *leptostachys*, A. DC. in DC. Prod. vii. 376.—Am. bor. *limoselloides*, Willd. ex Roem. & Schult. Syst. v. 41 = *Lysipoma montioides*. *linarioides*, A. DC. in DC. Prod. vii. 371.—Afr. austr. *linearis*, Thunb. ex Harv. & Sond. Fl. Cap. iii. 544 = *L. Erinus*. *linearis*, Thunb. Prod. Pl. Cap. 39.—Afr. austr. *linifolia*, Willd. ex Roem. & Schult. Syst. v. 57 = *collina*. *littoralis*, R. Cunn. ex A. Cunn. in Ann. Nat. Hist. Ser. I. ii. (1839) 50.—N. Zel. *Lobbiana*, Hook. f. & Thoms. in Journ. Linn. Soc. ii. (1858) 28.—Reg. Himal. *longepedunculata*, De Vriese, in Lehm. Pl. Preiss. i. 394 = *tenuior*. *longiflora*, Linn. Sp. Pl. 930 = *Isotoma longiflora*. *longifolia*, A. DC. in DC. Prod. vii. 382.—Ins. Philipp. *longipes*, A. DC. l. c. 361 = *hirsuta*. *longiscapa*, De Vriese, in Lehm. Pl. Preiss. i. 398.—Austral. *loxensis*, Willd. ex Roem. & Schult. Syst. v. 72.—Peruv. *Lucaeana*, A. DC. in DC. Prod. vii. 383.—Chili. *ludoviciana*, A. Gray, in Proc. Am. Acad. xii. (1877) 60.—Am. bor. *lutea*, Linn. Sp. Pl. 932.—Afr. austr.



## LOBELIA:—

*luzoniensis*, Pers. ex Steud. Nom. ed. I. 490 = *serpens*.  
*lycioides*, Cham. in Linnaea, viii. (1833) 207 = *Siphocampylus lycioides*.  
*macrocarpa*, De Vriese, in Lehm. Pl. Preiss. i. 396 = Bergiana.  
*macrophylla*, Presl, Prod. Monog. Lobel. 39 = *Siphocampylus lycioides*.  
*macropoda*, Thunb. Pl. Bras. Dec. i. 6; Roem. & Schult. Syst. v. 52 = *Siphocampylus macropodus*.  
*macrostachys*, Hook. & Arn. Bot. Beech. Voy. 88.—Ins. Sandvic.  
*macrostemon*, Presl, Prod. Monog. Lobel. 36 = *Siphocampylus macrostemon*.  
*macularis*, A. DC. in DC. Prod. vii. 364 = *coronopifolia*.  
*maculata*, Penny, in Loud. Hort. Brit. Suppl. i. 592 = *Pratia angulata*.  
*madagascariensis*, Roem. & Schult. Syst. v. 67.—Madag.  
*megapotaamica*, Spreng. Syst. iv. Cur. Post. 75 = *Wahlenbergia linarioides*.  
Melleri, Hemsl. in Oliver, Fl. Trop. Afr. iii. 468.—Afr. trop.  
*membranacea*, R. Br. Prod. 563.—Austral.  
*Michauxii*, Nutt. Gen. Am. ii. 76 = *Cliffortiana*?  
*micrantha*, H. B. & K. Nov. Gen. et Sp. iii. 316 = *trigona*.  
*microcarpa*, C. B. Clarke, in Hook. f. Fl. Brit. Ind. iii. 424.—Burma; Malaya.  
*microdon*, A. DC. in DC. Prod. vii. 369.—Afr. austr.  
*microphylla*, Rafin. Atl. Journ. 147 (Quid?).—Am. bor.  
*microsperma*, F. Muell. Fragm. x. 41.—Austral.  
Milleri, Hort. ex Loud. Encyc. Pl. Suppl. i. 1164.—Hab.?  
Milleri, Steud. Nom. ed. II. ii. 63, in syn. = *Muelleri*.  
*minima*, Sims, Bot. Mag. t. 2077 = *Laurentia minuta*.  
*minuta*, DC. Fl. Fr. iii. 716 = *Laurentia tenella*.  
*minuta*, Linn. Sp. Pl. 932 = *Laurentia micrantha*.  
*minutiflora*, Kunze, Pugill. Pl. Ined. i. 10.—Mexic.  
*mishmica*, C. B. Clarke, in Hook. f. Fl. Brit. Ind. iii. 426.—Reg. Himal.  
*modesta*, Wedd. Chlor. And. ii. 14.—N. Granat.  
*mollis*, R. Grah. in Edinb. N. Phil. Journ. (Oct.—Dec. 1829) 185.—Ins. S. Doming.  
*monanthos*, De Vriese, in Lehm. Pl. Preiss. i. 398 = *Isotoma scapigera*.  
*montana*, Reinw. ex Blume, Bijdr. 728 = *Pratia montana*.  
*monticola*, H. B. & K. Nov. Gen. et Sp. iii. 316.—N. Granat.  
*mucronata*, Cav. Ic. vi. 11.—Chili.  
*mucronata*, Engelm. in Wislitz. Tour N. Mexic. 108.—Mexic.  
*Muelleri*, Hort. ex Steud. Nom. ed. II. ii. 61 = *syphilitica*.  
*multicaule*, Steud. l. c.—Afr. austr.  
*multiflora*, Knowles & Westsc. Flor. Cab. iii. (1840) 126.—Hab.?  
*Mundtiana*, Cham. in Linnaea, viii. (1833) 215 = *leptocarpa*.  
*musoides*, Cham. l. c.—Afr. austr.  
*Mutisiana*, H. B. & K. Nov. Gen. et Sp. iii. 303 = *Siphocampylus Mutisianus*.  
*nana*, H. B. & K. l. c. 317. t. 272.—Mexic.  
*natalensis*, A. DC. in DC. Prod. vii. 369.—Afr. austr.  
*neglecta*, Roem. & Schult. Syst. v. 36.—Hab.?  
*neglecta*, Vathe, in Linnaea, xxxviii. (1874) 720.—Mexic.  
*nematophylla*, Spreng. ex Eckl. & Zeyh. Enum. 398 = *setacea*.  
*neriifolia*, A. Gray, in Proc. Am. Acad. v. (1861) 150.—Ins. Sandvic.  
*neriifolia*, Moris, in Mem. Acc. Torin. xxxviii. (1835) 44 = *salicifolia*.  
*nicotianaefolia*, Heyne, in Roth, Nov. Pl. Sp. 143.—Ind. or.  
*nitida*, Presl, Prod. Monog. Lobel. 37 = *Siphocampylus nitidus*.  
*nivea*, Rafin. Ann. Nat. (1830) 16 = *spicata*.  
*nivea*, Willd. ex Roem. & Schult. Syst. v. 58 = *Siphocampylus Humboldtianus*.  
*nuda*, Hemsl. in Oliver, Fl. Trop. Afr. iii. 469.—Afr. trop.  
*nudicaulis*, Lam. Encyc. iii. 590 = *Cyphia Phyteuma*.  
*nudicaulis*, Rafin. Atl. Journ. 147 (Quid?).—Am. bor.  
*nummularia*, Lam. Encyc. iii. 589 = *Pratia begonifolia*.  
*nummularioides*, Cham. in Linnaea, viii. (1833) 209.—Bras.

VOL. II.

## LOBELIA:—

Nuttallii, Roem. & Schult. Syst. v. 39.—Am. bor.  
*obliqua*, Buch.-Ham. ex D. Don, Prod. Fl. Nep. 158 = *Pratia bigonifolia*.  
*oblongifolia*, Gaudich. in Freyc. Voy. Bot. 459 = *Clermontia oblongifolia*.  
*obscura*, Linn. Pl. Surin. n. 112; Amoen. Acad. viii. 262.—Guian.  
*obtusifolia*, Willd. ex Roem. & Schult. Syst. v. 57 = *Siphocampylus scandens*.  
*ocimoides*, Kunze, Del. Sem. Hort. Lips. (1847).—Cf. Linnaea, xxiv. (1851) 178.—Mexic.  
*odorata*, R. Grah. in Edinb. N. Phil. Journ. xvi. (1834) 178 = *Pratia hederacea*.  
*ophiocephala*, De Vriese, in Lehm. Pl. Preiss. i. 397 = *Isotoma scapigera*.  
*oppositifolia*, Spreng. ex A. DC. in DC. Prod. vii. 390 (*Wahlenbergia* sp.).—Afr. austr.  
*organensis*, Gardn. in Hook. Lond. Journ. Bot. iv. (1845) 128 = *Haynaldia organensis*.  
*Orizabae*, Mart. & Gal. in Bull. Acad. Brux. xi. (1842) reimpr. 13.—Mexic.  
*Ottomania*, A. DC. in DC. Prod. vii. 370.—Hab.?  
*ovalifolia*, Hook. & Arn. Bot. Beech. Voy. 301 = *laxiflora*.  
*pallida*, Muhl. Cat. 22 = *spicata*.  
*palmaris*, Willd. ex Roem. & Schult. Syst. iv. 56 = *monticola*.  
*paludosa*, Nutt. Gen. Am. ii. 75.—Am. bor.  
*paniculata*, Linn. Sp. Pl. 930.—Afr. austr.  
*paniculata*, Rafin. New Fl. Am. ii. 18 = *spicata*?  
*parviflora*, Mart. & Gal. in Bull. Acad. Brux. xi. (1842) reimpr. 10.—Mexic.  
*parvifolia*, Berg. Desc. Pl. Cap. 345 = *Lightfootia oxycoccoides*.  
*parvifolia*, R. Br. Prod. 564.—Austral.  
*parvifolia*, Rafin. New Fl. Am. ii. 18 (Quid?).—Am. bor.  
*patula*, Linn. f. Suppl. 395.—Afr. austr.  
*paucidentata*, A. DC. in DC. Prod. vii. 362 = *tomentosa*.  
*pauciflora*, H. B. & K. Nov. Gen. et Sp. iii. 314.—Mexic.  
*pectinata*, Engelm. in Wislitz. Tour N. Mexic. 108 = *fenestralis*.  
*pedicellaris*, Presl, Prod. Monog. Lobel. 34 = *Siphocampylus longepedunculatus*.  
*pedunculata*, R. Br. Prod. 563 = *Pratia pedunculata*.  
*pedunculata*, Sims, Bot. Mag. t. 2251 = *tomentosa*.  
*pendulifolia*, Presl, Prod. Monog. Lobel. 35 = *Siphocampylus longepedunculatus*.  
*perpusilla*, Hook. f. Fl. N. Zel. i. 158 = *Pratia perpusilla*.  
*persicaefolia*, Cav. Ic. vi. 12. t. 518 = *laxiflora*.  
*persicaefolia*, Lam. Encyc. iii. 585.—Ins. Guadalup.  
*Petersiana*, Klotzsch, in Peters, Reise Mossamb. Bot. 229 = *fervens*.  
*phylllostachya*, Engelm. in Wislitz. Tour N. Mexic. 108.—Mexic.  
*physaloides*, A. Cunn. in Ann. Nat. Hist. Ser. I. ii. (1839) 50 (= *Colensoa physaloides*).—N. Zel.  
*Phyteuma*, Linn. Sp. Pl. 930 = *Cyphia Phyteuma*.  
*phyteumoides*, Willd. ex Roem. & Schult. Syst. v. 68 = *collina*.  
*pinifolia*, Linn. Sp. Pl. 929.—Afr. austr.  
*pinnata*, Lam. Encyc. iii. 591 = *Cyphia pinnata*.  
*pinnatifida*, Cham. in Linnaea, viii. (1833) 220 = *Delissea pinnatifida*.  
*platycalyx*, F. Muell. Fragm. iv. 183 = *Pratia platycalyx*.  
*Plumieri*, Burm. f. Fl. Ind. 186 = *Scaevola Koenigii*.  
*Plumieri*, Linn. Sp. Pl. 929 = *Scaevola Lobelia*.  
*Poeppigiana*, Kunze, ex A. DC. in DC. Prod. vii. 393 = *polyphylla*.  
*polygalaefolia*, Willd. ex Roem. & Schult. Syst. v. 56 = *rupestris*.  
*polymorpha*, Willd. l. c. 68 = *serpens*.  
*polyphylla*, Hook. & Arn. Bot. Beech. Voy. 33.—Chili.  
*porphyrantha*, Decne. in Rev. Hort. Sér. IV. ix. (1860) 118.—Mexic.  
*pratiana*, Gaudich. in Freyc. Voy. Bot. 456 = *Hypsela reniformis*.  
*pratiodes*, Benth. Fl. Austral. iv. 131.—Austral.  
*Preslii*, A. DC. in DC. Prod. vii. 358.—Afr. austr.  
*Princeps*, Otto & Dietr. Allg. Gartenz. vii. (1839) 298 = *fulgens*.  
*procumbens*, Hort. ex A. DC. in DC. Prod. vii. 337.—Afr. austr.

## LOBELIA:—

*propinqua*, Hort. ex Loud. Hort. Brit. Suppl. ii. 646 = *fulgens*.  
*prunifolia*, Presl, Prod. Monog. Lobel. 37 = *Siphocampylus prunifolius*.  
*psilophylla*, Presl, l. c. 36 = *Siphocampylus psilophyllus*.  
*pterocaulon*, Klotzsch, in Peters, Reise Mossamb. Bot. 299, 302 = *fervens*.  
*pteropoda*, A. DC. in DC. Prod. vii. 364.—Afr. austr.  
*puberula*, Michx. Fl. Bor. Am. ii. 152.—Am. bor.  
*pubescens*, Dietr. ex A. DC. in DC. Prod. vii. 355 = *leptocarpa*.  
*pubescens*, [Dryand. in] Ait. Hort. Kew. ed. I. iii. 498.—Afr. austr.  
*pubescens*, Sieber, ex A. DC. in DC. Prod. vii. 364 = *gracilis*.  
*pubescens*, Willd. Enum. Hort. Berol. 218 = *Laurentia repens*.  
*pulchella*, Vathe, in Linnaea, xxxviii. (1874) 720.—Mexic.  
*pulverulenta*, Hook. Journ. Bot. i. (1834) 231 = *Siphocampylus Jamesonianus*.  
*pulverulenta*, Pers. Syn. ii. 212 = *Siphocampylus campanulatus*.  
*pumila*, Burm. f. Fl. Ind. 186. t. 60. f. 3.—Ind. or.  
*pumila*, Salisb. Prod. 129 = *Laurentia minuta*.  
*punica*, Otto & Dietr. Allg. Gartenz. vii. (1839) 299 = *fulgens*.  
*purpurascens*, R. Br. Prod. 563.—Austral.  
*purpurascens*, Wall. Cat. n. 1307 = *colorata*.  
*purpurea*, Breit. Hort. Breit. (1817) 249; et ex Presl, Prod. Monog. Lobel. 50 (Quid?).—Hab.?  
*purpurea*, Lindl. Bot. Reg. t. 1325.—Chili.  
*purpurea*, Ruiz & Pav. ex A. DC. in DC. Prod. vii. 390, 399 = *Siphocampylus rosmarinifolius*.  
*purpurea*, Vell. Fl. Flum. viii. t. 156.—Bras.  
*pusilla*, A. DC. in DC. Prod. vii. 379.—Mexic.  
*pusilla*, G. Don, Gen. Syst. iii. 710 = *Laurentia micrantha*.  
*pusilla*, Poepp. ex A. DC. Prod. vii. 347 (= *Clintonia pusilla*).—Chili.  
*pygmaea*, Thunb. Prod. Pl. Cap. 40 = *Laurentia micrantha*.  
*pyramidalis*, Hohen. ex Hook. f. in Journ. Linn. Soc. ii. (1857) 29 = *rosea*.  
*pyramidalis*, Wall. in As. Res. xiii. (1820) 376.—Reg. Himal.; China.  
*quadrangularis*, R. Br. Prod. 562.—Austral.  
*racemosa*, Sims, Bot. Mag. t. 2137.—Ind. occ.  
*racemosa*, Vest, ex Roem. & Schult. Syst. v. 58.—Hab.?  
*radicans*, Thunb. in Trans. Linn. Soc. ii. (1794) 330.—Reg. Himal.; China.  
*ramosa*, Benth. in Maund, Botanist, ii. t. 93 = *tenuior*.  
*ramosa*, Hort. ex Burb. in Gard. Chron. (1881) i. 105 = *fulgens*.  
*ramosissima*, Mart. & Gal. in Bull. Acad. Brux. ix. (1842) reimpr. 11 = *Laurentia ramosissima*.  
*rapunculoides*, H. B. & K. Nov. Gen. et Sp. iii. 512.—Mexic.  
*recurvifolia*, Spreng. Syst. v. 420 (Index) = *Simsii*.  
*reflexa*, Stokes, Bot. Mat. Med. i. 342 = *syphilitica*.  
*Reinwardtiana*, A. DC. in DC. Prod. vii. 367 = *trigona*.  
*reniformis*, Cham. in Linnaea, viii. (1833) 210.—Bras.  
*repanda*, T. Martyn, in Mill. Gard. Dict. ed. IX. n. 33 = *Pratia angulata*.  
*repens*, Thunb. Prod. Pl. Cap. 40 = *anceps*.  
*reticulata*, Willd. in Roem. & Schult. Syst. v. 58.—Am. austr.  
*retrorsa*, Willd. l. c. 57.—Am. austr.  
*rhizophyta*, Spreng. Nov. Prov. 25 = *anceps*.  
*rhombifolia*, De Vriese, in Lehm. Pl. Preiss. i. 397.—Austral.  
*rhynchopetalum*, Hemsl. in Oliver, Fl. Trop. Afr. iii. 465.—Afr. trop.  
*rhytidisperma*, Benth. Fl. Austral. iv. 126.—Austral.  
*rigidula*, H. B. & K. Nov. Gen. et Sp. iii. 511 = *laxiflora*.  
*robusta*, R. Grah. in Edinb. N. Phil. Journ. July—Sept. 1831) 378.—Ins. S. Doming.  
*robusta*, Wall. ex Voigt, Hort. Succ. Calc. 367 = *eurostos*.  
*Rollandia*, Gaudich. in Freyc. Voy. Bot. 458 = *Rollandia lanceolata*.  
*rosea*, Wall. Pl. As. Rar. ii. 42. t. 152.—Reg. Himal.; Burma

P



**LOBELIA:—**

- rosmarinifolia*, Domb. ex Presl, Prod. Monog. Lobel. 36 = *Siphocampylus rosmarinifolius*.  
*rotundifolia*, Juss. ex A. DC. in DC. Prod. vii. 383.—Ins. S. Doming.  
*Roughii*, Hook. f. *Handb. N. Zeal. Fl.* 171.—N. Zel.  
*ruderalis*, Willd. ex Roem. & Schult. Syst. iv. 56 = *trigona*.  
*rugosa*, Presl, Prod. Monog. Lobel. 34.—Peruv.  
*rugulosa*, R. Grah. in Edinb. N. Phil. Journ. (Oct.—Dec. 1829) 186 = *Pratia angulata*.  
*rupestris*, H. B. & K. Nov. Gen. et Sp. iii. 313.—N. Granat.  
*rupicola*, Bert. ex Hook. & Arn. in Hook. Journ. Bot. i. (1834) 277 = *anceps*.  
*salicifolia*, Fisch. ex Herd. in Act. Hort. Petrop. i. (1873) 285 = *sessilifolia*.  
*salicifolia*, Sweet, Hort. Suburb. Lond. 37.—Chili.  
*salicina*, Lam. Encyc. iii. 583 = *acuminata*.  
*saligna*, Fisch. in Mém. Soc. Nat. Mosc. iii. (1812) 65 = *sessilifolia*.  
*salviaefolia*, A. Rich. Fl. Cub. Fanerog. ii. 69.—Cuba.  
*Salzmanniana*, Presl, Symb. Bot. 31. t. 20 = *Laurentia Michellii*.  
*Sartorii*, Vathe, in *Linnaea*, xxxviii. (1874) 721.—Mexic.  
*saxicola*, De Vriese, in Lehm. Pl. Preiss. i. 398 = *anceps*.  
*scabra*, Nees, ex Steud. Nom. ed. II. ii. 62 = *tomentosa*.  
*scabra*, Presl, Prod. Monog. Lobel. 34 = *Siphocampylus longepedunculatus*.  
*scabra*, Spreng. Neue Entdeck. i. 272 = *aspera*.  
*scabra*, Thunb. in Hoffm. Phytogr. Blaett. i. (1803) 21.—Afr. austr.  
*scabripes*, A. DC. in DC. Prod. vii. 369.—Afr. austr.  
*scaevolaefolia*, Roxb. ex A. DC. l. c. 357.—Ins. S. Helen.  
*scandens*, Bert. ex A. DC. l. c. 345 = *Centropogon Berterianus*.  
*scandens*, H. B. & K. Nov. Gen. et Sp. iii. 309 = *Siphocampylus scandens*.  
*scapigera*, R. Br. Prod. 565 = *Isotoma scapigera*.  
*scapigera*, Willd. Enum. Hort. Berol. Suppl. 11 = *tenella*.  
*Schiedeana*, Heynh. Nom. ii. 367 = *fulgens*.  
*Schimperii*, Hochst. in A. Rich. Tent. Fl. Abyss. ii. 6.—Abyss.  
*Schrankii*, Sweet, Hort. Brit. ed. II. 323 = *anceps*.  
*scoparia*, Buching. ex Krauss, in Flora, xxvii. (1844) 820.—Afr. austr.  
*Sebae*, A. DC. in DC. Prod. vii. 386 = *zeylanica*.  
*secunda*, Linn. f. Suppl. 395 = *Laurentia repens*.  
*secunda*, Ruiz & Pav. ex A. DC. in DC. Prod. vii. 390, 392.—Peruv.  
*secunda*, Schrank, Pl. Rar. Hort. Monac. t. 31 = *anceps*.  
*Sellowiana*, Presl, Prod. Monog. Lobel. 36 = *Siphocampylus Westinianus*.  
*senecioides*, Hort. ex Gaudich. in Freyc. Voy. Bot. 456; A. Cunn. in Bot. Mag. t. 2702 = *Isotoma axillaris*.  
*Senecionis*, Spreng. Syst. iv. Cur. Post. 75 = *Isotoma axillaris*.  
*senegalensis*, A. DC. in DC. Prod. vii. 372.—Afr. trop.  
*serpens*, Bout. ex Boj. Hort. Maurit. 193 = *filiformis*.  
*serpens*, Lam. Encyc. iii. 588.—Ins. Mascar.  
*serrata*, Meyen, Reise, i. 300.—Chili.  
*serrulata*, Schott, in Roem. & Schult. Syst. v. 54 = *urens*.  
*sessilifolia*, Lamb. in Trans. Linn. Soc. x. (1811) 260.—Kamtchat.  
*sessilifolia*, Willd. ex Roem. & Schult. Syst. v. 68 = *Specularia perfoliata*.  
*setacea*, Sibth. & Sm. Fl. Graec. Prod. i. 145 = *Laurentia tenella*.  
*setacea*, Thunb. in Hoffm. Phyt. Blaett. i. (1803) 21.—Afr. austr.  
*setacea*, Zeyh. ex Presl, Prod. Monog. Lobel. 52 (*Prismatocarpus* sp.).—Afr. austr.  
*simplex*, Linn. Mant. ii. 291; Thunb. Prod. Pl. Cap. 39 = *debilis*.  
*simplex*, Willd. ex A. DC. in DC. Prod. vii. 375 = *pauciflora*.  
*simplicicaulis*, Benth. in Enum. Pl. Hueg. 74 = *rhytidosperma*.  
*simplicicaulis*, R. Br. Prod. 564 = *gibbosa*.  
*Simsii*, Sweet, Hort. Brit. ed. I. 247.—Afr. austr.  
*siphilitica*, Linn. Sp. Pl. 931, vide *siphilitica*.

**LOBELIA:—**

- sonchifolia*, Sw. Fl. Ind. Occ. iii. 1947.—Ins. S. Doming.  
*spartioides*, D. Dietr. Syn. Pl. i. 728.—Afr. austr.  
*spathulata*, Bridges, ex Hook. & Arn. in Hook. Journ. Bot. i. (1834) 277 = *Selliera radicans*.  
*speciosa*, Sweet, Brit. Flow. Gard. Ser. II. t. 174 = *siphilitica*.  
*spectabilis*, H. B. & K. Nov. Gen. et Sp. iii. 306 = *Centropogon surinamensis*.  
*Speculum*, Andr. Bot. Rep. t. 644 = *debilis*.  
*sphaerocarpa*, Juss. ex A. DC. in DC. Prod. vii. 345, 391 = *Centropogon surinamensis*.  
*spicata*, Lam. Encyc. iii. 587.—Am. bor.  
*spicata*, Moç. ex A. DC. in DC. Prod. vii. 361 = *fenestralis*.  
*spicata*, Ruiz & Pav. ex G. Don, Gen. Syst. iii. 705.—Peruv.  
*splendens*, Willd. Hort. Berol. t. 86 = *fulgens*.  
*stellarioides*, Benth. & Hook. f. ex Hemsl. in Oliver, Fl. Trop. Afr. iii. 470.—Afr. trop.  
*stenophylla*, Benth. Fl. Austral. iv. 130.—Austral.  
*stenothea*, F. Muell. Fragm. ii. 20; iv. 171 = *Bergiana*.  
*stimulans*, Buch.-Ham. ex D. Don, Prod. Fl. Nep. 157 = *pyramidalis*.  
*stipularis*, Roth, Nov. Pl. Sp. 144 = *trigona*.  
*stricta*, R. Br. Prod. 564 = *gibbosa*.  
*stricta*, De Vriese, in Lehm. Pl. Preiss. i. 396 = *anceps*.  
*stricta*, Mart. & Gal. in Bull. Acad. Brux. ix. (1862) reimpr. 12 = *fenestralis*.  
*stricta*, Sw. Prod. Veg. Ind. Occ. 117.—Ins. Guadalupe.  
*subcordata*, Gaudich. in Freyc. Voy. Bot. 457; D. Dietr. Syn. Pl. i. 728 = *Delissea subcordata*.  
*subcordata*, Miq. Fl. Ind. Bat. ii. 574 = *affinis*.  
*subcincisa*, Wall. Cat. n. 1310 = *trigona*.  
*subcincisa*, Wall. l. c. et p. 158 = *Raphistemma pulchellum*.  
*submersa*, R. Cunn. ex A. Cunn. in Ann. Nat. Hist. Ser. I. ii. (1839) 50 = *Glossostigma elatinoides*.  
*subnuda*, Benth. Pl. Hartw. 44.—Mexic.  
*subpubera*, Wedd. Chlor. And. ii. 14.—Ecuador.  
*subracemosa*, Miq. Fl. Ind. Bat. ii. 576 = *trigona*.  
*subtilis*, H. B. & K. Nov. Gen. et Sp. iii. 316 = *trigona*.  
*subulata*, Benth. Pl. Hartw. 137.—Ecuador.  
*subulata*, Klotzsch, in Peters, Reise Mossamb. Bot. 299, 302 = *fervens*.  
*succulenta*, Blume, Bijdr. 728.—Java.  
*superba*, Cham. in Linnaea, viii. (1833) 223 = *Cyanea superba*.  
*surinamensis*, Linn. Sp. Pl. ed. II. 1320 = *Centropogon surinamensis*.  
*surrepens*, Hook. f. Fl. Tasm. i. 237. t. 69 A.—Tasman.  
*symphilitica*, Linn. Sp. Pl. 931 (*siphilitica*).—Afr. austr.  
*Taccada*, Gaertn. Fruct. i. 119. t. 25 = *Scaevola Koeningii*.  
*telephioides*, A. DC. in DC. Prod. vii. 367 = *serpens*.  
*tenella*, Bivona, Pl. Sic. Cent. i. 53 = *Laurentia tenella*.  
*tenella*, Linn. Mant. i. 120.—Afr. austr.  
*tenella*, Zeyh. ex A. DC. in DC. Prod. vii. 351 = *debilis*.  
*tenera*, H. B. & K. Nov. Gen. et Sp. iii. 314.—Ecuador.  
*tenuifolia*, D. Dietr. Syn. Pl. i. 731 = *linearis*.  
*tenuifolia*, Willd. ex Roem. & Schult. Syst. v. 56 = *fastigiata*.  
*tenuior*, R. Br. Prod. 564.—Austral.  
*terminalis*, C. B. Clarke, in Hook. f. Fl. Brit. Ind. iii. 424.—Bengal.  
*tetragona*, Blume, Bijdr. 729.—Java.  
*texensis*, Rafin. Atl. Journ. 176 = *fulgens*.  
*thapsoides*, Schott, in Pohl, Pl. Bras. Ic. ii. 102. t. 167 = *Haynaldia thapsoides*.  
*thapsoides*, Cham. in Linnaea, viii. (1833) 209 = *Haynaldia organensis*.  
*thermalis*, Thunb. Prod. Pl. Cap. 40 = *leptocarpa*.  
*Thunbergii*, Sweet, Hort. Brit. ed. I. 247 = *coronopifolia*.  
*tomentosa*, Linn. f. Suppl. 394.—Afr. austr.  
*Trapa*, Linn. Sp. Pl. 929 = *L. Tupa*.  
*trialata*, Buch.-Ham. in D. Don, Prod. Fl. Nep. 157 = *trigona*.

**LOBELIA:—**

- triangulata*, Buch.-Ham. ex Wall. Cat. n. 1312 = *Cliffortiana*.  
*triangulata*, Roxb. Hort. Beng. 16 = *trigona*.  
*trichandra*, Wight, Ic. t. 1171 = *nicotianaefolia*.  
*trigona*, Roxb. Hort. Beng. 85; Fl. Ind. i. 506.—Ind. or.  
*trigona*, Thw. Enum. Pl. Zeyl. 169 = *zeylanica*.  
*trigonocaulis*, Hook. Bot. Mag. t. 5088 = *gracilis*.  
*trigonocaulis*, F. Muell. Fragm. i. 18, 242.—Austral.  
*trinitensis*, Griseb. Fl. Brit. W. Ind. 385.—Ind. occ.  
*triphylia*, Presl, Symb. Bot. i. 63. t. 40 = *Siphocampylus duplosserratus*.  
*triquetra*, Linn. Mant. i. 120.—Afr. austr.  
*triquetra*, Reinw. ex A. DC. in DC. Prod. vii. 367 = *Reinwardtiana*.  
*triquetra*, Sieber, ex A. DC. l. c. 372 = *senegalensis*.  
*trullifolia*, Hemsl. in Oliver, Fl. Trop. Afr. iii. 466.—Afr. trop.  
*tuberosa*, Burm. f. Fl. Cap. Prod. 29 (err. typ. 25).—Afr. austr.  
*Tupa*, Donn, ex Steud. Nom. ed. I. 491 = *Siphocampylus giganteus*.  
*Tupa*, Linn. Sp. Pl. ed. II. 1318.—Chili; Peruv.  
*tyrianthina*, Forbes, Hort. Woburn. 33.—Peruv.  
*umbellata*, Cham. in Linnaea, viii. (1833) 321 = *Centropogon Chamissonianus*.  
*umbellata*, H. B. & K. Nov. Gen. et Sp. iii. 304 = *Siphocampylus umbellatus*.  
*umbellata*, Vest. ex Roem. & Schult. Syst. v. 58.—Hab.?  
*umbrosa*, Hochst. ex A. Rich. Tent. Fl. Abyss. ii. 7 = *trigona*.  
*uncinata*, De Vriese, in Lehm. Pl. Preiss. i. 396 = *anceps*.  
*undulata*, Gaudich. in Freyc. Voy. Bot. 437; D. Dietr. Syn. Pl. i. 728 = *Delissea undulata*.  
*unidentata*, [Dryand. in] Ait. Hort. Kew. ed. II. i. 356.—Afr. austr.  
*unidentata*, Hort. Berol. ex Spreng. Nov. Prov. 26.—Hab.?  
*uranocoma*, Cham. in Linnaea, viii. (1833) 321 = *Haynaldia uranocoma*.  
*urens*, Linn. Sp. Pl. 931.—Europ.  
*vagans*, Balf. f. in Journ. Linn. Soc. xvi. (1877) 16.—Ins. Mascar.  
*valdiviana*, Vathe, in Linnaea, xxxviii. (1874) 725.—Chili.  
*variifolia*, Sims, Bot. Mag. t. 1692.—Afr. austr.  
*velutina*, Mart. & Gal. in Bull. Acad. Brux. ix. (1842) reimpr. 10 = *Hartwegi*.  
*verbascifolia*, Presl, Prod. Monog. Lobel. 38 = *Siphocampylus verbascifolius*.  
*verbenaeifolia*, Salisb. Prod. 129 = *urens*.  
*veronicaefolia*, Willd. ex Roem. & Schult. Syst. v. 56.—Am. austr.  
*verticillata*, Cham. in Linnaea, viii. (1833) 202 = *Siphocampylus verticillatus*.  
*verticillata*, Kunze, ex Presl, Prod. Monog. Lobel. 52 (*Stemodia* sp.).—Chili.  
*Vestiana*, Presl, l. c. 50 = *racemosa*, Vest.  
*villosula*, Presl, l. c. 38 = *Siphocampylus villosulus*.  
*virescens*, Benth. Pl. Hartw. 77 = *Burmeistera virescens*.  
*virgata*, Poepp. ex A. DC. in DC. Prod. vii. 391, 398 = *Siphocampylus virgatus*.  
*volubilis*, Burm. f. Fl. Cap. Prod. 29 (err. typ. 25) = *Cyphia volubilis*.  
*volubilis*, H. B. & K. Nov. Gen. et Sp. iii. 308 = *Siphocampylus volubilis*.  
*Wallichiana*, Hook. f. & Thoms. in Journ. Linn. Soc. ii. (1857) 29 = *pyramidalis*.  
*Wallichii*, Steud. Nom. ed. II. ii. 63 = *colorata*.  
*Warszewiczii*, Vathe, in Linnaea, xxxviii. (1874) 718.—Costa Rica.  
*Westiana*, Steud. Nom. ed. I. 491 = *seq.*  
*Westiniana*, Thunb. Pl. Bras. Dec. i. 5. t. 1. f. 1 = *Siphocampylus Westinianus*.  
*Willdenowiana*, Presl, Prod. Monog. Lobel. 39 = *Siphocampylus umbellatus*.  
*Willdenowiana*, Roem. & Schult. Syst. v. 41 = *Lysipoma aretioides*.  
*xalapensis*, H. B. & K. Nov. Gen. et Sp. iii. 315 = *Cliffortiana*.  
*Zeyheri*, Sond. in Harv. & Sond. Fl. Cap. iii. 539.—Afr. austr.  
*zeylanica*, Linn. Sp. Pl. 932.—Ind. or.  
*zeylanica*, Wall. in Roxb. Fl. Ind. ed. Carey, ii. 113 = *affinis*.



LOBIROTA, Dulac, Fl. Hautes-Pyr. 430 (1867) = **Ramondia**, Rich. (Gesner.).  
*pyrenaica*, Dulac, l. c. = *R. pyrenaica*.

LOBOCARPUS, Wight & Arn. Prod. 7 (1834) = **Glochidion**, Forst. (Euphorb.).  
*Candolleanus*, Wight & Arn. l. c. = *G. neilgherrense*.

LOBOMON, Rafin. New Fl. Am. i. 81 (1836) = **Amphicarpacea**, Ell. (Legum.).  
*acutifolium, montanum, obtusifolium, sarmentosum*, Rafin. l. c. 84 = *A. monoica*.

LOBOPHYLLUM, F. Muell. in Hook. Kew Journ. ix. (1857) 21 = **Coldenia**, Linn. (Borag.).  
*tetrandrum*, F. Muell. l. c. = *C. procumbens*.

LOBOPOGON, Schlecht. in Linnaea, xx. (1847) 620 = **Brachyloma**, Sond. (Epacrid.).  
*ericoides*, Schlecht. l. c. = *B. ericoides*.

LOBOPTERA, Colla, in Mem. Acc. Torin. Ser. II. x. (1849) 221 = **Columnnea**, Plum. (Gesner.).  
*subsessilis*, Colla, l. c. = *C. Lindleyana*.

LOBOSTEMA, Spreng. Gen. i. 126 (1830) = seq.

**LOBOSTEMON**, Lehm. in Linnaea, v. (1830) 378. t. 5. **BORAGINEAE**, Benth. & Hook. f. ii. 863.  
**ECHIOPSIS**, Reichb. Handb. 192 (1837).  
**ISORIUM**, Rafin. Fl. Tellur. ii. 61 (1836).  
**OPLEXION, PENTHYSA, TRAXARA**, Rafin. l. c. iv. 85, 86 (1836).

*acutissimus*, Buek, in Linnaea, xi. (1837) 139.—Afr. austr.

*argenteus*, Buek, l. c. 133.—Afr. austr.

*breviflorus*, DC. Prod. x. 10.—Afr. austr.

*capitatus*, Buek, in Linnaea, xi. (1837) 143.—Afr. austr.

*capitifloris*, DC. Prod. x. 12.—Afr. austr.

*caudatus*, Buek, in Linnaea, xi. (1837) 147.—Afr. austr.

*cephaloides*, DC. Prod. x. 12.—Afr. austr.

*cinereus*, DC. l. c. 10.—Afr. austr.

*curvifolius*, Buek, in Linnaea, xi. (1837) 137.—Afr. austr.

*diversifolius*, Buek, l. c. 140.—Afr. austr.

*Dregei*, DC. Prod. x. 6.—Afr. austr.

*echioides*, Lehm. in Linnaea, v. (1830) 378 = *Lehmannianus*.

*Ecklonianus*, Buek, l. c. xi. (1837) 144.—Afr. austr.

*elongatus*, Buek, l. c. 140.—Afr. austr.

*eristachyus*, Buek, l. c. 148.—Afr. austr.

*fastigiatus*, Buek, l. c. 141.—Afr. austr.

*ferocissimus*, DC. Prod. x. 7.—Afr. austr.

*formosus*, Buek, in Linnaea, xi. (1837) 132.—Afr. austr.

*fruticosus*, Buek, l. c. 134.—Afr. austr.

*glaber*, Buek, l. c. 137.—Afr. austr.

*glaucophyllus*, Buek, l. c. 138.—Afr. austr.

*hispidus*, DC. Prod. x. 10.—Afr. austr.

*laevigatus*, Buek, in Linnaea, xi. (1837) 129.—Afr. austr.

*lasiophyllus*, DC. Prod. x. 10.—Afr. austr.

*latifolius*, Buek, in Linnaea, xi. (1837) 147.—Afr. austr.

*Lehmannianus*, Buek, l. c. 141.—Afr. austr.

*lucidus*, Buek, l. c. 136.—Afr. austr.

*microphyllus*, Buek, l. c. 142.—Afr. austr.

*montanus*, Buek, l. c. 132.—Afr. austr.

*obovatus*, DC. Prod. x. 10.—Afr. austr.

*obtusifolius*, DC. l. c. 7.—Afr. austr.

*oederiaefolius*, DC. l. c.—Afr. austr.

*paniculatus*, Buek, in Linnaea, xi. (1837) 139.—Afr. austr.

*paniculiformis*, DC. Prod. x. 8.—Afr. austr.

*rosmarinifolius*, DC. l. c. 10.—Afr. austr.

*scaber*, DC. l. c. 6.—Afr. austr.

*somalensis*, Franch. in Revoil, Comali, 44.—Afr. trop.

*sphaerocephalus*, Buek, in Linnaea, xi. (1837) 143.—Afr. austr.

*spicatus*, Buek, l. c. 145.—Afr. austr.

*splendens*, Buek, l. c. 146.—Afr. austr.

*Sprengelianus*, Buek, l. c. 133.—Afr. austr.

*stachydeus*, DC. Prod. x. 7.—Afr. austr.

*strigosus*, Buek, in Linnaea, xi. (1837) 136.—Afr. austr.

*Swartzii*, Buek, l. c. 137.—Afr. austr.

*Thunbergianus*, Buek, l. c. 135.—Afr. austr.

# LOBOSTEMON:—

*thymeloides*, DC. Prod. x. 11.—Afr. austr.

*trichotomus*, DC. l. c.—Afr. austr.

*trigonus*, Buek, in Linnaea, xi. (1837) 135.—Afr. austr.

*verrucosus*, Buek, l. c. 138.—Afr. austr.

*virgatus*, Buek, l. c. 142.—Afr. austr.

*viridi-argenteus*, Buek, l. c. 144.—Afr. austr.

*Wurmii*, DC. Prod. x. 11.—Afr. austr.

*Zeyheri*, Buek, in Linnaea, xi. (1837) 134.—Afr. austr.

LOBULARIA, Desv. Journ. Bot. iii. (1814) 172 = **Alyssum**, Tourn. (Crucif.).

*canescens*, Steud. Nom. ed. II. ii. 64 = *A. Fischerianum*.

*elongata*, Steud. l. c. = *A. Fischerianum*.

*halimifolia*, Steud. l. c. = *A. halimifolium*.

*intermedia*, Webb & Berth. Phyt. Canar. i. 92.—Ins. Canar.

*Lagascae*, Steud. Nom. ed. II. ii. 64 = *A. Lagascae*.

*libyca*, Meisn. Gen. Comm. 11 (libyca) = *A. libycum*.

*longicaulis*, Steud. Nom. ed. II. ii. 64 = *A. longicaule*.

*lybica*, Webb & Berth. Phyt. Canar. i. 90 = *A. libycum*.

*maritima*, Desv. Journ. Bot. iii. (1814) 169 = *A. maritimum*.

*nummularia*, Steud. Nom. ed. II. ii. 64 = *A. libycum*.

*pyrenaica*, Steud. l. c. = *A. pyrenaicum*.

*rupestris*, Steud. l. c. = *A. rupestre*.

*spinosa*, Steud. l. c. = *A. spinosa*.

*strigulosa*, Willk. in Willk. & Lange, Prod. Fl. Hisp. iii. 837 = *A. strigulosum*.

*tenuifolia*, Steud. Nom. ed. II. ii. 64 = *A. tenuifolium*.

LOCANDI, Adans. Fam. ii. 449 (1763) = **Samadera**, Gaertn. (Simarub.).

LOCARDI, Steud. Nom. ed. II. ii. 64 (1841), sphalm. = *praec.*

LOCELLARIA, Welw. Apont. 588 (1858) = **Bauhinia**, Linn. (Legum.).

*bauhinoides*, Welw. l. c. = *B. reticulata*.

LOCHEMIA, Arn. in Ann. Sc. Nat. Sér. II. xi. (1839) 172 = **Melochia**, Linn. (Stercul.).

*corchorifolia*, Arn. l. c. = *M. corchorifolia*.

LOCHERIA, Neck. Elem. i. 41 (1790) = **Verbesina**, Linn. (Compos.).

LOCHERIA, Regel, in Flora, xxxi. (1848) 251 = **Achimenes**, P. Br. (Gesner.).

*heterophylla*, Oerst. in Vidensk. Selsk. Skr. V. v. (1861) 95 = *A. heterophylla*.

*hirsuta*, Regel, in Flora, xxxi. (1848) 252 = *A. hirsuta*.

*ignescens*, Klotzsch, ex Hanst. in Linnaea, xxvii. (1854) 713; Regel, Cat. Hort. Turic. (1854) = *A. heterophylla*.

*magnifica*, Planch. & Linden, Fl. des Serres, x. (1854-55) t. 1013 = *A. magnifica*.

*multiflora*, Regel, in Flora, xxxi. (1848) 252 = *A. multiflora*.

*pedunculata*, Regel, l. c. = *A. pedunculata*.

LOCHIA, Balf. f. in Proc. Roy. Soc. Edinb. xii. (1884) 409. **PARONYCHIAE**.

*bracteata*, Balf. f. l. c.—Ins. Socotra.

LOCHMOCYDIA, Mart. ex DC. Prod. ix. 177 (1845) = **Cuspidaria**, DC. (Bignon.).

*lateriflora*, Mart. ex DC. l. c. 179 = *C. lateriflora*.

*multiflora*, Mart. ex DC. l. c. = *C. multiflora*.

*populeaster*, Mart. ex DC. l. c. 178 = *C. pterocarpa*.

*ramentacea*, Mart. ex DC. l. c. = *C. ramentacea*.

LOCHNERA, Reichb. Consp. 134 (1828) = **Vinea**, Linn. (Apocyn.).

*rosea*, Reichb. l. c. = *V. rosea*.

LOCHNERIA, Scop. Intro. 271 (1777) = **Elaeocarpus**, Linn. (Tiliac.).

LOCKHARTIA, Hook. Bot. Mag. t. 2715 (1827). **ORCHIDEAE**, Benth. & Hook. f. iii. 570.

**FERNANDEZIA**, Lindl. Gen. et Sp. Orch. 207 (1833).  
*acuta*, Reichb. f. in Bot. Zeit. x. (1852) 767.—Ins. Trinit.; Venezuela.

*amoena*, Endres & Reichb. f. in Gard. Chron. (1872) 666.—Costa Rica.

*elegans*, Hook. Bot. Mag. t. 2715.—Am. trop.

# LOCKHARTIA:—

*floribunda*, Reichb. f. in Hamb. Gartenz. xvi. (1860) 179.—Hab. ?

*goyazensis*, Reichb. f. in Bot. Zeit. x. (1852) 768.—Bras. lamellosa, Reichb. f. in Hamb. Gartenz. xxi. (1865) 300.—Mexic.

*ludibunda*, Reichb. f. in Bot. Zeit. xv. (1857) 159.—Bras.

*lunifera*, Reichb. f. l. c. x. (1852) 767.—Mexic.

*micrantha*, Reichb. f. l. c. 768.—Am. centr.

*mirabilis*, Reichb. f. Xenia Orch. i. 106.—Panama.

*obtusata*, Regel, Gartenfl. vi. (1857) t. 193 (err. 190) = seq.

*obtusifolia*, Regel, in Ann. Sc. Nat. Sér. II. vi. (1856) 378; et Gartenfl. vi. (1857) 131.—N. Granat.

*Oerstedii*, Reichb. f. in Bot. Zeit. x. (1852) 767; et Xenia Orch. i. 105. t. 40.—Costa Rica.

*pallida*, Reichb. f. in Bonplandia, ii. (1854) 14; Xenia Orch. 102. t. 39.—Panama.

*parthenocoma*, Reichb. f. in Bot. Zeit. x. (1852) 767.—Venezuela.

*parthenoglossa*, Reichb. f. in Hamb. Gartenz. xxi. (1865) 300.—Hab. ?

*platyglossa*, Reichb. f. in Linnaea, xli. (1877) 106.—N. Granat.

*Serra*, Reichb. f. in Otia Bot. Hamb. 6.—Ecuador.

*verrucosa*, Reichb. f. in Hamb. Gartenz. xv. (1859) 53.—Guatemala.

*Weigelti*, Reichb. & Reichb. f. in Bot. Zeit. x. (1852) 767.—Guiana.

LOCUSTA, Riv. ex Medic. Phil. Bot. i. 55 (1789) = **Valerianella**, Moench (Valer.).

*communis*, Delarb. Fl. Auv. ed. II. 88 = *V. olitoria*.

*coronata*, Delarb. l. c. 89 = *V. coronata*.

*echinata*, Delarb. l. c. = *V. echinata*.

*mixta*, Delarb. l. c. = *V. dentata*.

LODDIGESIA, Sims, Bot. Mag. t. 965 (1808). **LEGUMINOSAE**, Benth. & Hook. f. i. 485.

*oxalidifolia*, Sims, l. c.—Afr. austr.

LODDIGESIA, Reichb. Consp. 153 (1828) = *praec.*

LODHRA, Guill. in Ann. Sc. Nat. Sér. II. xv. (1841) 161 = **Symplocos**, Jacq. (Styrac.).

*acuta*, Miers, in Journ. Linn. Soc. xvii. (1879) 301 = *S. acuta*.

*apicalis*, Miers, l. c. 302 = *S. apicalis*.

*attenuata*, Miers, l. c. 299 = *S. spicata*.

*bractealis*, Miers, l. c. 301 = *S. bractealis*.

*caudata*, Miers, l. c. 300 = *S. caudata*.

*cordifolia*, Miers, l. c. 301 = *S. cordifolia*.

*coronata*, Miers, l. c. 302 = *S. coronata*.

*crassifolia*, Miers, l. c. = *S. japonica*.

*crataegoides*, Decne. in Jacquem. Voy. Bot. 103 = *S. crataegoides*.

*cucullata*, Miers, in Journ. Linn. Soc. xvii. (1879) 301 = *S. obtusa*.

*cuneata*, Miers, l. c. = *S. cuneata*.

*elegans*, Miers, l. c. = *S. elegans*.

*ferruginea*, Miers, l. c. 299 = *S. ferruginea*.

*floribunda*, Miers, l. c. = *S. Samuntia*.

*foliosa*, Miers, l. c. 300 = *S. foliosa*.

*Gardneriana*, Miers, l. c. = *S. Gardneriana*.

*grandiflora*, Miers, l. c. 299 = *S. grandiflora*.

*Hamiltoniana*, Miers, l. c. = *S. racemosa*.

*hirsuta*, Miers, l. c. 301 = *S. hirsuta*.

*hispidula*, Miers, l. c. = *S. hispidula*.

*javanica*, Miers, l. c. 302 = *S. ferruginea*.

*jucunda*, Miers, l. c. 301 = *S. jucunda*.

*laeta*, Miers, l. c. = *S. laeta*.

*leiostachya*, Miers, l. c. 300 = *S. leiostachya*.

*leucantha*, Miers, l. c. = *S. leucantha*.

*Lohu*, Miers, l. c. 298 = *S. spicata*.

*lucida*, Miers, l. c. 299 = *S. theaeifolia*.

*macrophylla*, Miers, l. c. = *S. macrophylla*.

*marginalis*, Miers, l. c. 301 = *S. marginalis*.

*microcarpa*, Miers, l. c. 302 = *S. laricifolia*.

*microphylla*, Miers, l. c. 300 = *S. microphylla*.

*monantha*, Miers, l. c. = *S. monantha*.

*nervosa*, Miers, l. c. 299 = *S. racemosa*.

*obovata*, Miers, l. c. 301 = *S. obtusa*.

*obtusa*, Miers, l. c. 300 = *S. obtusa*.

*oxyphylla*, Miers, l. c. = *S. oxyphylla*.

*pedicellata*, Miers, l. c. = *S. oxyphylla*.

*polycarpa*, Miers, l. c. 301 = *S. sp.*

*polystachya*, Miers, l. c. 300 = *S. ferruginea*.



## LODHRA:—

- pulchra*, Miers, in Journ. Linn. Soc. xvii. (1879) 300 = *Symplocos pulchra*.  
*pyrifolia*, Miers, l. c. 299 = *S. pyrifolia*.  
*racemosa*, Miers, l. c. 298 = *S. racemosa*.  
*ramosissima*, Miers, l. c. 299 = *S. ramosissima*.  
*Ribes*, Miers, l. c. 302 = *S. Ribes*.  
*rubiginosa*, Miers, l. c. 299 = *S. rubiginosa*.  
*rufescens*, Miers, l. c. 301 = *S. versicolor*.  
*Samuntia*, Miers, l. c. 298 = *S. Samuntia*.  
*spicata*, Miers, l. c. = *S. spicata*.  
*sulcata*, Miers, l. c. 300 = *S. sulcata*.  
*Verhuelli*, Miers, l. c. 302 = *S. ferruginea*.  
*xanthophylla*, Miers, l. c. = *S. xanthophylla*.

## LODICULARIA, Beauv. Agrost. 108. t. 21 (1812) =

- Hemarthria**, R. Br. (Gramin.).  
*capensis*, Nees, Fl. Afr. Austr. 128 = *H. compressa*.  
*fasciculata*, Beauv. Agrost. 108 = *H. compressa*.  
*fastigiata*, Beauv. Agrost. Atlas, 14. t. 21. f. 6. — *H. compressa*.  
*Hamiltoniana*, Nees, ex Steud. Syn. Pl. Gram. 358 = *H. compressa*.  
*laxa*, Nees, ex Steud. l. c. = *H. compressa*.  
*peruviana*, Meyen, Reise, ii. 71 = *H. compressa*.  
*protensa*, Nees, ex Steud. Syn. Pl. Gram. 359 = *H. protensa*.

## LODOICEA, Comm. ex Jaume St. Hil. Expos. i. 96 (1805).

- PALMAE**, Benth. & Hook. f. iii. 939.  
*callipyge*, Comm. ex Jaume St. Hil. l. c. — Ins. Seychell.  
*maldivica*, Pers. ex H. Wendl. in Kerch. Palm. 250 = *callipyge*.  
*sechellarum*, Labill. in Ann. Mus. Par. ix. (1807) 140. t. 13 = *callipyge*.

## LOEFFLINGIA, Neck. Elem. ii. 153 (1790) = seq.

## LOEFLINGA, R. Hedw. Gen. 30 (1806) = seq.

## LOEFLINGIA, Linn. Sp. Pl. ed. I. 35 (1753).

- CARYOPHYLLEAE**, Benth. & Hook. f. i. 153.  
*caspica*, S. G. Gmel. Reise, iii. 310. t. 35. f. 1; et in J. F. Gmel. Syst. 105 = *Polycarpon tetraphyllum*.  
*gaditana*, Boiss. & Reut. Pugill. Pl. Nov. (1852) 23 = *hispanica*.  
*hispanica*, Coss. ex Willk. & Lange, Prod. Fl. Hisp. iii. 159 = *micrantha*.  
*hispanica*, Hort. ex Steud. Nom. ed. II. ii. 64 = *Scleranthus annuus*.  
*hispanica*, Linn. Sp. Pl. 35. — Reg. Mediterr.  
*indica*, Retz. Obs. iv. 8 = *Polycarpon Loefflingiae*.  
*micrantha*, Boiss. & Reut. Pugill. Pl. Nov. (1852) 25. — Hispan.  
*pentandra*, Cav. Ic. ii. 39. — Hispan.  
*prostrata*, Moench, Meth. 226 = *hispanica*.  
*pusilla*, Curran, in Bull. Calif. Acad. i. n. III. (1885) 152. — Calif.  
*ramosissima*, Weinm. in Flora, iii. (1820) 608 = *Pentacena polycnemoides*.  
*renifolia*, Lag. Gen. et Sp. Nov. 2 = *Drymaria cordata*.  
*squarrosa*, Nutt. ex Torr. & Gray, Fl. N. Am. i. 174. — Am. bor. occ.  
*texana*, Hook. Ic. Pl. t. 275 = *squarrosa*.

LOESELIA, Linn. Gen. ed. I. 873 (1737). **POLEMONIACEAE**, Benth. & Hook. f. ii. 823.

- HOITZIA**, Juss. Gen. 136 (1789).  
**ROYENTIA**, Houst. ex Linn. Gen. ed. I. 348 (1737).  
*amplectens*, Benth. in DC. Prod. ix. 320. — Mexic.  
*aristata*, G. Don, Gen. Syst. iv. 248 = *Gilia ciliata*.  
*Cervantesii*, G. Don, l. c. = *glandulosa*.  
*ciliata*, Linn. Sp. Pl. 628 = *Gilia ciliata*.  
*coccinea*, G. Don, Gen. Syst. iv. 247. — Mexic.  
*coerulea*, G. Don, l. c. 248. — Mexic.  
*conglomerata*, G. Don, l. c. = *glandulosa*.  
*effusa*, A. Gray, in Proc. Am. Acad. xi. (1876) 86. — Calif.  
*glandulosa*, G. Don, Gen. Syst. iv. 248. — Mexic.  
*Greggii*, S. Wats. in Proc. Am. Acad. xviii. (1882-83) 117. — Mexic.  
*guttata*, A. Gray, l. c. xx. (1885) 302 (*Giliae* sp.). — Calif.  
*Havardi*, A. Gray, l. c. xix. (1883) 87 (*Giliae* sp.). — Am. bor.  
*involucrata*, G. Don, Gen. Syst. iv. 248. — Mexic.  
*Matthewsii*, A. Gray, in Bot. Calif. ii. 466 (*Giliae* sp.). — Am. bor. occ.  
*nepetaefolia*, G. Don, Gen. Syst. iv. 248 = *glandulosa*.

## LOESELIA:—

- pumila*, Walp. Rep. vi. 527. — Mexic.  
*ramosissima*, Walp. l. c. 526. — Mexic.  
*rupestris*, Benth. in DC. Prod. ix. 319. — Mexic.  
*scabra*, Walp. Rep. vi. 527. — Mexic.  
*scariosa*, Walp. l. c. — Mexic.  
*Schottii*, A. Gray, in Bot. Calif. ii. 466 = *Gilia Schottii*.  
*tenuifolia*, A. Gray, in Proc. Am. Acad. xi. (1876) 86. (*Giliae* sp.). — Am. bor.

## LOETHAINIA, Heynh. Nom. i. 883 (1840), absque char.

- = **Wiborgia**, Thunb. (Legumin.).  
*floribunda*, Heynh. l. c. ii. 369 = *W. obcordata*.  
*obcordata*, Heynh. l. c. i. 883 = *W. obcordata*.  
*sericea*, Heynh. l. c. = *W. sericea*.

LOEVIGIA, Karst. & Triana, Fl. Neo-Granad. 22; ex Linnaea, xxviii. (1856) 434 = **Monochaetum**, Naud. (Melastom.).

- ovalifolia*, Karst. in Linnaea, l. c. — Hab. ?  
*sericea*, Karst. l. c. = *M. Bonplandia*.

LOEZELIA, Adans. Fam. ii. 211 (1763) = **Loeselia**, Linn. (Polemon.).LOGANIA, R. Br. Prod. 454 (1810). **LOGANICEAE**, Benth. & Hook. f. ii. 791.

- EUOSMA**, Andr. Bot. Rep. t. 520 (1811).  
*alpina*, F. Muell. ex Benth. in Journ. Linn. Soc. i. (1854) 94. — Austral.  
*angustifolia*, Sieber, ex Spreng. Syst. iv. Cur. Post. 59 = *floribunda*.  
*Armstrongii*, J. Buch. in Trans. N. Z. Inst. xiv. (1882) 347. — N. Zel.  
*bracteolata*, Nees, in Lehm. Pl. Preiss. i. 367 = *fasciculata*.  
*buxifolia*, F. Muell. Fragm. vi. 132. — Austral.  
*callosa*, F. Muell. l. c. 134. — Austral.  
*campanulata*, R. Br. Prod. 456. — Austral.  
*capensis*, Eckl. in S. Afr. Quart. Journ. i. (1830) 371. — Afr. austr.  
*Centaurium*, Nees, in Lehm. Pl. Preiss. ii. 240 = *serpyllifolia*.  
*ciliolata*, Hook. f. Handb. N. Zeal. Fl. 737 (*Veronicae* sp.). — N. Zel.  
*cordifolia*, Hook. in Mitch. Journ. Trop. Austral. 341. — Austral.  
*crassifolia*, R. Br. Prod. 454. — Austral.  
*depressa*, Hook. f. Fl. N. Zel. i. 177. — N. Zel.  
*elliptica*, R. Br. Prod. 454 = *ovata*.  
*fasciculata*, R. Br. l. c. 456. — Austral.  
*floribunda*, R. Br. l. c. — Austral.  
*hispidula*, Nees, in Lehm. Pl. Preiss. i. 368 = *serpyllifolia*.  
*hyssopoides*, Nees, l. c. = *serpyllifolia*.  
*latifolia*, R. Br. Prod. 454. — Austral.  
*ligustrina*, A. Cunn. ex Baxt. in Loud. Hort. Brit. Suppl. ii. 646, nomen. — N. Zel.  
*linifolia*, Schlecht. in Linnaea, xx. (1847) 605. — Austral.  
*longifolia*, R. Br. Prod. 454. — Austral.  
*micrantha*, Benth. in Journ. Linn. Soc. i. (1857) 94. — Austral.  
*nuda*, F. Muell. Fragm. i. 129. — Austral.  
*ovata*, R. Br. Prod. 455. — Austral.  
*paniculata*, Kunth & Bouché, Ind. Sem. Hort. Berol. (1847) 12. — Austral.  
*pusilla*, R. Br. Prod. 456. — Austral.  
*revoluta*, R. Br. l. c. = *floribunda*.  
*serpyllifolia*, R. Br. l. c. — Austral.  
*spermacoceae*, F. Muell. Fragm. vi. 134. — Austral.  
*stenophylla*, F. Muell. l. c. i. 128. — Austral.  
*tetragona*, Hook. f. Handb. N. Zeal. Fl. 188 (*Veronicae* sp.). — N. Zel.  
*vaginalis*, F. Muell. Fragm. vi. 132 (sp. aggregat.). — Austral.

LOGANIA, J. F. Gmel. Syst. 422 (1791) = **LOGHANIA**, Scop. = **Ruyschia**, Jacq. (Ternstroem.).

- pentacrina*, J. F. Gmel. l. c. = *R. Surubaea*.

LOGFIA, Cass. in Bull. Soc. Philom. (1819) 143 = **Filago**, Linn. (Compos.).

- brevifolia*, Cass. in Dict. Sc. Nat. xxvii. 117 = *F. arvensis*.  
*dichotoma*, Pomel, Nouv. Mat. Fl. Atl. 44 = *F. arvensis*?  
*gallica*, Coss. & Germ. in Ann. Sc. Nat. Sér. II. xx. (1843) 291. t. 13. f. A = *F. gallica*.

## LOGFIA:—

- lanceolata*, Cass. in Dict. Sc. Nat. xxvii. 118 = *Filago minima*.  
*montana*, Dum. Fl. Belg. 68 = *F. arvensis*.  
*minima*, Dum. l. c. = *F. minima*.  
*spicata*, Pomel, Nouv. Mat. Fl. Atl. 43. — Alger.  
*subulata*, Cass. in Dict. Sc. Nat. xxvii. 116 = *F. gallica*.

LOGHANIA, Scop. Introd. 236 (1777) = **Ruyschia**, Jacq. (Ternstroem.).LOISELERIA, Reichb. Fl. Germ. Excurs. 416, in nota (1831) = **Rhododendron**, Linn. (Ericac.).

- indica*, Reichb. l. c. = *R. indicum*.

LOISELEURIA, Desv. Journ. Bot. iii. (1814) 35. **ERICACEAE**, Benth. & Hook. f. ii. 595.

- CHAMAECISTUS**, S. F. Gray, Nat. Arr. Brit. Pl. ii. 401 (1821).  
**CHAMAELEDON**, Link, Enum. Hort. Berol. i. 210 (1821).  
*procumbens*, Desf. Journ. Bot. iii. (1814) 35. — Europ.

LOISELEURIA, Reichb. Nom. 127 (1841), vide **LOISELERIA**, Reichb.LOLANARA, Rafin. Fl. Tellur. ii. 34 (1836). An **SAPOTACEA**? — Cf. Hassk. Neuer Schl. zu Rumph's Herb. Amboin. 55.

- odorata*, Rafin. l. c. — Ind. or.

**LOLIUM**, Linn. Syst. ed. I (1735). **GRAMINEAE**, Benth. & Hook. f. iii. 1202.

- ARTHROCHORTUS**, Lowe, in Hook. Kew Journ. viii. (1856) 301.  
**CRAEPALIA**, Schrank, Baier. Fl. i. 102, 382 (1789).  
**CRYPTURUS**, Link, in Linnaea, xvii. (1843) 387.  
*aechicum*, Rouv. Monog. 35, sphalm. = *cechicum*.  
*aegyptiacum*, Bell. ex Rouv. l. c. 43 = *temulentum*.  
*agreste*, Hort. ex Roem. & Schult. Syst. ii. 748 = *perenne*.  
*album*, Steud. Nom. ed. I. 493 = *temulentum*.  
*annuum*, Bernh. Sem. Hort. Erf. (1801) = *perenne*.  
*annuum*, Lam. Fl. Fr. iii. 620 = *temulentum*.  
*appenninum*, Brouss. Cat. Hort. Monsp. (1804) 35, nomen. — Italia.  
*arenarium*, Rouv. Monog. 38 = *perenne*.  
*aristatum*, Lag. ex Nym. Consp. 445 = *multiflorum*.  
*arvense*, Schrad. Fl. Germ. 399; Sm. Engl. Fl. i. 175 = *remotum*.  
*arvense*, With. Arr. Brit. Pl. ed. III. ii. 168 = *temulentum*.  
*asperum*, Roth, ex Kunth, Enum. Pl. i. 436 = *perenne*.  
*Berteronianum*, Steud. Syn. Pl. Gram. 340. — Chili.  
*Boucheanum*, Kunth, Rév. Gram. ii. t. 220 = *perenne*.  
*brasilianum*, Nees, Agrost. Bras. 443. — Reg. Argent.  
*bromoides*, Huds. Fl. Angl. ed. II. i. 55 = *Festuca Myuros*.  
*canadense*, Bernh. ex Rouv. Monog. 27 = *perenne*.  
*canadense*, Michx. ex Roem. & Schult. Syst. ii. 893. — Am. bor.  
*canariense*, Steud. Syn. Pl. Gram. 340. — Ins. Canar.  
*cechicum*, Opiz, Oekon.-Techn. Fl. Boehm. (1836) 379 = *multiflorum*.  
*coelorachis*, Forst. ex Steud. Nom. ed. II. ii. 64 = *Lepturus repens*.  
*complanatum*, Schrad. Neues Journ. iv. (1810) 73 = *perenne*.  
*compositum*, Thuill. Fl. Par. ed. II. 62 = *perenne*.  
*compressum*, Boiss. & Orph. ex Nym. Consp. 845 = *rigidum*.  
*cristatum*, Pers. Syn. i. 110 = *perenne*.  
*cylindricum*, C. Koch, in Linnaea, xxi. (1848) 434 = *rigidum*.  
*decipiens*, Dum. Obs. Gram. Belg. 98 = *temulentum*.  
*distachyum*, Linn. Mant. i. 187 = *Panicum ciliare*.  
*distachyum*, Willd. ex Steud. Nom. ed. II. ii. 65 = *Leptochloa monostachya*.  
*durum*, C. Koch, in Linnaea, xxi. (1848) 434 = *rigidum*.  
*elegans*, Steud. Syn. Pl. Gram. 341. — Afr. bor.  
*elongatum*, Hort. ex Rouv. Monog. 35 = *multiflorum*.  
*felix*, Rouv. Monog. 25 = *perenne*, *multiflorum*.  
*Festuca*, Rasp. ex Mutel, Fl. Fr. iv. 111 = *Festuca elatior*.



**LOLIUM** :—

*festuaceum*, Link, Handb. i. 819 = perenne.  
*festucoides*, Rasp. ex Mutel, Fl. Fr. iv. 112 = *Festuca loliacea*.  
*flagellare*, Sprun. ex Boiss. Fl. Orient. v. 680 = rigidum.  
*Gaudini*, Parl. Fl. Ital. i. 532, in obs.—Europ.  
*giganteum*, Hort. ex Roem. & Schult. Syst. ii. 750 = maximum.  
*glumosum*, Plan. Fl. Gallega, 409.—Hispan.  
*Gmelini*, [Honck.] Verz. aller Gew. Teutschl. 328 = perenne?  
*gracile*, Dum. Obs. Gram. Belg. 99 = perenne?  
*gracile*, Parl. in Webb & Berth. Phyt. Canar. iii. 423 = temulentum.  
*Gussonei*, Nym. Consp. 844 = temulentum.  
*Halleri*, C. C. Gmel. Fl. Bad. i. 271 = perenne.  
*infelix*, Rouv. Monog. 39 = temulentum.  
*italicum*, A. Br. in Flora, xvii. (1834) 259 = multiflorum.  
*Jemelianum*, Opiz, in Lotos, ii. (1852) 229; Seznam, 60 = perenne.  
*latum*, Roth, ex Steud. Nom. ed. I. 492 = perenne.  
*lepturoides*, Boiss. Diagn. Ser. I. xiii. 67.—Oriens.  
*linicolum*, A. Br. in Flora, xvii. (1834) 258; Sond. in Koch, Syn. Fl. Germ. ed. II. 957 = perenne.  
*lucidum*, Dum. Obs. Gram. Belg. 98 = temulentum.  
*macilentum*, Delastre, Fl. Dép. Vienne, 498 = rigidum.  
*maximum*, Guss. Fl. Sic. Syn. i. 60 = temulentum.  
*maximum*, Willd. Sp. Pl. i. 462 = praec.?  
*Marschallii*, Stev. in Bull. Soc. Nat. Mosc. xxx. (1857) n. III. 103.—Ross.  
*multiflorum*, Gaud. Fl. Helv. i. 354 = Gaudini.  
*multiflorum*, Guss. Fl. Sic. Syn. i. 58 = siculum.  
*multiflorum*, Lam. Fl. Fr. iii. 621.—Gallia.  
*oehicium*, Rouv. Monog. 53, sphalm. = *echicum*.  
*Osiridis*, Fig. & Delile, ex Rouv. l. c. 47. t. 2. f. 2, 3 = perenne?  
*perenne*, Aitch. in Journ. Linn. Soc. xix. (1882) 194 = *Agropyron repens*.  
*perenne*, Linn. Sp. Pl. 83.—Europ.; As. temp.  
*persicum*, Boiss. & Hohen. Diagn. Ser. I. xiii. 66.—Oriens.  
*Phoenix*, Rouv. Monog. 36 = seq.  
*Phoenix*, Rouv. l. c. 37 = perenne.  
*Pseudo-italicum*, Schur, Enum. Pl. Transs. 812 = perenne.  
*Pseudo-linicolum*, Gennari, in Nuov. Giorn. Bot. ii. (1870) 97 = perenne.  
*remotum*, Schrank, Baier. Fl. i. 382; Hoffm. Deutschl. Fl. ed. II. i. 63 = perenne.  
*repens*, [Honck.] Verz. aller Gew. Teutschl. 328 = perenne.  
*rigidum*, Gaud. Agrost. Helv. i. 334.—Europ.  
*rigidum*, Weiss, ex Nym. Consp. 845 = subulatum.  
*robustum*, Reichb. Fl. Germ. Excurs. Index, 74, nomen; Ic. Fl. Germ. xi. 2. t. 4. f. 1340 = temulentum.  
*romanum*, Sang. in Att. Accad. Pont. Lincei, Ser. I. xviii. (1865) 221 (Quid?).—Italia.  
*rosetlanum*, Fig. & Delile, ex Rouv. Monog. 31 = perenne.  
*scabrum*, F. & C. Presl, Rel. Haenk. i. 267.—Peruv.; Chili.  
*sciculum*, Parl. Fl. Palerm. i. 252; et Giorn. Bot. Ital. ii. i. (1846) 90.—Sicilia.  
*Sonderi*, Rouv. Monog. 47 = perenne?  
*speciosum*, Stev. ex Bieb. Fl. Taur. Cauc. i. 80 = temulentum.  
*strictum*, Decker, ex Steud. Nom. ed. II. ii. 65 = rigidum.  
*strictum*, Presl, Cyp. & Gram. Sicul. (1820) 49 = perenne.  
*subulatum*, Vis. Fl. Dalm. i. 90. t. 3.—Europ. austr.  
*temulentum*, Bert. ex Steud. Nom. ed. II. ii. 65, partim = scabrum.  
*temulentum*, Linn. Sp. Pl. 83.—Europ.; As. bor.  
*temulentum*, Thunb. Fl. Jap. 55 = *Brachypodium japonicum*.  
*tenuis*, Bieb. Fl. Taur. Cauc. i. 80 = *Marschallii*.  
*tenuis*, Guss. Fl. Sc. Syn. i. 59 = rigidum.  
*tenuis*, Linn. Sp. Pl. ed. II. 122 = perenne.  
*triticoideis*, Janka, in Linnaea, xxx. (1859-60) 622 = temulentum.  
*vulgare*, Host, Gram. Austr. i. t. 25 = perenne.

**LOMANDRA**, Labill. Nov. Holl. Pl. i. 92 (1804) = *Xerotes*, R. Br. (Juncac.) (1810).  
*angustifolia*, Hort. Cels, ex Steud. Nom. ed. II. ii. 65 = seq.?

**LOMANDRA** :—

*latifolia*, Cels, Cat. Arb. (1817) 23 = *Xerotes longifolia*?  
*longifolia*, Labill. Nov. Holl. Pl. i. 92. t. 119 = *X. longifolia*.  
*rigida*, Labill. l. c. 93. t. 120 = *X. rigida*.

**LOMANODIA**, Rafin. Sylva Tellur. 97 (1838) = *As-tronia*, Noronha (Melastom.).  
*glabra*, Rafin. l. c. = *A. Forsteri*.  
*mucronata*, Rafin. l. c. = *Miconia holosericea*.

**LOMANTHERA**, Rafin. Sylva Tellur. 96 (1838) = *Tetrazygia*, Rich. (Melastom.).  
*glandulosa*, Rafin. l. c. = *T. hispida*.

**LOMANTHES**, Rafin. Sylva Tellur. 92 (1838) = *Phyllanthus*, Linn. (Euphorb.).  
*latifolia*, Rafin. l. c. = *P. thymoides*.

**LOMAREISIS**, Rafin. Fl. Tellur. iii. 59 (1836) = *Ornithogalum*, Tourn. (Liliac.).  
*alba*, Rafin. l. c. = *O. revolutum*.

**LOMARIA coriacea**, Kunze, in Linnaea, x. (1836) 506 = *Stangeria paradoxa*.  
*eripus*, Kunze, l. c. xiii. (1839) 152; xviii. (1844) 116 = praec.  
*lagopus*, T. Moore, in Hook. Kew Journ. v. (1853) 228 = praec.

**LOMASTELMA**, Rafin. Sylva Tellur. 107 (1838) = *Eugenia*, Mich. (Myrtac.).  
*elliptica*, Rafin. l. c. = *E. venosa*?

**LOMATIA**, R. Br. in Trans. Linn. Soc. x. (1810) 199. *PROTEACEAE*, Benth. & Hook. f. iii. 183.  
*TRICONDYLUS*, Salisb. in Knight, Prot. 121 (1809) nomen prius.  
*alnifolia*, Poepp. ex Meissn. in DC. Prod. xiv. 450 = obliqua.  
*angustifolia*, Schnizl. Ic. ii. t. 113 = *longifolia*.  
*chilensis*, C. Gay, Fl. Chil. v. 310.—Chili.  
*cymosa*, Soland. ex Seem. Fl. Vit. 187.—Ins. Tahiti.  
*dentata*, R. Br. in Trans. Linn. Soc. x. (1810) 201.—Chili.  
*ferruginea*, R. Br. l. c. 200.—China.  
*Fraseri*, R. Br. Prot. Nov. 34 = *ilicifolia*.  
*fraxinifolia*, F. Muell. ex Benth. Fl. Austral. v. 536.—Austral.  
*ilicifolia*, R. Br. in Trans. Linn. Soc. x. (1810) 200.—Austral.  
*longifolia*, R. Br. l. c.—Austral.  
*Milnei*, Hook. Kew Journ. vii. (1855) t. 2 = *Stenocarpus Milnei*.  
*obliqua*, R. Br. in Trans. Linn. Soc. x. (1810) 201.—Am. austr.  
*opaca*, Klotzsch, ex Meissn. in DC. Prod. xiv. 450 = obliqua.  
*polymorpha*, R. Br. in Trans. Linn. Soc. x. (1810) 200.—Austral.  
*silaifolia*, R. Br. l. c. 199.—Austral.  
*sinuata*, R. Br. Prot. Nov. 33.—Austral.  
*sylvatica*, Poepp. ex Meissn. in DC. Prod. xiv. 449 = dentata.  
*tinctoria*, R. Br. in Trans. Linn. Soc. x. (1810) 199.—Austral.  
*trinervis*, Montr. in Mém. Acad. Lyon, x. (1860) 248.—N. Caled.

**LOMATIUM**, Rafin. in Journ. Phys. lxxxix. (1819) 101 = *Peucedanum*, Tourn. (Umbell.).  
*pubescens*, Rafin. in Ser. Bull. Bot. (1830) 216 = *P. foeniculaceum*.  
*villosa*, Rafin. in Journ. Phys. lxxxix. (1819) 101 = *P. foeniculaceum*.

**LOMATOCARUM**, Fisch. & Mey. Ind. Sem. Hort. Petrop. vi. 59 (1840) = *Selinum*, Linn. (Umbell.).  
*alpinum*, Fisch. & Mey. l. c. = *Carum Lomatocarum*.

**LOMATOGONIUM**, A. Br. in Flora, xiii. (1830) 221 = *Pleurogyne*, Eschsch. (Gentian.).  
*carinthiacum*, A. Br. l. c. = *P. carinthiaca*.  
*inodora*, Pritz. Ic. Ind. 656, sphalm. vide *Lonas inodora*.  
*rotatum*, Fries, ex Nym. Consp. 500 = *P. rotata*.  
*Stellerianum*, Kostel. Allg. Med-Pharm. Flora, iii. 1048 = *P. carinthiaca*.  
*sulcatum*, Reichb. ex Kostel. l. c. = *P. rotata*.

**LOMATOLEPIS**, Cass. in Dict. Sc. Nat. xlviii. (1827) 422 = *Launaea*, Cass. (Compos.).  
*glomerata*, Cass. l. c. 423 = *Launaea glomerata*.  
*nudicaulis*, Cass. l. c. 424 = *Launaea nudicaulis*.

**LOMATOPHYLLUM**, Willd. in Ges. Naturf. Fr. Berl. Mag. v. (1811) 166. *LILIACEAE*, Benth. & Hook. f. iii. 777.  
*PHYLLOMA*, Ker-Gawl. in Bot. Mag. t. 1585 (1813).  
*aloiflorum*, Nichols. Dict. Gard. ii. 296 = borbonicum.  
*borbonicum*, Willd. in Ges. Naturf. Fr. Berl. Mag. v. (1811) 166.—Ins. Mascar.  
*cernuum*, Boj. Hort. Maurit. 349 = *Dracaena reflexa*.  
*fusciiflorum*, Boj. l. c. 349.—Madag.  
*Jacquinii*, Spreng. Syst. ii. 74 = *Aloë hexapetala*.  
*macrum*, *Salm-Dyck*, in Schult. f. Syst. vii. 1715.—Ins. Mascar.  
*marginatum*, Hoffm. Verz. Pfl. 74 = borbonicum.  
*reflexum*, Boj. Hort. Maurit. 349 = *Dracaena reflexa*.  
*rufocinctum*, *Salm-Dyck*, in Schult. f. Syst. vii. 1715.—‘Ind. or.’  
*tessellatum*, Boj. Hort. Maurit. 349.—Madag.  
*umbraculiferum*, Boj. l. c. = *Dracaena umbraculifera*.

**LEMATOPIDIUM**, Fisch. & Mey. in Bull. Phys.-Math. Acad. Pétersb. iii. (1845) 305 = *Seseli*, Linn. (Umbellif.).  
*Karelinianum*, Turcz. ex Stschegl. in Bull. Soc. Nat. Mosc. xxvii. (1834) i. 167.—As. centr.  
*Lessingianum*, Fisch. & Mey. in Bull. Phys.-Math. Acad. Pétersb. iii. (1845) 306 = *S. Lessingianum*.  
*platyphyllum*, Schrenk, l. c.—As. centr.

**LOMATOZONA**, Baker, in Mart. Fl. Bras. vi. II. 198 (1876). *COMPOSITAE*.  
*artemisiaefolia*, Baker, l. c. 199.—Am. trop.

**LOMAXETA**, Rafin. New Fl. Am. iv. 72 (1836) = *Palafoxia*? Lag. (Compos.).  
*verrucosa*, Rafin. l. c.—Am. bor.

**LOMELOSIA**, Rafin. Fl. Tellur. iv. 95 (1836) = *Scabiosa*, Tourn. (Dipsac.).  
*coronopifolia*, Rafin. l. c. = *S. ceratophylla*.  
*palestina*, Rafin. l. c. = *S. palaestina*.  
*simplex*, Rafin. l. c. = *S. stellata*.  
*stellata*, Rafin. l. c. = *S. stellata*.

**LOMENIA**, Pourr. in Mém. Acad. Toul. iii. (1788) 74. t. 5 = *Watsonia*, Mill. (Irid.).  
*borbonica*, Pourr. l. c. 76.—Ins. Borbon.

**LOMERIA**, Rafin. Sylva Tellur. 56 (1838) = *Cestrum*, Linn. (Solan.).  
*purpurea*, Rafin. l. c. (Quid?).—Peruv.?

**LOMILIS**, Rafin. Alsog. Am. 5 (1838) = *Hamamelis*?, Gronov.  
*ciliata*, Rafin. l. c. = *H. virginiana*!

**LOMOPLIS**, Rafin. Sylva Tellur. 118 (1838) = *Mimosa*, Linn. (Legumin.).  
*acantholoba*, Rafin. l. c. = *M. acantholoba*.  
*Ceratonia*, Rafin. l. c. = *M. Ceratonia*.

**LONAS**, Adans. Fam. ii. 118 (1763). *COMPOSITAE*.  
*Benth. & Hook. f. ii. 417.*  
*inodora*, Gaertn. Fruct. ii. 396. t. 165.—Reg. Mediterr.  
*minima*, Cass. in Dict. Sc. Nat. xxvii. 167 = *inodora*.  
*umbellata*, Cass. l. c. = *inodora*.

**LONCHESTIGMA**, Dun. in DC. Prod. xiii. i. 476 (1852) = *Jaborosa*, Juss. (Solan.).  
*bipinnatifidum*, Phil. Fl. Atac. 42 = *J. caulescens*.  
*caulescens*, Dun. in DC. Prod. xiii. 476 = *J. caulescens*.  
*crispum*, Dun. l. c. 477 = *J. crispa*.  
*squarrosus*, Dun. l. c. = *J. decurrens*.

**LONCHOCARPUS**, H. B. & K. Nov. Gen. et Sp. vi. 383 (1823). *LEGUMINOSAE*, Benth. & Hook. f. i. 548.  
*CAPASSA*, Klotzsch, in Peters, Reise Mossamb. Bot. 27. t. 5 (1861).  
*CLOMPANUS*, Aubl. Pl. Gui. ii. 773 (1775), nomen prius.  
*ICTHYOCTONUM*, Boiv. ex Baill. in Bull. Soc. Linn. Par. i. (1884) 440.  
*NEUROSCAPHA*, Tul. in Ann. Sc. Nat. Sér. II. xx (1843) 137.



**LONCHOCARPUS** :—

- Philenoptera*, Fenzl, in *Flora*, xxvii. (1844) 312.  
*Sphinctolobium*, Vog. in *Linnaea*, xi. (1837) 417.  
*albiflorus*, *G. Don*, *Gen. Syst.* ii. 236.—Afr. trop.  
*americanus*, Steud. *Nom. ed. II.* i. 76, sphalm.=seq.  
*Amerimnum*, DC. *Prod.* ii. 261 = *Dalbergia Amerimnum*.  
*apiciflorus*, C. Muell. in *Walp. Ann.* vii. 796 = *spiciflorus*.  
*arariensis*, *Benth.* in *Journ. Linn. Soc. iv. Suppl.* (1860) 96.—Bras.  
*atropurpureus*, *Benth.* l. c. 91.—Venezuela.  
*Barteri*, *Benth.* l. c. 99.—Afr. trop.  
*Blackii*, *Benth. Fl. Austral.* ii. 271.—Austral.  
*Blainii*, *Wright*, in *Sauv. Fl. Cub.* 31.—Cuba.  
*brachypterus*, *Benth.* in *Journ. Linn. Soc. iv. Suppl.* (1860) 100.—Afr. trop.  
*campestris*, *Mart. ex Benth.* l. c. 95.—Bras.  
*confertiflorus*, *Benth.* l. c. 96.—Peruv.  
*costatus*, *Benth.* l. c. 100.—Bras.  
*cyanescens*, *Benth.* l. c. 96.—Afr. trop.  
*densiflorus*, *Benth.* in *Ann. Nat. Hist. Ser. I.* iii. (1839) 433.—Guian.  
*denudatus*, *Benth.* in *Journ. Linn. Soc. iv. Suppl.* (1860) 95.—Bras.  
*domingensis*, DC. *Prod.* ii. 259 = *sericeus*.  
*eriophyllus*, *Benth.* in *Journ. Linn. Soc. iv. Suppl.* (1860) 94.—Mexic.  
*fasciculatus*, *Benth.* l. c. 100.—Afr. trop.  
*Fendleri*, *Benth.* l. c. 94.—Venezuela.  
*filipes*, *Benth.* l. c.—Bras.  
*floribundus*, *Benth.* in *Ann. Nat. Hist. Ser. I.* iii. (1839) 432 = *L. Nicou*.  
*formosianus*, DC. *Prod.* ii. 260 = *sericeus*.  
*fruticosus*, Span. in *Linnaea*, xv. (1841) 191 = *Tephrosia candida*.  
*glabrescens*, *Benth.* in *Hook. Kew Journ.* ii. (1850) 233.—Bras.  
*guatemalensis*, *Benth.* in *Journ. Linn. Soc. iv. Suppl.* (1860) 87.—Mexic.  
*guineensis*, *D. Dietr. Syn. Pl.* iv. 1052.—Afr. trop.  
*hedyosmus*, *Miq.* in *Linnaea*, xviii. (1844) 564.—Guian.  
*heptaphyllus*, DC. *Prod.* ii. 259 = *latifolius*.  
*Heudelotianus*, *Baill. Adansonia*, vi. (1866) 222 = *Barteri*.  
*hondurensis*, *Benth.* in *Journ. Linn. Soc. iv. Suppl.* (1860) 91.—Honduras.  
*ichthyoctonus*, *Baill. in Bull. Soc. Linn. Par. i.* (1884) 440.—Madag.  
*inconstans*, *Vatke*, in *Linnaea*, xliii. (1880–82) 106.—Madag.  
*lanceolatus*, *Benth.* in *Journ. Linn. Soc. iv. Suppl.* (1860) 92.—Mexic.  
*latifolius*, *H. B. & K. Nov. Gen. et Sp.* vi. 383.—Am. trop.  
*laxiflorus*, *Guill. & Perr. Fl. Seneg. Tent.* i. 226.—Afr. trop.  
*leonensis*, *G. Don*, *Gen. Syst.* ii. 236.—Afr. trop.  
*longifolius*, *Benth.* in *Mart. Fl. Bras.* xv. i. 289 = *Derris longifolia*.  
*macrocarpus*, *Benth.* in *Journ. Linn. Soc. iv. Suppl.* (1860) 91.—Am. trop.  
*macrophyllus*, *H. B. & K. Nov. Gen. et Sp.* vi. 383 = *sericeus*.  
*macrostachyus*, *Hook. f. in Hook. Niger Fl.* 317.—Afr. trop.  
*maculatus*, DC. *Prod.* ii. 260 = *Gliricidia maculata*.  
*molliis*, *Benth.* in *Journ. Linn. Soc. iv. Suppl.* (1860) 95.—Bras.  
*negrensis*, *Benth.* l. c. 98.—Bras.  
*neuroscapha*, *Benth.* l. c. 89.—Bras.  
*Nicou*, DC. *Prod.* ii. 261.—Guian.  
*nitidulus*, *Benth.* in *Journ. Linn. Soc. iv. Suppl.* (1860) 98.—Bras.  
*nitidus*, *Benth.* l. c. 92.—Bras.  
*obovatus*, *Benth.* l. c. 93.—Mexic.  
*obtusus*, *Benth.* l. c. 95.—Bras.  
*oxycarpus*, DC. *Prod.* ii. 261 = *latifolius*.  
*pallidus*, *Welw. ex Baker*, in *Oliver, Fl. Trop. Afr.* ii. 242.—Afr. trop.  
*parviflorus*, *Benth.* in *Journ. Linn. Soc. iv. Suppl.* (1860) 89.—Mexic.  
*Peckoltii*, *Wawra*, in *Flora*, xlvii. (1864) 230.—Bras.  
*pentaphyllus*, *H. B. & K. Nov. Gen. et Sp.* vi. 383 = *latifolius*.  
*phaseolifolius*, *Benth.* in *Journ. Linn. Soc. iv. Suppl.* (1860) 93.—Mexic.

**LONCHOCARPUS** :—

- Philenoptera*, *Benth.* in *Journ. Linn. Soc. iv. Suppl.* (1860) 97 = *laxiflorus*.  
*praecox*, *Mart. ex Benth.* l. c. 96.—Bras.  
*Pterocarpus*, DC. *Prod.* ii. 260 = *Derris guianensis*.  
*pubescens*, DC. l. c.—Venezuela.  
*punctatus*, *H. B. & K. Nov. Gen. et Sp.* vi. 383 = *violaceus*, *H. B. & K.*  
*pyxidarius*, DC. *Prod.* ii. 260 = *sericeus*.  
*rariflorus*, *Mart. ex Benth.* in *Journ. Linn. Soc. iv. Suppl.* (1860) 98.—Bras.  
*roseus*, DC. *Prod.* ii. 260.—Am. austr.  
*rubiginosus*, *Benth.* in *Journ. Linn. Soc. iv. Suppl.* (1860) 92.—Guiana.  
*rufescens*, *Benth.* in *Ann. Nat. Hist. Ser. I.* iii. (1839) 432.—Guiana.  
*rugosus*, *Benth.* in *Journ. Linn. Soc. iv. Suppl.* (1860) 92.—Mexic.  
*sepium*, DC. *Prod.* ii. 260.—Am. austr.  
*sericeus*, *H. B. & K. Nov. Gen. et Sp.* vi. 383.—Am. trop.  
*Sophiae*, *Kotschy & Peyr. Pl. Tinn.* 3. t. 2 = *laxiflorus*.  
*spiciflorus*, *Mart. ex Benth.* in *Journ. Linn. Soc. iv. Suppl.* (1860) 91.—Bras.  
*Spruceanus*, *Benth.* l. c. 99.—Bras.  
*subglaucescens*, *Mart. ex Benth.* l. c. 96.—Bras.  
*Swartzii*, DC. *Prod.* ii. 261 = *violaceus*.  
*tomentosus*, *Tul.* in *Arch. Mus. Par. iv.* (1844) 82 = *sericeus*.  
*Turpinii*, *H. B. & K. Nov. Gen. et Sp.* vi. 385 = *sericeus*.  
*unifoliolatus*, *Benth.* in *Journ. Linn. Soc. iv. Suppl.* (1860) 90.—Mexic.  
*velutinus*, *Benth.* in *Seem. Bot. Voy. Herald*, 111.—Am. centr.  
*violaceus*, *H. B. & K. Nov. Gen. et Sp.* vi. 383, in adnot.—Am. austr.  
*violaceus*, *Oliver*, in *Trans. Linn. Soc.* xxix. (1872) 63.—Afr. trop.  
*virgiloides*, *Benth.* in *Journ. Linn. Soc. iv. Suppl.* (1860) 94.—Bras.

**LONCHOMERA**, *Hook. f. & Thoms.* in *Hook. f. Fl. Brit. Ind.* i. 93 (1872). **ANONACEAE**.  
*leptopoda*, *Hook. f. & Thoms. l. c.* 94.—Malacca.

**LONCHOPHORA**, *Dur.* in *Duch. Rev. Bot.* ii. (1847) 432. **CRUCIFERAE**, *Benth. & Hook. f.* i. 71.  
*capimontana*, *Dur. l. c.*—Alger.  
*Guyoniana*, *Dur. Expl. Algér. t.* 72.—Alger.

**LONCHOSTEPHUS**, *Tul.* in *Arch. Mus. Par. vi.* (1852) 198. **PODOSTEMACEAE**, *Benth. & Hook. f.* iii. 109.  
*elegans*, *Tul. l. c.* 199.—Bras.

**LONCHOSTOMA**, *Wikstr.* in *Vet. Acad. Handl. Stockh.* (1818) 350. t. 10. **BRUNIACEAE**, *Benth. & Hook. f.* i. 673.  
*GRAVENHORSTIA*, *Nees*, in *Lindl. Nat. Syst. ed. II.* 439 (1836).  
*PTYXOSTOMA*, *Vahl*, in *Danske Nat. Selsk. Skriv.* vi. (1810) 95, nomen prius.  
*acutiflorum*, *Wikstr.* in *Vet. Acad. Handl. Stockh.* (1818) 353. t. 10. f. 1.—Afr. austr.  
*monostylis*, *Sond.* in *Harv. & Sond. Fl. Cap.* ii. 317.—Afr. austr.  
*obtusiflorum*, *Wikstr.* in *Vet. Acad. Handl. Stockh.* (1818) 352. t. 10. f. 2.—Afr. austr.

**LONCHOSTYLIS**, *Torr.* in *Ann. Lyc. N. York*, iii. (1836) 370 = *Rynchospora*, *Vahl* (Cyperac.).

**LONCODILIS**, *Rafin.* *Fl. Tellur.* ii. 24 (1836) = *Ornithogalum*, *Tourn.* (Liliac.).  
*scapigera*, *Rafin. l. c.*—Hab. ?

**LONCOMELLOS**, *Rafin.* *Fl. Tellur.* ii. 24 (1836) = *Ornithogalum*, *Tourn.* (Liliac.).  
*japonicum*, *Rafin. l. c.* = *Scilla japonica*.  
*latifolium*, *Rafin. l. c.* = *O. latifolium*.  
*narbonense*, *Rafin. l. c.* = *O. narbonense*.  
*pyramidale*, *Rafin. l. c.* = *O. narbonense*.  
*pyrenaicum*, *Rafin. l. c.* = *O. pyrenaicum*.  
*secundum*, *Rafin. l. c.* = *Urginea secunda*.  
*suaveolens*, *Rafin. l. c.* = *O. suaveolens*.

**LONCOSTEMON**, *Rafin.* *Fl. Tellur.* ii. 21 (1836) = *Allium*, *Tourn.* (Liliac.).  
*victoriale*, *Rafin. l. c.* = *A. victorialis*.

**LONCOXIS**, *Rafin.* *Fl. Tellur.* iii. 58 (1836) = *Ornithogalum*, *Tourn.* (Liliac.).  
*sulfurea*, *Rafin. l. c.* = *O. pyrenaicum*.

**LONDESIA**, *Fisch. & Mey. Ind. Sem. Hort. Petrop.* ii. 40 (1835) = *Chenolea*, *Thunb.* (Chenop.).  
*eriantha*, *Fisch. & Mey. l. c.*—Reg. Casp.  
*eriantha*, *Kar. & Kir.* in *Bull. Soc. Nat. Mosc.* (1841) 736 = *Kirilowia eriantha*.

**LONGCHAMPIA**, *Willd.* in *Ges. Nat. Fr. Berl. Mag.* v. (1811) 159 = *Leyssera*, *Linn.* (Compos.).  
*capillifolia*, *Willd. l. c.* 159, 160 = *L. capillifolia*.

**LONGETIA**, *Baill. Adansonia*, ii. (1861–62) nomen ; et vi. (1866) 352. t. 9. **EUPHORBIACEAE**, *Benth. & Hook. f.* iii. 279.  
*buxoides*, *Baill. l. c.* ii. (1861–62) 228.—N. Caled.  
*depauperata*, *Baill. l. c.* xi. (1873) 100.—N. Caled.

**LONICERA**, *Adans. Fam.* ii. 157 (1763) = *Hamelia*, *Jacq.* (Rubiace.).

**LONICERA**, *Linn. Gen. ed. I.* 57 (1737). **CAPRIFOLIACEAE**, *Benth. & Hook. f.* ii. 5.  
*CAPRIFOLIUM*, *Tourn. ex Linn. Syst. ed. I.* (1735).  
*CHAMAECERASUS*, [*Tourn.*] *Medic. Phil. Bot. i.* 126 (1789).

*COBAEA*, *Neck. Elem.* i. 129 (1790).  
*DISTEGIA*, *Rafin.* *New Fl. Am. iii.* 20 (1836).  
*EUCHYLIA*, *Dulac.* *Fl. Hautes-Pyr.* 463 (1867).  
*ISICA*, *Moench. Meth.* 504 (1794).  
*ISIKA*, *Adans. Fam.* ii. 501 (1763).  
*ITIA*, *Molina, Sagg. Chil. ed. II.* 281 (1810); ex *Roem. & Schult. Syst. v.* 259, in obs. (1819).  
*KANTEMON*, *Rafin.* *New Fl. Am. iii.* 19 (1836).  
*NINTOGA*, *Sweet.* *Hort. Brit. ed. II.* 258 (1830).  
*PERICLYMENUM*, *Tourn. ex Rupp. Fl. Jen. ed. Hall.* 250 (1745); *Mill. Gard. Dict. ed. VI.* (1752).  
*PHENIANTHUS*, *Rafin.* in *Ann. Gén. Sc. Phys.* vi. (1820) 83.

*XYLOSTEUM*, *Rupp. Fl. Jen. ed. Hall.* 250 (1745).  
*acuminata*, *Wall.* in *Roxb. Fl. Ind. ed. Carey*, ii. 176.—Reg. Himal.

*acutifolia*, *Rafin.* *New Fl. Am. iii.* 19 (Quid ?)—Am. bor.  
*adenocarpa*, *Guss. Fl. Sic. Prod. Suppl.* 58 = *implexa*.  
*afinis*, *Hook. & Arn. Bot. Beech. Voy.* 264.—China; Japon.

*affinis*, *Jacquem. Voy. Bot.* 77 = *asperifolia*.  
*alba*, *Linn. Sp. Pl.* 175 = *Chiococca racemosa*.  
*Alberti*, *Regel.* in *Act. Hort. Petrop.* vii. (1880) 550.—Turkest.

*albiflora*, *Torr. & Gray, Fl. N. Am. ii.* 6.—Am. bor. occ.  
*alpigena*, *Gueldenst. Reisen.* i. 429 = *iberica*.  
*alpigena*, *Linn. Sp. Pl.* 174.—Europ.; As. bor.  
*alpigena*, *Schchang*, in *Pall. N. Nord. Beitr.* vi. 93 = *hispida*.

*alpigena*, *Siev. l. c.* vii. 274 = *microphylla*.  
*alpina*, *Steud. Nom. ed. II.* i. 278, sphalm. = *alpigena*.  
*altaica*, *Pall. Fl. Ross. t.* 37 = *caerulea*.  
*Altmannii*, *Regel & Schmalh. ex Regel, Pl. Nov. Fedsch.* 41.—Turkest.

*americana*, *C. Koch.* *Wochenschr. x.* (1867) 279 = *grata*.  
*angustata*, *Steud. Nom. ed. II.* ii. 66 = *tatarica*.  
*angustifolia*, *Rafin.* *New Fl. Am. iii.* 19 (Quid ?)—Am. bor.

*angustifolia*, *Wall. Cat. n.* 480; et in *DC. Prod.* iv. 337.—Reg. Himal.  
*angustifolia*, *Wender.* in *Marb. Schr.* ii. (1831) 247 = *tatarica*.

*arborea*, *Boiss.* in *Bibl. Univ. Genève.* (1838); ex *ej. Elench.* 55.—Hispan.

*arborea*, *Boiss. Voy. Bot. Espagne*, ii. 277, partim = *nummulariaefolia*.

*asperifolia*, *Hook. f. & Thoms. in Journ. Linn. Soc.* ii. (1858) 166.—Reg. Himal.

*atrosanguinea*, *Carr.* in *Rev. Hort.* (1866) 337 = *dimorpha*.

*Aucherii*, *Faub. & Spach, Illustr.* i. 137. t. 73.—Persia; Arab.

*aurea*, *Auch. ex Hook. f. & Thoms. in Journ. Linn. Soc.* ii. (1858) 170.—Oriens.

*aureo-reticulata*, *Hort.* ex *T. Moore*, in *Flor. & Pom.* 1862 (1863) 136 = *reticulata*.



**LONICERA:—**

*balearica*, DC. Fl. Fr. Suppl. 499 = implexa.  
bicolor, Klotzsch, in Bot. Ergeb. Waldem. Reise, 84 (Quid ?).—Reg. Himal.  
biflora, Desf. Fl. Atlant. i. 184.—Afr. bor.  
brachypoda, DC. Prod. iv. 335 = japonica.  
bracteata, Royle, Illustr. Bot. Himal. 237 = hispida.  
bracteolaris, Boiss. & Buhse, in Nouv. Mém. Soc. Nat. Mosc. xii. (1860) 106.—Reg. Caucas.  
Brandtii, Franch. & Sav. Enum. Pl. Jap. ii. 385.—Japan.  
Breweri, A. Gray, in Proc. Am. Acad. vi. (1864–65) 537 = conjugalis.  
Brownii, Hort. ex Fl. des Serres, xi. (1856) 123 = ciliosa.  
Buergeriana, Blume, ex C. Koch, Dendrol. ii. i. 18 = flexuosa.  
bulbalina, Linn. f. Suppl. 146 = Burchellia capensis.  
Bungeana, Ledeb. Fl. Ross. ii. 391 = microphylla.  
caerulea, Gueldenst. Reisen, i. 423 = orientalis.  
caerulea, Kit. in Linnaea, xxxii. (1863) 430 = nigra.  
caerulea, Linn. Sp. Pl. 174.—Reg. bor. temp.  
californica, Torr. & Gray, Fl. N. Am. ii. 7 = hispidula.  
campanifolia, G. Don, in Loud. Hort. Brit. ed. I. 471 = nigra.  
canadensis, Muhl. ex Roem. & Schult. Syst. v. 260 = ciliata.  
canescens, Schousb. Vextr. Marok. 88 = biflora.  
caprifolioides, C. Koch, Ind. Sem. Hort. Berol. (1871) App. 3.—Hab. ?  
Caprifolium, Linn. Sp. Pl. 173.—Europ.; Reg. Cauc.  
Caprifolium, Schousb. Vextr. Marok. 87 = etrusca.  
Caprifolium, Tenore, Syll. Fl. Neap. 104 = Stabiana.  
caroliniana, Marsh. Arbust. 80 = supervirens.  
carpathica, Kit. in Linnaea, xxxii. (1863) 430 = nigra.  
caucasica, Pall. Fl. Ross. i. 59.—Reg. Caucas.  
cerasina, Maxim. in Bull. Acad. Pétersb. xxiv. (1878) 41.—Japan.  
Chamissoi, Bunge, in Kirill. Lonic. Russ. 26; ex Trautv. & Mey. in Middend. Reise (Fl. Ochot. 48).—Ins. Sachalin.  
chinensis, Wats. Dendrol. t. 117 = japonica.  
chlamydophora, C. Koch, in Linnaea, xxiv. (1851) 478 = iberica.  
chrysantha, Turcz. in Bull. Soc. Nat. Mosc. xi. (1838) 93; xviii. (1845) 304.—Sibir.  
ciliata, F. G. Dietr. Vollst. Lexik. Gaertn. Nachtr. iv. 463 = ciliosa.  
ciliata, Muhl. Cat. 22.—Am. bor.  
ciliosa, Hook. & Arn. Bot. Beech. Voy. 349 = hispidula.  
ciliosa, Poir. Encyc. Suppl. v. 612.—Am. bor. occ.  
coccinea, Pers. Syn. i. 213 = sempervirens.  
cochinchinensis, G. Don, Gen. Syst. iii. 447 = japonica.  
coerulea, Auct. vide caerulea.  
confusa, DC. Prod. iv. 333.—China.  
confusa, Miq. Ann. Mus. Bot. Lugd. Bat. ii. 269 = japonica.  
conjugalis, Kellogg, in Proc. Calif. Acad. ii. (1863) 67. f. 15.—Am. bor. occ.  
connata, Meerb. Pl. Sel. Ic. t. 11 = sempervirens.  
corymbosa, Linn. Sp. Pl. 175 = Loranthus tetrandrus.  
cyrenaica, Viv. Fl. Lib. Spec. 12. t. 8. f. 1 = etrusca.  
daurica, Siev. in Pall. N. Nord. Beitr. vii. 198 = Viburnum davuricum.  
decipiens, Hook. f. & Thoms. in Journ. Linn. Soc. ii. (1858) 170.—Reg. Himal.  
dentata, Rafin. New Fl. Am. iii. 19 (Quid ?).—Am. bor.  
depressa, Royle, Illustr. Bot. Himal. 226 = parvifolia.  
Diervilla, Linn. Sp. Pl. 175 = Diervilla trifida.  
dimorpha, Tausch, in Flora, xxi. (1838) i. Beibl. 80.—Hab. ?  
dioica, Linn. Syst. ed. XII. 165 = glauca, Hill.  
Dioscoridis, Roubieu, ex Nym. Consp. 321 = implexa.  
discolor, Lindl. Bot. Reg. (1844) sub t. 33 = orientalis.  
diversifolia, Carr. in Rev. Hort. xxxvii. (1866) 99 = flexuosa.  
diversifolia, Wall. in Roxb. Fl. Ind. ed. Carey, ii. 178 = quinquelocularis.  
Douglasii, DC. Prod. iv. 332 = hirsuta.  
dumetorum, Pers. Syn. i. 213 = L. Xylosteum.  
dumosa, A. Gray, Pl. Wright. ii. 66 = albiflora.  
edulis, Turcz. in Bull. Soc. Nat. Mosc. xviii. (1845) 306 = caerulea.  
Elisae, Franch. Pl. Davidian. i. (1884) 152.—China.  
elliptica, Rafin. New Fl. Am. iii. 18 (Quid ?).—Am. bor.  
elliptica, Royle, Illustr. Bot. Himal. 236 = hypoleuca.  
epsomiensis, Hort. ex C. Koch, Dendrol. ii. i. 12 = glauca, Hill.

**LONICERA:—**

*eriensis*, Rafin. New Fl. Am. iii. 18 (Quid ?).—Am. bor.  
etrusca, Hort. ex Tausch, in Flora, xxi. (1838) i. Beibl. 80 = dimorpha.  
etrusca, Lej. Fl. Spa, ii. 299 = L. Periclymenum.  
etrusca, Santi, Viagg. Mont. i. 113. t. 1.—Reg. Mediterr.  
etrusca, Tenore, Fl. Nap. i. 82 = Stabiana.  
Ferdinandi, Franch. Pl. Davidian. i. (1884) 151.—China.  
Finlaysonian, Wall. Cat. n. 6302 = japonica.  
flammea, Salisb. Prod. 138 = sempervirens.  
flava, Sims, Bot. Mag. t. 1318.—Am. bor.  
flexuosa, Thunb. in Trans. Linn. Soc. ii. (1794) 330 = japonica.  
floribunda, Boiss. & Buhse, in Nouv. Mém. Soc. Nat. Mosc. xii. (1860) 107. t. 8.—Persia.  
florida, Regel, Cat. Pl. Hort. Aksakov. 86.—Hab. ?  
fragrantissima, Lindl. & Paxt. Flow. Gard. iii. (1852–53) 75.—China.  
Fraseri, Poit. in Rev. Hort. Ser. II. v. (1846) 125 = flava.  
germanica, F. G. Dietr. Weim. Fl. 94 = L. Periclymenum.  
gibbosa, [Moq. & Sesse,] ex DC. Prod. iv. 336 = involu-crata.  
gibbosa, Willd. ex Roem. & Schult. Syst. v. 257.—Mexic.  
glabra, Boiss. ex Tchihat. Asie Min. Bot. ii. 193, nomen.—As. Min.  
glabrata, Wall. in Roxb. Fl. Ind. ed. Carey, ii. 175.—Reg. Himal.  
glauca, Hill, Hort. Kew. 446.—Am. bor.  
glauca, Hook. f. & Thoms. in Journ. Linn. Soc. ii. (1858) 166.—Reg. Himal.  
glaucophylla, Hook. f. & Thoms. l. c. 165 = Leyces-teria glaucophylla.  
Glehnii, F. Schmidt, Reis. Amurl. 143.—Ins. Sachalin.  
glutinosa, Vis. Fl. Dalm. iii. 18.—Dalmat.  
Goldii, Spreng. Syst. i. 758 = hirsuta.  
Govaniana, Wall. Cat. n. 481; DC. Prod. iv. 337 = orientalis.  
gracilipes, Miq. in Versl. en Med. Kon. Akad. Wetensch. II. ii. (1868) 85.—Japan.  
gracilis, Kurz, in Journ. As. Soc. Beng. xxxix. (1870) ii. 77.—Reg. Himal.  
grata, [Soland. in] Ait. Hort. Kew. ed. I. i. 231.—Am. bor.  
Griffithii, Hook. f. & Thoms. in Journ. Linn. Soc. ii. (1858) 173.—Afghan.  
hellenica, Orph. in Boiss. Diagn. Ser. II. ii. 108.—Graecia.  
heterophylla, Decne. in Jacquem. Voy. Bot. 80. t. 88.—Reg. Himal.  
hetrusca, Host, Fl. Austr. i. 298 = etrusca.  
hirsuta, Eaton, Man. Bot. ed. II. 307.—Am. bor.  
hirtiflora, Champ. ex Benth. in Hook. Kew Journ. iv. (1852) 166 = macrantha.  
hispanica, Boiss. & Reut. Pugill. Pl. Nov. (1852) 52 = L. Periclymenum.  
hispida, Pall. ex Roem. & Schult. Syst. v. 258.—Reg. Himal.; Sibir.  
hispidula, Dougl. ex Lindl. Bot. Reg. t. 1761, in syn.—Am. bor. occ.  
humilis, Kir. & Kir. in Bull. Soc. Nat. Mosc. xv. (1842) 370.—As. centr.  
hypoglauc, Miq. Ann. Mus. Bot. Lugd. Bat. ii. 270 = affinis.  
hypoleuca, Decne. in Jacquem. Voy. Bot. 81. t. 89.—Reg. Himal.  
iberica, Bieb. Fl. Taur. Cauc. i. 158.—Reg. Caucas.  
implexa, [Soland. in] Ait. Hort. Kew. ed. I. i. 231.—Europ. austr.  
intermedia, Kellogg, in Proc. Calif. Acad. ii. (1863) 154 = involu-crata.  
interrupta, Benth. Pl. Hartw. 313 = hispidula.  
involu-crata, Banks, ex Spreng. Syst. i. 759.—Am. bor.  
japonica, Andr. Bot. Rep. t. 583 = confusa.  
japonica, Thunb. Fl. Jap. 89.—Reg. Himal.  
japonica, Wall. Cat. 473; in Roxb. Fl. Ind. ed. Carey, ii. 174 = macrantha.  
javanica, DC. Prod. iv. 334.—Java.  
Karelini, Bunge, in Kirill. Lonic. Russ. 33.—As. centr.  
kurdistan, Schlecht. ex Boiss. Fl. Orient. iii. 7 = nummulariaefolia.  
lanceolata, Wall. in Roxb. Fl. Ind. ed. Carey, ii. 177 = decipiens.  
latifolia, Guss. Fl. Sic. Prod. i. 250 = implexa.

**LONICERA:—**

*Ledebourii*, Eschsch. in Mém. Acad. Pétersb. x. (1826) 284 = involu-crata.  
leiantha, Kurz, in Journ. As. Soc. Beng. xliii. (1874) ii. 188.—Burma.  
Leschenaultii, Miq. in Ann. Mus. Bot. Lugd. Bat. ii. 270 = affinis.  
Leschenaultii, Wall. in Roxb. Fl. Ind. ed. Carey, ii. 178.—Ind. or.  
ligustrina, Wall. in Roxb. l. c. 179.—Reg. Himal.  
linderifolia, Maxim. in Bull. Acad. Pétersb. xxiv. (1878) 50.—Japan.  
linearis, Royle, ex Hook. f. & Thoms. in Journ. Linn. Soc. ii. (1858) 168 = spinosa.  
longiflora, DC. Prod. iv. 333 = macrantha.  
longifolia, Royle, Illustr. Bot. Himal. 236 = praec. ?  
Loureiri, Blume, Bijdr. 653 = oxylepis.  
Loureiri, DC. Prod. iv. 334.—Malaya.  
Loureirii, Hook. f. & Thoms. in Journ. Linn. Soc. ii. (1858) 172 = acuminata.  
Luschani, Stapf, in Denkschr. Acad. Wien, l. (1885) 108.—Mesopot.  
Maackii, Herd. in Bull. Soc. Nat. Mosc. xxxvii. (1864) 204.—Manchur.  
macrantha, Spreng. Syst. iv. Cur. Post. 82.—Reg. Himal.  
macrogyne, Klotzsch, in Bot. Ergeb. Waldem. Reise, 85 (Quid ?).—Reg. Himal.  
marilandica, Linn. Sp. Pl. 175 = Spigelia marilandica.  
Maximowiczii, Maxim. Prim. Fl. Amur. 137.—Reg. Amur.  
media, Murr. in Comm. Gotting. vii. (1776) 28. t. 3 = glauca, Hill.  
micrantha, Trautv. ex Regel, in Act. Hort. Petrop. v. (1877) 609.—Turkestan.  
microphylla, Hook. Fl. Bor. Am. i. 283 = hispidula.  
microphylla, Willd. ex Roem. & Schult. Syst. v. 258.—Reg. Himal.; Sibir.  
Mociniana, DC. Prod. iv. 336 = involu-crata.  
mollis, Vukot. in Rad Jugos. Akad. Zagreb. li. (1880) 45 = etrusca.  
mollis, Wall. Cat. n. 6301 = Leschenaultii.  
mollissima, Blume, ex Maxim. in Bull. Acad. Pétersb. xxiv. (1878) 37 = affinis.  
mongolica, Pall. Reise, iii. 721 = Viburnum davuricum.  
Morrowi, A. Gray, in Perry, Jap. Exped. ii. 313 = chrysantha.  
multiflora, Champ. ex Benth. in Hook. Kew Journ. iv. (1852) 167 = confusa.  
Myrtillus, Hook. f. & Thoms. in Journ. Linn. Soc. ii. (1858) 168 = parvifolia.  
nervosa, Maxim. in Bull. Acad. Pétersb. xxiv. (1878) 39.—China.  
nigra, Linn. Sp. Pl. 173.—Europ.; As. bor.  
nigra, Thunb. Fl. Jap. 89 = japonica.  
Nummularia, Fisch. & Mey. ex Kar. in Bull. Soc. Nat. Mosc. (1839) 156.—Turcoman.  
nummulariaefolia, Faub. & Spach, Illustr. i. 133. t. 70.—Oriens.  
oblongifolia, Hook. Fl. Bor. Am. i. 284. t. 100.—Am. bor.  
obovata, Royle, ex Hook. f. & Thoms. in Journ. Linn. Soc. ii. (1858) 169.—Reg. Himal.  
occidentalis, Hook. Fl. Bor. Am. i. 282 = ciliosa.  
ochroleuca, St. Lag. in Ann. Soc. Bot. Lyon, vii. (1880) 129 = L. Xylosteum.  
odora, Salisb. Prod. 138 = L. Periclymenum.  
odoratissima, [Lindl. in] Gard. Chron. (1858) 314 = fragrantissima.  
Olgae, Regel & Schmalh. in Act. Hort. Petrop. v. (1877) 609, adnot.—Turkestan.  
orientalis, Bieb. Fl. Taur. Cauc. i. 158 = caucasica.  
orientalis, Lam. Encyc. i. 731.—Oriens; Reg. Him.  
ovata, Buch-Ham. in Wall. Cat. n. 6300.—Reg. Himal.  
ovata, Rafin. New Fl. Am. iii. 18 (Quid ?).—Am. bor.  
oxylepis, Miq. Fl. Ind. Bat. ii. 125.—Java.  
oxyphylla, Edgew. in Trans. Linn. Soc. xx. (1846) 100 = alpigena.  
Pallasii, Ledeb. Ind. Sem. Hort. Dorpat. (1821) 2 = caerulea.  
pallida, Host, Fl. Austr. i. 298 = L. Caprifolium.  
parasitica, Linn. Sp. Pl. 175 = Loranthus l.  
parviflora, Lam. Encyc. i. 728 = glauca, Hill.  
parvifolia, Edgew. in Trans. Linn. Soc. xx. (1846) 100 = Reg. Himal.  
perfoliatum, Edwards, in Phytol. N. S. ii. (1857) 100 = sphenol.  
sphenol, = L. Caprifolium.



**LONICERA** :—

*Periclymenum*, Gouan, Hort. Monsp. 101 = *etrusca*.  
*Periclymenum*, Linn. Sp. Pl. 173. — *Europ.*  
*Periclymenum*, Lour. Fl. Cochinch. 150 = *confusa*.  
*persica*, Jaub. & Spach, Illustr. i. 132 = *nummulariae*-  
*folia*.  
*phyllocarpa*, Maxim. Prim. Fl. Amur. 138. — *Reg.*  
*Amur.*  
*Phylomelae*, Carr. in Rev. Hort. (1872) 160. — *Hab. ?*  
*pilosa*, Kellogg, in Proc. Calif. Acad. i. (1855) 63 =  
*hispidula*.  
*pilosa*, Maxim. in Bull. Acad. Pétersb. xxiv. (1878)  
 47. — *Japon.*  
*pilosa*, Willd. ex H. B. & K. Nov. Gen. et Sp. iii. 427.  
 — *Mexic.*  
*plantierensis* x, André, in Illustr. Hort. xviii. (1871)  
 233. t. 86.  
*pubescens*, Sweet, Hort. Brit. ed. I. 195 = *hirsuta*.  
*punica*, Sims, Bot. Mag. t. 2469 = *Symphoricarpus*  
*punicus*.  
*purpurascens*, Walp. Rep. ii. 449. — *Reg. Himal.*  
*pyrenaica*, Hort. ex Ledeb. Fl. Ross. ii. 388 = *tatarica*.  
*pyrenaica*, Linn. Sp. Pl. 174. — *Mont. Pyren.*  
*pyrenaica*, Pall. Reise, ii. 568 = *caerulea*.  
*quadrifolia*, Willd. Sp. Pl. i. 986. — *Hab. ?*  
*quinquelocularis*, Hardw. in As. Res. vi. (1799) 351. —  
*Reg. Himal.*  
*racemosa*, Auct. ex Steud. Nom. ed. II. ii. 67 =  
*Symphoricarpus racemosus*.  
*Raeseri*, Heldr. ex Boiss. Fl. Orient. iii. 5 = *etrusca*.  
*ramosissima*, Franch. & Sav. ex Maxim. in Bull.  
 Acad. Pétersb. xxiv. (1878) 47. — *Japon.*  
*repens*, Hassk. Cat. Hort. Bog. Alt. 116 = *japonica*.  
*reticulata*, Champ. ex Benth. in Hook. Kew Journ. iv.  
 (1852) 167. — *China.*  
*reticulata*, Maxim. in Bull. Acad. Pétersb. xxiv. (1878)  
 40 = *venulosa*.  
*reticulata*, Rafin. New Fl. Am. iii. 18 (Quid?). — *Am.*  
*bor.*  
*Roeseri*, Heldr. ex Nym. Consp. 321 = *etrusca*.  
*rotundifolia*, Hort. ex C. C. Gmel. Hort. Carlsr.; ex  
 Steud. Nom. ed. I. 493 (Quid?). — *Hab. ?*  
*Royleana*, Wall. Cat. n. 478 = *quinquelocularis*.  
*rubra*, Gilib. Fl. Lituan. i. 6 = *L. Xylosteum*.  
*rupestris*, Rafin. New Fl. Am. iii. 17 (Quid?). —  
*Am. bor.*  
*rupicola*, Hook. f. & Thoms. in Journ. Linn. Soc. ii.  
 (1858) 168. — *Reg. Himal.*  
*Ruprechtiana*, Regel, Ind. Sem. Hort. Petrop. (1869)  
 19. — *Reg. Amur.*  
*saxatilis*, Fl. Corc. in Ionios Anthol. v. 210. — *Ins.*  
*Corcir.*  
*Semenovi*, Regel, in Act. Hort. Petrop. v. (1877) 608.  
 — *Turkestan.*  
*sempervirens*, Linn. Sp. Pl. 173. — *Am. bor.*  
*sericea*, Royle, Illustr. Bot. Himal. 236; Hook. f. &  
 Thoms. in Journ. Linn. Soc. ii. (1858) 167 =  
*purpurascens*.  
*sibirica*, Hort. ex DC. Prod. iv. 335 = *tatarica*.  
*sibirica*, Vest, ex Roem. & Schult. Syst. v. 259 =  
*alpigena*.  
*sicula*, Ucria, in Roem. Arch. i. i. 68 = *Putoria*  
*calabrica*.  
*Sieversiana*, Bunge, Suppl. Fl. Alt. 18 = *microphylla*.  
*speciosa*, Wender. Ind. Sem. Hort. Marb. (1825) =  
*sempervirens*?  
*spinosa*, Jacquem. Voy. Bot. 78. — *Reg. Himal.*  
*splendida*, Boiss. Elench. 54. — *Hispan.*  
*Stabiana*, Guss. ex Pasq. in Rendic. Acc. Sc. Nat. xiii.  
 1874) 142. — *Italia.*  
*Standishii*, Hook. Bot. Mag. t. 5709. — *China.*  
*stipulata*, Hook. f. & Thoms. in Journ. Linn. Soc. ii.  
 (1858) 165 = *Pentaplex stipulata*.  
*suavis*, Salisb. Prod. 138 = *L. Caprifolium*.  
*subspicata*, Hook. & Arn. Bot. Beech. Voy. 349 =  
*hispidula*.  
*Sullivantii*, A. Gray, in Proc. Am. Acad. xix. (1883)  
 76. — *Am. bor.*  
*sumatrana*, Miq. Fl. Ind. Bat. Suppl. 537. — *Sumatra.*  
*Symphoricarpus*, Linn. Sp. Pl. 175 = *Symphoricarpus*  
*vulgaris*.  
*syringantha*, Maxim. in Bull. Acad. Pétersb. xxiv.  
 (1878) 49. — *China.*  
*tangutica*, Maxim. l. c. 48. — *China.*  
*tatarica*, Linn. Sp. Pl. 173. — *Siberia.*  
*Tatarinowii*, Maxim. Prim. Fl. Amur. 138. — *China.*  
*Telfairii*, Hook. & Arn. Bot. Beech. Voy. 190 = *con-*  
*fusa*.

**LONICERA** :—

*tenuiflora*, Regel & Winkl. in Act. Hort. Petrop. vi.  
 (1879) 305. — *Turkestan.*  
*tomentella*, Hook. f. & Thoms. in Journ. Linn. Soc. ii.  
 (1858) 167. — *Reg. Himal.*  
*translucens*, Carr. in Rev. Hort. (1872) 240. —  
*Hab. ?*  
*Tschonoskii*, Maxim. in Bull. Acad. Pétersb. xxiv.  
 (1878) 39. — *Japon.*  
*tubulosa*, Benth. Pl. Hartw. 37 = *pilosa*.  
*turcomanica*, Fisch. & Mey. in Bull. Soc. Nat. Mosc.  
 (1839) 156, nomen; Trautv. in Act. Hort. Petrop. i.  
 (1870) 274. — *Turkestan.*  
*turkestanica*, Franch. in Ann. Sc. Nat. Sér. VI. xvi.  
 (1883) 299. — *Turkestan.*  
*utahensis*, S. Wats. in Bot. King's Exped. 133. —  
*Utah.*  
*variegata*, Regel, Cat. Pl. Hort. Aksakov. 87. — *Hab. ?*  
*velutina*, DC. Prod. iv. 337 (excl. syn. in parte) =  
*caerulea*.  
*venulosa*, Maxim. in Bull. Acad. Pétersb. xxvi. (1880)  
 542. — *Japon.*  
*verticillata*, Steud. Nom. ed. I. 493. — *Jamaic.*  
*Vidalii*, Franch. & Sav. Enum. Pl. Jap. ii. 386. —  
*Japon.*  
*villosa*, DC. Prod. iv. 337 = *caerulea*.  
*villosa*, Muhl. Cat. 22 = *hirsuta*.  
*virginiana*, Marsh. Arbust. 80 = *sempervirens*.  
*viscidula*, Boiss. Fl. Orient. iii. 5 = *etrusca*.  
*Webbiana*, Wall. Cat. n. 476; et ex DC. Prod. iv. 336  
 = *alpigena*.  
*Wightiana*, Wall. l. c. sub n. 1520 = *ligustrina*.  
*xylosteoides* x, Tausch, in Flora, xxi. (1838) II. 736.  
*Xylosteum*, Georgi, Reise, i. 201; Regel, Fl. Ussur. 80.  
 n. 237 = *chrysantha*.  
*Xylosteum*, Linn. Sp. Pl. 174. — *Europ.*; *As. bor.*  
*Xylosteum*, Lour. Fl. Cochinch. 150 = *Loureiri*.  
*Xylosteum*, Sibth. & Sm. Fl. Graec. iii. 18. t. 223 =  
*nummulariaefolia*.  
*zeylanica*, Gaertn. Fruct. i. 137. t. 27 = *Loranthus*  
*longiflorus*.

LONICERA, Plum. ex Gaertn. Fruct. i. 132. t. 27. t. 2  
 (1788) = *Loranthus*, Linn.

LONTANUS, Benth. & Hook. f. Gen. iii. 939 (1883) =  
 seq.

LONTARUS, Adans. Fam. ii. 25 (1763) = *Borassus*,  
 Linn. (Palm.).  
*domestica*, Gaertn. Fruct. i. 21. t. 8 = *B. flabellifera*.

LOOSA, Jacq. Obs. Bot. iii. 15 (1768) = *Loasa*, Adans.

LOPADOCALYX, Klotzsch, in Lehm. Pl. Preiss. i. 178  
 (1844) = *Olaux*, Linn.  
*phyllanthoides*, Klotzsch, l. c. = *O. Phyllanthi*.

LOPANTHUS, Vitm. Summa Veg. ii. 252 (1789) =  
 LOPHANTHUS, Forst. = *Waltheria*, Linn.  
 (Stercul.).

LOPESIA, Juss. in Ann. Mus. Par. iii. (1804) 317 =  
 seq.

LOPEZIA, Cav. Ic. i. 12. t. 18 (1791). *ONAGRARI-*  
*ACEAE*, Benth. & Hook. f. i. 791.

JEHLIA, Hort. Germ. ex Planch. in Fl. des Serres,  
 vii. (1851-52) 177.

PISAURA, Bonato, Monog. (1793); ex Endl. Gen.  
 1194.

albiflora, Schlecht. in Linnaea, xxiv. (1851) 696. —  
*Mexic.*

annua, Hort. ex DC. Prod. iii. 62 = *oppositifolia*.  
*axillaris*, Schweigg. in Koenigsb. Arch. Naturw. i.  
 (1812) 236 = *coronata*.

cordata, Hornem. Hort. Hafn. ii. Add. 949. — *Mexic.*  
*coronata*, Andr. Bot. Rep. t. 551. — *Mexic.*

frutescens, Roem. & Schult. Syst. i. 34 = *miniata*.  
*fruticosa*, Hort. Par. ex Schrank, in Nov. Act. Nat.

Cur. ix. (1818) 92; et Pl. Rar. Hort. Monac. t. 20 =  
*miniata*.

Galeottii, Planch. in Fl. des Serres, vii. (1851-52) 178.  
 — *Mexic.*

grandiflora, Zucc. in Flora, xv. (1832) II. Beibl. 101.  
 — *Mexic.*

haematodes, Kunze, in Linnaea, xvii. (1843) 579. —  
*Mexic.*

**LOPEZIA** :—

*hirsuta*, Jacq. Coll. v. 5. t. 15. f. 4. — *Mexic.*  
*hispidula*, Sweet, ex Steud. Nom. ed. II. ii. 68 =  
*praec.*?  
*insignis*, Hemsl. Diagn. Pl. Nov. 16. — *Mexic.*  
*integrifolia*, DC. Prod. iii. 62. — *Mexic.*  
*lineata*, Zuccagn. Pl. Nov. Cogn. Fasc. ii. 31. —  
*Mexic.*  
*longiflora*, Decne. in Rev. Hort. Sér. IV. iii. (1854)  
 221. — *Mexic.*  
*macrantha*, Benth. ex Regel, in Schweiz. Zeitschr.  
 Gartenb. viii. (1850) 25, cum t. b. — *Hab. ?*  
*macrophylla*, Benth. Pl. Hartw. 83. — *Guatemala.*  
*mexicana*, Jacq. Coll. Suppl. 3 = *racemosa*.  
*miniata*, DC. Cat. Hort. Monsp. (1813) 121. — *Mexic.*  
*minima*, Lag. ex Schrank, in Nov. Act. Nat. Cur. ix.  
 (1818) 92. — *Mexic.*  
*minuta*, Lag. Gen. et Sp. Nov. 1 = *coronata*.  
*oppositifolia*, Lag. l. c. — *Mexic.*  
*paniculata*, Seem. Bot. Voy. Herald, 120. — *Panama.*  
*pubescens*, H. B. & K. Nov. Gen. et Sp. vi. 96. —  
*Mexic.*  
*pumila*, Bonpl. Desc. Jard. Malm. 67. — *Mexic.*  
*racemosa*, Cav. Ic. i. 12. t. 18. — *Mexic.*  
*thymifolia*, Humb. & Bonpl. ex Schult. Mant. i. 50  
 (Quid?). — *Hab. ?*  
*trichota*, Schlecht. in Linnaea, xii. (1838) 273. —  
*Mexic.*  
*trichotoma*, Steud. Nom. ed. II. ii. 68 = *praec.*

LOPHACTIS, Rafin. Atl. Journ. 152 (1832). '*COM-*  
*POSITAE*' (Quid?).  
*uniflora*, Rafin. l. c. — *Am. bor.*

LOPHALIX, Rafin. Sylva Tellur. 70 (1838) = *Allo-*  
*plectus*, Mart. (Gesner.).  
*bicolor*, Rafin. l. c. = *A. cristatus*.  
*coccinea*, Rafin. l. c. = *A. coccineus*.

LOPHANDRA, D. Don, in Edinb. N. Phil. Journ. xvii.  
 (1834) 154 = *Erica*, Tourn.

*blanda*, G. Don, Gen. Syst. iii. 810 = *E. cornuta*.  
*cubica*, D. Don, in Edinb. N. Phil. Journ. xvii. (1834)  
 174 = *E. cubica*.

*seriphifolia*, G. Don, Gen. Syst. iii. 810 = *E. seriphii-*  
*folia*.

LOPHANTHERA, A. Juss. in Ann. Sc. Nat. Sér. II.  
 xiii. (1840) 328; et in Arch. Mus. Par. iii. (1843) 315  
 (Monog. 61. t. 6). *MALPIGHIACEAE*, Benth. &  
 Hook. f. i. 255.

Kunthiana, A. Juss. in Arch. Mus. Par. iii. (1843)  
 316. — *Guiana.*

*longiflora*, C. Muell. in Walp. Ann. vii. 469, sphalm.  
 = seq.

*longifolia*, Griseb. in Mart. Fl. Bras. xii. i. 25 =  
*Kunthiana*.

LOPHANTHERA, Rafin. New Fl. Am. ii. 58 (1836) =  
*Sopubia*, Buch.-Ham. (Scrophul.).

*delphinifolia*, Rafin. l. c. = *S. delphinifolia*.

LOPHANTHUS, Adans. Fam. ii. 194 (1763) = *Nepeta*,  
 Linn. (Labi.).

LOPHANTHUS, Benth. in Bot. Reg. t. 1282 (1829).  
*LABIATAE*, Benth. & Hook. f. ii. 1198.

VLECKIA, Rafin. in Med. Repos. N. York, v. (1808)  
 352.

*anisatus*, Benth. in Bot. Reg. t. 1282. — *Am. bor. occ.*  
*chinensis*, Benth. l. c. sub t. 1282. — *As. bor.*

*multifidus*, Benth. l. c. = *Nepeta lavandulacea*.  
*nepetoides*, Benth. l. c. — *Am. bor.*

*obtusifolia*, Heynh. Nom. i. 477 = *chinensis*.  
*rugosus*, Fisch. & Mey. Ind. Sem. Hort. Petrop. i. 31.  
 — *China.*

*scrophulariaefolius*, Benth. in Bot. Reg. sub t. 1282. —  
*Am. bor.*

*tomentosus*, Regel, Pl. Nov. Fedsch. 63. — *Turkestan.*  
*urticifolius*, Benth. in Bot. Reg. sub t. 1282. — *Am. bor.*

LOPHANTHUS, Forst. Char. Gen. 27. t. 14 (1776) =  
*Waltheria*, Linn. (Stercul.).

*tomentosus*, Forst. l. c. 28 = *W. Lophanthus*.

LOPHARINA, Neck. Elem. i. 215 (1790) = *Erica*,  
 Tourn.



**LOPHATHERUM**, Brongn. in Duperr. Voy. Coq. Bot. 49. t. 8 (1829). *GRAMINEAE*, Benth. & Hook. f. iii. 1191.

*ACROELYTRUM*, Steud. in Flora, xxix. (1846) 20.  
*ALLELOTHECA*, Steud. Syn. Pl. Gram. 117 (1855).  
*annulatum*, Franch. & Sav. Enum. Pl. Jap. ii. 605. —Japan.  
*dubium*, Steud. Syn. Pl. Gram. 300. —Ind. or.  
*elatum*, Zoll. & Mor. Syst. Verz. Zoll. 102. —Java.  
*geminatum*, Baker, in Journ. Linn. Soc. xx. (1883) 300. —Madag.  
*gracile*, Brongn. in Duperr. Voy. Coq. Bot. 50. t. 8. —Ins. Amboina.  
*humile*, Miq. Ann. Mus. Bot. Lugd. Bat. ii. 282. —Japan.  
*japonicum*, Steud. Syn. Pl. Gram. 300 = *elatum*.  
Lehmanni, Nees, ex Steud. l. c. —Ind. or.  
*multiflorum*, Steud. l. c. —Java.  
*pilosulum*, Steud. l. c. 428. —Japan.

**LOPHERINA**, Juss. in Dict. Sc. Nat. xxvii. 180 (1823) = **LOPHARINA**, Neck. = **ERICA**, Tourn.

**LOPHIA**, Desv. in Ham. Prod. Pl. Ind. Occ. 47 (1825) = **ALLOPECTUS**, Mart. (Gesner.).  
*phoenicea*, Desv. l. c. = **A. cristatus**.

**LOPHIARIS**, Rafin. Fl. Tellur. iv. 40 (1836) = **Oncidium**, Sw. (Orchid.).  
*fragrans*, Rafin. l. c. 41 = **O. Lanceanum**.

**LOPHIACARPUS**, Miq. Illustr. Fl. Arch. Ind. 50 (1871) = **Sagittaria**, Lam. (Alismac.).  
*calycinus*, Micheli, in DC. Monog. Phan. iii. 61 = **S. calycina**.  
*cordifolia*, Miq. Illustr. Fl. Arch. Ind. 50 = **S. cordifolia**.  
*guyanensis*, Micheli, in DC. Monog. Phan. iii. 62 = **S. guyanensis**.  
*Lappula*, Miq. Illustr. Fl. Arch. Ind. 50 = **S. Lappula**.  
*Seubertianus*, Micheli, in DC. Monog. Phan. iii. 64 = **S. Seubertianus**.

**LOPHIACARPUS**, Turcz. in Bull. Soc. Nat. Mosc. xvi. (1843) 55. *CHENOPODIACEAE*, Benth. & Hook. f. iii. 49.  
*WALLINIA*, Moq. in DC. Prod. xiii. ii. 143 (1859).  
Burchellii, Hook. f. in Benth. & Hook. f. Gen. iii. 50. —Afr. austr.  
*polystachyus*, Turcz. in Bull. Soc. Nat. Mosc. xvi. (1843) 56. —Afr. austr.  
*tenuissimus*, Hook. f. Ic. Pl. xv. (1884) 50. —Afr. austr.

**LOPHIOLA**, Ker-Gawl. in Bot. Mag. t. 1596 (1814). *HAEMODORACEAE*, Benth. & Hook. f. iii. 677.  
*americana*, Wood, Class-Book (1861), 697 = **aurea**.  
*aurea*, Ker-Gawl. Bot. Mag. t. 1596. —Am. bor.

**LOPHIOLEPIS**, Cass. in Dict. Sc. Nat. xxvii. 180 (1823) = **Chnicus**, Tourn. (Compos.).  
*araneosa*, Cass. l. c. 181 = **C. fimbriatus**.  
*calcephala*, Cass. l. c. = **C. ciliatus**.  
*dubia*, Cass. l. c. 183 = **C. lanceolatus**.  
*nutans*, Cass. l. c. 182 = **Carduus cernuus**.

**LOPHION**, Spach, Hist. Vég. Phan. v. 516 (1836) = **Viola**, Linn.  
*canadense*, Spach, l. c. 517 = **V. canadensis**.

**LOPHIRA**, Banks, ex Gaertn. f. Fruct. iii. 52. t. 188 (1805). *DIPTEROCARPEAE*, Benth. & Hook. f. i. 193.  
*africana*, Loud. ex G. Don, Gen. Syst. i. 814 = **alata**.  
*alata*, Banks, ex Gaertn. f. Fruct. iii. 52. t. 188. f. 2. —Afr. trop.  
*simplex*, G. Don, Gen. Syst. i. 814 = **alata**.

**LOPHIUM**, Steud. Nom. ed. II. ii. 769, in syn. (1841) = **LOPHION**, Spach = **Viola**, Tourn.

**LOPHOBIOS**, Rafin. Fl. Tellur. iv. 116 (1836) = **Euphorbia**, Linn.  
*cristata*, Rafin. l. c. = **E. cristata**.  
*Terracina*, Rafin. l. c. = **E. Terracina**.

**LOPHOCACHIRYS**, Koch, ex DC. Prod. iv. 238 (1830); Bertol. Fl. Ital. iii. 455 (1837) = **Hippomarthrum**, Link (Umbellif.).  
*echinophora*, Bertol. l. c. 456 = **H. Bocconi**.  
VOL. II.

**LOPHOCARPUS**, Link, Diss. Bot. Suerin. (1795) 52 = **Froelichia**, Moench (Amarant.).  
*procumbens*, Link, l. c. = **F. interrupta**.

**LOPHOCARYA**, Nutt. ex Moq. in DC. Prod. xiii. ii. 113, in syn. (1849) = **Atriplex**, Tourn. (Chenop.).  
*spinosa*, Nutt. ex Moq. l. c. = **A. canescens**.

**LOPHOCHLAENA**, Nees, in Ann. Nat. Hist. Ser. I. i. (1838) 283 = **Pleuropogon**, R. Br. (Gramin.).  
*californica*, Nees, l. c. = **P. californicum**.  
*refracta*, A. Gray, in Proc. Am. Acad. viii. (1872) 409 = **P. refractum**.

**LOPHOCHLOA**, Reichb. Fl. Germ. Excurs. 42 (1830) = **Koeleria**, Pers. (Gramin.).  
*paradoxa*, Scheele, in Flora, xxvii. (1844) 61 = **K. paradoxa**.  
*phleoides*, Reichb. Fl. Germ. Excurs. 42 = **K. phleoides**.  
*villosa*, Fourr. in Ann. Soc. Linn. Lyon, N. S. xvii. (1869) 184 = **K. villosa**.

**LOPHOCLINIUM**, Endl. in Bot. Zeit. i. (1843) 457 = **Podotheca**, Cass. (Compos.).  
*album*, Endl. l. c. = **P. fuscenscens**.  
*citrinum*, Endl. l. c. = **P. gnaphalioides**.  
*Manglesii*, Endl. l. c. = **P. angustifolia**.

**LOPHOGLOTIS**, Rafin. Fl. Tellur. iv. 49 (1836) = **Sophronitis**, Lindl. (Orchid.).

**LOPHOGYNE**, Tul. in Ann. Sc. Nat. Sér. III. xi. (1849) 99. *PODOSTEMACEAE*, Benth. & Hook. f. iii. 111.  
*arculifera*, Tul. & Wedd. l. c. 100. —Bras.  
*helicandra*, Tul. l. c. 99. —Bras.

**LOPHOLAENA**, DC. Prod. vi. 335 (1837); et in Deless. Ic. Sel. iv. t. 59 (1839). *COMPOSITAE*, Benth. & Hook. f. ii. 441.  
*Dregeana*, DC. ll. cc. 336; 26. —Afr. austr.  
*platyphylla*, Benth. in Hook. Ic. Pl. t. 1113. —Afr. austr.

**LOPHOLEPIS**, Decne. in Arch. Mus. Par. i. (1839) 147. *GRAMINEAE*, Benth. & Hook. f. iii. 1123.  
*HOLBOELLIA*, Wall. in Hook. Bot. Misc. ii. (1831) 144. t. 76.  
*ornithocephala*, Steud. Syn. Pl. Gram. 112. —Ind. or.

**LOPHOLOMA**, Cass. in Dict. Sc. Nat. xlv. 37 (1826) = **Centaurea**, Linn. (Compos.).  
*alpestris*, Fourr. in Ann. Soc. Linn. Lyon, N. S. xvii. (1869) 97 = **C. Scabiosa**.  
*Scabiosa*, Cass. in Dict. Sc. Nat. xlv. 37 = **C. Scabiosa**.

**LOPHOPETALUM**, Wight ex Arn. in Ann. Nat. Hist. Ser. I. iii. (1839) 150. *CELASTRINEAE*, Benth. & Hook. f. i. 362.  
*celastroides*, M. Laws. in Hook. f. Fl. Brit. Ind. i. 615. —Burma.

*dubium*, M. Laws. l. c. 616. —Malacca.  
*filiforme*, M. Laws. l. c. —Burma.  
*fimbriatum*, Wight, Illustr. i. 178. —Ind. or.; Burma.  
*floribundum*, Wight, l. c. —Burma.  
*fuscenscens*, Kurz, in Journ. As. Soc. Beng. xlv. (1875) ii. 202. —Singapore.

*grandiflorum*, Wight, ex Arn. in Ann. Nat. Hist. Ser. I. iii. (1839) 151 = **Euonymus grandiflorus**.  
*javanum*, Turcz. in Bull. Soc. Nat. Mosc. xxxvi. (1863) i. 598 = **fimbriatum**.  
*littorale*, Kurz, in Journ. As. Soc. Beng. xlv. (1875) ii. 164. —Burma.

*lucidum*, Wight, ex M. Laws. in Hook. f. Fl. Brit. Ind. i. 608 = **Euonymus grandiflorus**.  
*ovatum*, Presl, Bot. Bemerk. 32 = **fimbriatum**.  
*pallidum*, M. Laws. in Hook. f. Fl. Brit. Ind. i. 615. —Malacca.  
*reflexum*, M. Laws. l. c. 616. —Malacca.  
*Wallichii*, Kurz, in Journ. As. Soc. Beng. xli. (1872) ii. 299. —Burma.  
*Wightianum*, Arn. in Ann. Nat. Hist. Ser. I. iii. (1839) 151. —Ind. or.

**LOPHOPHYLLUM**, Griff. Notul. iv. 313. t. 491 (1854). *MENISPERMACEAE* [Benth. & Hook. f. i. 38.]  
*bicristata*, Griff. l. c. —Ind. or.

**LOPHOPHYTUM**, Schott & Endl. Melet. i. t. 1. (1832). *BALANOPHOREAE*, Benth. & Hook. f. iii. 238.

*ARCHIMEDEA*, Leandr. Sacram. in Ann. Sc. Nat. Sér. II. vii. (1837) 32.  
*LEPIDOPHYTUM*, Hook. f. in Lindl. Veg. Kingd. ed. III. 90 (1853), nomen.  
*bolivianum*, Wedd. in Ann. Sc. Nat. Sér. III. xiv. (1850) 185. t. 10. —Bolivia.  
Leandri, Eichl. in Mart. Fl. Bras. iv. ii. 59. —Bras.  
*mirabile*, Schott & Endl. Melet. i. t. 1. —Bras.  
*mirabile*, Wedd. in Ann. Sc. Nat. Sér. III. xiv. (1850) 185 = **Leandri**.  
Weddelii, Hook. f. in Trans. Linn. Soc. xxii. (1856) 30, 49. t. 9. —N. Granat.

**LOPHOPTERIS**, Griseb. in Linnaea, xiii. (1839) 182 = seq.

**LOPHOPTERYS**, A. Juss. in Deless. Ic. Sel. iii. 18. t. 29 (1837). *MALPIGHIACEAE*, Benth. & Hook. f. i. 255.  
*splendens*, A. Juss. l. c. —Guiana.

**LOPHOSCIADIUM**, DC. Coll. Mém. v. 57 (1829); Prod. iv. 207 (1830). *UMBELLIFERAE*, Benth. & Hook. f. i. 905.  
*Barrelieri*, Griseb. Spicil. Fl. Rumel. i. 372 = **Ferula monticola**.  
*meifolium*, DC. Coll. Mém. v. 57. —Banat.  
*meifolium*, C. Koch, in Linnaea, xix. (1847) 38 = **Thirkeanum**.  
*millefolium*, Steud. Nom. ed. II. i. 68, sphalm. = **praece. olympicum**, C. Koch, in Linnaea, xix. (1847) 38. —As. Min.  
*setifolium*, C. Koch, l. c. 39 = **Ferula pauciflora**.  
*silaifolium*, Boiss. in Ann. Sc. Nat. Sér. III. i. (1844) 326. —Europ. austr.  
*Thirkeanum*, Boiss. Diagn. Ser. II. ii. 94. —Anatolia.

**LOPHOSPERMUM**, D. Don, in Trans. Linn. Soc. xv. (1827) 351 = **Maurandia**, Orteg. (Scrophul.).  
*atrosanguineum*, Zucc. in Abh. Akad. Muench. (1829-30) 305. t. 13 = **Rhodochiton volubile**.  
*erubescens*, D. Don, in Sweet, Brit. Flow. Gard. Ser. II. t. 68 = **M. erubescens**.  
*physalodes*, D. Don, in Trans. Linn. Soc. xv. (1827) 353 = **Melasma hispidum**.  
*Rhodochiton*, D. Don, in Sweet, Brit. Flow. Gard. Ser. II. t. 250 = **Rhodochiton volubile**.  
*scandens*, D. Don, in Trans. Linn. Soc. xv. (1827) 353. —Mexico.  
*scandens*, Sweet, Brit. Flow. Gard. Ser. II. t. 68 = **M. erubescens**.

**LOPHOSTACHYS**, Pohl, Pl. Bras. Ic. ii. 93. t. 161, 162 (1831). *ACANTHACEAE*, Benth. & Hook. f. ii. 1094.

*Alvarezia*, Nees, in DC. Prod. xi. 246. —Peruv.  
*diandra*, Nees, in Mart. Fl. Bras. ix. 70. —Bras.  
*falcata*, Nees, l. c. 67. —Bras.  
*floribunda*, Pohl, Pl. Bras. Ic. ii. 95. t. 162. —Bras.  
*laxiflora*, Nees, in Mart. Fl. Bras. ix. 68. —Bras.  
*montana*, Mart. ex Nees, l. c. 68. —Bras.  
*monticola*, Mart. ex Nees, in DC. Prod. xi. 416 = **Beloperone monticola**.  
*nemoralis*, Mart. ex Nees, in Mart. Fl. Bras. ix. 69. —Bras.  
*patula*, Mart. l. c. 68. —Bras.  
*semiovata*, Nees, in Mart. l. c. 69. —Bras.  
*sessiliflora*, Pohl, Pl. Bras. Ic. ii. 95, 96. t. 163. —Bras.  
*villosa*, Pohl, l. c. 94. t. 161. —Bras.

**LOPHOSTEMON**, Schott, in Wien. Zeitschr. iii. (1830) 772; ex Endl. in Linnaea, vi. (1831) Litt. 54 = **Tristania**, R. Br. (Myrtac.).  
*arborescens*, Schott, ll. cc. 772; 54 = **T. conferta depressum**, Schott, ll. cc. = **T. depressa**.

**LOPHOSTEPHUS**, Harv. Thes. Cap. ii. 9. t. 113 (1866) = **Anisotoma**, Fenzl (Asclep.).  
*mollis*, Harv. l. c. = **A. cordifolia**.

**LOPHOSTOMA**, Meissn. in Mart. Fl. Bras. v. t. 72 (1855) = **Linostoma**, Wall. (Thymel.).  
*calophylloides*, Meissn. l. c. = **Lin. calophylloides ovatum**, Meissn. in DC. Prod. xiv. 600 = **Lin. ovatum**.



LOPHOSTYLIS, Hochst. in Flora, xxv. (1842) 229 = *Securidaca*, Linn. (Polygal.).  
*angustifolia*, Hochst. l. c. 231 = *S. longipedunculata*.  
*floribunda*, Welw. Apont. 562 = *S. Welwitschii*.  
*javanica*, Miq. Fl. Ind. Bat. i. II. 128 = *S. tavoyana*.  
*oblongifolia*, Hochst. in Flora, xxv. (1842) 231 = *S. longipedunculata*.  
*pallida*, Klotzsch, in Peters, Reise Mossamb. Bot. 115. t. 22 = *S. longipedunculata*.

LOPHOTAENIA, Griseb. Spicil. Fl. Rumel. i. 377 (1843) = *Malabaila*, Hoffm. (Umbellif.).  
*aurea*, Griseb. l. c. = *M. aurea*.

LOPHOXERA, Rafin. Fl. Tellur. iii. 42 (1836) = *Celosia*, Linn. (Amarant.).  
*caudata*, Rafin. l. c. = *C. caudata*.  
*comosa*, Rafin. l. c. = *C. cristata*.  
*paniculata*, Rafin. l. c. = *C. paniculata*.  
*polygonoides*, Rafin. l. c. = *C. polygonoides*.  
*racemosa*, Rafin. l. c. = *C. cristata*?

LOPHOZONIA, Turcz. in Bull. Soc. Nat. Mosc. (1858) i. 396 = *Fagus*, Tourn. (Cupul.).  
*heterocarpa*, Turcz. l. c. = *F. obliqua*.

LOPIMIA, Mart. in Nov. Act. Nat. Cur. xi. (1823) t. 96 = *Pavonia*, Cav. (Malvac.).  
*malacophylla*, Mart. l. c. = *P. velutina*.

LORANTEA, Steud. Nom. ed. I. 494 (1821) = *LORENTEA*, Orteg. = *Sanvitalia*, Gault. (Compos.).

LORANTHEA, Steud. Nom. ed. II. ii. 68 (1841) = *praec.*

LORANTHOS, St. Lag. in Ann. Soc. Bot. Lyon, vii. (1880) 129 = *Loranthus*, Linn.  
*corynitum*, St. Lag. l. c. = *Loranthus Corynitis*.  
*pentagonum*, St. Lag. l. c. = *Loranthus Pentagonia*.  
*polyrhizum*, St. Lag. l. c. = *Loranthus polyrhizos*.  
*scurvulum*, St. Lag. l. c. = *Loranthus Scurrula*.  
*spirostylum*, St. Lag. l. c. = *Loranthus Spirostylis*.  
*stelum*, St. Lag. l. c. = *Loranthus Stelis*.  
*taguum*, St. Lag. l. c. = *Loranthus Tagua*.

LORANTHUS, Linn. Syst. ed. II. 22 (1740).

LORANTHACEAE, Benth. & Hook. f. iii. 207.  
 ANTRIBA, Rafin. Sylva Tellur. 126 (1838).  
 ATKINSONIA, F. Muell. Fragm. v. 34 (1865).  
 BARATRANTHUS, Miq. Fl. Ind. Bat. i. 834 (1855).  
 DENDROPEMON, Schult. f. Syst. vii. 1729 (1830).  
 DENDROPHTHOE, Mart. in Flora, xiii. (1830) 109.  
 ELYTRANTHE, Blume, in Schult. f. Syst. vii. 1730 (1830).  
 EPICOLA, Rafin. Sylva Tellur. 126 (1838).  
 ETUBILA, Rafin. l. c. 125 (1838).  
 GAIADENDRON, G. Don, Gen. Syst. iii. 431 (1834).  
 GLUTAGO, Comm. ex Poir. in Dict. Sc. Nat. xix. 87 (1821).  
 HELIXANTHERA, Lour. Fl. Cochinch. 142 (1790).  
 HYPHIFUS, Rafin. Sylva Tellur. 125 (1838).  
 ITICANIA, Rafin. l. c. (1838).  
 LANTHORUS, Presl, Epim. Bot. 256 (1850).  
 LEPEOSTEGERES, Blume, in Schult. f. Syst. vii. 1731 (1830).  
 LICHTENSTEINIA, Wendl. Coll. ii. 4. t. 39 (1808).  
 LIPOTACTES, Schult. f. Syst. vii. 1729 (1830).  
 LONICERA, Adans. Fl. i. 157 (1763).  
 LOXANTHERA, Blume, in Schult. f. Syst. vii. 1612 (1830).  
 MACROSOLEN, Schult. f. l. c. 1731 (1830).  
 MEIENA, Rafin. Sylva Tellur. 125 (1838).  
 MOQUINIA, Spreng. f. Tent. Syst. Suppl. 9 (1828).  
 NOTANTHERA, G. Don, Gen. Syst. iii. 428 (1834).  
 ORYCTANTHUS, Eichl. in Mart. Fl. Bras. v. II. 87. tt. 29, 30 (1861).  
 PASSOWIA, Karst. in Bot. Zeit. x. (1852) 305.  
 PELTOMESA, Rafin. Sylva Tellur. 126 (1838).  
 PHOENICANTHEMUM, Schult. f. Syst. vii. 1729 (1830).  
 PHRYGILANTHUS, Eichl. in Mart. Fl. Bras. v. II. 45 (1868).  
 PHTHIRUSA, Mart. in Flora, xiii. (1830) 110.  
 PSITTACANTHUS, Mart. l. c. 106 (1830).  
 SCURRULA, G. Don, Gen. Syst. iii. 421 (1834).  
 SPIROSTYLIS, Presl, ex Schult. f. Syst. vii. 163 (1830).  
 STREPSIMELA, Rafin. Sylva Tell. r. 159 (1838).

# LORANTHUS:—

STRUTHANTHUS, Mart. in Flora, xiii. (1830) 102.  
 TAGUARIA, Rafin. Sylva Tellur. 125 (1838).  
 TAPINANTHUS, Blume, in Schult. f. Syst. vii. 1730 (1830).  
 TOLYPANTHUS, Blume, l. c. 1731 (1830).  
 TRISTERIX, Mart. in Flora, xiii. (1830) 108.  
 ACACIAE, Zucc. in Abh. Akad. Muench. iii. (1837-43) 249. t. 2. f. 3.—Palaestin.; Nubia.  
 acacioides, A. Cunn. ex Benth. Fl. Austral. iii. 392.—Austral.  
 acinarius, Mart. in Schult. f. Syst. vii. 130.—Bras.  
 acuminatus, Ruiz & Pav. Fl. Peruv. iii. 49.—Peruv.  
 acutifolius, Ruiz & Pav. l. c. 48.—Peruv.  
 acutus, Pohl, ex DC. Prod. iv. 287 = *podopterus*.  
 Adamsii, Cheesem. in Trans. N. Z. Inst. xiii. (1881) 296.—N. Zel.  
 aduncus, G. F. W. Mey. Prim. Fl. Esseq. 149.—Guiana.  
 affinis, Mart. in Schult. f. Syst. vii. 151.—Bras.  
 albidus, Blume, Bijdr. 665.—Burma; Malaya.  
 albiflorus, Hook. Ic. Pl. t. 683.—N. Granat.  
 alternatus, Willd. ex Schult. f. Syst. vii. 162 = *eugenioides*.  
 alveolatus, H. B. & K. Nov. Gen. et Sp. iii. 444.—Ecuador.  
 alyxifolius, F. Muell. ex Benth. Fl. Austral. iii. 391.—Austral.  
 americanus, Lam. ex Steud. Nom. ed. II. ii. 69 = *Plumieri*.  
 americanus, Linn. Sp. Pl. 331; Jacq. Select. Am. 97. t. 67.—Am. trop.  
 americanus, Sieber, ex Presl, Bot. Bemerck. 75 = *martiniensis*.  
 americanus, Sw. Obs. 132 = *claviceps*.  
 americanus, Vell. Fl. Flum. 138; iii. t. 148.—Bras.  
 amplexicaulis, H. B. & K. Nov. Gen. et Sp. iii. 445.—Venezuela.  
 amplexicaulis, Wall. Cat. n. 520; et ex DC. Prod. iv. 306 = *longiflorus*.  
 amplexifolius, DC. l. c. 305 = *longiflorus*.  
 ampullaceus, Roxb. Hort. Beng. 87; Fl. Ind. i. 189.—Ind. or.; Malaya.  
 ampullaceus, Wall. Cat. n. 506 B = *capitellatus*.  
 anceps, DC. Prod. iv. 315 = *oblongo-ellipticus*.  
 anceps, Desv. in Ham. Prod. Pl. Ind. Occ. 33.—Guiana.  
 anceps, Willd. ex Schult. f. Syst. vii. 131 = *conduplicatus*.  
 angustifolius R. Br. ex Benth. Fl. Austral. iii. 390.—Austral.  
 angustifolius, H. B. & K. Nov. Gen. et Sp. iii. 442 = *Phoradendron angustifolium*.  
 aphyllus, Miers, ex DC. Prod. iv. 307.—Chili.  
 arboreus, Mutis, ex DC. l. c. iv. 315 = *L. Tagua*.  
 Arnottianus, Korth. in Verh. Batav. Gen. xvii. (1839) 284.—Sumatra.  
 Arnottianus, Wight, in Calc. Journ. Nat. Hist. vi. (1846) 361 = *lepidophyllus*.  
 artensis, Montr. in Mem. Acad. Lyon, x. (1860) 213.—N. Caled.  
 Atkinsonae, Benth. in Hook. Ic. Pl. t. 1319.—Austral.  
 atropurpureus, Blume, Bijdr. 669.—Java.  
 attenuatus, Pohl, in DC. Prod. iv. 315.—Bras.  
 attenuatus, Willd. ex Schult. f. Syst. vii. 1643 = *eugenioides*.  
 aurantiacus, A. Cunn. ex Hook. in Mitch. Journ. Trop. Austral. 101 = *pendulus*.  
 auriculatus, Oliver, in Kjoeb. Vidensk. Meddel. (1864) 174.—Mexico.  
 avenis, Blume, Bijdr. 663.—Java.  
 avicularis, Kunth, ex Griseb. Fl. Brit. W. Ind. 749 = *occidentalis*?  
 avicularis, Mart. ex Schult. f. Syst. vii. 132.—Bras.  
 avium, Pohl, ex Eichl. in Mart. Fl. Bras. v. II. 77 = *marginatus*.  
 axanthus, Korth. in Verh. Batav. Gen. xvii. (1839) 262.—Sumatra.  
 bahajensis, Korth. l. c. 285.—Borneo.  
 Baroni, Baker, in Journ. Bot. xx. (1882) 266.—Madag.  
 Belvisii, DC. Prod. iv. 303 = *lanceolatus*.  
 Berteri, Hook. & Arn. in Hook. Bot. Misc. iii. (1833) 357.—Ins. J. Fernand.  
 bibracteolatus, Hance, in Journ. Bot. xviii. (1880) 301.—China.  
 bicalyculatus, Mart. ex Schult. f. Syst. vii. 128.—Bras.  
 bicolor, Roxb. Pl. Corom. ii. 19. t. 139 = *longiflorus*.

# LORANTHUS:—

Bidwillii, Benth. Fl. Austral. iii. 390.—Austral.  
 biflorus, Desr. in Lam. Encyc. iii. 600 = *L. Scurrula*?  
 bifurcatus, Benth. Fl. Austral. iii. 393.—Austral.  
 biracemosus, Jacq. Enum. Pl. Carib. 35.—Ind. occ.  
 biternatus, Hoffm. in Schult. f. Syst. vii. 124.—Bras.  
 Blancoanus, F. Villar, in Blanco, Fl. Philipp. ed. III. Nov. App. 355.—Ins. Philipp.  
 Blumeanus, Schult. f. Syst. vii. 119 = *avenis*.  
 Blumeanus, Wight, in Calc. Journ. Nat. Hist. vi. (1846) 362, partim = *obtusatus*.  
 Bojeri, Baker, Fl. Mauriti. 135.—Ins. Mascar.  
 bracteatus, DC. Prod. iv. 306 partim = *tomentosus*.  
 bracteatus, Heyne, ex Roxb. Fl. Ind. ed. Carey, ii. 220.—Ind. or.  
 bracteatus, Rich. in Act. Soc. Hist. Nat. Par. i. (1792) 197 = *cucullaris*.  
 bracteatus, Willd. ex DC. Prod. iv. 318 = *puracensis*.  
 Brandisianus, Wight, in Journ. As. Soc. Beng. xl. (1871) II. 63.—Burma.  
 brasiliensis, Desr. in Lam. Encyc. iii. 596.—Bras.  
 brasiliensis, Spreng. ex DC. Prod. iv. 293 = *portoricensis*.  
 buddajoides, Walp. Rep. ii. 440, sphalm. = *budleioides*.  
 buddleioides, Thw. Enum. Pl. Zeyl. 136, partim = *cordifolius*.  
 budleioides, Desr. in Lam. Encyc. iii. 600 = *L. Scurrula*.  
 Burchellii, Eckl. & Zeyh. Enum. 358.—Afr. austr.  
 buxifolius, Cham. in Linnaea, iii. (1828) 207.—Chili.  
 cactorum, Hook. & Arn. Bot. Beech. Voy. 25 = *aphyllus*.  
 caesius, Spreng. Syst. ii. 132.—Chili.  
 calycinus, R. Br. in Salt, Abyss. App. 64, nomen.—Abyssin.  
 calyculatus, DC. Coll. Mém. vi. t. 10.—Mexic.  
 Candolleanus, Wight & Arn. Prod. 385 = *recurvus*.  
 canescens, Burch. Trav. ii. 90; et ex DC. Prod. iv. 304.—Afr. austr.  
 cansjeraefolius, Oliver, in Kjoeb. Vidensk. Meddel. (1864) 173.—Costa Rica.  
 canus, F. Muell. in Hook. Kew Journ. viii. (1856) 145 = *L. Quandang*.  
 capitellatus, Wight & Arn. Prod. 382.—Ind. or.  
 cardiophyllus, Willd. ex Schult. f. Syst. vii. 162.—Am. austr.  
 carinatus, Wall. ex DC. Prod. iv. 296 = *ampullaceus*.  
 carnosus, Wall. Cat. n. 552 = *pulverulentus*.  
 Casuarinae, Miq. in Lehm. Pl. Preiss. i. 279 = *linophyllus*.  
 catocarpus, Benth. Pl. Hartw. 190.—N. Granat.  
 celastroides, Sieber, ex Schult. f. Syst. vii. 163.—Austral.  
 celtidifolius, Willd. ex Schult. f. l. c. 161.—Afr. trop.  
 Chamissonis, Molkenb. in Miq. Pl. Jungh. 116, in nota = *robustus*.  
 chinensis, DC. Coll. Mém. vi. t. 7.—China.  
 chloranthus, Miq. Stirp. Surin. Sel. 205.—Guiana.  
 chordocladus, Oliver, in Kjoeb. Vidensk. Meddel. (1864) 173.—Nicaragua.  
 chrysanthoides, Korth. in Verh. Batav. Gen. xvii. (1839) 269.—Borneo.  
 chrysanthus, Blume, ex DC. Prod. iv. 300.—Java.  
 cinctus, Mart. ex Schult. f. Syst. vii. 134.—Bras.  
 cinnamomeus, Wall. Cat. n. 527; et ex DC. Prod. iv. 300 = *L. Scurrula*.  
 Citri, Chatin, Anatom. 462. t. 85.—Bras.  
 citricola, Mart. ex Schult. f. Syst. vii. 137.—Bras.  
 clandestinus, Mart. ex Schult. f. l. c. 96.—Bras.  
 clavatus, Desr. in Lam. Encyc. iii. 598.—Ins. Mascar.  
 clavatus, Roxb. Hort. Beng. 87; Fl. Ind. ii. 189 = *L. Corynitis*.  
 clavatus, Thonn. ex DC. Prod. iv. 303 = *Thonningii*.  
 claviceps, Griseb. Fl. Brit. W. Ind. 311.—Ind. occ.  
 clavigerus, Wall. Cat. n. 6873 = *longiflorus*?  
 Cleghornii, Bedd. in Madr. Journ. Ser. III. i. (1864) 48.—Ind. or.  
 clusiaefolius, Willd. ex Eichl. in Mart. Fl. Bras. v. II. 30 = *dichotomus*.  
 cneoroides, Willd. ex Schult. f. Syst. vii. 162.—Am. austr.  
 coccineus, Hook. Bot. Misc. i. (1830) t. 58 (non p. 278) = *pulcher*.  
 coccineus, Jack, in Malay. Misc. i. (1820) n. i. p. 8.—Ind. or.; Malaya.  
 coccineus, Reinw. in Blume, Bijdr. 664 = *Reinwardtianus*.  
 cochinchinensis, Lour. Fl. Cochinch. 195.—Cochinch.



## LORANTHUS:—

Colensoi, Hook. f. in Hook. Ic. Pl. t. 633.—N. Zel.  
*concauifolium*, Griff. Notul. iv. 615 = L. Scurrula.  
*concinus*, Mart. ex Schult. f. Syst. vii. 150.—Bras.  
*conduplicatus*, H. B. & K. Nov. Gen. et Sp. iii. 441.—  
 Venezuela.  
*confertus*, Mart. ex Schult. f. Syst. vii. 121.—Bras.  
*congener*, Sieber, ex Schult. f. l. c. 114 = pendulus.  
*congestus*, R. Br. in Salt, Abyss. App. 64, nomen.—  
 Abyssin.  
*contractus*, Wall. Cat. n. 6864 = pentandrus.  
*constrictus*, Korth. in Verh. Batav. Gen. xvii. (1839)  
 276.—Borneo.  
*cordatus*, Hoffm. ex Schult. f. Syst. vii. 128.—Bras.  
*cordifolius*, Wall. in Roxb. Fl. Ind. ed. Carey, ii. 222.  
 —Ind. or.  
*cordifolius*, Willd. ex Schult. f. Syst. vii. 162 = cardi-  
 phyllus.  
*coriaceus*, Desr. in Lam. Encyc. iii. 597.—Malabar.  
*corymbosus*, Desr. l. c. 599 = tetrandrus.  
*corymbosus*, F. G. Dietr. Vollst. Lexic. Gaertn. Nachtr.  
 iv. 468.—Peruv.  
*Corymbis*, Spreng. Syst. iv. Cur. Post. 140.—Ind. or.  
*crassifolius*, Mart. ex Schult. f. Syst. vii. 123.—Bras.  
*crassipes*, Oliver, in Kjoeb. Vidensk. Meddel. (1864)  
 173.—Mexic.  
*creatophyllus*, Korth. in Verh. Bat. Gen. xvii. (1839)  
 282.—Sumatra.  
*croceus*, E. Mey. in Drège, Zwei Pfl. Docum. 200,  
 nomen.—Afr. austr.  
*cubensis*, Griseb. Cat. Pl. Cub. 119.—Cuba.  
*cucullaris*, Lam. in Journ. Hist. Nat. Par. i. (1792)  
 444. t. 23.—Guian.  
*cuneatus*, Heyne, in Roth, Nov. Pl. Sp. 193.—Ind. or.  
*cuneatus*, Wall. Cat. n. 541 = fuscus.  
*cuneifolius*, Reinw. ex Miq. Fl. Ind. Bat. i. i. 812 =  
 repandus.  
*cuneifolius*, Ruiz & Pav. Fl. Per. iii. 46.—Peruv.  
*Cunninghami*, A. Gray, Bot. U. St. Expl. Exped. i.  
 741.—Austral.  
*cupulatus*, DC. Prod. iv. 298.—Am. austr.  
*cupulifer*, H. B. & K. Nov. Gen. et Sp. iii. 438.—  
 Peruv.  
*curvatus*, Blume, Bijdr. 665.—Java.  
*curviflorus*, Benth. in Hook. Ic. Pl. xiv. 3. t. 1304.—  
 Abyssin.  
*cuspidatus*, Mart. ex Schult. f. Syst. vii. 140.—Bras.  
*cylindricus*, Jack, in Roxb. Fl. Ind. ed. Carey, ii. 213.  
 —Sumatra.  
*daphnoides*, Willd. ex Schult. f. Syst. vii. 158 = micro-  
 phyllus.  
*decussatus*, T. Kirk, in Trans. N. Z. Inst. iii. (1870)  
 162.—N. Zel.  
*densiflorus*, Benth. Pl. Hartw. 62.—Mexic.  
*Deppeanus*, Cham. & Schlecht. in Linnaea, v. (1830)  
 172.—Mexic.  
*Destructor*, H. B. & K. Nov. Gen. et Sp. iii. 485.—  
 Ecuador.  
*dichotomus*, Ruiz & Pav. Fl. Per. iii. 45.—Am.  
 austr.  
*dichrous*, Mart. ex Schult. f. Syst. vii. 122.—Bras.  
*dictyophlebus*, F. Muell. Rep. Burdek. Exp. 14.—  
 Austral.  
*dioicus*, Stokes, Bot. Mat. Med. ii. 297 = europaeus.  
*diplocrater*, Baker, in Journ. Linn. Soc. xx. (1883)  
 246.—Madag.  
*divaricatus*, H. B. & K. Nov. Gen. et Sp. iii. 433.—  
 Am. austr.  
*diversifolius*, Benth. Pl. Hartw. 63.—Mexic.  
*dodoneaeifolius*, DC. Coll. Mém. vi. t. 9.—Afr. trop.  
*domingensis*, Desv. in Ham. Prod. Pl. Ind. Occ. 33.—  
 Ins. S. Doming.  
*Dregei*, Eckl. & Zeyh. Enum. 358.—Afr. austr.  
*elasticus*, Desr. in Lam. Encyc. iii. 599.—Ind. or.  
*elatus*, Edgew. in Trans. Linn. Soc. xx. (1846) 58.—  
 Reg. Himal.  
*elegans*, Cham. & Schlecht. in Linnaea, iii. (1828) 208  
 = Schlechtendalians.  
*elegans*, Mart. ex Schult. f. Syst. vii. 144.—Bras.  
*elegans*, Wall. ex DC. Prod. iv. 304.—Burma.  
*elegantulus*, Steud. Nom. ed. II. ii. 70 = praec.  
*eleutheropetalus*, Kurz, in Journ. As. Soc. Beng. xl.  
 (1871) ii. 64 = heteranthus.  
*ellipticus*, Korth. in Verh. Batav. Gen. xvii. (1839) 272  
 (= *Dendrophthoe kramatensis*).—Borneo.  
*ellipticus*, Ruiz & Pav. Fl. Per. iii. 47.—Peruv.  
*emarginatus*, Sw. Prod. Veg. Ind. Occ. 58.—Ins. S.  
 Doming.

## LORANTHUS:—

*ensifolius*, Thw. Enum. Pl. Zeyl. 134.—Zeylan.  
*epigaeus*, F. Muell. Fragm. v. 34, in syn.—Austral.  
*erythrocarpus*, Mart. ex Schult. f. Syst. vii. 138.—  
 Bras.  
*erythrostachys*, Lam. ex Schult. f. l. c. 103, in obs. =  
 pentapetalus.  
*Eschscholzanus*, Mart. ex Schult. f. l. c. 117.—Chili.  
*eucalyptifolius*, H. B. & K. Nov. Gen. et Sp. iii. 433.  
 —Venezuela.  
*eucalyptifolius*, Sieber, ex Schult. f. Syst. vii. 163 =  
 celastroides.  
*eucalyptoides*, DC. Prod. iv. 318 = praec.  
*eugenoides*, H. B. & K. Nov. Gen. et Sp. iii. 435.—  
 Peruv.  
*Euphorbiae*, Wight, Ic. t. 1063 = elasticus.  
*europaeus*, Jacq. Enum. Stirp. Vindob. 55; 230.—  
 Europ. austr.; Oriens.  
*evenius*, Blume, Fl. Jav. Loran. t. 16 = avenis.  
*Exocarpi*, Behr, in Linnaea, xx. (1847) 624.—Austral.  
*falcatus*, Linn. f. Suppl. 211 = longiflorus.  
*falcifrons*, Mart. ex Schult. f. Syst. vii. 129.—Bras.  
*farinaceus*, Griff. Ic. Pl. As. vi. t. 620.—Ind. or.  
*farinosus*, Desr. in Lam. Encyc. iii. 597 = pentandrus.  
*fasciculatus*, Blume, Bijdr. 661.—Java.  
*ferrugineus*, Roxb. Hort. Beng. 87; Fl. Ind. ed. Carey,  
 ii. 207.—Ind. or.; Malaya.  
*ferruginosus*, Roxb. Fl. Ind. ii. 188 = ferrugineus.  
*Fieldii*, J. Buch. in Trans. N. Z. Inst. xvi. (1884)  
 397.—N. Zel.  
*filiflorus*, Boj. ex Baker, in Journ. Linn. Soc. xx.  
 (1883) 246.—Madag.  
*filifolius*, Boj. ex Benth. & Hook. f. Gen. iii. 209 =  
 praec.?  
*Finlaysonianus*, Wall. Cat. n. 6871 = pentandrus.  
*firmus*, Wall. l. c. n. 6874 = Henslowia umbellata.  
*flagellaris*, Cham. & Schlecht. in Linnaea, iii. (1828)  
 213.—Bras.  
*flavidus*, Hook. f. Fl. N. Zel. 100. t. 27.—N. Zel.  
*flavus*, Blume, Bijdr. 661 = pentandrus.  
*flexicaulis*, Mart. ex Schult. f. Syst. vii. 139.—Bras.  
*flexistylus*, Miq. in Linnaea, xviii. (1844) 65.—Guian.  
*floribundus*, Labill. Nov. Holl. Pl. i. 87 = Nuytsia flori-  
 bunda.  
*florulentus*, Rich. in Act. Soc. Hist. Nat. Par. i. (1792)  
 107.—Guian.  
*Fordii*, Hance, in Journ. Bot. xxiii. (1885) 38.—  
 China.  
*forficuliflora*, Boj. ex Baker, in Journ. Linn. Soc. xx.  
 (1883) 243 = Faurea forficuliflora.  
*formosus*, Blume, Bijdr. 694.—Burma; Malaya.  
*formosus*, Cham. & Schlecht. in Linnaea, iii. (1828)  
 211 = robustus.  
*Forsterianus*, Schult. f. Syst. vii. 114.—Ins. Societ.  
*Francisjanus*, Korth. ex Miq. Fl. Ind. Bat. i. i. 830 =  
 Macrosolen melintandrus.  
*fulvus*, Korth. in Verh. Batav. Gen. xvii. (1839) 273.—  
 Borneo.  
*furcatus*, Mart. ex Schult. f. Syst. vii. 126.—Bras.  
*fuscatus*, Korth. in Verh. Batav. Gen. xvii. (1839) 273.  
 —Sumatra.  
*fuscoides*, Korth. ex Miq. Fl. Ind. Bat. i. i. 815 =  
 praec.  
*fuscus*, Blume, Bijdr. 660.—As. trop.  
*Gardneri*, Thw. Enum. Pl. Zeyl. 133.—Zeylan.  
*Gaudichaudii*, DC. Prod. iv. 295.—Austral.  
*gemmiflorus*, Blume, Bijdr. 665.—Java.  
*gibbosulus*, A. Rich. Tent. Fl. Abyss. i. 342.—Abyssin.  
*glaberrimus*, Oliver, in Kjoeb. Vidensk. Meddel. (1864)  
 170.—Mexic.  
*glaucocarpus*, Peyr. in Sitzb. Acad. Wien, Math. Nat.  
 xxxviii. (1860) 571.—Afr. trop.  
*glaucus*, Gill. ex Hook. Bot. Misc. iii. (1833) 357 =  
 Sternbergianus.  
*glaucus*, Pohl, ex DC. Prod. iv. 308 = Pohl.ii.  
*glaucus*, Ruiz & Pav. Fl. Per. iii. 45 = corymbosus.  
*glaucus*, Thunb. Prod. Pl. Cap. 58.—Afr. austr.  
*globiferus*, A. Rich. Tent. Fl. Abyss. i. 341.—Abyssin.  
*globosus*, Roxb. Hort. Beng. 25; Fl. Ind. ii. 187.—  
 Ind. or.; Malaya.  
*glomeratus*, Mart. ex Schult. f. Syst. vii. 121.—Bras.  
*gonocladus*, Baker, in Journ. Linn. Soc. xx. (1883)  
 247.—Madag.  
*goodeniaeflorus*, DC. Prod. iv. 306 = cuneatus.  
*graciliflorus*, Wall. ex DC. Prod. iv. 300; et ex Schult.  
 f. Syst. vii. 1785 (Index) = L. Scurrula.  
*gracilifolius*, Roxb. ex Schult. f. l. c. 99 = praec.  
*Grahami*, Benth. Pl. Hartw. 62.—Mexic.

## LORANTHUS:—

*grandibracteus*, F. Muell. Rep. Burdek. Exp. 14.—  
 Austral.  
*grandiflorus*, Ruiz & Pav. Fl. Per. iii. 44.—Peruv.  
*grandiflorus*, Vell. Fl. Flum. 138; iii. t. 147.—Bras.  
*grandifolius*, Mart. ex Schult. f. Syst. vii. 124.—Bras.  
*granularis*, Willd. ex Schult. f. l. c. 156 = Phoradendron  
 Schottii.  
*Grewingkii*, Boiss. & Buhse, in Nouv. Mém. Soc. Nat.  
 Mosc. xii. (1860) 106.—Persia.  
*guadalupensis*, DC. Prod. iv. 294.—Ins. Guadalup.  
*guianensis*, Klotzsch, in Schomb. Faun. & Fl. Gui. iii.  
 1161 = cordatus.  
*Haenkeanus*, Presl, ex Schult. f. Syst. vii. 113.—Ins.  
 Philipp.  
*Hartwegi*, Benth. Pl. Hartw. 62.—Mexic.  
*heteranthus*, Wall. in DC. Prod. iv. 306.—Burma;  
 Malaya.  
*heteromorphus*, A. Rich. Tent. Fl. Abyss. i. 340.—  
 Abyssin.  
*heterophyllus*, Ruiz & Pav. Fl. Per. iii. 48.—Chili.  
*hexapetalus*, Buch.-Ham. ex Schult. f. Syst. vii. 153 =  
 odoratus.  
*Heyneanus*, Schult. f. l. c. 106 = bracteatus.  
*Heyneanus*, Wall. Cat. n. 528 = L. Scurrula.  
*Heynii*, Wall. ex DC. Prod. iv. 300 = L. Scurrula.  
*hirsutiflorus*, Klotzsch, in Peters, Reise Mossamb. Bot.  
 178.—Afr. trop.  
*Hoffmannseggianus*, Schult. f. Syst. vii. 113.—Bras.  
*Hookerianus*, Wight & Arn. Prod. 381.—Ind. or.  
*hoyaefolius*, Baker, in Journ. Linn. Soc. xviii. (1881)  
 277.—Madag.  
*hypoglaucus*, Kurz, in Journ. As. Soc. Beng. xli.  
 (1872) ii. 309.—Burma.  
*ilicifolius*, Reinw. ex Blume, Mus. Bot. Lugd. Bat. i.  
 259 = Polyosma ilicifolia.  
*imbricatus*, Edgew. in Trans. Linn. Soc. xx. (1846) 59  
 = longiflorus.  
*immersus*, Benth. Pl. Hartw. 189 = occidentalis.  
*incanus*, Schum. & Thonn. Beskr. Guin. Pl. 180.—Afr.  
 austr.  
*incarnatus*, Jack, in Roxb. Fl. Ind. ed. Carey, ii. 213.  
 —Sumatra.  
*inconspicuus*, Benth. Bot. Voy. Sulph. 102.—Am.  
 austr.  
*indicus*, Boj. Hort. Maurit. 163 = Bojeri.  
*indicus*, DC. Prod. iv. 305 = signatus.  
*indicus*, Desr. in Lam. Encyc. iii. 601 = longiflorus.  
*insularum*, A. Gray, Bot. U. St. Expl. Exped. i. 738.—  
 Ins. Fiji.  
*intermedius*, Wight, in Calc. Journ. Nat. Hist. vi.  
 (1846) 361.—Ind. or.  
*interruptus*, H. B. & K. Nov. Gen. et Sp. iii. 440.—  
 Mexic.  
*involutratus*, Roxb. Hort. Beng. 87; Fl. Ind. i. 188.—  
 Reg. Himal.  
*Jackianus*, Korth. in Verh. Batav. Gen. xvii. (1839) 279.  
 —Borneo.  
*Jacquinii*, DC. Prod. iv. 308 = americanus.  
*Jacquinii*, A. Gray, Bot. U. St. Expl. Exped. i. 736 =  
 robustus.  
*javanicus*, D. Dietr. Syn. Pl. ii. 1082.—Java.  
*Junghuhnii*, Molkenb. in Miq. Pl. Jungh. 113.—Java.  
*kalahiensis*, Korth. in Verh. Batav. Gen. xvii. (1839)  
 271.—Borneo.  
*Kanneli*, Wight & Arn. Prod. 387.—Ind. or.  
*Karwinskyanus*, Schult. f. Syst. vii. 1641.—Mexic.  
*Kerberi*, Journ. in Bull. Soc. Bot. Fr. xxx. (1883) 185.  
 —Reg. Argent.  
*Kirkii*, Oliver, in Journ. Linn. Soc. vii. 1864) 101.—  
 Afr. trop.  
*Knoblercheri*, Kotschy, in Sitzb. Acad. Wien, Math.  
 Nat. l. Abth. i. (1865) 360.—Afr. trop.  
*Koenigianus*, Agardh, ex Schult. f. Syst. vii. 103 =  
 longiflorus.  
*Korthalsii*, Molkenb. in Miq. Pl. Jungh. 110.—Java.  
*Kraussianus*, Meissn. in Hook. Lond. Journ. Bot. ii.  
 (1843) 539.—Afr. austr.  
*laetus*, R. Br. in Salt, Abyss. App. 64, nomen.—Abyss.  
*laevigatus*, Wall. ex DC. Prod. iv. 302 = L. Scurrula.  
*laevigatus*, Zipp. ex Miq. Fl. Ind. Bat. i. i. 1097 =  
 triflorus.  
*lageniferus*, Wight, Ic. t. 306.—Ind. or.  
*lageniflorus*, Wight, in Hook. Ic. Pl. tt. 229, 230 =  
 praec.  
*Lambertianus*, Schult. f. Syst. vii. 118 (pentapetalus  
 = Nepal.  
*lanceolatus*, Beauv. Fl. Owar. ii. 8. t. 64.—Afr. trop.



**LORANTHUS:—**

- lanceolatus*, Ruiz & Pav. Fl. Per. iii. 47. t. 278 = *lanceifolius*.  
*lanceifolius*, Poir. ex Schult. f. Syst. vii. 142.—Peruv.  
*lanosus*, Korth. in Verh. Batav. Gen. xvii. (1839) 278.—Sumatra.  
*laurifolius*, H. B. & K. Nov. Gen. et Sp. iii. 436.—N. Granat.  
*laurinus*, Willd. ex Schult. f. Syst. vii. 162 = *praeac.*  
*laxiflorus*, Desv. in Ham. Prod. Pl. Ind. Occ. 33.—Ins. S. Doming.  
*lenticellatus*, Baker, in Journ. Linn. Soc. xviii. (1881) 278.—Madag.  
*lepidobotrys*, Griseb. Fl. Brit. W. Ind. 311.—Ind. occ.  
*lepidophyllus*, Walp. Ann. ii. 730.—Ind. or.  
*lepidotus*, Blume, Bijdr. 660.—Java.  
*lepidotus*, Schult. f. Syst. vii. 100 = *melanostemon*.  
*leptanthus*, Wall. ex DC. Prod. iv. 299 = *pulverulentus*.  
*leptolobus*, Benth. in Hook. Niger Fl. 375.—Afr. trop.  
*leptostachys*, H. B. & K. Nov. Gen. et Sp. iii. 440.—N. Granat.  
*leucosiphon*, Griff. Notul. iv. 623 = *albidus*.  
*leucostachys*, Molkenb. in Miq. Pl. Fungh. 114.—Java.  
*Lichtensteinii*, Willd. ex Cham. & Schlecht. in Linnaea, iii. (1828) 209 = *oleaefolius*.  
*Liebmanni*, Oliver, in Kjoeb. Vidensk. Meddel. (1864) 172.—Mexic.  
*ligulatus*, Thw. Enum. Pl. Zeyl. 135.—Zeylan.  
*ligustrifolius*, Presl, ex Schult. f. Syst. vii. 135.—Chili; Peruv.  
*ligustrinus*, Wall. in Roxb. Fl. Ind. ed. Carey, ii. 219.—Reg. Himal.  
*ligustrinus*, Willd. ex DC. Prod. iv. 314 = *ligustrifolius*.  
*Lindenianus*, Walp. Ann. i. 363 = *Lydenianus*.  
*linearifolius*, Bert. in 'Merc. Chil. 1829'; ex Am. Journ. Sc. xxiii. (1833) 95.—Chili.  
*linearifolius*, Hook. in Mitch. Journ. Trop. Austral. 102.—Austral.  
*lineatus*, Edgew. in Trans. Linn. Soc. xx. (1846) 59 = *longiflorus*.  
*linophyllus*, Fenzl, in Enum. Pl. Hueg. 56.—Austral.  
*lobeliaeflorus*, DC. Prod. iv. 306 = *cuneatus*.  
*lonchiphyllus*, Thw. Enum. Pl. Zeyl. 418.—Zeylan.  
*longibracteatus*, Desr. in Lam. Encyc. iii. 599.—Peruv.  
*longiflorus*, Desr. l. c. 598.—Malaya; Austral; Ind. or.  
*longiflorus*, Mutis, ex DC. Prod. iv. 312 = *Mutisii*.  
*longifolius*, Hook. Ic. Pl. t. 880 = *pendulus*.  
*longipedunculatus*, Mart. ex Schult. f. Syst. vii. 141.—Bras.  
*loniceroides*, Koen. ex Schult. f. l. c. 108 = *longiflorus*.  
*loniceroides*, Linn. Sp. Pl. ed. II. 473.—Ind. or.  
*loxantherus*, DC. Prod. iv. 316.—Java.  
*lucarquensis*, H. B. & K. Nov. Gen. et Sp. iii. 440.—Peruv.  
*luzonensis*, Presl, ex Schult. f. Syst. vii. 104.—Ins. Philipp.  
*Lydenianus*, Zoll. & Mor. in Nat. en Geneesk. Arch. Neerl. Ind. ii. (1845) 578.—Java.  
*Macklotianus*, Korth. in Verh. Batav. Gen. xvii. (1839) 264.—Sumatra.  
*macrantherus*, Hemsl. Biol. Centr. Am. Bot. iii. 81.—Mexic.  
*macranthus*, Hook. Ic. Pl. viii. tt. 743, 744.—Ecuador.  
*macrophyllus*, Korth. in Verh. Batav. Gen. xvii. (1839) 280.—Sumatra.  
*macrophyllus*, Zenker, Pl. Ind. 16. t. 16 = *loniceroides*.  
*Macrosolen*, Steud. ex A. Rich. Tent. Fl. Abyss. i. 340.—Abyss.  
*macrostachys*, Korth. in Verh. Batav. Gen. xvii. (1839) 262.—Borneo.  
*macrostachys*, Willd. ex Schult. f. Syst. vii. 162.—Am. austr.  
*maculatus*, Blume, Bijdr. 662.—Java.  
*Magdalenae*, Cham. & Schlecht. in Linnaea, iii. (1828) 219.—Am. austr.  
*maleensis*, Korth. in Verh. Batav. Gen. xvii. (1839) 268 = *repandus*.  
*malifolius*, Presl, ex Schult. f. Syst. vii. 113.—Ins. Philipp.  
*Mannii*, Oliver, in Journ. Linn. Soc. vii. (1864) 101.—Afr. trop.  
*marginatus*, Desr. in Lam. Encyc. iii. 596.—Bras.  
*marginatus*, H. B. & K. Nov. Gen. et Sp. iii. 442. t. 299 = *orinocensis*.  
*martinicensis*, Presl, ex Schult. f. Syst. vii. 1640.—Ins. Martinic.  
*maytenifolius*, A. Gray, Bot. U. St. Expl. Exped. i. 739. t. 99.—Austral.

**LORANTHUS:—**

- maytenifolius*, F. Muell. Rep. Burdek. Exped. 14 = *alyxifolius*.  
*medinensis*, Molkenb. in Miq. Pl. Fungh. 112.—Sumatra.  
*Melaleuca*, Lehm. Pl. Preiss. i. 279 = *pendulus*.  
*melanostemon*, Reinw. ex Schult. f. Syst. vii. 1632.—Java.  
*melintangensis*, Korth. in Verh. Batav. Gen. xvii. (1839) 281.—Sumatra.  
*membranaceus*, Willd. ex Schult. f. Syst. vii. 162, 1639 = *cupulifer*.  
*memecifolius*, Steud. Nom. ed. II. ii. 71 = *seq.*  
*memecylifolius*, Wight & Arn. Prod. 383.—Ind. or.  
*mexicanus*, Presl, ex Schult. f. Syst. vii. 129.—Mexic.  
*Meyeri*, Presl, Bot. Bemerk. 76.—Afr. austr.  
*micranthus*, Hook. f. Fl. N. Zel. 100.—N. Zel.  
*microcuspis*, Baker, in Journ. Bot. xx. (1882) 245.—Madag.  
*microlimbus*, Baker, in Journ. Linn. Soc. xx. (1883) 246.—Madag.  
*microphyllus*, H. B. & K. Nov. Gen. et Sp. iii. 439. t. 300.—Mexic.  
*microstachys*, Willd. ex Schult. f. Syst. vii. 162.—Am. bor.  
*Miqueli*, Lehm. Pl. Preiss. i. 280 = *pendulus*.  
*miraculosus*, Miq. in Lehm. l. c. = *pendulus*.  
*Mitchellii*, Wall. Cat. n. 6865 = *Oxax Wightiana*?  
*monophlebius*, Baker, in Journ. Linn. Soc. xx. (1883) 247.—Madag.  
*montanus*, Macfad. ex Griseb. Fl. Brit. W. Ind. 312 = *parvifolius*.  
*montanus*, Wight, in Wall. Cat. n. 6866 = *cuneatus*.  
*montevideensis*, Spreng. Syst. ii. 128 = *cuneifolius*.  
*multiflorus*, Willd. ex Schult. f. Syst. vii. 162 = *suaveolens*.  
*Murrayi*, F. Muell. & Tate, in Trans. R. Soc. S. Austral. vi. (1883) 109.—Austral.  
*mutabilis*, Poepp. & Endl. Nov. Gen. et Sp. ii. 61. t. 183.—Chili.  
*Mutisii*, H. B. & K. Nov. Gen. et Sp. iii. 433.—N. Granat.  
*myrtifolius*, A. Cunn. ex Benth. Fl. Austral. iii. 390.—Austral.  
*natalitius*, Meissn. in Hook. Lond. Journ. Bot. ii. (1848) 539.—Afr. austr.  
*neelgherrensis*, Wight & Arn. Prod. 382.—Ind. or.  
*nigrans*, Hance, in Journ. Bot. xix. (1881) 209.—China.  
*nigritanus*, Hook. f. ex Benth. in Hook. Niger Fl. 376.—Afr. trop.  
*nitens*, Mart. ex Schult. f. Syst. vii. 150.—Bras.  
*nitidus*, H. B. & K. Nov. Gen. et Sp. iii. 437.—Ecuador.  
*nitidus*, Willd. ex Eichl. in Mart. Fl. Bras. v. II. 27 = *cupulifer*.  
*nodiflorus*, Thw. Enum. Pl. Zeyl. 134.—Zeylan.  
*nodosus*, Desr. in Lam. Encyc. iii. 601.—Peruv.  
*notothixoides*, Hance, in Journ. Bot. xxi. (1883) 356.—China.  
*nutans*, A. Cunn. ex Hook. in Mitch. Journ. Trop. Austral. 158 = *L. Quandang*.  
*nutans*, Spreng. Syst. ii. 128.—Bras.  
*oblongifolius*, E. Mey. ex A. Rich. Tent. Fl. Abyss. i. 342.—Abyss.  
*oblongifolius*, E. Mey. in Drège, Zwei Pfl. Docum. 200 = *Meyeri*.  
*oblongo-ellipticus*, Pohl, ex DC. Prod. iv. 315.—Bras.  
*oblongus*, Schott, ex Pohl, l. c. 287 = *Phoradendron rubrum*.  
*obmunitus*, Spreng. Syst. iv. Cur. Post. 139.—Bras.  
*obovatus*, Benth. Bot. Voy. Sulph. 103.—Ecuador.  
*obovatus*, Blume, Bijdr. 663 = *L. Scurrula*.  
*obovatus*, Griff. Notul. iv. 622.—Malacca.  
*obtusatus*, Wall. in DC. Prod. iv. 299 = *L. Scurrula*.  
*obtusatus*, Wall. Cat. n. 566.—Ind. or.  
*obtusatus*, Zipp. ex Span. in Linnaea, xv. (1841) 208 = *rhopalocarpus*?  
*obvallatus*, Schult. f. Syst. vii. 162 = *puracensis*.  
*occidentalis*, Aubl. Pl. Gui. 310 = *pauciflorus*.  
*occidentalis*, Linn. Syst. ed. X. 988.—Am. austr.  
*odontocalyx*, F. Muell. ex Benth. Fl. Austral. iii. 391.—Austral.  
*odoratus*, Wall. in Roxb. Fl. Ind. ed. Carey, ii. 215.—Reg. Himal.  
*odoriferus*, Vell. Fl. Flum. 138; iii. t. 146.—Bras.  
*Oerstedii*, Oliver, in Kjoeb. Vidensk. Meddel. (1864) 171.—Nicaragua.

**LORANTHUS:—**

- oleaefolius*, Cham. & Schlecht. in Linnaea, iii. (1828) 209.—Afr. austr.  
*oleaefolius*, Wall. ex DC. Prod. iv. 297 = *globosus*.  
*oleoides*, DC. l. c. = *globosus*.  
*Oortianus*, Korth. in Verh. Batav. Gen. xvii. (1839) 269 = *ferrugineus*.  
*orbicularis*, H. B. & K. Nov. Gen. et Sp. iii. 434.—Ecuador.  
*oreophilus*, Oliver, ex Hook. f. in Journ. Linn. Soc. vii. (1864) 196.—Afr. trop.  
*orinocensis*, Spreng. Syst. i. 129.—Venezuela.  
*ovalifolius*, Ruiz & Pav. Fl. Per. iii. 50.—Peruv.  
*ovalis*, E. Mey. in Drège, Zwei Pfl. Docum. 200.—Afr. austr.  
*ovata*, Pohl, ex DC. Prod. iv. 315.—Bras.  
*oxyphyllus*, Pohl, l. c. 314.—Bras.  
*pachyphyllus*, Baker, in Journ. Bot. xx. (1882) 245.—Madag.  
*pallens*, Wall. in DC. Prod. iv. 297 = *ampullaceus*.  
*paniculatus*, H. B. & K. Nov. Gen. et Sp. iii. 442.—Venezuela.  
*Parkeri*, Baker, in Journ. Linn. Soc. xx. (1883) 245.—Madag.  
*parviflorus*, Desr. in Lam. Encyc. iii. 595 = *uniflorus*.  
*parvifolius*, Sw. Prod. Veg. Ind. Occ. 58.—Jamaica.  
*patens*, Mart. ex Schult. f. Syst. vii. 142.—Bras.  
*Patrisii*, DC. Prod. iv. 288.—Guian.  
*patulus*, Jack, in Roxb. Fl. Ind. ed. Carey, ii. 214.—Sumatra.  
*pauciflorus*, Blanco, Fl. Filip. ed. I. 235.—Ins. Philipp.  
*pauciflorus*, Sw. Prod. Veg. Ind. Occ. 58.—Jamaica.  
*pedunculatus*, Jacq. Enum. Pl. Carib. 18.—N. Granat.  
*pedunculatus*, Spreng. ex Steud. Nom. ed. II. ii. 71 = *guadalupensis*.  
*pendulus*, Sieber, ex DC. Prod. iv. 295.—Austral.  
*Pentagonia*, DC. Coll. Mém. vi. t. 8.—Afr. trop.  
*pentandrus*, Heyne, ex Schult. f. Syst. vii. 112 = *longiflorus*.  
*pentandrus*, Linn. Mant. i. 63.—Ind. or.; Malaya.  
*pentandrus*, Reinw. ex Schult. f. Syst. vii. 1632 = *melanostemon*.  
*pentapetalus*, Roxb. Hort. Beng. 87; Fl. Ind. i. 190.—Ind. or.; Malaya.  
*pereskiaefolius*, Willd. ex Schult. f. Syst. vii. 48 = *L. Destructor*.  
*Perrottetii*, DC. Prod. iv. 292.—Guiana.  
*philippensis*, Cham. & Schlecht. in Linnaea, iii. (1828) 204.—Ins. Philipp.  
*phillyreoides*, H. B. & K. Nov. Gen. et Sp. iii. 439.—Venezuela.  
*piperoides*, H. B. & K. l. c. 443 = *Phoradendron Schottii*.  
*platyphyllus*, Hochst. ex A. Rich. Tent. Fl. Abyss. i. 341.—Abyss.  
*Plumieri*, Cham. & Schlecht. in Linnaea, iii. (1828) 211.—Am. austr.  
*podopteris*, Cham. & Schlecht. l. c. 218.—Bras.  
*Poeppigii*, DC. Prod. iv. 308.—Chili.  
*Pohlii*, DC. l. c.—Bras.  
*polyanthus*, Mart. ex Schult. f. Syst. vii. 145.—Bras.  
*polycarpus*, Wall. Cat. n. 540 = *pentapetalus*.  
*polychroa*, Colenso, in Trans. N. Z. Inst. xvii. (1885) 241.—N. Zel.  
*polycryptus*, Didr. in Kjoeb. Vidensk. Meddel. (1854) 194.—Afr. trop.  
*polyrhizus*, Mart. ex Schult. f. Syst. vii. 139.—Bras.  
*polystachys*, Ruiz & Pav. Fl. Per. iii. 50.—Peruv.  
*polystachys*, Wall. in Roxb. Fl. Ind. ed. Carey, ii. 217 = *Wallichianus*.  
*portoricensis*, DC. Prod. iv. 293.—Ins. Porto Rico.  
*praelongus*, Blume, Bijdr. 664.—Java.  
*Preissii*, Miq. in Lehm. Pl. Preiss. i. 280 = *linifolius*.  
*prunifolius*, E. Mey. in Drège, Zwei Pfl. Docum. 200.—Afr. austr.  
*Pseudo-globosus*, Korth. in Verh. Batav. Gen. xvii. (1839) 279.—Sumatra.  
*Pseudoperfoliatus*, Zoll. & Mor. in Nat. en Geneesk. Arch. Neerl. Ind. ii. (1845) 578.—Java.  
*psilobotrys*, DC. Prod. iv. 293.—Ins. S. Doming.  
*pterygopus*, Mart. ex Schult. f. Syst. vii. 155.—Bras.  
*pulcher*, Blume, ex Schult. f. l. c. 1649 = *loxantherus*.  
*pulcher*, DC. Prod. iv. 295.—Ins. Penang.  
*pulverulentus*, Wall. in Roxb. Fl. Ind. ed. Carey, ii. 221.—Ind. or.; Burma.  
*pumilus*, Miers, ex Schult. f. Syst. vii. 1649.—Chili.  
*punctatus*, Colenso, in Trans. N. Z. Inst. xv. (1883) 323.—N. Zel.



**LORANTHUS:—**

punctatus, Ruiz & Pav. *Fl. Per.* iii. 47.—Peruv.  
 puniceus, Wall. *Cat. n.* 522.—Ins. Penang.  
 puracensis, H. B. & K. *Nov. Gen. et Sp.* iii. 437.—  
 Ecuador.  
*purpurascens*, Herb. Monac. ex Schult. f. *Syst.* vii. 110,  
 in obs. = *venosus*.  
*pyncanthus*, Benth. *Pl. Hartw.* 189.—N. Granat.  
*pyrifolius*, H. B. & K. *Nov. Gen. et Sp.* iii. 441.—  
 N. Granat.  
*pyrifolius*, Wight, ex Wall. *Cat. n.* 6869 = *L. Scurrula*.  
*pyrifolius*, Willd. ex Schult. f. *Syst.* vii. 1647 = *lepto-*  
*stachys*.  
*quadrangularis*, H. B. & K. *Nov. Gen. et Sp.* iii. 444  
 = *Phoradendron rubrum*?  
 Quandang, Lindl. in *Mitch. Three Exped.* ii. 69.—  
 Austral.  
*quercicola*, Schlecht. & Cham. in *Linnaea*, v. (1830)  
 173.—Mexic.  
*quinquenervis*, Hochst. in *Flora*, xxvii. (1844) 432.—  
 Afr. austr.  
*racemiferus*, Wall. in DC. *Prod.* iv. 296 = *coccineus*.  
*radicans*, Cham. & Schlecht. in *Linnaea*, iii. (1828) 217.  
 —Bras.  
*ramiflorus*, Moc. & Sesse, ex DC. *Prod.* iv. 308.—Mexic.  
*recurvus*, Wall. ex DC. l. c. 299.—Ind. or.  
*regularis*, Steud. ex A. Rich. *Tent. Fl. Abyss.* i. 339 =  
*rufescens*.  
 Reinwardtianus, Blume, ex Schult. f. *Syst.* vii. 105.—  
 Java.  
*Reinwardtii*, Schult. f. l. c. 1612 = *præc.*  
*repandus*, Blume, *Fl. Jav. Loran.* 22. t. 3.—Java.  
*retroflexus*, Ruiz & Pav. *Fl. Per.* iii. 49.—Peruv.  
*retusus*, Cham. & Schlecht. in *Linnaea*, iii. (1828) 215  
 = *Sellowianus*.  
*retusus*, Jacq. in *Roxb. Fl. Ind. ed. Carey*, ii. 212.—  
 Malaya.  
*rhopalocarpus*, Kurz, in *Journ. As. Soc. Beng.* xl. (1871)  
 ii. 62 = *fuscus*.  
*rhynchanthus*, Benth. *Bot. Voy. Sulph.* 102.—Mexic.  
*rigidulus*, Wall. ex G. Don, *Gen. Syst.* iii. 422 =  
*L. Scurrula*.  
*rigidus*, Wall. ex DC. *Prod.* iv. 298 = *pentandrus*.  
*robustus*, Mart. ex Schult. f. *Syst.* vii. 125.—Bras.  
*roseus*, Klotzsch, in *Peters, Reise Mossamb. Bot.* 177.  
 —Afr. trop.  
*rotundatus*, Wall. ex Schult. f. *Syst.* vii. 118.—Am.  
 austr.  
*rotundifolius*, A. St. Hil. in *Mém. Mus. Par.* ix. (1822)  
 328.—Bras.  
*rotundifolius*, Willd. ex Schult. f. *Syst.* vii. 154 =  
*alveolatus*.  
*Roxburghianus*, Blume, ex Schult. f. l. c. 1730 =  
*L. Scurrula*.  
*rubens*, Mart. ex Schult. f. l. c. 144.—Bras.  
*rubro-viridis*, Baker, in *Fourn. Linn. Soc.* xx. (1883)  
 245.—Madag.  
*rubroviridis*, Oliver, in *Hook. Ic. Pl.* t. 1464.—Afr.  
 trop.  
*rufescens*, DC. *Prod.* iv. 303.—Afr. trop.  
*ruficaulis*, Poepp. & Endl. *Nov. Gen. et Sp.* ii. 61.  
 t. 183.—Bras.  
*rufidulus*, Wall. in DC. *Prod.* iv. 302 = *L. Scurrula*.  
*rufus*, Mart. ex Schult. f. *Syst.* vii. 130.—Bras.  
*rugulosus*, Heyne, in *Roth, Nov. Pl. Sp.* 194.—Ind. or.  
*sakoembangensis*, Korth. in *Verh. Batav. Gen.* xvii.  
 (1839) 285.—Borneo.  
*salicifolius*, Cham. & Schlecht. in *Linnaea*, iii. (1828)  
 216.—Bras.  
*salignus*, Willd. ex Schult. f. *Syst.* vii. 155 = *Phora-*  
*dendron angustifolium*.  
*Sampsoni*, Hance, in *Fourn. Bot.* ix. (1871) 133.—  
 China.  
*sanguineus*, F. Muell. *Fragm.* i. 177.—Austral.  
*sarcophyllus*, Wall. *Cat. n.* 6863.—Ind. or.  
*sarmentosus*, Ruiz & Pav. *Fl. Per.* iii. 49.—Peruv.  
*Schiedeanus*, Cham. & Schlecht. in *Linnaea*, v. (1830)  
 172.—Mexic.  
*Schimperii*, Hochst. in *Flora*, xxiv. (1841) i. *Intell.* 28,  
*nomen*; et ex A. Rich. *Tent. Fl. Abyss.* i. 342.—  
 Abyss.  
*Schlechtendalianus*, Schult. f. *Syst.* vii. 1635.—Afr.  
 austr.  
*Schultesii*, Blume, ex DC. *Prod.* iv. 300 = *ferrugineus*.  
*sclerophyllus*, Thw. *Enum. Pl. Zeyl.* 135.—Zeylan.  
*scoparius*, Miq. in *Lehm. Pl. Preiss.* i. 280 = *linophyllus*.  
*Scurrula*, Linn. *Sp. Pl.* ed. II. 472.—Ind. or.; Malaya.  
*sechellensis*, Baker, *Fl. Mauriti.* 135.—Ins. Seychelles.

**LORANTHUS:—**

*secundus*, Benth. *Pl. Hartw.* 189.—N. Granat.  
*Sellowianus*, DC. *Prod.* iv. 312.—Bras.  
*serrulatus*, Roxb. ex Steud. *Nom.* ed. I. 494.—Ind. or.  
*sessilifolius*, Beauv. *Fl. Owar.* ii. 8. t. 23.—Afr. trop.  
*sessilis*, Jacq. *Enum. Pl. Carib.* 18.—N. Granat.  
*setigerus*, Korth. in *Verh. Batav. Gen.* xvii. (1839) 265.  
 —Borneo.  
*siamensis*, Kurz, in *Journ. As. Soc. Beng.* xl. (1871)  
 ii. 62.—Siam.  
*signatus*, F. Muell. ex Benth. *Fl. Austral.* iii. 392.—  
 Austral.; Timor.  
*Smythii*, Schomb. in *Proc. Bot. Soc. Lond.* i. (1839) 47.  
 —Guiana.  
*speciosus*, F. G. Dietr. *Vollst. Lexik. Gaertn. Nachtr.*  
 iv. 473 = *oleaeifolius*.  
*speciosus*, Pohl, ex DC. *Prod.* iv. 309.—Bras.  
*speciosus*, Wall. ex DC. l. c. 295 = *pulcher*.  
*sphaerocarpus*, Blume, *Bijdr.* 661 = *globosus*.  
*sphaeroides*, DC. *Prod.* iv. 390 = *seq.*  
*sphenoides*, Blume, *Fl. Jav. Loran.* 23. t. 4.—Java.  
*spicatus*, Herb. Banks, ex Griseb. *Fl. Brit. W. Ind.* 313  
 = *occidentalis*.  
*spicatus*, Jacq. *Enum. Pl. Carib.* 18; Linn. *Mant.* i. 63.  
 —N. Granat.  
*spicatus*, Schreb. ex Schult. f. *Syst.* vii. 152 = *emargi-*  
*natus*.  
*spicifer*, Villar, in *Blanco, Fl. Philipp.* ed. III. *Nov. App.*  
 183.—Ins. Philipp.  
*spirostylis*, DC. *Prod.* iv. 315.—Am. austr.  
*staphylinus*, Mart. ex Schult. f. *Syst.* vii. 140.—Bras.  
*Stelis*, Forst. f. *Prod.* 25 = *Forsterianus*.  
*Stelis*, Linn. *Sp. Pl.* ed. II. 331.—Venezuela.  
*stenopetalus*, Oliver, in *Journ. Linn. Soc.* xv. (1876)  
 99.—Ins. Celebes.  
*Sternbergianus*, Schult. f. *Syst.* vii. 116.—Chili.  
*suaveolens*, H. B. & K. *Nov. Gen. et Sp.* iii. 435.—  
 Peruv.  
*subcampestris*, Mart. ex Schult. f. *Syst.* vii. 151.—  
 Bras.  
*subfalcatus*, Hook. in *Mitch. Journ. Trop. Austral.* 224  
 = *L. Exocarpi*.  
*subglobosus*, Wall. *Cat. n.* 538 = *globosus*.  
*suborbicularis*, Thw. *Enum. Pl. Zeyl.* 134.—Zeylan.  
*subrotundus*, Pohl, in DC. *Prod.* iv. 292.—Bras.  
*subumbellatus*, Blume, *Bijdr.* 662.—Java.  
*surinamensis*, Miq. in *Linnaea*, xviii. (1844) 63.—  
 Guian.  
*syringaeifolius*, Mart. ex Schult. f. *Syst.* vii. 142.—  
 Bras.  
*Tagua*, H. B. & K. *Nov. Gen. et Sp.* iii. 436.—N.  
 Granat.  
*tehuacanensis*, Oliver, in *Kjoeb. Vidensk. Meddel.*  
 (1864) 171.—Mexic.  
*tenuiflorus*, Hook. f. *Fl. Nov. Zel.* 100.—N. Zel.  
*terniflorus*, Willd. ex Schult. f. *Syst.* vii. 161.—  
 Venezuela.  
*terrestris*, Heyne, ex Wall. *Cat. n.* 509 = *Wallichianus*.  
*tetragonus*, Blume, *Bijdr.* 663.—Java.  
*tetragonus*, Willd. ex Schult. f. *Syst.* vii. 131 = *panicu-*  
*latus*.  
*tetrandrus*, Heyne, ex Schult. f. l. c. 100 =  
*Wallichianus*.  
*tetrandrus*, Ruiz & Pav. *Fl. Per.* iii. 46. t. 275.—  
 Chili.  
*tetrapetalus*, Linn. f. *Suppl.* 211.—N. Zel.  
*tetraqueter*, Mart. ex Schult. f. *Syst.* vii. 140.—Bras.  
*Theobromae*, Willd. ex Schult. f. l. c. 132.—Bras.  
*Thonningii*, Schum. & Thonn. *Beskr. Guin. Pl.* 179.—  
 Afr. trop.  
*thyrsiflorus*, Cham. & Schlecht. in *Linnaea*, iii. (1828)  
 214.—Bras.  
*tomentosus*, Blanco, *Fl. Filip.* ed. II. 164 = *pauci-*  
*florus*.  
*tomentosus*, Heyne, ex Roth, *Nov. Pl. Sp.* 191.—  
 Ind. or.  
*tomentosus*, Naves, ex Villar, in *Blanco, Fl. Philipp.*  
 ed. III. *Nov. App.* 184 = *formosus*.  
*tomentosus*, Wight, *Ic. t.* 378 = *bracteatus*.  
*torulosus*, H. B. & K. *Nov. Gen. et Sp.* iii. 443 =  
*Viscum torulosum*.  
*trianthus*, Korth. in *Verh. Batav. Gen.* xvii. (1839) 265.  
 —Sumatra.  
*triflorus*, Span. in *Linnaea*, xv. (1841) 208.—Ins.  
 Timor.  
*trigonus*, Wight & Arn. *Prod.* 386.—Ind. or.  
*tristis*, Zoll. & Mor. in *Nat. en Geneesk. Arch. Neerl.*  
*Indie*, ii. (1845) 579.—Java.

**LORANTHUS:—**

*tubulosus*, Willd. ex Schult. f. *Syst.* vii. 162 = *corym-*  
*bosus*.  
*turbinatus*, DC. *Prod.* iv. 305.—Ind. or.  
*umbellatus*, Heyne, in *Roth, Nov. Pl. Sp.* 192 = *loni-*  
*ceroides*.  
*umbellatus*, Wall. in *Roxb. Fl. Ind. ed. Carey*, ii. 220  
 = *umbellifer*.  
*umbellifer*, Brand. *For. Fl.* 397 = *elatus*.  
*umbellifer*, Schult. f. *Syst.* vii. 97.—Reg. Himal.  
*undulatus*, E. Mey. in *Drège, Zwei Pfl. Docum.* 200.—  
 Afr. austr.  
*uniflorus*, Jacq. *Enum. Pl. Carib.* 18; Linn. *Sp. Pl.*  
 ed. II. 331.—Ins. S. Doming.  
*uniflorus*, Spreng. ex Steud. *Nom.* ed. II. ii. 73 =  
*psilobotrys*.  
*uraguensis*, Hook. & Arn. in *Hook. Bot. Misc.* iii.  
 (1833) 358.—Uruguay.  
*usuensis*, Oliver, in *Trans. Linn. Soc.* xxix. (1873) 80.  
 —Afr. trop.  
*Utui*, Molina, *Sagg. Chile*, ed. II. 139 = *tetrandrus*.  
*valdivianus*, Miq. in *Linnaea*, xxv. (1852) 653 =  
*heterophyllus*.  
*vegetus*, DC. *Prod.* iv. 313 = *venetus*.  
*Vellosianus*, Walp. *Rep. ii.* 443 = *dichrous*.  
*venetus*, Bert. ex Hemsl. *Bot. Voy. Challenger*, i. 111.  
 54 = *Berteroi*.  
*venetus*, H. B. & K. *Nov. Gen. et Sp.* iii. 434.—Mexic.  
*venosus*, Blume, *Bijdr.* 668.—Java.  
*verticillatus*, Benth. & Hook. f. *Gen.* iii. 208.—N.  
 Guinea.  
*verticillatus*, Hoffmgg. ex Schult. f. *Syst.* vii. 113 =  
*Hoffmanseggianus*.  
*verticillatus*, Ruiz & Pav. *Fl. Per.* iii. 47.—Chili.  
*vestitus*, Miq. in *Linnaea*, xviii. (1844) 62.—Guian.  
*vestitus*, Wall. in *Roxb. Fl. Ind. ed. Carey*, ii. 218.—  
 Reg. Himal.  
*virgatus*, Mart. ex Schult. f. *Syst.* vii. 132.—Bras.  
*viridiflorus*, Wall. in *Roxb. Fl. Ind. ed. Carey*, ii. 219  
 = *globosus*.  
*viscifolius*, H. B. & K. *Nov. Gen. et Sp.* iii. 443 =  
*Phoradendron rubrum*.  
*viscifolius*, Wight, in *Wall. Cat. n.* 6868 = *cuneatus*.  
*viscidoideus*, Poepp. ex Eichl. in *Mart. Fl. Bras.* v. 11.  
 49.—Bras.  
*vitellinus*, F. Muell. *Rep. Burdek. Exped.* 12 = *longi-*  
*florus*.  
*vitiensis*, Seem. *Fl. Vit.* 120.—Ins. Fiji.  
*vulgaris*, Vell. *Fl. Flum.* 137; iii. t. 145.—Bras.  
*Wallichianus*, Schult. f. *Syst.* vii. 100.—Ind. or.  
*Wightianus*, Wall. *Cat. n.* 6872 = *longiflorus*.  
*Yadoriki*, Siebold, ex Maxim. in *Bull. Acad. Pétersb.*  
 xxii. (1877) 229.—Japon.  
*Zeyheri*, Harv. in *Harv. & Sond. Fl. Cap.* ii. 576.—  
 Afr. austr.

LORANTUS, Bert. in *Merc. Chil.* (1829); ex Am.  
*Journ. Sc.* xxiii. (1833) 95 = *præc.*

LOREIA, Rafin. *Fl. Tellur.* iii. 82 (1836) = *Campanula*,  
 Tourn.  
*baldensis*, Rafin. l. c. = *C. ramosissima*.

LORENTEA, Lag. *Gen. et Sp.* Nov. (1816) = *Pectis*,  
 Linn. (Compos.).  
*affinis*, Gardn. in *Hook. Lond. Journ. Bot.* v. (1846)  
 240 = *P. oligocephala*.  
*auricularis*, DC. *Prod.* v. 102 = *P. auricularis*.  
*brevipedunculata*, Gardn. in *Hook. Lond. Journ. Bot.*  
 vi. (1847) 428 = *P. apodocephala*.  
*canescens*, DC. *Prod.* v. 102 = *P. canescens*.  
*capillipes*, Benth. ex Oerst. in *Kjoeb. Vidensk. Meddel.*  
 (1852) 70 = *P. capillipes*.  
*congesta*, Gardn. in *Hook. Lond. Journ. Bot.* v. (1846)  
 241 = *P. congesta*.  
*cryptocephala*, Sch. Bip. in *Seem. Bot. Voy. Herald.*  
 309 = *seq.*  
*cryptopetala*, DC. *Prod.* v. 101 = *P. cryptocephala*.  
*cubensis*, A. Rich. *Fl. Cub. Fanerog.* ii. 36 = *P.*  
*bensis*.  
*decumbens*, Gardn. in *Hook. Lond. Journ. Bot.* v.  
 (1846) 241 = *P. decumbens*.  
*Haenkeana*, DC. *Prod.* v. 102 = *P. Haenkeana*.  
*humifusa*, Less. in *Linnaea*, vi. (1831) 719 = *P. humifusa*.  
*Liebmanni*, Sch. Bip. ex Hemsl. *Biol. Cent. Am. Bot.*  
 ii. 226 = *P. Liebmanni*.  
*linearis*, Anderss. in *Vet. Akad. Handl. Stockh.* 1853  
 (1855) 174.—Ins. Galap.



## LORENTEA:—

- multiflosculosa*, DC. Prod. v. 102 = *P. multiflosculosa*.  
*oligocephala*, Gardn. in Hook. Lond. Journ. Bot. v. (1846) 239 = *P. oligocephala*.  
*polycephala*, Gardn. l. c. 240 = *P. elongata*.  
*prostrata*, Lag. Gen. et Sp. Nov. 28 = *P. humifusa*.  
*ramosissima*, Gardn. in Hook. Lond. Journ. Bot. v. (1846) 240 = *P. oligocephala*.  
*satureioides*, Less. in Linnaea, v. (1830) 135; vi. (1831) 718 = *P. satireioides*.  
*sessiliflora*, Less. l. c. vi. (1831) 720 = *P. sessiliflora*.  
*subsquarrosa*, Hook. f. in Trans. Linn. Soc. xx. (1846) 206 = *P. subsquarrosa*.  
*tenuifolia*, DC. Prod. v. 103 = *P. tenuifolia*.

LORENTEA, Orteg. Hort. Matr. Dec. 41 (1797) = **Sanvitalia**, Gualt. (Compos.).  
*atropurpurea*, Orteg. l. c. 42. t. 5 = *S. procumbens*.

LORENTIA, Sweet, Hort. Brit. ed. III. 336 (1839) = **praece**.

LORENTZIA, Griseb. in Goett. Abh. xix. (1874) 182 = **Pascalia**, Orteg. (Compos.).  
*pascaloides*, Griseb. l. c. = *P. glauca*.

LORENTZIA, Hieron. in Bol. Acad. Nac. Córdoba, iv. (1881) 96. **EUPHORBIAEAE**.  
*cordobensis*, Hieron. l. c. 97.—Reg. Argent.  
*saltenia*, Hieron. l. c. 99.—Reg. Argent.

LORENZANA, Walp. Ann. iii. 835 (1853) = seq.

LORENZANEA, Liebm. in Kjoeb. Vidensk. Meddel. (1850) 69 = **Meliosma**, Blume (Sabiaceae).  
*dentata*, Liebm. l. c.—Mexic.  
*glabrata*, Liebm. l. c. 71.—Costa Rica.  
*grandifolia*, Liebm. l. c. 73.—Mexic.  
*Ira*, Liebm. l. c. 71.—Costa Rica.  
*vernica*, Liebm. l. c. 72 = *M. vernica*.

LORETIA, Duval-Jouve, in Rev. Sc. Nat. Sér. II. ii. [1880] 38 = **Festuca**, Linn. (Gramin.).  
*geniculata*, Duval-Jouve, l. c. 42 = *F. clavata*.  
*incrassata*, Duval-Jouve, l. c. 41 = *F. incrassata*.  
*ligustica*, Duval-Jouve, l. c. 43 = *F. ligustica*.  
*setacea*, Duval-Jouve, l. c. 40 = *F. Thomasiana*.

LOREYA, DC. Prod. iii. 178 (1828). **MELASTOMACEAE**, Benth. & Hook. f. i. 768.  
**HETERONEURON**, Hook. f. in Benth. & Hook. f. Gen. i. 768 (1867).  
**OXISMA**, Rafin. Sylva Tellur. 94 (1838).  
*acutifolia*, O. Berg, ex Triana, in Trans. Linn. Soc. xxviii. (1871) 142.—Bras.  
*arborescens*, DC. Prod. iii. 179.—Guian.  
*fasciculiflora*, Naud. in Ann. Sc. Nat. Sér. III. xviii. (1852) 110 = *Henriettella sessilifolia*.  
*flavescens*, Naud. l. c. = *Henriettella flavescens*.  
*grandiflora*, O. Berg, ex Triana, in Trans. Linn. Soc. xxviii. (1871) 143 = *Spruceana*.  
*mespiloides*, Miq. in Linnaea, xviii. (1844) 619.—Guian.  
*nigricans*, Triana, in Trans. Linn. Soc. xxviii. (1871) 142.—Bras.  
*ovata*, O. Berg, ex Triana, l. c.—Bras.  
*Spruceana*, Triana, l. c. 143.—Bras.  
*trinitensis*, Crueg. in Linnaea, xx. (1847) 108 = *Henriettella sessilifolia*.  
*umbelluliflora*, O. Berg, ex Triana, in Trans. Linn. Soc. xxviii. (1871) 143 = *Henriettella umbelluliflora*.

LORICARIA, Wedd. Chlor. And. i. 165. t. 27\* A, B, C (1856) = **Tafalla**, D. Don (Compos.).  
*anceps*, Sch. Bip. in Bonplandia, viii. (1860) 259.—Peruv.  
*complanata*, Wedd. Chlor. And. i. 167.—N. Granat.  
*ferruginea*, Wedd. l. c. 166 = *T. ferruginea*.  
*graveolens*, Wedd. l. c. 167.—N. Granat.  
*stenophylla*, Wedd. l. c. 165.—N. Granat.  
*thyoides*, Sch. Bip. in Bonplandia, viii. (1860) 258 = *T. thyoides*.

LOROGLOSSUM, Rich. in Mém. Mus. Par. iv. (1818) 47 = **Orchis**, Linn. (Orchid.).  
*anthropophorum*, Rich. l. c. 54 = *Aceras anthropophora*.  
*brachyglotte*, Rich. l. c. = *Aceras anthropophora*.  
*hircinum*, Rich. l. c. = *O. hircina*.

**LOROPETALUM**, R. Br. in Abel, Narr. Journ. Chin. App. 375 (1818). **HAMAMELIDEAE**, Benth. & Hook. f. i. 668.

**TETRATHYRIUM**, Benth. Fl. Hongk. 132 (1861).  
*chinense*, Oliver, in Trans. Linn. Soc. xxiii. (1862) 459.—China; Reg. Himal.  
*subcordatum*, Oliver, in Hook. Ic. Pl. t. 1417.—Hongkong.

**LOROSTELMA**, Fourn. in Mart. Fl. Bras. vi. iv. 220 (1885). **ASCLEPIADEAE**.  
*struthianthus*, Fourn. l. c.—Bras.

LOTEA, Medic. in Vorles. Churpf. Phys. Ges. ii. (1787) 384 = **Lotus**, Tourn. (Legumin.).  
*ornithopodioides*, Medic. l. c. = *Lotus ornithopodioides*.

LOTOASTRAGALUS, Heist. Syst. 9 (1748) (Quid?).

**LOTONONIS**, Eckl. & Zeyh. Enum. 176 (1836).  
**LEGUMINOSAE**, Benth. & Hook. f. i. 476.

**AMPHINOMIA**, DC. Prod. ii. 522 (1825).  
**AULACINTHUS**, E. Mey. Comm. Pl. Afr. Austr. 156 (1835).

**CAPNITIS**, E. Mey. Comm. Pl. Afr. Austr. 81 (1835).  
**KREBSIA**, Eckl. & Zeyh. Enum. 179 (1836).  
**LEOBORDEA**, Delile, in Laborde, Voy. Arab. Pétr. 86 (1833).

**LEPTIDIUM**, Presl, Bot. Bemerk. 49 (1844); in Abh. Boehm. Ges. V. iii. (1845) 479.

**LEPTIS**, E. Meyer, ex Eckl. & Zeyh. Enum. 174 (1836).  
**LIPOZYGIS**, E. Mey. Comm. Pl. Afr. Austr. 76 (1835).

**POLYLOBUM**, Eckl. & Zeyh. Enum. 180 (1836).  
**TELINA**, E. Mey. Comm. Pl. Afr. Austr. 67 (1835).

*abyssinica*, Kotschy, in Sitzb. Acad. Wien, Math.-Nat. II. Abth. II. (1865) 263.—Abyssin.

*acuminata*, Eckl. & Zeyh. Enum. 176.—Afr. austr.  
*acutiflora*, Benth. in Hook. Lond. Journ. Bot. ii. (1843) 604.—Afr. austr.

*affinis*, Eckl. & Zeyh. Enum. 178 = *pungens*.  
*angolensis*, Welw. ex Baker, in Oliver, Fl. Trop. Afr. ii. 6.—Afr. trop.

*angustifolia*, Steud. Nom. ed. II. ii. 73.—Afr. austr.  
*anthylloides*, Harv. in Harv. & Sond. Fl. Cap. ii. 59.—Afr. austr.

*argentea*, Benth. ex Walp. Rep. v. 459.—Afr. austr.  
*argentea*, Eckl. & Zeyh. Enum. 176.—Afr. austr.

*azurea*, Benth. in Hook. Lond. Journ. Bot. ii. (1843) 600.—Afr. austr.

*Bainesii*, Baker, in Oliver, Fl. Trop. Afr. ii. 6.—Afr. trop.

*brachyloba*, Benth. in Hook. Lond. Journ. Bot. ii. (1843) 608.—Afr. austr.

*bracteata*, Benth. l. c. 600.—Afr. austr.  
*Burchellii*, Benth. l. c. 606.—Afr. austr.

*calycina*, Benth. l. c. 611.—Afr. austr.  
*Capnitis*, Benth. ex Walp. Rep. v. 459.—Afr. austr.

*carinalis*, Harv. in Harv. & Sond. Fl. Cap. ii. 60.—Afr. austr.

*carinata*, Benth. in Hook. Lond. Journ. Bot. ii. (1843) 609.—Afr. austr.

*carnosa*, Benth. l. c. 598.—Afr. austr.  
*clandestina*, Benth. l. c. 607.—Afr. austr.

*corymbosa*, Benth. l. c. 606.—Afr. austr.  
*crumaniana*, Burch. ex Benth. l. c. 612.—Afr. austr.

*cytisoides*, Benth. l. c. 598.—Afr. austr.  
*debilis*, Benth. l. c. 604.—Afr. austr.

*decidua*, Eckl. & Zeyh. Enum. 178 = *pungens*.  
*densa*, Harv. in Harv. & Sond. Fl. Cap. ii. 52.—Afr. austr.

*depressa*, Eckl. & Zeyh. Enum. 178.—Afr. austr.  
*dichiloides*, Sond. in Linnaea, xxiii. (1850) 28.—Afr. austr.

*dichotoma*, Boiss. Fl. Orient. ii. 30 = *L. Leobordea*.  
*diffusa*, Eckl. & Zeyh. Enum. 177 = *Crotalaria humilis*.  
*digitata*, Harv. in Harv. & Sond. Fl. Cap. ii. 52.—Afr. austr.

*divaricata*, Benth. in Hook. Lond. Journ. Bot. ii. (1843) 599.—Afr. austr.

*divaricata*, Harv. in Harv. & Sond. Fl. Cap. ii. 613 = *calycina*.

*diversifolia*, Benth. in Hook. Lond. Journ. Bot. ii. (1843) 611 = *laxa*.

*eriantha*, Benth. l. c. 605.—Afr. austr.  
*excisa*, Steud. Nom. ed. II. ii. 73.—Afr. austr.

*falcata*, Benth. in Hook. Lond. Journ. Bot. ii. (1843) 608.—Afr. austr.

*genistoides*, Benth. l. c. 607.—As. Min.

**LOTONONIS:—**

*genuflexa*, Benth. in Hook. Lond. Journ. Bot. ii. (1843) 598.—Afr. austr.

*gracilis*, Benth. l. c. 597.—Afr. austr.  
*heterophylla*, Eckl. & Zeyh. Enum. 177 = *prostrata*.

*humifusa*, Burch. ex Benth. in Hook. Lond. Journ. Bot. ii. (1843) 609.—Afr. austr.

*involuta*, Benth. l. c. 602.—Afr. austr.  
*lanceolata*, Benth. l. c. 606.—Afr. austr.

*laxa*, Eckl. & Zeyh. Enum. 177.—Afr. austr.  
*lenticula*, Benth. in Hook. Lond. Journ. Bot. ii. (1843) 611.—Afr. austr.

*Leobordea*, Benth. l. c. 607.—Afr. bor.; Arab.  
*lupinifolia*, Benth. l. c. 607.—Reg. Mediterr.

*macrocarpa*, Eckl. & Zeyh. Enum. 176.—Afr. austr.  
*maroccana*, Ball, in Journ. Bot. xi. (1873) 302.—Marocc.

*micrantha*, Eckl. & Zeyh. Enum. 178 = *pumila*.  
*micrantha*, Harv. in Harv. & Sond. Fl. Cap. ii. 58.—Afr. austr.

*microphylla*, Harv. l. c. 65.—Afr. austr.  
*mollis*, Benth. in Hook. Lond. Journ. Bot. ii. (1843) 609.—Afr. austr.

*monophylla*, Harv. Thes. Cap. i. 39. t. 63.—Afr. austr.

*Oxyptera*, Benth. in Hook. Lond. Journ. Bot. ii. (1843) 605.—Afr. austr.

*pallens*, Benth. l. c.—Afr. austr.  
*peduncularis*, Benth. l. c. 602.—Afr. austr.

*pentaphylla*, Benth. l. c. 605.—Afr. austr.  
*perplexa*, Eckl. & Zeyh. Enum. 177, ex parte; Benth. l. c. 604.—Afr. austr.

*perplexa*, Eckl. & Zeyh. l. c. = *Crotalaria humilis*.  
*persica*, Boiss. Fl. Orient. ii. 30.—Persia; Arab.

*platycarpus*, Viv. Pl. Aegypt. Dec. iv. 14 = *L. Leobordea*.

*polyccephala*, Benth. in Hook. Lond. Journ. Bot. ii. (1843) 605.—Afr. austr.

*porrecta*, Benth. l. c. 606.—Afr. austr.  
*prostrata*, Benth. l. c. 600.—Afr. austr.

*pumila*, Eckl. & Zeyh. Enum. 178.—Afr. austr.  
*pungens*, Eckl. & Zeyh. l. c. 177.—Afr. austr.

*quinata*, Benth. in Hook. Lond. Journ. Bot. ii. (1843) 608.—Afr. austr.

*quinata*, Harv. in Harv. & Sond. Fl. Cap. ii. 63.—Afr. austr.

*Radula*, Benth. in Hook. Lond. Journ. Bot. ii. (1843) 609.—Afr. austr.

*rigida*, Benth. l. c. 597.—Afr. austr.  
*rostrata*, Benth. l. c. 604 = *micrantha*.

*secunda*, Benth. l. c. 603 = *angustifolia*.  
*sericea*, Benth. l. c. 607.—Afr. austr.

*sericophylla*, Benth. l. c. 599.—Afr. austr.  
*sessilifolia*, Harv. in Harv. & Sond. Fl. Cap. ii. 66.—Afr. austr.

*sphaerocarpa*, Boiss. Fl. Orient. ii. 30, 1130 = *persica*.  
*strigosa*, Pappe, ex Harv. & Sond. Fl. Cap. ii. 57 = *perplexa*.

*tenella*, Eckl. & Zeyh. Enum. 178.—Afr. austr.  
*tenuis*, Baker, in Oliver, Fl. Trop. Afr. ii. 5.—Afr. trop.

*trichopoda*, Benth. in Hook. Lond. Journ. Bot. ii. (1843) 603.—Afr. austr.

*umbellata*, Benth. l. c. 602.—Afr. austr.  
*varia*, Steud. Nom. ed. II. ii. 73.—Afr. austr.

*versicolor*, Benth. in Hook. Lond. Journ. Bot. ii. (1843) 610.—Afr. austr.

*vexillata*, Eckl. & Zeyh. Enum. 176 = *prostrata*.  
*viborgioides*, Benth. in Hook. Lond. Journ. Bot. ii. (1843) 597.—Afr. austr.

*villosa*, Steud. Nom. ed. II. ii. 73.—Afr. austr.

*Wrightii*, Harv. in Harv. & Sond. Fl. Cap. ii. 594.—Afr. austr.

**LOTOPHYLLUS**, Link, Handb. ii. 156 (1831) = **Argyrolobium**, Eckl. & Zeyh. (1835) (Legumin.).

*argenteus*, Link, l. c. = *A. Linnaeanum*.

**LOTOS**, St. Lag. in Ann. Soc. Bot. Lyon, vii. (1880) 87 = **Lotus**, Tourn. (Legumin.).

**LOTULUS**, Rafin. in Am. Monthly Mag. (1818) 268 = seq.

**LOTUS**, [Tourn.] Linn. Syst. ed. I (1735). **LEGUMINOSAE**, Benth. & Hook. f. i. 490.

**ANDACA**, Rafin. Fl. Tellur. iii. 82 (1836).  
**HEINEKENIA**, Webb, ex Benth. & Hook. f. Gen. i. 491 (1865).



LOTUS:—

KROKERIA, Moench, Meth. 143 (1794).  
 LOTEAE, Medic. in Vorles. Churpf. Phys. Ges. ii. (1787) 384.  
 LOTULUS, Rafin. in Am. Monthly Mag. (1818) 268.  
 ORTHOLOTUS, Fourr. in Ann. Soc. Linn. Lyon, N. S. xvi. (1868) 363.  
 PEDROSIA, Lowe, in Hook. Kew Journ. viii. (1856) 292.  
 SCANDALIDA, Adans. Fam. ii. 326 (1763).  
 TETRAGONOLOBUS, Scop. Fl. Carn. ed. II. ii. 87 (1772).  
*acutus*, Wald. & Kit. ex Steud. Nom. ed. I. 495 (Quid?).—Hungar.  
*aduncus*, Nym. Syll. 298.—Macedon.  
*aegeus*, Boiss. Fl. Orient. ii. 167.—Thracia.  
*aegyptiacus*, Moench, Meth. 151, in syn. = *arabicus*.  
*affinis*, Bess. Cat. Hort. Crem. 81?; ex DC. Prod. ii. 208 = *Dorycnium hirsutum*.  
*albidus*, Lodd. Bot. Cab. t. 1063 = *australis*.  
*albus*, Janka, in Oestr. Bot. Zeitschr. xxiii. (1873) 202.—Turc.  
*aleppicus*, Boiss. Diagn. Ser. I. ix. 33 = *L. Gebelia*.  
*Allionii*, Desv. Journ. Bot. iii. (1814) 77; Poir. Encyc. Suppl. iii. 506 = *cytisoides*.  
*alopecuroides*, Burm. f. Fl. Cap. Prod. 23 = *Indigofera coriacea*.  
*alpinus*, Schleich, ex Steud. Nom. ed. I. 495; Schur, Enum. Pl. Transs. 160 = *corniculatus*.  
*ambiguus*, Bess. ex Spreng. Syst. iii. 282 = *corniculatus*.  
*americanus*, Bisch. Del. Sem. Hort. Heidebl. (1839).—Cf. Linnaea, xiv. (1839) Litt. 132 = *Hosackia Purshiana*.  
*americanus*, Vell. Fl. Flum. 314; vii. t. 134 (= *Collaea speciosa*).—Peruv.; Bras.  
*amplexicaulis*, E. Mey. Comm. Pl. Afr. Austr. 92.—Afr. austr.  
*ampylocladus*, Pritz. Ic. Ind. i. 660, sphalm. = *campylocladus*.  
*angivensis*, Boj. ex Baker, in Journ. Bot. xx. (1882) 69 Vigna angivensis.  
*angustifolius*, Gouan, Fl. Monsp. 201 = *angustissimus*.  
*angustifolius*, Gueldenst. Reisen. ii. 65 = *corniculatus*.  
*angustifolius*, Moç. & Sesse, ex G. Don, Gen. Syst. ii. 200 = *Hosackia angustifolia*.  
*angustissimus*, Linn. Sp. Pl. 774.—Europ.; Oriens; As. bor.  
*anthylloides*, Boiss. & Noé, Diagn. Ser. II. ii. 20 = *L. Gebelia*.  
*anthylloides*, Vent. Jard. Malm. 92. t. 92.—Afr. austr.  
*approximatus*, Clav. in Act. Linn. Soc. Bord. xxxviii. (1884) 528 = *hispidus*.  
*arabicus*, Bourg. ex Coss. in Bull. Soc. Bot. Fr. xxvii. (1880) 71 = *trigonelloides*.  
*arabicus*, Linn. Mant. i. 104.—Afr. bor.; Arab.  
*arabicus*, [Soland. in] Russ. Aleppo, ed. II. t. 14 = *L. Gebelia*.  
*arbores*, Forst. f. Prod. 52 = *Carmichaelia australis*.  
*arenarius*, Brot. Fl. Lusit. ii. 120.—Reg. Mediterr. occ.  
*argenteus*, Brot. l. c. 118 = *Argyrolobium Linnaeanum*.  
*argenteus*, Salisb. Prod. 333 = *creticus*.  
*argenteus*, Webb & Berth. Phyt. Canar. ii. 87.—Afr. bor.  
*argolicus*, Link, in Linnaea, ix. (1834) 584 = *cytisoides*.  
*aristatus*, DC. Cat. Hort. Monsp. 122 = *conimbricensis*.  
*arvensis*, Pers. in Usteri, Ann. Bot. xiv. (1795) 39; Schkuhr, Handb. ii. 413. t. 211 = *corniculatus*.  
*atropurpureus*, DC. Cat. Hort. Monsp. 121 = *anthylloides*.  
*Aucheri*, Boiss. Diagn. Ser. I. ii. 38 = *pusillus*.  
*aurantiacus*, Boiss. Elench. 37 = *arenarius*.  
*aurantius*, Steud. Nom. ed. II. ii. 74.—Hispan.  
*australis*, Andr. Bot. Rep. t. 624.—Austral.  
*belgradicus*, Forsk. Fl. Aegypt. Arab. 215 = *Dorycnium latifolium*.  
*Bertholetii*, Masf. in Anal. Soc. Esp. Hist. Nat. x. (1881) 160.—Ins. Canar.  
*biflorus*, Desr. in Lam. Encyc. iii. 604.—Italia; Sicil.  
*biflorus*, Huet, ex Nym. Consp. 182 = *Bivoneus*.  
*Bivoneus*, Guss. Fl. Sic. Syn. ii. 349.—Sicil.  
*Bouteloui*, Nym. Syll. Suppl. 52 = *siliquosus*.  
*brachycarpus*, Benth. & Hook. f. ex S. Wats. Bibliog. Ind. N. Am. Bot. i. 225 = *Hosackia brachycarpa*.  
*brachycarpus*, Hochst. ex Steud. in Flora, xxiv. (1841) i. Intell. 32; et ex A. Rich. Tent. Fl. Abyss. i. 177.—Abyssin.

LOTUS:—

*bracteatus*, Wall. Cat. n. 5939 = *corniculatus*.  
*Broussonetii*, Choisy, ex Ser. in DC. Prod. ii. 211 = *Dorycnium Broussonetii*.  
 Brunneri, Webb, in Hook. Niger Fl. 119. t. 3.—Ins. Cap. Virid.  
*campestris*, Schur, in Verh. Naturf. Ver. Bruenn, xv. ii. (1877) 181 = *tenuifolius*.  
*campylocladus*, Webb & Berth. Phyt. Canar. ii. 83.—Ins. Canar.  
*candidus*, Mill. Gard. Dict. ed. VIII. n. 7 = *Dorycnium hirsutum*.  
*Candolleanus*, Sweet, Hort. Brit. ed. I. 477 = *australis*.  
*canescens*, Kuntze, in Flora, xxix. (1846) 697 = *arenarius*.  
*capitellatus*, C. Gay, Fl. Chil. ii. 80.—Chili.  
*Carmeli*, Boiss. Diagn. Ser. I. ix. 34.—Palaestin.  
*castellanus*, Boiss. & Reut. l. c.—Hispan.  
*cernuus*, Desr. in Lam. Encyc. ii. 612 = *Melolobium cernuum*.  
*cervinus*, Pourr. ex Willk. & Lange, Prod. Fl. Hisp. iii. 340 = *edulis*.  
*ciliatus*, Amo, Desc. Pl. Nov. 5 = *conimbricensis*.  
*ciliatus*, Tenore, Hort. Neap. App. 66; & Prod. Fl. Nap. 44 = *angustissimus*.  
*Clausonius*, Pomel, Nouv. Mat. Fl. Atl. 182.—Alger.  
*coccineus*, Hort. ex Fisch. Mey. & Avé-Lall. Ind. Sem. Hort. Petrop. x. 59 = *Requieni*.  
*coccineus*, Schlecht. in Linnaea, xxi. (1848) 452 = *australis*.  
*coccineus*, Vell. Fl. Flum. 315; vii. t. 135 (= *Collaea speciosa*).—Bras.  
*coimbrensis*, Willd. Sp. Pl. iii. 1390 = *conimbricensis*.  
*coimbricensis*, Steud. Nom. ed. II. ii. 74 = *praec.*  
*colocensis*, Menyh. Kalocsa Videk. Növényt. 67 (Quid?).—Hungar.  
*commutatus*, Guss. Fl. Sic. Prod. ii. 545.—Reg. Mediterr. occ.  
*conimbricensis*, Brot. Fl. Lusit. ii. 118.—Reg. Mediterr. *conjugatus*, Guss. Fl. Sic. Prod. ii. 534 = *Requieni*.  
*conjugatus*, Linn. Sp. Pl. 447.—Reg. Mediterr.  
*conjugatus*, Poir. Voy. Barb. 220 = *biflorus*.  
*corniculatus*, Linn. Sp. Pl. 775.—Geront. temp.; Austral.  
*coronillaefolius*, Guss. Fl. Sic. Prod. ii. 543 = *cytisoides*.  
*coronillaefolius*, Webb, in Hook. Niger Fl. 119.—Ins. Cap. Virid.  
*Crantzii*, Vis. Fl. Dalm. iii. 304.—Dalmat.  
*crassifolius*, Pers. Syn. ii. 354 = *corniculatus*.  
*creticus*, Linn. Sp. Pl. 775.—Reg. Mediterr.  
*creticus*, Schousb. ex Ball, in Journ. Linn. Soc. xvi. (1878) 423 = *commutatus*.  
*creticus*, Sibth. Fl. Graec. t. 758 = *cytisoides*.  
*creticus*, Viv. Fl. Lib. Spec. 46 = *argenteus*.  
*cytisoides*, Linn. Sp. Pl. 776.—Europ. austr.; Afr. bor.  
*decumbens*, Poir. Encyc. Suppl. iii. 508; T. F. Forst. Fl. Tonbr. 86 = *tenuifolius*.  
*Delortii*, Timb. ex F. Schultz, Arch. Fl. Fr. et Allem. 201 = *corniculatus*.  
*depressus*, Willd. Enum. Hort. Berol. Suppl. 52 = *corniculatus*.  
*dichotomus*, Delile, Fl. Aegypt. n. 717; ex Walp. Rep. ii. 838 = *Lotononis Leobordea*.  
*diffusus*, Schrank, Pl. Rar. Hort. Monac. t. 40; ex DC. Prod. ii. 211 = *cytisoides*.  
*diffusus*, Sibth. & Sm. Prod. Fl. Graec. ii. 104 = *ornithopodioides*.  
*diffusus*, Soland. ex Sm. Fl. Brit. ii. 794 = *angustissimus*.  
*digitatus*, Lam. Fl. Fr. ii. 632 = *Dorycnium suffruticosum*.  
*Dioscoridis*, All. Fl. Pedem. i. 310. t. 59 = *peregrinus*.  
*discolor*, E. Mey. Comm. Pl. Afr. Austr. 92.—Afr. austr.  
*dispermus*, Desv. Journ. Bot. iii. (1814) 77 = *Dorycnium dispersum*.  
*divaricatus*, Boiss. Diagn. Ser. I. ii. 37.—As. Min.  
*divaricatus*, Soland. ex Buch, in Abh. Acad. Berl. (1816) 198 = *hispidus*.  
*dorychnoides*, Poir. Encyc. Suppl. iii. 507 = *sessilifolius*.  
*Dorycnium*, Crantz, Stirp. Austr. ed. II. fasc. v. 402 = *Dorycnium herbaceum*.  
*Dorycnium*, Linn. Sp. Pl. 778 = *Dorycnium suffruticosum*.  
*Dorycnium*, Pall. ex Georgi, Beschr. Russ. Reich. III. iv. 1195 = *Dorycnium pentaphyllum*.  
*drepanocarpus*, Dur. in Duch. Rev. Bot. ii. (1846) 488.—Alger.

LOTUS:—

*dumetorum*, Webb, ex Ball, in Journ. Linn. Soc. xvi. (1878) 423 = *arenarius*.  
*edulis*, Linn. Sp. Pl. 774.—Reg. Mediterr.  
*Ehrenbergii*, Schweinf. ex Boiss. Fl. Orient. ii. 170 = *Schimperi*.  
*erectus*, Linn. Sp. Pl. 774 = *siliquosus*.  
*erectus*, Vell. Fl. Flum. 314; vii. t. 136 (= *Collaea speciosa*).—Bras.  
*eriphthalmus*, Webb & Berth. Phyt. Canar. ii. 89 = *Dorycnium eriphthalmum*.  
*exstipularis*, Steud. Nom. ed. I. 495 = *Indigofera sarmentosa*.  
*extipulatus*, DC. Prod. ii. 231 in syn. = *praec.*  
*filicaulis*, Dur. in Duch. Rev. Bot. ii. (1846) 438.—Alger.  
*filiformis*, Berg. Desc. Pl. Cap. 227 = *Indigofera sarmentosa*.  
*filiformis*, Poir. Encyc. Suppl. iii. 504 = *hispidus*.  
*flexuosus*, Desr. in Lam. Encyc. iii. 606.—Hab. ?  
*floridus*, Masf. in Anal. Soc. Esp. Hist. Nat. x. (1881) 160.—Ins. Canar.  
*fluminensis*, Vell. Fl. Flum. 313; vii. t. 132 = *Clitoria cajanifolia*.  
*Forsteri*, Sweet, Hort. Brit. ed. I. 118 = *corniculatus*.  
*Fraseri*, Benth. ex A. Gray, Bot. U. St. Expl. Exped. i. 400.—Austral.  
*fruticosus*, Berg. Desc. Pl. Cap. 226 = *Indigofera sarmentosa*.  
*fruticulosus*, Coss. in Bull. Soc. Bot. Fr. xxii. (1875) 57, nomen.—Marocc.  
*fruticulosus*, Desf. Tabl. ed. II. 219 (Quid?).—Hab. ?  
*Garcini*, DC. Prod. ii. 212.—Nubia; Persia; Ind. or.  
*Gebelia*, Vent. Jard. Cels. t. 57.—Oriens.  
*gibbus*, Beeke, in Turn. & Dillw. Bot. Guide, ii. 528 = *corniculatus*.  
*glaber*, Mill. Gard. Dict. ed. VIII. n. 3 = *tenuis* ?  
*glaberrimus*, DC. Cat. Hort. Monsp. 122 = *conimbricensis*.  
*glaberrimus*, Schur, Enum. Pl. Transs. 160 = *angustissimus*.  
*glacialis*, Bourg. ex Nym. Consp. 183 = *glareosus*.  
*glareosus*, Boiss. & Reut. Pugill. Pl. Nov. (1852) 36.—Hispan.  
*glaucescens*, Presl, Delic. Prag. 47 = *cytisoides*.  
*glaucus*, [Dryand. in] Ait. Hort. Kew. ed. I. iii. 92.—Mader.; Liguria.  
*glaucus*, Sieber, ex Reichb. Fl. Germ. Excurs. 505 = *cytisoides*.  
*glinoides*, Delile, in Ann. Sc. Nat. Sér. II. vii. (1837) 286.—Aegypt.; Arab.  
*glomeratus*, Lam. Fl. Fr. ii. 633 = *Dorycnium rectum*.  
*gracilis*, Salisb. Prod. 334 = *Dorycnium suffruticosum*.  
*gracilis*, Waldst. & Kit. Pl. Rar. Hung. iii. 254. t. 229 = *angustissimus*.  
*gracius*, Linn. Mant. i. 101 = *Dorycnium latifolium*.  
*Gussonii*, Huet, ex Nym. Consp. 182 = *Requieni*.  
*halophilus*, Boiss. & Sprun. Diagn. Ser. I. ii. 37 = *pusillus*.  
*hemorroidalis*, Lam. Fl. Fr. ii. 633 = *Dorycnium hirsutum*.  
*hirsutus*, Linn. Sp. Pl. 775 = *Dorycnium hirsutum*.  
*hispidus*, DC. Fl. Fr. iv. 556 = *parviflorus*.  
*hispidus*, Desf. Tabl. ed. I. 190.—Europ. et. Afr. bor. occ.  
*hispidus*, Sprun. & Heldr. ex Nym. Consp. 183 = *lamprocarpus*.  
*holosericeus*, Webb & Berth. Phyt. Canar. ii. 83.—Ins. Canar.  
*humifusus*, Willd. Enum. Hort. Berol. Suppl. 52 = *corniculatus*.  
*humilis*, Schousb. ex Ball, in Journ. Linn. Soc. xvi. (1878) 424 = *parviflorus*.  
*incanus*, Dougl. ex Hook. Fl. Bor. Am. i. 134 = *Hosackia decumbens*.  
*indicus*, Desr. in Lam. Encyc. iii. 606 = *Rothia trifoliata*.  
*intermedius*, Loisel. Fl. Gall. ed. I. 489; Pers. Syn. ii. 354 = *Dorycnium hirsutum*.  
*involutatus*, Desr. in Lam. Encyc. iii. 611 = *Lotononis involutatus*.  
*Jacobaeus*, Linn. Sp. Pl. 775.—Ins. Cap. Virid.  
*judaicus*, Boiss. Fl. Orient. ii. 165 = *cytisoides*.  
*laevigatus*, Benth. in Mitch. Journ. Trop. Austral. 62 = *australis*.  
*lamprocarpus*, Boiss. Diagn. Ser. I. ix. 33.—Graecia; Oriens.  
*lanatus*, C. Sm. in Tuckerm. Voy. 231.—Ins. Cap. Virid.  
*lancerottensis*, Webb & Berth. Phyt. Canar. ii. 84.—Ins. Canar.



**LOTUS:—**

lanuginosus, *Vent. Jard. Malm.* 92.—Arabia.  
 lateralis, *Presl, Fl. Sicul.* p. xxi.—Sicilia.  
 latifolius, Sibth. & Sm. *Fl. Graec. Prod.* ii. 107 =  
*Dorycnium latifolium*.  
 Levieri, Helder. in *Nuov. Giorn. Bot.* vii. (1875) 297 =  
 hispidus.  
 libanoticus, Boiss. *Diagn. Ser. I.* ix. 32 = *L. Gebelia*.  
 linearis, Walp. in *Linnaea*, xiii. (1839) 518 = *L. Jacobaeus*.  
 longicaulis, Welw. ex Nym. *Consp.* 183 = *lamprocarpus*.  
 longisiliquosus, Roem. ex Willk. in *Linnaea*, xxv.  
 (1852) 22.—Hispan.  
 Loweanus, Webb & Berth. *Phyt. Canar.* ii. 87.—Ins.  
 Canar.  
 lugubris, Salisb. *Prod.* 333 = *L. Jacobaeus*.  
 Macraei, Benth. in *Trans. Linn. Soc.* xvii. (1837) 367  
 = *Hosackia subpinnata*.  
 macranthus, Lowe, in *Trans. Camb. Phil. Soc.* vi.  
 (1838) reimpr. 24.—Ins. Mader.  
 macrotrichus, Boiss. in *Ann. Sc. Nat. Sér. IV.* ii.  
 (1854) 220 = *divaricatus*.  
 major, Scop. *Fl. Carn.* ed. II. ii. 86.—Europ.  
 major, Sm. *Engl. Bot.* t. 2091 = *uliginosus*.  
 maritimus, Linn. *Sp. Pl.* 773 = *siliquosus*.  
 maritimus, Vell. *Fl. Flum.* 314; vii. t. 133 = *Phaseolus*  
*semierectus*.  
 maroccanus, Ball, in *Journ. Bot.* xi. (1873) 306.—  
 Maroc.  
 mauritanicus, Linn. *Syst. ed. X.* 1179 = *Indigofera*  
*coriacea*.  
 medicaginoidea, Retz. *Obs.* ii. 23 = *Trigonella arcuata*.  
 melilotoides, Webb, in *Hook. Niger Fl.* 118.—Ins.  
 Cap. Virid.  
 Michauxianus, Ser. in *DC. Prod.* ii. 211 = *L. Gebelia*.  
 micranthus, Benth. in *Trans. Linn. Soc.* xvii. (1837)  
 367 = *Hosackia parviflora*.  
 microcarpus, Brot. *Fl. Lusit.* ii. 119 = *parviflorus*.  
 microphyllus, Hook. *Bot. Mag.* t. 2808 = *Indigofera*  
*gracilis, Spreng.*  
 minor, Bishop, in *Edinb. Phil. Journ.* xiv. (1826) 180  
 = *tenuis*.  
 minor, Clav. in *Act. Linn. Soc. Bord.* xxxviii. (1884)  
 531 = *praec.*?  
 mollis, Balf. f. in *Proc. Roy. Soc. Edinb.* xi. (1882)  
 509.—Ins. Socotra; Afr. austr.  
 mollissimus, S. G. Gmel. ex Ledeb. *Fl. Ross.* i. 560 =  
*angustissimus*.  
 montanus, A. Rich. *Tent. Fl. Abyss.* i. 177 = *nubicus*.  
 montanus, Schur, in *Verh. Naturf. Ver. Bruenn*, xv.  
 ii. (1877) 180.—Europ.  
 mossamedensis, Welw. ex Baker, in *Oliver, Fl. Trop.*  
*Afr.* ii. 62.—Afr. trop.  
 neglecta, Masf. in *Anal. Soc. Esp. Hist. Nat.* x. (1881)  
 160.—Ins. Canar.  
 Noëanus, Boiss. *Diagn. Ser. II.* ii. 21 = *tenuifolius*.  
 nubicus, Hochst. ex Baker, in *Oliver, Fl. Trop. Afr.*  
 ii. 61.—Afr. trop.  
 nubicus, Stocks, ex Boiss. *Fl. Orient.* ii. 174 = *Garcini*.  
 nummularius, Reichb. ex Steud. *Nom. ed. II.* ii. 74.  
 —Lusitan.  
 obtusatus, Ser. in *DC. Prod.* ii. 212 = *creticus*.  
 odoratus, Sims, *Bot. Mag.* t. 1233 = *hispidus*.  
 oligoceros, Desf. *Fl. Atlant.* ii. 206 = *edulis*.  
 oligoceros, Desr. in *Lam. Encyc.* iii. 605 = *peregrinus*.  
 oligoceros, Link, ex Nym. *Consp.* 184 = *pusillus*.  
 oligoceros, Scop. *Del. Insub.* i. 14 = *angustissimus*.  
 ononoides, Desr. in *Lam. Encyc.* iii. 609 = *Ononis*  
*aspalathoides, Lotononis involucrata*.  
 ononopsis, Balf. f. in *Proc. Roy. Soc. Edinb.* xi. (1882)  
 509.—Ins. Socotr.  
 ornithopodioides, Linn. *Sp. Pl.* 775.—Reg. Mediterr.  
 ornithopodioides, Schur, in *Verh. Naturf. Ver. Bruenn*,  
 xv. ii. (1877) 180 = *corniculatus*.  
 palustris, Ledeb. *Fl. Ross.* i. 562 = *lamprocarpus*.  
 palustris, Vell. *Fl. Flum.* 315; vii. t. 137 = *Sesbania*  
*exasperata*.  
 palustris, Willd. *Sp. Pl.* iii. 1394 = *angustissimus*.  
 parviflorus, Desf. *Fl. Atlant.* ii. 206. t. 211.—Reg.  
 Mediterr.  
 patens, Presl, *Delic. Prag.* 48 = *cytisoides*.  
 pedunculatus, Cav. *IC.* ii. 52. t. 164 = *uliginosus*.  
 pentaphyllos, Gilib. *Fl. Litan.* ii. 93 = *corniculatus*.  
 pentaphyllus, Link, in *Buch, Besch. Canar. Ins.* 156.  
 —Ins. Canar.  
 peregrinus, Burm. f. *Fl. Ind.* 173 = *Indigofera tri-*  
*foliata*.  
 peregrinus, Linn. *Sp. Pl.* 774.—Reg. Mediterr. or.

**LOTUS:—**

persicus, Burm. f. *Fl. Ind.* 173 = *Ononis aspalathoides*.  
 pilosissimus, Poir. *Encyc. Suppl.* iii. 504 = *hispidus*.  
 pilosissimus, Schur, *Enum. Pl. Transs.* 160 = *cornicu-*  
*latus*.  
 pilosus, Beeke, in *Turn. & Dillw. Bot. Guide*, ii. 528 =  
*uliginosus*.  
 pilosus, Jord. *Pugill. Pl. Nov.* (1852) 60 = *corniculatus*.  
 pilosus, Medic. *Bot. Beobacht.* (1783) 226 = *hirsutus*?  
 pilosus, Schousb. ex Ball, in *Journ. Linn. Soc.* xvi.  
 (1878) 424 = *parviflorus*.  
 pinnatus, Hook. *Bot. Mag.* t. 2913 = *Hosackia bicolor*.  
 pisifolius, Lowe, in *Trans. Camb. Phil. Soc.* vi. (1838)  
 reimpr. 24 = *uliginosus*.  
 platycarpus, Viv. *Pl. Aegypt.* Dec. 14 = *argenteus*.  
 polyphyllus, Clarke, *Trav.* iii. 41 = *argenteus*.  
 pratensis, Mill. *Gard. Dict.* ed. VIII. n. 10 = *siliquosus*.  
 Preslii, Tenore, *Fl. Nap.* v. 160 = *tenuis*.  
 prostratus, Desf. *Fl. Atlant.* ii. 206 = *cytisoides*.  
 prostratus, Linn. *Syst. ed. X.* 1179 = *Lotononis pro-*  
*strata*.  
 purpureus, Webb, in *Hook. Niger Fl.* 118. t. 6.—Ins.  
 Cap. Virid.  
 pusillus, Medic. *Beobacht.* (1783) 226.—Reg. Mediterr.  
 or.  
 racemosus, Poir. *Encyc. Suppl.* iii. 508 = *Indigofera*  
*alopecuroides, coriacea*.  
 rectus, Falk, *Beitr.* ii. 229 = *Dorycnium pentaphyllum*.  
 rectus, Georgi, *Reise*, i. 227 (Quid?).—Sibir. baical.  
 rectus, Linn. *Sp. Pl.* 775 = *Dorycnium rectum*.  
 repens, Moç. & Sesse, ex G. Don, *Gen. Syst.* ii. 200 =  
*Hosackia repens*.  
 Requienii, Mauri, in *Tenore, Viag. Abruz.* 81; ex Bertol.  
*Fl. Ital.* viii. 214.—Ital.  
 Requienii, Hort. ex DC. *Neuvième Not. Pl. Rar.*  
*Genév.* 7 = *conjugatus*.  
 riparius, Pers. in *Üsteri, Ann. Bot.* xiv. (1795) 39 =  
*corniculatus*.  
 roseus, Forsk. *Fl. Aegypt. Arab.* 140 = *arabicus*.  
 Salzmanni, Boiss. & Reut. *Pugill. Pl. Nov.* (1852) 37  
 = *commutatus*.  
 Schimperii, Steud. *Nom. ed. II.* ii. 75.—Aegypt.; Arab.  
*secundiflorus*, Viv. *Fl. Lib. Spec.* 46. t. 21 = *cytisoides*.  
 sericeus, DC. *Cat. Hort. Monsp.* 122 = *Dorycnium*  
*hirsutum*.  
 sericeus, Moench, *Meth. Suppl.* 53 = *creticus*.  
 sericeus, Pursh, *Fl. Am. Sept.* ii. 489 = *Hosackia*  
*Purshiana*.  
 sessilifolius, DC. *Cat. Hort. Monsp.* 122.—Ins.  
 Teneriff.  
 siliquosus, Linn. *Syst. ed. X.* 1178.—Reg. Mediterr.;  
 As. Min.  
 spartioides, Webb & Berth. *Phyt. Canar.* ii. 81.—Ins.  
 Canar.  
 spectabilis, Choisy, ex Ser. in *DC. Prod.* ii. 211 =  
*Dorycnium spectabile*.  
 stenodon, Helder. ex Nym. *Consp.* 183 = *corniculatus*.  
 Stocksii, Boiss. *Fl. Orient.* ii. 174 = *Garcini*.  
 strictus, Fisch. & Mey. *Ind. Sem. Hort. Petrop.* i. 32.  
 —As. Min.  
 suaveolens, Pers. *Syn.* ii. 354.—Gall. austr.  
 subbiflorus, Lag. in *Varied. Cienc.* ii. iv. (1805) 213 =  
*hispidus*.  
 subpinnatus, Lag. *Gen. et Sp. Nov.* 23 = *Hosackia sub-*  
*pinnata*.  
 suffruticosus, Burm. f. *Fl. Cap. Prod.* 22 = *Aspalathus*  
*suffruticosa*.  
 sulphureus, Boiss. *Diagn. Ser. I.* ii. 35.—As. Min.  
 symmetricus, Jord. *Pugill. Pl. Nov.* (1852) 59 = *cornicu-*  
*latus*.  
 tauricus, Hort. ex Steud. *Nom. ed. II.* ii. 75 = *cornicu-*  
*latus*.  
 Tchihatchewii, Boiss. *Fl. Orient.* ii. 165 = *corniculatus*.  
 tenuifolius, Burm. f. *Fl. Cap. Prod.* 22 = *Psoralea*  
*fascicularis*.  
 tenuifolius, Pollich, ex Steud. *Nom. ed. II.* ii. 75 =  
*corniculatus*.  
 tenuifolius, Presl, *Delic. Prag.* 46.—Sicil.  
 tenuifolius, Reichb. *Fl. Germ. Excurs.* 506 = *tenuis*.  
 tenuis, Waldst. & Kit. ex Willd. *Enum. Hort. Berol.*  
 797.—Europ.; Oriens.  
 Tetragonolobus, Linn. *Sp. Pl.* 773.—Reg. Mediterr.  
 tetraphyllus, Murr. *Syst. ed. XIII.* 575.—Ins. Balear.  
 tetraptera, Stokes, *Bot. Mat. Med.* iv. 74 = *L. Tetra-*  
*gonolobus*.  
 thermalis, Boiss. *Diagn. Ser. I.* ii. 35 = *strictus*.  
 tigrens, Baker, in *Oliver, Fl. Trop. Afr.* ii. 61.—Afr.  
 trop.

**LOTUS:—**

tingitanus, Boiss. *Diagn. Ser. I.* ii. 36.—Marocc.  
 tomentosus, DC. *Cat. Hort. Monsp.* 122, in syn. cum  
 cit. falsa = *Dorycnium hirsutum*.  
 tomentosus, Desr. in *Lam. Encyc.* iii. 612.—Hab.?  
 trichocarpus, Lag. *Gen. et Sp. Nov.* 23 = *conimbri-*  
*censis*.  
 Trifolium, Desr. in *Lam. Encyc.* iii. 612.—Oriens.  
 trigonelloides, Webb & Berth. *Phyt. Canar.* ii. 86.  
 t. 65.—Ins. Canar.  
 tristis, Moench, *Meth. Suppl.* 53 = *L. Jacobaeus*.  
 uliginosus, Hoffm. *Deutschl. Fl. ed. II.* ii. 100 = *corni-*  
*culatus*.  
 uliginosus, Schkuhr, *Handb.* ii. 412. t. 211.—Europ.;  
 Reg. Mediterr.  
 unibracteatus, Viv. *Fl. Lib. Spec.* 48. t. 18. f. 4 =  
 hispidus.  
 unifolius, Benth. in *Trans. Linn. Soc.* xvii. (1837)  
 368 = *Hosackia Purshiana*.  
 unifolius, Boiss. *Diagn. Ser. I.* ii. 36 = *L. Gebelia*.  
 utricularis, Domb. & Lag. ex DC. *Prod.* ii. 171 =  
*Hosackia subpinnata*.  
 valde-pilosus, Schur, *Enum. Pl. Transs.* 160 = *cornicu-*  
*latus*.  
 varians, Desv. *Journ. Bot.* iii. (1814) 77 = *creticus*.  
 versicolor, Tineo, *Pl. Rar. Sicil.* 27 = *corniculatus*.  
 villosus, Burm. f. *Fl. Cap. Prod.* 23 (Quid?).—Afr.  
 austr.  
 villosus, Forsk. *Fl. Aegypt. Arab.* p. lxxi = *peregrinus*.  
 villosus, Thuill. *Fl. Par. ed. II.* 387 = *uliginosus*.  
 vindicatus, Boengh. *Cat. Sem. Hort. Monast.* (1829);  
 ex Koch, in *Roehl. Deutschl. Fl. ed. III.* v. 306  
 = *major*.  
 Wiedemannii, Nym. *Consp.* 182.—Arch. Graec.  
 Wrangelianus, Fisch. & Mey. *Ind. Sem. Hort. Petrop.*  
 ii. 41 = *Hosackia subpinnata*.

LOUCORYNE, Steud. *Nom. ed. II.* ii. 38 (1841), sphalm.  
 = *Leucocoryne*, Lindl. (*Liliac.*).

LOUDETIA, Hochst. in *Flora*, xxiv. (1841) 20; xxiv.  
 (1841) ii. 713 = *Trichopteryx*, Nees (*Gramin.*).  
 arundinacea, Hochst. ex Steud. *Syn. Pl. Gram.* 238 =  
*Tristachya arundinacea*.  
 barbata, A. Br. in *Flora*, xxiv. (1841) ii. 714 = *Tri-*  
*stachya barbata*.  
 elegans, Hochst. l. c. xxiv. (1841) i. Intell. 20; et ex  
 Steud. *Syn. Pl. Gram.* 238 = *Tristachya elegans*.  
 superba, De Not. *Ind. Sem. Hort. Genuens.* (1852) 24;  
 et in *Ann. Sc. Nat. Sér. III.* xix. (1853) 369.—  
 Nubia.

LOUDONIA, Bert. ex Hook. & Arn. in *Hook. Bot.*  
*Misc.* iii. (1833) 193 = *Adesmia*, DC. (*Legumin.*).  
 anthylloides, Bert. ex Loud. *Encyc. Pl. Suppl.* i. 1244 =  
*A. Loudonia*.

LOUDONIA, Lindl. *Swan River App.* 42 (1839).  
 HALORAGAE, Benth. & Hook. f. i. 674.  
 GLISCHROCARYON, Endl. in *Ann. Wien. Mus.* ii.  
 (1839) 209.  
 aurea, Lindl. *Swan River Bot. App.* 42.—Austral.  
 Behrii, Schlecht. in *Linnaea*, xx. (1847) 648.—  
 Austral.  
 citrina, F. Muell. l. c. xxv. (1852) 385 = *aurea*.  
 flavesens, J. Drumm. in *Hook. Lond. Journ. Bot.* i.  
 (1842) 396 = *aurea*.  
 Roei, Schlecht. in *Linnaea*, xx. (1847) 648.—Austral.

LOUICHEA, L'Hérit. *Stirp. Nov.* 135. t. 65 (1785) =  
*Pteranthus*, Forsk. (*Illecebrac.*).  
 cervina, L'Hérit. l. c. = *P. echinatus*.  
*Pteranthus*, L'Hérit. l. c. = *P. echinatus*.

LOUISIA, Reichb. f. *Xenia Orch.* 204 (1858) = *Luisia*,  
 Gaudich. (*Orchid.*).

LOURADIA, Leman, in *Dict. Sc. Nat.* xxvii. 235 (1823)  
 = *Lavradia*, Vell. (*Violar.*).

LOUREA, Kunth, in *Linnaea*, xiii. (1839) 562 =  
 LAUREA, Gaudich. = *Bagassa*, Aubl. (*Urtic.*).

LOUREA, Neck. *Elem.* iii. 17 (1790). *LEGUMI-*  
*NOSAE*, Benth. & Hook. f. i. 522.  
 campanulata, Benth. in *Miq. Pl. Fungh.* 215.—  
 Burma.  
 microphylla, Wall. *Cat. n.* 5672 = *obcordata*.



**LOUREA** :—

obcordata, *Desv. Journ. Bot.* i. (1813) 122.—Burma; Malaya; Austral.  
 paniculata, *Wall. Cat. n.* 5673.—Burma.  
 reniformis, *DC. Prod.* ii. 324; *Desv. in Mém. Soc. Linn. Par.* iv. (1826) 308 = obcordata.  
 Vespertilionis, *Desv. Journ. Bot.* i. (1813) 122. t. 5. f. 18.—Reg. trop.

LOUREIRA, *Cav. Ic.* v. 17. t. 429 (1799) = **Jatropha**, *Linn. (Euphorb.)*.  
 cuneifolia, *Cav. l. c.* = *J. spathulata*.  
 glandulosa, *Cav. l. c.* 18. t. 430 = *J. cordata*.  
 peltata, *Desv. Cat. Hort. Par. ed. III.* 411 = *J. hernandiæfolia*.

LOUREIRA, *Meissn. Gen. Comm.* 53 (1837), 'genus ignotum,' *Benth. & Hook. f. i.* 322, 418.  
 TOLUIFERA, *Lour. Fl. Cochinch.* 362 (1790).  
 cochinchinensis, *Meissn. l. c.*—Cochinch.

LOUREIRA, *Raesch. Nom. ed. III.* 67 (1797) = **Elaeodendron**, *Jacq. (Celastr.)*.  
 albens, *Raesch. l. c.* = *E. glaucum*.

LOWEA, *Lindl. Bot. Reg.* t. 1261 (1829) = **Rosa**, *Tourn.*  
 berberifolia, *Lindl. l. c.* = *R. berberifolia*.

LOWELLIA, *A. Gray, in Mem. Am. Ac. N. S.* iv. (1849) 89 = **Thymophyllum**, *Lag. (Compos.)*.  
 aurea, *A. Gray, l. c.* 91 (= *Hymenatherum aureum*).  
 —N. Mexic.

LOXANTHERA, *Blume, in Schult. f. Syst.* vii. 1730 (1830) = **Loranthus**, *Linn.*  
 corymbosa, *Blume, l. c.* 1612 = *Loranthus tetrandrus*.  
 Eschscholzi-*anus*, *Blume, l. c.* = *Loranthus Eschscholzi-  
anus*.  
 grandiflorus, *Blume, l. c.* = *Loranthus grandiflorus*,  
*Ruiz & Pav.*  
 longibracteatus, *Blume, l. c.* = *Loranthus longi-  
bracteatus*.  
 speciosa, *Blume, l. c.* 1730 = *Loranthus loxantherus*.  
 spirostylis, *G. Don, Gen. Syst.* iii. 430 = *Loranthus  
spirostylis*.  
 Sternbergianus, *Blume, in Schult. f. Syst.* vii. 1612 =  
*Loranthus Sternbergianus*.

LOXANTHES, *Rafin. Neogenyt.* 3 (1825) = **Aphyllon**,  
*Mitch. (Orobanch.)*.  
 fasciculata, *Rafin. l. c.* = *A. fasciculatum*.

LOXANTHES, *Salisb. Gen. Pl. Fragm.* 117 (1866) =  
**Nerine**, *Herb. (Amaryll.)*.  
 flexuosa, *Salisb. l. c.* 117 = *N. flexuosa*.  
 humilis, *Salisb. l. c.* = *N. humilis*.  
 laticoma, *Salisb. l. c.* = *N. lucida*.  
 marginata, *Salisb. l. c.* = *N. marginata*.  
 pendula, *Salisb. l. c.* = *Cyrtanthus obliquus*.  
 striata, *Salisb. l. c.* = *Brunsvigia striata*.  
 undulata, *Salisb. l. c.* = *N. undulata*.

LOXANTHUS, *Nees, in Wall. Pl. As. Rar.* iii. 76,  
 322 (1832) = **Phlogacanthus**, *Nees (Acanth.)*.  
 Gomezii, *Nees, in DC. Prod.* xi. 322 = *Cystacanthus  
pulcherrimus*.  
 Gomezii, *Nees, in Wall. Pl. As. Rar.* iii. 99 = *P.  
Wallichii*.

LOXIDIUM, *Vent. Dec. Nov. Gen.* 9 (1808) = **Swain-  
sona**, *Salisb. (Legum.)*.  
 galegiformis, *Vent. ex Poir. in Dict. Sc. Nat.* xxvii.  
 252 = *S. galegiformis*.

LOXOCARPUS, *R. Br. in Benn. Pl. Jav. Rar.* 120 (1838)  
 = **Didymocarpus**, *Wall. (Gesner.)*.  
 alata, *R. Br. l. c.* = *D. incana*.  
 incana, *R. Br. l. c.* = *D. incana*.

LOXOCARYA, *R. Br. Prod.* 249 (1810). **RESTI-  
ACEAE**, *Benth. & Hook. f. iii.* 1033.  
 DESMOCLADUS, *Nees, in Lehm. Pl. Preiss.* ii. 56  
 (1846).  
 HAPLOSTIGMA, *F. Muell. Fragm.* viii. 100 (1873).  
 Benthami, *F. Muell. Census*, 124 = *Hypolaena  
Benthamii*.  
 cinerea, *R. Br. Prod.* 249.—Austral.  
 densa, *Benth. Fl. Austral.* vii. 241 = *Hypolaena densa*.  
 VOL. II.

**LOXOCARYA** :—

fasciculata, *Benth. Fl. Austral.* vii. 242 = *Hypolaena  
fasciculata*.  
 flexuosa, *Benth. l. c.* 243 = *Hypolaena flexuosa*.  
 pubescens, *Benth. l. c.* 242 = *Hypolaena pubescens*.  
 vestita, *Benth. l. c.* 241 = *Hypolaena vestita*.  
 virgata, *Benth. l. c.* 242 = *Hypolaena Benthamii*.

LOXOCOCCUS, *H. Wendl. & Drude, in Linnaea*,  
 xxxix. (1875) 185. **PALMAE**, *Benth. & Hook. f.*  
 iii. 888.  
 rupicola, *H. Wendl. & Drude, l. c.*—Zeylan.

LOXODISCUS, *Hook. f. in Hook. Kew Journ.* ix.  
 (1857) 200. t. 6. **SAPINDACEAE**, *Benth. & Hook.*  
 f. i. 397.  
 coriaceus, *Hook. f. l. c.*—Ins. Pinet.

LOXODON, *Cass. in Dict. Sc. Nat.* xxvii. 253 (1823) =  
**Chaptalia**, *Vent. (Compos.)*.  
 brevipes, *Cass. l. c.* = *C. exscapa*.  
 chilensis, *DC. Prod.* vii. 44 = *C. exscapa*.  
 longipes, *Cass. in Dict. Sc. Nat.* xxvii. 255 = *Chaptalia  
runcinata*.

LOXONIA, *Jack, in Trans. Linn. Soc.* xiv. (1823) 40.  
**GESNERACEAE**, *Benth. & Hook. f. ii.* 1019.  
 LOXOPHYLLUM, *Blume, Bijdr.* 750 (1826).  
 acuminata, *R. Br. in Benn. Pl. Jav. Rar.* 105. t. 25.—  
 Java.  
 alata, *Wall. Cat. n.* 809 = *Didymocarpus incana*.  
 decurrens, *Blume, Bijdr.* 776 = *Cyrtandromoea de-  
currens*.  
 discolor, *Jack, in Trans. Linn. Soc.* xiv. (1823) 40 =  
 acuminata.  
 hirsuta, *Jack, l. c.* 41 = acuminata.

LOXOPHYLLUM, *Blume, Bijdr.* 750 (1826) = **Loxonia**,  
*Jack (Gesnerac.)*.  
 racemosum, *Blume, l. c.* 751 = *Loxonia acuminata*.

LOXOPTERYGIUM, *Hook. f. in Benth. & Hook. f.*  
*Gen. i.* 419 (1862). **ANACARDIACEAE**, *Benth. &  
Hook. f. l. c.*  
 Gardneri, *Engl. in DC. Monog. Phan.* iv. 460.—Bras.  
 Grisebachii, *Hiern, ex Griseb. in Goett. Abh.* xxiv.  
 (1879) 95.—Am. austr.  
 Huasango, *Spruce, ex Engl. in DC. Monog. Phan.* iv.  
 461.—Ecuador.  
 Kuasango, *Spruce, ex March. Rev. Anacard.* 179,  
 nomen = praec.?  
 Lorentzii, *Griseb. in Goett. Abh.* xix. (1874) 115 =  
*Quebrachia Lorentzii*.  
 Sagotii, *Hook. f. in Benth. & Hook. f. Gen. i.* 420.—  
 Guiana.

LOXOSPERMUM, *Hochst. in Flora*, xxix. (1846) 594 =  
**Trifolium**, *Linn. (Legumin.)*.  
 calocephalum, *Hochst. l. c.* 595 = *T. calocephalum*.  
 multinerve, *Hochst. l. c.* = *T. multinerve*.  
 Schimperii, *Hochst. l. c.* 594 = *T. Schimperii*.

LOXOSTEMON, *Hook. f. & Thoms. in Journ. Linn.*  
*Soc. v.* (1861) 129, 147. **CRUCIFERAE**, *Benth. &  
Hook. f. i.* 70.  
 pulchellus, *Hook. f. & Thoms. l. c.* 147.—Reg. Himal.

LOXOSTIGMA, *C. B. Clarke, in DC. Monog. Phan.*  
 v. 59 (1883). **CYRTANDREAE**.  
 Griffithii, *C. B. Clarke, l. c.* 60.—Reg. Himal.

LOXOSTYLIS, *Spreng. ex Reichb. Ic. Exot. Cent.* iii.  
 3. t. 205 (1827). **ANACARDIACEAE**, *Benth. &  
Hook. f. i.* 421.  
 ANASYLLIS, *E. Mey. in Drège, Zwei Pfl. Docum.* 163  
 (1843).  
 alata, *Spreng. ex Reichb. Ic. Exot. Cent.* iii. 3. t. 205.  
 —Afr. austr.  
 latifolia, *Presl, Bot. Bemerk.* 42 = alata.

LOXOTIS, *R. Br. in Wall. Pl. As. Rar.* iii. 65 (1832) =  
**Rhynchoglossum**, *Blume (Acanthac.)*.  
 intermedia, *Benth. Scroph. Ind.* 57 = *R. obliquum*.  
 obliqua, *R. Br. in Benn. Pl. Jav. Rar.* 102 =  
*R. obliquum*.

LOZANIA, *Mutis, ex Caldas, in Seman. Nuev. Gran.*  
 (1810) iii. 20 = **Qualea**, *Aubl. (Vochysiac.)*.

**LOZANIA** :—

grandiflora, *Schult. Mant. i.* 109 = *Q. grandiflora*?  
 Mutisiana, *Schult. l. c.* = *Q. cryptantha*.  
 nemoralis, *DC. Prod.* iii. 30 = *Q. cryptantha*.

LUBINIA, *Comm. ex Vent. Jard. Cels, t.* 96 (1800) =  
**Lysimachia**, *Tourn. (Primul.)*.  
 atropurpurea, *Link & Otto, Ic. Pl. Sel.* 61. t. 27 = *Lys.  
nutans*.  
 mauritiana, *Spreng. Syst. i.* 572 = *Lys. mauritiana*.  
 pacifica, *Seem. Fl. Vit.* 147, nomen = *Lys. pacifica*.  
 purpurea, *Sweet, ex Steud. Nom. ed. II.* ii. 75 = *Lys.  
nutans*.  
 spathulata, *Vent. Jard. Cels, t.* 96 = *Lys. mauritiana*.

LUCAEA, *Kunth, Rév. Gram.* ii. 489. t. 159 (1830) =  
**Arthraxon**, *Beauv. (Gramin.)*.  
 ciliata, *Steud. Syn. Pl. Gram.* 414 = *A. ciliaris*.  
 gracilis, *Kunth, Rév. Gram.* ii. 489 = *A. ciliaris*.  
 Junghuhnii, *Steud. Syn. Pl. Gram.* 414 = *A.  
Junghuhnii*.  
 Langsdorffiana, *Steud. l. c.* 413 = *A. ciliaris*.  
 major, *Hochst. ex Steud. l. c.* 414 = *A. ciliaris*.  
 plumbea, *Steud. l. c.* = *A. ciliaris*.  
 Schimperii, *Steud. l. c.* = *A. microphyllum*.  
 typica, *Buese, in Miq. Pl. Jungh.* 367 = *A. Junghuhnii*.  
 violacea, *Steud. Syn. Pl. Gram.* 414 = *A. ciliaris*.  
 Vriesii, *Buese, in Miq. Pl. Jungh.* 366 = *A. ciliaris*.

LUCHIA, *Steud. Nom. ed. II.* ii. 75 (1841) = **Elodea**,  
*Michx. (Hydrochar.)*.  
 Berteroniana, *Steud. l. c.* = *E. chilensis*.

LUCIANEA, *Endl. Gen.* 558 (1838) = **Lucinaea**, *DC.  
(Rubiace.)*.

LUCILIA, *Cass. in Bull. Soc. Philom.* (1817) 32.  
**COMPOSITAE** [*Benth. & Hook. f. ii.* 306].  
 acutifolia, *Cass. in Dict. Sc. Nat.* xxvii. 64; *Less. in  
Linnaea*, v. (1830) 363.—Reg. Argent.  
 acutifolia, *Sch. Bip. ex Baker, in Mart. Fl. Bras. vi.*  
 iii. 114 = *Jamesoni*.  
 affinis, *Wedd. Chlor. And. i.* 230.—Bolivia.  
 aretioides, *erythraeae, hypoleuca, macrocephala,*  
*Schultzii, Wedd. ex Sch. Bip. in Linnaea*, xxxiv.  
 (1865-66) 532, nomina.—Bolivia.  
 argentea, *Hook. & Arn. in Hook. Comp. Bot. Mag. i.*  
 (1835) 102 = nitens.  
 chilensis, *Hook. & Arn. l. c.*—Chili.  
 conoidea, *Wedd. Chlor. And. i.* 154. t. 26. f. C.—  
 Bolivia.  
 eriophora, *Remy, in C. Gay, Fl. Chil.* iii. 335.—Chili.  
 facelioides, *Sch. Bip. in Linnaea*, xxxiv. (1865-66)  
 532, nomen.—Bolivia.  
 ferruginea, *Baker, in Mart. Fl. Bras. vi.* iii. 114.—  
 Bras.  
 flagelliformis, *Wedd. Chlor. And. i.* 157. t. 26. f. D.—  
 Bolivia.  
 glomerata, *Baker, in Mart. Fl. Bras. vi.* iii. 114.—  
 Bras.  
 gnaphalioides, *Less. in Linnaea*, v. (1830) 363 = nitens.  
 Jamesoni, *Baker, in Mart. Fl. Bras. vi.* iii. 113.—  
 Reg. Argent.  
 linearifolia, *Baker, l. c.* 114.—Bras.  
 Lundii, *Baker, l. c.* 113.—Bras.  
 microphylla, *Cass. in Dict. Sc. Nat.* xxvii. 64 = acuti-  
 folia.  
 nitens, *Less. in Linnaea*, v. (1830) 363.—Bras.  
 nivalis, *Sch. Bip. l. c.* xxxiv. (1865-66) 532, nomen.—  
 Bolivia.  
 pedunculata, *Poepp. & Endl. Nov. Gen. et Sp.* iii. 51.—  
 Chili.  
 perpusilla, *Wedd. Chlor. And. i.* t. 26. f. A = *Lucilio-*  
*pusilla*.  
 Pickeringii, *A. Gray, in Proc. Am. Acad.* v. (1861)  
 138.—Peruv.  
 piptolepis, *Wedd. Chlor. And. i.* t. 26. f. B = *Gnaphalium  
piptolepis*.  
 plumosa, *Wedd. l. c.* 155.—Bolivia.  
 recurva, *Wedd. l. c.* 156. t. 25 B.—Bolivia.  
 squarrosa, *Baker, in Mart. Fl. Bras. vi.* iii. 114.—  
 Bras.  
 tomentosa, *Wedd. Chlor. And. i.* 157.—Bolivia.  
 violacea, *Wedd. l. c.* 155.—Bolivia.

LUCILIOPSIS, *Wedd. Chlor. And. i.* 159 (1856)  
**COMPOSITAE**, *Benth. & Hook. f. ii.* 301.  
 perpusilla, *Wedd. l. c.* 160 [t. 26. f. A].—Bolivia



**LUCINAEA**, DC. Prod. iv. 368 (1830). *RUBIACEAE*, Benth. & Hook. f. ii. 67.  
*Cumingiana*, Vidal, Phan. Cuming. Philipp. 216.—Ins. Philipp.  
*Korthalsiana*, Miq. Ann. Mus. Bot. Lugd. Bat. iv. 187.—Sumatra.  
*montana*, Korth. in Nederl. Kruidk. Arch. ii. (1851) 167.—Borneo.  
*Morindae*, DC. Prod. iv. 368.—Malaya.  
*Rheedii*, Korth. in Nederl. Kruidk. Arch. ii. (1851) 167.—Borneo.

**LUCIOLA**, Sm. Engl. Fl. ii. 177 (1824) = **Luzula**, DC. (Juncac.).  
*arcuata*, Sm. l. c. 183 = *Luzula arcuata*.  
*campestris*, Sm. l. c. 181 = *Luzula campestris*.  
*congesta*, Sm. l. c. = *Luzula campestris*.  
*Forsteri*, Sm. l. c. 179 = *Luzula Forsteri*.  
*pilosa*, Sm. l. c. 178 = *Luzula vernalis*.  
*spicata*, Sm. l. c. 182 = *Luzula spicata*.  
*sudetica*, Sm. in Johnst. Fl. Berwick, i. 81 = *Luzula nigricans*.  
*sylvatica*, Sm. Engl. Fl. ii. 180 = *Luzula maxima*.

**LUCULIA**, Sweet, Brit. Flow. Gard. t. 145 (1826). *RUBIACEAE*, Benth. & Hook. f. ii. 43.  
*gratissima*, Sweet, Brit. Flow. Gard. t. 145.—Reg. Himal.  
*gratissima*, Wall. Cat. n. 6117. B = *Pinceana*.  
*Pinceana*, Hook. Bot. Mag. t. 4132.—Reg. Himal.

**LUCUMA**, Molina, Sagg. Chil. 186 (1782); Juss. Gen. 152 (1789). *SAPOTACEAE*, Benth. & Hook. f. ii. 654.  
**AMORPHOSPERMUM**, F. Muell. Fragm. vii. 112 (1870).  
*GUAPEA*, Endl. Ench. 361, in syn. (1841).  
*GUAPEBA*, Gomez, in Mem. Ac. Lisboa, iii. (1812), Mem. dos Corresp. t. 2.  
*GUAPEBEIRA*, Gomez, l. c. 19 (1812).  
*LABATIA*, Sw. Prod. Veg. Ind. Occ. 32 (1788); Fl. Ind. Occ. i. 263. t. 6 (1797).  
*NIEMEYERA*, F. Muell. Fragm. vii. 114 (1870).  
*OXYTHECE*, Miq. in Mart. Fl. Bras. vii. 105 (1863).  
*POMETIA*, Vell. Fl. Flum. 80 (1825).  
*PRADOSIA*, Liais, Brésil, 614 (1872).  
*SERSALISIA*, R. Br. Prod. 529 (1810), partim.  
*VITELLARIA*, Gaertn. f. Fruct. iii. 131. t. 205 (1805).

*Arguacoensium*, Karst. Fl. Columb. i. 129. t. 64.—N. Granat.  
*bifera*, Molina, Sagg. Chil. 187.—Chili.  
*biflora*, J. F. Gmel. Syst. 1578, sphalm. = *praec.*  
*Bonplandia*, H. B. & K. Nov. Gen. et Sp. iii. 240.—Cuba.  
*Caimito*, Roem. Schult. & Syst. iv. 701.—Peruv.  
*campechiana*, H. B. & K. Nov. Gen. et Sp. iii. 240.—Mexico.  
*Capiri*, A. DC. in DC. Prod. viii. 173.—Mexico.  
*Casaretti*, A. DC. l. c. 671.—Bras.  
*catocladantha*, Eichl. in Kjoeb. Vidensk. Meddel. (1870) 202.—Bras.  
*chrysophyllifolia*, Benth. & Hook. f. Gen. ii. 655, sphalm. = seq.  
*chrysophylloides*, A. DC. in DC. Prod. viii. 168.—Bras.  
*curvifolia*, Mart. & Eichl. ex Miq. in Mart. Fl. Bras. vii. 68.—Bras.  
*deliciosa*, Planch. & Linden, in Rev. Hort. (1870-71) 836.—N. Granat.  
*dictyoneura*, Benth. & Hook. f. Gen. ii. 655.—Cuba.  
*domingensis*, Gaertn. f. Fruct. iii. 131. t. 204.—Ins. S. Doming.  
*elongata*, Steud. Nom. ed. II. ii. 76 (= *Sapota elongata*).—Hab. ?  
*ferruginea*, Hook. & Arn. Bot. Beech. Voy. 302.—Mexico.

*galactoxylon*, F. Muell. Census, 91.—Austral.  
*Gardneriana*, A. DC. in DC. Prod. viii. 168.—Bras.  
*glabrescens*, Mart. & Eichl. ex Miq. in Mart. Fl. Bras. vii. 72.—Bras.  
*glaucescens*, Mart. l. c. 420 = *praec.*  
*glomerata*, Miq. in Mart. l. c. 81.—Bras.  
*glycyphloea*, Mart. & Eichl. ex Miq. l. c. 82.—Bras.  
*gnaphalocladus*, Mart. in Flora, xxi. (1838) II. Beibl. 89 = *Sideroxylon Gardnerianum*.  
*gomphiaefolia*, Mart. ex Miq. in Mart. Fl. Bras. vii. 78.—Bras.  
*grandiflora*, A. DC. in DC. Prod. viii. 169.—Bras.

# **LUCUMA** :—

*Inophyllum*, Benth. & Hook. f. Gen. ii. 654.—Bras.  
*Keule*, Molina, Sagg. Chil. 187 = *Gomortega nitida*.  
*laevigata*, A. DC. in DC. Prod. viii. 167.—Bras.  
*lasiocarpa*, A. DC. l. c. 166.—Bras.  
*lateriflora*, Benth. ex Miq. in Mart. Fl. Bras. vii. 83.—Bras.  
*laurifolia*, A. DC. in DC. Prod. viii. 166.—Bras.  
*leptocarpa*, Benth. & Hook. f. Gen. ii. 654.—Bras.  
*littoralis*, Mart. ex Miq. in Mart. Fl. Bras. vii. 65.—Bras.  
*longifolia*, A. DC. in DC. Prod. viii. 167 = *Sellowii*.  
*lucens*, Mart. & Miq. in Mart. Fl. Bras. vii. 78.—Bras.  
*mammosa*, Gaertn. f. Fruct. iii. 129. t. 203.—Ind. or.; Am. austr.  
*marginata*, Mart. & Eichl. in Mart. Fl. Bras. vii. 67.—Bras.  
*multiflora*, A. DC. in DC. Prod. viii. 168.—Ind. occ.  
*neriifolia*, Hook. & Arn. in Hook. Journ. Bot. i. (1834) 282.—Bras.  
*neriosa*, A. DC. in DC. Prod. viii. 169 = *L. Rivicoa*.  
*nitida*, A. DC. l. c. 166.—Bras.  
*obovata*, H. B. & K. Nov. Gen. et Sp. iii. 241.—Peruv.  
*pallida*, Gaertn. f. Fruct. iii. 130. t. 204.—Hab. ?  
*paradoxa*, A. DC. in DC. Prod. viii. 173.—Hab. ?  
*parviflora*, Benth. ex Miq. in Mart. Fl. Bras. vii. 81.—Bras.  
*pauciflora*, A. DC. in DC. Prod. vii. 168.—Ind. occ.  
*peduncularis*, Mart. & Eichl. ex Miq. l. c. 73.—Bras.  
*procera*, Mart. in Flora, xxii. (1839) I. Beibl. 57.—Bras.  
*prunifera*, F. Muell. Sel. Pl. Indust. Cult. 142 = *Chrysophyllum pruniferum*.  
*psammophila*, A. DC. in DC. Prod. viii. 167.—Bras.  
*pulverulenta*, Mart. & Eichl. ex Miq. in Mart. Fl. Bras. vii. 70.—Bras.  
*ramiflora*, A. DC. in DC. Prod. viii. 168.—Bras.  
*retusa*, Spruce, ex Miq. in Mart. Fl. Bras. vii. 70.—Bras.  
*rigida*, Mart. & Eichl. ex Miq. l. c. 73.—Bras.  
*Rivicoa*, Gaertn. f. Fruct. iii. 130.—Bras.  
*Riviniiana*, Steud. Nom. ed. II. i. 13, sphalm. = *praec.*  
*salicifolia*, H. B. & K. Nov. Gen. et Sp. iii. 241.—Mexico.  
*Sellowii*, A. DC. in DC. Prod. viii. 167.—Bras.  
*sericea*, Benth. & Hook. f. Gen. ii. 654.—Austral.  
*serpentaria*, H. B. & K. Nov. Gen. et Sp. iii. 242.—Cuba.  
*sphaerocarpa*, A. DC. in DC. Prod. viii. 169.—Mexico.  
*spinosa*, Molina, Sagg. Chil. 188 = *Gourliea chilensis*.  
*splendens*, A. DC. in DC. Prod. viii. 171 = *valparadisaea*.  
*Temare*, H. B. & K. Nov. Gen. et Sp. iii. 241.—Venezuela.  
*tomentosa*, Poepp. ex Miq. in Mart. Fl. Bras. vii. 87 (= *Passaveria obovata*).—Bras.  
*torta*, A. DC. in DC. Prod. viii. 167.—Bras.  
*turbinata*, Molina, Sagg. Chil. 187.—Chili.  
*Valenzuelana*, A. Rich. Fl. Cub. Fanerog. ii. 83.—Cuba.  
*valparadisaea*, Molina, Sagg. Chil. 187.—Bras.  
*venosa*, Mart. & Miq. in Mart. Fl. Bras. vii. 67.—Bras.  
*venulosa*, Spruce, ex Miq. l. c. 52 = *Sideroxylon venulosum*.  
*Warmingii*, Eichl. in Kjoeb. Vidensk. Meddel. (1870) 201.—Bras.

**LUCYA**, DC. Prod. iv. 434 (1830). *RUBIACEAE*, Benth. & Hook. f. ii. 61.  
**DUNALLIA**, Spreng. Pugill. ii. 25 (1815).  
*tuberosa*, DC. Prod. iv. 434.—Ind. occ.

**LUDEMANIA**, Reichb. f. in Linden, Pescatorea, i. (1860) t. 22 = **LUEDDEMANNIA**, Reichb. f. = **Cyanothes**, Lindl. (Orchid.).

**LUDIA**, Comm. ex Juss. Gen. 343 (1789). *BIXINEAE*, Benth. & Hook. f. i. 126.  
*bivalvis*, Clos, in Ann. Sc. Nat. Sér. IV. viii. (1857) 244 = sessiliflora.  
*foetida*, Roxb. Hort. Beng. 38; Fl. Ind. ii. 508 = *Flacourtia sumatrana*.  
*heterophylla*, Bory, Voy. ii. 116 = *Aphloia mauritiana*.  
*heterophylla*, Lam. Encyc. iii. 612; Ill. t. 466. f. 1, 2 = sessiliflora.

# **LUDIA** :—

*madagascariensis*, Clos, in Ann. Sc. Nat. Sér. IV. viii. (1857) 244.—Madag.  
*mauritanica*, J. F. Gmel. Syst. 1579 (Index) = seq.  
*mauritanica*, J. F. Gmel. l. c. 839; Raesch. Nom. ed. III. 159 = sessiliflora.  
*myrtifolia*, Lam. Encyc. iii. 612 = sessiliflora.  
*sessiliflora*, Lam. l. c.—Ins. Mascar.  
*spinosa*, Roxb. Hort. Beng. 38; Fl. Ind. ii. 507 = *Scolopia Roxburghii*.  
*tuberculata*, Jacq. Hort. Schoenb. i. 59 = sessiliflora.

**LUDISIA**, A. Rich. in Dict. Clas. Nat. vii. 437 (1825) = **Haemaria**, Lindl. (Orchid.).  
*argyryoneura*, Miq. in Journ. Bot. Néerl. i. (1861) 36 = *Dossinia marmorata*.  
*discolor*, A. Rich. in Dict. Clas. Nat. vii. 437 = *H. discolor*.  
*Furetii*, Blume, Orch. Archip. Ind. 114.—China.  
*odorata*, Blume, l. c.—Cochinch.

**LUDOLFIA**, Adans. Fam. ii. 244 (1763) = **Tetragonia**, Linn. (Ficoid.).

**LUDOLFIA**, Willd. in Ges. Naturf. Fr. Berl. Mag. ii. (1808) 320 = **Arundinaria**, Michx. (Gramin.).  
*falcata*, Nees, ex Munro, in Trans. Linn. Soc. xxvi. (1868) 26 = *A. falcata*.  
*glaucescens*, Willd. in Ges. Naturf. Fr. Berl. Mag. ii. (1808) 320 = *A. glaucescens*.  
*macrosperma*, Willd. l. c. = *A. macrosperma*.  
*pinifolia*, A. Dietr. Sp. Pl. ii. 25 = *Chusquea pinifolia*.  
*tecta*, A. Dietr. l. c. 24 = *A. macrosperma*.  
*verticillata*, A. Dietr. l. c. 25 = *A. verticillata*.

**LUDOVIA**, Brongn. in Ann. Sc. Nat. Sér. IV. xv. (1861) 361. *CYCLANTHACEAE*, Benth. & Hook. f. iii. 953.  
*crenifolia*, Drude, in Mart. Fl. Bras. iii. II. 243.—Bras.  
*lancaefolia*, Brongn. in Ann. Sc. Nat. Sér. IV. xv. (1861) 362.—Guiana.

**LUDOVIA**, Pers. Syn. ii. 576 (1807) = **Carludovica**, Ruiz & Pav. (Cyclanth.).  
*acuminata*, Pers. l. c. = *C. acuminata*.  
*angustifolia*, Pers. l. c. = *Cyclanthus Plumieri*.  
*funifera*, Poit. in Mém. Mus. Par. ix. (1822) 28. t. 1 = *C. funifera*.  
*latifolia*, Pers. Syn. ii. 576 = *C. latifolia*.  
*palmata*, Pers. l. c. = *C. palmata*.  
*subacaulis*, Poit. in Mém. Mus. Par. ix. (1822) 28 = *C. trigona*.  
*trigona*, Pers. Syn. ii. 576 = *C. trigona*.

**LUDOVICIA**, Coss. in Bull. Soc. Bot. Fr. iii. (1856) 674 = **Hammatolobium**, Fenzl (Legumin.).  
*Kremeriana*, Coss. l. c. 675 = *H. Kremerianum*.

**LUDWIGHIA**, Burm. f. Fl. Ind. 36 (1768) = seq.

**LUDWIGIA**, Linn. Coroll. Gen. 3 (1737). *ONAGRARIEAE*, Benth. & Hook. f. i. 788.  
*DANTIA*, Petit, ex Linn. Gen. ed. I. 337 (1737).  
*ISNARDIA*, Linn. Gen. ed. I. 337 (1737).  
*NEMATOPYXIS*, Miq. Fl. Ind. Bat. i. 600 (1855).  
*PRIEUREA*, DC. Prod. iii. 58 (1828).  
*QUADRICOSTA*, Dulac, Fl. Hautes-Pyr. 329 (1867).  
*TIPHOGETON*, Ehrh. Beitr. iv. 146 (1789).  
*abyssinica*, A. Rich. Tent. Fl. Abyss. i. 274 = *prostrata*.  
*alata*, Ell. Sketch, i. 213.—Am. bor.  
*alternifolia*, Burm. f. Fl. Ind. 36 = *erigata*.  
*alternifolia*, Linn. Sp. Pl. 118.—Am. bor.  
*alternifolia*, Walt. Fl. Carol. 89 = *virgata*.  
*angustifolia*, Michx. Fl. Bor. Am. i. 88 = *linearis*.  
*angustifolia*, Vent. ex DC. Prod. iii. 55, in syn. = *Jussieuia suffruticosa*.  
*apetala*, Walt. Fl. Carol. 89 = *palustris*.  
*arcuata*, Walt. l. c.—Am. bor.  
*aurantiaca*, Rafin. in Med. Repos. N. York, v. (1808) 358 = *alternifolia*.  
*brachycarpa*, DC. Prod. iii. 55, in obs. = *Jussieuia suffruticosa*.  
*capitata*, Michx. Fl. Bor. Am. i. 90.—Am. bor.  
*Cercodia*, Steud. Nom. ed. II. ii. 76 = *Haloragis alata*.  
*Curtissii*, Chapm. Fl. S. U. St. Suppl. 621.—Florida.



**LUDWIGIA** :—

- cylindrica, *Ell. Sketch*, i. 213.—Am. bor.  
*decurrens*, Walt. Fl. Carol. 89 = *Jussiaea decurrens*.  
*diffusa*, Buch.-Ham. in Trans. Linn. Soc. xiv. (1824) 301 = prostrata.  
*epilobioides*, *Maxim. Prim. Fl. Amur.* 104.—Mandshuria.  
*erigata*, *Linn. Mant.* i. 40.—Ind. or.  
*fruitans*, Scheele, in *Linnaea*, xxi. (1848) 580 = *natans*.  
*fruticulosa*, Blume, *Bijdr.* 1133 = prostrata.  
*glandulosa*, Pursh, Fl. Am. Sept. i. 111 = microcarpa.  
*glandulosa*, Walt. Fl. Carol. 88 = cylindrica?  
*gracilis*, *Miq. Fl. Ind. Bat.* i. i. 629.—Sumatra.  
*hastata*, Spreng. Syst. i. 446 = *Ammannia latifolia*.  
*heterophylla*, Poir. Encyc. Suppl. iii. 512 = cylindrica.  
*hirsuta*, Desr. in Lam. Encyc. iii. 614 = pilosa.  
*hirsuta*, Pursh, Fl. Am. Sept. i. 110 = hirtella.  
*hirtella*, *Rafin. in Med. Repos. N. York*, v. (1808) 358.—Am. bor.  
*irrigata*, J. F. Gmel. Syst. 1579, sphalm. = *erigata*.  
*junccea*, *Rafin. Autik. Bot.* 38 = virgata?  
*jussiaeoides*, Desr. in Lam. Encyc. iii. 614.—Afr. trop.  
*jussiaeoides*, Michx. Fl. Bor. Am. i. 89 = *Jussiaea decurrens*.  
*jussiaeoides*, Wall. Cat. n. 6335 = parviflora.  
*lanceolata*, *Ell. Sketch*, i. 213.—Am. bor.  
*leucorhiza*, Blume, *Bijdr.* 1133.—Java.  
*linearis*, Walt. Fl. Carol. 89.—Am. bor.  
*linifolia*, Poir. Encyc. Suppl. v. 513.—Am. bor.  
*lutea*, Bosc, ex DC. Prod. iii. 60 = virgata.  
*lythroides*, Blume, *Bijdr.* 1134 = parviflora.  
*macrocarpa*, Michx. Fl. Bor. Am. i. 89 = alternifolia.  
*microcarpa*, Link, Enum. Hort. Berol. 141 = alternifolia.  
*microcarpa*, Michx. Fl. Bor. Am. i. 88.—Am. bor.  
*mollis*, Michx. l. c. 90 = pilosa.  
*multiflora*, Walp. Rep. ii. 75 = parviflora.  
*natans*, *Ell. Sketch*, i. 581.—Texas.  
*nitida*, Michx. Fl. Bor. Am. i. 87 = palustris.  
*octandra*, Banks, ex Kon. in Kon. & Sims, Ann. Bot. i. (1805) 547 = *Haloragis tetragyna*.  
*oppositifolia*, Linn. Syst. ed. XII. 125 = parviflora.  
*ovalis*, *Miq. Ann. Mus. Bot. Lugd. Bat.* iii. 95.—Japan.  
*palustris*, *Ell. Sketch*, i. 211.—Reg. bor. temp.  
*parviflora*, *Roxb. Hort. Beng.* 11; *Fl. Ind.* i. 419.—Geront. trop.  
*pedunculosa*, Michx. Fl. Bor. Am. i. 38 = arcuata.  
*perennis*, Burm. f. Fl. Ind. 37 = *Jussiaea suffruticosa*.  
*perennis*, *Linn. Sp. Pl.* 119 (sp. dub.).—Ind. or.  
*permollis*, Bart. Fl. Philad. i. 52 = hirtella.  
*pilosa*, *Ell. Sketch*, i. 216 = hirtella.  
*pilosa*, Walt. Fl. Carol. 89.—Am. bor.  
*polycarpa*, *Short & Peter, ex Torr. & Gray, Fl. N. Am.* i. 525.—Am. bor.  
*prostrata*, *Roxb. Hort. Beng.* 11; *Fl. Ind.* i. 420.—As. trop.  
*pruinosa*, *Rafin. Autik. Bot.* 38 = alternifolia?  
*ramosa*, *Willd. Enum. Hort. Berol.* 166.—Ind. or.  
*ramosissima*, Roth, Catalect. fasc. iii. 24 = virgata.  
*ramosissima*, Walt. Fl. Carol. 89 = alternifolia.  
*repens*, Forst. Cat. Pl. N. Am. 22 = palustris.  
*repens*, Sw. Prod. Veg. Ind. Occ. 33.—Reg. trop.  
*rudis*, Walt. Fl. Carol. 89 = pilosa?  
*salicifolia*, Poir. Encyc. Suppl. iii. 512 = alternifolia.  
*scabriuscula*, Kellogg, in Proc. Calif. Acad. vii. i. (1876) 78 = *Ammannia latifolia*.  
*spathulata*, *Torr. & Gray, Fl. N. Am.* i. 526.—Florida.  
*sphaerocarpa*, *Ell. Sketch*, i. 214.—Am. bor.  
*stagnatilis*, *Hance, in Walp. Ann.* ii. 531.—China.  
*subtriflora*, Steud. Nom. ed. i. 497 = *erigata*.  
*suffruticosa*, Walt. Fl. Carol. 90 = capitata.  
*triflora*, Desr. in Lam. Encyc. iii. 615 = *erigata*.  
*trifolia*, *Burm. f. Fl. Ind.* 37.—Java.  
*tuberosa*, *Rafin. Ann. Nat.* 15 = virgata?  
*uniflora*, *Rafin. in Med. Repos. N. York*, v. (1808) 358 = *Jussiaea decurrens*.  
*virgata*, Michx. Fl. Bor. Am. i. 89.—Am. bor.  
*zeylanica*, Pers. Syn. i. 145 = parviflora.

**LUEDDEMANNIA**, Reichb. f. in Bonplandia, ii. (1854) 281. **ORCHIDEAE** [Benth. & Hook. f. iii. 552].

- Lehmanni*, Reichb. f. in Gard. Chron. (1880) II. 685 = *Cynoches Lehmanni*.  
*Pescatorei*, Reichb. f. in Bonplandia, ii. (1854) 281.—N. Granat.  
*Wallisii*, Reichb. f. in *Linnaea*, xli. (1877) 109.—N. Granat.

**LUEHEA**, F. W. Schmidt, Neue u. Selt. Pfl. 23 (1793) = *Stilbe*, Berg. (Verbenac.).  
*ericoides*, F. W. Schmidt, l. c. = *S. ericoides*.

**LUEHEA**, Willd. in Ges. Naturf. Fr. Neue Schr. iii. (1801) 410. t. 5. **TILIACEAE**, Benth. & Hook. f. i. 235.

- ALEGRIA**, [Moç. & Sesse] ex DC. Prod. i. 516 (1824).  
**BROTERA**, Vell. Fl. Flum. 322 (1825); vii. t. 163 (1827).  
*altheaeiflora*, Spruce, ex Benth. in Journ. Linn. Soc. v. Suppl. ii. (1861) 58.—Am. austr.  
*candicans*, Mart. Nov. Gen. et Sp. i. 102.—Bras.  
*candida*, Mart. l. c.—Mexic.  
*cymulosa*, Spruce, ex Benth. in Journ. Linn. Soc. v. Suppl. ii. (1861) 58.—Bras.  
*densiflora*, A. St. Hil. Pl. Bras. Mer. i. 294.—Bras.  
*divaricata*, Mart. Nov. Gen. et Sp. i. 101.—Bras.  
*endopogon*, Turcz. in Bull. Soc. Nat. Mosc. xxxi. (1858) i. 225.—Venezuela.  
*ferruginea*, Turcz. l. c. 224.—Venezuela.  
*grandiflora*, Mart. Nov. Gen. et Sp. i. 99.—Bras.  
*laxiflora*, A. St. Hil. Pl. Bras. Mer. i. 293.—Bras.  
*macrophylla*, Pohl, Pl. Bras. Ic. ii. 127.—Bras.  
*mexicana*, Spach, ex Steud. Nom. ed. II. ii. 77 = *candida*.  
*microphylla*, Pohl, Pl. Bras. Ic. ii. 129.—Bras.  
*ochrophylla*, Mart. in Flora, xxiv. (1841) II. Beibl. 50.—Bras.  
*paniculata*, Mart. Nov. Gen. et Sp. i. 100.—Bras.  
*platypetala*, A. Rich. Ess. Fl. Cub. 212.—Mexic.  
*rufescens*, Benth. Bot. Voy. Sulph. 72 = platypetala.  
*rufescens*, A. St. Hil. Pl. Bras. Mer. i. 293.—Bras.  
*rufescens*, Seem. Bot. Voy. Herald, 86 = Seemannii.  
*scabrifolia*, Presl, Epim. Bot. 212.—Mexic.  
*Seemannii*, Planch. & Triana, in Ann. Sc. Nat. Sér. IV. xvii. (1862) 348.—N. Granat.  
*speciosa*, Willd. in Ges. Naturf. Fr. Neue Schr. iii. (1801) 410.—Bras.  
*uniflora*, A. St. Hil. Pl. Bras. Mer. i. 290.—Bras.  
*villosa*, Mart. Nov. Gen. et Sp. i. 102.—Bras.

**LUETKEA**, Bong. Vég. Sitch. in Mém. Acad. Pétersb. Sér. VI. ii. (1833) 130. t. 2 = *Spiraea*, Linn. (Rosac.).  
*sibbaldoides*, Bong. l. c. = *S. pectinata*.

**LUFFA**, [Tourn.] Linn. Syst. ed. I (1735); Cav. Ic. i. 7. t. 9 (1791). **CUCURBITACEAE**, Benth. & Hook. f. i. 823.

- POPPYA**, Neck. Elem. i. 241 (1790).  
**TREVOUXIA**, Scop. Introd. 152 (1777).  
**TURIA**, Forsk. Fl. Aegypt. Arab. 165 (1775).  
*acutangula*, *Roxb. Hort. Beng.* 70; *Fl. Ind.* iii. 713.—Geront. trop.  
*aegyptiaca*, Mill. Gard. Dict. ed. VIII.—Geront. trop.  
*amara*, *Roxb. Hort. Beng.* 70; *Fl. Ind.* iii. 715 = *acutangula*.  
*amara*, Wall. Cat. n. 6755 = *Momordica tuberosa*.  
*amara*, Wall. l. c. n. 6755 B = *Momordica cymbalaria*.  
*arabum*, Steud. Nom. ed. I. 497, 536 = *aegyptiaca*.  
*Bendaui*, *Roxb. Hort. Beng.* 104; *Fl. Ind.* iii. 717 = *echinata*.  
*Bondel*, Buch.-Ham. ex Steud. Nom. ed. II. ii. 77 = *praec.*  
*caledonica*, Sond. in Harv. & Sond. Fl. Cap. ii. 490 = *Peponia caledonica*.  
*Cattupicinna*, Ser. in DC. Prod. iii. 303 = *aegyptiaca*.  
*clavata*, *Roxb. Hort. Beng.* 70; *Fl. Ind.* iii. 714 = *aegyptiaca*.  
*cordata*, Meissn. in M. Roem. Syn. Pepon. 67 = *aegyptiaca*.  
*cordifolia*, Blume, *Bijdr.* 929 = *Thladiantha cordifolia*.  
*cylindrica*, M. Roem. Syn. Pepon. 63; Naud. in Ann. Sc. Nat. Sér. IV. xii. (1859) 119 = *aegyptiaca*.  
*drastica*, Mart. Syst. Mat. Med. Bras. 81 = *acutangula*.  
*echinata*, *Roxb. Hort. Beng.* 104; *Fl. Ind.* iii. 716.—Ind. or.; Afr. trop.  
*fluminensis*, M. Roem. Syn. Pepon. 64 = *acutangula*.  
*foetida*, Cav. Ic. i. 7. t. 9 = *acutangula*.  
*foetida*, [Jacq. f.] Hort. Vindob. ex Schrad. in *Linnaea*, xii. (1838) 405 = *aegyptiaca*.  
*Gosa*, Buch.-Ham. in Wall. Cat. n. 6753 = *acutangula*.  
*graveolens*, *Roxb. Hort. Beng.* 70; *Fl. Ind.* iii. 716.—Ind. or.; Austral.  
*hederacea*, Wall. Cat. n. 6755 = *aegyptiaca*.

**LUFFA** :—

- Hilapikku*, Herb. Madr. ex Wall. Cat. n. 6754 = *Momordica tuberosa*.  
*insularum*, A. Gray, Bot. U. St. Expl. Exped. i. 644 = *aegyptiaca*.  
*Jacquinii*, Schrad. in *Linnaea*, xii. (1838) 405 = *aegyptiaca*.  
*Kleinii*, Wight & Arn. Prod. 344 = *umbellata*.  
*leiocarpa*, F. Muell. Fragm. iii. 107 = *aegyptiaca*.  
*leucosperma*, M. Roem. Syn. Pepon. 63 = *aegyptiaca*.  
*longistyla*, Edgew. in Journ. As. Soc. Beng. (1852) 172 = *echinata*.  
*operculata*, Cogn. in Mart. Fl. Bras. vi. iv. 12 = *purgans*.  
*Parvala*, Buch.-Ham. in Wall. Cat. n. 6758 = *aegyptiaca*.  
*pentandra*, *Roxb. Hort. Beng.* 70; *Fl. Ind.* iii. 712 = *aegyptiaca*.  
*Petola*, Ser. in DC. Prod. iii. 303 = *aegyptiaca*.  
*Plukenetiana*, Ser. l. c. 302 = *aegyptiaca*.  
*purgans*, Mart. Syst. Mat. Med. Bras. 81.—Am. trop.  
*quinquefolia*, Seem. Bot. Voy. Herald, 285 = *purgans*.  
*racemosa*, *Roxb. Hort. Beng.* 104; *Fl. Ind.* iii. 715 = *aegyptiaca*.  
*saccata*, F. Muell. ex Naud. in Ann. Sc. Nat. Sér. IV. xii. (1859) 124 = *graveolens*.  
*Satpatia*, Buch.-Ham. in Wall. Cat. n. 6757 = *aegyptiaca*.  
*scabra*, Schum. & Thonn. Beskr. Guin. Pl. 405 = *aegyptiaca*.  
*sphaerica*, Sond. in Harv. & Sond. Fl. Cap. ii. 490 = *Sphaerosicyos Meyer*.  
*striata*, Schrad. in *Linnaea*, xi. (1837) Litt. 88 = *aegyptiaca*.  
*subangulata*, *Miq. Fl. Ind. Bat.* i. i. 667 = *acutangula*.  
*sylvestris*, *Miq. l. c.* 666 = *acutangula*.  
*tuberosa*, *Roxb. Hort. Beng.* 104; *Fl. Ind.* iii. 717 = *Momordica cymbalaria*.  
*umbellata*, M. Roem. Syn. Pepon. 63.—Ind. or.  
*variegata*, Cogn. in Bremen, Abh. vii. (1882) 250.—Ins. Mascari.  
*Veitchii*, Naud. in Rev. Hort. (1873) 58 = *aegyptiaca*.  
*vittata*, Zipp. ex Sp. in *Linnaea*, xv. (1641) 206, nomen = *aegyptiaca*.

**LUGAION**, Rafin. Sylva Tellur. 22 (1838) = **Genista** Linn. (Legumin.).  
*angulatum*, Rafin. l. c. = *G. parviflora*.  
*aphyllum*, Rafin. l. c. = *Eremosparton aphyllum*.  
*etnense*, Rafin. l. c. = *G. aethnensis*.  
*ferox*, Rafin. l. c. 23 = *G. ferox*.  
*linifolium*, Rafin. l. c. 22 = *Cytisus linifolius*.  
*multiflorum*, Rafin. l. c. = *Cytisus albus*.  
*radiatum*, Rafin. l. c. = *G. radiata*.  
*umbellatum*, Rafin. l. c. = *G. umbellata*.

**LUGOA**, DC. Prod. vi. 14 (1837) = **Gonospermum**. Less. (Compos.).  
*revoluta*, DC. l. c. = *G. revolutum*.

**LUGONIA**, Wedd. Chlor. And. ii. 49. t. 54 1857 **ASCLEPIADEAE**, Benth. & Hook. f. ii. 758.  
*andina*, Ball, in Journ. Linn. Soc. xxii. (1885) 49.—Peruv.  
*lysimachioides*, Wedd. Chlor. And. ii. 50.—Peruv.

**LUHEA**, DC. Prod. i. 517 (1824) = **Luehea**, Willd. (Tiliac.).

**LUHEA**, A. DC. in DC. Prod. xii. 606, in syn. (1848) **LUEHEA**, F. W. Schmidt = **Stilbe**, Berg. (Verbenac).

**LUINA**, Benth. in Hook. Ic. Pl. t. 1139 1873. **COMPOSITAE**, Benth. & Hook. f. ii. 438.  
*hypoleuca*, Benth. l. c.—Am. bor. occ.

**LUISA**, Endl. Gen. 199 (1837) = seq.

**LUISIA**, Gaudich. in Freyc. Voy. Bot. 428. t. 37 1826 **ORCHIDEAE**, Benth. & Hook. f. iii. 571.  
**BIRCHEA**, A. Rich. in Ann. Sc. Nat. Sér. II. xi. (1838) 66. t. 10.  
**LOUISIA**, Reichb. f. Xenia Orch. 204 (1858)  
**MEGACLASTES**, Lindl. Gen. et Sp. Orch. 44 (1840)  
*alpina*, Lindl. Bot. Reg. (1838) Misc. 56 = *Van.*  
*alpina*.  
*antennifera*, Blume, Rumphia, iv. 50.—Borneo.  
*bicaudata*, Thw. Enum. Pl. Zeyl. 303.—Reg. Himal.  
*Zeylan.*; China.



**LUISIA** :—

- Birchae*, Blume, Rumphia, iv. 50 = *tenuifolia*.  
*brachystachys*, Blume, l. c.—Reg. Himal.  
*burmanica*, Lindl. Fol. Orch. Luis. 3 = *teretifolia*.  
*confusa*, Reichb. f. in Walp. Ann. vi. 621.—Ins. Amboin.  
*macrotris*, Reichb. f. in Gard. Chron. (1869) 1110.—Reg. Himal.  
*microptera*, Reichb. f. l. c. (1870) 1503.—Reg. Himal.  
*occidentalis*, Lindl. Fol. Orch. Luis. 4 = *teretifolia*.  
*platyglossa*, Reichb. f. in Walp. Ann. vi. 622 = *teretifolia*.  
*primulina*, Par. & Reichb. f. in Trans. Linn. Soc. xxx. (1874) 144.—Burma.  
*Psyche*, Reichb. f. in Bot. Zeit. xxi. (1863) 98.—Burma.  
*tenuifolia*, Blume, Rumphia, iv. 50.—Ind. or. teres, Blume, l. c.—Japon.  
*teres*, Lindl. Fol. Orch. Luis. 1 = *Sarcanthus teretifolius*.  
*teretifolia*, Gaudich. in Freyc. Voy. Bot. 426. t. 37.—As. trop.; N. Caled.  
*trichorrhiza*, Blume, Rumphia, iv. 50.—Reg. Himal.  
*uniflora*, Blume, l. c. (Aëridis sp.).—Reg. Himal.  
*valida*, Reichb. f. in Bonplandia, x. (1862) 335.—Ins. Philipp.  
*volucris*, Lindl. Fol. Orch. Luis. 1.—Reg. Himal.  
*zeylanica*, Lindl. l. c. 3 = *teretifolia*.  
*Zollingeri*, Reichb. f. in Walp. Ann. vi. 622.—Java.

**LUITKEA**, Auct. ex Stend. Nom. ed. II. ii. 77 (1841) = **LUETKEA**, Bong. = **Spiraea**, Linn. (Rosac.).

- LUMA**, A. Gray, Bot. U. St. Expl. Exped. i. 535. t. 66 (1854) = **Myrtus**, Linn.  
*baeckeooides*, Griseb. in Goett. Abh. vi. (1853–55) 120 = *Eugenia parvifolia*.  
*Bridgesii*, A. Gray, ex Phil. f. Cat. Pl. Vasc. Chil. 76 (= *Myrceugenia Bridgesii*).—Chili.  
*Cheken*, A. Gray, Bot. U. St. Expl. Exped. 536 (= sp. plur.).—Chili.  
*Chequen*, Phil. f. Cat. Pl. Vasc. Chil. 76 = *praeac.*  
*correaefolia*, A. Gray, Bot. U. St. Expl. Exped. 542. t. 66 (= *Myrceugenia correaefolia*).—Chili.  
*Cruckshanksii*, A. Gray, l. c. 540 = *Temu Cruickshanksii*.  
*ferruginea*, A. Gray, l. c. 542.—Chili.  
*obtusa*, A. Gray, l. c. 541 (= *Myrceugenia obtusa*).—Chili.  
*ovata*, A. Gray, ex Phil. f. Cat. Pl. Vasc. Chil. 76 (= *Myrceugenia ovata*).—Chili.  
*planipes*, A. Gray, Bot. U. St. Expl. Exped. 540, in textu = *Eugenia planipes*.  
*stenophylla*, A. Gray, l. c. 540.—Chili.  
*Temu*, A. Gray, l. c. 539 = *Eugenia divaricata*.

**LUMANAJA**, Blanco, Fl. Filip. ed. I. 821 (1837) = **Homonoia**, Lour. (Euphorb.).  
*fluviatilis*, Blanco, l. c. = *H. riparia*.

**LUMBRICIDIA**, Vell. Fl. Flum. 305; vii. t. 104 (1825) = **Andira**, Lam. (Legumin.).  
*anthelmia*, Vell. l. c. = *A. anthelminthica*.  
*legalis*, Vell. l. c. 305. t. 105 = *A. stipulacea*.

- LUMNITZERA**, Jacq. ex Spreng. Syst. ii. 687 (1825) = **Moschosma**, Reichb. (Labiata).  
*caesia*, Spreng. Syst. iv. Cur. Post. 223 = *M. caesium*.  
*capitata*, Spreng. Syst. ii. 687 = *Acrocephalus capitatus*.  
*carnosa*, Spreng. l. c. iv. Cur. Post. 223 = *Ocimum carnosum*.  
*densiflora*, Spreng. Syst. ii. 687 = *Plectranthus rugosus*.  
*fastigiata*, Spreng. l. c. = *Salvia plebeia*.  
*moschata*, Spreng. l. c. = *M. australe*.  
*ocimoides*, Jacq. ex Spreng. l. c. = *M. polystachyum*.  
*polystachya*, Jacq. f. ex Spreng. l. c. = *M. polystachyum*.  
*prostrata*, Spreng. l. c. = *Geniosporum prostratum*.  
*rubicunda*, Spreng. l. c. iv. Cur. Post. 223 = *Orthosiphon rubicundus*.  
*salvioides*, Spreng. l. c. ii. 687 = *Ocimum salvioides*.  
*tenuiflora*, Spreng. l. c. = *Ocimum sanctum*.  
*virgata*, Spreng. l. c. iv. Cur. Post. 223 = *Orthosiphon rubicundus*.

**LUMNITZERA**, Willd. in Ges. Naturf. Fr. Neue Schr. iv. (1803) 186. **COMBRETACEAE**, Benth. & Hook. f. i. 687.

- BRUGUIERA*, Thou. Gen. Nov. Madag. 21 (1806).  
*FUNCKIA*, Dennst. Schluess. Hort. Malab. 32 (1818).  
*PETALOMA*, Roxb. Fl. Ind. ii. 372 (1832).  
*POKORNYA*, Montr. in Mém. Acad. Lyon, x. (1860) 201.  
*PROBLASTES*, Reinw. in Syll. Ratisb. ii. (1828) 10.  
*PYRRHANTHUS*, Jack, in Malay. Misc. ii. (1822) n. VII. p. 57.  
*coccinea*, Wight & Arn. Prod. ii. 316.—As. et Austral. trop.  
*littorea*, Voigt, Hort. Suburb. Calc. 39 = *coccinea*.  
*lutea*, Presl, Rep. Bot. i. 156, adnot.—Ins. Timor.  
*montana*, F. Muell. Fragm. ii. 149 = *Macropteryanthus montana*.  
*pedicellata*, Presl, Rel. Haenk. ii. 23.—Ins. Maria.  
*pentandra*, Griff. Notul. iv. 684 = *coccinea*.  
*purpurea*, Presl, Rep. Bot. i. 155, adnot. = *coccinea*.  
*racemosa*, Willd. in Ges. Naturf. Fr. Neue Schr. iv. (1803) 187.—Geront. trop.  
*rosea*, Presl, Rep. Bot. i. 155, adnot.—Ins. Philipp.

**LUNANA**, Endl. Gen. 1125 (1840), sphalm. = **Lunasia**, Blanco (Rutac.).

**LUNANAEA**, Endl. Gen. 994, in syn. (1840) = seq.

**LUNANEA**, DC. Prod. ii. 92 (1825) = **Cola**, Schott (Stercul.).  
*Bichy*, DC. l. c. = *C. acuminata*.

- LUNANIA**, Hook. Lond. Journ. Bot. iii. (1844) 317. t. 11. **SAMYDACEAE**, Benth. & Hook. f. i. 797.  
*cubensis*, Twiss. in Bull. Soc. Nat. Mosc. xxvii. (1854) ii. 332.—Cuba.  
*divaricata*, Benth. in Journ. Linn. Soc. v. Suppl. ii. (1861) 90.—Cuba.  
*dodecandra*, Wright, ex Griseb. Cat. Pl. Cub. 7.—Cuba.  
*Grayi*, Griseb. in Goett. Abh. ix. (1861) 26.—Cuba.  
*parviflora*, Spruce, ex Benth. in Journ. Linn. Soc. v. Suppl. ii. (1861) 90.—Peruv.  
*racemosa*, Hook. Lond. Journ. Bot. iii. (1844) 317.—Ind. occ.  
*Sauvalii*, Griseb. Cat. Pl. Cub. 7.—Cuba.

**LUNANIA**, Rafin. Med. Fl. iii. 106 (1830) = **Heteranthera**, Ruiz & Pav. (Ponteder.).  
*uniflora*, Rafin. l. c. = *H. limosa*.

- LUNARIA**, Tourn. ex Linn. Gen. ed. I (1735). **CRUCIFERAE**, Benth. & Hook. f. i. 71.  
*BRACHYPUS*, Ledeb. Fl. Ross. i. 133 (1842).  
*aegyptiaca*, Mill. Gard. Dict. ed. VIII. n. 3 = *Ricotia cantoniensis*.  
*alpina*, Berger. Phyt. iii. 115; ex DC. Syst. ii. 282 = *rediviva*.  
*alysina*, Steud. Nom. ed. II. ii. 77, sphalm. in syn. = *praeac.*  
*annua*, Jundz. Fl. Lith. 194 = *rediviva*.  
*annua*, Linn. Sp. Pl. 653.—Europ.  
*argentea*, All. Fl. Pedem. i. 245 = *Alyssum argenteum*.  
*biennis*, Moench, Meth. 261 = *annua*.  
*canescens*, Willd. Enum. Hort. Berol. 675 = *Farsetia clypeata*.  
*cantoniensis*, Desv. Journ. Bot. iii. (1814) 174 = *Ricotia cantoniensis*.  
*clypeata*, All. Fl. Pedem. i. 245 = *Farsetia clypeata*.  
*diffusa*, Thunb. Prod. Pl. Cap. 107 = *Heliophila diffusa*.  
*elongata*, Thunb. l. c. = *Heliophila Thunbergii*.  
*flagrans*, Gilib. Fl. Lituan. ii. 48 = *rediviva*.  
*graeca*, Willd. Enum. Hort. Berol. 675 = *Farsetia lunarioides*.  
*halimifolia*, All. Fl. Pedem. i. 245 (*halymifolia*) = *Alyssum halimifolium*.  
*inodora*, Lam. Fl. Fr. ii. 457 = *annua*.  
*japonica*, Miq. Ann. Mus. Bot. Lugd. Bat. ii. 74 = *Eutrema Wasabi*.  
*lanceolata*, Stokes, Bot. Mat. Med. iii. 442 = *rediviva*.  
*libyca*, Viv. Pl. Lib. Spec. 34. t. 10. f. 1 = *Alyssum libycum*.  
*odorata*, Lam. Fl. Fr. ii. 457 = *rediviva*.  
*ovalis*, Stokes, Bot. Mat. Med. iii. 441 = *annua*.

**LUNARIA** :—

- parviflora*, Delile, Fl. Egypte, 248 = *Savignya aegyptiaca*.  
*perennis*, C. C. Gmel. El. Bad. iii. 48 = *rediviva*.  
*perennis*, Mill. Gard. Dict. ed. VIII. n. 4 = *Farsetia lunarioides*.  
*pinnata*, Thunb. Prod. Pl. Cap. 107 = *Heliophila diffusa*.  
*rediviva*, Linn. Sp. Pl. 653.—Europ.  
*Ricotia*, Desv. Journ. Bot. iii. (1814) 174 = *Ricotia cantoniensis*.  
*Ricotia*, Gaertn. Fruct. ii. 289 = *rediviva*.  
*scabra*, Forsk. Fl. Aegypt. Arab. 117 = *Farsetia aegyptiaca*.  
*suffruticosa*, Vent. Jard. Cels, 19 = *Farsetia suffruticosa*.  
*Tournefortii*, Sibth. ex DC. Syst. ii. 288 = *Farsetia lunarioides*.

**LUNASIA**, Blanco, Pl. Filip. ed. I. 783 (1837). **RUTACEAE**, Benth. & Hook. f. i. 991.  
**LUNANA**, Endl. Gen. 1125 (1840).  
**MYTILICOCCUS**, Zoll. in Tijdschr. Nederl. Ind. xiv. (1857) 173.  
**RABELAISIA**, Planch. in Hook. Lond. Journ. Bot. iv. (1845) 519. t. 18.  
*amara*, Blanco, Fl. Filip. ed. I. 783.—Ins. Philipp.  
*costulata*, Miq. Ann. Mus. Lugd. Bat. iii. 89.—Ins. Sunda.  
*grandifolia*, Miq. l. c.—Ins. Sunda.  
*parvifolia*, Miq. l. c.—Ins. Sunda.

- LUNDIA**, DC. in Bibl. Univ. Genève. xvii. (1838) 127 (Rev. Bign. 11). **BIGNONIACEAE**, Benth. & Hook. f. ii. 1032.  
**CRATEROTECOMA**, Mart. ex DC. Prod. ix. 215 (1845).  
**PHOENICOCISSUS**, Mart. ex Meissn. Gen. Comm. 209 (1840).  
*acuminata*, Decne. in Rev. Hort. Sér. IV. ii. (1853) 221.—Bras.  
*Chica*, Seem. Bot. Voy. Herald, 180 = *Bignonia Chica*.  
*cordata*, DC. Prod. ix. 180.—Bras.  
*densiflora*, DC. l. c.—Bras.  
*erionema*, DC. l. c.—Bras.  
*glabra*, DC. l. c. 180.—Bras.  
*hebantha*, DC. l. c. 181.—Bras.  
*intermedia*, DC. l. c. 225, nomen (Quid ?)—Bras.  
*longa*, DC. l. c. 180.—Bras.  
*multiflora*, Mart. ex DC. l. c. 179 = *Cuspidaria multiflora*.  
*nitidula*, DC. l. c. 181.—Bras.  
*obliqua*, Sond. in Linnaea, xxii. (1849) 561.—Bras.  
*pauciflora*, Mart. ex DC. Prod. ix. 179 = *Cuspidaria pauciflora*.  
*pubescens*, DC. l. c. 180.—Bras.  
*rubicunda*, Miers, in Proc. Roy. Hort. Soc. iii. (1863) 196.—Bras.  
*Schomburgkii*, Klotzsch, in Schomb. Faun. & Fl. Gui. 1158, nomen.—Guian.  
*Spruceana*, Bur. in Baill. Adansonia, viii. (1867–68) 279.—Peruv.  
*umbrosa*, Bur. l. c. 282.—Bras.; N. Granat.  
*virginalis*, DC. Prod. ix. 181.—Bras.

**LUNDIA**, Puer. ex DC. Prod. ii. 64, in syn. (1825) = **Buchanania**, Roxb. (Anacard.).  
*mangiferoides*, Puer. ex DC. l. c. = *B. Lanza*.

**LUNDIA**, Schum. & Thonn. Beskr. Guin. Pl. 231 (1827) = **Oncoba**, Forsk. (Bixin.).  
*monacantha*, Schum. & Thonn. l. c. = *O. monacantha*.

**LUNGIA**, Steud. Nom. ed. II. i. 752, in syn. (1840), sphalm. = **LANGIA**, Endl. = **Hermbstædia**, Reichb. (Amarant.).

**LUNTIA**, Neck. Elem. ii. 335 (1790) = **Croton**, Linn. (Euphorb.).  
*sericea*, Rafin. Sylva Tellur. 62 = *C. matourensis*.

**LUPINASTER**, Buxb. ex Heist. Syst. 9 (1748) = **Trifolium**, Tourn. (Legum.).  
*africanus*, Eckl. & Zeyl. Enum. 223 = *T. africanum*.  
*albus*, Hort. Gorenk. ex Ledeb. Fl. Ross. i. 552 = *T. Lupinaster*.  
*albus*, Link, Handb. ii. 174 = *T. Lupinaster*.



## LUPINASTER:—

- alpinus*, Presl, Symb. Bot. i. 47 = *T. alpinum*.  
*amabilis*, Presl, l. c. = *T. amabile*.  
*Burchellianus*, Eckl. & Zeyh. Enum. 222 = *T. africanum*.  
*Buxbaumii*, Presl, Symb. Bot. i. 47 = *T. Buxbaumii*.  
*chilensis*, Presl, Rep. Bot. i. 4, in nota = *T. chilensis*.  
*circumdatus*, Presl, Symb. Bot. i. 50, adnot. = *T. circumdatum*.  
*depauperatus*, Presl, l. c. = *T. depauperatum*.  
*Ecklonianus*, Presl, l. c. 47 = *T. Burchellianum*.  
*eximius*, Presl, l. c. = *T. eximium*.  
*hirsutus*, Presl, Bot. Bemerk. 52 = *T. africanum*.  
*Hookeri*, Presl, Rep. Bot. i. 4, in nota = *T. polymorphum*.  
*involutum*, Presl, Symb. Bot. i. 47 = *T. involutum*.  
*macrocephalus*, Pursh, Fl. Am. Sept. ii. 479 = *T. megacephalum*.  
*ochreatus*, Presl, Symb. Bot. i. 47 = *T. ochreatum*.  
*pentaphyllus*, Moench, Meth. Suppl. 50 = *T. Lupinaster*.  
*purpurascens*, Fisch. ex DC. Prod. ii. 204 = *T. Lupinaster*.  
*uniflorus*, Presl, Symb. Bot. i. 47 = *T. uniflorum*.  
*Wormskioldii*, Presl, l. c. = *E. involutum*.

## LUPINUS, [Tourn.] Linn. Syst. ed. I (1735).

- LEGUMINOSAE*, Benth. & Hook. f. i. 480.  
*affinis*, Agardh, Syn. Gen. Lupin. 20, partim.—Calif.  
*africanus*, Lour. Fl. Cochinch. 429.—Afr. trop.  
*albescentis*, Hook. & Arn. in Hook. Bot. Misc. ii. (1833) 201 = *multiflorus*.  
*albicaulis*, Dougl. in Hook. Fl. Bor. Am. i. 165.—Am. bor. occ.  
*albicaulis*, Hook. Lond. Journ. Bot. vi. (1847) 216 = *leucophyllus*, sericeus.  
*albicaulis*, Torr. ex Stansb. Rep. 386 = *holosericeus*.  
*albifrons*, Benth. in Trans. Hort. Soc. Ser. II. i. (1835) 410 = *Chamissonis*.  
*albus*, Linn. Sp. Pl. 721.—Europ. austr.  
*alopecuroides*, Desr. in Lam. Encyc. iii. 626.—Peruv.  
*Andersoni*, S. Wats. Bot. King's Exp. 58.—Calif.  
*andicola*, Gill. in Hook. Bot. Misc. iii. (1833) 201.—Chili.  
*angustifolius*, Blanco, Fl. Filip. ed. I. 566 = *Zornia diphylla*.  
*angustifolius*, DC. Fl. Fr. iv. 507 = *reticulatus*.  
*angustifolius*, Linn. Sp. Pl. 721.—Reg. Mediterr.  
*arbores*, Sims, Bot. Mag. t. 682.—Calif.  
*arbutus*, Dougl. ex Lindl. Bot. Reg. 1230 = *laxiflorus*.  
*arcticus*, S. Wats. in Proc. Am. Acad. viii. (1873) 526.—Am. bor. occ.  
*arenarius*, Gardn. in Hook. Ic. Pl. t. 511.—Bras.  
*argenteus*, Agardh, Syn. Gen. Lupin. 27 = *ornatus*.  
*argenteus*, Pursh, Fl. Am. Sept. ii. 468.—Am. bor. occ.  
*argenteus*, S. Wats. Bot. King's Exp. 55 = *laxiflorus*.  
*argyraeus*, DC. Prod. ii. 408.—Hort. Teneriff.  
*aridus*, Dougl. in Lindl. Bot. Reg. t. 1242.—Am. bor. occ.  
*aridus*, S. Wats. Bot. King's Exp. 57 = *Kingii*.  
*arizonicus*, S. Wats. in Proc. Am. Acad. xii. (1877) 250.—Arizona.  
*arvensis*, Benth. Pl. Hartw. 128.—Peruv.  
*Aschenbornii*, S. Schau. in Linnaea, xx. (1847) 739.—Mexic.  
*attenuatus*, Gardn. in Hook. Ic. Pl. t. 511.—Bras.  
*aureonitens*, Gill. in Hook. Bot. Misc. ii. (1833) 201.—Chili.  
*aureus*, Agardh, Syn. Gen. Lupin. 8.—Peruv.  
*barbiger*, S. Wats. in Proc. Am. Acad. viii. (1873) 528.—Am. bor. occ.  
*Barkeri*, Lindl. Bot. Reg. (1839) t. 56.—Mexic.  
*bicolor*, A. Gray, in Proc. Bost. Soc. Nat. Hist. vii. (1859–61) 146 = *nanus*.  
*bicolor*, Lindl. Bot. Reg. t. 1109 = *micranthus*.  
*bilineatus*, Benth. Pl. Hartw. 11 = *Hartwegii*.  
*bimaculatus*, Desr. in Lam. Encyc. iii. 626.—Peruv.  
*bimaculatus*, Hook. ex D. Don, in Sweet, Flow. Gard. Ser. II. t. 314 = *subcarinosus*.  
*Bivonii*, Presl, Fl. Sicul. i. p. xxiv = *L. Termis*.  
*Blaschkeanus*, Fisch. & Mey. Ind. Sem. Hort. Petrop. xi. Suppl. 57 = *nootkatensis*.  
*bogotensis*, Benth. Pl. Hartw. 168.—N. Granat.  
*bracteolaris*, Desr. in Lam. Encyc. iii. 622.—Reg. Argent.  
*brevicaulis*, Griseb. in Goett. Abh. xxiv. (1879) 98.—Reg. Argent.

## LUPINUS:—

- brevicaulis*, S. Wats. Bot. King's Exp. 53.—Am. bor. occ.  
*Breweri*, A. Gray, in Proc. Am. Acad. vii. (1868) 334.—Calif.  
*Bridgesii*, A. Gray, ex S. Wats. l. c. viii. (1873) 538 = *luteolus*.  
*Burkei*, S. Wats. l. c. 525.—Am. bor. occ.  
*caespitosus*, Benth. Pl. Hartw. 169.—Peruv.  
*caespitosus*, Nutt. ex Torr. & Gray, Fl. N. Am. i. 379.—Am. bor. occ.  
*calcaratus*, Kellogg, in Proc. Calif. Acad. ii. (1863) 195. f. 60.—Am. bor. occ.  
*californicus*, Hort. ex C. Koch, Wochenschr. i. (1858) 80 = *elegans*.  
*campestris*, Cham. & Schlecht. in Linnaea, v. (1830) 589.—Mexic.  
*canaliculatus*, Sweet, Brit. Flow. Gard. Ser. I. iii. t. 283.—Reg. Argent.  
*canus*, Hemsl. Biol. Centr. Am. Bot. i. 229.—Mexic.  
*caudatus*, Kellogg, in Proc. Calif. Acad. ii. (1863) 197 = *laxiflorus*.  
*cervinus*, Kellogg, l. c. 229. t. 73 = *affinis*.  
*Chamissonis*, Eschsch. in Mém. Acad. Pétersb. x. (1826) 288.—Am. bor. occ.  
*chrysomelas*, Casar. Nov. Stirp. Bras. Dec. 52.—Bras.  
*citrus*, Kellogg, in Proc. Calif. Acad. vii. (1877) 93.—Calif.  
*Clarkei*, Oerst. in Kjoeb. Vidensk. Meddel. (1853) 1.—Costa Rica.  
*cochinchinensis*, Lour. Fl. Cochinch. 429 = *Crotalaria retusa*.  
*comptus*, Mart. ex Benth. in Mart. Fl. Bras. xv. i. 14.—Bras.  
*concinus*, Agardh, Syn. Gen. Lupin. 6.—Am. bor. occ.  
*concinus*, S. Wats. Bibliog. Ind. N. Am. Bot. 237 = *lepidus*.  
*confertus*, Kellogg, in Proc. Calif. Acad. ii. (1863) 192.—Calif.  
*Consentini*, Walp. Rep. i. 596 = *Cosentini*.  
*coriaceus*, Benth. in Ann. Nat. Hist. Ser. I. iii. (1839) 430.—Bras.  
*Cosentini*, Guss. Fl. Sic. Prod. ii. 398 = *digitatus*.  
*criticus*, Reichb. f. Ic. Fl. Germ. xxii. 36.—Dalmatia.  
*crotalariaeoides*, Mart. ex Benth. in Mart. Fl. Bras. xv. i. 11.—Bras.  
*Cruckshanksii*, A. Gray, Bot. U. St. Expl. Exped. i. 393.—Peruv.  
*Cruckshanksii*, Hook. Bot. Mag. t. 3056.—Peruv.; Chili.  
*cytisoides*, Agardh, Syn. Gen. Lupin. 18 = *rivularis*.  
*Danaus*, A. Gray, in Proc. Am. Acad. vii. (1868) 335 = *Lyallii*.  
*decumbens*, Torr. in Ann. Lyc. N. York, ii. (1828) 191 = *argenteus*.  
*decumbens*, Torr. in Pacif. Rail. Rep. iv. 81 = *laxiflorus*?  
*decurrens*, Gardn. in Hook. Ic. Pl. t. 521.—Bras.  
*densiflorus*, Agardh, Syn. Gen. Lupin. 3 = *microcarpus*.  
*densiflorus*, Benth. in Trans. Hort. Soc. Ser. II. i. (1835) 410.—Calif.  
*densiflorus*, Nutt. ex Torr. & Gray, Fl. N. Am. i. 379 = *leucophyllus*.  
*diffusus*, Nutt. Gen. Am. ii. 93.—Am. bor.  
*digitatus*, Forsk. Fl. Aegypt. Arab. 131.—Aegypt.  
*Douglasii*, Agardh, Syn. Gen. Lupin. 34.—Calif.  
*Douglasii*, Guss. Fl. Sic. Syn. ii. 852 in syn. = *micranthus*.  
*Douglasii*, Torr. Bot. Mex. Bound. 57 = *Chamissonis*.  
*Ehrenbergii*, Schlecht. in Linnaea, xii. (1832) 334.—Mexic.  
*elegans*, H. B. & K. Nov. Gen. et Sp. vi. 477.—Mexic.  
*exaltatus*, Zucc. in Abh. Akad. Muench. i. (1832) 345.—Mexic.  
*falcifer*, Nutt. ex Torr. & Gray, Fl. N. Am. i. 378.—Am. bor.  
*flabellaris*, Bertol. Fl. Guatim. 30.—Guatemala.  
*flexuosus*, Lindl. ex Agardh, Syn. Gen. Lupin. 34.—Am. bor. occ.  
*flexuosus*, S. Wats. Bot. King's Exp. 55, 56 = *holosericeus*, *laxiflorus*, *lepidus*, *sericeus*.  
*foliolosus*, Benth. Pl. Hartw. 170.—Peruv.  
*foliosus*, Hook. Lond. Journ. Bot. vi. (1847) 215 = *laxiflorus*.  
*foliosus*, Nutt. ex Torr. & Gray, Fl. N. Am. i. 377 = *albicaulis*.  
*Forskählei*, Boiss. Diagn. Ser. I. ix. 10 = *digitatus*.

## LUPINUS:—

- fruticosus*, Hort. ex Steud. Nom. ed. II. ii. 78 = *arbores*.  
*glabellus*, Mart. & Gal. in Bull. Acad. Brux. x. (1843) 37.—Mexic.  
*glabratus*, Agardh, Syn. Gen. Lupin. 24.—Hab. ?  
*gracilis*, Agardh, l. c. 15.—Calif.  
*gracilis*, Durand & Hilg. in Pacif. Rail. Rep. v. 7 = *micranthus*, *sparsiflorus*.  
*gracilis*, Kunth, Mimos. 182. t. 52 = *sarmentosus*.  
*gracilis*, Nutt. in Journ. Acad. Philad. vii. (1834) 115 = *Nuttallii*.  
*gracius*, Boiss. & Sprun. Diagn. Ser. I. ii. 15.—Graecia.  
*grandifolius*, Lindl. ex Agardh, Syn. Gen. Lupin. 18 = *polyphyllus*.  
*Grayii*, S. Wats. in Proc. Am. Acad. xi. (1876) 126.—Calif.  
*guadalupensis*, Greene, in Bull. Calif. Acad. i. iv. (1885) 184.—Calif.  
*guadalupeensis*, Hort. ex Steud. Nom. ed. II. ii. 78 = *Cyamopsis psoraleoides*.  
*guatemalensis*, Hort. l. c. = *Cyamopsis psoraleoides*.  
*Gussoneanus*, Agardh, Syn. Gen. Lupin. 5 = *hirsutus*.  
*Hartwegii*, Lindl. Bot. Reg. (1839) t. 31.—Mexic.  
*Havardi*, S. Wats. in Proc. Am. Acad. xvii. (1881–82) 369.—Am. bor.  
*hexaedrus*, [Fourn. in] Bull. Soc. Bot. Fr. xiii. (1866) 214, lapsu = *Lathyrus hexaedrus*.  
*Hilarianus*, Benth. in Mart. Fl. Bras. xv. i. 15.—Bras.  
*hirsutissimus*, Benth. in Trans. Hort. Soc. N. S. i. (1835) i. 411.—Calif.  
*hirsutissimus*, A. Gray, in Ives's Rep. 9 = *concinus*.  
*hirsutus*, Eichw. Casp. Cauc. 23 = *albus*.  
*hirsutus*, Linn. Sp. Pl. 721.—Reg. Mediterr.  
*hirsutus*, Sieber, ex Guss. Fl. Sic. Prod. ii. 399 = *digitatus*.  
*hispanicus*, Boiss. & Reut. Diagn. Pl. Nov. Hisp. 17.—Reg. Mediterr.  
*holosericeus*, A. Gray, in Proc. Am. Acad. viii. (1873) 379 = *Chamissonis*.  
*holosericeus*, Nutt. ex Torr. & Gray, Fl. N. Am. i. 380.—Am. bor. occ.  
*Hornemanni*, Agardh, Syn. Gen. Lupin. 22.—Peruv.  
*humifusus*, Benth. Pl. Hartw. 169.—N. Granat.  
*hybridus*, Lem. Illustr. Hort. v. (1858) t. 163 = *insignis*.  
*incanus*, R. Grah. in Edinb. N. Phil. Journ. (Jan. 1884) 178.—Am. austr.  
*insignis* x, Lem. Illustr. Hort. v. (1858) t. 163.  
*integrifolius*, Desr. in Lam. Encyc. iii. 627 = *villosus*.  
*integrifolius*, Linn. Pl. Afr. Rar. 17; *Amoen. Acad.* vi. 43.—Afr. austr.  
*interruptus*, Benth. Pl. Hartw. 168.—N. Granat.  
*javanicus*, Burm. f. Fl. Ind. 157 (Quid ?).—Java.  
*Kingii*, S. Wats. in Proc. Am. Acad. viii. (1873) 534.—Am. bor. occ.  
*Kunthii*, Agardh, Gen. Syn. Lupin. 40.—Ecuador.  
*labiatus*, Nutt. ex Torr. & Gray, Fl. N. Am. i. 376 = *rivularis*.  
*lacteus*, Kellogg, in Proc. Calif. Acad. v. (1875) 37 = *microcarpus*.  
*laevigatus*, Benth. in Mart. Fl. Bras. xv. i. 13.—Bras.  
*lanatus*, Benth. l. c. 16.—Bras.  
*latifolius*, Lindl. ex Agardh, Syn. Gen. Lupin. 18 = *rivularis*.  
*laxiflorus*, Dougl. in Lindl. Bot. Reg. t. 1140.—Am. bor. occ.  
*laxiflorus*, Hook. in Lond. Journ. Bot. vi. (1847) 215 = *argenteus*.  
*laxiflorus*, Torr. in Pacif. Rail. Rep. iv. 81 = *albicaulis*.  
*laxiflorus*, S. Wats. Bot. King's Exp. 55 = *calcaratus*.  
*laxifolius*, A. Gray, in Proc. Am. Acad. viii. (1873) 379 = *laxiflorus*.  
*leonensis*, S. Wats. l. c. xvii. (1881–82) 333.—Mexic.  
*lepidus*, Dougl. ex Lindl. Bot. Reg. t. 1149.—Am. bor. occ.  
*leptocarpus*, Benth. Pl. Hartw. 11.—Mexic.  
*leptophyllus*, Benth. in Trans. Hort. Soc. Ser. II. i. (1835) 409.—Calif.  
*leptophyllus*, Cham. & Schlecht. in Linnaea, v. (1830) 589 = *Schiedeanus*.  
*leucophyllus*, Dougl. ex Lindl. Bot. Reg. t. 1124.—Am. bor. occ.  
*leucopsis*, Agardh, Gen. Syn. Lupin. 29 = *ornatus*.  
*leucopsis*, S. Wats. Bot. King's Exp. 56 = *holosericeus*.



**LUPINUS:—**

leucospermus, Boiss. *Diagn. Ser. I. ix. 8.*—Hispan.  
 Lindleyanus, Agardh, *Syn. Gen. Lupin. 9.*—Peruv.  
 linearis, Desr. in *Lam. Encyc. iii. 625.*—Reg. Argent.  
 linifolius, Roth, *Bot. Abh. 14. t. 5* = reticulatus.  
 littoralis, Dougl. ex Lindl. *Bot. Reg. t. 1198.*—Am. bor.  
 occ.  
 littoralis, Torr. *Bot. Mex. Bound. 58* = Chamissonis.  
 lucidus, Benth. ex Loud. *Hort. Brit. Suppl. ii. 647* =  
 lepidus?  
 Ludovicianus, Greene, in *Bull. Calif. Acad. i. iv.*  
 (1885) 184.—Calif.  
 luteolus, Kellogg, in *Proc. Calif. Acad. v. (1875) 38.*—  
 Calif.  
 luteus, Linn. *Sp. Pl. 721.*—Reg. Mediterr.  
 Lyalli, A. Gray, in *Proc. Am. Acad. vii. (1868) 334.*  
 —Am. bor. occ.  
 macrocarpus, Hook. & Arn. *Bot. Beech. Voy. 138* =  
 arboreus.  
 macrocarpus, Torr. in *Pacif. Rail. Rep. iv. 81* =  
 Chamissonis.  
 macrophyllus, Benth. in *Sweet, Brit. Flow. Gard. ii.*  
*Ser. II. iv. t. 356* = polyphyllus.  
 macrorhizos, Georgi, *Beschr. Russ. Reich. III. iv. 1162*  
 = nootkatensis.  
 maderensis, Seem. *Bot. Voy. Herald, 278. t. 53.*—  
 Mexic.  
 Marschallianus, Sweet, *Brit. Flow. Gard. Ser. I. ii.*  
*t. 139.*—Mexic.  
 meionanthus, A. Gray, in *Proc. Am. Acad. vi. (1864-65) 522.*—Am. bor. occ.  
 meionanthus, S. Wats. *Bot. King's Exp. 56* = holo-  
 sericeus.  
 Mensiesii, Agardh, *Syn. Gen. Lupin. 2* = densiflorus.  
 Mensiesii, Torr. *Bot. Mex. Bound. 57* = microcarpus.  
 mexicanus, Cerv. in *Lag. Gen. et Sp. Nov. 22.*—  
 Mexic.  
 mexicanus, A. Gray, *Pl. Wright. ii. 49* = Sitgreavesii.  
 mexicanus, Torr. in *Sitr. Rep. 158* = albicaulis.  
 micranthus, Dougl. ex Lindl. *Bot. Reg. t. 1251.*—Am.  
 bor. occ.  
 micranthus, Guss. *Fl. Sic. Prod. ii. 400* = hirsutus.  
 microcarpus, Sims, *Bot. Mag. t. 2413.*—Am. bor. occ.  
 microphyllus, Desr. in *Lam. Encyc. iii. 624.*—Peruv.  
 microphyllus, H. B. & K. *Nov. Gen. et Sp. vi. 473* =  
 Kunthii.  
 microphyllus, Nutt. ex Torr. & Gray, *Fl. N. Am. i. 372*  
 = gracilis.  
 Milleri, Agardh, *Syn. Gen. Lupin. 43* (Quid?).—Hab.?  
 minimus, Dougl. in *Hook. Fl. Bor. Am. i. 163.*—Am.  
 bor. occ.  
 montanus, H. B. & K. *Nov. Gen. et Sp. vi. 477.*—  
 Mexic.  
 Moritzianus, [Kunth] in *Gartenfl. (1852) 10.*—Cf. Vathe,  
*Ind. Sem. Hort. Berol. (1876) App. 3* = elegans.  
 multiflorus, Desr. in *Lam. Encyc. iii. 624.*—Reg.  
 Argent.  
 mutabilis, Lindl. *Bot. Reg. t. 1539* = Cruckshanksii,  
 Hook.  
 mutabilis, Sweet, *Brit. Flow. Gard. Ser. I. ii. t. 130.*  
 —N. Granat.  
 nanus, Dougl. ex Benth. in *Trans. Hort. Soc. N. S. i.*  
*(1835) 409.*—Calif.  
 nitidissimus, Benth. in *Proc. Linn. Soc. i. (1841) 109.*  
 —Bras.  
 niveus, S. Wats. in *Proc. Am. Acad. xi. (1876) 114, 126.*  
 —Calif.  
 nootkatensis, Donn, *Cat. Hort. Cantab. ed. III. 135*;  
 Sims, *Bot. Mag. t. 1311.*—Am. bor. occ.; As. bor. or.  
 nubigenus, Kunth, *Mimos. 174. t. 50.*—Peruv.  
 nutcanus, Spreng. *Syst. iii. 227* = nootkatensis.  
 nutkatensis, Cooper, in *Pacif. Rail. Rep. xii. 58* =  
 littoralis.  
 Nuttallii, S. Wats. in *Proc. Am. Acad. viii. (1873) 526.*  
 —Am. bor.  
 odoratus, Hort. ex DC. *Prod. ii. 408* = luteus.  
 onustus, S. Wats. in *Proc. Am. Acad. xi. (1876) 127.*  
 —Calif.  
 Orcuttii, S. Wats. *l. c. xx. (1835) 359.*—Calif.  
 ornatus, Dougl. ex Lindl. *Bot. Reg. t. 1216.*—Am. bor.  
 occ.  
 ornatus, Newberry, in *Pacif. Rail. Rep. vi. 70* =  
 argenteus.  
 ornatus, Nutt. in *Journ. Acad. Philad. vii. (1834) 20* =  
 sericeus.  
 ornatus, Torr. in *Pacif. Rail. Rep. iv. 81* = Chamissonis.  
 ovalifolius, Benth. in *Mart. Fl. Bras. xv. i. 11.*—Bras.  
 palaestinus, Boiss. *Diagn. Ser. I. ix. 9.*—Palestin.

**LUPINUS:—**

Palmeri, S. Wats. in *Proc. Am. Acad. viii. (1873) 530.*  
 —Calif.  
 palustris, Kellogg, in *Proc. Calif. Acad. v. (1875) 16* =  
 microcarpus.  
 paniculatus, Desr. in *Lam. Encyc. iii. 624.*—Peruv.  
 parviflorus, Nutt. ex Hook. & Arn. *Bot. Beech. Voy.*  
*336.*—Am. bor. occ.  
 parvifolius, Gardn. in *Hook. Ic. Pl. t. 521.*—Bras.  
 perennis, Linn. *Sp. Pl. 721.*—Am. bor.  
 perennis, Richards, *Frankl. Journ. App. 17* = arcticus.  
 philistaeus, Boiss. *Diagn. Ser. I. ix. 9* = reticulatus.  
 Pickeringii, A. Gray, *Bot. U. St. Expl. Exped. i. 392.*  
 —Peruv.  
 pilosissimus, Mart. & Gal. in *Bull. Acad. Brux. x.*  
*(1843) 37.*—Mexic.  
 pilosus, Murr. *Syst. ed. XIII. 545.*—Europ. austr.  
 pilosus, Walt. *Fl. Carol. 180* = villosus.  
 plattensis, S. Wats. in *Proc. Am. Acad. xvii. (1881-82)*  
*369.*—Am. bor. occ.  
 plumosus, Dougl. ex Lindl. *Bot. Reg. t. 1217* = leuco-  
 phyllus.  
 polyphyllus, Ch. Anders. *Cat. Pl. Nevad. 119* = Burkei.  
 polyphyllus, Lindl. *Bot. Reg. t. 1096.*—Calif.  
 prolifer, Desr. in *Lam. Encyc. iii. 622* = L. Termis.  
 prostratus, Agardh, *Syn. Gen. Lupin. 39.*—Peruv.  
 pubescens, Benth. *Pl. Hartw. 169.*—N. Granat.  
 pulchellus, Sweet, *Brit. Flow. Gard. Ser. II. t. 67.*—  
 Mexic.  
 pusillus, Ch. Anders. *Cat. Pl. Nevad. 119*, partim =  
 brevicaulis.  
 pusillus, Pursh, *Fl. Am. Sept. ii. 468.*—Am. bor. occ.  
 pusillus, Torr. *Bot. Mex. Bound. 57*, partim = con-  
 cinnus.  
 ramosissimus, Benth. *Pl. Hartw. 170.*—N. Granat.  
 recurvatus, Meyen, *Reise, i. 314.*—Chili.  
 regius, Rudolph, ex Torr. & Gray, *Fl. N. Am. i. 376*  
 = nootkatensis.  
 reticulatus, Desr. in *Ann. Sc. Nat. Sér. II. iii. (1835)*  
*100.*—Europ.  
 rivularis, Agardh, *Syn. Gen. Lupin. 24* = arboreus.  
 rivularis, Dougl. ex Lindl. *Bot. Reg. t. 1595.*—Am. bor.  
 occ.  
 rivularis, Torr. in *Pacif. Rail. Rep. iv. 81* = Chamis-  
 sonis.  
 rupestris, H. B. & K. *Nov. Gen. et Sp. vi. 626.*—Peruv.  
 Sabinianus, Dougl. ex Lindl. *Bot. Reg. t. 1435* = seq.  
 Sabinii, Dougl. ex Hook. *Fl. Bor. Am. i. 166.*—Am. bor.  
 occ.  
 sarmentosus, Desr. in *Lam. Encyc. iii. 474.*—Peruv.  
 sativus, Gater. *Desc. Pl. Montaub. 126* = albus.  
 Schiedeianus, Steud. *Nom. ed. II. ii. 78.*—Mexic.  
 sellulus, Kellogg, in *Proc. Calif. Acad. v. (1875) 36* =  
 confertus.  
 semiverticillatus, Desr. in *Lam. Encyc. iii. 623* = varius.  
 semperflorens, Hartw. ex Benth. *Pl. Hartw. 128.*—Peruv.  
 sericeus, Kellogg, in *Proc. Calif. Acad. vii. (1877) 92*  
 = Chamissonis.  
 sericeus, Cooper, in *Pacif. Rail. Rep. xii. 52* = ornatus.  
 sericeus, Eschsch. in *Mém. Acad. Sc. Pétersb. (1826)*  
*289* = arboreus.  
 sericeus, Hook. & Arn. *Bot. Beech. Voy. 138* =  
 Chamissonis.  
 sericeus, Nutt. in *Journ. Acad. Philad. vii. (1834) 19* =  
 Wyethii.  
 sericeus, Pursh, *Fl. Am. Sept. ii. 468.*—Am. bor. occ.  
 sericeus, Torr. & Gray, *Fl. N. Am. i. 379*, partim =  
 sulphureus?  
 Sileri, S. Wats. in *Proc. Am. Acad. x. (1875) 345* =  
 Kingii.  
 Sitgreavesii, S. Wats. *l. c. viii. (1873) 527.*—Am. bor.  
 occ.  
 Smithianus, Kunth, *Mimos. 177. t. 51.*—Ecuador.  
 sparsiflorus, Benth. *Pl. Hartw. 303.*—Calif.  
 sparsiflorus, Torr. in *Pacif. Rail. Rep. iv. 81*, partim =  
 concinnus, hirsutissimus.  
 sparsiflorus, Torr. *l. c. v. 360* = nanus.  
 stipulatus, Agardh, *Syn. Gen. Lupin. 23.*—Mexic.  
 Stiveri, Kellogg, in *Proc. Calif. Acad. ii. (1863) 192.*  
*f. 58.*—Am. bor. occ.  
 stoloniferus, Linn. *Cent. Pl. i. 23* (Quid?).—Sicil.; Arab.  
 subacaulis, Griseb. in *Goett. Abh. xxiv. (1879) 98.*—  
 Reg. Argent.  
 subcarnosus, Hook. *Bot. Mag. t. 3467.*—Texas.  
 subsessilis, Benth. in *Ann. Nat. Hist. Ser. I. iii. (1839)*  
*430.*—Bras.  
 succulentus, Dougl. ex C. Koch, *Ind. Sem. Hort. Berol.*  
*(1867) App. i. 11* = densiflorus.

**LUPINUS:—**

sulphureus, Dougl. in *Hook. Fl. Bor. Am. i. 166.*—Am.  
 bor. occ.  
 sulphureus, S. Wats. *Bot. King's Exp. 57* = cal-  
 caratus.  
 sylvaticus, Hemsl. *Biol. Centr. Am. Bot. i. 231.*—  
 Mexic.  
 sylvestris, Lam. *Fl. Fr. ii. 627* = varius.  
 Tauris, Benth. *Pl. Hartw. 128.*—Peruv.  
 tenellus, Dougl. ex G. Don, *Gen. Syst. ii. 367* =  
 argenteus.  
 Termis, Forsk. *Fl. Aegypt. Arab. 131.*—Reg. Mediterr.  
 or.  
 texensis, Hook. *Bot. Mag. t. 3492* = subcarnosus.  
 Thermis, Gasp. in *Atti Acc. Nap. vi. (1851) 229. t. 10*  
 = L. Termis.  
 thermus, St. Lag. in *Ann. Soc. Bot. Lyon, vii. (1880)*  
*129* = praec.  
 tomentosus, DC. *Prod. ii. 409.*—Peruv.  
 tominensis, Wedd. *Chlor. And. ii. 251.*—Bolivia.  
 Torreyi, A. Gray, ex S. Wats. *Bot. King's Exp. 58* =  
 confertus.  
 trifidus, Torr. ex S. Wats. in *Proc. Am. Acad. xii.*  
*(1877) 250.*—Calif.  
 trifoliatus, Cav. *l. c. i. 43* = Cyamopsis psoraloides.  
 trifoliatus, Rottl. in *Ges. Naturf. Fr. Berl. Neue Schr.*  
*iv. (1803) 223. t. 5* = Crotalaria trifoliatum.  
 tristis, Sweet, *Hort. Brit. ed. III. 191* = Acacia tristis.  
 trochophyllus, Hoffmgg. *Preis. Pfl. viii. Nachtr. 45*;  
 ex Walp. *Rep. i. 605.*—Am. bor.  
 truncatus, Nutt. ex Hook. & Arn. *Bot. Beech. Voy.*  
*336.*—Calif.  
 uncialis, S. Wats. *Bot. King's Exp. 54. t. 7.*—Am. bor.  
 occ.  
 uncinatus, Schlecht. in *Linnaea, xii. (1838) 333.*—  
 Mexic.  
 vaginans, Benth. in *Mart. Fl. Bras. xv. i. 12.*—Bras.  
 vaginatus, Cham. & Schlecht. in *Linnaea, v. (1830)*  
*590.*—Mexic.  
 variegatus, Poir. *Encyc. Suppl. iii. 520* = nootkatensis.  
 varicolor, Steud. *Nom. ed. II. ii. 78* = littoralis.  
 varius, Gaertn. *Fruct. i. 324. t. 150 f. 4* = albus.  
 varius, Linn. *Sp. Pl. 721.*—Europ. austr.  
 varius, Savi, *Fl. Pis. ii. 178* = angustifolius.  
 varius, Urv. in *Mém. Soc. Linn. Par. i. (1822) 342* =  
 pilosus.  
 velutinus, Benth. in *Ann. Nat. Hist. Ser. I. iii. (1839)*  
*430.*—Bras.  
 venustus, Hort. ex Vilm. *Fl. Pl. Terre, ed. I. 480.*—  
 Calif.  
 versicolor, Lindl. *Bot. Reg. t. 1979* = littoralis.  
 versicolor, Sweet, *Brit. Flow. Gard. Ser. II. t. 12.*—  
 Mexic.  
 villosus, Willd. *Sp. Pl. iii. 1029.*—Am. bor.  
 Wyethii, S. Wats. in *Proc. Am. Acad. viii. (1873) 525.*  
 —Am. bor. occ.

LUPSIA, Neck. *Elem. i. 71* (1790) = Galactites,  
 Moench (Compos.).

LUPULARIA, Opiz, Seznam, 61 (1852) = Medicago,  
 Tourn. (Legumin.).  
 parviflora, Opiz, *l. c.* = M. lupulina.

LUPULUS, Tourn. ex Mill. *Gard. Dict. ed. VI. (1752)*  
 = Humulus, Linn. (Urtic.).  
 amarus, Gilib. *Exercit. ii. 451* = H. Lupulus.  
 communis, Gaertn. *Fruct. i. 358. t. 75* = H. Lupulus.  
 Humulus, Mill. *Gard. Dict. ed. VIII.* = H. Lupulus.  
 scandens, Lam. *Fl. Fr. ii. 217* = H. Lupulus.

LUSCADIUM, Endl. *Gen. Suppl. v. 94* (1850) = LASCA-  
 DIUM, Rafin. ('nomen delendum').

LUSEKIA, Opiz, Seznam, 61 (1852) = Salix, Linn.  
 laurina, Opiz, *l. c.* = S. pentandra.

LUSSACIA, Spreng. *Syst. ii. 294* (1825) = Gaylussacia,  
 H. B. & K. (Vaccin.).  
 buxifolia, Spreng. *l. c.* = G. buxifolia.  
 hispida, Spreng. *l. c. iv. Cur. Post. 160* = G. Pseudo-  
 Gaultheria.  
 incana, Spreng. *l. c.* = G. thymelaecoides.  
 pinifolia, Spreng. *l. c.* = G. pinifolia.  
 Rhododendron, Spreng. *l. c.* = G. Rhododendron.  
 rugosa, Spreng. *l. c.* = G. rugosa.  
 salicifolia, Spreng. *l. c.* = G. salicifolia.  
 Vaccinium, Spreng. *l. c.* = G. brasiliensis.



LUSTRINIA, Rafn. Fl. Tellur. iv. 62 (1836) = **Dianthera**, Gronov. (Acanth.).  
*geniculata*, Rafn. l. c. = *D. secunda*.

LUSURIAGA, Pers. Syn. i. 373 (1805) = **Luzuriaga**, Ruiz & Pav. (Liliac.).

LUTEOLA, [Tourn.] Rupp. Fl. Jen. ed. Hall. 290 (1745) = **Reseda**, Tourn.  
*complicata*, Webb, Iter Hisp. 67 = *R. complicata*.  
*glauca*, Webb, Otia Hisp. 19 = *R. glauca*.  
*resedoides*, Fuss, Fl. Transs. 86 = *R. luteola*.  
*tinctoria*, Webb & Berth. Phyt. Canar. i. 106 = *R. luteola*.

LUTHERA, Sch. Bip. in Linnaea, x. (1836) 257 = **Krigia**, Schreb. (Compos.).  
*virginica*, Sch. Bip. l. c. = *K. amplexicaulis*.

LUTKEA, Steud. Nom. ed. II. ii. 78 (1841) sphalm. = **LUETKEA**, Bong. = **Spiraea**, Linn. (Rosac.).

LUTROSTYLIS, G. Don, Gen. Syst. iv. 391 (1837) = **Ehretia**, Linn. (Boragin.).  
*inermis*, G. Don, l. c. = *E. fasciculata*.  
*montevicensis*, G. Don, l. c. = *Citharoxylum barbinerve*.  
*spinosa*, G. Don, l. c. = *E. spinosa*.

LUUTIA, Neck. Elem. iii. 396 (1790) = **Croton**, Linn. (Euphorb.).

**LUVUNGA**, Buch.-Ham. in Wall. Cat. n. 6382 (1831).  
**RUTACEAE**, Benth. & Hook. f. i. 304.  
*LAVANGA*, Meissn. Gen. 46; Comm. 34 (1837).  
*calophylla*, Kurz, in Journ. As. Soc. Beng. xxxix. (1870) ii. 69. —Ind. or.  
*eleutherandra*, Dalz. in Hook. Kew Journ. ii. (1850) 258. —Ind. or.; Malaya.  
*Motleyi*, Oliver, in Journ. Linn. Soc. v. Suppl. ii. (1861) 44. —Borneo.  
*sarmentosa*, Kurz, in Journ. As. Soc. Beng. xxxix. (1870) ii. 69 = *eleutherandra*.  
*scandens*, Buch.-Ham. in Wight & Arn. Prod. 90. —Ind. or.; Malaya.  
*scandens*, Thw. Enum. Pl. Zeyl. 47 = *eleutherandra*.  
*tavoyana*, Lindl. in Wall. Cat. n. 6383 = *eleutherandra*.

**LUXEMBERGIA**, A. St. Hil. in Mém. Mus. Par. ix. (1822) 352. **OCHNACEAE**, Benth. & Hook. f. i. 319.  
*PLECTANTHERA*, Mart. Nov. Gen. et Sp. i. 39. t. 36 (1824).  
*angustifolia*, Planch. in Hook. Lond. Journ. Bot. v. (1846) 596. —Bras.  
*ciliosa*, Gardn. in Hook. Ic. Pl. t. 516. —Bras.  
*corymbosa*, A. St. Hil. Pl. Rem. Brés. 335 = *polyandra*.  
*nobilis*, Eichl. ex Engl. in Mart. Fl. Bras. xii. ii. 360. —Am. trop.  
*octandra*, A. St. Hil. in Mém. Mus. Par. ix. (1822) 352. —Bras.  
*polyandra*, A. St. Hil. l. c. —Bras.  
*speciosa*, A. St. Hil. Pl. Rem. Brés. 333. —Bras.

**LUZIOLA**, Juss. Gen. 33 (1789). **GRAMINEAE**, Benth. & Hook. f. iii. 1115.  
*ARROZIA*, Schrad. ex Kunth, Enum. Pl. i. 11 (1833).  
*CARYOCHLOA*, Trin. Gram. Panic. Diss. ii. 54 (1833?).  
*alabamensis*, Chapm. Fl. S. U. St. 584. —Am. bor.  
*brasiliensis*, Moric. Pl. Nouv. Am. 94 = *peruviana*.  
*caroliniana*, Trin. ex Steud. Nom. ed. II. ii. 79 = *Hydrochloa carolinensis*?  
*longivalvis*, Benth. & Hook. f. Gen. iii. 1116, sphalm. —seq.  
*longivalvula*, Doell, in Mart. Fl. Bras. ii. ii. 47. —Am. trop.  
*mexicana*, H. B. & K. Nov. Gen. et Sp. i. 199 = *peruviana*.  
*micrantha*, Benth. in Journ. Linn. Soc. xix. (1881) 55. —Bras.  
*peruviana*, F. F. Gmel. Syst. 637. —Am. austr.  
*peruviana*, G. F. W. Mey. ex Benth. in Journ. Linn. Soc. xix. (1881) 55 = *Spruceana*.

**LUZIOLA** :—

*spiciformis*, Anderss. ex Bal. & Poitrass. in Bull. Soc. Hist. Nat. Toul. xii. (1878) 232. —Paraguay.  
*Spruceana*, Benth. ex Doell, in Mart. Fl. Bras. ii. ii. 18. —Bras.  
*striata*, Bal. & Poitrass. in Bull. Soc. Hist. Nat. Toul. xii. (1878) 231; et in Bull. Soc. Bot. Fr. xxxii. (1885) 243. —Paraguay.

LUZOLA, Sang. in Atti Acc. Pont. Lincei, Ser. I. vi. (1855) 609 = seq.

**LUZULA**, DC. Fl. Fr. iii. 158 (1805). **JUNCACEAE**, Benth. & Hook. f. iii. 868.

**GYMNODES**, Fourr. in Ann. Soc. Linn. Lyon, N. S. xvii. (1809) 172.  
**JUNCOIDES**, Adans. Fam. ii. 47 (1763).  
**LEUCOPHOBA**, Ehrh. Beitr. iv. 148 (1789).  
**LUCIOLA**, Sm. Engl. Fl. ii. 177 (1824).  
**NEMORINIA**, Fourr. in Ann. Soc. Linn. Lyon, N. S. xvii. (1809) 172.

*abyssinica*, Parl. Fl. Ital. ii. 310 = *spicata*.  
*africana*, Drège, Zwei Pfl. Docum. 207, nomen; et in Steud. Syn. Pl. Cyp. 294. —Afr. austr.  
*albida*, Bertol. Fl. Ital. iv. 210 = *pedemontana*.  
*albida*, DC. Fl. Fr. iii. 159. —Europ.  
*Alopecurus*, Desv. Journ. Bot. i. (1808) 159. —Am. merid.

*Alopecurus*, H. B. & K. Nov. Gen. et Sp. i. 238 = *racemosa*, *peruviana*.  
*Alopecurus*, Poepp. ex Kunth, Enum. Pl. iii. 312 = *campestris*.

*alpigena*, Schur, Enum. Pl. Transs. 681 = *albida*.  
*alpina*, Hoppe, ex Sturm, Deutschl. Fl. (1839) Heft 77 = *campestris*.

*Althii*, Herbich, Sel. Pl. Rar. Galic. et Bucov. (1836) 12 = *campestris*.

*altissima*, Turcz. ex Ledeb. Fl. Ross. iv. 217 = *parviflora*.

*angustifolia*, C. Koch, in Linnaea, xxi. (1848) 615 = *campestris*.

*angustifolia*, Poir. Encyc. Suppl. iii. 530. —Carolina.  
*angustifolia*, Wender. ex Steud. Nom. ed. II. ii. 79; Garcke, Fl. Deutschl. ed. III. 348 = *albida*.

*antarctica*, Hook. f. Fl. Antarct. 550; C. Gay, Fl. Chil. vi. 139. —Reg. Magell.

*arctica*, Baer, in Bull. Sc. Acad. Pétersb. iii. (1838) 181 = *arcuta*.

*arctica*, Blytt, Norges Fl. i. (1861) 299 = *hyperborea*.  
*arcuta*, Link, Hort. Berol. ii. 360 = *hyperborea*.

*arcuta*, [Sw.] Summ. Syst. Veg. Scand. 13. —Europ. bor.

*arida*, Steud. Syn. Pl. Cyp. 293 (Quid?). —Labrador.  
*aurea*, Timb. in Bull. Soc. Phys. Sc. Nat. Toul. ii. (1874) 132 (Quid?). —Gallia.

*australasica*, Steud. Syn. Pl. Cyp. 294 = *campestris*.  
*azorica*, H. C. Wats. in Hook. Lond. Journ. Bot. ii. (1843) 408 = *parviflora*.

*Banksiana*, E. Mey. in Linnaea, xxii. (1849) 412 = *picta*.

*barbata*, Liebm. in Kjoeb. Vidensk. Meddel. (1850) 45 = *caricina*.

*Barrelieri*, Pourr. ex Lange, ex Willk. & Lange, Prod. Fl. Hisp. i. 186 = *Forsteri*.

*Berthelotii*, Nees, ex Kunth, Enum. Pl. iii. 298 = *purpurea*.

*boliviensis*, Buchen. in Bremen, Abh. iv. (1874) 128. —Bolivia.

*borealis*, Fries, Summa Veg. Scand. 219 = *Wahlenbergii*.

*Borreri*, Bromf. ex Bab. Man. Bot. ed. III. 333 = *vernalis*.  
*brachyphylla*, Phil. in Linnaea, xxxiii. (1864–65) 268. —Chili.

*brevifolia*, Desv. Journ. Bot. i. (1808) 152 = *lactea*.  
*brunnea*, Froeb. ex Steud. Nom. ed. II. ii. 79 = *spadicea*.

*caespitosa*, F. Gay, ex Steud. Syn. Pl. Cyp. 294. —Hispan.

*calabra*, Tenore, Fl. Nap. iii. 386 = *campestris*.  
*campestris*, Willd. Enum. Hort. Berol. 394, err. typ. = *campestris*.

*campestris*, Bong. in Mém. Acad. Pétersb. ii. (1832) 167 = *comosa*.

*campestris*, DC. Fl. Fr. iii. 161. —Europ.; Am.; Austral.

*campestris*, Soland. in Phipps, Voy. 201 = *hyperborea*.

**LUZULA** :—

*canariensis*, Poir. Encyc. Suppl. iii. 532. —Ins. Canar.

*capensis*, Link, ex G. Don, in Loud. Hort. Brit. Suppl. iii. 582 = *Juncus capensis*?

*capillaris*, Steud. Syn. Pl. Cyp. 293 = *comosa*.  
*caricina*, E. Mey. in Linnaea, xxii. (1849) 418. —Mexic.

*Carolinae*, S. Wats. in Proc. Am. Acad. xiv. (1879) 302. —Am. bor.

*carpatica*, Kit. in Linnaea, xxxii. (1863) 326 = *spadicea*.

*chilensis*, [Nees, in] Meyen, Reise, i. 349, nomen; et ex Kunth, Enum. Pl. iii. 312 = *campestris*.

*Colensoi*, Hook. f. Handb. N. Zeal. Fl. 293. —N. Zel.

*comosa*, E. Mey. Syn. Luz. 21. —Am. bor. occ.

*compacta*, Desf. Tabl. ed. II. 25 = *campestris*?  
*confusa*, Lindeb. in Bot. Notiser, 1855 (1856) 9. —Island.

*congesta*, DC. Fl. Fr. Suppl. 305 = *campestris*.  
*conglomerata*, Mieli. ex Koch, Syn. Fl. Germ. ed. II. 848 = *spicata*.

*crinita*, Hook. f. Fl. Antarct. i. 84. t. 48. —Ins. Antarct.

*cuprina*, Rochel, ex Steud. Nom. ed. II. ii. 79 = *albida*.

*decolor*, Webb & Berth. Phyt. Canar. iii. 350. t. 235 = *Forsteri*.

*denticulata*, Liebm. in Kjoeb. Vidensk. Meddel. (1850) 46 = *gigantea*.

*Desvauxii*, Kunth, Enum. Pl. iii. 304 = *glabrata*.  
*divaricata*, S. Wats. in Proc. Am. Acad. xiv. (1879) 302 = *parviflora*.

*effusa*, Buchen. Krit. Vers. Junc. 53, 88. —Reg. Himal.

*elegans*, Guthnick, ex Seub. Fl. Azor. 23. —Ins. Azor.

*elegans*, Lowe, in Trans. Camb. Phil. Soc. vi. (1838) 532 = *purpurea*.

*erecta*, Desv. Journ. Bot. i. (1808) 156 = *campestris*.  
*excelsa*, Buchen. in Bremen, Abh. iv. (1874) 126. —Bolivia.

*fastigiata*, E. Mey. Syn. Luz. 9 = *parviflora*.  
*flavescens*, Gaud. Agr. ii. 239 = *Hostii*.

*Forsteri*, DC. Syn. Pl. Fl. Gall. (1806) 150. —Europ.; Afr. bor.

*Forsteri*, Lej. Fl. Spa, i. Suppl. 303 = *vernalis*.  
*fuscata*, Schur, Reiseber. 132 = *albida*.

*gigantea*, Desv. Journ. Bot. i. (1808) 145. —Am. austr.

*glabrata*, Desv. l. c. 143. t. 5. f. 3. —Europ.  
*glabrata*, Fries, Novit. Fl. Suec. Mant. ii. 182 = *Wahlenbergii*.

*glomerata*, Mieli. ex Hueben. in Flora, xxii. (1839) 489 = *spicata*.

*gracilis*, Welw. in Journ. Bot. x. (1872) 129 = *purpurea*.

*graeca*, Guss. Fl. Sic. Syn. ii. Add. 816 = *maxima*.  
*graeca*, Kunth, Enum. Pl. iii. 310. —Graecia; Creta.

*hawaiiensis*, Buchen. Krit. Vers. Junc. 54, 85. —Ins. Sandvic.

*Hieronymi*, Buchen. & Griseb. in Goett. Abh. xxiv. (1879) 318. —Reg. Argent.

*Hostii*, Desv. Journ. Bot. i. (1808) 140. t. 6. f. 1. —Europ.

*humilis*, Buchen. in Bremen, Abh. iv. (1874) 125 = *racemosa*.

*hyperborea*, Blytt, [Norges Fl. i. 298] ex Bal. in Journ. Linn. Soc. x. (1868) 333 = *confusa*.

*hyperborea*, R. Br. in Parry, 1st Voy. App. 183. —Lappon.; Norweg.

*intermedia*, Baumg. Enum. Stirp. Transs. iii. 330 = *memorosa*.

*intermedia*, Nocca & Falb. Fl. Ticin. i. 168 = *sylvatica*.

*intermedia*, Spenn. Fl. Friburg. i. 177; Schult. f. Syst. vii. 261 = *campestris*.

*interrupta*, Desv. Journ. Bot. (1808) i. 168 = *racemosa*.

*involucratum*, Steud. ex Buchen. in Bremen, Abh. iv. (1874) 121. —Bolivia.

*italica*, Parl. Fl. Ital. ii. 309 = *spicata*.  
*juncoides*, Poir. Encyc. Suppl. iii. 535 = *Juncus marginatus*.

*labradorica*, Steud. Syn. Pl. Cyp. 291. —Labrador.  
*lactea*, Laharpe, in Mém. Soc. Nat. Hist. Paris (1817) 173 = *pedemontana*.



**LUZULA:—**

- lactea, *E. Mey. Syn. Luz.* 15.—Lusit.; Corsic.; Italia.  
*laetevirens*, Liebm. in Kjoeb. Vidensk. Meddel. (1850) 46 = gigantea.  
*latifolia*, Liebm. l. c. 47 = gigantea.  
 Leiboldi, *Buchen. in Bremen, Abh.* vi. (1879) 418.—Chili.  
 longiflora, *Benth. Fl. Austral.* vii. 123.—Austral.  
 lutea, *DC. Fl. Fr.* iii. 159.—Europ.  
*macrotricha*, Steud. *Syn. Pl. Cyp.* 294 = spicata.  
*macusaniensis*, Steud. in *Lechl. Berb. Am. Austr.* 56; et ex *Buchen. in Bremen, Abh.* iv. (1874) 181.—Peruv.  
 maxima, *DC. Fl. Fr.* iii. 160 (1805).—Europ.  
*maxima*, Willd. *Enum. Hort. Berol.* 393 (1809) = sylvatica.  
*melanocarpa*, Desv. *Journ. Bot.* i. (1808) 142. t. 5. f. 2 = parviflora.  
*multiflora*, Lej. *Fl. Spa.* i. 169 = campestris.  
*neglecta*, Kunth, *Enum. Pl.* iii. 301 = parviflora.  
*nemorosa*, Baumg. *Enum. Stirp. Transs.* iii. 329 = campestris.  
*nemorosa*, Dulac, *Fl. Hautes-Pyr.* 100 = Forsteri.  
*nemorosa*, E. Mey. in *Linnaea*, xxi. (1848) 395 = albida.  
*nigricans*, Desv. *Journ. Bot.* i. (1808) 158 = campestris.  
*nigricans*, Hoppe, ex Steud. *Nom. ed. II.* ii. 79 = spicata.  
*nivalis*, Laest. in *Vet. Akad. Handl. Stockh.* (1822) 334 = hyperborea.  
*nivea*, Baumg. *Enum. Stirp. Transs.* iii. 328 = albida.  
*nivea*, *DC. Fl. Fr.* iii. 158.—Alp.; Europ. med.  
*nodulosa*, E. Mey. in *Linnaea*, xxii. (1849) 410 = graeca.  
*nutans*, Duval-Jouve, in *Bull. Soc. Bot. Fr.* x. (1863) 80 = pediformis.  
*obtusata*, Steud. *Syn. Pl. Cyp.* 294 = spicata.  
 Oldfieldii, *Hook. f. Fl. Tasm.* ii. 68.—N. Zel.; Austral.  
*pallascens*, Bess. *Enum. Pl. Volh.* 15 = campestris.  
*pallascens*, Hoppe, in *Flora*, ii. (1819) 185 = flavescens.  
*pallascens*, *Schult. f. Syst.* vii. 272, 1665; *Fries, Summa Veg.* 220.—Lappon.  
 paniculata, *Desv. Journ. Bot.* i. (1808) 147.—Am. merid.  
 parviflora, *Desv. l. c.* 144.—Reg. bor.  
 parviflora, Kunth, *Enum. Pl.* iii. 300 = spadicea.  
 pauciflora, *Phil. in Linnaea*, xxxiii. (1864–65) 267.—Chili.  
 pedemontana, *Boiss. & Reut. Pugill. Pl. Nov.* 115.—Europ.  
 pediformis, *Boiss. Voy. Bot. Espagne*, ii. 625 = caespitosa.  
 pediformis, *DC. Fl. Fr.* iii. 162.—Europ.  
 peruviana, *Desv. Journ. Bot.* i. (1808) 160.—Peruv.  
 picta, Lesson & A. Rich. in *Voy. Astrol.* i. 146 = campestris.  
 pilosa, Baumg. *Enum. Stirp. Transs.* iii. 331 = campestris.  
 pilosa, Link, in *Buch, Besch. Canar. Ins.* (1825) 140 = Forsteri.  
 pilosa, Willd. *Enum. Hort. Berol.* 393 = vernalis.  
 plumosa, E. Mey. in *Linnaea*, xxii. (1849) 387.—Ind. or.  
 psilophylla, *Phil. in Linnaea*, xxxiii. (1864–65) 267.—Chili.  
 pubescens, Schrank, in *Flora*, i. (1819) 446 = Hostii.  
 pumila, *Hook. f. Handb. N. Zeal. Fl.* 293.—N. Zel.  
 purpurea, Link, in *Buch, Besch. Canar. Ins.* (1825) 140, 179; E. Mey. in *Linnaea*, xxii. (1849) 397.—Ins. Canar.  
 purpureo-splendens, Seub. *Fl. Azor.* 23. t. 4. f. 2 = elegans.  
 racemosa, *Desv. Journ. Bot.* i. (1808) 162.—Am. merid.  
 rigida, *Phil. in Linnaea*, xxxiii. (1864–65) 267.—Chili.  
 rubella, Hoppe, ex Gaud. *Fl. Helv.* ii. 566 = albida.  
 rufescens, *Fisch. ex E. Mey. in Linnaea*, xxii. (1849) 385.—Sibir.  
 Seuberti, Lowe, in *Hook. Kew Journ.* viii. (1856) 300 = elegans.  
 sicula, Parl. *Nuov. Gen. e Spec.* 59 = maxima.  
 Sieberi, Tausch, in *Flora*, xix. (1836) ii. 423 = maxima.  
 sylvatica, Auct. vide sylvatica.  
 spadicea, [Billot,] ex Nym. *Consp.* 751 = glabrata.

**LUZULA:—**

- spadicea, *DC. Fl. Fr.* iii. 159.—Europ.  
 spicata, *DC. l. c.* 161.—Europ.; Am. bor.  
 spicata, Puccin. *Syn. Fl. Luc.* 198 = campestris.  
 stenophylla, Steud. *Syn. Pl. Cyp.* 294 = campestris.  
 stolonifera, Pourr. ex Lange, in Willk. & Lange, *Prod. Fl. Hisp.* i. 188 = lactea.  
 sudetica, *DC. Fl. Fr. Suppl.* 306 = campestris.  
 sylvatica, Bichen. in *Trans. Linn. Soc.* xii. (1818) 331 = maxima.  
 tenella, Mielich. in *Flora*, xxii. (1839) 491 = campestris.  
 tristachya, Desv. *Journ. Bot.* i. (1808) 159. t. 4 = campestris.  
 velutina, Lange, in Kjoeb. Vidensk. Meddel. (1881) 93 = lactea.  
 vernalis, *DC. Fl. Fr.* iii. 160.—Europ.  
 vernalis, Sebast. & Mauri, *Fl. Rom. Prod.* 133 = Forsteri.  
 villosa, Wikstr. in *Vet. Akad. Handl. Stockh.* (1823) ii. 276 = L. Alopecurus.  
 vulcanica, Liebm. in Kjoeb. Vidensk. Meddel. (1850) 44 = racemosa.  
 vulgaris, Burch. in *Engl. Bot. Jahrb.* vii. (1885) 175 = campestris.  
 Wahlenbergii, *Rupr. Beitr. Pfl. Russl.* ii. 58.—Europ.

LUZURIAGA, R. Br. *Prod.* 281 (1810) = **Geitonoplesium**, A. Cunn. (Liliac.).  
 cymosa, R. Br. l. c. 282 = G. cymosum.  
 montana, R. Br. l. c. = G. cymosum.

LUZURIAGA, Ruiz & Pav. *Fl. Per.* iii. 65. t. 298 (1802). *LILLIACEAE*, Benth. & Hook. f. iii. 767.  
 CALLIXENE, Juss. *Gen.* 41 (1789).  
 ENARGEA, Banks, ex Gaertn. *Fruct.* i. 283. t. 59 (1788), nomen prius.  
 ENARTEA, Steud. *Nom. ed. II.* i. 553 (1840).  
 LUSURIAGA, Pers. *Syn.* i. 373 (1805).  
 angustifolia, Poir. *Encyc. Suppl.* iii. 536 = Eustrephus latifolius.  
 cordata, Bert. in *Merc. Chil.* 1829; ex *Am. Journ. Sc.* xxiii. (1833) 96 (Quid?).—Chili.  
 erecta, Kunth, *Enum. Pl.* v. 280.—Chili.  
 latifolia, Poir. *Encyc. Suppl.* iii. 535 = Eustrephus latifolius.  
 marginata, Benth. & Hook. *f. Gen.* iii. 768.—Chili.  
 parviflora, Kunth, *Enum. Pl.* v. 281.—N. Zel.  
 radicans, Ruiz & Pav. *Fl. Per.* iii. 66. t. 298.—Chili.

LYALLIA, Hook. f. *Fl. Antarct.* ii. 548. t. 122 (1846). *CARYOPHYLLEAE*, Benth. & Hook. f. i. 153.  
 kerguelensis, Hook. f. l. c.—Ins. Kerguelen.

LYCAPSUS, Phil. in *Bot. Zeit.* xxviii. (1870) 499. t. 8 = **Alomia**, H. B. & K. (Compos.).  
 tenuifolius, Phil. l. c.—Chili.

LYCASTE, Lindl. *Bot. Reg.* (1843), *Misc.* 14. *ORCHIDEAE*, Benth. & Hook. f. iii. 547.  
 COLAX, Lindl. *Bot. Reg.* (1843), *Misc.* 50.  
 DEPIA, Rafin. *Fl. Tellur.* ii. 51 (1836).  
 PAPHINIA, Lindl. *Bot. Reg.* (1843), *Misc.* 14.  
 aciantha, Reichb. f. in *Bonplandia*, iii. (1855) 216 = Maxillaria aciantha.  
 acuminata, Reichb. f. l. c. = Maxillaria acuminata.  
 aromatica, Lindl. *Bot. Reg.* (1843), *Misc.* 16.—Mexic.  
 balsamea, A. Rich. ex Reichb. f. in *Walp. Ann.* vi. 602.—Guatemala.  
 barbifrons, Lindl. in *Ann. & Mag. Nat. Hist. Ser. I.* xv. (1845) 383.—Peruv.  
 Barringtoniae, Hook. f. *Bot. Mag.* t. 5706 = costata.  
 Barringtoniae, Lindl. *Bot. Reg.* (1844), *Misc.* 42.—Ind. occ.  
 brevispatha, Klotzsch, ex Reichb. f. in *Walp. Ann.* vi. 604 = candida.  
 candida, Lindl. in *Lindl. & Paxt. Flow. Gard.* ii. (1851–52) 37.—Am. centr.  
 chrysoptera, Morr. in *Ann. Soc. Bot. Gand*, v. (1849) 7. t. 232.—Mexic.  
 ciliata, Lindl. ex Reichb. f. in *Bonplandia*, iv. (1856) 324.—Cuba.  
 cochleata, Lindl. in *Lindl. & Paxt. Flow. Gard.* i. (1850–51) 126.—Mexic.

**LYCASTE:—**

- consobrina, Reichb. f. in *Bot. Zeit.* x. (1852) 669.—Mexic.  
 costata, Lindl. *Bot. Reg.* (1843), *Misc.* 15.—Peruv.  
 crinita, Lindl. l. c. (1844), *Misc.* 39.—Mexic.  
 cristata, Nichols. *Dict. Gard.* ii. 304.—Ins. Trinit.  
 crocea, Linden, *Orch. Linden.* 21, in nota = fulvescens.  
 cruenta, Lindl. *Bot. Reg.* (1843), *Misc.* 16.—Guatemala.  
 Denningiana, Reichb. f. in *Gard. Chron.* (1876) ii. 808.—Ecuador.  
 Denningsiana, Reichb. f. *Otia Bot. Hamb.* 7, 24 (= praec ?).—Hab. ?  
 Deppei, Lindl. *Bot. Reg.* (1843), *Misc.* 15.—Mexic.  
 Dowiana, Endres & Reichb. f. in *Gard. Chron.* (1874) ii. 194.—Costa Rica.  
 fulvescens, Hook. *Bot. Mag.* t. 4193.—N. Granat.  
 gigantea, Lindl. *Bot. Reg.* (1843), *Misc.* 15; et in *Benth. Pl. Hartw.* 153.—Ecuador.  
 grandiflora, Beer, *Prakt. Orch.* 265 = Maxillaria grandiflora.  
 Harrisoniae, G. Don, ex Loud. *Encyc. Pl. Suppl.* ii. 1468 = Bifrenaria Harrisoniae.  
 jugosa, Nichols. *Dict. Gard.* ii. 304.—Bras.  
 lanipes, Lindl. *Bot. Reg.* (1843), *Misc.* 15.—Ecuador.  
 lasioglossa, Reichb. f. in *Gard. Chron.* (1872) 215.—Guatemala.  
 leiantha, Beer, *Prakt. Orch.* 263, 265 = Deppei ?  
 leucantha, Klotzsch, in *Allg. Gartenz.* (1850) 402.—Costa Rica.  
 leucantha, Lindl. in *Lindl. & Paxt. Flow. Gard.* ii. (1851–52) 37 = candida.  
 Linguella, Reichb. f. in *Gard. Chron.* (1871) 738.—Peruv. ?  
 Locusta, Reichb. f. l. c. (1879) i. 524.—Peruv.  
 macrobulbon, Lindl. in *Lindl. & Paxt. Flow. Gard.* i. (1850–51) 126.—N. Granat.  
 macrophylla, Lindl. *Bot. Reg.* (1842), *Misc.* 85, in obs.; (1843), *Misc.* 14 = plana.  
 mesochlaena, Reichb. f. & Warsc. in *Bonplandia*, ii. (1854) 98 = lanipes.  
 plana, Lindl. *Bot. Reg.* (1842), *Misc.* 85; (1843) t. 35.—Bolivia.  
 pleiochroma, Reichb. f. in *Hamb. Gartenz.* xvi. (1860) 179.—Hab. ?  
 Puydtii, Nichols. *Dict. Gard.* ii. 304.—Bras.  
 Reichenbachii, Gireoud, ex Reichb. f. in *Bonplandia*, iv. (1856) 324.—Peruv.  
 Schilleriana, Reichb. f. l. c. iii. (1855) 215.—Hab. ?  
 Skinneri, Lindl. *Bot. Reg.* (1843), *Misc.* 15.—Guatemala.  
 Smeeana x, Reichb. f. in *Gard. Chron.* (1883) ii. 198.  
 sulphurea x, Reichb. f. l. c. (1882) i. 218.  
 tetragona, Lindl. *Bot. Reg.* (1843), *Misc.* 49.—Bras.  
 tricolor, Reichb. f. in *Walp. Ann.* vi. 603.—Guatemala.  
 tyrianthina, Loud. *Hort. Brit. Suppl.* iii. 582 = Bifrenaria tyrianthina.  
 Wittigi, Reichb. f. in *Gard. Chron.* (1878) ii. 654.—Bras.  
 xytriophora, Linden & Reichb. f. in *Saund. Refug. Bot.* ii. t. 131.—Costa Rica.

LYCHNANTHOS, S. Gmel. in *Nov. Comm. Acad. Petrop.* xiv. (1770) i. 525 = **Cucubalus**, Tourn. (Caryoph.).  
 scandens, C. C. Gmel. *Fl. Bad.* ii. 249 = C. baccifer.  
 volubilis, S. Gmel. in *Nov. Comm. Acad. Petrop.* xiv. (1770) i. 525. t. 17. f. 1 = C. baccifer.

LYCHNIDEA, Burm. *Rar. Afr. Pl.* 138 (1737) = **Manulea**, Linn. (Scrophul.).  
 tomentosa, Moench, *Meth. Suppl.* 160 = M. tomentosa.

LYCHNIDIA, Pomel, *Nouv. Mat. Fl. Atl.* 207 (1874) = **Lychnis**, Tourn. (Caryoph.).  
 Coeli-rosa, Pomel, l. c. = L. Coeli-rosa.

LYCHNIS, [Tourn.] Linn. *Syst. ed. I* (1735). *CARYOPHYLLEAE*, Benth. & Hook. f. i. 147.  
 AGROSTEMMA, Linn. *Syst. ed. I* (1735) (Agrostema); et *Gen. ed. I* 135 (1737).  
 CORONARIA, Linn. *Gen. ed. I* 135 (1737).  
 EUDIANTHE, Reichb. *Nom.* 206 (1841).  
 FLOSCUCULI, Opiz, *Seznam*, 44 (1852).  
 FLOX, Adans. *Fam.* ii. p. (22) (1763).  
 GASTROLYCHNIS, Fenzl, ex Reichb. *Nom.* 206 (1841).



## LYCHNIS:—

- GITHAGO, Adans. Fam. ii. 255 (1763).  
 HEDONA, Lour. Fl. Cochinch. 286 (1790).  
 LIPONEURON, Schott, Nym. & Kotschy, Analect. Bot. 55 (1854).  
 LYCHNIDIA, Pomel, Nouv. Mat. Fl. Atl. 207 (1874).  
 MELANDRIUM, Roehl. Deutschl. Fl. ed. II. 274 (1812).  
 PETROCOPTIS, A. Br. in Flora, xxvi. (1848) 370.  
 PHYSOCARPON, Neck. Elem. ii. 164 (1790).  
 PHYSOLYCHNIS, Rupr. in Mém. Acad. Pétersb. Sér. VII. xiv. (1869) n. 4 (Sert. Tianschan.) 41.  
 POLYSCEMONE, Schott, Nym. & Kotschy, Analect. Bot. 55 (1854).  
 PONTINIA, Fries, in Lindb. Bot. Notiser (1843), 141.  
 SILENOPSIS, Willk. in Bot. Zeit. v. (1847) 237.  
 STERIS, Adans. Fam. ii. 255 (1763).  
 VISCARIA, Riv. ex Rupp. Fl. Jen. ed. Hall. 126 (1745).  
 WAHLBERGELLA, Fries, Summa Veg. Scand. 155 (1846).  
*acaulis*, Scop. Fl. Carn. ed. II. i. 306 = *Silene acaulis*.  
*affinis*, J. Vahl, ex Fries, Mant. iii. 36.—Am. bor.  
*Agrostemma*, Ledeb. Fl. Alt. ii. 184 = *L. Githago*.  
*ajanensis*, Regel, in Bull. Soc. Nat. Mosc. xxxiv. (1861) ii. 564.—Siberia.  
*ajanensis*, S. Wats. Bot. King's Exp. 37 = *Kingii*?  
*alaskanica*, Maxim. in Bull. Acad. Pétersb. xxvi. (1880) 427.—Mongolia.  
*alba*, Mill. Gard. Dict. ed. VIII. n. 4.—Europ.  
*alpestris*, Linn. f. Suppl. 244 = *Silene alpestris*.  
*alpina*, Linn. Sp. Pl. 436.—Reg. bor. et arct.  
*angustifolia*, S. F. Gray, Nat. Arr. Brit. Pl. ii. 648 = *L. Viscaria*.  
*apetala*, A. Gray, in Am. Journ. Sc. Ser. II. xxxiii. (1862) 405, partim = *montana*.  
*apetala*, Linn. Sp. Pl. 437.—Reg. bor. et arct.  
*apetala*, Turcz. ex Steud. Nom. ed. II. ii. 81 = *pauciflora*.  
*aragonica*, Asso, ex Nym. Consp. 86 = *pyrenaica*.  
*Armoraria*, Scop. Fl. Carn. ed. II. i. 310 = *Silene Armeria*.  
*arvensis*, Gaertn. Mey. & Scherb. Fl. Wett. ii. 117 = *dioica*.  
*aspera*, Poir. Encyc. Suppl. iii. 537 = *L. Coeli-rosa*.  
*atropurpurea*, Nym. Syll. 229.—Banat.  
*baccifera*, Scop. Fl. Carn. ed. II. i. 306 = *Cucubalus baccifer*.  
*Behen*, Scop. l. c. 305 = *Silene Cucubalus*.  
*brachypetala*, Fisch. Hort. Gorenk. ed. II. (1812) 60, nomen; Hort. Berol. ex Hornem. Hort. Hafn. Suppl. 51 = *apetala*.  
*brachypetala*, Schwaeg. ex Schrank, in Denkschr. Bot. Ges. Regensb. ii. (1822) 47 (= *præc.* ?).—Hab. ?  
*Bungeana*, Fisch. ex Lindl. Bot. Reg. t. 1864.—China.  
*californica*, S. Wats. in Proc. Am. Acad. xii. (1877) 248.—Calif.  
*cancellata*, Jacquem. ex Edgew. & Hook. in f. Fl. Brit. Ind. i. 226.—Reg. Himal.  
*cashmeriana*, Royle, ex Benth. in Royle, Illustr. Bot. Himal. 80.—Reg. Himal.  
*cerastoides*, Scop. Fl. Carn. ed. II. i. 309 = *Silene cerastoides*.  
*chalcedonica*, Linn. Sp. Pl. 436.—Japon.  
*chilensis*, C. Gay, Fl. Chil. i. 256.—Chili.  
*ciliata*, Wall. Cat. n. 621 = *nutans*.  
*clavata*, Moench, Meth. Suppl. 307 = *L. Coeli-rosa*.  
*coccinea*, Salisb. Prod. 304 = *grandiflora*.  
*coccugosantha*, St. Lag. in Ann. Soc. Bot. Lyon, vii. (1880) 71 = *L. Flos-cuculi*.  
*coelestis*, St. Lag. l. c. 70 = *L. Coeli-rosa*.  
*Coeli-rosa*, Desr. in Lam. Encyc. iii. 644.—Reg. Mediterr.  
*cognata*, Maxim. Prim. Fl. Amur. 55 = *fulgens*.  
*conica*, Scop. Fl. Carn. ed. II. i. 308 = *Silene conica*.  
*coriacea*, Moench, Meth. 709 = *coronaria*.  
*coronaria*, Desr. in Lam. Encyc. iii. 643.—Europ. austr.; As. Min.  
*coronaria*, Franch. & Sav. Enum. Pl. Jap. i. 49, in syn. = *seq.*  
*coronata*, Thunb. Fl. Jap. 187 = *grandiflora*.  
*corsica*, Loisel. Notul. 73.—Corsica; Pyren.  
*cuneifolia*, Royle, Illustr. Bot. Himal. 80.—Reg. Himal.  
*Cyrtilli*, Richt. ex Reichb. Ic. Fl. Germ. vi. 55 = *L. Flos-cuculi*.

VOL. II.

## LYCHNIS:—

- decumbens*, Steud. Nom. ed. II. ii. 80.—Hab. ?  
*Densoni*, Steud. l. c.—Hab. ?  
*diclinis*, Lag. Gen. et Sp. Nov. 15.—Hispan.  
*dioecia*, Mill. Gard. Dict. ed. VIII. n. 3, errata = *dioica*.  
*dioica*, Asso, Syn. Stirp. Arag. 57 = *divaricata*.  
*dioica*, Linn. Sp. Pl. 436.—Europ.; As. bor.  
*diurna*, Sibth. Fl. Oxon. 145 = *dioica*.  
*divaricata*, Reichb. Ic. Fl. Germ. iv. 3.—Sicilia; Hispan.  
*Dorotheae*, Laest. ex Fries, Mant. iii. 36; et ex Nym. Consp. 87.—Europ.  
*Drummondii*, S. Wats. Bot. King's Exp. 37, 432.—Am. bor. occ.  
*elata*, S. Wats. in Proc. Am. Acad. xii. (1877) 249.—Am. bor. occ.  
*eristemon*, Wall. Cat. n. 620 = *indica*.  
*Falconeri*, Rohr, ex Edgew. & Hook. f. in Fl. Brit. Ind. i. 223 = *apetala*.  
*fimbriata*, Wall. Cat. n. 619 = *indica*.  
*Flos-cuculi*, Linn. Sp. Pl. 436.—Europ.; As. bor.  
*Flos-Jovis*, Desr. in Lam. Encyc. iii. 644.—Europ.  
*frigida*, Schrank, in Denkschr. Bot. Ges. Regensb. i. ii. (1818) 25 = *apetala*.  
*fulgens*, Fisch. in Sims, Bot. Mag. t. 2104; et ex Spreng. Nov. Prov. 26.—Sibir.  
*fulgida*, Moench, Meth. 709 = *chalcedonica*.  
*Githago*, Scop. Fl. Carn. ed. II. i. 310.—Europ.  
*glaberrima*, Trevir. in Bot. Zeit. xix. (1861) 205 = *præcox*.  
*graminea*, Molina, Sagg. Chile, ed. II. 289 = *magellanica*.  
*grandiflora*, Jacq. Coll. i. 149; Ic. Pl. Rar. t. 84.—China; Japon.  
*Haageana*, Hort. ex Vilm. Fl. Pl. Terre, ed. I. 486 = *Bungeana*.  
*Haageana* x, Lem. Illustr. Hort. (1859) t. 195.—Japon.  
*helvetica*, G. Don, ex Loud. Hort. Brit. 186 = *alpina*.  
*himalayensis*, Edgew. in Hook. f. Fl. Brit. Ind. i. 223.—Reg. Himal.  
*inaperta*, Scop. Fl. Carn. ed. II. i. 309 = *Silene inaperta*.  
*incana*, St. Lag. in Ann. Soc. Bot. Lyon, vii. (1880) 70 = *L. Flos-Jovis*.  
*inclusa*, Lehm. in Linnaea, v. (1830) Litt. 46 = *apetala*.  
*indica*, Benth. in Royle, Illustr. Bot. Himal. 81.—Reg. Himal.  
*inflata*, Wall. Cat. n. 618.—Reg. Himal.  
*Kingii*, S. Wats. in Proc. Am. Acad. xii. (1877) 247.—Am. bor. occ.  
*laciniata*, Lam. Fl. Fr. iii. 51 = *L. Flos-cuculi*.  
*laciniata*, Maxim. in Bull. Acad. Pétersb. xi. (1867) 429.—Manchuria.  
*laciniiflora*, Stokes, Bot. Mat. Med. ii. 562 = *L. Flos-cuculi*.  
*laeta*, Ait. Hort. Kew. ed. I. ii. 118 = *Silene laeta*.  
*laeta*, Moris, Fl. Sard. i. 242 = *corsica*.  
*laevis*, Poir. Encyc. Suppl. iii. 537 = *L. Coeli-rosa*.  
*Lagascæ*, Hook. f. Bot. Mag. t. 5746.—Hispan.  
*lusitanica*, Mill. Gard. Dict. ed. VIII. n. 8 = *L. Flos-cuculi*.  
*macrocarpa*, Boiss. & Reut. ex Boiss. Voy. Bot. Espagne, ii. 722.—Reg. Mediterr. occ.  
*macrorhiza*, Royle, ex Benth. in Royle, Illustr. Bot. Himal. 80.—Reg. Himal.  
*madens*, Jacquem. ex Edgew. & Hook. f. in Fl. Brit. Ind. i. 223 = *macrorhiza*.  
*magellanica*, Desr. in Lam. Encyc. iii. 641.—Reg. Magellan.  
*media*, Hort. ex Fisch. & Mey. Ind. Sem. Hort. Petrop. iii. 40.—Hab. ?  
*Miqueliana*, Rohrb. ex Franch. & Sav. Enum. Pl. Jap. i. 49.—Japon.  
*montana*, S. Wats. in Proc. Am. Acad. xii. (1877) 247.—Am. bor. occ.  
*multicaulis*, Wall. Cat. n. 622.—Reg. Himal.  
*neglecta*, G. Don, in Loud. Hort. Brit. 186 = *L. Viscaria*.  
*nemoralis*, Heuff. ex Reichb. Fl. Germ. Excurs. 824; et in Verh. Zool.-Bot. Ges. Wien, viii. (1858) 73.—Hungar.  
*nigrescens*, Edgew. in Hook. f. in Fl. Brit. Ind. i. 223.—Reg. Himal.  
*nivalis*, Kit. in Schult. Oesterr. Fl. ed. II. i. 698.—Hungar.  
*noctiflora*, Schreb. Spicil. 31 = *Silene noctiflora*.  
*nuda*, S. Wats. Bot. King's Exp. 37.—Am. bor. occ.  
*nummularia*, Lapeyr. Hist. Abr. Pl. Pyr. 263 = *pyrenaica*.

## LYCHNIS:—

- nutans*, Benth. in Royle, Illustr. Bot. Himal. 80.—Reg. Himal.  
*nutans*, Scop. Fl. Carn. ed. II. i. 310 = *Silene nutans*.  
*oculata*, Backh. in Hook. Bot. Mag. t. 4075 = *L. Coeli-rosa*.  
*officinalis*, Scop. Fl. Carn. ed. II. i. 303 = *Saponaria officinalis*.  
*orientalis*, Scop. l. c. 304 = *Saponaria orientalis*.  
*Otites*, Scop. l. c. 305 = *Silene Otites*.  
*palustris*, Brot. Fl. Lusit. ii. 221 = *Silene laeta*.  
*Parryii*, S. Wats. in Proc. Am. Acad. xii. (1877) 248.—Am. bor. occ.  
*parviflora*, Turcz. ex Bess. in Flora, xvii. (1834) i. Beibl. 8 = *apetala*.  
*pauciflora*, Fisch. ex DC. Prod. i. 386 = *apetala*.  
*pauciflora*, Ledeb. in Mém. Acad. Pétersb. v. (1814) 537.—Sibir. alt.  
*pilosa*, Edgew. in Trans. Linn. Soc. xx. (1846) 34.—Reg. Himal.  
*plumaria*, S. F. Gray, Nat. Arr. Brit. Pl. ii. 649 = *L. Flos-cuculi*.  
*præcox*, Trevir. in Bot. Zeit. xix. (1861) 205.—Hispan.  
*pratensis*, Spreng. Fl. Hal. 138 = *dioica*.  
*Preslii*, Sekera, in Lotos, iii. (1853) 134; et in Oestr. Bot. Wochenbl. (1854) 197.—Bolivia.  
*procera*, Ledeb. Fl. Ross. i. 298 = *Gypsophila paniculata*.  
*pulchra*, Willd. ex Steud. Nom. ed. II. ii. 81 = *Silene laciniata*.  
*pumila*, Royle, ex Benth. in Royle, Illustr. Bot. Himal. 80.—Reg. Himal.  
*Pumilio*, Scop. Fl. Carn. ed. II. i. 304 = *Silene Pumilio*.  
*pusilla*, Link, Enum. Hort. Berol. i. 432 = *Silene quadridentata*.  
*pusilla*, Poir. Encyc. Suppl. iii. 537 = *L. Coeli-rosa*.  
*pyrenaica*, Berger. Fl. Bass. Pyren. ii. 264.—Mont. Pyren.  
*quadridentata*, Lucé, Fl. Osil. 145 = *L. Flos-cuculi*.  
*quadridentata*, Murr. Syst. ed. XIII. 362 = *Silene quadridentata*.  
*quadrifida*, Scop. Fl. Carn. ed. II. i. 307 = *Silene alpestris*.  
*rosea*, Salisb. Prod. 304 = *dioica*.  
*rubra*, Patze, Mey. & Elk. Fl. Preuss. 384 = *dioica*.  
*saxatilis*, Turcz. ex Fisch. & Mey. Ind. Sem. Hort. Petrop. i. (1835) 32.—Dahuria.  
*Saxifraga*, Scop. Fl. Carn. ed. II. i. 308 = *Silene Saxifraga*.  
*scandens*, Schur, Enum. Pl. Transs. 935, Index = *Cucubalus baccifer*.  
*segetum*, Lam. Fl. Fr. iii. 50 = *L. Githago*.  
*Senno*, Sieb. & Zucc. Fl. Jap. i. 98.—Japon.  
*sibirica*, Linn. Sp. Pl. 437.—Sibir.  
*Sieboldii*, Hort. ex Vilm. Fl. Pl. Terre, ed. I. 486 = *Bungeana*.  
*Sieboldii*, Van Houtte, Fl. des Serres, x. (1854-55) 31 = *fulgens*.  
*Siegeri*, Steud. Nom. ed. II. ii. 81 = *Silene nivalis*.  
*Sigeriana*, Schur, in Verh. Siebenb. Ver. Naturw. i. (1850) 103 = *præc.*  
*silvestris*, Rafn, Danm. Fl. 790 = *dioica*.  
*sordida*, Kar. & Kir. in Bull. Soc. Nat. Mosc. xv. (1842) 170.—Sibir. altaic.  
*speciosa*, Carr. in Rev. Hort. 1870-71) 530 = *grandiflora* ?  
*splendens*, Hort. ex Vilm. Fl. Pl. Terre, ed. II. 524 = *L. Viscaria*.  
*stellarioides*, Maxim. in Bull. Acad. Pétersb. xviii. (1873) 371.—Japon.  
*Stewartii*, Edgew. in Hook. f. Fl. Brit. Ind. i. 224.—Reg. Himal.  
*suecica*, Lodd. Bot. Cab. t. 881 = *alpina*.  
*sylvestris*, Schk. Handb. i. 403. t. 124 = *dioica*.  
*terminalis*, C. Gay, Fl. Chil. i. 255.—Chili.  
*thysanodes*, Hook. f. Fl. Antarct. ii. 246.—Ecuador.  
*triflora*, R. Br. in Ross, Voy. App. 142.—Am. arct.  
*triflora*, Hornem. in Fl. Dan. t. 2173 = *affinis*.  
*tristis*, Bunge, in Ledeb. Fl. Alt. ii. 184.—Sibir.  
*tristis*, Hook. f. & Thoms. in Hook. f. Fl. Brit. Ind. i. 223 = *nigrescens*.  
*umbellifera*, Lam. Fl. Fr. iii. 52 = *L. Flos-Jovis*.  
*uniflora*, Ledeb. in Mém. Acad. Pétersb. v. (1814) 536 = *tristis*.  
*Vaccaria*, Scop. Fl. Carn. ed. II. i. 303 = *Saponaria Vaccaria*.  
*variegata*, Desf. in Ann. Mus. Par. xi. (1808) 442 t. 44.—Creta.



**LYCHNIS:—**

*vespertina*, Boiss. Voy. Bot. Espagne, ii. 95 = *divaricata*.  
*vespertina*, Sibth. Fl. Oxon. 146 = dioica.  
*Viscaria*, Linn. Sp. Pl. 436.—Europ.; As. bor.  
*viscosa*, Scop. Fl. Carn. ed. II. i. 306.—Europ.  
*vulnerata*, Scop. l. c. 309 = *Silene gallica*.  
*Wilfordi*, Regel, ex Maxim. in Bull. Acad. Pétersb. xvii. (1872) 178, in textu = fulgens.

**LYCHNITIS**, Fourr. in Ann. Soc. Linn. Lyon, N. S. xvii. (1869) 125 = **Verbascum**, Tourn. (Scrophul.).  
*alba*, Fourr. l. c. = V. *Lychnitis*.  
*Boerhavii*, Fourr. l. c. = V. *Boerhavii*.  
*lutea*, Fourr. l. c. = V. *Lychnitis*.  
*nigra*, Fourr. l. c. = V. *nigrum*.  
*pulverulenta*, Fourr. l. c. = V. *pulverulentum*.  
*sinuata*, Fourr. l. c. = V. *sinuatum*.

**LYCHNOCEPHALIOPSIS**, Sch. Bip. ex Baker, in Mart. Fl. Bras. vi. ii. 158 (1873) = **Lychnophora**, Mart. (Compos.).  
*suffruticulosa*, Sch. Bip. ex Baker, l. c. = *Lychnophora humillima*.

**LYCHNOCEPHALUS**, Mart. ex DC. Prod. v. 83 (1836) = **Lychnophora**, Mart. (Compos.).  
*bicolor*, Mart. ex DC. l. c. = *Eremanthus bicolor*.  
*tomentosus*, Mart. ex DC. l. c. = *Lychnophora tomentosa*.

**LYCHNODISCUS**, Radlk. in Sitzb. Math.-Phys. Acad. Muench. viii. (1878) 332. **SAPINDACEAE**.  
*reticulatus*, Radlk. l. c. 333.—Afr. trop.

**LYCHNOPHORA**, Mart. in Denkschr. Bot. Ges. Regensb. ii. (1822) 148. tt. 4–10. **COMPOSITAE**, Benth. & Hook. f. ii. 235.

**LYCHNOCEPHALIOPSIS**, Sch. Bip. ex Baker, in Mart. Fl. Bras. vi. ii. 158 (1873).

**LYCHNOCEPHALUS**, Mart. ex DC. Prod. v. 83 (1836).

**PIPTOCOMA**, Less. in Linnaea, iv. (1829) 315.  
*affinis*, Gardn. in Hook. Lond. Journ. Bot. v. (1846) 233.—Bras.

*albertinioides*, Gardn. l. c. 234.—Bras.  
*Blanchetii*, Sch. Bip. in Flora, xxxiii. (1850) 30.—Bras.  
*brunioides*, Mart. in Denkschr. Bot. Ges. Regensb. ii. (1822) 149. t. 4.—Bras.

*Candelabrum*, Sch. Bip. in Pollichia, xx–xxi. (1863) 345.—Bras.

*cinerea*, Sch. Bip. l. c. 358 = *ericoides*.  
*diosmaefolia*, Pohl, ex Baker, in Mart. Fl. Bras. vi. ii. 143 = *Piptolepis ericoides*.

*ericoides*, Mart. in Denkschr. Bot. Ges. Regensb. ii. (1822) 151. t. 5.—Bras.

*Gardneri*, Sch. Bip. in Pollichia, xx–xxi. (1863) 350 = *staavioides*.

*hakeaefolia*, Mart. in Denkschr. Bot. Ges. Regensb. ii. (1822) 156.—Bras.

*humillima*, Sch. Bip. in Pollichia, xx–xxi. (1863) 371.—Bras.

*lanigera*, Pohl, ex Sch. Bip. l. c. 341 = *Martiana*.

*Martiana*, Gardn. in Hook. Lond. Journ. Bot. v. (1846) 232.—Bras.

*microphylla*, Sch. Bip. in Pollichia, xx–xxi. (1863) 354.—Bras.

*Passerina*, Gardn. in Hook. Lond. Journ. Bot. v. (1846) 230 = *Haplostephium Passerina*.

*penninervia*, Sch. Bip. in Pollichia, xx–xxi. (1863) 405 = *reticulata*.

*phylicaeifolia*, DC. Prod. v. 79.—Bras.

*Pinaster*, Mart. in Denkschr. Bot. Ges. Regensb. ii. (1822) 152. t. 6 = *ericoides*.

*Piptocoma*, Sch. Bip. ex Baker, in Mart. Fl. Bras. vi. ii. 155 = *trichocarpa*.

*platyneura*, Sch. Bip. in Pollichia, xx–xxi. (1863) 357 = *ericoides*.

*Pohlii*, Sch. Bip. l. c. 353.—Bras.

*proteaeformis*, Mart. ex DC. Prod. v. 80 = *ericoides*.

*ramosissima*, Gardn. in Hook. Lond. Journ. Bot. v. (1846) 232.—Bras.

*reticulata*, Gardn. l. c. 233.—Bras.

*Riedelii*, Sch. Bip. in Pollichia, xx–xxi. (1863) 351.—Bras.

*rosmarinifolia*, Mart. in Denkschr. Bot. Ges. Regensb. ii. (1822) 155. t. 9.—Bras.

*Rosmarinus*, Pohl, ex Sch. Bip. in Pollichia, xx–xxi. (1863) 361 = *brunioides*.

**LYCHNOPHORA:—**

*salicifolia*, Mart. in Denkschr. Bot. Ges. Regensb. ii. (1822) 157. t. 10.—Bras.

*Sellovii*, Sch. Bip. in Pollichia, xx–xxi. (1863) 372.—Bras.

*staavioides*, Mart. in Denkschr. Bot. Ges. Regensb. ii. (1822) 154. t. 8.—Bras.

*subulata*, Gardn. in Hook. Lond. Journ. Bot. v. (1846) 231 = *Haplostephium Passerina*.

*syncephala*, Sch. Bip. in Pollichia, xx–xxi. (1863) 404 = *reticulata*.

*tomentosa*, Sch. Bip. l. c. 369.—Bras.

*trichocarpa*, Spreng. Syst. iv. Cur. Post. 298.—Bras.

*uniflora*, Sch. Bip. in Pollichia, xx–xxi. (1863) 347.—Bras.

*villosissima*, Mart. in Denkschr. Bot. Ges. Regensb. ii. (1822) 153. t. 7.—Bras.

**LYCHNOPHORIOPSIS**, Sch. Bip. in Pollichia, xx–xxi. (1863) 375. **COMPOSITAE**, Benth. & Hook. f. ii. 235.

*heterotheca*, Sch. Bip. l. c. 376.—Bras.

**LYCIMNIA**, Hance, in Walp. Ann. iii. 30 (1852) = **Melodinus**, Forst. (Apocyn.).

*suaveolens*, Hance, l. c. = M. *suaveolens*.

**LYCIOPLESIMUM**, Miers, in Hook. Lond. Journ. Bot. iv. (1845) 330 = **Aenistus**, Schott (Solanac.).

*Boissieri*, Dun. in DC. Prod. xiii. 493.—Venezuela.

*Dombeyanum*, Dun. l. c. 492.—Peruv.

*fasciculatum*, Miers, in Hook. Lond. Journ. Bot. vii. (1848) 336 = A. *fasciculatus*.

*horridum*, Miers, l. c. iv. (1845) 331 = *Lycium parvifolium*.

*Meyenianum*, Miers, l. c. 332 = *Grabowskia Meyeniana*.

*nitidum*, Miers, l. c. 331.—N. Granat.

*obovatum*, Miers, l. c. 330 = *Lycium obovatum*.

*ovatum*, Miers, l. c. 331.—N. Granat.

*puberulum*, Phil. f. Cat. Pl. Vasc. Chil. 224 = *Latua venenosa*.

*pubiflorum*, Griseb. in Goett. Abh. vi. (1854) 128 = *Latua venenosa*.

*pulchellum*, Walp. Rep. vi. 618 = *Lycium pulchellum*.

**LYCIOPSIS**, Schweinf. Beitr. Fl. Aethiop. 37 (1867) = **Euphorbia**, Linn.

*cuneata*, Schweinf. l. c. = E. *cuneata*.

**LYCIOPSIS**, Spach, in Ann. Sc. Nat. Sér. II. iv. (1835) 176 = **Fuchsia**, Linn. (Onagrar.).

*thymifolia*, Spach, l. c. = F. *thymifolia*.

**LYCIOSERISSA**, Roem. & Schult. Syst. iv. p. xxiv, 353 (1819) = **Plectronia**, Linn. (Rubi.).

*capensis*, Roem. & Schult. l. c. 353 = P. *ventosa*.

**LYCIUM**, Linn. Syst. ed. I (1735). **SOLANACEAE**, Benth. & Hook. f. ii. 900.

**ASCLEIA**, **CANTALEA**, **EVOISTA**, **OPLUKION**, **PLICULA**, **TEREMIS**, **TRILIENA**, Rafin. Fl. Tellur. 53–56 (1838).

**JASMINOIDES**, Medic. Phil. Bot. i. 134 (1789).

**JOHNSONIA**, Neck. Elem. ii. 49 (1790).

**PANZERIA**, J. F. Gmel. Syst. 247 (1791).

*abeliaeflorum*, Reichb. Ic. Fl. Germ. xx. 10. t. 5 = *europaeum*.

*acnistoides*, Griseb. Cat. Pl. Cub. 188.—Cuba.

*acutifolium*, E. Mey. in Drège, Zwei Pfl. Docum. 200, nomen; et ex Dun. in DC. Prod. xiii. i. 518.—Afr. austr.

*afrum*, Boiv. ex Dun. l. c. 515 = *tenuis*.

*afrum*, Boj. Hort. Maurit. 241 = *capense*.

*afrum*, Drège, ex Dun. in DC. Prod. xiii. i. 518 = *oxycarpum*.

*afrum*, [Ker-Gawl.] Bot. Reg. t. 354 = *carnosum*.

*afrum*, Linn. Sp. Pl. 191.—Reg. Mediterr.; Afr. austr.

*afrum*, Mart. ex Dun. in DC. Prod. xiii. i. 524 = *mediterraneum*.

*afrum*, Reichb. ex Webb & Berth. Phyt. Canar. iii. 285 = *barbarum*.

*afrum*, Thunb. Prod. Fl. Cap. 37; et in Trans. Linn. Soc. ix. (1808) 153 = *propinquum*.

*aggregatum*, Ruiz & Pav. Fl. Per. ii. 45 = *Aenistus aggregatus*.

*americanum*, Jacq. Stirp. Am. 50.—Ins. S. Doming.

*Andersonii*, A. Gray, in Proc. Am. Acad. vii. (1868) 388.—Am. bor. occ.

*angustifolium*, Mill. Gard. Dict. ed. VIII. n. 8 = *tenuis*.

**LYCIUM:—**

*apiculatum*, Dun. in DC. Prod. xiii. i. 517.—Afr. austr.

*arabicum*, Schweinf. ex Boiss. Fl. Orient. iv. 289 = *europaeum*.

*arborescens*, Spreng. Syst. i. 701 = *Aenistus aggregatus*.

*arenicolum*, Miers, in Ann. & Mag. Nat. Hist. Ser. II. xiv. (1854) 14.—Am. austr.

*armatum*, Griff. Notul. iv. 95; Ic. Pl. Asiat. t. 415 = *ruthenicum*.

*australe*, F. Muell. in Trans. Phil. Soc. Vict. i. (1855) 20.—Austral.

*astrinum*, Miers, in Ann. & Mag. Nat. Hist. Ser. II. xiv. (1854) 13.—Afr. austr.

*barbarum*, Lam. Encyc. iii. 509 = *chinense*.

*barbarum*, Linn. Sp. Pl. 192.—Oriens.

*barbarum*, Linn. l. c. ed. II. 277 = *vulgare*.

*barbarum*, Mill. Gard. Dict. ed. VIII. n. 4 = *Shawii*.

*barbatum*, Thunb. Prod. Pl. Cap. 37 = *Plectronia ventosa*.

*barbinodum*, Miers, in Ann. & Mag. Nat. Hist. Ser. II. xiv. (1854) 138.—Mexic.

*Berlandieri*, Dun. in DC. Prod. xiii. i. 520.—Texas.

*Berlandieri*, A. Gray, in Proc. Am. Acad. vi. (1866) 47, partim = *Andersonii*.

*boerhaviaefolium*, Linn. f. Suppl. 150 = *Grabowskia boerhaviaefolia*.

*brachyanthum*, A. Gray, ex Hemsl. Biol. Centr. Am. Bot. ii. 426.—Texas.

*brevipes*, Benth. Bot. Voy. Sulph. 40.—Calif.

*brevistylum*, Todaro, Nuov. Gen. e Sp. 74.—Hab.?

*californicum*, Nutt. ex A. Gray, Bot. Calif. i. 542.—Calif.

*campanulatum*, Drège, ex Dun. in DC. Prod. xiii. i. 523 = *carnosum*.

*canescens*, Griff. Notul. iv. 95.—Afghan.

*canum*, Gill. ex Walp. Rep. iii. 112, nomen.—Chili.

*capense*, Mill. Gard. Dict. ed. VIII. n. 7 = *tetrandrum*.

*capillare*, Miers, in Ann. & Mag. Nat. Hist. Ser. II. xiv. (1854) 188.—Am. austr.

*capsulare*, Linn. Cent. Pl. ii. 11; Amoen. Acad. iv. 308 = *Hydrolea elegans*.

*carnosum*, Hort. Monsp. ex Dun. in DC. Prod. xiii. i. 520 = *Requienii*.

*carnosum*, Hort. Tonelle, ex Dun. l. c. 510 = *chinense*.

*carnosum*, Poir. Encyc. Suppl. iii. 427.—Afr. austr.

*carolinianum*, Walt. Fl. Carol. 84.—Am. bor.

*cestroides*, Schlecht. in Linnaea, vii. (1832) 70.—Bras.

*chilense*, Bert. in Merc. Chil. (1829) n. xv. 693; ex Colla, in Mem. Acc. Torin. xxxviii. (1835) 133.—Chili.

*chinense*, Mill. Gard. Dict. ed. VIII. n. 5.—China.

*ciliatum*, Schlecht. in Linnaea, vii. (1832) 69.—Bras.

*cinereum*, Krauss, ex Dun. in DC. Prod. xiii. i. 517 = *Kraussii*.

*cinereum*, Thunb. Prod. Pl. Cap. 57.—Afr. austr.

*cochinchinense*, Lour. Fl. Cochinch. 134.—Cochinch.

*confertum*, Miers, in Ann. & Mag. Nat. Hist. Ser. II. xiv. (1854) 137.—Mexic.

*Cooperi*, A. Gray, in Proc. Am. Acad. vii. (1868) 388.—Calif.

*cordatum*, Mill. Gard. Dict. ed. VIII. n. 10.—Afr. austr.

*cornifolium*, H. B. & K. Nov. Gen. et Sp. iii. 54 = *Iochroma cornifolia*.

*crassifolium*, Salisb. Prod. 135 = *afrum*.

*depressum*, Stocks, in Hook. Kew Journ. iv. (1852) 179 = *barbarum*.

*deserti*, Phil. Fl. Atac. 43.—Chili.

*distichum*, Meyen, Reise, i. 448 = *Grabowskia disticha*.

*dumosum*, Salisb. Prod. 136 = *europaeum*.

*Dunalianum*, Bubani, ex Dun. in DC. Prod. xiii. i. 509 = *vulgare*.

*echinatum*, Dun. l. c. 515.—Afr. austr.

*Edgeworthii*, Dun. l. c. 525 = *barbarum*.

*elongatum*, Miers, in Ann. & Mag. Nat. Hist. Sér. II. xiv. (1854) 136.—Chili.

*elongatum*, Salisb. Prod. 136 = *chinense*.

*erosum*, Miers, in Ann. & Mag. Nat. Hist. Ser. II. xiv. (1854) 343.—Reg. Argent.

*erythraeum*, Schweinf. ex Vatke, in Linnaea, xliii. (1880–82) 333.—Afr. trop.

*europaeum*, Gouan, Hort. Monsp. 111 = *flaccidum*.

*europaeum*, Hort. Audib. ex Dun. in DC. Prod. xiii. i. 511 = *subglobosum*.

*europaeum*, Linn. Sp. Pl. 192.—Reg. Mediterr.; Oriens.

*europaeum*, Mérat, ex Dun. in DC. Prod. xiii. i. 510 = *chinense*.

*europaeum*, Schimp. ex Dun. l. c. 524 = *mediterraneum*.



## LYCIUM:—

- exsertum, *A. Gray, in Proc. Am. Acad.* xx. (1885) 305.—Am. bor. occ.  
*fragosum*, Walp. Ann. v. 579, sphalm. = fragosum.  
*ferocissimum*, *Miers, in Ann. & Mag. Nat. Hist.* Ser. II. xiv. (1854) 187.—Afr. austr.  
*filifolium*, *Gill. ex Miers, l. c.* 336.—Reg. Argent.  
*flaccidum*, *C. Koch, Dendrol.* ii. 1. 347.—Europ.; Afr. bor.  
*floribundum*, *Dun. in DC. Prod.* xiii. 1. 513.—Am. austr.  
*floribundum*, H. B. & K. Nov. Gen. et Sp. iii. 51 = *Acnistus arborescens*.  
*floridum*, *Salisb. Prod.* 135 = *barbarum*.  
*foetidum*, *Linn. f. Suppl.* 150 = *Serissa foetida*.  
*foliosum*, *Stocks, in Hook. Kew Journ.* iv. (1852) 179 = *barbarum*.  
*fragosum*, *Miers, in Ann. & Mag. Nat. Hist.* Ser. II. xiv. (1854) 132.—Peruv.  
*Fremonti*, *A. Gray, in Proc. Am. Acad.* vi. (1862) 46.—Calif.  
*fuchsioides*, *Hort. Monsp. ex Dun. in DC. Prod.* xiii. 1. 603 = *Cestrum aurantiacum*.  
*fuchsioides*, *Humb. & Bonpl. Pl. Aequin.* i. 147 = *Ioichroma fuchsioides*.  
*fusum*, *Miers, in Ann. & Mag. Nat. Hist.* Ser. II. xiv. (1854) 137.—Reg. Argent.  
*gelidum*, *Wedd. Chlor. And.* ii. 108.—Chili.  
*gesnerioides*, H. B. & K. Nov. Gen. et Sp. iii. 53 = *Ioichroma gesnerioides*.  
*Gilliesianum*, *Miers, in Ann. & Mag. Nat. Hist.* Ser. II. xiv. (1854) 344.—Reg. Argent.  
*glaucum*, *Miers, l. c.* 17 = *ruthenicum*.  
*glaucum*, *Phil. Fl. Atac.* 43.—Chili.  
*glomeratum*, *Sendt. in Mart. Fl. Bras.* x. 154.—Bras.  
*gracile*, *Meyen, Reise, i.* 380 = *chilense*.  
*gracilipes*, *A. Gray, in Proc. Am. Acad.* xii. (1877) 81.—Arizona.  
*grandiflorum*, *Steud. Nom. ed. II. ii.* 82 = seq.  
*grandifolium*, *Willd. ex Roem. & Schult. Syst.* iv. 698 = *Acnistus grandiflorus*.  
*Grevilleianum*, *Gill. ex Miers, in Ann. & Mag. Nat. Hist.* Ser. II. xiv. (1854) 342.—Reg. Argent.  
*guayaquilense*, H. B. & K. Nov. Gen. et Sp. iii. 50 = *Acnistus guayaquilensis*.  
*halimifolium*, *Mill. Gard. Dict. ed. VIII. n.* 6 = *vulgare*.  
*halophyllum*, *Welw. ex Miers, in Ann. & Mag. Nat. Hist.* Ser. II. xiv. (1854) 11.—Lusitan.  
*heterophyllum*, *Murr. in Comm. Gotting.* 1783 (1785) 6. t. 2 = *Grabowskia boerhaviaefolia*.  
*hirsutum*, *Dun. in DC. Prod.* xiii. 1. 521.—Afr. austr.  
*horridum*, H. B. & K. Nov. Gen. et Sp. iii. 52 = *parvifolium*.  
*horridum*, *Phil. Fl. Atac.* 43.—Chili.  
*horridum*, *Thunb. Prod. Pl. Cap.* 37.—Afr. austr.  
*humile*, *Phil. Fl. Atac.* 43.—Chili.  
*ignarum*, *Miers, in Ann. & Mag. Nat. Hist.* Ser. II. xiv. (1854) 194.—Am. austr.?  
*imbricatum*, *Walp. Rep.* iii. 112, sphalm. = *intricatum*.  
*implexum*, *Miers, in Ann. & Mag. Nat. Hist.* Ser. II. xiv. (1854) 133.—Chili.  
*indicum*, *Retz. Obs.* ii. 12 = *Serissa foetida*.  
*indicum*, *Wight, Ic.* iv. t. 1403 = *europaeum*.  
*inermis*, *Linn. f. Suppl.* 150 = *Plectronia ventosa*.  
*infaustum*, *Miers, in Ann. & Mag. Nat. Hist.* Ser. II. xiv. (1854) 192.—Am. austr.  
*intricatum*, *Boiss. Elench.* 66 = *europaeum*.  
*italicum*, *Mill. Gard. Dict. ed. VIII. n.* 2 = *carnosum*.  
*japonicum*, *Thunb. Fl. Dict.* 93 = *Serissa foetida*.  
*Kraussii*, *Dun. in DC. Prod.* xiii. 1. 517.—Afr. austr.  
*lanceolatum*, *Loisel. in Nouv. Duham.* i. 123 = *chilense*.  
*leiostemum*, *Wedd. Chlor. And.* ii. 108.—Peruv.  
*longiflorum*, *Phil. in Anal. Univ. Chil.* (1862) II. 403.—Chili.  
*loxense*, H. B. & K. Nov. Gen. et Sp. iii. 53 = *Ioichroma loxensis*.  
*macranthum*, *Buching. ex Krauss, in Flora, xxvii.* (1844) 829 = *Rhigozum trichotomum*.  
*macrodon*, *A. Gray, in Proc. Am. Acad.* vi. (1862) 46.—Calif.  
*macrophyllum*, *Benth. Pl. Hartw.* 49 = *Acnistus Benth.*  
*Martii*, *Sendt. in Mart. Fl. Bras.* x. 154.—Bras.  
*mediterraneum*, *Dun. in DC. Prod.* xiii. 1. 523.—Reg. Mediterr.; Oriens.  
*megistocarpum*, *Dun. l. c.* 510 = *chilense*.

## LYCIUM:—

- melanopotamicum*, *Niederl. in Roca, Exped. Rio-Negro, ii.* 261.—Patag.  
*Meyenianum*, *Nees, in Nov. Act. Nat. Cur.* xix. Suppl. i. (1843) 390 = *Grabowskia Meyeniana*.  
*microphyllum*, *Loisel. in Nouv. Duham.* i. 112.—Afr. trop.  
*microphyllum*, *Phil. Sert. Mend. Alt.* 39.—Chili.  
*microphyllum*, *Willd. ex Roem. & Schult. Syst.* iv. 698 = *parvifolium*.  
*minutifolium*, *Remy, in C. Gay, Fl. Chil.* v. 93.—Chili.  
*nodosum*, *Miers, in Ann. & Mag. Nat. Hist.* Ser. II. xiv. (1854) 139.—Am. austr.  
*nutans*, *Poepp. ex DC. 5<sup>mo</sup> Not. Pl. Rar. Jard. Genév.* 24 = *chilense*.  
*obliquifolium*, *Stokes, Bot. Mat. Med.* i. 418 = *europaeum*.  
*obovatum*, *Buching. ex Krauss, in Flora, xxvii.* (1844) 830 = *Ehretia capensis*.  
*obovatum*, *Ruiz & Pav. Fl. Per.* ii. 46.—Peruv.  
*obtusum*, *Willd. ex Roem. & Schult. Syst.* iv. 698.—Venezuela.  
*oreophilum*, *Wedd. Chlor. And.* ii. 108.—Peruv.  
*orientale*, *Miers, in Ann. & Mag. Nat. Hist.* Ser. II. xiv. (1854) 12 = *europaeum*.  
*ovale*, *Willd. ex Dun. in DC. Prod.* xiii. 1. 527 = *Ioichroma cornifolia*.  
*ovatum*, *Hort. Monsp. ex Dun. l. c.* 506 (= *Fregirardia luteiflora*).—Am. austr.  
*ovatum*, *Loisel. in Nouv. Duham.* i. 117 = *chilense*.  
*ovatum*, *Willd. ex Dun. in DC. Prod.* xiii. 1. 527 = *Ioichroma cornifolia*.  
*oxycarpum*, *Dun. l. c.* 518.—Afr. austr.  
*oxycladum*, *Miers, in Ann. & Mag. Nat. Hist.* Ser. II. xiv. (1854) 15.—Afr. austr.  
*pallidum*, *Miers, l. c.* 131.—N. Mexic.  
*Palmeri*, *A. Gray, in Proc. Am. Acad.* viii. (1870) 292.—N. Mexic.  
*Parishii*, *A. Gray, l. c.* xx. (1885) 305.—Calif.  
*parviflorum*, *A. Gray, l. c.* vi. (1862) 48.—Arizona.  
*parvifolium*, *Roem. & Schult. Syst.* iv. 698.—Am. austr.  
*patagonicum*, *Miers, in Ann. & Mag. Nat. Hist.* Ser. II. xiv. (1854) 340.—Patagon.  
*pendulinum*, *Miers, l. c.* 20.—Afr. austr.  
*Pendulum*, *Walp. Ann.* v. 1212 = *pendulinum*.  
*persicum*, *Miers, in Ann. & Mag. Nat. Hist.* Ser. II. xiv. (1854) 12 = *europaeum*.  
*Pringlei*, *A. Gray, in Proc. Am. Acad.* xx. (1885) 305.—N. Mexic.  
*propinquum*, *G. Don, Gen. Syst.* iv. 459.—Afr. austr.  
*pruinatum*, *Griseb. in Goett. Abh.* xxiv. (1879) 245.—Reg. Argent.  
*Prunus spinosa*, *Dun. in DC. Prod.* xiii. 1. 515.—Afr. austr.  
*puberulum*, *A. Gray, in Proc. Am. Acad.* vi. (1862) 46.—N. Mexic.  
*pubescens*, *Miers, in Ann. & Mag. Nat. Hist.* Ser. II. xiv. (1854) 339.—Patagon.  
*pulchellum*, *Mart. & Gal. in Bull. Acad. Brux.* xii. 1. (1845) 145.—Mexic.  
*quadrifidum*, *Moc. & Sesse, ex Dun. in DC. Prod.* xiii. 1. 513 = *Richii*.  
*quitense*, *Hook. Ic. Pl. t.* 723 = *Poecilochroma quitensis*.  
*rachidocladum*, *Dun. in DC. Prod.* xiii. 1. 519.—Chili.  
*Requieni*, *Dun. l. c.* 520.—Hab.?  
*Richii*, *A. Gray, in Proc. Am. Acad.* vi. (1862) 46.—Calif.  
*rigidum*, *Thunb. Prod. Pl. Cap.* 37 = *carnosum*.  
*roridum*, *Miers, in Ann. & Mag. Nat. Hist.* Ser. II. xiv. (1854) 15.—Afr. austr.  
*ruthenicum*, *Murr. in Comm. Gotting.* 1779 (1780) 9. t. 2.—Oriens.  
*saevum*, *Miers, in Ann. & Mag. Nat. Hist.* Ser. II. xiv. (1854) 7 = *europaeum*.  
*salicifolium*, *Mill. Gard. Dict. ed. VIII. n.* 3 = *europaeum*.  
*salsum*, *Bartr. Trav. ed. II.* 57 = *carolinianum*.  
*salsum*, *Ruiz & Pav. Fl. Per.* ii. 46.—Peruv.  
*sandwicense*, *A. Gray, in Proc. Am. Acad.* vi. (1862) 44.—Ins. Sandvic.  
*scabrum*, *Nees, in Nov. Act. Nat. Cur.* xix. Suppl. i. (1843) 389 = *Grabowskia disticha*.  
*Schaffneri*, *A. Gray, ex Hemsl. in Biol. Centr. Am. Bot.* ii. 426.—Mexic.

## LYCIUM:—

- scoparium*, *Miers, in Ann. & Mag. Nat. Hist.* Ser. II. xiv. (1854) 340.—Reg. Argent.  
*senticosum*, *Miers, l. c.* 138 = *Berlandieri*.  
*serpyllifolium*, *Dun. in DC. Prod.* xiii. 1. 509.—Afr. austr.  
*Shawii*, *Roem. & Schult. Syst.* iv. 693.—Afr. austr.  
*siculum*, *Ucria, in Roem. Arch.* i. 1. 68.—Sicilia.  
*sinense*, *Auct. = chinense*.  
*sinense*, *Hort. ex Miers, in Ann. & Mag. Nat. Hist.* Ser. II. xiv. (1854) 194 = *ignarum*.  
*spathulatum*, *Mathews, ex Dun. in DC. Prod.* xiii. 1. 527, 484 = *Dunalia acnistoides*.  
*spathulatum*, *Ruiz & Pav. Fl. Per.* ii. 46 = *Acnistus spathulatus*.  
*spinatum*, *Hasselq. It. Palaest.* 76 = *europaeum*.  
*spinatum*, *Sieber, ex Steud. Nom. ed. II. ii.* 82, nomen. —Hab.?  
*spinulosum*, *Miers, in Ann. & Mag. Nat. Hist.* Ser. II. xiv. (1854) 191.—Reg. Argent.  
*stenophyllum*, *Remy, in C. Gay, Fl. Chil.* v. 93.—Chili.  
*stolidum*, *Miers, in Ann. & Mag. Nat. Hist.* Ser. II. xiv. (1854) 191 = *Berlandieri*.  
*subglobosum*, *Dun. in DC. Prod.* xiii. 1. 511.—Hab.?  
*tataricum*, *Pall. Fl. Ross.* i. 78. t. 49 = *ruthenicum*.  
*tenue*, *Willd. Enum. Hort. Berol.* 245.—Afr. austr.  
*tenuispinum*, *Miers, in Ann. & Mag. Nat. Hist.* Ser. II. xiv. (1854) 190.—Reg. Argent.  
*tetrandrum*, *Thunb. Prod. Pl. Cap.* 37.—Afr. austr.  
*Thunbergii*, *G. Don, Gen. Syst.* iv. 459 = *Plectronia ventosa*.  
*Torreyi*, *A. Gray, in Proc. Am. Acad.* vi. (1866) 47.—Am. bor. occ.  
*Trewianum*, *Roem. & Schult. Syst.* iv. 693 = *chilense*.  
*turbinatum*, *Loisel. in Nouv. Duham.* i. 119 = *chilense*.  
*turcomanicum*, *Fisch. & Mey. ex Ledeb. Fl. Ross.* iii. 191 = *ruthenicum*.  
*Tweedianum*, *Griseb. in Goett. Abh.* xix. (1874) 216.—Reg. Argent.  
*umbellatum*, *Ruiz & Pav. Fl. Per.* ii. 45 = *Acnistus umbellatus*.  
*umbrosum*, H. B. & K. Nov. Gen. et Sp. iii. 54 = *Ioichroma umbrosa*.  
*vimineum*, *Miers, in Ann. & Mag. Nat. Hist.* Ser. II. xiv. (1854) 140.—N. Granat.  
*vulgare*, *Dun. in DC. Prod.* xiii. 1. 509.—Geront. temp.  
*Wilkesii*, *Ball, in Journ. Linn. Soc.* xxi. (1884) 229.—Patagon.

LYCOCTONUM, *Fourr. in Ann. Soc. Linn. Lyon*, N. S. xvi. (1868) 326 = *Aconitum*, *Tourn. (Ranunc.) sylvaticum*, *Fourr. l. c.* = *A. Lycocotum*.

LYCOMORMIUM, *Reichb. f. in Bot. Zeit.* x. (1852) 833. ORCHIDAE, *Benth. & Hook. f.* iii. 545. *cerinum*, *Benth. in Journ. Linn. Soc.* xviii. (1881) 321.—Am. centr.  
*serronianum*, *Rodrig. Orch. Nov.* i. 102.—Bras.  
*squalidum*, *Reichb. f. in Bot. Zeit.* x. (1852) 833.—N. Granat.

LYCOPERSICON, *Tourn. ex Rupp. Fl. Jen. ed. Hall.* 50 (1745) = seq.

LYCOPERSICUM, *Hill, Veg. Syst.* ix. 32 (1765). SOLANACEAE, *Benth. & Hook. f.* ii. 888. *AMATULA*, *Medic. Bot. Beobacht.* 38 (1782); et *Malv.* 106 (1787).

*aethiopicum*, *Mill. Gard. Dict. ed. VIII. n.* 3 = *Solanum aethiopicum*.  
*agrimoniacifolium*, *Dun. in DC. Prod.* xiii. 1. 24.—Peruv.  
*agrimoniacifolium*, *Hort. Berol. ex Dun. l. c.* 27 = *diadelphum*.  
*atacamense*, *Phil. Fl. Atac.* 42.—Chili.  
*cerasiforme*, *Dun. Solan.* 113 = *esculentum*.  
*chilense*, *Dun. in DC. Prod.* xiii. 1. 24.—Chili.  
*commutatum*, *Roem. & Schult. Syst.* iv. 569 = *peruvianum*.  
*dentatum*, *Dun. Syn. Solan.* 4 = *peruvianum*.  
*diadelphum*, *Dun. in DC. Prod.* xiii. 1. 27.—Hab.?  
*Dulcamara*, *Medic. Beobacht.* (1783) 245 = *Solanum Dulcamara*.  
*esculentum*, *Mill. Gard. Dict. ed. VIII. n.* 2.—Am. austr.



**LYCOPERSICUM:**

*Galen*, Mill. Gard. Dict. ed. VIII. n. 1 = esculentum. *hirsutum*, H. B. & K. Nov. Gen. et Sp. iii. 18.—Am. austr.  
*Humboldtii*, Dun. Solan. 112.—Bras.  
*inodorum*, Juss. ex Steud. Nom. ed. I. 500 = *pimpinellifolium*.  
*macrophyllum*, Guss. Enum. Pl. Inar. 230.—Afr. bor.  
*peruvianum*, Mill. Gard. Dict. ed. VIII. n. 5.—Peruv.  
*philippinarum*, Dun. in DC. Prod. xiii. i. 27.—Ins. Philipp.  
*pimpinellifolium*, Mill. Gard. Dict. ed. VIII. n. 4.—Am. austr.  
*Pissisi*, Phil. in Anal. Univ. Chil. (1861) 56; et in *Linnaea*, xxxiii. (1864-65) 205.—Chili.  
*Pomum-amoris*, Moench, Meth. 515 = esculentum.  
*procumbens*, Mill. Gard. Dict. ed. VIII. n. 6.—Am. austr.  
*pyriforme*, Dun. Solan. 112. t. 26.—Am. austr.  
*racemiforme*, Lange, in Bot. Tidsskr. Ser. II. i. (1872) 189 = *racemigerum*.  
*racemigerum*, Lange, Ind. Sem. Hort. Haun. (1865) 26.—Am. bor.  
*regulare*, Dun. Syn. Solan. 3 = *peruvianum*?  
*Solanum*, Medic. Beobacht. (1783) 245 = esculentum.  
*Solanum-Lycopersicum*, Hill, Hort. Kew. 148 = esculentum.  
*spurium*, Link, Handb. i. 566.—Hab.?  
*tuberosum*, Mill. Gard. Dict. ed. VIII. n. 7 = *Solanum tuberosum*.

**LYCOPODIUM** *arborescens*, Banks & Soland. ex Carr. Conif. ed. I. 469 = *Dacrydium Colensoi*.  
*arborescens*, Jungh. in Fror. Notiz. (1842) 184; ex Blume, Rumphia, iii. 221 = *Dacrydium elatum*.

**LYCOPSIS**, Linn. Syn. ed. I (1735). *BORAGINEAE*, Benth. & Hook. f. ii. 856.

*BUGLOSSA*, S. F. Gray, Nat. Arr. Brit. Pl. ii. 351 (1821).  
*aegyptiaca*, Linn. Sp. Pl. 138 = *Anchusa flava*.  
*alpestris*, Lehm. Asperif. 260 = *Nonnea alpestris*.  
*ampulosus*, Gilib. Fl. Lituan. i. 26 = *Nonnea pulla*.  
*arvensis*, Linn. Sp. Pl. 139.—Europ.  
*axillaris*, Rafin. New Fl. Am. iv. 19 (Quid?).—Am. bor.  
*bullata*, Cyrill. Pl. Rar. Neap. Fasc. i. 34 t. 11. f. 3 = *variegata*.  
*calycina*, Roem. & Schult. Syst. iv. 74 = *Nonnea phanerantha*.  
*capensis*, Burm. f. Prod. Fl. Cap. 4 (Quid?).—Afr. austr.  
*caspica*, Lehm. Asperif. 256 = *Nonnea picta*.  
*ciliata*, C. A. Mey. Verz. Pfl. Cauc. 98 = *Nonnea pulla*.  
*ciliata*, Willd. Sp. Pl. i. 780 = *Nonnea lutea*.  
*Colsmanniana*, Lehm. Asperif. ii. 265 = *Nonnea Colsmanniana*.  
*confertiflora*, Clarke, Trav. ii. 420.—Palaestin.  
*crispa*, Bertol. Fl. Ital. ii. 337 = *Anchusa crispa*.  
*cyrenaica*, Spreng. Syst. i. 556 = *Alkanna tinctoria*.  
*decurrens*, C. A. Mey. Verz. Pfl. Cauc. 98 = *Nonnea decurrens*.  
*echioides*, Linn. Sp. Pl. ed. II. 199 = *Macrotomia echioides*.  
*elongata*, Lehm. Asperif. ii. 264. n. 195 = *Anchusa undulata*.  
*erecta*, Urv. in Mém. Soc. Linn. Par. i. (1822) 278 = *orientalis*.  
*flavescens*, C. A. Mey. Verz. Pfl. Cauc. 98 = *Alkanna lutea*.  
*glomerata*, Urv. in Mém. Soc. Linn. Par. i. (1822) 278 = *Anchusa aggregata*.  
*hispida*, Andr. ex Trautv. in Act. Hort. Petrop. ix. (1884) 43. nomen.—Rossia.  
*longifolia*, Drège, ex A. DC. in DC. Prod. x. 44 = *Anchusa Dregei*.  
*lutea*, Desr. in Lam. Encyc. iii. 657 = *Alkanna lutea*.  
*macrophylla*, Desr. l. c. = *Anchusa macrophylla*.  
*maroccana*, Willd. ex Roem. & Schult. Syst. iv. 756 (Quid?).—Marocc.  
*micrantha*, Ledeb. in Pand. Beitr. i. 65 = *orientalis*.  
*microphylla*, Bertol. Misc. Bot. i. 15 = *Nonnea ventricosa*.  
*Milleri*, Hornem. Hort. Hafn. i. 181 = *Anchusa Milleri*.  
*mollis*, Vis. in Atti Riun. Scienz. Torin. 179 = *Alkanna orientalis*.  
*nigricans*, Desr. in Lam. Encyc. iii. 655 = *Nonnea nigricans*.  
*obtusifolia*, Willd. Sp. Pl. i. 780 = *Nonnea obtusifolia*.  
*orientalis*, Linn. Sp. Pl. 139.—Europ. austr.; Oriens.  
*orientalis*, Steph. Fl. Mosq. n. 122 = *arvensis*.  
*picta*, Lehm. Asperif. 255 = *Nonnea picta*.

**LYCOPSIS:**

*pulchra*, Willd. ex Roem. & Schult. Syst. iv. 756 = *Macrotomia echioides*.  
*pulla*, Linn. Syst. ed. X. 916 = *Nonnea pulla*.  
*rosea*, Lehm. Asperif. 261 = *Nonnea rosea*.  
*sanguinolenta*, Herb. in Journ. Hort. Soc. ii. (1847) 17 = *variegata*?  
*saxatilis*, Turcz. ex A. DC. in DC. Prod. x. 56, 103 = *Onosma saxatilis*.  
*setosa*, Lehm. Asperif. 269 = *Alkanna lutea*.  
*Sibthorpiana*, Lehm. l. c. 258 = *Nonnea alba*.  
*taurica*, Ledeb. in Pand. Beitr. i. 64 = *Nonnea pulla*.  
*taurica*, Stev. in Bull. Soc. Nat. Mosc. xxx. (1857) i. 338 = *orientalis*.  
*taurica*, Willd. ex Ledeb. Fl. Ross. iii. 110 = *Nonnea picta*.  
*undulata*, Gilib. Fl. Lituan. i. 26 = *arvensis*.  
*variegata*, Linn. Sp. Pl. 138.—Reg. Caucas.  
*versicolor*, C. A. Mey. Verz. Pfl. Cauc. 98 = *Nonnea rosea*.  
*vesicaria*, Auch. ex A. DC. in DC. Prod. x. 56, 98 = *Alkanna tubulosa*.  
*vesicaria*, Echeand. ex Willk. & Lange, Prod. Fl. Hisp. ii. 491 = *Nonnea alba*.  
*vesicaria*, Hornem. Hort. Hafn. i. 181 = *Nonnea pulla*.  
*vesicaria*, Linn. Sp. Pl. 138 = *Nonnea nigricans*.  
*vesicaria*, Pall. Voy. ed. Gall. vi. 110 = *Cranioppermum subvillosum*.  
*virginica*, Linn. Sp. Pl. 138 = *Myosotis verna*.

**LYCOPUS**, Tourn. ex Linn. Syst. ed. I (1735). *LABIATAE*, Benth. & Hook. f. ii. 1183.

*alborosus*, Gilib. Fl. Lituan. i. 71 = *europaeus*.  
*albus*, Fl. Corc. in Ionios Anthol. ii. (1834) 446 = *europaeus*.  
*americanus*, Muhl. Cat. 3; Bart. Fl. Philad. i. 12 = *sinuatus*.  
*amethystinus*, Stev. in Mém. Soc. Nat. Mosc. v. (1814) 341 = *Amethystea caerulea*.  
*angustifolius*, Ell. Sketch. i. 26 = *sinuatus*.  
*aquaticus*, Moench, Meth. 370 = *europaeus*.  
*arkansanus*, Fresen. in Flora, xxv. (1842) 310, 311 = *rubellus*.  
*australis*, R. Br. Prod. 500.—Austral.  
*bracteatus*, Muhl. ex Link, Jahrb. i. iii. 55 = *sinuatus*.  
*decrescens*, C. Koch, in Linnaea, xxi. (1848) 646 = *europaeus*.  
*diantherus*, Buch.-Ham. ex Roxb. Hort. Beng. 4; Fl. Ind. i. 144 = *Mosla dianthera*.  
*europaeus*, Linn. Sp. Pl. 21.—Europ.; As. bor.  
*europaeus*, Walt. Fl. Carol. 64 = *sinuatus*.  
*exaltatus*, Ell. Sketch. i. 26 = *sinuatus*.  
*exaltatus*, Linn. f. Suppl. 87 = *europaeus*.  
*heterophyllus*, Rafin. Med. Fl. ii. 28 = *sinuatus*.  
*intermedius*, Sweet, Hort. Brit. ed. I. 310 = *europaeus*.  
*laciniatus*, Marz. Vicet. 17; ex Pollini, Fl. Veron. i. 27 = *europaeus*.  
*laciniatus*, Rouy.—Cf. Bull. Soc. Bot. Fr. xxx (1883), Bibl. 32 = *europaeus*.  
*longifolius*, Rafin. Med. Fl. ii. 28 = *sinuatus*.  
*lucidus*, Turcz. ex Benth. in DC. Prod. xii. 179.—Sibir.; Am. bor. occ.  
*macrophyllus*, Benth. Lab. Gen. et Sp. 185 = *virginicus*.  
*menthifolius*, Mabilie, Réch. Pl. Corse, fasc. i. 31 = *europaeus*.  
*mollis*, Kern. in Oestr. Bot. Zeitschr. xvi. (1866) 371.—Europ.  
*niger*, Gueldenst. Reisen, ii. 65 = *europaeus*.  
*obtusifolius*, Benth. in DC. Prod. xii. 178 = *lucidus*?  
*obtusifolius*, Michx. ex Vahl, Enum. i. 212 = *rubellus*?  
*palustris*, Burm. f. Fl. Cap. Prod. 1; Lam. Fl. Fr. ii. 430 = *europaeus*.  
*parviflorus*, Maxim. Prim. Fl. Amur. 216.—Reg. Amur.  
*pauciflorus*, Rafin. Med. Fl. ii. 28 = *sinuatus*.  
*pennsylvanicus*, Muhl. ex Rafin. l. c. = *sinuatus*.  
*pinnatifidus*, Pall. Reise, iii. 655 = *europaeus*.  
*praetitus*, Nutt. ex Benth. in DC. Prod. xii. 179 = *sinuatus*.  
*pumilus*, Vahl, Enum. i. 211 = *virginicus*.  
*riparius*, Salisb. Prod. 72 = *europaeus*.  
*rubellus*, Moench, Meth. Suppl. 146.—Am. bor.  
*sessilifolius*, A. Gray, in Proc. Am. Acad. viii. (1870) 285.—Am. bor.  
*sinuatus*, Ell. Sketch. i. 26.—Am. bor.  
*uniflorus*, Michx. Fl. Bor. Am. i. 14 = *virginicus*.  
*virginicus*, Linn. Sp. Pl. 21.—Am. bor.  
*vulgaris*, Nutt. Gen. Am. i. 15 = *sinuatus*.  
*vulgaris*, Pers. Syn. i. 24 = *europaeus*.

**LYCORIS**, Herb. App. 20 (1821). *AMARYLLIDAE*, Benth. & Hook. f. iii. 727.

*OREXIS*, Salisb. Gen. Pl. Fragm. 117 (1866).  
*PLEURASTIS*, Rafin. Fl. Tellur. iv. 12 (1836).  
*africana*, M. Roem. Syn. Ens. 146 = *aurea*.  
*aurea*, Herb. App. 20.—China.  
*hyacinthina*, Herb. in Bot. Mag. sub t. 2113, p. 5 = *Griffinia hyacinthina*.  
*radiata*, Herb. App. 20.—China.  
*radiata*, Miq. Ann. Mus. Bot. Lugd. Bat. ii. 139 = *Ungernia trisphaera*?  
*sanguinea*, Maxim. in Engl. Bot. Jahrb. vi. (1885) 80.—Japan.  
*Severzowi*, Regel, in Bull. Soc. Nat. Mosc. xli. (1868) i. 435 = *Ungernia trisphaera*.  
*squamigera*, Maxim. in Engl. Bot. Jahrb. vi. (1885) 79.—Japan.  
*straminea*, Lindl. in Journ. Hort. Soc. iii. (1848) 76.—China.

**LYCORUS**, Loud. Hort. Brit. 121, in syn. (1830) = *praec.*

**LYCOSERIS**, Cass. in Dict. Sc. Nat. xxxiii. 474 (1824). *COMPOSITAE*, Benth. & Hook. f. ii. 495.

*DIAZEUXIS*, D. Don, in Trans. Linn. Soc. xvi. (1830) 251.  
*LANGSDORFIA*, Willd. ex Less. Syn. Comp. 97 (1832).  
*bracteata*, Benth. Bot. Voy. Sulph. 121.—Ecuador.  
*denticulata*, Less. in Linnaea, v. (1830) 257.—Am. austr.  
*grandis*, Benth. ex Oerst. in Kjoeb. Vidensk. Meddel. (1852) 111.—Costa Rica.  
*hyssopifolia*, Cass. in Dict. Sc. Nat. xxxiii. 474 = *Onoseris hyssopifolia*.  
*latifolia*, Benth. Bot. Voy. Sulph. 121.—Panama.  
*mexicana*, Cass. in Dict. Sc. Nat. xxxiii. 474.—N. Granat.  
*squarrosa*, Benth. Bot. Voy. Sulph. 121.—Panama.  
*triplinervia*, Less. in Linnaea, v. (1830) 257.—N. Granat.

**LYCOTIS**, Hoffmgg. Verz. Pfl. Nachtr. ii. 99 (1826) = *Arctotis*, Linn. (Compos.).  
*leucanthemoides*, Hoffmgg. l. c. = *A. leucanthemoides*.

**LYCURUS**, H. B. & K. Nov. Gen. et Sp. i. 141. t. 45 (1815). *GRAMINEAE*, Benth. & Hook. f. iii. 1145.

*PLEOPOGON*, Nutt. in Journ. Acad. Phil. Ser. II. i. (1847) 189.  
*alopecuroides*, Griseb. in Goett. Abh. xix. (1874) 255.—Reg. Argent.  
*muticus*, Spreng. Syst. iv. Cur. Post. 32 = *Elionurus candidus*.  
*phalaroides*, H. B. & K. Nov. Gen. et Sp. i. 142.—Mexic.  
*phleoides*, H. B. & K. l. c. t. 45.—Mexic.

**LYDEA**, Molina, Sagg. Chile, ed. II. 300 (1810) = *Kageneckia*, Ruiz & Pav. (Rosac.).  
*Lyday*, Molina, l. c. = *K. oblonga*.

**LYDEA**, Molina, Sagg. Chile, ed. II. 164 (1810) = *praec.*

**LYGEUM**, Linn. Cent. Pl. i. 4 (1755); Loeffl. It. Hisp. 72 (1758). *GRAMINEAE*, Benth. & Hook. f. iii. 1110.

*LINOSPARTON*, Adans. Fam. ii. 34 (1763).  
*Spartum*, Loeffl. ex Linn. Cent. Pl. i. 4; Amoen. Acad. iv. 264.—Reg. Mediterr. occ.  
*spathaceum*, Lam. Encyc. i. 96 = *L. Spartum*.  
*tenax*, Salisb. Prod. 26 = *L. Spartum*.

**LYGIA**, Fasano, in Atti Acc. Nap. 1787 (1788) 245 (Ligia) = *Thymelaea*, Tourn.  
*Amari*, Kotschy, ex Boiss. Fl. Orient. iv. 1052 = *T. Aucheri*.  
*Aucheri*, Boiss. l. c. = *T. Aucheri*.  
*cilicica*, Boiss. l. c. 1053 = *T. cilicica*.  
*multicaulis*, Schott & Kotschy, ex Boiss. l. c. = *T. cilicica*.  
*Passerina*, Fasano, in Atti Acc. Nap. 1787 (1788) 247.—Cf. C. A. Mey. in Bull. Phys. Math. Acad. Pétersb. i. (1843) 358 = *T. arvensis*.  
*pubescens*, C. A. Mey. l. c. = *T. arvensis*.



**LYGINIA**, R. Br. Prod. 248 (1810). *RESTIACEAE*, Benth. & Hook. f. iii. 1029.  
*SCHOENODUM*, Labill. Nov. Holl. Pl. ii. 79. t. 29 (1806).

barbata, R. Br. Prod. 248.—Austral.  
 imberbis, R. Br. l. c. = barbata.  
 montevidensis, Spreng. Syst. iv. Cur. Post. 26.—Reg. Argent.  
 symphyonema, F. Muell. Fragm. viii. 79 = barbata.  
 tenax, Steud. Nom. ed. I. 501 = barbata.

**LYGISMA**, Hook. f. Ic. Pl. t. 1423 (1883) *ASCLEPIADEAE*.  
 angustifolia, Hook. f. l. c. —Burma.

**LYGISTUM**, P. Br. Hist. Jamaica. 142 (1756) = *Manettia*, Linn. (Rubiaceae).  
 axillare, Lam. Illustr. i. 286 = M. Lygistum.  
 spicatum, Lam. l. c. = Gonzalea spicata.

**LYGODESMIA**, D. Don, in Edinb. N. Phil. Journ. (Jan.—Mar. 1829) 311. *COMPOSITAE*, Benth. & Hook. f. ii. 530.  
 ERYTHREMA, Nutt. in Trans. Am. Phil. Soc. N. S. vii. (1841) 445.

aphylla, DC. Prod. vii. 198.—Am. bor.  
 exigua, Benth. & Hook. f. Gen. ii. 530; A. Gray, in Proc. Am. Acad. ix. (1874) 217.—Am. bor. occ.  
 grandiflora, Torr. & Gray, Fl. N. Am. ii. 485.—Am. bor. occ.

juncea, D. Don, in Edinb. N. Phil. Journ. (Jan.—Mar. 1829) 311.—Am. bor. occ.  
 minor, Hook. Fl. Bor. Am. i. 295. t. 103 = Stephanomeria minor.

pumila, D. Don, in Edinb. N. Phil. Journ. (Jan.—Mar. 1829) 311 = aphylla.

rostrata, A. Gray, in Proc. Am. Acad. ix. (1874) 217.—Am. bor. occ.

spinosa, Nutt. in Trans. Am. Phil. Soc. N. S. vii. (1841) 444.—Am. bor. occ.

triquetra, D. Don, in Edinb. N. Phil. Journ. (Jan.—Mar. 1829) 311 = Lactuca triquetra.

**LYGODISODEA**, Ruiz & Pav. Prod. 32. t. 5 (1794). *RUBIACEAE*, Benth. & Hook. f. ii. 134.

DISODEA, Pers. Syn. i. 210 (1805).  
 brasiliensis, Gardn. in Hook. Journ. Bot. ii. (1840) 25.—Bras.

ciliata, Bartl. ex DC. Prod. iv. 470.—Mexic.  
 foetida, Ruiz & Pav. Fl. Per. ii. 48. t. 188.—Peruv.  
 Lingua, Boj. ex Steud. Nom. ed. II. ii. 83 = Paederia Lingua.  
 mexicana, DC. Prod. iv. 470.—Mexic.

**LYGOPLIS**, Rafin. Sylva Tellur. 23 (1838) = *Genista*, Linn. (Legumin.).

horridum, Rafin. l. c. = G. horrida.  
 spinosum, Rafin. l. c. = Calycotome spinosa.  
 villosum, Rafin. l. c. = Calycotome villosa.

**LYGOS**, Adans. Fam. ii. 321 (1763) = *Genista*, Linn. (Legumin.).

**LYGURUS**, D. Dietr. Syn. Pl. i. 134 (1839), sphalm. = *Lycurus*, H. B. & K. (Gramin.).

**LYGISTRUM**, Gilib. Fl. Lituan. i. 246 (1781) = *Ligustrum*, Tourn. (Oleaceae).

**LYMNOPHILA**, Blume, Bijdr. 748 (1826) = *Limnophila*, R. Br. (Scrophul.).

**LYNCEA**, Cham. & Schlecht. in Linnaea, v. (1830) 108. = *Melasma*, Berg. (Scrophul.).  
 hispida, Cham. & Schlecht. l. c. 109 = M. hispidum.

**LYNDENIA**, Miq. Fl. Ind. Bat. i. 1. 580 (1855) = *LIJNDENIA*, Zoll. & Mor. = *Memecylon*, Linn. (Melastom.).

**LYONELLA**, Rafin. in Am. Monthly Mag. (1818) 266 = *Polygonum*, Linn.

**LYONETIA**, Willk. in Willk. & Lange, Prod. Fl. Hisp. ii. 83 (1870), sphalm. = *LYONNETIA*, Cass. = *Anthemis*, Mich. (Compos.).

**LYONETTIA**, Endl. Ench. 241 (1841) = praec.

**LYONIA**, Ell. Sketch, i. 316 (1817) = *Vincetoxicum*, Moench (Asclep.).  
 maritima, Ell. l. c. = V. palustre.

**LYONIA**, Nutt. Gen. Am. i. 266 (1818). *ERICA-CEAE*, Benth. & Hook. f. ii. 587.

acuminata, C. Koch, Dendrol. ii. i. 123 = Leucothoe acuminata.

arborea, D. Don, in Edinb. N. Phil. Journ. xvii. (1834) 159 = Oxydendron arboreum.

axillaris, C. Koch, Dendrol. ii. i. 124 = Leucothoe axillaris.

calyculata, Reichb. Fl. Germ. Excurs. 414 = Cassandra calyculata.

capreaefolia, Wats. Dendrol. t. 127 = paniculata.

Catesbaei, C. Koch, Dendrol. ii. i. 125 = Leucothoe Catesbaei.

fasciculata, G. Don, Gen. Syst. iii. 831.—Jamaic.

ferruginea, Nutt. Gen. Am. i. 266.—Am. bor.

frondosa, Nutt. l. c. 267 = paniculata.

glandulosa, Griseb. Cat. Pl. Cub. 51.—Cuba.

jamaicensis, D. Don, in N. Edinb. Phil. Journ. xvii. (1834) 159, nomen.—Jamaic.

latifolia, Griseb. Cat. Pl. Cub. 51.—Ind. occ.

ligustrina, DC. Prod. vii. 599 = paniculata.

lucida, C. Koch, Dendrol. ii. i. 118 = Pieris nitida.

marginata, D. Don, in Edinb. N. Phil. Journ. xvii. (1834) 159 = Pieris nitida.

Mariana, D. Don, l. c. = Pieris Mariana.

multiflora, Wats. Dendrol. t. 128 = paniculata.

myrtilloides, Griseb. Cat. Pl. Cub. 50.—Cuba.

obtusata, Griseb. l. c. 51. = Cuba.

octandra, Griseb. Fl. Brit. W. Ind. 142.—Jamaic.

paniculata, Nutt. Gen. Am. i. 266.—Am. bor.

parabolica, C. Koch, Dendrol. ii. i. 119 = paniculata.

populifolia, C. Koch, l. c. 123 = Leucothoe acuminata.

pulverulenta, C. Koch, l. c. 117 = Zenobia speciosa.

racemosa, D. Don, in Edinb. N. Phil. Journ. xvii. (1834) 159 = Leucothoe racemosa.

rhomboidalis, G. Don, Gen. Syst. iii. 831 = ferruginea.

rigida, Nutt. Gen. Am. i. 266 = ferruginea.

rubiginosa, G. Don, Gen. Syst. iii. 831.—Ind. occ.

salicifolia, Wats. Dendrol. t. 38 = paniculata.

squamulosa, Mart. & Gal. in Bull. Acad. Brux. ix. (1842) 542 = ferruginea.

**LYONIA**, Rafin. in Med. Repos. N. York, v. (1808) 352 = *Polygonella*, Michx. (Polygon.).

**LYONNETIA**, Cass. in Dict. Sc. Nat. xxxiv. 106 (1825) = *Anthemis*, Mich. (Compos.).

abrotanifolia, Less. Syn. Comp. 259 = A. cretica.

abrotanifolia, Webb, Iter Hisp. 37 = A. nobilis.

anthemoides, Willk. in Willk. & Lange, Prod. Fl. Hisp. ii. 83.—Hispan.

montana, Griseb. ex Boiss. & Reut. Diagn. Pl. Nov. Hisp. 17 = A. montana.

muricata, DC. Prod. vi. 15 = A. muricata.

pectinata, DC. l. c. vii. 295 = A. taygetea, pectinata.

persica, Boiss. Diagn. Ser. I. vi. 85 = A. persica.

pusilla, Cass. in Dict. Sc. Nat. xxxiv. 106 = A. cretica.

rigida, DC. Prod. vi. 14 = A. cretica.

tenuiloba, DC. l. c. 15 = A. montana.

**LYONOTHAMNUS**, A. Gray, in Proc. Am. Acad. xx. (1885) 291. *ROSACEAE*.

asplenifolius, Greene, in Bull. Calif. Acad. i. iv. (1885) 187.—Calif.

floribundus, A. Gray, in Proc. Am. Acad. xx. (1885) 292.—Calif.

**LYONSIA**, R. Br. in Mem. Wern. Soc. i. (1809) 66. *APOCYNACEAE*, Benth. & Hook. f. ii. 711.

celebica, Oliver, in Journ. Linn. Soc. xv. (1876) 99.—Ins. Celebes.

cuspidata, Rafin. New Fl. Am. iv. 59 (Quid?).—Am. bor.

diaphanophlebia, F. Muell. ex Benth. Fl. Austral. iv. 322.—Austral.

eucalyptifolia, F. Muell. l. c. 323.—Austral.

induplicata, F. Muell. l. c. 321.—Austral.

laevis, A. Gray, in Proc. Am. Acad. v. (1861–62) 333.—Ins. Fiji.

Langiana, F. Muell. Fragm. vi. 128.—Austral.

largiflorens, F. Muell. ex Benth. Fl. Austral. iv. 322.—Austral.

latifolia, Benth. l. c. 323.—Austral.

Leichhardtii, F. Muell. Fragm. vi. 128 = Parsonsia Leichhardtii.

**LYONSIA** :—  
 lilacina, F. Muell. ex Benth. Fl. Austral. iv. 321.—Austral.

oblongifolia, Benth. l. c. 303.—Austral.

reticulata, F. Muell. Rep. Burdek. Exped. 16.—Austral.

scabra, A. DC. in DC. Prod. viii. 401.—N. Caled.

straminea, R. Br. Prod. 466.—Austral.

**LYPERANTHUS**, R. Br. Prod. 325 (1810). *ORCHIDEAE*, Benth. & Hook. f. iii. 611.

FITZGERALDIA, F. Muell. in Wing, South Sc. Record (1882), 56, in obs.

antarcticus, Hook. f. Fl. Antarct. ii. 544.—Ins. Dom. Auckland.

Burnettii, F. Muell. Fragm. v. 96 = Burnettia cuneata.

ellipticus, R. Br. Prod. 325.—Austral.

Forrestii, F. Muell. in Wing, South Sc. Record, ii. (1882) 55.—Austral.

nigricans, R. Br. Prod. 325.—Austral.

serratus, Lindl. Gen. et Sp. Orch. 393 = Caladenia serrata.

suaveolens, R. Br. Prod. 325 = Caladenia suaveolens.

**LYPERIA**, Benth. in Hook. Comp. Bot. Mag. i. (1835) 377. *SCROPHULARINEAE*, Benth. & Hook. f. ii. 945.

URBANIA, Vatke, in Oestr. Bot. Zeitschr. xxv (1875) 10.

amplexicaulis, Benth. in Hook. Comp. Bot. Mag. i. (1835) 377.—Afr. austr.

argentea, Benth. l. c. 379.—Afr. austr.

aspalathoides, Benth. l. c. 381.—Afr. austr.

atropurpurea, Benth. l. c. 380.—Afr. austr.

Burkeana, Benth. in DC. Prod. x. 361.—Afr. austr.

canariensis, Webb & Berth. Phyt. Canar. iii. 146.—Ins. Canar.

canescens, Benth. in Hook. Comp. Bot. Mag. i. (1835) 379.—Afr. austr.

crassicaulis, Benth. l. c.—Afr. austr.

crocea, Eckl. ex Benth. in DC. Prod. x. 361 = atropurpurea.

cuneata, Benth. in Hook. Comp. Bot. Mag. i. (1835) 380.—Afr. austr.

diandra, E. Mey. Ann. Hort. Sem. Regiomont. (1846) 5.—Cf. Ann. Sc. Nat. Sér. III. xi. (1849) 254.—Afr. austr.

filicaulis, Benth. in Hook. Comp. Bot. Mag. i. (1835) 380.—Afr. austr.

flogiflora, Steud. Nom. ed. II. ii. 84, sphalm. = phlogiflora.

foliolosa, Benth. in Hook. Comp. Bot. Mag. i. (1835) 380.—Afr. austr.

foliosa, Krauss, in Flora, xxvii. (1844) 835, sphalm. = praec.

fragrans, Benth. in Hook. Comp. Bot. Mag. i. (1835) 378.—Afr. austr.

fruticosa, Benth. l. c. 377.—Afr. austr.

glutinosa, Benth. l. c. 378.—Afr. austr.

incisa, Benth. l. c. 379.—Afr. austr.

integerrima, Benth. in DC. Prod. x. 359.—Afr. austr.

Kraussiana, Benth. l. c. 360.—Afr. austr.

macrocarpa, Benth. in Hook. Comp. Bot. Mag. i. (1835) 378.—Afr. austr.

macrophylla, Walp. Rep. iv. 534, sphalm. = microphylla.

micrantha, Klotzsch, in Peters, Reise Mossamb. Bot. 222.—Afr. trop.

microphylla, Benth. in Hook. Comp. Bot. Mag. i. (1835) 381.—Afr. austr.

mollis, Benth. l. c. 380.—Afr. austr.

multifida, Benth. l. c.—Afr. austr.

pedicellata, Klotzsch, in Peters, Reise Mossamb. Bot. 223.—Afr. trop.

pedunculata, Benth. in Hook. Comp. Bot. Mag. i. (1835) 379.—Afr. austr.

phlogiflora, Benth. l. c.—Afr. austr.

pinnatifida, Benth. l. c. 380.—Afr. austr.

purpurea, Walp. Rep. iii. 316 = atropurpurea.

racemosa, Benth. in Hook. Comp. Bot. Mag. i. (1835) 378.—Afr. austr.

simplex, Benth. l. c.—Afr. austr.

stricta, Benth. in DC. Prod. x. 360.—Afr. austr.

tenuiflora, Benth. in Hook. Comp. Bot. Mag. i. (1835) 378.—Afr. austr.

tenuifolia, Benth. in Flora, xxvii. 1844 835.—Afr. austr.

tortuosa, Benth. in DC. Prod. x. 362.—Afr. austr.

tristis, Benth. in Hook. Comp. Bot. Mag. i. (1835) 378.—Afr. austr.

violacea, Benth. l. c. 379.—Afr. austr.



LYPERIA, Salisb. Gen. Pl. Fragm. 56 (1866) = **Fritillaria**, Tourn. (Liliac.).

LYPERODENDRON, Willd. ex Meissn. in DC. Prod. xiv. 168, in syn. (1857) = **Coccoloba**, Linn. (Polygon.). *coccoloboides*, Willd. ex Meissn. l. c. = *C. acuminata*.

LYPROLEPIS, Steud. Syn. Pl. Cyp. 130 (1855) = **Kyllinga**, Rottb. (Cyperac.). *denudata*, Steud. l. c. = *K. peruviana*.

LYRAEA, Lindl. Gen. et Sp. Orch. 46 (1830) = **Bulbophyllum**, Thou. (Orchid.). *prismatica*, Lindl. l. c. = *B. prismaticum*.

LYRILOMA, Schlecht. in Bot. Zeit. iii. (1845) 27 sphalm. = **Lysiloma**, Benth. (Legumin.).

LYRIODENDRON, DC. Syst. i. 461 (1818) = **Liriodendron**, Linn. (Magnol.).

LYROCARPA, Hook. & Harv. in Hook. Lond. Journ. Bot. iv. (1845) 76. t. 4. **CRUCIFERAE**, Benth. & Hook. f. i. 93. Coulteri, Hook. & Harv. in Hook. Lond. Bot. iv. (1845) 76. —Calif. Palmeri, S. Wats. in Proc. Am. Acad. xi. (1876) 123. —Am. bor. occ.

LYSANTHE, Salisb. in Knight, Prot. 116 (1809) = **Grevillea**, R. Br. (Proteac.). *cana*, Knight, l. c. 117 = *G. arenaria*. *cytisifolia*, Knight, l. c. 119 = *G. sericea*. *linariaefolia*, Knight, l. c. = *G. linearis*. *podalyriaefolia*, Knight, l. c. 117 = *G. mucronulata*. *riparia*, Knight, l. c. 118 = *G. linearis*? *sericea*, Knight, l. c. = *G. punicea*. *speciosa*, Knight, l. c. = *G. punicea*. *stylosa*, Knight, l. c. 117 = *G. cinerea* (vel *G. montana*).

LYSIANTHIUS, Adans. Fam. ii. 224 (1763) = **Lisianthus**, Linn. (Gentian.).

LYSIAS, Salisb. in Trans. Hort. Soc. i. (1812) 288 = **Habenaria**, Willd. (Orchid.). *bifolia*, Salisb. l. c. = *H. bifolia*.

LYSICARPUS, F. Muell. in Trans. Phil. Inst. Vict. ii. (1858) 67. **MYRTACEAE**, Benth. & Hook. f. i. 709. ternifolius, F. Muell. l. c. 68. —Austral.

LYSICHITON, Schott, in Oestr. Bot. Wochenbl. vii. (1857) 62, in obs. = seq.

LYSICHITUM, Schott, in Oestr. Bot. Wochenbl. vii. (1857) 62. **AROIDEAE**, Benth. & Hook. f. iii. 994. **ARCTIODRACON**, A. Gray, in Mem. Am. Acad. Ser. II. vi. (1858-59) 408. *camtschaticense*, Schott, in Oestr. Bot. Wochenbl. vii. (1857) 62. —As. et Am. bor. *camtschaticum*, Schott, Gen. Aroid. t. 91 = praec. *japonicum*, Schott, ex Miq. Cat. Mus. Bot. Lugd. Bat. 96 = *camtschaticense*.

LYSIDICE, Hance, in Journ. Bot. v. (1865) 298. **LEGUMINOSAE**. *rhodostegia*, Hance, l. c. 299. —China.

LYSILOMA, Benth. in Hook. Lond. Journ. Bot. iii. (1844) 82. **LEGUMINOSAE**, Benth. & Hook. f. i. 595. *acapulcensis*, Benth. in Hook. Lond. Journ. Bot. iii. (1844) 82. —Mexic. *aurita*, Benth. l. c. —Mexic. *bahamensis*, Benth. l. c. 82 = *latisiliqua*. *desmostachya*, Benth. l. c. 84 = *acapulcensis*. *divaricata*, Benth. l. c. = *Schiedeana*. *Guachapele*, Benth. in Trans. Linn. Soc. xxx. (1875) 533. —Panama. *latisiliqua*, Benth. l. c. 534. —Am. bor.; Ind. occ. *Marchiana*, Griseb. Fl. Brit. W. Ind. 223 = *Calliandra portoricensis*. *microphylla*, Benth. in Hook. Lond. Journ. Bot. iii. (1844) 83. —Mexic. *nigricans*, Benth. l. c. 84 = *Acacia nudiflora*. *polyphylla*, Benth. in Trans. Linn. Soc. xxx. (1875) 535. —Am. austr. *rostrata*, Benth. in Hook. Lond. Journ. Bot. iii. (1844) 84. —Bras.

#### LYSILOMA:—

*Sabicu*, Benth. in Hook. Kew Journ. vi. (1854) 236. —Cuba. *Schiedeana*, Benth. in Hook. Lond. Journ. Bot. iii. (1844) 83. —Mexic. *tergemina*, Benth. in Trans. Linn. Soc. xxx. (1875) 534. —Mexic.

LYSIMA, Medic. Phil. Bot. ii. 59, 107 (1791) = seq.

LYSIMACHIA, [Tourn.] Linn. Syst. ed. I (1735). **PRIMULACEAE**, Benth. & Hook. f. ii. 635.

*BORISSA*, Rafin. ex Steud. Nom. ed. II. i. 217 (1840).

*COXIA*, Endl. Gen. 733 (1839).

*EPHEMERUM*, Reichb. Nom. 124 (1841).

*GODINELLA*, Lestib. Bot. Belg. ii. 194 (1827).

*LEROUXIA*, Méral, Nouv. Fl. Par. 77 (1812).

*LISIMA*, Medic. Phil. Bot. ii. 59, 107 (1791).

*LUBINIA*, Vent. Jard. Cels. t. 96 (1800).

*LYSIMANDRA*, Reichb. Nom. 124 (1841).

*NAUMBURGIA*, Moench, Meth. Suppl. 23 (1802).

*NUMMULARIA*, Riv. ex Rupp. Fl. Jen. ed. Hall. 18 (1745).

*PALLADIA*, Moench, Meth. 429 (1794).

*THEOPYXIS*, Griseb. in Goett. Abh. vi. (1856) 126.

*THYRSANTHUS*, Schrank, in Denkschr. Akad. Muench. 1813 (1814) 75.

*TRIDYNIA*, Rafin. ex Steud. Nom. ed. II. ii. 704 (1841).

*TRIDYRA*, Rafin. ex Steud. l. c. 84, in syn. (1841).

*acroadenia*, Maxim. in Bull. Acad. Pétersb. xii. (1868) 70 = *decurrens*.

*adoensis*, Hochst. ex Steud. in Flora, xxiv. (1841) 1. Intell. 23, nomen = *Anagallis arvensis*.

*affinis*, Bunge, ex Duby, in DC. Prod. viii. 67, nomen. —Hab.?

*alata*, Gardn. ex Thw. Enum. Pl. Zeyl. 172 = *ramosa*. *Alfredi*, Hance, in Journ. Bot. xv. (1877) 356. —China.

*alpestris*, Champ. ex Benth. in Hook. Kew Journ. iv. (1852) 299. —Hongkong.

*alternifolia*, Wall. in Roxb. Fl. Ind. ed. Carey, ii. 26. —Reg. Himal.

*anagalloides*, Sibth. & Sm. Fl. Graec. Prod. i. 130. —Graecia.

*angustifolia*, A. Gray, Man. Bot. ed. I. 283 = *Steironema longifolium*.

*angustifolia*, Lam. Tabl. Encyc. i. 440; Willd. in Ges. Naturf. Fr. Neue Schr. iii. (1801) 417 = *Steironema heterophyllum*.

*angustifolia*, Michx. Fl. Bor. Am. i. 128 = *stricta*.

*asperulaefolia*, Poir. Encyc. Suppl. iii. 477. —Am. bor. *atropurpurea*, Hook. Exot. Fl. t. 180 = *nutans*.

*atropurpurea*, Linn. Sp. Pl. 147. —Graecia; As. Min. *atropurpurea*, Murr. in Comm. Gotting. (1782) 6. t. 1 = *dubia*.

*azorica*, [Hornem.] ex Hook. Bot. Mag. t. 3273 = *nemorum*.

*barystachys*, Bunge, Enum. Pl. Chin. Bor. 53. —As. or.

*barystachys*, Klatt, in Abh. Naturf. Ver. Hamb. iv. iv. (1866) 11 = *Fortunei*.

*brachystachys*, Carr. in Rev. Hort. (1881) 90, sphalm. = *barystachys*.

*bulbifera*, Curt. Bot. Mag. t. 104 = *stricta*.

*buxifolia*, Molina, Sagg. Chile, ed. II. 134 = *Anagallis alternifolia*.

*candida*, Lindl. in Journ. Hort. Soc. i. (1846) 301 = *obovata*.

*capitata*, Pursh, Fl. Am. Sept. i. 135 = *thyrsiflora*.

*capitellata*, Rafin. in Med. Repos. N. York, II. v. (1808) 354 = *thyrsiflora*.

*chenopodioides*, Watt, ex Hook. f. Fl. Brit. Ind. iii. 503. —Reg. Himal.

*chlethroides*, Duby, vide *clethroides*.

*Christinae*, Hance, in Journ. Bot. xi. (1873) 117. —China.

*ciliata*, Linn. Sp. Pl. 147 = *Steironema ciliatum*.

*ciliata*, Walt. Fl. Carol. 92 = *Steironema heterophyllum*.

*Clementsoniana*, Wall. Cat. n. 1485 = *Leschenaultii*. *clethroides*, Duby, in DC. Prod. viii. 61 (*chlethroides*). —Japan.

*consobrina*, Hance, in Ann. Sc. Nat. Sér. V. v. (1866) 224 = *decurrens*.

*Cousiniana*, Coss. in Bull. Soc. Bot. Fr. ix. (1862) 174. —Alger.

*cuspidata*, Blume, Bijdr. 737. —Java.

#### LYSIMACHIA:—

*cuspidata*, Klatt, in Abh. Naturf. Ver. Hamb. iv. iv. (1866) 36 = *Klattiana*.

*davurica*, Ledeb. in Mém. Acad. Pétersb. v. (1814) 523 = *vulgaris*.

*debilis*, Wall. in Roxb. Fl. Ind. ed. Carey, ii. 25 = *japonica*.

*decipiens*, Bertol. in Giorn. Ligust. Sc. (Jan. 1827) 9; ex Reichb. Fl. Germ. Excurs. 864 = *Steironema heterophyllum*.

*decurrens*, Forst. f. Prod. 12. —Reg. Himal.; China; Ins. Pacif.

*deltoides*, Wight, Illustr. ii. 137. t. 144. —Ind. or. *dubia*, [Soland. in] Ait. Hort. Kew. ed. I. i. 199. —As. Min.; Persia.

*dubia*, Willd. Enum. Hort. Berol. 195, in nota = *Steironema heterophyllum*.

*eileta*, Lehm. in Hamb. Gartens. vi. (1850) 323. —Ind. or.

*elata*, Salisb. Prod. 120 = *vulgaris*.

*Ephemerum*, Linn. Sp. Pl. 146. —Europ. austr.

*Ephemerum*, Thunb. Fl. Jap. 83 = *clethroides*.

*evalvis*, Wall. in Roxb. Fl. Ind. ed. Carey, ii. 77. —Reg. Himal.

*ferruginea*, Edgew. in Trans. Linn. Soc. xx. (1846) 83 = *japonica*.

*floribunda*, Zoll. & Mor. in Nat. en Geneesk. Arch. Néerl. Ind. ii. (1845) 575. —Java.

*Foenum-graecum*, Hance, in Journ. Bot. xv. (1877) 355. —China.

*Fortunei*, Maxim. in Bull. Acad. Pétersb. xii. (1868) 68. —China; Japon.

*Fraseri*, Duby, in DC. Prod. viii. 65. —Am. bor.

*glandulosa*, Edgew. in Trans. Linn. Soc. xx. (1846) 82 = *alternifolia*.

*glandulosa*, Klatt, in Abh. Naturf. Ver. Hamb. iv. iv. (1866) 31. t. 17 = *chenopodioides*.

*glauc*, Adams, in Mém. Soc. Nat. Mosc. ix. (1834) 234 = *vulgaris*.

*glauc*, Moench, Meth. 511 = *L. Ephemerum*.

*glaucescens*, Wall. ex Hook. f. Fl. Brit. Ind. iii. 502 = *obovata*.

*glaucophylla*, Hook. & Arn. Bot. Beech. Voy. 306. t. 68. —Mexic.

*grammica*, Hance, in Ann. Sc. Nat. Sér. V. v. (1866) 225. —China.

*guestphalica*, Weihe, ex Reichb. Fl. Germ. Excurs. 410 = *vulgaris*.

*Herbemonti*, Ell. Sketch, i. 232 = *asperulaefolia*.

*heterogenea*, Klatt, in Linnaea, xxxvii. (1871-73) 501 (*heterogenea*). —China.

*heterophylla*, D. Don, Prod. Fl. Nep. 84 = *pyramidalis*. *heterophylla*, Michx. Fl. Bor. Am. i. 127 = *Steironema heterophyllum*.

*Hillebrandi*, Hook. f. ex A. Gray, in Proc. Am. Acad. v. (1861-62) 328. —Ins. Sandvic.

*hirsuta*, Michx. Fl. Bor. Am. i. 127 = *quadrifolia*.

*Hochstetteri*, Steud. Nom. ed. II. ii. 84 = *nemorum*.

*hybrida*, Michx. Fl. Bor. Am. i. 126 = *Steironema heterophyllum*.

*inconspicua*, Miq. in Journ. Bot. Néerl. i. (1861) 110. —China.

*intermedia*, Janka, ex Nym. Consp. 600 = *dubia*.

*japonica*, Thunb. Fl. Jap. 83. —Reg. Himal.; China; Austral.

*japonica*, Thw. Enum. Pl. Zeyl. 172 = *deltoides*.

*javanica*, Blume, Bijdr. 736 = *decurrens*.

*Keiskeana*, Miq. Ann. Mus. Bot. Lugd. Bat. iii. 120. —Japan.

*Klattiana*, Hance, in Journ. Bot. xvi. (1878) 236. —China.

*lanceolata*, Pursh, Fl. Am. Sept. ii. 729 = *Fraseri*.

*lanceolata*, Walt. Fl. Carol. 92 = *Steironema heterophyllum*.

*Leschenaultii*, Duby, in DC. Prod. viii. 61. —Ind. or. *leucantha*, Miq. Ann. Mus. Bot. Lugd. Bat. iii. 121. —Japan.

*linearifolia*, Griff. ex Kurz, in Journ. As. Soc. Beng. xlii. (1873) 11. 86. —Burma.

*lineariloba*, Hook. & Arn. Bot. Beech. Voy. 268 = *mauritanica*.

*linifolia*, Salisb. Prod. 120 = *Asterolinon stellatum*.

*Linum-stellatum*, Linn. Sp. Pl. 148 = *Asterolinon stellatum*.

*lobelioides*, Wall. in Roxb. Fl. Ind. ed. Carey, ii. 29. —Reg. Himal.; Java.

*longifolia*, Pursh, Fl. Am. Sept. i. 135 = *Steironema longifolium*.



**LYSIMACHIA:—**

*Loomisii*, Torr. in Croom, Cat. Pl. New-Bern, 46 = stricta.  
*lubinioides*, Sieb. & Zucc. in Abh. Akad. Muench. iv. iii. (1846) 140 = mauritiana.  
*lutea*, Jiraseck, ex Mert. & Koch, Deutschl. Fl. ii. 130 = vulgaris.  
*maculata*, R. Br. Prod. 428 = japonica.  
*mauritanica*, Lam. Encyc. iii. 592.—China.  
*media*, Willd. ex Roem. & Schult. Syst. iv. 784.—Sibir.  
*Metsiana*, Hohen. ex Hook. f. Fl. Brit. Ind. iii. 505 = deltoidea.  
*minoricensis*, Rodrig. in Bull. Soc. Bot. Fr. xxv. (1878) 240.—Ins. Balear.  
*Monnierii*, Linn. Cent. Pl. ii. 9 = Herpestis Monnieria.  
*multiflora*, Wall. Cat. n. 1487 = decurrens.  
*myrtifolia*, Molina, Sagg. Chile, ed. II. 134 = Anagallis alternifolia.  
*nemoraleis*, Salisb. Prod. 120 = nemorum.  
*nemorum*, Geners. Elench. Scepus. n. 177; ex Roem. & Schult. Syst. iv. 128 = L. Nummularia.  
*nemorum*, Linn. Sp. Pl. 148.—Europ.  
*Notoniana*, Wall. ex Hook. f. Fl. Brit. Ind. iii. 502 = Leschenaultii.  
*Nummularia*, Linn. Sp. Pl. 148.—Europ.  
*nutans*, Nees, ex Duby, in DC. Prod. viii. 61.—Afr. austr.  
*obovata*, Buch.-Ham. ex Wall. Cat. n. 1488.—Ind. or.; Java; China.  
*orientalis*, Lam. Encyc. iii. 570 = dubia.  
*Otani*, Asso, Syn. Stirp. Arag. 22. t. 2. f. 1 = L. Ephemerum.  
*pacifica*, F. Muell. Phyt. N. Hebr. 18.—Ins. Pacif.  
*paludosa*, Baumg. Enum. Stirp. Transs. i. 141 = vulgaris.  
*paniculata*, Gilib. Fl. Lituan. i. 29 = vulgaris.  
*paridiformis*, Franch. in Bull. Soc. Linn. Par. i. (1884) 433.—China.  
*parviflora*, Baker, in Journ. Linn. Soc. xx. (1888) 196.—Madag.  
*peduncularis*, Wall. Cat. n. 1489.—Burma.  
*pentapetalata*, Bunge, Enum. Pl. Chin. Bor. 53 = Apochoris pentapetalata.  
*prolifera*, Klatt, in Abh. Naturf. Ver. Hamb. iv. iv. (1866) 30. t. 16.—Reg. Himal.  
*punctata*, Linn. Sp. Pl. 147.—Europ.; As. Min.  
*punctata*, Walt. Fl. Carol. 92 = quadrifolia.  
*purpurea*, Steud. Nom. ed. II. ii. 85 = atropurpurea, Hook.  
*pyramidalis*, Wall. in Roxb. Fl. Ind. ed. Carey, ii. 28.—Reg. Himal.  
*quadriflora*, Sims, Bot. Mag. t. 660 = Steironema longifolium.  
*quadrifolia*, Linn. Sp. Pl. 147.—Am. bor.  
*quadrifolia*, Mill. Gard. Dict. ed. VIII. n. 10 = punctata.  
*Quartiniana*, A. Rich. Tent. Fl. Abyss. ii. 16.—Abyssin.  
*quinquangularis*, Buch.-Ham. ex Hook. f. Fl. Brit. Ind. iii. 504 = alternifolia.  
*racemosa*, Lam. Encyc. iii. 570; Michx. Fl. Bor. Am. i. 127 = stricta.  
*radicans*, Hook. Comp. Bot. Mag. i. (1835) 177 = Steironema radicans.  
*ramosa*, Wall. Cat. n. 1490.—Reg. Himal.; Java.  
*repens*, S. F. Gray, Nat. Arr. Brit. Pl. ii. 299 = L. Nummularia.  
*repens*, Urv. in Mém. Soc. Linn. Par. iv. (1826) 606 = Anagallis alternifolia.  
*revoluta*, Nutt. Gen. Am. i. 122 = Steironema longifolium.  
*rotundifolia*, F. W. Schmidt, Fl. Boëm. ii. 59, in obs. = L. Nummularia.  
*Ruhmeriana*, Vatke, in Linnaea, xl. (1876) 204.—Afr. trop.  
*salicifolia*, Mill. Gard. Dict. ed. VIII. n. 6 = L. Ephemerum.  
*salicifolia*, F. Muell. ex Benth. Fl. Austral. iv. 269.—Austral.  
*samolina*, Hance, in Ann. Sc. Nat. Sér. V. v. (1866) 224 = obovata.  
*secunda*, Buch.-Ham. ex D. Don, Prod. Fl. Nep. 84 = lobelioides.  
*sedoides*, Lehm. Ind. Sem. Hort. Hamb. (1856) 7.—Cf. Linnaea, xxix. (1857-58) 724.—N. Zel.  
*serpyllifolia*, Poir. Encyc. Suppl. iii. 477 = Asterolinon serpyllifolium.

**LYSIMACHIA:—**

*sessilifolia*, Rafin. Atl. Journ. 151 (Quid ?)—Am. bor. sikokiana, Miq. Ann. Mus. Bot. Lugd. Bat. iii. 121.—Japon.  
*sinica*, Miq. in Journ. Bot. Néerl. i. (1861) 110 = decurrens.  
*sororia*, Miq. Ann. Mus. Bot. Lugd. Bat. iii. 120.—Japon.  
*spathulata*, Schouw.—Cf. Linnaea, xxiv. (1851) 160 = mauritiana.  
*spatulata*, Klatt, in Abh. Naturf. Ver. Hamb. iv. iv. (1866) 32 = mauritiana.  
*stellata*, St. Lag. in Ann. Soc. Bot. Lyon, vii. (1880) 130 = Asterolinon stellatum.  
*stricta*, [Soland. in] Ait. Hort. Kew. ed. I. i. 199.—Am. bor.  
*suaveolens*, Schoenh. ex Garcke, Fl. Deutschl. ed. IV. 272 = L. Nummularia.  
*subcapitata*, Rafin. in Med. Rep. N. York, Ser. III. ii. (1811) 333 (Quid ?)—Am. bor.  
*tenella*, Linn. Sp. Pl. 148 = Anagallis tenella.  
*tenella*, Wall. Cat. n. 1491 = Centunculus tenellus.  
*tetragona*, D. Don, Prod. Fl. Nep. 83 = alternifolia.  
*thyrsantha*, St. Lag. in Ann. Soc. Bot. Lyon, vii. (1880) 130 = thyrsiflora.  
*thyrsiflora*, Geners. Elench. Scepus, n. 176; ex Roem. & Schult. Syst. iv. 120 = vulgaris.  
*thyrsiflora*, Linn. Sp. Pl. 147.—Reg. bor.  
*toementosa*, Presl, Fl. Sic. p. xxxviii = vulgaris.  
*Trientalis*, Klatt, in Linnaea, xxxvii. (1871-73) 499 = Trientalis americana, europaea.  
*uliginosa*, Blume, Bijdr. 737.—Java.  
*umbellata*, Phil. in Linnaea, xxx. (1859-60) 195.—Chili.  
*umbrosa*, Gardn. ex Thw. Enum. Pl. Zeyl. 172 = deltoidea.  
*verticillaris*, Spreng. Fl. Hal. Mant. 36 = punctata.  
*verticillata*, Bieb. Fl. Taur. Cauc. i. 141 = praec.  
*villosa*, F. W. Schmidt, Fl. Boëm. ii. 57 = punctata.  
*vulgaris*, Linn. Sp. Pl. 146.—Europ.; As. bor.  
*vulgaris*, Walt. Fl. Carol. 92 = stricta.  
*vulneraria*, Nois. ex Steud. Nom. ed. II. ii. 85, nomen.—Hab.?  
*westphalica*, Weihe, in Flora, v. (1822) 411 = vulgaris.  
*Zavadskii*, Wiesn. in Oestr. Bot. Wochenbl. iv. (1854) 257 = nemorum ?

LYSIMANDRA, Reichb. Nom. 124 (1841) = **Lysimachia**, Tourn. (Primul.).

LYSIMNIA, Rafin. Fl. Tellur. iv. 43 (1836) = **Brassavola**, R. Br. (Orchid.).  
*bicolor*, Rafin. l. c. = B. cordata.

**LYSINEMA**, R. Br. Prod. 552 (1810). **EPACRIDAE**, Benth. & Hook. f. ii. 615.  
*JULIETA*, Leschen. ex DC. Prod. vii. 764 (1839).  
*LASYNEMA*, Poir. Encyc. Suppl. ii. 553, 555 (1811).  
*WOOLLSIA*, F. Muell. Fragm. viii. 52, 55 (1873).  
*attenuatum*, Link, Enum. Hort. Berol. i. 211 = pungens.  
*brevilimbium*, F. Muell. Fragm. iii. 142 = lasianthum.  
*ciliatum*, R. Br. Prod. 552.—Austral.  
*conspicuum*, R. Br. l. c.—Austral.  
*curvatum*, Lindl. Swan River App. 25 = ciliatum.  
*elegans*, Sond. in Lehm. Pl. Preiss. i. 327.—Austral.  
*fimbriatum*, F. Muell. Fragm. iv. 125.—Austral.  
*lasianthum*, R. Br. Prod. 552.—Austral.  
*ovatum*, Sond. in Lehm. Pl. Preiss. i. 329 = ciliatum.  
*pentapetalum*, R. Br. Prod. 552 = ciliatum.  
*pungens*, R. Br. l. c.—Austral.  
*ruscifolium*, Sieber, ex Spreng. Syst. iv. Cur. Post. 64 = Epacris purpurascens.  
*Sieberi*, Benth. in Enum. Pl. Hueg. 76 = pungens.  
*spicatum*, Lindl. Swan River App. 25 = ciliatum.  
*virgatum*, DC. Prod. vii. 765 = ciliatum.

LYSINOTUS, Low, Sarawak, 67, sphalm. (1848) = seq.

LYSIONOTHUS, D. Dietr. Syn. Pl. i. 30 (1839) = seq.

LYSIONOTIS, G. Don, Gen. Syst. iv. 644 (1837) = seq.

**LYSIONOTUS**, D. Don, in Edinb. Phil. Journ. vii. (1822) 85. **GESNERACEAE**, Benth. & Hook. f. ii. 1015.  
*albida*, Blume, Bijdr. 765 = Aeschynanthus purpurascens.  
*angustifolia*, Blume, l. c. = Aeschynanthus angustifolia.  
*Ancklandii*, Low, Sarawak, 67.—Borneo.  
*conferta*, C. B. Clarke, in DC. Monog. Phan. v. 58.—Assam.  
*Griffithii*, C. B. Clarke, l. c. 60 = Loxostigma Griffithii.  
*longiflora*, Blume, Bijdr. 766 = Aeschynanthus longiflora.  
*pauciflora*, Maxim. in Bull. Acad. Pétersb. xix. (1874) 534.—Japon.  
*pulchella*, Blume, ex C. B. Clarke, in DC. Monog. Phan. v. 34 = Aeschynanthus Horsfieldii.  
*serrata*, D. Don, in Edinb. Phil. Journ. vii. (1822) 86.—Reg. Himal.  
*ternifolia*, Wall. Pl. As. Rar. ii. 20. t. 118 = serrata.

**LYSIOSEPALUM**, F. Muell. Fragm. i. 142 (1859). **STERCULIACEAE**, Benth. & Hook. f. i. 228.  
*Barryanum*, F. Muell. l. c. 143.—Austral.  
*rugosum*, Benth. Fl. Austral. i. 267.—Austral.

**LYSIOSTYLES**, Benth. in Hook. Lond. Journ. Bot. v. (1846) 356. **CONVOLVULACEAE**, Benth. & Hook. f. ii. 878.  
*scandens*, Benth. l. c.—Guian.

LYSIPOMA, Spreng. Syst. i. 719 (1825) = seq.

**LYSIPOMIA**, H. B. & K. Nov. Gen. et Sp. iii. 318 (1818). **CAMPANULACEAE**, Benth. & Hook. f. ii. 549.  
*acaulis*, H. B. & K. l. c. 321.—Peruv.  
*aretioides*, H. B. & K. l. c.—Peruv.  
*glanduliferum*, Schlecht. in Lechl. Berb. Am. Austr. (1857) 58; et ex Wedd. Chlor. And. ii. 11 = Pratia glandulifera.  
*laciniata*, A. DC. in DC. Prod. vii. 349.—Bolivia.  
*montioides*, H. B. & K. Nov. Gen. et Sp. iii. 320.—Ecuador.  
*muscioides*, Hook. f. in Hook. Lond. Journ. Bot. vi. (1847) 286. t. 9 A.—N. Granat.  
*reniformis*, H. B. & K. Nov. Gen. et Sp. iii. 320.—Peruv.  
*repens*, Phil. f. Cat. Pl. Vasc. Chil. 189, sphalm. = seq.  
*serpens*, Kunze, ex Cham. in Linnaea, viii. (1833) 224 = Selliera radicans.  
*sphagnophilum*, Griseb. in Lechl. Berb. Am. Austr. (1857) 58; et ex Wedd. Chlor. And. ii. 15.—Peruv.  
*subulata*, G. Don, Gen. Syst. iii. 717.—Peruv.

**LYSYSTEMMA**, Steetz, in Peters, Reise Mossamb. Bot. 340 (1863) = **Vernonia**, Schreb. (Compos.).  
*dendigulense*, Steetz, l. c. 341 = V. indica.  
*divergens*, Steetz, l. c. = V. divergens.  
*multiflorum*, Steetz, l. c. 342 = V. divergens.  
*pectiniforme*, Steetz, l. c. 343 = V. pectiniformis.  
*salignum*, Steetz, l. c. = V. saligna.

**LYSISTIGMA**, Schott, in Bonplandia, x. (1862) 222 = **Taccarum**, Brongn. (Aroid.).  
*peregrinum*, Schott, l. c. 223 = T. cylindricum.

**LYSSANTHE**, D. Dietr. Syn. Pl. i. 634 (1839) = **Lissanthe**, R. Br. (Epacrid.).

**LYSSANTHE**, Endl. Gen. 340 (1837) = **LYSANTHE**, Salisb. = **Grevillea**, R. Br. (Proteac.).

**LYTHOSPERMUM**, Lucé, Topog. Nat. (1825) = **Lithospermum**, Linn. (1825).

**LYTHRON**, St. Lag. in Ann. Soc. Bot. Lyon, vii. (1851) 113, 129 = **Lythrum**, Linn.  
*salicarium*, St. Lag. ll. cc. = Lythrum Salicaria.

**LYTHROPSIS**, Welw. ex Koch, l. c. 311 = **Lythrum** hispidulum.



**LYTHRUM**, Linn. Syst. ed. I (1735). *LYTHRA-RIEAE*, Benth. & Hook. f. i. 779.  
*ANISOTES*, Lindl. Introd. Nat. Syst. ed. II. 101, App. 441 (1836).  
*EDITELES*, Rafin. Sylva Tellur. 103 (1838).  
*HYSSOPIFOLIA*, Opiz, Seznam, 53 (1852).  
*LYTHROPSIS*, Welw. ex Koehne, in Engl. Bot. Jahrb. i. (1881) 305.  
*MOZULA*, Rafin. in Journ. Phys. xci. (1820) 71.  
*PENTAGLOSSUM*, Forst. Fl. Aegypt. Arab. 11 (1775).  
*PYTHAGOREA*, Rafin. in Journ. Phys. lxxxix. (1819) 96.  
*SALICA*, Hill, Hort. Kew. 172<sup>24</sup> (1768).  
*SALICARIA*, Tourn. ex Mill. Gard. Dict. ed. VI. (1752).  
*acinifolium*, [Moç. & Sesse,] ex DC. Prod. iii. 81, in syn. —Mexic.  
*acuminatum*, Willd. Sp. Pl. ii. 866 = virgatum.  
*acutangulum*, Lag. Gen. et Sp. Nov. 16 = Graefferi.  
*alatum*, Hemsl. Biol. Centr. Am. Bot. i. 447, partim = album.  
*alatum*, Presl, Delic. Prag. 55 = Graefferi.  
*alatum*, Pursh, Fl. Am. Sept. i. 334. —Am. bor.  
*albicaule*, Bert. in Merc. Chil. (1829) 694. —Cf. Am. Journ. Sc. xxiii. (1833) 250 = album.  
*album*, H. B. & K. Nov. Gen. et Sp. vi. 193. —Mexic.  
*album*, [Moç. & Sesse,] ex DC. Prod. iii. 84 = Cuphea jorullensis.  
*alternifolium*, Lorey, Fl. Côte-d'Or, i. 348. t. 2 = L. Salicaria.  
*altissimum*, Pomel, Nouv. Mat. Fl. Atl. 155. —Alger.  
*americanum*, Mill. Gard. Dict. ed. VIII. n. 9. —Mexic.  
*anomalum*, St. Hil. Fl. Bras. Mer. iii. 130 = Pleurophora anomala.  
*apetalum*, Spreng. Syst. ii. 454 = Ammannia latifolia.  
*arnhemicum*, F. Muell. Fragm. iii. 109 = Nesaea arnhemica.  
*austriacum*, Jacq. Enum. Stirp. Vindob. 80, 243 = virgatum.  
*axillare*, Vell. Fl. Flum. 201; v. t. 9. —Bras.  
*bahiense*, Casar. ex Koehne, in Mart. Fl. Bras. xiii. ii. 307 = Pleurophora anomala.  
*bibracteatum*, Salzm. ex DC. Prod. iii. 81 = tribracteatum.  
*biflorum*, J. Gay, in Ann. Sc. Nat. Sér. I. xxvi. (1832) 227 = L. Salicaria.  
*Bocconi*, Déségl. —Cf. Bull. Soc. Bot. Fr. xxv. (1878) Bibl. 108 = L. Salicaria.  
*breviflorum*, S. Wats. in Proc. Am. Acad. xii. (1877) 251 = alatum.  
*calcaratum*, Jacq. ex Koehne, in Engl. Bot. Jahrb. ii. (1882) 407 = Cuphea jorullensis.  
*calcaratum*, Vell. Fl. Flum. 200; v. t. 7. —Bras.  
*californicum*, Torr. & Gray, Fl. N. Am. i. 482 = alatum.  
*campestre*, Griseb. in Goett. Abh. xix. (1874) 140 = maritimum.  
*carthagenense*, Jacq. Enum. Pl. Carib. 22 = Cuphea Balsamona.  
*cashmerianum*, Royle, Illustr. Bot. Himal. 203 = L. Salicaria.  
*ciliatum*, Sw. Prod. Veg. Ind. Occ. 76 = Cuphea decandra.  
*cinereum*, Griseb. Spicil. Fl. Rumel. i. 110 = L. Salicaria.  
*cistifolium*, L'Hérit. ex DC. Prod. iii. 88 = Cuphea microphylla.  
*cordifolium*, [Moç. & Sesse,] ex DC. l. c. 85 = Cuphea cyanaea.  
*cordifolium*, Sw. Prod. Veg. Ind. Occ. 76 = Cuphea Swartziana.  
*coronense*, Schur, Enum. Pl. Transs. 218 = L. Salicaria.  
*Cuphea*, Linn. f. Suppl. 249 = Cuphea viscosissima.  
*dibracteatum*, Guss. Fl. Sic. Syn. i. 526 = tribracteatum.  
*diffusum*, Sweet, Brit. Flow. Gard. Ser. I. ii. t. 149 = L. Salicaria.  
*diffusum*, Vell. Fl. Flum. 201; v. t. 8. —Bras.  
*dipetalum*, Linn. f. Suppl. 250 = Cuphea verticillata.  
*divaricatum*, Colla, in Mem. Acc. Torin. xxxviii. (1835) 3 = Pleurophora pusilla.  
*divaricatum*, Schur, Enum. Pl. Transs. 219 = virgatum.  
*domingense*, Spreng. ex DC. Prod. iii. 86 = Cuphea micrantha.  
*dubium*, Schult. Oesterr. Fl. ed. II. ii. 5 = L. Salicaria.

**LYTHRUM** :—  
*elegans*, Schur, Enum. Pl. Transs. 219 = virgatum.  
*filiforme*, Perr. ex DC. Prod. iii. 77 = Ammannia senegalensis.  
*flagellare*, Shuttlew. ex Koehne, in Engl. Bot. Jahrb. i. (1881) 321 = ovalifolium.  
*flavum*, Spreng. Syst. ii. 454 = Nesaea salicifolia.  
*flexicaule*, Schrenk, in Bull. Phys.-Math. Acad. Pétersb. ii. (1844) 116 = nanum.  
*flexuosum*, Lag. Gen. et Sp. Nov. 16 = Graefferi.  
*floribundum*, F. Muell. Fragm. vii. 146 = Nesaea floribunda.  
*fruticosum*, Linn. Syst. ed. X. 1045 = Woodfordia floribunda.  
*geminiflorum*, Bertol. Fl. Ital. v. 16 = thesioides.  
*glaucescens*, Schrenk, in Bull. Phys.-Math. Acad. Pétersb. ii. (1844) 116 = thesioides.  
*glaucum*, Dulac, Fl. Hautes-Pyr. 327 = L. Hyssopifolia.  
*gracile*, Benth. Pl. Hartw. 7. —Mexic.  
*gracile*, DC. Cat. Hort. Monsp. 123 = L. Salicaria.  
*gracile*, Hemsl. Biol. Centr. Am. Bot. i. 447 = acinifolium.  
*Graefferi*, C. Gay, Fl. Chil. ii. 368 = album.  
*Graefferi*, Lodd. Bot. Cab. t. 1338 = L. Hyssopifolia.  
*Graefferi*, Tenore, Prod. Fl. Nap. p. lxxviii. —Geront. temp. et trop.  
*grandiflorum*, Perr. ex DC. Prod. iii. 80 = Nesaea Candollei.  
*Gussoni*, Presl, Delic. Prag. 55 = Graefferi.  
*hexagonum*, Berchtold, ex Opiz, Boehm. Gew. (1823) 58 = L. Salicaria.  
*hispanicum*, Mill. Gard. Dict. ed. VIII. n. 5 = Cuphea Parsonsia.  
*hispidulum*, Koehne, in Sitzb. Bot. Ver. Brandenb. (1880) 29. —Europ.; Afr.  
*Hunteri*, DC. Prod. iii. 83 = Woodfordia floribunda.  
*Hyssopifolia*, Desf. Fl. Atlant. i. 372 = Graefferi.  
*Hyssopifolia*, Linn. Sp. Pl. 447. —Cosmop. temp.  
*hyssopifolium*, M. A. Curt. in Bost. Journ. Nat. Hist. i. (1837) 119 = alatum.  
*hyssopifolium*, Thunb. Prod. Pl. Cap. 85 = L. Hyssopifolia.  
*intermedium*, Ledeb. ex Turcz. in Bull. Soc. Nat. Mosc. (1838) 92 = L. Salicaria.  
*junceum*, [Soland. in] Russ. Aleppo, ed. II. ii. 253 = Graefferi.  
*Kennediamum*, H. B. & K. Nov. Gen. et Sp. vi. 194 = alatum.  
*lanceolatum*, Ell. Sketch. i. 544 = alatum.  
*lineare*, Bert. ex DC. Prod. iii. 82 = L. Hyssopifolia.  
*lineare*, Hook. & Arn. Bot. Beech. Voy. 343 = alatum.  
*lineare*, Linn. Sp. Pl. 447. —Am. bor.  
*linifolium*, Kar. & Kir. in Bull. Soc. Nat. Mosc. (1841) 421 = thesioides.  
*lusitanicum*, Mill. Gard. Dict. ed. VIII. n. 3 = virgatum.  
*lycioides*, Willd. ex Steud. Nom. ed. II. ii. 86 = maritimum.  
*maculatum*, Boiss. & Reut. Diagn. Pl. Nov. Hisp. 12 = Graefferi.  
*maritimum*, Cham. & Schlecht. in Linnaea, v. (1830) 568 = acinifolium.  
*maritimum*, H. B. & K. Nov. Gen. et Sp. vi. 194. —Peruv.  
*Melanium*, Linn. Syst. ed. X. 1045 = Cuphea viscosissima.  
*micranthum*, Kar. & Kir. in Bull. Soc. Nat. Mosc. (1841) 422 = nanum.  
*microphyllum*, Kar. & Kir. l. c. 421 = tribracteatum.  
*monanthum*, Link, ex Steud. Nom. ed. I. 502 = Graefferi.  
*multiflorum*, Perr. ex DC. Prod. iii. 77 = Ammannia senegalensis.  
*myrtifolium*, Lodd. Cat. ex G. Don, in Loud. Hort. Brit. 189. —Am. bor.  
*nanum*, Kar. & Kir. in Bull. Soc. Nat. Mosc. (1841) 422. —Soongaria.  
*nanum*, Nym. Consop. 252 = tribracteatum.  
*nummulariaefolium*, Loisel. in Desv. Journ. Bot. ii. (1809) 330. —Corsica.  
*nummulariaefolium*, Pers. Syn. ii. 8 = L. Salicaria.  
*ovalifolium*, Engelm. ex A. Gray, in Bost. Journ. Nat. Hist. vi. (1850) 187. —Texas.  
*palustre*, Salisb. Prod. 365 = L. Salicaria.  
*Parsonsia*, Linn. Syst. ed. X. 1045 = Cuphea Parsonsia.

**LYTHRUM** :—  
*parviflorum*, Bast. ex Reichb. Fl. Germ. Excurs. 640 = L. Hyssopifolia.  
*Pemphis*, Linn. f. Suppl. 249 = Pemphis acidula.  
*petiolatum*, Linn. Sp. Pl. 446 = Cuphea viscosissima.  
*Preslii*, Guss. Pl. Rar. 188 = Graefferi.  
*propinquum*, Weinm. in Bull. Soc. Nat. Mosc. xxiii. (1850) i. 544 = L. Salicaria.  
*prostratum*, Domb. ex Koehne, in Mart. Fl. Bras. xiii. ii. 199 = L. Hyssopifolia.  
*pubescens*, Sweet, Hort. Brit. ed. II. 202 = L. Salicaria.  
*punctatum*, Span. in Linnaea, xv. (1841) 202 = Woodfordia floribunda.  
*punicifolium*, Cham. & Schlecht. in Linnaea, ii. (1827) 356 = Graefferi.  
*Purshianum*, Steud. Nom. ed. II. ii. 86 = L. Salicaria.  
*quintuplinervium*, Neuw. Reise, v. ii; ex Flora, iv. (1821) 302 = Diplusodon quintuplinervius.  
*racemosum*, Linn. f. Suppl. 250 = Cuphea spicata.  
*ramosum*, Perr. ex DC. Prod. iii. 80 = Ammannia senegalensis.  
*rigidulum*, Sond. in Linnaea, xxiii. (1850) 41 = Nesaea rigidula.  
*Robertsii*, F. Muell. Fragm. vii. 145 = Nesaea Robertsii.  
*rotundifolium*, Hochst. ex A. Rich. Tent. Fl. Abyss. i. 283. —Abyssin.  
*sagittifolium*, Sond. in Linnaea, xxiii. (1850) 41 = Nesaea sagittifolia.  
*Salicaria*, Linn. Sp. Pl. 446. —Reg. bor. temp.; Austral.  
*Salzmanni*, Jord. Obs. Pl. Crit. v. (1847) 42 = tribracteatum.  
*satureifolium*, [Moç. & Sesse,] ex DC. Prod. iii. 82 = alatum.  
*scabrum* x, Simk. in Herm. Termész. Füzetek, i. (1877) 241. —Europ.  
*semialexans*, Ruiz, ex Koehne, in Engl. Bot. Jahrb. i. (1881) 244 = Ammannia senegalensis.  
*silenoides*, Boiss. & Noé, Diagn. Ser. II. ii. 55. —Persia; Afghan.  
*spicatum*, S. F. Gray, Nat. Arr. Brit. Pl. ii. 553 = L. Salicaria.  
*spiciforme*, Dulac, Fl. Hautes-Pyr. 327 = L. Salicaria.  
*strictum*, Willd. ex Koehne, in Engl. Bot. Jahrb. i. (1881) 317 = L. Thymifolia.  
*tenellum*, Thunb. Prod. Pl. Cap. 85 = L. Hyssopifolia.  
*thesioides*, Bieb. Fl. Taur. Cauc. i. 367. —Reg. Caucas.  
*Thymifolia*, All. Fl. Pedem. ii. 168 = Graefferi.  
*Thymifolia*, Krock. Fl. Siles. ii. 92 = L. Hyssopifolia.  
*Thymifolia*, Linn. Sp. Pl. 447. —Europ.; Afr. bor.  
*thymifolium*, Boiss. Fl. Orient. ii. 740 = thesioides.  
*thymifolium*, Sibth. & Sm. Fl. Graec. Prod. i. 321 = tribracteatum.  
*thymophyllum*, St. Lag. in Ann. Soc. Bot. Lyon, vii. (1880) 113, 129 (thymophyllum) = L. Thymifolia.  
*tomentosum*, Mill. Gard. Dict. ed. VIII. n. 2 = L. Salicaria.  
*triantha*, Vent. ex DC. Prod. iii. 90 = Nesaea triflora.  
*tribracteatum*, Salzm. ex Tenore, Ind. Sem. Hort. Neap. (1830) 13; ex Spreng. Syst. iv. Cur. Post. 190. —Europ.; As. bor.  
*triflorum*, Linn. f. Suppl. 249 = Nesaea triflora.  
*truxillense*, Steud. Nom. ed. II. ii. 86 = Cuphea aequipetala.  
*tuxtlense*, [Moç. & Sesse,] ex DC. Prod. iii. 88 = Cuphea aequipetala.  
*uniflorum*, Perr. ex DC. l. c. 78 = Ammannia elatinoidea.  
*verticillatum*, Linn. Sp. Pl. 447 = Nesaea verticillata, H. B. & K.  
*virgatum*, Linn. l. c. —Europ.; As. bor.  
*virgatum*, Spreng. ex DC. Prod. iii. 82 = lineare.  
*virgatum*, Walt. Fl. Carol. 120 = alatum?  
*virginicum*, Kenn. ex DC. Prod. iii. 81 = alatum.  
*virgulosum*, Griseb. Cat. Pl. Cub. 106 = lineare.  
*Vulneraria*, Ait. ex Schrank, Pl. Rar. Hort. Monac. t. 27 = alatum.  
*vulneria*, Steud. Nom. ed. II. ii. 86, sphalm. = praec.  
*Wagneri*, Bunge, ex Claus, in Beitr. Pfl. Russ. Reich. viii. 64. —Reg. Casp.

**LYTRUM**, Vill. Fl. Dauph. iii. 818 (1789) = **Lythrum**, Linn.



## M

**MAACKIA**, Rupr. in Bull. Phys.-Math. Acad. Pétersb. xv. (1856) 128, 143 = *Cladrastis*, Rafin. (Legumin.).  
*amurensis*, Rupr. l. c. = *C. amurensis*.

**MAASA**, Roem. & Schult. Syst. v. 220 (1819), sphalm. = *Maesa*, Forsk. (Myrsin.).

**MABA**, Forst. Char. Gen. 121. t. 61 (1776). *EBE-NACEAE*, Benth. & Hook. f. ii. 664.  
*EBENOXYLUM*, Lour. Fl. Cochinch. ii. 613 (1790).  
*FERREOLA*, Koen. ex Roxb. Pl. Corom. i. 35. t. 45. (1795).  
*HOLOCHILUS*, Dalz. in Hook. Kew Journ. iv. (1852) 290.  
*MACREIGHTIA*, A. DC. in DC. Prod. viii. 220 (1844).  
*RHIPIDOSTIGMA*, Hassk. Retzia, 103 (1855).  
*abyssinica*, Hiern, in Trans. Camb. Phil. Soc. xii. (1873) 132.—Abyssin.  
*acapulcensis*, Hiern, l. c. 128.—Mexic.  
*acuminata*, Hiern, l. c. 112.—Zeylan.  
*albans*, Hiern, l. c. 126.—Mexic.  
*andamanica*, Kurz, in Journ. As. Soc. Beng. xlv. (1876) ii. 138.—Ins. Andam.  
*Andersoni*, [Soland. ex] Seem. Fl. Vit. 152.—Ins. Tonga.  
*angustifolia*, Miq. Anal. Bot. Ind. iii. 13 = *buxifolia*.  
*Beccarii*, Hiern, in Trans. Camb. Phil. Soc. xii. (1873) 140.—Borneo.  
*buxifolia*, Pers. Syn. ii. 606.—As. et Afr. trop.  
*Cargillia*, F. Muell. Fragm. v. 162 = *Diospyros Cargillia*.  
*caribaea*, Hiern, in Trans. Camb. Phil. Soc. xii. (1873) 125.—Ind. occ.  
*cauliflora*, Hiern, l. c. 142.—Am. trop.  
*compacta*, R. Br. Prod. 528.—Austral.  
*confertiflora*, Hiern, in Trans. Camb. Phil. Soc. xii. (1873) 136.—Borneo.  
*cordata*, Hiern, l. c. 141.—Borneo.  
*Cumingiana*, A. DC. in DC. Prod. viii. 241 = *buxifolia*.  
*cupulosa*, F. Muell. Fragm. v. 164 = *rufa*.  
*diffusa*, Hiern, in Trans. Camb. Phil. Soc. xii. (1873) 111.—Madag.  
*Ebenoxylon*, G. Don, Gen. Syst. iv. 43 = elliptica.  
*Ebenus*, Spreng. Syst. ii. 126 = elliptica.  
*Ebenus*, Wight, Ic. iv. t. 1228-9 = *buxifolia*.  
*elliptica*, Forst. Char. Gen. 122.—Ins. Amicor.  
*elliptica*, Seem. Fl. Vit. 152 = *sandwicensis*.  
*fasciculosa*, F. Muell. Fragm. v. 163.—Austral.; N. Caled.  
*foliosa*, Rich, ex A. Gray, in Proc. Am. Acad. v. (1862) 326.—Ins. Fiji.  
*geminata*, R. Br. Prod. 527.—Austral.  
*glaucula*, Montr. in Mém. Acad. Lyon, x. (1860) 230.—N. Caled.  
*Grisebachii*, Hiern, in Trans. Camb. Phil. Soc. xii. (1873) 125.—Cuba.  
*guineensis*, A. DC. in DC. Prod. viii. 241 = *buxifolia*.  
*hemicycloides*, F. Muell. ex Benth. Fl. Austral. iv. 290.—Austral.  
*hermaphroditica*, Zoll. Syst. Verz. Ind. Arch. 135.—Java.  
*Hilairei*, Hiern, in Trans. Camb. Phil. Soc. xii. (1873) 143.—Bras.  
*Hillebrandii*, Seem. Fl. Vit. 151.—Ins. Sandvic.  
*humilis*, R. Br. Prod. 527.—Austral.  
*inconstans*, Griseb. Fl. Brit. W. Ind. 404.—Ind. occ.  
*interstans*, F. Muell. Fragm. v. 163 = *reticulata*.  
*intricata*, Hiern, in Trans. Camb. Phil. Soc. xii. (1873) 126.—Calif.  
*javanica*, Zoll. in Tijdschr. Nederl. Ind. xiv. (1857) 158.—Java.  
*lamponga*, Miq. Fl. Ind. Bat. Suppl. 584.—Sumatra.  
*lancea*, Hiern, in Trans. Camb. Phil. Soc. xii. (1873) 118.—Afr. trop.  
*lanceolata*, Hiern, l. c. 131.—Madag.  
*lateriflora*, Hiern, in Journ. Linn. Soc. xx. (1883) 366.—Ins. Fiji.  
*laurina*, R. Br. Prod. 527.—Austral.  
*laxiflora*, Benth. Fl. Austral. iv. 290 = *fasciculosa*.  
*littorea*, R. Br. Prod. 527 = *buxifolia*.

VOL. II.

**MABA** :—

*madagascariensis*, A. DC. in DC. Prod. viii. 241 = *buxifolia*.  
*Maingayi*, Hiern, in Trans. Camb. Phil. Soc. xii. (1873) 138.—Malaya.  
*major*, Forst. f. Pl. Escul. 54.—Ins. Fiji.  
*Mannii*, Hiern, in Trans. Camb. Phil. Soc. xii. (1873) 129.—Afr. trop.  
*megalocarpa*, F. Muell. Fragm. v. 163 = *Diospyros maritima*.  
*Mellinoni*, Hiern, in Trans. Camb. Phil. Soc. xii. (1873) 143.—Am. trop.  
*merguensis*, Hiern, l. c. 134.—Burma; Malaya.  
*micrantha*, Hiern, l. c. 133.—Ind. or.  
*Motleyi*, Hiern, l. c. 139.—Borneo.  
*Mualala*, Welw. ex Hiern, l. c. 111.—Afr. trop.  
*myristicoides*, Hiern, l. c. 142.—Bras.  
*myrmecocalyx*, Hiern, l. c. 139.—Borneo.  
*myrmecocarpa*, Hiern, l. c. 141.—Bras.  
*natalensis*, Harv. Thes. Cap. ii. 7.—Afr. austr.  
*neilgerrensis*, Wight, Ic. iv. 10 = *buxifolia*.  
*nigrescens*, Dalz. in Dalz. & Gibs. Bomb. Fl. 142.—Ind. or.  
*oblongifolia*, Hiern, in Trans. Camb. Phil. Soc. xii. (1873) 112.—Zeylan.  
*obovata*, R. Br. Prod. 527.—Austral.  
*ovalifolia*, Hiern, in Trans. Camb. Phil. Soc. xii. (1873) 113.—Zeylan.  
*Pavonii*, Hiern, l. c. 129.—Am. trop.  
*pentamera*, F. Muell. Fragm. v. 163 = *Diospyros pentamera*.  
*punctata*, Hiern, in Trans. Camb. Phil. Soc. xii. (1873) 136.—Borneo.  
*quadridentata*, F. Muell. Fragm. v. 162 = *Diospyros mabacea*.  
*quiloensis*, Hiern, in Trans. Camb. Phil. Soc. xii. (1873) 132.—Afr. trop.  
*reticulata*, R. Br. Prod. 528.—Austral.  
*revoluta*, Vieill. ex Hiern, in Trans. Camb. Phil. Soc. xii. (1873) 114 = *rufa*.  
*rosea*, Montr. in Mém. Acad. Lyon, x. (1860) 231.—N. Caled.  
*rufa*, Labill. Sert. Austro-Caled. 33. t. 36.—Austral.; N. Caled.  
*ruminata*, Hiern, in Trans. Camb. Phil. Soc. xii. (1873) 135.—N. Caled.  
*salicifolia*, Hiern, l. c. 129.—Am. trop.  
*samoensis*, Hiern, in Journ. Bot. xv. (1877) 99.—Ins. Samoa.  
*sandwicensis*, A. DC. in DC. Prod. viii. 242.—Ins. Sandvic.  
*sericea*, Hiern, in Trans. Camb. Phil. Soc. xii. (1873) 140.—Bras.  
*sericocarpa*, F. Muell. Fragm. v. 164 = *rufa*.  
*seychellarum*, Hiern, in Trans. Camb. Phil. Soc. xii. (1873) 130.—Ins. Seychelles.  
*Smeathmanni*, A. DC. in DC. Prod. viii. 241 = *buxifolia*.  
*sumatrana*, Miq. Pl. Jungh. 204.—Sumatra.  
*Teijsmanni*, Hiern, in Trans. Camb. Phil. Soc. xii. (1873) 137.—Malaya.  
*vacciniaefolia*, Benth. in Hook. Niger Flora, 442 = *buxifolia*.  
*Vieillardii*, Hiern, in Trans. Camb. Phil. Soc. xii. (1873) 124.—N. Caled.

**MABEA**, Aubl. Pl. Gui. ii. 867. t. 334 (1775).  
*EUPHORBIACEAE*, Benth. & Hook. f. iii. 331.  
*angustifolia*, Spruce, ex Benth. in Hook. Kew Journ. vi. (1854) 365.—Bras.  
*anomala*, Muell. Arg. in Mart. Fl. Bras. xi. II. 526.—Bras.  
*biglandulosa*, Baill. Etud. Gén. Euph. 413, nomen.—Guiana.  
*brasiliensis*, Muell. Arg. in DC. Prod. xv. II. 1151.—Bras.  
*ferruginea*, Benth. in Hook. Kew Journ. vi. (1854) 366 = *histulifera*.  
*fistulifera*, Benth. l. c. 365 = *angustifolia*.  
*fistulifera*, Mart. Reise Bras. 479.—Bras.  
*Gaudichaudiana*, Baill. Adansonia, iv. (1863-64) 372.—Bras.  
*lactescens*, Muell. Arg. in Mart. Fl. Bras. xi. II. 523.—Bras.  
*maynensis*, Spruce, in Journ. Linn. Soc. v. (1861) 7; Muell. Arg. in DC. Prod. xv. II. 1150.—Peruv.  
*montana*, Muell. Arg. l. c. 1151.—N. Granat.  
*nitida*, Spruce, ex Benth. in Hook. Kew Journ. vi. (1854) 367.—Bras.

**MABEA** :—

*occidentalis*, Benth. in Hook. Kew Journ. vi. (1854) 364.—Bras.  
*pallida*, Baill. Adansonia, iv. (1863-64) 371 = *nitida*.  
*pallida*, Muell. Arg. in DC. Prod. xv. II. 1150.—N. Granat.  
*paniculata*, Spruce, ex Benth. in Hook. Kew Journ. vi. (1854) 367.—Bras.  
*paraguensis*, Muell. Arg. in Mart. Fl. Bras. xi. II. 527.—Bras.  
*Piriri*, Aubl. Pl. Gui. ii. 867. t. 334.—Guian.  
*Piriri*, Benth. Bot. Voy. Sulph. 165 = *occidentalis*.  
*Pohlana*, Muell. Arg. in DC. Prod. xv. II. 1152.—Bras.  
*pulcherrima*, Muell. Arg. in Flora, lv. (1872) 44.—Guatemala.  
*Riedelii*, Muell. Arg. in Mart. Fl. Bras. xi. II. 518.—Bras.  
*rubrinervis*, Baill. Adansonia, iv. (1863-64) 371 = *nitida*.  
*Schomburgkii*, Benth. in Hook. Kew Journ. vi. (1854) 365.—Guian.  
*speciosa*, Muell. Arg. in Mart. Fl. Bras. xi. II. 520.—Bras.  
*subserrulata*, Spruce, ex Benth. in Hook. Kew Journ. vi. (1854) 366.—Bras.  
*surinamensis*, Klotzsch, in Schomb. Faun. & Fl. Brit. Gui. 1185, nomen.—Guian.  
*Taquari*, Aubl. Pl. Gui. ii. 870. t. 334.—Guian.  
*volubilis*, Klotzsch, in Schomb. Faun. & Fl. Brit. Gui. 1098, nomen.—Guian.  
*Weddelliana*, Baill. Adansonia, iv. (1863-64) 371 = *nitida*.  
**MABOLA**, Rafin. Sylva Tellur. 11 (1838) = *Diospyros*, Linn. (Ebenac.).  
*edulis*, Rafin. l. c. = *D. discolor*.  
**MABURNIA**, Thou. Gen. Nov. Madag. 4 (1806) = *Burmanna*, Linn.  
**MACADAMIA**, F. Muell. in Trans. Phil. Inst. Vict. ii. (1858) 72, cum ic. *PROTEACEAE*, Benth. & Hook. f. iii. 178.  
*ternifolia*, F. Muell. l. c.—Austral.  
*verticillata*, F. Muell. ex Benth. Fl. Austral. v. 407.—Austral.  
*Youngiana*, F. Muell. ex Benth. l. c. 406.—Austral.  
**MACAGLIA**, Rich. ex Vahl, in Skrivt. Nat. Selsk. Kiøbenh. vi. (1810) 107 = *Aspidosperma*, Mart. & Zucc. (Apocyn.).  
*alba*, Vahl, l. c.—Guian.  
*tuberculata*, Vahl, l. c. 109.—Guian.  
**MACAHANEA**, Aubl. Pl. Gui. Suppl. 6. t. 371 (1775) = *Salacia*, Linn. (Celastr.).  
*guianensis*, Aubl. l. c. (= *Clercia guianensis*).—Guian.  
**MACAIREA**, DC. Prod. iii. 109 (1828). *MELASTOMACEAE*, Benth. & Hook. f. i. 742.  
*adenostemon*, DC. Prod. iii. 109.—Bras.  
*albiflora*, Cogn. in Mart. Fl. Bras. xiv. III. 246.—Bras.  
*bracteolaris*, Triana, in Trans. Linn. Soc. xxviii. (1871) 38 = *Marcetia bracteolaris*.  
*calvescens*, Naud. in Ann. Sc. Nat. Sér. III. xiii. (1856) 35.—Guian.  
*ledifolia*, Cogn. in Mart. Fl. Bras. xiv. III. 245.—Bras.  
*Mosenii*, Cogn. l. c. 242.—Bras.  
*multinervia*, Benth. in Hook. Journ. Bot. ii. (1840) 291.—Am. trop.  
*pachyphylla*, Benth. l. c. 292.—Guian.  
*pachyphylla*, Triana, in Trans. Linn. Soc. xxviii. 1871 37 = *calvescens*.  
*parvifolia*, Benth. in Hook. Journ. Bot. ii. (1840) 293.—Bras.  
*Radula*, DC. Prod. iii. 109.—Bras.  
*rigida*, Benth. in Hook. Journ. Bot. ii. (1840) 292.—Guian.  
*rufescens*, DC. Prod. iii. 109.—Bras.  
*sericea*, Cogn. in Mart. Fl. Bras. xiv. III. 243.—Bras.  
*Spruceana*, Berg, ex Triana, in Trans. Linn. Soc. xxviii. (1871) 33.—Bras.  
*stylosa*, Triana, l. c.—Peruv.  
*sulcata*, Triana, l. c.—Peruv.  
*thyrsiflora*, DC. Prod. iii. 109.—Bras.

**MACANANGA**, Reichb. Consp. 195 (1828) = *Maca-ranga*, Thou. (Euphorb.

T



MACANEA, Juss. Gen. 257 (1789) = MACAHANEA, Aubl. = *Salacia*, Linn. (Celastr.).

**MACARANGA**, Thou. Gen. Nov. Madag. 26 (1806).  
*EUPHORBIACEAE*, Benth. & Hook. f. iii. 320.  
 MAPPA, A. Juss. Euph. Tent. 44. t. 14 (1824).  
 MECOSTYLIS, Kurz, ex Teijsm. & Binn. in Tijdschr. Nederl. Indie, xxvii. (1864) 44.  
 PACHYSTEMON, Blume, Bijdr. 626 (1825).  
 PANOPIA, Noronha, ex Thou. Gen. Nov. Madag. 26 (1806).  
 aleuritoides, F. Muell. Papuan Pl. 21.—N. Guin.  
 alnifolia, Baker, in Journ. Linn. Soc. xx. (1883) 256.—Madag.  
 amboinensis, Muell. Arg. in DC. Prod. xv. ii. 1002.—Amboina.  
 andamanica, Kurz, For. Fl. Brit. Burma, ii. 389.—Ins. Andam.  
 angolensis, Muell. Arg. in DC. Prod. xv. ii. 994.—Afr. trop.  
 asterolasia, F. Muell. Fragm. iv. 140 = involucrata.  
 Bailloniana, Muell. Arg. in DC. Prod. xv. ii. 1013.—Ins. Comor.  
 bancana, Muell. Arg. l. c. 990.—Ins. Banca.  
 Barteri, Muell. Arg. in Flora, xlvii. (1864) 535.—Afr. trop.  
 bicolor, Muell. Arg. in Linnaea, xxxiv. (1865-66) 199.—Ins. Philipp.  
 borneensis, Muell. Arg. in DC. Prod. xv. ii. 1003 = trichocarpa.  
 boutonoides, Baill. Etud. Gén. Euph. 432, nomen; *Adansonia*, i. (1860-61) 265.—Ins. Comor.  
 caladifolia, Becc. Malesia, ii. (1884) 46.—Borneo.  
 Chatiniana, Muell. Arg. in DC. Prod. xv. ii. 996.—Hab. ?  
 ciliata, Boj. ex Baker, in Journ. Linn. Soc. xx. (1883) 256 = cupularis.  
 cissifolia, Muell. Arg. in DC. Prod. xv. ii. 993.—Sumatra.  
 conifera, Muell. Arg. l. c. 1005.—Sumatra.  
 cordifolia, Boiv. ex Baill. Etud. Gén. Euph. 432 = Bailloniana.  
 cordifolia, Muell. Arg. in DC. Prod. xv. ii. 1002.—Ins. Molucc.  
 coriacea, Muell. Arg. l. c. 1006.—N. Caled.  
 cornuta, Muell. Arg. l. c. 988.—Java.  
 corymbosa, Muell. Arg. l. c. 1006.—N. Caled.  
 Cumingii, Muell. Arg. l. c. 1005.—Ins. Philipp.  
 cuneifolia, Muell. Arg. l. c. 1004.—Ins. Banca.  
 cupularis, Muell. Arg. in Flora, xlvii. (1864) 466.—Madag.  
 cuspidata, Boiv. ex Baill. Etud. Gén. Euph. 432, nomen; *Adansonia*, i. (1860-61) 260.—Madag.  
 Dallachyi, F. Muell. ex Benth. Fl. Austral. vi. 144.—Austral.  
 denticulata, Muell. Arg. in DC. Prod. xv. ii. 1000.—Reg. Himal.; Malaya.  
 depressa, Muell. Arg. l. c. 989.—Malaya.  
 Diepenhorstii, Muell. Arg. l. c. 998.—Sumatra.  
 digyna, Muell. Arg. l. c. 1007.—Zeylan.  
 dioica, Muell. Arg. in Linnaea, xxxiv. (1865-66) 199.—Ins. Pacif.  
 divergens, Muell. Arg. in DC. Prod. xv. ii. 989.—Borneo.  
 echinocarpa, Baker, in Journ. Linn. Soc. xx. (1883) 255.—Madag.  
 eglandulosa, Baill. Etud. Gén. Euph. 432, nomen = Bailloniana.  
 flexuosa, Wight, Ic. v. ii. 23 = indica.  
 gigantea, Muell. Arg. in DC. Prod. xv. ii. 995.—Sumatra.  
 Grayana, Muell. Arg. l. c. 1001.—Ins. Pacif.  
 Griffithiana, Muell. Arg. l. c. 993.—Malaya.  
 gummiflua, Muell. Arg. l. c. 1000 = denticulata.  
 Harveyana, Muell. Arg. l. c. 998.—Ins. Pacif.  
 Helferii, Muell. Arg. l. c. 1004 = minutiflora.  
 heterophylla, Muell. Arg. l. c. 993.—Afr. occ.  
 Heudelotii, Baill. *Adansonia*, i. (1860-61) 69.—Afr. trop.  
 hexandra, Muell. Arg. in DC. Prod. xv. ii. 1003.—Malaya.  
 hispida, Muell. Arg. l. c. 990.—Ins. Molucc.  
 hypoleuca, Muell. Arg. l. c. 992.—Malaya.  
 inamoena, F. Muell. ex Benth. Fl. Austral. vi. 145.—Austral.  
 indica, Wight, Ic. t. 1883.—Ind. or.  
 involucrata, Baill. Etud. Gén. Euph. 432, nomen; Muell. Arg. in DC. Prod. xv. ii. 1011.—Ins. Molucc. ?; Austral.

# MACARANGA:—

javanica, Muell. Arg. in DC. Prod. xv. ii. 1004.—Malaya.  
 leptostachya, Muell. Arg. l. c. 1007 (Cleidionis sp.).—Ins. Pacif.  
 longestipulata, Muell. Arg. l. c. 991.—Ins. Molucc.  
 macrophylla, Muell. Arg. l. c.—Ins. Fiji.  
 macropoda, Baker, in Journ. Linn. Soc. xx. (1883) 257.—Madag.  
 madagascariensis, Steud. Nom. ed. II. ii. 86, nomen.—Madag.  
 malloides, F. Muell. Fragm. iv. 139 = involucrata.  
 Mappa, Muell. Arg. in DC. Prod. xv. ii. 1000.—Malaya.  
 Maudslayi, Horne, ex Baker, in Journ. Linn. Soc. xx. (1883) 371, nomen.—Ins. Fiji.  
 mauritiana, Boj. Hort. Maurit. 283; Baill. Etud. Gén. Euph. 432. t. 21. f. 8-9.—Ins. Maurit.  
 megalophylla, Muell. Arg. in DC. Prod. xv. ii. 995.—Malaya.  
 membranacea, Kurz, in Journ. As. Soc. Beng. xlii. (1873) ii. 246.—Burma.  
 membranacea, Muell. Arg. in DC. Prod. xv. ii. 996.—Ins. Fiji.  
 minutiflora, Muell. Arg. in Flora, xlvii. (1864) 466.—Burma.  
 molluscula, Kurz, in Journ. As. Soc. Beng. xlii. (1873) ii. 245 = M. Tanarius.  
 monandra, Muell. Arg. in Journ. Bot. ii. (1864) 337.—Afr. trop.  
 Motleyana, Muell. Arg. in DC. Prod. xv. ii. 994.—Borneo.  
 myriantha, Muell. Arg. l. c. 1008.—Amboina.  
 myriolepida, Baker, in Journ. Linn. Soc. xxi. (1885) 442.—Madag.  
 oblongifolia, Baill. Etud. Gén. Euph. 432. t. 21. f. 5-7.—Madag.  
 obovata, Boiv. ex Baill. l. c. nomen; *Adansonia*, i. (1860-61) 263.—Madag.  
 occidentalis, Muell. Arg. in DC. Prod. xv. ii. 994.—Afr. trop.  
 ovata, Boiv. ex Baill. Etud. Gén. Euph. 432, nomen; *Adansonia*, i. (1860-61) 266 = boutonoides.  
 pachyphylla, Muell. Arg. in DC. Prod. xv. ii. 999.—Sumatra.  
 peltata, Boiv. ex Baill. Etud. Gén. Euph. 432, nomen = cuspidata.  
 peltata, Muell. Arg. in DC. Prod. xv. ii. 1010 = Roxburghii.  
 populifolia, Muell. l. c. 1006.—Sumatra.  
 pruinosa, Muell. Arg. l. c. 992.—Sumatra.  
 reticulata, Baill. Etud. Gén. Euph. 432 = obovata.  
 rhizinoides, Muell. Arg. in DC. Prod. xv. ii. 1011.—Java.  
 ribesoides, Baker, in Journ. Linn. Soc. xxi. (1885) 442.—Madag.  
 rottleroides, Baill. Etud. Gén. Euph. 432, nomen; *Adansonia*, i. (1860-61) 262.—Madag.  
 Roxburghii, Wight, Ic. v. ii. 23. t. 1949. f. 4.—Ind. or.  
 rugosa, Muell. Arg. in DC. Prod. xv. ii. 995 = megalophylla.  
 Sampsoni, Hance, in Journ. Bot. ix. (1871) 134.—China.  
 secunda, Muell. Arg. in DC. Prod. xv. ii. 996.—Ins. Fiji.  
 Seemannii, Muell. Arg. l. c. 999.—Ins. Pacif.  
 sinensis, Muell. Arg. l. c. 1001.—China.  
 sphaerophylla, Baker, in Journ. Linn. Soc. xx. (1883) 257.—Madag.  
 spinosa, Muell. Arg. in Flora, xlvii. (1864) 466.—Afr. trop.  
 stipulosa, Muell. Arg. in DC. Prod. xv. ii. 1001.—Ins. Pacif.  
 stricta, Muell. Arg. l. c. 1004.—Sumatra.  
 subdentata, Benth. Fl. Austral. vi. 145.—Austral.  
 subfalcata, Muell. Arg. in DC. Prod. xv. ii. 1007.—Java.  
 sumatrana, Muell. Arg. l. c. 1003.—Sumatra.  
 taitensis, Muell. Arg. l. c. 997.—Ins. Pacif.  
 Tanarius, Muell. Arg. l. c.—Malaya.  
 tenuifolia, Muell. Arg. l. c. 990.—Java.  
 Teysmannii, Muell. Arg. l. c. 999.—Sumatra.  
 Thouarsii, Baill. Etud. Gén. Euph. 432, nomen.—Afr. trop.  
 tomentosa, Wight, Ic. v. ii. 23. t. 1949. f. 1 = Roxburghii.  
 trichocarpa, Muell. Arg. in DC. Prod. xv. ii. 1003.—Malaya.  
 triloba, Muell. Arg. l. c. 989.—Malaya.  
 Vedelianae, Muell. Arg. l. c. 1002.—N. Caled.

# MACARANGA:—

velutina, Muell. Arg. in DC. Prod. xv. ii. 993.—Sumatra.  
 Vieillardii, Muell. Arg. l. c. 1007.—N. Caled.  
 Wightiana, Baill. Etud. Gén. Euph. 432 = Roxburghii.  
**MACARISIA**, Thou. Hist. Vég. Afr. 49. t. 14 (1807).  
*RHIZOPHOREAE*, Benth. & Hook. f. i. 682.  
 icosandra, Planch. ex Hook. f. Fl. Brit. Ind. i. 416 = Ixonanthes icosandra.  
 lanceolata, Baill. in *Adansonia*, iii. (1862-63) 20.—Ins. Nossibé.  
 pyramidata, Thou. Hist. Vég. Afr. 49. t. 14.—Madag.  
**MACARTHURIA**, Hueg. ex Endl. in Enum. Pl. Hueg. 11 (1837). *FICOIDEAE*, Benth. & Hook. f. i. 856.  
 apetala, Harv. in Hook. Kew Journ. vii. (1855) 55.—Austral.  
 australis, Hueg. ex Endl. in Enum. Pl. Hueg. 11.—Austral.  
 foliosa, Preiss. ex Steud. in Lehm. Pl. Preiss. i. 230 = australis.  
 neo-cambria, F. Muell. Fragm. v. 28.—Austral.  
**MACBRIDEA**, Ell. ex Nutt. Gen. Am. ii. 36 (1818); Sketch, ii. 86 (1824). *LABIATAE*, Benth. & Hook. f. ii. 1204.  
 alba, Chapm. Fl. S. U. St. 325.—Am. bor.  
 pulchella, Benth. Lab. Gen. et Sp. 505 = pulchra.  
 pulchra, Ell. ex Nutt. Gen. Am. ii. 36; Sketch, ii. 86.—Am. bor.  
**MACCLELLANDIA**, Wight, Ic. vi. 14. t. 1996 (1853) = *Pemphis*, Forst. (Lythrar.).  
 Griffithiana, Wight, l. c. = *P. acidula*.  
**MACCOYA**, F. Muell. Fragm. i. 127 (1859) = *Rochelia*, Reichb. (Borag.).  
 pluriseipalea, F. Muell. l. c. = *R. Maccoya*.  
**MACDONALDIA**, Gunn, ex Lindl. Swan River App. 50. t. 9 (1839) = *Thelymitra*, Forst. (Orchid.).  
 antennifera, Lindl. l. c. = *T. antennifera*.  
 concolor, Lindl. l. c. t. 9 = *T. flexuosa*.  
 cyanea, Lindl. l. c. 50 = *T. cyanea*.  
 Smithiana, Gunn, ex Lindl. l. c. = *T. flexuosa*.  
 spiralis, Lindl. l. c. = *T. variegata*.  
 variegata, Lindl. l. c. = *T. variegata*.  
 venosa, Lindl. l. c. = *T. venosa*.  
**MACELLA**, C. Koch, in Ind. Sem. Hort. Berol. (1855) App. 13 = *Jaegeria*, H. B. & K. (Compos.).  
 hirta, C. Koch, l. c. = *J. hirta*.  
**MACFADYENA**, A. DC. in DC. Prod. ix. 179 (1845).  
*BIGNONIACEAE*, Benth. & Hook. f. ii. 1034.  
 DOLICHANDRA, Cham. in Linnaea, vii. (1832) 657.  
 PHAREOPHORA, Miers, in Proc. Hort. Soc. iii. (1863) 185.  
 PHRYGANOCYDIA, Mart. ex DC. Prod. ix. 198, etc. (1845).  
 amanda, Miers, in Proc. Hort. Soc. iii. (1863) 200, nomen.—Bras.  
 amazonica, Miers, l. c. nomen.—Bras.  
 bifolia, Miers, l. c.—Ind. occ.  
 bracteosa, Benth. & Hook. f. Gen. ii. 1035.—Guiana.  
 citrifolia, Miers, in Proc. Hort. Soc. iii. (1863) 200.—Bras.  
 coccinea, Miers, l. c.—Bras.  
 Coito, Miers, l. c.—Bras.  
 corymbosa, Griseb. in Bonplandia, vi. (1858) 10.—Ins. Trinit.  
 diffusa, Miers, in Proc. Hort. Soc. iii. (1863) 200, nomen.—Bras.  
 Dolichandra, Benth. & Hook. f. Gen. ii. 1034.—Bras.  
 Fenzliana, Miq. Stirp. Surin. Sel. 125.—Guian.  
 Fockeana, Miers, in Proc. Hort. Soc. iii. (1863) 200.—Guian.  
 guttiflua, Miers, l. c. nomen.—Bras.  
 hispida, Seem. in Journ. Bot. i. (1863) 227.—Bras.  
 japurensis, Miers, in Proc. Hort. Soc. iii. (1863) 200.—Bras.  
 laurifolia, Miers, l. c.—Venezuela.  
 lepidota, Seem. ex Miers, l. c. = corymbosa.  
 mollis, Seem. in Journ. Bot. i. (1863) 227.—Bras.  
 obovata, Miers, in Proc. Hort. Soc. iii. (1863) 200.—N. Granat.  
 orinocensis, Miers, l. c.—Venezuela.  
 ovata, Miers, l. c. = corymbosa?  
 phellosperma, Hemsl. Biol. Centr. Am. Bot. ii. 492.—Panama.



**MACFADYENA** :—

- platypoda, *Miers*, in *Proc. Hort. Soc.* iii. (1863) 200.—Bras.  
 podopogon, *Griseb. Cat. Pl. Cub.* 195.—Cuba.  
 stipuloides, *Miers*, in *Proc. Hort. Soc.* iii. (1863) 200, nomen.—Bras.  
 terniflora, *Miers*, *l. c.*—Bras.  
 Tweediana, *Griseb. Veg. Prov. Entre-Rios*, 83 = *Bigonia Tweediana*.  
 uncinata, *DC. Prod.* ix. 180.—Panama.

**MACGREGORIA**, *F. Muell.* in *Caruel, Giorn. Bot. Ital.* (1873) 128; et *Fragm.* viii. 160 (1874). *STACKHOUSEIAE*.  
*racemigera*, *F. Muell. l. c.* 128; 161.—Austral.  
*racemosa*, *Benth.* in *Hook. Ic. Pl.* xiii. 23. t. 1230 = *racemigera*.

**MACHADOA**, *Welw. ex Benth. & Hook. f. Gen.* i. 814 (1867). *PASSIFLOREAE*, *Benth. & Hook. f. i.* 814.  
*huillensis*, *Welw. in Trans. Linn. Soc.* xxvii. (1869) 29. t. 10.—Afr. trop.

**MACHAERANTHERA**, *Nees, Gen. et Sp. Ast.* 224 (1833) = *Aster*, *Tourn. (Compos.)*.  
*canescens*, *A. Gray, Pl. Wright.* i. 89; ii. 75 = *A. canescens*.  
*grandiflora*, *Buckl. in Proc. Acad. Sc. Philad.* 1861 (1862) 456 = *Xanthisma texanum*.  
*parviflora*, *A. Gray, Pl. Wright.* i. 90 = *A. parviflora*.  
*setigera*, *Nees, in Linnaea*, xix. (1847) 722 = *A. gymnocephalus*.  
*shastensis*, *A. Gray, in Proc. Am. Acad.* vi. (1864-65) 538 = *A. shastensis*.  
*tanacetifolia*, *Nees, Gen. et Sp. Ast.* 225 = *A. tanacetifolius*.

**MACHAERINA**, *Nees, in Lehm. Pugill.* viii. 54 (1844) (*Macherina*) = *Lepidosperma*, *Labill. (Cyperac.)*.  
*resinosa*, *Nees, l. c.* = *L. resinosum*.

**MACHAERINA**, *Vahl, Enum.* ii. 238 (1806) = *Cladium*, *P. Br. (Cyperac.)*.  
*anceps*, *Boj. Hort. Maurit.* 385 = *C. iridifolium*.  
*filifolia*, *Griseb. Cat. Pl. Cub.* 242 = *C. filifolium*.  
*hirta*, *Boeck. in Flora*, lviii. (1875) 117.—Ins. Samoa.  
*lavarum*, *Boj. Hort. Maurit.* 385 = *C. iridifolium*.  
*restioides*, *Gaudich. in Freyc. Voy. Bot.* 104, 417 (= *Vincentia angustifolia*).—Ins. Sandvic.  
*restioides*, *Vahl, Enum.* ii. 238.—Ind. occ.

**MACHAERIUM**, *Pers. Syn.* ii. 276 (1807). *LEGUMINOSAE*, *Benth. & Hook. f. i.* 545.  
*acaciaefolium*, *Mart. ex Benth. in Mart. Fl. Bras.* xv. i. 236 = *angustifolium*.  
*aculeatum*, *Raddi, in Mem. Mod. xviii. Fis.* (1820) 398.—Bras.  
*acuminatum*, *H. B. & K. Nov. Gen. et Sp.* vi. 391.—Venezuela.  
*acutifolium*, *Vog. in Linnaea*, xi. (1837) 187.—Bras.  
*affine*, *Benth. in Ann. Wien. Mus.* ii. (1838) 98 = *angustifolium*.  
*Allemani*, *Benth. in Journ. Linn. Soc. iv. Suppl.* (1860) 63; et in *Mart. Fl. Bras.* xv. i. 248.—Bras.  
*amplum*, *Benth. in Ann. Wien. Mus.* ii. (1838) 97.—Bras.  
*angustifolium*, *Mart. ex Benth. in Journ. Linn. Soc. iv. Suppl.* (1860) 57 = *eriocarpum*.  
*angustifolium*, *Vog. in Linnaea*, xi. (1837) 193.—Bras.  
*arborescens*, *Vog. l. c.* 182; *Benth. in Ann. Wien. Mus.* ii. (1838) 100.—Am. austr.  
*armatum*, *Vog. l. c.* 191 = *angustifolium*.  
*bracteatum*, *Benth. in Journ. Linn. Soc. iv. Suppl.* (1860) 65.—N. Granat.  
*brasiliense*, *Vog. in Linnaea*, xi. (1837) 185.—Bras.  
*campestre*, *Mart. ex Benth. in Ann. Wien. Mus.* ii. (1838) 100 = *opacum*.  
*ciliatum*, *Benth. l. c.* 99 = *brasiliense*.  
*densicommum*, *Mart. ex Benth. l. c.*—Bras.  
*diadelphum*, *Vog. in Linnaea*, xi. (1837) 182 = *ferrugineum*.  
*discolor*, *Vog. l. c.* 204.—Bras.  
*dubium*, *Allem. in Trab. Soc. Vell.* [1852] 56.—Bras.  
*erianthum*, *Benth. in Ann. Wien. Mus.* ii. (1838) 99.—Bras.  
*eriocarpum*, *Benth. l. c.* 98.—Bras.  
*eriosomon*, *Benth. in Journ. Linn. Soc. iv. Suppl.* (1860) 68; et in *Mart. Fl. Bras.* xv. i. 254.—Bras.

**MACHAERIUM** :—

*eriosomon*, *Benth. ex Micheli, in Kjoeb. Vidensk. Meddel.* (1875) 99 = *praec.*?  
*ferrugineum*, *Pers. Syn.* ii. 276.—Guiana.  
*fertile*, *Griseb. in Goett. Abh.* xix. (1874) 127.—Reg. Argent.  
*firmum*, *Benth. in Ann. Wien. Mus.* ii. (1838) 101.—Bras.  
*floribundum*, *Benth. in Journ. Linn. Soc. iv. Suppl.* (1860) 68; et in *Mart. Fl. Bras.* xv. i. 254.—Bras.  
*Gardneri*, *Benth. l. c.* 60; 242.—Bras.  
*glabrum*, *Vog. in Linnaea*, xi. (1837) 187.—Bras.  
*Goudoti*, *Benth. in Journ. Linn. Soc. iv. Suppl.* (1860) 59.—N. Granat.  
*gracile*, *Benth. in Ann. Wien. Mus.* ii. (1838) 98.—Bras.  
*heterophyllum*, *Presl, Bot. Bemerk.* 61 = *oblongifolium*.  
*heteropterum*, *Allem. in Trab. Soc. Vell.* [1852] 4 = *Tipuana heteroptera*.  
*Humboldtianum*, *Vog. in Linnaea*, xi. (1837) 194.—Am. austr.  
*incorruptibile*, *Allem. in Trab. Soc. Vell.* [1852] 56.—Bras.  
*incorruptibile*, *Benth. in Ann. Wien. Mus.* ii. (1838) 101 = *legale*.  
*Kegeli*, *Meissn. in Linnaea*, xxi. (1848) 257.—Guiana.  
*lanatum*, *Tul. in Arch. Mus. Par. iv.* (1844) 96.—Bras.  
*legale*, *Benth. in Ann. Wien. Mus.* ii. (1838) 101.—Bras.  
*leiocarpum*, *Vog. in Linnaea*, xi. (1837) 203 = *secundiflorum*.  
*leiophyllum*, *Benth. in Ann. Wien. Mus.* ii. (1838) 100.—Guiana.  
*leucopterum*, *Vog. in Linnaea*, xi. (1837) 189.—Bras.  
*lignosum*, *Benth. in Mart. Fl. Bras.* xv. i. 253 = *ferrugineum*.  
*Lindenianum*, *Benth. in Journ. Linn. Soc. iv. Suppl.* (1860) 67.—N. Granat.  
*lineatum*, *Benth. in Ann. Wien. Mus.* ii. (1838) 98 = *discolor*.  
*longifolium*, *Benth. in Journ. Linn. Soc. iv. Suppl.* (1860) 55; et in *Mart. Fl. Bras.* xv. i. 235.—Bras.  
*Luschnathianum*, *Presl, Bot. Bemerk.* 61 = *brasiliense*.  
*macrocarpum*, *Benth. in Hook. Journ. Bot.* ii. (1840) 67 = *Tipuana macrocarpa*.  
*macrophyllum*, *Benth. in Ann. Wien. Mus.* ii. (1838) 99.—Bras.  
*macrophyllum*, *Benth. in Journ. Linn. Soc. iv. Suppl.* (1860) 68 = *floribundum*.  
*Martii*, *Tul. in Arch. Mus. Par. iv.* (1844) 92 = *eriocarpum*.  
*micropterum*, *Benth. in Ann. Wien. Mus.* ii. (1838) 101.—Hort. Teneriff.  
*minutiflorum*, *Tul. in Arch. Mus. Par. iv.* (1844) 94 = *stipitatum*.  
*Moritzianum*, *Benth. in Journ. Linn. Soc. iv. Suppl.* (1860) 58.—Venezuela.  
*mucronatum*, *Vog. in Linnaea*, xi. (1837) 191 = *incorruptibile*.  
*mucronulatum*, *Mart. ex Benth. in Ann. Wien. Mus.* ii. (1838) 100.—Bras.  
*muticum*, *Benth. l. c.* = *acutifolium*.  
*myrianthum*, *Spruce, ex Benth. in Journ. Linn. Soc. iv. Suppl.* (1860) 59; et in *Mart. Fl. Bras.* xv. i. 241.—Bras.  
*nervosum*, *Vog. in Linnaea*, xi. (1837) 186 = *ferrugineum*.  
*nictitans*, *Benth. in Ann. Wien. Mus.* ii. (1838) 98.—Bras.  
*nigrum*, *Vog. in Linnaea*, xi. (1837) 188.—Bras.  
*oblongifolium*, *Vog. l. c.* 184.—Bras.  
*opacum*, *Vog. l. c.* 187.—Bras.  
*paniculatum*, *Allem. ex Benth. in Mart. Fl. Bras.* xv. i. 246 = *stipitatum*.  
*parviflorum*, *Benth. in Journ. Linn. Soc. iv. Suppl.* (1860) 60; et in *Mart. Fl. Bras.* xv. i. 242.—Bras.  
*pedicellatum*, *Vog. in Linnaea*, xi. (1837) 202.—Bras.  
*pilosum*, *Benth. in Journ. Linn. Soc. iv. Suppl.* (1860) 57; et in *Mart. Fl. Bras.* xv. i. 238.—Bras.  
*polyphyllum*, *Benth. in Ann. Wien. Mus.* ii. (1838) 101.—Guian.  
*Pseudotipe*, *Griseb. in Goett. Abh.* xxiv. (1879) 110.—Reg. Argent.  
*puberulum*, *Mart. ex Benth. in Ann. Wien. Mus.* ii. (1838) 99 = *oblongifolium*.  
*punctatum*, *Pers. Syn.* ii. 276 = *stipitatum*.  
*pungens*, *Allem. in Trab. Soc. Vell.* [1852] 56 = *leucopterum*.

**MACHAERIUM** :—

*reticulatum*, *Pers. Syn.* ii. 276.—Madag.  
*retusum*, *Boiv. ex Baill. in Bull. Soc. Linn. Par. i.* (1884) 436 = *Dalbergia retusa*.  
*robiniaefolium*, *Vog. in Linnaea*, xi. (1837) 190.—Ins. S. Vincent.  
*Salzmanni*, *Benth. in Journ. Linn. Soc. iv. Suppl.* (1860) 63; et in *Mart. Fl. Bras.* xv. i. 248.—Bras.  
*Schomburgkii*, *Benth. in Hook. Journ. Bot.* ii. (1840) 67.—Guian.  
*sclerxylon*, *Tul. in Arch. Mus. Par. iv.* (1844) 93.—Bras.  
*sclerxylon*, *Allem. in Trab. Soc. Vell.* [1852] 56 = *Allemani*.  
*secundiflorum*, *Mart. in Flora*, xx. (1837) 11. Beibl. 118.—Bras.  
*Seemanni*, *Benth. ex Seem. Bot. Voy. Herald*, 110.—Panama.  
*sericiflorum*, *Gardn. in Hook. Lond. Journ. Bot.* ii. (1843) 341 = *Gardneri*.  
*sericiflorum*, *Vog. in Linnaea*, xi. (1837) 192 = *aculeatum*.  
*Sieberi*, *Benth. in Ann. Wien. Mus.* ii. (1838) 98 = *robiniaefolium*.  
*sordidum*, *Benth. in Journ. Linn. Soc. iv. Suppl.* (1860) 58; et in *Mart. Fl. Bras.* xv. i. 241.—Bras.  
*spinatum*, *Benth. in Ann. Wien. Mus.* ii. (1838) 99.—Bras.  
*splendens*, *Vog. in Linnaea*, xi. (1837) 192.—Bras.  
*stipitatum*, *Vog. l. c.* 189.—Bras.  
*surinamense*, *Miq. Stirp. Surin. Sel.* 21 = *leiophyllum*.  
*Tipu*, *Benth. in Hook. Kew Journ.* v. (1853) 267 = *Tipuana speciosa*.  
*triste*, *Vog. in Linnaea*, xi. (1837) 416.—Bras.  
*uncinatum*, *Benth. in Ann. Wien. Mus.* ii. (1838) 98.—Bras.  
*Vellosianum*, *Benth. l. c.*—Bras.  
*velutinum*, *Benth. l. c.* 100 = *nigrum*.  
*verrucosum*, *Vog. in Linnaea*, xi. (1837) 183 = *oblongifolium*.  
*vestitum*, *Vog. l. c.* 190.—Bras.  
*villosulum*, *Mart. in Flora*, xx. (1837) 11. Beibl. 118 = *oblongifolium*.  
*villosum*, *Vog. in Linnaea*, xi. (1837) 189.—Bras.  
*violaceo-purpureum*, *Duchass. & Walp. Ann.* ii. 437 = *angustifolium*.  
*violaceum*, *Vog. in Linnaea*, xi. (1837) 186.—Bras.

**MACHAEROPHORUS**, *Schlecht. in Linnaea*, xxviii. (1856) 469 = *Mathewsia*, *Hook. (Crucif.)*.  
*matthioides*, *Schlecht. l. c.* = *Mathewsia matthioides*.

**MACHANAEA**, *Steud. Nom. ed. I.* 503 (1821) = *MACAHANEA*, *Aubl.* = *Salacia*, *Linn. (Celastr.)*.

**MACHAONIA**, *Humb. & Bonpl. Pl. Aequin.* i. 101. t. 29 (1808). *RUBIACEAE*, *Benth. & Hook. f. i.* 102.  
*acuminata*, *Humb. & Bonpl. Pl. Aequin.* i. 101.—Ecuador.  
*brasiliensis*, *Cham. & Schlecht. in Linnaea*, iv. (1829) 2.—Bras.  
*cymosa*, *Griseb. Fl. Brit. W. Ind.* 348.—Ind. occ.  
*fasciculata*, *A. Gray, in Proc. Am. Acad.* xix. (1888) 77.—Mexic.  
*Galeottiana*, *Baill. in Bull. Soc. Linn. Par. i.* (1879) 204.—Mexic.  
*Hahniana*, *Baill. l. c.*—Mexic.  
*Lindeniana*, *Baill. l. c.*—Mexic.  
*microphylla*, *Griseb. in Mem. Am. Acad. N. S. v.* (1863) 510.—Ind. occ.  
*portoricensis*, *Baill. in Bull. Soc. Linn. Par. i.* (1879) 204.—Porto Rico.  
*rotundata*, *Griseb. Fl. Brit. W. Ind.* 348.—Ind. occ.  
*spinosa*, *Cham. & Schlecht. in Linnaea*, iv. (1829) 2.—Bras.  
*velutina*, *Mart. & Gal. in Bull. Acad. Brux.* xi. i. (1844) 134.—Mexic.  
*veracruscana*, *Baill. in Bull. Soc. Linn. Par. i.* (1879) 204 = *velutina*.

**MACHARINA**, *Steud. Syn. Pl. Cyp.* 156 (1835) = *MACHAERINA*, *Vahl* = *Cladium*, *P. Br. (Cyperac.)*.

**MACHARISIA**, *Spreng. Syst.* iii. 66 (1826) = *Macharisia*, *Thou. (Rhizoph.)*.



**MACHILUS**, Nees, in Wall. Pl. As. Rar. ii. 70 (1831).  
**LAURINEAE**, Benth. & Hook. f. iii. 156.  
*bootanica*, Meissn. in DC. Prod. xv. i. 42.—Reg. Himal.  
*cuneata*, Hassk. Cat. Hort. Bog. Alt. 88=Phoebe  
*cuneata*.  
*fruticosa*, Kurz, in Fourn. As. Soc. Beng. xlii. (1873)  
 ii. 101.—Burma.  
*glaucescens*, Wight, Ic. t. 1825=macrantha.  
 Grijsii, Hance, in Ann. Sc. Nat. Sér. IV. xviii. (1862)  
 226.—China.  
*incrassata*, Nees, in Wall. Pl. As. Rar. ii. 70 =  
*Dehaasia microcarpa*.  
*indica*, Kurz, For. Fl. Brit. Burma, ii. 291=odora-  
 tissima.  
*japonica*, Sieb. & Zucc. in Abh. Akad. Muench. iv.  
 iii. (1843) 302.—Japon.  
*khasyana*, Meissn. in DC. Prod. xv. i. 42.—Reg.  
 Himal.  
*longifolia*, Blume, Mus. Bot. Lugd. Bat. i. 331.—  
 Japon.  
*macrantha*, Nees, in Wall. Pl. As. Rar. ii. 70.—  
 Ind. or.  
*macrophylla*, Blume, Mus. Bot. Lugd. Bat. i. 331.—  
 Java.  
*macrophylla*, Nees, Syst. Laurin. 674 = Phoebe macro-  
 phylla, *cuneata*.  
*Madang*, Miq. in Pl. Jungh. i. 176=odoratissima.  
*odoratissima*, Nees, in Wall. Pl. As. Rar. ii. 70.—Ind.  
 or.: Malaya; China.  
*oreophila*, Hance, in Ann. Sc. Nat. Sér. IV. xviii.  
 (1862) 227.—China.  
*parviflora*, Meissn. in DC. Prod. xv. i. 505.—Reg.  
 Himal.  
*peduncularis*, Nees, in Wall. Pl. As. Rar. ii. 70  
 (= *Haasia peduncularis*).—Ind. or.  
*pilosa*, Nees, Syst. Laurin. 176.—Cochinch.  
*pubescens*, Blume, Mus. Bot. Lugd. Bat. i. 330.—  
 Nepal.  
*rimosa*, Blume, l. c.—Java.  
*salicina*, Hance, in Fourn. Bot. xxiii. (1885) 327.—  
 China.  
*sericea*, Blume, Mus. Bot. Lugd. Bat. i. 330.—Reg.  
 Himal.  
*taoyana*, Meissn. in DC. Prod. xv. i. 41 (Phoebe  
 sp.).—Burma.  
*Thunbergii*, Sieb. & Zucc. in Abh. Akad. Muench. iv.  
 iii. (1843) 302.—Japon.  
*velutina*, Champ. ex Benth. in Hook. Kew Fourn. v.  
 (1853) 198.—Hongkong.

**MACHLIS**, DC. Prod. vi. 140 (1837) = **Cotula**, Tourn.  
 (Compos.).  
*hemisphaerica*, DC. l. c. = *C. hemisphaerica*.

**MACHURA**, Steud. Nom. ed. I. 503 (1821), sphalm. =  
**Maclura**, Nutt. (Urtic.).

**MACIELIA**, Vand. Fl. Lusit. 14 (1788) = **Cordia**, Linn.  
 (Borag.).  
*arborea*, Steud. Nom. ed. II. ii. 87 = *racemifera*.  
*racemifera*, Vand. Fl. Lusit. 15.—Bras.

**MACINTYRIA**, F. Muell. Fragm. v. 8 (1865) =  
**Xanthophyllum**, Roxb. (Polygal.).  
*octandra*, F. Muell. l. c. = *X. Macintyrii*.

**MACKAYA**, Arn. in Jard. Mag. Zool. & Bot. ii. (1838)  
 550 = **Erythralium**, Blume (Olcin.).  
*populifolia*, Arn. l. c. = *E. populifolium*.

**MACKAYA**, Harv. Thes. Cap. i. 8. t. 13 (1859) =  
**Asystasia**, Blume (Acanthac.).  
*bella*, Harv. l. c.; et in Proc. Dubl. Zool. & Bot. Assoc.  
 i. (1859) 253. t. 26 = *A. bella* (in Addend.).

**MACKENIA**, Harv. Gen. S. Afr. Pl. ed. II. 233 (1868)  
 = **Schizoglossum**, E. Mey. (Asclep.).

**MACKENZIEA**, Nees, in DC. Prod. xi. 308 (1845) =  
**Strobilanthes**, Blume (Acanthac.).  
*sessilis*, Nees, l. c. = *S. sexennis*.

**MACKINLAYA**, F. Muell. Fragm. iv. 119 (1864).  
**ARALIACEAE**, Benth. & Hook. f. i. 937.  
*macrosciadea*, F. Muell. l. c. 120.—Austral.

**MACKLEYA**, Walp. Rep. i. 109 (1842) = **MACLEAYA**,  
 R. Br. = **Bocconia**, Linn. (Papav.).

**MACKLOTTIA**, Korth. in Nederl. Kruidk. Arch. i.  
 (1847) 196 = **Leptospermum**, Forst. (Myrtac.).  
*amboinensis*, Korth. l. c. = *L. amboinense*.  
*javanica*, Korth. l. c. = *L. javanicum*.

**MACLAYA**, Bernh. in Linnaea, viii. (1833) 460 =  
**MACLEAYA**, R. Br. = **Bocconia**, Linn. (Papav.).

**MACLEANIA**, Hook. Ic. Pl. t. 109 (1837). **VAC-**  
**CINIACEAE**, Benth. & Hook. f. ii. 566.  
**BIRAMIA**, Neraud, in Freyc. Voy. Bot. 28 (1826).  
**TYRIA**, Klotzsch, in Linnaea, xxiv. (1851) 21.  
*angulata*, Hook. Bot. Mag. t. 3979.—Peruv.  
*Benthamiana*, Walp. Rep. vi. 415.—Peruv.  
*coccinea*, Decne. in Rev. Hort. Sér. III. v. (1851) 301.  
 —Mexic.; Peruv.  
*colorata*, Klotzsch, in Linnaea, xxiv. (1851) 68 = *cordata*.  
*cordata*, Lem. in Fl. des Serres, Sér. I. iv. (1848) 312.  
 —Peruv.  
*cordifolia*, Benth. Pl. Hartw. 223.—Peruv.  
*floribunda*, Benth. l. c. 141 = *Benthamiana*.  
*floribunda*, Hook. Ic. Pl. t. 109.—Peruv.  
*insignis*, Mart. & Gal. in Bull. Acad. Brux. ix. (1842)  
 531.—Mexic.  
*longiflora*, Lindl. Bot. Reg. (1844) t. 25.—Peruv.  
*macrantha*, Benth. Pl. Hartw. 223.—Peruv.  
*ovata*, Klotzsch, in Linnaea, xxiv. (1851) 20 = *cordata*.  
*pauciflora*, Benth. & Hook. f. Gen. ii. 567, in textu.—  
 Peruv.  
*pubiflora*, Benth. Pl. Hartw. 224.—Reg. Granat.  
*pulchra*, Hook. f. Bot. Mag. t. 5465.—N. Granat.  
*punctata*, Hook. l. c. t. 4426.—Ecuador.  
*Salapa*, Benth. & Hook. f. Gen. ii. 566.—Peruv.  
*speciosissima*, Hook. Bot. Mag. t. 5453.—N. Granat.  
*tenuiflora*, Klotzsch, in Linnaea, xxiv. (1851) 19 =  
*longiflora*.  
*tenuifolia*, Walp. Rep. vi. 415 = *longiflora*.

**MAC-LEAYA**, Benth. & Hook. f. Gen. i. 573 (1865) =  
**MAC-LEAYIA**, Montr. = **Cassia**, Tourn. (Legum.).

**MACLEAYA**, R. Br. in App. Denh. & Clapp. Trav. 218,  
 in adnot. (1826) = **Bocconia**, Linn. (Papav.).  
*cordata*, R. Br. l. c. = *B. cordata*.  
*yedoensis*, André, in Rev. Hort. (1866) 369 = *B. cor-*  
*data*.

**MAC-LEAYIA**, Montr. in Mém. Acad. Lyon, x. (1860)  
 198 = **Cassia**, Tourn. (Legum.).  
*multiflora*, Montr. l. c. = *N. Caled.*

**MACLEDIUM**, Cass. in Dict. Sc. Nat. xxxiv. 39 (1825)  
 = **Dicoma**, Cass. (Compos.).  
*Burmanni*, Cass. l. c. = *D. Burmanni*.

**MACLELANDIA**, Wight, Ic. in tab. 1996 (1853) =  
**MACCLELLANDIA**, Wight = **Pemphis**, Forst.  
 (Lythrar.).

**MACLEYA**, Reichb. Consp. 187 (1828) = **MACLEAYA**,  
 R. Br. = **Bocconia**, Linn. (Papav.).

**MACLURA**, Nutt. Gen. Am. ii. 233 (1817). **URTI-**  
**CACEAE**, Benth. & Hook. f. iii. 363.  
**FUSTICUS**, Rafin. New Fl. Am. iii. 43 (1836).  
**IOXYLON**, Rafin. in Am. Monthly Mag. iv. (1818)  
 195.  
**SUKAMINEA**, Rafin. New Fl. Am. iii. 44 (1836).  
**TOXYLON**, Rafin. in Am. Monthly Mag. iv. (1818)  
 188. (Cf. 195.)  
*affinis*, Miq. in Mart. Fl. Bras. iv. i. 155 = *Chlorophora*  
*tinctoria*.  
*amboinensis*, Blume, Mus. Bot. Lugd. Bat. ii. 84 =  
*Cudrania javanensis*.  
*aurantiaca*, Nutt. Gen. Am. ii. 234.—Am. bor.  
*brasiliensis*, Endl. Gen. Suppl. iv. II. 34.—Bras.  
*Calcar-galli*, Lodd. ex Voigt, Hort. Suburb. Calc. 291,  
 nomen = *Cudrania javanensis*?  
*chlorocarpa*, Liebm. in Vidensk. Selsk. Skr. V. ii.  
 (1851) 314 = *Chlorophora tinctoria*.  
*excelsa*, Bureau, in DC. Prod. xvii. 231 = *Chlorophora*  
*excelsa* (in Addend.).  
*gerontogaea*, Sieb. & Zucc. in Abh. Akad. Muench. iv.  
 iii. (1846) 220 = *Cudrania javanensis*.  
*javanica*, Blume, Mus. Bot. Lugd. Bat. ii. 83. t. 31 =  
*Cudrania javanensis*.  
*javanica*, Miq. in Zoll. Syst. Verz. Ind. Archip. 89 =  
*Malaisia tortuosa*.

**MACLURA**:—  
*Mora*, Griseb. in Goett. Abh. xxiv. (1879) 86.—Reg.  
 Argent.  
*Plumiera*, D. Don, ex Steud. Nom. ed. II. ii. 87 =  
*Chlorophora tinctoria*.  
*polyneura*, Miq. in Mart. Fl. Bras. iv. i. 154 = *Chloro-*  
*phora tinctoria*.  
*sempervirens*, Tenore, Cat. Hort. Bot. Nap. (1845) 87  
 = *Chlorophora tinctoria*.  
*Sieberi*, Blume, Mus. Bot. Lugd. Bat. ii. 83 = *Chloro-*  
*phora tinctoria*.  
*subintegerrima*, Miq. in Mart. Fl. Bras. iv. i. 157 =  
*Chlorophora tinctoria*.  
*timorensis*, Blume, Mus. Bot. Lugd. Bat. ii. 84 =  
*Cudrania javanensis*.  
*tinctoria*, D. Don, ex Steud. Nom. ed. II. ii. 87 =  
*Chlorophora tinctoria*.  
*tricuspidata*, Carr. in Rev. Hort. (1864) 390.—China.  
*velutina*, Blume, Mus. Bot. Lugd. Bat. ii. 82 = *Chloro-*  
*phora tinctoria*.  
*xanthoxylon*, Endl. Gen. Suppl. iv. II. 34 = *Chlorophora*  
*tinctoria*.

**MACNABIA**, Benth. in DC. Prod. vii. 612 (1839).  
**ERICACEAE**, Benth. & Hook. f. ii. 589.  
**NABEA**, Lehm. Ind. Sem. Hort. Hamb. (1831); ex  
 Klotzsch, in Linnaea, viii. (1833) 666.  
*montana*, Benth. in DC. Prod. vii. 612.—Afr. austr.

**MACNEMARAEA**, Willem. in Usteri, Ann. Bot. xviii.  
 (1796) 34 (Genus dubium).  
*opulina*, Willem. l. c.—China?

**MACODES**, Lindl. Gen. et Sp. Orch. 496 (1840).  
**ORCHIDEAE**, Benth. & Hook. f. iii. 602.  
*lanceolata*, Reichb. f. Xenia Orch. i. 226 = *Hetaeria*  
*lanceolata*.  
*marmorata*, Reichb. f. l. c. 228. t. 96 = *Dossinia mar-*  
*morata*.  
*Petola*, Lindl. Gen. et Sp. Orch. 497.—Java.  
*setaceus*, Boxall, ex Naves, in Blanco, Fl. Philipp. ed.  
 III. Nov. App. 249, nomen.—Ins. Philipp.  
*striatus*, Boxall, l. c. nomen.—Ins. Philipp.  
*Veitchii*, Boxall, l. c.—Ins. Philipp.  
*xanthophyllus*, Boxall, l. c.—Ins. Philipp.

**MACOUBEA**, Aubl. Pl. Gui. Suppl. 17. t. 378 (1775).  
**INC. SED.**—Cf. Benth. & Hook. f. i. 169.  
*guianensis*, Aubl. l. c. 18. t. 378.—Guiana.

**MACOUCOUA**, Aubl. Pl. Gui. i. 88. t. 84 (1775) = **Ilex**,  
 Tourn.  
*guianensis*, Aubl. l. c. = **I. Macoucoua**.

**MACOWANIA**, Oliver, in Hook. Ic. Pl. t. 1062  
 (1870). **COMPOSITAE**, Benth. & Hook. f. ii. 327.  
*revoluta*, Oliver, in Hook. Ic. Pl. t. 1062.—Afr. austr.

**MACPHERSONIA**, Blume, Rumphia, iii. 156 (1847).  
**SAPINDACEAE**, Benth. & Hook. f. i. 402.  
*gracilis*, O. Hoffm. Sert. Madag. 14.—Madag.  
*Hildebrandtii*, O. Hoffm. l. c.—Madag.  
*madagascariensis*, Blume, Rumphia, iii. 157.—Madag.  
*pteridophylla*, Baill. Adansonia, xl. (1874) 240.—Ins.  
 Nosibé.

**MACQUINIA**, Steud. Nom. ed. II. ii. 88 (1841) sphalm.  
 = **MOQUINIA**, Spreng. = **Loranthus**, Linn.

**MACRACHAENIUM**, Hook. f. Fl. Antart. ii. 321  
 (1845). **COMPOSITAE**, Benth. & Hook. f. ii. 498.  
*gracile*, Hook. f. Fl. Antart. ii. 321.—Patagon.

**MACRADENIA**, R. Br. in Bot. Reg. t. 612 (1822).  
**ORCHIDEAE**, Benth. & Hook. f. iii. 586.  
**RHYNCHADENIA**, A. Rich. Fl. Cub. Fanerog. ii. 248.  
 t. 85 (1853).  
*Brassavola*, Reichb. f. in Bot. Zeit. x. (1852) 734.—  
 Guatemala.  
*delicatula*, Rodrig. Orch. Nov. ii. 183.—Bras.  
*loxoglottis*, Focke & Reichb. f. in Walp. Ann. vi. 697.  
 —Guiana.  
*lutescens*, R. Br. in Bot. Reg. t. 612.—Ins. Trinit.  
*lutescens*, Lodd. Bot. Cab. t. 1556 = *Epidendrum*  
*odoratissimum*.  
*mutica*, Lindl. Bot. Reg. (1839) Misc. 20.—Ins. Trinit.  
*paraensis*, Rodrig. Orch. Nov. i. 139.—Bras.



**MACRADENIA** :—

polystachya, *Spreng. Syst.* iii. 726.—Ins. Mascar.  
Regnellii, *Rodrig. Orch. Nov.* ii. 183.—Bras.  
rubescens, *Rodrig. l. c.* i. 139.—Bras.  
surinamensis, *Reichb. f. & Wulfschl. in Walp. Ann.*  
vi. 697.—Guian.  
triandra, *Lindl. Bot. Reg.* t. 1815.—Guiana; Cuba.

MACRAEA, Hook. f. in *Proc. Linn. Soc.* i. (1845) 278;  
et in *Trans. Linn. Soc.* xx. (1847) 209 = *Lipochaeta*,  
DC. (Compos.).  
lancifolia, Hook. f. in *Trans. Linn. Soc.* xx. (1847) 210.  
—Ins. Galap.

MACRAEA, Lindl. in *Brand. Journ.* (1828) 104 =  
*Viviania*, Cav. (Geran.).  
cordata, Meyen, *Reise*, i. 342 = *V. grandifolia*.  
crenata, Hook. Bot. Misc. i. (1830) 177 = *V. crenata*.  
grandifolia, Lindl. in *Brand. Journ.* (1828) 105 =  
*V. grandifolia*.  
parvifolia, Lindl. l. c. = *V. parvifolia*.  
rosea, Lindl. l. c. = *V. marifolia*.

MACRAEA, Wight, *l. c.* v. ii. 27 (1852) = *Phyllanthus*,  
Linn. (Euphorb.).  
Gardneriana, Wight, l. c. = *P. simplex*.  
myrtifolia, Wight, l. c. = *P. myrtifolius*.  
oblongifolia, Wight, l. c. = *P. simplex*.  
ovalifolia, Wight, l. c. = *P. simplex*.  
Rheedii, Wight, l. c. = *P. Macraei*.

MACRANDRIA, Meissn. *Gen.* 160 (1838) = *Hedyotis*,  
Linn. (Rubiace.).

MACRANTHERA, Torr. ex Benth. in Hook. *Comp.*  
*Bot. Mag.* i. (1835) 203. *SCROPHULARINEAE*,  
Benth. & Hook. f. ii. 971.  
CONRADIA, Nutt. in *Journ. Acad. Philad.* vii. (1834)  
88. t. 12.  
TOMILIX, Rafin. *New Fl. Am.* ii. 72 (1836).  
TOXOPUS, Rafin. l. c. 71 (1836).  
fuchsoides, Torr. ex Benth. in Hook. *Comp. Bot. Mag.*  
i. (1835) 203.—Am. bor.  
Leontii, Torr. in *Ann. Lyc. N. York*, iv. (1837) 80. t. 4.  
—Am. bor.

MACRANTHUS, Poir. *Encyc. Suppl.* iii. 569 (1813)  
= MARCANTHUS, Lour. = *Mucuna*, Adans.  
(Legumin.).

MACREIGHTIA, A. DC. in DC. *Prod.* viii. 220 (1844)  
= *Maba*, Forst. (Ebenac.).  
acapulcensis, A. DC. l. c. 221 = *Maba acapulcensis*.  
acuminata, Thw. *Enum. Pl. Zeyl.* 424 = *Maba*  
*acuminata*.  
albans, A. DC. in DC. *Prod.* viii. 221 = *Maba albans*.  
andamanica, Kurz, in *Rep. Veg. Andam.* ed. II. i. 42  
= *Maba andamanica*.  
buxifolia, Griseb. *Cat. Pl. Cub.* 169 = *Maba Grise-*  
*bachii*.  
caribaea, A. DC. in DC. *Prod.* viii. 221 = *Maba*  
*caribaea*.  
conduplicata, A. DC. l. c. = *Maba inconstans*.  
inconstans, A. DC. l. c. = *Maba inconstans*.  
intricata, A. Gray, in *Proc. Am. Acad.* v. (1861) 163  
= *Maba intricata*.  
myristicoidea, Spruce, in *Journ. Linn. Soc.* v. (1861) 8  
= *Maba myristicoides*.  
oblongifolia, Kurz, in *Rep. Veg. Andam.* ed. I. i. 11 =  
*Maba andamanica*.  
oblongifolia, Thw. *Enum. Pl. Zeyl.* 183, 423 = *Maba*  
*oblongifolia*.  
obovata, Mart. ex Miq. in *Mart. Fl. Bras.* vii. 9 = *Maba*  
*inconstans*.  
ovalifolia, Thw. *Enum. Pl. Zeyl.* 424 = *Maba ovalifolia*.  
Pavonii, A. DC. in DC. *Prod.* viii. 222 = *Maba*  
*Pavonii*.  
psidioides, A. DC. l. c. 221 = *Maba inconstans*.

MACRIA, Spach, *Hist. Vég. Phan.* ix. 245 (1840) =  
*Selago*, Linn.

MACRIA, Tenore, in *Mem. Soc. Ital. Mod.* xxiv. (1848)  
366 = *Cordia*, Linn. (Borag.).  
brasilensis, Tenore, ex Pasq. *Cat. Hort. Bot. Neap.*  
(1867) 63, in nota = seq.  
callipticantha, Tenore, in *Mem. Soc. Ital. Mod.* xxiv.  
(1848) 367 = *C. rufescens*.  
calliptychantha, Ces. in *Atti Acc. Nap.* vi. (1875) n. 11.  
p. 6 = praec.

MACROBLEPHARUS, Phil. in *Linnaea*, xxix. (1857-58)  
100 = *Eragrostis*, Beauv. (Gramin.).  
contractus, Phil. l. c. = *E. ciliaris*.

MACROCALYX, Miers, ex Lindl. *Veg. Kingd.* 764  
(1847). *RUBIACEAE* (Quid?).

MACROCALYX, Trew, in *Act. Nat. Cur.* ii. (1761) 332  
= *Ellisia*, Linn. (Hydroph.).

MACROCAPNOS, Royle, ex Lindl. *Nat. Syst.* ed. II.  
439 (1836) = *Dicentra*, Bernh. (Papav.).

MACROCARPHUS, Nutt. in *Trans. Am. Phil. Soc.*  
N. S. vii. (1841) 376 = *Chaenactis*, DC. (Compos.).  
achilleaefolius, Nutt. l. c. = *C. Douglasii*.  
Douglasii, Nutt. l. c. = *C. Douglasii*.

MACROCENTRUM, Hook. f. in Benth. & Hook. f.  
*Gen.* i. 756 (1867). *MELASTOMACEAE*, Benth. &  
Hook. f. l. c.

AULACIDIUM, Rich. ex DC. *Prod.* iii. 112 (1828).  
cristatum, Triana, in *Trans. Linn. Soc.* xxviii. (1871)  
79.—Guian.  
droseroides, Triana, l. c. 80.—Guian.  
fasciculatum, Hook. f. in Benth. & Hook. f. *Gen.* i.  
756.—Guian.  
parviflora, Hook. f. l. c.—Bras.

MACROCENTRUM, Phil. *Sert. Mend. Alt.* 42 (1871) =  
*Habenaria*, Willd. (Orchid.).  
mendocinum, Phil. l. c. 43.—Chili.

MACROCEPHALUS, Lindl. *Veg. Kingd.* 712 (1847),  
sphalm. = MACROCARPHUS, Nutt. = *Chaenactis*,  
DC. (Compos.).

MACROCERATIDES, Raddi, in *Mem. Mod.* xviii. Fis.  
(1820) 392 = *Mucuna*, Adans. (Legumin.).  
Pseudostizolobium, Raddi, l. c. = *Mucuna Macroce-*  
*ratides*.

MACROCERATIUM, Reichb. *Consp.* 184 (1828) =  
*Andrzeiowskia*, Reichb. (Crucif.).

MACROCHAETA, Steud. in *Zoll. Syst. Verz. Ind. Archip.*  
60 (1854) = *Pennisetum*, Rich. (Gramin.).  
sacchariformis, Steud. l. c. (= *Sericura elegans*).—  
Java.

MACROCHAETIUM, Steud. *Syn. Pl. Cyp.* 159  
(1855). *CYPERACEAE*.  
Dregei, Steud. l. c.—Afr. austr.

MACROCHILUS, Knowles & Westc. *Flor. Cab. i.* (1837)  
93 = *Miltonia*, Lindl. (Orchid.).  
Fryanus, Knowles & Westc. l. c. = *Miltonia specta-*  
*bilis*.

MACROCHILUS, Presl, *Prod. Monog. Lobel.* 47 (1836)  
= *Cyanea*, Gaudich. (Campan.).  
superbus, Presl, l. c. = *C. superba*.

MACROCHITON, M. Roem. *Syn. Hesper.* 84, 104  
(1846) = *Dysoxylon*, Blume (Meliac.).  
excelsum, M. Roem. l. c. 104 = *D. excelsum*.  
Forsteri, M. Roem. l. c. = *D. Forsteri*.  
Lessertianum, M. Roem. l. c. = *D. Lessertianum*.  
mollissimum, M. Roem. l. c. = *D. mollissimum*.

MACROCHLAMYS, Decne. in *Rev. Hort.* Sér. III. iii.  
(1849) 243 = *Alloplectes*, Mart. (Gesner.).  
guttatus, Decne. l. c.—Hab.?  
involucratum, Decne. l. c. nomen.—Hab.?  
Miquelii, Decne. l. c. = *A. Patrisii*?  
Patrisii, Decne. l. c. = *A. Patrisii*?  
speciosus, Decne. l. c. = *A. capitatus*?

MACROCHLOA, Kunth, *Rév. Gram.* i. 58 (1815) =  
*Stipa*, Linn. (Gramin.).  
arenaria, Kunth, l. c. 59 = *S. arenaria*.  
gigantea, Hack. *Cat. Gram. Port.* 16 = *S. arenaria*.  
tenacissima, Kunth, *Rév. Gram.* i. 59 = *S. tena-*  
*cissima*.

MACROCHORDION, De Vriese, in *Jaarb. Nederl. Maat.*  
Tuinb. (1853) 14 = *Aechmea*, Ruiz & Pav. (Bromel.).  
bromeliaefolium, Beer, *Bromel.* 146 = *Ae. bromeliae-*  
*folium*.  
luteum, Regel & Linden, in *Ind. Sem. Hort. Petrop.*  
(1866) 82 = *Ae. calyculata*.  
melananthum, Beer, *Bromel.* 146 = *Ae. bromeliaefolia*.  
nudiussculum, C. Koch, *Wochenschr.* vii. (1864) 176 =  
*Ae. calyculata*.  
Pinelianum, Lem. *Illustr. Hort.* ix. (1862) Misc. 62  
= *Ae. Pineliana*.  
pulchrum, Beer, *Bromel.* 147 = *Ae. bromeliaefolia*.  
recurvatum, Klotzsch, in *Otto & Dietr. Allg. Gartenz.*  
xxiv. (1856) 393.—Hab.?  
strictum, Beer, *Bromel.* 147 = *Ae. bromeliaefolia*.  
tinctorium, De Vriese, in *Jaarb. Nederl. Maat. Tuinb.*  
(1853) 14 = *Ae. bromeliaefolia*.

MACROCHORDIUM, Beer, *Bromel.* 145 (1857) =  
praec.

MACROCLADUS, Griff. in *Calc. Journ. Nat. Hist.*  
v. (1845) 489 = *Orania*, Zipp. (Palmae).  
sylvicola, Griff. l. c. 490 = *O. Macrocladus*.

MACROCLINIDIUM, Maxim. in *Bull. Acad.*  
Petersb. xv. (1871) 375. *COMPOSITAE*, Benth. &  
Hook. f. ii. 493.  
robustum, Maxim. in *Bull. Acad. Petersb.* xv. (1871)  
376.—Japon.  
verticillatum, Franch. & Sav. *Enum. Pl. Jap.* i. 265  
in nota.—Japon.

MACROCNEUMUM, P. Br. *Hist. Jamaic.* 165  
(1756). *RUBIACEAE*, Benth. & Hook. f. ii. 35.  
LASONEMA, D. Don, in *Brewst. Phil. Mag.* ii. (1833)  
377; et in *Trans. Linn. Soc.* xvii. (1834) 141.  
candidissimum, Vahl, *Symb. Bot.* ii. 38. t. 30 =  
*Calycophyllum candidissimum*.  
cinchonoides, Wedd. in *Ann. Sc. Nat. Sér. IV.* i. (1854)  
76.—N. Granat.  
coccineum, Vahl, *Symb. Bot.* ii. 38. t. 29 = *Warszewiczia*  
*coccinea*.  
corymbosum, Ruiz & Pav. *Fl. Per.* ii. 48. t. 189 =  
*Condaminea corymbosa*.  
cubense, Griseb. *Cat. Pl. Cub.* 124.—Cuba.  
exsertum, Oerst. in *Kjoeb. Vedensk. Meddel.* (1852)  
45.—Costa Rica.  
glabratum, Bartl. ex DC. *Prod.* iv. 402 = *Condaminea*  
*glabrata*.  
glabrescens, Wedd. in *Ann. Sc. Nat. Sér. IV.* i. (1854)  
76.—Costa Rica.  
grandiflorum, Wedd. l. c.—N. Granat.  
Humboldtianum, Wedd. l. c.—Peruv.  
jamaicense, Linn. *Pl. Jam. Pugill.* 31; *Amoen. Acad.*  
v. 413.—Jamaic.  
longifolium, A. Rich. in *Mém. Soc. Hist. Nat. Par.*  
v. (1834) 279 = *Chimarrhis cymosa*.  
microcarpum, Ruiz & Pav. *Fl. Per.* ii. 49 = *Condaminea*  
*microcarpa*.  
parviflorum, Roxb. *Hort. Beng.* 85; *Fl. Ind.* i. 525  
(Quid?).—Ins. Molucc.  
pastoense, Karst. in *Linnaea*, xxx. (1859-60) 150.—  
N. Granat.  
pubescens, Wedd. in *Ann. Sc. Nat. Sér. IV.* i. (1854)  
76.—N. Granat.  
roseum, Wedd. l. c.—Peruv.  
speciosum, Jacq. *Hort. Schoenb.* i. 19 = *Mussaenda*  
*speciosa*.  
stipulaceum, Roxb. *Hort. Beng.* 85; *Fl. Ind.* i. 525.  
—Ins. Molucc.  
strictum, Roxb. ex Roem. & Schult. *Syst.* v. 6 =  
*Hyptianthera stricta*.  
stylocarpum, Karst. in *Linnaea*, xxx. (1859-60) 149.—  
N. Granat.  
tetrandrum, Cav. ex Roem. & Schult. *Syst.* v. 254 =  
*Mussaenda tetrandra*.  
tetrandrum, A. Rich. in *Mém. Soc. Hist. Nat. Par.*  
v. (1834) 279.—Bras.  
tinctorium, H. B. & K. *Nov. Gen. et Sp.* iii. 399 =  
*Condaminea tinctoria*.  
tubulosum, A. Rich. in *Mém. Soc. Hist. Nat. Par.*  
v. (1834) 279 (Pogonopi sp.).—Bras.  
venosum, Ruiz & Pav. *Fl. Per.* ii. 49 = *Condaminea*  
*venosa*.

MACROCNEUMUM, Vand. *Fl. Lusit. et Bras.* 14 (1788)  
= *Remijia*, DC. (Rubiace.).  
ferrugineum, Vell. ex Steud. *Nom. ed. II.* iii. 88 =  
*R. ferruginea*.



**MACROCOCCULUS**, Becc. Malesia, i. (1877) 160.  
*MENISPERMACEAE*.  
pomiferus, Becc. l. c. 161.—N. Guin.

**MACROCROTON**, Klotzsch, in Schomb. Fauna & Fl. Brit. Gui. 1186 (1848) = **Croton**, Linn. (Euphorb.).  
*cuneatus*, Klotzsch, l. c. = *C. cuneatus*.  
*surinamensis*, Klotzsch, l. c. = *C. surinamensis*?

**MACROCYMBIUM**, Walp. in Flora, xxxvi. (1853) 149 = **Erythrina**, Linn. (Legumin.).  
*Vogelii*, Walp. l. c. = *E. senegalensis*.

**MACRODISCUS**, Bur. Monog. Bign. 46. t. 11 (1864) = **Distictis**, Mart. (Bignon.).  
*rigescens*, Bur. l. c. = *D. rigescens*.

**MACROGYNE**, Link & Otto, Ic. Pl. Sel. 69. t. 31 (1823) = **Aspidistra**, Ker-Gawl. (Liliac.).  
*convallariaefolia*, Link & Otto, l. c. = *A. lurida*.

**MACROLENES**, Naud. in Ann. Sc. Nat. Sér. III. xv. (1851) 311 = **Marumia**, Blume (Melastom.).  
*annulata*, Naud. l. c. = *Marumia annulata*.

**MACROLEPIS**, A. Rich. Sert. Astrol. 25. t. 19 (1833) = **Bulbophyllum**, Thou. (Orchid.).  
*longiscapa*, A. Rich. l. c. = *Vanikora*.

**MACROLINIUM**, Rodrig. Orch. Nov. ii. 236 (1881), *ORCHIDEAE*.  
*roseum*, Rodrig. l. c. 237.—Bras.

**MACROLINUM**, Klotzsch, in Linnaea, xii. (1838) 242 = **Simoecheilus**, Klotzsch (Ericac.).  
*ciliatum*, Klotzsch, l. c. 243 (= *Syndesmanthus ciliatus*).—Afr. austr.  
*paucifolium*, Klotzsch, l. c. 242 (= *Syndesmanthus paucifolius*).—Afr. austr.

**MACROLINUM**, Reichb. Handb. 306 (1827) = **Reinwardtia**, Dum. (Lineae).  
*trigynum*, Reichb. l. c. = *R. trigyna*.

**MACROLOBIUM**, Schreb. Gen. 30 (1789). *LEGUMINOSAE*, Benth. & Hook. f. i. 579.  
ANTHONOTA, Beauv. Fl. Ow. et Ben. i. 70. t. 42 (1805).

KRUEGERIA, Scop. Introd. 314 (1777).  
OUTEA, Aubl. Pl. Gui. 28. t. 9 (1775).  
VOUAPA, Aubl. l. c. 25. t. 7 (1775).

*acaciaefolium*, Benth. in Mart. Fl. Bras. xv. II. 224.—Am. trop.

*bifolium*, Pers. Syn. i. 39 = *M. Vuapa*.  
*bijugum*, Colebr. in Trans. Linn. Soc. xii. (1819) 359. t. 17 = *Azelia bijuga*.

*canaliculatum*, Spruce, ex Mart. Fl. Bras. xv. II. 219.—Bras.

*chrysostachyum*, Benth. l. c. 220.—Bras.; Guian.  
*demonstrans*, Oliver, Fl. Trop. Afr. ii. 299.—Afr. trop.  
*discolor*, Benth. in Mart. Fl. Bras. xv. II. 222.—Bras.

*elegans*, Miq. in Ann. Sc. Nat. Sér. III. i. (1844) 40 = *M. Vuapa*.

*flexuosum*, Spruce, ex Benth. in Mart. Fl. Bras. xv. II. 223.—Bras.

*floridum*, Karst. Fl. Columb. i. 151. t. 75.—Venezuela.  
*gracile*, Spruce, ex Benth. in Mart. Fl. Bras. xv. II. 223.—Bras.

*Heudelotii*, Planch. ex Benth. in Trans. Linn. Soc. xxv. (1865) 308.—Afr. trop.

*hymenaeoides*, Willd. Sp. Pl. i. 186 = *M. Vuapa*.

*latifolium*, Vog. in Linnaea, xi. (1837) 414.—Bras.

*limbatum*, Spruce, ex Benth. in Mart. Fl. Bras. xv. II. 218.—Bras.

*multijugum*, Benth. l. c. 222.—Am. trop.

*Outea*, Steud. Nom. ed. I. 503 = *M. Utea*.

*Palisoti*, Benth. in Trans. Linn. Soc. xxv. (1865) 308.—Afr. trop.

*pendulum*, Willd. ex Vog. in Linnaea, xi. (1837) 412.—Bras.

*phaseolocarpum*, Steud. Nom. ed. II. ii. 88 = *Cynometra racemosa*.

*pinnatum*, Willd. Sp. Pl. i. 186 = *M. Utea*.

*punctatum*, Spruce, ex Benth. in Mart. Fl. Bras. xv. II. 219.—Bras.

*racemigerum*, Tul. in Arch. Mus. Par. iv. (1844) 174 = *pendulum*.

*Simira*, F. F. Gmel. Syst. 93.—Guian.

# MACROLOBIUM:—

*sphaerocarpum*, Willd. Sp. Pl. i. 186 = *M. Simira*.  
*stamineum*, G. F. W. Mey. Prim. Fl. Esseq. 18 = *M. Vuapa*.

*stipulaceum*, Benth. in Trans. Linn. Soc. xxv. (1865) 308.—Afr. trop.

*suaveolens*, Spruce, ex Benth. in Mart. Fl. Bras. xv. II. 219.—Bras.

*taxifolium*, Spruce, ex Benth. l. c. 224.—Bras.

*Utea*, F. F. Gmel. Syst. 93.—Guian.

*venulosum*, Benth. in Mart. Fl. Bras. xv. II. 223.—Bras.

*Vuapa*, F. F. Gmel. Syst. 93.—Am. trop.

**MACROLOMIA**, Schrad. ex Nees, in Mart. Fl. Bras. ii. i. 181. t. 24 (1842) = **Scleria**, Berg. (Cyperac.).

*bracteata*, Schrad. ex Nees, l. c. 182 = *S. bracteata*.

**MACROMERIA**, D. Don, in Edinb. N. Phil. Journ. (Jul.-Oct. 1832) 239. *BORAGINEAE*, Benth. & Hook. f. ii. 859.

*PHILONOMIA*, DC. ex Steud. Nom. ed. II. ii. 88, 320 (1841).

*cinerascens*, A. DC. in DC. Prod. x. 69.—Peruv.

*discolor*, Benth. Pl. Hartw. 49.—Mexic.

*exserta*, D. Don, in Edinb. N. Phil. Journ. (Jul.-Oct. 1832) 239.—Mexic.

*hispidula*, Mart. & Gal. in Bull. Acad. Brux. xi. II. (1844) 339 = *longiflora*.

*longiflora*, D. Don, in Edinb. N. Phil. Journ. (Jul.-Oct. 1832) 239.—Mexic.

*viridiflora*, DC. Prod. x. 68.—Mexic.

**MACROMERUM**, Burch. Trav. i. 388 (1824) = **Cadaba**, Forsk. (Cappar.).

*junceum*, Burch. l. c. = *C. juncea*.

**MACROMISCUS**, Turcz. in Bull. Soc. Nat. Mosc. xix. (1846) II. 507 = **Aeschynomene**, Linn. (Legumin.).

*brasiliensis*, Turcz. l. c. 508 = *A. montevidensis*.

*glandulosus*, Turcz. l. c. xx. (1847) I. 174 = *A. rostrata*.

**MACROMYRTUS**, Miq. Fl. Ind. Bat. i. i. 439 (1855) = **Eugenia**, Linn. (Myrtac.).

*javanica*, Miq. l. c. 440.—Java.

**MACRONAX**, Rafin. in Med. Repos. N. York, v. (1808) 352 = **Arundinaria**, Michx. (Gramin.).

**MACRONEMA**, Nutt. in Trans. Am. Phil. Soc. N. S. vii. (1841) 322 = **Chrysopsis**, Ell. (Compos.).

*discoidea*, Nutt. l. c. = *Aplopappus Macronema*.

*suffruticosa*, Nutt. l. c. = *Aplopappus suffruticosus*.

**MACRONYX**, Dalz. in Hook. Kew Journ. ii. (1858) 35 = **Tephrosia**, Pers. (Legumin.).

*strigosus*, Dalz. l. c. = *T. tenuis*.

*tenuis*, Hook. l. c. in nota = *T. tenuis*.

**MACROPANAX**, Miq. Fl. Ind. Bat. i. i. 763 (1855). *ARALIACEAE*, Benth. & Hook. f. i. 945.

*concinnum*, Miq. Ann. Mus. Bot. Lugd. Bat. i. 220.—Java.

*cyrtostylum*, Miq. l. c. 13.—Sumatra.

*floribundum*, Miq. Fl. Ind. Bat. i. i. 764 = *oreophilum*.

*glomerulatum*, Miq. l. c. = *Brassaiopsis speciosa*.

*oreophilum*, Miq. l. c.—Reg. Himal.; Malaya.

*undulatum*, Seem. in Journ. Bot. ii. (1864) 294.—Reg. Himal.

**MACROPETALUM**, Burch. ex Decne. in DC. Prod. viii. 626 (1844). *ASCLEPIADEAE*, Benth. & Hook. f. ii. 778.

*Burchellii*, Decne. in DC. Prod. viii. 627.—Afr. austr.

**MACROPHORA**, Rafin. Fl. Tellur. iv. 103 (1836) = **Passiflora**, Linn.

*sanguinea*, Rafin. l. c. = *P. vitifolia*.

**MACROPHOTHALMA**, Gasp. Ricerche Caprif. 83. t. 8 (1845) = **Ficus**, Tourn. (Urtic.).

*elastica*, Gasp. l. c. = *F. elastica*.

**MACROPIDIA**, J. Drumm. ex Harv. in Hook. Kew Journ. vii. (1855) 57. *HAEMODORACEAE*, Benth. & Hook. f. iii. 677.

*fumosa*, F. Drumm. ex Harv. in Hook. Kew Journ. vii. (1855) 57.—Austral.

**MACROPIPER**, Miq. Enum. Phyt. 35 (1839) = **Piper**, Linn.

*excelsum*, Miq. Syst. Pip. 221 = *P. excelsum*.

*latifolium*, Miq. l. c. 218 = *P. latifolium*, guahamense.

*latifolium*, Miq. in Linnaea, xx. (1847) 130 = *P. methysticum*.

*latum*, Presl, Epim. Bot. 223 = *P. latum*.

*methysticum*, Hook. & Arn. in Bot. Beech. Voy. 96 = *P. methysticum*.

*methysticum*, Miq. Syst. Pip. 217 = *P. guahamense*.

*potamogetonifolium*, Miq. l. c. 221 = *P. potamogetonifolium*.

*psittacorum*, Miq. l. c. = *P. excelsum*.

*puberulum*, Benth. in Hook. Lond. Journ. Bot. ii. (1843) 235 = *P. Macgillivrayi*.

*Reinwardtianum*, Miq. in Linnaea, xxi. (1848) 481 = *P. Reinwardtianum*.

**MACROPLACIS**, Blume, Mus. Bot. Lugd. Bat. i. 7 (1849) = **Kibessia**, DC. (Melastom.).

*cordata*, Blume, l. c. = *K. cordata*.

**MACROPLATIS**, Triana, in Trans. Linn. Soc. xxviii. (1871) 153, sphalm. = *praec.*

**MACROPODIA**, Benth. Fl. Austral. vi. 447 (1873), sphalm. = **Macropidia**, J. Drumm. (Haemodor.).

**MACROPODIUM**, [R. Br. in] Ait. Hort. Kew. ed. II. iv. 108 (1812). *CRUCIFERAE*, Benth. & Hook. f. i. 69.

*elongatum*, Schur, ex Nym. Consp. 46 = *Brassica elongata*.

*laciniatum*, Hook. Fl. Bor. Am. i. 43 = *Thelypodium laciniatum*.

*livale*, [R. Br. in] Ait. Hort. Kew. ed. II. iv. 108.—Sibir. altaic.

*pterospermum*, F. Schmidt, Reis. Amurl. 113.—Ins. Sachalin.

**MACROPSIDIUM**, Blume, Mus. Bot. Lugd. Bat. i. 85 (1849) = **Myrtus**, Tourn.

*elegans*, Blume, l. c.—Ins. Molucc.

*rubrum*, Blume, l. c.—Cochinch.

**MACROPTERANTHES**, F. Muell. Fragm. iii. 91 (1862). *COMBRETACEAE*, Benth. & Hook. f. i. 687.

*Fitzalani*, F. Muell. Fragm. viii. 160.—Austral.

*Kekwickii*, F. Muell. l. c. iii. 151.—Austral.

*Leichhardtii*, F. Muell. l. c. 91.—Austral.

*montana*, F. Muell. l. c. 91.—Austral.

**MACRORHAMNUS**, Baill. Adansonia, xi. (1875) 273. *RHAMNEAE*.

*decipiens*, Baill. l. c.—Madag.

**MACRORHYNCHUS**, Less. Syn. Comp. 139 (1832) = **Troximon**, Nutt. (Compos.).

*angustifolius*, Kellogg, in Proc. Calif. Acad. v. (1873) 47 = *T. retrorsum*.

*aurantiacus*, Fisch. & Mey. Ind. Sem. Hort. Petrop. iii. 40 = *T. aurantiacum*.

*australis*, Phil. in Anal. Univ. Chil. (1873) 482.—Chili.

*californicus*, Torr. & Gray, Fl. N. Am. ii. 492 = *T. heterophyllum*.

*chilensis*, Hook. Lond. Journ. Bot. vi. (1847) 256 = *T. heterophyllum*.

*chilensis*, Less. Syn. Comp. 139.—Chili.

*coronopifolius*, Hook. f. Fl. Antarct. t. 112 = *pumilus*.

*cynthioides*, Hook. Lond. Journ. Bot. vi. (1847) 256 = *T. glaucum*.

*elatus*, Torr. & Gray, Fl. N. Am. ii. 492 = *T. Nuttallii*.

*glaucus*, Eaton, in Bot. King's Exp. 204 = *T. glaucum*.

*grandiflorus*, Eaton, l. c. = *T. Nuttallii*.

*grandiflorus*, Torr. & Gray, Fl. N. Am. ii. 492 = *T. grandiflorus*.

*Harfordii*, Kellogg, in Proc. Calif. Acad. v. (1873) 47 = *T. humile*.

*heterophyllum*, Nutt. in Trans. Am. Phil. Soc. N. S. vii. (1841) 430 = *T. heterophyllum*.

*humilis*, Benth. Pl. Hartw. 320 = *T. humile*.

*laciniatus*, Torr. & Gray, Fl. N. Am. ii. 492 = *T. laciniatum*.

*laevigatus*, Fisch. & Mey. Ind. Sem. Hort. Petrop. ii. 41 = *chilensis*.

*Lessingii*, Hook. & Arn. Bot. Beech. Voy. 145 = *Troximon humile*.

*Poeppigii*, DC. Prod. vii. 152.—Chili.



## MACRORHYNCHUS:—

- ptercarpus*, Fisch. & Mey. Ind. Sem. Hort. Petrop. ii. 41.—Chili.  
*pumilus*, DC. Prod. vii. 152.—Ins. Falkland.  
*purpureus*, A. Gray, in Mem. Am. Acad. N. S. iv. (1849) 114 = *T. aurantiacum*.  
*retorsus*, Benth. Pl. Hartw. 320 = *T. retrorsum*.  
*troximoides*, Torr. & Gray, Fl. N. Am. ii. 491 = *T. aurantiacum*.

## MACROSCEPIS, H. B. &amp; K. Nov. Gen. et Sp. iii. 200. t. 233 (1818). ASCLEPIADEAE, Benth. &amp; Hook. f. ii. 751.

- aurea*, Fourn. in Mart. Fl. Bras. vi. iv. 301.—Bras.  
*guianensis*, Klotzsch, in Schomb. Fauna et Fl. Brit. Gui. 1147, nomen.—Guiana.  
*longiflora*, Spreng. Syst. i. 851 (= *Schubertia longiflora*).—Am. austr.  
*obovata*, H. B. & K. Nov. Gen. et Sp. iii. 201.—Mexic.  
*patens*, Spreng. Syst. i. 851 = *obovata*.  
*rotata*, Decne. in DC. Prod. viii. 599.—Mexic.  
*Selloana*, Fourn. in Mart. Fl. Bras. vi. iv. 302.—Bras.  
*Trianae*, Decne. ex Triana, in Compt. Rend. Par. lxxiv. (1872) 882.—N. Granat.  
*tristis*, Benth. & Hook. f. Hemsl. Biol. Centr. Am. Bot. ii. 321.—Panama.  
*urceolata*, Karst. Fl. Columb. ii. 115. t. 161.—N. Granat.

MACROSELINUM, Schur, in Verh. Siebenb. Ver. Naturw. iv. (1858) 30 = *Peucedanum*, Tourn. (Umbell.).

*latifolium*, Schur, l. c. = *P. latifolium*.

MACROSEMA, Stev. in Bull. Soc. Nat. Mosc. iv. (1832) 266 = *Astragalus*, Tourn. (Legumin.).

- aduncum*, Stev. l. c. = *A. aduncus*.  
*bicolor*, Stev. l. c. = *A. bicolor*.  
*flaccidus*, Stev. l. c. xxix. (1856) II. 146 = *A. flaccidus*.  
*onobrychioides*, Stev. l. c. iv. (1832) 266 = *A. Cephalotes*.  
*Onobrychis*, Stev. l. c. = *A. Onobrychis*.  
*succulentum*, Stev. l. c. = *A. caryocarpus*.

## MACROSEPALUM, Regel &amp; Schmalh. ex Regel, Pl. Nov. Fedtsch. 25 (1882). CRASSULACEAE.

*turkestanicum*, Regel & Schmalh. l. c.—Turkestan.

MACROSIPHON, Hochst. in Flora, xxiv. (1841) 373 = *Rhamphicarpa*, Benth. (Scrophul.).

*elongatus*, Hochst. l. c. 374 = *R. longiflora*.

*fistulosus*, Hochst. l. c. = *R. longiflora*.

## MACROSIPHON, Miq. in Linnaea, xix. (1846) 442 =

*Hindsia*, Benth. (Rubiace.).

*brasiliensis*, Miq. l. c. 443 = *H. longiflora*.

## MACROSIPHONIA, Muell. Arg. in Mart. Fl. Bras. vi. i. 137. t. 42, 43 (1860). APOCYNACEAE, Benth. &amp; Hook. f. ii. 726.

- Berlandieri*, A. Gray, Syn. Fl. N. Am. ii. i. 83.—Mexic.  
*brachysiphon*, A. Gray, l. c.—Mexic.  
*guaranitica*, Muell. Arg. in Mart. Fl. Bras. vi. i. 139.—Bras.  
*hypoleuca*, Muell. Arg. in Linnaea, xxx. (1859–60) 452.—Mexic.  
*lanuginosa*, Hemsl. Biol. Centr. Am. Bot. ii. 316.—Mexic.  
*longiflora*, Muell. Arg. in Mart. Fl. Bras. vi. i. 140.—Bras.  
*Martii*, Muell. Arg. l. c. 138.—Bras.  
*pinifolia*, Miers, Apocyn. Am. 131 = *verticillata*.  
*prostrata*, Miers, l. c. = *longiflora*.  
*Velame*, Muell. Arg. in Mart. Fl. Bras. vi. i. 138.—Bras.  
*verticillata*, Muell. Arg. l. c. 140.—Bras.; Reg. Argent.  
*virescens*, Muell. Arg. l. c. 139.—Bras.  
*Wrightii*, A. Gray, Syn. Fl. N. Am. ii. i. 83.—Am. bor. occ.

MACROSOLEN, Blume, in Schult. f. Syst. vii. 1731 (1830) = *Loranthus*, Linn.

- ampullaceus*, Blume, l. c. = *L. ampullaceus*.  
*clavatus*, Blume, l. c. = *L. clavatus*.  
*cochinchinensis*, Blume, l. c. = *L. cochinchinensis*.  
*creatophyllus*, Miq. Fl. Ind. Bat. i. i. 832 = *L. creatophyllus*.  
*elasticus*, Blume, in Schult. f. Syst. vii. 1731 = *L. elasticus*.  
*evenius*, Miq. Fl. Ind. Bat. i. i. 827 = *L. avenis*.  
*formosus*, Blume, in Schult. f. Syst. vii. 1731 = *L. formosus*.  
*Jackianus*, Miq. Fl. Ind. Bat. i. i. 828 = *L. Jackianus*.

## MACROSOLEN:—

- macrophyllus*, Miq. Fl. Ind. Bat. i. i. 829 = *Loranthus macrophyllus*.  
*melintangensis*, Miq. l. c. 830 = *L. melintangensis*.  
*oleoides*, Miq. l. c. 831 = *L. globosus*.  
*pallens*, Miq. l. c. = *L. ampullaceus*.  
*patulus*, Blume, in Schult. f. Syst. vii. 1731 = *L. patulus*.  
*Pseudo-globosus*, Miq. Fl. Ind. Bat. i. i. 829 = *L. Pseudo-globosus*.  
*Pseudo-perfoliatus*, Miq. l. c. 828 = *L. Pseudo-perfoliatus*.  
*Reinwardtianus*, Blume, in Schult. f. Syst. vii. 1731 = *L. Reinwardtianus*.  
*retusus*, Blume, l. c. = *L. subumbellatus*.  
*retusus*, Miq. Fl. Ind. Bat. i. i. 828 = *L. retusus*.  
*rotundatus*, Miq. l. c. Suppl. 346.—Ins. Banca.  
*sphaerocarpus*, Blume, in Schult. f. Syst. vii. 1731 = *L. globosus*.  
*subumbellatus*, Blume, l. c. = *L. subumbellatus*.  
*tetragonus*, Blume, l. c. = *L. tetragonus*.  
*tomentosus*, Blume, l. c. = *L. tomentosus*.  
*viridiflorus*, Blume, l. c. = *L. globosus*.

MACROSPERMUM, Steud. Nom. ed. II. ii. 88 (1841) sphalm. = MACROSPORUM, DC. = *Sobolewskia*, Bieb. (Crucif.).

## MACROSPHYRA, Hook. f. in Benth. &amp; Hook. f. ii. 86 (1873). RUBIACEAE, Benth. &amp; Hook. f. l. c.

*longistyla*, Hook. f. l. c.—Afr. trop.

MACROSPORUM, DC. Syst. ii. 575, in obs. (1821) = *Sobolewskia*, Bieb. (Crucif.).MACROSTACHYA, Hochst. ex A. Rich. Tent. Fl. Abyss. ii. 408, in nota (1851) = *Chloris*, Sw. (Gramin.).

## MACROSTEGIA, Nees, in DC. Prod. xi. 218 (1847). ACANTHACEAE, Benth. &amp; Hook. f. ii. 1084.

*Ruiziana*, Nees, l. c.—Peruv.

MACROSTEGIA, Turcz. in Bull. Soc. Nat. Mosc. xxv. (1852) II. 177 = *Pimelea*, Banks (Thymel.).

*erubescens*, Turcz. l. c. 178 = *P. physodes*.

MACROSTEMA, Pers. Syn. i. 185 (1805) = *Ipomoea*, Linn. (Convolv.).

*vitifolia*, Pers. Syn. l. c. = *I. peduncularis*.

MACROSTIGMA, Hook. Ic. Pl. t. 412 (1842) = *Stylobasium*, Desf. (Rosac.).

*australis*, Hook. l. c. = *S. lineare*.

MACROSTIGMA, Kunth, Ind. Sem. Hort. Berol. (1848) 12; in Ann. Sc. Nat. Sér. III. xi. (1849) 220; Enum. Pl. v. 319 (1850) = *Tupistra*, Ker-Gawl. (Liliac.).

*tupistroides*, Kunth, ll. cc. 12; 221; 319 = *T. squalida*.

MACROSTOMIUM, Blume, Bijdr. 335. t. 37 (1825) = *Dendrobium*, Sw. (Orchid.).

*alofolium*, Blume, l. c. = *D. Serra*.

MACROSTOMUM, Benth. & Hook. f. Gen. iii. 499 (1880), sphalm. = *praece*.

## MACROSTYLIS, Bartl. &amp; Wendl. f. Beitr. 191. t. B (1824). RUTACEAE, Benth. &amp; Hook. f. i. 289.

*barbata*, St. Hil. ex Steud. Nom. ed. II. ii. 89 = *lanceolata*.  
*barbigera*, Bartl. & Wendl. f. Beitr. i. 195.—Afr. austr.

*cordata*, G. Don, Gen. Syst. i. 789 = *Agathosma imbricata*.

*crassifolia*, Sond. in Harv. & Sond. Fl. Cap. i. 440.—Afr. austr.

*decipiens*, E. Mey. in Drège, Zwei Pfl. Docum. 200, nomen; et ex Harv. & Sond. Fl. Cap. i. 439.—Afr. austr.

*dubia*, Benth. & Hook. f. Gen. i. 289 (in nota sub *Euchaetide*).—Afr. austr.

*hirta*, E. Mey. ex Drège, Zwei Pfl. Docum. 200, nomen; et ex Harv. & Sond. Fl. Cap. i. 441.—Afr. austr.

*lanceolata*, Bartl. & Wendl. f. Beitr. i. 194.—Afr. austr.

*obtusata*, Bartl. & Wendl. f. l. c. 197 = *squarrosa*.

*ovata*, Sond. in Harv. & Sond. Fl. Cap. i. 441.—Afr. austr.

*Sieberi*, Turcz. in Bull. Soc. Nat. Mosc. xxxi. (1858) i. 439.—Afr. austr.

*squarrosa*, Bartl. & Wendl. f. Beitr. i. 193.—Afr. austr.

## MACROSTYLIS:—

- tenuis*, E. Mey. in Drège, Zwei Pfl. Docum. 200, nomen; et ex Harv. & Sond. Fl. Cap. i. 440.—Afr. austr.  
*villosa*, Sond. in Harv. & Sond. l. c. 439 = *lanceolata*.

## MACROSTYLIS, Breda, Orch. Kuhl. et Hass. [t. 2]

(1827) = *Corymbis*, Thou. (Orchid.).

*decumbens*, Reichb. f. in Bonplandia, ii. (1854) 11 (= *Chloidia decumbens*).—Bras.

*disticha*, Breda, Orch. Kuhl. et Hass. [t. 2] = *C. corymbosa*.

*forcipigera*, Reichb. f. in Bonplandia, ii. (1854) 96.—Am. trop.

*galipanensis*, Reichb. f. l. c. 11 = *C. galipanensis*.

*vernalis*, Reichb. f. l. c. (= *Chloidia vernalis*).—Jamaic.

*Jamaic*.

## MACROSYPHONIA, Duby, in Mém. Soc. Phys. Genève.

(1844) 426 = *Dionysia*, Fenzl (Primul.).

*caespitosa*, Duby, l. c. 427 = *D. caespitosa*.

## MACROTHYRSUS, Spach, in Ann. Sc. Nat. Sér. II. ii.

(1834) 61 = *Aesculus*, Linn. (Sapind.).

*discolor*, Spach, l. c. 62 = *A. parviflora*.

*odorata*, Rafin. Alsog. Am. 75 = *A. parviflora*.

## MACROTOMIA, DC. in Meissn. Gen. 281; Comm.

190 (1840); Prod. x. 26 (1846). BORAGINEAE, Benth. & Hook. f. ii. 862.

*AIPYANTHUS*, Stev. in Bull. Soc. Nat. Mosc. (1851) i. 599.

*LEPTANTHE*, Klotzsch, in Bot. Ergeb. Waldem. Reise, 95. t. 63 (1862).

*MUNBYA*, Boiss. Diagn. Ser. I. xi. 114 (1849).

*Benthami*, DC. ex Meissn. Gen. Comm. 190; Prod. x. 27—Reg. Himal.

*Cephalotes*, Boiss. Fl. Orient. iv. 212.—Graecia; As. Min.

*cyanochroa*, Boiss. l. c. = *perennis*.

*echioides*, Boiss. l. c. 211.—Oriens.

*endochroma*, Hook. f. & Thoms. ex Henders. & Hume, Yarkand, 328 = *perennis*.

*onosmoides*, Regel & Smirnow, in Act. Hort. Petrop. v. (1877) 624 = *perennis*.

*perennis*, Boiss. Fl. Orient. iv. 212, in nota.—Reg. Himal.; Turkestan.

## MACROTONICA, Steud. Nom. ed. II. ii. 89 (1841),

sphalm. = *praece*.

MACROTROPIS, DC. Prod. ii. 98 (1825) = *Ormosia*,

Jacks. (Legumin.).

*bancana*, Miq. Fl. Ind. Bat. Suppl. 295 = *O. parvifolia*.

*emarginata*, Walp. Rep. ii. 903 = *O. emarginata*.

*foetida*, DC. Prod. ii. 98 = *Anagyris sinensis*.

*inodora*, DC. l. c. 99 = *Anagyris inodora*.

*sumatrana*, Miq. Fl. Ind. Bat. Suppl. 294.—Sumatra.

## MACROTRULLION, Klotzsch, in Schomb. Fauna &amp; Fl. Brit. Gui. 1202 (1848) sine desc. LEGU-

MINOSAE (Quid?).

*elegans*, Klotzsch, l. c.—Guian.

*splendens*, Klotzsch, l. c.—Guian.

## MACROTRYPS, Rafin. in Med. Repos. N. York, v. 1808

352 = *Cimicifuga*, Linn. (Ranunc.).

*actaeoides*, Rafin. l. c. = *C. racemosa*.

*racemosa*, Sweet, Hort. Brit. ed. I. 9 = *C. racemosa*.

## MACROTYBUS, Dulac, Fl. Hautes-Pyr. 425 (1867) =

*Douglasia*, Lindl. (Primul.).

*luteus*, Dulac, l. c. = *D. Vitaliana*.

## MACROTYS, 'Rafin.' ex DC. Syst. i. 383 (1818) =

MACROTRYPS, Rafin. = *Cimicifuga*, Linn. (Ranunc.).

## MACROZAMIA, Miq. Monog. Cycad. 36. t. 4, 5

(1841). CYCADACEAE, Benth. & Hook. f. iii. 445.

CATAKIDZAMIA, T. Hill, in Gard. Chron. 1846

1107.

*LEPIDOZAMIA*, Regel, Gartenfl. vi. (1857) 11.

*corallipes*, Hook. f. Bot. Mag. t. 5948 = *spiralis*.

*cylindrica*, André, Illustr. Hort. xxiii. (1861) 32 =

*spiralis*.

*cylindrica*, C. Moore, in Journ. R. Soc. N. S. W. xvii.

(1884) 119.—Austral.

*Denisonii*, F. Muell. Fragm. i. 41 = *Peroffskyana*.



**MACROZAMIA** :—

- Douglasii, T. Hill, ex F. Muell. Census, 110, nomen.—Austral.
- erilepis, Brongn. ex Miq. in Verh. Kon. Akad. Wetensch. II. iii. (1869) 56 = Peroffskyana.
- Fawcetti, C. Moore, in Journ. R. Soc. N. S. W. xvii. (1884) 120.—Austral.
- flexuosa, C. Moore, l. c. 121.—Austral.
- Fraseri, Miq. Monog. Cycad. 37.—Austral.
- Gigas, Hort. ex Miq. in Verh. Kon. Akad. Wetensch. II. iii. (1869) 56 = Peroffskyana.
- heteromera, C. Moore, in Journ. R. Soc. N. S. W. xvii. (1884) 122.—Austral.
- Hopei, T. Hill, ex C. Moore, l. c. 116.—Austral.
- littoralis, Liebm. ex Dyer, in Hemsl. Biol. Centr. Am. Bot. iii. 191 = Dioon edule.
- Macdonnellii, F. Muell. Fragm. ii. 179 = Fraseri.
- Macleayi, Miq. Arch. Néerl. iii. (1868) 250 = spiralis.
- Miquelii, A. DC. in DC. Prod. xvi. ii. 535.—Austral.
- Oldfieldi, Miq. in Versl. Akad. Wet. xv. (1863) 370 = Fraseri.
- Pauli-Guilielmi, Hill & Muell. ex F. Muell. Fragm. i. 86.—Austral.
- pectinata, Liebm. ex Dyer, in Hemsl. Biol. Centr. Am. Bot. iii. 191 = Dioon edule.
- Peroffskyana, Miq. in Arch. Néerl. iii. (1868) 252.—Austral.
- Perowskiana, Auct. = praece.
- plumosa, A. Mohr, in Rev. Hort. Belg. iii. (1877) 69. f. 7 = M. Pauli-Guilielmi.
- Preissii, Lehm. Cat. Hort. Hamb. 1842; ex ej. Pugill. viii. 31 = Fraseri.
- secunda, C. Moore, in Journ. R. Soc. N. S. W. xvii. (1884) 120.—Austral.
- spiralis, Miq. Monog. Cycad. 36. t. 4, 5.—Austral.
- spiralis, Miq. l. c. 36, partim = Fraseri.
- tenuifolia, Hort. ex Miq. in Verh. Kon. Akad. Wetensch. II. iii. (1869) 53 = M. Pauli-Guilielmi.
- tridentata, Regel, Gartenfl. (1876) 229 = Miquelii.
- MACUBEA**, Jaume St. Hil. Expos. ii. 29 (1805) = **Macoubea**, Aubl. (Inc. sed.).
- MACUCUA**, J. F. Gmel. Syst. 210, 262 (1791) = **MACOUCOUA**, Aubl. = **Ilex**, Tourn.
- MACUILLAMIA**, Rafin. Neogenyt. 2 (1825) = **Herpestis**, Gaertn. f. (Scroph.).
- MACUNA**, Marcgr. ex Scop. Introd. 309 (1777) = **Mucuna**, Adans. (Legumin.).
- MADACARPUS**, Wight, Ic. t. 1152 (1846) = **Senecio**, Tourn. (Compos.).
- belgaumensis*, Wight, l. c. = **S. belgaumensis**.
- MADARACTIS**, DC. Prod. vi. 322 (1837) = **Senecio**, Tourn. (Compos.).
- arachnoidea*, Herb. Calc. ex C. B. Clarke, Comp. Ind. 199 = **S. Grahami**.
- glabra*, DC. Prod. vi. 440 = **S. saxatilis**.
- incana*, Regel, Ind. Sem. Hort. Turic. (1847) 4; ex Walp. Ann. i. 427 = **S. incanus**?
- lanuginosa*, Edgew. in Trans. Linn. Soc. xx. (1846) 75 = **S. Edgeworthii**.
- Metziana*, Sch. Bip. ex C. B. Clarke, Comp. Ind. 344 = **S. saxatilis**.
- pinnatifida*, DC. Prod. vi. 439 = **S. Hohenackeri**.
- polycephala*, DC. l. c. 440 = **S. polycephalus**.
- scabra*, DC. l. c. = **S. Lessingianus**.
- variegata*, Bartl. Ind. Sem. Hort. Gotting. (1852) 3; ex Urban, Add. Ind. Sem. Hort. Berol. (1880) 35.—Cf. *Madaria variegata*.
- MADARAGLOSSA**, Hook. Ic. Pl. iv. t. 326 (1841) err. typ. = **MADAROGLOSSA**, DC. = **Layia**, Hook. & Arn. (Compos.).
- MADARIA**, DC. in Mém. Soc. Phys. Genève. vii. II. (1836) 280 = **Madia**, Molina (Compos.).
- corymbosa*, DC. Prod. v. 692 = **Madia elegans**.
- elegans*, DC. l. c. = **Madia elegans**.
- racemosa*, Nutt. in Trans. Am. Phil. Soc. N. S. vii. (1841) 386 = **Madia sativa**.
- variegata*, Bartl. Ind. Sem. Hort. Gotting. (1852) 3.—Cf. *Linnaea*, xxvi. (1853) 736.—Bras.
- MADARIOPSIS**, Nutt. in Trans. Am. Phil. Soc. N. S. vii. (1841) 387 = **Madia**, Molina (Compos.).
- chilensis*, Nutt. l. c. 388 = **Madia sativa**.

- MADAROGLOSSA**, DC. Prod. v. 694 (1836) = **Layia**, Hook. & Arn. (Compos.).
- angustifolia*, DC. Prod. v. 694 = **L. glandulosa**.
- angustifolia*, Nutt. in Trans. Am. Phil. Soc. N. S. vii. (1841) 394 = **L. platyglossa**.
- carnosa*, Nutt. l. c. 393 = **L. carnosa**.
- Douglasii*, Walp. Rep. ii. 632 = **L. Calliglossa**.
- elegans*, Nutt. in Trans. Am. Phil. Soc. N. S. vii. (1841) 393 = **L. elegans**.
- heterotricha*, DC. Prod. v. 694 = **L. heterotricha**.
- hieracioides*, DC. l. c. = **L. hieracioides**.
- hirsuta*, Nutt. in Trans. Am. Phil. Soc. N. S. vii. (1841) 394 = **L. platyglossa**.

- MADAROSPERMA**, Benth. in Benth. & Hook. f. Gen. ii. 1241 (1876). **ASCLEPIADEAE**, Benth. & Hook. f. l. c.
- aripecurensis*, Fourn. in Mart. Fl. Bras. vi. iv. 213.—Bras.
- confusum*, Fourn. l. c. 214.—Bras.
- Traillianum*, Benth. in Benth. & Hook. f. Gen. ii. 1241.—Bras.

- MADDENIA**, Hook. f. & Thoms. in Hook. Kew Journ. vi. (1854) 381. t. 12. **ROSACEAE**, Benth. & Hook. f. i. 610.
- himalaica*, Hook. f. & Thoms. in Hook. Kew Journ. vi. (1854) 381.—Reg. Himal.
- pedicellata*, Hook. f. Fl. Brit. Ind. ii. 318.—Reg. Himal.

- MADEA**, Soland. ex DC. Prod. v. 301 (1836) = **Boltonia**, L'Hérit. (Compos.).
- glauca*, Soland. ex DC. l. c. = **B. asteroides**.

- MADHUCA**, J. F. Gmel. Syst. 799 (1791) = **Bassia**, Koen. (Sapot.).
- indica*, J. F. Gmel. l. c. = **B. latifolia**.

- MADIA**, Molina, Sagg. Chile, ed. I. 136 (1782). **COMPOSITAE**, Benth. & Hook. f. ii. 393.
- AMIDA*, Nutt. in Trans. Am. Phil. Soc. N. S. vii. (1841) 390.

- ANISOCARPUS**, Nutt. l. c. (1841) 388.
- BIOTIA**, Cass. in Dict. Sc. Nat. xxxiv. 308 (1825).
- HARPAECARPUS**, Nutt. in Trans. Am. Phil. Soc. N. S. vii. (1841) 389.

- MADARIA**, DC. in Mém. Soc. Phys. Genève. vii. II. (1836) 280.

- MADARIOPSIS**, Nutt. in Trans. Am. Phil. Soc. N. S. vii. (1841) 387.

- MADORELLA**, Nutt. l. c. (1841).
- PYROPSIS**, Hort. ex Fisch. Mey. & Avé-Lall. Ind. Sem. Hort. Petrop. vi. 22 (1840).

- anomala*, Greene, in Bull. Calif. Acad. i. III. (1885) 91 (Hemizonia sp.).—Calif.

- Bolanderi*, A. Gray, in Proc. Am. Acad. viii. (1872) 391.—Calif.

- capitata*, Nutt. in Trans. Am. Phil. Soc. N. S. vii. (1841) 386 = **sativa**.

- citriodora*, Greene, in Bull. Torrey Bot. Club. ix. (1882) 63 = **Hemizonia citriodora**.

- corymbosa*, Lindl. ex W. Baxt. in Lond. Hort. Brit. Suppl. iii. 584 = **elegans**.

- dissitiflora*, Torr. & Gray, Fl. N. Am. ii. 405.—Am. bor. occ.

- elegans*, D. Don, in Lindl. Bot. Reg. t. 1458.—Am. bor. occ.

- filipes*, A. Gray, in Proc. Am. Acad. viii. (1873) 391.—Am. bor. occ.

- glomerata*, Hook. Fl. Bor. Am. ii. 24.—Am. bor. occ.

- hirsuta*, Meyen, Reise, i. 311 = **sativa**.

- mellita*, J. F. Gmel. Syst. 1249 = **sativa**.

- melliosa*, Molina, Sagg. Chile, ed. I. 137 = **sativa**.

- Nuttallii*, A. Gray, in Proc. Am. Acad. viii. (1873) 391.—Am. bor. occ.

- racemosa*, Torr. & Gray, Fl. N. Am. ii. 405 = **sativa**.

- radiata*, Kellogg, in Proc. Calif. Acad. iv. (1870) 190.—Calif.

- Rammiti*, Greene, in Bull. Calif. Acad. i. III. (1885) 90 = **yosemitana**.

- sativa*, Molina, Sagg. Chile, ed. I. 136.—Am. occ. bor. et austr.

- stellata*, Fisch. & Mey. Ind. Sem. Hort. Petrop. i. 32 = **sativa**.

- viscosa*, Cav. Ic. iii. 50 = **sativa**.

- yosemitana*, Parry, ex A. Gray, in Proc. Am. Acad. xvii. (1881-82) 219.—Calif.

- MADIOLA**, A. St. Hil. Fl. Bras. Mer. i. t. 43 (1825), sphalm. = **Modiola**, Moench (Malvac.).

- MADORELLA**, Nutt. in Trans. Am. Phil. Soc. N. S. vii. (1841) 387 = **Madia**, Molina (Compos.).
- dissitiflora*, Nutt. l. c. = **Madia dissitiflora**.
- racemosa*, Nutt. l. c. = **Madia sativa**.

- MADVIGIA**, Liebm. Ind. Sem. Hort. Haun. (1854) 26; et in Ann. Sc. Nat. Sér. IV. ii. (1854) 373 = **Cryptanthus**, Otto & Dietr. (Bromel.).

- densiflora*, Liebm. II. cc. 27; 373 = **C. undulatus**.
- humilis*, Liebm. ex Antoine, Bromel. 38 = **Karatas humilis**.

- MAECHARANTHERA**, Pritz. Ic. Ind. i. 673 (1855), sphalm. = **MACHAERANTHERA**, Nees = **Aster**, Tourn. (Compos.).

- MAELENIA**, Dum. in Mém. Acad. Sc. Brux. ix. (1834) 13. t. 10 = **Cattleya**, Lindl. (Orchid.).
- paradoxa*, Dum. l. c. = **C. Forbesii**.

- MAERANTHUS**, Benth. & Hook. f. Gen. i. 533 (1865), sphalm. = **MARCANTHUS**, Lour. = **Mucuna**, Adans. (Legumin.).

- MAERLENSIA**, Vell. Fl. Flum. 231 (1825); v. t. 112 (1827) = **Corechorus**, Linn. (Tiliac.).
- hirsuta*, Vell. II. cc. = **C. hirtus**.

- MAERUA**, Forsk. Fl. Aegypt. Arab. 104 (1775). **CAPPARIDEAE**, Benth. & Hook. f. i. 108.
- STREBLOCARPUS**, Arn. in Ann. Sc. Nat. Sér. II. ii. (1834) 235.

- WIEGMANNIA**, Hochst. & Steud. ex Steud. Nom. ed. II. ii. 787 (1841).

- acuminata*, Oliver, Fl. Trop. Afr. i. 85.—Afr. trop.

- aethiopica*, Oliver, l. c.—Afr. trop.

- angolensis*, DC. Prod. i. 254.—Afr. trop.

- angustifolia*, A. Rich. in Guill. & Perr. Fl. Seneg. Tent. 29. t. 8 = **oblongifolia**.

- arabica*, J. F. Gmel. Syst. 827 = **crassifolia**.

- arenaria*, Hook. f. & Thoms. in Hook. f. Fl. Brit. Ind. i. 171 = **ovalifolia**.

- crassifolia*, Forsk. Fl. Aegypt. Arab. p. cxlii.—Arab.

- Currori*, Hook. f. in Hook. Niger Fl. 218.—Afr. trop.

- Grantii*, Oliver, Fl. Trop. Afr. i. 84.—Afr. trop.

- lucida*, Hochst. ex A. Rich. Tent. Fl. Abyss. i. 33 = **angolensis**.

- madagascariensis*, Baill. in Bull. Soc. Linn. Par. i. (1885) 466.—Madag.

- nervosa*, Oliver, Fl. Trop. Afr. i. 84.—Afr. trop.

- oblongifolia*, A. Rich. Tent. Fl. Abyss. i. 32. t. 5.—Abyss.

- ovalifolia*, Cambess. in Jacquem. Voy. Bot. 22. t. 24.—Ind. or.

- pubescens*, C. Muell. in Peters, Reise Mossamb. Bot. 166.—Afr. trop.

- racemosa*, Vahl, Symb. Bot. i. 36.—Arab.

- retusa*, Hochst. ex A. Rich. Tent. Fl. Abyss. i. 33 = **angolensis**.

- rigida*, R. Br. ex G. Don, Gen. Syst. i. 286 = **crassifolia**.

- scabra*, Cambess. in Jacquem. Voy. Bot. 22. t. 23 = **ovalifolia**.

- scandens*, C. Muell. in Peters, Reise Mossamb. Bot. i. 165.—Afr. trop.

- senegalensis*, R. Br. ex G. Don, Gen. Syst. i. 286 = **crassifolia**.

- Thomsoni*, T. Anders. in Journ. Linn. Soc. v. Suppl. i. (1860) 5.—Arab.

- triphylla*, A. Rich. Tent. Fl. Abyss. i. 32. t. 6.—Abyssin.

- uniflora*, Vahl, Symb. i. 36 = **crassifolia**.

- MAESA**, Forsk. Fl. Aegypt. Arab. 66 (1775). **MYRSINEAE**, Benth. & Hook. f. ii. 641.

- BAEOBOTRYS**, Forst. Char. Gen. t. 11 (1776).

- DORAENA**, Thunb. Diss. Nov. Gen. iii. (1783) 59.

- SIBURATIA**, Thou. Gen. Nov. Madag. 12 (1809).

- acuminata*, A. DC. in DC. Prod. viii. 77 = **ramen-tacea**.

- acuminata*, Wall. Cat. n. 2321 = **Gymnospora acumi-nata**.

- alnifolia*, Harv. Thes. Cap. ii. 20.—Afr. austr.

- amboinensis*, Scheff. Comm. Myrsin. Arch. Ind. 29.—Malaya.

- andamanica*, Kurz, For. Fl. Brit. Burma, ii. 575.—Ins. Andaman.



**MAESA :—**

- angustifolia*, A. DC. in DC. Prod. viii. 81.—Madag.  
*arabica*, F. F. Gmel. Syst. 403.—Arab.  
*argentea*, Wall. in Roxb. Fl. Ind. ed. Carey, ii. 233.—  
 Reg. Himal.  
*Bacobotrys*, Roem. & Schult. Syst. iv. 226.—Java.  
*Blumei*, D. Don, Gen. Syst. iv. 22.—Java.  
*brachybotrya*, Miq. Fl. Ind. Bat. ii. 1010.—Java.  
*canarana*, Miq. ex Hook. f. Fl. Brit. Ind. iii. 510 =  
 dubia.  
*Chisia*, D. Don, Prod. Fl. Nep. 148.—Reg. Himal.  
*cordifolia*, Miq. Fl. Ind. Bat. ii. 1008.—Java.  
*coriacea*, Champ. ex Benth. in Hook. Kew Journ. iv.  
 (1852) 300 = M. Doraena.  
*corylifolia*, A. Gray, in Proc. Am. Acad. v. (1861–62)  
 330.—Ins. Fiji.  
*costulata*, Miq. Fl. Ind. Bat. ii. 1007.—Java.  
*dependens*, F. Muell. Fragm. v. 107.—Austral.  
*dioica*, A. DC. in DC. Prod. viii. 79 = M. Chisia.  
*Doraena*, Blume, ex Sieb. & Zucc. in Abh. Akad.  
 Muench. iv. III. (1846) 138.—Japon.  
*dubia*, Wall. in Roxb. Fl. Ind. ed. Carey, ii. 235.  
 —Malabar.  
*emimensis*, A. DC. in Ann. Sc. Nat. Sér. II. xvi.  
 (1841) 79.—Madag.  
*floribunda*, Scheff. Comm. Myrsin. Archip. Ind. 18.—  
 Sumatra.  
*fulvinervis*, A. DC. in Ann. Sc. Nat. Sér. II. xvi.  
 (1841) 80 = mollis.  
*Gaudichaudii*, A. DC. l. c.—Ins. Philipp.  
*glabra*, A. DC. in DC. Prod. viii. 82 = ramentacea.  
*grandifolia*, Miq. Fl. Ind. Bat. ii. 1007.—Java.  
*haplobotrys*, F. Muell. Fragm. v. 161.—Austral.  
*hirtella*, Miq. Pl. Fungh. 186.—Java.  
*indica*, Hook. f. in Journ. Linn. Soc. vi. (1861) 16 =  
 lanceolata.  
*indica*, Wall. in Roxb. Fl. Ind. ed. Carey, ii. 230, in  
 nota.—Ind. or.; Malaya.  
*japonica*, Mor. ex Zoll. Syst. Verz. Ind. Archip. 61.—  
 Japon.  
*Junghuhniana*, Scheff. Comm. Myrsin. Archip. Ind. 25.  
 —Sumatra.  
*Korthalsiana*, Scheff. l. c. 18.—Sumatra.  
*laevigata*, Scheff. l. c. 17.—N. Guin.  
*lanceolata*, G. Don, Gen. Syst. iv. 22 = ramentacea.  
*lanceolata*, Forsk. Fl. Aegypt. Arab. p. cvi.—Afr.  
 bor.  
*lanceolata*, Voigt, Hort. Suburb. Calc. 338 = indica.  
*latifolia*, A. DC. in Trans. Linn. Soc. xvii. (1834)  
 133 = indica.  
*leptobotrya*, Hance, in Ann. Sc. Nat. Sér. IV. xviii.  
 (1862) 224.—China.  
*leucocarpa*, Blume, ex Scheff. Comm. Myrsin. Archip.  
 Ind. 30.—Malaya.  
*lutea*, A. DC. in DC. Prod. viii. 82.—Hab. ?  
*macrocarpa*, Scheff. Comm. Myrsin. Archip. Ind. 25.  
 —Borneo.  
*macrophylla*, Wall. in Roxb. Fl. Ind. ed. Carey, ii. 234.  
 —Reg. Himal.  
*macrothyrsa*, Miq. Fl. Ind. Bat. Suppl. 573.—Sumatra.  
*membranacea*, Blanco, Fl. Filip. ed. II. Suppl. 590 =  
 indica.  
*membranacea*, A. DC. in Ann. Sc. Nat. Sér. II. xvi.  
 (1841) 80.—Ins. Philipp.  
*missionis*, A. DC. in Trans. Linn. Soc. xvii. (1834) 134  
 = ramentacea.  
*mollis*, A. DC. l. c.—Burma; Malaya.  
*mollissima*, A. DC. l. c.—Burma; Malaya.  
*mollissima*, Kurz, For. Fl. Br. Burma, ii. 100 = mollis.  
*montana*, A. DC. in DC. Prod. viii. 79 = M. Chisia.  
*muscosa*, A. DC. in Trans. Linn. Soc. xvii. (1834) 133  
 = membranacea.  
*muscosa*, Kurz, in Journ. As. Soc. Beng. xlii. (1873)  
 II. 87.—Burma.  
*nemorialis*, A. DC. in Trans. Linn. Soc. xvii. (1834)  
 134 = M. Bacobotrys.  
*novo-guineensis*, Scheff. in Ann. Jard. Buitens. i.  
 (1876) 32.—N. Guin.  
*ovata*, A. DC. in Trans. Linn. Soc. xvii. (1834) 133 =  
 ramentacea.  
*ovata*, Thou. ex Roem. & Schult. Syst. v. 226 =  
 indica.  
*palustris*, Hochst. in Flora, xxvii. (1844) 825.—Afr.  
 austr.  
*paniculata*, A. DC. in Trans. Linn. Soc. xvii. (1834)  
 133.—Reg. Himal.; Burma.  
*parviflora*, Scheff. Comm. Myrsin. Archip. Ind. 28.—  
 Java.

VOL. II.

**MAESA :—**

- permolis*, Kurz, in Journ. As. Soc. Beng. xl. (1871) II.  
 66 = mollis.  
*Perrottetiana*, A. DC. in DC. Prod. viii. 80 = indica.  
*persicaefolia*, A. Gray, in Proc. Am. Acad. v. (1861–  
 62) 330.—Ins. Fiji.  
*Pickeringii*, A. Gray, l. c. 329.—Ins. Fiji.  
*picta*, Hochst. in Flora, xxiv. (1841) I. Intell. 25 =  
 lanceolata.  
*pisocarpa*, Blume, ex Scheff. Comm. Myrsin. Archip.  
 Ind. 21.—Ins. Celebes.  
*polyantha*, Scheff. l. c. 16.—Borneo.  
*protracta*, F. Muell. Papuan Pl. i. 92.—N. Guin.  
*pubescens*, G. Don, in Loud. Hort. Brit. 70.—Ind. or.  
*pulchella*, Fawc. in Forbes, Natur. Wand. East.  
 Archip. 509.—Ins. Timor.  
*pyrifolia*, Miq. Fl. Ind. Bat. ii. 1008.—Reg. Himal.;  
 Java.  
*ramentacea*, Wall. in Roxb. Fl. Ind. ed. Carey, ii. 230.  
 —Ind. or.; Malaya.  
*Reinwardtii*, Blume, ex Scheff. Comm. Myrsin. Archip.  
 Ind. 27.—Malaya.  
*rubiginosa*, Blume, ex Scheff. l. c. 26.—Malaya.  
*rufescens*, A. DC. in DC. Prod. viii. 81 = lanceolata.  
*rugosa*, C. B. Clarke, in Hook. f. Fl. Brit. Ind. iii.  
 508.—Reg. Himal.  
*sinensis*, A. DC. in Ann. Sc. Nat. Sér. II. xvi. (1841)  
 80.—Hongkong.  
*subdendata*, A. DC. l. c.—Cochinch.  
*sumatrana*, Scheff. Comm. Myrsin. Archip. Ind. 15 =  
 ramentacea.  
*tetrandra*, A. DC. in DC. Prod. viii. 82.—Ins. Molucc.  
*tomentosa*, D. Don, Prod. Fl. Nep. 148 = macrophylla.  
*trichophlebia*, Baker, in Journ. Linn. Soc. xx. (1883)  
 197.—Madag.  
*verrucosa*, Kurz, For. Fl. Brit. Burma, ii. 98 = anda-  
 manica.  
*verrucosa*, Scheff. Comm. Myrsin. Archip. Ind. 46.—N.  
 Guin.  
*virgata*, A. DC. in Trans. Linn. Soc. xvii. (1834) 133  
 = indica.  
*vitiensis*, Seem. Fl. Vit. 148.—Ins. Fiji.  
*Zollingeri*, Scheff. Comm. Myrsin. Archip. Ind. 22.—  
 Java.

MAESIA, Gaertn. Fruct. i. 344. t. 70 (1788) = **Gom-  
 phia** ? Schreb. (Ochnac.).  
*serrata*, Gaertn. l. c. = G. angustifolia ?

**MAESOBOTRYA**, Benth. in Hook. Ic. Pl. t. 1296  
 (1879). **EUPHORBIABEAE**, Benth. & Hook. f.  
 iii. 284.  
*floribunda*, Benth. in Hook. Ic. Pl. t. 1296.—Afr. trop.

**MAFUREIRA**, Bertol. in Mem. Acc. Sc. Bolog. ii.  
 (1850) 269 (Misc. Bot. ix. 6. t. 2) = **Trichilia**, Linn.  
 (Meliac.).  
*oleifera*, Bertol. II. cc. 270; 6 = T. emetica.

**MAGALLANA**, Cav. Ic. iv. 50. t. 374 (1797) = **Tro-  
 paeolum**, Linn. (Geraniac.).  
*porifolia*, Cav. l. c. 51. t. 374 = T. pentaphyllum.  
*porrifolia*, DC. Prod. i. 684 sphalm. = praec.

**MAGALLANA**, Comm. ex DC. Syst. i. 443 (1818) =  
**MAGELLANIA**, Comm. = **Drimys**, Forst. (Mag-  
 nol.).

**MAGASTACHYA**, Beauv. Agrost. 74 (1812) err. typ. =  
**MEGASTACHYA**, Beauv. = **Eragrostis**, Beauv.  
 (Gramin.).

**MAGELLANA**, Poir. in Dict. Sc. Nat. xxviii. 13 (1823)  
 = **MAGALLANA**, Cav. = **Tropaeolum**, Linn.  
 (Geraniac.).

**MAGELLANIA**, Comm. ex Lam. Encyc. ii. 330 (1786)  
 = **Drimys**, Forst. (Magnol.).

**MAGHANIA**, Steud. Nom. ed. II. ii. 89 (1841) =  
**MOGHANIA**, Jaume St. Hil. = **Flemingia**, Roxb.  
 (Legumin.).

**MAGNOLIA**, Linn. Syst. ed. I (1735); Gen. ed. I.  
 162 (1737). **MAGNOLIACEAE**, Benth. & Hook. f.  
 i. 18.

**GWILLIMIA**, Rottl. ex DC. Syst. i. 455 (1818).  
**KOBUS**, Kaempf. ex Salisb. Parad. Lond. t. 87  
 (1807).

**LIRIANTHE**, Spach, Hist. Vég. Phan. vii. 485  
 (1839).

**MAGNOLIA :—**

- SPHENOCARPUS** (vel **SPHAEROCARPUS**), Wall. Cat.  
 p. 236, sub n. 975 (1832 ?).  
**TULIPASTRUM**, Spach, Hist. Vég. Phan. vii. 481  
 (1839).  
**YULANIA**, Spach, l. c. 462 (1839).  
*acuminata*, Linn. Syst. ed. X. 1082.—Am. bor.  
*alexandrina*, Hort. ex Steud. Nom. ed. II. ii. 89 =  
 M. Yulan.  
*angatisensis*, Blanco, Fl. Filip. ed. I. 859 = Talauma  
 angatisensis.  
*anonaefolia*, Salisb. Parad. Lond. t. 5 = **Michelia**  
 fuscata.  
*atropurpurea*, Hort. ex Steud. Nom. ed. I. 504 =  
 obovata.  
*auricularis*, Salisb. Parad. Lond. t. 43 = **Fraseri**.  
*auriculata*, Desr. in Lam. Encyc. iii. 673 = **Fraseri**.  
 Bailloni, Pierre, Fl. For. Cochinch. t. 2.—Cambodia.  
*Burchelliana*, Hort. ex Steud. Nom. ed. II. ii. 89 =  
 glauca.  
*Campbelli*, Hook. f. & Thoms. Fl. Ind. i. 77.—Reg.  
 Himal.  
*Candollii*, Link, Handb. ii. 375 = acuminata.  
*Champaca*, Baill. ex Pierre, Fl. For. Cochinch. t. 3 =  
**Michelia** Champaca.  
*Championi*, Benth. Fl. Hongk. 8 = pumila.  
*citriodora*, Hort. ex Steud. Nom. ed. II. ii. 89 =  
 M. Yulan.  
*Coco*, DC. Syst. i. 459 = pumila.  
*compressa*, Maxim. in Bull. Acad. Pétersb. xvii. (1872)  
 417.—Japon.  
*conspicua*, Salisb. Parad. Lond. t. 38 = M. Yulan.  
*cordata*, Michx. Fl. Bor. Am. i. 328.—Am. bor.  
*cyathiformis*, Ruiz, ex C. Koch, Dendrol. i. 376 =  
 M. Yulan.  
*dealbata*, Zucc. in Abh. Akad. Muench. ii. (1836) 373.  
 tt. 3, 4.—Mexic.  
*Decandollii*, Savi, in Bibliot. Ital. xvi. (1819) 224 =  
 acuminata.  
*denudata*, Desr. in Lam. Encyc. iii. 675 = obovata.  
*discolor*, Vent. Jard. Malm. 24 = obovata.  
*Duperreana*, Pierre, Fl. For. Cochinch. t. 1.—Cam-  
 bodia.  
*elliptica*, Link, Handb. ii. 375 = grandiflora.  
*excelsa*, Wall. Tent. Fl. Nep. 5. t. 2 = **Michelia** excelsa.  
*fasciata*, Vent. Jard. Malm. n. 24. adn. 2 = **Michelia**  
 fuscata.  
*fatiscens*, Rich. ex DC. Prod. i. 82 = Talauma Plumieri.  
 Figo, DC. Syst. i. 460.—China.  
*fragrans*, Rafin. Fl. Ludov. 91 (Quid ?)—Am. bor.  
*fragrans*, Salisb. Prod. 379 = glauca.  
*Fraseri*, Walt. Fl. Carol. 159.—Am. bor.  
*frondosa*, Salisb. Prod. 379 = M. Umbrella.  
*fuscata*, Andr. Bot. Rep. t. 229 = **Michelia** fuscata.  
*glauca*, Linn. Syst. ed. X. 1082.—Am. bor.  
*glauca*, [Moq. & Sesse] ex DC. Prod. i. 80 = Talauma  
 mexicana.  
*glauca*, Pierre, Fl. For. Cochinch. sub t. 2 = Talauma  
 glauca.  
*glauca*, Thunb. Fl. Jap. 236 = hypoleuca.  
*globosa*, Hook. f. & Thoms. Fl. Ind. i. 77.—Reg. Himal.  
*Gordoniana*, Hort. ex Steud. Nom. ed. II. ii. 90 = glauca.  
*gracilis*, Salisb. Parad. Lond. t. 87 = M. Kobus.  
*grandiflora*, Linn. Syst. ed. X. 1082.—Am. bor.  
*grandiflora*, [Moq. & Sesse] ex DC. Prod. i. 80 =  
 Talauma mexicana.  
*Griffithii*, Hook. f. & Thoms. in Fl. Brit. Ind. i. 41.—  
 Reg. Himal.  
*Halleana*, Hort. ex Flor. Mag. N. S. (1878) sub t. 309  
 = stellata.  
*Hoonoki*, Siebold, in Verh. Batav. Gen. xii. (1830) 1  
 = hypoleuca.  
*hypoleuca*, Sieb. & Zucc. in Abh. Akad. Muench. iv.  
 II. (1843) 187.—Japon.  
*inodora*, DC. Syst. i. 459.—China.  
*insignis*, Blume, Fl. Jac. Magnol. 23.—Ind. or.  
*insignis*, Wall. Tent. Fl. Nap. 5. t. 1 = **Manglietia**  
 insignis.  
*Kobus*, DC. Syst. i. 456.—Japon.  
*lanceolata*, Link, Handb. ii. 375 = grandiflora.  
*Lennei* x, Van Houtte, Fl. des Serres, vol. 1838, p. 44  
 t. 1693–94.  
*Mitara*, Desr. in Lam. Encyc. iii. 675 = **Fraseri**.  
*Mitara*, Baill. Hist. Pl. i. 141 = M. Coco.  
*montana*, Sweet, Hort. Brit. ed. I. 11 = **Fraseri**.  
*macrophylla*, Michx. Fl. Bor. Am. i. 328.—Am. bor.  
*maxima*, Lodd. ex G. Don, in Loud. Hort. Brit. 226 =  
 acuminata.



**MAGNOLIA** :—

- melegrioides*, Hort. ex DC. Syst. i. 458 = *Michelia fuscata*.  
*mexicana*, DC. l. c. 451 = *Talauma mexicana*.  
*Michauxiana*, Hort. ex DC. l. c. 455 = *macrophylla*.  
*mutabilis*, Regel, Cat. Pl. Hort. Aksakov. 88.—Hab. ?  
*obovata*, Ait. ex Link, Handb. ii. 375 = *grandiflora*.  
*obovata*, Thunb. in Trans. Linn. Soc. ii. (1794) 336.—Japan.  
*odoratissima*, Reinw. ex Blume, Fl. Jav. Magnol. 32 = *Talauma Candollei*.  
*ovata*, Spreng. Syst. iv. Cur. Post. 217 = *Talauma ovata*.  
*parviflora*, Blume, Bijdr. 9 = *Michelia fuscata*.  
*parviflora*, Sieb. & Zucc. in Abh. Akad. Muench. iv. II. (1843) 187.—Japan.  
*parvifolia*, DC. Syst. i. 459.—Java.  
*pennsylvanica*, Hort. ex DC. l. c. 453 = *acuminata*.  
*Plumieri*, Sw. Prod. Veg. Ind. Occ. 87 = *Talauma Plumieri*.  
*portoricensis*, Bello, in Anal. Soc. Esp. Hist. Nat. x. (1880) 233.—Porto Rico.  
*Precia*, Correa, ex Vent. Jard. Malm. 24, in adnot. 2 = *M. Yulan*.  
*ptercarpa*, Roxb. Corom. Pl. iii. 62. t. 266.—Reg. Himal. pumila, Andr. Bot. Rep. t. 226.—Java; China.  
*punduana*, Wall. Cat. n. 974.—Reg. Himal.  
*purpurea*, Curt. Bot. Mag. t. 390 = *obovata*.  
*pyramidata*, Bartr. ex Pursh, Fl. Am. Sept. ii. 382 = *Fraseri*.  
*Rumphii*, Spreng. Syst. iv. Cur. Post. 217 = *Talauma Rumphii*.  
*rustica*, Hort. ex DC. Syst. i. 453 = *acuminata*.  
*salicifolia*, Maxim. in Bull. Acad. Pétersb. xvii. (1872) 418.—Japan.  
*Schiedeana*, Schlecht. in Bot. Zeit. xxii. (1864) 144.—Mexic.  
*Selloi*, Spreng. Syst. iv. Cur. Post. 216 = *Talauma Sellowiana*.  
*Soulangiana* ×, Hort. [ex Thieb.] in Mém. Soc. Linn. Par. v. (1827) p. lxxiii.  
*speciosa* ×, Reichb. Fl. Exot. v. 37. i. 343.  
*sphenocarpa*, Hook. f. & Thoms. Fl. Ind. i. 78, errore *speciosa* = *ptercarpa*.  
*stellata*, Maxim. in Bull. Acad. Pétersb. xvii. (1872) 418.—Japan.  
*Thomsoniana*, Hort. ex Steud. Nom. ed. II. ii. 90 = *glauca*.  
*tomentosa*, Thunb. in Trans. Linn. Soc. ii. (1794) 336 = *M. Kobus*.  
*tripetala*, Linn. Syst. ed. X. 1082 = *M. Umbrella*.  
*umbellata*, Hort. ex Steud. Nom. ed. II. ii. 90 = seq.  
*Umbrella*, Desr. in Lam. Encyc. iii. 673.—Am. bor.  
*versicolor*, Salisb. Parad. Lond. t. 5 = *Michelia fuscata*.  
*virginiana*, Linn. Sp. Pl. 535 = *acuminata*, *glauca*, *M. Umbrella*.  
*Vriesiana*, Baill. ex Pierre, Fl. For. Cochinch. sub t. 2.—Ins. Celebes.  
*Yulan*, Desf. Hist. Arb. ii. 6.—China.

**MAGNUSIA**, Klotzsch, in Monatsb. Berl. Acad. (Maerz 1854) 125; et in Abh. Akad. Berl. (1855) 101. t. 9 B = **Begonia**, Linn.  
*fusca*, Klotzsch, in Abh. Akad. Berl. (1855) 102.—Mexic.  
*maxima*, Klotzsch, in Monatsb. Berl. Acad. (Maerz 1854) 125.—Mexic.

**MAGONAEA**, G. Don, Gen. Syst. i. 674 (1831) = seq.

**MAGONIA**, A. St. Hil. Pl. Rem. Brés. i. 239 (1824); et in Mém. Mus. Par. xii. (1825) 336. t. 12, 13. **SAPINDACEAE**, Benth. & Hook. f. i. 398.  
**PHAEOCARPUS**, Mart. Nov. Gen. et Sp. i. 61. t. 37, 38 (1824).  
*glabrata*, A. St. Hil. Pl. Rem. Brés. i. 241.—Bras.  
*pubescens*, A. St. Hil. l. c. 239.—Bras.

**MAGONIA**, Vell. Fl. Flum. 165 (1825); iv. t. 60 (1827) = **Ruprechtia**, C. A. Mey. (Polygon.).  
*scandens*, Vell. ll. cc. = *R. laurifolia*.

**MAGYDARIS**, Koch, ex DC. Coll. Mém. v. 68 (1829); et Prod. iv. 241 (1830). **UMBELLIFERAE**, Benth. & Hook. f. i. 904.

**ERIOACHRYIS**, DC. Prod. iv. 241, in syn. (1830).  
*ambigua*, DC. Prod. iv. 241 = *panacina*.  
*panacifolia*, Lange, in Willk. & Lange, Prod. Fl. Hisp. iii. 62 = seq.  
*panacina*, DC. Prod. iv. 241.—Hispan.; Afr. bor.  
*tomentosa*, Koch, ex DC. Prod. iv. 241.—Sicil.; Afr. bor.

**MAHAGONI**, Adans. Fam. ii. 343 (1763) = **Swietenia**, Jacq. (Meliac.).

**MAHARANGA**, DC. Prod. x. 71 (1846) = **Onosma**, Linn. (Borag.).  
*bicolor*, DC. l. c. = *O. bicolor*.  
*Emodi*, DC. l. c. = *O. Emodi*.  
*Wallichiana*, DC. l. c. = *O. Wallichianum*.

**MAHERNIA**, Linn. Mant. i. 8 (1767). **STERCULIACEAE**, Benth. & Hook. f. i. 223.  
*abyssinica*, Hochst. in Flora, xxiv. (1841) i. Intell. 29, nomen; et ex A. Rich. Tent. Fl. Abyss. i. 75.—Afr. austr.  
*angustifolia*, Harv. in Harv. & Sond. Fl. Cap. i. 219, in syn. (Hermannia sp.).—Afr. austr.  
*anthemifolia*, Harv. l. c. 213.—Afr. austr.  
*betonicaefolia*, Harv. l. c. 218.—Afr. austr.  
*bicrenata*, E. Mey. in Drège, Zwei Pfl. Docum. 200, nomen.—Afr. austr.  
*bipinnata*, DC. Prod. i. 496 = *pinnata*.  
*biserrata*, Cav. Diss. vi. 326.—Afr. austr.  
*biserrata*, Eckl. & Zeyh. ex Harv. & Sond. Fl. Cap. i. 211 = *pulchella*.  
*borraginiflora*, F. Muell. Fragm. ix. 42, in obs. = *Hermannia boraginiflora*.  
*brachycarpa*, Harv. in Harv. & Sond. Fl. Cap. i. 212 = *sisymbriifolia*.  
*Burchellii*, Sweet, Hort. Brit. ed. I. 57 = *grandiflora*.  
*chrysanthia*, Turcz. in Bull. Soc. Nat. Mosc. xxxi. (1858) i. 219.—Afr. austr.  
*coccocarpa*, Eckl. & Zeyh. Enum. 50.—Afr. austr.  
*cordata*, E. Mey. in Drège, Zwei Pfl. Docum. 200 = *betonicaefolia*.  
*dentata*, Harv. in Harv. & Sond. Fl. Cap. i. 216 = *abyssinica*.  
*diffusa*, Jacq. Hort. Schoenb. ii. t. 201.—Afr. austr.  
*diffusa*, E. Mey. ex Harv. & Sond. Fl. Cap. i. 211 = *pulchella*.  
*dryadiphylla*, Eckl. & Zeyh. Enum. 51 = *Hermannia dryadifolia*.  
*Elliottiana*, Harv. in Harv. & Sond. Fl. Cap. ii. 589.—Afr. austr.  
*erodioides*, Burch. ex DC. Prod. i. 496.—Afr. austr.  
*exappendiculata*, Mast. in Oliver, Fl. Trop. Afr. i. 234.—Afr. trop.  
*fragrans*, Reichb. Ic. Pl. Cult. i. t. 65.—Afr. austr.  
*geranioides*, Harv. in Harv. & Sond. Fl. Cap. i. 213 = *marginata*.  
*Gilesii*, F. Muell. Fragm. ix. 42, in obs. = *Hermannia Gilesii*.  
*glabrata*, Cav. Diss. vi. 326. t. 200. f. 1.—Afr. austr.  
*glandulosa*, Presl, Bot. Bemerk. 22 = *pulchella*.  
*gracilis*, Harv. in Harv. & Sond. Fl. Cap. i. 215.—Afr. austr.  
*grandiflora*, Burch. Trav. i. 295.—Afr. austr.  
*grandistipula*, Buching. ex Hochst. in Flora, xxvii. (1844) 294.—Afr. austr.  
*heterophylla*, Cav. Diss. vi. 324. t. 178. f. 1.—Afr. austr.  
*hilaris*, Eckl. & Zeyh. Enum. 49 = *Hermannia trifurca*.  
*humifusa*, Eckl. & Zeyh. l. c. 51.—Afr. austr.  
*humilis*, E. Mey. ex Turcz. in Bull. Soc. Nat. Mosc. xxxi. (1858) i. 218.—Afr. austr.  
*incana*, Eckl. & Zeyh. Enum. 49 = *Hermannia trifurca*.  
*incisa*, Eckl. & Zeyh. l. c. 51 = *vesicaria*.  
*incisa*, Jacq. Hort. Schoenb. i. t. 54.—Afr. austr.  
*jacobaeaeifolia*, Turcz. in Bull. Soc. Nat. Mosc. xxxi. (1858) i. 220 = *pinnata*.  
*lacera*, E. Mey. in Drège, Zwei Pfl. Docum. 200 = *scabra*.  
*linearis*, Harv. in Harv. & Sond. Fl. Cap. i. 217.—Afr. austr.  
*linnaeoides*, Burch. ex DC. Prod. i. 497.—Afr. austr.  
*linnaeoides*, E. Mey. in Drège, Zwei Pfl. Docum. 200 = *nana*.  
*marginata*, Turcz. in Bull. Soc. Nat. Mosc. xxxi. (1858) i. 221.—Afr. austr.  
*modesta*, Planch. in Ann. Sc. Nat. Sér. IV. iii. (1855) 292.—Afr. austr.  
*multicaulis*, E. Mey. ex Turcz. in Bull. Soc. Nat. Mosc. xxxi. (1858) i. 218.—Afr. austr.  
*multifida*, E. Mey. in Drège, Zwei Pfl. Docum. 200.—Afr. austr.  
*myrrhifolia*, Eckl. & Zeyh. Enum. 52 = *pilosula*.  
*namaquensis*, E. Mey. ex Turcz. in Bull. Soc. Nat. Mosc. xxxi. (1858) i. 219 = *heterophylla*.

**MAHERNIA** :—

- nana*, Eckl. & Zeyh. Enum. 50.—Afr. austr.  
*oblongifolia*, Harv. in Harv. & Sond. Fl. Cap. i. 219.—Afr. austr.  
*odorata*, Eckl. & Zeyh. Enum. 52 = *Hermannia Presliana*.  
*ovalis*, Harv. in Harv. & Sond. Fl. Cap. i. 215 = *saccifera*.  
*ovata*, E. Mey. ex Turcz. in Bull. Soc. Nat. Mosc. xxxi. (1858) i. 221.—Afr. austr.  
*oxalidiflora*, Burch. Trav. i. 295.—Afr. austr.  
*oxalidiflora*, Eckl. & Zeyh. Enum. 49 = *grandiflora*.  
*parviflora*, Eckl. & Zeyh. l. c. 50.—Afr. austr.  
*pauciflora*, Turcz. in Bull. Soc. Nat. Mosc. xxxi. (1858) i. 220.—Afr. austr.  
*pilosula*, Harv. in Harv. & Sond. Fl. Cap. i. 212.—Afr. austr.  
*pinnata*, Eckl. & Zeyh. ex Harv. & Sond. l. c. 203 = *Hermannia tenuifolia*.  
*pinnata*, Linn. Syst. ed. XII. 227.—Afr. austr.  
*pulchella*, Cav. Diss. vi. 177. f. 3.—Afr. austr.  
*Quartiniana*, Hochst. ex Walp. Ann. iii. 833 = *abyssinica*.  
*resedaefolia*, Burch. ex DC. Prod. i. 496.—Afr. austr.  
*rotundata*, E. Mey. in Drège, Zwei Pfl. Docum. 192 = *linnaeoides*.  
*rutila*, Jacq. Hort. Schoenb. t. 263.—Afr. austr.  
*saccifera*, Turcz. in Bull. Soc. Nat. Mosc. xxxi. (1858) i. 218.—Afr. austr.  
*salviaefolia*, Turcz. l. c. 220.—Afr. austr.  
*scabra*, Eckl. & Zeyh. Enum. 50.—Afr. austr.  
*scoparia*, Eckl. & Zeyh. l. c. 51 = *Hermannia scoparia*.  
*sessilifolia*, DC. Prod. i. 498.—Afr. austr.  
*sisymbriifolia*, Turcz. in Bull. Soc. Nat. Mosc. xxxi. (1858) i. 221.—Afr. austr.  
*spinosa*, Burch. Trav. i. 279 = *Hermannia spinosa*.  
*stellulata*, Harv. in Harv. & Sond. Fl. Cap. i. 216.—Afr. austr.  
*stricta*, E. Mey. ex Turcz. in Bull. Soc. Nat. Mosc. xxxi. (1858) i. 222 = *Hermannia stricta*.  
*tomentosa*, Harv. in Harv. & Sond. Fl. Cap. i. 219 (Hermannia sp.).—Afr. austr.  
*tomentosa*, Turcz. in Bull. Soc. Nat. Mosc. xxxi. (1858) i. 219.—Afr. austr.  
*tomentosa*, Wendl. f. in Bartl. & Wendl. f. Beitr. ii. 28 = *saccifera*.  
*vernicaia*, Burch. Trav. i. 278.—Afr. austr.  
*vernicaia*, Eckl. & Zeyh. Enum. 50 = *saccifera*.  
*veronicaefolia*, Eckl. & Zeyh. l. c.—Afr. austr.  
*verticillata*, Linn. Mant. i. 59.—Afr. austr.  
*vesicaria*, DC. Prod. i. 497.—Afr. austr.  
*vestita*, Harv. in Harv. & Sond. Fl. Cap. i. 218.—Afr. austr.  
*violacea*, Burch. ex DC. Prod. i. 497.—Afr. austr.

**MAHOMETA**, DC. Prod. v. 457, in syn. (1836) = **Monarrhenus**, Cass. (Compos.).

**MAHONIA**, Nutt. Gen. Am. i. 211 (1818) = **Berberis**, Linn.

*acanthifolia*, Wall. ex G. Don, Gen. Syst. i. 118 = *B. nepalensis*.  
*Aquifolium*, Nutt. Gen. Am. i. 212 = *B. Aquifolium*.  
*Beali*, Pynaert, in Rev. Hort. Belge, i. (1875) 156. f. 41 = *B. Bealei*.  
*diversifolia*, Sweet, Brit. Flow. Gard. Ser. II. t. 94 = *B. Aquifolium*.  
*fascicularis*, DC. Syst. ii. 19 = *B. Aquifolium*, *pinnata*.  
*glumacea*, DC. l. c. 21 = *B. nervosa*.  
*ilicina*, Schlecht. in Linnaea, x. (1835–36) 236 = *B. ilicina*.  
*intermedia*, Dupuis, in Rev. Hort. Sér. IV. ix. (1860) 22 = *B. nepalensis* ?  
*japonica*, DC. Syst. ii. 22 = *B. nepalensis*.  
*japonica*, Thunb. Fl. Jap. 77; Ic. Jap. t. 22 = *B. japonica*.  
*Knightii*, Hort. ex Lindl. in Journ. Hort. Soc. v. (1850) 20 = *B. Bealei*.  
*napaulensis*, DC. Syst. ii. 21 = *B. nepalensis*.  
*nervosa*, Nutt. Gen. Am. i. 212 = *B. nervosa*.  
*paniculata*, Oerst. in Kjoeb. Vidensk. Meddel. (1856) 36.—Costa Rica.  
*repens*, G. Don, Gen. Syst. i. 118 = *B. repens*.  
*tenuifolia*, Loud. ex Steud. Nom. ed. II. i. 197, in syn. = *B. tenuifolia*.  
*trifolia*, Cham. & Schlecht. in Linnaea, v. (1830) 211. = *B. ilicina*.  
*trifurca*, Hort. ex Loud. Encyc. Pl. Suppl. ii. 1346 = *B. trifurca*.



**MAHUREA**, Aubl. Pl. Gui. i. 558. t. 222 (1775). *TERNSTROEMACEAE*, Benth. & Hook. f. i. 188. *BONNETIA*, Schreb. Gen. 363 (1789). *casiquiarensis*, Benth. in Journ. Linn. Soc. v. (1861) 64.—Bras. *extipulata*, Benth. in Hook. Lond. Journ. Bot. ii. (1843) 365.—Guian. *linguiformis*, Tul. in Ann. Sc. Nat. Sér. III. viii. (1847) 340.—Guian. *palustris*, Aubl. Pl. Gui. i. 558. t. 222.—Guian. *speciosa*, Choisy, in DC. Prod. i. 558.—Hab. ?

**MAIA**, Salisb. Gen. Pl. Fragm. 64 (1866) = **Maianthemum**, Weber (Liliac.). *bifolia*, Salisb. l. c. = *Maianthemum Convallaria*.

**MAIANTHEMUM**, [Weber, in] Wigg. Prim. Fl. Holsat. 14 (1780). *LILIACEAE*, Benth. & Hook. f. iii. 770. *BIFOLIUM*, Gaertn. Mey. & Scherb. Fl. Wett. i. 209 (1799).

*MAIA*, Salisb. Gen. Pl. Fragm. 64 (1866). *SCIOPHILA*, Wibel, Prim. Fl. Werth. 147 (1799). *STYRANDRA*, Rafin. Am. Monthly Mag. (1818) 266. *UNIFOLIUM*, Hall. Enum. Stirp. Helv. i. 288 (1742). *Bifolium*, [DC.] in Red. Lil. iv. t. 216. f. 2 = *M. Convallaria*. *canadense*, Desf. in Ann. Mus. Par. ix. (1807) 54 = *M. Convallaria*. *Convallaria*, [Weber, in] Wigg. Prim. Fl. Holsat. 15. —Reg. bor. temp. *cordifolium*, Moench, Meth. 638 = *M. Convallaria*. *racemosum*, Link, Enum. Hort. Berol. i. 343 = *Smilacina racemosa*. *stellatum*, Link, l. c. = *Smilacina stellata*. *umbellatum*, Link, l. c. = *Clintonia umbellata*.

**MAIETA**, Aubl. Pl. Gui. i. 443. t. 176 (1775). *MELASTOMACEAE*, Benth. & Hook. f. i. 767.

*HOSANGIA*, Neck. Elem. i. 225 (1790). *angustifolia*, Baill. Hist. Pl. vii. 35 = *Heterotrichum angustifolium*. *annulata*, Vent. Choix, 32 = *Marumia annulata*. *argentea*, Vent. l. c. 34, in adnot. = *Miconia squamulosa*. *dependens*, Baill. Hist. Pl. vii. 35 = *Clidemia dependens*. *dispar*, Miq. in Linnaea, xviii. (1844) 277 = *guianensis*. *guianensis*, Aubl. Pl. Gui. i. 443. t. 176.—Guian. *heterophylla*, DC. Prod. iii. 166.—Peruv. *hypophysca*, DC. l. c. = *guianensis*. *macrophylla*, Poepp. ex Triana, in Trans. Linn. Soc. xxviii. (1871) 148 = *Blakea hirsuta*. *pilosa*, Baill. Hist. Pl. vii. 19 (*Clidemia* sp.).—Am. trop. *Poeppigia*, Mart. ex Triana, in Trans. Linn. Soc. xxviii. (1871) 141.—Peruv. *rubra*, Baill. Hist. Pl. vii. 35 = *Clidemia rubra*. *scalpta*, Vent. Choix, 33 = *Ossaea scalpta*.

**MAILELOU**, Adans. Fam. ii. 200 (1763) = **Vitex**, Tourn. (Verben.).

**MAILLARDIA**, Frapp. & Duch. in Maill. Réunion, i. 148 (1863). *URTICACEAE*, Benth. & Hook. f. iii. 360. *borbonica*, Duch. in Maill. l. c.—Ins. Borbon. *lanceifolia*, Frapp. ex Duch. l. c. = *borbonica*.

**MAILLEA**, Parl. Pl. Nov. 31 (1842). *GRAMINEAE*, Benth. & Hook. f. iii. 1146. *crypsoides*, Boiss. Fl. Orient. v. 479.—Graecia; Sardin. *Urvillei*, Parl. Pl. Nov. 31.—Graecia.

**MAINEA**, Vell. Fl. Flum. 275 (1825); vii. t. 8 (1827) = **Trigonis**, Aubl. (Vochys.). *racemosa*, Vell. ll. cc. = *T. crotonoides*.

**MAINGAYA**, Oliver, in Trans. Linn. Soc. xxviii. (1873) 517. *HAMAMELIDEAE*. *malayana*, Oliver, l. c.—Malaya.

**MAIREANA**, Moq. Chenop. Enum. 95 (1840); et in Ann. Sc. Nat. Sér. II. xv. (1841) 97. t. 13 = **Kochia**, Roth (Chenop.). *stelligera*, F. Muell. Fragm. i. 139 = *K. stelligera*. *tomentosa*, Moq. Chenop. Enum. 97 = *K. villosa*.

**MAIRERIA**, Scop. Introd. 192 (1777) = **Maripa**, Anbl. (Convolv.).

**MAIRIA**, Nees, Gen. et Sp. Ast. 247 (1833). *COMPOSITAE*, Benth. & Hook. f. ii. 266. *ZYRPHELIS*, Cass. in Ann. Sc. Nat. Sér. I. xvii. (1829) 420. *Burchelli*, DC. Prod. v. 218.—Afr. austr. *corymbosa*, Harv. in Harv. & Sond. Pl. Cap. iii. 66.—Afr. austr. *crenata*, Nees, Gen. & Sp. Ast. 248.—Afr. austr. *Ecklonis*, Sond. in Harv. & Sond. Pl. Cap. iii. 66.—Afr. austr. *foliosa*, Harv. l. c.—Afr. austr. *hirsuta*, DC. Prod. v. 217.—Afr. austr. *lasiocarpa*, DC. l. c. 218.—Afr. austr. *lasiocarpa*, Drège, ex Harv. & Sond. Pl. Cap. iii. 65 = *taxifolia*. *microcephala*, DC. Prod. v. 218.—Afr. austr. *perezoides*, Nees, Gen. & Sp. Ast. 249.—Afr. austr. *pinifolia*, Sch. Bip. ex Walp. Rep. ii. 955 = *taxifolia*. *taxifolia*, DC. Prod. v. 218.—Afr. austr.

**MAIRRANIA**, Neck. Elem. i. 219 (1791) = **Arctostaphylos**, Adans. (Ericac.). *alpina*, Desv. Journ. Bot. i. (1813) 37 = *A. alpina*. *Uva-ursi*, Desv. l. c. = *A. Uva-ursi*.

**MAIS**, Adans. Fam. ii. 39 (1763) = **Zea**, Mich. (Gramin.).

**MAIZILLA**, Schlecht. in Bot. Zeit. viii. (1850) 601 = **Paspalum**, Linn. (Gramin.). *stolonifera*, Schlecht. l. c. 605 = *P. stoloniferum*.

**MAJA**, Klotzsch, in Schomb. Fauna et Fl. Guin. 1191 (1848) = **Cuphea**, P. Br. (Lythrar.). *hypericoides*, Klotzsch, l. c. = *C. mimuloides*.

**MAJA**, Wedd. Chlor. And. i. 228. t. 27 (1856) = **Pterygopappus**, Hook. f. (Compos.). *compacta*, Wedd. l. c. 229. t. 27 = *P. Laurencii*.

**MAJIDEA**, J. Kirk, ex Oliver, in Hook. Ic. Pl. t. 1097 (1871). *SAPINDACEAE*. *zanguebarica*, J. Kirk, l. c.—Afr. trop.

**MAJORANA**, [Tourn.] Rupp. Fl. Jen. ed. Hall. 235 (1745) = **Origanum**, Tourn. (Labiata). *aegyptiaca*, Kostel. Allg. Med.-Pharm. Fl. iii. 770 = *O. Maru*.

*crassa*, Moench, Meth. 406 = *O. Majorana*. *crassifolia*, Benth. Lab. Gen. et Sp. 339 = *O. Maru*.

*Dictamnus*, Kostel. Allg. Med.-Pharm. Fl. iii. 770 = *O. Dictamnus*.

*fragrans*, Rafin. Fl. Tellur. iii. 86 = *O. Majorana*. *hortensis*, Moench, Meth. 406 = *O. Majorana*.

*mexicana*, Mart. & Gal. in Bull. Acad. Brux. xi. II. (1844) 191 = *O. Majorana*?

*microphylla*, Benth. Lab. Gen. et Sp. 338 = *O. microphyllum*.

*neglecta*, Walp. Rep. iii. 697 = *O. hirtum*. *nervosa*, Benth. Lab. Gen. et Sp. 339 = *O. Maru*?

*Onites*, Benth. l. c. = *O. Onites*. *Oreja*, Walp. Rep. iii. 697 = *O. Orega*.

*ovalifolia*, Stokes, Bot. Mat. Med. iii. 350 = *O. Majorana*.

*ovatifolia*, Stokes, l. c. 351 = *O. Majorana*.

*paniculata*, Spenn. in T. Nees, Gen. Pl. Germ. Gamop. ii. n. 15 = *O. paniculatum*.

*scutellifolia*, Stokes, Bot. Mat. Med. iii. 349 = *O. Maru*.

*sipylea*, Kostel. Allg. Med. Pharm. Fl. iii. 770 = *O. sipyleum*.

*suffruticosa*, Rafin. Fl. Tellur. iii. 86 = *O. Majorana*?

*syriaca*, Kostel. Allg. Med. Pharm. Fl. iii. 769 = *O. Maru*.

*tenuifolia*, S. F. Gray, Nat. Arr. Brit. Pl. ii. 381 = *O. Majorana*.

*tenuifolia*, Rafin. Fl. Tellur. iii. 86 = *O. Majorana*?

*tomentosa*, Stokes, Bot. Mat. Med. iii. 348 = *O. Dictamnus*.

*turbinata*, Walp. Rep. iii. 697 = *O. turbinatum*. *uncinata*, Stokes, Bot. Mat. Med. iii. 353 = *O. Majorana*.

*vulgaris*, S. F. Gray, Nat. Arr. Brit. Pl. ii. 381 = *O. Majorana*.

**MALABAILA**, Hoffm. Gen. Umb. 125 (1814). *UMBELLIFERAE*, Benth. & Hook. f. i. 923.

*ANALYRIUM*, E. Mey. ex Baill. Hist. Pl. vii. 206 (1879).

*LEIOTULUS*, Ehrenb. in Linnaea, iv. (1829) 399.

*LOPHOTAENIA*, Griseb. Spicil. Fl. Rumel. i. 377 (1843).

*abyssinica*, Boiss. in Ann. Sc. Nat. Sér. III. i. (1844) 338.—Abyssin.

*atropurpurea*, Vatke, in Linnaea, xl. (1876) 189.—Abyssin.

*Aucherii*, Boiss. in Ann. Sc. Nat. Sér. III. i. (1844) 336.—Assyr.

*aurea*, Boiss. Fl. Orient. ii. 1053.—Graecia.

*brachytaenia*, Boiss. in Ann. Sc. Nat. Sér. III. i. (1844) 338.—Persia.

*carvifolia*, Boiss. & Bal. Diagn. Ser. II. vi. 85.—As. Min.

*dasyantha*, Fisch. & Mey. ex C. Koch, in Linnaea, xvi. (1842) 359 = *pimpinellifolia*.

*echinulata*, Boiss. & Bal. Diagn. Ser. II. v. 100 = *M. Sekakul*.

*graveolens*, Hoffm. Gen. Umb. 126.—Rossia; Reg. Caucas.

*hispidula*, Boiss. & Bal. ex Boiss. Fl. Orient. ii. 1056.—As. Min.

*involutrata*, Boiss. & Sprun. in Ann. Sc. Nat. Sér. III. i. (1844) 337.—Graecia.

*Kotschy*, Boiss. Diagn. Ser. I. x. 42.—Persia.

*lasiocarpa*, Boiss. in Ann. Sc. Nat. Sér. III. i. (1844) 337.—Kurdist.

*numidica*, Coss. in Bull. Soc. Bot. Fr. ix. (1862) 297.—Afr. bor.

*obtusifolia*, Boiss. Fl. Orient. ii. 1054.—As. Min.

*Opoponax*, Baill. Hist. Pl. vii. 186 = *Opoponax Chironium*.

*orientalis*, Benth. & Hook. f. Gen. i. 923 = *Opoponax hispidus*.

*pastinacaefolia*, Boiss. & Bal. Diagn. Ser. II. iv. 84.—Cappadoc.

*pimpinellifolia*, Hoffm. Gen. Umb. 126.—Reg. Caucas.

*pimpinellifolia*, Kotschy, ex Boiss. Fl. Orient. ii. 1055 = *Kotschy*.

*platyptera*, Boiss. in Ann. Sc. Nat. Sér. III. i. (1844) 336 = *M. Sekakul*.

*pumila*, Boiss. Fl. Orient. ii. 1058.—Aegypt.

*rectistyla*, Boiss. & Sprun. in Ann. Sc. Nat. Sér. III. i. (1844) 334 = *aurea*.

*Sekakul*, Boiss. Fl. Orient. ii. 1057.—As. Min.; Syria.

*suaveolens*, Coss. in Bull. Soc. Bot. Fr. xix. (1872) 82.—Aegypt.

*sulcata*, Boiss. Fl. Orient. ii. 1055.—Reg. Caucas.

**MALABAILA**, Tausch, in Flora, xvii. (1834) 356 = **Pleurosperrum**, Hoffm. (Umbell.).

*Golaka*, Walp. Rep. ii. 425 = *P. Golaka*.

*Hacquetii*, Tausch, in Flora, xvii. (1834) 356 = *P. Golaka*.

**MALABATHRIS**, Rafin. Sylva Tellur. 97 (1838) = **Otanthera**, Blume (Melastom.).

*cyanoides*, Rafin. l. c. = *O. moluccana*.

*nigra*, Rafin. l. c. = *praec.*?

**MALACARYA**, Rafin. in Am. Monthly Mag. (1819) 190 = **Thalia**, Linn. (Scitum.).

*dealbata*, Rafin. l. c. = *T. dealbata*.

**MALACHADENIA**, Lindl. Bot. Reg. (1839) Misc. 67 = **Bulbophyllum**, Thon. (Orchid.).

*clavata*, Lindl. l. c.; et Hook. Bot. Mag. t. 1334.—Bras.

**MALACHE**, B. Vog. in Trew, Pl. Select. 50. t. 90 (1772) = **Pavonia**, Cav. (Malvac.).

*scabra*, B. Vog. l. c. = *P. racemosa*!

**MALACHIUM**, Fries, Fl. Hall. 77 (1817) = **Stellaria**, Linn. (Caryoph.).

*aquaticum*, Fries, l. c. = *S. aquatica*.

*calycinum*, Willk. in Bot. Zeit. v. (1847) 239 = *Arenaria calycina*.

*coeruleum*, Jaub. & Spach, Illustr. iii. 41 = *Cerastium caeruleum*.

*erectum*, Gren. in Acad. Sc. Besang. Seances Publ. (1839) 186 = *Cerastium quaternellum*.

*manticum*, Reichb. Fl. Germ. Excurs. 795 = *C. manticum*.

*octandrum*, Gren. in Acad. Sc. Besang. Seances Publ. (1839) 186 = *Cerastium*.



MALACHOCHAETE, 'Nees,' ex Benth. & Hook. f. Gen. iii. 1051 (1883) = MALACOCHAETE, Nees = Scirpus, Tourn. (Cyperac.).

MALACHODENDRON, Mitch. in Act. Phys. Med. Acad. Nat. Cur. viii. (1748) App. 216 = *Stuartia*, Linn. (Ternstroem.).  
*corchoroides*, J. F. Gmel. Syst. 1069; Raeusch. Nom. ed. III. 201 = *Sida spinosa*.  
*monogynum*, Dum.-Cours. Bot. Cult. ed. II. v. 106 = *S. Malachodendron*.  
*ovatum*, Cav. Diss. v. 302 = *S. pentagyna*.  
*pentagynum*, Dum.-Cours. Bot. Cult. ed. II. v. 107 = *S. pentagyna*.

**MALACHRA**, Linn. Mant. i. 13 (1767). *MALVACEAE*, Benth. & Hook. f. i. 205.  
*alceaefolia*, Jacq. Coll. ii. 350; Ic. Pl. Rar. iii. t. 549 = *capitata*.

Berteri, *Spreng. Syst.* iii. 94. —Am. austr.  
bracteata, *Cav. Diss.* ii. t. 34. f. 2. —Am. austr.  
capitata, *Linn. Syst.* ed. XII. 458. —Cosmop. trop.  
ciliata, *Poir. Encyc. Suppl.* iii. 578 = *urens*.  
conglomerata, *Turcz. in Bull. Soc. Nat. Mosc.* xxxi. (1858) i. 205 = *capitata*.  
cordata, *Poir. Encyc. Suppl.* iii. 578. —Portorico.  
digitata, *Presl, Rel. Haenk.* ii. 126. —Mexic.  
fasciata, *Jacq. Coll.* ii. 352; *Ic. Pl. Rar.* iii. 11. t. 548. —Venezuela.

*Gaudichaudiana*, A. St. Hil. Fl. Bras. Mer. i. 218 = *radiata*.

helodes, *Mart. in Flora*, xxii. (1839) i. Beibl. 61. —Bras.  
heptaphylla, *Fisch. in Hornem. Hort. Hafn. Suppl.* 78. —Bras.

hispidula, *Guill. & Perr. Fl. Seneg. Tent.* i. 47. —Afr. trop.

horrida, *Miq. Fl. Ind. Bat.* i. ii. 149. —Ins. Timor.

humilis, *Benth. Bot. Voy. Sulph.* 70. —Ecuador.

Kegeliana, *Garcke, in Linnaea*, xxii. (1849) 52. —Bras.

lineariloba, *Turcz. in Bull. Soc. Nat. Mosc.* xxxi. (1858) i. 206. —Ins. Philipp.

mexicana, *Schrad. Cat. Gen. Hort. Gotting.* (1830). —Cf. *Linnaea*, vi. (1831) Litt. 73 = *capitata*.

officinalis, *Klotzsch, in Bot. Zeit.* iv. (1846) 107. —N. Granat.

ovata, *Presl, Rel. Haenk.* ii. 125 = *Pavonia sessiliflora*.

palmata, *Moench, Meth.* 615. —Ind. occ.

plumosa, *Desr. in Lam. Encyc.* iii. 686. —Bras.

radiata, *Linn. Syst.* ed. XII. 458. —Am. trop.

rosea, *Hoffm. Verz. Pfl. Nachtr.* ii. 154. —Hab. ?

rotundifolia, *Schrank, Pl. Rar. Hort. Monac.* t. 56 = *capitata*.

rudis, *Benth. Pl. Hartw.* 164. —Am. austr.

triloba, [Desf.] *Hort. Par. ex Poir. Encyc. Suppl.* iii. 578 = *palmata*.

trinervis, *Presl, Rel. Haenk.* ii. 126 = *Pavonia sessiliflora*.

Urena, *DC. Prod.* i. 441. —China.

urens, *Poit. in Schrad. Neues Journ.* ii. (1807) 293. —Ind. occ.

urticifolia, *Presl, Rel. Haenk.* ii. 126. —Mexic.

velutina, *Triana & Planch. in Ann. Sc. Nat. Sér. IV.* xvii. (1862) 182. —N. Grauat.

viminea, *Fisch. ex Steud. Nom.* ed. II. ii. 91. —Hab. ?

MALACION, St. Lag. in Ann. Soc. Bot. Lyon, viii. (1881) 183 = MALACHIUM, Fries, = *Stellaria*, Linn. (Caryoph.).

MALACMAEA, Griseb. in *Linnaea*, xiii. (1839) 248 = *Bunchosia*, Rich. & Juss. (Malpig.).

*fluminensis*, Griseb. l. c. = *B. fluminensis*.

MALACOCARPUS, Fisch. & Mey. Ind. Sem. Hort. Petrop. ix. 78. (1843) = *Peganum*, Linn. (Rutac.).

*crithmifolius*, Fisch. & Mey. l. c. 79 = *P. crithmifolium*.

MALACOCARPUS, Salm-Dyck, Cact. Hort. Dyck. ed. II. 24, 141 (1850) = *Echinocactus*, Link & Otto (Cact.).

*aciculatus*, Salm-Dyck, l. c. 25 = *E. aciculatus*.

*acutus*, Salm-Dyck, l. c. = *E. acutus*.

*corynodes*, Salm-Dyck, l. c. 25, 141 = *E. corynodes*.

*Courantii*, Salm-Dyck, l. c. 25, 142 = *E. Courantii*.

*erinaceus*, Lem. ex Foerst. Handb. Cact. ed. II. i. 455 = *E. erinaceus*.

*Martini*, Labour. ex Foerst. l. c. 454. —Hab. ?

*polyacanthus*, Salm-Dyck, Cact. Hort. Dyck. ed. II. 25 = *E. polyacanthus*.

*Sellowianus*, Salm-Dyck, l. c. 25, 142 = *E. Sellowii*.

MALACOCEPHALUS, Tausch, in *Flora*, xi. (1828) ii. 481 = *Centaurea*, Linn. (Compos.).  
*altaicus*, Tausch, l. c. = *C. salina*.  
*pinnatifidus*, Tausch, l. c. 482 = *Leuzea pinnatifida*.

MALACOCHAETE, Nees, in *Linnaea*, ix. (1834) 292 = *Scirpus*, Tourn. (Cyperac.).

*assimilis*, Cesati, in Atti Soc. Sc. Nap. v. (1873) n. vii. 17 = *S. riparius*.

*chilensis*, Nees & Meyen, ex Boeck. in *Linnaea*, xxxvi. (1869-70) 717 = *S. riparius*.

*corymbosa*, Arn. ex Boeck. l. c. 706 = *S. corymbosus*.

*Lehmanni*, Nees, ex Boeck. l. c. 716 = *S. littoralis*.

*littoralis*, Nees, l. c. ix. (1834) 292 = *S. littoralis*.

*oligostachya*, Phil. l. c. xxix. (1857-58) 78 = *S. riparius*.

*pectinata*, Nees, l. c. ix. (1834) 292 = *S. littoralis*.

*Pterolepis*, Nees, l. c.; et x. (1836) 184 = *S. Pterolepis*.

*riparia*, Nees & Meyen, l. c.; et in Nov. Act. Nat. Cur. xix. Suppl. i. (1843) 90 = *S. riparius*.

*sanguinolenta*, Nees & Meyen, ex Boeck. in *Linnaea*, xxxvi. (1869-70) 718 = *S. riparius*.

*Tatora*, Meyen, Reise, i. 483, 491, nomen; & in Nov. Act. Nat. Cur. xix. Suppl. i. (1843) 90 = *S. Tatora*.

MALACOIDES, Tourn. ex Adans. Fam. ii. 406 (1763) = *Malope*, Linn. (Malvac.).

MALACOMERIS, Nutt. in Trans. Am. Phil. Soc. N. S. vii. (1841) 435 = *Malacothrix*, DC. (Compos.).

*incanus*, Nutt. l. c. = *Malacothrix incana*.

**MALACOTHRIX**, DC. Prod. vii. 192 (1838). *COMPOSITAE*, Benth. & Hook. f. ii. 518.

*LEPTOSERIS*, Nutt. in Trans. Am. Phil. Soc. N. S. vii. (1841) 438.

*LEUCOSERIS*, Nutt. l. c. (1841) 439.

*MALACOMERIS*, Nutt. l. c. (1841) 435.

*altissima*, Greene, in Bull. Calif. Acad. i. iv. (1885) 195. —Calif.

*californica*, DC. Prod. vii. 192. —Calif.

*Clevelandi*, A. Gray, in Bot. Calif. i. 433. —Calif.

*commutata*, Torr. & Gray, Fl. N. Am. ii. 487 = *saxatilis*.

*Coulteri*, Harv. & Gray, ex A. Gray, in Mem. Am. Acad. N. S. iv. (1849) 113. —Calif.

*crepoides*, A. Gray, in Pacif. Rail. Rep. xii. ii. 53 = *Crepis virens*.

*Fendleri*, A. Gray, Pl. Wright. ii. 104. —Mexic.

*glabrata*, A. Gray, Syn. Fl. N. Am. i. ii. 422. —Am. bor. occ.

*incana*, Torr. & Gray, Fl. N. Am. ii. 486. —Calif.

*insularis*, Greene, in Bull. Calif. Acad. i. iv. (1885) 194. —Calif.

*obtusa*, Benth. Pl. Hartw. 321. —Calif.

*parviflora*, Benth. l. c. = *obtusa*.

*platyphylla*, A. Gray, in Proc. Am. Acad. ix. (1874) 214 = *Atrichoseris platyphylla*.

*saxatilis*, Torr. & Gray, Fl. N. Am. ii. 486. —Calif.

*sonchoides*, Torr. & Gray, l. c. —Am. bor. occ.

*sonchoides*, Torr. in Stansb. Exped. Utah, 392 = *Torreyi*.

*tenuifolia*, Torr. & Gray, Fl. N. Am. ii. 487 = *saxatilis*.

*Torreyi*, A. Gray, in Proc. Am. Acad. ix. (1874) 213. —Am. bor. occ.

*Xanti*, A. Gray, l. c. —Calif.

MALACOXYLUM, Jacq. Fragm. 31. t. 35 A (1800 ?) = *Zanthoxylum* ? Linn. (Rutac.).

*pinnatum*, Jacq. l. c. —Hab. ?

**MALAISSIA**, Blanco, Fl. Filip. ed. I. 789 (1837); ed. II. 543 (1845). *URTICACEAE*, Benth. & Hook. f. iii. 360.

*CATURUS*, Lour. Fl. Cochinch. 612 (1790).

*CEPHALOTROPHIS*, Blume, Mus. Bot. Lugd. Bat. ii. 75, t. 27 (1853).

*DUMARTROVA*, Gaudich. Bot. Voy. Bonite, t. 97 (1844-52).

*aculeata*, Blume, Mus. Bot. Lugd. Bat. ii. 76 = *tortuosa*.

*acuminata*, Planch. in Ann. Sc. Nat. Sér. IV. iii. (1855) 294 = *tortuosa*.

*Cunninghamii*, Planch. l. c. = *tortuosa*.

*puberula*, Bur. in DC. Prod. xvii. 222. —Sumatra.

*scandens*, Planch. in Ann. Sc. Nat. Sér. IV. iii. (1855) 293 = *tortuosa*.

*spinosa*, Blume, Mus. Bot. Lugd. Bat. ii. 76 = *tortuosa* ?

*tortuosa*, Blanco, Fl. Filip. ed. I. 789. —Malaya.

*viridescens*, Planch. in Ann. Sc. Nat. Sér. IV. iii. (1855) 293 = *tortuosa*.

**MALANEAE**, Aubl. Pl. Gui. i. 106. t. 41 (1775). *RUBIACEAE*, Benth. & Hook. f. ii. 103.

*CUNNINGHAMIA*, Schreb. Gen. 789 (1789).

*angustifolia*, Bartl. in Schomb. Fauna & Fl. Brit. Gui. 947, nomen (Quid. ?). —Guian.

*bahiensis*, Muell. Arg. in Flora, lviii. (1875) 453. —Bras.

*bifurcata*, Desr. in Lam. Encyc. iii. 688 = *Antirrhoea bifurcata*.

*citrifolia*, A. Rich. in Mém. Soc. Hist. Nat. Par. v. (1854) 203. —Ind. occ.

*dichotoma*, A. Rich. Fl. Cub. Faneog. ii. 22. —Cuba.

*dioica*, Thou. ex DC. Prod. iv. 460, in obs. = *Antirrhoea verticillata*.

*erecta*, Seem. Bot. Voy. Herald, 136. —Panama.

*evenosa*, Muell. Arg. in Flora, lviii. (1875) 453. —Bras.

*forsteronioides*, Muell. Arg. l. c. —Bras.

*gabrielensis*, Muell. l. c. —Bras.

*glabra*, A. Rich. in Mém. Soc. Hist. Nat. Par. v. (1834) 203. —Guian.

*glabrescens*, Bartl. in Schomb. Fauna & Fl. Brit. Gui. 947 = *sarmentosa*.

*lucida*, A. Rich. in Mém. Soc. Hist. Nat. Par. v. (1834) 203. —Ind. occ.

*macrophylla*, Bartl. in Schomb. Faun. & Fl. Brit. Gui. 947; Griseb. Fl. Brit. W. Ind. 337. —Ind. occ.

*Martiana*, Muell. Arg. in Flora, lviii. (1875) 453. —Bras.

*nitida*, Desr. in Lam. Encyc. iii. 688 (*Stenostomum nitidum*). —Ind. occ.

*panurensis*, Muell. Arg. in Flora, lviii. (1875) 453. —Bras.

*parviflora*, Muell. Arg. l. c. = *Chomelia parviflora*.

*ribesoides*, Muell. Arg. l. c. = *Chomelia ribesoides*.

*sarmentosa*, Aubl. Pl. Gui. i. 106. t. 41. —Ind. occ.; Guian.

*spicata*, Muell. Arg. in Mart. Fl. Bras. vi. v. 457. —Bras.

*verticillata*, Lam. Encyc. iii. 688 = *Danais fragrans*.

*verticillata*, Sieber, ex DC. Prod. iv. 361 = *Danais rotundifolia*.

**MALAPARIUS**, Miq. Fl. Ind. Bat. i. i. 1082 (1855) = *Pterocarpus* ? Linn. (Legumin.).

*flavus*, Miq. l. c. = *P. indicus* ?

**MALASMA**, Scop. Introd. 178 (1777), sphalm. = *Melasma*, Berg. (Scrophul.).

**MALASPINAEAE**, Presl, Reliq. Haenk. ii. 68. t. 61 (1830) = *Aegiceras*, Gaertn. (Myrsin.).

*laurifolia*, Presl, l. c. = *A. majus*.

**MALAXIS**, Soland. ex Sw. Prod. Veg. Ind. Occ. 119 (1778); et in Vet. Acad. Nya Handl. Stockh. xxi. (1800) 233, partim. *ORCHIDEAE*, Benth. & Hook. f. iii. 493.

*LIMNAS*, Ehrh. Beitr. iv. 146 (1789).

*acuminata*, D. Don, Prod. Fl. Nep. 29 = *Microstylis Wallichii*.

*affinis*, Blume, Bijdr. 392 = *Liparis affinis*.

*anceps*, Reichb. f. in Walp. Ann. vi. 214 = *Oberonia anceps*.

*angustifolia*, Blume, Bijdr. 393 = *Liparis caespitosa*.

*angustifolia*, Reichb. f. in Walp. Ann. vi. 213 = *Oberonia angustifolia*.

*anthropophora*, Reichb. f. l. c. 215 = *Oberonia anthropophora*.

*apophylla*, Reichb. f. l. c. 214 = *Oberonia apophylla*.

*atropurpurea*, Blume, Bijdr. 390 (= *Platystylis atropurpurea*). —Java.

*autumnalis*, Spreng. Pugill. ii. 81 = *Earina mucronata*.

*bicornis*, Reichb. f. in Walp. Ann. vi. 211 = *Oberonia bicornis*.

*brachystachya*, Reichb. f. l. c. = *Oberonia brachystachys*.

*brasiliensis*, Spreng. Syst. iii. 740. —Bras.

*brevifolia*, Reichb. f. in Walp. Ann. vi. 215 = *Oberonia brevifolia*.

*Brunoniana*, Reichb. f. l. c. 209 = *Oberonia Brunoniana*.

*caespitosa*, Thou. Orch. Iles Austr. Afr. t. 90 = *Liparis caespitosa*.

*caudata*, Willd. Sp. Pl. iv. 93 = *Brassia caudata*.

*caulescens*, Reichb. f. in Walp. Ann. vi. 215 = *Oberonia caulescens*.

*cernua*, Willd. Sp. Pl. iv. 93 = *Geodorum dilatatum*.

*cimicina*, Reichb. f. in Walp. Ann. vi. 216 = *Oberonia Griffithiana*.

*cochleariaefolia*, A. Rich. & Gal. in Ann. Sc. Nat. Sér. III. iii. (1845) 18 = *Microstylis ichtyorrhyncha*.

*compressa*, Blume, Bijdr. 390 = *Liparis compressa*.

*cordifolia*, Sm. in Rees, Cycl. xxii. n. 12 = *Liparis nepalensis*.

*Correanaea*, Bart. Fl. Philad. Prod. 86 = *Liparis Loeselii*.

*crenulata*, Blume, Bijdr. 393 = *Liparis crenulata*.



**MALAXIS:—**

- cylindrica*, Reichb. f. in Walp. Ann. vi. 208 = *Oberonia cylindrica*.  
*decurrens*, Blume, Bijdr. 390. t. 54 (= *Platystylis decurrens*).—Java.  
*demissa*, Reichb. f. in Walp. Ann. vi. 211 = *Oberonia demissa*.  
*denticulata*, Reichb. f. l. c. 208 = *Oberonia iridifolia*.  
*diphyllous*, Cham. & Schlecht. in Linnaea, iii. (1828) 34 = *Microstylis monophylla*.  
*disticha*, Thou. Orch. Iles Austr. Afr. t. 89 = *Liparis disticha*.  
*elliptica*, A. Rich. & Gal. in Ann. Sc. Nat. Sér. III. iii. (1845) 18 (sp. dub.).—Mexic.  
*ensiformis*, Sm. in Rees, Cycl. xxii. n. 14 = *Oberonia ensiformis*.  
*equitans*, Blume, Bijdr. 395 = *Oberonia spathulata*.  
*flavescens*, Thou. Orch. Iles Austr. Afr. t. 25 = *Liparis flavescens*.  
*forcipata*, Reichb. f. in Walp. Ann. vi. 208 = *Oberonia forcipata*.  
*Galeottiana*, A. Rich. & Gal. in Ann. Sc. Nat. Sér. III. iii. (1845) 18 = *Liparis elliptica*.  
*glandulosa*, Reichb. f. in Walp. Ann. vi. 215 = *Oberonia glandulosa*.  
*Griffithiana*, Reichb. f. l. c. 208 = *Oberonia Griffithiana*.  
*heliophila*, Reichb. f. *Otia Bot. Hamb.* 56.—Ins. Fiji et Samoa.  
*ichthyorrhynca*, A. Rich. & Gal. in Ann. Sc. Nat. Sér. III. iii. (1845) 18 = *Microstylis ichthyorrhyncha*.  
*imbricata*, Blume, Bijdr. 395 = *Oberonia imbricata*.  
*iridifolia*, Reichb. f. in Walp. Ann. vi. 208 = *Oberonia iridifolia*.  
*japonica*, Maxim. in Bull. Acad. Pétersb. xxii. (1877) 257.—Japan.  
*Jenkinsiana*, Reichb. f. in Walp. Ann. vi. 211 = *Oberonia Jenkinsiana*.  
*lancifolia*, Sm. in Rees, Cycl. xxii. n. 7 = *Liparis odorata*.  
*latifolia*, Blume, Bijdr. 393 = *Liparis latifolia*.  
*latifolia*, Sm. in Rees, Cycl. xxii. n. 3 = *Microstylis congesta*.  
*liliifolia*, Sw. in Vet. Akad. Nya Handl. Stockh. xxi. (1800) 235 = *Liparis liliifolia*.  
*Lindeniana*, A. Rich. & Gal. in Ann. Sc. Nat. Sér. III. iii. (1845) 18 = *Liparis elliptica*.  
*Lindleyana*, Reichb. f. in Walp. Ann. vi. 210 = *Oberonia Lindleyana*.  
*Lobbiana*, Reichb. f. l. c. 216 = *Oberonia Lobbiana*.  
*Loeselii*, Sw. in Vet. Akad. Nya Handl. Stockh. xxi. (1800) 235 = *Liparis Loeselii*.  
*longibracteata*, Reichb. f. in Walp. Ann. vi. 209 = *Oberonia longibracteata*.  
*longifolia*, Bart. Fl. Philad. ii. 142 = *Liparis Loeselii*.  
*lunata*, Blume, Bijdr. 394 = *Oberonia lunata*.  
*maianthemifolia*, A. Rich. & Gal. in Ann. Sc. Nat. Sér. III. iii. (1845) 18 = *Microstylis fastigiata*.  
*majanthemifolia*, Cham. & Schlecht. in Linnaea, vi. (1831) 59 = *Microstylis majanthemifolia*.  
*microphylla*, Blume, Bijdr. 395 = *Oberonia microphylla*.  
*miniata*, Reichb. f. in Walp. Ann. vi. 215 = *Oberonia miniata*.  
*minima*, Blume, Bijdr. 391 = *Liparis minima*.  
*monophyllous*, Sw. in Vet. Akad. Nya Handl. Stockh. xxi. (1800) 234 = *Microstylis monophylla*.  
*monstruosa*, Blume, Bijdr. 395 = *Oberonia monstruosa*.  
*montana*, Blume, Bijdr. 388 = *Liparis montana*.  
*monticola*, A. Rich. & Gal. in Ann. Sc. Nat. Sér. III. iii. (1845) 18 (sp. dub.).—Mexic.  
*mucronata*, Blume, Bijdr. 391 = *Liparis disticha*.  
*myodes*, Bernh. Syst. Verz. Erf. 315 = *Ophrys muscifera*.  
*Myosurus*, Par. & Reichb. f. in Trans. Linn. Soc. xxx. (1874) 154 = *Oberonia Myosurus*.  
*myriantha*, Reichb. f. in Walp. Ann. vi. 213 = *Oberonia myriantha*.  
*nervosa*, Sw. in Vet. Akad. Nya Handl. Stockh. xxi. (1800) 235 = *Liparis nervosa*.  
*Nidus-avis*, Bernh. Syst. Verz. Erf. 314 = *Neottia Nidus-avis*.  
*nutans*, Willd. Sp. Pl. iv. 93 = *Geodorum purpureum*.  
*obcordata*, Reichb. f. in Walp. Ann. vi. 216 = *Oberonia obcordata*.  
*oblongifolia*, A. Rich. & Gal. in Ann. Sc. Nat. Sér. III. iii. (1845) 18 (sp. dub.).—Mexic.  
*odorata*, Willd. Sp. Pl. iv. 91 = *Liparis odorata*.  
*ophioglossoides*, Muhl. ex Willd. Sp. Pl. iv. 90 = *Microstylis ophioglossoides*.

**MALAXIS:—**

- ovata*, Bernh. Syst. Verz. Erf. 315 = *Listera ovata*.  
*pachystachys*, Reichb. f. in Walp. Ann. vi. 214.—Ins. Pacif.  
*pallida*, Blume, Bijdr. 391.—Java.  
*palmicola*, F. Muell. Fragm. vii. 30 = *Oberonia palmicola*.  
*paludosa*, Sw. in Vet. Akad. Nya Handl. Stockh. xxi. (1800) 235. t. 3.—Europ.; As. bor.  
*Parthoni*, Morr. in Bull. Acad. Roy. Brux. (1839) 485 = *Microstylis histionantha*.  
*parviflora*, Blume, Bijdr. 392 = *Liparis parviflora*.  
*platycaulon*, Reichb. f. in Walp. Ann. vi. 209 = *Oberonia platycaulon*.  
*plicata*, Roxb. Hort. Beng. 63; Fl. Ind. iii. 456 = *Microstylis congesta*.  
*Pumilio*, Reichb. f. in Walp. Ann. vi. 216.—Java.  
*purpurascens*, Thou. Orch. Iles Austr. Afr. tt. 26, 27 = *Liparis purpurascens*.  
*pyrulifera*, Reichb. f. in Walp. Ann. vi. 211 = *Oberonia pyrulifera*.  
*Querci*, De Vriese, Ic. 238; ex Lindl. Folia Orch. *Oberonia*, 8.—Hab.?  
*recurva*, Reichb. f. in Walp. Ann. vi. 212 = *Oberonia recurva*.  
*Rheedii*, Blume, Bijdr. 389 = *Liparis Rheedii*.  
*Rheedii*, Heyne, ex Wall. Cat. sub n. 1939 = *Microstylis versicolor*, Lindl.  
*Rheedii*, Sw. in Vet. Akad. Nya Handl. Stockh. xxi. (1800) 235 = *Microstylis Rheedii*.  
*rufilabris*, Reichb. f. in Walp. Ann. vi. 213 = *Oberonia rufilabris*.  
*Scyllae*, Reichb. f. l. c. 213 = *Oberonia Scyllae*.  
*setifera*, Reichb. f. l. c. 210 = *Oberonia recurva*.  
*sikkimensis*, Reichb. f. l. c. 212 = *Oberonia myriantha*.  
*similis*, Blume, Bijdr. 394 = *Oberonia similis*.  
*spathulata*, Reichb. f. in Walp. Ann. vi. 215 = *Oberonia spathulata*.  
*spicata*, Sw. Prod. Veg. Ind. Occ. 118 = *Microstylis spicata*.  
*spiralis*, Reichb. f. in Walp. Ann. vi. 215 = *Oberonia spiralis*.  
*subulata*, Labill. Nov. Holl. Pl. ii. 62. t. 212 = *Cryptostylis longifolia*.  
*tahitensis*, Reichb. f. in Walp. Ann. vi. 208 = *Oberonia tahitensis*.  
*tenuis*, Reichb. f. l. c. 211 = *Oberonia tenuis*.  
*Thisbe*, Reichb. f. l. c. 213 = *Oberonia Thisbe*.  
*thlasiformis*, A. Rich. & Gal. in Ann. Sc. Nat. Sér. III. iii. (1845) 18 (sp. dub.).—Mexic.  
*Titania*, Reichb. f. in Walp. Ann. vi. 216.—Ins. Norfolk.  
*tradesantifolia*, Blume, Bijdr. 389 = *Liparis tradesantifolia*.  
*truncata*, Reichb. f. in Walp. Ann. vi. 210 = *Oberonia truncata*.  
*umbellata*, Steud. Nom. ed. II. ii. 144, in syn. = seq.  
*umbelliflora*, Sw. Prod. Veg. Ind. Occ. 119 = *Microstylis umbellulata*.  
*umbellulata*, Sw. Fl. Ind. Occ. iii. 1995 = praec.  
*unifolia*, Michx. Fl. Bor. Am. ii. 157 = *Microstylis ophioglossoides*.  
*verticillata*, Reichb. f. in Walp. Ann. vi. 210 = *Oberonia verticillata*.  
*Vieillardii*, Reichb. f. in Linnaea, xli. (1877) 98.—N. Caled.  
*viridiflora*, Blume, Bijdr. 392 = *Liparis viridiflora*.  
*Wightiana*, Reichb. f. in Walp. Ann. vi. 212 = *Oberonia Wightiana*.

**MALBRANCIA**, Neck. Elem. ii. 366 (1790) = *Rourea*, Aubl. (Connar.).

**MALCHOMIA**, Sang. in Atti Acc. Pont. Lincei, Ser. I. xv. (1862) 36, 185 = seq.

**MALCOLMIA**, Spreng. Anleit. ii. ii. 716 (1818) = seq.

**MALCOMIA**, [R. Br. in] Ait. Hort. Kew. ed. II. iv. 121 (1812). *CRUCIFERAE*, Benth. & Hook. f. i. 77.

*EREMOBIMUM*, Boiss. Fl. Orient. i. 156 (1867).  
*KLUKIA*, Andr. ex DC. Syst. ii. 459 (1821).  
*STRIGOSELLA*, Boiss. Diagn. Ser. II. iv. 22 (1859).  
*WILCKIA*, Scop. Introd. 317 (1777).  
*aculeolata*, Boiss. Fl. Orient. i. 226.—Arab.; Persia; Beluch.

**MALCOMIA:—**

- aegyptiaca*, Spreng. Syst. ii. 898.—Aegypt.  
*africana*, [R. Br. in] Ait. Hort. Kew. ed. II. iv. 121.—Europ. austr.; Oriens.  
*alyssoideus*, DC. Syst. ii. 444 = *littorea*.  
*angulifolia*, Boiss. & Orph. Diagn. Ser. II. v. 19 = *cymbalaria*.  
*arenaria*, DC. Syst. ii. 442.—Afr. bor.  
*bicolor*, Boiss. & Heldr. Diagn. Ser. I. vi. 10.—Graecia.  
*biloba*, Pomel, Nouv. Mat. Fl. Atl. 229.—Alger.  
*binervis*, Boiss. in Ann. Sc. Nat. Sér. II. xvii. (1842) 71 = *nana*.  
*brevipes*, Boiss. Fl. Orient. i. 226.—Persia; Turkest.  
*Broussonetii*, DC. Syst. ii. 445 = *littorea*.  
*Bungei*, Boiss. Fl. Orient. i. 226.—Afghan.; Turkest.  
*cabulica*, Hook. f. & Thoms. in Journ. Linn. Soc. v. (1861) 156.—Afghan.  
*chia*, DC. Syst. ii. 440.—Reg. Mediterr. or.  
*circinata*, Hook. f. & Thoms. in Journ. Linn. Soc. v. (1861) 155 = *Bungei*.  
*circinnata*, Boiss. Fl. Orient. i. 227.—Turkest.  
*confusa*, Boiss. Fl. Orient. i. 221 = *nana*.  
*conringioides*, Boiss. l. c. 230 = *exacoides*.  
*contortuplicata*, Boiss. l. c. 224.—Reg. Caucas.  
*crenulata*, Boiss. l. c. 229.—Syria.  
*cymbalaria*, Heldr. & Sart. ex Boiss. l. c. 227.—Graecia.  
*divaricata*, Fisch. ex Fisch. & Mey. Ind. Sem. Hort. Petrop. i. 33 = *africana*.  
*erosa*, DC. Syst. ii. 446.—Baecotia.  
*exacoides*, Spreng. Syst. ii. 899.—Syria.  
*flexuosa*, Sibth. & Sm. Fl. Graec. t. 634.—Graecia.  
*graeca*, Boiss. & Sprun. Diagn. Ser. I. i. 71.—Graecia.  
*incrassata*, DC. Syst. ii. 441 = *flexuosa*.  
*intermedia*, C. A. Mey. Verz. Pfl. Cauc. 186 = *africana*.  
*lacera*, DC. Syst. ii. 445.—Hispan.; Marocce.  
*laxa*, DC. l. c. 440.—Sibir.  
*Ledebourii*, Boiss. Fl. Orient. i. 224.—Reg. Caucas.  
*littorea*, [R. Br. in] Ait. Hort. Kew. ed. II. iv. 121.—Reg. Mediterr. occ.  
*lyrata*, Bory & Chaub. Fl. Pélop. 43, partim; ex Boiss. Diagn. Ser. I. vi. 11 = *graeca*.  
*lyrata*, DC. Syst. ii. 443.—Ins. Cyprus.  
*maritima*, [R. Br. in] Ait. Hort. Kew. ed. II. iv. 121.—Reg. Mediterr.  
*Meyeri*, Boiss. in Ann. Sc. Nat. Sér. II. xvii. (1842) 71.—Reg. Caucas.  
*mongolica*, Maxim. in Bull. Acad. Pétersb. xxvi. (1880) 422.—Mongolia.  
*multicaulis*, Pomel, Nouv. Mat. Fl. Atl. 371.—Alger.  
*nana*, Boiss. Fl. Orient. i. 222.—Reg. Mediterr. et Casp.  
*Orsiniana*, Tenore, Fl. Nap. v. 67.—Europ.  
*parviflora*, DC. Syst. ii. 442.—Europ. austr.  
*patula*, DC. l. c. 444.—Hispan.  
*pulchella*, Boiss. in Ann. Sc. Nat. Sér. II. xvii. (1842) 70.—Syria.  
*pygmaea*, Boiss. Fl. Orient. i. 222.—Aegypt; Persia.  
*runcinata*, C. A. Mey. Verz. Pfl. Cauc. 186.—Reg. Casp.; Persia.  
*runcinata*, Spreng. ex Steud. Nom. ed. I. 402, in syn. = *Hesperis matronalis*.  
*scorpioides*, Boiss. Fl. Orient. i. 225.—Persia; Turkest.  
*stenopetala*, Bernh. ex Ledeb. Fl. Ross. i. 170 = *africana*.  
*stricta*, Cambess. in Jacquem. Voy. Bot. 16 = *Sisymbrium strictum*, Hook. f. & Thoms.  
*strigosa*, Boiss. in Ann. Sc. Nat. Sér. II. xvii. (1842) 70.—Persia; Afghan.  
*taraxacifolia*, DC. Syst. ii. 439 = *runcinata*.  
*torulosa*, Boiss. Fl. Orient. i. 225.—Afr. bor.; Oriens.  
*trichocarpa*, Boiss. ex Baker, in Nouv. Mém. Soc. Nat. Mosc. xii. (1860) 21 = *africana*.  
*triloba*, Spreng. Syst. ii. 899.—Reg. Mediterr.  
*veluchensis*, Boiss. & Heldr. Diagn. Ser. II. vi. 10 = *bicolor*.  
*versicolor*, Pomel, Nouv. Mat. Fl. Atl. 228.—Alger.

**MALESHERBIA**, Ruiz & Pav. Prod. 45 (1794)

*PASSIFLOREAE*, Benth. & Hook. f. i. 809.  
*coerulea*, Steud. Nom. ed. II. ii. 92 = *Gynopleura caerulea*.  
*coronata*, D. Don, in Edinb. N. Phil. Journ. (1831-32) 112 = *Gynopleura coronata*.  
*deserticola*, Phil. Fl. Atl. 18.—Casp.  
*dilatata*, Phil. f. Cat. Pl. Vasc. Cal. 81, in part.  
*humilis*.



**MALESHERBIA** :—

- fasciculata*, D. Don, in Edinb. N. Phil. Journ. (1831–32) 206 = *Gynopleura fasciculata*.  
*humilis*, D. Don, l. c. 111 = *Gynopleura humilis*.  
*lactea*, Phil. Fl. Atac. 18.—Chili.  
*linearifolia*, Poir. Encyc. Suppl. iii. 581 = *Gynopleura linearifolia*.  
*Lirana*, C. Gay, Fl. Chil. ii. 422.—Chili.  
*oblongifolia*, Phil. in Anal. Univ. Chil. (1865) II. 347.—Chili.  
*ovata*, Phil. Fl. Atac. 18.—Chili.  
*paniculata*, D. Don, in Edinb. N. Phil. Journ. (1827) 321 = *Gynopleura paniculata*.  
*propinqua*, C. Gay, Fl. Chil. ii. 423.—Chili.  
*rugosa*, C. Gay, l. c.—Chili.  
*solanoides*, Meyen, Reise, i. 402 = *Gynopleura solanoides*.  
*subalpina*, Poepp. ex M. Roem. Syn. Pepon. 210 = *Gynopleura linearifolia*.  
*tenuifolia*, D. Don, in Edin. N. Phil. Journ. (Apr.–Oct. 1832) 244.—Peruv.  
*thyrsiflora*, Ruiz & Pav. Prod. 45; Fl. Per. iii. 30.—Peruv.; Chili.  
*thyrsoides*, Bert. ex Steud. Nom. ed. II. ii. 92 = *Gynopleura fasciculata*.

**MALICOPE**, Vitm. Summa Veg. ii. 442 (1789) sphalm. = **Melicope**, Forst. (Rutac.).

**MALIDRA**, Rafin. Sylva Tellur. 107 (1838) = **Eugenia**, Mich. (Myrtac.).  
*aquea*, Rafin. l. c. = *E. aquea*.

**MALIGA**, Rafin. Fl. Tellur. ii. 19 (1836) = **Allium**, Tourn. (Liliac.).  
*fastigiata*, Rafin. l. c.—Hab.?  
*gracilis*, Rafin. l. c. = *Nothoscordum fragrans*.  
*laxa*, Rafin. l. c. = *A. angulosum*.

**MALINVAUDIA**, Fourn. in Mart. Fl. Bras. vi. iv. 312 (1885). **ASCLEPIADEAE**.  
*capillacea*, Fourn. l. c. 313.—Bras.

**MALLEA**, A. Juss. in Mém. Mus. Par. xix. (1830) 221 = **Cipadessa**, Blume (Meliac.).  
*integerrima*, Wall. ex Voigt, Hort. Suburb. Calc. 134 = *C. fruticosa*.  
*Rothii*, A. Juss. in Mém. Mus. Par. xix. (1830) 221 = *C. fruticosa*.  
*subscandens*, Teijsm. & Binn. in Tijdschr. Nederl. Ind. xxv. (1863) 422 = *C. fruticosa*.

**MALLINGTONIA**, Willd. Sp. Pl. iii. 382 (1800) sphalm. = **Millingtonia**, Linn. f. (Bignon.).

**MALLOCOCCA**, Forst. Char. Gen. 77. t. 39 (1776) = **Grewia**, Linn. (Tiliac.).  
*crenata*, Blanco, Fl. Filip. ed. I. 442 = *G. umbellata*.  
*crenata*, Forst. Char. Gen. 78 = *G. Mallococca*.  
*parva*, Blanco, Fl. Filip. ed. I. 443 = *G. laevigata*.

**MALLOGONUM**, Reichb. Handb. 236 (1837) = **Psammotropha**, Eckl. (Ficoid.).

**MALLOPHORA**, Endl. in Ann. Wien. Mus. ii. (1838) 206. **VERBENACEAE**, Benth. & Hook. f. ii. 139.  
*LACHNOCEPHALUS*, Turcz. in Bull. Soc. Nat. Mosc. xxii. (1849) II. 36.  
*corymbosa*, Endl. in Ann. Wien. Mus. ii. (1838) 207.—Austral.  
*globifera*, Endl. l. c. 206.—Austral.

**MALLOSTOMA**, Karst. Fl. Columb. ii. 9. t. 105 (1862). **RUBIACEAE**, Benth. & Hook. f. ii. 60.  
*ARCTOPHYLLUM*, [Willd.] Schult. Mant. iii. 5 (1827).  
*PSEUDORHACHICALLIS*, Karst. Fl. Columb. ii. 10 (1862).  
*acerosum*, Hemsl. Biol. Centr. Am. Bot. ii. 31 = *Houstonia acerosa*.  
*cachirensis*, Karst. Fl. Columb. ii. 9. t. 105.—N. Granat.  
*caracasana*, Benth. & Hook. f. Gen. ii. 60.—N. Granat.  
*confertum*, Benth. & Hook. f. l. c.—Peruv.  
*filiforme*, Benth. & Hook. f. l. c.—Peruv.  
*hyssopifolium*, Benth. & Hook. f. l. c. 61.—Chili.  
*juniperifolium*, Benth. & Hook. f. l. c.—Peruv.  
*laricifolium*, Benth. & Hook. f. l. c.—Chili.  
*nitidum*, Benth. & Hook. f. l. c. 60.—N. Granat.  
*setosum*, Benth. & Hook. f. l. c. 61.—Peruv.  
*thymifolium*, Benth. & Hook. f. l. c.—Peruv.

**MALLOTOPUS**, Franch. & Sav. Enum. Pl. Jap. ii. 394 (1879). **COMPOSITAE**.  
*japonicus*, Franch. & Sav. l. c.—Japon.

**MALLOTUS**, Lour. Fl. Cochinch. 635 (1790). **EUPHORBIACEAE**, Benth. & Hook. f. iii. 319.

*ADISCA*, Blume, Bijdr. 609 (1825).  
*AXENFELDIA*, Baill. Etud. Gén. Euph. 419 (1858).  
*BLUMEODENDRON*, Kurz, in Journ. As. Soc. Beng. xlii. (1873) II. 245.  
*BOUTONIA*, Boj. Hort. Maurit. 282 (1837).  
*CORDEMOYA*, Baill. Adansonia, i. (1860–61) 255.  
*DIPLOCHLAMYS*, Muell. Arg. in Flora, xlvii. (1864) 539.  
*ECHINOCROTON*, F. Muell. Fragm. i. 31 (1858).  
*ECHINUS*, Lour. Fl. Cochinch. 633 (1790).  
*HANCEA*, Seem. Bot. Voy. Herald, 409. t. 96 (1857).  
*LASIPANA*, Rafin. Sylva Tellur. 21 (1858).  
*MELANOLEPIS*, Reichb. & Zoll. in Verh. Naturk. Ver. Nederl. Ind. i. (1856) 22; et in Linnaea, xxviii. (1856) 324.  
*PLAGIANTHERA*, Reichb. & Zoll. II. cc. 19; 321 (1856).  
*ROTTLERA*, Roxb. Pl. Corom. ii. 36. t. 168 (1798).  
*STYLANTHUS*, Reichb. & Zoll. in Linnaea, xxviii. (1856) 312.  
*acuminatus*, Muell. Arg. in Linnaea, xxxiv. (1865–66) 117.—Burma; Malaya.  
*albus*, Muell. Arg. l. c. 188.—Reg. Himal.  
*amentiformis*, Muell. Arg. in Flora, xlvii. (1864) 468 = *floribundus*.  
*angulatus*, Muell. Arg. in DC. Prod. xv. II. 958.—Sumatra.  
*angustifolius*, Benth. Fl. Austral. vi. 141.—Austral.  
*apelta*, Muell. Arg. in Linnaea, xxxiv. (1865–66) 189.—China.  
*atrovirens*, Muell. Arg. l. c. 195.—Ind. or.  
*aureo-punctatus*, Muell. Arg. in DC. Prod. xv. II. 973 = *Lawii*.  
*Baillonianus*, Muell. Arg. in Linnaea, xxxiv. (1865–66) 186.—Madag.  
*barbatus*, Muell. Arg. l. c. 184.—Ind. or.; Burma; Malaya.  
*Blumeanus*, Muell. Arg. l. c. 195.—Java.  
*borneensis*, Muell. Arg. in DC. Prod. xv. II. 980.—Borneo.  
*calcosus*, Muell. Arg. l. c. 958.—Ins. Amboina.  
*capensis*, Muell. Arg. in Linnaea, xxxiv. (1865–66) 189.—Afr. austr.  
*chinensis*, Lour. Fl. Cochinch. 635 = *cochinchinensis*.  
*claoxyloides*, Muell. Arg. in Linnaea, xxxiv. (1865–66) 192.—Afr. austr.  
*cochinchinensis*, Lour. Fl. Cochinch. 635.—Burma; China; Malaya.  
*contubernalis*, Hance, in Journ. Bot. xx. (1882) 293.—China.  
*Cumingii*, Muell. Arg. in Linnaea, xxxiv. (1865–66) 195.—Ins. Philipp.  
*Dallachyi*, F. Muell. Fragm. vi. 184 = *Macaranga Dallachyi*.  
*decipiens*, Muell. Arg. in Linnaea, xxxiv. (1865–66) 194.—Burma.  
*diadenus*, Muell. Arg. in DC. Prod. xv. II. 959.—Sumatra.  
*discolor*, F. Muell. ex Benth. Fl. Austral. vi. 143.—Austral.  
*dispar*, Muell. Arg. in DC. Prod. xv. II. 971.—Java.  
*distans*, Muell. Arg. in Linnaea, xxxiv. (1865–66) 194.—Ind. or.  
*eriocarpoides*, Muell. Arg. l. c. 185 = *Wallichianus*.  
*eriocarpus*, Muell. Arg. l. c.—Zeylan.  
*ferrugineus*, Muell. Arg. in DC. Prod. xv. II. 982.—Ind. or.  
*floribundus*, Muell. Arg. in Flora, xlvii. (1864) 469.—Burma; Malaya.  
*Furetianus*, Muell. Arg. in Linnaea, xxxiv. (1865–66) 190.—China.  
*fuscescens*, Muell. Arg. l. c. 195.—Zeylan.  
*glaberrimus*, Muell. Arg. l. c. 192.—Java.  
*Helferi*, Muell. Arg. l. c. 190.—Burma; Malaya.  
*Hookerianus*, Muell. Arg. l. c. 193.—Ins. Hongkong.  
*inamoenus*, F. Muell. ex Benth. Fl. Austral. vi. 146 = *Macaranga inamoena*.  
*insignis*, Muell. Arg. in Linnaea, xxxiv. (1865–66) 193.—Singapore.  
*integrifolius*, Muell. Arg. l. c. 186.—Ins. Borbon.  
*japonicus*, Muell. Arg. l. c. 189 = *Rottlera japonica*.

**MALLOTUS** :—

*Korthalsii*, Muell. Arg. in DC. Prod. xv. II. 976.—Borneo.  
*Lambertianus*, Muell. Arg. in Linnaea, xxxiv. (1865–66) 190.—Ins. Molucc.  
*lappaceus*, Muell. Arg. in DC. Prod. xv. II. 957 = *Coelodiscus lappaceus*.  
*Lawii*, Muell. Arg. in Linnaea, xxxiv. (1865–66) 192.—Ind. or.  
*leucocalyx*, Muell. Arg. in DC. Prod. xv. II. 970.—Ins. Philipp.  
*longifolius*, Muell. Arg. l. c. 967.—Sumatra.  
*longipes*, Muell. Arg. in Linnaea, xxxiv. (1865–66) 193 = *Coelodiscus hirsutulus*.  
*macrostachyus*, Muell. Arg. in DC. Prod. xv. II. 963.—Malaya.  
*Melleri*, Muell. Arg. in Flora, xlvii. (1864) 468.—Afr. trop.  
*micrantha*, Muell. Arg. in Linnaea, xxxiv. (1865–66) 191 = *rhamnifolius*.  
*moluccanus*, Muell. Arg. l. c. 185.—Ins. Philipp.  
*Moritzianus*, Muell. Arg. in DC. Prod. xv. II. 971.—Java.  
*muricatus*, Muell. Arg. in Linnaea, xxxiv. (1865–66) 191.—Ind. or.  
*nepalensis*, Muell. Arg. l. c. 188.—Reg. Himal.  
*nesophilus*, Muell. Arg. l. c. 196.—Austral.  
*nitidus*, Muell. Arg. in DC. Prod. xv. II. 979 = *Cleidion nitidum*.  
*oblongifolius*, Muell. Arg. in Linnaea, xxxiv. (1865–66) 192.—Java.  
*oppositifolius*, Muell. Arg. l. c. 194.—Afr. trop.  
*oreophilus*, Muell. Arg. l. c. 188 = *nepalensis*.  
*paniculatus*, Muell. Arg. l. c. 189 = *cochinchinensis*.  
*peltatus*, Muell. Arg. l. c. 187.—Ind. or.  
*penangensis*, Muell. Arg. l. c. 186.—Malaya.  
*philippinensis*, Muell. Arg. l. c. 196.—As. et Austral. trop.  
*polyadenos*, F. Muell. Fragm. vi. 184.—Austral.  
*Porterianus*, Muell. Arg. in Linnaea, xxxiv. (1865–66) 115.—Ins. Penang.  
*psycnostachyus*, F. Muell. Fragm. iv. 138 = *ricinoides*.  
*repandus*, Muell. Arg. in Linnaea, xxxiv. (1865–66) 197.—As. trop.; N. Caled.  
*rhamnifolius*, Muell. Arg. l. c. 196.—Ind. or.  
*ricinoides*, Muell. Arg. l. c. 187.—Burma; China; Malaya.  
*Roxburghianus*, Muell. Arg. l. c. 186.—Reg. Himal.; Burma.  
*rufidulus*, Muell. Arg. in DC. Prod. xv. II. 970.—Sumatra.  
*scabrifolius*, Muell. Arg. l. c. 699, sphalm. = *repandus*.  
*scandens*, Muell. Arg. l. c. 982.—Ins. Timor.  
*sphaerocarpus*, Muell. Arg. l. c. 976.—Sumatra.  
*stenanthus*, Muell. Arg. in Linnaea, xxxiv. (1865–66) 191.—Ind. or.  
*stipulatus*, Muell. Arg. l. c. 192.—Java.  
*stylaris*, Muell. Arg. in DC. Prod. xv. II. 973.—Borneo.  
*subpeltatus*, Muell. Arg. in Linnaea, xxxiv. (1865–66) 189.—Malaya.  
*subulatus*, Muell. Arg. l. c. 192.—Afr. trop.  
*tetracoccus*, Kurz, in Journ. As. Soc. Beng. xli. (1873) II. 245 = *albus*.  
*tiliaefolia*, Muell. Arg. in Linnaea, xxxiv. (1865–66) 190.—Java.  
*Tokbrai*, Muell. Arg. in DC. Prod. xv. II. 956.—Java.  
*Wallichianus*, Muell. Arg. in Linnaea, xxxiv. (1865–66) 196.—Burma.  
*zeylanicus*, Muell. Arg. l. c. 195 = *rhamnifolius*.  
*Zippellii*, F. Muell. Fragm. iv. 139 = *ricinoides*.  
*Zollingeri*, Muell. Arg. in Linnaea, xxxiv. (1865–66) 193.—Java.

**MALNAREGAM**, Adans. Fam. ii. 344 (1763) = **Atalantia**, Correa (Rutac.).

**MALNEREGA**, Rafin. Sylva Tellur. 143 (1838) = **Atalantia**, Correa (Rutac.).  
*malabarica*, Rafin. l. c. = *A. monophylla*.

**MALOCCHIA**, Savi, in Nuov. Giorn. Pisa, viii. (1824) 113 = **Canavalia**, Adans. (Legumin.).  
*ensifolmis*, Savi, l. c. = *C. ensiformis*.  
*gladiata*, Savi, l. c. 116 = *C. ensiformis*.

**MALOCOPSIS**, Walp. Ann. i. 104 (1848) = **MALVEOPSIS**, Presl = **Sphaeralcea**, A. St. Hil. (Malvac.).



**MALOPE**, Linn. Syst. ed. I (1735). *MALVACEAE*, Benth. & Hook. f. i. 200.

*MALACOIDES*, Tourn. ex Adans. Fam. ii. 400 (1763). *althaeoides*, Moris, in Reichb. Fl. Germ. Excurs. 873 = *malacoides*.

*asterotricha*, *Pomel, Nouv. Mat. Fl. Atl.* 346.—Alger.

*ciliata*, F. G. Dietr. in Neue Bot. Gart. Journ. i. 126 = trifida.

*grandiflora*, F. G. Dietr. Vollst. Lexik. Gaertn. II. Nachtr. v. 403; C. A. Mey. ex Fisch. Mey. & Avé-Lall. Ind. Sem. Hort. Petrop. xi. 75 = trifida.

*hispida*, Boiss. Diagn. Ser. II. i. 100.—Alger.

*indica*, Wight, Ic. iii. iv. 1, textu lapsu = *Melicope indica*.

*laevigata*, *Pomel, Nouv. Mat. Fl. Atl.* 347.—Alger.

*lutea*, *Rafin. Atl. Journ.* 147.—Hab.?

*malacoides*, Linn. *Sp. Pl.* 692.—Europ. austr.; As. Min. *malacoides*, Walt. Fl. Carol. 176 = *Malvastrum tricuspidatum*?

*multiflora*, *Tyguier in Cav. Diss.* ii. 85.—Hispan.

*parviflora*, L'Hérit. Stirp. Nov. 105. t. 50 = *Palavia malvaefolia*.

*rotundifolia*, C. C. Gmel. Hort. Carlsr. ex Steud. Nom. ed. I. 505.—Hab.?

*stellipilis*, Boiss. & Reut. Diagn. Ser. II. i. 101.—Hispan.

*stipulacea*, Cav. in Anal. Cienc. Nat. iii. (1801) 74 = *malacoides*.

*trifida*, Cav. Diss. ii. 85. t. 27. f. 2.—Hispan.; Afr. bor. tripartita, Boiss. & Reut. Diagn. Ser. II. i. 101.—Alger.

**MALORTIEA**, H. Wendl. in Otto & Dietr. Allg. Gartenz. xxi. (1853) 25; 145. *PALMAE*, Benth. & Hook. f. iii. 906.

*gracilis*, H. Wendl. in Otto & Dietr. Allg. Gartenz. xxi. (1853) 26; 146.—Costa Rica.

*intermedia*, H. Wendl. in Kerch. Palm. 250, nomen.—Hab.?

*lacerata*, Hort. ex H. Wendl. l. c.—Hab.?

*latiseeta*, H. Wendl. in Otto & Dietr. Allg. Gartenz. xxi. (1853) 146.—Guatemala.

*simplex*, H. Wendl. in Bot. Zeit. xvii. (1859) 5.—Costa Rica.

*speciosa*, Hort. ex H. Wendl. in Kerch. Palm. 250, nomen.—Hab.?

**MALOSMA**, Engl. in DC. Monog. Phan. iv. 893 (1883) = *Rhus*, Tourn. (Anacard.).

*laurina*, Engl. l. c. = *R. laurina*.

**MALOUETIA**, A. DC. in DC. Prod. viii. 378 (1844) *APOCYNACEAE*, Benth. & Hook. f. ii. 703.

*ROBBIA*, A. DC. in DC. Prod. viii. 444 (1844).

*albiflora*, Miq. Stirp. Surin. Sel. 161.—Guian.

*amplexicaulis*, Spruce, ex Muell. Arg. in Mart. Fl. Bras. vi. i. 91.—Bras.

*arborescens*, Miers, Apocyn. S. Am. 89 = *Secondaria arborescens*.

*asiatica*, Sieb. & Zucc. in Abh. Akad. Muench. iv. III. (1846) 163.—Japan.

*cestroides*, Muell. Arg. in Mart. Fl. Bras. vi. i. 94.—Bras.

*cubana*, A. DC. in DC. Prod. viii. 379.—Cuba.

*flavescens*, Muell. Arg. in Mart. Fl. Bras. vi. i. 95.—Bras.

*furfuracea*, Benth. ex Muell. Arg. l. c. 93.—Bras.

*glandulifera*, Miers, Apocyn. S. Am. 90 = *M. Tamaquarina*.

*gracilis*, A. DC. in DC. Prod. viii. 380.—Guiana.

*guianensis*, Klotzsch, in Schomb. Faun. et Fl. Gui. 952, nomen; Miers, Apocyn. S. Am. 87 = *M. Tamaquarina*.

*Heudeloti*, A. DC. in DC. Prod. viii. 380.—Afr. trop.

*jasminoides*, A. DC. l. c. 379.—Venezuela; N. Granat.

*lactiflora*, Miers, Apocyn. S. Am. 88.—Guian.

*lanceolata*, Muell. Arg. in Mart. Fl. Bras. vi. i. 93.—Bras.

*Martii*, Muell. Arg. l. c. 94.—Bras.

*nitida*, Spruce, ex Muell. Arg. l. c.—Bras.

*obtusiloba*, A. DC. in DC. Prod. viii. 379.—Guian.

*odorata*, A. DC. l. c.—Guian.

*panamensis*, Heurck & Muell. Arg. in Heurck, Obs. Bot. 185.—N. Granat.

*puberula*, Klotzsch, in Schomb. Faun. et Fl. Gui. 952, nomen.—Guiana.

*retroflexa*, Muell. Arg. in Linnaea, xxx. (1859-60) 408.—Ins. S. Vincent.

**MALOUETIA** :—

*riparia*, A. DC. in DC. Prod. viii. 380.—N. Granat.

*Schomburgkiana*, Muell. Arg. in Linnaea, xxx. (1859-60) 409.—Guian.

*sessilis*, Muell. Arg. in Mart. Fl. Bras. vi. i. 96.—Bras.

*Tamaquarina*, A. DC. in DC. Prod. viii. 378.—Bras.

*tetrastachya*, Miers, Apocyn. S. Am. 92 = *Tabernaemontana tetrastachya*.

*virescens*, Spruce, ex Muell. Arg. in Mart. Fl. Bras. vi. i. 92.—Bras.

**MALPIGHIA**, Plum. ex Linn. Syst. ed. I (1735). *MALPIGHIAEAE*, Benth. & Hook. f. i. 251.

*RUDOLPHIA*, Medic. Malv. iii. (1787).

*alternifolia*, Schum. & Thonn. Beskr. Guin. Pl. 222 = *Acridocarpus Smeathmanni*.

*altissima*, Aubl. Pl. Gui. i. 455 = *Byrsonima altissima*.

*altissima*, Jacq. Obs. Bot. i. 40 = *Byrsonima spicata*.

*ambigua*, Salzm. ex A. Juss. in Arch. Mus. Par. iii. (1843) 277 = *Byrsonima Salzmanniana*.

*angustifolia*, Linn. *Sp. Pl.* ed. II. 610.—Ind. occ.

*aquifolia*, Linn. l. c. ed. I. 426.—Am. austr.

*argentea*, Jacq. Fragm. 57 = *Bunchosia argentea*.

*armeniaca*, Cav. Diss. 410 = *Bunchosia armeniaca*.

*aureifolia*, C. Muell. in Walp. Ann. vii. 467, sphalm. = *variifolia*.

*bannisterioides*, Linn. Pl. Surin. 55; *Amoen. Acad.* viii. 256.—Guian.

*Berteriana*, Spreng. Syst. ii. 383.—Ins. Guadalupe.

*bicolor*, Mart. ex Juss. Monogr. Malpig. 26 = *Byrsonima verbascifolia*.

*biflora*, Poir. in Lam. Encyc. iv. 326 = *punicifolia*.

*biglandulosa*, Poir. Encyc. Suppl. iv. 7 = *Galphimia glandulosa*.

*brachystachya*, Spreng. Syst. ii. 383 = *Byrsonima brachystachya*.

*campechiensis*, Poir. in Lam. Encyc. iv. 333 = *incana*.

*canescens*, [Soland in] Ait. Hort. Kew. ed. II. ii. 105 = *Bunchosia canescens*.

*Caucanthus*, Poir. Encyc. Suppl. iv. 6 = *Caucanthus arabicus*.

*cinerea*, Poir. Encyc. Suppl. iv. 7 = *Byrsonima cinerea*.

*Cnide*, Spreng. Neue Entdeck. iii. 51.—Ins. S. Doming.

*coccigera*, Linn. *Sp. Pl.* ed. II. 426.—Ind. occ.

*Coccigrya*, Linn. l. c. 611 = *praec.*

*coccolobaefolia*, Spreng. Syst. ii. 384 = *Byrsonima coccolobaefolia*.

*coriacea*, Sw. Prod. Veg. Ind. Occ. 74 = *Byrsonima spicata*.

*cotinifolia*, Spreng. Syst. ii. 384 = *Byrsonima cotinifolia*.

*crassifolia*, Linn. *Sp. Pl.* 426 = *Byrsonima crassifolia*.

*crassifolia*, Vell. Fl. Flum. 193; iv. t. 170 = *Byrsonima verbascifolia*.

*cubensis*, H. B. & K. Nov. Gen. et Sp. v. 145 = *angustifolia*.

*cuneata*, Turcz. in Bull. Soc. Nat. Mosc. xxxi. (1858) 1. 390.—Cuba.

*densa*, Poir. Encyc. Suppl. iv. 7 = *Byrsonima densa*.

*diphylla*, Jacq. Enum. Pl. Carib. 21 = *Byrsonima diphylla*.

*dubia*, Cav. Diss. viii. 413. t. 242 = *Heteropteris laurifolia*.

*elegans*, G. F. W. Mey. Prim. Fl. Esseq. 178 = *Byrsonima elegans*.

*elliptica*, Presl, Bot. Bemerk. 25.—Ins. Trinit.

*emarginata*, [Moq. & Sesse,] ex DC. Prod. i. 578.—Mexic.

*faginea*, Sw. Prod. Veg. Ind. Occ. 74.—Ind. occ.

*fallax*, Salisb. Prod. 318 = *glabra*.

*fasciculata*, Vell. Fl. Flum. 194; iv. t. 174.—Bras.

*fruticosa*, Vell. l. c. 193; iv. t. 169 = *Heteropteris saligna*.

*fucata*, Ker-Gawl. in Bot. Reg. t. 189.—Jamaic.

*Galeottiana*, A. Juss. in Arch. Mus. Par. iii. (1843) 261.—Mexic.

*glabra*, Linn. *Sp. Pl.* 425.—Am. trop.

*glandulifera*, Jacq. Coll. iv. 207 = *Bunchosia glandulifera*.

*glandulosa*, Cav. Diss. viii. 411. t. 239. f. 2 = *Bunchosia glandulosa*.

*glandulosa*, Jacq. Ic. Pl. Rar. t. 469 = *Bunchosia glandulifera*.

*glauca*, Poir. Encyc. Suppl. iv. 7 = *Galphimia glauca*.

*Gnidae*, G. Don, Gen. Syst. i. 634, sphalm. = *M. Cnide*.

*grandiflora*, Jacq. Enum. Pl. Carib. 21.—Ins. Martiniq.

*grandifolia*, J. F. Gmel. Syst. 724, sphalm. = *praec.*

*guadalupensis*, Spreng. Syst. ii. 383 = *Byrsonima spicata*.

**MALPIGHIA** :—

*heterantha*, Wight, Illustr. i. 138. t. 49.—Ind. or.

*heterophylla*, Griseb. in Linnaea, xxii. (1849) 2.—Mexic.

*hirsuta*, Poir. Encyc. Suppl. iv. 6 = *Galphimia hirsuta*.

*hirsuta*, Vell. Fl. Flum. 193; iv. t. 171 = *Byrsonima pachyphylla*.

*ilicifolia*, Mill. Gard. Dict. ed. VIII. n. 8 = *aquifolia*.

*incana*, Mill. l. c. n. 3.—Honduras.

*incana*, Salisb. Prod. 318 = *Bunchosia canescens*.

*infestissima*, Rich. ex Walp. Rep. v. 151 = *urens*.

*japurensis*, Mart. ex A. Juss. in Arch. Mus. Par. iii. (1843) 305 = *Byrsonima japurensis*.

*laevigata*, Poir. in Lam. Encyc. iv. 332 = *Byrsonima laevigata*.

*lanceolata*, F. G. Dietr. Vollst. Lexik. Gaertn. Nachtr. iv. 537 = *Bunchosia glandulosa*.

*lanceolata*, Griseb. in Goett. Abh. vii. (1857) 185 = *urens*.

*lanceolata*, C. Muell. in Walp. Ann. vii. 467 = *cuneata*.

*lanceolata*, Poir. in Lam. Encyc. iv. 332 = *Byrsonima crassifolia*.

*laurifolia*, Spreng. Syst. ii. 385 = *Byrsonima laurifolia*.

*linearis*, Jacq. Enum. Pl. Carib. 21 = *angustifolia*.

*Loddigesii*, Regel, Ind. Sem. Hort. Petrop. (1857) 54.—Ind. occ.

*lucida*, Nees & Mart. in Nov. Act. Nat. Cur. xii. (1824) 20 = *Byrsonima vacciniaefolia*.

*lucida*, Pav. ex Moric. Pl. Nouv. Am. 109 = *peruviana*.

*lucida*, Sw. Prod. Veg. Ind. Occ. 74 = *Byrsonima lucida*.

*macrophylla*, Desf. Cat. Hort. Par. ed. III. 232 = *fucata*.

*macrophylla*, Pers. Syn. i. 506 = *Byrsonima nervosa*.

*macrophylla*, Willd. Enum. Hort. Berol. Suppl. 37.—Bras.

*malifolia*, Nees & Mart. in Nov. Act. Nat. Cur. xii. (1824) 21 = *Banisteria crotonifolia*.

*maritima*, Vell. Fl. Flum. 194; iv. t. 173 = *Bunchosia fluminensis*.

*martinicensis*, Jacq. Enum. Pl. Carib. 21 = *urens*.

*media*, [R. Br. in] Ait. Hort. Kew. ed. II. iii. 103 = *Bunchosia media*.

*mexicana*, A. Juss. in Arch. Mus. Par. iii. (1843) 267.—Mexic.

*mitis*, Reichb. ex Griseb. Fl. Brit. W. Ind. 168 = *Mammea humilis*.

*mollis*, Poir. Encyc. Suppl. iv. 6 = *Byrsonima mollis*.

*montana*, Spreng. Syst. ii. 385 = *Byrsonima crassifolia*.

*Moureila*, Aubl. Pl. Gui. i. 459 = *Byrsonima crassifolia*.

*myrtifolia*, Desf. Cat. Hort. Par. ed. III. 406.—Ind. occ.

*Neumanniana*, A. Juss. in Rev. Hort. Sér. II. v. (1846) 103.—Hab.?

*nitida*, Cav. Diss. viii. t. 239 = *Bunchosia polystachya*.

*nitida*, Crantz, Inst. ii. 478.—Venezuela.

*nitida*, Jacq. Enum. Pl. Carib. 21 = *Bunchosia nitida*.

*nitida*, Mill. Gard. Dict. ed. VIII. n. 5 = *glabra*.

*nitida*, Sw. Obs. Bot. 180 = *Bunchosia Swartziana*.

*oblongifolia*, Griseb. Ind. Sem. Hort. Gotting. (1878) 8.—Hab.?

*obovata*, H. B. & K. Nov. Gen. et Sp. v. 146.—N. Granat.

*odorata*, Jacq. Enum. Pl. Carib. 21 = *Bunchosia odorata*.

*oxycocca*, Griseb. Fl. Brit. W. Ind. 117.—Ind. occ.

*pallida*, Poir. Encyc. Suppl. iv. 7 = *Byrsonima pallida*.

*paniculata*, Mill. Gard. Dict. ed. VIII. n. 6 = *Triopteris ovata*.

*parvifolia*, A. Juss. in Arch. Mus. Par. iii. (1843) 267.—Mexic.

*peruviana*, Moric. Pl. Nouv. Am. 109.—Peruv.

*phlomoides*, Spreng. Syst. ii. 385 = *Tetrapteris rotundifolia*.

*piauhiensis*, Mart. ex A. Juss. in Arch. Mus. Par. iii. (1843) 273 = *Byrsonima sericea*.

*platyphylla*, Sw. ex Wikstr. in Vet. Acad. Handl. Stockh. (1827) 66 = *Bunchosia polystachya*.

*polystachya*, Andr. Bot. Rep. t. 604 = *Bunchosia polystachya*.

*polytricha*, A. Juss. in Arch. Mus. Par. iii. (1843) 258 (*polytricha* = *setosa*).

*pruinosa*, Sieber, ex A. Juss. l. c. 302 = *Byrsonima coccolobaefolia*.

*pruinosa*, Spreng. Syst. ii. 384 = *Byrsonima angustifolia*.

*pulchra*, [Moq. & Sesse,] ex DC. Prod. i. 580 = *Byrsonima pulchra*.

*punicifolia*, Linn. *Sp. Pl.* ed. II. 609.—Am. trop.

*reticulata*, Poir. Encyc. Suppl. iv. 8 = *Heteropteris platyptera*.

*reticulata*, Spreng. ex A. Juss. in Arch. Mus. Par. iii. (1843) 295 = *Byrsonima spicata*.



**MALPIGHIA** :—

- retusa*, Benth. Bot. Voy. Sulph. 74.—Ecuador.  
*rhopalaeifolia*, Spreng. Syst. ii. 384 = *Byrsonima crassifolia*.  
*rufa*, Poir. in Lam. Encyc. iv. 332 = *Byrsonima crassifolia*.  
*rutilans*, Salzm. ex Griseb. in Mart. Fl. Bras. xii. i. 11 = *Byrsonima sericea*.  
*saccharina*, G. Don, Gen. Syst. i. 635.—Afr. trop.  
*Semeruco*, A. Fuss. in Arch. Mus. Par. iii. (1843) 266.—Venezuela.  
*setosa*, Spreng. Neue Entdeck. iii. 50.—Ind. occ.  
*singularis*, Vell. Fl. Flum. 194; iv. t. 172 = *Camarea affinis*.  
*spicata*, Cav. Diss. viii. 409 = *Byrsonima spicata*.  
*terminaliaefolia*, Mart. ex Griseb. in Mart. Fl. Bras. xii. i. 16 = *Byrsonima vacciniifolia*.  
*ternifolia*, H. B. & K. Nov. Gen. et Sp. v. 146.—N. Granat.  
*tomentosa*, Pav. ex Moric. Pl. Nouv. Am. 111. t. 68.—Peruv.  
*tuberculata*, Jacq. Hort. Schoenb. i. 54 = *Bunchosia tuberculata*.  
*undulata*, A. Fuss. in Arch. Mus. Par. iii. (1843) 266.—Mexico.  
*uniflora*, Tussac, Fl. Ant. iii. t. 27 = *punicifolia*.  
*urens*, Linn. Sp. Pl. 426.—Ind. occ.  
*urens*, Macfad. Fl. Jamaic. 146 = *oxycocca*.  
*varifolia*, Turcz. in Bull. Soc. Nat. Mosc. xxxvi. (1863) i. 581.—Am. trop.?  
*verbascifolia*, Linn. Sp. Pl. 426 = *Byrsonima verbascifolia*.  
*volubilis*, Sims, Bot. Mag. t. 809 = *Hiraea Simsiana*.

**MALPIGIA**, P. Br. Hist. Jamaic. 229 (1756) = *praec.*

**MALTEBRUNIA**, Kunth, Rév. Gram. i. 183. t. 3 (1830) = **Potamophila**, R. Br. (Gramin.).  
*leersioides*, Kunth, l. c. = *P. leersioides*.  
*prehensilis*, Nees, Fl. Afr. Austr. i. 194 = *P. prehensilis*.

**MALTEBURNIA**, Steud. Nom. ed. II. ii. 93 (1841) *sphalm.* = *praec.*

**MALTHEWSIA**, Steud. & Hochst. ex Steud. Nom. ed. II. ii. 93, 105 (1841) *sphalm.* = **Mathewsia**, Hook. & Arn. (Crucif.).

**MALULUCBAN**, Blanco, Fl. Filip. ed. I. 188 (1837) = **Champereia**, Griff. (Santal.).

**MALUS**, Tourn. ex Linn. Gen. ed. I. 145, in syn. (1737); Mill. Gard. Dict. ed. VI (1752) = **Pyrus**, Tourn. (Rosac.).

- acerba*, Mérat, Fl. Par. i. 187 = *P. Malus*.  
*angustifolia*, Michx. Fl. Bor. Am. i. 292 = *P. angustifolia*.  
*apiosa*, Hort. ex Steud. Nom. ed. II. ii. 93 = *P. Malus*.  
*astracantha*, Hort. ex Dum.-Cours. Bot. Cult. ed. II. v. 426 = *P. Malus*.  
*baccata*, Borchh. Handb. Forstbot. ii. 1280; Moench, Meth. 682 = *P. baccata*.  
*baccata*, Loisel. in Duham. ed. Nov. vi. t. 43. f. 2 = *P. cerasifera*.  
*betulifolia*, Wenzig, in Eichl. Jahrb. Berl. ii. (1883) 292 = *P. betulaeifolia*.  
*cerasifera*, Spach, Hist. Vég. Phan. ii. 152 = *P. baccata*.  
*communis*, Poir. Encyc. v. 560 = *P. Malus*.  
*coronaria*, Mill. Gard. Dict. ed. VIII. n. 2 = *P. coronaria*.  
*csikloviensis*, Kit. in Rochel. Pl. Banat. Rar. 26, nomen. (Quid?).—Banat.  
*dasyphylla*, Borchh. Handb. Forstbot. ii. 1269 = *P. Malus*.  
*dioica*, Moench, Meth. Suppl. 289; Borchh. l. c. 1276 = *P. Malus*.  
*diversifolia*, M. Roem. Syn. Rosifl. 215 = *P. rivularis*.  
*domestica*, Baumg. Enum. Stirp. Transs. ii. 43 = *P. Malus*.  
*domestica*, Borchh. Handb. Forstbot. ii. 1272 = *P. Sorbus*?  
*floribunda*, Siebold, ex Van Houtte, Fl. des Serres, xv. (1862-65) t. 1585 = *P. spectabilis*.  
*Fontanesiana*, Spach, Hist. Vég. Phan. ii. 150 = *P. Malus*.  
*frutescens*, Medic. Geschich. 78 = *P. Malus*.

**MALUS** :—

- heterophylla*, Spach, Hist. Vég. Phan. ii. 138 = *Pyrus heterophylla*, Steud.  
*hybrida*, Desf. Hist. Arbr. ii. 141 = *P. cerasifera*.  
*japonica*, Andr. Bot. Rep. t. 462 = *P. japonica*.  
*Kaido*, Hort. ex C. Koch, Dendrol. i. 210 = *P. spectabilis*.  
*longipes*, Wenzig, in Eichl. Jahrb. Berl. ii. (1883) 292 = *P. longipes*.  
*microcarpa*, Rafin. ex DC. Prod. ii. 632 = *Amelanchier canadensis*.  
*nivalis*, Desf. ex Steud. Nom. ed. II. ii. 93 = *P. elaeagnifolia*.  
*paradisiaca*, Medic. Geschich. 78 = *P. Malus*.  
*Pashia*, Wenzig, in Eichl. Jahrb. Berl. ii. (1883) 292 = *P. Pashia*.  
*praecox*, Borchh. Handb. Forstbot. ii. 1271 = *P. Malus*.  
*prunifolia*, Borchh. l. c. 1278 = *P. prunifolia*.  
*prunifolia*, Steud. Nom. ed. II. ii. 93 = *P. baccata*.  
*pumila*, Mill. Gard. Dict. ed. VIII. n. 3 = *P. Malus*.  
*quinqueflora*, M. Roem. Syn. Rosifl. 216 = *P. quinqueflora*.  
*rivularis*, M. Roem. l. c. 215 = *P. rivularis*.  
*rossica*, Medic. Geschich. 78 = *P. Malus*.  
*rubicunda*, M. Roem. Syn. Rosifl. 216 = *P. rubicunda*.  
*sativa*, Dum.-Cours. Bot. Cult. ed. II. v. 426 = *P. Malus*.  
*sempervirens*, Desf. Hist. Arbr. ii. 141 = *P. angustifolia*.  
*sibirica*, Borchh. in Roem. Arch. i. iii. 89 = *P. baccata*.  
*Sieversii*, M. Roem. Syn. Rosifl. 216 = *P. Sieversii*.  
*sinensis*, Dum.-Cours. Bot. Cult. ed. II. v. 429 = *P. spectabilis*.  
*Sorbus*, Borchh. in Roem. Arch. i. iii. 89 = *P. Sorbus*.  
*spectabilis*, Borchh. Handb. Forstbot. ii. 1279 = *P. spectabilis*.  
*sphaerocarpa*, M. Roem. Syn. Rosifl. 214 = *P. sphaerocarpa*.  
*suaveolens*, M. Roem. l. c. 215 = *P. suaveolens*.  
*subcordata*, M. Roem. l. c. 192 = *P. rivularis*.  
*sylvestris*, Mill. Gard. Dict. ed. VIII. n. 1 = *P. Malus*.  
*tatarica*, Hort. ex C. Koch, Dendrol. i. 204 = *P. Malus*.  
*tomentosa*, Dum.-Cours. Bot. Cult. ed. II. v. 488 = *P. tomentosa*.  
*Toringo*, Hort. ex C. Koch, Dendrol. i. 210 = *P. spectabilis*.  
*Torrino*, Carr. in Rev. Hortic. (1871) 451; (1872) 210 = *P. Torrino*.  
*umbellata*, Gilib. Fl. Lituan. ii. 235 = *P. Malus*.  
*vulgaris*, Pall. Reise, iii. 653 = *P. communis*?

**MALVA**, [Tourn.] Linn. Syst. ed. I (1735). **MAL-**

- VACEAE**, Benth. & Hook. f. i. 200.  
**BISMALVA**, Medic. Malv. 39 (1787).  
*abulensis*, Cav. Diss. 76 = *M. Alcea*.  
*abutiloides*, Linn. Sp. Pl. ed. II. 971 = *Sphaeralcea abutiloides*.  
*abutiloides*, Pursh, Fl. Am. Sept. ii. 454 = *Kosteletzkya virginica*?  
*abyssinica*, A. Br. in Flora, xxiv. (1841) i. 279.—Abyssin.  
*acaulis*, Cav. Diss. ii. 82. t. 35. f. 2 = *Malvastrum acaule*.  
*acerifolia*, Alef. in Oestr. Bot. Zeitschr. xii. (1862) 258 = *Lavatera acerifolia*.  
*acerifolia*, Nutt. ex Walp. Rep. i. 296 = *Sphaeracea rivularis*.  
*acutiloba*, C. Koch, in Linnaea, xix. (1847) 58; Martr. Fl. Tarn, 120 = *sylvestris*.  
*adulterina*, Wallr. Beitr. Fl. Hercyn. 241 (Quid?).—Europ.  
*aegyptia*, Linn. Sp. Pl. 690.—Reg. Mediterr.; Oriens.  
*aegyptiaca*, Steud. Nom. ed. II. ii. 93 = *praec.*  
*africana*, Mill. ex Steud. l. c. ed. I. 506 = *capensis*.  
*albans*, E. Mey. ex Harv. & Sond. Fl. Cap. i. 163 = *Malvastrum albans*.  
*albiflora*, Presl, Delic. Prag. 29 = *sylvestris*.  
*albulensis*, Steud. Nom. ed. I. 506, *sphalm.* = *abulensis*.  
*Alcea*, Linn. Sp. Pl. 689.—Europ.  
*Alcea*, Plan. Ens. Fl. Gallega, 135 = *Tournefortiana*.  
*alceoides*, Tenore, Fl. Neap. Prod. Suppl. i. 62 (1815); Fl. Nap. ii. 109 = *M. Alcea*.  
*alchemillaefolia*, Wall. Cat. n. 1884 D = *verticillata*.  
*althaeoides*, Cav. Ic. ii. 30. t. 135.—Reg. Mediterr.  
*althaeoides*, Sibth. & Sm. Fl. Graec. vii. t. 664 = *cretica*.  
*ambigua*, Guss. Fl. Sic. Prod. ii. 331.—Europ. austr.  
*americana*, Linn. Sp. Pl. 687 = *Malvastrum tricuspidatum*.

**MALVA** :—

- americana*, A. Rich. Ess. Fl. Cub. 115 = *Malvastrum spicatum*.  
*amoena*, Drège, ex Harv. & Sond. Fl. Cap. i. 161 = *Malvastrum grossulariaefolium*.  
*amoena*, Sims, Bot. Mag. t. 1998 = *Malvastrum calycinum*.  
*angustifolia*, Cav. Diss. ii. 64. t. 29. f. 3 = *Sphaeralcea angustifolia*.  
*anomala*, Eckl. & Zeyh. Enum. 290; et ex Harv. & Sond. Fl. Cap. i. 165 = *Sphaeralcea elegans*.  
*anomala*, Link & Otto, Ic. Pl. Select. i. 51 = *Lavatera tripartita*.  
*antillarum*, Zuccagni, in Roem. Collect. 147 = *Malvastrum tricuspidatum*.  
*arborea*, A. St. Hil. Fl. Bras. Mer. i. 215. t. 134. f. 4 = *Hibiscus arboreus*.  
*arborea*, Webb & Berth. Phyt. Canar. i. 30 = *Lavatera arborea*.  
*arvensis*, Presl, Delic. Prag. 28 = *nicaeensis*.  
*aspermia*, Eckl. & Zeyh. ex Harv. & Sond. Fl. Cap. i. 164 = *Malvastrum dissectum*.  
*aspermia*, Jacq. Hort. Schoenb. ii. 7 = *Malvastrum asperim*.  
*asterocarpa*, Steud. Nom. ed. II. ii. 94; et in Flora, xxxix. (1856) 436 (*Malvastrum* sp.).—Chili.  
*astrolasia*, Zipp. ex Span. in Linnaea, xv. (1841) 168 = *Malvastrum spicatum*.  
*atropurpurea*, Noë, ex Alef. in Oestr. Bot. Zeitschr. xii. (1862) 261.—Hab.?  
*aurantiaca*, Scheele, in Linnaea, xxi. (1848) 469 = *Malvastrum Wrightii*.  
*balsamica*, Jacq. Misc. ii. 321 = *Malvastrum capense*.  
*Behriana*, Schlecht. in Linnaea, xx. (1847) 633 = *Lavatera plebeia*.  
*Belloa*, C. Gay, Fl. Chil. i. 304. t. 7 = *Malvastrum Belloa*.  
*Berteroniana*, Steud. Nom. ed. II. ii. 94; et in Flora, xxxix. (1856) 437.—Chili.  
*betulina*, Desr. in Lam. Encyc. iii. 754 = *Malvastrum spicatum*.  
*betuloides*, Schrad. in Linnaea, xi. (1837) 88 = *Malvastrum ruderales*.  
*biflora*, Desr. in Lam. Encyc. iii. 747 = *Malvastrum capense*.  
*Bismalva*, Bernh. ex Lej. Rev. Fl. Spa, 147 = *M. Alcea*.  
*Bivoniana*, Presl, Fl. Sicil. i. 176.—Sicilia.  
*Blumeana*, Steud. Nom. ed. II. ii. 94 = *Malvastrum spicatum*.  
*bonariensis*, Cav. Diss. ii. 69. t. 22. f. 1 = *Sphaeralcea bonariensis*.  
*borbonica*, Willd. Enum. Hort. Berol. 728 = *Malvastrum tricuspidatum*.  
*borealis*, Wallm. in Liljebl. Svensk. Fl. ed. III. 374.—Europ.; As. bor.  
*Boryana*, DC. Prod. i. 435.—Ins. Borbon.  
*brachystachya*, F. Muell. in Linnaea, xxv. (1852) 378 = *Malvastrum spicatum*.  
*bracteata*, Reichb. in Bull. Soc. Nat. Mosc. xxxi. (1858) i. 186 = *borealis*.  
*brasilensis*, Desr. in Lam. Encyc. iii. 744.—Bras.  
*brevifolia*, Gilib. Fl. Lituan. i. 64 = *crispa*.  
*brevipes*, Phil. in Anal. Univ. Chil. (1870) ii. 163.—Chili.  
*bryoniaefolia*, Drège, ex Harv. & Sond. Fl. Cap. i. 161 = *Malvastrum asperim*.  
*bryonifolia*, Drège, l. c. = *Malvastrum grossulariaefolium*.  
*bryonifolia*, Linn. Sp. Pl. 688 = *Malvastrum bryonifolium*?  
*californica*, Presl, Rel. Haenk. ii. 121 = *Sida hederacea*.  
*calycina*, Cav. Diss. ii. 81. t. 22. f. 4 = *Malvastrum calycinum*.  
*campanulata*, Paxt. Mag. Bot. ix. (1843) 173 = *Malvastrum campanulatum*.  
*campanuloides*, Lodd. Bot. Cab. t. 1670.—Am. bor.  
*cannabina*, Serres, in Bull. Soc. Bot. Fr. iii. (1856) 276 = *M. Alcea*.  
*capensis*, Linn. Sp. Pl. 688; Cav. Diss. ii. 70. t. 18. f. 3 = *Malvastrum capense*.  
*capitata*, Cav. Diss. v. 280. t. 137. f. 1 = *Malvastrum capitatum*.  
*caroliniana*, Linn. Sp. Pl. 688 = *Modiola multifida*.  
*carpinifolia*, Desr. in Lam. Encyc. iii. 754 = *Malvastrum tricuspidatum*.  
*caschmireana*, Alef. in Oestr. Bot. Zeitschr. xii. (1862) 258 = *Lavatera cachemiriana*.



**MALVA:—**

- chilensis*, A. Br. & Bouché, *Ind. Sem. Hort. Berol.* (1857) 1.—Chili.  
*chinensis*, Mill. Gard. Dict. ed. VIII. n. 6 = verticillata.  
*ciliata*, Wall. Cat. n. 1878 = sylvestris.  
*circinnata*, Vis. Prod. Fl. Cors. App. 6 = nicaeensis.  
*cisplatina*, Steud. Nom. ed. II. ii. 94 = Sphaeralcea  
 cisplatina.  
*coccinea*, Nutt. Gen. Am. ii. 81 = Malvastrum coc-  
 cineum.  
*cognata*, Steud. in *Flora*, xxxix. (1856) 425.—Chili.  
*Colmeiroi*, Willk. in *Linnaea*, xxx. (1859–60) 93 =  
 Tournefortiana.  
*Columnae*, Tenore, ex Steud. Nom. ed. II. ii. 94  
 (Quid ?).—Ital.  
*concinna*, Knowles & Westc. *Flor. Cab. i.* (1837) 79.—  
 Am. austr.  
*corchorifolia*, Desr. in *Lam. Encyc.* iii. 743 = Malva-  
 strum Rugelii.  
*cordistipula*, Steud. Nom. ed. II. ii. 94.—Chili.  
*coromandelina*, Linn. Sp. Pl. 687 = Malvastrum tri-  
 cuspidatum.  
*coronata*, Pomel, *Nouv. Mat. Fl. Atl.* 346.—Alger.  
*corymbosa*, E. Mey. ex Harv. & Sond. Fl. Cap. i. 161  
 = Malvastrum asperum?  
*costata*, Presl, Rel. Haenk. ii. 123 = Malvastrum  
 peruvianum?  
*Creeana*, R. Grah. in Hook. Bot. Mag. t. 3698 =  
 Malvastrum coccineum, vel Sphaeralcea pedata.  
*crenata*, Kit. in *Satl. Fl. Pest. ed. I.* ii. 161 = borealis.  
*cretica*, Cav. Diss. v. 280. t. 138. f. 2.—Ins. Creta.  
*cretica*, Tenore, Fl. Nap. ii. 106 = althaeoides.  
*crispa*, Linn. Syst. ed. X. 1147.—Europ.  
*cuneifolia*, Cav. Diss. ii. 64. t. 20. f. 1 = hispanica.  
*curassavica*, Desr. in *Lam. Encyc.* iii. 754 = Malva-  
 strum tricuspidatum.  
*cymbalariaefolia*, DC. Prod. i. 431 = seq.  
*cymbalariaefolia*, Desr. in *Lam. Encyc.* iii. 753 = Sida  
 Sherardiana.  
*Cyrtilli*, Vis. Fl. Dalm. iii. 207 = Lavatera thuringiaca.  
*debilis*, Salisb. Prod. 380 = Malvastrum capense.  
*decumbens*, Host. Fl. Austr. ii. 298 = M. Alcea.  
*decumbens*, Willd. Enum. Hort. Berol. 731 = Modiola  
 multifida.  
*deflexa*, Turcz. in *Bull. Soc. Nat. Mosc.* xxxi. (1858)  
 1. 186 = Malvastrum grossulariaefolium.  
*Dethardingii*, Link. ex Dethard. Fl. Megalop. 54 =  
 moschata.  
*digitata*, Torr. & Gray, Fl. N. Am. i. 246 = Callirhoe  
 digitata.  
*Dilleniana*, Eckl. & Zeyh. Enum. 36 = Malvastrum  
 virgatum.  
*diphylla*, Moench, Meth. 611 = aegyptia.  
*divaricata*, Andr. Bot. Rep. t. 182 = Malvastrum  
 divaricatum.  
*divaricata*, Hort. ex Steud. Nom. ed. II. ii. 94 =  
 Malvastrum tridactylites.  
*divaricata*, E. Mey. ex Harv. & Sond. Fl. Cap. i. 165  
 (Sphaeralcea sp.).—Afr. austr.  
*domingensis*, Spreng. ex DC. Prod. i. 431 = Malvastrum  
 tricuspidatum.  
*Durieu*, Spach, in *Linnaea*, xxiv. (1851) 233 =  
 Lavatera mauritanica.  
*echinata*, Presl, Rel. Haenk. ii. 122 (Malvatri sp.).—  
 Peruv.  
*elata*, Pomel, *Nouv. Mat. Fl. Atl.* 345.—Alger.  
*elata*, Salisb. Prod. 381 = sylvestris.  
*elegans*, Cav. Diss. ii. 59. t. 16. f. 1 = Sphaeralcea  
 elegans.  
*equina*, Wallr. Beitr. Fl. Hercyn. 241 = sylvestris.  
*erecta*, Gilib. Fl. Lituan. i. 64; Presl, Delic. Prag. 30  
 = sylvestris.  
*eriocalyx*, Steud. Nom. ed. II. ii. 94.—Chili.  
*eriocarpa*, DC. Prod. i. 436 = Modiola multifida.  
*erodifolia*, Presl, Rel. Haenk. ii. 122 (Malvatri sp.).  
 —Chili.  
*eurobaea*, Noronha, in *Verh. Batav. Gen. v.* (1790)  
 ed. I. Art. iv. 20 = Malvastrum tricuspidatum.  
*exasperata*, Moench, Meth. 610 = Malvastrum peruv-  
 ianum.  
*excelsa*, Presl, Delic. Prag. 27 = nicaeensis.  
*excisa*, Reichb. Ic. Fl. Germ. v. t. 170 = M. Alcea.  
*fasciculata*, Nutt. ex Torr. & Gray, Fl. N. Am. i. 225  
 = Malvastrum Thurberi.  
*fastigiata*, Cav. Diss. ii. 75. t. 23. f. 2 = M. Alcea.  
*fastuosa*, Salisb. Prod. 381 = Lavatera arborea.  
*flava*, Alef. in *Oestr. Bot. Zeitschr.* xii. (1862) 258 =  
 Lavatera flava.

VOL. II.

**MALVA:—**

- flexuosa*, Gill. ex Hook. Bot. Misc. iii. (1833) 151 =  
 Sphaeralcea obtusiloba.  
*flexuosa*, Hornem. Hort. Hafn. ii. 655 = parviflora.  
*floribunda*, Steud. Nom. ed. II. ii. 94.—Mexic.  
*florida*, Salisb. Prod. 381 = Althaea rosea.  
*fluminensis*, Vell. Fl. Flum. 287; vii. t. 48 = Malva-  
 strum spicatum.  
*fragrans*, Jacq. Hort. Vindob. iii. 20. t. 35 = Malva-  
 strum capense.  
*fruticans*, Dorn. ex Reichb. Ic. Fl. Germ. v. 18 =  
 rotundifolia.  
*fruticosa*, Berg. Desc. Pl. Cap. 181 = Malvastrum  
 tridactylites.  
*gangetica*, Linn. Sp. Pl. ed. II. 967 = Malvastrum tri-  
 cuspidatum.  
*geraniifolia*, J. Gay, in *Ann. Sc. Nat. Sér. II.* vi. (1836)  
 125 = moschata.  
*geranioides*, Cham. & Schlecht. in *Linnaea*, v. (1830)  
 226 = Malvastrum geranioides.  
*geranioides*, Gill. ex Hook. Bot. Misc. iii. (1833) 152  
 = Modiola geranioides.  
*Gilliesii*, Phil. in *Anal. Univ. Chil.* (1870) ii. 16.—  
 Chili.  
*Gilliesii*, Steud. Nom. ed. II. ii. 94 = Modiola  
 geranioides.  
*glabra*, Desr. in *Lam. Encyc.* iii. 752 = sylvestris.  
*glabrifolia*, Tenore, ex Steud. Nom. ed. II. ii. 94 (Quid ?).  
 —Hab.?  
*glomerata*, Hook. & Arn. in Hook. Bot. Misc. iii.  
 (1833) 151 = Malvastrum glomeratum.  
*glomerata*, Hort. ex G. Don, in *Loud. Hort. Brit.* 286  
 = verticillata.  
*glutinosa*, Desr. in *Lam. Encyc.* iii. 747 = Malvastrum  
 calycinum, grossulariaefolium.  
*grandiflora*, C. Morr. in *Ann. Soc. Bot. Gand.* iii. (1847)  
 453. t. 167.—Am. bor.  
*grossulariaefolia*, Cav. Diss. ii. 71 = Malvastrum grossu-  
 lariaefolium.  
*grossulariaefolia*, Drège, ex Presl, Bot. Bemerk. 18 =  
 hispida.  
*grossulariaefolia*, E. Mey. ex Harv. & Sond. El. Cap.  
 i. 163 = Malvastrum albens.  
*gymnocarpa*, Pomel, *Nouv. Mat. Fl. Atl.* 345.—Alger.  
*Haenkeana*, Presl, Reliq. Haenk. ii. 123 = Malvastrum  
 peruvianum?  
*hederacea*, Dougl. in Hook. Fl. Bor. Am. i. 107 =  
 Sida hederacea.  
*hederaefolia*, Vis. Fl. Dalm. iii. 205 = Lavatera cretica.  
*Henningii*, Goldb. in *Mém. Soc. Nat. Mosc.* v.  
 (1817) 133 = borealis.  
*Hermanniae*, Bubani, ex *Timb. in Bull. Soc. Dauph.*  
 [ii?] 39; ex *ead. in Mém. Acad. Toul. Sér. VIII.* i.  
 ii. (1877) 191.—Hab.?  
*hibiscoides*, Desr. in *Lam. Encyc.* iii. 748.—Ins.  
 Borbon.  
*hirsuta*, Aubl. Pl. Gui. ii. 704 = Sida linifolia.  
*hirsuta*, Tenore, Prod. Fl. Nap. 40 = cretica.  
*hirsuta*, Viv. Fl. Cors. Diagn. 12; Presl, Fl. Sic. 175  
 = sylvestris.  
*hispanica*, Asso, Syn. Pl. Arag. 90 = stipulacea.  
*hispanica*, Linn. Sp. Pl. 689.—Reg. Mediterr. occ.  
*hispida*, Alef. in *Oestr. Bot. Zeitschr.* xii. (1862) 258 =  
 Lavatera Olbia.  
*hispida*, Moench, Meth. 609 = Malvastrum tricuspi-  
 datum.  
*hispida*, Presl, Bot. Bemerk. 18.—Afr. austr.  
*Hornschiuchiana*, Walp. in *Nov. Act. Nat. Cur.* xix.  
 Suppl. i. (1848) 303 (Sphaeralcea sp.).—Peruv.  
*horrida*, Span. in *Linnaea*, xv. (1841) 168.—Ins.  
 Timor.  
*hortensis*, Schimp. & Spenn. in *Spenn. Fl. Friburg.*  
 iii. 886 = Althaea rosea.  
*Houghtonii*, Torr. & Gray, Fl. N. Am. i. 225 =  
 Callirhoe triangulata.  
*humifusa*, Henning, in *Mém. Soc. Nat. Mosc.* vi.  
 (1823) 76 = borealis.  
*humifusa*, Salisb. Prod. 380 = Sida Sherardiana.  
*humilis*, Gill. in Hook. Bot. Misc. iii. (1833) 150 =  
 Malvastrum humile.  
*hybrida*, Čelak. in *Arch. Naturf. Landesd. Boehm.* iii.  
 (1875) 515 = rotundifolia.  
*hybrida*, Hort. ex Steud. Nom. ed. II. ii. 94 = verti-  
 cillata.  
*incana*, Godr. in *Mém. Acad. Montp. (Sect. Médic.)*  
 i. (1853) 419.—Hab.?  
*incana*, Presl, Rel. Haenk. ii. 121.—Chili.  
*intermedia*, Bor. Fl. Centr. Fr. ed. II. 98 = M. Alcea.

**MALVA:—**

- involuta*, Torr. & Gray, Fl. N. Am. i. 226 =  
 Callirhoe involuta.  
*italica*, Pollini, Hort. & Prov. Veron. Pl. 17; ex ej. Fl.  
 Veron. ii. 438 = M. Alcea.  
*Julii*, Spreng. Syst. iii. 89 (= *Sphaeroma Julii*).—Afr.  
 austr.  
*juvenalis*, Lespinasse, in *Bull. Soc. Bot. Fr.* vi. (1859)  
 647, in nota = Modiola erecta.  
*laciniata*, Desr. in *Lam. Encyc.* iii. 750 = moschata.  
*lactea*, [Soland. in] Ait. Hort. Kew. ed. I. ii. 448 =  
 Malvastrum vitifolium.  
*laeta*, Phil. in *Anal. Univ. Chil.* (1862), 442 = tenui-  
 folia, Hook. & Arn.  
*laevis*, Moench, Meth. 610 = Malvastrum limense.  
*Lagascae*, Hort. ex DC. Prod. i. 430 = Malvastrum  
 scabrum.  
*Lagascae*, Láz. & Turb. in *Anal. Soc. Esp. Hist. Nat.*  
 x. (1881) 416.—Hispan.  
*Lamottei*, Jord. ex Nym. Consp. 129 = moschata.  
*lasiocarpa*, A. St. Hil. & Naud. in *Ann. Sc. Nat. Sér.*  
 II. xviii. (1842) 45 = Malvastrum lasiocarpum.  
*lateritia*, Hook. Bot. Mag. t. 3846 = Malvastrum lateri-  
 tium.  
*lateritia*, Regel, in *Bot. Zeit.* ix. (1851) 891.—Hab.?  
*Lecontii*, Buckl. in *Am. Journ. Sc.* xlv. (1843) 176 =  
 Pavonia hastata.  
*leprosa*, Orteg. Hort. Matr. Dec. 95. (Sidae sp.).—  
 Cuba.  
*libyca*, Pomel, *Nouv. Mat. Fl. Atl.* 344.—Alger.  
*limensis*, Linn. Cent. Pl. ii. 27 = Malvastrum limense.  
*Lindheimeriana*, Scheele, in *Linnaea*, xxi. (1848) 470  
 = Malvastrum tricuspidatum.  
*lineariloba*, Young, Fl. Texas, 180; ex S. Wats.  
 Bibliog. Ind. N. Am. Bot. 133 = Callirhoe involuta.  
*litoralis*, Dethard. ex Reichb. Fl. Germ. Excurs. 771 =  
 rotundifolia.  
*lobata*, Cav. Diss. ii. 76 = M. Alcea.  
*lucida*, Lindl. Bot. Reg. (1839) Misc. 82 = sylvestris.  
*lutea*, Roem. Hort. Turic. ex Steud. Nom. ed. II. ii. 94.  
 —Hab.?  
*luxonica*, Blanco, Fl. Filip. ed. II. 385 = Malvastrum  
 tricuspidatum.  
*macrocalyx*, Presl, Bot. Bemerk. 19 = Sphaeralcea  
 elegans.  
*macropoda*, Steud. in *Flora*, xxxix. (1856) 425.—Chili.  
*macrostachya*, Presl, Rel. Haenk. ii. 120 = Malvastrum  
 macrostachyum.  
*malachroides*, Hook. & Arn. Bot. Beech. Voy. 326 =  
 Sidalcea malachroides.  
*malwensis*, Edgew. in Hook. Journ. Bot. ii. (1840) 284  
 = Althaea Ludwigii.  
*mamillosa*, Lloyd, ex Nym. Consp. 128 = Lavatera  
 cretica.  
*mareotica*, Delile, ex DC. Prod. i. 433 = parviflora.  
*maritima*, Lam. Fl. Fr. iii. 140 = Tournefortiana.  
*maritima*, Salisb. Prod. 381 = Althaea officinalis.  
*Martensiana*, E. Morr. in *Belg. Hort.* xiv. 1864  
 165.—Austral.  
*Mathewsii*, Turcz. in *Bull. Soc. Nat. Mosc.* xxxvi.  
 (1863) 1. 563 = Malvastrum peruvianum.  
*mauritanica*, Spreng. Syst. iii. 90 = seq.  
*mauritanica*, Linn. Sp. Pl. 689 = sylvestris.  
*mauritanica*, Willk. in Willk. & Lange, Prod. Fl. Hisp.  
 iii. 581 = Lavatera cretica.  
*mendocina*, Phil. Sert. Mendoc. Alt. 5 = Sphaeralcea  
 mendocina.  
*mexicana*, S. Schau. in *Linnaea*, xx. (1847) 724 =  
 Malvastrum mexicanum.  
*micans*, Alef. in *Oestr. Bot. Zeitschr.* xii. (1862) 258 =  
 Lavatera micans.  
*microcalyx*, Hort. ex C. A. Mey. in *Ind. Sem. Hort.*  
 Petrop. xi. 75 = parviflora.  
*microcarpa*, Desf. Tabl. ed. I. 144; et ex DC. Prod. i.  
 433 = parviflora.  
*microphylla*, E. Mey. ex Harv. & Sond. Fl. Cap. i.  
 163 = Malvastrum divaricatum.  
*miniata*, Cav. Ic. iii. 40 = Sphaeralcea miniata.  
*miniata*, Jacq. *Fragm.* 83.—Hab.?  
*minoricensis*, Rodrig. in *Anal. Soc. Esp. Hist. Nat.* iii.  
 (1874) 13.—Ins. Balear.  
*mohileviensis*, Down. in *Bull. Soc. Nat. Mosc.* xxxiv.  
 (1861) 1. 177.—Rossia.  
*Monroana*, Otto & Dietr. Allg. Gartenz. v. (1837)  
 104 = Malvastrum Munroanum.  
*montana*, Forsk. Fl. Aegypt. Arab. 124.  
*Moreniana*, Pollini, Fl. Veron. ii. 437, in syn. = M.  
 Alcea.

N



**MALVA:—**

- Morenii*, Pollini, in Brugnati. Giorn. Fis. ix. (1816) 34 = *M. Alcea*.  
*Morisonii*, Pollini, ex Schur, Enum. Pl. Transs. 130 = *M. Alcea*.  
*moschata*, Blanco, Fl. Filip. ed. I. 51 = *Pelargonium odoratissimum*.  
*moschata*, Linn. Sp. Pl. 690.—Europ.  
*Mulleri*, Mull. ex Parl. Fl. Ital. v. 79 = *Lavatera triloba*.  
*Munroana*, Dougl. ex Lindl. Bot. Reg. t. 1306 = *Malvastrum Munroanum*.  
*neglecta*, Wallr. in Syll. Ratisb. i. (1824) 140 = *rotundifolia*.  
*neilgherrensis*, Wight, Ic. t. 950 = *verticillata*.  
*nepalensis*, Hort. ex Steud. Nom. ed. II. ii. 95 = *verticillata*.  
*nicaeensis*, All. Fl. Pedem. ii. 40.—Reg. Mediterr.  
*nodosa*, Wahlenb. in Bergg. Resor. ii. 225 = *borealis*; et in Oken, Isis, xxi. (1828) 991.—Thracia.  
*nubigena*, Wedd. Chlor. And. ii. 276 (= *Malvastrum* sp.).—Bolivia.  
*nuttalloides*, Croom, in Am. Journ. Sc. xxvi. (1834) 313 = *Callirhoe Papaver*.  
*obliqua*, Nutt. ex A. Gray, in Mem. Am. Ac. N. S. iv. (1849) 23 = *Sida hederacea*.  
*obtusa*, Moench, Meth. 610 = *sylvestris*.  
*obtusa*, Torr. & Gray, Fl. N. Am. i. 225 = *borealis*.  
*obtusifolia*, Walp. in Nov. Act. Nat. Cur. xix. Suppl. i. (1843) 303.—Chili.  
*obtusiloba*, Hook. Bot. Mag. t. 2787 = *Sphaeralcea obtusiloba*.  
*odorata*, [Westc.] in Maund, Botanist, v. t. 218 = *Malvastrum capense*.  
*officinalis*, Schimp. & Spenn. in Spenn. Fl. Friburg. iii. 885 = *Althaea officinalis*.  
*Olbia*, Alef. in Oestr. Bot. Zeitschr. xii. (1862) 258 = *Lavatera Olbia*.  
*operculata*, Cav. Diss. ii. 65 t. 35. f. 1 (= *Malvastrum* sp.).—Peruv.  
*orbiculata*, Pomel, Nouv. Mat. Fl. Atl. 344.—Alger.  
*Oriastrum*, Wedd. Chlor. And. ii. 277 (= *Malvastrum* sp.).—Bolivia.  
*orientalis*, Mill. Gard. Dict. ed. VIII. n. 3.—Oriens.  
*Orsiniana*, Tenore, Fl. Nap. v. 85 = *moschata*.  
*ovata*, Cav. Diss. ii. 81. t. 20. f. 2 = *Malvastrum spicatum*.  
*ovata*, Dulac, Fl. Hautes-Pyr. 232 = *M. Alcea*.  
*oxyacanthoides*, Eckl. & Zeyh. ex Harv. et Sond. Fl. Cap. i. 163 = *Malvastrum divaricatum*.  
*oxyacanthoides*, Hornem. Hort. Hafn. ii. 654 = *Malvastrum tridactylites*.  
*oxyloba*, Boiss. Diagn. Ser. I. viii. 109.—Palaestina.  
*pallida*, Salisb. Prod. 381 = *Lavatera Olbia*.  
*Papaver*, Cav. Diss. ii. 64. t. 15. f. 3 = *Callirhoe Papaver*.  
*papaveriformis*, St. Lag. in Ann. Soc. Bot. Lyon, vii. (1880) 130 = *præc.*  
*parnassiaefolia*, Wedd. Chlor. And. ii. 275 = *Malvastrum parnassiaefolium*.  
*parviflora*, Huds. Fl. Angl. ed. I. 268 = *borealis*.  
*parviflora*, Linn. Diss. Dem. Pl. Nov.; Amoen. Acad. iii. 416.—Europ.  
*patagonica*, Niederl. in Roca, Exped. Rio-Negro, ii. 196.—Patagon.  
*pedata*, Torr. & Gray, Fl. N. Am. i. 227 = *Callirhoe alcaeoidea*, digitata.  
*peduncularis*, Hook. & Arn. in Hook. Bot. Misc. iii. (1833) 150.—Chili.  
*pedunculata*, Rafin. Caratteri, 76.—Sicil.  
*perpusilla*, Nutt. ex A. Gray, in Mem. Am. Acad. N. S. iv. (1849) 22 = *Malvastrum angustum*?  
*peruviana*, Linn. Sp. Pl. 688 = *Malvastrum peruvianum*.  
*phoenicea*, Alef. in Oestr. Bot. Zeitschr. xii. (1862) 258 = *Lavatera phoenicea*.  
*pinnatipartita*, A. St. Hil. & Naud. in Ann. Sc. Nat. Sér. II. xviii. (1842) 45.—Bras.  
*plebeja*, Stev. in Bull. Soc. Nat. Mosc. xxix. (1856) i. 325 = *sylvestris*.  
*plicata*, Nutt. in Torr. & Gray, Fl. N. Am. i. 227 = *Sida hederacea*.  
*plicata*, Thunb. Prod. Pl. Cap. 119.—Afr. austr.  
*plumosa*, Presl, Rel. Haenk. ii. 124 = *Malvastrum plumosum*.  
*polyantha*, Steud. Nom. ed. II. ii. 95.—Chili.  
*polymorpha*, Guss. Fl. Sic. Syn. ii. 226 = *sylvestris*.  
*polystachya*, Cav. Diss. v. 280. t. 638. f. 3 = *Malvastrum spicatum*.  
*praemorsa*, Hoffm. Verz. Pfl. 76 = *Malvastrum tridactylites*.

**MALVA:—**

- Preissiana*, Miq. in Lehm. Pl. Preiss. i. 238 = *Lavatera prebeia*.  
*propinqua*, Salisb. Prod. 380 = *Malvastrum grossulariaefolium*.  
*prostrata*, Cav. Diss. ii. 59. t. 16. f. 3 = *Modiola multifida*.  
*prostrata*, Gilib. Fl. Lituan. i. 63 = *rotundifolia*.  
*prostrata*, Phil. in Anal. Univ. Chil. (1870) ii. 163 = *Sphaeralcea bonariensis*.  
*Pseudo-borealis*, Schur, Enum. Pl. Transs. 130 = *borealis*.  
*Pseudo-lavatera*, Webb & Berth. Phyt. Canar. i. 29 = *Lavatera cretica*.  
*Pseudo-olbia*, Alef. in Oestr. Bot. Zeitschr. xii. (1862) 258 = *L. Olbia*.  
*ptarmicaefolia*, A. St. Hil. & Naud. in Ann. Sc. Nat. Sér. II. xviii. (1842) 46.—Bras.  
*pulchella*, Bernh. Sel. Sem. Hort. Erfurt. (1832) n. 8 = *verticillata*.  
*pulchra*, Boj. Hort. Maurit. 25.—Hab.?  
*pumila*, Retz. Obs. iii. 37.—Hab.?  
*punctata*, Alef. in Oestr. Bot. Zeitschr. xii. (1862) 258 = *Lavatera punctata*.  
*Purdiaei*, A. Gray, in Wedd. Chlor. And. ii. 275 = *Malvastrum Purdiaei*.  
*Purdiaei*, Triana & Planch. in Ann. Sc. Nat. Sér. IV. xvii. (1862) 154.—N. Granat.  
*purpurata*, Lindl. Bot. Reg. t. 1362 = *Malvastrum campanulatum*.  
*purpurea*, C. Gay, Fl. Chil. iii. 305 = *præc.*  
*pusilla*, Sm. Engl. Bot. iv. t. 241 = *borealis*.  
*pygmaea*, Wedd. Chlor. And. ii. 274 = *Malvastrum pygmaeum*.  
*racemosa*, E. Mey. ex Harv. & Sond. Fl. Cap. i. 164 = *Malvastrum racemosum*.  
*racemosa*, Presl, Delic. Prag. 29 = *sylvestris*.  
*recta*, Opiz, Boehm. Gew. (1823) 83 = *sylvestris*.  
*reflexa*, Andr. Bot. Rep. t. 135 = *Malvastrum tridactylites*.  
*reflexa*, Wendl. Bot. Beobacht. 53; Hort. Herrenh. 6. tab. 4.—Hab.?  
*repens*, Gueldest. Reisen, i. 52 = *borealis*.  
*retusa*, Cav. Diss. ii. 93. t. 21. f. 1 = *Malvastrum trilobum*.  
*retusa*, Eckl. & Zeyh. ex Harv. & Sond. Fl. Cap. i. 160 = *Malvastrum calycinum*.  
*rhizantha*, Wedd. Chlor. And. ii. 276 = *Malvastrum rhizanthum*.  
*ribifolia*, Schlecht. in Linnaea, xi. (1837) 351 = *Malvastrum ribifolium*.  
*ribifolia*, Viv. Fl. Cors. Prod. App. 85 = *ambigua*.  
*Richii*, Wedd. Chlor. And. ii. 276 = *Malvastrum Richii*.  
*rivularis*, Dougl. ex Hook. Fl. Bor. Am. i. 107 = *Sphaeralcea rivularis*.  
*Rodigii*, Presl, Delic. Prag. 28.—Europ.  
*rosea*, [Moq. & Sesse.] ex DC. Prod. i. 435 = *Sphaeralcea umbellata*.  
*rosea*, Roxb. ex Wight & Arn. Prod. 45 = *borealis*.  
*rotundifolia*, Cav. Diss. ii. 79. t. 26. f. 3 = *sylvestris*.  
*rotundifolia*, Gorter, Fl. Ingr. 110 = *borealis*.  
*rotundifolia*, Linn. Sp. Pl. 688.—Europ.; As. bor.  
*ruderalis*, Blume, Bijdr. 64 = *Malvastrum tricuspidatum*.  
*ruderalis*, Salisb. Prod. 381 = *sylvestris*.  
*rugosa*, Desr. in Lam. Encyc. iii. 747 (*Malvastrum* sp.).—Afr. austr.  
*rugosa*, Eckl. & Zeyh. ex Harv. & Sond. Fl. Cap. i. 165 = *Sphaeralcea elegans*.  
*scaberrima*, Lag. ex Steud. Nom. ed. II. ii. 95 (*Quid?*).—Hispan.  
*salvitellensis*, Braganti, Stirp. Rar. Pempt. i. 1. t. 1; ex Tenore, Syll. 337 = *rotundifolia*.  
*scabra*, Cav. Diss. v. 281. t. 138. f. 1 = *Malvastrum scabrum*.  
*scabrosa*, Linn. Cent. Pl. ii. 27; Amoen. Acad. iv. 325 = *Malvastrum capense*.  
*scandens*, Rafin. Atl. Journ. 147 (*Quid?*).—Am. bor.  
*Schiedeana*, Steud. Nom. ed. II. ii. 95 = *Malvastrum ribifolium*.  
*scoparia*, Jacq. Coll. i. 59 = *Malvastrum Rugelii*.  
*scoparia*, L'Hérit. Stirp. Nov. 53; Domb. ex Cav. Diss. 65. t. 21. f. 4 = *Malvastrum scoparium*.  
*scorpioides*, Turcz. in Bull. Soc. Nat. Mosc. xxxvi. (1863) 562 = *Malvastrum peruvianum*.  
*setigera*, Schimp. & Spenn. in Spenn. Fl. Friburg. iii. 886 = *Althaea hirsuta*.  
*setosa*, Moench, Meth. Suppl. 199 = *nicaeensis*.  
*Sherardiana*, Linn. Sp. Pl. ed. II. 1675 = *Sida Sherardiana*.

**MALVA:—**

- simpliciuscula*, Steud. in Flora, xxxix. (1856) 426.—Chili.  
*sinensis*, Cav. Diss. ii. 77. t. 25. f. 4 = *sylvestris*.  
*spicata*, Linn. Syst. ed. X. 1146 = *Malvastrum spicatum*.  
*spithamea*, Cav. Diss. ii. 61. t. 18. f. 3 = *hispanica*.  
*stellata*, D. Dietr. Syn. Pl. iv. 816 = *Sphaeralcea angustifolia*.  
*stellata*, Thunb. Prod. Pl. Cap. 119 = *Malvastrum asperum*.  
*stenophylla*, Hoffm. Verz. Pfl. Nachtr. ii. 156.—Hab.?  
*stipulacea*, Cav. Diss. ii. 62. t. 15. f. 2.—Hispan.  
*striata*, E. Mey. ex Harv. & Sond. Fl. Cap. i. 165 = *Sphaeralcea elegans*.  
*stricta*, Eckl. & Zeyh. ex Harv. & Sond. l. c. 162 = *Malvastrum tridactylites*.  
*stricta*, Jacq. Hort. Schoenb. iii. t. 294 = *Malvastrum strictum*.  
*subhastata*, Cav. Diss. ii. 72. t. 21. f. 3 = *Malvastrum tricuspidatum*.  
*sublobata*, Desr. in Lam. Encyc. iii. 754 = *Malvastrum spicatum*.  
*subtriflora*, Lag. Gen. et Sp. Nov. 21 = *Malvastrum subtriflorum*.  
*sulphurea*, Gill. in Hook. Bot. Misc. iii. (1833) 149 = *Sida sulphurea*.  
*sylvestris*, Linn. Sp. Pl. 689.—Europ.; As. temp.  
*tenella*, Cav. Ic. v. 14. t. 422. f. 3 = *Malvastrum tenellum*.  
*tenuicalyx*, Tenore, Ind. Sem. Hort. Neap. (1857).—Hab.?  
*tenuifolia*, Desr. in Lam. Encyc. iii. 750 = *Tournefortiana*.  
*tenuifolia*, Hook. & Arn. in Hook. Bot. Misc. iii. (1833) 150 (*Malvastrum* sp.).—Chili.  
*tenuifolia*, Savi, Due Cent. 122 = *moschata*.  
*Thirkeana*, Alef. in Oestr. Bot. Zeitschr. xii. (1862) 258 = *Lavatera thuringiaca*.  
*thuringiaca*, Vis. Fl. Dalm. iii. 207.—Europ.  
*timoriensis*, DC. Prod. i. 430; Blume, Bijdr. 64 = *Malvastrum spicatum*.  
*tomentella*, Presl, Fl. Sicul. 174 = *sylvestris*.  
*tomentosa*, Linn. Sp. Pl. 687.—Malaya.  
*Tournefortiana*, Asso, ex Losc. & Pard. Ser. Imperf. ed. II. 75 = *stipulacea*.  
*Tournefortiana*, Linn. Cent. Pl. i. 21; Amoen. Acad. iv. 283.—Europ.  
*Tournefortii*, Timb. in Bull. Soc. Dauph. [ii.] 39; ex eod. in Mém. Acad. Toul. Sér. VIII. i. ii. (1877) 191 = *præc.*?  
*Toxicodendrum*, Hort. ex Steud. Nom. ed. II. ii. 95 = *Malvastrum tridactylites*.  
*trachelifolia*, Link, Enum. Hort. Berol. ii. 209.—Hab.?  
*triangulara*, Leavenw. in Am. Journ. Sc. vii. (1824) 62 = *Callirhoe triangulara*.  
*tricuspidata*, [R. Br. in] Ait. Hort. Kew. ed. II. iv. 210 = *Malvastrum tricuspidatum*.  
*tridactylites*, Cav. Diss. ii. 77. t. 21. f. 2 = *Malvastrum tridactylites*.  
*trifida*, Cav. l. c. v. 280. t. 137. f. 2.—Hispan.  
*triloba*, Cav. in Anal. Cienc. Nat. vi. (1803) 338 = *præc.*?  
*triloba*, Thunb. Prod. Pl. Cap. 118 = *Malvastrum trilobum*.  
*trimestris*, Salisb. Prod. 381 = *Lavatera trimestris*.  
*trionoides*, DC. Prod. i. 433 = *parviflora*.  
*truncata*, Opiz, Boehm. Gew. (1823) 83, nomen.—Europ.  
*tuberculata*, Link, ex Steud. Nom. ed. II. ii. 95.—Hab.?  
*ulmifolia*, Balb. ex DC. Prod. i. 430 = *Malvastrum tricuspidatum*.  
*umbellata*, Bert. in Merc. Chil. [1829?] 695; ex C. Gay, Fl. Chil. i. 289 = *Lavatera arborea*.  
*umbellata*, Cav. Ic. i. 64. t. 95 = *Sphaeralcea vitifolia*.  
*unguiculata*, Alef. in Oestr. Bot. Zeitschr. xii. (1862) 258 = *Lavatera unguiculata*.  
*urticaefolia*, H. B. & K. Nov. Gen. et Sp. v. 276 = *Modiola multifida*.  
*velutina*, J. A. Schmidt, Beitr. Fl. Ins. Cap. Verd. 282.—Ins. Cap. Virid.  
*veneta*, Hort. ex DC. Prod. i. 432 = *sylvestris*.  
*venosa*, Thunb. Prod. Pl. Cap. 119 = *Sphaeralcea elegans*?  
*verticillata*, Linn. Sp. Pl. 689.—Europ.; As. et Afr. bor.



**MALVA** :—

- villosa*, Thunb. *Prod. Pl. Cap.* 118.—Afr. austr.  
*violacea*, Phil. *Sert. Mendoc. Alt.* 4 = *Malvastrum violaceum*.  
*virgata*, Cav. *Diss. ii.* 70. t. 18. f. 2 = *Malvastrum virgatum*.  
*virgata*, Eckl. & Zeyh. ex Harv. & Sond. *Fl. Cap.* i. 163 = *Malvastrum albens*.  
*virgata*, Murr. in *Comm. Gotting.* ii. 1779 (1780) n. 1. 20. t. 6.—Afr. austr.  
*viscosa*, Salisb. *Prod.* 381 = *Malvastrum capense*.  
*vitifolia*, Cav. *lc.* i. t. 30 = *Malvastrum vitifolium*.  
*vitifolia*, *Cervant. ex Steud. Nom.* ed. II. ii. 95 (Quid?).—Mexic.  
*vulgaris*, Fries, *Novit. Fl. Suec.* 219 = *rotundifolia*.  
*vulgaris*, S. F. Gray, *Nat. Arr. Brit. Pl.* ii. 638 = *sylvestris*.  
*waltherifolia*, Link, *Enum. Hort. Berol.* ii. 209 = *tomentosa*.  
*Willkommiana*, Scheele, in *Linnaea*, xxi. (1848) 570 = *Lavatera cretica*.  
*zebrina*, Hort. *Turic.*—Cf. *Linnaea*, xxiv. (1851) 175 = *sylvestris*.

**MALVASTRUM**, A. Gray, in *Mém. Am. Acad. N. S.* iv. (1849) (Pl. Fendl.) 21. **MALVACEAE**, Benth. & Hook. f. i. 201.

- NOTOTRICHE, Turcz. in *Bull. Soc. Nat. Mosc.* (1863) i. 567.  
*acaule*, A. Gray, *Bot. U. St. Expl. Exped.* i. 150.—Am. austr.  
*albense*, Harv. in *Harv. & Sond. Fl. Cap.* i. 163.—Afr. austr.  
*americanum*, Torr. *Bot. Mex. Bound.* 38 = *tricuspidatum*.  
*amoenum*, Garcke, in *Bonplandia*, v. (1857) 296 = *calycinum*.  
*angustifolium*, Hemsl. *Biol. Centr. Am. Bot.* i. 99 = *Sphaeralcea angustifolia*.  
*angustum*, A. Gray, in *Mem. Am. Acad. N. S.* iv. (1849) 22.—Am. bor.  
*anthemidifolium*, A. Gray, *Bot. U. St. Expl. Exped.* i. 152.—Bolivia.  
*aretioides*, A. Gray, *l. c.* 153.—Peruv.  
*aspermum*, Garcke, in *Bonplandia*, v. (1857) 296; A. Gray & Harv. in *Harv. & Sond. Fl. Cap.* i. 161.—Afr. austr.  
*aurantiacum*, Walp. *Ann.* ii. 153 = *Wrightii*.  
*Belloa*, A. Gray, in *Bot. U. St. Expl. Exped.* i. 150, in adnot.—Chili.  
*borussicum*, Wedd. *Chlor. And.* ii. 278.—Peruv.  
*bryonifolium*, Garcke, in *Bonplandia*, v. (1857) 296; A. Gray & Harv. in *Harv. & Sond. Fl. Cap.* i. 161.—Afr. austr.  
*calycinum*, Garcke, *l. c.*; A. Gray & Harv. *l. c.* 160.—Afr. austr.  
*campanulatum*, Nichols. *Dict. Gard.* ii. 319.—Chili.  
*capense*, Garcke, in *Bonplandia*, v. (1857) 296; A. Gray & Harv. in *Harv. & Sond. Fl. Cap.* i. 160.—Afr. austr.  
*capitatum*, Griseb. in *Goett. Abh.* xix. (1874) 90.—Reg. Argent.  
*carpinifolium*, A. Gray, in *Mem. Am. Acad. N. S.* iv. (1849) 22 = *tricuspidatum*.  
*Castelnaeanum*, Wedd. *Chlor. And.* ii. 283.—Peruv.  
*Cavanillesii*, A. Gray, *Bot. U. St. Expl. Exped.* i. 156.—Peruv.  
*coccineum*, A. Gray, in *Mem. Am. Acad. N. S.* iv. (1849) 24.—Am. bor. occ.  
*compactum*, A. Gray, *Bot. U. St. Expl. Exped.* i. 152.—Chili.  
*coromandelianum*, Regel, *Ind. Sem. Hort. Petrop.* (1861) 51 = seq.  
*coromandelinum*, Garcke, in *Bonplandia*, v. (1857) 297 = *tricuspidatum*.  
*Coulteri*, S. Wats. in *Proc. Am. Acad.* xi. (1876) 125 (*Sphaeralcea* sp.).—Calif.  
*densiflorum*, S. Wats. *l. c.* xvii. (1881–82) 368.—Calif. dissectum, Harv. in *Harv. & Sond. Fl. Cap.* i. 164.—Afr. austr.  
*divaricatum*, Garcke, in *Bonplandia*, v. (1857) 296; A. Gray & Harv. in *Harv. & Sond. l. c.* 163.—Afr. austr.  
*exile*, A. Gray, in *Ives, Rep. Colorado River, Bot.* 8.—Am. bor. occ.  
*flabellatum*, Wedd. *Chlor. And.* ii. 281.—Bolivia.  
*foliosum*, S. Wats. in *Proc. Am. Acad.* xx. (1885) 356.—Calif.

**MALVASTRUM** :—

- fragrans*, A. Gray & Harv. in *Harv. & Sond. Fl. Cap.* i. 159 = *capense*.  
*Fremontii*, A. Gray, in *Mem. Am. Acad. N. S.* iv. (1849) 21 = *Sphaeralcea Lindheimeri*.  
*geranioides*, Hemsl. *Biol. Centr. Am. Bot.* i. 99.—Mexic.  
*Gilliesii*, Baker, in *Gard. Chron.* (1885) ii. 166.—Parana.  
*glomeratum*, Griseb. in *Goett. Abh.* xxiv. (1879) 42.—Reg. Argent.  
*grossulariaefolium*, Garcke, in *Bonplandia*, v. (1857) 294; A. Gray & Harv. in *Harv. & Sond. Fl. Cap.* i. 162.—Afr. austr.  
*grossulariaefolium*, A. Gray, in *Mem. Am. Acad. N. S.* iv. (1849) 21 = *Sphaeralcea pedata*.  
*heterophyllum*, Griseb. in *Goett. Abh.* xxiv. (1879) 43 (*Sphaeralcea* sp.).—Reg. Argent.  
*humile*, A. Gray, *Bot. U. St. Expl. Exped.* i. 150.—Chili.  
*lasiocarpum*, Griseb. in *Goett. Abh.* xxiv. (1879) 43.—Reg. Argent.  
*lateritium*, Nichols. *Dict. Gard.* ii. 319.—Uruguay.  
*leptophyllum*, A. Gray, *Pl. Wright.* i. 17.—N. Mexic.  
*limense*, Ball, in *Journ. Linn. Soc.* xxii. (1885) 32.—Peruv.  
*Lindheimerianum*, Walp. *Ann.* ii. 753.—Texas.  
*linearifolium*, Buckl. in *Proc. Acad. Sc. Philad.* 1861 (1862) 449 = *Sida ciliaris*.  
*linoides*, Hieron. in *Bol. Acad. Nac. Córdoba*, iii. (1879) 336.—Reg. Argent.  
*lobulatum*, Wedd. *Chlor. And.* ii. 275 = *parnassiaefolium*.  
*longirostre*, Wedd. *l. c.* 281.—Bolivia.  
*Macleani*, A. Gray, *Bot. U. St. Expl. Exped.* i. 152.—Peruv.  
*macrostachyum*, Hemsl. *Biol. Centr. Am. Bot.* i. 99.—Mexic.  
*Mandonianum*, Wedd. *Chlor. And.* ii. 282.—Bolivia.  
*marrubioides*, Durand & Hilg. in *Pacif. Rail. Rep.* v. (1855) 6.—Calif.  
*mexicanum*, Hemsl. *Biol. Centr. Am. Bot.* i. 99.—Mexic.  
*Munroanum*, A. Gray, in *Mem. Am. Acad. N. S.* iv. (1849) 21 = *Sphaeralcea Munroana*.  
*Orbignyanum*, Wedd. *Chlor. And.* ii. 279.—Bolivia.  
*Palmeri*, S. Wats. in *Proc. Am. Acad.* xii. (1877) 250.—Calif.  
*parnassiaefolium*, A. Gray, *Bot. U. St. Expl. Exped.* i. 150, adnot.—Ecuador.  
*pedatifidum*, A. Gray, in *Bost. Journ. Nat. Hist.* vi. (1850) 160 = *Sphaeralcea Fendleri*.  
*pediculariaefolium*, A. Gray, *Bot. U. St. Expl. Exped.* i. 152.—Peruv.  
*peruvianum*, A. Gray, *l. c.* 146.—Mexic.  
*phyllanthos*, A. Gray, *l. c.* 152.—Ecuador; Peruv.  
*pichinchense*, A. Gray, *l. c.*—Ecuador.  
*pinnatum*, A. Gray, *l. c.* 154.—Peruv.  
*plumosum*, A. Gray, *l. c.* 147.—Peruv.  
*procumbens*, Harv. in *Harv. & Sond. Fl. Cap.* i. 164.—Afr. austr.  
*prostratum*, Hieron. in *Bol. Acad. Nac. Córdoba*, iv. (1881) 15.—Reg. Argent.  
*Purdiei*, A. Gray, *Bot. U. St. Expl. Exped.* i. 150.—N. Granat.  
*pygmaeum*, A. Gray, *l. c.* adnot.—Bolivia.  
*pygmaeum*, Griseb. in *Goett. Abh.* xxiv. (1879) 43 = *tenellum*.  
*racemosum*, Harv. in *Harv. & Sond. Fl. Cap.* i. 164.—Afr. austr.  
*rhizanthum*, A. Gray, *Bot. U. St. Expl. Exped.* i. 148.—Peruv.  
*ribifolium*, Hemsl. *Biol. Centr. Am. Bot.* i. 100.—Mexic.  
*Richii*, A. Gray, *Bot. U. St. Expl. Exped.* i. 149.—Peruv.  
*roseum*, Hemsl. *Biol. Centr. Am. Bot.* i. 100 = *Sphaeralcea umbellata*.  
*rotundifolium*, A. Gray, in *Proc. Am. Acad.* vii. (1868) 333.—Calif.  
*rudemale*, Hance, in *Walp. Ann.* iii. 830 = *tricuspidatum*.  
*Rugelii*, S. Wats. in *Proc. Am. Acad.* xvii. (1881–82) 367.—Am. bor.; Ind. occ.  
*scabrum*, A. Gray, *Bot. U. St. Expl. Exped.* i. 147.—Peruv.  
*scoparium*, A. Gray, *l. c.* in textu.—Am. trop.

**MALVASTRUM** :—

- setosum*, Harv. in *Harv. & Sond. Fl. Cap.* i. 163.—Afr. austr.  
*spicatum*, A. Gray, in *Mem. Am. Acad. N. S.* iv. (1849) 22.—Reg. trop.  
*splendidum*, Kellogg, in *Proc. Calif. Acad.* i. (1855) 65.—Calif.  
*stenopetalum*, A. Gray, *Bot. U. St. Expl. Exped.* i. 155.—Peruv.  
*strictum*, A. Gray, & Harv. in *Harv. & Sond. Fl. Cap.* i. 160.—Afr. austr.  
*subtriflorum*, Hemsl. *Biol. Centr. Am. Bot.* i. 100.—Mexic.  
*sulphureum*, Griseb. in *Goett. Abh.* xxiv. (1879) 43 = *Sida sulphurea*.  
*tenellum*, Hieron. in *Bol. Acad. Nac. Córdoba*, iv. (1881) 15.—Reg. Argent.  
*Thurberi*, A. Gray, in *Mem. Am. Acad. N. S.* v. (1855) 307.—Calif.  
*tricuspidatum*, A. Gray, *Pl. Wright.* i. 16.—Cosmop. trop.  
*tridactylites*, Garcke, in *Bonplandia*, v. (1857) 296; A. Gray & Harv. in *Harv. & Sond. Fl. Cap.* i. 162.—Afr. austr.  
*trilobum*, Garcke, in *Bot. Zeit.* xxii. (1864) 11.—Afr. austr.  
*ulophyllum*, A. Gray, *Bot. U. St. Expl. Exped.* i. 150.—Peruv.  
*violaceum*, Hieron. in *Bol. Acad. Nac. Córdoba*, iv. (1881) 15.—Reg. Argent.  
*virgatum*, A. Gray & Harv. in *Harv. & Sond. Fl. Cap.* i. 162.—Afr. austr.  
*vitifolium*, Hemsl. *Biol. Centr. Am. Bot.* i. 100.—Mexic.  
*Wrightii*, A. Gray, in *Mem. Am. Acad. N. S.* iv. (1849) 21.—Texas.

**MALVAVISCUS**, Dill. ex Adans. *Fam.* ii. 399 (1763). **MALVACEAE**, Benth. & Hook. f. i. 206.

- ACHANIA, Sw. *Prod. Fl. Ind. Occ.* 102 (1788).  
*acapulcensis*, H. B. & K. *Nov. Gen. et Sp.* v. 286.—Mexic.  
*acerifolius*, Presl, *Rel. Haenk.* ii. 135.—Mexic.  
*arboreus*, Cav. *Diss.* iii. t. 48. f. 1.—Am. austr.  
*Balbisii*, DC. *Prod.* i. 445.—Bras.  
*brevipes*, Benth. *Bot. Voy. Sulph.* 68.—Mexic.  
*candidus*, [Moq. & Sesse.] ex DC. *Prod.* i. 445.—Mexic.  
*ciliatus*, DC. *l. c.*—Ins. Tobago.  
*coccineus*, Medic. *Malv.* 49 = *Hibiscus coccineus*.  
*concinus*, H. B. & K. *Nov. Gen. et Sp.* v. 286.—Peruv.  
*concinus*, Schlecht. in *Linnaea*, xi. (1837) 361 = *sepium*.  
*cordatus*, DC. *Prod.* i. 445.—Bras.  
*cordifolius*, Moench, *Meth. Suppl.* 208 = *arboreus*.  
*cuspidatus*, Turcz. in *Bull. Soc. Nat. Mosc.* xxxi. (1858) i. 190.—Venezuela.  
*Drummondii*, Torr. & Gray, *Fl. N. Am.* i. 230.—Texas.  
*flavidus*, [Moq. & Sesse.] ex DC. *Prod.* i. 446.—Mexic.  
*floridanus*, Nutt. in *Journ. Acad. Philad.* vii. (1834) 89 = *Hibiscus Bancroftianus*.  
*fragilis*, Bory, ex DC. *Prod.* i. 446 = *Hibiscus liliiflorus*.  
*glabrescens*, Planch. & Linden, ex Triana & Planch. in *Ann. Sc. Nat. Sér. IV.* xvii. (1862) 168 = *oligotrichus*.  
*grandiflorus*, H. B. & K. *Nov. Gen. et Sp.* v. 286.—Mexic.  
*leucocarpus*, Planch. & Linden, ex Triana & Planch. in *Ann. Sc. Nat. Sér. IV.* xvii. (1862) 169.—N. Granat.  
*longifolius*, Garcke, in *Otto & Dietr. Allg. Gartenz.* xxii. (1854) 321.—Peruv.  
*longifolius*, Spach, *Hist. Vég. Phan.* iii. 370 = *Pavonia longifolia*.  
*mollis*, DC. *Prod.* i. 445.—Mexic.  
*montanus*, Mart. ex Garcke, in *Eichl. Jahrb. Berl.* i. (1881) 222 = *Pavonia montana*.  
*multiflorus*, Spach, *Hist. Vég. Phan.* iii. 370 = *Pavonia multiflora*.  
*oligotrichus*, Turcz. in *Bull. Soc. Nat. Mosc.* xxxi. (1858) i. 190.—N. Granat.  
*penduliflorus*, [Moq. & Sesse.] ex DC. *Prod.* i. 445 = *Hibiscus Bancroftianus*.  
*pentacarpus*, [Moq. & Sesse.] *l. c.*—Mexic.  
*pilosus*, DC. *Prod.* i. c. = *Hibiscus Bancroftianus*.



**MALVAVISCUS:—**

- pilosus*, Macfad. Fl. Jamaic. i. 64 (excl. syn. Sw.) = arboreus.  
*pleurantherus*, [Moq. & Sesse,] ex DC. Prod. i. 446.—Mexic.  
*pleurogonus*, [Moq. & Sesse,] l. c.—Mexic.  
*Poeppigii*, G. Don, Gen. Syst. i. 475 = *Hibiscus* *Poeppigii*.  
*populifolius*, Presl, Rel. Haenk. ii. 135.—Mexic.  
*populneus*, Gaertn. Fruct. ii. 253 = *Thespesia* *populnea*.  
*pulvinatus*, A. Rich. Ess. Fl. Cub. 133.—Cuba.  
*punicus*, Bory, ex DC. Prod. i. 446 = *Hibiscus* *liliflorus*.  
*Sagraeanus*, A. Rich. Ess. Fl. Cub. 131 = arboreus.  
*sepium*, Schlecht. in Linnaea, xi. (1837) 361.—Mexic.  
*spatulatus*, Garcke, in Otto & Dietr. Allg. Gartenz. xxi. (1853) 321.—Mexic.  
*velutinus*, Planch. & Triana, in Ann. Sc. Nat. Sér. IV. xvii. (1862) 168.—N. Granat.

**MALVELLA**, Jaub. & Spach, Illustr. v. 47, t. 444 (1853-57) = **Sida**, Linn. (Malvac.).

*cymbalariaefolia*, Boiss. Fl. Orient. i. 835 = *S. Sherardiana*.  
*Sherardiana*, Jaub. & Spach, Illustr. v. 46, t. 444 = *S. Sherardiana*.

**MALVEOPSIS**, Presl, Bot. Bemerk. 19 (1844) = **Sphaerancea**, A. St. Hil. (Malvac.).  
*anomala*, Presl, l. c. = *S. elegans*.

**MALVINDA**, Dill. ex Medic. Malv. 23 (1787) = **Sida**, Linn. (Malvac.).

- alba*, Medic. Malv. 24 = *S. spinosa*.  
*alnifolia*, Medic. l. c. 23 = *S. spinosa*.  
*angustifolia*, Medic. l. c. 24 = *S. angustifolia*.  
*carpinifolia*, Medic. l. c. = *S. acuta*.  
*cordifolia*, Medic. l. c. = *S. cordifolia*.  
*palmata*, Moench, Meth. Suppl. 203 = *S. ricinoides*.  
*spinosa*, Medic. Malv. 23 = *S. spinosa*.  
*umbellata*, Medic. l. c. 24 = *Abutilon* *umbellatum*.

**MALYA**, Opiz, Seznam, 62 (1852) = **Ventenata**, Koel. (Gramin.).  
*tenuis*, Opiz, l. c. 63 = *V. avenacea*.

**MAMBOGA**, Blanco, Fl. Filip. ed. I. 140 (1837) = **Mitragyna**, Korth. (Rubiace.).  
*capitata*, Blanco, l. c. = *Ins. Philipp.*

**MAMILLARIA**, Reichb. in Moessl. Handb. ed. II. i. p. 1 (1827) = **Mammillaria**, Haw. (Cact.).

**MAMMEA**, Linn. Gen. ed. I. 344 (1737). *GUTTIFERAE*, Benth. & Hook. f. i. 176.

*POTAMOCHARIS*, Rottb. in Act. Lit. Univ. Hafn. i. (1778) 296.

- africana*, G. Don, Gen. Syst. i. 619 = *Ochrocarpus africanus*.  
*americana*, Linn. Sp. Pl. 512.—Am. trop.  
*angustifolia*, Planch. & Triana, in Ann. Sc. Nat. Sér. IV. xv. (1861) 246.—Madag.  
*asiatica*, Linn. Sp. Pl. 512 = *Barringtonia* *Butonica*.  
*birmanica*, T. Anders. in Journ. Linn. Soc. ix. (1867) 261 = *Ochrocarpus* *siamensis*.  
*emarginata*, Moq. & Sesse, ex DC. Prod. i. 561.—Mexic.  
*eugenoides*, Planch. & Triana, in Ann. Sc. Nat. Sér. IV. xv. (1861) 245.—Madag.  
*excelsa*, Planch. & Triana, l. c. 244 = *Ochrocarpus ovalifolius*.  
*humilis*, Vahl, Eclog. ii. 40.—Am. trop.  
*lateriflora*, Griseb. in Goett. Abh. vii. (1857) 184 = *humilis*.  
*longifolia*, Planch. & Triana, in Ann. Sc. Nat. Sér. IV. xv. (1861) 240 = *Ochrocarpus longifolius*.  
*sessiliflora*, Planch. & Triana, l. c. 245.—Madag.  
*siamensis*, T. Anders. in Journ. Linn. Soc. ix. (1867) 261 = *Ochrocarpus siamensis*.

**MAMMILARIA**, Torr. & Gray, Fl. N. Am. i. 553 (1840) sphalm. = seq.

**MAMMILLARIA**, Haw. Syn. Pl. Succ. 177 (1812). *CACTEAE*, Benth. & Hook. f. i. 847.

- ANHALONIUM*, Lem. Cact. Nov. Gen. et Sp. I (1841).  
*ARIOCARPUS*, Scheidw. in Bull. Acad. Brux. v. (1838) 491.  
*CORYPHANTA*, Lem. Cact. 32 (1868).  
*STROMATOCACTUS*, Karw. ex Foerst. Handb. Cact. ed. II. i. 229 (1885).

**MAMMILLARIA:—**

- acanthophlegma*, Lehm. Del. Sem. Hamb. (1832); Pfeiff. Enum. Diagn. Cact. 26.—Mexic.  
*acanthostephes*, Lehm. in Otto & Dietr. Allg. Gartenz. iii. (1835) 228.—Mexic.  
*acicularis*, Lem. Cact. Nov. Gen. et Sp. (1839) 34.—Mexic.  
*aciculata*, Hort. Berol. ex Salm-Dyck, Cact. Hort. Dyck. ed. II. 11 = *discolor*.  
*aciculata*, Otto, ex Pfeiff. Enum. Diagn. Cact. 29.—Mexic.  
*actinoplea*, Ehrenb. in Otto & Dietr. Allg. Gartenz. xvi. (1848) 266.—Mexic.  
*adunca*, Scheidw. ex Foerst. Handb. Cact. ed. I. 222 = *uncinata*.  
*aeruginosa*, Scheidw. in Otto & Dietr. Allg. Gartenz. viii. (1840) 338.—Mexic.  
*affinis*, DC. Coll. Mém. viii. Cact. 11. t. 6.—Mexic.  
*aggregata*, Engelm. in Emory, Mil. Reconnois. 156 = *Cereus* *phoeniceus*.  
*albida*, Haage, ex Pfeiff. Enum. Diagn. Cact. 28.—Mexic.  
*albiseta*, Hort. ex Foerst. Handb. Cact. ed. II. i. 354.—Mexic.?  
*aloides*, Monv. Cat. (1846); ex Labour. Cact. 153 = *prismatica*.  
*alpina*, Mart. ex Salm-Dyck, Cact. Hort. Dyck. ed. II. 7, 79.—Mexic.  
*amabilis*, Ehrenb. in Otto & Dietr. Allg. Gartenz. xvii. (1849) 326.—Mexic.  
*ambigua*, G. Don, ex Loud. Hort. Brit. 194.—Chili.  
*amoena*, Hofpr. ex Salm-Dyck, Cact. Hort. Dyck. ed. II. 12, 99.—Hab.?  
*anancistraria*, Lem. Cact. Gen. et Sp. Nov. (1839) 39.—Hab.?  
*ancistracantha*, Lem. l. c. 36 = *raphidacantha*.  
*ancistrata*, Schelh. ex Salm-Dyck, Cact. Hort. Dyck. ed. I. 8 = *ancistroides*.  
*ancistraria*, Walp. Rep. ii. 296.—Hab.?  
*ancistraria*, Hort. ex Salm-Dyck, Cact. Hort. Dyck. ed. II. 10 = *ancistroides*.  
*ancistroides*, Lehm. Del. Sem. Hort. Hamb. (1832) = *glochidiata*.  
*ancistroides*, Lem. Cact. Gen. et Sp. Nov. (1839) 38.—Hab.?  
*Andreae*, Pfeiff. ex Salm-Dyck, Cact. Hort. Dyck. (1845) 7 = *rhodantha*.  
*anguinea*, Otto, ex Salm-Dyck, l. c. ed. II. 101.—Mexic.  
*angularis*, Link & Otto, in Verh. Ver. Befoerd. Gartenb. vi. (1830) 430, nomen; et ex Pfeiff. Enum. Diagn. Cact. 12 = *compressa*.  
*anisacantha*, Hort. ex Salm-Dyck, Cact. Hort. Dyck. ed. I. 11; ed. II. 17 = *polyedra*.  
*applanata*, Engelm. ex Salm-Dyck, l. c. ed. II. 109 = *Heyderi*.  
*areolata*, Hemsl. Biol. Centr. Am. Bot. i. 503.—Mexic.  
*argentea*, Fennel, in Otto & Dietr. Allg. Gartenz. xv. (1847) 65.—Mexic.  
*arietina*, Lem. Cact. Aliq. Nov. Desc. 10 = *magnimamma*.  
*arizonica*, Engelm. in S. Wats. Pl. Wheeler, 9.—Am. bor. occ.  
*Asterias*, Cels, ex Salm-Dyck, Cact. Hort. Dyck. ed. II. 19, 129.—Hab.?  
*atrata*, Hort. Mack. ex Hook. Bot. Mag. sub t. 3642 = *rhodantha*.  
*atrorubra*, Ehrenb. in Otto & Dietr. Allg. Gartenz. xvii. (1849) 327.—Mexic.  
*atrosanguinea*, Ehrenb. l. c. 270.—Mexic.  
*aulacantha*, DC. Rév. Cact. 113.—Mexic.  
*aulacothele*, Lem. Cact. Aliq. Nov. Desc. 8.—Mexic.  
*aurata*, Hort. ex Pfeiff. Enum. Diagn. Cact. 31 = *rhodantha*.  
*aurea*, Hort. ex Foerst. Handb. Cact. ed. I. 200 = *Oderiana*.  
*aurea*, Pfeiff. ex Foerst. l. c. 198 = *rhodantha*.  
*aureiceps*, Lem. Cact. Aliq. Nov. Desc. 8.—Mexic.  
*auricoma*, Ehrenb. in Otto & Dietr. Allg. Gartenz. xiv. (1846) 308.—Mexic.  
*aurora*, A. Dietr. l. c. xvii. (1849) 363.—Mexic.  
*autumnalis*, A. Dietr. l. c. xvi. (1848) 287.—Hab.?  
*badispina*, C. F. Foerst. in Hamb. Gartenz. xvii. (1861) 159.—Hab.?  
*barbata*, Engelm. in Wislitz. Tour North Mexic. 105.—Mexic.  
*Barlowii*, Regel & Klein, Ind. Sem. Hort. Petrop. (1860) 46.—Mexic.  
*bellatula*, Foerst. in Otto & Dietr. Allg. Gartenz. xv. (1847) 51.—Bras.

**MAMMILLARIA:—**

- Benecke*, Ehrenb. in Bot. Zeit. ii. (1844) 833 = *Goodridgei*.  
*Bergonii*, Ehrenb. in Otto & Dietr. Allg. Gartenz. xvii. (1849) 326.—Mexic.  
*Bergii*, Miq. Comm. Phyt. iii. 104.—Mexic.  
*bicolor*, Lehm. Del. Sem. Hort. Hamb. (1830) 7.—Mexic.  
*bifurca*, A. Dietr. in Allg. Gartenz. xviii. (1850) 188.—Mexic.  
*biglandulosa*, Pfeiff. in Otto & Dietr. l. c. vi. (1838) 274.—Mexic.  
*bihamata*, Pfeiff. l. c.—Mexic.  
*binops*, Haage, ex Foerst. Handb. Cact. ed. I. 254, nomen.—Hab.?  
*bocasana*, Poselg. in Otto & Dietr. Allg. Gartenz. xxi. (1853) 94.—Texas.  
*Bockii*, Miq. Comm. Phyt. iii. 104.—Mexic.  
*brevimamma*, Zucc. ex Pfeiff. Enum. Diagn. Cact. 34.—Mexic.  
*breviseta*, Ehrenb. in Otto & Dietr. Allg. Gartenz. xvi. (1849) 251.—Mexic.  
*Brongniartii*, Hort. Par. ex Salm-Dyck, Cact. Hort. Dyck. ed. II. 9, 86 = *microthele*.  
*bumamma*, Ehrenb. in Otto & Dietr. Allg. Gartenz. xvii. (1849) 243 = *elephantidea*.  
*caesia*, Ehrenb. l. c. 251 = *spinosissima*.  
*caespititia*, Hort. ex Salm-Dyck, Cact. Hort. Dyck. ed. II. 7 = *multiceps*.  
*caespitosa*, A. Gray, Struct. Bot. 421. f. 838 = *missouriensis*.  
*caespitosa*, Hort. ex Pfeiff. Enum. Diagn. Cact. 6 = *echinata*.  
*calcarata*, Engelm. in Bost. Journ. Nat. Hist. vi. (1850) 195.—Texas.  
*candida*, Scheidw. in Bull. Acad. Brux. v. (1838) 496 = *sphaerotracha*.  
*canescens*, Hort. ex Pfeiff. Enum. Diagn. Cact. 28, 33 = *discolor*, *grandiflora*.  
*canescens*, Jacobi, in Otto & Dietr. Allg. Gartenz. xxiv. (1856) 89.—Mexic.  
*Cantera*, Haage, ex Foerst. Handb. Cact. ed. I. 254, nomen.—Hab.?  
*Caput-Medusae*, Link & Otto, in Verh. Ver. Befoerd. Gartenb. vi. (1830), 430, nomen; et ex Pfeiff. Enum. Diagn. Cact. 22 = *Sempervivi*.  
*caracasana*, Otto, ex Salm-Dyck, Cact. Hort. Dyck. ed. II. 14; 107.—Venezuela.  
*carnea*, Zucc. ex Pfeiff. Enum. Diagn. Cact. 19.—Mexic.  
*castaneoides*, Hort. ex Salm-Dyck, Cact. Hort. Dyck. 5 = *Wegeneri*.  
*castaneoides*, Lem. ex Labour. Cact. 37.—Mexic.  
*catafracta*, Mart. ex Salm-Dyck, Hort. Dyck. 155 = *affinis*.  
*cataphracta*, Mart. ex Pfeiff. Enum. Diagn. Cact. 11 = *affinis*.  
*caudata*, G. Don, ex Loud. Hort. Brit. 194.—Chili.  
*Celsiana*, Lem. Cact. Nov. Gen. et Sp. (1839) 41.—Mexic.  
*centricirra*, Lem. l. c. 42.—Mexic.  
*centrispina*, Pfeiff. in Otto & Dietr. Allg. Gartenz. iv. (1836) 258.—Mexic.  
*cephalophora*, Salm-Dyck, Cact. Hort. Dyck. ed. II. 137.—Mexic.  
*ceratocentra*, Berg, in Otto & Dietr. Allg. Gartenz. viii. (1840) 130.—Mexic.  
*ceratophora*, Lehm. l. c. (1835) 228 = *magnamamma*.  
*cespititia*, DC. in Mém. Mus. Par. xvii. (1828) 112.—Mexic.  
*chlorantha*, Engelm. in Wheeler, Rep. Bot. vi. 127.—Mexic.  
*chrysacantha*, Link & Otto, in Verh. Ver. Befoerd. Gartenb. vi. (1830) 430, nomen; et Pfeiff. Enum. Diagn. Cact. 28.—Mexic.  
*circumtexta*, Mart. Hort. Reg. Monac. (1829) 127, nomen.—Mexic.  
*cirriferia*, Mart. Hort. Reg. Monac. (1829) 127, nomen; et in Nov. Act. Nat. Cur. xvi. i. (1832) 234.—Mexic.  
*cirriferia*, Hort. ex Salm-Dyck, Cact. Hort. Dyck. ed. II. 18 = *compressa*.  
*cirrosa*, Poselg. in Otto & Dietr. Allg. Gartenz. xxi. (1853) 94.—Mexic.  
*citrina*, Scheidw. ex Foerst. Handb. Cact. ed. I. 518 = *Mexic.*?  
*Clava*, Pfeiff. in Otto & Dietr. Allg. Gartenz. viii. (1840) 282.—Mexic.



## MAMMILLARIA :—

- clavata*, Scheidw. in Bull. Acad. Brux. v. (1838) 494 = *raphidacantha*.  
*Closiana*, Roumeg. in Bull. Soc. Bot. Fr. ii. (1855) 372.—Mexic.  
*coccinea*, G. Don, in Loud. Hort. Brit. 194.—Chili.  
*columbiana*, Salm-Dyck, Cact. Hort. Dyck. ed. II. 12, 99.—N. Granat.  
*columnaris*, Mart. in Nov. Act. Nat. Cur. xvi. i. (1832) 330 = polythele.  
*communis*, Steud. Nom. ed. II. i. 245, in syn. = *Melocactus communis*.  
*compacta*, Engelm. in Wislitz. Tour North Mexic. 105.—N. Mexic.  
*compacta*, Hort. ex Salm-Dyck, Cact. Hort. Dyck. ed. II. 9 = microthele.  
*compressa*, DC. in Mém. Mus. Par. xvii. (1828) 112.—Mexic.  
*confinis*, Haage, Cat. Cact. 1836; ex Walp. Rep. ii. 289 = albida.  
*conica*, Haw. Pl. Succ. Suppl. 71.—Am. austr.  
*coniflora*, Hort. ex Salm-Dyck, Cact. Hort. Dyck. ed. II. 11 = discolor.  
*conimamma*, A. Linke, in Koch, Allg. Gartenz. xxv. (1857) 239.—Mexic.  
*conoidea*, DC. in Mém. Mus. Par. xvii. (1828) 112.—Mexic.  
*conopsea*, Hort. Berol. ex Salm-Dyck, Cact. Hort. Dyck. ed. I. 12 = Neumanniana.  
*conopsea*, Scheidw. in Bull. Acad. Brux. v. (1838) 496; vi. (1839) 92.—Mexic.  
*contacta*, Wendl. ex Foerst. Handb. Cact. ed. I. 254, nomen.—Hab.?  
*convoluta*, St. Lag. in Ann. Soc. Bot. Lyon. vii. (1880) 130 = M. Helicteres.  
*corioides*, Bosch, ex Sweet, Hort. Brit. ed. III. 281.—Am. austr.  
*cornifera*, DC. in Mém. Mus. Par. xvii. (1828) 112.—Mexic.  
*corollaria*, Ehrenb. in Otto & Dietr. Allg. Gartenz. xvii. (1849) 294.—Mexic.  
*coronaria*, Haw. Rev. Pl. Succ. 69.—Mexic.  
*coronata*, Scheidw. in Otto & Dietr. Allg. Gartenz. viii. (1840) 338 = crebrispina.  
*coryphides*, Forb. ex Foerst. Handb. Cact. ed. I. 254, nomen.—Hab.?  
*crassispina*, Pfeiff. in Otto & Dietr. Allg. Gartenz. viii. (1840) 406.—Mexic.  
*crebrispina*, DC. in Mém. Mus. Par. xvii. (1828) 111.—Mexic.  
*criniformis*, DC. in Mém. Cact. 8. t. 4 = glochidiata.  
*crinifera*, Otto, ex Foerst. Handb. Cact. ed. I. 254, nomen.—Hab.?  
*crinita*, DC. in Mém. Mus. Par. xvii. (1828) 112.—Mexic.  
*crocidata*, Lem. Cact. Aliq. Nov. Desc. 9.—Mexic.  
*crucigera*, Hort. ex Salm-Dyck, Cact. Hort. Dyck. ed. II. 9, 87 = formosa.  
*crucigera*, Mart. Hort. Reg. Monac. (1829) 127, nomen; et in Nov. Act. Nat. Cur. xvi. i. (1832) 340.—Mexic.  
*cubensis*, Zucc. ex Labour. Cact. 59 = crucigera.  
*cuneiflora*, Hitchc., ex Forbes, Hort. Tour Germ. 1 nomen.—Mexic.  
*curvata*, Hort. Berol. ex Pfeiff. Enum. Diagn. Cact. 15 = exsudans.  
*curvispina*, Hort. ex Salm-Dyck, Cact. Hort. Dyck. ed. I. 7 = discolor.  
*curvispina*, Otto, in Otto & Dietr. Allg. Gartenz. xiv. (1846) 204.—Mexic.  
*cylindracea*, DC. in Mém. Mus. Par. xvii. (1828) 111 = eriacantha.  
*cylindrica*, Hitchc., ex Forbes, Hort. Tour Germ. 149, nomen.—Am. austr.  
*cylindrica*, Link & Otto, in Verh. Ver. Befoerd. Gartenb. vi. (1830) 429, nomen = eriacantha.  
*dactylothele*, Labour. Monog. Cact. 146 = macromeris.  
*daedalea*, Hort. ex Salm-Dyck, Cact. Hort. Dyck. ed. I. 6 = bicolor.  
*daemonoceras*, Lem. ex Foerst. Handb. Cact. ed. I. 251 = cornifera.  
*daimonoceras*, Lem. Cact. Aliq. Nov. Desc. 5 = scolymoides.  
*dasyacantha*, Engelm. Syn. Cact. 268.—Mexic.  
*denibata*, A. Dietr. in Otto & Dietr. Allg. Gartenz. xiv. (1846) 309.—Mexic.  
*decipiens*, Scheidw. in Bull. Acad. Brux. v. (1838) 496.—Mexic.

## MAMMILLARIA :—

- declivis*, A. Dietr. in Allg. Gartenz. xviii. (1850) 235 = Heyderi.  
*decora*, C. F. Foerst. in Hamb. Gartenz. xvii. (1861) 159.—Mexic.  
*deficiens*, Hort. ex Salm-Dyck, Cact. Hort. Dyck. ed. II. 7 = decipiens.  
*deficum*, Hort. ex Foerst. Handb. Cact. ed. I. 185 = decipiens.  
*deflexispina*, Lem. Cact. Aliq. Nov. Desc. 6 = gladiata.  
*densa*, Link & Otto, Ic. Pl. Rar. t. 35 = echinata.  
*depressa*, DC. Cat. Hort. Monsp. ex DC. Mém. Cact. 28 = discolor.  
*depressa*, Scheidw. in Bull. Acad. Brux. v. (1838) 449.—Mexic.  
*deserti*, Engelm. in S. Wats. Bot. Calif. ii. 449.—Calif.  
*diacantha*, Haage, ex Steud. Nom. ed. II. ii. 96 = Haageana.  
*diacantha*, Lem. Cact. Aliq. Nov. Desc. 2 = Semper-vivi.  
*diacentra*, Jacobi, in Otto & Dietr. Allg. Gartenz. xxiv. (1856) 91.—Hab.?  
*Diadema*, Muehlenpf. in Otto & Dietr. l. c. xiii. (1845) 346.—Mexic.  
*diaphanacantha*, Lem. Cact. Aliq. Nov. Desc. 39 = conoidea.  
*dichotoma*, Hort. ex Sweet, Hort. Brit. ed. III. 281, nomen.—Hab.?  
*digitalis*, Ehrenb. in Otto & Dietr. Allg. Gartenz. xvi. (1848) 267 = Haynii.  
*disciformis*, DC. in Mém. Mus. Par. xvii. (1828) 114 = Echinocactus turbiniformis.  
*discolor*, Haw. Syn. Pl. Succ. 177.—Am. austr.  
*divaricata*, A. Dietr. in Allg. Gartenz. xvi. (1848) 210.—Mexic.?  
*divergens*, DC. in Mém. Mus. Par. xvii. (1828) 113.—Am. austr.  
*dolichacantha*, Lem. ex Foerst. Handb. Cact. ed. I. 213 = dolichocentra.  
*dolichocentra*, Lem. Cact. Aliq. Nov. Desc. 3.—Mexic.  
*Dychiana*, Zucc. ex Pfeiff. Enum. Diagn. Cact. 26 = acanthophlegma.  
*eborina*, Ehrenb. in Otto & Dietr. Allg. Gartenz. xvii. (1849) 309.—Mexic.  
*eburnea*, Miq. in Linnaea, xii. (1838) 14 = bicolor.  
*echinaria*, DC. in Mém. Mus. Par. xvii. (1828) 110 = echinata.  
*echinata*, DC. Mém. Cact. 3.—Mexic.  
*echinocactoides*, Pfeiff. in Otto & Dietr. Allg. Gartenz. viii. (1840) 281 = conoidea.  
*Echinops*, Scheidw. ex Foerst. Handb. Cact. ed. I. 209 = oothele.  
*Echinus*, Engelm. Syn. Cact. 11.—Texas.  
*Ehrenbergii*, Pfeiff. in Otto & Dietr. Allg. Gartenz. vi. (1838) 274.—Mexic.  
*elegans*, DC. in Mém. Mus. Par. xvii. (1828) 111.—Mexic.  
*elephantidens*, Lem. Cact. Aliq. Nov. Desc. 1.—Mexic.  
*elongata*, DC. in Mém. Mus. Par. xvii. (1828) 109.—Mexic.  
*elongata*, Hemsl. in Biol. Cent. Am. Bot. i. 509.—Mexic.  
*Emundtsiana*, Hort. ex Foerst. Handb. Cact. ed. II. i. 341.—Hab.?  
*enneacantha*, Otto, ex Foerst. Handb. Cact. ed. I. 254, nomen.—Hab.?  
*erecta*, Lem. ex Pfeiff. in Otto & Dietr. Allg. Gartenz. v. (1837) 370; Lem. Cact. Aliq. Nov. Desc. 3.—Mexic.  
*erectacantha*, Foerst. in Otto & Dietr. Allg. Gartenz. xv. (1847) 50.—Mexic.  
*eriacantha*, Hort. Berol. ex Pfeiff. Enum. Diagn. Cact. 32.—Mexic.  
*eriacantha*, Hort. ex Sweet, Hort. Brit. ed. III. 281, nomen.—Mexic.  
*eriantha*, Hort. ex Pfeiff. Enum. Diagn. Cact. 32 = eriacantha, Hort. Berol.  
*erinacea*, Poselg. in Otto & Dietr. Allg. Gartenz. xxiii. (1855) 18.—Mexic.  
*erinacea*, Wendl. f. Cat. Herrenh. (1835) = rhodantha.  
*euchlora*, Ehrenb. in Otto & Dietr. Allg. Gartenz. xvi. (1848) 266.—Mexic.  
*Eugenia*, Hort. ex Salm-Dyck, Cact. Hort. Dyck. ed. I. 7 = rutila.  
*evanesceus*, Hort. Belg. ex Foerst. Handb. Cact. ed. I. 243 = erecta.

## MAMMILLARIA :—

- eximia*, Ehrenb. in Otto & Dietr. Allg. Gartenz. xvii. (1849) 309.—Mexic.  
*exsudans*, Zucc. ex Pfeiff. Enum. Diagn. Cact. 15.—Mexic.  
*falcata*, Aut. ex Foerst. Handb. Cact. ed. II. i. 345.—Mexic.  
*farinosa*, Hort. ex Fennel, in Otto & Dietr. Allg. Gartenz. xv. (1847) 66 = livida.  
*fasciculata*, Engelm. in Emory, Mil. Reconnois. 156. f. 2.—Am. bor. occ.  
*Fellneri*, Ehrenb. in Otto & Dietr. Allg. Gartenz. xvi. (1849) 261.—Mexic.  
*Fennelii*, Hopper, in Otto & Dietr. l. c. xi. (1843) 3 = zephyranthoides.  
*Fischeri*, Pfeiff. in Otto & Dietr. l. c. iv. (1836) 257.—Mexic.  
*fissurata*, Engelm. Syn. Cact. 14.—Mexic.  
*flava*, Otto & Dietr. Allg. Gartenz. xvii. (1849) 261.—Mexic.  
*flavescens*, DC. Prod. iii. 459.—Am. trop.  
*flavescens*, Pfeiff. Enum. Diagn. Cact. 10.—Mexic.  
*flavescens*, Zucc. ex Foerst. Handb. Cact. ed. II. i. 348 = Karwinskiana.  
*flaviceps*, Scheidw. ex Labour. Cact. 42 = crassispina.  
*flavicoma*, Hort. ex Foerst. Handb. Cact. ed. II. i. 298.—Hab.?  
*flavovirens*, Salm-Dyck, Cact. Hort. Dyck. ed. II. 16, 117.—Hab.?  
*floccigera*, Otto, ex Salm-Dyck, l. c. 11 = crassispina.  
*floribunda*, Hook. Bot. Mag. t. 3647.—Chili.  
*Foersteri*, Muehlenpf. in Otto & Dietr. Allg. Gartenz. xiv. (1846) 371.—Mexic.  
*formosa*, Gal. ex Scheidw. in Bull. Acad. Brux. v. (1838) 497.—Mexic.  
*formosa*, Scheidw. in Otto & Dietr. Allg. Gartenz. xii. (1844) 186.—Mexic.  
*foveolata*, Muehlenpf. in Otto & Dietr. Allg. Gartenz. xiv. (1846) 372.—Mexic.  
*fuliginosa*, Salm-Dyck, Cact. Hort. Dyck. ed. II. 10, 93.—Venezuela?  
*fulvispina*, Haw. in Phil. Mag. (1829) 106; (1830) 109.—Bras.; Mexic.  
*Funkii*, Scheidw. in Otto & Dietr. Allg. Gartenz. ix. (1841) 43.—Mexic.  
*fuscata*, Link & Otto, in Verh. Ver. Befoerd. Gartenb. vi. (1820) 429, nomen; et ex Pfeiff. Enum. Diagn. Cact. 28.—Mexic.  
*Galeotti*, Scheidw. ex Foerst. Handb. Cact. ed. I. 213 = dolichocentra.  
*Gebweilleriana*, Haage, Cat. ex Foerst. Handb. Cact. ed. II. i. 358.—Hab.?  
*geminata*, Scheidw. in Otto & Dietr. Allg. Gartenz. ix. (1841) 42.—Mexic.  
*geminispina*, DC. in Mém. Mus. Par. xvii. (1828) 30. t. 3 = acanthophlegma.  
*geminispina*, Haw. in Till. Phil. Mag. lxiii. (1824) 42 = bicolor.  
*gibbosa*, Salm-Dyck, Hort. Dyck. 343.—Hab.?  
*gigantothele*, Hort. ex Foerst. Handb. Cact. ed. I. 183 = longimamma.  
*glabrata*, Salm-Dyck, Cact. Hort. Dyck. ed. II. 109.—Mexic.  
*gladiata*, Mart. Hort. Reg. Monac. (1829) 127, nomen; et in Nov. Act. Nat. Cur. xvi. i. (1832) 336.—Mexic.  
*glanduligera*, Otto & Dietr. Allg. Gartenz. xvi. (1848) 298.—Mexic.  
*glaucia*, Dietr. ex A. Linke, l. c. 330.—Mexic.  
*globosa*, A. Linke, in Koch, Allg. Gartenz. 1857) 240.—Mexic.  
*glochidiata*, Mart. Hort. Reg. Monac. (1829) 12, nomen; et in Nov. Act. Nat. Cur. xvi. i. (1832) 337. t. 23.—Mexic.  
*glomerata*, DC. Prod. iii. 459.—Ins. S. Doming.  
*Goodridgii*, Scheer, ex Salm-Dyck, Cact. Hort. Dyck. ed. II. 10, 91.—Calif.  
*gracilis*, Pfeiff. in Otto & Dietr. Allg. Gartenz. vi. (1838) 275.—Mexic.  
*Grahami*, Engelm. Syn. Cact. 262.—Am. bor. occ.  
*grandicornis*, Muehlenpf. in Otto & Dietr. Allg. Gartenz. xiv. (1846) 372.—Mexic.  
*grandiflora*, Hort. ex Salm-Dyck, Cact. Hort. Dyck. 4 = vetula.  
*grandiflora*, Link & Otto, in Verh. Ver. Befoerd. Gartenb. vi. (1830) 430, nomen; et ex Pfeiff. Enum. Diagn. Cact. 38.—Mexic.



**MAMMILLARIA:—**

- grandiflora*, Scheidw. ex Foerst. Handb. Cact. ed. I. 189 = *macrantha*.  
*grandis*, Hitchc., ex Forbes, Hort. Tour Germ. 149, nomen.—Mexic.  
*granulata*, Meish. in C. Koch & Fint. Wochenschr. (1858) 264.—Mexic.  
*grisea*, Gal. ex Foerst. Handb. Cact. ed. I. 219.—Mexic.?  
*grisea*, Salm-Dyck, Cact. Hort. Dyck. ed. II. 110.—Mexic.  
*Guilleminiana*, Lem. Cact. Gen. et Sp. Nov. (1839) 48 = *decipiens*.  
*gummifera*, Engelm. in Wislitz. Tour North Mexic. 105.—Mexic.  
*Haageana*, Pfeiff. in Otto & Dietr. Allg. Gartenz. iv. (1836) 257.—Mexic.  
*haematactina*, Ehrenb. in Otto & Dietr. l. c. xvi. (1848) 266.—Mexic.  
*hamata*, Lehm. Del. Sem. Hort. Hamb. (1832); et ex Pfeiff. Enum. Cact. 34.—Mexic.  
*Haselaffii*, Ehrenb. in Otto & Dietr. Allg. Gartenz. xvii. (1849) 303 = seq.  
*Hasselhoffii*, Ehrenb. ex Salm-Dyck, Cact. Hort. Dyck. ed. II. 8 = *senilis*.  
*Haynii*, Ehrenb. in Bot. Zeit. ii. (1844) 833.—Mexic.  
*Heyderi*, Auct. vide Heyderi.  
*Heinei*, Ehrenb. in Bot. Zeit. ii. (1844) 833.—Mexic.  
*Helicteres*, DC. in Mém. Mus. Par. xvii. (1828) 31. t. 5.—Mexic.  
*hemisphaerica*, Engelm. in Bost. Journ. Nat. Hist. vi. (1850) 198 = Heyderi.  
*Hepatica*, Ehrenb. in Otto & Dietr. Allg. Gartenz. xvi. (1848) 267 = Seegerii.  
*Herrmanni*, Ehrenb. l. c. xvii. (1849) 303.—Mexic.  
*heteracantha*, Mart. Hort. Reg. Monac. (1829) 127, nomen; et ex Pfeiff. Enum. Diagn. Cact. 13 = *loricata*.  
*heteracantha*, Otto, ex Foerst. Handb. Cact. ed. I. 254, nomen.—Mexic.?  
*heteromorpha*, Scheer, in Seem. Bot. Voy. Herald, 289.—Mexic.  
*hexacantha*, Salm-Dyck, Hort. Dyck. 344.—Mexic.  
*hexacentra*, Otto, ex Foerst. Handb. Cact. ed. I. 183 = *longimamma*.  
*Heyderi*, Muehlenpf. in Otto & Dietr. Allg. Gartenz. xvi. (1848) 20.—Mexic.  
*Hoffmannseggii*, Hoffm. Preiss-Verz. ed. VII. (1833) 23.—Hab.?  
*Hopferiana*, A. Linke, in Otto & Dietr. Allg. Gartenz. xvi. (1848) 329.—Mexic.?  
*horripila*, Lem. Cact. Aliq. Nov. Desc. 7 = *Echinocactus horripilus*.  
*Humboldtii*, Ehrenb. in Linnaea, xiv. (1842) 378.—Mexic.  
*hybrida*, Hort. ex Pfeiff. Enum. Diagn. Cact. 31 = *rhodantha*.  
*Hystrix*, Mart. ex Pfeiff. l. c. 21.—Mexic.  
*imbricata*, Wegen. in Otto & Dietr. Allg. Gartenz. xii. (1844) 66 = *Stuberi*.  
*impexicoma*, Lem. Cact. Aliq. Nov. Desc. 5 = *cornifera*.  
*inclinis*, Lem. Illustr. Hort. v. (1858) Misc. 9.—Hab.?  
*inconspicua*, Scheidw. in Bull. Acad. Brux. v. (1838) 495 = *conoidea*.  
*incurva*, Scheidw. l. c. vi. (1839) 92.—Mexic.  
*intertexta*, DC. in Mém. Mus. Par. xvii. (1828) 110.—Mexic.  
*intricata*, Otto, ex Foerst. Handb. Cact. ed. I. 254, nomen.—Hab.?  
*inuncta*, Hoffm. Preiss-Verz. ed. VII. (1833) 23 = *rhodantha*.  
*irregularis*, DC. in Mém. Mus. Par. xvii. (1828) 111.—Mexic.  
*isabellina*, Ehrenb. in Otto & Dietr. Allg. Gartenz. xvii. (1849) 309.—Mexic.  
*jalappensis*, Hort. ex Pfeiff. Enum. Diagn. Cact. 17 = *subpolyedra*.  
*jucunda*, Ehrenb. in Otto & Dietr. Allg. Gartenz. xvii. (1849) 250.—Mexic.  
*Karstenii*, Poselg. in Otto & Dietr. Allg. Gartenz. xxi. (1853) 95.—Reg. Argent.  
*Karwinskiana*, Mart. in Nov. Act. Nat. Cur. xvi. I. (1832) 335. t. 22.—Mexic.  
*kewensis*, Salm-Dyck, Cact. Hort. Dyck. ed. II. 112.—Hab.?  
*Kleinii*, Regel, Ind. Sem. Hort. Petrop. (1860) 47.—Mexic.

**MAMMILLARIA:—**

- Klugei*, Ehrenb. in Bot. Zeit. ii. (1844) 834 = *elegans*.  
*Kramerii*, Muehlenpf. in Otto & Dietr. Allg. Gartenz. xiii. (1845) 347.—Mexic.  
*Kunthii*, Ehrenb. in Bot. Zeit. ii. (1844) 835.—Mexic.  
*lactescens*, Meish. in Koch & Fint. Wochenschr. (1859) 117.—Mexic.  
*lacta*, Meish. ex Foerst. Handb. Cact. ed. II. i. 246 = *alpina*.  
*lamprochaeta*, Jacobi, in Otto & Dietr. Allg. Gartenz. xxiv. (1856) 82.  
*lanifera*, Haw. in Till. Phil. Mag. lxiii. (1824) 41.—Mexic.  
*lanifera*, Salm-Dyck, Cact. Hort. Dyck. ed. II. 12, 98.—Mexic.  
*lasiantha*, Engelm. Syn. Cact. 5.—Texas.  
*latimamma*, DC. in Mém. Mus. Par. xvii. (1828) 114 = *pycnacantha*.  
*Lehmanni*, Link & Otto, in Verh. Ver. Befoerd. Gartenb. vi. (1830) 430, nomen; et ex Pfeiff. Enum. Cact. 15 = *recurva*.  
*Lehmannii*, Fennel, in Otto & Dietr. Allg. Gartenz. xv. (1847) 66.—Hab.?  
*leona*, Poselg. l. c. xxi. (1853) 94.—Mexic.?  
*leucacantha*, DC. in Mém. Mus. Par. xvii. (1828) 113.—Mexic.  
*leucantha*, DC. ex Steud. Nom. ed. II. ii. 97 = *recurva*.  
*leucocarpa*, Scheidw. ex Salm-Dyck, Cact. Hort. Dyck. ed. II. 17 = *maschalacantha*.  
*leucocentra*, Berg, in Otto & Dietr. Allg. Gartenz. viii. (1840) 130.—Mexic.  
*leucocephala*, Hort. Par. ex Pfeiff. Enum. Diagn. Cact. 180 = *acanthophlegma*.  
*leucodasys*, Salm-Dyck, ex Scheer, in Seem. Bot. Voy. Herald, 286.—Mexic.  
*leucodictia*, Link, ex Otto & Dietr. Allg. Gartenz. xvi. (1848) 330.—Mexic.  
*leucotricha*, Scheidw. l. c. viii. (1840) 338.—Mexic.  
*Lindheimeri*, Engelm. ex Hemsl. Biol. Centr. Am. Bot. i. 525 = *texensis*.  
*Linkeana*, Ehrenb. in Otto & Dietr. Allg. Gartenz. xvii. (1849) 308.—Mexic.  
*Linkei*, Ehrenb. ex Salm-Dyck, Cact. Hort. Dyck. ed. II. 8 = *senilis*.  
*livida*, Fennel, in Otto & Dietr. Allg. Gartenz. xv. (1847) 66.—Mexic.  
*longimamma*, DC. in Mém. Mus. Par. xvii. (1828) 113.—Mexic.  
*longiseta*, Muehlenpf. in Otto & Dietr. Allg. Gartenz. xiii. (1845) 346.—Mexic.  
*longispina*, Reichb. Suppl. Terschek, Cact. Verz. 1 = *dolichocentra*.  
*loricata*, Hort. ex Foerst. Handb. Cact. ed. I. 214 = *polythele*.  
*loricata*, Mart. Hort. Reg. Monac. (1829) 127, nomen; et ex Pfeiff. Enum. Diagn. Cact. 13.—Mexic.  
*Ludwigii*, Ehrenb. in Linnaea, xiv. (1840) 376.—Mexic.  
*lutescens*, Hort. ex Forbes, Hort. Tour Germ. 149, nomen.—Hab.?  
*macracantha*, DC. in Mém. Mus. Par. xvii. (1828) 113.—Mexic.  
*macrantha*, Salm-Dyck, ex Foerst. Handb. Cact. ed. I. 189 (an praec.?).—Hab.?  
*macromeris*, Engelm. in Wislitz. Tour North Mexic. 97.—Mexic.  
*macrothele*, Hort. Berol. ex Pfeiff. in Linnaea, xii. (1838) 140 = *Martiana*.  
*macrothele*, Mart. ex Pfeiff. Enum. Diagn. Cact. 24.—Mexic.  
*Maelenii*, Salm-Dyck, Cact. Hort. Dyck. ed. I. 14.—Hab.?  
*magnimamma*, Haw. in Till. Phil. Mag. lxiii. (1824) 41.—Mexic.  
*Martiana*, Pfeiff. in Linnaea, xii. (1838) 140.—Mexic.  
*maschalacantha*, Monv. Cat. 77; ex Labour. Cact. 106.—Mexic.  
*megacantha*, Salm-Dyck, Cact. Hort. Dyck. ed. II. 123.—Mexic.  
*meiacantha*, Engelm. in Pacif. Rail. Rep. iv. 27.—Texas.  
*Meissneri*, Ehrenb. in Bot. Zeit. ii. (1844) 834 = *acanthophlegma*.  
*melaleuca*, Karw. ex Salm-Dyck, Cact. Hort. Dyck. ed. II. 108.—Mexic.  
*melanacantha*, Hort. ex Foerst. Handb. Cact. ed. II. i. 386.—Hab.?  
*melanocentra*, Poselg. in Otto & Dietr. Allg. Gartenz. xxiii. (1855) 18.—Mexic.

**MAMMILLARIA:—**

- meschalacantha*, Hort. ex Salm-Dyck, Cact. Hort. Dyck. ed. I. 10 = *maschalacantha*.  
*micans*, A. Dietr. in Otto & Dietr. Allg. Gartenz. xvi. (1848) 330.—Mexic.  
*micracantha*, Miq. in Linnaea, xii. (1838) 16.—Mexic.  
*micracantha*, Monv. ex Salm-Dyck, Cact. Hort. Dyck. ed. I. 9 = *caracassana*.  
*micrantha*, Hort. ex Foerst. Handb. Cact. ed. II. i. 335 = *caracassana*.  
*microcarpa*, Engelm. in Emory, Mil. Reconnois. 156. f. 3 = *Grahami*?  
*microceras*, Lem. Cact. Aliq. Nov. Desc. 6.—Mexic.  
*micromeris*, Engelm. Syn. Cact. 260.—Texas.  
*microthele*, Mart. Hort. Reg. Monac. (1829) 127, nomen (Quid?).—Mexic.  
*microthele*, Monv. ex Foerst. Handb. Cact. ed. II. i. 335 = *caracassana*.  
*microthele*, Muehlenpf. in Otto & Dietr. Allg. Gartenz. xvi. (1848) 11.—Mexic.?  
*minima*, Reichb. in Terschek, Suppl. Cact. Verz. 1; et ex Salm-Dyck, Cact. Hort. Dyck. ed. II. 100.—Mexic.  
*Miqueliana*, Pfeiff. ex Foerst. Handb. Cact. ed. I. 254, nomen.—Hab.?  
*mirabilis*, Ehrenb. in Otto & Dietr. Allg. Gartenz. xvii. (1849) 251.—Mexic.  
*missouriensis*, Scheer, in Seem. Bot. Voy. Herald, 287 = *vivipara*.  
*missouriensis*, Sweet, Hort. Brit. ed. I. 171.—Am. bor. occ.  
*mitis*, Mill. Dict. ex DC. Prod. iii. 460.—Am. austr.  
*monancistria*, Hort. ex Salm-Dyck, Cact. Hort. Dyck. ed. II. 7 = *Wildiana*.  
*monocentra*, Jacobi, in Otto & Dietr. Allg. Gartenz. xxiv. (1856) 90.—Hab.?  
*mucronata*, Ehrenb. l. c. xvii. (1849) 294.—Mexic.  
*Muehlenfordtii*, Foerst. l. c. xv. (1847) 49.—Mexic.  
*multiceps*, Salm-Dyck, Cact. Hort. Dyck. ed. II. 7, 81.—Mexic.  
*multiradiata*, Mart. Hort. Reg. Monac. (1829) 127, nomen.—Mexic.  
*multiseta*, Ehrenb. in Otto & Dietr. Allg. Gartenz. xvii. (1849) 242.—Mexic.  
*mutabilis*, Scheidw. l. c. ix. (1841) 43.—Mexic.  
*Mystax*, Hort. ex Pfeiff. Enum. Diagn. Cact. 18 = *villifera*.  
*Mystax*, Mart. Hort. Reg. Monac. (1829) 127, nomen; et in Nov. Act. Nat. Cur. xvi. I. (1832) 332. t. 21.—Mexic.  
*neglecta*, Hort. Berol. ex Salm-Dyck, Cact. Hort. Dyck. ed. II. 11 = *rhodantha*.  
*Neumanniana*, Lem. Cact. Nov. Gen. et Sp. 53; ex Walp. Rep. ii. 297.—Mexic.  
*nigra*, Ehrenb. in Otto & Dietr. Allg. Gartenz. xvii. (1849) 287.—Mexic.  
*nigricans*, Fennel, l. c. xv. (1847) 66.—Hab.?  
*nigricans*, Pfeiff. Abbild. 2. t. 23 = *phaeacantha*.  
*nitens*, Hort. ex Salm-Dyck, Cact. Hort. Dyck. ed. II. 11 = *discolor*.  
*nitens*, Otto, ex A. Linke, in Otto & Dietr. Allg. Gartenz. xvi. (1848) 331.—Mexic.?  
*nitida*, Scheidw. l. c. ix. (1841) 42 = *cespititia*.  
*nivea*, Wendl. f. Cat. Hort. Herrenh. (1835) = *bicolor*.  
*nivosa*, Hort. ex Forbes, Hort. Tour Germ. 149, nomen = seq.?  
*nivosa*, Link, ex Pfeiff. Enum. Diagn. Cact. 11.—Ins. Tortola.  
*nobilis*, Pfeiff. in Otto & Dietr. Allg. Gartenz. viii. (1840) 282.—Mexic.  
*nuda*, DC. Prod. iii. 460.—Mexic.  
*Nuttallii*, Engelm. in A. Gray, in Mem. Am. Acad. N. S. iv. (1849) 49 = *missouriensis*.  
*obconella*, Scheidw. in Bull. Acad. Brux. vi. (1839) 91 = *dolichocentra*.  
*obliqua*, Ehrenb. in Otto & Dietr. Allg. Gartenz. xvii. (1849) 250.—Mexic.  
*obscura*, Scheidw. ex Foerst. Handb. Cact. ed. I. 213 = *dolichocentra*.  
*obvallata*, Otto, in Otto & Dietr. Allg. Gartenz. xiv. (1846) 308.—Mexic.  
*octacantha*, DC. in Mém. Mus. Par. xvii. (1828) 113.—Mexic.  
*Odieriana*, Lem. Cact. Nov. Gen. et Sp. (1839) 46.—Mexic.  
*olivacea*, Hort. ex Pfeiff. Enum. Diagn. Cact. 180 = *tentaculata*.



## MAMMILLARIA:—

- olorina, *Ehrenb. in Otto & Dietr. Allg. Gartenz.* xvii. (1849) 326.—Mexic.  
 oothele, *Lem. Cact. Nov. Gen. et Sp.* (1839) 37.—Hab.?  
 Ottonis, *Pfeiff. in Otto & Dietr. Allg. Gartenz.* vi. (1838) 274.—Mexic.  
 ovimamma, *Lem. Cact. Nov. Gen. et Sp.* (1839) 49.—Hab.?  
 pachytele, *Poselg. in Otto & Dietr. Allg. Gartenz.* xxiii. (1855) 17.—Mexic.  
 pachythele, *Salm-Dyck, Cact. Hort. Dyck.* ed. II. 17 = *Krameri*.  
 pallescens, *Scheidw. in Otto & Dietr. Allg. Gartenz.* ix. (1841) 41.—Mexic.  
 Palmeri, *Jacobi, l. c.* xxiv. (1856) 82.—Hab.?  
 papyracantha, *Engelm. in Mem. Am. Acad. N. S.* iv. (1849) 49 = *Echinocactus papyracanthus*.  
 Parkinsonii, *Ehrenb. in Linnaea*, xiv. (1840) 375.—Mexic.  
 Parmentieri, *Link & Otto, in Verh. Ver. Befoerd. Gartenb.* vi. (1830) 429 = *flavescens*.  
 parvimamma, *Haw. Suppl. Pl. Succ.* 72.—Ind. occ.  
 parvissima, *Karw. ex Foerst. Handb. Cact. ed. II.* i. 260 = *multiceps*.  
 Pazzani, *Steeber, in Bot. Zeit.* v. (1847) 491.—Mexic.  
 Peacocki, *Hort. Angl. ex Foerst. Handb. Cact. ed. II.* i. 286 = *dealbata*.  
 pectinata, *Engelm. Syn. Cact.* 10.—Texas.  
 pentacantha, *Pfeiff. in Otto & Dietr. Allg. Gartenz.* viii. (1840) 406.—Mexic.  
 Perote, *Hort. ex Pfeiff. in Otto & Dietr. Allg. Gartenz.* iv. (1836) 257 = *Haageana*.  
 perpusilla, *Meinsh. ex Foerst. Handb. Cact. ed. II.* i. 260 = *multiceps*.  
 persicina, *Ehrenb. in Otto & Dietr. Allg. Gartenz.* xvii. (1849) 250.—Mexic.  
 Pfeifferi, *Booth, ex Scheidw. in Bull. Acad. Brux.* vi. (1839) 93 = *rhodantha*.  
 Pfeifferiana, *De Vriese, in Tijdschr.* vi. (1839) 51. t. 1. f. 2.—Mexic.  
 phaeacantha, *Lem. Cact. Nov. Gen. et Sp.* (1839) 47.—Mexic.  
 phaeotricha, *Monv. Cact.* (1846), ex *Labour. Cact.* 39.—Mexic.  
 phellosperma, *Engelm. Syn. Cact.* 6.—Calif.  
 phymatothele, *Berg, in Otto & Dietr. Allg. Gartenz.* viii. (1840) 129.—Mexic.  
 picta, *Meinsh. in C. Koch & Fint. Wochenschr.* i. (1858) 27.—Mexic.  
 picturata, *Labour. in Rev. Hort.* Sér. IV. iv. (1855) 28.—Chili.  
 Plaschnickii, *Pfeiff. Enum. Diagn. Cact.* 24.—Mexic.  
 plecostigma, *Meinsh. in C. Koch & Fint. Wochenschr.* i. (1858) 27.—Mexic.  
 pleiocephala, *Regel & Klein, Ind. Sem. Hort. Petrop.* (1860) 47.—Mexic.  
 plinthimorpha, *Jacobi, in Otto & Dietr. Allg. Gartenz.* xxiv. (1856) 92.—Mexic.  
 polyacantha, *Ehrenb. l. c.* xvi. (1848) 265 = *spinosis-sima*.  
 polyactina, *Ehrenb. l. c.* 260 = *spinosis-sima*.  
 polycentra, *Berg, l. c.* viii. (1840) 130.—Mexic.  
 polycephala, *Muehlenpf. l. c.* xiii. (1845) 347.—Mexic.  
 polychlora, *Scheidw. ex Foerst. Handb. Cact. ed. I.* 205 = *crebrispina*.  
 polyëdra, *Mart. Hort. Reg. Monac.* (1829) 127, nomen; *et in Nov. Act. Nat. Cur.* xvi. i. (1832) 326. t. 18.—Mexic.  
 polygona, *Salm-Dyck, Cact. Hort. Dyck.* ed. II. 17. 120.—Mexic.  
 polygona, *Zucc. ex Pfeiff. Enum. Diagn. Cact.* 17 = *subpolyëdra*.  
 polymorpha, *Scheer, ex Muehlenpf. in Otto & Dietr. Allg. Gartenz.* xiv. (1846) 373.—Hab.?  
 polythele, *Mart. Hort. Reg. Monac.* (1829) 127, nomen; *et in Nov. Act. Nat. Cur.* xvi. i. (1832) 328. t. 19.—Mexic.  
 polytricha, *Salm-Dyck, in Otto & Dietr. Allg. Gartenz.* x. (1842) 289.—Hab.?  
 pomacea, *Ehrenb. l. c.* xvi. (1848) 267.—Mexic.  
 porphyracantha, *Jacobi, l. c.* xxiv. (1856) 81.—Hab.?  
 Poselgeriana, *Haage, Cat. ex Foerst. Handb. Cact.* ed. II. i. 269.—Mexic.  
 potosianna, *Jacobi, in Otto & Dietr. Allg. Gartenz.* xxiv. (1856) 92.—Mexic.

## MAMMILLARIA:—

- Pottsi, *Scheer, ex Salm-Dyck, Cact. Hort. Dyck.* ed. II. 104.—Texas.  
 Praelii, *Muehlenpf. in Otto & Dietr. Allg. Gartenz.* xiv. (1846) 372 = *viridis*.  
 pretiosa, *Ehrenb. l. c.* xvii. (1849) 250.—Mexic.  
 prismatica, *Hemsl. Biol. Centr. Am. Bot.* i. 517.—Mexic.  
 procera, *Ehrenb. in Otto & Dietr. Allg. Gartenz.* xvii. (1849) 241.—Mexic.  
 prolifera, *Haw. Syn. Pl. Succ.* 177.—Am. austr.  
 prolifera, *Hort. ex Pfeiff. Enum. Diagn. Cact.* 9 = *parvimamma*.  
 prolifera, *Pfeiff. ex Foerst. Handb. Cact. ed. II.* i. 307 = *discolor*.  
 pruinosa, *Ehrenb. in Otto & Dietr. Allg. Gartenz.* xvii. (1849) 261 = *Seegerii*.  
 Pseudo-mamillaris, *Salm-Dyck, Cact. Hort. Dyck.* ed. I. 7; II. 11 = *discolor*.  
 pugionacantha, *Foest. in Otto & Dietr. Allg. Gartenz.* xv. (1847) 50.—Mexic.  
 pulchella, *Hort. Berol. ex Salm-Dyck, Cact. Hort. Dyck.* ed. II. 10, 94.—Mexic.  
 pulchella, *Otto, ex A. Linke, in Otto & Dietr. Allg. Gartenz.* xvi. (1848) 331 = *discolor*.  
 pulcherrima, *Ehrenb. l. c.* xvii. (1849) 249.—Mexic.  
 pulcherrima, *Hort. ex Forbes, Hort. Tour Germ.* 149, nomen.—Hab.?  
 pulchra, *Haw. in Bot. Reg.* t. 1329.—Mexic.  
 pulvilligera, *Monv. Cat. ex Foerst. Handb. Cact. ed. II.* i. 231 = *elongata*.  
 punctata, *Labour. ex Foerst. l. c.* 293.—Hab.?  
 purpurascens, *Ehrenb. in Otto & Dietr. Allg. Gartenz.* xvii. (1849) 260.—Mexic.  
 purpurea, *Ehrenb. l. c.* 270.—Mexic.  
 pusilla, *Sweet, Hort. Brit.* ed. I. 171.—‘Am.’  
 pycnacantha, *Mart. Hort. Reg. Monac.* (1829) 127, nomen; *et in Nov. Act. Nat. Cur.* xvi. i. (1832) 325.—Mexic.  
 pyramidalis, *Link & Otto, in Verh. Ver. Befoerd. Gartenb.* vi. (1830) 429, nomen = *rhodantha*.  
 pyrrhacantha, *Pfeiff. ex Foerst. Handb. Cact. ed. I.* 254, nomen.—Hab.?  
 pyrrhocentra, *Hort. Berol. ex Salm-Dyck, Cact. Hort. Dyck.* ed. II. 10, 93 = *fulvispina*.  
 pyrrhocéphala, *Scheidw. in Otto & Dietr. Allg. Gartenz.* ix. (1841) 42.—Mexic.  
 pyrrhochracantha, *Lem. Cact. Nov. Gen. et Sp.* (1839) 51.—Mexic.  
 quadrata, *G. Don, ex Loud. Hort. Brit.* 194.—Chili.  
 quadrispina, *Mart. Hort. Reg. Monac.* (1829) 127, nomen; *et in Nov. Act. Nat. Cur.* xvi. i. (1832) 329.—Mexic.  
 radians, *DC. in Mém. Mus. Par.* xvii. (1828) 111.—Mexic.  
 radians, *Hort. ex Salm-Dyck, Cact. Hort. Dyck.* ed. II. 20 = *cornifera*.  
 radiosa, *Engelm. in Bost. Journ. Nat. Hist.* vi. (1850) 196 = *vivipara*.  
 Radula, *Scheidw. ex Foerst. Handb. Cact. ed. I.* 208 = *phaeacantha*.  
 raphidacantha, *Lem. Cact. Nov. Gen. et Sp.* (1839) 34.—Mexic.  
 recta, *Miq. ex Labour. Cact.* 63 = *acanthophlegma*.  
 recurva, *Lehm. ex Pfeiff. Enum. Diagn. Cact.* 15.—Mexic.  
 recurvata, *Engelm. in Trans. Acad. St. Louis*, ii. (1860–63) 202.—N. Mexic.  
 recurvispina, *De Vriese, in Tijdschr.* vi. (1839) 53. t. 1. f. 3.—Mexic.  
 recurvispina, *Engelm. Syn. Cact.* 10 = *recurvata*.  
 regia, *Ehrenb. in Otto & Dietr. Allg. Gartenz.* xvii. (1849) 269.—Mexic.  
 retusa, *Hort. Belg. ex Pfeiff. in Otto & Dietr. l. c.* v. (1837) 369.—Mexic.  
 retusa, *Scheidw. ex Foerst. Handb. Cact. ed. I.* 248 = *sulco-lanata*.  
 raphidacantha, *Lem. Cact. Nov. Gen. et Sp.* (1839) 34.—Mexic.  
 rhodacantha, *Salm-Dyck, Cact. Hort. Dyck.* ed. II. 11. 96.—Hab.?  
 rhodantha, *Link & Otto, l. c.* Select. t. 26.—Mexic.  
 rhodocentra, *Lem. Cact. Nov. Gen. et Sp.* (1839) 52.—Mexic.  
 robusta, *Otto, ex Foerst. Handb. Cact. ed. I.* 207; *et Salm-Dyck, Cact. Hort. Dyck.* ed. II. 11 = *crassispina*.  
 robustispina, *Schott, ex Engelm. Cact. U. St. Bound.* 10.—Mexic.

## MAMMILLARIA:—

- rosea, *Gal. ex Foerst. Handb. Cact. ed. I.* 191.—Mexic.?  
 rosea, *Scheidw. in Hort. Belg.* (1838) 118. t. 5 (err. 7).—Mexic.  
 ruficeps, *Lem. Cact. Nov. Gen. et Sp.* (1839) 37 = *rhodantha*.  
 rufidula, *Ehrenb. in Otto & Dietr. Allg. Gartenz.* xvii. (1849) 295.—Mexic.  
 rufocrocea, *Salm-Dyck, Cact. Hort. Dyck.* ed. II. 102.—Mexic.  
 Ruschiana, *Regel, Ind. Sem. Hort. Turic.* (1850) 4, in adnot.—Cf. *Linnaea*, xxiv. (1851) 231.—Mexic.  
 russea, *A. Dietr. in Otto & Dietr. Allg. Gartenz.* xix. (1851) 347.—Mexic.  
 rutila, *Zucc. ex Pfeiff. Enum. Diagn. Cact.* 29.—Mexic.  
 Salm-Dyckiana, *Scheer, ex Salm-Dyck, in Otto & Dietr. Allg. Gartenz.* xviii. (1850) 394.—Mexic.  
 Salmiana, *Fennel, ex Foerst. Handb. Cact. ed. I.* 254, nomen.—Hab.?  
 sanguinea, *Haage, ex Regel, in Act. Hort. Petrop.* viii. (1883) 276; *Gartenfl.* (1883) 66.—Mexic.  
 saxatilis, *Scheer, in Seem. Bot. Voy. Herald*, 286.—Mexic.  
 scepontocentra, *Lem. Cact. Nov. Gen. et Sp.* (1839) 45.—Mexic.  
 Schaeferi, *Fennel, in Otto & Dietr. Allg. Gartenz.* xv. (1847) 66.—Mexic.  
 Scheerii, *Muehlenpf. l. c.* xiii. (1845) 346 = *conoidea*.  
 Scheerii, *Muehlenpf. l. c.* xv. (1847) 97.—Bras.  
 Scheidweileriana, *Otto, in Otto & Dietr. l. c.* ix. (1841) 179.—Mexic.  
 Schelhasii, *Pfeiff. l. c.* vi. (1838) 274.—Mexic.  
 Schiedeana, *Hort. ex Pfeiff. Enum. Diagn. Cact.* 14 = *magnimamma*.  
 Schiedeana, *Schlecht. in Otto & Dietr. Allg. Gartenz.* vi. (1838) 249.—Mexic.  
 Schlechtendalii, *Ehrenb. in Linnaea*, xiv. (1840) 377.—Mexic.  
 Schmerwitzii, *Haage, ex Foerst. Handb. Cact. ed. II.* i. 270.—Mexic.  
 Schmidtii, *Sencke, ex Foerst. l. c.* 376.—Hab.?  
 scolymoides, *Scheidw. in Otto & Dietr. Allg. Gartenz.* ix. (1841) 44.—Mexic.  
 Seegerii, *Ehrenb. l. c.* xvii. (1849) 261.—Mexic.  
 Seemannii, *Scheer, in Seem. Bot. Voy. Herald*, 288.—Mexic.  
 Seidelii, *Terscheck, Suppl. Cact. Vers.* 1.—Mexic.  
 Seitziana, *Hort. ex Foerst. Handb. Cact. ed. I.* 223 = *Karwinskiana*.  
 Seitziana, *Mart. in Pfeiff. Enum. Diagn. Cact.* 18.—Mexic.  
 Seitziana, *Miq. in Linnaea*, xii. (1838) 10 = *Bergii*.  
 Sempervivi, *DC. in Mém. Mus. Par.* xvii. (1828) 114.—Mexic.  
 senilis, *Hort. Angl. ex Foerst. Handb. Cact. ed. I.* 189 (an seq.?).—Hab.?  
 senilis, *Lodd. ex Scheer, in Seem. Bot. Voy. Herald*, 286.—Mexic.  
 Senkii, *Foerst. ex Salm-Dyck, Cact. Hort. Dyck.* ed. II. 16 = *mutabilis*.  
 sericata, *Lem. Cact. Nov. Gen. et Sp.* (1839) 44 = *magnimamma*.  
 setosa, *Pfeiff. in Otto & Dietr. Allg. Gartenz.* iii. (1835) 379.—Mexic.  
 Severini, *Regel & Klein, Ind. Sem. Hort. Petrop.* (1860) 46.—Mexic.  
 similis, *Engelm. & A. Gray, in Bost. Journ. Nat. Hist.* v. (1845) 246 = *missouriensis*.  
 simplex, *Haw. Syn. Pl. Succ.* 177.—Am. austr.  
 simplex, *Torr. & Gray, Fl. N. Am.* i. 553 = *missouriensis*.  
 solitaria, *G. Don, ex Loud. Hort. Brit.* 194.—Chili.  
 sororia, *Meinsh. in C. Koch & Fint. Wochenschr.* i. (1858) 28.—Mexic.  
 speciosa, *De Vriese, in Tijdschr.* vi. (1839) 52.—Mex.  
 speciosa, *G. Don, ex Steud. Nom. ed. II.* ii. 97.—Chili.  
 spectabilis, *Hort. ex Salm-Dyck, Cact. Hort. Dyck.* ed. II. 15 = *kewensis*.  
 spectabilis, *Muehlenpf. in Otto & Dietr. Allg. Gartenz.* xiii. (1846) 346.—Mexic.  
 sphacelata, *Mart. Hort. Reg. Monac.* (1829) 127, nomen; *et in Nov. Act. Nat. Cur.* xvi. i. 1832 339.—Mexic.  
 sphaerica, *Dietr. ex Engelm. Cact. Mex. Bound.* 9.—Texas; Mexic.



**MAMMILLARIA** :—

- sphaerotricha, *Lem. Cact. Nov. Gen. et Sp.* (1839) 33. —Mexic.
- spinaurea, *Salm-Dyck, in Otto & Dietr. Allg. Gartenz.* xviii. (1850) 394. —Mexic.
- Spinii, Colla, ex *Salm-Dyck, Cact. Hort. Dyck.* ed. II. 11 = discolor.
- spinosa, *G. Don, ex Loud. Hort. Brit.* 194. —Chili.
- spinosissima, *Lem. Cact. Aliq. Nov. Desc.* 4. —Mexic.
- splendens, Ehrenb. in *Otto & Dietr. Allg. Gartenz.* xvii. (1849) 242 = acanthophlegma.
- squarrosa, *Meinsh. in C. Koch & Fint. Wochenschr.* (1859) 116. —Mexic.
- staurotypa, *Hort. Belg. ex Foerst. Handb. Cact. ed. I.* 221 = Sempervivi.
- Stella-aurata, *Mart. Hort. Reg. Monac.* (1829) 128, nomen; et in *Zucc. Pl. Nov. Fasc. iii.* 101. —Mexic.
- stellaris, *Haw. Syn. Pl. Succ.* 72 = pusilla.
- stellata, *Haw. in Till. Phil. Mag.* vii. (1830) 114. —Am. austr.
- stellata, *Sweet, Hort. Brit.* ed. I. 171. —Am. austr.
- stenocephala, *Scheidw. ex Labour. Cact.* 50 = dolicho-centra.
- stenocephala, *Scheidw. in Otto & Dietr. Allg. Gartenz.* ix. (1841) 43. —Mexic.
- Stephani, *Hort. Vind. ex Foerst. Handb. Cact. ed. I.* 254, nomen. —Hab. ?
- stipitata, *Scheidw. in Bull. Acad. Brux.* v. (1838) 495 = raphidacantha.
- straminea, *Haw. Suppl. Pl. Succ.* 71 = flavescens, *DC.*
- strobiliformis, *Engelm. in Wislitz. Tour North Mexic.* 113 = conoidea.
- strobiliformis, *Muehlenpf. in Otto & Dietr. Allg. Gartenz.* xvi. (1848) 19 = calcarata.
- strobiliformis, *Scheer, ex Salm-Dyck, Cact. Hort. Dyck.* ed. II. 104. —Mexic.
- Stueberii, *Foerst. Handb. Cact. ed. I.* 517. —Mexic.
- suaveolens, *Hort. ex Foerst. l. c.* ed. II. i. 297. —Mexic.
- subangularis, *DC. in Mém. Mus. Par.* xvii. (1828) 112. —Mexic.
- subcirrhifera, *Hort. ex Foerst. Handb. Cact. ed. I.* 234 = subangularis.
- subcrocea, *DC. in Mém. Mus. Par.* xvii. (1828) 110. —Mexic.
- subcurvata, *A. Dietr. in Otto & Dietr. Allg. Gartenz.* xii. (1844) 232. —Mexic.
- subechinata, *Salm-Dyck, Cact. Hort. Dyck.* ed. II. 101. —Mexic.
- subpolyedra, *Salm-Dyck, l. c.* 343. —Mexic.
- subtetragona, *A. Dietr. in Otto & Dietr. Allg. Gartenz.* viii. (1840) 169. —Mexic.
- subulata, *Muehlenpf. l. c.* xiii. (1845) 347. —Chili.
- subulifera, *Ehrenb. l. c.* xvii. (1849) 242. —Mexic.
- sulcata, *Engelm. & A. Gray, in Bost. Journ. Nat. Hist.* v. (1845) 246. —Texas.
- sulcata, *Salm-Dyck, Cact. Hort. Dyck.* ed. II. 78. —Mexic.
- sulcimamma, *Pfeiff. ex Salm-Dyck, l. c.* 19 = Plaschnickii.
- sulco-glandulifera, *Jacobi, in Otto & Dietr. Allg. Gartenz.* xxiv. (1856) 92. —Hab. ?
- sulco-lanata, *Lem. Cact. Aliq. Nov. Desc.* 2. —Mexic.
- sulphurea, *Foerst. Handb. Cact. ed. I.* 200; et ex *Salm-Dyck, Cact. Hort. Dyck.* ed. II. 11 = rhodantha.
- supertexta, *Hort. ex Pfeiff. Enum. Diagn. Cact.* 25 = elegans.
- supertexta, *Mart. Hort. Reg. Monac.* (1829) 128, nomen; et ex *Pfeiff. l. c.* —Mexic.
- tecta, *Miq. in Linnaea*, xii. (1838) 12. —Mexic.
- tentaculata, *Hort. Berol. ex Pfeiff. Enum. Diagn. Cact.* 29. —Mexic.
- tentaculata, *Link & Otto, in Verh. Ver. Befoerd. Gartenb.* vi. (1830) 430, nomen; et ex *Pfeiff. l. c.* —Mexic.
- tenuis, *DC. in Mém. Mus. Par.* xvii. (1828) 110. —Mexic.
- tetracantha, *Salm-Dyck, ex Pfeiff. Enum. Diagn. Cact.* 18. —Mexic.
- tetracentra, *Hort. Berol. ex Salm-Dyck, Cact. Hort. Dyck.* ed. II. 112. —Mexic.
- tetracentra, *Otto, ex Foerst. Handb. Cact. ed. I.* 214. —Hab. ?
- tetrancistra, *Engelm. in Am. Journ. Sc. Ser. II.* xiv. (1852) 337 (1852), partim = phellosperma.
- texana, *Young, Fl. Texas.* 279 = pusilla.
- texensis, *Labour. Cact.* 89 = Heyderi.
- thelocamptos, *Lehm. in Linnaea*, xiii. (1839) *Litt.* 101. —Mexic.
- Toaldoae, *Lehm. ex Walp. Rep.* ii. 289 = bicolor.

**MAMMILLARIA** :—

- tomentosa, *Ehrenb. in Otto & Dietr. Allg. Gartenz.* xvii. (1849) 262. —Mexic.
- tortolensis, *Hort. ex Pfeiff. Enum. Diagn. Cact.* 11 = nivosa.
- triacantha, *DC. in Mém. Mus. Par.* xvii. (1828) 113. —Mexic.
- tuberculata, *Engelm. Syn. Cact.* 12 = strobiliformis.
- turbinata, *Hook. Bot. Mag.* t. 3984. —Mexic.
- uberiformis, *Zucc. in Pfeiff. Enum. Diagn. Cact.* 23. —Mexic.
- Uhdeana, *Salm-Dyck, Cact. Hort. Dyck.* ed. II. 83 = spinosissima.
- umbrina, *Ehrenb. in Otto & Dietr. Allg. Gartenz.* xvii. (1849) 287. —Mexic.
- uncinata, *Zucc. ex Pfeiff. Enum. Diagn. Cact.* 34. —Mexic.
- variamamma, *Ehrenb. ex Otto & Dietr. Allg. Gartenz.* xvii. (1849) 242. —Mexic.
- versicolor, *Scheidw. in Bull. Acad. Brux.* v. (1838) 494. —Mexic.
- vetula, *Mart. Hort. Reg. Monac.* (1829) 128, nomen; et in *Nov. Act. Nat. Cur.* xvi. i. (1832) 338. t. 24. —Mexic.
- villifera, *Otto, ex Pfeiff. Enum. Diagn. Cact.* 18. —Mexic.
- villosa, *Fennel, ex Foerst. Handb. Cact. ed. I.* 255, nomen. —Hab. ?
- virens, *Scheidw. in Otto & Dietr. Allg. Gartenz.* ix. (1841) 43. —Mexic.
- viridis, *Salm-Dyck, Cact. Hort. Dyck.* ed. II. 116. —Mexic.
- viridula, *Ehrenb. in Otto & Dietr. Allg. Gartenz.* (1848) 267 = Haynii.
- vivipara, *Haw. Suppl. Pl. Succ.* 72. —Am. bor.
- vulpina, *Ehrenb. in Otto & Dietr. Allg. Gartenz.* xvii. (1849) 308. —Mexic.
- Webbiana, *Lem. Cact. Nov. Gen. et Sp.* (1832) 45. —Mexic.
- Wegeneri, *Ehrenb. in Bot. Zeit.* i. (1843) 738. —Mexic.
- Wildiana, *Otto, ex Pfeiff. Enum. Diagn. Cact.* 37. —Mexic.
- Wildii, *Hort. Berol. ex A. Dietr. in Otto & Dietr. Allg. Gartenz.* iv. (1836) 137. —Hab. ?
- Winklerii, *Foerst. in Otto & Dietr. l. c.* xv. (1847) 50. —Mexic.
- woburnensis, *Scheer, in Hook. Lond. Journ. Bot.* iv. (1845) 136. —Guatemala.
- Wrightii, *Engelm. in Pacif. Rail. Rep.* iv. 27. —N. Mexic.
- xanthotricha, *Scheidw. in Otto & Dietr. Allg. Gartenz.* viii. (1840) 338. —Mexic.
- Zegschwitzii, *Terscheck, Suppl. Cact. Verz.* 1. —Hab. ?
- zephyranthoides, *Scheidw. in Otto & Dietr. Allg. Gartenz.* ix. (1841) 41. —Mexic.
- Zepnickii, *Ehrenb. in Bot. Zeit.* ii. (1844) 835. —Mexic.
- Zuccariniana, *Hort. ex Foerst. Handb. Cact. ed. I.* 238 = macrantha.
- Zuccariniana, *Mart. in Nov. Act. Nat. Cur.* xvi. i. (1832) 331. t. 20. —Mexic.
- MAMPATA, 'Adans.' ex *Steud. Nom. ed. II.* ii. 98 (1841) = *Parinarium*, *Juss. (Rosac.)*.
- MANABAEA, *R. Hedw. Gen.* 368 (1806) = seq.
- MANABEA, *Aubl. Pl. Gui.* i. 61. t. 23, 25 (1775) = *Aegiphila*, *Jacq. (Verben.)*.
- arborescens, *Aubl. l. c.* 64 = A. arborescens.
- laevis, *Aubl. l. c.* 66 = A. laevis, *Willd.*
- villosa, *Aubl. l. c.* 62 = A. villosa.
- MANAELIA, 'Bowdich,' *Madeira, ed. Germ.* 381 (1823-?), vide *MANOELIA*, *Bowdich*.
- MANAGA, *Aubl. Pl. Gui. Suppl.* 2 (1775) (Quid?).
- guianensis, *Aubl. l. c.* —Guiana.
- MANÇANILLA, *Plum. ex Adans. Fam.* ii. 354 (1763) = seq.
- MANCINELLA, *Tussac, Fl. Antill.* iii. 21. t. 5 (1824) = *Hippomane*, *Linn. (Euphorb.)*.
- venenata, *Tussac, l. c.* = H. Mancinella.
- MANCOA, *Rafin. Fl. Tellur.* iii. 56 (1836) = *Mohlana*, *Mart. (Phytolac.)*.
- secunda, *Rafin. l. c.* = *Mohlana secunda*.

MANCOA, *Wedd. Chlor. And. i. t.* 86 D (1857). *CRUCIFERAE*, *Benth. & Hook. f. i.* 86.

hispida, *Wedd. Chlor. And. i. t.* 86 D; et in *Ann. Sc. Nat. Sér. V. i.* (1864) 285. —Boliv.

laevis, *Wedd. l. c.* 285. —Boliv.

MANDARUS, *Rafin. Sylva Tellur.* 122 (1838) = *Bauhinia*, *Linn. (Legum.)*.

acuminata, *Rafin. l. c.* = B. acuminata.

divaricata, *Rafin. l. c.* = B. divaricata.

Pes-caprae, *Rafin. l. c.* = B. Pes-caprae.

rotundifolia, *Rafin. l. c.* = B. subrotundifolia.

Utumuta, *Rafin. l. c.* = B. velutina.

MANDELORNA, *Steud. Syn. Pl. Gram.* 359 (1855) = *Andropogon*, *Linn. (Gramin.)*.

insignis, *Steud. l. c.* = A. squarrosus.

MANDEVILLA, *Lindl. Bot. Reg.* (1840) t. 7. *APOCYNACEAE*, *Benth. & Hook. f. ii.* 726.

AMBYANTHERA, *Muell. Arg. in Mart. Fl. Bras.* vi. i. 141. t. 44, 45 (1860).

Andrieuxii, *Hemsl. Biol. Centr. Am. Bot.* ii. 316. —Mexic.

convolvulacea, *Hemsl. l. c.* —Mexic.

foliosa, *Hemsl. l. c.* —Mexic.

hispida, *Hemsl. l. c.* —Mexic.

Karwinski, *Hemsl. l. c.* —Mexic.

oaxacana, *Hemsl. l. c.* —Mexic.

palustris, *Hemsl. l. c.* 317. —Costa Rica.

suaveolens, *Lindl. Bot. Reg.* (1840) t. 7. —Reg. Argent.

subcarnosa, *Benth. & Hook. f. Gen.* ii. 727. —Guian.

Vanheurckii, *Benth. & Hook. f. l. c.* —Bras.

veraguensis, *Hemsl. Biol. Centr. Am. Bot.* ii. 317. —N. Granat.

MANDIOCA, *Link, Handb.* ii. 436 (1831) = *Manihot*, *Tourn. (Euphorb.)*.

Aipi, *Pohl, ex Link, l. c.* = *Manihot Aipi*.

dulcis, *Parodi, in Anal. Soc. Cient. Argent.* iv. (1877) 127 = *Manihot utilisima*.

utilissima, *Pohl, ex Link, Handb.* ii. 436 = *Manihot utilisima*.

MANDIROLA, *Decne. in Rev. Hort. Sér. III.* ii. (1848) 468 = *Achimenes*, *P. Br. (Gesner.)*.

ichthyostoma, *Seem. ex Hanst. in Mart. Fl. Bras.* viii. 348 = A. ichthyostoma.

lanata, *Planch. & Linden, in Illustr. Hort.* iii. (1856) t. 80 = A. lanata.

multiflora, *Decne. in Rev. Hort. Sér. III.* ii. (1848) 468 = A. multiflora.

Naegelia x, *Morr. Belg. Hort.* v. (1855) 294.

Seemannii, *Lem. Illustr. Hort.* iii. (1856) sub t. 80 = A. Scheerii.

MANDONIA, *Hassk. in Flora*, liv. (1871) 260 = *Tradescantia*, *Linn. (Commelin.)*.

boliviana, *Hassk. l. c.* = T. ambigua.

MANDONIA, *Sch. Bip. in Linnaea*, xxxiii. (1664-65) 757 = *Hieracium*, *Linn. (Compos.)*.

Pilosella, *Sch. Bip. l. c.* 758 = H. Pilosella.

MANDONIA, *Wedd. in Bull. Soc. Bot. Fr.* xi. (1864) 50. t. 1 = *Tridax*, *Linn. (Compos.)*.

boliviensis, *Wedd. l. c.* 51. —Bolivia.

MANDRAGORA, [Tourn.] *Linn. Syst. ed. I* (1735); *Juss. Gen.* 125. *SOLANACEAE*, *Benth. & Hook. f. ii.* 900.

acaulis, *Gaertn. Fruct.* ii. 236 = officinarum.

autumnalis, *Bertol. Elench.* 6; *Spreng. Syst.* i. 699. —Reg. Mediterr.

caulescens, *C. B. Clarke, in Hook. f. Fl. Brit. Ind.* iv. 242. —Reg. Himal.

microcarpa, *Bertol. in Nov. Comm. Bonon.* ii. (1836) 391. t. 25 = autumnalis.

neglecta, *G. Don, ex Loud. Hort. Brit.* 71 = officinarum ?

officinalis, *Mill. Gard. Dict. ed. VIII.* = officinarum.

officinalis, *Moris, Stirp. Sard. Elench. fasc. i.* 33 = autumnalis.

officinarum, *Bertol. Comm. Mandr.* 10. t. 2 = autumnalis.

officinarum, *Linn. Sp. Pl.* 181. —Reg. Mediterr.

praecox, *Sweet, Brit. Flow. Gard.* t. 198 = officinarum ?

vernalis, *Bertol. in Giorn. Arcad.* xxi. (1824) 191 [bis] = officinarum.



MANDUYTA, 'Comm.' ex Steud. Nom. ed. II. ii. 98 (1841) = **Samadera**, Gaertn. (Simarub.).

MANETTIA, Adans. Fam. ii. 242 (1763) = **Mesembryanthemum**, Dill. (Ficoid.).

MANETTIA, Crantz, Inst. i. 580 (1766) = **Selago**, Linn.

*coccinea*, Crantz, l. c. 581 = *S. spuria*.  
*corymbosa*, Crantz, l. c. 580 = *S. corymbosa*.  
*dubia*, Crantz, l. c. 581 = *Agathelpis angustifolia*.  
*lychnoidea*, Crantz, l. c. = *Lyperia fragrans*.  
*pinastria*, Crantz, l. c. 580 = *Stilbe pinastria*.  
*rapunculoides*, Crantz, l. c. = *S. spuria*.  
*spuria*, Crantz, l. c. 581 = *S. spuria*.  
*tomentosa*, Crantz, l. c. = *Manulea tomentosa*.

MANETTIA, Mutis, ex Linn. Mant. ii. 558 (1771). **RUBIACEAE**, Benth. & Hook. f. ii. 37.

CONOTRICHIA, A. Rich. in Mém. Soc. Hist. Nat. Par. v. (1830) 277. t. 24. f. 1.

ENDOLASIA, Turcz. in Bull. Soc. Nat. Mosc. xxi. (1848) i. 579.

GUAGNEBINA, Vell. Fl. Flum. 45 (1825); Ic. i. tt. 115–121 (1827).

LYGISTUM, P. Br. Hist. Jamaic. 142. t. 3 (1756).

NACIBEA, Aubl. Pl. Gu. i. 95. t. 37 (1775).

VANESSA, Rafin. Fl. Tellur. iii. 57 (1836).

*acutiflora*, Roem. & Schult. Syst. ii. 203 = seq.

*acutifolia*, Ruiz & Pav. Fl. Per. i. 58. t. 89. —Peruv.

*albiflora*, Schott, in DC. Prod. iv. 364. —Bras.

*asperula*, Benth. in Linnaea, xxiii. (1850) 444 = *cordifolia*.

*attenuata*, Nees & Mart. in Nov. Act. Nat. Cur. xii. i. (1824) 14 = *cordifolia*.

*auratifolia*, Silva Manso, Enum. Subst. Bras. 25. —Bras.

*barbata*, Oerst. in Kjoeb. Vedensk. Meddel. (1852) 47. —Costa Rica.

*bicolor*, Paxt. Mag. Bot. x. (1843) 27 = *luteo-rubra*.  
*calycosa*, Griseb. Fl. Brit. W. Ind. 330. —Ind. occ.

*ciliata*, Cham. & Schlecht. in Linnaea, iv. (1829) 176. —Bras.

*coccinea*, Griseb. Fl. Brit. W. Ind. 329 = *uniflora*.

*coccinea*, Willd. Sp. Pl. i. 625 = *M. Lygistum*.

*confertiflora*, Benth. in Linnaea, xxiii. (1850) 443 = *cordifolia*.

*cordifolia*, Mart. Spec. Mat. Med. Bras. i. 19. t. 7. —Bras.

*cuspidata*, Bert. ex Spreng. Syst. i. 415 = *uniflora*.

*filicaulis*, Wawra, in Oestr. Bot. Zeitschr. xxxi. (1881) 281 = *luteo-rubra*.

*fimbriata*, Cham. & Schlecht. in Linnaea, iv. (1829) 173. —Bras.

Gaertneri, DC. Prod. iv. 364. —Hab. ?

*glabra*, Cham. & Schlecht. in Linnaea, iv. (1829) 159 = *cordifolia*.

*glabra*, Steud. Nom. ed. II. ii. 98 = Gaertneri.

*glandulosa*, Poepp. & Endl. Nov. Gen. et Sp. iii. 24. —Chili.

*gracilis*, Cham. & Schlecht. in Linnaea, iv. (1829) 169. —Bras.

*gracilis*, Steud. Nom. ed. II. ii. 98 = Gaertneri.

*grandiflora*, Miq. in Linnaea, xxiii. (1850) 803 = *cordifolia*.

*havanensis*, H. B. & K. Nov. Gen. et Sp. iii. 388 = *uniflora*.

*hirtella*, Mart. & Gal. in Bull. Acad. Brux. xi. i. (1844) 238. —Mexic.

*hispida*, Poepp. & Endl. Nov. Gen. et Sp. iii. 24. t. 228. —Peruv.

*lanceolata*, Vahl, Symb. Bot. i. 12 = *Mussaenda luteola*.

*leianthiflora*, Griseb. in Goett. Abh. xix. (1874) 159 = *cordifolia*.

*luteo-rubra*, Benth. in Linnaea, xxiii. (1850) 445. —Bras.

*lygista*, St. Lag. in Ann. Soc. Bot. Lyon, vii. (1880) 130 = *M. Lygistum*.

*lygistoides*, Griseb. in Mem. Am. Acad. N. S. viii. (1863) 505 = *M. Lygistum*.

*Lygistum*, Spreng. Syst. i. 415 = *uniflora*.

*Lygistum*, Sw. Prod. Veg. Ind. Occ. 37. —Am. trop.

*micans*, Poepp. & Endl. Nov. Gen. et Sp. iii. 24 = *cordifolia*.

*miniata*, Lcm. in Fl. des Serres, iv. (1848) t. 317 = *cordifolia*.

*multiflora*, Cham. in Linnaea, ix. (1834) 243 = *albiflora*.

VOL. II.

MANETTIA :—

*mutabilis*, Pers. Syn. i. 134 = *racemosa*.

*panamensis*, Duchass. & Walp. in Linnaea, xxiii. (1850) 733 = *uniflora*.

*paniculata*, Poepp. & Endl. Nov. Gen. et Sp. iii. 24. —Peruv.

*picta*, Willd. Sp. Pl. i. 625 = *M. Lygistum*.

*Pseudodiodia*, Cham. & Schlecht. in Linnaea, iv. (1829) 174. —Bras.

*pubescens*, Cham. & Schlecht. l. c. 170 = *luteo-rubra*.

*racemosa*, Ruiz & Pav. Fl. Per. i. 58. t. 89. —Peruv.

*reclinata*, Linn. Mant. ii. 553. —Mexic.

*rosea*, Pohl, ex DC. Prod. iv. 364 = *fimbriata*.

*secundiflora*, DC. l. c. —Ins. S. Doming.

*serrata*, Spreng. in Schult. Mant. iii. 147. —Ins. S. Doming.

*splendens*, Regel, Cat. Pl. Hort. Aksakov. 89. —Bras.

*tenuiflora*, Willd. ex Steud. Nom. ed. II. ii. 98 = *uniflora*.

*tenuifolia*, Schult. Mant. iii. 145 = *uniflora*.

*umbellata*, Ruiz & Pav. Fl. Per. i. 58. —Peruv.

*uniflora*, H. B. & K. Nov. Gen. et Sp. iii. 387. —Am. trop.

*villosa*, Cham. & Schlecht. in Linnaea, iv. (1829) 172 = *pubescens*.

*zimapanica*, Hemsl. Diagn. Pl. Nov. 30. —Mexic.

MANFREDIA, Salisb. Gen. Pl. Fragm. 78 (1866) = **Agave**, Linn. (Amaryll.).

*virginica*, Salisb. l. c. = *A. virginica*.

MANGA, Noronha, in Verh. Batav. Gen. v. (1790) ed. I. Art. iv. 20 = **Mangifera**, Linn. & c. (Anacard.).

*acida*, Noronha, l. c. = *Bouea burmanica*.

*deleteria*, Noronha, ex Hassk. in Hoew. & De Vriese, Tijdschr. xi. (1844) 224 = *Gluta Benghas*.

MANGAS, Adans. Fam. ii. 345 (1763) = **Mangifera**, Linn. (Anacard.).

MANGHAS, Burm. Thes. Zeyl. 150 (1737) = **Cerbera**, Linn. (Apocyn.).

MANGIFERA, Linn. Fl. Zeyl. 211 (1747). **ANACARDIACEAE**, Benth. & Hook. f. i. 420.

MANGAS, Adans. Fam. ii. 345 (1763).

*africana*, Oliver, Fl. Trop. Afr. i. 443. —Afr. trop.

*altissima*, Blanco, Fl. Filip. ed. I. 181. —Ins. Philipp.

*Amba*, Forsk. Fl. Aegypt. Arab. 205 = *indica*.

*anisodora*, Blanco, Fl. Filip. ed. II. 129 = *fragrans*.

*axillaris*, Desr. in Lam. Encyc. iii. 697 = *Buchanania Lanza*.

*caesia*, Jack, in Roxb. Fl. Ind. ed. Carey, ii. 441. —Malaya.

*caloneura*, Kurz, in Journ. As. Soc. Beng. xlii. (1873) ii. 66. —Burma.

*cochinchinensis*, Engl. in DC. Monog. Phan. iv. 205. —Cochinch.

*domestica*, Gaertn. Fruct. ii. 95. t. 100 = *indica*.

*foetida*, Blume, Bijdr. 1153 = *caesia*.

*foetida*, Lour. Fl. Cochinch. 160. —Malaya.

*fragrans*, Maingay, in Hook. f. Fl. Brit. Ind. ii. 18 = *Malaya*.

*gabonensis*, Aubry-Lecomte, ex O'Rorke, in Journ. Pharm. et Chim. Sér. III. xxxi. (1857) 275 = *Irvingia Barteri*.

*Gandaria*, Roxb. Hort. Beng. 18, nomen. —Ins. Molucc.

*Gedebi*, Miq. Fl. Ind. Bat. Suppl. 522. —Sumatra.

*gladiata*, Boj. Hort. Maurit. 73 = *indica*.

*glauca*, Blume, Bijdr. 1158. —Java.

*glauca*, Rottb. in Nye Saml. Danske Vidensk. Selsk. Skr. ii. (1783) 534. t. 4. f. 1 = *Elaeodendron glaucum*.

*glauca*, Span. in Linnaea, xv. (1841) 188 = *timoriensis*.

*gracilipes*, Hook. f. Fl. Brit. Ind. ii. 16. —Malacca.

*Griffithii*, Hook. f. in Trans. Linn. Soc. xxiii. (1860) 168. —Malacca.

*Horsfieldii*, Miq. Fl. Ind. Bat. i. ii. 632 = *foetida*.

*indica*, Blume, Bijdr. 1157 = *foetida*.

*indica*, Linn. Sp. Pl. 200. —Ind. or. ; Malaya.

*indica*, Thw. Enum. Pl. Zeyl. 75 = *zeylanica*.

*indica*, Wall. Cat. n. 8487 I = *sylvatica*.

*Kemanga*, Blume, Mus. Bot. Lugd. Bat. i. 202 = *caesia*.

*Kukula*, Blume, l. c. 192 = *indica*.

*lagenifera*, Griff. Notul. iv. 414; Ic. Pl. Asiat. t. 567. —Malacca.

MANGIFERA :—

Langang, Miq. Fl. Ind. Bat. Suppl. 521. —Sumatra.

*laurina*, Blume, Mus. Bot. Lugd. Bat. i. 195. —Malaya.

*laxiflora*, Desr. in Lam. Encyc. iii. 97. —Ins. Maurit.

*Leschenaultii*, March. Rev. Anacard. 189 = *foetida*.

*Linnaei*, Korth. ex Hassk. Cat. Hort. Bog. Alt. 245 = *indica*.

*longipes*, Griff. Notul. iv. 419. —Malaya.

*macrocarpa*, Blume, Bijdr. 1158. —Java.

*Maingayi*, Hook. f. Fl. Brit. Ind. ii. 17. —Malacca.

*maritima*, Lechaume, in Rev. Hort. (1870–71) 369 = *indica*.

*membranacea*, Blume, Mus. Bot. Lugd. Bat. i. 195. —Ins. Molucc.

*microphylla*, Griff. ex Hook. f. Fl. Brit. Ind. ii. 17. —Malacca.

*minor*, Blume, Mus. Bot. Lugd. Bat. i. 198. —Ins. Molucc.

*montana*, Heyne, ex Wight & Arn. Prod. 170 = *indica*.

*mucronulata*, Blume, Mus. Bot. Lugd. Bat. i. 201. —N. Guian.

*oblongifolia*, Hook. f. Fl. Brit. Ind. ii. 16. —Malacca.

*odorata*, Griff. Notul. iv. 417. —Malaya.

*oppositifolia*, Roxb. Hort. Beng. 18; Fl. Ind. i. 640 = *Bouea burmanica*.

*Parish*, Miq. Fl. Ind. Bat. i. ii. 630 = *longipes*.

*pentandra*, Hook. f. Fl. Brit. Ind. ii. 14. —Malacca.

*pinnata*, Desr. in Lam. Encyc. iii. 697 = *Sorindeia madagascariensis*.

*pinnata*, Linn. f. Suppl. 156 = *Spondias Mangifera*.

*polycarpa*, Griff. Notul. iv. 416. t. 167. f. 2. —Malacca.

*quadrifida*, Jack, in Roxb. Fl. Ind. ed. Carey, ii. 440. —Malaya.

*racemosa*, Boj. Hort. Maurit. 73 = *indica*.

*racemosa*, Lam. Illustr. ii. 113 = *Holigarna Arnottiana* ?

*rigida*, Blume, Mus. Bot. Lugd. Bat. i. 200. —Sumatra.

*rostrata*, Blanco, Fl. Filip. ed. II. 129 = *sylvatica*.

*rubra*, Boj. Hort. Maurit. 76 = *indica*.

*sativa*, Roem. & Schult. Syst. i. 37 in obs. = *indica*.

*sclerophylla*, Hook. f. Fl. Brit. Ind. ii. 15. —Malacca.

*spathulifolia*, Blume, Mus. Bot. Lugd. Bat. i. 200. —Borneo.

*similis*, Blume, l. c. —Malaya.

*sumatrana*, Miq. Fl. Ind. Bat. i. ii. 630 = *longipes*.

*superba*, Hook. f. Fl. Brit. Ind. ii. 19. —Malacca.

*sylvatica*, Roxb. Hort. Beng. 18; Fl. Ind. i. 644. —Reg. Himal.

Taipon, Ham. ex Miq. Fl. Ind. Bat. i. ii. 631. —N. Guinea.

*timorensis*, Blume, Mus. Bot. Lugd. Bat. i. 199. —Ins. Timor.

*viridis*, Boj. Hort. Maurit. 73 = *indica*.

*zeylanica*, Hook. f. Fl. Brit. Ind. ii. 16. —Zeylan.

MANGIUM, Rumpf, ex Scop. Introd. 218 1777 = **Rhizophora**, Linn.

MANGLE, Adans. Fam. ii. 445 (1763) = **Rhizophora**, Linn.

MANGLES, Plum. ex DC. Prod. iii. 32 (1828) = *praec.*

MANGLESIA, Endl. Nov. Stirp. Dec. 25 1830 = **Grevillea**, R. Br. (Proteac.).

*cuneata*, Endl. l. c. = *G. glabrata*.

*glabrata*, Lindl. Swan River App. 37 = *G. glabrata*.

*Lawrenceana*, Hort. ex Meissn. in DC. Prod. xiv. 392 = *G. vestita*.

*tridentifera*, Endl. Nov. Stirp. Dec. 25 = *G. tridentifera*.

*vestita*, Endl. l. c. 26 = *G. vestita*.

MANGLESIA, Lindl. Swan River App. t. 3 (1839) = **Beaufortia**, R. Br. (Myrtac.).

*purpurea*, Lindl. l. c. = *B. purpurea*.

MANGLIETIA, Blume, in Verh. Batav. Gen. ix (1823) 149; et Bijdr. 8 (1825). **MAGNOLIA**, Linn.

Benth. & Hook. f. i. 19.

*Candollei*, Wall. Cat. n. 6497 = *Talauma mutabilis*.

*Caveana*, Hook. f. & Thom. Fl. Ind. i. 76. —Reg. Himal.

*celebica*, Miq. Ann. Mus. Bot. Lugd. Bat. iv. 72. —Ins. Celebes.

*glauca*, Blume, in Verh. Batav. Gen. ix. (1823) 149 et Bijdr. 8. —Java.

*insignis*, Blume, Fl. Jav. Magnol. 23. —Reg. H.



**MANGLIETIA** :—

Macklottii, Korth. in *Nederl. Kruidk. Arch.* ii. 11. (1851) 97.—Sumatra.  
*Oortii*, Korth. l. c. = *Talauma glauca*.  
 Sebassa, *Miq. Ann. Mus. Bot. Lugd. Bat.* iv. 71.—Sumatra.  
 sumatrana, *Miq. Fl. Ind. Bat. Suppl.* 367.—Sumatra.

MANGLILLA, Juss. Gen. 151 (1789) = **Myrsine**, Linn. *brasiliensis*, Nees & Mart. in *Nov. Act. Nat. Cur.* xi. (1823) 86 = *Myrsine brasiliensis*.  
*canariensis*, Roem. & Schult. Syst. iv. 505 = *Myrsine canariensis*.  
*Capororoca*, A. St. Hil. ex *Miq.* in *Mart. Fl. Bras.* x. 309 = *Myrsine Gardneriana*.  
*dentata*, Roem. & Schult. Syst. iv. 506 = *Myrsine dentata*.  
*dependens*, Roem. & Schult. l. c. = *Myrsine dependens*.  
*ferruginea*, Roem. & Schult. l. c. = *Myrsine ferruginea*.  
*Fussieu*, Pers. Syn. i. 237 = *Myrsine Mangilla*.  
*latifolia*, Roem. & Schult. Syst. iv. 505 = *Myrsine latifolia*.  
*melanophleas*, Pers. Syn. i. 237 = *Myrsine melanophleas*.  
*Milleriana*, Pers. l. c. = *Myrsine mitis*.  
*oblonga*, Roem. & Schult. Syst. iv. 506 = *Myrsine Mangilla*.  
*pellucida*, Roem. & Schult. l. c. = *Myrsine pellucida*.  
*peruviana*, J. F. Gmel. Syst. 398 = *Myrsine Mangilla*.  
*racemosa*, Roem. & Schult. Syst. iv. 803 = *Myrsine racemosa*.  
*venosissima*, Roem. & Schult. l. c. 506 = *Myrsine venosissima*.  
*venulosa*, Roem. & Schult. l. c. 505 = *Myrsine melanophleas*.

**MANGONIA**, Schott, in *Oestr. Bot. Wochenbl.* (1857) 77. *AROIDEAE*, Benth. & Hook. f. iii. 988.  
*Tweediana*, Schott, in *Oestr. Bot. Wochenbl.* (1857) 77.—Bras.

MANGOSTANA, Rumph. ex Gaertn. *Fruct.* ii. 105. t. 105. (1791) = **Garcinia**, Linn. (Guttif.).  
*Cambogia*, Gaertn. l. c. 106 = *G. Cambogia*.  
*Garcinia*, Gaertn. l. c. 105 = *G. Mangostana*.  
*Morella*, Gaertn. l. c. 106 = *G. Morella*.

**MANICARIA**, Gaertn. *Fruct.* ii. 468. t. 176 (1791).  
*PALMAE*, Benth. & Hook. f. iii. 919.  
*PILOPHORA*, Jacq. *Fragm.* 32. t. 35 (1800).  
*Plukenetii*, Griseb. & H. Wendl. in *Griseb. Fl. Brit. W. Ind.* 518 = *saccifera*.  
*saccifera*, Gaertn. *Fruct.* ii. 468. t. 176.—Guian.

**MANIHOT**, Tourn. ex Adans. *Fam.* ii. 356 (1763).  
*EUPHORBIAEAE*, Benth. & Hook. f. iii. 306.  
*JANIPHA*, H. B. K. *Nov. Gen. et Sp.* ii. 106 (1817).  
*MANDIOCA*, Link. *Handb.* ii. 436 (1831).  
*acuminatissima*, *Muell. in Arg. Mart. Fl. Bras.* xi. II. 455.—Bras.  
*aesculifolia*, *Pohl, Pl. Bras. Ic.* i. 55.—Mexic.  
*Aipi*, *Pohl, l. c.* 29 = *palmata*.  
*amaroleitensis*, *Baill. Adansonia*, iv. (1863-64) 281.—Bras.  
*angustifolia*, *Pohl, ex Steud. Nom. ed. II. i.* 799 ; ii. 99 = *Jatropha angustifolia* (nom. delend.).  
*angustifrons*, *Muell. Arg. in Mart. Fl. Bras.* xi. II. 461.—Bras.  
*angustiloba*, *Muell. Arg. in DC. Prod.* xv. II. 1073.—Peruv.  
*anisophylla*, *Muell. Arg. in Journ. Bot.* xii. (1874) 230.—Reg. Argent.  
*anomala*, *Pohl, Pl. Bras. Ic.* i. 27. t. 21.—Bras.  
*arcuata*, *Pohl, l. c.* 42 = *violacea*.  
*attenuata*, *Muell. Arg. in Mart. Fl. Bras.* xi. II. 443.—Bras.  
*Aypi*, Spruce, in *Journ. Linn. Soc.* v. (1861) 10 = *palmata*.  
*brachyloba*, *Muell. Arg. in Mart. Fl. Bras.* xi. II. 451.—Bras.  
*Burchellii*, *Muell. Arg. l. c.* 457.—Bras.  
*cajaniformis*, *Pohl, Pl. Bras. Ic.* i. 45 = *tripartita*.  
*caricaefolia*, *Pohl, l. c.* 40.—Bras.  
*carthaginensis*, *Muell. Arg. in DC. Prod.* xv. II. 1073.—Am. trop.  
*cecropiaefolia*, *Pohl, Pl. Bras. Ic.* i. 49 = *violacea*.  
*cleomaefolia*, *Pohl, l. c.* 51 = *tripartita*.

**MANIHOT** :—

*coerulea*, Steud. *Nom. ed. II. i.* 799 ; ii. 99, sphalm. = seq.  
*coerulescens*, *Pohl, Pl. Bras. Ic.* i. 56.—Bras.  
*conulifera*, *Muell. Arg. in Mart. Fl. Bras.* xi. II. 474.—Bras.  
*crotalariaeformis*, *Pohl, Pl. Bras. Ic.* i. 24. t. 18.—Bras.  
*cujabensis*, *Muell. Arg. in Linnaea*, xxxiv. (1865-66) 207.—Bras.  
*Curcas*, Crantz, *Inst. i.* 167 = *Jatropha Curcas*.  
*dalechampiaeformis*, *Pohl, Pl. Bras. Ic.* i. 51 = *tripartita*.  
*diffusa*, *Pohl, l. c.* 55 = *palmata*.  
*digitata*, Sweet, *Hort. Brit. ed. II.* 458 = *Jatropha Fischeri* (nom. delend.).  
*digitiformis*, *Pohl, Pl. Bras. Ic.* i. 36.—Bras.  
*divergens*, *Pohl, l. c.* 41 = *violacea*.  
*diversifolia*, Sweet, *Hort. Brit. ed. II.* 458, nomen = *Jatropha diversifolia* (nom. delend.).  
*edule*, A. Rich. *Fl. Cub. Fanerog.* ii. 208 = *utilissima*.  
*elegans*, *Muell. Arg. in Mart. Fl. Bras.* xi. II. 485.—Bras.  
*esculenta*, Crantz, *Inst. i.* 167 = *utilissima*.  
*flabellifolia*, *Pohl, Pl. Bras. Ic.* i. 35. t. 25 = *palmata*.  
*foetida*, *Pohl, l. c.* 55.—Mexic.  
*Glaziovii*, *Muell. Arg. in Mart. Fl. Bras.* xi. II. 446.—Bras.  
*gossypifolia*, Crantz, *Inst. i.* 167 = *Jatropha gossypifolia*.  
*gracilis*, *Pohl, Pl. Bras. Ic.* i. 23. t. 16.—Bras.  
*Grahami*, Hook. *l. c.* Pl. t. 530 = *palmata*.  
*grandiflora*, *Muell. Arg. in Mart. Fl. Bras.* xi. II. 471.—Bras.  
*guyanensis*, *Klotzsch, in Schomb. Faun. et Fl. Gui.* 1186.—Guian.  
*hemitrichandra*, *Muell. Arg. in Mart. Fl. Bras.* xi. II. 454.—Bras.  
*herbacea*, Crantz, *Inst. i.* 167 = *Jatropha urens*.  
*heterophylla*, *Pohl, Pl. Bras. Ic.* i. 39. t. 31.—Bras.  
*Hilariana*, *Baill. Adansonia*, iv. (1863-64) 282.—Bras.  
*humilis*, *Muell. Arg. in Mart. Fl. Bras.* xi. II. 448.—Bras.  
*inflata*, *Muell. Arg. l. c.* 450.—Bras.  
*intercedens*, *Muell. Arg. l. c.* 483.—Bras.  
*jacobinensis*, *Muell. Arg. in Linnaea*, xxxiv. (1865-66) 205.—Bras.  
*Janipha*, *Pohl, Pl. Bras. Ic.* i. 55 = *carthaginensis*.  
*janiphoides*, *Muell. Arg. in Mart. Fl. Bras.* xi. II. 480.—Bras.  
*laciniosa*, *Pohl, Pl. Bras. Ic.* i. 54.—Bras.  
*lagoënsis*, *Muell. Arg. in Mart. Fl. Bras.* xi. II. 475.—Bras.  
*Langsdorffii*, *Muell. Arg. l. c.* 455.—Bras.  
*linearifolia*, *Muell. Arg. in Flora*, lv. (1872) 43.—Peruv.  
*Loeflingii*, *Muell. Arg. in Mart. Fl. Bras.* xi. II. 460 = *palmata*.  
*longepetiolata*, *Pohl, Pl. Bras. Ic.* i. 25. t. 19.—Bras.  
*Loureirii*, *Pohl, l. c.* 55.—Cochinch.  
*melanobasis*, *Muell. Arg. in Linnaea*, xxxiv. (1865-66) 206.—Guian.  
*microcarpa*, *Muell. Arg. in Flora*, lv. (1872) 42.—Am. centr.  
*moluccana*, Crantz, *Inst. i.* 167 = *Aleurites triloba*.  
*multifida*, Crantz, *l. c.* = *Jatropha multifida*.  
*nana*, *Muell. Arg. in Mart. Fl. Bras.* xi. II. 448.—Bras.  
*occidentalis*, *Muell. Arg. l. c.* 468.—Bras.  
*orbicularis*, *Pohl, Pl. Bras. Ic.* i. 20. t. 12.—Bras.  
*palmata*, *Muell. Arg. in DC. Prod.* xv. II. 1062.—Bras.  
*paraënsis*, *Muell. Arg. in Mart. Fl. Bras.* xi. II. 470.—Bras.  
*pardina*, *Muell. Arg. l. c.* 484.—Bras.  
*paviaefolia*, *Pohl, Pl. Bras. Ic.* i. 52.—Bras.  
*Pavoniana*, *Muell. Arg. in Linnaea*, xxxiv. (1865-66) 205.—Peruv.  
*pedicellaris*, *Muell. Arg. in Mart. Fl. Bras.* xi. II. 453.—Bras.  
*peltata*, *Pohl, Pl. Bras. Ic.* i. 18. t. 13.—Bras.  
*pentaphylla*, *Pohl, l. c.* 53.—Bras.  
*peruviana*, *Muell. Arg. in Linnaea*, xxxiv. (1865-66) 206.—Peruv.  
*pilosa*, *Pohl, Pl. Bras. Ic.* i. 55.—Bras.  
*Pohlana*, *Muell. Arg. in Mart. Fl. Bras.* xi. II. 464.—Bras.  
*Pohlui*, *Wawra, in Flora*, xlvii. (1864) 252.—Bras.

**MANIHOT** :—

*porrecta*, *Pohl, Pl. Bras. Ic.* i. 46 = *tripartita*.  
*procumbens*, *Muell. Arg. in Linnaea*, xxxiv. (1865-66) 206.—Bras.  
*prunifolia*, *Pohl, Pl. Bras. Ic.* i. 24. t. 17.—Bras.  
*pruinosa*, *Pohl, l. c.* 28. t. 22.—Bras.  
*pubescens*, *Pohl, l. c.* 50. t. 43.—Bras.  
*purpureo-costata*, *Pohl, l. c.* 19.—Bras.  
*pusilla*, *Pohl, l. c.* 36.—Bras.  
*quinquefolia*, *Pohl, l. c.* 56.—Bras.  
*quinqueformis*, Steud. *Nom. ed. II. i.* 800, in syn. = *praec.* ?  
*quinqueloba*, *Pohl, Pl. Bras. Ic.* i. 21.—Bras.  
*reniformis*, *Pohl, l. c.* 56.—Bras.  
*rhomboidea*, *Muell. Arg. in Linnaea*, xxxiv. (1865-66) 205.—Mexic.  
*Riedeliana*, *Muell. Arg. in Mart. Fl. Bras.* xi. II. 443.—Bras.  
*rigidula*, *Muell. Arg. l. c.* 474.—Bras.  
*sagittato-partita*, *Pohl, Pl. Bras. Ic.* i. 22. t. 15.—Bras.  
*salicifolia*, *Pohl, l. c.* 18.—Bras.  
*sinuata*, *Pohl, l. c.*—Bras.  
*sparsifolia*, *Pohl, l. c.* 26.—Bras.  
*speciosa*, *Muell. Arg. in Mart. Fl. Bras.* xi. II. 470.—Bras.  
*spinossissima*, Steud. *Nom. ed. II. ii.* 99 = *Jatropha vitifolia*.  
*stricta*, *Baill. Adansonia*, iv. (1863-64) 282.—Bras.  
*subquinqueloba*, *Muell. Arg. in Mart. Fl. Bras.* xi. II. 446.—Bras.  
*tenella*, *Muell. Arg. l. c.* 484.—Bras.  
*tenerrima*, *Pohl, Pl. Bras. Ic.* i. 39. t. 30 = *gracilis*.  
*tenuifolia*, *Pohl, l. c.* 38. t. 29 = *gracilis*.  
*tomentella*, *Pohl, l. c.* 45 = *tripartita*.  
*tomentosa*, *Pohl, l. c.* 50.—Bras.  
*tripartita*, *Muell. Arg. in DC. Prod.* xv. II. 1068.—Bras.  
*triphylla*, *Pohl, Pl. Bras. Ic.* i. 37.—Bras.  
*tristis*, *Muell. Arg. in Mart. Fl. Bras.* xi. II. 449.—Bras.  
*Tweediana*, *Muell. Arg. l. c.* 450.—Bras.  
*urens*, Crantz, *Inst. i.* 167 = *Jatropha urens*.  
*utilissima*, *Pohl, Pl. Bras. Ic.* i. 32. t. 24.—Bras.  
*varians*, *Pohl, l. c.* 53.—Bras.  
*violacea*, *Pohl, l. c.* 43.—Bras.  
*Warmingii*, *Muell. Arg. in Mart. Fl. Bras.* xi. II. 481.—Bras.  
*Weddelliana*, *Baill. Adansonia*, iv. (1863-64) 281.—Bras.

MANILKARA, Adans. *Fam.* ii. 166 (1763) = **Mimusops**, Linn. (Sapot.).

**MANILTOA**, Scheff. in *Anñ. Jard. Buitenz.* i. (1876) 20. **LEGUMINOSAE**.  
*grandiflora*, *Scheff. l. c.*—N. Guin.

MANISURIS, Linn. *Mant.* ii. 164 (1767) = **Rottboellia**, Linn. f. (Gramin.).  
*Myurus*, Linn. l. c. 300 = *R. Myurus*.

**MANISURIS**, Sw. *Prod. Veg. Ind. Occ.* 25 (1788), partim ; *Fl. Ind. Occ.* i. 186 (1797). **GRAMINEAE**, Benth. & Hook. f. iii. 1130.  
*granularis*, Sw. *ll. cc.*—Reg. trop. et subtrop.  
*polystachya*, Beauv. *Fl. Owar.* i. 24. t. 14 = *granularis*.

MANITIA, Giseke, *Prael. Linn.* 209 (1792) = **Globba**, Linn. (Scitam.).  
*aurea*, Giseke, l. c. 251 = *G. versicolor*.

MANLILIA, Salisb. *Gen. Pl. Fragm.* 17 (1866) = **Polyxena**, Kunth (Liliac.).  
*pygmaea*, Salisb. l. c. = *P. pygmaea*.

MANNA, D. Don, *Prod. Fl. Nep.* 246 (1825) = **Alhagi**, Tourn. (Legum.).  
*caspica*, D. Don, l. c. 247 = *A. camelorum*.  
*hebraica*, D. Don, l. c. = *A. maurorum*.  
*nepalensis*, D. Don, l. c. = *A. maurorum*.

MANNAPHORUS, Rafin. in *Am. Monthly Mag.* (1818) 175 = **Fraxinus**, Tourn. (Oleac.).

MANNARIA, Heist. *Syst.* 12 (1748) = **Fraxinus** ? Tourn. (Oleac.).



**MANNIA**, Hook. f. in Benth. & Hook. f. Gen. i. 309 (1862). *SIMARUBEAE*, Benth. & Hook. f. l. c. africana, Hook. f. l. c.—Afr. trop.

**MANNIELLA**, Reichb. f. Otia Bot. Hamb. 109 (1881). *ORCHIDEAE*, Benth. & Hook. f. iii. 605. Gustavi, Reichb. f. l. c.—Afr. trop.

**MANNIOPHYTON**, Muell. Arg. in Flora. xlvii. (1864) 530. *EUPHORBIACEAE*, Benth. & Hook. f. iii. 297. africanus, Muell. Arg. in Flora, xlvii. (1864) 531.—Afr. trop. fulvum, Muell. Arg. in Journ. Bot. ii. (1864) 332.—Afr. trop.

**MANNOPAPPUS**, Sch. Bip. in Flora, xxvii. (1844) 677 = *Helichrysum*, Vaill. (Compos.). anomalus, Sch. Bip. l. c. = *H. anomalum*.

**MANOELIA**, Bowdich, Madeira, 246 (1825) = (Gen. dub. an Primulac.?). pallida, Bowdich, l. c.—Ins. Madeira.

**MANOELLIA**, Reichb. Consp. 212° (1828) = praec.

**MANOTES**, Soland. ex Planch. in Linnaea, xxiii. (1850) 438. *CONNARACEAE*, Benth. & Hook. f. i. 433. expansa, Soland. ex Planch. in Linnaea, xxiii. (1850) 439.—Afr. trop. Griffoniana, Baill. Adansoniana, vii. (1866-67) 244.—Afr. trop. longiflora, Baker, in Oliver, Fl. Trop. Afr. i. 460.—Afr. trop. Palisotii, Planch. in Linnaea, xxiii. (1850) 439 = Rourea Palisotii.

**MANOTHRIX**, Miers, Apocyn. S. Am. 28 (1878). *APOCYNACEAE*. nodosa, Miers, l. c. 30.—Bras. valida, Miers, l. c. 29.—Bras.

**MANSANA**, J. F. Gmel. Syst. 580 (1791) = *Zizyphus*, Adans. (Rhamnac.). arborea, J. F. Gmel. l. c. = *Z. Jujuba*.

**MANSOA**, DC. in Bibl. Univ. Genève. xvii. (1838) 128 [Rev. Bign. 12] = *Cuspidaria*, DC. (Bignon.). hirsuta, DC. Prod. ix. 182.—Bras. laevis, DC. l. c.—Bras.

**MANTEIA**, Rafin. Sylva Tellur. 161 (1838) = *Rubus*, Tourn. (Rosac.). acaulis, Rafin. l. c. = *R. arcticus*. stellatus, Rafin. l. c. = *R. stellatus*.

**MANTISALCA**, Cass. in Bull. Soc. Philom. (1818) 142 = *Centaurea*, Linn. Compos.). elegans, Cass. in Dict. Sc. Nat. xxix. 81 = *C. salmantica*.

**MANTISIA**, Sims, Bot. Mag. t. 1320 (1810). *SCITAMINEAE*, Benth. & Hook. f. iii. 639. saltatoria, Sims, Bot. Mag. t. 1320.—Ind. or. spatulata, Schult. Mant. i. 49.—Ind. or.

**MANTODDA**, Adans. Fam. ii. 508 (1763) = *Aeschynomene*, Linn. (Legumin.).

**MANUELIA**, Pritz. Ic. Ind. ii. 180 (1855) sphalm. = seq.

**MANULEA**, Linn. Mant. i. 12 (1767). *SCROPHULARINEAE*, Benth. & Hook. f. ii. 946. LYCHNIDEA, Burm. Rar. Afr. Pl. 138 (1737). NEMIA, Berg. Desc. Pl. Cap. 160 (1767). aequipetala, Sternb. ex Steud. Nom. ed. I. 508 = *Chaenostoma foetidum*. aethiopica, Thunb. Prod. Pl. Cap. 101 = *Polycarena aurca*. alternifolia, Desf. ex Pers. Syn. ii. 148 = *Chaenostoma foetidum*. altissima, Linn. f. Suppl. 285.—Afr. austr. androsacea, E. Mey. ex Benth. in Hook. Comp. Bot. Mag. i. (1835) 381.—Afr. austr. angustifolia, Link & Otto, Ic. Pl. Sel. 47. t. 20 = rubra. antirrhinoides, Linn. f. Suppl. 286.—Afr. austr. argentea, Linn. f. l. c. = *Lyperia argentea*. aurantiaca, Jarosz, Pl. Nov. Cap. 18.—Afr. austr.

**MANULEA** :—

bellidifolia, Benth. in Hook. Comp. Bot. Mag. i. (1835) 382.—Afr. austr. capensis, Thunb. Prod. Pl. Cap. 101 = *Polycarena capensis*. capillaris, Linn. f. Suppl. 285 = *Polycarena capillaris*. capitata, Linn. f. l. c. 286 = *Phyllopodium capitatum*. Cephalotes, Thunb. Prod. Pl. Cap. 101.—Afr. austr. Cheiranthus, Linn. Mant. i. 88.—Afr. austr. coerulea, Linn. f. l. c. 285 = *Sphenandra viscosa*. cordata, Thunb. Prod. Pl. Cap. 102 = *Chaenostoma cordatum*. corymbosa, Linn. f. Suppl. 286.—Afr. austr. crassifolia, Benth. in Hook. Comp. Bot. Mag. i. (1835) 382.—Afr. austr. crystallina, Weinm. in Syll. Ratisb. i. (1824) 226 = *Lyperia violacea*. cuneifolia, Linn. f. Suppl. 285 = *Phyllopodium cuneifolium*. densiflora, Benth. in Hook. Comp. Bot. Mag. i. (1835) 382.—Afr. austr. divaricata, Thunb. Prod. Pl. Cap. 101 = *Zaluzianskya divaricata*. exaltata, Banks, ex Benth. in Hook. Comp. Bot. Mag. i. (1835) 384.—Afr. austr. foetida, Pers. Syn. ii. 148 = *Chaenostoma foetidum*. gariepina, Benth. in Hook. Comp. Bot. Mag. i. (1835) 384.—Afr. austr. heterophylla, Linn. f. Suppl. 285 = *Phyllopodium heterophyllum*. hirta, Gaertn. Fruct. i. 258; Desr. in Lam. Encyc. iii. 707 = rubra. hirta, Thunb. Prod. Pl. Cap. 101.—Afr. austr. hispida, Thunb. l. c. 102 = *Chaenostoma hispidum*. incana, Thunb. l. c. 101.—Afr. austr. indiana, Lour. Fl. Cochinch. 386 = *Adenosma capitatum*? indica, Willd. in Lour. l. c. ed. II. ii. 469 = pr. ec. integrifolia, Linn. f. Suppl. 285 = *Chaenostoma integrifolium*. juncea, Benth. in Hook. Comp. Bot. Mag. i. (1835) 382.—Afr. austr. leiostachys, Benth. l. c. 383.—Afr. austr. lichnidea, Desr. in Lam. Encyc. iii. 707 = *Lyperia fragrans*. linifolia, Thunb. Prod. Pl. Cap. 100 = *Chaenostoma linifolium*. longiflora, Jarosz, Pl. Nov. Cap. 18.—Afr. austr. longifolia, Benth. in Hook. Comp. Bot. Mag. i. (1835) 382.—Afr. austr. lychnoides, Steud. Nom. ed. I. 508, vide lichnidea. microphylla, Linn. f. Suppl. 285 = *Lyperia microphylla*. natalensis, Bernh. in Flora, xxvii. (1844) 835 = parviflora. nervosa, E. Mey. ex Benth. in Hook. Comp. Bot. Mag. i. (1835) 381.—Afr. austr. obovata, Benth. l. c. 383.—Afr. austr. oppositifolia, Vent. Jard. Malm. t. 15 = *Chaenostoma hispidum*. oppositifolia, Steud. Nom. ed. II. ii. 99 = praec. paniculata, Benth. in Hook. Comp. Bot. Mag. i. (1835) 383.—Afr. austr. parviflora, Benth. l. c. 383.—Afr. austr. pedunculata, Pers. Syn. ii. 184 = *Lyperia pedunculata*. pinnatifida, Linn. f. Suppl. 286 = *Lyperia pinnatifida*. plantaginea, Thunb. Prod. Pl. Cap. 101 = seq. Plantaginis, Linn. f. Suppl. 286 = *Polycarena plantaginea*. pusilla, E. Mey. ex Benth. in Hook. Comp. Bot. Mag. i. (1835) 384.—Afr. austr. revoluta, Thunb. Prod. Pl. Cap. 100 = *Chaenostoma revolutum*. rhynchantha, Link, Enum. Hort. Berol. ii. 142 = *M. Cheiranthus*. rigida, Benth. in Hook. Comp. Bot. Mag. i. (1835) 382.—Afr. austr. rotata, Desr. in Lam. Encyc. iii. 706 = *Sphenandra viscosa*. rubra, Linn. f. Suppl. 286.—Afr. austr. saturoideis, Desr. in Lam. Encyc. iii. 705 = *Chaenostoma revolutum*? scabra, Wendl. ex Steud. Nom. ed. II. 99, nomen.—Afr. austr. silenoides, E. Mey. ex Benth. in Hook. Comp. Bot. Mag. i. (1835) 381.—Afr. austr. Sopubia, Buch.-Ham. ex D. Don, Prod. Fl. Nep. 88 = *Sopubia trifida*.

**MANULEA** :—

stellata, Benth. in Hook. Comp. Bot. Mag. i. (1835) 384.—Afr. austr. Thunbergii, G. Don, Gen. Syst. iv. 596.—Afr. austr. thysiflora, Linn. f. Suppl. 286.—Afr. austr. tomentosa, Benth. in DC. Prod. x. 367, sphalm. = Thunbergii. tomentosa, Murr. Syst. ed. XIII. 476.—Afr. austr. turrita, Banks, ex Benth. in Hook. Comp. Bot. Mag. i. (1835) 383.—Afr. austr. uncinata, Desr. in Lam. Encyc. iii. 706.—Afr. austr. villosa, Pers. Syn. ii. 148 = *Polycarena capensis*. violacea, Link, Enum. Hort. Berol. ii. 142 = *Lyperia violacea*. virgata, Thunb. Prod. Pl. Cap. 101.—Afr. austr. viscosa, Willd. Enum. Hort. Berol. 653 = *Sphenandra viscosa*.

**MANUNGALA**, Blanco, Fl. Filip. ed. I. 306 (1837) = *Samadera*, Gaertn. (Simarub.). pendula, Blanco, l. c. = *S. indica*.

**MAOUTIA**, Montr. in Mém. Acad. Lyon, x. (1860) 241 = *Oxera*, Labill. (Verbenac.). nerifolia, Montr. l. c.—N. Caled.

**MAOUTIA**, Wedd. in Ann. Sc. Nat. Sér. IV. i. (1854) 193. *URTICACEAE*, Benth. & Hook. f. iii. 391. LECANOCNIDE, Blume, Mus. Bot. Lugd. Bat. ii. 193. t. 12 (1856). ambigua, Wedd. in Arch. Mus. Par. viii. (1855-56) 483.—Ins. Amboina. aspera, Wedd. in Ann. Sc. Nat. Sér. IV. i. (1854) 194 = *odontophylla*. australis, Wedd. in Arch. Mus. Par. viii. (1855-56) 480.—Ins. Pacif. diversifolia, Wedd. in DC. Prod. xvi. i. 235<sup>32</sup> = rugosa. odontophylla, Miq. Fl. Ind. Bat. i. II. 273.—Java. platistigma, Wedd. in Ann. Sc. Nat. Sér. IV. i. (1854) 194.—Ins. Philipp. Puya, Wedd. l. c. 193.—Reg. Himal.; Burma. reticulata, Wedd. in DC. Prod. xvi. i. 235<sup>31</sup>.—Ins. Philipp. rigida, Wedd. in Ann. Sc. Nat. Sér. IV. i. (1854) 194 = *Boehmeria rigida*. rugosa, Wedd. l. c.—Java. setosa, Wedd. l. c.—Ins. Philipp. Zollingeriana, Wedd. l. c. = rugosa.

**MAPA**, Vell. Fl. Flum. 59 (1825); i. t. 153 = *Petiveria*, Linn. (Phytolac.). graveolens, Vell. ll. cc. = *P. alliacea*.

**MAPANIA**, Aubl. Pl. Gui. i. 47. t. 17 (1775). *CYPERACEAE*, Benth. & Hook. f. iii. 1055. CEPHALOSCIRPUS, Kurz, in Journ. As. Soc. Beng. xxxviii. (1869) ii. 83. HALOSTEMMA, Benth. & Hook. f. Gen. iii. 1056 (1883). LEPISTACHYA, Zipp. ex Miq. Illustr. Fl. Ind. Arch. 61 (1871). PANDANOPHYLLUM, Hassk. Cat. Hort. Bog. Alt. 297 (1844). africana, Boeck. in Linnaea, xxxvii. (1871-73) 137.—Afr. trop. bancana, Benth. & Hook. f. Gen. iii. 1055 = *Thoracostachyum bancanum*. humilis, F. Villar, in Blanco, Fl. Philipp. ed. III Nov. App. 309.—Malaya. hypolytroides, F. Muell. ex Benth. Fl. Austral. vii. 341 (*Thoracostachyi* sp.).—Austral. immersa, Trimen, Cat. Pl. Zeyl. 102.—Zeylan. lucida, N. E. Br. in Illustr. Hortic. xxxii. (1885) 77. t. 557 = humilis. palustris, F. Villar, in Blanco, Fl. Philipp. ed. III Nov. App. 309.—Ins. Philipp. pycnocephala, Benth. in Journ. Linn. Soc. xv. (1877) 512 (*lappu pycnostachya*).—Panama. sumatrana, Benth. & Hook. f. Gen. iii. 1056.—Malaya. sylvatica, Aubl. Pl. Gui. i. 47. t. 17.—Guia. Panama. sylvatica, Pursh, Fl. Am. Sept. i. 47 = *Carex Fraseri sylvestris*, Vahl, Enum. ii. 391 = *sylvatica*. zeylanica, Trimen, Cat. Pl. Zeyl. 102.—Ind. or.; Borneo.

**MAPIRA**, Adans. Fam. ii. 39 (1763) = *Olyra*, Linn. (Gramin.).



MAPOURIA, Aubl. Pl. Gui. i. 175. t. 67 (1775) = *Psychotria*, Linn. (Rubiaceae).  
*aemulans*, Muell. Arg. in Flora, lix. (1876) 496, 497.—Bras.  
*alba*, Muell. Arg. l. c. 458 = *P. alba*.  
*apocynacea*, Muell. Arg. l. c. 457, 464.—Bras.  
*australis*, Muell. Arg. l. c. 459, 465.—Bras.  
*borjensis*, Muell. Arg. l. c. 459, 466 = *P. borjensis*.  
*brachypoda*, Muell. Arg. in Mart. Fl. Bras. vi. v. 422.—Bras.  
*brevicollis*, Muell. Arg. in Flora, lix. (1876) 459, 465 = *P. brevicollis*.  
*Burchelliana*, Muell. Arg. l. c. — *P. Burchelliana*.  
*caldasica*, Muell. Arg. l. c. — Bras.  
*capillacea*, Muell. Arg. in Mart. Fl. Bras. vi. v. 405.—Bras.  
*capituliflora*, Muell. Arg. in Flora, lix. (1876) 495, 497.—Bras.  
*castellana*, Muell. Arg. l. c. 458, 464 = *P. castellana*.  
*catharinensis*, Muell. Arg. l. c. 459, 465.—Bras.  
*cephalantha*, Muell. Arg. l. c. 495, 497.—Bras.  
*chaenotricha*, Muell. Arg. l. c. 496 = *P. chaenotricha*.  
*chionantha*, Muell. Arg. in Mart. Fl. Bras. vi. v. 387 = *P. Luschnathii*.  
*cinchonoides*, Muell. Arg. l. c. 388.—Bras.  
*colarensis*, Muell. Arg. in Flora, lix. (1876) 459, 465.—Bras.  
*compaginata*, Muell. Arg. l. c. 457, 464.—Bras.  
*cordata*, Muell. Arg. in Mart. Fl. Bras. vi. v. 426.—Bras.  
*corymbifera*, Muell. Arg. in Flora, lix. (1876) 458, 464.—Bras.  
*coussareoides*, Muell. Arg. l. c. 460, 466.—Bras.  
*crassa*, Muell. Arg. in Mart. Fl. Bras. vi. v. 389.—Bras.  
*cupularis*, Muell. Arg. in Flora, lix. (1876) 459, 465.—Bras.  
*cymuligera*, Muell. Arg. l. c. 496, 497.—Bras.  
*depauperata*, Muell. Arg. in Mart. Fl. Bras. vi. v. 466.—Bras.  
*ferruginea*, Muell. Arg. in Flora, lix. (1876) 457, 464.—Bras.  
*formosa*, Muell. Arg. l. c. 459 = *P. formosa*.  
*graciliflora*, Oerst. Am. Centr. 17. t. 14. f. 6 = *P. graciliflora*.  
*guianensis*, Aubl. Pl. Gui. i. 175 = *P. nitida*.  
*herbacea*, Muell. Arg. in Mart. Fl. Bras. vi. v. 427 = *P. herbacea*.  
*insignis*, Muell. Arg. l. c. 424.—Bras.  
*japurensis*, Muell. Arg. l. c. 412 = *P. japurensis*.  
*laevifolia*, Muell. Arg. l. c. 416.—Bras.  
*Langsdorffiana*, Muell. Arg. l. c. 395 = *P. Langsdorffiana*.  
*lurida*, Muell. Arg. l. c. 405.—Bras.  
*Luschnathii*, Muell. Arg. in Flora, lix. (1876) 457 = *P. Luschnathii*.  
*macrocarpa*, Muell. Arg. in Mart. Fl. Bras. vi. v. 425 = *P. herbacea*.  
*mandiocana*, Muell. Arg. in Flora, lix. (1876) 496, 498 = *P. mandiocana*.  
*Martiana*, Muell. Arg. l. c. 458, 464 = *P. Martiana*.  
*microcarpa*, Muell. Arg. l. c. 496, 497 = *P. microcarpa*.  
*miradorensis*, Oerst. Am. Centr. 17. t. 14. f. 9 = *P. miradorensis*.  
*myriantha*, Muell. Arg. in Mart. Fl. Bras. vi. v. 400 = *P. myriantha*.  
*Nettoana*, Muell. Arg. in Flora, lix. (1876) 458, 464.—Bras.  
*niveo-barbata*, Muell. Arg. in Mart. Fl. Bras. vi. v. 401.—Bras.  
*obovata*, Oerst. Am. Centr. 17. t. 14. f. 3, 4 = *P. obovata*.  
*panurensis*, Muell. Arg. in Flora, lix. (1876) 460, 466.—Bras.  
*papantlensis*, Oerst. Am. Centr. 17. t. 14. f. 5 = *P. papantlensis*.  
*parvifolia*, Oerst. l. c. = *P. parvifolia*.  
*peraffinis*, Muell. Arg. in Flora, lix. (1876) 496, 497.—Bras.  
*podoccephala*, Muell. Arg. l. c. 460, 466.—Bras.  
*Pokhiana*, Muell. Arg. l. c. 457, 464.—Bras.  
*ptychophylla*, Muell. Arg. l. c. 458, 464.—Bras.  
*puberulina*, Muell. Arg. l. c. 459, 465.—Bras.  
*Rabeniana*, Muell. Arg. l. c. 458, 464 = *P. Rabeniana*.  
*remota*, Muell. Arg. l. c. 459 = *P. remota*.  
*Riedeliana*, Muell. Arg. l. c. 496 = *P. Riedeliana*.  
*salicifolia*, Oerst. Am. Centr. 17. t. 14. f. 2 = *P. salicifolia*, Hemsl.

## MAPOURIA:—

*sambucina*, Muell. Arg. in Flora, lix. (1876) 458 = *Psychotria sambucina*.  
*Schlechtendalia*, Muell. Arg. l. c. 457 = *P. elliptica*.  
*sclerocalyx*, Muell. Arg. l. c. 496, 497.—Bras.  
*sessiliflora*, Muell. Arg. in Mart. Fl. Bras. vi. v. 416 = *P. sessiliflora*.  
*Simira*, A. Rich. in Mém. Soc. Hist. Nat. Par. v. (1834) 174 = *P. parviflora*, Willd.  
*sphaerocarpus*, Muell. Arg. in Mart. Fl. Bras. vi. v. 418.—Bras.  
*Spruceana*, Muell. Arg. in Flora, lix. (1876) 496, 497.—Bras.  
*stipulata*, Oerst. Am. Centr. 17. t. 14. f. 7 = *P. stipulata*.  
*subsessilis*, Muell. Arg. in Flora, lix. (1876) 460 = *P. sessiliflora*?  
*subspathulata*, Muell. Arg. l. c. 459, 465.—Bras.  
*tenuis*, Muell. Arg. in Mart. Fl. Bras. vi. v. 425.—Bras.  
*tomentosa*, Oerst. Am. Centr. 17. t. 14. f. 8 = *P. tomentosa*, Hemsl.  
*triadica*, Muell. Arg. in Mart. Fl. Bras. vi. v. 423.—Bras.  
*tricephala*, Muell. Arg. l. c. — Bras.  
*trichogyne*, Muell. Arg. l. c. 426.—Bras.  
*tristis*, Muell. Arg. in Flora, lix. (1876) 458, 465.—Bras.  
*umbelluligera*, Muell. Arg. l. c. 496, 497.—Bras.  
*umbrosa*, Muell. Arg. l. c. 459, 466.—Bras.  
*vasivensis*, Muell. Arg. l. c. 460, 466.—Bras.  
*Velhana*, Muell. Arg. l. c. 457, 464.—Bras.  
*vestita*, Muell. Arg. in Mart. Fl. Bras. vi. v. 421 = *P. vestita*.  
*xanthophylla*, Muell. Arg. in Flora, lix. (1876) 496, 497 = *P. xanthophylla*.  
*xanthophylloides*, Muell. Arg. l. c. — Bras.

## MAPPA, A. Juss. Euph. Tent. 44. t. 14 (1824) =

*Macaranga*, Thou. (Euphorb.).  
*acuminatissima*, Zipp. ex Span. in Linnaea, xv. (1841) 349, nomen = *Mallotus subpeltatus*.  
*acutifolia*, Zoll. & Mor. Syst. Verz. Zoll. 17 = *Mallotus acuminatus*.  
*amboinensis*, Muell. Arg. in Linnaea, xxxiv. (1865-66) 197 = *Mac. amboinensis*.  
*angolensis*, Muell. Arg. in Journ. Bot. ii. (1864) 337 = *Mac. angolensis*.  
*bancana*, Miq. Fl. Ind. Bat. Suppl. 458 = *Mac. javanica*.  
*borneensis*, Muell. Arg. in Flora, xlvii. (1864) 468 = *Mac. trichocarpa*.  
*capensis*, Baill. Etud. Gén. Euph. 430 = *Mallotus capensis*.  
*Chatiniana*, Baill. Adansonia, i. (1860-61) 349 = *Mac. Chatiniana*.  
*cissifolia*, Zoll. in Linnaea, xxix. (1857-58) 466 = *Mac. cissifolia*.  
*cochinchinensis*, Spreng. Syst. iii. 878 = *Mallotus cochinchinensis*.  
*conifera*, Zoll. in Linnaea, xxix. (1857-58) 466 = *Mac. conifera*.  
*coriacea*, Muell. Arg. l. c. xxxiv. (1865-66) 198 = *Mac. coriacea*.  
*corymbosa*, Muell. Arg. l. c. 199 = *Mac. corymbosa*.  
*costulata*, Miq. Fl. Ind. Bat. Suppl. 459 = *Baccaurea costulata*.  
*Cumingii*, Muell. Arg. in DC. Prod. xv. ii. 1005 = *Mac. Cumingii*.  
*cuneifolia*, Zoll. in Linnaea, xxix. (1857-58) 467 = *Mac. cuneifolia*.  
*denticulata*, Blume, Bijdr. 625 = *Mac. denticulata*.  
*Diepenhorstii*, Miq. Fl. Ind. Bat. Suppl. 457 = *Mac. Diepenhorstii*.  
*digyna*, Muell. Arg. in Linnaea, xxxiv. (1865-66) 198 = *Mac. digyna*.  
*fastuosa*, Linden, in Belg. Hort. xv. (1865) 100 = *Homalanthus fastuosus*.  
*floribunda*, Zoll. & Mor. Syst. Verz. Zoll. 17 = *Mallotus floribundus*.  
*gigantea*, Zoll. in Linnaea, xxix. (1857-58) 465 = *Mac. gigantea*.  
*glabra*, A. Juss. Euph. Tent. 114. t. 14 = *Mac. Tanarius*.  
*gummiflua*, Miq. Fl. Ind. Bat. Suppl. 458 = *Mac. denticulata*.  
*Harveyana*, Muell. Arg. in Flora, xlvii. (1864) 467 = *Mac. Harveyana*.  
*heterophylla*, Muell. Arg. in Journ. Bot. ii. (1864) 336 = *Mac. heterophylla*.  
*hispida*, Blume, Bijdr. 624 = *Mac. hispida*.

## MAPPA:—

*hypoleuca*, Reichb. & Zoll. in Verh. Naturk. Ver. Ned. Ind. Bat. i. (1856) 30; et in Linnaea, xxviii. (1856) 309 = *Mac. hypoleuca*.  
*jamaicensis*, Spreng. Syst. iii. 878 = *Mettenia globosa*.  
*javanica*, Blume, Bijdr. 625 = *Mac. javanica*.  
*leptostachya*, Muell. Arg. in Linnaea, xxxiv. (1865-66) 198 (*Cleidionis* sp.).—Ins. Pacif.  
*macrophylla*, A. Gray, ex Seem. in Bonplandia, ix. (1861) 258 = *Mac. macrophylla*.  
*macrophylla*, Kurz, ex Teijsm. & Binn. in Tijdschr. Nederl. Ind. xxvi. (1864) 44 = *Mac. gigantea*.  
*mallotoides*, F. Muell. Fragm. iv. 139 = *Mac. involu-crata*.  
*megalophylla*, Muell. Arg. in Flora, xlvii. (1864) 467 = *Mac. megalophylla*.  
*moluccana*, Spreng. Syst. iii. 878 = *Mac. Mappa*.  
*moluccana*, Wight, Ic. t. 816 = *Mac. Tanarius*.  
*Motleyana*, Muell. Arg. in Flora, xlvii. (1864) 467 = *Mac. Motleyana*.  
*occidentalis*, Muell. Arg. l. c. = *Mac. occidentalis*.  
*paniculata*, Wall. Cat. n. 7810 = *Mac. denticulata*.  
*pellata*, Wight, Ic. t. 817 = *Mac. Roxburghii*.  
*populifolia*, Muell. Arg. in Linnaea, xxxiv. (1865-66) 198 = *Mac. populifolia*.  
*pruinosa*, Miq. Fl. Ind. Bat. Suppl. 457 = *Mac. pruinosa*.  
*pubescens*, Brongn. ex Baill. Etud. Gén. Euph. t. 20. f. 5-7 (Quid?).—Hab.?  
*rhynchophylla*, Miq. Fl. Ind. Bat. i. ii. 403 = *Mallotus subpeltatus*.  
*rugosa*, Muell. Arg. in Linnaea, xxxiv. (1865-66) 197 = *Mac. megalophylla*.  
*scandens*, Panch. ex Baill. Adansonia, ii. (1861-62) 223 = *Mallotus repandus*.  
*Seemanni*, Muell. Arg. in Flora, xlvii. (1864) 468 = *Mac. Seemanni*.  
*sinensis*, Muell. Arg. in DC. Prod. xv. ii. 1001 = *Mac. sinensis*.  
*stricta*, Reichb. & Zoll. in Verh. Nat. Ver. Ned. Ind. Bat. i. (1856) 31; et in Linnaea, xxviii. (1856) 310 = *Mac. stricta*.  
*taitensis*, Muell. Arg. in Linnaea, xxxiv. (1865-66) 197 = *Mac. taitensis*.  
*tanaria*, Spreng. Syst. iii. 878 = seq.  
*Tanarius*, Blume, Bijdr. 624 = *Mac. Tanarius*.  
*tannensis*, Spreng. Syst. iii. 878 = *Mac. dioica*.  
*Teysmanni*, Zoll. in Linnaea, xxix. (1857-58) 465 = *Mac. Teysmanni*.  
*tomentosa*, Blume, Bijdr. 624 = *Mac. Tanarius*.  
*trichocarpa*, Zoll. in Linnaea, xxviii. (1856) 307 = *Mac. trichocarpa*.  
*triloba*, Muell. Arg. in Flora, xlvii. (1864) 466 = *Mac. Griffithiana*.  
*truncata*, Muell. Arg. in Linnaea, xxxiv. (1865-66) 198 = *Mac. denticulata*.  
*Vedeliana*, Muell. Arg. l. c. = *Mac. Vedeliana*.  
*velutina*, Reichb. & Zoll. l. c. xxix. (1857-58) 468 = *Mac. velutina*.  
*Vieillardii*, Muell. Arg. l. c. xxxiv. (1865-66) 199 = *Mac. Vieillardii*.  
*Wallichii*, Muell. Arg. in DC. Prod. xv. ii. 1000 = *Mac. denticulata*.  
*Zippelii*, Zoll. & Mor. Syst. Verz. Zoll. 17 = *Mallotus ricioides*.  
*Zollingeriana*, Miq. Fl. Ind. Bat. Suppl. 457 = *Mac. trichocarpa*.

MAPPIA, Habl. ex Ledeb. Fl. Ross. ii. 403 (1844) = *Crucianella*, Linn. (Rubiaceae).  
*fasciculata*, Habl. l. c. = *C. glauca*.

MAPPIA, Heist. ex Adans. Fam. ii. 193 (1763) = *Cunila*, Linn. (Labiata).

MAPPIA, Jacq. Hort. Schoenb. i. 22. t. 47 (1797).  
*OLACINEAE*, Benth. & Hook. f. i. 351.  
*LERETIA*, Vell. Fl. Flum. iii. t. 2 (1827).  
*affinis*, Miers, in Ann. & Mag. Nat. Hist. Ser. II. ix. (1852) 395.—Jamaic.  
*ampla*, Engl. in Mart. Fl. Bras. xii. ii. 51.—Bras.  
*angustifolia*, Griseb. Cat. Pl. Cub. 119.—Cuba.  
*Championiana*, Miers, in Ann. & Mag. Nat. Hist. Ser. II. ix. (1852) 397 = *oblonga*.  
*cordata*, Engl. in Mart. Fl. Bras. xii. ii. 50.—Bras.  
*foetida*, Miers, in Ann. & Mag. Nat. Hist. Ser. II. ix. (1852) 395.—Ind. or.  
*Gardneriana*, Miers, l. c. 396 = *ovata*.  
*montana*, Miers, l. c. 398.—Java.



**MAPPIA:—**

*nitida*, Engl. in *Mart. Fl. Bras.* xii. 11. 51.—Bras.  
*oblonga*, Miers, in *Ann. & Mag. Nat. Hist.* Ser. II.  
 ix. (1852) 396.—Ind. or.  
*ovata*, Miers, l. c.—Ind. or.  
*Poeppigiana*, Baill. *Adansonia*, xi. (1874) 175.—Bras.  
*racemosa*, Jacq. *Hort. Schoenb.* i. 22.—Jamaic.  
*senegalensis*, Baill. *Hist. Pl.* v. 277.—Afr. trop.  
*tomentosa*, Miers, in *Ann. & Mag. Nat. Hist.* Ser. II.  
 ix. (1852) 397.—Ind. or.  
*Wightiana*, Miers, l. c.—ovata.

MAPPIA, Schreb. *Gen.* 806 (1791) = **Doloiocarpus**,  
 Roland. (Dillen.).

**MAPROUNEA**, Aubl. *Pl. Gui.* ii. 895. t. 842 (1775).

*EUPHORBIACEAE*, Benth. & Hook. f. iii. 333.  
*AEGOPRICUM*, Linn. *Pl. Surinam.* 15 (1775); et in  
*Amen. Acad.* viii. 263.

*africana*, Muell. *Arg. in DC. Prod.* xv. 11. 1191.—  
 Afr. occ.

*brasilensis*, A. St. Hil. *Pl. Us. Brés.* t. 65.—Bras.  
*guianensis*, Aubl. *Pl. Gui.* ii. 895.—Bras.; Guian.

MAPROUNIA, Ham. *Prod. Pl. Ind. Occ.* 53 (1825) =  
*praec.*

MAPRUNEA, J. F. Gmel. *Syst.* 272 (1791) = *praec.*

MAPURIA, J. F. Gmel. *Syst.* 371 (1791) = MAPOURIA,  
 Aubl. = **Psychotria**, Linn. (Rubiace.).

MAQUIRA, Aubl. *Pl. Gui. Suppl.* 36. t. 389 (1775) =  
**Helicostylis?** Tréc. (Urtic.).

*granatensis*, Baill. *Adansonia*, xi. (1875) 292.—N.  
 Granat.

*grandifolia*, Baill. ex Benth. & Hook. f. *Gen.* iii. 371  
 = *Olmedia grandifolia*.

*guianensis*, Aubl. *Pl. Gui. Suppl.* 36.—Guian.

*laurifolia*, Bur. ex Benth. & Hook. f. *Gen.* iii. 373 =  
*Perebea laurifolia*.

MARAH, Kellogg, in *Proc. Calif. Acad.* ii. (1863) 18; et  
 i. ed. II. (1873) 37 = **Echinocystis**, Torr. & Gray  
 (Cucurb.).

*minima*, Kellogg, l. c. ii. (1863) 18 = *E. minima*.  
*muricatus*, Kellogg, l. c. i. ed. II. (1873) 37 = *E.*  
*Marah*.

MARALIA, Thou. *Gen. Nov. Madag.* 13 (1806) = **Panax**,  
 Linn. (Araliac.).  
*madagascariensis*, DC. *Prod.* iv. 255 = *P. Maralia*.

MARAMA, Rafin. *Fl. Tellur.* iv. 62 (1836) = **Graptophyllum**,  
 Nees (Acanth.).  
*picta*, Rafin. l. c. = *G. hortense*.

**MARANTA**, Plum. ex Linn. *Gen. ed.* I. 331 (1737).

*SCITAMINEAE*, Benth. & Hook. f. iii. 649.  
*PSYDARANTA*, Neck. *Elem.* iii. 145 (1790).

*affinis*, Koern. in *Bull. Soc. Nat. Mosc.* xxxv. (1862) i.  
 57 = *Porteana*.

*Allouia*, Aubl. *Pl. Gui.* i. 3 = *Calathea Allouia*.  
*amabilis*, Linden, *Cat.* n. 22 (1869) 7.—Bras.

*angustifolia*, Sims, *Bot. Mag.* t. 2398 = *Stromanthe*  
*Tonckat*.

*argyrea*, Hort. ex Koern. in *Bull. Soc. Nat. Mosc.*  
 xxxv. (1862) i. 142 = *Calathea argyrea*.

*argyrophylla*, Lindl. ex C. Koch, in *Berl. Gartenz.*  
 (1857) 243.—Hab.?

*Arouma*, Aubl. *Pl. Gui.* i. 3 = *Ischnosiphon Arouma*.  
*arundinacea*, Billb. ex Beurl. in *Vet. Akad. Handl.*  
 Stockh. 1854 (1856) 108 = *Thalia geniculata*.

*arundinacea*, Blanco, *Fl. Filip.* ed. I. 7 = *Clinogyne*  
*dichotoma*.

*arundinacea*, Linn. *Sp. Pl.* 2.—Am. austr.

*aurantiaca*, Hort. ex C. Koch, in *Berl. Gartenz.* (1857)  
 149, nomen.—Hab.?

*bambusa*, D. Dietr. *Syn. Pl.* i. 7 = *Ischnosiphon*  
*bambusa*.

*Baraquinii*, Lem. *Illustr. Hort.* xv. (1868) t. 542 =  
*Calathea Baraquinii* (in Addend.).

*bella*.—Cf. *Gard. Chron.* (1875) i. 822 = Kegeljani.  
*bicolor*, Ker-Gawl. in *Bot. Reg.* t. 786.—Bras.

*bicolor*, Vell. *Fl. Flum.* 3; i. t. 7 = *Calathea zebrina*.  
*Blumei*, Koern. in *Bull. Soc. Nat. Mosc.* xxxv. (1862)  
 i. 52 = *Clinogyne Blumei* (in Addend.).

**MARANTA:—**

*borussica*, Linden, *Cat.* n. 13 (1858) 4; et ex Koern. in  
*Bull. Soc. Nat. Mosc.* xxxv. (1862) i. 125 = *Calathea*  
*fasciata*.

*brachystachys*, Benth. in Hook. *Niger Fl.* 531 =  
*Phrynium brachystachyum*.

*Cachibou*, Jacq. *Fragm.* 52 = *Calathea discolor*.

*caespitosa*, A. Dietr. *Sp. Pl.* i. 31 = *Phrynium spicatum*,  
*Roxb.*

*capitata*, Ruiz & Pav. *Fl. Per.* i. 3. t. 5 = *Calathea*  
*capitata*.

*Casupito*, Jacq. *Fragm.* 51 = *Calathea discolor*.

*Casupo*, Jacq. l. c. = *Calathea discolor*.

*chimboraensis*, Linden, in *Illustr. Hort.* xvii. (1870)  
 t. 6 = *Calathea chimboracensis*.

*Chouca*, Hort. ex C. Koch, in *Berl. Gartenz.* (1857)  
 149, nomen.—Hab.?

*cinerea*, Hort. ex Denester, in *Bull. Soc. Linn. Brux.*  
 i. (1892) 59.—Peruv.

*clavata*, Vell. *Fl. Flum.* 3; i. t. 9 = *Calathea grandifolia*.  
*coccinea*, Hort. ex C. Koch, in *Berl. Gartenz.* (1857)  
 149, nomen.—Hab.?

*comosa*, Linn. f. *Suppl.* 80 = *Calathea comosa*.

*composita*, Hort. ex Koern. in *Regel, Gartenfl.* (1858)  
 83 = *Riedelianum*.

*compressa*, A. Dietr. *Sp. Pl.* i. 22 = *Ctenanthe Lusch-*  
*nathiana*.

*concinna*, Hort. Bull. ex Regel, in *Gartenfl.* (1877) 35  
 = *Calathea leopardina*.

*cordata*, Koern. in *Bull. Soc. Nat. Mosc.* xxxv. (1862)  
 i. 39.—Bras.

*cristata*, Nees & Mart. in *Nov. Act. Nat. Cur.* xi.  
 i. (1823) 25 = *bicolor*.

*cuspidata*, Rosc. *Scitam.* t. 31 = *Clinogyne filipes?*  
*cuyabensis*, Koern. in *Bull. Soc. Nat. Mosc.* xxxv.  
 (1862) i. 68.—Bras.

*cylindrica*, A. Dietr. *Sp. Pl.* i. 27 = *Calathea grandifolia*.

*dealbata*, A. Dietr. l. c. 24 = *Thalia dealbata*.

*depressa*, E. Morr. in *Belg. Hort.* xxx. (1880) 97.  
 t. 6.—Bras.

*dichotoma*, Poepp. ex Koern. in *Bull. Soc. Nat. Mosc.*  
 xxxv. (1862) i. 45 = *Ruiziana*.

*dichotoma*, Wall. *Cat.* n. 6614 = *Clinogyne dichotoma*.

*discolor*, Hort. ex Koern. in *Bull. Soc. Nat. Mosc.* xxxv.  
 (1862) i. 136 = *Calathea angustifolia*.

*discolor*, Hort. ex Koern. l. c. = *Calathea varians*.

*disticha*, Buchoz, Ic. *Coll.* t. 156 = *Calathea lutea*.

*divaricata*, Rosc. *Scitam.* t. 27.—Bras.

*dubia*, Roem. & Schult. *Syst. Add.* i. 70 = *Ischnosiphon*  
*spicatus*.

*eburnea*, Linden & André, in *Illustr. Hort.* xx.  
 (1873) 171.—N. Granat.

*eximia*, L. Mathieu, ex Koern. in *Regel, Gartenfl.*  
 (1858) 87 = *Calathea eximia*.

*eximia*, Regel, l. c. (1878) 103.—Hab.?

*fasciata*, Linden, ex C. Koch, in *Berl. Gartenz.* (1857)  
 243 = *Calathea fasciata*.

*flavescens*, A. Dietr. *Sp. Pl.* i. 25 = *Calathea flavescens*.

*flexuosa*, G. Don, ex Benth. in Hook. *Niger Fl.* 531 =  
*Phrynium flexuosum*.

*flexuosa*, Lessib. in *Ann. Sc. Nat. Sér.* II. xvii. (1842)  
 217.—Hab.?

*flexuosa*, Presl, Rel. Haenk. i. 107 = *Thalia geniculata*.

*foliosa*, Koern. in *Bull. Soc. Nat. Mosc.* xxxv. (1862)  
 i. 47.—Bras.

*Friedrichsthaliana*, Koern. l. c. 42.—Am. centr.

*fruticosa*, Stokes, *Bot. Mat. Med.* i. 5 = *Stromanthe*  
*Tonckat*.

*furcata*, Nees & Mart. in *Nov. Act. Nat. Cur.* xi.  
 i. (1823) 24 = *gibba*.

*Galanga*, Linn. *Sp. Pl.* ed. II. 3 = *Alpinia Galanga*.

*geniculata*, Lam. *Tabl. Encyc.* i. 9 = *Thalia geniculata*.

*gibba*, Sm. in *Rees, Cyclop.* xxii. n. 2.—Ins. Barbados.

*glabra*, Koern. in *Bull. Soc. Nat. Mosc.* xxxv. (1862)  
 i. 63 = *Ctenanthe glabra*.

*glumacea*, Van Houtte, ex Koern. l. c. 62.—Am. trop.

*gracilis*, Rudge, *Pl. Guian. Rar.* 8. t. 3 = *Ischnosiphon*  
*gracilis*.

*graminifolia*, Ruiz & Pav. ex Steud. *Nom.* ed. II. ii.  
 100 = *Stromanthe Tonckat*.

*grandiflora*, A. Dietr. *Sp. Pl.* i. 30 = *Calathea flavescens*.

*grandifolia*, A. Dietr. l. c. 26 = *Calathea grandifolia*.

*grandis*, Miq. *Fl. Ind. Bat. Suppl.* 616 = *Clinogyne*  
*grandis*.

*Herderiana*, Regel, *Ind. Sem. Hort. Petrop.* (1867) 28.  
 —Hab.?

*hexantha*, D. Dietr. *Syn. Pl.* i. 6.—Bras.

**MARANTA:—**

*hieroglyphica*, Linden & André, in *Belg. Hort.* xxiii.  
 (1873) 111.—N. Granat.

*Hjalmarssonii*, Koern. in *Bull. Soc. Nat. Mosc.* xxxv.  
 (1862) i. 54.—Honduras.

*Hoyeti*, Jacob-Makoy, ex *Gard. Chron.* (1878) i. 440.  
 —Bras.

*humilis*, Aubl. *Pl. Gui.* i. 4.—Guian.

*humilis*, Vell. *Fl. Flum.* 3; i. t. 6 = *Calathea violacea*.

*illustris*, Linden, *Illustr. Hort.* xiv. (1867) t. 515.  
 —Hab.?

*imbricata*, A. Dietr. *Sp. Pl.* i. 30 = *Phrynium imbric-*  
*atum*.

*indica*, Tussac, *Fl. Antill.* i. 183 = *arundinacea*.

*inscripta*, Hort.—Cf. *Gard. Chron.* (1876) i. 735.—  
 Hab.?

*insignis*, Hort. ex C. Koch, in *Berl. Gartenz.* (1857)  
 149, nomen.—Hab.?

*Jacquinii*, Presl, Rel. Haenk. i. 107 = *Ischnosiphon*  
*polyphyllus*.

*Jacquinii*, Roem. & Schult. *Syst.* i. 558 = *Stromanthe*  
*lutea*.

*Jagoriana*, Hort. ex Regel, *Gartenfl.* (1879) 297 =  
*Calathea Jagoriana*.

*juncea*, Lam. *Encyc.* ii. 589 = *Ischnosiphon Arouna*.

*juncea*, Noronha, in *Verh. Batav. Gen.* v. (1790) ed. I.  
 Art. iv. 20 = *Stromanthe lutea*.

Kegeljani, E. Morr. in *Belg. Hort.* xxv. (1875) 135,  
 216.—Hab.?

*Kerchovei*, Hort.—Cf. *Gard. Chron.* (1878) i. 440 = seq.

*Kerchoviana*, E. Morr. in *Belg. Hort.* (1879) 77. t. 5 =  
*leuconeura*.

*Klotzschiana*, Koern. in *Bull. Soc. Nat. Mosc.* xxxv.  
 (1862) i. 50.—Bras.

*lachnocaula*, Miq. in *Linnaea*, xviii. (1844) 755.—  
 Guiana.

*lateralis*, Ruiz & Pav. *Fl. Per.* i. 4 = *Calathea lateralis*.

*latifolia*, Regel, ex Horan. *Prod. Scitam.* 10, nomen.—  
 Hab.?

*laxa*, D. Dietr. *Syn. Pl.* i. 7 = *Ischnosiphon laxus*.

*Legrelleana*, Linden, in *Belg. Hort.* xvii. (1867) 104  
 = *Calathea Legrelleana*.

*leopardina*, Hort.—Cf. *Gard. Chron.* (1875) i. 523; et  
 Van Geert, in *Rev. Hort.* Belg. vi. (1880) 13 =  
*Calathea leopordina*.

*leptostachya*, Regel & Koern. in *Ind. Sem. Hort.*  
*Petrop.* (1857) 32.—Bras.

*leucocephala*, D. Dietr. *Syn. Pl.* i. 7 = *Ischnosiphon*  
*leucophoeus*.

*leuconeura*, E. Morr. *Belg. Hort.* xxiv. (1874) 323; et  
 xxv. (1875) 172.—Bras.

*Lindenii*, Hort. ex E. Morr. l. c. xx. (1870) 1 =  
*Calathea Lindeniana*.

*longibracteata*, A. Dietr. *Sp. Pl.* i. 26 = *Calathea longi-*  
*bracteata*.

*longifolia*, Schau. in *Nov. Act. Nat. Cur.* xix. *Suppl.*  
 i. (1843) 426 = *Calathea longifolia*.

*lucida*, Regel, ex Horan. *Prod. Scitam.* 10, nomen.—  
 Hab.?

*Luschnathiana*, Regel & Koern. in *Ind. Sem. Hort.*  
*Petrop.* (1857) 31 = *Ctenanthe Luschnathiana*.

*lutea*, Aubl. *Pl. Gui.* i. 4 = *Calathea discolor*.

*lutea*, Jacq. *Coll.* iv. 117 = *Stromanthe lutea*.

*macilenta*, A. Dietr. *Sp. Pl.* i. 27 = *Calathea macilenta*.

*maculata*, Pav. ex Koern. in *Bull. Soc. Nat. Mosc.* xxxv.  
 (1862) i. 116 = *Calathea Pavonii*.

*majestica*, Linden, in *Belg. Hort.* xv. (1865) 103 =  
*Calathea ornata*.

*malaccensis*, Burm. f. *Fl. Ind.* 2 = *Alpinia malaccensis*.

*Massangeana*, E. Morr. *Belg. Hort.* (1875) 178. t. 10.  
 —Bras.

*Mazellii*, Hort.—Cf. *Gard. Chron.* (1872) 7.—Peruv.

*mediopicta*, E. Morr. in *Belg. Hort.* xxv. (1875) 135  
 = *Calathea mediopicta*.

*metallica*, Hort. ex Koern. in *Regel, Gartenfl.* (1858) 85  
 = *Calathea metallica*.

*mischantia*, Vell. *Fl. Flum.* 4; i. t. 12.—Bras.

*monophylla*, Vell. l. c. t. 11 = *Calathea monophylla*.

*Moritziana*, Koern. in *Bull. Soc. Nat. Mosc.* xxxv. (1862)  
 i. 66.—Am. trop.

*Morreni*, Jacob-Makoy.—Cf. *Gard. Chron.* (1878) i.  
 440.—Bras.

*Myrosma*, A. Dietr. *Sp. Pl.* i. 22 = *Calathea Myrosma*.

*nana*, Poepp. ex Koern. in *Bull. Soc. Nat. Mosc.* xxxv.  
 (1862) 72 = *Calathea nana*.

*niveiflora*, A. Dietr. *Sp. Pl.* i. 23.—Ins. Trinit.

*noctiflora*, Regel & Koern. *Ind. Sem. Hort. Petrop.*  
 (1858) 31.—Hab.?



**MARANTA:**

- obliqua*, Rudge, Pl. Guian. Rar. 8. t. 2 = *Ischnosiphon obliquus*.  
*obliqua*, Seubert, ex Koern. in Bull. Soc. Nat. Mosc. xxxv. (1862) i. 85 = *Ischnosiphon laxus*.  
*oblongifolia*, Regel, Gartenfl. (1878) 101.—Bras.  
*olivaris*, Hort. Veitch.—Cf. Gard. Chron. (1872) 1589 = *Calathea Makoyana*.  
*ornata*, Linden, in Fl. des Serres, iv. (1848). t. 413 = *Calathea ornata*.  
*ovata*, A. Dietr. Sp. Pl. i. 29 = *Calathea ovata*.  
*Parkeri*, A. Dietr. l. c. 25 = *Ischnosiphon Parkeri*.  
*parviflora*, A. Dietr. l. c. 30 = *Phrynium parviflorum*.  
*petiolata*, Rudge, Pl. Guian. Rar. 25. t. 37 = *Ischnosiphon Arouma*.  
*phrynioides*, Koern. in Bull. Soc. Nat. Mosc. xxxv. (1862) i. 40.—Bras.  
*Pierardi*, Jacob-Makoy.—Cf. Gard. Chron. (1878) i. 440.—Bras.  
*pilosa*, Humb. ex Link, Jahrb. i. III. 20 = *Stromanthe Tonckat*.  
*pilosa*, Schau. in Nov. Act. Nat. Cur. xix. Suppl. I. (1843) 426 = *Ctenanthe pilosa*.  
*pinnato-picta*, Hort.—Cf. Gard. Chron. (1875) i. 822 = *Calathea applicata*.  
*Placentaria*, A. Dietr. Sp. Pl. i. 30 = *Phrynium capitatum*.  
*Pohlana*, Koern. in Bull. Soc. Nat. Mosc. xxxv. (1862) i. 44 = *divaricata*.  
*polyphylla*, D. Dietr. Syn. Pl. i. 6 = *Ischnosiphon polyphyllus*.  
*Porteana*, Horan. Prod. Scitam. 10; Koern. in Bull. Soc. Nat. Mosc. xxxv. (1862) i. 57 = *Stromanthe Porteana*.  
*prasina*, Hort.—Cf. Gard. Chron. (1875) i. 822 = *Calathea medio-picta*.  
*Princeps*, Linden, ex Regel, Gartenfl. (1879) 302 = *Calathea Princeps*.  
*prolifera*, Vell. Fl. Flum. 4; i. t. 10.—Bras.  
*protracta*, Miq. in Linnaea, xviii. (1844) 71.—Guian.  
*pruinosa*, Hort. Bull. ex Regel, Gartenfl. (1878) 104.—Am. trop.  
*pubescens*, Klotzsch, in Schomb. Faun. & Fl. Brit. Gui. 917 = *divaricata*.  
*pulchella*, Linden, ex C. Koch, in Berl. Allg. Gartenz. (1857) 243 = *Calathea zebrina*.  
*pulchella*, E. Morr. in Belg. Hort. xxv. (1875) 272. f. 6 = *Calathea pulchella*.  
*pulverulenta*, Hort. ex Koern. in Regel, Gartenfl. (1858) 83, nomen.—Hab.?  
*pumila*, Vell. Fl. Flum. 3; i. t. 8 = *Calathea pumila*.  
*purpurascens*, Link, ex A. Dietr. Sp. Pl. i. 20 = *divaricata*.  
*pygmaea*, Koern. in Bull. Soc. Nat. Mosc. xxxv. (1862) i. 61.—Bras.  
*racemosa*, A. Dietr. Sp. Pl. i. 21 = *Stromanthe Tonckat*.  
*ramosissima*, Wall. Pl. As. Rar. iii. 51. t. 286 = *Clinogyne dichotoma*.  
*regalis*, Hort. Angl. ex Lem. Illustr. Hort. ii. (1855) t. 74 = *Calathea ornata*.  
*Riedeliana*, Koern. in Regel, Gartenfl. (1858) 80.—Bras.  
*roseo-picta*, Hort.—Cf. Gard. Chron. (1865) 365; Linden, Illustr. Hort. xiv. (1867) t. 508 = *Calathea roseo-picta*.  
*rotundifolia*, A. Dietr. Syn. Pl. i. 6 = *Ischnosiphon rotundifolius*.  
*rotundifolia*, Hort. ex Koern. in Regel, Gartenfl. vii. (1858) 83 = *Calathea rotundifolia*.  
*Ruiziana*, Koern. in Bull. Soc. Nat. Mosc. xxxv. (1862) i. 45 (Ruiziana).—Peruv.  
*sanguinea*, Hort. ex Planch. in Fl. des Serres, viii. (1852–53) 97 = *Stromanthe sanguinea*.  
*secunda*, R. Grah. in Edinb. Phil. Journ. xiii. (1825) 357 = *Myrosma setosum*.  
*Seemanni*, Hort. ex Gard. Chron. (1872) 323. f. 113.—Hab.?  
*Selloi*, Horan. Prod. Scitam. 10.—Hab.?  
*Selloi*, Hort. ex Koern. in Bull. Soc. Nat. Mosc. xxxv. (1862) i. 64 = *Ctenanthe Luschnathiana*.  
*semperflorens*, Horan. Prod. Scitam. 10 = *Calathea Allouia*.  
*sericea*, Hort. ex Koern. in Regel, Gartenfl. (1858) 83, nomen.—Hab.?  
*setosa*, A. Dietr. Sp. Pl. i. 23 = *Myrosma setosum*.  
*smaragdina*, Linden, ex Regel, Gartenfl. (1878) 104 = *Calathea smaragdina*.  
*speciosa*, Bull. Cat. (1884) 14 = *leptostachya*.

**MARANTA:**

- spectabilis*, Koern. in Regel, Gartenfl. (1858) 79 = *Stromanthe sanguinea*.  
*spicata*, Aubl. Pl. Gui. i. 4 = *Ischnosiphon spicatus*.  
*spicata*, Thw. Enum. Pl. Zeyl. 320, excl. syn. = *Phrynium zeylanicum*.  
*splendida*, Hort.—Cf. Gard. Chron. (1864) 414.—Hab.?  
*splendida*, Hort. Versch. ex Lem. Illustr. Hort. xiii. (1866) t. 467–8.—Bras.  
*striata*, Veitch.—Cf. Gard. Chron. (1864) 671; Nichols. Dict. Gard. ii. 327.—Ins. Philipp.  
*strigosa*, Horan. Prod. Scitam. 10.—Bras.  
*strobilifera*, Miq. in Linnaea, xxii. (1849) 79 = *Calathea strobilifera*.  
*surinamensis*, Miq. in Linnaea, xviii. (1844) 603 = *Ischnosiphon surinamensis*.  
*sylvatica*, Rose. in Trans. Linn. Soc. viii. (1807) 340, nomen; et Sm. in Rees, Cyclop. xxii. n. 3 = *arundinacea*.  
*Tonchat*, Blume, Enum. Pl. Jav. 36 = *Clinogyne dichotoma*.  
*Tonckat*, Aubl. Pl. Gui. i. 3 = *Stromanthe Tonckat*.  
*truncata*, Link, ex A. Dietr. Sp. Pl. i. 26 = *Calathea orbiculata*.  
*tuberosa*, Vell. Fl. Flum. 4; i. t. 13 = *Calathea Arribida*.  
*tubispatha*, Hort. ex Denester, in Bull. Soc. Linn. Brux. i. (1872) 58 = *Calathea tubispatha*.  
*undulata*, Linden & André, Cat. n. 87 (1871) p. 4 = *Calathea undulata*.  
*unilateralis*, D. Dietr. Syn. Pl. i. 6 = *Myrosma australe*.  
*Van-den-Hecke*, Hort. Versch. ex Lem. Illustr. Hort. x. (1863) t. 380 = *Calathea Vandenheckei*.  
*variegata*, Hort. ex Koern. in Regel, Gartenfl. (1858) 88 = *Calathea variegata*.  
*variegata*, Lodd. ex G. Don, in Loud. Hort. Brit. 1, nomen.—Am. austr.  
*Veitchiana*, Van Houtte, in Fl. des Serres, Sér. II vi. (1865–67) 89 = *Calathea Veitchiana*.  
*Veitchii*, Hort.—Cf. Gard. Chron. (1864) 414, et (1870) 924. t. 170.—Hab.?  
*villosa*, Koern. in Bull. Soc. Nat. Mosc. xxxv. (1862) i. 49 = *Stromanthe Tonckat*.  
*violacea*, A. Dietr. Sp. Pl. i. 25 = *Calathea violacea*.  
*virgata*, A. Dietr. l. c. 21 = *Phrynium virgatum*.  
*virgata*, Wall. Cat. n. 6616 = *Clinogyne virgata*.  
*virginalis*, Linden, ex Lem. Illustr. Hort. xv. (1868) t. 550.—Bras.  
*vittata*, Hort. ex Koern. in Regel, Gartenfl. (1858) 88 = *Calathea vittata*.  
*Wallisi*, Linden, Belg. Hort. xvii. (1867) 105.—Peruv.  
*Warszewiczii*, Hort. ex Planch. in Fl. des Serres, ix (1853–54) 209. t. 939 = *Calathea Warszewiczii*.  
*Warszewiczii*, Lem. Illustr. Hort. i. (1854) t. 7 = *praec.*  
*Wiotii*, E. Morr. Belg. Hort. xxv. (1875) 273 f. 7 = *Calathea Wiotiana*.  
*zebrina*, Sims, Bot. Mag. t. 1926 = *Calathea zebrina*.

**MARANTHES**, Blume, Bijdr. 89 (1825) = **Parinarium**, Juss. (Rosac.).  
*corymbosa*, Blume, l. c.—Java.  
*multiflora*, Korth. Verh. Nat. Gesch. Bot. 259. t. 70 = *P. Griffithianum*.

**MARANTHUS**, Reichb. Consp. 204 (1828) = *praec.*

**MARANTOCHLOA**, Brongn. ex Gris, in Bull. Soc. Bot. Fr. vii. (1860) 321. **SCITAMINEAE**.  
*comorensis*, Brongn. ex Gris, l. c.—Ins. Comor.

**MARANTOPSIS**, Koern. in Bull. Soc. Nat. Mosc. xxxv. (1862) i. 97 = **Stromanthe**, Sond. (Scitam.).  
*lutea*, Koern. l. c. = *S. lutea*.  
*Schottiana*, Koern. l. c. 99 = *S. Schottiana*.

**MARARA**, Karst. in Linnaea, xxviii. (1856) 389 = **Martinezia**, Ruiz & Pav. (Palm.).  
*aculeata*, Karst. ex H. Wendl. in Kerch. Palm. 250 = *M. Aiphanes*.  
*bicuspidata*, Karst. in Linnaea, xxviii. (1856) 390 = *M. elegans*.  
*caryotaefolia*, Karst. ex H. Wendl. in Kerch. Palm. 250 = *M. caryotaefolia*.  
*erinacea*, Karst. in Linnaea, xxviii. (1856) 391 (= *Aiphanes erinacea*).—N. Granat.

**MARASMODES**, DC. Prod. vi. 136 (1837). **COMPOSITAE**, Benth. & Hook. f. ii. 432.  
**ADENOSOLEN**, DC. Prod. vi. 136 (1837).  
**BRACHYMERIS**, DC. l. c. 76 (1837).  
**BRACHYSTYLIS**, E. Mey. ex DC. l. c. (1837).  
**OLIGODORELLA**, Turcz. in Bull. Soc. Nat. Mosc. xxiv. (1851) i. 187.  
*adenoxelon*, Harv. in Harv. & Sond. Fl. Cap. iii. 175.—Afr. austr.  
*oligocephalus*, DC. Prod. vi. 136.—Afr. austr.  
*polycephalus*, DC. l. c.—Afr. austr.

**MARATHRUM**, Humb. & Bonpl. Pl. Aequin. i. 39. t. 11 (1808). **PODOSTEMACEAE**, Benth. & Hook. f. iii. 110.  
*cubanum*, Wright, in Sauv. Fl. Cub. 150.—Cuba.  
*flexuosum*, Liebm. in Forhandl. Skand. Naturf. Kiöbenh. (1849) 511.—Mexic.  
*foeniculaceum*, Humb. & Bonpl. Pl. Aequin. i. 40.—Mexic.; N. Granat.  
*foeniculaceum*, Seem. Bot. Voy. Herald, 197 = *oxycarpum*.  
*lacunosum*, Gardn. in Calc. Journ. Nat. Hist. vii. (1847) 169 = *Lophogyne helicandra*.  
*oxycarpum*, Tul. in Ann. Sc. Nat. Sér. III. xi. (1849) 93.—Am. centr.  
*pauciflorum*, Tul. l. c. 94.—Guian.  
*ricciaeforme*, Liebm. in Forhandl. Skand. Naturf. Kiöbenh. (1849) 512.—Mexic.  
*Schiedeanum*, Cham. in Linnaea, xi. (1837) 504. t. 6.—Mexic.  
*squamosum*, Wedd. in DC. Prod. xvii. 54.—Bras.  
*tenuis*, Liebm. in Forhandl. Skand. Naturf. Kiöbenh. (1849) 511.—Mexic.  
*utile*, Tul. in Ann. Sc. Nat. Sér. III. xi. (1849) 95.—N. Granat.

**MARATHRUM**, Link, Handb. i. 348 (1829) = **Seseli**, Linn. (Umbellif.).  
*elatum*, Link, l. c. = *S. elatum*.  
*glaucum*, Link, l. c. = *S. montanum*.  
*montanum*, Link, l. c. = *S. montanum*.  
*tortuosum*, Link, l. c. = *S. tortuosum*.

**MARATHRUM**, Rafin. in Journ. Phys. lxxxix. (1819) 101 = **Musenium**, Nutt. (Umbell.).  
*divaricatum*, Rafin. l. c. = *Mus. divaricatum*.

**MARCANILLA**, Steud. Nom. ed. II. i. 769, in syn. (1840) sphalm. = **MANCANILLA**, Adans. = **Hippomane**, Linn. (Euphorb.).

**MARCANTHUS**, Lour. Fl. Cochinch. 460 (1790) = **Mucuna**, Adans. (Legumin.).  
*cochinchinensis*, Lour. l. c.—Cochinch.  
*guadalupensis*, Spreng. Syst. iii. 248.—Ins. Guadalup.

**MARCELIA**, Cass. in Dict. Sc. Nat. xxxiv. 107 (1825) = **Anthemis**, Linn. (Compos.).  
*aurea*, Cass. l. c. = *A. aurea*.

**MARCELLIA**, Mart. ex Choisy, in Mém. Soc. Phys. Genève. x. (1844) 443 = **Ipomoea**, Linn. (Convolv.).  
*villosa*, Choisy, l. c. = *I. villosa*, Meissn.

**MARCETIA**, DC. Prod. iii. 124 (1828). **MELASTOMACEAE**, Benth. & Hook. f. i. 744.  
*acerosa*, DC. l. c. 125.—Bras.  
*andicola*, Naud. in Ann. Sc. Nat. Sér. III. xv. (1851) 44 = *cordigera*.  
*bracteolaris*, Cogn. in Mart. Fl. Bras. xiv. III. 441.—Bras.  
*caespitosa*, A. St. Hil. Voy. Distr. Diam. i. 375 = *Fritschia erecta*.  
*canescens*, Naud. in Ann. Sc. Nat. Sér. III. xv. (1851) 44.—Bras.  
*carinata*, Naud. l. c. 47.—Bras.  
*cinerea*, Triana, in Trans. Linn. Soc. xxviii. (1871) 50.—Bras.  
*cordigera*, DC. Prod. iii. 124.—Bras.  
*decussata*, DC. l. c.—Bras.  
*decussata*, Maund, Bot. v. t. 223 = *cordigera*.  
*denudata*, Naud. in Ann. Sc. Nat. Sér. III. xv. (1851) 46.—Bras.  
*disticha*, Cogn. in Mart. Fl. Bras. xiv. III. 447.—Bras.  
*ericoides*, Cogn. l. c. 456 = *carinata*.



**MARCETIA** :—

- excoriata*, Cham. in Linnaea, ix. (1834) 401 = cordigera.  
*excoriata*, DC. *Prod.* iii. 124.—Bras.  
*excoriata*, Miq. in Linnaea, xxii. (1849) 538 = *Comolia lanceaeflora*.  
*fastigiata*, Cogn. in *Mart. Fl. Bras.* xiv. III. 452.—Bras.  
*Gardneri*, Cogn. l. c. 448.—Bras.  
*glandulosa*, DC. *Prod.* iii. 124 = *taxifolia*.  
*Glazioviana*, Cogn. in *Mart. Fl. Bras.* xiv. III. 449.—Bras.  
*gracillima*, Cogn. l. c. 455.—Bras.  
*hirsuta*, Cogn. l. c. 451.—Bras.  
*juniperina*, DC. *Prod.* iii. 125.—Bras.  
*latifolia*, Naud. in *Ann. Sc. Nat. Sér. III.* xv. (1851) 44.—Bras.  
*pubescens*, DC. *Prod.* iii. 124 = *taxifolia*.  
*Sertularia*, DC. l. c. 125 = *Comolia Sertularia*.  
*tamariscina*, DC. l. c.—Bras.  
*taxifolia*, DC. l. c. 124.—Bras.  
*taxifolia*, Triana, in *Trans. Linn. Soc. xxviii.* (1871) 50 = *cordigera*.  
*tenuifolia*, DC. *Prod.* iii. 125.—Bras.  
*tetrasticha*, Cogn. in *Mart. Fl. Bras.* xiv. III. 457.—Bras.

**MARCGRAAVIA**, Griseb. in *Abh. Goett.* vii. (1854) 184 = seq.

**MARCGRAFIA**, Gled. *Syst.* 231 (1764) = seq.

**MARCGRAVIA**, Plum. ex Linn. *Gen. ed. I.* 363 (1737). *TERNSTROEMACEAE*, Benth. & Hook. f. i. 181.

- JATROPS*, Rottb. in *Act. Lit. Univ. Hafn.* i. (1778) 293.  
*acuminata*, Miq. in *Ann. Sc. Nat. Sér. III.* i. (1844) 37 = *coriacea*.  
*affinis*, *Hemsl. Diagn. Pl. Nov.* 3.—Costa Rica.  
*angustifolia*, Pav. ex Wittm. in *Mart. Fl. Bras.* xii. i. 224 = *polyantha*.  
*cacabifera*, Ruiz & Pav. ex G. Don, *Gen. Syst.* i. 625 = *Norantea cacabifera*.  
*caudata*, Triana & Planch. in *Ann. Sc. Nat. Sér. IV.* xvii. (1862) 362.—N. Granat.  
*comosa*, Presl, *Bot. Bemerk.* 23 = *myriostigma*?  
*cordachida*, Ruiz & Pav. ex G. Don, *Gen. Syst.* i. 625 = *Norantea cordachida*.  
*coriacea*, Vahl, *Eclog. Am.* ii. 39.—Am. trop.  
*crenata*, Poepp. ex Wittm. in *Mart. Fl. Bras.* xii. i. 223.—Peruv.  
*cuneifolia*, Gardn. in *Hook. Lond. Journ. Bot.* ii. (1843) 335 = *Norantea cuneifolia*.  
*cuspidata*, Planch. & Linden, ex Triana & Planch. in *Ann. Sc. Nat. Sér. IV.* xvii. (1862) 370 = *coriacea*.  
*cyrtogastera*, Delp. in *Atti Soc. Ital. Sc. Nat. Milan.* xii. (1869) 183, 212 = *umbellata*.  
*cyrtanota*, Delp. l. c. = *coriacea*.  
*dubia*, H. B. & K. *Nov. Gen. et Sp.* vii. 217 = *umbellata*.  
*Eichleriana*, Wittm. in *Mart. Fl. Bras.* xii. i. 230.—Bras.  
*flagellaris*, Poepp. ex Wittm. l. c. 223 = *rectiflora*.  
*gracilis*, Sagot, in *Ann. Sc. Nat. Sér. VI.* xi. (1881) 170.—Guian.  
*macrocalyptra*, Delp. in *Atti. Soc. Ital. Sc. Nat. Milan.* xii. (1869) 183, 211 = *rectiflora*.  
*macrocarpa*, Pav. ex Wittm. in *Mart. Fl. Bras.* xii. i. 223 = *oblongifolia*.  
*macrocarpa*, Pav. ex G. Don, *Gen. Syst.* i. 625 = *rectiflora*.  
*micrantha*, Pav. ex Wittm. in *Mart. Fl. Bras.* xii. i. 249 = *Ruyschia sphaeradenia*.  
*monogyna*, Pav. ex Delp. in *Nuov. Giorn. Bot.* i. (1869) 282 = *Norantea cacabifera*.  
*myriostigma*, Triana & Planch. in *Ann. Sc. Nat. Sér. IV.* xvii. (1862) 369.—N. Granat.  
*nepenthoides*, Seem. in *Journ. Bot.* viii. (1870) 245.—Nicaragua.  
*nervosa*, Triana & Planch. in *Ann. Sc. Nat. Sér. IV.* xvii. (1862) 363.—N. Granat.  
*oblongifolia*, Pav. ex Wittm. in *Mart. Fl. Bras.* xii. i. 223.—Peruv.  
*oblongifolia*, Pav. ex Wittm. l. c. 224 = *polyantha*.  
*obovata*, Ruiz & Pav. ex G. Don, *Gen. Syst.* i. 625 = *Norantea obovata*.

**MARCGRAVIA** :—

- octandra*, Pav. ex Wittm. in *Mart. Fl. Bras.* xii. i. 241 = *Norantea cacabifera*.  
*oligandra*, Wright, ex Griseb. *Cat. Pl. Cub.* 39.—Cuba.  
*paradoxa*, Bull. *Cat.* (1872) 7; et in *Gard. Chron.* (1877) II. 13. f. 1, 2 = *Monstera tenuis*.  
*parviflora*, Rich. ex Wittm. in *Mart. Fl. Bras.* xii. i. 227.—Am. trop.  
*pedunculosa*, Triana & Planch. in *Ann. Sc. Nat. Sér. IV.* xvii. (1862) 371 = *parviflora*.  
*pentandra*, Pav. ex Delp. in *Nuov. Giorn. Bot.* i. (1869) 282 = *Norantea cacabifera*.  
*pentandra*, Pav. ex Wittm. in *Mart. Fl. Bras.* xii. i. 240 = *Norantea anomala*.  
*pentandra*, Pav. ex Wittm. l. c. 249 = *Ruyschia sphaeradenia*.  
*picta*, Willd. in *Ges. Nat. Fr. Berl. Mag.* ii. (1808) 172.—Bras.  
*polyantha*, Delp. in *Atti Soc. Ital. Sc. Milan.* xii. (1869) 182, 210.—Bras.; Mexic.  
*rectiflora*, Triana & Planch. in *Ann. Sc. Nat. Sér. IV.* xvii. (1862) 364.—Peruv.  
*spiciflora*, Juss. in *Ann. Mus. Par.* xiv. (1809) 402. t. 25 = *Norantea Jussiaei*.  
*Trianae*, Baill. *Adansonia*, x. (1872) 244.—Venezuela.  
*Trinitatis*, Presl, *Bot. Bemerk.* 122 = *umbellata*.  
*umbellata*, Griseb. in *Mem. Am. Acad. N. S.* viii. (1861) 167 = *oligandra*.  
*umbellata*, Jacq. *Select. Am.* 156, partim = *rectiflora*.  
*umbellata*, Linn. *Sp. Pl.* 503.—Am. trop.  
*umbellata*, Sieber, ex Presl, in *Oken, Isis*, xxi. (1828) 274 = *Hornemannia martinicensis*.  
*Wrightii*, Seem. in *Journ. Bot.* viii. (1870) 246 = *oligandra*.

**MARCIELIA**, Steud. *Nom. ed. II.* ii. 101 (1841) = **MACIELIA**, Vand. = **Cordia**, Linn. (Borag.).  
*Vandellii*, Steud. l. c. (= *Macielia racemifera*).—Bras.

**MARCKEA**, Rich. in *Dict. Class.* x. 168 (1826) = **Markea**, Rich. (Solan.).

**MARCORELLA**, Neck. *Elem.* ii. 122 (1790) = **Colubrina**, Rich. (Rhamn.).  
*Colubrina*, Rafin. *Sylva Tellur.* 31 = *C. ferruginosa*.  
*cubensis*, Rafin. l. c. = *Ceanothus reclinatus*?

**MARCUCCIA**, Becc. in *Nuov. Giorn. Bot.* iii. (1871) 181. **ANONACEAE**.  
*grandiflora*, Becc. l. c. 183.—Borneo.

**MARENGA**, Endl. *Gen.* 223, in syn. (1837) = **MAROGNA**, Salisb. = **Amomum**, Linn. (Scitam.).

**MARENTERIA**, Thou. *Gen. Nov. Madag.* 18 (1806) = **Uvaria**, Linn. (Anonac.).

**MAREZIA**, Pomel, *Nouv. Mat. Fl. Atl.* 228 (1874) = **Sisymbrium**, Tourn. (Crucif.).  
*binervis*, Pomel, l. c. = *Malcomia nana*.  
*malcomioides*, Pomel, l. c. = *S. malcomioides*.

**MAREYA**, Baill. *Adansonia*, i. (1860–61) 73. **EUPHORBIACEAE**, Benth. & Hook. f. iii. 312.  
*leonensis*, Baill. *Hist. Pl.* v. 213 = *spicata*.  
*micrantha*, Muell. Arg. in *DC. Prod.* xv. II. 792 = *spicata*.  
*spicata*, Baill. *Adansonia*, i. (1860–61) 74.—Afr. trop.

**MARGACOLA**, Buckl. in *Proc. Acad. Sc. Philad.* 1861 (1862) 457 = **Trichocoronis**, A. Gray (Compos.).  
*parvula*, Buckl. l. c. = *T. Wrightii*.

**MARGARANTHUS**, Schlecht. *Ind. Sem. Hort. Hal.* (1838).—Cf. *Linnaea*, xiii. (1839) *Litt.* 99. **SOLANACEAE**, Benth. & Hook. f. ii. 893.  
*Lemmoni*, A. Gray, in *Proc. Am. Acad.* xix. (1883) 91.—Arizona.  
*solanaceus*, Schlecht. *Ind. Sem. Hort. Hal.* (1838).—Cf. *Linnaea*, xiii. (1839) *Litt.* 99.—Texas.  
*tenuis*, Miers, in *Ann. & Mag. Nat. Hist. Ser. II.* v. (1850) 250 = *solanaceus*.

**MARGARETTA**, Oliver, in *Trans. Linn. Soc.* xxix. (1875) 111. t. 76. **ASCLEPIADEAE**, Benth. & Hook. f. ii. 759.  
*rosea*, Oliver, in *Trans. Linn. Soc.* xxix. (1875) 111.—Afr. trop.

**MARGARIPES**, DC. ex Steud. *Nom. ed. II.* ii. 101 (1841) = **Anaphalis**, DC. (Compos.).

**MARGARIS**, DC. *Prod.* iv. 483 (1830) = **Symphoricarpos**, Dill. (Caprifol.).  
*barbigera*, DC. l. c. = *S. microphyllus*.  
*nudiflora*, DC. l. c.—Mexic.

**MARGARIS**, Griseb. *Cat. Pl. Cub.* 134 = **Margaritopsis**, Wright (Rubi.).  
*nudiflora*, Griseb. l. c. = *Margaritopsis acufolia*.

**MARGARITA**, Gaud. *Fl. Helv.* v. 335 (1829) = **Aster**, Tourn. (Compos.).  
*Bellidiastrum*, Gaud. l. c. 336 = *A. Bellidiastrum*.

**MARGARITARIA**, Linn. f. *Suppl.* 66 (1781), pro parte = **Phyllanthus**, Linn. (Euphorb.).  
*adelioides*, Rich. ex Baill. *Etud. Gén. Euph.* 618, nomen = *P. antillanus*.  
*nobilis*, Linn. f. *Suppl.* 428, quoad plantam ♀ (♂ est *Combretacea*) = *P. antillanus*.

**MARGARITARIA**, Opiz, *Seznam*, 63 (1852) = **Anaphalis**, DC. (Compos.).  
*ramosa*, Opiz, l. c. = *A. margaritacea*.  
*simplex*, Opiz, l. c. = *Antennaria dioica*.

**MARGARITOPSIS**, Wright, in *Sauv. Fl. Cub.* 68 (1873). **RUBIACEAE**, Benth. & Hook. f. ii. 133.  
*MARGARIS*, Griseb. *Cat. Pl. Cub.* 134 (1866).  
*acufolia*, Wright, in *Sauv. Fl. Cub.* 69.—Cuba.

**MARGAROCARPUS**, Wedd. in *Ann. Sc. Nat. Sér. IV.* i. (1854) 203 = **Pouzolzia**, Gaudich. (Urtic.).  
*asper*, Wedd. l. c. 204 = *P. aspera*.  
*Boivinianus*, Wedd. l. c. = *P. Boiviniana*.  
*cinerascens*, Buck, *Ind. ad DC. Prod.* iv. 215 = *P. cinerascens*.  
*conglobatus*, Buck, l. c. = *P. conglobata*.  
*exasperatus*, Wedd. in *Ann. Sc. Nat. Sér. IV.* i. (1854) 204 = *P. viminea*.  
*heterophyllus*, Wedd. l. c. = *Boehmeria Blumei*.  
*laevis*, Wedd. l. c. = *P. virgata*.  
*obliquus*, Wedd. l. c. = *P. obliqua*.  
*ovatus*, Wedd. l. c. = *P. ovata*.  
*Poeppigianus*, Wedd. l. c. = *P. discolor*.  
*procridioides*, Wedd. l. c. = *P. procridioides*.  
*Schimperianus*, Wedd. l. c. 205 = *P. abyssinica*.  
*vimineus*, Wedd. l. c. 203 = *P. viminea*.

**MARGAROSPERMUM**, Spach, *Hist. Vég. Phan.* ix. 31 (1840); Decne. in *Jacquem. Voy. Bot.* 122 (1844) = **Lithospermum**, Linn. (Borag.).  
*apulium*, Decne. l. c. = *L. apulum*.  
*arvense*, Decne. l. c. = *L. arvense*.  
*fruticosum*, Fourr. in *Ann. Soc. Linn. Lyon*, N. S. xvii. (1869) 122 = *L. fruticosum*.  
*latifolium*, Decne. in *Jacquem. Voy. Bot.* 122 = *L. latifolium*.  
*officinale*, Decne. l. c. = *L. officinale*.  
*purpureo-caeruleum*, Fourr. in *Ann. Soc. Linn. Lyon*, N. S. xvii. (1869) 122 = *L. purpureocaeruleum*.

**MARGGRAVIA**, Willd. in *Ges. Nat. Fr. Berl. Mag.* ii. (1808) 172 = **Marcgravia**, Plum. (Temstr.).

**MARGOTIA**, Boiss. *Elench.* 52 (1838) = **Elaeoselinum**, Koch (Umbell.).  
*gummifera*, Lange, in *Willk. & Lange, Prod. Fl. Hisp.* iii. 25 = *laserpitoides*.  
*laserpitoides*, Boiss. *Elench.* 52.—Hispan.

**MARGYRICARPUS**, Ruiz & Pav. *Prod.* 7. t. 33 (1794). **ROSACEAE**, Benth. & Hook. f. i. 623.  
**TETRALOCHIN**, Kunze, ex Poepp. *Fragm. Synops.* 26 (1833).  
*alatus*, Gill. ex Hook. & Arn. in *Hook. Bot. Misc.* (1833) 305.—Chili.  
*Clarazii*, Ball, in *Journ. Linn. Soc.* xxi. (1884) 217.—Patagon.  
*imberbis*, Presl, *Epim. Bot.* 200.—Texas.



**MARGYRICARPUS** :—

- laevis*, Willd. in Ges. Nat. Fr. Neue Schr. iii. (1801) 437 = setosus.  
*linearis*, Steud. Nom. ed. II. ii. 101 = alatus.  
*microphyllus*, *Niedel. in Roca, Exped. Rio-Negro*, ii. 215.—Am. austr.  
*prolifer*, Steud. Nom. ed. II. ii. 101 = alatus.  
*setosus*, Ruiz & Pav. *Fl. Per.* i. 28. t. 8. f. d.—Am. austr.

MARIA-ANTONIA, Parl. Mar. Ant. Nov. Gen. 3 (1844) = *Crotalaria*, Linn. (Legumin.).  
*orientalis*, Parl. l. c. 5 = *C. microcarpa*.

MARIALVA, Vand. Fl. Lusit. 37 (1788) = *Tovomita*, Aubl. (Guttif.).  
*amazonica*, Poepp. & Endl. Nov. Gen. et Sp. iii. 13. t. 212 = *T. amazonica*.  
*brasiliensis*, Mart. Nov. Gen. et Sp. ii. 83 = *T. brasiliensis*.  
*calyptrata*, Steud. Nom. ed. II. ii. 101 = *T. calyptrata*.  
*elliptica*, Stahl, Estud. Fl. Puerto-Rico, Foll. ii. 126.—Porto Rico.  
*fructipendula*, Choisy, in DC. Prod. i. 560 = *T. fructipendula*.  
*guianensis*, Choisy, l. c. = *T. guianensis*.  
*macrophylla*, Poepp. & Endl. Nov. Gen. et Sp. iii. 14 = *T. macrophylla*.  
*microcarpa*, Poepp. & Endl. l. c. = *T. microcarpa*.  
*paniculata*, Steud. Nom. ed. II. ii. 101 = *T. paniculata*.  
*uniflora*, Choisy, in DC. Prod. i. 560 = *T. uniflora*.

MARIALVAEA, Mart. Nov. Gen. et Sp. ii. 82 (1827) = praec.

MARIALVEA, Spreng. Anleit. ii. 783 (1818) = praec.

MARIANA, Hill, Veg. Syst. iv. 19 (1762) = *Silybum*, Gaertn. (1788) (Compos.).  
*lactea*, Hill, Herb. Brit. i. 75 = *S. Marianum*.  
*Mariana*, Hill, Hort. Kew. 61 = *S. Marianum*.

MARIANTHEMUM, Schrank, in Denkschr. Bot. Ges. Regensb. ii. (1822) 34 = *Campanula*, Linn.  
*aggregatum*, Schrank, in Flora, vii. (1824) II. Beil. 54 = *C. glomerata*.  
*alpinum*, Schur, in Verh. Siebenb. Ver. Naturw. iv. (1853) 48 = *C. alpina*.  
*barbatum*, Schur, l. c. = *C. barbata*.  
*betonicaefolium*, Schrank, in Flora, vii. (1824) II. Beil. 54 = *C. sarmatica*.  
*divergens*, Schur, Enum. Pl. Transs. 433 = *C. sibirica*.  
*Grossekii*, Schur, l. c. 936 (Index) = *C. Grossekii*.  
*lingulatum*, Schur, in Verh. Siebenb. Ver. Naturw. iv. (1853) 48 = *C. lingulata*.  
*longifolium*, Schrank, in Flora, vii. (1824) II. Beil. 54 = *C. speciosa*.  
*Medium*, Schur, in Verh. Siebenb. Ver. Naturw. iv. (1853) 48 = *C. Medium*.  
*pannonicum*, Schrank, in Denkschr. Bot. Ges. Regensb. ii. (1822) 34 = *C. sibirica*.  
*sibiricum*, Schur, in Verh. Siebenb. Ver. Naturw. iv. (1853) 48 = *C. sibirica*.  
*spatulatum*, Schur, l. c. = *C. sibirica*.

MARIANTHUS, Hueg. in Enum. Pl. Hueg. 8 (1837).  
*PITTIPOREAE*, Benth. & Hook. f. i. 132.  
*CALOPETALON*, Harv. in Kew Journ. vii. (1855) 52.  
*ONCOPORUM*, Putterl. Syn. Pittosp. 21 (1839).  
*RHYTIDOPORUM*, F. Muell. in Hook. f. Fl. Tasm. i. 39 (1855).  
*angustifolius*, Putterl. in Lehm. Pl. Preiss. i. 200 = *Billardiera Lehmanniana*.  
*bignoniaceus*, F. Muell. in Trans. Phil. Soc. Vict. i. (1855) 6.—Austral.  
*candidus*, Hueg. in Enum. Pl. Hueg. 8.—Austral.  
*coelestis*, Putterl. Syn. Pittosp. 23 = *Billardiera variifolia*.  
*coerulea-punctatus*, Klotzsch, in Link, Klotzsch & Otto, *l. c.* Pl. Rar. 28. t. 12.—Austral.  
*cuneatus*, C. Muell. in Walp. Ann. vii. 238.—Austral.  
*Drummondianus*, Benth. Fl. Austral. i. 119.—Austral.  
*erubescens*, Putterl. in Endl. Stirp. Nov. Dec. 60.—Austral.  
*floribundus*, Putterl. l. c. 61.—Austral.

**MARIANTHUS** :—

- granulatus*, Benth. Fl. Austral. i. 118.—Austral.  
*laxiflorus*, Benth. l. c. 119.—Austral.  
*lineatus*, F. Muell. *Fragm.* i. 217.—Austral.  
*microphyllus*, Benth. Fl. Austral. i. 117.—Austral.  
*parviflorus*, F. Muell. *Fragm.* ii. 144.—Austral.  
*pictus*, Lindl. *Swan River App.* 22.—Austral.  
*procumbens*, Benth. Fl. Austral. i. 117.—Austral.  
*purpureus*, Turcz. in Bull. Soc. Nat. Mosc. xxvii. (1854) II. 364 = *erubescens*.  
*rhytidosporeus*, F. Muell. *Fragm.* ii. 145 = *microphyllus*.  
*ringens*, F. Muell. l. c. i. 218.—Austral.  
*tenuis*, Benth. Fl. Austral. i. 119.—Austral.  
*venustus*, Putterl. Syn. Pittosp. 23 = *Billardiera variifolia*.  
*villosus*, Benth. Fl. Austral. i. 117.—Austral.

MARICA, Ker-Gawl. in Bot. Mag. t. 654 (1803).  
*IRIDEAE*, Benth. & Hook. f. iii. 689.  
*CYPELLA*, Klatt, in Linnaea, xxxi. (1861-62) 538.  
*GALATHEA*, Liebm. Ind. Sem. Hort. Haun. (1855) 26.  
*acrifolia*, Ker-Gawl. Irid. Gen. 24, excl. syn. = *Sisyrinchium convolutum*.  
*acrifolia*, Mart. & Gal. in Bull. Acad. Brux. x. II. (1843) 111.—Mexic.  
*anceps*, Ker-Gawl. in [Quart.] Journ. Roy. Inst. i. (1816) 174 = *Sisyrinchium angustifolium*.  
*aphylla*, Ker-Gawl. in Bot. Reg. sub t. 229 = *Bobartea aphylla*.  
*Bermudiana*, Ker-Gawl. in [Quart.] Journ. Roy. Inst. i. (1816) 174 = *Sisyrinchium Bermudiana*.  
*bicolor*, Regel, Cat. Pl. Hort. Aksakov. 90, nomen.—Hab.?  
*bogotensis*, Ker-Gawl. Irid. Gen. 23 = *Sisyrinchium bogotense*.  
*brachypus*, Baker, in Journ. Linn. Soc. xvi. (1877) 150.—Ind. occ.  
*bulbosa*, Klatt, in Abh. Naturf. Ges. Halle, xii. (1882) 374.—Bras.  
*caerulea*, Ker-Gawl. in Bot. Reg. t. 713.—Bras.  
*californica*, Ker-Gawl. in Bot. Mag. t. 983 = *Sisyrinchium californicum*.  
*coelestina*, Ker-Gawl. Irid. Gen. 19 = *Nemastylis coelestina*.  
*coelestis*, Lehm. Ind. Sem. Hort. Hamb. (1828) 17.—Bras.  
*coerulea*, Auct. = *caerulea*.  
*convoluta*, Ker-Gawl. in [Quart.] Journ. Roy. Inst. i. (1816) 174 = *Sisyrinchium convolutum*.  
*filiformis*, Ker-Gawl. in Bot. Reg. sub t. 229 = *Bobartia filiformis*.  
*foliosa*, Willd. ex Steud. Nom. ed. I. 509 = *Tigridia violacea*.  
*fugax*, Willd. Enum. Hort. Berol. Suppl. 4 = *Geissorhiza quadrangula*.  
*gladiata*, Ker-Gawl. in Bot. Reg. t. 229 = *Bobartea gladiata*.  
*glauca*, Baker, in Journ. Linn. Soc. xvi. (1877) 149.—Bras.  
*gracilis*, Herb. in Bot. Mag. t. 3713.—Am. trop.  
*Herbertiana*, Ker-Gawl. Irid. Gen. 19 = *Cypella Herberti*.  
*humilis*, Klatt, in Mart. Fl. Bras. iii. i. 521, sphalm. = *gracilis*.  
*humilis*, Lodd. Bot. Cab. t. 1081.—Bras.  
*iridifolia*, Ker-Gawl. in Bot. Mag. t. 646 = *Sisyrinchium iridifolium*.  
*longifolia*, Link & Otto, l. c. Pl. Sel. 123. t. 58.—Bras.  
*lutea*, Herb. in Bot. Mag. t. 3809.—Bras.  
*martinicensis*, Ker-Gawl. in Kon. & Sims, Ann. Bot. i. (1805) 245 = *Trimeza lurida*.  
*micrantha*, Ker-Gawl. Irid. Gen. 22 = *Sisyrinchium micranthum*.  
*mucronata*, Ker-Gawl. l. c. = *Sisyrinchium angustifolium*.  
*Northiana*, Ker-Gawl. in Bot. Mag. t. 654.—Am. trop.  
*palmifolia*, Ker-Gawl. in Kon. & Sims, Ann. Bot. i. (1805) 246 = *Sisyrinchium palmifolium*.  
*pantherina*, Salisb. in Trans. Hort. Soc. i. (1812) 308 = *M. Northiana*.  
*plicata*, Ker-Gawl. in Bot. Mag. t. 655 = *Eleutherine plicata*.  
*pusilla*, Ker-Gawl. Irid. Gen. 24 = *Sisyrinchium pusillum*.  
*Sabini*, Lindl. in Trans. Hort. Soc. vi. (1826) 75. t. 1 = *caerulea*.

**MARICA** :—

- Sabini*, Lodd. Bot. Cab. t. 1164 = *Northiana*.  
*Sabiniana*, Herb. in Bot. Mag. sub t. 3809 = *caerulea*?  
*Sabiniana*, Lodd. ex Voigt, Hort. Suburb. Calc. 602 = *Northiana*.  
*semiaperta*, Lodd. Bot. Cab. t. 685 = *Trimeza lurida*.  
*spathacea*, Ker-Gawl. in Bot. Reg. sub t. 229 = *Bobartia indica*.  
*splendens*, Regel, Cat. Pl. Hort. Aksakov. 90, nomen.—Hab.?  
*striata*, Ker-Gawl. in Bot. Mag. t. 701 = *Sisyrinchium striatum*.  
*tenuifolia*, Ker-Gawl. in [Quart.] Journ. Roy. Inst. i. (1816) 174. t. 275 = *Sisyrinchium tenuifolium*.  
*Tigridia*, Lehm. in Ind. Sem. Hort. Hamb. (1828) 17 = *Tigridia Pavonia*?  
*tinctoria*, Ker-Gawl. Irid. Gen. 23 = *Sisyrinchium tinctorium*.  
*variegata*, Mart. & Gal. in Bull. Acad. Brux. x. II. (1843) 112.—Mexic.  
*Warmingii*, Klatt, in Abh. Naturf. Ges. Halle, xii. (1882) 375.—Bras.  
*zebrina*, Hoffmgg. Verz. Pfl. 76, nomen.—Bras.?

MARICA, Schreb. Gen. 37 (1789) = *Cipura*, Aubl. (Irid.).  
*Cipura*, J. F. Gmel. Syst. 118 = *C. paludosa*.  
*graminea*, Roem. & Schult. Syst. i. 450 = *C. paludosa*.  
*humilis*, Roem. & Schult. l. c. = *C. paludosa*.  
*paludosa*, Willd. Sp. Pl. i. 246 = *C. paludosa*.

MARIERA, Walp. Rep. i. 180 (1842), sphalm. = *Moriera*, Boiss. (Crucif.).

MARIGNIA, Comm. ex Kunth, in Ann. Sc. Nat. Sér. I. ii. (1824) 351 = *Protium*, Burm. f. (Burser.).  
*acutifolia*, Boj. Hort. Maurit. 83 = *P. obtusifolium*.  
*acutifolia*, DC. Prod. ii. 79 = *Canarium rostratum*?  
*madagascariensis*, March. ex Engl. in DC. Monog. Phan. iv. 92 = *P. madagascariense*.  
*nitida*, Turcz. in Bull. Soc. Nat. Mosc. xxxi. (1858) i. 475 = *Glycosmis pentaphylla*.  
*obtusifolia*, DC. Prod. ii. 79 = *P. obtusifolium*.

MARILA, Sw. Prod. Veg. Ind. Occ. 84 (1788). *TERN-STROEMIACEAE*, Benth. & Hook. f. i. 189.  
*MONOPORINA*, J. Presl, Rostlin. ii. 277 (1825).  
*SCYPHAEAE*, C. Presl, Scyph. Nov. Pl. Gen. (1829); Symb. i. 7. t. 4 (1830).  
*alternifolia*, Triana & Planch. in Ann. Sc. Nat. Sér. IV. xviii. (1862) 271.—N. Granat.  
*cespedesiana*, Triana & Planch. l. c. 270.—N. Granat.  
*dissitiflora*, Wright, in Saww. Fl. Cub. 10.—Cuba.  
*grandiflora*, Griseb. Fl. Brit. W. Ind. 111.—Ind. occ.  
*macrophylla*, Benth. Bot. Voy. Sulph. 72.—Panama.  
*nitida*, Spruce, ex Benth. in Journ. Linn. Soc. v. (1861) 64.—Bras.  
*racemosa*, Sw. Prod. Veg. Ind. Occ. 84.—Ind. occ.  
*tomentosa*, Poepp. & Endl. Nov. Gen. et Sp. iii. 15.—Peruv.

MARINA, Liebm. in Kjoeb. Vidensk. Meddel. (1853) 103. *LEGUMINOSAE*, Benth. & Hook. f. i. 492.  
*gracilis*, Liebm. in Kjoeb. Vidensk. Meddel. (1853) 103.—Mexic.

MARIPA, Aubl. Pl. Gui. i. 230. t. 91 (1775). *CONVOLVULACEAE*, Benth. & Hook. f. ii. 869.  
*MAIRERIA*, Scop. Introd. 192 (1777).  
*MOUROCOA*, Aubl. Pl. Gui. i. 141. t. 54 (1775).  
*axilliflora*, Mart. ex Meissn. in Mart. Fl. Bras. vii. 208.—Bras.  
*cayennensis*, Meissn. l. c.—Guian.  
*cordifolia*, Klotzsch, ex Meissn. l. c. 209.—Guian.  
*densiflora*, Benth. in Hook. Lond. Journ. Bot. v. (1846) 351.—Bras.  
*erecta*, G. F. W. Mey. Prim. Fl. Esseq. 115.—Guiana.  
*glabra*, Choisy, in DC. Prod. ix. 327.—Guian.  
*nicaraguensis*, Hemsl. Biol. Centr. Am. Bot. ii. 382.—Nicaragua.  
*panamensis*, Hemsl. l. c.—Panama.  
*passifloroides*, Spruce, ex Meissn. in Mart. Fl. Bras. vii. 207.—Bras.  
*scandens*, Aubl. Pl. Gui. i. 230. t. 91.—Guian.  
*spectabilis*, Choisy, in DC. Prod. ix. 327 (= *Prevostea spectabilis*).—Bras.  
*villosa*, Spreng. Syst. i. 645.—Bras.



**MARISCUS**, Gaertn. Fruct. i. 11 (1788); Vahl. Enum. ii. 372 (1806). **CYPERACEAE**, [Benth. & Hook. f. iii. 1044.]  
**ADUPLA**, Bosc. in Jaume St. Hil. Expos. Fam. Nat. i. 65 (1805).  
**BORABORA**, Steud. Syn. Pl. Cyp. 71 (1855).  
**DICLIDIUM**, Schrad. ex Nees, in Mart. Fl. Bras. ii. 1. 51 (1842).  
**EPIPHYSIS**, Trin. Fund. Agrost. 97 (1820).  
*acicularis*, Moench, Meth. 350 = *Eleocharis acicularis*.  
*aggregatus*, Willd. Enum. Hort. Berol. 70 = flavus.  
*alatus*, Schult. Mant. ii. 144 = elatus.  
*albescens*, Gaudich. in Freyc. Voy. Bot. 415.—Geront. trop.  
*albus*, Gilib. Exercit. ii. 512 = *Rynchospora alba*.  
*alopecuroides*, Steud. Syn. Pl. Cyp. 65.—Bras.  
*alternifolius*, Vahl, Enum. ii. 376 = umbellatus.  
*ambiguus*, Liebm. in Vidensk. Selsk. Skr. V. ii. (1851) 231.—Mexic.  
*aphyllus*, Vahl, Enum. ii. 373 = *Kyllinga peruviana*.  
*appendiculatus*, Brongn. in Duperr. Voy. Coq. Bot. 178. t. 34.—Ins. S. Trinit.; Fernando Noronha; Ascension.  
*asper*, Liebm. in Vidensk. Selsk. Skr. V. ii. (1851) 229.—Mexic.  
*atrosanguineus*, Hochst. ex A. Rich. Tent. Fl. Abyss. ii. 490 = *bulbocaulis*.  
*atrosanguineus*, Liebm. in Vidensk. Selsk. Skr. V. ii. (1851) 228.—Mexic.  
*aureus*, Bertol. Misc. Bot. viii. 29. t. 3. f. 2 = *cylindricus*.  
*badius*, Willd. ex Kunth, Enum. Pl. ii. 123 = *panicus*.  
*Beyrichii*, Schrad. ex Nees, in Mart. Fl. Bras. ii. 1. 48.—Bras.  
*biglumis*, Gaertn. Fruct. i. 12. t. 2. f. 8 = *Sieberianus*.  
*bracheilema*, Steud. Syn. Pl. Cyp. 317 = *ovularis*.  
*brachystachys*, Hook. f. in Trans. Linn. Soc. xx. (1847) 179.—Ins. Galapag.  
*bracteosus*, Schlecht. in Linnaea, xxv. (1852) 164.—Bras.  
*bulbocaulis*, Hochst. in Flora, xxvii. (1844) 102.—Abyssin.  
*bulbocaulis*, A. Rich. Tent. Fl. Abyss. ii. 490 = *plateilema*.  
*bulbosus*, Steud. Syn. Pl. Cyp. 62 = *bulbocaulis*.  
*capensis*, Schrad. Anal. Cyp. 13.—Afr. austr.  
*capillaris*, Vahl, Enum. ii. 372.—Ind. occ.  
*capitatus*, Steud. Syn. Pl. Cyp. 60 = *Remirea maritima*.  
*cariciformis*, F. Muell. Fragm. v. 92.—Austral.  
*castaneus*, Kunze, ex Kunth, Enum. Pl. ii. 91.—Chili.  
*Cephalotes*, Poepp. ex Kunth, l. c. 23 = *Cyperus humilis*.  
*coloratus*, Nees, in Linnaea, ix. (1834) 286.—Afr. trop.  
*concinus*, Schrad. ex Nees, in Mart. Fl. Bras. ii. 1. 47 = *Sieberianus*.  
*conferto-spicatus*, Steud. Syn. Pl. Cyp. 64 = *flavus*.  
*confertus*, H. B. & K. Nov. Gen. et Sp. i. 213 = *flavus*.  
*conflexus*, Link, Enum. Hort. Berol. i. 47 = *Jacquinii*.  
*conicus*, R. Br. Prod. 218.—Austral.  
*coriaceus*, G. F. W. Mey. Prim. Pl. Esseq. 38 = *rufus*.  
*cornutus*, Anderss. in Vet. Akad. Handl. Stockh. 1853 (1855) 151.—Ins. Galapag.  
*corymbosus*, Boeck. in Flora, xli. (1858) 409 = *Sieberianus*.  
*cylindricus*, Ell. Sketch, i. 74.—Am. bor.  
*cylindristachys*, Steud. Syn. Pl. Cyp. 65 = *umbellatus*.  
*cyperiformis*, Torr. Cat. Pl. N. York, 14 = *glomeratus*.  
*cyperinus*, Nees, in Wight, Contrib. 90 = *panicus*, *Sieberianus*.  
*cyperinus*, Vahl, Enum. ii. 377.—As. or.; Polynesia.  
*cyperoides*, A. Dietr. Sp. Pl. ii. 348 = *Courtoisia cyperoides*.  
*decompositus*, R. Br. Prod. 218.—Austral.  
*dilutus*, Nees, in Wight, Contrib. 90 = *microcephalus*.  
*Dregeanus*, Kunth, Enum. Pl. ii. 120.—Afr.; As.; Austral.  
*Drummondii*, Steud. Syn. Pl. Cyp. 316 = *ovularis*.  
*echinatus*, Ell. Sketch, i. 75.—Am. bor.  
*elatus*, Kunth, Enum. Pl. ii. 116 = *flavus*.  
*elatus*, Vahl, Enum. ii. 377.—Am. trop.  
*filiformis*, H. B. & K. Nov. Gen. et Sp. i. 213.—Am. trop.  
*filiformis*, Roem. & Schult. Syst. ii. 242, partim; Schult. Mant. i. 140 = *havanensis*.  
*filiformis*, Spreng. Syst. i. 234 = *Swartzii*.  
*flabelliformis*, H. B. & K. Nov. Gen. et Sp. i. 215.—Reg. trop.  
**VOL. II.**

**MARISCUS** :—

*flavus*, Seem. Fl. Vit. 319 = *laevigatus*.  
*flavus*, Vahl, Enum. ii. 374.—Am. bor. & austr.  
*foliosissimus*, Steud. Syn. Pl. Cyp. 65.—Afr. trop.  
*giganteus*, Boeck. in Flora, xlii. (1859) 443 = *microcephalus*.  
*glandulosus*, Boj. Hort. Maurit. 382 = *rufus*.  
*glomeratus*, Barton, Fl. Philad. 18.—Am. bor.  
*gracilis*, Vahl, Enum. ii. 273.—Ind. occ.  
*Haenkei*, F. & C. Presl, Rel. Haenk. i. 181.—Calif.; Mexic.  
*havanensis*, H. B. & K. Nov. Gen. et Sp. i. 212.—Ind. occ.  
*Hochstetteri*, Walp. Ann. iii. 678 = *bulbocaulis*.  
*huarmensis*, H. B. & K. Nov. Gen. et Sp. i. 214.—Peruv.  
*humilis*, Zeyh. ex Schrad. Anal. Cyp. 10.—Afr. austr.  
*irroratus*, Nees, in Hook. Kew Journ. vi. (1854) 28 = *Dregeanus*.  
*Jacquinii*, H. B. & K. Nov. Gen. et Sp. i. 216, in obs.—Am. trop.  
*Karwinskianus*, Kunth, Enum. Pl. ii. 123 = *Mutisii*.  
*Kraussii*, Hochst. in Flora, xxviii. (1845) 756 = *Dregeanus*.  
*Kunthianus*, Gaudich. in Freyc. Voy. Bot. 415.—Ins. Sandvic.  
*kyllingiaeformis*, Boeck. in Flora, xlii. (1859) 443 = *Dregeanus*.  
*kyllingoides*, Steud. Syn. Pl. Cyp. 60 = *Kyllinga brevifolia*.  
*laevigatus*, Hook. & Arn. Bot. Beech. Voy. 72.—Ins. Pacif.  
*laevigatus*, Roem. & Schult. Syst. ii. 243 = *flavus*.  
*laevis*, R. Br. Prod. 218.—Austral.  
*laevis*, H. B. & K. Nov. Gen. et Sp. i. 214 = *flavus*.  
*latifolius*, Schrad. ex Nees, in Mart. Fl. Bras. ii. 1. 50 = *elatus*.  
*leptocloides*, Steud. Syn. Pl. Cyp. 317 = *Cyperus radiatus*.  
*littoralis*, G. F. W. Mey. Prim. Pl. Esseq. 37 = *flavus*.  
*longiradiatus*, Liebm. in Vidensk. Selsk. Skr. V. ii. (1851) 232 = *Jacquinii*.  
*longus*, Schrad. ex Nees, in Mart. Fl. Bras. ii. 1. 44.—Bras.  
*macer*, Kunth, Enum. Pl. ii. 121.—Afr. austr.  
*macrocarpus*, Kunth, l. c. 120.—Afr. austr.  
*macrophyllus*, Brongn. in Duperr. Voy. Coq. Bot. 179. t. 33.—Ins. Societ.  
*maculatus*, Roem. & Schult. Syst. ii. 243 = *Lipocarpa Humboldtiana*.  
*maritimus*, Miq. Fl. Ind. Bat. Suppl. 600.—Ins. Banca.  
*mexicanus*, Steud. Syn. Pl. Cyp. 64 = *Mutisii*.  
*mexicanus*, Willd. ex Link, Jahrb. i. iii. 90 = *flavus*.  
*Meyenianus*, Nees, in Mart. Fl. Bras. ii. 1. 49.—Bras.  
*micans*, Nees, l. c. 50 = *Mutisii*.  
*microcephalus*, J. & C. Presl, Rel. Haenk. i. 182.—Ind. or.; China; Malaya.  
*mucronatus*, Gaertn. Fruct. i. 11. t. 2. f. 5 (*Rynchospora* sp.).—Hab.?  
*mucronatus*, Presl, Cyp. & Gram. Sicul. 12 = *Cyperus aegyptiacus*.  
*Mutisii*, Hook. f. in Trans. Linn. Soc. xx. (1847) 178 = *cornutus*, *brachystachys*.  
*Mutisii*, H. B. & K. Nov. Gen. et Sp. i. 216. t. 66.—Am. trop.  
*neglectus*, Schult. Mant. ii. 144 = *cylindricus*.  
*nossibensis*, Steud. Syn. Pl. Cyp. 63.—Afr. trop.  
*oaxacensis*, Steud. l. c. 65 = *Mutisii*.  
*oligostachys*, Schrad. ex Nees, in Mart. Fl. Bras. ii. 1. 48.—Bras.  
*ovularis*, Kunth, Enum. Pl. ii. 121, partim = *echinatus*.  
*ovularis*, Torr. Fl. U. St. i. 58 = *cylindricus*.  
*ovularis*, Vahl, Enum. ii. 374.—Am. bor.  
*pachystachys*, Steud. Syn. Pl. Cyp. 65.—Hab.?  
*pallens*, Liebm. in Vidensk. Selsk. Skr. V. ii. (1851) 230 = *Sieberianus*.  
*palustris*, Schrad. in Schult. Mant. ii. 141.—Bras.  
*panicus*, Vahl, Enum. ii. 373.—Ind. or.; Maurit.  
*parviflorus*, Nees, in Flora, xi. (1828) 329 = *Cyperus Luzulae*.  
*patulus*, Schrad. ex Nees, in Mart. Fl. Bras. ii. 1. 47 = *Jacquinii*.  
*philippensis*, Steud. Syn. Pl. Cyp. 66.—Ins. Philipp.  
*phleoides*, Nees, in Linnaea, ix. (1834) 286.—Ins. Sandvic.

**MARISCUS** :—

*pictus*, Nees, in Wight, Contrib. 90.—Ind. or.  
*piluliferus*, Bertol. f. in Mem. Acc. Sc. Bolog. v. (1854) 466 = *Rynchospora cyperoides*.  
*plateilema*, Steud. in Flora, xxv. (1842) 596.—Abyss.  
*Poeppigianus*, Kunth, Enum. Pl. ii. 123 = *Mutisii*.  
*Pohlianus*, Nees, in Mart. Fl. Bras. ii. 1. 50.—Bras.  
*polycephalus*, Link, Hort. Berol. i. 324 = *Cyperus Luzulae*.  
*polycephalus*, A. Rich. Sert. Astrolab. p. lii = *appendiculatus*.  
*polyphyllus*, H. B. & K. Nov. Gen. et Sp. i. 217.—Peruv.  
*polyphyllus*, Steud. in Flora, xxv. (1842) 596 = *Sieberianus*.  
*polystachys*, Brongn. ex A. Rich. Sert. Astrolab. p. liv = *appendiculatus*.  
*procerus*, A. Rich. Tent. Fl. Abyss. ii. 489.—Abyssin.  
*procerus*, Schrad. ex Nees, in Mart. Fl. Bras. ii. 1. 46 = *elatus*.  
*pubescens*, J. & C. Presl, Rel. Haenk. i. 181 = *retrofractus*.  
*Pullu*, Steud. Syn. Pl. Cyp. 66 = *panicus*.  
*pungens*, Steud. l. c. 60 = *Remirea maritima*.  
*pyncostachys*, H. B. & K. Nov. Gen. et Sp. i. 215. t. 65.—Am. centr.  
*radiatus*, Hochst. in Flora, xxviii. (1845) 757.—Afr. austr.  
*retroflexus*, Willd. ex Kunth, Enum. Pl. ii. 121 = *ovularis*.  
*retrofractus*, Gaertn. Fruct. i. 12. t. 2. f. 5 = *uniflorus*.?  
*retrofractus*, Vahl, Enum. ii. 375.—Am. bor.  
*rhoplostachys*, Liebm. in Vidensk. Selsk. Skr. V. ii. (1851) 232.—Nicaragua.  
*Richardi*, Steud. Syn. Pl. Cyp. 66 = *procerus*.  
*rigidus*, Spreng. Syst. iv. Cur. Post. 29 = *flavus*.  
*riparius*, Schrad. in Goett. Gel. Anz. (1821) III. 2067.—Afr. austr.  
*rivularis*, Walp. Ann. iii. 674, sphalm. = *ovularis*.  
*rufus*, H. B. & K. Nov. Gen. et Sp. i. 216. t. 67.—Afr. et Am. trop.  
*scaber*, R. Br. Prod. 218.—Austral.  
*Schaffnerianus*, Schlecht. in Linnaea, xxvi. (1853) 379.—Mexic.  
*Schimperi*, Hochst. in Flora, xxiv. (1841) 1. Intell. 20, nomen; et ex A. Rich. Tent. Fl. Abyss. ii. 491.—Abyss.  
*serratus*, Gilib. Exercit. ii. 512 = *Cladium germanicum*.  
*setaceus*, Moench, Meth. 350 = *Scirpus setaceus*.  
*Sieberianus*, Nees, in Linnaea, ix. (1834) 286.—Reg. trop.  
*sphaericus*, Willd. ex Kunth, Enum. Pl. ii. 121 = *ovularis*.  
*sphaerocephalus*, Steud. Syn. Pl. Cyp. 316 = *ovularis*.  
*subulatus*, Nees, in Linnaea, ix. (1834) 286, nomen.—Hab.?  
*sundaicus*, Miq. Fl. Ind. Bat. iii. 289 = *cyperinus*.  
*Swartzii*, A. Dietr. Sp. Pl. ii. 343.—Ind. occ.  
*sylvestris*, H. B. & K. Nov. Gen. et Sp. i. 377 = *flavus*.  
*tenuifolius*, Schrad. ex Nees, in Mart. Fl. Bras. ii. 1. 46.—Ind. or.  
*Thunbergii*, Schrad. Anal. Cyp. 13 = *riparius*.  
*toluccensis*, Steud. Syn. Pl. Cyp. 65 = *flavus*.  
*Tovari*, H. B. & K. Nov. Gen. et Sp. i. 215.—Venezuela.  
*tribrachiatum*, Liebm. in Vidensk. Selsk. Skr. V. ii. (1851) 230.—Costa Rica.  
*uitenhagensis*, Steud. Syn. Pl. Cyp. 317 = *capensis*.  
*uliginosus*, Schrad. ex Nees, in Mart. Fl. Bras. ii. 1. 46 = *Meyenianus*.  
*umbellatus*, A. Gray, in Perry, Exped. iii. 322 = *Sieberianus*.  
*umbellatus*, Horne, Fiji, 264 = *cyperinus*.  
*umbellatus*, J. & C. Presl, Rel. Haenk. i. 181 = *philippensis*.  
*umbellatus*, Pursh, Fl. Am. Sept. i. 59 = *cylindricus*.  
*glomeratus*.  
*umbellatus*, Vahl, Enum. ii. 376.—Afric.  
*umbellatus*, Zoll. Syst. Verz. Ind. Archip. 63, partim = *Rynchospora Wallichiana*.  
*uniflorus*, Steud. Syn. Pl. Cyp. 64.—Texas.  
*viridis*, Hochst. ex Schweinf. Beitr. Fl. Aethiop. 217 = *Schimperi*.  
*Wallichianus*, Kunth, Enum. Pl. ii. 117 = *panicus*.

**MARJORANA**, G. Don, Gen. Syst. iv. 766 (1837).  
**MAJORANA**, Tourn. = **Origanum**, Linn. (1753).



**MARKEA**, Rich. in Act. Soc. Hist. Nat. Par. i. (1792) 107. *SOLANACEAE*, Benth. & Hook. f. ii. 903. LAMARKEA, Pers. Syn. i. 218 (1805). coccinea, Rich. in Act. Soc. Hist. Nat. Par. i. (1792) 107.—Guian. longiflora, Miers, in Ann. & Mag. Nat. Hist. Ser. II. iv. (1849) 186.—Ind. occ. neurantha, Hemsl. Biol. Centr. Am. Bot. ii. 429.—Costa Rica.

**MARKHAMIA**, Seem. Journ. Bot. i. (1863) 226 = *Dolichandrone*, Fenzl (Bignon.). *stipulata*, Seem. l. c. = *D. stipulata*.

**MARLEA**, Roxb. Hort. Beng. [28] (1814); Pl. Corom. iii. 80. t. 283 (1819). *CORNACEAE*, Benth. & Hook. f. i. 949. DIACICARPUM, Blume, Bijdr. 657 (1825). PAUTSAUVIA, Juss. in Mém. Mus. Par. iii. (1817) 443. PSEUDALANGIUM, F. Muell. Fragm. ii. 84 (1860). RHYTIDANDRA, A. Gray, Bot. U. St. Expl. Exped. i. 302. t. 28 (1854). STYLIDIUM, Lour. Fl. Cochinch. 220 (1790). STYLIS, Poir. Encyc. Suppl. v. 260 (1817). *affinis*, Decne. in Jacquem. Voy. Bot. 74. t. 83 = *begoniifolia*. barbata, R. Br. in Wall. Cat. n. 7129.—Reg. Himal. begoniifolia, Roxb. Hort. Beng. [28]; Pl. Corom. iii. 80.—Ind. or.; China; Japon. Bussyana, Baill. Adansonia, x. (1872) 183.—N. Caled. ebenacea, C. B. Clarke, in Hook. f. Fl. Brit. Ind. ii. 742.—Malacca. Griffithii, C. B. Clarke, l. c. = unilocularis. macrophylla, Sieb. & Zucc. in Abh. Akad. Muench. iv. ii. (1843) 135 = *platanifolia*. nobilis, C. B. Clarke, in Hook. f. Fl. Brit. Ind. ii. 743.—Malaya. platanifolia, Sieb. & Zucc. in Abh. Akad. Muench. iv. ii. (1843) 134.—China; Japon. tomentosa, Endl. ex Hassk. in Flora, xxvii. (1844) 605 = *begoniifolia*. unilocularis, Griff. Notul. iv. 679.—Malaya. villosa, Kurz, in Journ. As. Soc. Beng. xl. (1871) II. 61.—Java. virgata, Zoll. in Tijdschr. Nederl. Ind. xiv. (1857) 157.—Java. vitiensis, Benth. Fl. Austral. iii. 386.—Austral.; Ins. Pacif.

**MARLIERA**, D. Dietr. Syn. Pl. iii. 86 (1843) = seq.

**MARLIEREA**, Cambess. in A. St. Hil. Fl. Bras. Mer. ii. 373. t. 156 (1829). *MYRTACEAE*, Benth. & Hook. f. i. 716. EUGENIOPSIS, Berg, in Linnaea, xxvii. (1854) 80. RUBACHIA, Berg, l. c. II (1854). acuminata, Berg, l. c. 13.—Guiana. capitata, Berg, in Mart. Fl. Bras. xiv. I. 33.—Bras. dimorpha, Berg, l. c. 538.—Bras. elliptica, Griseb. Fl. Brit. W. Ind. 233.—Ind. occ. estrellensis, Berg, in Mart. Fl. Bras. xiv. I. 34.—Bras. excoriata, Mart. in Flora, xx. (1837) II. Beibl. 88.—Bras. glabra, Cambess. in A. St. Hil. Fl. Bras. Mer. ii. 374.—Bras. glomerata, Berg, in Linnaea, xxvii. (1854) 14.—Guiana. grandifolia, Berg, in Mart. Fl. Bras. xiv. I. 37.—Bras. Langsdorffii, Berg, l. c. 536.—Bras. obscura, Berg, l. c. 36.—Bras. obtusa, Berg, in Linnaea, xxvii. (1854) 15.—Guian. parviflora, Berg, in Mart. Fl. Bras. xiv. I. 537.—Bras. parvifolia, Berg, l. c. 33.—Bras. Regeliana, Berg, l. c. 537.—Bras. resupinata, Berg, l. c. 37.—Bras. Richardiana, Berg, in Linnaea, xxx. (1859–60) 650.—Guian. rufa, Berg, in Mart. Fl. Bras. xiv. I. 37.—Bras. Schomburgkiana, Berg, in Linnaea, xxix. (1857–58) 209.—Hab. ? Schottiana, Berg, in Mart. Fl. Bras. xiv. I. 36.—Bras. sessiliflora, Berg, l. c. 34.—Bras. spathulata, Berg, l. c. 32.—Bras. Spruceana, Berg, l. c. 34.—Bras. strigipes, Berg, l. c. 32.—Bras. suaveolens, Cambess. in A. St. Hil. Fl. Bras. Mer. ii. 374.—Bras.

#### MARLIEREA:—

suffruticosa, Berg, in Linnaea, xxvii. (1854) 16.—Guian. tomentosa, Cambess. in A. St. Hil. Fl. Bras. Mer. ii. 373.—Bras. tovarensis, Berg, in Linnaea, xxvii. (1854) 13.—Venezuela. uaupensis, Berg, in Mart. Fl. Bras. xiv. I. 516.—Bras. umbraticola, Berg, l. c. 35.—Venezuela. verticillaris, Berg, l. c. 538.—Bras.

**MARLIERIA**, Benth. & Hook. f. Gen. i. 716 (1865) err. typ. = *praec.*

**MARMORITES**, Benth. in Hook. Bot. Misc. iii. (1833) 377 = *Nepeta*, Linn. (Labi.). *rotundifolia*, Benth. l. c. = *N. floccosa*.

**MAROGNA**, Salisb. in Trans. Hort. Soc. i. (1812) 283 = *Amomum*, Linn. (Scitam.). *paludosa*, Salisb. l. c. = *A. angustifolium*.

**MAROPSIS**, Pomel, Nouv. Mat. Fl. Atl. 121 (1874) = *Marrubium*, Tourn. (Labi.). *deserti*, Pomel, l. c. = *Marrubium deserti*.

**MAROTTIA**, Rafin. Sylva Tellur. 155 (1838) = *Hydnocarpus*, Gaertn. (Bixin.). *oleosa*, Rafin. l. c. = *H. Wightiana*.

**MARQUARTIA**, Hassk. in Flora, xxv. (1842) II. Beibl. 14 = *Pandanus*, Linn. Billardieri, Walp. Ann. i. 1084, lapsu, loco *Marquisia* = *Coprosma* Billardieri. globosa, Hassk. in Flora, xxv. (1842) II. Beibl. 14 = *P. utilis*. leucacantha, Hassk. Cat. Hort. Bog. Alt. 61 = *P. odoratissimus*.

**MARQUARTIA**, Vog. in Nov. Act. Nat. Cur. xix. Suppl. i. (1843) 35 = *Milletia*, Wight & Arn. (Legumin.). *tomentosa*, Vog. l. c. = *Milletia nitida*.

**MARQUISIA**, A. Rich. in Mém. Soc. Hist. Nat. Par. v. (1834) 192 = *Coprosma*, Forst. (Rubi.). Billardieri, A. Rich. l. c. = *C. Billardieri*.

**MARRHUBIUM**, Delarb. Fl. Auv. ed. II. 153 (1800) = *MARRUBIUM*, Tourn. (Labi.).

**MARRUBIASTRUM**, Tourn. ex Moench, Meth. 391 (1794) = *Sideritis*, Tourn. (Labi.). *elegans*, Moench, l. c. = *S. lanata*. *tomentosum*, Moench, l. c. = *S. canariensis*.

**MARRUBIUM**, Tourn. ex Linn. Syst. ed. I (1735) = *LABIATAE*, Benth. & Hook. f. ii. 1206. ANISODONTIUM, Reichb. Handb. 188 (1837). KRASCHNIKOWIA, Turcz. ex Ledeb. Fl. Ross. iii. 402, in syn. (1849). LAGOPSIS, Bunge, ex Benth. Lab. Gen. et Sp. 586 (1834). MAROPSIS, Pomel, Nouv. Mat. Fl. Atl. 121 (1874). PADOTA, Adans. Fam. ii. 505 (1763). acetabulosum, Duf. ex Willk. & Lange, Prod. Fl. Hisp. ii. 446 = *Ballota hirsuta*. acetabulosum, Linn. Sp. Pl. 584 = *Ballota acetabulosa*. adfine, Spreng. Pugill. ii. 68 = seq. affine, Hornem. Hort. Hafn. 556 = *leonuroides*. affine, Host, Fl. Austr. ii. 172 = *peregrinum*. africanum, Linn. Sp. Pl. 583 = *Ballota africana*. album, Boiss. et Bal. Diagn. Ser. II. iv. 52 = *parviflorum*. album, Gilib. Fl. Lituan. i. 87 = *vulgare*. alyssoides, Pomel, Nouv. Mat. Fl. Atl. 120.—Alger. Alysson, Linn. Sp. Pl. 582.—Reg. Mediterr. angustifolium, Moench, Meth. 399 = *peregrinum*. anisodon, C. Koch, in Linnaea, xxi. (1848) 696 = *vulgare*. apulum, Tenore, Prod. Fl. Nap. 34 = *vulgare*. aquaticum, Uspensky, in Bull. Soc. Nat. Mosc. vii. (1834) 367 = *Mentha aquatica*. astracanicum, Bieb. Fl. Taur. Cauc. ii. 52 = *leonuroides*. astracanicum, Jacq. Ic. Pl. Rar. i. 11. t. 109.—As. Min.; Pers. ballotoides, Boiss. & Bal. Diagn. Ser. II. iv. 53.—As. Min.

#### MARRUBIUM:—

Bourgaei, Boiss. Fl. Orient. iv. 698.—As. Min. brachyodon, Boiss. Diagn. Ser. I. vii. 58 = *Kotschyi*. candidissimum, Frivald. ex Boiss. l. c. xii. 75 = *Friwaldskyanum*. candidissimum, C. Koch, in Linnaea, xxi. (1848) 696 = *parviflorum*. candidissimum, Linn. Sp. Pl. 583.—Eur. austr.; As. Min. candidissimum, C. A. Mey. ex Boiss. Fl. Orient. iv. 700 = *catariaefolium*. candidissimum, Orsini, ex Tenore, Syll. 292 = *peregrinum*. catariaefolium, Desr. in Lam. Encyc. iii. 717.—Reg. Cauc.; As. Min. catariaefolium, Reichb. Pl. Crit. iv. 10. t. 313 = *candidissimum*. cephalanthum, Boiss. & Noé, Diagn. Ser. II. iv. 50.—As. Min. cinerascens, Fisch. ex Steud. Nom. ed. I. 510, nomen (Quid ?)—Hab. ? cinereum, Desr. in Lam. Encyc. iii. 719 = *Ballota hirsuta*. cinereum, Hort. ex Benth. Lab. Gen. et Sp. 595 = *Ballota mollissima*. circinnatum, Desr. in Lam. Encyc. iii. 717 = *velutinum*. coerulescens, Desf. Cat. Hort. Par. ed. III. 395 = *propinquum* ? condensatum, Boiss. Diagn. Ser. II. iv. 51; Fl. Orient. iv. 697.—Mesopot. crassidens, Boiss. Diagn. Ser. I. v. 35.—Persia. creticum, Mill. Gard. Dict. ed. VIII. n. 3 = *peregrinum*. creticum, Roth, Tent. Fl. Germ. i. 257 = *pannonicum*. crispum, Desr. in Lam. Encyc. iii. 719 = *Ballota hirsuta*. crispum, Linn. Sp. Pl. ed. II. 1674 = *Ballota africana*. crispum, Sieber, ex Boiss. Fl. Orient. iv. 773 = *Ballota undulata*. cuneatum, [Soland. in] Russ. Aleppo, ed. II. ii. 255.—Syria; Mesopot. cylleneum, Boiss. et Heldr. Diagn. Ser. II. iv. 51 = *velutinum*. depauperatum, Boiss. et Bal. l. c. 49.—Cappadoc. deserti, Noé, ex Coss. in Bull. Soc. Bot. Fr. iv. (1857) 472, 490.—Alger. echinatum, Ball, in Journ. Bot. xiii. (1878) 175.—Marocco. eriostachyum, Benth. Lab. Gen. et Sp. 586.—Sibir. faucidens, Boiss. & Bal. Diagn. Ser. II. iv. 50.—As. Min. flavum, Walp. Rep. iii. 856.—Mont. Alatau. flexuosum, Moench, Meth. 399 = *candidissimum*. Friwaldskyanum, Boiss. Diagn. Ser. I. xii. 74.—Rumel. gamodon, Stapf, in Denkschr. Acad. Wien, l. (1885) 48.—Persia. germanicum, Schrank, ex Steud. Nom. ed. I. 510 = *vulgare*. globosum, Montbr. et Auch. ex Benth. in Ann. Sc. Nat. Sér. II. vi. (1836) 53.—As. Min. hamatum, H. B. et K. Nov. Gen. et Sp. ii. 310 = *vulgare*. Hermonis, Boiss. Diagn. Ser. I. xii. 74 = *libanoticum*. heterodon, Boiss. & Bal. l. c. II. iv. 52.—As. Min. hirsutum, Willd. Sp. Pl. iii. 113 = *Ballota hirsuta*. hispanicum, Desf. Cat. Hort. Par. ed. III. 102 = *Ballota hirsuta*. hispanicum, Linn. Sp. Pl. 583 = *Ballota rupestris*. humile, Desf. Cat. Hort. Par. ed. III. 395 = *Ballota saxatilis*. incanum, Desr. in Lam. Encyc. iii. 76 = *candidissimum*. incisum, Benth. Lab. Gen. et Sp. 586.—Sibir. indicum, Blanco, Fl. Filip. ed. I. 477 = *Hyptis suaveolens*. indicum, Burm. f. Fl. Ind. 127 = *Anisomeles ovata*. Kotschy, Boiss. et Hohen. Diagn. Ser. I. v. 33.—Kurdist. lanatum, Benth. Lab. Gen. et Sp. 587.—Sibir. altaic. laurifolium, Hort. Par. ex Steud. Nom. ed. I. 510 = *Ballota africana*. leonuroides, Desr. in Lam. Encyc. iii. 715.—Reg. Cauc. libanoticum, Boiss. Diagn. Ser. I. xii. 73.—Syria. lutescens, Boiss. et Heldr. l. c. v. 34.—Graecia. Malcolmianum, Dalz. in Hook. Kew Journ. iv. (1852) 109 = *Micromeria capitellata*. Marrubiastrum, Ssowinski, ex Trautv. in Act. Hort. Petrop. ix. (1884) 103 = *Leonurus Marrubiastrum*.



**MARRUBIUM** :—

- micranthum, Boiss. et Heldr. *Diagn.* Ser. I. xii. 73.—As. Min.  
*microphyllum*, Desr. Lam. *Encyc.* iii. 720 = *Otostegia Schimperii*.  
*mollissimum*, D. Don, *Prod. Fl. Nep.* 112 = *Leucas lanata*.  
*nigrum*, Crantz, *Stirp. Austr.* ed. II. fasc. iv. 272 = *Ballota nigra*.  
*Noëanum*, Boiss. *Fl. Orient.* iv. 696 = *Kotschyi*.  
*odoratissimum*, Poir. ex Steud. *Nom.* ed. I. 510 = *candidissimum*.  
*orientale*, Spreng. *Syst.* ii. 740 (= *Ballota orientalis*).—As. Min.  
*pallidum*, Salisb. *Prod.* 84 = *Ballota Pseudo-dictamnus paniculatum*, Desr. in Lam. *Encyc.* iii. 716 = *peregrinum*.  
*pannonicum*, Reichenbach, *Fl. Germ. Excurs.* 325.—Reg. Caucas.  
*parnassicum*, Reut. ex Nym. *Consp.* 582 = *velutinum*.  
*parviflorum*, Fisch. & Mey. *Ind. Sem. Hort. Petrop.* i. 33.—As. Min.; Persia.  
*pauciflorum*, Wallr. *Sched. Crit.* 295 = *peregrinum*.  
*peregrinum*, Asso, *Syn. Stirp. Arrag.* 76 = *supinum*.  
*peregrinum*, Linn. *Sp. Pl.* 582.—Europ.; As. Min.  
*peregrinum*, C. A. Mey. *Verz. Pfl. Cauc.* 96 = *parviflorum*.  
*peregrinum*, Reichenbach, *Pl. Crit.* iv. 10. t. 312 = *candidissimum*.  
*peregrinum*, Spreng. *Fl. Hal.* 172. t. 6 = *pannonicum*.  
*persicum*, C. A. Mey. *Verz. Pfl. Cauc.* 95.—Reg. Cauc.  
*Pestalozsae*, Boiss. *Diagn.* Ser. II. iv. 53 = *praecox*.  
*plicatum*, Forsk. *Fl. Aegypt. Arab.* 213 = *M. Alysso*.  
*plumosum*, C. A. Mey. *Verz. Pfl. Cauc.* 96 = *leucoroides*.  
*polyodon*, Boiss. *Diagn.* Ser. I. xii. 75.—Persia.  
*praecox*, Janka, in Oestr. Bot. *Zeitschr.* xxv. (1875) 63 = *peregrinum*.  
*procerum*, Bunge, *Lab. Pers.* 66.—Persia.  
*propinquum*, Benth. in DC. *Prod.* xii. 450 = *vulgare*.  
*propinquum*, Fisch. & Mey. *Ind. Sem. Hort. Petrop.* i. 33.—Reg. Caucas.; Pers.  
*Pseudoralyssum*, Fisch. & Mey. in *Ann. Sc. Nat. Sér.* IV. i. (1854) 34 = *micranthum*.  
*Pseudo-dictamnus*, Linn. *Sp.* 583 = *Ballota Pseudo-dictamnus*.  
*Pseudo-dictamnus*, Sibth. et Sm. *Fl. Graec.* vi. 50. t. 562 = *Ballota acetabulosa*.  
*purpureum*, Bunge, *Lab. Pers.* 67.—Persia.  
*radiatum*, Delile, ex Benth. *Lab. Gen. et Sp.* 591 = *cuneatum*.  
*remotum*, Janka, in Oestr. Bot. *Zeitschr.* xxv. (1875) 62 = *peregrinum*.  
*remotum*, Kit. ex Schult. *Oesterr. Fl. ed.* II. ii. 161 = *pannonicum*.  
*rotundifolium*, Boiss. *Diagn.* Ser. I. v. 33.—As. Min.  
*rubrum*, Roth, *Nov. Pl. Sp.* 259 = *pannonicum*.  
*rugosum*, [Soland. in] Russ. *Aleppo*, ed. II. ii. 255; Desf. *Cat. Hort. Par.* ed. III. 395 = *Ballota saxatilis*.  
*rupestre*, Bivona, *Stirp. Rar. Sicil.* ii. [5]. t. 1 = *Ballota rupestris*.  
*saxatile*, Rafn. *Préc. Découv.* 38 = *Ballota saxatilis*.  
*scrophulariaefolium*, Hort. ex Benth. *Lab. Gen. et Sp.* 595 = *Ballota mollissima*.  
*scrophulariaefolium*, Lag. ex Benth. l. c. 597 = *Ballota rupestris*.  
*sericeum*, Boiss. *Elench.* 77 = *supinum*.  
*setaceum*, Desr. in Lam. *Encyc.* iii. 717 = *candidissimum*.  
*suffruticosum*, Mill. *Gard. Diet.* ed. VIII. n. 9 = *Ballota acetabulosa*.  
*supinum*, Linn. *Sp. Pl.* 583.—Europ. austr.  
*supinum*, Scop. *Fl. Carn.* ed. II. i. 414 = *candidissimum*.  
*thessalum*, Boiss. & Heldr. *Diagn.* Ser. II. iv. 50.—Graecia.  
*Thouini*, Schult. ex Weinm. in *Syll. Ratisb.* ii. (1828) 23 = *Ballota africana*.  
*trachyticum*, Boiss. *Fl. Orient.* iv. 698.—Anatol.  
*uncinatum*, Hornem. *Hort. Hafn.* 968 = *candidissimum*.  
*undulatum*, Sieber, ex Fresen. in Mus. *Senckenb.* i. (1834) 92 = *Ballota undulata*.  
*Vaillantii*, Coss. & Germ. in *Ann. Sc. Nat. Sér.* II. xx. (1843) 293.—Europ.  
*velutinum*, Sibth. & Sm. *Fl. Graec. Prod.* i. 412.—Graecia.  
*vulgare*, Linn. *Sp. Pl.* 583.—Europ.; As.; Afr. bor.

MARSANIA, Sonner. *Voy. Ind. Or.* iii. 282 (1782) = *Muraya*, Linn. (Rutac.).  
*buxifolia*, Sonner. l. c. = *M. exotica*.

MARSCHALLIA, Bartl. *Ord.* 142 (1830) = *Marshallia*, Schreb. (Compos.).

- MARSDENIA**, R. Br. in *Mem. Wern. Soc.* i. (1809) 28. *ASCLEPIADEAE*, Benth. & Hook. f. ii. 772.  
 BAXTERA, Reichenbach, *Consp.* 131 (1828).  
 CHLOROCHELYMYS, Miq. in *Ann. Mus. Lugd. Bat.* iv. (1848) 142.  
 CIONURA, Griseb. *Spicil. Fl. Rumel.* ii. 69 (1844).  
 HARRISONIA, Hook. *Bot. Mag.* t. 2699 (1826).  
 KOELREUTERIA, Medic. *Beobacht.* 1782 (1783) 22.  
 LEICHHARDTIA, R. Br. in *Sturt, Exped. Centr. Austral.* ii. App. 81 (1849).  
 RUEHSIA, Karst. in *Verh. Ver. Gartenb. Preuss.* xix. (1849) ii. 304.  
 STYOCARPUS, Boj. *Hort. Maurit.* 214 (1837).  
 SPHINCTOSTOMA, Benth. ex Benth. & Hook. f. *Gen.* ii. 772 (1876).  
 TETRAGONOCARPUS, Hassk. in *Flora*, xx. (1857) 99.  
*affinis*, A. Rich. *Fl. Cub. Fanerog.* ii. 100 = *clausa*.  
*agglomerata*, Decne. in *Ann. Sc. Nat. Sér.* II. ix. (1838) 276.—Ins. S. Doming.  
*Akhar*, Blanco, *Fl. Filip.* ed. I. 118 = *tinctoria*.  
*angustifolia*, Wight, *Contrib.* 40 = *Lygisma angustifolia*.  
*araucaria*, F. Muell. *Fragm.* vi. 135.—Austral.  
*Billardieri*, Decne. in DC. *Prod.* viii. 615.—N. Caled.  
*brasilensis*, Decne. l. c. 617.—Bras.  
*Brunoniana*, Wight & Arn. in *Wight, Contrib.* 40.—Ind. or.  
*Burchellii*, Fourn. in *Mart. Fl. Bras.* vi. iv. 322.—Bras.  
*Calesiana*, Wight, *Contrib.* 41.—Reg. Himal.  
*campanulata*, Griseb. in *Mem. Am. Acad. N. S.* viii. (1863) 521.—Cuba.  
*cinerascens*, R. Br. in *Mem. Wern. Soc.* i. (1809) 30.—Austral.  
*clausa*, R. Br. l. c.—Jamaic.  
*coronata*, Benth. *Fl. Austral.* iv. 341.—Austral.  
*Coulteri*, Hemsl. *Biol. Centr. Am. Bot.* ii. 336.—Mexic.  
*crassipes*, Hemsl. l. c. 337.—Panama.  
*cubensis*, Turcz. in *Bull. Soc. Nat. Mosc.* xxv. (1852) ii. 322.—Cuba.  
*Cundurango*, Nichols. *Dict. Gard.* ii. 329.—N. Granat.  
*Cundurango*, Reichenbach, f. in *Bot. Zeit.* xxx. (1872) 552 = *Reichenbachii*.  
*cymulosa*, Benth. *Fl. Austral.* iv. 338.—Austral.  
*elliptica*, Decne. in DC. *Prod.* viii. 616.—Ind. occ.  
*erecta*, R. Br. in *Mem. Wern. Soc.* i. (1809) 31.—Syria.  
*erica*, Hook. f. *Fl. Brit. Ind.* iv. 35.—Reg. Himal.  
*flavescens*, A. Cunn. in *Bot. Mag.* t. 3289.—Austral.  
*Fraseri*, Benth. *Fl. Austral.* iv. 339.—Austral.  
*fusca*, Wright, ex Griseb. *Cat. Pl. Cub.* 178.—Cuba.  
*glaberrima*, Benth. in Hook. *Niger Fl.* 455.—Afr. trop.  
*Griffithii*, Hook. f. *Fl. Brit. Ind.* iv. 36.—Reg. Himal.  
*Hamiltonii*, Wight, *Contrib.* 41.—Ind. or.  
*Hilariana*, Fourn. in *Mart. Fl. Bras.* vi. iv. 322.—Bras.  
*hemiptera*, Reichenbach, f. *Beitr. Syst. Pfl.* 73.—Austral.  
*Hullsii*, F. Muell. ex Benth. *Fl. Austral.* iv. 338.—Austral.  
*Jenkinsii*, Hook. f. *Fl. Brit. Ind.* iv. 36.—Reg. Himal.  
*lachnostoma*, Benth. *Fl. Hongk.* 226.—Ins. Hongkong.  
*Leichhardtiana*, F. Muell. *Fragm.* v. 160.—Austral.  
*leonensis*, Benth. in Hook. *Niger Fl.* 455.—Afr. trop.  
*leptophylla*, F. Muell. ex Benth. *Fl. Austral.* iv. 340.—Austral.  
*linearis*, Decne. in DC. *Prod.* viii. 617.—Ins. S. Doming.  
*longiflora*, A. Rich. *Fl. Cub. Fanerog.* ii. 100.—Cuba.  
*longiloba*, Benth. *Fl. Austral.* iv. 340.—Austral.  
*loniceroides*, Fourn. in *Mart. Fl. Bras.* vi. iv. 323.—Bras.  
*lucida*, Edgew. ex Madden, in *Journ. As. Soc. Beng.* xvii. i. (1848) 370.—Reg. Himal.  
*lucida*, Hook. f. & Thoms. ex Hook. f. *Fl. Brit. Ind.* iv. 37 = *Griffithii*.  
*macrophylla*, Fourn. in *Mart. Fl. Bras.* vi. iv. 321.—Bras.  
*maculata*, Hook. *Bot. Mag.* t. 4299.—Am. trop.  
*mexicana*, Decne. in DC. *Prod.* viii. 617.—Mexic.  
*microlepis*, Benth. *Fl. Austral.* iv. 342.—Austral.

**MARSDENIA** :—

- mollissima*, Fourn. in *Mart. Fl. Bras.* vi. iv. 322.—Bras.  
*monostachya*, Wall. ex Hook. f. *Fl. Brit. Ind.* iv. 34 = *tinctoria*.  
*nitida*, Decne. in *Ann. Sc. Nat. Sér.* II. ix. (1838) 275.—Ins. S. Doming.  
*obovata*, Turcz. in *Bull. Soc. Nat. Mosc.* xxv. ii. (1852) 321 = *clausa*.  
*ovata*, Fourn. in *Mart. Fl. Bras.* vi. iv. 321, in obs.—Guiana.  
*parasita*, Blanco, *Fl. Filip.* ed. I. 120.—Ins. Philipp.  
*pauciflora*, Turcz. in *Bull. Soc. Nat. Mosc.* xxv. (1852) ii. 321.—Cuba.  
*picta*, Decne. in DC. *Prod.* viii. 615.—Ins. S. Doming.  
*propinqua*, Hemsl. *Biol. Centr. Am. Bot.* ii. 337.—Mexic.  
*Reichenbachii*, Triana, in *Bull. Soc. Bot. Fr.* xx. (1873) 36.—Ecuador.  
*rhyncholepis*, F. Muell. *Fragm.* xi. 78.—Austral.  
*robusta*, Balf. f. in *Proc. Roy. Soc. Edinb.* xii. (1884) 79.—Ins. Socotr.  
*rostrata*, R. Br. in *Mem. Wern. Soc.* i. (1809) 31.—Austral.  
*Rothii*, G. Don, *Gen. Syst.* iv. 131.—Ind. or.  
*rotundifolia*, Decne. in DC. *Prod.* viii. 615.—Ind. or.  
*Roylei*, Wight, *Contrib.* 40.—Reg. Himal.  
*rubro-fusca*, Fourn. in *Mart. Fl. Bras.* vi. iv. 321.—Bras.  
*satureiaefolia*, A. Rich. *Fl. Cub. Fanerog.* ii. 100.—Cuba.  
*Schimperii*, Decne. in DC. *Prod.* viii. 616.—Abyssin.  
*stenophylla*, Turcz. in *Bull. Soc. Nat. Mosc.* xxi. (1848) i. 260.—Ins. S. Doming.  
*suaveolens*, R. Br. in *Mem. Wern. Soc.* i. (1809) 30.—Austral.  
*syringaeifolia*, Decne. in *Ann. Sc. Nat. Sér.* II. ix. (1838) 275.—Malaya.  
*tagudinia*, Blanco, *Fl. Filip.* ed. I. 121.—Ins. Philipp.  
*tenacissima*, Wight & Arn. in *Wight, Contrib.* 41.—Ind. or.; Malaya.  
*tenuissima*, Steud. *Nom.* ed. II. ii. 103, sphalm. = *praec.*  
*thyrsiflora*, Hook. f. *Fl. Brit. Ind.* iv. 37.—Ind. or.  
*tinctoria*, R. Br. in *Mem. Wern. Soc.* i. (1809) 30.—Afr. trop.  
*tinctoria*, Hook. f. & Thoms. ex Hook. f. *Fl. Brit. Ind.* iv. 37 = *thyrsiflora*.  
*tomentosa*, C. Morr. & Decne. in *Bull. Acad. Brux.* iii. (1836) 172.—Japon.  
*tubulosa*, F. Muell. *Fragm.* ix. 71.—Austral.  
*umbellata*, Griseb. *Cat. Pl. Cub.* 179.—Cuba.  
*urceolata*, Decne. in DC. *Prod.* viii. 617.—Cochinch.  
*velutina*, R. Br. in *Mem. Wern. Soc.* i. (1809) 29.—Austral.  
*verrucosa*, Decne. in DC. *Prod.* viii. 615.—Madag.  
*villosa*, Hassk. in Hoef. & De Vriese, *Tijdschr.* x. (1843) 126 = *Tylophora villosa*.  
*vinciflora*, Griseb. *Cat. Pl. Cub.* 179.—Cuba.  
*viridiflora*, R. Br. in *Mem. Wern. Soc.* i. (1809) 30.—Austral.  
*Warmingii*, Fourn. in *Mart. Fl. Bras.* vi. iv. 323.—Bras.  
*zimapanica*, Hemsl. *Biol. Centr. Am. Bot.* ii. 338.—Mexic.

MARSEA, Adans. *Fam.* ii. 122 (1763) = *Conyza*, Linn. (Compos.).

MASEMA, Dulac, *Fl. Hautes-Pyr.* 476 (1867) = *Valerianella*, Tourn. (Valer.).  
*auriculatum*, Dulac, l. c. 477 = *V. rimosa*.  
*carinatum*, Dulac, l. c. = *V. carinata*.  
*dentatum*, Dulac, l. c. = *V. dentata*.  
*olitorum*, Dulac, l. c. 476 = *V. olitoria*.

MARSESINA, Rafn. *Sylva Tellur.* 112 (1838) = *Capparis*, Tourn.

MARSHALLIA, J. F. Gmel. *Syst.* 836 (1791) = *Homalium*, Jacq. (Samyd.).  
*Lagunac*, J. F. Gmel. l. c. = *Hab.*

**MARSHALLIA**, Schreb. *Gen.* ii. 810 (1791).  
*COMPOSITAE*, Benth. & Hook. f. ii. 392.  
*PERSOONIA*, Michx. *Fl. Bor. Am.* ii. 104. t. 43 (1803).  
*PHYTEUMOPSIS*, Juss. ex Poir. *Encyc. Suppl.* iv. 405 (1816).



**MARSHALLIA**.—

THEROLEPTA, Rafin. Neogenyt. 3 (1825).  
 TRATTENIKIA, Pers. Syn. ii. 403 (1807).  
*aliena*, Spreng. Syst. iii. 446 = *Heterothalamus* brunioides.  
*angustifolia*, Pursh, *Fl. Am. Sept.* ii. 520.—Am. bor.  
*australis*, Spreng. ex DC. Prod. v. 672 = *Calea* Berteriana.  
*bulbosa*, Rafin. *Fl. Ludov.* 61.—Louisian.  
*caespitosa*, Nutt. ex DC. Prod. v. 680.—Am. bor. occ.  
*dentata*, Bertol. *Misc. Bot.* xv. 22.—Am. bor.  
*lanceolata*, Pursh, *Fl. Am. Sept.* ii. 519.—Am. bor.  
*latifolia*, Pursh, l. c.—Am. bor.  
*pumila*, Rafin. *New Fl. Am.* iv. 78 (Quid?).—Am. bor.  
*Schreberi*, Tratt. Arch. Gew. i. 108 = *latifolia*.  
*spiralis*, Rafin. *New Fl. Am.* iv. 77 (Quid?).—Am. bor.  
*tenuifolia*, Rafin. l. c. (Quid?).—Am. bor.

MARSIPPOSPERMUM, Desv. Journ. Bot. i. (1808) 328. t. 12 = **Rostkovia**, Desv. (Juncac.).  
*calyculatum*, Desv. l. c. = *R. grandiflora*.  
*gracile*, Buchen. in Bremen, Abh. vi. (1879) 374 = *R. gracile*, Hook. f.  
*grandiflorum*, Hook. Ic. Pl. t. 533 = *R. grandiflora*.

MARSSONIA, Karst. Fl. Columb. i. 97. t. 48 (1859?) = **Napeanthus**, Gardn. (Gesnerac.).  
*primulina*, Karst. l. c. = *N. primulinus*.

MARSUPIANTHES, Reichb. Consp. 116 (1828) = seq.

**MARSYPIANTHES**, Mart. ex Benth. Lab. Gen. et Sp. 64 (1833). **LABIATAE**, Benth. & Hook. f. ii. 1178.  
*foliolosa*, Benth. in DC. Prod. xii. 85.—Bras.  
*glomerata*, Presl, Bot. Bemerk. 101.—Hab.?  
*hyptoides*, Mart. ex Benth. Lab. Gen. et Sp. 64.—Bras.  
*montana*, Benth. in DC. Prod. xii. 85.—Bras.  
*secundiflora*, Mart. & Gal. in Bull. Acad. Brux. xi. 11. (1844) 185 = *hyptoides*.  
*sessiliflora*, Presl, Bot. Bemerk. 101 = *hyptoides*.  
*squarrosa*, Klotzsch, in Schomb. Faun. & Fl. Brit. Gui. 1149, nomen.—Guian.  
*viscosa*, Klotzsch, l. c. 1148, nomen.—Guian.

MARSYPIANTHUS, Bartl. Ord. 183 (1830) = praec.

MARSYPOCARPUS, Neck. Elem. iii. 91 (1790) = **Capsella**, Medic. (1794) (Crucif.).

**MARSYPOPETALUM**, Scheff. in Tijdschr. Nederl. Ind. xxxi. (1870) 342; et in Flora, liii. (1870) 243. **ANONACEAE**.  
*ceratosanthes*, Scheff. ll. cc. 343; 244.—Java.

MARSYROCARPUS, Steud. Nom. ed. I. 511 (1821) = MARSYPOCARPUS, Neck.

MARTAGON, Rupp. Fl. Jen. ed. Hall. 148 (1745) = **Lilium**, Tourn.  
*montanum*, Fourr. in Ann. Soc. Linn. Lyon, N. S. xvii. (1869) 158 = *L. Martagon*.  
*syloaticum*, Opiz, Seznam, 63 = *L. Martagon*.

MARTENSIA, Giseke, Prael. Linn. 199, 207 (1792) = **Alpinia**, Linn. (Scitam.).  
*aquatica*, Rausch. Nom. ed. III. 2 = *A. aquatica*.

**MARTHA**, Fritz Muell. in Bot. Zeit. xxiv. (1866) 129. **RUBIACEAE** (an *Posoqueria*, Aubl.?).  
*fragrans*, Fritz Muell. l. c.—Bras.

**MARTIA**, Benth. in Hook. Journ. Bot. ii. (1840) 146. **LEGUMINOSAE**, Benth. & Hook. f. i. 571.  
*MARTIUSIA*, Benth. in Hook. Journ. Bot. ii. (1840) 84.  
*excelsa*, Benth. l. c. 84 (Martiusia).—Guian.  
*parvifolia*, Benth. l. c. 103 (Martiusia).—Bras.

MARTIA, Lacerda, ex J. A. Schmidt, in Mart. Fl. Bras. viii. 261 (1862) = **Brunfelsia**, Plum. (Solanac.).  
*opifera*, Lacerda, ex J. A. Schmidt, l. c. = *B. Hopeana*.

MARTIA, Leandr. Sac. in Denkschr. Akad. Muench. vii. (1821) 238. t. 12 = **Clitoria**, Linn. (Legumin.).  
*brasiliensis*, Zucc. ex Steud. Nom. ed. II. ii. 104 = *C. glycinoides*.  
*mexicana*, Zucc. in Abh. Akad. Muench. i. (1832) 339. (= *Neurocarpum mexicanum*).—Mexic.  
*physodes*, Leand. Sac. in Denkschr. Akad. Muench. vii. (1821) 233. t. 12 = *C. glycinoides*.

MARTIA, Spreng. Anleit. ii. 788 (1818) = **Hypericum**, Tourn.  
*campanulata*, Spreng. Syst. iii. 333 = *H. virginicum*.  
*dichotoma*, Spreng. l. c. = *H. dichotomum*, Lam.  
*petiolata*, Spreng. l. c. = *H. paludosum*.  
*polyandra*, Spreng. l. c. = *H. aegyptiacum*.  
*virginicum*, Spreng. Anleit. ii. 788 = *H. virginicum*.

MARTINERIA, Pfeiff. Nom. ii. 236 (1874) = **MARTINIERIA**, Vell. = **Kielmeyera**, Mart. (Ternstr.).

**MARTINEZIA**, Ruiz & Pav. Prod. 148. t. 32 (1794). **PALMAE**, Benth. & Hook. f. iii. 944.  
*AIPHANES*, Willd. in Mém. Acad. Berl. (1804) 32.  
*MARARA*, Karst. in Linnaea, xxviii. (1856) 389.  
*aculeata*, Klotzsch, in Linnaea, xx. (1847) 455 = *M. Aiphanes*.  
*Aiphanes*, Mart. *Palmet. Orbign.* 77.—Venezuela.  
*antioquiensis*, Linden, *Illustr. Hort.* xxviii. (1881) 32, nomen.—N. Granat.  
*caryotaefolia*, H. B. & K. Nov. Gen. et Sp. i. 305. t. 699.—Am. austr.  
*ciliata*, Ruiz & Pav. Syst. Veg. 295 = *Bactris ciliata*.  
*corallina*, Mart. *Hist. Nat. Palm.* iii. 284.—Ins. Martinique.  
*disticha*, Linden, Cat. n. 93 (1875) 32, cum ic.; *Wallis, ex Regel, Gartenfl.* (1879) 163. t. 977. f. 1.—N. Granat.  
*elegans*, Linden & H. Wendl. in *Linnaea*, xxviii. (1856) 351.—N. Granat.  
*ensiformis*, Ruiz & Pav. Syst. Veg. 297 = *Euterpe ensiformis*.  
*erosa*, Linden, Cat. n. 87 (1871) 5.—Ind. occ.  
*granatensis*, Hort. ex H. Wendl. in *Kerch. Palm.* 251, nomen.—N. Granat.  
*interrupta*, Ruiz & Pav. Syst. Veg. 296.—Peruv.  
*lanceolata*, Ruiz & Pav. l. c. 297 = *Chamaedorea gracilis*.  
*leucophoeus*, Hort.—Cf. *Gard. Chron.* (1875) I. 589.—N. Granat.  
*Lindeniana*, H. Wendl. in *Linnaea*, xxviii. (1856) 349.—N. Granat.  
*linearis*, Ruiz & Pav. Syst. Veg. 297 = *Chamaedorea linearis*.  
*minor*, Linden, *Illustr. Hort.* xxviii. (1881) 32, nomen.—N. Granat.  
*Roelzii*, Hort.—Cf. *Gard. Chron.* (1876) I. 735; (1878) I. 439.—Am. trop.  
*truncata*, Brongn. in *Mart. Palmet. Orbign.* 75.—Bolivia.

MARTINIERA, Guill. in Deless. Ic. Sel. iii. 23. t. 40 (1837) = **Wendtia**, Meyen (Geran.).  
*potentilloides*, Guill. l. c. = *W. gracilis*.

MARTINIERIA, Vell. Fl. Flum. 232 (1825); v. t. 114. (1827) = **Kielmeyera**, Mart. (Ternstr.).  
*arbores*, Vell. ll. cc. = *K. coriacea*.

MARTINIERIA, Walp. Ann. i. 141 (1848) = **MARTINIERA**, Guill. = **Wendtia**, Meyen (Geran.).

MARTINSIA, Godr. in Mém. Acad. Stanislas, Sér. III. [xvii.] 1853 (1854) 378 = **Boreava**, Jaub. & Spach (Crucif.).  
*glatifolia*, Godr. l. c. = *B. orientalis*.

MARTIUSA, Benth. & Hook. f. Gen. i. 571 (1865) = seq.

MARTIUSIA, Benth. in Hook. Journ. Bot. ii. (1840) 84 = **Martia**, Benth. (Legumin.).  
*excelsa*, Benth. l. c. = *Martia excelsa*.  
*parvifolia*, Benth. l. c. 103 = *Martia parvifolia*.

MARTIUSIA, Schult. Mant. i. 69 (1822) = **Clitoria**, Linn. (Legumin.).  
*physalodes*, Schult. l. c. 226 = *C. glycinoides*.

MARTRASIA, Lag. Amen. Nat. i. 36 (1811) = **Jungia**, Linn. f. (Compos.).  
*auriculata*, Lag. l. c. = *J. auriculata*.  
*axillaris*, Lag. ex Steud. Nom. ed. II. ii. 104 = *J. axillaris*.  
*crenata*, Lag. Amen. Nat. i. 36 = *J. crenata*.  
*pubescens*, Lag. l. c. = *J. floribunda*, Less.  
*sericea*, Lag. l. c. = *J. sericea*.

**MARTYNIA**, Houst. ex Linn. Syst. ed. I (1735). **PEDALINEAE**, Benth. & Hook. f. ii. 1055.

*BASONCA*, Rafin. Fl. Tellur. iv. 68 (1836).  
*CARPOCERAS*, A. Rich. Elem. Bot. (1846) 706.  
*DISTERIA*, Rafin. Fl. Tellur. iv. 68 (1836).  
*HOLOREGMIA*, Nees, in Flora, iv. (1821) 300.  
*MYRTINIA*, Nees, in DC. Prod. xi. 174 (1847).  
*PROBOSCIDEA*, Schmid, Ic. 49. t. 12, 13 (1747).  
*SESAMUM*, Adans. Fam. ii. 213 (1763).  
*VATKEA*, Hildeb. & O. Hoffm. in Verh. Bot. Ver. Brandenb. xxii. (1880) 45, 78.  
*alternifolia*, Lam. Encyc. ii. 112 = *proboscidea*.  
*altheaefolia*, Benth. Bot. Voy. Sulph. 37.—Am. bor. occ.  
*angulosa*, Lam. Encyc. ii. 112 = *diandra*.  
*annua*, Linn. Sp. Pl. 618 = *proboscidea*, *Craniolaria annua*.  
*arenaria*, Engelm. in Wisliz. Tour North Mexic. 100 = *altheaefolia*.  
*Botterii*, Hemsl. Biol. Centr. Am. Bot. ii. 499.—Mexic.  
*capensis*, Glox. Obs. 13 = *Rogeria longiflora*.  
*caulescens*, Desf. ex Steud. Nom. ed. II. ii. 104 = *Sinningia speciosa*.  
*Craniolaria*, Glox. Obs. 14 = *Craniolaria annua*.  
*diandra*, Glox. l. c. t. 1.—Bras.; Mexic.  
*fallax*, Kunze, in Linnaea, xviii. (1844) 164 = *Craniolaria fallax*.  
*fragrans*, Lindl. Bot. Reg. (1840) Misc. 85.—Mexic.  
*fruticosa*, Glox. Obs. 15 = *Pentarrhaphia Craniolaria*.  
*hirsuta*, Desf. ex Steud. Nom. ed. II. ii. 104 (= *Ligeria hirsuta*).—Bras.  
*integrifolia*, Steud. l. c. = *Craniolaria integrifolia*.  
*lanceolata*, Macrae, ex Nees, in DC. Prod. xi. 174, 182 = *Strobilanthes lanceolatus*.  
*lanceolata*, Moon, Cat. Pl. Ceyl. 45 = *Chirita Moonii*, *Strobilanthes lanceolatus*.  
*longiflora*, Linn. Syst. ed. XII. 412 = *Rogeria longiflora*.  
*louisiana*, Mill. Gard. Dict. ed. VIII. n. 3 = seq.  
*louisianica*, Mill. l. c. (in Err.) = *proboscidea*.  
*lutea*, Lindl. in Bot. Reg. t. 934.—Bras.  
*montevidensis*, Cham. in Linnaea, vii. (1832) 724.—Bras.

*pallida*, Salisb. Prod. 103 = *proboscidea*.  
*perennis*, Linn. Sp. Pl. 618 = *Gloxinia maculata*.  
*proboscidea*, Glox. Obs. 14.—Am. bor.  
*spathacea*, Lam. Encyc. ii. 112 = *Craniolaria annua*.  
*spathacea*, Spreng. Syst. iv. Cur. Post. 238.—Bras.  
*speciosa*, Loisel. Herb. Amat. t. 225 = *Sinningia speciosa*.  
*triloba*, Cham. & Schlecht. in Linnaea, v. (1830) 121.—Mexic.  
*violacea*, Engelm. in Wisliz. Tour North Mexic. 101 = *fragrans*.  
*zanguebarica*, Lour. Fl. Cochinch. ii. 386 = *Pretrea zanguebarica*.

MARUBIUM, Roth, Tent. Fl. Germ. ii. 34 (1793) = **Marrubium**, Tourn. (Labiata.).

**MARUMIA**, Blume, in Flora, xiv. (1831) 503.

**MELASTOMACEAE**, Benth. & Hook. f. i. 757.  
**MACROLENES**, Naud. in Ann. Sc. Nat. Sér. III. xv. (1851) 311.  
*affinis*, Korth. Verh. Nat. Gesch. Bot. 241. t. 60 = *memorosa*.  
*annulata*, Triana, in Trans. Linn. Soc. xxviii. (1871) 82.—Java.  
*bancana*, Scheff. in Tijdschr. Nederl. Ind. xxxi. (1870) 355.—Ins. Banca.  
*bipulvinata*, Triana, in Trans. Linn. Soc. xxviii. (1871) 82.—Java.  
*echinulata*, Naud. in Ann. Sc. Nat. Sér. III. xv. (1851) 280 = *zeylanica*.  
*Horsfieldii*, Miq. Fl. Ind. Bat. i. r. 536.—Java.  
*Jackii*, Korth. Verh. Nat. Gesch. Bot. 243 = *stellulata*.  
*Korthalsiana*, Miq. Fl. Ind. Bat. Suppl. 318.—Sumatra.  
*leprosa*, Korth. Verh. Nat. Gesch. Bot. 241.—Borneo.  
*muscosa*, Blume, in Flora, xiv. (1831) 504.—Java.  
*memorosa*, Blume, l. c. 505.—Malaya.  
*oligantha*, Naud. in Ann. Sc. Nat. Sér. xv. (1851) 281 = *reticulata*.



**MARUMIA** :—

- pachygyna*, Korth. *Verh. Nat. Gesch. Bot.* 242.—Borneo.  
*reticulata*, Blume, *Mus. Bot. Lugd. Bat.* i. 34.—Sumatra.  
*rhodocarpa*, Triana, in *Trans. Linn. Soc.* xxviii. (1871) 176 = *zeylanica*.  
*stellulata*, Blume, in *Flora*, xiv. (1831) 505.—Sumatra.  
*stellulata*, Korth. *Verh. Nat. Gesch. Bot.* 243 = *reticulata*.  
*vulcanica*, Korth. l. c. = *stellulata*.  
*zeylanica*, Blume, in *Flora*, xiv. (1831) 505.—Zeylan.  
**MARUMIA**, Reinw. ex Blume, *Cat. Gew. Buitenz.* 79 (1823) = *Saurauja*, Willd. (Ternstr.).  
*angustifolia*, Reinw. ex De Vriese, *Pl. Ind. Bat.* Reinw. 50 = *S. lanceolata*.  
*cauliflora*, Reinw. ex Blume, *Cat. Gew. Buitenz.* 79 = *S. cauliflora*.  
*dioica*, Reinw. ex Miq. *Fl. Ind. Bat.* i. ii. 484 = *S. tristyla*.  
*macrophylla*, Reinw. ex Blume, *Cat. Gew. Buitenz.* 79.—Hab. ?  
*montana*, Reinw. ex Blume, l. c. 80 = *S. hirsuta*.  
*muricata*, Reinw. ex Blume, l. c. = *S. muricata*.  
*pentapetala*, Reinw. ex De Vriese, *Pl. Ind. Bat.* Reinw. 48 = *S. euryolepis*.

- MARUPA**, Miers, in *Journ. Bot.* xi. (1873) 258. *SIMARUBEAE*.  
 ODINA, Netto, in *Ann. Sc. Nat. Sér. V. v.* (1866) 85.  
 Francoana, Miers, in *Journ. Bot.* xi. (1873) 260.—Bras.  
*paraensis*, Miers, in *Journ. Linn. Soc.* xvii. (1878) 151.—Bras.

- MARUTA**, Cass. in *Bull. Soc. Philom.* (1818) 167 = *Anthemis*, Mich. (Compos.).  
*Cotula*, DC. *Prod.* vi. 13 = *A. Cotula*.  
*foetida*, S. F. Gray, *Nat. Arr. Brit. Pl.* ii. 456 = *A. Cotula*.  
*fuscata*, DC. *Prod.* vi. 14 = *A. fuscata*.  
*hemisphaerica*, Hook. f. *Fl. Brit. Ind.* iii. 316, sphalm. = *Cotula hemisphaerica*.  
*lithuanica*, Hort. ex Fisch. Mey. & Avé-Lall. *Ind. Sem. Hort. Petrop.* x. 53 = *Matricaria confusa*.  
*Michelliana*, Fisch. Mey. & Avé-Lall. l. c. xi. 76 = *A. maritima*.  
*microcephala*, Schrenk, in *Fisch. Mey. & Avé-Lall.* l. c. x. 53; et xi. 77.—Soongar.  
*mixta*, Moris, *Fl. Sard.* ii. 416 = *Ormenis mixta*.  
*vulgaris*, Bluff & Fingerh. *Comp. Fl. Germ.* ii. 392 = *A. Cotula*.

- MASCAGNIA**, Bert. ex Colla, *Hort. Ripul.* 86 (1824) = *Hiraea*, Jacq. (Malpig.).  
*ambigua*, Griseb. in *Mart. Fl. Bras.* xii. i. 90 = *H. ambigua*.  
*americana*, Bert. ex DC. *Prod.* i. 585 = *H. oblongifolia*.  
*anisopetala*, Griseb. in *Mart. Fl. Bras.* xii. i. 95 = *H. anisopetala*.  
*argentea*, Griseb. l. c. 90 = *H. argentea*.  
*biglandulosa*, Griseb. l. c. 91 = *Heladena biglandulosa*.  
*bracteosa*, Griseb. l. c. 97.—Bras.  
*brevifolia*, Griseb. in *Goett. Abh.* xxiv. (1879) 67.—Reg. Argent.  
*bunchosioides*, Griseb. in *Mart. Fl. Bras.* xii. i. 92 = *Heladena bunchosioides*.  
*chlorocarpa*, Griseb. l. c. 93 = *H. chlorocarpa*.  
*cordifolia*, Griseb. l. c. 95 = *H. cordifolia*.  
*coriacea*, Griseb. l. c. 92.—Bras.  
*cynanchifolia*, Griseb. l. c. 95.—Bras.  
*Doniana*, Griseb. l. c. 94.—Bras.  
*dumetorum*, Griseb. in *Goett. Abh.* xxiv. (1879) 67.—Reg. Argent.  
*elegans*, Griseb. in *Mart. Fl. Bras.* xii. i. 95 = *H. elegans*.  
*exotropa*, Griseb. l. c. 93.—Bras.  
*fluminensis*, Griseb. l. c. 94 = *H. fluminensis*.  
*leucanthela*, Griseb. l. c. 96.—Bras.  
*microphylla*, Griseb. l. c. 98 = *H. microphylla*.  
*oblongifolia*, Bert. ex DC. *Prod.* i. 585 = *H. oblongifolia*.  
*ovatifolia*, Griseb. *Fl. Brit. W. Ind.* 121 = *H. ovatifolia*.  
*psilophylla*, Griseb. in *Mart. Fl. Bras.* xii. i. 94 = *H. psilophylla*.  
*pubiflora*, Griseb. l. c. 91 = *H. pubiflora*.

**MASCAGNIA** :—

- rigida*, Griseb. in *Mart. Fl. Bras.* xii. i. 92 = *Hiraea rigida*.  
*rubra*, Griseb. l. c. 90.—Bras.  
*salicifolia*, Griseb. l. c. = *H. salicifolia*.  
*sepium*, Griseb. l. c. 96 = *H. sepium*.  
*septentrionalis*, Griseb. l. c. 93, in obs. = *H. septentrionalis*.  
*Simsiana*, Griseb. *Fl. Brit. W. Ind.* 121 = *H. Simsiana*.  
*sinemariensis*, Griseb. in *Mart. Fl. Bras.* xii. i. 93, in obs. = *H. Simsiana*.

- MASCARENHASIA**, A. DC. in *DC. Prod.* viii. 487 (1844). *APOCYNACEAE*, Benth. & Hook. f. ii. 721.  
*angustifolia*, A. DC. in *DC. Prod.* viii. 488.—Ins. Nossibé.  
*arborescens*, A. DC. l. c.—Madag.  
*brevituba*, Vatke, in *Bremen, Abh.* ix. (1885) 125.—Ins. Nossibé.  
*Curnowiana*, Hort.—Cf. *Gard. Chron.* (1884) ii. 146.—Madag.  
*Havetii*, A. DC. in *DC. Prod.* viii. 488.—Madag.  
*lanceolata*, A. DC. l. c.—Ins. Nossibé.  
*lisianthiflora*, A. DC. l. c. 487.—Madag.  
*macrocalyx*, Baker, in *Journ. Bot.* xx. (1882) 219.—Madag.  
*Rutenbergiana*, Vatke, in *Bremen, Abh.* ix. (1885) 124.—Ins. Mascar.

- MASCHALANTHE**, Blume, *Fl. Jav. Praef.* p. vi (1828) = *Urophyllum*, Wall. (Rubiace.).

- MASCHALANTHUS**, Nutt. in *Trans. Am. Phil. Soc.* v. (1837) 175 = *Andrachne*, Linn. (Euphorb.).  
*obovatus*, Nutt. l. c. = *A. Roemeriana*.  
*polygonoides*, Nutt. l. c. = *A. Roemeriana*.

- MASDEVALLIA**, Ruiz & Pav. *Prod.* 122. t. 27 (1794). *ORCHIDEAE*, Benth. & Hook. f. iii. 492.  
*abbreviata*, Reichb. f. in *Gard. Chron.* (1878) ii. 106.—Peruv. ?  
*acrochordonia*, Reichb. f. *Xenia Orch.* ii. 213.—Ecuador.  
*aequiloba*, Regel, *Gartenfl.* ix. (1860) 82. t. 285.—Peruv.  
*affinis*, Lindl. *Orch. Linden.* 5.—N. Granat.  
*amabilis*, Reichb. f. & Warsc. in *Bonplandia*, ii. (1854) 116.—Peruv.  
*amanda*, Reichb. f. & Warsc. l. c. 115.—N. Granat.  
*amethystina*, Reichb. f. *Otia Bot. Hamb.* 14.—Reg. Andin.  
*anachaeta*, Reichb. f. l. c. 17.—Ecuador.  
*anchorifera*, Reichb. f. in *Gard. Chron.* (1884) i. 577.—Costa Rica.  
*angulata*, Reichb. f. *Otia Bot. Hamb.* 15.—Ecuador.  
*aristata*, Rodrig. *Orch. Nov.* i. 30.—Bras.  
*Arminii*, Linden & Reichb. f. in *Bonplandia*, ii. (1854) 283.—N. Granat.  
*atropurpurea*, Reichb. f. in *Walp. Ann.* vi. 1216 (Index) = *auropurpurea*.  
*attenuata*, Reichb. f. in *Gard. Chron.* (1871) 834.—Costa Rica.  
*aurantiaca*, Lindl. in *Hook. Comp. Bot. Mag.* ii. (1836) 357.—Bras.  
*auriculigera*, Reichb. f. *Otia Bot. Hamb.* 93.—Bras.  
*auropurpurea*, Reichb. f. & Warsc. in *Bonplandia*, ii. (1854) 115.—N. Granat.  
*aviceps*, Reichb. f. *Otia Bot. Hamb.* 93.—Bras.  
*Backhousiana*, Reichb. f. in *Gard. Chron.* (1879) i. 716.—N. Granat.  
*Barlaeana*, Reichb. f. in *Gard. Chron.* (1876) i. 170.—Peruv.  
*bella*, Reichb. f. l. c. (1878) i. 725.—N. Granat.  
*Benedicti*, Reichb. f. *Xenia Orch.* ii. 197.—N. Granat.  
*bicolor*, Poepp. & Endl. *Nov. Gen. et Sp.* ii. 6.—Peruv.  
*biflora*, E. Morr. in *Fl. des Serres*, Sér. II. ix. (1873) 128 = *bicolor*.  
*Bonplandi*, Reichb. f. in *Bonplandia*, iii. (1855) 69.—Hab. ?  
*brevis*, Reichb. f. in *Gard. Chron.* (1883) ii. 588.—Guian.  
*Bruchmulleri*, E. Morr. in *Fl. des Serres*, Sér. II. ix. (1873) 128.—Hab. ?  
*Buccinator*, Reichb. f. & Warsc. in *Bonplandia*, ii. (1854) 115.—N. Granat.

**MASDEVALLIA** :—

- caloptera*, Reichb. f. in *Gard. Chron.* (1874) i. 338.—Peruv.  
*calura*, Reichb. f. l. c. (1883) ii. 230.—Hab. ?  
*campyloglossa*, Reichb. f. l. c. (1878) ii. 588.—Hab. ?  
*candida*, Klotzsch & Karst. ex Reichb. f. in *Bonplandia*, ii. (1854) 23 = *tovarensis*.  
*Carderi*, Reichb. f. in *Gard. Chron.* (1883) i. 784.—Hab. ?  
*caudata*, Lindl. *Gen. et Sp. Orch.* 193.—N. Granat.  
*cayennensis*, Reichb. f. in *Otto & Dietr. Allg. Gartenz.* xxiii. (1855) 242.—Guian.  
*Chelsoni* x, Reichb. f. in *Gard. Chron.* (1880) i. 554.  
*Chestertoni*, Reichb. f. in *Gard. Chron.* (1883) i. 532.—N. Granat.  
*Chimaera*, André, in *Illustr. Hort.* xx. (1873) 25. t. 117–118 = *nycterina*.  
*Chimaera*, Reichb. f. in *Gard. Chron.* (1872) 463.—Am. austr.  
*chontalensis*, Reichb. f. *Otia Bot. Hamb.* 17.—Nicaragua.  
*cinnamomea*, Reichb. f. in *Bonplandia*, iii. (1855) 225.—Peruv.  
*civilis*, Reichb. f. l. c. ii. (1854) 115.—Peruv.  
*coccinea*, Linden, ex Lindl. *Orch. Linden.* 5.—N. Granat.  
*Colibri*, Burbidge, in *Florist & Pomol.* (1873) 3 = *M. Ehippium*.  
*constricta*, Poepp. & Endl. *Nov. Gen. et Sp.* ii. 6.—Peruv.  
*coriacea*, Lindl. in *Ann. & Mag. Nat. Hist. Ser. I.* xv. (1845) 257.—N. Granat.  
*corniculata*, Reichb. f. in *Gard. Chron.* (1878) i. 72.—N. Granat.  
*cucullata*, Lindl. *Orch. Linden.* 4.—N. Granat.  
*cuprea*, Lindl. *Bot. Reg.* (1843) *Misc.* 81.—Guian.  
*cupularis*, Reichb. f. *Beitr. Orch. Centr. Am.* 93.—Costa Rica.  
*curtipes*, Rodrig. *Orch. Nov.* ii. 95.—Bras.  
*Davisii*, Reichb. f. in *Gard. Chron.* (1874) ii. 710.—Am. austr.  
*Dayana*, Reichb. f. in *Gard. Chron.* (1880) ii. 295.—N. Granat.  
*Denisoni*, D'Ombre in *Fl. Mag. N. S. t.* 79.—Hab. ?  
*Echidna*, Reichb. f. in *Bonplandia*, iii. (1855) 69.—N. Granat.  
*Eduardi*, Reichb. f. in *Gard. Chron.* (1880) ii. 778.—N. Granat.  
*elephanticeps*, Reichb. f. & Warsc. in *Bonplandia*, ii. (1854) 116.—N. Granat.  
*ellipes*, Reichb. f. in *Linnaea*, xli. (1877) 11.—N. Granat.  
*ensata*, Reichb. f. l. c. xxii. (1849) 818.—N. Granat.  
*Ephippium*, Reichb. f. in *Bot. Zeit.* (1873) 390.—N. Granat.  
*erinacea*, Reichb. f. in *Linnaea*, xli. (1877) 11.—N. Granat.  
*erythrochaete*, Reichb. f. in *Gard. Chron.* 1882) ii. 392.—Am. centr.  
*Estradae*, Reichb. f. l. c. (1874) ii. 435.—N. Granat.  
*expansa*, Reichb. f. in *Otia Bot. Hamb.* 16.—N. Granat.  
*Falcago*, Reichb. f. l. c.—N. Granat.  
*fasciata*, Reichb. f. in *Gard. Chron.* (1881) i. 202.—N. Granat.  
*fenestrata*, Linden, *Illustr. Hort.* xxix. (1882) 67, nomen.—N. Granat.  
*fenestrata*, Lindl. ex Hook. *Bot. Mag.* t. 4164.—Jamaic.  
*flaveola*, Reichb. f. in *Gard. Chron.* (1884) i. 638.—Costa Rica.  
*floribunda*, Lindl. *Bot. Reg.* (1843) *Misc.* 72.—Mexic.  
*Fraseri* x, Reichb. f. in *Gard. Chron.* (1882) i. 143.  
*Gairiana* x, Reichb. f. l. c. (1884) ii. 38.  
*Galeottiana*, Rich. & Gal. in *Ann. Sc. Nat. Sér. III.* iii. (1845) 17 = *floribunda*.  
*Gargantua*, Reichb. f. in *Gard. Chron.* (1876) ii. 516.—N. Granat.  
*Gaskelliana*, Reichb. f. l. c. (1883) ii. 294.—Hab. ?  
*gemmata*, Reichb. f. l. c.—Hab. ?  
*gibberosa*, Reichb. f. l. c. (1876) i. 8.—N. Granat.  
*gracilenta*, Reichb. f. l. c. (1875) 98.—Costa Rica.  
*guayanensis*, Lindl. ex Benth. in *Hook. Lond. Journ. Bot.* ii. (1843) 673.—Guian.  
*Gustavi*, Reichb. f. in *Gard. Chron.* (1875) i. 461.—Hab. ?  
*guttulata*, Reichb. f. in *Linnaea*, xli. (1877) 118.—Ecuador !



**MASDEVALLIA:—**

- Harryana*, Reichb. f. in Gard. Chron. (1871) 1421 = coccinea.  
*heteroptera*, Reichb. f. l. c. (1875) i. 590.—N. Granat.  
*hians*, Linden & Reichb. f. in Bonplandia, ii. (1854) 283.—N. Granat.  
*hieroglyphica*, Reichb. f. in Gard. Chron. (1882) ii. 230.—N. Granat.  
*Houtteana*, Reichb. f. l. c. (1874) ii. 98.—N. Granat.  
*hymenantha*, Reichb. f. in Bonplandia, iii. (1855) 225.—Peruv.  
*Hypodiscus*, Reichb. f. in Gard. Chron. (1878) ii. 234.—Hab.?  
*igneus*, Reichb. f. l. c. (1871) 1482.—N. Granat.  
*inequalis*, Reichb. f. l. c. (1874) i. 372.—N. Granat.  
*inflata*, Reichb. f. l. c. (1881) ii. 716.—Hab.?  
*infracta*, Lindl. Gen. et Sp. Orch. 193.—Bras.  
*ionocharis*, Reichb. f. in Gard. Chron. (1875) ii. 388.—Peruv.  
*Klaboctorum*, Reichb. f. l. c. (1876) i. 720.—Am. austr.  
*laevis*, Lindl. in Ann. & Mag. Nat. Hist. Ser. I. xv. (1845) 257.—N. Granat.  
*Lansbergii*, Reichb. f. in Nederl. Kruidk. Arch. iv. (1859) 317.—Venezuela.  
*lata*, Reichb. f. in Gard. Chron. (1877) i. 653.—Am. centr.  
*Lehmanni*, Reichb. f. l. c. (1877) ii. 38.—Ecuador.  
*leontoglossa*, Reichb. f. in Bonplandia, iii. (1855) 69.—N. Granat.  
*lepida*, Reichb. f. l. c.—N. Granat.  
*Lindenii*, André, Illustr. Hort. xvii. (1870) 226. t. 42 = coccinea.  
*Lindeniana*, A. Rich. & Gal. in Ann. Sc. Nat. Sér. III. iii. (1845) 17.—Mexic.  
*Livingstoneana*, Roez & Reichb. f. in Gard. Chron. (1874) ii. 322.—Panama.  
*longicaudata*, Lem. Illustr. Hort. xv. (1868) Misc. 109 = infracta.  
*ludibunda*, Reichb. f. in Gard. Chron. (1882) i. 179.—N. Granat.  
*macroactyla*, Reichb. f. l. c. (1872) 571.—N. Granat.  
*macroglossa*, Reichb. f. in Otia Bot. Hamb. 15.—Venezuela.  
*macrura*, Reichb. f. in Gard. Chron. (1874) i. 240.—N. Granat.  
*maculata*, Klotzsch & Karst. in Otto & Dietr. Allg. Gartenz. xv. (1847) 330.—Venezuela.  
*marginella*, Reichb. f. in Gard. Chron. (1883) ii. 38.—Hab.?  
*Mastodon*, Reichb. f. in Bonplandia, iii. (1855) 69.—N. Granat.  
*melanopus*, Reichb. f. in Gard. Chron. (1874) i. 338.—Peruv.  
*melanoxantha*, Linden & Reichb. f. in Bonplandia, ii. (1854) 283.—N. Granat.  
*Meleagris*, Lindl. in Ann. & Mag. Nat. Hist. Ser. I. xv. (1845) 257.—N. Granat.  
*militaris*, Reichb. f. & Warsc. in Bonplandia, ii. (1854) 115.—N. Granat.  
*minuta*, Lindl. in Ann. & Mag. Nat. Hist. Ser. I. xii. (1843) 396.—Guiana.  
*Molossus*, Reichb. f. in Linnaea, xli. (1877) 10.—N. Granat.  
*Mooreana*, Reichb. f. in Gard. Chron. (1884) i. 408.—Hab.?  
*muscosa*, Reichb. f. l. c. (1875) i. 460.—N. Granat.  
*myriostigma*, E. Morr. in Fl. des Serres, Sér. II. ix. (1869–70) 131, 132 = floribunda.  
*nidifica*, Reichb. f. Otia Bot. Hamb. 18.—Ecuador.  
*Normanni*, Hort.—Cf. Gard. Chron. (1881) ii. 230 = Reichenbachiana.  
*nycterina*, Reichb. f. l. c. (1873) 1238.—N. Granat.  
*ochracea*, Burbidge, l. c. (1871) 1421 = coriacea.  
*ochthodes*, Reichb. f. in Bonplandia, iii. (1855) 70.—N. Granat.  
*ophioglossa*, Reichb. f. Otia Bot. Hamb. 17.—Ecuador.  
*pachyantha*, Reichb. f. in Gard. Chron. (1884) i. 174.—N. Granat.  
*pachyura*, Reichb. f. l. c. (1874) ii. 322.—Hab.?  
*Paivaana*, Reichb. f. Xenia Orch. iii. 25.—Bolivia.  
*pardina*, Reichb. f. Otia Bot. Hamb. 15.—N. Granat.  
*Parlatoreana*, Reichb. f. in Gard. Chron. (1879) i. 172.—Peruv.  
*Peristeria*, Reichb. f. l. c. (1874) i. 500.—N. Granat.  
*picturata*, Reichb. f. Otia Bot. Hamb. 16.—Venezuela.

**MASDEVALLIA:—**

- platyglossa*, Reichb. f. in Gard. Chron. (1882) ii. 552.—Hab.?  
*polyantha*, Lindl. Orch. Linden. 6.—N. Granat.  
*polysticta*, Hook. f. Bot. Mag. t. 6258 = melanopus.  
*polysticta*, Reichb. f. in Gard. Chron. (1874) i. 338.—Peruv.  
*porcelliceus*, Reichb. f. l. c. (1883) i. 10.—Hab.?  
*psittacina*, Reichb. f. l. c. (1876) i. 817.—N. Granat.?  
*pulvinaris*, Reichb. f. l. c. (1880) i. 200.—Hab.?  
*pumila*, Poepp. & Endl. Nov. Gen. et Sp. ii. 6.—Peruv.  
*racemosa*, Lindl. in Ann. & Mag. Nat. Hist. Ser. I. xv. (1845) 256.—N. Granat.  
*radiosa*, Reichb. f. in Gard. Chron. (1877) i. 684.—N. Granat.  
*Reichenbachiana*, Endres, l. c. (1875) ii. 257.—Costa Rica.  
*riograndensis*, Hort.—Cf. Gard. Chron. (1871) 1421, nomen.—Hab.?  
*Roezii*, Reichb. f. Xenia Orch. ii. 196.—N. Granat.  
*rosea*, Lindl. in Ann. & Mag. Nat. Hist. Ser. I. xv. (1845) 257.—N. Granat.  
*rufolutea*, Lindl. in Gard. Chron. (1853) 292, nomen = civilis.  
*Saltatrix*, Reichb. f. in Linnaea, xli. (1877) 10.—N. Granat.  
*Sceptrum*, Reichb. f. in Bonplandia, ii. (1854) 283.—N. Granat.  
*Schlimii*, Linden, ex Lindl. Orch. Linden. 5.—Venezuela.  
*senilis*, Reichb. f. in Gard. Chron. (1885) ii. 489.—Hab.?  
*severa*, Reichb. f. l. c. (1875) i. 170.—N. Granat.  
*Shuttleworthii*, Reichb. f. l. c.—N. Granat.  
*simula*, Reichb. f. l. c. 8.—N. Granat.  
*Spectrum*, Reichb. f. l. c. 429.—Hab.?  
*splendida*, Reichb. f. l. c. (1878) i. 493.—Am. austr.  
*Sprucei*, Reichb. f. Otia Bot. Hamb. 17.—Bras.  
*surinamensis*, Focke, in Tijdschr. Nat. Wetensch. iv. (1851) 62 = minuta.  
*swertiaefolia*, Reichb. f. in Gard. Chron. (1880) ii. 390.—N. Granat.  
*torta*, Reichb. f. l. c. (1883) i. 110.—Hab.?  
*tovarensis*, Reichb. f. in Linnaea, xxii. (1849) 818.—N. Granat.  
*triangularis*, Lindl. Orch. Linden. 5.—N. Granat.  
*triastrella*, Reichb. f. in Gard. Chron. (1876) ii. 226.—Costa Rica.  
*trichaete*, Reichb. f. l. c. (1883) ii. 360.—Hab.?  
*tricolor*, Reichb. f. l. c. (1882) ii. 102.—N. Granat.  
*tricolor*, Reichb. f. in Linnaea, xxii. (1849) 818.—Venezuela.  
*tridactylites*, Reichb. f. in Gard. Chron. (1883) i. 784.—Hab.?  
*tridens*, Reichb. f. Otia Bot. Hamb. 13.—Ecuador.  
*tridentata*, Lindl. in Hook. Comp. Bot. Mag. ii. (1836) 357.—Bras.  
*Triglochis*, Reichb. f. in Gard. Chron. (1877) ii. 648.—Ecuador.  
*triquetra*, Scheidw. in Otto & Dietr. Allg. Gartenz. vii. (1839) 146.—Hab.?  
*Trochilus*, Linden & André, ex Gard. Chron. (1873) 711; Illustr. Hort. xxi. (1874) 136. t. 180.—N. Granat.  
*Troglodytes*, E. Morr. Belg. Hort. xxvii. (1877) 97. t. 5.—N. Granat.  
*Tubeana*, Reichb. f. in Gard. Chron. (1878) i. 234.—Ecuador.  
*tubulosa*, Lindl. Orch. Linden. 4.—Venezuela.  
*uncifera*, Reichb. f. Otia Bot. Hamb. 16.—Ecuador.  
*uniflora*, Ruiz & Pav. Syst. Veg. 238.—Ecuador.  
*urostachya*, Reichb. f. in Gard. Chron. (1882) i. 765.—Hab.?  
*Veitchiana*, Reichb. f. in Gard. Chron. (1868) 814; et ex Hook. f. Bot. Mag. t. 5739.—Peruv.  
*velifera*, Reichb. f. in Gard. Chron. (1874) i. 406, nomen; (1874) ii. 98.—Hab.?  
*velutina*, Reichb. f. l. c. (1875) ii. 420.—N. Granat.  
*ventricularia*, Reichb. f. Otia Bot. Hamb. 14.—Ecuador.  
*venusta*, Hort.—Cf. Gard. Chron. (1871) 1421, nomen.—Hab.?  
*verrucosa*, Reichb. f. in Linnaea, xxii. (1849) 819.—Venezuela.  
*Vespertilio*, Reichb. f. in Bot. Zeit. xxxi. (1873) 390.—N. Granat.

**MASDEVALLIA:—**

- Wageneriana*, Linden, in Lindl. & Paxt. Flow. Gard. iii. (1852–53) 74.—Venezuela.  
*Wallisii*, Reichb. f. in Gard. Chron. (1875) ii. 258.—N. Granat.  
*Winniana*, Reichb. f. l. c. (1881) ii. 198.—Hab.?  
*xanthina*, Reichb. f. l. c. (1880) i. 681.—Hab.?  
*xanthodactyla*, Reichb. f. l. c. (1877) ii. 552.—Hab.?  
*xiphers*, Reichb. f. in Linnaea, xli. (1877) 12.—N. Granat.  
*xylina*, Reichb. f. in Bot. Zeit. xxxi. (1873) 390.—N. Granat.
- MASSANGEA**, E. Morr. in Belg. Hort. (1877) 59, 199. t. 8 = *Caraguata*, Lindl. (Bromel.).  
*hieroglyphica*, Carr. in Rev. Hort. (1878) 175.—Bras.  
*Lindenii*, André, in Illustr. Hort. xxv. (1878) 55. t. 309.—Peruv.  
*musica*, E. Morr. Belg. Hort. xxvii. (1877) 59, 199. tt. 8, 9 = *C. musica*.  
*tigrina*, Hort.—Cf. Gard. Chron. (1883) i. 510.—Bras.
- MASSANGIA**, Benth. & Hook. f. Gen. iii. 668 (1883), err. typ. = praec.
- MASSOIA**, Becc. in D'Albertis, New Guinea, ii. 398 (1880). *LAURINEAE*.  
*aromatica*, Becc. l. c.—N. Guin.
- MASSONIA**, Thunb. ex Linn. f. Suppl. 27, 193 (1781). *LILIACEAE*, Benth. & Hook. f. iii. 806.  
*PODOCALLIS*, Salisb. Gen. Pl. Fragm. 17 (1866).  
*angustifolia*, [Delile, in] Red. Lil. t. 392 = Zeyheri.  
*angustifolia*, Linn. f. Suppl. 193.—Afr. austr.  
*aurea*, Hort. ex G. Don, in Sweet, Hort. Brit. ed. III. 699 = *Daubinya aurea*.  
*Bowkeri*, Baker, in Journ. Linn. Soc. xi. (1871) 390.—Afr. austr.  
*brachypus*, Baker, in Journ. Bot. xii. (1874) 368.—Afr. austr.  
*breviscapa*, Lehm. Delect. Sem. Hort. Hamb. (1838) 8.—Afr. austr.  
*Burchellii*, Baker, in Journ. Linn. Soc. xi. (1871) 393.—Afr. austr.  
*calvata*, Baker, in Journ. Bot. xvi. (1878) 321.—Afr. austr.  
*candida*, Burch. ex Kunth, Enum. Pl. iv. 297, in syn.—Afr. austr.  
*comata*, Burch. ex Baker, in Journ. Linn. Soc. xi. (1871) 392.—Afr. austr.  
*cordata*, Jacq. Hort. Schoenb. iv. 30. t. 459.—Afr. austr.  
*coronata*, Jacq. l. c. t. 460 = sanguinea.  
*corymbosa*, Ker-Gawl. in Bot. Mag. t. 991 = *Hyacinthus corymbosus*.  
*depressa*, Houtt. Handleid. xii. 424 = latifolia.  
*echinata*, Linn. f. Suppl. 193.—Afr. austr.  
*ensifolia*, Ker-Gawl. in Bot. Mag. t. 554.—Afr. austr.  
*grandiflora*, Lindl. in Bot. Reg. t. 958 = obovata.  
*grandifolia*, Ker-Gawl. in Bot. Mag. sub t. 991 = latifolia.  
*hirsuta*, Link & Otto, Ic. Pl. Rar. i. t. 1.—Afr. austr.  
*Huttoni*, Baker, in Journ. Linn. Soc. xi. (1871) 390.—Afr. austr.  
*jasminiflora*, Burch. ex Baker, l. c.—Afr. austr.  
*lanceafolia*, Jacq. Hort. Schoenb. iv. 29. t. 456.—Afr. austr.  
*lanceolata*, Thunb. Nov. Gen. 40 = angustifolia.  
*lanceolata*, Zeyh. ex Kunth, Enum. Pl. iv. 298 = Zeyheri.  
*latifolia*, Ker-Gawl. in Bot. Mag. t. 848 = sanguinea.  
*latifolia*, Linn. f. Suppl. 193.—Afr. austr.  
*linearis*, Drège, ex Kunth, Enum. Pl. iv. 293 = *Hyacinthus corymbosus*.  
*longifolia*, Jacq. Hort. Schoenb. iv. 29. t. 457.—Afr. austr.  
*lutea*, Hort. ex Lindl. Bot. Reg. t. 1813 = *Daubinya aurea*.  
*marginata*, Willd. ex Kunth, Enum. Pl. iv. 299.—Afr. austr.  
*muricata*, Ker-Gawl. in Bot. Mag. t. 559.—Afr. austr.  
*nervosa*, Hornem. Hort. Hafn. Suppl. 39.—Afr. austr.  
*nodicarpa*, Gaertn. f. Fruct. iii. 13.—Afr. austr.



**MASSONIA** :—

- obovata, *Jacq. Hort. Schoenb.* iv. 29. t. 458.—Afr. austr. odorata, *Hook. f. Bot. Mag.* t. 5891.—Afr. austr. orientalis, *Baker, in Journ. Bot.* xvi. (1878) 321.—Afr. austr.  
*ovalis*, Drège, ex Kunth, *Enum. Pl.* iv. 295 = *ensifolia*. pauciflora, [*Dryand. in*] *Ait. Hort. Kew.* ed. II. ii. 210.—Afr. austr.  
*Pinsilla*, Mass. ex Salisb. *Gen. Pl. Fragm.* 17 = *hirsuta*. pusilla, *Baker, in Journ. Linn. Soc.* xi. (1870) 389, sphalm. = *hirsuta*.  
*pusilla*, Banks, ex Ker-Gawl. in *Bot. Mag.* sub t. 991 = *undulata*.  
*pustulata*, *Jacq. Coll.* iv. 177.—Afr. austr. pygmaea, *Schlecht. ex Kunth, Enum. Pl.* iv. 298.—Afr. austr.  
*rugulosa*, Licht. ex Kunth, l. c. 299 = *marginata*. sanguinea, *Jacq. Hort. Schoenb.* iv. 31.—Afr. austr. scabra, Thunb. *Prod. Pl. Cap.* 188 = *pustulata*.  
*Schlechtendalii*, *Baker, in Journ. Bot.* xii. (1874) 5.—Afr. austr.  
*setulosa*, *Baker, in Journ. Linn. Soc.* xi. (1871) 389.—Afr. austr.  
*tenella*, *Soland. ex Baker, l. c.*—Afr. austr. *undulata*, Thunb. *Nov. Gen.* 41 = *Lachenalia pusilla*.  
*uniflora*, Banks, ex Ker-Gawl. in *Bot. Mag.* sub t. 991, nomen ; et ex *Baker, in Journ. Linn. Soc.* xi. (1870) 393.—Afr. austr.  
*versicolor*, *Baker, in Journ. Bot.* xiv. (1876) 186.—Afr. austr.  
*violacea*, Andr. *Bot. Rep.* t. 46 = *ensifolia*.  
*Zeyheri*, *Kunth, Enum. Pl.* iv. 298.—Afr. austr.

**MASSOUNIA**, Thunb. *Fl. Cap.* ii. 275 (1818) = **Masonia**, Thunb. (*Liliac.*).

**MASSOVIA**, Benth. & Hook. *f. Gen.* iii. 998 (1883) = seq.

**MASSOWIA**, C. Koch, in *Bot. Zeit.* x. (1852) 277 = **Spathiphyllum**, Schott (Aroid.).  
*cannaefolia*, C. Koch, l. c. 278 = *S. cannaefolium*.  
*cannaeformis*, C. Koch, in *Bonplandia*, iv. (1856) 11 = *S. Humboldtii*.  
*commutata*, Ender, *Ind. Aroid.* 52 = *S. commutatum*.  
*Friedrichsthalii*, C. Koch, in *Bonplandia*, iv. (1856) 11 = *S. Friedrichsthalii*.  
*Gardneri*, C. Koch, l. c. = *S. Gardneri*.  
*heliconiaefolia*, C. Koch, l. c. = *S. heliconiaefolium*.  
*lanceaefolia*, C. Koch, l. c. = *S. cochlearispathum*.  
*lanceolata*, C. Koch, l. c. = *S. Friedrichsthalii*.  
*Lechleriana*, C. Koch, ex Ender, *Ind. Aroid.* 53 = *S. Lechlerianum*.  
*marginata*, C. Koch, l. c., nomen.—N. Granat.

**MASSULA**, Dulac, *Fl. Hautes-Pyr.* 47 (1867) = **Typha**, Tourn.  
*angustifolia*, Dulac, l. c. = *T. angustifolia*.  
*latifolia*, Dulac, l. c. = *T. latifolia*.

**MASTACANTHUS**, Endl. *Gen.* 638 (1838) = **Caryopteris**, Bunge (*Verben.*).  
*Barbula*, Steud. *Nom. ed. II.* ii. 105 = *C. Mastacanthus*.  
*sinensis*, Endl. ex Walp. *Rep. iv.* 3 = *C. Mastacanthus*.

**MASTERSIA**, Benth. in *Trans. Linn. Soc.* xxv. (1865) 300. t. 34. **LEGUMINOSAE**, Benth. & Hook. f. i. 535.  
*assamica*, Benth. in *Trans. Linn. Soc.* xxv. (1865) 300.—Reg. Himal.  
*cleistocarpa*, *Baker, in Hook. f. Fl. Brit. Ind.* ii. 195 = *assamica*.

**MASTICHINA**, Adans. *Fam.* ii. 194 (1763) = **Thymus**, Tourn. (*Labiata*).

**MASTICHODENDRON**, R. Hedw. *Gen.* 116 (1806) = **Sideroxylon**, Linn. (*Sapot.*).

**MASTIGLOSLERIA**, Nees, in *Mart. Fl. Bras.* ii. i. 177 (1842) = **Scleria**, Berg. (*Cyperac.*).  
*reflexa*, Nees, l. c. = *S. reflexa*.

**MASTIGOPHORUS**, Cass. in *Dict. Sc. Nat.* xxxiv. 222 (1825) = **Nassauvia**, Comm. (*Compos.*).  
*Gaudichaudii*, Cass. l. c. 223 = *N. Gaudichaudii*.

**MASTIXIA**, Blume, *Bijdr.* 654 (1825). **CORNACEAE**, Benth. & Hook. f. i. 950.  
*Bursinopetalum*, Wight, *Ic.* t. 956 (1847).  
*Mastyxia*, Spach, *Hist. Vég. Phan.* viii. 88 (1839).

**MASTIXIA** :—

- acuminatissima, *Blume, Mus. Bot. Lugd. Bat.* i. 258.—Sumatra.  
*arborescens*, C. B. Clarke, in *Hook. f. Fl. Brit. Ind.* ii. 745.—Ind. or.  
*bracteata*, C. B. Clarke, l. c. 746.—Malacca.  
*caesia*, *Blume, Mus. Bot. Lugd. Bat.* i. 258.—Java.  
*cuneata*, *Blume, l. c.* 257.—Java.  
*cuspidata*, *Blume, l. c.* 256 = *pentandra*.  
*Gardneriana*, Baill. *Adansonia*, iii. (1862-63) 83 = *arborescens*.  
*heterophylla*, *Blume, Mus. Bot. Lugd. Bat.* i. 257.—Sumatra.  
*Junghuhniana*, *Miq. Fl. Ind. Bat.* i. i. 772.—Malacca ; Java.  
*Kimaniilla*, *Blume, Mus. Bot. Lugd. Bat.* i. 258.—Java.  
*lanceolata*, Baill. *Adansonia*, iii. (1862-63) 83 = *tetrandra*.  
*laxa*, *Blume, Mus. Bot. Lugd. Bat.* i. 257.—Java.  
*Maingayi*, C. B. Clarke, in *Hook. f. Fl. Brit. Ind.* ii. 746.—Singapore.  
*pentandra*, *Blume, Bijdr.* 654.—Ind. or. ; Java.  
*rostrata*, *Blume, Mus. Bot. Lugd. Bat.* i. 258.—Java.  
*tetrandra*, C. B. Clarke, in *Hook. f. Fl. Brit. Ind.* ii. 745.—Zeylan.  
*Thwaitesii*, Baill. *Adansonia*, iii. (1862-63) 83 = *arborescens*.  
*trichotoma*, *Blume, Bijdr.* 655.—Java.  
*trichotoma*, *Blume, Mus. Bot. Lugd. Bat.* i. 258 = *laxa*.

**MASTOSTIGMA**, Stocks, in *Hook. Ic. Pl.* t. 863 (1852) = **Glossonema**, Decne. (*Apocyn.*).  
*varians*, Stocks, in *Hook. l. c.* = *G. varians*.

**MASTOSUKE**, Rafin. *Sylva Tellur.* 59 (1838) = **Ficus**, Tourn. (*Urtic.*).  
*rubiginosa*, Rafin. l. c. = *F. rubiginosa*.

**MASTRUCIUM**, Cass. in *Dict. Sc. Nat.* xxxv. 173 (1825) = **Serratura**, Linn. (*Compos.*).  
*coronata*, Cass. l. c. = *S. coronata*.  
*pinnatifidum*, DC. *Prod.* vi. 667 = *S. coronata*.

**MASTRUTIUM**, Endl. *Ench.* 247 (1841) = *praecl.*

**MASTYXIA**, Spach, *Hist. Vég. Phan.* viii. 88 (1839) = **Mastixia**, Blume (*Cornac.*).

**MASUS**, G. Don, *Gen. Syst.* iv. 542 (1837) = **Mazus**, Lour. (*Scrophul.*).

**MATAIBA**, R. Hedw. *Gen.* 264 (1806) = **MATAYBA**, Aubl. = **Ratonia**, DC. (*Sapind.*).

**MATALEA**, A. Gray, *Syn. Fl. N. Am.* ii. i. 96, in *syn.* (1878), sphalm. = **Matelea**, Aubl. (*Asclep.*).

**MATAMORIA**, La Llave, in *La Llave & Lex. Nov. Veg. Desc. fasc. i.* 8 (1824) = **Elephantopus**, Linn. (*Compos.*).  
*spicata*, La Llave, l. c. = *E. spicatus*.

**MATAXA**, Spreng. *Syst. iv. Cur. Post.* 297, 303 (1827) = **Lasiospermum**, Lag. (*Compos.*).  
*capensis*, Spreng. l. c. 303 = *L. radiatum*.

**MATAYBA**, Aubl. *Pl. Gui.* i. 331. t. 128 (1775), male desc. = **Ratonia**, DC. (1824) (*Sapind.*).  
*apetala*, Radlk. in *Sitzb. Math.-Phys. Acad. Muench.* ix. (1879) 624 = *R. apetala*.  
*arborescens*, Radlk. l. c. 625.—Guian.  
*camptoneura*, Radlk. l. c. 629.—Guian.  
*discolor*, Radlk. l. c. 630.—Bras.  
*domingensis*, Radlk. l. c. 624 = *R. domingensis*.  
*elaeagnoides*, Radlk. l. c. 635.—Reg. Argent.  
*elegans*, Radlk. l. c. 629.—N. Granat.  
*floribunda*, Radlk. l. c. 626.—Mexic.  
*glaberrima*, Radlk. l. c. 628.—Panama.  
*grandis*, Radlk. l. c. 635.—Bras.  
*guianensis*, Aubl. *Pl. Gui.* i. 331.—Guian.  
*heterophylla*, Radlk. in *Sitzb. Math.-Phys. Acad. Muench.* ix. (1879) 634.—Bras.  
*inelegans*, Radlk. l. c. 627.—Bras.  
*juglandifolia*, Radlk. l. c. 635.—Bras.  
*laevigata*, Radlk. l. c. 628 = *Cupania laevigata*.  
*longipes*, Radlk. l. c. 626.—Venezuela.  
*macrostylis*, Radlk. l. c. 625.—Guian.  
*marginata*, Radlk. l. c. 634.—Bras.  
*mexicana*, Radlk. l. c. 624.—Mexic.

**MATAYBA** :—

- mollis*, Radlk. in *Sitzb. Math.-Phys. Acad. Muench.* ix. (1879) 634.—Bras.  
*opaca*, Radlk. l. c. 628 = *Cupania laevigata*.  
*Patrisiana*, DC. *Prod.* i. 609.—Guian.  
*paucijuga*, Radlk. in *Sitzb. Math.-Phys. Acad. Muench.* ix. (1879) 628.—Bras.  
*peruviana*, Radlk. l. c. 627.—Peruv.  
*punctata*, Radlk. l. c. 634.—Bras.  
*purgans*, Radlk. l. c. 629.—Bras.  
*robusta*, Radlk. l. c. 627.—Bras.  
*scrobiculata*, Radlk. l. c.—N. Granat.  
*Spruceana*, Radlk. l. c.—Bras.  
*sylvatica*, Radlk. l. c. 631.—Bras.  
*tovarensis*, Radlk. l. c. 626.—Venezuela.  
*Voua-rana*, DC. *Prod.* i. 609.—Guian.

**MATEATIA**, Vell. *Fl. Flum.* ix. t. 95 (1827) = **Sterculia**, Linn.

*cariosa*, Steud. *Nom. ed. II.* ii. 105, sphalm. = seq.  
*curiosa*, Vell. *Fl. Flum.* ix. t. 95 = *S. carthaginensis*.

**MATELEA**, Aubl. *Pl. Gui.* i. 277. t. 109 (1775).  
**ASCLEPIADEAE**, Benth. & Hook. f. ii. 766.  
**HOSTEA**, Willd. *Sp. Pl.* i. 1274 (1797).  
*laevis*, Nutt. in *Am. Journ. Sc.* v. (1822) 291 = *Asclepias perennis*.  
*latifolia*, Aubl. *Pl. Gui.* i. 278. t. 109. f. 2.—Guian.  
*linearis*, Decne. in *Ann. Sc. Nat. Sér. II.* ix. (1838) 321 = *Nephradenia linearis*.  
*palustris*, Aubl. *Pl. Gui.* i. 278. t. 109. f. 1.—Guian.

**MATELLA**, Bartl. *Ord.* 202 (1830) = *praecl.*

**MATHAEA**, Vell. *Fl. Flum.* 22 (1825) = **Schwenkia**, Linn. (*Solanac.*).  
*apostolica*, Vell. l. c.—Bras.

**MATHEA**, Vell. *Fl. Flum.* i. t. 51 (1827) = *praecl.*

**MATHEWSIA**, Hook. & Arn. in *Hook. Bot. Misc.* iii. (1833) 140. t. 96. **CRUCIFERAE**, Benth. & Hook. f. i. 81.  
*Machaerophorus*, Schlecht. in *Linnaea*. xxviii. (1856) 469.  
*foliosa*, Hook. & Arn. in *Hook. Bot. Misc.* iii. (1833) 140. t. 94.—Chili.  
*incana*, Phil. *Fl. Atac.* 8.—Chili.  
*linearifolia*, Turcs. in *Bull. Soc. Nat. Mosc.* xxxvi. (1863) i. 550.—Chili.  
*matthioides*, C. Muell. in *Walp. Ann.* vii. 144.—Peruv.

**MATHIEUA**, Klotzsch, in Otto & Dietr. *Allg. Gartenz.* xxi. (1853) 337 = **Eucharis**, Planch. (*Amaryll.*).  
*galanthoides*, Klotzsch, l. c. = *E. galanthoides*.

**MATHIOLA**, R. Br. in *Ait. Hort. Kew.* ed. II. iv. 119 (1812) = **Matthiola**, R. Br. (*Crucif.*).

**MATHIOLA**, DC. *Syst.* ii. 162, in nota (1821) = **MATTHIOLA**, Plum. = **Guettarda**, Linn. (*Rubiace.*).

**MATHURINA**, Balf. f. in *Journ. Linn. Soc.* xv. (1876) 159. **TURNERACEAE**.  
*penduliflora*, Balf. f. l. c. 160.—Ins. Mascar.

**MATISIA**, Humb. & Bonpl. *Pl. Aequin.* i. 9. t. 2 (1805). **MALVACEAE**, Benth. & Hook. f. i. 211.  
*alchoraefolia*, Planch. & Triana, in *Ann. Sc. Nat. Sér. IV.* xvii. (1862) 327.—N. Granat.  
*Castaño*, Triana & Karst. *Fl. Neo-Granad.* 24 ; *ca* *iisd.* l. c. 326.—N. Granat.  
*cordata*, Humb. & Bonpl. *Pl. Aequin.* i. 9. t. 2.—Am. austr.  
*Cornu-copiae*, Planch. & Triana, in *Ann. Sc. Nat. Sér. IV.* xvii. (1862) 326.—N. Granat.  
*glandifera*, Planch. & Triana, l. c. 327.—N. Granat.  
*oblongifolia*, Poepp. & Endl. *Noe. Gen. et Sp.* ii. 35.—Peruv.

**MATOUREA**, Aubl. *Pl. Gui.* ii. 641. t. 259 (1775) = **Stemodia**, Linn. (*Scrophul.*).  
*dubia*, G. Don, *Gen. Syst.* iv. 547 = *Herpestis dubia*.  
*guianensis*, Aubl. *Pl. Gui.* ii. 642 = *S. foliosa*.  
*nigrescens*, Benth. in *Hook. Comp. Bot. Mag.* (1835) 173 = *Herpestis nigrescens*.  
*pratensis*, Aubl. *Pl. Gui.* ii. 642 = *S. pusilla*.



MATRELLA, Pers. Syn. i. 73 (1805) = *Zoysia*, Willd. (Gramin.).  
*junceae*, Pers. l. c. = *Z. pungens*.

MATRICARIA, Hall. ex Scop. Fl. Carn. ed. II. ii. 147 (1772) = *Chrysanthemum*, Tourn. (Compos.).

**MATRICARIA**, [Tourn.] Linn. Gen. ed. I (1735). *COMPOSITAE*, Benth. & Hook. f. ii. 427.

AKYLOPSIS, Lehm. Ind. Sem. Hort. Hamb. (1850) 3. CHAMAEMELUM, Vis. Fl. Dalm. ii. 84 (1847).

CHAMOMILLA, [Hall.] S. F. Gray, Nat. Arr. Brit. Pl. ii. 454 (1821).

COURRANTIA, Sch. Bip. in Webb & Berth. Phyt. Canar. ii. 276. t. 89 ('1835-60').

DIBOTHRISPERMUM, Knaf, in Flora, xxix. (1846) 298.

GASTROSTYLUM, Sch. Bip. ex Webb & Berth. Phyt. Canar. ii. 277 ('1835-60').

GASTROSULUM, Sch. Bip. Tanacet. 29 (1844).

LEPIDANTHUS, Nutt. in Trans. Am. Phil. Soc. N. S. vii. (1841) 396.

LEPIDOTHECA, Nutt. in Trans. Am. Phil. Soc. vii. (1841) [454].

RHYTIDOSPERMUM, Sch. Bip. in Webb & Berth. Phyt. Canar. ii. 277 ('1835-60').

SPHAEROCLINUM, Sch. Bip. Tanacet. 20 (1844).

TRALLEZIA, Zumag. Fl. Pedem. i. 361 (1849).

TRIPLEUROSPERMUM, Sch. Bip. Tanacet. 31 (1844).

*absinthioides*, Desr. in Lam. Encyc. iii. 733 = *Chrysanthemum millefolium*.

*achillaeifolia*, Poir. Encyc. Suppl. v. 729 = *Chrysanthemum achilleaeifolium*.

*acutiloba*, Harv. in Harv. & Sond. Fl. Cap. iii. 166. —Afr. austr.

*africana*, Berg. Desc. Pl. Cap. 296. —Afr. austr.

*albida*, Fenzl, ex Harv. in Harv. & Sond. Fl. Cap. iii. 166. —Afr. austr.

*alpina*, Desr. in Lam. Encyc. iii. 730 = *Chrysanthemum alpinum*.

*americana*, Mill. Gard. Dict. ed. VIII. n. 5 = *Aster nemoralis*.

*anethifolia*, Poir. Encyc. Suppl. iii. 605 = *Chrysanthemum anethifolium*.

*anomala*, Poir. l. c. 608 = *Chrysanthemum anomalum*.

*apetala*, Hort. Erf. ex DC. Prod. vi. 63 = *Chrysanthemum Balsamita*.

*arctica*, Desr. in Lam. Encyc. iii. 735 = *Chrysanthemum arcticum*.

*argentea*, Linn. Sp. Pl. 891 = *Chrysanthemum argenteum*.

*arvensis*, Baill. Hist. Pl. viii. 310 = *Anthemis arvensis*.

*arvensis*, Nym. Syll. 11 = *glabra*.

*asteroides*, Linn. Mant. i. 116 = *Boltonia asteroides*.

*atrata*, Schrank, Baier. Fl. ii. 406 = *Chrysanthemum atratum*.

*aurea*, Sch. Bip. in Bonplandia, viii. (1860) 369 = *Cotula aurea*.

*auriculata*, Benth. & Hook. f. Gen. ii. 428; Ball, in Journ. Linn. Soc. xvi. (1878) 512. —Palaest.; Arab.

*Balsamita*, Desr. in Lam. Encyc. iii. 733 = *Chrysanthemum Balsamita*.

*Bayeri*, Kanitz, in Magyar Tudom. Ertekez. (Comm. Scient. Hung.) (1862) 321 = *M. Chamomilla*.

*bipinnata*, Desr. in Lam. Encyc. iii. 736 = *Chrysanthemum bipinnatum*.

*bipinnata*, Spreng. Syst. iii. 582 = *Lasiospermum radiatum*.

*Bocconi*, Poir. Encyc. Suppl. iii. 607 = *Chrysanthemum Bocconi*.

*brachyglossa*, Benth. & Hook. f. Gen. ii. 428. —Hab. ? *Broussonetii*, Poir. Encyc. Suppl. iii. 608 = *Chrysanthemum Broussonetii*.

*Burchellii*, Benth. & Hook. f. Gen. ii. 428. —Afr. austr. *cantoniensis*, Lour. Fl. Cochinch. 498 = *A. indica*.

*capensis*, Hort. ex Vilm. Fl. Pl. Terre, ed. III. 681 = *Anthemis parthenoides*.

*capensis*, Linn. Mant. i. 115 = *africana*.

*carinata*, Poir. Encyc. Suppl. iii. 602 = *Chrysanthemum carinatum*.

*carnea*, Poir. l. c. v. 728 = *Chrysanthemum coccineum*.

*carnosa*, Desr. in Lam. Encyc. iii. 732 = *Chrysanthemum paludosum*.

*caucasica*, Poir. Encyc. Suppl. iii. 604 = *Chrysanthemum caucasicum*.

*ceratophylloides*, Poir. l. c. 601 = *Chrysanthemum atratum*.

# MATRICARIA :—

*Chamaemilla*, Hill, Veg. Syst. ii. 98 = *M. Chamomilla*.

*Chamomilla*, Blanco, Fl. Filip. ed. I. 631 = *Chrysanthemum indicum*.

*Chamomilla*, Linn. Sp. Pl. 891. —Europ.

*chia*, Baill. Hist. Pl. viii. 310 = *Anthemis chia*.

*coccinea*, Poir. Encyc. Suppl. iii. 602 = *Chrysanthemum coccineum*.

*confusa*, Fisch. Mey. & Avé-Lall. Ind. Sem. Hort. Petrop. x. 53. —Hab. ?

*conoclinia*, Nym. Consp. 374. —Byzant.

*coronaria*, Desr. in Lam. Encyc. iii. 737 = *Chrysanthemum coronarium*.

*coronata*, J. Gay, ex Koch, Syn. Fl. Germ. ed. II. 416 = *M. Chamomilla*.

*coronopifolia*, Poir. Encyc. Suppl. iii. 609 = *Chrysanthemum coronopifolium*, Masf.

*corymbifera*, DC. Prod. vii. 297. —As. Min.; Persia.

*corymbosa*, Desr. in Lam. Encyc. iii. 734 = *Chrysanthemum corymbosum*.

*Cotula*, Baill. Hist. Pl. viii. 310 = *Anthemis Cotula*.

*Courrantiana*, DC. Prod. vi. 52 = *M. Chamomilla*.

*crithmifolia*, Poir. Encyc. Suppl. iii. 609 = *Chrysanthemum anethifolium*.

*daucifolia*, Poir. l. c. 608 = *Chrysanthemum daucifolium*.

*decipiens*, C. Koch, in Ind. Sem. Hort. Berol. (1855) App. 14. —As. Min.; Persia.

*deftexa*, Gilib. Fl. Lituan. i. 221 = *M. Chamomilla*.

*densa*, Poir. Encyc. Suppl. iii. 606 = *Chrysanthemum densum*.

*dichotoma*, Fenzl, ex Harv. & Sond. Fl. Cap. iii. 167. —Afr. austr.

*disciformis*, DC. Prod. vi. 51 = *corymbifera*.

*discoidea*, DC. l. c. 50. —As. et Am. bor.

*elegans*, Nym. Consp. 374 = *inodora*.

*feniculacea*, Poir. Encyc. Suppl. iii. 605 = *Chrysanthemum anethifolium*.

*florida*, Salisb. Prod. 203 = *Chrysanthemum Parthenium*.

*frutescens*, Desr. in Lam. Encyc. iii. 730 = *Chrysanthemum frutescens*.

*fuscata*, Poir. Encyc. Suppl. iii. 602; Ball, in Journ. Linn. Soc. xvi. (1878) 512. —Afr. bor.

*glabra*, Baill. l. c. 511. —Marocc.

*glabrata*, Poir. Encyc. Suppl. iii. 609; DC. Prod. vi. 51. —Afr. austr.

*glastifolia*, Hill, Hort. Kew. 19 = *Boltonia glastifolia*.

*glauca*, Poir. Encyc. Suppl. iii. 603 = *Chrysanthemum multifidum*.

*globifera*, Fenzl, ex Harv. & Sond. Fl. Cap. iii. 165. —Afr. austr.

*graminifolia*, Desr. in Lam. Encyc. iii. 732 = *Chrysanthemum graminifolium*.

*grandiflora*, Fenzl, ex Harv. & Sond. Fl. Cap. iii. 166. —Afr. austr.

*grandiflora*, C. Koch, in Linnaea, xxiv. (1851) 336 = *Chrysanthemum caucasicum*.

*grandiflora*, Poir. Encyc. Suppl. iii. 609 = *Chrysanthemum grandiflorum*.

*grandis*, Desr. in Lam. Encyc. iii. 738 (= *Plagiis grandiflorus*). —Afr. bor.

*Halleri*, Poir. Encyc. Suppl. iii. 603 = *Chrysanthemum coronopifolium*.

*heterocarpa*, C. Koch, in Linnaea, xxiv. (1851) 333. —As. Min.

*heterophylla*, Poir. Encyc. Suppl. iii. 600 = *Chrysanthemum heterophyllum*.

*hirta*, Poir. l. c. 609; DC. Prod. vi. 51. —Afr. austr.

*hispida*, Vatke, in Oestr. Bot. Zeitschr. xxvii. (1877) 194. —Afr. trop.

*incana*, Poir. Encyc. Suppl. iii. 609 = *Pentzia virgata*.

*inciso-serrata*, Poir. l. c. 604 = *Chrysanthemum uliginosum*.

*indica*, Mill. Gard. Dict. ed. VIII. n. 3 = *Chrysanthemum indicum*.

*inodora*, Lam. Fl. Fr. ii. 136 = *Chrysanthemum corymbosum*.

*inodora*, Linn. Fl. Suec. ii. 765. —Europ.; Oriens.

*italica*, Desr. in Lam. Encyc. iii. 736 = *Chrysanthemum italicum*.

*japonica*, Desr. l. c. 738 = *Chrysanthemum indicum*.

*Kochianum*, Sch. Bip. Tanacet. 26 = *M. Chamomilla*.

*lacustris*, Poir. Encyc. Suppl. iii. 608 = *Chrysanthemum lacustre*.

*lamellata*, Bunge, in Mém. Sav. Etr. Pétersb. vii. (1847) 335. —Turkestan.

# MATRICARIA :—

*lasiocarpa*, Boiss. Fl. Orient. iii. 324. —Beluchist.

*latifolium*, Gilib. Fl. Lituan. i. 220 = *Chrysanthemum Parthenium*.

*laxa*, Tratt. (Arch. t. 200; ex Pritz. Ic. Ind. 681) ex Steud. Nom. ed. I. 512. —Hab. ?

*Leucanthemum*, Scop. Fl. Carn. ed. II. ii. 147 = *Chrysanthemum Leucanthemum*.

*macrophylla*, Poir. Encyc. Suppl. iii. 603 = *Chrysanthemum macrophyllum*.

*maritima*, Fries, ex Nym. Consp. 374 = *inodora*.

*maritima*, Linn. Sp. Pl. 891. —Europ.

*maroccana*, Ball, in Journ. Bot. xi. (1873) 367. —Morocc.

*maxima*, Poir. Encyc. Suppl. iii. 600 = *Chrysanthemum maximum*.

*microcephala*, C. Koch, in Linnaea, xxiv. (1851) 336. —Reg. Caucas.

*millefoliata*, Desr. in Lam. Encyc. iii. 736 = *Chrysanthemum millefoliatum*.

*minima*, Desr. l. c. 731 = *Chrysanthemum alpinum*, pulverulentum.

*modesta*, Boiss. ex Boiss. Fl. Orient. iii. 326 = *praecox*.

*monspeiliensis*, Desr. in Lam. Encyc. iii. 733 = *Chrysanthemum monspeiliense*, arcticum.

*montana*, Desr. in Lam. Encyc. iii. 732 = *Chrysanthemum montanum*.

*multicaulis*, Poir. Encyc. Suppl. iii. 606 = *Chrysanthemum multicaule*.

*multifida*, Baill. Hist. Pl. viii. 310 = *Cotula villosa*.

*multiflora*, Fenzl, ex Harv. & Sond. Fl. Cap. iii. 166. —Afr. austr.

*Myconis*, Desr. in Lam. Encyc. iii. 736 = *Chrysanthemum Myconis*.

*nigellaefolia*, DC. Prod. vi. 50. —Afr. austr.

*nigrescens*, Baill. Hist. Pl. viii. 310 = *Anthemis austriaca*.

*nobilis*, Baill. l. c. 60, 309 = *Anthemis nobilis*.

*obliqua*, Dulac, Fl. Hautes-Pyr. 505 = *M. Chamomilla*.

*odorata*, Lam. Fl. Fr. ii. 136 = *Chrysanthemum Parthenium*.

*oleracea*, Buch.-Ham. in Wall. Cat. n. 3229 = *Chrysanthemum coronarium*.

*oreades*, Boiss. Diagn. Ser. I. vi. 87. —Syria.

*orientalis*, Poir. Encyc. Suppl. iii. 607 = *Anthemis Biebersteiniana*.

*pallida*, Poir. l. c. 607 = *Chrysanthemum pulverulentum*, *Anthemis mixta*.

*paludosa*, Poir. l. c. 600 = *Chrysanthemum paludosum*.

*partenifolium*, Poir. l. c. 608 = *Chrysanthemum praealtum*.

*Parthenium*, Linn. Sp. Pl. 890 = *Chrysanthemum Parthenium*.

*parthenoides*, Desf. Cat. Hort. Par. ed. III. 169, 400 = *Anthemis parthenoides*.

*parviflora*, Poir. Encyc. Suppl. iii. 608 = *praecox*.

*patens*, Gilib. Fl. Lituan. i. 220 = *M. Chamomilla*.

*pectinata*, Desr. in Lam. Encyc. iii. 735 = *Chrysanthemum pectinatum*.

*perforata*, Méral, Fl. Par. ed. I. 332 = *inodora*.

*pilosa*, Poir. Encyc. Suppl. iii. 602 = *Chrysanthemum tanacetifolium*.

*pinnatifida*, Desr. in Lam. Encyc. iii. 729 = *Chrysanthemum pinnatifidum*.

*praealta*, Poir. Encyc. Suppl. iii. 602 = *Chrysanthemum praealtum*.

*praecox*, Poir. l. c. v. 729; DC. Prod. vi. 52. —As. Min.; Persia.

*procumbens*, Poir. l. c. iii. 604 = *Chrysanthemum indicum*.

*prostrata*, Sw. Prod. Veg. Ind. Occ. 114 = *Egletes domingensis*.

*ptarmicaefolia*, Poir. Encyc. Suppl. iii. 603 = *Achillea Ptarmica*.

*pubescens*, Sch. Bip. in Bonplandia, viii. (1860) 369 = *Cotula pubescens*.

*pubescens*, Ball, in Journ. Linn. Soc. xvi. (1878) 512, sphalm. = *praec.*

*pulverulenta*, Poir. Encyc. Suppl. iii. 605 = *Chrysanthemum praealtum*.

*pumila*, Nym. Syll. 12 = *inodora*.

*punctata*, Desr. in Lam. Encyc. iii. 732 = *Chrysanthemum palustre*.

*pusilla*, Willd. Enum. Hort. Berol. 907 = *M. Chamomilla*.

*pyrethrifolia*, Poir. Encyc. Suppl. iii. 605 = *praecox*.

*pyrethroides*, DC. Prod. vi. 52 = *M. Chamomilla*.



**MATRICARIA:—**

- Pyrethrum*, Baill. Hist. Pl. viii. 61, 310 = *Anacyclus Pyrethrum*.  
*radicans*, Poir. Encyc. Suppl. iii. 608 = *Chrysanthemum radicans*.  
*recutita*, Linn. Sp. Pl. 891 = *M. Chamomilla*.  
*rigida*, Desr. in Lam. Encyc. iii. 737 = *Chrysanthemum flosculosum*.  
*rosea*, Baill. Hist. Pl. viii. 310 = *Anthemis rosea*.  
*rosella*, Nym. Consp. 374. — *Graecia*.  
*rotundifolia*, Poir. Encyc. Suppl. iii. 608 = *Chrysanthemum rotundifolium*.  
*salina*, Nym. Consp. 374 = *inodora*.  
*salina*, Schur, in Verh. Siebenb. Ver. Naturw. iv. (1853) 40 = *M. Chamomilla*.  
*segetum*, Schrank, Baier. Fl. ii. 406 = *Chrysanthemum segetum*.  
*sericea*, Poir. Encyc. Suppl. v. 729 = *Chrysanthemum argenteum*.  
*serotina*, Desr. in Lam. Encyc. iii. 730 = *Chrysanthemum serotinum*.  
*suaveolens*, Koch, Syn. Fl. Germ. ed. II. 416, 1026 = *inodora*.  
*suaveolens*, Linn. Fl. Succ. 297 = *M. Chamomilla*.  
*tanacetifolia*, Desr. in Lam. Encyc. iii. 733 = *Chrysanthemum multifidum*.  
*tanacetoides*, Fisch. & Mey. ex Fisch. Mey. & Avé-Lall. Ind. Sem. Hort. Petrop. vii. 52 = *discoidea*.  
*tenella*, DC. Prod. vi. 51. — *Afr. austr.*  
*tenuifolia*, Poir. Encyc. Suppl. iii. 609 = *Chrysanthemum tenuifolium*.  
*tenuifolia*, Salisb. Prod. 203 = *M. Chamomilla*.  
*tinctoria*, Baill. Hist. Pl. viii. 310 = *Anthemis tinctoria*.  
*trichophylla*, Boiss. Diagn. Ser. I. vi. 88. — *As. Min.*  
*tridentata*, Ball, in Journ. Linn. Soc. xvi. (1878) 512. — *Marocc.*  
*trifurcata*, Poir. Encyc. Suppl. iii. 606 = *Chrysanthemum trifurcatum*.  
*uliginosa*, Poir. l. c. 608 = *Chrysanthemum uliginosum*.  
*umbrosa*, Poir. l. c. 606 = *Chrysanthemum umbrosum*.  
*uniglandulosa*, C. Koch, in Linnaea, xxiv. (1851) 333 = *trichophylla*.  
*virgata*, Desr. in Lam. Encyc. iii. 737 = *Chrysanthemum flosculosum*.  
*vulgaris*, S. F. Gray, Nat. Arr. Brit. Pl. ii. 454 = *M. Parthenium*.

MATRICARIOIDES, Spach, Hist. Vég. Phan. x. 24 (1841) = *Tanacetum*, Tourn. (Compos.).

MATTHAEA, Blume, Mus. Bot. Lugd. Bat. ii. 89. t. 10. 1852 [1856]. *MONIMIACEAE*, Benth. & Hook. f. iii. 141.

*sancta*, Blume, Mus. Bot. Lugd. Bat. ii. 90. — *Malaya*.

MATTHEWSIA, Reichb. Handb. 260 (1837) = *Matthewsia*, Hook. & Arn. (Crucif.).

MATTHIOLA, R. Br. in Ait. Hort. Kew. ed. II. iv. 119 (1812) (Mathiola). *CRUCIFERAE*, Benth. & Hook. f. i. 67.  
*LEUCOLIUM*, Tourn. ex Adans. Fam. ii. 418 (1763).  
*MICROSTIGMA*, Trautv. Pl. Imag. 34. t. 35 (1845).  
*TRICERAS*, Andr. ex Reichb. Consp. 185 (1828).  
*acaulis*, DC. Syst. ii. 168 = *humilis*.  
*albicaulis*, Boiss. in Ann. Sc. Nat. Sér. II. xvii. (1842) 46. — *Persia*.  
*anchusoides*, Webb, in Parl. Giorn. Bot. Ital. ii. ii. (1847) 213 = *aspera*.  
*angulosa*, Boiss. in Ann. Sc. Nat. Sér. II. xvii. (1842) 52 = *oxyceras*.  
*annua*, Sweet, Hort. Suburb. Lond. 147 = *incana*.  
*anoplia*, Pomel, Nouv. Mat. Fl. Atl. 231. — *Alger*.  
*arabica*, Boiss. in Ann. Sc. Nat. Sér. II. xvii. (1842) 49. — *Arabia*.  
*arborescens*, Sternb. in Syll. Ratisb. i. (1824) 188. — *Creta*.  
*aspera*, Boiss. Diagn. Ser. I. viii. 16. — *Palaestina*.  
*bicornis*, DC. Syst. ii. 177. — *Graecia*; *As. Min.*  
*biennis*, Nym. Consp. 974 (Index) = *praec.*  
*capimontana*, Pomel, Nouv. Mat. Fl. Atl. 374. — *Alger*.  
*chenopodifolia*, Fisch. & Mey. Ind. Sem. Hort. Petrop. i. 33. — *Reg. Cap.*  
*chorassanica*, Bunge, ex Boiss. Fl. Orient. i. 151. — *Persia*.  
*Clausonia*, Pomel, Nouv. Mat. Fl. Atl. 230. — *Alger*.  
*coronopifolia*, DC. Syst. ii. 173 = *tristis*.

VOL. II.

**MATTHIOLA:—**

- crassifolia*, Boiss. & Gaill. in Boiss. Fl. Orient. i. 149. — *Syria*.  
*crucigera*, DC. Syst. ii. 177. — *Sicil.*  
*damascena*, Boiss. Diagn. Ser. I. viii. 16. — *Syria*.  
*deflexa*, Bunge, Del. Sem. Hort. Dorpat. (1839) 8. — *Cf. Linnaea*, xiv. (1840) 120. — *Sibir. altaic.*  
*dimorpha*, Hort. ex Bernh. Sel. Sem. Hort. Erf. (1835). — *Cf. Linnaea*, xi. (1837) Litt. 85 = *Diptychocarpus strictus*.  
*dumulosa*, Boiss. & Buhse, in Nouv. Mém. Soc. Nat. Mosc. xii. (1860) 14. — *Persia*.  
*elliptica*, R. Br. in Salt, Abyss. App. 65, nomen. — *Abyssin.*  
*euboea*, Boiss. in Ann. Sc. Nat. Sér. II. xvii. (1842) 48 = *damascena*.  
*farinosa*, Bunge, ex Boiss. Fl. Orient. i. 150. — *Persia*.  
*fasciculata*, DC. Syst. ii. 714. — *Sicil.*  
*fenestralis*, R. Br. in Ait. Hort. Kew. ed. II. iv. 419. — *Ins. Creta*.  
*Fischeri*, Bernh. Sel. Sem. Hort. Erf. (1835). — *Cf. Linnaea*, xi. (1837) Litt. 85 = *Diptychocarpus strictus*.  
*flavida*, Boiss. Diagn. Ser. I. vi. 9. — *Persia*.  
*fragrans*, Bunge, Del. Sem. Hort. Dorpat. (1839) 8. — *Ross. mer.*  
*glabra*, DC. Syst. ii. 165 = *incana*.  
*glabrata*, DC. Prod. i. 133 = *praec.*  
*glandulosa*, Pomel, Nouv. Mat. Fl. Atl. 373. — *Alger*.  
*glandulosa*, Vis. Fl. Dalm. iii. 124. — *Dalmat.*  
*graeca*, Sweet, Hort. Suburb. Lond. 147 = *incana*.  
*hesperoides*, Less. ex Ledeb. Fl. Ross. i. 110 = *chenopodifolia*.  
*humilis*, DC. Syst. ii. 177. — *Aegypt.*  
*incana*, R. Br. in Ait. Hort. Kew. ed. II. iv. 119. — *Reg. Mediterr.*  
*Kralikii*, Pomel, Nouv. Mat. Fl. Atl. 374. — *Alger*.  
*lacera*, Spreng. Syst. ii. 897, 899. — *Hispan.*  
*linearis*, Delile, in Laborde, Voy. Arab. Pétr. 85 = *Malcomia aegyptiaca*.  
*livida*, DC. Syst. ii. 174. — *Aegypt.*; *Arab.*  
*livida*, Kral. ex Pomel, Nouv. Mat. Fl. Atl. 374 = *Kralikii*.  
*lonchophora*, Pomel, l. c. — *Alger*.  
*longipetala*, DC. Syst. ii. 174 = *oxyceras*.  
*lunata*, DC. l. c. 176. — *Hispan.*  
*macroptala*, Spreng. Syst. ii. 897 = *oxyceras*.  
*maderensis*, Lowe, in Trans. Camb. Phil. Soc. vi. (1838) reimpr. 29. — *Ins. Mader.*  
*maroccana*, Coss. in Bull. Soc. Bot. Fr. xxvii. (1880) 68. — *Marocc.*  
*montana*, Boiss. in Ann. Sc. Nat. Sér. II. xvii. (1842) 47. — *As. Min.*  
*montana*, Pomel, Nouv. Mat. Fl. Atl. 230. — *Alger*.  
*nana*, Spreng. Syst. ii. 897. — *Sibir.*  
*nudicaulis*, Trautv. in Act. Hort. Petrop. i. (1871) 51. — *As. centr.*  
*obovata*, Bunge, in Arb. Naturf. Ver. Riga, i. (1847) 136. — *Turkestan*.  
*odoratissima*, Boiss. & Buhse, ex Boiss. Fl. Orient. i. 150, partim = *ovatifolia*.  
*odoratissima*, R. Br. in Ait. Hort. Kew. ed. II. iv. 120. — *Reg. Caucas.*  
*odoratissima*, Claus. in Goebel, Reise, ii. 255 = *fragrans*.  
*ovatifolia*, Boiss. Diagn. Ser. I. vi. 9. — *As. Min.*; *Persia*.  
*oxyceras*, DC. Syst. ii. 173. — *Syria*; *Persia*.  
*oxycerata*, St. Lag. in Ann. Soc. Bot. Lyon, vii. (1880) 130 = *praec.*  
*oyensis*, Menier & Viaud, in Bull. Soc. Bot. Fr. xxiv. (1877) 203 = *sinuata*.  
*parviflora*, R. Br. in Ait. Hort. Kew. ed. II. iv. 121. — *Reg. Mediterr. occ.*  
*patens*, Presl, Delic. Prag. 17. — *Sicil.*  
*persica*, DC. Syst. ii. 168 = *Anchonium Tournefortii*.  
*Phlox*, Didr. Ind. Sem. Hort. Haun. (1865) 27. — *Alger*.  
*prostrata*, Hochst. & Steud. ex Steud. Nom. ed. II. ii. 106. — *Arabia*.  
*pumila*, St. Lag. in Ann. Soc. Bot. Lyon, vii. (1880) 130 = *seq.*  
*Pumilio*, DC. Syst. ii. 177 = *bicornis*.  
*revoluta*, Bunge, ex Boiss. Fl. Orient. i. 151. — *Persia*.  
*robusta*, Bunge, in Arb. Naturf. Ver. Riga, i. (1847) 137. — *Reg. Casp.*  
*rostrata*, Haberle, ex Bernh. Sel. Sem. Hort. Erf. (1835). — *Cf. Linnaea*, xi. (1837) Litt. 85 = *Diptychocarpus strictus*.

**MATTHIOLA:—**

- runcinata*, Regel, in Bull. Soc. Nat. Mosc. xliii. (1870) i. 254. — *As. temp.*  
*rupestris*, Bernh. ex Steud. Nom. ed. II. ii. 106 = *saxatilis*.  
*rupestris*, DC. Syst. ii. 714 = *incana*.  
*saxatilis*, Bernh. ex Steud. Nom. ed. II. ii. 106. — *Lusitan.*  
*simplicicaulis*, Sweet, Hort. Brit. ed. I. 17 = *incana*.  
*sinuata*, R. Br. in Ait. Hort. Kew. ed. II. iv. 120. — *Reg. Mediterr.*  
*stelligera*, Sond. in Linnaea, xxii. (1849) 1. — *Afr. austr.*  
*stenopetala*, Bernh. ex Steud. Nom. ed. II. ii. 106. — *Sibir. altaic.*  
*stenopetala*, Coss. in Bull. Soc. Bot. Fr. xxvii. (1880) 68 = *maroccana*.  
*stenopetala*, Pomel, Nouv. Mat. Fl. Atl. 372. — *Alger*.  
*Stoddarti*, Bunge, in Arb. Naturf. Ver. Riga, i. (1847) 138. — *Turkestan*.  
*stylosa*, Hochst. & Steud. ex Steud. Nom. ed. II. ii. 106 = *Farsetia Hamiltonii*.  
*tatarica*, DC. Syst. ii. 170. — *Rossia*; *Turkest.*  
*Telum*, Pomel, Nouv. Mat. Fl. Atl. 372. — *Alger*.  
*tenella*, DC. Syst. ii. 169 = *oxyceras*.  
*thessala*, Boiss. & Orph. in Boiss. Fl. Orient. i. 153. — *Thessalia*.  
*tomentosa*, Bélanger, Voy. Indes Or., Ic. absque num. = *ovatifolia*.  
*torulosa*, DC. Syst. ii. 169. — *Afr. austr.*  
*tricuspidata*, R. Br. in Ait. Hort. Kew. ed. II. iv. 120. — *Reg. Mediterr.*  
*tristis*, R. Br. in Ait. Hort. Kew. ed. II. iv. 120. — *Reg. Mediterr.*  
*tristis*, Decne. ex Boiss. Fl. Orient. i. 152 = *arabica*.  
*undulata*, Tineo, Cat. Pl. Hort. Panorm. (1827) 279 = *incana*.  
*valesiaca*, J. Gay, ex Nym. Consp. 30 = *varia*.  
*varia*, DC. Syst. ii. 171. — *Ital.*; *Graec.*  
*varia*, Willk. in Willk. & Lange, Prod. Fl. Hisp. iii. 807 = *Erysimum linifolium*.  
*vulgaris*, Spach, Hist. Vég. Phan. vi. 403 = *incana*, *fenestralis*.

MATTHIOLA, Plum. ex Linn. Gen. ed. I. 49 (1737) = *Guettarda*, Linn. (Rubiace.).  
*scabra*, Linn. Sp. Pl. ed. I. 1192 = *G. Matthiola*.

MATTHISONIA, Lindl. Veg. Kingd. 795 (1847) = *seq.*

MATTHISSONIA, Raddi, in Mem. Mod. xviii. Fis. (1820) 390 = *Schwenkia*, Linn. (Solan.).  
*paniculata*, Raddi, l. c. — *Bras.*

MATTIA, Schult. Obs. Bot. 30, 32 (1809) = *Rindera*, Pall. (Borag.).  
*albida*, Wettstein, ex Stapf, in Denkschr. Acad. Wien, l. (1885) 32. — *Persia*.  
*angustifolia*, G. Don, Gen. Syst. iv. 310 = *R. angustifolia*.  
*Aucheri*, DC. & A. DC. in Prod. x. 169 = *Paracaryum Aucheri*.  
*brachyantha*, Boiss. Diagn. Ser. I. xi. 127. — *As. Min.*; *Persia*.  
*bracteata*, Orph. ex Boiss. Fl. Orient. iv. 274. — *Graecia*.  
*Bungei*, Boiss. l. c. — *Persia*.  
*caespitosa*, A. DC. in DC. Prod. x. 168 = *R. caespitosa*.  
*canescens*, A. DC. l. c. = *R. canescens*.  
*Columnae*, G. Don, Gen. Syst. iv. 310 = *Cynoglossum Columnae*.  
*corymbiformis*, DC. & A. DC. Prod. x. 169 = *Paracaryum corymbiforme*.  
*cristata*, G. Don, Gen. Syst. iv. 310 = *Paracaryum cristatum*.  
*emarginata*, Roem. & Schult. Syst. iv. 83, 765 = *Paracaryum angustifolium*.  
*eriantha*, Ledeb. Fl. Ross. iii. 173 = *R. pubescens*.  
*glastifolia*, G. Don, Gen. Syst. iv. 310 = *Paracaryum glastifolium*.  
*graeca*, A. DC. in DC. Prod. x. 168 = *R. graeca*.  
*gymnandra*, Coss. in Bull. Soc. Bot. Fr. iii. (1856) 708. — *Alger*.  
*himalayensis*, Klotzsch, in Bot. Ergeb. Waldem. Reise, 94 = *Paracaryum himalayense*.  
*incana*, Ledeb. Fl. Ross. iii. 173 = *Paracaryum incanum*.  
*laccigata*, Schult. Obs. Bot. 31 = *R. tetraspis*.

A a



**MATTIA** :—

- lanata*, Schult. Obs. Bot. 31 (= *Cyphomattia lanata*).—As. Min.; Persia.  
*lateriflorum*, G. Don, Gen. Syst. iv. 310 = *Pectocarya lateriflora*.  
*leptophylla*, DC. & A. DC. Prod. x. 170 = *Paracaryum leptophyllum*.  
*magellensis*, G. Don, Gen. Syst. iv. 310 = *Cynoglossum magellense*.  
*pilosa*, G. Don, l. c. = *Pectocarya lateriflora*.  
*punctata*, A. DC. in DC. Prod. x. 167 = *Rindera pubescens*.  
*Schlumbergeri*, Boiss. Fl. Orient. iv. 274.—Syria.  
*Schmidtii*, Helder. in Ann. Sc. Nat. Sér. IV. xiii. (1860) 382 = *R. graeca*.  
*staminea*, Roem. & Schult. Syst. iv. 82, 764 = *Solenanthus Tournefortii*.  
*umbellata*, C. Koch, in Linnaea, xvii. (1843) 302 = *R. pubescens*.  
*umbellata*, Schult. Obs. Bot. 32.—Europ. austr.

**MATTIOLA**, Sang. in Att. Acc. Pont. Lincei, Ser. I. xv. (1862) 36 = **Matthiola**, R. Br. (Crucif.).

**MATTUSCHKAEA**, Schreb. Gen. 788 (1791) = **Perama**, Aubl. (Rubiaceae).  
*galioides*, H. B. & K. Nov. Gen. et Sp. ii. 272 = *P. galioides*.  
*hirsuta*, Vahl, Symb. Bot. iii. 11 = *P. hirsuta*.  
*hispida*, H. B. & K. Nov. Gen. et Sp. ii. 271 = *P. hispida*.  
*incana*, Spreng. Syst. i. 418.—Bras.  
*Perama*, Schult. Mant. iii. 47 = *P. hirsuta*.

**MATTUSCHKEA**, Batsch, Tab. 193 (1802) = *praec.*

**MATTUSCHKIA**, J. F. Gmel. Syst. 589 (1791) = **Saururus**, Plum. (Piperac.).  
*aquatica*, J. F. Gmel. l. c. = *S. cernuus*.

**MATTUSKEA**, Rafin. Princ. Somiol. 30 (1814) = **MATTUSCHKAEA**, Schreb. = **Perama**, Aubl. (Rubiaceae).

**MATURNA**, Rafin. Fl. Tellur. ii. 99 (1836) = **Gomesa**, R. Br. (Orchid.).  
*suaveolens*, Rafin. l. c. = *G. foliosa*.

**MAUCHARTIA**, Neck, Elem. i. 172 (1790) = **Apium**, Tourn. (Umbellif.).

**MAUDUITA**, Comm. ex DC. Prod. i. 592 (1824) = **Samadera**, Gaertn. (Simarub.).

**MAUDUYTA**, Comm. ex Endl. Gen. 1144 (1841) = *praec.*

**MAUHLIA**, Dahl, Obs. Syst. Linn. 25 (1787) = **Agapanthus**, L'Hérit. (Liliac.).  
*africana*, Dahl, l. c. 26 = *A. umbellatus*.  
*ensifolia*, Thunb. Nov. Gen. 111 = *Massonia ensifolia*.  
*latifolia*, Thunb. Mus. Upsal. ex Schult. f. Syst. vii. 999 (Quid ?).—Hab. ?  
*linearis*, Thunb. Nov. Gen. 111 = *A. umbellatus*.  
*tortilis*, Thunb. Mus. Upsal. ex Schult. f. Syst. vii. 999 (Quid ?).—Hab. ?  
*umbellata*, Thunb. Hort. Upsal. ex Schult. f. l. c. 997 = *A. umbellatus*.

**MAUKSCHIA**, Heuff. in Flora, xxvii. (1844) 527 = **Carex**, Dill. (Cyperac.).  
*laevis*, Heuff. l. c. = *C. dioica*.  
*scabra*, Heuff. l. c. 528 = *C. Davalliana*.

**MAUNDIA**, F. Muell. Fragm. i. 22 (1858) = **Triglochin**, Linn. (Naiad.).  
*triglochinoides*, F. Muell. l. c. 23 = *T. Maundii*.

**MAUNEIA**, Thou. Nov. Gen. Madag. 6 (1806). *INC. SED.*  
*madagascariensis*, Steud. Nom. ed. II. ii. 107.—Madag.

**MAURANDIA**, Orteg. Hort. Matr. Dec. 21 (1797).  
**SCROPHULARINEAE**, Benth. & Hook. f. ii. 935.  
**LOPHOSPERMUM**, D. Don, in Trans. Linn. Soc. xv. (1827) 359.  
**REICHARDIA**, Roth, Catal. ii. 64 (1800).  
**USTERIA**, Cav. Ic. ii. 15. t. 116 (1793).  
*antirrhiniflora*, Humb. & Bonpl. ex Willd. Enum. Hort. Berol. 659 = *Antirrhinum maurandioides*.

**MAURANDIA** :—

- atrosanguinea*, Nichols. Dict. Gard. ii. 337 = *Rhodochiton volubile*.  
*Barclaiana*, Lindl. Bot. Reg. t. 1108.—Mexic.  
*Barclayana*, Auct. = *praec.*  
*erecta*, Hemsl. in Gard. Chron. (1882) i. 22.—Mexic.  
*erubescens*, A. Gray, in Proc. Am. Acad. vii. (1868) 377.—Mexic.  
*unceae*, Benth. Bot. Voy. Sulph. 41 = *Antirrhinum junceum*.  
*personata*, Lag. Gen. et Sp. Nov. 19 = *Antirrhinum maurandioides*.  
*scandens*, A. Gray, in Proc. Am. Acad. vii. (1868) 377.—Mexic.  
*scandens*, Pers. Syn. ii. 160 = *semperflorens*.  
*semperflorens*, Jacq. Hort. Schoenb. iii. 20.—Mexic.  
*stricta*, Hook. & Arn. Bot. Beech. Voy. 375 = *Antirrhinum strictum*.  
*Wisliceni*, Engelm. in Torr. Bot. Mex. Bound. 111.—Mexic.

**MAURANDYA**, G. Don, Gen. Syst. iv. 532 (1837) = *praec.*

**MAURIA**, Kunth, in Ann. Sc. Nat. Sér. I. ii. (1824) 338. **ANACARDIACEAE**, Benth. & Hook. f. i. 426.  
*aurantiodora*, Engl. in DC. Monog. Phan. iv. 326.—Peruv.  
*Biringo*, Tul. in Ann. Sc. Nat. Sér. III. vi. (1846) 365.—N. Granat.  
*cyclocarpa*, Mart. Herb. Fl. Bras. n. 1271 = *Tapirira guianensis*.  
*decandra*, Karst. ex Engl. in DC. Monog. Phan. iv. 327 = *heterophylla*.  
*ferruginea*, Tul. in Ann. Sc. Nat. Sér. III. vi. (1846) 366.—N. Granat.  
*guianensis*, Brongn. ex Engl. in DC. Monog. Phan. iv. 301 = *Sorindeia madagascariensis*.  
*heterophylla*, H. B. & K. Nov. Gen. et Sp. vii. 11. t. 606.—Peruv.  
*juglandifolia*, Benth. ex Engl. in DC. Monog. Phan. iv. 244 = *Spondias lutea*.  
*multiflora*, Mart. ex Benth. in Hook. Kew Journ. iv. (1852) 14.—Bras.  
*ovalifolia*, Turcz. in Bull. Soc. Nat. Mosc. xxxi. (1858) i. 467.—N. Granat.  
*puberula*, Tul. in Ann. Sc. Nat. Sér. III. vi. (1846) 363.—N. Granat.  
*Schickendantsii*, Hieron. & Lor. ex Engl. in DC. Monog. Phan. iv. 344 = *Schinus latifolius*.  
*Seemannii*, Planch. & Oerst. ex Triana & Planch. in Ann. Sc. Nat. Sér. V. xiv. (1872) 292 = *puberula*.  
*simplicifolia*, H. B. & K. Nov. Gen. et Sp. vii. 11. t. 605.—Chili.  
*suaveolens*, Poepp. & Endl. Nov. Gen. et Sp. iii. 77.—Peruv.; Guian.  
*subbiguga*, Mart. Herb. Fl. Bras. n. 1275 = *Tapirira guianensis*.

**MAURITIA**, Linn. f. Suppl. 70 (1781). **PALMAE**, Benth. & Hook. f. iii. 937.  
**LEPIDOCOCCUS**, H. Wendl. & Drude, in Kerch. Palm. 249 (1878).

**OROPHOMA**, Drude, in Mart. Fl. Bras. iii. ii. 294 (1882).  
*aculeata*, H. B. & K. Nov. Gen. et Sp. i. 311.—Am. austr.  
*aculeata*, Mart. Hist. Nat. Palm. ii. 47. t. 39. f. 3, 4 et t. 44 = *M. Martiana*.  
*armata*, Mart. l. c. 45. tt. 41–43.—Bras.  
*Carana*, Wallace, ex Archer, in Hook. Kew Journ. vii. (1855) 213.—Am. trop.  
*casiquiarensis*, Spruce, in Journ. Linn. Soc. xi. (1869) 173 = *Lepidocaryum tenue*.  
*flexuosa*, Linn. f. Suppl. 454.—Am. austr.  
*gracilis*, Mart. ex Spruce, in Journ. Linn. Soc. xi. (1869) 169.—Am. trop.  
*gracilis*, Wallace, Palm-trees Amaz. 57, t. 20 = *aculeata*.  
*guainiensis*, Spruce, in Journ. Linn. Soc. xi. (1869) 174 = *Lepidocaryum guianense*.  
*limnophylla*, Barb.-Rodr. Enum. Palm. Nov. 18 = *aculeata*.  
*Martiana*, Spruce, in Journ. Linn. Soc. xi. (1869) 171.—Am. trop.  
*Piritu*, Linden, in Illustr. Hort. xxviii. (1881) 32.—Bras.  
*pumila*, Wallace, Palm-trees Amaz. 59. t. 21.—Am. trop.

**MAURITIA** :—

- quadripartita*, Spruce, in Journ. Linn. Soc. xi. (1869) 172.—Am. trop.  
*Sagus*, Schult. f. Syst. vii. 1321.—Guiana.  
*setigera*, Griseb. & H. Wendl. ex Griseb. Fl. Brit. W. Ind. 515.—Ind. occ.  
*subinermis*, Spruce, in Journ. Linn. Soc. xi. (1869) 171.—Bras.  
*tenuis*, Mart. ex Spruce, l. c. 169.—Am. trop.  
*vinifera*, Mart. Hist. Nat. Palm. ii. 42. tt. 38, 39. f. 1, 2.—Bras.

**MAUROCENA**, Linn. Syst. ed. II. 21 (1740) = *seq.*

**MAUROCENIA**, Linn. Gen. ed. I. 85 (1737) = **Cassine**, Linn. (Celastr.).  
*americana*, Mill. Gard. Dict. ed. VIII. n. 4.—Jamaic.  
*capensis*, Sond. in Harv. & Sond. Fl. Cap. i. 465 = *C. Maurocenia*.  
*Cerasus*, Mill. Gard. Dict. ed. VIII. n. 3.—Afr. austr.  
*Frangula*, Mill. l. c. n. 1 = *C. Maurocenia*.  
*Frangularia*, Pers. Syn. i. 327, in obs. = *praec.*  
*Phylliraea*, Mill. Gard. Dict. ed. VIII. n. 2 = *C. capensis*.

**MAUROCENNA**, Linn. Phil. Bot. 29 (1751) = *praec.*

**MAVIA**, Bertol. f. in Mem. Acc. Sc. Bolog. ii. (1850) 570. t. 39 = **Erythrophleum**, Afzel. (Legumin.).  
*judicia*, Walp. Ann. ii. 461 = *seq.*  
*judicialis*, Bertol. f. in Mem. Acc. Sc. Bolog. ii. (1850) 570. t. 39 = *E. guineense*.

**MAXILLARIA**, Ruiz & Pav. Prod. 116. t. 25 (1794).

**ORCHIDEAE**, Benth. & Hook. f. iii. 555.  
**DICRYPTA**, Lindl. Gen. et Sp. Orch. 44, 152 (1830).  
**HETEROTAXIS**, Lindl. Bot. Reg. t. 1028 (1826).  
**MENADENA**, Rafin. Fl. Tellur. ii. 98 (1836).  
**ONKERIPUS**, Rafin. l. c. iv. 42 (1836).  
**PENTULOPS**, Rafin. l. c. (1836).  
**PSITTACOGLOSSUM**, La Llave & Lex. Nov. Veg. Desc. ii. Orch. 29 (1825).  
*acervata*, Reichb. f. in Bonplandia, iii. (1855) 217.—Costa Rica.  
*aciantha*, Reichb. f. in Bot. Zeit. x. (1852) 858.—Guatemala.  
*acicularis*, Herb. ex Lindl. Bot. Reg. sub t. 1986.—Bras.  
*acuminata*, Lindl. in Benth. Pl. Hartw. 155.—Peruv.  
*acutifolia*, Lindl. Bot. Reg. (1839) Misc. 92 = *rufescens*.  
*acutipetala*, Hook. Bot. Mag. t. 3966.—Am. centr.  
*affinis*, Hort. Petrop. ex Reichb. f. in Walp. Ann. vi. 511 = *hyacinthina*.  
*aggregata*, Lindl. Gen. et Sp. Orch. 151 = *Ornithidium aggregatum*.  
*alata*, Ruiz & Pav. Syst. Veg. 223.—Peruv.  
*alba*, Lindl. Gen. et Sp. Orch. 143.—Am. austr.  
*albata*, Lindl. Orch. Linden. 19.—N. Granat.  
*alpestris*, Lindl. in Benth. Pl. Hartw. 154.—Ecuador.  
*anatomorum*, Reichb. f. in Bot. Zeit. x. (1852) 935.—Am. austr.  
*angustifolia*, Hook. Ic. Pl. t. 348 = *variabilis*.  
*Arachnites*, Reichb. f. in Gard. Chron. (1880) i. 394.—N. Granat.  
*Arbuscula*, Reichb. f. in Bonplandia, iv. (1856) 213.—Peruv.  
*argyrophylla*, Poepp. & Endl. Nov. Gen. et Sp. i. 36.—Peruv.  
*aromatica*, R. Grah. in Edinb. N. Phil. Journ. (Apr.–Jul. 1826) 173; et in Hook. Exot. Fl. t. 219 = *Lycaste aromatica*.  
*articulata*, Klotzsch, Ind. Sem. Hort. Berol. (1853) 11 = *rufescens*.  
*atrata*, Reichb. f. Beitr. Orch. Centr. Am. 31. t. 6.—Guatemala.  
*atropurpurea*, Lodd. Bot. Cab. t. 1877 = *Bifrenaria atropurpurea*.  
*aurantiaca*, A. Rich. & Gal. in Ann. Sc. Nat. Sér. III. iii. (1845) 25 = *Bifrenaria aurantiaca* ?  
*aurea*, Hort. ex Reichb. f. in Bonplandia, iii. (1855) 216 = *porrecta*.  
*aureofulva*, Hook. Bot. Mag. t. 3629 = *Bifrenaria aureofulva*.  
*balsamea*, Beer, Prakt. Orch. 264 = *Lycaste balsamea*.  
*barbata*, Knowles & Westc. Phyt. 7; ex Reichb. f. in Walp. Ann. vi. 549 = *Bifrenaria vitellina*.  
*Barkerii*, Lindl. ex Beer, Prakt. Orch. 266.—Hab. ?



## MAXILLARIA:—

- Barringtoniae*, Hort. ex Reichb. f. *Xenia* Orch. i. 224 = *Bifrenaria* *Harrisoniae*.  
*Barringtoniae*, Lodd. Bot. Cab. t. 1824 = *Lycaste* *Barringtoniae*.  
*Batemanni*, Poepp. & Endl. Nov. Gen. et Sp. i. 38. t. 65.—Peruv.  
*bicolor*, Ruiz & Pav. Syst. Veg. 224.—Peruv.  
*Boothii*, Lindl. Bot. Reg. (1838) Misc. 52 = *Epidendrum* *aureum*.  
*brachyglossa*, Rich. & Gal. in Ann. Sc. Nat. Sér. III. iii. (1851) 24.—Mexic.  
*brachypus*, Reichb. f. in Bot. Zeit. x. (1852) 734 = *Xylobium* *brachypus*.  
*bractescens*, Lindl. Bot. Reg. (1842) Misc. 84 (*Xylobii* sp.).—Peruv.  
*brevifolia*, Reichb. f. in Walp. Ann. vi. 540.—Ecuador.  
*breviscapa*, Poepp. & Endl. Nov. Gen. et Sp. i. 36.—Peruv.  
*brevispatha*, Klotzsch, in Otto & Dietr. Allg. Gartenz. xix. (1851) 217 = *Lycaste* *candida*.  
*Brocklehurstiana*, Lindl. Bot. Reg. (1841) Misc. 10 = *Houlletia* *Brocklehurstii*.  
*brunnea*, Linden & Reichb. f. in *Bonplandia*, ii. (1854) 281.—N. Granat.  
*caespitifica*, Reichb. f. in *Linnaea*, xli. (1877) 73.—Costa Rica.  
*callichroma*, Reichb. f. in *Bonplandia*, ii. (1854) 16.—Venezuela.  
*caloglossa*, Reichb. f. in *Gard. Chron.* (1878) II. 654.—N. Granat.  
*Camaridii*, Reichb. f. in *Hamb. Gartenz.* xix. (1863) 547.—Costa Rica.  
*candida*, G. Lodd. ex Lindl. Bot. Reg. (1841) Misc. 23.—Bras.  
*carinata*, Rodrig. Orch. Nov. ii. 206.—Bras.  
*carinulata*, Reichb. f. in *Linnaea*, xli. (1877) 6.—N. Granat.  
*cassapensis*, Reichb. f. in Walp. Ann. vi. 539.—Peruv.  
*Cepula*, Reichb. f. in *Bonplandia*, iii. (1855) 216, 226.—Bras.  
*cerifera*, Rodrig. Orch. Nov. i. 118.—Bras.  
*chlorantha*, Lindl. Bot. Reg. sub t. 1986.—Guian.  
*christobalensis*, Reichb. f. in Bot. Zeit. x. (1852) 857.—Peruv.  
*chrysantha*, Rodrig. Orch. Nov. i. 115.—Bras.  
*chrysotera*, Beer, Prakt. Orch. 264 = *Lycaste* *chrysotera*.  
*ciliata*, Ruiz & Pav. Syst. Veg. 220 = *Lycaste* *Barringtoniae*.  
*cochleata*, Beer, Prakt. Orch. 264 = *Lycaste* *cochleata*.  
*coelia*, Reichb. f. & Warsc. in *Bonplandia*, ii. (1854) 97 (*Xylobii* sp.).—N. Granat.  
*Colleyi*, Batem. ex Lindl. Bot. Reg. (1838) Misc. 87 = *Batemannia* *Colleyi*.  
*colorata*, Reichb. f. in Walp. Ann. vi. 523.—Peruv.  
*concaua*, Lindl. Bot. Reg. (1844) Misc. 4 = *Xylobium* *concauum*.  
*consanguinea*, Klotzsch, in Ann. Sc. Nat. Sér. III. xix. (1853) 376.—Bras.  
*coriacea*, Rodrig. Orch. Nov. ii. 199.—Bras.  
*corrugata*, Lindl. Bot. Reg. (1844) Misc. 14 (*Xylobii* sp.).—Venezuela.  
*costata*, Lindl. l. c. (1838) Misc. 93 = *Lycaste* *costata*.  
*crassifolia*, Reichb. f. in *Bonplandia*, ii. (1854) 16.—Bras.  
*crinita*, Beer, Prakt. Orch. 264 = *Lycaste* *crinita*.  
*cristata*, Lindl. Bot. Reg. t. 1811 = *Lycaste* *cristata*.  
*crocea*, Lindl. l. c. t. 1749.—Bras.  
*crocea*, Poepp. & Endl. Nov. Gen. et Sp. 37 = *Poeppigiana*.  
*cruenta*, Lindl. Bot. Reg. (1842) t. 13 = *Lycaste* *cruenta*.  
*ctenostachys*, Reichb. f. in *Gard. Chron.* (1870) 39.—Costa Rica.  
*cucullata*, Lindl. Bot. Reg. (1840) t. 12.—Mexic.  
*cuneiformis*, Ruiz & Pav. Syst. Veg. 223.—Peruv.  
*curtipes*, Hook. Ic. Pl. t. 384.—Mexic.  
*cyanea*, Beer, Prakt. Orch. 264 = *Warrea* *cyanea*.  
*cylindrobulba*, Regel, Gartenfl. (1858) 341.—Mexic.  
*decolor*, Lindl. Bot. Reg. t. 1549 (*Xylobii* sp.).—Jamaic.  
*defflexa*, Klotzsch, ex A. Br. Klotzsch & Bouché, Ind. Sem. Hort. Berol. (1852) App. I.—Cf. Ann. Sc. Nat. Sér. III. xix. (1853) 375.—Bras.  
*densa*, Lindl. Bot. Reg. t. 1804 = *Ornithidium* *densum*.  
*densifolia*, Reichb. f. in *Bonplandia*, ii. (1854) 16 = *guareimensis*.  
*Deppei*, Lodd. Bot. Cab. t. 1612 = *Lycaste* *Deppei*.

## MAXILLARIA:—

- Desvauxiana*, Reichb. f. in *Bonplandia*, iii. (1854) 67.—Guian.  
*discolor*, Reichb. in Walp. Ann. vi. 529.—Guian.  
*divitiflora*, Reichb. f. Otia Bot. Hamb. 7.—Ecuador.  
*eburnea*, Lindl. Sert. Orch. t. 40. n. 2.—Bras.  
*echinophyta*, Rodrig. Orch. Nov. i. 122.—Bras.  
*elator*, Reichb. f. in Walp. Ann. vi. 532.—Guatemala.  
*elongata*, Lindl. & Paxt. Flow. Gard. iii. (1852-53) 69. f. 264 = *Xylobium* *elongatum*.  
*exigua*, Regel, Ind. Sem. Hort. Petrop. (1855) 20; et Gartenfl. (1856) 118 = *Ornithidium* *vestitum*.  
*Ferdinandiana*, Rodrig. Orch. Nov. ii. 204.—Bras.  
*fimbriata*, Poepp. & Endl. Nov. Gen. et Sp. i. 38. t. 52. f. 2.—Peruv.  
*flagellifera*, Lindl. ex Reichb. f. in Walp. Ann. vi. 551 = *Scuticaria* *Steelii*.  
*flavoviridis*, Rodrig. Orch. Nov. i. 119.—Bras.  
*floribunda*, Lindl. Orch. Linden. 19.—Peruv.  
*foveata*, Lindl. Bot. Reg. (1839) Misc. 2 (*Xylobii* sp.).—Guian.  
*fractiflexa*, Reichb. f. Otia Bot. Hamb. 8.—Ecuador.  
*Friedrichsthalii*, Reichb. f. in Bot. Zeit. x. (1852) 858.—Guatemala.  
*fulvescens*, Beer, Prakt. Orch. 265 = *Lycaste* *fulvescens*.  
*funerea*, Lindl. in Hook. Lond. Journ. Bot. i. (1842) 188.—Bras.  
*furfuracea*, Scheidw. in Otto & Dietr. Allg. Gartenz. xii. (1844) 67.—Bras.  
*fuscata*, Klotzsch, ex Reichb. f. in Walp. Ann. Bot. vi. 520 = *picta*.  
*fuscata*, Reichb. f. l. c. 525 = *rufescens*.  
*galeata*, Lindl. in Lodd. Bot. Cab. t. 1645 = *Gongora* *galeata*.  
*galeata*, Scheidw. in Otto & Dietr. Allg. Gartenz. x. (1842) 309.—Mexic.  
*Galeottiana*, Regel, Ind. Sem. Hort. Petrop. (1856) 19.—Cf. Ann. Sc. Nat. Sér. IV. vi. (1856) 375.—Bras.  
*Galeottiana*, Rich. & Gal. in Ann. Sc. Nat. Sér. III. iii. (1845) 24.—Mexic.  
*gigantea*, Beer, Prakt. Orch. 265 = *Lycaste* *gigantea*.  
*glauca*, Lindl. ex W. Baxt. in Loud. Hort. Brit. Suppl. iii. 586.—Guian.  
*glomerata*, Gal. Cact. et Orch. Brux. 6.—Mexic.  
*glumibracteum*, Hemsl. Biol. Centr. Am. Bot. iii. 266, sphalm. = *Epidendrum* *glumibracteum*.  
*Goeringii*, Reichb. f. in Bot. Zeit. iii. (1845) 334.—Japan.  
*gracilis*, Lodd. Bot. Cab. t. 1837.—Bras.  
*graminea*, Lindl. Bot. Reg. xxi. (1836) sub t. 1802 (*Aganostomus* sp.).—Guian.  
*graminifolia*, Reichb. f. in Walp. Ann. vi. 538.—Paraguay.  
*grandiflora*, Lindl. Ger. et Sp. Orch. 147.—N. Granat.; Peruv.  
*grandis*, Reichb. f. in *Linnaea*, xli. (1877) 29.—Ecuador.  
*guareimensis*, Reichb. f. in *Bonplandia*, ii. (1854) 16.—Venezuela.  
*gutata*, Hort. ex Reichb. f. in Bot. Zeit. x. (1852) 672 = *Zygopetalum* *xanthinum*.  
*Harrisoniae*, Lindl. in Bot. Reg. t. 897 = *Bifrenaria* *Harrisoniae*.  
*hastata*, Ruiz & Pav. Syst. Veg. 222.—Peruv.  
*hastulata*, Lindl. in Benth. Pl. Hartw. 155.—Ecuador.  
*Heismanniana*, Rodrig. Orch. Nov. ii. 201 (Cf. Index p. 8).—Bras.  
*hematoglossa*, Rich. & Gal. in Ann. Sc. Nat. Sér. III. iii. (1845) 24 = *rhombica*.  
*Henchmanni*, Hook. Bot. Mag. t. 8614 = *variabilis*.  
*heraldica*, Reichb. f. in Bot. Zeit. x. (1852) 763.—Guatemala.  
*heteroclita*, Poepp. & Endl. Nov. Gen. et Sp. 37. t. 63.—Peruv.  
*Heynderyxii*, E. Morr. in Ann. Soc. Bot. Gand, i. (1845) 97. t. 9 = *Lycaste* *gigantea*.  
*hirtilabia*, Lindl. in Journ. Hort. Soc. viii. (1853) 132.—N. Granat.  
*histiologorum*, Reichb. f. in Bot. Zeit. x. (1852) 936.—Bras.  
*Houtteana*, Reichb. f. in Hamb. Gartens. xiv. (1858) 212; et in Regel, Gartenfl. vii. (1858) 286.—Guatemala; Venezuela.  
*Houtteii*, Beer, Prakt. Orch. 265.—Hab.?  
*hyacinthina*, Reichb. f. in *Linnaea*, xxii. (1849) 855 (*Xylobii* sp.).—Venezuela.  
*hypocrita*, Reichb. f. in Hamb. Gartenz. xvi. (1860) 15 (*Xylobii* sp.).—Hab.?

## MAXILLARIA:—

- imbricata*, Rodrig. Orch. Nov. i. 120.—Bras.  
*inaudita*, Reichb. f. Beitr. Orch. Centr. Am. 76.—Costa Rica.  
*infausta*, Reichb. f. in *Bonplandia*, iii. (1855) 216.—Peruv.  
*inflexa*, Griseb. Fl. Brit. W. Ind. 626 = *Ornithidium* *inflexum*.  
*iridifolia*, Reichb. f. in *Bonplandia*, ii. (1854) 16.—N. Granat.  
*irrorata*, Reichb. f. in *Gard. Chron.* (1883) II. 102.—Reg. Andin.  
*jugosa*, Lindl. Bot. Reg. (1841) Misc. 51 = *Lycaste* *jugosa*.  
*Kalbreyeri*, Reichb. f. in *Gard. Chron.* (1885) I. 239.—N. Granat.  
*Kegelii*, Reichb. f. in *Linnaea*, xli. (1877) 127.—Guian.  
*Kreysigii*, Hoffm. ex Regel, Gartenfl. v. (1856) 328 = *picta*.  
*Kreysigii*, Reichb. f. ex Beer, Prakt. Orch. 265.—Hab.?  
*laevilabris*, Lindl. in Benth. Pl. Hartw. 155.—Peruv.  
*lancifolia*, Reichb. f. in Walp. Ann. vi. 539.—Venezuela.  
*latifolia*, Lindl. Gen. et Sp. Orch. 149.—Reg. Andin.  
*Lehmanni*, Reichb. f. Otia Bot. Hamb. 8.—Ecuador.  
*leiantha*, Beer, Prakt. Orch. 265 = *Lycaste* *Deppei*?  
*lentiginosa*, Lindl. Bot. Reg. (1839) Misc. 16 = *Zygopetalum* *lentiginosum*.  
*leontoglossa*, Reichb. f. in *Bonplandia*, iii. (1855) 67 (*Xylobii* sp.).—N. Granat.  
*lepidota*, Lindl. in Ann. & Mag. Nat. Hist. Ser. I. xv. (1845) 383.—N. Granat.  
*leptosepala*, Hook. Bot. Mag. t. 4434 = *setigera*.  
*leucimata*, Rodrig. Orch. Nov. ii. 198.—Bras.  
*leucantha*, Klotzsch, in Otto & Dietr. Allg. Gartenz. xviii. (1850) 402 = *Lycaste* *leucantha*.  
*leucocheile*, Hoffm. Verz. Orch.—Cf. Bot. Zeit. i. (1843) 833 = *picta*.  
*ligulata*, Ruiz & Pav. Syst. Veg. 222.—Peruv.  
*lilicea*, La Llave & Lex. Nov. Veg. Desc. fasc. ii. (Orch. Opusc.) 12 = *Govenia* *lilicea*.  
*lilicea*, Rodrig. Orch. Nov. ii. 201.—Bras.  
*Lindeniana*, Rich. & Gal. in Ann. Sc. Nat. Sér. III. iii. (1845) 24.—Mexic.  
*linguaeformis*, Regel, in Ind. Sem. Hort. Petrop. (1856) 20; et Gartenfl. (1856) 328.—Hab.?  
*longibracteata*, Reichb. f. in Walp. Ann. vi. 540 = *Camaridium* *longibracteatum*.  
*longifolia*, Lindl. Gen. et Sp. Orch. 150 = *Xylobium* *longifolium*.  
*longipes*, Lindl. in Benth. Pl. Hartw. 154.—Peruv.; Ecuador.  
*longipetala*, Rodrig. Orch. Nov. i. 120.—Bras.  
*longipetala*, Ruiz & Pav. Syst. Veg. 220.—Peruv.  
*longissima*, Lindl. Orch. Linden. 20.—Venezuela.  
*lorifolia*, Reichb. f. in *Bonplandia*, ii. (1854) 92.—Venezuela.  
*luteo-alba*, Lindl. Orch. Linden. 20.—N. Granat.  
*luteo-grandiflora*, Hort. ex Flor. Mag. x. (1871) t. 599.—Hab.?  
*luteola*, Beer, Prakt. Orch. 266 = *Polystachya* *luteola*.  
*luteo-rubra*, Reichb. f. in Walp. Ann. vi. 539.—Peruv.; N. Granat.  
*lutescens*, Scheidw. in Otto & Dietr. Allg. Gartenz. vii. (1839) 145 = *Camaridium* *lutescens*.  
*lyncea*, Lindl. Gen. et Sp. Orch. 151 = *Stanhopea* *tigrina*.  
*Lyoni*, Lindl. Bot. Reg. (1845) Misc. 17.—Mexic.  
*Maclei*, Batem. ex Lindl. l. c. (1840) Misc. 70.—Guatemala.  
*macrobulbon*, Hook. Bot. Mag. t. 4228 = *Lycaste* *macrobulbon*.  
*macrophylla*, Poepp. & Endl. Nov. Gen. et Sp. i. 37. t. 64 = *Lycaste* *macrophylla*.  
*macrura*, Reichb. f. in *Linnaea*, xli. (1877) 28.—Venezuela.  
*maculata*, Lindl. Gen. et Sp. Orch. 149.—Ecuador.  
*marginata*, Lindl. Bot. Reg. (1838) Misc. 52 = *Epidendrum* *aureum*.  
*marginata*, Regel, in Pl. Sys. Sem. Ser. I. x. (1844) 112; Reichb. f. in *Bonplandia*, iii. (1855) 216.—Bras.  
*Mathewsii*, Lindl. in Benth. Pl. Hartw. 155.—Peruv.  
*Mathewsii*, Reichb. f. in Walp. Ann. vi. 539.—Peruv.  
*Meirax*, Reichb. f. & Warm. in Otia Bot. Hamb. 88.—Venezuela.  
*Meleagris*, Lindl. Bot. Reg. (1844) Misc. 3.—Venezuela.



**MAXILLARIA:—**

melina, *Lindl. Orch. Linden.* 20.—Venezuela.  
 meridensis, *Lindl. l. c.* 19.—Venezuela.  
 miliacea, *Reichb. f. Xenia Orch.* iii. 22.—Bolivia.  
 monoceros, *Klotzsch, ex Reichb. f. in Walp. Ann.* vi. 520 = picta.  
 multiflora, *Rodrig. Orch. Nov.* i. 117.—Bras.  
 muscicola, *Reichb. f. Otia Bot. Hamb.* 7.—Ecuador.  
 mutabilis, *Hort. ex Reichb. f. in Bonplandia, iii.* (1855) 216 = porrecta.  
 nana, *Hook. Ic. Pl. t.* 315 = uncata.  
 nanegalensis, *Reichb. f. in Linnaea, xli.* (1877) 34.—Ecuador.  
 nasuta, *Reichb. f. Beitr. Orch. Centr. Am.* 104.—Costa Rica.  
 neophylla, *Reichb. f. in Gard. Chron.* (1878) ii. 588.—N. Granat.  
 Neowiedii, *Reichb. f. in Linnaea, xli.* (1877) 29.—Bras.  
 nigrescens, *Lindl. Orch. Linden.* 20.—Venezuela.  
 nitidula, *Reichb. f. in Linnaea, xli.* (1877) 29.—Ecuador.  
 notylioglossa, *Reichb. f. in Bonplandia, ii.* (1854) 16.—Venezuela.  
 nutans, *Lindl. in Benth. Pl. Hartw.* 154.—Peruv.  
 obscura, *Linden & Reichb. f. Beitr. Orch. Centr. Am.* 3f = cucullata.  
 ochroleuca, *Lodd. ex Lindl. Gen. et Sp. Orch.* 143.—Bras.  
 ornata, *Klotzsch, in Otto & Dietr. Allg. Gartenz.* xxiii. (1855) 257.—Peruv.  
 ornithoglossa, *Lodd. ex W. Baxt. in Loud. Hort. Brit. Suppl.* iii. 586.—Mexic.  
 pallidiflora, *Hook. Bot. Mag. t.* 2806 (Xylobii sp.).—Ins. S. Vincent.  
 palmifolia, *Lindl. Gen. et Sp. Orch.* 148 (Xylobii sp.).—Jamaica.  
 pamplonensis, *Linden & Reichb. f. in Bonplandia, ii.* (1854) 281.—N. Granat.  
 paniculata, *Ruiz & Pav. Syst. Veg.* 223.—Peruv.  
 pantherina, *Reichb. f. in Bonplandia, iii.* (1855) 237.—Reg. Andin.  
 paranaensis, *Rodrig. Orch. Nov.* ii. 205.—Bras.  
 Parkerii, *Hook. Bot. Mag. t.* 2729.—Guian.  
 Parthoni, *Dum. in Hort. Belge, ii.* (1834) 245.—Bras.  
 parvula, *Hook. Exot. Fl. t.* 217 = Bifrenaria parvula.  
 pastensis, *Reichb. f. in Bonplandia, iii.* (1855) 239.—N. Granat.  
 pauciflora, *Rodrig. Orch. Nov.* i. 116.—Bras.  
 penduliflora, *Fenzl, in Fl. des Serres, Sér. I. x.* (1854–55) 110 = gracilis?  
 pentura, *Lindl. Orch. Linden.* 20.—Venezuela.  
 pertusa, *Reichb. f. in Gard. Chron.* (1878) i. 169 = lepidota.  
 phoenicanthera, *Rodrig. Orch. Nov.* ii. 200.—Bras.  
 phyllomega, *Steud. Nom. ed. II. ii.* 107 = Lycaste macrophylla.  
 picta, *Hook. Bot. Mag. t.* 3154.—Bras.  
 placanthera, *Hook. l. c. t.* 3173 = viridis.  
 platypetala, *Ruiz & Pav. Syst. Veg.* 221.—Peruv.  
 plebeja, *Reichb. f. in Hamb. Gartenz.* xv. (1859) 57.—Bras.  
 Poeppigiana, *Steud. Nom. ed. II. ii.* 107.—Peruv.  
 polyantha, *Rodrig. Orch. Nov.* ii. 202.—Bras.  
 polypetala, *Steud. Nom. ed. I. 261; ed. II. i.* 490, in syn. = platypetala.  
 polyphylla, *Reichb. f. in Walp. Ann.* vi. 539.—Ecuador.  
 ponerantha, *Reichb. f. in Bonplandia, ii.* (1854) 17.—Venezuela.  
 porphyrostele, *Reichb. f. in Gard. Chron.* (1873) i. 978.—Bras.  
 porrecta, *Lindl. Bot. Reg.* (1838) Misc. 192.—Guian.  
 praestans, *Reichb. f. in Gard. Chron.* (1885) i. 566.—Guatemala.  
 praetexta, *Reichb. f. in Bonplandia, ii.* (1854) 16.—Venezuela.  
 proboscidea, *Reichb. f. l. c.*—Venezuela.  
 procurrens, *Lindl. in Ann. & Mag. Nat. Hist. Ser. I. xv.* (1845) 383.—N. Granat.  
 prolifera, *Ruiz & Pav. Syst. Veg.* 226.—Peruv.  
 psittacina, *Batem. ex Steud. Nom. ed. II. ii.* 107 (Quid ?)—Mexic.  
 pterocarpa, *Rodrig. Orch. Nov.* ii. 204.—Bras.  
 pubigera, *Klotzsch, in Otto & Dietr. Allg. Gartenz.* xxiii. (1855) 106 = Bifrenaria Harrisoniae.  
 pulla, *Linden & Reichb. f. in Bonplandia, ii.* (1845) 280.—N. Granat.

**MAXILLARIA:—**

pumila, *Hook. Bot. Mag. t.* 3613.—Guian.  
 punctata, *Lodd. Bot. Cab. t.* 1914.—Bras.  
 puncto-striata, *Reichb. f. in Linnaea, xli.* (1877) 28.—Mexic.  
 punctulata, *Klotzsch, in Otto & Dietr. Allg. Gartenz.* xix. (1851) 249 = marginata.  
 purpurascens, *Knowl. & Westc. in Phytolog.* 8; ex Reichb. f. in Walp. Ann. vi. 547 = Bifrenaria parvula.  
 purpurata, *Reichb. f. in Walp. Ann.* vi. 538.—Venezuela.  
 purpurea, *Beer, Prakt. Orch.* 266 = Polystachya purpurea.  
 Queirogana, *Rodrig. Orch. Nov.* i. 116.—Bras.  
 racemosa, *Hook. Bot. Mag. t.* 2789 = Bifrenaria racemosa.  
 ramosa, *Ruiz & Pav. Syst. Veg.* 226.—Peruv.  
 rebellis, *Reichb. f. in Fl. des Serres, Sér. I. ix.* (1853–54) 102; et in Bonplandia, iii. (1855) 217 (Xylobii sp.).—Hab. ?  
 Reichenheimiana, *Reichb. f. in Gard. Chron.* (1871) 16, 78.—Costa Rica.  
 revoluta, *Klotzsch, in Otto & Dietr. Allg. Gartenz.* xx. (1852) 186 = variabilis.  
 rhombea, *Lindl. Bot. Reg.* xxvi. (1840) sub t. 12.—Mexic.  
 rigida, *Rodrig. Orch. Nov.* ii. 206.—Bras.  
 ringens, *Reichb. f. in Walp. Ann.* vi. 523.—Mexic.  
 robusta, *Rodrig. Orch. Nov.* ii. 197.—Bras.  
 Roezli, *Reichb. f. ex Linden, Illustr. Hort.* xxix. (1882) 68, nomen.—N. Granat.  
 Rollinsonii, *Steud. Nom. ed. II. ii.* 108 = seq.  
 Rollissonii, *Lindl. Bot. Reg.* sub t. 1986 = Zygopetalum Rollissonii.  
 rubro-fusca, *Klotzsch, Ind. Sem. Hort. Berol.* (1853) 12 = nigrescens.  
 rufescens, *Lindl. Bot. Reg.* (1836) t. 1848.—Ins. Trinit.  
 rugosa, *Scheidw. in Otto & Dietr. Allg. Gartenz.* xi. (1843) 101.—Bras.  
 rupestris, *Rodrig. Orch. Nov.* ii. 199.—Bras.  
 saxatilis, *Reichb. f. in Bonplandia, iii.* (1855) 216.—Peruv.  
 scabrilinguis, *Lindl. Bot. Reg.* (1844), Misc. 71 (Xylobii sp.).—Ecuador.  
 serotina, *Regnell & Rodrig. in Rodrig. Orch. Nov.* ii. 203.—Bras.  
 sessilis, *Lindl. in Benth. Pl. Hartw.* 155.—Ecuador.  
 setigera, *Lindl. in Bot. Reg.* (1845), Misc. 30.—Venezuela.  
 sinuosa, *Batem. ex W. Baxt. in Loud. Hort. Brit. Suppl.* iii. 587.—Guian.  
 Skinneri, *Batem. ex Lindl. in Bot. Reg.* (1840) Misc. 48; et (1842) Misc. 10 = Lycaste Skinneri.  
 spathacea, *Lindl. Gen. & Sp. Orch.* 151 = Bifrenaria Harrisoniae.  
 speciosa, *Reichb. f. in Gard. Chron.* (1876) ii. 197.—N. Granat.  
 spilotantha, *Reichb. f. in Bonplandia, ii.* (1854) 17.—Venezuela.  
 splendens, *Poepp. & Endl. Nov. Gen. et Sp.* i. 38, t. 66.—Peruv.  
 squalens, *Hook. Bot. Mag. t.* 2955 = Xylobium squalens.  
 squamata, *Rodrig. Orch. Nov.* i. 118.—Bras.  
 stachyobiorum, *Reichb. f. in Bot. Zeit. x.* (1852) 735 = Xylobium stachyobiorum.  
 stapelioides, *Lindl. Gen. & Sp. Orch.* 146 = Zygopetalum stapelioides.  
 Steelii, *Hook. Bot. Mag. t.* 3573 = Scuticaria Steelii.  
 stenobulbum, *Klotzsch, Ind. Sem. Hort. Berol.* (1853) 11 (Xylobii sp.).—Venezuela.  
 stenopetala, *Knowl. & Westc. Flor. Cab.* ii. (1838) 112 (Bifrenariae sp.).—Bras.  
 stenophylla, *Reichb. f. in Bonplandia, ii.* (1854) 17.—Venezuela.  
 subulata, *Lindl. Gen. & Sp. Orch.* 147.—Bras.  
 sulfurina, *Lem. in Fl. des Serres, Sér. I. iv.* (1848) t. 330 b (Xylobii sp.).—Guatemala.  
 superba, *La Llave & Lex. Nov. Veg. Desc. fasc.* ii. (Orch. Opusc.) 13 = Govenia superba.  
 superflua, *Reichb. f. in Bonplandia, iv.* (1856) 323.—Hab. ?  
 supina, *Poepp. & Endl. Nov. Gen. et Sp.* i. 39, t. 67 (Xylobii sp.).—Peruv.  
 surinamensis, *Focke, ex Reichb. f. in Walp. Ann.* vi. 492 (Ornithidii sp.).—Peruv.  
 tenuifolia, *Lindl. Bot. Reg.* sub t. 1986.—Mexic.  
 tetragona, *Lindl. l. c. t.* 1428 = Lycaste tetragona.

**MAXILLARIA:—**

triangularis, *Lindl. Bot. Reg.* (1845) Misc. 9 = elatior.  
 tricolor, *Klotzsch, in Otto & Dietr. Allg. Gartenz.* xx. (1852) 186 = Lycaste tricolor.  
 tricolor, *Lindl. in Hook. Lond. Journ. Bot.* i. (1842) 189 = marginata.  
 tricolor, *Ruiz & Pav. Syst. Veg.* 224.—Peruv.  
 triloris, *E. Morr. in Belg. Hort.* xx. (1870) 240, t. 13.—Venezuela ?  
 triphylla, *Ruiz & Pav. Syst. Veg.* 225.—Peruv.  
 truxillensis, *Reichb. f. in Bonplandia, ii.* (1854) 17 (Xylobii sp.).—Mexic.  
 Turneri, *Nichols. Dict. Gard.* i. 339.—Hab. ?  
 tyrianthina, *Hort. ex W. Baxt. in Loud. Hort. Brit. Suppl.* iii. 582 = Bifrenaria tyrianthina.  
 uncata, *Lindl. Bot. Reg.* sub t. 1986.—Guiana.  
 undatiflora, *Ruiz & Pav. Syst. Veg.* 225.—Peruv.  
 undulata, *Ruiz & Pav. l. c.* 221.—Peruv.  
 vaginalis, *Reichb. f. Beitr. Orch. Centr. Am.* 77.—Costa Rica.  
 variabilis, *Batem. ex Lindl. Bot. Reg.* sub t. 1986.—Mexic.  
 varicosa, *Reichb. f. in Gard. Chron.* (1883) ii. 392.—Bolivia.  
 variegata, *Ruiz & Pav. Syst. Veg.* 222.—Peruv.  
 venusta, *Linden & Reichb. f. in Bonplandia, ii.* (1854) 280.—N. Granat.  
 vernicosa, *Rodrig. Orch. Nov.* i. 121.—Bras.  
 violaceopunctata, *Reichb. f. in Bonplandia, iii.* (1855) 216.—Guian.  
 virginalis, *Scheidw. in Bull. Acad. Brux.* ix. i. (1842) 25.—Mexic.  
 virguncula, *Reichb. f. in Bonplandia, ii.* (1854) 16.—Venezuela.  
 viridis, *Lindl. Bot. Reg.* t. 1510 (an Lycastes sp. ?)—Bras.  
 vitellina, *Lindl. l. c.* (1838) Misc. 62 (Bifrenariae sp.).—Bras.  
 vitelliniflora, *Rodrig. Orch. Nov.* i. 121.—Bras.  
 Wagereri, *Reichb. f. in Regel, Gartenfl.* (1856) 118 = Bifrenaria Wagereri.  
 Warreana, *Lodd. ex Lindl. Gen. & Sp. Orch.* 148 (Warreae sp. ?)—Bras.  
 xanthina, *Lindl. Bot. Reg.* (1839) sub t. 17 = Zygopetalum xanthinum.

**MAXIMILIANA**, *Mart. Hist. Nat. Palm.* ii. 131 (1824). **PALMAE**, *Benth. & Hook. f.* iii. 946.  
 attaleoides, *Barb. Rodr. Enum. Palm.* Nov. 41 = Attalea spectabilis.  
 caribaea, *Griseb. & H. Wendl. ex Griseb. Fl. Brit. W. Ind.* 522.—Ind. occ.  
 crassispata, *Mart. Palmet. Orbign.* 110.—Ins. S. Doming.  
 elegans, *Karst. in Linnaea, xxviii.* (1856) 271 = M. Maripa.  
 Inajai, *Spruce, in Journ. Linn. Soc.* xi. (1869) 163 = Cocos Inajai.  
 insignis, *Mart. Hist. Nat. Palm.* ii. 133, t. 94.—Bras.  
 Jagua, *Seem. ex Linden, Illustr. Hort.* xxviii. (1881) 32, nomen.—N. Granat.  
 Maripa, *Drude, in Mart. Fl. Bras.* iii. ii. 452.—Guian.  
 Martiana, *Karst. in Linnaea, xxviii.* (1856) 273 = regia.  
 panamensis, *Linden, Illustr. Hort.* xxviii. (1881) 32, nomen.—N. Granat.  
 Princeps, *Mart. Palmet. Orbign.* t. 4 = Scheelea Princeps.  
 regia, *Mart. Hist. Nat. Palm.* ii. 132, tt. 91–93.—Bras.  
 regia, *Wallace, Palm-trees Amaz.* 121, t. 47 = M. Maripa.  
 spiralis, *Linden, Illustr. Hort.* xxviii. (1881) 32, nomen.—Bras.  
 tetrasticha, *Drude, in Mart. Fl. Bras.* iii. ii. 455.—Bras.  
 venatorum, *H. Wendl. in Kerch. Palm.* 251.—Peruv. ?

**MAXIMILIANA**, *Mart. in Flora*, ii. (1819) 451 = **Cochlospermum**, *Kunth (Bixin.)*.  
 regia, *Mart. l. c.* 452 = C. insigne.

**MAXIMOVITZIA**, *Benth. & Hook. f. Gen.* i. 19 (1862) = **MAXIMOWICZIA**, *Rupr.* = **Schisandra**, *Michx.*

**MAXIMOWICZIA**, *Cogn. in DC. Monog. Phan.* iii. 726 (1881). **CUCURBITACEAE**.  
 Lindheimeri, *Cogn. l. c.* 727.—Texas.  
 tripartita, *Cogn. l. c.* 728.—Texas.



**MAXIMOWICZIA**, Rupr. in Bull. Phys.-Math. Acad. Pétersb. xv. (1856) 142, 124 = *Schisandra*, Michx. (Magnol.).  
*amurensis*, Rupr. l. c. 124 = *S. chinensis*.  
*chinensis*, Rupr. in Maxim. Prim. Fl. Amur. 31 = *S. chinensis*.  
*japonica*, C. Koch, Dendrol. i. 386 = *S. chinensis*.

**MAXWELLIA**, Baill. Adansonia, x. (1871) 100. **STERCULIACEAE**.  
*lepidota*, Baill. l. c. —N. Caled.

**MAYACA**, Aubl. Pl. Gui. i. 42. t. 15 (1775). **MAYACEAE**, Benth. & Hook. f. iii. 843.  
*BIASLIA*, Vand. Fl. Lusit. et Bras. Spec. 4. t. 1. f. 2 (1788).  
*COLETIA*, Vell. Fl. Flum. 32 (1825).  
*SYENA*, Schreb. Gen. 39 (1789).  
*Aubletii*, Michx. Fl. Bor. Am. i. 26. —Am. bor.  
*Aubletii*, Schott & Endl. Melet. 24. t. 3 = *fluviatilis*.  
*Endlicheri*, Poepp. ex Seub. in Mart. Fl. Bras. iii. i. 230. —Peruv.  
*fluviatilis*, Aubl. Pl. Gui. i. 42. —Guian.  
*fluviatilis*, Ell. Sketch, i. 50 = *Aubletii*.  
*Kunthii*, Seub. in Mart. Fl. Bras. iii. i. 228. —Bras.  
*lagoënsis*, Warm. in Kjoeb. Vidensk. Meddel. (1867) 42. —Bras.  
*longipes*, Mart. ex Seub. in Mart. Fl. Bras. iii. i. 229. —Bras.  
*Michauxii*, Schott & Endl. Melet. 24 = *Aubletii*.  
*Sellowiana*, Kunth, Enum. Pl. iv. 32. —Bras.  
*Vandellii*, Kunth, l. c. = *Kunthii*.  
*Vandellii*, Schott & Endl. Melet. 24. t. 3. —Bras.  
*Wrightii*, Griseb. Cat. Pl. Cub. 224. —Cuba.

**MAYANTHEMUM**, DC. Fl. Fr. iii. 107 (1805) = **Maianthemum**, Weber (Liliac.).

**MAYCOCKIA**, A. DC. in DC. Prod. viii. 324 (1844) = **Condyllocarpon**, Desf. (Apocyn.).  
*Rauwolfiae*, A. DC. l. c. = *C. Rauwolfiae*.

**MAYEPEA**, Aubl. Pl. Gui. i. 81. t. 31 (1775) = **Lino-ciera**, Sw. (Oleac.).  
*axillaris*, F. Muell. Census, 92 = *L. albidiflora*?  
*guianensis*, Aubl. Pl. Gui. i. 81. t. 31 = *L. tetrandra*.  
*picophloia*, F. Muell. Census, 92 = *L. intermedia*.  
*quadrastaminea*, F. Muell. Fragm. x. 89. —Austral.  
*ramiflora*, F. Muell. Census, 92 = *L. macrophylla*.

**MAYETA**, Juss. Gen. 330 (1789) = **Maieta**, Aubl. (Melastom.).

**MAYNA**, Aubl. Pl. Gui. ii. 921. t. 352 (1775) = **Oncoba**, Forsk. (Bixin).  
*brasiliensis*, Raddi, in Mem. Mod. xviii. Fis. (1820) 402. —Bras.  
*denticulata*, Benth. in Hook. Journ. Bot. iv. (1842) 115 = *Dendrostylis denticulata*.  
*echinata*, Spruce, ex Benth. in Journ. Linn. Soc. v. Suppl. ii. (1861) 82. —Peruv.  
*latifolia*, Benth. l. c. 80 = *O. latifolia*.  
*laurina*, Benth. l. c. 81. —Mexic.  
*laxiflora*, Benth. in Hook. Journ. Bot. iv. (1842) 114 = *O. maynensis*.  
*longifolia*, Poepp. & Endl. Nov. Gen. et Sp. iii. 64. t. 271 = *Carpotroche longifolia*.  
*odorata*, Aubl. Pl. Gui. ii. 921. t. 352 = *Dendrostylis suaveolens*?  
*ovata*, Benth. in Journ. Linn. Soc. v. Suppl. ii. (1861) 81 = *O. ovata*.  
*paludosa*, Benth. in Hook. Journ. Bot. iv. (1842) 114 = *O. maynensis*.  
*pauciflora*, Benth. in Journ. Linn. Soc. v. Suppl. ii. (1861) 81 = *O. pauciflora*.  
*sericea*, Spreng. Neue Entdeck. ii. 153. —Bras.  
*vernica*, Karst. Fl. Columb. ii. 11. t. 106. —N. Granat.

**MAYODENDRON**, Kurz, For. Fl. Brit. Burma, ii. 232 (1877). **BIGNONIACEAE**.  
*igneum*, Kurz, l. c. 233. —Burma.

**MAYS**, Tourn. ex Gaertn. Fruct. i. 6. t. 1 (1788) = **Zea**, Linn. (Gramin.).  
*americana*, Baumg. Enum. Stirp. Transs. iii. 281 = *Z. Mays*.  
*vulgaris*, Ser. Mcl. Bot. i. 182 = *Z. Mays*.  
*Zea*, Gaertn. Fruct. i. 6. t. 1. f. 9 = *Z. Mays*.

**MAYTENUS**, Molina, Sagg. Chile, ed. I. 177 (1782); **CELASTRINEAE**, Benth. & Hook. f. i. 364.  
*BOARIA*, DC. Prod. viii. 299 (1844).  
*EUTHALIS*, Banks & Soland. ex Hook. f. Fl. Antarct. 254 (1847).  
*HAENKEA*, Ruiz & Pav. Prod. 36. t. 6 (1794).  
*MONTEVERDIA*, A. Rich. Ess. Fl. Cub. 346 (1845).  
*TRICERMA*, Liebm. in Kjoeb. Vidensk. Meddel. (1853) 97.

*acanthophylla*, Reiss. in Mart. Fl. Bras. xi. i. 6. —Bras.  
*acerifolia*, Walp. Rep. ii. 827, sphalm. = *aquifolium*.  
*acutangula*, Reiss. in Mart. Fl. Bras. xi. i. 4. —Bras.  
*alaternoides*, Reiss. l. c. 15. —Bras.  
*amazonica*, Mart. ex Reiss. l. c. 25. —Bras.  
*amygdalina*, Turcz. in Bull. Soc. Nat. Mosc. xxxi. (1858) i. 451. —Guian.  
*andina*, Phil. in Linnaea, xxviii. (1856) 617 = *magellanica*.  
*Aquifolium*, Mart. in Flora, xxiv. (1841) II. Beibl. 91. —Bras.  
*ardisiaefolia*, Reiss. in Mart. Fl. Bras. xi. i. 26. —Bras.  
*attenuata*, Reiss. l. c. 23. —Bras.  
*basidentata*, Reiss. l. c. 7. —Bras.  
*Boaria*, Molina, Sagg. Chile, ed. I. 177. —Chili.  
*brasilensis*, Mart. in Flora, xxiv. (1841) II. Beibl. 87. —Bras.  
*buxifolia*, Griseb. Cat. Pl. Cub. 53. —Cuba.  
*buxifolia*, Triana & Planch. in Ann. Sc. Nat. Sér. V. xvi. (1872) 367. —N. Granat.  
*capitellata*, Presl, Bot. Bemerk. 35. —Peruv.  
*cassineformis*, Reiss. in Mart. Fl. Bras. xi. i. 15. —Bras.  
*castaneaeformis*, Reiss. l. c. 7. —Bras.  
*catingarum*, Reiss. l. c. 26. —Bras.  
*cestrifolia*, Reiss. l. c. 24. —Bras.  
*chilensis*, DC. Prod. ii. 9 = *M. Boaria*.  
*cochlearifolia*, Griseb. Cat. Pl. Cub. 53. —Cuba.  
*communis*, Reiss. in Mart. Fl. Bras. xi. i. 22. —Bras.  
*commutata*, Reiss. l. c. 21. —Bras.  
*comocladiaeformis*, Reiss. l. c. 8. —Bras.  
*crenulata*, Presl, Bot. Bemerk. 35. —Chili.  
*cuneifolia*, Griseb. Cat. Pl. Cub. 64. —Cuba.  
*dasyclados*, Mart. in Flora, xxiv. (1841) II. Beibl. 89. —Bras.  
*diospyroides*, Reiss. in Mart. Fl. Bras. xi. i. 17. —Bras.  
*distichophylla*, Mart. ex Reiss. l. c. —Bras.  
*ebenifolia*, Reiss. l. c. 18. —Bras.  
*elaedodendroides*, Griseb. Cat. Pl. Cub. 54. —Cuba.  
*erythroxylon*, Reiss. in Mart. Fl. Bras. xi. i. 21. —Bras.  
*evonymoides*, Reiss. l. c. 11. —Bras.  
*ficiformis*, Reiss. l. c. 20. —Guian.  
*floribunda*, Reiss. l. c. 16. —Bras.  
*glaucescens*, Reiss. l. c. 10. —Bras.  
*gonoclada*, Griseb. Fl. Brit. W. Ind. 145 = *tetragona*.  
*gonoclada*, Mart. in Flora, xxiv. (1841) II. Beibl. 89. —Bras.  
*grandiflora*, Reiss. in Mart. Fl. Bras. xi. i. 23. —Bras.  
*guianensis*, Klotzsch, in Schomb. Fauna & Fl. Brit. Gui. 1097. —Guian.  
*horrida*, Reiss. in Mart. Fl. Bras. vi. i. 5. —Bras.  
*ilicifolia*, Mart. ex Reiss. l. c. 8. —Bras.  
*imbricata*, Mart. ex Reiss. l. c. 16. —Bras.  
*impressa*, Reiss. l. c. 29. —Bras.  
*Itatiaiae*, Wawra, in Oestr. Bot. Zeitschr. xxxii. (1882) 38. —Bras.  
*Karstenii*, Reiss. in Mart. Fl. Bras. xi. i. 19. —Venezuela.  
*laevis*, Reiss. l. c. 27. —Bras.  
*lagoënsis*, Warm. in Kjoeb. Vidensk. Meddel. (1880) 365. —Bras.  
*laxiflora*, Triana & Planch. in Ann. Sc. Nat. Sér. V. xvi. (1872) 367. —N. Granat.  
*ligustrina*, Reiss. in Mart. Fl. Bras. xi. i. 25. —Bras.  
*lineatus*, Wright, ex Griseb. Cat. Pl. Cub. 54. —Cuba.  
*macroclada*, Reiss. in Mart. Fl. Bras. xi. i. 6. —Bras.  
*macrophylla*, Mart. in Flora, xxiv. (1841) II. Beibl. 95. —Bras.  
*magellanica*, Hook. f. Fl. Antarct. 254. —Reg. Magell.  
*multiflora*, Reiss. in Mart. Fl. Bras. xi. i. 24. —Bras.  
*myricoides*, Triana & Planch. in Ann. Sc. Nat. Sér. V. xvi. (1872) 366. —N. Granat.  
*myrsinoides*, Reiss. in Mart. Fl. Bras. xi. i. 21. —Guian.

**MAYTENUS** :—

*nitida*, Mart. in Flora, xxiv. (1841) II. Beibl. 91. —Bras.  
*oblongata*, Reiss. in Mart. Fl. Bras. xi. i. 25. —Guian.  
*obovata*, Hook. f. in Trans. Linn. Soc. xx. (1837) 230. —Ins. Galap.  
*obtusifolia*, Mart. in Flora, xxiv. (1841) II. Beibl. 88. —Bras.  
*octogona*, DC. Prod. ii. 9. —Peruv.  
*opaca*, Reiss. in Mart. Fl. Bras. xi. i. 28. —Bras.  
*oxyodonta*, Reiss. l. c. 5. —Bras.  
*patens*, Reiss. l. c. 13. —Bras.  
*pendulina*, Steud. Nom. ed. II. ii. 108 = *M. Boaria*.  
*phyllanthoides*, Benth. Bot. Voy. Sulph. 54. —Mexic.  
*pruinosa*, Reiss. in Mart. Fl. Bras. xi. i. 20. —Guian.  
*prunifolia*, Presl, Bot. Bemerk. 35. —Peruv.  
*Pseudocasearia*, Reiss. in Mart. Fl. Bras. xi. i. 11. —Bras.  
*pulviniflora*, Reiss. l. c. 14. —Bras.  
*Pyraster*, Reiss. l. c. 13. —Bras.  
*racemosa*, Reiss. l. c. 30. —Bras.  
*repanda*, Reiss. l. c. 29. —Bras.  
*repanda*, Turcz. in Bull. Soc. Nat. Mosc. xxxi. (1858) i. 450. —Mexic.  
*rharnoides*, Reiss. in Mart. Fl. Bras. xi. i. 13. —Bras.  
*Riedeliana*, Regel, Ind. Sem. Hort. Petrop. (1856) 36. —Bras.  
*rigida*, Mart. in Flora, xxiv. (1841) II. Beibl. 90. —Bras.  
*robusta*, Reiss. in Mart. Fl. Bras. xi. i. 15. —Bras.  
*salicifolia*, Reiss. l. c. 10. —Bras.  
*samydaeformis*, Reiss. l. c. 11. —Bras.  
*sapotiformis*, Reiss. l. c. 27. —Guian.  
*subalata*, Reiss. l. c. 12. —Bras.  
*tetragona*, Griseb. Fl. Brit. W. Ind. 709. —Ins. Trinit.; Guian.  
*tovarensis*, Radlk. in Sitzb. Math.-Phys. Acad. Muench. viii. (1878) 383. —Venezuela.  
*trichotoma*, Turcz. in Bull. Soc. Nat. Mosc. xxxi. (1858) i. 451. —Mexic.  
*truncata*, Reiss. in Mart. Fl. Bras. xi. i. 5. —Bras.  
*uliginosa*, H. B. & K. Nov. Gen. et Sp. vii. 65. —Ecuador.  
*uncinata*, G. Don, Gen. Syst. ii. 11. —Chili.  
*verticillata*, DC. Prod. ii. 10. —Peruv.  
*vincentina*, Turcz. in Bull. Soc. Nat. Mosc. xxxvi. (1863) i. 600. —Ins. S. Vincent.  
*viscifolia*, Griseb. in Goett. Abh. xix. (1874) 110. —Reg. Argent.  
*Vitis-idaea*, Griseb. l. c. —Peruv.

**MAYZEA**, Rafin. Med. Fl. ii. 241 (1830) = **Zea**, Linn. (Gramin.).  
*cerealis*, Rafin. l. c. = *Z. Mays*.  
*vestita*, Rafin. l. c. = *praec.*?

**MAZEUTOXERON**, Labill. Voy. ii. 11 (1798) = **Correa**, Andr. (Rutac.).  
*reflexum*, Labill. l. c. 66. t. 19 = *C. speciosa*.  
*rufum*, Labill. l. c. 12. t. 17 = *C. alba*.

**MAZINNA**, Spach, Hist. Vég. Phan. ii. 467 (1834) = **MOZINNA**, Ort. = **Jatropha**, Linn. (Euphorb.).

**MAZUS**, Lour. Fl. Cochinch. 385 (1790). **SCROPHULARIACEAE**, Benth. & Hook. f. ii. 947.  
*HORNEMANNIA*, Willd. Enum. Hort. Berol. 653 (1809).  
*bicolor*, Benth. in Wall. Cat. n. 3913 = *rugosus*.  
*caducifer*, Hance, in Journ. Bot. xx. (1882) 292. —China.  
*dentatus*, Wall. Cat. n. 3914. —Reg. Himal.  
*laevifolius*, Blume, Bijdr. 758. —Java.  
*pinnatus*, Wall. Cat. n. 3915 = *Sibthorpia pinnata*.  
*Pumilio*, R. Br. Prod. 439. —Austral.; N. Zel.  
*rugosus*, Lour. Fl. Cochinch. 385. —Reg. Himal.; Malaya; China.  
*stachydfolius*, Maxim. in Bull. Acad. Petersb. xx. (1875) 438. —China.  
*surculosus*, D. Don, Prod. Fl. Nep. 86. —Reg. Himal.  
*vandellioides*, Hance, in Walp. Ann. iii. 193 = *rugosus*.  
*villosus*, Hemsl. in Journ. Bot. xiv. (1876) 209. —stachydfolius.

**MEADIA**, Catesby, ex Mill. Gard. Dict. ed. VI. App. 175 (1752) = **Dodecatheon**, Linn. (Primul.).  
*dodecathea*, Crantz, Inst. ii. 309 = *se.*  
*Dodecatheon*, Mill. Gard. Dict. ed. VIII. = *D. Meadia*.



MEBORA, Steud. Nom. ed. II. ii. 108 (1841) = seq.

MEBOREA, Aubl. Pl. Gui. ii. 825. t. 323 (1775) = *Phyllanthus*, Linn. (Euphorb.).  
*guianensis*, Aubl. l. c. = *P. attenuatus*.

MECARDONIA, Ruiz & Pav. Prod. 95 (1794) = *Herpestis*, Gaertn. (Scrophul.).  
*ovata*, Ruiz & Pav. Syst. Veg. 164.—Peruv.  
*pusilla*, Mart. Nov. Gen. et Sp. iii. 16. t. 28. = *H. serpylloides*.

MECKELIA, Mart. ex A. Juss. in Ann. Sc. Nat. Sér. II. xiii. (1840) 326, in syn. = *Spachea*, A. Juss. (Malpig.).  
*multiflora*, Mart. ex A. Juss. l. c. = *S. tricarpa*.

MECLATIS, Spach, Hist. Vég. Phan. vii. 272 (1839) = *Clematis*, Tourn. (Ranunc.).  
*orientalis*, Spach, l. c. 274 = *C. orientalis*.  
*sibirica*, Spach, l. c. 273 = *C. flammula*.

MECOMISCHUS, Coss. ex Benth. & Hook. f. Gen. ii. 418 (1873). *COMPOSITAE*, Benth. & Hook. f. l. c. FRADINIA, Pomel, Nouv. Mat. Fl. Atl. 51 (1874).  
*Geslini*, Coss. ex Benth. & Hook. f. Gen. ii. 418.—Algeria.  
*pedunculatus*, Coss. ex Benth. & Hook. f. l. c. 419 = *Anthemis peduncularis*.

MECONELLA, Nutt. ex Torr. & Gray, Fl. N. Am. i. 64 (1838) = *Platystigma*, Benth. (Papav.).  
*californica*, Torr. in Frém. Rep. 312 = *P. californicum*.  
*oregana*, Nutt. ex Torr. & Gray, Fl. N. Am. i. 64 = *P. oreganum*.

MECONOPSIS, Vig. Diss. 20, 48 (1814); ex DC. Syst. ii. 86. *PAPAVERACEAE*, Benth. & Hook. f. i. 52.  
*aculeata*, Royle, *Illustr. Bot. Himal.* 67.—Reg. Himal.  
*cambrica*, Vig. Diss. 48. f. 3.—Europ.  
*crassifolia*, Benth. in Trans. Hort. Soc. Ser. II. i. (1835) 408 = heterophylla.  
*diphylla*, DC. Syst. ii. 88 = *Stylophorum diphyllum*.  
*Guillemi-Waldemarii*, Klotzsch, in Bot. Ergeb. Waldem. Reise, 129 = *aculeata*.  
*heterophylla*, Benth. in Trans. Hort. Soc. Ser. II. i. (1835) 408.—Calif.  
*horridula*, Hook. f. & Thoms. Fl. Ind. i. 252.—Reg. Himal.  
*nepalensis*, DC. Prod. i. 121.—Reg. Himal.  
*petiolata*, DC. Syst. ii. 87 = *Stylophorum diphyllum*.  
*quintuplinervia*, Regel, *Gartenfl.* (1876) 291.—Mandshuria.  
*racemosa*, Maxim. in Bull. Acad. Pétersb. xxviii. (1877) 310.—China.  
*robusta*, Hook. f. & Thoms. Fl. Ind. i. 253.—Reg. Himal.  
*simplicifolia*, G. Don, Gen. Syst. i. 135.—Reg. Himal.  
*Wallichii*, Hook. Bot. Mag. t. 4668.—Reg. Himal.

MECONOSTIGMA, Schott, Melet. 20 (1832) = *Philo-dendron*, Schott (Aroid.).  
*speciosum*, Schott, l. c. = *P. speciosum*.

MECOPUS, Benn. Pl. Jav. Rar. 154. t. 32 (1838). *LEGUMINOSAE*, Benth. & Hook. f. i. 521.  
*nidulans*, Benn. Pl. Jav. Rar. 154.—Java.

MECOSA, Blume, Bijdr. 403. t. 1 (1825) = *Habenaria*, Willd. (Orchid.).  
*angustata*, Blume, l. c. 404.—Java.  
*dilatata*, Blume, l. c. = *H. dilatata*.

MECOSCHISTUM, Dulac, Fl. Hautes-Pyr. 459 (1867) = *Lobelia*, Linn. (Campan.).  
*urens*, Dulac, l. c. = *L. urens*.

MECOSTYLIS, Kurz, ex Teijsm. & Binn. in Tijdschr. Nederl. Ind. xxvii. (1864) 44 = *Macaranga*, Thou. (Euphorb.).  
*acalyphoides*, Kurz, ex Teijsm. & Binn. l. c.—Ins. Molucc.

MECRANIUM, Hook. f. in Benth. & Hook. f. Gen. i. 767 (1867). *MELASTOMACEAE*, Benth. & Hook. f. l. c.  
*amygdalinum*, Hook. f. l. c.—Ind. occ.

#### MECRANIUM:—

*birimosum*, Triana, in Trans. Linn. Soc. xxviii. (1871) 140.—Ins. S. Doming.  
*haemanthum*, Triana, l. c.—Cuba.  
*integrifolium*, Triana, l. c. 139.—Ind. occ.  
*multiflorum*, Triana, l. c.—Ins. S. Doming.  
*purpurascens*, Hook. f. in Benth. & Hook. f. Gen. i. 767.—Ins. Jamaic.  
*racemosum*, Wright, in Sauv. Fl. Cub. 46.—Cuba.  
*virgatum*, Triana, in Trans. Linn. Soc. xxviii. (1871) 140.—Jamaic.

MEDEA, Klotzsch, in Wieg. Arch. vii. (1841) 198 = *Croton*, Linn. (Euphorb.).  
*erecta*, D. Dietr. Syn. Pl. v. 331 = seq.  
*hirta*, Klotzsch, in Wieg. Arch. vii. (1841) 198 = *C. timandroides*.  
*timandroides*, Didr. in Kjoeb. Vidensk. Meddel. (1857) 141 = *C. timandroides*.

MEDEMIA, Wuert. ex H. Wendl. in Bot. Zeit. xxxix. (1881) 89–90. *PALMAE*.  
*abiadensis*, H. Wendl. l. c. 93.—Afr. trop.  
*Argun*, Wuert. ex H. Wendl. l. c. = *Hyphaena Argun*.

MEDEOLA, Gronov. ex Linn. Syst. ed. I (1735). *LILIACEAE*, Benth. & Hook. f. iii. 833.  
*GYROMIA*, Nutt. Gen. Am. i. 238 (1818).  
*aculeata*, Linn. Sp. Pl. 339 = *Jacquinia ruscifolia*.  
*angustifolia*, [Delile, in] Red. Lil. t. 393 = *Geitonoplesium cymosum*.  
*angustifolia*, Mill. Gard. Dict. ed. VIII. n. 2 = *Asparagus medeoloides*.  
*asparagoides*, Linn. Sp. Pl. 339 = *Asparagus medeoloides*.  
*latifolia*, Salisb. Prod. 252 = *Asparagus medeoloides*.  
*triphylla*, Thib. ex Baker, in Journ. Linn. Soc. xiv. (1875) 607 = *Asparagus crispus*.  
*verticillifolia*, Stokes, Bot. Mat. Med. ii. 325 = *virginica*.  
*virginica*, Linn. Sp. Pl. 339.—Am. bor.

MEDICA, Cothen. Disp. Veg. 7 (1790) = *Tourretia*, Juss. (Bignon.).

MEDICA, Tourn. ex Linn. Syst. ed. I (1735) = *Medicago*, Tourn. (Legumin.).  
*arabica*, Medic. in Vorles. Churpf. Phys. Ges. ii. (1787) 386 = *Medicago maculata*.  
*arbores*, Mill. Gard. Dict. ed. VIII. n. 7; Medic. Beobacht. (1783) 231 = *Medicago arbores*.  
*bimuricata*, Moench, Meth. 117 = *Medicago polymorpha*.  
*ciliaris*, Medic. in Vorles. Churpf. Phys. Ges. ii. (1787) 386 = *Medicago ciliaris*.  
*coronata*, Medic. l. c. = *Medicago coronata*.  
*cretica*, Mill. Gard. Dict. ed. VIII. n. 6 = *Medicago cretica*.  
*echinata*, Lam. Fl. Fr. ii. 587 = *Medicago orbicularis*.  
*falcata*, Mill. Gard. Dict. ed. VIII. n. 2 = *Medicago falcata*.  
*hispanica*, Mill. l. c. n. 4 = *Hymenocarpus circinnatus*.  
*incana*, Moench, Meth. 117 = *Medicago muricata*.  
*inermis*, Lam. Fl. Fr. ii. 586 = *Medicago orbicularis*, scutellata, turbinata.  
*intertexta*, Medic. in Vorles. Churpf. Phys. Ges. ii. (1787) 386 = *Medicago ciliaris*.  
*italica*, Mill. Gard. Dict. ed. VIII. n. 5 = *Medicago obscura*.  
*lupulina*, Scop. Fl. Carn. ed. II. ii. 88 = *Medicago lupulina*.  
*marina*, Lam. Fl. Fr. ii. 584 = *Medicago marina*.  
*media*, Fourr. in Ann. Soc. Linn. Lyon, N. S. xvi. (1868) 359 = *Medicago sativa*.  
*orbicularis*, Medic. in Vorles. Churpf. Phys. Ges. ii. (1787) 386 = *Medicago orbicularis*.  
*polymorpha*, Scop. Fl. Carn. ed. II. ii. 89.—Cf. *Medicago polymorpha*.  
*radiata*, Mill. Gard. Dict. ed. VIII. n. 3 = *Trigonella radiata*.  
*sativa*, Lam. Fl. Fr. ii. 584 = *Medicago sativa*.  
*tomentosa*, Moench, Meth. Suppl. 38 = *Medicago marina*.  
*tornata*, Medic. in Vorles. Churpf. Phys. Ges. ii. (1787) 386 = *Medicago tornata*.  
*turbinata*, Medic. l. c. = *Medicago turbinata*.

MEDICAGO, Tourn. ex Linn. Gen. ed. I. 225 (1737). *LEGUMINOSAE*, Benth. & Hook. f. i. 487.  
*DIPLOPRION*, Viv. Fl. Lib. Spec. 48. t. 19 (1824).  
*LUPULARIA*, Opiz, Seznam, 61 (1852).  
*MEDICA*, Tourn. ex Linn. Syst. ed. I (1735).  
*MEDICULA*, Medic. in Vorles. Churpf. Phys. Ges. ii. (1787) 386.  
*RADIATA*, Medic. Phil. Bot. i. 208 (1789).  
*SPIROCARPUS*, Opiz, Seznam, 93 (1852).  
*aculeata*, Gaertn. Fruct. ii. 349 = *hispida*.  
*aculeata*, Reichb. Fl. Germ. Excurs. 503 = *truncatula*.  
*aculeata*, Willd. Sp. Pl. iii. 1410 = *turbinata*.  
*aegagropila*, Desv. Journ. Bot. iii. (1814) 76 = *hispida*.  
*agrestis*, Tenore, Fl. Nap. Prod. 45; et Cat. 59; Prod. Suppl. ii. p. lxix.—Europ. austr.; Syria.  
*ambigua*, Jord. ex Bor. Fl. Centr. Fr. ed. III. ii. 147 = *orbicularis*.  
*amethystina*, C. L. Gmel. ex Steud. Nom. ed. I. 513.—Hab.?  
*angulata*, Läng, Enum. 2; ex Neilr. Aufz. Ung. Gefaesspfl. 331 = *sativa*.  
*annularis*, Bess. Prim. Fl. Galic. ii. 127 = *glutinosa*.  
*apennina*, J. Woods, Tourist's Fl. 84.—Mont. Apenn.  
*apiculata*, Bast. Fl. Maine-et-Loire, 280 = *tuberculata*.  
*apiculata*, Willd. Sp. Pl. iii. 1414 = *denticulata*.  
*applanata*, Willd. Enum. Hort. Berol. Suppl. 52 = *orbicularis*.  
*arabica*, All. Fl. Pedem. i. 315 = *maculata*.  
*arbores*, Aubl. Pl. Gui. ii. 779 (Quid?).—Guian.  
*arbores*, Linn. Sp. Pl. 778.—Italia; Graecia.  
*arborescens*, Presl, Fl. Sicul. p. xx = *arbores*.  
*arcuata*, Trautv. in Bull. Sc. Acad. Pétersb. viii. (1841) 272.—Reg. Caucas.  
*arenaria*, Tenore, Cat. Hort. Neap. (1819) 59 = *littoralis*.  
*Aschersonianana*, Urban, in Verh. Bot. Ver. Brandenb. xv. (1873) 77.—Afr. bor.  
*astroites*, Bertol. Fl. Ital. viii. 272 = *M. Helix*.  
*astroites*, Trautv. in Bull. Sc. Acad. Pétersb. viii. (1841) 271 = *Trigonella astroites*.  
*aurantiaca*, Godr. in Mem. Acad. Montp. (Sect. Médic.) i. (1853) 425.—Hab.?  
*banoffensis*, Kit. in Linnaea, xxxii. (1863) 615 = *rigidula*.  
*Berteriana*, Moris, in Ann. Stor. Nat. iv. (1830) 59 = *tuberculata*.  
*Berteroana*, Nym. Consp. 169 = *praec*.  
*Biancae*, Todaro, ex Urban, in Verh. Bot. Ver. Brandenb. xv. (1873) 60 = *orbicularis*.  
*bimuricata*, Retz. ex Steud. Nom. ed. I. 513.—Cf. *polymorpha*.  
*Blancheana*, Boiss. Diagn. Ser. II. v. 75.—Syria.  
*Bonarotiana*, Archang. in Nuov. Giorn. Bot. viii. (1876) 5.—Italia.  
*brachyacantha*, Kern. in Oestr. Bot. Zeitschr. xviii. (1868) 386 = *minima*.  
*brachycarpa*, Fisch. ex Bieb. Fl. Taur. Canar. iii. 517 = *Trigonella brachycarpa*.  
*brachyloba*, Fisch. ex Moris, in Mem. Acc. Torin. xxxvi. (1833) 190 = *praec*.  
*Braunii*, Gren. & Godr. Fl. Fr. i. 393 = *littoralis*.  
*breviflora*, Gilib. Fl. Lituan. ii. 95 = *lupulina*.  
*caerulea*, Less. ex Ledeb. Fl. Ross. i. 526 = *sativa*.  
*Calcar*, Lowe, in Hook. Kew Journ. viii. (1856) 291 = *obscura*.  
*canariensis*, Benth. in Webb & Berth. Phyt. Canar. iii. 2. ii. t. 56 = *obscura*.  
*cancellata*, Bieb. Fl. Taur. Cauc. ii. 226.—Reg. Casp.  
*cancellata*, Tenore, Prod. p. xlv = *Tenoreana*.  
*canescens*, R. Grah. in Wall. Cat. n. 5946 = *denticulata*.  
*canescens*, Menyh. Kalocsa Vidék. Növényt. 61 (Quid?).—Hungar.  
*carstiensis*, Wulf. in Jacq. Coll. i. 86; Jacq. Ic. Pl. Rar. i. 13. t. 156.—Carinth.  
*caspica*, Jacq. ex Spreng. Nov. Prov. 27 = *denticulata*.  
*catalonica*, Schrank, Pl. Rar. Hort. Monac. t. 28 = *tuberculata*.  
*catalonica*, Urban, in Ind. Sem. Hort. Berol. (1872) 4 = *hispida*.  
*cibiniensis*, Lerchen. ex Schur, Enum. Pl. Transs. 151 = *sativa*.  
*ciliaris*, Balb. ex DC. Fl. Fr. Suppl. 548 = *tuberculata*.  
*ciliaris*, Krock, Fl. Siles. ii. II. 244.—Reg. Mediterr.; Oriens.  
*ciliaris*, Lucé, Fl. Osil. 253 = *lupulina*.  
*ciliaris*, Savi, Due Cent. Fl. Etrusc. 148 = *denticulata*.



**MEDICAGO:—**

*cinerascens*, Jord. in F. Schultz, Arch. Fl. Fr. et Allem. 316 = rigidula.  
*circinnata*, Gaertn. Fruct. ii. 348 = Hymenocarpos nummularius.  
*circinnata*, Linn. Sp. Pl. 778 = Hymenocarpos circinnatus.  
*clypeata*, Lindl. Bot. Reg. (1839) Misc. 60 = orbicularis.  
*cochleata*, Pall. Reise in Suedl. Statth. Russ. Reich. ii. 336.—Reg. Caucas.  
*coerulea*, Less. ex Nym. Consp. 166 = sativa.  
*commutata*, Todaro, Ind. Sem. Hort. Panorm. (1867) 23, 31 = tornata.  
*confinis*, Koch, Syn. Fl. Germ. ed. I. 164 = tuberculata.  
*conica*, Schk. Handb. ii. 420 = hispida.  
*connivens*, Trautv. in Bull. Sc. Acad. Pétersb. viii. (1841) 271 = Trigonella striata.  
*constricta*, Dur. in Act. Linn. Soc. Bord. xxix. (1873) 15 = globosa.  
*contorta*, Gilib. Fl. Lituan. ii. 94 = sativa.  
*cordata*, Desr. in Lam. Encyc. iii. 636 = maculata.  
*corniculata*, Trautv. in Bull. Sc. Acad. Pétersb. viii. (1841) 271 = Trigonella corniculata.  
*coronata*, Desr. in Lam. Encyc. iii. 634.—Reg. Mediterr.; Oriens.  
*coronata*, Gaertn. Fruct. ii. t. 155. f. 7 = tuberculata.  
*coronata*, Pall. Ind. Taur.; ex Bieb. Fl. Taur. Cauc. ii. 227 = maculata.  
*corrugata*, Dur. in Duch. Rev. Bot. i. (1845) 365 = obscura.  
*corymbifera*, W. L. E. Schmidt, ex Schlecht. in Linnaea, iv. (1829) 74 = lupulina.  
*crassispina*, Vis. in Flora, xii. (1829) i. Erg. 20 = truncatula.  
*cretacea*, Bieb. Fl. Taur. Cauc. ii. 223.—Tauria.  
*cretica*, Steud. Nom. ed. I. 512 (Quid?).—Ins. Creta.  
*crinita*, Presl. Fl. Sicul. i. p. xx = M. Echinus.  
*cuneata*, J. Woods, Tourist's Fl. 84.—Italia.  
*Cupianiana*, Guss. Fl. Sic. Syn. ii. 362 = lupulina.  
*cuspidata*, Tausch. in Flora, xiv. (1831) 211 = saxatilis.  
*cylindracea*, DC. Cat. Hort. Monsp. 123 = littoralis.  
*daghestanica*, Rupr. ex Boiss. Fl. Orient. ii. 95.—Reg. Caucas.  
*Decaisneana*, Todaro, Ind. Sem. Hort. Panorm. (1866) 35.—Hab.?  
*Decandollii*, Tineo, ex Guss. Fl. Sic. Syn. ii. 369.—Sicilia.  
*declinata*, Kit. in Linnaea, xxxii. (1863) 613 = prostrata.  
*denticulata*, Boiss. Fl. Orient. ii. 102 = hispida.  
*denticulata*, Willd. Sp. Pl. iii. 1414.—Geront. bor. temp.  
*depressa*, Jord. Cat. Jard. Dijon (1848), 28 = rigidula.  
*dicarpa*, Trautv. in Act. Hort. Petrop. i. (1870) 24.—Rossia.  
*diffusa*, Poir. Encyc. Suppl. iii. 524 = laciniata.  
*diffusa*, Steud. Nom. ed. I. 513 = prostrata.  
*disciformis*, DC. Cat. Hort. Monsp. 124.—Europ. austr.; As. Min.  
*distans*, Poir. Encyc. Suppl. iii. 326 = hispida.  
*doliata*, Carmign. in Giorn. Sc. Acc. Ital. i. (1818) 48; ex Bertol. Fl. Ital. viii. 292 = turbinata.  
*echinata*, Bouch. Abbev. 56; ex DC. Fl. Fr. iv. 548 = hispida.  
*echinata*, St. Lag. in Ann. Soc. Bot. Lyon, vii. (1880) 130 = M. Echinus.  
*echinata*, [Soland. in] Russ. Aleppo, ed. II. ii. 261.—Syria.  
*echinata*, Steud. Nom. ed. II. ii. 109 = orbicularis.  
*Echinus*, DC. Fl. Fr. iv. 546.—Reg. Mediterr.  
*elegans*, Jacq. ex Willd. Sp. Pl. iii. 1408 = rugosa.  
*elegans*, Pourr. ex Willk. & Lange, Prod. Fl. Hisp. iii. 384 = truncatula, rigidula.  
*esculenta*, Rottl. ex Willd. Enum. Hort. Berol. 799 = Trigonella corniculata.  
*falcata*, Lam. Encyc. iii. 639 = sativa.  
*falcata*, Linn. Sp. Pl. 779.—Geront. bor. temp.  
*Fischeriana*, Trautv. in Bull. Sc. Acad. Pétersb. viii. (1841) 271 = Trigonella Fischeriana.  
*fissa*, Trautv. l. c. 272 = Trigonella polycerata.  
*flexuosa*, Tenore, Prod. Fl. Nap. p. xlv = denticulata.  
*fructicans*, Hornem. Cat. Hort. Hafn. 24; ex Willd. Enum. Hort. Berol. 801 = cretacea.  
*galilaea*, Boiss. Diagn. Ser. I. ix. 10.—Palestin.  
*Gerardi*, Waldst. & Kit. ex Willd. Sp. Pl. iii. 1415 = rigidula.  
*germana*, Jord. in F. Schultz, Arch. Fl. Fr. et Allem. 315 = rigidula.

**MEDICAGO:—**

*glabella*, Presl, Delic. Prag. 44.—Sicilia.  
*glabra*, Aubl. Pl. Gui. ii. 778 (Quid?).—Guian.  
*glandulosa*, Koch, Syn. Fl. Germ. ed. II 176 = falcata.  
*globosa*, Presl, Delic. Prag. 45.—Sicilia.  
*globulifera*, Desf. Tabl. ed. I. 190; Poir. Encyc. Suppl. iii. 526 = sphaerocarpa.  
*globulosa*, Desv. Journ. Bot. iii. (1814) 77.—Afr. bor.  
*glomerata*, Balb. Elencho, 93 = glutinosa.  
*glomerata*, Presl, Fisch. ex Moris, in Mem. Acc. Torin. xxxvi. (1833) 190 = Trigonella brachycarpa.  
*glutinosa*, Bieb. Casp. 191.—Reg. Caucas.  
*gracilis*, Bivona, in A. Bivona, Nuov. Piant. Ined. 10; Tod. Ind. Sem. Hort. Panorm. (1858) 26.—Hab.?  
*gracillima*, Tineo, ex Urban, in Verh. Bot. Ver. Brandenb. xv. (1873) 74 = hispida.  
*græca*, Hornem. Hort. Hafn. ii. 728 = minima.  
*granatensis*, Willd. Enum. Hort. Berol. 803.—Hispan.  
*hamata*, Presl, Delic. Prag. 45.—Sicilia.  
*hamosa*, Trautv. in Bull. Sc. Acad. Pétersb. viii. (1841) 271 = Trigonella hamosa.  
*Helix*, Willd. Sp. Pl. iii. 1409.—Reg. Mediterr.  
*heterocarpa*, Spach, ex Dur. Expl. Sc. Algérie, t. 89.—Alger.  
*heterocarpa*, Urban, in Ind. Sem. Hort. Berol. (1872) 3 = hispida.  
*hirsuta*, All. Fl. Pedem. i. 315 = minima.  
*hirsuta*, Schk. Handb. ii. 420 = denticulata.  
*hirsuta*, Thuill. Fl. Par. ed. II. 390 = rigidula.  
*hirsuta*, Vill. Hist. Pl. Dauph. iii. 403 = hispida.  
*hirsutissima*, Cyrill. ex Steud. Nom. ed. II. ii. 109 = minima.  
*hispanica*, Steud. l. c. = Hymenocarpos circinnatus.  
*hispida*, Gaertn. Fruct. ii. 349.—Europ. austr.  
*Hornemanniana*, Ser. ex DC. Prod. ii. 177.—Marocc.  
*hybrida*, Boiss. Diagn. Ser. I. ix. 12, nomen.—Hab.?  
*hybrida*, Trautv. in Bull. Sc. Acad. Pétersb. viii. (1841) 271 = Pourretii.  
*Hystrix*, Tenore, Prod. Fl. Nap. 45 = denticulata.  
*inermis*, Steud. Nom. ed. I. 513 = orbicularis, scutellata, tornata, turbinata.  
*inermis*, Urban, in Ind. Sem. Hort. Berol. (1872) 4 = hispida.  
*intermedia*, DC. Prod. ii. 174 = obscura.  
*intermedia*, Schult. Obs. Bot. 160 = falcata.  
*intertexta*, All. Fl. Pedem. i. 315 = M. Echinus.  
*intertexta*, Mill. Gard. Dict. ed. VIII. n. 4.—Europ. austr.  
*intertexta*, Willd. Sp. Pl. iii. 1411 = ciliaris.  
*italica*, Steud. Nom. ed. II. ii. 109 = obscura.  
*laciniata*, Mill. Gard. Dict. ed. VIII. n. 5.—Reg. Mediterr.  
*laevis*, Desf. Fl. Atlant. ii. 213 = M. Helix.  
*Langeana*, Tod. Ind. Sem. Hort. Panorm. (1867) 23, 31.—Europ.  
*lappacea*, Desr. in Lam. Encyc. iii. 637 = denticulata.  
*laxiflora*, Schur, in Verh. Naturf. Ver. Bruenn, xv. II. (1877) 172 = falcata.  
*leiocarpa*, Benth. Cat. Pl. Pyr. 100 = suffruticosa.  
*lenticularis*, Desr. in Lam. Encyc. iii. 630 = obscura.  
*Lessingii*, Fisch. & Mey. ex Kar. in Bull. Soc. Nat. Mosc. (1839) 150, nomen.—Turcoman.  
*libyca*, Spreng. Syst. iii. 289.—Libya.  
*lineata*, Tausch, in Flora, xiv. (1831) 210 = minima.  
*littoralis*, Rhode, ex Hornem. Hort. Hafn. ii. Suppl. 85.—Reg. Mediterr.  
*lunata*, Boiss. Diagn. Ser. I. Index, 94 = Trigonella lunata.  
*lunata*, Reichb. Fl. Germ. Excurs. 501 = Trigonella radiata.  
*lupulina*, Linn. Sp. Pl. 779.—Geront. bor. temp.  
*macrocarpa*, Boiss. Fl. Orient. ii. 96 = papillosa.  
*macrocarpa*, Moris, Fl. Sard. i. 446. t. 45 = truncatula.  
*macrocarpa*, Urban, in Verh. Bot. Ver. Brandenb. xv. (1873) 56 = falcata.  
*maculata*, Hook. & Arn. Bot. Beech. Voy. 330 = denticulata.  
*maculata*, Willd. Sp. Pl. iii. 1412.—Europ.  
*marginata*, Willd. Enum. Hort. Berol. 802 = orbicularis.  
*marina*, Linn. Sp. Pl. 779.—Reg. Mediterr.  
*marina*, Pall. Reise, iii. 590 = rigidula.  
*maritima*, Pall. ex Georgi, Besch. Russ. Reich. III. iv. 1197 = rigidula.  
*media*, Pers. Syn. ii. 356 = sativa.  
*mexicana*, Sweet, Hort. Brit. ed. II. 133, nomen.—Mexic.

**MEDICAGO:—**

*Meyeri*, Gruner, in Bull. Soc. Nat. Mosc. xl. (1867) II. 416.—Reg. Caucas.  
*microcarpa*, Urban, in Ind. Sem. Hort. Berol. (1875) App. = hispida.  
*microcarpa*, Urban, in Verh. Bot. Ver. Brandenb. xv. (1873) 57 = falcata.  
*microcarpa*, Urban, l. c. 58 = papillosa.  
*microdon*, Ehrenb. in Cat. Sem. Hort. Berol. (1827) = denticulata.  
*minima*, Linn. Fl. Ang. 21; Amoen. Acad. iv. 105.—Europ.; Oriens?  
*mitis*, Delile, ex Nym. Consp. 168 = agrestis.  
*mitis*, Willd. ex Urban, in Ind. Sem. Hort. Berol. (1872) 4 = hispida.  
*mnioicarpa*, Wallr. ex Ser. in DC. Prod. ii. 172 = lupulina.  
*mollissima*, Roth, Catalect. Bot. iii. 74 = minima.  
*monantha*, Trautv. in Bull. Sc. Acad. Pétersb. viii. (1841) 272 = Trigonella polycerata.  
*monspeliaca*, Trautv. l. c. = Trigonella monspeliaca.  
*Morisiana*, Jord. Pugill. 53 = rigidula.  
*Murex*, Willd. Sp. Pl. iii. 1410 = truncatula.  
*muricata*, All. Fl. Pedem. i. 316.—Europ.  
*muricata*, Benth. Cat. Pl. Pyr. 102 = turbinata.  
*muricata*, Desr. in Lam. Encyc. iii. 634 = denticulata.  
*muricata*, Griseb. Spicil. Fl. Rumel. i. 17 = sphaerocarpa.  
*muricata*, Salzm, ex Ball, in Journ. Linn. Soc. xvi. (1878) 416 = ciliaris.  
*muricoleptis*, DC. Prod. ii. 179 = Decandollii.  
*muricoleptis*, Tineo, Pl. Sic. Rar. Pugill. i. 18.—Sicilia.  
*muricoleptis*, Urban, in Ind. Sem. Hort. Berol. (1872) 4 = hispida.  
*muricula*, St. Lag. in Ann. Soc. Bot. Lyon, vii. (1880) 130 = truncatula.  
*neglecta*, Guss. Fl. Sic. Prod. ii. 575 = turbinata.  
*neurocarpos*, Kunze, ex Urban, in Ind. Sem. Hort. Berol. (1872) 3 = hispida.  
*nigra*, Krock. Fl. Siles. ii. II. 244 = denticulata.  
*Noccae*, Balb. in Brugn. Giorn. Fis. viii. (1815) 65. t. 2 = carstiensis.  
*Noëana*, Boiss. Diagn. Ser. II. ii. 10.—As. Min.; Syria.  
*nummularia*, DC. Cat. Hort. Monsp. 124 = Hymenocarpos nummularius.  
*nummularia*, Stev. in Bess. Cat. Hort. Crem. (1816) 85 = cretacea.  
*obscura*, Retz. Obs. i. 24. t. 1.—Gall. austr.  
*obscura*, Vis. Fl. Dalm. iii. 283 = hispida.  
*olivaeformis*, Guss. Pl. Rar. 390 = turbinata.  
*orbicularis*, All. Fl. Pedem. i. 314.—Reg. Mediterr.; Abyss.  
*ornithopodioides*, Trautv. in Bull. Acad. Sc. Pétersb. viii. (1841) 271 = Trigonella ornithopodioides.  
*orthoceras*, Trautv. in Act. Hort. Petrop. v. (1877) 421.—Reg. Caucas.  
*ovalis*, Urban, in Verh. Bot. Ver. Brandenb. xv. (1873) 81.—Hispan.  
*ovata*, Hort. Erf. ex Steud. Nom. ed. I. 514; Carmign. in Giorn. Acad. Ital. (1810); ex Urban, in Verh. Bot. Ver. Brandenb. xv. (1873) 73 = truncatula.  
*oxalioides*, Schur, in Verh. Naturf. Ver. Bruenn, xv. II. (1877) 174 = maculata.  
*Paillerii*, Phil. ex Nym. Consp. 166 = suffruticosa.  
*panormitana*, Tineo, ex Urban, in Verh. Bot. Ver. Brandenb. xv. (1873) 62 = M. Echinus.  
*papillosa*, Boiss. Diagn. Ser. I. ii. 23.—As. Min.  
*paradoxa*, Spreng. ex Steud. Nom. ed. I. 514 (Quid?—Hab.?)  
*pauciflora*, Ledeb. Fl. Ross. i. 526.—Reg. Casp.  
*pedunculata*, Ehrenb. ex Sweet, Hort. Brit. ed. II. 134.—Aegypt.  
*pennata*, Schwaegr. ex Steud. Nom. ed. I. 514 (Quid?—Europ.  
*pentacycla*, DC. Cat. Hort. Monsp. 124 = denticulata.  
*persica*, Stev. ex Fisch. Cat. Hort. Gorenk. ed II. (1812) 69 = denticulata.  
*pilosa*, Fisch. ex Moris, in Mem. Acc. Torin. xxxvi. (1833) 190 = Trigonella brachycarpa.  
*pilosa*, Schleich. Cat. Pl. Helvet. ed. III. 46 (Quid?—Helvet.  
*pinnatifida*, Steud. Nom. ed. I. 514 = granatensis.  
*Pironae*, Vis. Ind. Sem. Hort. Patav. (1854) —  
*Linnaea*, xxviii. (1856) 365.—Europ. austr.  
*plagiospira*, Dur. in Duch. Rev. Bot. (1848) —  
*Soleirolii*.



**MEDICAGO:—**

- platycarpa, *Trautv. in Bull. Acad. Sc. Pétersb.* viii. (1841) 271.—Soongaria.
- platycarpus, *Ledeb. Fl. Ross.* i. 523.—Siberia.
- plumbea, *Bertol. Fl. Ital.* viii. 267 = *M. Helix*.
- polyantha, *Dulac, Fl. Hautes-Pyr.* 278 = denticulata.
- polycarpa, *Schur, in Verh. Naturf. Ver. Bruenn.* xv. II. (1877) 175 (Quid ?).—Europ.
- polycarpa, *Willd. Enum. Hort. Berol. Suppl.* 52 = hispida.
- polycerata, *Sauv. ex Trautv. in Bull. Sc. Acad. Pétersb.* viii. (1841) 272 = *Trigonella polycerata*.
- polycycla, *Moris, in Mem. Acc. Torin.* xxxviii. (1835) p. xxxi = denticulata.
- polymorpha, *Linn. Sp. Pl.* 779 = orbicularis (etc.).
- polymorpha, *Roxb. Hort. Beng.* 58; *Fl. Ind.* iii. 390 = denticulata.
- pontificalis, *Gennari, in Nuov. Giorn. Bot. Ital.* ii. (1870) 132.—Ins. Caprera.
- Pourretii, *Noul. Fl. Bass. Sous-Pyr.* 151.—Europ.
- praecox, *DC. Cat. Hort. Monsp.* 123.—Europ. austr.
- procumbens, *Bess. Prim. Fl. Galic.* ii. 127 = falcata.
- prostrata, *Facq. Hort. Vindob.* i. 89. t. 89.—Italia.
- Pseudo-Gerardi, *Nym. Consp.* 168 = agrestis.
- Pseudo-Gerardi, *Schur, in Verh. Naturf. Ver. Bruenn.* xv. II. (1877) 174 = rigidula.
- psilocarpa, *Trautv. in Bull. Sc. Acad. Pétersb.* viii. (1841) 272.—Hab. ?
- pubescens, *DC. Cat. Hort. Monsp.* 124 = tuberculata.
- pubescens, *Guss. Pl. Rar.* 313.—Europ. austr.
- pubescens, *Hornem. Hort. Hafn.* ii. 726 = *Hornemanniana*, truncatula.
- pugionata, *Trautv. in Bull. Sc. Acad. Pétersb.* viii. (1841) 272 = *Trigonella spinosa*.
- pulchella, *Lowe, in Trans. Camb. Phil. Soc.* vi. (1838) reimpr. 25 = minima.
- pulchella, *Tod. Ind. Sem. Hort. Panorm.* (1868) 36.—Hab. ?
- pungens, *Trautv. in Bull. Acad. Sc. Pétersb.* viii. (1841) 271 = *Trigonella maritima*.
- purpurea, *Gueldenst. Reise.* i. 195.—Rossia.
- pusilla, *Viv. Pl. Aegypt. Arab.* Dec. 14 = littoralis.
- radiata, *Linn. Sp. Pl.* 778 = *Trigonella radiata*.
- recta, *Desf. Fl. Atlant.* ii. 212 = minima.
- recta, *Kit. in Linnaea*, xxxii. (1863) 613 (Quid ?).—Hungar.
- reniformis, *Dulac, Fl. Hautes-Pyr.* 278 = lupulina.
- reticulata, *Benth. Cat. Pl. Pyr.* 101 = hispida.
- rigida, *Boiss. Fl. Orient.* ii. 100 = rigidula.
- rigidula, *Bourg. ex Nym. Consp.* 167 = *M. Helix*.
- rigidula, *Desr. in Lam. Encyc.* iii. 634.—Europ.
- rigidula, *Hoffm. ex Steud. Nom. ed. II.* ii. 109 = minima.
- rigidula, *Willd. Sp. Pl.* iii. 1417 = truncatula.
- rotata, *Boiss. Diagn. Ser. I.* ii. 24.—Syria.
- rugosa, *Desr. in Lam. Encyc.* iii. 632.—Europ.
- rugosa, *Urv. in Mém. Soc. Linn. Par. i.* (1822) 354 = tuberculata.
- rupestris, *Bieb. Fl. Taur. Cauc.* ii. 225.—Tauria.
- ruthenica, *Trautv. in Bull. Sc. Acad. Pétersb.* viii. (1841) 271; *Ledeb. Fl. Ross.* i. 523.—Siberia.
- sardoa, *Moris, Stirp. Sard. Elench.* 15 = denticulata.
- sativa, *Linn. Sp. Pl.* 778.—Europ.; Oriens.
- sativa, *Urban, in Verh. Bot. Ver. Brandenb.* xv. (1873) 56 = falcata.
- saxatilis, *Bieb. Fl. Taur. Cauc.* ii. 225.—Tauria.
- Schimperiana, *Hochst. ex Boiss. Fl. Orient.* ii. 104 = laciniata.
- scutellaris, *Reichb. Ic. Fl. Germ.* t. 2114 = seq.
- scutellata, *Mill. Gard. Dict. ed. VIII.* n. 2.—Reg. Mediterr.
- scutellata, *Pall. Ind. Taur.*; ex *Bieb. Fl. Taur. Cauc.* ii. 226 = orbicularis.
- secundiflora, *Dur. in Duch. Rev. Bot.* i. (1845) 365.—Alger.; Hispan. ?
- secundiramea, *Willk. & Lange, Prod. Fl. Hisp.* iii. 417 = praec.
- sibirica, *DC. Prod.* ii. 173.—Siberia.
- sicula, *Tod. Ind. Sem. Hort. Panorm.* (1868) 27 = sphaerocarpa.
- Soleirolii, *Duby, Bot. Gall.* 124.—Italia.
- Sorrentini, *Tineo, in Tod. Ind. Sem. Hort. Panorm.* (1859).—Cf. *Linnaea*, xxx. (1859–60) 759 = truncatula.
- sphaerocarpa, *Bertol. Moen. Ital.* 91.—Reg. Mediterr.
- sphaerocarpa, *Costa, Fl. Catal.* 60 = turbinata.
- spinulosa, *DC. Fl. Fr.* v. 569 = tuberculata.
- stellata, *Trautv. in Bull. Sc. Acad. Pétersb.* viii. (1841) 272 = *Trigonella stellata*.

**MEDICAGO:—**

- stipularis, *Wallr. Beitr. Fl. Hercyn.* 260; et in *Linnaea*, xiv. (1840) 630 = lupulina.
- striata, *Bast. in Desv. Journ. Bot.* iii. (1814) 19.—Italia.
- stricta, *Wallr. ex Urban, in Ind. Sem. Hort. Berol.* (1872) 3 = hispida.
- strumaria, *Hort. Erf. ex Steud. Nom. ed. I.* 514 (Quid ?).—Europ. austr.
- subfalcata, *Schur, Enum. Pl. Transs.* 151 = sativa.
- subinermis, *Bertol. Fl. Ital.* viii. 290 = littoralis.
- suffruticosa, *Ram. ex DC. Fl. Fr.* iv. 541.—Reg. Mediterr. occ.
- sylvestris, *Fries, Mant.* iii. 92 = falcata.
- Tenoreana, *Ser. in DC. Prod.* ii. 180.—Italia.
- tentaculata, *Willd. Sp. Pl.* iii. 1413 = truncatula.
- tenuifolia, *Presl, Fl. Sicul.* i. p. xx = prostrata.
- tenuis, *Trautv. in Bull. Sc. Acad. Pétersb.* viii. (1841) 271 = *Trigonella striata*.
- terebella, *St. Lag. in Ann. Soc. Bot. Lyon.* vii. (1880) 130 = seq.
- Terebellum, *Willd. Sp. Pl.* iii. 1416 = hispida.
- tetracycla, *Presl, Fl. Sicul.* i. p. xx = littoralis.
- Timeroyi, *Jord. Cat. Jard. Dijon* (1848), 29 = truncatula.
- tomentosa, *Dulac, Fl. Hautes-Pyr.* 278 = suffruticosa.
- tornata, *Desr. in Lam. Encyc.* iii. 633 = turbinata.
- tornata, *Mill. Gard. Dict. ed. VIII.* n. 3.—Europ. austr.
- tornata, *Webb. ex Ball, in Journ. Linn. Soc.* xvi. (1878) 412 = *M. Helix*.
- tortuosa, *Schwaegr. ex Steud. Nom. ed. I.* 514.—Hab. ?
- tribuloides, *Desr. in Lam. Encyc.* iii. 635 = truncatula.
- tricycla, *DC. Cat. Hort. Monsp.* 125 = striata.
- truncatula, *Gaertn. Fruct.* ii. 150.—Europ.
- truncatula, *Gren. & Godr. Fl. Fr.* i. 395, sphalm. = praec.
- tuberculata, *Urban, in Ind. Sem. Hort. Berol.* (1872) App. 3 = hispida.
- tuberculata, *Willd. Sp. Pl.* iii. 1410.—Reg. Mediterr.
- turbinata, *Carmign. in Giorn. Pis.* xii. (1810) i. 13; ex *DC. Fl. Fr. Suppl.* 567 = tuberculata.
- turbinata, *Willd. Sp. Pl.* iii. 1409.—Reg. Mediterr.
- umbellata, *Hort. ex DC. Prod.* ii. 178 = carstiensis.
- uncinata, *Auct. ex Nym. Consp.* 169 = denticulata.
- uncinata, *Urban, in Ind. Sem. Hort. Berol.* (1872) 4 = hispida.
- uncinata, *Willd. Sp. Pl.* iii. 1417 = truncatula.
- varia, *Martyn, Fl. Rust.* iii. 87 = sativa.
- Verloti, *Song. & Perrier, in Billotia*, i. (1864) 74 = rigidula.
- vermicularis, *Cesati, in Friedr. Reise*, 274 = coronata.
- villosa, *Brot. Fl. Lusit.* ii. 116 = minima.
- villosa, *DC. Fl. Fr.* iv. 545 = rigidula.
- villosula, *Baumg. Enum. Stirp. Transs.* ii. 382 = truncatula.
- virginica, *Linn. Sp. Pl.* 778 = *Lespedeza capitata*, reticulata.
- viscida, *Schur, in Verh. Naturf. Ver. Bruenn.* xv. II. (1877) 173 = minima.
- vulgaris, *Alef. Landw. Fl.* 75 = sativa ?
- Willdenowii, *Mérat, Fl. Par.* 296 = lupulina.

MEDICASIA, *Willk. in Willk. & Lange, Prod. Fl. Hisp.* ii. 219 (1870), sphalm. = MEDICUSIA, Moench = *Picris*, *Linn. (Compos.)*.

MEDICIA, *Gardn. & Champ. in Hook. Kew Journ.* i. (1849) 324 = *Gelsemium*, *Juss. (Logan.)*.

elegans, *Gardn. & Champ. l. c.* 325 = *G. elegans*.

MEDICOSMA, *Hook. f. in Benth. & Hook. f. Gen. i.* 296 (1862). *RUTACEAE*, *Benth. & Hook. f. l. c.*

Cunninghamii, *Hook. f. l. c.* 297.—Austral.

MEDICULA, *Medic. in Vorles. Churpf. Phys. Ges. ii.* (1787) 386 = *Medicago*, *Tourn. (Compos.)*.

lupulina, *Medic. l. c.* = *Medicago lupulina*.

MEDICUSIA, *Moench, Meth.* 536 (1794) = *Picris*, *Linn. (Compos.)*.

aspera, *Moench, l. c.* 537 = *P. Sprengeriana*.

lappacea, *Reichb. Fl. Germ. Excurs.* 254 = *P. pauciflora*.

Sprengeriana, *Reichb. l. c.* = *P. Sprengeriana*.

MEDINILLA, *Gaudich. in Freyc. Voy. Bot.* 484. t. 106 (1826). *MELASTOMACEAE*, *Benth. & Hook. f. i.* 759.

DACTYLIOTA, *Blume, Mus. Bot. Lugd. Bat. i.* 21 (1849).

DIPLOGENEA, *Lindl. in Brand. Quart. Journ.* (1828) 122.

ERPETINA, *Naud. in Ann. Sc. Nat. Sér. III.* xv. (1851) 299.

GALLARIA, *Schrank, ex Endl. Gen.* 1217 (1841).

HYPENANTHE, *Blume, Mus. Bot. Lugd. Bat. i.* 21 (1849).

TRIPLECTRUM, *D. Don, in Wight & Arn. Prod.* 324 (1834).

alpestris, *Blume, in Flora*, xiv. (1831) 514.—Sumatra.

alternifolia, *Blume, Mus. Bot. Lugd. Bat. i.* 19.—Sumatra.

amabilis, *Dyer, in Gard. Chron.* (1874) i. 373 = *Teysmanni*.

amoena, *Seem. Fl. Vit.* 88.—Ins. Fiji.

amplexicaulis, *Blume, Mus. Bot. Lugd. Bat. i.* 20.—Sumatra.

astronioides, *Triana, in Trans. Linn. Soc.* xxviii. (1871) 88.—Ins. Philipp.

Beddomei, *C. B. Clarke, in Hook. f. Fl. Brit. Ind.* ii. 548.—Ind. or.

bornensis, *Blume, Mus. Bot. Lugd. Bat. i.* 20.—Borneo.

bracteata, *Blume, in Flora*, xiv. (1831) 519.—Ins. Molucc.

bracteata, *Hort. Veitch, in Fl. des Serres, Sér. I.* vi. (1850–51) t. 572 = magnifica.

celebica, *Blume, Mus. Bot. Lugd. Bat. i.* 18.—Ins. Celebes.

crassifolia, *Blume, in Flora*, xiv. (1831) 511.—Java.

crassifolia, *Mor. Syst. Verz. Arch. Ind.* 11 = succulenta.

crassifolia, *Naud. in Ann. Sc. Nat. Sér. III.* xv. (1851) 288 = *Naudinii*.

crassifolia, *Triana, in Trans. Linn. Soc.* xxviii. (1871) 86, partim = *Hasseltii*.

crassinervia, *Blume, in Flora*, xiv. (1831) 510.—Ins. Banda.

crispata, *Blume, l. c.* 517.—Ins. Molucc.

Cunninghamii, *Naud. in Ann. Sc. Nat. Sér. III.* xv. (1851) 292.—Ins. Philipp.

Curtisii, *Hort. Veitch, in Gard. Chron.* (1883) ii. 621.—Sumatra.

cuspidata, *Blume, Mus. Bot. Lugd. Bat. i.* 18.—Borneo.

divaricata, *Baker, in Journ. Linn. Soc.* xx. (1883) 149.—Madag.

Erpetina, *Triana, in Trans. Linn. Soc.* xxviii. (1871) 87.—Malaya.

erythrophylla, *Lindl. Bot. Reg.* (1838) Misc. 85 = rubicunda.

eximia, *Blume, in Flora*, xiv. (1831) 515.—Sumatra.

eximia, *Siebold, ex Planch. in Fl. des Serres, Sér. I.* v. (1849) 482 = *Sieboldiana*.

farinosa, *Hort. Groenew. ex Regel, Ind. Sem. Hort. Petrop.* (1865) 52 = venosa.

fasciculata, *Baker, in Journ. Linn. Soc.* xx. (1883) 148.—Madag.

fuchsioides, *Gardn. in Calc. Journ. Nat. Hist.* viii. (1847) 12.—Zeylan.

Griffithii, *C. B. Clarke, in Hook. f. Fl. Brit. Ind.* ii. 549.—Reg. Himal.

Halogeton, *C. B. Moore, in Journ. Bot.* xviii. (1880) 3.—Ins. Admiralt.

Hasseltii, *Blume, in Flora*, xiv. (1831) 513.—Malaya.

heterophylla, *A. Gray, Bot. U. St. Expl. Exped.* i. 598. t. 75.—Ins. Fiji.

himalayana, *Hook. f. ex Triana, in Trans. Linn. Soc.* xxviii. (1871) 88.—Reg. Himal.

Horsfieldii, *Miq. Fl. Ind. Bat. i.* i. 545.—Java.

humilis, *Teijsm. & Binn. in Tijdschr. Nederl. Ind.* xxv. (1863) 427.—Ins. Celebes.

hypericifolia, *Blume, in Flora*, xiv. (1831) 513.—Java.

inaequalis, *Miq. Fl. Ind. Bat. i.* i. 542.—Java.

intermedia, *Blume, in Flora*, xiv. (1831) 516.—Java.

javanensis, *Blume, l. c.* 515.—Java.

javanensis, *Korth. ex Triana, in Trans. Linn. Soc.* xxviii. (1871) 88 = bornensis.

javanica, *Triana, l. c.* t. 7. f. 94 a = javanensis.

javanis, *Korth. ex Blume, Mus. Bot. Lugd. Bat. i.* 20 = bornensis.

Korthalsii, *Blume, l. c.* 18.—Sumatra.

Kuhlth, *Blume, in Flora*, xiv. (1831) 514.—Java.



**MEDINILLA** :—

- Lagunae, *Vidal, Cat. Pl. Pr. Manila*, 31.—Ins. Philipp.  
 lanceolata, *Baker, in Journ. Linn. Soc.* xxi. (1884) 344.—Madag.  
 laurifolia, *Blume, in Flora*, xiv. (1831) 511.—Java.  
 leptophylla, *Baker, in Journ. Linn. Soc.* xxi. (1884) 343.—Madag.  
 lophoclada, *Baker, l. c.* 344.—Madag.  
 loranthoides, *Naud. in Ann. Sc. Nat. Sér. III.* xv. (1851) 290.—Ins. Borbon.  
 luzonensis, *Hook. f. ex Triana, in Trans. Linn. Soc.* xxviii. (1871) 88.—Ins. Philipp.  
 macrocarpa, *Blume, in Flora*, xiv. (1831) 510.—Madag.  
*macrocarpa*, C. B. Clarke, in *Hook. f. Fl. Brit. Ind.* ii. 547 = *crassinervia*.  
 macrophylla, *Blume, Mus. Bot. Lugd. Bat.* i. 19.—Sumatra.  
 maculata, *Gardn. in Calc. Journ. Nat. Hist.* viii. (1847) 13.—Zeylan.  
 magnifica, *Lindl. in Paxt. Flow. Gard.* i. (1850) 55. t. 12.—Ins. Philipp.  
 Maingayi, C. B. Clarke, in *Hook. f. Fl. Brit. Ind.* ii. 549.—Malacca.  
 malabarica, *Bedd. Ic. Pl. Ind. Or.* i. 33.—Ind. or.  
 Mannii, *Hook. f. in Oliver, Fl. Trop. Afr.* ii. 460; *Triana, in Trans. Linn. Soc.* xxviii. (1871) 87.—Afr. trop.  
 merguensis, C. B. Clarke, in *Hook. f. Fl. Brit. Ind.* ii. 549.—Burma.  
 Motleyi, *Hook. f. ex Triana, in Trans. Linn. Soc.* xxviii. (1871) 89.—Borneo.  
 muricata, *Blume, Mus. Bot. Lugd. Bat.* i. 20.—Sumatra.  
 myrtiformis, *Triana, in Trans. Linn. Soc.* xxviii. (1871) 86.—Ins. Philipp.  
 Naudinii, *Triana, l. c.*—Java.  
 occidentalis, *Naud. in Ann. Sc. Nat. Sér. III.* xv. (1851) 295.—Madag.  
 papillosa, *Baker, in Journ. Linn. Soc.* xx. (1883) 148.—Madag.  
 papuana, *Scheff. in Ann. Jard. Buitenz.* i. (1876) 24.—N. Guin.  
 parviflora, *Triana, in Trans. Linn. Soc.* xxviii. (1871) 89 = *parvifolia*, *Seem.*  
 parvifolia, *Baker, in Journ. Linn. Soc.* xx. (1883) 149.—Madag.  
 parvifolia, *Seem. Fl. Vit.* 89.—Ins. Fiji.  
 pauciflora, *Hook. f. ex Triana, in Trans. Linn. Soc.* xxviii. (1871) 88.—Reg. Himal.  
 polyantha, *Korth. in Verh. Nat. Gesch. Bot.* 245. t. 61 = *quadrifolia*.  
 pterocaula, *Blume, in Flora*, xiv. (1831) 509.—Java.  
 quadrifolia, *Blume, l. c.*—Java.  
 radicans, *Bedd. Ic. Pl. Ind. Or.* t. 184 = *Beddomei*.  
 radicans, *Blume, in Flora*, xiv. (1831) 509.—Java.  
 rhodochlaena, A. Gray, *Bot. U. St. Expl. Exped.* i. 600.—Ins. Fiji.  
 rosea, *Gaudich. in Freyc. Voy. Bot.* 484. t. 106.—Malaya.  
 rubicunda, *Blume, in Flora*, xiv. (1831) 512.—Malaya.  
 salicifolia, *Blume, Mus. Bot. Lugd. Bat.* i. 21.—Java.  
 setigera, *Miq. Fl. Ind. Bat.* i. i. 550.—Sumatra.  
 Sieboldiana, *Planch. in Fl. des Serres*, Sér. I. vi. (1850) 51. 126, sub. t. 572.—Ins. Molucc.  
 Sieboldiana, *Planch. l. c.* v. (1849) t. 482 = *praec.*  
 speciosa, *Blume, in Flora*, xiv. (1831) 515.—Java.  
 speciosa, *Hook. Bot. Mag.* t. 4321 = *Cummingii*.  
 succulenta, *Blume, in Flora*, xiv. (1831) 513.—Java.  
 succulenta, *Korth. ex Blume, Mus. Bot. Lugd. Bat.* i. 18 = *Korthalsii*.  
 superba, *Teijsm. & Binn. ex Triana, in Trans. Linn. Soc.* xxviii. (1871) 87 = *magnifica*.  
 ternatensis, *Miq. Ann. Mus. Bot. Lugd. Bat.* i. 217.—Ins. Ternate.  
 ternifolia, *Triana, in Trans. Linn. Soc.* xxviii. (1871) 88.—Ins. Philipp.  
 Teysmanni, *Miq. Ann. Mus. Bot. Lugd. Bat.* i. 217.—Ins. Celebes.  
 venosa, *Blume, in Flora*, xiv. (1831) 518.—Malaya.  
 verrucosa, *Blume, l. c.* 514.—Java.  
 viscidoides, *Triana, in Trans. Linn. Soc.* xxviii. (1871) 87.—Madag.  
 Walkeri, *Gardn. in Calc. Journ. Nat. Hist.* viii. (1847) 11 = *Kendrickia Walkeri*.  
 Waterhousei, *Seem. Fl. Vit.* 89.—Ins. Fiji.

VOL. II.

- MEDIUM, [Tourn.] Fisch. ex A. DC. Monog. Camp. 213 (1830) = *Campanula*, Tourn.  
 alliariaefolium, Spach, *Hist. Vég. Phan.* ix. 557 = C. *alliariaefolia*.  
 barbatum, Spach, l. c. 555 = C. *barbata*.  
 grandiflorum, Spach, l. c. 553 = C. *Medium*.  
 gummiferum, Spach, l. c. 556 = C. *sarmatica*.  
 saxifragum, Fisch. ex A. DC. Monog. Camp. 228, 229 = C. *Saxifraga*, ciliata.  
 sayanense, Fisch. ex A. DC. l. c. 229 = C. *pilosa*.  
 sibiricum, Spach, *Hist. Vég. Phan.* ix. 554 = C. *sibirica*.

- MEDORA, Kunth, *Enum. Pl.* v. 155 (1850) = *Smilacina*, Desf. (Liliac.).  
 divaricata, Kunth, l. c. 156 = S. *fusca*.

- MEDUSA, Lour. *Fl. Cochinch.* 406 (1790) = *Alsodeia*, Thou. (Violar.).  
 anguifera, Lour. l. c. = A. *echinocarpa*.

- MEDUSAEA, Reichb. Nom. 193 (1841) = MEDUSEA, Haw. = *Euphorbia*, Linn.

- MEDUSAGYNE, Baker, *Fl. Maur.* 16 (1877).  
 TERNSTROEMIACEAE.  
 oppositifolia, Baker, l. c. 17; et in *Hook. Ic. Pl.* t. 1252.—Ins. Mascar.

- MEDUSANTHERA, Seem. in *Journ. Bot.* ii. (1864) 74 = *Lasianthera*, Beauv. (Olacin.).  
 vitiensis, Seem. l. c.—Ins. Fiji.

- MEDUSEA, Haw. Syn. Pl. Succ. 133 (1812) = *Euphorbia*, Linn.  
*Fructus-pini*, Haw. l. c. 134 = E. *Caput-Medusae*.  
 globosa, Klotzsch & Garcke, in *Monatsb. Akad. Berl.* (1859) 251 = E. *globosa*.  
 hamata, Klotzsch & Garcke, l. c. = E. *hamata*.  
 major, Haw. Syn. Pl. Succ. 134 = E. *Caput-Medusae*.  
 patula, Klotzsch & Garcke, in *Monatsb. Akad. Berl.* (1859) 251 = E. *anacantha*.  
 procumbens, Haw. Syn. Pl. Succ. 134 = E. *procumbens*.  
 tessellata, Haw. l. c. 135 = E. *Caput-Medusae*.  
 tridentata, Klotzsch & Garcke, in *Monatsb. Akad. Berl.* (1859) 251 = E. *anacantha*.  
 tuberculata, Klotzsch & Garcke, l. c. = E. *tuberculata*.

- MEDUSULA, Pers. Syn. ii. 215 (1807) = MEDUSA, Lour. = *Alsodeia*, Thou. (Violar.).

- MEDYPHYLLA, Opiz, in *Lotos*, viii. (1858) 65 = *Astragalus*, Tourn. (Legumin.).  
 rotundifolia, Opiz, l. c. = A. *nummularioides*.

- MEERBURGIA, Moench, *Meth. Suppl.* 116 (1802) = *Pollichia*, Soland. (Illecebr.).  
 glomerata, Moench, l. c. = P. *campestris*.

- MEESIA, Gaertn. *Fruct.* i. 344 (1788) = *Gomphia*, Schreb. (Ochnac.).  
 serrata, Gaertn. l. c. = G. *angustifolia*.

- MEGABOTRYA, Hance, in *Walp. Ann.* ii. 259 (1851) = *Evodia*, Forst. (Rutac.).  
 meliaefolia, Hance, l. c. = E. *meliaefolia*.

- MEGACARPAEA, DC. Syst. ii. 417 (1821).  
 CRUCIFERAE, Benth. & Hook. f. i. 91.  
 angulata, DC. Syst. ii. 418.—Sibir.  
 bifida, Benth. in *Hook. Kew Journ.* vii. (1855) 357.—Reg. Himal.  
 gigantea, Regel, in *Bull. Soc. Nat. Mosc.* xlii. (1870) t. 263.—Turkestan.  
 laciniata, DC. Syst. ii. 417.—Reg. Casp.  
 polyandra, Benth. in *Hook. Kew Journ.* vii. (1855) 358. t. 7.—Reg. Himal.

- MEGACARPHA, Hochst. in *Flora*, xxvii. (1844) 551 = *Oxyanthus*, DC. (Rubiace.).  
 pyriformis, Hochst. l. c. = O. *natalensis*.

- MEGACARYON, Boiss. Pl. Or. Nov. Dec. i. 7 (1875).  
 BORAGINEAE, Benth. & Hook. f. ii. 863.  
 armenum, Boiss. Pl. Or. Nov. Dec. i. 7.—Armenia.  
 orientale, Boiss. Pl. Orient. iv. 204 = *armenum*.

- MEGACLINIUM, Lindl. Bot. Reg. t. 989 (1826).  
 ORCHIDEAE, Benth. & Hook. f. iii. 505.  
 Bufo, Lindl. Bot. Reg. (1841) Misc. 42.—Afr. trop.  
 colubrinum, Reichb. f. in *Bonplandia*, iii. (1855) 223.—Hab. ?

- falcatum, Lindl. Bot. Reg. t. 989.—Afr. trop.  
 flaccidum, Hook. Cent. Orch. t. 3 = *maximum*.  
 maximum, Lindl. Gen. et Sp. Orch. 47.—Afr. trop.  
 melanorrhachis, Reichb. f. in *Gard. Chron.* (1875) II. 162.—Afr. trop.  
 Melleri, Hook. f. Bot. Mag. sub t. 5936, nomen; Reichb. f. in *Flora*, lxi. (1878) 78.—Afr. trop.  
 oxypterum, Lindl. Bot. Reg. (1839) Misc. 14.—Afr. trop.  
 purpuratum, Lindl. in *Journ. Linn. Soc.* vi. (1862) 128.—Afr. trop.  
 Sandersoni, Oliver, in Bot. Mag. sub t. 5936, nomen; Reichb. f. in *Flora*, lxi. (1878) 78.—Afr. austr.  
 tentaculigerum, Reichb. f. in *Flora*, lxi. (1878) 78, in textu.—Afr. trop.  
 velutinum, Lindl. Bot. Reg. (1847) t. 32.—Afr. trop.

- MEGADENDRON, Miers, in *Trans. Linn. Soc. Ser. II.* Bot. i. (1875) 109 = *Barringtonia*, Forst. (Myrtac.).  
 ambiguum, Miers, l. c. 110.—Ins. Timor.  
 macrocarpum, Miers, l. c. 109 = B. *macrocarpa*.  
 pallidum, Miers, l. c. 110.—Java.

- MEGADENUS, Rafin. Neogenyt. 4 (1825) = *Scirpus*, Tourn. (Cyperac.).  
 capitatus, Rafin. l. c. = *Eleocharis capitata*.  
 palustris, Rafin. l. c. = S. *palustris*.  
 tuberculatus, Rafin. l. c. = *Eleocharis tuberculosa*.

- MEGALACHNE, Steud. in *Flora*, xxxiii. (1850) 229, nomen; et Syn. Pl. Gram. 237 (1855). GRAMINEAE.  
 Berteroniana, Steud. ll. cc.—Ins. J. Fernand.

- MEGALACHNE, Thw. Enum. Pl. Zeyl. 372 (1864) = *Eriachne*, R. Br. (Gramin.).  
 zeylanica, Thw. l. c. = E. *trisetia*.

- MEGALOTHECA, F. Muell. *Fragm.* viii. 98 (1873) = *Restio*, Linn.  
 stricta, F. Muell. l. c. 99 = R. *Megalotheca*.

- MEGALOTROPIS, Griff. Notul. iv. 441 (1854) = *Butea*, Roxb. (Legumin.).  
 buteiformis, 'Voigt,' ex Griff. l. c. = B. *minor*.

- MEGAPLEILIS, Rafin. Fl. Tellur. ii. 57 (1836) = *Gesneria*, Mart.  
 tuberosa, Rafin. l. c. = G. *bulbosa*.

- MEGAPTERIUM, Spach, *Hist. Vég. Phan.* iv. 363 (1835) = *Oenothera*, Linn. (Onagr.).  
 missouriense, Spach, l. c. 364 = Oe. *missouriense*.  
 Nuttallianum, Spach, l. c. = Oe. *missouriense*.

- MEGARRHIZA, Torr. & Gray, in *Pacif. Rail. Rep.* vi. 74, nomen (1857); xii. ii. 61 (1860) = *Echinocystis*, Torr. (Cucurb.).  
 californica, Torr. l. c. vi. 74, nomen = E. *fabacea*.  
 californica, S. Wats. in Bot. Calif. i. 241, partim. = E. *macrocarpa*.  
 gilensis, Greene, in Bull. Torrey Bot. Club, viii. (1881) 97 = E. *gilensis*.  
 guadalupensis, S. Wats. in Proc. Am. Acad. xi. (1876) 115, 138 = E. *guadalupensis*.  
 Marah, S. Wats. l. c. 138 = E. *Marah*.  
 muricata, S. Wats. l. c. 139 = E. *Watsonii*.  
 oregana, Torr. in Pacif. Rail. Rep. xii. ii. 61 = E. *oregana*.

- MEGASEA, Haw. Enum. Saxifr. 6 (1821) = *Saxifraga*, Tourn.  
 ciliata, Haw. l. c. 7 = S. *ligulata*.  
 cordifolia, Haw. l. c. = S. *crassifolia*.  
 crassifolia, Haw. l. c. 6 = S. *crassifolia*.  
 media, Haw. l. c. 7 = S. *crassifolia*.

- MEGASTACHYA, Beauv. Agrost. 74. t. 15. f. 5 (1812) = *Eragrostis*, Beauv. (Gramin.).  
 abyssinica, Hochst. ex Steud. Syn. Pl. Gram. 203.—Enderopogon *macrostachya*.  
 acutiflora, Roem. & Schult. Syst. ii. 588 = J. *flora*.

B b



## MEGASTACHYA :—

*amabilis*, Beauv. Agrost. 74 = *Eragrostis amabilis*.  
*amoena*, Fourn. ex Hemsl. Biol. Centr. Am. Bot. iii. 572 = *E. amoena*.  
*atirensis*, Roem. & Schult. Syst. ii. 587 = *E. atirensis*.  
*Berteroniana*, Schult. Mant. ii. 330 = *E. Berteroniana*.  
*bipennata*, Beauv. Agrost. 74 = *E. cynosuroides*.  
*Boryana*, Boj. Hort. Maur. 369 = *E. ciliaris*.  
*Boryana*, Roem. & Schult. Syst. ii. 592 = *E. Boryana*.  
*brasiliensis*, Schult. Mant. ii. 620 = *E. elegans*.  
*breviflora*, Fourn. ex Hemsl. Biol. Centr. Am. Bot. iii. 576 = *E. reptans*?  
*brizoides*, Beauv. Agrost. 74 = *E. brizoides*, Nees.  
*canadensis*, Roem. & Schult. Syst. ii. 593 = *Briza canadensis*.  
*ciliaris*, Beauv. Agrost. 74 = *E. ciliaris*, Link.  
*ciliata*, Schult. Mant. ii. 328 = *E. ciliata*.  
*condensata*, J. & C. Presl, Rel. Haenk. i. 284 = *Distichlis condensata*.  
*corymbifera*, Fourn. ex Hemsl. Biol. Centr. Am. Bot. iii. 576 = *E. reptans*?  
*cuspidata*, Schult. Mant. ii. 329 = *E. Vahl.*  
*cylindrica*, Schult. l. c. 328 = *E. ciliata*.  
*elongata*, Beauv. Agrost. 74 = *E. elongata*.  
*Eragrostis*, Beauv. l. c. = *E. major*.  
*fasciculata*, Fourn. ex Hemsl. Biol. Centr. Am. Bot. iii. 576 = *E. reptans*?  
*glomerata*, Schult. Mant. ii. 327 = *E. conferta*.  
*Gouini*, Fourn. ex Hemsl. Biol. Centr. Am. Bot. iii. 576 = *E. reptans*?  
*hypnoides*, Beauv. Agrost. 74 = *E. reptans*.  
*infrima*, Roem. & Schult. Syst. ii. 585 = *E. infrima*.  
*leersioides*, Presl, Cyp. et Gram. Sic. 44 = *Poa leersioides*.  
*maxima*, Boj. ex Baker, in Journ. Linn. Soc. xxi. (1885) 454 = *E. maxima*.  
*maypurensis*, Roem. & Schult. Syst. ii. 588 = *E. maypurensis*.  
*Montufari*, Roem. & Schult. Syst. ii. 586 = *E. Montufari*.  
*mucronata*, Beauv. Agrost. 74 = *E. mucronata*.  
*multiflora*, Beauv. l. c. = *E. major*.  
*nigricans*, Roem. & Schult. Syst. ii. 586 = *E. nigricans*.  
*oblonga*, Beauv. Agrost. 74 = *E. major*.  
*obtusula*, Schult. Mant. ii. 326 = *Poa obtusula*.  
*Olmedi*, Roem. & Schult. Syst. ii. 586 = *E. Olmedi*.  
*oxylepis*, Fourn. ex Hemsl. Biol. Centr. Am. Bot. iii. 574 = *E. oxylepis*.  
*panamensis*, Fourn. ex Hemsl. l. c. = *E. maypurensis*.  
*panicoides*, J. & C. Presl, Rel. Haenk. i. 283 = *E. panicoides*.  
*papposa*, Roem. & Schult. Syst. ii. 585 = *E. papposa*.  
*pastoensis*, Roem. & Schult. l. c. 587 = *E. pastoensis*.  
*patula*, Roem. & Schult. l. c. 585 = *E. patula*.  
*polymorpha*, Beauv. Agrost. 74 = *E. Brownei*.  
*prostrata*, Roem. & Schult. Syst. ii. 590 = *Distichlis prostrata*.  
*pulchella*, Roem. & Schult. Syst. ii. 591 = *Festuca rigida*.  
*purpurascens*, Schult. Mant. ii. 326 = *Briza purpurascens*.  
*reptans*, Beauv. Agrost. 74 = *E. reptans*.  
*rigida*, Roem. & Schult. Syst. ii. 591 = *Festuca rigida*.  
*riparia*, Roem. & Schult. l. c. 593 = *E. ciliaris*, Link.  
*rupestris*, Roem. & Schult. l. c. 592 = *E. ciliata*.  
*simpliciflora*, J. & C. Presl, Rel. Haenk. i. 283 = *Poa simpliciflora*.  
*spectabilis*, Roem. & Schult. Syst. ii. 589 = *E. pectinacea*.  
*Swainsonii*, Raddi, Agrost. Bras. 52 = *E. Vahl.*  
*tenax*, Roem. & Schult. Syst. ii. 587 = *E. tenax*.  
*tenella*, Boj. Hort. Maur. 369 = *E. plumosa*.  
*thalassica*, Roem. & Schult. Syst. ii. 590 = *Poa thalassica*.  
*triticea*, Presl, Cyp. et Gram. Sic. 45 = *E. triticea*.  
*uninervia*, J. & C. Presl, Rel. Haenk. i. 279 = *E. uninervia*.  
*unioloides*, Presl, Cyp. et Gram. Sic. 44 = *Demazeria sicula*.

MEGASTEGIA, G. Don, Gen. Syst. ii. 468 (1832) = *Brongniartia*, H. B. & K. (Legumin.).  
*speciosa*, G. Don, l. c. = *B. thermoides*.

MEGASTIGMA, Hook. f. in Benth. & Hook. f. Gen. i. 299 (1862). *RUTACEAE*, Benth. & Hook. f. l. c. Galeottii, Baill. *Adansonia*, x. (1871-72) 331.—Mexic. Skinneri, Hook. f. in Benth. & Hook. f. Gen. i. 299.—Guatemala.

MEGASTOMA, Coss. & Dur. ex Benth. & Hook. f. Gen. ii. 851 (1876) = *Eritrichium*, Schrad. (Borag.).

MEGISTA, Fourn. in Ann. Soc. Linn. Lyon, N. S. xvii. (1869) 115 = *Physalis*, Linn. (Solanac.).  
*maxima*, Fourn. l. c. = *P. Alkakeni*.

MEGOPIZA, Rafin. Fl. Tellur. iv. 110 (1836) = *Utricularia*, Linn. (Lentibul.).  
*forficata*, Rafin. l. c. = *U. gibba*.  
*integra*, Rafin. l. c. = *U. biflora*.  
*longirostris*, Rafin. l. c. = *U. fibrosa*.  
*macrorhiza*, Rafin. l. c. = *U. vulgaris*.

MEGOTIGEA, Rafin. Fl. Tellur. iii. 64 (1836) = *Helicodiceros*, Schott (1853) (Aroid.).  
*crinita*, Rafin. l. c. = *H. crinitus*.

MEGOTRYS, Rafin. in Am. Monthly Mag. (1818) 267 = *Cimicifuga*, Linn. (Ranunc.).  
*serpentaria*, Rafin. l. c. = *C. racemosa*.

MEGYATHUS, Rafin. Fl. Tellur. iii. 93 (1836) = *Salvia*, Tourn. (Labi.).  
*Acetabulum*, Rafin. l. c. = *S. acetabulosa*.

MEHENBETHENE, Besl. ex Gaertn. Fruct. ii. 98 (1788); Walp. Ann. ii. 291 (1851) = *Canarium*, Linn. (Burser.).

MEIALISA, Rafin. Sylva Tellur. 63 (1838) = *Adriana*, Gaudich. (Euphorb.).  
*australis*, Rafin. l. c. 64 = *A. quadripartita*.

MEIAPINON, Rafin. Fl. Tellur. iii. 32 (1836) = *Linum*, Tourn.  
*saginooides*, Rafin. l. c. 33 = *L. selaginoides*?

MEIBOMIA, Heist. ex Adans. Fam. ii. 509 (1763) = *Desmodium*, Desv. (Legumin.).

MEIEMIANATHERA, Rafin. Sylva Tellur. 25 (1838) = *Cytisus*, Linn. (Legumin.).  
*aeolica*, Rafin. l. c. = *C. aeolicus*.

MEIENA, Rafin. Sylva Tellur. 125 (1838) = *Loranthus*, Linn.  
*axillaris*, Rafin. l. c. = *L. pentandrus*.

MEINECKIA, Baill. Etud. Gén. Euph. 586 (1858) = *Securinega*, Comm. (Euphorb.).  
*phyllanthoides*, Baill. l. c. 587 = *S. phyllanthoides*.

MEIOGYNE, Miq. in Ann. Mus. Bot. Lugd. Bat. ii. 12 (1865-66) = *Unona*, Linn. f. (Anonac.).  
*virgata*, Miq. l. c. = *Malaya*.

MEIONECTES, R. Br. in Flind. Voy. App. ii. 550 (1814). *HALORAGACEAE*, Benth. & Hook. f. i. 675.  
*Brownii*, Hook. f. in Ic. Pl. t. 306.—Austral.  
*Preissii*, Nees, in Lehm. Pl. Preiss. ii. 224 = *Brownii*.

MEIONULA, Rafin. Fl. Tellur. iv. 108 (1836) = *Utricularia*, Linn. (Lentibul.).  
*parviflora*, Rafin. l. c. = *U. lateriflora*.

MEIOPERIS, Rafin. Fl. Tellur. iv. 103 (1836) = *Passiflora*, Linn.  
*angustifolia*, Rafin. l. c. = *P. suberosa*.  
*hederacea*, Rafin. l. c. = *P. suberosa*.  
*minima*, Rafin. l. c. = *P. suberosa vel serrulata*.  
*multiflora*, Rafin. l. c. = *P. multiflora*.  
*pallida*, Rafin. l. c. = *P. suberosa*.  
*pannosa*, Rafin. l. c. = *P. pannosa*.  
*peltata*, Rafin. l. c. = *P. suberosa*.  
*suberosa*, Rafin. l. c. = *P. suberosa*.

MEIOSPERMA, Rafin. Fl. Tellur. iv. 64 (1836) = *Justicia*, Linn. (Acanth.).  
*debilis*, Rafin. l. c. = *J. debilis*.

MEIRACYLLIUM, Reichb. f. Xenia Orch. i. 12. t. 6. (1854). *ORCHIDACEAE*, Benth. & Hook. f. iii. 493.  
*Gemma*, Reichb. f. in Gard. Chron. (1869) 988;  
*Xenia Orch.* iii. 209.—Mexic.  
*trinasutum*, Reichb. f. Xenia Orch. i. 12; et in Bonplandia, iv. (1856) 214.—Am. austr.  
*Wendlandi*, Reichb. f. Orch. Centr. Am. 73.—Guatemala.

MEISNERIA, DC. Prod. iii. 114 (1828) = *Siphonthera*, Pohl (Melastom.).  
*arenaria*, DC. l. c. = *S. arenaria*.  
*cordata*, Triana, in Trans. Linn. Soc. xxviii. (1871) 32 = *S. cordata*.  
*cordifolia*, Benth. in Hook. Journ. Bot. ii. (1840) 299 = *S. microlicioides*.  
*microlicioides*, Naud. in Ann. Sc. Nat. Sér. III. xii. (1849) 204 = *S. microlicioides*.  
*paludosa*, DC. Prod. iii. 114 = *S. paludosa*.  
*subtilis*, Triana, in Trans. Linn. Soc. xxviii. (1871) 32 = *S. subtilis*.  
*tenera*, Triana, l. c. = *S. tenera*, Hostmannii.

MEISSARRHENA, R. Br. in Salt, Abyss. App. 63 (1841) = *Anticharis*, Endl. (Scrophul.).  
*tomentosa*, R. Br. l. c. = *A. arabica*.

MEISTERA, Giseke, Prael. Linn. 199, 205 (1792) = *Amomum*, Linn. (Scitam.).  
*Amomum*, Raesch. Nom. ed. III. i. (Quid?)—Ind. or.

MEISTERIA, Scop. Introd. 124 (1777) = *Poraqueiba*, Aubl. (Olac.).  
*anonyma*, J. F. Gmel. Syst. 391 = *P. guianensis*.

MEISTERIA, Sieb. & Zucc. in Abh. Akad. Muench. iv. iii. (1846) 127 = *Enkianthus*, Lour. (Ericac.).  
*cernua*, Sieb. & Zucc. l. c. = *Japon*.

MEIZOTROPIS, Voigt, Hort. Suburb. Calc. 239 (1845) = *Butea*, Koen. (Legumin.).  
*buteaeformis*, Voigt, l. c. = *B. minor*.

MELACHNE, Schrad. ex Schult. f. Syst. vii. ii. p. lxxxv (1830) = *Gahnia*, Forst. (Cyperac.).  
*Sieberi*, Schrad. ex Schult. f. l. c. = *G. tristis*.

MELADENDRON, Molina, Sagg. Chile, ed. II. 143 (1810) (Solanac.) (Quid?).  
*chilensis*, Molina, l. c. = *Chili*.

MELADENDRON, St. Lag. in Ann. Soc. Bot. Lyon, vii. (1880) 64, 130 = *Melaleuca*, Linn. (Myrtac.).  
*leucocladum*, St. Lag. l. c. = *Melaleuca Leucadendron*.

MELADENIA, Turcz. in Bull. Soc. Nat. Mosc. xxi. (1848) i. 576 = *Psoralea*, Linn. (Legumin.).  
*densiflora*, Turcz. l. c. = *P. badocana*.

MELAENACRANIS, Roem. & Schult. Syst. ii. 6, 236 (1817) = *MELANCRANIS*, Vahl = *Ficinia*, Schrad. (Cyperac.).

MELALEMA, Hook. f. Fl. Antarct. ii. 311 (1846).  
*COMPOSITAE*, Benth. & Hook. f. ii. 443.  
*humifusa*, Hook. f. Fl. Antarct. ii. 311.—Reg. Magell.

MELALEUCA, Linn. Mant. i. 14 (1767). *MYRTACEAE*, Benth. & Hook. f. i. 705.

*ASTEROMYRTUS*, Schau. in Linnaea, xvii. (1843) 242.  
*GYMNAGATHIS*, Schau. l. c. (1843) 243.

MELADENDRON, St. Lag. in Ann. Soc. Bot. Lyon, vii. (1880) 64, 130.

MELANOLEUCE, St. Lag. l. c. viii. (1881) 203.  
*abietina*, Sm. in Rees, Cycl. xxiii. n. 15 = *cuticularis*.  
*acacoides*, F. Muell. Fragm. iii. 116.—Austral.  
*acerosa*, Schau. in Lehm. Pl. Preiss. i. 137.—Austral.  
*acuminata*, F. Muell. Fragm. i. 15.—Austral.  
*adnata*, Turcz. in Bull. Phys.-Math. Acad. Pétersb. x. (1852) 343.—Austral.  
*aestuosa*, Forst. f. Prod. 38.—Ins. Tahiti.  
*affinis*, Regel & Koern. in Ind. Sem. Hort. Petrop. (1857) 56.—Austral.

*alba*, Hort. ex Steud. Nom. ed. I. 515 = *seq.*?  
*albiflora*, Raesch. Nom. ed. III. 142 = *Metrosideros albiflora*.  
*alsophila*, A. Cunn. ex Benth. Fl. Austral. iii. 137.—Austral.  
*angulata*, Turcz. in Bull. Phys.-Math. Acad. Pétersb. x. (1852) 342.—Austral.  
*angustifolia*, Blume, Mus. Bot. Lugd. Bat. i. 83 = *M. Leucadendron*.  
*angustifolia*, Gaertn. Fruct. i. 172. t. 35.—Austral.  
*apodoccephala*, Turcz. in Bull. Phys.-Math. Acad. Pétersb. x. (1852) 340.—Austral.  
*arachnoidea*, Raesch. Nom. ed. III. 143 = *Leptospermum arachnoideum*.



**MELALEUCA:—**

- armillaris, *Sm. in Trans. Linn. Soc. iii. (1797) 277.*—Austral.  
*armillaris*, Wendl. ex Steud. Nom. ed. I. 515 = taxifolia.  
*aspalathoides*, *Schau. in Lehm. Pl. Preiss. i. 140.*—Austral.  
*axillaris*, Hort. ex Steud. Nom. ed. II. ii. 111 = ericifolia.  
*Baxteri*, *Benth. Fl. Austral. iii. 138.*—Austral.  
*basicephala*, *Benth. l. c. 133.*—Austral.  
*bicolor*, *Poir. Encyc. Suppl. iii. 624 = Memecylon umbellatum.*  
*bisulcata*, *F. Muell. Fragm. iii. 118 = acerosa.*  
*blaciaefolia*, *Turcz. in Bull. Soc. Nat. Mosc. xx. (1847) i. 165.*—Austral.  
*brachyphylla*, *Schau. in Otto & Dietr. Allg. Gartenz. iii. (1835) 162 = microphylla.*  
*brachystachya*, *F. Muell. Fragm. iii. 119.*—Austral.  
*bracteata*, *F. Muell. l. c. i. 15 = genistifolia.*  
*bracteosa*, *Turcz. in Bull. Phys.-Math. Acad. Pétersb. x. (1852) 340.*—Austral.  
*brevifolia*, *F. Muell. Fragm. i. 116 = microphylla.*  
*brevifolia*, *Turcz. in Bull. Phys.-Math. Acad. Pétersb. x. (1852) 342.*—Austral.  
*Cajaputi*, *Roxb. Hort. Beng. 59; Fl. Ind. iii. 394 = M. Leucadendron.*  
*Caja-putti*, Hort. ex DC. Prod. iii. 215 = squarrosa.  
*callistemonaea*, *Lindl. Swan River App. 8 = lateritia.*  
*calothamnoides*, *F. Muell. Fragm. iii. 114.*—Austral.  
*calycina*, *R. Br. in Ait. Hort. Kew. ed. II. iv. 416.*—Austral.  
*calycina*, *Steud. Nom. ed. I. 515 = thymifolia.*  
*canaliculata*, *Turcz. in Bull. Phys.-Math. Acad. Pétersb. x. (1852) 342.*—Austral.  
*canescens*, *Otto, Hort. Berol. 37; ex Link & Otto, Pl. Sel. Hort. Berol. 81. t. 37 = incana.*  
*cardiophylla*, *F. Muell. Fragm. i. 225.*—Austral.  
*carinata*, *Turcz. in Bull. Phys.-Math. Acad. Pétersb. x. (1852) 344.*—Austral.  
*chlorantha*, *Bonpl. Desc. Pl. Rar. Malm. 22. t. 8 = diosmifolia.*  
*ciliata*, *Forst. f. Prod. 38 = Metrosideros ciliata.*  
*ciliosa*, *Turcz. in Bull. Soc. Nat. Mosc. xxxv. (1862) ii. 326.*—Austral.  
*citrina*, *Turcz. in Bull. Phys.-Math. Acad. Pétersb. x. (1852) 341.*—Austral.  
*commutata*, *Miq. Anal. Bot. Ind. i. 14 = M. Leucadendron.*  
*concinna*, *Turcz. in Bull. Phys.-Math. Acad. Pétersb. x. (1852) 339.*—Austral.  
*concreta*, *F. Muell. Fragm. iii. 118.*—Austral.  
*conferta*, *Benth. Fl. Austral. iii. 142.*—Austral.  
*conferta*, *Steud. Nom. ed. I. 515 = Tristania conferta.*  
*cordata*, *Benth. Fl. Austral. iii. 149.*—Austral.  
*cordata*, *Turcz. in Bull. Phys.-Math. Acad. Pétersb. x. (1852) 339 (an praec.?).*—Austral.  
*coronata*, *Andr. Bot. Rep. t. 278 = thymifolia.*  
*costata*, *Raesch. Nom. ed. III. 142 = Angophora lanceolata.*  
*crassifolia*, *Benth. Fl. Austral. iii. 145.*—Austral.  
*cucullata*, *Turcz. in Bull. Phys.-Math. Acad. Pétersb. x. (1852) 343.*—Austral.  
*Cumingiana*, *Turcz. in Bull. Soc. Nat. Mosc. xx. (1847) 164 = M. Leucadendron.*  
*cuneata*, *Turcz. in Bull. Phys.-Math. Acad. Pétersb. x. (1852) 339.*—Austral.  
*Cunninghami*, *Schau. ex Walp. Rep. ii. 927 = M. Leucadendron.*  
*cupressina*, *F. Muell. Fragm. iii. 114 = thymifolia.*  
*curvifolia*, *Schlecht. in Linnaea, xx. (1847) 654 = Preissiana.*  
*cuspidata*, *Turcz. in Bull. Soc. Nat. Mosc. (1862) ii. 327 = Conothamnus trinervis.*  
*cuticularis*, *Labill. Nov. Holl. Pl. ii. 30. t. 171.*—Austral.  
*cylindrica*, *R. Br. ex Benth. Fl. Austral. iii. 146 = armillaris.*  
*cymbifolia*, *Benth. l. c. 148.*—Austral.  
*cyrtodonta*, *Turcz. in Bull. Soc. Nat. Mosc. xxii. (1849) ii. 24 = Beaufortia cyrtodonta.*  
*decurrens*, *Wall. Cat. n. 3649 = Tristania merguensis.*  
*decussata*, *R. Br. in Ait. Hort. Kew. ed. II. iv. 416.*—Austral.  
*deltoides*, *Benth. Fl. Austral. iii. 161.*—Austral.  
*densa*, *R. Br. in Ait. Hort. Kew. ed. II. iv. 416.*—Austral.  
*densa*, *Colla, Hort. Ripul. 87 = pulchella.*

**MELALEUCA:—**

- depauperata, *Turcz. in Bull. Phys.-Math. Acad. Pétersb. x. (1852) 343.*—Austral.  
*diffusa*, *Forst. f. Prod. 37 = Metrosideros diffusa.*  
*diosmatifolia*, *Dum.-Cours. Bot. Cult. ed. II. v. 373 = ericifolia.*  
*diosmifolia*, *R. Br. in Ait. Hort. Kew. ed. II. iv. 410.*—Austral.  
*discolor*, *Reichb. Ic. Bot. Exot. ii. 5. t. 113 = thymifolia.*  
*dissitiflora*, *F. Muell. Fragm. iii. 153.*—Austral.  
*divaricata*, *Donn. ex Steud. Nom. ed. I. 515 (Quid?).*—Hab.?  
*divaricata*, *Turcz. in Bull. Phys.-Math. Acad. Pétersb. x. (1852) 344.*—Austral.  
*Drummondii*, *Schau. in Lehm. Pl. Preiss. i. 138 = uncinata.*  
*elachophylla*, *F. Muell. Fragm. iii. 120.*—Austral.  
*elegans*, *Hornsch. in Otto & Dietr. Allg. Gartenz. ii. (1834) 329 = decussata?*  
*eleuterostachya*, *F. Muell. Fragm. iii. 117.*—Austral.  
*elliptica*, *Labill. Nov. Holl. Pl. ii. 31. t. 173.*—Austral.  
*empetrifolia*, *Reichb. Ic. Bot. Exot. ii. 1. t. 102 = Beaufortia micrantha.*  
*Endlicheriana*, *Schau. in Lehm. Pl. Preiss. i. 134 = seriata.*  
*epacridioides*, *Turcz. in Bull. Soc. Nat. Mosc. xx. (1847) i. 165 = densa.*  
*eremaea*, *F. Muell. Fragm. iii. 114 = trichophylla.*  
*eriantha*, *Benth. Fl. Austral. iii. 153.*—Austral.  
*ericaefolia*, *Andr. Bot. Rep. t. 175 = armillaris.*  
*ericifolia*, *Sm. in Trans. Linn. Soc. iii. (1797) 276.*—Austral.  
*eriocephala*, *Sieber, in Spreng. Syst. iii. 336 = Kunzea capitata.*  
*erubescens*, *Otto, Hort. Berol. 37 = ericifolia.*  
*erucaeformis*, *Turcz. in Bull. Phys.-Math. Acad. Pétersb. x. (1852) 344.*—Austral.  
*eugeniifolia*, *Wall. Cat. n. 3648 = Tristania merguensis.*  
*exarata*, *F. Muell. Fragm. iii. 114.*—Austral.  
*fascicularis*, *Labill. Nov. Holl. Pl. ii. 29. t. 170 = Astartea fascicularis.*  
*fasciculiflora*, *Benth. Fl. Austral. iii. 137.*—Austral.  
*ferrea*, *A. Cunn. ex A. Gray, Bot. U. St. Expl. Exped. i. 566.*—Austral.  
*filifolia*, *F. Muell. Fragm. iii. 119.*—Austral.  
*fimbriata*, *Donn. Hort. Cantab. ed. VI. 207 = thymifolia.*  
*florida*, *Forst. f. Prod. 37 = Metrosideros diffusa.*  
*foliolosa*, *A. Cunn. ex Benth. Fl. Austral. iii. 161.*—Austral.  
*foliosa*, *Dum.-Cours. Bot. Cult. ed. II. v. 373 = diosmifolia.*  
*Fraseri*, *Hook. Bot. Mag. t. 3210 = striata.*  
*fulgens*, *R. Br. in Ait. Hort. Kew. ed. II. iv. 415.*—Austral.  
*genistifolia*, *Sm. in Trans. Linn. Soc. iii. (1797) 277.*—Austral.  
*gibbosa*, *Labill. Nov. Holl. Pl. ii. 30. t. 172.*—Austral.  
*glaberrima*, *F. Muell. Fragm. iii. 119.*—Austral.  
*globifera*, *R. Br. in Ait. Hort. Kew. ed. II. iv. 410.*—Austral.  
*glomerata*, *F. Muell. Rep. Babbage Exp. 8.*—Austral.  
*gnidiaefolia*, *Vent. Jard. Malm. 4 = thymifolia.*  
*gnidioides*, *Brongn. & Gris, in Ann. Sc. Nat. Sér. V. ii. (1864) 139.*—N. Caled.  
*grandiflora*, *Blanco, Fl. Filip. ed. I. 615 = Bombax malabaricum.*  
*grandis*, *Fisch. ex Steud. Nom. ed. II. ii. 112.*—Austral.  
*gummifera*, *Steud. Nom. ed. I. 515 = Eucalyptus resinifera.*  
*Gunniana*, *Schau. in Walp. Rep. ii. 928 = ericifolia.*  
*hakeacea*, *F. Muell. Fragm. iii. 117 = teretifolia.*  
*hakeoides*, *F. Muell. ex Benth. Fl. Austral. iii. 151.*—Austral.  
*halmaturorum*, *F. Muell. ex Miq. in Nederl. Kruidk. Arch. iv. (1859) 122 = pustulata.*  
*hamata*, *Field. & Gardn. Sert. Pl. t. 74 = uncinata.*  
*hamulosa*, *Turcz. in Bull. Soc. Nat. Mosc. xx. (1847) i. 165.*—Austral.  
*heliophila*, *F. Muell. ex Miq. in Nederl. Kruidk. Arch. iv. (1859) 120 = ericifolia.*  
*hispida*, *Wendl. ex DC. Prod. iii. 215.*—Austral.  
*holosericea*, *Schau. in Lehm. Pl. Preiss. i. 139.*—Austral.  
*Huegelii*, *Endl. in Enum. Pl. Hueg. 48.*—Austral.  
*hypericifolia*, *Sm. in Trans. Linn. Soc. iii. (1797) 279.*—Austral.  
*hypochondriaca*, *Dehnh. Revista Napolit. i. iii. 177; ex Walp. Rep. ii. 163 = incana.*

**MELALEUCA:—**

- imbricata, *Hort. ex Link, Enum. Hort. Berol. ii. 272.*—Austral.  
*incana*, *R. Br. in Bot. Reg. t. 410.*—Austral.  
*juniperina*, *Sieber, ex Reichb. Ic. Exot. Bot. ii. 4. t. 112 = nodosa.*  
*juniperoides*, *DC. Prod. iii. 213 = nodosa.*  
*lanata*, *Nois. ex Steud. Nom. ed. I. 515 = incana.*  
*lanceolata*, *R. Br. ex Benth. Fl. Austral. iii. 143 = M. Leucadendron.*  
*lanceolata*, *Otto, Hort. Berol. 36 = genistifolia.*  
*lancifolia*, *Turcz. in Bull. Soc. Nat. Mosc. xx. (1847) 164 = M. Leucadendron.*  
*lanigera*, *Wendl. ex DC. Prod. iii. 215 = incana?*  
*lasiantha*, *F. Muell. Fragm. iii. 115.*—Austral.  
*lateralis*, *Turcz. in Bull. Phys.-Math. Acad. Pétersb. x. (1852) 339.*—Austral.  
*laterifolia*, *Benth. Fl. Austral. iii. 136.*—Austral.  
*lateritia*, *Otto & Dietr. Allg. Gartenz. ii. (1834) 257.*—Austral.  
*latifolia*, *Raesch. Nom. ed. III. 142 = M. Leucadendron.*  
*laurina*, *Sm. in Trans. Linn. Soc. iii. (1797) 275 = Tristania laurina.*  
*laxiflora*, *Turcz. in Bull. Phys.-Math. Acad. Pétersb. x. (1852) 341.*—Austral.  
*Lehmannii*, *Schau. in Lehm. Pl. Preiss. i. 142 = viminea.*  
*leiocarpa*, *F. Muell. Fragm. x. 55.*—Austral.  
*leiopyxis*, *F. Muell. ex Benth. Fl. Austral. iii. 160.*—Austral.  
*leptoclada*, *Benth. l. c. 132.*—Austral.  
*leptospermoides*, *Schau. in Lehm. Pl. Preiss. i. 139 = ciliosa.*  
*Leucadendron*, *Linn. Mant. i. 105.*—Austral.  
*linariifolia*, *Sm. in Trans. Linn. Soc. iii. (1797) 278.*—Austral.  
*linearis*, *Wendl. & Schrad. Sert. Hannov. 19. t. 11 = Callistemon linearis.*  
*linophylla*, *F. Muell. Fragm. iii. 115.*—Austral.  
*longicoma*, *Benth. Fl. Austral. iii. 129.*—Austral.  
*lucida*, *Forst. f. Prod. 38 = Metrosideros lucida.*  
*lucida*, *Linn. f. Suppl. 342 = Metrosideros diffusa.*  
*lucidula*, *Hort. ex DC. Prod. iii. 213 = thymoides?*  
*macronychia*, *Turcz. in Bull. Phys.-Math. Acad. Pétersb. x. (1852) 340.*—Austral.  
*Manglesii*, *Schau. in Lehm. Pl. Preiss. i. 135 = scabra.*  
*megacephala*, *F. Muell. Fragm. iii. 117.*—Austral.  
*micromera*, *Schau. in Lehm. Pl. Preiss. i. 146.*—Austral.  
*microphylla*, *Sm. in Rees, Cycl. xxiii. n. 9.*—Austral.  
*mimosoides*, *A. Cunn. ex Schau. in Walp. Rep. ii. 927 = M. Leucadendron.*  
*minor*, *Sm. in Rees, Cycl. xxiii. n. 2 = M. Leucadendron.*  
*minutifolia*, *F. Muell. in Trans. Phil. Inst. Vict. iii. (1859) 45.*—Austral.  
*muricata*, *Hort. ex DC. Prod. iii. 213 = scabra.*  
*myrtifolia*, *Hort. ex Steud. Nom. ed. I. 515 = hypericifolia.*  
*myrtifolia*, *Vent. Jard. Malm. 47 = squarrosa.*  
*nematophylla*, *F. Muell. Fragm. iii. 119 = filifolia.*  
*neriifolia*, *Sims, Bot. Mag. t. 1058 = Tristania neriifolia.*  
*nervosa*, *Hort. ex Link, Enum. Hort. Berol. ii. 25 = Leptospermum flavescens.*  
*nesophila*, *F. Muell. Fragm. iii. 113.*—Austral.  
*nodosa*, *Link, Enum. Hort. Berol. ii. 273 = ericifolia.*  
*nodosa*, *Sm. in Trans. Linn. Soc. iii. (1797) 276.*—Austral.  
*nummularia*, *Turcz. in Bull. Phys.-Math. Acad. Pétersb. x. (1852) 341.*—Austral.  
*obliqua*, *Hort. ex Steud. Nom. ed. I. 515 = styphelioides.*  
*Oldfieldii*, *F. Muell. Fragm. iii. 118.*—Austral.  
*oligantha*, *F. Muell. ex Miq. in Nederl. Kruidk. Arch. iv. (1859) 123 = decussata.*  
*ornata*, *Schau. in Lehm. Pl. Preiss. i. 135 = seriata.*  
*Ottonis*, *Schau. in Otto & Dietr. Allg. Gartenz. iii. (1835) 167 = squamea.*  
*ovatifolia*, *Poir. Encyc. Suppl. iii. 624 = Memecylon angulatum.*  
*paludosa*, *R. Br. in Ait. Hort. Kew. ed. II. iv. 416 = Callistemon speciosus.*  
*paludosa*, *Schlecht. in Linnaea, xx. (1847) 653 = Callistemon salignus.*  
*parviceps*, *Lindl. Swan River App. 8 = scabra.*  
*parviflora*, *Lindl. l. c. = Preissiana.*  
*parviflora*, *Link, Enum. Hort. Berol. ii. 272, sphalm. = parvifolia.*



**MELALEUCA:—**

*parviflora*, Reichb. Ic. Bot. Exot. t. 31 = decussata.  
*parvifolia*, Otto, Hort. Berol. 37 = thymifolia.  
*pauciflora*, Turcz. in Bull. Soc. Nat. Mosc. xx. (1847) i. 166.—Austral.  
*pauperiflora*, F. Muell. Fragm. iii. 116.—Austral.  
*pendulina*, Lodd. ex G. Don, in Loud. Hort. Brit. 319.—Austral.  
*pentagona*, Labill. Nov. Holl. Pl. ii. 27. t. 166.—Austral.  
*perforata*, Forst. f. Prod. 37 = *Metrosideros perforata*.  
*pinifolia*, Hort. ex Colla, Hort. Ripul. App. ii. 352.—Austral.  
*pinifolia*, Turcz. in Bull. Soc. Nat. Mosc. xx. (1847) i. 166 (an praec. ?).—Austral.  
*pitthoides*, F. Muell. ex Benth. Fl. Austral. iii. 121 = *Callistemon salignus*.  
*polycephala*, Benth. Fl. Austral. iii. 152.—Austral.  
*polygaloides*, Schau. in Lehm. Pl. Preiss. i. 142.—Austral.  
*polygonoides*, Hoffmgg. Verz. Pfl. 78 = *genistifolia*.  
*Preissiana*, Schau. in Lehm. Pl. Preiss. i. 143.—Austral.  
*propinqua*, Schau. in Otto & Dietr. Allg. Gartenz. iii. (1835) 166 = *densa*.  
*pubescens*, Schau. in Walp. Rep. ii. 928 = *Preissiana*.  
*pulchella*, R. Br. in Ait. Hort. Kew. ed. II. iv. 414.—Austral.  
*pumila*, Otto, ex DC. Prod. iii. 214 = *decussata*.  
*pungens*, Brongn. & Gris, in Ann. Sc. Nat. Sér. V. ii. (1864) 139.—N. Caled.  
*pungens*, Schau. in Lehm. Pl. Preiss. i. 138.—Austral.  
*pustulata*, Hook. f. in Hook. Lond. Journ. Bot. vi. (1847) 476.—Austral.  
*Radula*, Lindl. Swan River App. 8.—Austral.  
*Regelii*, Planch. Hort. Donat. 88. App. [227] = *Beaufortia micrantha*?  
*rhapiphylla*, Schau. in Lehm. Pl. Preiss. i. 143.—Austral.  
*rigida*, Roxb. Hort. Beng. [100]; Fl. Ind. iii. 399.—Ins. Mollucc.  
*rigidifolia*, Turcz. in Bull. Phys.-Math. Akad. Pétersb. x. (1852) 342.—Austral.  
*salicifolia*, Andr. Bot. Rep. t. 485 = *Tristania neriifolia*.  
*saligna*, Schau. in Walp. Rep. ii. 927; Blume, Mus. Bot. Lugd. Bat. i. 66 = *M. Leucadendron*.  
*scabra*, R. Br. in Ait. Hort. Kew. ed. II. iv. 414.—Austral.  
*scandens*, Raeusch. Nom. ed. III. 142 = *Metrosideros florida*.  
*scoparia*, Forst. f. Prod. 37 = *Leptospermum scoparium*.  
*scoparia*, Wendl. Sert. Hannov. 25. t. 15.—N. Zel.  
*semiteres*, Schau. in Lehm. Pl. Preiss. i. 143 = *uncinata*.  
*seriata*, Lindl. Swan River App. 8.—Austral.  
*serpyllifolia*, Dum.-Cours. Bot. Cult. ed. II. v. 374 = *pulchella*.  
*serpyllifolia*, Turcz. in Bull. Phys.-Math. Acad. Pétersb. x. (1852) 339.—Austral.  
*Sieberi*, Schau. in Walp. Rep. ii. 928 = *M. Leucadendron*.  
*sparsiflora*, Turcz. in Bull. Soc. Nat. Mosc. xx. (1847) i. 167.—Austral.  
*spathulata*, Schau. in Lehm. Pl. Preiss. i. 134.—Austral.  
*spectabilis*, Raeusch. Nom. ed. III. 142 = *Metrosideros florida*.  
*spinosa*, Lindl. Swan River App. 8 = *thymoides*.  
*splendens*, Lee, ex Kerner, Hort. t. 639 = *fulgens*.  
*sprengelioides*, DC. Prod. iii. 215 = *Beaufortia Damieri*.  
*squamea*, Labill. Nov. Holl. Pl. ii. 28. t. 158.—Austral.  
*squarrosa*, Donn, Hort. Cantab. ed. II. 101; Sm. in Trans. Linn. Soc. vi. (1802) 300.—Austral.  
*striata*, Labill. Nov. Holl. Pl. ii. 26. t. 165.—Austral.  
*striata*, Walp. Rep. ii. 162, sphalm. = *seriata*.  
*stricta*, Hort. ex Dum.-Cours. Bot. Cult. ed. II. v. 375 = *linariifolia*.  
*stypelioides*, Sm. in Trans. Linn. Soc. iii. (1797) 275.—Austral.  
*suaveolens*, Soland. ex Gaertn. Fruct. i. 173. t. 35 = *Tristania suaveolens*.  
*subfalcata*, Turcz. in Bull. Phys.-Math. Acad. Pétersb. x. (1852) 341.—Austral.  
*subtrigona*, Schau. in Lehm. Pl. Preiss. i. 139.—Austral.  
*symphyocarpa*, F. Muell. in Trans. Phil. Inst. Vict. iii. (1859) 44.—Austral.  
*tamariscina*, Hook. in Mitch. Journ. Trop. Austral. 262.—Austral.

**MELALEUCA:—**

*taxifolia*, Schlecht. ex Spreng. Syst. iii. 336.—Austral.  
*tenella*, Benth. Fl. Austral. iii. 160.—Austral.  
*tenuifolia*, DC. Prod. iii. 213 = *nodosa*.  
*tenuifolia*, Wendl. Bot. Beobacht. 50 = *Leptospermum scoparium*.  
*tenuissima*, Tausch, in Flora, xix. (1836) 411 = *microphylla*.  
*teretifolia*, Endl. in Enum. Pl. Hueg. 49.—Austral.  
*ternifolia*, F. Muell. ex Miq. in Nederl. Kruidk. Arch. iv. (1859) 123.—Austral.  
*tetragona*, Lodd. ex Otto, Hort. Berol. 37; DC. Prod. iii. 215 = *decussata*.  
*Thea*, Wendl. Sert. Hannov. 24. t. 13 = *Leptospermum flavescens*.  
*thymifolia*, Sm. in Trans. Linn. Soc. iii. (1797) 278.—Austral.  
*thymoides*, Labill. Nov. Holl. Pl. ii. 27. t. 167.—Austral.  
*thyoides*, Turcz. in Bull. Soc. Nat. Mosc. xx. (1847) i. 167.—Austral.  
*tomentosa*, Colla, Hort. Ripul. 87. t. 37 = *incana*.  
*trichophylla*, Lindl. Swan River App. 8.—Austral.  
*trichostachya*, Lindl. in Mitch. Journ. Trop. Austral. 277 = *linariifolia*.  
*trinervia*, White, Journ. Voy. N. S. Wales, App. 229. t. 24 = *Leptospermum flavescens vel pubescens*.  
*tuberculata*, Schau. in Lehm. Pl. Preiss. i. 139 = *subtrigona*.  
*uncinata*, R. Br. in Ait. Hort. Kew. ed. II. iv. 414.—Austral.  
*undulata*, Benth. Fl. Austral. iii. 135.—Austral.  
*uniflora*, Hort. ex Steud. Nom. ed. II. ii. 112 (Quid ?).—Austral.  
*urceolaris*, F. Muell. ex Benth. Fl. Austral. iii. 154.—Austral.  
*villosa*, Linn. f. Suppl. 342.—Ins. Tahiti.  
*viminea*, Lindl. Swan River App. 8.—Austral.  
*violacea*, Schau. in Lehm. Pl. Preiss. i. 146.—Austral.  
*virgata*, Linn. f. Suppl. 343 = *Baeckea virgata*.  
*viridiflora*, Soland. ex Gaertn. Fruct. i. 175. t. 35 = *M. Leucadendron*.  
*Waeberi*, Reichb. ex Schau. in Otto & Dietr. Allg. Gartenz. iii. (1835) 167 = *seriata*.  
*Wilsonii*, F. Muell. Fragm. ii. 124. t. 15.—Austral.

MELALEUCON, St. Lag. in Ann. Soc. Bot. Lyon, vii. (1880) 64 = *praec.*

MELAMPIRUM, Neck. Delic. Gallo-Belg. i. 264 (1768) = *Melampyrum*, Tourn. (Scrophul.).

**MELAMPODIUM**, Linn. Coroll. Gen. 17 (1737).

COMPOSITAE, Benth. & Hook. f. ii. 348.  
 ALCINA, Cav. Ic. i. 10. t. 15 (1791).  
 CAMUTIA, Bonato, ex Steud. Nom. ed. II. i. 273 (1840).  
 CARGILLA, Adans. Fam. ii. 130 (1763).  
 DYSODIUM, Rich. in Pers. Syn. ii. 489 (1807).  
 PRONACRON, Cass. in Dict. Sc. Nat. xliii. 370 (1826).  
 UNXIA, Linn. f. Suppl. 56 (1781).  
 ZARABELLIA, Cass. in Dict. Sc. Nat. lix. 240 (1829).  
*achillaeoides*, Hemsl. Biol. Centr. Am. Bot. ii. 145.—Mexic.  
*americanum*, Linn. Sp. Pl. 921.—Mexic.  
*angustifolium*, DC. Prod. v. 519.—Peruv.  
*australe*, Loeffl. It. Hisp. 268 = *Acanthospermum brasile*.  
*Baranquillae*, Spreng. Syst. iii. 619.—N. Granat.  
*Berterianum*, Spreng. l. c.—Ind. occ.  
*camphoratum*, Benth. & Hook. f. Gen. ii. 349; Baker, in Mart. Fl. Bras. vi. iii. 161.—Bras.  
*cinereum*, DC. Prod. v. 518.—Am. bor. occ.  
*connatum*, [Moq. & Sesse,] ex DC. Prod. v. 521.—Mexic.  
*coronopifolium*, Sch. Bip. ex Hemsl. Biol. Centr. Am. Bot. ii. 145.—Mexic.  
*cupulatum*, A. Gray, in Proc. Am. Acad. viii. (1870) 291.—Mexic.  
*diffusum*, Cass. in Dict. Sc. Nat. lix. 238.—Ins. Philipp.  
*digynum*, Benth. & Hook. f. Gen. ii. 349.—Panama.  
*divaricatum*, DC. Prod. v. 520 = *paludosum*.  
*Dombeyanum*, DC. l. c. 521.—Peruv.  
*flaccidum*, Benth. ex Oerst. in Kjoeb. Vidensk. Meddel. (1852) 86.—Nicaragua.

**MELAMPODIUM:—**

*gracile*, Less. in Linnaea, vi. (1831) 407.—Mexic.  
*heterophyllum*, Lag. Gen. et Sp. Nov. 33.—Mexic.  
*Hidalgoa*, DC. Prod. v. 521.—Mexic.  
*hirsutum*, Benth. & Hook. f. Gen. ii. 349 = *camphoratum*.  
*hispidum*, H. B. & K. Nov. Gen. et Sp. iv. 273. t. 399.—Arizona.  
*humile*, Sw. Prod. Veg. Ind. Occ. 114 = *Acanthospermum humile*.  
*Kunthianum*, DC. Prod. v. 519.—Mexic.  
*lanceolatum*, DC. l. c.—Am. austr.  
*leucanthum*, Torr. & Gray, Fl. N. Am. ii. 271 = *cinereum*.  
*linearilobium*, DC. Prod. v. 518.—Mexic.  
*longicorne*, A. Gray, in Mem. Am. Acad. N. S. v. (1855) 321.—Arizona.  
*longifolium*, Brouss. ex Willd. Enum. Hort. Berol. 934 = *seq.?*  
*longifolium*, Cerv. ex Cav. in Anal. Cienc. Nat. vi. (1803) 333.—Mexic.  
*manillense*, Less. in Linnaea, v. (1830) 155. t. 2 = *diffusum*.  
*microcephalum*, Less. l. c. ix. (1834) 268.—Mexic.  
*montanum*, Benth. Pl. Hartw. 64.—Mexic.  
*oblongifolium*, DC. Prod. v. 519.—Mexic.  
*ovatifolium*, Reichb. Ic. Exot. t. 42 = *paludosum*.  
*paludosum*, H. B. & K. Nov. Gen. et Sp. iv. 273.—Am. austr.  
*paniculatum*, Gardn. in Hook. Lond. Journ. Bot. vii. (1848) 287.—Bras.  
*perfoliatum*, H. B. & K. Nov. Gen. et Sp. iv. 274.—Mexic.  
*pumilum*, Benth. Pl. Hartw. 64.—Mexic.  
*ramosissimum*, DC. Prod. v. 518 = *cinereum*.  
*rhomboideum*, DC. l. c. 520.—Am. austr.  
*rudemale*, Sw. Fl. Ind. Occ. iii. 1372 = *Eleutheranthera ovata*.  
*sericeum*, H. B. & K. Nov. Gen. et Sp. iv. t. 398 = *Kunthianum*.  
*sericeum*, Lag. Elench. Hort. Madr. (1805); et Gen. et Sp. Nov. 32.—Mexic.  
*tenellum*, Hook. & Arn. Bot. Beech. Voy. 299.—Mexic.  
*ternatum*, DC. Prod. v. 521 = *Hidalgoa ternata*.

**MELAMPYRUM**, [Tourn.] Linn. Syst. ed. I (1735).

SCROPHULARINEAE, Benth. & Hook. f. ii. 979.  
*albicans*, Porc. in Magyar Növényt. Lapok, ix. (1885) 130 = *arvense*.  
*alpestre*, Pers. Syn. ii. 151 = *sylvaticum*.  
*americanum*, Michx. Fl. Am. Bor. ii. 16.—Am. bor.  
*angustissimum*, G. Beck, in Verh. Zool. Bot. Ges. Wien, xxxii. (1883) 187.—Austria.  
*argyrocomum*, Fisch. ex Steud. Nom. ed. II. ii. 113 = *arvense*.  
*arvense*, Linn. Sp. Pl. 605.—Europ.; Reg. Caucas.  
*barbatum*, Ledeb. Fl. Ross. iii. 305 = *caucasicum*.  
*barbatum*, Schur, in Verh. Siebenb. Ver. Naturf. x. (1859) 61 = *arvense*.  
*barbatum*, Waldst. & Kit. Pl. Rar. Hung. i. 89. t. 86.—Europ. austr.  
*bihariense*, A. Kern. Sched. Fl. Exsicc. i. 35.—Austria.  
*bohemicum*, A. Kern. l. c.—Europ.  
*brachiatum*, Schwein. in Long. Exped. Winnep. ii. 391 = *americanum*.  
*caerulescens*, Gilib. Fl. Lituan. i. 131 = *nemorosum*.  
*caeruleum*, Gueldest. Reisen, i. 424 = *nemorosum*.  
*carpathicum*, Schult. Obs. Bot. 116.—Carpath.  
*catalaunicum*, Freyn, in Flora, lxxvii. (1884) 680.—Hispan.  
*caucasicum*, Bunge, Pl. Abich. 16.—Reg. Caucas.  
*ciliare*, Miq. Ann. Mus. Bot. Lugd. Bat. ii. 122 = *roseum*.  
*ciliatum*, Boiss. & Heldr. Diagn. Ser. II. iii. 176 = *barbatum*.  
*commutatum*, Tausch, ex Koch, Syn. Fl. Germ. ed. II. 621 = *pratense*.  
*cretaceum*, Cern. ex Trautv. in Act. Hort. Petrop. ix. (1884) 79, nomen.—Rossia.  
*cristatum*, Habl. ex Steud. Nom. ed. II. ii. 113 = *arvense*.  
*cristatum*, Linn. Sp. Pl. 605.—Europ.; As. bor.  
*dentatum*, Schur, in Verh. Siebenb. Ver. Naturw. iv. (1853) 56 = *sylvaticum*.  
*digitatum*, Schur, Enum. Pl. Transs. 506 = *pratense*.  
*elatus*, Reut. ex Boiss. Fl. Orient. iv. 481 = *arvense*.  
*grandiflorum*, A. Kern. Sched. Fl. Exsicc. ii. 114.—Austria.



**MELAMPYRUM:—**

- hastatum*, Gilib. Fl. Lituan. i. 131 = pratense.  
*heracleoticum*, Boiss. & Orph. ex Boiss. Fl. Orient. iv. 482 = pratense.  
*hians*, Gilib. Exercit. i. 132 = sylvaticum.  
*hyans*, Gilib. l. c. 131 = praec.  
*hybridum*, Wolfn. in Oestr. Bot. Wochenschr. (1857) 232 = arvense.  
*indicum*, Hook. f. & Thoms. in Hook. Kew Journ. ix. (1857) 246. t. 8.—Reg. Himal.  
*jedoense*, Miq. Ann. Mus. Bot. Lugd. Bat. ii. 122 = roseum.  
*lacinatum*, Kosh. & Zinger, in Bull. Soc. Nat. Mosc. lvi. (1881) 1. 313.—Rossia.  
*laricetorum*, Kern. ex Dalla Torre, Atl. Alpenfl. 175.—Europ. alp.  
*latifolium*, Muhl. Cat.; ex Nutt. Gen. Am. ii. 58 = americanum.  
*laxum*, Miq. Ann. Mus. Bot. Lugd. Bat. ii. 123.—Japan.  
*lineare*, Lam. Encyc. iv. 22 = americanum.  
*lineare*, Saut. ex Nym. Consp. 556 = pratense.  
*montanum*, Johnston. Fl. Berwick, i. 136 = pratense.  
*moravicum*, H. Braun, in Oestr. Bot. Zeitschr. xxxiv. (1884) 422.—Austr.  
*nemorosum*, Baumg. Enum. Stirp. Transs. ii. 198 = bihariense.  
*nemorosum*, Linn. Sp. Pl. 605.—Europ.; Reg. Caucas. pratense, Linn. l. c.—Europ.; As. bor.  
*pratense*, Tausch, ex Koch, Syn. Fl. Germ. ed. II. 621 = sylvaticum.  
*Pseudo-arvense*, Schur, Enum. Pl. Transs. 506 = barbatum.  
*Pseudo-barbatum*, Schur, in Verh. Siebenb. Ver. Naturw. iv. (1853) 56 = arvense.  
*Pseudo-sylvaticum*, Schur, Enum. Pl. Transs. 506 = pratense.  
*purpureum*, Gilib. Fl. Lituan. i. 130 = arvense.  
*roseum*, Maxim. Prim. Fl. Amur. 210.—Manchuria.  
*saxosum*, Baumg. Enum. Stirp. Transs. ii. 199 = sylvaticum.  
*stenophyllum*, Boiss. Fl. Orient. iv. 482.—As. Min.  
*stenotatum*, Wiesb. in Oestr. Bot. Zeitschr. xxxiv. (1884) 269 = bihariense.  
*subalpinum*, Kern. l. c. xiii. (1863) 363 = bihariense.  
*sylvaticum*, Hook. Fl. Bor. Am. ii. 106 = americanum.  
*sylvaticum*, C. Koch, in Linnaea, xxiii. (1850) 679 = stenophyllum.  
*sylvaticum*, Linn. Sp. Pl. 605.—Europ.; As. bor.  
*transsilvanicum*, Schur, Enum. Pl. Transs. 507 = sylvaticum.  
*violaceum*, Lam. Fl. Fr. ii. 356 = nemorosum.  
*vulgatum*, Pers. Syn. ii. 151 = pratense.

**MELANACRANIS**, Reichb. Consp. 56 (1828) = **MELANCRANIS**, Vahl = **Ficinia**, Schrad. (Cyperac.).

**MELANANTHERA**, Michx. Fl. Bor. Am. ii. 106 (1863) = **Melanthera**, Rohr (Compos.).

**MELANANTHUS**, Walp. in Bot. Zeit. viii. (1850) 788. **SOLANACEAE** [Benth. & Hook. f. ii. 1137].  
**MICROSCHWENKIA**, Benth. ex Hemsl. Biol. Centr. Am. Bot. ii. 438 (1882).  
*diprenoides*, Walp. in Bot. Zeit. viii. (1850) 788.—Bras.

**MELANCHRYSUM**, Cass. in Bull. Soc. Philom. (1817) 12 = **Gazania**, Gaertn. (Compos.).  
*Pavonium*, Cass. ex DC. Prod. vi. 510 = **G. Pavonia**.  
*rigens*, Cass. in Dict. Sc. Nat. xxix. 443 = **G. rigens**.  
*spinulosum*, Cass. l. c. = **G. pinnata**.

**MELANCIUM**, Naud. in Ann. Sc. Nat. Sér. IV. xvi. (1861) 175. **CUCURBITACEAE**, Benth. & Hook. f. i. 833.  
*campestre*, Naud. in Ann. Sc. Nat. Sér. IV. xvi. (1861) 175.—Bras.

**MELANCRANIS**, Vahl, Enum. ii. 239 (1806) = **Ficinia**, Schrad. (Cyperac.).  
*gracilis*, Nees, in Linnaea, ix. (1834) 287 = **F. bracteata**.  
*nigrescens*, Schrad. in Goett. Gel. Anz. (1821) III. 2072 = **F. bracteata**.  
*pallida*, Nees, ex Kunth, Enum. Pl. ii. 257 = **F. setiformis**.  
*radiata*, Kunth, Enum. Pl. ii. 260 = **F. brevifolia**.  
*radiata*, Vahl, Enum. ii. 239 (Gen. ?).—Afr. austr.

**MELANCRANIS:—**

- rigidula*, Nees, in Linnaea, x. (1836) 141 = **Ficinia bracteata**.  
*rubiginosa*, Spreng. Syst. i. 236 = **Cladium glomeratum**.  
*scariosa*, Vahl, Enum. ii. 239 = **F. bracteata**.  
*tenuis*, Eckl. ex Kunth, Enum. Pl. ii. 265.—Afr. austr.

**MELANDRIUM**, Roehl. Deutschl. Fl. ed. II. 274 (1812) = **Lychnis**, Linn. (Caryoph.).

- affine*, J. Vahl, in Fl. Dan. xiv. 5 = **L. affinis**.  
*ajanense*, Rohrb. in Linnaea, xxxvi. (1869–70) 230 = **L. ajanensis**.  
*album*, Garcke, Fl. Deutschl. ed. IV. 55 = **L. alba**.  
*Allamiani*, Rohrb. Monog. Silene, 231 = **Silene lacinata**.  
*andicolum*, Rohrb. in Linnaea, xxxvi. (1869–70) 221 = **Saponaria andicola**.  
*angustiflorum*, Walp. Ann. i. 93 = **L. affinis**.  
*apetalum*, Fenzl, in Ledeb. Fl. Ross. i. 326 = **L. apetala**.  
*apricum*, Rohrb. Monog. Silene, 231 = **Silene aprica**.  
*auriculatum*, Rohrb. l. c. = **Silene auriculata**.  
*Baldwini*, Rohrb. l. c. 231, 232 = **Silene Baldwini**.  
*bellidioides*, Rohrb. in Linnaea, xxxvi. (1869–70) 247 = **Silene bellidioides**.  
*Bolanderi*, Rohrb. Monog. Silene, 232 = **Silene Hookeri**.  
*brachypetalum*, Fenzl, in Ledeb. Fl. Ross. i. 326 = **L. brachypetala**.  
*cabulicum*, Boiss. Diagn. Ser. II. i. 79.—Afghan.  
*caffrum*, Rohrb. Monog. Silene, 232 = **Silene caffra**.  
*californicum*, Rohrb. in Linnaea, xxxvi. (1869–70) 252 = **Silene californica**.  
*capense*, Rohrb. Monog. Silene, 232 = **Silene capensis**.  
*cashmerianum*, Walp. Rep. i. 280 = **L. cachemiriana**.  
*caspum*, Gruner, in Bull. Soc. Nat. Mosc. x. (1867) II. 407.—Reg. Casp.  
*chilense*, Rohrb. in Linnaea, xxxvi. (1869–70) 222 = **L. chilensis**.  
*cucubalioides*, Fenzl, ex Rohrb. l. c. 223.—Chili; Reg. Argent.  
*cuneifolium*, Walp. Rep. i. 280 = **L. cuneifolia**.  
*dicline*, Willk. Ic. Desc. Pl. Hisp. 27. t. 14 = **L. diclinis**.  
*dioicum*, Coss. & Germ. Fl. Par. ed. I. 28; ed. II. 37 = **Silene conoidea**.  
*diurnum*, Fries, in Bot. Notiser (1842), 170 = **L. sylvestris**.  
*divaricatum*, Fenzl, in Ledeb. Fl. Ross. i. 328 = **L. divaricata**.  
*dubium*, Hampe, ex Garcke, Fl. N. M. Deutschl. ed. VIII. 66.—Europ.  
*Echegarayi*, Hieron. in Bol. Acad. Nac. Córdoba, iv. (1881) 11.—Reg. Argent.  
*Ecklonianum*, Rohrb. Monog. Silene, 232 = **Silene Eckloniana**.  
*Elisabethae*, Rohrb. l. c. = **Silene Elisabethae**.  
*ericalycinum*, Boiss. Diagn. Ser. II. i. 78 = **L. divaricata**.  
*Falconeri*, Rohrb. in Linnaea, xxxvi. (1869–70) 220 = **L. apetala**.  
*fimbriatum*, Walp. Rep. i. 280 = **L. indica**.  
*firmum*, Rohrb. Monog. Silene, 232, 233 = **Silene aprica**.  
*Flos-cuculi*, Roehl. Deutschl. Fl. ed. II. 274 = **Lychnis Flos-cuculi**.  
*Greggii*, Rohrb. in Linnaea, xxxvi. (1869–70) 256 = **Silene lacinata**.  
*Griffithii*, Rohrb. Monog. Silene, 232 = **Silene Griffithii**.  
*Hookeri*, Rohrb. l. c. 233 = **Silene Hookeri**.  
*illinoense*, Rohrb. in Linnaea, xxxvi. (1869–70) 250 = **Silene regia**.  
*indicum*, Walp. Rep. i. 280 = **L. indica**.  
*inflatum*, Walp. l. c. = **L. inflata**.  
*intermedium*, Schur, Enum. Pl. Transs. 108 = **L. sylvestris**.  
*intrusum*, Rohrb. Monog. Silene, 233 = **Silene colorata**.  
*involutum*, Rohrb. in Linnaea, xxxvi. (1869–70) 216 = **L. affinis**.  
*lacinatum*, Rohrb. Monog. Silene, 233, 234 = **Silene lacinata**.  
*lanuginosum*, Rohrb. l. c. 231 = **Silene auriculata**.  
*lanuginosum*, Rohrb. l. c. 233 = **Silene lanuginosa**.  
*macrocarpum*, Willk. Ic. Desc. Pl. Hisp. i. 28 = **L. divaricata**.  
*macrorrhizum*, Rohrb. in Linnaea, xxxvi. (1869–70) 228 = **L. macrorrhiza**.  
*magellanicum*, Fenzl, ex Rohrb. l. c. 224 = **L. magellanica**.  
*Mandonii*, Rohrb. l. c. 222.—Boliv.

**MELANDRIUM:—**

- multicaule*, Walp. Rep. i. 280 = **Lychnis multicaulis**.  
*nemorale*, A. Br. in Flora, xxvi. (1843) 371 = **L. nemoralis**.  
*nivale*, Nym. Syll. 230 = **L. nivalis**.  
*noctiflorum*, Fries, Bot. Notiser (1843), 143 = **Silene noctiflora**.  
*nutans*, Walp. Rep. i. 280 = **L. nutans**.  
*Oldhamianum*, Rohrb. Monog. Silene, 233 = **Silene aprica**.  
*Olgae*, Maxim. in Bull. Acad. Pétersb. xv. (1871) 225 = **Silene Olgae**, Rohrb.  
*ornatum*, Aschers. ex Rohrb. Monog. Silene, 231, 232, 233 = **Silene ornata**.  
*ovalifolium*, Regel & Schmalh. ex Regel, Pl. Nov. Fedsch. 15.—Turkestan.  
*pennsilvanicum*, Rohrb. Monog. Silene, 232, 233, 235 = **Silene pensylvanica**.  
*pilosum*, Edgew. in Trans. Linn. Soc. xx. (1846) 34 = **L. nutans**.  
*pratense*, Roehl. Deutschl. Fl. ed. II. 274 = **L. sylvestris**.  
*Prestlii*, Nym. Syll. Suppl. 41 = **L. sylvestre**.  
*pulchrum*, Rohrb. Monog. Silene, 232, 234 = **Silene californica**, lacinata.  
*pumilum*, Walp. Rep. i. 280 = **L. pumila**.  
*purpureum*, Rupr. Fl. Ingric. i. 163 = **L. sylvestris**.  
*regium*, A. Br. in Flora, xxvi. (1843) 372 = **Silene regia**.  
*Requienii*, Rohrb. Monog. Silene, 232, 234, 235 = **Silene Requienii**.  
*rotundifolium*, Rohrb. l. c. 234 = **Silene rotundifolia**.  
*rubrum*, Garcke, Fl. Deutschl. ed. IV. 55 = **L. sylvestris**.  
*saxatile*, A. Br. in Flora, xxvi. (1843) 371 = **L. saxatilis**.  
*setabense*, J. Gay, ex Willk. & Lange, Prod. Fl. Hisp. iii. 641 = **L. diclinis**.  
*sibiricum*, A. Br. in Flora, xxvi. (1843) 371 = **L. sibirica**.  
*songaricum*, Fisch. Mey. & Avé-Lall. Ind. Sem. Hort. Petrop. ix. Suppl. 14 = **L. apetala**.  
*sordidum*, Rohrb. in Linnaea, xxxvi. (1869–70) 233 = **L. sordida**.  
*stenophyllum*, Schur, in Verh. Naturf. Ver. Brunn, xv. II. (1877) 130 = **L. sylvestris**.  
*sylvestre*, Roehl. Deutschl. Fl. ed. II. i. 274 = **L. sylvestris**.  
*thysanodes*, A. Gray, Bot. U. St. Expl. Exped. i. 114 = **L. thysanodes**.  
*triflorum*, J. Vahl, ex Liebm. in Fl. Dan. xiv. 5 = **L. triflora**.  
*triste*, Fenzl, in Ledeb. Fl. Ross. i. 326 = **L. tristis**.  
*undulatum*, Rohrb. in Linnaea, xxxvi. (1869–70) 245 = **Silene undulata**.  
*Vahlui*, Walp. Ann. i. 93.—Ross. bor.  
*vespertinum*, Fries, in Bot. Notiser (1842), 170 = **L. alba**.  
*virginicum*, A. Br. in Flora, xxvi. (1843) 372 = **Silene virginica**.  
*viscosum*, Celak. in Lotos, xviii. (1868) 118 = **Silene viscosa**.  
*Wrightii*, Rohrb. Monog. Silene, 235 = **Silene Wrightii**.  
*Zawadskii*, A. Br. in Flora, xxvi. (1843), 387 = **Silene Zawadskii**.

**MELANDRUM**, Blytt, Norges Fl. iii. 1063 (1876) = praec.

**MELANDRYUM**, Reichb. Handb. 298 (1837) = praec.

**MELANEA**, Pers. Syn. i. 131 (1805) = **Malanea**, Aubl. (Rubiace.).

**MELANENTHERA**, Link, Enum. Hort. Berol. ii. 309 (1823) = **Melanthera**, Rohr (Compos.).

**MELANIUM**, P. Br. Hist. Jamaic. 215 (1756) = **Cuphea**, P. Br. (Lythrac.).  
*alliaceum*, Spreng. Syst. ii. 454 = **C. viscosissima**.  
*fruticosum*, Spreng. l. c. 455 = **Pemptis achilla**.  
*hirtum*, Spreng. l. c. 454 = **C. micrantha**.  
*rupestre*, Zipp. in Alg. Konst. en Læge, i. 18. 298.—Java.  
*scabrum*, Spreng. Syst. ii. 455 = **C. Parsonsia**.

**MELANIUM**, Rich. ex DC. Prod. iii. 135 (1828) = **Arthrostema**, Ruiz & Pav. (Melastom.).



MELANOCARPUM, Hook. f. in Benth. & Hook. f. Gen. iii. 24 (1880) = *Pleuropetalum*, Hook. f. (Amarant.). *Sprucei*, Hook. f. l. c. = *P. costaricense*.

MELANOCARYA, Turcz. in Bull. Soc. Nat. Mosc. xxxi. (1858) ii. 453 = *Euonymus*, Linn. (Celastr.). *alata*, Turcz. l. c. 454 = *E. Thunbergianus*.

MELANOCENCHRIS, Nees, in Proc. Linn. Soc. i. (1841) 94. GRAMINEAE, Benth. & Hook. f. iii. 1169.

PITLONEILEMA, Steud. Syn. Pl. Gram. 201 (1855). *Jacquemontii*, *Faub. & Spach, Illustr.* iv. 36.—Ind. or. *Perrottetii*, *Faub. & Spach, l. c.* 38.—Ind. or. *plumosa*, *Hochst. in Flora*, xxxviii. (1855) 273.—Abyssin.

*Rothiana*, Nees, in Proc. Linn. Soc. i. (1841) 95.—Ind. or. *Royleana*, Nees, l. c.—Ind. or.

MELANOCHYLA, Hook. f. Fl. Brit. Ind. ii. 38 (1876). ANACARDIACEAE. *angustifolia*, Hook. f. l. c. 39.—Malacca. *auriculata*, Hook. f. l. c.—Malacca. *Maingayi*, Hook. f. l. c.—Malacca. *tomentosa*, Engl. in DC. Monog. Phan. iv. 450, lapsu = *Rhus retusa*. *tomentosa*, Hook. f. Fl. Brit. Ind. ii. 38.—Malacca.

MELANOCOCCA, Blume, Mus. Bot. Lugd. Bat. i. 236 (1850). RUTACEAE, Benth. & Hook. f. i. 298. *tomentosa*, Blume, Mus. Bot. Lugd. Bat. i. 236.—N. Guinea.

MELANODENDRON, DC. Prod. v. 279 (1836). COMPOSITAE, Benth. & Hook. f. ii. 278. *integrifolium*, DC. Prod. v. 280.—Ins. S. Helena.

MELANOLEPIS, Reichb. & Zoll. in Verh. Naturk. Ver. Ned. Ind. Bat. i. (1856) 22; et in Linnaea, xxviii. (1856) 324 = *Mallotus*, Lour. (Euphorb.). *angulata*, Miq. Fl. Ind. Bat. Suppl. 455 = *Mallotus angulatus*. *calcosa*, Miq. l. c. i. ii. 399 = *Mallotus calcosus*. *diadema*, Miq. l. c. Suppl. 455 = *Mallotus diadema*. *multiglandulosa*, Reichb. & Zoll. in Linnaea, xxviii. (1856) 324 = *Mallotus moluccanus*.

MELANOLEUCE, St. Lag. in Ann. Soc. Bot. Lyon, viii. (1881) 203 = *Melaleuca*, Linn. (Myrtac.).

MELANOLOMA, Cass. in Dict. Sc. Nat. xxix. 472 (1823) = *Centaurea*, Linn. (Compos.). *excelsior*, Cass. l. c. 473 = *C. pullata*. *Fontanesii*, Cass. l. c. i. 252 = *C. involucreta*. *humilis*, Cass. l. c. xxix. 473 = *C. pullata*. *pullata*, Cass. l. c. = *C. pullata*. *Tchihatchewii*, Boiss. Fl. Orient. iii. 704 = *C. Tchihatcheffii*.

MELANOPHYLLA, Baker, in Journ. Linn. Soc. xxi. (1884) 352. CORNACEAE. *alnifolia*, Baker, l. c.—Madag. *aucubaefolia*, Baker, l. c. 353.—Madag.

MELANOPSIDIUM, Colla, Hort. Ripul. 88. t. 35 (1824) = *Billiottia*, DC. (Rubiace.). *nigrum*, Colla, l. c. = *B. psychotrioides*.

MELANOPSIDIUM, Poit. ex DC. Prod. iv. 443 (1830) = *Alibertia*, Rich. (Rubiace.).

MELANORRHOEA, Wall. Pl. As. Rar. i. 9. tt. 11, 12 (1829). ANACARDIACEAE, Benth. & Hook. f. i. 421. *Beccarii*, Engl. Bot. Jahrb. i. (1881) 45.—Borneo. *glabra*, Wall. Pl. As. Rar. iii. 50. t. 283.—Burma. *laccifera*, *Pierre, in Bull. Soc. Linn. Par. i.* (1885) 538.—Cochinch. *macrocarpa*, Engl. in DC. Monog. Phan. iv. 236.—Borneo. *Maingayi*, Hook. f. Fl. Brit. Ind. ii. 25.—Malacca. *usitata*, Wall. Pl. As. Rar. i. 9. tt. 11, 12.—Burma. *usitatissima*, Steud. Nom. ed. II. ii. 114 = *pracc*. *Wallichii*, Hook. f. Fl. Brit. Ind. ii. 25.—Malaya.

MELANOSELINUM, Hoffm. Gen. Umb. ed. I. 156 (1814) = *Thapsia*, Linn. (Umbell.). *decipiens*, Hoffm. l. c.—Ins. Madera. *Seguieri*, Sweet, Hort. Brit. 190 = *Ligusticum ferulaceum*.

MELANOSERIS, Decne. in Jacquem. Voy. Bot. 101. t. 109 (1844) = *Lactuca*, Tourn. (Compos.). *bracteata*, Hook. f. & Thoms. ex Hook. f. Fl. Brit. Ind. iii. 409 = *L. bracteata*.

*cyanea*, Edgew. in Trans. Linn. Soc. xx. (1846) 81 = *L. hastata*.

*hastata*, Edgew. l. c. = *L. hastata*. *Lessertiana*, Decne. in Jacquem. Voy. Bot. 102 = *L. Lessertiana*.

*lyrata*, Decne. l. c. 101. t. 109 = *L. Lessertiana*. *paniculata*, Edgew. in Trans. Linn. Soc. xx. (1846) 80 = *L. hastata*.

*rapunculoides*, Edgew. l. c. 81 = *L. rapunculoides*. *saxatilis*, Edgew. l. c. 79 = *L. macrorrhiza*.

MELANOSINAPIS, Schimp. & Spenn. in Spenn. Fl. Friburg. iii. 944 (1829) = *Brassica*, Linn. (Crucif.). *communis*, Spenn. l. c. 945 = *B. nigra*.

MELANOSTICTA, DC. Mém. Lég. 474. t. 69 (1825) = *Hoffmanseggia*, Cav. (Legumin.). *Burchellii*, DC. l. c. = *H. Burchellii*. *Sandersoni*, Harv. in Harv. & Sond. Fl. Cap. iii. 270.—Afr. austr.

MELANOTIS, Neck. Elem. i. 281 (1790) (Quid?).

MELANOXYLON, Schott, in Spreng. Syst. iv. Cur. Post. 406 (1827). LEGUMINOSAE, Benth. & Hook. f. i. 563.

PERITTUM, Vog. in Linnaea, xi. (1837) 408. *Brauna*, Schott, in Spreng. Syst. iv. Cur. Post. 406.—Bras.

MELANTHERA, Rohr, in Skrift. Nat. Selsk. Kioebenh. ii. (1792) 213. COMPOSITAE, Benth. & Hook. f. ii. 377.

LIPOTRICHE, R. Br. in Trans. Linn. Soc. xii. (1817) 118. MELANANTHERA, Michx. Fl. Bor. Am. ii. 106 (1803).

PSATHUROCHAETA, DC. Prod. v. 609 (1836). TRIGONOTHECA, Sch. Bip. in Flora, xxvii. (1844) 672, in syn.

WUERSCHMITTIA, Sch. Bip. l. c. xxiv. (1841) i. Intell. 27.

*abyssinica*, Benth. & Hook. f. ex Vatte, in Linnaea, xxxix. (1875) 496.—Afr. trop. *angustifolia*, A. Rich. Fl. Cub. Fanerog. ii. 54 = *lan- ceolata*.

*aspera*, Steud. Nom. ed. II. ii. 113 = *deltoidea*. *Brownii*, Sch. Bip. in Flora, xxvii. (1844) 673.—Afr. trop.

*corymbosa*, Spreng. Neue Entdeck. ii. 135; iii. 40.—Ind. occ. *deltoidea*, Michx. Fl. Bor. Am. ii. 106.—Am. trop.

*glandulosa*, Wall. ex DC. Prod. v. 547 = *Wedelia biflora*.

*hastata*, Michx. Fl. Bor. Am. ii. 106.—Am. trop. *lanceolata*, Benth. ex Oerst. in Kjoeb. Vidensk. Meddel. (1852) 88.—Am. trop.

*Linnaei*, H. B. & K. Nov. Gen. et Sp. iv. 199 = *del- toidea*.

*madagascariensis*, Baker, in Journ. Linn. Soc. xxi. (1885) 418.—Madag.

*microphylla*, Steetz, in Seem. Bot. Voy. Herald, 156 = *lanceolata*.

*orientalis*, Spreng. ex DC. Prod. v. 483 = *Caesulia axillaris*.

*oxylepis*, DC. l. c. 545.—Ecuador. *panduriformis*, Cass. in Dict. Sc. Nat. xxix. 485 = *hastata*.

*pungens*, Oliver & Hiern, in Oliver, Fl. Trop. Afr. iii. 382.—Afr. trop. *trilobata*, Cass. in Dict. Sc. Nat. xxix. 485 = *hastata*.

*urticaefolia*, Cass. l. c. 484 = *deltoidea*.

MELANTHESA, Blume, Bijdr. 590 (1825) = *Breynia*, Forst. (Euphorb.). *acuminata*, Muell. Arg. in Linnaea, xxxii. (1863) 74 = *B. acuminata*.

*anceps*, Miq. Fl. Ind. Bat. i. ii. 371 = *Phyllanthus simplex*.

*canescens*, Zipp. ex Span. in Linnaea, xv. (1841) 347, nomen.—Ins. Timor. *cernua*, Decne. in Nouv. Ann. Mus. Par. iii. (1834) 483 = *B. cernua*.

MELANTHESA:—

*chinensis*, Blume, Bijdr. 592 (= *Melanthesopsis fruti- cosa*).—China.

*glaucescens*, Miq. in Journ. Bot. Néerl. i. (1861) 97.—China.

*microphylla*, Kurz, ex Teijsm. & Binn. in Tijdschr. Nederl. Ind. xxvii. (1864) 49 = *Breynia microphylla*.

*neo-caledonica*, Baill. Adansonia, ii. (1861-62) 240 = *B. disticha*.

*obliqua*, Wight, Ic. t. 1898 (= *Melanthesopsis patens*).—Ind. or.

*ovalifolia*, Kostel. Allg. Med.-Pharm. Flora, v. 1772 = *B. rhamnoides*.

*racemosa*, Blume, Bijdr. 592 = *B. racemosa*. *reclinata*, Muell. Arg. in Linnaea, xxxii. (1863) 74 = *B. racemosa*.

*retusa*, Kostel. Allg. Med.-Pharm. Flora, v. 1771 (= *Melanthesopsis patens*).—Ind. or.

*rhamnoides*, Blume, Bijdr. 591 = *B. rhamnoides*. *rhamnoides*, Decne. in Nouv. Ann. Mus. Par. iii. (1834) 483 = *B. oblongifolia*.

*rubra*, Blume, Bijdr. 591 = *B. rubra*. *rupestris*, Miq. Fl. Ind. Bat. i. ii. 371 = *Phyllanthus simplex*?

*turbinata*, Wight, Ic. t. 1897 (= *Melanthesopsis patens*).—Ind. or.

*virgata*, Blume, Bijdr. 592 = *B. virgata*.

MELANTHESIOPSIS, Benth. & Hook. f. Gen. iii. 277 (1880) = seq.

MELANTHESOPSIS, Muell. Arg. in Linnaea, xxxii. (1863) 74 = *Breynia*, Forst. (Euphorb.).

*fruticosa*, Muell. Arg. in DC. Prod. xv. ii. 437.—China.

*lucens*, Muell. Arg. in Linnaea, xxxii. (1863) 75 = *pracc*.

*patens*, Muell. Arg. in DC. Prod. xv. ii. 437.—Ind. or.

*variabilis*, Muell. Arg. in Linnaea, xxxii. (1863) 75.—Ind. or.

MELANTHIUM, Clayt. ex Linn. Gen. ed. II. 524 (1742). LILIACEAE, Benth. & Hook. f. iii. 834.

EVONYXIS, Rafin. Fl. Tellur. ii. 29 (1836). LEIMANTHEMUM, Ritg. in Marb. Schrift. ii. (1830) 130.

LEIMANTHIUM, Willd. in Ges. Naturf. Fr. Berl. Mag. ii. (1808) 24.

LIMONANTHUS, Kunth, Enum. Pl. iv. 194, in adnot. (1843).

*aethiopicum*, Desr. in Lam. Encyc. iv. 29 = *Baeometra columellaris*.

*album*, Thunb. Diss. Melanth. 8 = *Veratrum album*. *angustifolium*, Willd. in Ges. Naturf. Fr. Berl. Mag. ii. (1808) 23 = *Androcymbium punctatum*.

*aspericaule*, Poir. Encyc. Suppl. iii. 628.—Am. bor. *biglandulosum*, Bertol. in Mem. Acc. Sc. Bolog. ii. (1850) 316 = *virginicum*.

*blandum*, Banks, ex Ker-Gawl. in Bot. Mag. sub t. 694 = *Androcymbium leucanthum*.

*bracteolare*, Desr. in Lam. Encyc. iv. 25 = *Veratrum album*.

*Brownii*, Schlecht. in Linnaea, i. (1826) 86 = *Anguil- laria dioica*.

*capense*, Linn. Sp. Pl. ed. II. 483 = *Androcymbium leucanthum*.

*caricinum*, Roth, Nov. Pl. Sp. 199 = *Iphigenia in- dica*.

*cochinchinense*, Lour. Fl. Cochinch. 216.—Cochinch. *densum*, Desr. in Lam. Encyc. iv. 26 = *Chamaelirium carolinianum*.



**MELANTHIUM:—**

- Hultgreenii*, [Soland. ex] Thunb. in Mus. Ac. Ups. App. xvi. 47 = *Zygadenus glaucus*.  
*hyacinthium*, Heyne, ex Roth, Nov. Pl. Sp. 195 = *Scilla indica*.  
*hybridum*, Ell. Sketch, i. 419 = *virginicum*?  
*hybridum*, Nutt. Gen. Am. i. 232 = *Veratrum parviflorum*.  
*hybridum*, Walt. Fl. Carol. 125 = *virginicum*.  
*indicum*, Linn. Mant. ii. 226 = *Iphigenia indica*.  
*inustum*, [Soland.] Ker-Gawl. in Bot. Mag. sub t. 694 = *Wurmbea capensis*.  
*japonicum*, Willd. in Ges. Naturf. Fr. Berl. Mag. ii. (1808) 22 = *Chionographis japonicum*.  
*laetum*, Kinn. ex Kunth, Enum. Pl. iv. 195 = *virginicum*.  
*laetum*, [Soland. in] Ait. Hort. Kew. ed. I. i. 488 = *Zygadenus muscitoxicus*.  
*latifolium*, Desr. in Lam. Encyc. iv. 25 = *virginicum*.  
*longiflorum*, Ker-Gawl. in Bot. Mag. sub t. 694 = *Wurmbea capensis*.  
*lucidum*, Ker-Gawl. l. c. = seq.  
*luridum*, Banks, ex Ker-Gawl. l. c. t. 994 = *Wurmbea campanulata*.  
*luteum*, Thunb. Fl. Jap. 152 = *Chionographis japonica*.  
*luteum*, Willd. in Ges. Naturf. Fr. Berl. Mag. ii. (1808) 22 = *Chamaelirium carolinianum*.  
*marginatum*, Desr. in Lam. Encyc. iv. 29 = *Wurmbea capensis*.  
*massoniaefolium*, Andr. Bot. Rep. t. 368 = *Whiteheadia latifolia*.  
*monoicum*, Pursh, Fl. Am. Sept. i. 241 = *virginicum*.  
*monoicum*, Walt. Fl. Carol. 125 = *Veratrum parviflorum*.  
*monopetalum*, Linn. f. Suppl. 213 = *Wurmbea capensis*.  
*muscaetoxicum*, Walt. Fl. Carol. 125 = *Zygadenus muscaetoxicus*.  
*myoctonum*, J. F. Gmel. Syst. i. 587 = *Zygadenus muscaetoxicus*.  
*nigrum*, Thunb. Diss. Melanth. 8 = *Veratrum nigrum*.  
*nudum*, Heyne, in Wall. Herb. (errore *indum*) in Wall. Cat. n. 5062 D = *Urginea indica*.  
*Nuttallii*, D. Dietr. Syn. Pl. ii. 1206 = *Zygadenus Nuttallii*.  
*parviflorum*, S. Wats. in Proc. Am. Acad. xiv. (1879) 276.—Am. bor.  
*phalangioides*, Desr. in Lam. Encyc. iv. 27 = *Zygadenus muscaetoxicus*.  
*polygamum*, Desr. l. c. 25 = *virginicum*.  
*pumilum*, Forst. in Comm. Goett. ix. (1789) 30 = *Astelia pumila*.  
*pumilum*, Ker-Gawl. in Bot. Mag. sub t. 694 = *Wurmbea capensis*.  
*punctatum*, Cav. in Anal. Cienc. Nat. iii. (1801) 49. t. 26. f. 1 = *Androcymbium punctatum*.  
*punctatum*, Linn. Pl. Afr. Rar. 10; in *Amoen. Acad.* vi. 87 (Quid?).—Afr.  
*racemosum*, Michx. Fl. Bor. Am. ii. 251 = *virginicum*.  
*racemosum*, Roth, Nov. Pl. Sp. 199 = *Iphigenia indica*.  
*racemosum*, Walt. Fl. Carol. 125 = *Tofieldia pubens*.  
*remotum*, [Soland.] Ker-Gawl. in Bot. Mag. sub t. 694 = *Wurmbea capensis*.  
*revolutum*, [Soland.] Ker-Gawl. l. c. = *Wurmbea capensis*.  
*Sabadilla*, Thunb. Diss. Melanth. 4 = *Veratrum Sabadilla*.  
*sibiricum*, Linn. Sp. Pl. 339.—Sibir.  
*spicatum*, Burm. f. Fl. Cap. Prod. 11 = *Wurmbea capensis*.  
*spicatum*, Walt. Fl. Carol. 125 = *Xerophyllum setifolium*.  
*stigmaosum*, Ker-Gawl. in Bot. Mag. sub t. 694 = *Wurmbea stigmaosa*.  
*striatum*, Hill, Veg. Syst. xvi. 56 (Quid?).—Am. bor.  
*tenuis*, Hook. f. in Journ. Linn. Soc. vii. (1864) 223.—Afr. trop.  
*uniflorum*, Jacq. Coll. iv. 100 = *Bacometra columellaris*.  
*virens*, Thunb. Diss. Melanth. 4 = *Veratrum album*.  
*virescens*, Willd. ex Kunth, Enum. Pl. iv. 193 = *Zygadenus mexicanus*.  
*virginicum*, Linn. Sp. Pl. 339.—Am. bor.  
*virginicum*, Walt. Fl. Carol. 125 = *Zygadenus glaberrimus*.  
*viride*, Linn. f. Suppl. 213 = *Ornithoglossum glaucum*.  
*Wurmbeum*, Thunb. Prod. Pl. Cap. 67 = *Wurmbea capensis*.

- MELANTHIUM*, Kunth, Enum. Pl. iv. 155 (1843) = *Dipidax*, Salisb. (Liliac.).  
*Bergii*, Schlecht. in Linnaea, i. (1826) 84 = *D. ciliata*.  
*blandum*, Soland. ex Baker, in Journ. Linn. Soc. xvii. (1879) 447 = *D. ciliata*.  
*caeruleum*, Eckl. ex Schult. f. Syst. vii. 1547 = *D. ciliata*.  
*capense*, Licht. ex Schult. f. l. c. 1546 = *D. ciliata*.  
*ciliatum*, Linn. f. Suppl. 213 = *D. ciliata*.  
*Garnotianum*, Kunth, Enum. Pl. iv. 157 = *D. ciliata*.  
*gracile*, Desr. in Lam. Encyc. iv. 29 = *D. ciliata*.  
*juncum*, Jacq. Coll. Suppl. 105 = *D. rosea*.  
*luridum*, Soland. ex Baker, in Journ. Linn. Soc. xvii. (1879) 447 = *D. ciliata*.  
*marginatum*, Schlecht. in Linnaea, i. (1826) 84 = *D. ciliata*.  
*punctatum*, Mill. Gard. Dict. ed. VIII. n. 3 = *D. ciliata*.  
*rubicundum*, Willd. in Ges. Naturf. Fr. Berl. Mag. ii. (1808) 22 = *D. ciliata*.  
*Schlechtendalianum*, Schult. f. Syst. vii. 1546 = *D. ciliata*.  
*secundum*, Desr. in Lam. Encyc. iv. 28 = *D. ciliata*.  
*triquetrum*, Linn. f. Suppl. 213 = *D. rosae*.  
*virescens*, Kunth, Enum. Pl. iv. 193 = *D. ciliata*.

- MELANTHIUM*, Medic. Phil. Bot. i. 96 (1789) = *Nigella*, Tourn. (Ranunc.).  
*damascenum*, Medic. l. c. = *N. damascena*.

- MELARGYRA*, Rafin. Fl. Tellur. iii. 81 (1836) = *Spergularia*, C. & J. Presl (Caryoph.).  
*canadensis*, Rafin. l. c. = *S. media*, salina.  
*media*, Rafin. l. c. = *S. media*.  
*purpurea*, Rafin. l. c. = *S. capillacea*.  
*rosea*, Rafin. l. c. = *S. rubra*?  
*rubra*, Rafin. l. c. = *S. rubra*.

- MELARHIZA*, Kellogg, in Proc. Calif. Acad. i. ed. II. 37 (1873) = *Wyethia*, Nutt. (Compos.).  
*inuloides*, Kellogg, l. c. = *W. helenioides*.

- MELASANTHUS*, Pohl, Pl. Bras. Ic. i. 75. tt. 60–65 (1827) = *Stachytarpheta*, Vahl (Verben.).  
*glaucus*, Pohl, l. c. 81. t. 65 = *S. glauca*.  
*integrifolius*, Pohl, l. c. 80. t. 64 = *S. glauca*.  
*longespiciatus*, Pohl, l. c. 77. t. 61 = *S. Chamissonis*.  
*rhomboidalis*, Pohl, l. c. 78. t. 62 = *S. rhomboidalis*.  
*triphylus*, Pohl, l. c. 79. t. 63 = *S. rhomboidalis*.  
*villosus*, Pohl, l. c. 76. t. 60 = *S. villosa*.

- MELASCUS*, Rafin. Fl. Tellur. iv. 80 (1836) = *Ipomoea*, Linn. (Convolv.).  
*latifolius*, Rafin. l. c. = *I. Bona-nox*.

- MELASMA*, Berg. Desc. Pl. Cap. 162. t. 3. f. 4 (1767).  
*SCROPHULARINEAE*, Benth. & Hook. f. ii. 966.  
*GASTROMERIA*, D. Don, in Sweet, Brit. Flow. Gard. Ser. II. sub t. 75 (1830).  
*LYNCEA*, Cham. & Schlecht. in Linnaea, v. (1830) 108.  
*NIGRINA*, Linn. Mant. i. 5 (1767).  
*hispidum*, Benth. in Hook. Comp. Bot. Mag. i. (1835) 202.—Mexic.  
*ovatum*, E. Mey. in Drège, Zwei Pfl. Docum. 201, nomen; et ex Benth. in DC. Prod. x. 338.—Afr. austr.  
*rhinanthoides*, Benth. in Hook. Comp. Bot. Mag. i. (1835) 202.—Bras.  
*scabrum*, Berg. Desc. Pl. Cap. 162.—Afr. austr.  
*Zeyheri*, Hook. Ic. Pl. t. 255 = *Graderia scabra*.

- MELASPHAERULA*, Ker-Gawl. in Bot. Mag. t. 615 (1805). *IRIDAEAE*, Benth. & Hook. f. iii. 707.  
*AGLAEAE*, Pers. Syn. i. 46 (1805).  
*DIASIA*, DC. in Bull. Soc. Philom. iii. (1803) 151.  
*graminea*, Ker-Gawl. in Bot. Mag. t. 615.—Afr. austr.  
*intermedia*, Sweet, Hort. Brit. ed. I. 399 = *graminea*.  
*iridifolia*, Sweet, l. c. ed. II. 502 = *graminea*.  
*parviflora*, Lodd. Bot. Cab. t. 1444 = *graminea*.

- MELASTOMA*, Burm. ex Linn. Gen. ed. I. 127 (1737).  
*MELASTOMACEAE*, Benth. & Hook. f. i. 746.  
*ACINOLIS*, *ALOSEMIS*, *ANTHERYTA*, *ANTISOLA*, *AULIPHAS*, *DANCERA*, *EXODICLIS*, *GYNOMPHIS*, *OCTELLA*, *OCTONUM*, Rafin. Sylva Tellur. 93–98 (1838).  
*BENKARA*, Adans. Fam. ii. 85 (1763).

**MELASTOMA:—**

- Acinodendron*, Linn. Sp. Pl. 389 = *Miconia Acinodendron*, Sagraea guadalupensis.  
*aculeatum*, Presl, in Oken, Isis, xxi. (1828) 272 = *Charianthus ciliatus*.  
*acuminatum*, Desr. in Lam. Encyc. iv. 54 = *Miconia semicrenata*.  
*acuminatum*, Sieber, ex Presl, in Oken, Isis, xxi. (1828) 272 = *Miconia laevigata*.  
*acuminatum*, Vahl, Eclog. Am. i. 47 = *Tetrazygia discolor*.  
*acutiflorum*, Schrank & Mart. ex DC. Prod. iii. 154 = *Leandra scabra*.  
*acutipetalum*, Rich. in Humb. & Bonpl. Mélast. t. 38 = *Ossaea scalpta*.  
*acutum*, Mill. Gard. Dict. ed. VIII. n. 13 = *Tetrazygia discolor*.  
*adpressum*, Benth. in Wall. Cat. n. 4081 = *malabathricum*.  
*adscendens*, Sw. Fl. Ind. Occ. ii. 772 = *Adelobotrys adscendens*.  
*aeleagnoides*, Sw. Prod. Veg. Ind. Occ. 72 = *Tetrazygia elaeagnoides*.  
*affine*, D. Don, in Mem. Wern. Soc. iv. (1823) 288 = *malabathricum*.  
*Afzelianum*, D. Don, l. c. 291 = *Osbeckia multiflora*.  
*aggregatum*, Mart. & Schrank, ex DC. Prod. iii. 156 = *Ossaea confertiflora*.  
*agreste*, Aubl. Pl. Gui. i. 425. t. 166 = *Oxymeris agrestis*.  
*agreste*, Schrank & Mart. ex DC. Prod. iii. 160 = *Miconia astrotricha*.  
*alatum*, Aubl. Pl. Gui. i. 410 = *Miconia alata*.  
*albicans*, Raddi, in Mem. Soc. Ital. Moden. xx. (1829) 136 = *Miconia cinerascens*.  
*albicans*, Sw. Prod. Veg. Ind. Occ. 70 = *Miconia holosericea*.  
*albiflorum*, G. Don, Gen. Syst. ii. 764 = *Tristemma albiflorum*.  
*album*, Reinw. ex Blume, in Flora, xiv. (1831) 495 = *Dissochaeta gracilis*.  
*alpestre*, Jack, in Trans. Linn. Soc. xiv. (1823) 20 = *Medinilla alpestris*.  
*alpinum*, Sw. Prod. Veg. Ind. Occ. 71 = *Charianthus coccineus*.  
*ambiguum*, Humb. & Bonpl. Mélast. t. 25 = *Miconia ambigua*.  
*amplexicaule*, Pav. ex Naud. in Ann. Sc. Nat. Sér. III. xvi. (1851) 138 = *Miconia dipsacea*.  
*amygdalinum*, Desr. in Lam. Encyc. iv. 35 = *Mecranium amygdalinum*.  
*amygdaloides*, Schrank & Mart. ex DC. Prod. iii. 156 = *Ossaea amygdaloides*.  
*angustifolium*, Sw. Prod. Veg. Ind. Occ. 71 = *Tetrazygia angustifolia*.  
*Anhanga*, Vell. Fl. Flum. 182; iv. t. 133 = *Clidemia hirta*.  
*anisotrichon*, Schlecht. in Linnaea, xiii. (1839) 427 = *Miconia Berghesiana*.  
*annulatum*, Poir. ex Steud. Nom. ed. II. i. 778, in syn. = *Marumia annulata*.  
*annulatum*, Wall. Cat. n. 4056 = *Anplectrum annulatum*.  
*annuum*, Schrank, ex DC. Prod. iii. 115 = *Aciotis annua*.  
*anopanthum*, Naud. in Ann. Sc. Nat. Sér. III. xiii. (1849) 277 = *malabathricum*.  
*antennatum*, Cham. in Linnaea, ix. (1834) 376 = *Huberia ovalifolia*.  
*aplostachyum*, Humb. & Bonpl. Mélast. t. 1 = *Miconia aplostachya*.  
*apterum*, Mart. & Schrank, ex DC. Prod. iii. 161 = *Oxymeris aptera*.  
*aquaticum*, Aubl. Pl. Gui. i. 430. t. 169 = *Nepsera aquatica*.  
*arborescens*, Aubl. Pl. Gui. i. 429 = *Loreya arborescens*.  
*arborescens*, Sieber, ex Presl, in Oken, Isis, xxi. (1828) 272 = *Blakea pulverulenta*.  
*arborescens*, Schlecht. in Linnaea, xiii. (1839) 424 = *Conostegia arborea*.  
*arborescens*, Vell. Fl. Flum. 182; iv. t. 131 = *Miconia calvescens*.  
*argenteum*, Desr. in Lam. Encyc. iv. 45 = *Tibouchina holosericea*.  
*argenteum*, Poir. ex Steud. Nom. ed. I. 516 = *Miconia squamulosa*.  
*argenteum*, Sw. Prod. Veg. Ind. Occ. 70 = *Miconia argentea*.  
*argyratum*, Presl, in Oken, Isis, xxi. (1828) 272 = *Tetrazygia discolor*.



**MELASTOMA:—**

*argyrophyllum*, Schrank & Mart. ex DC. Prod. iii. 181 = *Miconia argyrophylla*.  
*aristatum*, Mart. ex DC. l. c. 157 = *Clidemia hirta*.  
*aromaticum*, Vahl, Eclog. Am. i. 41 = *Tibouchina aspera*.  
*articulatum*, Desr. in Lam. Encyc. iv. 56 = *Dichae-tanthera articulata*.  
*articulatum*, Naud. in Ann. Sc. Nat. Sér. III. xiii. (1849) 285 = *malabathricum*.  
*arvense*, Vell. Fl. Flum. 180; iv. t. 126 (= *Tremblyae* sp.).—Bras.  
*aspergillare*, Humb. & Bonpl. Mélast. t. 9 = *Miconia aspergillaris*.  
*asperiusculum*, Rich. ex DC. Prod. iii. 155 = *Oxymeris asperiuscula*.  
*aspermum*, Presl, in Oken, Isis, xxi. (1828) 272 = *Miconia laevigata*.  
*aspermum*, Blume, Bijdr. 1076.—Java.  
*aspermum*, Linn. Sp. Pl. 389 = *Osbeckia aspera*.  
*aspermum*, Meerb. ex Walp. Rep. ii. 136 = *Osbeckia Royeni*.  
*aspermum*, Mill. Gard. Dict. ed. VIII. n. 17 = *Conostegia rufescens*.  
*aspermum*, Pav. ex DC. Prod. iii. 152 (= *Pleroma mexicanum*).—Mexic.  
*Astrolasion*, Spreng. Neue Entdeck. iii. 62 = *Miconia rubiginosa*.  
*Aubletianum*, Steud. Nom. ed. II. ii. 115 = *Miconia prasina*.  
*auriculatum*, Mart. ex DC. Prod. iii. 185 = *Miconia auriculata*.  
*azuzeum*, Blume, Bijdr. 1079 = *Kibessia azurea*.  
*azuzeum*, Zipp. ex Blume, in Flora, xiv. (1831) 525 = *Pternandra caerulea*.  
*Balbisanum*, Ser. ex DC. Prod. iii. 177 = *Miconia macrophylla*.  
*bananale*, Schrank, ex DC. l. c. 158 = *Clidemia blepharodes*.  
*Banksii*, Cunn. ex Triana, in Trans. Linn. Soc. xxviii. (1871) 59 = *malabathricum*.  
*barbatum*, Benth. in Wall. Cat. n. 4082 = *Anplectrum barbatum*.  
*Baumeum*, Naud. in Ann. Sc. Nat. Sér. III. xiii. (1849) 289.—Ins. Philipp.  
*Berterianum*, Spreng. ex DC. Prod. iii. 197 = *Charianthus glaberrimus*.  
*Berteroanum*, Ser. l. c. 173; Spreng. ex Triana, in Trans. Linn. Soc. xxviii. (1871) 99 = *Heterotrichum angustifolium*.  
*bibracteatum*, Blume, Bijdr. 1071 = *Creochiton bibracteata*.  
*bicolor*, Mill. Gard. Dict. ed. VIII. n. 6 = *Miconia bicolor*.  
*biglomeratum*, Humb. & Bonpl. Mélast. t. 15 = *Miconia biglomerata*.  
*bipartitum*, Pers. Syn. i. 472 = *Miconia triplinervis*.  
*biseptum*, Schrank & Mart. ex DC. Prod. iii. 164 = *Oxymeris dichotoma*.  
*biserratum*, Schrank & Mart. l. c. 158 = *Clidemia biserrata*.  
*bivalve*, Aubl. Pl. Gui. i. 404 = *Acisanthera brevifolia*.  
*blepharodes*, Mart. ex DC. Prod. iii. 158 = *Clidemia blepharodes*.  
*Boryanum*, Korth. Verh. Nat. Gesch. Bot. 232.—Borneo.  
*brachiatum*, Vahl, Eclog. Am. iii. 24 = *Miconia laevigata*.  
*brachiatum*, Vell. Fl. Flum. 180; iv. t. 125 = *Tibouchina Lhotzkyana*.  
*brachyodon*, Naud. in Ann. Sc. Nat. Sér. III. xiii. (1849) 292 = *polyanthum*.  
*brachyotum*, Triana, in Trans. Linn. Soc. xxviii. (1871) 151 = *Tibouchina Lhotzkyana*.  
*bracteatum*, Jack, in Trans. Linn. Soc. xiv. (1846) 9 = *Dissochaeta bracteata*.  
*bracteatum*, Mart. & Schrank, ex DC. Prod. iii. 176 = *Miconia holosericea*.  
*bracteatum*, Wall. Cat. n. 4044, partim = *Dissochaeta annulata*.  
*bracteolatum*, Humb. & Bonpl. Mélast. 62 t. 20 = *Miconia bracteolata*.  
*brasiliense*, Spreng. Syst. ii. 297 = *Miconia brasiliensis*.  
*brunneum*, Mart. ex DC. Prod. iii. 184 = *Miconia brunnea*.  
*brunneum*, Vahl, Eclog. Am. iii. 19. t. 23 = *Henriettea succosa*.  
*bubalinum*, Pav. ex D. Don, in Mem. Wern. Soc. iv. (1823) 319 = *Miconia bubalina*.

**MELASTOMA:—**

*bulbosum*, Schrank & Mart. ex DC. Prod. iii. 158 = *Clidemia bulbosa*.  
*bulbosum*, Spreng. Neue Entdeck. iii. 172 = *Clidemia biserrata*.  
*Cacatin*, Aubl. Pl. Gui. i. 437 = *Bellucia Cacatin*.  
*caelatum*, Humb. & Bonpl. Mélast. t. 6 = *Miconia caelata*.  
*calvescens*, Schrank & Mart. ex DC. Prod. iii. 185 = *Miconia calvescens*.  
*calycinum*, Benth. in Hook. Lond. Journ. Bot. i. (1842) 485 = *candidum*.  
*calycopterum*, Rich. in Bonpl. Mélast. t. 42 = *Caly-cogonium stellatum*.  
*calyptratum*, Schrank & Mart. ex Triana, in Trans. Linn. Soc. xxviii. (1871) 109 = *Miconia Chamissois*.  
*calyptratum*, Sieber, ex Triana, l. c. 102 = *Miconia semicrenata*.  
*calyptratum*, Vahl, Eclog. Am. i. 40 = *Conostegia calyptrata*.  
*candidum*, D. Don, in Mem. Wern. Soc. iv. (1823) 288.—China.  
*capillare*, Pav. ex DC. Prod. iii. 157 = *Ossaea leptopus*.  
*capillare*, Sw. Prod. Veg. Ind. Occ. 71 = *Sagraea capillaris*.  
*capitatum*, G. Don, Gen. Syst. ii. 764 = *Dissotis capitata*.  
*capitatum*, Vahl, Eclog. Am. i. 45 = *Tristemma capitatum*.  
*capitellatum*, Humb. & Bonpl. Mélast. t. 3 = *Clidemia dependens*.  
*carassanum*, Schrank & Mart. ex DC. Prod. iii. 162 = *Oxymeris carassana*.  
*cardinale*, Spreng. Syst. ii. 298 = *Tibouchina cardinalis*.  
*carneum*, Zipp. ex Blume, in Flora, xiv. (1831) 511 = *Medinilla laurifolia*.  
*caudatum*, Humb. & Bonpl. Mélast. 13. t. 7 = *Miconia caudata*.  
*caudatum*, Schrank & Mart. ex DC. Prod. iii. 186 = *Miconia caudigera*.  
*celebicum*, Blume, in Flora, xiv. (1831) 487.—Ins. Celebes.  
*ceramense*, Naud. in Ann. Sc. Nat. Sér. III. xiii. (1849) 276.—Ins. Ceram.  
*ceramicarpum*, Schrank & Mart. ex DC. Prod. iii. 160 = *Miconia spondylantha*.  
*cereaceum*, Pickering, ex A. Gray, Bot. U. St. Expl. Exped. i. 581, in textu (*Astroniae* sp.).—Ins. Samoa.  
*cernuum*, Benth. in Wall. Cat. n. 4054 = *Anplectrum glaucum*.  
*cernuum*, Bonpl. ex Loud. Hort. Brit. 174 = *Clidemia cernua*.  
*cernuum*, Roxb. Hort. Beng. 33; Fl. Ind. ii. 404 = *Oxyspora cernua*.  
*chaetodon*, Schrank & Mart. ex DC. Prod. iii. 117 = *Spennera chaetodon*.  
*Christophoriana*, Ham. Prod. Pl. Ind. Occ. 37 = *Tetrazygia discolor*.  
*chrysophyllum*, Desr. in Lam. Encyc. iv. 50 = *Rousseauxia chrysophylla*.  
*chrysophyllum*, Rich. in Act. Soc. Hist. Nat. Par. i. (1792) 109 = *Miconia fulva*.  
*chulese*, Buch.-Ham. ex D. Don, Prod. Fl. Nep. 222 = *Osbeckia chulesis*.  
*ciliatum*, Desr. in Lam. Encyc. iv. 49 (= *Pleroma strigosum*).—Am. trop.  
*ciliatum*, Pav. ex D. Don, Mem. Wern. Soc. v. (1822) 309 = *Calophysa ciliata*.  
*ciliatum*, Rich. in Act. Soc. Hist. Nat. Par. i. (1792) 109 = *Miconia ciliata*.  
*ciliatum*, Schrank & Mart. ex DC. Prod. iii. 180 = *Miconia pileata*.  
*cinchonaeifolia*, Mart. l. c. 184 = *Miconia cinchonaeifolia*.  
*cineureum*, Vahl, ex Triana, in Trans. Linn. Soc. xxviii. (1871) 103 = *Miconia pallens*.  
*cinnamomifolium*, Jacq. Coll. ii. 110 = *Miconia cinnamomifolia*.  
*clavatum*, Pers. Syn. i. 472 = *Tibouchina holosericea*.  
*coccineum*, Rich. in Act. Soc. Hist. Nat. Par. i. (1792) 108 = *Miconia spondylantha*.  
*coccineum*, Vahl, Eclog. Am. i. 48 = *Charianthus purpureus*.  
*coccineum*, Vell. Fl. Flum. 183; iv. t. 136 = *Clidemia blepharodes*.  
*coeleste*, Pav. ex DC. Prod. iii. 192 = *Miconia coelestis*.  
*coeruleum*, Hort. ex Reichb. Hort. Bot. iii. 18 = *Tibouchina viminea*.  
*coeruleum*, Pav. ex DC. Prod. iii. 192 = *Miconia caerulea*.

**MELASTOMA:—**

*columneaeifolia*, Schrank, ex DC. Prod. iii. 170 = *Clidemia rubra*.  
*compressum*, Vahl, Eclog. Am. iii. 23. t. 17 = *Miconia Fothergilla*.  
*confertum*, Vell. Fl. Flum. 181; iv. t. 127 = *Acanthella Sprucei*.  
*conglomeratum*, Rich. ex DC. Prod. iii. 156 = *Clidemia conglomerata*.  
*conglomeratum*, Schrank & Mart. l. c. 163 = *Oxymeris Nianga*.  
*constrictum*, Blume, Bijdr. 1072 = *Pachycentria constricta*.  
*cordatum*, Schrank & Mart. ex DC. Prod. iii. 107 = *Rhynchanthera cordata*.  
*cordatum*, Vell. Fl. Flum. 178; iv. t. 114 = *Aciotis dysophylla*.  
*cordifolium*, Hort. ex Link, Enum. Hort. Berol. i. 397 (Quid?).—Bras.?  
*cordifolium*, Roxb. Hort. Beng. [90]; Fl. Ind. ii. 405.—Ind. or.  
*coriaceum*, Juss. ex DC. Prod. iii. 190 = *Miconia Thomasiana*.  
*coriaceum*, Sw. Prod. Veg. Ind. Occ. 70 = *Miconia coriacea*.  
*cornifolium*, Desr. in Lam. Encyc. iv. 51 = *Miconia cinnamomifolia*.  
*cornoides*, Schlecht. ex Cham. in Linnaea, v. (1830) 563 = *Oxymeris cornioides*.  
*coronatum*, Humb. & Bonpl. Mélast. t. 56 = *Miconia coronata*.  
*corymbosum*, Rich. in Act. Soc. Hist. Nat. Par. i. (1792) 109; Vahl, Eclog. Am. iii. 25 = *Charianthus glaberrimus*.  
*corymbosum*, Sims, in Bot. Mag. t. 904 = *Amphiblemma cymosum*.  
*crassifolium*, Reinw. ex Blume, Bijdr. 1075 = *Medinilla crassifolia*.  
*crenatum*, Pav. ex DC. Prod. iii. 165 = *Oxymeris crenata*.  
*crenatum*, Vahl, Eclog. Am. i. 41 = *Clidemia hirta*.  
*crinitum*, Naud. in Ann. Sc. Nat. Sér. III. xiii. (1849) 280 = *sanguineum*.  
*crinitum*, Roxb. Hort. Beng. [90]; Fl. Ind. ii. 402 = *Osbeckia stellata*.  
*crinitum*, Vahl, Eclog. Am. iii. 28.—Ins. Martinica.  
*crispatum*, Linn. Sp. Pl. ed. II. 560 = *Medinilla crispata*.  
*croceum*, Desr. in Lam. Encyc. iv. 55 = *Miconia crocea*.  
*croceum*, Spreng. Syst. ii. 302 = *Miconia racemosa*.  
*crotonifolium*, Desr. in Lam. Encyc. iv. 43 = *Tetrazygia crotonifolia*.  
*cryptodon*, Schrank & Mart. ex DC. Prod. iii. 157 = *Clidemia hirta*.  
*cucullatum*, Pav. l. c. 176 = *Calyptrella cucullata*.  
*cupreum*, Sm. in Rees, Cycl. xxiii. n. 14, 15 = *Miconia rubiginosa*.  
*curvum*, Roxb. Hort. Beng. [90]; Fl. Ind. ii. 406.—Ind. or.  
*cuspidatum*, Willd. ex Cham. in Linnaea, ix. (1834) 458 = *Miconia laevigata*.  
*cyanocarpum*, Blume, Bijdr. 1073 = *Anplectrum cyanocarpum*.  
*cyanoides*, Sm. in Rees, Cycl. xxiii. n. 56, 57 = *Otanthera moluccana*.  
*cymbifolium*, Rich. in Bonpl. Mélast. t. 26 = *Miconia coriacea*.  
*cymosum*, Vent. ex DC. Prod. iii. 147 = *Amphiblemma cymosum*.  
*cymosum*, Wendl. ex Spreng. Syst. ii. 299 = *Heterotrichum patens*.  
*decendentatum*, Kostel. Allg. Med. Pharm. Fl. iv. 1511 (*Osbeckia* sp.).—Ind. or.  
*decemfidum*, Roxb. Hort. Beng. [90]; Fl. Ind. ii. 406 = *sanguineum*.  
*decumbens*, Beauv. Fl. Owar. i. 69. t. 41 = *Dissotis decumbens*.  
*decussatum*, Vahl, Eclog. Am. i. 42 = *Miconia ciliata*.  
*densifrons*, Schrank & Mart. ex DC. Prod. iii. 194 = *Miconia ligustroides*.  
*dentatum*, Pav. ex DC. l. c. 158 = *Clidemia dentata*.  
*denticulatum*, Bonpl. ex Naud. in Ann. Sc. Nat. Sér. III. xvi. (1851) 214 = *Miconia denticulata*.  
*denticulatum*, Labill. Sert. Austro-Caled. i. 65. t. 64 = *malabathricum*.  
*depauperatum*, Rich. ex DC. Prod. iii. 161 = *Leandra agrestis*.  
*dependens*, Pav. ex D. Don, in Mem. Wern. Soc. iv. (1823) 307 = *Clidemia dependens*.



**MELASTOMA :—**

*detergibile*, Schrank & Mart. ex DC. Prod. iii. 181 = *Miconia albicans*.  
*diaphanum*, Blume, Bijdr. 1075 = *Medinilla crassifolia*.  
*dichotomum*, Desr. in Lam. Encyc. iv. 41 = *Rhynchanthera dichotoma*.  
*dichotomum*, Pav. ex DC. Prod. iii. 160 = *Oxymeris dichotoma*.  
*diffusum*, Balb. ex Triana, in Trans. Linn. Soc. xxviii. (1871) 141 = *Ossaea microphylla*.  
*diffusum*, Desr. in Lam. Encyc. iv. 38 = *Acisanthera recurva*.  
*diffusum*, Pav. ex D. Don, in Mem. Wern. Soc. iv. (1823) 291 (= *Pleroma diffusum*).—Porto Rico.  
*diffusum*, Reinw. ex Blume, in Flora, xiv. (1831) 493 = *Dissochaeta inappendiculata*.  
*dimorphum*, Schrank & Mart. ex DC. Prod. iii. 193 = *Miconia milleflora*.  
*discolor*, Bert. ex Triana, in Trans. Linn. Soc. xxviii. (1871) 99 = *Charianthus coccineus*.  
*discolor*, Billb. ex Beurl. in Vet. Akad. Handl. Stockh. 1854 (1856) 131 = *Oxymeris cinnamomea*.  
*discolor*, Linn. Syst. ed. X. 1022 = *Tetrazygia discolor*.  
*divaricatum*, Willd. Sp. Pl. ii. 596 = *Anplectrum divaricatum*.  
*diversifolium*, Humb. & Bonpl. Mélast. t. 59 = *Octopleura diversifolia*.  
*Dodandianum*, Ham. Prod. Pl. Ind. Occ. 37 = *Charianthus ciliatus*.  
*dodecandrum*, Blanco, Fl. Filip. ed. II. 258 = imbricatum.  
*dodecandrum*, Desr. in Lam. Encyc. iv. 46 = *Miconia Fothergilla*.  
*dodecandrum*, Lour. Fl. Cochinch. 274 = *repens*.  
*dodecandrum*, Roxb. Hort. Beng. [90]; Fl. Ind. ii. 406.—Ins. Molucc.  
*dubium*, Schrank & Mart. ex DC. Prod. iii. 154 = *Oxymeris dubia*.  
*ebracteatum*, F. G. Dietr. Vollst. Lexik. Gaertn. Nachtr. iv. 637 = *Miconia semicrenata*.  
*echinatum*, Reinw. ex Blume, in Flora, xiv. (1831) 524 = *Kibessia azurea*.  
*ecostatum*, [Dryand. in] Ait. Hort. Kew. ed. II. iii. 46 = *Miconia ecostata*.  
*egense*, Mart. ex DC. Prod. iii. 165 = *Myriaspora egensis*.  
*elaegnoides*, Sieber, ex Presl, in Oken, Isis, xxi. (1828) 272 = *Tetrazygia discolor*.  
*elaegnoides*, Sw. Fl. Ind. Occ. ii. 815 = *Tetrazygia elaeagnoides*.  
*elatum*, Sw. Prod. Veg. Ind. Occ. 70 = *Miconia elata*.  
*elegans*, Aubl. Pl. Gu. i. 427. t. 167 = *Clidemia hirta*.  
*ellipticum*, Naud. in Ann. Sc. Nat. Sér. III. xiii. (1849) 291 = *malabathricum*?  
*elongatum*, D. Don, in Mem. Wern. Soc. iv. (1822) 290 = *Dissotis grandiflora*.  
*elongatum*, Vahl, Eclog. Am. ii. 16 = *Miconia semicrenata*.  
*enatum*, Vell. Fl. Flum. 179; iv. t. 117 = *Bertolonia Leuzeana*.  
*Epibaterium*, Mart. ex DC. Prod. iii. 157 = *Octopleura Epibaterium*.  
*epidendrum*, Reinw. ex Blume, in Flora, xiv. (1831) 515 = *Medinilla javanensis*.  
*erectum*, Jack, in Trans. Linn. Soc. xiv. (1823) 5.—Malaya.  
*erostratum*, Mart. & Schrank, ex DC. Prod. iii. 160 = *Oxymeris erostrata*.  
*erythrophyllum*, Wall. Cat. n. 4085 = *Medinilla rubicunda*.  
*exiguum*, Jack, in Trans. Linn. Soc. xiv. (1823) 10 = *Allomorphia exigua*.  
*eximium*, Blume, Bijdr. 1072 = *Medinilla speciosa*.  
*eximium*, Jack, in Trans. Linn. Soc. xiv. (1823) 17 = *Medinilla eximia*.  
*eximium*, Siebold, ex Triana, in Trans. Linn. Soc. xxviii. (1871) 87 = *Medinilla Sieboldiana*.  
*expansum*, Vahl, Eclog. Am. iii. 21 = *Miconia laevigata*.  
*extinctum*, Humb. & Bonpl. Mélast. t. 57 = *Conostegia extinctoria*.  
*fallax*, Blume, Bijdr. 1068 = *Dissochaeta intermedia*.  
*fallax*, Jack, in Trans. Linn. Soc. xiv. (1823) 13 = *Omphalopus fallax*.  
*fallax*, Wall. Cat. n. 4050 = *Dissochaeta celebica*.  
*farinulentum*, Sw. ex Wikstr. in Vet. Acad. Handl. Stockh. (1827) 65.—Ins. Guadalup.  
VOL. II.

**MELASTOMA :—**

*fasciculare*, Naud. in Ann. Sc. Nat. Sér. III. xiii. (1849) 288 = *imbricatum*.  
*fasciculare*, Sw. Prod. Veg. Ind. Occ. 71 = *Henriettella fascicularis*.  
*fasciculare*, Willd. ex Triana, in Trans. Linn. Soc. xxviii. (1871) 146 = *Ossaea scalpta*.  
*fastigiatum*, Mart. ex Triana, l. c. 116 = *Miconia stenostachya*.  
*favosum*, Desr. in Lam. Encyc. iv. 47 = *Miconia favosa*.  
*ferruginatum*, DC. Prod. iii. 181 = *seq.*  
*ferrugineum*, Desr. in Lam. Encyc. iv. 42 = *Miconia ferruginea*.  
*ferrugineum*, Reinw. ex Blume, in Flora, xiv. (1831) 505 = *Marumia muscosa*.  
*ferrugineum*, Roxb. Hort. Beng. [90]; Fl. Ind. ii. 402 = *Dissochaeta intermedia*.  
*Finlaysonii*, Wall. Cat. n. 4041 = *Dissotis Finlaysonii*.  
*flavescens*, Aubl. Pl. Gu. i. 423 = *Henriettella flavescens*.  
*flavum*, Vell. Fl. Flum. 182; iv. t. 135 = *Oxymeris longibarbis*?  
*floribundum*, Humb. & Bonpl. Mélast. t. 53 = *Miconia floribunda*.  
*floribundum*, Sieber, ex Triana, in Trans. Linn. Soc. xxviii. (1871) 71 = *Graffenrieda latifolia*.  
*Fontanesii*, Spreng. Syst. ii. 299 = *Tibouchina granulosa*.  
*Fothergilla*, Desr. in Lam. Encyc. iv. 45; Humb. & Bonpl. Mélast. t. 32 = *Miconia Fothergilla*.  
*fothergilloides*, Schrank & Mart. ex DC. Prod. iii. 108 = *Rhynchanthera grandiflora*.  
*foveolatum*, Schrank & Mart. l. c. 164 = *Oxymeris foveolata*.  
*fragile*, DC. ex Triana, in Trans. Linn. Soc. xxviii. (1871) 136 = *Clidemia biserrata*.  
*fragile*, Linn. f. Suppl. 236 = *Miconia eriopoda*.  
*fragile*, Rich. ex DC. Prod. iii. 115 = *Aciotis fragilis*.  
*fulvum*, Rich. in Humb. & Bonpl. Mélast. t. 11 = *Miconia fulva*.  
*furcatum*, Roxb. Hort. Beng. [90]; Fl. Ind. ii. 406.—Ins. Molucc.  
*furfuraceum*, Vahl, Eclog. Am. iii. 13. t. 22 = *Miconia furfuracea*.  
*Gaudichaudianum*, Naud. in Ann. Sc. Nat. Sér. III. xiii. (1849) 278 = *sanguineum*.  
*geniculatum*, Roxb. Fl. Ind. ii. 403 (*Osbeckia* sp. ?).—Ind. or.  
*glaberrimum*, Schlecht. in Linnaea, xiii. (1839) 427 = *Miconia glaberrima*.  
*glabratum*, Sw. Prod. Veg. Ind. Occ. 71 = *Calyconium glabratum*.  
*glabrescens*, Schrank & Mart. ex DC. Prod. iii. 187 = *Miconia staminea*.  
*glabrum*, Forst. f. Prod. 34 = *Astronia Forsteri*, pileolata.  
*glabrum*, Vell. Fl. Flum. 180; iv. t. 121 = *Henriettella umbelluliflora*.  
*glandulosum*, Sw. Fl. Ind. Occ. ii. 799 = *Heterotrichum octandrum*.  
*glaucocarpum*, Schlecht. in Linnaea, xiii. (1839) 421 = *Miconia oligotricha*.  
*glaucum*, Griff. Ic. Pl. Asiat. t. 637 = *Dissochaeta gracilis*.  
*glaucum*, Jack, in Trans. Linn. Soc. xiv. (1823) 15 = *Anplectrum divaricatum*.  
*glaucum*, Wall. Cat. n. 4055 = *Anplectrum glaucum*.  
*globuliferum*, Walp. Rep. ii. 133 = *seq.*  
*globuliflorum*, Rich. in Act. Soc. Hist. Nat. Par. i. (1792) 109 = *Miconia Sieberi*.  
*glomeratum*, Klein, ex Wight & Arn. Prod. 323 = *Osbeckia octandra*.  
*glomeratum*, Vahl, ex DC. Prod. iii. 168 = *Ossaea scalpta*.  
*glutinosum*, Linn. ex Triana, in Trans. Linn. Soc. xxviii. (1871) 23 = *Bucquetia glutinosa*.  
*gracile*, Jack, l. c. xiv. (1823) 14 = *Dissochaeta gracilis*.  
*grandiflorum*, Aubl. Pl. Gu. i. 414. t. 160 = *Rhynchanthera grandiflora*.  
*grandiflorum*, Vell. Fl. Flum. 178; iv. t. 109 = *Tibouchina estrellensis*.  
*grandifolium*, Hort. Chels. ex Loud. Hort. Brit. 174 = *Miconia grandifolia*.  
*grandifolium*, Schrank, ex DC. Prod. iii. 107 = *Rhynchanthera Haenkeana*.  
*granulosum*, Desr. in Lam. Encyc. iv. 44 = *Tibouchina granulosa*.  
*granulosum*, Humb. & Bonpl. Mélast. t. 12 = *Miconia granulosa*.

**MELASTOMA :—**

*granulosum*, Willd. ex Triana, in Trans. Linn. Soc. xxviii. (1871) 118 = *Miconia cinerascens*.  
*Grossularia*, Crantz, Inst. ii. 195 = *seq.*  
*grossularioides*, Linn. Sp. Pl. 390 = *Bellucia Aubletii*.  
*grossum*, Linn. f. Suppl. 236 = *Tibouchina grossa*.  
*guayaquilense*, Humb. & Bonpl. Mélast. t. 49 = *Miconia guayaquilensis*.  
*guianense*, Poir. ex Steud. Nom. ed. I. 517 = *Maieta guianensis*.  
*Haenkeanum*, Mart. ex DC. Prod. iii. 107 = *Rhynchanthera Haenkeana*.  
*haplostachyum*, Spreng. Syst. ii. 297 = *Miconia aplostachya*.  
*herpeticum*, Schrank & Mart. in DC. Prod. iii. 181 = *Miconia herpetica*.  
*heterobase*, Mart. ex DC. l. c. 164 = *Oxymeris heterobasis*.  
*heterocarpum*, Schrank & Mart. ex DC. l. c. 155 = *Oxymeris rufescens*.  
*heteromallum*, D. Don, in Bot. Reg. t. 644 = *Tibouchina heteromalla*.  
*heteroneuron*, Schrank & Mart. ex DC. Prod. iii. 201 = *Sagraea heteroneura*.  
*heterophyllum*, Desr. in Lam. Encyc. iv. 34 = *Calophya heterophylla*.  
*heterostegium*, Naud. in Ann. Sc. Nat. Sér. III. xiii. (1849) 286 = *malabathricum*.  
*hirsutum*, Sw. Prod. Veg. Ind. Occ. 72 = *Ossaea hirsuta*.  
*hirsutum*, Vell. Fl. Flum. 179; iv. t. 119 = *Leandra melastomoides*.  
*hirtellum*, Sw. Prod. Veg. Ind. Occ. 72 = *Ossaea hirtella*.  
*hirtum*, Chapel. ex Triana, in Trans. Linn. Soc. xxviii. (1871) 57 = *Antherotoma Naudinii*.  
*hirtum*, Desr. in Lam. Encyc. iv. 43 = *Heterotrichum angustifolium*.  
*hirtum*, Linn. Sp. Pl. 390 partim = *Clidemia hirta*.  
*hirtum*, Mill. Gard. Dict. ed. VIII. n. 3 = *Conostegia speciosa*.  
*hirtum*, Sieber, ex Presl, in Oken, Isis, xxi. (1828) 272 = *Sagraea umbrosa*.  
*hispidum*, Mart. ex DC. Prod. iii. 164 = *Oxymeris intermedia*.  
*hispidum*, Sw. Prod. Veg. Ind. Occ. 72 = *Tetrazygia hispida*.  
*holosericeum*, Linn. Sp. Pl. 390 = *Miconia holosericea*.  
*holosericeum*, Pav. ex D. Don, in Mem. Wern. Soc. iv. (1823) 316 = *Conostegia xalapensis*.  
*holosericeum*, Steud. ex Triana, in Trans. Linn. Soc. xxviii. (1871) 116 = *Miconia stenostachya*.  
*holosericeum*, Sw. Obs. Bot. 176 = *Tibouchina holosericea*.  
*holosericeum*, Vahl, Eclog. Am. ii. 42 = *Miconia albicans*.  
*holosericeum*, Vell. Fl. Flum. 179; iv. t. 118 = *Leandra scabra*.  
*Hombronianum*, Naud. in Ann. Sc. Nat. Sér. III. xiii. (1849) 278 = *polyanthum*.  
*homostegium*, Naud. l. c. 286 = *obovatum*.  
*Houtteanum*, Naud. l. c. 291.—Burma.  
*humile*, Buch.-Ham. ex D. Don, Prod. Fl. Nep. 222 = *Osbeckia nepalensis*.  
*hymenonervium*, Raddi, in Mem. Soc. Ital. Moden. xx. (1829) 135.—Bras.  
*hypericifolium*, Blume, Bijdr. 1070 = *Medinilla hypericifolia*.  
*hypophyscon*, Schrank & Mart. ex DC. Prod. iii. 166 = *Maieta guianensis*.  
*ibaguense*, Humb. & Bonpl. Mélast. i. 105. t. 45 = *Miconia auriculata*.  
*icosandrum*, Sw. ex Wikstr. in Vet. Acad. Handl. Stockh. (1827) 64. (Quid ?).—Ins. Guadalup.  
*idorensis*, Steud. Nom. ed. II. ii. 116, in syn. sphalm. = *tidorensis*.  
*imbricatum*, Wall. Cat. n. 4047.—Ind. or.; Malaya.  
*impetiginosum*, Mart. ex DC. Prod. iii. 183 = *Miconia rufescens*.  
*impetiolare*, Sw. Prod. Veg. Ind. Occ. 70 = *Miconia impetiolaris*.  
*impuerum*, Roxb. Hort. Beng. [90]; Fl. Ind. ii. 404 = *Allomorphia exigua*.  
*inaequalifolium*, Schrank & Mart. ex DC. Prod. iii. 164 = *Oxymeris inaequalifolia*.  
*inundatum*, Steud. Nom. ed. II. ii. 116 = *Acisanthera inundata*.  
*involutum*, Desr. in Lam. Encyc. iv. 35 = *Meriania obtusifolia*.



**MELASTOMA:—**

- involutum*, D. Don, in Mem. Wern. Soc. iv. (1823) 290 = *Tristemma involutum*.  
*involutum*, Mart. & Schrank, ex DC. Prod. iii. 154 = *Leandra involutata*.  
*involutum*, Rich. ex DC. l. c. 163 = *Clidemia involutata*.  
*jackianum*, Korth. Verh. Nat. Gesch. Bot. 227 = *malabathricum*.  
*januarensis*, Schrank & Mart. ex DC. Prod. iii. 156 = *Ossaea marginata*.  
*japurensis*, Schrank & Mart. l. c. 159 = *Clidemia japurensis*.  
*javanense*, Blume, Bijdr. 1078 = *Medinilla javanensis*.  
*lacerum*, Humb. & Bonpl. Mélast. t. 5 = *Miconia lacera*.  
*laevigatum*, Aubl. Pl. Gui. i. 412 = *Miconia prasina*.  
*laevigatum*, Linn. Sp. Pl. 390 = *Miconia laevigata*.  
*laevigatum*, Mart. & Schrank, ex DC. Prod. iii. 187 = *Tococa subciliata*.  
*laevigatum*, Sieber, ex Triana, in Trans. Linn. Soc. xxviii. (1871) 97 = *Conostegia montana*.  
*Lambertianum*, Ser. ex DC. Prod. iii. 165 = *Oxymeris crenata*.  
*lanatum*, Hort. Chels. ex G. Don, in Loud. Hort. Brit. 174 = *Tococa lanata*.  
*lanatum*, Lamb. ex DC. Prod. iii. 162 = *Miconia lanata*.  
*lanceolatum*, Desr. in Lam. Encyc. iv. 43 = *Miconia lanceolata*.  
*laniflorum*, D. Don, in Mem. Wern. Soc. iv. (1823) 292 = *Trembleya laniflora*.  
*lanuginosum*, Blume, Bijdr. 1077.—Java.  
*lappaceum*, Desr. in Lam. Encyc. iv. 42 = *Heterotrichum patens*.  
*lappaceum*, Rich. ex DC. Prod. iii. 162 = *Miconia lappacea*.  
*lasiopetalum*, Mart. & Schrank, ex DC. l. c. 177 = *Miconia macrophylla*.  
*lateriflorum*, Vahl, Eclog. Am. i. 48 = *Henriettella lateriflora*.  
*latifolium*, Desr. in Lam. Encyc. iv. 31 = *Sagraea latifolia*.  
*laurifolium*, Benth. in Wall. Cat. n. 4084 = *Medinilla Hasseltii*.  
*laurifolium*, Blume, Bijdr. 1069 = *Medinilla laurifolia*.  
*laurinum*, Ser. ex DC. Prod. iii. 167 = *Huberia laurina*.  
*laxiflorum*, Schlecht. in Linnaea, xiii. (1839) 426 = *Clidemia laxiflora*.  
*laxum*, Desr. in Lam. Encyc. iv. 41 (= *Pleroma laxum*).—Peruv.  
*laxum*, Rich. ex DC. Prod. iii. 116 = *Aciotis laxa*.  
*ledifolium*, Desr. in Lam. Encyc. iv. 48 = *Brachyotum ledifolium*.  
*leonense*, Lodd. ex G. Don, in Loud. Hort. Brit. 173 = *Amphiblemma cymosum*.  
*lepidotum*, Mart. & Schrank, ex DC. Prod. iii. 180 = *Miconia lepidota*.  
*leprosum*, Blume, Bijdr. 1068 = *Dissochaeta leprosa*.  
*leucandrum*, Schrank, ex DC. Prod. iii. 184 = *Miconia cinchonaefolia*.  
*leucocarpum*, Mart. & Schrank, ex DC. l. c. 182 = *Miconia leucocarpa*.  
*Lhotskyi*, Cogn. in Mart. Fl. Bras. xiv. III. 50, in syn. = *Microlidia insignis*.  
*ligustrinum*, Mart. & Schrank, ex DC. Prod. iii. 194 = *Miconia ligustroides*.  
*ligustrinum*, Sm. in Rees, Cycl. xxiii. n. 27–28 = *Miconia rhamnoides*.  
*Lima*, Desr. in Lam. Encyc. iv. 47 = *Ossaea Lima*.  
*lineare*, Reinw. ex Blume, in Flora, xiv. (1831) 474 = *Osbeckia linearis*.  
*lineatum*, Schlecht. in Linnaea, xiii. (1839) 423 = *Miconia auriculata*.  
*litoreum*, Wall. Cat. n. 4087 = *Ochthocharis javanica*.  
*longibarbe*, Schrank & Mart. ex DC. Prod. iii. 163 = *Oxymeris longibarbis*.  
*longiflorum*, Naud. in Ann. Sc. Nat. Sér. III. xiii. (1849) 290 = *asperum*.  
*longifolium*, Aubl. Pl. Gui. i. 432 = *Miconia longifolia*.  
*longifolium*, Naud. in Ann. Sc. Nat. Sér. III. xiii. (1849) 293.—Singapore.  
*loxense*, Humb. & Bonpl. Mélast. t. 43 = *Miconia loxensis*.  
*lutescens*, Humb. & Bonpl. l. c. t. 17 = *Miconia lutescens*.  
*lutescens*, Vahl, Eclog. Am. ii. 17 = *Miconia cinnamomifolia*.  
*luteum*, Ruiz & Pav. ex Triana, in Trans. Linn. Soc. xxviii. (1871) 141 = *Maieta Poeppigii*.

**MELASTOMA:—**

- macrocarpum*, D. Don, in Mem. Wern. Soc. iv. (1823) 289 = *candidum*.  
*macrocarpum*, Hook. ex Triana, in Trans. Linn. Soc. xxviii. (1871) 59 = *malabathricum*.  
*macrocarpum*, Naud. in Ann. Sc. Nat. Sér. III. xiii. (1849) 281 = *sanguineum*.  
*macrophyllum*, Desr. in Lam. Encyc. iv. 44 = *Miconia impetolaris*.  
*macrophyllum*, Pav. ex D. Don, in Mem. Wern. Soc. iv. (1823) 319 = *Miconia platyhedra*.  
*macrophyllum*, Vell. Fl. Flum. 180; iv. t. 122 = *Miconia macrophylla*.  
*madagascariense*, D. Don, in Mem. Wern. Soc. iv. (1823) 290 = *Dichaetanthera madagascariensis*.  
*Maieta*, Desr. in Lam. Encyc. iv. 34 = *Maieta guianensis*.  
*Majeta*, Schrank & Mart. ex DC. Prod. iii. 166 = *Maieta hypophysca*.  
*malabathricum*, Jack, in Trans. Linn. Soc. xiv. (1823) 4 = *polyanthum*.  
*malabathricum*, Linn. Sp. Pl. 390.—Ind. or.; Malaya.  
*malabathricum*, Sims, Bot. Mag. t. 529 = *candidum*.  
*malabathricum*, Blanco, Fl. Filip. ed. I. 367 = *sanguineum*.  
*mandiocanum*, Raddi, in Mem. Soc. Ital. Moden. xx. (1829) 132 = *Miconia calvescens*.  
*marginatum*, Desr. in Lam. Encyc. iv. 32 = *Ossaea marginata*.  
*marianum*, Naud. in Ann. Sc. Nat. Sér. III. xiii. (1849) 276.—Ins. Marian.  
*Martianum*, Schrank, ex DC. Prod. iii. 186 = *Miconia Martiansiana*.  
*martinicense*, Presl, in Oken, Isis, xxi. (1828) 272 = *Charianthus glaberrimus*.  
*Martiusianum*, DC. Prod. iii. 186 = *Miconia Martiansiana*.  
*Matuba*, Spreng. Neue Entdeck. iii. 61 = *Miconia trichotoma*.  
*Maximilianum*, Mart. ex DC. Prod. iii. 186 = *Miconia Maximiliana*.  
*megalophyllum*, Mart. l. c. 183 = *Miconia tomentosa*.  
*melanophyllum*, Spreng. Neue Entdeck. ii. 171 = *Sagraea melanophyllum*.  
*mellinum*, Mart. & Schrank, ex DC. Prod. iii. 182 = *Miconia mellina*.  
*mexicanum*, D. Don, in Mem. Wern. Soc. iv. (1823) 290 (= *Pleroma mexicanum*, Triana).—Mexic.  
*mexicanum*, Hook. & Arn. Bot. Beech. Voy. 290 = *Heeria subtripinervia*.  
*mexicanum*, Humb. & Bonpl. Mélast. t. 56 = *Miconia mexicana*.  
*micranthum*, Bert. ex DC. Prod. iii. 169 = *Ossaea acuminata*.  
*micranthum*, Sw. Prod. Veg. Ind. Occ. 71 = *Octopleura micrantha*.  
*microphyllum*, Naud. in Ann. Sc. Nat. Sér. III. xiii. (1849) 293.—Ind. or.  
*microphyllum*, Sw. Prod. Veg. Ind. Occ. 72 = *Ossaea microphylla*, Triana.  
*milleflorum*, Schrank & Mart. ex DC. Prod. iii. 193 = *Miconia milleflora*.  
*minutiflorum*, Humb. & Bonpl. Mélast. t. 22 = *Miconia milleflora*.  
*Molkenboerii*, Miq. Fl. Ind. Bat. i. r. 513. t. 8. f. B.—Java.  
*molle*, Wall. Cat. n. 4046.—Singapor.  
*moluccanum*, Blume, Bijdr. 1078 = *Otanthera moluccana*.  
*montanum*, Spreng. Syst. ii. 296 = *Conostegia parviflora*.  
*montanum*, Sw. Prod. Veg. Ind. Occ. 69 = *Conostegia montana*.  
*mucronatum*, Desr. in Lam. Encyc. iv. 46 = *Miconia holosericea*.  
*multiflorum*, Desr. l. c. 35 = *Mecranium multiflorum*.  
*muscosum*, Blume, Bijdr. 1070 = *Marumia muscosa*.  
*mutabile*, Rich. ex DC. Prod. iii. 162 = *Miconia mutabilis*.  
*mutabile*, Vell. Fl. Flum. 181; iv. t. 130 = *Tibouchina mutabilis*.  
*Mutisii*, Humb. & Bonpl. Mélast. t. 136 = *Centronia Mutisii*.  
*myrcioides*, Sieber, ex Presl, in Oken, Isis, xxi. (1828) 272 = *Conostegia montana*.  
*myricoides*, Desr. in Lam. Encyc. iv. 51 = *Miconia Sieberi*.  
*Nabotan*, Miq. Ann. Mus. Bot. Lugd. Bat. ii. 262 = *M. Nabotan*.  
*napalense*, Lodd. Bot. Cab. t. 707 = *normale*.

**MELASTOMA:—**

- nemorosum*, Jack, in Trans. Linn. Soc. xiv. (1823) 8 = *Marumia nemorosa*.  
*nervosum*, Sm. in Rees, Cycl. xxiii. n. 31 = *Miconia spondylantha*.  
*nicotianaefolium*, Desr. in Lam. Encyc. iv. 53 = *Miconia laevigata*.  
*nigricans*, Vahl, Eclog. Am. iii. 26 = *Miconia trichotoma*.  
*nitens*, Schrank & Mart. ex DC. Prod. iii. 194 = *Miconia ligustroides*.  
*nitidum*, Korth. Verh. Nat. Gesch. Bot. 234 = *sanguineum*.  
*nitidum*, Pav. ex Triana, in Trans. Linn. Soc. xxviii. (1871) 116 = *Miconia albicans*.  
*nitidum*, Zoll. & Mor. in Nat. en Geneesk. Arch. Néerl. Indie, ii. (1845) 586.—Java.  
*niveum*, Desr. in Lam. Encyc. iv. 42 = *Heterotrichum patens*.  
*Nobotan*, Blume, Mus. Bot. Lugd. Bat. i. 54 = *candidum*.  
*nodosum*, Desr. in Lam. Encyc. iv. 55 = *Charianthus ciliatus*.  
*nodosum*, Zipp. ex Blume, in Flora, xiv. (1831) 510 = *Medinilla macrocarpa*.  
*normale*, D. Don, Prod. Fl. Nep. 220.—Reg. Himal.  
*Novae-Hollandiae*, Naud. in Ann. Sc. Nat. Sér. III. xiii. (1849) 290 = *malabathricum*.  
*obovatum*, Pav. ex DC. Prod. iii. 192 = *Miconia myrtiformis*.  
*obscurum*, Humb. & Bonpl. Mélast. t. 52 = *Miconia obscura*.  
*obvolutum*, Jack, in Trans. Linn. Soc. xiv. (1823) 3 = *malabathricum*.  
*octandrum*, Linn. ex Sm. in Rees, Cyclop. xxiii. n. 67 = *repens*.  
*octandrum*, Linn. Sp. Pl. 391 = *Osbeckia octandra*.  
*octonum*, Humb. & Bonpl. Mélast. t. 4 = *Heterotrichum octonum*.  
*oliganthum*, Naud. in Ann. Sc. Nat. Sér. III. xiii. (1849) 292 = *polyanthum*.  
*ornatum*, Sw. Prod. Veg. Ind. Occ. 69 (= *Pleroma strigosum*).—Am. austr.  
*osbeckioides*, Ker-Gawl. in Bot. Mag. t. 2235 = *Osbeckia octandra*.  
*oxypetalum*, Mart. & Schrank, ex DC. Prod. iii. 190 = *Oxymeris quinqueidentata*.  
*oxypetalum*, Spreng. Syst. ii. 303 = *Ossaea scalpta*.  
*oxyphyllum*, Benth. in Wall. Cat. n. 4083 = *Ochthocharis paniculata*.  
*paleaceum*, Naud. in Ann. Sc. Nat. Sér. III. xiii. (1849) 279.—Cochinch.  
*pallens*, Spreng. Neue Entdeck. iii. 62 = *Miconia pallens*.  
*pallidum*, Jack, in Trans. Linn. Soc. xiv. (1823) 12 = *Dissochaeta pallida*.  
*paniculatum*, Mart. & Schrank, ex DC. Prod. iii. 194 = *Miconia paniculata*.  
*paniculatum*, Mill. ex Triana, in Trans. Linn. Soc. xxviii. (1871) 95 = *Oxymeris secundiflora*.  
*papillosum*, Desr. in Lam. Encyc. iv. 48 = *Miconia papillosa*.  
*paradoxum*, Mart. ex DC. Prod. iii. 202 = *Miconia paradoxa*.  
*parviflorum*, Aubl. Pl. Gui. i. 433. t. 171 = *Miconia prasina*.  
*patens*, Spreng. ex DC. Prod. iii. 177 = *Miconia platyhedra*.  
*patens*, Sw. Prod. Veg. Ind. Occ. 68 = *Heterotrichum patens*.  
*paucidentis*, Schrank & Mart. ex DC. Prod. iii. 186 = *Miconia paucidentis*.  
*pauciflorum*, Desr. in Lam. Encyc. iv. 39 = *Clidemia hirta*.  
*paucifolium*, Bonpl. ex Triana, in Trans. Linn. Soc. xxviii. (1871) 143 = *Henriettella Goudotiana*.  
*paulense*, Schrank, ex DC. Prod. iii. 165 = *Myriasporea egensis*.  
*paulinum*, Schrank & Mart. ex DC. l. c. 153 = *Leandra paulina*.  
*pelagicum*, Naud. in Ann. Sc. Nat. Sér. III. xiii. (1849) 279 = *normale*.  
*pellucens*, Rich. ex DC. Prod. iii. 115 = *Aciotis purpurascens*.  
*pendulifolium*, Humb. & Bonpl. Mélast. t. 35 = *Miconia laevigata*.  
*pendulifolium*, Rich. in Act. Soc. Hist. Nat. Par. i. (1792) 109 = *Miconia prasina*.  
*pendulum*, Salz. ex Griseb. Fl. Brit. W. Ind. 257 = *Miconia minutiflora*.  
*penicillatum*, Naud. in Ann. Sc. Nat. Sér. III. xiii. (1849) 280.—Ins. Philipp.



**MELASTOMA:—**

- petandrum*, Vell. *Fl. Flum.* 181; iv. t. 128.—Bras.  
*petiolare*, Schlecht. in *Linnaea*, v. (1830) 562 = *Clidemia*  
*petiolaris*.  
*petiolare*, Wall. Cat. n. 4053 = *Anplectrum pallens*.  
*petiolatum*, Mill. *Gard. Dict.* ed. VIII. n. 9.—Hab.?  
*petiolatum*, Rich. ex DC. Prod. iii. 157 = *Sagraea*  
*petiolata*.  
*pexiricum*, Vell. *Fl. Flum.* 182; iv. t. 134 = *Clidemia*  
*rubra*.  
*Phyllopus*, Schrank & Mart. ex DC. Prod. iii. 178 =  
*Henriettea Martii*.  
*physiphorum*, Vahl, *Eclog. Am.* i. 45 = *Tococa*  
*guianensis*.  
*pictum*, *Rudolphi*, in *Schrad. Neues Journ.* ii. (1807)  
 293.—Ins. S. Doming.  
*pictum*, Vahl, *Eclog. Am.* ii. 15 = *Miconia cinna-*  
*momifolia*.  
*pileatum*, Schrank & Mart. ex DC. Prod. iii. 180 =  
*Miconia pileata*.  
*pilosum*, Pav. ex DC. l. c. 161 = *Calophysa pilosa*.  
*pilosum*, Spreng. Syst. ii. 304 = *Sagraea domingensis*.  
*pilosum*, Sw. Prod. Veg. Ind. Occ. 72 = *Sagraea*  
*pilosa*.  
*piluliferum*, Vahl, *Eclog. Am.* iii. 15 = *Miconia laevi-*  
*gata*.  
*plantaginifolium*, Mill. *Gard. Dict.* ed. VIII. n. 1 =  
*Miconia splendens*.  
*pleurocarpum*, E. Mey. in Nov. Act. Nat. Cur. xii.  
 (1825) 795 = *Miconia Acinodendron*.  
*Plukenetii*, Schrank & Mart. ex DC. Prod. iii. 181 =  
*Miconia ferruginata*.  
*plumosum*, Desr. in Lam. *Encyc.* iv. 31 = *Sagraea plu-*  
*mosa*.  
*plumosum*, D. Don, in Mem. Wern. Soc. iv. (1823)  
 290 = *Dissotis rotundifolia*.  
*polyanthum*, Benth. in Wall. Cat. n. 4051 = *Anplectrum*  
*divaricatum*.  
*polyanthum*, Blume, in *Flora*, xiv. (1831) 480.—  
 Malaya; Austral.  
*polyanthum*, Korth. ex Naud. in Ann. Sc. Nat. Sér. III.  
 xiii. (1849) 288 = *pusillum*, Blume.  
*polygamum*, Bonpl. ex Naud. l. c. xvi. (1851) 195 =  
*Miconia rubens*.  
*porphyraeum*, Zipp. ex Blume, in *Flora*, xiv. (1831)  
 487 = *sanguineum*.  
*portoricense*, Spreng. *Neue Entdeck.* iii. 61 = *Adelo-*  
*botrys adscendens*, *Miconia laevigata*.  
*prasinum*, Sw. Prod. Veg. Ind. Occ. 69 = *Miconia*  
*prasina*.  
*procerum*, Mart. & Schrank, ex DC. Prod. iii. 187 =  
*Tococa subciliata*.  
*procerum*, Sw. Prod. Veg. Ind. Occ. 68 = *Conostegia*  
*procera*.  
*procumbens*, Vell. *Fl. Flum.* 180; iv. t. 124  
 (= *Blakea* sp.?).—Bras.  
*prostratum*, Thonn. in Schum. & Thonn. *Beskr. Guin.*  
 Pl. 220 = *Dissotis prostrata*.  
*pudibundum*, Blume, *Bijdr.* 1071 = *Creochiton pudi-*  
*bunda*.  
*pulchellum*, Roxb. *Hort. Beng.* [90]; *Fl. Ind.* ii. 403  
 = *Osbeckia rostrata*.  
*pulcherrimum*, Korth. *Verh. Nat. Gesch. Bot.* 231.—  
 Malaya.  
*pulchrum*, Vell. *Fl. Flum.* 178; iv. t. 110 = *Miconia*  
*prasina*.  
*pulverulentum*, Blume, *Bijdr.* 1072 = *Pogonathera*  
*reflexa*.  
*pulverulentum*, Jack, in Trans. Linn. Soc. xiv. (1823)  
 19 = *Pogonathera pulverulenta*.  
*pulverulentum*, Rich. ex DC. Prod. iii. 155 = *Oxymeris*  
*pulverulenta*.  
*pumilum*, Vell. *Fl. Flum.* 179; iv. t. 116 = *Trembleya*  
*phlogiformis*.  
*punctatum*, Desr. in Lam. *Encyc.* iv. 50 = *Miconia*  
*punctata*.  
*punctatum*, Korth. *Verh. Nat. Gesch. Bot.* 229 =  
*asperum*.  
*punctulatum*, Sw. ex Wikst. in Vet. Acad. *Handl.*  
 Stockh. (1827) 65 (sp. dub.).—Ins. Guadelap.  
*purpurascens*, Aubl. Pl. Gui. i. 402 = *Aciotis pur-*  
*purascens*.  
*purpurascens*, Domb. ex DC. Prod. iii. 158 = *Clidemia*  
*dentata*.  
*purpurascens*, Schrank & Mart. ex DC. l. c. 161  
 = *Oxymeris purpurascens*.  
*purpurascens*, Sw. Prod. Veg. Ind. Occ. 71 = *Me-*  
*cranium purpurascens*.

**MELASTOMA:—**

- purpurascens*, Vahl, ex DC. Prod. iii. 180 = *Miconia*  
*ciliata*.  
*purpureum*, Pav. ex DC. l. c. 158 = *Clidemia dentata*.  
*purpureum*, Willd. Sp. Pl. ii. 590 = *Aciotis pur-*  
*purascens*.  
*pusilliflorum*, Mart. & Schrank, ex DC. Prod. iii. 194  
 = *Miconia Gardneriana*.  
*pusillum*, Blume, Mus. Bot. Lugd. Bat. i. 54.—Borneo.  
*pusillum*, Rottb. in Act. Lit. Univ. Hafn. i. (1778)  
 292 (Quid?).—Guian.  
*pusillum*, Schrank & Mart. ex DC. Prod. iii. 159 =  
*Clidemia umbonata*.  
*pyramidale*, Desr. in Lam. *Encyc.* iv. 53 = *Miconia*  
*laevigata*.  
*pyramidale*, Mart. & Schrank, ex DC. Prod. iii. 194 =  
*Miconia latecrenata*.  
*quadrangulare*, Sieber, ex Steud. Nom. ed. II. ii. 117  
 = *Conostegia quadrangularis*.  
*quadrangulare*, Sw. Prod. Veg. Ind. Occ. 69 = *Miconia*  
*quadrangularis*.  
*quadrifolium*, Blume, *Bijdr.* 1069 = *Medinilla quadri-*  
*folia*.  
*quinquedentatum*, Steud. Nom. ed. II. ii. 117 =  
*Oxymeris quinquedentata*.  
*quinquenerve*, Vell. *Fl. Flum.* 179; iv. t. 120 =  
*Henriettea succosa*.  
*quinquenervium*, Mill. *Gard. Dict.* ed. VIII. n. 15 =  
*Octopleura quinquenervia*.  
*quinquenervium*, Salz. ex Griseb. *Fl. Brit. W. Ind.*  
 297 = *Miconia prasina*.  
*quinquenode*, Schrank & Mart. ex DC. Prod. iii. 191  
 = *Oxymeris quinquenodis*.  
*racemiferum*, Schrank & Mart. l. c. 155 = *Miconia*  
*racemifera*.  
*racemosum*, Aubl. Pl. Gui. i. 406. t. 156 = *Miconia*  
*racemosa*.  
*radicans*, Blume, *Bijdr.* 1069 = *Medinilla radicans*.  
*Radula*, Hoffm. *Verz. Pfl. Nachtr.* ii. 159.—Bras.  
*ramiflorum*, Macfad. ex Triana, in Trans. Linn. Soc.  
 xxviii. (1871) 143 = *Henriettea Macfadyenii*.  
*ramiflorum*, Spreng. Syst. ii. 295 = *Henriettea fascicu-*  
*laris*.  
*ramiflorum*, Sw. Prod. Veg. Ind. Occ. 69 = *Henriettea*  
*ramiflora*.  
*rariflorum*, Humb. & Bonpl. *Mélast.* t. 50 = *Sagraea*  
*rariflora*.  
*reclinatum*, Humb. & Bonpl. l. c. t. 48 = *Miconia*  
*reclinata*.  
*reflexum*, Reinw. ex Blume, in *Flora*, xiv. (1831) 521  
 = *Pogonathera reflexa*.  
*Reinwardtianum*, Blume, *Bijdr.* 1069 = *Dissochaeta*  
*inappendiculata*.  
*repandum*, Schrank & Mart. ex DC. Prod. iii. 194  
 = *Miconia ligustoides*.  
*repens*, Desr. in Lam. *Encyc.* iv. 54.—China.  
*reptans*, Schrank & Mart. ex DC. Prod. iii. 133 =  
*Tibouchina clinopodifolia*.  
*reticulata*, Vell. *Fl. Flum.* 178; iv. t. 108 = *Miconia*  
*staminea*.  
*reversa*, Ser. ex DC. Prod. iii. 161 = *Oxymeris reversa*.  
*revoluta*, Dietr. ex Steud. Nom. ed. II. ii. 117 =  
*Miconia granulosa*.  
*rhaphistigma*, Schrank, ex Triana, in Trans. Linn. Soc.  
 xxviii. (1871) 135 = *Clidemia hirta*.  
*rhexioides*, Vell. *Fl. Flum.* 181; iv. t. 123 = *Comolia*  
*denudata*.  
*rhodocarpum*, Wall. Cat. n. 4045 = *zeylanica*.  
*rhodopogon*, Schrank & Mart. ex DC. Prod. iii. 163 =  
*Oxymeris rhodopogon*.  
*rigidum*, Sw. Prod. Veg. Ind. Occ. 69 = *Miconia rigida*.  
*roseum*, Poir. *Encyc. Suppl.* iii. 644 = *repens*.  
*rosmarinifolium*, Pav. ex Triana, in Trans. Linn. Soc.  
 xxviii. (1871) 127 = *Miconia salicifolia*.  
*rostratum*, Bertol. *Fl. Guatimal.* 17.—Guatemal.  
*rostratum*, Blume, *Bijdr.* 1074 = *Anplectrum rostratum*.  
*rostratum*, Buch.-Ham. ex D. Don, Prod. Fl. Nep. 221  
 = *Osbeckia rostrata*.  
*rotundifolium*, Jack, in Trans. Linn. Soc. xiv. (1823)  
 11 = *Phyllagathis rotundifolia*.  
*Royenii*, Blume, in *Flora*, xiv. (1831) 483 = *polyanthum*.  
*rubens*, Sw. Prod. Veg. Ind. Occ. 71 = *Miconia rubens*.  
*rubicundum*, Jack, in Trans. Linn. Soc. xiv. (1823) 18  
 = *Medinilla rubicunda*, *Pogonathera pulverulenta*.  
*rubicundum*, Wall. Cat. n. 4086 = *Pogonathera*  
*reflexa*.  
*rubiginosum*, Humb. & Bonpl. *Mélast.* t. 47 = *Miconia*  
*rubiginosa*.

**MELASTOMA:—**

- rubiginosum*, Wall. Cat. n. 4052, partim = *Dissochaeta*  
*intermedia*.  
*rubricaulis*, Schrank, ex DC. Prod. iii. 116 = *Aciotis*  
*rubricaulis*.  
*rubrolimbata*, Link & Otto, Ic. Pl. Sel. t. 41 = *Otan-*  
*thera rubro-limbata*.  
*rubrum*, Aubl. Pl. Gui. i. 416 = *Clidemia rubra*.  
*rufescens*, Aubl. Pl. Gui. i. 408 = *Miconia rufescens*.  
*rufidulum*, Rich. ex DC. Prod. iii. 155 = *Oxymeris*  
*rufescens*.  
*rugosum*, Rottb. in Act. Lit. Univ. Hafn. i. (1778) 292  
 (Quid?).—Guian.  
*rugosum*, Roxb. ex C. B. Clarke, in Hook. f. *Fl. Brit.*  
 Ind. ii. 525 = *Oxyspora paniculata*.  
*rusticum*, Forst. ex DC. Prod. iii. 157 = *Clidemia*  
*hirta*.  
*salicifolium*, Bonpl. ex Naud. in Ann. Sc. Nat. Sér. III.  
 xvi. (1851) 234 = *Miconia salicifolia*.  
*salicinum*, Ser. in DC. Prod. iii. 199.—Bras.  
*sanguineum*, Pav. ex D. Don, in Mem. Wern. Soc. iv.  
 (1822) 305 = *Tococa sanguinea*.  
*sanguineum*, Sims, *Bot. Mag.* t. 2241.—Malaya; China.  
*sanguinolentum*, Naud. ex Triana, in Trans. Linn.  
 Soc. xxviii. (1871) 127 = *Miconia Pavoniana*.  
*saxatile*, Dennst. *Schluess. Hort. Malab.* 30 = *Osbeckia*  
*virgata*.  
*saxatile*, Vell. *Fl. Flum.* 181; iv. t. 129 = *Rhynchan-*  
*thera dichotoma*.  
*scabrosum*, Bert. ex DC. Prod. iii. 168 = *Calycogonium*  
*stellatum*.  
*scabrosum*, Billb. ex Beurl. in Vet. Akad. *Handl.*  
 Stockh. 1854 (1856) 130 = *Conostegia purpurea*.  
*scabrosum*, Linn. Syst. ed. X. 1022 = *Ossaea scabrosa*.  
*scalptum*, Poir. ex Steud. Nom. ed. II. ii. 117 = *Ossaea*  
*scalpta*.  
*scandens*, Aubl. Pl. Gui. i. 435 = *Adelobotrys scandens*.  
*scandens*, Sw. Prod. Veg. Ind. Occ. 69 = *Adelobotrys*  
*adscendens*.  
*scorpioides*, Schlecht. in *Linnaea*, v. (1830) 564.—  
 Mexic.  
*Seckellarum*, Naud. in Ann. Sc. Nat. Sér. III. xiii.  
 (1849) 290 = *malabathricum*.  
*secundiflora*, Steud. Nom. ed. II. ii. 117 = *Clidemia*  
*secundiflora*.  
*secundum*, Mart. & Schrank, ex DC. Prod. iii. 164 =  
*Oxymeris secundiflora*.  
*secundum*, Pav. ex DC. l. c. = *Oxymeris secunda*.  
*semicrenatum*, Rich. in Humb. & Bonpl. *Mélast.* t. 31  
 = *Miconia semicrenata*.  
*sepium*, Mart. ex DC. Prod. iii. 185 = *Miconia*  
*prasina*.  
*septemnervium*, Jacq. *Enum. Pl. Carib.* 20; *Stirp. Am.*  
*Select.* 131 (Quid?).—Ins. Martinic.  
*septemnervium*, Lour. *Fl. Cochinch.* 273 (sp. dub.).—  
 Cochinch.  
*sericeum*, Vell. *Fl. Flum.* 179; iv. t. 115 (*Miconia* sp.).  
 —Bras.  
*serrulatum*, Pav. ex DC. Prod. iii. 192 = *Miconia*  
*galactantha*.  
*serrulatum*, Rich. ex DC. l. c. 177 = *Miconia platy-*  
*hedra*.  
*serrulatum*, Schlecht. in *Linnaea*, xiii. (1839) 425  
 = *Clidemia serrulata*.  
*serrulatum*, Spreng. Syst. ii. 300 = *Miconia Acinoden-*  
*dron*.  
*sessile*, Schum. & Thonn. *Beskr. Guin. Pl.* 219 = *Tri-*  
*stemma incompletum*.  
*sessile*, Spreng. Syst. ii. 303 = *Comolia sessilis*.  
*sessiliflorum*, Mart. ex DC. Prod. iii. 180 = *Miconia*  
*ciliata*.  
*sessiliflorum*, Spreng. ex DC. l. c. 157 = *Clidemia*  
*erythropogon*.  
*sessiliflorum*, Vahl, *Eclog. Am.* i. 49 = *Clidemia*  
*rubra*.  
*sessilifolium*, Linn. Syst. ed. X. 1022 = *Miconia*  
*Plukenetii*, *Henriettea sessilifolia*.  
*setigerum*, Blume, *Bijdr.* 1077.—Java.  
*setigerum*, Korth. ex Blume, Mus. Bot. Lugd. Bat.  
 i. 22 = *Medinilla setigera*.  
*setinodis*, Humb. & Bonpl. *Mélast.* t. 12 = *Miconia*  
*setinodis*.  
*smilacifolium*, Wall. Cat. n. 4057 = *Astronia smilaci-*  
*folia*.  
*solaniflorum*, Schrank, ex DC. Prod. iii. 164 = *Ox-*  
*heterobasis*.  
*sparsiflorum*, Rich. ex DC. l. c. 169 = *Henriettea*  
*lateriflora*.



**MELASTOMA:—**

*speciosum*, Reinw. ex Blume, in Flora, xiv. (1831) 516 = *Medinilla speciosa*.  
*spicatum*, Aubl. Pl. Gui. i. 423 = *Clidemia dependens*.  
*spicatum*, Pav. ex DC. Prod. iii. 160 = *Miconia spondylantha*.  
*splendens*, Sieber, ex Presl, in Oken, Isis, xxi. (1828) 272 = *Charianthus glaberrimus*.  
*splendens*, Sw. Prod. Veg. Ind. Occ. 70 = *Miconia splendens*.  
*spondylanthum*, Mart. ex DC. Prod. iii. 184 = *Miconia spondylantha*.  
*squamosum*, Buch.-Ham. in Wall. Cat. n. 4061 = *Osbeckia nepalensis*.  
*squamulosum*, Sm. in Rees, Cycl. xxiii. n. 14–15 = *Miconia squamulosa*.  
*stamineum*, Desr. in Lam. Encyc. iv. 53 = *Miconia staminea*.  
*stellatum*, Buch.-Ham. ex D. Don, Prod. Fl. Nep. 221 = *Osbeckia stellata*.  
*stellatum*, Vahl, ex DC. Prod. iii. 168 = *Calycogonium stellatum*.  
*stellulatum*, Jack, in Trans. Linn. Soc. xiy. (1823) 6 = *Marumia stellulata*.  
*stenobotrys*, Rich. in Humb. & Bonpl. Mélast. t. 30 = *Miconia quadrangularis*.  
*stenopetalum*, Mart. & Schrank, ex DC. Prod. iii. 163 = *Oxymeris dichotoma*.  
*stenostachyum*, Mart. & Schrank, l. c. 181 = *Miconia stenostachya*.  
*stipulare*, Blume, Bijdr. 1073 = *Anplectrum stipulare*.  
*strangulatum*, Raddi, in Mem. Soc. Ital. Modena, xx. (1829) 139 = *Miconia platyhedra*.  
*striatum*, Vahl, Eclog. Am. iii. 14 = *Miconia semicrenata*, Naud.  
*striatum*, Willd. ex Cham. in Linnaea, ix. (1834) 458 = *Miconia laevigata*.  
*strigillosum*, Sw. Prod. Veg. Ind. Occ. 71 = *Clidemia strigillosum*.  
*strigosum*, Linn. f. Suppl. 236 = *Brachyotum strigosum*.  
*strigosum*, Rich. ex DC. Prod. iii. 161 = *Oxymeris anisophylla*.  
*strigosum*, Spreng. Neue Entdeck. ii. 171 (= *Pleroma strigosum*).—Am. trop.  
*suaveolens*, Raddi, in Mem. Soc. Ital. Modena, xx. (1829) 133 = *Miconia pusilliflora*.  
*subferrugineum*, Naud. ex Triana, in Trans. Linn. Soc. xxviii. (1871) 127 = *Miconia Pavonium*.  
*subrepandum*, Vell. Fl. Flum. 178; iv. t. 111 = *Miconia pusilliflora*?  
*subtriplinervium*, Link & Otto, Ic. Pl. Rar. 47. t. 24 = *Heeria subtriplinervia*.  
*succosum*, Aubl. Pl. Gui. i. 418 = *Henriettea succosa*.  
*succulentum*, Blume, Bijdr. 1070 = *Medinilla succulenta*.  
*superbum*, Bonpl. ex D. Don, in Mem. Wern. Soc. iv. (1822) 317 = *Conostegia superba*.  
*Swartzianum*, Rich. in Humb. & Bonpl. Mélast. t. 33 = *Miconia Fothergilla*.  
*sylvaticum*, Blume, Bijdr. 1077.—Java.  
*sylvaticum*, Schlecht. in Linnaea, xiii. (1839) 422 = *Miconia laevigata*.  
*sylvestre*, Mart. & Schrank, ex DC. Prod. iii. 154 = *Oxymeris sylvestris*.  
*taitense*, DC. l. c. 144 = *denticulatum*.  
*Tamonea*, Blanco, Fl. Filip. ed. I. 367 = *imbricatum*.  
*Tamonea*, Sw. Prod. Veg. Ind. Occ. 70 = *Miconia Fothergilla*.  
*Taniboa*, J. F. Gmel. Syst. 689 = *Terminalia Tanibouca*.  
*Taquari*, Vell. Fl. Flum. 182; iv. t. 132 = *Miconia latecrenata*.  
*tetrandrum*, Spreng. Syst. ii. 305 = *Charianthus coccineus*.  
*tetrandrum*, Sw. Prod. Veg. Ind. Occ. 72 = *Miconia tetrandra*.  
*Teysmanni*, Miq. Fl. Ind. Bat. Suppl. 316.—Sumatra.  
*theaeifolium*, G. Don, Gen. Syst. ii. 764 = *Tristemma theaeifolium*.  
*theaeforme*, Schrank & Mart. ex DC. Prod. iii. 185 = *Miconia Maximiliana*.  
*theaezans*, Humb. & Bonpl. Mélast. t. 9 = *Miconia milleflora*.  
*thyrsoidum*, Vahl, Eclog. Am. iii. 13 = *Miconia globuliflora*.  
*Tibouchina*, Desr. in Lam. Encyc. iv. 49 = *Tibouchina aspera*.  
*tidorensis*, Blume, in Flora, xiv. (1831) 482 = *polyanthum*.  
*tiliaefolium*, Schrank & Mart. ex DC. Prod. iii. 158 = *Clidemia tiliaefolia*.

**MELASTOMA:—**

*tinctorium*, Steud. Nom. ed. II. ii. 118 = *Miconia fulva*.  
*Tococa*, Desr. in Lam. Encyc. iv. 39 = *Tococa guianensis*.  
*tomentosum*, Rich. in Act. Soc. Hist. Nat. Par. i. (1792) 109 = *Miconia tomentosa*.  
*tondanense*, Blume, Mus. Bot. Lugd. Bat. i. 54 = *polyanthum*.  
*trachycaulon*, Miq. Fl. Ind. Bat. Suppl. 316.—Sumatra.  
*trichotomum*, Desr. in Lam. Encyc. iv. 52 = *Miconia trichotoma*.  
*trichotomum*, Willd. ex DC. Prod. iii. 136 = *Pterolepis trichotoma*.  
*triflorum*, Naud. in Ann. Sc. Nat. Sér. III. xiii. (1849) 293.—Ind. or.  
*triflorum*, Vahl, Eclog. Am. i. 46 = *Henriettea triflora*.  
*trinerve*, Vell. Fl. Flum. 178; iv. t. 113 = *Miconia paniculata*.  
*trinervium*, Salzmann ex Griseb. Fl. Brit. W. Ind. 257 = *Miconia prasina*.  
*trinervium*, Sw. Prod. Veg. Ind. Occ. 69 = *Miconia trinervia*.  
*trineurum*, Vell. Fl. Flum. 178; iv. t. 112 = *Miconia pyrifolia*.  
*triplinervium*, G. Don, Gen. Syst. ii. 803 = *Heeria subtriplinervia*.  
*triste*, Pav. ex D. Don, in Mem. Wern. Soc. iv. (1822) 307 = *Clidemia strigillosa*.  
*triste*, Rich. ex DC. Prod. iii. 162 = *Miconia bracteata*.  
*trivalve*, Aubl. Pl. Gui. i. 406. t. 155 = *Acisanthera trivalvis*.  
*truncatum*, Mart. & Schrank, ex DC. Prod. iii. 106 = *Miconia caryophyllacea*.  
*tunicatum*, Humb. & Bonpl. Mélast. t. 60 = *Miconia tunicata*.  
*uliginosum*, Bonpl. ex Naud. in Ann. Sc. Nat. Sér. III. xiv. (1849) 144 = *Aciotis uliginosa*.  
*umbellatum*, Mart. & Schrank, ex DC. Prod. iii. 154 = *Leandra umbellata*.  
*umbellatum*, Mill. Gard. Dict. ed. VIII. n. 10 = *Heterotrichum patens*.  
*umbilicatum*, Bertol. Fl. Guatimal. 16 (sp. dub.).—Guatemala.  
*umbonatum*, Mart. & Schrank, ex DC. Prod. iii. 158 = *Clidemia umbonata*.  
*umbrosum*, Spreng. Syst. ii. 304 = *Sagraea latifolia*.  
*umbrosum*, Sw. Prod. Veg. Ind. Occ. 72 = *Sagraea umbrosa*.  
*urceolatum*, Mart. & Schrank, ex DC. Prod. iii. 158 = *Clidemia neglecta*.  
*vaccinioides*, Humb. & Bonpl. Mélast. t. 8 = *Miconia vaccinioides*.  
*vacillans*, Blume, Bijdr. 1074 = *Dissochaeta inappendiculata*.  
*vagans*, Roxb. Hort. Beng. 33; Fl. Ind. ii. 404 = *Oxyspora vagans*.  
*varingiaefolium*, Blume, Bijdr. 1071 = *Pachycentria varingiaefolia*.  
*velutinum*, Mart. & Schrank, ex DC. Prod. iii. 182 = *Miconia fallax*.  
*velutinum*, Seem. Fl. Vit. 90 = *normale*.  
*velutinum*, Willd. ex Triana, in Trans. Linn. Soc. xxviii. (1871) 116 = *Miconia holosericea*.  
*velutinum*, Willd. Sp. Pl. ii. 584 = *Tibouchina holosericea*.  
*venosum*, Blume, Bijdr. 1075 = *Medinilla venosa*.  
*verrucosum*, Blume, l. c. 1078 = *Medinilla verrucosa*.  
*verticillatum*, Mill. Gard. Dict. ed. VIII. n. 12 = *Clidemia rubra*.  
*verticillatum*, Rich. ex DC. Prod. iii. 155 = *Oxymeris rufescens*.  
*verticillatum*, Vahl, Eclog. Am. i. 47 = *Ossaea verticillata*.  
*vesiculosum*, Sessé, ex DC. Prod. iii. 166 = *Calophysa vesiculosa*.  
*villosum*, Aubl. Pl. Gui. i. 428. t. 168 = *Desmoscelis villosa*.  
*villosum*, Sims, Bot. Mag. t. 2630.—Cochinch.  
*viminale*, Jack, in Trans. Linn. Soc. xiv. (1823) 16 = *Anplectrum viminale*.  
*violaceum*, Rich. ex DC. Prod. iii. 162 = *Miconia spondylantha*.  
*virescens*, Vahl, Eclog. Am. iii. 18 = *Miconia virescens*.  
*virgatum*, Sw. Prod. Veg. Ind. Occ. 72 = *Mecranium virgatum*.  
*virusana*, Comm. ex Juss. Gen. 329 = *Tristemma virusanum*.

**MELASTOMA:—**

*viscosum*, Bonpl. ex Naud. in Ann. Sc. Nat. Sér. III. xiv. (1850) 146 = *Aciotis viscosa*.  
*vitiense*, Naud. l. c. xiii. (1849) 275 = *denticulatum*.  
*volubile*, Bonpl. ex Triana, in Trans. Linn. Soc. xxviii. (1871) 35 = *Arthrostema volubile*.  
*volubile*, Schrank, ex DC. Prod. iii. 157 = *Octopleura Epibaterium*.  
*Wallichii*, DC. Prod. iii. 146 = *normale*.  
*xalapense*, Humb. & Bonpl. Mélast. t. 54 = *Conostegia xalapensis*.  
*Xantholasia*, Schrank & Mart. ex DC. Prod. iii. 163 = *Oxymeris Xantholasia*.  
*zeylanicum*, Pers. Syn. i. 472 = *Osbeckia octandra*.  
*Zollingeri*, Naud. in Ann. Sc. Nat. Sér. III. xiii. (1849) 277 = *nitidum*.

MELASTOMASTRUM, Naud. in Ann. Sc. Nat. Sér. III. xiii. (1849) 296. t. 5 = *Dissotis*, Benth. (Melastom.).  
*erectum*, Naud. l. c. = *D. capitata*.

MELAXIS, Steud. Nom. ed. II. i. 118 (1841), sphalm. = MALAXIS, Sm. = *Liparis*, Rich. (Orchid.).  
*lancifolia*, Steud. l. c. = *L. paradoxa*.

MELEAGRINEX, Arruda, ex Koster, Trav. Braz. 496 (1816) (Quid?).  
*pernambucana*, Arruda, l. c. —Bras.  
*pernambucea*, Arruda, ex Steud. Nom. ed. II. ii. 118 = *praec.*

MELFONA, Rafin. Sylva Tellur. 103 (1838) = *Cuphea*, P. Br. (Lythrac.).  
*purpurea*, Rafin. l. c. = *C. viscosissima*.

MELHANIA, Forsk. Fl. Aegypt. Arab. 64 (1775).  
**STERCULIACEAE**, Benth. & Hook. f. i. 222.  
*Brotera*, Cav. Ic. v. 19. t. 433 (1799).  
*CARDIOSTEGIA*, Presl, Epim. Bot. 249 (1850).  
*PENTAGLOTTIS*, Wall. Cat. n. 1156 (1831).  
*SPRENGELIA*, Schult. Obs. Bot. 134 (1804).  
*VIALIA*, Vis. Ind. Sem. Hort. Patav. (1840).—Cf. Linnaea, xv. (1841) Litt. 103.

*abutiloides*, Aitch. Cat. Pl. Punjab, 22, partim = *tomentosa*.  
*abutiloides*, Arn. ex Wight, Ic. t. 23 = *Hamiltoniana*.  
*abyssinica*, A. Rich. Tent. Fl. Abyss. i. 76.—Sind; Afr. trop.  
*acuminata*, Mast. in Oliver, Fl. Trop. Afr. i. 231.—Afr. trop.  
*bracteosa*, Boiss. Fl. Orient. i. 841 = *Denhamii*.  
*Burchellii*, DC. Prod. i. 499.—Afr. austr.  
*cannabina*, Wight, ex Mast. in Hook. f. Fl. Brit. Ind. i. 372.—Ind. or.  
*chrysantha*, E. Mey. in Drège, Zwei Pfl. Docum. 201, nomen = *Mahernia chrysantha*.  
*corchoriflora*, Baill. in Bull. Soc. Linn. Par. i. (1885) 501.—Madag.  
*cyclophylla*, Hochst. ex Mast. in Oliver, Fl. Trop. Afr. i. 230.—Abyssin.  
*damarana*, Harv. in Harv. & Sond. Fl. Cap. ii. 590.—Afr. austr.  
*decanthera*, DC. Prod. i. 499 = *Trochetia decanthera*.  
*Denhamii*, R. Br. in Denh. & Clapp. Trav. App. 232.—Sind; Afr. trop.  
*didyma*, Eckl. & Zeyh. Enum. 52.—Afr. austr.  
*Erythroxylon*, R. Br. in Ait. Hort. Kew. ed. II. iv. 146.—Ins. S. Helen.  
*ferruginea*, A. Rich. Tent. Fl. Abyss. i. 76.—Abyssin.  
*Forbesii*, Planch. ex Mast. in Oliver, Fl. Trop. Afr. i. 231.—Afr. trop.  
*futteporensis*, Munro, ex Mast. in Hook. f. Fl. Brit. Ind. i. 373.—Ind. bor. occ.  
*Hamiltoniana*, Munro, Hort. Agrens. 9 = *futteporensis*.  
*Hamiltoniana*, Wall. Pl. As. Rar. i. 69.—Ind. or.; Burma.  
*incana*, Heyne, in Wall. Cat. n. 1200.—Ind. or.; Austral.  
*Kotschyi*, Hochst. in Flora, xxiv. (1841) i. Intell. 43 = *Denhamii*.  
*laurifolia*, Boj. in Ann. Sc. Nat. Sér. II. xviii. (1842) 192 = *Trochetia laurifolia*.  
*Leprieurii*, Webb, in Hook. Niger Fl. 113. tt. 4, 5 = *abyssinica*.  
*leucantha*, E. Mey. in Drège, Zwei Pfl. Docum. 201, nomen = *didyma*.  
*linearifolia*, Sond. in Linnaea, xxiii. (1850) 18.—Afr. austr.



**MELHANIA:—**

- macrophylla, *Vis. Sem. Hort. Patav.* (1855).—*Cf. Linnaea*, xxviii. (1856) 366, in obs.—Hab.?  
 Melanoxylon, *R. Br. in Ait. Hort. Kew.* ed. II. iv. 146.  
 —Ins. S. Helen.  
 muricata, *Balf. f. in Proc. Roy. Soc. Edinb.* xi. (1882) 503.—Ins. Socotra.  
 oblongata, Hochst. ex Mast. in Oliver, *Fl. Trop. Afr.* i. 232 = abyssinica.  
 oblongifolia, F. Muell. *Fragm.* i. 69 = incana.  
 ovata, Spreng. *Syst.* iii. 32 = abyssinica.  
 prostrata, *Burch. Trav.* ii. 263.—Afr. austr.  
 reniformis, *Hochst. & Steud. ex Steud. Nom.* ed. II. ii. 118.—Arab.  
 rotundata, *Hochst. ex Mast. in Oliver, Fl. Trop. Afr.* i. 230.—Abyssin.  
 rupestris, *Wight, in Hook. Journ. Bot.* iii. (1841) 163.—Ind. or.  
 sidaeflora, Span. in *Linnaea*, xv. (1841) 174 = incana.  
 sidaefolia, Stocks, ex Boiss. *Fl. Orient.* i. 841 = Denhamii.  
 Steudneri, *Schweinf. in Verh. Zool. Bot. Ges. Wien*, xviii. (1868) 672.—Afr. trop.  
 tomentosa, *Stocks, ex Mast. in Hook. f. Fl. Brit. Ind.* i. 373.—Ind. bor. occ.  
 velutina, *Forsk. Fl. Aegypt. Arab.* 64.—Arab.

**MELIA**, Linn. Gen. ed. I. 127 (1737). **MELIACEAE**, Benth. & Hook. f. i. 332.

- AZADIRACHTA, A. Juss. in *Mém. Mus. Par.* xix. (1830) 220.  
 AZEDARAC, Adans. *Fam.* ii. 342 (1763).  
 aethiopica, Welw. *Apont.* 584 = dubia.  
 angustifolia, Schum. & Thonn. *Beskr. Guin. Pl.* 214 = M. Azedarach.  
 argentea, Buch.-Ham. ex Wall. *Cat. p.* 214. n. 1254 C = dubia.  
 arguta, *DC. Prod.* i. 622.—Ins. Molucc.  
 australasica, Juss. in *Mém. Mus. Par.* xix. (1830) 257 = dubia.  
 australis, Sweet, *Hort. Brit.* ed. II. 85 = M. Azedarach.  
 Azadirachta, Linn. *Sp. Pl.* 385.—Ind. or.  
 Azedarach, Blanco, *Fl. Filip.* ed. I. 345 = dubia.  
 Azedarach, Linn. *Sp. Pl.* 384.—Reg. Himal. (alibi cult.).  
 baccata, Heyne, ex Wall. *Cat. sub n.* 1256 = seq.  
 baccifera, Roth, *Nov. Pl.* Sp. 215 = Cipadessa fruticosa.  
 Bambolo, Welw. *Apont.* 561 = dubia.  
 birmanica, Kurz, in *Journ. As. Soc. Beng.* xliii. (1874) ii. 183.—Burma.  
 Bukayun, Royle, *Illustr. Bot. Himal.* 144 = M. Azedarach.  
 Candollei, Juss. in *Mém. Mus. Par.* xix. (1830) 258.—Ins. Timor.  
 chinensis, Siebold, ex Miq. *Ann. Mus. Bot. Lugd. Bat.* iii. 23 = M. Toosendan.  
 cochinchinensis, M. Roem. *Syn. Hesper.* 95 = M. Azedarach.  
 Commelini, Medic. ex Steud. *Nom.* ed. II. ii. 118 = M. Azedarach.  
 composita, Benth. *Fl. Austral.* i. 380 = M. Azedarach.  
 composita, DC. *Prod.* i. 622 = M. Candollei.  
 composita, Willd. *Sp. Pl.* ii. 559 = dubia.  
 dubia, *Cav. Diss.* vii. 364.—As. Afr. & Austral. trop.  
 dubia, Hiern, in *Hook. f. Fl. Brit. Ind.* i. 545, partim = birmanica.  
 elegans, *Seem. Fl. Vit.* 36.—Ins. Fiji.  
 excelsa, *Jack, in Malay. Misc.* i. (1820) n. 1. 12.—Malaya.  
 flaccida, Zipp. ex Span. in *Linnaea*, xv. (1841) 182 = Candollei.  
 floribunda, *Carr. in Rev. Hort.* (1872) 470.—Hab.?  
 florida, Salisb. *Prod.* 317 = M. Azedarach.  
 fraxinifolia, Salisb. l. c. = M. Azadirachta.  
 Guara, Jacq. *Enum. Pl. Carib.* 220 = Guarea trichilioides.  
 guineensis, G. Don, in *Loud. Hort. Brit.* 168 = M. Azedarach.  
 Iloilo, Blanco, *Fl. Filip.* ed. II. 241 = Aglaia argentea.  
 indica, Brand. *For. Fl. Ind.* 67 = M. Azadirachta.  
 integerima, *Buch.-Ham. in Trans. Linn. Soc.* xvii. (1835) 231.—Ind. or.  
 japonica, G. Don, *Gen. Syst.* i. 680 = M. Azedarach.  
 japonica, Hassk. *Cat. Hort. Bogor.* Alt. 219 = M. Azadirachta.  
 javanica, M. Roem. *Syn. Hesper.* 96 = praec.  
 Koetjape, Burm. f. *Fl. Ind.* 101 = Sandoricum indicum.  
 montana, Herb. *Madr. ex Wall. Cat. p.* 214. 1256 D = Cipadessa fruticosa.

**MELIA:—**

- neilgherrica, Walp. *Rep.* iv. 551, sphalm. = Munronia neilgherrica.  
 orientalis, M. Roem. *Syn. Hesper.* 95 = M. Azedarach.  
 parviflora, Moon, *Cat. Pl. Ceyl.* 35 = M. Azadirachta.  
 pendula, Reinw. ex C. DC. in *DC. Monog. Phan.* i. 529 = Chisocheton patens.  
 penduliflora, Wall. *Cat. n.* 1255 = Chisocheton penduliflorus.  
 pinnata, Stokes, *Bot. Mat. Med.* ii. 482 = M. Azadirachta.  
 pumila, Moon, *Cat. Pl. Ceyl.* 35 = Munronia pumila.  
 robusta, Roxb. *Hort. Beng.* 33; *Fl. Ind.* ii. 397 = dubia.  
 sambucina, Blume, *Bijdr.* 162 = M. Azedarach.  
 semperwrens, Sw. *Prod. Veg. Ind. Occ.* 67 = M. Azedarach.  
 superba, Roxb. *Hort. Beng.* 33; *Fl. Ind.* ii. 396 = dubia.  
 tomentosa, Kurz, *Rep. Veg. Andam.* ed. I. 4 = Chick-rassia tabularis.  
 tomentosa, Roxb. *Hort. Beng.* [90]; *Fl. Ind.* ii. 394.—Penang.  
 Toosendan, Sieb. & Zucc. in *Abh. Akad. Muench.* iv. ii. (1843) 159.—Japan.

**MELIANTHUS**, Linn. *Syst. ed. I* (1735). **SAPINDACEAE**, Benth. & Hook. f. i. 411.

- DIPLERISMA, Planch. in *Trans. Linn. Soc.* xx. (1851) 416. f. 15–20.  
 comosus, *Vahl, Symb. Bot.* iii. 86.—Afr. austr.  
 Dregeanus, *Sond. in Harv. & Sond. Fl. Cap.* i. 368.—Afr. austr.  
 himalayanus, Wall. *Cat. n.* 1190 = major.  
 major, Linn. *Sp. Pl.* 639.—Afr. austr.  
 minor, Linn. l. c.—Afr. austr.  
 pectinatus, *Harv. in Harv. & Sond. Fl. Cap.* i. Add. sub praef. 21\*—Afr. austr.  
 sibiricus, *Pall. ex Georgi, Besch. Russ. Reich.* III. iv. 1114 (Quid ?)—Sibir.  
 Trimenianus, Hook. f. in *Journ. Bot.* xi. (1873) 353 = pectinatus.

**MELICA**, Franch. & Sav. *Enum. Pl. Jap.* i. 368, in syn. (1875) sphalm. = **Melissa**, Tourn. (Labiata.).**MELICA**, Linn. *Fl. Lappon.* 23 (1737). **GRAMINEAE**, Benth. & Hook. f. iii. 1189.

- CHONDRACHYRUM, Nees, in *Lindl. Introd. Nat. Syst.* ed. II. 449 (1836).  
 DALUCUM, Adans. *Fam.* ii. 323 (1763).  
 acuminata, *Boland. in Proc. Calif. Acad.* iv. (1870) 104.—Am. bor. occ.  
 alata, *Nees, ex Steud. Syn. Pl. Gram.* 290.—Chili.  
 altissima, Linn. *Sp. Pl.* 66.—Europ. austr.; As. bor.  
 altissima, Sobol. *Fl. Petrop.* 21 = Glyceria aquatica.  
 altissima, Walt. *Fl. Carol.* 78 = diffusa.  
 amethystina, Pourr. in *Mém. Acad. Toul.* iii. (1788) 322 = Bauhini.  
 ampla, *Phil. in Linnaea*, xxxiii. (1864–65) 292.—Chili.  
 angustifolia, Boiss. & Blanch. *Diagn. Ser. II.* iv. 131 = minuta.  
 aquatica, Weber, ex Beauv. *Agrost.* 167 = Glyceria aquatica.  
 argentata, *E. Desv. in C. Gay, Fl. Chil.* vi. 374.—Chili.  
 argentea, C. Muell. in *Walp. Ann.* vi. 1024, sphalm. = praec.  
 aristata, *Thurb. ex Boland. in Proc. Calif. Acad.* iv. (1870) 103.—Calif.  
 armena, Boiss. & Kotschy, ex Boiss. *Fl. Orient.* v. 585 = minuta.  
 armena, Boiss. & Kotschy, l. c. 590 = Cupani.  
 arrecta, Kunze, in *Flora*, xxix. (1846) 740 = minuta.  
 arundinacea, *Raesch. Nom.* ed. III. 24 = caerulea.  
 aspera, Desf. *Fl. Atlant.* i. 71 = minuta.  
 asperima, *Hort. ex Roem. & Schult. Syst.* ii. 530 = exasperata.  
 aurantiaca, *Desr. in Lam. Encyc.* iv. 70.—Reg. Argent.  
 australis, Coss. ex *Parl. Fl. Ital.* i. 306 = minuta.  
 baetica, *Bout. ex Willk. & Lange, Prod. Fl. Hisp.* i. 84 = minuta.  
 Balansae, Boiss. & Bal. *Diagn. Ser. II.* iv. 132 = ciliata.  
 barbata, Moon, *Cat. Pl. Ceyl.* 8 = Chloris barbata.  
 Bauhini, *All. Auct. Pedem.* 43.—Reg. Mediterr.  
 Bauhini, Guss. *Fl. Sic. Prod.* i. 66 = Cupani.  
 Bauhini, Tenore, *Syll. Fl. Neap.* 37 = ciliata.

**MELICA:—**

- Bossieri, *Reut. ex Boiss. Fl. Orient.* v. 589 = ciliata.  
 brasiliana, *Ard. Animad.* ii. 17 = papilionacea.  
 breviflora, Boiss. *Diagn. Ser. I.* vii. 124 = Cupani.  
 bromoides, *A. Gray, in Proc. Am. Acad.* viii. (1873) 409, in nota.—Calif.  
 bulbosa, *Geyer, ex Hook. Kew Journ. Bot.* viii. (1856) 19, nomen.—Am. bor. occ.  
 bulbosa, *Porter & Coulter, Fl. Colorado*, 149 = spectabilis.  
 bulbosa, *Thurb. in Bot. Calif.* ii. 304 = californica.  
 caerulea, Linn. *Mant.* ii. 325 = Molinia caerulea.  
 caespitosa, *Schur, Sert. Fl. Transs.* 86; ex eod. in *Oestr. Bot. Zeitschr.* ix. (1859) 329 = ciliata.  
 cafferorum, *Schrad. in Goett. Gel. Anz.* (1821) III. 2073.—Afr. austr.  
 californica, *Scribner, in Proc. Acad. Philad.* (1865) 46.—Am. bor. occ.  
 calycina, *Rasp. in Ann. Sc. Nat. Sér. I.* v. (1825) 443 = Poa calycina.  
 capensis, *Thunb. Prod. Pl. Cap.* 21 = Ehrharta melicoides.  
 capillaris, [*Soland. in*] *Russell, Aleppo*, ed. II. ii. 243.—Syria.  
 cappadocica, Boiss. *Fl. Orient.* v. 589 = ciliata.  
 caricina, *Urv. in Mém. Soc. Linn. Par.* i. (1822) 263 = minuta.  
 chilensis, *J. & C. Presl, Rel. Haenk.* i. 270.—Chili.  
 ciliata, Linn. *Sp. Pl.* 66.—Europ.; Afr. bor.  
 cimicina, *Salisb. Prod.* 20 = Panicum cimicinum.  
 coerulea, *Auct. = caerulea.*  
 colorata, *Dulac, Fl. Hautes-Pyr.* 80 = ciliata.  
 colpodoides, *Nees, in Ann. Nat. Hist.* i. (1838) 283 = imperfecta.  
 Commersoni, *Nees, ex Steud. Syn. Pl. Gram.* 290.—Chili.  
 commutata, *Steud. l. c.*—Chili.  
 cretica, Boiss. & Heldr. *Diagn. Ser. I.* xiii. 54 = ciliata.  
 cristata, *Trin. Fund. Agrost.* 163 = ciliata.  
 Cupani, *Guss. Suppl. Fl. Sic. Prod.* 17.—Reg. Mediterr.; Oriens; Himal.  
 cynosuroides, *Herb. Linn. ex Munro, in Journ. Linn. Soc.* vi. (1862) 42 = Enteropogon melicoides.  
 cyrenaica, *Viv. Fl. Lib. Spec.* 4. t. 25. f. 1 = minuta.  
 decumbens, *Thunb. Prod. Pl. Cap.* 21.—Afr. austr.  
 decumbens, *Weber, Spicil. Fl. Gotting.* 3 = Triodia decumbens.  
 dendroides, *Lehm. Pugill.* iii. 39.—Afr. austr.  
 diandra, *Roxb. Hort. Beng.* 8; *Fl. Ind.* i. 327 = Centotheca lappacea?  
 diffusa, *Pursh, Fl. Am. Sept.* i. 77.—Am. bor.  
 digitata, *Roxb. Hort. Beng.* 82; *Fl. Ind.* i. 326 = Chloris digitata.  
 divaricata, *Meig. & Wenig. Syst. Verz. Rheins*, 16 = Molinia caerulea.  
 effusa, *Salisb. Prod.* 20 = Milium effusum.  
 eligulata, Boiss. *Diagn. Ser. I.* xiii. 56 = Cupani.  
 exaltata, *Phil. in Anal. Univ. Chil.* (1873) 571.—Chili.  
 exasperata, *Roem. & Schult. Syst.* ii. 530.—Hab.?  
 expansa, *Steud. in Lechl. Berb. Am. Austr.* 56.—Peruv.  
 Falx, Linn. f. *Suppl.* 109 = Harpechloa capensis.  
 festucoides, *Licht. ex Roem. & Schult. Syst.* ii. 530 = Ehrharta panicea.  
 festucoides, *Willd. ex Steud. Nom.* ed. II. ii. 119, nomen.—Afr. austr.  
 filiculmis, *E. Desv. in C. Gay, Fl. Chil.* vi. 378.—Chili.  
 Fischeri, *Spreng. Syst.* iv. *Cur. Post.* 32 = Graphephorum Fischeri.  
 flava, *Nees, ex Steud. Syn. Pl. Gram.* 290.—Chili.  
 fluitans, *Rasp. in Ann. Sc. Nat. Sér. I.* v. (1825) 443 = Glyceria fluitans.  
 frutescens, *Scribner, in Proc. Acad. Philad.* (1885) 45.—Calif.  
 fugax, *Boland. in Proc. Calif. Acad.* iv. (1870) 104.—Calif.  
 geniculata, *Thunb. Prod. Pl. Cap.* 21 = Ehrharta calycina.  
 Geyeri, *Munro, ex Boland. in Proc. Calif. Acad.* iv. (1870) 103 = bromoides.  
 Geyeri, *Thurb. in Bot. U. St. Expl. Exped.* ii. 492 = fugax.  
 gigantea, *Thurb. Prod. Pl. Cap.* 21 = Ehrharta capensis.  
 glabra, *Michx. Fl. Bor. Am.* i. 62, nomen.—Chili.  
 glabra, *Pursh, Fl. Am. Sept.* i. 77 = panicula.  
 glabra, *Steud. Nom.* ed. II. ii. 119; et *Syn. Pl. Gram.* 290.—Chili.



**MELICA** :—

*glauca*, F. Schultz, in Flora, xlv. (1862) 462 = ciliata.  
*glaucescens*, Steud. Syn. Pl. Gram. 289 = Cupani.  
*Gmelini*, Roth, Tent. Fl. Germ. ii. i. 104 = Koeleria cristata.  
*Gmelini*, Turc. ex Trin. in Mém. Acad. Pétersb. Sér. VI. i. (1831) 368.—Sibir.  
*gracilis*, Aitch. & Hemsl. in Journ. Linn. Soc. xix. (1882) 192 = secunda.  
*Hallii*, Vasey, in Coult. Bot. Gaz. vi. (1881) 296.—Am. bor. occ.  
*Harfordii*, Boland. in Proc. Calif. Acad. iv. (1870) 102.—Calif.  
*hirsuta*, Koel. Desc. Gram. 144 = Koeleria cristata.  
*hirta*, Phil. in Linnaea, xxxiii. (1864–65) 292.—Chili.  
*Hohenackeri*, Boiss. Diagn. Ser. I. xiii. 54 = Cupani.  
*humilis*, Boiss. Voy. Bot. Espagne, ii. 662 = Cupani.  
*hyalina*, Doell. in Mart. Fl. Bras. ii. ii. 127.—Bras.  
*imperfecta*, Trin. in Bull. Sc. Acad. Pétersb. i. (1836) 68.—Calif.  
*imperforata*, Nees, in Hook. & Arn. Bot. Beech. Voy. 403 = praec.  
*inaequiglumis*, Boiss. Diagn. Ser. I. vii. 124 = Cupani.  
*interrupta*, Reichb. ex Schur, in Oestr. Bot. Zeitschr. ix. (1859) 329 = ciliata.  
*Jacquemontii*, Decne. in Jacquem. Voy. Bot. 174. t. 175 = Cupani.  
*Kotschyi*, Hochst. ex Steud. Syn. Pl. Gram. 289 = Cupani.  
*lanata*, Steud. l. c. = Cupani.  
*lanuginosa*, Desf. Tabl. ed. I. 15, nomen.—Hab.?  
*lappacea*, Rasp. in Ann. Sc. Nat. Sér. I. v. (1825) 443 = Centotheca lappacea.  
*latifolia*, Roxb. Hort. Beng. 8; Fl. Ind. i. 328 = Thysanolaena Agrostis.  
*laxiflora*, Boiss. & Blanch. ex Boiss. Fl. Orient. v. 589 = ciliata.  
*laxiflora*, Cav. Ic. v. 48. t. 473. f. 2.—Chili.  
*litoralis*, Phil. in Anal. Univ. Chil. (1873) 572.—Chili.  
*littoralis*, Rasp. in Ann. Sc. Nat. Sér. I. v. (1825) 443 = Aeluropus laevis.  
*lobata*, Schur, Enum. Pl. Transs. 765 = ciliata.  
*Lobelii*, Vill. Fl. Delph. 6; Hist. Pl. Dauph. ii. 89 = uniflora.  
*longiflora*, Steud. Nom. ed. II. ii. 119; Syn. Pl. Gram. 290.—Chili.  
*macra*, Nees, Agrost. Bras. 486.—Reg. Argent.  
*magellanica*, Desr. in Lam. Encyc. iv. 72 = Hierochloa redolens.  
*Magnolii*, Gren. & Godr. Fl. Fr. iii. 550 = ciliata.  
*major*, Sibth. & Sm. Fl. Graec. Prod. i. 51 = minuta.  
*micrantha*, Boiss. & Hohen. Diagn. Ser. I. xiii. 53 = ciliata.  
*minor*, Hack. ex Boiss. Fl. Orient. v. 586.—Reg. Caucas.  
*minuta*, Linn. Mant. i. 32.—Europ. austr.; Persia.  
*montana*, Cav. Desc. 44 = minuta.  
*montana*, Huds. Fl. Angl. ed. II. 37 = nutans.  
*Muehlenbergiana*, Schult. Mant. ii. 294 = mutica.  
*Munroi*, Boiss. Fl. Orient. v. 587 = secunda.  
*mutica*, Walt. Fl. Carol. 78.—Am. bor.  
*nebrodensis*, Parl. Giorn. Bot. Ital. ii. i. (1844) 198 = ciliata.  
*nervosa*, Moon, Cat. Pl. Ceyl. 8, nomen.—Ceylon.  
*nitens*, Nutt. ex Scribn. in Proc. Acad. Philad. (1885) 44 = diffusa.  
*nodosa*, Pill. & Mitterp. It. Posegan. 143 = Diplachne serotina.  
*nodosa*, Turcz. ex Ledeb. Fl. Ross. iv. 398 = virgata.  
*nutans*, Cav. Ic. ii. 58. t. 175. f. 2 = minuta.  
*nutans*, Lam. Tabl. Encyc. i. 179 = uniflora.  
*nutans*, Linn. Sp. Pl. 66.—Europ.; As. bor.  
*Onoei*, Franch. & Sav. Enum. Pl. Jap. ii. 603.—Japon.  
*ovalis*, Nees, Fl. Afr. Austr. i. 417.—Afr. austr.  
*pallida*, H. B. & K. Nov. Gen. et Sp. i. 164. t. 693.—Ecuador.  
*panicoides*, Nutt. in Journ. Acad. Philad. N. S. i. (1847) 188 = imperfecta.  
*pannosa*, Boiss. Diagn. Ser. I. xiii. 55 = Cupani.  
*papilionacea*, Linn. Mant. i. 31.—Bras.; Mexic.  
*penicillaris*, Boiss. & Bal. Diagn. Ser. II. iv. 132.—Syria.  
*persica*, Kunth, Rév. Gram. i. 351 = Cupani.  
*picta*, C. Koch, in Linnaea, xxi. (1848) 395.—Reg. Caucas.  
*poaeoides*, Nutt. in Journ. Acad. Philad. N. S. i. (1847) 188 = imperfecta.  
*poaeoides*, Torr. in Pacif. Rail. Rep. iv. 157 = californica.

**MELICA** :—

*poecilantha*, E. Desv. in C. Gay, Fl. Chil. vi. 379.—Chili.  
*Porteri*, Scribn. in Proc. Acad. Philad. (1885) 44; et ex Coult. Man. Bot. Rocky Mount. 419.—Am. bor. occ.  
*provincialis*, Clar. ex Steud. Nom. ed. II. ii. 119 = ciliata.  
*pubescens*, Desv. Opusc. 65 = ciliata.  
*pyramidalis*, Lam. Fl. Fr. iii. 585 = minuta.  
*racemosa*, Muhl. Desc. Gram. 88 = mutica.  
*racemosa*, Thunb. Prod. Pl. Cap. 21.—Afr. austr.  
*Radula*, Franch. Pl. Davidian. i. (1884) 336.—China.  
*ramosa*, Thunb. Prod. Pl. Cap. 21 = Ehrharta ramosa.  
*ramosa*, Vill. Hist. Pl. Dauph. ii. 91 = minuta.  
*rariiflora*, Schreb. Besch. Graes. ii. 157 = mutica.  
*rectiflora*, Boiss. & Heldr. Diagn. Ser. I. xiii. 56.—Ins. Creta.  
*refracta*, Roxb. Hort. Beng. 8; Fl. Ind. i. 327 = Centotheca lappacea.  
*reptans*, Rasp. in Ann. Sc. Nat. Sér. I. v. (1825) 443 = Aeluropus laevis?  
*rigida*, Cav. Ic. v. 47. t. 473. f. 1.—Reg. Argent.  
*rigida*, Wibel, Prim. Fl. Werth. 117 = Triodia decumbens.  
*Sabinii*, Rasp. in Ann. Sc. Nat. Sér. I. v. (1825) 443 = Pleuropogon Sabinii.  
*sarmentosa*, Nees, Agrost. Bras. 485.—Bras.  
*saxatilis*, Sibth. & Sm. Fl. Graec. Prod. i. 51 = minuta.  
*scabra*, H. B. & K. Nov. Gen. et Sp. i. 164.—Ecuador.  
*scabra*, Nutt. in Trans. Am. Phil. Soc. v. (1837) 148 = diffusa.  
*scabrosa*, Trin. in Mém. Acad. Pétersb. Sér. VI. iii. ii. (1838) 59.—China.  
*Schimperii*, Presl, Bot. Bemerk. 120, nomen = Cupani.  
*secunda*, Regel, in Act. Hort. Petrop. vii. (1880) 629.—Afghan.; Turkestan.  
*setacea*, Pers. Syn. i. 78 (err. typ. 73) = Bauhini.  
*sibirica*, Lam. Tabl. Encyc. i. 179 = altissima.  
*sinaica*, De Not. ex Steud. Syn. Pl. Gram. 427 = Cupani.  
*speciosa*, Muhl. in Trans. Phil. Soc. iii. (1793) 161 = mutica.  
*spectabilis*, Linn. ex Munro, in Journ. Linn. Soc. vi. (1862) 42 = papilionacea.  
*spectabilis*, Scribn. in Proc. Acad. Philad. (1885) 45.—Am. bor. occ.  
*spinosa*, Munro, ex Boiss. Fl. Orient. v. 587 = secunda.  
*stricta*, Boland. in Proc. Calif. Acad. iii. (1863) 4; et iv. (1870) 104.—Am. bor. occ.  
*stricta*, Brandegee, in Bull. Geol. & Geog. Surv. Territ. ii. n. III. (1876) 244 = Porteri.  
*subenervis*, Boiss. Fl. Orient. v. 586 = minor.  
*subulata*, Scribn. in Proc. Acad. Philad. (1885) 47 = acuminata.  
*sylvatica*, Link. ex Steud. Nom. ed. I. 520 = Molinia caerulea.  
*taurica*, C. Koch, in Linnaea, xxi. (1848) 395 = ciliata.  
*Tinei*, Lojac. in Natur. Sic. i. (1882) 9 = nebrodensis.  
*Torrejana*, Scribn. in Proc. Acad. Philad. (1885) 43.—Calif.  
*trachyantha*, Boiss. Diagn. Ser. I. vii. 125 = Cupani.  
*transilvanica*, Schur, in Verh. Siebenb. Ver. Naturw. iv. (1853) 86 = ciliata.  
*triflora*, Bigel. in New Engl. Med. Journ. v. (1816) 334.—Am. bor.  
*typhina*, Bor. in Mém. Soc. Acad. Maine-et-Loire, i. (1857) 91 = ciliata.  
*uniflora*, Retz. Obs. i. 10.—Europ.; Oriens.  
*valdiviana*, Phil. in Anal. Univ. Chil. (1873) 572.—Chili.  
*variabilis*, Schur, Enum. Pl. Transs. 936 (Index) = Molinia caerulea.  
*vestita*, Boiss. Diagn. Ser. I. vii. 125 = Cupani.  
*violacea*, Cav. Ic. v. 47.—Chili.  
*virgata*, Turcz. ex Trin. in Mém. Acad. Pétersb. Sér. VI. i. (1831) 369.—Sibir.  
*viridiflora*, Czern. Consp. Fl. Ucran. (1859); ex Nym. Consp. 818 = picta.  
*viridis*, Boiss. & Kotschy, ex Boiss. Fl. Orient. v. 590 = Cupani.

**MELICHO**, Salisb. Gen. Pl. Fragm. 130 (1866) = **Hae-manthus**, Linn. (Amaryll.).  
*amarylloides*, Salisb. l. c. = H. amarylloides.  
*carneus*, Salisb. l. c. = H. carneus.  
*humilis*, Salisb. l. c. = H. humilis.  
*lanceaefolia*, Salisb. l. c. = H. lanceaefolius.  
*Pumilio*, Salisb. l. c. = H. Pumilio.  
*sanguineus*, Salisb. l. c. = H. sanguineus.

**MELICHRUS**, R. Br. Prod. 539 (1810). **EPACRI-DEAE**, Benth. & Hook. f. ii. 612.

**VINTENATIA**, Cav. Ic. iv. 28. t. 349. f. 1 (1797) partim.  
*adpressus*, A. Cunn. ex DC. Prod. vii. 740 = urceolatus.  
*erubescens*, A. Cunn. l. c. = urceolatus.  
*medius*, A. Cunn. in Field, N. S. Wales, 341 = urceolatus.  
*rotatus*, R. Br. Prod. 539.—Austral.  
*squarrosus*, Sond. in Lehm. Pl. Preiss. i. 304 = Andersonia depressa?  
*urceolatus*, R. Br. Prod. 539.—Austral.

**MELICLIS**, Rafin. Fl. Tellur. ii. 99 (1836) = **Coryanthes**, Hook. (Orchid.).  
*speciosa*, Rafin. l. c. 100 = C. speciosa.

**MELICOCCA**, Linn. Sp. Pl. ed. II. 495 (1763). **SAPINDACEAE**, Benth. & Hook. f. i. 401.

**CASIMIRA**, Scop. Introduct. 233 (1777).  
*amoena*, Hassk. in Hoef. & De Vriese, Tijdschr. x. (1843) 139.—Java.  
*apetala*, Poir. Encyc. Suppl. iii. 224 = Doratoxylon diversifolium.  
*australis*, Steud. Nom. ed. II. ii. 120 (sp. dub.).—Austral.  
*bijuga*, Linn. Sp. Pl. ed. II. 495.—Am. trop.  
*carpooidea*, Juss. in Mém. Mus. Par. iii. (1817) 187. t. 4 = bijuga.  
*dentata*, Juss. l. c.—Ins. Maurit.  
*diphylla*, Boj. Hort. Maurit. 56 = seq.?  
*diversifolia*, Juss. in Mém. Mus. Par. iii. (1817) 187. t. 7 = Doratoxylon diversifolium.  
*geniculata*, Spreng. Syst. ii. 220.—Bras.  
*lepidopetala*, Radlk. in Sitzb. Math.-Phys. Acad. Muench. viii. (1878) 344.—Bolivia.  
*olivaeformis*, H. B. & K. Nov. Gen. et Sp. v. 130 = Talisia olivaeformis.  
*paniculata*, Juss. in Mém. Mus. Par. iii. (1817) 187. t. 5 = Hypelate paniculata.  
*pubescens*, DC. Prod. i. 615 = Schleicheria trijuga.  
*trijuga*, Juss. in Mém. Mus. Par. iii. (1817) 187. t. 8 = Schleicheria trijuga.  
*triptera*, Blanco, Fl. Filip. ed. II. 203 = Tristira triptera.

**MELICOCCUS**, P. Br. Hist. Jamaic. 210 (1756) = **Melicocca**, Linn. (Sapind.).  
*bijugatus*, Jacq. Enum. Pl. Carib. 19 = Melicocca bijuga.

**MELICOPE**, Forst. Char. Gen. 55 (1776). **RUTACEAE**, Benth. & Hook. f. i. 295.

**ASTORGANTHUS**, Endl. Cat. Hort. Vindob. ii. 196 (1843).  
**BOUCHARDATIA**, Baill. Adansonia, vii. (1867) 350.  
**ENTOGANUM**, Banks, ex Gaertn. Fruct. i. 331. t. 68 (1788).  
**MALICOPE**, Vitm. Summa Veg. ii. 442 (1789).  
**PELEA**, A. Gray, in Bot. U. St. Expl. Exped. 339. tt. 35, 38 (1854).  
*acronychioides*, F. Muell. Fragm. iv. 117 = Evodia acronychioides.  
*auriculata*, Nadeaud, Enum. Pl. Tahiti, 76.—Ins. Tahiti.  
*australasica*, F. Muell. Fragm. ii. 102.—Austral.  
*barbigera*, A. Gray, Bot. U. St. Expl. Exped. i. 351. t. 39.—Ins. Sandvic.  
*cinerea*, A. Gray, l. c. 350. t. 39.—Ins. Sandvic.  
*contermina*, C. Moore & Muell. ex F. Muell. Fragm. vii. 144.—Ins. Dom. Howe.  
*elliptica*, A. Gray, Bot. U. St. Expl. Exped. i. 353.—Ins. Sandvic.  
*erythrocoeca*, Benth. Fl. Austral. i. 360.—Austral.  
*grandifolia*, A. Gray, Bot. U. St. Expl. Exped. i. 354.—Ins. Sandvic.  
*Helferi*, Hook. f. Fl. Brit. Ind. i. 492.—Burma.  
*indica*, Wight, Ic. t. 1051.—Ind. or.  
*leguminosa*, Nadeaud, Enum. Pl. Tahiti, 76.—Ins. Tahiti.  
*Mantellii*, J. Buch. in Trans. N. Z. Inst. iii. (1871) 212.—N. Zel.  
*neurocoeca*, Benth. Fl. Austral. i. 360.—Austral.  
*Pagetii*, F. Muell. Fragm. v. 178 = Pagetia medicinalis.  
*simplex*, A. Cunn. in Ann. Nat. Hist. Ser. I. iii. (1839) 315.—N. Zel.  
*spatulata*, A. Gray, Bot. U. St. Expl. Exped. i. 352.—Ins. Sandvic.



**MELICOPE:—**

- tahitensis, *Nadeaud, Enum. Pl. Tahiti*, 75.—Ins. Tahiti.  
 ternata, *Forst. Char. Gen.* 56.—N. Zel.  
 tetrandra, Blanco, *Fl. Filip.* ed. I. 293 = *Evodia triphylla*.  
 tetrandra, Roxb. *Hort. Beng.* 88; *Fl. Ind.* ii. 257 = *Tetractomia Roxburghii*.

**MELICOPSIDIUM**, Baill. *Adansonia*, xi. (1874) 243 = **Cossinia**, Comm. (Sapind.).  
*trifoliatum*, Baill. l. c. = *C. trifoliata*.

**MELICYTUS**, *Forst. Char. Gen.* 123, t. 62 (1776). *VIOLARIEAE*, Benth. & Hook. f. i. 119.

**TRACHYTIS**, Soland. ex Gaertn. *Fruct.* i. 205 (1788).

collinus, *Colenso, Excurs. N. Island*, 85, nomen.—N. Zel.

lanceolatus, *Hook. f. Fl. N. Zel.* i. 18, t. 8.—N. Zel.  
 macrophyllus, *A. Cunn. in Ann. Nat. Hist.* Ser. I. iv. (1840) 256.—N. Zel.

micranthus, *Hook. f. Fl. N. Zel.* i. 18.—N. Zel.  
*Oleaster*, Lindl. in *Mitch. Journ. Trop. Austral.* 383 = *Denhamia Oleaster*.

ramiflorus, *Forst. Char. Gen.* 124.—N. Zel.  
*umbellatus*, Gaertn. *Fruct.* i. 206, t. 44, f. 1 = *ramiflorus*.

**MELIDISCUS**, Rafin. *Sylva Tellur.* 110 (1838) = **Cleome**, Linn. (Cappar.).  
*gigantea*, Rafin. l. c. = *C. gigantea*.

**MELIDORA**, Noronha, ex Salisb. in *Trans. Hort. Soc.* ii. (1817) 156 = **Enkianthus**, Lour. (Ericac.).  
*pellucida*, Noronha, ex Salisb. l. c. = *E. quinqueflorus*.

**MELIOBUS**, Mitch. in *Act. Phys.-Med. Acad. Nat. Cur.* viii. (1748) App. 215 = **Gleditschia**, Linn. (Legumin.).  
*heterophylla*, Rafin. *Sylva Tellur.* 121 = *G. triacanthos*.

**MELIOTA**, Medic. in *Vorles. Churpf. Phys. Ges.* ii. (1787) 382 = **Melilotus**, Tourn. (Legumin.).  
*messanensis*, Medic. l. c. = *Melilotus messanensis*.

**MELIOTHUS**, Hornem. *Hort. Hafn. Suppl.* 83 (1819), sphalm. = seq.

**MELILOTUS**, Tourn. ex Hall. *Enum. Stirp. Helv.* ii. 587 (1742). *LEGUMINOSAE*, Benth. & Hook. f. i. 487.

**BRACHYLOBUS**, Dulac, *Fl. Hautes-Pyr.* 279 (1867).  
**MELIOTA**, Medic. in *Vorles. Churpf. Phys. Ges.* ii. (1787) 382.

abyssinica, *Baker, in Oliver, Fl. Trop. Afr.* ii. 53.—Afr. trop.

abyssinica, *Hochst. ex Boiss. Fl. Orient.* ii. 107 = *elegans*.

agraria, *Desf. Fl. Atlant.* ii. 193 = *Trifolium procumbens*.

alba, *Desr. in Lam. Encyc.* iv. 63.—Europ.; Asia.  
 alba, Medic. in *Vorles. Churpf. Phys. Ges.* ii. (1787) 382 = *præc.* ?

altissima, *Thuill. Fl. Par. ed. II.* 378 = *officinalis*.  
 altissima, *Wall. Cat. n.* 5942 = *alba*.

angulata, *Hort. ex Trautv. in Bull. Sc. Acad. Pétersb.* viii. (1841) 270 = *vulgaris*.

anomala, *Ledeb. ex Nordm. l. c.* ii. (1837) 313 = *Trifolium filiforme*.

arbores, *Cast. ex DC. Prod.* ii. 187 = *alba*.

arguta, *Reichb. Fl. Germ. Excurs.* 499 = *alba*.

armena, *Boiss. Diagn. Ser. I.* ix. 11 = *officinalis*.

arvensis, *Wallr. Sched. Crit.* 391 = *officinalis*.  
*Baumetti*, Ser. in *DC. Prod.* ii. 189, sphalm. = *Boumetti*.

Berardi, *Medic. in Vorles. Churpf. Phys. Ges.* ii. (1787) 382.—Europ.

Besseriana, Ser. in *DC. Prod.* ii. 188 = *gracilis*.

bicolor, *Boiss. & Bal. Diagn. Ser. II.* vi. 46.—Phrygia.

Bonplandi, *Tenore, Ind. Sem. Hort. Neap.* (1833) 14.—Hab. ?

Boumetti, *Hornem. Hort. Hafn. Suppl.* 84 = *indica*.

brachyloba, *Fisch. ex Ser. in DC. Prod.* iii. 172 = *Trigonella brachycarpa*.

brachystachya, *Willd. ex Spreng. Syst.* iii. 207.—Am. austr.

**MELILOTUS:—**

brachystachys, *Bunge, in Arb. Naturf. Ver. Riga*, i. (1847) 219.—Turkestan.

Bungeana, *Boiss. Fl. Orient.* ii. 108.—Persia.

caerulea, *Desr. in Lam. Encyc.* iv. 62 = *Trigonella caerulea*.

caspia, *Gruner, in Bull. Soc. Nat. Mosc.* xl. (1867) II. 420, in textu.—Reg. Casp.

citrina, *Duval, ex Steud. Nom. ed. I.* 520 = *officinalis*.

coerulea, *Auct. vide caerulea*.

collina, *Guss. Suppl. Fl. Sic. Prod.* 230 = *elegans*.

compacta, *Salzm. ex Guss. Fl. Sic. Prod.* ii. 485 = *sulcata*.

connata, *Bernh. ex Reichb. Fl. Germ. Excurs.* 500 = *Trigonella caerulea*.

cretica, *Chaub. Nouv. Fl. Pélop.* 50 = *Trigonella graeca*.

cretica, *Desr. in Lam. Encyc.* iv. 64 = *Trigonella cretica*.

dentata, *Pers. Syn.* ii. 348.—Europ.; As. bor.

diffusa, *Koch, ex DC. Fl. Fr. Suppl.* 564 = *officinalis*.

diffusa, *Trevir. Del. Sem. Hort. Bonn.* (1832).—Cf. *Flora*, xvi. (1833) 123.—Chili.

*Dorycnium*, *Schrank, Baier. Fl.* ii. 280 = *Lotus Dorycnium*.

*elegans*, *Salzm. ex Ser. in DC. Prod.* ii. 198.—Reg. Mediterr.

*Emodi*, *R. Grah. in Wall. Cat. n.* 5941 = *Trigonella Emodi*.

exaltata, *Bianca, in Atti Acc. Gioen. Sc. Nat.* Ser. II. xiii. (1857) 211.—Sicilia.

expansa, *Hort. ex Reichb. Fl. Germ. Excurs.* 498 = *officinalis*.

flava, *Pall. Reise*, iii. 654 = *officinalis*.

gigantea, *Hort. ex Trautv. in Bull. Acad. Sc. Pétersb.* viii. (1841) 270 = *vulgaris*.

gigantea, *Wender. in Flora*, ix. (1826) 357.—Hab. ?

glaucescens, *Godr. ex Trautv. in Bull. Acad. Sc. Pétersb.* viii. (1841) 271 = *gracilis*.

globulosa, *Stev. in Bull. Soc. Nat. Mosc.* xxix. (1856) II. 138, in textu = *gracilis*.

glomerata, *Fisch. ex Ser. in DC. Prod.* ii. 172 = *Trigonella brachycarpa*.

gracilis, *DC. Fl. Fr. Suppl.* 565.—Reg. Mediterr.; As. Min.

graveolens, *Bunge, Enum. Pl. Chin. Bor.* 16 = *suaveolens*.

hamosa, *Link, Enum. Hort. Berol.* ii. 260 = *Trigonella spicata*.

heterophylla, *Schlecht. in Linnaea*, xxi. (1848) 571.—Dalmat.

imbricata, *Bess. ex Ser. in DC. Prod.* ii. 188 = *gracilis*.

indica, *All. Fl. Pedem.* i. 308.—Europ.; As. bor.

indica, *Desr. in Lam. Encyc.* iv. 65 = *mauritanica*.

infesta, *Guss. Fl. Sic. Prod.* ii. 486.—Reg. Mediterr.

integerrima, *Stev. ex Trautv. in Bull. Sc. Acad. Pétersb.* viii. (1841) 271 = *ruthenica*.

intermedia, *Boiss. Voy. Bot. Espagne*, ii. 167 = *sulcata*.

intricata, *Nym. Consp.* 152 = *gracilis*.

italica, *Lam. Fl. Fr.* ii. 594.—Reg. Mediterr.

italica, *A. Rich. Tent. Fl. Abyss.* i. 166 = *abyssinica*.

Kochiana, *DC. Fl. Fr. Suppl.* 564 = *officinalis*.

Kochiana, *Willd. Enum. Hort. Berol.* 790 = *dentata*.

laevis, *Moench, Meth.* 110 = *sulcata*.

laxa, *Stev. ex Trautv. in Bull. Sc. Acad. Pétersb.* viii. (1841) 271 = *ruthenica*.

laxiflora, *Frivald. ex Griseb. Spicil. Fl. Rumel.* i. 39; et *ex Heuff. in Verh. Zool. Bot. Ges. Wien*, viii. (1858) 88 = *Trigonella caerulea*.

leiosperma, *Pomel, Nouv. Mat. Fl. Atl.* 179.—Alger.

leucantha, *Koch, ex DC. Fl. Fr. Suppl.* 564 = *alba*.

linearifolia, *Nocca, ex Steud. Nom. ed. I.* 520 = *dentata*.

linearis, *Cav. ex Pers. Syn.* ii. 348 = *dentata* ?

Lippoldiana, *Lowe, in Hook. Kew Journ.* viii. (1856) 292.—Ins. Madera.

longepedunculata, *Rosbach, in Verh. Naturh. Ver. Rheinl.* (1875) Sitzb. 292 = *officinalis*.

longifolia, *Tenore, Prod. Fl. Nap.* 43 = *sulcata*.

lupulina, *Lam. Fl. Fr.* ii. 593 = *Trifolium agrarium*, etc.

**MELILOTUS:—**

macrostachys, *Pomel, Nouv. Mat. Fl. Atl.* 180.—Alger.

mauritanica, *Willd. Enum. Hort. Berol.* 789.—Gall.: Afr. bor.

maxima, *Le Grand, Stat. Bot. du Forez*, 101 = *officinalis*.

medicaginoides, *Zumag. Fl. Pedem.* ii. 214 = *Medicago lupulina*.

melanosperma, *Bess. ex Ser. in DC. Prod.* ii. 186 = *alba*.

messanensis, *All. Fl. Pedem.* i. 309.—Reg. Mediterr.

micrantha, *Willd. ex Stev. in Bull. Soc. Nat. Mosc.* xxix. (1856) II. 133 = *ruthenica*.

microcarpa, *Balb. ex Bernh. Hort. Erf.* (1840).—Cf. *Linnaea*, xv. (1841), Lit. 90 = *Trifolium micranthum*.

microcarpa, *C. A. Mey. ex Boiss. Fl. Orient.* ii. 108 = *gracilis*.

minima, *Roth, Nov. Pl. Sp.* 361 = *indica*.

montana, *Gaud. Fl. Helv.* iv. 607 = *officinalis*.

neapolitana, *Tenore, ex Guss. Fl. Sic. Prod.* ii. 482 = *gracilis*.

nebrodensis, *Jord. ex Nym. Consp.* 172 = *officinalis*.

neglecta, *Tenore, Fl. Nap.* v. 135.—Ital.

occidentalis, *Nutt. ex Torr. & Gray, Fl. N. Am.* i. 321 = *indica*.

officinalis, *Lam. Fl. Fr.* ii. 594; *Desr. in Lam. Encyc.* iv. 63.—Europ.; As. bor.

olympica, *Hort. ex Trautv. in Bull. Sc. Acad. Pétersb.* viii. (1841) 270 = *dentata*.

ornithopodioides, *Desr. in Lam. Encyc.* iv. 67 = *Trigonella ornithopodioides*.

pallida, *Bess. Ind. Sem. Hort. Cremon.* (1823); et *ex Ser. in DC. Prod.* ii. 188.—Rossia.

paluster, *Menyh. in Oestr. Bot. Zeitschr.* xxvii. (1877), 231, 262 = seq.

palustris, *Schult. Oesterr. Fl. ed. II.* ii. 346 = *officinalis*.

parviflora, *Desf. Fl. Atlant.* ii. 192 = *indica*.

permixta, *Jord. Pugill. Pl. Nov.* 55 = *indica*.

Pertusiana, *Gennari, in Mem. Acc. Torin.* II. xvii. (1858) 460.—Ital.

Petitpierreana, *Willd. Enum. Hort. Berol.* 790 = *officinalis*.

physocarpa, *Pomel, Nouv. Mat. Fl. Atl.* 180.—Alger.

plicata, *Stev. ex Ser. in DC. Prod.* ii. 188 = *gracilis*.

polonica, *Pall. Reise*, iii. 537 = *ruthenica*.

polonica, *Pers. Syn.* ii. 348.—Europ.

procumbens, *Bess. Enum. Pl. Volh.* 30 = *Trigonella caerulea*.

procumbens, *Hort. Prag. ex Ser. in DC. Prod.* ii. 186 = *dentata*.

psoraloides, *Nutt. Gen. Am.* ii. 104 = *Psoralea melilotoides*.

rariflora, *Eichw. Pl. Casp. Cauc.* 7 = *ruthenica*.

reticulata, *Pomel, Nouv. Mat. Fl. Atl.* 322.—Alger.

rigida, *Pomel, l. c.* 321.—Alger.

Robini, *Rafin. Fl. Ludov.* 102 (Quid ?).—Am. bor.

rotundifolia, *Tenore, Prod. Fl. Nap.* 43 = *italica*.

rugosa, *Gilib. Fl. Lituan.* ii. 83 = *officinalis*.

rugosa, *Moench, Meth.* 111 = *italica*.

rugulosa, *Hort. ex Trautv. in Bull. Sc. Acad. Pétersb.* viii. (1841) 270 = *vulgaris*.

rugulosa, *Willd. Enum. Hort. Berol.* 789 = *indica*.

ruthenica, *Ser. in DC. Prod.* ii. 186.—Rossia.

scgetalis, *Ser. l. c.* 187 = *sulcata* ?

sibirica, *Poir. Encyc. Suppl.* iii. 647 = *Medicago sibirica*.

sicula, *Vitm. Summa Pl.* iv. 326.—Sicilia.

speciosa, *Dur. in Duch. Rev. Bot.* i. (1845) 365.—Alger.

striata, *Moench, Meth.* 111 = *messanensis*.

stricta, *Hort. ex Trautv. in Bull. Sc. Acad. Pétersb.* viii. (1841) 270 = *vulgaris*.

suaveolens, *Ledeb. Ind. Sem. Hort. Dorp. Suppl.* (1824) 5.—Dahuria.

sulcata, *Desf. Fl. Atlant.* ii. 193.—Reg. Mediterr.

taurica, *Ser. in DC. Prod.* ii. 188 = *gracilis*.

tenella, *Wallr. Beitr. Fl. Hercyn.* 247 = *alba*.

Tommasinii, *Jord. Pugill. Pl. Nov.* 55 = *indica*.

uncinata, *Poir. Encyc. Suppl.* iii. 648 = *Trigonella spicata*.

virescens, *Jord. Cat. Gr. Grenoble* (1853) 11; et *F. Schultz, Fl. Fr. et Allem.* 316 = *officinalis* ?

vulgaris, *Willd. Enum. Hort. Berol.* 790 = *alba*.

volgica, *Poir. Encyc. Suppl.* iii. 648 = *ruthenica*.



**MELINIA**, Decne. in DC. Prod. viii. 588 (1844).  
*ASCLEPIADEAE*, Benth. & Hook. f. ii. 757.  
*BRACHYLEPIS*, Hook. & Arn. in Hook. Journ. Bot. i. (1834) 290.  
*angustifolia*, A. Gray, in Proc. Am. Acad. xii. (1877) 70.—Arizona.  
*bicornuta*, Griseb. in Goett. Abh. xxiv. (1879) 228.—Reg. Argent.  
*Candolleana*, Decne. in DC. Prod. viii. 589.—Reg. Argent.  
*Commersonianana*, Decne. l. c.—Bras.  
*Glaziovii*, Fourn. in Mart. Fl. Bras. vi. iv. 289.—Bras.  
*Hilariana*, Fourn. l. c. 290.—Bras.

**MELINIS**, Beauv. Agrost. 54. t. 11. f. 4 (1812).  
*GRAMINEAE*, Benth. & Hook. f. iii. 1119.  
*SUARDIA*, Schrank, Pl. Rar. Hort. Monac. t. 58 (1819).  
*TRISTEGIS*, Nees, Hor. Phys. Berol. 47, 54 (1820).  
*minutiflora*, Beauv. Agrost. 54. t. 11. f. 4.—Bras.

**MELINONIA**, Brongn. in E. Morr. Cat. Brom. Jard. Liège (1873), 11 = *Pitcairnia*, L'Hérit. (Bromel.).  
*incarnata*, Brongn. l. c. = Guiana.  
*rubiginosa*, Brongn. l. c. = Guiana.

**MELINOSPERMUM**, Walp. in Linnaea, xiii. (1839) 527 = *Dichilus*, DC. (Legumin.).  
*pumilum*, Walp. l. c. = *D. gracilis*.

**MELINUM**, Link, Handb. i. 96 (1829) = *Zizania*, Linn. (Gramin.).  
*palustre*, Link, l. c. = *Z. aquatica*.

**MELINUM**, Medic. in Staatsw. Vorles. Churpf. Phys. Oek. Ges. i. (1791) 200 = *Salvia*, Tourn. (Labiata).

**MELIOBLASTIS**, C. Muell. in Bot. Zeit. iv. (1846) 158, sphalm. = *MYRIOBLASTUS*, Wall. = *Cryptocoryne*, Fisch. (Aroid.).

**MELIOCARPUS**, Boiss. in Ann. Sc. Nat. Sér. III. ii. (1844) 84 = *Prangos*, Lindl. (Umbell.).  
*alatus*, Boiss. l. c. 85 (= *Colladonia alata*).—Syria.  
*anatolicus*, Boiss. l. c. 84 (= *Colladonia anatolica*).—As. Min.  
*anisopterus*, Boiss. l. c. 85 (= *Colladonia anisoptera*).—Palestin.  
*cilicicus*, Boiss. et Bal. Diagn. Ser. II. v. 102 (= *Colladonia cilicica*).—Cilicia.  
*microcarpus*, Boiss. Diagn. Ser. I. x. 53.—Syria.  
*peduncularis*, Boiss. l. c. 52 (= *Colladonia crenata*).—Syria.

**MELIOPSIS**, Reichb. Nom. 135 (1841) = *Fraxinus*, Tourn. (Oleac.).

**MELIOSMA**, Blume, Cat. Gew. Buitenz. 10 (1823).  
*SABIACEAE*, Benth. & Hook. f. i. 414.  
*KINGSBOROUGHIA*, Liebm. in Kjoeb. Vidensk. Meddel. (1850) 67.  
*LORENZANEA*, Liebm. l. c. 69 (1850).  
*MILLINGTONIA*, Roxb. Fl. Ind. ed. Carey, i. 102 (1820).  
*OLIGOSTEMON*, Turcz. in Bull. Soc. Nat. Mosc. (1858) 1. 447.  
*WELLINGTONIA*, Meissn. Gen. Comm. 207, in nota (1840).  
*acuminata*, Hook. f. Fl. Brit. Ind. ii. 4, 774 = *pungens*.  
*alba*, Walp. Rep. ii. 816.—Mexic.  
*angulata*, Blume, Rumphia, iii. 197 = *simplicifolia*.  
*Arnotiana*, Walp. Rep. i. 423.—Ind. or.  
*confusa*, Blume, Rumphia, iii. 200.—Sumatra.  
*congesta*, Walp. Rep. iv. 552 = *pungens*.  
*cuspidata*, Blume, Rumphia, iii. 202, in nota.—Borneo.  
*dilleniacefolia*, Walp. Rep. i. 423.—Reg. Himal.  
*elliptica*, Hook. f. Fl. Brit. Ind. ii. 5.—Malaya.  
*ferruginea*, Blume, Cat. Gew. Buitenz. 32.—Java; Borneo.  
*ferruginea*, Sieb. et Zucc. ex Hook. f. Fl. Brit. Ind. ii. 4 = *pungens*.

### MELIOSMA:—

*floribunda*, Blume, Rumphia, iii. 200.—Java.  
*fruticosa*, Blume, l. c. 198.—Java.  
*glaucata*, Blume, l. c. 200 = Java; Sumatra.  
*hirsuta*, Blume, l. c.—Borneo.  
*lanceolata*, Blume, Cat. Gew. Buitenz. 32.—Malaya.  
*lancifolia*, Hook. f. Fl. Brit. Ind. ii. 5.—Malacca.  
*laurina*, Blume, Rumphia, iii. 198.—Borneo.  
*lepidota*, Blume, l. c. 199.—Sumatra.  
*myriantha*, Sieb. & Zucc. in Abh. Akad. Muench. iv. II. (1843) 153.—China; Japon.  
*nitida*, Blume, Cat. Gew. Buitenz. 32.—Malacca; Sumatra.  
*Oldhami*, Miq. Ann. Mus. Bot. Lugd. Bat. iii. 94; *Maxim. in Bull. Acad. Pétersb. xii. (1868) 63.*—Japon.  
*oppositifolia*, Griseb. Cat. Pl. Cub. 46.—Cuba.  
*petiolaris*, Miq. Fl. Ind. Bat. Suppl. 519.—Sumatra.  
*pinnata*, Maxim. in Bull. Acad. Pétersb. xii. (1868) 64.—Reg. Himal.; Japon.  
*polyptera*, Miq. Fl. Ind. Bat. Suppl. 520.—Sumatra.  
*pungens*, Walp. Rep. i. 423.—Reg. Himal.; Japon.  
*rhoifolia*, Maxim. in Bull. Acad. Pétersb. xii. (1868) 63 = *pinnata*?  
*rigida*, Sieb. & Zucc. in Abh. Akad. Muench. iv. II. (1843) 153 = *pungens*.  
*sambucina*, Miq. Illustr. Fl. Arch. Ind. 74.—Java.  
*simplicifolia*, Walp. Rep. i. 423.—As. trop.  
*squamulata*, Hance, in Journ. Bot. xiv. (1876) 364.—Hongkong.  
*sumatrana*, Walp. Ann. i. 135; Miq. Fl. Ind. Bat. i. II. 617 = *nitida*.  
*tenuiflora*, Miq. Ann. Mus. Bot. Lugd. Bat. iii. 93.—Japon.  
*tenuis*, Maxim. in Bull. Acad. Pétersb. xii. (1868) 63.—Japon.  
*vernicausa*, Planch. ex Griseb. Cat. Pl. Cub. 47, in obs.—Costa Rica.  
*Wallichii*, Planch. ex Hook. f. Fl. Brit. Ind. ii. 6.—Reg. Himal.; Korea.  
*Wightii*, Planch. ex Brand. For. Fl. 116.—Ind. or.

**MELIPHLEA**, Zucc. in Abh. Akad. Muench. ii. (1847) 359 = *Sphaeralcea*, A. St. Hil. (Malvac.).  
*vitifolia*, Zucc. l. c. 360 = *S. vitifolia*.

**MELISITUS**, Medic. in Vorles. Churpf. Phys. Ges. ii. (1787) 383 = *Trigonella*, Linn. (Legumin.).  
*creticus*, Medic. l. c. = *T. cretica*.

**MELISSA**, Tourn. ex Linn. Gen. ed. I. 172 (1737).  
*LABIATAE*, Benth. & Hook. f. ii. 1191.

*MELICA*, Franch. & Sav. Enum. Pl. Jap. i. 368, in syn. (1875), sphalm.  
*MUTELIA*, Gren. ex Mutel, Fl. Fr. iii. 21 (1836).  
*abyssinica*, Hochst. in Flora, xxiv. (1841) i. Intell. 23 = *Micromeria abyssinica*.  
*acinoides*, Nym. Syll. 101 = *Calamintha suaveolens*.  
*Acinos*, Benth. Lab. Gen. et Sp. 389 = *Calamintha Acinos*.  
*aetheos*, Hort. ex Benth. l. c. 387 = *Calamintha Nepeta*.  
*alba*, Waldst. & Kit. Pl. Rar. Hung. iii. 227 = *Micromeria rupestris*.  
*alpina*, Benth. Lab. Gen. et Sp. 390 = *Calamintha alpina*.  
*alpina*, Boiss. Voy. Bot. Espagne, ii. 497 = *Calamintha alpina*.  
*altissima*, Sibth. & Sm. Fl. Graec. Prod. i. 423 = *officinalis*.  
*arborescens*, Desf. Tabl. ed. I. 62, nomen.—Hab.?  
*arundana*, Boiss. Voy. Bot. Espagne, ii. 498, t. 145 = *Calamintha arundana*.  
*asiatica*, G. Don, Gen. Syst. iv. 784.—Cochinch.  
*Calamintha*, Linn. Sp. Pl. 593 = *Calamintha officinalis*.  
*candidissima*, Munby, Fl. Algér. 61 = *Calamintha candidissima*.  
*caroliniana*, Benth. Lab. Gen. et Sp. 388 = *Calamintha caroliniana*.  
*Clinopodium*, Benth. l. c. 392 = *Calamintha Clinopodium*.  
*coccinea*, Spreng. Syst. ii. 224 = *Calamintha coccinea*.  
*cordifolia*, Pers. Syn. ii. 132 = *officinalis*.  
*corsica*, Hort. ex Benth. Lab. Gen. et Sp. 732 = *officinalis*.  
*cretica*, Lam. Encyc. iv. 79 = *Micromeria marifolia*.  
*cretica*, Linn. Sp. Pl. 593 = *Calamintha cretica*.

### MELISSA:—

*cretica*, [Soland. in] Russ. Aleppo, ed. II. ii. 256 = *Calamintha incana*.  
*debilis*, Benth. Lab. Gen. et Sp. 391 = *Calamintha debilis*.  
*flava*, Benth. in Wall. Pl. As. Rar. i. 65.—Reg. Himal.  
*foliosa*, Opiz, ex Reichb. Fl. Germ. Excurs. 329 = *officinalis*.  
*fruticosa*, Linn. Sp. Pl. 593 = *Micromeria marifolia*.  
*fruticosa*, Willd. ex Steud. Nom. ed. II. ii. 121 = *Micromeria rupestris*.  
*glandulosa*, Benth. Lab. Gen. et Sp. 387 = *Calamintha glandulosa*.  
*glomerata*, Stokes, Bot. Mat. Med. iii. 366 = *Calamintha Clinopodium*.  
*granatensis*, Nym. Syll. 101 = *Calamintha alpina*.  
*grandiflora*, Linn. Sp. Pl. 592 = *Calamintha grandiflora*.  
*graveolens*, Benth. Lab. Gen. et Sp. 390 = *Calamintha graveolens*.  
*graveolens*, Host, Fl. Austr. ii. 128 = *officinalis*.  
*hirsuta*, Blume, Bijdr. 830.—Java.  
*hirsuta*, Hornem. Hort. Hafn. ii. 562 = *officinalis*.  
*hortensis*, Noronha, in Verh. Batav. Gen. v. (1790) ed. I. Art. iv. 20 (Quid?).—Java.  
*humilis*, G. Don, Gen. Syst. iv. 784 (= *Clinopodium humile*).—Am. bor.  
*incana*, Benth. Lab. Gen. et Sp. 386 = *Calamintha incana*.  
*inodora*, Hassk. in Hov. & De Vriese, Tijdschr. x. (1843) 127.—Hab.?  
*intermedia*, Baumg. Enum. Stirp. Transs. ii. 184 = *Calamintha officinalis*.  
*longicaulis*, Wall. ex Benth. Lab. Gen. et Sp. 395 = *Calamintha longicaulis*.  
*longifolia*, Noronha, in Verh. Batav. Gen. v. (1790) ed. I. Art. iv. 20 = *hirsuta*.  
*macrostema*, Moç. & Sesse, ex Benth. Lab. Gen. et Sp. 395 = *Calamintha macrostema*.  
*majoranaefolia*, Mill. Gard. Dict. ed. VIII. n. 7 = *Calamintha patavina*.  
*marifolia*, Griseb. Spicil. Fl. Rumel. ii. 125 = *Micromeria serpyllifolia*.  
*marifolia*, Pers. Syn. ii. 132 = *Micromeria marifolia*.  
*marifolia*, Willd. ex Steud. Nom. ed. II. ii. 122 = *Gardoquia discolor*.  
*maritima*, Nym. Syll. 101 = *Calamintha maritima*.  
*maxima*, Ard. Animad. ii. 28 = *Perilla ocimoides*.  
*microphylla*, Benth. Lab. Gen. et Sp. 390 = *Calamintha corsica*.  
*montana*, Noronha, in Verh. Batav. Gen. v. (1790) ed. I. Art. iv. 20 = *Coleus galeatus*.  
*nepalensis*, Benth. in Wall. Pl. As. Rar. i. 66 = *Mosla dianthera*.  
*Nepeta*, Linn. Sp. Pl. 593 = *Calamintha Nepeta*.  
*nova*, Portenschl. ex Steud. Nom. ed. II. ii. 122 = *Micromeria Pulegium*.  
*obtusifolia*, Pers. Syn. ii. 132 = *Calamintha Nepeta*.  
*occidentalis*, Rafin. ex Benth. Lab. Gen. et Sp. 732 = *officinalis*.  
*officinalis*, Linn. Sp. Pl. 592.—Reg. Mediterr.; Oriens.  
*organifolia*, Benth. Lab. Gen. et Sp. 392 = *Calamintha organifolia*.  
*parviflora*, Benth. in Wall. Pl. As. Rar. i. 65.—Reg. Himal.; Malaya.  
*parviflora*, Salisb. Prod. 86 = *Calamintha Nepeta*.  
*patavina*, Benth. Lab. Gen. et Sp. 389 = *Calamintha patavina*.  
*perennis*, Forsk. Fl. Aegypt. Arab. 108 = *Salvia aegyptiaca*.  
*polyanthos*, Lodd. ex G. Don, in Loud. Hort. Brit. 239, nomen.—Hab.?  
*pulegioides*, Linn. Sp. Pl. 593 = *Hedeoma pulegioides*.  
*Pulegium*, Griseb. Spicil. Fl. Rumel. ii. 125 = *Mentha Pulegium*.  
*Pulegium*, Rochel, Pl. Banat. Rar. 62 = *Micromeria Pulegium*.  
*purpurascens*, Benth. Lab. Gen. et Sp. 391 = *Calamintha graveolens*.  
*pyrenaica*, Scop. Ann. II. Hist. Nat. (1769) 55 = *Horminum pyrenaicum*.  
*repens*, Benth. Lab. Gen. et Sp. 392 = *Calamintha umbrosa*.  
*romana*, Mill. Gard. Dict. ed. VIII. n. 2 = *officinalis*.  
*rotundifolia*, Benth. Lab. Gen. et Sp. 391 = *Calamintha patavina*.  
*rotundifolia*, Soland. ex Lowe, in Trans. Camb. Phil. Soc. vi. (1838) reimp. 14 = *Calamintha officinalis*.



**MELISSA** :—

*rugosa*, Lour. *Fl. Cochinch.* 368.—Cochinchin.  
*rupestris*, Salisb. Prod. 86 = *Micromeria marifolia*.  
*serpyllifolia*, Nym. Suppl. Syll. 20 = *Micromeria serpyllifolia*.  
*serpyllifolia*, Willd. ex Benth. in *Linnaea*, xi. (1837) 341 = *Micromeria marifolia*.  
*stricta*, Kitt. *Taschenb.* ed. II. 376.—Europ.  
*suaveolens*, Nym. Suppl. Syll. 20 = *Calamintha suaveolens*.  
*subnuda*, Waldst. & Kit. Pl. Rar. Hung. iii. 291 = *Micromeria Pulegium*.  
*sylvestris*, Lam. Fl. Fr. ii. 401 = *Melittis Melissophyllum*.  
*taurica*, Hort. ex Benth. Lab. Gen. et Sp. 393 = *officinalis*.  
*teucriifolia*, Willd. ex Ledeb. Fl. Ross. iii. 379 = *Nepeta teucriifolia*.  
*teucrioides*, Nym. Suppl. Syll. 20 = *Nepeta lasiocephala*.  
*thymifolia*, Benth. Lab. Gen. et Sp. 386 = *Calamintha thymifolia*.  
*umbrosa*, Auct. Germ. ex Steud. Nom. ed. II. ii. 122 = *M. Calamintha*.  
*umbrosa*, Bieb. Fl. Taur. Cauc. ii. 63 = *Calamintha umbrosa*.  
*veronicaefolia*, Pers. Syn. ii. 132.—Ins. Bahama.  
*vulgaris*, Trevis. Prosp. Fl. Eugan. 26 = *Calamintha Clinopodium*.

**MELISSITUS**, Medic. Phil. Bot. i. 209 (1789) = **Trigonella**, Linn. (Legumin.).  
*dentata*, Moench, Meth. 111 = *T. cretica*.

**MELISSOPHYLLON**, Adans. Fam. ii. 189 (1763) = **Melittis**, Linn. (Labiata).

**MELISSOPSIS**, Sch. Bip. ex Baker, in Mart. Fl. Bras. vi. ii. 193 (1876) = **Ageratum**, Linn. (Compos.).  
*oppositifolia*, Sch. Bip. ex Baker, l. c. 195 = *A. melissae-folium*.

**MELISTAURUM**, Forst. Char. Gen. 148. t. 72 (1776) = **Casearia**, Jacq. (Samyd.).  
*arborescens*, Van Hasselt, ex Blume, Mus. Bot. Lugd. Bat. i. 254 = *C. flavovirens*.  
*distichum*, Forst. Char. Gen. 144 = *C. Melistaureum*.

**MELITIS**, Gled. in Mém. Berl. Acad. v. (1749) 129 = seq.

**MELITTIS**, Linn. Gen. ed. I. 172 (1737). **LABIATAE**, Benth. & Hook. f. ii. 1205.  
**MELISSOPHYLLON**, Adans. Fam. ii. 189 (1763).  
*albida*, Guss. Fl. Sic. Prod. ii. 140 = *M. Melissophyllum*.  
*caroliniana*, Spreng. Syst. ii. 700 = *Macbridea pulchra*.  
*grandiflora*, Sm. Engl. Bot. t. 636 = *M. Melissophyllum*.  
*japonica*, Thunb. in Trans. Linn. Soc. ii. (1794) 338 = *Rehmannia chinensis*.  
*melissae-folium*, Gilib. Fl. Lituan. i. 76; Salisb. Prod. 87 = seq.  
*Melissophyllum*, Linn. Sp. Pl. 597.—Europ.  
*Melissophyllum*, Thunb. Fl. Jap. 248 = *Rehmannia chinensis*.

**MELLA**, Vand. Fl. Lusit. et Bras. Spec. 43. f. 53 (1788) = **Herpestis**, Gaertn. f. (Scrophul.).

**MELLERA**, S. Moore, in Journ. Bot. xvii. (1879) 225. **ACANTHACEAE**.  
*lobulata*, S. Moore, l. c.—Afr. trop.

**MELLIGO**, Rafin. Fl. Tellur. iii. 92 (1836) = **Salvia**, Tourn. (Labiata).  
*amena*, Rafin. l. c. = *S. lamiifolia*.

**MELLISSIA**, Hook. f. in Hook. Ic. Pl. t. 1021 (1867). **SOLANACEAE**, Benth. & Hook. f. ii. 891.  
*begonifolia*, Hook. f. Ic. Pl. t. 1021.—Ins. S. Helena.

**MELLITIS**, Scop. Fl. Carn. ed. II. i. 421 (1772) = **Melittis**, Linn. (Labiata).

**MELLOA**, Bur. in Adansonia, viii. (1868) 379. **BIGNONIACEAE**, Benth. & Hook. f. ii. 1035.  
*populifolia*, Bur. ex Benth. & Hook. f. Gen. ii. 1035.—Bras.

**MELLOBIUM**, A. Juss. in Orb. Dict. vii. 269 (1849) = **Melolobium**, Eckl. & Zeyh. (Legumin.).

VOL. II.

**MELLOCA**, Lindl. in Gard. Chron. (1847) 685 = **Ullucius**, Lozano (Chenop.).  
*peruviana*, Moq. in DC. Prod. xiii. ii. 225 = *U. tuberosa*.  
*tuberosa*, Lindl. in Gard. Chron. (1847) 685 = *U. tuberosa*.

**MELLOLOBIUM**, Reichb. Nom. 151 (1841) = **Melolobium**, Eckl. & Zeyh. (Legumin.).

**MELO** [Tourn.] Linn. Syst. ed. I (1735) = **Cucumis**, Tourn. (Cucurb.).  
*Chate*, Sageret, ex M. Roem. Syn. Pepon. 74 = *C. Melo*.  
*flexuosus*, Sageret, l. c. 75 = *C. Melo*.  
*persicus*, Sageret, l. c. 71 = *C. Melo*.  
*sativus*, Sageret, l. c. 68 = *C. Melo*.  
*vulgaris*, Cogn. in DC. Monog. Phan. iii. 484, sphalm. = *C. Melo*.

**MELOCACTUS**, [Tourn.] Link & Otto, in Verh. Preuss. Ver. Gartenb. iii. (1827) 417. tt. 11, 12. **CACTEAE**, Benth. & Hook. f. i. 847.  
*acuatus*, Link & Otto, l. c. t. 23 = *Echinocactus acuatus*.  
*ambiguus*, Hort. ex Pfeiff. in Otto & Dietr. Allg. Gartenz. i. (1833) 364 = *Cereus leucanthus*.  
*amoenus*, Hoffm. Preiss. Verz. ed. VII. (1833) 22; et ex Pfeiff. Enum. Diagn. Cact. 43.—N. Granat.  
*atrosanguineus*, Hort. Berol. ex Pfeiff. l. c. 44.—Ins. S. Thomas.  
*atrovirens*, Hort. Berol. ex Foerst. Handb. Cact. ed. I. 279, nomen.—Hab.?  
*Besleri*, Link & Otto, in Verh. Preuss. Ver. Gartenb. iii. (1827) 420. t. 21 = *placentiformis*.  
*Besleri-affinis*, Hort. ex Pfeiff. Enum. Diagn. Cact. 60 = *Echinocactus spiralis*.  
*bradypus*, Lehm. ex Steud. Nom. ed. II. ii. 122 = *Cereus senilis*.  
*Brongniartii*, Lem. Cact. Aliq. Nov. Desc. 12.—Hab.?  
*caesioides*, H. L. Wendl. ex Miq. in Nov. Act. Nat. Cur. xviii. Suppl. i. (1841) 184.—N. Granat.  
*cephalonopus*, Lem. ex Foerst. Handb. Cact. ed. I. 279, nomen.—Hab.?  
*cephalophora*, Salm-Dyck, Cact. Hort. Dyck. ed. II. 137 = *mammillariaeformis*.  
*Columna-Trajani*, Pfeiff. Enum. Diagn. Cact. 46 = *Cereus Columna-Trajani*.  
*communis*, Link & Otto, in Verh. Preuss. Ver. Gartenb. iii. (1827) 417. t. 11.—Ind. occ.  
*coronatus*, Cels, ex Foerst. Handb. Cact. ed. I. 279, nomen.—Hab.?  
*crassicastratus*, Lem. Cact. Aliq. Nov. Desc. 13 = *obtusipetalus*.  
*crassispinus*, Salm-Dyck, in Otto & Dietr. Allg. Gartenz. viii. (1840) 10 = *Lemairei*.  
*curvispinus*, Hort. Berol. ex Pfeiff. Enum. Diagn. Cact. 46.—Mexic.  
*Delessertianus*, Lem. ex Labour. Monog. Cact. 19.—Mexic.  
*depressus*, Hook. Bot. Mag. t. 3691.—Bras.  
*depressus*, Salm-Dyck, ex DC. Prod. iii. 463 = *Cereus leucanthus*.  
*dichroanthus*, Miq. in Nov. Act. Nat. Cur. xviii. Suppl. i. (1841) 147.—Ins. S. Thomas.  
*elegans*, Hort. ex Pfeiff. in Otto & Dietr. Allg. Gartenz. iii. (1835) 244 = *Cereus leucanthus*.  
*Ellemtii*, Miq. in Nederl. Kruidk. Arch. iv. (1859) 336.—Bras.  
*excavatus*, Hort. ex G. Don, in Sweet, Hort. Brit. ed. III. 282, nomen.—Mexic.  
*ferox*, Pfeiff. ex Foerst. Handb. Cact. ed. I. 519; et ex Labour. Monog. Cact. 16.—Mexic.  
*Gardenerianus*, Booth, ex Foerst. l. c. 277 = *depressus*.  
*Gilliesii*, Hort. ex Otto, in Otto & Dietr. Allg. Gartenz. i. (1833) 364; et ex Pfeiff. Enum. Diagn. Cact. 50 (= *Echinopsis formosus*).—Chili.  
*gladiatus*, Link & Otto, in Verh. Preuss. Ver. Gartenb. iii. (1827) t. 17 = *Echinocactus gladiatus*.  
*goniodacanthus*, Lem. Cact. Aliq. Nov. Desc. 11.—Hab.?  
*Grengelii*, Hort. ex Forbes, Hort. Tour Germ. 151, nomen = *communis*.  
*griseus*, H. L. Wendl. ex Miq. in Nov. Act. Nat. Cur. xviii. Suppl. i. (1841) 185.—N. Granat.  
*havanensis*, Miq. l. c. 144.—Cuba.  
*Hookerianus*, Forbes, ex Foerst. Handb. Cact. ed. I. 279, nomen.—Hab.?

**MELOCACTUS** :—

*Hystrix*, Parment. ex Miq. in Nov. Act. Nat. Cur. xviii. Suppl. i. (1841) 138.—Hab.?  
*ingens*, Karw. ex Pfeiff. Enum. Diagn. Cact. 54 = *Echinocactus ingens*.  
*intricatus*, Link & Otto, in Verh. Preuss. Ver. Gartenb. iii. (1827) t. 24 = *Echinocactus intricatus*.  
*Lamarckii*, G. Don, Gen. Syst. iii. 160 = *communis*.  
*Langsdorffii*, DC. Prod. iii. 461 = *Echinocactus Langsdorffii*.  
*latispinus*, Hort. ex Pfeiff. Enum. Diagn. Cact. 56 = *Echinocactus cornigerus*.  
*Lehmanni*, Miq. in Linnaea, xi. (1837) 642.—Venezuela.  
*Lemairei*, Miq. in Nov. Act. Nat. Cur. xviii. Suppl. i. (1841) 192.—Ins. S. Doming.  
*Leopoldi*, Hort.—Cf. Gard. Chron. (1876) i. 603.—Hab.?  
*leucaster*, Hoffm. Preiss. Verz. ed. VII. (1833) 22.—Hab.?  
*macracanthoides*, Miq. in Nov. Act. Nat. Cur. xviii. Suppl. i. (1841) 173.—Ins. S. Thomas.  
*macrocanthus*, Link & Otto, in Verh. Preuss. Ver. Gartenb. iii. (1827) 418. t. 12; Salm-Dyck, Hort. Dyck. 344.—Ind. occ.  
*macrocanthus*, Miq. in Linnaea, xi. (1837) 157 = *macracanthoides*.  
*mammillariaeformis*, Salm-Dyck, in Otto & Dietr. Allg. Gartenz. iv. (1836) 148.—Mexic.  
*melocactoides*, DC. Prod. iii. 461.—Bras.  
*meonacanthus*, Link & Otto, in Verh. Preuss. Ver. Gartenb. iii. (1827) t. 15 = *Echinocactus meonacanthus*.  
*microcephalus*, Miq. in Nov. Act. Nat. Cur. xviii. Suppl. i. (1841) 157.—Ins. Curaçao.  
*Miquelii*, Lehm. Del. Sem. Hort. Hamb. (1836); ex Miq. l. c. 149.—Ins. S. Crucis.  
*monoclonos*, DC. ex Steud. Nom. ed. II. ii. 122.—Ind. occ.; Guian.  
*Monvillianus*, Miq. in Nov. Act. Nat. Cur. xviii. Suppl. i. (1841) 133.—Hab.?  
*obtusipetalus*, Lem. Cact. Aliq. Nov. Desc. 11.—N. Granat.  
*octogonus*, Hort. ex Forbes, Hort. Tour Germ. 151, nomen.—Mexic.  
*Oreas*, Miq. in Nov. Act. Nat. Cur. xviii. Suppl. i. (1841) 192.—Bras.  
*orthacanthus*, Link & Otto, in Verh. Preuss. Ver. Gartenb. iii. (1827) t. 18 = *Echinocactus orthacanthus*.  
*Parthontii*, Hort. ex Miq. in Nov. Act. Nat. Cur. xviii. Suppl. i. (1841) 190 = *violaceus*.  
*parvispinus*, DC. Prod. iii. 463, in syn. = *Echinocactus parvispinus*.  
*pentacentrus*, Lem. Cact. Nov. Gen. et Sp. 103.—Bras.  
*placentiformis*, DC. Prod. iii. 460.—Bras.  
*platyacanthus*, Link & Otto, in Verh. Preuss. Ver. Gartenb. iii. (1827) t. 14 = *Echinocactus platyacanthus*.  
*poliacanthus*, Link & Otto, l. c. t. 16 = *Echinocactus polyacanthus*.  
*prolifer*, Hort. ex Otto & Dietr. Allg. Gartenz. i. (1833) 364 = *Echinocactus robustus*.  
*pyncacanthus*, Cels, ex Miq. in Nov. Act. Nat. Cur. xviii. Suppl. i. (1841) 200 b = *Lemairei*.  
*pyramidalis*, Link & Otto, in Verh. Preuss. Ver. Gartenb. iii. (1827) 419. t. 25.—Am. trop.  
*recurvus*, Link & Otto, l. c. t. 20 = *Echinocactus recurvus*.  
*rubens*, Hort. ex Miq. in Nov. Act. Nat. Cur. xviii. Suppl. i. (1841) 145 = *amoenus*.  
*rubens*, Pfeiff. Enum. Diagn. Cact. 43.—Ind. occ.  
*rufispinus*, Bertol. in Nov. Comm. Bonon. iii. (1839) 322. t. 26.—Hab.?  
*Salmianus*, Link & Otto, in Verh. Preuss. Ver. Gartenb. iii. (1827) 423. t. 13; et ex Salm-Dyck, Hort. Dyck. 345.—Ins. Curaçao.  
*Schlumbergerianus*, Lem. Illustr. Hortic. viii. (1861) Misc. 32.—Ins. S. Thomas.  
*Sellowii*, Link & Otto, in Verh. Preuss. Ver. Gartenb. iii. (1827) t. 22; et DC. Prod. iii. 461 = *Echinocactus Sellowii*.  
*Spatangus*, Hort. Berol. ex Pfeiff. Enum. Diagn. Cact. 45.—Ins. Curaçao.  
*tenuispinus*, Link & Otto, in Verh. Preuss. Ver. Gartenb. iii. (1827) t. 19 = *Echinocactus tenuispinus*.

D d



**MELOCACTUS:**

- tephracanthus*, Link & Otto, in Verh. Preuss. Ver. Gartenb. iii. (1827) t. 16 = *Echinocactus tephracanthus*.  
*tuberculatus*, Link & Otto, l. c. t. 26 = *Echinocactus tuberculatus*.  
*violaceus*, Pfeiff. in Otto & Dietr. Allg. Gartenz. iii. (1835) 313.—Bras.  
*viridescens*, Nutt. ex Teschem. in Journ. Bost. Soc. Nat. Hist. v. (1845) 293 = *Echinocactus viridescens*.  
*Wendlandii*, Miq. in Nov. Act. Nat. Cur. xviii. Suppl. i. (1841) 146.—Ins. S. Thomas.  
*xanthacanthus*, Miq. l. c. 169.—Ins. S. Thomas.  
*Zuccarinii*, Miq. in Linnaea, xi. (1837) 645.—Ins. Curaçao.

**MELOCALAMUS**, Benth. in Journ. Linn. Soc. xix. (1881) 134. *GRAMINEAE*, Benth. & Hook. f. iii. 1212.  
*compactiflorus*, Benth. in Journ. Linn. Soc. xix. (1881) 134.—Burma.

**MELOCANNA**, Trin. in Spreng. Neue Entdeck. ii. 43 (1821). *GRAMINEAE*, Benth. & Hook. f. iii. 1214.  
*IRULIA*, Bedd. Forest. Man. Bot. 235 (1873).  
*bambusoides*, Trin. in Spreng. Neue Entdeck. ii. 43.—Ind. or.  
*excelsa*, Roep. ex Trin. Clav. Agrost. 105, 397 = *Bambusa maxima*.  
*gracilis*, Kurz, ex Munro, in Trans. Linn. Soc. xxvi. (1868) 133.—Malaya.  
*humilis*, Kurz, in Journ. As. Soc. Beng. xlii. (1873) ii. 251.—Burma.  
*humilis*, Roep. ex Trin. Clav. Agrost. 105.—Malaya.  
*Kurzii*, Munro, in Trans. Linn. Soc. xxvi. (1868) 134.—Ins. Andaman.  
*Rheedii*, Steud. Syn. Pl. Gram. 332 = *bambusoides*.  
*travancorica*, F. Muell. Sel. Pl. Indust. Cult. 129.—Ind. or.  
*virgata*, Munro, in Trans. Linn. Soc. xxvi. (1868) 133 = *Cephalostachyum virgatum*.  
*Zollingeri*, Kurz, ex Munro, l. c. 134.—Java.

**MELOCHIA**, Dill. ex Linn. Syst. ed. I (1735).  
*STERCULACEAE*, Benth. & Hook. f. i. 223.  
*ALEURODENDRON*, Reinw. in Syll. Ratisb. ii. (1828) 12.  
*ALThERIA*, Thou. Gen. Nov. Madag. 19 (1806).  
*ANAMORPHA*, Karst. & Triana, in Linnaea, xviii. (1844) 443.  
*ANTIPHYLA*, Rafin. New Fl. Am. iv. 16 (1836).  
*GLOSSOSPERMUM*, Wall. Cat. n. 1153 (1831).  
*LOCHEMIA*, Arn. in Ann. Sc. Nat. Sér. II. xi. (1839) 172.  
*MELUCHIA*, Medic. in Staatsw. Vorles. Churpf. Phys.-Oek. Ges. i. (1791) 217.  
*MOLUCHIA*, Medic. Malv. 10 (1787).  
*MOUGEOTIA*, H. B. & K. Nov. Gen. et Sp. v. 326. tt. 483, 484 (1821).  
*PHYSOCODON*, Turcz. in Bull. Soc. Nat. Mosc. (1858) i. 212.  
*POLYCHLAENA*, G. Don, Gen. Syst. i. 488 (1831).  
*RIDDELLIA*, Rafin. New Fl. Am. iv. 15 (1836).  
*RIEDLEA*, Vent. in Mém. Inst. Sc. Phys. i. (1807) 2.  
*VISENIA*, Houtt. Handleid. viii. 308 (1777).  
*acutangula*, Span. in Linnaea, xv. (1841) 174.—Ins. Timor.  
*affinis*, Wall. Cat. n. 1198 = *corchorifolia*.  
*anomala*, Griseb. in Goett. Abh. xix. (1874) 93.—Reg. Argent.  
*arborea*, Blanco, Fl. Filip. ed. I. 524.—Ins. Philipp.  
*arenosa*, Benth. in Hook. Journ. Bot. iv. (1842) 127.—Bras.  
*aristata*, A. Gray, Bot. U. St. Expl. Exped. i. 193.—Ins. Samoa.  
*Berberianum*, Balb. ex DC. Prod. i. 492 = *Waltheria glabra*.  
*betonicaefolia*, A. St. Hil. Fl. Bras. Mer. i. 165.—Bras.  
*borbonica*, Cav. Diss. vi. 321.—Ins. Borbon.  
*Burmanni*, Zoll. & Mor. Syst. Verz. Zoll. 27 = *Corchorus javanicus*.  
*capitata*, Boj. Hort. Maurit. 38 = *corchorifolia*.  
*caracasana*, Jacq. Coll. ii. 369.—Venezuela.  
*carpinifolia*, Wendl. Bot. Beobacht. 52.—Ind. occ.  
*Chamaedrys*, A. St. Hil. Fl. Bras. Mer. i. 161.—Bras.  
*cinerea*, A. St. Hil. & Naud. in Ann. Sc. Nat. Sér. II. xviii. (1842) 35.—Bras.  
*Clinopodium*, A. St. Hil. & Naud. l. c. 36 = *hirsuta*, Cav.  
*concatenata*, Linn. Sp. Pl. 675 = *corchorifolia*.

**MELOCHIA:**

*concinna*, Miq. in Linnaea, xxii. (1849) 467.—Guian.  
*corchorifolia*, Linn. Sp. Pl. 675.—Cosmop. trop.  
*corchorifolia*, Wall. Cat. n. 1196 H = *Waltheria indica*.  
*cordata*, Burm. f. Fl. Ind. 143.—Ind. or.  
*cordiformis*, A. St. Hil. Fl. Bras. Mer. i. 166.—Bras.  
*corymbosa*, Meissn. ex Steud. Nom. ed. II. ii. 123 = *Physodium corymbosum*.  
*crenata*, Bert. ex Spreng. Syst. iii. 29 = *portoricensis*.  
*crenata*, Vahl, Symb. Bot. iii. 86 = *tomentosa*.  
*densiflora*, Miq. in Linnaea, xxii. (1849) 800.—Bras.  
*depressa*, Linn. Sp. Pl. 674.—Cuba.  
*depressa*, Mill. Gard. Dict. ed. VIII. n. 3 = *peruviana*.  
*diffusa*, Bert. ex Spreng. Syst. iii. 30 = *tomentosa*.  
*domingensis*, Jacq. Select. Am. 194 = *pyramidata*.  
*erecta*, Burm. f. Fl. Ind. 143.—Java.  
*fasciculata*, Benth. in Hook. Journ. Bot. iv. (1842) 127 = *parvifolia*.  
*fasciculata*, Noronha, in Verh. Batav. Gen. v. (1790) ed. I. Art. IV. 20 = *corchorifolia*.  
*frutescens*, Jacq. Obs. Bot. ii. 22 = *tomentosa*.  
*globifera*, Triana & Planch. in Ann. Sc. Nat. Sér. IV. xvii. (1862) 343.—N. Granat.  
*gracilis*, A. St. Hil. & Naud. l. c. Sér. II. xviii. (1842) 35 = *venosa*.  
*graminifolia*, A. St. Hil. Fl. Bras. Mer. i. 160.—Bras.  
*hermannioides*, A. St. Hil. l. c. 163.—Bras.  
*hirsuta*, Cav. Diss. vi. 323.—Mexic.  
*hirsuta*, Turcz. in Bull. Soc. Nat. Mosc. xxxvi. (1863) i. 570.—Peruv.  
*hispidula*, Hook. & Arn. Bot. Beech. Voy. 60.—Ins. Societ.  
*hypoleuca*, Miq. in Linnaea, xxii. (1849) 468.—Guian.  
*inflata*, Benth. Bot. Voy. Sulph. 71 = *lupulina*.  
*interrupta*, Hemsl. Biol. Centr. Am. Bot. i. 131.—Mexic.  
*jamaicensis*, Balb. ex DC. Prod. i. 492 = *venosa*.  
*Jurgenseni*, Hemsl. Biol. Centr. Am. Bot. i. 131.—Mexic.  
*kerriaefolia*, Triana & Planch. in Ann. Sc. Nat. Sér. IV. xvii. (1862) 341.—N. Granat.  
*lanata*, A. St. Hil. Fl. Bras. Mer. i. 167.—Bras.  
*lanceolata*, Benth. in Hook. Journ. Bot. iv. (1842) 128.—Bras.  
*lilacina*, A. St. Hil. Fl. Bras. Mer. i. 162.—Bras.  
*lupulina*, Sw. Prod. Veg. Ind. Occ. 97.—Am. trop.  
*macrophylla*, H. B. & K. Nov. Gen. et Sp. v. 324.—Mexic.  
*manducata*, Wright, in Sauv. Fl. Cub. 14.—Cuba.  
*melissaeifolia*, Benth. in Hook. Journ. Bot. iv. (1842) 129.—Guian.  
*mollis*, Triana & Planch. in Ann. Sc. Nat. Sér. IV. xvii. (1862) 343.—N. Granat.  
*mollissima*, Desf. Tabl. ed. I. 148, nomen; Pers. Syn. ii. 218.—Am. austr.  
*monoica*, Baill. Hist. Pl. iv. 74 = *Dicarpidium monoicum*.  
*neptoides*, A. St. Hil. Fl. Bras. Mer. i. 165.—Bras.  
*nitidula*, A. St. Hil. & Naud. in Ann. Sc. Nat. Sér. II. xviii. (1842) 35 = *venosa*.  
*nodiflora*, Sw. Prod. Veg. Ind. Occ. 97.—Am. trop.  
*oblonga*, Benth. in Hook. Journ. Bot. iv. (1842) 128.—Guian.  
*odorata*, Linn. f. Suppl. 302; Forst. f. Prod. 47.—Ins. Tanna.  
*ovata*, Desf. Tabl. ed. II. 172 = *Melhania abyssinica*.  
*parviflora*, Loud. Hort. Brit. 269 = seq.?  
*parvifolia*, H. B. & K. Nov. Gen. et Sp. v. 325.—Venezuela.  
*pauciflora*, Wall. Cat. n. 1199 = *corchorifolia*.  
*peruviana*, Desr. in Lam. Encyc. iv. 83.—Peruv.  
*plicata*, Presl, Rel. Haenk. ii. 145.—Mexic.  
*polystachya*, Triana & Planch. in Ann. Sc. Nat. Sér. IV. xvii. (1862) 341 = *venosa*.  
*portoricensis*, Spreng. Syst. iii. 29.—Ins. Portorico.  
*pulverulenta*, Miers, in Proc. Roy. Hort. Soc. iv. (1864) 185.—N. Granat.  
*pyramidata*, Linn. Sp. Pl. 674.—Am. calid.  
*rhodocalyx*, C. Koch & Bouché, in Ind. Sem. Hort. Berol. (1854) 14.—Hab.?  
*scordiifolia*, Turcz. in Bull. Soc. Nat. Mosc. xxxi. (1858) i. 207.—N. Granat.  
*scutellarioides*, Hemsl. Biol. Centr. Am. Bot. i. 131.—Mexic.  
*sericea*, A. St. Hil. Fl. Bras. Mer. i. 160 = *venosa*.  
*serrata*, A. St. Hil. & Naud. in Ann. Sc. Nat. Sér. II. xviii. (1842) 36 = *hirsuta*, Cav.  
*simplex*, A. St. Hil. Fl. Bras. Mer. i. 164.—Bras.  
*splendens*, A. St. Hil. & Naud. in Ann. Sc. Nat. Sér. II. xviii. (1842) 36.—Bras.

**MELOCHIA:**

*supina*, Linn. Sp. Pl. 675 = *corchorifolia*.  
*tenella*, Hemsl. Biol. Centr. Am. Bot. i. 132.—Mexic.  
*tomentella*, Hemsl. l. c.—Mexic.  
*tomentosa*, Linn. Syst. ed. X. 1140.—Am. trop.  
*truncata*, Wall. Cat. n. 1196 K = *Sida Schimperiana*.  
*truncata*, Willd. Sp. Pl. iii. 601 = *corchorifolia*.  
*Turpiniana*, H. B. & K. Nov. Gen. et Sp. v. 323 = *tomentosa*.  
*ulmarioides*, A. St. Hil. Fl. Bras. Mer. i. 159.—Bras.  
*ulmifolia*, Benth. in Hook. Journ. Bot. iv. (1842) 129.—Am. trop.  
*ulmifolia*, A. St. Hil. & Naud. in Ann. Sc. Nat. Sér. II. xviii. (1842) 36.—Bras.  
*varronifolia*, Desf. Cat. Hort. Par. ed. III. 252, nomen.—Hab.?  
*velutina*, Wall. ex Bedd. For. Man. Bot. 35. t. 5. f. 3 = *arborea*.  
*venosa*, Sw. Prod. Veg. Ind. Occ. 97.—Bras.  
*vestita*, Benth. in Hook. Journ. Bot. iv. (1842) 130 = *hirsuta*, Cav.  
*vitiensis*, A. Gray, Bot. U. St. Expl. Exped. i. 193 = *odorata*.

**MELOCHIA**, Rottb. in Act. Lit. Univ. Hafn. i. (1778) 296, absque char. (Quid?).  
*candelaris*, Rottb. l. c.—Guian.

**MELODINUS**, Forst. Char. Gen. 37. t. 19 (1776).

*APOCYNACEAE*, Benth. & Hook. f. ii. 694.  
*BICORONA*, A. DC. in DC. Prod. viii. 330 (1844).  
*ECHALTIUM*, Wight, Ic. t. 472 (1841).  
*LYCIMNIA*, Hance, in Walp. Ann. iii. 20 (1852).  
*ONCINUS*, Lour. Fl. Cochinch. 123 (1790).  
*acutiflorus*, F. Muell. in Trans. Phil. Inst. Vict. ii. (1858) 71.—Austral.  
*Baueri*, Endl. Prod. Fl. Norf. 57.—Ins. Norfolk.  
*chilocarpoides*, F. Muell. Fragm. vi. 118 = *Chilocarpus australis*.  
*Cumingii*, A. DC. in DC. Prod. viii. 330.—Ins. Philipp.; China.  
*eugenifolius*, Wall. Cat. n. 1616 = *Leuconotis eugenifolius*.  
*fasciculatus*, Blume, Mus. Bot. Lugd. Bat. i. 155.—Borneo.  
*Forbesii*, Fawc. in Forbes, Nat. Wand. East. Archip. 510.—Ins. Timor.  
*fusiformis*, Champ. ex Benth. in Hook. Kew Journ. iv. (1852) 332.—Ins. Hongkong.  
*Guilfoylei*, F. Muell. Fragm. vi. 118.—Austral.  
*khasianus*, Hook. f. Fl. Brit. Ind. iii. 629.—Reg. Himal.  
*laetus*, Champ. ex Benth. in Hook. Kew Journ. iv. (1852) 332 = *monogynus*.  
*laevigatus*, Blume, Mus. Bot. Lugd. Bat. i. 155.—Malaya.  
*laxiflorus*, Blume, l. c.—Java.  
*micranthus*, Hook. f. Fl. Brit. Ind. iii. 629.—Malacca.  
*monogynus*, Roxb. Hort. Beng. 20; Fl. Ind. ii. 56.—Reg. Himal.; Malaya; China.  
*orientalis*, Blume, Bijdr. 1026.—Malaya.  
*parvifolius*, Lodd. Cat.; ex Sweet, Hort. Brit. ed. II. 356, nomen.—Ind. or.  
*philippensis*, A. DC. in DC. Prod. viii. 330.—Ins. Philipp.  
*phillireoides*, Labill. Sert. Austro-Caled. 29. t. 33.—N. Caled.  
*scandens*, Forst. Char. Gen. 38.—N. Caled.  
*scandens*, Hassk. Cat. Hort. Bogor. Alt. 120 = *laxiflorus*.  
*scandens*, Seem. Fl. Vit. 155 = *vitiensis*.  
*suaveolens*, Champ. ex Benth. in Hook. Kew Journ. iv. (1852) 333.—Ins. Hongkong.  
*terminalis*, Span. in Linnaea, xv. (1841) 324, nomen.—Ins. Timor.  
*undulatus*, Lodd. Cat.; ex Sweet, Hort. Brit. ed. II. 356, nomen.—Ind. or.  
*vitiensis*, Rolfe, in Journ. Bot. xxi. (1883) 201.—Ins. Fiji.

**MELODORUM**, Hook. f. & Thoms. Fl. Ind. i. 115 (1855). *ANONACEAE*, Benth. & Hook. f. i. 28.

*FISSISTIGMA*, Griff. Notul. ii. 706 (1854).  
*MITRELLA*, Miq. Ann. Mus. Bot. Lugd. Bat. ii. 38 (1865).  
*PYRAMIDANTHE*, Miq. l. c. 39 (1865).  
*africanum*, Benth. in Trans. Linn. Soc. xxiii. (1862) 477.—Afr. trop.



**MELODORUM** :—

- bancanum, *Scheff. in Tijdschr. Nederl. Ind.* xxxi. (1870) 343; *et in Flora*, liii. (1870) 244.—Malaya.  
 Beccarii, *Scheff. in Ann. Jard. Buitenz.* ii. (1885) 24.—N. Guin.  
 bicolor, *Hook. f. & Thoms. Fl. Ind.* i. 119.—Reg. Himal.; Burma.  
 borneense, *Miq. Ann. Mus. Bot. Lugd. Bat.* ii. 36.—Borneo.  
 cinerascens, *Miq. l. c.* 37.—Sumatra.  
 clavipes, *Hance, in Journ. Bot.* xv. (1877) 328.—China.  
 cylindricum, *Maing. ex Hook. f. & Thoms. in Fl. Brit. Ind.* i. 80.—Malacca.  
 elegans, *Hook. f. & Thoms. Fl. Ind.* i. 122.—Malaya.  
 fulgens, *Hook. f. & Thoms. l. c.* 120.—Malaya.  
 glaucescens, *Hance, in Journ. Bot.* xix. (1881) 112.—China.  
 Griffithii, *Hook. f. & Thoms. Fl. Ind.* i. 120.—Burma.  
 hypoglaucum, *Miq. Ann. Mus. Bot. Lugd. Bat.* ii. 36.—Sumatra.  
 Kentii, *Hook. f. & Thoms. Fl. Ind.* i. 116.—Java.  
 Korthalsii, *Miq. Ann. Mus. Bot. Lugd. Bat.* ii. 37.—Borneo.  
 lanuginosum, *Hook. f. & Thoms. Fl. Ind.* i. 117.—Malaya.  
 latifolium, *Hook. f. & Thoms. l. c.*—Malaya.  
 Lefevrii, *Baill. Adansonia*, x. (1871) 108.—Cochinch.  
 Leichhardtii, *Benth. Fl. Austral.* i. 52.—Austral.  
 Maccraei, *F. Muell. Fragm.* vi. 176.—Austral.  
 macranthum, *Kurz, in Journ. As. Soc. Beng.* xli. (1872) ii. 291.—Burma.  
 Maingayi, *Hook. f. & Thoms. in Hook. f. Fl. Brit. Ind.* i. 80.—Penang.  
 manubriatum, *Hook. f. & Thoms. Fl. Ind.* i. 118.—Malaya.  
 mollissimum, *Miq. Fl. Ind. Bat. Suppl.* 374=latifolium.  
 parviflorum, *Scheff. in Tijdschr. Nederl. Ind.* xxxi. (1870) 344; *et in Flora*, liii. (1870) 244.—Malaya.  
 pisocarpum, *Hook. f. & Thoms. Fl. Ind.* i. 123.—Malacca.  
 polyanthum, *Hook. f. & Thoms. l. c.* 121.—Reg. Himal.  
 polycarpum, *Benth. in Trans. Linn. Soc.* xxiii. (1862) 477=Xylopi polycarpa.  
 prismaticum, *Hook. f. & Thoms. Fl. Ind.* i. 121.—Malaya.  
 punctulatum, *Baill. Adansonia*, x. (1871) 107.—N. Caled.  
 rubiginosum, *Hook. f. & Thoms. Fl. Ind.* i. 116.—Reg. Himal.; Burma.  
 rufo-nervum, *Hook. f. & Thoms. l. c.*—Reg. Himal.  
 sphaerocarpum, *Miq. Ann. Mus. Bot. Lugd. Bat.* ii. 38.—Java; Sumatra.  
 Uhrii, *F. Muell. Fragm.* vi. 2.—Austral.  
 verrucosum, *Hook. f. & Thoms. Fl. Ind.* i. 119.—Reg. Himal.  
 Wallichii, *Hook. f. & Thoms. l. c.* 118.—Reg. Himal.  
 Zippelii, *Miq. Ann. Mus. Bot. Lugd. Bat.* ii. 38.—Sumatra.

MELODORUM, Lour. Fl. Cochinch. 351 (1790)=  
**Unona**, Linn. f. (Anonac.).  
*arborescens*, Lour. l. c.=U. sylvatica.  
*fruticosum*, Lour. l. c.=U. dumetorum.

**MELOLOBIUM**, Eckl. & Zeyh. Enum. 188 (1836).

- LEGUMINOSAE**, Benth. & Hook. f. i. 478.  
 SPHINGIUM, E. Mey. Comm. Pl. Afr. Austr. 65 (1835).  
 adenoides, *Eckl. & Zeyh. Enum.* 190.—Afr. austr.  
 alpinum, *Eckl. & Zeyh. l. c.*—Afr. austr.  
 calycinum, *Benth. in Hook. Lond. Journ. Bot.* iii. (1844) 350.—Afr. austr.  
 canaliculatum, *Benth. l. c.* 353.—Afr. austr.  
 candicans, *Eckl. & Zeyh. Enum.* 189.—Afr. austr.  
 canescens, *Benth. in Hook. Lond. Journ. Bot.* iii. (1844) 351.—Afr. austr.  
 cernuum, *Eckl. & Zeyh. Enum.* 190.—Afr. austr.  
 collinum, *Eckl. & Zeyh. l. c.* 189.—Afr. austr.  
 decumbens, *Benth. in Hook. Lond. Journ. Bot.* iii. (1844) 352.—Afr. austr.  
 exudans, *Harv. in Harv. & Sond. Fl. Cap.* ii. 80.—Afr. austr.  
 humile, *Eckl. & Zeyh. Enum.* 190.—Afr. austr.  
 microphyllum, *Eckl. & Zeyh. l. c.* 189.—Afr. austr.  
 obovatum, *Harv. in Harv. & Sond. Fl. Cap.* ii. 81.—Afr. austr.

**MELOLOBIUM** :—

- parviflorum, *Benth. in Hook. Lond. Journ. Bot.* iii. (1844) 351.—Afr. austr.  
 spicatum, *Eckl. & Zeyh. Enum.* 190=cernuum.  
 squarrosus, *Eckl. & Zeyh. l. c.* 189=candicans.  
 stipulatum, *Harv. in Harv. & Sond. Fl. Cap.* ii. 81.—Afr. austr.  
 viscidulum, *Steud. Nom. ed. II.* ii. 123.—Afr. austr.

**MELOMPHIS**, Rafin. Fl. Tellur. ii. 21 (1836)=**Or-**

- nithogalum**, Tourn. (Liliac.).  
*arabica*, Rafin. l. c. 22=O. arabicum.  
*patens*, Rafin. l. c. iii. 59=O. arabicum.  
*peruviana*, Rafin. l. c. ii. 22=Scilla peruviana.  
*sicula*, Rafin. l. c.=Scilla peruviana.

**MELONEURA**, Rafin. Fl. Tellur. iv. 109 (1836)=**Utri-**

- cularia**, Linn. (Lentib.).  
*purpurea*, Rafin. l. c.=U. striatula.

**MELONGENA**, Tourn. ex Mill. Gard. Dict. ed. VI.

- (1752)=**Solanum**, Tourn.  
*incurva*, Mill. l. c. ed. VIII. n. 3=S. Melongena.  
*ovata*, Mill. l. c. n. 1=S. Melongena.  
*spinosa*, Mill. l. c. n. 4=S. Melongena.  
*teres*, Mill. l. c. n. 2=S. Melongena.

**MELORIMA**, Rafin. Fl. Tellur. iv. 53 (1836)=**Fritil-**

- laria**, Linn. (Liliac.).  
*cirrrosa*, Rafin. l. c.=F. cirrhosa.

**MELOSMON**, Rafin. Fl. Tellur. iii. 85 (1836)=**Teu-**

- erium**, Tourn. (Labi.).  
*bicolor*, Rafin. l. c.=T. bicolor.  
*campanulatum*, Rafin. l. c.=T. campanulatum.  
*orientale*, Rafin. l. c.=T. orientale.  
*rotundifolium*, Rafin. l. c.=T. pyrenaicum?

**MELOSPERMA**, Benth. in DC. Prod. x. 374 (1846).

- SCROPHULARINEAE**, Benth. & Hook. f. ii. 946.  
*andicola*, *Benth. in DC. Prod.* x. 374.—Chili.  
*angustifolia*, *Phil. in Anal. Univ. Chil.* (1873) 525.—Chili.  
*glabra*, *Phil. in Linnaea*, xxix. (1857-58) 26.—Chili.

**MELOTHRIA**, Linn. Coroll. Gen. 1 (1737). **CUCUR-**

- BITACEAE**, Benth. & Hook. f. i. 830.  
**AECHMANDRA**, Arn. in Hook. Lond. Journ. Bot. iii. (1841) 274.

- ARKEZOSTIS**, Rafin. New Fl. Am. iv. 100 (1836).  
**DICLIDOSTIGMA**, Kunze, in Linnaea, xvii. (1843) 576.

- HARLANDIA**, Hance, in Walp. Ann. ii. 648 (1852).

- JUCHIA**, M. Roem. Syn. Pepon. II, 48 (1846).

- KARIVIA**, Arn. in Hook. Journ. Bot. iii. (1841) 275.

- LANDERSIA**, Macfad. Fl. Jamaic. ii. 142 (1837).

- MELOTHRIX**, M. Laws. in Hook. f. Fl. Brit. Ind. i. 662 (1875).

- MELOTHRIA**, P. Br. Hist. Jamaic. 124 (1756).

- MUKIA**, Arn. in Hook. Journ. Bot. iii. (1841) 276.

- PILOGYNE**, Schrad. Ind. Sem. Hort. Gotting. (1835).

- Cf. Linnaea, xx. (1837) Litt. 89.

- SOLENA**, Lour. Fl. Cochinch. 514 (1790).

- ZEHNERIA**, Endl. Prod. Fl. Norf. 69 (1833).

- amplexicaulis, *Cogn. in DC. Monog. Phan.* iii. 621.—Ind. or.

- angolensis, *Cogn. l. c.* 606.—Afr. trop.

- angustiloba, *Cogn. l. c.* 579.—Mexic.

- Baueriana, *F. Muell. Fragm.* vi. 188.—Ins. Norfolk.

- bicirrhosa, *C. B. Clarke, in Hook. f. Fl. Brit. Ind.* ii. 627.—Burma.

- Candolleana, *Cogn. in DC. Monog. Phan.* iii. 578.—Paraguay.

- capillacea, *Cogn. l. c.* 600=triangularis.

- celebica, *Cogn. l. c.* 625.—Ins. Celebes.

- chlorocarpa, *Engelm. ex S. Wats. Bibliog. Ind. N.*

- Am. Bot. 395=pendula.

- cordata, *Cogn. in DC. Monog. Phan.* iii. 613.—Afr. austr.

- cordifolia, *Hook. f. in Oliver, Fl. Trop. Afr.* ii. 563.—Afr. trop.

- cucumerina, *Naud. in Ann. Sc. Nat. Sér. V.* vi. (1866) 10.—China.

- Cucumis, *Vell. Fl. Flum.* 29; i. t. 70.—Bras.

- Cunninghamii, *F. Muell. ex Benth. Fl. Austral.* iii. 320.—Austral.

- deltoidea, *Benth. in Hook. Niger Fl.* 368.—Afr. trop.

- deltoidea, *Thw. Enum. Pl. Zeyl.* 124=zeylanica.

**MELOTHRIA** :—

- edulis*, Rafin. New Fl. Am. iv. 15=pendula.  
 emirnensis, *Baker, in Journ. Linn. Soc.* xxi. (1884) 346.—Madag.  
 fluminensis, *Gardn. in Hook. Lond. Journ. Bot.* i. (1842) 173.—Bras.  
 foetida, *Desr. in Lam. Encyc.* iv. 87 (fetida)=Kedrostis foetidissima.  
 grandifolia, *Torr. & Gray, Fl. N. Am.* i. 541.—Am. bor.  
 Grayana, *Cogn. in DC. Monog. Phan.* iii. 591.—Ins. Tahiti.  
 guadalupensis, *Cogn. l. c.* 580=pervaga.  
 hederacea, *Cogn. l. c.* 611.—Afr. austr.  
 heterophylla, *Cogn. l. c.* 618.—As. trop.  
 hirsuta, *Cogn. in Mart. Fl. Bras.* vi. iv. 28. t. 5.—Bras.  
 Hookeri, *Cogn. in DC. Monog. Phan.* iii. 588.—Peruv.  
 indica, *Lour. Fl. Cochinch.* 35.—Cochinch.  
 japonica, *Maxim. ex Cogn. in DC. Monog. Phan.* iii. 599.—Japon.  
 javanica, *Cogn. l. c.* 625.—Java.  
 leiosperma, *Cogn. l. c.* 622.—Ind. or.  
 leucocarpa, *Cogn. l. c.* 601=odorata.  
 longepedunculata, *Cogn. l. c.* 612.—Abyssin.  
 lucida, *Cogn. l. c.* 606.—Madag.  
 maderaspatana, *Cogn. l. c.* 623.—As. et Afr. trop.  
 Mannii, *Cogn. l. c.* 617.—Afr. trop.  
 marginata, *Cogn. l. c.* 593=Rumphiana.  
 micrantha, *F. Muell. ex Cogn. l. c.* 603=Muelleri.  
 microcarpa, *Griseb. Cat. Pl. Cub.* 112=fluminensis.  
 microcarpa, *Shutt. ex Cogn. in DC. Monog. Phan.* iii. 587=pendula.  
 microsperma, *Cogn. l. c.* 611.—Afr. trop.  
 minutiflora, *Cogn. l. c.*—Afr. trop.  
 monoica, *Schrad. ex Steud. Nom. ed. II.* ii. 123=pendula.  
 mucronata, *Cogn. in DC. Monog. Phan.* iii. 608.—Ind. or.; Malaya.  
 Muelleri, *Benth. Fl. Austral.* iii. 320.—Austral.  
 nigra, *Rafin. Ann. Nat.* (1820) 15=pendula.  
 obtusiloba, *Cogn. in DC. Monog. Phan.* iii. 616.—Afr. austr.  
 obtusiloba, *Spruce, ex Cogn. l. c.* 585=fluminensis.  
 odorata, *Hook. f. & Thoms. ex C. B. Clarke, in Hook. f. Fl. Brit. Ind.* ii. 626.—Ind. or.; Malaya.  
 pendula, *Brewer & S. Wats. Bot. Calif.* i. 240=Echinocystis Bigelovii.  
 pendula, *Linn. Sp. Pl.* 35.—Am. bor.; Ind. occ.  
 pendula, *G. F. W. Mey. Prim. Fl. Esseq.* 279=fluminensis.  
 pendula, *Sieber, ex Cogn. in DC. Monog. Phan.* iii. 436=Memordica Charantia.  
 Peneyana, *Cogn. l. c.* 592.—Abyssin.  
 pentaphylla, *Naud. in Ann. Sc. Nat. Sér. IV.* xviii. (1862) 196.—N. Caled.  
 perpusilla, *Cogn. in DC. Monog. Phan.* iii. 607.—Ind. or.; Malaya.  
 pervaga, *Griseb. Fl. Brit. W. Ind.* 289.—Ind. occ.  
 prunifera, *Poepp. & Endl. Nov. Gen. et Sp.* ii. 55. t. 174=Selsyia prunifera.  
 punctata, *Cogn. in DC. Monog. Phan.* iii. 615.—Afr. austr.  
 punctata, *Rafin. New Fl. Am. iv.* 15=pendula.  
 punctatissima, *Cogn. in Mart. Fl. Bras.* vi. iv. 29.—Bras.  
 quinqueloba, *Eckl. & Zeyh. ex M. Roem. Syn. Pepon.* 99=Coccinia quinqueloba.  
 racemosa, *Cogn. in DC. Monog. Phan.* iii. 617.—Afr. trop.  
 Rauwenhoffii, *Cogn. l. c.* 597.—Java.  
 Regelii, *Naud. in Ann. Sc. Nat. Sér. V.* v. (1866) 35=japonica.  
 repanda, *Rafin. New Fl. Am. iv.* 14=pendula.  
 Rumphiana, *Scheff. in Ann. Jard. Buitenz.* i. (1876) 25.—Java.  
 Rutenbergiana, *Cogn. in Bremen, Abh.* vii. (1882) 251.—Madag.  
 samoensis, *A. Gray, Bot. U. St. Expl. Exped.* i. 641=Baueriana.  
 scabra, *Naud. in Ann. Sc. Nat. Sér. V.* vi. (1866) 10.—Mexic.  
 scrobiculata, *Cogn. in DC. Monog. Phan.* iii. 604.—Abyssin.  
 Thwaitesii, *Schweinf. Reliq. Kotschy.* 44. t. 29=tridactyla, zeylanica.  
 tomentosa, *Cogn. in DC. Monog. Phan.* iii. 614.—Abyssin.



**MELOTHRIA** :—

- triangularis, *Benth. in Hook. Niger Fl.* 367.—Afr. trop.  
 tridactyla, *Hook. f. in Oliver, Fl. Trop. Afr.* ii. 562.—Afr. trop.  
 trifoliolata, *F. Muell. Fragm.* v. 181=Alsomitra Hookeri.  
 trilobata, *Cogn. in Mart. Fl. Bras.* vi. iv. 26.—Bras.  
 uliginosa, *Cogn. l. c.*—Bras.  
 velutina, *Cogn. in DC. Monog. Phan.* iii. 613.—Afr. austr.  
 Wallichii, *C. B. Clarke, in Hook. f. Fl. Brit. Ind.* ii. 626.—Burma.  
 Warmingii, *Cogn. in Mart. Fl. Bras.* vi. iv. 27.—Bras.  
 zeylanica, *C. B. Clarke, in Hook. f. Fl. Brit. Ind.* ii. 626.—Zeylan.  
 zeylanica, *Koen. ex Wight & Arn. Prod.* 129 = Vitis pedata.

MELOTHRIX, *M. Laws. in Hook. f. Fl. Brit. Ind.* i. 662, (1875), err. typ. = *Melothria*, *Linn. (Cucurb.)*.

MELOTRIA, *P. Br. Hist. Jamaic.* 124 (1756) = praec.

MELUCHIA, *Medic. in Staatsw. Vorles. Churpf. Phys.-Oek. Ges. i.* (1791) 217 = *Melochia*, *Dill. (Stercul.)*.

MELVILLA, *A. Anders. in Journ. Arts & Sc.* xxv. (1807) 207; et ex *Lindl. Bot. Reg.* t. 852 (1824) = *Cuphea*, *P. Br. (Lythrar.)*.  
*speciosa*, *A. Anders. l. c.* = *C. Melvilla*.

MEMAECYLUM, *Mitch. in Act. Phys.-Med. Acad. Nat. Cur. viii.* (1748) App. 213 = *Epigaea*, *Linn. (Ericac.)*.

**MEMECYLON**, *Linn. Diss. Dass.* 16 (1747); *Amoen. Acad. i.* 399 (1749). *MELASTOMACEAE*, *Benth. & Hook. f. i.* 773.

LIJNDENIA, *Zoll. & Mor. Syst. Verz. Mor.* 10 (1846).

SCUTULA, *Lour. Fl. Cochinch.* 235 (1790).  
 SPATHANDRA, *Guill. & Perr. Fl. Seneg. Tent. i.* 313. t. 71 (1832).

VALIKAHA, *Adans. Fam.* ii. 84 (1763).  
 acuminatissimum, *Blume, Mus. Bot. Lugd. Bat. i.* 360.—Sumatra.

acuminatum, *Sm. in Rees, Cycl.* xxiii. n. 4.—Malacca.  
 acuminatum, *Wall. Cat. n.* 4105 = (Gen. ?)—Ind. or.  
 Afzelii, *R. Br. ex Triana, in Trans. Linn. Soc.* xxviii. (1871) 156 = polyanthemus.

Afzelii, *G. Don, Gen. Syst.* ii. 655.—Afr. trop.  
 amabile, *Bedd. Forest. Man. Bot.* 115.—Ind. or.  
 ambiguum, *Blume, Mus. Bot. Lugd. Bat. i.* 359 = grande.

Amberstianum, *C. B. Clarke, in Hook. f. Fl. Brit. Ind.* ii. 557.—Burma.  
 amplexicaule, *Roxb. Hort. Beng.* [88]; *Fl. Ind.* ii. 260.—Ind. or.; Penang.

angulatum, *Reichb. ex DC. Prod.* iii. 5.—Ins. Maurit.  
 angustifolium, *Wight, Illustr.* i. 215.—Ind. or.  
 appendiculatum, *Blume, Mus. Bot. Lugd. Bat. i.* 361.—Borneo.

Arnottianum, *Wight, ex Thw. Enum. Pl. Zeyl.* 113.—Zeylan.

australe, *F. Muell. ex Triana, in Trans. Linn. Soc.* xxviii. (1871) 159 = pauciflorum.

Barteri, *Hook. f. in Oliver, Fl. Trop. Afr.* ii. 462.—Afr. trop.

blakeoides, *G. Don, Gen. Syst.* ii. 655 (blackioides).—Afr. trop.

buxifolium, *Blume, Mus. Bot. Lugd. Bat. i.* 363.—Madag.

caeruleum, *Hook. f. in Oliver, Fl. Trop. Afr.* ii. 461 = *M. Spathandra*.

caeruleum, *Jack, in Malay. Misc.* i. (1820) v. 26.—Malaya.

calderense, *A. Gray, Bot. U. St. Expl. Exped.* i. 574. t. 71 = paniculatum.

Calleryanum, *Naud. in Ann. Sc. Nat. Sér. III.* xviii. (1852) 275 = Cumingianum.

caloneuron, *Miq. Fl. Ind. Bat. Suppl.* 321.—Ins. Banca.

campanulatum, *C. B. Clarke, in Hook. f. Fl. Brit. Ind.* ii. 563.—Malaya.

campongum, *C. B. Clarke, l. c.* 554, err. typ., vide lampongum.

capense, *Eckl. & Zeyh. Enum.* 274.—Afr. austr.

capitellatum, *Blume, Bijdr.* 1094 = myrsinoides.

**MEMECYLON** :—

capitellatum, *Heyne, ex Triana, in Trans. Linn. Soc.* xxviii. (1871) 158 = edule.

capitellatum, *Linn. Sp. Pl.* 349.—Zeylan.

capitellatum, *Sm. in Rees, Cyclop.* xxiii. n. 1 = sphaerocarpum.

capitellatum, *Span. in Linnaea, xv.* (1841) 203 = pauciflorum.

capitellatum, *Willd. Sp. Pl.* iv. 347 = floribundum.

celastrinum, *Kurz, For. Fl. Brit. Burma, i.* 515 = grande.

cerasiforme, *Kurz, l. c.* 516.—Chittagong.

cinnamomioides, *G. Don, Gen. Syst.* ii. 655.—Afr. trop.

clausiflorum, *Naud. in Ann. Sc. Nat. Sér. III.* xviii. (1852) 274 = Cumingianum.

coeruleum, *Auct. vide caeruleum.*

confine, *Blume, Mus. Bot. Lugd. Bat. i.* 357 = glomeratum.

confusum, *Blume, l. c.* 362 = sphaerocarpum.

cordatum, *Desr. in Lam. Encyc.* iv. 89.—Ins. Maurit.

cordatum, *Gardn. ex Triana, in Trans. Linn. Soc.* xxviii. (1871) 158 = amplexicaule.

cordatum, *Wall. Cat. n.* 4100 = amplexicaule, caeruleum.

costatum, *Miq. Anal. Bot. Ind.* i. 29.—Malaya.

crassinerve, *Blume, Mus. Bot. Lugd. Bat. i.* 363.—Madag.

Cumingianum, *Presl, Epim. Bot.* 209.—Ins. Philipp.

Cumingii, *Naud. in Ann. Sc. Nat. Sér. III.* xviii. (1852) 273 (Cunningii) = Preslianum.

cuneatum, *Thw. Enum. Pl. Zeyl.* 112 = edule.

deccanense, *C. B. Clarke, in Hook. f. Fl. Brit. Ind.* ii. 560.—Ind. or.

depressum, *Benth. in Wall. Cat. n.* 4101 = amplexicaule.

diversifolium, *Presl, Epim. Bot.* 208.—Ins. Philipp.

dolichophyllum, *Naud. in Ann. Sc. Nat. Sér. III.* xviii. (1852) 266.—Madag.

Donianum, *Planch. ex Benth. in Hook. Niger Fl.* 357.—Afr. trop.

dumosum, *Naud. in Ann. Sc. Nat. Sér. III.* xviii. (1852) 270 = buxifolium.

edule, *Roxb. Pl. Corom.* i. 59. t. 82.—Ind. or.; Malaya.

Elaeagni, *Blume, Mus. Bot. Lugd. Bat. i.* 356.—Ins. Seychell.

elegans, *Kurz, in Journ. As. Soc. Beng.* xli. (1872) II. 307.—Ins. Andam.

elegantulum, *Thw. Enum. Pl. Zeyl.* 112.—Zeylan.

ellipticum, *Thw. l. c.*—Zeylan.

euryhynchum, *Miq. Fl. Ind. Bat. Suppl.* 322.—Sumatra.

excelsum, *Blume, Bijdr.* 1094.—Java.

fasciculare, *Naud. in Ann. Sc. Nat. Sér. III.* xviii. (1852) 263, 282.—Afr. trop.

ferreum, *Blume, Bijdr.* 1095 = edule.

floribundum, *Benth. in Wall. Cat. n.* 4113 = Eugenia balsamea.

floribundum, *Blume, Mus. Bot. Lugd. Bat. i.* 361.—Java.

fuscescens, *Thw. Enum. Pl. Zeyl.* 111.—Zeylan.

garcinioides, *Blume, Mus. Bot. Lugd. Bat. i.* 358.—Sumatra.

Gardneri, *Thw. Enum. Pl. Zeyl.* 113.—Zeylan.

globiferum, *Wall. Cat. n.* 4108 = edule.

glomeratum, *Blume, Mus. Bot. Lugd. Bat. i.* 356.—Sumatra.

gracile, *Bedd. Forest. Man. Bot.* 115.—Ind. or.

grande, *Blume, Bijdr.* 1095 = costatum.

grande, *Heyne, in Wall. Cat. n.* 4102 = Heyneanum.

grande, *Retz. Obs.* iv. 26.—Zeylan.; Malaya.

grande, *Sm. in Rees, Cyclop.* xxiii. n. 6 = caeruleum.

grande, *Wall. Cat. n.* 4103, partim = edule.

grandifolium, *Naud. in Ann. Sc. Nat. Sér. III.* xviii. (1852) 266.—Madag.

Griffithianum, *Kurz, in Journ. As. Soc. Beng.* xlvi. (1877) II. 82 = grande.

Griffithianum, *Naud. in Ann. Sc. Nat. Sér. III.* xviii. (1852) 274.—Burma.

Harveyi, *Seem. Fl. Vit.* 85.—Ins. Fiji.

hepaticum, *Blume, Mus. Bot. Lugd. Bat. i.* 357.—Borneo.

heteropleurum, *Blume, l. c.* 362.—Sumatra.

Heudelotii, *Naud. in Ann. Sc. Nat. Sér. III.* xviii. (1852) 265 = fasciculare.

Heyneanum, *Benth. in Wall. Cat. n.* 4102.—Ind. or.

Heyneanum, *Wight & Arn. Prod.* 319 = deccanense.

Hookeri, *Thw. Enum. Pl. Zeyl.* 113.—Zeylan.

**MEMECYLON** :—

Horsfieldii, *Miq. Fl. Ind. Bat. i.* i. 572 = grande.

intermedium, *Blume, Mus. Bot. Lugd. Bat. i.* 358.—Burma; Malaya.

jambosoides, *Wight, Illustr.* i. 215 = Heyneanum.

laevigatum, *Blume, Mus. Bot. Lugd. Bat. i.* 358.—Burma; Malaya.

lampongum, *Miq. Fl. Ind. Bat. Suppl.* 321.—Sumatra.

lanceolatum, *Blanco, Fl. Filip. ed. I.* 301 = Preslianum.

latifolium, *Boj. Hort. Maurit.* 133 = cordatum.

laurifolium, *Naud. in Ann. Sc. Nat. Sér. III.* xviii. (1852) 277 = floribundum.

laurinum, *Blume, Mus. Bot. Lugd. Bat. i.* 359.—Malaya.

laxiflorum, *DC. Prod.* iii. 6 = sphaerocarpum.

laxiflorum, *Wall. Cat. n.* 4472 = grande.

leucanthum, *Thw. Enum. Pl. Zeyl.* 110 = edule.

ligustrifolium, *Champ. ex Benth. in Hook. Kew Journ.* iv. (1852) 117.—Ins. Hongkong.

ligustrinum, *Naud. in Ann. Sc. Nat. Sér. III.* xviii. (1852) 271 = sphaerocarpum.

lilacinum, *Zoll. & Mor. Syst. Verz. Zoll.* 9 = myrsinoides.

longicuspe, *Baker, in Journ. Linn. Soc.* xx. (1883) 150.—Madag.

Loureirii, *Triana, in Trans. Linn. Soc.* xxviii. (1871) 156 = Lurerii.

lucidum, *Presl, Epim. Bot.* 209 = edule.

Lurerii, *Naud. in Ann. Sc. Nat. Sér. III.* xviii. (1852) 282 = umbellatum.

luteolum, *Miq. Fl. Ind. Bat. Suppl.* 323.—Sumatra.

lutescens, *Naud. in Ann. Sc. Nat. Sér. III.* xviii. (1852) 269.—Madag.

lutescens, *Presl, Epim. Bot.* 208 = caeruleum.

macrocarpum, *Thw. Enum. Pl. Zeyl.* 110 = ovoideum.

macrophyllum, *Thw. l. c.* 111.—Zeylan.

Maingayi, *C. B. Clarke, in Hook. f. Fl. Brit. Ind.* ii. 557.—Malacca.

malabaricum, *Kostel. Allg. Med.-Pharm. Flora*, iv. 1517.—Ind. or.

manillanum, *Naud. in Ann. Sc. Nat. Sér. III.* xviii. (1852) 276 = caeruleum.

Mannii, *Hook. f. in Oliver, Fl. Trop. Afr.* ii. 461.—Afr. trop.

marginatum, *Blume, Mus. Bot. Lugd. Bat. i.* 363.—Malaya.

melastomoides, *Naud. in Ann. Sc. Nat. Sér. III.* xviii. (1852) 265.—Madag.

membranifolium, *Hook. f. in Oliver, Fl. Trop. Afr.* ii. 462.—Afr. trop.

micranthum, *Blume, Mus. Bot. Lugd. Bat. i.* 360 = oleaefolium, *Blume*.

microstomum, *C. B. Clarke, in Hook. f. Fl. Brit. Ind.* ii. 557.—Malacca.

minutiflorum, *Miq. Fl. Ind. Bat. Suppl.* 323.—Sumatra.

myricoides, *Naud. in Ann. Sc. Nat. Sér. III.* xviii. (1852) 269.—Madag.

myrsinoides, *Blume, Mus. Bot. Lugd. Bat. i.* 356.—Malaya.

myrtifolium, *Wall. Cat. n.* 4111 = edule.

myrtiforme, *Naud. in Ann. Sc. Nat. Sér. III.* xviii. (1852) 270.—Madag.

Myrtilli, *Blume, Mus. Bot. Lugd. Bat. i.* 357 = laevigatum.

nigrescens, *Hook. & Arn. Bot. Beech. Voy.* 186.—China.

nigrescens, *Miq. Fl. Ind. Bat. i.* i. 578 = glomeratum.

nudum, *Blume, Mus. Bot. Lugd. Bat. i.* 361 = appendiculatum.

obovatum, *Neraud, ex Triana, in Trans. Linn. Soc.* xxviii. (1871) 156 = sphaerocarpum.

obtusum, *Wall. Cat. n.* 4110 = edule.

oleaefolium, *Baker, in Journ. Linn. Soc.* xxi. (1884) 343.—Madag.

oleaefolium, *Blume, Mus. Bot. Lugd. Bat. i.* 359.—Sumatra.

oligoneurum, *Blume, l. c.* 353.—Java.

orbiculare, *Thw. Enum. Pl. Zeyl.* 112.—Zeylan.

ovatum, *Sm. in Rees, Cyclop.* xxiii. n. 3 = edule.

ovoideum, *Thw. Enum. Pl. Zeyl.* 112.—Zeylan.

pachyderme, *Wall. Cat. n.* 4104 = laevigatum.

paniculatum, *Jack, in Malay. Misc.* ii. (1822) n. VII. 62.—Malaya.



## MEMECYLON:—

- paniculatum*, Miq. Fl. Ind. Bat. i. 1. 572 = *acuminatissimum*.  
*parviflorum*, Blanco, Fl. Filip. ed. I. 300 = *edule*.  
*parvifolium*, Thw. Enum. Pl. Zeyl. 113 = *varians*.  
*pauciflorum*, Blume, Mus. Bot. Lugd. Bat. i. 356.—Ind. or.; Malaya; Austral.  
*pauciflorum*, Wall. Cat. n. 414 = *Canthium confertum*.  
*Pervilleanum*, Naud. in Ann. Sc. Nat. Sér. III. xviii. (1852) 272 = *M. Elaeagni*.  
*phyllanthifolium*, Thw. ex Triana, in Trans. Linn. Soc. xxviii. (1871) 159, nomen.—Zeylan.  
*Pierrei*, Hance, in Journ. Bot. xv. (1877) 334.—Cambodia.  
*plebejum*, Kurz, For. Fl. Brit. Burma, i. 513.—Burma.  
*polyanthemum*, Hook. f. in Oliver, Fl. Trop. Afr. ii. 463.—Afr. trop.  
*prasinum*, Naud. in Ann. Sc. Nat. Sér. III. xviii. (1852) 275 = *edule*.  
*Preslianum*, Triana, in Trans. Linn. Soc. xxviii. (1871) 157.—Ins. Philipp.  
*procerum*, Thw. Enum. Pl. Zeyl. 415.—Zeylan.  
*prunifolium*, Naud. in Ann. Sc. Nat. Sér. III. xviii. (1852) 268 = *angulatum*.  
*Pseudo-nigrescens*, Blume, Mus. Bot. Lugd. Bat. i. 357 = *glomeratum*.  
*pulchrum*, Kurz, in Journ. As. Soc. Beng. xli. (1872) ii. 307 = *caeruleum*.  
*punctatum*, Presl, Bot. Bemerk. 67 = *edule*.  
*pyrifolium*, Naud. in Ann. Sc. Nat. Sér. III. xviii. (1852) 277 = *edule*.  
*pyrifolium*, Presl, Epim. Bot. 210 = *Cumingianum*.  
*pyriforme*, Wight, in Wall. Cat. n. 4106 (non *Melastomac.*).—Ind. or.  
*ramiflorum*, Boj. Hort. Maurit. 132 = *sphaerocarpum*.  
*ramiflorum*, Desr. in Lam. Encyc. iv. 88 = *edule*.  
*revolutum*, Thw. Enum. Pl. Zeyl. 111.—Zeylan.  
*rhamnoideum*, Naud. in Ann. Sc. Nat. Sér. III. xviii. (1852) 271 = *sphaerocarpum*.  
*rhizophyllum*, Thw. Enum. Pl. Zeyl. 110.—Zeylan.  
*roboreum*, Naud. in Ann. Sc. Nat. Sér. III. xviii. (1852) 268.—Madag.  
*rostratum*, Thw. Enum. Pl. Zeyl. 111.—Zeylan.  
*Royenii*, Blume, Mus. Bot. Lugd. Bat. i. 360 = *grande*.  
*rubro-caeruleum*, Thw. Enum. Pl. Zeyl. 415 = *edule*.  
*scutellatum*, Hook. & Arn. Bot. Beech. Voy. 186 = *ligustrifolium*.  
*scutellatum*, Naud. in Ann. Sc. Nat. Sér. III. xviii. (1852) 282 = *edule*.  
*sessile*, Benth. in Wall. Cat. n. 4112 = *amplexicaule*, *edule*.  
*sparsiflorum*, Boj. Hort. Maurit. 132 (Quid?).—Hab.?  
*Spathandra*, Blume, Mus. Bot. Lugd. Bat. i. 361.—Afr. trop.  
*sphaerocarpum*, DC. Prod. iii. 6.—Ins. Maurit.  
*strumosum*, Naud. in Ann. Sc. Nat. Sér. III. xviii. (1852) 267.—Madag.  
*subquadrangulare*, DC. Prod. iii. 6 = *edule*.  
*subtrinervium*, Miq. Fl. Ind. Bat. Suppl. 322.—Sumatra.  
*sylvaticum*, Thw. Enum. Pl. Zeyl. 110 = *laevigatum*.  
*terminale*, Dalz. in Hook. Kew Journ. iii. (1851) 121.—Ind. or.  
*Thomsoni*, Thw. Enum. Pl. Zeyl. 416 = *varians*.  
*Thouarsianum*, Naud. in Ann. Sc. Nat. Sér. III. xviii. (1852) 267.—Madag.  
*tinctorium*, Blume, Bijdr. 1094 = *floribundum*.  
*tinctorium*, Koen. ex Willd. Sp. Pl. ii. 347 = *edule*.  
*tinctorium*, Sieber, ex Blume, Mus. Bot. Lugd. Bat. i. 362 = *sphaerocarpum*.  
*trinerve*, DC. Prod. iii. 5.—Ins. Maurit.  
*trinerve*, Hassk. Cat. Hort. Bog. Alt. 259 = *oligo-nervium*.  
*ulopterum*, DC. Prod. iii. 5.—Madag.  
*umbellatum*, Benth. Fl. Austral. iii. 293 = *pauciflorum*.  
*umbellatum*, Blume, Bijdr. 1094 = *intermedium*.  
*umbellatum*, Burm. f. Fl. Ind. 87 = *edule*.  
*umbellatum*, Gaertn. Fruct. ii. 207 = *Samara laeta*.  
*umbellatum*, Kostel. Allg. Med.-Pharm. Flora, iv. 1517.—Cochinch.  
*umbellatum*, Presl, Epim. Bot. 208 = *Preslianum*.  
*varians*, Thw. Enum. Pl. Zeyl. 112.—Zeylan.  
*virescens*, Hook. f. in Oliver, Fl. Trop. Afr. ii. 463.—Afr. trop.

## MEMECYLON:—

- vitiense*, A. Gray, Bot. U. St. Expl. Exped. i. 573.—Ins. Fiji.  
*Vogelii*, Naud. in Ann. Sc. Nat. Sér. III. xviii. (1852) 263.—Afr. trop.  
*Vosmaerianum*, Scheff. in Tijdschr. Nederl. Ind. xxxi. (1870) 356 = *laevigatum*.  
*Walkerii*, Hook. ex C. B. Clarke, in Hook. f. Fl. Brit. Ind. ii. 564 = *edule*.  
*Wightianum*, Triana, in Trans. Linn. Soc. xxviii. (1871) 158 = *deccanense*.  
*Wightii*, Thw. Enum. Pl. Zeyl. 113.—Ind. or.; Zeylan.  
**MEMORA**, Miers, in Proc. Roy. Hort. Soc. iii. (1863) 185 = *Adenocalymma*, Mart. (Bignon.).  
*alba*, Miers, l. c. = *Macfadyena bracteosa*.  
*albiflora*, Miers, l. c. = *Bignonia albiflora*.  
*Candolleana*, Miers, l. c. = *Spathodea Candolleana*.  
*crassifolia*, Miers, l. c. = *Bras*.  
*diffusa*, Miers, l. c. = *Venezuela*.  
*fluminensis*, Miers, l. c. = *Bignonia fluminensis*.  
*laserpitifolia*, Miers, l. c. = *Bignonia laserpitifolia*.  
*nobilis*, Miers, l. c. = *Guian*.  
*nodosa*, Miers, l. c. = *Bignonia nodosa*.  
*patula*, Miers, l. c. iv. (1864) 161.—*Venezuela*.  
*pedunculata*, Miers, l. c. iii. (1863) 185 = *Bignonia pedunculata*.  
*perianthomega*, Miers, l. c. = *Bignonia perianthomega*.  
*pinnatifolia*, Miers, l. c. = *Guian*.  
*Schomburgkii*, Miers, l. c. = *Spathodea Schomburgkii*.  
*tetraquetras*, Miers, l. c. = *Bignonia tetraquetra*.  
*vaga*, Miers, l. c. = *Bras*.

- MEMORIALIS**, Buch.-Ham. in Wall. Cat. sub n. 4598 et n. 4601 (1831) = **Pouzolzia**, Gaudich. (Urtic.).  
*ambigua*, Wedd. in Arch. Mus. Par. viii. (1855-56) 430 = *P. Wightii*.  
*aquatica*, Wedd. l. c. 418 = *P. pentandra*.  
*bracteata*, Wedd. l. c. 421 = *P. caudata*.  
*caudata*, Wedd. l. c. 425 = *P. caudata*.  
*ciliaris*, Buch.-Ham. in Wall. Cat. n. 4598 = *P. pentandra*.  
*concinna*, Wedd. in DC. Prod. xvi. i. 235<sup>4</sup> = *P. Wightii*.  
*Dalzellii*, Wedd. in Arch. Mus. Par. viii. (1855-56) 431 = *P. integrifolia*.  
*hirta*, Wedd. in DC. Prod. xvi. i. 235<sup>6</sup> = *P. Bennettiana*.  
*hispida*, Buch.-Ham. ex Wall. Cat. sub n. 4601 = *P. Bennettiana*.  
*integrifolia*, Wedd. in DC. Prod. xvi. i. 235<sup>8</sup> = *P. integrifolia*.  
*lythroides*, F. Muell. Fragm. v. 194 = *P. quinque-nervis*.  
*mysorensis*, Wedd. in Arch. Mus. Par. viii. (1855-56) 428 = *P. Bennettiana*.  
*nilghirensis*, Wedd. l. c. 420 = *P. Wightii*.  
*parvifolia*, Wedd. l. c. 432 = *P. parvifolia*.  
*pentandra*, Wedd. in DC. Prod. xvi. i. 235<sup>2</sup> = *P. pentandra*.  
*quinquenervis*, Buch.-Ham. in Wall. Cat. sub n. 4601 = *P. quinquenervis*.  
*scabra*, Wedd. in Arch. Mus. Par. viii. (1855-56) 423 = *P. scabra*.  
*ternata*, Wedd. l. c. 422 = *P. Wightii*.  
*triandra*, Wedd. in DC. Prod. xvi. i. 235<sup>9</sup> = *P. parvifolia*.

- MEMECYLON**, Griff. Notul. iv. 673 (1854), sphalm. = **Memecylon**, Linn. (Melastom.).

- MENADENA**, Rafn. Fl. Tellur. ii. 98 (1836) = **Maxillaria**, Ruiz & Pav. (Orchid.).  
*Parkeri*, Rafn. l. c. 99 = *M. Parkerii*.

- MENADENIUM**, Rafn. Fl. Tellur. iv. 45 (1836) = **Zygopetalum**, Hook. (Orchid.).  
*rostratum*, Rafn. l. c. = *Z. rostratum*.

- MENAIIS**, Loeffl. It. Hisp. 306 (1758). Gen. dub.—Cf. Benth. & Hook. f. ii. 838.  
*blanda*, Blanco, Fl. Filip. ed. I. 139; ex DC. Prod. ix. 512 = *seq.*  
*mollis*, Blanco, l. c. = *Ehretia acuminata*.  
*topiaria*, Linn. Sp. Pl. ed. II. 251.—Am. austr.

- MENALIA**, Noronha, in Verh. Batav. Gen. v. (1790) ed. I. Art. iv. 2 = **Wallichia**? Roxb. (Palm.).

- MENANTHOS**, St. Lag. in Ann. Soc. Bot. Lyon, vii. (1880) 43, 56 = **Menyanthes**, Tourn. (Gentian.).

- MENARDA**, Comm. ex A. Juss. Euph. Tent. 23. t. 6 (1824) = **Phyllanthus**, Linn. (Euphorb.).  
*capillaris*, Baill. Adansonia, i. (1860-61) 85 = *P. capillaris*.  
*cryptophila*, A. Juss. Euph. Tent. 109 = *P. cryptophilus*.  
*Goudotiana*, Baill. Adansonia, ii. (1861-62) 62 = *P. Goudotianus*.  
*linifolia*, Baill. l. c. i. (1860-61) 84 = *P. pentandrus*.  
*nummularifolia*, Baill. Etud. Gén. Euph. 609 = *P. nummulariaefolius*.  
*pulchella*, Baill. l. c. = *P. multiflorus*.

- MENDEVILLA**, Poit. in Rev. Hort. Sér. II. iv. (1845-46) 166, sphalm. = **Mandevilla**, Lindl. (Apocyn.).

- MENDEZIA**, DC. Prod. v. 532 (1836) = **Spilanthus**, Linn. (Compos.).  
*bicolor*, DC. l. c. 533 = *S. bicolor* & *Zinnia bicolor*.

- MENDOCINA**, Walp. Ann. iii. 209 (1852-53) sphalm. = *seq.*

- MENDONCIA**, Vell. ex Vand. Fl. Lusit. 43, t. 3. f. 22 (1788). **ACANTHACEAE**, Benth. & Hook. f. ii. 1072.

- ENGELIA*, Karst. ex Nees, in DC. Prod. xi. 721 (1847).  
**MENDOZIA**, Ruiz et Pav. Prod. 89, t. 17 (1794).  
*albida*, Vell. Fl. Flum. 263; vi. t. 85 = *puberula*.  
*angustifolia*, Poepp. ex Nees, in DC. Prod. xi. 52 = *hirsuta*.  
*aspera*, Nees, l. c. 51.—Peruv.  
*coccinea*, Vell. Fl. Flum. 263; vi. t. 86.—Bras.  
*costaricana*, Oerst. in Kjoeb. Vidensk. Meddel. (1854) 113.—Costa Rica.  
*glabra*, Nees, in DC. Prod. xi. 52.—Peruv.  
*hirsuta*, Nees, l. c.—Peruv.  
*Hoffmannseggiana*, Nees, l. c. 50.—Bras.  
*madagascariensis*, Radlk. in Bremen, Abh. viii. (1884) 467.—Madag.  
*Meyeniana*, Nees, in DC. Prod. xi. 51.—Bras.  
*multiflora*, Nees, l. c. 52.—Bras.  
*Perrottetiana*, Nees, l. c. 53.—Guian.  
*pilosa*, Nees, l. c. 50.—Bras.  
*puberula*, Nees, l. c. 53.—Bras.  
*pubescens*, Nees, l. c. = *puberula*.  
*racemosa*, Nees, l. c. 54.—Peruv.  
*Riedeliana*, Nees, l. c. 51.—Bras.  
*rotundifolia*, Nees, l. c. = *aspera*.  
*Schomburgkiana*, Nees, l. c. 53.—Guiana.  
*Schottiana*, Nees, l. c. 51.—Bras.  
*Sellowiana*, Nees, l. c. 53.—Bras.  
*speciosa*, Nees, l. c. 54.—Peruv.  
*Splitgerberiana*, De Vriese, in Nederl. Kruidk. Arch. i. (1848) 353.—Guiana.  
*squamuligera*, Nees, in DC. Prod. xi. 50.—Guiana.  
*strigosa*, Poepp. ex Nees, l. c. 52 = *multiflora*.  
*tomentosa*, Poepp. ex Nees, l. c.—Bras.  
*Velloziana*, Nees, l. c.—Bras.

- MENDONI**, Adans. Fam. ii. 48, 576 (1763) = **Gloriosa**, Linn. (Liliac.).

- MENDOZIA**, Ruiz et Pav. Prod. 89, t. 17 (1794) = **Mendoncia**, Vell. (Acanth.).  
*spera*, Ruiz & Pav. Syst. Veg. 158 = *Mendoncia aspera*.  
*glabra*, Poepp. & Endl. Nov. Gen. et Sp. iii. 10 = *Mendoncia glabra*.  
*granulosa*, Poepp. ex Nees, in Mart. Fl. Bras. ix. 11 = *Mendoncia pilosa*.  
*hirsuta*, Poepp. & Endl. Nov. Gen. et Sp. iii. 10 = *Mendoncia hirsuta*.  
*Hoffmannseggiana*, Nees, in Mart. Fl. Bras. ix. 9 = *Mendoncia Hoffmannseggiana*.  
*lancifolia*, Presl, Bot. Bemerk. 147.—Bras.  
*Meyeniana*, Nees, in Mart. Fl. Bras. ix. 11 = *Mendoncia Meyeniana*.  
*multiflora*, Poepp. & Endl. Nov. Gen. et Sp. iii. 10 = *Mendoncia multiflora*.  
*pilosa*, Mart. Nov. Gen. et Sp. iii. 21 = *Mendoncia pilosa*.  
*puberula*, Mart. l. c. 24. t. 211 = *Mendoncia puberula*.



## MENDOZIA:—

- pubescens*, Hoffmgg. ex Nees, in Mart. Fl. Bras. ix. 9 = Mendoncia Hoffmannseggiana.  
*pubescens*, Poepp. & Endl. Nov. Gen. et Sp. iii. 11 = Mendoncia puberula.  
*racemosa*, Ruiz & Pav. Syst. Veg. 158 = Mendoncia racemosa.  
*Riedeliana*, Nees, in Mart. Fl. Bras. ix. 12 = Mendoncia Riedeliana.  
*rotundifolia*, Poepp. & Endl. Nov. Gen. et Sp. iii. 10 = Mendoncia aspera.  
*Schottiana*, Pohl, ex Nees, in Mart. Fl. Bras. ix. 12 = Mendoncia Schottiana.  
*Selloviana*, Nees, l. c. 10 = Mendoncia Sellowiana.  
*strigosa*, Poepp. ex Nees, l. c. 12 = Mendoncia multiflora.  
*tomentosa*, Poepp. l. c. = Mendoncia tomentosa.  
*Velloziana*, Mart. Nov. Gen. et Sp. iii. 22 = Mendoncia Velloziana.

MENECHINIA, Endl. Gen. 648 (1839) = **Arnebia**, Forsk. (Borag.).MENECHINIA, Vis. in Atti 8va Riun. Scienz. Ital. (1846) 560 = **Niphaea**, Lindl. (Gesnerac.).  
*alba*, Vis. l. c. = *N. oblonga*.MENEPHORA, Rafin. Fl. Tellur. iv. 46 (1836) = **Cypripedium**, Linn. (Orchid.).  
*bicolor*, Rafin. l. c. = *C. purpuratum*?MENESTORIA, DC. Prod. iv. 390 (1830). Gen. delendum.—Cf. Benth. & Hook. f. ii. 29.  
*Hameliae*, DC. l. c. (= *Adenosacmes* sp.).—Nepal.  
*Mussaendae*, DC. l. c. (= *Mussaenda* sp.).—Nepal.  
*rigida*, DC. l. c. (= *Randia* sp.).—Nepal.  
*Tocoyenae*, DC. l. c. = *Mussaenda* Roxburghii?MENESTRATA, Vell. Fl. Flum. 199 (1825); v. t. 2 (1827) = **Persea**? Gaertn. (Laurin.).  
*racemosa*, Vell. ll. cc. (= *Oreodaphne crassiramea*).—Bras.MENETHO, Rafin. Fl. Tellur. ii. 93 (1836) = **Frankenia**, Linn.  
*sedifolius*, Rafin. l. c. = *F. tetrapetala*.MENGEA, Schau. in Nov. Act. Nat. Cur. xix. Suppl. i. (1843) 405 (Pl. Meyen.) = **Amaranthus**, Linn.  
*californica*, Moq. in DC. Prod. xiii. ii. 270 = *A. californicus*.  
*peruviana*, Schau. in Nov. Act. Nat. Cur. xix. Suppl. i. (1843) 406.—Peruv.  
*tenuifolia*, Moq. in DC. Prod. xiii. ii. 271 = *A. tenuifolius*.MENIANTHES, Neck. Delic. Gallo-Belg. i. 105 (1768) = **Menyanthes**, Tourn. (Gentian.).MENIANTHUS, Gouan, Hort. Monsp. 89 (1762) = *praec.*MENICHEA, Sonner. Voy. N. Guin. 133 (1776) = **Barringtonia**, Forst. (Myrtac.).  
*rosata*, Sonner. l. c.—Afr. trop.MENICOSTA, D. Dietr. Syn. Pl. ii. 923 (1839) = MENISCOSTA, Blume = **Sabia**, Colebr.MENINIA, Fua, ex Hook. f. Bot. Mag. t. 6043 (1873) = **Cystacanthus**, T. Anders. (Acanth.).  
*turgida*, Fua, ex Hook. f. l. c. = *C. turgidus*.MENIOCUS, Desv. Journ. Bot. iii. (1814) 173 = **Alyssum**, Tourn. (Crucif.).  
*aureus*, Fenzl. Pugill. Pl. Nov. Syr. 13 = *A. aureum*.  
*australasicus*, Turcz. in Bull. Soc. Nat. Mosc. xxvii. (1854) ii. 297 = *A. linifolium*.  
*Ehrenbergii*, Presl, Bot. Bemerk. 9 = *A. libycum*.  
*filifolius*, Jaub. & Spach, Illustr. i. 107 = *A. meniocoides*.  
*grandiflorus*, Jaub. & Spach, l. c. 105 = *A. aureum*.  
*hirsutus*, Boiss. & Huet, Diagn. Ser. II. v. 32 = *A. Huetii*.  
*linifolius*, DC. Syst. ii. 325 = *A. linifolium*.  
*serpyllifolius*, Desv. Journ. Bot. iii. (1814) 173 = *A. linifolium*.  
*stylaris*, Boiss. Diagn. Ser. II. vi. 16 = *A. stylare*.MENISCOSTA, Blume, Bijdr. 28 (1825) = **Sabia**, Colebr.  
*javanica*, Blume, l. c. 29 = *S. Meniscosta*.  
*scandens*, Spreng. Syst. iv. Cur. Post. 114 = *S. Meniscosta*.**MENISPERMUM**, [Tourn.] Linn. Syst. ed. I (1735).  
**MENISPERMACEAE**, Benth. & Hook. f. i. 37.  
**TRILOPHUS**, Fisch. Hort. Gorenk. ed. II. 56 (1812).  
*Abuta*, Lam. Encyc. iv. 100 = *Abuta rufescens*.  
*acuminatum*, Lam. l. c. 101 = *Tiliacora racemosa*.  
*acutum*, Thunb. Fl. Jap. 193.—Japan.  
*amarum*, Willd. Sp. Pl. iv. 826 = *Aristolochia glaucescens*.  
*angulatum*, Moench, Meth. 277 = *canadense*.  
*bantamense*, Spreng. Syst. iv. Cur. Post. 143 = *Cocculus bantamensis*.  
*brachystachyon*, Spreng. Syst. ii. 157 = *Cocculus brachystachyus*.  
*Calumba*, Stokes, Bot. Mat. Med. iv. 700 = *Jateorhiza Columba*.  
*canadense*, Linn. Sp. Pl. 340.—Am. bor.  
*canadense*, Pall. Reise, ii. 687 = *dauricum*.  
*capense*, Thunb. Prod. Pl. Cap. 85 = *Cissampelos torulosa*.  
*carinianum*, Mill. Gard. Dict. ed. VIII. n. 3, sphalm. = *carolinum*.  
*carolinianum*, Hill, Veg. Syst. xvi. 27 = *Cocculus carolinus*.  
*carolinum*, Linn. Sp. Pl. 340 = *Cocculus carolinus*.  
*Chondrodendron*, Spreng. Syst. ii. 155 = *Cocculus Chondrodendron*.  
*cocculiferum*, Stokes, Bot. Mat. Med. iii. 49 = *Anamirta paniculata*.  
*Cocculus*, Linn. Sp. Pl. 340 = *Anamirta paniculata*.  
*Cocculus*, Willd. Sp. Pl. iv. 825 = *Cocculus glaucus*.  
*Pachygone ovata*.  
*Columba*, Roxb. Hort. Beng. 72; Fl. Ind. iii. 807 = *Jateorhiza Columba*.  
*cordifolium*, Willd. Sp. Pl. iv. 826 = *Tinospora cordifolia*.  
*coriaceus*, Spreng. Syst. iv. Cur. Post. 143 = *Cocculus coriaceus*.  
*corymbosum*, Spreng. l. c. = *Cocculus corymbosus*.  
*Cotoneaster*, Spreng. l. c. ii. 156 = *Cocculus Cotoneaster*.  
*crispum*, Linn. Sp. Pl. ed. II. 1468 = *Tinospora crispa*.  
*dauricum*, DC. Syst. i. 540.—Dahuria.  
*dioicum*, Griff. Notul. iv. 315.—Burma.  
*diversifolium*, Spreng. Syst. ii. 155 = *Cocculus diversifolius*.  
*domingense*, Spreng. l. c. 157 = *Pachygone domingensis*.  
*dubium*, Muhl. ex Rafin. Fl. Ludov. 138, nomen = *Calycocarpum Lyonii*?  
*edule*, Vahl, Symb. Bot. i. 80 = *Cocculus Cebatha*.  
*ellipticum*, Poir. Encyc. Suppl. iii. 657 = *Cocculus Leaba*.  
*Epibaterium*, Spreng. Syst. ii. 156 = *Cocculus Epibaterium*.  
*fenestratum*, Gaertn. Fruct. i. 219. t. 46. f. 5 = *Coscinium fenestratum*.  
*flavescens*, Lam. Encyc. iv. 98 = *Cocculus flavescens*.  
*flavum*, Linn. Amoen. Acad. iv. 128 = *Cocculus flavescens*.  
*glabrum*, Burm. f. Fl. Ind. 316 [recte 216] = *Tinospora cordifolia*.  
*glabrum*, Koen. ex Willd. Sp. Pl. iv. 797 = *Tiliacora racemosa*.  
*glaucescens*, Spreng. Syst. iv. Cur. Post. 143 = *Cocculus glaucescens*.  
*glaucum*, Lam. Encyc. iv. 100 = *Cocculus glaucus*.  
*gomphioides*, Spreng. Syst. ii. 157 = *Cocculus gomphioides*.  
*hastatum*, Lam. Encyc. iv. 98 = *Cocculus villosus*.  
*heteroclitum*, Roxb. Hort. Beng. [105]; Fl. Ind. iii. 817 = *Anamirta paniculata*.  
*hexagynum*, Roxb. ll. cc. 72; 816 = *Cocculus hexagynus*.  
*hirsutum*, Linn. Sp. Pl. 341 = *Cocculus villosus*.  
*japonicum*, Roxb. ex DC. Syst. i. 516 = *Stephania rotunda*.  
*japonicum*, Thunb. Fl. Jap. 193 = *Cocculus japonicus*.  
*lacunosum*, Lam. Encyc. iv. 98 = *Anamirta paniculata*.  
*lanuginosum*, Spreng. Syst. iv. Cur. Post. 143 = *Cocculus lanuginosus*.  
*laurifolium*, Roxb. Hort. Beng. 72; Fl. Ind. iii. 815 = *Cocculus laurifolius*.  
*Leaba*, Delile, Fl. Egypt. 284 = *Cocculus Leaba*.  
*leptostachyon*, Spreng. Syst. ii. 157 = *Cocculus leptostachyus*.**MENISPERMUM**:—

- Limacia*, Spreng. Syst. ii. 155 = *Cocculus Limacia*.  
*Lyonii*, Pursh, Fl. Am. Sept. ii. 371 = *Calycocarpum Lyonii*.  
*malabaricum*, Lam. Encyc. iv. 96 = *Tinospora malabarica*.  
*megaspermum*, Roxb. Hort. Beng. 72 = *Cocculus megaspermus*.  
*milleflorum*, Spreng. Syst. ii. 157 = *Cocculus milleflorus*.  
*monadelphum*, Roxb. ex Wight & Arn. Prod. 446 = *Anamirta paniculata*.  
*Myosotis*, Linn. Syst. ed. X. 992 = seq.  
*myosotoides*, Linn. Sp. Pl. 341 = *Cocculus villosus*.  
*myosuroides*, Hill, Veg. Syst. xvi. 27 = *praec.*?  
*oblongifolium*, Spreng. Syst. ii. 155 = *Cocculus oblongifolius*.  
*orbiculatum*, Linn. Sp. Pl. 341 = *Cissampelos Pareira*.  
*orbiculatum*, Thunb. Fl. Jap. 194 = *Cocculus Thunbergii*.  
*ovalifolium*, Pers. Syn. ii. 628 = *Cocculus Thunbergii*.  
*palmatum*, Lam. Encyc. iv. 99 = *Jateorhiza Columba*.  
*peltatum*, Forst. ex DC. Syst. i. 517 = *Cocculus Forsteri*.  
*peltatum*, Lam. Encyc. iv. 96 = *Cyclea peltata*.  
*polycarpon*, Roxb. Hort. Beng. 72; Fl. Ind. iii. 816 = *Tiliacora racemosa*.  
*populifolium*, Spreng. Syst. ii. 156 = *Anamirta paniculata*.  
*radiatum*, Lam. Encyc. iv. 100 = *Tiliacora racemosa*.  
*reniforme*, Spreng. Syst. ii. 156 = *Cocculus Nephroia*.  
*rimosum*, Blanco, Fl. Filip. ed. I. 810 = *Tinospora crispa*.  
*rimosum*, Spreng. Syst. iv. Cur. Post. 143 = *Cocculus rimosus*.  
*rotundifolium*, Spreng. Syst. ii. 156 = *Cocculus rotundifolius*.  
*Roxburghii*, Spreng. l. c. 155 = *Stephania rotunda*.  
*sagittatum*, Spreng. l. c. = *Muehlenbeckia sagittifolia*.  
*Schimperii*, Hochst. ex Steud. Nom. ed. II. ii. 124 = *Stephania abyssinica*.  
*smilacinum*, DC. Syst. i. 541 = *canadense*.  
*tamoides*, Spreng. Syst. ii. 156 = *Chondrodendron tamoides*.  
*tinctorium*, Spreng. l. c. = *Fibraurea tinctoria*.  
*tomentosum*, Roxb. Hort. Beng. 72; Fl. Ind. iii. 813 = *Tinospora tomentosa*.  
*triandrum*, Roxb. ll. cc. 72; 816 = *Limacia triandra*.  
*triflorum*, Spreng. Syst. ii. 157 = *Cocculus triflorus*.  
*trilobum*, Thunb. Fl. Jap. 194 = *Cocculus trilobus*.  
*tuberculatum*, Lam. Encyc. iv. 96 = *Tinospora crispa*.  
*verrucosum*, Roxb. ex Flem. in As. Res. xi. (1810) 171 = *Tinospora crispa*.  
*villosum*, Lam. Encyc. iv. 97 = *Cocculus villosus*.  
*villosum*, Roxb. Hort. Beng. 72; Fl. Ind. iii. 812 = *Pericampylus incanus*.  
*virginicum*, Linn. Sp. Pl. 340 = *Cocculus carolinus*.

**MENKEA**, Lehm. Ind. Sem. Hort. Hamb. (1843) 8.  
**CRUCIFERAE**, Benth. & Hook. f. i. 83.  
*australis*, Lehm. Ind. Sem. Hort. Hamb. (1843) 8.—Austral.  
*australis*, F. Muell. Fragm. ii. 142 = *draboides*.  
*draboides*, Hook. f. ex Benth. Fl. Austral. i. 80.—Austral.  
*procumbens*, F. Muell. Fragm. ii. 142 = *australis*.  
*sphaerocarpa*, F. Muell. l. c. viii. 223.—Austral.MENNICHEA, Steud. Nom. ed. II. ii. 121 (1841) = MENICHEA, Sonner. = **Barringtonia**, Forst. (Myrtac.).MENOCERAS, Lindl. Veg. Kingd. 695 (1847) = **Velleia**, Sm. (Gooden.).**MENODORA**, Humb. & Bonpl. Pl. Aequin. ii. 98. t. 110 (1809). **OLEACEAE**, Benth. & Hook. f. ii. 674.  
**BOLIVARIA**, Cham. & Schlecht. in Linnaea, i. (1826) 207. t. 4.  
**CALYPTROSPERMUM**, A. Dietr. Sp. Pl. i. 226 (1831).  
*africana*, Hook. f. Pl. t. 586.—Afr. austr.  
*Coulteri*, A. Gray, in Am. Journ. Sc. Ser. II. xiv. (1852) 44.—Mexic.  
*decemfida*, A. Gray, l. c.—Chili.  
*helianthemoides*, Humb. & Bonpl. Pl. Aequin. ii. 98. t. 110.—Mexic.  
*heterophylla*, Moric. ex DC. Prod. viii. 316.—Texas.  
*integrifolia*, Steud. Nom. ed. II. ii. 124.—Reg. Argent.  
*junceae*, Harv. Gen. S. Afr. Pl. ed. II. 220.—Afr. austr.



**MENODORA:—**

- linoides, *Phil. in Linnaea*, xxxiii. (1864-65) 173.—Chili.  
 longiflora, *A. Gray, in Am. Journ. Sc. Ser. II.* xiv. (1852) 45.—Texas.  
 mexicana, *A. Gray, l. c.*—Mexic.  
 pinnatifida, *Mart. Del. Sem. Hort. Monac.* (1852); *ex Ann. Sc. Nat. Sér. III.* xix. (1853) 366.—Texas.  
 pubens, *A. Gray, in Am. Journ. Sc. Ser. II.* xiv. (1852) 45.—N. Mexic.  
 robusta, *A. Gray, l. c.* 43.—Patagon.  
 scabra, *A. Gray, l. c.* 44.—N. Mexic.  
 scoparia, *Engelm. ex A. Gray, in Bot. Calif.* i. 471.—Am. bor. occ.  
 spinescens, *A. Gray, in Proc. Am. Acad.* vii. (1868) 388.—Am. bor. occ.  
 trifida, *Steud. Nom. ed. II.* ii. 124.—Bras.

**MENOMPHALUS**, Pomel, *Nouv. Mat. Fl. Atl.* 32 (1874) = **Centaurea**, Linn. (Compos.).

- acaulis*, Pomel, *l. c.* 33 = *C. acaulis*.  
*amourensensis*, Pomel, *l. c.* = *C. amourensensis*.  
*Choulettiana*, Pomel, *l. c.* = *C. Choulettiana*.  
*Cineraria*, Pomel, *l. c.* = *C. Cineraria*.  
*nanus*, Pomel, *l. c.* = *C. nana*.  
*omphalothrix*, Pomel, *l. c.* = *C. omphalodes*.  
*pubescens*, Pomel, *l. c.* = *C. incana*.  
*rupicola*, Pomel, *l. c.* = *C. rupicola*.  
*Saharae*, Pomel, *l. c.* = *C. Saharae*.  
*Scabiosa*, Pomel, *l. c.* = *C. Scabiosa*.

**MENONVILLEA**, R. Br. *ex DC. Syst.* ii. 419 (1821).

- CRUCIFERAE**, Benth. & Hook. f. i. 90.  
 CYMATOPTERA, Turcz. in *Bull. Soc. Nat. Mosc.* xxvii. (1854) II. 309.  
 DISPELTOPHORUS, Lehm. *Ind. Sem. Hort. Hamb.* (1836).  
*angustifolia*, Presl, *Bot. Bemerk.* 9 = *filifolia*.  
*aptera*, *Phil. Fl. Atac.* 9.—Chili.  
*chilensis*, Turcz. in *Bull. Soc. Nat. Mosc.* xxxvi. (1863) i. 551.—Chili.  
*filifolia*, Fisch. & Mey. *Ind. Sem. Hort. Petrop.* i. 34.—Chili.  
*flexuosa*, *Phil. in Anal. Univ. Chil.* (1872) 674.—Chili.  
*Gayi*, *Phil. in Linnaea*, xxviii. (1856) 610.—Chili.  
*linearis*, Bert. *ex Presl, Bot. Bemerk.* 9 = *filifolia*.  
*linearis*, *DC. Syst.* ii. 420.—Peruv.; Chili.  
*orbiculata*, *Phil. Fl. Atac.* 9.—Chili.  
*parviflora*, *Phil. l. c.* 8.—Chili.  
*parvifolia*, *Phil. f. Cat. Pl. Vasc. Chil.* 16, sphalm. = *præc.*  
*pinnatifida*, *Barn. in C. Gay, Fl. Chil.* i. 182.—Chili.  
*robustula*, *Steud. in Flora*, xxviii. (1856) 411.—Chili.  
*trifida*, *Phil. in Linnaea*, xxviii. (1856) 610.—Chili.  
*trifida*, *Steud. Nom. ed. II.* ii. 125 = *filifolia*.  
*virgata*, *Phil. in Linnaea*, xxviii. (1856) 671.—Chili.

**MENOPHYLA**, Rafin. *Fl. Tellur.* iii. 45 (1836) = **Rumex**, Linn. (Polygon.).

- Lunaria*, Rafin. *l. c.* = *R. Lunaria*.  
*polygama*, Rafin. *l. c.* = *R. Lunaria*.

**MENOTRICHE**, Steetz, in *Peters, Reise Mossamb. Bot.* 472 (1862) = **Wedelia**, Jacq. (Compos.).

- strigosa*, Steetz, *l. c.* 475 = *W. Menotricha*.

**MENTHA**, [Tourn.] Linn. *Syst. ed. I* (1735).

- LABIATAE**, Benth. & Hook. f. ii. 1182.  
 AUDIBERTIA, Benth. in *Bot. Reg. sub n.* 1282 (1829).  
 MENTHALLA, Pérard, in *Bull. Soc. Bot. Fr.* xvii. (1870) 205.  
 PULEGIUM, Ray, *ex Mill. Gard. Dict. ed. VI.* (1752).  
*acuta*, Opiz, *Seznam*, 64 = *aquatica*.  
*acutata*, Opiz, in *Lotos*, iii. (1853) 209 = *aquatica*.  
*acutifolia*, Rabenhorst, *Fl. Lusat.* 160 = *gentilis*.  
*acutifolia*, Sm. in *Trans. Linn. Soc. v.* (1800) 203 = *aquatica*.  
*acuti-serrata*, Opiz, *Natural. x.* (1825) 194 = *aquatica*.  
*adspersa*, Moench, *Meth.* 379 = *aquatica*.  
*adulterina* x, Borb.—Cf. *Oestr. Bot. Zeitschr.* xxxiii. (1883) 119.—Europ.  
*affinis*, Bor. *Fl. Centr. Fr. ed. III.* ii. 509 = *aquatica*.  
*affinis*, Opiz, *Nom. Bot.* 74 (Quid ?)—Europ.  
*Agardhiana*, Fries, *Nov. Fl. Suec. ed. II.* 184 = *gentilis*.

**MENTHA:—**

- Agardhiana*, Hartm. *Skand. Fl. ed. V.* 43 = *sativa*.  
*agrestis*, Sole, *Menth. Brit.* 33. t. 14 = *arvensis*.  
*alata*, Koch, *Syn. Fl. Germ. ed. I.* 552, sphalm. = *elata*.  
*Allionii*, Bor. *Fl. Centr. Fr. ed. III.* ii. 515 = *arvensis*.  
*alopecuroides*, Hull, *Brit. Fl. i.* 126 = *syvestris*.  
*alpigena*, A. Kern. *Sched. Fl. Exsicc.* ii. 121.—Austria.  
*amaurophylla*, Timb. in *Bull. Soc. Bot. Fr.* vii. (1860) 257 = *rotundifolia*.  
*ambigua*, Guss. *Enum. Pl. Inar.* 253 = *syvestris*.  
*ambigua*, Personnat, in *Act. Congr. Bot. Par.* (1867) 161 = *rotundifolia*.  
*angustifolia*, Host, *Fl. Austr.* ii. 148.—Austria.  
*angustifolia*, Schreb. *ex Schweigg. & Koerte, Fl. Erlang.* ii. 8 = *arvensis*.  
*anomala*, Hér. in *Bull. Soc. Bot. Fr.* xxvii. (1880) 169 = *arvensis*?  
*aquatica*, Linn. *Sp. Pl.* 576.—Europ.; As. et Afr. bor.  
*aquatica*, O. F. Muell. in *Fl. Dan. t.* 673 = *Ballota nigra*.  
*arguta*, Opiz, *Natural.* viii. (1824) 69 = *arvensis*.  
*aromatica*, Opiz, *ex Déségl. in Bull. Soc. Sc. Angers* (1882), 197 = *aquatica*.  
*aromatica*, Salisb. *Prod.* 80 = *M. Pulegium*.  
*arvensis*, Linn. *Sp. Pl.* 577.—Europ.; As. bor.  
*atrata*, Schur, *Enum. Pl. Transs.* 516 = *viridis*.  
*atrovirens*, Host, *Fl. Austr.* ii. 152 = *arvensis*.  
*augusta*, Opiz, *ex Déségl. in Bull. Soc. Sc. Angers* (1882), 198 = *aquatica*.  
*avneticensis*, Opiz, *Seznam*, 64 = *aquatica*, *arvensis*?  
*auricularia*, Blanco, *Fl. Filip. ed. II.* 329 = *Pogostemon Cablin*.  
*auricularia*, Linn. *Mant. i.* 81 = *Dysophylla auricularia*.  
*aurita*, Weihe, *ex Fresen. in Syll. Ratisb.* ii. (1828) 226 = *aquatica*.  
*australis*, R. Br. *Prod.* 505.—Austral.  
*austriaca*, Jacq. *Fl. Austr. v.* 14 = *arvensis*.  
*Avellini*, Tod. *ex Bertol. Fl. Ital. vi.* 96 = *aquatica*.  
*Ayassei*, Malinv. in *Bull. Soc. Bot. Fr.* xxiv. (1877) 234 = *aquatica*.  
*badensis*, Fellm. *ex Ledeb. Fl. Ross.* iii. 340 = *arvensis*.  
*badensis*, C. C. Gmel. *Fl. Bad.* ii. 604 = *arvensis*.  
*baikalensis*, Georgi, *Beschr. Russ. Reich.* III. v. 1083 = *Elsholtzia cristata*.  
*ballotaefolia*, Opiz, *Natural.* iv. (1823) [21] = *aquatica*.  
*balsamea*, Reichb. *Fl. Germ. Excurs.* 309 = *viridis*.  
*balsamea*, Willd. *Enum. Hort. Berol.* 608 = *piperita*, *suavis*.  
*Bandeliana*, Opiz, *Nom. Bot.* 70 (Quid ?)—Europ.  
*barbata*, Opiz, *ex Déségl. in Bull. Soc. Sc. Angers* (1882), 211 = *arvensis*.  
*Barkhausiana*, Opiz, *ex Steud. Nom. ed. II.* ii. 126, *nomen* (Quid ?)—Europ.  
*belgica*, *Déségl. & Durand, in Bull. Soc. Bot. Belg.* xvii. (1878) 324.—Belgium.  
*bellojocensis*, Gillot, in *Ann. Soc. Bot. Lyon*, viii. (1881) 26.—Gallia.  
*beneschina*, Opiz, *ex Déségl. in Bull. Soc. Sc. Angers* (1882), 206.—Europ.  
*Billotiana*, *Déségl. & Durand, in Bull. Soc. Bot. Belg.* xvii. (1878) 319.—Gallia.  
*biserrata*, Opiz, *ex Déségl. in Bull. Soc. Sc. Angers* (1882), 202 = *aquatica*.  
*blanda*, DC. *Pl. Rar. Hort. Genev.* 27. t. 8 = *Elsholtzia incisa*.  
*blanda*, Wall. *ex Benth. Lab. Gen. et Sp.* 162 = *Elsholtzia blanda*.  
*Boenninghausiana*, Opiz, *Nom. Bot.* 64 (Quid ?)—Europ.  
*borealis*, Michx. *Fl. Bor. Am.* ii. 2 = *canadensis*.  
*brachiala*, Weihe, *ex Fresen. in Syll. Ratisb.* ii. (1828) 226 = *aquatica*.  
*Brachtii*, Opiz, *ex Déségl. in Bull. Soc. Sc. Angers* (1882), 196.—Europ.  
*brachystachya* x, Borb. in *Oestr. Bot. Zeitschr.* xxx. (1880) 19.—Europ.  
*bracteolata*, Opiz, *ex Déségl. in Bull. Soc. Sc. Angers* (1882), 211 = *arvensis*.  
*Braunii*, Oborny, in *Verh. Naturf. Ver. Bruenn*, xxii. ii. (1884) 370.—Europ.  
*brevispicata*, Lehm. *Ind. Sem. Hort. Hamb.* (1828) 16; *et in Linnaea*, v. (1830) 380 = *viridis*.  
*Brideliana*, *Déségl. & Durand, in Bull. Soc. Bot. Belg.* xvii. (1878) 333.—Gallia.  
*Brittingeri*, Opiz, *Natural.* xi. (1826) 300 = *syvestris*.  
*bugulaefolia*, Weihe, *ex Fresen. in Syll. Ratisb.* ii. (1828) 226 = *aquatica*.  
*Burckhardtiana*, Opiz, *Natural.* xi. (1826) 301 = *rotundifolia*.

**MENTHA:—**

- Cablin*, Blanco, *Fl. Filip. ed. I.* 473 = *Pogostemon Cablin*.  
*caerulescens*, Opiz, *ex Déségl. in Bull. Soc. Sc. Angers* (1882), 216 = *syvestris*.  
*calliantha*, Stapf, in *Denkschr. Acad. Wien*, l. (1885) 36.—Persia.  
*campestris*, Schur, *Enum. Pl. Transs.* 937 (Index) = *arvensis*.  
*canadensis*, Linn. *Sp. Pl.* 577.—Am. bor.; China.  
*canariensis*, Lam. *Encyc. iv.* 113 = *Bystropogon origanifolius*.  
*canariensis*, Linn. *Sp. Pl.* 578 = *Bystropogon canariensis*.  
*candicans*, Mill. *Gard. Dict. ed. VIII.* n. 3; Crantz, *Stirp. Austr. ed. II. fasc. iv.* (1769) 330 = *syvestris*.  
*canescens*, Roth, *Catalect. fasc. ii.* 46 = *syvestris*.  
*cantalica*, Hér. in *Bull. Soc. Bot. Fr.* xxvii. (1880) 167 = *aquatica*.  
*capensis*, Burch. *Trav. i.* 255 = *syvestris*.  
*capensis*, Thunb. *Prod. Pl. Cap.* 95 = *salicina*.  
*capitata*, Gilib. *Fl. Lituan. i.* 72 = *aquatica*.  
*cardiaca*, Baker, in *Journ. Bot.* iii. (1865) 245.—Europ.  
*carinthiaca*, Host, *Fl. Austr.* ii. 149 = *arvensis*.  
*carniolica*, Host, *l. c.* 146 = *arvensis*.  
*cechobrodensis*, Opiz, in *Lotos*, iii. (1853) 210 = *sativa*.  
*Cephalotes*, Heyne, *ex Steud. Nom. ed. II.* ii. 126 = *Acrocephalus capitatus*.  
*cervina*, Linn. *Sp. Pl.* 578 = *Preslia cervina*.  
*chalepensis*, Mill. *Gard. Dict. ed. VIII.* n. 10 = *syvestris*.  
*ciliata*, Opiz, *ex Fresen. in Syll. Ratisb.* ii. (1828) 240 = *gentilis*.  
*cinerascens*, Timb. *ex Déségl.—Cf. Bull. Soc. Bot. Fr.* xxv. (1878) *Rev. Bibl.* 109.—Europ.  
*cinerea*, Holuby, in *Oestr. Bot. Zeitschr.* xxvi. (1876) 149.—Europ.  
*cinerea*, Opiz, *Seznam*, 64 = *gentilis*.  
*cinerea*, Rafin. *New Fl. Am.* iv. 94 (Quid ?)—Am. bor.  
*citrata*, Ehrh. *Beitr.* vii. 150 = *aquatica*.  
*clinopodiifolia*, Krock. *Fl. Siles. Suppl.* ii. 144.—Europ.  
*coccinea*, Roxb. *ex Steud. Nom. ed. II.* ii. 126, *nomen*—Ind. or.  
*coerulea*, Opiz, *Natural.* iv. (1823) [21] = *arvensis*.  
*concolor*, Stapf, in *Denkschr. Acad. Wien*, l. (1885) 35.—Persia.  
*cordata*, Jan, *ex Nym. Consp.* 596 = *aquatica*.  
*cordifolia*, Opiz, *ex Fresen. in Syll. Ratisb.* ii. (1828) 232 = *viridis*.  
*corymbosa*, Lam. *Encyc. iv.* 114 = *Bystropogon canariensis*.  
*crenata*, Becker, *Fl. Franc. i.* 225 = *arvensis*.  
*Crépiniana*, Durand, in *Bull. Soc. Bot. Belg.* xvi. (1877) 115 = *gentilis*.  
*cretica*, Hort. *ex Benth. Lab. Gen. et Sp.* 170 = *syvestris*.  
*crispa*, Linn. *Sp. Pl.* 576 = *aquatica*.  
*crispa*, Roth, *Tent. Fl. Germ. i.* 248 = *viridis*.  
*crispa*, Tenore, *Fl. Nap. ii.* 29 = *syvestris*.  
*crispata*, Schrad. *ex Willd. Enum. Hort. Berol.* 608 = *viridis*.  
*crispula*, Wender. in *Flora*, xii. (1829) i. Erg. 27 = *aquatica*.  
*cristata*, Buch.-Ham. *ex D. Don, Prod. Fl. Nep.* 115 = *Elsholtzia cristata*.  
*croatica*, Weld. in *Flora*, xiii. (1830) 218 = *Micromeria rupestris*.  
*cruciata*, Opiz, *ex Steud. Nom. ed. II.* ii. 126 = *gentilis*.  
*Cunninghamii*, Benth. in *DC. Prod.* xii. 174.—N. Zel.  
*cuspidata*, Opiz, *ex Steud. Nom. ed. II.* ii. 126, *nomen* (Quid ?)—Europ.  
*dahurica*, Fisch. *ex Benth. Lab. Gen. et Sp.* 181.—Sibir.  
*dalmatica*, Tausch, in *Syll. Ratisb.* ii. (1828) 249 = *arvensis*.  
*Decloetiana*, Opiz, *ex Déségl. in Bull. Soc. Sc. Angers* (1882), 215 = *syvestris*.  
*deflexa*, Dum. *Fl. Belg.* 49 = *arvensis*.  
*densiflora*, Opiz, *Seznam*, 65 = *arvensis*.  
*dentata*, Moench, *Meth.* 380; Willd. *Sp. Pl.* iii. 60 = *gentilis*.  
*Deselegisci*, Malinv. in *Bull. Soc. Bot. Fr.* xxviii. (1881) 369 = *aquatica*.  
*diemenica*, Spreng. *Syst.* ii. 724 = *gracilis*.  
*diffusa*, Lej. *Rev. Fl. Spa*, 117 = *arvensis*.  
*discolor*, Opiz, *Seznam*, 64, *nomen* (Quid ?)—Europ.



**MENTHA :—**

- dissimilis*, Déségl. in Bull. Soc. Sc. Angers (1882), 201.—Europ.
- divaricata*, Host, Fl. Austr. ii. 150 = arvensis.
- divaricata*, Lag. ex Benth. Lab. Gen. et Sp. 175 = suavis.
- diversifolia*, Dum. Fl. Belg. 49 (Quid ?).—Europ.
- domestica*, Tausch, ex Nym. Consp. 595 = sylvestris.
- Dossiniana*, Déségl. & Durand, in Bull. Soc. Bot. Belg. xvii. (1878) 323.—Belgium.
- dubia*, Chaix, ex Vill. Hist. Pl. Dauph. ii. 358 = aquatica.
- dubia*, Schleich. ex Suter, Fl. Helv. ii. 10 = arvensis.
- dulcissima*, Dum. Fl. Belg. 48 = sylvestris.
- dumetorum*, Schult. Obs. Bot. 108 = aquatica, sylvestris.
- Dumortieri*, Déségl. & Durand, in Bull. Soc. Bot. Belg. xvii. (1878) 334.—Europ.
- egerensis*, Opiz, ex Déségl. in Bull. Soc. Sc. Angers (1882), 213.—Europ.
- Ehrhartiana*, Lej. & Court. Comp. Fl. Belg. ii. 232 = arvensis.
- Eisenstadiana*, Opiz, ex Tenore, Syll. Fl. Neap. 281 = sylvestris.
- Eisensteiniana*, Opiz, Natural. xi. (1826) 301 = sylvestris.
- elata*, Host, Fl. Austr. ii. 145 = arvensis.
- elegans*, Lej. Rev. Fl. Spa. 117 = arvensis.
- elliptica*, Lej. l. c. = arvensis.
- elongata*, Tenore, ex Steud. Nom. ed. II. ii. 126 = rotundifolia.
- emarginata*, Reichb. Fl. Germ. Excurs. 309 = sylvestris.
- eriantha*, C. Koch, in Linnaea, xxi. (1848) 650 = aquatica.
- exigua*, Linn. Cent. Pl. ii. 20; Amoen. Acad. iv. 318 = M. Pulegium.
- exigua*, Lucé, Fl. Osil. 205 = arvensis.
- fallax*, Déségl. in Ann. Soc. Bot. Lyon, viii. (1881) 224.—Europ.
- farinosa*, Rafin. Fl. Ludov. 42 (Quid ?).—Am. bor.
- Favratii*, Déségl. & Durand, in Bull. Soc. Bot. Belg. xvii. (1878) 331.—Europ.
- Fieberiana*, Opiz, ex Steud. Nom. ed. II. ii. 126, nomen (Quid ?).—Europ.
- filina*, Wallr. Beitr. Fl. Hercyn. 225; et in Linnaea, xiv. (1840) 595 = sylvestris.
- flagellifera*, Schur, Enum. Pl. Transs. 518 = arvensis.
- foetens*, Wall. ex Benth. Lab. Gen. et Sp. 162 = Elsholtzia incisa.
- foetida*, Burm. f. Fl. Ind. 126 = Dysophylla auricularia.
- foliiconia*, Opiz, ex Déségl. in Bull. Soc. Sc. Angers (1882), 210.—Europ.
- foliosa*, Opiz, Natural. xi. (1826) 437 = sylvestris.
- fontana*, Weihe, ex Strail, in Kicksia, n. 252; et Bull. Soc. Linn. Normand. Sér. III. iii. (1879) 37 = arvensis.
- fragrans*, Presl, Delic. Prag. 78 = rotundifolia.
- fruticosa*, Hilsenb. & Boj. ex Benth. Lab. Gen. et Sp. 165 = Tetradenia fruticosa.
- fruticosa*, Roxb. ex D. Don, Prod. Fl. Nep. 115; et Fl. Ind. iii. 6 = Pogostemon plectranthoides.
- galeobdolfolia*, Opiz, Boehm. Gew. (1823) 72, nomen (Quid ?).—Europ.
- galeopsifolia*, Opiz, ex Déségl. in Bull. Soc. Angers (1882), 206.—Europ.
- genevensis*, Déségl. & Durand, in Bull. Soc. Belg. xvii. (1878) 315.—Europ.
- Genevierii*, Déségl. & Durand, l. c. 316.—Gallia.
- gentilis*, Forsk. Fl. Aegypt. Arab. 213 (Quid ?).—Arab.
- gentilis*, Georgi, Besch. Russ. Reich. III. v. 1082 = arvensis.
- gentilis*, Linn. Sp. Pl. 577.—Europ.
- gentilis*, Sm. in Trans. Linn. Soc. v. (1800) 208 = sativa.
- germanica*, Déségl. & Durand, in Bull. Soc. Bot. Belg. xvii. (1878) 312.—Europ.
- gibraltaria*, Willd. Enum. Hort. Berol. 611 = M. Pulegium.
- Gillotii*, Déségl. & Durand, in Bull. Soc. Bot. Belg. xvii. (1878) 324 = rotundifolia.
- Giusliana*, Opiz, ex Déségl. l. c. xxi. II. (1882) 115.—Europ.
- glabra*, Colla, Herb. Pedem. t. 84; ex Benth. in DC. Prod. xii. 171 = aquatica.
- glabra*, Mill. Gard. Dict. ed. VIII. n. 2 = viridis.
- glabra*, Sole, ex Benth. Lab. Gen. et Sp. 179 = arvensis.
- glabrata*, Vahl, Symb. Bot. iii. 75 = piperita.
- glomerata*, Stokes, Bot. Mat. Med. iii. 324 = aquatica.
- glomerulata*, Jan, ex Benth. Lab. Gen. et Sp. 715 = suavis.

**MENTHA :—**

- gracilis*, R. Br. Prod. 505.—Austral.
- gracilis*, Péard, in Bull. Soc. Bot. Fr. xvii. (1870) 337 = rotundifolia.
- gracilis*, Sole, Menth. Brit. 37. t. 16 = arvensis.
- grandiflora*, Benth. in Mitch. Journ. Trop. Austral. 362.—Austral.
- grandifolia*, Hegetschw. Fl. Schw. 581.—Helvet.
- grata*, Host, Fl. Austr. ii. 152 = arvensis.
- gratissima*, [Web. in] Wigg. Prim. Fl. Holsat. 43 = sylvestris.
- graveolens*, Opiz, Seznam, 65 = arvensis.
- graveolens*, Presl, Fl. Sic. p. xxxvi.—Sicilia.
- Hakka*, Siebold, in Verh. Batav. Gen. xii. (1830) 32 = arvensis.
- Halleri*, Dierb. Fl. Heidelb. ii. 169 = rotundifolia.
- Halleri*, C. C. Gmel. Fl. Bad. ii. 594 = sylvestris.
- hamadanensis*, Stapf, in Denkschr. Acad. Wien, 1. (1885) 35.—Persia.
- Haynaldiana* x, Borb. in Oestr. Bot. Zeitschr. xxx. (1880) 19.—Europ.
- hercynica*, Roehl. Deutschl. Fl. ed. II. 328; ex Koch, Syn. Fl. Germ. ed. I. 550 = viridis.
- Hillebrandtii*, Orlm. ex Malinv. in Bull. Soc. Linn. Normand. Sér. III. iii. (1879) 29 = arvensis.
- hircina*, Hull, Brit. Fl. i. 127 = piperita.
- hirsuta*, Huds. Fl. Angl. ed. I. 223 = aquatica.
- hirta*, Cald. Fl. Fav. Tent. 178 = aquatica.
- hirta*, Willd. Enum. Hort. Berol. 608 = sylvestris.
- hispidula*, Bor. Fl. Centr. Fr. ed. III. ii. 507 = sylvestris.
- hispidula*, Poepp. ex Benth. in DC. Prod. xii. 169 = piperita.
- Hoferiana*, Opiz, ex Steud. Nom. ed. II. 126, nomen (Quid ?).—Europ.
- hortensis*, Opiz, ex Fresen. in Syll. Ratisb. ii. (1828) 227 = viridis.
- hortensis*, Tausch, ex Koch, Syn. Fl. Germ. ed. II. 635 = gentilis.
- Hostii*, Bor. Fl. Centr. Fr. ed. III. ii. 512 = arvensis.
- Huguenini*, Déségl. & Durand, in Bull. Soc. Bot. Belg. xvii. (1878) 330.—Gallia.
- hungarica*, Borb. in Oestr. Bot. Zeitschr. xxx. (1880) 19.—Hungar.
- hybrida*, Aresch. Skånes Fl. ed. II.; e in Bot. Notiser (1881), 158 = aquatica.
- hybrida*, Schleich. Cat. Pl. Helv. ed. IV. 23 = sylvestris.
- hyptiformis*, Lam. Encyc. iv. 110 = Hyptis verticillata.
- imbricata*, Roxb. Hort. Beng. 44 (Elsholtziae sp. ?).—Ind. or.
- inarinensis*, Guss. Enum. Pl. Inar. 255 = viridis.
- incana*, Willd. Enum. Hort. Berol. 609 = sylvestris.
- incisa*, Humnicki, Cat. Pl. Luxeul. 48 = Lamium purpureum?
- incisa*, Wall. ex Benth. Lab. Gen. et Sp. 162 = Elsholtzia incisa.
- insularis*, Req. ex Gren. & Godr. Fl. Fr. ii. 649 = rotundifolia.
- integra*, Buch.-Ham. ex Benth. in Wall. Pl. As. Rar. i. 31 = Pogostemon parviflorum.
- intermedia*, Host, Fl. Austr. ii. 141 = aquatica.
- intermedia*, Krock. Fl. Siles. Suppl. ii. 143.—Europ.
- intermedia*, Nees, ex Bluff & Fingerh. Comp. Fl. Germ. ed. I. ii. 20 = arvensis.
- intermedia*, Opiz, Natural. xi. (1826) 436 = dissimilis.
- javanica*, Blume, Bijdr. 826 = arvensis.
- javanica*, Span. in Linnaea, xv. (1841) 322 = Hyptis brevipes.
- Juliaca*, Benth. in DC. Prod. xii. 165, sphalm. = niliaca.
- kahirina*, Forsk. Fl. Aegypt. Arab. 213 = piperita.
- Korteana*, Boenn. ex Steud. Nom. ed. II. ii. 126 = sylvestris.
- laciniosa*, Schur, Enum. Pl. Transs. 515 = viridis.
- laevigata*, Willd. Enum. Hort. Berol. 609 = viridis.
- laevis*, Opiz, Nom. Bot. 73 (Quid ?).—Europ.
- Laggeri*, Déségl. & Durand, in Bull. Soc. Bot. Belg. xvii. (1878) 322.—Europ.
- Lamarckii*, Tenore, Fl. Nap. Prod. App. V. 19 = sylvestris.
- lamiifolia*, Host, Fl. Austr. ii. 144 = arvensis.
- lamiifolia*, Tenore, Fl. Nap. v. 8 = suavis.
- lanceolata*, Benth. Lab. Gen. et Sp. 181 = arvensis.
- lanceolata*, Opiz, Boehm. Gew. (1823) 72, nomen (Quid ?).—Europ.
- Langii*, Geig. ex T. Nees, Duesseld. Samml. Suppl. [ii. 25. t. 1] = piperita.
- Langii*, Geig. Pharm. Bot. i. 471 = suavis.
- laponica*, Wahlenb. Fl. Lapp. 161. t. 10 = arvensis.

**MENTHA :—**

- lata*, Opiz, ex Déségl. in Bull. Soc. Sc. Angers (1882), 211 = arvensis.
- latifolia*, Host, Fl. Austr. ii. 145 = arvensis.
- latifolia*, Nolte, ex Hornem. in Fl. Dan. t. 2057 = aquatica.
- latissima*, Schur, Enum. Pl. Transs. 519 = arvensis.
- lavandulacea*, Willd. Enum. Hort. Berol. 609 = sylvestris.
- lavandulaefolia*, Pers. Syn. ii. 119 = sylvestris.
- laxa*, Host, Fl. Austr. ii. 151 = arvensis.
- laxiflora*, Benth. in DC. Prod. xii. 174.—Austral.
- Lejeuneana*, Opiz, Nom. 69 = seq.?
- Lejeunii*, Opiz, ex Reichb. Fl. Germ. Excurs. 309 = viridis.
- Lereschii*, Déségl. & Durand, in Bull. Soc. Bot. Belg. xvii. (1878) 332.—Gallia.
- libenensis*, Opiz, in Lotos, iii. (1853) 208 (Quid ?).—Europ.
- Linnaei*, Déségl. & Durand, in Bull. Soc. Bot. Belg. xvii. (1878) 311.—Europ.
- Lloydii*, Bor. Fl. Centr. Fr. ed. III. ii. 507 = aquatica.
- longifolia*, Host, Fl. Austr. ii. 144 = arvensis.
- longifolia*, Huds. Fl. Angl. ed. I. 221 = sylvestris.
- longistachya* x, Timb.—Cf. Bull. Soc. Bot. Fr. xxv. (1878) Rev. Bibl. 109.
- Lucandiana*, Péard, in Bull. Soc. Bot. Fr. xvii. (1870) 335.—Europ.
- macrantha*, [Fisch.] Hort. Gorenk. ed. II. 23, nomen = micrantha?
- macrophylla*, Opiz, Natural. ix. (1825) 131 (Quid ?).—Europ.
- macrostachya*, Tenore, Prod. Fl. Nap. p. xxxiii = rotundifolia.
- maculata*, Host, Fl. Austr. ii. 143 = arvensis.
- malabarica*, Heyne, ex Benth. in Wall. Pl. As. Rar. i. 30 = Dysophylla stellata.
- marisensis*, Simk. in Termész. Füzetek, ix. (1885) 25.—Europ.
- Marrubiastrum*, F. Schultz, ex Nym. Consp. 597 = arvensis.
- Masneriana*, Opiz, Natural. n. ix. (1825) 131 (Quid ?).—Europ.
- Maximiliana*, F. Schultz, in Flora, xxxvii. (1854) 472 = aquatica.
- meduanensis*, Déségl. & Durand, in Bull. Soc. Bot. Belg. xvii. (1878) 310 = rotundifolia.
- melissaefolia*, Host, Fl. Austr. ii. 144 = arvensis.
- mexicana*, Mart. & Gal. in Bull. Acad. Brux. xi. II. (1844) 189 = rotundifolia.
- Michellii*, Tenore, ex Reichb. Pl. Crit. x. 27 = viridis.
- micrantha*, Fisch. ex Benth. in DC. Prod. xii. 175 = M. Pulegium.
- microphylla*, C. Koch, in Linnaea, xxi. (1848) 648 = sylvestris.
- minor*, Opiz, ex Déségl. in Ann. Soc. Bot. Lyon, viii. (1881) 225; et in Bull. Soc. Sc. Angers (1882), 218 = arvensis.
- mollicoma*, Opiz, ex Déségl. in Bull. Soc. Sc. Angers (1882), 216 = sylvestris.
- mollis*, Benth. Lab. Gen. et Sp. 182 = Bystropogon mollis.
- mollissima*, Borckh. ex Gaertn. Mey. & Scherb. Fl. Wett. ii. 348 = sylvestris.
- montana*, Host, Fl. Austr. ii. 145 = arvensis.
- montana*, Lowe, ex Benth. in DC. Prod. xii. 175 = M. Pulegium.
- monticola*, Déségl. & Durand, in Bull. Soc. Bot. Belg. xvii. (1878) 329.—Europ.
- Morenii*, Déségl. & Dur. l. c. 318.—Europ.
- mosana*, Lej. & Court. Comp. Fl. Belg. ii. 232 = arvensis.
- motolensis* x, Opiz, in Lotos, iii. (1853) 208.—Europ.
- mucronulata*, Opiz, Natural. n. ix. (1825) 131 = rotundifolia.
- Muelleriana*, Sch. Bip. in Flora, xxxvii. (1854) 543 = arvensis.
- multifida*, Stokes, Bot. Mat. Med. iii. 318 = Preslia cervina.
- multiflora*, Host, Fl. Austr. ii. 147 = arvensis.
- myosuroides*, Roth, Nov. Pl. Sp. 257 = Dysophylla myosuroides.
- napolitana*, Tenore, Fl. Nap. t. 242; ex Benth. in DC. Prod. xii. 169 = piperita.
- Neesiana*, Opiz, ex Steud. Nom. ed. II. ii. 126 = arvensis.
- neglecta*, Tenore, Cat. Pl. Hort. Neap. (1819) App. ii. 82; Fl. Nap. ii. 379. t. 157. f. 2 = rotundifolia.



## MENTHA:—

*memorosa*, Host, Fl. Austr. ii. 144 = arvensis.  
*memorosa*, Willd. Sp. Pl. iii. 75 = sylvestris.  
*memorum*, Bor. Fl. Centr. Fr. ed. III. ii. 511.—Europ.  
*nepetifolia*, Lej. ex Malinv. in Bull. Soc. Linn. Normand. Sér. III. iii. (1879) 15 = sylvestris.  
*nepetoides*, Lej. Rev. Fl. Spa, 116 = sylvestris.  
*nigrescens*, C. Koch, in Linnaea, xxi. (1848) 648 = sylvestris.  
*nigrescens*, Weihe, ex Fresen. in Syll. Ratisb. ii. (1828) 226 = aquatica.  
*nigricans*, Mill. Gard. Dict. ed. VIII. n. 12 = aquatica.  
*niliaca*, Jacq. Hort. Vindob. iii. 46 = sylvestris.  
*niliacea*, Vahl, Symb. Bot. iii. 75 = viridis.  
*nitida*, Host, Fl. Austr. ii. 143 = arvensis.  
*nivea*, Hegetschw. Fl. Schw. 580.—Europ.  
*nobilis*, Weihe, ex Fingerh. in Flora, xviii. (1835) II. 406 = arvensis.  
*Noëana*, Boiss. Fl. Orient. iv. 543 = sylvestris.  
*Nouletiana*, Timb. in Bull. Soc. Bot. Fr. vii. (1860) 259 = viridis.  
*numidica*, Poir. Encyc. Suppl. iii. 662.—Afr. bor.  
*nummularia*, Schreb. in Schweigg. & Koerte, Fl. Erlang. ii. 7 = arvensis.  
*nusleensis*, Opiz, in Lotos, iii. (1853) 207 (Quid ?).—Europ.  
*oblonga*, Opiz, in Flora, vii. (1824) II. 525 = sylvestris.  
*oblongifolia*, Opiz, ex Steud. Nom. ed. II. ii. 127, nomen (Quid ?).—Europ.  
*obtusata*, Opiz, Natural. x. (1825) 194 = arvensis.  
*obtuserrata*, Opiz, ex Malinv. in Bull. Soc. Linn. Normand. Sér. III. iii. (1879) 29 = aquatica.  
*obtusifolia*, Opiz, ex Déségl. in Bull. Soc. Sc. Angers (1882), 200 = aquatica.  
*ocymiodora*, Opiz, Natural. iv. (1823) [21–22] = viridis.  
*ocymoides*, Host, Fl. Austr. ii. 148 = arvensis.  
*ocymoides*, Lam. Encyc. iv. 103 = Geniosporum prostratum.  
*odora*, Salisb. Prod. 80 = piperita.  
*odorata*, Opiz, ex Déségl. in Bull. Soc. Sc. Angers (1882), 211 = arvensis.  
*odorata*, Sole, Menth. Brit. 21. t. 9 = aquatica.  
*officinalis*, Hull, Brit. Fl. i. 127 = piperita.  
*Opitziana*, Opiz, Nom. 72 (Quid ?).—Europ.  
*origanifolia*, J. F. Gmel. Syst. 902 = Bystropogon origanifolius.  
*origanifolia*, Host, Fl. Austr. ii. 142 = arvensis.  
*origanoides*, Lej. ex Fingerh. in Flora, xviii. (1835) II. 393 = aquatica.  
*origanoides*, Maxim, ex Trautv. in Act. Hort. Petrop. ix. (1884) 87 = dahurica?  
*origanoides*, Tenore, Fl. Nap. Prod. App. v. 19; Ind. Sem. Hort. Neap. (1825) II. n. 16 = aquatica.  
*Ortmanniana*, Opiz, Natural. xi. (1826) 437 = aquatica.  
*ovalifolia*, Opiz, l. c. viii. (1824) 70 = arvensis.  
*ovata*, Cav. Ic. iv. 36 = Elsholtzia cristata.  
*ovata*, Schur, Enum. Pl. Transs. 519 = arvensis.  
*palatina*, F. Schultz, Arch. Fl. 315 = arvensis.  
*pallida*, Nees, ex Steud. Nom. ed. I. 523 = sylvestris.  
*palmeta*, Fisch. ex Steud. l. c. ed. II. ii. 127, nomen (Quid ?).—Hab.?  
*paludosa*, Nees, ex Bluff. & Fingerh. Comp. Fl. Germ. ed. I. ii. 15 = arvensis.  
*paludosa*, Sole, Menth. Brit. t. 22 = aquatica.  
*palustris*, Mill. Gard. Dict. ed. VIII. n. 11 = aquatica.  
*palustris*, Moench, Meth. 380 = sativa.  
*paniculata*, Roxb. Hort. Beng. 44; Fl. Ind. iii. 4 = Elsholtzia incisa.  
*parietariaefolia*, Steud. Nom. ed. II. ii. 127 = arvensis.  
*parviflora*, Schultz, Prod. Fl. Starg. Suppl. i. 33 = arvensis.  
*parvifolia*, Opiz, Natural. ix. (1825) 192 = arvensis.  
*parvifolia*, Schur, Enum. Pl. Transs. 514.—Europ.  
*pascuicola*, Déségl. & Durand, in Bull. Soc. Bot. Belg. xvii. (1878) 321.—Europ.  
*Patrini*, Lepech. in Nov. Act. Acad. Petrop. i. (1783) 336. t. 8 = Elsholtzia cristata.  
*Pauliana*, F. Schultz, in Pollichia, xi. (1853) 40 = arvensis.  
*peckaensis*, Opiz, Natural. x. (1825) 195 (Quid ?).—Europ.  
*peduncularis*, Bor. Fl. Centr. Fr. ed. III. ii. 510 = aquatica.  
*pedunculata*, Pers. Syn. ii. 119 = aquatica.  
*perilloides*, Host, ex [Spreng.] Bot. Gart. Halle, 48 = Elsholtzia cristata.

VOL. II.

## MENTHA:—

*perilloides*, Lam. Encyc. iv. 112 = Perilla ocimoides.  
*perilloides*, Linn. Syst. ed. XII. 736 = Hyptis pectinata.  
*persica*, Hort. ex Benth. Lab. Gen. et Sp. 170 = sylvestris.  
*pilosa*, Spreng. ex Wallr. Ann. Bot. 75 = arvensis.  
*Pimentum*, Nees, ex Bluff. & Fingerh. Comp. Fl. Germ. ed. I. ii. 13 = piperita.  
*piperata*, Stokes, Bot. Mat. Med. iii. 315 = piperita.  
*Piperella*, Opiz, ex Lej. & Court. Comp. Fl. Belg. ii. 226 = viridis.  
*piperita*, Linn. Sp. Pl. 576.—Europ.; As. et Afr. bor.  
*plicata*, Lej. & Court. Comp. Fl. Belg. 231, in syn. = sativa.  
*plicata*, Nees, ex Malinv. in Bull. Soc. Linn. Normand. Sér. III. iii. (1879) 22 = praec.?  
*plicata*, Opiz, Natural. viii. (1824) 70 = arvensis.  
*plumosa*, Linn. f. Suppl. 273 = Bystropogon origanifolius.  
*polymorpha*, Host, Fl. Austr. ii. 152 = arvensis.  
*polystachya*, Wall. ex Steud. Nom. ed. II. ii. 127 = Elsholtzia polystachya.  
*postelbergensis*, Opiz, Seznam, 65 = gentilis.  
*prachinensis*, Opiz, l. c. = sativa.  
*praecox*, Sole, Menth. Brit. 31. t. 13 = arvensis.  
*pratensis*, Sole, l. c. 39. t. 17 = gentilis.  
*pratensis*, Opiz, Seznam, 65 = arvensis.  
*premysliana*, Opiz, ex Déségl. in Bull. Soc. Sc. Angers (1882), 213.—Europ.  
*probabilis*, Schur, Enum. Pl. Transs. 518 = aquatica.  
*procumbens*, Thuill. Pl. Par. ed. II. 288 = arvensis.  
*prostrata*, Host, Fl. Austr. ii. 151 = arvensis.  
*pubescens*, Willd. Enum. Hort. Berol. 608 = sylvestris.  
*pudina*, Buch.-Ham. ex Benth. in Wall. Pl. As. Rar. i. 29 = viridis.  
*pulchella*, Host, Fl. Austr. ii. 148 = arvensis.  
*pulegioides*, Dum. Fl. Belg. 49 = M. Pulegium.  
*Pulegium*, Linn. Sp. Pl. 577.—Europ.; As. et Afr. bor.  
*Pulegium*, Lucé, Fl. Osil. 24 = arvensis.  
*pumila*, R. Grah. in Edinb. N. Phil. Journ. (Jan.-Mar. 1828) 393 = Dysophylla crassicaulis.  
*pumila*, Host, Fl. Austr. ii. 150 = arvensis.  
*punctata*, Moench, Meth. Suppl. 146 = Preslia cervina.  
*purpurascens*, Host, ex Steud. Nom. ed. II. ii. 127 = reversa.  
*purpurea*, Host, Fl. Austr. ii. 141 = aquatica.  
*pyramidalis*, Tenore, Prod. Fl. Nap. 34 = aquatica.  
*quadrifolia*, Buch.-Ham. ex Benth. in Wall. Pl. As. Rar. i. 30 = Dysophylla crassicaulis.  
*quadrifolia*, D. Don, Prod. Fl. Nep. 113 = Dysophylla cruciata.  
*quadrifolia*, Roxb. Hort. Beng. 44; Fl. Ind. iii. 4 = Dysophylla quadrifolia.  
*quaternifolia*, Heyne, ex Roth, Nov. Pl. Sp. 256 = Dysophylla quadrifolia.  
*ranina*, Opiz, in Lotos, iii. (1853) 207 = aquatica.  
*ratisbonensis*, Opiz, in Flora, vii. (1824) II. 525 = sylvestris.  
*recta*, Déségl. & Durand, in Bull. Soc. Bot. Belg. xvii. (1878) 331.—Europ.  
*reflexifolia*, Opiz, Natural. viii. (1824) 71; Flora, vii. (1824) II. 525 = sylvestris.  
*Requieni*, Benth. Lab. Gen. et Sp. 182.—Ins. Corsica.  
*resinosa*, Opiz, Natural. x. (1825) 195 = gentilis.  
*reticulosa*, Hance, in Walp. Ann. iii. 247.—Hongkong.  
*reversa*, Reichb. ex Steud. Nom. ed. II. ii. 127.—Europ.  
*riparia*, Lej. ex Malinv. in Bull. Soc. Linn. Normand. Sér. III. iii. (1879) 17 = aquatica?  
*riparia*, Schreb. in Schweigg. & Koerte, Fl. Erlang. ii. 6 = sativa.  
*Ripartii*, Déségl. & Durand, in Bull. Soc. Bot. Belg. xvii. (1878) 313 = rotundifolia.  
*rivalis*, Sole, Menth. Brit. 45. t. 20 = arvensis.  
*rivularis*, Hegetschw. Fl. Schw. 582.—Helvet.  
*Rodriguezii*, Malinv. in Marès, Cat. Pl. Vasc. Balear. 335, in nota.—Ins. Balear.  
*Rosani*, Tenore, Fl. Nap. App. v. 18; et Syll. 81 = sylvestris.  
*Rothii*, Nees, ex Bluff. & Fingerh. Comp. Fl. Germ. ed. I. ii. 18 = arvensis.  
*rotundata*, Opiz, in Flora, vii. (1824) II. 525 = arvensis.  
*rotundifolia*, Huds. Fl. Angl. ed. I. 221.—Europ.; As. et Afr. bor.  
*rotundifolia*, Sole, Menth. Brit. 9. t. 4 = sylvestris.  
*Royleana*, Wall. Cat. n. 1537; Benth. in Wall. Pl. As. Rar. i. 29 = sylvestris.

## MENTHA:—

*rubra*, Huds. Fl. Angl. ed. II. 252; Sole, Menth. Brit. 41 = gentilis.  
*rubra*, Mill. Gard. Dict. ed. VIII. n. 9.—Hab.?  
*rubra*, Sm. in Trans. Linn. Soc. v. (1800) 205 = sativa.  
*rubricaulis*, Opiz, in Lotos, iii. (1853) 208 (Quid ?).—Europ.  
*rubrohirta*, Lej. & Court. Comp. Fl. Belg. ii. 230 = arvensis.  
*Rudaeana*, Opiz, Nom. 28 (Quid ?).—Europ.  
*rugosa*, Heyne, ex Hook. f. Fl. Brit. Ind. iv. 638 = Dysophylla rugosa.  
*rugosa*, Lam. Fl. Fr. ii. 420 = rotundifolia.  
*salebrosa*, Bor. Fl. Centr. Fr. ed. III. ii. 511 = arvensis.  
*salicina*, Burch. ex Benth. Lab. Gen. et Sp. 170.—Afr. austr.  
*sapida*, Tausch, ex Reichb. Fl. Germ. Excurs. 310 = sylvestris.  
*sativa*, Linn. Sp. Pl. ed. II. 805.—Europ.  
*sativa*, Roxb. Hort. Beng. 44; Fl. Ind. iii. 6 = arvensis.  
*sativa*, Sm. in Trans. Linn. Soc. v. (1800) 199 = aquatica.  
*satureioides*, R. Br. Prod. 505.—Austral.  
*Schleicheri*, Opiz, Nom. 30 (Quid ?).—Europ.  
*Schultzii*, Boutigny, ex F. Schultz, Arch. Fl. 283 = rotundifolia.  
*Scordastrum*, F. Schultz, ex Malinv. in Soc. Dauph. Ech. Pl. iv. (1877) 120 = arvensis.  
*scotophylla*, Timb. in Mém. Acad. Toul. Sér. V. iv. (1860) 526.—Europ.  
*Scribae*, F. Schultz, in Flora, lvi. (1873) 237 = arvensis.  
*scrophulariaefolia*, Lej. & Court. Comp. Fl. Belg. ii. 230 = arvensis.  
*secunda*, Roxb. Hort. Beng. 44 = Pogostemon plectranthoides.  
*segetalis*, Opiz, in Lotos, iii. (1853) 211 (Quid ?).—Europ.  
*Sehlmeyeri*, Opiz, Nom. 63 (Quid ?).—Europ.  
*semi-integra*, Opiz, ex Déségl. in Bull. Soc. Bot. Belg. xxi. ii. (1882) 109.—Europ.  
*seriata*, A. Kern. Sched. Fl. Exsicc. ii. 121.—Dalmat.  
*serotina*, Host, Fl. Austr. ii. 143 = arvensis.  
*serotina*, Tenore, Prod. Fl. Nap. App. iv. 27 = sylvestris.  
*serpyllifolia*, Benth. in DC. Prod. xii. 174.—Tasman.  
*serrata*, Pérard, in Bull. Soc. Bot. Fr. xvii. (1870) 337 = rotundifolia.  
*serrulata*, Opiz, ex Déségl. in Bull. Soc. Bot. Belg. xxi. ii. (1882) 105.—Europ.  
*Sieberi*, C. Koch, in Linnaea, xxi. (1848) 649 = sylvestris.  
*silesiaca*, Opiz, Natural. ix. (1825) 132 (Quid ?).—Europ.  
*similis*, Déségl. & Durand, in Bull. Soc. Bot. Belg. xvii. (1878) 314.—Europ.  
*simplex*, Host, Fl. Austr. ii. 148 = M. Pulegium.  
*Skofitziana* ×, Kern. in Oestr. Bot. Zeitschr. xiii. (1863) 385.—Europ.  
*slichoviensis*, Opiz, Seznam, 65 = arvensis.  
*Speckmoseriana*, Opiz, Natural. x. (1825) 196 = arvensis.  
*spicata*, Crantz, Stirp. Austr. ed. II. fasc. iv. 323 = viridis.  
*spicata*, Linn. Sp. Pl. 576 = sylvestris.  
*Sprengeliana*, Opiz, ex Steud. Nom. ed. II. ii. 127, nomen (Quid ?).—Europ.  
*stachyoides*, Host, Fl. Austr. ii. 146 = arvensis.  
*stateniensis*, Opiz, in Lotos, iii. (1853) 211 = sativa.  
*stellata*, Buch.-Ham. ex Roxb. Hort. Beng. [95]; Fl. Ind. iii. 5 = Dysophylla stellata.  
*stellata*, Lour. Fl. Cochinch. ii. 361 = Dysophylla verticillata.  
*stolonifera*, Krock. Fl. Siles. Suppl. ii. 146.—Europ.  
*stolonifera*, Opiz, Seznam, 64 = aquatica.  
*Strailii*, Durand, in Bull. Soc. Bot. Belg. xiv. (1875) 307 = aquatica.  
*stricta*, Becker, ex Steud. Nom. ed. II. ii. 127 = aquatica.  
*stricta*, Stokes, Bot. Mat. Med. iii. 322 = sativa.  
*strobilifera*, Wall. ex Benth. in Wall. Pl. As. Rar. i. 30 = Elsholtzia strobilifera.  
*stylosa*, Opiz, in Lotos, iii. (1853) 184 (Quid ?).—Europ.  
*suaveolens*, Ehrh. Beitr. vii. 149 = rotundifolia.  
*suaveolens*, Host, Fl. Austr. ii. 146 = arvensis.  
*suaveolens*, Steph. ex Ledeb. Fl. Ross. iii. 340 = dahurica.

E C



**MENTHA:—**

*suavis*, Guss. *Pl. Rar.* 387. t. 66.—Europ. austr.  
*suavis*, Hoffm. ex Sm. in Rees, *Cycl.* xxiii. sub n. 6 =  
*sylvestris*.  
*suavissima*, Lej. ex Malinv. in Bull. Soc. Linn.  
 Normand. Sér. III. iii. (1879) 5 = *sylvestris*.  
*subcordata*, Colla, ex Lamotte, *Prod. Fl. Centr. Fr.*  
 593 = *arvensis*.  
*subglabra*, Opiz, in Lotos, iii. (1853) 209 (Quid ?).—  
 Europ.  
*subnodosa*, Schur, *Enum. Pl. Transs.* 518 = *arvensis*.  
*subspicata*, Weihe, ex Fresen. in Syll. Ratisb. ii. (1828)  
 226 = *aquatica*, *arvensis*.  
*sudetica*, Opiz, ex Déségl. in Bull. Soc. Sc. Angers  
 (1882), 207.—Europ.  
*sylvatica*, Host, *Fl. Austr.* ii. 149 = *arvensis*.  
*sylvestris*, Linn. *Sp. Pl.* ed. II. 804.—Reg. bor. temp.  
*sylvestris*, Sole, *Menth. Brit.* 7. t. 3 = *rotundifolia*.  
*Tauschiana*, Opiz, *Boehm. Gew.* (1823) 71, nomen  
 (Quid ?).—Europ.  
*Tenorii*, Pérard, in Bull. Soc. Bot. Fr. xvii. (1870) 335  
 = *sylvestris*.  
*tenuiflora*, Opiz, *Natural.* xi. (1826) 438 = *viridis*?  
*tenuifolia*, Host, *Fl. Austr.* ii. 147 = *arvensis*.  
*tenuifolia*, Opiz, ex Reichb. *Fl. Germ. Excurs.* 309 =  
*viridis*.  
*tenuis*, Frank, ex Benth. in DC. *Prod.* xii. 169 =  
*piperita*.  
*tenuis*, Michx. *Fl. Bor. Am.* ii. 2 = *viridis*.  
*terebinthinacea*, Willd. ex Steud. *Nom. ed. II.* ii. 128  
 = *canadensis*.  
*Thurmanni*, Déségl. & Durand, in Bull. Soc. Bot.  
 Belg. xvii. (1878) 320.—Europ.  
*Timija*, Coss. in Bull. Soc. Bot. Fr. xxii. (1875) 65,  
 nomen.—Marocc.  
*Tinantiana*, Lej. ex Malinv. in Bull. Soc. Linn.  
 Normand. Sér. III. iii. (1879) 29 = *aquatica*?  
*Todari*, Lojac. in *Natural. Sicil.* iii. (1884) 46.—  
 Sicil.  
*tomentella*, Hoffm. & Link, *Fl. Port.* i. 73 = *M.*  
*Pulegium*.  
*tomentosa*, Sm. in Rees, *Cyclop.* xxiii. n. 23 = *M.*  
*Pulegium*.  
*tomentosa*, Urv. in *Mém. Soc. Linn. Par.* i. (1822) 323  
 = *sylvestris*.  
*tortuosa*, Host, *Fl. Austr.* ii. 142 = *arvensis*.  
*transmota*, Déségl. & Durand, in Bull. Soc. Bot. Belg.  
 xvii. (1878) 319.—Europ.  
*transsilvanica*, Schur, *Enum. Pl. Transs.* 513 = *syl-*  
*vestris*.  
*tristis*, Opiz, *Natural.* x. (1825) 196 (Quid ?).—  
 Europ.  
*uliginosa*, Salisb. *Prod.* 80 = *sylvestris*.  
*umbrosa*, Opiz, *Boehm. Gew.* (1823) 72; Weihe, ex  
 Fingerh. in *Flora*, xviii. (1835) 393 = *aquatica*.  
*undulata*, Hort. Canal. ex Opiz, *Natural.* xi. (1826)  
 437 (Quid ?).—Europ.  
*undulata*, Willd. *Enum. Hort. Berol.* 608 = *syl-*  
*vestris*.  
*urticaefolia*, Tenore, *Fl. Nap.* t. 157; Ind. Sem. Hort.  
 Neap. (1825) 11. n. 17 = *aquatica*.  
*varians*, Host, *Fl. Austr.* ii. 150 = *arvensis*.  
*variegata*, Sole, *Menth. Brit.* 43. t. 19 = *arvensis*.  
*vegeta*, Baker, in *Journ. Bot.* iii. (1865) 245 =  
*cardiaca*.  
*velutina*, Lej. *Rev. Fl. Spa.* 115; Bab. *Man. Brit. Bot.*  
 ed. VI. 263, in syn. = *sylvestris*.  
*velutina*, Wall. ex Steud. *Nom. ed. II.* ii. 128 = *Dyso-*  
*phylla verticillata*.  
*venulosa*, Heyne, ex Wall. *Cat. sub n.* 1547 = *Dyso-*  
*phylla myosuroides*.  
*veronicaefolia*, Buch.-Ham. ex D. Don, *Prod. Fl. Nep.*  
 114 = *Dysophylla crassicaulis*.  
*veronicaeformis*, Opiz, ex Déségl. in Bull. Soc. Sc.  
 Angers (1882), 217 = *sylvestris*.  
*verticillata*, D. Don, *Prod. Fl. Nep.* 114 = *Dysophylla*  
*crassicaulis*.  
*verticillata*, Gaertn. *Mey. & Scherb. Fl. Wett.* ii. 352  
 = *sativa*.  
*verticillata*, Linn. *Syst. ed. X.* 1099 = *arvensis*.  
*verticillata*, Roxb. *Hort. Beng.* 44; *Fl. Ind.* iii. 5 =  
*Dysophylla verticillata*.  
*viennensis*, Opiz, *Seznam*, 64 = *aquatica*.  
*villosa*, Becker, *Fl. Frankf.* i. 223 = *arvensis*.  
*villosa*, Heyne, ex Benth. in Wall. *Pl. As. Rar.* i. 31 =  
*Pogostemon rotundatum*.  
*villosa*, Huds. *Fl. Angl.* ed. II. 250 = *sylvestris*.  
*villosa-nervata*, Opiz, *Nom.* 60 (Quid ?).—Europ.

**MENTHA:—**

*virgata*, Salisb. ex Steud. *Nom. ed. I.* 523, 524 =  
*arvensis*.  
*viridis*, Linn. *Pl. ed. II.* 804.—Europ.; As. et Afr. bor.  
*viridula*, Host, *Fl. Austr.* ii. 147 = *arvensis*.  
*Wagneriana*, Opiz, *Natural.* x. (1825) 196 (Quid ?).—  
 Europ.  
*Walteriana*, Opiz, l. c. ix. (1825) 132 (Quid ?).—  
 Europ.  
*Weidenhoferi*, Opiz, *Nom.* 32 = *aquatica*.  
*Weiheana*, Opiz, *Natural.* viii. (1824) 71 = *aquatica*.  
*Weinerniana*, Opiz, ex Déségl. in Bull. Soc. Sc. Angers  
 (1882), 216 = *sylvestris*.  
*weissenburgensis*, Schultz, ex Nym. *Consp.* 596 =  
*aquatica*.  
*Weitenweberi*, Opiz, ex Steud. *Nom. ed. II.* ii. 128;  
 et ex Déségl. in *Ann. Soc. Bot. Lyon*, viii. (1881)  
 228 (Quid ?).—Europ.  
*Welwitschii*, Rouy, ex Cf. *Bull. Soc. Bot. Fr.* xxx. (1883)  
*Bibl.* 32.—Europ.  
*Wierzbickiana*, Opiz, in *Flora*, vii. (1824) 11. 525 =  
*sylvestris*.  
*Wigmanniana*, Opiz, ex Steud. *Nom. ed. II.* ii. 128,  
 nomen (Quid ?).—Europ.  
*Willdenowii*, Déségl. & Durand, in Bull. Soc. Bot. Belg.  
 xvii. (1878) 317 = *rotundifolia*.  
*Winkleriana*, Opiz, ex Steud. *Nom. ed. II.* ii. 128; et  
 ex Déségl. in *Ann. Soc. Bot. Lyon*, viii. (1881) 228  
 (Quid ?).—Europ.  
*Wirtgeniana*, F. Schultz, in *Pollichia*, xii. (1854) 41 =  
*sativa*.  
*Wohlwerthiana*, F. Schultz, l. c. 37 = *arvensis*.  
*Wondračekii*, Opiz, ex Déségl. in Bull. Soc. Sc. Angers  
 (1882), 217 = *sylvestris*.  
*zatecensis*, Opiz, l. c. 211.—Europ.  
*zeylanica*, Burm. ex Steud. *Nom. ed. II.* ii. 128 =  
*Geniosporum prostratum*.

**MENTHELLA**, Pérard, in Bull. Soc. Bot. Fr. xvii.  
 (1870) 205 = **Mentha**, Tourn. (Labiata).  
*Requienii*, Pérard, l. c. 206 = *Mentha Requieni*.

**MENTZELIA**, Plum. ex Linn. *Gen. ed. I.* 338 (1737).

**LOASEAE**, Benth. & Hook. f. i. 804.  
**ACROLASIA**, Presl, *Rel. Haenk.* ii. 39. t. 55 (1831).  
**BARTONIA**, Sims, *Bot. Mag.* t. 1487 (1804).  
**CHRYSOSTOMA**, Lilja, in *Linnaea*, xv. (1841) 263.  
**CREOLOBUS**, Lilja, *Flora Oefver Sver. Odl. Vext.* 67  
 (1839).  
**EUCNIDE**, Zucc. *Del. Sem. Monac.*—Cf. *Linnaea*,  
 xviii. (1844) 508; et in *Abh. Akad. Muench.* iv. I.  
 (1845) t. 1.  
**MENZELIA**, Linn. *Hort. Cliff.* 492 (1737).  
**MICROSPERMA**, Hook. *IC. Pl.* t. 234 (1839).  
**TRACHYPHYTUM**, Nutt. ex Torr. & Gray, *Fl. N. Am.*  
 i. 533 (1840).  
*adhaerens*, Benth. *Bot. Voy. Sulph.* 15.—Calif.  
*albicaulis*, Dougl. ex Hook. *Fl. Bor. Am.* i. 222.—Am.  
 bor. occ.  
*albicaulis*, A. Gray, *Pl. Wright.* i. 74 = *dispersa*.  
*albicaulis*, Torr. *Bot. Mex. Bound.* 67, partim =  
*aspera*.  
*aspera*, Cav. *IC. i.* 51. t. 70 = *hispida*.  
*aspera*, Linn. *Sp. Pl.* 516.—Am. bor. occ.  
*aurea*, Nutt. *Gen. Am.* i. 300 = *oligosperma*.  
*Bartonia*, Steud. *Nom. ed. II.* ii. 128 = *Lindleyi*.  
*Brandegei*, S. Wats. in *Proc. Am. Acad.* xx. (1885)  
 367.—Am. bor. occ.  
*chilensis*, C. Gay, *Fl. Chil.* ii. 431.—Chili.  
*chrysantha*, Engelm. in Brandeg. *Fl. S. W. Color.* 237  
 = *pumila*.  
*congesta*, Torr. & Gray, *Fl. N. Am.* i. 534.—Am. bor.  
 occ.  
*cordata*, Kellogg, in *Proc. Calif. Acad.* ii. (1863) 83.—  
 Calif.  
*crocea*, Kellogg, l. c. vii. (1876) 110 = *Lindleyi*.  
*dispersa*, S. Wats. in *Proc. Am. Acad.* xi. (1876) 115,  
 137.—Am. bor. occ.  
*floridana*, Nutt. ex Torr. & Gray, *Fl. N. Am.* i. 532.—  
 Am. bor.  
*gracilentia*, Torr. & Gray, l. c. 534.—Am. bor. occ.  
*grandiflora*, Ruiz & Pav. ex G. Don, *Gen. Syst.* iii. 66.  
 —Peruv.  
*gronoviaefolia*, Fisch. & Mey. *Ind. Sem. Hort. Petrop.*  
 x. 54.—Mexic.  
*Haenkii*, A. Gray, *Pl. Wright.* i. 74, in nota.—Chili.  
*hirsutissima*, S. Wats. in *Proc. Am. Acad.* xii. (1877)  
 252.—Calif.

**MENTZELIA:—**

*hirta*, Pav. ex G. Don, *Gen. Syst.* iii. 66.—Mexic.  
*hispida*, Willd. *Sp. Pl.* ii. 1176.—Mexic.  
*involucrata*, S. Wats. in *Proc. Am. Acad.* xx. (1885)  
 367.—Calif.  
*laevicaulis*, Torr. & Gray, *Fl. N. Am.* i. 535.—Am.  
 bor. occ.  
*Lindleyi*, Torr. & Gray, l. c. 533.—Calif.  
*lobata*, Walp. *Rep.* ii. 224; Hemsl. *Biol. Centr. Am.*  
*Bot.* i. 472.—Mexic.  
*micrantha*, Torr. & Gray, *Fl. N. Am.* i. 535.—Calif.  
*multiflora*, A. Gray, in *Mem. Am. Acad. N. S.* iv.  
 (1849) 48.—Am. bor.  
*nuda*, Torr. & Gray, *Fl. N. Am.* i. 535.—Am. bor.  
*oligosperma*, Nutt. ex Sims, *Bot. Mag.* t. 1760.—  
 Louisiana.  
*ornata*, Torr. & Gray, *Fl. N. Am.* i. 534.—Am. bor.  
*ornata*, Torr. in Stansb. *Exped. Utah*, 387 = *laevi-*  
*caulis*.  
*pectinata*, Kellogg, in *Proc. Calif. Acad.* iii. (1863) 40  
 = *gracilentia*.  
*pedicellata*, Presl, *Epim. Bot.* 246 = *stipitata*.  
*petiolata*, Buckl. in *Proc. Acad. Sc. Philad.* 1861  
 (1862) 455 = *oligosperma*.  
*pumila*, Torr. & Gray, *Fl. N. Am.* i. 535.—Am. bor.  
 occ.  
*rhombifolia*, Nutt. ex Torr. & Gray, *Fl. N. Am.* i. 533  
 = *oligosperma*.  
*scabra*, H. B. & K. *Nov. Gen. et Sp.* vi. 120.—  
 N. Granat.  
*stipitata*, [Moç. & Sesse,] ex DC. *Prod.* iii. 343 =  
*hispida*.  
*stipitata*, Presl, *Rel. Haenk.* ii. 42.—Mexic.  
*strigosa*, H. B. & K. *Nov. Gen. et Sp.* vi. 120.—  
 Mexic.  
*Torreyi*, A. Gray, in *Proc. Am. Acad.* x. (1874) 72.—  
 Am. bor. occ.  
*tricuspid*, A. Gray, in *Am. Natural.* ix. (1875) 271.—  
 Calif.  
*urens*, Parry, ex A. Gray, in *Proc. Am. Acad.* x.  
 (1874) 71.—Utah.  
*urens*, Vell. *Fl. Flum.* v. t. 97.—Bras.  
*Veatchiana*, Kellogg, in *Proc. Calif. Acad.* ii. (1863)  
 99 = *albicaulis*.  
*Wrightii*, A. Gray, in *Mem. Am. Acad. N. S.* iv.  
 (1849) 48.—Texas.  
*Wrightii*, Porter, *Fl. Color.* 47 = *pumila*.

**MENYANTES**, Zumag. *Fl. Pedem.* i. 275 (1849) =  
 seq.

**MENYANTHES**, [Tourn.] Linn. *Syst. ed. I.* (1735).

**GENTIANAEAE**, Benth. & Hook. f. ii. 819.  
*americana*, Sweet, *Hort. Brit.* ed. I. 282 = *trifoliata*.  
*biflora*, Moon, *Cat. Pl. Ceyl.* 13 = *Limnanthemum*  
*aurantiacum*.  
*brachysperma*, Griseb. in DC. *Prod.* ix. 137, sphalm. =  
*Limnanthemum trachyspermum*.  
*brasilica*, Vell. *Fl. Flum.* 75; ii. t. 70 = *Limnan-*  
*themum Humboldtianum*.  
*campestris*, Macrae & Wight, ex C. B. Clarke, in  
 Hook. f. *Fl. Brit. Ind.* iv. 132, partim = *Limnan-*  
*themum Forbesianum*.  
*campestris*, Moon, *Cat. Pl. Ceyl.* 13 = *Limnanthemum*  
*parvifolium*.  
*capensis*, Thunb. *Prod. Pl. Cap.* 84 = *Villarsia ovata*.  
*Crista-galli*, Menz. ex Hook. *Bot. Misc.* i. (1830) 45.  
 t. 34.—Am. bor. occ.  
*cristata*, Roxb. *Pl. Corom.* ii. 3. t. 105 = *Limnanthemum*  
*cristatum*.  
*exaltata*, Sims, *Bot. Mag.* t. 1029 = *Villarsia parnassi-*  
*folia*.  
*Hydrophyllum*, Lour. *Fl. Cochinch.* 105 = *Limnan-*  
*themum Hydrophyllum*.  
*indica*, Aubl. *Pl. Gui.* i. 118 = *Limnanthemum Hum-*  
*boldtianum*.  
*indica*, Bory, *Voy.* i. 236 = *Limnanthemum cristatum*.  
*indica*, Linn. *Sp. Pl.* 145 = *Limnanthemum indicum*.  
*latifolia*, Rafin. *New Fl. Am.* ii. 20 = *trifoliata*?  
*macrophylla*, Roth, ex Roem. & Schult. *Syst.* iv. 180 =  
*Limnanthemum Kleinianum*.  
*meridionalis*, Willd. ex Griseb. *Gen. et Sp. Gent.* 347  
 = *Limnanthemum Humboldtianum*.  
*natans*, Lam. *Fl. Fr.* ii. 203 = *Limnanthemum nym-*  
*phoides*.  
*nymphoides*, Linn. *Sp. Pl.* 145 = *Limnanthemum nym-*  
*phoides*.  
*nymphoides*, Thunb. *Fl. Jap.* 82 = *Brasenia Schreberi*.



## MENYANTHES:—

- ovata*, Linn. f. Suppl. 133 = Villarsia ovata.  
*palustris*, S. F. Gray, Nat. Arr. Brit. Pl. ii. 340 = trifoliata.  
*paradoxa*, Fries, Nov. Fl. Suec. ed. II. 71 = trifoliata.  
*peltata*, Thunb. in Nov. Act. Soc. Sc. Upsal. vii. (1815) 142 = Brasenja Schreberi.  
*petioliflora*, Stokes, Bot. Mat. Med. i. 299 = Limnanthemum indicum.  
*pumila*, Dougl. ex Griseb. Gen. et Sp. Gent. 338 = Hesperochiron californicus.  
*punctata*, Muhl. ex Griseb. l. c. 348 = Limnanthemum lacunosum.  
*sarmentosa*, Sims, Bot. Mag. t. 1328 = Villarsia reniformis.  
*sinarica*, Buch.-Ham. ex Steud. Nom. ed. II. ii. 128 = Limnanthemum cristatum.  
*trachysperma*, Michx. Fl. Bor. Am. i. 126 = Limnanthemum trachyspermum.  
*tridentata*, Rafin. New Fl. Am. ii. 20 = trifoliata?  
*trifoliata*, Linn. Sp. Pl. 145.—Reg. bor. temp.  
*Trifolium*, Neck. Delic. Gallo-Belg. i. 105 = trifoliata.  
*verna*, Rafin. Med. Fl. ii. 33 = trifoliata.

MENZELIA, Linn. Hort. Cliff. 492 (1737) = **Mentzelia**, Plum. (Loasac.).

**MENZIESIA**, Sm. Pl. Ic. Ined. t. 56 (1791). **ERICACEAE**, Benth. & Hook. f. ii. 602.

- CANDOLLEA**, Baumg. Cat. Hort. Bollw. (1810).  
*aleutica*, Spreng. Syst. ii. 202 = Bryanthus aleuticus.  
*Bruckenthalii*, Baumg. Enum. Stirp. Transs. i. 333 = Bruckenthalia spiculifolia.  
*bryantha*, Sw. in Trans. Linn. Soc. x. (1811) 377. t. 30. f. b = Bryanthus Gmelini.  
*caerulea*, Sw. l. c.; Wahlenb. Fl. Lappon. 105 = Bryanthus taxifolius.  
*ciliicalyx*, Maxim. in Mém. Acad. Pétersb. Sér. VII. xvi. (1871) n. ix. 10.—Japan.  
*Daboëci*, DC. Fl. Fr. iii. 674 = Daboëcia polifolia.  
*empetriformis*, Pursh, Fl. Am. Sept. i. 264 = Cassiope Stelleriana.  
*empetriformis*, Sw. in Trans. Linn. Soc. x. (1811) 380 = Bryanthus empetriformis.  
*ferruginea*, A. Gray, in Proc. Am. Acad. viii. (1872) 393 = glabella.  
*ferruginea*, Sm. Pl. Ic. Ined. t. 56.—Am. bor. occ.  
*glabella*, A. Gray, Syn. Fl. N. Am. ii. i. 39.—Am. bor. occ.  
*glanduliflora*, Hook. Fl. Bor. Am. ii. 40 = Bryanthus glanduliflorus.  
*globularis*, Hook. l. c. 41 = glabella.  
*globularis*, Salisb. Parad. Lond. t. 44.—Am. bor.  
*Grahamii*, Hook. Fl. Bor. Am. ii. 40 = Bryanthus empetriformis.  
*intermedia*, Hook. l. c. = Bryanthus empetriformis.  
*minor*, Hoffm. Verz. Pl. 79 = Daboëcia polifolia.  
*multiflora*, Maxim. in Mém. Acad. Pétersb. Sér. VII. xvi. (1871) n. ix. 11.—Japan.  
*pentandra*, Maxim. in Bull. Acad. Pétersb. xi. (1867) 431.—Japan.  
*phylicifolia*, Fisch. ex Hook. Fl. Bor. Am. ii. 40 = Bryanthus aleuticus.  
*pilosa*, Juss. in Ann. Mus. Par. i. (1802) 56 = globularis.  
*polifolia*, Juss. l. c. 55. t. 4. f. 1 = Daboëcia polifolia.  
*purpurea*, Maxim. in Bull. Acad. Pétersb. xi. (1867) 431.—Japan.  
*Smithii*, Michx. Fl. Bor. Am. i. 235 = globularis.  
*Stelleriana*, Fisch. ex Hook. Fl. Bor. Am. ii. 37 = Cassiope Stelleriana.  
*triflora*, Bert. ex Spreng. Syst. ii. 202 = Lyonia octandra.  
*urceolaris*, Salisb. Parad. Lond. sub t. 44 = ferruginea.

MEON, St. Lag. in Ann. Soc. Bot. Lyon, vii. (1880) 130 = **Meum**, Tourn. (Umbell.).  
*mutellinum*, St. Lag. l. c. = Meum Mutellina.

**MEOSCHIUM**, Beauv. Agrost. 111. t. 21 (1812) = **Ischaemum**, Linn. (Gramin.).  
*aristatum*, Beauv. Agrost. 111 = I. aristatum.  
*Arnottianum*, Nees, in Nov. Act. Nat. Cur. xix. Suppl. i. (1843) 198 = I. rugosum.  
*australe*, Beauv. ex Roem. & Schult. Syst. ii. 790 = I. australe.  
*barbatum*, Beauv. Agrost. 111 = I. aristatum.  
*ciliare*, Beauv. l. c. = I. ciliare.  
*elatum*, Nees, ex Steud. Syn. Pl. Gram. 376 = I. aristatum.

## MEOSCHIUM:—

- elegans*, Arn. & Nees, in Nov. Act. Nat. Cur. xix. Suppl. i. (1843) 199 = Ischaemum rugosum.  
*Griffithii*, Nees & Arn. in Ann. Nat. Hist. Ser. I. i. (1838) 284 = I. rugosum.  
*iodiculare*, Nees, in Hook. & Arn. Bot. Beech. Voy. 246 = I. aristatum.  
*Meyenianum*, Nees, in Nov. Act. Nat. Cur. xix. Suppl. i. (1843) 197 = I. aristatum.  
*monostachys*, Wight & Arn. ex Steud. Syn. Pl. Gram. 369 = I. aristatum.  
*Neesianum*, Arn. ex Steud. l. c. 375 = I. aristatum.  
*Royleanum*, Nees, ex Steud. l. c. = I. rugosum.  
*rugosum*, Nees, in Nov. Act. Nat. Cur. xix. Suppl. i. (1843) 200 = I. rugosum.  
*semisagittatum*, Schult. Mant. ii. 435 = I. semisagittatum.  
*triticeum*, Beauv. ex Roem. & Schult. Syst. ii. 790 = I. triticeum.  
*villosum*, Beauv. l. c. = I. australe.  
*Wightianum*, Nees, in Nov. Act. Nat. Cur. xix. Suppl. i. (1843) 199 = I. rugosum.

**MEPHITIDIA**, Reinw. ex Blume, Cat. Gew. Buitenz. 51 (1823) = **Lasianthus**, Jack (Rubiace.).

- acuminata*, Walp. Ann. ii. 762 = L. acuminatus.  
*apocarpa*, Korth. in Nederl. Kruidk. Arch. ii. ii. (1851) 221 = L. apiocarpus.  
*attenuata*, DC. Prod. iv. 452 = L. attenuatus.  
*Blumeana*, Walp. Ann. ii. 761 = L. Blumeanus.  
*bracteata*, Walp. l. c. 759 = L. cyanocarpus.  
*capitata*, DC. Prod. iv. 453 = L. capitatus.  
*capitulata*, Walp. Ann. ii. 762 = L. capitatus.  
*chinensis*, Champ. ex Benth. in Hook. Kew Journ. iv. (1852) 196 = L. chinensis.  
*chrysoneura*, Korth. in Nederl. Kruidk. Arch. ii. ii. (1851) 222 = L. chrysoneurus.  
*ciliata*, Walp. Ann. ii. 761 = L. ciliatus.  
*constricta*, Walp. l. c. 762 = L. constrictus.  
*cyanocarpa*, DC. Prod. iv. 452 = L. cyanocarpus.  
*dichotoma*, Korth. in Nederl. Kruidk. Arch. ii. ii. (1851) 224.—Java.  
*dichotoma*, Walp. Ann. ii. 761 = L. dichotomus.  
*dubia*, Walp. l. c. 763 = Psychotria Wightiana.  
*elliptica*, Walp. l. c. 761 = L. ellipticus.  
*foetens*, Walp. l. c. 763 = Saproisma ceylanicum.  
*Gardneri*, Thw. Enum. Pl. Zeyl. 145 = L. Gardneri.  
*Griffithii*, Walp. Ann. ii. 760 = L. Griffithii.  
*hexandra*, Blume, Cat. Gew. Buitenz. 51 = L. hexandrus.  
*inaequalis*, DC. Prod. iv. 453 = L. cyanocarpus.  
*inaequalis*, Zoll. ex Miq. Fl. Ind. Bat. ii. 321 = L. densifolius.  
*inodora*, DC. Prod. iv. 453 = L. inodorus.  
*Jackiana*, Walp. Ann. ii. 760 = L. Jackianus.  
*laevigata*, DC. Prod. iv. 453 = L. laevigatus.  
*lanceolata*, Hassk. Cat. Hort. Bog. Alt. 111.—Hab.?  
*latifolia*, Blume, ex DC. Prod. iv. 453 = L. latifolius.  
*longifolia*, Walp. Ann. ii. 762 = L. longifolius.  
*lucida*, DC. Prod. iv. 453 = L. lucidus.  
*Moonii*, Walp. Ann. ii. 760 = L. Moonii.  
*mucronulata*, Korth. in Nederl. Kruidk. Arch. ii. ii. (1851) 223 = L. mucronulatus.  
*obscura*, DC. Prod. iv. 453 = L. obscurus.  
*obscura*, Zoll. ex Miq. Fl. Ind. Bat. ii. 318 = L. tomentosus.  
*oligantha*, Thw. Enum. Pl. Zeyl. 146 = L. oliganthus.  
*ovata*, Korth. in Nederl. Kruidk. Arch. ii. ii. (1851) 221 = L. ovatus?  
*parvifolia*, Walp. Ann. ii. 762 = L. parvifolius.  
*pauciflora*, Walp. l. c. 763 = L. pauciflorus.  
*pilosa*, Walp. l. c. 760 = L. pilosus.  
*platyphylla*, Korth. in Nederl. Kruidk. Arch. ii. ii. (1851) 222 = L. platyphyllus.  
*protracta*, Thw. Enum. Pl. Zeyl. 146 = L. strigosus.  
*pterosperma*, Walp. Ann. ii. 762 = L. pterospermus.  
*purpurea*, DC. Prod. iv. 454 = L. purpureus.  
*reticulata*, DC. l. c. = L. reticulatus.  
*retosa*, Walp. Ann. ii. 760 = L. retosus.  
*rhinocerotis*, Hort. Bogor. ex Miq. Fl. Ind. Bat. ii. 317 = L. obscurus.  
*rhinocerotis*, DC. Prod. iv. 453 = L. rhinocerotis.  
*rhinocerotis*, Kurz, in Andam. For. Rep. Append. A. 40 = L. cyanocarpus.  
*rhizophylla*, Thw. Enum. Pl. Zeyl. 145 = L. rhizophyllus.  
*rostrata*, Walp. Ann. ii. 761 = L. ciliatus.  
*Roxburghii*, Wight & Arn. Prod. 390 = L. cyanocarpus.  
*rufa*, Korth. in Nederl. Kruidk. Arch. ii. ii. (1851) 224 = L. rufus.

## MEPHITIDIA:—

- stercoraria*, DC. Prod. iv. 454 = Lasianthus stercorarius.  
*stipularis*, DC. l. c. 453 = L. stipularis.  
*strigosa*, Walp. Ann. ii. 762 = L. strigosus.  
*sylvestris*, DC. Prod. iv. 454 = L. sylvestris.  
*tomentosa*, DC. l. c. 453 = L. tomentosus.  
*tomentosa*, Thw. Enum. Pl. Zeyl. 145 = L. Thwaitesii.  
*tubiflora*, DC. Prod. iv. 454 = Hamiltonia suaveolens.  
*varians*, Thw. Enum. Pl. Zeyl. 146 = L. Walkerianus, strigosus, varians.  
*venosa*, DC. Prod. iv. 453 = L. venosus.  
*venosa*, Zoll. ex Miq. Fl. Ind. Bat. ii. 325 = L. reticulatus.  
*venulosa*, Wight, in Calc. Journ. Nat. Hist. vi. (1846) 508, in syn. = L. venulosus.  
*Walkeriana*, Walp. Ann. ii. 762 = L. Walkerianus.  
*Wallichii*, Wight & Arn. Prod. 390 = L. Wallichii.

**MERATHREPTA**, Rafin. in Ser. Bull. Bot. i. (1830) 221 = **Danthonia**, DC. (Gramin.).  
*spicata*, Rafin. l. c. = D. spicata.

**MERATIA**, Cass. in Dict. Sc. Nat. xxx. 65 (1824) = **Elvira**, Cass. (Compos.).  
*Sprengelii*, Cass. l. c. 66 = E. Martyni.

**MERATIA**, A. DC. in DC. Prod. x. 104 (1846) = **Moritzia**, DC. (Borag.).  
*Lindenii*, A. DC. l. c. = Venezuela.

**MERATIA**, Loisel. Herb. Gen. Amat. iii. t. 173 (1819) = **Chimonanthus**, Lindl. (Calycanth.).  
*fragrans*, Loisel. l. c. = C. fragrans.

**MERCA DOA**, Naves, in Blanco, Fl. Philipp. ed. III. t. 463 (1880 ?) = **Sumbavia**, Baill. (Euphorb.).  
*mandalajonensis*, Naves, l. c. = S. rotleroides.

**MERCIERA**, A. DC. Monog. Camp. 369. t. 5 (1830).  
**CAMPANULACEAE**, Benth. & Hook. f. ii. 560.  
*brevifolia*, A. DC. Monog. Camp. 371.—Afr. austr.  
*Eckloniana*, Buek, in Eckl. & Zeyh. Enum. 387 = tenuifolia.  
*heteromorpha*, Buek, l. c. (Rubiaceae).—Afr. austr.  
*heterophylla*, Steud. Nom. ed. II. ii. 129, sphalm. = praec.  
*leptoloba*, A. DC. Monog. Camp. 371. t. 5.—Afr. austr.  
*tenuifolia*, A. DC. l. c. 370.—Afr. austr.

**MERCKIA**, Fisch. ex Cham. & Schlecht. in Linnaea, i. (1826) 59 = **Arenaria**, Rupp. (Caryoph.).  
*pepoides*, G. Don, Gen. Syst. i. 441 = A. pepoides.  
*physodes*, Fisch. ex Cham. & Schlecht. in Linnaea, i. (1826) 59 = A. physodes.

**MERCKLINIA**, Regel, Ind. Sem. Hort. Petrop. (1856) 25; et Gartenfl. (1857) 155 = **Hakea**, Schrad. (Proteac.).  
*petrophiloides*, Regel, Gartenfl. (1857) 156 = II. lissocarpa.  
*rosea*, Regel, Ind. Sem. Hort. Petrop. (1856) 25; Gartenfl. (1857) 155 = H. lissocarpa.

**MERCURIALIS**, [Tourn.] Linn. Syst. ed. I (1735).  
**EUPHORBACEAE**, Benth. & Hook. f. iii. 309.  
**SYNEMA**, Dulac, Fl. Hautes-Pyr. 154 (1867).  
*afra*, Linn. Mant. ii. 298 = Hydrocotyle villosa.  
*alpina*, Schur, Enum. Pl. Transs. 600 = perennis.  
*alternifolia*, Hochst. ex Baill. Etud. Gén. Euph. 490 = Acalypha Hochstetteriana.  
*alternifolia*, Lam. Encyc. iv. 120 = Claoxylon Mercurialis.  
*ambigua*, Linn. Sp. Pl. ed. II. 1465 = annua.  
*androgyna*, Steud. Nom. ed. I. 524 = Leidesia capensis.  
*angustifolia*, Baill. Adansonia, vi. (1866) 322 = Claoxylon angustifolium.  
*annua*, Linn. Sp. Pl. 1035.—Europ.; Afr. bor.  
*annua*, Thunb. Fl. Cap. ed. Schult. 387 = Leidesia capensis.  
*annua*, Uspenski, ex Ledeb. Fl. Ross. iii. 580 = perennis.  
*australis*, Baill. Adansonia, vi. (1866) 322 = Claoxylon australe.  
*bupleuroides*, Meissn. in Hook. Lond. Journ. Bot. (1843) 557 = Adenocline pauciflora.  
*caffra*, Meissn. in Hook. l. c. 558 = Adenocline acuta.  
*capensis*, Sond. in Linnaea, xxiii. (1850) 112 = Leidesia capensis.



**MERCURIALIS** :—

- capensis*, Spreng. ex Sond. in Linnaea, xxiii. (1850) 111 = *Leidesia obtusa*.  
*ciliata*, Presl, Delic. Prag. 56 = annua.  
*corsica*, Coss. & Kral. Notes Crit. 63.—Ins. Corsica.  
*Cynocrambe*, Scop. Fl. Carn. ed. II. ii. 266 = perennis.  
*Dregeana*, Buchinger, ex Krauss, in Flora, xxviii. (1845) 84 = *Adenocline acuta*.  
*elliptica*, Duby, Bot. Gall. ed. II. i. 417 = corsica.  
*elliptica*, Lam. Encyc. iv. 119.—Reg. Mediterr. occ.  
*Huetii*, Hanry, in Billotia, i. (1864) 21 = annua.  
*indica*, Lour. Fl. Cochinch. 628 (*Claoxylis* sp.?).—Cochinchin.  
*Ladanum*, Hartm. in Anderss. Bot. Notiser (1849), 67 = annua.  
*leiocarpa*, Sieb. & Zucc. Fl. Jap. Fam. Nat. 37.—Japon.  
*livida*, Portenschl. ex Baumg. Enum. Stirp. Transs. iii. 344 = perennis.  
*longifolia*, Host, Fl. Austr. ii. 666 = perennis.  
*longifolia*, Lam. Encyc. iv. 119 = annua.  
*nemoralis*, Salisb. Prod. 390 = perennis.  
*ovata*, Sternb. & Hoppe, in Denkschr. Bot. Ges. Regensb. i. (1815) 170. t. 4 = perennis.  
*pauciflora*, Baill. Adansonia, iii. (1862–63) 159 = *Adenocline pauciflora*.  
*perennis*, Linn. Sp. Pl. 1037.—Europ.; As. occ.  
*procumbens*, Linn. l. c. 1036 (= *Paradenocline procumbens*).—Afr. austr.  
*pumila*, Sond. in Linnaea, xxiii. (1850) 112 = *Tragia triandra*.  
*sericea*, Salisb. Prod. 390 = tomentosa.  
*serrata*, Meissn. in Hook. Lond. Journ. Bot. ii. (1843) 557 = *Adenocline pauciflora*.  
*subcordata*, Buchinger, ex Krauss, in Flora, xxviii. (1845) 84 = *Adenocline acuta*.  
*sylvatica*, Hoppe, in Flora, i. (1818) 472 = perennis.  
*tenella*, Meissn. in Hook. Lond. Journ. Bot. ii. (1843) 556 (err. typ. 456) = *Adenocline pauciflora*.  
*tenerifolia*, Baill. Adansonia, vi. (1866) 323 = *Claoxylon tenerifolium*.  
*tomentosa*, Linn. Sp. Pl. 1035.—Europ. austr.  
*triandra*, E. Mey. in Linnaea, iv. (1829) 237 = *Tragia triandra*.  
*tricocca*, Eckl. & Zeyh. ex Krauss, in Flora, xxviii. (1845) 85 = seq.?  
*tricocca*, E. Mey. ex Sond. in Linnaea, xxiii. (1850) 111 = *Leidesia capensis*, obtusa.  
*violaeifolia*, Kunze, Cat. Sem. Hort. Lips. (1846).—Cf. Linnaea, xxiv. (1851) 162 (= *Paradenocline procumbens*).—Afr. austr.  
*Zeyheri*, Kunze, in Linnaea, xx. (1847) 54 = *Adenocline pauciflora*.

**MERCURIASTRUM**, Heist. Syst. 11 (1748) (Quid?).

**MERENDERA**, Ram. in Bull. Soc. Philom. (1798)

178. t. 12. **LILIACEAE**, Benth. & Hook. f. iii. 822.  
*GEOPHILA*, Berger. Fl. Bass. Pyr. ii. 184 (1803).  
*MINDERERA*, Ram. ex Schrad. Journ. 1800, II. (1801) 467.  
*abyssinica*, A. Rich. Tent. Fl. Abyss. ii. 337.—Abyssin.  
*Aitchisoni*, Hook. f. Bot. Mag. t. 6012 = persica.  
*attica*, Boiss. & Sprun. Diagn. Ser. I. v. 67.—Graecia.  
*bulbocodioides*, Willd. in Ges. Naturf. Fr. Berl. Mag. ii. (1808) 27 = *M. Bulbocodium*.  
*Bulbocodium*, Balb. Misc. ii. 14 = *Bulbocodium ruthenicum*.  
*Bulbocodium*, Ram. in Bull. Soc. Philom. (1798) 178. t. 12. f. 2.—Hispan.  
*caucasica*, Bieb. Fl. Taur. Cauc. i. 293; Willd. in Ges. Naturf. Fr. Berl. Mag. ii. (1808) 27.—Reg. Caucas.; Persia.  
*caucasica*, Sprun. ex Nym. Consp. 744 = attica.  
*Eichleri*, Boiss. Fl. Orient. v. 168.—Reg. Caucas.  
*filifolia*, Cambess. in Mém. Mus. Par. xiv. (1827) 319.—Afr. bor.  
*hastulata*, Baker, in Journ. Linn. Soc. xvii. (1879) 439.—Rumelia.  
*hissarica*, Regel, in Act. Hort. Petrop. viii. (1884) 645.—Turkestan.  
*linifolia*, Munby, Fl. Algér. 34 = filifolia.  
*longispatha*, Hochst. ex A. Rich. Tent. Fl. Abyss. ii. 337 = abyssinica.  
*montana*, Lange, in Willk. & Lange, Prod. Fl. Hisp. i. 193 = *M. Bulbocodium*.  
*nivalis*, Stapf, in Denkschr. Acad. Wien, l. (1885) 18.—Persia.

**MERENDERA** :—

- persica*, Boiss. Diagn. Ser. I. xiii. 37.—Persia; Afghan.  
*pyrenaica*, Auct. ex Steud. Nom. ed. II. ii. 130 = *M. Bulbocodium*.  
*quadrifolia*, Stapf, in Denkschr. Acad. Wien, l. (1885) 19.—Persia.  
*Raddeana*, Regel, in Act. Hort. Petrop. vii. (1880) 544.—Reg. Caucas.  
*robusta*, Bunge, in Mém. Sav. Etr. Pétersb. vii. (1847) 515.—Turkest.  
*Schimperiana*, Hochst. ex A. Rich. Tent. Fl. Abyss. ii. 337 = abyssinica.  
*sobolifera*, Fisch. & Mey. Ind. Sem. Hort. Petrop. i. 34.—As. Min.; Persia.

**MERETRICIA**, Neraud, in Freyc. Voy. Bot. 28 (1826), sine desc. (Quid?). **RUBIACEAE**.

**MERIANA**, Trev. Pl. Sel. Ehret. 11. t. 40 (1754) = **Watsonia**, Mill. (Irid.).

**MERIANA**, Vell. Fl. Flum. 128 (1825); iii. t. 109 (1827) = **Evolvulus**, Linn. (Convolv.).  
*procumbens*, Vell. ll. cc. = *E. pusillus*.

**MERIANA**, Vent. in Mém. Inst. Par. (1807) 11 = **Meriania**, Sw. (Melastom.).

**MERIANDRA**, Benth. in Bot. Reg. sub t. 1282 (1829). **LABIATAE**, Benth. & Hook. f. ii. 1194.  
*abyssinica*, F. Muell. Sel. Pl. Indust. Cult. 130 = benghalensis.  
*benghalensis*, Benth. in Bot. Reg. sub t. 1282; & in Wall. Pl. As. Rar. i. 29.—Abyss. (Ind. or. cult.)  
*strobilifera*, Benth. ll. cc. 1282; 29.—Reg. Himal.

**MERIANIA**, Sw. Fl. Ind. Occ. ii. 823. t. 15 (1800).

**MELASTOMACEAE**, Benth. & Hook. f. i. 749.  
*ADELBERTIA*, Meissn. Gen. 114 (1837).  
*DAVYA*, DC. Prod. iii. 105 (1828).  
*NOTOCENTRUM*, Naud. in Ann. Sc. Nat. Sér. III. xviii. (1852) 131.  
*PACHYMERIA*, Benth. Pl. Hartw. 130 (1844).  
*SCHWERINIA*, Karst. Ausw. Gew. Venez. i. 12 (1848).

*WRIGHTIA*, Tussac, Fl. Antill. i. sub t. 78 (1808).  
*adenostemon*, Schrank, ex DC. Prod. iii. 131 = *Tibouchina adenostemon*.  
*aemula*, Schrank & Mart. ex DC. l. c. 128 = *Tibouchina aemula*.  
*arborea*, Triana, in Trans. Linn. Soc. xxviii. (1871) 67.—N. Granat.  
*barbinervis*, Naud. in Ann. Sc. Nat. Sér. III. xviii. (1852) 129.—Venezuela.  
*bifrons*, Naud. l. c. 127 = purpurea.  
*bullifera*, Griseb. Fl. Brit. W. Ind. 265 = purpurea.  
*calophylla*, Triana, in Trans. Linn. Soc. xxviii. (1871) 67.—Bras.  
*calyptata*, Triana, l. c. 66.—Bras.  
*ciliaris*, Vent. Choix, t. 34 (= *Pleroma ciliare*).—N. Granat.  
*Claussenii*, Triana, in Trans. Linn. Soc. xxviii. (1871) 66.—Bras.  
*coccinea*, Sw. ex Loud. Hort. Brit. 174, nomen = leucantha.  
*cordata*, Triana, in Trans. Linn. Soc. xxviii. (1871) 65.—N. Granat.  
*dependens*, Naud. in Ann. Sc. Nat. Sér. III. xviii. (1852) 124, 129 = *Axinaea dependens*.  
*fuscescens*, Baill. Hist. Pl. vii. 20 = *Adelobotrys fuscescens*.  
*glabra*, Triana, in Trans. Linn. Soc. xxviii. (1871) 66.—Bras.  
*grandidens*, Triana, l. c. 65.—N. Granat.  
*involuta*, Naud. in Ann. Sc. Nat. Sér. III. xviii. (1852) 125 = obtusifolia.  
*Karstenii*, Naud. l. c. 128.—Venezuela.  
*leucantha*, Sw. Fl. Ind. Occ. ii. 826.—Jamaica.  
*longipes*, Triana, in Trans. Linn. Soc. xxviii. (1871) 66.—Bras.  
*macrantha*, Linden, ex Planch. in Fl. des Serres, viii. (1852–53) t. 767 = Karstenii.  
*macrophylla*, Triana, in Trans. Linn. Soc. xxviii. (1871) 66.—N. Granat.  
*majalis*, Benth. Pl. Hartw. 180 = speciosa.  
*nana*, Naud. in Ann. Sc. Nat. Sér. III. xviii. (1852) 126 = leucantha.

**MERIANIA** :—

- nobilis*, Triana, in Trans. Linn. Soc. xxviii. (1871) 66.—N. Granat.  
*obtusifolia*, DC. Prod. iii. 101.—Ins. S. Doming.  
*paniculata*, Triana, in Trans. Linn. Soc. xxviii. (1871) 66.—Bras.  
*parviflora*, D. Don, in Mem. Wern. Soc. iv. (1823) 323 = *Trembleya parviflora*.  
*prunifolia*, D. Don, l. c.—Peruv.  
*purpurea*, Sw. Fl. Ind. Occ. ii. 829.—Jamaica.  
*quintuplinervis*, Naud. in Ann. Sc. Nat. Sér. III. xviii. (1852) 129.—N. Granat.  
*Radula*, Triana, in Trans. Linn. Soc. xxviii. (1871) 66.—Peruv.  
*rigida*, Triana, l. c.—Ecuador.  
*rosea*, Tuss. Fl. Antill. i. 78. t. 6 = leucantha.  
*sclerophylla*, Triana, in Trans. Linn. Soc. xxviii. (1871) 67.—Guiana.  
*speciosa*, Naud. in Ann. Sc. Nat. Sér. III. xviii. (1852) 128.—N. Granat.  
*speciosa*, Naud. l. c., partim = *grandidens*, Karstenii.  
*splendens*, Triana, in Trans. Linn. Soc. xxviii. (1871) 67.—N. Granat.  
*tetraquetra*, Triana, l. c. 66.—Peruv.  
*truncata*, Schrank & Mart. ex DC. Prod. iii. 106 = *Miconia caryophyllaea*.  
*tuberculata*, Triana, in Trans. Linn. Soc. xxviii. (1871) 67.—N. Granat.  
*umbellata*, Karst. Fl. Columb. i. 49. t. 24.—N. Granat.  
*urceolata*, Triana, in Trans. Linn. Soc. xxviii. (1871) 67.—Am. trop.  
*violacea*, Schrank, ex DC. Prod. iii. 108 = *Rhynchanthera limosa*.

**MERICARPAEA**, Boiss. Diagn. Ser. I. iii. 51 (1843) **RUBIACEAE**, Benth. & Hook. f. ii. 149.  
*vallantioides*, Boiss. Diagn. Ser. I. iii. 52.—Assyria.

**MERIDA**, Neck. Elem. ii. 382 (1790) = **Portulaca**, Tourn.

**MERIDIANA**, Hill, Veg. Syst. ii. 121\* (1761) = **Gazania**, Gaertn. (Compos.).  
*tesselata*, Hill, Hort. Kew. 26 = *G. rigens*.

**MERIDIANA**, Linn. f. Suppl. 248 (1781) = **Portulaca**, Tourn.  
*axilliflora*, Schrank, in Bot. Zeit. Regensb. iii. (1804) 354 = *P. axilliflora*.  
*elliptica*, Poir. in Dict. Sc. Nat. xxx. 112 = *P. Meridiana*.  
*quadrifida*, Poir. l. c. 111 = *P. Meridiana*.

**MERIMEA**, Cambess. in A. St. Hil. Fl. Bras. Mer. ii. 160. t. 107 (1829) = **Bergia**, Linn. (Elatin.).  
*arenarioides*, Cambess. l. c. = *B. arenarioides*.  
*texana*, Hook. Ic. Pl. t. 278 = *B. texana*.

**MERIOLOX**, Rafin. in Am. Monthly Mag. (1819) 192 = **Oenothera**, Linn. (Onagr.).  
*Berlandieri*, Walp. Rep. ii. 79 = *Oe. serrulata*.  
*serrulata*, Rafin. in Am. Monthly Mag. (1819) 192 = *Oe. serrulata*.

**MERIONE**, Salisb. Gen. Pl. Fragm. 12 (1866) = **Dioscorea**, Linn.  
*peltata*, Salisb. l. c., nomen = *D. peltata*?  
*villosa*, Salisb. l. c. = *D. villosa*.

**MERISACHNE**, Steud. in Flora, xxxiii. (1850) 228, nomen; Syn. Pl. Gram. 117 (1855) = **Triodia**, R. Br. (Gramin.).  
*Drummondii*, Steud. ll. cc.—Texas.

**MERISTA**, Banks & Soland. ex A. Cunn. in Ann. Nat. Hist. Ser. I. ii. (1839) 47 = **Myrsine**, Linn.  
*laevigata*, Banks & Soland. ex A. Cunn. l. c. = *Myrsine Urvilei*.

**MERISTOSTIGMA**, A. Dietr. Sp. Pl. ii. 593 (1833) = **Lapeyrouisia**, Pourr. (Irid.).  
*aculeatum*, Steud. Nom. ed. II. ii. 130 = *L. compressa*.  
*anceps*, A. Dietr. Sp. Pl. ii. 596 = *L. compressa*.  
*azureum*, Steud. Nom. ed. II. ii. 130 = *L. corymbosa*.  
*bracteatum*, A. Dietr. Sp. Pl. ii. 597 = *L. fissifolia*.  
*corymbosum*, A. Dietr. l. c. 594 = *L. corymbosa*.  
*Fabricii*, A. Dietr. l. c. 597 = *L. Fabricii*.  
*falcatum*, A. Dietr. l. c. 594 = *L. falcata*.  
*fissifolium*, A. Dietr. l. c. 595 = *L. fissifolia*.  
*heterophyllum*, A. Dietr. l. c. = *L. fasciculata*.



## MERISTOSTIGMA:—

*juncum*, Steud. Nom. ed. II. ii. 130 = Lapeyrouisia juncus.  
*laxum*, A. Dietr. Sp. Pl. ii. 597.—Afr. austr.  
*manuleaeiflorum*, Steud. Nom. ed. II. ii. 130 = L. micrantha.  
*silenoideis*, A. Dietr. Sp. Pl. ii. 596 = L. silenoides.  
*Sparmanni*, Steud. Nom. ed. II. ii. 130 = Friesia refracta.

## MERISTOSTYLIS, Klotzsch, in Peters, Reise Mosamb. Bot. 267 (1861). GENTIANEAE.

*brachycalyx*, Klotzsch, l. c. 270.—Afr. trop.  
*grandiflora*, Klotzsch, l. c. 268.—Afr. trop.  
*macrocalyx*, Klotzsch, l. c. 269.—Afr. trop.

## MERISTOTROPIS, Fisch. &amp; Mey. Ind. Sem. Hort.

Petrop. ix. 95 (1843) = *Glycyrrhiza*, Tourn. (Legumin.).  
*triphylla*, Fisch. & Mey. l. c. 96 = G. triphylla.

## MERIZADENIA, Miers, Apocyn. S. Am. 78 (1878) =

*Tabernaemontana*, Plum. (Apocyn.).  
*amplifolia*, Miers, l. c. 79 = T. macrophylla, Poir.  
*arcuata*, Miers, l. c. = T. arcuata.  
*Sananho*, Miers, l. c. 78 = T. Sananho.

MERKIA, Reichb. Handb. 298 (1837) = MERCKIA, Fisch. = *Arenaria*, Rupp. (Caryoph.).MERKUSIA, De Vriese, in Nederl. Kruidk. Arch. ii. i. (1851) 150 = *Scaevola*, Linn. (Gooden.).

*aemula*, De Vriese, in Verh. Haarl. x. (1854) 74 = S. aemula.  
*anchusaefolia*, De Vriese, in Nederl. Kruidk. Arch. ii. i. (1851) 165 = S. anchusaefolia.

*angulata*, De Vriese, l. c. 167 = S. angulata.  
*attenuata*, De Vriese, l. c. 162 = S. attenuata.  
*caespitosa*, De Vriese, l. c. 164 = S. globulifera.  
*crassifolia*, De Vriese, l. c. 151 = S. crassifolia.  
*cuneiformis*, De Vriese, l. c. 157 = S. cuneiformis.  
*depauperata*, De Vriese, in Verh. Haarl. x. (1854) 74 = S. depauperata.

*depressa*, De Vriese, l. c. 70 = S. depressa.  
*fastigiata*, De Vriese, in Nederl. Kruidk. Arch. ii. i. (1851) 152 = S. nitida.

*glandulifera*, De Vriese, l. c. 166 = S. glandulifera.  
*globulifera*, De Vriese, l. c. 156 = S. globulifera.  
*hispidula*, De Vriese, l. c. 162 = S. hispidula.  
*Hookeri*, De Vriese, l. c. 159 = S. Hookeri.  
*humifusa*, De Vriese, in Verh. Haarl. x. (1854) 70 = S. humifusa.

*humilis*, De Vriese, in Nederl. Kruidk. Arch. ii. i. (1851) 161 = S. humilis.

*linearis*, De Vriese, l. c. 166 = S. linearis.  
*longifolia*, De Vriese, in Verh. Haarl. x. (1854) 69 = S. longifolia.

*lyratifolia*, De Vriese, in Nederl. Kruidk. Arch. ii. i. (1851) 161 = S. lyratifolia.

*macrostachya*, De Vriese, l. c. 154 = S. macrostachya.  
*microcarpa*, De Vriese, l. c. 157 = S. microcarpa.  
*molluginea*, De Vriese, in Verh. Haarl. x. (1854) 71 = S. humifusa.

*multiflora*, De Vriese, in Nederl. Kruidk. Arch. ii. i. (1851) 152 = S. nitida.

*myrtifolia*, De Vriese, in Verh. Haarl. x. (1854) 72 = S. Groenieri.  
*nitida*, De Vriese, l. c. 73 = S. nitida.

*ovalifolia*, De Vriese, in Nederl. Kruidk. Arch. ii. i. (1851) 153 = S. ovalifolia.

*pallida*, De Vriese, l. c. 159 = S. microcarpa.  
*paludosa*, De Vriese, l. c. 167 = S. paludosa.  
*revoluta*, De Vriese, l. c. 164 = S. revoluta.  
*sinuata*, De Vriese, l. c. 160 = S. aemula.  
*suaveolens*, De Vriese, l. c. 163 = S. suaveolens.  
*thesioides*, De Vriese, l. c. 155 = S. thesioides.

MEROPE, M. Roem. Syn. Hesper. 44 (1846) = *Atalantia*, Correa (Rutac.).

*spinosa*, M. Roem. l. c. (= *Sclerostylis spinosa*).—Java.

## MEROPE, Wedd. Chlor. And. i. 160. t. 24 (1856) =

*Gnaphalium*, Linn. (Compos.).  
*aretioides*, Wedd. l. c. 164 = *Antennaria aretioides*.  
*argentea*, Wedd. l. c. 163.—Boliv.  
*caespititia*, Wedd. l. c. 164.—Boliv.  
*erythraetis*, Wedd. l. c. 162 = G. erythraetis.

## MEROPE:—

*Kunthiana*, Wedd. Chlor. And. i. 161. t. 24 (1856) = G. depressum?  
*piptolepis*, Wedd. l. c. 162 = G. piptolepis.  
*Schultzii*, Wedd. l. c. 163 = G. evacoides.  
*virescens*, Wedd. l. c.—Boliv.

## MEROPHRAGMA, Dulac, Fl. Hautes-Pyr. 365 (1867) =

*Telephium*, Tourn. (Ficoid.).  
*terrestre*, Dulac, l. c. = T. Imperati.

## MEROSTACHYS, Spreng. Syst. i. 132 (1825).

GRAMINEAE, Benth. & Hook. f. iii. 1209.  
*brevispica*, Munro, in Trans. Linn. Soc. xxvi. (1868) 49.—Peruv.

*Burchellii*, Munro, l. c. 51.—Bras.  
*capitata*, Hook. Ic. Pl. tt. 273, 274 = *Athrostachys capitata*.

*cirrhusa*, Nees, ex Munro, in Trans. Linn. Soc. xxvi. (1868) 48 = speciosa.

Claussenii, Munro, l. c.—Bras.  
*Fischeriana*, Rupr. ex Doell, in Mart. Fl. Bras. ii. III. 215.—Bras.

*fistulosa*, Doell, l. c. 209.—Bras.  
*Kunthii*, Rupr. in Mém. Acad. Pétersb. Sér. VI. v. (1839) 127. t. 10. f. 30.—Bras.

*Neesii*, Rupr. l. c.—Bras.  
*petiolata*, Doell, in Mart. Fl. Bras. ii. III. 216.—Bras.  
*racemiflora*, Fourn. ex Hemsl. Biol. Centr. Am. Bot. iii. 586 = *Arthrostylidium racemiflorum*.

*Riedeliana*, Rupr. ex Doell, in Mart. Fl. Bras. ii. III. 213.—Bras.

*Sellovii*, Munro, in Trans. Linn. Soc. xxvi. (1868) 51.—Paraguay.

*sparsiflora*, Rupr. in Mém. Acad. Pétersb. Sér. VI. v. (1839) 127. t. 10. f. 32.—Bras.

*speciosa*, Kunth, Rév. Gram. i. 139 = Kunthii.

*speciosa*, Nees, Agrost. Bras. 527 = Neesii.

*speciosa*, Spreng. Syst. 249.—Bras.

*ternata*, Nees, Agrost. Bras. 529.—Bras.

MERREMIA, Dennst. Schluess. Hort. Malab. 34 (1818) = *Convolvulus*, Tourn.

*convolvulacea*, Dennst. l. c. = C. flavus.

MERTENSIA, H. B. & K. Nov. Gen. et Sp. ii. 30. t. 103 (1817) = *Celtis*, Tourn. (Urtic.).

*aculeata*, Miq. in Mart. Fl. Bras. iv. i. 173, in syn. = C. aculeata.

*brasilensis*, Gardn. in Hook. Lond. Journ. Bot. ii. (1843) 339 = C. brasiliensis.

*citrifolia*, H. B. & K. Nov. Gen. et Sp. ii. 32 = C. pubescens.

*commutata*, Hemsl. Biol. Centr. Am. Bot. iii. 138, in syn. = C. aculeata.

*Goudotii*, Planch. in DC. Prod. xvii. 187, in syn. = C. pubescens.

*Iguanea*, Schult. Syst. vi. 312 = C. aculeata.

*integrifolia*, Schult. l. c. 313 = C. mississippiensis.

*laevigata*, H. B. & K. Nov. Gen. et Sp. ii. 31. t. 103 = C. aculeata.

*pubescens*, Schult. Syst. vi. 312 = C. pubescens.

*rhamnoides*, Schult. l. c. 313 = C. aculeata.

*senegalensis*, Perr. ex Blume, Mus. Bot. Lugd. Bat. ii. 69 = C. mississippiensis.

*Tala*, Wedd. ex Planch. in DC. Prod. xvii. 191 = C. Tala.

*texana*, Tréc. ex Planch. l. c. = C. Tala.

*sizyphoides*, H. B. & K. Nov. Gen. et Sp. ii. 31 = C. aculeata.

## MERTENSIA, Roth, Catalect. i. 34 (1797). BORAGEAE, Benth. &amp; Hook. f. ii. 857.

CASSELLIA, Dum. Comm. Bot. 21 (1822).

HIPOGLOSSUM, Hartm. ex Lilja, in Linnaea, xvii. (1843) 111.

OREOCHARIS, Lindl. Veg. Kingd. 656 (1847).

STEENHAMMERA, Reichb. Fl. Germ. Excurs. 337 (1831).

PLATYNEMA, Schrad. Ind. Sem. Hort. Gotting. (1835).—Cf. Linnaea, xi. (1837) Litt. 89.

PNEUMARIA, Hill, Veg. Syst. vii. 40 (1764), nomen prius.

WINKLERIA, Reichb. Nom. 236 (1841).

*alpina*, G. Don, Gen. Syst. iv. 372.—Am. bor. occ.

*alpina*, A. Gray, in Am. Journ. Sc. Ser. II. xxxiv. (1862). 340, partim = lanceolata.

*brevistyla*, S. Wats. in Bot. King's Exp. 239 *alpina*.  
*ciliata*, G. Don, Gen. Syst. iv. 372 = sibirica.

## MERTENSIA:—

*corymbosa*, G. Don, Gen. Syst. iv. 319 = paniculata.  
*dahurica*, G. Don, l. c. 318.—Dahuria.  
*denticulata*, G. Don, l. c. 319 = sibirica.  
*Drummondii*, G. Don, l. c. = sibirica.  
*dschagastanica*, Regel, in Act. Hort. Petrop. vi. (1879) 340.—Turkestan.

*echioides*, Benth. ex C. B. Clarke, in Hook. f. Fl. Brit. Ind. iv. 170.—Reg. Himal.

*elliptica*, Ledeb. Fl. Ross. iii. 135.—Kamschatka.

*elongata*, Benth. ex C. B. Clarke, in Hook. f. Fl. Brit. Ind. iv. 170.—Reg. Himal.

*Fendleri*, A. Gray, in Am. Journ. Sc. Ser. II. xxxiv. (1862) 339 = lanceolata.

*kamczatica*, DC. Prod. x. 91 = paniculata.

*lanceolata*, DC. l. c. 88.—Am. bor. occ.

*longistyla*, Ledeb. Fl. Ross. iii. 135.—Ins. Karaginsk.

*marginata*, G. Don, Gen. Syst. iv. 319 = lanceolata.

*maritima*, S. F. Gray, Nat. Arr. Brit. Pl. ii. 354.—Reg. bor. temp. et arct.

*multikoides*, C. B. Clarke, in Hook. f. Fl. Brit. Ind. iv. 170.—Reg. Himal.

*oblongifolia*, G. Don, Gen. Syst. iv. 372.—Am. bor. occ.

*Pallasii*, G. Don, l. c. 319 = sibirica.

*paniculata*, G. Don, l. c. 318.—Am. et As. bor.

*parviflora*, G. Don, l. c. 320 = maritima.

*pilosa*, DC. Prod. x. 90 = paniculata.

*primuloides*, C. B. Clarke, in Hook. f. Fl. Brit. Ind. iv. 170.—Reg. Himal.

*pubescens*, DC. Prod. x. 90 = paniculata.

*pulmonarioides*, Roth, Catalect. i. 34.—Am. bor.

*racemosa*, Benth. ex C. B. Clarke, in Hook. f. Fl. Brit. Ind. iv. 171.—Reg. Himal.

*revularis*, DC. Prod. x. 90.—Sibiria.

*Sendtneri*, Janka, in Oestr. Bot. Zeitschr. ix. (1859) 314 = *Zwackhia aurea*.

*serbica*, Janka, l. c.—Europ.

*serrulata*, DC. Prod. x. 89.—Sibir. baical.

*sibirica*, G. Don, Gen. Syst. iv. 319.—Sibir. or.; Am. bor. occ.

*sibirica*, Torr. in Bot. U. St. Expl. Exp. ii. 412 = paniculata.

*simplicissima*, G. Don, Gen. Syst. iv. 319.—Sibir. or.

*stomateoides*, Kellogg, in Proc. Calif. Acad. ii. (1863) 148 = sibirica.

*stylosa*, DC. Prod. x. 91.—Sibir. baical.

*symphytoides*, Fisch. ex Herd. in Act. Hort. Petrop. i. (1873) 511 = paniculata.

*tibetica*, C. B. Clarke, in Hook. f. Fl. Brit. Ind. iv. 171.—Reg. Himal.

*villosula*, G. Don, Gen. Syst. iv. 319.—Mont. Carpath.

*virginica*, Link, Handb. i. 580 = *pumonioides*.

## MERYTA, Forst. Char. Gen. 119. t. 60 (1776).

ARALIACEAE, Benth. & Hook. f. i. 940.

BOTRYODENDRUM, Endl. Prod. Fl. Norf. 62 (1833).

NEARA, Soland. ex Seem. Fl. Vit. 118 (1865).

agglomerata, Poir. Tabl. Encyc. iii. 399. t. 803.—Hab.?

angustifolia, Seem. in Bonplandia, x. (1862) 295.—Ins. Norfolk.

Balansae, Baill. Adansonia, xii. (1878) 156.—N. Caled.

coriacea, Baill. l. c. 158.—N. Caled.

Denhamii, Seem. in Bonplandia, x. (1862) 295.—N. Caled.

lanceolata, Forst. Char. Gen. 120.—Ins. Pacif.

latifolia, Seem. in Bonplandia, x. (1862) 295.—Ins. Norfolk.

macrocarpa, Baill. Adansonia, xii. (1878) 155.—N. Caled.

macrocephala, Baill. l. c. 158.—N. Caled.

macrophylla, Seem. in Bonplandia, x. (1862) 294.—Ins. Samoa.

microcarpa, Baill. Adansonia, xii. (1878) 156.—N. Caled.

oxylaena, Baill. l. c. 157.—N. Caled.

pachycarpa, Baill. l. c.—N. Caled.

pallens, Baill. l. c.—N. Caled.

schizolaena, Baill. l. c.—N. Caled.

Sinclairii, Seem. in Bonplandia, x. (1862) 295.—N. Zel.

sonchifolia, Linden & André, Illustr. Hortie. xxvi. (1879) 42. t. 340.—N. Caled.

MESADENIA, Rafn. in Lond. Gard. Mag. viii. (1832) 247 = *Senecio*, Tourn. (Compos.).

*atriplicifolia*, Rafn. New Fl. Am. iv. 79 = S. atriplicifolius.



## MESADENIA:—

*dentata*, Rafin. New Fl. Am. iv. 79 (Quid?).—Am. bor.  
*lanceolata*, Rafin. l. c. = Senecio Boscianus.  
*oblonga*, Rafin. l. c. 80 (Quid?).—Am. bor.  
*ovata*, Rafin. l. c. 79 = S. Walteri?  
*paniculata*, Rafin. l. c. = S. Nuttallii?  
*plantaginea*, Rafin. l. c. (Quid?).—Am. bor.  
*pteranthes*, Rafin. l. c. = S. Nuttallii?  
*pulverulenta*, Rafin. l. c. (Quid?).—Am. bor.  
*reniformis*, Rafin. l. c. = S. Muehlenbergii.  
*rotundifolia*, Rafin. l. c. = Vernonia cinerea.

MESANCHUM, Dulac, Fl. Hautes-Pyr. 320 (1867) =  
*Tillaea*, Linn. (Crassul.).  
*connatum*, Dulac, l. c. = T. muscosa.

MESANDRINIA, Rafin. Neogenyt. 3 (1825) = *Ja-*  
*trophia*?, Linn. (Euphorb.).

MESANTHEMUM, Koern. in Linnaea, xxvii. (1854)  
 572. *ERIOCAULEAE*, Benth. & Hook. f. iii.  
 1021.  
*platyphyllum*, Baker, in Journ. Linn. Soc. xx. (1883)  
 278.—Madag.  
*Prescottianum*, Koern. in Mart. Fl. Bras. iii. i. 472.—  
 Bras.  
*pubescens*, Koern. in Linnaea, xxvii. (1854) 575.—  
 Madag.  
*radicans*, Koern. l. c. 573.—Afr. trop.  
*Rutenbergianum*, Koern. in Bremen, Abh. vii. (1880)  
 34.—Afr. trop.

MESANTHUS, Nees, in Lindl. Introd. Nat. Syst. ed. II.  
 451 (1836) = *Cannomois*, Beauv. (Restiac.).  
*macrocarpus*, Nees, l. c. = C. virgata.  
*Ricinus*, Nees, ex Mast. in Journ. Linn. Soc. x. (1869)  
 236 = C. scirpoides.

MESECHITES, Muell. Arg. in Mart. Fl. Bras. vi. i.  
 150. t. 46 (1860) = *Echites*, Linn. (Apocyn.).  
*Andrieuxii*, Miers, Apocyn. S. Am. 235 = *Mandevilla*  
*Andrieuxii*.  
*angustata*, Miers, l. c. 231 = *Macrosiphonia longi-*  
*flora*.  
*angustifolia*, Miers, l. c. 230 = E. angustifolia.  
*Brownii*, Miers, l. c. 232 = E. torulosa.  
*dichotoma*, Miers, l. c. 233 = E. dichotoma, H. B. & K.  
*guayaquilensis*, Miers, l. c. 233 = E. guayaquilensis  
 (in Addend.).  
*guianensis*, Miers, l. c. 235 = E. guianensis.  
*hastata*, Miers, l. c. 233.—Cuba.  
*hirtella*, Miers, l. c. 234 = *Prestonia hirsuta*.  
*hirtellula*, Miers, l. c. = *Mandevilla oaxacana*.  
*japurensis*, Muell. Arg. in Mart. Fl. Bras. vi. i. 152  
 = E. japurensis.  
*jasminiflora*, Miers, Apocyn. S. Am. 235 = E. jasmini-  
*flora*.  
*lanceolata*, Miers, l. c. 230 = *Parsonia lanceolata*.  
*linearifolia*, Miers, l. c. = E. linearifolia.  
*myrtifolia*, Muell. Arg. in Linnaea, xxx. (1859-60)  
 445 = E. rosea.  
*oaxacana*, Miers, Apocyn. S. Am. 234 = *Mandevilla*  
*oaxacana*.  
*repens*, Miers, l. c. 229 = E. repens.  
*rosea*, Miers, l. c. 232 = E. rosea.  
*subcarnosa*, Miers, l. c. = E. subcarnosa.  
*sulphurea*, Muell. Arg. in Mart. Fl. Bras. vi. i. 151 =  
 E. sulphurea.  
*torulosa*, Miers, Apocyn. S. Am. 229 = E. torulosa.  
*trifida*, Muell. Arg. in Mart. Fl. Bras. vi. i. 151 = E.  
*trifida*.

MESEMBRYANTHEMUM, Spreng. Nachr. i. Bot. Gart.  
 Halle (1801), 28 = seq.

MESEMBRYANTHEMUM, Dill. ex Linn. Syst.  
 ed. I (1735). *FICOIDEAE*, Benth. & Hook. f. i. 853.  
*ABRYANTHEMUM*, Neck. Elem. ii. 82 (1790).  
*FICOIDES*, Rupp. Fl. Jen. ed. Hall. 164 (1745).  
*FICULA*, Heist. Syst. 8 (1748).  
*GASOUL*, Adans. Fam. ii. 243 (1763).  
*GYNICIDIA*, Neck. Elem. ii. 81 (1790).  
*HYMENOGYNE*, Haw. Rev. Pl. Succ. 192 (1821).  
*MANETTIA*, Adans. Fam. ii. 242 (1763).  
*MESEMBRYANTHUS*, Neck. Elem. ii. 81 (1790).  
*MESEMBRYUM*, Adans. Fam. ii. 242 (1763).  
*NOCTERANTHUS*, Neck. Elem. ii. 82 (1790).  
*VOSSIA*, Adans. Fam. ii. 243 (1763).

## MESEMBRYANTHEMUM:—

*abbreviatum*, Haw. in Phil. Mag. (Dec. 1826) 330.—  
 Afr. austr.  
*abyssinicum*, Regel, Gartenfl. (1873) 299.—Abyssin.  
*acaule*, Linn. Syst. ed. X. 1059 = bellidiflorum.  
*acinaciforme*, DC. Pl. Grass. t. 89 = lacerum.  
*acinaciforme*, Linn. Sp. Pl. 485.—Afr. austr.  
*acuminatum*, Haw. in Till. Phil. Mag. lxiv. (1824)  
 426.—Afr. austr.  
*acutangulum*, Haw. l. c. 424.—Afr. austr.  
*acutum*, Haw. Misc. Nat. 26.—Afr. austr.  
*adscendens*, Haw. Syn. Pl. Succ. 220.—Afr. austr.  
*aduncum*, Eckl. & Zeyh. Enum. 316 = micranthum.  
*aduncum*, Haw. Misc. Nat. 87.—Afr. austr.  
*aduncum*, Jacq. Fragm. 43 = Schollii.  
*aduncum*, Willd. Enum. Hort. Berol. 534 = curvi-  
*folium*.  
*aequilaterale*, Haw. Misc. Nat. 77.—Austral.; Am.  
 austr.  
*aggregatum*, Haw. Obs. Mesemb. 419 = grossum,  
*Soland.*  
*agninum*, Haw. in Till. Phil. Mag. lxviii. (1826) 127.  
 —Afr. austr.  
*Aitonis*, Jacq. Hort. Vindob. iii. 8.—Afr. austr.  
*albicaule*, Haw. in Till. Phil. Mag. lxviii. (1826) 331.  
 —Afr. austr.  
*albidum*, Linn. Sp. Pl. ed. II. 699.—Afr. austr.  
*albinatum*, Haw. in Till. Phil. Mag. lxviii. (1826)  
 126.—Afr. austr.  
*albipunctatum*, Haw. l. c. = albinatum.  
*album*, Haw. ex Steud. Nom. ed. II. ii. 131 = sessili-  
*florum*.  
*aloides*, Haw. Suppl. Pl. Succ. 88; Burch. Trav. ii.  
 332.—Afr. austr.  
*alsinifolium*, Hort. ex G. Don, in Loud. Hort. Brit.  
 480, nomen.—Austral.?  
*amoenum*, Salm-Dyck, ex DC. Prod. iii. 466.—Afr.  
 austr.  
*amullaceum*, Cat. Hort. Liverp. (1808) 203; Steud.  
 Nom. ed. II. ii. 131.—Hab.?  
*anatomicum*, Haw. Misc. Nat. 50.—Afr. austr.  
*anceps*, Haw. Syn. Pl. Succ. 289.—Afr. austr.  
*angulatum*, Thunb. Prod. Pl. Cap. 91.—Afr. austr.  
*angustum*, Haw. Obs. Mesemb. 176.—Afr. austr.  
*anomalum*, Willd. Enum. Hort. Berol. 531 = um-  
*bellatum*.  
*apetalum*, Linn. f. Suppl. 258.—Afr. austr.  
*aphyllum*, Hort. ex DC. Prod. iii. 446 = junceum.  
*arboriforme*, Burch. Trav. i. 343.—Afr. austr.  
*aridum*, Moench, Meth. Suppl. 192 = tortuosum.  
*aristulatum*, Sond. in Harv. & Sond. Fl. Cap. ii. 424.  
 —Afr. austr.  
*articulatum*, Jacq. ex Steud. Nom. ed. I. 525; ed. II.  
 ii. 131 (Quid?).—Afr. austr.  
*articulatum*, Thunb. in Nov. Act. Nat. Cur. viii.  
 (1791), App. 10 = junceum, granulicaule.  
*asperulum*, Salm-Dyck, Monog. iv. § 50. f. 2.—Afr.  
 austr.  
*asperum*, Haw. Rev. Pl. Succ. 145.—Afr. austr.  
*attenuatum*, Haw. l. c. 188.—Afr. austr.  
*aurantiacum*, Haw. Misc. Nat. 84.—Afr. austr.  
*aurantium*, Willd. Enum. Hort. Berol. 537 =  
*aurantiacum*.  
*auratum*, Sond. in Harv. & Sond. Fl. Cap. ii. 449.—  
 Afr. austr.  
*aureum*, Linn. Syst. Nat. ed. X. 1060.—Afr. austr.  
*aureum*, Thunb. in Nov. Act. Nat. Cur. viii. (1791),  
 App. 16 = auratum.  
*australe*, Soland. ex Forst. f. Prod. 90; et in Ait.  
 Hort. Kew. ed. I. ii. 187.—Austral.; Ins. Pacif.  
*barbatum*, Linn. Sp. Pl. 482.—Afr. austr.  
*bellidiflorum*, Linn. l. c.—Afr. austr.  
*bellidifolium*, Linn. Syst. ed. XII. 345 = praec.  
*bellidiforme*, Burm. f. Fl. Cap. Prod. 15 = praec.?  
*bibracteatum*, Haw. Syn. Pl. Succ. 215 = rostratum.  
*bicolor*, Linn. Sp. Pl. 485.—Afr. austr.  
*bicolorum*, Linn. l. c. ed. II. 695 = praec.  
*bicorne*, Sond. in Harv. & Sond. Fl. Cap. ii. 434.—  
 Afr. austr.  
*bidentatum*, Haw. Suppl. Pl. Succ. 89.—Afr. austr.  
*bifidum*, Haw. Misc. Nat. 29.—Afr. austr.  
*bifolium*, Breit. ex Hoffm. Verz. Pfl. 79.—Hab.?  
*bigibberatum*, Haw. in Till. Phil. Mag. lxiv. (1824)  
 329.—Afr. austr.  
*blandum*, Haw. Suppl. Pl. Succ. 95.—Afr. austr.  
*Boerhavii*, Eckl. & Zeyh. Enum. 318 = hispidum.  
*Bolusii*, Hook. f. Bot. Mag. t. 6664.—Afr. austr.  
*brachiatum*, DC. Pl. Grass. t. 129 = nitidum, Haw.

## MESEMBRYANTHEMUM:—

*brachiatum*, Eckl. & Zeyh. Enum. 318 = subincanum.  
*brachiatum*, [Soland. in] Ait. Hort. Kew. ed. I. ii.  
 191 = decussatum.  
*brachyphyllum*, Welw. in Journ. Bot. xi. (1873) 290.  
 t. 136.—Lusitan.  
*bracteatum*, [Soland. in] Ait. Hort. Kew. ed. I. ii. 185.  
 —Afr. austr.  
*bracteatum*, Willd. Sp. Pl. ii. 1050 = stipulaceum.  
*brevicaule*, Haw. Suppl. Pl. Succ. 91.—Afr. austr.  
*brevifolium*, Eckl. & Zeyh. Enum. 318 = obliquum,  
*Haw.*  
*brevifolium*, [Soland. in] Ait. Hort. Kew. ed. I. ii.  
 188.—Afr. austr.  
*bulbosum*, Haw. in Till. Phil. Mag. lxiv. (1824) 428.  
 —Afr. austr.  
*Burchellii*, Hort. Genev. ex A. DC. 7me Not. Pl. Rar.  
 Jard. Genève. 29 = blandum.  
*Burmanni*, Haw. Rev. Pl. Succ. 106.—Afr. austr.  
*caducum*, [Soland. in] Ait. Hort. Kew. ed. I. ii. 179.  
 —Afr. austr.  
*calamiforme*, Linn. Sp. Pl. 481.—Afr. austr.  
*calendulaceum*, Eckl. & Zeyh. Enum. 323 = sabu-  
*losum*.  
*calendulaceum*, Haw. Misc. Nat. 47 = helianthoides.  
*calendulaceum*, Haw. Rev. Pl. Succ. 161 = pomeri-  
*dianum*.  
*calycinum*, Eckl. & Zeyh. Enum. 319 = longispinulum.  
*calycinum*, Haw. Rev. Pl. Succ. 187.—Afr. austr.  
*campestre*, Burch. Trav. i. 259.—Afr. austr.  
*canaliculatum*, Haw. Obs. Mesemb. 218.—Afr. austr.  
*candens*, Haw. Rev. Pl. Succ. 186.—Afr. austr.  
*Candollii*, Eckl. & Zeyh. Enum. 323 = pomeridianum.  
*Candollii*, Haw. Rev. Pl. Succ. 160.—Afr. austr.  
*canescens*, Haw. l. c. 135 = pulchellum.  
*caninum*, Lam. Encyc. ii. 487; Haw. Obs. Mesemb. 159.  
 —Afr. austr.  
*canum*, Haw. l. c. 158.—Afr. austr.  
*canum*, Salm-Dyck, Obs. 20 = carinans.  
*capillare*, Thunb. in Nov. Act. Nat. Cur. viii. (1791),  
 App. 13 = brevifolium.  
*capitatum*, Haw. Misc. Nat. 41.—Afr. austr.  
*carinans*, Haw. Rev. Pl. Succ. 90.—Afr. austr.  
*carinatum*, Vent. Jard. Malm. 109 = lacerum.  
*carneum*, Haw. Obs. Mesemb. 206 = grossum, Soland.  
*caspicum*, S. G. Gmel. Iter, iv. 48; ex Ledeb. Fl. Ross.  
 i. 490 = *Peganum crithmifolium*.  
*caulescens*, Mill. Gard. Dict. ed. VIII. n. 12; Haw.  
 Obs. Mesemb. 367.—Afr. austr.  
*cauliculatum*, Haw. Suppl. Pl. Succ. 90 = loreum,  
*Linn.*  
*ceratophyllum*, Willd. Enum. Hort. Berol. Suppl. 36 =  
*curvifolium*.  
*chilense*, Molina, Sagg. Chile, ed. II. 133.—Chili.  
*ciliatum*, [Soland. in] Ait. Hort. Kew. ed. I. ii. 179.—  
 Afr. austr.  
*ciliatum*, Thunb. in Nov. Act. Nat. Cur. viii. (1791),  
 App. 11.—Afr. austr.  
*clandestinum*, Haw. in Till. Phil. Mag. lxviii. (1826)  
 129.—Afr. austr.  
*clavatum*, Haw. Obs. Mesemb. 478, nomen = pyropeum.  
*clavatum*, Jacq. Hort. Schoenb. i. 56. t. 108.—Afr.  
 austr.  
*clavellatum*, Haw. Misc. Nat. 79 = australe.  
*claviforme*, DC. Prod. iii. 448 = pyropeum.  
*coccineum*, Eckl. & Zeyh. Enum. 316 = bicolor.  
*coccineum*, Haw. Obs. Mesemb. 247.—Afr. austr.  
*collinum*, Sond. in Harv. & Sond. Fl. Cap. ii. 443.—  
 Afr. austr.  
*compactum*, [Soland. in] Ait. Hort. Kew. ed. I. ii.  
 191.—Afr. austr.  
*compressum*, Haw. Obs. Mesemb. 326.—Afr. austr.  
*compressum*, Haw. l. c. 416, nomen = virgatum.  
*concauum*, Haw. Rev. Pl. Succ. 168.—Afr. austr.  
*confertum*, Haw. Syn. Pl. Succ. 301 = incurvum, roseum.  
*congestum*, Salm-Dyck, Monog. iii. § 23. f. 2.—Afr.  
 austr.  
*conspicuum*, Haw. Syn. Pl. Succ. 240.—Afr. austr.  
*conspicuum*, Spreng. Nov. Prov. 27 (an praec.?).—  
 Hab.?  
*Cooperi*, Hook. f. Bot. Mag. t. 6312.—Afr. austr.  
*copticum*, Jacq. Hort. Vindob. iii. t. 6 = apetalum.  
*copticum*, Linn. Sp. Pl. ed. II. 688 = *Aizoon his-*  
*panicum*.  
*coralliflorum*, Salm-Dyck, Monog. iv. § 40. f. 2.—Afr.  
 austr.  
*coralliiforme*, Vest, in Syll. Ratisb. ii. (1828) 224.—  
 Hab.?



## MESEMBRYANTHEMUM:—

*corallinum*, Haw. Rev. Pl. Succ. 154 = coralliflorum.  
*corallinum*, Thunb. in Nov. Act. Nat. Cur. viii. (1791) App. 12.—Afr. austr.  
*coralloides*, DC. Prod. iii. 451.—Afr. austr.  
*cordifolium*, Linn. f. Suppl. 260.—Afr. austr.  
*coriarius*, Burch. Trav. i. 243.—Afr. austr.  
*corniculatum*, Eckl. & Zeyh. Enum. 309 = Thunbergii.  
*corniculatum*, Haw. Obs. Mesemb. 411, nomen = *loreum*, Linn.  
*corniculatum*, Linn. Sp. Pl. ed. II. 676.—Afr. austr.  
*cornutum*, Salm. ex Spreng. Syst. ii. 519.—Afr. austr.  
*coruscans*, Haw. Suppl. Pl. Succ. 90.—Afr. austr.  
*crassicaule*, Haw. in Till. Phil. Mag. lxiv. (1824) 425.—Afr. austr.  
*crassifolium*, Eckl. & Zeyh. Enum. 310 = Thunbergii.  
*crassifolium*, Linn. Sp. Pl. 484.—Afr. austr.  
*crassulinum*, Spreng. Syst. iv. Cur. Post. 196; DC. Prod. iii. 445.—Afr. austr.  
*crassulinum*, Haw. Rev. Pl. Succ. 170 = crassulinum.  
*criniflorum*, Linn. f. Suppl. 259; Thunb. Prod. Pl. Cap. 88.—Afr. austr.  
*crispatum*, Haw. Obs. Mesemb. 478, nomen = *crispum*.  
*crispum*, Haw. Misc. Bot. 44.—Afr. austr.  
*croceum*, Jacq. Fragm. 17. t. 11. f. 2.—Afr. austr.  
*cruciatum*, Haw. Obs. Mesemb. 173.—Afr. austr.  
*cryptanthum*, Hook. f. in Hook. Ic. Pl. t. 1034.—Ins. S. Helen.  
*crystallinum*, Linn. Sp. Pl. 480.—Graecia; Ins. Canar.; Afr. austr.; Calif.  
*crystallophanes*, Eckl. & Zeyh. Enum. 322 = angulatum.  
*cultratum*, Salm-Dyck, Obs. (1820) 7.—Afr. austr.  
*cuneifolium*, Jacq. Coll. ii. 319 = criniflorum.  
*curtum*, Haw. Syn. Pl. Succ. 334.—Afr. austr.  
*curviflorum*, Haw. Rev. Pl. Succ. 147.—Afr. austr.  
*curvifolium*, DC. Prod. iii. 436 = praec.  
*curvifolium*, Haw. Misc. Nat. 88.—Afr. austr.  
*cylindricum*, Haw. Obs. Mesemb. 411.—Afr. austr.  
*cymbifolium*, Eckl. & Zeyh. Enum. 312 = Dregeanum.  
*cymbifolium*, Haw. in Till. Phil. Mag. lxiv. (1824) 424.—Afr. austr.  
*cymbiforme*, Haw. Obs. Mesemb. 264 = sessile.  
*dactylinum*, Welw. ex Oliver, Fl. Trop. Afr. ii. 582.—Afr. trop.  
*debile*, Haw. in Till. Phil. Mag. lxviii. (1826) 330 = reptans.  
*decipiens*, Haw. Rev. Pl. Succ. 110 = Thunbergii.  
*decumbens*, Mill. ex Weston, Cat. 162; ex Haw. Obs. Mesemb. 352.—Afr. austr.  
*decussatum*, Thunb. Prod. Pl. Cap. 88.—Afr. austr.  
*deflexum*, Salm-Dyck, Obs. 27 = elegans.  
*deflexum*, [Soland. in] Ait. Hort. Kew. ed. I. ii. 187.—Afr. austr.  
*defoliatum*, Haw. Misc. Nat. 64 = clavatum.  
*deltoides*, Linn. Sp. Pl. 482.—Afr. austr.  
*demissum*, Willd. Enum. Hort. Berol. Suppl. 36 = australe.  
*densum*, Haw. Obs. Mesemb. 302.—Afr. austr.  
*dentatum*, Kern. Hort. t. 26; ex Pritz. Ic. Ind. 706 (Quid?).—Hab.?  
*denticulatum*, Haw. Obs. Mesemb. 149.—Afr. austr.  
*denticulatum-canum*, Haw. l. c.—Afr. austr.  
*depressum*, Haw. Misc. Nat. 33.—Afr. austr.  
*depressum*, Sims, Bot. Mag. t. 1866 = longum.  
*difforme*, Haw. Syn. Pl. Succ. 225.—Afr. austr.  
*difforme*, Linn. Sp. Pl. 487.—Afr. austr.  
*difforme*, Thunb. Fl. Cap. ed. Schult. 423 = denticulatum, namaquense.  
*digitatum*, [Soland. in] Ait. Hort. Kew. ed. I. ii. 181 = seq.  
*digitiforme*, Thunb. in Nov. Act. Nat. Cur. viii. (1791) App. 6.—Afr. austr.  
*dilatatum*, Haw. Misc. Nat. 68.—Afr. austr.  
*dimidiatum*, Haw. Syn. Pl. Succ. 233; Rev. Pl. Succ. 119.—Afr. austr.  
*diminutum*, Haw. Misc. Nat. 26 = *loreum*, Linn.  
*dimorphum*, Welw. ex Oliver, Fl. Trop. Afr. ii. 582.—Afr. trop.  
*diversifolium*, Haw. Misc. Nat. 38.—Afr. austr.  
*diversiphyllum*, Haw. Obs. Mesemb. 228 = diversifolium.  
*dolabriforme*, Linn. Sp. Pl. 487.—Afr. austr.  
*dolabriformoides*, Haw. Obs. Mesemb. 168 = praec.  
*Dregeanum*, Sond. in Harv. & Sond. Fl. Cap. ii. 414.—Afr. austr.  
*dubium*, Haw. Misc. Nat. 39 = Thunbergii.  
*dubium*, Salm-Dyck, Cat. Hort. Dyck. 22 = procumbens.

## MESEMBRYANTHEMUM:—

*dunense*, Sond. in Harv. & Sond. Fl. Cap. ii. 411.—Afr. austr.  
*echinatum*, Lam. Encyc. ii. 478; [Soland. in] Ait. Hort. Kew. ed. I. ii. 194.—Afr. austr.  
*Ecklonis*, Salm-Dyck, Monog. iv. § 49. f. 5.—Afr. austr.  
*edentulum*, Haw. Rev. Pl. Succ. 125 = uncinatum.  
*edule*, Linn. Syst. ed. X. 1060.—Afr. austr.  
*effusum*, Salm-Dyck, ex Steud. Nom. ed. II. ii. 132 = geminiflorum.  
*elegans*, Jacq. Hort. Schoenb. iv. 18.—Afr. austr.  
*elongatum*, Eckl. & Zeyh. Enum. 321 = angulatum.  
*elongatum*, Haw. Obs. Mesemb. 236.—Afr. austr.  
*emaricidum*, Thunb. in Nov. Act. Nat. Cur. viii. (1791) App. 9 = anatomicum.  
*emarginatoides*, Haw. Obs. Mesemb. 343 = elegans.  
*emarginatum*, Eckl. & Zeyh. Enum. 317 = bicolor, linguiforme, Linn.  
*emarginatum*, Linn. Sp. Pl. ed. II. 692.—Afr. austr.  
*equilateratum*, Haw. Obs. Mesemb. 390.—Afr. austr.  
*erectum*, Haw. Misc. Nat. 53.—Afr. austr.  
*erectum*, Hort. ex Link. Enum. Hort. Berol. ii. 41 (an praec.?).—Afr. austr.  
*erigeriflorum*, Jacq. Hort. Schoenb. iv. 39 = brevifolium.  
*erminium*, Haw. in Till. Phil. Mag. lxviii. (1826) 126.—Afr. austr.  
*expansum*, DC. Pl. Grass. t. 47 = pallens.  
*expansum*, Linn. Syst. ed. X. 1059.—Afr. austr.  
*falcatum*, Lam. Encyc. ii. 482 = glomeratum.  
*falcatum*, Linn. Sp. Pl. 484.—Afr. austr.  
*falcatum*, Murr. Syst. ed. XIII. 391 = acinaciforme.  
*falciforme*, Haw. Syn. Pl. Succ. 299.—Afr. austr.  
*fasciculatum*, Thunb. in Nov. Act. Nat. Cur. viii. (1791) App. 11 = tetragonum.  
*fastigiatum*, Haw. Obs. Mesemb. 210.—Afr. austr.  
*fastigiatum*, Thunb. in Nov. Act. Nat. Cur. viii. (1791) App. 7 = papuliferum.  
*felinum*, Lam. Encyc. ii. 486; Haw. Obs. Mesemb. 161.—Afr. austr.  
*fibulaeforme*, Haw. Syn. Pl. Succ. 204 = seq.  
*fibuliforme*, Haw. Misc. Nat. 22.—Afr. austr.  
*ficiforme*, Haw. Rev. Pl. Succ. 83.—Afr. austr.  
*filamentosum*, DC. Pl. Grass. t. 60 = mutabile.  
*filamentosum*, Eckl. & Zeyh. Enum. 311 = sarmen-tosum.  
*filamentosum*, Linn. Syst. ed. X. 1060.—Afr. austr.  
*filicaule*, Haw. Misc. Nat. 87.—Afr. austr.  
*filiforme*, Thunb. Prod. Pl. Cap. 89.—Afr. austr.  
*fimbriatum*, Sond. in Harv. & Sond. Fl. Cap. ii. 393.—Afr. austr.  
*fissoides*, Haw. Obs. Mesemb. 135 = obtusum.  
*fixum*, Haw. l. c. 134.—Afr. austr.  
*flaccidum*, Jacq. Hort. Vindob. t. 475.—Afr. austr.  
*flavum*, Haw. Rev. Pl. Succ. 183.—Afr. austr.  
*flexifolium*, Eckl. & Zeyh. Enum. 316 = micranthum.  
*flexifolium*, Haw. Suppl. Pl. Succ. 98 = curvifolium.  
*flexile*, Haw. Rev. Pl. Succ. 148 = polyanthum.  
*flexuosum*, Eckl. & Zeyh. Enum. 315 = elegans.  
*flexuosum*, Haw. Misc. Nat. 61.—Afr. austr.  
*floribundum*, Haw. l. c. 100.—Afr. austr.  
*foliosum*, Eckl. & Zeyh. Enum. 314 = multiflorum.  
*foliosum*, Haw. Misc. Nat. 97 = tumidulum.  
*forficatum*, Jacq. Hort. Vindob. i. 9. t. 26 = mutabile.  
*forficatum*, Linn. Syst. ed. X. 1060.—Afr. austr.  
*formosum*, Haw. Rev. Pl. Succ. 145.—Afr. austr.  
*Forskählei*, Hochst. ex Boiss. Fl. Orient. ii. 765.—Mare rubr.  
*fragrans*, Salm-Dyck, Obs. (1820) 8.—Afr. austr.  
*fulvum*, Eckl. & Zeyh. Enum. 315 = simile.  
*fulvum*, Haw. Rev. Pl. Succ. 180.—Afr. austr.  
*furfureum*, Haw. in Phil. Mag. N. S. x. (1831) 421 = floribundum.  
*fusum*, Hort. ex Steud. Nom. ed. I. 526; ed. II. ii. 132 (Quid?).—Afr. austr.  
*fusiforme*, Haw. Misc. Nat. 41 = elongatum.  
*geminatum*, Haw. l. c. 92.—Afr. austr.  
*geminatum*, Jacq. Fragment. 43 = geminiflorum.  
*geminiflorum*, Eckl. & Zeyh. Enum. 310 = testaceum.  
*geminiflorum*, Haw. Rev. Pl. Succ. 114; Lodd. Bot. Cab. t. 1160.—Afr. austr.  
*geniculiflorum*, Forsk. Fl. Aegypt. Arab. 98 = Forskählei.  
*geniculiflorum*, Linn. Sp. Pl. 481.—Afr. austr.  
*gibbosum*, Haw. Obs. Mesemb. 137.—Afr. austr.  
*glabrum*, Haw. ex Steud. Nom. ed. I. 526; ed. II. ii. 132 = pomeridianum.

## MESEMBRYANTHEMUM:—

*glabrum*, [Soland. in] Ait. Hort. Kew. ed. I. ii. 193.—Afr. austr.  
*glaciale*, Haw. Suppl. Pl. Succ. 92 = crystallinum.  
*gladiatum*, Jacq. Hort. Schoenb. iv. 19 = lacerum.  
*glaucescens*, Haw. Syn. Pl. Succ. 236 = aequilaterale.  
*glaucinum*, Eckl. & Zeyh. Enum. 311 = congestum.  
*glaucinum*, Haw. Suppl. Pl. Succ. 97 = mutabile.  
*glaucoides*, Haw. Obs. Mesemb. 330 = aurantiacum.  
*glaucum*, Eckl. & Zeyh. Enum. 312 = croceum.  
*glaucum*, Linn. Sp. Pl. 486.—Afr. austr.  
*glomeratum*, Linn. Syst. ed. X. 1060.—Afr. austr.  
*gracile*, Eckl. & Zeyh. Enum. 312 = bracteatum, patulum.  
*gracile*, Haw. Rev. Pl. Succ. 144.—Afr. austr.  
*gramineum*, Haw. Misc. Nat. 55 = pyropeum.  
*grandiflorum*, Haw. in Till. Phil. Mag. lxviii. (1826) 328.—Afr. austr.  
*graniforme*, Haw. Misc. Nat. 82.—Afr. austr.  
*granulicaule*, Haw. in Till. Phil. Mag. lxiv. (1824) 427.—Afr. austr.  
*grossum*, Haw. Misc. Nat. 56.—Afr. austr.  
*grossum*, [Soland. in] Ait. Hort. Kew. ed. I. ii. 191.—Afr. austr.  
*guianense*, Klotzsch, in Schomb. Gui. ii. 300; ex Walp. Ann. i. 326.—Guian.  
*hamatum*, Willd. ex DC. Prod. iii. 432 = vaginatum.  
*Haworthii*, Donn, Cat. Hort. Cantab. ed. II. 66.—Afr. austr.  
*Haworthii*, Eckl. & Zeyh. Enum. 314 = Zeyheri.  
*helianthoides*, DC. Pl. Grass. t. 135 = Candollii.  
*helianthoides*, [Soland. in] Ait. Hort. Kew. ed. I. ii. 193.—Afr. austr.  
*Hermanni*, Haw. Obs. Mesemb. 429.—Afr. austr.  
*heteropetalum*, Eckl. & Zeyh. Enum. 311 = congestum.  
*heteropetalum*, Haw. Misc. Nat. 67.—Afr. austr.  
*heterophyllum*, Andr. Bot. Rep. t. 540 = angustum, praepingue.  
*heterophyllum*, Haw. Obs. Mesemb. 420 = angustum.  
*hexaphyllum*, Haw. Rev. Pl. Succ. 165 = Aizoon sarmentosum.  
*hirsutum*, Haw. Obs. Mesemb. 297.—Afr. austr.  
*hirtellum*, Eckl. & Zeyh. Enum. 319 = striatum.  
*hirtellum*, Haw. Obs. Mesemb. 284.—Afr. austr.  
*hirtellum*, Salm-Dyck, Obs. 24 = candens.  
*hirtum*, N. E. Br. in Gard. Chron. (1878) II. 139.—Afr. austr.  
*hispidifolium*, Steud. Nom. ed. II. ii. 133 = striatum.  
*hispidum*, Linn. Sp. Pl. 482.—Afr. austr.  
*hispidifolium*, Haw. Suppl. Pl. Succ. 94 = curtum.  
*horizontale*, Haw. Syn. Pl. Succ. 261 = clavatum.  
*humifusum*, Lee, ex Haw. Obs. Mesemb. 420 (an seq.?)—Hab.?  
*humifusum*, [Soland. in] Ait. Hort. Kew. ed. I. ii. 179.—Afr. austr.  
*humile*, Haw. Misc. Nat. 80.—Afr. austr.  
*hybridum*, Haw. Syn. Pl. Succ. 218.—Afr. austr.  
*imbricans*, Haw. Suppl. Pl. Succ. 94 = polyanthum.  
*imbricatum*, Eckl. & Zeyh. Enum. 314 = curtum.  
*imbricatum*, Haw. Obs. Mesemb. 317 = multiflorum.  
*inaequale*, Haw. Syn. Pl. Succ. 266.—Afr. austr.  
*inclaudens*, Haw. l. c. 295.—Afr. austr.  
*incomptum*, Haw. Suppl. Pl. Succ. 96.—Afr. austr.  
*inconspicuum*, Haw. in Till. Phil. Mag. lxviii. (1826) 128.—Afr. austr.  
*incurvum*, Eckl. & Zeyh. Enum. 313 = elegans.  
*incurvum*, Haw. Misc. Nat. 69.—Afr. austr.  
*incurvum*, E. Mey. ex Harv. & Sond. Fl. Cap. ii. 416 = patulum.  
*inflexum*, Haw. Suppl. Pl. Succ. 98.—Afr. austr.  
*insititium*, Willd. Enum. Hort. Berol. 536 = croceum.  
*intonsum*, Eckl. & Zeyh. Enum. 320 = bulbosum.  
*intonsum*, Haw. in Till. Phil. Mag. lxiv. (1824) 62.—Afr. austr.  
*introrsum*, Hook. f. Bot. Mag. t. 6057. sphalm. = praec.  
*juncum*, Haw. Misc. Nat. 59.—Afr. austr.  
*lacerum*, Eckl. & Zeyh. Enum. 311 = anceps.  
*lacerum*, Haw. Obs. Mesemb. 383.—Afr. austr.  
*laeve*, Haw. Misc. Nat. 64 = coralliflorum.  
*laeve*, [Soland. in] Ait. Hort. Kew. ed. I. ii. 187.—Afr. austr.  
*laeve*, Thunb. in Nov. Act. Nat. Cur. viii. (1791) App. 16 = Thunbergii.  
*laevigatum*, Haw. Misc. Nat. 76 = acinaciforme.  
*lanceolatum*, Haw. l. c. 45.—Afr. austr.  
*lanceum*, Eckl. & Zeyh. Enum. 322 = Ecklonis.  
*lanceum*, Thunb. Prod. Pl. Cap. 89.—Afr. austr.  
*lateriflorum*, DC. Pl. Grass. t. 164 = brevifolium.



**MESEMBRYANTHEMUM:—**

latum, *Haw. Obs. Mesemb.* 186.—Afr. austr.  
 laurifolium, *Haw. l. c.* 478, nomen.—Afr. austr.  
 laxum, *Willd. Enum. Hort. Berol.* 536.—Afr. austr.  
 Lehmanni, *Eckl. & Zeyh. Enum.* 310.—Afr. austr.  
 lepidum, *Haw. in Till. Phil. Mag.* lxviii. (1826) 130.—Afr. austr.  
 leptaleum, *Haw. Rev. Pl. Succ.* 140 = elegans.  
 limpidum, [Soland. in] *Ait. Hort. Kew. ed. I. ii.* 183 = criniflorum, pyropeum.  
 lineare, Thunb. *Prod. Pl. Cap.* 88 = pyropeum.  
 lineolatum, *Haw. Rev. Pl. Succ.* 130.—Afr. austr.  
 lingueforme, *Haw. Obs. Mesemb.* 182 = obliquum, *Willd.*  
 linguiforme, *DC. Pl. Grass. t.* 71 = longum.  
 linguiforme, *Linn. Sp. Pl.* 488.—Afr. austr.  
 linguiforme, *Linn. l. c.*, partim = latum, obliquum *Willd.*, longum.  
 longispinulum, *Haw. in Till. Phil. Mag.* lxiv. (1824) 426.—Afr. austr.  
 longistylum, *DC. Pl. Grass. t.* 147.—Afr. austr.  
 longistylum, *Eckl. & Zeyh. Enum.* 315 = elegans.  
 longum, *Haw. Obs. Mesemb.* 177.—Afr. austr.  
 loratum, *Haw. Rev. Pl. Succ.* 168 = pallens.  
 loreum, *Haw. Misc. Nat.* 38.—Afr. austr.  
 loreum, *Linn. Sp. Pl.* 486.—Afr. austr.  
 lucidum, *Haw. Rev. Pl. Succ.* 95 = linguiforme.  
 lucidum, *Willd. Gard. Dict. ed. VIII. n.* 43.—Afr. austr.  
 lunatum, *Willd. Enum. Hort. Berol.* 538.—Afr. austr.  
 lupinum, *Haw. in Till. Phil. Mag.* lxiv. (1824) 111.—Afr. austr.  
 luteolum, *Haw. l. c.* lxviii. (1826) 129.—Afr. austr.  
 luteo-viride, *Haw. Syn. Pl. Succ.* 226.—Afr. austr.  
 luteum, *Haw. in Till. Phil. Mag.* lxviii. (1826) 128.—Afr. austr.  
 macrorrhizum, *Haw. l. c.* 332 = megarhizum.  
 macrorrhizum, *DC. Prod. iii.* 425.—Ias. Borbon.  
 maculatum, *Haw. Obs. Mesemb.* 270.—Afr. austr.  
 magnipunctatum, *Haw. Rev. Pl. Succ.* 86.—Afr. austr.  
 marginatum, *Haw. Obs. Mesemb.* 412.—Afr. austr.  
 maximum, *Haw. l. c.* 402.—Afr. austr.  
 medium, *Haw. Suppl. Pl. Succ.* 88.—Afr. austr.  
 megarhizum, *G. Don. Gen. Syst. iii.* 145.—Afr. austr.  
 micans, *Linn. Sp. Pl.* 485.—Afr. austr.  
 micans, Thunb. *Fl. Cap.* 426 = collinum.  
 micranthum, *Eckl. & Zeyh. Enum.* 316 = bicornis.  
 micranthum, *Haw. Syn. Pl. Succ.* 257.—Afr. austr.  
 micropetalum, *Pers. Syn. ii.* 43 = apetalum.  
 microphyllum, *Haw. Obs. Mesemb.* 417; *Misc. Nat.* 73.—Afr. austr.  
 Milleri, *Willd. Enum. Hort. Berol. Suppl.* 37 = lacerum.  
 minimum, *Haw. Obs. Mesemb.* 126.—Afr. austr.  
 minutum, *Haw. Misc. Nat.* 21.—Afr. austr.  
 molle, [Soland. in] *Ait. Hort. Kew. ed. I. ii.* 192.—Afr. austr.  
 moniliforme, Thunb. in *Nov. Act. Nat. Cur.* viii. (1791) *App.* 7.—Afr. austr.  
 monticolum, *Sond. in Harv. & Sond. Fl. Cap.* ii. 428.—Afr. austr.  
 mucosum, *Haw. Obs. Mesemb.* 429.—Afr. austr.  
 mucronatum, *Haw. Misc. Nat.* 78.—Afr. austr.  
 mucroniferum, *Haw. in Till. Phil. Mag.* lxii. (1823) 381.—Afr. austr.  
 mucroniflorum, *Harv. & Sond. Fl. Cap.* ii. 615 = praec.  
 multiceps, *Salm-Dyck, Monog. iii. § 6. f.* 2.—Afr. austr.  
 multiflorum, *Eckl. & Zeyh. Enum.* 314 = Schollii.  
 multiflorum, *Haw. Obs. Mesemb.* 318.—Afr. austr.  
 multipunctatum, *Salm-Dyck, Hort. Dyck.* 357.—Afr. austr.  
 multiradiatum, *Jacq. Fragm.* 44 = roseum.  
 muricatum, *Haw. Misc. Nat.* 75.—Afr. austr.  
 murinum, *Haw. Obs. Mesemb.* 165.—Afr. austr.  
 musculinum, *Haw. in Till. Phil. Mag.* lxviii. (1826) 327.—Afr. austr.  
 mustelinum, *Salm-Dyck, Obs.* 9.—Afr. austr.  
 mutabile, *Haw. Obs. Mesemb.* 377.—Afr. austr.  
 namaquense, *Sond. in Harv. & Sond. Fl. Cap.* ii. 399.—Afr. austr.  
 nigrescens, Benth. *Fl. Austral.* iii. 324, in syn. = aequilatale.  
 nitidum, *Haw. Obs. Mesemb.* 412; *Misc. Nat.* 57.—Afr. austr.  
 nitidum, *Salm. ex Spreng. Nov. Prov.* 27.—Hab. ?  
 nobile, *Haw. in Till. Phil. Mag.* lxii. (1823) 381.—Afr. austr.

**MESEMBRYANTHEMUM:—**

noctiflorum, *Linn. Sp. Pl.* 481.—Afr. austr.  
 nodiflorum, *Linn. l. c.* 480.—Reg. Mediterr.; Persia.  
 notabile, *Link. Enum. Hort. Berol.* ii. 44.—Afr. austr.  
 nuciforme, *Haw. Obs. Mesemb.* 129 = minutum.  
 obconellum, *Haw. Misc. Nat.* 21.—Afr. austr.  
 obcordellum, *Haw. l. c.*—Afr. austr.  
 obliquum, *Eckl. & Zeyh. Enum.* 318 = flavum.  
 obliquum, *Haw. Rev. Pl. Succ.* 183.—Afr. austr.  
 obliquum, *Willd. Sp. Pl.* ii. 1027.—Afr. austr.  
 obsubulatum, *Haw. Misc. Nat.* 26.—Afr. austr.  
 obtusum, *Haw. l. c.* 25.—Afr. austr.  
 octophyllum, *Haw. Rev. Pl. Succ.* 85 = testiculatum.  
 oligandrum, *Kunze, Del. Sem. Hort. Lips.* (1845).—*Cf. Linnaea*, xix. (1847) 405.—Afr. austr.  
 orbiculare, *Page, Prod. Southamp. Bot. Gard.* 169 = fibuliforme, minimum, minutum, obconellum, obcordellum, truncatellum.  
 ovatum, Thunb. in *Nov. Act. Nat. Cur.* viii. (1791) *App.* 8 = angulatum.  
 pallens, *Jacq. Hort. Schoenb.* iii. t. 279 = longistylum.  
 pallens, [Soland. in] *Ait. Hort. Kew. ed. I. ii.* 182.—Afr. austr.  
 pallescens, *Haw. Rev. Pl. Succ.* 174 = longistylum.  
 papuliferum, *DC. Prod. iii.* 448.—Afr. austr.  
 papulosum, *Eckl. & Zeyh. Enum.* 322 = puberulum.  
 papulosum, *Linn. f. Suppl.* 259.—Afr. austr.  
 parviflorum, *Haw. Misc. Nat.* 95.—Afr. austr.  
 parviflorum, *Jacq. Hort. Schoenb.* iii. 15 = micranthum.  
 parvifolium, *Eckl. & Zeyh. Enum.* 318 = brevifolium.  
 parvifolium, *Haw. Rev. Pl. Succ.* 184.—Afr. austr.  
 parvifolium, *Lam. Encyc. ii.* 482 = violaceum.  
 patens, *Willd. Enum. Hort. Berol. Suppl.* 37 = multiflorum.  
 patulum, *Haw. Syn. Pl. Succ.* 334.—Afr. austr.  
 perfoliatum, *Mill. Gard. Dict. ed. VIII. n.* 19; *Haw. Obs. Mesemb.* 307.—Afr. austr.  
 perpusillum, *Haw. Rev. Pl. Succ.* 82.—Afr. austr.  
 perviride, *Haw. Obs. Mesemb.* 136.—Afr. austr.  
 Petiveri, *Haw. l. c.* 478 = humile.  
 pilifolium, *Haw. ex Link. Enum. Hort. Berol.* ii. 48 = striatum, hirtellum.  
 pilosum, *Haw. Misc. Nat.* 47 = helianthoides.  
 pinnatifidum, *Linn. f. Suppl.* 260.—Afr. austr.; Chili.  
 pinnatum, Thunb. in *Nov. Act. Nat. Cur.* viii. (1791) *App.* 15.—Afr. austr.  
 pisiforme, *Haw. Misc. Nat.* 23.—Afr. austr.  
 polyanthum, *Haw. Syn. Pl. Succ.* 270.—Afr. austr.  
 polyanthum, *Eckl. & Zeyh. Enum.* 317 = glomeratum.  
 polyphyllum, *Haw. Rev. Pl. Succ.* 141 = violaceum.  
 pomeridianum, *Linn. Sp. Pl. ed. II.* 698.—Afr. austr.  
 praecox, *F. Muell. in Linnaea*, xxv. (1852) 384 = aequilatale.  
 praepingue, *Haw. Obs. Mesemb.* 179.—Afr. austr.  
 procumbens, *Haw. Rev. Pl. Succ.* 111.—Afr. austr.  
 productum, *Haw. in Till. Phil. Mag.* lxiv. (1824) 425.—Afr. austr.  
 protractum, *Link. Enum. Hort. Berol.* ii. 41.—Afr. austr.  
 pruinatum, Thunb. in *Nov. Act. Nat. Cur.* viii. (1791) *App.* 17.—Afr. austr.  
 puberulum, *Haw. in Till. Phil. Mag.* N. S. x. (1831) 421.—Afr. austr.  
 pubescens, *Haw. Obs. Mesemb.* 138.—Afr. austr.  
 pugioniforme, *DC. Pl. Grass. t.* 72 = elongatum.  
 pugioniforme, *Haw. Obs. Mesemb.* 390 = capitatum.  
 pugioniforme, *Linn. Sp. Pl.* 488.—Afr. austr.  
 pulchellum, *Willd. Enum. Hort. Berol.* 537; *Haw. Misc. Nat.* 72.—Afr. austr.  
 pulverulentum, *Eckl. & Zeyh. Enum.* 318, ex parte = parvifolium.  
 pulverulentum, *Haw. Obs. Mesemb.* 265.—Afr. austr.  
 pulverulentum, *Willd. Enum. Hort. Berol.* 533 = mucroniferum.  
 punctatum, *Haw. Obs. Mesemb.* 411; *Rev. Pl. Succ.* 107.—Afr. austr.  
 puniceum, *Jacq. Hort. Schoenb.* iv. 20 = violaceum.  
 purpurascens, *Salm-Dyck, ex Link. Enum. Hort. Berol.* ii. 45, nomen; *Obs.* (1822) 28.—Afr. austr.  
 purpureo-album, *Haw. in Till. Phil. Mag.* lxviii. (1826) 329.—Afr. austr.  
 purpureo-croceum, *Haw. Obs. Mesemb.* 257 = croceum.  
 purpureum, *Fisch. ex Steud. Nom. ed. I.* 527; *ed. II.* ii. 134 (Quid ?)—Hab. ?  
 pusiforme, *Sond. in Harv. & Sond. Fl. Cap.* ii. 450, sphalm. = pisiforme.  
 pustulatum, *Haw. Suppl. Pl. Succ.* 88.—Afr. austr.  
 pygmaeum, *Haw. l. c.* 98.—Afr. austr.

**MESEMBRYANTHEMUM:—**

pyropeum, *Haw. Suppl. Pl. Succ.* 99.—Afr. austr.  
 quadrifidum, *Haw. Misc. Nat.* 28.—Afr. austr.  
 radiatum, *Haw. Obs. Mesemb.* 322.—Afr. austr.  
 radicans, *DC. Pl. Grass. t.* 171.—Afr. austr.  
 ramulosum, *Haw. Misc. Nat.* 29.—Afr. austr.  
 rapaceum, *Eckl. & Zeyh. Enum.* 320 = grossum, *Haw.*  
 rapaceum, *Jacq. Fragm.* 43. t. 52. f. 1.—Afr. austr.  
 rectum, *Haw. Rev. Pl. Succ.* 170.—Afr. austr.  
 recurvum, *Haw. Suppl. Pl. Succ.* 90 = Schollii.  
 recurvum, *Moench, Meth. Suppl.* 190.—Afr. austr.  
 reflexum, *Haw. Obs. Mesemb.* 213 = longistylum.  
 relaxatum, *Willd. Enum. Hort. Berol. Suppl.* 36.—Afr. austr.  
 repens, *Salisb. Prod.* 347 = reptans.  
 repens, *Salm. ex Spreng. Syst. ii.* 517 = canaliculatum.  
 reptans, [Soland. in] *Ait. Hort. Kew. ed. I. ii.* 185.—Afr. austr.  
 retroflexum, *Haw. Misc. Nat.* 71 = elegans.  
 rhomboideum, *Salm-Dyck, Monog. iii. § 6. f.* 5.—Afr. austr.  
 rigidicaule, *Eckl. & Zeyh. Enum.* 310 = unidens.  
 rigidicaule, *Haw. Rev. Pl. Succ.* 116.—Afr. austr.  
 rigidum, *Haw. Misc. Nat.* 95.—Afr. austr.  
 ringens, *Linn. Sp. Pl.* 487 = caninum, felinum.  
 ringens, Thunb. ex *Harv. & Sond. Fl. Cap.* ii. 397 = tigrinum.  
 robustum, *Haw. Misc. Nat.* 28.—Afr. austr.  
 roseum, *Willd. Enum. Hort. Berol.* 535.—Afr. austr.  
 Rossi, *Haw. Rev. Pl. Succ.* 120 = aequilaterale.  
 rostellatum, *DC. Prod. iii.* 430 = seq.  
 Rostellum, *Haw. Rev. Pl. Succ.* 123.—Afr. austr.  
 rostratoides, *Haw. Obs. Mesemb.* 154 = ramulosum, acutum.  
 rostratum, *Linn. Sp. Pl.* 486.—Afr. austr.  
 rubricaule, *Willd. Enum. Hort. Berol.* 536; *Haw. Misc. Nat.* 77.—Afr. austr.  
 rubrocinctum, *Eckl. & Zeyh. Enum.* 311 = acinaciforme.  
 rubrocinctum, *Haw. Syn. Pl. Succ.* 234.—Afr. trop.  
 rufescens, *Haw. l. c.* 221 = obliquum, *Willd.*  
 sabulosum, *Eckl. & Zeyh. Enum.* 321 = papulosum.  
 sabulosum, Thunb. in *Nov. Act. Nat. Cur.* viii. (1791) *App.* 17.—Afr. austr.  
 Salmii, *Haw. Suppl. Pl. Succ.* 89.—Afr. austr.  
 salmoneum, *Eckl. & Zeyh. Enum.* 320 = nitidum.  
 salmoneum, *Haw. Rev. Pl. Succ.* 76.—Afr. austr.  
 sarmentosum, *Haw. Syn. Pl. Succ.* 238.—Afr. austr.; Austral.  
 scabrum, *Linn. Sp. Pl.* 483 = linguiforme.  
 scabrum, Thunb. ex *Sond. in Harv. & Sond. Fl. Cap.* ii. 416 = radiatum.  
 scalpratum, *Haw. Obs. Mesemb.* 187 = linguiforme.  
 scapigerum, *Eckl. & Zeyh. Enum.* 309 = rhomboideum.  
 scapigerum, *Haw. in Till. Phil. Mag.* lxiv. (1824) 423.—Afr. austr.  
 Schlichtianum, *Sond. in Harv. & Sond. Fl. Cap.* ii. 435.—Afr. austr.  
 Schollii, *Salm-Dyck, Obs.* (1820) 10.—Afr. austr.  
 semicylindricum, *Haw. Obs. Mesemb.* 238.—Afr. austr.  
 semidentatum, *Haw. Suppl. Pl. Succ.* 95.—Afr. austr. ?  
 semidentatum, *Salm-Dyck, Obs.* (1820) 9.—Afr. austr.  
 serratifolium, *Hort. ex Steud. Nom. ed. I.* 527; *ed. II.* ii. 134 = serratum.  
 serratum, *Nichols. Dict. Gard.* ii. 359, sphalm. = serrulatum.  
 serratum, *Linn. Sp. Pl.* 485.—Afr. austr.  
 serrulatum, *Haw. Misc. Nat.* 77.—Afr. austr.  
 sessile, Thunb. in *Nov. Act. Nat. Cur.* viii. (1791), *App.* 14.—Afr. austr.  
 sessiliflorum, [Soland. in] *Ait. Hort. Kew. ed. I. ii.* 193.—Afr. austr.  
 setosum, *Moench, Meth. Suppl.* 193 = echinatum.  
 setuliferum, *N. E. Br. in Gard. Chron.* (1876) II. 8.—Afr. austr.  
 simile, *Haw. Rev. Pl. Succ.* 115 = sarmentosum.  
 simile, *Sond. in Harv. & Sond. Fl. Cap.* ii. 435.—Afr. austr.  
 sordidum, *DC. ex Spreng. Syst. ii.* 518 = spinuliferum.  
 spathulatum, Thunb. in *Nov. Act. Nat. Cur.* viii. (1791), *App.* 5 = criniflorum.  
 spatulatum, *Haw. Misc. Nat.* 46 = praec.  
 speciosum, *Haw. Obs. Mesemb.* 267.—Afr. austr.  
 spectabile, *Eckl. & Zeyh. Enum.* 312 = Thunbergii.  
 spectabile, *Haw. Obs. Mesemb.* 385.—Afr. austr.  
 spiniforme, *Haw. l. c.* 240.—Afr. austr.



**MESEMBRYANTHEMUM** :—

spinosum, *Linn. Sp. Pl.* 483.—Afr. austr.  
 spinuliferum, *Haw. Obs. Mesemb.* 206.—Afr. austr.  
 spinuliforme, *Harv. & Sond. Fl. Cap.* ii. 616 = *præc. splendens*, *Eckl. & Zeyh. Enum.* 315 = *aduncum*, *splendens*, *Linn. Sp. Pl.* 486.—Afr. austr.  
 stellatum, *Haw. Obs. Mesemb.* 416; *Misc. Nat.* 91 = *gracile*.  
 stellatum, *Mill. Gard. Dict.* ed. VIII. n. 14.—Afr. austr.  
 stelligerum, *Haw. in Till. Phil. Mag.* lxiv. (1824) 61 = *barbatum*.  
 stenum, *Haw. l. c. x.* (1831) 420.—Afr. austr.  
 stipulaceum, *Linn. Sp. Pl.* 484.—Afr. austr.  
 stramineum, *Haw. Obs. Mesemb.* 252 = *clavatum*, *fulvum*.  
 stramineum, *Willd. Enum. Hort. Berol.* 533 = *tricolorum*.  
 striatum, *Haw. Obs. Mesemb.* 280.—Afr. austr.  
 strictum, *Eckl. & Zeyh. Enum.* 312 = *Dregeanum*, *strictum*, *Haw. Misc. Nat.* 82.—Afr. austr.  
 strumosum, *Haw. Rev. Pl. Succ.* 190.—Afr. austr.  
 suaveolens, *Jacq. Fragm.* 66.—Afr. austr.  
 subaduncum, *Haw. Suppl. Pl. Succ.* 96 = *viride*.  
 subulatoides, *Steud. Nom. ed. II. ii.* 134, *sphalm.* = *subulatoides*.  
 subulatum, *Haw. Misc. Nat.* 76 = *acinaciforme*, *subcompressum*, *Haw. in Till. Phil. Mag.* lxviii. (1826) 131.—Afr. austr.  
 subglobosum, *Haw. Misc. Nat.* 62 = *brevifolium*.  
 subhispidum, *Haw. in Till. Phil. Mag.* N. S. x. (1831) 421.—Afr. austr.  
 subincanum, *Haw. l. c. lxiv.* (1824) 427.—Afr. austr.  
 subrectum, *Steud. Nom. ed. II. ii.* 134 = *surrectum*.  
 subrostratum, *Willd. Enum. Hort. Berol.* 529 = *acutum*.  
 subulatoides, *Haw. Obs. Mesemb.* 141 = *acutum*.  
 subulatum, *Mill. Gard. Dict.* ed. VIII. n. 10 = *bellidiflorum*.  
 sulcatum, *Haw. Rev. Pl. Succ.* 173.—Afr. austr.  
 surrectum, *Haw. l. c. 101.*—Afr. austr.  
 Sutherlandii, *Hook. f. Bot. Mag.* t. 6299.—Afr. austr.  
 taurinum, *Haw. Syn. Pl. Succ.* 224.—Afr. austr.  
 tegens, *F. Muell. Fragm.* v. 157.—Austral.  
 tenellum, *Haw. Obs. Mesemb.* 315.—Afr. austr.  
 tenue, *Eckl. & Zeyh. Enum.* 316 = *bicorne*.  
 tenue, *Haw. Rev. Pl. Succ.* 175 = *micranthum*.  
 tenuiflorum, *Jacq. Fragm.* 44. t. 32. f. 3 = *viridiflorum*.  
 tenuifolium, *Eckl. & Zeyh. Enum.* 316 = *coccineum*.  
 tenuifolium, *Linn. Sp. Pl.* 484.—Afr. austr.  
 tenuifolium, *Thunb. ex Harv. & Sond. Fl. Cap.* ii. 429, 437, 439, 440 = *productum*, *bicolorum*, *glomeratum*, *elegans*.  
 teretifolium, *Haw. Syn. Pl. Succ.* 210.—Afr. austr.  
 teretisculum, *Haw. Obs. Mesemb.* 410.—Afr. austr.  
 ternifolium, *Thunb. ex Harv. & Sond. Fl. Cap.* ii. 415 = *gracile*.  
 testaceum, *Eckl. & Zeyh. Enum.* 317 = *subincanum*.  
 testaceum, *Haw. Suppl. Pl. Succ.* 97.—Afr. austr.  
 testiculare, [*Soland. in*] *Ait. Hort. Kew.* ed. I. ii. 181.—Afr. austr.  
 testiculare, *Thunb. in Nov. Act. Nat. Cur.* viii. (1791) App. 6 = *testiculatum*.  
 testiculatum, *Jacq. Fragm.* 20. t. 12.—Afr. austr.  
 tetragonum, *Eckl. & Zeyh. Enum.* 315 = *productum*.  
 tetragonum, *Moench, Meth. Suppl.* 191.—Hab. ?  
 tetragonum, *Thunb. Prod. Pl. Cap.* 91.—Afr. austr.  
 tetrasepalum, *Regel, in Act. Hort. Petrop.* ii. (1873) 434.—Hab. ?  
 Theris, *Perr. in Mém. Soc. Linn. Par.* iii. (1825) 126 (Quid ?)—Malaya.  
 Thunbergii, *Eckl. & Zeyh. Enum.* 315, *partim* = *elegans*.  
 Thunbergii, *Haw. Misc. Nat.* 86.—Afr. austr.  
 tigrinum, *Haw. Obs. Mesemb.* 164.—Afr. austr.  
 torquatum, *Haw. Rev. Pl. Succ.* 187 = *floribundum*.  
 tortuosum, *DC. Pl. Grass.* t. 94 = *expansum*.  
 tortuosum, *Eckl. & Zeyh. Enum.* 322 = *anatomicum*.  
 tortuosum, *Linn. Sp. Pl.* 487.—Afr. austr.  
 trichotomum, *Thunb. in Nov. Act. Nat. Cur.* viii. (1791) App. 14.—Afr. austr.  
 tricolor, *Jacq. Hort. Schoenb.* iv. 20 = *mutabile*.  
 tricolor, *Steud. Nom. ed. II. ii.* 135 = *tricolorum*.  
 tricolor, *Willd. Hort. Berol.* i. 22 = *pyropeum*.  
 tricolorum, *Haw. Obs. Mesemb.* 233.—Afr. austr.  
 Tripolium, *Linn. Sp. Pl.* 481.—Afr. austr.  
 truncatum, *Haw. Misc. Nat.* 22.—Afr. austr.

VOL. II.

**MESEMBRYANTHEMUM** :—

truncatum, *Thunb. in Nov. Act. Nat. Cur.* viii. (1791) App. 5.—Afr. austr.  
 tuberculatum, *DC. ex Pers. Syn.* ii. 44 = *striatum*.  
 tuberculatum, *Eckl. & Zeyh. Enum.* 319 = *floribundum*.  
 tuberculatum, *Mill. Gard. Dict.* ed. VIII. n. 32 = *rostratum*.  
 tuberosum, *Linn. Sp. Pl.* 484.—Afr. austr.  
 tumidulum, *Haw. Syn. Pl. Succ.* 286.—Afr. austr.  
 turbinatum, *Jacq. Hort. Vindob.* t. 476.—Afr. austr.  
 turbiniforme, *Haw. Rev. Pl. Succ.* 84 = *truncatum*.  
 umbellatum, *Linn. Sp. Pl.* 481.—Afr. austr.  
 umbellatum, *Thunb. ex Harv. & Sond. Fl. Cap.* ii. 441 = *tuberosum*.  
 umbelliflorum, *Jacq. Hort. Schoenb.* iv. 39.—Afr. austr.  
 uncatum, *Salm-Dyck, Monog.* iii. § 8. f. 6.—Afr. austr.  
 uncinatum, *Eckl. & Zeyh. Enum.* 313 = *tenellum*.  
 uncinatum, *Linn. Sp. Pl.* 483.—Afr. austr.  
 uncinellum, *Salm-Dyck, ex Haw. Rev. Pl. Succ.* 125.—Afr. austr.  
 unidens, *Haw. in Till. Phil. Mag.* lxviii. (1826) 331.—Afr. austr.  
 uvaeforme, *Haw. Rev. Pl. Succ.* 84.—Afr. austr.  
 vaginatum, *Lam. Encyc.* ii. 478; *Haw. Misc. Nat.* 95.—Afr. austr.  
 validum, *Haw. in Till. Phil. Mag.* lxviii. (1826) 329.—Afr. austr.  
 variable, *Haw. Misc. Nat.* 85.—Afr. austr.  
 varians, *Haw. l. c. 51* = *tortuosum*.  
 verruculoides, *Sond. in Harv. & Sond. Fl. Cap.* ii. 428.—Afr. austr.  
 verruculatum, *Linn. Sp. Pl.* 486.—Afr. austr.  
 verruculatum, *Thunb. ex Harv. & Sond. Fl. Cap.* ii. 417 = *aurantiacum*, *verruculoides*.  
 versicolor, *Eckl. & Zeyh. Enum.* 317 = *elegans*.  
 versicolor, *Haw. Misc. Nat.* 70.—Afr. austr.  
 villosum, *Eckl. & Zeyh. Enum.* 332 = *Ecklonis*.  
 villosum, *Linn. Sp. Pl.* 483.—Afr. austr.  
 violaceum, *DC. Pl. Grass.* t. 84.—Afr. austr.  
 violaceum, *Eckl. & Zeyh. Enum.* 317 = *polyanthum*.  
 virens, *Haw. Rev. Pl. Succ.* 121.—Afr. austr.  
 virescens, *Haw. Syn. Pl. Succ.* 236 = *aequilaterale*.  
 virgatum, *Haw. Misc. Nat.* 88.—Afr. austr.  
 viride, *Haw. Obs. Mesemb.* 314.—Afr. austr.  
 viridiflorum, [*Soland. in*] *Ait. Hort. Kew.* ed. I. ii. 196.—Afr. austr.  
 vittatum, *N. E. Br. in Gard. Chron.* (1876) II. 772.—Afr. austr.  
 Volckameri, *Haw. Obs. Mesemb.* 426 = *lanceolatum*.  
 vulpinum, *Haw. Syn. Pl. Succ.* 217 = *caninum*.  
 Zeyheri, *Salm-Dyck, Monog.* iv. § 40. f. 5.—Afr. austr.

MESEMBRYANTHES, *Stokes, Bot. Mat. Med.* iii. 127 (1812) = *præc.*

MESEMBRYANTHUS, *Neck. Elem.* ii. 81 (1790) = *præc.*

MESEMBRYUM, *Adans. Fam.* ii. 242 (1763) = *præc.*

MESICERA, *Rafin. Neogenyt.* 4. (1825) = *Habenaria*, *Willd. (Orchid.)*.  
*Michauxii*, *Rafin. Fl. Tellur.* ii. 39 = *H. Michauxii*.  
*quinqueseta*, *Rafin. Neogenyt.* 4 = *H. Michauxii*.  
*repens*, *Rafin. l. c.* = *H. repens*.

MESOCENTRON, *Cass. in Dict. Sc. Nat.* xlv. 38 (1826) = *Centaurea*, *Linn. (Compos.)*.  
*eriphorum*, *Cass. l. c.* = *C. eriphora*.

MESOCHLOA, *Rafin. Fl. Tellur.* iv. 11 (1836) = *Zephyranthes*, *Herb. (Amaryll.)*.  
*canaliculata*, *Rafin. l. c.* = *Z. Mesochloa*.

MESOCLASTES, *Lindl. Gen. et Sp. Orch.* 44 (1830) = *Luisia*, *Gaudich. (Orchid.)*.  
*brachystachys*, *Lindl. l. c.*; et in *Wall. Cat. n.* 1994 = *L. brachystachys*.  
*uniflora*, *Lindl. in Wall. Cat. n.* 1993 (= *L. uniflora*).—Reg. Himal.

MESODACTYLIS, *Wall. Pl. As. Rar.* i. 74, in obs. (1830) = *Apostasia*, *Blume (Orchid.)*.  
*deflexa*, *Wall. l. c.* = *A. Wallichii*.  
*odorata*, *Endl. Gen.* 221 = *A. odorata*.  
*Wallichii*, *Endl. l. c.* = *A. Wallichii*.

MESODACTYLUS, *Endl. Gen.* 221 (1837) = *præc.*

MESODETRA, *Rafin. Fl. Ludov.* 141 (1817) = *Hele-nium*, *Linn. (Compos.)*.  
*alata*, *Rafin. l. c.* = *H. quadridentatum*.

MESODISCUS, *Rafin. New Fl. Am.* iv. 19 (1836) = *Cryptotaenia*, *DC. (Umbell.)*.  
*proliferus*, *Rafin. l. c.* 20 = *C. canadensis*.  
*simplex*, *Rafin. l. c.* = *C. canadensis*.

MESOGRAMMA, *DC. Prod.* vi. 304 (1837) = *Senecio*, *Tourn. (Compos.)*.  
*apiifolium*, *DC. l. c.*—Afr. austr.

MESOLIGUS, *Rafin. Fl. Tellur.* ii. 44 (1836) = *Aster*, *Tourn. (Compos.)*.  
*subulatus*, *Rafin. l. c.* = *A. subulatus*.

MESOMELAENA, *Nees, in Lehm. Pl. Preiss.* ii. 88 (1846). *CYPERACEAE*, *Benth. & Hook. f. iii.* 1061.

GYMNOSCHOENUS, *Nees, in Ann. Nat. Hist. Ser. I.* vi. (1841) 47.

PTILANTHELIUM, *Steud. Syn. Pl. Cyp.* 166 (1855).  
*anceps*, *Benth. Fl. Austral.* vii. 880.—Austral.  
*bicapitata*, *Steud. Syn. Pl. Cyp.* 163 = *Caustis dioica*.  
*deusta*, *Benth. Fl. Austral.* vii. 379.—Austral.  
*Preissii*, *Nees, in Lehm. Pl. Preiss.* ii. 88 = *stygia*.  
*sphaerocephala*, *Benth. Fl. Austral.* vii. 380.—Austral.  
*stygia*, *Nees, in Lehm. Pl. Preiss.* ii. 89.—Austral.  
*tetragona*, *F. Muell. Fragm.* ix. 36.—Austral.

MESONA, *Blume, Bijdr.* 838 (1826). *LABIATAE*, *Benth. & Hook. f. ii.* 1172.  
*chinensis*, *Benth. Fl. Hongk.* 274.—China.  
*palustris*, *Blume, Bijdr.* 838.—Java.  
*Wallichiana*, *Benth. in DC. Prod.* xii. 46.—Reg. Himal.

MESONEURIS, *A. Gray, in Proc. Am. Acad.* viii. (1873) 661 = *Senecio*, *Tourn. (Compos.)*.  
*bipinnatifida*, *A. Gray, l. c.* = *S. cervariaefolius*.

MESOPTERA, *Hook. f. in Benth. & Hook. f. Gen.* ii. 130 (1873). *RUBIACEAE*, *Benth. & Hook. f. l. c.* Maingayi, *Hook. f. l. c.* 131.—Malacca.

MESOPTERA, *Rafin. Fl. Tellur.* iv. 49 (1836) = *Liparis*, *Rich. (Orchid.)*.

MESOSETUM, *Steud. in Flora*, xxxiii. (1850) 223, *nomen*; *Syn. Pl. Gram.* 118 (1855) = *Panicum*, *Linn. (Gramin.)*.  
*cayennense*, *Steud. l. c.*—Guian.

MESOSPHERUM, *P. Br. Hist. Jamaic.* 257 (1756) = *Hyptis*, *Jacq. (Labiata)*.

MESOSPINIDIUM, *Reichb. f. in Bot. Zeit.* x. (1852) 929 = *Odontoglossum*, *H. B. & K. (Orchid.)*.

*aurantiacum*, *Reichb. f. in Walp. Ann.* vi. 857 = *A. aurantiaca*.

*Bowmanii*, *Reichb. f. in Gard. Chron.* 1869 1182 (Bowmanni).—N. Granat.

*cinnabarinum*, *Reichb. f. in Walp. Ann.* vi. 858 = *Brassia cinnabarina*.

*densiflorum*, *Reichb. f. in Gard. Chron.* 1872 383 = *Cochlidia densiflora*.

*incantans*, *Reichb. f. l. c.* (1880) i. 586.—N. Granat.

*jucundum*, *Reichb. f. l. c.* (1876) ii. 580.—Bras.

*radiatum*, *Reichb. f. in Walp. Ann.* vi. 856 = *Abolob radiata*.

*roseum*, *Reichb. f. in Gard. Chron.* 1872 893; et *Orchid. Bot. Hamb.* 5, 23 = *Cochlidia rosea* (in *Addend.*).

*sanguineum*, *Reichb. f. in Walp. Ann.* vi. 858 = *Cochlidia sanguinea* (in *Addend.*).

*vulcanicum*, *Reichb. f. in Gard. Chron.* 1872 893 (= *Cochlidia sp.*).—Peruv.

*Wallisii*, *Reichb. f. in Linnaea*, xli. (1877) 188.—Peruv.

*Warszewiczii*, *Reichb. f. in Bot. Zeit.* x. (1852) 92. O. Warszewiczii.

MESOTRICHA, *Stschegl. in Bull. Soc. Nat. M.* (1859) i. 9 = *Astroloma*, *R. Br. (Epacrid.)*.

*discolor*, *Stschegl. l. c.* = *A. longiflorum*.

*longiflora*, *Stschegl. l. c.* = *A. longiflorum*.

P I



MESPILODAPHNE, Nees, in Linnaea, viii. (1833) 45 = *Ocotea*, Aubl. (Laurin).  
*acuminata*, Baill. in Bull. Soc. Linn. Par. i. (1885) 448.—Madag.  
*attenuata*, Meissn. in DC. Prod. xv. i. 108.—Bras.  
*aurantiodora*, Meissn. l. c. 101 = *Nectandra aurantiodora*.  
*baccans*, Klotzsch & Karst. ex Meissn. l. c. 107.—N. Granat.  
*bahiensis*, Meissn. l. c. 108.—Bras.  
*balanocarpa*, Nees, in Linnaea, xxi. (1848) 495.—Peruv.  
*Bernieri*, Baill. in Bull. Soc. Linn. Par. i. (1885) 453.—Madag.  
*borbonica*, Meissn. in DC. Prod. xv. i. 105.—Ins. Borbon.  
*bullata*, Meissn. l. c. 511 = *O. bullata*.  
*ceanothifolia*, Nees, Syst. Laurin. 236.—Bras.  
*complicata*, Meissn. in DC. Prod. xv. i. 103.—Bras.  
*cordata*, Meissn. l. c. 101.—Bras.  
*corymbosa*, Meissn. l. c. 98.—Bras.  
*cupularis*, Meissn. l. c. 104.—Ins. Mascar.  
*cymosa*, Meissn. l. c. 105 = *cupularis*.  
*fasciculata*, Meissn. l. c. 108 = *O. firmula*.  
*foetens*, Meissn. l. c. 511 = *O. foetens*.  
*Gardneri*, Meissn. l. c. 99.—Bras.  
*glaucia*, Meissn. l. c. 97.—Bras.  
*heteromorpha*, Meissn. l. c. 105 = *cupularis*.  
*indecora*, Meissn. l. c. 102 = *O. indecora*.  
*lanata*, Meissn. l. c.—Bras.  
*laxiflora*, Meissn. l. c. 107.—Bras.  
*leucophloea*, Nees, in Linnaea, viii. (1833) 45 = *O. indecora*.  
*Lindleyana*, Meissn. in DC. Prod. xv. i. 105 = *cupularis*.  
*madagascariensis*, Meissn. l. c. 105.—Madag.  
*marginata*, Meissn. l. c. 106 = *cupularis*.  
*mauritanica*, Meissn. l. c. 104 = *cupularis*.  
*Maximiliana*, Meissn. l. c. 108 = *prolifera*.  
*Meyendorffiana*, Meissn. l. c. 99.—Bras.  
*microneura*, Meissn. l. c. 98 = *prolifera*.  
*montana*, Meissn. l. c.—Bras.  
*moschata*, Meissn. l. c. 106.—Peruv.; Bras.  
*nitida*, Meissn. l. c.—Peruv.  
*nitidula*, Meissn. l. c. 510 = *Nectandra nitidula*.  
*notata*, Meissn. l. c. 98.—Bras.  
*novo-granatensis*, Meissn. l. c. 107 = *Nectandra concinna*.  
*nummularia*, Meissn. l. c. 101.—Bras.  
*nutans*, Meissn. l. c. 98.—Bras.  
*oblonga*, Meissn. l. c. 107.—Guian.  
*opifera*, Meissn. l. c. 510 = *O. opifera*.  
*organensis*, l. c. 97.—Bras.  
*parviflora*, Meissn. l. c. 109.—Bras.  
*patens*, Meissn. in Kjoeb. Vidensk. Meddel. (1870) 134.—Bras.  
*Persooniana*, Meissn. in DC. Prod. xv. i. 105.—Ins. Mascar.  
*petiolaris*, Meissn. l. c. 99.—Bras.  
*phillyraeoides*, Meissn. l. c. 100.—Bras.  
*Pohlui*, Meissn. l. c. 97.—Bras.  
*pretiosa*, Nees, in Linnaea, viii. (1833) 45 = *O. pretiosa*.  
*prolifera*, Nees, l. c. 46.—Bras.  
*pulchella*, Meissn. in DC. Prod. xv. i. 99 = *O. pulchella*.  
*pyriformis*, Nees, ex Meissn. l. c. 108.—Guian.  
*Riedelii*, Meissn. l. c. 511.—Bras.  
*rigens*, Meissn. l. c. 99, in obs. ad n. 11 = *O. tristis*.  
*Sassafras*, Meissn. l. c. 102.—Bras.  
*Sprucei*, Meissn. l. c. 97.—Bras.  
*trichophlebia*, Baill. in Bull. Soc. Linn. Par. i. (1885) 448.—Madag.  
*tristis*, Meissn. in DC. Prod. xv. i. 100 = *O. tristis*.  
*vaccinioides*, Meissn. l. c. = *O. pulchella*.  
*vaginans*, Meissn. l. c. 104.—Venezuela.

MESPILOPHORA, Neck. Elem. ii. 73 (1790) = *Pyrus*, Tourn. (Rosac.).

MESPIILUS, [Tourn.] Linn. Syst. ed. I (1735) = *Pyrus*, Tourn. etc. (Rosac.).  
*acerifolia*, Poir. in Lam. Encyc. iv. 442 = *Crataegus cordata*.  
*acuminata*, Lodd. Bot. Cab. t. 919 = *Cotoneaster acuminata*.  
*aestivalis*, Walt. Fl. Carol. 148 = *Crataegus aestivalis*.  
*affinis*, D. Don, Prod. Fl. Nep. 238 = *Cotoneaster bacillaris*.

MESPIILUS:—

*Amelanchier*, Linn. Sp. Pl. 478 = *Amelanchier vulgaris*.  
*Amelanchier*, Walt. Fl. Carol. 148 = *Amelanchier canadensis*.  
*anthyllidifolia*, Spreng. Syst. ii. 508 = *Osteomeles anthyllidifolia*.  
*apiifolia*, Medic. Gesch. Bot. 82 = *Crataegus Oxyacantha*.  
*apiifolia*, Poir. Encyc. Suppl. iv. 68 = *Crataegus apiifolia*.  
*arborea*, Michx. f. Hist. Arbr. Am. Sept. iii. 68. t. 11 = *Amelanchier canadensis*.  
*arborescens*, C. Koch, Wochenschr. v. (1862) 380 = *Crataegus arborescens*.  
*arbutifolia*, Link. Enum. Hort. Berol. ii. 236 = *Photinia arbutifolia*.  
*arbutifolia*, Linn. Sp. Pl. 478 = *Pyrus arbutifolia*.  
*Aria*, Scop. Fl. Carn. i. 345 = *Pyrus Aria*.  
*Aronia*, Spach, Hist. Vég. Phan. ii. 69 = *Crataegus Azarolus*.  
*Aronia*, Willd. Enum. Hort. Berol. Suppl. 35 = *Crataegus orientalis*.  
*atrofusca*, C. Koch, Wochenschr. v. (1862) 400 = *Crataegus pentagyna*.  
*Aucuparia*, [Web. in] Wigg. Prim. Fl. Holsat. 38; All. Fl. Pedem. ii. 142 = *Pyrus Aucuparia*.  
*axillaris*, Pers. Syn. ii. 39 = *Crataegus parvifolia*.  
*Azarolus*, All. Fl. Pedem. ii. 141 = *Crataegus Azarolus*.  
*Azarolus*, Marsh. Arbust. 89 = *Crataegus spathulata*.  
*badiata*, Bosc, Encyc. Agric. vii. 592 = *Crataegus Crus-galli*.  
*bengalensis*, Roxb. Hort. Beng. 38; Fl. Ind. ii. 510 = *Eriobotrya bengalensis*.  
*berberifolia*, C. Koch, Wochenschr. v. (1862) 383 = *Crataegus berberifolia*.  
*Bosciana*, Spach, Hist. Vég. Phan. ii. 58 = *Crataegus Crus-galli*.  
*Calpodendron*, Ehrh. Beitr. ii. 67 = *Crataegus tomentosa*.  
*calycina*, Stokes, Bot. Mat. Med. iii. 107 = *Pyrus germanica*.  
*canadensis*, Linn. Sp. Pl. 478 = *Amelanchier canadensis*, *Pyrus arbutifolia*.  
*caroliniana*, Poir. in Lam. Encyc. iv. 442 = *Crataegus flava*.  
*caroliniana*, Wendl. f. in Flora, vi. (1823) 701 = *Crataegus tomentosa*.  
*caucasica*, C. Koch, Wochenschr. v. (1862) 405 = *Crataegus Oxyacantha*.  
*Celsiana*, Dum.-Cours. Bot. Cult. Suppl. 286 = *Crataegus nigra*.  
*Chamaemespilus*, Linn. Sp. Pl. 479 = *Pyrus Chamaemespilus*.  
*chinensis*, Blume, Bijdr. 1102 = *Crataegus chinensis*.  
*coccinea*, Marsh. Arbust. 87 = *Crataegus coccinea*.  
*coccinea*, Waldest. & Kit. Pl. Rar. Hung. iii. 284 = *Cotoneaster tomentosa*.  
*communis*, Gueldenst. Reisen, i. 419 = *Pyrus germanica*.  
*constantinopolitana*, Hort. ex Poir. Encyc. Suppl. iv. 69 = *Crataegus coccinea*, C. Azarolus.  
*corallina*, Desf. Tabl. ed. I. 174 = *Crataegus cordata*.  
*cordata*, Willd. Enum. Hort. Berol. 523 = *Crataegus cordata*.  
*cordifolia*, Mill. Gard. Dict. ed. VIII. n. 4, errata = *Crataegus cordata*.  
*cornifolia*, Muench. Hausv. v. 145 = *Crataegus tomentosa*.  
*Cosansasi*, C. Koch, Wochenschr. v. (1862) 396 = *Crataegus sanguinea*.  
*Cotoneaster*, Linn. Sp. Pl. 479 = *Cotoneaster integerrima*.  
*Crataegus*, Borckh. Besch. Hess. Hoelz. 190; ex Roem. Arch. i. III. 86 = *Crataegus Oxyacantha*.  
*crenulata*, D. Don, Prod. Fl. Nep. 238 = *Crataegus crenulata*.  
*Crus-galli*, Marsh. Arbust. 88; Poir. in Lam. Encyc. iv. 441 = *Crataegus Crus-galli*.  
*Cuila*, Buch.-Ham. ex D. Don, Prod. Fl. Nep. 238 = *Eriobotrya elliptica*.  
*cuneata*, C. Koch, Wochenschr. v. (1862) 388 = *Crataegus cuneata*.  
*cuneifolia*, Ehrh. Beitr. iii. 21 = *Crataegus tomentosa*.  
*cuneifolia*, Moench, Meth. 684 = *Crataegus Crus-galli*.  
*cuneiformis*, Marsh. Arbust. 88 = *Crataegus Crus-galli*.  
*denticulata*, Spreng. Syst. ii. 505 = *Cotoneaster denticulata*.  
*depressa*, C. Koch, Wochenschr. v. (1862) 365 = *Crataegus depressa*.

MESPIILUS:—

*digyna*, S. F. Gray, Nat. Arr. Brit. Pl. ii. 565 = *Crataegus Oxyacantha*.  
*dissecta*, Dum.-Cours. Bot. Cult. ed. II. v. 454 = *Crataegus Oxyacantha*.  
*diversifolia*, Poir. Encyc. Suppl. iv. 73 = *Crataegus Oxyacantha*.  
*domestica*, All. Fl. Pedem. ii. 142 = *Pyrus Sorbus*.  
*domestica*, Gater. Pl. Montaub. 92; et ex DC. Fl. Fr. iv. 434 = *Pyrus germanica*.  
*elegans*, Poir. in Lam. Encyc. iv. 439 = *Crataegus Oxyacantha*.  
*elliptica*, Guimp. Otto & Hayne, Fremd. Holz. t. 144 = *Crataegus Crus-galli*.  
*elliptica*, Lam. Encyc. iv. 447 = *Crataegus flava*.  
*eriocarpa*, DC. Fl. Fr. Suppl. 532 = *Cotoneaster tomentosa*.  
*eriocarpa*, Desf. Cat. Hort. Par. ed. III. 409 = *Cotoneaster integerrima*.  
*ferruginea*, Poir. Encyc. Suppl. iv. 73; Spreng. Syst. ii. 506 = *Eriobotrya cordata*.  
*fissa*, Poir. l. c. 72 = *Crataegus Oxyacantha*.  
*flabellata*, Bosc, Encyc. Agric. vii. 591 = *Crataegus coccinea*.  
*flava*, Willd. Enum. Hort. Berol. 523 = *Crataegus flava*.  
*flavescens*, Bosc, Encyc. Agric. vii. 591 = *Crataegus flavescens*.  
*flexispina*, C. Koch, Dendrol. i. 139 = *Crataegus flava*.  
*flexispina*, Moench, Verz. 62 = *Crataegus parvifolia*.  
*flexuosa*, Bosc, Encyc. Agric. vii. 591 = *Crataegus tomentosa*.  
*flexuosa*, Poir. Encyc. Suppl. iv. 73 = *Crataegus parvifolia*.  
*florentina*, Bertol. Amoen. Ital. 29 = *Pyrus crataegifolia*.  
*Fontanesiana*, Spach, in Ann. Sc. Nat. Sér. II. iii. (1835) 105 = *Crataegus Crus-galli*.  
*germanica*, Linn. Sp. Pl. 478 = *Pyrus germanica*.  
*glabra*, Poir. in Lam. Encyc. iv. 446 = *Photinia serrulata*, Lindl.  
*glabrata*, Spreng. Syst. ii. 506 = *Osteomeles glabrata*.  
*glandulosa*, Willd. Enum. Hort. Berol. 523 = *Crataegus coccinea*.  
*grandiflora*, Sm. Exot. Bot. i. 33 = *Crataegus grandiflora*.  
*heterophylla*, Poir. Encyc. Suppl. iv. 68 = *Crataegus Azarolus*.  
*heterophylla*, Ruiz & Pav. Fl. Per. iv. t. 425 = *Eriobotrya heterophylla*.  
*hyemalis*, Walt. Fl. Carol. 148 = *Crataegus flava*.  
*indica*, Poir. Encyc. Suppl. iv. 73 = *Raphiolepis indica*.  
*Insegnae*, Tineo, ex Guss. Fl. Sic. Syn. ii. 830 = *Crataegus Insegnae*.  
*intermedia*, Poir. Encyc. Suppl. iv. 68 = *Pyrus intermedia*.  
*japonica*, Thunb. Fl. Jap. 206 = *Eriobotrya japonica*.  
*laciniata*, Guss. Fl. Sic. Prod. i. 565 = *Crataegus laciniata*.  
*laciniata*, Walt. Fl. Carol. 147 = *Crataegus parvifolia*.  
*laevigata*, Poir. in Lam. Encyc. iv. 439 = *Crataegus Oxyacantha*.  
*laevis*, Poir. in Lam. Encyc. iv. 445 = *Photinia laevis*.  
*lanuginosa*, Ruiz & Pav. Fl. Per. iv. t. 425 = *Osteomeles latifolia*.  
*latifolia*, Hort. ex Poir. in Lam. Encyc. iv. 444 = *Crataegus tomentosa*.  
*leucophloeos*, C. Koch, Dendrol. i. 136 = *Crataegus tomentosa*.  
*linearis*, Desf. Hist. Arbr. ii. 156 = *Crataegus Crus-galli*.  
*lobata*, Poir. Encyc. Suppl. iv. 71 = *Crataegus tomentosa*.  
*Loddigesiana*, Spach, in Ann. Sc. Nat. Sér. II. iii. (1835) 105 = *Crataegus mexicana*.  
*Loureiri*, Kostel, Allg. Med. Pharm. Fl. iv. 1479 = *Crataegus Pyracantha*.  
*lucida*, Ehrh. Beitr. iv. 17 = *Crataegus Crus-galli*.  
*lutea*, Poir. Encyc. Suppl. iv. 72 = *Crataegus tomentosa*.  
*macracantha*, Wenzig, in Linnaea, xxxviii. (1874) 137 = *Crataegus sanguinea*.  
*macrocarpa*, DC. ex E. Morr. Belg. Hort. vi. (1856) 256. t. 63 = *Pyrus germanica*.  
*maroccana*, Poir. Encyc. Suppl. iv. 74 = *Crataegus Oxyacantha*.  
*maura*, Poir. l. c. 73 = *Crataegus Oxyacantha*.  
*maxima*, Dum.-Cours. Bot. Cult. ed. II. v. 451 = *Crataegus Crus-galli*.  
*melanocarpa*, Bess. Cat. Hort. Krzem. (1814) 88; Poir. Encyc. Suppl. iv. 68 = *Crataegus pentagyna*.



## MESPILUS:—

- melanocarpa*, Fisch. ex Fisch. & Mey. Ind. Sem. Hort. Petrop. vi. 48 = *Cotoneaster integerrima*.  
*mexicana*, D. Don, in Sweet, Brit. Flow. Gard. Ser. II. iii. t. 300; C. Koch, Wochenschr. v. (1862) 363 = *Crataegus mexicana*.  
*Michauxii*, Hornem. Hort. Hafn. 455 = *Crataegus flava*.  
*microphylla*, C. Koch, Wochenschr. v. (1862) 405 = *Crataegus Oxyacantha*.  
*monogyna*, All. Fl. Pedem. ii. 141 = *Crataegus Oxyacantha*.  
*montana*, Hort. ex M. Roem. Syn. Rosifl. 161 = *Pyrus arbutifolia*.  
*myrtifolia*, C. Koch, Wochenschr. v. (1862) 365 = *Crataegus myrtifolia*.  
*nana*, Dum.-Cours. Bot. Cult. ed. II. vii. 286 = *Crataegus Crus-galli*.  
*nebrodensis*, Bertol. Fl. Ital. vii. 629 = *Cotoneaster nebrodensis*.  
*nigra*, Willd. Enum. Hort. Berol. 524 = *Crataegus Oxyacantha*.  
*nivea*, Marsh. Arbust. 90 = *Amelanchier canadensis*.  
*obovata*, Bosc, ex Steud. Nom. ed. I. 528, sphalm. = *odorata*.  
*obtusifolia*, Herb. Juss. ex Poir. Encyc. Suppl. iv. 73 = *Osteomeles glabrata*.  
*odorata*, Wendl. f. in Flora, vi. (1823) 700 = *Crataegus tomentosa*.  
*odoratissima*, Andr. Bot. Rep. t. 590 = *Crataegus tanacetifolia*.  
*Oliveriana*, Bosc, Encyc. Agric. vii. 591; Dum.-Cours. Bot. Cult. ed. II. v. 454 = *Crataegus pentagyna*.  
*Oliveriana*, Poir. Encyc. Suppl. iv. 72 = *Crataegus Oxyacantha*.  
*orientalis*, Hb. Taur. 108; ex Bieb. Fl. Taur. Cauc. i. 387 = *Crataegus tanacetifolia*.  
*orientalis*, Mill. Gard. Dict. ed. VIII. n. 9 = *Cotoneaster tomentosa*.  
*orientalis*, Poir. Encyc. Suppl. iv. 72 = *Crataegus orientalis*.  
*ovalifolia*, Hornem. Hort. Hafn. Suppl. 52 = *Crataegus Crus-galli*.  
*oxyacantha*, Crantz, Stirp. Austr. ed. I. fasc. ii. 39; ed. II. 82\* = *Crataegus Oxyacantha*.  
*oxyacanthoides*, DC. Fl. Fr. iv. 433 = *Crataegus Oxyacantha*.  
*parvifolia*, Willd. Enum. Hort. Berol. 523 = *Crataegus parvifolia*.  
*paucifolia*, Poir. in Lam. Encyc. iv. 441 = *Crataegus Pyracantha*.  
*pectinata*, Dum.-Cours. Bot. Cult. ed. II. v. 454 = *Crataegus pectinata*.  
*pentagyna*, Spreng. Syst. ii. 507 = *Crataegus pentagyna*.  
*Persoonii*, Spreng. l. c. 506 = *Osteomeles glabrata*.  
*peruviana*, C. Koch, Wochenschr. v. (1862) 365 = *Crataegus peruviana* (in Addend.).  
*phaenopyrum*, Ehrh. Beitr. ii. 67 = *Crataegus cordata*.  
*pinnata*, Dum.-Cours. ex Steud. Nom. ed. I. 529 = *Crataegus tanacetifolia*.  
*pinnatifida*, C. Koch, in Wochenschr. v. (1862) 398 = *Crataegus pentagyna*.  
*pirifolia*, Desf. Hist. Arbr. ii. 155 = *Crataegus tomentosa*.  
*Poiretiana*, Sweet, Hort. Brit. ed. II. 176 = *Crataegus Crus-galli*.  
*polyacantha*, Guss. Fl. Sic. Prod. Suppl. 154 = *Crataegus Oxyacantha*.  
*populifolia*, Poir. in Lam. Encyc. iv. 447 = *Crataegus coccinea*.  
*pruinosa*, Wendl. f. in Flora, vi. (1823) 701 = *Crataegus tomentosa*.  
*prunellifolia*, Bosc, ex Poir. Encyc. Suppl. iv. 72 = *Crataegus Crus-galli*.  
*prunifolia*, Marsh. Arbust. 90; Poir. in Lam. Encyc. iv. 443 = *Crataegus Crus-galli*.  
*pubescens*, H. B. & K. Nov. Gen. et Sp. vi. 213. t. 555 = *Crataegus pubescens*.  
*pubescens*, Presl, Delic. Prag. 53 = *Crataegus tanacetifolia*.  
*pubescens*, Wendl. f. in Flora, vi. (1823) 700 = *Crataegus coccinea*.  
*pumila*, Schmidt, ex Steud. Nom. ed. II. ii. 136 = *Pyrus arbutifolia*.  
*punctata*, Willd. Enum. Hort. Berol. 524 = *Crataegus tomentosa*.  
*purpurea*, Poir. Encyc. Suppl. iv. 73 = *Crataegus sanguinea*.

## MESPILUS:—

- pyncoloba*, C. Koch, Wochenschr. v. (1862) 390 = *Crataegus pyncoloba*.  
*pygmaea*, Baumg. Enum. Stirp. Transs. ii. 40 = *Amelanchier vulgaris*.  
*Pyracantha*, Linn. Sp. Pl. 478 = *Crataegus Pyracantha*.  
*pyracanthifolia*, Sweet, Hort. Brit. ed. II. 175 = *Crataegus Crus-galli*.  
*pyrifolia*, Willd. Enum. Hort. Berol. 523 = *Crataegus grandiflora*.  
*pyriformis*, Hort. ex M. Roem. Syn. Rosifl. 156 = *Crataegus coccinea*.  
*quinqueloba*, Bosc, Encyc. Agric. vii. 591.—Hab.?  
*quitensis*, C. Koch, Wochenschr. v. (1862) 364 = *Crataegus rivularis*.  
*racemiflora*, Desf. Cat. Hort. Par. ed. III. 409 = *Crataegus Crus-galli*.  
*rivularis*, C. Koch, Wochenschr. v. (1862) 372 = *Crataegus rivularis*.  
*rotundifolia*, Ehrh. Beitr. iii. 28 = *Crataegus coccinea*.  
*rubra*, Stokes, Bot. Mat. Med. iii. 110 = *Raphiolepis indica*.  
*salicifolia*, Hort. ex C. Koch, Dendrol. i. 144 = *Crataegus Crus-galli*.  
*sanguinea*, Spach, Hist. Vég. Phan. ii. 62 = *Crataegus sanguinea*.  
*Sieboldi*, Blume, Bijdr. 1102 = *Raphiolepis japonica*.  
*sinaica*, C. Koch, Wochenschr. v. (1862) 391 = *Crataegus sinaica*.  
*sinensis*, Poir. Encyc. Suppl. iv. 70 = *Raphiolepis indica*.  
*Smithii*, DC. Prod. ii. 633 = *Crataegus grandiflora*.  
*sorbifolia*, Hort. ex Poir. Encyc. Suppl. iv. 72 = *Pyrus spuria*.  
*spathulata*, Poir. l. c. 68 = *Crataegus spathulata*.  
*spectabilis*, Hort. ex C. Koch, Hort. Dendrol. 182 = *Pyrus spectabilis*.  
*spiralis*, Blume, Bijdr. 1102 = *Raphiolepis indica*.  
*stipulacea*, Desf. ex Steud. Nom. ed. II. i. 434 = *Crataegus mexicana*.  
*stipulosa*, H. B. & K. Nov. Gen. et Sp. vi. 213 = *Crataegus stipulosa*.  
*subspinosa*, Vent. ex DC. Prod. ii. 626 = *Crataegus subspinosa*.  
*succulenta*, Wenzig, in Linnaea, xxxviii. (1874) 136 = *Crataegus sanguinea*.  
*sylvestris*, Mill. Gard. Dict. ed. VIII. n. 1 = *Pyrus germanica*.  
*tanacetifolia*, Poir. in Lam. Encyc. iv. 440 = *Crataegus tanacetifolia*.  
*tiliaefolia*, C. Koch, Wochenschr. v. (1862) 375 = *Crataegus subvillosa*.  
*tinctoria*, D. Don, Prod. Fl. Nep. 238 = *Eriobotrya bengalensis*.  
*tomentosa*, Ait. Hort. Kew. ed. I. ii. 174 = *Cotoneaster tomentosa*.  
*tomentosa*, Hohen. Enum. Pl. Elisabethpol. 235 = *Cotoneaster nummularia*.  
*tomentosa*, Poir. in Lam. Encyc. iv. 440 = *Crataegus parvifolia*.  
*torminalis*, [Web. in] Wigg. Prim. Fl. Holsat. 38; All. Fl. Pedem. ii. 141 = *Pyrus torminalis*.  
*Trewiana*, Tausch, in Flora, xxi. (1838) 716 = *Crataegus Crus-galli*.  
*trifoliata*, Bosc, Encyc. Agric. vii. 591 = *Crataegus trifoliata*.  
*triloba*, Poir. Voy. Barb. ii. 171 = *Crataegus Oxyacantha*.  
*turbinata*, Spreng. Syst. ii. 506 = *Crataegus flava*.  
*uniflora*, C. Koch, Wochenschr. v. (1862) 383 = *Crataegus parvifolia*.  
*unilateralis*, Poir. Encyc. Suppl. iv. 73 = *Crataegus parvifolia*.  
*villosa*, Poir. l. c. 445 = *Photinia villosa*.  
*virginiana*, Mill. Gard. Dict. ed. VIII. n. 11 = *Crataegus flava*?  
*viridis*, Sweet, Hort. Brit. ed. I. 134 = *Crataegus coccinea*.  
*vulgaris*, Reichb. Fl. Germ. Excurs. 630 = *Pyrus germanica*.  
*Watsoniana*, Spach, Hist. Vég. Phan. ii. 57 = *Crataegus Crus-galli*.  
*Wendlandii*, Opiz, in Flora, xvii. (1834) 590 = *Crataegus coccinea*.  
*xalapensis*, C. Koch, Wochenschr. v. (1862) 364.—Mexic.  
*xanthocarpa*, Linn. f. Suppl. 254; Ehrh. Beitr. ii. 67 = *Crataegus parvifolia*.

MESSANTHEMUM, Pritz. Ic. Ind. ii. 185 (1866) sphalm. = *Mcsanthemum*, Koern. (Eriocaul.).

MESSERSCHMIDIA, Murr. Syst. ed. XIII. 161 (1774) = seq.

MESSERSCHMIDTIA, G. Don, Gen. Syst. iv. 370 (1837) = seq.

- MESSERSMIDIA, Linn. Hort. Upsal. 36 (1748) = *Tournefortia*, Linn. (Borag.).  
*angustifolia*, Lam. Tabl. Encyc. ii. 415 = *T. fruticosa*, Ker-Gawl.  
*Argunia*, Gaertn. Fruct. ii. 130. t. 109. f. 3 = *T. sibirica*.  
*Argusia*, Linn. Mant. i. 42 = *T. sibirica*.  
*Blanchetii*, Miers, in Ann. & Mag. Nat. Hist. Ser. IV. ii. (1868) 195 = *T. Blanchetii*.  
*cancellata*, Asso, Syn. Pl. Arag. n. 162. t. 1. f. 1 = *Rochelia stellulata*.  
*candida*, Mart. & Gal. in Bull. Acad. Brux. xi. II. (1844) 334 = *T. candida*.  
*candidula*, Miers, in Ann. & Mag. Nat. Hist. Ser. IV. ii. (1868) 202.—Bras.  
*chrysantha*, Mart. & Gall. in Bull. Acad. Brux. xi. II. (1844) 334 = *T. chrysantha*.  
*corymbosa*, G. Don, Gen. Syst. iv. 371 = *T. foetidissima*.  
*elegans*, G. Don, l. c. = *T. elegans*.  
*ferruginea*, G. Don, l. c. = *T. scandens*.  
*floribunda*, G. Don, l. c. 370 = *T. floribunda*.  
*floribunda*, Salisb. Prod. 112 = *T. fruticosa*, Ker-Gawl.  
*fruticosa*, Linn. f. Suppl. 132 = *T. fruticosa*, Ker-Gawl.  
*hirsutissima*, Roem. & Schult. Syst. iv. 541 = *T. hirsutissima*.  
*hispidula*, Benth. in Royle, Illustr. Bot. Himal. 306 = *Heliotropium zeylanicum*.  
*incana*, G. F. W. Mey. Prim. Fl. Esseq. 92 = *T. sessilifolia*.  
*laurifolia*, Roem. & Schult. Syst. iv. 543 = *T. laurifolia*.  
*longifolia*, Roem. & Schult. l. c. = *T. longifolia*.  
*macroloba*, Miers, in Ann. & Mag. Nat. Hist. Ser. IV. ii. (1868) 196 = *T. macroloba*.  
*Martii*, Miers, l. c. 194 = *T. Martii*.  
*membranacea*, Gardn. in Hook. Lond. Journ. Bot. i. (1842) 181 = *T. scandens*.  
*microphylla*, Miers, in Ann. & Mag. Nat. Hist. Ser. IV. ii. (1868) 198 = *T. volubilis*.  
*Milleri*, Roem. & Schult. Syst. iv. 544 = *T. scandens*.  
*minor*, G. Don, Gen. Syst. iv. 372 = *T. incana*.  
*minuta*, Miers, in Ann. & Mag. Nat. Hist. Ser. IV. ii. (1868) 198 = *T. incana*.  
*montana*, Roem. & Schult. Syst. iv. 544 = *T. montana*.  
*organensis*, Miers, in Ann. & Mag. Nat. Hist. Ser. IV. ii. (1868) 194.—Bras.  
*paniculata*, G. Don, Gen. Syst. iv. 370 = *T. paniculata*.  
*piliochros*, G. Don, l. c. 371 = *T. poliochros*.  
*Pohlui*, Miers, in Ann. & Mag. Nat. Hist. Ser. IV. ii. (1868) 203 = *T. Pohlui*.  
*polystachya*, Roem. & Schult. Syst. iv. 542 = *T. polystachya*.  
*psilostachya*, G. Don, Gen. Syst. iv. 370 = *T. psilostachya*.  
*punctata*, Spreng. Neue Entdeck. iii. 23 = *T. psilostachya*.  
*ramiflora*, Miers, in Ann. & Mag. Nat. Hist. Ser. IV. ii. (1868) 197.—Bras.  
*rosmarinifolia*, Roem. & Schult. Syst. iv. 544 = *T. sibirica*.  
*salicifolia*, Gardn. in Hook. Lond. Journ. Bot. i. (1842) 181 = *T. salicifolia*.  
*Salzmanni*, Miers, in Ann. & Mag. Nat. Hist. Ser. IV. ii. (1868) 201 = *T. Salzmanni*.  
*scandens*, Roem. & Schult. Syst. iv. 542 = *T. scandens*.  
*sericea*, Roem. & Schult. l. c. = *T. tomentosa*?  
*sibirica*, Linn. Mant. ii. 334 = *T. sibirica*.  
*spigelliflora*, Miers, in Ann. & Mag. Nat. Hist. Ser. IV. ii. (1868) 200 = *T. spigelliflora*.  
*subsessilis*, G. Don, Gen. Syst. iv. 370 = *T. subsessilis*.  
*subulata*, Gardn. in Hook. Lond. Journ. Bot. i. (1842) 532 = *T. Gardneri*.  
*syringaeifolia*, Roem. & Schult. Syst. iv. 542 = *T. syringaeifolia*.  
*tomentosa*, G. Don, Gen. Syst. iv. 371 = *T. tomentosa*.  
*umbellata*, G. Don, l. c. = *T. umbellata*.  
*vaigra*, Miers, in Ann. & Mag. Nat. Hist. Ser. IV. ii. (1868) 198.—Bras.  
*Vauthieri*, Miers, l. c. 196 = *T. Vauthieri*.  
*velutina*, G. Don, Gen. Syst. iv. 370 = *T. velutina*.  
*vicinia*, Miers, in Ann. & Mag. Nat. Hist. Ser. IV. ii. (1868) 197.—Bras.  
*villosa*, Miers, l. c. 202 = *T. villosa*.  
*volubilis*, Roem. & Schult. Syst. iv. 541 = *T. volubilis*.



MESTOTES, Soland. ex DC. Prod. ii. 57 (1825) = *Chailletia*, DC.

**MESUA**, Linn. Syst. ed. I (1735). *GUTTIFERAE*, Benth. & Hook. f. i. 176.  
NAGASSARI, Adans. Fam. ii. 449 (1763).  
NAGATAMPO, Adans. l. c. 444 (1763).  
NAGHAS, Mirb. ex Steud. Nom. ed. II. ii. 136, 180 (1841).  
bracteata, Spreng. Syst. iii. 127.—Cochinch.  
coromandelina, Wight, Illustr. 127 = ferrea.  
ferrea, Linn. Sp. Pl. 515.—Ind. or.  
glabra, Forsk. Fl. Aegypt. Arab. 100.—Arab.  
lepidota, T. Anders. in Hook. f. Fl. Brit. Ind. i. 278.—Malaya.  
nagana, Gardn. in Calc. Journ. Nat. Hist. viii. (1847) 4 = ferrea.  
nervosa, Planch. & Triana, in Ann. Sc. Nat. Sér. IV. xv. (1861) 307 = Kayea nervosa.  
pedunculata, Wight, Illustr. i. 127 = ferrea.  
pulchella, Planch. & Triana, in Ann. Sc. Nat. Sér. IV. xv. (1861) 307 = ferrea.  
Roxburghii, Wight, Illustr. i. 127 = ferrea.  
salicina, Planch. & Triana, in Ann. Sc. Nat. Sér. IV. xv. (1861) 302 = ferrea.  
sclerophylla, Thw. Enum. Pl. Zeyl. 407 = ferrea.  
singaporiana, Wall. Cat. n. 4836 = Kayea racemosa.  
speciosa, Choisy, in DC. Prod. i. 562 = ferrea.  
Thwaitesii, Planch. & Triana, in Ann. Sc. Nat. Sér. IV. xv. (1861) 305.—Zeylan.  
Walkeriana, Planch. & Triana, l. c. 301 = ferrea.

MESYNIUM, Rafin. Fl. Tellur. iii. 33 (1836) = *Linum*, Tourn.  
africanum, Rafin. l. c. = L. africanum.  
chilense, Rafin. l. c. nomen = L. chilense?  
mexicanum, Rafin. l. c. = L. mexicanum.  
texense, Rafin. l. c. = L. Berlandieri.

METABASIS, DC. Prod. vii. 97, 307 (1838) = *Hypochoeris*, Linn. (Compos.).  
aethnensis, DC. l. c. 307 = H. serioides.  
cretensis, DC. l. c. = H. cretensis.  
hymettia, DC. l. c. 97 = H. cretensis.  
neapolitanus, Nym. Consp. 471 = H. radicata.

METABOLOS, Blume, Bijdr. 990 (1826) = *Hedyotis*, Linn. (Rubiaceae).  
angustifolius, DC. Prod. iv. 436 = H. angustifolia.  
caeruleus, Blume, Bijdr. 992 = H. vestita.  
ciliaris, Blume, ex Miq. Fl. Ind. Bat. ii. 182 = H. Auricularia.  
ferrugineus, DC. Prod. iv. 436.—Ins. Philipp.  
laevigatus, DC. l. c. = H. laevigata.  
latifolius, Blume, Bijdr. 991 = H. latifolia.  
lineatus, DC. Prod. iv. 435 = H. vestita.  
macrophyllus, Zoll. & Mor. Syst. Verz. Zoll. 63 = H. iodoneura.  
prostratus, Blume, Bijdr. 991 = H. prostrata.  
radicans, DC. Prod. iv. 435 = H. radicans.  
rigidus, Blume, Bijdr. 992 = H. rigida.  
rugosus, Blume, l. c. 991 = H. rugosa.  
venosus, Blume, l. c. = H. Auricularia.

METABOLUS, A. Rich. in Mém. Soc. Hist. Nat. Par. v. (1830) 237 = praec.

METACHILUM, Lindl. Gen. et Sp. Orch. 74 (1830) = *Appendicula*, Blume (Orchid.).  
cyathiforme, Lindl. l. c. = A. Lewisii.

METAGNANTHUS, Endl. Gen. 438 (1838) = *Athanasia*, Linn. (Compos.).  
parviflorus, Heynh. Nom. ii. 402 = A. parviflora, Thunb.

METAGNATHUS, Benth. & Hook. f. Gen. ii. 417 (1878), sphalm. = praec.

METAGONIA, Nutt. in Trans. Am. Phil. Soc. N. S. viii. (1843) 263 = *Vaccinium*, Linn.  
acuminata, Nutt. l. c. 266 = V. acuminatum.  
alaternoides, Nutt. l. c. 265 = V. alaternoides, H. B. & K.  
calycina, Nutt. l. c. 264 = V. calycinum.  
cerea, Nutt. l. c. = V. cereum.  
corymbodendron, Nutt. l. c. = V. corymbodendron.  
crenulata, Nutt. l. c. 266 = V. crenulatum.

METAGONIA, —

didymantha, Nutt. in Trans. Am. Phil. Soc. N. S. viii. (1843) 265 = *Vaccinium didymanthum*.  
empetrifolia, Nutt. l. c. = V. empetrifolia.  
marginata, Nutt. l. c. 266 = V. marginatum.  
meridionalis, Nutt. l. c. 264 = V. meridionale.  
myrtifolia, Nutt. l. c. 265 = V. crassifolium.  
ovata, Nutt. l. c. 264 = V. ovatum.  
penaeoides, Nutt. l. c. 265 = V. penaeoides.  
penduliflora, Nutt. l. c. 264 = V. penduliflorum.  
prostrata, Nutt. l. c. 265.—Peruv.  
Pyxothamnus, Nutt. l. c. 264 = V. ovatum.  
Schlechtendalii, Nutt. l. c. 266 = V. Schlechtendalii.  
terniflora, Nutt. l. c. 265 = V. terniflorum.  
villosa, Nutt. l. c. 266 = V. villosum.

**METALASIA**, R. Br. in Trans. Linn. Soc. xii. (1817).  
COMPOSITAE, Benth. & Hook. f. ii. 325.  
ENDOLEUCA, Cass. in Bull. Soc. Philom. (1819) 47; et in Dict. Sc. Nat. xiv. 474 (1819).  
ERYTHROPOGON, DC. Prod. vi. 254 (1837).  
TUOLOCLINIA, Rafin. Fl. Tellur. iv. 119 (1836).  
adunca, Less. Syn. Comp. 341.—Afr. austr.  
aristata, DC. Prod. vi. 250 = muricata.  
aurea, D. Don, in Mem. Wern. Soc. v. (1826) 558.—Afr. austr.  
capitata, Less. Syn. Comp. 337.—Afr. austr.  
Cephalotes, DC. Prod. vi. 252 = concinna.  
Cephalotes, Less. Syn. Comp. 338.—Afr. austr.  
compacta, Zeyh. ex Sch. Bip. in Flora, xxvii. (1844) 693.—Afr. austr.  
concinna, Harv. in Harv. & Sond. Fl. Cap. iii. 271.—Afr. austr.  
cymbaefolia, Harv. l. c. 267.—Afr. austr.  
cymosa, Cass. in Dict. Sc. Nat. xxx. 223 = muricata.  
depressa, Harv. in Harv. & Sond. Fl. Cap. iii. 267.—Afr. austr.  
distans, DC. Prod. vi. 254.—Afr. austr.  
divergens, D. Don, in Mem. Wern. Soc. v. (1826) 557.—Afr. austr.  
divergens, Eckl. ex Harv. & Sond. Fl. Cap. iii. 267 = depressa.  
Dregeana, DC. Prod. vi. 251.—Afr. austr.  
Eckloniana, DC. l. c. 252 = fasciculata.  
ericoides, Sieber, ex DC. Prod. vi. 253 = capitata.  
erubescens, DC. l. c. 254.—Afr. austr.  
fasciculata, D. Don, in Mem. Wern. Soc. v. (1826) 557.—Afr. austr.  
fastigiata, D. Don, l. c. = muricata.  
glomerata, DC. Prod. vi. 252 = M. Cephalotes.  
hispidia, D. Don, in Mem. Wern. Soc. v. (1826) 558 = Elytropappus spinulosus.  
imbricata, Harv. in Harv. & Sond. Fl. Cap. iii. 266 = uniflora.  
intermedia, DC. Prod. vi. 253 = erubescens.  
lanceolata, DC. l. c. 251 = pulcherrima.  
Lichtensteinii, Less. Syn. Comp. 335.—Afr. austr.  
mucronata, R. Br. in Trans. Linn. Soc. xii. (1817) 124 = Helichrysum mucronatum.  
muraltiaefolia, DC. Prod. vi. 253 = M. Cephalotes.  
muricata, R. Br. in Trans. Linn. Soc. xii. (1817) 124; D. Don, in Mem. Wern. Soc. v. (1826) 557.—Afr. austr.  
nitidula, Harv. in Harv. & Sond. Fl. Cap. iii. 268.—Afr. austr.  
octoflora, DC. Prod. vi. 250.—Afr. austr.  
phylicoides, D. Don, in Mem. Wern. Soc. v. (1826) 559 = muricata.  
polyanthos, D. Don, l. c. 558 = muricata.  
pulcherrima, Eckl. ex Harv. & Sond. Fl. Cap. iii. 280 = Stoebe gomphrenoides.  
pulcherrima, Less. Syn. Comp. 340.—Afr. austr.  
pungens, D. Don, in Mem. Wern. Soc. v. (1826) 558 = muricata.  
quinqueflora, DC. Prod. vi. 254.—Afr. austr.  
rosea, DC. l. c. 252 = M. Cephalotes.  
rosmarinifolia, Sieber, ex DC. l. c. 166 = Helichrysum diosmaefolium.  
seriphifolia, DC. Prod. vi. 254.—Afr. austr.  
seriphoides, R. Br. in Trans. Linn. Soc. xii. (1817) 124 = Trichogyne seriphoides.  
stricta, Less. Syn. Comp. 336.—Afr. austr.  
tenuifolia, DC. Prod. vi. 253.—Afr. austr.  
umbellata, Cass. in Dict. Sc. Nat. xxx. 223 = Lichtensteinii.  
umbellata, D. Don, in Mem. Wern. Soc. v. (1826) 556.—Afr. austr.  
uniflora, D. Don, l. c. 559.—Afr. austr.

**METALEPIS**, Griseb. Cat. Pl. Cub. 179 (1866).  
ASCLEPIADEAE, Benth. & Hook. f. ii. 766.  
cubensis, Griseb. l. c. 180.—Cuba.

**METANARTHECIUM**, Maxim. in Bull. Acad. Pétersb. xi. (1867) 438. *LILIACEAE*, Benth. & Hook. f. iii. 825.  
foliatum, Maxim. in Trautv. Regel, Maxim. et Winkl. Decas Pl. Nov. 10.—Japon.  
luteo-viride, Maxim. in Bull. Acad. Pétersb. xi. (1867) 438.—Japon.

**METAPLEXIS**, R. Br. in Mem. Wern. Soc. i. (1809) 48. *ASCLEPIADEAE*, Benth. & Hook. f. ii. 765.  
UROSTELMA, Bunge, Enum. Pl. Chin. Bor. 44 (1835).  
chinensis, Decne. in DC. Prod. viii. 511.—China.  
fimbriata, Spreng. Syst. i. 854.—Venezuela.  
mucronata, Spreng. Neue Entdeck. i. 269 (Gomphocarpus sp.).—Afr. austr.  
rostellata, Turcz. in Bull. Soc. Nat. Mosc. xxi. (1848) i. 253.—Manchuria.  
Stauntoni, Schult. Syst. vi. 111.—China.

**METASTELMA**, R. Br. in Mem. Wern. Soc. i. (1809) 52. *ASCLEPIADEAE*, Benth. & Hook. f. ii. 755.  
ACROCORYNE, Turcz. in Bull. Soc. Nat. Mosc. xxv. (1852) ii. 316.  
IRMISCHIA, Schlecht. in Linnaea, xix. (1847) 738.  
acuminatum, Decne. in DC. Prod. viii. 514.—Bras.  
albiflorum, Griseb. Fl. Brit. W. Ind. 417.—Ind. occ.  
angustifolium, Torr. in Bot. Mex. Bound. 159 = Melinia angustifolia.  
angustifolium, Turcz. in Bull. Soc. Nat. Mosc. xxv. (1852) ii. 315.—Mexic.  
aphyllum, Decne. in DC. Prod. viii. 515 (= Amphistelma aphyllum).—Bras.  
arizonicum, A. Gray, in Proc. Am. Acad. xix. (1883) 85.—Arizona.  
bahamense, Griseb. Cat. Pl. Cub. 174.—Ind. occ.  
barbigerum, Scheele, in Linnaea, xxi. (1848) 760.—Mexic.  
Berterianum, Decne. in DC. Prod. viii. 515.—N. Granat.  
Blodgettii, A. Gray, in Proc. Am. Acad. xii. (1877) 73.—Florida.  
brachystephanum, Griseb. Cat. Pl. Cub. 174.—Cuba.  
bracteolatum, Fourn. in Mart. Fl. Bras. vi. iv. 209.—Bras.  
calcaratum, Decne. in DC. Prod. viii. 513 = Zygostelma calcaratum.  
californicum, Benth. Bot. Voy. Sulph. 33. t. 18.—Calif.  
campanulatum, Decne. in DC. Prod. viii. 514.—Guiana.  
cordatum, Turcz. in Bull. Soc. Nat. Mosc. xxi. (1848) i. 253.—Bras.  
costatum, D. Dietr. Syn. Pl. ii. 908 = Parapodium costatum.  
cubense, Decne. in DC. Prod. viii. 515.—Ind. occ.  
cubense, Griseb. Fl. Brit. W. Ind. 417 = bahamense.  
cuspidatum, Decne. in DC. Prod. viii. 516.—Bras.  
Decaisneana, Benth. & Hook. f. Gen. ii. 756, in nota sub Tassadia.—Guian.  
diffusum, Decne. in DC. Prod. viii. 516.—Bras.  
filiforme, Wright, in Sauv. Fl. Cub. 120 = Vincetoxicum scoparium.  
Fraseri, Decne. in DC. Prod. viii. 513 = albiflorum?  
fusculum, Wright, in Sauv. Fl. Cub. 120.—Cuba.  
gracile, Decne. in DC. Prod. viii. 515.—Ins. S. Doming.  
grandiflorum, Turcz. in Bull. Soc. Nat. Mosc. xxv. (1852) ii. 314.—Venezuela.  
guianensis, Klotzsch, in Schomb. Fauna & Fl. Brit. Gui. 1083, 1147, nomen.—Guian.  
hamatum, Griseb. Cat. Pl. Cub. 173.—Cuba.  
hernandifolium, Decne. in DC. Prod. viii. 516 = Jobinia hernandifolia.  
Hilarianum, Fourn. in Mart. Fl. Bras. vi. iv. 209.—Bras.  
hirsutum, Klotzsch, in Linnaea, xiv. (1840) 290.—Bras.  
latipes, Decne. in DC. Prod. viii. 513 = Cyathostelma latipes.  
lineare, Bello, in Anal. Soc. Esp. Hist. Nat. x. (1881) 292.—Porto Rico.  
linearifolium, A. Rich. Fl. Cub. Fanerog. ii. 96 (= Amphistelma filiforme).—Cuba.  
longicaule, Fourn. in Mart. Fl. Bras. vi. iv. 210.—Bras.  
Martianum, Decne. in DC. Prod. viii. 513 = Petalostelma Martiana.



**METASTELMA:—**

- mucronatum*, Decne. in DC. Prod. viii. 514.—N. Granat. *myrtifolium*, Decne. l. c. = Stelmation myrtifolium. *obscurem*, Fourn. in Mart. Fl. Bras. vi. iv. 208.—Bras.  
*odoratum*, Decne. in DC. Prod. viii. 513.—Bras.  
*organense*, Fourn. in Mart. Fl. Bras. vi. iv. 209.—Bras.  
*Palmeri*, S. Wats. in Proc. Am. Acad. xviii. (1882-83) 115.—Texas.  
*Paralias*, Decne. in DC. Prod. viii. 514.—Ind. occ.  
*parviflorum*, R. Br. in Mem. Wern. Soc. i. (1809) 52.—Am. trop.  
*parviflorum*, Chapm. Fl. S. U. St. 367 = Blodgettii.  
*parviflorum*, Schlecht. in Linnaea, vi. (1831) 731 = Schlechtendalii.  
*parvifolium*, Klotzsch, in Schomb. Fauna & Fl. Brit. Gu. 1147, nomen.—Guian.  
*pedunculare*, Decne. in DC. Prod. viii. 514.—Bras.  
*penicillatum*, Griseb. Cat. Pl. Cub. 174.—Cuba.  
*purpurascens*, Benth. Pl. Hartw. 215.—Ecuador.  
*Riedelii*, Fourn. in Mart. Fl. Bras. vi. iv. 209.—Bras.  
*rotundifolium*, Decne. in DC. Prod. viii. 514.—Bras.  
*rugosum*, Turcz. in Bull. Soc. Nat. Mosc. xxv. (1852) ii. 314.—N. Granat.  
*Schlechtendalii*, Chapm. Fl. S. U. St. 366 = bahamense.  
*Schlechtendalii*, Decne. in DC. Prod. viii. 513.—Am. trop.  
*sessilifolium*, Fourn. in Mart. Fl. Bras. vi. iv. 207.—Bras.  
*stenolobum*, Decne. in DC. Prod. viii. 515.—Guian.  
*Steudelium*, Miq. in Linnaea, xviii. (1844) 753.—Guian.  
*suaveolens*, Schlecht. in Linnaea, xxvi. (1853-55) 667.—Austral.  
*suberosum*, Griseb. Fl. Brit. W. Ind. 417.—Am. trop.  
*tomentosum*, Decne. in DC. Prod. viii. 514.—Bras.  
*trifurcatum*, Griseb. in Goett. Abh. xxiv. (1879) 227.—Reg. Argent.  
*tubatum*, Griseb. l. c.—Reg. Argent.  
*uncinatum*, Fourn. in Mart. Fl. Bras. vi. iv. 211.—Bras.  
*urceolatum*, Fourn. l. c. 210.—Bras.  
*venosum*, Decne. in DC. Prod. viii. 514.—Bras.  
*virgatum*, Decne. l. c. 515 (= *Orthosia virgata*).—Bras.
- METAXANTHUS**, Walp. in Nov. Act. Nat. Cur. xix. Suppl. i. (1843) 280 = seq.
- METAXANTHUS**, Meyen, Reise, i. 356 (1834) = **Seneio**, Tourn. (Compos.).  
*cacalioides*, Meyen, l. c.—Chili.  
*grandiflorus*, Meyen, l. c.—Chili.
- METEORINA**, Cass. in Bull. Soc. Philom. (1818) 167 = **Dimorphotheca**, Vail. (Compos.).  
*crassipes*, Cass. in Dict. Sc. Nat. xxx. 322 = D. pluvialis.  
*gracilipes*, Cass. l. c. 320 = D. pluvialis.  
*gracilis*, Less. ex Steud. Nom. ed. II. i. 509; ii. 137 = D. pluvialis.  
*lyrata*, Cass. in Dict. Sc. Nat. xxx. 321 = D. pluvialis.
- METEORUS**, Lour. Fl. Cochinch. 410 (1790) = **Barringtonia**, Forst. (Myrtac.).  
*coccineus*, Lour. l. c. = B. excelsa.
- METERANA**, Rafin. Sylva Tellur. 65 (1838) = **Cape-ronia**, A. St. Hil. (Euphorb.).  
*arborea*, Rafin. l. c. 66.—Hab.?  
*castaneaefolia*, Rafin. l. c. = C. castaneaefolia.  
*dimidiata*, Rafin. l. c. = Acalypha australis.  
*palustris*, Rafin. l. c. = C. palustris.
- METHONICA**, Tourn. ex Crantz, Inst. i. 474 (1766); Juss. Gen. 48 (1789) = **Gloriosa**, Linn. (Liliac.).  
*abyssinica*, Walp. Ann. iii. 630 = G. abyssinica.  
*Doniana*, Kunth, Enum. Pl. iv. 277 = G. superba.  
*Gloriosa*, Salisb. in Trans. Hort. Soc. i. (1812) 331 = G. simplex.  
*grandiflora*, Hook. Bot. Mag. t. 5216 = G. simplex.  
*Leopoldi*, Van Houtte, ex Lem. in Fl. des Serres, ii. (1846) t. 163-4 = G. simplex.  
*Petersiana*, Klotzsch, ex Garcke, in Peters, Reise Mossamb. Bot. 519. t. 55 = G. simplex.  
*Plantii*, Hort. ex Planch. in Fl. des Serres, ix. (1853-54) t. 865 = G. simplex.

**METHONICA:—**

- platyphylla*, Klotzsch, ex Garcke, in Peters, Reise Mossamb. Bot. 520. t. 55 = *Gloriosa simplex*.  
*superba*, Crantz, Inst. i. 474; Kunth, Enum. Pl. iv. 276 = G. superba.  
*virescens*, Kunth, l. c. 277 = G. simplex.

- METHORIUM**, Schott & Endl. Melet. 29. t. 5 (1832) = **Helicteres**, Pluk. (Stercul.).  
*canum*, Schott & Endl. l. c. = H. cana.  
*dentatum*, F. Muell. Census, 15 = H. dentata.  
*integrifolium*, F. Muell. in Trans. Phil. Inst. Vict. iii. (1859) 40 = H. cana.  
*semiglabrum*, F. Muell. Fragm. v. 43 = H. semiglabra.  
*spicatum*, F. Muell. Census, 15.—Austral.

- METHYSCOPHYLLUM**, Eckl. & Zeyh. Enum. 152 (1836) = **Catha**, Forsk. (Celastr.).  
*glaucum*, Eckl. & Zeyh. l. c.—Afr. austr.

- METHYSTICUM**, Rafin. Sylva Tellur. 85 (1838) = **Piper**, Linn.  
*esculentum*, Rafin. l. c. = P. Methysticum.

- METOPIMUM**, P. Br. Hist. Jamaic. 177 (1756) = **Rhus**, Tourn. (Anacard.).  
*Linnaei*, Engl. in DC. Monog. Phan. iv. 367 = R. Metopium.  
*venosum*, Engl. l. c. = R. venosa.

- METROCYNIA**, Thou. Gen. Nov. Madag. 22 (1806) = **Cynometra**, Linn. (Legumin.).  
*Commersonii*, DC. Prod. ii. 507.—Madag.

- METRODORA**, A. St. Hil. Fl. Bras. Mer. i. 81. t. 16 (1825) = **Esenbeckia**, Kunth (Rutac.).  
*atropurpurea*, Fisch. ex Lem. in Fl. des Serres, iv. (1848) t. 337 = *nigra*.  
*nigra*, A. St. Hil. Fl. Bras. Mer. i. 81.—Bras.  
*pubescens*, A. St. Hil. & Tul. in Ann. Sc. Nat. Sér. II. xvii. (1842) 139.—Bras.  
*stipularis*, Mart. in Flora, xx. (1837) II. Beibl. 124.—Bras.

- METROSIDEROS**, Banks, ex Gaertn. Fruct. i. 170. t. 34 (1788). **MYRTACEAE**, Benth. & Hook. f. i. 710.  
*NANI*, Adans. Fam. ii. 88 (1763), nomen prius.  
*NANIA*, Miq. Fl. Ind. Bat. i. 1. 399 (1855).  
*STENOSPERMUM*, Sweet, Hort. Brit. ed. II. 209 (1830).

- abietina*, Hoffgg. Verz. Pfl. 80 = Kunzea corifolia.  
*acuminata*, Decne. Bot. Voy. Venus, 29 = villosa.  
*acuminata*, Dum.-Cours. Bot. Cult. ed. II. v. 381 (Quid?).—Austral.  
*albida*, Sieber, ex DC. Prod. iii. 212 = Melaleuca Leucadendron.  
*albiflora*, Soland. ex Gaertn. Fruct. i. 172. t. 34. f. 11.—N. Zel.  
*angustifolia*, Dum.-Cours. Bot. Cult. ed. II. v. 378 = Callistemon lanceolatus.  
*angustifolia*, Sm. in Trans. Linn. Soc. iii. (1797) 270.—Afr. austr.  
*anomala*, Vent. Jard. Malm. 5 = Angophora cordifolia.  
*apocynifolia*, Salisb. Prod. 351 = Angophora lanceolata.  
*armillaris*, Cav. Ic. iv. 19 = Melaleuca ericifolia.  
*armillaris*, Soland. ex Gaertn. Fruct. i. 171. t. 34 = Melaleuca armillaris.  
*aromatica*, Salisb. Prod. 351 = Eucalyptus piperita.  
*aspera*, Dum.-Cours. Bot. Cult. ed. II. v. 381.—Austral.  
*aspera*, Hoffgg. Verz. Pfl. 80 = Callistemon rigidus.  
*australis*, R. Br. ex Bonpl. Desc. Pl. Rar. Malm. 102, in textu = Callistemon salignus.  
*buxifolia*, A. Cunn. in Ann. Nat. Hist. Ser. I. iii. (1839) 111 = scandens.  
*buxifolia*, Dum.-Cours. Bot. Cult. ed. II. v. 379.—Austral.  
*calicina*, Cav. Ic. iv. 20 = Melaleuca thymifolia.  
*calyculatus*, Sieber, ex DC. Prod. iii. 223 = Callistemon linearis.  
*canaliculata*, Hort. Angl. ex Dum.-Cours. Bot. Cult. ed. II. v. 381 (Quid?).—Austral.  
*capitata*, Sm. in Trans. Linn. Soc. iii. (1797) 273 = Kunzea capitata.  
*chrysantha*, F. Muell. Fragm. iv. 159 = Xanthostemon chrysanthus.  
*ciliaris*, Dum.-Cours. Bot. Cult. ed. II. v. 378 = seq.  
*ciliata*, Sm. in Trans. Linn. Soc. iii. (1797) 271.—N. Caled.

**METROSIDEROS:—**

- citrina*, Curt. Bot. Mag. t. 260 = Callistemon lanceolatus.  
*Colensoi*, Hook. f. Fl. N. Zel. i. 68.—N. Zel.  
*collina*, A. Gray, Bot. U. St. Expl. Exped. i. 558. t. 68 = villosa.  
*comosa*, Roxb. Hort. Beng. [92]; Fl. Ind. ii. 478.—Ins. Molucc.  
*connata*, Desf. Tabl. ed. I. 171 = Eugenia Ventenatii.  
*cordifolia*, Pers. Syn. ii. 25 = Angophora cordifolia.  
*coriacea*, Salisb. Prod. 352; Poir. Encyc. Suppl. iii. 685 = Melaleuca Leucadendron.  
*corifolia*, Vent. Jard. Malm. 46. t. 46 = Kunzea corifolia.  
*costata*, Gaertn. Fruct. i. 171 = Angophora lanceolata.  
*crassifolia*, Hort. ex Dum.-Cours. Bot. Cult. ed. II. v. 379 = Callistemon speciosus.  
*decora*, Salisb. Prod. 352 = Melaleuca genistifolia.  
*decurrens*, Hort. Angl. ex Steud. Nom. ed. II. ii. 137 (Quid?).—Austral.  
*diffusa*, A. Cunn. in Ann. Nat. Hist. iii. (1839) 114 = albiflora.  
*diffusa*, Hook. & Arn. Bot. Beech. Voy. 63 = villosa.  
*diffusa*, Sm. in Trans. Linn. Soc. iii. (1794) 268.—N. Zel.  
*ericifolia*, Sm. in Rees, Cycl. xxiii. n. 16 = Kunzea ericifolia.  
*eucalyptoides*, F. Muell. Fragm. i. 243.—Austral.  
*excelsa*, Soland. ex Gaertn. Fruct. i. 172. t. 34. f. 8 (= *Leptospermi* sp.?).—Hab.?  
*falcata*, Dehnh. Revist. Napolit. i. III. 172; ex Walp. Rep. ii. 165 = seq.?  
*falcata*, Dum.-Cours. Bot. Cult. ed. II. v. 378.—Austral.  
*fasciculata*, Dum.-Cours. l. c. 381 = aspera?  
*flexuosa*, Willd. Enum. Hort. Berol. 514 = Agonis flexuosa.  
*floribunda*, Sm. in Trans. Linn. Soc. iii. (1797) 267 = Angophora intermedia.  
*floribunda*, Vent. Jard. Malm. t. 75 = Eugenia Ventenatii.  
*florida*, Hook. Bot. Mag. t. 4471 = robusta.  
*florida*, Sm. in Trans. Linn. Soc. iii. (1797) 269.—N. Zel.  
*fulgens*, Soland. ex Gaertn. Fruct. i. 172 = Angophora lanceolata.  
*glandulosa*, Desf. Cat. Hort. Par. ed. III. 407 = Callistemon rigidus.  
*glauca*, Bonpl. Desc. Pl. Rar. Malm. 86. t. 34 = Callistemon speciosus.  
*glauca*, Hort. ex Dum.-Cours. Bot. Cult. ed. II. v. 380 = praec.?  
*glomeruliflora*, A. Gray, Bot. U. St. Expl. Exped. i. 556, in syn. = Syncarpia laurifolia.  
*glomulifera*, Sm. in Trans. Linn. Soc. iii. (1797) 269 = Syncarpia laurifolia.  
*gracilis*, Salisb. Prod. 352 = Melaleuca thymifolia.  
*gummifera*, Gaertn. Fruct. i. 170. t. 34. f. 1 = Eucalyptus corymbosa.  
*hirsuta*, Andr. Bot. Rep. t. 281 = Angophora cordifolia.  
*hispida*, Sm. in Trans. Linn. Soc. iii. (1797) 267 = Angophora cordifolia.  
*Homeana*, Turcz. ex Hook. f. Handb. N. Zeal. Fl. 71 = diffusa, Sm.  
*hybrida*, Otto, ex DC. Prod. iii. 224 = Callistemon hybridus.  
*hypericifolia*, A. Cunn. in Ann. Nat. Hist. Ser. I. (1839) 114.—N. Zel.  
*hypericifolia*, Salisb. Prod. 351 = Melaleuca hypericifolia.  
*hyssopifolia*, Cav. Ic. iv. 20 = Melaleuca linariifolia.  
*juniperina*, Reichb. ex Spreng. Syst. iv. Cur. Post. 194 = Melaleuca nodosa.  
*juniperoides*, Reichb. ex DC. Prod. iii. 213 = Melaleuca nodosa.  
*lanceolata*, Pers. Syn. ii. 25 = Angophora lanceolata.  
*lanceolata*, Sm. in Trans. Linn. Soc. iii. (1797) 272 = Callistemon lanceolatus.  
*latifolia*, Hort. ex Dum.-Cours. Bot. Cult. ed. II. v. 379 = Callistemon lanceolatus.  
*laurifolia*, Brongn. & Gris, in Bull. Soc. Bot. (1865) 300.—N. Caled.  
*laurifolia*, Desf. Tabl. ed. I. 171, nomen = Eucalyptus.  
*laurifolia*, Hort. ex Dum.-Cours. Bot. Cult. ed. II. v. 376 = Eugenia Ventenatii.  
*leptopetala*, F. Muell. Docum. Intercol. Exhib. 30.—Austral.



**METROSIDEROS:—**

- linearifolia*, Link, Enum. Hort. Berol. ii. 26 = Callistemon rigidus.  
*linearis*, Sm. in Trans. Linn. Soc. iii. (1797) 271 = Callistemon linearis.  
*linearis*, Willd. Enum. Hort. Berol. 513 = Callistemon rigidus.  
*linifolia*, Hort. ex Dum.-Cours. Bot. Cult. ed. II. vii. 277 = Callistemon rigidus.  
*longifolia*, Dum.-Cours. l. c. v. 378 = Callistemon lanceolatus.  
*lophantha*, Vent. Jard. Cels, t. 69 = Callistemon lanceolatus.  
*lucida*, Linn. f. ex Hook. f. Handb. N. Zeal. Fl. 787 = diffusa, Sm.  
*lucida*, A. Rich. Fl. N. Zel. i. 333.—N. Zel.  
*lutea*, A. Gray, Bot. U. St. Expl. Exped. i. 560. t. 69. = villosa.  
*macrophylla*, Lam. Tabl. Encyc. ii. 538.—Madag.  
*macropunctata*, Dum.-Cours. Bot. Cult. ed. II. vii. 277 = Callistemon rigidus.  
*macropus*, Hook. & Arn. Bot. Beech. Voy. 83.—Ins. Sandvic.  
*marginata*, Cav. Ic. iv. 18 = Callistemon lanceolatus.  
*myrtifolia*, Dum.-Cours. Bot. Cult. ed. II. v. 379 = scandens?  
*myrtifolia*, Hoffing. Verz. Pfl. 80 = Callistemon lanceolatus.  
*myrtifolia*, Soland. ex Gaertn. Fruct. i. 172. t. 34. f. 12 = diffusa.  
*nana*, C. C. Gmel. Hort. Carlsr. ex DC. Prod. iii. 226 (Quid?).—Hab.?  
*nervulosa*, C. Moore & F. Muell. Fragn. viii. 15.—Ins. Dom. Howe.  
*nitida*, Brongn. & Gris, in Bull. Soc. Bot. Fr. xi. (1864) 182.—N. Caled.  
*nodosa*, Soland. ex Gaertn. Fruct. i. 172. t. 34 = Melaleuca nodosa.  
*obovata*, Hook. & Arn. Bot. Beech. Voy. 63 = villosa.  
*operculata*, Labill. Sert. Austro-Caled. 61. t. 60.—N. Caled.  
*pallida*, Bonpl. Desc. Pl. Rar. Malm. 101. t. 41 = Callistemon salignus.  
*paradoxa*, F. Muell. Fragn. i. 243 = Xanthostemon paradoxus.  
*Parkinsonii*, J. Buch. in Trans. N. Z. Inst. xv. (1883) 339.—N. Zel.  
*pauciflora*, Endl. in Enum. Pl. Hueg. 50 = Eremaea pilosa.  
*pendens*, Colenso, in Trans. N. Z. Inst. xii. (1880) 360.—N. Zel.  
*perforata*, A. Rich. Ess. Fl. Nouv. Zél. 334 = scandens.  
*pictipetala*, Blanco, Fl. Filip. ed. II. 295 = vera.  
*pinifolia*, Wendl. Coll. i. 53. t. 16 = Callistemon pini-folius.  
*Pleurocalyptus*, Baill. Hist. Pl. vi. 337 = Pleurocalyptus Deplanchei.  
*pliniaefolia*, Desf. Tabl. ed. I. 171, nomen (Quid?).—Austral.  
*polymorpha*, Gaudich. in Freyc. Voy. Bot. 482. t. 85 = villosa.  
*procera*, Salisb. Prod. 351 = Syncarpia laurifolia.  
*propinqua*, Endl. in Enum. Pl. Hueg. 50 = Kunzea ericifolia.  
*propinqua*, Salisb. Prod. 351 = Syncarpia laurifolia.  
*pubescens*, Baill. Hist. Pl. vi. 337.—N. Caled.  
*pubescens*, Hort. Angl. ex Dum.-Cours. Bot. Cult. ed. II. vii. 277 (Quid?).—Austral.  
*pungens*, Reichb. in Spreng. Syst. iv. Cur. Post. 194 = Melaleuca nodosa.  
*quinquenervia*, Cav. Ic. iv. 19 = Melaleuca Leucadendron.  
*rigida*, Hort. ex Dum.-Cours. Bot. Cult. ed. II. v. 381 = Callistemon rigidus.  
*rigidifolia*, Hoffing. Verz. Pfl. 80 = Callistemon rigidus.  
*robusta*, A. Cunn. in Ann. Nat. Hist. Ser. I. iii. (1839) 112.—N. Zel.  
*rubra*, Baill. Hist. Pl. vi. 337.—N. Caled.  
*rugosa*, A. Gray, Bot. U. St. Expl. Exped. i. 561. t. 69. = villosa.  
*rugulosa*, Sieber, ex Benth. Fl. Austral. iii. 120 = Callistemon lanceolatus.  
*rugulosa*, Willd. Enum. Hort. Berol. Suppl. 31, nomen; et ex Link, Enum. Hort. Berol. ii. 27 = Callistemon rigidus.  
*salicifolia*, A. Cunn. in Ann. Nat. Hist. Ser. I. iii. (1839) 114 = Olea montana, Santalum Cunninghamii.

**METROSIDEROS:—**

- salicifolia*, Soland. ex Gaertn. Fruct. i. 171. t. 34. f. 3 (Eucalypti sp.?).—Hab.?  
*saligna*, Sm. in Trans. Linn. Soc. iii. (1797) 272 = Callistemon salignus.  
*scabra*, Colla, Hort. Ripul. 91 = Callistemon rigidus.  
*scabra*, Hort. ex Dum.-Cours. Bot. Cult. ed. II. v. 381 = acuminata, Dum.-Cours.  
*scandens*, Soland. ex Gaertn. Fruct. i. 172. t. 34. f. 10.—N. Zel.  
*scariosa*, Wendl. ex Hornem. Hort. Hafn. Suppl. 139.—Hab.?  
*semperflorens*, Lodd. Bot. Cab. t. 523 = Callistemon lanceolatus.  
*sororia*, Endl. in Enum. Pl. Hueg. 49 = Kunzea recurva?  
*speciosa*, Sims, Bot. Mag. t. 1761 = Callistemon speciosus.  
*spectabilis*, Soland. ex Gaertn. Fruct. i. 172. t. 34. f. 9 = villosa.  
*splendens*, DC. Prod. iii. 222, in syn. = Angophora lanceolata.  
*stipularis*, Hook. f. Fl. Antarct. 275.—Chili.  
*suberosa*, Roxb. Hort. Beng. [92]; Fl. Ind. ii. 478.—Ins. Molucc.  
*subsimilis*, Colenso, in Trans. N. Z. Inst. xii. (1880) 361.—N. Zel.  
*taiensis*, Decne. Bot. Voy. Vénus, 30 = villosa.  
*ternifolia*, F. Muell. Docum. Intercol. Exhib. 30.—Austral.  
*tetrapetala*, F. Muell. Fragn. vii. 41.—Austral.  
*tomentosa*, A. Rich. Ess. Fl. Nouv. Zél. 336.—N. Zel.  
*trinervia*, Hort. Angl. ex Steud. Nom. ed. II. ii. 138 (Quid?).—Austral.  
*tubiflora*, Breit. Hort. Breit. 282 (Quid?).—Austral.  
*umbellata*, Cav. Ic. iv. 20. t. 337 = lucida.  
*vera*, Lindl. Coll. Bot. t. 18.—Amboina; Java.  
*vesiculata*, Colenso, in Trans. N. Z. Inst. xvi. (1884) 327.—N. Zel.  
*villosa*, Sm. in Trans. Linn. Soc. iii. (1797) 268.—Ins. Tahiti.  
*viminalis*, Soland. ex Gaertn. Fruct. i. 171. t. 34. f. 4 = Callistemon rigidus.  
*viridiflora*, Sims, Bot. Mag. t. 2602 = Callistemon salignus.

**METROXYLON**, Rottb. in Nye Saml. Dansk. Vidensk. Selsk. Skrift. ii. (1783) 525. t. 1. *PALMAE*, Benth. & Hook. f. iii. 935.

*COELOCOCCUS*, H. Wendl. in Bonplandia, x. (1862) 199.

*SAGUS*, Rumph. ex Gaertn. Fruct. i. 27 (1788).  
*elatum*, Hort. ex Scheff. in Ann. Jard. Buitenz. i. (1876) 162 = Heterospatha elata.

*elatum*, Mart. Hist. Nat. Palm. iii. 216. t. 102 = Pigafetta elata.

*filare*, Mart. l. c. 215 = Pigafetta filaris.

*hermaphroditum*, Hassk. in Hoev. & De Vriese Tijdschr. ix. (1842) 175.—Malaya.

*inervne*, Mart. Hist. Nat. Palm. iii. 215 = M. Sagu.

*laeve*, Mart. l. c. 214.—Siam.

*longispinum*, Mart. l. c. 215.—Amboina.

*micracanthum*, Mart. l. c.—Ins. Ceram.

*microcarpum*, Kunth, Enum. Pl. iii. 215 = Pigafetta filaris.

*microspermum*, Kunth, l. c. = Pigafetta filaris.

*Rumphii*, Mart. Hist. Nat. Palm. 213.—Malaya.

*Sago*, Kon. in Kon. & Sims, Ann. Bot. i. (1805) 193. t. 4 = seq.

*Sagu*, Rottb. in Nye Samml. Dansk. Vidensk. Selsk. Skrift. ii. (1783) 527.—Ins. Molucc.

*Sagus*, Spreng. Syst. ii. 139 = praec.

*sylvestre*, Mart. Hist. Nat. Palm. iii. 215.—Amboina.

*vitiense*, Benth. & Hook. f. Gen. iii. 935.—Ins. Fiji.

**METROXYLON**, Spreng. Gen. 283 (1830) = **Raphia**,

Beauv. (Palm.).

*Ruffia*, Spreng. Syst. ii. 139 = R. Ruffia.

*taedigerum*, Spreng. l. c. = R. taedigera.

*textile*, Welw. Apont. 584 = R. textilis.

*viniferum*, Spreng. Syst. ii. 139 = R. vinifera.

**METTENIA**, Griseb. Fl. Brit. W. Ind. 43 (1859).

**EUPHORBIACEAE**, Benth. & Hook. f. iii. 324.

*globosa*, Griseb. Fl. Brit. W. Ind. 43.—Ind. occ.

**METTENIUSA**, Karst. Fl. Columb. i. 79. t. 39

(1859?). **OLACINEAE**?

*edulis*, Karst. l. c.—N. Granat.

**METTERNICHIA**, Mikan, Del. Fl. et Faun. Bras.

(1825) cum ic. **SOLANACEAE**, Benth. & Hook. f. ii. 905.

*affinis*, Presl, Bot. Bemerk. 102.—Bras.

*megalandra*, Dun. in DC. Prod. xiii. i. 595.—N. Granat.

*Princeps*, Miers, in Hook. Lond. Journ. Bot. v. (1846) 145 = seq.

*principis*, Mikan, Del. Fl. & Faun. Bras. 3. t. 1.—Bras.

*spectabilis*, Regel, Cat. Pl. Hort. Aksakov. 93 = praec.?

**MEUM**, [Tourn.] Adans. Fam. ii. 97 (1763). **UMBELLIFERAE**, Benth. & Hook. f. i. 911.

*adonidifolium*, J. Gay.—Cf. Bull. Soc. Bot. Fr. vii. (1860) 575, 576 = Ligusticum Mutellina.

*alatum*, Baill. Hist. Pl. vii. 107 = Ligusticum alatum.

*anethifolium*, Gaertn. Mey. & Scherb. Fl. Wett. iii. 11. 10 = athamanticum.

*athamanticum*, Jacq. Fl. Austr. iv. 2.—Europ.

*atlanticum*, Coss. in Bull. Soc. Bot. Fr. xxii. (1875) 59, nomen; Ball, in Journ. Linn. Soc. xvi. (1878) 474.—Marocc.

*Bunius*, Jacq. ex G. Don, in Loud. Hort. Brit. 104 = Carum Bunius.

*capillaceum*, Dulac, Fl. Hautes-Pyr. 354 = athamanticum.

*carvifolium*, Bertol. Fl. Ital. iii. 313 = Carum flexuosum.

*corsicum*, Bertol. l. c. 615 = Ligusticum corsicum.

*Dalechampii*, Tenore, Prod. Fl. Neap. 19 = Trinia vulgaris.

*diffusum*, Baill. Hist. Pl. vii. 191 = Seseli indicum.

*fatuum*, Pers. Syn. i. 319 = Carum verticillatum.

*Foeniculum*, Spreng. in Schult. Syst. vi. 433 = Foeniculum vulgare.

*gayoides*, Regel & Schmalh. ex Regel, Pl. Nov. Fedsch. 32.—Kokan.

*gracum*, Boiss. & Heldr. ex Boiss. Fl. Orient. ii. 881 = Carum gracum.

*heterophyllum*, Moench, Meth. 86 = Carum Bunius.

*inundatum*, Spreng. Umbellif. Sp. 115 = Apium inundatum.

*Mutellina*, Gaertn. Fruct. i. 106. t. 23 = Ligusticum Mutellina.

*nevadense*, Boiss. Voy. Bot. Espagne, ii. 732 = athamanticum.

*nodiflorum*, Baill. Hist. Pl. vii. 191 = Apium nodiflorum.

*nudicaule*, Moench, Meth. 86 = Seseli montanum.

*nudicaule*, Trevir. Symb. Phytol. i. 31 = Peucedanum redivivum.

*nutans*, Moench, Meth. 86 = Carum rigidulum.

*piperatum*, Tenore, Fl. Nap. iii. 291 = seq.

*piperinum*, Colla, Herb. Pedem. iii. 46 = seq.

*piperitum*, Schult. Syst. vi. 435 = Foeniculum piperitum.

*pyrenaicum*, J. Gay, ex DC. Prod. iv. 162 = Ligusticum pyrenaicum.

*resinosum*, Baill. Hist. Pl. vii. 191 = Ferula nudicaulis.

*rigidulum*, Bertol. Fl. Ital. iii. 314 = Carum rigidulum.

*scoticum*, Baill. Hist. Pl. vii. 191 = Ligusticum scoticum.

*segetum*, Guss. Fl. Sic. Prod. i. 346 = Carum Ridolfia.

*sibiricum*, Spreng. Pugill. ii. 56 = Silaus tenuifolius.

*siifolium*, Presl, ex Steud. Nom. ed. II. ii. 138 (Quid?).—Sicilia.

*Silau*, Baill. Hist. Pl. vii. 191 = Silaus flavescens.

*tenuifolium*, Duby, Bot. Gall. 230 = Seseli tenuifolium.

*venosum*, Baill. Hist. Pl. vii. 191 = Selinum sylvestre.

**MEYENIA**, Nees, in Wall. Pl. As. Rar. iii. 78 (1832).

**Thunbergia**, Retz. (Acanthac.).

*erecta*, Benth. in Hook. Niger Fl. 476 = T. erecta.

*Hawtayneana*, Nees, in Wall. Pl. As. Rar. iii. 78 = T. Hawtayneana.

*longiflora*, Benth. in Hook. Niger Fl. 476 = T. fragrans.

*Vogeliana*, Benth. in Bot. Mag. t. 5389 = T. Vogeliana.

**MEYENIA**, Schlecht. in Linnaea, viii. (1833) 251 =

**Cestrum**, Linn. (Solanac.).

*corymbosa*, Schlecht. l. c. 252 = C. Endlicheri.

*cyanea*, Heynh. Nom. ii. 404 = Iochroma tubulosa.

*fasciculata*, Schlecht. in Linnaea, viii. (1833) 251 = C. fasciculatum.

*purpurea*, Heynh. Nom. ii. 404 = C. elegans.

*tomentosa*, Heynh. l. c. = C. Benthami.

**MEYERA**, Adans. Fam. ii. 257 (1763) = **Holostium**,

Dill. (Caryoph.).



MEYERA, Schreb. Gen. 570 (1791) = *Enhydra*, Lour. (Compos.).  
*capitata*, Spreng. Syst. iii. 601 = *Wedelia biflora*.  
*fluctuans*, Spreng. l. c. 602 = *E. fluctuans*.  
*guineensis*, Spreng. l. c. = *E. fluctuans*.  
*Heloncha*, Buch.-Ham. ex Wall. Cat. n. 3195 = *E. fluctuans*.  
*maritima*, H. B. & K. Nov. Gen. et Sp. iv. 269 = *E. maritima*.  
*orientalis*, D. Don, Prod. Fl. Nep. 180 = *Caesulia axillaris*.  
*sessilis*, Sw. Fl. Ind. Occ. iii. 1364 = *E. sessilis*.

MEYERIA, DC. Prod. v. 670 (1836) = *Calea*, Linn. (Compos.).  
*angustifolia*, Gardn. in Hook. Lond. Journ. Bot. vii. (1848) 414 = *C. Gardneriana*.  
*Candolleana*, Gardn. l. c. = *C. Candolleana*.  
*elongata*, Gardn. l. c. 415 = *C. elongata*.  
*hispida*, DC. Prod. v. 671 = *C. hispida*.  
*hypericifolia*, Gardn. in Hook. Lond. Journ. Bot. vii. (1848) 413 = *C. hypericifolia*.  
*longifolia*, DC. Prod. v. 671 = *C. longifolia*.  
*microphylla*, Gardn. in Hook. Lond. Journ. Bot. vii. (1848) 413 = *C. microphylla*.  
*myrtifolia*, DC. Prod. v. 670 = *C. myrtifolia*.  
*parvifolia*, DC. l. c. = *C. parvifolia*.  
*teucriifolia*, Gardn. in Hook. Lond. Journ. Bot. vii. (1848) 412 = *C. teucriifolia*.

MEYNA, Roxb. ex Link, Jahrb. i. III. 32 (1820) = *Vangueria*, Juss. (Rubiaceae).  
*spinosa*, Roxb. ex Link, l. c. = *V. spinosa*.

MEYNIA, Schult. Mant. i. 67 (1822) = *praece*.

MEZEREUM, C. A. Mey. in Bull. Phys.-Math. Acad. Pétersb. i. (1843) 358 = *Daphne*, Linn. (Thymel.).  
*officinarium*, C. A. Mey. l. c. = *D. Mezereum*.

MEZIERA, Baker, Fl. Maurit. 129 (1877), sphalm. = *seq.*

MEZIEREA, Gaudich. Bot. Voy. Bonite, t. 32 (1844-52) = *Begonia*, Linn.  
*Calleryana*, Herb. Mus. Par. ex A. DC. in DC. Prod. xv. 1. 408 = *B. aptera*, Roxb.  
*Griffithiana*, A. DC. in Ann. Sc. Nat. Sér. IV. xi. (1859) 144 = *B. episcopalis*.  
*nepalensis*, A. DC. l. c. = *B. gigantea*.  
*salazensis*, Gaudich. Bot. Voy. Bonite, t. 32 = *B. aptera*, Roxb.

MEZLERIA, Presl, Prod. Monog. Lobel. 7 (1836) = *Lobelia*, Linn. (Campan.).  
*depressa*, Presl, l. c.; Sond. in Harv. & Sond. Fl. Cap. iii. 533 = *L. depressa*.  
*Dregeana*, Sond. l. c. = *L. Dregeana*.  
*filicaulis*, Presl, Prod. Monog. Lobel. 7 = *L. depressa*?  
*humifusa*, A. DC. in DC. Prod. vii. 351 = *L. alsinoides*?  
*valdiviana*, Phil. in Bot. Zeit. xxii. (1864) 217 = *L. valdiviana*.

MEZONEURUM, Desf. in Mém. Mus. Par. iv. (1818) 245. tt. 10, 11. *LEGUMINOSAE*, Benth. & Hook. f. i. 565.  
*angolense*, Welw. ex Oliver, Fl. Trop. Afr. ii. 261.—Afr. trop.  
*Benthianum*, Baill. *Adansonia*, vi. (1866) 196.—Afr. trop.  
*brachycarpum*, Benth. Fl. Austral. ii. 278.—Austral.  
*cucullatum*, Wight & Arn. Prod. 283.—Ind. or.; Malaya.  
*enneaphyllum*, Wight & Arn. l. c.—Ind. or.; Malaya.  
*glabrum*, Desf. in Mém. Mus. Par. iv. (1818) 245. t. 10.—Burma; Malaya.  
*grande*, Heyne, ex Wall. Cat. n. 5830 = *cucullatum*.  
*grande*, Miq. Fl. Ind. Bat. Suppl. 291 = *Acrocarpus grandis*.  
*Hildebrandtii*, Vatke, in *Linnaea*, xliii. (1880-82) 338.—Afr. trop.  
*hymenocarpum*, Wight & Arn. Prod. 283.—Ind. or.  
*intermedium*, Zipp. ex Span. in *Linnaea*, xv. (1841) 200, nomen.—Ins. Timor.  
*macrophyllum*, Benth. ex Miq. Fl. Ind. Bat. i. 1. 104 = *cucullatum*.  
*procumbens*, Blanco, Fl. Filip. ed. II. 235 = *glabrum*.  
*pubescens*, Desf. in Mém. Mus. Par. iv. (1818) 245. t. 11.—Burma; Malaya.

# MEZONEURUM:—

*Scortechinii*, F. Muell. in Wing, South Sc. Record, ii. (1882) 73.—Austral.  
*sulfureum*, Miq. Fl. Ind. Bat. i. 1. 105.—Java.  
*sumatranum*, Wight & Arn. Prod. 283.—Malaya.  
*Welwitschianum*, Oliver, Fl. Trop. Afr. ii. 261.—Afr. trop.

MEZZETTIA, Becc. in Nuov. Giorn. Bot. iii. (1871) 187. *ANONACEAE*.  
*parviflora*, Becc. l. c. 188.—Borneo.  
*umbellata*, Becc. l. c. 187.—Borneo.

MIAGRUM, Crantz, Stirp. Austr. ed. I. 4 (1762) = *Myagrurn*, Linn. (Crucif.).

MIBORA, Adans. Fam. ii. 495 (1763). *GRAMINEAE*, Benth. & Hook. f. iii. 1147.  
*CHAMAGROSTIS*, Borkh. ex Wibel, Prim. Fl. Werth. 126 (1799).  
*KNAPPIA*, Sm. Engl. Bot. t. 1127 (1803).  
*STURMIA*, Hoppe, in Sturm, Deutschl. Fl. Heft vii. (1799).  
*Desvauxii*, Lange, in Kjoeb. Vidensk. Meddel. (1860) 24 = *verna*.  
*minima*, Beauv. Agrost. 30; Desv. Fl. Anj. 46 = *verna*.  
*verna*, Beauv. l. c. 167; S. F. Gray, Nat. Arr. Brit. Pl. ii. 155.—Europ.; Afr. bor.; As. Min.

MICADANIA, R. Br. in Denh. & Clapp. Trav. App. 239 (1827) = *Butyrospermum*, Kotschy (Sapot.).

MICALIA, Rafin. Fl. Tellur. ii. 104 (1836) = *Escobedia*, Ruiz & Pav. (Scrophul.).  
*grandiflora*, Rafin. l. c. 105 = *E. scabrifolia*.

MICAMBE, Adans. Fam. ii. 407 (1763) = *Cleome*, Linn. (Capparid.).  
*ornithopodioides*, Medic. Phil. Bot. i. 43 = *C. ornithopodioides*.  
*violacea*, Medic. l. c. = *C. graveolens*.

MICANIA, D. Dietr. Syn. Pl. iv. 1377 (1847) = *Mikania*, Willd. (Compos.).

MICHAUXIA, L'Hérit. Monog. [(1788)]; ex Ait. Hort. Kew. ed. I. ii. 8 (1789). *CAMPANULACEAE*, Benth. & Hook. f. ii. 561.

*MINDIUM*, Adans. Fam. ii. 134 (1763).  
*campanuloides*, L'Hérit. ex Ait. Hort. Kew. ed. I. ii. 8.—As. Min.; Syria.  
*columnaris*, Boiss. Diagn. Ser. II. iii. 117 = *Tchihatcheffii*.  
*decandra*, Fisch. ex DC. Prod. vii. 457 = *laevigata*.  
*dodecandra*, Fisch. ex Steud. Nom. ed. II. ii. 138 = *laevigata*.  
*laevigata*, Vent. Jard. Cels. 81. t. 81.—Persia.  
*nova*, J. F. Gmel. Syst. 618 = *campanuloides*.  
*nuda*, A. DC. in DC. Prod. vii. 457.—Mesopot.  
*stenophylla*, Boiss. & Haussk. ex Boiss. Fl. Orient. iii. 891.—Persia.  
*strigosa*, Pers. Syn. i. 418 = *campanuloides*.  
*Tchihatcheffii*, Fisch. & Heldr. in Ann. Sc. Nat. Sér. IV. i. (1854) 32.—As. Min.  
*thyrsoides*, Boiss. & Heldr. Diagn. Ser. I. xi. 61.—As. Min.

MICHAUXIA, Neck. Elem. i. 12 (1790) = *Relbania*, L'Hérit. (Compos.).

MICHAUXIA, Raeusch. Nom. ed. III. 282 (1797) (Quid?).  
*spicata*, Raeusch. l. c.—Hab.?

MICHAUXIA, Salisb. Prod. 386 (1796) = *Gordonia*, Ellis (Ternstroem.).  
*sessilis*, Salisb. l. c. = *G. pubescens*.

MICHELARIA, Dum. Obs. Gram. Belg. 77 (1823) = *Bromus*, Linn. (Gramin.).  
*arduennensis*, Dum. in Bull. Soc. Bot. Belg. vii. (1868) 59 = *B. arduennensis*.  
*bromoides*, Dum. Obs. Gram. Belg. 77 = *B. arduennensis*.  
*eburnensis*, Dum. in Bull. Soc. Bot. Belg. vii. (1868) 60 = *B. racemosus*.  
*hirsuta*, Davr. Néc. Liège. (1854) 36 = *B. racemosus*.  
*villosa*, Dum. ex Thiclen, in Mém. Soc. Hainault, Sér. III. v. (1870) 200 = *Agropyron repens*?  
*villosa*, Strail, in Bull. Acad. Brux. xxii. II. (1855) 516 = *B. racemosus*.

MICHELIA, Linn. Gen. ed. I. 119 (1737). *MAGNO-LIACEAE*, Benth. & Hook. f. i. 19.

*CHAMPACA*, Adans. Fam. ii. 365 (1763).  
*LIRIOPSIS*, Spach, Hist. Vég. Phan. vii. 460 (1839).  
*alba*, DC. Syst. i. 449 (gen. dub.).—Java.  
*aurantiaca*, Wall. Pl. As. Rar. ii. 39 = *M. Champaca*.  
*Blumei*, Steud. Nom. ed. II. ii. 139 = *M. Champaca*.  
*caerulea*, DC. Syst. i. 449 (sp. dub.).—Java.  
*Cathcartii*, Hook. f. & Thoms. Fl. Ind. i. 79.—Reg. Himal.  
*Champaca*, Linn. Sp. Pl. 536.—Malaya.  
*coerulea*, Steud. Nom. ed. I. 533 = *caerulea*.  
*Doltsoa*, Buch.-Ham. ex DC. Syst. i. 448 = *M. Champaca*.  
*ecicatrata*, Miq. Fl. Ind. Bat. Suppl. 368.—Sumatra.  
*evonymoides*, Burm. f. Fl. Ind. 124 = *M. Champaca*.  
*excelsa*, Blume, Fl. Jav. Magnol. 9, in obs.—Reg. Himal.  
*Figo*, Spreng. Syst. ii. 643.—China.  
*fusca*, Blume, Fl. Jav. Magnol. 8, in textu.—China.  
*glauca*, Wight, Illustr. i. 14 = *nilagirica*.  
*gracilis*, Kostel. Allg. Med. Pharm. Fl. v. 1701 = *Magnolia Kobus*.  
*Kisopa*, Buch.-Ham. ex DC. Syst. i. 448.—Reg. Himal.  
*lactea*, Buch.-Ham. ex Wall. Cat. n. 6491 = *oblonga*.  
*lanuginosa*, Wall. Tent. Fl. Nep. 8. t. 5.—Reg. Himal.  
*longifolia*, Blume, Bijdr. 7 = *M. Champaca*.  
*macrophylla*, D. Don, Prod. Fl. Nep. 226 = *Magnolia pterocarpa*.  
*montana*, Blume, Bijdr. 7.—Reg. Himal.; Malaya.  
*nilagirica*, Zenker, Fl. Ind. 21. t. 20.—Ind. or.  
*oblonga*, Wall. Cat. n. 972.—Reg. Himal.  
*ovalifolia*, Wight, Illustr. i. 13 = *nilagirica*.  
*parvifolia*, Blume, Fl. Jav. Magnol. 8, in textu.—Java.  
*parvifolia*, DC. Syst. i. 449 (sp. dub.).—Ins. Ternate.  
*pubinervia*, Blume, Fl. Jav. Magnol. 14 = *M. Champaca*.  
*pulneyensis*, Wight, Illustr. i. 14 = *nilagirica*.  
*punduana*, Hook. f. & Thoms. Fl. Ind. i. 81.—Reg. Himal.  
*Rheedii*, Wight, Illustr. i. 14. t. 5. f. 6 = *M. Champaca*.  
*rufinervis*, DC. Syst. i. 449 = *M. Champaca*.  
*sericea*, Pers. Syn. ii. 94 = *M. Champaca*.  
*suaveolens*, Pers. l. c. = *M. Champaca*.  
*Tsiampaca*, Linn. Mant. i. 78.—Amboina.  
*velutina*, Blume, Fl. Jav. Magnol. 17 = *M. Tsiampaca*.  
*velutina*, DC. Prod. i. 79 = *lanuginosa*.  
*Walkerii*, Wight, Illustr. i. 13 = *nilagirica*.  
*Yulan*, Kostel. Allg. Med. Pharm. Fl. v. 1700 = *Magnolia conspicua*.

MICHIEA, F. Muell. Fragm. iv. 95. t. 27 (1864) = *Coleanthera*, Stschegl. (Epacrid.).  
*symphyantha*, F. Muell. l. c. 96 = *C. myrtoides*.

MICHOXIA, Vell. Fl. Flum. 227 (1825); v. t. 10 (1827). Gen. dub.—Cf. Benth. & Hook. f. i. 981.  
*calyptata*, Vell. Fl. Flum. 227; v. t. 103.—Bras.

MICONIA, Ruiz & Pav. Prod. 60 (1794). *MELASTOMACEAE*, Benth. & Hook. f. i. 763.  
*ANTISOLA*, Rafin. Sylva Tellur. 97 (1838).  
*AUGUSTINEA*, A. St. Hil. & Naud. in Ann. Sc. Nat. Sér. III. ii. (1844) 145.  
*AULIPHAS*, Rafin. Sylva Tellur. 95 (1838).  
*CATACHAENIA*, Griseb. in Goett. Abh. x. 1861 54.  
*CHAENOPLEURA*, Rich. ex DC. Prod. iii. 197 (1828).  
*CHILLOPUS*, Naud. in Ann. Sc. Nat. Sér. III. (1845) 57.  
*CHITONIA*, D. Don, in Mem. Wern. Soc. iv. (1828) 317.  
*CLASTILIX*, Rafin. Sylva Tellur. 99 (1838).  
*CREMANIUM*, D. Don, in Mem. Wern. Soc. iv. (1828) 310.  
*CYANOPHYLLUM*, Naud. in Ann. Sc. Nat. Sér. III. (1845) 324.  
*CYATHANTHERA*, Pohl, Pl. Bras. Ic. ii. 13 (1841).  
*DECARAPHE*, Miq. Phytog. ii. 34 (1838-40).  
*DIPLOCHITA*, DC. Prod. iii. 176 (1828).  
*EURYCHAENIA*, Griseb. Fl. Brit. W. Ind. 235 18 et in Goett. Abh. ix. 1861 40.  
*FOLOMFIS*, Rafin. Sylva Tellur. 97 (1838).  
*FOTHERGILLA*, Aubl. Pl. Gui. i. 440. t. 175 177.  
*GALLASIA*, Mart. ex DC. Prod. iii. 182 (1828).  
*GLOSSOCENTRUM*, Crueg. in *Linnaea*, xx (1841) 111.  
*HARTIGIA*, Miq. in *Linnaea*, xviii. (1841) 284.



**MICONIA** :—

- HYPOXANTHUS, Rich. ex DC. Prod. iii. 180 (1828).  
 JUCUNDA, Cham. in Linnaea, ix. (1834) 456.  
 LEONICENIA, Scop. Introd. 212 (1777).  
 OCTOMERIS, Naud. in Ann. Sc. Nat. Sér. III. xvii. (1852) 378.  
 PHOLOMPPHIS, Rafin. Sylva Tellur. 97 (1838).  
 PLEUROCHAENIA, Griseb. in Goett. Abh. ix. (1861) 55.  
 POGONORHYNCHUS, Crueg. in Linnaea, xx. (1847) 107.  
 POMEREULA, Domb. ex DC. Prod. iii. 190 (1828).  
 SCHIZANTHERA, Turcz. in Bull. Soc. Nat. Mosc. (1862) II. 322.  
 SERICOLA, Rafin. Sylva Tellur. 93 (1838).  
 SOLTMANNA, [Klotzsch] ex Naud. in Ann. Sc. Nat. Sér. III. xvi. (1851) 132.  
 SYNOPTERA, Rafin. Sylva Tellur. 98 (1838).  
 TAMONEA, Aubl. Pl. Gu. i. 441 (1775).  
 TRUNCARIA, DC. Prod. iii. 106 (1828).  
 ZIEGERA, Rafin. Sylva Tellur. 94 (1838).  
 ZULATIA, Neck. Elem. ii. 117 (1790).  
*abortiva*, Naud. in Ann. Sc. Nat. Sér. III. xvi. (1851) 232 = Sieberi.  
*acalephoides*, Naud. l. c. 207.—N. Granat.  
*Acinodendron*, Sweet, Hort. Brit. ed. I. 159; D. Don, in Lond. Hort. Brit. 174.—Am. austr.  
*acuminata*, Naud. in Ann. Sc. Nat. Sér. III. xvi. (1851) 244 = axilliflora.  
*acuminifera*, Triana, in Trans. Linn. Soc. xxviii. (1871) 105.—N. Granat.  
*adenophora*, Naud. in Ann. Sc. Nat. Sér. III. xvi. (1851) 182 = aurea.  
*aegrotans*, Naud. l. c. 211 = arbutifolia.  
*aeruginosa*, Naud. l. c. 135 = desmantha.  
*affinis*, DC. Prod. iii. 187.—Guian.  
*affinis*, Macfad. ex Griseb. Fl. Brit. W. Ind. 257 = laevigata.  
*agrestis*, Baill. Hist. Pl. vii. 35 = Leandra agrestis.  
*agyna*, Naud. in Ann. Sc. Nat. Sér. III. xvi. (1851) 232 = caerulea.  
*alata*, DC. Prod. iii. 184.—Am. trop.  
*albicans*, Steud. Nom. ed. II. ii. 139 = holosericea.  
*albo-rufescens*, Naud. in Ann. Sc. Nat. Sér. III. xvi. (1851) 160.—Bras.  
*alternans*, Naud. l. c. 161 in adnot.—Guian.  
*alypifolia*, Naud. l. c. 215.—Peruv.  
*amazonica*, Triana, in Trans. Linn. Soc. xxviii. (1871) 103.—Bras.  
*ambigua*, DC. Prod. iii. 189.—Venezuela.  
*amblyandra*, Naud. in Ann. Sc. Nat. Sér. III. xvi. (1851) 206.—N. Granat.  
*amoena*, Triana, in Trans. Linn. Soc. xxviii. (1871) 115.—Bras.  
*ampla*, Triana, l. c. 101.—Ins. Trinit.  
*amplexicaulis*, Naud. in Ann. Sc. Nat. Sér. III. xvi. (1851) 136.—Peruv.  
*amygdalina*, Naud. l. c. 141 = fasciculata.  
*anceps*, Naud. l. c. 150 = scorpioides.  
*ancistrophora*, Triana, in Trans. Linn. Soc. xxviii. (1871) 103.—Cuba.  
*andina*, Naud. in Ann. Sc. Nat. Sér. III. xvi. (1851) 236.—Venezuela.  
*androsaemifolia*, Griseb. Cat. Pl. Cub. 100.—Cuba.  
*angustata*, D. Don, ex Steud. Nom. ed. II. ii. 139.—Ins. Trinit.  
*angustiflora*, Naud. in Ann. Sc. Nat. Sér. III. xvi. (1851) 246.—Jamaic.  
*angustifolia*, Griseb. in Goett. Abh. vii. (1857) 217 = Tetrazygia angustifolia.  
*anisophylla*, Triana, in Trans. Linn. Soc. xxviii. (1871) 122.—N. Granat.  
*anisotricha*, Triana, l. c. 102 = Berghesiana.  
*annulata*, Triana, l. c. 121.—N. Granat.  
*aplostachya*, DC. Prod. iii. 183.—Am. austr.  
*aponeura*, Triana, in Trans. Linn. Soc. xxviii. (1871) 106.—N. Granat.  
*appendiculata*, Triana, l. c. 131.—N. Granat.  
*arbores*, Pav. ex Triana, l. c. 103 = calvescens.  
*arbutifolia*, Naud. in Ann. Sc. Nat. Sér. III. xvi. (1851) 210.—Venezuela.  
*argentea*, DC. Prod. iii. 182.—Ind. occ.  
*argyrophylla*, DC. l. c. 181.—Bras.  
*argyrophylla*, Naud. in Ann. Sc. Nat. Sér. III. xvi. (1851) 147 = stenostachya.  
*Aschenborniana*, Naud. l. c. 246 = Oxymeris cornioides.

**MICONIA** :—

- asclepiadea, Triana, in Trans. Linn. Soc. xxviii. (1871) 121.—N. Granat.  
*aspergillaris*, Naud. in Ann. Sc. Nat. Sér. III. xvi. (1851) 214.—Ecuador.  
*asprima*, Triana, in Trans. Linn. Soc. xxviii. (1871) 124.—N. Granat.  
*astrolasia*, DC. Prod. iii. 190 = rubiginosa.  
*astrotricha*, Triana, in Trans. Linn. Soc. xxviii. (1871) 113.—Bras.  
*atrata*, Wawra, in Oestr. Bot. Zeitschr. xiii. (1883) 89.—Bras.  
*attenuata*, DC. Prod. iii. 186 = prasina.  
*Aubletiana*, Steud. Nom. ed. II. ii. 139 = prasina.  
*aulocalyx*, Mart. ex Triana, in Trans. Linn. Soc. xxviii. (1871) 115.—Peruv.  
*aurea*, Naud. in Ann. Sc. Nat. Sér. III. xvi. (1851) 244.—Am. trop.  
*auriculata*, DC. Prod. iii. 185.—Bras.  
*axilliflora*, Naud. in Ann. Sc. Nat. Sér. III. xvi. (1851) 179.—Guiana.  
*barbigera*, DC. Prod. iii. 179 = racemosa.  
*barbinervis*, Triana, in Trans. Linn. Soc. xxviii. (1871) 113.—Am. austr.  
*Benthiana*, Triana, l. c. 102.—Am. austr.  
*berbiceana*, Naud. in Ann. Sc. Nat. Sér. III. xvi. (1851) 174 = M. Acinodendron.  
*Berghesiana*, Naud. l. c. 246.—Mexic.  
*Bergii*, Beurl. in Vet. Akad. Handl. Stockh. 1854 (1856) 129 = Conostegia xalapensis.  
*Bergii*, Wawra, Bot. Ergeb. Maxim. Bras. 19. t. 4 = atrata.  
*Beurlingii*, Triana, in Trans. Linn. Soc. xxviii. (1871) 107.—Ins. Trinit.  
*bicolor*, Triana, l. c. 103 (Tetrazygiae sp.).—Ind. occ.  
*bifrons*, Naud. in Ann. Sc. Nat. Sér. III. xvi. (1851) 178 = lepidota.  
*biglomerata*, DC. Prod. iii. 183.—Bras.  
*Blanchetiana*, Naud. in Ann. Sc. Nat. Sér. III. xvi. (1851) 202 = hypoleuca.  
*brachyanthera*, Triana, in Trans. Linn. Soc. xxviii. (1871) 129.—Peruv.  
*brachybotrya*, Triana, l. c. 111.—Venezuela.  
*brachycalyx*, Triana, l. c. 102.—N. Granat.  
*brachypoda*, DC. Prod. iii. 180 = racemosa.  
*brachystyla*, Naud. in Ann. Sc. Nat. Sér. III. xvi. (1851) 230 = glaberrima.  
*bracteata*, Macfad. Fl. Jamaic. ii. 82.—Jamaic.  
*bracteata*, Triana, in Trans. Linn. Soc. xxviii. (1871) 111.—Am. austr.  
*bracteolaris*, Naud. in Ann. Sc. Nat. Sér. III. xvi. (1851) 150 = eriodonta.  
*bracteolata*, DC. Prod. iii. 182.—Peruv.  
*brasiliensis*, Triana, in Trans. Linn. Soc. xxviii. (1871) 118.—Bras.  
*brevipes*, Benth. in Hook. Journ. Bot. ii. (1840) 313.—Guiana.  
*brunnea*, DC. Prod. iii. 184.—Bras.  
*bubalina*, Naud. in Ann. Sc. Nat. Sér. III. xvi. (1851) 244.—Peruv.  
*budlejoides*, Triana, in Trans. Linn. Soc. xxviii. (1871) 118.—Bras.  
*bullata*, Triana, l. c. 130.—Peruv.  
*Burchellii*, Triana, l. c. 116.—Bras.  
*buxifolia*, Naud. in Ann. Sc. Nat. Sér. III. xvi. (1851) 208.—N. Granat.  
*caelata*, DC. Prod. iii. 183.—Peruv.  
*caerulea*, Naud. in Ann. Sc. Nat. Sér. III. xvi. (1851) 245.—Peruv.  
*calophylla*, Crueg. in Linnaea, xx. (1847) 109 = ciliata.  
*calophylla*, Triana, in Trans. Linn. Soc. xxviii. (1871) 129 = myrtiformis.  
*calvescens*, DC. Prod. iii. 185.—Bras.  
*calyptata*, Mart. ex Triana, in Trans. Linn. Soc. xxviii. (1871) 109 = Chamissois.  
*campestris*, Triana, l. c. 113.—Guian.  
*Candolleana*, Naud. in Ann. Sc. Nat. Sér. III. xvi. (1851) 244 = cinnamomifolia.  
*Candolleana*, Triana, in Trans. Linn. Soc. xxviii. (1871) 117.—Bras.  
*caryophyllacea*, Triana, l. c. 106.—Bras.  
*castaneaefolia*, Naud. in Ann. Sc. Nat. Sér. III. xvi. (1851) 182.—Bras.  
*cataractae*, Triana, in Trans. Linn. Soc. xxviii. (1871) 123.—N. Granat.  
*caudata*, DC. Prod. iii. 187.—N. Granat.  
*caudata*, Naud. in Ann. Sc. Nat. Sér. III. xvi. (1851) 184, partim = Doneana.

**MICONIA** :—

- caudigera, DC. Prod. iii. 186.—Bras.  
*ceanothina*, DC. l. c. 189 = laevigata.  
*cecidophora*, Naud. in Ann. Sc. Nat. Sér. III. xvi. (1851) 166.—Peruv.  
*centrodesma*, Naud. l. c. 164.—N. Granat.  
*centrophora*, Naud. l. c. 209.—Guian.  
*cernua*, Naud. l. c. 205.—N. Granat.  
*chaenoploides*, Naud. l. c. 245 = latecrenata.  
*chaetodon*, Naud. l. c. 134 = desmantha.  
*Chamissois*, Naud. l. c. 179.—Bolivia.  
*chartacea*, Triana, in Trans. Linn. Soc. xxviii. (1871) 119.—Bras.  
*chionophila*, Naud. in Ann. Sc. Nat. Sér. III. xvi. (1851) 236.—Peruv.  
*chionophylla*, Triana, in Trans. Linn. Soc. xxviii. (1871) 130 = chionophila.  
*chlorophylla*, Wright, in Sauv. Fl. Cub. 47 = delicatula.  
*chrysastra*, Griseb. Cat. Pl. Cub. 99 = Graffenrieda chrysastra.  
*chrysoneura*, Triana, in Trans. Linn. Soc. xxviii. (1871) 111.—Mexic.  
*chrysopetala*, Naud. in Ann. Sc. Nat. Sér. III. xvi. (1851) 233 = coelestis.  
*ciliaris*, Triana, in Trans. Linn. Soc. xxviii. (1871) 105.—Peruv.  
*ciliata*, Benth. in Hook. Journ. Bot. ii. (1840) 311 = racemosa.  
*ciliata*, DC. Prod. iii. 179.—Guian.  
*cinchonaefolia*, DC. l. c. 184.—Bras.  
*cinerascens*, Miq. in Linnaea, xxii. (1849) 543.—Bras.  
*cinnamomea*, Beurl. in Vet. Akad. Handl. Stockh. 1854 (1856) 131 = Oxymeris cinnamomea.  
*cinnamomifolia*, Naud. in Ann. Sc. Nat. Sér. III. xvi. (1851) 168 = Candolleana.  
*cinnamomifolia*, Triana, in Trans. Linn. Soc. xxviii. (1871) 101.—Ind. occ.  
*circumsecta*, Macfad. Fl. Jamaic. ii. 77 = racemosa.  
*clathrantha*, Triana, in Trans. Linn. Soc. xxviii. (1871) 129.—Peruv.  
*Claussenii*, Naud. in Ann. Sc. Nat. Sér. III. xvi. (1851) 143 = pepericarpa.  
*clidemioides*, Steud. in Flora, xxvii. (1844) 724 = M. Acinodendron.  
*coelestis*, Naud. in Ann. Sc. Nat. Sér. III. xvi. (1851) 245.—Peruv.  
*coerulea*, Auct., vide caerulea.  
*collina*, DC. Prod. iii. 185 = prasina.  
*compressa*, Naud. in Ann. Sc. Nat. Sér. III. xvi. (1851) 128.—Bras.  
*congestiflora*, DC. Prod. iii. 180 = ciliata.  
*conostegioides*, Naud. in Ann. Sc. Nat. Sér. III. xvi. (1851) 127.—Bras.  
*corallina*, Spring, ex Mart. in Flora, xx. (1837) II. Beibl. 77 = mexicana.  
*cordata*, Triana, in Trans. Linn. Soc. xxviii. (1871) 114.—Am. trop.  
*coriacea*, DC. Prod. iii. 189.—Ins. Guadalupe.  
*cornifolia*, Naud. in Ann. Sc. Nat. Sér. III. xvi. (1851) 126 = cinnamomifolia.  
*coronata*, DC. Prod. iii. 187.—Ecuador.  
*crassifolia*, Triana, in Trans. Linn. Soc. xxviii. (1871) 125.—Peruv.  
*crassipes*, Triana, l. c. 116.—Peruv.  
*cremophylla*, Naud. in Ann. Sc. Nat. Sér. III. xvi. (1851) 228.—Peruv.  
*crinita*, Naud. l. c. 194.—N. Granat.  
*crispula*, Spruce, ex Naud. l. c. 172 = prasina.  
*cristulata*, Naud. l. c. 177 = prasina.  
*crocea*, Naud. l. c. 245.—Peruv.  
*Cruegeri*, Triana, in Trans. Linn. Soc. xxviii. (1871) 131 = ciliata.  
*Cruegeriana*, Naud. in Ann. Sc. Nat. Sér. III. xvi. (1851) 245 = hypoleuca.  
*cruenta*, Triana, in Trans. Linn. Soc. xxviii. (1871) 122.—N. Granat.  
*cubensis*, Wright, in Sauv. Fl. Cub. 48.—Cuba.  
*cuneata*, Triana, in Trans. Linn. Soc. xxviii. (1871) 113.—Peruv.  
*cuspidata*, Naud. in Ann. Sc. Nat. Sér. III. xvi. (1851) 163.—Bras.  
*cyanocarpa*, Naud. l. c. 221.—Bolivia.  
*Cyathanthera*, Triana, in Trans. Linn. Soc. xxviii. (1871) 127.—Bras.  
*decussata*, D. Don, ex Lond. Hort. Brit. 174 = ciliata.  
*delicatula*, A. Rich. Ess. Fl. Cub. 566.—Cuba.  
*densiflora*, Naud. in Ann. Sc. Nat. Sér. III. xvi. (1851) 245 = pusilliflora.



## MICONIA :—

- denticulata, *Naud. in Ann. Sc. Nat. Sér. III. xvi.* (1851) 214.—N. Granat.  
 depauperata, *Gardn. in Hook. Lond. Journ. Bot. ii.* (1843) 346.—Bras.  
 depauperata, Triana, in *Trans. Linn. Soc. xxviii.* (1871) 117, partim = paniculata.  
 desmantha, *Benth. Pl. Hartw.* 181.—N. Granat.  
 detergibilis, DC. *Prod. iii.* 181 = holosericea.  
 detergibilis, Naud. in *Ann. Sc. Nat. Sér. III. xvi.* (1851) 149 = herpetica.  
 difficilis, Triana, in *Trans. Linn. Soc. xxviii.* (1871) 122.—N. Granat.  
 dimorpha, Naud. in *Ann. Sc. Nat. Sér. III. xvi.* (1851) 245 = milleflora.  
 dipsacea, *Naud. l. c.* 138.—Peruv.  
 discolor, DC. *Prod. iii.* 114.—Bras.  
 discolor, Macfad. *Fl. Jamaic. ii.* 85 = punctata.  
 dispar, *Benth. in Hook. Kew Journ. ii.* (1850) 241.—Bras.  
 dispar, Spruce, ex Triana, in *Trans. Linn. Soc. xxviii.* (1871) 112 = eriodonta.  
 divaricata, *Gardn. in Hook. Lond. Journ. Bot. ii.* (1843) 345.—Bras.  
 divergens, Triana, in *Trans. Linn. Soc. xxviii.* (1871) 127.—N. Granat.  
 dolichopoda, *Naud. in Ann. Sc. Nat. Sér. III. xvi.* (1851) 217.—Venezuela.  
 dolichorrhyncha, *Naud. l. c.* 166.—Peruv.  
 Donaeana, *Naud. l. c.* 244.—Peruv.  
 dura, Triana, in *Trans. Linn. Soc. xxviii.* (1871) 131.—Bras.  
 ecostata, *Sweet, Hort. Brit. ed. I.* 159 (sp. dub.).—Jamaica.  
 elaeagnoides, *Griseb. in Goett. Abh. vii.* (1857) 217.—Ind. occ.  
 Elaeodendron, *Naud. in Ann. Sc. Nat. Sér. III. xvi.* (1851) 244.—Bras.  
 elaeoides, *Naud. l. c.* 223.—N. Granat.  
 elata, DC. *Prod. iii.* 182.—Jamaica.  
 elliptica, Macfad. *Fl. Jamaic. ii.* 88 = obovalis.  
 emarginata, Ruiz & Pav. *Syst. i.* 106 = Graffenrieda emarginata.  
 erioclada, Triana, in *Trans. Linn. Soc. xxviii.* (1871) 111.—Peruv.  
 eriodonta, DC. *Prod. iii.* 185.—Guian.  
 eriophora, Miq. *Comm. Phyt.* 86 = auriculata.  
 eriophora, Benth. in *Hook. Journ. Bot. ii.* (1840) 311 = M. Acinodendron.  
 erythrantha, *Naud. in Ann. Sc. Nat. Sér. III. xvi.* (1851) 213.—Mexic.  
 erythropila, Steud. in *Flora*, xxvii. (1844) 723 = spondylantha.  
 eugenoides, Triana, in *Trans. Linn. Soc. xxviii.* (1871) 109.—Bras.  
 eurychaenoides, *Griseb. in Mem. Am. Acad. N. S. viii.* (1861) 185 = elata.  
 excelsa, A. St. Hil. ex Triana, in *Trans. Linn. Soc. xxviii.* (1871) 126 = inconspicua.  
 fallax, DC. *Prod. iii.* 181.—Bras.  
 fasciculata, *Gardn. in Hook. Lond. Journ. Bot. i.* (1842) 533.—Bras.  
 fasciculata, Miq. in *Linnaea*, xxii. (1849) 543 = chartacea.  
 favosa, *Naud. in Ann. Sc. Nat. Sér. III. xvi.* (1851) 190.—Ins. S. Doming.  
 ferruginata, DC. *Prod. iii.* 181.—Bras.  
 ferruginea, DC. *l. c.* 182.—Ins. S. Doming.  
 flammea, *Casas. Nov. Stirp. Bras. Dec.* 85.—Bras.  
 Fleischneriana, Steud. in *Flora*, xxvii. (1844) 723 = prasina.  
 floribunda, DC. *Prod. iii.* 188.—Peruv.  
 florida, *Naud. in Ann. Sc. Nat. Sér. III. xvi.* (1851) 244.—Guian.  
 Fockeana, Miq. *Comm. Phyt. ii.* 88. t. 11. f. A = spondylantha.  
 foliosa, Triana, in *Trans. Linn. Soc. xxviii.* (1871) 106.—N. Granat.  
 Fothergilla, *Naud. in Ann. Sc. Nat. Sér. III. xvi.* (1851) 119.—Mexic.  
 fragilis, *Naud. l. c.* 171.—Guian.  
 fulva, DC. *Prod. iii.* 180.—Guian.  
 furfuracea, *Griseb. in Goett. Abh. ix.* (1861) 54, in obs.—Ins. S. Doming.  
 galactantha, *Naud. in Ann. Sc. Nat. Sér. III. xvi.* (1851) 245.—Peruv.  
 Gardneriana, *Naud. l. c.* 245.—Bras.

VOL. II.

## MICONIA :—

- glaberrima, *Naud. in Ann. Sc. Nat. Sér. III. xvi.* (1851) 243.—Mexic.  
 glabra, Macfad. *Fl. Jamaic. ii.* 85.—Jamaic.  
 glandulosa, *Naud. in Ann. Sc. Nat. Sér. III. xvi.* (1851) 244.—Jamaic.  
 glaucescens, Triana, in *Trans. Linn. Soc. xxviii.* (1871) 115.—Peruv.  
 glaucocarpa, Steud. *Nom. ed. II. ii.* 140.—Mexic.  
 globulifera, Naud. in *Ann. Sc. Nat. Sér. III. xvi.* (1851) 139.—Mexic.  
 globuliflora, Cham. ex Triana, in *Trans. Linn. Soc. xxviii.* (1871) 129 = Sieberi.  
 glomerata, Triana, *l. c.* 110.—Peruv.  
 glossocentra, Naud. in *Ann. Sc. Nat. Sér. III. xvi.* (1851) 243 = minutiflora.  
 gonioclada, Triana, in *Trans. Linn. Soc. xxviii.* (1871) 128.—Ecuador.  
 gonistigma, Triana, *l. c.* 124.—N. Granat.  
 gossypina, Triana, *l. c.* 123.—N. Granat.  
 Goudotii, *Naud. in Ann. Sc. Nat. Sér. III. xvi.* (1851) 155.—N. Granat.  
 gracilis, Triana, in *Trans. Linn. Soc. xxviii.* (1871) 107.—N. Granat.  
 grandifolia, D. Don, in *Loud. Hort. Brit.* 174.—Ins. Trinit.  
 granulosa, *Naud. in Ann. Sc. Nat. Sér. III. xvi.* (1851) 218.—N. Granat.  
 gratissima, *Benth. ex Triana, in Trans. Linn. Soc. xxviii.* (1871) 101.—Bras.  
 Grisebachii, Triana, *l. c.* 130.—Cuba.  
 guayaquilensis, D. Don, in *Mem. Wern. Soc. iv.* (1823) 316.—Ecuador.  
 haemastemon, *Naud. in Ann. Sc. Nat. Sér. III. xvi.* (1851) 193.—N. Granat.  
 haplobotrya, Naud. *l. c.* 131 = triplinervis.  
 haplostachya, C. Muell. in *Walp. Ann. iv.* 711 = aplostachya.  
 haplostachya, Naud. in *Ann. Sc. Nat. Sér. III. xvi.* (1851) 130 = macrostachya.  
 hartigioides, Naud. *l. c.* 245 = milleflora.  
 havanensis, DC. *Prod. iii.* 188 = laevigata.  
 heliotropoides, Triana, in *Trans. Linn. Soc. xxviii.* (1871) 116.—Bras.  
 hemenostigma, *Naud. in Ann. Sc. Nat. Sér. III. xvi.* (1851) 230.—Mexic.  
 herpetica, DC. *Prod. iii.* 181.—Bras.  
 heterochroa, Miq. in *Linnaea*, xviii. (1844) 621 = holosericea.  
 heteromera, *Naud. in Ann. Sc. Nat. Sér. III. xvi.* (1851) 124.—Bras.  
 hexaptera, Naud. *l. c.* 129 = triplinervis.  
 hirta, Baill. *Hist. Pl. vii.* 35 = Clidemia hirta.  
 hispidissima, *Naud. in Ann. Sc. Nat. Sér. III. xvi.* (1851) 191.—Peruv.  
 holosericea, DC. *Prod. iii.* 181.—Ind. occ.  
 holosericea, Triana, in *Trans. Linn. Soc. xxviii.* (1871) 101 = mucronata.  
 Hookeriana, Triana, *l. c.* 125.—Hab. ?  
 hyemalis, A. St. Hil. & Naud. ex Naud. in *Ann. Sc. Nat. Sér. III. xvi.* (1851) 142.—Bras.  
 hygrophila, Naud. *l. c.* 220.—Bolivia.  
 hymenantha, Triana, in *Trans. Linn. Soc. xxviii.* (1871) 130.—Ecuador.  
 hypargyrea, Miq. in *Linnaea*, xviii. (1844) 622 = stenostachya.  
 hyperprasina, *Naud. in Ann. Sc. Nat. Sér. III. xvi.* (1851) 186.—Mexic.  
 hypoleuca, Triana, in *Trans. Linn. Soc. xxviii.* (1871) 119.—Am. trop.  
 ibaguensis, Schlecht. in *Linnaea*, v. (1830) 562; ex Triana, *l. c.* 109 = Maximiliana.  
 ibaguensis, Triana, *l. c.* 110 = auriculata.  
 ibaguensis, Wright, in *Sauv. Fl. Cub.* 48.—Cuba.  
 ignaria, Bonpl. ex Naud. in *Ann. Sc. Nat. Sér. III. xvi.* (1851) 197.—Am. trop.  
 impetiginosa, DC. *Prod. iii.* 183 = rufescens.  
 impetularis, D. Don, in *Mem. Wern. Soc. iv.* (1823) 316.—Ind. occ.  
 inaequalifolia, Triana, in *Trans. Linn. Soc. xxviii.* (1871) 110.—Bras.  
 inaequidens, *Naud. in Ann. Sc. Nat. Sér. III. xvi.* (1851) 245.—Bras.  
 inaperta, *Naud. l. c.* 210.—Venezuela.  
 inconspicua, Miq. in *Linnaea*, xxii. (1849) 542.—Bras.  
 intricata, Triana, in *Trans. Linn. Soc. xxviii.* (1871) 105.—N. Granat.

## MICONIA :—

- iodopila, Steud. in *Flora*, xxvii. (1844) 725 = spondylantha.  
 ioneura, *Griseb. in Goett. Abh. xxiv.* (1879) 129.—Reg. Argent.  
 Jucunda, Triana, in *Trans. Linn. Soc. xxviii.* (1871) 101.—Bras.  
 Kapplerii, *Naud. in Ann. Sc. Nat. Sér. III. xvi.* (1851) 162.—Guian.  
 Klotzschii, Triana, in *Trans. Linn. Soc. xxviii.* (1871) 118.—Bras.  
 lacera, *Naud. in Ann. Sc. Nat. Sér. III. xvi.* (1851) 152.—Am. trop.  
 laevigata, DC. *Prod. iii.* 188.—Ind. occ.  
 laevigata, Griseb. *Fl. Brit. W. Ind.* 257, partim = virescens.  
 Lambertiana, DC. *Prod. iii.* 185 = longifolia.  
 lamprarrhena, Triana, in *Trans. Linn. Soc. xxviii.* (1871) 122.—N. Granat.  
 lamprophylla, Triana, *l. c.* 108.—N. Granat.  
 lanata, Triana, *l. c.* 113.—Am. trop.  
 lanceolata, DC. *Prod. iii.* 190.—Ins. S. Doming.  
 lanuginosa, Ruiz & Pav. *Syst. Veg. i.* 105.—Peruv.  
 lappacea, Triana, in *Trans. Linn. Soc. xxviii.* (1871) 111.—Guian.  
 latecrenata, *Naud. in Ann. Sc. Nat. Sér. III. xvi.* (1851) 239.—Bras.  
 latifolia, *Naud. l. c.* 244.—Peruv.  
 lauriformis, *Naud. l. c.* 189.—N. Granat.  
 laurina, *Naud. l. c.* 245.—Peruv.  
 Lechleri, Triana, in *Trans. Linn. Soc. xxviii.* (1871) 124.—Peruv.  
 ledifolia, *Naud. in Ann. Sc. Nat. Sér. III. xvi.* (1851) 224.—Ecuador.  
 lepidota, DC. *Prod. iii.* 180.—Bras.  
 lepidota, Steud. ex Naud. in *Ann. Sc. Nat. Sér. III. xvi.* (1851) 162 = Kapplerii.  
 Leschenaultiana, Sagot, ex Naud. *l. c.* 325 = spondylantha.  
 leucocarpa, DC. *Prod. iii.* 182.—Bras.  
 leucocephala, Naud. in *Ann. Sc. Nat. Sér. III. xvi.* (1851) 244 = macrophylla.  
 Lhotskyana, Triana, in *Trans. Linn. Soc. xxviii.* (1871) 151 = staminea.  
 ligustrina, Triana, *l. c.* 123 = rhamnoidea.  
 ligustroides, *Naud. in Ann. Sc. Nat. Sér. III. xvi.* (1851) 167.—Bras.  
 lilacina, Triana, in *Trans. Linn. Soc. xxviii.* (1871) 129.—Peruv.  
 Lindenii, Naud. in *Ann. Sc. Nat. Sér. III. xvi.* (1851) 135 = desmantha.  
 lineata, Schlecht. in *Linnaea*, xiii. (1839) 423; ex Triana, in *Trans. Linn. Soc. xxviii.* (1871) 110 = auriculata.  
 livida, Triana, *l. c.* 121.—Peruv.  
 lonchophylla, *Naud. in Ann. Sc. Nat. Sér. III. xvi.* (1851) 176.—Venezuela.  
 longifolia, DC. *Prod. iii.* 184.—Guian.  
 longifolia, Naud. in *Ann. Sc. Nat. Sér. III. xvi.* (1851) 157 = fulva.  
 longispicata, Triana, in *Trans. Linn. Soc. xxviii.* (1871) 117.—Bras.  
 longistyla, Seem. *Bot. Voy. Herald*, 123 = argentea.  
 longistyla, Steud. in *Flora*, xxvii. (1844) 724 = argyrophylla.  
 loreyoides, Triana, in *Trans. Linn. Soc. xxviii.* (1871) 121.—N. Granat.  
 loxensis, DC. *Prod. iii.* 186.—Ecuador.  
 lucida, *Naud. in Ann. Sc. Nat. Sér. III. xvi.* (1851) 196.—Venezuela.  
 lutescens, DC. *Prod. iii.* 189.—Peruv.  
 macrantha, Triana, in *Trans. Linn. Soc. xxviii.* (1871) 123.—N. Granat.  
 macrophylla, Macfad. *Fl. Jamaic. ii.* 84 = impetularis.  
 macrophylla, Steud. in *Flora*, xxvii. (1844) 723 = prasina.  
 macrophylla, Triana, in *Trans. Linn. Soc. xxviii.* (1871) 103 = platyhedra.  
 macrostachya, DC. *Prod. iii.* 190.—Bras.  
 macrostoma, Naud. in *Ann. Sc. Nat. Sér. III. xvi.* (1851) 235 = nitida.  
 macrothyrsa, Benth. in *Hook. Journ. Bot. ii.* (1840) 312.—Guian.  
 Magdalenae, Triana, in *Trans. Linn. Soc. xxviii.* (1871) 115.—N. Granat.  
 magnifica, Triana, *l. c.* 131.—Mexic.  
 marginata, Triana, *l. c.* 110.—Bras.  
 Martiusiana, DC. *Prod. iii.* 186.—Bras.

G S



**MICONIA :—**

- Matthaei, *Naud. in Ann. Sc. Nat. Sér. III. xvi.* (1851) 176.—Peruv.  
 Maximiliana, *DC. Prod. iii.* 186.—Bras.  
 media, *Naud. in Ann. Sc. Nat. Sér. III. xvi.* (1851) 244.—Peruv.  
 melanodendron, *Naud. l. c.* 162 = minutiflora.  
 Melinonis, *Naud. l. c.* 125.—Guian.  
 mellina, *DC. Prod. iii.* 182.—Bras.  
 membranacea, *Triana, in Trans. Linn. Soc. xxviii.* (1871) 115.—Peruv.  
 meridensis, *Triana, l. c.* 102.—Venezuela.  
 metallica, *Triana, l. c.* 106.—Venezuela.  
 mexicana, *Naud. in Ann. Sc. Nat. Sér. III. xvi.* (1851) 244.—Mexic.  
 microbotrya, *Naud. l. c.* 195 = rubens.  
 microcarpa, *DC. Prod. iii.* 189.—Bras.  
 microcarpa, *Macfad. ex Griseb. Fl. Brit. W. Ind.* 257 = laevigata.  
 microcarpa, *Naud. in Ann. Sc. Nat. Sér. III. xvi.* (1851) 159 = cecidophora.  
 microcarpa, *Triana, in Trans. Linn. Soc. xxviii.* (1871) 111 = Klotzschii.  
 microphylla, *Steud. ex Hemsl. Biol. Centr. Am. Bot. i.* 428 = prasina.  
 milleflora, *Naud. in Ann. Sc. Nat. Sér. III. xvi.* (1851) 237.—N. Granat.  
 minutiflora, *DC. Prod. iii.* 189.—Venezuela.  
 miocarpa, *Naud. in Ann. Sc. Nat. Sér. III. xvi.* (1851) 237.—N. Granat.  
 Miqueliana, *Naud. l. c.* 245 = M. Acinodendron.  
 mollicula, *Triana, in Trans. Linn. Soc. xxviii.* (1871) 113.—N. Granat.  
 mollis, *Triana, l. c.* 113.—Bras.  
 molybdea, *Naud. in Ann. Sc. Nat. Sér. III. xvi.* (1851) 185.—Bolivia.  
 montana, *Crueg. ex Triana, in Trans. Linn. Soc. xxviii.* (1871) 116 = holosericea.  
 mucronata, *Naud. in Ann. Sc. Nat. Sér. III. xvi.* (1851) 120.—Guian.  
 multispicata, *Naud. l. c.* 131.—Jamaic.  
 muricata, *Triana, in Trans. Linn. Soc. xxviii.* (1871) 102.—Peruv.  
 mutabilis, *Triana, l. c.* 112.—Guian.  
 myriantha, *Benth. in Hook. Journ. Bot. ii.* (1840) 314 = minutiflora.  
 myricoides, *Triana, in Trans. Linn. Soc. xxviii.* (1871) 129 = Sieberi.  
 myriocarpa, *Naud. in Ann. Sc. Nat. Sér. III. xvi.* (1851) 231 = glaberrima.  
 myrtiformis, *Naud. l. c.* 244.—Peruv.  
 myrtillifolia, *Naud. l. c.* 198.—Venezuela.  
 myura, *Naud. l. c.* 129 = Sancti-Philippi.  
 Naudiniana, *Miq. Stirp. Surin. Sel.* 50 = lepidota.  
 nemoralis, *Naud. in Ann. Sc. Nat. Sér. III. xvi.* (1851) 178 = pteropoda.  
 nerifolia, *Triana, in Trans. Linn. Soc. xxviii.* (1871) 127.—Peruv.  
 nervosa, *Triana, l. c.* 111 = spondylantha.  
 neurocarpa, *Triana, l. c.* 108.—N. Granat.  
 nicotianaeifolia, *DC. Prod. iii.* 188 = laevigata.  
 nitens, *Benth. in Hook. Journ. Bot. ii.* (1840) 313 = Tococa Weddellii.  
 nitida, *Naud. in Ann. Sc. Nat. Sér. III. xvi.* (1851) 244.—Peruv.  
 notabilis, *Triana, in Trans. Linn. Soc. xxviii.* (1871) 103.—N. Granat.  
 novemnervia, *Naud. in Ann. Sc. Nat. Sér. III. xvi.* (1851) 216.—Venezuela.  
 obovalis, *Naud. l. c.* 183.—Jamaica.  
 obovata, *Triana, in Trans. Linn. Soc. xxviii.* (1871) 123.—N. Granat.  
 obscura, *Naud. in Ann. Sc. Nat. Sér. III. xvi.* (1851) 243.—Peruv.  
 obtusa, *Triana, in Trans. Linn. Soc. xxviii.* (1871) 103.—Cuba.  
 ochracea, *Triana, l. c.* 127.—N. Granat.  
 Olfersiana, *Naud. in Ann. Sc. Nat. Sér. III. xvi.* (1851) 123 = jucunda.  
 oligotricha, *Naud. l. c.* 245.—Mexic.  
 orchetoma, *Naud. l. c.* 227.—N. Granat.  
 organensis, *Gardn. in Hook. Lond. Journ. Bot. ii.* (1843) 345.—Bras.  
 ossaeiformis, *Naud. in Ann. Sc. Nat. Sér. VIII. xvi.* (1851) 212 = Sagraea ossaeiformis.  
 otodesma, *Naud. l. c.* 205 = squamulosa.  
 pallens, *Triana, in Trans. Linn. Soc. xxviii.* (1871) 103.—Ind. occ.

**MICONIA :—**

- paludosa, *Naud. in Ann. Sc. Nat. Sér. III. xvi.* (1851) 245.—Bras.  
 palustris, *Macfad. Fl. Jamaic. ii.* 89 = prasina.  
 pandurata, *Triana, in Trans. Linn. Soc. xxviii.* (1871) 108.—Bras.  
 paniculata, *Naud. in Ann. Sc. Nat. Sér. III. xvi.* (1851) 245.—Bras.  
 papillosa, *Naud. l. c.* 216.—N. Granat.  
 paradoxa, *Triana, in Trans. Linn. Soc. xxviii.* (1871) 121.—Bras.  
 parviflora, *Macfad. ex Griseb. Fl. Brit. W. Ind.* 257 = laevigata.  
 parviflora, *Naud. in Ann. Sc. Nat. Sér. III. xvi.* (1851) 245 = pusilliflora.  
 pastoensis, *Triana, in Trans. Linn. Soc. xxviii.* (1871) 126.—N. Granat.  
 pauciflorus, *DC. Prod. iii.* 186.—Bras.  
 pauciflora, *Triana, in Trans. Linn. Soc. xxviii.* (1871) 115.—Bras.  
 pauciglandulosa, *Naud. in Ann. Sc. Nat. Sér. III. xvi.* (1851) 183.—Peruv.  
 paulensis, *Naud. l. c.* 187.—Bras.  
 pauperula, *Triana, in Trans. Linn. Soc. xxviii.* (1871) 102.—N. Granat.  
 Pavoniana, *Naud. in Ann. Sc. Nat. Sér. III. xvi.* (1851) 180.—Peruv.  
 pendulifolia, *DC. Prod. iii.* 187 = laevigata.  
 Pentlandii, *Naud. in Ann. Sc. Nat. Sér. III. xvi.* (1851) 182.—Bolivia.  
 pepericarpa, *DC. Prod. iii.* 182.—Bras.  
 pernettifolia, *Triana, in Trans. Linn. Soc. xxviii.* (1871) 127.—N. Granat.  
 persicaefolia, *Naud. & A. St. Hil. ex Triana, l. c.* 119 = fasciculata.  
 phaeophylla, *Triana, l. c.* 113.—Bras.  
 phaeotricha, *Naud. in Ann. Sc. Nat. Sér. III. xvi.* (1851) 193.—Mexic.  
 pichinchensis, *Benth. Pl. Hartw.* 182.—Ecuador.  
 pileata, *DC. Prod. iii.* 180.—Bras.  
 pinetorum, *Naud. in Ann. Sc. Nat. Sér. III. xvi.* (1851) 229.—Mexic.  
 piperifolia, *Triana, in Trans. Linn. Soc. xxviii.* (1871) 109.—N. Granat.  
 planinervia, *Naud. in Ann. Sc. Nat. Sér. III. xvi.* (1851) 160.—Venezuela.  
 platyhedra, *Naud. l. c.* 244.—Am. trop.  
 plebeia, *Naud. l. c.* 170 = brevipes.  
 plethorica, *Naud. l. c.* 227.—N. Granat. ?  
 pleurocarpa, *Naud. l. c.* 245 = M. Acinodendron.  
 plicata, *Steud. Nom. ed. II.* 115, sphalm. = pileata.  
 Plukenetii, *Naud. in Ann. Sc. Nat. Sér. III. xvi.* (1851) 116.—Guian.  
 plumifera, *Triana, in Trans. Linn. Soc. xxviii.* (1871) 124.—Peruv.  
 Poeppigii, *Triana, l. c.* 107.—Peruv.  
 polyandra, *Gardn. in Hook. Lond. Journ. Bot. ii.* (1843) 346.—Bras.  
 polygama, *Triana, in Trans. Linn. Soc. xxviii.* (1871) 181 = rubens.  
 polyneura, *Triana, l. c.* 128.—N. Granat.  
 praecox, *Wright, in Sauv. Fl. Cub.* 47.—Cuba.  
 prasina, *DC. Prod. iii.* 188.—Ind. occ.  
 prasina, *Triana, in Trans. Linn. Soc. xxviii.* (1871) 109, partim = pteropoda.  
 procera, *Naud. in Ann. Sc. Nat. Sér. III. xvi.* (1851) 245 = argentea.  
 proteoides, *A. St. Hil. & Naud. l. c.* 141 = cinerascens.  
 psychrophila, *Naud. l. c.* 220.—N. Granat.  
 pterocaulon, *Triana, in Trans. Linn. Soc. xxviii.* (1871) 114.—N. Granat.  
 pterophora, *Miq. in Linnaea, xviii.* (1844) 622 = alata.  
 pteropoda, *Benth. in Hook. Journ. Bot. ii.* (1840) 314.—Bras.  
 pteropoda, *Naud. in Ann. Sc. Nat. Sér. III. xvi.* (1851) 161 = alternans.  
 pubipetala, *Miq. Stirp. Surin. Sel.* 50 = verticilliflora.  
 pulverulenta, *DC. Prod. iii.* 190 = M. Tiri.  
 pulverulenta, *Hook. Bot. Mag. t.* 5411 = Hookeriana.  
 pulverulenta, *Ruiz & Pav. Syst. Veg. i.* 104.—Peruv.  
 punctata, *Bello, in Anal. Soc. Esp. Hist. Nat. x.* (1883) 268.—Porto Rico.  
 punctata, *D. Don, in Mem. Wern. Soc. iv.* (1823) 316.—Ind. occ.  
 punctulata, *Macfad. Fl. Jamaic. ii.* 84.—Jamaic.  
 purpurascens, *DC. Prod. iii.* 179 = Aciotis purpurascens.

**MICONIA :—**

- pusilliflora, *Beurl. in Vet. Akad. Handl. Stockh.* 1854 (1856) 130 = Beurlingii.  
 pusilliflora, *Naud. in Ann. Sc. Nat. Sér. III. xvi.* (1851) 171 = depauperata.  
 pusilliflora, *Triana, in Trans. Linn. Soc. xxviii.* (1871) 120 = Gardneriana.  
 pustulata, *Naud. in Ann. Sc. Nat. Sér. III. xvi.* (1851) 208.—N. Granat.  
 pyramidalis, *Bello, in Anal. Soc. Esp. Hist. Nat. x.* (1883) 268.—Porto Rico.  
 pyramidalis, *DC. Prod. iii.* 188 = laevigata.  
 pyrifolia, *Naud. in Ann. Sc. Nat. Sér. III. xvi.* (1851) 164.—Bras.  
 quadrangularis, *Naud. l. c.* 197.—Ind. occ.  
 quadrangularis, *Triana, in Trans. Linn. Soc. xxviii.* (1871) 130 = cubensis.  
 quadrifolia, *Naud. in Ann. Sc. Nat. Sér. III. xvi.* (1851) 223.—Guiana.  
 quitensis, *Benth. Pl. Hartw.* 182 = papillosa.  
 racemifera, *Triana, in Trans. Linn. Soc. xxviii.* (1871) 119.—Bras.  
 racemosa, *DC. Prod. iii.* 179.—Guiana ; Porto Rico.  
 racemosa, *Naud. in Ann. Sc. Nat. Sér. III. xvi.* (1851) 153, pro parte = ciliata.  
 radulaefolia, *Naud. l. c.* 243.—Bras.  
 Rangeliana, *Wright, ex Griseb. Cat. Pl. Cub.* 99 = Tetraglypha laxiflora.  
 reclinata, *Naud. in Ann. Sc. Nat. Sér. III. xvi.* (1851) 209.—Peruv.  
 reducens, *Triana, in Trans. Linn. Soc. xxviii.* (1871) 106.—N. Granat.  
 Renggeri, *Steud. in Flora, xxvii.* (1844) 723 = fallax.  
 repando-crenata, *Steud. l. c.* 724 = prasina.  
 resima, *Naud. in Ann. Sc. Nat. Sér. III. xvi.* (1851) 226.—N. Granat.  
 reticulata, *Triana, in Trans. Linn. Soc. xxviii.* (1871) 123.—N. Granat.  
 revoluta, *Benth. in Hook. Journ. Bot. ii.* (1840) 313 = prasina.  
 revoluta, *Miq. in Linnaea, xxii.* (1849) 544.—Bras.  
 rhamnoidea, *Naud. in Ann. Sc. Nat. Sér. III. xvi.* (1851) 226.—N. Granat.  
 rhytidophylla, *Naud. l. c.* 139.—Guian.  
 Riedelii, *Naud. l. c.* 125.—Bras.  
 rigens, *Naud. l. c.* 225.—N. Granat.  
 rigida, *Triana, in Trans. Linn. Soc. xxviii.* (1871) 130.—Jamaic.  
 rimalis, *Naud. in Ann. Sc. Nat. Sér. III. xvi.* (1851) 238.—Bras.  
 riparia, *Triana, in Trans. Linn. Soc. xxviii.* (1871) 117.—Bras.  
 Rivoeriae, *Naud. in Ann. Sc. Nat. Sér. III. xvi.* (1851) 170 = trichotoma.  
 rostrata, *Bertol. Fl. Guatim.* 17.—Guatemala.  
 rotundifolia, *Naud. in Ann. Sc. Nat. Sér. III. xvi.* (1851) 235.—Peruv.  
 rubens, *Naud. l. c.* 169.—Ind. occ.  
 rubescens, *D. Don, in Loud. Hort. Brit.* 174, nomen = rufescens ?  
 rubiginosa, *DC. Prod. iii.* 183.—Ecuador.  
 rubricans, *Triana, in Trans. Linn. Soc. xxviii.* (1871) 121.—N. Granat.  
 rufa, *Triana, l. c.* 130.—Cuba.  
 rufescens, *DC. Prod. iii.* 180.—Guian.  
 rufescens, *Macfad. ex Griseb. Fl. Brit. W. Ind.* 256 = holosericea.  
 rufipila, *Triana, in Trans. Linn. Soc. xxviii.* (1871) 104.—Bras.  
 rugifolia, *Triana, l. c.* 125.—Peruv.  
 rugosa, *Triana, l. c.* 106.—Bras.  
 Ruizii, *Naud. in Ann. Sc. Nat. Sér. III. xvi.* (1851) 192.—Peruv.  
 salicifolia, *Naud. l. c.* 234.—N. Granat.  
 Sancti-Philippi, *Naud. l. c.* 121.—Venezuela.  
 sanguinea, *Triana, in Trans. Linn. Soc. xxviii.* (1871) 125 = hispidissima.  
 scandens, *Ruiz & Pav. Fl. Per. iv. t.* 395 = Adelobotrys adscendens.  
 Schlimii, *Triana, in Trans. Linn. Soc. xxviii.* (1871) 102.—N. Granat.  
 Schomburgkii, *Benth. in Hook. Journ. Bot. ii.* (1840) 312 = lepidota.  
 sclerophylla, *Triana, in Trans. Linn. Soc. xxviii.* (1871) 119.—Peruv. ?  
 scorpioides, *Naud. in Ann. Sc. Nat. Sér. III. xvi.* (1851) 243.—Am. trop.



**MICONIA:—**

- Sellowiana, *Naud. in Ann. Sc. Nat. Sér. III. xvi.* (1851) 206.—Bras.  
 semicrenata, *D. Don, ex Loud. Hort. Brit. 174*, nomen.—Ins. Guadalup.  
 semicrenata, *Naud. in Ann. Sc. Nat. Sér. III. xvi.* (1851) 126.—Ind. occ.  
 sepiaria, *DC. Prod. iii. 185* = prasina.  
 serialis, *DC. l. c. 182*.—Bras.  
 serrulata, *Macfad. ex Griseb. Fl. Brit. W. Ind. 258* = racemosa.  
 serrulata, *Naud. in Ann. Sc. Nat. Sér. III. xvi.* (1851) 118 = macrophylla.  
 serrulata, *Triana, in Trans. Linn. Soc. xxviii.* (1871) 129 = galactantha.  
 sessiliflora, *C. Muell. in Walp. Ann. vi. 1225*, sphalm. = seq.  
 sessilifolia, *Naud. in Ann. Sc. Nat. Sér. III. xvi.* (1851) 181.—Bolivia.  
 setinodis, *DC. Prod. iii. 179*.—N. Granat.  
 Sieberi, *DC. Prod. iii. 189*.—Ins. Trinit.  
 simplex, *Triana, in Trans. Linn. Soc. xxviii.* (1871) 104.—Ecuador.  
 smaragdina, *Naud. in Ann. Sc. Nat. Sér. III. xvi.* (1851) 186.—N. Granat.  
 Soltmanniana, *Naud. l. c. 132* = corallina.  
 sordida, *Triana, in Trans. Linn. Soc. xxviii.* (1871) 122.—N. Granat.  
 speciosa, *Naud. in Ann. Sc. Nat. Sér. III. xvi.* (1851) 243.—Bras.  
 spennerostachya, *Naud. l. c. 187*.—Peruv.  
 spicata, *Macfad. ex Griseb. Fl. Brit. W. Ind. 257* = triplinervis.  
 spicellata, *Bonpl. ex Naud. in Ann. Sc. Nat. Sér. III. xvi.* (1851) 134.—Bras.  
 spinulosa, *Naud. l. c. 195*.—Venezuela.  
 spireaeifolia, *Triana, in Trans. Linn. Soc. xxviii.* (1871) 122.—N. Granat.  
 splendens, *Griseb. Fl. Brit. W. Ind. 256* = obovalis, trichotoma.  
 splendens, *Griseb. in Goett. Abh. ix.* (1861) 47.—Ind. occ.  
 splendens, *Wright, ex Triana, in Trans. Linn. Soc. xxviii.* (1871) 109 = prasina.  
 spondylantha, *DC. Prod. iii. 184*.—Bras.  
 Sprucei, *Triana, in Trans. Linn. Soc. xxviii.* (1871) 108.—Bras.  
 squamulosa, *Triana, l. c. 128*.—N. Granat.  
 staminea, *DC. Prod. iii. 187*.—Bras.  
 staminea, *Naud. in Ann. Sc. Nat. Sér. III. xvi.* (1851) 123, partim = jucunda.  
 staphidioides, *Triana, in Trans. Linn. Soc. xxviii.* (1871) 102.—Bolivia.  
 stellifera, *Naud. in Ann. Sc. Nat. Sér. III. xvi.* (1851) 142 = barbinervis.  
 stelligera, *Naud. ex Triana, in Trans. Linn. Soc. xxviii.* (1871) 113 = cuneata.  
 stenobotrys, *Naud. in Ann. Sc. Nat. Sér. III. xvi.* (1851) 240 = quadrangularis.  
 stenopetala, *Griseb. Fl. Brit. W. Ind. 711* = Platycentrum clidemioides.  
 stenostachya, *DC. Prod. iii. 181*.—Mexic.  
 stenoura, *Triana, in Trans. Linn. Soc. xxviii.* (1871) 104.—N. Granat.  
 stictophylla, *Naud. in Ann. Sc. Nat. Sér. III. xvi.* (1851) 167 = spicellata.  
 stipularis, *Naud. l. c. 194*.—N. Granat.  
 strangulata, *Naud. l. c. 117* = coronata.  
 subciliata, *DC. Prod. iii. 187* = Tococa subciliata.  
 subcrustulata, *Beurl. in Vet. Akad. Handl. Stockh. 1854* (1856) 130 = Conostegia purpurea.  
 subnodosa, *Triana, in Trans. Linn. Soc. xxviii.* (1871) 106.—N. Granat.  
 sylvatica, *Schlecht. in Linnaea, xiii.* (1839) 422; ex *Triana, l. c. 107* = laevigata.  
 symphyandra, *Triana, l. c. 126*.—N. Granat.  
 symplocoides, *Triana, l. c. 108*.—N. Granat.  
 tentaculifera, *Naud. in Ann. Sc. Nat. Sér. III. xvi.* (1851) 241.—Bras.  
 tenuifolia, *D. Don, ex Loud. Hort. Brit. 174*, nomen.—Am. austr.  
 tenuis, *Triana, in Trans. Linn. Soc. xxviii.* (1871) 120.—N. Granat.  
 Terera, *Naud. in Ann. Sc. Nat. Sér. III. xvi.* (1851) 196.—Peruv.  
 ternatifolia, *Triana, in Trans. Linn. Soc. xxviii.* (1871) 118.—Peruv.  
 tetrandra, *D. Don, in Loud. Hort. Brit. 174*; *Naud. in Ann. Sc. Nat. Sér. III. xvi.* (1851) 243.—Ind. occ.  
 tetrastoma, *Naud. l. c. 236*.—Cuba.

**MICONIA:—**

- Teysmanniana*, *Regel, Ind. Sem. Hort. Petrop.* (1866) 105; et *Gartenfl.* (1867) t. 537 = staminea.  
 theaeforme, *Schrank & Mart. ex Triana, in Trans. Linn. Soc. xxviii.* (1871) 109 = Maximiliana.  
 Thomasiana, *DC. Prod. iii. 189*.—Ins. S. Thomas.  
 thyrsoflora, *Triana, in Trans. Linn. Soc. xxviii.* (1871) 130.—Peruv.  
 thyrsoides, *Naud. in Ann. Sc. Nat. Sér. III. xvi.* (1851) 244.—Peruv.  
 tiliaefolia, *Naud. l. c. 151*.—Bolivia.  
 tinctoria, *Naud. l. c. 229* = media.  
 tinifolia, *Griseb. ex Triana, in Trans. Linn. Soc. xxviii.* (1871) 130 = andina.  
 tinifolia, *Naud. in Ann. Sc. Nat. Sér. III. xvi.* (1851) 225.—Venezuela.  
 Tiri, *Triana, in Trans. Linn. Soc. xxviii.* (1871) 127.—Peruv.  
 Titanea, *Naud. in Ann. Sc. Nat. Sér. III. xvi.* (1851) 203 = molybdea.  
 tococoides, *Naud. l. c. 127* = mexicana.  
 tomentosa, *D. Don, in Mem. Wern. Soc. iv.* (1823) 316.—Guian.  
 trichodes, *Triana, in Trans. Linn. Soc. xxviii.* (1871) 112.—Guian.  
 trichotoma, *Bello, in Anal. Soc. Esp. Hist. Nat. x.* (1883) 268 = prasina.  
 trichotoma, *DC. Prod. iii. 188*.—Ins. Martinic.  
 trinervia, *D. Don, ex Loud. Hort. Brit. 174*.—Jamaic.  
 trinervis, *Griseb. Fl. Brit. W. Ind. 257* = triplinervis.  
 Trinitatis, *Naud. in Ann. Sc. Nat. Sér. III. xvi.* (1851) 246 = minutiflora.  
 triplinervis, *Ruiz & Pav. Syst. Veg. i.* 105.—Peruv.  
 triseriata, *Naud. in Ann. Sc. Nat. Sér. III. xvi.* (1851) 145 = ferruginata.  
 tristis, *Spring, ex Mart. in Flora, xx.* (1837) II. Beibl. 76.—Bras.  
 truncata, *Triana, in Trans. Linn. Soc. xxviii.* (1871) 104.—Bras.  
 tuberculata, *Triana, l. c. 102*.—Am. trop.  
 tunicata, *Griseb. ex Triana, l. c. 115* = glaucescens.  
 tunicata, *Naud. in Ann. Sc. Nat. Sér. III. xvi.* (1851) 243.—Peruv.?  
 ulmarioides, *Naud. l. c. 211* = arbutifolia.  
 umbilicata, *Triana, in Trans. Linn. Soc. xxviii.* (1871) 131 = Melastoma umbilicata.  
 umbrifera, *Naud. in Ann. Sc. Nat. Sér. III. xvi.* (1851) 116.—Peruv.  
 undata, *Triana, in Trans. Linn. Soc. xxviii.* (1871) 107.—Bras.  
 urophylla, *DC. Prod. iii. 186*.—Bras.  
 urticoides, *Triana, in Trans. Linn. Soc. xxviii.* (1871) 123.—N. Granat.  
 uvifera, *Naud. in Ann. Sc. Nat. Sér. III. xvi.* (1851) 222.—Bolivia.  
 vaccinioides, *Naud. l. c. 233*.—Bras.  
 Valtherii, *Naud. l. c. 155*.—Bras.  
 velutina, *Triana, in Trans. Linn. Soc. xxviii.* (1871) 118.—N. Granat.  
 venustula, *Benth. ex Triana, l. c. 118* = brasiliensis.  
 vernicosa, *Naud. in Ann. Sc. Nat. Sér. III. xvi.* (1851) 191 = Thomasiana.  
 verruculosa, *Steud. ex Triana, in Trans. Linn. Soc. xxviii.* (1871) 120 = racemosa.  
 versicolor, *Naud. in Ann. Sc. Nat. Sér. III. xiv.* (1851) 189.—N. Granat.  
 verticillata, *Macfad. Fl. Jamaic. ii. 78*.—Jamaic.  
 verticillata, *Triana, in Trans. Linn. Soc. xxviii.* (1871) 117.—Bras.  
 verticilliflora, *Steud. ex Naud. in Ann. Sc. Nat. Sér. III. xvi.* (1851) 122.—N. Guin.  
 villosissima, *Crueg. in Linnaea, xx.* (1847) 109 = lacera.  
 virescens, *Triana, in Trans. Linn. Soc. xxviii.* (1871) 107.—Ind. occ.  
 vismioides, *Triana, l. c. 124*.—Bras.  
 vulcanica, *Naud. in Ann. Sc. Nat. Sér. III. xvi.* (1851) 213.—Ins. Guadalup.  
 Weddellii, *Naud. l. c. 144*.—Bras.  
 Willdenowii, *Klotzsch, ex Naud. l. c. 199*.—Bras.  
 Wrightii, *Triana, in Trans. Linn. Soc. xxviii.* (1871) 103.—Cuba.  
 Wydleriana, *DC. Mém. Mélast. 77* = impetolaris.

- MICONIASTRUM, *Naud. in Ann. Sc. Nat. Sér. III. xv.* (1851) 341 = *Tetrazygia*, *Rich. (Melastom.)*.  
 Lambertianum, *Naud. l. c. (= Miconia bicolor)*.—Jamaic.

- MICRACTIS, *DC. Prod. v. 619* (1836). *COM-POSITAE*, *Benth. & Hook. f. ii. 363*.  
 Bojeri, *DC. Prod. v. 620*.—Madag.

- MICRADENIA, *Miers, Apocyn. S. Am. 158* (1878) = *Dipladenia*, *A. DC. (Apocyn.)*.  
 acuminata, *Miers, l. c. 162* = *D. acuminata*.  
 atrovioleacea, *Miers, l. c. 159* = *D. atrovioleacea*.  
 crassinoda, *Miers, l. c. 158* = *D. crassinoda*.  
 fragrans, *Miers, l. c. 162* = *D. fragrans*.  
 hirsutula, *Miers, l. c. 160*.—Bras.  
 Martiana, *Miers, l. c. 161* = *D. Martiana*.  
 Moricandiana, *Miers, l. c. 162* = *D. Moricandiana*.  
 nodulosa, *Miers, l. c. 159* = *D. Martiana*.  
 Riedelii, *Miers, l. c. 160* = *D. Riedelii*.  
 Sellowii, *Miers, l. c. 161* = *D. Sellowii*.  
 splendens, *Miers, l. c. 163* = *D. splendens*.  
 urophylla, *Miers, l. c. 161* = *D. urophylla*.

- MICRAEA, *Miers, Trav. Chili, ii. 529* (1826). *GEN. DUB.*—Cf. *Benth. & Hook. f. ii. 803*.  
 pulchella, *Miers, Trav. Chili, ii. 529*, nomen.—Chili.

- MICRAIRA, *F. Muell. Fragm. v. 208* (1866).  
 GRAMINEAE, *Benth. & Hook. f. iii. 1156*.  
 subulifolia, *F. Muell. Fragm. v. 208*.—Austral.

- MICRAMPELIS, *Rafin. in Med. Repos. N. York, v.* (1808) 350 = *Sicyos*, *Linn. (Cucurb.)*.  
 echinata, *Rafin. l. c.* = *S. angulata*.

- MICRANDRA, *Benth. in Hook. Kew Journ. vi.* (1854) 371. *EUPHORBACEAE*, *Benth. & Hook. f. iii. 289*.  
 POGONOPHYLLUM, *Didr. in Kjoeb. Vidensk. Meddel.* (1857) 144.  
 bracteosa, *Muell. Arg. in Mart. Fl. Bras. xi. II. 290*.—Bras.  
 Cunuri, *Baill. ex Muell. Arg. in DC. Prod. xv. II. 1123* = *Cunuria Spruceana*.  
 elata, *Muell. Arg. in Linnaea, xxxiv.* (1865-66) 142.—Bras.  
 major, *Baill. Adansonia, iv.* (1863-64) 286 = siphonioides.  
 minor, *Benth. in Hook. Kew Journ. vi.* (1854) 372 = siphonioides.  
 siphonioides, *Benth. l. c. 371*.—Bras.

- MICRANDRA, *R. Br. in Benn. Pl. Jav. Rar. 237* (1844) = *Hevea*, *Aubl. (Euphorb.)*.  
 ternata, *R. Br. l. c.* = *H. discolor*.

- MICRANGELIA, *Fourn. in Ann. Soc. Linn. Lyon, N. S. xvi.* (1868) 388 = *Selinum*, *Linn. (Umbell.)*.  
 pyrenaea, *Fourn. l. c.* = *S. pyrenaeanum*.

- MICRANTHEA, *A. Juss. Tent. Euph. 24* (1824) = *Micrantheum*, *Desf. (Euphorb.)*.  
 hexandra, *Walp. Ann. i. 630*, sphalm. = *Micrantheum hexandrum*.

- MICRANTHELLA, *Naud. in Ann. Sc. Nat. Sér. III. xiii.* (1850) 347 = *Tibouchina*, *Aubl. (Melastom.)*.  
 Candollei, *Naud. l. c. 352* (= *Pleroma exappendiculatum*).—Peruv.  
 capitata, *Naud. l. c. 351* (= *Pleroma capitatum*).—Bolivia.  
 ciliaris, *Naud. l. c. 348* (= *Pleroma ciliare*).—N. Granat.  
 citrina, *Naud. l. c. 350* (= *Pleroma citrinum*).—Bolivia.  
 clinopodifolia, *Naud. l. c. 348* = *T. clinopodifolia*.  
 confertiflora, *Naud. l. c. 349* (= *Pleroma confertiflorum*).—Peruv.  
 Gayana, *Naud. l. c. 350* (= *Pleroma Gayanum*).—N. Granat.  
 havanensis, *Naud. l. c. 352* = *T. longifolia*.  
 hispida, *Naud. l. c. 349* = *T. longifolia*.  
 lanceolata, *Naud. l. c. 348* = *T. longifolia*.  
 latifolia, *Naud. l. c. 351* (= *Pleroma latifolium*).—Bolivia.  
 longifolia, *Naud. l. c. 352* = *T. longifolia*.  
 Orbignyana, *Naud. l. c. 350* (= *Pleroma Orbignyana*).—Bolivia.  
 rosea, *Naud. l. c. 349* = *T. longifolia*.  
 stenopetala, *Griseb. ex Triana, in Trans. Linn. Soc. xxviii.* (1871) 46 (= *Pleroma stenopetala*).—Am. austr.



**MICRANTHEMUM**, Michx. Fl. Bor. Am. i. 10. t. 2 (1803). *SCROPHULARINEAE*, Benth. & Hook. f. ii. 956.

*AMPHIOLANTHUS*, Griseb. Cat. Pl. Cub. 186 (1866). *GLOBIFERA*, J. F. Gmel. Syst. 32 (1791), nomen prius. *HEMIANTHUS*, Nutt. in Journ. Acad. Philad. i. (1817) 119. t. 6.

*PINARDA*, Vell. Fl. Flum. 23 (1825). *callitrichoides*, Wright, in Sawv. Fl. Cub. 101.—Cuba. *ciliolatum*, Wright, l. c. 102.—Cuba. *elatinoides*, Wright, l. c. 101.—Cuba. *emarginatum*, Ell. Sketch, 18 = orbiculatum. *indicum*, Hook. f. & Thoms. in Hook. Kew Journ. ix. (1857) 245 = *Bythophyton indicum*.

*micrantha*, Wood, Class-Book (1861), 525 = *Nuttallii*? *Nuttallii*, A. Gray, Man. Bot. N. U. St. ed. V. 331.—Am. bor.

*orbiculatum*, Michx. Fl. Bor. Am. i. 10. t. 2.—Am. bor. et austr.

*pilosum*, Ernst, in Flora, lvii. (1874) 215.—Venezuela. *reflexum*, Wright, in Sawv. Fl. Cub. 103.—Cuba. *rotundatum*, Griseb. Cat. Pl. Cub. 184.—Cuba. *tetrandum*, Wright, in Sawv. Fl. Cub. 102.—Cuba. *Tweedii*, Benth. in DC. Prod. x. 423 = orbiculatum.

**MICRANTHERA**, Choisy, in Mém. Soc. Hist. Nat. Par. i. (1823) 224. tt. 11, 12 = *Tovomita*, Aubl. (Guttif.). *clusiaefolia*, DC. Prod. i. 560 = seq. *clusioides*, Choisy, in Mém. Soc. Hist. Nat. Par. i. (1823) 224. tt. 11, 12 = *T. clusiaefolia*.

**MICRANTHES**, Bertol. in Mem. Acc. Sc. Bolog. ix. (1858) 172; (Misc. Bot. xix. 8. t. 4) = *Hoslundia*, Vahl (Labiata.).

*menthoides*, Bertol. ll. cc. = *H. decumbens*.

**MICRANTHES**, Haw. Syn. Pl. Succ. 320 (1812) = *Saxifraga*, Tourn.

*hieracifolia*, Haw. Rev. Saxif. Suppl. i. 4 = *S. pensylvanica*.

*hirta*, Haw. Enum. Saxif. 46 = *S. pensylvanica*.

*pensylvanica*, Haw. l. c. 45 = *S. pensylvanica*.

*semipubescent*, Haw. Syn. Pl. Succ. App. 321 = *S. pensylvanica*.

**MICRANTHEUM**, Desf. in Mém. Mus. Par. iv. (1818) 253. t. 14. *EUPHORBIACEAE*, Benth. & Hook. f. iii. 262.

*CALETIA*, Baill. Etud. Gén. Euph. 553. t. 26 (1858). *MICRANTHEA*, A. Juss. Tent. Euph. 24 (1824).

*boroniaceum*, F. Muell. Fragm. i. 32 = *ericoides*. *ericoides*, Desf. in Mém. Mus. Par. iv. (1818) 253. t. 14.—Austral.

*hexandrum*, Hook. f. in Hook. Lond. Journ. Bot. vi. (1847) 283.—Austral.

*inversum*, Panch. ex Baill. Adansonia, ii. (1861–62) 237 = *Phyllanthus Faguetti*.

*triandrum*, Hook. in Mitch. Journ. Trop. Austral. 342 = *Phyllanthus Mitchelli*.

**MICRANTHEUM**, Presl, Symb. Bot. i. 47 (1830) = *Trifolium*, Linn. (Legumin.).

*glomeratum*, Presl, l. c. 48 = *T. glomeratum*.

*suffocatum*, Presl, l. c. 48 = *T. suffocatum*.

**MICRANTHOS**, St. Lag. in Ann. Soc. Bot. Lyon, vii. (1880) 56 = seq.

**MICRANTHUS**, Eckl. Top. Verz. 43 (1827). *IRIDEAE*, Benth. & Hook. f. iii. 706.

*alopecuroideus*, Eckl. Top. Verz. 43.—Afr. austr.

*fistulosus*, Eckl. l. c. = *alopecuroideus*.

*plantagineus*, Eckl. l. c. = *alopecuroideus*.

*spicatus*, Heynh. Nom. ii. 405 = *Watsonia punctata*.

*triticeus*, Heynh. l. c. = *Watsonia punctata*.

**MICRANTHUS**, Loud. Hort. Brit. i. 314 (1830) = *MAR-CANTHUS*, Lour. = *Mucuna*, Adans. (Legumin.).

**MICRANTHUS**, Wendl. Bot. Beobacht. 38, 39 (1798) = *Phaylopsis*, Willd. (Acanthac.).

*oppositifolia*, Wendl. l. c. 39 = *P. parviflora*.

*serpyllifolius*, Roth, Nov. Pl. Sp. 282 = *P. parviflora*.

**MICRARGERIA**, Benth. in DC. Prod. x. 509 (1846). *SCROPHULARINEAE*, Benth. & Hook. f. ii. 971.

*GERARDIANELLA*, Klotzsch, in Peters, Reise Mos-samb. Bot. 229. t. 36 (1861).

*Wightii*, Benth. in DC. Prod. x. 509.—Ind. or.

**MICRASTER**, Harv. Gen. S. Afr. Pl. ed. II. 242 (1868) = *Brachystelma*, R. Br. (Asclep.).

*pulchellus*, Harv. l. c.—Afr. austr.

**MICRAUCHENIA**, Froel. in DC. Prod. vii. 239 (1838)

= *Lactuca*, Tourn. (Compos.).

*hispida*, Froel. l. c. = *L. Dubyaea*.

**MICRECHITES**, Miq. Fl. Ind. Bat. ii. 456 (1856). *APOCYNACEAE*, Benth. & Hook. f. ii. 714.

*elliptica*, Hook. f. Fl. Brit. Ind. iii. 671.—Reg. Himal. *polyantha*, Miq. Fl. Ind. Bat. ii. 457.—Java.

*Schrieckii*, Vidal, Phan. Cuming. Philipp. 26, 126.—Ins. Philipp.

**MICRELIIUM**, Forsk. Fl. Aegypt. Arab. 152 (1775) =

*Eclipta*, Linn. (Compos.).

*asteroides*, Forsk. l. c. 153 = *E. erecta*.

*Tolax*, Forsk. l. c. = *E. erecta*.

**MICROBLEPHARIS**, M. Roem. Syn. Pepon. 133, 200 (1846) = *Modecca*, Lam. (Passifl.).

*acuminata*, M. Roem. l. c. 200 = *Modecca acuminata*. *aliena*, M. Roem. l. c. 202 (Asclepiad.).—Ind. or.

*cordifolia*, M. Roem. l. c. = *Modecca cordifolia*. *heterophylla*, M. Roem. l. c. 200 = *Modecca hetero-*

*phylla*. *macrophylla*, M. Roem. l. c. 202 = *Modecca macro-*

*phylla*. *obtus*, M. Roem. l. c. 200 = *Modecca obtusa*.

*Wightiana*, M. Roem. l. c. = *Modecca Wightiana*.

**MICROCACHRYS**, Hook. f. in Hook. Lond. Journ. Bot. iv. (1845) 149. *CONIFERAE*, Benth. & Hook. f. iii. 433.

*tetragona*, Hook. f. in Hook. Lond. Journ. Bot. iv. (1845) 150.—Tasmania.

**MICROCAELIA**, Hochst. ex A. Rich. Tent. Fl. Abyss. ii. 285 (1851) = *Angraecum*, Thou. (Orchid.).

*taeniophyllum*, Hochst. ex A. Rich. l. c. = *A. Guyonianum*.

**MICROCALA**, Hoffmgg. & Link, Fl. Port. i. 359 (1806). *GENTIANAEAE*, Benth. & Hook. f. ii. 806.

*FRANQUEVILLIA*, Salisb. ex S. F. Gray, Nat. Arr. Brit. Pl. ii. 338 (1821).

*ISCHALEON*, Ehrh. Beitr. iv. 147 (1789).

*filiformis*, Colm. Cat. Pl. Cataluña, 108 = *Cicendia pusilla*.

*filiformis*, Hoffmgg. & Link, Fl. Port. i. 359.—Europ. *pulchella*, G. Don, Gen. Syst. iv. 213 = *Erythraea ramosissima*?

*pusilla*, G. Don, l. c. = *Cicendia pusilla*.

*quadrangularis*, Griseb. in DC. Prod. ix. 63.—Am. bor. et austr.

**MICROCALIA**, A. Rich. Fl. Nouv. Zél. 230. t. 30 (1832) = *Lagenophora*, Cass. (Compos.).

*australis*, A. Rich. l. c. 231 = *L. Forsteri*.

**MICROCARPAEA**, R. Br. Prod. 435 (1810). *SCROPHULARINEAE*, Benth. & Hook. f. ii. 957.

*alterniflora*, Blume, Bijdr. 744 = *muscosa*. *americana*, Spreng. Syst. i. 42 = *Herpestis chamae-*

*dryoides*. *cochlearifolia*, Sm. in Rees, Cycl. xxiii. n. 2 = *Peplidium humifusum*.

*cuneifolia*, Hook. ex Wall. Cat. n. 3196 = *Glossostigma spathulatum*.

*diandra*, Griff. Notul. iv. 101 = *Peplidium humifusum*? *montevidensis*, Spreng. Syst. i. 42 = *Scoparia flava*.

*muscosa*, R. Br. Prod. 436.—As. et Austral. trop. *spathulata*, Hook. Bot. Misc. ii. (1831) 101 = *Glossostigma spathulatum*.

**MICROCASIA**, Becc. in Bull. Soc. Tosc.ortic. iv. (1879) 180. *AROIDEAE*, Benth. & Hook. f. iii. 986.

*elliptica*, Engl. in Bull. Soc. Tosc.ortic. iv. (1879) 299.—Borneo.

*pygmaea*, Becc. l. c. 180, 299.—Borneo.

**MICROCERASUS**, M. Roem. Syn. Rosifl. 93 (1847) = *Prunus*, Tourn. (Rosac.).

*aspera*, M. Roem. l. c. 96 = *P. aspera*. *glandulosa*, M. Roem. l. c. 95 = *P. japonica*.

*humilis*, M. Roem. l. c. 94 = *P. prostrata*.

**MICROCERASUS**:—

*incana*, M. Roem. Syn. Rosifl. 94 = *Prunus pro-*

*strata*.

*incisa*, M. Roem. l. c. 95 = *P. incisa*.

*japonica*, M. Roem. l. c. = *P. japonica*.

*orientalis*, M. Roem. l. c. 96 = *P. microcarpa*.

*pectinata*, M. Roem. l. c. 94 = *P. Puddum*.

*Phoshia*, M. Roem. l. c. 93 = *P. Puddum*.

*prostrata*, M. Roem. l. c. = *P. prostrata*.

*sinensis*, M. Roem. l. c. 95 = *P. japonica*.

**MICROCHAETA**, Nutt. in Trans. Am. Phil. Soc. N. S. vii. (1841) 450 = *Lipochaeta*, DC. (Compos.).

*cavarum*, Walp. Rep. ii. 620, lapsu = *L. lavarum*. *connata*, Nutt. in Trans. Am. Phil. Soc. N. S. vii. (1841) 452 = *L. connata*.

*hastulata*, Walp. Rep. ii. 620 = *L. hastulata*. *integrifolia*, Nutt. in Trans. Am. Phil. Soc. N. S. vii. (1841) 451 = *L. integrifolia*.

*lanceolata*, Nutt. l. c. = *L. connata*. *lavarum*, Nutt. l. c. = *L. lavarum*.

*lobata*, Nutt. l. c. = *L. hastulata*. *procumbens*, Nutt. l. c. 452 = *Chrysogonum pro-*

*cumbens*. *strigulosa*, Nutt. l. c. = *Wedelia aristata*.

*succulenta*, Nutt. l. c. 451 = *L. succulenta*.

**MICROCHAETA**, Reichb. Nom. Ind. 192 (1841) = *Rynchospora*, Vahl (Cyperac.).

**MICROCHAETE**, Benth. Pl. Hartw. 209 (1845) = *Senecio*, Tourn. (Compos.).

*corymbosa*, Benth. l. c. 196.—N. Granat. *glabrata*, Benth. l. c. 210.—N. Granat.

*humilis*, Sch. Bip. in Flora. xxxviii. (1855) 121.—Reg. Magellan.

*pulchella*, Benth. Pl. Hartw. 210 = *S. pulchellus*. *teretifolia*, Benth. l. c. 209 = *S. teretifolius*?

*trichopus*, Benth. l. c. 210.—N. Granat. *vaccinioides*, Benth. l. c. = *S. vaccinioides*.

**MICROCHARIS**, Benth. in Trans. Linn. Soc. xxv. (1865) 297. t. 33. *LEGUMINOSAE*, Benth. & Hook. f. i. 501.

*angolensis*, Baker, in Oliver, Fl. Trop. Afr. ii. 162.—Afr. trop.

*latifolia*, Benth. in Trans. Linn. Soc. xxv. (1865) 298.—Afr. trop.

*tenella*, Benth. l. c. 297.—Afr. trop.

**MICROCHILUS**, Presl, Rel. Haenk. i. 94 (1827) = *Physurus*, Rich. (Orchid.).

*bifalcis*, D. Dietr. Syn. Pl. v. 166 = *P. bifalcis*. *Blumei*, D. Dietr. l. c. = *P. Blumei*.

*debilis*, D. Dietr. l. c. = *P. debilis*. *densiflorus*, D. Dietr. l. c. = *P. densiflorus*.

*foliosus*, D. Dietr. l. c. = *P. foliosus*. *hirtellus*, D. Dietr. l. c. = *P. hirtellus*.

*major*, Presl, Rel. Haenk. i. 94 = *P. Preslei*. *minor*, Presl, l. c. = *P. minor*.

*ovatus*, D. Dietr. Syn. Pl. v. 166 = *P. ovatus*. *pauciflorus*, D. Dietr. l. c. = *P. pauciflorus*.

*pictus*, D. Dietr. l. c. = *P. pictus*. *plantagineus*, D. Dietr. l. c. = *P. plantagineus*.

*querceticola*, D. Dietr. l. c. 167 = *P. querceticola*. *repens*, D. Dietr. l. c. 166 = *P. repens*.

*roseus*, D. Dietr. l. c. = *P. roseus*.

**MICROCHLAENA**, Wight & Arn. Prod. 70 (1834) = *Eriolaena*, DC. (Stercul.).

*flavescens*, Garcke, ex Mast. in Hook. f. Fl. Brit. Ind. i. 371 = *E. quinquelocularis*.

*quinquelocularis*, Wight & Arn. Prod. 71 = *E. quin-*

*quelocularis*. *spectabilis*, Endl. ex Walp. Rep. i. 351 = *E. spectabilis*.

**MICROCHLOA**, R. Br. Prod. 208 (1810). *GRAMINEAE*, Benth. & Hook. f. iii. 1163.

*abyssinica*, Hochst. in Flora, xxiv. (1841) i. *Intell.* 20, nomen; et in A. Rich. Tent. Fl. Abyss. ii. 404.—Abyss.

*caffra*, Nees, Fl. Afr. Austr. i. 246.—Afr. austr. *capensis*, Nees, ex Steud. Nom. ed. II. ii. 141 = *caffra*.

*elongata*, R. Br. in Wall. Cat. n. 3807.—Ind. or. *Kunthii*, Desv. Opusc. 75.—Am. trop.

*obtusiflora*, Benth. in Hook. Niger Fl. 565.—Afr. trop.

*setacea*, R. Br. Prod. i. 208.—Reg. trop.



**MICROCLISIA**, Benth. in Benth. & Hook. f. Gen. i. Pars Ima, Add. 435 (1862) = **Pleogyne**, Miers (Menisp.). *australis*, Benth. Fl. Austral. i. 59 = P. Cunninghamii.

**MICROCNUM**, Ung.-Sternb. in Atti Congr. Bot. Firenze, 1874 (1876), 280, 272. **CHENOPODIACEAE**, Benth. & Hook. f. iii. 66. *fastigiatum*, Ung.-Sternb. in Atti Congr. Bot. Firenze, 1874 (1876), 280.—Hispan.

**MICROCOCCA**, Benth. in Hook. Niger Fl. 503 (1849). **EUPHORBIACEAE**, Benth. & Hook. f. ii. 309. *Mercurialis*, Benth. in Hook. Niger Fl. 503.—As. et Afr. trop.

**MICROCOCOS**, Phil. in Bot. Zeit. xvii. (1859) 362 = **Jubaea**, H. B. & K. (Palm.). *chilensis*, Phil. l. c.; et in Anal. Univ. Chil. (1859) 651 = J. spectabilis.

**MICROCODON**, A. DC. Monog. Camp. 127. t. 19 (1830). **CAMPANULACEAE**, Benth. & Hook. f. ii. 556. *brevibracteatum*, Buck, ex Eckl. et Zeyh. Enum. 377 = glomeratum. *Candollianum*, Buck, l. c. = glomeratum, sparsiflorum. depressum, A. DC. in DC. Prod. vii. 422.—Afr. austr. *glomeratum*, A. DC. Monog. Camp. 127. t. 19.—Afr. austr. *hispidulum*, Sond. in Harv. & Sond. Fl. Cap. iii. 565 = depressum. *lineare*, Buck, ex Eckl. & Zeyh. Enum. 378.—Afr. austr. *longibracteatum*, Buck, l. c. 378 = Treichelia longibracteata. *pygmaeum*, Buck, l. c. 377 = glomeratum. sparsiflorum, A. DC. Monog. Camp. 128.—Afr. austr.

**MICROCOECIA**, Hook. f. in Proc. Linn. Soc. i. (1845) 278; et in Trans. Linn. Soc. xx. (1847) 209 = **Elvira**, Cass. (Compos.). *repens*, Hook. f. in Trans. Linn. Soc. l. c.—Ins. Galap.

**MICROCOELIA**, Lindl. Gen. et Sp. Orch. 60 (1830) = **Mystacidium**, Lindl. (Orchid.). *exilis*, Lindl. l. c. 61.—Madag.

**MICROCORYS**, R. Br. Prod. 502 (1810). **LABIATAE**, Benth. & Hook. f. ii. 1218. *ANISANDRA*, Bartl. in Lehm. Pl. Preiss. i. 361 (1845). *barbata*, R. Br. Prod. 502.—Austral. *brevidentis*, Benth. in DC. Prod. xii. 569 = glabra. *capitata*, Benth. l. c. 568.—Austral. *ericifolia*, Benth. l. c. 569.—Austral. *exserta*, Benth. Fl. Austral. v. 124.—Austral. *glabra*, Benth. in DC. Prod. xii. 569.—Austral. *lenticularis*, F. Muell. Fragm. vi. 118.—Austral. *loganiacea*, F. Muell. l. c.—Austral. *longiflora*, F. Muell. l. c.—Austral. *longifolia*, Benth. in DC. Prod. xii. 568.—Austral. *Macredieana*, F. Muell. Fragm. viii. 231.—Austral. *obovata*, Benth. in DC. Prod. xii. 569.—Austral. *parvifolia*, Benth. l. c. = ericifolia. *pimeloides*, F. Muell. Fragm. i. 156.—Austral. *purpurea*, R. Br. Prod. 502.—Austral. *selaginoides*, Bartl. in Lehm. Pl. Preiss. i. 363 = virgata. *subcanescens*, Benth. Fl. Austral. v. 123.—Austral. *tenuifolia*, Benth. l. c. 122.—Austral. *virgata*, R. Br. Prod. 502.—Austral.

**MICROCOS**, Burm. ex Linn. Diss. Dass. 20 (1747); Amoën. Acad. i. 130 (1749) = **Grewia**, Linn. (Tiliac.). *begoniifolia*, G. Don, Gen. Syst. i. 551 = G. begoniifolia. *glabra*, Jack, in Malay. Misc. i. (1820) n. 1. 14 = G. Microcos. *involucrata*, G. Don, Gen. Syst. i. 551 = G. involucrata. *lateriflora*, Linn. Sp. Pl. 514 = G. tiliifolia. *Mala*, Buch.-Ham. in Trans. Linn. Soc. xiii. (1822) 549 = G. Microcos. *paniculata*, Linn. Sp. Pl. 514 = G. Microcos. *scabra*, Sm. in Rees, Cycl. xxiii. n. 3 = G. scabra. *Stauntoniana*, G. Don, Gen. Syst. i. 551 = G. Microcos. *tomentosa*, Sm. in Rees, Cycl. xxiii. n. 2 = G. paniculata.

**MICROCYBE**, Turcz. in Bull. Soc. Nat. Mosc. xxv. (1852) ii. 166. **RUTACEAE**, Benth. & Hook. f. i. 293. *albiflora*, Turcz. in Bull. Soc. Nat. Mosc. xxv. (1852) ii. 167.—Austral. *multiflora*, Turcz. l. c. 166.—Austral. *pauciflora*, Turcz. l. c. 167.—Austral.

**MICROCYCAS**, A. DC. in DC. Prod. xvi. ii. 538 (1868). **CYCADACEAE**, Benth. & Hook. f. iii. 447. *calocoma*, A. DC. in DC. Prod. xvi. ii. 538.—Cuba.

**MICRODERIS**, DC. Prod. vii. 127 (1838) = **Pieris**, Linn. (Compos.). *filii*, Hochst. ex Seub. Fl. Azor. 34. t. 13 = P. filii. *rigens*, DC. Prod. vii. 128 = P. rigens. *umbellata*, Hochst. ex Seub. Fl. Azor. 33. t. 12. f. 2, 2a.—Ins. Azor.

**MICRODESMIS**, Hook. f. in Hook. Ic. Pl. t. 758 (1844). **EUPHORBIACEAE**, Benth. & Hook. f. iii. 287. **PENTABRACHION**, Muell. Arg. in Flora, xlvii. (1864) 532. *caseariaefolia*, Planch. ex Hook. Ic. Pl. sub t. 758.—Burma; Malaya. *puberula*, Hook. f. in Hook. l. c. t. 758.—Afr. trop.

**MICRODON**, Choisy, in Mém. Soc. Phys. Genève. ii. (1823) ii. 97 (Mém. Selag. 27). **SELAGINEAE**, Benth. & Hook. f. ii. 1129. **DALEA**, Gaertn. Fruct. i. 235. t. 51 (1788). *cylindricus*, E. Mey. Comm. Pl. Afr. Austr. 253.—Afr. austr. *linearis*, Choisy, in DC. Prod. xii. 23 = ovatus. *Linkii*, Walp. Rep. iv. 169.—Afr. austr. *lucidus*, Choisy, in Mém. Soc. Phys. Genève. ii. (1823) ii. 97.—Afr. austr. *orbicularis*, Choisy, in DC. Prod. xii. 22.—Afr. austr. *ovatus*, Choisy, in Mém. Soc. Phys. Genève. ii. (1823) ii. 97.—Afr. austr.

**MICRODONTA**, Nutt. in Trans. Am. Phil. Soc. N. S. vii. (1841) 369 = **Heterospermum**, Cav. (Compos.). *nana*, Nutt. l. c. 370.—Peruv.

**MICROELUS**, Wight & Arn. in Edinb. N. Phil. Journ. [xiv.] (Apr. 1833) 298 = **Bischofia**, Blume (Euphorb.). *Roeperianus*, Wight & Arn. l. c. = B. javanica.

**MICROGENETES**, A. DC. in DC. Prod. ix. 292 (1845) = **Phacelia**, Juss. (Hydroph.). *Cumingii*, A. DC. l. c. 293 = P. Cumingii.

**MICROGLOSSA**, DC. Prod. v. 320 (1836). **COMPOSITAE**, Benth. & Hook. f. ii. 282. **AMPHIRHAPIS**, DC. Prod. vii. 279 (1838). **FRIVALDIA**, Endl. Gen. 384 (1838). **HOMOSTYLUM**, Nees, in Linnaea, xviii. (1844) 513. *albescens*, C. B. Clarke, Comp. Ind. 59.—Reg. Himal. *altissima*, DC. Prod. v. 320 = Nidorella altissima. *angolensis*, Oliver & Hiern, in Oliver, Fl. Trop. Afr. iii. 309.—Afr. trop. *cabulica*, C. B. Clarke, Comp. Ind. 57 = albescens. *densiflora*, Hook. f. in Journ. Linn. Soc. vii. (1864) 200.—Afr. trop. *Griffithii*, C. B. Clarke, Comp. Ind. 58 = albescens. *hispida*, DC. Prod. v. 321 = Nidorella hispida. *mespiloides*, Benth. & Hook. f. Gen. ii. 282.—Afr. austr. *mikanoides*, Baker, in Journ. Linn. Soc. xx. (1883) 182.—Madag. *petiolaris*, DC. Prod. v. 321.—Afr. trop. *psidioides*, Baker, in Journ. Linn. Soc. xx. (1883) 182.—Madag. *sessilifolia*, DC. Prod. v. 320.—Madag. *volubilis*, DC. l. c.—As. trop. *zeylanica*, Benth. & Hook. f. Gen. ii. 282.—Ind. or.

**MICROGYNE**, Cass. in Dict. Sc. Nat. i. 493 (1827) = **Erioccephalus**, Linn. (Compos.).

**MICROGYNE**, Less. Syn. Comp. 190 (1832) = **Vittadinia**, Rich. (Compos.). *trifurcata*, Less. l. c. = V. trifurcata.

**MICROGYNOECIUM**, Hook. f. in Benth. & Hook. f. Gen. iii. 56 (1880). **CHENOPODIACEAE**, Benth. & Hook. f. l. c. *tibeticum*, Hook. f. in Herb. Kew.—Reg. Himal.

**MICROJAMBOSA**, Blume, Mus. Bot. Lugd. Bat. i. 117 (1849) = **Eugenia**, Linn. (Myrtac.). *besukiensis*, Hassk. ex Miq. Fl. Ind. Bat. Suppl. 311 (= *Jambosa buxifolia*).—Ins. Banca. *conferta*, Blume, Mus. Bot. Lugd. Bat. i. 118.—Borneo. *cuspidata*, Blume, l. c. 119.—Java. *ferruginea*, Blume, l. c. 118, in obs. = E. Thumra. *reticulata*, Blume, l. c. = E. mangifolia. *splendens*, Blume, l. c. 119.—Java. *trifida*, Blume, l. c. 118.—Sumatra.

**MICROKENTIA**, H. Wendl. ex Benth. & Hook. f. Gen. iii. 895 (1883). **PALMAE**, Benth. & Hook. f. l. c. *Billardieri*, Benth. & Hook. f. l. c.—N. Caled. *Deplanchei*, Benth. & Hook. f. l. c.—N. Caled. *eristachys*, Benth. & Hook. f. l. c.—N. Caled. *gracilis*, Benth. & Hook. f. l. c.—N. Caled. *Pancheri*, Benth. & Hook. f. l. c.—N. Caled. *scurculosa*, Benth. & Hook. f. l. c.—N. Caled.

**MICROLAENA**, R. Br. Prod. 210 (1810). **GRAMINEAE**, Benth. & Hook. f. iii. 1137. **DIPLAX**, Soland. ex Benn. Pl. Jav. Rar. 11 (1838). *avenacea*, Hook. f. Handb. N. Zeal. Fl. 320.—N. Zel. *distichophylla*, Rasp. in Ann. Sc. Nat. Sér. I. v. (1825) 296 = Tetrarrhena distichophylla. *Gunnii*, Hook. f. Fl. Tasm. ii. 105 = stipoides. *polynoda*, Hook. f. Handb. N. Zeal. Fl. 320.—N. Zel. *stipoides*, R. Br. Prod. 210.—Austral.; N. Zel. *tasmanica*, Hook. f. ex Benth. Fl. Austral. vii. 552.—Tasman.

**MICROLAENA**, Wall. Cat. n. 1173 (1832) = **Eriolaena**, DC. (Stercul.). *spectabilis*, Wall. l. c. = E. spectabilis.

**MICROLECANE**, Sch. Bip. ex Benth. & Hook. f. Gen. ii. 384 (1873). **COMPOSITAE**, Benth. & Hook. f. l. c. *abyssinica*, Benth. & Hook. f. ex Oliver, Fl. Trop. Afr. iii. 386.—Abyss.

**MICROLEPIDIUM**, F. Muell. in Linnaea, xxv. (1852) 371 = **Capsella**, Moench (Crucif.). *fenestratum*, F. Muell. ex Rupr. in Bull. Phys.-Math. Acad. Pétersb. xiv. (1856) 234 = C. procumbens. *pilosulum*, F. Muell. in Linnaea, xxv. (1852) 371 = C. pilosula.

**MICROLEPIS**, Eichw. Casp. Cauc. 2 (1831) = **Anabasis**, Linn. (Chenop.). *salsa*, Eichw. l. c. (= *Brachylepis salsa*).—Reg. Casp.

**MICROLEPIS**, Miq. Comm. Phytog. 71 (1839–40). **MELASTOMACEAE**, Benth. & Hook. f. i. 741. *Mosenii*, Cogn. in Mart. Fl. Bras. xiv. iii. 235 = quaternifolia, Miq. *oleaefolia*, Triana, in Trans. Linn. Soc. xxviii. (1871) 36. t. 2. f. 25.—Bras. *quaternifolia*, Cogn. in Mart. Fl. Bras. xiv. iii. 236.—Bras. *quaternifolia*, Miq. in Linnaea, xxii. (1849) 541.—Bras. *quaternifolia*, Triana, in Trans. Linn. Soc. xxviii. (1871) 36 = Trianaei. *Trianaei*, Cogn. in Mart. Fl. Bras. xiv. iii. 238.—Bras.

**MICROLEPIS**, Schrad. ex Nces, in Mart. Fl. Bras. ii. i. 157, 167 (1842) = **Cryptangium**, Schrad. et **Lagenocarpus**, Nees (Cyperac.). *bahiensis*, Schrad. l. c. = L. Martii. *elatior*, Schrad. l. c. = L. rigidus. *Minarum-Generalium*, Schrad. l. c. = C. Minarum. *rigidifolia*, Schrad. l. c. = L. topazinus.

**MICROLICIA**, D. Don, in Mem. Wern. Soc. iv. (1823) 301. **MELASTOMACEAE**, Benth. & Hook. f. i. 737. **IARAVAEA**, Scop. Introd. 215 (1777). *acuminata*, Naud. in Ann. Sc. Nat. Sér. III. iii. (1845) 179 = Chaetostoma acuminatum. *agrestis*, Cogn. in Mart. Fl. Bras. xiv. iii. 105.—Bras. *alsinefolia*, DC. Prod. iii. 117 = *Acisanthera alsinaefolia*.



**MICROLICIA:—**

- alternans*, Mart. ex Triana, in Trans. Linn. Soc. xxviii. (1871) 26 = serpyllifolia.  
*amplexicaulis*, Cogn. in Mart. Fl. Bras. xiv. III. 82.—Bras.  
*arenariaefolia*, Cham. in Linnaea, ix. (1834) 396 = multicaulis.  
*arenariaefolia*, DC. Prod. iii. 120.—Peruv.  
*aristata*, DC. Mém. Mélast. 30; et Prod. iii. 484 = setosa.  
*australis*, Baill. Hist. Pl. vii. 9. f. 12 = Lavoisiera australis.  
*avicularis*, Mart. ex Naud. in Ann. Sc. Nat. Sér. III. iii. (1845) 176.—Bras.  
*baccharoides*, Mart. ex Naud. l. c. 174.—Bras.  
*baccharoides*, Naud. l. c. xii. (1849) 245 = myrtifolia.  
*balsamifera*, Mart. Nov. Gen. et Sp. iii. 127, in obs.—Bras.  
*balsamifera*, Triana, in Trans. Linn. Soc. xxviii. (1871) 27, partim = lavoisieraeformis.  
*Benthamiana*, Triana, l. c. (Benthamiana).—Guian.  
*bivalvis*, DC. Prod. iii. 117 = Acisanthera brevifolia.  
*Blanchetiana*, Cogn. in Mart. Fl. Bras. xiv. III. 79 = lavoisieraeformis.  
*brevifolia*, DC. Prod. iii. 117 = Acisanthera trivalvis.  
*Burchelliana*, Cogn. in Mart. Fl. Bras. xiv. III. 88.—Bras.  
*canastrensis*, Naud. in Ann. Sc. Nat. Sér. III. iii. (1845) 174.—Bras.  
*cardiophora*, Naud. l. c. xii. (1849) 247.—Bras.  
*carnosula*, Naud. l. c. 242.—Bras.  
*castrata*, Naud. l. c. 230 = Chaetostoma castratum.  
*Chamaepitys*, Naud. l. c. iii. (1845) 185 = juniperina.  
*Chamissois*, Naud. l. c. xii. (1849) 263.—Bras.  
*chloracea*, Naud. l. c. 252 = insignis.  
*ciliosa*, Naud. l. c. iii. (1845) 179 = serrulata.  
*cinerea*, Cogn. in Mart. Fl. Bras. xiv. III. 86.—Bras.  
*Clausseniana*, Cogn. l. c. 54.—Bras.  
*confertiflora*, Naud. in Ann. Sc. Nat. Sér. III. iii. (1845) 176.—Bras.  
*cordata*, Cham. in Linnaea, ix. (1834) 390.—Bras.  
*cordata*, Naud. in Ann. Sc. Nat. Sér. III. xii. (1849) 249 = confertiflora.  
*crenulata*, Mart. Nov. Gen. et Sp. iii. 106. t. 251.—Bras.  
*cryptandra*, Naud. in Ann. Sc. Nat. Sér. III. iii. (1845) 175.—Bras.  
*cuneata*, Naud. l. c. 180.—Bras.  
*cupressina*, D. Don, in Mem. Wern. Soc. iv. (1823) 302.—Bras.  
*cuspidifolia*, Mart. Herb. Fl. Bras. n. 937, nomen; et ex Naud. in Ann. Sc. Nat. Sér. III. iii. (1845) 186.—Bras.  
*decipiens*, Naud. in Ann. Sc. Nat. Sér. III. xii. (1849) 232.—Bras.  
*decussata*, Naud. l. c. iii. (1845) 175.—Bras.  
*denudata*, Cogn. in Mart. Fl. Bras. xiv. III. 51.—Bras.  
*depauperata*, Naud. in Ann. Sc. Nat. Sér. III. xii. (1849) 253.—Bras.  
*doryphylla*, Naud. l. c. iii. (1845) 181.—Bras.  
*doryphylla*, Triana, in Trans. Linn. Soc. xxviii. (1871) 27 = parvifolia.  
*elegans*, Naud. in Ann. Sc. Nat. Sér. III. iii. (1845) 187.—Bras.  
*ericoides*, D. Don, in Mem. Wern. Soc. iv. (1823) 302.—Bras.  
*ericoides*, Mart. Herb. Fl. Bras. n. 915 = Martiana.  
*euphorbioides*, Mart. Nov. Gen. et Sp. iii. 107. t. 152.—Bras.  
*fasciculata*, Mart. Herb. Fl. Bras. n. 936.—Bras.  
*ferruginea*, Scheele, in Linnaea, xvii. (1843) 338.—Bras.  
*formosa*, Cham. in Linnaea, ix. (1834) 393.—Bras.  
*Francavillana*, Cogn. in Mart. Fl. Bras. xiv. III. 48.—Bras.  
*fulva*, Cham. in Linnaea, ix. (1834) 391 = serpyllifolia.  
*Gardneri*, Naud. in Ann. Sc. Nat. Sér. III. xii. (1849) 240 = vestita.  
*glabra*, DC. Prod. iii. 120.—Bras.  
*glossophylla*, Naud. in Ann. Sc. Nat. Sér. III. iii. (1845) 186 = formosa.  
*glutinosa*, Naud. l. c. 180.—Bras.  
*grandiflora*, Baill. Hist. Pl. vii. 34 = Lavoisiera grandiflora.  
*graveolens*, DC. Prod. iii. 119.—Bras.

**MICROLICIA:—**

- helvola*, Triana, in Trans. Linn. Soc. xxviii. (1871) 25 = hypericoides.  
*heterophylla*, Klotzsch, in Schomb. Faun. et Fl. Brit. Gui. 1016, 1100 = Rhynchanthera serrulata.  
*Hilariana*, Miq. in Linnaea, xxii. (1849) 537 = serpyllifolia.  
*Hilariana*, Naud. in Ann. Sc. Nat. Sér. III. iii. (1845) 178.—Bras.  
*hirsuta*, Triana, in Trans. Linn. Soc. xxviii. (1871) 25, in syn. = euphorbioides.  
*hirsutissima*, Naud. in Ann. Sc. Nat. Sér. III. iii. (1845) 182.—Bras.  
*hirto-ferruginea*, Naud. l. c. 176.—Bras.  
*hispidula*, Naud. l. c. 182.—Bras.  
*holosericea*, Naud. l. c.—Bras.  
*humilis*, Naud. l. c. 179.—Bras.  
*hypericoides*, Cham. in Linnaea, ix. (1834) 389.—Bras.  
*imbricata*, Cham. l. c. 395 = ericoides.  
*inquinans*, Naud. in Ann. Sc. Nat. Sér. III. iii. (1845) 172.—Bras.  
*insignis*, Cham. in Linnaea, ix. (1834) 388.—Bras.  
*insignis*, Naud. in Ann. Sc. Nat. Sér. III. iii. (1845) 183 = linifolia.  
*inundata*, DC. Prod. iii. 117 = Acisanthera inundata.  
*isophylla*, DC. l. c. 120.—Bras.  
*jungermannioides*, DC. l. c. 119.—Bras.  
*jungermannioides*, Naud. in Ann. Sc. Nat. Sér. III. iii. (1845) 173 = cordata.  
*juniperina*, A. St. Hil. Voy. Distr. Diam. i. 373.—Bras.  
*lanceaeflora*, DC. Prod. iii. 118 = Comolia lanceaeflora.  
*laniflora*, Baill. Adansonia, xii. (1877) 95 = Trembleya laniflora.  
*lavoisieraeformis*, Naud. in Ann. Sc. Nat. Sér. III. xii. (1849) 232.—Bras.  
*leucantha*, Naud. l. c. 239.—Bras.  
*Lhotzkyana*, Steud. Nom. ed. II. ii. 142.—Bras.  
*limnobios*, DC. Prod. iii. 117 = Acisanthera limnobios.  
*linifolia*, Cham. in Linnaea, ix. (1834) 395.—Bras.  
*linophylla*, D. Don, in Mem. Wern. Soc. iv. (1823) 301 = setosa.  
*loricata*, Naud. in Ann. Sc. Nat. Sér. III. iii. (1845) 188.—Bras.  
*macrophylla*, Naud. l. c. 173.—Bras.  
*marifolia*, D. Don, in Mem. Wern. Soc. iv. (1823) 303 = cordata.  
*marifolia*, Herb. Berol. ex Triana, in Trans. Linn. Soc. xxviii. (1871) 26 = serpyllifolia.  
*Martialis*, Naud. in Ann. Sc. Nat. Sér. III. xii. (1849) 248 = serpyllifolia.  
*Martiana*, O. Berg, ex Triana, in Trans. Linn. Soc. xxviii. (1871) 28.—Bras.  
*Maximowicziana*, Cogn. in Mart. Fl. Bras. xiv. III. 94.—Bras.  
*Melastoma*, Lhotzky & Manso, ex Walp. Rep. ii. 125 = insignis.  
*microphylla*, Cogn. in Mart. Fl. Bras. xiv. III. 55.—Bras.  
*minutiflora*, Cogn. l. c. 60.—Bras.  
*multicaulis*, Mart. Herb. Fl. Bras. n. 932, nomen.—Bras.  
*myrtifolia*, Naud. in Ann. Sc. Nat. Sér. III. xii. (1849) 245.—Bras.  
*myrtoidea*, Benth. in Hook. Journ. Bot. ii. (1840) 294 = Benthamiana.  
*myrtoidea*, Cham. in Linnaea, ix. (1834) 393.—Bras.  
*neglecta*, Cogn. in Mart. Fl. Bras. xiv. III. 118.—Bras.  
*oblongifolia*, Naud. in Ann. Sc. Nat. Sér. III. iii. (1845) 177 = euphorbioides.  
*obtusula*, Naud. l. c. 173.—Bras.  
*occidentalis*, Naud. l. c. xii. (1849) 235.—Bras.  
*oligantha*, Naud. l. c. 241.—Bras.  
*oxyanthera*, Naud. l. c. 230 = Chaetostoma oxyantherum.  
*pallida*, Cogn. in Mart. Fl. Bras. xiv. III. 49.—Bras.  
*parvifolia*, Naud. in Ann. Sc. Nat. Sér. III. iii. (1845) 177.—Bras.  
*passerina*, Naud. l. c. xii. (1849) 244 = myrtifolia.  
*peruviana*, Cogn. in Mart. Fl. Bras. xiv. III. 83.—Peruv.  
*pilosissima*, Cogn. l. c. 116.—Bras.  
*polystemma*, Naud. in Ann. Sc. Nat. Sér. III. iii. (1845) 179.—Bras.  
*Pseudoscoparia*, Cogn. in Mart. Fl. Bras. xiv. III. 60.—Bras.

**MICROLICIA:—**

- pulchella*, Cham. in Linnaea, ix. (1834) 392.—Bras.  
*pulchella*, Mart. Herb. Fl. Bras. n. 916 = isophylla.  
*pulchella*, Mart. l. c. n. 947 = serpyllifolia.  
*punctatissima*, DC. Prod. iii. 118 = Acisanthera punctatissima.  
*pusilla*, Cogn. in Mart. Fl. Bras. xiv. III. 53.—Bras.  
*recurva*, DC. Prod. iii. 118 = Acisanthera recurva.  
*Regeliana*, Cogn. in Mart. Fl. Bras. xiv. III. 92.—Bras.  
*Reichardtiana*, Cogn. l. c. 66.—Bras.  
*resinosa*, Mart. ex Triana, in Trans. Linn. Soc. xxviii. (1871) 27 = lavoisieraeformis.  
*resinosa*, Naud. in Ann. Sc. Nat. Sér. III. iii. (1845) 172. t. 7 = sincorensis.  
*Riedeliana*, Cogn. in Mart. Fl. Bras. xiv. III. 80.—Bras.  
*scoparia*, Cham. in Linnaea, ix. (1834) 394 = M. Pseudoscoparia.  
*scoparia*, DC. Prod. iii. 120.—Bras.  
*selaginea*, Naud. in Ann. Sc. Nat. Sér. III. iii. (1845) 188.—Bras.  
*Sellowiana*, Naud. l. c. xii. (1849) 257 = setosa.  
*Seringeana*, DC. Prod. iii. 119 = graveolens.  
*serpyllifolia*, D. Don, in Mem. Wern. Soc. iv. (1823) 302.—Bras.  
*serrulata*, Cham. in Linnaea, ix. (1834) 390.—Bras.  
*setosa*, DC. Prod. iii. 120.—Bras.  
*setosa*, Mart. Nov. Gen. et Sp. iii. t. 253. f. 1 = sub-setosa.  
*sincorensis*, Mart. l. c. 127 in obs.—Bras.  
*stenocladon*, Naud. in Ann. Sc. Nat. Sér. III. iii. (1845) 188 = cupressina.  
*stricta*, Cogn. in Mart. Fl. Bras. xiv. III. 93.—Bras.  
*subsetosa*, DC. Prod. iii. 119.—Bras.  
*subuliformis*, Naud. in Ann. Sc. Nat. Sér. III. iii. (1845) 185 = ericoides.  
*taxifolia*, Naud. l. c. 183.—Bras.  
*ternata*, Cogn. in Mart. Fl. Bras. xiv. III. 70.—Bras.  
*tetrasticha*, Cogn. l. c. 80.—Bras.  
*tomentella*, Naud. in Ann. Sc. Nat. Sér. III. iii. (1845) 174.—Bras.  
*trembleyaeformis*, Naud. l. c. 172.—Bras.  
*trichocalycina*, DC. Prod. iii. 120.—Bras.  
*uncata*, Cogn. in Mart. Fl. Bras. xiv. III. 64.—Bras.  
*variabilis*, Mart. ex DC. Prod. iii. 118 = Acisanthera variabilis.  
*variolosa*, DC. l. c. 119 = oligantha, euphorbioides, fasciculata.  
*variolosa*, Naud. in Ann. Sc. Nat. Sér. III. iii. (1845) 181 = oligantha.  
*venusta*, Mart. Herb. Fl. Bras. n. 938 = cordata.  
*venusta*, Naud. in Ann. Sc. Nat. Sér. III. iii. (1845) 177 = serpyllifolia.  
*vestita*, DC. Prod. iii. 119.—Bras.  
*viminalis*, Triana, in Trans. Linn. Soc. xxviii. (1871) 28.—Bras.  
*violacea*, DC. Prod. iii. 118 = Comolia violacea.  
*violacea*, Mart. Herb. Fl. Bras. n. 950 = Comolia lanceaeflora.  
*virgata*, Cogn. in Mart. Fl. Bras. xiv. III. 44.—Bras.  
*virgulata*, DC. ex Triana, in Trans. Linn. Soc. xxviii. (1871) 26 = serpyllifolia.  
*viscidula*, Cham. in Linnaea, ix. (1834) 387 = Comolia sessilis.  
*Warmingiana*, Cogn. in Mart. Fl. Bras. xiv. III. 47.—Bras.  
*Weddellii*, Naud. in Ann. Sc. Nat. Sér. III. xii. (1849) 251.—Peruv.

**MICROLOBIUM**, Liebm. in Kjoeb. Vidensk. Meddel. (1853) 104 = **Apoplanesia**, Presl (Legumin.).  
*glandulosum*, Liebm. 105 = A. paniculata.

**MICROLOBIUS**, Presl, Bot. Bemerk. 66 (1844); in Abh. Boehm. Ges. V. iii. (1845) 496. **LEGUMINOSAE**—Cf. Benth. & Hook. f. i. 465.  
*mimosoides*, Presl, Bot. Bemerk. 67.—Mexic.

**MICROLOMA**, R. Br. in Mem. Wern. Soc. i. (1809) 53. **ASCLEPIADEAE**, Benth. & Hook. f. ii. 747.  
*angustifolium*, Buch.-Ham. ex Hook. f. Fl. Brit. Ind. iv. 64 = Leptadenia Spartum.  
*calycinum*, E. Mey. Comm. Pl. Afr. Austr. 223.—Afr. austr.  
*glabratum*, E. Mey. l. c. 222.—Afr. austr.  
*incanum*, Decne. in DC. Prod. viii. 511.—Afr. austr.



**MICROLOMA** :—

- lineare, *R. Br. in Mem. Wern. Soc. i.* (1809) 53.—Afr. austr.  
*pyrotechnicum*, Spreng. Syst. i. 855 = *Leptadenia Spartum*.  
*sagittatum*, *R. Br. in Mem. Wern. Soc. i.* (1809) 53.—Afr. austr.

**MICROLONCHUS**, Cass. in Dict. Sc. Nat. xlv. 38 (1826) = **Centaurea**, Linn. (Compos.).

- albispinus*, Bunge, Del. Sem. Hort. Dorp. (1843) 8; et in Linnaea, xviii. (1844) 155.—Persia; Beluchist.  
*cichoraceus*, C. Koch, in Linnaea, xxiv. (1851) 416 = *C. salmantica*.  
*Clusii*, Spach, in Ann. Sc. Nat. Sér. III. iv. (1845) 166 = *C. salmantica*.  
*Delestrii*, Spach, in Ann. Sc. Nat. Sér. III. iv. (1845) 164.—Afr. bor.  
*Delilianus*, Spach, l. c. 165 = *C. salmantica*.  
*divaricatus*, DC. Prod. vi. 562 = *Volutarella divaricata*.  
*Duriaei*, Spach, in Ann. Sc. Nat. Sér. III. iv. (1845) 166.—Reg. Mediterr.  
*elatus*, Spach, l. c. 168 = *C. salmantica*?  
*gracilis*, Pomel, Nouv. Mat. Fl. Atl. 280.—Alger.  
*isernianus*, J. Gay & Webb, ex Graells, in Mem. Acad. Cienc. Madr. ii. (1859) 466 = *C. Janerii*.  
*leptolochus*, Spach, in Ann. Sc. Nat. Sér. III. iv. (1845) 168.—Afr. bor.  
*minimus*, Boiss. Fl. Orient. iii. 701.—Persia.  
*oligochaetus*, Boiss. l. c. —As. Min.; Persia.  
*papposus*, Spach, in Ann. Sc. Nat. Sér. III. iv. (1845) 167.—Hab.?  
*persicus*, DC. Prod. vi. 563 = *C. Candolleana*.  
*Reboudii*, Pomel, Nouv. Mat. Fl. Atl. 279, in obs.—Alger.  
*salmanticus*, DC. Prod. vi. 563 = *C. salmantica*.  
*spinulosus*, Rouy, in Bull. Soc. Bot. Fr. xxxi. (1884) 277, nomen.—Hispan.  
*strictus*, Pomel, Nouv. Mat. Fl. Atl. 279.—Alger.  
*tenellus*, Spach, in Ann. Sc. Nat. Sér. III. iv. (1845) 165 = *C. salmantica*.  
*valdemorensis*, Cut. Fl. Madrid, 420 = *Duriaei*.  
*ysernianus*, J. Gay & Webb, ex Graells, Ind. Pl. Nov. 7, vide *isernianus*.

**MICROLOPHIUM**, Fourr. in Ann. Soc. Linn. Lyon, N. S. xvii. (1869) 195 = **Polygala**, Tourn.

*exile*, Fourr. l. c. = *P. exilis*.

**MICROLOPHUS**, Cass. in Dict. Sc. Nat. xlv. 37 (1826) = **Centaurea**, Linn. (Compos.).

*alatus*, Cass. l. c. liv. 491 = *C. Behen*.

**MICROMELES**, Decne. in Nouv. Arch. Mus. Par. Sér. I. x. (1874) 168 = **Pyrus**, Tourn. (Rosac.).

- castaneifolia*, Decne. l. c. 169 = *P. castaneifolia*.  
*Griffithii*, Decne. l. c. 170 = *P. Griffithii*.  
*khassiana*, Decne. l. c. 169 = *P. khasiana*.  
*rhannoides*, Decne. l. c. = *P. rhannoides*.  
*verrucosa*, Decne. l. c. = *P. cuspidata*.

**MICROMELUM**, Blume, Bijdr. 137 (1825). **RUTA-CEAE**, Benth. & Hook. f. i. 303.

- ceylanicum*, Wight, Illustr. i. 109, in obs. = *pubescens*?  
*coriaceum*, Seem. Fl. Vit. 32.—N. Caled.  
*diversifolium*, Miq. Ann. Mus. Bot. Lugd. Bat. i. 211.—Malaya.  
*glabrescens*, Benth. in Hook. Lond. Journ. Bot. ii. (1843) 212 = *pubescens*.  
*glabrescens*, Villar, in Blanco, Fl. Philipp. ed. III. Nov. App. 36 = *tephrocarpum*.  
*hirsutum*, Oliver, in Journ. Linn. Soc. v. Suppl. ii. (1861) 40.—Burma; Malaya.  
*integerrimum*, Wight & Arn. l. c. 448; Seem. Mission to Viti, 434 = *pubescens*.  
*molle*, Turcs in Bull. Soc. Nat. Mosc. xxxi. (1858) i. 380.—Ins. Philipp.  
*monophyllum*, Wight, Illustr. i. t. 42 = *Paramignya monophylla*.  
*octandrum*, Turcs in Bull. Soc. Nat. Mosc. xxxvi. (1863) i. 578.—Cochinch.  
*pubescens*, Blume, Bijdr. 138.—As. trop.; Ins. Pacif.  
*tephrocarpum*, Turcs in Bull. Soc. Nat. Mosc. xxxi. (1858) i. 379.—Ins. Philipp.  
*timoriense*, Zipp. ex Span. in Linnaea, xv. (1841) 178 = *pubescens*.

**MICROMERIA**, Benth. in Bot. Reg. sub t. 1282 (1829). **LABIATAE**, Benth. & Hook. f. ii. 1188.

- APOZIA*, Willd. ex Benth. in Linnaea, xi. (1837) 328.  
*CUSPIDOCARPUS*, Spenn. in T. Nees, Gen. Fl. Germ. Gamop. ii. n. 18 (1843).  
*MICRONEMA*, Schott, in Oestr. Bot. Wochenbl. (1857) 95.  
*PIPERELLA*, Presl, Fl. Sic. p. xxxvii (1826).  
*SABBATIA*, Moench, Meth. 386 (1794).  
*TENDANA*, Reichb. f. Ic. Fl. Germ. xviii. 39. t. 1271 (1858).  
*XENOPOMA*, Willd. in Ges. Naturf. Fr. Berl. Mag. v. (1811) 399.  
*ZYGIS*, Desv. in Ham. Prod. Pl. Ind. Occ. 46 (1825).  
*abyssinica*, Benth. in DC. Prod. xii. 224.—Arab.; Abyssin.  
*affinis*, Hook. f. in Hook. Lond. Journ. Bot. vi. (1847) 274 = *Mentha serpyllifolia*.  
*alternipilosa*, C. Koch, in Linnaea, xix. (1847) 25 = *Satureia alternipilosa*.  
*approximata*, Reichb. Fl. Germ. Excurs. 859.—Europ. austr.  
*arkansana*, Benth. Lab. Gen. et Sp. 730 = *Calamintha Nuttallii*.  
*australis*, Benth. l. c. 380 = *Mentha australis*.  
*barbata*, Boiss. & Kotschy, Diagn. Ser. II. iv. 14 = *serpyllifolia*, Boiss.  
*barbata*, Fisch. & Mey. Ind. Sem. Hort. Petrop. viii. 67 = *Douglasii*.  
*Barceloi*, Willk. in Oestr. Bot. Zeitschr. xxv. (1875) 111 = *approximata*.  
*Benthami*, Webb & Berth. Phyt. Canar. iii. 77. t. 159.—Ins. Canar.  
*biflora*, Benth. Lab. Gen. et Sp. 378.—Ind. or.; Arab.; Afr. trop.  
*boliviana*, Benth. l. c. 731.—Bolivia.  
*bonariensis*, Fisch. & Mey. Ind. Sem. Hort. Petrop. x. 56.—Reg. Argent.  
*Bourgaeana*, Webb, ex C. Bolle, in Bonplandia, viii. (1860) 283.—Ins. Canar.  
*bracteolata*, Benth. Lab. Gen. et Sp. 371.—Am. bor.  
*Brownei*, Benth. l. c. 372.—Am. bor. et austr.  
*Buchii*, Webb & Berth. Phyt. Canar. t. 161 = *Linkii*.  
*byzantina*, Walp. Ann. iii. 251 = *Calamintha Nepeta*.  
*Calvertii*, Boiss. Fl. Orient. iv. 571 = *elliptica*.  
*canescens*, Benth. Lab. Gen. et Sp. 376.—Sicil.  
*canescens*, Walp. Ann. iii. 251 = *Calamintha Nepeta*.  
*capitellata*, Benth. in DC. Prod. xii. 218.—Ind. or.  
*congesta*, Boiss. & Haussk. ex Boiss. Fl. Orient. iv. 575.—Cataonia.  
*cordata*, Moris, Diagn. Stirp. Sard. Nov. 2; ex ej. Fl. Sard. iii. 285.—Sardin.  
*cosentina*, Terrac. in Nuov. Giorn. Bot. v. (1873) 227 = *graeca*.  
*cremnocephala*, Boiss. & Heldr. ex Boiss. Fl. Orient. iv. 570.—Graecia.  
*cristata*, Griseb. Spicil. Fl. Rumel. ii. 122.—Graecia; As. Min.; Syria.  
*croatica*, Schott, in Oestr. Bot. Wochenbl. vii. (1857) 93.—Croatia.  
*Cunninghamii*, Benth. Lab. Gen. et Sp. 730 = *Mentha Cunninghamii*.  
*cymuligera*, Boiss. & Haussk. ex Boiss. Fl. Orient. iv. 569.—Cataonia.  
*cyprica*, Kotschy, in Unger, Cypern, 270 = *graeca*.  
*dalmatica*, Benth. in DC. Prod. xii. 225.—Thracia.  
*dalmatica*, Fenzl, Cat. Sem. Hort. Vindob. (1851); in Mem. Ist. Venet. vi. (1856) 247 = *Mentha Pulegium*.  
*Darwinii*, Benth. in DC. Prod. xii. 222.—Patagon.  
*debilis*, Pomel, Nouv. Mat. Fl. Atl. 122.—Alger.  
*densiflora*, Benth. Lab. Gen. et Sp. 375.—Ins. Canar.  
*Douglasii*, Benth. l. c. 372 (*Douglasii*).—Am. bor. occ.  
*elliptica*, C. Koch, in Linnaea, xxi. (1848) 669.—Armenia.  
*eugenioides*, Hieron. in Bol. Acad. Nac. Córdoba, iv. (1881) 413.—Reg. Argent.  
*Fenzlii*, Regel, Ind. Sem. Hort. Petrop. (1866) 93 = *Mentha Pulegium*.  
*filiculis*, Schott & Kotschy, in Tchihat. Asie Min. Bot. ii. 131, nomen.—As. Min.  
*filiformis*, Benth. Lab. Gen. et Sp. 378.—Reg. Mediterr.  
*flagellaris*, Baker, in Journ. Linn. Soc. xx. (1883) 232.—Madag.  
*Fontanesii*, Pomel, Nouv. Mat. Fl. Atl. 123.—Alger.  
*Forbesii*, Benth. Lab. Gen. et Sp. 376.—Ins. Cap. Virid.

**MICROMERIA** :—

- Forskählei*, Benth. Lab. Gen. et Sp. 379.—Arab.  
*Gilliesii*, Benth. l. c. 381.—Chili.  
*glabella*, Benth. l. c. 371 = *Calamintha glabella*.  
*gracilis*, Benth. l. c. 380 = *Mentha gracilis*.  
*graeca*, Benth. l. c. 373.—Graecia; As. Min.  
*helianthemifolia*, Webb & Berth. Phyt. Canar. iii. 79.—Ins. Canar.  
*herpyllomorpha*, Webb & Berth. l. c. 72. t. 155.—Ins. Canar.  
*hirsuta*, Nym. Consp. 590 = *Juliana*.  
*hirsuta*, Mazzar. ex Nym. l. c. = *nervosa*.  
*hispida*, Boiss. & Heldr. Diagn. Ser. I. xii. 48.—Ins. Creta.  
*Hydaspidis*, Falc. ex Benth. in DC. Prod. xii. 224.—Reg. Himal.  
*hyssopifolia*, Webb & Berth. Phyt. Canar. iii. 72 = *varia*.  
*inodora*, Benth. Lab. Gen. et Sp. 375.—Afr. bor.  
*japonica*, Miq. Ann. Mus. Bot. Lugd. Bat. ii. 106.—Japon.  
*Juliana*, Benth. Lab. Gen. et Sp. 373.—Reg. Mediterr. or.  
*julianoides*, Webb & Berth. Phyt. Canar. iii. 78. t. 160.—Ins. Canar.  
*lachnophylla*, Webb & Berth. l. c. 73. t. 156.—Ins. Canar.  
*lanata*, Benth. Lab. Gen. et Sp. 731.—Ins. Canar.  
*lanata*, Benth. l. c. 374 = *Benthami*.  
*lasiophylla*, Webb & Berth. Phyt. Canar. iii. 74 = *varia*.  
*lepida*, Webb & Berth. l. c. 74. t. 157.—Ins. Canar.  
*libanotica*, Boiss. Diagn. Ser. I. xii. 50.—Syria.  
*Linkii*, Webb & Berth. Phyt. Canar. iii. 79.—Ins. Canar.  
*longiflora*, Tod. ex Nym. Consp. 590 = *graeca*.  
*longifolia*, Scheele, in Linnaea, xxii. (1849) 593.—Dalmatia.  
*lycia*, Stapf, in Denkschr. Acad. Wien, l. (1885) 94.—Lycia.  
*macrosiphon*, Coss. in Bull. Soc. Bot. Fr. xxvii. (1850) 72.—Marocc.  
*madagascariensis*, Baker, in Journ. Bot. xx. (1882) 244.—Madag.  
*Malcolmiana*, Benth. ex Hook. f. Fl. Brit. Ind. iv. 650 = *capitellata*.  
*marifolia*, Benth. Lab. Gen. et Sp. 382.—Europ. austr.  
*marifolia*, Benth. l. c., partim = *serpyllifolia*.  
*microphylla*, Benth. l. c. 377.—Reg. Mediterr.  
*mollis*, Benth. in DC. Prod. xii. 225.—Mesopot.  
*montana*, Reichb. Fl. Germ. Excurs. 311 = *Satureia montana*.  
*myrtifolia*, Boiss. & Hohen. Diagn. Ser. I. v. 19 = *M. Juliana*.  
*nervosa*, Benth. Lab. Gen. et Sp. 376.—Reg. Mediterr.  
*nubigena*, Benth. l. c. 381.—Peruv.  
*nummularifolia*, Boiss. Diagn. Ser. I. xii. 49.—Syria.  
*Nuttallii*, Torr. & Gray, ex Benth. in DC. Prod. xii. 230 = *Calamintha Nuttallii*.  
*obovata*, Benth. Lab. Gen. et Sp. 381.—Ind. occ.  
*odora*, Hieron. in Bol. Acad. Nac. Córdoba, iv. (1881) 413.—Reg. Argent.  
*organifolia*, Benth. in DC. Prod. xii. 214 = *Calamintha organifolia*.  
*organifolia*, Boiss. Fl. Orient. iv. 575 = *dalmatica*.  
*ovata*, Beck. ex Hook. f. Fl. Brit. Ind. iv. 650 = *biflora*.  
*ovata*, Benth. Lab. Gen. et Sp. 377.—Abyssin.  
*parviflora*, Reichb. Fl. Germ. Excurs. 859.—Dalmatia.  
*Perezii*, C. Bolle, in Bonplandia, viii. (1860) 282.—Ins. Canar.  
*perforata*, Miq. Ann. Mus. Bot. Lugd. Bat. ii. 106.—Japon.  
*persica*, Boiss. Diagn. Ser. I. vii. 48.—Persia.  
*Piperella*, Benth. Lab. Gen. et Sp. 379.—Europ. austr.  
*Piperella*, Panč. ex Nym. Consp. 591 = *croatica*?  
*plumosa*, Buck, Cand. Ind. iii. 297; Heldr. ex Nym. Consp. 590 = *nervosa*.  
*polioides*, Webb & Berth. Phyt. Canar. iii. 76. t. 158.—Ins. Canar.  
*Preauxii*, Webb & Berth. l. c. 75 = *varia*.  
*pubescens*, Boiss. & Kotschy, ex Boiss. Fl. Orient. iv. 571 = *elliptica*.  
*pulchella*, Wedd. Chlor. And. ii. 151.—Chili.  
*Pulegium*, Benth. Lab. Gen. et Sp. 382.—Banat.  
*punctata*, Benth. l. c. 378.—Abyssin.  
*purpurea*, A. Gray, in Bot. Calif. i. 595.—Calif.  
*pygmaea*, Reichb. Fl. Germ. Excurs. 311 = *Satureia montana*.  
*Quartinianna*, A. Rich. Tent. Fl. Abyss. ii. 190.—Abyssin.



**MICROMERIA** :—

*Reinholdi*, Helder. ex Boiss. Fl. Orient. iv. 570 = *M. Juliana*.  
*repens*, Hook. f. in Hook. Lond. Journ. Bot. vi. (1847) 274 = *Mentha serpyllifolia*.  
*Rodriguezii*, Freyn & Janka, in Oestr. Bot. Zeitschr. xxiv. (1874) 16 = *nervosa*.  
*rupestris*, Benth. in DC. Prod. xii. 225.—Europ. austr. Rutenbergiana, *Vatke*, in *Bremen*, Abh. ix. (1885) 135.—Madag.  
*satureioides*, Benth. Lab. Gen. et Sp. 380 = *Mentha sareioides*.  
*Schimperi*, *Vatke*, in *Linnaea*, xxxvii. (1871–73) 326.—Abyssin.  
*serpyllifolia*, Boiss. Diagn. Ser. II. iv. 13.—As. Min.; Syria.  
*serpyllifolia*, Schlecht. in *Linnaea*, xxii. (1849) 593.—Dalmatia; Creta.  
*serpyllimorpha*, Benth. in DC. Prod. xii. 217 = *herpyllomorpha*.  
*sessilis*, Benth. Fl. Austral. v. 84, sphalm. = *Mentha serpyllifolia*.  
*sicula*, Nym. Consp. 590 = *graeca*.  
*sinaica*, Benth. Lab. Gen. et Sp. 380.—Arab.  
*sphaciotica*, Boiss. & Helder. ex Benth. in DC. Prod. xii. 220 = *microphylla*.  
*sphaerophylla*, Baker, in *Journ. Linn. Soc.* xx. (1883) 232.—Madag.  
*spicata*, Reichb. Fl. Germ. Excurs. 311 = *Satureia cuneifolia*.  
*spicigera*, C. Koch, in *Linnaea*, xvii. (1843) 295 = *Satureia alternipilosa*.  
*spicigera*, Walp. Ann. iii. 251 = *serpyllifolia*.  
*staminea*, Boiss. & Helder. Diagn. Ser. I. v. 19 = *Calamintha staminea*.  
*stolonifera*, Benth. Lab. Gen. et Sp. 371.—Mexic; subcordata, *Vis.* ex Benth. l. c. 379.—Dalmatia.  
*Teneriffae*, Benth. Lab. Gen. et Sp. 378.—Ins. Teneriffa.  
*tenuifolia*, Benth. in DC. Prod. xii. 215; Terrac. in *Nouv. Giorn. Bot.* v. (1873) 226 = *graeca*.  
*tenuifolia*, Reichb. Fl. Germ. Excurs. 311 = *parviflora*.  
*tenuis*, Benth. Lab. Gen. et Sp. 731 = *Benthami*.  
*tenuis*, Benth. l. c. 374 = *lanata*.  
*tenuis*, Link, in *Webb & Berth. Phyt. Canar.* iii. 75.—Ins. Canar.  
*terebinthinacea*, Webb & Berth. l. c. 80 = *Teneriffae*.  
*teydenis*, C. Bolle, in *Bonplandia*, viii. (1860) 282.—Ins. Canar.  
*Thymbra*, Kostel. Allg. Med.-Pharm. Flora, iii. 763 = *Satureia Thymbra*.  
*thymoides*, De Not. *Prosp. Fl. Ligust.* 54.—Italia.  
*thymoides*, Webb & Berth. Phyt. Canar. iii. 71 = *varia*.  
*Tragothymus*, Webb & Berth. l. c. iii. 73 = *varia*.  
*unguentaria*, Schweinf. *Beitr. Fl. Aethiop.* 124.—Abyssin.  
*varia*, Benth. Lab. Gen. et Sp. 374.—Ins. Canar.  
*variegata*, Reichb. Fl. Germ. Excurs. 859 = *Satureia montana*.  
*xalapensis*, Benth. Lab. Gen. et Sp. 372 = *Brownei*.  
*xylophiza*, Boiss. & Helder. Diagn. Ser. I. xii. 49 = *cristata*.

**MICROMYRTUS**, Benth. in Benth. & Hook. f. Gen. i. 700 (1865). *MYRTACEAE*, Benth. & Hook. f. l. c. Drummondii, Benth. Fl. Austral. iii. 64.—Austral.  
*elobata*, Benth. l. c.—Austral.  
*imbricata*, Benth. l. c.—Austral.  
*leptocalyx*, Benth. l. c. 65.—Austral.  
*microphylla*, Benth. l. c.—Austral.  
*minutiflora*, Benth. l. c.—Austral.  
*racemosa*, Benth. l. c. 64.—Austral.

**MICRONEMA**, Schott, in Oestr. Bot. Wochenbl. (1857) 95 = *Micromeria*, Benth. (Labiata).  
*Piperella*, Schott, l. c. = *M. Piperella*.

**MICRONOMA**, H. Wendl. ex Benth. & Hook. f. Gen. iii. 882 (1883). *PALMARUM*, genus dubium.

**MICRONYCHIA**, Oliver, in Hook. Ic. Pl. xiv. 27. t. 1337 (1881). *ANACARDIACEAE*.  
*madagascariensis*, Oliver, l. c.—Madag.

**MICROPEPLIS**, Bunge, in Mém. Sav. Etr. Pétersb. vii. (1847) 474 (Rel. Lehm. 295) = *Halogeton*, C. A. Mey. (Chenop.).  
*arachnoidea*, Bunge, l. c. = *H. arachnoideus*.

**MICROPERA**, Dalz. in Hook. Kew Journ. iii. (1851) 282 = *Saccolabium*, Blume (Orchid.).  
*maculata*, Dalz. l. c. (= *Sarcophilus maculatus*).—Ind. or.  
*viridiflora*, Dalz. l. c. = *S. viridiflorum*.

**MICROPERA**, Lindl. Bot. Reg. sub t. 1522 (1832) = *Sarcophilus*, R. Br. (Orchid.).  
*Banksii*, Heynh. Nom. i. 523, nomen.—N. Zel.  
*media*, Heynh. Nom. i. 523, nomen.—Austral.  
*pallida*, Lindl. in Bot. Reg. sub t. 1522.—Ind. or.  
*pallida*, Lindl. in Wall. Cat. n. 7321, partim = *Sarcanthus secundus*.  
*parviflora*, Heynh. Nom. i. 523, nomen = *Sarcophilus parviflorus*.

**MICROPETALON**, Pers. Syn. i. 509 (1805) = *Stellaria*, Linn. (Caryoph.).  
*gramineum*, Pers. l. c. = *S. longifolia*.  
*lanceolatum*, Pers. l. c. = *S. borealis*.  
*lanuginosum*, Pers. l. c. = *Arenaria lanuginosa*.

**MICROPEUCE**, Gord. Pinet. Suppl. 13 (1862) = *Tsuga*, Carr. (Conif.).  
*Brunonianana*, Carr. Conif. ed. II. 247 = *T. Brunonianana*.  
*Sieboldii*, Gord. Pinet. Suppl. 13 = *T. Sieboldii*.

**MICROPHOENIX**, Naud. ex Carr. in Rev. Hort. (1885) 513. *PALMAE* (hybrida).  
*decipiens* ×, Naud. ex Carr. l. c.  
*Sahuti* ×, Carr. l. c.

**MICROPHYTES**, Phil. Fl. Atac. 20. t. 1 F (1868). *CARYOPHYLLAEAE*, Benth. & Hook. f. i. 154.  
*lanuginosa*, Phil. in *Linnaea*, xxx. (1859–60) 209.—Chili.  
*litoralis*, Phil. Fl. Atac. 20.—Chili.

**MICROPHYSA**, Naud. in Ann. Sc. Nat. Sér. III. xvi. (1851) 99. *MELASTOMACEAE*, Benth. & Hook. f. i. 767.  
*quadrialata*, Naud. in Ann. Sc. Nat. Sér. III. xvi. (1851) 99.—Peruv.  
*rotundifolia*, Triana, in *Trans. Linn. Soc.* xxviii. (1871) 141.—Bras.

**MICROPHYSA**, Schrenk, in Bull. Phys.-Math. Acad. Pétersb. ii. (1844) 115 = *Galium*, Linn. (Rubiace.).  
*galioides*, Schrenk, l. c. 116.—Soongaria.

**MICROPHYSCA**, Benth. & Hook. f. Gen. i. 767 (1867) (sphalm.) = *praec.*

**MICROPHYTON**, Fourr. in Ann. Soc. Linn. Lyon, N. S. xvi. (1868) 362 = *Trifolium*, Linn. (Legumin.).  
*glomeratum*, Fourr. l. c. = *T. glomeratum*.  
*suffocatum*, Fourr. l. c. = *T. suffocatum*.

**MICROPIPER**, Miq. in Bull. Sc. Phys. Nat. Néerl. (1839) 447 = *Peperomia*, Ruiz & Pav. (Piperac.).  
*alatum*, Miq. Comm. Phyt. 52, in obs. = *P. alata*.  
*bilineatum*, Miq. l. c. 59. t. 8 = *P. bilineata*.  
*blandum*, Miq. l. c. 54 = *P. blanda*?  
*Blattarium*, Miq. l. c. 52, in obs. = *Piper Blattarium*.  
*Blumei*, Miq. l. c. 53. t. 8. f. G = *P. polystachya*.  
*candidum*, Miq. l. c. 58. t. 8 = *P. candida*.  
*convexum*, Miq. l. c. 60. t. 8 = *P. convexa*.  
*exiguum*, Miq. l. c. 55. t. 9 = *P. exigua*.  
*laevifolium*, Miq. l. c. 56. t. 9 = *P. laevifolia*.  
*Langsdorffii*, Miq. l. c. 52. t. 8. f. F = *P. Langsdorffii*.  
*macrostachyum*, Miq. l. c., in obs. = *P. macrostachya*.  
*melanostigma*, Miq. l. c. 51 = *P. melanostigma*.  
*nervoso-venosum*, Miq. l. c. 57. t. 8 = *P. nervoso-venosa*.  
*pellucidum*, Miq. l. c. 54 = *P. pellucida*.  
*pusillum*, Miq. l. c. 62. t. 5 = *P. reflexa*.  
*recurvatum*, Miq. l. c. 61. t. 9 = *P. recurvata*.  
*subrotundum*, Miq. l. c. 59. t. 8 = *P. Reinwardtiana*.  
*tenellum*, Klotzsch, ex Miq. Fl. Ind. Bat. i. ii. 432 = *P. exigua*.  
*tomentosum*, Miq. Comm. Phyt. 63. t. 9 = *P. tomentosa*.  
*trinerve*, Miq. l. c. 52, in obs. = *P. trinervis*.

**MICROPLEURA**, Lag. in Ocios Esp. Emigr. iv. (1825) 347, adnot. (Obs. Aparasol. 15). *UMBELLIFERAE*, Benth. & Hook. f. i. 873.  
*renifolia*, Lag. in Ocios Esp. Emigr. iv. (1825) 347, adnot.—Ins. Chiloe.

**MICROPODIUM**, Reichb. Consp. 185 (1828) = *Brassica*, Tourn. (Crucif.).

**MICROPOGON**, 'Spreng.' ex Pfeiff. Nom. ii. 310 (1874), cum cit. falsa; an *Microchloa*, R. Br. (Gramin.)?

**MICROPSIS**, DC. Prod. v. 459 (1836). *COMPOSITAE*, Benth. & Hook. f. ii. 298.  
*LASIOPHYTON*, Hook. & Arn. in Hook. Journ. Bot. iii. (1841) 44.  
*nana*, DC. Prod. v. 460.—Chili.

**MICROPTOLEA**, Spach, in Ann. Sc. Nat. Sér. II. xv. (1841) 358 = *Ulmus*, Linn. (Urtic.).  
*parvifolia*, Spach, l. c. 359 = *U. parvifolia*.

**MICROPTERYX**, Walp. in *Linnaea*, xxiii. (1850) 739 = *Erythrina*, Linn. (Legumin.).  
*Crista-galli*, Walp. l. c. 740 = *E. Crista-galli*.  
*fasciculata*, Walp. Ann. ii. 425 = *E. Crista-galli*.  
*laurifolia*, Walp. l. c. 425; et in Otto & Dietr. Allg. Gartenz. xix. (1851) 50 = *E. Crista-galli*.  
*Poeppigiana*, Walp. in *Linnaea*, xx. iii. (1850) 740 = *E. Micropteryx*.  
*reticulata*, Walp. l. c. 741 = *E. reticulata*.  
*stricta*, Walp. l. c. 740 = *E. stricta*.  
*suberosa*, Walp. l. c. = *E. suberosa*.  
*sublobata*, Walp. l. c. = *E. suberosa*.

**MICROPUS**, Linn. Gen. ed. I. 359 (1737). *COMPOSITAE*, Benth. & Hook. f. ii. 297.  
*ANCISTROCARPHUS*, A. Gray, in Proc. Am. Acad. vii. (1868) 355.  
*GNAPHALODES*, Adans. Fam. ii. 118 (1763).  
*amphibolus*, A. Gray, in Proc. Am. Acad. xvii. (1881–82) 214.—Calif.  
*angustifolius*, Nutt. in Trans. Am. Phil. Soc. N. S. vii. (1841) 339 = *californicus*.  
*bombycinus*, Lag. Gen. et Sp. Nov. 32.—Reg. Mediterr.  
*brevissimus*, Walp. Rep. ii. 600 = *Psilocarphus brevissimus*.  
*californicus*, Fisch. & Mey. Ind. Sem. Hort. Petrop. ii. 42.—Am. bor. occ.  
*caulescens*, Walp. Ann. ii. 842 = *Psilocarphus caulescens*.  
*conyzaeus*, Dubois, Méth. ed. II. 386 = *erectus*.  
*discolor*, Pers. Syn. ii. 423 = *bombycinus*.  
*erectus*, Linn. Sp. Pl. ed. I. Add. post Ind.—Europ.  
*erectus*, Tenore, ex Nym. Consp. 395 = *bombycinus*.  
*exiguus*, Urv. in Mém. Soc. Linn. Par. i. (1822) 365 = *Evax exigua*.  
*globiferus*, Bert. in Merc. Chil. 1829; ex Am. Journ. Sc. xxiii. (1833) 254 (= *Psilocarphi* sp.)—Chili.  
*Grayanus*, Hemsl. Biol. Centr. Am. Bot. ii. 135 = *Stylocline micropoides*.  
*heterophyllus*, Nutt. in Journ. Acad. Philad. N. S. i. (1847) 178.—Calif.  
*longifolius*, Boiss. & Reut. in Boiss. Fl. Orient. iii. 241.—Oriens.  
*mareoticus*, Spreng. Syst. iii. 499 = *Filago mareotica*.  
*minimus*, DC. Prod. v. 461 = *Evax multicaulis*.  
*multicaulis*, Dubois, Méth. ed. II. 386.—Europ.  
*oregonus*, Walp. Rep. ii. 600 = *Psilocarphus oregonus*.  
*pygmaeus*, Desf. Fl. Atlant. ii. 307 = *Evax umbellata*.  
*supinus*, Linn. Sp. Pl. 927.—Reg. Mediterr.  
*tenellus*, Walp. Rep. ii. 600 = *Psilocarphus tenellus*.

**MICROPYRUM**, Link, in *Linnaea*, xvii. (1843) 397 = *Festuca*, Linn. (Gramin.).  
*tenellum*, Link, l. c. 398 = *F. Poa*.

**MICROPYXIS**, Duby, in DC. Prod. viii. 71 (1844) = *Centunculus*, Dill. (Primul.).  
*elongata*, Duby, l. c.—Bolivia.  
*ovalis*, Phil. in Anal. Univ. Chil. (1856) 161 = *C. pentandrus*.  
*pumila*, Duby, in DC. Prod. viii. 72 = *C. pentandrus*.  
*rubricaulis*, Duby, l. c.—Madag.  
*tenella*, Wight, Ic. t. 1585 = *C. pentandrus*.

**MICRORHAMNUS**, A. Gray, Pl. Wright. i. 33 (1852). *RHAMNEAE*, Benth. & Hook. f. i. 376.  
*RHAMNELLA*, Miq. Ann. Mus. Bot. Lugd. Bat. iii. 30 (1867).  
*ericoides*, A. Gray, Pl. Wright. i. 34.—Mexic.  
*franguloides*, Maxim. in Mém. Acad. Pétersb. Sér. VII. x. n. xi. (1866) 4.—Japon.



MICRORHINUM, Fourr. in Ann. Soc. Linn. Lyon, N. S. xvii. (1869) 127 = **Linaria**, Tourn. (Scrophul.).  
*minus*, Fourr. l. c. = *L. viscida*.

MICRORHYNCHUS, Less. Syn. Comp. 139 (1832) = **Launaea**, Cass. (Compos.).  
*acaulis*, Kurz, in Journ. As. Soc. Beng. xvi. (1877) II. 208 = *Crepis acaulis*.  
*altissimus*, Steud. Nom. ed. II. ii. 143, nomen.—Arab.  
*arabicus*, Jaub. & Spach, Illustr. iii. 107. t. 277 = *L. nudicaulis*.  
*asplenifolius*, DC. Prod. vii. 181 = *L. asplenifolia*.  
*bellidifolius*, DC. l. c. = *L. bellidifolia*.  
*Brunneri*, Walp. Ann. ii. 976 = *Sonchus Brunneri*.  
*chondrilloides*, C. B. Clarke, Comp. Ind. 277 = *L. chondrilloides*.  
*chondrilloides*, Sch. Bip. in Webb & Berth. Phyt. Canar. ii. 485, nomen = *Prenanthes chondrilloides*.  
*Dregeanus*, DC. Prod. vii. 181 = *L. bellidifolia*.  
*fallax*, Jaub. & Spach, Illustr. iii. 106. t. 276 = *L. nudicaulis*.  
*glaber*, Wight, Ic. t. 1145 = *Crepis acaulis*.  
*glomeratus*, Jaub. & Spach, Illustr. iii. 105 = *L. glomerata*.  
*nudicaulis*, Less. Syn. Comp. 139 = *L. nudicaulis*.  
*octophyllus*, Hochst. ex Oliver, Fl. Trop. Afr. iii. 452 = *Lactuca goraeensis*.  
*patens*, DC. Prod. vii. 181 = *Lactuca Heyneana*.  
*pentaphyllus*, Hochst. ex Oliver, Fl. Trop. Afr. iii. 451 = *Lactuca taraxacifolia*.  
*picridioides*, Walp. Ann. i. 463 (= *Rhabdothera picridioides*).—Ins. Cap. Virid.  
*sarmentosus*, DC. Prod. vii. 181 = *L. pinnatifida*.  
*secundus*, C. B. Clarke, Comp. Ind. 276 = *L. secunda*.  
*spinosa*, Benth. & Hook. f. Gen. ii. 529 = *L. spinosa*.  
*surinamensis*, Miq. in Versl. Medel. Kon. Nederl. Inst. 1842 (1843) 204.—Guian.

MICRORYNCHUS, Sch. Bip. in Linnaea, xv. (1841) 725 = *praece*.

MICROSACCUS, Blume, Bijdr. 367 (1825). **ORCHIDEAE**, Benth. & Hook. f. iii. 582.  
*javensis*, Blume, Bijdr. 367.—Java.

MICROSCHWENKIA, Benth. ex Hemsl. Biol. Centr. Am. Bot. ii. 438 (1882) = **Melananthus**, Walp. (Solanae.).  
*guatemalensis*, Benth. ex Hemsl. l. c. = *Mel. dipyrrenoides*.

MICROSCIADIUM, Boiss. in Ann. Sc. Nat. Sér. III. i. (1844) 141. **UMBELLIFERAE**, Benth. & Hook. f. i. 892.  
**CYMINUM**, Boiss. in Ann. Sc. Nat. Sér. III. i. (1844) 142, in syn.  
*tenuifolium*, Boiss. l. c. 142.—As. Min.

MICROSCIADIUM, Hook. f. in Hook. Lond. Journ. Bot. vi. (1847) 468 [bis] = **Azorella**, Lam. (Umbell.).  
*cuneifolium*, F. Muell. in Hook. Kew Journ. vii. (1855) 378 = *A. cuneifolia*.  
*Saxifraga*, Hook. f. in Hook. Lond. Journ. Bot. vi. (1847) 468 [bis] = *A. Saxifraga*.

MICROSECHIUM, Naud. in Ann. Sc. Nat. Sér. V. vi. (1866) 25. **CUCURBITACEAE**, Benth. & Hook. f. i. 838.  
*guatemalense*, Hemsl. Diagn. Pl. Nov. 16 = *ruderales*.  
*Helleri*, Cogn. in DC. Monog. Phan. iii. 910 = *ruderales*.  
*palmatum*, Cogn. l. c. 911.—Mexic.  
*ruderales*, Naud. in Ann. Sc. Nat. Sér. V. vi. (1866) 25.—Mexic.

MICROSELINUM, Andr. ex Trautv. in Act. Hort. Petrop. viii. (1883) 407, nomen. **UMBELLIFERAE**.  
*Besseri*, Andr. l. c. (Quid?).—Rossia.

MICROSEMMA, Labill. Sert. Austro-Caled. 58. t. 57 (1824). **TERNSTROEMIAEAE**, Benth. & Hook. f. i. 187.

MICROSTEMMA, Reichb. Consp. 208 (1828).  
*Balansac*, Baill. *Adansonia*, xi. (1876), 367.—N. Caled.  
*cernua*, Baill. l. c. = *N. Caled.*  
*salicifolia*, Labill. Sert. Austro-Caled. 58. t. 57.—N. Caled.

VOL. II.

MICROSEPALA, Miq. Fl. Ind. Bat. Suppl. 444 (1860) **Baccaurea**, Lour. (Euphorb.).  
*acuminata*, Miq. l. c. = *B. acuminata*.

MICROSERIS, D. Don, in Phil. Mag. xi. (Apr. 1832) 388. **COMPOSITAE**, Benth. & Hook. f. ii. 506.

BELLARDIA, Colla, in Mem. Acc. Torin. xxxviii. (1835) 40. t. 34.

CALAIS, DC. Prod. vii. 85 (1838).

FICHTEA, Sch. Bip. in Linnaea, x. (1836) 255.

GALASIA, Sch. Bip. in Pollichia, xxii-xxiv. (1866) 310.

LEPIDONEMA, Fisch. & Mey. Ind. Sem. Hort. Petrop. i. 31 (1835).

MYCROSERIS, Hook. & Arn. in Hook. Comp. Bot. Mag. ii. (1836) 250.

PHYLLLOPAPPUS, Walp. in Linnaea, xiv. (1840) 507.

PTILOPHORA, A. Gray, in Mem. Am. Acad. N. S. iv. (1849) (Pl. Fendl.) 112.

SCORONELLA, Nutt. in Trans. Am. Phil. Soc. N. S. vii. (1841) 426.

UROPAFFUS, Nutt. l. c. (1841) 424.

*acuminata*, Greene, in Bull. Torrey Bot. Club, x. (1883) 88.—Calif.

*aphantocarpha*, Sch. Bip. in Pollichia, xxii-xxiv. (1866) 308.—Calif.

*attenuata*, Greene, in Bull. Torrey Bot. Club, ix. (1882) 111.—Calif.

*Bigelowii*, Sch. Bip. in Pollichia, xxii-xxiv. (1866) 308.—Calif.

*Bolanderi*, A. Gray, in Proc. Am. Acad. xix. (1883) 64.—Am. bor. occ.

*borealis*, Sch. Bip. in Pollichia, xxii-xxiv. (1866) 310 = *Leontodon borealis*.

*cuspidata*, Sch. Bip. l. c. 309 = *Troximon cuspidatum*.

*cyclocarpha*, Sch. Bip. l. c. 308 = *Douglasii*.

*Douglasii*, Sch. Bip. l. c. —Calif.

*elegans*, Greene, ex A. Gray, Syn. Fl. N. Am. i. II. 419.—Calif.

*ericarpha*, Sch. Bip. in Pollichia, xxii-xxiv. (1866) 308 = *Douglasii*.

*Forsteri*, Hook. f. Fl. N. Zel. 151.—Austral.; N. Zel.

*Howellii*, A. Gray, in Proc. Am. Acad. xx. (1855) 300.—Am. bor. occ.

*laciniata*, Sch. Bip. in Pollichia, xxii-xxiv. (1866) 309.—Am. bor. occ.

*lanceolata*, Sch. Bip. l. c. 310 = *Forsteri*.

*leptosepala*, A. Gray, in Proc. Am. Acad. ix. (1874) 209; xix. (1883) 64.—Am. bor. occ.

*leptosepala*, A. Gray, l. c. 209, partim = *Bolanderi*.

*Lindleyi*, A. Gray, l. c. 210.—Calif.

*linearifolia*, Sch. Bip. in Pollichia, xxii-xxiv. (1866) 308.—Am. bor. occ.

*macrochaeta*, Sch. Bip. l. c. 309.—Am. bor. occ.

*major*, Sch. Bip. l. c. —Am. bor. occ.

*nutans*, Sch. Bip. l. c. —Am. bor. occ.

*Parryi*, Sch. Bip. l. c. —Calif.

*platycarpha*, Sch. Bip. l. c. 308.—Calif.

*procera*, A. Gray, in Proc. Am. Acad. xix. (1883) 64.—Calif.

*pygmaea*, D. Don, in Phil. Mag. (Apr. 1832) 388.—Chili.

*scapigera*, Sch. Bip. in Pollichia, xxii-xxiv. (1866) 310 = *Forsteri*.

*sylvatica*, Sch. Bip. l. c. 309.—Calif.

*tenella*, Sch. Bip. l. c. 308 = *aphantocarpha*.

*troximoides*, A. Gray, in Proc. Am. Acad. ix. (1874) 211.—Am. bor. occ.

MICROSPERMA, Hook. Ic. Pl. t. 234 (1839) = **Mentzelia**, Linn. (Loaseae).

*bartonoides*, Walp. Rep. v. 777 = *Ment. gronoviaefolia*.

*grandiflora*, Groenl. in Rev. Hortic. (1861) 349.—Mexic.

*lobata*, Hook. Ic. Pl. t. 234 = *Ment. lobata*.

*rudis*, S. Schau. in Linnaea, xx. (1847) 721 = *Ment. lobata*.

MICROSPERMUM, Lag. Gen. et Sp. Nov. 25 (1816). **COMPOSITAE**, Benth. & Hook. f. ii. 407.

MIRADORIA, Sch. Bip. ex Benth. & Hook. f. l. c. (1873).

*debile*, Benth. Pl. Hartw. 64.—Mexic.

*nummulariaefolium*, Lag. Gen. et Sp. Nov. 25.—Mexic.

MICROSPLENIUM, Hook. f. in Benth. & Hook. f. Gen. ii. 4 (1873). **CAPRIFOLIACEAE**, Benth. & Hook. f. l. c.

*Coulteri*, Hook. f. l. c. —Mexic.

MICROSTACHYS, A. Juss. Euph. Tent. 48. t. 15 (1824) = **Sebastiania**, Spreng. (Euphorb.).

*bicornis*, A. Juss. l. c. 49. t. 15 = *S. corniculata*.

*Chamaelea*, Juss. l. c. = *S. Chamaelea*.

*corniculata*, Juss. l. c. = *S. corniculata*.

*crotonoides*, Klotzsch, ex Benth. in Hook. Kew Journ. vi. (1854) 325 = *S. corniculata*.

*daphnoides*, Muell. Arg. in Linnaea, xxxii. (1863) 91 = *S. daphnoides*.

*fruticulosa*, Karst. Fl. Columb. ii. 33 = *S. corniculata*.

*guianensis*, Klotzsch, in Hook. Lond. Journ. Bot. ii. (1843) 45 = *S. corniculata*.

*hastata*, Klotzsch, ex Baill. *Adansonia*, v. (1864-65) 324, nomen = *S. ditassoides*.

*marginata*, Klotzsch, ex Muell. Arg. in Linnaea, xxxii. (1863) 90 = *S. marginata*.

*Mercurialis*, Dalz. & Gibs. Bomb. Fl. 227 = *Claoxylon Mercurialis*.

*micrantha*, Benth. in Hook. Kew Journ. vi. (1854) 326 = *S. corniculata*.

*polymorpha*, Muell. Arg. in Linnaea, xxxii. (1863) 91 = *S. corniculata*.

*ramosissima*, A. St. Hil. Pl. Réim. Brés. 242 = *S. brasiliensis*.

*serrulata*, Muell. Arg. in Linnaea, xxxii. (1863) 90 = *S. serrulata*.

*sessilifolia*, Muell. Arg. l. c. 95 = *S. ditassoides*.

*stipulacea*, Klotzsch, ex Baill. *Adansonia*, v. (1864-65) 325 = *S. stipulacea*.

*Vahllei*, A. Rich. Fl. Cub. Fanerog. ii. 202 = *S. corniculata*.

*virgata*, Muell. Arg. in Linnaea, xxxii. (1863) 94 = *S. virgata*.

MICROSTEGIUM, Nees, in Lindl. Introd. Nat. Syst. ed. II. 447 (1836) = **Pollinia**, Trin. (Gramin.).

*Willdenovianum*, Nees, l. c. = *P. imberbis*.

MICROSTEIRA, Baker, in Journ. Linn. Soc. xx. (1883) 111. **MALPIGHIACEAE**.

*Curtisii*, Baker, l. c. —Madag.

MICROSTEMMA, R. Br. in Mem. Wern. Soc. i. (1809) 25. **ASCLEPIADEAE**, Benth. & Hook. f. ii. 778.

*glabriflorum*, F. Muell. Fragm. i. 58.—Austral.

*tuberosum*, R. Br. Prod. 459.—Austral.

MICROSTEMMA, Reichb. Consp. 208 (1828) = **Microsemma**, Labill. (Ternstroem.).

MICROSTEMON, Engl. Bot. Jahrb. i. (1881) 376. **ANACARDIACEAE**.

*velutina*, Engl. l. c.; et in DC. Monog. Phan. iv. 294.—Malacca.

MICROSTEPHIUM, Less. in Linnaea, vi. (1831) 92 = **Cryptostemma**, R. Br. (Compos.).

*niveum*, Less. l. c. = *C. niveum*.

MICROSTIGMA, Trautv. Pl. Imag. 36. t. 25 (1844) = **Matthiola**, R. Br. (Crucif.).

*Bunget*, Trautv. l. c. = *M. deflexa*.

MICROSTYLIS, Nutt. Gen. Am. ii. 196 (1818). **ORCHIDEAE**, Benth. & Hook. f. iii. 494.

**ACHROANTHES**, Rafin. in Desv. Journ. Bot. ii. (1809) 17.

**CREPIDIUM**, Blume, Bijdr. 387 (1825).

**DIENIA**, Lindl. in Bot. Reg. sub t. 825 (1824).

**PEDILEA**, Lindl. Orch. Scel. 27 (1826).

**PTEROCHILUS**, Hook. & Arn. Bot. Beech. Voy. 71. t. 17 (1832).

*atropurpurea*, Miq. Fl. Ind. Bat. iii. 625 (*Liparidis* sp.).—Java.

*bella*, Reichb. f. in Illustr. Hortic. xxxii. (1885) t. 581 = *Rheedi*, Lindl.

*Bernaysii*, F. Muell. Fragm. xi. 21 = *congesta*.

*biaurita*, Lindl. in Wall. Cat. n. 1941.—Reg. Himal.

*biloba*, Lindl. l. c. n. 1940 = *Wallichii*.

*brachypoda*, A. Gray, in Ann. Lyc. N. York, iii. (1828-36) 228 = *monophylla*.

*brachystachys*, Reichb. f. in Linnaea, xxii. (1849) 834.—Mexic.

*calophylla*, Reichb. f. in Gard. Chron. (1875) II. 718.—Malava.

*cardiophylla*, Reichb. f. in Flora, lxxviii. 1885: 543.—Ins. Comoro.

h h



**MICROSTYLIS** :—

- carinata, *Reichb. f. in Walp. Ann.* vi. 207.—Ins. Philipp.  
 caulescens, *Lindl. Bot. Reg.* (1841) sub t. 1.—Peruv.  
 chlorophrys, *Reichb. f. in Gard. Chron.* (1881) i. 266.—Borneo.  
*cochleariaefolia*, *Reichb. f. in Linnaea*, xxii. (1849) 834 = *ichthyorrhyncha*.  
*commelynifolia*, *Zoll. & Mor. in Nat. en Geneesk. Arch. Neêrl. Indie*, i. (1844) 402.—Java.  
 congesta, *Reichb. f. in Walp. Ann.* vi. 206.—As. et Austral. trop.  
 cordata, *Reichb. f. l. c.* 207.—Mexic.  
 corymbosa, *S. Wats. in Proc. Am. Acad.* xviii. (1882-83) 195.—Arizona.  
 crispata, *Reichb. f. in Walp. Ann.* vi. 207.—Mexic.  
 crispifolia, *Reichb. f. Beitr. Orch. Centr. Am.* 100.—Costa Rica.  
 cylindrostachya, *Reichb. f. in Walp. Ann.* vi. 207.—Reg. Himal.  
*decurrens*, *Miq. Fl. Ind. Bat.* iii. 625 (= *Platystylis decurrens*).—Java.  
*diphyllous*, *Lindl. Gen. et Sp. Orch.* 19 = *monophyllos*.  
 discolor, *Lindl. l. c.* 20.—Zeylan.  
 disepala, *Reichb. f. in Linnaea*, xxvi. (1853-55) 142.—Venezuela.  
 Ehrenbergii, *Reichb. f. l. c.* xxii. (1849) 835.—Mexic.  
 excavata, *Lindl. Bot. Reg.* (1838), *Misc.* 51.—Mexic.  
 fastigiata, *Reichb. f. in Linnaea*, xxii. (1849) 834.—Mexic.  
*flavescens*, *Lindl. Gen. et Sp. Orch.* 20 = *congesta*.  
 floridana, *Chapman, Fl. S. U. St.* 454.—Florida.  
 fusca, *Reichb. f. in Walp. Ann.* vi. 207 = *congesta*.  
 Godefroyi, *Reichb. f. Otia Bot. Hamb.* 37.—Cambodia.  
 hastilabia, *Reichb. f. Beitr. Orch. Centr. Am.* 101.—Am. centr.; Bras.  
 hitionantha, *Link, Klotzsch & Otto, Ic. Pl. Rar. Hort. Berol.* 11. t. 5.—Nicaragua.  
 ichthyorrhyncha, *Reichb. f. Beitr. Orch. Centr. Am.* 99.—Mexic.  
 japonica, *Miq. Ann. Mus. Bot. Lugd. Bat.* ii. 203.—Japan.  
 Josephiana, *Reichb. f. in Hook. Bot. Mag.* t. 6325.—Reg. Himal.  
 lagotis, *Reichb. f. Beitr. Orch. Centr. Am.* 101.—Costa Rica.  
 lancifolia, *Thw. Enum. Pl. Zeyl.* 297.—Zeylan.  
 Lowi, *E. Morr. in Belg. Hortic.* xxxiv. (1884) 281. t. 14. f. 3.—Borneo.  
*luteola*, *Wight, Ic. t.* 1632 = *versicolor*.  
 macrostachya, *Lindl. Gen. et Sp. Orch.* 21.—Mexic.  
 maianthemifolia, *Reichb. f. in Linnaea*, xxii. (1849) 834.—Mexic.  
 metallica, *Reichb. f. in Gard. Chron.* (1879) ii. 750.—Borneo.  
 monophyllos, *Lindl. Gen. et Sp. Orch.* 19.—Reg. bor. temp.  
 montana, *Engelm. ex Rothr. Rep. Bot. Wheeler, Surv.* vi. 264.—Arizona.  
 myurus, *Reichb. f. in Walp. Ann.* vi. 207.—Mexic.  
 odorata, *Naves, in Blanco, Fl. Philipp.* ed. III. Nov. App. 230.—Ins. Philipp.  
*ophioglossoides*, *Lindl. Bot. Reg.* t. 1290 = *fastigiata*.  
*ophioglossoides*, *Nutt. Gen. Am.* ii. 196.—Am. bor.  
*Parthonis*, *Klotzsch, in Link, Klotzsch & Otto, Ic. Pl. Rar. Hort. Berol.* 12, in textu = *hitionantha*.  
*plantaginea*, *Steud. Nom. ed. II. ii.* 144 = *Rheedii*, *Lindl.*  
*platychila*, *Reichb. f. in Seem. Fl. Vit.* 302.—Ins. Fiji.  
*pubescens*, *Lindl. in Hook. Lond. Journ. Bot.* ii. (1843) 662.—Bras.  
 purpurea, *Lindl. Gen. et Sp. Orch.* 20.—Zeylan.  
 purpurea, *S. Wats. in Proc. Am. Acad.* xviii. (1882-83) 195.—Arizona.  
 Rheedii, *Lindl. Gen. et Sp. Orch.* 21.—Malaya; Ins. Pacif.  
 Rheedii, *Reichb. f. in Trans. Linn. Soc.* xxx. (1874) 138 (non alior.).—Burma.  
*Rheedii*, *Wight, Ic. t.* 902 = *versicolor*, *Lindl.*  
 rupestris, *Poepp. & Endl. Nov. Gen. et Sp.* ii. 8.—Peruv.  
 simillima, *Reichb. f. Beitr. Orch. Centr. Am.* 101.—Costa Rica.  
 spicata, *Lindl. Gen. et Sp. Orch.* 19.—Jamaica.  
 stolidostachya, *Reichb. f. Otia Bot. Hamb.* 118.—Afr. trop.  
 taurina, *Reichb. f. in Linnaea*, xli. (1877) 97.—N. Caled.

**MICROSTYLIS** :—

- tipuloides, *Lindl. in Ann. & Mag. Nat. Hist. Ser. I.* xv. (1845) 256.—Costa Rica.  
*trilobulata*, *Kurz, Rep. Veg. Andam. App. B.* 19, nomen = *congesta*.  
*umbellata*, *Steud. Nom. ed. II. ii.* 144 = *seq.*  
*umbellulata*, *Lindl. Gen. et Sp. Orch.* 19.—Ind. occ.  
*Ventilabrum*, *Reichb. f. in Gard. Chron.* (1881) ii. 717.—Ins. Sunda.  
*ventricosa*, *Poepp. & Endl. Nov. Gen. et Sp.* ii. 9.—Peruv.  
 versicolor, *Lindl. Gen. et Sp. Orch.* 21.—Ind. or.  
 versicolor, *Wight, Ic. t.* 901.—Ind. or.  
 Wallichii, *Lindl. in Wall. Cat. n.* 1938.—Reg. Himal.  
 Warmingii, *Reichb. f. Otia Bot. Hamb.* 94.—Bras.

**MICROSYPHUS**, Presl, Bot. Bemerk. 91 (1844) = **Striga**, Lour. (Scrophul.).  
*parviflorus*, Presl, l. c. = *S. orobanchoides*.

- MICROTEA**, Sw. Prod. Veg. Ind. Occ. 53. **PHYTO-LACCACEAE**, Benth. & Hook. f. iii. 82 (1880).  
 ANCISTROCARPUS, H. B. & K. Nov. Gen. et Sp. ii. 186. t. 122 (1817).  
 APHANANTHE, Link, Enum. Hort. Berol. i. 383 (1821).  
 CERATOCOCCA, Willd. ex Roem. & Schult. Syst. vi. p. lxx (1820).  
 POTAMOPHILA, Schrank, Pl. Rar. Hort. Monac. ii. t. 63 (1819).  
 SCHOLLERA, Rohr, in Skrivt. Naturhist. Selsk. Kjobenh. ii. (1792) 210.  
*celosoides*, Moq. in DC. Prod. xiii. ii. 18 = *paniculata*.  
*debilis*, Sw. Prod. Veg. Ind. Occ. 53.—Ind. occ.  
*glochidiata*, Moq. in DC. Prod. xiii. ii. 18.—Bras.  
*lanceolata*, Delile, Hort. Monsp. (1827); ex Moq. l. c. 17 = *maypurensis*.  
*maypurensis*, G. Don, in Loud. Hort. Brit. 98.—Am. austr.  
*ovata*, Delile, Hort. Monsp. (1827); ex Moq. in DC. Prod. xiii. ii. 17 = *debilis*.  
*paniculata*, Moq. l. c. 18.—Bras.  
*portoricensis*, Urban, in Ber. Deutsch. Bot. Ges. iii. (1885) 324.—Ind. occ.  
*scabrida*, Urban, l. c. 325.—Ind. occ.  
*Sprengelii*, Moq. in DC. Prod. xiii. ii. 19.—Bras.  
*tenuifolia*, Moq. l. c. 18.—Bras.

**MICROTHOUAREIA**, Steud. Nom. ed. I. 531 (1821) = *seq.*

**MICROTHUAREIA**, Thou. Gen. Nov. Madag. 3 (1806) = **Thouarea**, Pers. (Gramin.).

**MICROTINUS**, Oerst. in Kjoeb. Vidensk. Meddel. (1860) 293 = **Viburnum**, Linn. (Caprifol.).  
*odoratissimus*, Oerst. l. c. 294 = *V. odoratissimum*.  
*Simonsii*, Oerst. l. c. = *V. Simonsii*.

- MICROTIS**, R. Br. Prod. 320 (1810). **ORCHIDEAE**, Benth. & Hook. f. iii. 609.  
 alba, R. Br. Prod. 321.—Austral.  
*arenaria*, *Lindl. Gen. et Sp. Orch.* 396 = *porrifolia*.  
*atrata*, *Lindl. Swan River App.* 54.—Austral.  
*Banksii*, *Hook. Bot. Mag.* sub t. 3377 = *porrifolia*.  
*Benthamiana*, *Reichb. f. Beitr. Syst. Pf.* 24 = *parviflora*.  
*Brownii*, *Reichb. f. l. c.* = *media*.  
*frutetorum*, Schlecht. in Linnaea, xx. (1847) 568 = *porrifolia*.  
*javanica*, *Reichb. f. in Bonplandia*, v. (1857) 36.—Java.  
*longifolia*, *Colenso, in Trans. N. Z. Inst.* xvii. (1885) 247.—N. Zel.  
*media*, R. Br. Prod. 321.—Austral.  
*minutiflora*, F. Muell. Fragm. i. 90 = *atrata*.  
*pallida*, *Heynh. Nom.* i. 523, nomen (Quid?).—Ind. or.  
*parviflora*, R. Br. Prod. 321.—Austral.  
*porrifolia*, R. Br. l. c. 320.—Austral.; N. Zel.  
*pulchella*, R. Br. l. c. 321.—Austral.  
*pulchella*, *Lindl. Gen. et Sp. Orch.* 395 = *porrifolia*.  
*rara*, R. Br. Prod. 321 = *porrifolia*.  
*unifolia*, *Reichb. f. Beitr. Syst. Pf.* 62 = *porrifolia*.  
*viridis*, F. Muell. ex Benth. Fl. Austral. vi. 347, in obs. = *media*, *parviflora*, *porrifolia*.

**MICROTREMA**, Klotzsch, in Linnaea, xii. (1838) 499 = **Erica**, Tourn.  
*opulentum*, Klotzsch, l. c. = *E. opulenta*.

**MICROTRICHIA**, DC. Prod. v. 366 (1836). **COMPOSITAE**, Benth. & Hook. f. ii. 260.  
*Perrottetii*, DC. Prod. v. 366.—Afr. trop.

**MICROTROPIA**, Reichb. Nom. 236 (1841) = *seq.*

**MICROTROPIS**, E. Mey. Comm. Pl. Afr. Austr. 65 (1835) = **Euchlora**, Eckl. & Zeyh. (Legumin.).  
*hirsuta*, E. Mey. l. c. = *E. serpens*.

**MICROTROPIS**, Wall. Cat. pp. 152, 250 (1831); et ex Meissn. Gen. 68; Comm. 49 (1837). **CELASTRINEAE**, Benth. & Hook. f. i. 361.  
 PARACELASTRUS, Miq. Fl. Ind. Bat. i. ii. 590 (1859).  
*bivalvis*, Wall. Cat. n. 4340.—Malaya.  
*coriacea*, Wall. l. c. 4388 = *Gynotroches axillaris*.  
*densiflora*, *Wight, Ic. t.* 1052.—Ind. or.  
*discolor*, Wall. Cat. n. 4337.—Reg. Himal.; Burma.  
*garcinifolia*, Wall. ex Wight, Ic. t. 761 = *discolor*.  
*latifolia*, *Gardn. ex Bedd. in Trans. Linn. Soc.* xxv. (1865) 213, nomen.—Ind. or.  
*latifolia*, *Wight, ex M. Laws. in Hook. f. Fl. Brit. Ind.* i. 613.—Ind. or.  
*longifolia*, Wall. Cat. n. 4339 = *latifolia*, *Salacia flavescens*.  
*microcarpa*, *Wight, Ic. t.* 975.—Ind. or.  
*ovalifolia*, *Wight, l. c. t.* 976.—Ind. or.  
*ramiflora*, *Wight, l. c. t.* 977.—Ind. or.  
*Wallichiana*, *Wight, ex Thw. Enum. Pl. Zeyl.* 71.—Zeylan.

**MICROULA**, Benth. in Benth. & Hook. f. Gen. ii. 853 (1876). **BORAGINEAE**, Benth. & Hook. f. l. c.  
 Benthami, C. B. Clarke, in Hook. f. Fl. Brit. Ind. iv. 167.—Reg. Himal.  
*tangutica*, *Maxim. in Bull. Acad. Pétersb.* xxvi. (1880) 500.—China.

**MIDA**, R. Cunn. ex A. Cunn. in Ann. Nat. Hist. Ser. I. i. (1838) 376 = **Fusanus**, R. Br. (Santal.).  
*eucalyptoides*, A. Cunn. l. c. (= *Santalum Cunninghamhamii*).—N. Zel.  
*myrtifolia*, A. Cunn. l. c. 377 (= *Santalum Cunninghamhamii*).—N. Zel.  
*salicifolia*, A. Cunn. l. c. 376 (= *Santalum Cunninghamhamii*).—N. Zel.  
*undulata*, *Colenso, Excurs. N. Island*, 84 (= *Santalum Cunninghamhamii*).—N. Zel.

**MIDDENDORFIA**, Trautv. in Mém. Sav. Etr. Pétersb. iv. (1842) 489 = **Peplis**, Linn. (Lythrar.).  
*borysthenica*, Trautv. l. c. 490 = *Lythrum nummularifolium*.  
*hamulosa*, Trautv. l. c. 491 = *P. erecta*.

**MIEGIA**, Neck. Elem. i. 49 (1790) = **Hieracium**, Tourn. (Compos.).

**MIEGIA**, Pers. Syn. i. 101 (1805) = **Arundinaria**, Michx. (Gramin.).  
*arundinacea*, Torr. ex Munro, in Trans. Linn. Soc. xxvi. (1868) 15 = *A. macrosperma*.  
*gigantea*, *Nutt. Gen. Am.* i. 39 = *A. macrosperma*.  
*macrosperma*, Pers. Syn. i. 102 = *A. macrosperma*.  
*maritima*, Willd. Sp. Pl. i. 311 = *A. macrosperma*.  
*pumila*, *Nutt. ex Rupr. in Mém. Acad. Pétersb. Sér. VI.* v. (1839) 112 = *A. macrosperma*.

**MIEGIA**, Schreb. Gen. 786 (1791) = **Remirea**, Aubl. (Gramin.).

**MIERIA**, La Llave, in La Llave & Lex. Nov. Veg. Desc. fasc. ii. 9 (1825) = **Schkuhria**, Roth (Compos.).  
*virgata*, La Llave, l. c. = *S. virgata*.

**MIERSIA**, Lindl. in Miers, Trav. Chil. ii. 529 (1826), nomen; et in Bot. Reg. sub t. 992 (1826). **LILIA-CEAE**, Benth. & Hook. f. iii. 804.  
*chilensis*, *Lindl. in Miers, Trav. Chil.* ii, 529; et in Bot. Reg. sub t. 992.—Chili.  
*cornuta*, Phil. in Anal. Univ. Chil. (1873) 548 = *chilensis*.  
*major*, Kunth, Enum. Pl. iv. 486 = *chilensis*.  
*minor*, Kunth, l. c. 487 = *myodes*.  
*myodes*, Bert. in Merc. Chil. 700.—Cf. Am. Journ. Sc. xxiii. (1833) 254.—Chili.

**MIKANIA**, Neck. Elem. ii. 217 (1790) = **Perebea**, Aubl. (Urtic.).

**MIKANIA**, F. W. Schmidt, Samml. Phys. Aufs. i. 272 (1795) = **Lactuca**, Linn. (Compos.).  
*floridana*, F. W. Schmidt, l. c. = *L. cretica*.



**MIKANIA**, Willd. Sp. Pl. iii. 1742 (1803). *COM-POSITAE*, Benth. & Hook. f. ii. 246.  
*CARELIA*, Cav. in Anal. Cienc. Nat. vi. (1802) 317.  
*CORYNANTHELIUM*, Kunze, in Linnaea, xx. (1847) 19.  
*MORONOA*, Hort. ex Kunze, l. c. (1847).  
*MORRENIA*, Hort. ex Kunze, l. c. (1847).  
*WILLUGBAEYA*, Neck. Elem. i. 82 (1790).  
*acuminata*, DC. Prod. vii. 270.—Bras.  
*affinis*, Gardn. in Hook. Lond. Journ. Bot. iv. (1845) 120 = *lanuginosa*.  
*alata*, DC. Prod. v. 197 = scandens.  
*amara*, Bert. ex DC. Prod. v. 199 = cordifolia.  
*amara*, Willd. Sp. Pl. iii. 1744.—Am. austr.  
*amazonica*, Baker, in Mart. Fl. Bras. vi. II. 266.—Bras.  
*ambigua*, DC. Prod. v. 187 = *penstemonoides*.  
*Andrachne*, DC. l. c. 192 = laevis.  
*angularis*, Humb. & Bonpl. Pl. Aequin. ii. 87. t. 106.—N. Granat.  
*angulata*, La Llave, in Mosaico Mexicano, ii. 299; ex Hook. Kew Journ. v. (1853) 78.—Mexic.  
*angulosa*, Rafn. Fl. Ludov. 62 = scandens.  
*angustifolia*, H. B. & K. Nov. Gen. et Sp. iv. 138 = *Eupatorium angustifolium*.  
*antennaria*, Sch. Bip. in Linnaea, xxx. (1859–60) 182 = *microdonta*.  
*apiifolia*, DC. Prod. v. 202.—Bras.  
*arborea*, H. B. & K. Nov. Gen. et Sp. iv. 139 = *Eupatorium dendroides*.  
*arborea*, Roxb. in Beats. Tracts St. Helen. App. 313 = *Senecio prenanthiflora*.  
*Argyreia*, DC. Prod. v. 193.—Bras.  
*argyropappa*, Sch. Bip. ex Baker, in Mart. Fl. Bras. vi. II. 268.—Bras.  
*argyrostigma*, Miq. in Linnaea, xvii. (1843) 69 = amara.  
*armigera*, Poepp. & Endl. Nov. Gen. et Sp. iii. 52. t. 260.—Peruv.  
*aromatica*, Oerst. in Overs. Dansk. Vidensk. Selsk. Forh. (1863) 10.—Bras.  
*artemisioides*, Cass. in Dict. Sc. Nat. lv. 130 = *Eupatorium foeniculaceum*.  
*asparagoides*, Licht. ex Less. Syn. Comp. 394 = *Euryops asparagoides*.  
*aspera*, Miq. in Linnaea, xvii. (1843) 68.—Guian.  
*asperifolia*, Sch. Bip. ex Baker, in Mart. Fl. Bras. vi. II. 256 = *phaeocladus*.  
*atriplicifolia*, Sch. Bip. ex Miq. Stirp. Surin. Sel. 189 = scandens.  
*attenuata*, DC. Prod. v. 195.—Peruv.  
*auricularis*, Griseb. in Goett. Abh. xix. (1874) 170 = scandens.  
*auriculata*, Willd. Sp. Pl. iii. 1745 = *Senecio deltoideus*.  
*Badieri*, DC. Prod. v. 194.—Ins. Guadalupe.  
*Banisteria*, DC. l. c. 193.—Bras.  
*batataefolia*, DC. l. c. 197 = scandens.  
*Berteriana*, Spreng. Syst. iii. 423 = *Eupatorium guadalupense*.  
*biformis*, DC. Prod. v. 202.—Bras.  
*biformis*, Sch. Bip. ex Baker, in Mart. Fl. Bras. vi. II. 254 = cordifolia.  
*bogotensis*, Benth. Pl. Hartw. 201.—N. Granat.  
*boliviensis*, Sch. Bip. in Linnaea, xxxiv. (1865–66) 535, nomen.—Bolivia.  
*brachiata*, Poepp. & Endl. Nov. Gen. et Sp. iii. 53.—Peruv.  
*brachypoda*, DC. Prod. v. 201 = officinalis.  
*bracteosa*, DC. l. c. 194.—Bras.  
*brevipetiolata*, Sch. Bip. ex Baker, in Mart. Fl. Bras. vi. II. 230 = *myriocephala*.  
*buddleiaefolia*, DC. Prod. v. 192.—Bras.  
*Burchellii*, Baker, in Mart. Fl. Bras. vi. II. 232.—Bras.  
*callineura*, Sch. Bip. ex Baker, l. c. 258.—Bras.  
*campanulata*, Gardn. in Hook. Lond. Journ. Bot. v. (1846) 489.—Bras.  
*Candolleana*, Gardn. l. c. 484.—Bras.  
*capensis*, DC. Prod. v. 198.—Afr. austr.  
*carosula*, DC. l. c. 197 = cordifolia.  
*caudata*, Benth. Pl. Hartw. 201.—N. Granat.  
*Charua*, Griseb. in Goett. Abh. xxiv. (1879) 174.—Reg. Argent.  
*chenopodiifolia*, Willd. Sp. Pl. iii. 1745 = scandens.  
*chenopodioides*, Wall. Cat. n. 3175 = *Senecio chenopodifolius*.  
*chlorolepis*, Baker, in Mart. Fl. Bras. vi. II. 247.—Bras.  
*cinerea*, Sch. Bip. ex Baker, l. c. 236 = *sericea*.

**MIKANIA** :—

*cissampelina*, DC. Prod. v. 195.—Ins. S. Doming.  
*Claussenii*, Sch. Bip. in Linnaea, xxx. (1859–60) 182 = *nummularia*.  
*clavellata*, DC. Prod. v. 192 = *Ophryosporus Freyreissii*.  
*clematidea*, Wall. Cat. n. 3173 = *Eupatorium Reevesii*.  
*coarctata*, Gardn. in Hook. Lond. Journ. Bot. v. (1846) 483.—Bras.  
*cocaensis*, Gardn. l. c. 487 = cordifolia.  
*complanata*, Gardn. l. c. 485 = obovata.  
*conferta*, Gardn. l. c. iv. (1845) 119.—Bras.  
*confertissima*, Sch. Bip. ex Baker, in Mart. Fl. Bras. vi. II. 242.—Bras.  
*congesta*, DC. Prod. v. 197 = scandens.  
*consanguinea*, Gardn. in Hook. Lond. Journ. Bot. vi. (1847) 448 = *psilostachya*.  
*convolvulacea*, DC. Prod. v. 199 = cordifolia.  
*cordifolia*, Willd. Sp. Pl. iii. 1746.—Am. mer.  
*coriacea*, La Llave, in Mosaico Mexicano, ii. 299; ex Hook. Kew Journ. v. (1853) 77.—Mexic.  
*cornifolia*, G. Don, ex Baker, in Mart. Fl. Bras. vi. II. 237 = amara.  
*corydalifolia*, Griseb. in Mem. Am. Acad. N. S. viii. (1863) 512.—Ind. occ.  
*corymbulosa*, Benth. Pl. Hartw. 211 = *Kanimia corymbulosa*.  
*crispiflora*, Wright, in Sauv. Fl. Cub. 78.—Cuba.  
*Cumingii*, Sch. Bip. in Linnaea, xxxiv. (1865–66) 535, nomen = *Ophryosporus Cumingii*.  
*cuneata*, Sch. Bip. in Bonplandia, iv. (1856) 54, nomen = amara.  
*cynanchifolia*, Hook. & Arn. ex Baker, in Mart. Fl. Bras. vi. II. 249 = scandens.  
*decora*, Poepp. & Endl. Nov. Gen. et Sp. iii. 53.—Peruv.  
*deflexa*, Gardn. in Hook. Lond. Journ. Bot. v. (1846) 482 = *Lundiana*.  
*deltoides*, Poepp. ex Spreng. Syst. iii. 423.—Cuba.  
*dentata*, Spreng. l. c. 422.—Bras.  
*denticulata*, Willd. Sp. Pl. iii. 1744 = scandens.  
*dioscoreaefolia*, DC. Prod. v. 198.—Madag.  
*discolor*, Baker, in Mart. Fl. Bras. vi. II. 234.—Bras.  
*divaricata*, Gardn. in Hook. Lond. Journ. Bot. v. (1846) 488 = *microcephala*.  
*divaricata*, Poepp. & Endl. Nov. Gen. et Sp. iii. 53.—Bras.  
*diversifolia*, DC. Prod. v. 201 = *biformis*.  
*elliptica*, DC. l. c. vii. 270.—Bras.  
*ericoides*, Mart. ex Baker, in Mart. Fl. Bras. vi. II. 372 = *Brickellia pinifolia*.  
*erioclada*, DC. Prod. v. 192.—Bras.  
*eriophora*, Sch. Bip. ex Hemsl. Biol. Centr. Am. Bot. ii. 103.—Bras.  
*erithalina*, DC. Prod. v. 193 = *Kanimia erythralina*.  
*estrellensis*, Baker, in Mart. Fl. Bras. vi. II. 231.—Bras.  
*fastuosa*, Lem. in Fl. des Serres, iii. (1847) sub t. 262. Misc. n. 42.—Hab. ?  
*Fendleri*, Klatt, in Abh. Naturf. Ges. Halle, xv. (1882) 324.—Panama.  
*fimbriata*, Gardn. in Hook. Lond. Journ. Bot. iv. (1845) 119 = cordifolia.  
*firmita*, Baker, in Mart. Fl. Bras. vi. II. 266.—Bras.  
*flavescens*, Gardn. in Hook. Lond. Journ. Bot. v. (1846) 481 = *nummularia*.  
*floribunda*, DC. Prod. v. 198.—Madag.  
*Fockeana*, Miq. in Linnaea, xvii. (1843) 68 = *psilostachya*.  
*fragrans*, Tenore, ex Lem. in Fl. des Serres, iii. (1847) sub t. 261. Misc. n. 42 = *fastuosa*.  
*fulva*, Baker, in Mart. Fl. Bras. vi. II. 222.—Bras.  
*Gabrieli*, Baker, l. c. 235.—Bras.  
*glastifolia*, Mart. ex Baker, l. c. 321 = *Eupatorium dendroides*.  
*glaucua*, Mart. Reise Bras. 401, nomen; et ex Baker, l. c. 224.—Bras.  
*Glaziovii*, Baker, l. c. 251.—Bras.  
*glechomaefolia*, Sch. Bip. ex Baker, l. c. 249 = scandens.  
*glomerata*, Spreng. Syst. iii. 421.—Bras.  
*glumiflora*, Mart. ex Baker, in Mart. Fl. Bras. vi. II. 369 = *Kanimia oblongifolia*.  
*gonoclada*, DC. Prod. v. 199 = cordifolia.  
*gracilis*, Sch. Bip. ex Miq. Stirp. Surin. Sel. 187.—Guiana.  
*grandifolia*, Sch. Bip. ex Baker, in Mart. Fl. Bras. vi. II. 246 = *vitifolia*.  
*Guaco*, Humb. & Bonpl. Pl. Aequin. ii. 84. t. 105 = amara.

**MIKANIA** :—

*Haenkeana*, DC. Prod. v. 196.—Venezuela.  
*hastata*, Willd. Sp. Pl. iii. 1742.—Ind. occ.  
*hastifolia*, Baker, in Mart. Fl. Bras. vi. II. 270.—Bras.  
*hederaefolia*, DC. Prod. v. 202 = *glomerata*.  
*hederaefolia*, Sch. Bip. in Linnaea, xxx. (1859–60) 182 = *triangularis*.  
*hemisphaerica*, Sch. Bip. ex Baker, in Mart. Fl. Bras. vi. II. 254.—Bras.  
*hirsutissima*, DC. Prod. v. 200.—Bras.  
*hispida*, Gardn. in Hook. Lond. Journ. Bot. v. (1846) 490.—Bras.  
*Hookeriana*, DC. Prod. v. 195.—Guiana.  
*Hostmani*, Miq. Stirp. Surin. Sel. 189 = cordifolia.  
*Houstonia*, Willd. Sp. Pl. iii. 1742.—Ind. occ.  
*Huaco*, Rieux, ex Spreng. Syst. iii. 422 = amara.  
*Ildefonsiana*, Gardn. in Hook. Lond. Journ. Bot. v. (1846) 484 = *Argyreia*.  
*Imrayana*, Griseb. Fl. Brit. W. Ind. 363.—Ind. occ.  
*involuta*, Hook. & Arn. in Hook. Comp. Bot. Mag. i. (1835) 243 = *bracteosa*.  
*itambana*, Gardn. in Hook. Lond. Journ. Bot. v. (1846) 481 (stambana).—Bras.  
*laevigata*, Sch. Bip. ex Baker, in Mart. Fl. Bras. vi. II. 241.—Bras.  
*laevis*, DC. Prod. v. 194.—Bras.  
*lagoensis*, Baker, in Mart. Fl. Bras. vi. II. 220.—Bras.  
*lanigera*, Gardn. in Hook. Lond. Journ. Bot. v. (1846) 479 = *leiolaena*.  
*lanuginosa*, DC. Prod. v. 201.—Bras.  
*Lasiandrae*, DC. l. c. 189.—Bras.  
*latifolia*, Sm. in Rees, Cycl. xxiii. n. 8.—Ins. S. Lucia.  
*laurifolia*, Willd. Sp. Pl. iii. 1746.—N. Granat.  
*laxa*, DC. Prod. v. 200.—Peruv.  
*Lechleri*, Sch. Bip. in Bonplandia, iv. (1856) 54, nomen.—Peruv.  
*leiolaena*, DC. Prod. v. 188.—Bras.  
*leiostachya*, Benth. Pl. Hartw. 201.—N. Granat.  
*leptotricha*, Baker, in Mart. Fl. Bras. vi. II. 234.—Bras.  
*Liervallii*, Héring, in Hort. Franc. (1866) 18.—N. Granat.  
*ligustrifolia*, DC. Prod. v. 191.—Bras.  
*Lima*, Schlecht. ex Mart. in Flora, xxiv. (1841) 11. Beibl. 110 = *psilostachya*.  
*Lindbergii*, Baker, in Mart. Fl. Bras. vi. II. 232.—Bras.  
*Lindleyana*, DC. Prod. v. 195.—Guian.  
*linearifolia*, DC. l. c. 187.—Bras.  
*longicaulis*, Wall. Cat. sub n. 3073 = *Eupatorium longicaule*.  
*longipes*, Baker, in Mart. Fl. Bras. vi. II. 233.—Bras.  
*loxensis*, H. B. & K. Nov. Gen. et Sp. iv. 136.—Am. austr.  
*Lundiana*, DC. Prod. vii. 270.—Bras.  
*Mandonii*, Sch. Bip. in Linnaea, xxxiv. (1865–66) 536 = *Ophryosporus piquerioides*.  
*Manettiae*, DC. Prod. v. 191 = *stipulacea*.  
*maritima*, Gardn. in Hook. Lond. Journ. Bot. v. (1846) 489 = *stipulacea*.  
*Martiana*, Gardn. l. c. 484 = *hirsutissima*.  
*melissaefolia*, Willd. Sp. Pl. iii. 1747 (= *Nothites melissaefolia*).—Peruv.  
*mendocina*, Phil. Sert. Mendoc. Alt. 20.—Reg. Argent.  
*menispermea*, DC. Prod. v. 200 = cordifolia.  
*micrantha*, H. B. & K. Nov. Gen. et Sp. iv. 134 = scandens.  
*microcephala*, DC. Prod. v. 200.—Bras.  
*microdonta*, DC. l. c.—Bras.  
*microlepis*, Baker, in Mart. Fl. Bras. vi. II. 259.—Bras.  
*microphylla*, Sch. Bip. ex Baker, l. c. 219.—Bras.  
*microptera*, DC. Prod. v. 196 = scandens.  
*mollis*, H. B. & K. Nov. Gen. et Sp. iv. 135 = cordifolia.  
*montevidensis*, Spreng. ex Baker, in Mart. Fl. Bras. vi. II. 222 = *ternifolia*.  
*mossambicensis*, Steetz, in Peters, Reise Mossamb. Bot. 377.—Afr. trop.  
*multinervia*, Turcz. in Bull. Soc. Nat. Mosc. xxiv (1851) 11. 59.—Ecuador.  
*myriacefolia*, DC. Prod. v. 188.—Madag.  
*myriocephala*, DC. l. c. 191.—Bras.  
*natalensis*, DC. l. c. 198.—Afr. austr.  
*neurocaula*, DC. l. c. 188.—Bras.  
*nigricans*, Gardn. in Hook. Lond. Journ. Bot. v. (1846) 486.—Bras.



**MIKANIA:—**

nitidula, *Baker, in Mart. Fl. Bras. vi. II. 243.*—Bras.  
 nodosa, *Spreng. Syst. iii. 423.*—Cuba.  
 nodulosa, *Sch. Bip. ex Baker, in Mart. Fl. Bras. vi. II. 235.*—Bras.  
 nummularia, *DC. Prod. v. 188.*—Bras.  
 oblongifolia, *DC. l. c. = Kanimia oblongifolia.*  
 obovata, *DC. l. c. 192.*—Bras.  
 obscura, *Spreng. ex Baker, in Mart. Fl. Bras. vi. II. 362* = *Eupatorium betonicaeforme.*  
 obtusata, *DC. Prod. v. 192.*—Bras.  
 odorata, *Lehm. in Hamb. Gartenz. v. (1849) 369* = *fastuosa.*  
 officinalis, *Mart. Reise Bras. i. 283.*—Bras.  
 opifera, *Mart. l. c. 279* = *cordifolia.*  
 orinocensis, *H. B. & K. Nov. Gen. et Sp. iv. 134* = *scandens.*  
 ovalis, *Griseb. Fl. Brit. W. Ind. 363.*—Ind. occ.  
 oxyplepis, *Sch. Bip. ex Baker, in Mart. Fl. Bras. vi. II. 220.*—Bras.  
 oxyota, *DC. Prod. v. 198* = *scandens.*  
 pachylepis, *Sch. Bip. ex Baker, in Mart. Fl. Bras. vi. II. 239.*—Bras.  
 paniculata, *DC. Prod. v. 194.*—Bras.  
 pannosa, *Baker, in Mart. Fl. Bras. vi. II. 261.*—Guian.  
 papillosa, *Klatt, in Abh. Naturf. Ges. Halle, xv. (1882) 325.*—Ins. S. Doming.  
 Parkeriana, *DC. Prod. v. 199* = *scandens.*  
 parvifolia, *Baker, in Mart. Fl. Bras. vi. II. 226.*—Bras.  
 penstemonoides, *DC. Prod. v. 189.*—Bras.  
 periplocifolia, *Hook. & Arn. in Hook. Comp. Bot. Mag. i. (1835) 243* = *scandens.*  
 pernambucensis, *Gardn. in Hook. Lond. Journ. Bot. v. (1846) 490.*—Bras.  
 phaeocladus, *Mart. ex Baker, in Mart. Fl. Bras. vi. II. 256.*—Bras.  
 phyllopodon, *Griseb. in Goett. Abh. xix. (1874) 170.*—Reg. Argent.  
 pilosa, *Baker, in Mart. Fl. Bras. vi. II. 234.*—Bras.  
 pinnatiloba, *DC. Prod. v. 187.*—Bras.  
 platyphylla, *DC. l. c. 195* = *Hookeriana.*  
 Poeppigii, *Spreng. Syst. iii. 422* = *scandens.*  
 Pohliana, *Sch. Bip. ex Baker, in Mart. Fl. Bras. vi. II. 232.*—Bras.  
 polybotrys, *G. Don, ex Baker, l. c. 266* = *psilostachya.*  
 polystachya, *DC. Prod. v. 190* = *psilostachya.*  
 populifolia, *Gardn. in Hook. Lond. Journ. Bot. v. (1846) 485.*—Bras.  
 premnifolia, *Gardn. l. c. 480.*—Bras.  
 psilostachya, *DC. Prod. v. 190.*—Peruv.  
 psychotrioides, *DC. l. c. 193* = *obovata.*  
 pterocaula, *Sch. Bip. ex Hemsl. Biol. Centr. Am. Bot. ii. 103.*—Mexic.  
 pteropoda, *DC. Prod. v. 191.*—Bras.  
 puberula, *Gardn. in Hook. Lond. Journ. Bot. v. (1846) 482*—Selloi.  
 pubescens, *Nutt. Gen. Am. ii. 136* = *scandens.*  
 punctata, *Gardn. in Hook. Lond. Journ. Bot. iv. (1845) 118* = *pteropoda.*  
 purpurascens, *Sch. Bip. ex Baker, in Mart. Fl. Bras. vi. II. 371* = *Kanimia purpurascens.*  
 pyrifolia, *DC. Prod. v. 195.*—Madag.  
 racemosa, *Mart. ex Baker, in Mart. Fl. Bras. vi. II. 270* = *ligustrifolia.*  
 racemulosa, *Benth. in Hook. Journ. Bot. ii. (1840) 41* = *psilostachya.*  
 racemulosa, *Klatt, in Abh. Naturf. Ges. Halle, xv. (1882) 325.*—Venezuela.  
 ramosissima, *Gardn. in Hook. Lond. Journ. Bot. v. (1846) 483.*—Bras.  
 ranunculifolia, *A. Rich. Fl. Cub. Fanerog. ii. 45.*—Cuba.  
 Regnellii, *Sch. Bip. in Linnaea, xxii. (1849) 572; et xxx. (1859-60) 182* = *sessilifolia.*  
 repanda, *La Llave, in Mosaico Mexicano, ii. 299; ex Hook. Kew Journ. v. (1853) 78.*—Mexic.  
 resinosa, *Spreng. Neue Entdeck. ii. 134* = *Eupatorium sordescens.*  
 reticulata, *Gardn. in Hook. Lond. Journ. Bot. v. (1846) 480.*—Bras.  
 reticulosa, *Wright, in Sauv. Fl. Cub. 78.*—Cuba.  
 retifolia, *Sch. Bip. ex Baker, in Mart. Fl. Bras. vi. II. 242.*—Bras.  
 rotunda, *Griseb. Fl. Brit. W. Ind. 364.*—Ind. occ.  
 rubiginosa, *Sm. in Rees, Cyclop. xxiii. n. 12* = *cordifolia.*

**MIKANIA:—**

rufa, *Benth. Pl. Hartw. 201.*—N. Granat.  
 rufescens, *Sch. Bip. ex Baker, in Mart. Fl. Bras. vi. II. 238.*—Bras.  
 Ruiziana, *Poepp. & Endl. Nov. Gen. et Sp. iii. 53.*—Peruv.  
 salviaefolia, *Gardn. in Hook. Lond. Journ. Bot. v. (1846) 487.*—Bras.  
 salzmanniaefolia, *DC. Prod. v. 193.*—Bras.  
 sarcodes, *Baker, in Mart. Fl. Bras. vi. II. 269.*—Bras.  
 satireiaefolia, *Willd. Sp. Pl. iii. 1747* = *Stevia satireiaefolia.*  
 scabra, *DC. Prod. v. 190* = *psilostachya.*  
 scabrida, *Baker, in Mart. Fl. Bras. vi. II. 258.*—Bras.  
 scandens, *Willd. Sp. Pl. iii. 1743.*—Am. calid.  
 scansoria, *DC. Prod. v. 202* = *glomerata.*  
 Selloi, *Spreng. Syst. iii. 421.*—Bras.  
 senecioides, *Sch. Bip. ex Baker, in Mart. Fl. Bras. vi. II. 223* = *ternifolia.*  
 sepiaria, *Gardn. in Hook. Lond. Journ. Bot. v. (1846) 488* = *hirsutissima.*  
 sericea, *Hook. & Arn. in Hook. Comp. Bot. Mag. i. (1835) 243.*—Bras.  
 serratifolia, *H. B. & K. Nov. Gen. et Sp. iv. 138* = *Eupatorium serratifolium.*  
 serratifolia, *Sieber, ex DC. Prod. v. 181* = *Eupatorium iresnoides.*  
 serrulata, *Sch. Bip. ex Baker, in Mart. Fl. Bras. vi. II. 230* = *myriocephala.*  
 sessilifolia, *DC. Prod. v. 188.*—Bras.  
 setigera, *Sch. Bip. ex Baker, in Mart. Fl. Bras. vi. II. 259.*—Bras.  
 Sieberiana, *DC. Prod. v. 196* = *scandens.*  
 smilacina, *DC. l. c. 192.*—Bras.  
 sophiaefolia, *Spreng. Syst. iii. 423* = *Eupatorium sophioides.*  
 speciosa, *DC. Prod. v. 196.*—Peruv.  
 Spiraestrum, *Mart. ex Baker, in Mart. Fl. Bras. vi. II. 243* = *obtusata.*  
 Sprucei, *Baker, l. c. 264.*—Bras.  
 stambana, *Gardn. vide itambana.*  
 seneciophala, *Sch. Bip. ex Baker, in Mart. Fl. Bras. vi. II. 249* = *scandens.*  
 stipitata, *Sch. Bip. ex Miq. Stirp. Surin. Sel. 191* = *amara.*  
 stipulacea, *Willd. Sp. Pl. iii. 1745.*—Bras.  
 strigosa, *Gardn. in Hook. Lond. Journ. Bot. iv. (1845) 119* = *Lasiandrae.*  
 strobilifera, *Gardn. l. c. v. (1846) 479.*—Bras.  
 stylosa, *Gardn. l. c. 486* = *microdonta.*  
 suaveolens, *H. B. & K. Nov. Gen. et Sp. iv. 135* = *cordifolia.*  
 subcordata, *Gardn. in Hook. Lond. Journ. Bot. iv. (1845) 118* = *Argyreae.*  
 subcrenata, *Hook. & Arn. in Hook. Comp. Bot. Mag. i. (1835) 243.*—Reg. Argent.  
 subcymosa, *Gardn. in Hook. Lond. Journ. Bot. vi. (1847) 448* = *scandens.*  
 subverticillata, *Sch. Bip. ex Baker, in Mart. Fl. Bras. vi. II. 224.*—Bras.  
 surinamensis, *Miq. Stirp. Surin. Sel. 188* = *cordifolia.*  
 Swartziana, *Griseb. Fl. Brit. W. Ind. 363.*—Ind. occ.  
 Tafallae, *Spreng. Syst. iii. 422* = *seq.*  
 Tafallana, *H. B. & K. Nov. Gen. et Sp. iv. 137* = *amara.*  
 tamoides, *DC. Prod. v. 197* = *scandens.*  
 tenax, *Sch. Bip. in Bonplandia, iv. (1856) 54,* nomen.—Peruv.  
 tenuiflora, *Griseb. in Goett. Abh. xxiv. (1879) 174* = *Eupatorium patens.*  
 ternifolia, *DC. Prod. v. 188.*—Bras.  
 testudinaria, *DC. l. c. 197.*—Bras.  
 teucrifolia, *Spreng. Neue Entdeck. ii. 134* = *Eupatorium Gaudichaudianum.*  
 thapsoides, *DC. Prod. v. 189* = *Kanimia thapsoides.*  
 thunbergiaefolia, *Gardn. in Hook. Lond. Journ. Bot. vi. (1847) 448* = *cordifolia.*  
 thunbergioides, *DC. Prod. v. 198.*—Madag.  
 thyrsioidea, *Baker, in Mart. Fl. Bras. vi. II. 267.*—Bras.  
 Tlalixcoyan, *La Llave, in Mosaico Mexicano, ii. 299; ex Hook. Kew Journ. v. (1853) 79.*—Mexic.  
 tomentosa, *Willd. Sp. Pl. iii. 1744* = *Senecio penicillatus.*  
 triangularis, *Baker, in Mart. Fl. Bras. vi. II. 246.*—Bras.

**MIKANIA:—**

trichophila, *DC. Prod. v. 200.*—Bras.  
 trifolia, *Sch. Bip. in Linnaea, xxxiv. (1865-66) 535,* nomen.—Bolivia.  
 trinervis, *Hook. & Arn. in Hook. Comp. Bot. Mag. i. (1835) 244* = *laevis.*  
 trinitaria, *DC. Prod. v. 194.*—Ins. Trinit.  
 triphylla, *Spreng. ex Baker, in Mart. Fl. Bras. vi. II. 263.*—Bras.  
 umbellifera, *Gardn. in Hook. Lond. Journ. Bot. iv. (1845) 119* = *scandens.*  
 ursina, *Mart. ex Baker, in Mart. Fl. Bras. vi. II. 261* = *hirsutissima.*  
 urticaefolia, *Hook. & Arn. in Hook. Comp. Bot. Mag. i. (1835) 244* = *cordifolia.*  
 variabilis, *Gardn. in Hook. Lond. Journ. Bot. v. (1846) 486* = *scandens.*  
 variabilis, *Meyen & Waip. in Nov. Act. Nat. Cur. xix. Suppl. i. (1843) 257.*—Peruv.  
 Vauthieriana, *Baker, in Mart. Fl. Bras. vi. II. 269.*—Bras.  
 verrucosa, *Spreng. Syst. iii. 423* = *Eupatorium celtidifolium.*  
 verticillata, *Sch. Bip. in Bonplandia, ix. (1861) 175.*—Bras.  
 viminaria, *Steud. Nom. ed. II. ii. 145,* sphalm. = *seq.*  
 viminea, *DC. Prod. v. 187.*—Bras.  
 violacea, *Regel, Cat. Pl. Hort. Aksakov. 93,* nomen.—Hab. ?  
 viscosa, *Spreng. Neue Entdeck. i. 277* = *Symphypappus viscosus.*  
 vismiaefolia, *DC. Prod. v. 189.*—Bras.  
 vitifolia, *DC. l. c. 202.*—Bras.  
 volubilis, *Willd. Sp. Pl. iii. 1743* = *scandens.*  
 Warmingii, *Sch. Bip. ex Baker, in Mart. Fl. Bras. vi. II. 242.*—Bras.

MILDEA, *Griseb. Cat. Pl. Cub. 63 (1866)* = *Verhuellia*, *Miq. (Piperac.).*  
 elegans, *Griseb. l. c. = P. elegans.*  
 hydrocotylifolia, *Griseb. l. c. = P. cordifolia.*

MILDEA, *Miq. Ann. Mus. Bot. Lugd. Bat. iii. 88 (1867)* = *Paranephelium*, *Miq. (Sapind.).*  
 gibbosa, *Miq. l. c. 89* = *P. gibbosa.*  
 xestophylla, *Miq. l. c. = P. xestophylla.*

MILHANIA, *Neck. Elem. iii. 24 (1790)* = *Ipomoea*, *Linn. (Convolv.).*

MILHANIA, *Rafin. Fl. Tellur. iv. 71 (1836)* = *Calystegia*, *R. Br. (Convolv.).*  
 bracteata, *Rafin. l. c. = Ipomoea setifera ?*  
 Catesbiana, *Rafin. l. c. = C. Catesbeiana.*  
 involucrata, *Rafin. l. c. = Ipomoea pileata ?*  
 mutabilis, *Rafin. l. c. = C. sepium ?*  
 pentaphylla, *Rafin. l. c. = Ipomoea pentaphylla.*  
 riparia, *Rafin. l. c. = C. riparia.*  
 sepium, *Rafin. l. c. = C. sepium.*  
 spithamea, *Rafin. l. c. = C. spithamea.*  
 villosa, *Rafin. l. c. = C. villosa.*

MILIARIUM, *Moench, Meth. 204 (1794)* = *Milium*, *Linn. (Gramin.).*  
 effusum, *Moench, l. c. = Milium effusum.*

MILIUM, *Linn. Syst. ed. I (1735).* *GRAMINEAE*, *Benth. & Hook. f. iii. 143.*

MILIARIUM, *Moench, Meth. 204 (1794).*  
 adscendens, *Roxb. Hort. Beng. 8,* nomen.—Nepal.  
 alepense, *Cav. Desc. Index, 619,* vide *halepense.*  
 alternans, *Bubani, in Nuov. Giorn. Bot. Ital. v. (1873) 317.*—Hispan.  
 amphi-carpon, *Pursh, Fl. Am. Sept. i. 62* = *Amphi-carpon Purshii.*  
 arundinaceum, *Koen. ex Steud. Syn. Pl. Gram. 70* = *Panicum sparsum, Nees.*  
 arundinaceum, *Sibth. & Sm. Fl. Graec. Prod. i. 45; Fl. Graec. i. 50. t. 66 (= Piptatherum miliaceum).*—Europ. austr.  
 attenuatum, *Moench, Meth. 204* = *Panicum miliaceum.*  
 capense, *Linn. Mant. ii. 185* = *Danthonia papillosa.*  
 capillaceum, *Koen. ex Steud. Nom. ed. II. ii. 145* = *Paspalum pedicellare.*  
 capillare, *Moench, Meth. 203* = *Panicum capillare.*  
 capillare, *Roth, Nov. Pl. Sp. 39* = *Paspalum brevifolium.*



**MILIUM:**—

- capillare*, Rottb. in Act. Lit. Univ. Hafn. i. (1778) 271 = *Panicum commelinaefolium*.  
*ciliatum*, Moench, Meth. Suppl. 66 = *Panicum dichotomum*.  
*ciliatum*, Muhl. Desc. Gram. 77 = *Amphicarpum Purshii*.  
*cimicinum*, Linn. Mant. ii. 184 = *Panicum cimicinum*.  
*clandestinum*, Moench, Meth. 204 = *Panicum clandestinum*.  
*coerulescens*, Desf. Fl. Atlant. i. 66 = *Oryzopsis coerulescens*.  
*colonum*, Moench, Meth. 202 = *Panicum colonum*.  
*coloratum*, Moench, l. c. 203 = *Panicum coloratum*.  
*comosum*, Poir. Encyc. Suppl. i. 257 (= *Piptatherum miliaceum*).—Europ. austr.  
*compactum*, Cav. Desc. 307 = *Sorghum vulgare*.  
*compressum*, Poir. Encyc. Suppl. i. 259 = *Agrostis compressa*, Poir.  
*compressum*, Sw. Prod. Veg. Ind. Occ. 24 = *Paspalum platycaule*.  
*confertum*, Guss. Fl. Sic. Syn. i. 131 = *vernale*.  
*confertum*, Linn. Sp. Pl. 61.—Europ.  
*confertum*, Mill. Gard. Dict. ed. VIII. n. 4 = *effusum*.  
*Crus-galli*, Moench, Meth. 202 = *Panicum Crus-galli*.  
*cuspidatum*, Spreng. Syst. i. 251 = *Oryzopsis cuspidata*.  
*Dactylon*, Moench, Meth. Suppl. 67 = *Cynodon Dactylon*.  
*digitatum*, Sw. Prod. Veg. Ind. Occ. 24 = *Panicum sanguinale*.  
*distichum*, Muhl. Desc. Gram. 78 = *Paspalum distichum*.  
*effusum*, Linn. Sp. Pl. 61.—Reg. bor. temp.  
*effusum*, Lour. Fl. Cochinch. 49 = *Panicum miliare*.  
*elegans*, Steud. Nom. ed. II. ii. 146 (= *Piptatherum elegans*).—Hab. ?  
*esculentum*, Moench, Meth. 203 = *Panicum miliaceum*.  
*filiforme*, Lag. Gen. et Sp. Nov. 2 = *Paspalum velutinum*.  
*filiforme*, Roxb. Hort. Beng. 8; Fl. Ind. i. 314 = *Paspalum brevifolium*.  
*frutescens*, Link Enum. Hort. Berol. i. 72.—Oriens.  
*frutescens*, Sieber, ex Kunth, Enum. Pl. i. 177 (= *Piptatherum miliaceum*).—Europ. austr.; Sibir.  
*gaditanum*, Hort. ex Steud. Nom. ed. II. ii. 146 (= *Urachne parviflora*).—Europ. austr.  
*gallicicum*, Roem. & Schult. Syst. ii. 320 = *Aira Lagascae*.  
*globosum*, Thunb. Fl. Jap. 49 = *Isachne australis*.  
*halepense*, Cav. Desc. 306 = *Sorghum halepense*.  
*hirsutum*, Beauv. Agrost. 13 = *Panicum leucopheum*.  
*holciforme*, Spreng. Syst. i. 251 = *Oryzopsis holciformis*.  
*juncoides*, Speg. in Anal. Soc. Cient. Argent. xvi. (1883) 126.—Reg. Argent.  
*lanatum*, Roem. & Schult. Syst. ii. 322 = *Anthaenantia lanata*.  
*latifolium*, Cav. Ic. iii. 37 = *Paspalum racemosum*.  
*latifolium*, Moench, Meth. 204 = *Panicum latifolium*.  
*lendigerum*, Delile, ex Boiss. Fl. Orient. v. 519 = *Triplachne nitens*.  
*lendigerum*, Linn. Sp. Pl. ed. II. 91 = *Gastridium australe*.  
*maritimum*, Koen. ex Steud. Nom. ed. II. ii. 146 = *Zoysia pungens*.  
*maritimum*, Pall. Tabl. Taur. 45 = *Aeluropus laevis*.  
*maritimum*, Roxas Clem. Essay. Vid. 285 = *Agrostis alba*.  
*Matrella*, Poir. ex Steud. Nom. ed. II. ii. 146 = *Zoysia pungens*.  
*membranceum*, Moench, Meth. 203 = *Panicum sanguinale*.  
*mexicanum*, Spreng. Syst. i. 251 = *Oryzopsis fimbriata*.  
*microspermum*, Hornem. Hort. Hafn. Suppl. 8 (= *Piptatherum miliaceum*).—Ins. Canar. ?  
*microspermum*, Lag. Gen. et Sp. Nov. 2.—Mexic.  
*minimum*, Pourr. ex Willk. & Lange, Prod. Fl. Hisp. i. 56 = *Gastridium australe*.  
*minutiflorum*, Trin. in Mem. Acad. Pétersb. Sér. VI. iii. (1835) 121 = *Panicum Perrottetii*.  
*molle*, Kunth, Rév. Gram. i. 28.—Bras.  
*Montianum*, Parl. Fl. Ital. i. 156 = *vernale*.  
*Muehlenbergianum*, Schult. Mant. ii. 178.—Am. bor.  
*multiflorum*, Cav. Desc. 36 (= *Piptatherum miliaceum*).—Europ. austr.; Sibir.  
*muticum*, Hort. Berol. ex Spreng. Nov. Prov. 20 = *Gastridium muticum*.  
*natans*, Spreng. Syst. i. 250 = *Luziola peruviana*.

**MILIUM:**—

- memorosum*, Moench, Meth. Suppl. 67 = *Ichnanthus nemorosus*.  
*nigricans*, Ruiz & Pav. Fl. Per. i. 47.—Peruv.  
*nigrum*, Lam. Fl. Fr. iii. 568 = *Oryzopsis paradoxa*.  
*orinoccensis*, Willd. ex Steud. Nom. ed. II. ii. 146 = *Panicum aturense*.  
*panicum*, Host, Fl. Austr. i. 94 = *Polypogon monspeliensis*.  
*panicum*, Sw. Prod. Veg. Ind. Occ. 24 = *Panicum filiforme*.  
*Panicum*, Mill. Gard. Dict. ed. VIII. n. 1 = *Panicum miliaceum*.  
*paradoxum*, All. Fl. Pedem. ii. 236 = *Oryzopsis coerulescens*.  
*paradoxum*, Linn. Syst. ed. X. 872; Scop. Fl. Carn. ed. II. i. 58 = *Oryzopsis paradoxa*.  
*paspaloides*, Ell. Sketch, i. 103 = *Paspalum distichum*.  
*pauciflorum*, Hort. Matrit. ex Trin. in Mem. Acad. Pétersb. Sér. VI. v. Sc. Nat. (1842) 11 (= *Piptatherum miliaceum*).—Europ. austr.  
*phleoides*, Sweet, Hort. Brit. ed. II. 555, nomen.—Ind. or.  
*poaeforme*, Balansa, in Bull. Soc. Bot. Fr. v. (1858) 170 = *trichopodium*.  
*polystachyon*, Spreng. Syst. i. 251 = *Eriochloa polystachya*.  
*pulcher*, Roxb. Hort. Beng. 8, nomen.—China.  
*punctatum*, Linn. Syst. ed. X. 872 = *Eriochloa polystachya*.  
*pungens*, Torr. ex Spreng. Neue Entdeck. ii. 102 = *Oryzopsis canadensis*.  
*purpureum*, Lapeyr. Hist. Abr. Pl. Pyr. 33 = *Oryzopsis coerulescens*.  
*racemosum*, Sm. in Rees, Cyclop. xxiii. n. 15 = *Oryzopsis melanocarpa*.  
*ramosum*, Retz. Obs. vi. 22 = *Eriochloa annulata*.  
*rigidifolium*, Roem. & Schult. Syst. ii. 319 = *Panicum rigidifolium*.  
*rigidum*, Poir. Encyc. Suppl. i. 257 = *Panicum rigidifolium*.  
*roseum*, Spreng. Syst. i. 251.—Ins. Mascar.  
*sanguinale*, Roxb. Hort. Beng. 8; Fl. Ind. i. 315 = *Panicum pedicellatum*.  
*scabrum*, Guss. Fl. Sic. Prod. i. 54 = *Gastridium muticum*.  
*scabrum*, Rich. in Merlet, Herbor. Maine-et-Loire (1809), 131 = *effusum*.  
*Schmidtianum*, C. Koch, in Linnaea, xxi. (1848) 438 = *effusum*.  
*Scopolianum*, Willem. ex Steud. Nom. ed. II. ii. 146 = *Oryzopsis paradoxa*.  
*setaceum*, Koen. ex Steud. l. c. = *Paspalum granulare*.  
*Sorghum*, Cav. Desc. 306 = *Sorghum vulgare*.  
*sparsum*, Mill. Gard. Dict. ed. VIII. n. 2 = *Panicum ambitiosum*.  
*striatum*, Buch.-Ham. ex Wall. Cat. n. 8747 A = *Paspalum pedicellatum*.  
*strictum*, Willd. ex Steud. Nom. ed. II. ii. 146 = *Trachypogon polymorphus*.  
*tenellum*, Cav. Ic. iii. 37 = *Airopsis globosa*.  
*Thomasii*, Duby, Bot. Gall. i. 505 (= *Piptatherum miliaceum*).—Europ. austr.; Sibir.  
*tomentosum*, Koen. ex Rottl. in Ges. Naturf. Fr. Neue Schr. iv. (1803) 220 = *Panicum subglume*.  
*transsilvanicum*, Schur, Enum. Pl. Transs. 741 = *effusum*.  
*trichopodium*, Boiss. Diagn. Ser. I. xiii. 45.—As. Min.; Syria.  
*undulatifolium*, Moench, Meth. 202 = *Oplismenus undulatifolius*.  
*velutinum*, DC. Cat. Hort. Monsp. 126 = *Paspalum velutinum*.  
*vernale*, Bieb. Fl. Taur. Cauc. i. 53.—Graecia; Reg. Caucas.  
*vernale*, Van Hall, Syn. 32 (1821); Kunth, Enum. Pl. i. 66 = *effusum*.  
*verticillatum*, Boiss. & Bal. Diagn. Ser. II. iv. 126.—Phrygia.  
*villosum*, Sw. Prod. Veg. Ind. Occ. 24 = *Panicum leucophaeum*.

**MILIUM**, [Tourn.] Adans. Fam. ii. 34 (1763) = **Panicum**, Linn. (Gramin.).

**MILIUSA**, Leschen. ex A. DC. in Mém. Soc. Phys. Genève. v. (1832) 213. **ANONACEAE**, Benth. & Hook. f. i. 28.  
**HYALOSTEMMA**, Wall. Cat. n. 6434 (1831).

**MILIUSA:**—

- Bailloni, Pierre, Fl. For. Cochinch. t. 38.—Anam.; Ins. Philipp.  
*Brahei*, F. Muell. Fragm. viii. 159 = *Saccopetalum Brahei*.  
*campanulata*, Pierre, Fl. For. Cochinch. t. 41.—Cambodia.  
*fusca*, Pierre, l. c. 42.—Cambodia.  
*Horsfieldii*, Baill. ex Pierre, l. c. sub t. 38 = *Saccopetalum Horsfieldii*.  
*indica*, Leschen. ex A. DC. Mém. Anon. 37.—Ind. or. macrocarpa, Hook. f. & Thoms. Fl. Ind. i. 150.—Reg. Himal.  
*macropoda*, Miq. Ann. Mus. Bot. Lugd. Bat. ii. 40.—Borneo.  
*mollis*, Pierre, Fl. For. Cochinch. t. 40.—Cambodia.  
*montana*, Gardn. ex Hook. f. & Thoms. Fl. Ind. i. 148 = *indica*.  
*nilagrica*, Bedd. Ic. Pl. Ind. Or. i. 18.—Ind. or. Roxburghiana, Hook. f. & Thoms. Fl. Ind. i. 150.—Reg. Himal.; Burma.  
*sclerocarpa*, Kurz, in Journ. As. Soc. Beng. xli. (1872) ii. 291.—Burma.  
*tristis*, Kurz, l. c. xliii. (1874) ii. 58, 181.—Burma.  
*velutina*, Hook. f. & Thoms. Fl. Ind. i. 151.—Ind. or. Wallichiana, Hook. f. & Thoms. l. c. 149 = *Roxburghiana*.  
*Wightiana*, Hook. f. & Thoms. l. c.—Ind. or.  
*zeylanica*, Gardn. ex Hook. f. & Thoms. l. c.—Zeylan.

**MILLA**, Cav. Ic. ii. 76. t. 196 (1793). **LILIACEAE**.

- Benth. & Hook. f. iii. 799.  
**ASKOLAME**, Rafin. Fl. Tellur. ii. 11 (1836).  
**GYRENIA**, Knowles & Westc. ex Loud. Hort. Brit. Suppl. ii. 639 (1839).  
**IPHEION**, Rafin. Fl. Tellur. ii. 12 (1836).  
**MILLEA**, Willd. Sp. Pl. ii. 62 (1799).  
**TULOPHOS**, Rafin. Fl. Tellur. iii. 71 (1836).  
*andicola*, Baker, in Journ. Linn. Soc. xi. (1871) 381.—Peruv.; Boliv.  
*aurea*, Baker, l. c. 386.—Reg. Argent.  
*biflora*, Cav. Ic. ii. 76. t. 196.—Arizona; Mexic.  
*bivalvis*, Baker, in Journ. Linn. Soc. xi. (1871) 386.—Chili.  
*bonariensis*, Gill. ex Baker, l. c. 382 = *uniflora*.  
*borbonica*, Baker, Fl. Mauriti. 373 = *Nothoscordum borbonicum*.  
*brevipes*, Baker, in Journ. Linn. Soc. xi. (1871) 386.—Chili.  
*capitata*, Baker, l. c. 381 = *Brodiaea capitata*.  
*coerulea*, Scheele, in Linnaea, xxv. (1852) 260 = *Androstaphium violaceum*.  
*crocea*, Baker, in Journ. Linn. Soc. xi. (1871) 384 = *Brodiaea crocea*.  
*grandiflora*, Baker, l. c. 380 = *Brodiaea Douglasii*.  
*hirtella*, Baker, l. c. 385.—Reg. Argent.  
*hyacinthina*, Baker, l. c. = *Brodiaea lactea*.  
*ixioides*, Baker, l. c. 383 = *Brodiaea ixioides*.  
*laxa*, Baker, l. c. 384 = *Brodiaea laxa*.  
*Leichtlinii*, Baker, in Gard. Chron. (1875) i. 234.—Reg. Andin.  
*macrostemon*, Baker, in Journ. Linn. Soc. xi. (1871) 381.—Reg. Argent.  
*maritima*, S. Wats. in Bot. King's Exped. 354 = *Muilla maritima*.  
*nivalis*, Baker, in Journ. Linn. Soc. xi. (1871) 383.—Chili.  
*patagonica*, Baker, l. c. 382.—Patagon.  
*peduncularis*, Baker, l. c. 384 = *Brodiaea peduncularis*.  
*Poeppigiana*, Baker, l. c. 383.—Chili.  
*porrifolia*, Baker, l. c. 386.—Chili.  
*Sellowiana*, Baker, l. c. 383.—Reg. Argent.  
*sessiliflora*, Baker, l. c. 382.—Chili.  
*setacea*, Baker, l. c. 385.—Tucuman.  
*subbiflora*, Baker, l. c.—Chili.  
*Tweediana*, Griseb. in Goett. Abh. xxiv. (1879) 318.—Reg. Argent.  
*uniflora*, R. Grah. in Edinb. N. Phil. Journ. Jan. 1833 174.—Reg. Argent.  
*violacea*, Baker, in Journ. Bot. xii. (1874) 5.—Chili.  
*vittata*, Griseb. in Goett. Abh. xxiv. (1879) 318.—Reg. Argent.

**MILLA**, Vand. Fl. Lusit. et Bras. Spec. 43. t. 3. f. 23 (1788) = **Herpestis**, Gaertn. (Scrophul.).

**MILLANIA**, Zipp. ex Blume, Mus. Bot. Lugd. Bat. ii. 1852 [1856] 128 = **Pemphis**, Forst. (Lythrar.).  
*rupestris*, Zipp. ex Blume, l. c. = *P. acidula*.



MILLEA, Willd. Sp. Pl. ii. 62 (1799) = *Milla*, Cav. (Liliac.).

MILLEFOLIUM, Tourn. ex Adans. Fam. ii. 128 (1763) = *Achillea*, Linn. (Compos.).  
*compactum*, Fourr. in Ann. Soc. Linn. Lyon, N. S. xvii. (1869) 91 = *A. compacta*.  
*nobile*, Fourr. l. c. = *A. nobilis*.  
*odoratum*, Fourr. l. c. = *A. odorata*.  
*officinale*, Gueldenst. ex Ledeb. Fl. Ross. ii. 532 = *A. Millefolium*.  
*setaceum*, Fourr. in Ann. Soc. Linn. Lyon, N. S. xvii. (1869) 91 = *A. setacea*.  
*tomentosum*, Fourr. l. c. = *A. tomentosa*.  
*vulgare*, Gueldenst. ex Ledeb. Fl. Ross. ii. 532 = *A. Millefolium*.

MILLEGRANA, Adans. Fam. ii. 269 (1763) = *Radiola*, Dill. (Lineae).

MILLEGRANA, Juss. ex Turp. in Ann. Mus. Par. vii. (1806) 220 = *Cypselea*, Turp. (Ficoid.).  
*Surian*, Steud. Nom. ed. II. ii. 146, sphalm. = *C. humifusa*.

MILLERA, St. Lag. in Ann. Soc. Bot. Lyon, viii. (1881) 171 = seq.

MILLERIA, Houst. ex Linn. Syst. ed. I (1735).  
 COMPOSITAE, Benth. & Hook. f. ii. 344.  
*alba*, Hort. ex Pers. Syn. ii. 489 = *Baltimora recta*.  
*angustifolia*, Cav. Ic. iii. 12. t. 223 = *Flaveria angustifolia*.  
*biflora*, Linn. Sp. Pl. 919 = *Elvira Martyni*.  
*Contrahierba*, Lam. Encyc. iv. 183 = seq.  
*Contrayerba*, Cav. Ic. i. 2 = *Flaveria Contrayerba*.  
*dichotoma*, Cav. l. c. 58 = *quinqueflora*.  
*glandulosa*, DC. Prod. v. 503 = *quinqueflora*.  
*maculata*, Mill. Gard. Dict. ed. VIII. n. 2 = *quinqueflora*.  
*quinqueflora*, Linn. Sp. Pl. 919. — Mexic.  
*trifolia*, Mill. Gard. Dict. ed. VIII. n. 4. — Mexic.

MILLETTIA, Meissn. Gen. 95 (1837) = seq.

MILLETTIA, Wight & Arn. Prod. 263 (1834).  
 LEGUMINOSAE, Benth. & Hook. f. i. 498.  
*CALLERYA*, Endl. Gen. Suppl. iii. 104 (1843).  
*FORNASINIA*, Bertol. Misc. Bot. viii. 18. t. 1 (1849).  
*MARQUARTIA*, Vog. in Nov. Act. Nat. Cur. xix. Suppl. i. (1843) 35. t. 1.  
*OTOSEMA*, Benth. in Miq. Pl. Jungh. 248 (1852).  
*PADBRUGGEA*, Miq. Fl. Ind. Bat. i. i. 150 (1855).  
*aboënsis*, Baker, in Oliver, Fl. Trop. Afr. ii. 130. — Afr. trop.  
*amygdalina*, Baill. in Bull. Soc. Linn. Par. i. (1883) 296. — Madag.  
*antsahalanensis*, Baill. l. c. 395. — Madag.  
*argentea*, Miq. Fl. Ind. Bat. i. i. 156. — Java.  
*atropurpurea*, Benth. in Miq. Pl. Jungh. 249. — Burma; Malaya.  
*auriculata*, Baker, ex Brand. For. Fl. Ind. 138. — Reg. Himal.  
*australis*, Benth. in Miq. Pl. Jungh. 250. — Ins. Norfolk.  
*Blackii*, F. Muell. Fragm. ii. 123 = *Lonchocarpus Blackii*.  
*Bojeri*, Vatke, in Bremen, Abh. vii. (1882) 246. — Madag.  
*Brandisiana*, Kurz, in Journ. As. Soc. Beng. xlii. (1873) ii. 69. — Burma.  
*caerulea*, Baker, in Hook. f. Fl. Brit. Ind. ii. 107. — Burma; Malaya.  
*caffra*, Meissn. in Hook. Lond. Journ. Bot. ii. (1843) 99. — Afr. austr.  
*cana*, Benth. in Miq. Pl. Jungh. 250. — Burma.  
*caudata*, Baker, in Hook. f. Fl. Brit. Ind. ii. 109. — Reg. Himal.  
*Championi*, Benth. in Hook. Kew Journ. iv. (1852) 74. — Ins. Hongkong.  
*Chapelieri*, Baill. in Bull. Soc. Linn. Par. i. (1883) 395. — Madag.  
*chinensis*, Benth. in Miq. Pl. Jungh. 249 = *Wistaria chinensis*.  
*cinerea*, Benth. l. c. — Reg. Himal.; Burma.  
*cognata*, Hance, in Journ. Bot. xviii. (1880) 260. — China.  
*drastica*, Welw. ex Baker, in Oliver, Fl. Trop. Afr. ii. 128. — Afr. trop.

MILLETTIA :—

*elliptica*, Wight & Arn. Prod. 263 = *Derris elliptica*.  
*eriantha*, Benth. in Miq. Pl. Jungh. 250. — Malacca.  
*extensa*, Benth. ex Baker, in Hook. f. Fl. Brit. Ind. ii. 109. — Burma.  
*ferruginea*, Hochst. in Flora, xxix. (1846) 597, in syn.; Baker, in Oliver, Fl. Trop. Afr. ii. 130. — Afr. trop.  
*fruticosa*, Benth. ex Baker, in Hook. f. Fl. Brit. Ind. ii. 109. — Ind. or.  
*glaucescens*, Kurz, in Journ. As. Soc. Beng. xlii. (1873) ii. 67. — Burma.  
*gracilis*, Welw. ex Baker, in Oliver, Fl. Trop. Afr. ii. 129. — Afr. trop.  
*Grandidieri*, Baill. in Bull. Soc. Linn. Par. i. (1883) 395. — Madag.  
*Griffoniana*, Baill. Adansonia, vi. (1866) 222 = *Thonningii*.  
*heterophylla*, Blume, ex Miq. Fl. Ind. Bat. i. i. 154 = *sericea*.  
*japonica*, A. Gray, in Mem. Am. Acad. N. S. vi. (1859) 386. — Japon.  
*leiogyna*, Kurz, in Journ. As. Soc. Beng. xlii. (1873) ii. 67. — Burma.  
*lenneoides*, Vatke, in Linnaea, xliii. (1880–82) 335. — Madag.  
*leucantha*, Kurz, in Journ. As. Soc. Beng. xlii. (1873) ii. 68 = *pendula*.  
*leucantha*, Vatke, in Oestr. Bot. Zeitschr. xxix. (1879) 223. — Afr. trop.  
*luzonensis*, A. Gray, Bot. U. St. Expl. Exped. i. 456. — Ins. Philipp.  
*macrophylla*, Benth. in Hook. Ic. Pl. t. 788–9. — Afr. austr.  
*macrophylla*, Kurz, in Journ. As. Soc. Beng. xlv. (1876) ii. 276 = *auriculata*.  
*madagascariensis*, Vatke, in Linnaea, xliii. (1880–82) 101. — Ins. Nossibé.  
*Maingayi*, Baker, in Hook. f. Fl. Brit. Ind. ii. 110. — Singapore.  
*Mannii*, Baker, in Oliver, Fl. Trop. Afr. ii. 127. — Afr. trop.  
*megasperma*, Benth. Fl. Austral. ii. 211. — Austral.  
*monticola*, Kurz, in Journ. As. Soc. Beng. xlii. (1873) ii. 67. — Burma.  
*nitida*, Benth. in Hook. Lond. Journ. Bot. i. (1842) 484. — China.  
*nudiflora*, Welw. ex Baker, in Oliver, Fl. Trop. Afr. ii. 130. — Afr. trop.  
*obtusica*, Blume, ex Miq. Fl. Ind. Bat. i. i. 154 = *sericea*.  
*ovalifolia*, Kurz, in Journ. As. Soc. Beng. xlii. (1873) ii. 68. — Burma.  
*pachycarpa*, Benth. in Miq. Pl. Jungh. 250. — Reg. Himal.; Malaya.  
*palida*, Dalz. in Journ. Linn. Soc. xlii. (1873) 187 = *racemosa*.  
*paniculata*, Miq. Fl. Ind. Bat. Suppl. 301. — Sumatra.  
*pendula*, Benth. in Miq. Pl. Jungh. 250. — Burma.  
*pirifolia*, Vatke, in Oestr. Bot. Zeitschr. xxviii. (1878) 215. — Afr. trop.  
*piscidia*, Wight & Arn. Prod. 263. — Reg. Himal.  
*pubinervis*, Kurz, in Journ. As. Soc. Beng. xlii. (1873) ii. 68. — Burma.  
*pulchra*, Kurz, l. c. 69. — Reg. Himal.; Burma.  
*racemosa*, Benth. in Miq. Pl. Jungh. 249. — Ind. or.  
*reticulata*, Benth. l. c. — China.  
*rhodantha*, Baill. Adansonia, vi. (1866) 223. — Afr. trop.  
*rostrata*, Miq. Fl. Ind. Bat. i. i. 155. — Java.  
*rubiginosa*, Wight & Arn. Prod. 263. — Ind. or.  
*sericea*, Wight & Arn. l. c. — Burma; Malaya.  
*sericosema*, Hance, in Journ. Bot. xx. (1882) 259. — China.  
*speciosa*, Champ. ex Benth. in Hook. Kew Journ. iv. (1852) 73. — China.  
*speciosa*, Welw. Apont. 585. n. 23. — Afr. trop.  
*splendens*, Wight & Arn. Prod. 263. — Ind. or.  
*splendidissima*, Blume, ex Miq. Fl. Ind. Bat. i. i. 156. — Borneo.  
*subcordata*, Blume, l. c. 154 = *sericea*.  
*Sutherlandi*, Harv. in Harv. & Sond. Fl. Cap. iii. 211. — Afr. austr.  
*tetraptera*, Kurz, in Journ. As. Soc. Beng. xlii. (1873) ii. 69. — Burma.  
*Thonningii*, Baker, in Oliver, Fl. Trop. Afr. ii. 128. — Afr. trop.  
*thyrsiflora*, Benth. in Miq. Pl. Jungh. 249, in adnot. = *Derris thyrsiflora*.

MILLETTIA :—

*turgida*, Miq. Fl. Ind. Bat. Suppl. 300. — Sumatra.  
*urophylla*, Welw. ex Baker, in Oliver, Fl. Trop. Afr. ii. 129. — Afr. trop.  
*versicolor*, Welw. l. c. — Afr. trop.  
*xylocarpa*, Miq. Fl. Ind. Bat. i. i. 157. — Java.  
*Zollingeriana*, Miq. l. c. 156. — Java.

MILLIGANIA, Hook. f. in Hook. Ic. Pl. t. 299 (1840) = *Gunnera*, Linn.  
*cordifolia*, Hook. f. l. c. = *G. cordifolia*.

MILLIGANIA, Hook. f. in Hook. Kew Journ. v. (1853) 296. t. 9. LILIACEAE, Benth. & Hook. f. iii. 781.  
*densiflora*, Hook. f. in Hook. Kew Journ. v. (1853) 298. — Tasmania.  
*Johnstoni*, F. Muell. ex Benth. Fl. Austral. vii. 26. — Tasmania.  
*longifolia*, Hook. f. in Hook. Kew Journ. v. (1853) 297. — Tasmania.  
*stylosa*, F. Muell. ex Benth. Fl. Austral. vii. 27. — Tasmania.

MILLINA, Cass. in Dict. Sc. Nat. xxxi. 89 (1824) = *Leontodon*, Linn. (Compos.).  
*arabica*, Boiss. Diagn. Ser. I. xi. 38 = *L. arabicus*.  
*chicoracea*, Pomel, Nouv. Mat. Fl. Atl. 270 = *L. chicoraceus*.  
*hispidula*, Boiss. Diagn. Ser. I. xi. 38 = *L. hispidulus*.  
*hyoseroides*, DC. Prod. vii. 110 = *L. creticus*.  
*leontodontoides*, Cass. in Dict. Sc. Nat. xxxi. 90 = *L. fasciculatus*.  
*persica*, Boiss. Diagn. Ser. I. vii. 3 = *L. hispidulus*.

MILLINGTONIA, Linn. f. Suppl. 45, 291 (1781).  
 BIGNONIACEAE, Benth. & Hook. f. ii. 1040.  
*NEVRILIS*, Rafin. Sylva Tellur. 138 (1838).  
*Clematis*, Schrad. in Goett. Gel. Anz. i. (1821) 712. — Bras.  
*dubiosa*, Span. in Linnaea, xv. (1841) 326 = *hortensis*.  
*hortensis*, Linn. f. Suppl. 291. — Burma.  
*pinnata*, Blanco, Fl. Filip. 501 = *Stereosperma pinnatum*.  
*quadrifoliosa*, Blanco, l. c. = *Stereosperma quadrifoliosum*.

MILLINGTONIA, Roxb. ex Wight & Arn. Prod. 241, in syn. (1834) = *Flemingia*, Roxb. (Legumin.).  
*congesta*, Roxb. l. c. = *F. congesta*.  
*nana*, Roxb. l. c. 242 = *F. congesta*.  
*semialata*, Roxb. l. c. 241 = *F. congesta*.  
*stricta*, Roxb. l. c. = *F. stricta*.

MILLINGTONIA, Roxb. Fl. Ind. ed. Carey, i. 102 (1820) = *Meliosma*, Blume (Sabiaceae).  
*acuminata*, Royle, Illustr. Bot. Himal. 139 = *Mel. pungens*.  
*alba*, Schlecht. in Linnaea, xvi. (1842) 395 = *Mel. alba*.  
*Arnottiana*, Wight, Illustr. i. 144. t. 53 = *Mel. Arnottiana*.  
*congesta*, Wight & Arn. in Edinb. N. Phil. Journ. xv. (1833) 179 = *Mel. pungens*.  
*dilleniifolia*, Wall. ex Wight & Arn. l. c. = *Mel. dilleniifolia*.  
*ferruginea*, Schult. Mant. i. Addit. ii. 250 = *Mel. ferruginea*.  
*integrifolia*, Wall. Cat. n. 8114 = *Mel. pungens*, *simplicifolia*.  
*lanceolata*, Schult. Mant. i. Addit. ii. 250 = *Mel. lanceolata*.  
*nitida*, Schult. l. c. = *Mel. nitida*.  
*pinnata*, Korth. ex Blume, Rumphia, iii. 200 = *Mel. confusa*.  
*pinnata*, Roxb. Hort. Beng. 3; Fl. Ind. i. 104 = *Mel. pinnata*.  
*pungens*, Wall. ex Wight & Arn. in Edinb. N. Phil. Journ. xv. (1833) 178 = *Mel. pungens*.  
*sambucina*, Jungh. in Hoev. & De Vriese, Tijdschr. viii. (1841) 365 = *Mel. glauca*.  
*simplicifolia*, Roxb. Hort. Beng. 3; Pl. Corom. iii. 50 = *Mel. simplicifolia*.  
*simplicifolia*, Wall. Cat. n. 8114 A = *Mel. Wightii*.  
*sumatrana*, Jack, in Malay. Misc. ii. (1822) n. VII. 30 = *Mel. nitida*.



**MILLOTIA**, Cass. in Ann. Sc. Nat. Sér. I. xvii. (1829) 416. *COMPOSITAE*, Benth. & Hook. f. ii. 315. *glabra*, Steetz, in Lehm. Pl. Preiss. i. 458 = *tenuifolia*. *Greevesii*, F. Muell. *Fragm.* iii. 18. t. 19.—Austral. Kempei, F. Muell. in Wing, *South Sc. Record*, ii. (1882) 2.—Austral. *myosotidifolia*, Steetz, in Lehm. Pl. Preiss. i. 457 = *tenuifolia*. *robusta*, Steetz, l. c. 458 = *tenuifolia*. *tenuifolia*, Cass. in Ann. Sc. Nat. Sér. I. xvii. (1829) 417.—Austral.

**MILNEA**, Rafin. Sylva Tellur. 167 (1838) = **Ardisia**, Sw. (Myrsin.).

**MILNEA**, Roxb. Hort. Beng. 18 (1814); Fl. Ind. i. 637 (1832) = **Aglaia**, Lour. (Meliac.). *apocarpa*, Thw. Enum. Pl. Zeyl. 60 = *A. apocarpa*. *argentea*, Reinw. Cat. Gew. Buitenz. 71 = *A. argentea*. *Blumei*, Teijsm. & Binn. Cat. Hort. Bog. 211 = *A. Diepenhorstii*. *dulcis*, Teijsm. & Binn. in Tijdschr. Nederl. Ind. xxix. (1867) 253.—Ins. Celebes. *edulis*, Roxb. Hort. Beng. 18; Fl. Ind. i. 637 = *A. edulis*. *lancifolia*, Hook. f. in Trans. Linn. Soc. xxiii. (1860) 165 = *Hearnia lancifolia*. *montana*, Jack, in Trans. Linn. Soc. xiv. (1823) 118.—Sumatra. *montana*, Miq. Fl. Ind. Bat. Suppl. 197 = *A. oligophylla*. *montana*, Teijsm. & Binn. Cat. Hort. Bog. 211 = *A. subgrisea*. *racemosa*, M. Roem. Syn. Hesper. 98 = *A. edulis*. *Roxburghiana*, Wight & Arn. Prod. 119 = *A. Roxburghiana*. *Sulingi*, Teijsm. & Binn. Cat. Hort. Bog. 211 = *A. Sulingi*. *undulata*, Wall. ex C. DC. in DC. Monog. Phan. i. 605 = *A. undulata*.

**MILTIANTHUS**, Bunge, in Arb. Naturf. Ver. Riga, i. (1847) 197 (Rel. Lehm. 58). *ZYGOPHYLLEAE*, Benth. & Hook. f. i. 266. *portulacoides*, Bunge, in Abh. Naturf. Ver. Riga, i. (1847) 197 (Rel. Lehm. 58).—Afghan.

**MILTITZIA**, A. DC. in DC. Prod. ix. 296 (1845). **Emmenanthe**, Benth. (Hydroph.). *lutea*, A. DC. l. c. = *E. lutea*.

**MILTONIA**, Lindl. Bot. Reg. sub t. 1976 (1837). *ORCHIDEAE*, Benth. & Hook. f. iii. 563. *GYNZODON*, Rafin. Fl. Tellur. iv. 40 (1836). *MACROCHILUS*, Knowles & Westc. Flor. Cab. t. 45 (1837). *anceps*, Lindl. *Fol. Orch. Milt.* 3.—Bras. *bicolor*, Lodd. ex W. Baxt. in Loud. Hort. Brit. Suppl. iii. 589, nomen.—Bras. *Bluntii* ×, Reichb. f. in Gard. Chron. (1879) II. 489.—Bras. *candida*, Lindl. Bot. Reg. (1838) Misc. 25.—Bras. *cereola*, Lem. Illustr. Hort. xii. (1865) t. 446.—Bras. *Clowesii*, Lindl. Sert. Orch. t. 34.—Bras. *cuneata*, Lindl. Bot. Reg. (1844) Misc. 26.—Bras. *cyrtocloides*, Rodrig. Orch. Nov. i. 98.—Bras. *Endresii*, Nichols. Dict. Gard. ii. 368.—Am. centr. *festiva*, Nichols. l. c.—Hab. ? *flava*, Lindl. ex W. Baxt. in Loud. Hort. Brit. Suppl. iii. 589, nomen.—Bras. *flavescens*, Lindl. Sert. Orch. sub t. 48.—Bras. *Karwinskii*, Lindl. in Journ. Hort. Soc. iv. (1849) 83 = *Odontoglossum Karwinskii*. *Lamarckiana* ×, Reichb. f. in Gard. Chron. (1885) I. 530.—Bras. *Moreliana*, Hort. ex Lindl. *Fol. Orch. Milt.* 1 = *specabilis*. *odorata*, Lodd. ex W. Baxt. in Loud. Hort. Brit. Suppl. iii. 589, nomen.—Bras. *Phalaenopsis*, Nichols. Gard. Dict. ii. 369.—N. Granat. *pulchella*, Hort. ex Linden, Pescatorea, i. (1860) sub t. 44 = *M. Phalaenopsis*. *Regnelli*, Reichb. f. in Linnaea, xxii. (1849) 851.—Bras. *Roetzlii*, Nichols. Dict. Gard. ii. 369.—N. Granat. *rosea*, Versch. ex Lem. Illustr. Hort. xiv. (1867) t. 524 = *specabilis*.

**MILTONIA** :—

*Rosina*, Rodrig. Orch. Nov. i. 99.—Bras. *Russelliana*, Lindl. Sert. Orch. sub t. 48.—Bras. *speciosa*, Klotzsch, in Otto & Dietr. Allg. Gartenz. xxiii. (1855) 129.—Bras. *spectabilis*, Lindl. Bot. Reg. sub t. 1976.—Bras. *stellata*, Lindl. Sert. Orch. sub t. 48 = *flavescens*. *vexillaria*, Nichols. Dict. Gard. ii. 369.—N. Granat. *Warneri*, Nichols. l. c. = *specabilis*. *Warszewiczii*, Reichb. f. in Xenia Orch. i. 132.—Bras.

**MILTUS**, Lour. Fl. Cochinch. 302 (1790) = **Gisekia**, Linn. (Ficoid.). *africana*, Lour. l. c. = *G. Miltus*.

**MIMAECYLON**, St. Lag. in Ann. Soc. Bot. Lyon, vii. (1880) 78 = **Memecylon**, Linn. (Melastom.).

**MIMELA**, Phil. in Anal. Univ. Chil. (1865) II. 336. *COMPOSITAE*. *pediculariaefolia*, Phil. l. c.—Chili.

**MIMETANTHE**, Greene, in Bull. Calif. Acad. i. IV. (1885) 181 = **Mimulus**, Linn. (Scrophul.). *pilosa*, Greene, l. c. = *Mimulus exilis*.

**MIMETES**, Salisb. Parad. Lond. sub n. 67 (1807). *PROTEACEAE*, Benth. & Hook. f. iii. 171. *DEASTELLA*, Loud. Hort. Brit. 88, in syn. (1830). *OROTHAMNUS*, Pappe, ex Hook. Bot. Mag. t. 4357 (1848).

*argentea*, Knight, Prot. 67.—Afr. austr. *capitata*, R. Br. in Trans. Linn. Soc. x. (1810) 106.—Afr. austr. *capitulata*, Sieber, ex Schult. Mant. iii. 268 = *hirta*. *coriacea*, Steud. Nom. ed. II. ii. 147; Meissn. in DC. Prod. xiv. 266.—Afr. austr. *cucullata*, R. Br. in Trans. Linn. Soc. x. (1810) 107 = *lyrigera*. *decapitata*, Meissn. in DC. Prod. xiv. 262.—Afr. austr. *dichotoma*, Roem. & Schult. Syst. iii. 383.—Afr. austr. *divaricata*, R. Br. in Trans. Linn. Soc. x. (1810) 111.—Afr. austr. *fimbriaefolia*, Knight, Prot. 65.—Afr. austr. *floccosa*, Knight, l. c.—Afr. austr. *Hartogii*, R. Br. in Trans. Linn. Soc. x. (1810) 108.—Afr. austr. *Hibbertii*, R. Br. l. c. = *splendida*. *hirta*, Knight, Prot. 66; R. Br. l. c. 105.—Afr. austr. *homomalla*, Reichb. f. ex Meissn. in DC. Prod. xiv. 266 = *purpurea*. *intermedia*, Buek, ex Meissn. l. c. 265.—Afr. austr. *Ludwigii*, Steud. ex Meissn. l. c. 263 = *lyrigera*. *lyrigera*, Knight, Prot. 65.—Afr. austr. *Massoni*, R. Br. in Trans. Linn. Soc. x. (1810) 109.—Afr. austr. *myrtifolia*, R. Br. l. c. 110.—Afr. austr. *nitens*, Roem. & Schult. Syst. iii. 384.—Afr. austr. *palustris*, Knight, Prot. 66.—Afr. austr. *parviflora*, Klotzsch, ex Krauss, in Flora, xxviii. (1845) 77 = *divaricata*. *pauciflora*, R. Br. in Trans. Linn. Soc. x. (1810) 106.—Afr. austr. *purpurea*, R. Br. l. c. 111.—Afr. austr. *spectabilis*, Steud. Nom. ed. I. 532 = *Protea latifolia*. *splendida*, Knight, Prot. 66.—Afr. austr. *thymelaoides*, R. Br. in Trans. Linn. Soc. x. (1810) 109.—Afr. austr. *vacciniifolia*, Sweet, Hort. Brit. ed. I. 347.—Afr. austr. *Zeyheri*, Meissn. in DC. Prod. xiv. 264.—Afr. austr.

**MIMOSA**, Linn. Gen. ed. I. 155 (1737). *LEGUMINOSAE*, Benth. & Hook. f. i. 593. *EBURNAX*, Rafin. New Fl. Am. i. 42 (1836). *LOMOPLIS*, Rafin. Sylva Tellur. 118 (1838). *SENSITIVA*, Rafin. l. c. 119 (1838). *abietina*, Poir. Encyc. Suppl. i. 60 = *Acacia linifolia*. *abstergens*, Roxb. ex Spreng. Syst. ii. 207 = *Acacia concinna*, DC. *acacioides*, Benth. in Hook. Journ. Bot. ii. (1840) 132 = *Piptadenia peregrina*. *acanthocarpa*, Poir. Encyc. Suppl. v. 529; Benth. l. c. iv. (1842) 409.—Mexic. *acantholoba*, Poir. l. c. i. 83.—Am. trop. *acerba*, Benth. in Hook. Journ. Bot. iv. (1842) 378.—Bras. *acicularis*, Poir. Encyc. Suppl. v. 529 = *Acacia Farnesiana*.

**MIMOSA** :—

*Acle*, Blanco, Fl. Filip. ed. I. 738 = *Xylia dolabriformis*. *aculeata*, Mill. Gard. Dict. ed. VIII. add.—Hab. ? *aculeaticarpa*, Orteg. Hort. Matr. Dec. 134 = *acanthocarpa*. *acutiflora*, Benth. in Hook. Journ. Bot. iv. (1842) 397 = *somnians*. *acutistipula*, Benth. l. c. 391.—Bras. *adenanthera*, Hort. ex Steud. Nom. ed. II. i. 3 = *Acacia adenanthera* (in Addend.). *adenanthera*, Roxb. Hort. Beng. 40; Fl. Ind. ii. 554 = *Neptunia plena*. *adenantheroides*, Benth. in Hook. Lond. Journ. Bot. v. (1846) 88.—Am. trop. *adenocarpa*, Benth. in Hook. Journ. Bot. iv. (1842) 399.—Bras. *adenotricha*, Benth. in Hook. Lond. Journ. Bot. v. (1846) 91.—Bras. *adhaerens*, H. B. & K. Nov. Gen. et Sp. vi. 249.—Am. trop. *adhaerens*, Mart. ex Benth. in Trans. Linn. Soc. xxx. (1875) 529 = *Acacia paniculata*. *adhaerens*, Mart. in Flora, xx. (1837) II. Beibl. 122 = *Acacia adhaerens*. *adanthifolia*, Schum. & Thonn. Beskr. Pl. Guin. 322 = *Albizzia fastigiata*. *adpressa*, Hook. & Arn. in Hook. Bot. Misc. iii. (1833) 202.—Am. austr. *adstringens*, Schum. & Thonn. Beskr. Guin. Pl. 327 = *Acacia arabica*. *adversa*, Benth. in Trans. Linn. Soc. xxx. (1875) 439; et in Mart. Fl. Bras. xv. II. 384.—Am. trop. *aemula*, Spreng. Syst. ii. 206.—Bras. *Aeschynomenes*, Benth. Bot. Voy. Sulph. 89 = *camporum*. *aggregata*, Pers. Syn. ii. 263.—Ind. or. *agrestis*, Sieber, ex Spreng. Syst. ii. 206 = *Prosopis Stephaniana*. *alata*, Poir. Encyc. Suppl. v. 530 = *Acacia alata*. *alba*, Roxb. ex Rottl. in Ges. Naturf. Fr. Berl. Neue Schr. iv. (1803) 208 = *Acacia leucophloea*. *alba*, Sw. Prod. Veg. Ind. Occ. 85 = *Inga alba*. *alba*, Vahl, Eclog. Am. iii. 31 = *Inga Bourgoni*. *albida*, Humb. & Bonpl. in Willd. Sp. Pl. iv. 1030.—Am. trop. *albida*, Roxb. ex Wall. Cat. sub n. 5227 = *Acacia Suma*. *Algarrobo*, Azara, Voy. ii. 483 = *Prosopis juliflora*. *alternans*, Vahl, ex Benth. in Trans. Linn. Soc. xxx. (1875) 548 = *Calliandra alternans*. *altissima*, Roxb. Hort. Beng. 41 = *Pithecolobium altissimum* ? *amara*, Roxb. Pl. Corom. ii. 13. t. 122 = *Albizzia amara*. *ambigua*, Salisb. Prod. 325 = *Acacia suaveolens*. *andina*, Benth. in Trans. Linn. Soc. xxx. (1875) 427.—Reg. Andin. *angulata*, Poir. Encyc. Suppl. v. 530 = *Acacia discolor*. *angulata*, Spreng. Neue Entdeck. ii. 158.—Bras. *angusta*, Benth. in Hook. Journ. Bot. iv. (1842) 362.—Bras. *angustifolia*, Jacq. Hort. Schoenb. iii. 74. t. 39 = *Acacia suaveolens*. *angustisiliqua*, Lam. Encyc. i. 10 = *Desmanthus virgatus*. *angustissima*, Mill. Gard. Dict. ed. VIII. n. 19 = *Acacia filicina*. *annularis*, Spruce, ex Benth. in Trans. Linn. Soc. xxx. (1875) 419; et in Mart. Fl. Bras. xv. II. 362.—Bras. *Antillarum*, Poir. Encyc. Suppl. i. 80 = *Pithecolobium parviflorum*. *antrorsa*, Benth. in Hook. Journ. Bot. iv. (1842) 403 = *adversa*. *apodocarpa*, Benth. in Trans. Linn. Soc. xxx. (1875) 415; et in Mart. Fl. Bras. xv. II. 359.—Am. trop. *appressa*, Benth. in Mart. Fl. Bras. xv. II. 347 = *adpressa*. *aquatica*, Pers. Syn. ii. 263 = *Neptunia oleracea*. *arabica*, Lam. Encyc. i. 19 = *Acacia arabica*. *arborea*, Forsk. Fl. Aegypt. Arab. 177; Thunb. Fl. Jap. 229 = *Albizzia Julibrissin*. *arborea*, Linn. Sp. Pl. 519 = *Acacia villosa*, *Pithecolobium filicifolium*. *arcuata*, Mart. & Gal. in Bull. Acad. Brux. x. II. (1843) 310.—Mexic. *arenosa*, Poir. Encyc. Suppl. i. 66.—Am. trop. *armata*, Poir. l. c. v. 530 = *Acacia armata*. *armata*, Rottl. ex Spreng. Syst. ii. 206 = *hamata*. *arvensis*, Sieber, ex Steud. Nom. ed. I. 533 = *Prosopis Stephaniana* !



**MIMOSA:—**

*Asak*, Forsk. Fl. Aegypt. Arab. 176 = *Acacia hamulosa*?  
*asperata*, Blanco, Fl. Filip. ed. I. 732 = *pudica*.  
*asperata*, Linn. Syst. ed. X. 1312.—Ind. occ.  
*asperima*, Benth. in Hook. Journ. Bot. iv. (1842)  
 377.—Am. trop.  
*atakta*, Steud. in Flora, xxvi. (1843) 758 = *Pithecolobium trapezifolium*.  
*atomaria*, Poir. Encyc. Suppl. i. 81 = *Acacia macracantha*.  
*auriculata*, Benth. in Trans. Linn. Soc. xxx. (1875)  
 430.—Am. trop.  
*aurivillus*, Mart. in Flora, xxi. (1838) II. Beibl. 52.—  
 Bras.  
*axillaris*, Benth. in Hook. Journ. Bot. iv. (1842) 382.  
 —Bras.  
*Azak*, G. Don, Gen. Syst. ii. 412 = *Acacia hamulosa*?  
*bahamensis*, Benth. in Hook. Journ. Bot. iv. (1842)  
 408.—Am. trop.  
*Balansac*, Micheli, in Mém. Soc. Phys. Genève. xxviii.  
 (1883) n. VII. 52.—Paraguay.  
*balsamica*, Molina, Sagg. Chile, 165 = *Larrea nitida*.  
*Barbadetimam*, Vell. Fl. Flum. xi. t. 7 = *Stryphnodendron Barbatimam*.  
*barbigera*, Benth. in Hook. Journ. Bot. iv. (1842) 371.  
 —Bras.  
*Barclayana*, Sweet, Hort. Brit. ed. I. 100, nomen.—  
 Madag.  
*baubiniaefolia*, Karst. Fl. Columb. ii. 65. t. 133.—N.  
 Granat.  
*baubiniaefolia*, Salisb. Prod. 324.—Hab.?  
*Bellatrix*, Hoffm. Verz. Nachtr. II. 162 = *asperata*.  
*Berlandieri*, A. Gray, ex Torr. in Bot. Mex. Bound.  
 61.—Texas.  
*biceps*, Poir. Encyc. Suppl. i. 75 = *Leucaena glauca*.  
*bicolor*, Bacle, ex DC. Prod. ii. 445; Schum. & Thonn.  
 Beskr. Pl. Guin. 326 = *Dichrostachys nutans*.  
*bicolor*, Hilsenb. & Boj. ex Benth. in Hook. Journ. Bot.  
 iv. (1842) 353 = *Dichrostachys tenuifolia*.  
*biflora*, Poir. Encyc. Suppl. v. 530 = *Acacia biflora*.  
*bifurca*, Benth. in Hook. Journ. Bot. iv. (1842) 407.—  
 Am. trop.  
*bigemina*, Linn. Sp. Pl. 517 = *Pithecolobium bigeminum*.  
*biglobosa*, Jacq. Select. Am. 267 = *Parkia africana*.  
*biglobosa*, Roxb. Hort. Beng. 40; Fl. Ind. ii. 551 =  
*Parkia Roxburghii*.  
*bijuga*, Benth. in Hook. Journ. Bot. iv. (1842) 398.—  
 Bras.  
*bijuga*, Vell. Fl. Flum. xi. t. 32 = *Acacia Miersii*.  
*binervia*, Wendl. Bot. Beobacht. 56 = *Acacia glaucescens*.  
*bipinnata*, Aubl. Pl. Gui. ii. 946 = *Entada polystachya*.  
*biuncifera*, Benth. Pl. Hartw. 12.—Mexic.  
*Blanchetii*, Benth. in Trans. Linn. Soc. xxx. (1875)  
 433; et in Mart. Fl. Bras. xv. II. 372.—Am. trop.  
*Blancoana*, Llanos, in Mem. Acad. Cienc. Mad. ii.  
 (1859) 503 (Quid?).—Ins. Philipp.  
*boliviana*, Benth. in Trans. Linn. Soc. xxx. (1875)  
 396.—Bolivia.  
*Bonplandii*, Benth. in Hook. Journ. Bot. iv. (1842)  
 387.—Reg. Argent.  
*borealis*, A. Gray, in Mem. Am. Acad. N. S. iv. (1849)  
 39.—Texas.  
*botrycephala*, Vent. Jard. Cels. 1 = *Acacia discolor*.  
*Bourgoni*, Aubl. Pl. Gui. ii. 941 = *Inga Bourgoni*.  
*brachyacantha*, Poir. Encyc. Suppl. v. 529 = *acanthocarpa*.  
*brachycarpa*, Benth. in Hook. Journ. Bot. iv. (1842)  
 410.—Bras.  
*brachyloba*, Muhl. ex Steud. Nom. ed. II. ii. 147 =  
*Desmanthus brachylobus*.  
*brachystachys*, DC. Prod. ii. 437, in syn. = *Pithecolobium macrostachyum*.  
*bracteolaris*, Benth. in Hook. Journ. Bot. iv. (1842)  
 408.—Bras.  
*brasiliensis*, Spreng. Syst. ii. 207.—Bras.  
*brevifolia*, Humb. ex Spreng. l. c. 205.—Am. austr.  
*brevipes*, Benth. in Hook. Journ. Bot. iv. (1842) 381.  
 —Bras.  
*brevipinna*, Benth. in Trans. Linn. Soc. xxx. (1875)  
 432; et in Mart. Fl. Bras. xv. II. 371.—Bras.  
*brevissima*, Benth. in Mart. l. c. 518 (Ind.) sphalm. =  
*præc.*  
*Brownei*, Poir. Encyc. Suppl. v. 530 = *Acacia juniperina*.  
*Burchellii*, Benth. in Trans. Linn. Soc. xxx. (1875)  
 432; et in Mart. Fl. Bras. xv. II. 370.—Am. trop.

**MIMOSA:—**

*Cabrera*, Karst. Fl. Columb. ii. 63. t. 132.—N.  
 Granat.  
*caduca*, Poir. Encyc. Suppl. i. 83.—Am. trop.  
*caesalpiniaefolia*, Benth. in Hook. Journ. Bot. iv.  
 (1842) 392.—Bras.  
*caesia*, Burm. f. Fl. Ind. 224 = *Acacia Burmanniana*.  
*caesia*, Linn. Sp. Pl. 522 = *Acacia Intsia*.  
*caesia*, Russ. ex Wall. Cat. n. 5264 C = *Acacia planifrons*.  
*caffra*, Thunb. Prod. Pl. Cap. 92 = *Acacia caffra*.  
*calcarea*, Buckl. in Proc. Acad. Sc. Philad. 1861  
 (1862) 453 = *Prosopis cinerascens*.  
*calistachya*, Presl, Bot. Bemerk. 65 = *millefoliata*.  
*callosa*, Benth. in Hook. Journ. Bot. iv. (1842) 376.—  
 Am. trop.  
*calocephala*, Mart. in Flora, xxi. (1838) II. Beibl. 53.  
 —Bras.  
*Calodendron*, Mart. Herb. Fl. Bras. n. 1087; Benth.  
 in Hook. Journ. Bot. iv. (1842) 389.—Bras.  
*Calothamnus*, Mart. l. c. n. 1089; Benth. l. c. 388.—  
 Bras.  
*calycina*, Benth. l. c. 377.—Bras.  
*cameleopardalis*, Page, Prod. Southamp. Bot. Gard.  
 207, nomen.—Afr. austr.  
*campeachiana*, Mill. Gard. Dict. ed. VIII. n. 20 =  
*Acacia sphaerocephala*.  
*camporum*, Benth. in Hook. Journ. Bot. ii. (1840) 130.  
 —Guian.  
*canescens*, Willd. Sp. Pl. iv. 1038 = *asperata*.  
*capensis*, Burm. f. Fl. Cap. Prod. 31 (err. typ. 27) =  
*Acacia horrida*?  
*capillaris*, Dum.-Cours. Bot. Cult. ed. II. vii. 296.—  
 Hab.?  
*capillipes*, Benth. in Trans. Linn. Soc. xxx. (1875) 432;  
 et in Mart. Fl. Bras. xv. II. 371.—Bras.  
*capitata*, Poir. Encyc. Suppl. v. 528 = *Inga capitata*.  
*caracasana*, Jacq. Coll. iv. 142 = *Calliandra caracasana*.  
*carinata*, Griseb. in Goett. Abh. xxiv. (1879) 120.—  
 Reg. Argent.  
*caripensis*, Poir. Encyc. Suppl. i. 39 = *Calliandra tergemina*.  
*Carisquis*, Blanco, Fl. Filip. ed. I. 734.—Ins. Philipp.  
*Casabelillo*, Colla, Hort. Ripul. 91.—Hab.?  
*cassiodora*, Poir. Encyc. Suppl. v. 529 = *Acacia cassioides*.  
*casta*, Linn. Sp. Pl. 518.—Am. trop.  
*Catechu*, Linn. f. Suppl. 439 = *Acacia Catechu*.  
*catechuoides*, Roxb. Hort. Beng. [93]; Fl. Ind. ii. 562  
 = *Acacia Catechu*.  
*caudata*, Vahl, Eclog. Am. iii. 35 = *Entada polystachya*.  
*cauliflora*, Poir. Encyc. Suppl. i. 45 = *Pithecolobium cauliflorum*.  
*Cavallum*, Roxb. Hort. Beng. 41 (Quid?).—Ind. or.  
*Cavaty-tooma*, Roxb. ex DC. Prod. ii. 462 = *Acacia tomentosa*.  
*Cavenia*, Molina, Sagg. Chile, 354 = *Acacia Farnesiana*.  
*Cerantonia*, Linn. Sp. Pl. 523.—Am. trop.  
*chiliantha*, G. F. W. Mey. Prim. Fl. Esseq. 163 =  
*Entada polystachya*.  
*chionacantha*, Rafin. Fl. Ludov. 99 (Quid?).—Am.  
 bor.  
*chrysantha*, Vahl, Eclog. Am. iii. 38 = *Acacia chrysantha*.  
*chrysastra*, Mart. ex Benth. in Trans. Linn. Soc. xxx.  
 (1875) 410.—Am. trop.  
*chrysostachys*, Hilsenb. & Boj. ex Benth. in Hook.  
 Journ. Bot. iv. (1842) 343 = *Piptadenia chrysostachys*.  
*Chundra*, Roxb. & Rottl. in Ges. Naturf. Fr. Neue  
 Schr. iv. (1803) 207 = *Acacia Sundra*.  
*ciliata*, Spreng. Syst. ii. 205.—Am. austr.  
*ciliata*, Willd. Enum. Hort. Berol. 1048 = *asperata*.  
*cineraria*, Linn. Sp. Pl. 517 = *Prosopis spicigera*.  
*cinerea*, Linn. l. c. 520 = *Dichrostachys cinerea*.  
*cinerea*, Vell. Fl. Flum. xi. t. 35.—Bras.  
*circularis*, Benth. in Trans. Linn. Soc. xxx. (1875) 635,  
 in syn. = *Inga alternifolia*.  
*circularis*, Cav. Ic. vi. 41, in nota = *Prosopis strombulifera*.  
*circularis*, Linn. Sp. Pl. 517 = *Pithecolobium circularis*.  
*circularis*, Sesse & Moç. ex G. Don, Gen. Syst. ii.  
 319 = *Inga alternifolia*.  
*Claussenii*, Benth. in Hook. Journ. Bot. iv. (1842)  
 405.—Bras.  
*cochlearis*, Labill. Nov. Holl. Pl. ii. 15. t. 234 = *Acacia cochlearis*.

**MIMOSA:—**

*cochleata*, Poir. Encyc. Suppl. i. 45 = *Pithecolobium cochleatum*.  
*cochliacantha*, Poir. l. c. 78 = *Acacia cochliacantha*.  
*cochliocarpus*, Gomez, in Mem. Acad. Lisboa, iii.  
 (1812); Mem. Corresp. 34 = *Pithecolobium Anaremotemo*.  
*colubrina*, Vell. Fl. Flum. xi. t. 16 = *Piptadenia colubrina*.  
*comosa*, Sw. Prod. Veg. Ind. Occ. 85 = *Calliandra comosa*.  
*concinna*, Benth. in Trans. Linn. Soc. xxx. (1875)  
 404; et in Mart. Fl. Bras. xv. II. 337.—Bras.  
*concinna*, Willd. Sp. Pl. iv. 1039 = *Acacia concinna*,  
 DC.  
*concordiana*, Roxb. Fl. Ind. ii. 556 = *Pithecolobium umbellatum*.  
*conferta*, Benth. in Trans. Linn. Soc. xxx. (1875) 402;  
 et in Mart. Fl. Bras. xv. II. 331.—Bras.  
*contortisiliqua*, Vell. Fl. Flum. xi. t. 25 = *Enterolobium Timbouva*.  
*contortuplicata*, Zuccagni, in Roem. Collect. 160 =  
*Desmanthus brachylobus*.  
*coorgensis*, Heyne, ex Wall. Cat. n. 5277 = *Xylia dolabriformis*.  
*corcondiana*, Roxb. Hort. Beng. 40 = *Pithecolobium umbellatum*.  
*cordistipula*, Benth. in Hook. Journ. Bot. iv. (1842)  
 411.—Bras.  
*coriacea*, Pers. Syn. ii. 262 = *Inga sertulifera*.  
*coriacea*, Poir. Encyc. Suppl. i. 39 = *Calliandra emarginata*.  
*coriacea*, Sieber, ex Presl, Symb. Bot. i. 65 = *Inga martinicensis*.  
*coriaria*, Blanco, Fl. Filip. ed. I. 734 = *Albizia procera*.  
*corniculata*, Lour. Fl. Cochinch. ii. 651 = *Albizia Millettii*, *Sophora japonica*.  
*cornigera*, Linn. Sp. Pl. 520 = *Acacia sphaerocephala*,  
*latronum*.  
*cornigera*, Linn. f. Suppl. 438 = *Acacia latronum*.  
*cornuta*, J. F. Gmel. Syst. 504 (Quid?).—Afr. trop.  
*coronillaefolia*, Pers. Syn. ii. 263 = *Acacia coronillaefolia*.  
*coruscans*, Poir. Encyc. Suppl. i. 43 = *Inga coruscans*.  
*coruscans*, Sieber, ex Presl, Bot. Bemerk. 66 = *Inga laurina*.  
*corymbosa*, Rich. in Act. Soc. Hist. Nat. Par. i. (1792)  
 113 = *Pithecolobium corymbosum*.  
*costaricensis*, Benth. in Trans. Linn. Soc. xxx. (1875)  
 423.—Guatemala.  
*crinita*, Pers. Syn. ii. 261 = *pilosa*.  
*crocea*, Vell. Fl. Flum. xi. t. 17 = *Swartzia crocea*.  
*cruenta*, Benth. in Hook. Journ. Bot. iv. (1842) 407.—  
 Bras.  
*cumana*, Poir. Encyc. Suppl. i. 65 = *Prosopis juliflora*.  
*cyclocarpa*, Jacq. Fragm. 30 = *Enterolobium cyclocarpum*.  
*cylindracea*, Benth. in Hook. Journ. Bot. iv. (1842)  
 389.—Bras.  
*cylindrica*, Vell. Fl. Flum. xi. t. 9 = *Inga cylindrica*.  
*Dalea*, Poir. Encyc. Suppl. v. 530 = *Dichrostachys cinerea*.  
*daleoides*, Benth. in Hook. Journ. Bot. iv. (1842) 389.  
 —Bras.  
*dasyphylla*, Baker, in Journ. Linn. Soc. xxi. (1884)  
 338.—Madag.  
*dealbata*, Page, Prod. Southamp. Bot. Gard. 148 =  
*Acacia dealbata*.  
*debilis*, Humb. & Bonpl. ex Willd. Sp. Pl. iv. 1029.—  
 Am. austr.  
*decipiens*, Kon. in Kon. & Sims, Ann. Bot. i. (1805)  
 366 = *Acacia decipiens*.  
*decurrens*, Boj. ex Benth. in Trans. Linn. Soc. xxx.  
 (1875) 420.—Afr. trop.  
*decurrens*, Boj. Hort. Maurit. 113 = *Barclayana*.  
*decurrens*, Wendl. Bot. Beobacht. 57 = *Acacia decurrens*.  
*deltoides*, Nois. ex Steud. Nom. ed. II. ii. 148 (Quid?).  
 —Hab.?  
*densa*, Benth. in Hook. Journ. Bot. iv. (1842) 405.—  
 Bras.  
*depauperata*, Benth. Pl. Hartw. 13.—Mexic.  
*depressa*, Poir. Encyc. Suppl. i. 58 = *Desmanthus depressus*.  
*desmodioides*, Benth. in Trans. Linn. Soc. xxx. (1875)  
 392; et in Mart. Fl. Bras. xv. II. 309.—Bras.  
*detinens*, Benth. in Hook. Lond. Journ. Bot. v. (1846)  
 89.—Reg. Argent.



## MIMOSA :—

- Diadema*, Vell. Fl. Flum. xi. t. 45 = Inga Diadema.  
*dichotoma*, Vell. l. c. t. 42 = Inga dichotoma.  
*didyma*, Vell. l. c. t. 46.—Bras.  
*diffusa*, Benth. in Hook. Journ. Bot. iv. (1842) 373.—Bras.  
*digitata*, Benth. l. c. 368.—Bras.  
*dimidiata*, Benth. l. c. 378.—Bras.  
*diplocantha*, Benth. in Trans. Linn. Soc. xxx. (1875) 424.—Ind. occ.  
*diplotricha*, Wright, in Sauv. Fl. Cub. 34 = *invisa*.  
*diptera*, Poir. Encyc. Suppl. v. 529 = *Prosopis juliflora*.  
*discolor*, Andr. Bot. Rep. t. 235 = *Acacia discolor*.  
*discolor*, Benth. in Hook. Journ. Bot. iv. (1842) 391.—Bras.  
*discolor*, Poir. Encyc. Suppl. i. 46 = *Pithecolobium adiantifolium*.  
*dispersa*, Benth. in Hook. Journ. Bot. iv. (1842) 369 = *hirsuta*.  
*distachya*, Cav. Ic. iii. 48. t. 295.—Mexic.  
*distachya*, Vent. Jard. Cels. 20 = *Albizzia lophantha*.  
*distans*, Benth. in Hook. Journ. Bot. iv. (1842) 382.—Bras.  
*divaricata*, Jacq. Hort. Schoenb. iii. 76 = *Lysiloma Schiedeana*.  
*divergens*, Poir. Encyc. Suppl. i. 59 = *Dichrostachys nutans*.  
*diversifolia*, Micheli, in Mém. Soc. Phys. Genève. xxviii. (1883) n. VII. 57.—Paraguay.  
*Djiringa*, Roxb. Hort. Beng. [93] = *Pithecolobium lobatum*.  
*dodonaeifolia*, Pers. Syn. ii. 261 = *Acacia dodonaeifolia*.  
*dolens*, Vell. Fl. Flum. xi. t. 34.—Bras.  
*domingensis*, Benth. in Hook. Journ. Bot. iv. (1842) 409.—Ins. St. Doming.  
*dominiciana*, Desv. in Ann. Sc. Nat. Sér. I. ix. (1826) 424 = *casta*.  
*dormiens*, Humb. & Bonpl. ex Willd. Sp. Pl. iv. 1035.—Am. austr.  
*dulcis*, Roxb. Pl. Corom. i. 67. t. 99 = *Pithecolobium dulce*.  
*dulcis*, Vell. Fl. Flum. xi. t. 4 = *Inga affinis*.  
*dumetorum*, A. St. Hill. in Mém. Mus. Par. ix. (1822) 316 = *Acacia dumetorum*.  
*dumosa*, Roxb. Hort. Beng. 40 ; Fl. Ind. ii. 559 = *Acacia modesta*.  
*dysocarpa*, Benth. in A. Gray, Pl. Wright. i. 62.—Am. bor. occ.  
*eburnea*, Hort. Par. ex Benth. in Trans. Linn. Soc. xxx. (1875) 507 = *Acacia horrida*.  
*eburnea*, Linn. f. Suppl. 437 = *Acacia eburnea*.  
*eburnea*, Roxb. Pl. Corom. ii. 54. t. 199 = *Acacia planifrons*.  
*echinocarpa*, Benth. in Trans. Linn. Soc. xxx. (1875) 398 ; *et in Mart. Fl. Bras.* xv. II. 320.—Bras.  
*echinocaula*, Benth. l. c. 421 ; 365.—Bras.  
*edulis*, Poir. Encyc. Suppl. v. 529 = *Acacia Farnesiana*.  
*elata*, Roxb. Hort. Beng. 40 ; Fl. Ind. ii. 546 = *Albizzia procera*.  
*elegans*, Andr. Bot. Rep. t. 563 = *Albizzia lophantha*.  
*elliptica*, Benth. in Hook. Journ. Bot. iv. (1842) 400.—Bras.  
*elongata*, Benth. l. c. 369.—Bras.  
*emarginata*, Poir. Encyc. Suppl. i. 39 = *Calliandra emarginata*.  
*emirnisensis*, Benth. in Hook. Journ. Bot. iv. (1842) 396.—Madag.  
*Emoryana*, Benth. in Trans. Linn. Soc. xxx. (1875) 426.—Am. bor. occ.  
*Endymionis*, Mart. in Flora, xxi. (1838) II. Beibl. 51 = *pudica*.  
*ensifolia*, Sm. ex Pers. Syn. ii. 261, in syn. = *Acacia longifolia*.  
*Entada*, Linn. Sp. Pl. 518 = *Entada polystachya*.  
*ephedroides*, Benth. in Hook. Journ. Bot. iv. (1842) 413.—Chili.  
*eriantha*, Poir. Encyc. Suppl. v. 530 = *Acacia eriantha*.  
*erinacea*, Benth. in Hook. Journ. Bot. iv. (1842) 383 = *pogocephala*.  
*eriocarpa*, Benth. l. c. 387.—Bras.  
*ericaulis*, Benth. l. c. 383.—Bras.  
*eriphylla*, Benth. in Hook. Lond. Journ. Bot. v. (1846) 87.—Bras.  
*Ervendbergii*, A. Gray, in Proc. Am. Acad. v. (1862) 178.—Mexic.  
*esculenta*, Pav. ex Benth. in Trans. Linn. Soc. xxx. (1875) 443 = *Leucaena esculenta*.

VOL. II.

## MIMOSA :—

- expansa*, Pav. ex Benth. in Trans. Linn. Soc. xxx. (1875) 549 = *Calliandra expansa*.  
*extensa*, Benth. in Hook. Journ. Bot. iv. (1842) 393.—Bras.  
*extranea*, Benth. in Trans. Linn. Soc. xxx. (1875) 433.—Ins. S. Doming.  
*fagaracantha*, Griseb. Cat. Pl. Cub. 81.—Cuba.  
*fagifolia*, Jacq. Select. Am. 264 = *Inga laurina*.  
*fagifolia*, Linn. Sp. Pl. 516 = *Inga fagifolia*.  
*falcata*, Dum.-Cours. Bot. Cult. ed. I. 420 ; Desf. Tabl. ed. I. 180 = *Acacia longifolia*.  
*falcata*, Poir. Encyc. Suppl. i. 61 = *Acacia falcata*.  
*falcipinna*, Benth. in Hook. Journ. Bot. iv. (1842) 371.—Bras.  
*farcta*, [Soland. in] Russ. Aleppo, ed. II. ii. 266 = *Prosopis Stephaniana*.  
*farinosa*, Griseb. in Goett. Abh. xix. (1874) 134.—Reg. Argent.  
*Farnesiana*, Linn. Sp. Pl. 521 = *Acacia Farnesiana*.  
*fasciculata*, Benth. in Hook. Journ. Bot. iv. (1842) 383 = *microcarpa*.  
*fasciculata*, Benth. in Hook. Lond. Journ. Bot. v. (1846) 88.—Bras.  
*fasciculata*, Poir. Encyc. Suppl. i. 46 = *Calliandra surinamensis*.  
*fastuosa*, Jacq. Fragm. 15. t. 10 = *Inga fastuosa*.  
*fera*, Lour. Fl. Cochinch. 652 (= *Gleditschia* sp.).—China.  
*ferruginea*, Rottl. in Ges. Naturf. Fr. Neue Schr. iv. (1803) 208 = *Acacia pennata*.  
*ferruginea*, Roxb. Hort. Beng. 41 ; Fl. Ind. ii. 561 = *Acacia ferruginea*.  
*fervida*, Mart. in Flora, xxi. (1838) II. Beibl. 57 = *obtusifolia*.  
*filicifolia*, Lam. Encyc. i. 13 = *Pithecolobium filicifolium*.  
*filicina*, Poir. Encyc. Suppl. i. 47 = *Parkia filicina*.  
*filicoides*, Cav. Ic. i. 55 = *Acacia filicina*.  
*filiformis*, Benth. in Trans. Linn. Soc. xxx. (1875) 432 ; *et in Mart. Fl. Bras.* xv. II. 371.—Bras.  
*filipes*, Mart. in Flora, xxi. (1838) II. Beibl. 52.—Bras.  
*flagellaris*, Benth. in Hook. Journ. Bot. iv. (1842) 372.—Bras.  
*flagelliformis*, Vell. Fl. Flum. xi. t. 27 = *Inga flagelliformis*.  
*flava*, Forsk. Fl. Aegypt. Arab. 176.—Arab.  
*flavescens*, Splitg. in Hoev. & De Vriese, Tijdschr. ix. (1842) 110 = *camporum*.  
*flaviseta*, Benth. in Hook. Lond. Journ. Bot. v. (1846) 90 = *camporum*.  
*flexuosa*, Benth. in A. Gray, Pl. Wright. i. 62.—Am. bor. occ.  
*flexuosa*, Poir. Encyc. Suppl. i. 79 = *Acacia macracantha*.  
*flexuosa*, Rottl. ex Wight & Arn. Prod. 275 = *Albizzia latifolia*.  
*floribunda*, Benth. in Hook. Journ. Bot. ii. (1840) 230 = *sensitiva*.  
*floribunda*, Vent. Choix, 13 = *Acacia longifolia*.  
*floribunda*, Willd. Sp. Pl. iv. 1031.—Am. trop.  
*fluminensis*, Vell. Fl. Flum. xi. t. 38 = *Acacia plumosa*.  
*foetida*, Jacq. Hort. Schoenb. iii. 73 = *Piptadenia foetida*.  
*foliolosa*, Benth. in Hook. Journ. Bot. iv. (1842) 406.—Bras.  
*fragrans*, A. Gray, in Bost. Journ. Nat. Hist. vi. (1850) 182.—Texas.  
*franciscana*, Benth. in Trans. Linn. Soc. xxx. (1875) 431 ; *et in Mart. Fl. Bras.* xv. II. 369.—Bras.  
*fraxinea*, Poir. Encyc. Suppl. i. 44 = *Inga alba*.  
*frondosa*, Heyne, ex Wall. Cat. n. 5227 = *Acacia Suma*.  
*frondosa*, Klein, ex Poir. Encyc. Suppl. i. 76 = *Leucaena glauca*.  
*frondosa*, Koen. ex Wall. Cat. n. 5265 C = *Albizzia Lebbek*.  
*fruticosa*, Roxb. Hort. Beng. 40 ; Fl. Ind. ii. 549.—China.  
*fruticosa*, Vell. Fl. Flum. xi. t. 6 = *Piptadenia laxa*.  
*furcata*, Desf. Tabl. ed. I. 180 ; Pers. Syn. ii. 263 = *Prosopis juliflora*.  
*furfuracea*, Benth. in Hook. Journ. Bot. iv. (1842) 389.—Bras.  
*Galeottii*, Benth. in Hook. Lond. Journ. Bot. v. (1846) 92.—Mexic.  
*Gardneri*, Benth. in Hook. Journ. Bot. iv. (1842) 405.—Bras.

## MIMOSA :—

- geminata*, Koen. ex Wight & Arn. Prod. 269 = *Pithecolobium geminatum*.  
*geminata*, [Moq. & Sesse,] ex DC. Prod. ii. 427.—Mexic.  
*Gilliesii*, Benth. in Hook. Journ. Bot. iv. (1842) 413.—Am. austr.  
*giraffae*, Poir. Encyc. Suppl. v. 529 = *Acacia giraffae*.  
*glaberrima*, Schum. & Thonn. Beskr. Guin. Pl. 321 = *Albizzia glaberrima*.  
*glabra*, Benth. in Hook. Journ. Bot. iv. (1842) 386.—Bras.  
*glandulosa*, Forst. f. Prod. 92 = *Leucaena Forsteri*.  
*glandulosa*, Michx. Fl. Bor. Am. ii. 254 = *Desmanthus brachylobus*.  
*glandulosa*, C. Sm. in Tuckey, Congo, 249, nomen.—Ins. Cap. Virid.  
*glandulosa*, Vahl, Eclog. Am. iii. 38 = *Inga glandulosa*.  
*glauca*, Koen. ex Roxb. Hort. Beng. 41 = *Albizzia amara*.  
*glauca*, Linn. Sp. Pl. 520 = *Leucaena glauca*.  
*glaucescens*, Benth. in Hook. Journ. Bot. iv. (1842) 362.—Bras.  
*glaucescens*, Poir. Encyc. Suppl. i. 61 = *Acacia glaucescens*.  
*Glaziovii*, Benth. in Trans. Linn. Soc. xxx. (1875) 397.—Bras.  
*Glaziovii*, Benth. in Mart. Fl. Bras. xv. II. 316 = *pracc*.  
*Glockeri*, Meissn. ex Benth. in Trans. Linn. Soc. xxx. (1875) 397 = *polydactyla*.  
*glomerata*, Forsk. Fl. Aegypt. Arab. 177.—Arab.  
*glomerata*, Vell. Fl. Flum. xi. t. 43 = *Pithecolobium glomeratum*.  
*gonoclada*, Benth. in Trans. Linn. Soc. xxx. (1875) 427.—Bolivia.  
*goyazensis*, Benth. in Hook. Journ. Bot. iv. 1842 380.—Bras.  
*gracilis*, Benth. l. c. 411.—Bras.  
*Grahami*, A. Gray, Pl. Wright. ii. 52.—N. Mexic.  
*Grandidieri*, Baill. in Bull. Soc. Linn. Par. i. (1883) 357.—Madag.  
*grandiflora*, Herb. Madr. ex Wight & Arn. Prod. 279 = *Parkia biglandulosa*.  
*grandiflora*, L'Hérit. Sert. Angl. 30 = *Calliandra grandiflora*.  
*grandiflora*, Soland. ex Benth. Fl. Austral. ii. 424 = *Pithecolobium grandiflorum*.  
*grandisiliqua*, Vell. Fl. Flum. xi. t. 37 = *Acacia paniculata*.  
*grata*, Poir. Encyc. Suppl. v. 529 = *Piptadenia macrocarpa*.  
*guadalupensis*, Pers. Syn. ii. 262 = *Pithecolobium Unguis-cati*.  
*guatemalensis*, Benth. Bot. Voy. Sulph. 89.—Guatemal.  
*guayaquilensis*, Steud. Nom. ed. I. 533 ; ed. II. ii. 148.—Ecuador.  
*guianensis*, Aubl. Pl. Gui. ii. 938 = *Stryphnodendron guianense*.  
*guineensis*, Schum. & Thonn. Beskr. Guin. Pl. 323 = *Calliandra portoricensis*.  
*gummifera*, Brouss. ex Poir. Encyc. Suppl. i. 64 = *Acacia gummifera*.  
*gummifera*, Forsk. Fl. Aegypt. Arab. p. cxxiv = *Acacia spirocarpa*.  
*gymnoloma*, Benth. in Hook. Lond. Journ. Bot. v. (1846) 85.—Bras.  
*Habbas*, Delile, Fl. Aeg. Illustr. 79 = *asperata*.  
*Haematoxylon*, Poir. Encyc. Suppl. v. 529 = *Acacia Haematoxylon*.  
*hamata*, Willd. Sp. Pl. iv. 1033.—Ind. or.  
*hebecarpa*, Benth. in Hook. Lond. Journ. Bot. v. (1846) 87.—Bras.  
*hebeclada*, Poir. Encyc. Suppl. v. 529 = *Acacia hebeclada*.  
*Helvilleana*, Baill. in Bull. Soc. Linn. Par. i. 1883 357.—Madag.  
*herbacea*, Roxb. Hort. Beng. 41 (Quid ?)—Am.  
*heterocarpa*, Presl, Bot. Bemerk. 64.—Bras.  
*heterophylla*, Lam. Encyc. i. 14 = *Acacia heterophylla*.  
*heterophylla*, Roxb. Hort. Beng. 40 ; Fl. Ind. ii. 543 = *Pithecolobium angulatum*.  
*hexaphylla*, Salzm. ex Benth. in Mart. Fl. Bras. xv. II. 317 = *polydactyla*.  
*hirsuta*, Moq. & Sesse, ex G. Don, Gen. Syst. ii. 383 = *pudica*.  
*hirsuta*, Spreng. Syst. ii. 204.—Reg. Argent.  
*hirsutissima*, Mart. in Flora, xxi. (1838) II. Beibl. 55.—Bras.  
*hirta*, Vell. Fl. Flum. xi. t. 31.—Bras.  
*hispidia*, Willd. Sp. Pl. iv. 1037 = *asperata*.



**MIMOSA:—**

- hispidula*, H. B. & K. Nov. Gen. et Sp. vi. 252 = *pudica*.  
*hispidula*, Sm. Bot. N. Holl. 59. t. 16 = *Acacia hispidula*.  
*honesta*, Mart. in *Flora*, xxi. (1838) II. Beibl. 57.—Bras.  
*horrida*, Linn. Sp. Pl. 521 = *Acacia horrida*.  
*horrida*, Russ. ex Wall. Cat. n. 5261 E = *Acacia leucophloea*.  
*horrida*, Sm. in Rees, Cyclop. xxiii. in obs. = *Acacia planifrons*.  
*horridula*, Michx. Fl. Bor. Am. ii. 254 = *Schrankia uncinata*.  
*hostilis*, Benth. in *Trans. Linn. Soc.* xxx. (1875) 415; et in *Mart. Fl. Bras.* xv. II. 359.—Bras.  
*Hostmanni*, Benth. in Hook. Lond. Journ. Bot. v. (1846) 84 = *debilis*.  
*Houstoni*, L'Hérit. Sert. Angl. 30 = seq.  
*Houstoniana*, Mill. Gard. Dict. ed. VIII. n. 16 = *Calliandra Houstoni*.  
*humifusa*, Benth. in *Trans. Linn. Soc.* xxx. (1875) 406; et in *Mart. Fl. Bras.* xv. II. 342.—Bras.  
*humilis*, Humb. & Bonpl. ex Willd. Sp. Pl. iv. 1037 = *dormiens*.  
*hymenaeodes*, Rich. ex Pers. Syn. ii. 262 = *Calliandra hymenaeoides*.  
*hymenaeifolia*, Poir. Encyc. Suppl. i. 38 = *Pithecolobium hymenaeifolium*.  
*hypoglauca*, Mart. in *Flora*, xxi. (1838) II. Beibl. 53.—Bras.  
*ignava*, H. B. & K. Nov. Gen. et Sp. vi. 259 = *Lysiloma rostrata*.  
*illinoensis*, Michx. Fl. Bor. Am. ii. 254 = *Desmanthus brachylobus*.  
*imbricata*, Benth. in Hook. Lond. Journ. Bot. iv. (1842) 378.—Bras.  
*implexa*, Benth. l. c. 411.—Bras.  
*inaequalis*, Poir. Encyc. Suppl. i. 44 = *Pithecolobium inaequale*.  
*inamoena*, Benth. in *Trans. Linn. Soc.* xxx. (1875) 424; et in *Mart. Fl. Bras.* xv. II. 364.—Bras.  
*incana*, Benth. in Hook. Journ. Bot. iv. (1842) 387.—Bras.  
*incurialis*, Vell. Fl. Flum. xi. t. 24 = *Pithecolobium incuriale*.  
*indica*, Pers. Syn. ii. 266 = *Acacia Farnesiana*.  
*Inga*, Linn. Sp. Pl. 516 = *Inga vera*.  
*Inga*, Vell. Fl. Flum. xi. t. 3. (Ynga) = *Inga edulis*.  
*ingoides*, Rich. in Act. Soc. Hist. Nat. Par. i. (1792) 113 = *Inga ingoides*.  
*insidiosa*, Benth. in Hook. Journ. Bot. iv. (1842) 365 = *trachycephala*.  
*insidiosa*, Mart. in *Flora*, xxi. (1838) II. Beibl. 54.—Bras.  
*intermedia*, Kunth, Mimos. 16. t. 6 = *dormiens*.  
*interrupta*, Benth. in Hook. Journ. Bot. iv. (1842) 392.—Bras.  
*intricata*, Benth. l. c. 407.—Bras.  
*Intsia*, Linn. Sp. Pl. 522 = *Acacia Intsia*.  
*Intsia*, Walt. Fl. Carol. 252 = *Schrankia uncinata*.  
*Intsia*, Wight, ex Wall. Cat. n. 5250 A = *Acacia pinnata*?  
*invisa*, Mart. in *Flora*, xx. (1837) II. Beibl. 121.—Bras.  
*involuta*, Benth. in Hook. Journ. Bot. iv. (1842) 386.—Bras.  
*irritabilis*, Dum.-Cours. Bot. Cult. ed. II. vi. 15.—Hab.?  
*irritabilis*, Presl, Bot. Bemerk. 64 = *pudica*.  
*jiramenensis*, Karst. Fl. Columb. ii. 59. t. 130 = *Velloziana*.  
*Jiringa*, Jack, in Malay. Misc. i. (1820) I. n. 14 = *Pithecolobium lobatum*.  
*juglandifolia*, Poir. Encyc. Suppl. i. 44 = *Inga juglandifolia*.  
*Julibrissin*, Scop. Delic. Insub. i. 18 = *Acacia Julibrissin*.  
*juliflora*, Sw. Prod. Veg. Ind. Occ. 85 = *Prosopis juliflora*.  
*juniperina*, Vent. Jard. Malm. 64 = *Acacia juniperina*.  
*Jupunba*, Poir. Encyc. Suppl. i. 70 = *Pithecolobium trapezifolium*.  
*Kaeringa*, Baker, in Hook. f. Fl. Brit. Ind. ii. 305, sphalm. = *M. Koeringa*.  
*Kalkora*, Roxb. Hort. Beng. 40; Fl. Ind. ii. 547 = *Albizzia Julibrissin*.  
*Kantuffa*, Poir. Encyc. Suppl. v. 529; DC. Prod. ii. 431 = *Pterolobium lacerans*.  
*kermesina*, A. Dietr. in Otto & Dietr. Allg. Gartenz. iii. (1835) 209 = *lucidula*.

**MIMOSA:—**

- Kleinii*, Poir. Encyc. Suppl. i. 82 = *Acacia tomentosa*.  
*Koeringa*, Roxb. Hort. Beng. 40; Fl. Ind. ii. 543 = *Pithecolobium lobatum*.  
*lactiflua*, Delile, ex Benth. in *Trans. Linn. Soc.* xxx. (1875) 393.—Am. trop.  
*lacustris*, Humb. & Bonpl. Pl. Aequin. i. 55. t. 16 = *Neptunia oleracea*.  
*laevigata*, Benth. in *Linnaea*, xxii. (1849) 530.—Bras.  
*laevigata*, Benth. in *Trans. Linn. Soc.* xxx. (1875) 378, in syn. = *levigata*.  
*lanata*, Benth. in Hook. Journ. Bot. iv. (1842) 379.—Bras.  
*lanceolata*, Jacq. Fragm. 44.—Hab.?  
*lanceolata*, Poir. Encyc. Suppl. i. 37 = *Pithecolobium ligustrinum*.  
*lasiocarpa*, Benth. in Hook. Journ. Bot. iv. (1842) 399.—Bras.  
*lasiocarpala*, Benth. l. c. 372.—Bras.  
*lasiophylla*, Benth. in *Trans. Linn. Soc.* xxx. (1875) 414; et in *Mart. Fl. Bras.* xv. II. 357.—Bras.  
*latifolia*, Linn. Syst. ed. X. 1312 = *Pithecolobium latifolium*.  
*latisiliqua*, Linn. Sp. Pl. 519 = *Lysiloma latisiliqua*.  
*latispinosa*, Lam. Encyc. i. 22.—Madag.  
*latronum*, Linn. f. Suppl. 438 = *Acacia latronum*.  
*laurina*, Sw. Prod. Veg. Ind. Occ. 85 = *Inga laurina*.  
*laxa*, Poir. Encyc. Suppl. i. 72 = *Calliandra laxa*.  
*laxa*, Vell. Fl. Flum. xi. t. 23 (*Swartzia* sp.).—Bras.  
*laxiflora*, Benth. in Hook. Lond. Journ. Bot. v. (1846) 93.—Mexic.  
*Lebbeck*, Linn. Sp. Pl. 516 = *Albizzia latifolia*.  
*Lebbeck*, Blanco, Fl. Filip. ed. I. 733 = *Albizzia retusa*.  
*Lebbeck*, Forsk. Fl. Aegypt. Arab. 177 = *Albizzia Lebbeck*?  
*leiocarpa*, Benth. in Hook. Journ. Bot. iv. (1842) 391 = *malacocentra*.  
*leiocarpa*, DC. Prod. ii. 429.—Am. trop.  
*leiocarpala*, Benth. in Hook. Journ. Bot. iv. (1842) 404.—Bras.  
*Lemmoni*, A. Gray, in *Proc. Am. Acad.* xix. (1883) 76.—Arizona.  
*lenis*, Vell. Fl. Flum. xi. t. 29 (*Acacia* sp.).—Bras.  
*lentiscifolia*, Pers. Syn. ii. 263 = *Acacia lentiscifolia*.  
*leptantha*, Benth. in Hook. Journ. Bot. iv. (1842) 411.—Bras.  
*leptocaulis*, Benth. l. c. 398.—Bras.  
*leptophylla*, Brouss. Elench. Hort. Monsp. (1805) 38, nomen; Cav. ex Lag. Gen. et Sp. Nov. 16 = *Inga leptophylla*.  
*leptophylla*, Poir. Encyc. Suppl. v. 529 = *Acacia Farnesiana*.  
*leptorhachis*, Benth. in *Trans. Linn. Soc.* xxx. (1875) 434; et in *Mart. Fl. Bras.* xv. II. 376.—Bras.  
*leucacantha*, Jacq. Hort. Schoenb. iii. 75. t. 393 = *Acacia horrida*.  
*leucaenoides*, Benth. in Hook. Lond. Journ. Bot. v. (1846) 89.—Mexic.  
*leucocephala*, Lam. Encyc. i. 12 = *Leucaena glauca*.  
*leucophloea*, Roxb. Pl. Corom. ii. 27. t. 150 = *Acacia leucophloea*.  
*levigata*, Poir. Encyc. Suppl. i. 65 = *Prosopis juliflora*.  
*ligustrina*, Jacq. Fragm. 29 = *Pithecolobium ligustrinum*.  
*ligustrina*, Vahl, Eclog. Am. iii. 34 = *Pithecolobium Vahlianum*.  
*Lindheimeri*, A. Gray, in *Bost. Journ. Nat. Hist.* vi. (1850) 181.—Texas.  
*linearis*, Wendl. Bot. Beobacht. 56 = *Acacia linifolia*.  
*linifolia*, Vent. Jard. Cels. 2 = *Acacia linifolia*.  
*litigiosa*, Mart. in *Flora*, xxi. (1838) II. Beibl. 58 = *sensitiva*.  
*longifolia*, Andr. Bot. Rep. t. 207 = *Acacia longifolia*.  
*longifolia*, Poir. Encyc. Suppl. i. 59 = *Pithecolobium Vahlianum*.  
*longipes*, Benth. in Hook. Journ. Bot. iv. (1842) 370.—Bras.  
*longipinna*, Benth. l. c. 366 = *polycarpa*.  
*longisiliqua*, Lam. Encyc. i. 21.—Cf. *invisa*, *asperata*.  
*longisiliqua*, Vell. Fl. Flum. xi. t. 15.—Bras.  
*longissima*, Nois. ex Steud. Nom. ed. I. 533 (*Quid*?).—Hab.?  
*lophantha*, Pers. Syn. ii. 264 = *Albizzia lophantha*.  
*Lorentzii*, Griseb. in *Goett. Abh.* xix. (1874) 134.—Reg. Argent.

**MIMOSA:—**

- lucida*, Roxb. Hort. Beng. 40; Fl. Ind. ii. 544 = *Albizzia lucida*.  
*lucida*, Vahl, Eclog. Am. iii. 31. t. 24 = *Inga pilosiuscula*.  
*lucidula*, Benth. in Hook. Journ. Bot. iv. (1842) 407.—Bras.  
*Lundiana*, Benth. in *Trans. Linn. Soc.* xxx. (1875) 395; et in *Mart. Fl. Bras.* xv. II. 313.—Bras.  
*lupulina*, Benth. in Hook. Journ. Bot. iv. (1842) 399.—Bras.  
*lusoria*, Vell. Fl. Flum. xi. t. 14 = *Pithecolobium lusorium*.  
*lutea*, Mill. Gard. Dict. ed. VIII. n. 17 = *Acacia macracantha*.  
*lycopodioides*, Desf. Tabl. ed. I. 182; Pers. Syn. ii. 263 = *Neptunia plena*.  
*macracantha*, Poir. Encyc. Suppl. i. 78 = *Acacia macracantha*.  
*macrocalyx*, Micheli, in *Mém. Soc. Phys. Genève* xxviii. (1883) n. VII. 54.—Paraguay.  
*macrocephala*, Benth. in *Trans. Linn. Soc.* xxx. (1875) 398; et in *Mart. Fl. Bras.* xv. II. 320.—Bras.  
*macroloba*, Poir. Encyc. Suppl. i. 66 = *Pentaclethra filamentosa*.  
*macrophylla*, Poir. l. c. 42 = *Inga macrophylla*.  
*macrostachya*, Poir. l. c. 61 = *Acacia longifolia*.  
*macrostachys*, Vahl, Eclog. Am. iii. 34. t. 26 = *Pithecolobium macrostachyum*.  
*madagascariensis*, G. Don, Gen. Syst. ii. 387, sphalm. = *mascarenensis*.  
*malacocentra*, Mart. ex Benth. in *Trans. Linn. Soc.* xxx. (1875) 415; et in *Mart. Fl. Bras.* xv. II. 360.—Bras.  
*malacophylla*, A. Gray, in *Bost. Journ. Nat. Hist.* vi. (1850) 182.—Texas.  
*malitiosa*, Mart. in *Flora*, xxi. (1838) II. Beibl. 58 = *sensitiva*.  
*mangensis*, Jacq. Enum. Pl. Carib. 34 = *Pithecolobium parvifolium*.  
*Mangium*, Forst. f. Prod. 75 = *Acacia laurifolia*.  
*Mansii*, Mart. in *Flora*, xxi. (1838) II. Beibl. 50.—Bras.  
*marginata*, Lam. Encyc. i. 12 = *Albizzia odoratissima*.  
*marginata*, Lindl. Bot. Reg. (1838) Misc. 82.—Bras.  
*Martiusiana*, Steud. Nom. ed. II. ii. 148 = *Acacia adhaerens*.  
*mascarenensis*, Spreng. Syst. ii. 207 = *latispinosa*.  
*mauroceana*, Desf. Tabl. ed. I. 181 = *Acacia mauroceana*.  
*megalodena*, Poir. Encyc. Suppl. v. 530 = *Acacia pennata*.  
*melanocarpa*, Benth. in *Trans. Linn. Soc.* xxx. (1875) 437; et in *Mart. Fl. Bras.* xv. II. 381.—Bras.  
*melanoxylum*, Poir. Encyc. Suppl. v. 530 = *Acacia melanoxylon*.  
*mellifera*, Vahl, Symb. Bot. ii. 103 = *Acacia mellifera*.  
*membranulacea*, Blanco, Fl. Filip. ed. I. 739 = *Pterolobium indicum*.  
*meticulosa*, Benth. in Hook. Journ. Bot. iv. (1842) 381 = *neurocoma*.  
*meticulosa*, Mart. in *Flora*, xxi. (1838) II. Beibl. 55.—Bras.  
*miamensis*, Roxb. Hort. Beng. 41, nomen (*Quid*?).—Afr. austr.  
*micracantha*, Benth. in Hook. Journ. Bot. ii. (1840) 131.—Bras.  
*micrantha*, Vahl, ex Walp. Rep. v. 582 = *Prosopis Stephaniana*.  
*microcantha*, Poir. Encyc. Suppl. v. 530 = *Pithecolobium parvifolium*.  
*microcarpa*, Benth. in *Trans. Linn. Soc.* xxx. (1875) 403; et in *Mart. Fl. Bras.* xv. II. 333.—Bras.  
*microcephala*, Humb. & Bonpl. ex Willd. Sp. Pl. iv. 1039.—Am. trop.  
*microphylla*, Poir. Encyc. Suppl. i. 36 = *Pithecolobium Unguis-cati*.  
*microphylla*, Roxb. Hort. Beng. 40; Fl. Ind. ii. 549 = *Albizzia myriophylla*.  
*microphylla*, Sm. ex Steud. Nom. ed. I. 533 = *Schrankia uncinata*.  
*micropteris*, Benth. in Hook. Journ. Bot. iv. (1842) 384.—Bras.  
*millefoliata*, Scheele, in *Linnaea*, xvii. (1843) 337.—Bras.  
*misera*, Benth. in Hook. Journ. Bot. iv. (1842) 411.—Bras.



**MIMOSA:—**

- modesta*, Mart. in *Flora*, xxi. (1838) 11. Beibl. 55.—Bras.  
*mollis*, Benth. in Hook. *Journ. Bot.* iv. (1842) 408.—Mexic.  
*mollissima*, Hort. ex Willd. Enum. Hort. Berol. 1053 = *Acacia decurrens*.  
*mollissima*, Poir. Encyc. Suppl. i. 46 = *Calliandra mollissima*.  
*monacantha*, Poir. l. c. v. 529 = *Acacia monacantha*.  
*monadelpha*, Roxb. Hort. Beng. [93]; Fl. Ind. ii. 544 = *Pithecolobium bigeminum*.  
*monancistra*, Benth. *Pl. Hartw.* 12.—Mexic.  
*monilifera*, Bertol. Fl. Guatim. 41 = *Pithecolobium Bertolonii*.  
*Monjollo*, Vell. Fl. Flum. xi. t. 26 = *Enterolobium Mongollo*.  
*montana*, Hassk. Cat. Hort. Bog. Alt. 290 = *Pithecolobium moniliferum*.  
*montana*, Kunth, *Mimos.* 31. t. 10.—Peruv.  
*mucronulata*, Hort. ex Dum.-Cours. Bot. Cult. ed. II. vii. 296.—Hab.?  
*multiglandulosa*, Humb. ex Spreng. Syst. ii. 205.—Am. austr.  
*multipinna*, Benth. in Trans. Linn. Soc. xxx. (1875) 440; et in Mart. Fl. Bras. xv. II. 388.—Bras.  
*multiplex*, Benth. in Hook. *Journ. Bot.* iv. (1842) 373.—Bras.  
*muricata*, Linn. Syst. ed. X. 1311 = *Acacia muricata*.  
*Musa*, Vell. Fl. Flum. xi. t. 19 (Swartzia sp.).—Bras.  
*mutabilis*, Roxb. Hort. Beng. 41; Fl. Ind. ii. 564 = *rubicaulis*.  
*myriacantha*, Baker, in *Journ. Linn. Soc.* xxi. (1884) 339.—Madag.  
*myriadena*, Benth. in Trans. Linn. Soc. xxx. (1875) 408; et in Mart. Fl. Bras. xv. II. 344.—Bras.  
*myriophylla*, Bong. ex Benth. in Hook. *Journ. Bot.* iv. (1842) 384.—Bras.  
*myrtifolia*, Sm. in Trans. Linn. Soc. i. (1791) 252 = *Acacia myrtifolia*.  
*natans*, Linn. f. Suppl. 439 = *Neptunia triquetra*.  
*natans*, Vahl, Symb. Bot. iii. 102 = *Neptunia oleracea*.  
*Nellyrenza*, Heyne, in Wall. Cat. n. 5240 = *Albizzia amara*.  
*Nemu*, Poir. Encyc. Suppl. i. 69 = *Albizzia Julibrissin*.  
*nepalensis*, Hoffmgg. Verz. Pfl. Nachtr. II. 163.—Ind. or.  
*nepuria*, Blume, ex Miq. Fl. Ind. Bat. i. 1. 38 = *Pithecolobium umbellatum*.  
*nervosa*, Bong. ex Benth. in Hook. *Journ. Bot.* iv. (1842) 370.—Bras.  
*neuroloma*, Benth. in Trans. Linn. Soc. xxx. (1875) 406; et in Mart. Fl. Bras. xv. II. 341.—Bras.  
*nigricans*, Labill. Nov. Holl. Pl. ii. 88. t. 238 = *Acacia nigricans*.  
*nigricans*, Vahl, Eclog. Am. iii. 37. t. 29 = *Acacia nudiflora*.  
*nilotica*, Linn. Sp. Pl. 521 = *Acacia arabica*.  
*nilotica*, Thunb. Prod. Pl. Cap. 92 = *Acacia horrida*.  
*Niopo*, Poir. Encyc. Suppl. i. 48 = *Piptadenia peregrina*.  
*nissibiensis*, Benth. in Trans. Linn. Soc. xxx. (1875) 420.—Madag.  
*nitens*, Benth. in Hook. *Journ. Bot.* iv. (1842) 404.—Bras.  
*nitida*, Poir. Encyc. Suppl. i. 41 = *Inga nitida*.  
*nitida*, Vahl, Symb. Bot. ii. 103 = *Pithecolobium umbellatum*.  
*nobilis*, Poir. Encyc. Suppl. v. 528 = *Inga nobilis*.  
*nodosa*, Linn. Sp. Pl. 516 = *Cassia bacillaris*.  
*notata*, Steud. in *Flora*, xxvi. (1843) 758 = *debilis*.  
*nuda*, Benth. in Hook. *Journ. Bot.* iv. (1842) 362.—Bras.  
*nudiflora*, Rich. ex Poir. Encyc. Suppl. i. 65 = *Acacia nudiflora*.  
*nutans*, Pers. Syn. ii. 266 = *Dichrostachys nutans*.  
*nutans*, Vell. Fl. Flum. xi. t. 44 = *Inga nutans*.  
*obliqua*, Lam. in *Journ. Hist. Nat. Par. i.* (1792) 89. t. 5 = *Acacia suaveolens*.  
*obliqua*, Wendl. Bot. Beobacht. 57 = *Acacia falcata*.  
*oblonga*, Benth. in Hook. *Journ. Bot.* iv. (1842) 365.—Bras.  
*obovata*, Benth. l. c. 394.—Bras.  
*obovata*, Roxb. Hort. Beng. [93]; Fl. Ind. ii. 561 = *Acacia modesta*.  
*obtusa*, Poir. Encyc. Suppl. i. 82 = *Acacia macracantha*.  
*obtusifolia*, Poir. l. c. 46 = *Calliandra purpurea*.  
*obtusifolia*, Willd. Enum. Hort. Berol. 1047.—Bras.

**MIMOSA:—**

- octandra*, Roxb. Pl. Corom. ii. 55. t. 200 = *rubicaulis*.  
*odoratissima*, Linn. f. Suppl. 437 = *Albizzia odoratissima*.  
*Oerfota*, Forsk. Fl. Aegypt. Arab. 177 = *Acacia nubica*?  
*oligacantha*, DC. Prod. ii. 429 = *distachya*.  
*oligophylla*, Micheli, in Mem. Soc. Phys. Genève. xxviii. (1883) n. VII. 56.—Paraguay.  
*ophthalmocentra*, Mart. ex Benth. in Trans. Linn. Soc. xxx. (1875) 415; et in Mart. Fl. Bras. xv. II. 359.—Bras.  
*Orfora*, Steud. Nom. ed. I. 534; ed. II. ii. 149, sphalm. = *M. Oerfota*.  
*orthacantha*, Benth. in Hook. *Journ. Bot.* iv. (1842) 365.—Bras.  
*orthocarpa*, Spruce, ex Benth. in Trans. Linn. Soc. xxx. (1875) 437; et in Mart. Fl. Bras. xv. II. 380.—Bras.  
*Ouyrarema*, Aubl. Pl. Gui. ii. 946 = *Acacia Ouyrarema*.  
*Ouyratama*, Vitm. Summa Pl. vi. 52 = *Pithecolobium filicifolium*.  
*Pacay*, Aubl. Pl. Gui. ii. 946.—Guiana.  
*pachycarpa*, Benth. in Hook. *Journ. Bot.* iv. (1842) 406.—Bras.  
*Pacoba*, Vell. Fl. Flum. xi. t. 20 = *Swartzia Flemingii*.  
*pallida*, Poir. Encyc. Suppl. i. 65 = *Prosopis juliflora*.  
*palpitans*, Humb. & Bonpl. ex Willd. Sp. Pl. iv. 1036 = *somnians*.  
*paludosa*, Benth. in Hook. *Journ. Bot.* iv. (1842) 400.—Bras.  
*paniculata*, Benth. l. c. ii. (1840) 131.—Guiana.  
*paniculata*, Benth. l. c. iv. (1842) 362 = *rixosa*.  
*paniculata*, Poir. Encyc. Suppl. i. 74 = *Acacia paniculata*.  
*paniculata*, Wendl. Bot. Beobacht. 57 = *Acacia discolor*.  
*paniculata*, West, Beskr. Ste-Croix, 312 = *Acacia riparia*.  
*papposa*, Benth. in Hook. *Journ. Bot.* iv. (1842) 375.—Bras.  
*paradoxa*, Poir. Encyc. Suppl. v. 529 = *Acacia armata*.  
*Parae*, Poir. l. c. i. 44 = *Inga heterophylla*.  
*Paraguariae*, Micheli, in Mem. Soc. Phys. Genève. xxviii. (1883) n. VII. 53.—Paraguay.  
*paratyensis*, Vell. Fl. Flum. xi. t. 41 = *Acacia pedicellata*.  
*parvifolia*, Poir. Encyc. Suppl. i. 74 = *Piptadenia peregrina*.  
*parvifolia*, Sw. Fl. Ind. Occ. ii. 984 = *Pithecolobium parvifolium*.  
*parvipinna*, Benth. in Hook. *Journ. Bot.* iv. (1842) 384.—Bras.  
*patula*, Poir. Encyc. Suppl. v. 529 = *Acacia patula*.  
*paucifolia*, Benth. in Hook. *Journ. Bot.* iv. (1842) 412.—Bras.  
*pauciseta*, Benth. in Trans. Linn. Soc. xxx. (1875) 391, in syn. = *rixosa*.  
*paupera*, Benth. in Hook. *Journ. Bot.* iv. (1842) 372.—Bras.  
*pectinata*, Kunth, *Mimos.* 5.—Ecuador.  
*pectinata*, Poir. Encyc. Suppl. i. 48 = *Parkia pectinata*.  
*peduncularis*, Bong. ex Benth. in Hook. *Journ. Bot.* iv. (1842) 388.—Bras.  
*pedunculata*, Poir. Encyc. Suppl. i. 81 = *Acacia Farnesiana*.  
*pedunculata*, Roxb. Hort. Beng. 40; Fl. Ind. ii. 551 = *Parkia biglandulosa*.  
*pedunculosa*, Micheli, in Mem. Soc. Phys. Genève. xxviii. (1883) n. VII. 55.—Paraguay.  
*pellacantha*, Meyen, Reise, i. 445 (pellocantha) = *Acacia macracantha*.  
*pellita*, Humb. & Bonpl. ex Willd. Sp. Pl. iv. 1037 = *asperata*.  
*pendula*, Poir. Encyc. Suppl. i. 47 = *Parkia pendula*.  
*pennata*, Linn. Sp. Pl. 522 = *Acacia pennata*.  
*pennata*, Roxb. ex Wight & Arn. Prod. 278 = *Acacia caesia*?  
*pennata*, Russ. ex Wall. Cat. n. 5289 = *rubicaulis*.  
*pentagona*, Schum. & Thonn. Beskr. Guin. Pl. 324 = *Acacia pennata*.  
*peregrina*, Blanco, Fl. Filip. ed. I. 737 = *Parkia Roxburghii*.  
*peregrina*, Linn. Sp. Pl. 520 = *Piptadenia peregrina*.  
*pernambucana*, Linn. l. c. 519 = *Desmanthus depressus*.

**MIMOSA:—**

- pernambucana*, Mill. Gard. Dict. ed. VIII. n. 3 = *Desmanthus virgatus*.  
*peruviana*, Poir. Encyc. Suppl. v. 529 = *Acacia peruviana*.  
*petiolaris*, Benth. in Hook. *Journ. Bot.* iv. (1842) 376.—Bras.  
*philicoides*, Cav. ex Steud. Nom. ed. II. i. 4, in syn.; ii. 149 = *Lysiloma Schiedeana*.  
*phyllocantha*, Pers. Syn. ii. 267 = *latispinosa*.  
*phylloidea*, Benth. in Hook. *Journ. Bot.* iv. (1842) 412.—Bras.  
*pigra*, Linn. Cent. Pl. i. 13; Amoen. Acad. iv. 274 = *asperata*.  
*piliflora*, Sw. Fl. Ind. Occ. ii. 986 = *Prosopis juliflora*.  
*pilosa*, Lour. Fl. Cochinch. 650.—China.  
*pilosuscula*, DC. Prod. ii. 432, in syn. = seq.  
*pilosula*, Rich. in Act. Soc. Hist. Nat. Par. i. (1792) 113 = *Inga pilosuscula*.  
*pilulifera*, Benth. in Hook. *Journ. Bot.* iv. (1842) 386 = *incana*.  
*pinifolia*, Page, Prod. Southamp. Bot. Gard. 148 = *Acacia linifolia*.  
*pistaciaefolia*, Willd. Sp. Pl. iv. 1028.—Am. trop.  
*pithecolobioides*, Benth. in Trans. Linn. Soc. xxx. (1875) 413; et in Mart. Fl. Bras. xv. II. 357.—Bras.  
*plana*, Vell. Fl. Flum. xi. t. 10 = *Inga cordistipula*.  
*plana*, Vell. l. c. t. 28 = *Acacia riparia*.  
*planifrons*, Koen. ex Wight & Arn. Prod. 276 = *Acacia planifrons*.  
*platycarpa*, Benth. in Trans. Linn. Soc. xxx. (1875) 417.—Guatemala.  
*platyloma*, Benth. in Hook. *Journ. Bot.* iv. (1842) 405 = *densa*.  
*platyphylla*, Benth. l. c. v. (1846) 85.—Bras.  
*plena*, Linn. Sp. Pl. 519 = *Neptunia plena*.  
*podocarpa*, Benth. in Hook. *Journ. Bot.* iv. (1842) 397 = *somnians*.  
*pogocephala*, Benth. l. c. 382.—Bras.  
*pogonoclada*, Benth. in Trans. Linn. Soc. xxx. (1875) 399; et in Mart. Fl. Bras. xv. II. 321.—Bras.  
*Pohlil*, Benth. in Hook. *Journ. Bot.* iv. (1842) 375 = *calocephala*.  
*polyacantha*, Willd. Sp. Pl. iv. 1034 = *asperata*.  
*polyancistra*, Benth. in Trans. Linn. Soc. xxx. (1875) 422.—Mexic.  
*polyantha*, Benth. in Hook. *Journ. Bot.* iv. (1842) 410.—Mexic.  
*polycarpa*, Kunth, *Mimos.* 8. t. 3.—Peruv.  
*polycephala*, Benth. in Hook. *Journ. Bot.* iv. (1842) 374.—Bras.  
*polydactyla*, Humb. & Bonpl. ex Willd. Sp. Pl. iv. 1033.—Guian.  
*polyphylla*, Poir. Encyc. Suppl. v. 530 = *Acacia polyphylla*.  
*polystachia*, Linn. Sp. Pl. 520 = *Entada polystachya*.  
*portoricensis*, Jacq. Coll. iv. 143 = *Calliandra portoricensis*.  
*procera*, Roxb. Pl. Corom. ii. 12. t. 121 = *Albizzia procera*.  
*procumbens*, Boj. Hort. Maurit. 113, nomen.—Madag.  
*procumbens*, Schum. & Thonn. Beskr. Guin. Pl. 324 = *asperata*.  
*procurrens*, Benth. in Hook. *Journ. Bot.* iv. (1842) 371.—Bras.  
*prostrata*, Hort. Berol. ex Schleid. & Vog. in Nov. Act. Nat. Cur. xix. II. (1842) 70, nomen = *marginata*.  
*prostrata*, Lam. Encyc. i. 10 = *Neptunia oleracea*.  
*prostrata*, Regel, in Act. Hort. Petrop. iii. (1875) 117.—Hab.?  
*Psoralea*, Benth. in Trans. Linn. Soc. xxx. (1875) 421.—Madag.  
*ptericina*, Poir. Encyc. Suppl. i. 74 = *Acacia filicina*.  
*pteridifolia*, Benth. in Hook. *Journ. Bot.* iv. (1842) 391.—Bras.  
*pterocarpa*, Lam. Encyc. i. 13 = *Gagnebina triscina*.  
*puberula*, Benth. in Hook. *Journ. Bot.* v. (1846) 88.—Mexic.  
*pubescens*, Vent. Jard. Malm. 21 = *Acacia pubescens*.  
*R. Br.*  
*pubifera*, Poir. Encyc. Suppl. i. 47 = *Pithecolobium Saman*.  
*pubigera*, Hort. Par. ex Poir. Encyc. Suppl. i. 47 = *Acacia pubescens*, R. Br.



**MIMOSA:—**

*pudibunda*, Willd. Sp. Pl. iv. 1032 = *pudica*.  
*pudica*, Linn. Sp. Pl. 518.—Bras.  
*pudica*, Mill. Gard. Dict. ed. VIII. n. 4 = *aculeata*.  
*pulchella*, Poir. Encyc. Suppl. v. 530 = *Acacia pulchella*.  
*pulchra*, Roxb. Hort. Beng. 40; Fl. Ind. ii. 548 = *Albizzia amara*.  
*pulcherrima*, Poir. Encyc. Suppl. i. 66 = *Stryphnodendron floribundum*.  
*pulchra*, Dum.-Cours. Bot. Cult. ed. I. 420 = *Acacia decurrens*.  
*pulchra*, Vell. Fl. Flum. xi. t. 18 = *Swartzia Langsdorffii*.  
*pumila*, Schlecht. in *Linnaea*, xii. (1838) 557.—Mexic.  
*punctata*, Linn. Syst. ed. X. 1311 = *Neptunia plena*.  
*punctulata*, Spruce, ex Benth. in *Trans. Linn. Soc.* xxx. (1875) 408; et in *Mart. Fl. Bras.* xv. II. 345.—Bras.  
*pungens*, Poir. Encyc. Suppl. i. 36 = *Pithecolobium dulce*.  
*purpurea*, Linn. Sp. Pl. 517 = *Calliandra purpurea*.  
*pusilla*, Benth. Bot. Voy. Sulph. 90.—Ecuador.  
*pynocoma*, Benth. in Hook. Journ. Bot. iv. (1842) 405 = *Clausseni*.  
*quadrangularis*, Poir. Encyc. Suppl. i. 72 = *Calliandra tetragona*.  
*quadrangularis*, Vell. Fl. Flum. xi. t. 36.—Bras.  
*quadrifida*, Salz. ex Benth. in Hook. Journ. Bot. iv. (1842) 398 = *somnians*.  
*quadrivalvis*, Linn. Sp. Pl. 522 = *Schrankia aculeata*.  
*quassiaefolia*, Poir. Encyc. Suppl. i. 41 = *Inga nitida*.  
*quintensis*, Benth. in Hook. Journ. Bot. iv. (1842) 408.—Ecuador.  
*racemosa*, Schlecht. in *Linnaea*, xii. (1838) 557 = *floribunda*.  
*Radula*, Benth. in Hook. Journ. Bot. iv. (1842) 377.—Bras.  
*ramosissima*, Benth. in *Trans. Linn. Soc.* xxx. (1875) 394; et in *Mart. Fl. Bras.* xv. II. 312.—Bras.  
*ramulosa*, Benth. in Hook. Journ. Bot. iv. (1842) 385.—Bras.  
*Regnellii*, Benth. in *Linnaea*, xxii. (1849) 529.—Bras.  
*remota*, Benth. in Hook. Lond. Journ. Bot. v. (1846) 88 = *distachya*.  
*reptans*, Benth. in Hook. Journ. Bot. iv. (1842) 372.—Bras.  
*reticulata*, Herb. Wight, ex Wall. Cat. n. 5286 = *Pithecolobium geminatum*.  
*reticulata*, Linn. Mant. i. 129 = *Acacia horrida*.  
*retortunium*, Hort. Par. ex Lam. Encyc. i. 15 = *Prosopis strombulifera*.  
*retroscia*, Benth. in Hook. Journ. Bot. iv. (1842) 364 = *insidiosa*.  
*retusa*, Jacq. Enum. Pl. Carib. 34 = *Acacia riparia*.  
*reversa*, Sieber, ex Steud. Nom. ed. II. ii. 149 = *Drepanocarpus lunatus*.  
*revoluta*, Benth. in Hook. Journ. Bot. iv. (1842) 409.—Am. trop.  
*rhodacantha*, Pers. Syn. ii. 266 = *Acacia rhodacantha*.  
*rhodostachya*, Benth. in *Trans. Linn. Soc.* xxx. (1875) 407; et in *Mart. Fl. Bras.* xv. II. 343.—Bras.  
*rhoifolia*, Poir. Encyc. Suppl. v. 528 = *Inga rhoifolia*.  
*rhombifolia*, Pers. Syn. ii. 263 = *Acacia rhombifolia*.  
*Riedelii*, Benth. in Hook. Lond. Journ. Bot. v. (1846) 91.—Bras.  
*rigescens*, Benth. in Hook. Journ. Bot. iv. (1842) 376 = *meticulosa*.  
*rigida*, Benth. l. c. 377.—Bras.  
*rixosa*, Mart. in *Flora*, xxi. (1838) II. Beibl. 57.—Bras.  
*Rocae, Lor. & Nederl. in Roca, Exped. Rio-Negro*, ii. 213.—Patagon.  
*Roemeriana*, Scheele, in *Linnaea*, xxi. (1848) 456 = *Schrankia platycarpa*.  
*rosea*, Vahl, Ecl. Am. iii. 33. t. 25 = *Pithecolobium Unguis-cati*.  
*rostrata*, Poir. Encyc. Suppl. i. 66 = *Lysiloma rostrata*.  
*Rottleri*, Spreng. Syst. ii. 206 = *rubicaulis*.  
*rotundata*, Pav. ex Benth. in *Trans. Linn. Soc.* xxx. (1875) 521 = *Acacia rotundata*.  
*rubicaulis*, Lam. Encyc. i. 20.—Ind. or.  
*rubiginosa*, Rich. in Act. Soc. Hist. Nat. Par. i. (1792) 113 = *Inga rubiginosa*.  
*rudis*, Benth. in Hook. Journ. Bot. iv. (1842) 377.—Bras.  
*rufescens*, Benth. in *Trans. Linn. Soc.* xxx. (1875) 418; et in *Mart. Fl. Bras.* xv. II. 362.—Bras.  
*rufipila*, Benth. in Hook. Journ. Bot. iv. (1842) 368.—Bras.

**MIMOSA:—**

*rugata*, Lam. Encyc. i. 20 = *Acacia concinna*, DC.  
*rupestris*, Benth. in Hook. Journ. Bot. iv. (1842) 385.—Bras.  
*rutaefolia*, Nois. ex Steud. Nom. ed. I. 534; ed. II. ii. 149 = *Acacia rutaefolia*.  
*rutaeolens*, Page, Prod. Southamp. Bot. Gard. 148, nomen (Quid?).—Austral.  
*Sagotiana*, Benth. in *Trans. Linn. Soc.* xxx. (1875) 394; et in *Mart. Fl. Bras.* xv. II. 311.—Am. trop.  
*saligna*, Labill. Nov. Holl. Pl. ii. 86. t. 235 = *Acacia saligna*.  
*salinarum*, Rohr, ex Benth. in *Trans. Linn. Soc.* xxx. (1875) 501 = *Acacia tortuosa*.  
*salinarum*, Vahl, Ecl. Am. iii. 35 = *Prosopis juliflora*.  
*Saman*, Jacq. Fragm. 15. t. 9 = *Pithecolobium Saman*.  
*sanguinea*, Bruce, Trav. ed. II. vii. 148; J. F. Gmel. Syst. 803 = *Dichrostachys nutans*.  
*sapindoides*, Poir. Encyc. Suppl. i. 40 = *Inga sapindoides*.  
*saponaria*, Lour. Fl. Cochinch. 653 = *Albizzia saponaria*.  
*saponaria*, Roxb. ex Wight & Arn. Prod. 278 = *Acacia concinna*, DC.  
*sarmentosa*, Desf. Tabl. ed. I. 181; Pers. Syn. ii. 266 = *Acacia caesia*.  
*Sassa*, Poir. Encyc. Suppl. i. 49 = *Albizzia fastigiata*.  
*scabrella*, Benth. in Hook. Journ. Bot. iv. (1842) 387.—Bras.  
*scandens*, Linn. Sp. Pl. ed. II. 1501 = *Entada scandens*.  
*Schomburgkii*, Benth. in Hook. Journ. Bot. ii. (1840) 133.—Guiana.  
*schranksioides*, Benth. in Hook. Lond. Journ. Bot. v. (1846) 86.—Guiana.  
*Scolopendra*, Nois. ex Steud. Nom. ed. I. 534; ed. II. ii. 149, nomen (Quid?).—Hab.?  
*scorpioides*, Forsk. Fl. Aegypt. Arab. p. lxxvii = *Acacia Farnesiana*.  
*scorpioides*, Linn. Sp. Pl. 521 = *Acacia arabica*.  
*scutifera*, Blanco, Fl. Filip. ed. I. 735 = *Pithecolobium lobatum*.  
*Seeressa*, Steud. Nom. ed. II. ii. 149 = *M. Sirissa*.  
*Sejal*, Forsk. Fl. Aegypt. Arab. 177 = *Acacia hadiensis*.  
*Selloi*, Benth. in *Trans. Linn. Soc.* xxx. (1875) 436; et in *Mart. Fl. Bras.* xv. II. 379.—Bras.  
*semialata*, Vell. Fl. Flum. xi. t. 5 = *Inga marginata*.  
*semicordata*, Roxb. Hort. Beng. 40, nomen.—Ind. or.  
*semispinosa*, Linn. Sp. Pl. 522.—N. Granat.  
*semispinosa*, Spreng. Syst. ii. 206.—Cf. *caduca*.  
*Senegal*, Linn. Sp. Pl. 521 = *Acacia Senegal*.  
*senegalensis*, Forsk. Fl. Aegypt. Arab. 176 = seq.?  
*senegalensis*, Lam. Encyc. i. 19 = *Acacia Senegal*.  
*sensibilis*, Griseb. in Goett. Abh. xxiv. (1879) 119.—Reg. Argent.  
*sensitiva*, Linn. Sp. Pl. 518.—Am. trop.  
*sensitiva*, Lodd. Bot. Cab. t. 249 = *albida*.  
*sepiaria*, Benth. in Hook. Journ. Bot. iv. (1842) 395.—Bras.  
*sericantha*, Benth. l. c. 392.—Bras.  
*sericea*, Poir. Encyc. Suppl. i. 42 = *Inga punctata*.  
*sessilis*, Vell. Fl. Flum. xi. t. 21 = *Inga sessilis*.  
*setipes*, Benth. in Hook. Journ. Bot. iv. (1842) 376.—Bras.  
*setistipula*, Benth. l. c. 379.—Bras.  
*setosa*, Benth. l. c. 404.—Bras.  
*Seyal*, DC. Prod. ii. 472, in syn. = *M. Seyal*.  
*Sicaria*, Hoffmgg. Verz. Ph. Nachtr. i. 221 = *asperata*.  
*simplicifolia*, Linn. f. Suppl. 436 = *Acacia laurifolia*.  
*sinemariensis*, Aubl. Pl. Gui. ii. 945 = *Inga angustifolia*; Feuillei.  
*sinuata*, Lour. Fl. Cochinch. 653.—Cochinch.  
*Sirissa*, Roxb. Hort. Beng. 40; Fl. Ind. ii. 544 = *Albizzia Lebbeck*.  
*Skinneri*, Benth. in Hook. Lond. Journ. Bot. v. (1846) 85.—Guatemala.  
*skleroxyla*, Poir. Encyc. Suppl. v. 530 = *Acacia scleroxyla*.  
*Smithiana*, Roxb. Hort. Beng. 40; Fl. Ind. ii. 550 = *Albizzia stipulata*.  
*somnians*, Humb. & Bonpl. ex Willd. Sp. Pl. iv. 1036.—N. Granat.  
*somniculosa*, H. B. & K. Nov. Gen. et Sp. vi. 257 = *somnians*.  
*Sophorae*, Labill. Nov. Holl. Pl. ii. 87 = *Acacia longifolia*.

**MIMOSA:—**

*soratisensis*, Benth. in *Trans. Linn. Soc.* xxx. (1875) 427.—Bolivia.  
*sordida*, Benth. in Hook. Journ. Bot. iv. (1842) 389.—Bras.  
*sparsa*, Benth. l. c. 385.—Bras.  
*spartioides*, Vahl, ex DC. Prod. ii. 456 = *Calliandra haematomma*.  
*speciosa*, Jacq. Ic. Pl. Rar. i. 19. t. 198; Coll. i. 47 = *Albizzia Lebbeck*.  
*speciosa*, Thunb. in *Trans. Linn. Soc.* ii. (1794) 336 = *Albizzia Julibrissin*.  
*spectabilis*, Vahl, in Skrift. Nat. Selsk. Kjoeb. ii. (1792) 1. 219 = *Inga spectabilis*.  
*spicata*, E. Mey. Comm. Pl. Afr. Austr. 164 = *Entada natalensis*.  
*spiciflora*, Karst. Fl. Columb. ii. 61. t. 131.—Venezuela.  
*spinaefolia*, Poir. Encyc. Suppl. v. 528 = *Pithecolobium circinale*.  
*spinisiliqua*, Klein, ex Poir. Encyc. Suppl. i. 54; Rottl. ex Spreng. Syst. ii. 206 = *rubicaulis*.  
*spinosissima*, Poir. Encyc. Suppl. i. 78 = *Acacia Catechu vel A. Suma*.  
*spiriflora*, C. Muell. in Walp. Ann. vii. 829, sphalm. = *spiciflora*.  
*splendens*, Poir. Encyc. Suppl. i. 43 = *Inga splendens*.  
*Sprengelii*, DC. Prod. ii. 430 = *ciliata*.  
*Spruceana*, Benth. in *Trans. Linn. Soc.* xxx. (1875) 418; et in *Mart. Fl. Bras.* xv. II. 362.—Bras.  
*spuria*, Poir. Encyc. Suppl. i. 40 = *Inga spuria*.  
*staminea*, Thunb. Pl. Bras. Dec. ii. 22 = *Calliandra virgata*.  
*stellata*, Forsk. Fl. Aegypt. Arab. 177 = *Acacia stellata*.  
*stellata*, Lour. Fl. Cochinch. 651 = *Acacia taxifolia*.  
*stenoptera*, Benth. in *Trans. Linn. Soc.* xxx. (1875) 395.—Reg. Argent.  
*Stephaniana*, Bieb. Casp. 205; ex ej. Fl. Taur. Cauc. ii. 449 = *Prosopis Stephaniana*.  
*stipulacea*, Roxb. Fl. Ind. ii. 549 = *Albizzia stipulata*.  
*stipularis*, Bong. ex Benth. in Hook. Journ. Bot. iv. (1842) 380.—Bras.  
*stipulata*, Roxb. Hort. Beng. 40, nomen = *Albizzia stipulata*.  
*stolonifera*, Perr. ex DC. Prod. ii. 444 = *Neptunia oleracea*.  
*striata*, Poir. Encyc. Suppl. i. 83 = *Acacia striata*.  
*striato-stipula*, Steud. in *Flora*, xxvi. (1843) 758 = *pudica*.  
*stricta*, Andr. Bot. Rep. t. 53 = *Acacia stricta*.  
*stricta*, Dum.-Cours. Bot. Cult. ed. I. 420 = *Albizzia lophantha*.  
*strigillosa*, Torr. & Gray, Fl. N. Am. i. 399.—Am. bor. occ.  
*strigosa*, Pers. Syn. ii. 263 = *Acacia strigulosa*.  
*strigosa*, Willd. Sp. Pl. iv. 1030 = *floribunda*.  
*strombulifera*, Lam. Encyc. i. 15 = *Prosopis strombulifera*.  
*suaveolens*, Salisb. Prod. 325 = *Acacia Farnesiana*.  
*suaveolens*, Sm. in *Trans. Linn. Soc.* i. (1791) 253 = *Acacia suaveolens*.  
*subnervis*, Benth. in *Trans. Linn. Soc.* xxx. (1875) 432; et in *Mart. Fl. Bras.* xv. II. 370.—Bras.  
*subnervis*, Benth. in Hook. Journ. Bot. iv. (1842) 385 = *rupestris*.  
*subnervosa*, Pav. ex Benth. in *Trans. Linn. Soc.* xxx. (1875) 541 = *Calliandra subnervosa*.  
*subsericea*, Benth. in Hook. Journ. Bot. iv. (1842) 380.—Bras.  
*subvestita*, Benth. l. c. 379.—Bras.  
*sulcata*, Poir. Encyc. Suppl. v. 530 = *Acacia sulcata*.  
*Suma*, Roxb. Hort. Beng. 41; Fl. Ind. ii. 563 = *Acacia Suma*.  
*Sundra*, Roxb. II. cc. 41; 562 = *Acacia Sundra*.  
*tamarindifolia*, Linn. Sp. Pl. 523 = *Acacia tamarindifolia*.  
*tamariscifolia*, Russ. Herb. ex Steud. Nom. ed. II. ii. 149 = *Acacia concinna*, DC.  
*tamariscifolia*, Steud. l. c. sphalm. = *tamarindifolia*.  
*tamariscina*, Heyne, ex Wall. Cat. sub n. 5227 = *Acacia Suma*.  
*tamariscina*, Lam. Encyc. i. 13 = *Gagnebina tamariscina*.  
*taxifolia*, Bong. ex Benth. in Hook. Journ. Bot. iv. (1842) 373.—Bras.  
*taxifolia*, Pers. Syn. ii. 266 = *Parkia africana*.  
*taxifolia*, Poir. Encyc. Suppl. i. 59 = *Acacia taxifolia*.



**MIMOSA:—**

- tenuiflora*, Benth. in Hook. Lond. Journ. Bot. v. (1846) 92.—Mexic.  
*tenuiflora*, Poir. Encyc. Suppl. i. 82 = *M. Cabrera*.  
*tenuifolia*, Blanco, Fl. Filip. ed. I. 739 = *Acacia concinna*, DC.  
*tenuifolia*, Linn. Sp. Pl. 523 = *Acacia paniculata*.  
*tenuifolia*, Roxb. Hort. Beng. 41 = *Acacia Intsia*.  
*tenuis*, Vell. Fl. Flum. xi. t. 11 = *Inga nutans*.  
*tergemina*, Linn. Sp. Pl. 517 = *Calliandra tergemina*.  
*terminalis*, Salisb. Prod. 325 = *Acacia elata*.  
*terminalis*, Vell. Fl. Flum. xi. t. 30 = *Pithecolobium polycephalum*.  
*ternata*, Pers. Syn. ii. 261 = *Acacia taxifolia*.  
*tetragona*, Poir. Encyc. Suppl. i. 56 = *Schrankia hamata*.  
*tetrandra*, Humb. & Bonpl. ex Willd. Sp. Pl. iv. 1032 = *pubica*.  
*tetraphylla*, Vell. Fl. Flum. xi. t. 8 = *Inga fagifolia*.  
*thyrsoides*, Griseb. Fl. Brit. W. Ind. 219.—Jamaica.  
*thyrsoides*, Poir. Encyc. Suppl. v. 528 = *Inga alba*.  
*tomentosa*, Humb. & Bonpl. ex Willd. Sp. Pl. iv. 1033.—Venezuela.  
*tomentosa*, Rottl. in Ges. Naturf. Fr. Neue Schr. iv. (1803) 208 = *Acacia tomentosa*.  
*torta*, Roxb. Hort. Beng. 41; Fl. Ind. ii. 566 = *Acacia pennata*.  
*tortilis*, Forsk. Fl. Aegypt. Arab. 176 = *Acacia spirocarpa vel tortilis*.  
*tortuosa*, Burm. f. Fl. Ind. 224 = *Acacia Burmanniana*.  
*tortuosa*, Linn. Syst. ed. X. 1312 = *Acacia tortuosa*.  
*tovarensis*, Benth. in Trans. Linn. Soc. xxx. (1875) 407.—Venezuela.  
*trachycarpa*, Benth. in Hook. Journ. Bot. iv. (1842) 407.—Bras.  
*trachycephala*, Benth. in Trans. Linn. Soc. xxx. (1875) 395; *et in Mart. Fl. Bras.* xv. II. 314.—Bras.  
*trapezifolia*, Roxb. Hort. Beng. [93]; Fl. Ind. ii. 546 = *Pithecolobium Clypearia*.  
*trapezifolia*, Vahl, Eclog. Am. iii. 36 = *Pithecolobium trapezifolium*.  
*tremula*, Benth. in Hook. Journ. Bot. iv. (1842) 380.—Bras.  
*Trianae*, Benth. in Trans. Linn. Soc. xxx. (1875) 412.—N. Granat.  
*tricephala*, Cham. & Schlecht. in Linnaea, v. (1830) 591.—Mexic.  
*trichocephala*, Benth. in Trans. Linn. Soc. xxx. (1875) 394; *et in Mart. Fl. Bras.* xv. II. 312.—Bras.  
*trichodes*, Jacq. Hort. Schoenb. iii. 76. t. 394 = *Leucaena trichodes*.  
*triflora*, Pav. ex Benth. in Trans. Linn. Soc. xxx. (1875) 591 = *Pithecolobium triflorum*.  
*trijuga*, Benth. in Hook. Journ. Bot. iv. (1842) 398.—Bras.  
*trinervis*, Desf. Tabl. ed. I. 181 = *Acacia trinervis*.  
*triphylla*, Vell. Fl. Flum. xi. t. 22 = *Swartzia elegans*?  
*triquetra*, Vahl, Symb. Bot. iii. 102 = *Neptunia triquetra*.  
*trisperma*, Vell. Fl. Flum. xi. t. 40 = *Piptadenia trisperma*.  
*ulicifolia*, Salisb. Prod. 324; Wendl. Coll. i. 25. t. 6 = *Acacia juniperina*.  
*ulicina*, Benth. Fl. Austral. ii. 332, in syn. sphalm. = *ulicifolia*.  
*umbellata*, Vahl, Symb. Bot. ii. 103 = *Pithecolobium umbellatum*.  
*umbellata*, Vell. Fl. Flum. xi. t. 12 = *Inga affinis*.  
*umbellifera*, Vahl, Eclog. Am. iii. 30 = *Inga umbellifera*.  
*umbrifera*, Banks, ex Wight & Arn. Prod. 276 = *Acacia planifrons*.  
*uncinella*, Poir. Encyc. Suppl. i. 80 = *acanthocarpa*.  
*Unguis-cati*, Blanco, Fl. Filip. ed. I. 731 = *Pithecolobium dulce*.  
*Unguis-cati*, Forsk. Fl. Aegypt. Arab. 176 = *Acacia mellifera*.  
*Unguis-cati*, Linn. Sp. Pl. 517 = *Pithecolobium Unguis-cati*.  
*unijuga*, Duchass. & Walp. in Linnaea, xxiii. (1850) 744 = *pubica*.  
*uraguensis*, Hook. & Arn. in Hook. Bot. Misc. iii. (1833) 202.—Uruguay.  
*ursina*, Mart. in Flora, xxi. (1838) II. Beibl. 56.—Bras.  
*vaga*, Aubl. Pl. Gui. ii. 945 = *Pithecolobium trapezifolium*.  
*vaga*, Linn. Sp. Pl. 519 = *Acacia vaga*.

**MIMOSA:—**

- vaga*, Vell. Fl. Flum. xi. t. 13 = *Pithecolobium Auaremotemo*.  
*varia*, Perr. ex DC. Prod. ii. 445 = *Dichrostachys nutans*.  
*Velloziana*, Mart. in Flora, xxii. (1839) I. Beibl. 9.—Bras.  
*velutina*, Poir. Encyc. Suppl. i. 42 = *Inga velutina*.  
*venusta*, Poir. l. c. v. 529 = *Calliandra portoricensis*.  
*venustula*, Dum.-Cours. Bot. Cult. ed. II. vii. 297 (Quid?).—Austral.  
*verecunda*, Benth. in Hook. Journ. Bot. iv. (1842) 368.—Bras.  
*verniosa*, Bong. ex Benth. l. c. 404.—Bras.  
*verrucosa*, Benth. l. c. 390.—Bras.  
*verticillata*, L'Hérit. Sert. Angl. 30 = *Acacia verticillata*.  
*vestita*, Benth. in Hook. Journ. Bot. iv. (1842) 369.—Bras.  
*vialis*, Benth. in Trans. Linn. Soc. xxx. (1875) 434 = *somnians*.  
*villosa*, Sw. Prod. Veg. Ind. Occ. 85 = *Acacia villosa*.  
*violacea*, Bolle, in Peters, Reise Mossamb. Bot. 8.—Afr. trop.  
*violacea*, Bonpl. ex Tenore, Ind. Sem. Hort. Neap. (1842) 12. n. 6 = *rixosa*.  
*virescens*, Poir. Encyc. Suppl. v. 530 = *Acacia virescens*.  
*virgata*, Linn. Sp. Pl. 519 = *Desmanthus virgatus*.  
*virginalis*, Arruda, in Koster, Trav. Braz. 500.—Bras.  
*virgultosa*, Vahl, Eclog. Am. iii. 32 = *Inga virgultosa*.  
*viscida*, Willd. Enum. Hort. Berol. 1048.—Bras.  
*viva*, Linn. Sp. Pl. 517.—Jamaica.  
*viva*, Vell. Flum. xi. t. 33 = *Velloziana*.  
*Warmingii*, Benth. in Trans. Linn. Soc. xxx. (1875) 413; *et in Mart. Fl. Bras.* xv. II. 356.—Bras.  
*Weddelliana*, Benth. II. cc. 438; 383.—Bras.  
*Willdenowii*, Poir. Encyc. Suppl. i. 50 = *floribunda*.  
*Woony*, Heyne, ex Wall. Cat. n. 5226 = *Acacia ferruginea*.  
*Wrightii*, A. Gray, Pl. Wright. ii. 52.—N. Mexic.  
*xanthocentra*, Mart. in Flora, xxi. (1838) II. Beibl. 50 = *polycarpa*.  
*xantholasia*, Benth. in Hook. Lond. Journ. Bot. v. (1846) 88 = *arenosa*.  
*Xanti*, A. Gray, in Proc. Am. Acad. v. (1861) 157.—Calif.  
*xylocarpa*, Roxb. Pl. Corom. i. 68. t. 100 = *Xylia dolabriformis*.  
*Ynga*, Vell. vide *M. Inga*, Vell.  
*zygophylla*, Benth. in A. Gray, Pl. Wright. i. 61.—N. Mexic.

- MIMULOPSIS**, Schweinf. in Verh. Zool.-Bot. Ges. Wien, xviii. (1868) 677. *ACANTHACEAE*, Benth. & Hook. f. ii. 1080.  
*diffusa*, Baker, in Journ. Linn. Soc. xx. (1883) 219.—Madag.  
*lanceolata*, Baker, l. c. 220.—Madag.  
*Solmsii*, Schweinf. in Verh. Zool.-Bot. Ges. Wien, xviii. (1868) 677.—Afr. trop.  
*speciosa*, Baker, in Journ. Linn. Soc. xviii. (1881) 274.—Madag.

- MIMULUS**, Linn. in Act. Soc. Upsal. (1741) 82. *SCROPHULARINEAE*, Benth. & Hook. f. ii. 946. *CYNORRHYNCHIUM*, Mitch. in Act. Phys. Med. Acad. Nat. Cur. viii. (1748) App. 207.  
*DIPACUS*, Nutt. in Ann. Nat. Hist. Ser. I. i. (1838) 137.  
*ERYTHRANTHE*, Spach. Hist. Vég. Phan. ix. 312 (1840).  
*EUNANUS*, Benth. in DC. Prod. x. 374 (1846).  
*MIMETANTHE*, Greene, in Bull. Calif. Acad. i. IV. (1885) 181.  
*MONAVIA*, Adans. Fam. ii. 211 (1763).  
*UVEDALIA*, R. Br. Prod. 440 (1810).  
*acutidens*, Greene, in Bull. Calif. Acad. i. III. (1885) 117 = *inconspicuus*.  
*alatus*, [Soland. in] Ait. Hort. Kew. ed. I. ii. 361.—Am. bor.  
*Alecterolophus*, Scop. Fl. Garn. ed. II. i. 435 = *Rhinanthus Crista-galli*.  
*alsinoides*, Dougl. ex Benth. Scroph. Ind. 29.—Am. bor. occ.  
*andicolus*, H. B. & K. Nov. Gen. et Sp. ii. 370.—Peruv.

**MIMULUS:—**

- androsaceus*, Curran, ex Greene, in Bull. Calif. Acad. i. III. (1885) 121 = *Palmeri*.  
*angustifolius*, Hochst. ex A. Rich. Tent. Fl. Abyss. ii. 119.—Abyss.  
*assamicus*, Griff. in Madr. Journ. Sc. iv. (1836) 375 = *nepalensis*.  
*atropurpureus*, Kellogg, in Proc. Calif. Acad. i. (1873) 59.—Calif.  
*aurantiacus*, Curt. Bot. Mag. t. 354 = *glutinosus*.  
*aurantiacus*, Renjifo, in Renjifo & Phil. Desc. Alg. Pl. Nuev. (1884) 7.—Chili.  
*barbatus*, Greene, in Bull. Calif. Acad. i. I. (1884) 9.—Calif.  
*bicolor*, Hartw. ex Benth. Pl. Hartw. 328.—Calif.  
*Bigelovii*, A. Gray, Bot. Calif. i. 564; *et in Proc. Am. Acad.* xi. (1876) 96.—Am. bor. occ.  
*Bolanderi*, A. Gray, l. c. vii. (1868) 381.—Calif.  
*brevipes*, Benth. Scroph. Ind. 28.—Calif.  
*brevipes*, A. Gray, in Pacif. Rail. Rep. iv. 120 = *Bolanderi*.  
*Bridgesii*, Clos, in C. Gay, Fl. Chil. 141.—Chili.  
*cardinalis*, Dougl. ex Benth. Scroph. Ind. 28.—Am. bor. occ.  
*Colensoi*, T. Kirk, in Trans. N. Z. Inst. iii. (1871) 179.—N. Zel.  
*Crista-galli*, Scop. Fl. Carn. ed. II. i. 434 = *Rhinanthus Crista-galli*.  
*cupreus*, Regel, Gartenfl. (1864) 3 = *luteus*.  
*debilis*, F. Muell. in Trans. Phil. Inst. Vict. iii. (1859) 62 = *Uvedaliae*.  
*dentatus*, A. Gray, in Pacif. Rail. Rep. iv. 120 = *nudatus*.  
*dentatus*, Nutt. ex Benth. in DC. Prod. x. 373.—Am. bor. occ.  
*depressus*, Phil. Fl. Atac. 45.—Chili.  
*Douglasii*, A. Gray, in Bot. Calif. i. 563; *et in Proc. Am. Acad.* xi. (1876) 95.—Calif.  
*Eisenii*, Kellogg, in Proc. Calif. Acad. vii. I. 1876; 89 = *laciniaius*.  
*exiguus*, A. Gray, in Proc. Am. Acad. xx. (1885) 307.—Calif.  
*exilis*, Durand & Hilg. in Pacif. Rail. Rep. v. 12.—Calif.  
*floribundus*, Dougl. in Lindl. Bot. Reg. t. 1125.—Calif.  
*Fremonti*, A. Gray, in Bot. Calif. i. 565; *et in Proc. Am. Acad.* xxi. (1876) 96.—Calif.  
*geniculatus*, Greene, in Bull. Calif. Acad. i. IV. (1885) 280.—Calif.  
*Geyeri*, Torr. in Nicoll. Rep. Hydrog. Upper Missis. (1843) 157 = *glabratus*.  
*glabratus*, A. Gray, Bot. Mex. Bound. 116 = *Jamesii*.  
*glabratus*, H. B. & K. Nov. Gen. et Sp. ii. 370.—Mexic.  
*glandulosus*, Lehm. Del. Sem. Hort. Hamb. 1830. 7.—Cf. *Linnaea*, vi. (1831) Litt. 11.—Am. bor.  
*glaucescens*, Greene, in Bull. Calif. Acad. i. (1885) 113.—Calif.  
*glutinosus*, Wendl. Bot. Beobacht. 51.—Calif.  
*gracilis*, R. Br. Prod. 439.—Austral.  
*guttatus*, [Fisch.] Hort. Gorenk. ed. II. (1812) 25; DC. Cat. Hort. Monsp. 127 = *luteus*.  
*Hallii*, Greene, in Bull. Calif. Acad. i. III. 1885; 113 = *glabratus*.  
*Harrisonianus* x, Hort.—Cf. Gard. Chron. 1879 II. 86.  
*hirsutus*, Blume, Bijdr. 756 = *Torenia flava*.  
*Hodsoni* x, Turner, in Loud. Gard. Mag. xiii. 1837 333.  
*inconspicuus*, A. Gray, in Pacif. Rail. Rep. iv. 120.—Calif.  
*inodorus*, Greene, in Bull. Calif. Acad. i. III. 1885 119 = *moschatus*.  
*Jamesii*, Torr. & Gray, ex Benth. in DC. Prod. x. 371.—Am. bor. occ.  
*javanicus*, Blume, Cat. Gew. Buitenz. 83 = *Vandellia crustacea*.  
*Kingii*, Phil. in Anal. Univ. Chil. 1873; 528.—Chili.  
*laciniaius*, A. Gray, in Proc. Am. Acad. xi. (1876) 98.—Calif.  
*lanatus*, Pursh, ex Loud. Hort. Brit. 251 (Quid?).—Am. bor.  
*latifolius*, A. Gray, in Proc. Am. Acad. xi. (1876) 96.—Calif.  
*leptaleus*, A. Gray, l. c. 96.—Calif.  
*Lewisii*, Pursh, Fl. Am. Sept. ii. 427. t. 20.—Am. bor. occ.  
*linearis*, Benth. Scroph. Ind. 27 = *glutinosus*.



**MIMULUS:**

- longipes, *Phil. in Linnaea*, xxix. (1857-58) 28.—Chili.  
 luteus, *Linn. Sp. Pl.* ed. II. 884.—Am. bor. et austr.  
*lyratus*, Benth. *Scroph. Ind.* 28 = luteus.  
*Maclaineanus*, Paxt. *Fl. Mag.* ix. (1842) t. 147 = seq.  
*Maclainii*, Fergus. ex Hook. *Bot. Mag.* t. 3924 = cardinalis.  
*madagascariensis*, Benth. in *DC. Prod.* x. 369.—Madag.  
*madrensis*, Seem. *Bot. Voy. Herald*, 322. t. 58 = glabratus.  
*mephiticus*, Greene, in *Bull. Calif. Acad.* i. I. (1884) 9.—Calif.  
*microphyllus*, Benth. in *DC. Prod.* x. 371 = luteus.  
*mohavensis*, Lemmon, in *Coult. Bot. Gaz.* ix. (1884) 142.—Calif.  
*moniliformis*, Greene, in *Bull. Calif. Acad.* i. I. (1884) 10.—Calif.  
*montioides*, A. Gray, in *Proc. Am. Acad.* vii. (1868) 380.—Am. bor. occ.  
*moschatus*, Dougl. in *Lindl. Bot. Reg.* t. 1118.—Am. bor. occ.  
*nanus*, Hook. & Arn. *Bot. Beech. Voy.* 379.—Am. bor. occ.  
*nanus*, *Phil. Fl. Atac.* 45.—Chili.  
*nasutus*, Greene, in *Bull. Calif. Acad.* i. III. (1885) 112.—Am. bor. occ.  
*nepalensis*, Benth. in *Wall. Cat. n.* 3917.—Reg Himal.; As. bor. occ.  
*nudatus*, Curran, ex Greene, in *Bull. Calif. Acad.* i. III. (1885) 114.—Calif.  
*nummularis*, C. Gay, *Fl. Chil. Atl.* t. 57 = luteus.  
*ocellatus*, Bert. ex Steud. *Nom. ed. II.* ii. 150 = luteus.  
*orbicularis*, Wall. *Cat. n.* 3919.—Burma.  
*Orizabae*, Benth. in *DC. Prod.* x. 372.—Mexic.  
*pallidus*, Salisb. *Prod.* 100 = ringens.  
*Palmeri*, A. Gray, in *Proc. Am. Acad.* xii. (1877) 82.—Calif.  
*Parishii*, Greene, in *Bull. Calif. Acad.* i. III. (1885) 108.—Calif.  
*Parryi*, A. Gray, in *Proc. Am. Acad.* xi. (1876) 197.—Am. bor. occ.  
*parviflorus*, Lindl. *Bot. Reg.* t. 874 = pilosiusculus.  
*peduncularis*, Dougl. ex Benth. *Scroph. Ind.* 29.—Am. bor. occ.  
*perfoliatus*, H. B. & K. *Nov. Gen. et Sp.* ii. 371 = *Leucocarpus alatus*.  
*Pilingi*, Regel, *Gartenfl.* (1869) t. 631, sphalm. = *Tilingii*.  
*pilosiusculus*, H. B. & K. *Nov. Gen. et Sp.* ii. 370.—Peruv.  
*pilosus*, S. Wats. in *Bot. King's Exp.* 225 = exilis.  
*Pissisi*, *Phil. in Anal. Univ. Chil.* (1861) 57; et in *Linnaea*, xxxiii. (1864-65) 212.—Chili.  
*pluriflorus*, Hook. & Arn. *Bot. Beech. Voy.* 378 = nanus.  
*Prattenii*, Durand, in *Journ. Acad. Nat. Sc. Philad.* Ser. II. iii. (1855) 98 = bicolor.  
*primuloides*, Benth. *Scroph. Ind.* 29.—Am. bor. or.  
*propinquus*, Lindl. *Bot. Reg.* i. 1330 = glabratus.  
*prostratus*, Benth. in *DC. Prod.* x. 373.—Austral.  
*pteropis*, Rafn. *Fl. Ludov.* 44 (Quid?).—Am. bor.  
*pubescens*, Benth. in *DC. Prod.* x. 372.—Mexic.  
*Pulsiferae*, A. Gray, in *Proc. Am. Acad.* xi. (1876) 98.—Calif.  
*punctatus*, Miers, ex Bert. in *Merc. Chil.* (1829) 700.—Cf. *Am. Journ. Sc.* xxiii. (1833) 254 = luteus.  
*puniceus*, Steud. *Nom. ed. II.* ii. 150.—Calif.  
*pusillus*, Benth. in *DC. Prod.* x. 369 = gracilis.  
*radicans*, Hook. f. *Fl. N. Zel.* i. 188.—N. Zel.  
*Rattani*, A. Gray, in *Proc. Am. Acad.* xx. (1885) 307.—Calif.  
*reniformis*, Engelm. ex Benth. in *DC. Prod.* x. 371 = Jamesii.  
*repens*, R. Br. *Prod.* 432.—Austral.; N. Zel.  
*ringens*, *Linn. Sp. Pl.* 634.—Am. bor.  
*rivularis*, Nutt. in *Journ. Acad. Philad.* vii. (1834) 47 = luteus.  
*roseus*, Dougl. ex Lindl. *Bot. Reg.* t. 1591 = Lewisii.  
*rubellus*, A. Gray, in *Torr. Bot. Mex. Bound.* 116.—Am. bor. occ.  
*Scouleri*, Hook. *Fl. Bor. Am.* ii. 100.—Am. bor. occ.  
*sessilifolius*, Maxim. in *Bull. Acad. Pétersb.* xx. (1874) 436.—Japon.  
*Smithii*, Lindl. *Bot. Reg.* t. 1674 = luteus.  
*splendens*, Hort. ex Steud. *Nom. ed. I.* 534, 535 = luteus.

**MIMULUS:**

- stachydifolius, Maxim. in *Bull. Acad. Pétersb.* xx. (1874) 438.—As. or.  
*strictus*, Benth. in *Wall. Cat. n.* 3918 = gracilis.  
*sylvaticus*, *Phil. in Linnaea*, xxx. (1859-60) 197.—Chili.  
*tenellus*, Bunge, *Enum. Pl. Chin. Bor.* 49 = nepalensis.  
*tenellus*, Nutt. ex A. Gray, in *Proc. Am. Acad.* xi. (1876) 98 = luteus.  
*Tilingii*, Regel, *Gartenfl.* (1869) 321 = luteus.  
*Torreyi*, A. Gray, in *Proc. Am. Acad.* xi. (1876) 197.—Calif.  
*tricolor*, Hartw. ex Lindl. in *Journ. Hort. Soc.* iv. (1849) 222.—Calif.  
*Uvedaliae*, Benth. in *DC. Prod.* x. 369.—Austral.  
*variegatus*, Lodd. *Bot. Cab. t.* 1872 = luteus.  
*violaceus*, Blanco, *Fl. Filip.* ed. II. 357 = *Vandellia mollis*?  
*viscosus*, Moench, *Meth. Suppl.* 168 = glutinosus.  
*Wilsoni*, D. Don, ex Steud. *Nom. ed. II.* ii. 150 = glutinosus.

**MIMUSOPS**, Linn. *Diss. Dass.* 14 (1747); Amoen. *Acad. i.* 397 (1749). *SAPOTACEAE*, Benth. & Hook. f. ii. 661.

- ELENGI, Adans. *Fam.* ii. 166 (1763).  
 MANILKARA, Adans. l. c. (1763).  
 STISSERIA, Scop. *Introd.* 199 (1777).  
 SYNARRHENA, Fisch. & Mey. in *Bull. Sc. Acad. Pétersb.* viii. (1841) 255.  
*acuminata*, Blume, *Bijdr.* 672.—Java.  
*angustifolia*, Boj. *Hort. Maurit.* 198.—Ins. Mascar.  
*attenuata*, Wall. *Cat. n.* 4150 = *Sideroxylon ferrugineum*.  
*Balata*, Crueg. ex Griseb. *Fl. Brit. W. Ind.* 400 = globosa.  
*Balata*, Gaertn. f. *Fruct.* iii. 133 = M. Kauki.  
*Balota*, Blume, *Bijdr.* 673 = praec.  
*bidentata*, A. DC. in *DC. Prod.* viii. 204 = globosa.  
 Bojeri, A. DC. l. c. 205.—Ins. Maurit.  
*Browniana*, Benth. *Fl. Austral.* iv. 285 = M. Kauki.  
*caffra*, E. Mey. ex A. DC. in *DC. Prod.* viii. 203.—Afr. austr.  
*calyptanthifolia*, Span. ex Hook. *Comp. Bot. Mag.* i. (1835) 348, nomen.—Ins. Timor.  
*coriacea*, Mig. in *Mart. Fl. Bras.* vii. 44.—Bras.  
*cotinifolia*, A. Cunn. ex A. DC. in *DC. Prod.* viii. 176, 207 = *Hormogyne cotinifolia*.  
*cuneifolia*, Baker, in *Oliver, Fl. Trop. Afr.* iii. 506.—Afr. trop.  
*cyanocarpa*, A. Cunn. ex Sweet, *Hort. Brit. ed. III.* 451, nomen = *Browniana*?  
*dissecta*, R. Br. *Prod.* 531, in obs. = M. Kauki.  
*dissecta*, Buch.-Ham. ex A. DC. in *DC. Prod.* viii. 205 = hexandra.  
*elata*, Allem. ex Mig. in *Mart. Fl. Bras.* vii. 42.—Bras.  
*Elengi*, Boj. *Hort. Maurit.* 198 = M. Kauki?  
*Elengi*, *Linn. Sp. Pl.* 349.—Ind. or.; Malaya.  
*Elengi*, Sieber, ex A. DC. in *DC. Prod.* viii. 201, 207 = *Labramia Bojeri*.  
*Elengi*, Wight, in *Wall. Cat. n.* 4146 = *Sapota elengoides*.  
*erythroxylla*, St. Lag. in *Ann. Soc. Bot. Lyon*, vii. (1880) 130 = seq.  
*erythroxyllon*, Boj. *Hort. Maurit.* 198.—Ins. Maurit.  
*erythroxyllon*, Llanos, ex Villar, in Blanco, *Fl. Philipp.* ed. III. Nov. App. 126 = *parvifolia*, R. Br.  
*floribunda*, Mart. in *Flora*, xxii. (1839) i. *Beibl.* 3.—Bras.  
*fruticosa*, Boj. *Hort. Maurit.* 198.—Afr. trop.  
*globosa*, Gaertn. f. *Fruct.* iii. 132.—Am. trop.  
*hexandra*, Bout. ex Boj. *Hort. Maurit.* 198 = *Labramia Bojeri*.  
*hexandra*, Roxb. *Pl. Corom.* i. 16. t. 15.—Ind. or.  
*hexandra*, Wall. *Cat. n.* 4148 = *Achras Sapota*.  
*Hookeri*, A. DC. in *DC. Prod.* viii. 204 = M. Kauki.  
*Horneana*, Hartog, in *Journ. Bot.* xvii. (1879) 358, nomen = *Northea seychellana*.  
*Imbricaria*, Blume, *Bijdr.* 675 = *Labramia Bojeri*.  
*Imbricaria*, Bout. ex A. DC. in *DC. Prod.* viii. 200 = *Imbricaria petiolaris*.  
*Imbricaria*, Willd. *Sp. Pl.* ii. 326 = *Imbricaria maxima*.  
*indica*, A. DC. in *DC. Prod.* viii. 205 = hexandra.  
*indica*, Kurz, *Andam. Rep.* 42 = littoralis.  
*Jainiqui*, Wright, ex Griseb. *Cat. Pl. Cub.* 164.—Cuba.  
*javensis*, Burck, in *Ann. Jard. Buitenz.* v. (1885) 63.—Java.

**MIMUSOPS:**

- Kauki, Boj. *Hort. Maurit.* 198 = Bojeri.  
 Kauki, *Linn. Sp. Pl.* 349.—Burma; Malaya; Austral.  
 Kauki, Wall. *Cat. n.* 4149 A, C = hexandra.  
 Kirkii, Baker, in *Oliver, Fl. Trop. Afr.* iii. 507.—Afr. trop.  
 Kummel, Bruce, ex A. DC. in *DC. Prod.* viii. 203.—Abyssin.  
*lacera*, Baker, in *Oliver, Fl. Trop. Afr.* iii. 507.—Afr. trop.  
*laevis*, Wall. *Cat. n.* 4152.—Burma.  
*littoralis*, Kurz, in *Journ. As. Soc. Beng.* xlv. (1876) ii. 138.—Ins. Nicobar.  
*longifolia*, A. DC. in *DC. Prod.* viii. 205.—Bras.  
*lucida*, Poir. *Encyc. Suppl.* iii. 705.—Ind. or.  
*lucida*, Wall. *Cat. n.* 4147 = *Payena lucida*.  
*Manilkara*, G. Don, *Gen. Syst.* iv. 35 = M. Kauki.  
*Mochisia*, Baker, in *Oliver, Fl. Trop. Afr.* iii. 506.—Afr. trop.  
*moluccana*, Kostel. *Allg. Med.-Pharm. Fl.* iii. 1104 = *Maba elliptica*.  
*multinervis*, Baker, in *Oliver, Fl. Afr. trop.* iii. 506.—Afr. trop.  
*Nattarium*, Willem. in *Usteri, Ann. Bot.* xviii. (1796) 30.—Ins. Maurit.  
*obovata*, Sond. in *Linnaea*, xxiii. (1850) 75.—Afr. austr.  
*obtusifolia*, Lam. *Encyc.* iv. 186 = M. Kauki?  
*obtusifolia*, Wall. *Cat. n.* 4473 = *Labourdonnaisia calophyllodes*.  
*parvifolia*, R. Br. *Prod.* 531.—Austral.  
*parvifolia*, Kurz, *For. Fl. Brit. Burma*, ii. 124.—Burma.  
*racemosa*, Jacq. *Coll. Suppl.* 108.—Ins. Maurit.  
*retusa*, Willem. in *Usteri, Ann. Bot.* xviii. (1796) 30 = *Imbricaria maxima*.  
*revoluta*, Hochst. in *Flora*, xxvii. (1844) 825.—Afr. austr.  
*Roxburghiana*, Wight, *l. c.* t. 1588.—Ind. or.  
*rufula*, Mig. in *Mart. Fl. Bras.* vii. 44.—Bras.  
*Salzmanni*, A. DC. in *DC. Prod.* viii. 205.—Bras.  
*Schimperi*, Hochst. in *A. Rich. Tent. Fl. Abyss.* ii. 22.—Abyssin.  
*Sieberi*, A. DC. in *DC. Prod.* viii. 204.—Am. bor.; Ind. occ.  
*subsericea*, Mart. in *Flora*, xxii. (1839) i. *Beibl.* 3.—Bras.  
*surinamensis*, Mig. in *Mart. Fl. Bras.* vii. 43.—Guian.  
*Talosan*, Blanco, *Fl. Filip.* ed. I. 284 = *Helicteres spicata*.  
*timorensis*, Burck, in *Ann. Jard. Buitenz.* v. (1885) 63.—Ins. Timor.  
*Zeyheri*, Sond. in *Linnaea*, xxiii. (1850) 74.—Afr. austr.

MINA, Cerv. in *La Llave & Lex. Nov. Veg. Desc. fasc. i.* 3 (1824) = *Ipomoea*, Linn. (*Convolv.*).  
*lobata*, Cerv. l. c. = *I. versicolor*.

MINAEA, Lojac. in *Nuov. Giorn. Bot.* xiii. (1881) 305 = *Thlaspi*, Tourn. (*Crucif.*).  
*Prolongoi*, Lojac. l. c. 306 = T. *Prolongi*.  
*Saviana*, Lojac. l. c. = *Bivonaea Saviana*.

MINDERERA, Ram. ex Schrad. *Journ.* 1800. II. (1801) 467 = *Merendera*? Ram. (*Liliac.*).

MINDIUM, Adans. *Fam.* ii. 134 (1763); Juss. *Gen.* 164 (1789) = *Michauxia*, L'Hérit. (*Campan.*).  
*canariense*, Rafn. *Fl. Tellur.* ii. 79 = *Canarina campanulata*.  
*Rhazis*, Juss. *Gen.* 164 = *Mich. campanuloides*.  
*spicatum*, J. F. Gmel. *Syst.* 618 = *Mich. campanuloides*.

MINQUARTIA, Miers, in *Journ. Linn. Soc.* xvii. (1879) 338, sphalm. = *Minquartia*, Aubl. (*Bignoniaceae*).

MINKELERSIA, Mart. & Gal. in *Bull. Acad. Brux.* x. II. (1843) 200. *LEGUMINOSAE*, Benth. & Hook. f. i. 539.  
*biflora*, Hemsl. *Diagn. Pl. Nov.* 48.—Mexic.  
*galactioides*, Mart. & Gal. in *Bull. Acad. Brux.* x. II. (1843) 200.—Mexic.

MINQUARTIA, Aubl. *Pl. Gui. Suppl.* 4 (1775). *BIGNONIACEAE*.  
*guianensis*, Aubl. l. c.—Guian.



- MINTHA**, St. Lag. in Ann. Soc. Bot. Lyon, vii. (1880) 78 = seq.
- MINTHE**, St. Lag. in Ann. Soc. Bot. Lyon, vii. (1880) 180 = *Mentha*, Tourn. (Labiata).  
*pulegia*, St. Lag. l. c. = *Mentha Pulegium*.
- MINTOSTACHYS**, Spach, Hist. Vég. Phan. ix. 164 (1840) = *Bystropogon*, L'Hérit. (Labiata).
- MINUARIA**, Linn. Sp. Pl. ed. I. 89 (1753) = *Arenaria*, Rupp. (Caryoph.).  
*campestris*, DC. Prod. i. 380 = *A. montana*.  
*campestris*, Linn. Sp. Pl. 89 (= *Alsine campestris*).—Hispan.  
*dichotoma*, Echeand. Fl. Caesaraug.; ex Willd. & Lange, Prod. Fl. Hisp. iii. 608 = *A. montana*.  
*dichotoma*, Linn. Sp. Pl. 89 (= *Alsine dichotoma*).—Hispan.  
*fasciculata*, Reichb. Ic. Fl. Germ. v. 28. t. 206.—*A. globulosa*.  
*fastigiata*, Reichb. l. c. 28 = *A. globulosa*.  
*montana*, Cav. ex Nym. Consp. 120 (= *Alsine campestris*).—Hispan.  
*montana*, Linn. Sp. Pl. 90 = *A. montana*.  
*Petteri*, Reichb. ex Nym. Consp. 118 = *A. globulosa*.  
*ramosissima*, Schur, Enum. Pl. Transs. 112 = *A. ramosissima*.  
*rostrata*, Reichb. Ic. Fl. Germ. v. 28 = *A. rostrata*.  
*tenuifolia*, Nees, ex Mart. Hort. Erlang. 44 = *A. mucronata*.
- MINURIA**, DC. Prod. v. 298 (1836). *COMPOSITAE*, Benth. & Hook. f. ii. 267.  
ELACHOTHAMNUS, DC. Prod. v. 398 (1836).  
KIPPISIA, F. Muell. Rep. Babb. Exped. 12 (1858).  
THEROGERON, DC. Prod. v. 283 (1836).  
*asteroidea*, Sond. in Linnaea, xxv. (1852) 467 = *leptophylla*.  
Candollei, F. Muell. Fragm. ix. 119.—Austral.  
Cunninghami, Benth. Fl. Austral. iii. 498.—Austral.  
denticulata, Benth. l. c. 499.—Austral.  
integerrima, Benth. l. c.—Austral.  
leptophylla, DC. Prod. v. 298.—Austral.  
suaveifolia, F. Muell. ex Benth. Fl. Austral. iii. 499.—Austral.  
tenuissima, DC. Prod. v. 298 = *leptophylla*.
- MINUROTHAMNUS**, DC. Prod. vii. 286 (1838). *COMPOSITAE*, Benth. & Hook. f. ii. 331.  
phagnaloides, DC. l. c.—Afr. austr.
- MINUTALIA**, Fenzl, in Flora, xxvii. (1844) 312, nomen = *Antidesma*, Linn. (Euphorb.).  
tomentosa, Fenzl, l. c. = *A. venosum*.
- MINUTIA**, Vell. Fl. Flum. 19 (1825); i. t. 47 (1827) = *Linociera*, Sw. (Oleac.).  
trichotoma, Vell. ll. cc. = *L. mandiocana*?
- MINYRANTHES**, Turcz. in Bull. Soc. Nat. Mosc. xxiv. (1851) i. 180 = *Sigesbeckia*, Linn. (Compos.).  
heterophylla, Turcz. l. c. 181 = *S. orientalis*.
- MINYTHODES**, Phil. ex Benth. & Hook. f. Gen. ii. 496 (1873) = *Chaetanthera*, Ruiz & Pav. (Compos.).
- MIOCARPUS**, Naud. in Ann. Sc. Nat. Sér. III. ii. (1844) 146 = *Acisanthera*, P. Br. (Melastom.).  
paludosa, Naud. l. c. 147 = *A. limnobios*.
- MIONANDRA**, Griseb. in Goett. Abh. xix. (1874) 101. *MALPIGHIACEAE*.  
argentea, Griseb. l. c. 102.—Reg. Argent.  
camareoides, Griseb. l. c.—Reg. Argent.
- MIOPTRILA**, Rafin. Am. Man. Mulb. 37 (1839) = *Zanthoxylum*, Linn. (Rutac.).  
odorata, Rafin. l. c. = *Z. americanum*.
- MIQUELIA**, Arn. & Nees, in Nov. Act. Nat. Cur. xix. Suppl. i. (1843) 177 = *Garnotia*, Brongn. (Gramin.).  
barbulata, Nees, l. c. = *G. stricta*.  
cortallensis, Arn. & Nees, l. c.—Ind. or.  
Emodi, Arn. & Nees, l. c.—Reg. Himal.

- MIQUELIA**, Blume, in Bull. Sc. Phys. et Nat. Néerl. i. (1838) 94 = *Stauranthera*, Benth. (Gesnerac.).  
azurea, Blume, Rumphia, iv. 34 = *S. ecalcarata*.  
caerulea, Blume, in Bull. Sc. Phys. et Nat. Néerl. i. (1838) 94 = *S. ecalcarata*.
- MIQUELIA**, Meissn. Gen. 152 (1838). *OLACINEAE*, Benth. & Hook. f. i. 354.  
JENKINSIA, Griff. in Calc. Journ. Nat. Hist. iv. (1843) 231. t. 12.  
assamica, Mast. in Hook. f. Fl. Brit. Ind. i. 593.—Reg. Himal.  
cancellata, Kurz, in Journ. As. Soc. Beng. xlv. (1875) ii. 201.—Malacca.  
celebica, Blume, Rumphia, vi. 371.—Ins. Celebes.  
Cumingii, Baill. Adansonia, x. (1871-72) 278.—Ins. Philipp.  
dentata, Bedd. in Madr. Journ. Sc. Ser. III. i. (1864) 38 = *Kleinii*?  
gibba, Baill. Adansonia, x. (1871-72) 278.—Ind. or.  
Kleinii, Mast. in Hook. f. Fl. Brit. Ind. i. 593 = *assamica*.  
Kleinii, Meissn. Gen. Comm. 109.—Ind. or.
- MIRA**, Colenso, Excurs. N. Island, 84 (1844) sphalm. = *MIDA*, R. Cunn. = *Fusanus*, R. Br. (Santal.).
- MIRABELLIA**, Bert. ex Baill. Etud. Gén. Euph. 436 (1858) = *Dysopsis*, Baill. (Euphorb.).  
glechomoides, Bert. ex Baill. l. c. = *D. Gayana*.
- MIRABILIS**, Riv. ex Linn. Syst. ed. I (1735). *NYCTAGINEAE*, Benth. & Hook. f. iii. 3.  
NYCTAGO, Juss. Gen. 90 (1789).  
QUAMOCLIDION, Choisy, in DC. Prod. xiii. ii. 429 (1849).  
aggregata, Cav. Ic. v. 22 = *Oxybaphus aggregatus*.  
ambigua, Trautv. Del. Sem. Hort. Kiov. (1840) 6.—Cf. Linnaea, xv. (1841) Litt. 97 = *M. Jalapa*.  
californica, A. Gray, in Torr. Bot. Mex. Bound. 173 = *Oxybaphus californicus*.  
coccinea, Benth. & Hook. f. Gen. iii. 3.—Am. bor. occ.  
cordata, Brouss. ex Roem. & Schult. Syst. iv. 2 = *hybrida*.  
corymbosa, Cav. Ic. iv. 55. t. 379 = *Oxybaphus glabrifolius*.  
dichotoma, Gater. Pl. Montaub. 46 = *M. Jalapa*.  
dichotoma, Linn. Syst. ed. X. 931.—Mexic.  
divaricata, Lowe, in Trans. Camb. Phil. Soc. iv. (1831) 17.—Ins. Madera.  
Froebelii, Greene, in Bull. Calif. Acad. i. iii. (1885) 124.—Calif.  
Greenei, S. Wats. in Proc. Am. Acad. xii. (1877) 253.—Calif.  
hybrida, Lepel. in Ann. Mus. Par. viii. (1806) 481.—Mexic.; N. Granat.  
Jalapa, Linn. Sp. Pl. 177.—Am. trop.  
Jalappa, Thunb. Fl. Jap. 91 = *prae*.  
longiflora, Blanco, Fl. Filip. ed. I. 77 = *M. Jalapa*.  
longiflora, Linn. in Vet. Akad. Handl. Stockh. (1755) 176. t. 6. f. 1.—Mexic.  
multiflora, A. Gray, in Torr. Bot. Mex. Bound. 173.—Am. bor. occ.  
odorata, Hort.—Cf. Linnaea, xii. (1838) Litt. 75 = *longiflora*.  
odorata, Linn. Cent. Pl. i. 7; Amoen. Acad. iv. 267 = *dichotoma*.  
oxybaphoides, A. Gray, in Torr. Bot. Mex. Bound. 173.—Am. bor. occ.  
parviflora, Targ.-Tozz. ex Steud. Nom. ed. I. 535 = *dichotoma*.  
pedunculata, Stokes, Bot. Mat. Med. i. 311 = *M. Jalapa*.  
planiflora, Trautv. in Bull. Sc. Acad. Pétersb. vi. (1840) 215 = *M. Jalapa*.  
procera, Bertol. in Nov. Comm. Bonon. iii. (1839) 15 = *M. Jalapa*.  
pubescens, Zipp. ex Span. in Linnaea, xv. (1841) 342 = *M. Jalapa*.  
suaveolens, Billb. ex Beurl. in Vet. Akad. Handl. Stockh. 1854 (1856) 141 = *M. Jalapa*.  
suaveolens, H. B. & K. Nov. Gen. et Sp. ii. 213 = *longiflora*.  
tenuiloba, S. Wats. in Proc. Am. Acad. xvii. (1881-82) 375.—Calif.  
triflora, Benth. Pl. Hartw. 23.—Mexic.  
undulata, Steud. Nom. ed. II. i. 796 = *dichotoma*.  
uniflora, Schrank, in Denkschr. Bot. Ges. Regensb. ii. (1822) 34.—Bras.  
viscosa, Cav. Ic. i. 13 = *Oxybaphus viscosus*.  
Xalapa, Noronha, in Verh. Batav. Gen. v. (1790) ed. I. Art. iv. 20 = *M. Jalapa*.

- MIRADORIA**, Sch. Bip. ex Benth. & Hook. f. Gen. ii. 407 (1873) = *Microspermum*, Lag. (Compos.).  
Sartorii, Sch. Bip. l. c. = *Microspermum debile*.
- MIRASOLIA**, Sch. Bip. ex Benth. & Hook. f. Gen. ii. 367 (1873) = *Gymnolomia*, H. B. & K. (Compos.).  
calva, Benth. & Hook. f. l. c. 368 = *G. calva*.  
diversifolia, Hemsl. Biol. Centr. Am. Bot. ii. 168 = *Tithonia diversifolia*.  
scaberrima, Benth. & Hook. f. Gen. ii. 368 = *G. platylepis*.
- MIRBELIA**, Sm. in Kon. & Sims, Ann. Bot. i. (1805) 511. *LEGUMINOSAE*, Benth. & Hook. f. i. 468.  
DICHOSEMA, Benth. in Enum. Pl. Hueg. 35 (1837).  
OXYCLADIUM, F. Muell. in Hook. Kew Journ. ix. (1857) 20.  
angustifolia, R. Crah. in Edinb. N. Phil. Journ. xxvi. (1838) 197 = *reticulata*.  
aotoides, F. Muell. in Trans. Phil. Inst. Vict. iii. (1859) 53.—Austral.  
aphylla, F. Muell. Fragm. iv. 11 = *daviesioides*.  
aspera, Turcz. in Bull. Soc. Nat. Mosc. xxvi. (1853) i. 281 = *ovata*.  
Baxteri, Lindl. Bot. Reg. t. 1434 = *Oxylobium scandens*.  
cordata, Pritz, Ic. Ind. i. 718 = *Daviesia cordata*.  
daviesioides, Benth. Fl. Austral. ii. 37.—Austral.  
dilatata, R. Br. in Ait. Hort. Kew. ed. II. iii. 21.—Austral.  
floribunda, Benth. in Lindl. Swan River App. 12.—Austral.  
grandiflora, Ait. ex Hook. Bot. Mag. t. 2771.—Austral.  
ilicifolia, Hort. ex Regel, Cat. Pl. Hort. Aksakov. 94. nomen.—Austral.  
Meissneri, Hook. Bot. Mag. t. 4419 = *dilatata*.  
microphylla, Benth. Fl. Austral. ii. 37.—Austral.  
multicaulis, Benth. l. c.—Austral.  
ovata, Meissn. in Lehm. Pl. Preiss. i. 77.—Austral.  
oxyclada, F. Muell. Fragm. iv. 12.—Austral.  
oxylobioides, F. Muell. l. c. ii. 154.—Austral.  
pulchella, Meissn. in Lehm. Pl. Preiss. ii. 221 = *floribunda*.  
pungens, A. Cunn. ex G. Don, Gen. Syst. ii. 126.—Austral.  
racemosa, Turcz. in Bull. Soc. Nat. Mosc. xxvi. (1853) i. 282.—Austral.  
reticulata, Sm. in Kon. & Sims, Ann. Bot. i. (1805) 511.—Austral.  
rubiaefolia, G. Don, Gen. Syst. ii. 126 = *reticulata*.  
speciosa, Sieber, ex DC. Prod. ii. 115.—Austral.  
speciosa, Sweet, Fl. Austral. t. 34 = *floribunda*.  
spinosa, Benth. Fl. Austral. ii. 36.—Austral.  
subcordata, Turcz. in Bull. Soc. Nat. Mosc. xxvi. (1853) i. 282.—Austral.
- MIRICA**, Nocca, in Usteri, Ann. Bot. v. (1793) 17 = *Myrica*, Linn.
- MIRMECODIA**, Gaudich. in Freyc. Voy. Bot. 472 (1826) = *Myrmecodia*, Jack (Rubiace.).
- MIROBALANUS**, Steud. Nom. ed. II. ii. 151 (1841) = *MYROBALANUS*, Gaertn. = *Terminalia*, Linn. (Combret.).
- MIROXILUM**, Blanco, Fl. Filip. ed. I. 813 (1837) = *MYROXYLON*, Forst. = *Xylosma*, Forst. (Bixin.).
- MIROXYLON**, Scop. Introd. 267 (1777) = *prae*.
- MIROXYLUM**, Blanco, Fl. Filip. ed. I. 812 (1837) = *prae*.
- MISANDRA**, Comm. ex Juss. Gen. 405 (1789) = *Gunnera*, Linn. (Halorag.).  
lobata, Oerst. in Kjoeb. Vidensk. Meddel. (1857) 193 = *G. lobata*.  
magellanica, J. F. Gmel. Syst. 76 = *G. magellanica*.  
prorepens, Oerst. in Kjoeb. Vidensk. Meddel. (1857) 193 = *G. prorepens*.
- MISANDRA**, F. G. Dietr. Vollst. Lexik. Gaertn. v. 102 (1819) = *Tillandsia*, Linn. (Bromel.).  
juncea, F. G. Dietr. l. c. 103 = *F. setacea*.  
strobilantha, F. G. Dietr. l. c. 104 = *T. strobilantha*.
- MISANDROPSIS**, Oerst. in Kjoeb. Vidensk. Meddel. (1857) 192 = *Gunnera*, Linn. (Halorag.).  
monoica, Oerst. l. c. = *G. monoica*.



MISANORA, Urv. in Mém. Soc. Linn. Par. iv. (1826) 621, sphalm. = MISANDRA, Comm. = **Gunnera**, Linn. (Halorag.).

**MISANTECA**, Cham. & Schlecht. in Linnaea, vi. (1831) 367. **LAURINEAE**, Benth. & Hook. f. iii. 155.

SYMPHYODAPHNE, A. Rich. Fl. Cub. Fanerog. ii. 190. t. 67 (1853).

anacardioides, Benth. in Hook. Ic. Pl. t. 1259.—Bras. capitata, Cham. & Schlecht. in Linnaea, vi. (1831) 367.—Mexic.

crassiramea, Benth. in Hook. Ic. Pl. xiii. 47, in obs.—Bras.

cubensis, Benth. l. c.—Cuba.

**MISCANTHUS**, Anderss. in Oefvers. Vet. Akad. Stockh. (1855) 165. **GRAMINEAE**, Benth. & Hook. f. iii. 1125.

ECCOILLOPUS, Steud. Syn. Pl. Gram. 123 (1855).

EULALIA, Trin. in Mém. Acad. Pétersb. Sér. VI. ii. (1833) 332, partim.

capensis, Anderss. in Oefvers. Vet. Akad. Stockh. (1855) 165 = Erianthus capensis.

cotulifer, Benth. in Journ. Linn. Soc. xix. (1881) 65.—Japon.

fuscus, Benth. l. c. = Saccharum fuscum.

japonicus, Anderss. in Oefvers. Vet. Akad. Stockh. (1855) 166.—As. or.; Polynes.

luzonensis, Anderss. l. c. = japonicus.

purpurascens, Anderss. l. c. 167.—Japon.

saccharifer, Benth. in Journ. Linn. Soc. xix. (1881) 65 (sphalm. sacchariflorus).—As. or.; Japon.

sinensis, Anderss. in Oefvers. Vet. Akad. Stockh. (1855) 166.—China; Japon.

MISCHANTHUS, Coss. in Bull. Soc. Bot. Fr. iv. (1857) 14 = **Mecomischus**, Coss. (Compos.).

MISCHANTHUS, Ind. Kew. supra, i. 912, in syn., sphalm. = **Miscanthus**, Anderss. (Gramin.).

MISCHOCARPUS, Blume, Bijdr. 238 (1825); Rumphia, iii. 166 (1847) = **Ratonia**, DC. (Sapind.).

anodontus, Radlk. in Sitzb. Math.-Phys. Acad. Muench. ix. (1879) 647 = R. anodonta.

exangulatus, Radlk. l. c. = R. exangulata.

fuscescens, Blume, Rumphia, iii. 169 = Cupania Helfer. grandissimus, Radlk. in Sitzb. Math.-Phys. Acad. Muench. ix. (1879) 647 = R. grandissima.

lachnocarpus, Radlk. l. c. = R. lachnocarpa.

pentapetalus, Radlk. l. c. 646 = Cupania pentapetala.

pyriformis, Radlk. l. c. 647 = R. pyriformis.

sumatranus, Blume, Rumphia, iii. 168 = Cupania sumatrana.

sundaicus, Blume, Bijdr. 238 = Cupania Lessertiana.

MISCHODON, Thw. in Hook. Kew Journ. vi. (1854) 299. t. 10. **EUPHORBACEAE**, Benth. & Hook. f. iii. 280.

zeylanicus, Thw. l. c. 300.—Zeylan.

MISCHOPHLOEUS, Scheff. in Ann. Jard. Buitenz. ii. (1876) 115. **PALMAE**, Benth. & Hook. f. iii. 883. paniculata, Scheff. l. c. 152.—Ins. Ternate.

MISCHOSPORA, Boeck. in Flora, xliii. (1860) 113 = **Fimbristylis**, Vahl. (Cyperac.).

efoliata, Boeck. l. c. = F. tetragona.

MISCODENDRUM, Steud. Nom. ed. II. ii. 151 (1841) = **Myzodendron**, Banks (Santal.).

MISCOLOBIUM, Vog. in Linnaea, xi. (1837) 200 = **Dalbergia**, Linn. (Legumin.).

densiflorum, Benth. in Ann. Wien. Mus. ii. (1838) 104 = D. densiflora.

divaricatum, Benth. l. c. = D. densiflora.

glandulosum, Benth. in Mart. Fl. Bras. xv. i. 223 = D. glandulosa.

glaucescens, Mart. ex Benth. in Ann. Wien. Mus. ii. (1838) 103 = D. glaucescens.

lateriflorum, Benth. in Mart. Fl. Bras. xv. i. 225 = D. lateriflora.

nigrum, Allem. in Trab. Soc. Vell. 66 = D. nigra.

nigrum, Mart. Herb. Fl. Bras. n. 1126 = D. Misco-

lobium.

parviflorum, Benth. in Mart. Fl. Bras. xv. i. 242 = Machaerium parviflorum.

MISCOLOBIUM:—

polyphyllum, Benth. in Ann. Wien. Mus. ii. (1838) 103 = Dalbergia foliolosa.

scandens, Benth. in Mart. Fl. Bras. xv. i. 226 = D. gracilis.

Spruceanum, Benth. in Journ. Linn. Soc. iv. Suppl. (1860) 35 = D. Spruceana.

villosum, Benth. in Ann. Wien. Mus. ii. (1838) 104 = villosa.

violaceum, Vog. in Linnaea, xi. (1837) 201 = D. Misco-

lobium.

MISCOPETALUM, Haw. Syn. Pl. Succ. 323 (1812) = **Saxifraga**, Linn.

cernuum, S. F. Gray, Nat. Arr. Brit. Pl. ii. 530 = S. cernua.

rotundifolium, Haw. Syn. Pl. Succ. 323 = S. rotundifolius.

MISIPUS, Rafin. Sylva Tellur. 60 (1838) = **Elaeocarpus**, Linn. (Tiliac.).

serratus, Rafin. l. c. = E. serratus.

MISODENDRON, G. Don, Gen. Syst. iii. 408 (1834) = seq.

MISODENDRUM, DC. Coll. Mém. vi. 14. tt. 11, 12 (1830); et Prod. iv. 285 (1830) = **Myzodendron**, Banks. (Santal.).

MISSIESSIA, Benth. & Hook. f. Gen. iii. 391 (1880) = seq.

MISSIESSYA, Gaudich. Bot. Voy. Bonite, t. 93 (1853 ?) = **Leucosyke**, Zoll. (Urtic.).

alba, Wedd. in Ann. Sc. Nat. Sér. IV. i. (1854) 195 = L. alba.

aspera, Wedd. l. c. = L. alba.

bimensis, Wedd. l. c. = L. alba.

bornensis, Blume, Mus. Bot. Lugd. Bat. ii. 164 = L. bornensis.

candidissima, Blume, l. c. 165 = L. javanica.

celebica, Blume, l. c. 165 = L. celebica.

celtidifolia, Gaudich. Bot. Voy. Bonite, t. 93 = L. alba.

corymbulosa, Wedd. in Arch. Mus. Par. viii. (1855-56) 476 = L. corymbulosa.

elongata, Blume, Mus. Bot. Lugd. Bat. ii. 163 = L. alba.

fagifolia, Gaudich. Bot. Voy. Bonite, t. 93 = L. alba.

falcata, Blume, Mus. Bot. Lugd. Bat. ii. 164 = L. alba.

hispidissima, Wedd. in Ann. Sc. Nat. Sér. IV. i. (1854) 195 = L. hispidissima.

hypoleuca, Wedd. l. c. = Debrageasia hypoleuca.

javanica, Wedd. l. c. = L. javanica.

mutabilis, Blume, Mus. Bot. Lugd. Bat. ii. 163 = L. alba.

ochroneura, Blume, l. c. 165 = L. ochroneura.

parvifolia, Wedd. in Ann. Sc. Nat. Sér. IV. i. (1854) 195 = Debrageasia edulis.

rubiginosa, Blume, Mus. Bot. Lugd. Bat. ii. 164 = L. rubiginosa.

sumatrana, Blume, l. c. 165 = L. sumatrana.

velutina, Wedd. in Ann. Sc. Nat. Sér. IV. i. (1854) 195 = Debrageasia velutina.

villosa, Blume, Mus. Bot. Lugd. Bat. ii. 163 = L. alba.

Wallichii, Wedd. in Ann. Sc. Nat. Sér. IV. i. (1854) 195 = Debrageasia Wallichiana.

MISTRALIA, Fourr. in Ann. Soc. Linn. Lyon, N. S. xvii. (1869) 147 = **Daphne**, Linn. (Thymel.).

Gnidium, Fourr. l. c. = D. Gnidium.

MISTYLLUS, Presl, Symb. Bot. i. 49 (1830) = **Tri-**

folium, Tourn. (Legumin.).

spumousus, Presl, l. c. = T. spumousus.

turgidus, Presl, l. c. = T. versiculosus.

**MITCHELLA**, Linn. Diss. Chen. 24 (1751); Amoën. Acad. iii. 16 (1756). **RUBIACEAE**, Benth. & Hook. f. ii. 137.

DISPERMA, J. F. Gmel. Syst. 892 (1791).

GEOHERPUM, Willd. ex Schult. Mant. iii. 18, 350 (1827).

ovata, DC. Prod. iv. 452.—Ecuador.

pilosa, Benth. Pl. Hartw. 194 = Corynula pilosa.

repens, Linn. Sp. Pl. 111.—Am. bor.; Japon.

undulata, Sieb. & Zucc. in Abh. Akad. Muench. iv. iii. (1846) 175 = repens.

MITCHERLICHIA, Klotzsch, in Monatsb. Berl. Acad. (1854) 124 = MITSCHERLICHIA, Klotzsch = **Begonia**, Linn.

albo-coccinea, Klotzsch, l. c. = B. albo-coccinea.

**MITELLA**, Tourn. ex Linn. Syst. ed. I (1735). **SAXIFRAGEAE**, Benth. & Hook. f. i. 638.

DRUMMONDIA, DC. Prod. iv. 49 (1830).

MITELLOPSIS, Meissn. Gen. 136 (1838).

OZOMELIS, Rafin. Fl. Tellur. ii. 73 (1836).

PECTANTIA, Rafin. l. c. 72 (1836).

acerifolia, Schlecht. ex Ledeb. Fl. Ross. ii. 228 = Tellima grandiflora.

Breweri, A. Gray, in Proc. Am. Acad. vi. (1864-65) 533.—Calif.

caulescens, Nutt. ex Torr. & Gray, Fl. N. Am. i. 586.—Am. bor. occ.

cordifolia, Lam. Encyc. iv. 196 = nuda.

diphylla, Linn. Sp. Pl. 406.—Am. bor.

grandiflora, Pursh, Fl. Am. Sept. i. 314 = Tellima grandiflora.

japonica, Miq. Ann. Mus. Bot. Lugd. Bat. iii. 96; Maxim. in Bull. Acad. Pétersb. xi. (1867) 431.—Japon.

nuda, Linn. Sp. Pl. 406.—Sibir.; Am. bor.

parviflora, D. Dietr. Syn. Pl. ii. 1539 = Tellima parviflora.

pentandra, Hook. Bot. Mag. t. 2933.—Am. bor. occ.

prostrata, Michx. Fl. Bor. Am. i. 270 = nuda.

reniformis, Lam. Encyc. iv. 196 = nuda.

trifida, R. Grah. in Edinb. N. Phil. Journ. (Apr.-June, 1829) 185.—Am. bor. occ.

MITELLOPSIS, Meissn. Gen. 136 (1830) = **Mitella**, Tourn. (Saxifr.).

Drummondia, Meissn. Gen. Comm. 100 = Mitella pentandra.

Hookeri, Meissn. l. c. = Mitella trifida.

pentandra, Walp. Rep. ii. 370 = Mitella pentandra.

trifida, Walp. l. c. = Mitella trifida.

MITESIA, Rafin. New Fl. Am. iv. 47 (1836); Fl. Tellur. iii. 15 (1836) = **Polygonum**, Tourn.

albiflora, Rafin. Fl. Tellur. iii. 15.—Hab.?

divergens, Rafin. New Fl. Am. iv. 48; Fl. Tellur. iii. 15.—Am. bor.

floridana, Rafin. New Fl. Am. 47.—Am. bor.

hirsuta, Rafin. l. c. 48; Fl. Tellur. iii. 15 = P. hirsutum.

ligularis, Rafin. New Fl. Am. iv. 47.—Am. bor.

montana, Rafin. Fl. Tellur. iii. 15.—Hab.?

punctata, Rafin. l. c. = P. punctatum.

MITHRACARPUS, Reichb. Consp. 94 (1828) = **Mitracarpus**, Zucc. (Rubiace.).

MITHRIDATEA, Comm. ex Schreb. Gen. 783 (1791) = **Tambourissa**, Sonner. (Monim.).

amplifolia, Boj. Hort. Maurit. 290 = T. amplifolia.

cymosa, Willd. ex Steud. Nom. ed. II. ii. 151, nomen; Tul. in Arch. Mus. Par. viii. (1855-56) 306 (Rubiaceae).—Hab.?

quadrifida, Willd. Sp. Pl. i. 27 = T. quadrifida.

Tambourissa, Boj. Hort. Maurit. 290 = T. quadrifida.

MITHRIDATIUM, Adans. Fam. ii. 48 (1763) = **Erythronium**, Linn. (Liliac.).

MITINA, Adans. Fam. ii. 116 (1763) = **Carlina**, Linn. (Compos.).

corymbosa, Cass. in Dict. Sc. Nat. xlvii. 508 = C. corymbosa.

lanata, Cass. l. c. 507 = C. lanata.

sulphurea, Cass. l. c. 508 = C. racemosa.

MITODENDRON, Walp. Ann. i. 360 (1849), sphalm. = **Myzodendron**, Banks (Santal.).

**MITOLEPIS**, Balf. f. in Proc. Roy. Soc. Edinb. xii. (1884) 78. **ASCLEPIADEAE**.

intricata, Balf. f. l. c.—Ins. Socotra.

MITOPETALUM, Blume, Praef. Fl. Jav. 8 (1828) = **Tainia**, Blume (Orchid.).

angustifolium, Blume, Mus. Bot. Lugd. Bat. ii. 185 = T. angustifolia.

bicorne, Blume, l. c. = T. bicornis.

fimbriatum, Miq. Fl. Ind. Bat. iii. 674 = T. fimbriata.



## MITOPETALUM:—

- latifolium*, Blume, Mus. Bot. Lugd. Bat. ii. 185 = *Tainia latifolia*.  
*parviflorum*, Blume, Orch. Archip. Ind. 160, t. 50, f. 2 = trinerve.  
*plicatum*, Blume, Mus. Bot. Lugd. Bat. ii. 185.—Java.  
*rubescens*, Blume, Orch. Archip. Ind. 159, t. 51 = *plicatum*.  
*speciosum*, Blume, Praef. Fl. Jav. 8 = *T. speciosa*.  
*trinerve*, Blume, Mus. Bot. Lugd. Bat. ii. 185 = *T. trinervis*.  
*trinervium*, Blume, Orch. Archip. Ind. 160 = praec.  
*Wightii*, Blume, Mus. Bot. Lugd. Bat. ii. 185 = *T. bicornis*.

MITOSTAX, Rafin. Sylva Tellur. 120 (1838) = **Pro-sopis**, Linn. (Legumin.).  
*pallida*, Rafin. l. c. = *P. juliflora*.

MITOSTEMMA, Mast. in Journ. Bot. xxi. (1883) 33. **PASSIFLOREAE**.  
*Glaziovii*, Mast. l. c. 34.—Bras.  
*Jenmanii*, Mast. l. c.—Guian.

MITOSTIGMA, Blume, Mus. Bot. Lugd. Bat. ii. 189 (1856) = **Habenaria**, Willd. (Orchid.).  
*gracile*, Blume, l. c. 190 (= *Gymnadenia gracilis*).—Japan.

MITOSTIGMA, Decne. in DC. Prod. viii. 507 (1844). **ASCLEPIADEAE**, Benth. & Hook. f. ii. 748.  
*affine*, Griseb. in Goett. Abh. xxiv. (1879) 225.—Reg. Argent.  
*cionophorum*, Griseb. l. c. 226.—Reg. Argent.  
*latiflorum*, Griseb. l. c.—Reg. Argent.  
*niveum*, Griseb. l. c.—Reg. Argent.  
*rhynchophorum*, Griseb. l. c.—Reg. Argent.  
*tomentosum*, Decne. in DC. Prod. viii. 507.—Reg. Argent.

MITOSTYLIS, Rafin. Sylva Tellur. 114 (1838) = **Cleome**, Linn. (Cappar.).  
*procumbens*, Rafin. l. c. = *C. procumbens*.

MITOZUS, Miers, Apocyn. S. Am. 217 (1878) = **Echites**, R. Br. (Apocyn.).  
*Blanchetii*, Miers, l. c. 219 = *E. Blanchetii*.  
*brachystachys*, Miers, l. c. 222 = *E. brachystachya*.  
*brevipes*, Miers, l. c. 223 = *E. brevipes*.  
*concinus*, Miers, l. c.—Bras.  
*cuyabensis*, Miers, l. c. = *E. cuyabensis*.  
*discolor*, Miers, l. c. 224 = *E. discolor*.  
*exilis*, Miers, l. c. 218 = *E. funiformis*.  
*funiformis*, Miers, l. c. 219 = *E. funiformis*.  
*gracilipes*, Miers, l. c. 220 = *E. gracilipes*.  
*guanabaruicus*, Miers, l. c. 218 = *E. Velami*.  
*jamaicensis*, Miers, l. c. 225 = *E. jamaicensis*.  
*leptophyllus*, Miers, l. c. 220 = *E. leptophylla*.  
*mexicanus*, Miers, l. c. 225 = *Prestonia mexicana*.  
*microphyllus*, Miers, l. c. 219 = *E. microphylla*.  
*rugosus*, Miers, l. c. 222 = *E. rugosa*.  
*scabridulus*, Miers, l. c. 224.—Bras.  
*symphytocarpus*, Miers, l. c. 222 = *E. symphytocarpa*.  
*tenellus*, Miers, l. c. 220 = *Odontadenia angustifolia*.  
*tenuicaulis*, Miers, l. c. 221 = *E. tenuicaulis*.  
*versicolor*, Miers, l. c. = *E. versicolor*.

MITRA, Houst. ex Linn. Gen. ed. I. 377 (1737) = **Mitreola**, Linn. (Logan.).

MITRACARPIUM, Benth. in Hook. Journ. Bot. iii. (1841) 238 = seq.

MITRACARPUM, Zucc. in Schult. Mant. iii. 210, in obs. (1827). **RUBIACEAE**, Benth. & Hook. f. ii. 146.  
*CRUSEA*, Cham. ex DC. Prod. iv. 571 (1830).  
*MITHRACARPUS*, Reichb. Consp. 94 (1828).  
*SCHIZANGIUM*, Bartl. ex DC. Prod. iv. 571 (1830).  
*STAUROSPERMUM*, Thonn. in Schum. & Thonn. Beskr. Guin. Pl. 73 (1827).  
*ampliatum*, Hochst. in Flora, xxv. (1842) i. Beibl. 135, nomen; et ex A. Rich. Tent. Fl. Abyss. i. 349 = *Spermacoce ampliatum*.  
*breviflorum*, A. Gray, Pl. Wright. ii. 68.—Arizona.  
*crassifolium*, A. Rich. Fl. Cub. Fanerog. ii. 31.—Cuba.  
*cuspidatum*, DC. Prod. iv. 572 = *Sellowianum*.  
*diffusum*, Cham. & Schlecht. in Linnaea, iii. (1828) 363.—Am. austr.

VOL. II.

## MITRACARPUM:—

- diodioides*, A. Rich. Fl. Cub. Fanerog. ii. 31.—Cuba.  
*discolor*, Miq. in Linnaea, xviii. (1844) 616 = *Humboldtianum*.  
*Dregeanum*, E. Mey. in Drège, Zwei Pfl. Docum. 202, nomen; et ex Sond. in Harv. & Sond. Fl. Cap. iii. 25.—Afr. austr.  
*Fischeri*, Cham. & Schlecht. in Linnaea, iii. (1828) 363.—Jamaic.  
*hirtum*, DC. Prod. iv. 572 = *villosum*.  
*Humboldtianum*, Cham. & Schlecht. in Linnaea, iii. (1828) 358.—Am. austr.  
*laeteviride*, Wright, in Savv. Fl. Cub. 73.—Cuba.  
*Lhotzkianum*, Cham. in Linnaea, ix. (1834) 219.—Bras.  
*lineare*, Benth. Bot. Voy. Sulph. 20.—Calif.  
*linearifolium*, A. Rich. Fl. Cub. Fanerog. ii. 31.—Cuba.  
*neglectum*, DC. Prod. iv. 573 = *Sellowianum*.  
*pallidum*, Hook. & Arn. Bot. Beech. Voy. 430.—Mexic.  
*Peladilla*, Griseb. in Goett. Abh. xxiv. (1879) 158.—Reg. Argent.  
*pilosum*, A. Rich. in Mém. Soc. Hist. Nat. Par. v. (1834) 151, t. 14, f. 4 = *villosum*?  
*puberulum*, Benth. in Hook. Journ. Bot. iii. (1841) 238 = *villosum*.  
*rude*, Benth. l. c. = *Humboldtianum*.  
*Sagraeanum*, DC. Prod. iv. 572.—Cuba.  
*Salzmannianum*, DC. l. c. 571 = *Humboldtianum*.  
*scabrellum*, Benth. in Hook. Journ. Bot. iii. (1841) 238.—Bras.  
*scabrum*, Zucc. in Schult. Mant. iii. 210.—Afr. trop.  
*Schizangium*, DC. Prod. iv. 572.—Mexic.  
*Sellowianum*, Cham. & Schlecht. in Linnaea, iii. (1828) 361.—Bras.  
*senegalense*, DC. Prod. iv. 572 = *scabrum*.  
*sphaerostigma*, Hochst. in Flora, xxiv. (1841) i. Intell. 27 = *Spermacoce ampliatum*.  
*squarrosus*, Cham. & Schlecht. in Linnaea, iii. (1828) 363.—Cuba.  
*stylosum*, Cham. & Schlecht. l. c.—Ins. Philipp.  
*Tomesianum*, Cham. & Schlecht. l. c. 360 = *villosum*.  
*verticillatum*, Vatke, in Linnaea, xl. (1876) 196 = *scabrum*.  
*villosum*, Cham. & Schlecht. in Linnaea, iii. (1828) 363.—Jamaic.  
*virgatum*, Cham. & Schlecht. l. c.—Bras.

MITRACARPUS, A. Rich. Tent. Fl. Abyss. i. 348 (1847) = **Mitracarpum**, Zucc. (Rubiace.).

MITRACME, Schult. Mant. iii. 67 (1827) = **Mitrasacme**, Labill. (Logan.).

MITRAGYNA, Korth. Obs. Naue. Ind. 19 (1839). **RUBIACEAE** [Benth. & Hook. f. ii. 31].  
*MAMBOGA*, Blanco, Fl. Filip. ed. I. 140 (1837).  
*STEPHEGYNE*, Korth. Verh. Nat. Gesch. Bot. 160 (1840?).  
*africana*, Korth. Obs. Naue. Ind. 19.—Afr. trop.  
*macrophylla*, Hiern, in Oliver, Fl. Trop. Afr. iii. 41.—Afr. trop.  
*parvifolia*, Korth. Obs. Naue. Ind. 19.—Reg. Himal.  
*speciosa*, Korth. l. c.—Borneo.

MITRAGYNE, R. Br. Prod. 452 (1810) = **Mitrasacme**, Labill. (Logan.).

MITRANTHES, Berg, in Linnaea, xxvii. (1854) 316 = **Calyptanthus**, Sw. (Myrtac.).  
*Browniana*, Berg, in Mart. Fl. Bras. xiv. i. 355.—Bras.  
*eugenioides*, Berg, l. c. = *C. eugenioides*.  
*Gardneriana*, Berg, l. c. 354.—Bras.  
*Langsdorffii*, Berg, l. c. 595.—Bras.  
*Ottonis*, Berg, in Linnaea, xxvii. (1854) 316 = *C. Ottonis*.  
*ovalifolia*, Berg, in Mart. Fl. Bras. xiv. i. 356.—Bras.  
*Riedliana*, Berg, l. c. 595.—Bras.  
*Sartoriana*, Berg, in Linnaea, xxix. (1857–58) 248.—Mexic.

MITRANTHUS, Hochst. in Flora, xxvii. (1844) 103 = **Vandellia**, Linn. (Scrophul.).  
*latifolius*, Hochst. l. c. = *V. sessiliflora*.

MITRARIA, Cav. in Anal. Cienc. Nat. iii. (1801) 230. t. 31. **GESNERACEAE**, Benth. & Hook. f. ii. 1012.

*DIPLOCALYX*, Presl, Bot. Bemerk. 146 (1844).  
*coccinea*, Cav. in Anal. Cienc. Nat. iii. (1801) 231.—Ins. Chiloe.  
*pallida*, Hanst. in Linnaea, xxxiv. (1865–66) 419.—Mexic.  
*tomentella*, Hanst. l. c. 420.—Mexic.

MITRARIA, J. F. Gmel. Syst. 799 (1791) = **Barringtonia**, Forst. (Myrtac.).  
*Commersonia*, J. F. Gmel. l. c. = *B. Batonica*.

MITRASACME, Labill. Nov. Holl. Pl. i. 35. t. 49 (1804). **LOGANIACEAE**, Benth. & Hook. f. ii. 790.

*MITRACME*, Schult. Mant. iii. 67 (1827).  
*MITRAGYNE*, R. Br. Prod. 452 (1810).  
*alsinoides*, R. Br. Prod. 453.—As. or.; Austral.  
*ambigua*, R. Br. l. c. 454.—Austral.  
*Archeri*, Hook. f. Fl. Tasman. ii. 368.—Tasmania.  
*canescens*, R. Br. Prod. 453 = polymorpha.  
*capillaris*, Wall. in Roxb. Fl. Ind. ed. Carey, i. 420 = polymorpha.  
*Cheesemanii*, J. Buch. in Trans. N. Z. Inst. xiv. (1882) 348, t. 29 (Veronicae sp.).—N. Zel.  
*chinensis*, Griseb. in Nov. Act. Nat. Cur. xix. Suppl. i. (1843) 51 = *nudicaulis*.  
*cinerascens*, R. Br. Prod. 452 = polymorpha.  
*connata*, R. Br. l. c. 454.—Austral.  
*constricta*, F. Muell. Fragm. i. 131 = *connata*.  
*crystallina*, Griff. Notul. iv. 87 = *alsinoides*.  
*Cunninghamii*, Benth. Fl. Austral. iv. 357.—Austral.  
*diffusa*, Benth. in Journ. Linn. Soc. i. (1857) 93 = *paludosa*.  
*distylis*, F. Muell. in Trans. Phil. Soc. Vict. i. (1855) 20.—Austral.  
*divergens*, Hook. f. in Hook. Lond. Journ. Bot. vi. (1847) 272 = *paradoxa*.  
*elata*, R. Br. Prod. 453.—Austral.  
*elata*, F. Muell. Fragm. i. 132 = *longiflora*.  
*exserta*, F. Muell. l. c. 131.—Austral.  
*gentiana*, F. Muell. l. c. 130.—Austral.  
*hirsuta*, Presl, Bot. Bemerk. 104 = polymorpha.  
*Hookeri*, J. Buch. in Trans. N. Z. Inst. xiv. (1882) 348, t. 29 (Veronicae sp.).—N. Zel.  
*indica*, Wight, Ic. Pl. t. 1601 = *alsinoides*.  
*laevis*, Benth. in Journ. Linn. Soc. i. (1857) 93.—Austral.  
*laricifolia*, R. Br. Prod. 453.—Austral.  
*longiflora*, F. Muell. ex Benth. Fl. Austral. iv. 353.—Austral.  
*lutea*, F. Muell. Fragm. i. 133.—Austral.  
*malaccensis*, Wight, Ic. t. 1601 = polymorpha.  
*montana*, Hook. f. ex Benth. in Journ. Linn. Soc. i. (1857) 93.—Austral.  
*multicaulis*, R. Br. Prod. 453.—Austral.  
*nuda*, Nees, in Lehm. Pl. Preiss. ii. 239 = *paradoxa*.  
*nudicaulis*, Reinw. ex Blume, Bijdr. 849.—As. or.; Austral.  
*paludosa*, R. Br. Prod. 453.—Austral.  
*paradoxa*, R. Br. l. c. 454.—Austral.  
*perpusilla*, Hook. f. in Hook. Lond. Journ. Bot. vi. (1847) 275 = *serpyllifolia*.  
*Petriei*, J. Buch. in Trans. N. Z. Inst. xiv. (1882) 349, t. 30, f. 1 (Veronicae sp.).—N. Zel.  
*phascoides*, R. Br. Prod. 454.—Austral.  
*pilosa*, Labill. Nov. Holl. Pl. i. 36, t. 49.—Austral.  
*pilosula*, F. Muell. Fragm. i. 134 = *paludosa*.  
*polymorpha*, R. Br. Prod. 452.—As. or.; Austral.  
*prolifera*, R. Br. l. c. 453.—Austral.  
*prolifera*, Sieber, ex Schult. Mant. iii. 67 = polymorpha.  
*pusilla*, Dalz. in Hook. Kew Journ. ii. (1850) 136 = *alsinoides*.  
*pygmaea*, R. Br. Prod. 453.—Austral.  
*ramosa*, R. Br. l. c. = *multicaulis*.  
*serpyllifolia*, R. Br. l. c. 454.—Austral.  
*setosa*, Hance, in Journ. Bot. xv. (1877) 335.—Cambodia.  
*Sieberi*, A. DC. in DC. Prod. ix. 10 = polymorpha.  
*squarrosa*, R. Br. Prod. 452 = polymorpha.  
*stellata*, R. Br. l. c. 454.—Austral.  
*subvolubilis*, F. Muell. Fragm. i. 133 = *laevis*.  
*tenuiflora*, Benth. Fl. Austral. iv. 354.—Austral.  
*trinervis*, Span. in Linnaea, xv. (1841) 335 = polymorpha.  
*villosa*, Pritz. Ic. Ind. i. 719, sphalm. = *pilosa*

K k



MITRASTIGMA, Harv. in Hook. Lond. Journ. Bot. i. (1842) 20 = **Plectronia**, Linn. (Rubiaceae).  
*lucidum*, Harv. l. c. (= *Canthium obovatum*).—Afr. austr.

MITRELLA, Miq. Ann. Mus. Bot. Lugd. Bat. ii. 38 (1865–66) = **Melodorum**, Dun. (Anonaceae).  
*Kentii*, Miq. l. c. 39.—Sumatra; Borneo.

MITREOLA, Linn. Gen. ed. I. 377 (1737). **LOGANIACEAE**, Benth. & Hook. f. ii. 790.  
MITRA, Houtt. ex Linn. Gen. ed. I. 377 (1737).  
PAROPHIORRHIZA, C. B. Clarke, ex Hook. f. Fl. Brit. Ind. iii. 85 (1880).  
*inconspicua*, Zoll. & Mor. Syst. Verz. Zoll. 55 = oldenlandioides.  
oldenlandioides, Wall. Cat. n. 4350.—As. or.; Austral.  
*ophiorrhizoides*, Rich. in Mém. Soc. Hist. Nat. Par. i. (1823) 63. t. 3 = petiolata, sessilifolia.  
*paniculata*, A. DC. in DC. Prod. ix. 9 = petiolata.  
*paniculata*, Wall. Cat. n. 4349 = oldenlandioides.  
*pedicellata*, Benth. in Fourn. Linn. Soc. i. (1857) 91.—Reg. Himal.  
petiolata, Torr. & Gray, Fl. N. Am. ii. 45.—Am. bor. et trop.  
sessilifolia, Torr. & Gray, l. c.—Am. bor.  
*Swartzii*, G. Don, Gen. Syst. iv. 171 = petiolata.

MITREPHORA, Hook. f. & Thoms. Fl. Ind. i. 112 (1855). **ANONACEAE**, Benth. & Hook. f. i. 26.  
PSEUDUVARIA, Miq. Fl. Ind. Bat. i. ii. 32 (1859).  
aperta, Teijsm. & Binn. Cat. Hort. Bog. 175, nomen.—Java.  
Bousigoniana, Pierre, Fl. For. Cochinch. t. 36.—Cochinch.  
celebica, Scheff. in Tijdschr. Nederl. Ind. xxxii. (1871) 389.—Ins. Celebes.  
Diepenhorstii, Teijsm. & Binn. Cat. Hort. Bog. 175, nomen.—Sumatra.  
diversifolia, Miq. Fl. Ind. Bat. i. ii. 32.—Ins. Timor.  
Edwardii, Pierre, Fl. For. Cochinch. t. 35.—Cambodia.  
excelsa, Hook. f. & Thoms. Fl. Ind. i. 114.—Penang.  
glabra, Scheff. in Ann. Jard. Buitenz. ii. (1885) 20.—Borneo.  
grandiflora, Bedd. Fl. Sylv. i. t. 75.—Ind. or.  
Heyneana, Thw. Enum. Pl. Zeyl. 8.—Ind. or.  
humilis, Miq. Fl. Ind. Bat. i. ii. 31.—Java.  
Korthalsiana, Miq. Ann. Mus. Bot. Lugd. Bat. ii. 28.—Borneo.  
longipetala, Miq. l. c.—Borneo.  
macrantha, Hassk. Retzia, i. 235.—Java.  
Maingayi, Hook. f. & Thoms. in Hook. Fl. Brit. Ind. i. 77.—Malacca.  
micrantha, Teijsm. & Binn. Cat. Hort. Bog. 176, nomen.—Java.  
multiflora, Miq. Fl. Ind. Bat. i. ii. 32.—Java.  
obtusata, Hook. f. & Thoms. Fl. Ind. i. 113.—Malaya.  
polypirena, Miq. Fl. Ind. Bat. i. ii. 32.—Java.  
reticulata, Hook. f. & Thoms. in Hook. f. Fl. Brit. Ind. i. 77.—Burma; Java.  
subaequalis, Scheff. in Ann. Jard. Buitenz. ii. (1885) 20.—N. Guin.  
Teysmannii, Scheff. in Tijdschr. Nederl. Ind. xxxi. (1870) 12; et in Flora, lii. (1870) 302.—Ins. Banca.  
Thorelii, Pierre, Fl. For. Cochinch. t. 37.—Cochinch.  
tomentosa, Hook. f. & Thoms. Fl. Ind. i. 113.—Reg. Himal.  
vandaeflora, Kurz, in Fourn. As. Soc. Beng. xliii. (1874) ii. 57, 181.—Burma.  
Zippeliana, Miq. Ann. Mus. Bot. Lugd. Bat. ii. 27.—Ins. Amboina.

MITRIOSTIGMA, Hochst. in Flora, xxv. (1842) 235. **RUBIACEAE**, Benth. & Hook. f. ii. 90.  
axillare, Hochst. l. c. 236.—Afr. austr.  
Barteri, Hook. f. in Benth. & Hook. f. Gen. ii. 90, nomen; et ex Hiern, in Oliver, Fl. Trop. Afr. iii. 111.—Afr. trop.  
subpunctatum, Hiern, l. c.—Afr. trop.

MITROCARPUM, Hook. Bot. Misc. iii. (1833) 360, sphalm. = **Mitracarpum**, Zucc.

MITROPHORA, Neck. Elem. i. 123 (1790) = **Fedia**, Gaertn. (Valer.).  
*Cornucopia*, Rafin. Chl. Aetn. 5 = **F. Cornucopiae**.

MITROSICYOS, Maxim. Prim. Fl. Amur. 112 (1859); et in Ann. Sc. Nat. Sér. IV. xiii. (1860) 95 = **Actinostemma**, Griff. (Cucurb.).  
*lobatus*, Maxim. Prim. Fl. Amur. 112. t. 7 = A. lobatum.  
*paniculatus*, Maxim. l. c. 113, in nota = A. paniculatum.  
*racemosa*, Maxim. l. c. 112, in nota = A. racemosum.

MITROSPORA, Nees, in Linnaea, ix. (1834) 295 = **Rynchospora**, Vahl (Cyperac.).  
*cephalophora*, Nees, in Mart. Fl. Bras. ii. i. 133 = R. cephalophora.  
*ciliata*, Nees, l. c. = R. Neesii.  
*pallida*, Nees, l. c. = R. pallida.  
*polyphylla*, Nees, in Linnaea, ix. (1834) 295 = R. polyphylla.  
*recurvata*, Nees, in Mart. Fl. Bras. ii. i. 132 = R. recurvata.  
*Wageneriana*, Schlecht. in Linnaea, xxvi. (1853) 129.—N. Granat.

MITSA, Chapel. ex Benth. Lab. Gen. et Sp. 52 (1832) = **Coleus**, Lour. (Labiata).  
*maculata*, Chapel. ex Benth. l. c. = C. Bojeri.

MITSCHERLICHIA, Klotzsch, in Abh. Akad. Berl. (1855) 73. t. 6 C. = **Begonia**, Tourn.  
*albo-coccinea*, Klotzsch, l. c. = B. albo-coccinea.  
*coriacea*, Klotzsch, l. c. 74 = B. peltata.  
*Grahamiana*, Hassk. Hort. Bog. Desc. 334 = B. albo-coccinea.  
*Junghuhniana*, Miq. Fl. Ind. Bat. i. i. 696 = B. Junghuhniana.  
*Lobbi*, Hassk. Hort. Bog. Desc. 331 = B. Lobbi.  
*repens*, Miq. Fl. Bat. Ind. Suppl. 333 = B. mollis.  
*rubro-setulosa*, Hassk. Hort. Bog. Desc. 336 = B. rubro-setulosa.  
*stictopoda*, Miq. Fl. Ind. Bat. i. i. 1092 = B. stictopoda.  
*trichopoda*, Miq. l. c. Suppl. 333 = B. trichopoda.

MITSCHERLICHIA, Kunth, in Abh. Akad. Berl. (1831) 209 = **Neea**, Ruiz & Pav. (Nyctag.).  
*spectabilis*, Kunth, l. c. = N. Mitscherlichia.

MITTELLA, Linn. Diss. Chen. 29 (1751) = **Mitella**, Linn. (Saxifr.).

MNASIUM, Schreb. Gen. 214 (1789) = **Rapatea**, Aubl.  
*paludosum*, Poepp. ex Koern. in Linnaea, xxxvii. (1871–73) 449 = Cephalostemon gracilis.  
*paludosum*, Willd. Sp. Pl. ii. 22 = R. paludosa.  
*sphaerocephalum*, Rudge, Pl. Gui. 12 = R. sphaerocephala.  
*unilaterale*, Rudge, l. c. 12. t. 11 = R. unilaterale.

MNASIUM, Stackh. Extr. Bruce's Trav. Abyss. 18. t. 2 (1815) = **Musa**, Linn. (Scitam.).  
*Theophrasti*, Pritz. Ic. Ind. 719 = M. Ensete.

MNASSEA, Vell. Fl. Flum. 188 (1825) (Quid?).  
*pinnata*, Vell. l. c. 188; iv. t. 147.—Bras.

MNEMION, Spach, Hist. Vég. Phan. v. 510 (1836) = **Viola**, Tourn.  
*agreste*, Fourr. in Ann. Soc. Linn. Lyon, N. S. xvi. (1868) 341 = V. tricolor.  
*alpestre*, Fourr. l. c. 342 = V. tricolor.  
*calcaratum*, Spach, Hist. Vég. Phan. v. 512 = V. calcarata.  
*Carioti*, Fourr. in Ann. Soc. Linn. Lyon, N. S. xvi. (1868) 342.—Gallia.  
*cheiranthifolium*, Webb & Berth. Phyt. Canar. i. 113 = V. cheiranthifolia.  
*contemptum*, Fourr. in Ann. Soc. Linn. Lyon, N. S. xvi. (1868) 341 = V. tricolor.  
*cornutum*, Spach, Hist. Vég. Phan. v. 512 = V. cornuta.  
*elegans*, Spach, l. c. 513 = V. tricolor.  
*gracilescens*, Fourr. in Ann. Soc. Linn. Lyon, N. S. xvi. (1868) 342 = V. tricolor.  
*grandiflorum*, Spach, Hist. Vég. Phan. v. 514 = V. altaica.  
*hirsutum*, Spach, l. c. = V. rothomagensis.  
*Lagascæ*, Webb, Iter Hisp. 68 = V. nevadensis.  
*nemausense*, Fourr. in Ann. Soc. Linn. Lyon, N. S. xvi. (1868) 341 = V. tricolor.  
*obtusifolium*, Fourr. l. c.—Gallia.

MNEMION:—  
*palmense*, Webb & Berth. Phyt. Canar. i. 112 = **Viola palmensis**.  
*Sagoti*, Fourr. in Ann. Soc. Linn. Lyon, N. S. xvi. (1868) 342 = V. tricolor.  
*segetale*, Fourr. l. c. 341 = V. tricolor.  
*sudeticum*, Fourr. l. c. = V. tricolor.  
*tenellum*, Webb, Iter Hisp. 68 = V. tricolor.  
*tricolor*, Spach, Hist. Vég. Phan. v. 515 = V. tricolor.  
*variatum*, Fourr. in Ann. Soc. Linn. Lyon, N. S. xvi. (1868) 341 = V. tricolor.

MNEMOSILLA, Forsk. Fl. Aegypt. Arab. 122 (1775) = **Hypercium**, Linn. (Papav.).  
*aegyptiaca*, Forsk. l. c. = H. imberbe.

MNESITEON, Rafin. Fl. Ludov. 67 (1817) = **Baldwinia**, Nutt. (Compos.).  
*album*, Rafin. l. c. 68 = B. multiflora.  
*luteum*, Rafin. l. c. = B. multiflora?

MNESITHEA, Kunth, Rév. Gram. i. 153 (1830); et Enum. Pl. i. 465 (1833) = **Ophiurus**, R. Br. (Gramin.).  
*laevis*, Kunth, Rév. Gram. i. 154 = O. perforatus.

MNESITHEON, Spreng. Gen. ii. 635 (1831) = **MNESITEON**, Rafin. = **Baldwinia**, Nutt. (Compos.).

MNIANTHUS, Walp. Ann. iii. 443 (1853) = **Terniola**, Tul. (Podost.).  
*longipes*, Walp. l. c. = T. longipes.  
*pulchellus*, Walp. l. c. = T. pulchella.  
*zeylanicus*, Walp. l. c. = T. zeylanica.

MNIARUM, Forst. Char. Gen. i. t. 1 (1776) = **Scleranthus**, Linn. (Illecebr.).  
*biflorum*, Forst. l. c. 2. t. 1 = S. biflorus.  
*fasciculatum*, R. Br. Prod. 412 = S. biflorus.  
*pedunculatum*, Labill. Nov. Holl. Pl. i. 8. t. 2 = S. biflorus.  
*singuliflorum*, F. Muell. in Trans. Phil. Soc. Vict. i. (1855) 13 = S. mniaroides.

MNIODES, A. Gray, ex Benth. & Hook. f. Gen. ii. 301 (1873). **COMPOSITAE**, Benth. & Hook. f. l. c. andina, A. Gray, in Herb. Kew.—Peruv.

MNIOPSIS, Mart. Nov. Gen. et Sp. i. 3. t. 1 (1822). **PODOSTEMACEAE**, Benth. & Hook. f. iii. 113.  
CRENIAS, Spreng. Syst. iv. Cur. Post. 247 (1827).  
Glazioviana, Warm. in Vidensk. Selsk. Skr. VI. ii. (1881) 34.—Bras.  
*Hookeriana*, Tul. in Ann. Sc. Nat. Sér. III. xi. (1849) 105 = Podostemon Hookerianus.  
*Johnsonii*, Wight, Ic. t. 1919 = Podostemon Johnsonii.  
scaturiginum, Mart. Nov. Gen. et Sp. i. 3. t. 1.—Bras.  
*selaginoides*, Bedd. in Madr. Journ. Sc. Ser. III. i. (1864) 54 = Podostemon selaginoides.  
*Weddeliana*, Tul. in Ann. Sc. Nat. Sér. III. xi. (1849) 105.—Java.

MOACURRA, Roxb. Hort. Beng. 21 (1814); Fl. Ind. ii. 69 (1832) = **Chaillietia**, DC.  
*gelonioides*, Roxb. ll. cc. = C. gelonioides.

MOCANERA, Blanco, Fl. Filip. ed. I. 446 (1837) = **Dipterocarpus**, Gaertn. f. et **Anisoptera**, Korth. (Dipteroc.).  
*grandiflora*, Blanco, l. c. 451 = **Dipterocarpus grandiflorus**.  
*Guiso*, Blanco, l. c. 449 = **Anisoptera Guiso**.  
*Malaanonan*, Blanco, l. c. 858 = **Shorea Malaanonan**.  
*Mangachapoi*, Blanco, l. c. 450 = **Shorea Manga-chapoi**.  
*Mayapis*, Blanco, l. c. 449 = **Dipterocarpus Mayapis**.  
*plagata*, Blanco, l. c. 447 = **Anisoptera plagata**.  
*polysperma*, Blanco, l. c. 448 = **Dipterocarpus polysperma**.  
*thurifera*, Blanco, l. c. 446 = **Anisoptera thurifera**.  
*verniciiflua*, Blanco, l. c. 450 = **Dipterocarpus verniciifluus**.

MOCANERA, Juss. Gen. 318 (1789) = **Visnea**, Linn. f. (Ternstroem.).  
*canariensis*, Heyn. Nom. i. 884, nomen = V. Mocanera.



MOCINIA, DC. Prod. vii. 26 (1838) = **Stiffia**, Mikan (Compos.).  
*mutisoides*, DC. l. c. = *S. chrysantha*.

MOCINNA, Benth. Pl. Hartw. 9 (1839), sphalm. = MOZINNA, Orteg. = **Jatropha**, Linn. (Euphorb.).

MOCINNA, Cerv. ex La Llave, in La Naturaleza, vii. (1885) Apénd. 70 = **Carica**, Linn. (Passifl.).  
*heterophylla*, Cerv. l. c. = *C. heterophylla*.

MOCINNA, Lag. Gen. et Sp. Nov. 31 (1816) = **Calea**, Linn. (Compos.).  
*brachiata*, Lag. l. c. = *C. brachiata*.  
*brasilensis*, Spreng. Neue Entdeck. ii. 139 = *C. pinnatifida*.  
*serrata*, Lag. Gen. et Sp. Nov. 31 = *C. axillaris*.

MOCQUINIA, Steud. Nom. ed. II. ii. 152 (1841), sphalm. = MOQUINIA, Spreng. = **Loranthus**, Linn.

MODANTHOS, Alef. in Oestr. Bot. Zeitschr. xiii. (1863) 11 = **Modiola**, Moench (Malvac.).  
*caroliniana*, Alef. l. c. 12 = *Modiola multifida*.  
*decumbens*, Alef. l. c. = *Modiola multifida*.  
*eriocarpa*, Alef. l. c. = *Modiola multifida*.  
*geranioides*, Alef. l. c. = *Modiola geranioides*.  
*prostrata*, Alef. l. c. = *Modiola multifida*.  
*reptans*, Alef. l. c. = *Modiola reptans*.  
*urticifolia*, Alef. l. c. = *Modiola multifida*.

MODECCA, Lam. Encyc. iv. 208 (1797). **PASSIFLOREAE**, Benth. & Hook. f. i. 813.

*Blepharanthus*, Sm. Gramm. Bot. 188 (1821).  
*Clemanthus*, Klotzsch, in Peters, Reise Mossamb. Bot. 143 (1861).

*Erythrocarpus*, M. Roem. Syn. Pepon. 204 (1846).

*Kolbia*, Beauv. Fl. Owar. ii. 91. t. 120 (1807).  
*Microblepharis*, M. Roem. Syn. Pepon. 133, 200 (1846).

*Paschanthus*, Burch. Trav. i. 543 (1822).  
*abyssinica*, Hochst. ex A. Rich. Tent. Fl. Abyss. i. 297. —Afr. trop.

*aculeata*, Oliver, ex Hook. Ic. Pl. t. 1317. —Afr. trop.  
*acuminata*, Blume, Bijdr. 940. —Java.

*aliena*, Wall. Cat. n. 6766 (= *Asclepiad.*). —Ind. or.  
*antongilliana*, Tul. in Ann. Sc. Nat. Sér. IV. viii. (1857) 51. —Madag.

*apiculata*, Mast. in Hook. f. Fl. Brit. Ind. ii. 603. —Burma.

*australis*, R. Br. ex DC. Prod. iii. 337. —Austral.

*bracteata*, Lam. Encyc. iv. 210 = *Trichosanthes pubera*.  
*cardiocalpa*, Hassk. Cat. Hort. Bog. Alt. 187 (kardio-carpa). —Java.

*cardiophylla*, Mast. in Hook. f. Fl. Brit. Ind. ii. 602. —Reg. Himal.

*cissampeloides*, Planch. in Hook. Niger Fl. 365 = *Ophiocaulon cissampeloides*.

*coccinea*, Blanco, Fl. Filip. ed. II. 453 = *heterophylla*.  
*cordifolia*, Blume, Bijdr. 939. —Ins. Andam. ; Java.

*cynanchifolia*, Benth. in Hook. Niger Fl. 366 = *Ophiocaulon cynanchifolius*.

*densiflora*, Baker, in Journ. Bot. xx. (1882) 112. —Madag.

*digitata*, Harv. Thes. Cap. i. 8. —Afr. austr.

*diversifolia*, Schum. & Thonn. Beskr. Guin. Pl. 435 = *lobata*.

*diversifolia*, Wall. Cat. n. 6763 = *Wightiana*.

*dubia*, Roxb. Hort. Beng. 49; Fl. Ind. iii. 135. —Sumatra.

*furfuracea*, Wall. Cat. n. 1235. —Burma.

*gummifera*, Harv. in Harv. & Sond. Fl. Cap. ii. 500 = *Ophiocaulon gummifer*.

*hastata*, Harv. Thes. Cap. ii. 43. —Afr. austr.

*heterophylla*, Blume, Bijdr. 940. —Java.

*heterophylla*, Kurz, Andam. Rep. Append. A. 39 = *cordifolia*.

*integrifolia*, Lam. Encyc. iv. 209 = *palmata*.

*integrifolia*, Wall. Cat. n. 6765. —Hab. ?

*kardiocarpa*, Hassk., vide *cardiocalpa*.

*Kirkii*, Mast. in Oliver, Fl. Trop. Afr. ii. 515. —Afr. trop.

*lobata*, Jacq. Fragm. 82. t. 131. —Afr. trop.

*macrophylla*, Blume, Bijdr. 939. —Java.

*Mannii*, Mast. in Oliver, Fl. Trop. Afr. ii. 516. —Afr. trop.

*nicobarica*, Kurz, in Journ. Bot. xiii. (1875) 326. —Malaya ; Ins. Nicobar.

# MODECCA :—

*oblonga*, Hassk. Cat. Hort. Bog. Alt. 187. —Java.  
*obtusata*, Blume, Bijdr. 939. —Java.

*palmata*, Lam. Encyc. iv. 209. —Ind. or.  
*parviflora*, Blanco, Fl. Filip. ed. I. 453 = *cardiophylla*.

*parviflora*, G. Don, Gen. Syst. iii. 59 = *Ophiocaulon cynanchifolius*?

*Paschanthus*, Harv. in Harv. & Sond. Fl. Cap. ii. 500. —Afr. austr.

*peltata*, Baker, in Journ. Linn. Soc. xxi. (1884) 345. —Madag.

*populifolia*, Blume, Rumphia, i. 168. —Malaya.

*quintuplinervia*, Miq. Fl. Ind. Bat. i. i. 1093. —Sumatra.

*refracta*, Tul. in Ann. Sc. Nat. Sér. IV. viii. (1857) 52. —Madag.

*saponaria*, Blanco, Fl. Filip. ed. II. 453 = *trilobata*.

*senensis*, Mast. in Oliver, Fl. Trop. Afr. ii. 513. —Afr. trop.

*septemloba*, E. Mey. in Drège, Zwei Pfl. Docum. 202 = *Ceratiocaryos Ecklonii*.

*singaporeana*, Mast. in Hook. f. Fl. Brit. Ind. ii. 601. —Singapore.

*stricta*, Mast. in Oliver, Fl. Trop. Afr. ii. 515. —Afr. trop.

*tamniifolia*, Planch. ex Mast. l. c. 517 = *lobata*.

*tenuifolia*, Planch. ex Benth. in Hook. Niger Fl. 366

sphalm. = *lobata*.

*trilobata*, Blanco, Fl. Filip. ed. II. 452 = *palmata*.

*trilobata*, Roxb. Hort. Beng. 49; Fl. Ind. iii. 132. —Ind. or.

*trisecta*, Mast. in Oliver, Fl. Trop. Afr. ii. 514. —Afr. trop.

*tuberosa*, Roxb. Hort. Beng. 49; Fl. Ind. iii. 134 = *palmata*.

*Welwitschii*, Mast. in Oliver, Fl. Trop. Afr. ii. 513. —Afr. trop.

*Wightiana*, Wall. Cat. n. 6764. —Ind. or.

MODECCOPSIS, Griff. in Proc. Linn. Soc. i. (1843) 171 = **Erythralium**, Blume (Olacin.).

*vaga*, Griff. Notul. iv. 633 = *E. vagum*.

MODECOPSIS, Griff. Notul. iv. 633. t. 628 (1854) = *praec.*

MODESTA, Rafin. Fl. Tellur. iv. 75 (1836) = **Ipomoea**, Linn. (Convolv.).

*congesta*, Rafin. l. c. 76 = *I. digitata*, Linn.

*coriacea*, Rafin. l. c. = *Rivea hypocrateriformis*.

*insignis*, Rafin. l. c. = *I. insignis*.

*macrorrhiza*, Rafin. l. c. = *I. macrorrhiza*.

*mutabilis*, Rafin. l. c. = *I. acuminata*.

*paniculata*, Rafin. l. c. 75 = *I. digitata*, Linn.

*setosa*, Rafin. l. c. 76 = *I. setosa*.

*tuberculata*, Rafin. l. c. = *I. dasysperma*.

MODIOLA, Moench, Meth. 619 (1794). **MALVA-CEAE**, Benth. & Hook. f. i. 205.

HAYNEA, Reichb. Consp. 202 (1828).

MODANTHOS, Alef. in Oestr. Bot. Zeitschr. xiii. (1863) 11.

*caroliniana*, G. Don, Gen. Syst. i. 466 = *multifida*.

*decumbens*, G. Don, l. c. = *multifida*.

*erecta*, Lespinasse, in Bull. Soc. Bot. Fr. vi. (1859) 647. —Am. austr. ?

*eriocarpa*, G. Don, Gen. Syst. i. 466 = *multifida*.

*fissistipula*, Presl, Bot. Bemerk. 19 = *multifida*.

*geranioides*, Walp. Rep. i. 296. —Chili.

*malvifolia*, Griseb. in Goett. Abh. xxiv. (1879) 45. —Reg. Argent.

*multifida*, Moench, Meth. 620. —Am. bor. occ. & austr.

*prostrata*, A. St. Hil. Fl. Bras. Mer. i. 211 = *multifida*.

*reptans*, A. St. Hil. l. c. 212. —Bras.

*urticifolia*, G. Don, Gen. Syst. i. 466 = *multifida*.

MOENHIA, Neck. Elem. i. 9 (1790) = **Gazania**, Gaertn. (Compos.).

MOEHRINGIA, Linn. Syst. ed. II. 22 (1740) = **Arenaria**, Rupp. (Caryoph.).

*bavarica*, Dalla Torre, Atl. Alpenfl. 78 = *A. bavarica*, Linn.

*bavarica*, Gren. in Mém. Soc. Emul. Doubs, i. (1841) Bot. 37 = *A. sparguloides*, Mutel (in Addend.).

*dasyphylla*, Bruno, ex Balb. in Mém. Acad. Turin, Sc. Phys. i. [1804] 391 = *A. bavarica*, Linn.

*diversifolia*, Dolliner, ex Koch, in Flora, xxii. (1839) 2. —Styria.

# MOEHRINGIA :—

*erecta*, Martr. Fl. Tarn, 106. —Europ.

*flaccida*, Schloss. & Vukot. Fl. Croat. 352 = *Arenaria sparguloides*, Mutel (in Addend.).

*glabrescens*, Reichb. ex Nym. Consp. 113 = *A. Wulfenii*.  
*glauca*, Leybold, in Flora, xxxvi. (1853) 586 = *glauco-virens*.

*glaucescens*, Neill. Veget. Croat. (1868) 199, in obs. = *A. bavarica*, Linn.

*glauco-virens*, Bertol. Fl. Ital. vi. 626 = *A. bavarica*, Linn.

*Grisebachii*, Janka, in Oestr. Bot. Zeitschr. xxiii. (1873) 195. —Bulgar.

*heterophylla*, Dolliner, ex Reichb. Ic. Fl. Germ. v. 31. —Europ.

*intermedia*, Loisel. Fl. Gall. ed. II. i. 282 = *A. bavarica*, Linn.

*intricata*, Willk. Enum. Pl. Nov. Rar. Hisp. Austr. (1852) 14 = *A. intricata*.

*Jankae*, Griseb. ex Janka, in Oestr. Bot. Zeitschr. xxiii. (1873) 195. —Bulgar.

*lateriflora*, Fenzl, Verbreit. Alsin. tab. ad p. 18, 38 = *A. lateriflora*.

*macrophylla*, Fenzl, l. c. = *A. macrophylla*.

*muscosa*, Linn. Sp. Pl. 359 = *A. sparguloides*, Mutel (in Addend.).

*muscosa*, Lucc. Fl. Osil. 125 = *Sagina procumbens*.

*nemorosa*, Fenzl, ex Hemsl. Biol. Centr. Am. Bot. i. 69 = *A. lanuginosa*.

*nodosa*, [Clairv.] Man. Herb. 150 = *Spergula nodosa*.

*obtusata*, Reichb. ex Nym. Consp. 113 = *A. polygonoides*.

*papulosa*, Bertol. Fl. Ital. iv. 363. —Ital.

*pendula*, Fenzl, Verbreit. Alsin. tab. ad p. 46 = *A. pendula*.

*pentandra*, J. Gay, in Ann. Sc. Nat. Sér. I. xxvi. (1832) 230 = *A. trinervia*.

*platysperma*, Maxim. in Bull. Acad. Pétersb. xviii. (1873) 373. —Japon.

*polygonoides*, Mert. & Koch, Deutschl. Fl. iii. 272 = *A. polygonoides*.

*Ponae*, Fenzl, Verbreit. Alsin. tab. ad p. 46 = *A. bavarica*, Linn.

*radiolata*, Panč. ex Nym. Consp. 113 (Quid ?). —Europ.

*sedifolia*, Willd. in Ges. Naturf. Fr. Berl. Mag. viii. (1818) 101 = *A. bavarica*, Linn.

*sedoides*, [Clairv.] Man. Herb. 150 = *A. Cherleria*.

*sedoides*, Cumino, ex Balb. in Mém. Acad. Turin, Sc. Phys. i. [1804] 391 = *A. bavarica*, Linn.

*sparguloides*, Nym. Consp. 113 = *A. sparguloides*, Mutel (in Addend.).

*sphagnoides*, Reichb. Ic. Fl. Germ. v. 32. —Austria.

*stellarioides*, Coss. in Bull. Soc. Bot. Fr. ix. (1862) 170. —Alger.

*stenopetala*, Dalla Torre, Atl. Alpenfl. 78 = *A. trinervia*.

*stricta*, Sibth. & Sm. Fl. Graec. Prod. i. 264 = *Bufonia brachyphylla*.

*subulata*, [Clairv.] Man. Herb. 150. —Europ.

*thesiifolia*, Dalla Torre, Atl. Alpenfl. 78 = *A. thesiifolia*.

*thesiifolia*, Reichb. Ic. Fl. Germ. v. 33, in obs. = *A. polygonoides*.

*Thomasiana*, J. Gay, ex Bertol. Fl. Ital. vi. 625 = *A. Villarsii*.

*Tommasinii*, Marches. in Bull. Adr. Sc. Nat. Trieste, v. (1880) 327 = *papulosa*.

*trinervia*, [Clairv.] Man. Herb. 150 = *A. trinervia*.

*umbrosa*, Fenzl, Verbreit. Alsin. 38 = *A. umbrosa*.

*umbrosa*, A. Gray, in Mem. Am. Acad. N. S. iv. (1849) 13 = *A. macrophylla*.

*villosa*, Fenzl, Verbreit. Alsin. tab. ad p. 46 = *A. Wulfenii*.

MOELLERIA, Scop. Introd. 335 (1777) = **Casearia**, Jacq. (Samyd.).

MOENCHIA, Ehrh. Beitr. ii. 177 (1788) = **Cerastium**, Dill. (Caryoph.).

*cerastoides*, Spreng. Syst. i. 497 = *C. tetrandrum*.

*coerulea*, Boiss. Diagn. Ser. I. viii. 104 = *C. caeruleum*.

*erecta*, Gaertn. Mey. & Scherb. Fl. Wett. i. 219 = *C. quaternellum*.

*filiforme*, Risso, Fl. Nice, 71. —Gallia.

*glauca*, Pers. Syn. i. 153 = *C. quaternellum*.

*græca*, Boiss. & Heldr. Diagn. Ser. II. 31. —Greece.

*manica*, Bartl. Cat. Sem. Hort. Gotting. ex Kuhn.

Syn. Fl. Germ. ed. II. 131 = *C. manicum*.

*octandra*, J. Gay, in Perry. Pl. Fr. Fr. 33 = *C. quaternellum*.

*quaternella*, Ehrh. Beitr. ii. 180 = *C. quaternellum*.



MOENCHIA, Medic. in Act. Acad. Palat. vi. Phys. (1790) 493 = **Allium**, Tourn. (Liliac.).  
*narcissiflora*, Medic. l. c. = *A. senescens*.  
*obliqua*, Medic. l. c. = *A. obliquum*.

MOENCHIA, Neck. Elem. ii. 166 (1790) = **Cucubalus**, Tourn. (Caryoph.).

MOENCHIA, Roth, Tent. Fl. Germ. i. 273 (1788) = **Alyssum**, Tourn. (Crucif.).  
*aizoides*, Roth, l. c. = *Draba aizoides*.  
*arvensis*, Bernh. ex Hoffm. Fl. Germ. Comp. (1804) i. 32 = *Camelina sativa*.  
*campestris*, Roth, Tent. Fl. Germ. i. 274 = *A. calycinum*.  
*incana*, Roth, l. c. 273 = *A. incanum*.  
*podolicum*, Bess. Enum. Pl. Volh. 26 = *A. podolicum*.  
*sativa*, Roth, Tent. Fl. Germ. i. 274 = *Camelina sativa*.  
*saxatilis*, Schrank, Fl. Monac. iv. t. 372 = *A. montanum*.

MOENCHIA, Wender. ex Steud. Nom. ed. II. ii. 153 (1841) = **Paspalum**, Linn. (Gramin.).  
*speciosa*, Wender. ex Steud. l. c. = *P. saccharoides*.

MOERENHOUTIA, Blume, Orch. Archip. Ind. 99. t. 28, 42 (1858). **ORCHIDEAE**, Benth. & Hook. f. iii. 604.  
*plantaginea*, Blume, l. c. 100.—Ins. Tahiti.

MOERHINGIA, Linn. Phil. Bot. 32 (1751) = **MOERHENGIA**, Linn. = **Arenaria**, Rupp. (Caryoph.).

MOERKENSTEINIA, Opiz, Seznam, 66 (1852) = **Senecio**, Tourn. (Compos.).  
*sylvatica*, Opiz, l. c. = *S. sylvaticus*.

MOERORIS, Rafin. Sylva Tellur. 91 (1838) = **Phyllanthus**, Linn. (Euphorb.).  
*stipulata*, Rafin. l. c. = *P. Niruri*.

MOESA, Blanco, Fl. Filip. ed. II. Suppl. 590 (1845) = **MAESA**, Forsk. (Myrsin.).

MOESSLERIA, Reichb. in Moessl. Handb. ed. II. i. p. 1. (1827); et Consp. 160 (1828) = **Tittmannia**, Brongn. (Bruniac.).  
*lateriflora*, Eckl. & Zeyh. Enum. 142 = *T. lateriflora*.

MOGHAMIA, Steud. Nom. ed. II. ii. 153 (1841) = seq.

MOGHANIA, Jaume St. Hil. in Desv. Journ. Bot. i. (1813) 61 = **Flemingia**, Roxb. (Legumin.).  
*strobilifera*, Jaume St. Hil. l. c. 62 = *F. strobilifera*.

MOGIPHANES, Mart. Nov. Gen. et Sp. ii. 29. t. 129 (1826). **AMARANTACEAE**, Benth. & Hook. f. iii. 37.

*aquatica*, Parodi, in Anal. Soc. Cient. Argent. v. (1878) 316; *Contrib.* 84.—Paraguay.  
*brasilensis*, Mart. Nov. Gen. et Sp. ii. 34. t. 133.—Bras.

*diffusa*, Mart. l. c. 36 = *ramosissima*.  
*Dunaliana*, Griseb. in Goett. Abh. xxiv. (1879) 35 = *Gomphrena Dunaliana*.

*emarginata*, Parodi, in Anal. Soc. Cient. Argent. v. (1878) 317; *Contrib.* 86.—Paraguay.  
*fistulosa*, Parodi, ll. cc. 317; 85.—Paraguay.

*flavescens*, Mart. Nov. Gen. et Sp. ii. 36.—N. Granat.  
*glauca*, Griseb. in Goett. Abh. xxiv. (1879) 35.—Reg. Argent.

*hirtula*, Mart. Nov. Gen. et Sp. ii. 30. t. 129.—Bras.

*Jacquini*, Schrad. Ind. Sem. Hort. Gotting. (1834) 4 = *brasilensis*.

*multicaulis*, Mart. Nov. Gen. et Sp. ii. 32. t. 131 = *straminea*.

*paraguayensis*, Parodi, in Anal. Soc. Cient. Argent. v. (1878) 318; *Contrib.* 87.—Paraguay.  
*philoxeroides*, Parodi, ll. cc. 316; 85 (*philoxeroides*).—Paraguay.

*pilosa*, Mart. & Gal. in Bull. Acad. Brux. x. (1843) 348 = *Gomphrena pilosa*.

*ramosissima*, Mart. Nov. Gen. et Sp. ii. 31. t. 130.—Bras.

*straminea*, Mart. l. c. 35. t. 135.—Am. trop.

*villosa*, Mart. l. c. 33. t. 132.—Bras.

*virgata*, Schrad. Ind. Sem. Hort. Gotting. (1834); ex Moq. in DC. Prod. xiii. ii. 382 = *straminea*?

MOGORI, Adans. Fam. ii. 223 (1763) = seq.

MOGORIUM, Juss. Gen. 106 (1789) = **Jasminum**, Tourn. (Oleac.).

*aculeatum*, Blanco, Fl. Filip. ed. I. 9 = *J. marianum*.  
*acuminatum*, Lam. Tabl. Encyc. i. 23 = *J. trinerve*.  
*dichotomum*, Buch.-Ham. ex D. Don, Prod. Fl. Nep. 105 = *J. glandulosum*.

*dichotomum*, Poir. Encyc. Suppl. iii. 713 = *J. dichotomum*.

*elongatum*, Lam. Tabl. Encyc. i. 23 = *J. elongatum*.

*gimeae*, Zuccagni, in Roem. Collect. 114 = *J. Sambac*.

*goense*, Zucc. l. c. = *J. Sambac*.

*hirsutum*, Poir. Encyc. Suppl. iii. 713 = *J. pubescens*.

*lanceolatum*, Poir. l. c. = *J. lanceolatum*.

*multiflorum*, Lam. Encyc. iv. 211 = *J. undulatum*.

*myrtifolium*, Lam. Tabl. Encyc. i. 23 = *J. glaucum*.

*pubescens*, Lam. Encyc. iv. 213 = *J. pubescens*.

*Sambac*, Lam. Tabl. Encyc. i. 23; et Encyc. iv. 210 = *J. Sambac*.

*scandens*, Lam. Encyc. iv. 214 = *J. scandens*.

*sessiliflorum*, Poir. Encyc. Suppl. iii. 713 = *J. sessiliflorum*.

*triflorum*, Lam. Tabl. Encyc. i. 23 = *J. angustifolium*.

*trifoliatum*, Lam. l. c. 24 = *J. auriculatum*.

*undulatum*, Lam. l. c. 23; et Encyc. iv. 212 = *J. Sambac*.

*vimineum*, Lam. Encyc. iv. 213 = *J. angustifolium*.

MOHAVEA, A. Gray, in Pacif. Rail. Rep. iv. 122 (1856). **SCROPHULARINEAE**, Benth. & Hook. f. ii. 934.

*viscida*, A. Gray, l. c.—Calif.

MOHERINGIA, Zumag. Fl. Pedem. ii. 166 (1864) = **MOEHRINGIA**, Linn. = **Arenaria**, Rupp. (Caryoph.).

MOHLANA, Mart. Nov. Gen. et Sp. iii. 170. t. 290 (1829). **PHYTOLACCACEAE**, Benth. & Hook. f. iii. 81.

*HILLERIA*, Vell. Fl. Flum. 47 (1825); Ic. i. t. 122 (1827).

*MANCOA*, Rafin. Fl. Tellur. iii. 56 (1836).

*guineensis*, Moq. in DC. Prod. xiii. ii. 15.—Afr. trop.

*latifolia*, Moq. l. c. 16.—Madag.; Venez.?

*nemoralis*, Mart. Nov. Gen. et Sp. iii. 171.—Bras.

*secunda*, Mart. l. c. 172.—Peruv.; N. Granat.

MOKOF, Adans. Fam. ii. 50 (1763) = **Cleyera**, Thunb. (Ternstroem.).

MOLDAVICA, [Tourn.] Linn. Syst. ed. I (1735) = **Dracocephalum**, Linn. (Labiata).

*elata*, Moench, Meth. 410 = *Nepeta macrantha*.

*punctata*, Moench, l. c. = *D. Moldavica*.

*setosa*, Stokes, Bot. Mat. Med. iii. 367 = *D. Moldavica*.

*sibirica*, Steud. Nom. ed. I. 285, in syn. = *Nepeta macrantha*.

*suaveolens*, Gilib. Fl. Lituan. i. 79 = *D. Moldavica*.

MOLDENHAUERA, Spreng. Syst. i. 373 (1825) = **Pyrenacantha**, Wight (Olacin.).

*scandens*, Spreng. l. c. 489 = *P. scandens*.

MOLDENHAWERA, Schrad. in Goett. Gel. Anz. i. (1821) 718. **LEGUMINOSAE**, Benth. & Hook. f. i. 569.

*DOLICHONEMA*, Nees, in Flora, iv. (1821) 303.

*Blanchetiana*, Tul. in Arch. Mus. Par. iv. (1844) 158.—Bras.

*cuprea*, Pohl, Pl. Bras. Ic. ii. 91. t. 160.—Bras.

*emarginata*, Moric. ex Benth. in Mart. Fl. Bras. xv. II. 77 = *cuprea*.

*floribunda*, Schrad. in Goett. Gel. Anz. i. (1821) 718.—Bras.

*lucida*, Benth. in Mart. Fl. Bras. xv. II. 77 = *cuprea*.

*mollis*, Benth. l. c., in obs.—Venezuela.

*speciosa*, Allem. in Trab. Soc. Vell. (1852) 56 = *floribunda*.

MOLDENHAWERIA, Steud. Nom. ed. II. ii. 153 (1841) = **pracc**.

MOLINA, Cav. Diss. 435. t. 263 (1790) = **Hiptage**, Gaertn. (Malpig.).

*racemosa*, Cav. l. c. = *H. Madablota*.

MOLINA, C. Gay, Fl. Chil. v. 345. t. 61 (1833) = **Dysopsis**, Baill. (Euphorb.).  
*chilensis*, C. Gay, l. c. 346 = *D. Gayana*.

MOLINA, Giseke, Prael. Linn. 368 (1792) = **MOLINAEAE**, Comm. = **Cupania**, Plum. (Sapind.).

MOLINA, Ruiz & Pav. Prod. 111. t. 24 (1794) = **Baccharis**, Linn. (Compos.).

*articulata*, Less. in Linnaea, vi. (1831) 140 = *B. articulata*.

*caespitosa*, Ruiz & Pav. Syst. Veg. 203 = *B. caespitosa*.

*concava*, Ruiz & Pav. l. c. 206 = *B. concava*.

*conyzoides*, Less. in Linnaea, vi. (1831) 139 = *B. conyzoides*.

*corymbosa*, Ruiz & Pav. Syst. Veg. 210 = *B. corymbosa*, Pers.

*crispa*, Less. in Linnaea, vi. (1831) 141 = *B. genistelloides*.

*cylindrica*, Less. l. c. 144 = *B. genistelloides*.

*dependens*, Ruiz & Pav. Syst. Veg. 202 = *B. dependens*.

*emarginata*, Ruiz & Pav. l. c. = *B. emarginata*.

*ferruginea*, Ruiz & Pav. l. c. 211 = *B. ferruginea*.

*glutinosa*, Alam. ex DC. Prod. v. 312 = *Gymnosperma corymbosum*.

*incana*, Ruiz & Pav. Syst. Veg. 211 = *B. thyoides*.

*juncea*, Less. in Linnaea, vi. (1831) 145 = *B. juncea*, formis.

*latifolia*, Ruiz & Pav. Syst. Veg. 208 = *B. latifolia*.

*linearis*, Less. in Linnaea, vi. (1831) 139, 505 = *B. serrulata*.

*linearis*, Ruiz & Pav. Syst. 205 = *B. Pingraea*?

*microcephala*, Less. in Linnaea, vi. (1831) 142 = *B. microcephala*.

*milleflora*, Less. l. c. 143 = *B. genistelloides*.

*nitida*, Ruiz & Pav. Syst. Veg. 204 = *B. nitida*.

*oblongifolia*, Ruiz & Pav. l. c. 203 = *B. oblongifolia*.

*obovata*, Ruiz & Pav. l. c. 206 = *B. obovata*.

*parviflora*, Ruiz & Pav. l. c. 209 = *B. marginalis*.

*pentaptera*, Less. in Linnaea, vi. (1831) 505 = *B. pentaptera*.

*phyteumoides*, Less. l. c. 146 = *B. phyteumoides*.

*prostrata*, Ruiz & Pav. Syst. Veg. 204 = *B. prostrata*.

*racemosa*, Ruiz & Pav. l. c. 209 = *B. racemosa*.

*reticulata*, Ruiz & Pav. l. c. 212 = *B. genistelloides*.

*rhexioides*, Less. in Linnaea, vi. (1831) 406 = *B. rhexioides*.

*sagittalis*, Less. l. c. 144 = *B. sagittalis*.

*salicifolia*, Ruiz & Pav. Syst. Veg. 210 = *B. salicifolia*.

*scabra*, Ruiz & Pav. l. c. = *B. scabra*.

*scandens*, Ruiz & Pav. l. c. 215 = *B. scandens*, Pers.

*scoparia*, Less. in Linnaea, vi. (1831) 147, in obs. = *B. scoparia*.

*sessilifolia*, Less. l. c. 140 = *B. sessilifolia*.

*striata*, Ruiz & Pav. Syst. Veg. 207 = *B. Feuillei*.

*tomentosa*, Ruiz & Pav. l. c. 203 = *B. tomentosa*.

*trimera*, Less. in Linnaea, vi. (1831) 141 = *B. genistelloides*.

*uniflora*, Ruiz & Pav. Syst. Veg. 208 = *B. uniflora*.

*venosa*, Ruiz & Pav. l. c. 215 = *B. venosa*.

*viscosa*, Ruiz & Pav. l. c. 207 = *B. glutinosa*.

MOLINAEAE, Bert. in Merc. Chil. (1829).—Cf. Bull. Férussac, xx. (1830) 109; et Am. Journ. Soc. xx. (1831) 152 = **Jubaea**, H. B. & K. (Palm.).

*microcos*, Bert. ll. cc. = *J. spectabilis*.

MOLINAEAE, Comm. ex Brongn. in Ann. Sc. Nat. Sér. I. x. (1827) 364 = **Retanilla**, Brongn. (Rhamn.).

MOLINAEAE, Comm. ex Juss. Gen. 248 (1789) = **Cupania**, Plum. (Sapind.).

*alternifolia*, Willd. Sp. Pl. ii. 329 = *C. alternifolia*.

*arborea*, Blanco, Fl. Filip. ed. I. 292 = *Hemigyroa canescens*.

*brevipes*, Radlk. in Sitzb. Math.-Phys. Acad. Muench. ix. (1879) 651.—Madag.



**MOLINERIA**, Colla, Hort. Ripul. App. ii. 333. t. 18 (1826) = **Cureuligo**, Gaertn. (Amaryll.).  
*capitulata*, Herb. Amaryll. 84 = *C. recurvata*.  
*crassifolia*, Baker, in Journ. Linn. Soc. xvii. (1878) 121.  
 —Reg. Himal.  
*Finlaysoniana*, Baker, l. c. = *C. Finlaysoniana*.  
*gracilis*, Kurz, in Miq. Ann. Mus. Bot. Lugd. Bat. iv. 177 = *C. gracilis*.  
*latifolia*, Herb. ex Kurz, in Tijdschr. Nederl. Ind. xxvii. (1864) 232 = *C. latifolia*.  
*longiflora*, Kurz, l. c. —Ins. Banca.  
*plicata*, Colla, Hort. Rip. App. ii. 333 = *C. recurvata*.  
*plicata*, Kurz, in Miq. Ann. Mus. Bot. Lugd. Bat. iv. 176 = *C. latifolia*.  
*recurvata*, Herb. Amaryll. 84 = *C. recurvata*.  
*rhizophylla*, Baker, in Journ. Linn. Soc. xvii. (1878) 121. —Ins. Seychelles.  
*sulcata*, Kurz, in Miq. Ann. Mus. Bot. Lugd. Bat. iv. 175 = *C. recurvata*.  
*sumatrana*, Herb. Amaryll. 84 = *C. latifolia*.  
*villosa*, Kurz, in Miq. Ann. Mus. Bot. Lugd. Bat. iv. 176 = *C. latifolia*.

**MOLINERIA**, Parl. Fl. Ital. i. 236 (1848) = **Aira**, Linn. (Gramin.).  
*laevis*, Hack. Cat. Gram. Portug. 17 = *lendigera*.  
*lendigera*, Hack. in Oestr. Bot. Zeitschr. xxvii. (1877) 120. —Lusit. ; Hisp.  
*minuta*, Parl. Fl. Ital. i. 237 = *A. minuta*.  
*palustris*, Tod. ex Nym. Consp. 807 = *A. minuta*.

**MOLINIA**, Schrank, Baier. Fl. i. 100, 334 (1789).  
**GRAMINEAE**, Benth. & Hook. f. iii. 1185.  
**AMBLYTES**, Dulac, Fl. Hautes-Pyr. 80 (1867).  
**ENODIUM**, Gaud. Agrost. Helv. i. 145 (1811).  
**MONILIA**, S. F. Gray, Nat. Arr. Brit. Pl. ii. 110 (1821).  
*altissima*, Link, Hort. Berol. i. 197 = *caerulea*.  
*aquatica*, Wibel, Prim. Fl. Werth. 116 = *Catabrosa aquatica*.  
*arundinacea*, Schrank, Baier. Fl. i. 336 = *caerulea*.  
*caerulea*, Moench, Meth. 183. —Europ. ; As. bor.  
*capillaris*, Hartm. Handb. Skand. Fl. ed. I. 56 = *Glyceria distans*.  
*conferta*, Hartm. l. c. ed. IV. 33. —Europ.  
*distans*, Hartm. l. c. ed. I. 56 = *Glyceria distans*.  
*fluitans*, Hartm. l. c. = *Glyceria fluitans*.  
*litoralis*, Host, Fl. Austr. i. 118 = *caerulea*.  
*maritima*, Hartm. Handb. Skand. Fl. ed. I. 55 = *Glyceria maritima*.  
*maxima*, Hartm. l. c. 56 = *Glyceria aquatica*.  
 Olgae, Regel, in Act. Hort. Petrop. vii. (1880) 625. —Kokania.  
*pendulina*, Hartm. Handb. Skand. Fl. ed. IV. 34. —Europ.  
*plicata*, Hartm. l. c. = *Glyceria fluitans*.  
*remota*, Hartm. l. c. 33. —Europ.  
*rivulorum*, Pomel, Nouv. Mat. Fl. Atl. 388. —Alger.  
*serotina*, Mert. & Koch, Deutschl. Fl. i. 585 = *Diplachne serotina*.  
*squarrosa*, Trin. ex Ledeb. Fl. Alt. i. 105. —Mont. Altai.  
*sylvatica*, Link, Hort. Berol. i. 197, in obs. = *caerulea*.  
*varia*, Schrank, Baier. Fl. i. 334 = *caerulea*.  
*variabilis*, Wibel, Prim. Fl. Werth. 115 = *caerulea*.

**MOLINIERA**, Ball, in Journ. Linn. Soc. xvi. (1878) 718, sphalm. = **MOLINERIA**, Parl. = **Aira**, Linn. (Gramin.).

**MOLIUM**, Fourr. in Ann. Soc. Linn. Lyon, N. S. xvii. (1869) 159 = **Allium**, Tourn. (Liliac.).  
*roseum*, Fourr. l. c. = *A. roseum*.

**MOLKENBOERIA**, De Vriese, in Verh. Haarl. x. (1854) 38 = **Scaevola**, Linn. (Gooden.).  
*macrophylla*, De Vriese, l. c. 44 = *S. macrophylla*.  
*membranacea*, De Vriese, l. c. 40 = *S. pilosa*.  
*microphylla*, De Vriese, l. c. 44. t. 9. f. 1–10 = *S. microphylla*.  
*pilosa*, De Vriese, l. c. 39 = *S. pilosa*.  
*platyphylla*, De Vriese, l. c. 43. t. 6 = *S. platyphylla*.  
*semiaimplexicaulis*, De Vriese, l. c. 41. t. 5 = *S. pilosa*.  
*striata*, De Vriese, l. c. 42 = *S. striata*.

**MOLLE**, [Tourn.] Adans. Fam. ii. 341 (1763) = **Schinus**, Linn. (Anacard.).

**MOLLIA**, J. F. Gmel. Syst. 420 (1791) = **Baeckea**, Linn. (Myrtac.).  
*imbricata*, J. F. Gmel. l. c. = *B. crenulata*.

**MOLLIA**, Mart. Nov. Gen. et Sp. i. 96. t. 60 (1824).  
**TILIACEAE**, Benth. & Hook. f. i. 236.  
**SCHLECHTENDALIA**, Spreng. Syst. iv. Cur. Post. 295 (1827).  
*glabrescens*, Benth. in Hook. Journ. Bot. iv. (1842) 131. —Guiana.  
*gracilis*, Spruce, ex Benth. in Journ. Linn. Soc. v. Suppl. ii. (1861) 59. —Bras.  
*lepidota*, Spruce, ex Benth. l. c. —Bras.  
*longifolia*, Spruce, ex Benth. l. c. —Bras.  
*speciosa*, Mart. Nov. Gen. et Sp. i. 97. t. 60. —Bras.  
*tomentosa*, Spruce, ex Benth. in Journ. Linn. Soc. v. Suppl. ii. (1861) 60. —Bras.

**MOLLIA**, Willd. Hort. Berol. 11. t. 11 (1806) = **Polycarpaea**, Lam. (Caryoph.).  
*alsinifolia*, Spreng. Syst. i. 795 = *Polycarpon alsinifolium*.  
*aristata*, Ait. Hort. Kew. ed. II. ii. 62 = *P. corymbosa*.  
*corymbosa*, Willd. Hort. Berol. 11 = *P. corymbosa*.  
*diffusa*, Willd. l. c. = *P. Teneriffae*.  
*fragilis*, Spreng. Syst. i. 795 = *P. fragilis*.  
*gnaphalodes*, Spreng. l. c. = *P. gnaphalodes*.  
*latifolia*, Willd. Enum. Hort. Berol. 269 = *P. latifolia*.  
*minuartoides*, Spreng. Mant. Fl. Hal. i. 37 = *P. minuartoides*.  
*polycarpoides*, Link, Handb. ii. 422 = *Polycarpon peploides*.  
*Polycarpon*, Spreng. Nov. Prov. 28 = *Polycarpon peploides*.  
*rosea*, Hochst. ex Boiss. Fl. Orient. i. 737 = *Polycarpon succulentum*.  
*spadicea*, Willd. Hort. Berol. 11 = *P. corymbosa*.  
*stellata*, Willd. l. c. = *P. stellata*.  
*tenuifolia*, Willd. l. c. = *P. tenuifolia*.

**MOLLINEDIA**, Ruiz & Pav. Prod. 83 (1794).  
**MONIMIACEAE**, Benth. & Hook. f. iii. 140.  
**TETRATOME**, Poepp. & Endl. Nov. Gen. et Sp. ii. 46 (1838).  
*acuminata*, F. Muell. Fragm. v. 155. —Austral.  
*boliviensis*, A. DC. in Journ. Bot. iii. (1865) 220. —Bolivia.  
*brasiliensis*, Schott, ex Tul. in Arch. Mus. Par. viii. (1855–56) 377. —Bras.  
*campanulacea*, Tul. in Ann. Sc. Nat. Sér. IV. iii. (1855) 42. —N. Granat.  
*cinerea*, Tul. in Arch. Mus. Par. viii. (1855–56) 380. —Bras.  
*clavigera*, Tul. in Ann. Sc. Nat. Sér. IV. iii. (1855) 44. —Bras.  
*coriacea*, Baill. Hist. Pl. i. 304 = Kibara Blumei.  
*cuspidata*, Mart. ex Tul. in Mart. Fl. Bras. iv. i. 320 = *nitida*.  
*elegans*, Tul. in Ann. Sc. Nat. Sér. IV. iii. (1855) 44. —Bras.  
*elliptica*, A. DC. in DC. Prod. xvi. ii. 664 = *nitida*.  
*floribunda*, Tul. in Ann. Sc. Nat. Sér. IV. iii. (1855) 41. —Bras.  
*gracilis*, Tul. l. c. —Bras.  
*Hucgeliana*, Tul. l. c. 45. —Austral.  
*ibaguensis*, Tul. l. c. 41. —N. Granat.  
*lanceolata*, Ruiz & Pav. Syst. Veg. 143. —Peruv.  
*latifolia*, Tul. in Arch. Mus. Par. viii. (1855–56) 402. —Bras.  
*laurina*, Tul. in Ann. Sc. Nat. Sér. IV. iii. (1855) 43. —Guiana; Ins. Trinit.  
*laxiflora*, F. Muell. Census, 3 = Kibara laxiflora.  
*lepidota*, Tul. in Arch. Mus. Par. viii. (1855–56) 403 = *Citrosma Poeppigii*.  
*ligustrina*, Tul. in Ann. Sc. Nat. Sér. IV. iii. (1855) 44. —Bras.  
*longifolia*, Tul. l. c. 41. —Bras.  
*longipes*, F. Muell. Census, 3 = Kibara longipes.  
*loxocarya*, Benth. Fl. Austral. v. 287. —Austral.  
*macrantha*, Tul. in Ann. Sc. Nat. Sér. IV. iii. (1855) 42. —N. Granat.  
*macrophylla*, Tul. l. c. 45 = Kibara macrophylla.  
*multiflora*, Mart. ex Tul. in Mart. Fl. Bras. iv. i. 317 = *floribunda*.  
*myrtoidea*, Baill. in Bull. Soc. Linn. Par. i. (1882) 342 = *Ephippiandra myrtoidea*.

**MOLLINEDIA** :—

*negrescens*, Tul. in Ann. Sc. Nat. Sér. IV. iii. (1855) 42. —Mexic.  
*nitida*, Tul. l. c. 43. —Bras.  
*ovata*, Ruiz & Pav. Syst. Veg. 143. —Peruv.  
*pellucens*, Tul. in Ann. Sc. Nat. Sér. IV. iii. (1855) 43. —Bras.  
*polycarpa*, Mart. ex Tul. in Mart. Fl. Bras. iv. i. 318 = *laurina*.  
*pubescens*, F. Muell. Census, 3 = Kibara pubescens.  
*racemosa*, Tul. in Arch. Mus. Par. viii. (1855–56) 382. —Peruv.  
*repanda*, Ruiz & Pav. Syst. Veg. 142. —Peruv.  
*sancta*, Baill. Hist. Pl. i. 306 = *Matthaea sancta*.  
 Selloi, A. DC. in DC. Prod. xvi. ii. 666. —Bras.  
*sericiflora*, A. DC. in Journ. Bot. iii. (1865) 220. —Bras.  
*tomentosa*, Tul. in Arch. Mus. Par. viii. (1855–56) 402. —Peruv.  
*triflora*, Tul. l. c. 394. —Bras.  
*umbellata*, Tul. l. c. 397. —Bras.  
*utriculata*, Mart. ex Tul. in Mart. Fl. Bras. iv. i. 319. —Bras.  
*viridiflora*, Tul. in Ann. Sc. Nat. Sér. IV. iii. (1855) 43. —Mexic.  
 Wardellii, F. Muell. Fragm. v. 155. —Austral.  
 Widgrenii, A. DC. in Journ. Bot. iii. (1865) 220. —Bras.

**MOLLOYA**, Meissn. in Hook. Kew Journ. vii. (1855) 382  
**Grevillea**, R. Br. (Proteac.).  
*cynanchicarpa*, Meissn. in DC. Prod. xiv. 348 = *G. cynanchicarpa*.

**MOLLUGO**, Linn. Gen. ed. I. 336 (1737). **FICOIDEAE**, Benth. & Hook. f. i. 857.  
*DOOSERA*, Roxb. ex Wight & Arn. Prod. 362 (1834).  
**GLINUS**, Loebl. ex Linn. Sp. Pl. ed. I. 463 (1753).  
**LAMPETIA**, Rafin. Fl. Tellur. iii. 34 (1836).  
**NEMALLOSIS**, Rafin. l. c. (1836).  
**PAULO-WILHELMIA**, Hochst. in Flora, xxvii. (1844) 17.  
**PHYSA**, Thou. Gen. Nov. Madag. 20 (1806).  
**PLENCHIA**, Rafin. Specch. i. 194 (1814).  
**ROLOFA**, Adans. Fam. ii. 256 (1763).  
**TRIGASTROTHECA**, F. Muell. in Hook. Kew Journ. ix. (1857) 16.  
*arenaria*, H. B. & K. Nov. Gen. et Sp. vi. 20 = *verticillata*.  
*axillaris*, Schlecht. ex Rohrb. in Mart. Fl. Bras. xiv. ii. 242 = *verticillata*.  
*Bainesii*, Oliver, Fl. Trop. Afr. ii. 590. —Afr. trop.  
*bellidifolia*, Ser. in DC. Prod. i. 391 = *nudicaulis*.  
*Berberiana*, Ser. l. c. = *verticillata*.  
*Cerviana*, Ser. l. c. 392. —Geront. trop. et subtrop.  
*cordifolia*, Ser. l. c. = *Polycarpon tetraphyllum*.  
*denticulata*, Guill. & Perr. Fl. Seneg. Tent. i. 45 = *oppositifolia*.  
*dichotoma*, Schrank, Pl. Rar. Hort. Monac. t. 64 = *verticillata*.  
*dichotoma*, Ser. in DC. Prod. i. 392 = *Pharnaceum dichotomum*.  
*diffusa*, Willd. ex Steud. Nom. ed. II. ii. 154 = *verticillata*.  
*digyna*, Montr. in Mém. Acad. Lyon, x. (1860) 179. —N. Caled.  
*disticha*, Ser. in DC. Prod. i. 392 = *racemosa*.  
*enneandra*, Wright, in Sauv. Fl. Cub. 7. —Cuba.  
*erecta*, Burm. f. Fl. Ind. 32. —Zeylan.  
*flavescens*, Anderss. in Vet. Akad. Handl. Stockh. 1853 (1855) 226. —Ins. Galapag.  
*fluvialis*, Steud. Nom. ed. II. ii. 154 = *Pharnaceum dichotomum*.  
*fragilis*, Wawra, in Sitzb. Acad. Wien, Math.-Nat. xxxviii. (1860) 565. —Afr. trop.  
*glinoides*, Cambess. in A. St. Hil. Fl. Bras. Mer. ii. 171 = *radiata*.  
*glinoides*, A. Rich. Tent. Fl. Abyss. i. 48 = *oppositifolia*.  
*Glinus*, A. Rich. l. c. = *birta*.  
*glomerata*, Ser. in DC. Prod. i. 392 = *verticillata*.  
*galioides*.  
*gracillima*, Anderss. in Vet. Akad. Handl. 1853 (1855) 226 = *verticillata*.  
*birta*, Thunb. Prod. Pl. Cap. 24. —Reg. trop. et subtrop.  
*Hoffmannseggiana*, Ser. in DC. Prod. i. 393 = *verticillata*.



**MOLLUGO** :—

- junceae*, Fenzl, in Ann. Wien. Mus. i. (1838) 378 = verticillata.  
*lanata*, Steud. Nom. ed. II. ii. 154 = Pharnaceum lanatum.  
*Lichtensteiniana*, Ser. in DC. Prod. i. 393 = Adenogramma diffusa.  
*linearis*, Ser. l. c. 392 = Pharnaceum lineare.  
*Linkii*, Ser. l. c. = pentaphylla.  
*lotoides*, C. B. Clarke, in Hook. f. Fl. Brit. Ind. ii. 662, 776 = hirta.  
*marginata*, Ser. in DC. Prod. i. 392 = Psammotropha parvifolia.  
*maritima*, Ser. l. c. 393 = Sesuvium pentandrum.  
*microphylla*, Ser. l. c. 392 = Pharnaceum microphyllum.  
*mucronata*, Ser. l. c. 393 = Psammotropha androsacea.  
*multiflora*, Noronha, in Verh. Batav. Gen. v. (1790) ed. I. Art. iv. 20; Ser. in DC. Prod. i. 392 = pentaphylla.  
*novo-hollandica*, F. Muell. in Trans. Phil. Soc. Vict. i. (1855) 14 = oppositifolia.  
*nudicaulis*, Lam. Encyc. iv. 234.—Reg. trop. et sub-trop.  
*oppositifolia*, Linn. Sp. Pl. 89.—Geront. trop.  
*orygioides*, F. Muell. ex Benth. Fl. Austral. iii. 333.—Austral.  
*paniculata*, Burm. f. Fl. Ind. 32 = pentaphylla, oppositifolia.  
*parviflora*, Ser. ex DC. Prod. i. 391 = oppositifolia.  
*patens*, Steud. Nom. ed. II. ii. 154 = Pharnaceum dichotomum.  
*Pauli-Wilhelmi*, Schweinf. Beitr. Fl. Aethiop. 267, nomen.—Afr. trop.  
*pentaphylla*, Linn. Sp. Pl. 89.—As. trop.; Polynes.  
*Plukenetiana*, Steud. Nom. ed. II. ii. 154 = triphylla.  
*pumila*, Noronha, in Verh. Batav. Gen. v. (1790) ed. I. Art. iv. 20 = Bergia repens.  
*quadrangularis*, Ser. in DC. Prod. i. 392 = Psammotropha quadrangularis.  
*racemosa*, Lam. Tabl. Encyc. i. 218.—Ind. or.  
*radiata*, Ruiz & Pav. Fl. Per. i. 48.—Chili.  
*reflexa*, Steud. Nom. ed. II. ii. 154 = Pharnaceum reflexum.  
*rigida*, Steud. l. c. = Adenogramma rigida.  
*Schrankii*, Ser. in DC. Prod. i. 391 = verticillata.  
*serpyllifolia*, Ser. l. c. = Pharnaceum serpyllifolium.  
*serrulata*, Sond. in Linnaea, xxiii. (1850) 15 = oppositifolia.  
*sinaica*, Steud. Nom. ed. II. ii. 154.—Arab.  
*spathulata*, Poepp. ex Fenzl, in Ann. Wien. Mus. i. (1838) 359 = oppositifolia.  
*Spergula*, Linn. Syst. ed. X. 881 = oppositifolia.  
*spergulaefolia*, Willd. ex Steud. Nom. ed. II. ii. 154 = verticillata.  
*sperguloides*, Ser. ex DC. Prod. i. 392.—Ind. or.  
*stricta*, Linn. Sp. Pl. ed. II. 131 = pentaphylla.  
*subserata*, Blanco, Fl. Filip. ed. I. 51 = pentaphylla.  
*teretifolia*, Ser. in DC. Prod. i. 393 = Pharnaceum teretifolium.  
*tetraphylla*, Linn. Sp. Pl. 89 = Polycarpon tetraphyllum.  
*trifolia*, Schult. Mant. ii. 471 = pentaphylla.  
*trigastrotheca*, F. Muell. Pl. Vict. i. 201.—Austral.  
*trigona*, Steud. Nom. ed. II. ii. 154 = Pharnaceum trigonum.  
*triphylla*, Burm. f. Fl. Ind. 32.—Ind. or.  
*triphylla*, Lour. Fl. Cochinch. 62; Link, Enum. Hort. Berol. i. 108 = pentaphylla.  
*triphylla*, Schrank, ex Steud. Nom. ed. II. ii. 154 = verticillata.  
*umbellata*, Ser. in DC. Prod. i. 393 = M. Cerviana.  
*verticillata*, Linn. Sp. Pl. 89.—Am. et Afr. trop.  
*verticillata*, Roxb. Hort. Beng. 9; Fl. Ind. i. 360 = oppositifolia.

**MOLOPANTHERA**, Turcz. in Bull. Soc. Nat. Mosc. xxi. (1848) i. 580. RUBIACEAE, Benth. & Hook. f. ii. 41.  
*Burchellii*, Hook. f. in Benth. & Hook. f. Gen. ii. 42.—Bras.  
*paniculata*, Turcz. in Bull. Soc. Nat. Mosc. xxi. (1848) i. 581.—Bras.

**MOLOSPERMUM**, Koch, in Nov. Act. Nat. Cur. xii. (1824) 108. UMBELLIFERAE, Benth. & Hook. f. i. 882.  
*cicutarium*, DC. Prod. iv. 230.—Europ.  
*peloponnesiacum*, Koch, in Nov. Act. Nat. Cur. xii. (1824) 108 = cicutarium.

**MOLOSPERMUM**, Steud. Nom. ed. II. ii. 155 (1841) = praec.

**MOLPADIA**, Cass. in Bull. Soc. Philom. (1818) 166 = **Bupthalmum**, Linn. (Compos.).  
*suaveolens*, Cass. in Dict. Sc. Nat. xxxii. 401 = B. speciosum.

**MOLTZIA**, Lehm. in Neue Schr. Naturf. Ges. Halle, iii. II. (1817) 3. BORAGINEAE, Benth. & Hook. f. ii. 861.  
*anatolica*, Boiss. Diagn. Ser. I. xi. 114 = coerulea.  
*angustifolia*, DC. Prod. x. 72.—Assyria.  
*aurea*, Boiss. Diagn. Ser. I. iv. 49.—As. Min.  
*coerulea*, Lehm. in Neue Schr. Naturf. Ges. Halle, iii. II. (1817) 6.—As. Min.; Persia; Syria.  
*cyrenaica*, Spreng. Syst. i. 548 = Nonnea phaner-anthera.  
*graminifolia*, Nym. Consp. 518 = Lithospermum graminifolium.  
*libanotica*, Zucc. in Abh. Akad. Muench. iii. (1837-43) 246. t. 3. f. 2 = Solenanthus Tournefortii.  
*parviflora*, C. B. Clarke, in Hook. f. Fl. Brit. Ind. iv. 171.—Reg. Himal.  
*petraea*, Boiss. Fl. Orient. iv. 221.—Europ. or.  
*punctata*, Lehm. in Neue Schr. Naturf. Ges. Halle, iii. II. (1817) 5 = coerulea.  
*Sendtneri*, Boiss. Diagn. Ser. II. iii. 138 = Zwackhia aurea.

**MOLUBDA**, Rafin. Sylva Tellur. 123 (1838) = **Plumbago**, Linn.  
*scandens*, Rafin. l. c. = P. scandens.

**MOLUCCA**, [Tourn.] Linn. Syst. ed. I (1735) = **Moluccella**, Linn. (Labiata).  
*levis*, Moench, Meth. 404 = Moluccella laevis.  
*spinosa*, Moench, l. c. = Moluccella spinosa.

**MOLUCCELLA**, Linn. Gen. ed. I. 176 (1737). LABIATAE, Benth. & Hook. f. ii. 1211.  
*CHASMONIA*, Presl, Fl. Sic. p. xxxvii (1826).  
**MOLUCCA**, [Tourn.] Linn. Syst. ed. I (1735).  
*acutifolia*, Ledeb. in Eichw. Pl. Nov. Casp. Cauc. 39. t. 35 = Lagochilus acutifolius.  
*armata*, Sieber, ex Benth. Lab. Gen. et Sp. 640 = spinosa.  
*diacanthophylla*, Pall. in Nov. Act. Acad. Petrop. x. (1797) 380. t. 11 = Lagochilus diacanthophyllus.  
*frutescens*, Linn. Sp. Pl. 587 = Ballota spinosa.  
*frutescens*, Sibth. & Sm. Fl. Graec. vi. 55. t. 568 = Ballota integrifolia.  
*fruticosa*, Forsk. Fl. Aegypt. Arab. p. xxviii = Ballota Pseudodictamnus.  
*grandiflora*, Ledeb. Fl. Alt. ii. 418 = Lagochilus Bungei.  
*grandiflora*, Steph. ex Willd. Sp. Pl. iii. 130 = Lagochilus diacanthophyllus.  
*integrifolia*, R. Br. in Salt, Abyss. App. p. lxiv = Otostegia integrifolia.  
*laevis*, Linn. Sp. Pl. 587.—As. occ.  
*laniflora*, Willd. ex Benth. in Linnaea, xi. (1837) 339 = Marrubium lanatum.  
*lanigera*, Bieb. ex Poir. Encyc. Suppl. iii. 722 = Eremostachys laciniata.  
*Marrubiastrum*, Steph. in Mém. Soc. Nat. Mosc. ii. (1809) 8 = Marrubium lanatum.  
*microphylla*, Delile, in Laborde, Voy. Arab. Pétr. 83 = Otostegia Schimperii.  
*mongolica*, Turcz. ex Ledeb. Fl. Ross. iii. 402 = Marrubium eriostachyum.  
*persica*, Burm. f. Fl. Ind. 128 = Otostegia microphylla.  
*phlomoides*, Wight, ex Wall. Cat. sub n. 2527 = Leucas chinensis.  
*quadrangula*, Sievers, in Pall. N. Nord. Beitr. vii. 275 = Eremostachys phlomoides.  
*repanda*, R. Br. in Salt, Abyss. App. p. lxiv = Otostegia repanda.  
*scariosa*, R. Br. l. c. = Otostegia scariosa.  
*sinaica*, Ehrenb. ex Boiss. Fl. Orient. iv. 777 = Otostegia scariosa.  
*spinosa*, Falk, Beitr. ii. 208 = Eremostachys tuberosa.  
*spinosa*, Linn. Sp. Pl. 587.—Europ. austr.; Syria.  
*tuberosa*, Pall. Reise, iii. 738 = Eremostachys tuberosa.  
*tuberosa*, Sievers, in Pall. N. Nord. Beitr. vii. 331 = Eremostachys moluccelloides.

**MOLUCELLA**, Juss. Gen. 115 (1789) = praec.

**MOLUCHIA**, Medic. Malv. 10 (1787) = **Melochia**, Dill. (Stercul.).  
*domingensis*, Steud. Nom. ed. II. ii. 155, sphalm. = Melochia pyramidata.  
*frutescens*, Medic. Malv. 10 = Melochia tomentosa.  
*fruticosa*, Medic. l. c. = Melochia pyramidata.  
*herbacea*, Medic. l. c. = Melochia pyramidata.

**MOLY**, [Rupp.] Moench, Meth. 286 (1794) = **Allium**, (Liliac.).  
*latifolium*, S. F. Gray, Nat. Arr. Brit. Pl. ii. 180 = A. ursinum.  
*odorum*, Moench, Meth. Suppl. 98 = A. odorum.  
*speciosum*, Moench, Meth. 286 = A. nigrum.

**MOLYZA**, Salisb. Gen. Pl. Fragm. 91 (1866) = **Allium**, Tourn. (Liliac.).  
*Moly*, Salisb. l. c. 92 = A. Moly.

**MOMISIA**, F. G. Dietr. Vollst. Lexik. Gaertn. Nachtr. v. 122 (1819) = **Celtis**, Tourn. (Urtic.).  
*aculeata*, Klotzsch, in Linnaea, xx. (1847) 539 = C. aculeata.  
*alnifolia*, Wedd. in Ann. Sc. Nat. Sér. III. xviii. (1852) 193 = C. alnifolia.  
*brevifolia*, Klotzsch, in Linnaea, xx. (1847) 538 = C. Tala.  
*Chichape*, Wedd. in Ann. Sc. Nat. Sér. III. xviii. (1852) 193 = C. Tala.  
*Clausseniana*, Wedd. l. c. 194 = C. Clausseniana.  
*crenata*, Wedd. l. c. 195 = C. crenata.  
*dichotoma*, Klotzsch, in Linnaea, xx. (1847) 539 = C. dichotoma.  
*Ehrenbergiana*, Klotzsch, l. c. 538 = C. aculeata.  
*ferruginea*, Wedd. in Ann. Sc. Nat. Sér. III. xviii. (1852) 194 = C. ferruginea.  
*flexuosa*, Wedd. l. c. 195 = C. boliviensis?  
*integrifolia*, Wedd. l. c. 196 = C. Selloviana.  
*laevigata*, F. G. Dietr. Vollst. Lexik. Gaertn. Nachtr. v. 123 = C. aculeata.  
*Lamarckii*, Blume, Mus. Bot. Lugd. Bat. ii. 69 = C. mississippiensis.  
*lancifolia*, Wedd. in Ann. Sc. Nat. Sér. III. xviii. (1852) 196 = C. lancifolia.  
*membranacea*, Wedd. l. c. = C. membranacea.  
*pallida*, Planch. in DC. Prod. xvii. 191, in syn. = C. Tala.  
*pubescens*, F. G. Dietr. Vollst. Lexik. Gaertn. Nachtr. v. 123 = C. pubescens.  
*spinosissima*, Wedd. in Ann. Sc. Nat. Sér. III. xviii. (1852) 195 = C. spinosissima.  
*Tala*, Planch. in DC. Prod. xvii. 191, in syn. = C. Tala.  
*tarijensis*, Wedd. in Ann. Sc. Nat. Sér. III. xviii. (1852) 194 = C. glycyarpa.  
*triflora*, Klotzsch, in Linnaea, xx. (1847) 537 = C. Tala.  
*zizyphoides*, F. G. Dietr. Vollst. Lexik. Gaertn. Nachtr. v. 124 = C. zizyphoides.

**MOMORDICA**, [Tourn.] Linn. Syst. ed. I (1735). CUCURBITACEAE, Benth. & Hook. f. i. 825.  
**AMORDICA**, Neck. Elem. i. 241 (1790).  
**MURICIA**, Lour. Fl. Cochinch. 66 (1790).  
**NEVROSPERMA**, Rafin. in Am. Monthly Mag. (1818) 40.  
**POPPYA**, Neck. Elem. i. 241 (1790).  
**ZUCCA**, Comm. ex Juss. Gen. 398, in obs. (1789).  
*aculeata*, Poir. Encyc. Suppl. iii. 723.—Hab.?  
*acutangula*, Steud. Nom. ed. I. 536 = aculeata.  
*adoënsis*, Hochst. in Flora, xxiv. (1841) i. Intell. 22; et ex A. Rich. Tent. Fl. Abyss. i. 293 = Coccinia adoënsis.  
*angulata*, Savi, ex Steud. Nom. ed. II. ii. 155, nomen = M. Elaterium.  
*anigosantha*, Hook. f. in Oliver, Fl. Trop. Afr. ii. 536.—Afr. trop.  
*anthelmintica*, Schum. & Thonn. Beskr. Guin. Pl. 423 = M. Charantia.  
*aspera*, Lam. Fl. Fr. ii. 191 = Ecballium Elaterium.  
*auriculata*, Noronha, in Verh. Batav. Gen. v. (1790) ed. I. Art. iv. 20 (Quid?).—Java.  
*Balsamina*, Descourt. Fl. Antill. iii. 62 = M. Charantia.  
*Balsamina*, Linn. Sp. Pl. 1009.—Amphig. trop.  
*Balsamina*, Wall. Cat. n. 6741 A, B = dioica.  
*bicolor*, Blume, Bijdr. 928 = Coccinia indica.  
*brachybotrys*, Poepp. & Endl. Nov. Gen. et Sp. ii. 54 = Cyclanthera brachybotrys.



**MOMORDICA:—**

- calcarata*, Colebr. ex Wall. Cat. n. 6740 = *Thladiantha calcarata*.  
*cardiospermoides*, Klotzsch, in Peters, Reise Mossamb. Bot. 150 = clematidea.  
*carinata*, Vell. Fl. Flum. x. t. 97 = *Luffa aegyptiaca*.  
*Casea*, Buch.-Ham. ex Wall. Cat. n. 6740 = *Thladiantha calcarata*.  
*Charantia*, Descourt. Fl. Antill. viii. 355 = *M. Balsamina*.  
*Charantia*, Linn. Sp. Pl. 1009.—Amphig. trop.  
*cirrhiiflora*, Wight, ex Steud. Nom. ed. II. ii. 155 = *Modecca Wightiana*.  
*cissoides*, Planch. ex Benth. in Hook. Niger Fl. 370.—Afr. trop.  
*clematidea*, Sond. in Harv. & Sond. Fl. Cap. ii. 491.—Afr. austr.  
*cochinchinensis*, Spreng. Syst. iii. 14.—As. trop.  
*cordatifolia*, Godoy Torres, in Patriota, iii. 71; ex Cogn. in Mart. Fl. Bras. vi. iv. 87 = *Cayaponia Martiana*.  
*cordifolia*, Sond. in Harv. & Sond. Fl. Cap. ii. 492 = foetida.  
*corymbifera*, Hook. f. in Oliver, Fl. Trop. Afr. ii. 539.—Afr. trop.  
*Covel*, Dennst. Schlusss. Hort. Malab. 34 = *Coccinia indica*.  
*crinocarpa*, Fenzl, ex M. Roem. Syn. Pepon. 59, sphalm. = *echinocarpa*.  
*cucullata*, Hook. f. in Oliver, Fl. Trop. Afr. ii. 538 = *Schimperia*.  
*cylindrica*, Blanco, Fl. Filip. ed. I. 769 = *M. Charantia*.  
*cylindrica*, Linn. Sp. Pl. 1009 = *Luffa cylindrica*.  
*Cymbalaria*, Fenzl, ex Naud. in Ann. Sc. Nat. Sér. IV. xii. (1859) 134.—Afr. trop.  
*dasycarpa*, Hochst. ex A. Rich. Tent. Fl. Abyss. i. 291 = *Cucumis dipsaceus*.  
*denticulata*, Miq. Fl. Ind. Bat. i. i. 1090.—Sumatra; Borneo.  
*denudata*, C. B. Clarke, in Hook. f. Fl. Brit. Ind. ii. 618.—Zeylan.  
*dictyosperma*, Griseb. in Lorentz, Veg. Nord Entre-Rios, 117, nomen.—Reg. Argent.  
*dioica*, Roxb. ex Willd. Sp. Pl. iv. 605.—Ind. or.  
*dioica*, Wall. Cat. n. 6750 A, F = *cochinchinensis*.  
*echinata*, Muhl. in Trans. Am. Phil. Soc. iii. (1793) 180, nomen; et ex Willd. Sp. Pl. iv. 605 = *Echinocystis lobata*.  
*echinocarpa*, Fenzl, ex Hook. f. in Oliver, Fl. Trop. Afr. ii. 531 = *Luffa echinata*.  
*ecirrhata*, Stokes, Bot. Mat. Med. iv. 465 = *Ecballium Elaterium*.  
*elastica*, Salisb. Prod. 158 = *Ecballium Elaterium*.  
*Elaterium*, Linn. Sp. Pl. 1010 = *Ecballium Elaterium*.  
*elegans*, Salisb. Prod. 158 = *M. Charantia*.  
*erinocarpa*, Fenzl, ex Naud. in Ann. Sc. Nat. Sér. IV. xii. (1859) 135 = *Luffa echinata*.  
*foetida*, Schum. in Schum. & Thonn. Beskr. Guin. Pl. 426.—Afr. trop.  
*Gabonii*, Cogn. in DC. Monog. Phan. iii. 450.—Afr. trop.  
*garipensis*, E. Mey. in Drège, Zwei Pfl. Docum. 202 = *M. Balsamina*.  
*garripensis*, Arn. in Hook. Journ. Bot. iii. (1841) 277 = praec.  
*glauca*, Mor. ex Cogn. in DC. Monog. Phan. iii. 836 = *Cyclanthera glauca*.  
*guttata*, Planch. ex Benth. in Hook. Niger Fl. 371 = *cissoides*.  
*Hamiltoniana*, Wall. Cat. n. 6748 = *dioica*.  
*heterophylla*, Wight, ex M. Roem. Syn. Pepon. 203 = *Modecca Wightiana*.  
*Heyneana*, Wall. Cat. n. 6744 = *dioica*.  
*hispida*, Dennst. Schlusss. Hort. Malab. 34 = *dioica*.  
*Huberii*, Todaro, in Giorn. Ist. Agric. Sicil. (1863) 165 = *involuta*.  
*humilis*, Wall. Cat. n. 6747 = *M. Charantia*.  
*Hystrix*, Gill. in Hook. Bot. Misc. iii. (1833) 324 = *Cyclanthera Hystrix*.  
*involuta*, E. Mry. in Drège, Zwei Pfl. Docum. 202, nomen; et ex Sond. in Harv. & Sond. Fl. Cap. ii. 491.—Afr. austr.  
*jagorana*, C. Koch, Wochenschr. i. (1858) Nachr. 44 = *M. Charantia*.  
*Lambertiana*, Ser. in DC. Prod. iii. 311 = *Cucumis trigonus*.  
*lanata*, Thunb. Prod. Pl. Cap. 13 = *Citrullus vulgaris*.

**MOMORDICA:—**

- Luffa*, Linn. Sp. Pl. 1009 = *Luffa aegyptiaca*.  
*Luffa*, Vell. Fl. Flum. x. t. 93 = *Luffa acutangula*.  
*macropetala*, Mart. in Hook. Lond. Journ. Bot. v. (1846) 504 = *M. Charantia*.  
*macropoda*, Poepp. & Endl. Nov. Gen. et Sp. ii. 54 = *Cyclanthera macropoda*.  
*maculata*, Planch. ex Benth. in Hook. Niger Fl. 370 = *cissoides*.  
*Mannii*, Hook. f. in Oliver, Fl. Trop. Afr. ii. 539.—Afr. trop.  
*missionis*, Wall. Cat. n. 6739 = *dioica*.  
*mixta*, Roxb. Hort. Beng. 70; Fl. Ind. iii. 709 = *cochinchinensis*.  
*monadelpha*, Roxb. Il. cc. 70; 708 = *Coccinia indica*.  
*Morkorra*, A. Rich. Tent. Fl. Abyss. i. 292. t. 53 = foetida.  
*multiflora*, Hook. f. in Oliver, Fl. Trop. Afr. ii. 540.—Afr. trop.  
*muricata*, Vell. Fl. Flum. x. t. 94 = *Echinocystis muricata*.  
*muricata*, Willd. Sp. Pl. iv. 602 = *M. Charantia*.  
*Officinarum-elaterium*, Crantz, Inst. i. 171 = *M. Elaterium*.  
*operculata*, Blanco, Fl. Filip. ed. I. 770 = *Luffa aegyptiaca*.  
*operculata*, Linn. Syst. ed. X. 1278 = *Luffa operculata*.  
*operculata*, Vell. Fl. Flum. x. t. 92 = *M. Charantia*.  
*ovata*, Cogn. in DC. Monog. Phan. iii. 446.—Ins. Philipp.  
*Paina*, Buch.-Ham. ex Wall. Cat. n. 6742 = *Actinostemma tenerum*.  
*palmata*, Hort. ex Lem. in Fl. des Serres, Sér. I. iii. (1847) sub t. 222 = *Anguria Makoyana*.  
*palmata*, E. Mey. in Drège, Zwei Pfl. Docum. 202 = *Coccinia palmata*.  
*papillosa*, Peckolt, ex Rosenth. Syn. Pl. Diaphor. 678 = *M. Charantia*.  
*pedata*, Linn. Sp. Pl. 1009 = *Cyclanthera pedata*.  
*pedisecta*, Ser. in DC. Prod. iii. 319, in syn. = *Cyclanthera pedata*.  
*pterocarpa*, Hochst. in Flora, xxix. (1841) i. Intell. 22, nomen; et ex A. Rich. Tent. Fl. Abyss. i. 292.—Abyss.  
*purgans*, Mart. Reise Bras. ii. 546 = *Luffa operculata*.  
*quinquefida*, Hook. & Arn. Bot. Beech. Voy. 424 = *Luffa operculata*.  
*quinqueloba*, E. Mey. in Drège, Zwei Pfl. Docum. 202 = *Coccinia quinqueloba*.  
*quinquelobata*, Vell. Fl. Flum. x. t. 95 = *Cyclanthera quinquelobata*.  
*racemiflora*, Cogn. in DC. Monog. Phan. iii. 448.—Sumatra.  
*racemosa*, Steud. Nom. ed. II. ii. 155 = *Echinocystis muricata*.  
*renigera*, Wall. Cat. n. 6743 = *dioica*.  
*reticulata*, Salisb. Prod. 158 = *Luffa aegyptiaca*.  
*rotunda*, Noronha, in Verh. Batav. Gen. v. (1790) ed. I. Art. iv. 20 = *Melothria perpusilla*.  
*Roxburghiana*, G. Don, Gen. Syst. iii. 35 = *M. Charantia*.  
*sativa*, Roxb. ex Wight & Arn. Prod. 341 = *Cucumis Melo*.  
*Schimperia*, Naud. in Ann. Sc. Nat. Sér. V. v. (1866) 23.—Afr. trop.  
*senegalensis*, Lam. Encyc. iv. 239 = *M. Charantia*.  
*sicyoides*, Ser. in DC. Prod. iii. 312 = *dioica*.  
*sphaeroidea*, Blanco, Fl. Filip. ed. I. 771 = *ovata*?  
*spicata*, Linn. ex Sm. in Rees, Cycl. xxiii. n. 13 = *Gymnopetalum cochinchinense*.  
*subangulata*, Blume, Bijdr. 928 = *dioica*.  
*surculata*, Noronha, in Verh. Batav. Gen. v. (1790) ed. I. Art. iv. 21 = *Gymnopetalum cochinchinense*.  
*Suringarii*, Cogn. in DC. Monog. Phan. iii. 434.—Malaya.  
*trifolia*, Linn. Syst. ed. X. 1278 = seq.  
*trifoliata*, Linn. Sp. Pl. ed. II. 1434 = *Trichosanthes trifoliata*.  
*trifoliolata*, Hook. f. in Oliver, Fl. Trop. Afr. ii. 537.—Afr. trop.  
*trilobata*, Wight, ex Steud. Nom. ed. II. ii. 155 = *dioica*.  
*tuberosa*, Cogn. in DC. Monog. Phan. iii. 454 = *M. Cymbalaria*.  
*tuberosa*, Dennst. Schlusss. Hort. Malab. 34 = *dioica*.  
*tubiflora*, Roxb. Hort. Beng. 70; Fl. Ind. iii. 711 = *Gymnopetalum cochinchinense*.  
*tubiflora*, Wall. Cat. n. 6749 = *Luffa acutangula*.  
*tubulosa*, Buch.-Ham. ex Naud. in Ann. Sc. Nat. Sér. IV. xii. (1859) 136 = *Zehneria umbellata*.

**MOMORDICA:—**

- umbellata*, Roxb. Hort. Beng. 70; Fl. Ind. iii. 710 = *Melothria heterophylla*.  
*verticillata*, Vell. Fl. Flum. x. t. 96 = *Wilbrandia verticillata*.  
*Vogelii*, Planch. ex Benth. in Hook. Niger Fl. 369 = foetida.  
*Wallichii*, M. Roem. Syn. Pepon. 58 = *dioica*.  
*Welwitschii*, Hook. f. in Oliver, Fl. Trop. Afr. ii. 538.—Afr. trop.  
*zeylanica*, Mill. Gard. Diet. ed. VIII. n. 3 = *M. Charantia*.

**MONACANTHUS**, G. Don, in Sweet, Hort. Brit. ed. III. 644 (1839) = **MONACHANTHUS**, Lindl. = **Catasetum**, Rich. (Orchid.).

**MONACATHER**, Benth. in Journ. Linn. Soc. xxi. (1881) 99 = **MONACHATHER**, Steud. = **Danthonia**, DC. (Gramin.).

**MONACHANTHUS**, Lindl. in Bot. Reg. sub t. 1538 (1832) = **Catasetum**, Rich. (Orchid.).  
*Bushnani*, Hook. Bot. Mag. t. 3832 = *C. discolor*.  
*discolor*, Lindl. Bot. Reg. t. 1735 = *C. discolor*.  
*fimbriatus*, Gardn. ex Hook. Bot. Mag. t. 3708 = *C. discolor*.  
*longifolius*, Lindl. in Bot. Mag. t. 3819 = *C. longifolium*.  
*roseo-albus*, Hook. l. c. t. 3796 = *C. discolor*.  
*viridis*, Lindl. in Bot. Reg. sub t. 1538 = *C. trifidum*.  
*viridis*, Lindl. l. c. t. 1752 = *C. macrocarpum*.  
*viridis*, Schomb. in Trans. Linn. Soc. xvii. (1837) 551, partim = *C. barbatum*.

**MONACHATHER**, Steud. Syn. Pl. Gram. 247 (1855) = **Danthonia**, DC. (Gramin.).  
*paradoxus*, Steud. l. c. = *D. bipartita*.

**MONACHNE**, Beauv. Agrost. 49. t. 10 (1812) = **Eriochloa**, H. B. & K. (Gramin.).  
*racemosa*, Beauv. l. c. 168. t. 10. f. 10 = *Panicum reptans*.  
*rufa*, Bertol. Misc. Bot. xi. 10 = *Panicum reptans*?  
*unilateralis*, Beauv. Agrost. 49. t. 10. f. 9 = *E. polystachya*.  
*unilateralis*, Roem. & Schult. Syst. ii. 468 = *Panicum leucophaeum*.

**MONACHOCHLAMYS**, Baker, in Journ. Linn. Soc. xx. (1883) 217. **ACANTHACEAE**.  
*flagellaris*, Baker, l. c.—Madag.

**MONACHYRON**, Parl. in Hook. Niger Fl. 190 (1849). **GRAMINEAE**, Benth. & Hook. f. iii. 1158. *villosum*, Parl. l. c. 191.—Ins. Cap. Virid.

**MONACTINEIRMA**, Bory, in Ann. Sc. Gén. Phys. ii. (1819) 138 = **Passiflora**, Linn.  
*angustifolia*, Bory. l. c. = *P. suberosa*.  
*coriacea*, Bory, l. c. = *P. coriacea*.  
*hederacea*, Bory, l. c. = *P. suberosa*.  
*mexicana*, Bory, l. c. = *P. mexicana*.  
*minima*, Bory, l. c. = *P. suberosa*.  
*peltata*, Bory, l. c. = *P. suberosa*.  
*suberosa*, Bory, l. c. = *P. suberosa*.

**MONACTIS**, H. B. & K. Nov. Gen. et Sp. iv. 286. t. 403 (1820). **COMPOSITAE**, Benth. & Hook. f. ii. 358.  
*dubia*, H. B. & K. l. c. 287 = *Astemma dubium*.  
*Flaveriae*, DC. Prod. v. 546 = *flaverioides*.  
*flaverioides*, H. B. & K. Nov. Gen. et Sp. iv. 287. t. 403.—Bras.

**MONADELPHANTHUS**, Karst. Fl. Columb. i. 67. t. 33 (1859 ?). **RUBIACEAE**, Benth. & Hook. f. ii. 88.  
*floridus*, Karst. l. c.—N. Granat.

**MONADENIA**, Lindl. Gen. et Sp. Orch. 356 (1838).  
**Disa**, Berg (Orchid.).  
*brevicornis*, Lindl. l. c. 357.—Afr. austr.  
*comosa*, Reichb. f. in Linnaea, xx. (1847) 687.  
*D. affinis*.  
*densiflora*, Lindl. Gen. et Sp. Orch. 357.—Afr. austr.  
*inflata*, Sond. in Linnaea, xix. (1847) 102 = *D. cernua*.  
*lanceifolia*, Sond. l. c. 100 = *ophras*.  
*leptostachys*, Sond. l. c. 101 = *D. rufescens*.



## MONADENIA:—

- macrocera*, Lindl. Gen. et Sp. Orch. 358 = *Disa rufescens*.  
*macrostachya*, Lindl. l. c. 357.—Afr. austr.  
*micrantha*, Lindl. l. c.—Afr. austr.  
*multiflora*, Sond. in Linnaea, xix. (1847) 101.—Afr. austr.  
*ophrydea*, Lindl. Gen. et Sp. Orch. 358.—Afr. austr.  
*physodes*, Reichb. f. in Flora, lxvi. (1883) 461 = *D. physodes*.  
*prasinata*, Lindl. Gen. et Sp. Orch. 358 = *D. cernua*.  
*rufescens*, Lindl. l. c. 356 (excl. syn.) = *D. affinis*.  
*rufescens*, Reichb. f. in Flora, lxvi. (1883) 464 = *D. rufescens*.

MONADENUS, Salisb. Gen. Pl. Fragm. 51 (1866) = *Zygadenus*, Michx. (Liliac.).

MONANDRAIRA, E. Desv. in C. Gay, Fl. Chil. vi. 341. t. 79 (1881) = *Deschampsia*, Beauv. (Gramin.).  
*Berteroana*, E. Desv. l. c. 343 = *D. Berteroana*.  
*glauca*, E. Desv. l. c. 342.—Chili.  
*patula*, Phil. in Anal. Univ. Chil. (1873) 565.—Chili.

MONANTHEMUM, Griseb. Fl. Brit. W. Ind. 354 (1861) = *Piptocarpha*, R. Br. (Compos.).  
*Cruegerii*, Griseb. l. c. = *P. Cruegeri*.

MONANTHES, Haw. Rev. Pl. Succ. 68 (1821).  
 CRASSULACEAE, Benth. & Hook. f. i. 660.  
 PETROPHYTES, Webb & Berth. Phyt. Canar. i. 201. t. 36 (1836-45).

*atlantica*, Ball, in Journ. Bot. xi. (1873) 333.—Marocce.  
*brachycaulon*, Lowe, Fl. Salv. Tent. 12.—Ins. Salv.  
*muralis*, Hook. f. in Bot. Mag. t. 5988 = *atlantica*.  
*polyphylla*, Haw. Rev. Pl. Succ. 68.—Ins. Madera.  
*spatulata*, Cree, ex Steud. Nom. ed. II. ii. 155 = *Sempervivum micranthes*.

MONANTHOCHLOË, Engelm. in Trans. Acad. Sc. St. Louis i. (1859), 436. tt. 13, 14. GRAMINEAE, Benth. & Hook. f. iii. 1180.  
*littoralis*, Engelm. l. c.—Texas.

MONARDA, Linn. Gen. ed. I. 6 (1737). LABIATAE, Benth. & Hook. f. ii. 1197.

CHELYCTIS, Benth. Lab. Gen. et Sp. 726 (1836).  
 CORVANTHUS, Benth. l. c. (1836).

*affinis*, Link, Enum. Hort. Berol. i. 9 = *fistulosa*.  
*albiflora*, Morr. in Belg. Hort. i. (1851) 40.—Am. bor.

*allophylla*, Michx. Fl. Bor. Am. i. 16 = *fistulosa*.  
*altissima*, Willd. Enum. Hort. Berol. 33 = *clinopodia*.  
*amplexicaulis*, Fisch. ex Morr. in Belg. Hort. i. (1851) 41 = *Bradburiana*.

*aristata*, Hook. Bot. Mag. t. 3526 = *clinopodioides*.  
*aristata*, Nutt. in Trans. Am. Phil. Soc. v. (1837) 186 = *citriodora*.

*barbata*, Wender. Ind. Sem. Hort. Marb. (1828); et in Flora, xii. (1829) i. Erg. 27 = *fistulosa*.

*Beckii*, Eaton, Man. Bot. ed. VI. 229.—Am. bor.  
*Bradburiana*, Beck, in Am. Journ. Sc. x. (1826) 260.—Am. bor.

*ciliata*, Linn. Sp. Pl. 23 = *Blephilia ciliata*.  
*ciliata*, Michx. Fl. Bor. Am. i. 16 = *Blephilia hirsuta*.  
*citriodora*, Cerv. ex Lag. Gen. et Sp. Nov. 2.—Am. bor. occ.; Mexic.

*clinopodia*, Linn. Sp. Pl. 22.—Am. bor.  
*clinopodioides*, A. Gray, Syn. Fl. N. Am. ii. i. 375.—Texas.

*coccinea*, Michx. Fl. Bor. Am. i. 16 = *didyma*.  
*coerulea*, Hort. ex Benth. Lab. Gen. et Sp. 317 = *fistulosa*.

*commutata*, Wender. Ind. Sem. Hort. Marb. (1828); et in Flora, xii. (1829) i. Erg. 28 = *fistulosa*.  
*contorta*, Morr. in Belg. Hort. i. (1851) 37. t. 6. f. a.—Am. bor.

*cristata*, Hort. ex Benth. Lab. Gen. et Sp. 317 = *fistulosa*.

*didyma*, Linn. Sp. Pl. 22.—Am. bor.  
*didynama*, Stokes, Bot. Mat. Med. i. 44 = *praec.*

*dubia*, Hort. ex Benth. Lab. Gen. et Sp. 317 = *fistulosa*.

*elongata*, A. Dietr. Sp. Pl. i. 356, in syn. = *fistulosa*.  
*fistulosa*, Hook. Bot. Mag. t. 3310 = *Bradburiana*.  
*fistulosa*, Curt. l. c. t. 145 = *didyma*.

*fistulosa*, Linn. Sp. Pl. 22.—Am. bor.  
*glabra*, Lam. Encyc. iv. 256 = *clinopodia*.

## MONARDA:—

*gracilis*, Pursh, Fl. Am. Sept. i. 17 = *Pycnanthemum montanum*?

*hirsuta*, Pursh, l. c. 19 = *Blephilia hirsuta*.  
*hybrida*, Wender. Ind. Sem. Hort. Marb. (1828); et in Flora, xii. (1829) i. Erg. 28 = *fistulosa*.

*involuta*, Wender. l. c. = *fistulosa*.  
*Kalmiana*, Pursh, Fl. Am. Sept. i. 17 = *didyma*.  
*lilacina*, Wender. Ind. Sem. Hort. Marb. (1828); et in Flora, xii. (1829) i. Erg. 28 = *fistulosa*.

*Lindheimeri*, Engelm. & Gray, in Bost. Journ. Nat. Hist. v. (1845) 228 = *fistulosa*.

*longifolia*, Lam. Encyc. iv. 255 = *fistulosa*.  
*lutea*, Michx. Fl. Bor. Am. i. 16 = *punctata*.  
*media*, Willd. Enum. Hort. Berol. 32 = *fistulosa*.

*menthaefolia*, R. Grah. in Edinb. N. Phil. Journ. (Jul.-Oct. 1829) 347 = *fistulosa*.

*mollis*, Linn. Amoen. Acad. iii. 399 = *fistulosa*.  
*oblongata*, [Soland. in] Ait. Hort. Kew. ed. I. i. 36 = *fistulosa*.

*oswegoensis*, Bart. Prod. Fl. Pensylv. i. 34; ex Benth. Lab. Gen. et Sp. 726 = *didyma*.  
*pectinata*, Nutt. in Journ. Acad. Philad. N. S. i. (1847), 82.—N. Mexic.

*penicillata*, A. Gray, in Proc. Am. Acad. viii. (1821) 369, sphalm. = *praec.*

*pratensis*, Rafin. Med. Fl. ii. 37.—Am. bor.  
*punctata*, Linn. Sp. Pl. 22.—Am. bor.

*purpurascens*, Dum.-Cours. Bot. Cult. ed. II. iii. 4 = *fistulosa*.  
*purpurascens*, Wender. Ind. Sem. Hort. Marb. (1828); et in Flora, xii. (1829) i. Erg. 28 = *didyma*.

*purpurea*, Lam. Encyc. iv. 256 = *didyma*.  
*purpurea*, Pursh, Fl. Am. Sept. i. 17 = *fistulosa*.  
*rigida*, Rafin. Med. Fl. ii. 37.—Am. bor.

*rugosa*, [Soland. in] Ait. Hort. Kew. ed. I. i. 36 = *clinopodia*.

*Russelliana*, Nutt. in Journ. Trav. Arkans. Terr. 141, nomen; et in Trans. Am. Phil. Soc. v. (1837) 185.—Am. bor. occ.

*scabra*, Beck, in Am. Journ. Sc. x. (1826) 260 = *fistulosa*.  
*undulata*, Tausch, ex Reichb. Hort. Bot. ii. 31. t. 181 = *fistulosa*.

*varians*, Bart. Prod. Fl. Pensylv. i. 36; ex Benth. Lab. Gen. et Sp. 726 = *fistulosa*.

*villosa*, Martens, in Bull. Acad. Brux. viii. (1841) 66 = *Bradburiana*.  
*violacea*, Desf. Tabl. ed. II. 66 = *fistulosa*.

*virgata*, Rafin. Med. Fl. ii. 37.—Am. bor.  
*virginalis*, Hort. ex Vilm. Fl. Pl. Terre, ed. III. 709 = *fistulosa*.

*zeylanica*, Burm. f. Fl. Ind. 12 = *Anisomeles ovata*.

MONARDELLA, Benth. Lab. Gen. et Sp. 331 (1834).  
 LABIATAE, Benth. & Hook. f. ii. 1185.

*Breweri*, A. Gray, in Proc. Am. Acad. vii. (1868) 386.—Calif.  
*candicans*, Benth. Pl. Hartw. 330.—Calif.

*caroliniana*, Benth. Lab. Gen. et Sp. 332 = *Monarda clinopodia*.  
*Douglasii*, Benth. l. c.—Calif.

*glabra*, Nutt. ex Benth. in DC. Prod. xii. 190 = *odoratissima*.  
*hypoleuca*, A. Gray, Syn. Fl. N. Am. ii. i. 356.—Calif.

*lanceolata*, A. Gray, in Proc. Am. Acad. xi. (1876) 102.—Calif.  
*leucocephala*, A. Gray, l. c. vii. (1868) 385.—Calif.

*linoides*, A. Gray, l. c. xi. (1876) 101.—Calif.  
*macrantha*, A. Gray, l. c. 100.—Calif.

*montana*, Benth. Lab. Gen. et Sp. 331 = *Pycnanthemum montanum*.

*nana*, A. Gray, in Proc. Am. Acad. xi. (1876) 101.—Calif.  
*odoratissima*, Benth. Lab. Gen. et Sp. 332.—Am. bor. occ.

*Palmeri*, A. Gray, in Proc. Am. Acad. xii. (1877) 82.—Calif.  
*Pringlei*, A. Gray, l. c. xix. (1883) 96.—Calif.

*Sheltoni*, Torr. ex Durand, in Journ. Acad. Nat. Sc. Philad. Ser. II. iii. (1855) 99 = *villosa*.

*tenuiflora*, S. Wats. ex A. Gray, in Proc. Am. Acad. xvii. (1881-82) 230 = *macrantha*.  
*thymifolia*, Greene, in Bull. Calif. Acad. i. IV. (1885) 211.—Calif.

*undulata*, Benth. Lab. Gen. et Sp. 332.—Calif.  
*villosa*, Benth. Bot. Voy. Sulph. 42. t. 21.—Calif.

MONARRHENUS, Cass. in Bull. Soc. Philom. (1817) 31. COMPOSITAE, Benth. & Hook. f. ii. 295.

MAHOMETA, DC. Prod. v. 457, in syn. (1836).  
*pinifolius*, Cass. in Dict. Sc. Nat. xxxii. 434.—Ins. Borbon.

*rufescens*, DC. Prod. v. 457.—Ins. Maurit.  
*salicifolius*, Cass. in Dict. Sc. Nat. xxxii. 434.—Ins. Maurit.

MONATHERA, Rafin. in Am. Monthly Mag. (1819) 190 = *Ctenium*, Panz. (Gramin.).

MONAVIA, Adans. Fam. ii. 211 (1763) = *Mimulus*, Linn. (Scrophul.).

MONBIN, Plum. ex Adans. Fam. ii. 341 (1763) = *Spondias*, Linn. (Anacard.).

MONDO, Adans. Fam. ii. 496 (1763) = *Carex*, Dill. (Cyperac.).

MONECHMA, Hochst. in Flora, xxiv. (1841) 374 = *Justicia*, Linn. (Acanth.).

*affine*, Hochst. l. c. xxvi. (1843) 76 = *J. debilis*.  
*angustifolium*, Nees, in DC. Prod. xi. 411 = *J. debilis*.

*bracteatum*, Hochst. in Flora, xxiv. (1841) 375 = *J. debilis*.

*ciliatum*, Hochst. ex Nees, in DC. Prod. xi. 411 = *J. violacea*.  
*debile*, Nees, l. c. = *J. debilis*.

*hispidum*, Hochst. in Flora, xxiv. (1841) 375 = *Schwabea ciliaris*.  
*Pilosella*, Nees, in DC. Prod. xi. 412 = *Siphonoglossa Pilosella*.

*violaceum*, Nees, l. c. 411 = *J. violacea*.

MONELLA, Herb. App. 29 (1821) = *Cyrtanthus*, Ait. (Amaryll.).

*angustifolia*, Herb. l. c. = *C. angustifolius*.  
*collina*, Salisb. Gen. Pl. Fragm. 139 = *C. collinus*.

*glauca*, Herb. App. 29 = *C. collinus*.  
*ochroleuca*, Herb. l. c. = *C. lutescens*.  
*odora*, Herb. l. c. = *C. odoratus*.

*pallida*, Herb. ex Kunth, Enum. Pl. v. 536 = *C. pallidus*.  
*spiralis*, Herb. App. 29 = *C. spiralis*.  
*ventricosa*, Herb. l. c. = *C. angustifolius*.

MONENCYANTHES, A. Gray, in Hook. Kew Journ. iv. (1852) 229 = *Helipterum*, DC. (Compos.).  
*gnaphaloides*, A. Gray, l. c. 230 = *H. moschatum*.

MONENTELES, Labill. Sert. Austro-Caled. 42. tt. 43, 44 (1825) = *Pterocaulon*, Ell. (Compos.).

*glandulosus*, F. Muell. ex Benth. Fl. Austral. iii. 523 = *P. glandulosus*.

*globiferus*, DC. Prod. v. 455 = *P. sphaclatus*.  
*intermedius*, DC. l. c. = *P. sphaclatus*.  
*Pterocaulon*, DC. l. c. = *P. Bojeri*.

*redolens*, DC. l. c.—N. Caled.  
*serrulatus*, Montr. in Mém. Acad. Lyon, x. (1860) 225.—N. Caled.

*sphaclatus*, Labill. Sert. Austro-Caled. 43. t. 44 = *P. sphaclatus*.

*sphaeranthoides*, DC. Prod. v. 556 = *P. sphaeranthoides*.

*spicatus*, Labill. Sert. Austro-Caled. 43. t. 43 = *P. cylindrostachyum*.  
*tomentosus*, Sch. Bip. in Zoll. Syst. Verz. Ind. Archip. 122, nomen.—Malaya.

*verbascifolius*, F. Muell. ex Benth. Fl. Austral. iii. 523 = *P. verbascifolius*.

MONERMA, Beauv. Agrost. 116 (1812) = *Psilurus*, Trin. (Gramin.).

*cylindrica*, Coss. & Dur. Expl. Alg. 214 = *Lepturus cylindricus*.

*Gangitis*, Roem. & Schult. Syst. ii. 800 = *Ctenium carolinianum*.

*monandra*, Beauv. Agrost. 117 = *Psilurus nardoides*.  
*ramosa*, Schult. Mant. ii. 441 = *Lepturus ramosus*.

*repens*, Beauv. Agrost. 117 = *Lepturus repens*.  
*simplex*, Gaudich. in Freyc. Voy. Bot. 412 = *Lepturus cylindricus*?

*stricta*, Presl, ex Steud. Nom. ed. II. 156 = *Lolium perenne*.  
*subulata*, Beauv. Agrost. 117 = *Lepturus cylindricus*.



**MONESSES**, Salisb. ex S. F. Gray, Nat. Arr. Brit. Pl. ii. 403 (1821). *ERICACEAE*, Benth. & Hook. f. ii. 603.  
*BRYOPHTHALMUM*, E. Mey. Preuss. Pflanzeng. 101 (1839).  
*brevicaulis*, Schur, in Verh. Siebenb. Ver. Naturw. iv. (1853) 49; x. (1859) 139 = *grandiflora*.  
*grandiflora*, S. F. Gray, Nat. Arr. Brit. Pl. ii. 403.—Reg. bor. et arct.  
*reticulata*, Nutt. in Trans. Am. Phil. Soc. N. S. viii. (1843) 271 = *grandiflora*.  
*uniflora*, A. Gray, Man. Bot. N. U. St. ed. I. 273 = *grandiflora*.  
*verticillata*, Schur, in Verh. Siebenb. Ver. Naturw. ii. (1851) 170 = *grandiflora*.

**MONESIS**, Walp. Rep. ii. 734 (1843), err. typ. = *præc.*

**MONETIA**, L'Hérit. Stirp. Nov. 1. t. 1 (1784) = *Azima*, Linn. (Salvad.).  
*angustifolia*, Boj. ex A. DC. in DC. Prod. xvii. 29 = *A. angustifolia*.  
*barlerioides*, L'Hérit. Stirp. Nov. 1. t. 1 = *A. tetra-*  
*cantha*.  
*Brunoniana*, Wall. Cat. n. 7493 = *A. sarmentosa*.  
*diacantha*, Willd. Sp. Pl. i. 670 = *Plectronia parviflora*.  
*laxa*, Planch. in Ann. Sc. Nat. Sér. III. x. (1848) 191 = *A. sarmentosa*.  
*paleacea*, Spreng. Syst. i. 442.—Afr. austr.  
*sarmentosa*, Baill. Adansonia, ix. (1870) 289. t. 10 = *A. sarmentosa*.  
*tetracantha*, Salisb. Prod. 65 = *A. tetracantha*.  
*triphylla*, Dennst. Schluess. Hort. Malab. 31 = *Plectronia didyma*.

**MONGESIA**, Miers, in Journ. Linn. Soc. xvii. (1879) 285, sphalm. = *seq.*

**MONGEZIA**, Vell. Fl. Flum. 229 (1825) = *Symplocos*, Linn. (Styrac.).  
*glabra*, Vell. l. c.; v. t. 106 = *S. laxiflora*.  
*glabrata*, Steud. Nom. ed. II. ii. 157, sphalm. = *præc.*  
*pilosa*, Vell. Fl. Flum. 229; v. t. 105 = *S. pubescens*.

**MONGORIUM**, Desf. Fl. Atlant. i. 5 (1798) = *MO-*  
*GORIUM*, Juss. = *Jasminum*, Tourn. (Oleac.).

**MONGUIA**, Chapel. ex Baill. Adansonia, i. (1860-61) 147 = *Croton*, Linn. (Euphorb.).  
*cordifolia*, Chapel. ex Baill. l. c. 158 = *C. Mongue*.  
*lanceolata*, Chapel. ex Baill. l. c. 147 = *C. Chrysodaphne*.

**MONIERA**, B. Juss. ex P. Br. Hist. Jamaic. 269 (1756) = *Herpestis*, Gaertn. (Scrophul.).

**MONIERA**, Loeff. It. Hisp. 197, et **MONIERIA**, Loeff. l. c. 176 (1758) = *Monnieria*, Linn. (Rutac.).

**MONILIA**, S. F. Gray, Nat. Arr. Brit. Pl. ii. 110 (1821) = *Molinia*, Schrank (Gramin.).

**MONILIFERA**, Adans. Fam. ii. 127 (1763) = *Osteospermum*, Linn. (Compos.).

**MONILISTUS**, Rafin. Alsog. Am. 42 (1838) = *Populus*, Tourn. (Salic.).  
*monilifera*, Rafin. l. c. = *P. canadensis*.

**MONIMIA**, Thou. Hist. Vég. Isles de Fr. 35. t. 9 (1804). *MONIMIACEAE*, Benth. & Hook. f. iii. 139. citrina, Tul. in Ann. Sc. Nat. Sér. IV. iii. (1855) 32.—Ins. Borbon.  
*Lastelliana*, Baill. in Bull. Soc. Linn. Par. i. (1882) 342.—Madag.  
*ovalifolia*, Thou. Hist. Vég. Isles de Fr. t. 9. f. 1.—Ins. Mascar.  
*rotundifolia*, Thou. l. c. f. 2.—Ins. Mascar.

**MONINA**, Pers. Syn. ii. 270 (1807) = *Monnina*, Ruiz & Pav. (Polygal.).

**MONIPSIS**, Rafin. Fl. Tellur. iii. 85 (1836) = *Teucrium*, Tourn. (Labi.).  
*orchidea*, Rafin. l. c. = *T. bicolor*.

**MONIZIA**, Lowe, in Hook. Kew Journ. viii. (1856) 295 = *Thapsia*, Linn. (Umbell.).  
*edulis*, Lowe, l. c.—Ins. Mader.

**MONNELLA**, Salisb. Gen. Pl. Fragm. 139 (1866) = *MONELLA*, Herb. = *Cyrtanthus*, Ait. (Amaryll.).

**MONNERIA**, Spreng. Syst. iii. 157 (1826) = *Monnieria*, Linn. (Rutac.).

**MONNIERA**, B. Juss. ex P. Br. Hist. Jamaic. 269 (1756) (Moniera) = *Herpestis*, Gaertn. f. (Scrophul.).  
*africana*, Pers. Syn. ii. 166 = *H. Monnieria*.  
*amplexicaulis*, Michx. Fl. Bor. Am. ii. 22 = *H. amplexicaulis*.  
*Browniei*, Pers. Syn. ii. 166 = *H. Monnieria*.  
*cuneifolia*, Michx. Fl. Bor. Am. ii. 22 = *H. Monnieria*.  
*graveolens*, Mart. ex J. A. Schmidt, in Mart. Fl. Bras. viii. 308 = *H. depressa*.  
*pedunculosa*, Pers. Syn. ii. 166 = *H. Monnieria*.  
*rotundifolia*, Michx. Fl. Bor. Am. ii. 22 = *H. rotundifolia*.

**MONNIERA**, Juss. Gen. 421 (1789) = *seq.*

**MONNIERIA**, Linn. Syst. ed. X. 1153 (1759).  
*RUTACEAE*, Benth. & Hook. f. i. 286.  
*AUBLETIA*, Rich. in Pers. Syn. ii. 638 (1807).  
*ERTELA*, Adans. Fam. ii. 358 (1763).  
*MONIERA*, Loeff. It. Hisp. 197 (1758).  
*bahiensis*, Engl. in Mart. Fl. Bras. xii. 129.—Bras.  
*semiserrata*, Schrank, in Syll. Ratisb. ii. (1828) 63 (Quid ?).—Bras.  
*subserata*, Mart. ex Schrank, l. c. = *præc.*  
*trifolia*, Linn. Syst. ed. X. 1153.—Am. austr.

**MONNINA**, Ruiz & Pav. Syst. Veg. 169 (1798).  
*POLYGALEAE*, Benth. & Hook. f. i. 139.  
*HEBEANDRA*, Bonpl. in Ges. Naturf. Fr. Berl. Mag. ii. (1808) 40.

*aestuans*, DC. Prod. i. 338.—N. Granat.  
*angustata*, Triana & Planch. in Ann. Sc. Nat. Sér. IV. xvii. (1862) 140.—N. Granat.  
*angustifolia*, DC. Prod. i. 340.—Peruv.  
*angustifolia*, Schlecht. in Linnaea, xiv. (1840) 380 = *Schlechtendalia*.  
*bifurcata*, [Moc. & Sesse] ex DC. Prod. i. 339.—Mexic.  
*brachystachya*, Griseb. in Goett. Abh. xix. (1874) 75.—Reg. Argent.  
*caerulea*, G. Don, Gen. Syst. i. 367.—Mexic.  
*calophylla*, Poepp. & Endl. Nov. Gen. et Sp. iii. 66 = *Securidaca Corytholobium*.  
*cardiocalpa*, A. St. Hil. Fl. Bras. Mer. ii. 60. t. 93.—Bras.  
*cestrifolia*, H. B. & K. Nov. Gen. et Sp. v. 413. t. 502.—Am. austr.  
*ciliolata*, [Moc. & Sesse] ex DC. Prod. i. 340.—Mexic.  
*ciliolata*, G. Don, Gen. Syst. i. 368 = *præc.*  
*cladostachya*, Turcz. in Bull. Soc. Nat. Mosc. xxvii. (1854) II. 357.—Venezuela.  
*conferta*, Ruiz & Pav. Syst. Veg. 173.—Peruv.  
*cordata*, Klotzsch, ex Hassk. in Miq. Ann. Mus. Bot. Lugd. Bat. i. 192.—Bras.  
*crassifolia*, H. B. & K. Nov. Gen. et Sp. v. 411.—Ecuador.  
*crassifolia*, Triana & Planch. in Ann. Sc. Nat. Sér. IV. xvii. (1862) 143.—N. Granat.  
*crotalariaefolia*, W. Baxt. in Loud. Hort. Brit. Suppl. iii. 590 = *seq.*  
*crotalariaoides*, DC. Prod. i. 339.—Am. austr.  
*cuneata*, Herb. ex A. W. Benn. in Mart. Fl. Bras. xiii. III. 56 = *insignis*.  
*cuneata*, A. St. Hil. Fl. Bras. Mer. ii. 62. t. 95.—Bras.  
*cuspidata*, Benth. Pl. Hartw. 162.—Ecuador.  
*densa*, Planch. & Linden, ex Wedd. Chlor. And. ii. 268.—N. Granat.  
*Deppei*, G. Don, Gen. Syst. i. 367.—Mexic.  
*dictyocarpa*, Griseb. in Goett. Abh. xxiv. (1879) 23.—Reg. Argent.  
*diversifolia*, Klotzsch, ex A. W. Benn. in Mart. Fl. Bras. xiii. III. 58 = *cuneata*.  
*elongata*, Planch. & Linden, ex Triana & Planch. in Ann. Sc. Nat. Sér. IV. xvii. (1862) 137.—N. Granat.  
*emarginata*, A. St. Hil. Fl. Bras. Mer. ii. 63.—Bras.  
*epilobioides*, Klotzsch, ex A. W. Benn. in Mart. Fl. Bras. xiii. III. 58 = *Richardiana*.  
*euonymoides*, Schlecht. in Linnaea, xiv. (1840) 380.—Mexic.  
*exaltata*, A. W. Benn. in Mart. Fl. Bras. xiii. III. 59.—Bras.  
*excelsa*, Spreng. Syst. iv. Cur. Post. 265 = *Xanthophyllum excelsum*.  
*fastigiata*, DC. Prod. i. 338.—N. Granat.  
*floribunda*, Triana & Planch. in Ann. Sc. Nat. Sér. IV. xvii. (1862) 139.—N. Granat.

**MONNINA** :—

*herbacea*, DC. Prod. i. 340.—Peruv.  
*Hilairiana*, Klotzsch, ex Hassk. in Miq. Ann. Mus. Bot. Lugd. Bat. i. 192 = *cuneata*.  
*insignis*, A. W. Benn. in Mart. Fl. Bras. xiii. III. 56.—Bras.  
*lanceolata*, DC. Prod. i. 339.—Peruv.  
*lancifolia*, G. Don, Gen. Syst. i. 367.—Bras.  
*latifolia*, DC. Prod. i. 338.—N. Granat.  
*leptostachya*, Benth. Pl. Hartw. 125.—Peruv.  
*ligustrifolia*, H. B. & K. Nov. Gen. et Sp. v. 417.—Ecuador.  
*linearifolia*, Ruiz & Pav. Syst. Veg. 173.—Chili.  
*longifolia*, DC. Prod. i. 339.—Bras.  
*longifolia*, Klotzsch, ex A. W. Benn. in Mart. Fl. Bras. xiii. III. 57 = *stenophylla*.  
*longifolia*, Spreng. Syst. iv. Cur. Post. 265 = *Xanthophyllum longifolium*.  
*loxensis*, Benth. Pl. Hartw. 125.—Am. austr.  
*luteola*, Klotzsch, ex A. W. Benn. in Mart. Fl. Bras. xiii. III. 57 = *Tristaniana*.  
*macrophylla*, Steud. Nom. ed. II. ii. 157 = *Xanthophyllum longifolium*.  
*macrostachya*, Ruiz & Pav. Syst. Veg. 173.—Peruv.  
*marginata*, Presl, Rel. Haenk. ii. 102.—Peruv.  
*Martiana*, Klotzsch, ex A. W. Benn. in Mart. Fl. Bras. xiii. III. 59.—Bras.  
*membranacea*, Miq. Stirp. Surin. Sel. 30.—Guiana.  
*meridensis*, Planch. & Linden, ex Wedd. Chlor. And. ii. 268.—Venezuela.  
*mexicana*, G. Don, Gen. Syst. i. 367.—Mexic.  
*mollis*, Planch. & Linden, ex Triana & Planch. in Ann. Sc. Nat. Sér. IV. xvii. (1862) 139.—N. Granat.  
*myrtilloides*, DC. Prod. i. 339.—Peruv.  
*memorosa*, H. B. & K. Nov. Gen. et Sp. v. 416. t. 504.—Ecuador.  
*nervosa*, Steud. Nom. ed. II. i. 724, in syn. = *præc.*  
*obscura*, G. Don, Gen. Syst. i. 367.—Mexic.  
*obtusifolia*, H. B. & K. Nov. Gen. et Sp. v. 411.—N. Granat.  
*Olfersiana*, Klotzsch, ex Hassk. in Miq. Ann. Mus. Bot. Lugd. Bat. i. 192 = *Richardiana*.  
*pallida*, Spreng. Syst. iii. 175.—Bras.  
*paniculata*, Benth. Pl. Hartw. 126.—Peruv.  
*parviflora*, H. B. & K. Nov. Gen. et Sp. v. 419.—N. Granat.  
*phytolaccaefolia*, H. B. & K. l. c. 413.—Am. austr.  
*pilosa*, H. B. & K. l. c. 419.—Ecuador.  
*polystachya*, Ruiz & Pav. Syst. Veg. 171.—Peruv.  
*pterocarpa*, Ruiz & Pav. l. c. 174.—Peruv.  
*pubescens*, H. B. & K. Nov. Gen. et Sp. v. 418.—Venezuela.  
*resedoides*, A. St. Hil. Fl. Bras. Mer. ii. 61. t. 94.—Bras.  
*retusa*, Presl, Rel. Haenk. ii. 102.—Chili.  
*revoluta*, H. B. & K. Nov. Gen. et Sp. v. 412.—Peruv.  
*Richardiana*, A. St. Hil. Fl. Bras. Mer. ii. 66.—Bras.  
*rupestris*, H. B. & K. Nov. Gen. et Sp. v. 415.—N. Granat.  
*salicifolia*, Klotzsch, ex A. W. Benn. in Mart. Fl. Bras. xiii. III. 58 = *Richardiana*.  
*salicifolia*, Ruiz & Pav. Syst. Veg. 172.—Peruv.  
*Schlechtendalia*, D. Dietr. Syn. Pl. iv. 912.—Mexic.  
*Selloi*, Spreng. Syst. iii. 175.—Bras.  
*semiserrata*, Steud. Nom. ed. II. ii. 157, sphalm. = *Monnieria semiserrata*.  
*solandraefolia*, Triana & Planch. in Ann. Sc. Nat. Sér. IV. xvii. (1862) 138.—N. Granat.  
*speciosa*, Triana & Planch. l. c. 144.—N. Granat.  
*stenophylla*, A. St. Hil. Fl. Bras. Mer. ii. 64.—Bras.  
*stenophylla*, Steud. Nom. ed. II. ii. 157 = *Schlechtendalia*.  
*subscandens*, Triana & Planch. in Ann. Sc. Nat. Sér. IV. xvii. (1862) 143.—N. Granat.  
*sylvatica*, Cham. & Schlecht. in Linnaea, v. (1830) 231.—Mexic.  
*Tristaniana*, A. St. Hil. Fl. Bras. Mer. ii. 65.—Bras.  
*tuberosa*, G. Don, Gen. Syst. i. 367.—Bras.  
*vitellina*, Spreng. Syst. iv. Cur. Post. 265 = *Xanthophyllum vitellinum*.  
*Wrightii*, A. Gray, Pl. Wright, ii. 31.—N. Mexic.  
*xalapensis*, H. B. & K. Nov. Gen. et Sp. v. 414.—Mexic.

**MONNURIA**, Nees & Mart. in Nov. Act. Nat. Cur. xi. (1823) t. 18, sphalm. = *Monnieria*, Linn. (Rutac.).

**MONOBOTHRUM**, Hochst. in Flora, xxvii. 1844 = *Swertia*, Linn. (Gentian.).  
*Schimperi*, Hochst. l. c. 28 = *S. Schimperi*.



MONOCALLIS, Salisb. Gen. Pl. Fragm. 27 (1866) = *Scilla*, Linn. (Liliac.).  
*monophylla*, Salisb. l. c. 28 = *S. monophyllos*.

MONOCARPIA, Miq. in Ann. Mus. Bot. Lugd. Bat. ii. 12 (1865-66). ANONACEAE, Benth. & Hook. f. i. 956.  
*Blancoi*, Villar, in *Blanco, Fl. Philipp.* ed. III. Nov. App. 6.—Ins. Philipp.  
*euneura*, Miq. Ann. Mus. Bot. Lugd. Bat. ii. 12.—Borneo.

MONOCARYUM, R. Br. in Denh. & Clapp. Trav. App. 243 (1826) = *Colchicum*, Tourn. (Liliac.).  
*fasciculare*, Schult. f. Syst. vii. 1135 = *C. montanum*.

MONOCERA, Ell. Sketch, i. 176 (1817) = *Ctenium*, Panz. (Gramin.).  
*aromatica*, Ell. l. c. i. 177 = *C. carolinianum*.

MONOCERA, Jack, in Malay. Misc. i. (1820) n. v. 42 = *Elaeocarpus*, Burm. (Tiliac.).  
*aristata*, Jack, l. c. 43, in obs. = *E. aristatus*.  
*atrovirens*, Miq. Fl. Ind. Bat. i. ii. 213 = *E. atrovirens*.  
*bilocularis*, Jack, in Malay. Misc. i. (1820) n. v. 43, in obs. = *F. tuberculatus*.  
*ceylanica*, Arn. in Nov. Act. Nat. Cur. xviii. (1836) 323 = *E. ceylanicus*.  
*cuneifolia*, Miq. Fl. Ind. Bat. Suppl. 409.—Sumatra.  
*cyanea*, Hassk. Cat. Hort. Bog. Alt. 208 = *E. cyaneus*.  
*cyrtostachya*, Miq. Fl. Ind. Bat. Suppl. 408.—Sumatra.  
*densiflora*, Turcz. in Bull. Soc. Nat. Mosc. xxxi. (1858) i. 236, in obs. = *E. ellipticus*?  
*elliptica*, Turcz. l. c. = *E. Varunua*.  
*ferruginea*, Jack, in Malay. Misc. i. (1820) n. v. 44; Wight, Ic. t. 205 = *E. ferrugineus*.  
*glandulifera*, Hook. ex Wight, Illustr. i. 84 = *E. glandulifer*.  
*grandiflora*, Hook. Bot. Mag. t. 4680 = *E. grandiflorus*.  
*Griffithii*, C. Muell. Annot. Elaeocarp. 12 = *E. paniculatus*.  
*Griffithii*, Wight, Illustr. i. 84 = *E. Griffithii*.  
*holopetala*, Turcz. in Bull. Soc. Nat. Mosc. xix. (1846) ii. 496 = *E. Griffithii*.  
*integra*, C. Muell. Annot. Elaeocarp. 12 = *E. integer*.  
*isotricha*, Turcz. in Bull. Soc. Nat. Mosc. xix. (1846) ii. 494 = *E. isotrichus*.  
*lanceolata*, Hassk. Cat. Hort. Bog. Alt. 208 = *E. lanceolatus*.  
*leucobotrya*, Miq. Fl. Ind. Bat. Suppl. 409 = *E. paniculatus*.  
*lusonica*, Miq. Fl. Ind. Bat. i. ii. 213 = *E. Monocera*.  
*macrocera*, Turcz. in Bull. Soc. Nat. Mosc. xix. (1846) ii. 494 = *E. Monocera*.  
*multiflora*, Turcz. l. c. 495 = *E. multiflorus*.  
*Munroii*, Wight, Illustr. i. 84 = *E. Munroii*.  
*obtus*, Hassk. Cat. Hort. Bog. Alt. 208 = *E. obtusus*.  
*odontopetala*, Miq. Fl. Bat. Suppl. 409.—Sumatra.  
*palembanica*, Miq. l. c. 408.—Sumatra.  
*paniculata*, Wall. ex A. Gray, Bot. U. St. Expl. Exp. i. 203 = *E. Griffithii*.  
*petiolaris*, Steud. Nom. ed. II. ii. 157, sphalm. = seq.  
*petiolata*, Jack, in Malay. Misc. i. (1820) n. v. 43 = *E. integer*.  
*prunifolia*, C. Muell. Annot. Elaeocarp. 15 = *E. prunifolius*.  
*robusta*, Miq. Fl. Ind. Bat. i. ii. 212.—Java.  
*Roxburghii*, Wight, Ic. t. 63 = *E. aristatus*.  
*rugosa*, Wight, Ic. t. 61 = *E. rugosus*.  
*serrata*, Turcz. in Bull. Soc. Nat. Mosc. xix. (1846) ii. 495, in obs. = *E. serratus*.  
*subintegerrima*, Miq. ex Mast. in Hook. f. Fl. Brit. Ind. i. 405 = *E. tuberculatus*.  
*tricanthera*, Griff. Notul. iv. 518 = *E. Griffithii*.  
*tuberculata*, Wight & Arn. Prod. 83 = *E. tuberculatus*.  
*Walkerii*, Wight, Illustr. i. 84 = *E. ceylanicus*.

MONOCERAS, Auct. ex Steud. Nom. ed. II. ii. 159 (1841) = praec.

MONOCERAS, Steud. Nom. ed. I. 537 (1821) = *Velleia*, Sm. (Gooden.).

MONOCHAETE, Doell, in Mart. Fl. Bras. ii. III. 78. t. 22 (1878). GRAMINEAE, Benth. & Hook. f. iii. 1167.  
*fastigiata*, Doell, l. c. 79.—Bras.

MONOCHAETUM, Naud. in Ann. Sc. Nat. Sér. III. iv. (1845) 48. t. 2. MELASTOMACEAE, Benth. & Hook. f. i. 747.

EPHYNES, Rafin. Sylva Tellur. 101 (1838).  
GRISCHOWIA, Karst. Ausw. Neuer Gew. Venez. 15. t. 5 (1848).

LOEVIGIA, Karst. & Triana, Fl. Neo-Granad. 22; ex Linnaea, xxviii. (1856) 434.

alpestre, Naud. in Ann. Sc. Nat. Sér. III. iv. (1845) 50.—Mexic.

Bonplandii, Naud. l. c. 51; et xiv. (1850) 165.—Am. trop.

brachyurum, Naud. l. c. xiv. 162.—N. Granat.

bracteolatum, Triana, in Trans. Linn. Soc. xxviii. (1871) 64.—Panama.

calcaratum, Triana, l. c. 63 = Candolleum.

Candolleum, Naud. in Ann. Sc. Nat. Sér. III. iv. (1845) 51.—Mexic.

Deppeanum, Naud. l. c. (1850) 165.—Mexic.

dicranantherum, Naud. l. c. iv. (1845) 52.—Peruv.

dicranantherum, Triana, ex Hook. f. Bot. Mag. t. 5506 = Hartwegianum.

discolor, Karst. ex Triana, in Trans. Linn. Soc. xxviii. (1871) 63.—Venezuela.

ensiferum, Hook. Bot. Mag. t. 5132 = alpestre.

ensiferum, Naud. in Ann. Sc. Nat. Sér. III. iv. (1845) 50 = Candolleum.

floribundum, Naud. l. c. xiv. (1850) 165 = rivulare.

fuscescens, Naud. l. c. iv. (1845) 50 = lineatum.

glanduliferum, Triana, in Trans. Linn. Soc. xxviii. (1871) 62.—N. Granat.

Hartwegianum, Naud. in Ann. Sc. Nat. Sér. III. iv. (1845) 51.—N. Granat.

hirtum, Triana, in Trans. Linn. Soc. xxviii. (1871) 64.—Venezuela.

Humboldtianum, Seem. Bot. Voy. Herald, 122 = bracteolatum.

Humboldtianum, Walp. Rep. v. 702.—Venezuela.

latifolium, Naud. in Ann. Sc. Nat. Sér. III. iv. (1845) 49.—Venezuela.

Lindenianum, Naud. l. c. xiv. (1850) 158.—N. Granat.

lineatum, Naud. l. c. iv. (1845) 52.—Am. trop.

meridense, Naud. l. c. xiv. (1850) 165.—Venezuela; N. Granat.

multiflorum, Naud. l. c. iv. (1845) 52.—N. Granat.

myrtoideum, Naud. l. c. 51.—Mexic.; N. Granat.

myrtoideum, Seem. Bot. Voy. Herald, 284 = Candolleum.

Naudinianum, Neum. in Rev. Hort. (1861) 211 = alpestre.

oliganthum, Naud. in Ann. Sc. Nat. Sér. III. xiv. (1850) 159 = Candolleum.

osbeckioides, Naud. l. c. 165 = Humboldtianum.

pauciflorum, Triana, in Trans. Linn. Soc. xxviii. (1871) 63.—Ecuador.

plumosum, Naud. in Ann. Sc. Nat. Sér. III. xiv. (1850) 160 = pulchrum.

polyneurum, Triana, in Trans. Linn. Soc. xxviii. (1871) 62.—N. Granat.

pulchellum, Naud. in Ann. Sc. Nat. Sér. III. xiv. (1850) 161 = pulchrum.

pulchrum, Decne. in Rev. Hort. Sér. III. ii. (1848) 101. f. 6.—Mexic.

quadrangulare, Triana, in Trans. Linn. Soc. xxviii. (1871) 63.—N. Granat.

rivulare, Naud. in Ann. Sc. Nat. Sér. III. iv. (1845) 50.—Am. centr.

sericeum, Naud. ex Linden, in Belg. Hort. viii. (1858) 169 = Bonplandii.

stellulatum, Naud. in Ann. Sc. Nat. Sér. III. xiv. (1850) 160.—N. Granat.

tenellum, Naud. l. c. 159.—Guatemala.

tripinerve, Naud. l. c. iv. (1845) 51 = Deppeanum.

umbellatum, Naud. l. c. 49 = Humboldtianum.

MONOCHASMA, Maxim. ex Franch. & Sav. Enum. Pl. Jap. ii. 458 (1876). SCROPHULARINEAE.

Savateri, Franch. ex Maxim. in Bull. Soc. Nat. Mosc. liv. (1879) i. 39.—China.

Sheareri, Maxim. ex Franch. & Sav. Enum. Pl. Jap. ii. 458.—Japon.

MONOCHILA, Spach, Hist. Vég. Phan. ix. 227 (1840) = Goodenia, Sm.

MONOCHILON, Dulac, Fl. Hautes-Pyr. 405 (1867) = Teucrium, Tourn. (Labiata.).

*bipinnatifidus*, Dulac, l. c. = *T. Botrys*.  
*cordifolius*, Dulac, l. c. 406 = *T. Scorodonia*.  
*palustris*, Dulac, l. c. 405 = *T. Scordium*.  
*reptans*, Dulac, l. c. 406 = *T. pyrenaicum*.  
*rubellus*, Dulac, l. c. = *T. Chamaedrys*.  
*tomentosus*, Dulac, l. c. 405 = *T. Polium*.

MONOCHILUS, Fisch. & Mey. Ind. Sem. Hort. Petrop. i. 34 (1835). VERBENACEAE, Benth. & Hook. f. ii. 1147.  
*gloxinifolius*, Fisch. & Mey. l. c.—Bras.

MONOCHILUS, Wall. ex Lindl. Gen. et Sp. Orch. 486 (1840) = *Zeuxine*, Lindl. (Orchid.).

*affinis*, Lindl. l. c. 487.—Burma.

*affinis*, Wight, Ic. t. 1728 = *Z. longilabris*.

*Boryi*, Reichb. f. in Linnaea, xli. (1877) 60.—Ins. Borbon.

*clandestinus*, Miq. Fl. Ind. Bat. iii. 724 = *Z. clandestina*.

*flabellatus*, Wight, Ic. t. 1727 = *Cheirostylis flabellata*.

*flavus*, Wall. ex Lindl. Gen. et Sp. Orch. 487 = *Z. flava*.

*galeatus*, Lindl. in Journ. Linn. Soc. i. (1857) 187 = *Z. goodyeroides*.

*goodyeroides*, Lindl. l. c. = *Z. goodyeroides*.

*gracilis*, Lindl. ex Miq. Fl. Ind. Bat. iii. 723 = *Z. gracilis*.

*gymnochiloides*, Ridl. in Journ. Linn. Soc. xxi. (1885) 499 = *Cheirostylis gymnochiloides*.

*lepidus*, Reichb. f. Otia Bot. Hamb. 110.—Afr. trop.

*longilabris*, Lindl. Gen. et Sp. Orch. 487 = *Z. longilabris*.

*nervosus*, Wall. ex Lindl. l. c. = *Z. nervosa*.

*parviflorus*, Miq. Fl. Ind. Bat. iii. 724.—Java.

*plantagineus*, Reichb. f. Otia Bot. Hamb. 52.—Ins. Samoa.

*regius*, Lindl. Gen. et Sp. Orch. 487 = *Z. regia*.

*stenophyllus*, Reichb. f. Otia Bot. Hamb. 52.—Ins. Samoa.

*tetrapterus*, Reichb. f. l. c. 110.—Afr. trop.

*Vieillardii*, Reichb. f. in Linnaea, xli. (1877) 60.—N. Caled.

*Zollingeri*, Reichb. f. in Bonplandia, v. (1857) 35.—Java.

MONOCHLAENA, Cass. in Dict. Sc. Nat. l. 496 (1827) = *Eriocephalus*, Linn. (Compos.).

*racemosa*, Cass. l. c. = *E. umbellulatus*.

MONOCHORIA, Presl, Rel. Haenk. i. 127 (1827). PONTEDERIACEAE, Benth. & Hook. f. iii. 839.

GOMPHIMA, Rafin. Fl. Tellur. ii. 10 (1836).

LIMNOSTACHYS, F. Muell. Fragm. i. 24 (1858).

*cyanea*, F. Muell. Fragm. viii. 44.—Austral.

*dilatata*, Kunth, Enum. Pl. iv. 134 = *hastafolia*.

*dubia*, Miq. Fl. Ind. Bat. iii. 549 = *vaginalis*.

*hastafolia*, Presl, Rel. Haenk. i. 128.—As. trop.

*hastata*, Solms, in DC. Monog. Phan. iv. 523, sphalm. = *hastafolia*.

*Junghuhniana*, Hassk. in Flora, xxxv. (1852) 115 = *vaginalis*.

*Korsakowii*, Regel & Maack, in Mém. Acad. Pétersb. Sér. VII. iv. (1861) n. iv. 155 = *vaginalis*.

*linearis*, Miq. Fl. Ind. Bat. iii. 549 = *vaginalis*.

*Loureiirii*, Kunth, Enum. Pl. iv. 135 = *vaginalis*.

*ovata*, Kunth, l. c. 665.—China.

*pauciflora*, Kunth, l. c. 135 = *vaginalis*.

*plantaginea*, Kunth, l. c. = *vaginalis*.

*sagittata*, Kunth, l. c. 134 = *hastafolia*.

*vaginalis*, Presl, Rel. Haenk. i. 128, in obs.—As. et Afr. trop.

MONOCOCCUS, F. Muell. Fragm. i. 46 (1858). PHYTOLACCACEAE, Benth. & Hook. f. iii. 83.

*echinophorus*, F. Muell. l. c. 47.—Austral.

MONOCODON, Salisb. Gen. Pl. Fragm. 56 (1866) = *Fritillaria*, Tourn. (Liliac.).

MONOCOSMIA, Fenzl, Nov. Stirp. Dec. 84 (1839). PORTULACACEAE, Benth. & Hook. f. i. 158.

*corrigioloides*, Fenzl, l. c. 93.—Chili.

*verrucosa*, Phil. in Linnaea, xxxiii. (1864-65) 79.—Chili.

MONOCYCLIS, Wall. ex Voigt, Hort. Suburb. Calc. 135 (1845) = *Walsura*, Roxb. (Meliac.).

*robusta*, Wall. ex Voigt, l. c. = *W. robusta*.



- MONOCYSTIS**, Lindl. *Introd. Nat. Syst.* ed. II. 445 (1836) = **Alpinia**, Linn. (Scitam.).  
*abnormis*, Lindl. l. c. (= *Hellenia abnormis*).—China.
- MONODORA**, Dun. *Monog. Anon.* 79 (1817). **ANONACEAE**, Benth. & Hook. f. i. 26.  
*angolensis*, Welw. *Apont.* 587.—Afr. trop.  
*brevipes*, Benth. in *Trans. Linn. Soc.* xxiii. (1862) 475.—Afr. trop.  
*Grandidieri*, Baill. *Adansonia*, viii. (1867–68) 301.—Afr. trop.  
*grandiflora*, Benth. in *Trans. Linn. Soc.* xxiii. (1862) 474.—Afr. trop.  
*madagascariensis*, Baill. *Adansonia*, viii. (1867–68) 299.—Madag.  
*microcarpa*, Dun. *Monog. Anon.* 80 = *Diospyros Cargillia*.  
*Myristica*, Blanco, *Fl. Filip.* ed. II. 300 = *Monocarpia Blancoi*.  
*Myristica*, Dun. *Monog. Anon.* 80.—Jamaica.  
*stenopetala*, Oliver, *Fl. Trop. Afr.* i. 39.—Afr. trop.  
*tenuifolia*, Benth. in *Journ. Linn. Soc.* v. (1861) 72.—Afr. trop.
- MONODYNAMIS**, J. F. Gmel. *Syst.* 10 (1791) = **Usteria**, Willd. (Logan.).  
*guineensis*, Poir. *Encyc. Suppl.* iii. 732 = *U. guineensis*.  
*Iserti*, J. F. Gmel. *Syst.* 10 = *U. guineensis*.
- MONODYNAMUS**, Pohl, *Pl. Bras. Ic.* ii. 67. t. 144 (1831) = **Anacardium**, Rottl.  
*humilis*, Pohl, l. c. 68. t. 144 = *A. nanum*.
- MONOESTES**, Salisb. *Gen. Pl. Fragm.* 21 (1866) = **Lachenalia**, Jacq. (Liliac.).  
*unifolia*, Salisb. l. c. = *L. unifolia*.
- MONOGRAPHIDIUM**, Presl, *Epim. Bot.* 202 (1849) = **Cliffortia**, Linn. (Rosac.).  
*obcordatum*, Presl, l. c. = *C. obcordata*.
- MONOGYNELLA**, Des Moul. *Etudes Org. Cusc.* 65 (1853) = **Cuscuta**, Linn. (Convolv.).  
*Blancheana*, Des Moul. ex Engelm. in *Trans. Acad. St. Louis*, i. (1859) 515 = *C. monogyna*.  
*Vahlia*, Des Moul. *Etudes Org. Cusc.* 65 = *C. monogyna*.
- MONOLENA**, Triana, in Benth. & Hook. f. *Gen.* i. 756 (1867). **MELASTOMACEAE**, Benth. & Hook. f. l. c.  
*cordifolia*, Triana, in *Trans. Linn. Soc.* xxviii. (1871) 80.—N. Granat.  
*coriacea*, Triana, l. c.—N. Granat.  
*primulaeflora*, Hook. f. *Bot. Mag.* t. 5818.—Peruv.; N. Granat.  
*Sprucei*, Triana, in *Trans. Linn. Soc.* xxviii. (1871) 80 = *primulaeflora*.
- MONOLEPIS**, Schrad. *Ind. Sem. Hort. Gotting.* (1830) 4. **CHENOPODIACEAE**, Benth. & Hook. f. iii. 50.  
*asiatica*, Fisch. & Mey. in *Bull. Phys. Math. Acad. Petersb.* ii. (1844) 131.—Sibir.  
*chenopodioides*, Moq. in *DC. Prod.* xiii. ii. 85 = *trifida*.  
*pusilla*, Torr. ex S. Wats. in *Bot. King's Exp.* 289.—Am. bor. occ.  
*spathulata*, A. Gray, in *Proc. Am. Acad.* vii. (1863) 389.—Calif.  
*trifida*, Schrad. *Ind. Sem. Hort. Gotting.* (1830) 4.—Sibir.
- MONOLIX**, Rafin. *Cat.* 14 (1824) = **Callirhoë**, Nutt. (Malvac.).  
*digitata*, Rafin. l. c. = *C. digitata*.
- MONOLOPHUS**, Wall. *Pl. As. Rar.* i. 24. t. 24 (1830) = **Kaempferia**, Linn. (Scitam.).  
*coenobialis*, Hance, in *Journ. Bot.* viii. (1870) 75.—China.  
*elegans*, Wall. *Pl. As. Rar.* i. 24 = *K. elegans*.  
*linearis*, Wall. in *Roxb. Fl. Ind. ed. Carey*, i. 20 = *K. linearis*, secunda.  
*philippianus*, A. Dietr. *Allg. Gartenz.* xvii. (1849) 266.—Ind. or.  
*scaposus*, Dalz. in Hook. *Kew Journ.* ii. (1850) 143 = *K. scaposa*.  
*secunda*, Wall. in *Roxb. Fl. Ind. ed. Carey*, i. 19 = *K. secunda*.
- MONOLOPIA**, DC. *Prod.* vi. 74 (1837). **COMPOSITAE**, Benth. & Hook. f. ii. 400.  
*SPIRIDANTHES*, Fenzl, in *Endl. Gen. Suppl.* ii. 105 (1842).  
*bahiaefolia*, Benth. *Pl. Hartw.* 317.—Calif.  
*californica*, Fisch. Mey. & Avé-Lall. *Ind. Sem. Hort. Petrop.* ix. 80 = *Lasthenia glabrata*.  
*glabrata*, Fisch. & Mey. l. c. = *Lasthenia glabrata*.  
*gracilens*, A. Gray, in *Proc. Am. Acad.* xix. (1888) 20.—Calif.  
*Heermannii*, Durand, in *Journ. Acad. Sc. Nat. Philad.* Ser. II. iii. (1855) 93 = *bahiaefolia*.  
*lanceolata*, Nutt. in *Journ. Acad. Philad. N. S. i.* (1847) 175.—Calif.  
*major*, DC. *Prod.* vi. 74.—Calif.  
*minor*, DC. l. c.—Calif.
- MONOMERIA**, Lindl. *Gen. et Sp. Orch.* 61 (1830). **ORCHIDEAE**, Benth. & Hook. f. iii. 506.  
*barbata*, Lindl. in *Wall. Cat.* n. 1978; ex *ej. Gen. et Sp. Orch.* 61.—Burma.  
*Crabro*, Par. & Reichb. f. in *Trans. Linn. Soc.* xxx. (1874) 143 = *barbata*.
- MONOMESIA**, Rafin. *Fl. Tellur.* iv. 87 (1836) = **Coldenia**, Linn. (Borag.).
- MONOON**, Miq. *Ann. Mus. Lugd. Bat.* ii. 15 (1865) = **Polyalthia**, Blume (Anonac.).  
*biglandulosum*, Miq. l. c. 19 = *P. biglandulosum*.  
*canangioides*, Miq. l. c. 18.—Sumatra.  
*chloraxanthum*, Miq. l. c. 17.—N. Guin.  
*chrysium*, Miq. l. c. 15.—Sumatra.  
*costigerum*, Miq. l. c. 18.—Sumatra.  
*glaucum*, Miq. l. c. 19.—Java.  
*hirtum*, Miq. l. c. 16.—N. Guin.  
*incertum*, Miq. l. c. 19.—Java.  
*lateriflorum*, Miq. l. c. = *P. lateriflora*.  
*littorale*, Miq. l. c.—Java.  
*longipes*, Miq. l. c. 15.—Java.  
*macropodium*, Miq. l. c. 17.—N. Guin.  
*oligocarpum*, Miq. l. c. 18.—Sumatra.  
*pallidum*, Miq. l. c. 19.—Java.  
*sublanceolatum*, Miq. l. c. 18.—Borneo.  
*submitratum*, Miq. l. c. 16.—Borneo.  
*sumatranum*, Miq. l. c. 19 = *P. sumatrana*.  
*Teysmannii*, Miq. l. c.—Sumatra.
- MONOPANAX**, Regel, *Gartenfl.* xviii. (1869) 35. t. 606. = **Oreopanax**, Decne. & Planch. (Araliac.).  
*Ghiesbreghtii*, Regel, l. c. = *O. xalapense*.
- MONOPHALACRUS**, Cass. in *Dict. Sc. Nat.* liii. 235 (1828) = **Tessaria**, Ruiz & Pav. (Compos.).
- MONOPHYLLAEA**, R. Br. in *Benn. Pl. Jav. Rar.* 121 (1838). **GESNERACEAE**, Benth. & Hook. f. ii. 1017.  
*Beccarii*, C. B. Clarke, in *DC. Monog. Phan.* v. 183.—Borneo.  
*glaucia*, C. B. Clarke, l. c. 182.—Borneo.  
*hirtella*, Miq. *Fl. Ind. Bat. Suppl.* 564.—Sumatra.  
*Horsfieldii*, R. Br. in *Benn. Pl. Jav. Rar.* 115, 121.—Java.  
*Loweii*, C. B. Clarke, in *DC. Monog. Phan.* v. 183.—Borneo.  
*pygmaea*, C. B. Clarke, l. c.—Java.
- MONOPHYLLON**, Delarb. *Fl. Auv. ed. II.* 615 (1800) = **Maianthemum**, Web. (Liliac.).  
*Lobelii*, Delarb. l. c. = *Maianth. Convallaria*.
- MONOPLECTRA**, Rafin. *Fl. Ludov.* 106 (1817) = **Sesbania**, Pers. (Legumin.).
- MONOPLOCA**, Bunge, in *Lehm. Pl. Preiss.* i. 259 (1845) = **Lepidium**, Linn. (Crucif.).  
*leptopetala*, F. Muell. in *Trans. Phil. Soc. Vict.* i. (1855) 35 = *leptopetalum*.  
*linifolia*, Bunge, in *Lehm. Pl. Preiss.* i. 260 = *L. rotundum*.  
*phlebotopetala*, F. Muell. in *Linnaea*, xxv. (1852) 369 = *L. phlebotopetalum*.  
*rotunda*, Bunge, in *Lehm. Pl. Preiss.* i. 260 = *L. rotundum*.
- MONOPOGON**, J. & C. Presl, *Rel. Haenk.* i. 324. t. 44 (1830) = **Tristachya**, Nees (Gramin.).  
*avenaceus*, J. & C. Presl, l. c. = *T. leiostachya*.
- MONOPORANDRA**, Thw. in Hook. *Kew Journ.* vi. (1854) 69. t. 2. **DIPTEROCARPEAE**, Benth. & Hook. f. i. 194.  
*cordifolia*, Thw. l. c. 70.—Zeylan.  
*elegans*, Thw. l. c. 69. t. 2. f. B.—Zeylan.  
*lanceifolia*, Thw. *Enum. Pl. Zeyl.* 39.—Zeylan.
- MONOPORINA**, J. Presl, *Rostl.* ii. 277 (1825) = **Marila**, Sw. (Cappar.).  
*oenotheroides*, J. Presl, l. c. = *M. racemosa*.
- MONOPORUS**, A. DC. in *Ann. Sc. Nat. Sér. II.* xvi. (1841) 91. t. 7 = **Ardisia**, Sw. (Myrsin.).  
*paludosus*, A. DC. l. c.—Madag.
- MONOPSIS**, Salisb. in *Trans. Hort. Soc.* ii. (1817) 37 = **Lobelia**, Linn. (Campan.).  
*aspera*, Urb. in *Eichl. Bot. Jahrb.* i. (1881) 274 = *L. aspera*.  
*campanulata*, Sond. in *Harv. & Sond. Fl. Cap.* iii. 534 = *L. campanulata*.  
*conspicua*, Salisb. in *Trans. Hort. Soc.* ii. (1817) 37 = *L. debilis*.  
*corymbosa*, Presl, *Prod. Monog. Lobel.* 11 = *L. corymbosa*.  
*debilis*, Presl, l. c. = *L. debilis*.  
*dioica*, Presl, l. c. = *L. dioica*.  
*gracilis*, A. DC. in *DC. Prod.* vii. 352 = *L. campanulata*.  
*inconspicua*, Salisb. in *Trans. Hort. Soc.* ii. (1817) 40 = *L. anceps*.  
*litigiosa*, Fisch. & Mey. *Ind. Sem. Hort. Petrop.* vii. 53.—Afr. austr.  
*lutea*, Urb. in *Eichl. Bot. Jahrb.* i. (1881) 276 = *L. lutea*.  
*scabra*, Urb. l. c. 274 = *L. scabra*.  
*Schimperiana*, Urb. l. c. 275 = *L. stellarioides*.  
*Speculum*, A. DC. in *DC. Prod.* vii. 351 = *L. debilis*.  
*stellarioides*, Urb. in *Eichl. Bot. Jahrb.* i. (1881) 275 = *L. stellarioides*.  
*tenella*, Urb. l. c. 273 = *L. tenella*.  
*variifolia*, Urb. l. c. 277 = *L. variifolia*.
- MONOPTERA**, Sch. Bip. in Webb & Berth. *Phyt. Canar.* ii. 253 (1836–50) = **Chrysanthemum**, Linn. (Compos.).  
*filifolia*, Sch. Bip. l. c. = *C. dissectum*?
- MONOPTERIS**, Klotzsch, in Schomb. *Faun. & Fl. Gui.* 1181, nomen. **SAPINDACEAE**.  
*guianensis*, Klotzsch, l. c.—Guiana.
- MONOPTERYX**, Spruce, ex Benth. in *Mart. Fl. Bras.* xv. i. 307. t. 122 (1862). **LEGUMINOSAE**, Benth. & Hook. f. i. 552.  
*angustifolia*, Spruce, ex Benth. l. c. 307.—Bras.  
*Uauca*, Spruce, ex Benth. l. c. 308.—Bras.
- MONOPTILON**, Torr. & Gray, in *Proc. Bost. Soc. Nat. Hist.* i. (1844) 210; et ex A. Gray, in *Bost. Journ. Nat. Hist.* v. (1847) 106. t. 13. **COMPOSITAE**, Benth. & Hook. f. ii. 267.  
*bellidiforme*, Torr. & Gray, ex A. Gray, in *Bost. Journ. Nat. Hist.* v. (1847) 106.—Am. bor. occ.
- MONOPYLE**, Moritz, ex Benth. & Hook. f. *Gen.* ii. 997 (1876). **GESNERACEAE**, Benth. & Hook. f. l. c.  
*leucantha*, Moritz, ex Benth. in *Hook. Ic. Pl.* xii. 87.—Venezuela.  
*macrocarpa*, Benth. l. c. 85. t. 1198.—Costa Rica.  
*macrophylla*, Benth. l. c. 86.—N. Granat.  
*paniculata*, Benth. l. c.—Ecuador.  
*racemosa*, Benth. l. c. 87.—N. Granat.  
*subsessilis*, Benth. l. c. 86.—Peruv.
- MONORCHIS**, Ehrh. *Beitr.* iv. 147 (1789) = **Herminium**, Linn. (Orchid.).
- MONOSIS**, DC. *Prod.* v. 77 (1836) = **Vernonia**, Schreb. (Compos.).  
*brasiliensis*, Gardn. in Hook. *Lond. Journ. Bot.* v. 1840: 230 = *Vernonia*.  
*clavata*, Kuntz, *Ind. Sem. Hort. Berol.* 1848: 14 = *V. clavata*.  
*foliosa*, Benth. *Pl. Hartw.* 19 = *V. foliosa*, Sch. Bip.



## MONOSIS:—

- insularum*, A. Gray, in Proc. Am. Acad. v. (1861) 115.—Ins. Fiji.  
*salicifolia*, DC. Prod. v. 77 = *Vernonia salicifolia*.  
*tarchonanthisfolius*, DC. l. c. = *V. tarchonanthisfolia*.  
*tomentosa*, DC. l. c. = *V. Monosis*.  
*Wightiana*, DC. in Wight, Contrib. 1 = *V. Monosis*.

- MONOSOMA, Griff. Notul. iv. 502 (1854) = **Carapa**, Aubl. (Meliac.).  
*littorata*, Griff. l. c. = *C. moluccensis*.

- MONOSPORA, Hochst. in Flora, xxiv. (1841) 660 = **Trimeria**, Harv. (Bixin).  
*grandifolia*, Hochst. l. c. 661.—Afr. austr.  
*rotundifolia*, Hochst. l. c. = *T. alnifolia*.

- MONOSTEMMA, Turcz. in Bull. Soc. Nat. Mosc. (1848) i. 255 = **Sarcostemma**, R. Br. (Asclep.).  
*aphyllum*, Turcz. l. c. = *S. aphyllum*.  
*tetrapterum*, Turcz. l. c. = *S. tetrapterum*.

- MONOSTERIA, Rafin. Fl. Tellur. iii. 49 (1836) = **Gentiana**, Tourn.  
*dichotoma*, Rafin. l. c. = *G. tenella*.

- MONOSTICHE, Koern. in Regel, Gartenfl. (1858) 76, 88 = **Calathea**, G. F. W. Mey. (Scitam.).  
*colorata*, Koern. l. c. 88 = *C. colorata*.  
*Danielli*, Horan. Prod. Scitam. 13.—Afr. trop.  
*Hookeri*, Koern. in Nouv. Mém. Soc. Nat. Mosc. xi. (1859) 360. t. 6. f. 4 = *C. colorata*.

- MONOSTYLIS, Tul. in Arch. Mus. Par. vi. (1852) (Podost. Monog. 201) = **Apinagia**, Tul. (Podost.).  
*capillacea*, Tul. l. c. 202.—Bras.

- MONOTASSA, Salisb. Gen. Pl. Fragm. 36 (1866) = **Urginea**, Steinh. (Liliac.).  
*secunda*, Salisb. l. c. 37 = *U. secunda*.

- MONOTAXIS, Brongn. in Duperr. Voy. Coq. Bot. 223. t. 49 (1829). **EUPHORBIACEAE**, Benth. & Hook. f. iii. 264.

- HIPPOCREPANDRA*, Muell. Arg. in Linnaea, xxxiv. (1865-66) 61.

- REISSIPA, Steud. ex Klotzsch, in Lehm. Pl. Preiss. ii. 230 (1847).

- bracteata*, Nees, ex Klotzsch, in Lehm. Pl. Preiss. ii. 230 = *grandiflora*.

- cuneifolia*, Klotzsch, l. c. 229 = *occidentalis*.  
*ericoides*, Klotzsch, l. c. i. 177 = *grandiflora*.

- gracilis*, Baill. *Adansonia*, vi. (1865-66) 293.—Austral.

- grandiflora*, Endl. in Enum. Pl. Hueg. 19.—Austral.

- linifolia*, Brongn. in Duperr. Voy. Coq. Bot. 223. t. 49.—Austral.

- lurida*, Benth. Fl. Austral. vi. 80.—Austral.

- luteiflora*, F. Muell. Fragm. x. 51.—Austral.

- macrophylla*, Benth. Fl. Austral. vi. 79.—Austral.

- megacarpa*, F. Muell. Fragm. iv. 143.—Austral.

- Neesiana*, Baill. *Adansonia*, vi. (1865-66) 293 = *grandiflora*.

- occidentalis*, Endl. in Enum. Pl. Hueg. 19.—Austral.

- Oldfieldii*, Baill. *Adansonia*, vi. (1865-66) 293 = *lurida*.

- porantheroides*, F. Muell. ex Benth. Fl. Austral. vi. 80 = *occidentalis*.

- simplex*, Brongn. ex Steud. Nom. ed. II. ii. 158 = *linifolia*?

- tridentata*, Endl. Atakt. 8. t. 8 = *linifolia*.

- MONOTELES, Rafin. Sylva Tellur. 122 (1838) = **Bauhinia**, Linn. (Legumin.).

- paradoxa*, Rafin. l. c. (Quid?).—Hab.?

- MONOTES, A. DC. in DC. Prod. xvi. ii. 623 (1868). **DIPTEROCARPEAE**.

- africana*, A. DC. l. c. 624.—Afr. trop.

- MONOTHECA, A. DC. in DC. Prod. viii. 152 (1844) = **Reptonia**, A. DC. (Myrsin.).

- mascataensis*, A. DC. l. c. = *R. buxifolia*.

- MONOTHECIUM, Hochst. in Flora, xxiv. (1841) 374. **ACANTHACEAE**, Benth. & Hook. f. ii. 1104.  
**ANTHOCOMETES**, Nees, in DC. Prod. xi. 311 (1847).  
*aristatum*, T. Anders. in Thw. Enum. Pl. Zeyl. 234.—Ind. or.  
*glandulosum*, Hochst. in Flora, xxiv. (1841) 374.—Abyssin.

- MONOTHRUX, Torr. in Stansb. Utah Exped. 389. t. 7 (1852) = **Laphamia**, A. Gray (Compos.).  
*Stansburiana*, Torr. l. c. 390 = *L. Stansburii*.

- MONOTHYLACEUM, G. Don, Gen. Syst. iv. 116 (1837) = **Hoodia**, Sweet (Asclep.).  
*Gordonii*, G. Don, l. c. = *H. Gordonii*.

- MONOTHYLACIUM, Benth. & Hook. f. Gen. ii. 783 (1876), sphalm. = *prae*.

- MONOTOCA, R. Br. Prod. 546 (1810). **EPA-CRIDEAE**, Benth. & Hook. f. ii. 615.

- albans*, R. Br. l. c. 547 = *elliptica*.

- elliptica*, R. Br. l. c. 546.—Austral.

- empetrifolia*, R. Br. l. c. 547.—Austral.

- ledifolia*, A. Cunn. ex DC. Prod. vii. 756.—Austral.

- lineata*, R. Br. Prod. 547.—Austral.

- oligarrhenoides*, F. Muell. Fragm. ix. 47.—Austral.

- patens*, A. Cunn. ex DC. Prod. vii. 756 = *scoparia*.

- propinqua*, A. Cunn. l. c. = *scoparia*.

- Pumilio*, Spreng. Syst. i. 654 = *Needhamia Pumilio*.

- scoparia*, R. Br. Prod. 547.—Austral.

- tamariscina*, F. Muell. Fragm. vi. 79.—Austral.

- MONOTREMA, Koern. in Linnaea, xxxvii. (1871-72) 475 = **Stegolepis**, Klotzsch (Rapat.).

- aemulans*, Koern. l. c. 477 = *S. aemulans*.

- flavum*, Koern. l. c. 478.—Venezuela.

- MONOTRIS, Lindl. Bot. Reg. sub t. 1701 (1834) **Holothrix**, Rich. (Orchid.).

- secunda*, Lindl. l. c. = *H. Monotris*.

- MONOTROPA, Linn. Syst. ed. I (1735). **MONOTROPEAE**, Benth. & Hook. f. ii. 607.

- HYPOPITHYS**, Adans. Fam. ii. 443 (1763).

- MONOTROPION**, St. Lag. in Ann. Soc. Bot. Lyon, vii. (1880) 130.

- abietina*, Dum. in Bull. Soc. Bot. Belg. iv. (1865) 342.—Europ.

- coccinea*, Zucc. in Flora, xv. (1832) ii. Beibl. 100 = *uniflora*.

- epirrhizium*, St. Lag. in Ann. Soc. Bot. Lyon, vii. (1880) 130 = *Hypopitys multiflora*.

- fimbriata*, A. Gray, in Proc. Am. Acad. viii. (1873) 629.—Calif.

- flagrans*, Gilib. Fl. Lituan. ii. 191 = *Hypopitys multiflora*.

- glabra*, Bernh. ex Reichb. Fl. Germ. Excurs. 411 = *Hypopitys multiflora*.

- hirsuta*, Hornem. ex Willk. & Lange, Prod. Fl. Hisp. ii. 339 = *Hypopitys multiflora*.

- humilis*, D. Don, Prod. Fl. Nep. 151 = *uniflora*.

- hypophega*, Wallr. Sched. Crit. 191 = *Hypopitys multiflora*.

- hypopithys*, Linn. Sp. Pl. 387 = *Hypopitys multiflora*.

- Hypopitys*, Walt. Fl. Carol. 136 = *prae*.

- hypoxya*, Spreng. Syst. ii. 317 = *Hypopitys multiflora*.

- japonica*, Franch. & Sav. Enum. Pl. Jap. i. 297.—Japon.

- lanuginosa*, Michx. Fl. Bor. Am. ii. 266 = *Hypopitys multiflora*.

- Morisoni*, Pers. Syn. i. 469 = *uniflora*.

- Morisoniana*, Michx. Fl. Bor. Am. i. 266 = *prae*.

- nepalensis*, Wall. Cat. n. 7252 = *Hypopitys multiflora*.

- squamiformis*, Dulac, Fl. Hautes-Pyr. 421 = *Hypopitys multiflora*.

- uniflora*, Linn. Sp. Pl. 387.—Reg. Himal.; Japon.: Am. bor.

- MONOTROPION, St. Lag. in Ann. Soc. Bot. Lyon, vii. (1880) 130 = *prae*.

- MONOTROPSIS, Schwein. ex Ell. Sketch, i. 478 (1817) = **Schweinitzia**, Ell. (Monotrop.).

- odorata*, Schwein. ex Ell. l. c. = *S. odorata*.

- MONOXORA, Wight, Illustr. ii. 12. t. 97 (1841) = **Rhodamnia**, Jack (Myrtac.).  
*latifolia*, Benth. in Hook. Lond. Journ. Bot. ii. (1843) 218 = *R. latifolia*.  
*rubescens*, Benth. l. c. 219 = *R. trinervia*.  
*spectabilis*, Wight, Illustr. ii. 12 = *R. trinervia*.

- MONROA, Torr. in Pacif. Rail. Rep. iv. 158 (1856) = **Munroa**, 'Torr.' (Gramin.).

- MONSONIA, Linn. Mant. i. 14 (1767). **GERANIA-CEAE**, Benth. & Hook. f. i. 271.

- OLOPETALUM**, Klotzsch, in Linnaea, x. (1835) 428.

- angustifolia*, E. Mey. in Drège, Zwei Pfl. Docum. 203 = *biflora*.

- apiculata*, E. Mey. l. c. (Quid?).—Afr. austr.

- arabica*, Steud. Nom. ed. II. ii. 158 = *ovata*.

- asiatica*, Vicary, in Journ. As. Soc. Beng. xvi. (1847) ii. 1161 = *senegalensis*.

- attenuata*, Harv. & Sond. Fl. Cap. i. 155.—Afr. austr.

- biflora*, DC. Prod. i. 138.—Afr. austr.

- Burkeana*, Planch. ex Harv. & Sond. Fl. Cap. i. 155.—Afr. austr.

- Burmanni*, DC. Prod. i. 638 = *Sarcocaulon Burmanni*.

- chumbalensis*, Wight, Ic. iii. iv. 5. t. 1047 = *senegalensis*.

- Dregeana*, Presl, Bot. Bemerk. 26.—Afr. austr.

- emarginata*, L'Hérit. Geran. t. 41 = *ovata*.

- Filia*, Hort. ex Willd. Enum. Hort. Berol. 717 = *pilosa*.

- Filia*, Linn. f. Suppl. 341 = *lobata*.

- grandiflora*, Burm. f. Fl. Cap. Prod. 23 = *spinosa*.

- heliotropoides*, Boiss. Fl. Orient. i. 897.—Egypt.; As. occ.

- Heritieri*, Steud. Nom. ed. II. ii. 158 = *L'Heritieri*.

- hispida*, Boiss. Diagn. Ser. I. viii. 120 = *heliotropoides*.

- incisa*, Dum.-Cours. Bot. Cult. ed. II. v. 49 = *lobata*.

- Lawiana*, Stocks, ex Wight, in Calc. Journ. Nat. Hist. vii. (1847) 19 = *senegalensis*.

- L'Heritieri*, DC. Prod. i. 638 = *Sarcocaulon L'Heritieri*.

- lobata*, Mont. in Gothob. Wet. Samk. Handb. i. Wet. Afd. II. (1780) 1. t. 1.—Afr. austr.

- macilenta*, E. Mey. in Drège, Zwei Pfl. Docum. 203 = *Sarcocaulon Patersonii*.

- mallica*, Edgew. in Journ. Linn. Soc. vi. (1862) 200 = *heliotropoides*.

- marginata*, Klotzsch, in Linnaea, x. (1835-36) 429, sphalm. = *emarginata*.

- mossamedensis*, Welw. in Oliver, Fl. Trop. Afr. i. 290.—Afr. trop.

- multifida*, E. Mey. in Drège, Zwei Pfl. Docum. 203 (Quid?).—Afr. austr.

- nivea*, Webb, Fragm. Fl. Aethiop. 59.—Afr. bor.

- obcordata*, E. Mey. in Drège, Zwei Pfl. Docum. 203 = *Sarcocaulon Patersonii*.

- ovata*, Cav. Diss. iv. 193. t. 113. f. 1.—Afr. bor. et austr.

- Patersonii*, DC. Prod. i. 639 = *Sarcocaulon Patersonii*.

- pilosa*, Willd. Enum. Hort. Berol. 717.—Afr. austr.

- praemorsa*, E. Mey. in Drège, Zwei Pfl. Docum. 203 = *ovata*.

- senegalensis*, Guill. & Perr. Fl. Seneg. Tent. i. 131.—Afr. trop. et austr.; As. trop. occ.

- speciosa*, Drège, ex Presl, Bot. Bemerk. 26 = *Dregeana*.

- speciosa*, Linn. Mant. i. 105.—Afr. austr.

- speciosa*, Sweet, Geran. t. 77 = *pilosa*.

- spinosa*, L'Hérit. Geran. t. 42 = *Sarcocaulon L'Heritieri*.

- tenuifolia*, Hort. ex Steud. Nom. ed. II. ii. 158 = *pilosa*.

- tenuifolia*, Willd. Sp. Pl. iii. 717.—Afr. austr.

- umbellata*, Harv. in Harv. & Sond. Fl. Cap. i. 255.—Afr. austr.

- MONSSONIA, Linn. Mant. i. 105 (1767) = *prae*.

- MONSTERA, Adans. Fam. ii. 470 (1763). **AROIDEAE**, Benth. & Hook. f. iii. 991.

- ALLOSCHEMONE**, Schott, Prod. Aroid. 358 (1860).

- FORNELIA**, Schott, in Oestr. Bot. Zeitschr. viii. (1858) 179, sphalm.

- SERANGIUM**, W. Wood, ex Salisb. Gen. Pl. Fragm. 5 (1866).

- TORNELIA**, Gutierrez, ex Schlecht. in Linnaea, xxvi. (1853-55) 382.

- acuminata*, C. Koch, Ind. Sem. Hort. Berol. (1855) App. 4.—Am. trop.



**MONSTERA:—**

- Adansonii*, Schott, in Wien. Zeitschr. iv. (1830) 1028; ex Endl. in Linnaea, vi. (1831) Litt. 52; Melet. i. 21 = pertusa.
- amomifolia*, Poepp. & Endl. Nov. Gen. et Sp. iii. 88 = Stenospermium amomifolium.
- Blanchetii*, Schott, Prod. Aroid. 367 = pertusa.
- Borsigiana*, C. Koch, Wochenschr. v. (1862) 275 = deliciosa?
- cannaefolia*, Schott, in Wien. Zeitschr. iv. (1830) 1028; ex Endl. in Linnaea, vi. (1831) Litt. 52; Melet. i. 21 = Spathiphyllum cannaeforme.
- caudata*, Schott, ll. cc. 1028; 53 = Epipremnum mirabile.
- crassifolia*, Schott, in Oestr. Bot. Zeitschr. ix. (1859) 40 = pertusa.
- cuspidata*, Gardn. in Hook. Lond. Journ. Bot. i. (1842) 540 = Philodendron propinquum.
- decursiva*, Schott, in Wien. Zeitschr. iv. (1830) 1028; ex Endl. in Linnaea, vi. (1831) Litt. 52 = Rhabdophora decursiva.
- deliciosa*, Liebm. in Kjoeb. Vidensk. Meddel. (1849) 19.—Am. trop.
- dilacerata*, C. Koch, Ind. Sem. Hort. Berol. (1855) App. 5.—Costa Rica.
- dimidiata*, Hort. ex Schott, Prod. Aroid. 372 = acuminata.
- egregia*, Schott, in Journ. Bot. ii. (1864) 53.—Hab.?
- expilata*, Schott, Prod. Aroid. 367 = obliqua.
- fenestrata*, Schott, in Oestr. Bot. Wochenbl. v. (1855) 290 = pertusa.
- Friedrichsthalii*, Schott, l. c. iv. (1854) 65.—Guatemala.
- Gaudichaudii*, Schott, Prod. Aroid. 368 = pertusa.
- gigantea*, C. Koch, ex Ender, Ind. Aroid. 74 = Epipremnum giganteum.
- gigantea*, Schott, in Wien. Zeitschr. iv. (1830) 1028; ex Endl. in Linnaea, vi. (1831) Litt. 52 = Epipremnum giganteum.
- glauca*, C. Koch, ex Ender, Ind. Aroid. 54 = Rhabdophora glauca.
- gracilis*, Engl. in DC. Monog. Phan. ii. 258.—N. Granat.
- Holtoniana*, Schott, in Oestr. Bot. Zeitschr. ix. (1859) 40 = pertusa.
- Imrayana*, Schott, l. c. = pertusa.
- Jacquini*, Schott, in Oestr. Bot. Wochenbl. iv. (1854) 66 = pertusa.
- Karwinski*, Schott, in Oestr. Bot. Zeitschr. ix. (1859) 99.—Mexic.
- Klotzschiana*, Schott, in Oestr. Bot. Wochenbl. iv. (1854) 419 = pertusa.
- lanceaefolia*, Schott, Prod. Aroid. 368 = pertusa.
- Lechleriana*, Schott, l. c. 366 = pertusa.
- Lennea*, C. Koch, in Bot. Zeit. x. (1852) 277; Ind. Sem. Hort. Berol. (1853) 15 = deliciosa.
- lingulata*, Schott, in Wien. Zeitschr. iv. (1830) 1028; ex Endl. in Linnaea, vi. (1831) Litt. 52 = Rhabdophora lingulata?
- macrophylla*, Schott, Prod. Aroid. 362 = pertusa.
- Maximiliani*, Engl. in Mart. Fl. Bras. iii. II. 113.—Bras.
- microstachys*, Schott, in Oestr. Bot. Wochenbl. v. (1855) 274 = obliqua.
- Milleriana*, Schott, in Oestr. Bot. Zeitschr. viii. (1858) 386 = pertusa.
- modesta*, Schott, Gen. Aroid. 75 = pertusa.
- multijuga*, C. Koch, ex Ender, Ind. Aroid. 73 = Rhabdophora decursiva.
- obliqua*, Miq. in Linnaea, xviii. (1844) 79.—Bras.; Guiana.
- oblongifolia*, Schott, Prod. Aroid. 369 = pertusa.
- occidentalis*, C. Koch, ex Ender, Ind. Aroid. 4.—Bras.
- officinalis*, Schott, in Wien. Zeitschr. iv. (1830) 1028; ex Endl. in Linnaea, vi. (1831) Litt. 52 = Scindapsus officinalis.
- ovata*, Schott, in Oestr. Bot. Zeitschr. viii. (1858) 387 = pertusa.
- Parkeriana*, Schott, l. c. ix. (1859) 41 = dilacerata.
- Peepia*, Schott, in Wien. Zeitschr. iv. (1830) 1028; ex Endl. in Linnaea, vi. (1831) Litt. 52 = Rhabdophora Peepia.
- pertusa*, Schott, in Wien. Zeitschr. iv. (1830) 1028; ex Endl. in Linnaea, vi. (1831) Litt. 52.—Am. trop.
- pinната*, Schott, ll. cc. 1028; 53 = Epipremnum mirabile.

**MONSTERA:—**

- pinnatifida*, Schott, in Wien. Zeitschr. iv. (1830) 1028; ex Endl. in Linnaea, vi. (1831) Litt. 53 = pertusa.
- Poeppigii*, Schott, Prod. Aroid. 365 = pertusa.
- protensa*, Schott, ex Engl. in DC. Monog. Phan. ii. 263 = pertusa.
- punctulata*, Schott, ex Engl. l. c. 259.—Mexic.
- Seemanni*, Schott, in Oestr. Bot. Zeitschr. ix. (1859) 40 = pertusa?
- Spruceana*, Engl. in Mart. Fl. Bras. iii. II. 115.—Bras.
- subpinnata*, Engl. in DC. Monog. Phan. ii. 267.—Peruv.
- surinamensis*, Schott, in Oestr. Bot. Zeitschr. viii. (1858) 387 = Rhabdophora pertusa.
- tenuis*, C. Koch, Ind. Sem. Hort. Berol. (1855) 4 = acuminata.
- trijuga*, C. Koch, ex Ender, Ind. Aroid. 73 = Rhabdophora decursiva.
- Velloziana*, Schott, in Oestr. Bot. Wochenbl. iv. (1854) 66 = pertusa.

MONTABEA, Roem. & Schult. Syst. iv. 527 (1819), sphalm. = *Moutabea*, Aubl. (Polygal.).

MONTAGNAEA, DC. Prod. v. 564 (1836) = *Montañoa*, Cerv. (Compos.).

- arborescens*, DC. l. c. 565 = *Montañoa arborescens*.
- atriplicifolia*, Sch. Bip. in Seem. Bot. Voy. Herald, 304 = *Montañoa arborescens*.
- clematidea*, Walp. in Linnaea, xiv. (1840) 308 = *Montañoa clematidea*.
- ensifolia*, Sch. Bip. in Seem. Bot. Voy. Herald, 304 = *Gymnolomia ensifolia*.
- excelsa*, Ernst, in Vargasia, i. (1870) 186.—Venezuela.
- floribunda*, DC. Prod. v. 564 = *Montañoa floribunda*.
- frutescens*, DC. l. c. 565 = *Montañoa frutescens*.
- grandiflora*, DC. l. c. = *Montañoa grandiflora*.
- heracleifolia*, Brongn. in Rev. Hort. (1863) 370 = *Montañoa bipinnatifolia*.
- heterophylla*, Walp. Rep. ii. 612 = *Montañoa tomentosa*.
- hibiscifolia*, Benth. ex Oerst. in Kjoeb. Vidensk. Meddel. (1852) 89 = *Montañoa hibiscifolia*.
- Karwinski*, DC. Prod. v. 565 = *Montañoa Karwinski*.
- ovalifolia*, DC. l. c. 566 = *Montañoa ovalifolia*.
- purpurea*, Brongn. in Rev. Hort. (1863) 370, in obs. = *Montañoa purpurea*.
- speciosa*, DC. Prod. v. 565 = *Montañoa speciosa*.
- tomentosa*, DC. l. c. 564 = *Montañoa tomentosa*.

MONTALBANIA, Neck. Elem. i. 273 (1790) = *Clerodendron*, Linn. (Verben.).

**MONTAÑO**, Cerv. in La Llave & Lex. Nov. Veg. Desc. fasc. ii. 11 (1825). *COMPOSITAE*, Benth. & Hook. f. ii. 364.

- ERIOCARPHA*, Cass. in Dict. Sc. Nat. lix. 236 (1829).
- ERIOCOMA*, H. B. & K. Nov. Gen. et Sp. iv. 267. t. 396 (1820).
- MONTAGNAEA, DC. Prod. v. 564 (1836).
- PRIESTLEYA*, Moq. & Sesse, ex DC. Prod. v. 564 (1836).
- UHDEA*, Kunth, Ind. Sem. Hort. Berol. (1847).—Cf. Ann. Sc. Nat. Sér. III. ix. (1848) 316.
- arborescens*, C. Koch, Wochenschr. vii. (1864) 406.—Mexic.
- Aschenbornii*, Sch. Bip. ex C. Koch, l. c. 407.—Mexic.
- atriplicifolia*, C. Koch, l. c. = *arborescens*.
- bipinnatifida*, C. Koch, l. c.—Mexic.
- clematidea*, Hemsl. Biol. Centr. Am. Bot. ii. 165.—Mexic.
- crenata*, Sch. Bip. ex C. Koch, Wochenschr. vii. (1864) 407.—Mexic.
- elegans*, C. Koch, l. c. 408.—Mexic.
- floribunda*, C. Koch, l. c. 406.—Mexic.
- frutescens*, Hemsl. Biol. Centr. Am. Bot. ii. 165.—Mexic.
- gracilis*, Sch. Bip. ex C. Koch, Wochenschr. vii. (1864) 407.—Mexic.
- grandiflora*, Hemsl. Biol. Centr. Am. Bot. ii. 165.—Mexic.
- grandiflora*, Hemsl. l. c. (sp. diversa).—Mexic.
- heracleifolia*, Brongn. in Rev. Hort. Sér. IV. v. (1857) 544 = *bipinnatifida*.

**MONTAÑO**—

- heterophylla*, Hemsl. Biol. Centr. Am. Bot. ii. 166, in syn. = *tomentosa*.
- hibiscifolia*, C. Koch, Wochenschr. vii. (1864) 407.—Guatemala.
- Karwinski*, C. Koch, l. c.—Mexic.
- microcephala*, Sch. Bip. ex C. Koch, l. c. 406.—Mexic.
- mollissima*, Brongn. in Rev. Hort. Sér. IV. vi. (1857) 543.—Mexic.
- Olivae*, Sch. Bip. ex C. Koch, Wochenschr. vii. (1864) 406.—Mexic.
- Orbignyana*, Klatt, Comp. Francav. 8.—N. Mexic.
- ovalifolia*, C. Koch, Wochenschr. vii. (1864) 407.—N. Granat.
- purpurea*, Brongn. in Rev. Hort. Sér. IV. vi. (1857) 544, nomen.—Hab.?
- pyramidata*, Sch. Bip. ex C. Koch, Wochenschr. vii. (1864) 408.—Mexic.
- quadrangularis*, Sch. Bip. ex C. Koch, l. c. 407.—Venezuela.
- speciosa*, C. Koch, l. c. 408.—Mexic.
- ternifolia*, Sch. Bip. ex C. Koch, l. c. 406.—Mexic.
- Thomasii*, Klatt, in Abh. Naturf. Ges. Halle, xv. (1882) 328.—Mexic.
- tomentosa*, Cerv. in La Llave & Lex. Nov. Veg. Desc. fasc. ii. 11.—Mexic.
- triloba*, Sch. Bip. ex C. Koch, Wochenschr. vii. (1864) 406.—Mexic.
- uncinata*, Sch. Bip. ex C. Koch, l. c.—Mexic.
- xanthiifolia*, Sch. Bip. ex C. Koch, l. c.—Mexic.

MONTBRETIA, DC. in Bull. Soc. Philom. iii. (1803) 151 = *Tritonia*, Ker-Gawl. (Irid.).

- abyssinica*, Hochst. in Flora, xxiv. (1841) i. Intell. 21 = *Lapeyrousia abyssinica*.
- aequimaculata*, Heynh. Nom. ii. 417.—Hab.?
- anigozanthaeiflora*, Heynh. l. c. = *T. anigozanthiiflora*.
- capensis*, Voigt, Hort. Suburb. Calc. 611 = *T. rosea*.
- concolor*, Voigt, l. c. = *T. concolor*.
- crispa*, Voigt, l. c. 610 = *T. crispa*.
- crocata*, Voigt, l. c. 611 = *T. crocata*.
- deusta*, Voigt, l. c. = *T. deusta*.
- dubia*, Baker, in Journ. Linn. Soc. xvi. (1877) 169 = *T. dubia*.
- fenestrata*, Voigt, Hort. Suburb. Calc. 611 = *T. fenestrata*.
- flava*, Heynh. Nom. ii. 417; Klatt, in Linnaea, xxxii. (1863) 753 = *T. flava*.
- fucata*, Heynh. l. c. = *Antholyza fucata*.
- gallabatensis*, Schweinf. ex Baker, in Journ. Linn. Soc. xvi. (1877) 155 = *Lapeyrousia abyssinica*.
- kamisbergensis*, Baker, l. c. 169 = *T. kamisbergensis*.
- lacerata*, Baker, l. c. 168 = *T. crispa*.
- lancea*, Endl. ex Heynh. Nom. ii. 417 = *T. squalida*.
- laxifolia*, Klatt, in Linnaea, xxxii. (1863) 754 = *T. laxifolia*.
- lineata*, Voigt, Hort. Suburb. Calc. 610 = *T. lineata*.
- longiflora*, Voigt, l. c. = *Ixia paniculata*.
- miniata*, Voigt, l. c. 611 = *T. crispa*.
- odorata*, Heynh. Nom. ii. 418 = *Freesia refracta*.
- pallida*, Baker, in Journ. Linn. Soc. xvi. (1877) 168 = *Ixia paniculata*.
- pauciflora*, Baker, Journ. Bot. xiv. 1876) 336 = *T. pauciflora*.
- pectinata*, Heynh. Nom. ii. 418 = *T. crispa*.
- Pottsii*, Baker, in Gard. Chron. (1877) II. 424 = *T. Pottsii*.
- purpurea*, Heynh. Nom. ii. 418 = *T. crocata*.
- refracta*, Endl. ex Heynh. l. c. = *Freesia refracta*.
- Rocheana*, Heynh. l. c. = *T. Rochensis*.
- rosea*, Voigt, Hort. Suburb. Calc. 610; Baker, in Journ. Linn. Soc. xvi. (1877) 169 = *T. rosea*.
- sanguinea*, Heynh. Nom. ii. 418 = *T. crocata*.
- securigera*, [DC. in] Red. Lil. t. 53 = *T. securigera*.
- squalida*, Voigt, Hort. Suburb. Calc. 611 = *T. squalida*.
- striata*, Baker, in Journ. Bot. xiv. (1876) 337 = *T. Bakeri*.
- striata*, Voigt, Hort. Suburb. Calc. 610 = *Gladiolus striatus*.
- strictifolia*, Klatt, in Linnaea, xxxii. (1863) 753 = *T. strictifolia*.
- tenuiflora*, Voigt, Hort. Suburb. Calc. 611 = *Ixia paniculata*.
- viridis*, Voigt, l. c. 610 = *T. viridis*.
- xanthospila*, Heynh. Nom. ii. 418 = *Freesia xanthospila*.



MONTELIA, A. Gray, Man. Bot. N. U. St. ed. II. 369 (1856) = *Acnida*, Linn. (Amarant.).  
*tamariscina*, A. Gray, l. c. 370 = *A. tamariscina*.

MONTEVERDIA, A. Rich. Ess. Fl. Cub. 346 (1845) = *Maytenus*, Feuill. (Celastr.).  
*buxifolia*, A. Rich. l. c. 347 = *Maytenus buxifolia*.

MONTEZUMA, [Moç. & Sesse,] ex DC. Prod. i. 477 (1824). *MALVACEAE*, Benth. & Hook. f. i. 212. *speciosissima*, [Moç. & Sesse,] ex DC. l. c. —Mexic.

MONTIA, Hout. ex Linn. Hort. Cliff. 211 (1737) = *Heliocarpus*, Linn. (Tiliac.).

MONTIA, Mich. ex Linn. Syst. ed. I (1735). *POR-TULACEAE*, Benth. & Hook. f. i. 159.  
*LATERIFISSUM*, Dulac, Fl. Hautes-Pyr. 366 (1867).  
*LEPTRINA*, Rafin. in Am. Monthly Mag. (1819) 192.  
*LEPTRINA*, Schult. Mant. ii. 38 (1824).  
*alsine-facie*, Gilib. Fl. Lituan. i. 122 = fontana.  
*arvensis*, Wallr. Beitr. Fl. Hercyn. 177; et in Linnaea, xiv. (1840) 547 = fontana.  
*decumbens*, St. Lag. in Ann. Soc. Bot. Lyon, vii. (1880) 130 = fontana.  
*erecta*, Steud. Nom. ed. I. 538 = fontana.  
fontana, Linn. Sp. Pl. 87. —Reg. temp. bor. et austr.  
*gibba*, Griseb. in Goett. Abh. vi. (1854) 117. —Chili.  
Howellii, S. Wats. in Proc. Am. Acad. xviii. (1882-83) 191. —Am. bor.  
*lamprosperma*, Cham. in Linnaea, vi. (1831) 565 = fontana.  
*linearifolia*, Urv. in Mém. Soc. Linn. Par. iv. (1826) 619 = fontana.  
*major*, Steud. Nom. ed. II. ii. 159 = fontana.  
*minor*, C. C. Gmel. Fl. Bad. i. 301 = fontana.  
*pentandra*, Willd. ex Cham. in Linnaea, vi. (1831) 565 = fontana.  
*repens*, C. C. Gmel. Fl. Bad. i. 301 = fontana.  
*rivularis*, C. C. Gmel. l. c. = fontana.  
*tenella*, Froel. ex Steud. Nom. ed. II. ii. 159 = fontana.  
*terrestris*, Dum. Fl. Belg. 86 = fontana.  
*verna*, Neck. Delic. Gallo-Belg. i. 78 = fontana.

MONTINIA, Thunb. in Phys. Sällsk. Handl. i. (1776) 108. *ONAGRARIÆAE*, Benth. & Hook. f. i. 794.  
*acris*, Linn. f. Suppl. 427 = caryophyllaceae.  
caryophyllaceae, Thunb. in Phys. Sällsk. Handl. i. (1776) 109. —Afr. austr.  
*frutescens*, Harv. & Sond. Fl. Cap. ii. 308, in syn. = seq.  
*fruticosa*, Gaertn. Fruct. i. 170 = caryophyllaceae.

MONTIRA, Aubl. Pl. Gui. ii. 637. t. 257 (1775) = *Spigelia*, Linn. (Logan.).  
*guianensis*, Aubl. l. c. —Guian.

MONTOLIVAEA, Reichb. f. in Otia Bot. Hamb. 107 (1881) = *Habenaria*, Willd. (Orchid.).  
*elegans*, Reichb. f. l. c. = *H. elegans*.

MONTRICHARDIA, Crueg. in Bot. Zeit. xii. (1854) 25. *AROIDEAE*, Benth. & Hook. f. iii. 982. *aculeatum*, Crueg. l. c.; Schott, Syn. Aroid. 72. —Bras.  
*arboorea*, Schott, Syn. Aroid. 72 = *aculeatum*.  
*arborescens*, Schott, Araceen Betreff. 4 = *aculeatum*.  
Fendleri, Schott, Gen. Aroid. t. 49. —Panama.  
*linifera*, Schott, Araceen Betreff. 5. —Bras.  
Splitgerberi, Schott, in Bonplandia, vii. (1859) 29. —Guian.

MONTROUZERIA, Benth. & Hook. f. Gen. i. 173 (1862), sphalm. = seq.

MONTROUZIERA, Panch. ex Planch. & Triana, in Ann. Sc. Nat. Sér. IV. xiv. (1860) 292. *GUTTI-FERAE*, Benth. & Hook. f. i. 173.  
*cauliflora*, Planch. & Triana, l. c. 294. —N. Caled.  
*Gabriellae*, Baill. Adansonia, xi. (1873-76) 366. —N. Caled.  
*robusta*, Vieill. ex Panch. & Sebert, Not. Bois N. Caléd. 220. —N. Caled.  
*sphaeroides*, Panch. ex Planch. & Triana, in Ann. Sc. Nat. Sér. IV. xiv. (1860) 293. —N. Caled.  
*sphaeriflora*, Panch. in Panch. & Sebert, Not. Bois N. Caléd. 220. —N. Caled.  
*verticillata*, Planch. & Triana, in Ann. Sc. Nat. Sér. IV. xiv. (1860) 293. —N. Caled.

MONTEEA, C. Gay, Fl. Chil. iv. 416. t. 51 (1849).  
*SCROPHULARINEAE*, Benth. & Hook. f. ii. 946.  
*OXYCLADUS*, Miers, in Proc. Linn. Soc. ii. (1852) 156; et in Trans. Linn. Soc. xxi. (1853) 146. t. 18.  
chilensis, J. Gay, Fl. Chil. iv. 416. —Chili.  
Schickendantzii, Griseb. in Goett. Abh. xxiv. (1879) 240. —Reg. Argent.

MONUSTES, Rafin. Fl. Tellur. ii. 87 (1836) = *Spiranthes*, Rich. (Orchid.).  
*australis*, Rafin. l. c. = *S. australis*.

MOONIA, Arn. in Nov. Act. Nat. Cur. xviii. (1836) 348 = *Chrysogonum*, Linn. (Compos.).  
*Arnottiana*, Wight, Ic. t. 1105 = *C. Arnottianum*.  
*ecliptoides*, Benth. Fl. Austral. iii. 540 = *C. ecliptoides*.  
*heterophylla*, Arn. in Nov. Act. Nat. Cur. xviii. (1836) 349 = *C. heterophyllum*.  
*procumbens*, Benth. Fl. Austral. iii. 540 = *C. procumbens*.  
*trichodesmoides*, Benth. l. c. = *C. trichodesmoides*.

MOORCROFTIA, Choisy, in Mém. Soc. Phys. Genève. vi. (1833) 431 (Conv. Or. 49. t. 4) = *Lettsomia*, Roxb. (Convolv.).  
*adpressa*, Choisy, l. c. = *L. adpressa*.  
*pinangiana*, Choisy, l. c. 432 = *L. pinangiana*.

MOORIA, Montr. in Mém. Acad. Lyon, x. (1860) 207 = *Cloezia*, Brongn. (Myrtac.).  
*artensis*, Montr. l. c. = *C. floribunda*?

MOPHIGANES, Steud. Nom. ed. II. i. 699, in syn. (1840), sphalm. = *Mogiphanes*, Mart. (Amarant.).

MOQUILEA, Aubl. Pl. Gui. i. 521. t. 208 (1775).  
*ROSACEAE*, Benth. & Hook. f. i. 606.  
DAHURONIA, Scop. Introd. 219 (1777).  
*Aubletiana*, Blume, Mus. Bot. Lugd. Bat. ii. 92. —Guian.  
*bothynophylla*, Mart. ex Hook. f. in Mart. Fl. Bras. xiv. II. 26. —Bras.  
*bracteosa*, Walp. Rep. ii. 7 = *Couepia bracteosa*.  
*canomensis*, Mart. Nov. Gen. et Sp. ii. 80. t. 166 = *Couepia canomensis*.  
*chrysocalyx*, Poepp. & Endl. Nov. Gen. et Sp. iii. 75. t. 286 = *Couepia chrysocalyx*.  
*comosa*, Walp. Rep. ii. 6 = *Couepia comosa*.  
*Couepia*, Steud. Nom. ed. II. ii. 159 = *Couepia guianensis*.  
*Eliti*, Walp. Rep. ii. 6, sphalm. = *M. Uiti*.  
*floribunda*, Benth. in Hook. Journ. Bot. ii. (1840) 219. —Bras.

Gardneri, Hook. f. in Mart. Fl. Bras. xiv. II. 23. —Bras.  
*glandulosa*, Walp. Ann. ii. 463. —Guian.  
*grandiflora*, Mart. & Zucc. in Abh. Akad. Muench. i. (1832) 388 = *Couepia grandiflora*.  
*guianensis*, Aubl. Pl. Gui. i. 521. t. 208. —Guian.  
*humilis*, Hook. f. in Mart. Fl. Bras. xiv. II. 26. —Bras.  
*hypoleuca*, Miq. in Linnaea, xix. (1847) 438. —Mexic.  
*Kunthiana*, Mart. & Zucc. in Abh. Akad. Muench. i. (1832) 390 = *Couepia Kunthiana*.  
*licaniaeflora*, Sagot, in Ann. Sc. Nat. Sér. VI. xv. (1883) 308. —Guian.  
*longistyla*, Hook. f. in Mart. Fl. Bras. xiv. II. 24. —Bras.  
*minutiflora*, Sagot, in Ann. Sc. Nat. Sér. VI. xv. (1883) 308. —Guian.  
*multiflora*, Walp. Rep. ii. 7 = *Couepia multiflora*.  
*organensis*, Miers, in Journ. Linn. Soc. xvii. (1879) 374. —Bras.  
*pallida*, Hook. f. in Mart. Fl. Bras. xiv. II. 25. —Bras.  
*paraensis*, Mart. & Zucc. in Abh. Akad. Muench. i. (1832) 390. —Bras.  
*Parilla*, Steud. Nom. ed. II. ii. 159 = *Couepia Parilla*.  
*parviflora*, Blume, Mus. Bot. Lugd. Bat. ii. 92. —Guian.  
*pendula*, Benth. ex Hook. f. in Mart. Fl. Bras. xiv. II. 22. —Bras.  
*platypus*, Hemsl. Diagn. Pl. Nov. 9. —Nicaragua.  
Salzmanni, Hook. f. in Mart. Fl. Bras. xiv. II. 21. —Bras.  
*sclerophylla*, Mart. ex Hook. f. l. c. 23. —Bras.  
Sprucei, Hook. f. l. c. 22. —Bras.  
Steudeliana, Walp. Ann. ii. 463. —Guian.  
*tomentosa*, Benth. in Hook. Journ. Bot. ii. (1840) 215. —Guian.

# MOQUILEA:—

*turbinata*, Benth. ex Hook. f. in Mart. Fl. Bras. xiv. II. 23. —Bras.  
*Turiuva*, Hook. f. l. c. 25. —Bras.  
*Uiti*, Mart. & Zucc. in Abh. Akad. Muench. i. (1832) 390 = *Couepia Uiti*.  
*utilis*, Hook. f. in Mart. Fl. Bras. xiv. II. 24. —Bras.

MOQUINIA, DC. Prod. vii. 22 (1838). *COM-POSITAE*, Benth. & Hook. f. ii. 490.  
*SPADONIA*, Less. Syn. Comp. 99 (1832), nomen prius.

*Bojeri*, DC. Prod. vii. 23 (al. gen.). —Afr. trop.  
*cinerea*, DC. l. c. = polymorpha.  
*cinerea*, Gardn. in Hook. Lond. Journ. Bot. vi. (1847) 463 = Gardneri.  
*congesta*, Gardn. l. c. 459. —Bras.  
*cratensis*, Gardn. l. c. 458. —Bras.  
*curviflora*, Griseb. in Goett. Abh. xxiv. (1879) 211. —Reg. Argent.  
*desertorum*, Gardn. in Hook. Lond. Journ. Bot. vi. (1847) 459 = velutina.  
*eriosematoides*, Walp. Rep. ii. 679 = *Inula Cappa*.  
*flavescens*, Gardn. in Hook. Lond. Journ. Bot. vi. (1847) 458. —Bras.  
Gardneri, Baker, in Mart. Fl. Bras. vi. III. 348. —Bras.  
*hypoleuca*, DC. Prod. vii. 23 = *Gochnatia hypoleuca*.  
*lucida*, Baker, in Mart. Fl. Bras. vi. III. 347. —Bras.  
*oligocephala*, Gardn. in Hook. Lond. Journ. Bot. vi. (1847) 457. —Bras.  
*paniculata*, DC. Prod. vii. 23. —Bras.  
*polyccephala*, Gardn. in Hook. Lond. Journ. Bot. vi. (1847) 458 = velutina.  
polymorpha, DC. Coll. Mém. ix. t. 13. —Bras.  
*racemosa*, DC. Prod. vii. 23. —Bras.  
*tomentosa*, Bong. Nov. Comp. Bras. 43. t. 9 = *paniculata*.  
*tomentosa*, Schlecht. ex Mart. in Flora, xxiv. (1841) II. Beibl. 109 = velutina.  
velutina, Bong. Nov. Comp. Bras. 41. t. 8. —Bras.

MOQUINIA, Spreng. f. Tent. Syst. Suppl. 9 (1828) = *Loranthus*, Linn.  
*rubra*, Spreng. f. l. c. = *L. glaucus*.

MORA, Schomb. ex Benth. in Trans. Linn. Soc. xviii. (1839) 210. t. 16 = *Dimorphandra*, Schott (Legumin.).  
*conjugata*, Splitg. in Hoev. & De Vriese, Tijdschr. ix. (1842) 109. —Guian.  
*excelsa*, Benth. in Trans. Linn. Soc. xviii. (1839) 210 = *D. Mora*.

MORAEA, Mill. ex Linn. Sp. Pl. ed. II. 59 (1762).  
*IRIDEAE*, Benth. & Hook. f. iii. 688.

*DIETES*, Salisb. in Trans. Hort. Soc. i. (1812) 307.  
*FRENCHENTIA*, Eckl. Top. Verz. 14 (1827).  
*HELIXYRA*, Salisb. in Trans. Hort. Soc. i. (1812) 305.  
*HYMENOSTIGMA*, Hochst. in Flora, xxvii. (1844) 24.  
*IRIDOPSIS*, Welw. ex Baker, in Trans. Linn. Soc. Ser. II. i. (1878) 270.  
NARON, Medic. in Act. Acad. Theod. Palat. vi. Phys. (1790) 419.  
*PHAIANTHES*, Rafin. Fl. Tellur. iv. 30 (1836).  
*VIEUSSEUXIA*, Delar. Diss. 31. t. 5 (1766).  
*acrifolia*, H. B. K. Nov. Gen. et Sp. i. 322 = *Orthrosanthus chimboracensis*.  
*africana*, Thunb. Diss. Moraea, 7 = *Aristaea cyanea*.  
*alata*, Vahl, Enum. i. 154 = *Sisyrinchium palmifolium*.  
*andongensis*, Baker, in Trans. Linn. Soc. Ser. II. i. (1878) 271. —Afr. trop.  
*angusta*, Ker-Gawl. in Kon. & Sims, Ann. Bot. i. (1805) 240. —Afr. austr.  
*aphylla*, Linn. f. Suppl. 99; Thunb. Diss. Moraea, 9 = *Bobartia aphylla*.  
*Aristea*, Lam. Illustr. i. 114 = *Aristea cyanea*.  
*aurantiaca*, A. Dietr. Sp. Pl. ii. 485. —Afr. austr.  
*aurantiaca*, Eckl. Top. Verz. 15. —Afr. austr.  
*barbigera*, Salisb. in Trans. Hort. Soc. i. (1812) 306 = *pilosa*.  
*Bermudiana*, Thunb. Diss. Moraea, 7 = *Sisyrinchium Bermudiana*.  
*bicolor*, Steud. Nom. ed. II. ii. 159. —Afr. austr.  
*bituminosa*, Ker-Gawl. in Kon. & Sims, Ann. Bot. i. (1805) 240 = *viscaria*.  
*brasiliensis*, Link & Otto, ex Steud. Nom. ed. II. ii. 159 (Quid?). —Bras.  
*bulbifera*, Jacq. Hort. Schoenb. ii. 38 = *Sparaxis bulbifera*.



**MORAEA:—**

- Burchellii, Baker, in *Journ. Linn. Soc.* xvi. (1877) 132, nomen.—Afr. austr.  
*caerulea*, Thunb. Diss. Moraea, 12. t. 2. f. 2 = *Aristea capitata*.  
*Candelabrum*, Baker, in *Trans. Linn. Soc. Ser. II. i.* (1878) 271.—Afr. trop.  
*Candolleana*, Spreng. Syst. i. 164.—Afr. austr.  
*catenulata*, Lindl. Bot. Reg. t. 1074 = *iridioides*.  
*chimboraensis*, H. B. & K. Nov. Gen. et Sp. i. 322 = *Orthrosanthus chimboracensis*.  
*chinensis*, Thunb. Fl. Jap. 34 = *Pardanthus chinensis*.  
*ciliata*, Drège, ex Baker, in *Journ. Linn. Soc. xvi.* (1877) 129 = *papilionacea*.  
*ciliata*, Ker-Gawl. in *Kon. & Sims, Ann. Bot. i.* (1805) 241.—Afr. austr.  
*coerulea*, Auct. = *caerulea*.  
*collina*, Thunb. Diss. Moraea, 11 = *Homeria collina*.  
*corniculata*, Lam. Illustr. i. 115 = *Aristea umbellata*.  
*crispa*, Ker-Gawl. in *Bot. Mag. t.* 1284.—Afr. austr.  
*crispa*, Thunb. Diss. Moraea, 13 = *undulata*.  
*cultiformis*, Schott, ex Klatt, in *Mart. Fl. Bras. iii. i.* 521 = *Cypella gracilis*.  
*decussata*, Klatt, in *Abh. Naturf. Ges. Halle, xii.* (1882) 367 = *crispa*.  
*diandra*, Vahl, Enum. ii. 154 = *Diplarrhena Moraea*.  
*dichotoma*, Thunb. Prod. Pl. Cap. 186 = *Aristea dichotoma*.  
*diversifolia*, Baker, in *Journ. Linn. Soc. xvi.* (1877) 130.—Abyss.  
*edulis*, Ker-Gawl. in *Bot. Mag. t.* 613.—Afr. austr.  
*elegans*, Jacq. Hort. Schoenb. i. 6 = *Homeria elegans*.  
*exaltata*, Steud. Nom. ed. II. ii. 160 = *Homeria collina*.  
*falcifolia*, Klatt, in *Abh. Naturf. Ges. Halle, xii.* (1882) 366.—Afr. austr.  
*fasciculata*, Klatt, l. c.—Afr. austr.  
*Ferrariola*, Jacq. Coll. iv. 141 = *Ferraria Ferrariola*.  
*filiformis*, Linn. f. Suppl. 100 = *Bobartia filiformis*.  
*fimbriata*, Klatt, in *Linnaea*, xxxiv. (1865–66) 561.—Afr. austr.  
*fimbriata*, Loisel. in *Delaun. Herb. Amat. vi.* 412 = *Iris japonica*.  
*flaccida*, Steud. Nom. ed. II. ii. 160 = *Homeria collina*.  
*flexuosa*, Linn. f. Suppl. 100 = *Hexaglottis longifolia*.  
*foliosa*, H. B. & K. Nov. Gen. et Sp. i. 322 = *Nemastylis multiflora*.  
*fugax*, Jacq. Hort. Vindob. iii. 14. t. 20 = *edulis*.  
*fugax*, Steud. Nom. ed. II. ii. 160.—Afr. austr.  
*fugax*, Tenore, Syll. Fl. Neap. 26 = *Iris Sisyrinchium*.  
*galaxioides*, Baker, in *Journ. Linn. Soc. xvi.* (1877) 130, nomen.—Afr. austr.  
*Gawleri*, Spreng. Syst. v. (Index) 462 = *crispa*.  
*gigantea*, Klatt, in *Linnaea*, xxxv. (1867–68) 381.—Afr. austr.  
*gladiata*, Thunb. Diss. Moraea, 8 = *Bobartia gladiata*.  
*gladioloides*, H. B. & K. Nov. Gen. et Sp. i. 322 = *Orthrosanthus chimboracensis*.  
*glaucopsis*, Drapiez, *Encycl. iv.* (1836) cum ic. col.—Afr. austr.  
*glutinosa*, Baker, in *Trans. Linn. Soc. Ser. II. i.* (1878) 271.—Afr. trop.  
*gracilis*, Baker, l. c. 272 = *edulis*.  
*gracilis*, A. Dietr. Sp. Pl. ii. 478.—Afr. austr.  
*grandiflora*, Eckl. Top. Verz. 14 = *Homeria collina*.  
*grandiflora*, Pers. Syn. i. 49 = *Sisyrinchium grandiflorum*.  
*guttata*, Stokes, Bot. Comment. i. 229 = *Pardanthus chinensis*.  
*hantamensis*, Klatt, in *Abh. Naturf. Ges. Halle, xii.* (1882) 365 = *ciliata*.  
*Herberti*, Lindl. in *Bot. Reg. t.* 949 = *Cypella Herberti*.  
*hirsuta*, Ker-Gawl. Irid. Gen. 43; A. Dietr. Sp. Pl. ii. 478 = *papilionacea*.  
*humilis*, Eckl. Top. Verz. 15.—Afr. austr.  
*iridioides*, Linn. Mant. i. 28.—Afr. austr.  
*irioides*, Gaertn. Fruct. i. 40 = *praece*.  
*iriopetala*, Linn. f. Suppl. 100.—Afr. austr.  
*iriopetala*, Willd. Sp. Pl. i. 244 = *tristis*, *Homeria collina*.  
*ixioides*, Thunb. Diss. Moraea, 8 = *Libertia ixioides*.  
*junceae*, Linn. Sp. Pl. ed. II. 59.—Afr. austr.  
*linearis*, H. B. & K. Nov. Gen. et Sp. i. 321 = *Herbertia lineata*.  
*lineata*, Steud. Nom. ed. II. ii. 160 = *Homeria lineata*.  
*longiflora*, Ker-Gawl. in *Bot. Mag. t.* 712.—Afr. austr.  
*longifolia*, Pers. Syn. i. 49 = *Hexaglottis longifolia*.

**MORAEA:—**

- longifolia*, Sweet, Hort. Brit. ed. II. 497 = *edulis*.  
*longispatha*, Klatt, in *Linnaea*, xxxiv. (1865–66) 360 = *spathacea*.  
*lugens*, Linn. f. Suppl. 99 = *Aristea melaleuca*.  
*lurida*, Ker-Gawl. in *Bot. Reg. t.* 312.—Afr. austr.  
*magellanica*, Willd. Sp. Pl. i. 241 = *Tapeinia magellanica*.  
*melaleuca*, Thunb. Prod. Pl. Cap. 10 = *Aristea melaleuca*.  
*miniata*, Andr. Bot. Rep. t. 404 = *Homeria collina*.  
*minor*, Eckl. Top. Verz. 15.—Afr. austr.  
*minuta*, Ker-Gawl. in *Kon. & Sims, Ann. Bot. i.* (1805) 241 = *ciliata*.  
*mira*, Klatt, in *Trans. S. Afr. Phil. Soc. iii.* (1885) 202.—Afr. austr.  
*multiflora*, Eckl. Top. Verz. 14, nomen.—Afr. austr.  
*Northiana*, Schneevogt, Ic. tt. 41, 42; Andr. Bot. Rep. t. 255 = *Marica Northiana*.  
*ochroleuca*, Drapiez, *Encycl. iv.* (1836)—Afr. austr.  
*odora*, Salisb. Parad. Lond. t. 10 = *edulis*.  
*ovata*, Thunb. Prod. Pl. Cap. 186 = *Lapeyrouisia fissifolia*.  
*palmifolia*, Jacq. Ic. Pl. Rar. ii. t. 227 = *Eleutherina plicata*.  
*palmifolia*, Thunb. Diss. Moraea, 8 = *Sisyrinchium palmifolium*.  
*papilionacea*, Ker-Gawl. in *Bot. Mag. t.* 750.—Afr. austr.  
*pauciflora*, Eckl. Top. Verz. 14, nomen.—Afr. austr.  
*Pavonia*, Ker-Gawl. in *Kon. & Sims, Ann. Bot. i.* (1805) 240.—Afr. austr.  
*Pavonia*, Thunb. Diss. Moraea, 14 = *Tigridia Pavonia*.  
*pilosa*, Wendl. Bot. Beobacht. 42 = *ciliata*.  
*plicata*, Sw. Fl. Ind. Occ. i. 82 = *Eleutherina plicata*.  
*plumaria*, Ker-Gawl. in *Kon. & Sims, Ann. Bot. i.* (1805) 240 = *iriopetala*.  
*polyanthos*, Thunb. Diss. Moraea, 11.—Afr. austr.  
*polyphylla*, Baker, in *Journ. Linn. Soc. xvi.* (1877) 130, nomen. = *fasciculata*.  
*polystachya*, Ker-Gawl. in *Kon. & Sims, Ann. Bot. i.* (1805) 240.—Afr. austr.  
*porrifolia*, Steud. Nom. ed. II. ii. 160 = *Homeria lineata*.  
*pusilla*, Thunb. Diss. Moraea, 7 = *Aristea pusilla*.  
*racemosa*, Drège, ex Baker, in *Journ. Linn. Soc. xvi.* (1877) 131 = *ramosa*.  
*ramosa*, Endl. in *Harting. Parad. Vindob. t.* 7 = *Gladiolus carneus*.  
*ramosa*, Ker-Gawl. in *Bot. Mag. t.* 771.—Afr. austr.  
*repens*, Schrank, in *Denkschr. Bot. Ges. Regensb. ii.* (1822) 175 = *Aristea repens*.  
*Robinsoniana*, C. Moore & F. Muell. *Fragm. vii.* 153.—Ins. Dom. Howe.  
*sertula*, Jacq. Hort. Schoenb. i. 6. t. 11 = *Sisyrinchium striatum*.  
*setacea*, Ker-Gawl. in *Kon. & Sims, Ann. Bot. i.* (1805) 240.—Afr. austr.  
*setacea*, Steud. Nom. ed. II. ii. 160 = *praece*.  
*setifolia*, Eckl. Top. Verz. 14, nomen.—Afr. austr.  
*similis*, Eckl. l. c. 15.—Afr. austr.  
*Sisyrinchium*, Ker-Gawl. in *Kon. & Sims, Ann. Bot. i.* (1805) 241 = *Iris Sisyrinchium*.  
*sordescens*, Jacq. Coll. Suppl. 29 = *tristis*.  
*spathacea*, Ker-Gawl. in *Bot. Mag. sub t.* 1103.—Afr. austr.  
*spathacea*, Thunb. Diss. Moraea, 9 = *Bobartia indica*.  
*spicata*, Ker-Gawl. in *Bot. Mag. t.* 1283 = *Homeria elegans*.  
*spiralis*, Linn. f. Suppl. 99; Thunb. Diss. Moraea, 6 = *Aristea spiralis*.  
*spithameae*, Baker, in *Trans. Linn. Soc. Ser. II. i.* (1878) 271.—Afr. trop.  
*Tenoreana*, Sweet, Brit. Flow. Gard. t. 110 = *Iris Sisyrinchium*.  
*tenuis*, Ker-Gawl. in *Bot. Mag. t.* 1047.—Afr. austr.  
*textilis*, Baker, in *Trans. Linn. Soc. Ser. II. i.* (1878) 270.—Afr. trop.  
*Tigridia*, Baker, in *Journ. Linn. Soc. xvi.* (1877) 136 = *Tigridia Pavonia*.  
*tricolor*, Andr. Bot. Rep. t. 83 = *ciliata*.  
*tricuspis*, Ker-Gawl. in *Bot. Mag. t.* 696.—Afr. austr.  
*tripetala*, Ker-Gawl. l. c. t. 702.—Afr. austr.  
*tristis*, Ker-Gawl. in *Kon. & Sims, Ann. Bot. i.* (1805) 241.—Afr. austr.  
*umbellata*, Thunb. Diss. Moraea, 13 = *Aristea umbellata*.  
*undulata*, Ker-Gawl. Gen. Irid. 43.—Afr. austr.

**MORAEA:—**

- undulata*, Thunb. Diss. Moraea, 14 = *Ferraria undulata*.  
*unguicularis*, Lam. *Encyc. iv.* 275.—Afr. austr.  
*unguiculata*, Ker-Gawl. in *Bot. Mag. t.* 593 = *praece*.  
*vaginata*, [DC. in] Red. Lil. i. t. 56 = *Marica Northiana*.  
*vegeta*, Herb. Linn. ex Baker, in *Journ. Linn. Soc. xvi.* (1877) 130 = *iriopetala*.  
*vegeta*, Jacq. Ic. Pl. Rar. t. 224 = *edulis*.  
*vegeta*, Linn. Sp. Pl. 59 = *tristis*.  
*vegeta*, Mill. Gard. Diet. ed. VIII. n. 1 = *iridioides*.  
*villosa*, Ker-Gawl. ex Reichb. Fl. Exot. i. 22. t. 19. f. 1 = *M. Pavonia*.  
*virgata*, Jacq. Coll. iii. 194 = *Hexaglottis virgata*.  
*viscaria*, Ker-Gawl. in *Kon. & Sims, Ann. Bot. i.* (1805) 240.—Afr. austr.  
*Welwitschii*, Baker, in *Trans. Linn. Soc. Ser. II. i.* (1878) 270.—Afr. trop.  
*zambesiaca*, Baker, in *Journ. Linn. Soc. xvi.* (1877) 130, nomen.—Afr. trop.  
*Zeyheri*, Lehm. in *Ann. Sc. Nat. Sér. II. vi.* (1836) 107.—Afr. austr.
- MORANDA, Scop. *Introd.* 289 (1777) = *Pentapetes*, Linn. (*Stercul.*).
- MORELIA, A. Rich. in *Mém. Soc. Hist. Nat. Par. v.* (1834) 232. RUBIACEAE [Benth. & Hook. f. ii. 88.]  
*senegalensis*, A. Rich. l. c.—Afr. trop.
- MORELLA, Lour. Fl. Cochinch. 548 (1790) = *Myrica*, Linn.  
*rubra*, Lour. l. c. = *M. Nagi*.
- MORELOSIA, Lex. in La Llave & Lex. Nov. Veg. Desc. fasc. i. 1 (1824) = *Bourreria*, P. Br. (*Borag.*).  
*Huanita*, Lex. l. c. = *B. Huanita*.
- MORELOTIA, Gaudich. in Freyc. Voy. Bot. 416. t. 28 (1826) = *Gahnia*, Forst. (*Cyperac.*).  
*gahniaeformis*, Gaudich. l. c. = *G. Gaudichaudii*.
- MORENIA, Ruiz & Pav. Prod. 150. t. 32 (1794) = *Chamaedorea*, Willd. (*Palm.*).  
*Chonta*, Phil. in Bot. Zeit. xiv. (1856) 648; et in Anal. Univ. Chil. (1856) 168 = *Juania australis*.  
*corallina*, Karst. in *Linnaea*, xxviii. (1856) 274.—N. Granat.  
*corallocarpa*, Hort. ex H. Wendl. Ind. Palm. 29.—N. Granat.?  
*Ernesti-Augusti*, H. Wendl. in Otto & Dietr. Allg. Gartenz. xxi. (1858) 3 = *C. Ernesti-Augusti*.  
*fragrans*, Ruiz & Pav. Syst. Veg. 299 = *C. fragrans*.  
*integrifolia*, Trail, in Journ. Bot. xiv. (1876) 331.—Bras.  
*Lindeniana*, H. Wendl. in Bot. Zeit. xvii. (1859) 17 = *C. Lindeniana*.  
*oblongata*, H. Wendl. in Otto & Dietr. Allg. Gartenz. xxi. (1858) 3 = *C. Sartorii*.  
*pauciflora*, Drude, in Mart. Fl. Bras. iii. ii. 526.—Bras.  
*Poeppigiana*, Mart. Hist. Nat. Palm. iii. 161. tt. 140, 141.—Peruv.
- MORENOA, La Llave, in La Llave & Lex. Nov. Veg. Desc. fasc. i. 5 (1824) = *Ipomoea*, Linn. (*Convolv.*).  
*globosa*, La Llave, l. c. = *I. peduncularis*.  
*grandiflora*, La Llave, l. c. 17 = *I. Funis*.  
*patula*, La Llave, ex Steud. Nom. ed. II. ii. 161 (Quid?).—Mexic.
- MORETTIA, DC. Syst. ii. 426 (1821). CRUCIFERAE, Benth. & Hook. f. i. 70.  
*NECTOUNIA*, DC. Syst. ii. 149 (1821).  
*aspermia*, Boiss. in Ann. Sc. Nat. Sér. II. xvii. (1842) 60 = *philacana*.  
*canescens*, Boiss. Diagn. Ser. I. viii. 17.—Arab.  
*parviflora*, Boiss. in Ann. Sc. Nat. Sér. II. xvii. (1842) 60.—Arab.  
*philacae*, Spreng. Syst. ii. 883 = *philacana*.  
*philacana*, Boiss. in Ann. Sc. Nat. Sér. II. xvii. (1842) 60 = *canescens*.  
*philacana*, DC. Syst. ii. 426.—Arab.; Nubia.  
*Revoili*, Franch. in Revoil, Somali, 10.—Afr. trop.
- MORGAGNIA, Bubani, in Nouv. Ann. Sc. Nat. Bologn. ix. (1843) 92 = *Simethis*, Kunth (*Liliac.*).  
*bicolor*, Bubani, l. c. 94 = *S. bicolor*.



**MORGANIA**, R. Br. Prod. 441 (1810). *SCROPHULARINEAE*, Benth. & Hook. f. ii. 950.  
*aspera*, Spreng. Syst. ii. 803 = *Vandellia crustacea*.  
*caerulea*, Poir. Encyc. Suppl. iv. 1 = *glabra*.  
*callitricoides*, Spreng. Syst. ii. 803. — Venezuela.  
*floribunda*, Benth. in *Mitch. Journ. Trop. Austral.* 384. — Austral.  
*glabra*, R. Br. Prod. 441. — Austral.  
*hyssopioides*, Spreng. Syst. ii. 803 = *Ilysanthes hyssopioides*.  
*juncea*, Spreng. l. c. = *Dopatrium junceum*.  
*lucida*, Spreng. l. c. 802 = *Vandellia crustacea*.  
*parviflora*, Benth. *Fl. Austral.* iv. 489. — Austral.  
*pubescens*, R. Br. Prod. 441. — Austral.  
*rotundifolia*, Spreng. Syst. ii. 803 = *Ilysanthes rotundifolia*.  
*strigosa*, Spreng. l. c. = *Gratiola strigosa*.

**MORICANDA**, St. Lag. in *Ann. Soc. Bot. Lyon*, viii. (1881) 173 = seq.

**MORICANDIA**, DC. Syst. ii. 626 (1821). *CRUCIFERAE*, Benth. & Hook. f. i. 85.  
*CRANTZIA*, Lag. ex DC. Syst. ii. 509, 627, in syn. (1821).  
*DOUEPEA*, Cambess. in Jacquem. Voy. Bot. 18. t. 18 (1837).  
*ORYCHOPHRAGMUS*, Bunge, in *Mém. Sav. Etr. Acad. Pétersb.* ii. (1835) 81.  
*ODUNEYA*, R. Br. in Denh. & Clapp. Trav. App. 20 (1826).  
*alysifolia*, *Pomel, Nouv. Mat. Fl. Atl.* 366. — Alger.  
*arvensis*, DC. Syst. ii. 626. — Europ.; Reg. Mediterr.  
*baetica*, Boiss. & Reut. *Pugill. Pl. Nov.* (1852) 8. — Hispan.  
*clavata*, Boiss. & Reut. *Diagn. Ser. II.* v. 25. — Alger.; Arab.  
*crassifolia*, J. Gay, ex Boiss. *Fl. Orient.* i. 389 = *Diploaxis Sieberi*.  
*dumosa*, Boiss. *Diagn. Ser. I.* viii. 25. — Arab.  
*foetida*, *Bourg. ex Coss. Notes Crit.* 143. — Hispan.  
*hesperidiflora*, DC. Syst. ii. 627 = *Diploaxis Sieberi*.  
*longirostris*, *Pomel, Nouv. Mat. Fl. Atl.* 367. — Alger.  
*pallida*, *Pomel, l. c.* 365. — Alger.  
*papillosa*, *Steud. Nom. ed. II.* ii. 161, nomen. — Arab.  
*patula*, *Pomel, Nouv. Mat. Fl. Atl.* 225. — Alger.  
*Ramburii*, *Webb, Iter Hisp.* 73. — Hispan.  
*sinaica*, Boiss. *Fl. Orient.* i. 386. — Arab.; Pers.; Beluchist.  
*sonchifolia*, *Hook. Bot. Mag. t.* 6243. — China.  
*spinosa*, *Pomel, Nouv. Mat. Fl. Atl.* 365. — Alger.  
*suffruticosa*, *Coss. & Dur. in Bull. Soc. Bot. Fr.* iv. (1857) 395. — Alger.  
*teretifolia*, DC. Syst. ii. 628. — Afr. bor.  
*tortuosa*, *Hook. f. & Thoms. in Journ. Linn. Soc.* v. (1861) 172. — Ind. bor. occ.

**MORIERA**, Boiss. in *Ann. Sc. Nat. Sér. II.* xvi. (1841) 380. *CRUCIFERAE*, Benth. & Hook. f. i. 94.  
*CRENULARIA*, Boiss. l. c. (1842) 181.  
*LIPOPHRAGMA*, Schott & Kotschy, ex Boiss. *Diagn. Ser. II.* v. 42 (1856).  
*cabulica*, Boiss. *Diagn. Ser. II.* i. 41 = *spinosa*.  
*spinosa*, Boiss. in *Ann. Sc. Nat. Sér. II.* xvii. (1842) 182. — Persia.  
*umbellata*, Boiss. *Diagn. Ser. I.* vi. 16. — Persia.  
*virgata*, Boiss. in *Ann. Sc. Nat. Sér. II.* xvii. (1842) 183 = *Aethionema elongatum*.

**MORIERINA**, Vieill. in *Bull. Soc. Linn. Norm.* ix. (1865) 344. *RUBIACEAE*, Benth. & Hook. f. ii. 47.  
*montana*, *Vieill. l. c.* — N. Caled.  
*propinqua*, *Brongn. & Gris, in Ann. Sc. Nat. Sér. V.* xiii. (1870–71) 401. — N. Caled.

**MORILANDIA**, Neck. Elem. ii. 99 (1790) = *Cliffortia*, Linn. (Rosac.).

**MORINA**, Tourn. ex Linn. Syst. ed. I. (1735). *DIPSACEAE*, Benth. & Hook. f. ii. 158.  
*ASAPHE*, Spreng. Syst. iv. Cur. Post. 222 (1827).  
*Aucher*, Jaub. & Spach, *Illustr. v.* 32 = *persica*.  
*betonicoides*, Benth. in *Hook. Ic. Pl.* t. 1171. — Reg. Himal.

**MORINA** :—  
*breviflora*, Edgew. in *Trans. Linn. Soc.* xx. (1846) 62 = Coulteriana.  
*Coulteriana*, Royle, *Illustr. Bot. Himal.* 245. — Reg. Himal.  
*Delavayi*, *Franch. in Bull. Soc. Bot. Fr.* xxxii. (1885) 9. — China.  
*elegans*, Fisch. & Avé-Lall. *Ind. Sem. Hort. Petrop.* viii. 67 = *longifolia*.  
*græca*, Jaub. & Spach, *Illustr. v.* 32 = *persica*.  
*kokanica*, Regel, in *Bull. Soc. Nat. Mosc.* xl. (1867) i. 14. — Turkestan.  
*Lehmanniana*, Bunge, in *Mém. Sav. Etr. Pétersb.* vii. (1847) 321. — Turkestan.  
*longifolia*, Wall. *Cat. n.* 426. — Reg. Himal.  
*nana*, Wall. l. c. n. 424 = *nepalensis*.  
*nepalensis*, D. Don, *Prod. Fl. Nep.* 161. — Reg. Himal.  
*orientalis*, Mill. *Gard. Dict. ed. VIII* = *persica*.  
*parviflora*, Kar. & Kir. in *Bull. Soc. Nat. Mosc.* xv. (1842) 373. — Soongar.  
*persica*, Linn. *Sp. Pl.* 28. — Oriens; Reg. Himal.  
*polyphylla*, Wall. *Cat. n.* 425. — Reg. Himal.  
*subinermis*, Boiss. *Diagn. Ser. II.* vi. 94. — Bithynia.  
*Tournefortii*, Jaub. & Spach, *Illustr. v.* 30 = *persica*.  
*verticillata*, Moench, *Meth. Suppl.* 186 = *persica*.  
*Wallichiana*, Royle, *Illustr. Bot. Himal.* 245. t. 55. f. 1 = *persica*.

**MORINDA**, Linn. Gen. ed. I. 57 (1737). *RUBIACEAE*, Benth. & Hook. f. ii. 117.  
*GUTTENBERGIA*, Zoll. in *Nat. en Geneesk. Arch. Neêrl. Indie*, ii. (1846) 2.  
*ROJOC*, Adans. *Fam.* ii. 146 (1763).  
*SPHAEROPHORA*, Blume, *Mus. Bot. Lugd. Bat.* i. 179, f. 36 (1850).  
*acutifolia*, F. Muell. *Fragm.* ix. 179. — Austral.  
*angustifolia*, Roth, *Nov. Pl. Sp.* 147 = *tinctoria*.  
*angustifolia*, Roxb. *Hort. Beng.* 15; *Fl. Ind.* i. 547. — Ind. or.  
*artensis*, *Montr. in Mém. Acad. Lyon*, x. (1860) 219. — N. Caled.  
*aspera*, Wight & Arn. *Prod.* 420 = *tinctoria*.  
*axillaris*, Poir. in *Lam. Encyc.* iv. 315 = *Saldinia Pseudomorinda*.  
*Billardieri*, *Baill. Adansonia*, xii. (1879) 231. — N. Caled.  
*bracteata*, *Hort. Angl. ex Link, Enum. Hort. Berol.* i. 225 (an seq.?). — Hab.?  
*bracteata*, Roxb. *Hort. Beng.* 15; *Fl. Ind.* i. 544 = *citrifolia*.  
*bucidaefolia*, A. Gray, in *Proc. Am. Acad.* iv. (1860) 41. — Ins. Fiji.  
*celebica*, *Miq. Fl. Ind. Bat.* ii. 246. — Ins. Celebes.  
*Chachuca*, Buch.-Ham. in *Trans. Linn. Soc.* xiii. (1822) 536 = *tinctoria*.  
*choriophylla*, *Baill. Adansonia*, xii. (1879) 246. — N. Caled.  
*chrysorrhiza*, DC. *Prod.* iv. 450. — Afr. trop.  
*citrifolia*, Hunter, in *As. Res.* iv. (1795) 37; *Bedd. Fl. Sylv.* t. 220 = *tinctoria*.  
*citrifolia*, *Linn. Sp. Pl.* 176. — As. et Austral. trop.; Ins. Pacif.  
*cochinchinensis*, DC. *Prod.* iv. 449. — Cochinch.  
*Coreia*, Buch.-Ham. in *Trans. Linn. Soc.* xiii. (1822) 537 = *tinctoria*.  
*Cumingiana*, Vidal, *Phan. Cuming. Philipp.* 184 = *Lucinaea Cumingiana*.  
*exserta*, Roxb. *Hort. Beng.* 15; *Fl. Ind.* i. 545 = *tinctoria*.  
*fasciculata*, Benth. *Pl. Hartw.* 123. — Guatemala.  
*ferruginea*, A. Rich. *Fl. Cub. Fanerog.* ii. 19. — Cuba.  
*Forsteri*, *Seem. Fl. Vit.* 129. — Ins. Fiji.  
*gemella*, *Miq. Fl. Ind. Bat.* ii. 247. — N. Guin.  
*geminata*, DC. *Prod.* iv. 447 = *citrifolia*.  
*glomerata*, *Miq. Fl. Ind. Bat.* ii. 247. — N. Guin.  
*Grayi*, *Seem. Fl. Vit.* 130. — Ins. Fiji.  
*Jackiana*, Korth. in *Nederl. Kruidk. Arch.* ii. II. (1851) 227. — Malaya.  
*jasminoides*, A. Cunn. in *Hook. Bot. Mag.* t. 3351. — Austral.  
*Korthalsiana*, *Miq. Ann. Mus. Bot. Lugd. Bat.* iv. 214. — Sumatra.  
*lanceolata*, Wall. *Cat. n.* 8435 = *persicaefolia*.  
*Lastelliana*, *Baill. Adansonia*, xii. (1879) 231. — Madag.  
*laxa*, *Bartl. ex DC. Prod.* iv. 449. — Mexic.  
*leiantha*, Kurz, in *Journ. As. Soc. Beng.* xli. (1872) II. 313 = *tinctoria*.

**MORINDA** :—  
*ligulata*, Blanco, *Fl. Filip.* ed. II. 105 = *citrifolia*.  
*littoralis*, Blanco, l. c. 109 = *citrifolia*.  
*longiflora*, G. Don, *Gen. Syst.* iii. 545. — Afr. trop.  
*lucida*, Benth. in *Hook. Niger Fl.* 406 = *citrifolia*.  
*lucida*, A. Gray, in *Proc. Am. Acad.* iv. (1860) 41. — Ins. Fiji.  
*macrophylla*, Desf. *Cat. Hort. Par. ed. III.* 404 = *citrifolia*.  
*microcephala*, *Bartl. ex DC. Prod.* iv. 449. — Ins. Philipp.  
*microphylla*, D. Dietr. *Syn. Pl.* i. 784 = *microcephala*.  
*mollis*, A. Gray, in *Proc. Am. Acad.* iv. (1860) 41. — Ins. Fiji.  
*Mudia*, Buch.-Ham. in *Trans. Linn. Soc.* xiii. (1822) 536 = *tinctoria*.  
*multiflora*, Roxb. *Hort. Beng.* 15; *Fl. Ind.* i. 546 = *tinctoria*.  
*muscosa*, Jacq. *Enum. Pl. Carib.* 16 = *Cephaelis muscosa*.  
*myrtifolia*, A. Gray, in *Proc. Am. Acad.* iv. (1860) 41. — Ins. Fiji.  
*Naudia*, Buch.-Ham. ex *Hook. f. Fl. Brit. Ind.* iii. 156. err. typ. = *Mudia*.  
*nodosa*, Buch.-Ham. in *Trans. Linn. Soc.* xiii. (1822) 537 = *tinctoria*.  
*Padavara*, Juss. *Gen.* 206. — Cf. *Poir. Encyc. Suppl.* iv. 3, in obs. = *umbellata*.  
*palmetorum*, DC. *Prod.* iv. 448. — Afr. trop.  
*panamensis*, *Seem. Bot. Voy. Herald*, 136. — Panama.  
*parvifolia*, *Bartl. ex DC. Prod.* iv. 449. — Ins. Philipp.  
*peduncularis*, H. B. & K. *Nov. Gen. et Sp.* iii. 380. — Venezuela.  
*persicaefolia*, Buch.-Ham. in *Trans. Linn. Soc.* xiii. (1822) 535. — Burma; Malaya.  
*phylliraeoides*, *Labill. Sert. Austro-Caled.* 49. t. 49. — N. Caled.  
*piperiformis*, *Miq. Ann. Mus. Bot. Lugd. Bat.* iv. 135. — Ins. Timor.  
*polyneura*, *Miq. Fl. Ind. Bat.* ii. 244. — Java.  
*polysperma*, Jack, in *Malay. Misc.* i. (1820) n. v. 14 = *Lucinaea Morinda*.  
*pubescens*, *Sm. in Rees, Cycl.* xxiv. n. 3. — Ins. Maurit.  
*quadrangularis*, G. Don, *Gen. Syst.* iii. 545 = *citrifolia*.  
*reticulata*, Benth. *Fl. Austral.* iii. 424 = *Coelospermum decipiens*.  
*retusa*, *Poir. in Lam. Encyc.* iv. 316. — Madag.  
*rigida*, *Miq. Fl. Ind. Bat.* ii. 246. — Malaya.  
*Rojoc*, Lour. *Fl. Cochinch.* i. 174 = *umbellata*.  
*Royoc*, Blanco, *Fl. Filip.* ed. I. 148 = *tinctoria*.  
*Royoc*, Linn. *Sp. Pl.* 176 = *umbellata*.  
*sarmentosa*, *Blume, Bijdr.* 1006. — Java.  
*scandens*, Roxb. *Hort. Beng.* 86; *Fl. Ind.* i. 548 = *umbellata*.  
*speciosa*, Wall. *Cat. n.* 8436 = *Rennellia speciosa*.  
*squarrosa*, Buch.-Ham. in *Trans. Linn. Soc.* xiii. (1822) 535 = *angustifolia*.  
*stenophylla*, Spreng. *Syst.* i. 749 = *tinctoria*.  
*sumatrana*, *Miq. Ann. Mus. Bot. Lugd. Bat.* iv. 213. — Sumatra.  
*tetrandra*, Jack, in *Malay. Misc.* i. (1820) n. v. 13 = *umbellata*.  
*Teysmanniana*, *Miq. Fl. Ind. Bat.* ii. 244 = *tinctoria*.  
*tinctoria*, Noronha, in *Verh. Batav. Gen. v.* (1790) ed. I. Art. iv. 20 = *citrifolia*.  
*tinctoria*, Roxb. *Hort. Beng.* 15; *Fl. Ind.* i. 543. — Ind. or.; Malay.  
*tomentosa*, Heyne, in *Roth, Nov. Pl. Sp.* 147 = *tinctoria*.  
*turbacensis*, H. B. & K. *Nov. Gen. et Sp.* iii. 380. — N. Granat.  
*umbellata*, *Labill. ex Baill. Adansonia*, xii. (1879) 232 = *Billardieri*.  
*umbellata*, Linn. *Sp. Pl.* 176. — As. et Austral. trop.  
*umbellata*, Lour. *Fl. Cochinch.* 173 = *cochinchinensis*.  
*Vieillardii*, *Baill. Adansonia*, xii. (1879) 230. — N. Caled.  
*villosa*, *Hook. f. Fl. Brit. Ind.* iii. 158. — Reg. Himal.  
*Wallichii*, Kurz, in *Journ. As. Soc. Beng.* xli. (1872) II. 313. — Burma.  
*Zollingeriana*, *Miq. Fl. Ind. Bat.* ii. 243 = *tinctoria*.

**MORINDOPSIS**, Hook. f. in Benth. & Hook. f. *Gen. ii.* 93 (1873). *RUBIACEAE*, Benth. & Hook. f. l. c.  
*capillaris*, Kurz, in *Journ. As. Soc. Beng.* xliii. (1874) II. 189. — Burma.



**MORINGA**, Burm. Thes. Zeyl. 162. t. 75 (1737).*MORINGEAE*, Benth. & Hook. f. i. 430.

ALANDINA, Neck. Elem. ii. 456 (1790).

ANOMA, Lour. Fl. Cochinch. 278 (1790).

HYPERANTHERA, Forsk. Fl. Aegypt. Arab. 67 (1775).

aptera, Gaertn. Fruct. ii. 315.—Nubia; Arabia.

arabica, Pers. Syn. i. 460=aptera.

concanensis, Nimmo, in *J. Grah. Cat. Bomb. Pl.* 43.—Ind. or.

edulis, Medic. Theod. 48=pterygosperma?

erecta, Salisb. Prod. 326=pterygosperma.

Nux-eben, Desf. Cat. Hort. Par. ed. III. 303=pterygosperma.

octogona, Stokes, Bot. Mat. Med. ii. 466=pterygosperma.

oleifera, Lam. Encyc. i. 398=pterygosperma.

parvifolia, Noronha, in Verh. Batav. Gen. v. (1790) ed. I. Art. iv. 20=pterygosperma.

polygona, DC. Prod. ii. 478=pterygosperma.

pterygosperma, Gaertn. Fruct. ii. 314.—Ind. bor. occ. (alibi cult.).

robusta, Boj. Hort. Maurit. 117=pterygosperma?

seylanica, Pers. Syn. i. 461=pterygosperma.

**MORISIA**, J. Gay, in Colla, Hort. Rip. App. iv. 50 (1829). *CRUCIFERAE*, Benth. & Hook. f. i. 100. hypogaea, *J. Gay, l. c.*—Corsic.; Sardin.**MORISIA**, Nees, in Edinb. N. Phil. Journ. (Oct. 1834) 265=*Rynchospora*, Vahl (Cyperac.).capitata, Nees, in Linnæa, ix. (1834) 295 = *R. Wallichiana*.Wallichii, Nees, in Edinb. N. Phil. Journ. (Oct. 1834) 265; et in Wight, Contrib. 115=*R. Wallichiana*.**MORISONA**, Plum. ex Linn. Gen. ed. I. 364 (1737)=seq.**MORISONIA**, Linn. Sp. Pl. ed. I. 503 (1753).*CAPPARIDEAE*, Benth. & Hook. f. i. 107.americana, Linn. l. c.; *Jacq. Am. Select.* t. 97.—Am. austr.asiatica, Stocks, in Proc. Linn. Soc. i. (1848) 367, err. typ.=*Monsonia senegalensis*.flexuosa, Linn. Pl. Jam. Pugill. 14; Amoen. Acad. v. 398=*Capparis Cynophallophora*.

Imrayi, Griseb. Fl. Brit. W. Ind. 19.—Ins. Dominic.

Lawiana, Stocks, in Proc. Linn. Soc. i. (1848) 367, err. typ.=*Monsonia senegalensis*.

multiflora, Triana &amp; Planch. in Ann. Sc. Nat. Sér. IV. xvii. (1862) 87.—N. Granat.

**MORITZIA**, DC. ex Meissn. Gen. 280 (1840).*BORAGINEAE*, Benth. & Hook. f. ii. 859.

MERATIA, A. DC. in DC. Prod. x. 104 (1846).

ciliata, DC. Prod. x. 56.—Bras.

dasyantha, Fresen. in Mart. Fl. Bras. viii. 63.—Bras.

Sellowiana, Fresen. l. c.—Bras.

**MORITZIA**, Sch. Bip. ex Benth. & Hook. f. Gen. ii. 279 (1873)=*Podocoma*, Cass. (Compos.).glandulosa, Sch. Bip. ex Baker, in Mart. Fl. Bras. vi. III. 14, in nota=*P. glandulosa*.**MORMODES**, Lindl. Introd. Nat. Syst. ed. II. 446 (1836). *ORCHIDEAE*, Benth. & Hook. f. iii. 552.

CYCLOSLA, Klotzsch, in Otto &amp; Dietr. Allg. Gartenz. vi. (1838) 305.

aromatica, Lindl. in Bot. Reg. (1841) Misc. 76; (1843) t. 56.—Mexic.

atropurpurea, Hook. Bot. Mag. t. 4577=Hookeri.

atropurpurea, Lindl. Introd. Nat. Syst. ed. II. 446.—Ind. or.

barbata, Lindl. &amp; Paxt. Flow. Gard. ii. (1851-52) 57=Hookeri.

brachystachya, Klotzsch, Ind. Sem. Hort. Berol. (1852) 13=M. Buccinator.

Buccinator, Lindl. Bot. Reg. (1840) Misc. 9.—Mexic.

Cartoni, Hook. Bot. Mag. t. 4214.—Bras.

Colossus, Reichb. f. in Bot. Zeit. x. (1852) 636.—Am. centr.

convoluta, Lindl. &amp; Paxt. Flow. Gard. iii. (1852-53) 98, sub t. 93.—Bras.

Dayana, Reichb. f. in Gard. Chron. (1885) II. 552.—Mexic.

VOL. II.

**MORMODES**—

flavida, Klotzsch, in Otto &amp; Dietr. Allg. Gartenz. xx. (1852) 113=M. Buccinator.

fractiflexa, Reichb. f. in Gard. Chron. (1872) 141.—Costa Rica.

Greenii, Hook. f. Bot. Mag. t. 5802=M. Uncia.

Histrio, Linden &amp; Reichb. f. in Otto, Hamb. Gartenz. xv. (1859) 54.—Mexic.

holochrysa, Reichb. f. Xenia Orch. ii. 172, in obs. t. 170=variabilis.

Hookeri, Lem. Jard. Fleur. i. (1851) Misc. 116; ii. (1852) t. 118.—Panama.

ignea, Lindl. &amp; Paxt. Flow. Gard. iii. (1852-53) 97, t. 93.—N. Granat.

incisa, Reichb. f. in Gard. Chron. (1879) II. 582, lapsu=M. Uncia.

lenticinosa, Hook. Bot. Mag. t. 4455=M. Buccinator.

leucochila, Klotzsch, in Otto &amp; Dietr. Allg. Gartenz. xxi. (1853) 289=M. Buccinator.

lineata, Batem. ex Lindl. Bot. Reg. (1841) Misc. 52; (1843) t. 43.—Guatemala.

luxata, Lindl. l. c. (1842) Misc. 60; (1843) t. 33.—Mexic.

macrantha, Lindl. &amp; Paxt. Flow. Gard. iii. (1852-53) 98, sub t. 93=M. Colossus.

marmorea, Klotzsch, in Otto &amp; Dietr. Allg. Gartenz. xxi. (1853) 290=M. Buccinator.

Ocanae, Linden &amp; Reichb. f. in Walp. Ann. vi. 581 (Ocannae).—N. Granat.

pardina, Batem. Orch. Mex. &amp; Guatem. t. 14.—Mexic.

rosea, Rodrig. Orch. Nov. i. 131.—Bras.

sinuata, Reichb. f. &amp; Warm. in Otia Bot. Hamb. 90.—Bras.

Skinneri, Reichb. f. in Gard. Chron. (1869) 50.—Guatemala.

speciosa, Linden, ex Lindl. &amp; Paxt. Flow. Gard. iii. (1852-53) 174.—N. Granat.

Tibicen, Reichb. f. in Gard. Chron. (1870) 1085.—N. Granat.?

tigrina, Rodrig. Orch. Nov. i. 131.—Bras.

Uncia, Reichb. f. in Gard. Chron. (1869) 892.—Mexic.

variabilis, Reichb. f. l. c. 1038.—Am. austr.

vitellina, Klotzsch, in Otto &amp; Dietr. Allg. Gartenz. xxi. (1853) 290=M. Buccinator.

Wageneriana, Klotzsch, l. c. 147=M. Buccinator.

Warszewiczii, Klotzsch, l. c. xxii. (1854) 65=lineata.

Wendlandi, Reichb. f. in Walp. Ann. vi. 581.—Am. centr.

Williamsii, Hort. ex Nichols. Dict. Gard. ii. 385=luxata.

**MORMOLYCE**, Fenzl, in Denkschr. Acad. Wien,

Math. Nat. i. (1850) 253 (Nov. Gen. et Sp. I. t. 2).

*ORCHIDEAE*, Benth. & Hook. f. iii. 554.

lineolata, Fenzl, ll. cc.—Mexic.

**MORMORAPHIS**, Jack, ex Wall. Cat. n. 4931 (1831)=*Arthrophyllum*, Blume (Araliac.).sumatrana, Jack, ex Wall. l. c.=*A. diversifolium*.**MORNA**, Lindl. Bot. Reg. t. 1941 (1837); et (1838) t. 9=*Waizia*, Wendl. (Compos.).nitida, Lindl. l. c. t. 1941=*W. corymbosa*.nivea, Lindl. l. c. (1838) t. 9=*W. nivea*.**MOROCARPUS**, Adans. Fam. ii. 261 (1763)=*Cheno-**podium*, Tourn.capitatus, Scop. Fl. Carn. ed. II. i. 6=*C. capitatum*.foliosus, Moench, Meth. 342=*C. capitatum*.**MOROCARPUS**, Sieb. & Zucc. in Abh. Akad. Muench.iv. III. (1846) 218 (Fl. Jap. Fam. Nat. ii. 94)=*Debregeasia*, Gaudich. (Urticac.).

affinis, Blume, Mus. Bot. Lugd. Bat. ii. 157.—Java.

angustatus, Blume, ex Zoll. Syst. Verz. Ind. Archip. 101=D. velutina.

dichotomus, Blume, Mus. Bot. Lugd. Bat. ii. 157=D. dichotoma.

edulis, Sieb. &amp; Zucc. in Abh. Akad. Muench. iv. III. (1846) 218=D. edulis.

japonicus, Miq. in Zoll. Syst. Verz. Ind. Archip. 101, 105=D. edulis?

leucophyllus, Blume, Mus. Bot. Lugd. Bat. ii. 155=D. Wallichiana.

longifolius, Blume, l. c. 156=D. velutina.

**MOROCARPUS**—

lutescens, Blume, ex Zoll. Syst. Verz. Ind. Archip. 101.—Java.

microcephalus, Benth. in Hook. Kew Journ. vi. (1854) 74=*Villebrunea frutescens*.

salicifolius, Blume, Mus. Bot. Lugd. Bat. ii. 157=D. hypoleuca.

sororius, Miq. Fl. Ind. Bat. i. II. 272.—Java.

velutinus, Blume, Mus. Bot. Lugd. Bat. ii. 156=D. velutina.

virens, Blume, l. c.—Sumatra.

Wallichianus, Kurz, Fl. For. Brit. Burma, ii. 428; Miq. Ann. Mus. Bot. Lugd. Bat. iv. 306=D. Wallichiana.

Wallichianus, Thw. Enum. Pl. Zeyl. 262.—Zeylan.

**MOROEAE**, Franch. & Sav. Enum. Pl. Jap. i. 43 (1879), err. typ.=*Moraea*, Linn. (Irid.).**MORONOA**, Hort. ex Kunze, in Linnæa, xx. (1847) 19=*Mikania*, Willd. (Compos.).**MORONOBEEA**, Aubl. Pl. Gui. ii. 788. t. 313 (1775), partim. *GUTTIFERAE*, Benth. & Hook. f. i. 174.

BLAKSTONIA, Scop. Introd. 276 (1777).

LEUCONOCARPUS, Spruce, ex Planch. &amp; Triana, in Ann. Sc. Nat. Sér. IV. xiv. (1860) 295 (in Addend.).

PENTADESMOS, Spruce, ex Planch. &amp; Triana, l. c. 295 (1860).

PICCIA, Neck. Elem. ii. 436 (1790).

coccinea, Aubl. Pl. Gui. ii. 788. t. 313=grandiflora, Symphonia globulifera.

esculenta, Arruda, in Koster, Trav. Braz. 490=coccinea.

exserens, Endl. ex Walp. Rep. i. 394=Symphonia globulifera.

globulifera, Schlecht. in Linnæa, viii. (1833) 190=Symphonia globulifera.

grandiflora, Choisy, in Mém. Soc. Hist. Nat. Par. i. (1823) 230.—Guian.

montana, Schlecht. in Linnæa, viii. (1833) 189=grandiflora.

riparia, Planch. &amp; Triana, in Ann. Sc. Nat. Sér. IV. xiv. (1860) 296.—Bras.

**MOROPHORUM**, Neck. Elem. iii. 255 (1790)=*Morus*, Tourn. (Urtic.).**MORPHAEEA**, Noronha, in Verh. Batav. Gen. v. (1790) ed. I. Art. iv. 2 (Quid?).**MORPHIXIA**, Ker-Gawl. Gen. Irid. 105 (1827)=*Ixia*, Linn. (Irid.).angustifolia, Klatt, in Abh. Naturf. Ges. Halle, xii. (1882) 384=*I. angustifolia*.aulica, Ker-Gawl. Gen. Irid. 107=*I. scariosa*.capillaris, Ker-Gawl. l. c. 106=*I. capillaris*.columellaris, Klatt, in Abh. Naturf. Ges. Halle, xii. (1882) 384=*I. columellaris*.

Cooperi, Baker, in Journ. Bot. xiv. (1876) 237.—Afr. austr.

curta, Klatt, in Abh. Naturf. Ges. Halle, xii. (1882) 384=*I. monadelpha*.grandiflora, Klatt, l. c. 383=*I. monadelpha*.incarnata, Ker-Gawl. Gen. Irid. 107=*I. scariosa*.juncifolia, Baker, in Journ. Bot. xiv. (1876) 238 (*Watsoniae* sp.).—Afr. austr.

lancea, Klatt, in Abh. Naturf. Ges. Halle, xii. (1882) 383.—Afr. austr.

latifolia, Klatt, l. c. 385=*I. monadelpha*.linearis, Ker-Gawl. Gen. Irid. 106=*I. linearis*.monadelpha, Klatt, in Abh. Naturf. Ges. Halle, xii. (1882) 384=*I. monadelpha*.

nervosa, Baker, in Journ. Bot. xiv. (1876) 237.—Afr. austr.

odorata, Baker, in Journ. Linn. Soc. xvi. (1877) 97=*I. odorata*.paniculata, Baker, Fl. Maurit. 365=*I. paniculata*.purpurea, Klatt, in Abh. Naturf. Ges. Halle, xii. (1882) 383=*I. monadelpha*.

trichorhiza, Baker, in Journ. Bot. xiv. (1876) 237.—Afr. austr.

versicolor, Klatt, in Abh. Naturf. Ges. Halle, xii. (1882) 385=*I. monadelpha*.**MORRENIA**, Hort. ex Kunze, in Linnæa, xx. (1847) 19=*Mikania*, Willd. (Compos.).odorata, Hort. ex Kunze, l. c. (= *Corynanthemum Moronoea*).—Bras.

M m



**MORRENIA**, Lindl. Bot. Reg. (1838) Misc. 69. *ASCLEPIADEAE*, Benth. & Hook. f. ii. 761. brachystephana, Griseb. in Goett. Abh. xix. (1874) 205. —Reg. Argent. odorata, Lindl. Bot. Reg. (1838) Misc. 71. —Reg. Argent.

**MORSTDORFFIA**, Steud. Nom. ed. II. ii. 161 (1841) = *Chirita*, Buch.-Ham. (Gentian.). *elongata*, Steud. l. c. = *Dichrotrichum ternatum*. *speciosa*, Steud. l. c. = *C. Horsfieldii*.

**MORTONIA**, A. Gray, Pl. Wright. i. 34. t. 4 (1852); ii. 28; (in Smithson. Contrib. iii). *CELASTRINEAE*, Benth. & Hook. f. i. 368. *effusa*, Turcz. in Bull. Soc. Nat. Mosc. xxxi. (1858) i. 453. —Mexic. Greggii, A. Gray, Pl. Wright. i. 35, in adnot. —N. Mexic. Palmeri, Hemsl. Diagn. Pl. Nov. 24. —Mexic. scabrella, A. Gray, Pl. Wright. ii. 28. —N. Mexic. sempervirens, A. Gray, l. c. 35. —Texas.

**MORUS**, [Tourn.] Linn. Syst. ed. I (1735). *URTI-CACEAE*, Benth. & Hook. f. iii. 364.

**MOROPHORUM**, Neck. Elem. iii. 255 (1790). *acidosa*, Griff. Notul. iv. 388 = indica? *Alaisia*, Deless. ex Moretti, in Giorn. Ist. Lomb. Sc. i. (1841) 182 = laevigata. *alba*, Bur. in DC. Prod. xvii. 243, partim = indica. *alba*, Linn. Sp. Pl. 986. —As. temp. *alpina*, Rafin. Man. Am. Mulb. 91, nomen (Quid?). —Hab. ? *altissima*, Miq. Fl. Ind. Bat. Suppl. 415. —Sumatra. *Ampalis*, Poir. in Lam. Encyc. iv. 380 = *Ampalis madagascariensis*. *atrata*, Rafin. Man. Am. Mulb. 27, nomen = nigræ? *atropurpurea*, Roxb. Hort. Beng. 67; Fl. Ind. iii. 595 = *alba*. *australis*, Poir. in Lam. Encyc. iv. 380 = *Broussonetia papyrifera*. *bifaria*, Wall. ex Bur. in DC. Prod. xvii. 248 = *Ampalis madagascariensis*. *bifaria*, Wall. ex Voigt, Hort. Suburb. Calc. 284, partim = *Sloetia Sideroxylon*. *brasiliensis*, Pohl, ex Bur. in DC. Prod. xvii. 230 = *Chlorophora tinctoria*. *Brunoniana*, Endl. Atakta, t. 32 = *Pseudomorus Brunoniana*. *bullata*, Balb. Cat. Hort. Bot. Taur. (1813) 52 = *alba*. *byzantina*, Sieber, ex Steud. Nom. ed. II. ii. 162 = *alba*. *Calcar-galli*, A. Cunn. ex Loud. Arboret. iii. 1361 = *Cudrania javanensis*. *canadensis*, Poir. in Lam. Encyc. iv. 380 = *rubra*. *caroliniana*, Hort. ex Moretti, in Giorn. Ist. Lomb. Sc. i. (1841) 181 = *rubra*. *celtidifolia*, H. B. & K. Nov. Gen. et Sp. ii. 33. —Ecuador. *chinensis*, Lodd. Cat. (1836); ex Loud. Arboret. iii. 1350 = *alba*. *constantinopolitana*, Hort. ex Poir. in Lam. Encyc. iv. 381 = *alba*. *corylifolia*, H. B. & K. Nov. Gen. et Sp. ii. 33 = *celtidifolia*. *cretica*, Rafin. Man. Am. Mulb. 23 = *nigra*? *cuspidata*, Bonaf. Sul Gels. Philipp. 7 = *alba*. *Cudranus*, Buch.-Ham. ex Wall. Cat. n. 4643 = *Cudrania javanensis*. *cuspidata*, Wall. l. c. 4646 = *indica*. *dioica*, Crantz, Inst. i. 149 = *Chlorophora tinctoria*. *excelsa*, Welw. in Trans. Linn. Soc. xxvii. (1869) 69 = *Chlorophora excelsa* (in Addend.). *expansa*, Hort. ex Rafin. Am. Man. Mulb. 26, nomen = *latifolia*? *furcata*, Hort. ex Steud. Nom. ed. II. ii. 162 = *alba*. *Guzziola*, Hort. ex Steud. l. c. = *alba*. *heterophylla*, Loud. Arboret. iii. i. 1361 = *alba*. *hispanica*, Hort. ex Loud. l. c. 1349 = *alba*. *indica*, Linn. Sp. Pl. 986. —As. trop. *indica*, Macé? ex Ser. Desc. Mur. 226 = *alba*. *indica*, Ser. l. c. 229 = *Streblus asper*. *insignis*, Bur. in DC. Prod. xvii. 247. —N. Granat. *insularis*, Spreng. Pugill. i. 60. —Ins. Pacif. *intermedia*, Perr. in Guill. Arch. Bot. i. (1833) 234 = *alba*. *italica*, Poir. ex Lam. Encyc. iv. 377 = *alba*. *japonica*, Audib. ex Ser. Desc. Mur. 226 = *alba*. *japonica*, Siebold, in Verh. Batav. Gen. xii. (1830) 27 (an praec.?). —Japan.

**MORUS** :—

*javanica*, Blume, Bijdr. 488 = *Malaisia tortuosa*. *Kaempferi*, Ser. Desc. Mur. 228 = *Broussonetia Kazi-noki*. *laciniata*, Audib. ex Loisel. in Dict. Sc. Nat. xxxiii. 345 = *alba*. *laciniata*, Mill. Gard. Dict. ed. VIII. n. 2 = *nigra*. *laciniata*, Noronha, in Verh. Batav. Gen. v. (1790) ed. I. Art. iv. 20 = *indica*. *laciniata*, Poir. in Lam. Encyc. iv. 381 = *Ruizia varia-bilis*. *laevigata*, Wall. Cat. n. 4649. —Ind. or. *latifolia*, Hort. ex Spach, Hist. Vég. Phan. xi. 45 = *alba*. *latifolia*, Poir. in Lam. Encyc. iv. 381 = *indica*. *leucophylla*, Miq. Fl. Ind. Bat. Suppl. 415. —Sumatra. *longifolia*, Noronha, in Verh. Batav. Gen. v. (1790) ed. I. Art. iv. 20 = *Villebrunea sylvatica*. *lucida*, Hort. ex Loud. Arboret. iii. 1350 = *alba*. *luzonica*, Blanco, Fl. Filip. ed. I. 703 = *Allaeanthus luzonicus*. *macrophylla*, Hort. ex Steud. Nom. ed. II. ii. 162 = *alba*. *macroura*, Miq. Pl. Jungh. 42. —Java. *Mariettii*, Hort. ex Steud. Nom. ed. II. ii. 162 = *alba*. *mauritanica*, Jacq. Coll. iii. 206; Fragm. 9 = *Ampalis madagascariensis*. *membranacea*, Hort. ex Steud. Nom. ed. II. ii. 162 = *alba*. *mexicana*, Benth. Pl. Hartw. 71 = *celtidifolia*. *microphylla*, Buckl. in Proc. Acad. Sc. Philad. 1862 (1863) 8 = *rubra*. *missouriensis*, Audib. ex Moretti, in Giorn. Ist. Lomb. Sc. i. (1841) 181 = *rubra*. *Moretti*, Audib. ex Bur. in DC. Prod. xvii. 239 = *alba*. *Morettiana*, Lodd. Cat. (1836); ex Loud. Arboret. iii. 1349 = *alba*. *multicaulis*, Perr. in Mém. Soc. Linn. Par. iii. (1825) 129 = *alba*. *multicaulis*, Rafin. New Fl. Am. iii. 48 (Quid?). —Am. bor. *nana*, Audib. ex Loisel. in Dict. Sc. Nat. xxxiii. 345 = *alba*. *nervosa*, Hort. in Bon. Jard. (1836); ex Loud. Arboret. iii. 1349 = *alba*. *nigra*, Linn. Sp. Pl. 986. —As. temp. *nigra*, Thunb. Fl. Jap. 71 = *Broussonetia Kaempferi*. *nitida*, Willem. in Usteri, Ann. Bot. xviii. (1796) 56 = *Ampalis madagascariensis*. *norvegica*, Tillands, ex Steud. Nom. ed. I. 539; ed. II. ii. 162 = *Rubus Chamaemorus*. *pabularia*, Decne. in Jacquem. Voy. Bot. 149. t. 151 = *serrata*. *paniculata*, Roxb. Hort. Beng. 67; Fl. Ind. iii. 599 = *Pipturus velutinus*. *papyrifera*, Linn. Sp. Pl. 986 = *Broussonetia papyrifera*. *parvifolia*, Rafin. New Fl. Am. iii. 47 (Quid?). —Am. bor. *patavina*, Hort. ex Spach, Hist. Vég. Phan. xi. 43 = *alba*. *pendulina*, Ferd. Bauer, in Endl. Prod. Fl. Norf. 40 = *Pseudomorus Brunoniana*. *pennsylvanica*, Nois. ex Loud. Hort. Brit. 378 = *rubra*. *petiolaris*, Rafin. Am. Man. Mulb. 24 = *nigra*? *Plumiera*, Steud. Nom. ed. II. ii. 87, 162 = *Chlorophora tinctoria*. *pumila*, Balb. Cat. Hort. Bot. Taur. (1813) 52 = *alba*. *pyramidalis*, Hort. ex Rafin. Man. Am. Mulb. 27 (Quid?). —Hab. ? *reticulata*, Rafin. l. c. 28 = *rubra*? *rigida*, Hassk. Cat. Hort. Bog. Alt. 74 = *Ampalis madagascariensis*. *riparia*, Rafin. New Fl. Am. iii. 46 (Quid?). —Am. bor. *romana*, Lodd. ex Spach, Hist. Vég. Phan. xi. 45 = *alba*. *rubra*, Linn. Sp. Pl. 986. —Am. bor. *rubra*, Lour. Fl. Cochinch. 555 = *alba*. *scabra*, Moretti, Bibl. Agr. ed. I; ex eod. in Giorn. Ist. Lomb. Sc. i. (1841) 180 = *nigra*. *scabra*, Willd. Enum. Hort. Berol. 967 = *rubra*. *scandens*, Wall. Cat. n. 4652 = *Malaisia tortuosa*. *serotina*, Mart. ex Bur. in DC. Prod. xvii. 239 = *alba*. *serrata*, Roxb. Hort. Beng. [103]; Fl. Ind. iii. 596. —Reg. Himal. *serrata*, Wall. Cat. n. 4648 B = *alba*. *siciliana*, Mill. Gard. Dict. ed. VIII. n. 2 in Erratis = *nigra*.

**MORUS** :—

*sinensis*, Hort. ex Loud. Hort. Brit. 378 = *alba*. *spinosa*, Herb. Mus. Par. ex Gaudich. in Freyc. Voy. Bot. 508, in nota = *Chlorophora tinctoria*. *stylosa*, Ser. Desc. Mur. 225 = *alba*. *subalba*, Hort. ex Steud. Nom. ed. II. ii. 162 = *alba*. *Tataiba*, Vell. Fl. Flum. x. t. 21 = *Chlorophora tinctoria*. *tatarica*, Linn. Sp. Pl. 986 = *alba*. *tatarica*, Mill. Gard. Dict. ed. VIII. n. 7 = *Streblus asper*. *Tatayiba*, Parodi, in Anal. Soc. Cient. Argent. v. (1878) 91; Contrib. 39 = *Chlorophora tinctoria*? *tinctoria*, Blanco, Fl. Filip. ed. I. 704 = *Cudrania javanensis*. *tinctoria*, Linn. Sp. Pl. 986 = *Chlorophora tinctoria*. *Tokwa*, Hort. ex C. Koch, Dendrol. ii. i. 447 = *alba*. *tomentosa*, Rafin. Fl. Ludov. 113 = *rubra*. *tortuosa*, Audib. ex Moretti, in Giorn. Ist. Lomb. Sc. i. (1841) 181 = *alba*. *Venassaini*, Hort. ex Steud. Nom. ed. II. ii. 162 = *alba*. *venosa*, Delile, ex Spach, Hist. Vég. Phan. xi. 43 = *alba*. *vicorum*, Jacquem. Voy. Bot. 149 = *serrata*. *viridis*, Buch.-Ham. ex Wall. Cat. n. 4649 = *laevigata*. *Xanthoxylon*, Linn. Syst. ed. X. 1267; Mill. Gard. Dict. ed. VIII. n. 8 = *Chlorophora tinctoria*.

**MORYSIA**, Cass. in Dict. Sc. Nat. xxxiii. 59 (1824) =

**Athanasia**, Linn. (Compos.). *acerosa*, DC. Prod. vi. 92 = *A. acerosa*. *aspera*, Less. Syn. Comp. 263 = *A. aspera*. *dentata*, DC. Prod. vi. 91 = *A. dentata*. *diversifolia*, Cass. in Dict. Sc. Nat. xxxiii. 59 = *A. dentata*. *fasciculata*, Less. Syn. Comp. 262 = *A. fasciculata*. *juncea*, DC. Prod. vi. 91 = *A. juncea*. *lineariloba*, DC. l. c. 92 = *A. pectinata*. *longifolia*, Less. Syn. Comp. 262 = *A. longifolia*. *microcephala*, DC. Prod. vi. 91 = *A. linifolia*. *pachyphylla*, Sch. Bip. in Flora, xxvii. (1844) 676 = *A. dentata*. *pauciflora*, DC. Prod. vi. 91 = *A. linifolia*. *pinnata*, DC. l. c. = *A. pinnata*. *spathulata*, DC. l. c. = *A. spathulata*. *velutina*, DC. l. c. = *A. tomentosa*.

**MOSCARIA**, Pers. Syn. ii. 379 (1807) = **Moscharia**, Ruiz & Pav. (Compos.).

**MOSCATELLA**, Adans. Fam. ii. 243 (1763) = **Adoxa**, Linn. (Caprifol.).

**MOSCHAREA**, Salisb. Gen. Pl. Fragm. 25 (1866) = **Muscari**, Tourn. (Liliac.). *Muscari*, Salisb. l. c. = *Muscari moschatum*.

**MOSCHARIA**, Forsk. Fl. Aegypt. Arab. 158 (1775) = **Ajuga**, Linn. (Labiata). *arabica*, Vitm. Summa Pl. v. 278 = *A. Iva*. *asperifolia*, Forsk. Fl. Aegypt. Arab. p. lxxiv = *A. Iva*. *Forskählii*, J. F. Gmel. Syst. 275 = *A. Iva*.

**MOSCHARIA**, Ruiz & Pav. Prod. Fl. Per. 103 (1794). **COMPOSITAE**, Benth. & Hook. f. ii. 503.

**GASTROCARPHA**, D. Don, in Trans. Linn. Soc. xvi. (1830) 231.

**MOSCHIFERA**, Molina, Sagg. Chile, ed. II. 294 (1810).

**MOSIGIA**, Spreng. Syst. iii. 366, 661 (1826). *pinnatifida*, Ruiz & Pav. Syst. Veg. i. 186. —Chili.

**MOSCHATELLA**, Scop. Fl. Carn. ed. II. i. 281 (1772) = **Adoxa**, Linn. (Caprifol.).

*Adoxa*, Scop. l. c. = *A. Moschatellina*.

**MOSCHATELLINA**, [Tourn.] Hall. Enum. Stirp. Helv. i. 412 (1742) = **Adoxa**, Linn. (Caprifol.).

*Adoxa*, All. Fl. Pedem. i. 134 = *A. Moschatellina*.

*fumariaefolia*, Gilib. Fl. Lituan. i. 61 = *A. Moschatellina*.

*tetragona*, Moench, Meth. 478 = *A. Moschatellina*.

**MOSCHIFERA**, Molina, Sagg. Chile, ed. II. 294 (1810) = **Moscharia**, Ruiz & Pav. (Compos.).

*pinnatifida*, Molina, l. c. = *Moscharia pinnatifida*.



**MOSCHKOWITZIA**, Klotzsch, in Monatsb. Berl. Acad. (Maerz, 1854) 127; et in Abh. Akad. Berl. (1855) 76 t. 8 A = *Begonia*, Linn.  
*fagopyroides*, Klotzsch, ll. cc. 127; 77 = *B. fagopyroides*.  
*Wagneria*, Klotzsch, ex A. DC. in DC. Prod. xvi. 366 = seq.  
*Wageneriana*, Klotzsch, in Abh. Akad. Berl. (1855) 77 = *B. dominicalis*.

**MOSCHOPSIS**, Phil. in Anal. Univ. Chil. (1865) II. 335. *CALYCERAE*.  
*Leyboldi*, Phil. l. c. — Chili.

**MOSCHOSMA**, Reichb. Consp. 171 (1828) in adnot. *LABIATAE*, Benth. & Hook. f. ii. 1173.  
*LEHMANNIA*, Jacq. ex Steud. Nom. ed. II. ii. 21 (1841); Jacq. f. Eclog. ii. t. 108 (1844).  
*LUMNITZERA*, Jacq. ex Spreng. Syst. ii. 687 (1825).  
*australe*, Benth. Lab. Gen. et Sp. 708. — Austral.  
*Brownii*, Heynh. Nom. i. 532, nomen; ii. 421 = *australe*.  
*caesium*, Steud. Nom. ed. II. ii. 163 (sp. dub.). — Hab. ?  
*dimidiatum*, Benth. Lab. Gen. et Sp. 24 = *polystachyum*.  
*multiflorum*, Benth. in DC. Prod. xii. 49. — Abyssin.  
*myriostachyum*, Benth. & Hook. f. Gen. ii. 1173. — Afr. trop.  
*ocymoides*, Benth. in Wall. Pl. As. Rar. ii. 13 = *Mosla ocymoides*.  
*polycladon*, Reichb. ex Steud. Nom. ed. II. ii. 162 = *Mosla ocymoides*.  
*polystachyum*, Benth. in Wall. Pl. As. Rar. ii. 13. — Geront. trop.  
*riparium*, Hochst. in Flora, xxviii. (1845) 67. — Afr. austr.  
*tenuiflorum*, Heynh. Nom. i. 532; ii. 421 = *polystachyum*.

**MOSCHOXYLON**, Meissn. Gen. 49; Comm. 36 (1837) = seq.

**MOSCHOXYLUM**, A. Juss. in Mém. Mus. Par. xix. (1830) 238 (Mém. Mel. 86. t. 8) = *Trichilia*, P. Br. (Meliac.).  
*affine*, Juss. l. c. 239 = *T. Catigua*.  
*Catigna*, C. DC. in DC. Monog. Phan. i. 689, sphalm. = seq.  
*Catigua*, A. Juss. in Mém. Mus. Par. xix. (1830) 239 = *T. Catigua*.  
*Cipo*, A. Juss. l. c. = *T. Cipo*.  
*cuneatum*, Turcz. in Bull. Soc. Nat. Mosc. xxxi. (1858) i. 413 = *T. glabra*.  
*elegans*, A. Juss. in Mém. Mus. Par. xix. (1830) 239 = *T. elegans*.  
*emarginatum*, Turcz. in Bull. Soc. Nat. Mosc. xxxi. (1858) i. 413 = *T. emarginata*.  
*multiflorum*, Karst. Fl. Columb. i. 71. t. 136 = *T. verrucosa*.  
*odoratum*, A. Juss. in Mém. Mus. Par. xix. (1830) 239 = *T. odoratum*.  
*pentandrum*, Poepp. & Endl. Nov. Gen. et Sp. iii. 39 = *T. Tocacheana*.  
*Plecanum*, A. Juss. in Mém. Mus. Par. xix. (1830) 239 = *T. Plecana*.  
*propinquum*, Miq. Stirp. Surin. Sel. 74 = *T. propinqua*.  
*Pseudostipulare*, A. Juss. in Mém. Mus. Par. xix. (1830) 239 = *T. Pseudostipularis*.  
*Richardianum*, A. Juss. l. c. 238 = *T. Richardiana*.  
*surinamensis*, Miq. Stirp. Surin. Sel. 73 = *T. surinamensis*.  
*Swartzii*, A. Juss. in Mém. Mus. Par. xix. (1830) 239 = *T. moschata*.  
*trachyanthum*, Griseb. in Mem. Am. Acad. N. S. viii. (1861) 169 = *T. trachyantha*.  
*veraguense*, Seem. Bot. Voy. Herald, 93 = *T. glabra*.

**MOSIGIA**, Spreng. Syst. iii. 366, 661 (1826) = *Moscharia*, Ruiz & Pav. (Compos.).  
*pinnatifida*, Spreng. l. c. 661 = *Moscharia pinnatifida*.

**MOSINA**, Adans. Fam. ii. 272 (1763) = *Ortegia*, Loefl. (Caryoph.).

**MOSKERION**, Rafin. Fl. Tellur. iv. 21 (1836) = *Narcissus*, Tourn. (Amaryll.).  
*hispanicum*, Rafin. l. c. = *N. Pseudo-narcissus*.  
*moschatum*, Rafin. l. c. = *N. Pseudo-narcissus*.

**MOSLA**, Buch.-Ham. ex Benth. in Wall. Pl. As. Rar. i. 66, in syn. (1830). *LABIATAE*, Benth. & Hook. f. ii. 1182.  
*ORTHODON*, Benth. & Oliver, in Journ. Linn. Soc. ix. (1865) 167.  
*chinensis*, Maxim. in Bull. Acad. Pétersb. xxix. (1883) 177. — China.  
*dianthera*, Maxim. l. c. xx. (1865) 457 = *ocymoides*.  
*formosana*, Maxim. l. c. 459. — Ins. Formosa.  
*grosseserrata*, Maxim. l. c. 458. — Japon.  
*japonica*, Maxim. l. c. 461. — Japon.  
*lanceolata*, Maxim. l. c. 459. — Japon.  
*ocymoides*, Buch.-Ham. ex Benth. in Wall. Pl. As. Rar. i. 66, in syn. — Ind. or.; China.  
*punctata*, Maxim. in Bull. Acad. Pétersb. xx. (1875) 460. — Japon.

**MOSTUEA**, Didr. in Kjoeb. Vidensk. Meddel. (1853) 86. *LOGANIACEAE*, Benth. & Hook. f. ii. 789.  
*LEPTOCLADUS*, Oliver, in Journ. Linn. Soc. viii. (1864) 160. t. 12.  
*Brunonis*, Didr. in Kjoeb. Vidensk. Meddel. (1853) 87. — Afr. trop.  
*madagascariensis*, Baill. in Bull. Soc. Linn. Par. i. (1880) 245. — Madag.  
*Pervilleana*, Baill. l. c. 246. — Am. et Afr. trop.  
*surinamensis*, Benth. in Hook. Ic. Pl. xii. 83, t. 1196. — Guian.  
*Thomsoni*, Benth. l. c. sub t. 1196. — Afr. trop.

**MOTANDRA**, A. DC. in DC. Prod. viii. 423 (1844). *APOCYNACEAE*, Benth. & Hook. f. ii. 715.  
*guineensis*, A. DC. l. c. — Afr. trop.

**MOTHERWELLIA**, F. Muell. Fragm. vii. 107 (1870) = *Aralia*, Tourn.  
*haplosciadea*, F. Muell. l. c. = *A. Motherwelli*.

**MOUFFETTA**, Neck. Elem. i. 124 (1790) = *Patrinia*, Juss. (Valer.).

**MOUGEOTIA**, H. B. & K. Nov. Gen. et Sp. v. 326. tt. 483, 484 (1821) = *Melochia*, Linn. (Stercul.).  
*caracasana*, H. B. & K. l. c. 329 = *Mel. caracasana*.  
*corchorifolia*, H. B. & K. l. c. 326, adnot. = *Mel. corchorifolia*.  
*hirsuta*, H. B. & K. l. c. 331 = *Mel. hirsuta*, Cav.  
*inflata*, H. B. & K. l. c. 330. t. 484 = *Mel. lupulina*.  
*mollis*, H. B. & K. l. c. 328 = *Mel. mollis*.  
*nodiflora*, H. B. & K. l. c. 330 = *Mel. nodiflora*.  
*polystachya*, H. B. & K. l. c. 328. t. 483 = *Mel. venosa*.

**MOULINSIA**, Cambess. in Mém. Mus. Par. xviii. (1829) 27. t. 2 = *Erioglossum*, Blume (Sapind.).  
*cupanioides*, Cambess. l. c. = *E. edule*.  
*rubiginosa*, G. Don, Gen. Syst. i. 667 = *E. edule*.

**MOULINSIA**, Rafin. in Ser. Bull. Bot. i. (1830) 221 = *Aristida*, Linn. (Gramin.).  
*lanosa*, Rafin. l. c. = *A. lanosa*.

**MOULLAVA**, Adans. Fam. ii. 318 (1763). *GEN. INCERT. SED.*  
*ALMELOVEENIA*, Dennst. Schluess. Hort. Malab. 32 (1816).

**MOURERA**, Aubl. Pl. Gui. i. 582. t. 233 (1775). *PODOSTOMACEAE*, Benth. & Hook. f. iii. 109.  
*LACIS*, Schreb. Gen. 366 (1789), partim.  
*STENGELIA*, Neck. Elem. ii. 258 (1790).  
*alcicornis*, Benth. ex Tul. in Arch. Mus. Par. vi. (1852) 94 = *Ligea alcicornis*.  
*aspera*, Tul. in Ann. Sc. Nat. Sér. III. xi. (1849) 93. — Bras.  
*fluvialis*, Aubl. Pl. Gui. i. 582. t. 233. — Am. trop.  
*Weddelliana*, Tul. in Ann. Sc. Nat. Sér. III. xi. (1849) 93. — Bras.

**MOURICOU**, Adans. Fam. ii. 326 (1763) = *Erythrina*, Linn. (Legumin.).

**MOURIRI**, Aubl. Pl. Gui. i. 452 (1775) = *Mouriria*, Juss. (Melastom.).  
*guianensis*, Aubl. l. c. 583 = *Mouriria guianensis*.

**MOURIRIA**, Juss. Gen. 320 (1789). *MELASTOMACEAE*, Benth. & Hook. f. i. 772.  
*BOCKIA*, Scop. Introd. 10 (1777).

**MOURIRIA** :—

*GUILDINGIA*, Hook. Bot. Misc. i. (1830) 122. t. 30.  
*MOURIRI*, Aubl. Pl. Gui. i. 452 (1775).  
*MURIRI*, J. F. Gmel. Syst. 693 (1791).  
*OLISBEA*, DC. Prod. iii. 31 (1828).  
*PETALOMA*, Sw. Prod. Veg. Ind. Occ. 4, 73 (1788); Fl. Ind. Occ. ii. 831 (1800).  
*abnormis*, Naud. in Ann. Sc. Nat. Sér. III. xviii. (1852) 286. — Guian.  
*acuta*, Griseb. Cat. Pl. Cub. 92 = *parvifolia*.  
*acutiflora*, Naud. in Ann. Sc. Nat. Sér. III. xviii. (1852) 284. — Guian.  
*alternifolia*, Roxb. ex Steud. Nom. ed. II. ii. 162 (Quid?). — Ind. or.  
*angustifolia*, Spruce, ex Triana, in Trans. Linn. Soc. xxviii. (1871) 155. — Bras.  
*Apiranga*, Spruce, ex Triana, l. c. 154. — Bras.  
*arborea*, Gardn. in Hook. Ic. Pl. t. 515. — Bras.  
*brevipes*, Gardn. in Hook. Journ. Bot. ii. (1840) 24. — Bras.  
*calva*, Gardn. ex Triana, in Trans. Linn. Soc. xxviii. (1871) 153 = *elliptica*.  
*cauliflora*, DC. Prod. iii. 7. — Bras.  
*crassifolia*, Sagot, in Ann. Sc. Nat. Sér. VI. xv. (1883) 336. — Guian.  
*domingensis*, Spach, Hist. Vég. Phan. iv. 276. — Ind. occ.  
*elliptica*, Mart. in Flora, xxi. (1838) II. Beibl. 59. — Bras.  
*emarginata*, Griseb. Cat. Pl. Cub. 92. — Cuba.  
*eugeniaefolia*, Spruce, ex Triana, in Trans. Linn. Soc. xxviii. (1871) 154. — Bras.  
*Gardneri*, Triana, l. c. 155. — Bras.  
*grandiflora*, DC. Prod. iii. 7. — Bras.  
*graveolens*, Spruce, ex Triana, in Trans. Linn. Soc. xxviii. (1871) 153 = *vernica*.  
*guianensis*, Poir. in Lam. Encyc. ix. 334. — Guian.  
*guianensis*, Miq. Stirp. Surin. Sel. 43 = *acutiflora*.  
*guianensis*, Sagot, ex Triana, in Trans. Linn. Soc. xxviii. (1871) 155 = *Sagotiana*.  
*lanceolata*, Griseb. in Mem. Am. Acad. N. S. viii. (1861) 183. — Cuba.  
*macrophylla*, Willd. ex Cham. & Schlecht. in Linnaea, x. (1835-36) 218. — Bras.  
*mexicana*, [Mof. & Sesse], ex DC. Prod. iii. 8. — Mexic.  
*myrtifolia*, Spruce, ex Triana, in Trans. Linn. Soc. xxviii. (1871) 154. — Bras.  
*myrtilloides*, Poir. in Dict. Sc. Nat. xxxiii. 163. — Ind. occ.  
*parvifolia*, Benth. Bot. Voy. Sulph. 97. t. 36. — N. Granat.  
*parvifolia*, Gardn. ex Triana, in Trans. Linn. Soc. xxviii. (1871) 155 = *Gardneri*.  
*pauciflora*, Spruce, ex Triana, l. c. 154 = *acutiflora*.  
*polyantha*, Miq. in Linnaea, xviii. (1844) 290 = *guianensis*.  
*Princeps*, Naud. in Ann. Sc. Nat. Sér. III. xviii. (1852) 283. — Guian.  
*Pusa*, Gardn. in Hook. Journ. Bot. ii. (1840) 23. — Bras.  
*rhizophoraefolia*, Gardn. in Hook. Ic. Pl. sub t. 515; Triana, in Trans. Linn. Soc. xxviii. (1871) 153. — Ins. Martinic.  
*rivularis*, Gardn. ex Triana, l. c. 154 = *cauliflora*.  
*Sagotiana*, Triana, l. c. 155. — Guian.  
*Sideroxylon*, Sagot, ex Triana, l. c. — Guian.  
*spathulata*, Griseb. in Mem. Am. Acad. N. S. viii. (1861) 183. — Cuba.  
*subumbellata*, Triana, in Trans. Linn. Soc. xxviii. (1871) 154. — Bras.  
*Valenzuelana*, A. Rich. Ess. Fl. Cub. 575. — Cuba.  
*vernica*, Naud. in Ann. Sc. Nat. Sér. III. xviii. (1852) 285. — Guian.  
*Weddellii*, Naud. l. c. 286 = *cauliflora*.

**MOUROCOA**, Aubl. Pl. Gui. i. 141. t. 54 (1775).  
*Maripa*, Aubl. (Convolv.).  
*violacea*, Aubl. l. c. 142 = *Maripa passifloroides*.

**MOUSSONIA**, Regel, in Flora, xxxi. (1848) 246.  
*Isoloma*, Decne. (Gesnerac.).  
*costaricensis*, Klotzsch, ex Oerst. in Vidensk. Selsk. Skr. V. v. (1861) 107 = *I. costaricensis*.  
*Deppeana*, Klotzsch, ex Hausskn. in Linnaea, xxxix. (1865-66) 284 = *I. Deppeana*.  
*elegans*, Decne. ex Planch. in Fl. des Serres, v. (1849) t. 489 = *I. elegans*.  
*elongata*, Regel, in Flora, xxxi. (1848) 246.  
*Deppeanum*.



## MOUSSONIA:—

- formosa*, Van Houtte, in Regel, Gartenfl. iii. (1854) 310. t. 101 = *Isoloma elegans*.  
*melastoma*, Hanst. in Linnaea, xxxiv. (1865-66) 288.—Peruv.  
*papillosa*, Oerst. ex Hanst. l. c. = *Mexic*.  
*purpurea*, Hanst. l. c. 289 = *I. purpureum*.

## MOUTABEA, Aubl. Pl. Gui. ii. 679. t. 274 (1775).

- POLYGALEAE*, Benth. & Hook. f. i. 141.  
 ACOSTA, Ruiz & Pav. Prod. i. t. 1 (1794).  
 CRYPTOSTOMUM, Schreb. Gen. 137 (1789).  
*Acostae*, Roem. & Schult. Syst. iv. 527 = *aculeata*.  
*aculeata*, Poepp. & Endl. Nov. Gen. et Sp. ii. 62. —Am. trop.  
*dibotrya*, Mart. ex Miq. in Mart. Fl. Bras. vii. 14. —Bras.  
*excoriata*, Mart. ex Miq. l. c. 16. —Bras.  
*guianensis*, Aubl. Pl. Gui. ii. 680. t. 274. —Guian.  
*longifolia*, Poepp. & Endl. Nov. Gen. et Sp. ii. 62. t. 186. —Bras.

MOUTAN, Reichb. in Moessl. Handb. ed. II. i. p. lx (1827) = *Paenonia*, Linn. (Ranunc.).  
*officinalis*, Lindl. & Paxt. Flow. Gard. i. (1850-51) 162 = *P. officinalis*.

## MOUTOUCHI, Aubl. Pl. Gui. ii. 748. t. 299 (1775) =

- Pterocarpus*, Linn. (Legumin.).  
*crispata*, Benth. in Ann. Wien. Mus. ii. (1838) 94 = *P. Draco*.  
*Draco*, Benth. l. c. = *P. Draco*.  
*suberosa*, Aubl. Pl. Gui. ii. 748 = *P. Draco*.

MOUTOUCHIA, Benth. in Ann. Wien. Mus. ii. (1838) 94 = *praec*.MOYA, Griseb. in Goett. Abh. xix. (1874) 111. *CELASTRINEAE*.

- ferox*, Griseb. l. c. xxiv. (1879) 83. —Reg. Argent.  
*spinosa*, Griseb. l. c. xix. (1874) 111. —Reg. Argent.  
*scutoides*, Griseb. l. c. xxiv. (1879) 84. —Reg. Argent.

MOZAMBE, Rafin. Sylva Tellur. 112 (1838) = *Cadaba*, Forsk. (Cappar.).  
*levigata*, Rafin. l. c. = *C. indica*.MOZINNA, Orteg. Hort. Matr. Dec. 104. t. 13 (1797) = *Jatropha*, Linn. (Euphorb.).

- canescens*, Benth. Bot. Voy. Sulph. 52. t. 25 = *J. canescens*.  
*cardiophylla*, Torr. in Bot. Mex. Bound. 198 = *J. cardiophylla*.  
*cinerea*, Orteg. Hort. Matr. Dec. 108 = *J. cinerea*.  
*cordata*, Orteg. l. c. 107 = *J. cordata*.  
*pellata*, Steud. Nom. ed. II. ii. 163 = *J. hernandiae-folia*.  
*spathulata*, Orteg. Hort. Matr. Dec. 105. t. 13 = *J. spathulata*.

MOZULA, Rafin. in Journ. Phys. xci. (1820) 71 = *Lythrum*, Linn.MUCKIA, Hassk. Pl. Jav. Rar. 184 (1848) = *MUKIA*, Arn. = *Melothria*, Linn. (Cucurb.).MUCRONEA, Benth. in Trans. Linn. Soc. xvii. (1836) 419. t. 20 = *Chorizanthe*, R. Br. (Polygon.).  
*californica*, Benth. l. c. = *C. californica*.MUCUNA, Adans. Fam. ii. 325 (1763). *LEGUMINOSAE*, Benth. & Hook. f. i. 533.

- CACUVALLUM, Medic. in Vorles. Churpf. Phys. Ges. ii. (1787) 399.  
 CARPOFOGON, Roxb. Hort. Beng. 54 (1814); Fl. Ind. iii. 283 (1832).  
 CITTA, Lour. Fl. Cochinch. 456 (1790).  
 HORNERA, Neck. Elem. iii. 43 (1790).  
 LABRADIA, Swediaur, Arzneymitt. i. 164 (1801).  
 MACRANTHUS, Poir. Encyc. Suppl. iii. 569 (1813).  
 MARCANTHUS, Lour. Fl. Cochinch. 460 (1790).  
 MACROCERATIDES, Raddi, in Mem. Mod. xviii. Fis. (1820) 392.  
 MACUNA, Maragr. ex Scop. Introd. 309 (1777).  
 NEGRETIA, Ruiz & Pav. Prod. 98. t. 21 (1794).  
 PILLERA, Endl. Prod. Fl. Norf. 91 (1833).  
 STIZOLOBIUM, P. Br. Hist. Jamaic. 290 (1756).  
 ZOOPHTHALMUM, P. Br. l. c. 295. t. 31 (1756).  
*acuminata*, R. Grah. in Wall. Cat. n. 5621. —Ind. or.

## MUCUNA:—

- Albertisi, F. Muell. Papuan Pl. i. 64. —N. Guin.  
*altissima*, Boj. ex Benth. in Ann. Wien. Mus. ii. (1838) 133 = *Dioclea violacea*.  
*altissima*, DC. Prod. ii. 405. —Ins. Martinic.  
*altissima*, Hook. & Arn. Bot. Beech. Voy. 81; fide A. Gray, Bot. U. St. Expl. Exped. i. 446 = *Strongylogon ruber*.  
*anguina*, Wall. Pl. As. Rar. iii. 19 = *monosperma*.  
*anguinea*, Sweet, Hort. Brit. ed. I. 482 = *praec*.  
*atropurpurea*, DC. Prod. ii. 406. —Ind. or.  
*Balfouriana*, A. Murr. in Trans. Bot. Soc. Edinb. vi. (1860) 289. —Afr. trop.  
 Bennetti, F. Muell. Papuan Pl. i. 63. —N. Guin.  
 Bernieriana, Baill. in Bull. Soc. Linn. Par. i. (1883) 382. —Madag.  
*biplicata*, Teijsm. & Binn. Cat. Hort. Bog. 261, nomen. —Borneo.  
*bracteata*, DC. Prod. ii. 406. —Reg. Himal.; Burma.  
*capitata*, Sweet, Hort. Brit. ed. I. 482; Wight & Arn. Prod. 255. —Reg. Himal.; Malaya.  
 Championi, Benth. in Hook. Kew Journ. iv. (1852) 49. —China.  
*comorensis*, Vatke, in Oestr. Bot. Zeitschr. xxviii. (1878) 262. —Ins. Johan.  
*comosa*, DC. Prod. ii. 405. —Guiana.  
*coriacea*, Baker, in Oliver, Fl. Trop. Afr. ii. 187. —Afr. trop.  
*corymbosa*, R. Grah. in Wall. Cat. n. 5622 = *monosperma*.  
*cristata*, Buch-Ham. ex Wall. Cat. n. 5623 = *monosperma*.  
*cylindrosperma*, Welw. ex Baker, in Oliver, Fl. Trop. Afr. ii. 186 = *Physostigma cylindrospermum*.  
*elliptica*, DC. Prod. ii. 405. —Peruv.  
*flagellipes*, Vog. ex Benth. in Hook. Niger Fl. 307. —Afr. trop.  
*gigantea*, DC. Prod. ii. 405. —Ind. or.; Malaya.  
*gracilis*, R. Grah. in Wall. Cat. n. 5626 = *Cochlianthus gracilis*.  
*hirsuta*, Wight & Arn. Prod. 254. —Ind. or.  
*horrida*, Baill. in Bull. Soc. Linn. Par. i. (1883) 381. —Madag.  
*imbricata*, DC. Prod. ii. 406. —Reg. Himal.  
*inflexa*, DC. l. c. 405. —Peruv.  
*macrobotrys*, Hance, in Walp. Ann. ii. 422. —China.  
*macrocarpa*, Wall. Cat. n. 5618; et Pl. As. Rar. i. 41. t. 47. —Reg. Himal.  
*Macroceratides*, DC. Prod. ii. 406. —Bras.  
*macrophylla*, Miq. Fl. Ind. Bat. i. 1. 213. —Java.  
*melanocarpa*, Hochst. ex A. Rich. Tent. Fl. Abyss. i. 215. —Afr. trop.  
*mitis*, DC. Prod. ii. 405. —Peruv.  
*mollis*, DC. l. c. 405. —N. Granat.  
*mollissima*, Teijsm. & Binn. Cat. Hort. Bog. 261, nomen. —Ins. Molucc.  
*monosperma*, DC. Prod. ii. 406. —Ind. or.  
*monosperma*, Wall. Cat. n. 5623 C, partim = *imbricata*.  
*Mutisiana*, DC. Prod. ii. 406. —N. Granat.  
*nigra*, Buch-Ham. in Wall. Cat. n. 5617 = *nivea*.  
*nigricans*, Steud. Nom. ed. II. ii. 163. —Cochinch.  
*nivea*, DC. Prod. ii. 406. —Bengal; Burma.  
*nova-guineensis*, Scheff. in Ann. Jard. Buitenz. i. (1876) 18. —N. Guin.  
*paniculata*, Baker, in Journ. Linn. Soc. xx. (1883) 132. —Madag.  
*platycarpa*, DC. Prod. ii. 406. —Peruv.  
*platyphylla*, A. Gray, Bot. U. St. Expl. Exped. i. 443. —Ins. Pacif.  
*pruriens*, DC. Prod. ii. 405. —Amphig. trop.  
*prurita*, Hook. Bot. Mag. t. 4945 = *imbricata*.  
*prurita*, Hook. Bot. Misc. ii. (1831) 348 = *pruriens*.  
*psittacina*, Miers, in Proc. Roy. Hort. Soc. iv. (1864) 160. —N. Granat.  
*quadrialata*, Baker, in Oliver, Fl. Trop. Afr. ii. 186. —Afr. trop.  
*recta*, Buch-Ham. in Wall. Cat. n. 5625 = *Vigna dolichoides*.  
*rostrata*, Benth. in Mart. Fl. Bras. xv. i. 171. —Bras.  
*rutilans*, [Moc. & Sesse], ex DC. Prod. ii. 404 = *Canavalia obtusifolia*.  
*spuria*, Steud. Nom. ed. II. ii. 164. —Guiana.  
*stans*, Welw. ex Baker, in Oliver, Fl. Trop. Afr. ii. 187. —Afr. trop.  
*umbellata*, Salzmann, ex Benth. in Mart. Fl. Bras. xv. i. 169 = *urens*.  
*urens*, Medic. in Vorles. Churpf. Phys. Ges. ii. (1787) 399; DC. Prod. ii. 405. —Am. austr.

## MUCUNA:—

- utilis*, Wall. ex Wight, Ic. ii. t. 80 = *pruriens*.  
*velutina*, Hassk. in Flora, xxv. (1842) II. Beibl. 77 = *capitata*.  
*venenosa*, A. Murr. in Trans. Bot. Soc. Edinb. vi. (1860) 289. —Afr. trop.  
*virgata*, Desv. ex Steud. Nom. ed. II. ii. 164 = *Dolichos virgatus*.  
*volubilis*, Steud. l. c. —Ind. or.

MUEHLENBECKIA, Meissn. Gen. 316; Comm. 227 (1840). *POLYGONACEAE*, Benth. & Hook. f. iii. 101.

- CALACINUM, Rafin. Fl. Tellur. ii. 33 (1836).  
 CONOBEA, Bert. ex Steud. Nom. ed. II. i. 404 (1840).  
 KARKINETRON, Rafin. Fl. Tellur. iii. 11 (1836).  
 SARCOGONUM, G. Don, in Sweet, Hort. Brit. ed. III. 577 (1839).  
*adpressa*, Meissn. Gen. Comm. 227. —Austral.  
*australis*, Meissn. l. c. —N. Zel.  
*axillaris*, Walp. Ann. i. 552. —Austral.; N. Zel.  
*Benthamii*, Endl. Gen. Suppl. iv. 51 = *tamnifolia*.  
*chilensis*, Meissn. in DC. Prod. xiv. 148. —Chili.  
*complexa*, Meissn. Gen. Comm. 227. —N. Zel.  
 Cunninghami, F. Muell. Fragm. v. 91. —Austral.  
*ephedroides*, Hook. f. Fl. N. Zel. 211. —N. Zel.  
*flexuosa*, Meissn. in Lehm. Pl. Preiss. i. 624 = *adpressa*.  
*florulenta*, Meissn. in DC. Prod. xiv. 146 = *Cunninghami*.  
*gracillima*, Meissn. l. c. 145. —Austral.  
*Gunnii*, Walp. Ann. i. 552 = *adpressa*.  
*hastifolia*, F. Muell. ex Meissn. in DC. Prod. xiv. 146 = *adpressa*.  
*leptobotrys*, Meissn. l. c. 149. —Peruv.  
*parvifolia*, Meissn. in Linnaea, xxvi. (1853-55) 362 = *axillaris*.  
*peruviana*, Meissn. in DC. Prod. xiv. 150. —Peruv.  
*platyclados*, Meissn. in Bot. Zeit. xxii. (1865) 313. —Ins. Salomon.  
*polybotrya*, Meissn. in Lehm. Pl. Preiss. i. 623. —Austral.  
*polygonoides*, F. Muell. Fragm. v. 73. —Austral.  
*quadrangulata*, Endl. Gen. Suppl. iv. 51 = *tamnifolia*.  
*rhytocarya*, F. Muell. Fragm. v. 92. —Austral.  
*rupestris*, Wedd. in Ann. Sc. Nat. Sér. III. xiii. (1849) 256. —Bolivia.  
*sagittae-folia*, Remy, in C. Gay, Fl. Chil. v. 274 = *chilensis*.  
*sagittifolia*, Meissn. Gen. Comm. 227. —Am. austr.  
*stenophylla*, F. Muell. Fragm. i. 138 = *polygonoides*.  
*tamnifolia*, Meissn. Gen. Comm. 227. —Mexic.  
*tiliaefolia*, Wedd. in Ann. Sc. Nat. Sér. III. xiii. (1849) 255. —Bolivia.  
*varians*, Meissn. in Bot. Zeit. x. (1852) 347. —Hab. ?  
*volcanica*, Endl. Gen. Suppl. iv. 51 = *seq*.  
*vulcanica*, Meissn. in DC. Prod. xiv. 148. —Ecuador.

MUEHLENBERGIA, Schreb. Gen. 44 (1789) (Muhlenbergia). *GRAMINEAE*, Benth. & Hook. f. iii. 1143.

- CALYCODON, Nutt. in Journ. Acad. Philad. N. S. i. (1847) 186.  
 CLOMENA, Beauv. Agrost. 28. t. 7. f. 10 (1812).  
 DACTYLOGRAMMA, Link. Hort. Berol. ii. 248 (1827).  
 DILEPYRUM, Michx. Fl. Bor. Am. i. 40 (1803).  
 DIPLOCHYRIUM, Nees, in Flora. xi. (1828) 303.  
 PODOSAEMUM, Kunth, in Mém. Mus. Par. ii. (1815) 72.  
 TOSAGRIS, Beauv. Agrost. 29. t. 8. f. 3 (1812).  
 TRICHOCHLOA, Beauv. l. c. t. 8. f. 2 (1812).  
 VASEYA, Thurb. in Proc. Acad. Nat. Sc. Philad. (1863) 79.  
*acutifolia*, Fourn. ex Hemsl. Biol. Centr. Am. Bot. iii. 538. —Mexic.  
*adpersa*, Trin. in Mém. Acad. Pétersb. Sér. VI. vi. II. (1845) 291. —Peruv.  
*affinis*, Trin. l. c. 301. —Mexic.  
*alpestris*, Trin. Gram. Unifl. 194. —Sibir.  
*ambigua*, Torr. in Nicotlet, Rep. Hydrog. Basin Missis. (1843) 164. —Am. bor.  
*anemagrostoides*, Trin. ex Steud. Nom. ed. II. ii. 164 (Quid ?). —'Amer.'  
*angustata*, Kunth, Enum. Pl. i. 202. —Peruv.  
*anomala*, Fourn. ex Hemsl. Biol. Centr. Am. Bot. iii. 539. —Mexic.  
*arachnoides*, Trin. ex Steud. Nom. ed. II. i. 365; ii. 164 = *Cinna arundinacea*.  
*arenicola*, Buckl. in Proc. Acad. Sc. Philad. 1862 (1863) 91 = *gracillima*.  
*aristata*, Pers. Syn. i. 73. —Mexic.



**MUEHLENBERGIA** :—

- aspera*, Trin. Gram. Unifl. 193 = *Sporobolus asper*.  
*aspericaulis*, Nees, ex Steud. Nom. ed. II. ii. 164.—Hab. ?  
*baicalensis*, Trin. ex Turcz. in Bull. Soc. Nat. Mosc. xxix. (1856) i. 21.—Sibir. baical.  
*Berlandieri*, Trin. in Mém. Acad. Pétersb. Sér. VI. vi. ii. (1845) 299.—Mexic.  
*Berteroniana*, Kunth, Rév. Gram. i. 64.—Ins. S. Doming.  
*Beyrichiana*, Kunth, l. c. 63 = *Perielesma brasilianum*.  
*Botteri*, Fourn. ex Hemsl. Biol. Centr. Am. Bot. iii. 539.—Mexic.  
*Bourgaei*, Fourn. ex Hemsl. l. c.—Mexic.  
*Brachyelytrum*, Trin. in Mém. Acad. Pétersb. Sér. VI. vi. ii. (1845) 306 = *aristata*.  
*brachyphylla*, Nees, in Linnaea, xix. (1847) 690.—Mexic.  
*brasilensis*, Steud. Syn. Pl. Gram. 177.—Bras.  
*brevisetia*, Griseb. ex Hemsl. Biol. Centr. Am. Bot. iii. 539.—Mexic.  
*caespitosa*, Chapm. in Coult. Bot. Gaz. iii. (1878) 18.—Am. bor.  
*calamagrostidea*, Kunth, Rév. Gram. i. 63.—Mexic.  
*calycina*, Trin. Gram. Unifl. 193 = *glomerata*.  
*capillaris*, Trin. l. c. 191.—Am. bor. ; Mexic.  
*ciliata*, Trin. l. c. 193.—Mexic.  
*Cinna*, Trin. l. c. 191 = *Cinna arundinacea*.  
*ciurea*, Benth. Fl. Austral. vii. 575, err. typ. = *Dichelachne sciurea*.  
*clandestina*, Trin. l. c. 190 = *Sporobolus asper*.  
*Clomena*, Trin. l. c. 194.—Mexic. ; Peruv.  
*comata*, Benth. ex Vasey, in Rep. Dep. Agric. (1881-82) 247. t. 5 ; et ex Coult. Man. Rocky Mt. Bot. 409.—Am. bor. occ.  
*composita*, Trin. ex Steud. Nom. ed. II. i. 40 ; ii. 164 = *Agrostis composita*.  
*crinita*, Trin. Gram. Unifl. 193 = *Dichelachne crinita*.  
*debilis*, Trin. l. c.—Calif. ; Mexic.  
*depauperata*, Scribn. in Coult. Bot. Gaz. ix. (1884) 187.—Arizona.  
*diffusa*, Willd. Sp. Pl. i. 320 = *Schreberi*.  
*distichophylla*, Kunth, Enum. Pl. i. 202.—Mexic.  
*distichophylla*, Munro, ex Vasey, Cat. Gram. U. St. 45, nomen = *Epicampes distichophylla*.  
*divaricata*, Hort. ex DC. Cat. Hort. Monsp. 93 = *Chaeturus fasciculatus*.  
*diversiglumis*, Trin. in Mém. Acad. Pétersb. Sér. VI. vi. ii. (1845) 298 = *Trini*.  
*dubia*, Fourn. ex Hemsl. Biol. Centr. Am. Bot. iii. 540.—Mexic.  
*elegans*, Trin. Gram. Unifl. 194.—Ecuador.  
*erecta*, F. & C. Presl, Rel. Haenk. i. 231.—Mexic.  
*erecta*, Schreb. Graes. ii. 139. t. 50 = *aristata*.  
*exilis*, Fourn. ex Hemsl. Biol. Centr. Am. Bot. iii. 540.—Mexic.  
*expansa*, Trin. in Mém. Acad. Pétersb. Sér. VI. vi. ii. (1845) 299.—Mexic.  
*fasciculata*, Trin. Gram. Unifl. 192 = *rigida*.  
*filipes*, M. A. Curt. in Am. Fourn. Sc. Ser. I. xlv. (1843) 83 = *capillaris*.  
*foliosa*, Trin. Gram. Unifl. 190 = *mexicana*.  
*geniculata*, Nees, ex Steud. Syn. Pl. Gram. 178.—Reg. Himal.  
*glabrata*, Trin. Gram. Unifl. 194.—Mexic.  
*glauca*, Nees, in Linnaea, xix. (1847) 689.—Mexic.  
*glomerata*, Trin. Gram. Unifl. 191. t. 5. f. 10.—Am. bor.  
*gracilis*, Rupr. in Bull. Acad. Brux. ix. (1842) 229 = *quadridentata*.  
*gracilis*, Trin. Gram. Unifl. 193.—Calif. ; Mexic.  
*gracillima*, Torr. in Pacif. Rail. Rep. iv. 155.—Am. bor. occ.  
*gymnostyla*, Nees, Del. Sem. Hort. Vratisl. (1850) 3.—Hab. ?  
*hirtula*, Steud. Syn. Pl. Gram. 180.—Texas.  
*Huegelii*, Trin. in Mém. Acad. Pétersb. Sér. VI. vi. ii. (1845) 293.—Reg. Himal.  
*implicata*, Trin. Gram. Unifl. 193.—Mexic.  
*interrupta*, Steud. Syn. Pl. Gram. 177 = *Apera interrupta*.  
*japonica*, Steud. l. c. 422.—Japon.  
*lateriflora*, Trin. Gram. Unifl. 193 = *mexicana*.  
*Liebmännii*, Fourn. ex Hemsl. Biol. Centr. Am. Bot. iii. 541.—Mexic.  
*longisetia*, Benth. Pl. Hartw. 28 = *calamagrostidea*.  
*macrostachya*, Boj. Hort. Maurit. 367.—Madag.  
*Mertensii*, Trin. ex Steud. Nom. ed. II. ii. 164, nomen.—Hab. ?  
*mexicana*, Trin. Gram. Unifl. 189.—Am. bor.

**MUEHLENBERGIA** :—

- microsperma*, Trin. Gram. Unifl. 193 = *debilis*.  
*mollicoma*, Nees, in Hook. Lond. Journ. Bot. ii. (1843) 414 = *Dichelachne crinita*.  
*monticola*, Buckl. in Proc. Acad. Sc. Philad. 1862 (1863) 91 = *sylvatica*.  
*mucronata*, Trin. Gram. Unifl. 194.—Mexic.  
*multiflora*, Beauv. Agrost. 168 (Index) = *Schreberi*.  
*nana*, Benth. Pl. Hartw. 262 = *M. Clomena*.  
*nardifolia*, Griseb. in Goett. Abh. xxiv. (1879) 294.—Reg. Argent.  
*pauciflora*, Buckl. in Proc. Acad. Sc. Philad. 1862 (1863) 91.—Texas.  
*pendula*, Bong. Veget. Sitch. 172 = *Cinna arundinacea*.  
*peruviana*, Steud. Nom. ed. II. i. 41 = *M. Clomena*.  
*phragmitoides*, Griseb. in Goett. Abh. xix. (1874) 255.—Reg. Argent.  
*Polypogon*, Trin. Gram. Unifl. 193 = *capillaris*.  
*pungens*, Thurb. in Proc. Acad. Sc. Philad. 1863 (1864) 78.—Am. bor. occ.  
*purpurea*, Nutt. in Journ. Acad. Philad. N. S. i. (1847) 186 = *debilis*.  
*pusilla*, Steud. Syn. Pl. Gram. 177 = *M. Clomena*.  
*quadridentata*, Trin. Gram. Unifl. 194.—Mexic.  
*rara*, Trin. l. c. 193 = *Agrostis rara*.  
*rariflora*, Hook. f. Fl. Antarct. 371. t. 131 = *Stipa rariflora*.  
*rigida*, Trin. Gram. Unifl. 194.—Mexic.  
*rupestris*, Steud. in Lechl. Berb. Am. Austr. 56.—Peruv.  
*scabra*, Trin. & Rupr. in Mém. Acad. Pétersb. Sér. VI. v. Sc. Nat. (1842) 183 = *Aristida scabra*.  
*scabra*, S. Wats. in Proc. Am. Acad. xviii. (1882-83) 174.—Mexic.  
*Schaffneri*, Fourn. ex Hemsl. Biol. Centr. Am. Bot. iii. 542.—Mexic.  
*Schreberi*, F. F. Gmel. Syst. 171.—Am. bor.  
*sciurea*, Trin. Gram. Unifl. 193 = *Dichelachne sciurea*.  
*setarioides*, Fourn. ex Hemsl. Biol. Centr. Am. Bot. iii. 542.—Mexic.  
*setifolia*, Coult. Bot. Gaz. vii. (1882) 92.—Am. bor.  
*setosa*, Trin. Gram. Unifl. 193 = *glomerata*.  
*Sieberiana*, Trin. ex Hook. f. Handb. N. Zeal. Fl. 326 = *Dichelachne sciurea*.  
*simplex*, Kunth, Rév. Gram. i. 64 = *Polypogon maritimus* ?  
*sobolifera*, Trin. Gram. Unifl. 189.—Am. bor.  
*spicata*, Kunth, Rév. Gram. i. 64.—Bras.  
*Spica-venti*, Trin. in Mém. Acad. Pétersb. Sér. VI. vi. ii. (1845) 285 = *Apera Spica-venti*.  
*spiciformis*, Trin. l. c. 288.—Mexic.  
*Sprengelii*, Trin. Gram. Unifl. 189 = *tenuifolia*.  
*stipoides*, Trin. l. c. 194.—Mexic. ; Ecuador.  
*stricta*, Kunth, Enum. Pl. i. 202 = *capillaris*.  
*subalpina*, Vasey, Cat. Gram. U. St. 40.—Am. bor.  
*subtilis*, Nees, in Linnaea, xix. (1847) 689.—Mexic.  
*sylvatica*, Torr. & Gray, ex Trin. in Mém. Acad. Pétersb. Sér. VI. vi. ii. (1845) 292.—Am. bor.  
*tenella*, Rupr. in Bull. Acad. Brux. ix. (1842) 230 = *exilis*.  
*tenella*, Trin. Gram. Unifl. 193.—Mexic.  
*tenuifolia*, Trin. l. c.—Mexic.  
*tenuis*, Trin. & Rupr. in Mém. Acad. Pétersb. Sér. VI. v. Sc. Nat. (1842) 183 = *Aristida tenuis*.  
*tenuissima*, Kunth, Enum. Pl. i. 198.—Am. centr.  
*texana*, Buckl. in Proc. Acad. Sc. Philad. 1862 (1863) 91 = *Sporobolus ramulosus*.  
*texana*, Thurb. ex Coult. Man. Rocky Mt. Bot. 410.—Am. bor. occ.  
*trichodes*, Steud. Syn. Pl. Gram. 177.—Am. austr.  
*trichopodes*, Chapm. Fl. S. U. St. 553 = *affinis*.  
*Trini*, Fourn. ex Hemsl. Biol. Centr. Am. Bot. iii. 543.—Mexic.  
*virescens*, Trin. Gram. Unifl. 193.—Mexic.  
*viridissima*, Nees, ex Steud. Syn. Pl. Gram. 178.—Ind or.  
*viridissima*, Nees, ex Trin. in Mém. Acad. Pétersb. Sér. VI. vi. ii. (1845) 293 = *sylvatica*.  
*Willdenowii*, Trin. Gram. Unifl. 188. t. 5. f. 3.—Am. bor.  
*Wrightii*, Vasey, ex Coult. Man. Rocky Mt. Bot. 409.—Am. bor. occ.
- MUELLERA**, Linn. f. Suppl. 53 (1781). **LEGUMINOSAE**, Benth. & Hook. f. i. 550.  
*COULANDIA*, Aubl. Pl. Gui. ii. 937. t. 356 (1775).  
*CYANOTRYS*, Zucc. in Abh. Akad. Muench. iv. ii. (1845) 28 (Pl. Nov. Fasc. v. 30. t. 5).  
*MULLERA*, Juss. Gen. 352 (1789).

**MUELLERA** :—

- mexicana*, Benth. in Journ. Linn. Soc. iv. (1860) Suppl. 117.—Mexic.  
*moniliformis*, Linn. f. Suppl. 53.—Nicaragua.  
*verrucosa*, Herb. Mus. Par. ex DC. Prod. ii. 353 = *Bremontiera Ammoxylon*.  
*verrucosa*, Pers. Syn. ii. 311 = *Ormocarpum verrucosum*.

**MUELLERARGIA**, Cogn. in DC. Monog. Phan. iii. 630 (1881). **CUCURBITACEAE**.  
*timorensis*, Cogn. l. c.—Ins. Timor.

**MUENCHHAUSIA**, Scop. Introd. 220 (1777) = seq.

**MUENCHHAUSIA**, Murr. Syst. ed. XIII. 581 (1774) = **MUNCHAUSIA**, Linn. = *Lagerstroemia*, Linn. (Lythrar.).

**MUENTERIA**, Seem. Journ. Bot. iii. (1865) 329. tt. 35, 36 = *Dolichandrone*, Fenzl (Bignon.).  
*lutea*, Seem. l. c. viii. (1870) 211 = *D. lutea*.  
*puberula*, Seem. l. c. 339.—Afr. trop.  
*stenocarpa*, Seem. l. c. iii. (1865) 329.—Afr. trop.  
*tomentosa*, Seem. l. c. 330 = *D. tomentosa*.  
*zanzibarica*, Seem. l. c. viii. (1870) 339.—Afr. trop.

**MUENTERIA**, Walp. Rep. v. 398 (1846) = *Picraena*, Lindl. (Simarub.).  
*excelsa*, Walp. l. c. = *P. excelsa*.

**MUHLNBERGIA**, Schreb. Gen. 44 (1789) = **Muehlenbergia**, Schreb. (Gramin.).

**MUILLA**, S. Wats. in Proc. Am. Acad. xiv. (1879) 235. **LILIACEAE**, Benth. & Hook. f. iii. 801.  
*maritima*, S. Wats. in Proc. Am. Acad. xiv. (1879) 235.—Calif.

**MUKIA**, Arn. in Hook. Journ. Bot. iii. (1841) 276 = *Melothria*, Linn. (Cucurb.).  
*althaeoides*, M. Roem. Syn. Pepon. 47 = *Mel. maderaspatana*.  
*leiosperma*, Wight, in Ann. & Mag. Nat. Hist. Ser. I. viii. (1842) 268 = *Mel. leiosperma*.  
*maderaspatana*, M. Roem. Syn. Pepon. 47 = *Mel. maderaspatana*.  
*micrantha*, F. Muell. Fragm. ii. 180 = *Mel. Muellieri*.  
*Rottleri*, M. Roem. Syn. Pepon. 47 = *Mel. maderaspatana*.  
*scabrella*, Arn. in Hook. Journ. Bot. iii. (1841) 276 = *Mel. maderaspatana*.

**MULDERA**, Miq. in Bull. Néerl. (1839) 448 ; et Comm. Phyt. 34 (1840) = *Piper*, Linn.  
*baccata*, Miq. Syst. Pip. 341 = *P. baccatum*.  
*cordata*, Miq. Pl. Jungh. 17 = *P. ungaramense*.  
*diandra*, Thw. Enum. Pl. Zeyl. 428 = *P. trineuron*.  
*firma*, Miq. in Ann. Mus. Bot. Lugd. Bat. i. 140 = *P. firmum*.  
*galeata*, Miq. in Hook. Lond. Journ. Bot. v. (1846) 557 = *P. galeatum*.  
*multinervis*, Miq. l. c. 558 = *P. nigrum*.  
*recurva*, Miq. Syst. Pip. 342 = *P. recurvum*.  
*recurva*, Zoll. Syst. Verz. Arch. Ind. 84 = *P. baccatum*.  
*trichostachya*, Miq. in Hook. Lond. Journ. Bot. v. (1846) 556 = *P. trichostachyon*.  
*Wightiana*, Miq. l. c. 557 = *P. galeatum*, *nigrum*.

**MULGEDIUM**, Cass. in Dict. Sc. Nat. xxxiii. 293 (1824) = *Lactuca*, Tourn. (Compos.).  
*abietinum*, Boiss. & Bal. ex Boiss. Fl. Orient. iii. 802.—As. Min.  
*acuminatum*, DC. Prod. vii. 250 = *L. acuminata*.  
*albanum*, DC. l. c. 249 = *L. racemosa*.  
*alpinum*, Less. Syn. Comp. 142 = *L. alpina*.  
*armeniaceum*, Boiss. Fl. Orient. iii. 800 = *L. racemosa*.  
*aureum*, Sch. Bip. ex Vis. in Mem. Ist. Venet. xv. (1870) 7 = *L. sonchifolia*.  
*Aurora*, Sch. Bip. ex Nym. Consp. 433 = *L. tatarica*.  
*asereum*, DC. Prod. vii. 248.—Sibir. altaic.  
*Bourgaei*, Boiss. ex Boiss. Fl. Orient. iii. 801.—As. Min.  
*calciaefolium*, DC. Prod. vii. 250.—Reg. Caucas.  
*crassicaule*, Trautv. in Bull. Soc. Nat. Mosc. xix. (1866) i. 390.—As. centr.  
*cyaneum*, DC. Prod. vii. 249 = *L. hastata*.  
*decipiens*, Hook. f. & Thoms. ex C. B. Clarke, Comp. Ind. 266 = *L. decipiens*.



**MULGEDIUM** :—

- divaricatum*, Nutt. in Trans. Am. Phil. Soc. N. S. vii. (1841) 442.—Am. bor.  
*djimilense*, Boiss. Fl. Orient. iii. 800 = seq.  
*dshimilense*, C. Koch, in Linnaea, xxiii. (1850) 669 = *Lactuca racemosa*.  
*dubium*, C. Koch, l. c. 670.—As. Min.  
*fissifolium*, Steud. Nom. ed. II. ii. 165.—Sibir.  
*floridanum*, DC. Prod. vii. 249 = *L. floridana*.  
*glabrum*, C. Koch, in Linnaea, xxiii. (1850) 668 = *L. macrophylla*.  
*grande*, C. Koch, l. c. xvii. (1848) 279 = *L. macrophylla*.  
*hastatum*, Less. Syn. Comp. 142 = *Prenanthes alata*.  
*heterophyllum*, Nutt. in Trans. Am. Phil. Soc. N. S. vii. (1841) 441 = *L. pulchella*.  
*hispidum*, DC. Prod. vii. 250.—Sibiria.  
*integrifolium*, Cass. in Dict. Sc. Nat. xxxiii. 298 = *L. canadensis*.  
*kamtschaticum*, Ledeb. in Denkschr. Bot. Ges. Regensb. iii. (1841) 65.—Kamtschat.  
*laevigatum*, DC. Prod. vii. 249 = *L. macrorrhiza*.  
*lasicum*, Boiss. & Bal. in Boiss. Fl. Orient. iii. 801 = *calciaefolium*.  
*Lessertianum*, DC. Prod. vii. 251 = *L. Lessertiana*.  
*leucophaeum*, DC. l. c. 250 = alpina.  
*lyratum*, Cass. in Dict. Sc. Nat. xxxiii. 297 = *L. floridana*.  
*macranthum*, Hook. f. & Thoms. ex C. B. Clarke, Comp. Ind. 267 = *L. macrantha*.  
*macrophyllum*, DC. Prod. vii. 248 = *L. macrophylla*.  
*macrorrhizum*, Royle, Illustr. Bot. Himal. t. 61. f. 1 = *L. macrorrhiza*.  
*multiflorum*, DC. Prod. vii. 249 = *L. alpina*.  
*neilgherrense*, Wight, Ic. t. 1144 = *L. hastata*.  
*Pancicii*, Vis. in Mem. Inst. Venet. ix. (1860) 173.—Europ. austr.  
*petiolatum*, C. Koch, in Linnaea, xvii. (1848) 279 = *calciaefolium*.  
*Plumieri*, DC. Prod. vii. 248 = *L. Plumieri*.  
*ponticum*, Boiss. in Ann. Sc. Nat. Sér. II. iv. (1854) 248. t. 2 = *calciaefolium*.  
*prenanthoides*, DC. Prod. vii. 248.—Reg. Caucas.  
*pulchellum*, G. Don, in Sweet, Hort. Brit. ed. III. 418 = *L. pulchella*.  
*rapunculoides*, DC. Prod. vii. 249 = *L. rapunculoides*.  
*robustum*, DC. l. c. 250 = *L. hastata*.  
*rostratum*, Sch. Bip. in Zoll. Syst. Verz. Ind. Archip. 125 = *L. graciliflora*.  
*runcinatum*, Cass. in Dict. Sc. Nat. xxxiii. 296 = *L. tatarica*.  
*sagittatum*, Royle, Illustr. Bot. Himal. 252. t. 61. f. 2 = *L. longifolia*.  
*salicifolium*, C. Koch, in Linnaea, xxiii. (1850) 669.—Armenia.  
*sibiricum*, Less. Syn. Comp. 142 = *L. sibirica*.  
*sonchifolium*, Vis. & Panč. in Mem. Ist. Venet. xv. (1870) 5 = *L. tatarica*.  
*tataricum*, DC. Prod. vii. 248 = *L. tatarica*.  
*thianschanicum*, Regel & Schmalh. in Act. Hort. Petrop. vi. (1879) 329.—As. centr.

- MULINUM**, Pers. Syn. i. 309 (1805). **UMBELLIFERAE**, Benth. & Hook. f. i. 877.  
*acaule*, Pers. Syn. i. 309 = *Laretia acaulis*.  
*albovaginatatum*, Gill. & Hook. in Hook. Bot. Misc. i. (1880) 328.—Chili.  
*angulatum*, DC. Prod. iv. 80 (= *Pozoa coriacea*).—Chili.  
*axilliflorum*, Griseb. in Goett. Abh. xix. (1874) 154.—Reg. Argent.  
*crassifolium*, Phil. Fl. Atac. 24.—Chili.  
*cryptanthum*, Clos, in C. Gay, Fl. Chil. iii. 90.—Chili.  
*cuneatum*, Hook. & Arn. Bot. Beech. Voy. 26.—Chili.  
*Dipterygia*, DC. Prod. iv. 80 = *Asteriscium polycephalum*.  
*Echegarayi*, Hieron. in Bol. Acad. Nac. Córdoba, iv. (1881) 27.—Reg. Argent.  
*Echinus*, DC. Prod. iv. 79 = *ulicinum*.  
*hirsutum*, Meyen, ex Walp. in Nov. Act. Nat. Cur. xix. Suppl. i. (1848) 346 = *Bowlesia multiradiata*.  
*integrifolium*, Hieron. in Bol. Acad. Nac. Córdoba, iv. (1881) 28.—Reg. Argent.  
*isatidicarpum*, DC. Prod. iv. 80 = *Asteriscium isatidicarpum*.  
*laxum*, Phil. in Linnaea, xxxiii. (1864-65) 90.—Chili.

**MULINUM** :—

- leoninum*, Lor. in Roca, Exped. Rio-Negro, ii. 222.—Patagon.  
*microphyllum*, Pers. Syn. i. 309.—Am. austr.  
*proliferum*, Pers. l. c.—Am. austr.  
*saniculaefolium*, Spreng. Umbell. Prod. 15 = *Diposis saniculaefolia*.  
*spinosa*, Pers. Syn. i. 309.—Chili.  
*triacanthum*, Griseb. in Goett. Abh. xix. (1874) 154.—Reg. Argent.  
*ulicinum*, Gill. & Hook. in Hook. Bot. Misc. i. (1880) 328. t. 64.—Chili.

**MULLERA**, Juss. Gen. 352 (1789) = **Muelleria**, Linn. f. (Legumin.).

- MUNBYA**, Boiss. Diagn. Ser. I. xi. 114 (1849 = **Macrotomia**, DC. (Borag.).  
*Cephalotes*, Boiss. l. c. 116 = *Macrotomia Cephalotes*.  
*conglobata*, Boiss. l. c. = *Macrotomia Cephalotes*.  
*cyanochroa*, Boiss. l. c. 115 = *Macrotomia perennis*.  
*densiflora*, Boiss. l. c. 116.—Songaria.  
*perennis*, Boiss. l. c. 115 = *Macrotomia perennis*.

**MUNBYA**, Pomel, Mat. Fl. Atl. 8 (1860). **LEGUMINOSAE**.

- LAMOTTEA**, Pomel, in Bull. Soc. Bot. Fr. xvii. (1870) 235.  
*plicata*, Pomel, Mat. Fl. Atl. 9.—Alger.  
*polystachya*, Pomel, l. c.—Alger.

- MUNCHAUSIA**, Linn. Mant. ii. 153 (1771) = **Lagerstroemia**, Linn. (Lythrar.).  
*ovata*, Jaume St. Hil. Expos. ii. 176 = *L. hirsuta*.  
*speciosa*, Linn. Mant. ii. 243; et ex Muench. Hausv. i. 357 = *L. Flos-reginae*.

**MUNCHHAUSIA**, Murr. Prod. Gotting. Praef. (1770) = praec.

- MUNCHUSIA**, Heist. ex Rafin. Sylva Tellur. 115 (1838) = **Hibiscus**, Linn. (Malvac.).  
*tomentosa*, Rafin. l. c. = *H. clypeatus*.

- MUNDTIA**, H. B. & K. Nov. Gen. et Sp. v. 392, in adnot. (1821) (*Mundia*); Harv. in Harv. & Sond. Fl. Cap. i. 95 (1859-60). **POLYGALEAE**, Benth. & Hook. f. i. 137.  
**NYLANDTIA**, Dum. Comm. Bot. 31 (1822).  
**VASCOA**, DC. Prod. i. 337, in obs. (1824).  
*albiflora*, Eckl. & Zeyh. Enum. 29 = *spinosa*.  
*brasiliensis*, A. St. Hil. Fl. Bras. Mer. ii. 58. t. 92 = *Acanthocladus brasiliensis*.  
*Candolleana*, Walp. Rep. ii. 769 = *Muraltia De-Candollei*.  
*desertorum*, Eckl. & Zeyh. Enum. 30 = *Muraltia juniperifolia*.  
*glaucula*, Eckl. & Zeyh. l. c. = *spinosa*.  
*heterophylla*, Walp. Rep. ii. 769 = *Muraltia ononidifolia*.  
*Kraussiana*, Walp. l. c. = *Muraltia Kraussiana*.  
*montana*, Eckl. & Zeyh. Enum. 30 = *spinosa*.  
*scoparia*, Eckl. & Zeyh. l. c. = *spinosa*.  
*spinosa*, DC. Prod. i. 338.—Afr. austr.  
*tabularis*, Eckl. & Zeyh. Enum. 29 = *spinosa*.

**MUNDUBI**, Adans. Fam. ii. 323 (1763) = **Arachis**, Linn. (Legumin.).

- MUNDULEA**, Benth. in Miq. Pl. Jungh. ii. 248 (1852). **LEGUMINOSAE**, Benth. & Hook. f. i. 497.  
*ambatoana*, Baill. in Bull. Soc. Linn. Par. i. (1883) 390.—Madag.  
*ambongoensis*, Baill. l. c. 391.—Madag.  
*antanossarum*, Baill. l. c. 390.—Madag.  
*densicoma*, Baill. l. c. 391.—Madag.  
*Grandidieri*, Baill. l. c. 390.—Madag.  
*Hookeri*, Baill. l. c. 389.—Madag.  
*Milletti*, Benth. in Miq. Pl. Jungh. 249.—China.  
*pauciflora*, Baker, in Journ. Bot. xx. (1882) 68.—Madag.  
*pulchra*, Benth. in Miq. Pl. Jungh. 248 = *Millettia pulchra*.  
*revoluta*, Baker, in Journ. Linn. Soc. xx. (1883) 129.—Madag.  
*Richardiana*, Baill. in Bull. Soc. Linn. Par. i. (1883) 389.—Madag.

**MUNDULEA** :—

- suberosa*, Benth. in Miq. Pl. Jungh. 248.—Afr. trop.  
*Telfairii*, Baker, in Journ. Bot. xx. (1882) 69.—Madag.  
*tullearensis*, Baill. in Bull. Soc. Linn. Par. i. (1883) 390.—Madag.

**MUNGOS**, Adans. Fam. ii. 225 (1763) = **Ophiorrhiza**, Linn. (Rubiace.).

**MUNNICKIA**, Reichb. Consp. 85 (1828) = **Bragantia**, Lour. (Aristol.).

**MUNNICKSIA**, Dennst. Schluess. Hort. Malab. 27 (1818) = **Hydnocarpus**, Gaertn. (Bixin.).  
*laurifolia*, Dennst. l. c. = *H. Wightiana*.

- MUNNOZIA**, Ruiz & Pav. Prod. Fl. Per. 108. t. 23 (1794) = **Liabum**, Adans. (Compos.).  
*corymbosa*, Ruiz & Pav. Syst. Veg. 195 = *L. corymbosum*.  
*lanceolata*, Ruiz & Pav. l. c. 196 = *L. lanceolatum*.  
*sagittata*, Wedd. Chlor. And. i. 211 = *L. sagittatum*.  
*Senecionidis*, Benth. Pl. Hartw. 134.—Ecuador.  
*trinervis*, Ruiz & Pav. Syst. Veg. 195 = *L. trinerve*.  
*venosissima*, Ruiz & Pav. l. c. = *L. venosissimum*.

**MUNROA**, Torr. in Pacif. Rail. Rep. iv. 158 (1856) (Monroa). **GRAMINEAE**, Benth. & Hook. f. iii. 1180.

- MONROA**, Torr. l. c. (1856), errore, et auct. plur.  
*argentina*, Griseb. in Goett. Abh. xxiv. (1879) 300.—Reg. Argent.  
*mendocina*, Phil. Sert. Mend. Alt. 52.—Chili.  
*squarrosa*, Torr. in Pacif. Rail. Rep. iv. 158.—N. Mexic.

**MUNRONIA**, Wight, Illustr. i. 147. t. 54 (1839). **MELIACEAE**, Benth. & Hook. f. i. 331.

- javanica*, Benth. Pl. Fav. Rar. i. 176.—Java.  
*neilgherrica*, Wight, Illustr. i. 147. t. 54 = *Wallichii*.  
*pumila*, Wight, Ic. i. t. 91.—Ind. or.  
*timoriensis*, Baill. Adansonia, xi. (1874) 266.—Ins. Timor.  
*Wallichii*, Wight, Illustr. i. 117.—Ind. or.

**MUNROZIA**, Steud. Nom. ed. II. ii. 166 (1841), sphalm. = **MUNNOZIA**, Ruiz & Pav. = **Liabum**, Adans. (Compos.).

**MUNTINGIA**, Plum. ex Linn. Syst. ed. I (1735). **TILIACEAE**, Benth. & Hook. f. i. 236.

- Calabura*, Linn. Sp. Pl. 509.—Ind. occ.  
*glabra*, Spreng. Syst. ii. 592.—Bras.  
*rosea*, Karst. Fl. Columb. ii. 55. t. 128.—N. Granat.

**MUNYCHIA**, Cass. in Dict. Sc. Nat. xxxvii. 483 (1825) = **Felicia**, Cass. (Compos.).

- brachyglossa*, Cass. l. c. = *Aster Cymbalariae*.  
*Cymbalariae*, Nees, Gen. & Sp. Ast. 218 = *Aster Cymbalariae*.  
*cymbalariaoides*, DC. Prod. v. 223 = *Aster Candollei*.  
*hirsuta*, DC. l. c. 222 = *Aster hirsutus*.

**MURALTA**, Adans. Fam. ii. 460 (1763) = **Clematis**, Tourn. (Ranunc.).

**MURALTIA**, Neck. Elem. iii. 62 (1790). **POLYGALEAE**, Benth. & Hook. f. i. 137.

- HEISTERIA**, Linn. Gen. ed. I. 350 (1737), nomen prius.  
*acerosa*, Harv. in Harv. & Sond. Fl. Cap. i. Add. 20\*.—Afr. austr.  
*acicularis*, Harv. l. c. 102.—Afr. austr.  
*acipetala*, Harv. l. c. 101.—Afr. austr.  
*affinis*, Harv. l. c. 102 = *longicuspis*.  
*alopecuroides*, DC. Prod. i. 335.—Afr. austr.  
*alopecuroides*, Eckl. & Zeyh. Enum. 26 = *squarrosa*.  
*angulosa*, Spreng. ex Turcz. in Bull. Soc. Nat. Mosc. xxvii. (1854) II. 356.—Afr. austr.  
*anthospermifolia*, Eckl. & Zeyh. Enum. 26.—Afr. austr.  
*aspalatha*, DC. Prod. i. 336 = *phylicoides*.  
*asparagifolia*, Eckl. & Zeyh. Enum. 28.—Afr. austr.  
*aspera*, Lehm. ex Eckl. & Zeyh. l. c. 25 = *thymifolia*.



**MURALTIA** :—

- Beiliana, *Harv. in Harv. & Sond. Fl. Cap.* i. 111.—Afr. austr.
- brevicornu, *DC. Prod.* i. 337.—Afr. austr.
- brevicornu, E. Mey. in Drège, *Zwei Pfl. Docum.* 203 = striata.
- brevifolia, *DC. Prod.* i. 335 = thymifolia.
- brevifolia, Eckl. & Zeyh. *Enum.* 29 = obovata.
- Burchellii, Eckl. & Zeyh. l. c. 27 = alopecuroides.
- Burmanni, *DC. Prod.* i. 337.—Afr. austr.
- Burmanni, Eckl. & Zeyh. *Enum.* 25 = satureioides.
- calycina, *Harv. in Harv. & Sond. Fl. Cap.* i. 101.—Afr. austr.
- Candolleana, Meissn. in Hook. *Lond. Journ. Bot.* i. (1842) 471 = De-Candollei.
- Candollei, *Harv. in Harv. & Sond. Fl. Cap.* i. 10 = De-Candollei.
- carnosa, E. Mey. in Drège, *Zwei Pfl. Docum.* 203, nomen; et *ex Harv. & Sond. Fl. Cap.* i. 111.—Afr. austr.
- ciliaris, *DC. Prod.* i. 336.—Afr. austr.
- ciliaris, Eckl. & Zeyh. *Enum.* 27 = incompta.
- ciliais, Sieber, *ex Harv. & Sond. Fl. Cap.* i. 106 = phyllicoides.
- cliffortiaefolia, Eckl. & Zeyh. *Enum.* 25.—Afr. austr.
- condensata, *Turcz. in Bull. Soc. Nat. Mosc.* xxvii. (1854) ii. 354.—Afr. austr.
- conferta, *DC. Prod.* i. 335 = satureioides.
- conferta, Hochst. *ex Harv. & Sond. Fl. Cap.* i. 108 = lancifolia.
- conferta, E. Mey. in Drège, *Zwei Pfl. Docum.* 203 = M. Heisteria.
- crassifolia, *Harv. in Harv. & Sond. Fl. Cap.* i. 112.—Afr. austr.
- De-Candollei, Eckl. & Zeyh. *Enum.* 27.—Afr. austr.
- depressa, *Burch. ex DC. Prod.* i. 336.—Afr. austr.
- depressa, E. Mey. in Drège, *Zwei Pfl. Docum.* 203 = mixta.
- diffusa, *Burch. ex DC. Prod.* i. 336 = stipulacea.
- divaricata, Eckl. & Zeyh. *Enum.* 28.—Afr. austr.
- Dregei, *Harv. in Harv. & Sond. Fl. Cap.* i. 108.—Afr. austr.
- Dregei, Presl, *Bot. Bemerk.* 17 = squarrosa.
- dumosa, *DC. Prod.* i. 337.—Afr. austr.
- ericaefolia, *DC. l. c.* 336.—Afr. austr.
- ericaefolia, Eckl. & Zeyh. *Enum.* 28 = divaricata.
- ericaefolia, Pappe, *ex Harv. & Sond. Fl. Cap.* i. 101 = satureioides.
- ericifolia, E. Mey. in Drège, *Zwei Pfl. Docum.* 203 = satureioides.
- fasciculata, *DC. Prod.* i. 337.—Afr. austr.
- fasciculata, Eckl. & Zeyh. *Enum.* 27 = ciliaris.
- filiformis, *DC. Prod.* i. 337.—Afr. austr.
- hamata, E. Mey. in Drège, *Zwei Pfl. Docum.* 203 = macrocarpa.
- Heisteria, *DC. Prod.* i. 335.—Afr. austr.
- heterophylla, E. Mey. in Drège, *Zwei Pfl. Docum.* 203 = ononidifolia.
- humilis, *DC. Prod.* i. 337.—Afr. austr.
- incompta, E. Mey. in Drège, *Zwei Pfl. Docum.* 203, nomen; et *ex Harv. & Sond. Fl. Cap.* i. 107.—Afr. austr.
- juniperifolia, *DC. Prod.* i. 336.—Afr. austr.
- juniperifolia, Eckl. & Zeyh. *Enum.* 26 = ericaefolia.
- Kraussiana, Meissn. in Hook. *Lond. Journ. Bot.* i. (1842) 473.—Afr. austr.
- lancifolia, *Harv. in Harv. & Sond. Fl. Cap.* i. 108.—Afr. austr.
- laricifolia, Eckl. & Zeyh. *Enum.* 27.—Afr. austr.
- laxa, *DC. Prod.* i. 337.—Afr. austr.
- laxa, Eckl. & Zeyh. *Enum.* 29 = divaricata.
- laxa, E. Mey. in Drège, *Zwei Pfl. Docum.* 203 = Dregei.
- leptorhiza, *Turcz. in Bull. Soc. Nat. Mosc.* xxvii. (1854) ii. 356.—Afr. austr.
- linifolia, *Harv. in Harv. & Sond. Fl. Cap.* i. 111 = angulosa.
- linophylla, *Burch. ex DC. Prod.* i. 336 = filiformis.
- longicuspis, *Turcz. in Bull. Soc. Nat. Mosc.* xxvii. (1854) ii. 355.—Afr. austr.
- lycopodioides, *Hassk. in Miq. Ann. Mus. Bot. Lugd. Bat.* i. 182.—Afr. austr.
- macrocarpa, *Lehm. ex Eckl. & Zeyh. Enum.* 26.—Afr. austr.
- macroceras, *Burch. ex DC. Prod.* i. 336.—Afr. austr.
- macroceratia, St. Lag. in Ann. Soc. Bot. Lyon, vii. (1880) 130 = praece.
- macropetala, *Harv. in Harv. & Sond. Fl. Cap.* i. 100.—Afr. austr.

**MURALTIA** :—

- marifolia, Eckl. & Zeyh. *Enum.* 28 = serpylloides.
- metalsiaefolia, Eckl. & Zeyh. l. c. 26 = rubeacea.
- micrantha, A. Dietr. in Otto & Dietr. *Allg. Gartenz.* ii. (1834) 122.—Afr. austr.
- micrantha, Eckl. & Zeyh. *Enum.* 28 = stipulacea.
- mixta, *DC. Prod.* i. 336.—Afr. austr.
- mixta, E. Mey. in Drège, *Zwei Pfl. Docum.* 203, partim = longicuspis.
- obovata, *DC. Prod.* i. 337.—Afr. austr.
- obovata, Eckl. & Zeyh. *Enum.* 29 = organoides.
- ononidifolia, Eckl. & Zeyh. l. c. 25.—Afr. austr.
- organoides, Presl, *Bot. Bemerk.* 16.—Afr. austr.
- Pappeana, *Harv. in Harv. & Sond. Fl. Cap.* i. 106.—Afr. austr.
- parviflora, *DC. Prod.* i. 337.—Am.
- pauciflora, *DC. l. c.*—Afr. austr.
- phyllicoides, *DC. l. c.*—Afr. austr.
- pilosa, *DC. l. c.*—Afr. austr.
- Poiretii, *DC. l. c.*—Afr. austr.
- pubescens, *DC. l. c.* 336.—Afr. austr.
- reticulata, *Harv. in Harv. & Sond. Fl. Cap.* i. 109 = organoides.
- rigida, E. Mey. in Drège, *Zwei Pfl. Docum.* 203, nomen; et *ex Turcz. in Bull. Soc. Nat. Mosc.* xxvii. (1854) ii. 357.—Afr. austr.
- rubeacea, Eckl. & Zeyh. *Enum.* 26.—Afr. austr.
- rubicunda, *Turcz. in Bull. Soc. Nat. Mosc.* xxvii. (1854) ii. 354 = dumosa.
- rupestris, Pappe, *ex Harv. & Sond. Fl. Cap.* i. 107 = pubescens.
- ruscifolia, Eckl. & Zeyh. *Enum.* 25 = squarrosa.
- satureioides, *Burch. ex DC. Prod.* i. 336.—Afr. austr.
- serpyllifolia, G. Don, *Gen. Syst.* i. 364 = seq.
- serpylloides, *DC. Prod.* i. 335.—Afr. austr.
- serpylloides, Eckl. & Zeyh. *Enum.* 25 = thymifolia.
- sprengelioides, *Burch. ex DC. Prod.* i. 336 = juniperifolia.
- sprengelioides, Eckl. & Zeyh. *Enum.* 26 = ericaefolia.
- sprengelioides, *Turcz. in Bull. Soc. Nat. Mosc.* xxvii. (1854) ii. 357 = Beiliana.
- squarrosa, *DC. Prod.* i. 335.—Afr. austr.
- squarrosa, Eckl. & Zeyh. *Enum.* 27 = alopecuroides.
- squarrosa, Sieber, *ex Presl, Bot. Bemerk.* 16 = stipulacea.
- stipulacea, Andr. Bot. Rep. t. 363 = macropetala.
- stipulacea, *Burch. ex DC. Prod.* i. 336.—Afr. austr.
- stipulacea, Eckl. & Zeyh. *Enum.* 25 = dumosa.
- striata, *DC. Prod.* i. 337.—Afr. austr.
- striata, Eckl. & Zeyh. *Enum.* 29 = angulosa.
- sulcata, *Harv. in Harv. & Sond. Fl. Cap.* i. 113 = leptorhiza.
- tenuifolia, *DC. Prod.* i. 336.—Afr. austr.
- tenuifolia, Meissn. in Hook. *Lond. Journ. Bot.* i. (1842) 474 = lancifolia.
- Thunbergii, Eckl. & Zeyh. *Enum.* 26 = phyllicoides.
- thymifolia, *DC. Prod.* i. 337.—Afr. austr.
- trinervia, *DC. l. c.* 335.—Afr. austr.
- viminea, *Turcz. in Bull. Soc. Nat. Mosc.* xxvii. (1854) ii. 356 = striata.
- virgata, *Burch. ex DC. Prod.* i. 336 = filiformis.
- virgata, Eckl. & Zeyh. *Enum.* 27 = alopecuroides.
- Zeyheri, *Turcz. in Bull. Soc. Nat. Mosc.* xxvii. (1854) ii. 353 (err. typ. Zeygeri).—Afr. austr.
- MURDANNIA, Royle, *Illustr. Bot. Himal.* 403. t. 95 (1839) = *Aneilema*, R. Br. (Commel.).
- scapiflora, Royle, l. c. = A. scapiflorum.
- tuberosa, C. B. Clarke, in *DC. Monog. Phan.* iii. 201, sphalm. = praec.
- MURERA, Jaime St. Hil. *Expos.* ii. 376 (1805) = Mourera, Aubl. (Podostem.).
- MURETIA, Boiss. in Ann. Sc. Nat. Sér. III. i. (1844) 143. *UMBELLIFERAE*, Benth. & Hook. f. i. 895. amplifolia, Boiss. & Haussk. *ex Boiss. Fl. Orient.* ii. 859.—Persia.
- aurea, Boiss. in Ann. Sc. Nat. Sér. III. i. (1844) 143.—As. Min.
- lutea, Boiss. *Fl. Orient.* ii. 858 = tanaicensis.
- tanaicensis, Boiss. in Ann. Sc. Nat. Sér. III. i. (1844) 143.—Reg. Casp.
- MURICARIA, Desv. *Journ. Bot.* iii. (1814) 159. t. 25. f. 2. *CRUCIFERAE*, Benth. & Hook. f. i. 99.
- CORVINA, Steud. *Nom. ed.* II. i. 256 (1840) sphalm.
- KREMERIA, Coss. & Dur. in Bull. Soc. Bot. Fr. iii. (1856) 671.

**MURICARIA** :—

- corydlocarpa, C. Muell. in Walp. *Ann.* vii. 177.—Alger.
- prostrata, Desv. *Journ. Bot.* iii. (1814) 159. t. 25. f. 2.—Alger.
- MURICIA, Lour. *Fl. Cochinch.* 596 (1790) = Momordica, Linn. (Cucurb.).
- cochinchinensis, Lour. l. c. = Momord. cochinchinensis.
- MURIEA, Hartog, in *Journ. Bot.* xvi. (1878) 145 = Labourdonnaisia, Boj. (Sapot.).
- albescens, Hartog. l. c. 145.—Cf. 72 = L. albescens.
- discolor, Hartog. l. c. 145.—Cf. 72 = L. discolor.
- MURIRI, J. F. Gmel. *Syst.* 693 (1791) = Mouriria, Juss. (Melastom.).
- MUROCOA, Jaime St. Hil. *Expos.* i. 307 (1805) = MOUROCOA, Aubl. = Maripa, Sw. (Ternstr.).
- MURRAEA, Koen. *ex Linn. Mant.* ii. 554 (1771) = seq.
- MURRAYA, Koen. *ex Linn. Mant.* ii. 554 (1771) (Murræa); Murr. *Syst. ed.* XIII. 331 (1774).
- RUTACEAE*, Benth. & Hook. f. i. 304.
- BERGERA, Koen. in Linn. *Mant.* ii. 555 (1771).
- CHALCAS, Linn. *Mant.* i. 68 (1767).
- MARSANA, Sonner. *Voy. Ind. Or.* iii. 282 (1782).
- NIMBO, Dennst. *Schluess. Hort. Malab.* 30 (1818).
- SICKLERA, M. Roem. *Syn. Pepon.* i. 49 (1846).
- amoena, Salisb. *Prod.* 320 = exotica.
- brevifolia, Thw. *Enum. Pl. Zeyl.* 45 = exotica.
- Burmanni, Spreng. *Syst.* ii. 315 = Clausena excavata.
- cerasiformis, Blanco, *Fl. Filip.* ed. I. 363 = Glycosmis pentaphylla.
- crenulata, Oliver, in *Journ. Linn. Soc. v. Suppl.* ii. (1861) 29.—Ins. Philipp.; Austral.
- elongata, A. DC. *ex Hook. f. Fl. Brit. Ind.* i. 503.—Burma.
- exotica, Blanco, *Fl. Filip.* ed. II. 255 = Glycosmis pentaphylla.
- exotica, Linn. *Mant.* ii. 563.—As. et Austral. trop.; Polynes.
- exotica, Reinw. *ex Miq. Ann. Mus. Bot. Lugd. Bat.* iv. 48 = Aglaia odorata.
- foetidissima, Teijsm. & Binn. in *Tijdschr. Nederl. Ind.* xxvii. (1864) 41.—Java.
- Glenieii, Thw. *ex Oliver, in Journ. Linn. Soc. v. Suppl.* ii. (1861) 29 = exotica.
- heptaphylla, Span. in *Linnaea*, xv. (1841) 178.—Ins. Timor.
- japonensis, Raensch. *Nom. ed.* III. 119 = exotica.
- Koenigii, Spreng. *Syst.* ii. 315.—Ind. or.
- lobata, Blanco, *Fl. Filip.* ed. I. 363.—Ins. Philipp.
- longifolia, Blume, *Bijdr.* 137.—Java.
- odorata, Blanco, *Fl. Filip.* ed. II. 256 = Feronia elephantum.
- paniculata, Jack, in Malay. *Misc.* i. (1820) n. v. 31 = exotica.
- sumatrana, Roxb. *Hort. Beng.* 32; *Fl. Ind.* ii. 375 = exotica.
- MURRINEA, Rafin. *Sylva Tellur.* 104 (1838) = Baeckea, Linn. (Myrtac.).
- MURRITHIA, Zoll. & Mor. in Nat. en Geneesk. Arch. Neêrl. Indie, ii. (1845) 576 = Pimpinella, Riv. (Umbell.).
- cordata, Zoll. & Mor. l. c.—Java.
- MURRYA, Griff. *Notul.* iv. 494 (1854), sphalm.
- Murraya, Linn. (Rutac.).
- MURTEKIAS, Rafin. *Fl. Tellur.* iv. 116 (1836)
- Euphorbia, Linn.
- Myrsinites, Rafin. l. c. = E. Myrsinites.
- MURUCOA, J. F. Gmel. *Syst.* 344 (1791) = MOUROCOA, Aubl. = Maripa, Sw. (Ternstr.).
- MURUCUJA, Tourm. *ex Medic. Malv.* 97 (1787)
- Passiflora, Linn.
- adiantifolia, Sweet, *Hort. Brit. ed. I.* 355 = P. glabra.
- aurantia, Pers. *Syn.* ii. 222 = P. aurantia.
- Baueri, Lindl. *Coll. Bot.* t. 36 = P. Baueriana.



**MURUCUJA:—**

- Herbertiana*, Sweet, Hort. Brit. ed. I. 355 = *Passiflora Herbertiana*.  
*lunata*, Medic. Malv. 97 = *P. lunata*, Willd.  
*mollissima*, Spreng. Syst. iii. 43 = *Tacsonia mollissima*.  
*ocellata*, Pers. Syn. ii. 222 = *P. Murucuja*.  
*orbiculata*, Pers. l. c. = *P. Murucuja*.  
*peduncularis*, Spreng. Syst. iii. 43 = *Tacsonia peduncularis*.  
*perfoliata*, Spreng. l. c. = *P. perfoliata*.  
*speciosa*, Spreng. l. c. = *Tacsonia mixta*.  
*viridiflora*, Spreng. l. c. = *P. viridiflora*.

**MUSA**, Linn. Mus. Cliff. 2 (1736); Gen. ed. I. 315 (1737). *SCITAMINEAE*, Benth. & Hook. f. iii. 655.

- ENSETE, Bruce, 'Trav. v. App. 36' ex Horan. Prod. Scit. 40 (1862).  
 KARKANDELA, Rafin. Sylva Tellur. 106 (1838).  
 MNASIUM, Stackh. Extr. Bruce's Trav. Abyss. 18. t. 2 (1815).  
*Abaca*, Perr. in Mém. Soc. Linn. Par. iii. (1825) 130 = *textilis*?  
*acuminata*, Colla, Mem. Gen. Musa, 66.—Ins. Amboin.  
*alphurica*, Miq. Fl. Ind. Bat. iii. 589 = *sapientum*.  
*amboinensis*, Miq. l. c. 588 = *textilis*.  
*Bacoba*, Rottb. in Act. Lit. Univ. Hafn. i. (1778) 302 (Quid?).—Guiana.  
*Balbistiana*, Colla, Mem. Gen. Musa, 56 = *sapientum*.  
*Banksiana*, Kurz, in Journ. Agr. Hort. Soc. Ind. N. S. v. (1878) 164 = seq.  
*Banksii*, F. Muell. Fragm. iv. 132.—Austral.  
*Easjoo*, Siebold, in Verh. Batav. Gen. xii. (1830) 18.—Japan.  
*Berteri*, Colla, Mem. Gen. Musa, 57 = *sapientum*.  
*Berteroniana*, Steud. Nom. ed. II. ii. 167, sphalm. = *præc.*  
*Bikai*, Linn. Sp. Pl. 1043 = *Heliconia Bihai*.  
*Carolinae*, Sterler, Hort. Nymph. 109 = *rosacea*.  
*Cavendishii*, Lambert, ex Paxt. Mag. Bot. iii. (1837) 51, 52 = *chinensis*.  
*Chapara*, Perr. in Mém. Soc. Linn. Par. iii. (1825) 131 = *sapientum*.  
*chinensis*, Sweet, Hort. Brit. ed. II. 596.—China.  
*Cliffortiana*, Linn. Sp. Pl. 1043, in syn. = *sapientum*.  
*coccinea*, Andr. Bot. Rep. t. 47.—China.  
*corniculata*, Kurz, in Journ. Agr. Hort. Soc. Ind. N. S. v. (1878) 166 = *acuminata*.  
*corniculata*, Lour. Fl. Cochinch. 644.—Cochinch.  
*Dacca*, Hort. Berol. ex Horan. Prod. Scitam. 41 = *sapientum*.  
*dasycarpa*, Kurz, in Journ. Agr. Hort. Soc. Ind. xiv. (1865) 301, nomen = *velutina*.  
*discolor*, Hort. ex Horan. Prod. Scitam. 41.—Hab.?  
 Ensete, J. F. Gmel. Syst. 567.—Afr. trop.  
 Fehi, Bert. ex Vieill. in Ann. Sc. Nat. Sér. IV. xvi. (1861) 45.—Tahiti; N. Caled.  
 Fei, Bert. ex Nadeaud. Pl. Tahiti, 39 = *præc.*  
 Fitzalani, F. Muell. Fragm. ix. 188.—Austral.  
*glauca*, Roxb. Hort. Beng. 19; Fl. Ind. i. 669.—Burma.  
 Hillii, F. Muell. Fragm. ix. 169.—Austral.  
*humilis*, Aubl. Pl. Gui. ii. 931 = *Heliconia humilis*.  
*humilis*, Perr. in Mém. Soc. Linn. Par. iii. (1825) 131 = *chinensis*?  
*Jackeyi*, Kurz, in Journ. Agr. Hort. Soc. Ind. N. S. v. (1878) 163 = *Hillii*?  
*Livingstoniana*, J. Kirk, in Journ. Linn. Soc. ix. (1867) 128.—Afr. trop.  
*maculata*, Jacq. Hort. Schoenb. iv. 23. t. 446.—Ins. Maurit.  
*mensaria*, Moench, Meth. 647 = *sapientum*.  
*mindanensis*, Miq. Fl. Ind. Bat. iii. 588 = *sapientum*.  
*nana*, Lour. Fl. Cochinch. 644.—Cochinch.  
*nepalensis*, Wall. in Roxb. Fl. Ind. ed. Carey, ii. 492.—Reg. Himal.  
*nigra*, Perr. in Mém. Soc. Linn. Par. iii. (1825) 131 (Quid?).—Ins. Philipp.  
*odorata*, Lour. Fl. Cochinch. 644 = *sapientum*.  
*oleracea*, Vieill. in Ann. Sc. Nat. Sér. IV. xvi. (1861) 46 = *sapientum*.  
*ornata*, Roxb. Hort. Beng. 19; Fl. Ind. i. 666 = *rosacea*.  
*paradisiaca*, Linn. Sp. Pl. 1043 = *sapientum*.  
*rosacea*, Jacq. Hort. Schoenb. iv. 22.—As. trop.  
*rubra*, Hort. ex Steud. Nom. ed. II. ii. 167 = *rosacea*.  
*Rumphiana*, Kurz, in Journ. Agr. Hort. Soc. Ind. N. S. v. (1878) 164 = *acuminata*.

**MUSA:—**

- salaccensis*, Zoll. Syst. Verz. Ind. Archip. 74.—Java.  
*sanguinea*, Hook. f. Bot. Mag. t. 5975.—Reg. Himal.  
*sapientum*, Linn. Syst. ed. X. 1303.—As. trop.  
*Seemannii*, F. Muell. Fragm. ix. 190 = *M. Fehi*?  
*seminifera*, Lour. Fl. Cochinch. 644 = *sapientum*.  
*sikkimensis*, Kurz, in Journ. Agr. Hort. Soc. Ind. N. S. v. (1878) 164 = *sapientum*.  
*simiarum*, Kurz, l. c. xiv. (1867) 297.—Malaya.  
*speciosa*, Tenore, Ind. Sem. Hort. Neap. (1829) 16 = *rosacea*.  
*sumatrana*, Becc. in Illustr. Hort. xxvii. (1880) 37. t. 375.—Sumatra.  
*superba*, Roxb. Hort. Beng. 19; Fl. Ind. i. 667.—Ind. or.  
*sylvestris*, Colla, Mem. Gen. Musa, 58 = *textilis*.  
*textilis*, Née, in Anal. Cienc. Nat. iv. (1801) 123.—Malaya.  
*Troglodytarum*, Kurz, in Journ. Agr. Hort. Soc. Ind. N. S. v. (1878) 163, partim = *M. Fehi*.  
*Troglodytarum*, Linn. Sp. Pl. ed. II. 1477 = *sapientum*.  
*Uranoscopus*, Colla, Mem. Gen. Musa, 59 = *M. Troglodytarum*.  
*Uranoscopus*, Lour. Fl. Cochinch. 645 = *coccinea*.  
*Uranoscopus*, Seem. Fl. Vit. 290 = *M. Fehi*.  
*velutina*, H. Wendl. & Drude, in Gartenfl. (1875) 65.—Reg. Himal.  
*ventricosa*, Welw. Apont. 587. n. 45.—Afr. trop.  
*vittata*, W. Ackm. ex Rodigas, in Fl. des Serres, xv. (1862–65) 25 = *sapientum*.  
*zebrina*, Van Houtte, ex Planch. l. c. x. (1854–55) 223. t. 1061 = *sapientum*.

**MUSANGA**, C. Sm. ex R. Br. App. Tuckey, Congo, 453 (1818). *URTICACEAE*, Benth. & Hook. f. iii. 379.  
 Smithii, R. Br. in Benn. Pl. Fav. Rar. 49.—Afr. trop.

**MUSCARI**, Tourn. ex Mill. Gard. Dict. ed. VI (1752).

- LILIACEAE*, Benth. & Hook. f. iii. 811.  
*BOTRYANTHUS*, Kunth, Enum. Pl. iv. 310 (1843).  
*BOTRYCOMUS*, Fourr. in Ann. Soc. Linn. Lyon, N. S. xvii. (1869) 160.  
*BOTRYPHILE*, Salisb. Gen. Pl. Fragm. 25 (1866).  
*COMUS*, Salisb. l. c. 24 (1866).  
*CZEKELIA*, Schur, in Oestr. Bot. Wochenschr. vi. (1856) 237.  
*ETHEIRANTHUS*, Kostel. Ind. Hort. Prag. 56 (1844).  
*LEOPOLDIA*, Parl. Fl. Palerm. i. 435 (1845).  
*MOSCHARIA*, Salisb. Gen. Pl. Fragm. 25 (1866).  
*acutifolium*, Boiss. Fl. Orient. v. 300.—Reg. Caucas.  
*acutilobum*, Bertol. Misc. Bot. i. 21 = *commutatum*.  
*aestivale*, Baker, in Bot. Mag. t. 6269.—Oriens.  
*alborensis*, Nym. Syll. Suppl. 65 = *commutatum*.  
*alpinum*, J. Gay, ex Baker, in Journ. Linn. Soc. xi. (1871) 413.—As. Min.  
*ambrosiacum*, Moench, Meth. 633 = *moschatum*.  
*Argaei*, Hort.—Cf. Gard. Chron. (1883) II. 394 (Quid?).—Graecia?  
*armeniaceum*, Leichtlin, ex Baker, in Gard. Chron. (1878) I. 798.—As. Min.  
*atlanticum*, Boiss. & Reut. Pugill. Pl. Nov. 114 = *racemosum*.  
*Aucherii*, Baker, in Journ. Linn. Soc. xi. (1871) 418.—As. Min.  
*autumnale*, Guss. Ind. Sem. Hort. Boccad. (1825); ex ej. Fl. Sic. Prod. i. 427 = *parviflorum*.  
*azureum*, Fenzl, Del. Sem. Hort. Vindob. (1858) 4; et in Ann. Sc. Nat. Sér. IV. xii. (1859) 165 = *Hyacinthus ciliatus*.  
*bicolor*, Boiss. Fl. Orient. v. 294.—Aegypt.  
*bootanensis*, Griff. Ic. Pl. Asiat. t. 280 = *racemosum*.  
*botryoides*, Mill. Gard. Dict. ed. VIII. n. 1.—Europ.; Oriens.  
*botryoides*, Steud. Nom. ed. II. ii. 167 = *pedunculare*.  
*Bourgaei*, Baker, in Journ. Linn. Soc. xi. (1871) 416.—As. Min.  
*Calandrinianum*, Nym. Suppl. Syll. 65 = *comosum*.  
*caucasicum*, Baker, in Journ. Linn. Soc. xi. (1871) 414.—Reg. Caucas.  
*ciliatum*, Ker-Gawl. in Bot. Reg. t. 394 = *Hyacinthus ciliatus*.  
*ciliatum*, Kotschy, ex Baker, in Journ. Linn. Soc. xi. (1871) 429 = *Hyacinthus sessiliflorus*.  
*cilicium*, Kotschy, Reise Taur. 379 = *parviflorum*.  
*Clusianum*, C. Koch, in Linnaea, xxii. (1849) 253 = *comosum*.  
*commutatum*, Guss. Pl. Rar. 145.—Sicil.

**MUSCARI:—**

- comosum*, Mill. Gard. Dict. ed. VIII. n. 2.—Reg. Mediterr.; Oriens.  
*compactum*, Baker, in Gard. Chron. (1878) I. 799.—Europ.  
*compactum*, Jord. ex Nym. Consp. 734 = *racemosum*.  
*concinnum*, Baker, in Gard. Chron. (1878) I. 799.—Hab.?  
*conicum*, Baker, l. c.—Hab.?  
*constrictum*, Tausch, in Flora, xxiv. (1841) 234.—Corsica.  
*Courtilleri*, Bor. Fl. Centr. Fr. ed. III. ii. 621 = *comosum*.  
*crassifolium*, Boj. Hort. Maurit. 347, nomen.—Madag.  
*Cupanianum*, Tarant. & Gerb. Cat. Pl. Calat. 18 (1845); et ex Guss. Fl. Sic. Syn. ii. 814.—Sicil.  
*curtum*, Boiss. Fl. Orient. v. 292.—Graecia.  
*dilutum*, Baker, in Gard. Chron. (1878) I. 798.—Hab.?  
*discolor*, Boiss. & Haussk. ex Boiss. Fl. Orient. v. 300.—Mesopotam.  
*Elwesii*, Baker, in Gard. Chron. (1878) I. 798.—Caria.  
*filifolium*, Wahlenb. in Bergg. Resor. ii. Bihang, 60; et in Oken, Isis, xxi. (1828) 1001 = *parviflorum*.  
*fuliginosum*, Freyn, in Flora, lxviii. (1885) 8.—Tauria.  
*glaucom*, Lindl. Bot. Reg. t. 1085 = *Scilla Hohenackeri*.  
*gracum*, Boiss. Fl. Orient. v. 291.—Graecia.  
*granatense*, Freyn, in Flora, lxviii. (1885) 7.—Hispan.  
*grandifolium*, Baker, in Saund. Refug. Bot. t. 173.—Hab.?  
*Gussonei*, Tod. ex Nym. Consp. 734 = *racemosum*.  
*Gussonii*, Nym. Syll. Suppl. 65; Baker, in Journ. Linn. Soc. xi. (1871) 415.—Sicil.  
*Heldreichii*, Boiss. Diagn. Ser. II. iv. 109.—Graecia.  
*Holzmanni*, Hirc, in Oestr. Bot. Zeitschr. xxxiii. (1883) 358.—Graecia.  
*hymenophorum*, Heldr. ex Boiss. Diagn. Ser. II. iv. 109 = *Heldreichii*.  
*Kernerii*, Marches. in Boll. Soc. Adr. Sc. Trieste, vii. (1882) 266 = *botryoides*.  
*Lafarinae*, Tineo, ex Parl. Fl. Ital. ii. 503 = *commutatum*.  
*latifolium*, J. Kirk, in Trans. Bot. Soc. Edinb. vi. (1860) 30.—Phrygia.  
*laxum*, Freyn, in Flora, lxviii. (1885) 21.—Persia.  
*Lelievrii*, Bor. Fl. Centr. Fr. ed. III. ii. 621 = *botryoides*.  
*Letourneuxii*, Boiss. Fl. Orient. v. 299.—Aegypt.  
*leucophaeum*, C. Koch, in Linnaea, xxii. (1849) 254 = *Hyacinthus leucophaeus*.  
*lingulatum*, Baker, in Journ. Bot. xii. (1874) 6.—As. Min.  
*longipes*, Boiss. Diagn. Ser. I. xiii. 36.—Palaest.  
*longissimum*, Medic. in Usteri, Ann. Bot. ii. (1791) 15 = *comosum*.  
*luteum*, Tod. ex Nym. Consp. 733 = *moschatum*.  
*macrocarpum*, Sweet, Brit. Flow. Gard. Ser. I. iii. t. 210 = *moschatum*.  
*maritimum*, Desf. Fl. Atlant. i. 308.—Reg. Mediterr.  
*maritimum*, Guss. Fl. Sic. Prod. i. 426 = *Gussonii*.  
*micranthum*, Baker, in Gard. Chron. (1878) I. 799.—Hab.?  
*monstrosum*, Mill. Gard. Dict. ed. VIII. n. 4 = *comosum*.  
*montanum*, C. Koch, in Linnaea, xxii. (1849) 253 = *Hyacinthus flexuosus*.  
*Mordaanum*, Heldr. in Oestr. Bot. Zeitschr. xxviii. (1878) 52.—Ins. Corcyra.  
*moschatum*, Willd. Enum. Hort. Berol. 378.—As. Min.  
*Muscarimi*, Medic. in Usteri, Ann. Bot. ii. (1791) 15 = *moschatum*.  
*neglectum*, Guss. ex Tenore, Fl. Neap. Syll. App. v. 13.—Reg. Mediterr.  
*Neumayeri*, Boiss. Fl. Orient. v. 293.—Graecia.  
*nivale*, Stapf, in Denkschr. Acad. Wien, I. (1885) 13.—Persia.  
*nutans*, Bieb. ex Steud. Nom. ed. II. ii. 167 = *Scilla festalis*.  
*orchoides*, Mill. Gard. Dict. ed. VIII. n. 5 = *Lachenalia orchoides*.  
*pallens*, Boiss. Fl. Orient. v. 305, sphalm. in syn. = *Hyacinthus leucophaeus*.  
*pallens*, Fisch. Ind. Pl. Hort. Gorenk. (1812) 9; Link, Enum. Hort. Berol. i. 331.—Reg. Caucas.  
*pallens*, Hohen. ex Baker, in Journ. Linn. Soc. xi. (1871) 414 = *caucasicum*.



**MUSCARI:—**

- paniculatum*, Medic. in Usteri, Ann. Bot. ii. (1791) 16 = comosum.  
*paradoxum*, C. Koch, in *Linnaea*, xxii. (1849) 253.—Armenia.  
*parviflorum*, Desf. *Fl. Atlant.* i. 309.—Reg. Mediterr.  
*pauperulum*, Stapf, in *Denkschr. Acad. Wien*, 1. (1885) 78.—Lycia.  
*pedunculare*, Haw. ex Steud. Nom. ed. II. ii. 167 = botryoides.  
*pendulum*, Trautv. in *Act. Hort. Petrop.* ii. (1873) 484.—Armenia.  
*pharmacosanum*, Boiss. *Fl. Orient.* v. 291.—Graecia.  
Pinardi, Boiss. *Diagn. Ser. I.* vii. 110.—As. Min.; Syria.  
*polyanthum*, Boiss. *Fl. Orient.* v. 297.—As. Min.  
*polyphyllum*, Schur, Enum. Pl. Transs. 676 = botryoides.  
*pulchellum*, Heldr. & Sart. in Boiss. *Diagn. Ser. II.* iv. 109 = racemosum.  
*pyncnanthum*, C. Koch, in *Linnaea*, xxii. (1849) 255 = *Hyacinthus pyncnanthus*.  
*pyramidalis*, Tausch, in *Flora*, xxiv. (1841) 235.—Corsica.  
*racemosum*, Mill. *Gard. Dict.* ed. VIII. n. 3.—Reg. Mediterr. et Caucas.  
*Sartorianum*, Boiss. *Fl. Orient.* v. 292.—Graecia.  
Schliemann, Freyn & Aschers. in *Flora*, lxviii. (1885) 6.—As. Min.  
*sessiliflorum*, Spreng. Syst. ii. 66 = *Hyacinthus sessiliflorus*.  
*speciosum*, Marches. in Bull. Soc. Adr. Trieste, viii. (1882) 267 = neglectum.  
*stenanthum*, Freyn, in *Flora*, lxviii. (1885) 4.—Afr. bor.  
*Strangwaysii*, Kotschy, ex Baker, in Journ. Linn. Soc. xi. (1871) 417 = commutatum.  
*Strangwaysii*, Tenore, Ind. Sem. Hort. Neap. (1837) 5 (Stangwaysii); (1839) 11. n. 9 = racemosum.  
*suaveolens*, Fisch. ex Steud. Nom. ed. II. ii. 168, nomen = moschatum?  
*Szovitsianum*, Baker, in *Gard. Chron.* (1878) i. 799.—Persia; Reg. Caucas.  
*Szovitsianum*, Rupr. ex Boiss. *Fl. Orient.* v. 295 = racemosum.  
*tenuiflorum*, Tausch, in *Flora*, xxiv. (1841) 324 = comosum.  
*theraeum*, Boiss. *Fl. Orient.* v. 290.—Ins. Santorin.  
*transilvanicum*, Schur, in Verh. Siebenb. Ver. Naturw. iv. (1863) 76 = botryoides.  
*trojanum*, Boiss. *Fl. Orient.* v. 290.—Agr. Trojan.  
*tubiflorum*, Stev. in Bull. Soc. Nat. Mosc. xxx. (1857) 11. 84 = comosum.  
Weissii, Freyn, in *Oestr. Bot. Zeitschr.* xxviii. (1878) 87.—Archip. Graec.  
*Wilhelmii*, Stev. in Bull. Soc. Nat. Mosc. xxx. (1857) 11. 84 = *Scilla Hohenackeri*.

**MUSCARIA**, Haw. Saxifr. Enum. 36 (1821) = **Saxifraga**, Tourn.

- acaulis*, Haw. l. c. 38 = *S. muscoides*.  
*atropurpurea*, Haw. l. c. = *S. muscoides*.  
*basaltica*, Jord. & Fourr. in Ann. Soc. Linn. Lyon, N. S. xvi. (1868) 386, nomen = *S. hypnoides*.  
*caespitosa*, Haw. Saxifr. Enum. 37 = *S. muscoides*.  
*crocea*, Haw. l. c. 38 = *S. muscoides*.  
*helviensis*, Jord. & Fourr. in Ann. Soc. Linn. Lyon, N. S. xvi. (1868) 386, nomen = *S. hypnoides*.  
*hypnoides*, Jord. & Fourr. l. c. = *S. hypnoides*.  
*indivisa*, Jord. & Fourr. l. c. = *S. hypnoides*.  
*laeta*, Jord. & Fourr. l. c. = *S. hypnoides*.  
*magellanica*, Haw. Saxifr. Enum. 38 = *S. magellanica*.  
*muscoides*, Haw. l. c. 37 = *S. muscoides*.  
*parvula*, Jord. & Fourr. in Ann. Soc. Linn. Lyon, N. S. xvi. (1868) 386, nomen = *S. hypnoides*.  
*rhodanica*, Jord. & Fourr. l. c. = *S. hypnoides*.  
*stenopetala*, Haw. Saxifr. Enum. 39 = *S. aphylla*.  
*vivarivensis*, Jord. & Fourr. in Ann. Soc. Linn. Lyon, N. S. xvi. (1868) 386, nomen = *S. hypnoides*.  
*vulcanorum*, Jord. & Fourr. l. c. = *S. hypnoides*.

**MUSCIPULA**, Rupp. Fl. Jen. ed. Hall. 125 (1745) = **Silene**, Linn. (Caryoph.).

- australis*, Fourr. in Ann. Soc. Linn. Lyon, N. S. xvi. (1868) 344 = *S. Muscipula*.  
*portensis*, Fourr. l. c. = *S. portensis*.

VOL. II.

**MUSENIUM**, Nutt. in Torr. & Gray, Fl. N. Am. i. 642 (1840). **UMBELLIFERAE**, Benth. & Hook. f. i. 884.

- MARATHRUM*, Rafin. in Journ. Phys. lxxxix. (1819) 101.  
*MUSINEON*, Rafin. in Journ. Phys. (1820); ex DC. Prod. iv. 146 (1830).  
*angustifolium*, Nutt. in Torr. & Gray, Fl. N. Am. i. 642 = divaricatum.  
*divaricatum*, Nutt. l. c. — Am. bor.  
*Greenei*, A. Gray, in Proc. Am. Acad. viii. (1872) 387 = *Carum Hallii*.  
*Hookeri*, Nutt. ex Torr. & Gray, Fl. N. Am. i. 642 = divaricatum.  
*tenuifolium*, Hook. Lond. Journ. Bot. vi. (1847) 237 = *Peucedanum graveolens*, S. Wats.  
*tenuifolium*, Nutt. ex Torr. & Gray, Fl. N. Am. i. 642. — Am. bor. occ.  
*trachyspermum*, Nutt. l. c. = divaricatum.

**MUSINEON**, Rafin. in Journ. Phys. (1820); ex DC. Prod. iv. 146 (1830) = praec.**MUSSAENDA**, Burm. ex Linn. Diss. Dass. 10 (1747); Amoen. Acad. i. 394 (1749). **RUBIACEAE**, Benth. & Hook. f. ii. 64.

- BELLILLA*, Adans. Fam. ii. 159 (1763).  
*LANDIA*, Comm. ex Juss. Gen. 201, in obs. (1789).  
*SPALLANZANIA*, DC. Prod. iv. 406 (1830).  
*acuminata*, Blume, Bijdr. 986.—Java.  
*acutiflora*, Bartl. ex DC. Prod. iv. 370 (Quid?).—Mexic.  
*acutifolia*, Steud. Nom. ed. II. ii. 168, sphalm. = praec.  
*aegyptiaca*, Poir. in Lam. Encyc. iv. 394 = *luteola*.  
*Azelii*, G. Don, Gen. Syst. iii. 490.—Afr. trop.  
*angustifolia*, Wall. ex G. Don, l. c. 491 = *parva*.  
*anisophylla*, Vidal, Phan. Cuming. Philipp. 178.—Ins. Philipp.  
*arcuata*, Poir. in Lam. Encyc. iv. 392.—Afr. trop.; Ins. Mascari.  
*Belilla*, Buch.-Ham. in Trans. Linn. Soc. xiv. (1824) 203 = frondosa.  
*calycina*, Wall. Cat. n. 6253 = macrophylla.  
*candida*, Poir. in Lam. Encyc. iv. 394 = *Calycophyllum candidissimum*.  
*candidissima*, Roem. & Schult. Syst. v. 251 = *Calycophyllum candidissimum*.  
*capsulifera*, Balf. f. in Proc. Roy. Soc. Edinb. xi. (1882) 836.—Ins. Socotr.  
*chinensis*, Lour. Fl. Cochinch. 152.—Cochinch.  
*citrifolia*, Lam. ex Poir. in Lam. Encyc. iv. 393.—Madag.  
*coccinea*, Poir. l. c. 394 = *Warszewiczia coccinea*.  
*cordifolia*, Wall. Cat. n. 6260.—Ins. Penang.  
*coriacea*, Spreng. Neue Entdeck. ii. 145 = *Rudgea eriantha*.  
*corymbosa*, Roxb. Hort. Beng. 15; Fl. Ind. i. 556.—Ind. or.  
*corymbosa*, Wall. Cat. n. 6252, partim = *Roxburghii*.  
*cubensis*, Spreng. Syst. iv. Cur. Post. 73.—Cuba.  
*cuneifolia*, D. Don, Prod. Fl. Nep. 139 = *Hymenopogon parasiticus*.  
*dasyphylla*, Miq. Ann. Mus. Bot. Lugd. Bat. iv. 187.—Ins. Ternate.  
*discolor*, Thonn. ex DC. Prod. iv. 372 = *elegans*.  
*discolor*, Thou. ex Roem. & Schult. Syst. v. 254.—Hab.?  
*Dovinia*, Buch.-Ham. in Trans. Linn. Soc. xiv. (1824) 203 = frondosa.  
*echitoides*, Willd. ex Roem. & Schult. Syst. v. 254.—Hab.?  
*elegans*, Schum. & Thonn. Beskr. Guin. Pl. 117.—Afr. trop.  
*eriantha*, A. Rich. in Mém. Soc. Hist. Nat. Par. v. (1834) 246.—Madag.  
*erosa*, Champ. ex Benth. in Hook. Kew Journ. iv. (1852) 193.—Hongkong.  
*erythrophylla*, Schum. & Thonn. Beskr. Guin. Pl. 116.—Afr. trop.  
*flavescens*, Buch.-Ham. in Trans. Linn. Soc. xiv. (1824) 203 = frondosa.  
*formosa*, Jacq. Enum. Pl. Carib. 16 = *Randia Mus-saendae*.  
*formosa*, Linn. Mant. i. 45 = frondosa.  
*Forsteniana*, Miq. Ann. Mus. Bot. Lugd. Bat. iv. 188.—Amboina.  
*frondosa*, Blanco, Fl. Filip. ed. I. 167 grandiflora, Rolfe.

**MUSSAENDA:—**

- frondosa*, Linn. Sp. Pl. 177.—Ind. or.; Malaya.  
*frondosa*, Lour. Fl. Cochinch. 151 = pubescens.  
*frondosa*, Roxb. Hort. Beng. 15; Fl. Ind. i. 557 = *Roxburghii*.  
*frondosa*, Wall. Cat. 6250 A = macrophylla, *Roxburghii*.  
*fruticosa*, Linn. Syst. ed. XII. 168 = frondosa.  
*fulgens*, R. Br. ex Tedlie, in Bowdich, Miss. 374 = *erythrophylla*.  
*fuscopilosa*, Baker, in Journ. Linn. Soc. xxi. (1885) 410.—Madag.  
*glabra*, Hook. & Arn. Bot. Beech. Voy. 264.—China.  
*glabra*, Vahl, Symb. Bot. iii. 38.—Reg. Himal.; Malaya.  
*glabra*, Wall. Cat. n. 6251 = *Wallichii*.  
*glomerulata*, Lam. ex Poir. in Lam. Encyc. iv. 393 = *Rondeletia glomerulata*.  
*grandiflora*, Benth. in Hook. Niger Fl. 392.—Afr. trop.  
*grandiflora*, Rolfe, in Journ. Linn. Soc. xxi. (1884) 311.—Ins. Philipp.  
*Griffithii*, Wight, ex Hook. f. Fl. Brit. Ind. iii. 88.—Burma.  
*heinsioides*, Hiern, in Oliver, Fl. Trop. Afr. iii. 70.—Afr. trop.  
*hirsutula*, Miq. in Journ. Bot. Néerl. i. (1861) 109.—China.  
*hispida*, D. Don, Prod. Fl. Nep. 139 = macrophylla.  
*holosericea*, Sm. in Rees, Cycl. xxiv. n. 6 = *M. Landia*.  
*Humboldtiana*, Steud. Nom. ed. I. 540 = *Randia Humboldtiana*.  
*hymenopogonoides*, Baker, in Journ. Bot. xx. (1882) 138.—Madag.  
*incana*, Wall. in Roxb. Fl. Ind. ed. Carey, ii. 229.—Reg. Himal.  
*ingrata*, Wall. ex Hook. f. Fl. Brit. Ind. iii. 89 = frondosa.  
*Isertiana*, DC. Prod. iv. 371.—Afr. trop.  
*Jelinekii*, Kurz, in Journ. As. Soc. Beng. xlv. (1876) 11. 135 = *Wallichii*.  
*Keenani*, Hook. f. Fl. Brit. Ind. iii. 87.—Reg. Himal.  
*lanceolata*, Poir. in Lam. Encyc. iv. 393 = *Chasalia divaricata*.  
*lanceolata*, Spreng. Syst. i. 705 = *luteola*.  
*Landia*, Poir. in Lam. Encyc. iv. 392.—Ins. Maurit.  
*latifolia*, Poir. Encyc. Suppl. iv. 36 = *M. Landia*.  
*longifolia*, Lam. ex Poir. in Lam. Encyc. iv. 393.—Madag.  
*longifolia*, Wall. Cat. n. 6258 = *Wallichii*.  
*Luculia*, Buch.-Ham. ex D. Don, Prod. Fl. Nep. 139 = *Luculia gratissima*.  
*luteola*, Delile, Cent. Pl. Mérob. 65.—Arab.; Nubia.  
*luteola*, Hochst. ex A. Rich. Tent. Fl. Abyss. i. 357 = *Pentas carnea*.  
*macrophylla*, Kurz, For. Fl. Brit. Burma, ii. 57 = frondosa.  
*macrophylla*, Schum. & Vahl, in Schum. & Thonn. Beskr. Guin. Pl. 118 = *Isertiana*.  
*macrophylla*, Wall. in Roxb. Fl. Ind. ed. Carey, ii. 228.—Reg. Himal.; Malaya.  
*macropoda*, Baker, in Journ. Linn. Soc. xxi. (1885) 410.—Madag.  
*nitida*, H. B. & K. Nov. Gen. et Sp. iii. 410 = *Randia nitida*.  
*odorifera*, Vell. Fl. Flum. 94; ii. t. 144 (*Randia* sp.?). — Bras.  
*parva*, Wall. Cat. n. 6261.—Burma.  
*parviflora*, Miq. Ann. Mus. Bot. Lugd. Bat. iii. 110.—Japon.  
*pavettaefolia*, Kurz, For. Fl. Brit. Burma, ii. 57.—Burma.  
*penangensis*, Miq. Fl. Ind. Bat. ii. 214 = *glabra*.  
*philippica*, A. Rich. in Mém. Soc. Hist. Nat. Par. v. (1834) 245.—Ins. Philipp.  
*platyphylla*, Hiern, in Oliver, Fl. Trop. Afr. iii. 70.—Afr. trop.  
*polita*, Hiern, l. c. 67.—Afr. trop.  
*pubescens*, Buch.-Ham. in Wall. Cat. n. 6257 = *Roxburghii*, *incana*.  
*pubescens*, [Dryand. in] Ait. Hort. Kew. ed. II. i. 372.—China.  
*pubescens*, H. B. & K. Nov. Gen. et Sp. iii. 410 = *Randia Humboldtiana*.  
*racemosa*, Sieber, ex DC. Prod. iv. 392 = *Bertiera Zalu-zania*.  
*Reinwardtiana*, Miq. Fl. Ind. Bat. ii. 311.—Ins. Celebes.  
*repens*, Wall. Cat. n. 6263 = *Ophiorrhiza calcarata*.

N n



**MUSSAENDA** :—

- Roxburghii, Hook. f. *Fl. Brit. Ind.* iii. 87.—Reg. Himal. *rubra*, Steud. Nom. ed. II. ii. 168, sphalm.=rufa, zanzibarica.  
*rufa*, Boj. in Ann. Sc. Nat. Sér. II. iv. (1835) 264 = zanzibarica.  
*rufa*, A. Rich. in *Mém. Soc. Hist. Nat. Par.* v. (1834) 246.—Afr. trop.  
*rufinervia*, Miq. *Fl. Ind. Bat.* ii. 212.—Sumatra.  
*Schimperi*, Hochst. ex DC. Prod. iv. xxiv. (1841) i. Intell. 27 = *Pentas Schimperiana*.  
*sericea*, Blume, *Bijdr.* 986.—Java.  
*setulosa*, Klotzsch, in Ber. Verh. Berl. Acad. (1853) 499 = glabra.  
*speciosa*, Poir. *Encyc. Suppl.* iv. 37.—Venezuela.  
*spinosa*, Jacq. Enum. Pl. Carib. 16 = *Randia armata*.  
*splendida*, Welw. in *Trans. Linn. Soc.* xxvii. (1869) 36, t. 13.—Afr. trop.  
*Stadmanni*, Michx. ex DC. Prod. iv. 372 = *M. Landia*.  
*stenocarpa*, Hiern, in *Oliver, Fl. Trop. Afr.* iii. 68.—Afr. trop.  
*sumatrensis*, Heyne, ex Roth, *Nov. Pl. Sp.* 152.—Sumatra.  
*tenuiflora*, Benth. in *Hook. Niger Fl.* 392.—Afr. trop.  
*tetracantha*, Cav. Ic. v. 20 = *Randia tetracantha*.  
*tetrandra*, Roem. & Schult. *Syst.* v. 254.—Hab. ?  
*Teysmanniana*, Miq. *Fl. Ind. Bat.* ii. 213.—Ins. Bali.  
*theifera*, Pierre, ex Carr. in *Rev. Hortic.* (1883) 93 = *uniflora*.  
*Thouarsiana*, Baill. *Adansonia*, xii. (1879) 295.—Madag.  
*tomentosa*, Reinw. ex Miq. *Fl. Ind. Bat.* ii. 211 = *Reinwardtiana*.  
*tomentosa*, Wight, ex Hook. f. *Fl. Brit. Ind.* iii. 90 = *frondosa*.  
*tomentosa*, Wight, in *Wall. Cat. n.* 6265.—Ind. or.  
*trichophlebia*, Baker, in *Journ. Linn. Soc.* xx. (1883) 166.—Madag.  
*tubulosa*, D. Dietr. *Syn. Pl.* i. 724.—Bras.  
*uniflora*, Wall. *Cat. n.* 6264.—Burma.  
*variolosa*, Wall. l. c. n. 6259.—Burma.  
*vestita*, Baker, in *Journ. Linn. Soc.* xx. (1883) 166.—Madag.  
*villosa*, Schlecht. ex Hook. f. *Fl. Brit. Ind.* iii. 90 = *frondosa*.  
*villosa*, Wall. *Cat. n.* 6254.—Penang.  
*Wallichii*, G. Don, *Gen. Syst.* iii. 490.—Burma.  
*zanzibarica*, Boj. in *Ann. Sc. Nat. Sér. II.* iv. (1835) 264.—Afr. trop.  
*Zollingeriana*, Klotzsch, in *Ber. Verh. Berl. Acad.* (1853) 500.—Java.

**MUSSAENDOPSIS**, Baill. *Adansonia*, xii. (1879) 282. **RUBIACEAE**.  
*Beccariana*, Baill. l. c.—Borneo.

**MUSSCHIA**, Dum. Comm. Bot. 28 (1822). **CAMPANULACEAE**, Benth. & Hook. f. ii. 560.  
*BENAUREA*, Rafin. *Fl. Tellur.* ii. 77 (1836).  
*CHRYSANGIA*, Link. *Handb.* i. 632 (1829).  
*aurea*, Dum. Comm. Bot. 28.—Ins. Madera.  
*Wollastonii*, Lowe, in *Hook. Kew Journ.* viii. (1856) 298.—Ins. Madera.

**MUSSINIA**, Willd. *Sp. Pl.* iii. 2263 (1803) = **Gazania**, Gaertn. (Compos.).  
*incisa*, Willd. l. c. 2264 = *G. pinnata*.  
*linearis*, Willd. l. c. 2263 = *G. subulata*.  
*Othonna*, Willd. l. c. 2264 = *G. Othonnites*.  
*pinnata*, Willd. l. c. 2265 = *G. pinnata*.  
*pusilla*, Licht. ex Less. *Syn. Comp.* 50 = *G. Lichtensteinii*.  
*speciosa*, Willd. *Sp. Pl.* iii. 2264 = *G. pinnata*.  
*uniflora*, Willd. l. c. 2263 = *G. uniflora*.

**MUSTELIA**, Cav. ex Steud. Nom. ed. II. i. 361, in syn. (1840); ii. 168 = **Chusquea**, Kunth (Gramin.).  
*arundinacea*, Cav. ex Steud. ll. cc. = *C. scandens*.

**MUSTELIA**, Spreng. Nachr. i. Bot. Gart. Halle, 28 (1801); et in *Trans. Linn. Soc.* vi. (1802) 152. t. 13 = **Stevia**, Cav. (Compos.).  
*Eupatoria*, Spreng. ll. cc. = *S. Eupatoria*.

**MUSTERON**, Rafin. *Fl. Tellur.* ii. 50 (1836) = **Conyza**, Linn. (Compos.).  
*bellidifolium*, Rafin. l. c. = *Vernonia cinerea*.  
*glabrum*, Rafin. l. c. = *Vernonia longifolia*.  
*pulchellum*, Rafin. l. c. = *C. sophiaefolia*.  
*uniflorum*, Rafin. l. c. = *C. uniflora*.

**MUTABEA**, J. F. Gmel. *Syst.* 1009 (1791) = **Moutabea**, Aubl. (Polygal.).

**MUTAFINIA**, Rafin. *Atl. Journ.* 199 (1833) = **Limosella**, Linn. (Scrophul.).  
*capensis*, Rafin. *Fl. Tellur.* iv. 57 = *L. capensis*.  
*silesiaca*, Rafin. l. c. = *L. aquatica*.

**MUTARDA**, Bernh. *Syst. Verz. Erf.* 184 (1800) = **Brassica**, Tourn. (Crucif.).  
*nigra*, Bernh. l. c. 197 = *B. nigra*.

**MUTELIA**, Gren. ex Mutel, *Fl. Fr.* iii. 21 (1836) = **Melissa**, Tourn. (Labiata).  
*officinalis*, Gren. ex Mutel, l. c. Suppl. 87 = *Melissa officinalis*.

**MUTISIA**, Linn. f. *Suppl.* 57 (1781). **COMPOSITAE**, Benth. & Hook. f. ii. 485.

**APLOPHYLLUM**, Cass. in *Dict. Sc. Nat.* xxxiii. 463, 472 (1824).

**GUARIRUMA**, Cass. l. c. 463, 472 (1824).  
*acerosa*, Poepp. ex Less. *Syn. Comp.* 107.—Chili.  
*acuminata*, Ruiz & Pav. *Syst. Veg.* 192.—Chili.  
*arachnoidea*, Mart. ex D. Don, in *Trans. Linn. Soc.* xvi. (1830) 264 = *speciosa*.

*araucana*, Phil. in *Anal. Univ. Chil.* (1872) 737.—Chili.

*auriculata*, Poepp. ex Less. *Syn. Comp.* 105 = *spinosa*.  
*Berteriana*, Poepp. & Endl. *Nov. Gen. et Sp.* i. 19.—Chili.

*Berterii*, DC. *Prod.* vii. 8.—Chili.

*Bipontini*, Mandon, ex Sch.-Bip. in *Linnaea*, xxxiv. (1865–66) 527.—Bolivia.

*bracteata*, Remy, in C. Gay, *Fl. Chil.* iii. 268 = *latifolia*.

*breviflora*, Phil. in *Anal. Univ. Chil.* (1884) reimpr. 4; et in *Gartenfl.* (1884) 227.—Ins. J. Fernand.

*Bridgesii*, Poepp. & Endl. *Nov. Gen. et Sp.* i. 17.—Chili.

*campanulata*, Less. in *Linnaea*, v. (1830) 269.—Bras. cana, Poepp. & Endl. *Nov. Gen. et Sp.* i. 17.—Chili.

*Candolleana*, Gardn. in *Field. Sert. Pl.* t. 45–46 = *viciaefolia*.

*caryophyllata*, Vell. *Fl. Flum.* viii. t. 103.—Bras. *Clematis*, Linn. f. *Suppl.* 373.—Peruv.

*cneorifolia*, Decne. ex Wedd. *Chlor. And.* i. 22 = *Orbignyana*.

*coccinea*, A. St. Hil. *Voy. Distr. Diam.* i. 386.—Bras. *dealbata*, DC. *Prod.* vii. 6 = *coccinea*.

*decurrens*, Cav. Ic. 65. t. 497.—Chili.

*Gayana*, Remy, in C. Gay, *Fl. Chil.* iii. 268.—Chili.

*glaucana*, Phil. in *Linnaea*, xxxiii. (1864–65) 110.—Chili.

*gracilis*, Meyen, *Reise*, i. 342.—Chili.

*grandiflora*, Humb. & Bonpl. *Pl. Aequin.* i. 177. t. 50.—N. Granat.

*grossedentata*, Phil. in *Linnaea*, xxviii. (1856) 710.—Chili.

*hastata*, Bert. ex DC. *Prod.* vii. 7 = *spinosa*.  
*hastata*, Cav. Ic. v. 64. t. 494.—Chili.

*heliantha*, Poepp. ex Less. *Syn. Comp.* 107 = *decurrens*.  
*hirsuta*, Meyen, *Reise*, i. 451 = *viciaefolia*.

*homoeantha*, Wedd. *Chlor. And.* i. 21.—Bolivia.

*Hookeri*, Meyen, *Reise*, i. 348.—Chili.

*hypoleuca*, Mart. & Zucc. ex Baker, in *Mart. Fl. Bras.* vi. iii. 366 = *coccinea*.

*ilicifolia*, Cav. Ic. v. 63.—Chili.

*inflexa*, Cav. l. c. 65 = *subulata*.

*involuta*, Phil. in *Linnaea*, xxviii. (1856) 710.—Chili.

*lanata*, Ruiz & Pav. *Syst. Veg.* 192.—Chili.

*lanigera*, Wedd. *Chlor. And.* i. 16.—Bolivia.

*latifolia*, D. Don, in *Trans. Linn. Soc.* xvi. (1830) 270.—Chili.

*Lechleri*, Sch. Bip. in *Lechl. Berb. Am. Austr.* 54 = *retusa*.

*ledifolia*, Decne. ex Wedd. *Chlor. And.* i. 20.—Bolivia.

*linariaefolia*, Remy, in C. Gay, *Fl. Chil.* iii. 271.—Chili.

*linearifolia*, Cav. Ic. v. 66. t. 500.—Chili.

*linearifolia*, Hook. Bot. Misc. i. (1830) 11. t. 8 = *Hookeri*.

*linifolia*, Hook. Bot. Misc. i. (1830) 12. t. 9.—Chili.

*macrophylla*, Phil. in *Linnaea*, xxxiii. (1864–65) 108.—Chili.

*Mathewii*, Hook. & Arn. in *Hook. Comp. Bot. Mag.* i. (1835) 107, in nota.—Peruv.

**MUTISIA** :—

*Meyeniana*, Remy, ex Phil. in *Anal. Univ. Chil.* (1861) i. 62.—Chili.

*microphylla*, Willd. ex DC. *Prod.* vii. 6 = *speciosa*.  
*neriifolia*, Decne. ex Wedd. *Chlor. And.* i. 22 = *Orbignyana*.

*obovata*, Mart. ex Baker, in *Mart. Fl. Bras.* vi. iii. 351 = *Stiffia Martiana*.

*oligodon*, Poepp. & Endl. *Nov. Gen. et Sp.* i. 18. t. 29.—Chili.

*Orbignyana*, Wedd. *Chlor. And.* i. 22.—Peruv.

*parviflora*, Remy, in C. Gay, *Fl. Chil.* iii. 274 = *acerosa*.

*patagonica*, Phil. in *Linnaea*, xxviii. (1856) 711.—Chili.

*peduncularis*, Cav. Ic. v. 62. t. 691.—Peruv.

*petiolulata*, Decne. ex Wedd. *Chlor. And.* i. 15 = *viciaefolia*.

*pichinchensis*, Karst. *Fl. Columb.* i. 93. t. 46.—Ecuador.

*polyphylla*, Phil. in *Linnaea*, xxxiii. (1864–65) 110.—Chili.

*reticulata*, Phil. l. c. 108.—Chili.

*retorsa*, Cav. Ic. v. 65. t. 498.—Patagon.

*retusa*, Remy, in C. Gay, *Fl. Chil.* iii. 269.—Chili.

*rosea*, Poepp. ex Less. *Syn. Comp.* 106.—Chili.

*runcinata*, Willd. *Sp. Pl.* iii. 2069 = *retorsa*.

*sagittata*, Willd. l. c. 2070 = *hastata*.

*sanguinea*, Meyen, *Reise*, i. 343.—Chili.

*sinuata*, Cav. Ic. v. 66. t. 499.—Chili.

*sinuata*, Willd. ex Less. in *Linnaea*, v. (1830) 271 = *taraxacifolia*.

*speciosa*, Ait. ex Hook. *Bot. Mag.* t. 2705.—Ecuador.

*spectabilis*, Phil. in *Linnaea*, xxxiii. (1864–65) 107.—Chili.

*spinosa*, Hook. & Arn. in *Hook. Comp. Bot. Mag.* i. (1835) 107 = *ilicifolia*.

*spinosa*, Ruiz & Pav. *Syst. Veg.* 193.—Chili.

*splendens*, Renjifo, in *Renjifo & Phil. Desc. Alg. Pl. Nuev.* (1884) 5.—Chili.

*subspinosa*, Cav. Ic. v. 64. t. 495.—Peruv.; Chili.

*subulata*, Ruiz & Pav. *Syst. Veg.* 193.—Chili.

*taraxacifolia*, Less. in *Linnaea*, v. (1830) 271.—Chili.

*tridens*, Poepp. ex Less. *Syn. Comp.* 105.—Chili.

*truncata*, D. Don, in *Trans. Linn. Soc.* xvi. (1830) 269 = *ilicifolia*.

*ulicina*, D. Don, in *Phil. Mag.* xi. (1832) 391 = *acerosa*.

*versicolor*, Phil. in *Anal. Univ. Chil.* (1884), reimpr. 5; et in *Gartenfl.* (1884) 228.—Ins. J. Fernand.

*viciaefolia*, Cav. Ic. v. 62. t. 490.—Chili.

*vitellina*, Roem. & Schult. in *Belg. Hortic.* (1874) 39.—Peruv.

*Volckmannii*, Phil. in *Linnaea*, xxxiii. (1864–65) 109.—Chili.

**MUTUCHI**, J. F. Gmel. *Syst.* 1085 (1791) = **MOU-TOUCHI**, Aubl. = **Pterocarpus**, Linn. (Legumin.).

**MUXIRIA**, Welw. Apont. 573 (1858) = **Eriosema**, DC. (Legum.).

*utilis*, Welw. l. c. = *E. Muxiria*.

**MUZA**, Stokes, Bot. Mat. Med. i. 472 (1812) = **Musa**, Linn. (Scitam.).

**MYAGRUM**, [Tourn.] Linn. *Syst. ed.* I (1735). **CRUCIFERAE**, Benth. & Hook. f. i. 96.

**BRICOUR**, Adans. *Fam.* ii. 423 (1763).

**DELTOCARPUS**, L'Hérit. ex DC. *Syst.* ii. 573 (1821).

*aegyptium*, Linn. *Sp. Pl.* 641 = *Rapistrum aegyptiacum*.

*alpinum*, Lapeyr. *Hist. Abr. Pl. Pyr.* i. 362 = *Cochlearia auriculata*.

*Alyssum*, Mill. *Gard. Dict.* ed. VIII. n. 2 = *Camelina sativa*.

*amphibium*, Loisel. *Fl. Gall.* ed. II. ii. 50 = *Nasturtium amphibium*.

*amplexicaule*, Moench, *Meth.* 221 = *perfoliatum*.

*aquaticum*, Lam. *Fl. Fr.* ii. 483 = *Nasturtium amphibium*.

*arborescens*, Jacq. *Coll.* i. 39 = *Crambe strigosa*.

*argenteum*, Pursh, *Fl. Am. Sept.* ii. 434 = *Vesicaria ludoviciana*.

*armeniaceum*, Steud. *Nom. ed.* I. 541 = *Camelina sylvestris*.

*asperum*, Poir. *Encyc. Suppl.* ii. 47 = *Bunias Erucago*.

*auriculatum*, DC. *Fl. Fr.* vi. 597 = *Cochlearia saxatilis*.

*austriacum*, Jacq. *Obs. Bot.* i. 43 = *Nasturtium austriacum*.



**MYAGRUM:—**

- balearicum*, Lam. Encyc. i. 571 = *Succowia balearica*.  
*Bauhini*, C. C. Gmel. Fl. Bad. iii. 7 = *Camelina foetida*.  
*biarticulatum*, Crantz, Stirp. Austr. ed. I. fasc. i. 4; ed. II. 7 = *Rapistrum perenne*.  
*bursifolium*, Thuill. Fl. Par. ed. II. i. 319 = *Calepina Corvini*.  
*chloraefolium*, Willd. Sp. Pl. iii. 407 = *Aethionema cordatum*.  
*clavatum*, Lam. Fl. Fr. ii. 482 = *Bunias Erucago*.  
*clavatum*, Poir. Encyc. Suppl. ii. 47 = *Rapistrum rugosum*.  
*cornutum*, Lam. Encyc. i. 571 = *Pugionium cornutum*.  
*Crantzii*, Vitm. Summa Pl. iv. 9 = *Nasturtium austriacum*.  
*dentatum*, Willd. Phyt. 9 = *Camelina sativa*.  
*erucaefolium*, Vill. Fl. Delph. 66; Hist. Pl. Dauph. iii. 279 = *Calepina Corvini*.  
*Erucago*, Lam. Encyc. i. 571 = *Bunias Erucago*.  
*erucoides*, Pourr. ex Willk. & Lange, Prod. Fl. Hisp. iii. 757 = *Calepina Corvini*.  
*glabrum*, Gilib. Fl. Lituan. ii. 49 = *Camelina sativa*.  
*grandiflorum*, Banks, ex DC. Syst. ii. 699 = *Brachycarpaea varians*.  
*hispanicum*, Linn. Sp. Pl. 640 = *Rapistrum Linnaeanum*.  
*iberioides*, Brot. Fl. Lusit. i. 562 = *Calepina Corvini*.  
*irregularis*, Asso, Syn. Stirp. Arag. 82 = *Calepina Corvini*.  
*littorale*, Scop. Fl. Carn. ed. II. ii. 12 = *perfoliatum*.  
*monospermum*, Forsk. Fl. Aegypt. Arab. p. xxix = *Rapistrum rugosum*.  
*montanum*, Berger, Phyt. iii. 140; ex DC. Syst. ii. 360 = *Cochlearia auriculata*.  
*natans*, Patr. ex DC. Syst. ii. 198 = *Cochlearia amphibia*.  
*orientale*, Linn. Sp. Pl. 640 = *Rapistrum orientale*.  
*orientale*, Sieber, ex Steud. Nom. ed. II. ii. 169 = *Bunias Erucago*.  
*palustre*, Lam. Encyc. i. 572 = *Nasturtium palustre*.  
*paniculatum*, Linn. Sp. Pl. 641 = *Neslia paniculata*.  
*perenne*, Linn. l. c. 640 = *Rapistrum perenne*.  
*perenne*, Scop. Fl. Carn. ed. II. ii. 10 = *Rapistrum rugosum*.  
*perenne*, Stev. ex DC. Syst. ii. 434 = *Rapistrum costatum*.  
*perfoliatum*, Linn. Sp. Pl. 640.—Europ.; Oriens.  
*pinnatifidum*, Ehrh. ex DC. Syst. ii. 516 = *Camelina sativa*.  
*pinnatum*, [Soland. in] Russ. Aleppo, ed. II. ii. 256 = *Brassica adpressa*?  
*procumbens*, Pourr. in Mém. Acad. Toul. iii. (1788) 322 (Quid?).—Gallia.  
*prostratum*, Poir. Encyc. Suppl. ii. 48 = *Muricaria prostrata*.  
*pumilum*, Lam. Encyc. i. 572 = *Nasturtium palustre*.  
*pyrenaicum*, Lam. l. c. 571 = *Nasturtium pyrenaicum*.  
*rigidum*, Pall. Reise, iii. 741 = *Euclidium syriacum*.  
*rostratum*, Scop. Fl. Carn. ed. II. ii. 11 = *Euclidium syriacum*.  
*rugosum*, Bieb. Fl. Taur. Cauc. ii. 86 = *Rapistrum costatum*.  
*rugosum*, Gilib. Fl. Lituan. ii. 49 = *Neslia paniculata*.  
*rugosum*, Linn. Sp. Pl. 640 = *Rapistrum rugosum*.  
*rugosum*, Vill. Prosp. 37 = *Calepina Corvini*.  
*sativum*, Aubry, Morb. An. x. 28; ex DC. Syst. ii. 378 = *Thlaspi alliaceum*.  
*sativum*, Cav. Ic. i. 47. t. 66 = *Camelina sylvestris*.  
*sativum*, Linn. Sp. Pl. 641 = *Camelina sativa*.  
*saxatile*, Linn. Syst. ed. X. 1126 = *Cochlearia saxatilis*.  
*sphaerocarpum*, Jacq. Obs. Bot. ii. 20. t. 41 = *Crambe hispanica*.  
*spinosum*, Lam. Encyc. i. 571 = *Zilla myagroides*.  
*stylosum*, Gochn. ex DC. Syst. ii. 432 = *Rapistrum rugosum*.  
*syriacum*, Lam. Encyc. i. 570 = *Euclidium syriacum*.  
*taraxacifolium*, Lam. l. c. = *Bunias orientalis*.  
*tataricum*, Poir. Encyc. Suppl. ii. 48 = *Euclidium tataricum*.  
*utriculatum*, Berger, ex DC. Syst. ii. 296 = *Vesicaria utriculata*.  
*venosum*, Pers. Syn. ii. 183 = *Rapistrum rugosum*.  
*verrucosum*, Lam. Encyc. i. 570 = *Ochthodium aegyptiacum*.

**MYANTHE**, Salisb. Gen. Pl. Fragm. 34 (1866) = **Ornithogalum**, Tourn. (Liliac.).  
*arabica*, Salisb. l. c. = *O. arabicum*.

**MYANTHUS**, Lindl. Bot. Reg. sub t. 1538 (1832) = **Catasetum**, Rich. (Orchid.).  
*barbatus*, Lindl. l. c. t. 1778 = *C. barbatus*.  
*callosus*, Beer, Prakt. Orch. 272 = *C. callosus*.  
*cernuus*, Lindl. in Bot. Reg. sub t. 1538 = *C. trifidum*.  
*deltoideus*, Lindl. l. c. t. 1896 = *C. deltoideum*.  
*fimbriatus*, C. Morr. in Ann. Soc. Bot. Gand, iv. (1848) 453. t. 231 = *C. fimbriatum*.  
*grandiflorus*, Beer, Prakt. Orch. 272 = *C. callosus*.  
*Lansbergii*, Reinw. & De Vriese.—Cf. Linnæa, xxiv. (1851) 170 = *C. Lansbergii*.  
*sanguineus*, Linden, Cat. n. 6 (1851) 7; et ex Lem. Jard. Fleur. ii. (1852) Misc. 134 = *C. sanguineum*.  
*spinosus*, Hook. Bot. Mag. t. 3802 = *C. barbatus*.  
*Warczewiczii*, Beer, Prakt. Orch. 272 = *C. Warczewitzii*.

**MYARIS**, Presl, Bot. Bemerk. 40 (1844); in Abh. Boehm. Ges. V. iii. (1845) 470, 553 = **Clausena**, Burm. (Rutac.).  
*inaequalis*, Presl, l. c. = *C. inaequalis*.

**MYCARANTHES**, Blume, Bijdr. 352. t. 57 (1825) = **Eria**, Lindl. (Orchid.).  
*latifolia*, Blume, l. c. 353 = *E. latifolia*, Reichb. f. lobata, Blume, l. c. 352 = *E. lobata*.  
*obliqua*, Lindl. Bot. Reg. (1840) Misc. 77 = *E. obliqua*.  
*oblitterata*, Blume, Bijdr. 353 = *E. oblitterata*.  
*stricta*, Lindl. in Wall. Cat. n. 1970 = *E. stricta*.

**MYCARANTHUS**, Benth. & Hook. f. Gen. iii. 510 (1883), sphalm. = *praec.*

**MYCELIS**, Cass. in Dict. Sc. Nat. xxxiii. 483 (1824) = **Lactuca**, Tourn. (Compos.).  
*ambigua*, Cass. l. c. xlviii. 426 = *L. deltoidea*.  
*angulosa*, Cass. l. c. xxxiii. 484 = *L. muralis*.  
*muralis*, Dum. Fl. Belg. 60; Reichb. Fl. Germ. Excurs. 272 = *L. muralis*.

**MYCETANTHE**, Reichb. Nom. 61 (1841) = **Brugmansia**, Blume (Cytinac.).

**MYCETIA**, Reinw. in Syll. Ratisb. ii. (1828) 9 = **Adenosacme**, R. Br. (Rubiace.).  
*cauliflora*, Reinw. l. c. = *A. longifolia*.

**MYCONIA**, Lapeyr. Hist. Abr. Pl. Pyr. 115 (1813) = **Ramondia**, Rich. (Scrophul.).  
*borraginea*, Lapeyr. l. c. = *R. pyrenaica*.  
*pyrenaica*, Auct. ex Steud. Nom. ed. II. ii. 169 = *R. pyrenaica*.

**MYCONIA**, Neck. Elem. i. 22 (1790) = **Chrysanthemum**, Tourn. (Compos.).  
*chrysanthemoides*, Sch. Bip. in Webb & Berth. Phyt. Canar. ii. 247 = *C. Myconis*.  
*Chrysanthemum*, Sch. Bip. l. c. = *C. Myconis*.  
*macrotylus*, Walp. Ann. i. 421 = *C. macrotylus*.  
*multicaulis*, Walp. l. c. = *C. multicaule*.

**MYCOSTYLIS**, Rafin. Sylva Tellur. 19 (1838) = **Sonneratia**, Linn. f. (Lythrar.).

**MYCROPUS**, Gonan, Fl. Monsp. 339 (1765) = **Micropus**, Linn. (Compos.).

**MYCROSERIS**, Hook. & Arn. in Hook. Comp. Bot. Mag. ii. (1836) 250 = **Microseris**, D. Don (Compos.).

**MYCTANTHES**, Rafin. New Fl. Am. ii. 22 (1836) = **Aster**, Tourn. (Compos.).  
*axillaris*, Rafin. l. c. = *Solidago nemoralis*?  
*latifolia*, Rafin. l. c. = *A. macrophyllus*?  
*punicæ*, Rafin. l. c. = *A. punicæ*.

**MYGALURUS**, Link, Enum. Hort. Berol. i. 92 (1821) = **Festuca**, Linn. (Gramin.).  
*alopecuroides*, Link, l. c. = *F. Alopecurus*.  
*bromoides*, Link, l. c. = *F. bromoides*.  
*caudatus*, Link, l. c. = *F. Myuros*.  
*delicatulus*, Link, l. c. = *F. delicatula*.  
*geniculatus*, Link, l. c. = *F. clavata*.  
*uniglumis*, Link, l. c. = *F. bromoides*.

**MYGINDA**, Jacq. Enum. Pl. Carib. 1 (1760). *CELAS-TRINEAE*, Benth. & Hook. f. i. 366.  
**CROSSOPETALUM**, P. Br. Hist. Jamaic. 145 (1756).  
**RHACOMA**, Linn. Syst. ed. X. 896 (1759).  
*Aquifolia*, Griseb. Cat. Pl. Cub. 55 = *ilicifolia*.  
*brasiliensis*, Spreng. Syst. i. 496 (= *Mespilodaphne glauca*).—Bras.  
*Bredemeyeri*, Schult. Mant. iii. 349.—Portorico.  
*coccinea*, Turcz. in Bull. Soc. Nat. Mosc. xxxvi. (1863) i. 604 = *M. Urugoga*.  
*Congonha*, Miers, in Ann. & Mag. Nat. Hist. Ser. III. ix. (1862) 113, sphalm. = *M. Gongonha*.  
*Crossopetalum*, Schult. Mant. iii. 346, sphalm. = *M. Glossopetalum*.  
*disticha*, Hook. f. Fl. Antarct. 254.—Reg. Magellan.  
*Glossopetalum*, Raeusch. Nom. ed. III. 43 = *M. Rhacoma*.  
*Gongonha*, DC. Prod. ii. 13 = *Villaresia mucronata*.  
*ilicifolia*, Poir. in Lam. Encyc. iv. 396.—Am. bor.; Ind. occ.  
*integrifolia*, Poir. l. c.—Ind. occ.  
*latifolia*, Sw. Prod. Veg. Ind. Occ. 39.—Am. bor.; Ind. occ.  
*microphylla*, DC. Prod. ii. 12.—Ins. S. Doming.  
*myricoides*, Willd. ex Schult. Mant. iii. 349 = *Ilex myricoides*.  
*myrsinoides*, H. B. & K. Nov. Gen. et Sp. vii. 68. t. 620.—Peruv.  
*myrtifolia*, Nutt. Gen. Am. i. 109 = *Pachistima Myrsinites*.  
*pallens*, Sm. in Rees, Cycl. xxiv. n. 4.—Am. bor.; Ind. occ.  
*pentandra*, Willd. ex Schult. Mant. iii. 349 = *Bredemeyeri*.  
*pungens*, Wright, in Sauv. Fl. Cub. 22.—Cuba.  
*Rhacoma*, Sw. Prod. Veg. Ind. Occ. 39.—Am. bor.; Ind. occ.  
*rotundata*, Lam. Tabl. Encyc. i. 308.—Ins. Portoric.  
*scoparia*, Hook. & Arn. Bot. Beech. Voy. 233.—Mexic.  
*theoides*, Benth. Pl. Hartw. 127.—Peruv.  
*Urugoga*, Jacq. Enum. Pl. Carib. 12; Select. Am. 24. t. 16.—Am. trop. et bor.

**MYGINDUS**, Hook. & Arn. Bot. Beech. Voy. 233 (1838?), sphalm. = *praec.*

**MYLACHNE**, Steud. Nom. ed. II. i. 561, in syn. (1840); ii. 170 = *seq.*

**MYLANCHE**, Wallr. Orob. Gen. 75 (1825) = **Epifagus**, Nutt. (Orob.).  
*virginiana*, Wallr. l. c. 76 = *E. americanus*.

**MYLINUM**, Gaud. Fl. Helv. ii. 17, 344 (1828) = **Selinum**, Linn. (Umbell.).  
*Carvifolia*, Gaud. l. c. 344 = *S. Carvifolia*.  
*commutatum*, Gaud. l. c. 329, in obs. = *Peucedanum alsaticum*?

**MYLOCARYUM**, Willd. Enum. Hort. Berol. 454 (1809) = **Cliftonia**, Banks (Cyrill.).  
*ligustrinum*, Willd. l. c. = *C. nitida*.

**MYLOSPHORA**, Neck. Elem. ii. 280 (1790) = **Sin-gana**, Aubl. (Inc. sed.).

**MYOBROMA**, Stev. in Bull. Soc. Nat. Mosc. iv. (1832) 268 = **Astragalus**, Tourn. (Legumin.).  
*albana*, Stev. l. c. 268 = *A. nummularius*.  
*buchtormensis*, Stev. l. c. = *A. buchtormensis*.  
*cahyrica*, Stev. l. c. = *A. kahiricus*.  
*caprina*, Stev. l. c. = *A. caprinus*.  
*diffusa*, Stev. l. c. = *A. dolichophyllus*.  
*exscapa*, Stev. l. c. = *A. exscapus*.  
*fabacea*, Stev. l. c. = *A. fabaceus*.  
*galactites*, Stev. l. c. = *A. galactites*.  
*geminiflora*, Stev. l. c. 269 = *A. geminiflorus*.  
*Henningii*, Stev. l. c. xxix. (1856) ii. 151 = *A. utriger*.  
*humilis*, Stev. l. c. iv. (1832) 268 = *A. humilis*.  
*lanigera*, Stev. l. c. = *A. lanigerus*.  
*lanuginosa*, Stev. l. c. xxix. (1856) ii. 150 = *A. lanuginosus*, Kar. & Kir.  
*lasiopetala*, Stev. l. c. = *A. lasiopetalus*.  
*lignosa*, Stev. l. c. iv. (1832) 268 = *A. declinatus*.  
*longiflora*, Stev. l. c. = *A. longiflorus*.  
*megalantha*, Stev. l. c. = *A. megalantha*.  
*mollis*, Stev. l. c. = *A. mollis*.



**MYOBROMA** :—

- nummularia*, Stev. in Bull. Soc. Nat. Mosc. iv. (1832) 268 = *Astragalus nummularius*.  
*ovina*, Stev. l. c. = *A. ovinus*.  
*pubiflora*, Stev. l. c. = *A. pubiflorus*.  
*rupifraga*, Stev. l. c. = *A. rupifragus*.  
*Schanganiana*, Stev. l. c. xxix. (1856) II. 150 = *A. Schanganianus*.  
*testiculata*, Stev. l. c. iv. (1832) 268 = *A. testiculatus*.  
*triphylla*, Stev. l. c. 269 = *A. triphyllus*.  
*uniflora*, Stev. l. c. = *A. uniflorus*.  
*utrigera*, Stev. l. c. 268 = *A. utriger*.

**MYODA**, Lindl. in Wall. Cat. n. 7390 (1832) ; et Bot. Reg. sub t. 1618 (1833) = **Haemaria**, Lindl. (Orchid.).  
*rufescens*, Lindl. in Wall. l. c. = *H. discolor*.

**MYODIUM**, Salisb. in Trans. Hort. Soc. i. (1812) 289 = **Ophrys**, Linn. (Orchid.).  
*araniferum*, Salisb. l. c. = *O. aranifera*.

**MYODOCARPUS**, Brongn. & Gris, in Bull. Soc. Bot. Fr. viii. (1861) 123. **ARALIACEAE**, Benth. & Hook. f. i. 935.  
*fraxinifolius*, Brongn. & Gris, in Bull. Soc. Bot. Fr. xii. (1865) 270.—N. Caled.  
*pinnatus*, Brongn. & Gris, l. c. viii. (1861) 123.—N. Caled.  
*simplicifolius*, Brongn. & Gris, l. c.—N. Caled.  
*Vieillardii*, Brongn. & Gris, l. c. xii. (1865) 270.—N. Caled.

**MYOGALUM**, Link, Handb. i. 163 (1829) = **Ornithogalum**, Tourn. (Liliac.).  
*affine*, C. Koch & Bouché, Ind. Sem. Hort. Berol. (1855) App. 10 = *O. nutans*.  
*Boucheanum*, Kunth, Enum. Pl. iv. 348 = *O. nutans*.  
*nutans*, Link, Handb. i. 164 = *O. nutans*.  
*prasadrum*, Walp. Ann. i. 858 = *O. nutans*.  
*Thirkeanum*, C. Koch, in Linnaea, xix. (1847) 11 = *O. nutans*.

**MYONIMA**, Comm. ex Juss. Gen. 206 (1789). **RUBIACEAE**, Benth. & Hook. f. ii. 115.  
*NESCIDIA*, A. Rich. in Mém. Soc. Hist. Nat. Par. v. (1834) 192.  
*Borboniae*, Raesch. Nom. ed. III. 37 = *obovata*.  
*grandiflora*, Willd. ex Schult. Mant. iii. 49.—Hab. ?  
*heterophylla*, Boj. Hort. Maurit. 169 = *myrtifolia*.  
*lanceolata*, Willd. Sp. Pl. i. 614 = *myrtifolia*.  
*latifolia*, Boj. Hort. Maurit. 169 = *multiflora*.  
*multiflora*, A. Rich. in Mém. Soc. Hist. Nat. Par. v. (1834) 212.—Ins. Maurit.  
*myrtifolia*, Lam. Tabl. Encyc. i. 288.—Ins. Mascar.  
*oblongifolia*, Willd. ex Schult. Mant. iii. 49 = *multiflora* ?  
*obovata*, Lam. Tabl. Encyc. i. 288.—Ins. Mascar.  
*umbellata*, Bartl. ex DC. Prod. iv. 463 = *Plectronia umbellata*.  
*umbellata*, Hook. & Arn. Bot. Beech. Voy. 86 (= *Canthium odoratum*).—Ins. Sandvic.

**MYOPORDON**, Boiss. Diagn. Ser. I. vi. 107 (1845). **COMPOSITAE**, Benth. & Hook. f. ii. 474.  
*Aucheri*, Boiss. & Diagn. Ser. I. vi. 108.—Persia.  
*persicum*, Boiss. l. c. 107.—Persia.

**MYOPORUM**, Banks & Soland. ex Forst. f. Prod. 44 (1786). **MYOPORINEAE**, Benth. & Hook. f. ii. 1124.  
*ANDREUSIA*, Vent. Jard. Malm. t. 108 (1807).  
*BERTOLONIA*, Spin. Cat. Jard. St. Sebast. (1809) 24.  
*DISOON*, A. DC. in DC. Prod. xi. 703 (1847).  
*PENTACOELEUM*, Sieb. & Zucc. in Abh. Akad. Muench. iv. III. (1846) 151.  
*POGONIA*, Andr. Bot. Rep. tt. 212, 283 (1801).  
*POLYCOELEUM*, A. DC. in DC. Prod. xi. 705 (1847).  
*acuminatum*, R. Br. Prod. 515.—Austral.  
*adscendens*, R. Br. l. c. 516 = *serratum*.  
*apiculatum*, DC. Prod. xi. 707 = *serratum*.  
*Bateae*, F. Muell. in Proc. Linn. Soc. N. S. W. vi. (1881) 792.—Austral.  
*Beckeri*, F. Muell. ex Benth. Fl. Austral. v. 7.—Austral.  
*bontioides*, A. Gray, in Proc. Am. Acad. vi. (1862) 52.—Japan.  
*brevifolium*, Bartl. in Lehm. Pl. Preiss. i. 350 = *Pholidia brevifolia*.

**MYOPORUM** :—

- brevipes*, Benth. Fl. Austral. v. 6.—Austral.  
*caprarioides*, Benth. in Enum. Pl. Hueg. 77 = *serratum*.  
*chinensis*, A. Gray, in Proc. Am. Acad. vi. (1862) 52.—China.  
*crassifolium*, Forst. f. Prod. 44.—Ins. Pacif.  
*crystallinum*, Hort. ex Kunze, in Linnaea, xx. (1847) 31.—N. Zel. ?  
*Cunninghamii*, Benth. in Enum. Pl. Hueg. 78 = *acuminatum*.  
*cuspidatum*, Turcz. in Bull. Soc. Nat. Mosc. xxxvi. (1863) II. 226.—N. Caled.  
*cyanantherum*, A. Cunn. ex A. DC. in DC. Prod. xi. 708 = *acuminatum*.  
*Dampieri*, A. Cunn. ex A. DC. l. c. = *acuminatum*.  
*debile*, R. Br. Prod. 516.—Austral.  
*deserti*, A. Cunn. ex Benth. in Enum. Pl. Hueg. 78.—Austral.  
*diffusum*, R. Br. Prod. 515 = *debile*.  
*dulce*, Benth. in Mitch. Journ. Trop. Austral. 384 = *deserti*.  
*ellipticum*, R. Br. Prod. 515 = *acuminatum*.  
*euphrasioides*, Hook. & Arn. Bot. Beech. Voy. 67 = *Nesogenes euphrasioides*.  
*floribundum*, A. Cunn. ex Benth. Enum. Pl. Hueg. 78.—Austral.  
*glandulosum*, DC. Prod. xi. 709 = *serratum*.  
*gracile*, Bartl. in Lehm. Pl. Preiss. i. 350 = *serratum*.  
*humile*, R. Br. Prod. 516 = *parvifolium*.  
*insulare*, R. Br. l. c. = *serratum*.  
*laetum*, Forst. f. Prod. 44.—N. Zel.  
*laxiflorum*, Benth. Fl. Austral. v. 6.—Austral.  
*mauritium*, A. DC. in DC. Prod. xi. 711.—Ins. Mascar.  
*montanum*, R. Br. Prod. 515 = *acuminatum*.  
*mucronulatum*, DC. Prod. xi. 706.—Austral.  
*obscurum*, Endl. Prod. Fl. Norf. 54.—Ins. Norfolk.  
*ophioglossoides*, Steud. Nom. ed. II. ii. 170, sphalm. = *Pogonia ophioglossoides*.  
*oppositifolium*, R. Br. Prod. 516.—Austral.  
*parvifolium*, R. Br. l. c.—Austral.  
*patens*, A. Cunn. ex A. DC. in DC. Prod. xi. 708 = *deserti*.  
*platycarpum*, R. Br. Prod. 516.—Austral.  
*pubescens*, Forst. f. Prod. 44.—N. Zel.  
*punctulatum*, Schlecht. in Linnaea, xx. (1847) 613.—Austral.  
*rugulosum*, F. Muell. l. c. xxv. (1852) 427 = *deserti*.  
*salsoloides*, Turcz. in Bull. Soc. Nat. Mosc. xxxvi. (1863) II. 226.—Austral.  
*sandwicense*, A. Gray, in Proc. Am. Acad. vi. (1862) 52.—Ins. Sandvic.  
*serratum*, R. Br. Prod. 516.—Austral.  
*strictum*, A. Cunn. ex A. DC. in DC. Prod. xi. 708 = *deserti*.  
*subseriatum*, Nees, in Lehm. Pl. Preiss. i. 350 = *serratum*.  
*tasmanicum*, A. DC. in DC. Prod. xi. 709 = *serratum*.  
*tenuifolium*, Forst. f. Prod. 44.—Austral. ; N. Caled.  
*tuberculatum*, R. Br. Prod. 516 = *serratum*.  
*verrucosum*, Poir. Encyc. Suppl. iv. 42.—Austral.  
*viscosum*, R. Br. Prod. 516 = *serratum*.

**MYOPSIA**, Presl, Prod. Monog. Lobel. 8 (1836) = **Heterotoma**, Zucc. (Campan.).  
*mexicana*, Presl, l. c. = *H. lobelioides*.

**MYOPSIS**, Benth. & Hook. f. Gen. ii. 553 (1876), sphalm. = *prae*.

**MYOSANTHUS**, [Dum. Anal. Fam. 49 (1829)] ; Fourr. in Ann. Soc. Linn. Lyon, N. S. xvi. (1868) 348 = **Stellaria**, Linn. (Caryoph.).  
*aquaticus*, Fourr. l. c. = *S. aquatica*.

**MYOSCHILOS**, Ruiz & Pav. Prod. 41. t. 34 (1794). **SANTALACEAE**, Benth. & Hook. f. iii. 226.  
*oblongum*, Ruiz & Pav. Syst. Veg. 73.—Chili.

**MYOSERIS**, Link, Enum. Hort. Berol. ii. 291 (1822) = **Pterotheca**, Cass. (Compos.).  
*urpurea*, Link, l. c. = *P. bifida*.

**MYOSOTIDIUM**, Hook. Bot. Mag. t. 5137 (1859). **BORAGINEAE**, Benth. & Hook. f. ii. 849.  
*nobile*, Hook. l. c.—Ins. Chatham.

**MYOSOTIS**, [Tourn.] Dill. ex Linn. Syst. ed. I. (1735). **BORAGINEAE**, Benth. & Hook. f. ii. 858.  
**ECHIOIDES**, Moench, Meth. 416 (1794).  
*EXARRHENA*, R. Br. Prod. 495 (1810).  
**SCORPIOIDES**, Gilib. Fl. Lituan. i. 20 (1781).  
**SCORPIURUS**, Hall. Enum. Stirp. Helv. ii. 519 (1742).  
**STROPHIOSTOMA**, Turcz. in Bull. Soc. Nat. Mosc. (1840) 258.  
*abyssinica*, Boiss. & Reut. Diagn. Ser. I. xi. 122.—Abyssin.  
*adpressa*, Stokes, Bot. Mat. Med. i. 269 = *palustre*.  
*adulterina*, Lebel, Obs. Pl. Manche, 17 = *intermedia*.  
*alba*, Colla, in Mem. Acc. Torin. xxxviii. (1835) 128. t. 41 = *Plagiobothrys rufescens*.  
*albida*, H. B. & K. Nov. Gen. et Sp. iii. 91 = *Krynitzkia ramosa*.  
*albida*, T. Kirk, in Trans. N. Z. Inst. xvii. (1885) 224 = *antarctica*.  
*albiflora*, Banks & Soland. ex Hook. f. Fl. Antarct. ii. 329.—Reg. Magellan.  
*alpestris*, F. W. Schmidt, Fl. Boëm. iii. 26 = *sylvatica*.  
*alpina*, Lapeyr. Hist. Abr. Pl. Pyr. 85 = *sylvatica*.  
*amoena*, Boiss. Fl. Orient. iv. 241.—Reg. Caucas.  
*amoena*, Schott & Kotschy, in Oestr. Bot. Wochenbl. vii. (1857) 206 = *sylvatica*.  
*anchusiformis*, Griff. Notul. iv. 202 = *Bothriospermum tenellum* ?  
*annua*, Moench, Enum. Pl. Hass. 81 = *arvensis*.  
*antarctica*, Hook. f. Fl. Antarct. i. 57.—N. Zel.  
*aprica*, Opiz, Seznam, 67 = *collina*.  
*apula*, Linn. Sp. Pl. 131 = *Lithospermum apulum*.  
*arenaria*, Schrad. in Schultz, Prod. Fl. Starg. Suppl. i. 12 = *stricta*.  
*aretioides*, Cham. in Linnaea, iv. (1829) 443 = *Eritrichium nanum*.  
*arvensis*, Hill, Veg. Syst. vii. 55 = *versicolor*.  
*arvensis*, Lam. Fl. Fr. ii. 213 ; Willd. Fl. Berol. Prod. 77.—Europ. ; As. ; Am. bor.  
*arvensis*, Link, Enum. Hort. Berol. i. 164 = *collina*.  
*arvensis*, Reichb. Fl. Germ. Excurs. 340 = *stricta*.  
*arvensis*, Roth, Abh. ii. 20 = *intermedia*.  
*aspera*, Lamotte, Prod. Fl. Centr. Fr. ii. 538 = *palustris*.  
*aspera*, Schur, Enum. Pl. Transs. 476 = *arvensis*.  
*australis*, R. Br. Prod. 415.—Austral. ; N. Zel.  
*azorica*, H. C. Wats. ex Hook. Bot. Mag. t. 4122.—Ins. Azor.  
*baeotica*, Reut. ex Boiss. Pl. Or. Nov. Dec. ii. 9 = *idaea*.  
*Balbisiana*, Jord. Pugill. Pl. Nov. 128 = *versicolor*.  
*barbata*, Bieb. Fl. Taur. Cauc. i. 121 = *Echinopspermum baibatium*.  
*Barrelieri*, Bess. ex Steud. Nom. ed. I. 543 = *Anchusa Barrelieri*.  
*borbonica*, Lam. Tabl. Encyc. i. 396 = *Cynoglossum borbonicum*.  
*brachypoda*, Gren. in Mém. Soc. Emul. Doubs, Sér. III. ii. (1858) 425.—Europ. ?  
*bracteata*, A. Br. ex A. Rich. Tent. Fl. Abyss. ii. 89, in obs. = *collina*.  
*cadmea*, Boiss. Diagn. Ser. I. xi. 122 = *idaea*.  
*caespitosa*, Auct. vide *caespitosa*.  
*caespitosa*, DC. Prod. x. 135, partim = *laxa*.  
*caespitosa*, Tenore, ex Nym. Syll. 519 = *sylvatica*.  
*californica*, Fisch. & Mey. Ind. Sem. Hort. Petrop. ii. 42 = *Krynitzkia californica*.  
*campestris*, Godet, ex DC. Prod. x. 108, in nota = *sylvatica*.  
*capitata*, Hook. f. Fl. Antarct. i. 56.—N. Zel. ; Ins. Dom. Auckland.  
*caespitosa*, Schultz, Prod. Fl. Starg. Suppl. i. 11.—Reg. bor.  
*chinensis*, DC. Prod. x. 106.—China.  
*Chorisiana*, Cham. in Linnaea, iv. (1829) 444 = *Krynitzkia Chorisiana*.  
*Chorisiana*, Lehm. in Hook. Fl. Bor. Am. ii. 83 = *Krynitzkia Scouleri*.  
*chrysantha*, Welw. ex Nym. Consp. 520 = *versicolor*.  
*ciliata*, Rudolph, in Mém. Acad. Pétersb. (1803-6) 352. t. 11 = *Eritrichium pectinatum*.  
*ciliata*, Turcz. ex Ledeb. Fl. Ross. iii. 151 = *Eritrichium sericeum*.  
*clavata*, Ledeb. ex Spreng. Syst. i. 558 = *Trigonotis peduncularis*.  
*collina*, Bab. in Journ. Linn. Soc. xi. (1871) 319 = *arvensis*.  
*collina*, Hoffm. Deutschl. Fl. ed. I. 61.—Europ.  
*commutata*, Roem. & Schult. Syst. iv. 102 = *caespitosa*.



## MYOSOTIS:—

- compressa*, Turcz. ex Ledeb. Fl. Ross. iii. 154 (= *Anoplocaryum compressum*).—Sibir. baical.  
*concinna*, Cheesem. in Trans. N. Z. Inst. xvii. (1885) 235.—N. Zel.  
*condylophora*, Blume, ex Ledeb. Fl. Ross. iii. 153 = *Trigonotis peduncularis*.  
*coronaria*, Dum. in Bull. Soc. Bot. Belg. vii. (1868) 350 = palustris.  
*corymbosa*, Ruiz & Pav. Fl. Per. ii. 5.—Chili.  
*cretica*, Boiss. & Heldr. Diagn. Ser. I. xi. 121 = pusilla.  
*cretica*, Unger, ex Nym. Consp. 519 = idaea.  
*cyanea*, Boiss. & Heldr. ex Orph. in Bull. Congr. Bot. St. Pétersb. 1869 (1870) 129 = sylvatica.  
*cymosa*, Nutt. ex Hook. Kew Journ. iii. (1851) 294.—Am. bor.  
*cynoglossoides*, Lam. Tabl. Encyc. i. 396 = *Echinosperrum cynoglossoides*.  
*davurica*, Pall. ex Roem. & Schult. Syst. iv. 774 = *Krynitzkia obovata*.  
*debilis*, Pomel, Nouv. Mat. Fl. Atl. 298.—Alger.  
*decumbens*, Host, Fl. Austr. i. 228 = sylvatica.  
*deflexa*, Wahlenb. in Vet. Acad. Handl. Stockh. xxxi. (1810) 113. f. 4 = *Echinosperrum deflexum*.  
*densiflora*, C. Koch, in Linnaea, xix. (1847) 20 = sylvatica.  
*dentata*, Jensch. ex Trautv. in Act. Hort. Petrop. ix. (1884) 47, nomen.—Reg. Transcauc.  
*diffusa*, Dougl. ex Lehm. Pugill. ii. 23 = *Echinosperrum diffusum*.  
*discolor*, Pers. in Murr. Syst. ed. XV. 190, in obs. = versicolor.  
*dissitiflora*, Baker, in Gard. Chron. (1868) 599.—Helvet.  
*drabaefolia*, Turcz. ex Steud. Nom. ed. II. ii. 170 = *Eritrichium villosum*.  
*dubia*, Arrond. Cat. Pl. Morb. 70 = versicolor.  
*Dumortieri*, Thielens, in Bull. Soc. Bot. Belg. vii. (1868) 86 = palustris.  
*echinata*, Thunb. Fl. Cap. ii. 352 = *Echinosperrum cynoglossoides*.  
*echinophora*, Pall. Reise, iii. 717 = *Echinosperrum minimum*.  
*echinophora*, Wahlenb. in Vet. Acad. Handl. Stockh. xxxi. 114 = *Echinosperrum Redowskii*.  
*echinosperra*, Fl. Corc. in Ionios Anthol. iv. 960.—Ins. Corcyr.  
*elongata*, Strobl, in Flora, lxvii. (1884) 635.—Sicil.  
*exscapa*, Steud. Nom. ed. I. 543 = *Eritrichium nanum*.  
*fallacina*, Jord. in Bor. Fl. Centr. Fr. ed. III. ii. 463 = versicolor.  
*filiformis*, Schleich. Cat. Pl. Helv. ed. IV. 23 = collina.  
*flaccida*, Dougl. ex Lehm. Pugill. ii. 22 = *Krynitzkia oxycarya*.  
*foliosa*, Lehm. Asperif. 99.—Am. austr.  
*Forsteri*, Lehm. l. c. 95.—N. Zel.  
*fruticosa*, Haenke, in Abh. Boehm. Ges. Wiss. ii. (1786) 46, nomen = *Lithosperrum purpureoeruleum*.  
*fruticosa*, Linn. Mant. ii. 201 = *Heliotropium paniculatum*.  
*fulva*, Hook. & Arn. Bot. Beech. Voy. 38 = *Plagiobothrys rufescens*.  
*fulva*, Hook. & Arn. l. c. 369 = *Plagiobothrys nothofulvus*.  
*geniculata*, Schur, Enum. Pl. Transs. 474 = palustris.  
*glomerata*, Nutt. Gen. Am. i. 112 = *Krynitzkia glomerata*.  
*gracilis*, Ruiz & Pav. Fl. Per. ii. 5 = *Pectocarya linearis*.  
*gracillima*, Losc. Ser. Inconf. Pl. Arag. 72 = collina.  
*graminifolia*, DC. Prod. x. 110.—Afr. austr.  
*grandiflora*, H. B. & K. Nov. Gen. et Sp. iii. 90. t. 99.—Ecuador.  
*granulosa*, Ruiz & Pav. Fl. Per. ii. 5.—Peruv.  
*Hacquetii*, D. Dietr. Syn. Pl. i. 604 = *Eritrichium nanum*.  
*hamosa*, Stokes, Bot. Mat. Med. i. 269 = arvensis.  
*Hectori*, Hook. f. Handb. N. Zeal. Fl. 193 = *pulvinaris*.  
*heterodoxa*, Pomel, Nouv. Mat. Fl. Atl. 298.—Alger.  
*heteropoda*, Trautv. in Act. Hort. Petrop. ii. (1873) 479 = intermedia.  
*hispidia*, C. Koch, in Linnaea, xvii. (1843) 303 = stricta.  
*hispidia*, Schlecht. in Ges. Naturf. Fr. Berl. Mag. viii. (1814) 230 = collina.  
*Hookeri*, C. B. Clarke, in Hook. f. Fl. Brit. Ind. iv. 174.—Reg. Himal.  
*hortensis*, Deene, in Deless. Ic. Sel. v. 42. t. 99 = *Myosotidium nobile*.

## MYOSOTIS:—

- humilis*, Ruiz & Pav. Fl. Per. ii. 5.—Peruv.  
*idaea*, Boiss. & Heldr. Diagn. Ser. I. xi. 121.—Graecia; As. Min.  
*incana*, Turcz. in Bull. Soc. Nat. Mosc. (1838) 97; et xxiii. (1850) i. 515 = *Eritrichium pectinatum*.  
*incrassata*, Guss. Fl. Sic. Syn. i. 214 = pusilla.  
*inflexa*, Engelm. in Am. Journ. Sc. Ser. I. xlvii. (1844) 98 = verna.  
*intermedia*, Lechart. ex A. DC. in DC. Prod. x. 109 = versicolor.  
*intermedia*, Link, ex Schultz, Prod. Fl. Starg. Suppl. i. 12; et Link, Enum. Hort. Berol. i. 164.—Europ.; As. bor.; Oriens.  
*involuta*, Stev. in Mém. Soc. Nat. Mosc. iii. (1812) 253.—Reg. Caucas.  
*javanica*, Sw. ex Lehm. in Neue Schr. Naturf. Ges. Halle, iii. ii. (1817) 21 = *Echinosperrum javanicum*.  
*Kiesenwetteri*, Heldr. ex Boiss. Fl. Orient. iv. 236 = idaea.  
*lactea*, Boemm. Prod. Fl. Monast. 321 (Index) = sylvatica.  
*laeta*, Cheesem. in Trans. N. Z. Inst. xvii. (1885) 236.—N. Zel.  
*Lappula*, Bouton, ex DC. Prod. x. 152 = *Cynoglossum Rochelia*.  
*Lappula*, Linn. Sp. Pl. 131 = *Echinosperrum Lappula*.  
*latifolia*, Boiss. & Kotschy, ex Boiss. Pl. Or. Nov. Dec. ii. 9 = platyphylla.  
*latifolia*, Poir. Encyc. Suppl. iv. 45 = sylvatica.  
*laxa*, Hort. ex Steud. Nom. ed. II. ii. 171 = *sparsiflora*.  
*laxa*, Lehm. Asperif. 83.—Reg. bor.  
*laxiflora*, Reichb. in Sturm, Deutschl. Fl. Heft 42 = palustris.  
*Lebelii*, Gren. & Godr. Fl. Fr. ii. 532 = intermedia.  
*leucophaea*, Dougl. ex Lehm. Pugill. ii. 22 = *Krynitzkia leucophaea*.  
*linearis*, Colla, in Mem. Acc. Torin. xxxviii. (1835) 129. t. 42. f. 2 = *Krynitzkia linearis*.  
*lingulata*, Lehm. Asperif. 110; Roem. & Schult. Syst. iv. 780, in obs. = *cespitosa*.  
*lithospermifolia*, Hornem. Hort. Hafn. i. 173 = sylvatica.  
*litoralis*, Stev. ex Fisch. Cat. Hort. Gorenk. (1812) 27.—Graecia; As. Min.  
*littoralis*, Heldr. ex DC. Prod. x. 106, in nota = pusilla.  
*longiflora*, Boeber, ex Georgi, Besch. Russ. Reich. III. iv. 750 (Quid?).—Rossia.  
*longiflora*, Wall. Cat. n. 929 = *Mertensia racemosa*.  
*lutea*, Lam. Fl. Fr. ii. 282 = *Lithosperrum apulum*.  
*lutea*, Pers. Syn. i. 156 = versicolor.  
*Lyallii*, Hook. f. Fl. N. Zel. i. 202.—N. Zel.  
*macrophylla*, Adam, in Web. & Mohr, Beitr. i. 46; Bieb. Fl. Taur. Cauc. i. 119 = *Anchusa myosotidiflora*.  
*macrosperra*, Engelm. in Am. Journ. Sc. Ser. I. xlvii. (1844) 98 = verna.  
*marginata*, Bieb. Fl. Taur. Cauc. i. 120 = *Echinosperrum marginatum*.  
*maritima*, Hochst. ex Seub. Fl. Azor. 37.—Ins. Azor.  
*maritima*, Ledeb. Fl. Ross. iii. 144 = *cespitosa*.  
*micrantha*, Guss. Fl. Sic. Prod. i. 207 = sicular.  
*micrantha*, Pall. ex Lehm. in Neue Schr. Naturf. Ges. Halle, iii. ii. (1817) 24 = stricta.  
*microcarpa*, Wall. Cat. n. 928 = *Trigonotis microcarpa*.  
*microphylla*, DC. Prod. x. 115, sphalm. = *macrophylla*.  
*microsepala*, Schott & Kotschy, ex Boiss. Pl. Or. Nov. Dec. ii. 9 = *olympica*.  
*minutiflora*, Boiss. & Reut. Pugill. Pl. Nov. 80 = stricta.  
*modesta*, Schott & Kotschy, ex Boiss. Pl. Or. Nov. Dec. ii. 9 = *olympica*.  
*moltkioides*, Benth. in Royle, Illustr. Bot. Himal. 305 = *Mertensia moltkioides*.  
*montana*, Bess. Fl. Galic. i. 142 = sylvatica.  
*montana*, Pourr. ex Steud. Nom. ed. I. 543 = palustris.  
*monticola*, Wender. ex Steud. l. c. ed. II. ii. 171, nomen.—Hab.?  
*multicaulis*, Turcz. in Bull. Soc. Nat. Mosc. (1838) 97 = *Eritrichium sericeum*, jensense.  
*multicaulis*, Wall. Cat. n. 7020 = *Trigonotis multicaulis*.  
*multiflora*, Mérat, Rev. Fl. Par. 204 = *cespitosa*.  
*muricata*, Hook. & Arn. Bot. Beech. Voy. 369 = *Krynitzkia muriculata*.  
*nana*, Miégev. in Bull. Soc. Bot. Fr. x. (1863) 28 = intermedia.

## MYOSOTIS:—

- nana*, Sibth. & Sm. Fl. Graec. Prod. i. 112 = sylvatica.  
*nana*, Vill. Prosp. 21; Hist. Pl. Dauph. ii. 459 = *Eritrichium nanum*.  
*nemorosa*, Bess. Enum. Pl. Volh. 52 = palustris.  
*nemorosa*, Bunge, ex A. DC. in DC. Prod. x. 105 = *cespitosa*.  
*nemorosa*, Martr. Fl. Tarn. 492 = sylvatica?  
*oblongata*, Link, in Buch, Besch. Canar. Ins. 144 = sylvatica.  
*obovata*, Ledeb. Fl. Alt. i. 190 = *Krynitzkia obovata*.  
*obtusa*, Waldst. & Kit. Pl. Rar. Hung. i. 103 = *Anchusa Barrelieri*.  
*odorata*, Poir. Encyc. Suppl. iv. 44 = sylvatica.  
*oenesia*, Heldr. ex Boiss. Fl. Orient. iv. 237 = pusilla.  
*olympica*, Boiss. Diagn. Ser. I. iv. 50.—As. Min.  
*oraria*, Dum. in Bull. Soc. Bot. Belg. vii. (1868) 350.—Europ.  
*orientalis*, Schenk, Pl. Sp. Aegypt. 26 = *Anchusa neglecta*.  
*ovalifolia*, Wall. in Roxb. Fl. Ind. ed. Carey, ii. 9 = *Trigonotis ovalifolia*.  
*pellens*, Wall. Cat. n. 7019 = sylvatica.  
*palustris*, Benth. in Royle, Illustr. Bot. Himal. 305 = *cespitosa*.  
*palustris*, Lam. Fl. Fr. ii. 283; With. Bot. Arr. Brit. Pl. ed. III. ii. 225.—Europ.; As. et Am. bor.  
*pauciflora*, Ledeb. in Mém. Acad. Pétersb. v. (1812) 517 = *Eritrichium rupestre*.  
*pauciflora*, Vitm. Summa Pl. i. 381 = *Eritrichium nanum*.  
*pectinata*, Pall. Reise, iii. 717 = *Eritrichium pectinatum*.  
*pectinata*, Turcz. ex Ledeb. Fl. Ross. iii. 155 = *Echinosperrum deflexum*.  
*pectinata*, Turcz. in Bull. Soc. Nat. Mosc. xxiii. (1850) i. 513 = *Eritrichium villosum*.  
*peduncularis*, Trev. in Ges. Naturf. Fr. Berl. Mag. vii. (1813) 147 = *Trigonotis peduncularis*.  
*pedunculata*, Roem. & Schult. Syst. iv. 104 = *Trigonotis peduncularis*.  
*perennis*, Moench, Hass. 81 = palustris.  
*perpusilla*, Pomel, Nouv. Mat. Fl. Atl. 297.—Alger.  
*petiolata*, Hook. f. Fl. N. Zel. i. 202.—N. Zel.  
*phoenicea*, Ehrenb. ex Boiss. Fl. Orient. iv. 157 = *Anchusa neglecta*.  
*platyphylla*, Boiss. Pl. Or. Nov. Dec. ii. 9; et Fl. Orient. iv. 237.—Armenia.  
*pontica*, C. Koch, in Linnaea, xxii. (1849) 642 = sylvatica.  
*procumbens*, Colla, in Mem. Acc. Torin. xxxviii. (1835) 130 = *Plagiobothrys procumbens*.  
*propinqua*, Fisch. & Mey. in Bull. Soc. Nat. Mosc. (1839) 163.—As. Min.; Persia.  
*Pseudo-sylvatica*, Schur, Enum. Pl. Transs. 475 = arvensis.  
*pulvinaris*, Hook. f. Handb. N. Zeal. Fl. 193.—N. Zel.  
*pusilla*, Loisel. in Desv. Journ. Bot. ii. (1809) 260. t. 8. f. 2.—Reg. Mediterr.  
*pusilla*, Orph. ex Nym. Consp. 519 = *litoralis*.  
*pygmaea*, Bertol. Misc. Bot. i. 13 = collina.  
*pygmaea*, Colenso, in Trans. N. Z. Inst. xvi. 1884 334.—N. Zel.  
*pyrenaica*, Pourr. in Mém. Acad. Toul. iii. (1788) 322 = sylvatica.  
*racemosa*, Royle, Illustr. Bot. Himal. 305 = *Mertensia racemosa*.  
*radicans*, Turcz. in Bull. Soc. Nat. Mosc. (1840) 258 = *Trigonotis radicans*.  
*ramosissima*, Rochel, ex Schult. Oesterr. Fl. ed. II. i. 366, in obs. = collina.  
*Redowskii*, Hornem. Hort. Hafn. i. 174 = *Echinosperrum Redowskii*.  
*refracta*, Boiss. Voy. Bot. Espagne, ii. 433. t. 121. Hispan.; Graecia; Syria; Turkest.  
*Rehsteineri*, Wartm. ex Reut. in Compt.-Rend. Soc. Hallér. (1854-56) 115 = *cespitosa*.  
*repens*, G. Don, Gen. Syst. iv. 344 = palustris.  
*rigida*, Pomel, Nouv. Mat. Fl. Atl. 297.—Alger.  
*robusta*, D. Don, Prod. Fl. Nep. 101.—Nepal.  
*rotundifolia*, Wall. Cat. n. 930 = *Trigonotis rotundifolia*.  
*rupestris*, Pall. Reise, iii. 716 = *Eritrichium rupestris*.  
*rupestris*, Willd. ex Ledeb. Fl. Ross. iii. 111 = *Eritrichium sericeum*.  
*rupicola*, Mert. in Linnaea, v. (1831) 62 = *Eritrichium nanum*.  
*rupicola*, Sm. Engl. Bot. t. 2559 = sylvatica.



**MYOSOTIS** :—

- saxatilis*, Pall. Tabl. Taur. 47 = *Echinosperrum* barbatum.  
*saxosa*, Hook. f. *N. Zel.* i. 202.—N. Zel.  
*scorpioides*, Krock. Fl. Siles. i. 275 = *sparsiflora*.  
*scorpioides*, Linn. Sp. Pl. 131 = *arvensis*, palustris, sylvatica.  
*Scorpiurus*, Reichard, Fl. Moeno-Franc. i. 31 = *scorpioides*, Linn.  
*Scouleri*, Hook. & Arn. Bot. Beech. Voy. 370, in obs. = *Krynitzkia* Scouleri.  
*semialexicaulis*, DC. *Prod.* x. 110.—Afr. austr.  
*sepium*, Bess. in Cat. Hort. Cracov. (1808) = *sparsiflora*.  
*sericea*, Lehm. Asperif. 98 = *Eritrichium* sericeum.  
*sericea*, Nutt. ex Hook. *Kew Journ.* iii. (1851) 295.—Am. bor.  
*sicula*, Guss. *Fl. Sic. Syn.* i. 214.—Reg. Mediterr.  
*Soleirolii*, Godr. in Gren. & Godr. Fl. Fr. ii. 534 = sylvatica.  
*sparsiflora*, Kirschl. ex Mutel, Fl. Fr. ii. 428, 446 = *cespitosa*.  
*sparsiflora*, Mikan, in Hoppe, *Taschenb.* (1807) 74.—Europ.; Oriens; As. bor.  
*spathulata*, Poir. *Encyc. Suppl.* iv. 45 = *australis*.  
*spathulata*, A. Rich. Ess. Fl. N. Zel. 198 = *Forsteri*.  
*spatulata*, Forst. f. *Prod.* 12.—N. Zel.  
*speciosa*, Pomel, *Nouv. Mat. Fl. Atl.* 296.—Alger.  
*speluncicola*, Schott, ex Boiss. Fl. Orient. iv. 240 = *stricta*.  
*spinocarpus*, Vahl, *Symb. Bot.* ii. 32 = *Echinosperrum* Vahl.  
*squarrosa*, Bieb. Fl. Taur. Cauc. i. 120 = *Echinosperrum* patulum.  
*squarrosa*, Retz. Obs. ii. 9 = *Echinosperrum* Lappula.  
*staminea*, Lehm. Pl. Preiss. i. 348 = *australis*.  
*stolonifera*, J. Gay, in Ann. Sc. Nat. Sér. II. vi. (1836) 351 = *cespitosa*.  
*stricta*, Friedrichs. ex Nym. *Consp.* 519 = *idaea*.  
*stricta*, A. Gray, Man. Bot. N. U. St. ed. I. 338 = *verna*.  
*stricta*, Lehm. ex Unger, *Reise Griechenl.* (1862) 127 = *littoralis*.  
*stricta*, Link, ex Roem. & Schult. *Syst.* iv. 104; et *Enum. Hort. Berol.* i. 164.—Europ.; Oriens; As. bor.  
*strigosa*, Schlecht. in Ges. Naturf. Fr. Berl. Mag. viii. (1818) 233; Willd. ex Roem. & Schult. *Syst.* iv. 783 = *Cynoglossum* borbonicum.  
*strigulosa*, Reichb. in Sturm, *Deutschl. Fl. Heft* 42 = *palustris*.  
*suaveolens*, Poir. *Encyc. Suppl.* iv. 44.—Austral.  
*suaveolens*, Waldst. & Kit. ex Willd. *Enum. Hort. Berol.* 176 = sylvatica.  
*subvillosa*, Ledeb. ex Steud. *Nom.* ed. II. ii. 171, nomen.—Sibir.  
*suffruticosa*, Torr. in Ann. Lyc. N. York, ii. (1828) 225 = *Krynitzkia* Jamesii.  
*sylvatica*, Hoffm. *Deutschl. Fl.* ed. I. 61.—Reg. bor. temp.; Oriens.  
*sylvatica*, H. Mart. Fl. Mosq. 32 = *intermedia*.  
*tenella*, C. A. Mey. ex Ledeb. Fl. Ross. iii. 148 = *sparsiflora*.  
*tenella*, Nutt. in Hook. *Kew Journ.* iii. (1851) 295 = *Plagiobothrys* tenellus.  
*tenuiflora*, Viv. Fl. Lib. Spec. 9. t. 1. f. 2 = *Lithosperrum* tenuiflorum.  
*terglovensis*, Hacq. Pl. Alp. Carn. 12. t. 2. f. 6 = *Eritrichium* nanum.  
*texana*, Hook. *Kew Journ.* iii. (1851) 295 = *Krynitzkia* texana.  
*Traillii*, T. Kirk, in Trans. N. Z. Inst. xvi. (1884) 373 = *antarctica*.  
*transylvanica*, Porc. in Magyar, *Növényt. Lapok*, ix. (1855) 130 = sylvatica.  
*Traversii*, Hook. f. *Handb. N. Zeal. Fl.* 194.—N. Zel.  
*ucrainica*, Czern. in Bull. Soc. Nat. Mosc. xviii. (1845) 11. 133, in adnot.—Ross.  
*uliginosa*, Schrad. ex Mert. & Koch, *Deutschl. Fl.* ii. 42 = *cespitosa*.  
*umbrata*, Auct. ex Mart. & Koch, l. c. 47 = *intermedia*.  
*umbrosa*, Nym. *Consp.* 520 = *intermedia*.  
*umbrosa*, Schlecht. ex Reichb. Fl. Germ. Excurs. 341 = sylvatica.  
*uncata*, Boiss. & Bal. *Diagn. Ser.* II. iii. 139.—Cilicia.  
*ungulata*, G. Don, ex Loud. *Hort. Brit. Suppl.* iii. 591, nomen.—Sibiria.

**MYOSOTIS** :—

- uniflora*, Hook. f. *Handb. N. Zeal. Fl.* 192.—N. Zel.  
*variabilis*, Angel. ex Maly, in Flora, xxiii. (1840) 607 = sylvatica.  
*verna*, Nutt. *Gen. Am.* ii. *Addend.*—Am. bor.  
*verna*, Opiz, in Flora, v. (1822) 267 = *stricta*.  
*vernalis*, Willd. ex Roem. & Schult. *Syst.* iv. 778, in obs. = *littoralis*.  
*versicolor*, Lehm. in Hook. Fl. Bor. Am. ii. 81 = *verna*.  
*versicolor*, Sm. *Engl. Bot.* sub t. 2558.—Europ.  
*villosa*, Cham. in Linnaea, iv. (1829) 442 = *Eritrichium* nanum.  
*villosa*, Ledeb. in Mém. Acad. Pétersb. v. (1812) 516 = *Eritrichium* villosum.  
*virginiana*, Linn. Sp. Pl. 131 = *Echinosperrum* virginicum.  
*Welwitschii*, Boiss. & Reut. *Diagn. Ser.* II. iii. 138.—Hispan.  
*zeylanica*, Sw. ex Lehm. in Neue Schr. Naturf. Ges. Halle, iii. 11. (1817) 20 = *Echinosperrum* denticulatum.

- MYOSOTIS**, Tourn. ex Moench, *Meth.* 224 (1794) = **Cerastium**, Dill. (Caryoph.).  
*connata*, Moench, l. c. = *C. perfoliatum*.  
*dichotoma*, Moench, l. c. 225 = *C. dichotomum*.  
*lanata*, Moench, l. c. Suppl. 308 = *C. tomentosum*.  
*linearis*, Moench, *Meth.* 225 = *C. arvense*.  
*repens*, Moench, l. c. Suppl. 308 = *C. adscendens*.  
*semidecandra*, Moench, *Meth.* 225 = *C. semidecandrum*.  
*vulgaris*, Moench, l. c. 224 = *C. glomeratum*.

- MYOSOTON**, Moench, *Meth.* 225 (1794) = **Stellaria**, Linn. (Caryoph.).  
*aquaticum*, Moench, l. c. = *S. aquatica*.

- MYOSPYRUM**, Lindl. *Veg. Kingd.* ed. III. 617 (1853), sphalm. = **MYXOPYRUM**, Blume = **Glycosmis**, Correa (Rutac.).

- MYOSTEMMA**, Salisb. *Gen. Pl. Fragm.* 135 (1866) = **Hippeastrum**, Herb. (Amaryll.).  
*advena*, Salisb. l. c. = *H. advena*.

- MYOSTOMA**, Miers, in Trans. Linn. Soc. xxv. (1866) 474. t. 57 = **Thysmia**, Griff. (Burm.).  
*hyalinum*, Miers, l. c. = *B.*

- MYOSURANDRA**, Baill. *Adansonia*, ix. (1870) 325. **HAMAMELIDEAE**.  
*moschata*, Baill. l. c. 329.—Madag.

- MYOSUROS**, Adans. *Fam.* ii. 459 (1763) = seq.

- MYOSURUS**, Linn. *Syst.* ed. I (1735). **RANUNCULACEAE**, Benth. & Hook. f. i. 5.  
*alopecuroides*, Greene, in Bull. Calif. Acad. i. IV. (1885) 278.—Calif.  
*apetalus*, C. Gay, Fl. Chil. i. 31 = *aristatus*.  
*aristatus*, Benth. in Hook. *Lond. Journ. Bot.* vi. (1847) 459 [bis].—N. Zel.; Am. austr.  
*australis*, F. Muell. in Trans. Phil. Soc. Vict. i. (1855) 6 = *minimus*.  
*Cauda-muris*, Neck. Delic. Gallo-Belg. i. 161 = *minimus*.  
*cupulatus*, S. Wats. in Proc. Am. Acad. xvii. (1881-82) 362.—Calif.  
*europaea*, S. F. Gray, Nat. Arr. Brit. Pl. ii. 723 = *minimus*.  
*minimus*, Linn. Sp. Pl. 284.—Europ.; Am. bor.  
*scauposus*, Gilib. Exercit. i. 376 = *minimus*.  
*sessilis*, S. Wats. in Proc. Am. Acad. xvii. (1881-82) 362.—Am. bor. occ.  
*Shortii*, Rafin. in Am. Journ. Sc. Ser. I. i. (1819) 379 = *minimus*.

- MYOTOCA**, Griseb. in Abh. Goett. vi. (1856) 129 = **Collomia**, Nutt. (Polemon.).

- MYOXANTHUS**, Poepp. & Endl. *Nov. Gen. et Sp.* i. 50. t. 88 (1835) = **Pleurothallis**, R. Br. (Orchid.).  
*monophyllus*, Poepp. & Endl. l. c. = *P. Raymondi*.

- MYRACRODRUON**, Allem. in Trab. Comm. Sc. Expl. Ceará; Secq. Bot. 3. tt. 1, 2 (1862) = **Astronium**, Jacq. (Anacard.).  
*concinnum*, Engl. in Mart. Fl. Bras. xii. 11. 401 = *A. concinnum*.

**MYRACRODRUON** :—

- macrocalyx*, Engl. in Mart. Fl. Bras. xii. 11. 402 = *Astronium* macrocalyx.  
*Urundeuva*, Allem. in Trab. Comm. Sc. Expl. Ceará; Secq. Bot. 3. tt. 1, 2 = *A. Urundeuva*.

- MYRCEUGENIA**, Berg, in Linnaea, xxvii. (1854) 131 = **Myrtus**, Linn.

- Bridgesii*, Berg, l. c. xxx. (1859-60) 671 = *Eugenia* Bridgesii.  
*camphorata*, Berg, l. c. xxvii. (1854) 134 = *Myrtus* camphorata.  
*chilensis*, Berg, l. c. 132 = *Myrtus* reticulata, Poepp.  
*correaefolia*, Berg, l. c. xxx. (1859-60) 670.—Chili.  
*exsucca*, Berg, l. c. 671 = *Eugenia* exsucca.  
*Lechleriana*, Berg, l. c. xxvii. (1854) 133 = *Eugenia* exsucca.  
*Luma*, Berg, l. c. xxx. (1859-60) 671 = *Myrtus* fernandeziana.  
*montevideensis*, Berg, in Mart. Fl. Bras. xiv. i. 211.—Reg. Argent.  
*myrcoides*, Berg, in Linnaea, xxvii. (1854) 134 = *Eugenia* myrcioides.  
*myrtoides*, Berg, in Mart. Fl. Bras. xiv. i. 211.—Reg. Argent.  
*obtusa*, Berg, in Linnaea, xxx. (1859-60) 669 = *Eugenia* Raran.  
*ovata*, Berg, l. c. 670 = *Eugenia* ovata.  
*Pitra*, Berg, l. c. 671 = *Eugenia* Pitra.  
*planipes*, Berg, in Bot. Zeit. xvi. (1858) 250 = *Eugenia* planipes.  
*Sellowiana*, Berg, in Mart. Fl. Bras. xiv. i. 212.—Bras.  
*stenophylla*, Berg, in Linnaea, xxx. (1859-60) 670 = *Eugenia* stenophylla.

- MYRCIA**, DC. ex Guill. in Dict. Class. Hist. Nat. xi. 378, 401 (1826). **MYRTACEAE**, Benth. & Hook. f. i. 716.

- AGUAVA*, Rafin. Sylva Tellur. 107 (1838).  
*AULOMYRCIA*, Berg, in Linnaea, xxvii. (1854) 35.  
*CALYCAMPE*, Berg, l. c. 129 (1854).  
*CALYPTROMYRCIA*, Berg, l. c. 34 (1854).  
*CERQUIERIA*, Berg, l. c. 5 (1854).  
*GOMIDESIA*, Berg, l. c. 6 (1854).  
*GOMIDEZIA*, Benth. & Hook. f. Gen. i. 716 (1865).  
*acris*, DC. *Prod.* iii. 243 = *Pimenta* acris.  
*acuminata*, DC. l. c. 256.—N. Granat.  
*acuminatissima*, Berg, in Mart. Fl. Bras. xiv. i. 167.—Bras.  
*acutata*, Berg, l. c. 175.—Bras.  
*acutiloba*, Berg, l. c. 189.—Bras.  
*affinis*, Cambess. in A. St. Hil. Fl. Bras. Mer. ii. 307.—Bras.  
*alagoensis*, Berg, in Mart. Fl. Bras. xiv. i. 165.—Bras.  
*albotomentosa*, DC. *Prod.* iii. 254.—Bras.  
*alternifolia*, Miq. in Linnaea, xxii. (1849) 534.—Bras.  
*amazonica*, DC. *Prod.* iii. 250.—Bras.  
*ambigua*, DC. l. c. 252.—Bras.  
*amplexicaulis*, Hook. f. Bot. Mag. t. 5790.—Bras.  
*anacardiaeifolia*, Gardn. in Hook. *Lond. Journ. Bot.* (1843) 354.—Bras.  
*anceps*, Berg, in Mart. Fl. Bras. xiv. i. 186.—Bras.  
*andromedoides*, Cambess. in A. St. Hil. Fl. Bras. Mer. ii. 323.—Bras.  
*angusta*, G. Don, Gen. Syst. ii. 845.—Bras.  
*anomala*, Cambess. in A. St. Hil. Fl. Bras. Mer. ii. 328.—Bras.  
*arborescens*, Berg, in Mart. Fl. Bras. xiv. i. 200.—Bras.  
*aromatica*, Schlecht. in Linnaea, xiii. (1839) 415 = *Calyptanthus* Schiedeana, Schlechtendalana.  
*Australasiae*, F. Muell. Rep. Burdek. Exp. 7 = *Meme-cylon* pauciflorum.  
*Ayresiana*, Berg, in Linnaea, xxvii. (1854) 100.—Venezuel.  
*Balbisiana*, DC. *Prod.* iii. 243.—Ins. Guadalup.  
*banisteriaefolia*, DC. l. c. 246.—Bras.  
*barrensis*, Berg, in Mart. Fl. Bras. xiv. i. 187.—Bras.  
*bella*, Cambess. in A. St. Hil. Fl. Bras. Mer. ii. 322.—Bras.  
*Berberis*, DC. *Prod.* iii. 254.—Bras.  
*Berberis*, Schau. in Linnaea, xxi. (1848) 273 = *Kegelia*.  
*Bergiana*, Berg, in Mart. Fl. Bras. xiv. i. 194.—Bras.



## MYRCIA:—

- Billardiana, *DC. Prod.* iii. 255.—Mexic.  
bracteata, *DC. l. c.* 245.—Am. austr.  
bracteolaris, *DC. l. c.*—Guian.  
Brandami, *Berg, in Mart. Fl. Bras.* xiv. i. 164.—Bras.  
Bredemeyeri, *Berg, in Linnaea*, xxvii. (1854) 85.—Venezuela.  
Browniana, *Gardn. in Hook. Lond. Journ. Bot.* ii. (1843) 354.—Bras.  
brunea, *Cambess. in A. St. Hil. Fl. Bras. Mer.* ii. 306.—Bras.  
bullata, *Berg, in Mart. Fl. Bras.* xiv. i. 153.—Bras.  
buxifolia, *Gardn. in Hook. Lond. Journ. Bot.* iv. (1845) 101.—Bras.  
Camarasana, *DC. Prod.* iii. 251.—Bras.  
Cambessediana, *Berg, in Mart. Fl. Bras.* xiv. i. 202.—Bras.  
campestris, *DC. Prod.* iii. 247.—Bras.  
cancellata, *Berg, in Mart. Fl. Bras.* xiv. i. 154.—Bras.  
canescens, *Berg, l. c.* 206.—Bras.  
capitata, *Berg, l. c.* 154.—Bras.  
capivarhyensis, *Cambess. in A. St. Hil. Fl. Bras. Mer.* ii. 328.—Bras.  
caracasana, *Klotzsch, ex Berg, in Linnaea*, xxvii. (1854) 92.—Venezuela.  
cardiaca, *Berg, in Mart. Fl. Bras.* xiv. i. 204.—Bras.  
cardiophylla, *Reichardt, in Verh. Zool.-Bot. Ges. Wien*, xxxiii. (1884) 324.—Bras.  
carnea, *DC. Prod.* iii. 245.—Guiana.  
cassinoides, *DC. l. c.* 249.—Bras.  
Catharinae, *Berg, in Mart. Fl. Bras.* xiv. i. 176.—Bras.  
chilensis, *Berg, in Linnaea*, xxvii. (1854) 99.—Chili.  
ciarensis, *Berg, in Mart. Fl. Bras.* xiv. i. 178.—Bras.  
clusiaefolia, *DC. Prod.* iii. 255.—Am. austr.  
clusiaefolia, *Miq. in Linnaea*, xxii. (1849) 533 = *Calyptanthus clusiaefolia*.  
coccolobaefolia, *DC. Prod.* iii. 255.—N. Granat.  
Comete, *Steud. Nom. ed. II. ii. 177* in syn. sphalm. = *M. Coumeta*.  
communis, *Berg, in Mart. Fl. Bras.* xiv. i. 183.—Bras.  
complicata, *DC. Prod.* iii. 255.—Am. austr.  
corcovadensis, *Berg, in Mart. Fl. Bras.* xiv. i. 177.—Bras.  
cordata, *Cambess. in A. St. Hil. Fl. Bras. Mer.* ii. 330.—Bras.  
cordiaefolia, *DC. Prod.* iii. 248.—Bras.  
cordifolia, *Berg, in Mart. Fl. Bras.* xiv. i. 205.—Bras.  
coriacea, *DC. Prod.* iii. 243.—Ind. occ.  
corymbosa, *DC. l. c.* 252.—Bras.  
costa-ricensis, *Berg, in Linnaea*, xxvii. (1854) 104.—Costa Rica.  
costata, *DC. Prod.* iii. 252.—Bras.  
Coumeta, *DC. l. c.* 245.—Guiana.  
coumetoides, *Berg, in Linnaea*, xxvii. (1854) 102.—Ind. occ.  
crassicaulis, *Cambess. in A. St. Hil. Fl. Bras. Mer.* ii. 311.—Bras.  
crassinervia, *DC. Prod.* iii. 245.—Guiana.  
cucullata, *Berg, in Linnaea*, xxvii. (1854) 97.—N. Granat.  
cujabensis, *Berg, in Mart. Fl. Bras.* xiv. i. 161.—Bras.  
curatellaefolia, *DC. Prod.* iii. 253.—Bras.  
daphnoides, *DC. l. c.* 246.—Bras.  
dasyblasta, *Berg, in Mart. Fl. Bras.* xiv. i. 207.—Bras.  
dealbata, *DC. Prod.* iii. 254.—Bras.  
debilis, *Cambess. in A. St. Hil. Fl. Bras. Mer.* ii. 326.—Bras.  
decorticans, *DC. Prod.* iii. 252.—Bras.  
deflexa, *DC. l. c.* 244.—Ins. S. Doming.  
delicatula, *Steud. Nom. ed. II. ii. 177*, in syn. sphalm. = *Eugenia delicatula*.  
detergens, *Miq. in Linnaea*, xxii. (1849) 795.—Bras.  
discolor, *Berg, l. c.* xxvii. (1854) 111.—Costa Rica.  
divaricata, *DC. Prod.* iii. 243.—Ind. occ.  
divergens, *DC. l. c.* 245.—Guiana.  
Doniana, *Berg, in Mart. Fl. Bras.* xiv. i. 518.—Bras.  
Duchassaingiana, *Berg, in Linnaea*, xxvii. (1854) 88 = *ferruginea, DC.*  
duriuscula, *Mart. ex DC. Prod.* iii. 253.—Bras.  
elaedendra, *DC. l. c.* iii. 250.—Bras.  
elegans, *DC. l. c.* 251.—Bras.  
elliptica, *Gardn. in Hook. Lond. Journ. Bot.* ii. (1843) 352.—Bras.  
ellipticifolia, *Cambess. in A. St. Hil. Fl. Bras. Mer.* ii. 312.—Bras.

## MYRCIA:—

- elongata, *Berg, in Mart. Fl. Bras.* xiv. i. 159.—Bras.  
ericalyx, *DC. Prod.* iii. 247.—Bras.  
eriopoda, *St. Lag. in Ann. Soc. Bot. Lyon*, vii. (1880) 131 = seq.  
Eriopus, *DC. Prod.* iii. 255.—Bras.  
Eriopus, *Mart. ex DC. l. c.* 257 = *Calyptanthus eriopoda*.  
erythroxyton, *Berg, in Mart. Fl. Bras.* xiv. i. 173.—Bras.  
eugenioides, *Cambess. in A. St. Hil. Fl. Bras. Mer.* ii. 302.—Bras.  
eximia, *DC. Prod.* iii. 248.—Bras.  
exsucca, *DC. l. c.* 247.—Bras.  
fallax, *DC. l. c.* 244.—Guiana.  
fascicularis, *Berg, in Linnaea*, xxvii. (1854) 87.—Peruv.  
Felisberti, *Berg, in Mart. Fl. Bras.* xiv. i. 562 = *involucrata*.  
fenestrata, *DC. Prod.* iii. 251.—Bras.  
Fenzliana, *Berg, in Mart. Fl. Bras.* xiv. i. 196.—Bras.  
ferruginea, *DC. Prod.* iii. 245.—Am. trop.  
ferruginea, *G. Don, Gen. Syst.* ii. 845.—Bras.  
floribunda, *Miq. in Linnaea*, xxii. (1849) 534.—Bras.  
florida, *Lem. Jard. Fleur.* iii. (1852-53) Misc. 100.—Bras.  
formosiana, *Cambess. in A. St. Hil. Fl. Bras. Mer.* ii. 299 = *M. Hilariana*.  
formosiana, *DC. Prod.* iii. 255.—Bras.  
friburgensis, *Berg, in Mart. Fl. Bras.* xiv. i. 161.—Bras.  
Gardneriana, *Berg, l. c.* 184.—Bras.  
garopabensis, *Cambess. in A. St. Hil. Fl. Bras. Mer.* ii. 324.—Bras.  
gemmiflora, *Berg, in Mart. Fl. Bras.* xiv. i. 190.—Bras.  
Gestasiana, *Cambess. in A. St. Hil. Fl. Bras. Mer.* ii. 303.—Bras.  
glauca, *Cambess. l. c.* 318.—Bras.  
Gollmeriana, *Berg, in Linnaea*, xxix. (1857-58) 221.—Venezuela.  
goyazensis, *Cambess. in A. St. Hil. Fl. Bras. Mer.* ii. 305.—Bras.  
graciliflora, *Sagot, in Ann. Sc. Nat. Sér. VI. xx.* (1885) 185.—Guian.  
gracilis, *Berg, in Mart. Fl. Bras.* xiv. i. 174.—Bras.; *N. Granat.*  
grandifolia, *Cambess. in A. St. Hil. Fl. Bras. Mer.* ii. 298.—Bras.  
guajavaefolia, *Berg, in Mart. Fl. Bras.* xiv. i. 160.—Bras.  
Guavira, *Parodi, in Anal. Soc. Cient. Argent.* vii. (1879) 182; *Contrib.* 142.—Paraguay.  
Guavira-mi, *Parodi, l. c.* 140; 141.—Paraguay.  
guianensis, *DC. Prod.* iii. 245.—Guiana.  
Hayneana, *DC. l. c.* 246.—Bras.  
hebeptala, *DC. l. c.*—Bras.  
hiemalis, *Cambess. in A. St. Hil. Fl. Bras. Mer.* ii. 332.—Bras.  
Hilariana, *Berg, in Mart. Fl. Bras.* xiv. i. 199.—Bras.  
hirsuta, *Berg, l. c.* 151.—Bras.  
hirtiflora, *DC. Prod.* iii. 249.—Bras.  
hispida, *Berg, in Mart. Fl. Bras.* xiv. i. 152.—Bras.  
Hoffmannseggii, *Berg, l. c.* 157.—Bras.  
huanocensis, *Berg, in Linnaea*, xxxi. (1861-62) 250.—Peruv.  
Humboldtiana, *DC. Prod.* iii. 256.—Venezuela.  
hypericoides, *Cambess. in A. St. Hil. Fl. Bras. Mer.* ii. 317.—Bras.  
hypoleuca, *Spring, ex Mart. in Flora*, xx. (1837) II. Beibl. 80.—Bras.  
imbricata, *Gardn. in Field. Sert. Pl.* 75 = *scutulifera*.  
Imperatoris-Maximiliani, *Wawra, Bot. Ergeb. Maxim.* Bras. 11.—Bras.  
impressa, *Berg, in Mart. Fl. Bras.* xiv. i. 184.—Bras.  
insularis, *Gardn. in Hook. Lond. Journ. Bot.* i. (1842) 536.—Bras.  
involucrata, *Berg, in Mart. Fl. Bras.* xiv. i. 156.—Bras.  
itajuruensis, *Cambess. in A. St. Hil. Fl. Bras. Mer.* ii. 307.—Bras.  
itambensis, *Berg, in Mart. Fl. Bras.* xiv. i. 190.—Bras.  
Jaboticaba, *Baill. Hist. Pl.* vi. 345.—Bras.  
Kegeliiana, *Berg, in Linnaea*, xxvii. (1854) 99.—Guiana.

## MYRCIA:—

- Klotzschiana, *Berg, in Mart. Fl. Bras.* xiv. i. 169.—Bras.  
Kunthiana, *Steud. Nom. ed. II. ii. 172*.—Venezuel.  
Lacerdaeana, *Berg, in Mart. Fl. Bras.* xiv. i. 193.—Bras.  
laevigata, *Berg, l. c.* 175.—Bras.  
laevis, *Berg, in Linnaea*, xxxi. (1861-62) 252.—Guiana.  
laevis, *G. Don, Gen. Syst.* ii. 845.—Bras.  
lanceolata, *Cambess. in A. St. Hil. Fl. Bras. Mer.* ii. 329.—Bras.  
Langsdorffii, *Berg, in Mart. Fl. Bras.* xiv. i. 562.—Bras.  
lanuginosa, *Berg, l. c.* 205.—Bras.  
Larotteana, *Cambess. in A. St. Hil. Fl. Bras. Mer.* ii. 311.—Bras.  
lasiantha, *DC. Prod.* iii. 254.—Bras.  
lasiopoda, *St. Lag. in Ann. Soc. Bot. Lyon*, vii. (1880) 130 = seq.  
lasiopus, *DC. Prod.* iii. 253.—Bras.  
latifolia, *Berg, in Mart. Fl. Bras.* xiv. i. 170.—Bras.  
lauriflora, *DC. Prod.* iii. 252.—Bras.  
laurifolia, *Cambess. in A. St. Hil. Fl. Bras. Mer.* ii. 301.—Bras.  
laxiflora, *Cambess. l. c.* 319.—Bras.  
Lechleriana, *Miq. in Linnaea*, xxv. (1852) 651.—Chili.  
leptoclada, *DC. Prod.* iii. 244.—Ins. S. Doming.  
leucadendra, *St. Lag. in Ann. Soc. Bot. Lyon*, vii. (1880) 130 = seq.  
leucadendron, *DC. Prod.* iii. 251.—Bras.  
leucophlaca, *DC. l. c.* 247.—Bras.  
Lindeniana, *Wright, in Sauv. Fl. Cub.* 40.—Cuba.  
linearifolia, *Cambess. in A. St. Hil. Fl. Bras. Mer.* ii. 334.—Bras.  
Linkiana, *DC. Prod.* iii. 248.—Bras.  
littoralis, *DC. l. c.* 249.—Bras.  
longifolia, *DC. l. c.* 256.—Venezuela.  
Luschnathiana, *Berg, in Mart. Fl. Bras.* xiv. i. 194.—Bras.  
lutescens, *Cambess. in A. St. Hil. Fl. Bras. Mer.* ii. 301.—Bras.  
macrocarpa, *DC. Prod.* iii. 249.—Bras.  
macrochlamys, *DC. l. c.* 247.—Bras.  
macrophylla, *DC. l. c.* 248.—Bras.  
magnoliaefolia, *DC. l. c.*—Bras.  
Mansonia, *Berg, in Mart. Fl. Bras.* xiv. i. 163.—Bras.  
maragnana, *DC. Prod.* iii. 249.—Bras.  
marginata, *Berg, in Mart. Fl. Bras.* xiv. i. 565.—Bras.  
Martiana, *Berg, l. c.* 159.—Bras.  
Maximiliana, *Berg, in Linnaea*, xxvii. (1854) 89.—Bras.  
melanoclada, *Berg, l. c.* 113.—Costa Rica.  
melastomoides, *DC. Prod.* iii. 256.—Ins. Tobago.  
micrantha, *Berg, in Mart. Fl. Bras.* xiv. i. 169.—Bras.  
microcarpa, *Cambess. in A. St. Hil. Fl. Bras. Mer.* ii. 324.—Bras.  
microphylla, *Berg, in Mart. Fl. Bras.* xiv. i. 566.—Bras.  
Mikaniana, *Berg, l. c.* 182.—Bras.  
Mini, *Sweet, Hort. Brit. ed. II. 211*.—Guiana.  
minutiflora, *Sagot, in Ann. Sc. Nat. Sér. VI. xx.* (1885) 185.—Guiana.  
mollis, *DC. Prod.* iii. 256.—N. Granat.  
montana, *Cambess. in A. St. Hil. Fl. Bras. Mer.* ii. 325.—Bras.  
mugiensis, *Cambess. l. c.* 327.—Bras.  
multiflora, *DC. Prod.* iii. 244.—Guiana.  
myoporina, *DC. l. c.* 246.—Bras.  
myrtillifolia, *DC. l. c.* 250.—Bras.  
Nandu-apysa, *Parodi, in Anal. Soc. Cient. Argent.* vii. (1879) 183; *Contrib.* 143.—Paraguay.  
Neesiana, *DC. Prod.* iii. 249.—Bras.  
negrensis, *Berg, in Mart. Fl. Bras.* xiv. i. 187.—Bras.  
nigrescens, *DC. Prod.* iii. 246.—Bras.  
nitens, *Berg, in Mart. Fl. Bras.* xiv. i. 178.—Bras.  
nitida, *Cambess. in A. St. Hil. Fl. Bras. Mer.* ii. 313.—Bras.  
nivea, *Cambess. l. c.* 332.—Bras.  
nobilis, *Berg, in Mart. Fl. Bras.* xiv. i. 195.—Bras.  
oblongata, *DC. Prod.* iii. 251.—Bras.  
obtusata, *Schau. in Linnaea*, xxi. (1848) 273.—Guiana.  
ochracea, *Berg, in Mart. Fl. Bras.* xiv. i. 190.—Bras.  
ochroides, *Berg, l. c.* 208.—Bras.



**MYRCIA:—**

- Oerstedia, *Berg, in Linnaea*, xxvii. (1854) 112.—Mexic.  
 Oitchi, *Berg, in Mart. Fl. Bras.* xiv. i. 563.—Bras.  
 oleaefolia, *Cambess. in A. St. Hil. Fl. Bras. Mer.* ii. 313.—Bras.  
 oligantha, *Berg, in Mart. Fl. Bras.* xiv. i. 184.—Bras.  
 oocarpa, *Cambess. in A. St. Hil. Fl. Bras. Mer.* ii. 298.—Bras.  
 opaca, *Berg, in Mart. Fl. Bras.* xiv. i. 177.—Bras.  
 ovata, *Cambess. in A. St. Hil. Fl. Bras. Mer.* ii. 319.—Bras.  
 Paivae, *Berg, in Mart. Fl. Bras.* xiv. i. 179.—Bras.  
 pallens, *DC. Prod.* iii. 252.—Bras.  
 palustris, *DC. l. c.* 246.—Bras.  
 pauciflora, *Cambess. in A. St. Hil. Fl. Bras. Mer.* ii. 321.—Bras.  
 pellucida, *Berg, in Mart. Fl. Bras.* xiv. i. 173.—Bras.  
 perforata, *Berg, l. c.* 197.—Bras.  
 pernambucensis, *Berg, l. c.* 194.—Bras.  
 pertusa, *DC. Prod.* iii. 251.  
 phaeoclada, *Berg, in Mart. Fl. Bras.* xiv. i. 167.—Bras.  
 piahiensis, *Berg, l. c.* 196.—Bras.  
 pilosa, *DC. Prod.* iii. 253.—Bras.  
 pimentoides, *DC. Prod.* iii. 243 = *Eugenia acris*.  
 Pinaster, *Mart. ex Berg, in Linnaea*, xxvii. (1854) 338 = *Eugenia myriophylla*.  
 pinifolia, *Cambess. in A. St. Hil. Fl. Bras. Mer.* ii. 333.—Bras.  
 platyclada, *DC. Prod.* iii. 244.—Guiana.  
 plicato-costata, *Berg, in Linnaea*, xxvii. (1854) 114.—Costa Rica.  
 Poeppigiana, *Berg, in Mart. Fl. Bras.* xiv. i. 157.—Bras.  
 Pohlana, *Berg, l. c.* 199.—Bras.  
 polyantha, *DC. Prod.* iii. 252.—Bras.  
 polyantha, *DC. l. c.* 255 = *Kunthiana*.  
 prunifolia, *DC. l. c.* 253.—Bras.  
 Pseudo-Mini, *DC. l. c.* 252.—Bras.  
 puberula, *Cambess. in A. St. Hil. Fl. Bras. Mer.* ii. 316.—Bras.  
 pubescens, *DC. Prod.* iii. 247.—Bras.  
 pubescens, *G. Don, Gen. Syst.* ii. 845.—Bras.  
 pubiflora, *DC. Prod.* iii. 249.—Bras.  
 pubipetala, *Miq. in Linnaea*, xix. (1847) 441.—Bras.  
 punctata, *DC. Prod.* iii. 243.—Ins. S. Crucis.  
 pyramidata, *Berg, in Mart. Fl. Bras.* xiv. i. 193.—Bras.  
 quitarensis, *Sagot, in Ann. Sc. Nat. Sér. VI.* xx. (1885) 184.—Guian.  
 racemulosa, *DC. Prod.* iii. 254.—Bras.  
 ramulosa, *DC. l. c.* 250.—Bras.  
 recurvata, *Berg, in Mart. Fl. Bras.* xiv. i. 166.—Bras.  
 Regelliana, *Berg, l. c.* 562.—Bras.  
 Regnelliana, *Berg, l. c.* 174.—Bras.  
 reticulata, *Berg, in Linnaea*, xxvii. (1854) 101.—Ins. Martinic.  
 reticulata, *Cambess. in A. St. Hil. Fl. Bras. Mer.* ii. 304.—Bras.  
 reticulosa, *Miq. in Linnaea*, xxii. (1849) 794.—Bras.  
 retorta, *Cambess. in A. St. Hil. Fl. Bras. Mer.* ii. 322.—Bras.  
 Riedeliana, *Berg, in Mart. Fl. Bras.* xiv. i. 565.—Bras.  
 rimosa, *Cambess. in A. St. Hil. Fl. Bras. Mer.* ii. 333.—Bras.  
 riparia, *Berg, in Mart. Fl. Bras.* xiv. i. 179.—Bras.  
 rostrata, *DC. Prod.* iii. 255.—Bras.  
 rubella, *Cambess. in A. St. Hil. Fl. Bras. Mer.* ii. 317.—Bras.  
 rubiginosa, *Cambess. l. c.* 300.—Bras.  
 rufidula, *Schlecht. in Linnaea*, xiii. (1839) 416.—Mexic.  
 rufipes, *DC. Prod.* iii. 247.—Bras.  
 rufula, *Miq. in Linnaea*, xix. (1847) 440.—Bras.  
 salicifolia, *DC. Prod.* iii. 246.—Bras.  
 Salzmanni, *Berg, in Mart. Fl. Bras.* xix. i. 207.—Bras.  
 Sartoriana, *Berg, in Linnaea*, xxix. (1857–58) 220.—Mexic.  
 saxicola, *Berg, l. c.* xxvii. (1854) 92.—Peruv.  
 Schaueriana, *Berg, in Mart. Fl. Bras.* xiv. i. 163.—Bras.  
 Schomburgkiana, *Berg, in Linnaea*, xxvii. (1854) 110.—Guiana.

**MYRCIA:—**

- Schottiana, *Berg, in Mart. Fl. Bras.* xiv. i. 188.—Bras.  
 Schrankiana, *DC. Prod.* iii. 247.—Bras.  
 Schuechiana, *Berg, in Mart. Fl. Bras.* xiv. i. 181.—Bras.  
 scrobiculata, *Berg, in Linnaea*, xxx. (1859–60) 668.—Bras.  
 scutulifera, *DC. Prod.* iii. 254.—Bras.  
 Sellowiana, *Berg, in Mart. Fl. Bras.* xiv. i. 197.—Bras.  
 sepiaria, *DC. Prod.* iii. 249.—Bras.  
 sericea, *Berg, in Linnaea*, xxvii. (1854) 114.—Peruv.; Chili.  
 sericea, *G. Don, Gen. Syst.* ii. 844.—Bras.  
 sericiflora, *Berg, in Mart. Fl. Bras.* xiv. i. 178.—Bras.  
 sororia, *DC. Prod.* iii. 243.—Ins. Trinit.  
 spectabilis, *DC. l. c.* 248.—Bras.  
 sphaerocarpa, *DC. l. c.* 251.—Bras.  
 Spixiana, *DC. l. c.* —Bras.  
 splendens, *DC. l. c.* 244.—Ind. occ.  
 Sprengeliana, *Berg, in Linnaea*, xxvii. (1854) 109.—Ins. S. Thomas.  
 Spruceana, *Berg, in Mart. Fl. Bras.* xiv. i. 165.—Bras.  
 Stewartiana, *Berg, in Linnaea*, xxix. (1857–58) 219.—Am. trop.  
 stigmatosa, *Berg, in Mart. Fl. Bras.* xiv. i. 564.—Bras.  
 strigipes, *Mart. in Flora*, xxiv. (1841) II. Beibl. 108 = *Marlierea strigipes*.  
 suaveolens, *Cambess. in A. St. Hil. Fl. Bras. Mer.* ii. 315.—Bras.  
 subalpestris, *DC. Prod.* iii. 250.—Bras.  
 subcordata, *DC. l. c.* 253.—Bras.  
 subsericea, *A. Gray, Bot. U. St. Expl. Exped.* i. 533.—Bras.  
 subsessilis, *Berg, in Linnaea*, xxxi. (1861–62) 251.—Am. trop.  
 suffruticosa, *Berg, in Mart. Fl. Bras.* xiv. i. 189.—Bras.  
 sulcata, *Berg, in Linnaea*, xxx. (1859–60) 667.—Guiana.  
 superba, *Berg, in Mart. Fl. Bras.* xiv. i. 198.—Bras.  
 surinamensis, *Miq. in Linnaea*, xxii. (1849) 170.—Guiana.  
 sylvatica, *DC. Prod.* iii. 244.—Guiana.  
 terebinthacea, *Poepp. ex Berg, in Mart. Fl. Bras.* xiv. i. 155 = *lanceolata*.  
 thomasi, *DC. Prod.* iii. 244.—Ins. S. Thomas.  
 thyrsoides, *Berg, in Mart. Fl. Bras.* xiv. i. 192.—Bras.  
 tingens, *Berg, l. c.* 564.—Bras.  
 tomentosa, *DC. Prod.* iii. 245.—Guiana.  
 torta, *DC. l. c.* 250.—Bras.  
 tovarensis, *Berg, in Linnaea*, xxvii. (1854) 118.—Venezuela.  
 triantha, *DC. Prod.* iii. 256.—Hab. ?  
 triflora, *Cambess. in A. St. Hil. Fl. Bras. Mer.* ii. 327.—Bras.  
 uberavensis, *Berg, in Mart. Fl. Bras.* xiv. i. 568.—Bras.  
 umbellulifera, *DC. Prod.* iii. 255.—Venezuela.  
 undulata, *Berg, in Mart. Fl. Bras.* xiv. i. 185.—Bras.  
 Valenzuelana, *Griseb. Cat. Pl. Cub.* 86 = *Eugenia Valenzuelana*.  
 variabilis, *DC. Prod.* iii. 254.—Bras.  
 Vauthiereana, *Berg, in Mart. Fl. Bras.* xiv. i. 154.—Bras.  
 Velloziana, *Berg, l. c.* 171.—Bras.  
 velutina, *Berg, l. c.* 182.—Bras.  
 venezuelensis, *Berg, in Linnaea*, xxvii. (1854) 96.—Venezuela.  
 venulosa, *DC. Prod.* iii. 250.—Bras.  
 vernicosa, *DC. l. c.* 256.—Am. austr.  
 verticillaris, *Berg, in Mart. Fl. Bras.* xiv. i. 206.—Bras.  
 vestita, *DC. Prod.* iii. 248.—Bras.  
 virgata, *Cambess. in A. St. Hil. Fl. Bras. Mer.* ii. 320.—Bras.  
 xylopioides, *DC. Prod.* iii. 256.—N. Granat.  
 ypanemensis, *Berg, in Mart. Fl. Bras.* xiv. i. 186.—Bras.

MYRCIA, Soland. ex Lindl. Coll. Bot. sub t. 19 (1821–25) = *Pimenta*, Lindl. (Myrtac.).

MYRCIANTHES, *Berg, in Linnaea*, xxvii. (1854) 315 = *Myrtus*, Linn.

- apiculata, *Berg, in Mart. Fl. Bras.* xiv. i. 352.—Reg. Argent.  
 brunnea, *Berg, in Linnaea*, xxvii. (1854) 315 = *Myrtus ovalis*, *Spreng.*  
 cisplatensis, *Berg, l. c.* = *Eugenia cisplatensis*.  
 edulis, *Berg, in Mart. Fl. Bras.* xiv. i. 353 = *Eugenia edulis*, *Benth. & Hook. f.*

MYRCIARIA, *Berg, in Linnaea*, xxvii. (1854) 320 = *Eugenia*, Linn. (Myrtac.).

- amazonica, *Berg, in Mart. Fl. Bras.* xiv. i. 374.—Bras.  
 axillaris, *Berg, l. c.* 373.—Bras.  
 bipennis, *Berg, in Linnaea*, xxxi. (1861–62) 259.—Bras.  
 cauliflora, *Berg, in Mart. Fl. Bras.* xiv. i. 361 = *E. edulis*.  
 chartacea, *Berg, l. c.* 371.—Bras.  
 ciliolata, *Berg, l. c.* 366 = *E. ciliolata*.  
 cordata, *Berg, in Linnaea*, xxvii. (1854) 337.—Guiana.  
 cuspidata, *Berg, in Mart. Fl. Bras.* xiv. i. 367 = *E. tenella*, *Miq.*  
 delicatula, *Berg, l. c.* 362 = *E. delicatula*.  
 deserti, *Berg, l. c.* 359 = *E. deserti*.  
 disticha, *Berg, l. c.* 366.—Bras.  
 divaricata, *Berg, in Linnaea*, xxvii. (1854) 334 = *E. divaricata*, *Benth.*  
 Ehrenbergiana, *Berg, l. c.* 321.—Guiana.  
 ferruginea, *Berg, in Mart. Fl. Bras.* xiv. i. 597.—Bras.  
 floribunda, *Berg, in Linnaea*, xxvii. (1854) 330 = *E. floribunda*.  
 glomerata, *Berg, in Mart. Fl. Bras.* xiv. i. 365.—Bras.  
 Gnaphurium, *Berg, in Linnaea*, xxvii. (1854) 325 = *E. Gnaphurium*.  
 Hagendorffii, *Berg, in Mart. Fl. Bras.* xiv. i. 360.—Bras.  
 herbacea, *Berg, l. c.* 369.—Bras.  
 involucreta, *Berg, l. c.* 375.—Bras.  
 Jaboticaba, *Berg, l. c.* 361 = *Myrcia Jaboticaba*.  
 lanceolata, *Berg, l. c.* 363.—Bras.  
 leucadendron, *Berg, l. c.* 364.—Bras.  
 leucophloea, *Berg, l. c.* 370.—Bras.  
 linearifolia, *Berg, l. c.* 362.—Bras.  
 lituatinervia, *Berg, in Linnaea*, xxvii. (1854) 322.—Guiana.  
 longipes, *Berg, in Mart. Fl. Bras.* xiv. i. 599.—Bras.  
 maragnanensis, *Berg, l. c.* 372.—Bras.  
 maranhensis, *Berg, l. c.* Index 652 = *praeac.*  
 marowynensis, *Berg, in Linnaea*, xxvii. (1854) 335 = *E. marowynensis*.  
 Maximiliana, *Berg, in Mart. Fl. Bras.* xiv. i. 370 = *E. Maximiliana*, *DC.*  
 micrantha, *Berg, l. c.* 360.—Bras.  
 minensis, *Berg, l. c.* 369.—Bras.  
 myriophylla, *Berg, l. c.* 375 = *E. myriophylla*.  
 nitida, *Berg, in Linnaea*, xxvii. (1854) 324 = *E. nitida*, *Benth.*  
 obscura, *Berg, in Mart. Fl. Bras.* xiv. i. 374.—Bras.  
 pallida, *Berg, l. c.* 368.—Bras.  
 paraensis, *Berg, l. c.* 364.—Bras.  
 perforata, *Berg, l. c.* 598.—Bras.  
 phylloraeoides, *Berg, in Linnaea*, xxvii. (1854) 326.—Am. austr.  
 plicato-costata, *Berg, in Mart. Fl. Bras.* xiv. i. 366 = *E. edulis*, *Vell.*  
 polyantha, *Berg, in Linnaea*, xxvii. (1864) 322 = *E. polyantha*, *Miq. (in Addend.)*.  
 prasina, *Berg, in Mart. Fl. Bras.* xiv. i. 373.—Bras.  
 protracta, *Berg, in Linnaea*, xxvii. (1854) 330 = *E. floribunda*.  
 pumila, *Berg, in Mart. Fl. Bras.* xiv. i. 366 = *E. pumila*.  
 quitarensis, *Berg, in Linnaea*, xxvii. (1854) 323 = *E. quitarensis*.  
 ramiflora, *Berg, l. c.* 334 = *E. coffeaefolia*.  
 Riedeliana, *Berg, in Mart. Fl. Bras.* xiv. i. 598.—Bras.  
 rivularis, *Berg, l. c.* 360 = *E. rivularis*, *Cambess.*  
 rubiginosa, *Berg, l. c.* 359 (= *Eugeniopsis rubiginosa*).—Bras.  
 Salzmanni, *Berg, in Linnaea*, xxvii. (1854) 331 = *E. Salzmanni*.  
 Schaueriana, *Berg, l. c.* 323 = *E. Schaueriana*.  
 Schuechiana, *Berg, in Mart. Fl. Bras.* xiv. i. 373.—Bras.  
 Sellowiana, *Berg, l. c.* 374.—Bras.



## MYRCIARIA:—

- sericea*, Berg, in Mart. Fl. Bras. xiv. i. 375.—Bras.  
*splendens*, Berg, l. c. 371.—Bras.  
*Spruceana*, Berg, l. c. 365.—Bras.  
*stirpiflora*, Berg, in Linnaea, xxx. (1859-60) 702 =  
*Eugenia trunciflora*, Rich. (in Addend.).  
*strigipes*, Berg, in Mart. Fl. Bras. xiv. i. 364.—Bras.  
*tenella*, Berg, l. c. 368 = *E. tenella*, DC.  
*tenuiramis*, Berg, l. c. 371.—Bras.  
*tolypantha*, Berg, l. c. 372.—Bras.  
*Trinitatis*, Berg, in Linnaea, xxvii. (1854) 336.—Ins.  
 Trinit.  
*trunciflora*, Berg, in Mart. Fl. Bras. xiv. i. 361.—Bras.  
*uliginosa*, Berg, in Linnaea, xxvii. (1854) 329.—  
 Guiana.  
*undulata*, Berg, in Mart. Fl. Bras. xiv. i. 368.—Bras.  
*verticillata*, Berg, in Linnaea, xxvii. (1854) 332.—  
 Guiana.  
*vismeaefolia*, Berg, l. c. 336 = *E. vismeaefolia*.

- MYRIACHAETA, Zoll. & Mor. Syst. Verz. Zoll. 101  
 (1845-46) = *Thysanolaena*, Nees (Gramin.).  
*arundinacea*, Zoll. & Mor. l. c. = *T. Agrostis*.  
*glauca*, Mor. ex Steud. Syn. Pl. Gram. 404.—Malaya.

## MYRIACTIS, Less. in Linnaea, vi. (1831) 127.

- COMPOSITAE, Benth. & Hook. f. ii. 263.  
 BOTRYADENIA, Fisch. & Mey. Ind. Sem. Hort.  
 Petrop. ii. 30 (1835).  
*carnosa*, Wall. Cat. n. 3219 = *nepalensis*.  
*glutinosa*, Schlecht. in Linnaea, xxv. (1852) 207.—  
 Ind. or.  
*Gmelini*, DC. Prod. v. 309 = *nepalensis*.  
*gracilis*, Edgew. in Trans. Linn. Soc. xx. (1846) 66 =  
*nepalensis*.  
*javanica*, DC. Prod. v. 308 = *Wightii*.  
*nepalensis*, Less. in Linnaea, vi. (1831) 128.—Reg.  
 Himal.; As. centr.  
*oleosa*, Edgew. in Trans. Linn. Soc. xx. (1846) 65 =  
*nepalensis*.  
*pilosa*, Blume, ex DC. Prod. v. 308.—Java.  
*Wallichii*, Less. in Linnaea, vi. (1831) 129.—Reg.  
 Himal.  
*Wightii*, DC. in Wight, Contrib. 10.—Ind. or.

- MYRIADENUS, Cass. in Bull. Soc. Philom. (1817) 138  
 = *Inula*, Linn. (Compos.).  
*glutinosus*, Cass. l. c. = *I. viscosa*.

- MYRIADENUS, Desv. Journ. Bot. i. (1813) 121. t. 4.  
 f. 11 = *Zornia*, J. F. Gmel. (Legumin.).  
*echinocarpus*, Moric. ex Meissn. Gen. Comm. 64 =  
*Z. echinocarpa*.  
*tetraphyllus*, Desv. Journ. Bot. i. (1813) 121; et DC.  
 Prod. ii. 316 = *Z. myriadena*.

- MYRIANDRA, Spach, in Ann. Sc. Nat. Sér. II. v.  
 (1836) 364 = *Hypericum*, Linn.  
*brachyphylla*, Spach, l. c. 365 = *H. fasciculatum*.  
*Brathydis*, Spach, Hist. Vég. Phan. v. 436 = *H. fascicu-*  
*latum*.  
*galioides*, Spach, in Ann. Sc. Nat. Sér. II. v. (1836)  
 365 = *H. galioides*.  
*glauca*, Spach, l. c. = *H. myrtifolium*.  
*ledifolia*, Spach, l. c. = *H. nudiflorum*.  
*Michauxii*, Spach, l. c. = *H. galioides*.  
*nitida*, Spach, l. c. = *H. fasciculatum*.  
*nudiflora*, Spach, l. c. = *H. nudiflorum*.  
*prolifera*, Spach, l. c. = *H. prolificum*.  
*spatulata*, Spach, l. c. = *H. prolificum*.

- MYRIANTHEA, Tul. in Ann. Sc. Nat. Sér. IV. viii.  
 (1857) 65 = seq.

- MYRIANTHEIA, Thon. Gen. Nov. Madag. 21 (1806) =  
*Homalium*, Jacq. (Samyd.).  
*laxiflora*, Tul. in Ann. Sc. Nat. Sér. IV. viii. (1857)  
 66.—Madag.  
*oppositifolia*, Tul. l. c. 65.—Madag.

- MYRIANTHUS, Beauv. Fl. Owar. i. 16 (1805).  
 URTICACEAE, Benth. & Hook. f. iii. 379.  
 DICRANOSTACHYS, Tréc. in Ann. Sc. Nat. Sér. III.  
 viii. (1847) 85. t. 1.  
*arbores*, Beauv. Fl. Owar. i. 16.—Afr. bor.  
 VOL. II.

- MYRIASPORA, DC. Prod. iii. 165 (1828). MELA-  
 STOMACEAE, Benth. & Hook. f. i. 769.  
*decipiens*, Naud. in Ann. Sc. Nat. Sér. III. xvi. (1851)  
 101.—Am. trop.  
*egensis*, DC. Prod. iii. 165.—Bras.  
*integrifolia*, Steud. ex Triana, in Trans. Linn. Soc.  
 xxviii. (1871) 145 = *decipiens*.  
*paulensis*, DC. Prod. iii. 165 = *egensis*.  
*surinamensis*, Steud. in Flora, xxvii. (1844) 722 =  
*egensis*.

## MYRICA, Linn. Syst. ed. I (1735). MYRICACEAE,

- Benth. & Hook. f. iii. 400.  
 CEROPHORA, Rafn. Alsog. Am. II (1838).  
 COMPTONIA, Banks, ex Gaertn. Fruct. ii. 58. t. 90  
 (1791).  
 FAYA, Webb & Berth. Phyt. Canar. iv. 272. t. 216  
 (1836-50).  
 FAYANA, Rafn. Alsog. Am. 12 (1838).  
 GALE, Tourn. ex Adans. Fam. ii. 345 (1763).  
 MORELLA, Lour. Fl. Cochinch. 548 (1790).  
 NAGEIA, Gaertn. Fruct. i. 191 (1788).  
 PIMECARIA, Rafn. Alsog. Am. 64 (1838).  
*adenophora*, Hance, in Journ. Bot. xxi. (1883) 357.—  
 China.  
*aethiopica*, Linn. Mant. ii. 298.—Afr. austr.  
*alaternoides*, Crantz, Inst. i. 182 = *cordifolia*.  
*altera*, C. DC. in DC. Prod. xvi. ii. 595.—Ind. occ.  
*arabica*, Willd. Sp. Pl. iv. 749, in syn. = *Myrsine*  
*bottensis*.  
*arguta*, H. B. & K. Nov. Gen. et Sp. ii. 17. t. 98.—N.  
 Granat.  
*asplenifolia*, Linn. Sp. Pl. 1024; Mill. Gard. Dict.  
 ed. VIII. n. 4.—Am. bor.  
*australasica*, F. Muell. Pl. Fittsalan, 7.—Austral.  
*banksiaefolia*, Wendl. Coll. Pl. i. 70 = *aethiopica*.  
*Bojeriana*, Baker, in Journ. Linn. Soc. xx. (1883)  
 267.—Madag.  
*brabantica*, S. F. Gray, Nat. Arr. Brit. Pl. ii. 249 = *M.*  
*Gale*.  
*brevifolia*, E. Mey. ex C. DC. in DC. Prod. xvi. ii. 150.  
 —Afr. austr.  
*Burmani*, E. Mey. l. c. 149.—Afr. austr.  
*californica*, Cham. & Schlecht. in Linnaea, vi. (1831)  
 335.—Calif.  
*capensis*, Hort. ex Steud. Nom. ed. II. ii. 173 =  
*aethiopica*.  
*caracasana*, H. B. & K. Nov. Gen. et Sp. ii. 18.—Vene-  
 zuela.  
*carolinensis*, Mill. Gard. Dict. ed. VIII. n. 3 = *cerifera*.  
*cerifera*, Linn. Sp. Pl. 1024.—Am. bor.  
*Comptonia*, C. DC. in DC. Prod. xvi. ii. 151 = *asplenif-*  
*olia*.  
*conifera*, Burm. f. Fl. Cap. Prod. 31 (err. typ. 27) =  
*aethiopica*.  
*cordifolia*, Linn. Sp. Pl. 1025.—Afr. austr.  
*domingana*, C. DC. in DC. Prod. xvi. ii. 154.—Ins.  
 S. Doming.  
*esculenta*, Buch.-Ham. ex D. Don, Prod. Fl. Nep. 56  
 = *M. Nagi*.  
*Farguhariana*, Wall. Tent. Fl. Nep. 60 = *M. Nagi*.  
 Faya, [Dryand. in] Ait. Hort. Kew. ed. I. iii. 397.—  
 Ins. Canar. et Azor.  
*florida*, Regel, Cat. Pl. Hort. Aksakov. 96, nomen.—  
 Hab. ?  
*frondosa*, Salisb. Prod. 396 = *M. Faya*.  
*fuscata*, Rafn. Alsog. Am. 9 (Quid ?).—Am. bor.  
*Gale*, Linn. Sp. Pl. 1024.—Reg. temp. bor.  
*Hartwegi*, S. Wats. in Proc. Am. Acad. x. (1875) 350.  
 —Calif.  
*heterophylla*, Rafn. Alsog. Am. 9 (Quid ?).—Am. bor.  
*hirsuta*, Mill. Gard. Dict. ed. VIII. n. 6 = *quercifolia*.  
*humilis*, Cham. & Schlecht. in Linnaea, vi. (1831)  
 535.—Afr. austr.  
*ilicifolia*, Burm. f. Fl. Cap. Prod. 31 (err. typ. 27).—  
 Afr. austr.  
*inodora*, Bartr. Trav. ed. II. (1794) 403.—Florida.  
*integrifolia*, Roxb. Hort. Beng. 71; Fl. Ind. iii. 765 =  
*M. Nagi*.  
*interrupta*, Benth. Pl. Hartw. 251.—N. Granat.  
*javanica*, Blume, Bijdr. 517.—Java.  
*Kraussiana*, Buching. in Flora, xxviii. (1845) 89.—  
 Afr. austr.  
*laciniata*, Willd. Enum. Hort. Berol. 1012 = *quercifolia*.  
*Laurcula*, Tréc. ex C. DC. in DC. Prod. xvi. ii. 154.—  
 Am. bor.  
*Lindeniana*, C. DC. l. c. 150.—Mexic.  
*linearis*, C. DC. l. c. 154.—Hab. ?

## MYRICA:—

- Lobbii*, Teysm. & Binn. ex Miq. Fl. Ind. Bat. i. i.  
 872.—Java.  
*longifolia*, Teysm. & Binn. ex C. DC. in DC. Prod.  
 xvi. ii. 152.—Java.  
*luzonica*, Vidal, Sin. Pl. Leñ. Filip. Atl. p. xl. t. 90. f. B.  
 —Ins. Philipp.  
*macrocarpa*, H. B. & K. Nov. Gen. et Sp. ii. 16 =  
*arguta*.  
*macrophylla*, Mirb. in Mém. Mus. Par. xiv. (1827) 472.  
 t. 27 = *javanica*.  
*mexicana*, Humb. & Bonpl. ex Willd. Enum. Hort.  
 Berol. 1011.—Mexic.  
*microcarpa*, Benth. Pl. Hartw. 266.—Ind. occ.  
*missionis*, Wall. Cat. n. 7297 = *M. Nagi*.  
*montana*, Vahl, Symb. Bot. ii. 99 = *Myrsine bottensis*.  
*Nagi*, Thunb. Fl. Jap. 76.—As. trop. et subtrop.  
*natalensis*, C. DC. in DC. Prod. xvi. ii. 148.—Afr.  
 austr.  
*obovata*, Cham. ex C. DC. l. c. 150.—Florida.  
*octandra*, Buch.-Ham. ex D. Don, Prod. Fl. Nep. 56.  
 —Nepal.  
*ovata*, Wendl. f. in Bartl. & Wendl. f. Beitr. ii. 3.—  
 Afr. austr.  
*palustris*, Lam. Fl. Fr. ii. 236 = *M. Gale*.  
*parvifolia*, Benth. Pl. Hartw. 251.—N. Granat.  
*Pavonis*, C. DC. in DC. Prod. xvi. ii. 151.—Peruv.  
*pensylvanica*, Hort. Reg. ex Lam. Encyc. ii. 592 =  
*cerifera*.  
*phillyreaefolia*, Baker, in Journ. Linn. Soc. xx.  
 (1883) 267.—Madag.  
*polycarpa*, H. B. & K. Nov. Gen. et Sp. ii. 18.—N.  
 Granat.  
*polycarpa*, Mart. & Gal. in Bull. Acad. Brux. x. ii.  
 (1843) 134 = *xalapensis*.  
*pubescens*, Willd. Sp. Pl. iv. 746.—N. Granat.  
*punctata*, Griseb. in Mem. Am. Acad. N. S. viii. (1861)  
 177 = *cerifera*.  
*pusilla*, Rafn. Alsog. Am. 10 (Quid ?).—Am. bor.  
*quercifolia*, Linn. Sp. Pl. 1025.—Afr. austr.  
*rotundifolia*, Salisb. Prod. 396 = *cordifolia*.  
*rubra*, Sieb. & Zucc. in Abh. Akad. Muench. iv. III.  
 (1846) 230 = *M. Nagi*.  
*salicifolia*, Boj. ex Baker, in Journ. Linn. Soc. xx.  
 (1883) 267 = *Bojeriana*.  
*salicifolia*, Hochst. ex A. Rich. Tent. Fl. Abyss. ii. 277.  
 —Abyssin.  
*sapida*, Wall. Tent. Fl. Nep. 59. t. 45 = *M. Nagi*.  
*segregata*, Jacq. Coll. ii. 273 = *Forestiera porulosa*.  
*serrata*, Lam. Encyc. ii. 592 = *aethiopica*.  
*sessilifolia*, Rafn. Alsog. Am. 10 (Quid ?).—Am. bor.  
*spatulata*, Mirb. in Mém. Mus. Par. xiv. (1827) 474.  
 t. 28. f. 1.—Madag.  
*trifoliata*, Hort. ex Turp. in Ann. Mus. Par. v. (1804)  
 447 = *Rhus aromatica*.  
*trifoliata*, Linn. Pl. Rar. Afr. 28; Amoen. Acad. vi.  
 112 = *Toddalia lanceolata*.  
*trifoliolata*, Hort. ex DC. Prod. ii. 73 = *Rhus aroma-*  
*tica*.  
*undulata*, Rafn. Alsog. Am. 10 (Quid ?).—Am. bor.  
*verrucosa*, Rafn. l. c. 9 (Quid ?).—Am. bor.  
*Vidaliana*, Rolfe, in Journ. Linn. Soc. xxi. (1884) 316.  
 —Ins. Philipp.  
*xalapensis*, H. B. & K. Nov. Gen. et Sp. ii. 16.—  
 Mexic.  
*xalapensis*, Poepp. ex Griseb. Fl. Brit. W. Ind. 177 =  
*microcarpa*.  
*Zeyheri*, C. DC. in DC. Prod. xvi. ii. 149.—Afr. austr.

MYRICARIA, Desv. in Ann. Sc. Nat. Sér. I. iv.  
(1825) 348. TAMARISCINEAE, Benth. & Hook. f. i. 161.

- alopecuroides*, Schrenk, Enum. Pl. Nov. 65 = *ger-*  
*manica*.  
*armena*, Boiss. Diagn. Ser. II. 58. ii.—Armenia.  
*bracteata*, Royle, Illustr. Bot. Himal. 214. t. 44. fig. 2  
 = *germanica*.  
*brevifolia*, Turcs. in Bull. Soc. Nat. Mos. (1840) 74 =  
*Mongolia*.  
*dahurica*, DC. Prod. iii. 98 = seq.  
*davurica*, Ehrenb. in Linnaea, ii. (1827) 178 = *Slav-*  
*elegans*, Royle, Illustr. Bot. Himal. 214.—Reg.  
 Himal.  
*germanica*, Desv. in Ann. Sc. Nat. Sér. I. iv. 348.  
 349.—Europ.; Oriens; As. bor.  
*herbacea*, Desv. l. c. 350.—*germanica*.  
*Hoffmeisteri*, Klotzsch, in Bot. Ergeb. Waldem. Reise,  
 120 = *germanica*.



**MYRICARIA** :—

- linearifolia*, Desv. in Ann. Sc. Nat. Sér. I. iv. (1825) 349 = *longifolia*.  
*longifolia*, *Ehrenb. in Linnaea*, ii. (1827) 279; *DC. Prod.* iii. 97.—Sibir. baical.  
*macrostachya*, Kar. & Kir. in Bull. Soc. Nat. Mosc. (1841) 423 = *germanica*.  
*platyphylla*, *Maxim. in Bull. Acad. Pétersb.* xxvii. (1881) 425.—Mongolia.  
*prostrata*, Hook. f. & Thoms. ex Benth. & Hook. f. Gen. i. 161 = *germanica*.  
*squamosa*, Desv. in Ann. Sc. Nat. Sér. I. iv. (1825) 350 = *germanica*.  
*vaginata*, Desv. l. c. = *Tamarix ericoides*.

**MYRICE**, St. Lag. in Ann. Soc. Bot. Lyon, viii. (1881) 159 = *præc.*

**MYRINIA**, Lilja, Fl. Sverig. Suppl. i. 25 (1840) = **Fuchsia**, Linn. (Onagr.).  
*microphylla*, Lilja, l. c. = *F. microphylla*.

**MYRIOBLASTUS**, Wall. ex Griff. in Proc. Linn. Soc. i. (1845) 264 = **Cryptocoryne**, Fisch. (Aroid.).

**MYRIOCARPA**, Benth. Bot. Voy. Sulph. 168. t. 55 (1844). **URTICACEAE**, Benth. & Hook. f. iii. 391. bifurca, *Liebm. in Vidensk. Selsk. Skr. V.* ii. (1851) 307.—Nicaragua.  
*colipensis*, *Liebm. l. c.* 306 = *longipes*.  
*cordifolia*, *Liebm. l. c.*—Mexic.  
*densiflora*, *Benth. Bot. Voy. Sulph.* 169.—Peruv.  
*Dombeyana*, Wedd. in Ann. Sc. Nat. Sér. III. xviii. (1852) 232 = *densiflora*.  
*humilis*, Wedd. l. c. = *stipitata*.  
*inaequilatera*, *Liebm. in Vidensk. Selsk. Skr. V.* ii. (1851) 307.—Costa Rica.  
*longipes*, *Liebm. l. c.* 306.—Costa Rica; Mexic.  
*macrophylla*, *Bartl.—Cf. Ind. Sem. Hort. Gotting.* (1871) 5.—Hab.?  
*polystachya*, Wedd. in Ann. Sc. Nat. Sér. III. xviii. (1852) 231 = *stipitata*.  
*stipitata*, *Benth. Bot. Voy. Sulph.* 168. t. 55.—Am. trop.

**MYRIOCEPHALUS**, Benth. in Enum. Pl. Hueg. 61 (1837). **COMPOSITAE**, Benth. & Hook. f. ii. 318. ANTHEIDOSORUS, A. Gray, in Hook. Kew Journ. iii. (1851) 173.  
ELACHOPAPPUS, F. Muell. Fragm. iii. 157 (1863).  
GILBERTA, Turcz. in Bull. Soc. Nat. Mosc. xxiv. (1851) 1. 192.  
HIRNELLIA, Cass. in Bull. Soc. Philom. (1820) 57, nomen prius.  
HYALOLEPIS, DC. Prod. vi. 149 (1837).  
LAMPROCHLAENA, F. Muell. Fragm. iii. 157 (1863).  
POLYCALYMA, F. Muell. & Sond. in Linnaea, xxv. (1852) 494.  
appendiculatus, *Benth. in Enum. Pl. Hueg.* 61.—Austral.  
*cotuloides*, Turcz. in Bull. Soc. Nat. Mosc. xxiv. (1851) ii. 73 = *Gnephosis brevifolia*.  
*Decazesii*, F. Muell. Fragm. xi. 72 = *Decazesia hecatoccephala*.  
*gracilis*, *Benth. Fl. Austral.* ii. 559.—Austral.  
*Guerinae*, F. Muell. Fragm. viii. 169.—Austral.  
*helichrysoides*, A. Gray, in Hook. Kew Journ. iii. (1851) 175.—Austral.  
*nudus*, A. Gray, l. c. 174.—Austral.  
*rhizocephalus*, *Benth. Fl. Austral.* iii. 557.—Austral.  
*Rudallii*, F. Muell. Fragm. iii. 157; *Benth. l. c.* 559.—Austral.  
*Stuartii*, *Benth. l. c.* 560.—Austral.  
*suffrutescens*, *Benth. l. c.* 559.—Austral.  
*villosissimus*, Turcz. in Bull. Soc. Nat. Mosc. xxiv. (1851) ii. 74 = *Gnephosis eriocephala*.

**MYRIOGOMPHUS**, Didr. in Kjoeb. Vidensk. Meddel. (1857) 142 = **Croton**, Linn. (Euphorb.).  
*fuscus*, Didr. l. c. 143 = *C. fuscus*.

**MYRIOGYNE**, Less. in Linnaea, vi. (1831) 219 = **Centipeda**, Lour. (Compos.).  
*Cunninghami*, DC. Prod. vi. 139 = *C. Cunninghami*.  
*elatinoides*, Less. in Linnaea, vi. (1831) 219.—Chili.  
*latifolia*, Hassk. Cat. Hort. Bog. Alt. 102 = *Dichrocephala latifolia*.  
*minuta*, Less. in Linnaea, vi. (1831) 219 = *C. obicularis*.  
*racemosa*, Hook. in Mitch. Journ. Trop. Austral. 353 = *C. racemosa*.

**MYRIONEURON**, R. Br. in Wall. Cat. n. 6225 (1832). **RUBIACEAE**, Benth. & Hook. f. ii. 69.  
BERLIERA, Buch.-Ham. ex Wall. Cat. sub n. 6225 (1832).

*angustifolium*, Hook. f. Fl. Brit. Ind. iii. 97.—Reg. Himal.  
Clarkei, Hook. f. l. c. 96.—Reg. Himal.  
*hirsutum*, Kurz, For. Fl. Brit. Burma, ii. 55.—Burma.  
*nutans*, Wall. Cat. n. 6225.—Reg. Himal.

**MYRIOPHILLUM**, Neck. Delic. Gallo-Belg. ii. 386 (1768) = *seq.*

**MYRIOPHYLLUM**, Ponted. ex Linn. Syst. ed. I (1735). **HALORAGAEAE**, Benth. & Hook. f. i. 676.  
BURSHIA, Rafin. in Med. Repos. N. York, v. (1808) 357.  
ENYDRIA, Vell. Fl. Flum. 56 (1825); i. t. 150 (1827).  
HYLAS, Bigel. ex DC. Prod. iii. 69, in obs. (1828).  
PELONASTES, Hook. f. in Hook. Lond. Journ. Bot. vi. (1847) 474.  
PENTAPTERIS, Hall. Enum. Stirp. Helv. i. 201 (1742).  
POTAMOGETON, Walt. Fl. Carol. 90 (1788).  
PTILOPHYLLUM, Reichb. Nom. 169 (1841).  
PURSHIA, Rafin. in Am. Monthly Mag. (1819) 191, sub n. 33.  
SPHONDYLASTRUM, Reichb. Nom. 169 (1841).

*alternatum*, DC. Fl. Fr. Suppl. 529.—Europ.; Groenl.

*ambiguum*, Nutt. Gen. Am. ii. 212.—Am. bor.  
*amphibium*, Labill. Nov. Holl. Pl. ii. 70. t. 220.—Tasmania.

*axilliflorum*, Baker, in Journ. Linn. Soc. xxi. (1884) 340.—Madag.

*brasiliense*, Cambess. in A. St. Hil. Fl. Bras. Mer. ii. 252.—Bras.

*capillaceum*, Torr. Compend. 355 = *ambiguum*.  
*chuquitense*, Meyen, Reise, i. 491, nomen.—Peruv.

*denudatum*, La Pilaye, ex Steud. Nom. ed. II. ii. 174 (Quid ?).—Terra nova.

*dicoccum*, F. Muell. in Trans. Phil. Inst. Vict. iii. (1859) 41.—Austral.

*Drummondii*, Benth. Fl. Austral. ii. 490.—Austral.

*elatinoides*, Gaudich. in Ann. Sc. Nat. Sér. I. v. (1825) 105.—Austral.; N. Zel.; Am. austr.

*filiforme*, Benth. Fl. Austral. ii. 489.—Austral.

*fulvescens*, Bertol. Misc. Bot. xvi. 23 = *Proserpinaca pectinata*.

*gracile*, Benth. Fl. Austral. ii. 489.—Austral.

*heterophyllum*, Michx. Fl. Bor. Am. ii. 191.—Am. bor. hippuroides, Nutt. ex Torr. & Gray, Fl. N. Am. i. 530.—Am. bor. occ.

*indicum*, Griff. Notul. iv. 687 = *tuberculatum*.  
*indicum*, Wight, ex C. B. Clarke, in Hook. f. Fl. Brit. Ind. ii. 432 = *intermedium*, *tuberculatum*.

*indicum*, Willd. Sp. Pl. iv. 407.—Ind. or.

*integrifolium*, Hook. f. Fl. Tasman. i. 123. t. 23.—Austral.

*intermedium*, DC. Prod. iii. 69.—Ind. or.; Malaya; Austral.; N. Zel.

*intermedium*, Wight, Illustr. ii. t. 102, partim = *tuberculatum*.

*latifolium*, F. Muell. Fragm. ii. 87.—Austral.

*laxum*, Shuttl. ex Chapm. Fl. S. U. St. 143.—Am. bor.

*limosum*, Hectot, ex DC. Fl. Fr. Suppl. 530 = *verticillatum*.

*limosum*, Nutt. Gen. Am. ii. 212 = *ambiguum*.

*lineare*, Heyne, ex C. B. Clarke, in Hook. f. Fl. Brit. Ind. ii. 433 = *intermedium*.

*montanum*, Mart. Pl. Crit. Tarn. 254 = *alterniflorum*.  
Muelleri, Sond. in Linnaea, xxviii. (1856) 233.—Austral.

*nudum*, La Pilaye, ex DC. Prod. iii. 69 = *tenellum*.

*pectinatum*, DC. Fl. Fr. Suppl. 529 = *spicatum*, *verticillatum*.

*pedunculatum*, Hook. f. in Hook. Lond. Journ. Bot. vi. (1847) 474.—Austral.

*procumbens*, Bigel. Fl. Bost. ed. II. 346 = *ambiguum*.

*propinquum*, A. Cunn. in Ann. Nat. Hist. Ser. I. iii. (1839) 30 = *elatinoides*.

*proserpinacoides*, Gill. ex Hook. & Arn. in Bot. Misc. iii. (1833) 313.—Am. austr.

*pusillum*, Blume, Mus. Bot. Lugd. Bat. i. 111.—Ins. Banca.

*quitense*, H. B. & K. Nov. Gen. & Sp. vi. 89.—Ecuador.

**MYRIOPHYLLUM** :—

*robustum*, Hook. f. Handb. N. Zeal. Fl. 67.—N. Zel.  
*scabratum*, Cham. in Linnaea, iv. (1829) 506 = *hippuroides*.

*scabratum*, Michx. Fl. Bor. Am. ii. 190.—Am. bor.

*setaceum*, La Pilaye, in Mém. Soc. Linn. Par. iv. (1826) 504, 535 (Quid ?).—Terra nova.

*siculum*, Guss. Fl. Sic. Syn. ii. 599 = *verticillatum*.

*sparsiflorum*, Wright, in Sawv. Fl. Cub. 37.—Cuba.

*spicatum*, S. G. Gmel. Reise, ii. 198. t. 33 = *verticillatum*.

*spicatum*, Linn. Sp. Pl. 992.—Reg. bor. temp.

*tenellum*, Bigel. Fl. Bost. ed. II. 346.—Am. bor.

*ternatum*, Gaudich. in Ann. Sc. Nat. Sér. I. v. (1825) 106.—Chili; Patagon.

*tetrandrum*, Roxb. Fl. Ind. ed. Carey, i. 470 = *indicum*.

*titikakense*, Remy, in Ann. Sc. Nat. Sér. III. vi. (1846) 352.—Peruv.

*trachycarpum*, F. Muell. Fragm. ii. 87.—Austral.

*tuberculatum*, Roxb. Hort. Beng. 12; Fl. Ind. i. 451.—Ind. or.

*ussuriense*, Maxim. in Bull. Acad. Pétersb. xix. (1874) 182.—Mandschur.; Japon.

*variaefolium*, Hook. f. Ic. Pl. t. 289 = *intermedium*.

*verrucosum*, Lindl. in Mitch. Journ. Trop. Austral. 384.—Austral.

*verticillatum*, Linn. Sp. Pl. 992.—Reg. temp. bor. & austr.

*viridescens*, Gill. ex Hook. & Arn. in Bot. Misc. iii. (1833) 314 = *tenellum*.

*Wrightii*, A. Gray, in Hall, Pl. Texas, 9, sphalm. = *Mentzelia Wrightii*.

**MYRIOPTERON**, Griff. in Calc. Journ. Nat. Hist. iv. (1844) 385. **ASCLEPIADEAE**, Benth. & Hook. f. ii. 744.

JENKINSIA, Wall. ex Voigt, Hort. Suburb. Calc. 544 (1845).

VICARYA, Wall. ex Voigt, l. c. (1845).

*Horsfieldii*, Hook. f. Fl. Brit. Ind. iv. 11, sphalm. = *seq.*

*paniculatum*, Griff. in Calc. Journ. Nat. Hist. iv. (1844) 385.—Assam; Burma; Malaya.

**MYRIOTRICHE**, Turcz. in Bull. Soc. Nat. Mosc. xxxvi. (1863) i. 554 = **Abatia**, Ruiz & Pav. (Samyd.).

*spicata*, Turcz. l. c. 555.—Peruv.

**MYRIPNOIS**, Bunge, in Mém. Sav. Etr. Pétersb. ii. (1835) 112; Enum. Pl. Chin. Bor. 38. **COMPOSITAE**, Benth. & Hook. f. ii. 494.

*dioica*, Bunge, Enum. Pl. Chin. Bor. 38.—China.

*uniflora*, Maxim. in Bull. Acad. Pétersb. xxvii. (1881) 495.—China.

**MYRISTICA**, Linn. Gen. ed. II. 524 (1742). **MYRISTICEAE**, Benth. & Hook. f. iii. 136.

COMACUM, Adans. Fam. ii. 345 (1763).

HORSFIELDIA, Willd. Sp. Pl. iv. 872 (1805).

KNEMA, Lour. Fl. Cochinch. 604 (1790).

PYRRHOSA, Endl. Gen. 830 (1839).

SEBOPHORA, Neck. Elem. ii. 188 (1790).

VIROLA, Aubl. Pl. Gui. 904. t. 345 (1775).

*acuminata*, Lam. in Mém. Acad. Sc. Par. 1788 (1791), 164.—Madag.

*americana*, Rottb. in Act. Lit. Univ. Hafn. i. (1778) 302 = *fragrans*?

*amygdalina*, J. Grah. Cat. Pl. Bomb. 175 = *attenuata*.

*amygdalina*, Kurz, For. Fl. Br. Burma, ii. 283 = *glabra*.

*amygdalina*, Thw. ex A. DC. in DC. Prod. xiv. 190 = *laurifolia*.

*amygdalina*, Wall. Pl. As. Rar. i. 79. t. 90.—Ind. or.

*angustifolia*, Roxb. Hort. Beng. [105]; Fl. Ind. iii. 847 = *missionis*? *vel glauca*?

*ardisiaefolia*, A. DC. in Ann. Sc. Nat. Sér. IV. iv. (1855) 31.—Ins. Philipp.

*aromatica*, Sw. Prod. Veg. Ind. Occ. 96; Lam. in Mém. Acad. Sc. Par. 1788 (1791) 155 = *fragrans*.

*aruana*, Blume, Rumphia, i. 191.—Ins. Molucc.

*attenuata*, Wall. Cat. n. 6791.—Ind. or.

*bancana*, Miq. Fl. Ind. Bat. Suppl. 383.—Ins. Banca.

*Bicuhyba*, Schott, in Spreng. Syst. iv. App. 409.—Bras. bracteata, A. DC. in DC. Prod. xiv. 192.—Malaya.

*caesia*, Zipp. ex Span. in Linnaea, xv. (1841) 346 = *glauca*.



## MYRISTICA:—

- calocarpa*, Miq. Fl. Ind. Bat. i. ii. 71 = elliptica.  
*calophylla*, Spruce, in Journ. Linn. Soc. v. (1861) 4.—Bras.  
*canariformis*, Blume, Rumphia, i. 191.—Ins. Amboin.  
*capitellata*, Poepp. ex A. DC. in DC. Prod. xiv. 697.—Bras.  
*carinata*, Spruce, ex Benth. in Hook. Kew Journ. v. (1853) 2.—Bras.  
*castaneaefolia*, A. Gray, Bot. U. St. Expl. Exped. i. 32.—Ins. Fiji.  
*celebica*, Miq. Ann. Mus. Bot. Lugd. Bat. ii. 47.—Ins. Celebes.  
*ceylanica*, A. DC. in Ann. Sc. Nat. Sér. IV. iv. (1855) 29.—Zeylan.  
*Chapelieri*, Baill. in Bull. Soc. Linn. Par. i. (1885) 455.—Madag.  
*cimicifera*, R. Br. Prod. 400 = insipida.  
*cineira*, Poir. Encyc. Suppl. iv. 35.—Ins. Molucc.  
*Commersoni*, Blume, Rumphia, i. 181.—Hab.?  
*cordifolia*, Mart. ex A. DC. in DC. Prod. xiv. 195 = sebifera.  
*cordifolia*, Zipp. ex Miq. Ann. Mus. Bot. Lugd. Bat. ii. 46 = fatua.  
*corticosa*, Bedd. Fl. Sylvat. t. 271 = attenuata.  
*corticosa*, Hook. f. & Thoms. Fl. Ind. i. 158 = missionis, erratica, glauca.  
*costulata*, Miq. Ann. Mus. Bot. Lugd. Bat. ii. 48.—Ins. Celebes.  
*crassifolia*, Hook. f. & Thoms. Fl. Ind. i. 160.—Malacca.  
*Cumari*, Poepp. ex Meissn. in Mart. Fl. Bras. v. i. 122 = M. Otoba.  
*cuspidata*, Benth. in Hook. Kew Journ. v. (1853) 5.—Bras.  
*dactyloides*, Gaertn. Fruct. i. 195 = fatua.  
*dactyloides*, Wall. Cat. n. 6786 = malabarica.  
*debilis*, Spruce, ex A. DC. in DC. Prod. xiv. 697.—Bras.  
*diospyrifolia*, A. DC. in Ann. Sc. Nat. Sér. IV. iv. (1855) 29 = laurifolia.  
*diversifolia*, Miq. Ann. Mus. Bot. Lugd. Bat. i. 205.—Ins. Amboin.  
*elliptica*, Wall. Cat. n. 6798.—Malaya.  
*elongata*, Benth. in Hook. Kew Journ. v. (1853) 5.—Bras.  
*erratica*, Hook. f. & Thoms. Fl. Ind. i. 156.—Reg. Himal.  
*eugeniaefolia*, A. DC. in Ann. Sc. Nat. Sér. IV. iv. (1855) 29.—Penang.  
*exaltata*, Wall. Cat. n. 6804 = M. Irya, amygdalina.  
*Farquhariana*, Wall. l. c. n. 6795.—Malaya.  
*fatua*, Blume, Rumphia, i. t. 59 = Litsea obtusa.  
*fatua*, Houtt. Handleid. iii. 337.—Ins. Molucc.  
*fatua*, Sw. Prod. Veg. Ind. Occ. 96 = surinamensis.  
*ferruginea*, Wall. Cat. n. 6803 = M. Horsfieldia.  
*Finlaysoniana*, Wall. l. c. n. 6793 = Melodorum fulgens.  
*floribunda*, Wall. l. c. n. 6805 = glabra.  
*fragrans*, Houtt. Handleid. iii. 333.—Ins. Molucc.  
*furfuracea*, Hook. f. & Thoms. Fl. Ind. i. 159.—Malaya.  
*Gardneri*, A. DC. in DC. Prod. xiv. 197.—Bras.  
*geminata*, Miq. Fl. Ind. Bat. Suppl. 385.—Burma; Malaya.  
*gibbosa*, Hook. f. & Thoms. Fl. Ind. i. 158.—Reg. Himal.; Malaya.  
*glabra*, Blume, Bijdr. 576.—Malaya.  
*glauca*, Blume, l. c.—Burma; Malaya.  
*glauca*, Zoll. ex A. DC. in DC. Prod. xiv. 206 = intermedia.  
*glaucescens*, Hook. f. & Thoms. Fl. Ind. i. 157.—Malaya.  
*glaucescens*, Wall. Cat. n. 6790 = Tetranthera venulosa.  
*globularia*, Blume, Rumphia, i. 191. t. 64. f. 2.—Malaya.  
*globularia*, Hook. f. & Thoms. Fl. Ind. i. 160 (non alior.).—Malaya.  
*globularia*, Lam. in Mém. Acad. Sc. Par. 1788 (1791), 162 = microcarpa.  
*glomerata*, Miq. Pl. Jungh. 171 = M. Horsfieldia.  
*gordoniaefolia*, A. DC. in Ann. Sc. Nat. Sér. IV. iv. (1855) 21, 30.—Peruv.  
*gracilis*, A. DC. l. c. 30.—Bras.  
*grandifolia*, A. DC. in DC. Prod. xiv. 194.—Ins. Fiji.  
*grandis*, Hook. f. in Trans. Linn. Soc. xxiii. (1860) 157.—Borneo.

## MYRISTICA:—

- guatemalensis*, Hemsl. Biol. Centr. Am. Bot. iii. 66.—Guatemala.  
*guatteriaefolia*, A. DC. in Ann. Sc. Nat. Sér. IV. iv. (1855) 30.—Ins. Philipp.  
*heterophylla*, F. Villar, in Blanco, Fl. Philipp. ed. III. Nov. App. 178.—Ins. Philipp.  
*Heyneana*, Wall. Cat. n. 6789 (sp. dub.).—Ind. or.  
*Hookeriana*, Wall. l. c. n. 6802 A.—Malaya.  
*Hookeriana*, Wall. l. c. n. 6802 B (sp. indetermin.).—Malaya.  
*Horsfieldia*, Blume, Bijdr. 577.—Zeylan.  
*Horsfieldii*, Blume, Rumphia, i. 192 = praec.  
*Horsfieldii*, Wall. Cat. n. 6806 = Wallichii.  
*Hostmanni*, Benth. in Hook. Kew Journ. v. (1853) 7.—Guian.  
*hypargyrea*, A. Gray, Bot. U. St. Expl. Exped. i. 33.—Ins. Navigat.  
*hypoleuca*, Spruce, in Journ. Linn. Soc. v. (1861) 4.—Bras.  
*hyposticta*, Miq. Fl. Ind. Bat. i. ii. 55.—Java.  
*iners*, Blume, Bijdr. 575.—Java.  
*insipida*, R. Br. Prod. 400.—Austral.  
*integra*, Wall. Cat. n. 6799 = glabra?  
*integrifolia*, Steud. Nom. ed. II. ii. 174, sphalm. = Myrica integrifolia.  
*intermedia*, Blume, Rumphia, i. 187.—Malaya.  
*inutilis*, Rich. ex A. Gray, Bot. U. St. Expl. Exped. i. 34.—Ins. Samoa.  
*Iriaghehi*, Steud. Nom. ed. II. ii. 174, sphalm. = Irya-ghehi.  
*Irya*, Gaertn. Fruct. i. 195. t. 41.—Malaya; Zeylan.  
*Iryaghehi*, Gaertn. l. c. 196 = M. Horsfieldia.  
*iteophylla*, Miq. Fl. Ind. Bat. i. ii. 59.—Sumatra.  
*javanica*, Blume, Bijdr. 576 = M. Irya.  
*Knema*, Steud. Nom. ed. II. ii. 174 = furfuracea?  
*Kombo*, Baill. Adansonia, ix. (1868) 79.—Afr. trop.  
*laevigata*, Blume, Rumphia, i. 191. t. 64. f. 3.—Java.  
*lanceolata*, Wall. Cat. n. 6794 = missionis.  
*lancifolia*, Poir. Encyc. Suppl. iv. 35.—Ins. Molucc.  
*laurifolia*, Hook. f. & Thoms. Fl. Ind. i. 163.—Zeylan.  
*laurifolia*, Spruce, ex A. DC. in DC. Prod. xiv. 199 = Sprucei.  
*laurina*, Blume, Rumphia, i. 189. t. 61.—Malaya.  
*Lemanniana*, A. DC. in Ann. Sc. Nat. Sér. IV. iv. (1855) 31.—Malacca.  
*lepidota*, Blume, Rumphia, i. 183. t. 57.—N. Guinea.  
*leucoxyla*, Miq. Fl. Ind. Bat. Suppl. 385.—Sumatra.  
*linifolia*, Roxb. Hort. Beng. [105]; Fl. Ind. iii. 847 = erratica vel longifolia?  
*litoralis*, Miq. Fl. Ind. Bat. i. ii. 57.—Java.  
*longifolia*, Hook. f. & Thoms. Fl. Ind. i. 156 = furfuracea.  
*longifolia*, Wall. Cat. n. 6801.—Reg. Himal.; Burma.  
*luzonica*, Blanco, Fl. Filip. ed. I. 664 = bracteata.  
*macrocarpa*, Blume, Rumphia, i. 185.—Ins. Philipp.  
*macrocoma*, Miq. Ann. Mus. Bot. Lugd. Bat. i. 207.—Ins. Molucc.  
*macrophylla*, A. Gray, Bot. U. St. Expl. Exped. i. 33 = grandifolia.  
*macrophylla*, Roxb. Hort. Beng. [105]; Fl. Ind. iii. 846 (sp. dub.).—Ins. Molucc.?  
*macrophylla*, Spruce, ex Benth. in Hook. Kew Journ. v. (1853) 6.—Bras.  
*macrothyrsa*, Miq. Pl. Fungh. 172.—Sumatra.  
*madagascariensis*, Lam. in Mém. Acad. Sc. Par. 1788 (1791) 163.—Madag.  
*madagascariensis*, Vent. ex A. DC. in DC. Prod. xiv. 192 = bracteata.  
*magnifica*, Bedd. Fl. Sylv. ii. t. 268.—Travancor.  
*malabarica*, Lam. in Mém. Acad. Sc. Par. 1788 (1791) 162.—Ind. or.  
*Mandaharan*, Miq. Fl. Ind. Bat. Suppl. 384.—Sumatra.  
*Mannii*, Benth. in Hook. Ic. Pl. t. 1262.—Afr. trop.  
*mascula*, Reinw. ex De Vriese, Pl. Ind. Bat. Or. 93.—Malaya.  
*membranacea*, Poepp. ex A. DC. in DC. Prod. xiv. 196.—Bras.  
*mexicana*, Hemsl. Biol. Centr. Am. Bot. iii. 67.—Mexic.  
*micrantha*, Wall. Cat. n. 6807.—Siam.  
*microcarpa*, Willd. Sp. Pl. iv. 871, partim.—Ins. Molucc.; Cochinch.  
*microcephala*, Benth. in Hook. Ic. Pl. t. 1261.—Ins. Fernando Po.  
*missionis*, Wall. Cat. n. 6788.—Burma; Malaya.

## MYRISTICA:—

- Mococa*, Poepp. ex A. DC. in DC. Prod. xiv. 195.—Bras.  
*mollissima*, Poepp. l. c. 696.—Bras.  
*montana*, Roxb. Hort. Beng. [105]; Fl. Ind. iii. 846.—Malaya.  
*montana*, Wall. Cat. n. 6792 = iners.  
*morindaefolia*, Blume, Rumphia, i. 186 = fatua.  
*moschata*, Thunb. in Vet. Akad. Handl. Stockh. (1782) 49 = fragrans.  
*myrmecophila*, Becc. Malesia, ii. (1884) 37.—N. Guin.  
*nesophila*, Miq. Ann. Mus. Bot. Lugd. Bat. i. 206.—Malaya.  
*Niohue*, Baill. Adansonia, ix. (1868) 79.—Afr. trop.  
*notha*, Wall. Cat. n. 6787 = malabarica.  
*obtusifolia*, Wall. l. c. n. 6808 (Laurinea?).—Singapore.  
*officinalis*, Benth. ex A. DC. in DC. Prod. xiv. 197 = Gardneri.  
*officinalis*, Linn. f. Suppl. 265 = fragrans.  
*officinalis*, Mart. Reise Bras. i. 364, 543.—Bras.  
*orinocensis*, H. B. & K. Nov. Gen. et Sp. vii. 191 (Perae sp.).—Venezuela.  
*Otoba*, Humb. & Bonpl. Pl. Aequin. ii. 78. t. 103.—N. Granat.  
*palembanica*, Miq. Fl. Ind. Bat. Suppl. 384 = glaucescens.  
*panamensis*, Hemsl. Biol. Centr. Am. Bot. iii. 67.—Panama.  
*paniculata*, A. DC. in Ann. Sc. Nat. Sér. IV. iv. (1855) 31 = Farquhariana.  
*papuana*, Scheff. in Ann. Jard. Buitenz. i. (1876) 46.—N. Guin.  
*parviflora*, Roxb. Fl. Ind. iii. 847 (Quid?).—Ins. Molucc.  
*pavonis*, A. DC. in DC. Prod. xiv. 697.—Bras.  
*peltata*, Roxb. Hort. Beng. 73; Fl. Ind. iii. 846.—Ins. Molucc.  
*peruviana*, A. DC. in Ann. Sc. Nat. Sér. IV. iv. (1855) 30.—Peruv.  
*philippensis*, Lam. in Mém. Acad. Sc. Par. 1788 (1791) 161.—Ins. Philipp.  
*pinnaeformis*, Zipp. ex Miq. Ann. Mus. Bot. Lugd. Bat. ii. 49.—N. Guin.  
*platysperma*, Spruce, ex A. DC. in DC. Prod. xiv. 695.—Bras.  
*pulchra*, Miq. Ann. Mus. Bot. Lugd. Bat. ii. 51.—Borneo.  
*punctata*, Spruce, ex Benth. in Hook. Kew Journ. v. (1853) 6.—Bras.  
*punicifolia*, Roxb. Hort. Beng. [105], nomen = parviflora?  
*Radja*, Miq. Ann. Mus. Bot. Lugd. Bat. i. 206.—Ins. Molucc.  
*rufula*, Mart. ex A. DC. in DC. Prod. xiv. 696 = cuspidata.  
*rugulosa*, Spruce, in Journ. Linn. Soc. v. (1861) 4.—Bras.  
*Sagotiana*, Benth. in Hook. Ic. Pl. t. 1260.—Guian.  
*salicifolia*, Willd. Sp. Pl. iv. 871 = sylvestris.  
*sapida*, Steud. Nom. ed. II. ii. 175, sphalm. = Myrica Nagi.  
*sebifera*, Seem. Bot. Voy. Herald, 75 = panamensis.  
*sebifera*, Sw. Prod. Veg. Ind. Occ. 96.—Am. trop.  
*sesquipedalis*, Wall. Cat. n. 6809 = Actinodaphne sesquipedalis.  
*sessilis*, A. DC. in DC. Prod. xiv. 198.—Bras.  
*simiarum*, A. DC. in Ann. Sc. Nat. Sér. IV. iv. 1855 29.—Ins. Philipp.  
*spadicea*, Blume, Bijdr. 577 = fatua.  
*Spanogheana*, Miq. Ann. Mus. Bot. Lugd. Bat. ii. 47.—Ins. Timor.  
*sphaerocarpa*, Wall. Pl. As. Rar. i. 79. t. 89 = M. Irya.  
*spicata*, Roxb. Hort. Beng. 73; Fl. Ind. iii. 847.—Ins. Molucc.  
*Sprucei*, A. DC. in DC. Prod. xiv. 199.—Bras.  
*subalulata*, Miq. Ann. Mus. Bot. Lugd. Bat. ii. 47.—N. Granat.  
*subcordata*, Blume, Rumphia, i. 186 = fatua.  
*subglobosa*, Miq. Fl. Ind. Bat. Suppl. 383.—Sumatra.  
*sublanceolata*, Miq. l. c. i. ii. 58 = iners.  
*subsessilis*, Benth. in Hook. Kew Journ. v. (1853) 4.—Bras.  
*subtilis*, Miq. Ann. Mus. Bot. Lugd. Bat. ii. 50.—N. Guinea.  
*succedanea*, Blume, Rumphia, i. 186.—M. Irya.  
*sumatrana*, Blume, l. c. 187.—Sumatra.  
*superba*, Hook. f. & Thoms. Fl. Ind. i. 162.—Malaya.  
*surinamensis*, Roland. ex Kottb. in Act. Lit. Hafn. i. (1778) 281.—Ind. occ.



**MYRISTICA** :—

*sycocarpa*, Miq. Fl. Ind. Bat. i. II. 68 = elliptica.  
*syvestris*, Houtt. Handl. iii. 340.—Ins. Molucc.  
*syvestris*, Sieber, ex A. DC. in DC. Prod. xiv. 192 =  
 bracteata.  
*Teysmanni*, Miq. Fl. Ind. Bat. i. II. 57.—Java.  
*theiodora*, Spruce, ex Benth. in Hook. Kew Journ. v.  
 (1853) 6.—Bras.  
*tingens*, Blume, Rumphia, i. 190.—Ins. Amboin.  
*tomentosa*, Blume, Bijdr. 577 = laurina.  
*tomentosa*, J. Grah. Cat. Pl. Bomb. 175 = malabarica.  
*tomentosa*, Hook. f. & Thoms. Fl. Ind. i. 161.—  
 Malaya.  
*tomentosa*, Thunb. in Vet. Akad. Handl. Stockh.  
 (1782) 49 = fatua.  
*tomentosa*, Thw. ex A. DC. in Ann. Sc. Nat. Sér. IV.  
 iv. (1855) 29 = laurifolia.  
*tubiflora*, Blume, Rumphia, i. 182. t. 56.—N. Guin.  
*uapensis*, Spruce, ex A. DC. in DC. Prod. xiv. 696.—  
 Bras.  
*uviformis*, Lam. in Mém. Acad. Sc. Par. 1788 (1791)  
 166.—Ins. Molucc.  
*valida*, Miq. Fl. Ind. Bat. i. II. 67.—Sumatra.  
*venosa*, Benth. in Hook. Kew Journ. v. (1853) 3.—  
 Bras.; Peruv.  
*Viola*, Rausch. Nom. ed. III. 292 = sebifera.  
*Vouri*, Baill. in Bull. Soc. Linn. Par. i. (1885) 454.—  
 Madag.  
*Vrieseana*, Miq. Ann. Mus. Bot. Lugd. Bat. ii. 49 =  
 M. Irya.  
*Wallichii*, Hook. f. & Thoms. Fl. Ind. i. 161.—  
 Malaya.  
*zeylanica*, Thw. Enum. Pl. Zeyl. 11, 399 = laurifolia.  
*Zippeliana*, Miq. Ann. Mus. Bot. Lugd. Bat. ii. 50.—  
 N. Guin.

**MYRMECHIS**, Blume, Orch. Archip. Ind. 76. t. 21  
 (1858). **ORCHIDEAE**, Benth. & Hook. f. iii. 601.  
*glabra*, Blume, l. c. 78.—Java.  
*gracilis*, Blume, l. c. 77.—Java.

**MYRMECIA**, Schreb. Gen. 74 (1789) = **Tachia**, Aubl.  
 (Gentian.).  
*calygonia*, Steud. Nom. ed. II. ii. 175 = T. calygonia.  
*scandens*, Willd. Sp. Pl. i. 623 = T. guianensis.  
*Tachia*, J. F. Gmel. Syst. 247 = T. guianensis.

**MYRMECODIA**, Jack, in Trans. Linn. Soc. xiv.  
 (1823) 122. **RUBIACEAE**, Benth. & Hook. f. ii.  
 132.

*alata*, Becc. Malesia, ii. (1884) 106.—N. Guin.  
*Albertisii*, Becc. l. c. 112.—N. Guin.  
*amboinensis*, Becc. l. c. 97 = Rumphii?  
*Antonii*, Becc. l. c. 116.—Austral.  
*armata*, DC. Prod. iv. 450 = tuberosa.  
*aruensis*, Becc. Malesia, ii. (1884) 108.—Ins. Aru.  
*bullosa*, Becc. l. c.—N. Guin.  
*echinata*, Antoine, in Oestr. Bot. Zeitschr. xxxii. (1882)  
 347 = Antonii.  
*echinata*, Gaudich. in Freyc. Voy. Bot. 472.—Ins.  
 Rawak et Aru.  
*echinata*, Miq. Ann. Mus. Bot. Lugd. Bat. iv. 257 =  
 menadensis.  
*echinata*, Miq. Fl. Ind. Bat. ii. 310 = tuberosa.  
*echinata*, F. Muell. Papuan Pl. 90 = Muelleri.  
*erinacea*, Becc. Malesia, ii. (1884) 105.—N. Guin.  
*glabra*, Britt. in Proc. Linn. Soc. (1879–80) p. liii.  
 (Hydnophyti sp.?).—Borneo.  
*goramensis*, Becc. Malesia, ii. (1884) 118.—Ins.  
 Molucc.  
*hispidia*, A. Rich. in Mém. Soc. Hist. Nat. Par. v.  
 (1834) 91, sphalm. = echinata.  
*imberbis*, A. Gray, in Proc. Am. Acad. iv. (1860) 42.  
 —Ins. Fiji.  
*inermis*, Benth. & Hook. f. Gen. ii. 182, in nota =  
 imberbis.  
*inermis*, DC. Prod. iv. 450 = tuberosa.  
*inermis*, Gaudich. in Freyc. Voy. Bot. 472. t. 95 =  
 Hydnophytum Gaudichaudii.  
*jobiensis*, Becc. Malesia, ii. (1884) 111.—Ins. Jobi.  
*kardariensis*, Becc. l. c. 100.—Ins. Celebes.  
*menadensis*, Becc. l. c. (1885) 176.—Ins. Celebes.  
*Muelleri*, Becc. l. c. (1884) 102.—N. Guin.  
*oninensis*, Becc. l. c. 110.—N. Guin.  
*platyrea*, Becc. l. c. 115.—N. Guin.  
*pulvinata*, Becc. l. c. 103.—N. Guin.  
*Rumphii*, Becc. l. c. 117.—Malaya.  
*salomonensis*, Becc. l. c. (1885) 175.—Ins. Salomon.

**MYRMECODIA** :—

*selebica*, Becc. in Nuov. Giorn. Bot. Ital. vi. (1874) 195  
 = Myrmephytum selebicum.  
*tuberosa*, Jack, in Trans. Linn. Soc. xiv. (1823) 123.  
 —Malaya.  
*vitiensis*, Seem. in Bonplandia, ix. (1861) 256; x. (1862)  
 36 = Hydnophytum longiflorum.

**MYRMECYLON**, Hook. & Am. Bot. Beech. Voy. 186  
 (1833) sphalm. = **Memecylon**, Linn. (Melastom.).

**MYRMEDOMA**, Becc. Malesia, ii. (1884) 94. t. 10.  
**RUBIACEAE**.  
*arfakiana*, Becc. l. c.—N. Guin.

**MYRMEPHYTUM**, Becc. Malesia, ii. (1884) 92. tt.  
 8, 9. **RUBIACEAE**.  
*selebicum*, Becc. l. c. 93.—Ins. Celebes.

**MYRMIDONE**, Mart. Nov. Gen. et Sp. iii. 149.  
 t. 279 (1829). **MELASTOMACEAE**, Benth. &  
 Hook. f. i. 767.  
*macrosperma*, Mart. l. c. 149.—Bras.  
*rotundifolia*, Spruce, ex Triana, in Trans. Linn. Soc.  
 xxviii. (1871) 141 = Microphysa rotundifolia.

**MYROBALANUS**, Gaertn. Fruct. ii. 90. t. 97 (1791) =  
**Terminalia**, Linn. (Combret.).  
*angustifolia*, Kostel. Allg. Med.-pharm. Fl. iv. 1497 =  
 T. angustifolia.  
*Badamia*, Poir. Encyc. Suppl. iii. 707 = T. Badamia.  
*Bellirica*, Gaertn. Fruct. ii. 90. t. 97 = T. Bellerica.  
*Chebula*, Gaertn. l. c. 91 = T. Chebula.  
*citrina*, Gaertn. l. c. = T. citrina.  
*Fatrea*, Poir. Encyc. Suppl. iii. 708 = T. Fatrea.  
*gangetica*, Kostel. Allg. Med.-Pharm. Fl. iv. 1497 =  
 T. Chebula.  
*indica*, Buch.-Ham. ex Steud. Nom. ed. II. ii. 151 =  
 Scleropyrum Wallichianum.  
*rhomboidea*, Poir. Encyc. Suppl. iii. 708 = T. rhom-  
 boidea.  
*Terminalia*, Poir. l. c. 707 = T. Badamia.

**MYROBROMA**, Salisb. Parad. Lond. t. 82 (1807) =  
**Vanilla**, Sw. (Orchid.).  
*fragrans*, Salisb. l. c. = V. planifolia.

**MYROCARPUS**, Allem. Diss. (1847). **LEGU-**  
**MINOSAE**, Benth. & Hook. f. i. 559.  
*fastigiatus*, Allem. Diss. (1847).—Bras.  
*frondosus*, Allem. l. c. (1848).—Bras.

**MYRODENDRON**, Schreb. Gen. 358 (1789) = **Humiria**,  
 Aubl.  
*amplexicaule*, Willd. Sp. Pl. ii. 1171 = H. balsami-  
 fera.  
*balsamiferum*, J. F. Gmel. Syst. 817 = H. balsamifera.  
*crassifolium*, Spreng. Syst. iv. Cur. Post. 345 = H.  
 crassifolia.  
*floribundum*, Spreng. l. c. = H. floribunda.  
*subvaginale*, Mart. ex Urban, in Mart. Fl. Bras. xii. II.  
 441 = H. balsamifera.

**MYRODIA**, Sw. Prod. Veg. Ind. Occ. 102 (1788).  
**STERCULIACEAE**, Benth. & Hook. f. i. 219.  
 LEXARZA, La Llave, in La Llave & Lex. Nov. Veg.  
 Desc. fasc. ii. 7 (1825).  
*angustifolia*, Mart. in Flora, xxii. (1839) i. Beibl. 17  
 = Quararibea turbinata.  
*breviflora*, Benth. in Journ. Linn. Soc. vi. (1862) 115 =  
 Scleronema Spruceana.  
*Cacao*, Triana & Planch. in Ann. Sc. Nat. Sér. IV.  
 xvii. (1862) 324.—N. Granat.  
*floribunda*, A. St. Hil. & Naud. in Ann. Sc. Nat. Sér.  
 II. xviii. (1842) 212 (Quararibea sp.).—Bras.  
*funbris*, Benth. in Journ. Linn. Soc. vi. (1862) 115.  
 —Mexic.  
*longiflora*, Sw. Prod. Veg. Ind. Occ. 103 = Quararibea  
 guianensis.  
*macrophylla*, Klotzsch, in Schomb. Fauna & Fl. Brit.  
 Gui. 1091, nomen.—Guiana.  
*Martii*, A. St. Hil. & Naud. in Ann. Sc. Nat. Sér. II.  
 xviii. (1842) 212 = Quararibea turbinata.  
*multiflora*, Steud. in Flora, xxvi. (1843) 755.—  
 Guiana.  
*ovata*, Moq. & Sesse, ex DC. Prod. i. 447 = Quararibea  
 turbinata.  
*parviflora*, Benth. in Journ. Linn. Soc. vi. (1862) 109  
 = Scleronema Spruceana.

**MYRODIA** :—

*penduliflora*, A. St. Hil. Fl. Bras. Mer. i. 269. t. 53  
 (Quararibea sp.).—Bras.  
*scabra*, Mart. in Flora, xxii. (1839) i. Beibl. 19.—  
 Bras.  
*trinervia*, Mart. l. c. 17.—Bras.  
*turbinata*, Sw. Prod. Veg. Ind. Occ. 102 = Quararibea  
 turbinata.  
*verticillaris*, [Moq. & Sesse,] ex DC. Prod. i. 477.  
 —Mexic.

**MYROSMA**, Linn. f. Suppl. 8, 80 (1781). **SCITA-**  
**MINEAE**, Benth. & Hook. f. iii. 651.  
**THALANTHUS**, Klotzsch, in Rich. Schomb. Reise  
 Brit. Gui. iii. (1848) 1125.  
*cannaefolium*, Linn. f. Suppl. 80.—Guiana.  
*cannaeforme*, Willd. Sp. Pl. i. 13 = praec.  
*comosum*, Spreng. Syst. i. 9.—Guiana.  
*madagascariense*, Benth. in Benth. & Hook. f. Gen.  
 iii. 651.—Madag.  
*setosum*, Benth. l. c.—Bras.  
*unilaterale*, Benth. & Hook. f. l. c.—Peruv.

**MYROSMODES**, Reichb. f. Xenia Orch. i. 19. t. 8 (1854)  
 = **Altensteinia**, H. B. & K. (Orchid.).  
*nubigenum*, Reichb. f. l. c. = A. nubigena.

**MYROSPERMUM**, Jacq. Enum. Pl. Carib. 4 (1760).  
**LEGUMINOSAE**, Benth. & Hook. f. i. 558.  
*CALUSIA*, Bert. ex Steud. Nom. ed. II. i. 262 (1840).  
*balsamiferum*, Ruiz & Pav. Ic. Ined. t. 373.—Peruv.?  
*emarginatum*, Klotzsch, in Bonplandia, v. (1857) 277  
 = frutescens.  
*Erythroxylum*, Allem. in Rev. Braz. i. (1857) 51 =  
 Myroxylon peruiferum.  
*frutescens*, Jacq. Enum. Pl. Carib. 20.—Am. austr.  
*pedicellatum*, Lam. Encyc. iv. 191 = Myroxylon peru-  
 iferum.  
*Pereirae*, Royle, Man. Mat. Med. ed. II. 414 = Myroxy-  
 lon Pereirae.  
*peruiferum*, DC. Prod. ii. 95 = Myroxylon peruiferum.  
*pubescens*, DC. l. c. = Myroxylon pubescens.  
*punctatum*, Walp. Rep. i. 805 = Myroxylon tolu-  
 iferum.  
*robinifolium*, Warsz. ex Klotzsch, in Bonplandia, v.  
 (1857) 276 = Myroxylon robiniaefolium.  
*secundum*, Klotzsch, l. c. 277.—Venezuela.  
*toluiferum*, DC. Prod. ii. 95 = Myroxylon toluiferum.

**MYROTHAMNUS**, Welw. Apont. 578 (1858).  
**HAMAMELIDEAE**, Benth. & Hook. f. i. 1005.  
*flabellifolia*, Welw. l. c.—Afr. trop.  
*moschata*, Baill. Adansonia, ix. (1870) 330 = Myosu-  
 randra moschata.

**MYROXYLON**, Forst. Char. Gen. 125 (1776) = **Xylos-**  
**ma**, Forst. (Bixin).  
*orbiculatum*, Forst. l. c. 126 = X. orbiculatum.  
*suaveolens*, Forst. l. c. = X. suaveolens.

**MYROXYLON**, Linn. f. Suppl. 34 (1781). **LEGU-**  
**MINOSAE**, Benth. & Hook. f. i. 558.  
**TOLUIFERA**, Linn. Gen. ed. II. 182 (1742).  
*abruptifolium*, Stokes, Bot. Mat. Med. ii. 471 = perui-  
 ferum.  
*dicline*, Blanco, Fl. Filip. ed. I. 813.—Ins. Philipp.  
*frutescens*, Willd. Sp. Pl. ii. 546 = Myrospermum  
 frutescens.  
*Hanburyanum*, Klotzsch, in Bonplandia, v. (1857)  
 275.—Ecuador.  
*pedicellatum*, Klotzsch, l. c. 276.—Peruv.  
*Pereirae*, Klotzsch, l. c. 274.—Am. centr.  
*peruiferum*, Linn. f. Suppl. 233.—Ecuador; Peruv.; Bras.  
*pubescens*, H. B. & K. Nov. Gen. et Sp. vi. 374.—N.  
 Granat.  
*punctatum*, Klotzsch, in Hayne, Arzneigew. xiv. t. 12  
 = toluiferum.  
*robiniaefolium*, Klotzsch, in Bonplandia, v. (1857)  
 276.—Ecuador.  
*toluiferum*, H. B. & K. Nov. Gen. et Sp. vi. 375.—Am.  
 trop.  
*trialatum*, Stokes, Bot. Mat. Med. ed. II. 473 = Cin-  
 chona officialis.

**MYROXYLUM**, Schreb. Gen. i. 281 (1798) = praec.

**MYRRHA**, Mitch. in Act. Phys. Med. Acad. Nat. Cur.  
 viii. (1748) App. 217. **UMBELLIFERAE** (Quid?).



**MYRRHIDIUM**, Eckl. & Zeyh. Enum. 71 (1835) = **Pelargonium**, L'Hérit. (Geran.).  
*anemonefolium*, Eckl. & Zeyh. l. c. 71 = *P. myrrhifolium*.  
*artemisiaefolium*, Eckl. & Zeyh. l. c. 72 = *P. artemisiaefolium*.  
*athamanthoides*, Eckl. & Zeyh. l. c. = *P. athamanthoides*.  
*betonium*, Eckl. & Zeyh. l. c. 71 = *P. myrrhifolium*.  
*bullatum*, Eckl. & Zeyh. l. c. = *P. myrrhifolium*.  
*candicans*, Eckl. & Zeyh. l. c. = *P. candicans*.  
*coriandrifolium*, Eckl. & Zeyh. l. c. 72 = *P. myrrhifolium*.  
*fruticosum*, Eckl. & Zeyh. l. c. = *P. fruticosum*.  
*lacerum*, Eckl. & Zeyh. l. c. = *P. myrrhifolium*.  
*longicaule*, Eckl. & Zeyh. l. c. 71 = *P. longicaule*.  
*multicaule*, Eckl. & Zeyh. l. c. = *P. multicaule*.  
*senecioides*, Eckl. & Zeyh. l. c. 72 = *P. senecioides*.  
*triangulare*, Eckl. & Zeyh. l. c. 71 = *P. triangulare*.  
*urbanum*, Eckl. & Zeyh. l. c. = *P. urbanum*.

**MYRRHINA**, Rupr. in Mém. Acad. Pétersb. Sér. VII. xv. n. II. (1869) (Fl. Cauc.) 277 = **Erodium**, L'Hérit. (Geran.).  
*absinthoides*, Rupr. Fl. Cauc. 277, in textu = *E. absinthoides*.  
*alpina*, Rupr. l. c. 278, in textu = *E. alpinum*.  
*anthemoides*, Rupr. l. c. 277, in textu = *E. anthemidifolium*.  
*fumarioides*, Rupr. l. c. 277 = *E. absinthoides*.  
*gunibensis*, Rupr. l. c. 278 = *E. absinthoides*.  
*inodora*, Rupr. l. c. 277 = *E. cicutarium*.

**MYRRHINIUM**, Schott, in Spreng. Syst. iv. Cur. Post. 404 (1827). **MYRTACEAE**, Benth. & Hook. f. i. 717.  
**FELICIANEA**, Cambess. in A. St. Hil. Fl. Bras. Mer. ii. 375. t. 157 (1829).  
**TETRASTEMON**, Hook. Bot. Misc. iii. (1833) 317.  
*atropurpureum*, Schott, in Spreng. Syst. iv. Cur. Post. 404.—Bras.  
*peruvianum*, Berg, in Linnaea, xxvii. (1854) 438.—Peruv.  
*rubriflorum*, Berg, in Mart. Fl. Bras. xiv. i. 466.—Bras.  
*sarcopetalum*, Lem. in Rev. Hort. Sér. IV. vii. (1858) 444.—Bras.

**MYRRHIS**, [Tourn.] Linn. Syst. ed. I (1735), partim; Scop. Fl. Carn. ed. II. i. 207 (1772). **UMBELLIFERAE**, Benth. & Hook. f. i. 897.  
**GLYCOSMA**, Nutt. ex Torr. & Gray, Fl. N. Am. i. 639 (1840).  
**LINDERA**, Adans. Fam. ii. 499 (1763).  
*alpina*, Steud. Nom. ed. I. 545 = *Anthriscus sylvestris*.  
*ammoides*, Spreng. in Schult. Syst. vi. 517 = *Conopodium denudatum*.  
*andicola*, H. B. & K. Nov. Gen. et Sp. v. 13. t. 419 = *Oreomyrrhis andicola*.  
*andina*, Hemsl. Biol. Centr. Am. Bot. i. 567, sphalm. = *prae*.  
*angelicaefolia*, Schult. Syst. vi. 509 = *Chaerophyllum angelicaefolium*.  
*arborescens*, Spreng. Umbellif. Prod. 29 = *Aralia spinosa*?  
*aristata*, Spreng. Spec. Umbellif. 133 = *Osmorhiza Claytoni*.  
*aromatica*, Spreng. in Schult. Syst. vi. 509 = *Chaerophyllum aromaticum*.  
*aurea*, All. Fl. Pedem. ii. 29 = *Chaerophyllum aureum*.  
*australis*, All. l. c. = *Scandix australis*.  
*Berterii*, D. Dietr. Syn. Pl. ii. 984 = *Osmorhiza Berterii*.  
*bifida*, Spreng. Umbellif. Prod. 29 = *Chaerophyllum procumbens*.  
*Bolanderi*, A. Gray, in Proc. Am. Acad. vii. (1868) 346.—Calif.  
*brevipedunculata*, Hoffm. Gen. Umbell. ed. I. 30.—Reg. Caucas.  
*brevistylis*, D. Dietr. Syn. Pl. ii. 984 = *Osmorhiza brevistylis*.  
*bulbosa*, All. Fl. Pedem. ii. 29 = *Anthriscus alpestris*.  
*bulbosa*, Spreng. Umbellif. Prod. 29 = *Chaerophyllum bulbosum*.  
*Bunium*, Spreng. Spec. Umbellif. 131 = *Conopodium denudatum*.  
*canadensis*, Gaertn. Fruct. i. 109 = *Cryptotaenia canadensis*.

**MYRRHIS:—**

*capensis*, Spreng. Spec. Umbellif. 32 = *Annesorhiza capensis*.  
*capilliflora*, Guss. Fl. Sic. Prod. i. 351 = *Conopodium capillifolium*.  
*chaerophyllea*, Lam. Fl. Fr. iii. 442 = *Anthriscus vulgaris*.  
*chaerophylloides*, Hance, in Journ. Bot. xvi. (1878) 108.—China.  
*Cicutaria*, Spreng. Umbellif. Prod. 29 = *Chaerophyllum hirsutum*.  
*Cicutaria*, Tenore, Fl. Nap. iii. 320, partim = *Chaerophyllum calabricum*.  
*clavata*, Spreng. Syst. i. 903 = *Chaerophyllum macrosperrum*.  
*Claytoni*, D. Dietr. Syn. Pl. ii. 984 = *Osmorhiza longistylis*.  
*Claytoni*, Michx. Fl. Bor. Am. i. 170 = *Osmorhiza brevistylis*.  
*colorata*, Spreng. in Schult. Syst. vi. 515 = *Chaerophyllum coloratum*.  
*cynapioides*, Guss. Rar. 127. t. 24 = *Carum cylindricum*?  
*gilanica*, Schult. Syst. vi. 520 = *Chaerophyllum macrosperrum*.  
*gracilis*, Spreng. Syst. iv. Cur. Post. 120 = *Conopodium Cyminum*.  
*hirsuta*, All. Fl. Pedem. ii. 28 = *Chaerophyllum hirsutum*.  
*humilis*, Schott. Syst. vi. 519 = *Chaerophyllum humile*.  
*iberica*, Hoffm. Gen. Umbellif. ed. I. 30 = *brevipedunculata*.  
*longifolia*, Spreng. ex DC. Prod. iv. 232 = *Chaerophyllum millefolium*.  
*longistylis*, Torr. Fl. U. St. i. 310 = *Osmorhiza longistylis*.  
*maculata*, Sweet, Hort. Brit. ed. I. 189 = *Chaerophyllum aureum*.  
*magellensis*, Bertol. Fl. Ital. iii. 213 = *Chaerophyllum magellense*.  
*millefolia*, Spreng. in Schult. Syst. vi. 519 = *Chaerophyllum millefolium*.  
*nodosa*, Lam. Fl. Fr. iii. 441 = *Chaerophyllum nodosum*.  
*occidentalis*, Benth. & Hook. f. Gen. i. 897.—Am. bor. odorata, Scop. Fl. Carn. ed. II. i. 207.—Europ. austr.; Reg. Caucas.  
*Pecten-Veneris*, All. Fl. Pedem. ii. 29 = *Scandix Pecten-Veneris*.  
*procumbens*, Spreng. Pugill. ii. 56 = *Chaerophyllum procumbens*.  
*pyrenaica*, Spreng. in Schult. Syst. vi. 518 = *Conopodium denudatum*.  
*rosea*, Spreng. l. c. 519 = *Chaerophyllum roseum*.  
*scabra*, Spreng. Syst. i. 902 = *Caucalis Anthriscus*.  
*sulcata*, Lag. Gen. et Sp. Nov. 13 = *odorata*.  
*sylvestris*, Spreng. Umbellif. Prod. 29 = *Anthriscus sylvestris*.  
*temula*, All. Fl. Pedem. ii. 29 = *Chaerophyllum temulum*.  
*tenerrima*, Presl, Delic. Prag. 131 = *Conopodium denudatum*.  
*tenuifolia*, Schult. Syst. vi. 520 = *Chaerophyllum tenuifolium*.  
*tenuifolia*, Spreng. Nov. Prov. 28 = *prae*.?  
*ternata*, Moench, Meth. 101 = *Cryptotaenia canadensis*.  
*torquata*, Schult. Syst. vi. 514 = *Anthriscus alpestris*.  
*tuberosa*, Jundz. Opis. Rosl. w Litw. 118, sphalm. = *Chaerophyllum bulbosum*?

**MYRSINE**, Linn. Syst. ed. I (1735); Gen. ed. I. 54 (1737). **MYRSINEAE**, Benth. & Hook. f. ii. 642.  
**AGERIA**, Adans. Fam. ii. 166 (1763).  
**ATHRUPHYLLUM**, Lour. Fl. Cochinch. 120 (1790).  
**CABALLERIA**, Ruiz & Pav. Prod. 141. t. 30 (1794).  
**DUHAMELIA**, Domb. ex Lam. Encyc. i. 245 (1783).  
**FIALARIS**, Rafin. Sylva Tellur. 166 (1838).  
**HEBERDENIA**, Banks, ex A. DC. in Ann. Sc. Nat. Sér. II. xvi. (1841) 79.  
**HEURLINIA**, Rafin. Sylva Tellur. 166 (1838).  
**MANGILLA**, Juss. Gen. 151 (1789).  
**MERISTA**, Banks & Soland. ex A. Cunn. in Ann. Nat. Hist. Ser. I. ii. (1839) 47.  
**NIARA**, Dennst. Schlus. Hort. Malab. 31 (1818).  
**PLEIOMERIS**, A. DC. in Ann. Sc. Nat. Sér. II. xvi. (1841) 87.  
**PLOTIA**, Adans. Fam. ii. 226 (1763).

**MYRSINE:—**

**RAPANEA**, Aubl. Pl. Gui. i. 121. t. 46 (1775).  
**ROEMERIA**, Thunb. Nov. Gen. ix. 130 (1798), pro parte.  
**SAMARA**, Sw. Prod. Veg. Ind. Occ. 32' (1788); Fl. Ind. Occ. i. 261 (1797).  
**SCLEROXYLUM**, Willd. in Ges. Naturf. Fr. Berl. Mag. iii. (1809) 57; et Enum. Hort. Berol. 249 (1809).  
**SUTTONIA**, A. Rich. Fl. Nov. Zél. 349. t. 38 (1832).  
*achradifolia*, F. Muell. Fragm. vi. 164.—Austral.  
*acuminata*, Royle, Illustr. Bot. Himal. 265 = *semi-serrata*.  
*acuta*, Salisb. Prod. 141 = *africana*.  
*affinis*, A. DC. in DC. Prod. viii. 96.—Malaya.  
*africana*, Linn. Sp. Pl. 196.—Reg. Himal.; Afr. austr. et trop.; Ins. Azor.  
*angustifolia*, D. Dietr. Syn. Pl. i. 619 = *Embelia angustifolia*.  
*ardisioides*, H. B. & K. Nov. Gen. et Sp. iii. 249 = *Ardisia decipiens*.  
*ardisioides*, Hook. & Arn. Bot. Beech. Voy. 197.—China.  
*Athyrophyllum*, R. Br. Prod. 533; Roem. & Schult. Syst. iv. 509.—Cochinch.  
*aurantiaca*, Wall. in Roxb. Fl. Ind. ed. Carey, ii. 300 = *Embelia viridiflora*.  
*avenis*, A. DC. in Trans. Linn. Soc. xvii. (1834) 107 = *capitellata*.  
*baccata*, A. DC. in Ann. Sc. Nat. Sér. II. xvi. (1841) 86.—Porto Rico.  
*bahiensis*, Casar. Nov. Stirp. Bras. Dec. 53 = *parvifolia*.  
*Barthesia*, Roem. & Schult. Syst. iv. 507 = *Ardisia insularis*.  
*Berterii*, A. DC. in Trans. Linn. Soc. xvii. (1834) 109 = *lacta*.  
*bifaria*, Wall. in Roxb. Fl. Ind. ed. Carey, ii. 296 = *africana*.  
*borneensis*, Scheff. Comm. Myrsin. 50.—Borneo.  
*bottensis*, A. DC. in DC. Prod. viii. 93.—Abyssin.  
*Brackenridgei*, A. Gray, in Proc. Am. Acad. v. (1861-62) 330.—Ins. Fiji.  
*brasiliensis*, A. DC. in DC. Prod. viii. 103.—Bras.  
*buxifolia*, Hance, in Ann. Sc. Nat. Sér. IV. xv. (1861) 225.—China.  
*campanulata*, F. Muell. Fragm. vi. 235.—Austral.  
*canariensis*, Spreng. Syst. i. 663.—Ins. Canar.  
*capitellata*, Wall. in Roxb. Fl. Ind. ed. Carey, ii. 295.—As. trop.; Malaya.  
*Capororoca*, Casar. Nov. Stirp. Bras. Dec. 54 = *lacta*.  
*chathamica*, F. Muell. Veg. Chath. Isl. 35.—Ins. Chatham.  
*ciliata*, H. B. & K. Nov. Gen. et Sp. iii. 248 = *dependens*.  
*cochin-chinensis*, A. DC. in Ann. Sc. Nat. Sér. II. xvi. (1841) 84.—Cochinch.  
*collina*, Nadeaud, Enum. Pl. Tahiti, 61.—Ins. Tahiti.  
*cordata*, Scheff. in Tijdschr. Nederl. Ind. xxxii. (1871) 422.—Malaya.  
*coriacea*, R. Br. Prod. 533.—Am. trop.  
*coriacea*, Nadeaud, Enum. Pl. Tahiti, 61.—Ins. Tahiti.  
*coriacea*, Sieber, ex A. DC. in Trans. Linn. Soc. xvii. (1834) 108 = *lacta*.  
*crassa*, D. Dietr. Syn. Pl. i. 619 = *Ardisia insularis*.  
*crassifolia*, R. Br. Prod. 534.—Austral.  
*cubana*, A. DC. in Ann. Sc. Nat. Sér. II. xvi. (1841) 86 = *coriacea*, R. Br.  
*Daphnites*, Mart. in Flora, xxiv. (1841) 11. Beibl. 17 = *umbellata*.  
*densiflora*, Scheff. Comm. Myrsin. 50.—Malaya.  
*dentata*, Spreng. Syst. i. 664.—Peruv.  
*dependens*, Spreng. l. c.—Peruv.  
*divaricata*, A. Cunn. in Ann. Nat. Hist. Ser. I. ii. (1839) 47.—N. Zel.  
*emarginella*, Miq. in Mart. Fl. Bras. x. 312.—Bras.  
*erythroxyloides*, Benth. Bot. Voy. Sulph. 123.—Am. trop.  
*excelsa*, D. Don, Prod. Fl. Nep. 147 = *capitellata*.  
*excelsa*, Link, Enum. Hort. Berol. i. 196 = *Ardisia excelsa*.  
*falcata*, Nadeaud, Enum. Pl. Tahiti, 61.—Ins. Tahiti.  
*ferruginea*, Spreng. Syst. i. 664.—Peruv.  
*focculosa*, Mart. in Flora, xxiv. (1841) 11. Beibl. 17 = *lacta*.  
*floribunda*, R. Br. Prod. 533.—Am. trop.  
*floridana*, A. DC. in Trans. Linn. Soc. xvii. (1834) 107 = *floribunda*.  
*fragilis*, Casar. Nov. Stirp. Bras. Dec. 53 = *Gambieriana*.



**MYRSINE :—**

- Gardneriana, A. DC. in Ann. Sc. Nat. Sér. II. xvi. (1841) 86.—Bras.  
 Gaudichaudii, A. DC. l. c. 85.—Ins. Sandvic.  
 Gilliana, Sond. in Linnaea, xxiii. (1850) 76.—Afr. austr.  
 glabra, Gaertn. Fruct. i. 282 = africana.  
 glauca, Casar. Nov. Stirp. Bras. Dec. 54 = umbellata.  
 Glazioviana, Warm. in Kjoeb. Vidensk. Meddel. (1874) 17.—Bras.  
 glomeriflora, Mart. in Flora, xxiv. (1841) II. Beibl. 19 = umbellata.  
 Grisebachii, Hieron. in Bol. Acad. Nac. Córdoba, iv. (1881) 365.—Reg. Argent.  
 Hasseltii, Blume, ex Scheff. Comm. Myrsin. 49.—Java.  
 Heberdenia, Roem. & Schult. Syst. iv. 538 = Ardisia excelsa.  
 Hookeriana, Steud. Nom. ed. II. ii. 176 = ardisioides.  
 Icacorea, Roem. & Schult. Syst. iv. 508 = Ardisia acuminata.  
 ilicifolia, Lodd. ex Steud. Nom. ed. II. ii. 176.—Austral.  
 insularis, D. Dietr. Syn. Pl. i. 619 = Ardisia insularis.  
 Kellau, Hochst. in Flora, xxiv. (1841) I. Intell. 25 = Euclea Kellau.  
 khasyana, Kurz, in Journ. As. Soc. Beng. xvi. (1877) II. 21 = semiserrata.  
 Korthalsii, Miq. Pl. Jungh. 189.—Java.  
 laeta, A. DC. in Trans. Linn. Soc. xvii. (1834) 112.—Am. trop.  
 lanceolata, Panch. & Sebert, Not. Bois Nouv. Caléd. 192.—N. Caléd.  
 lanceolata, Wall. Cat. n. 2297 = capitellata.  
 lancifolia, Mart. Herb. Fl. Bras. n. 1193.—Bras.  
 latifolia, Spreng. Syst. i. 664.—Peruv.  
 laurifolia, Casar. Nov. Stirp. Bras. Dec. 55.—Bras.  
 lepidocarpon, Wight, ex C. B. Clarke, in Hook. f. Fl. Brit. Ind. iii. 512 = capitellata.  
 Lessertiana, A. DC. in Ann. Sc. Nat. Sér. II. xvi. (1841) 85.—Ins. Sandvic.  
 leuconeura, Mart. in Flora, xxiv. (1841) II. Beibl. 18.—Bras.  
 linearis, Poir. Encyc. Suppl. iii. 709 = M. Athyrophyllum.  
 longifolia, Nadeaud, Enum. Pl. Tahiti, 61.—Ins. Tahiti.  
 lucida, Wall. Cat. n. 2298 = capitellata.  
 Lundiana, A. DC. in DC. Prod. viii. 114.—Bras.?  
 madagascariensis, A. DC. in Trans. Linn. Soc. xvii. (1834) 107.—Madag.  
 Mangilla, R. Br. Prod. 533; Roem. & Schult. Syst. iv. 509.—Peruv.  
 marginata, Hook. & Arn. in Hook. Journ. Bot. i. (1834) 283.—Bras.  
 maritima, Casar. Nov. Stirp. Bras. Dec. 56 = floribunda.  
 Martiana, A. DC. in DC. Prod. viii. 101 = umbellata.  
 melanophleas, R. Br. Prod. 533.—Afr. austr.  
 micrantha, D. Dietr. Syn. Pl. i. 619 = Embelia micrantha.  
 mitis, Spreng. Syst. i. 663.—Afr. austr.  
 montana, Hook. f. Handb. N. Zeal. Fl. 184.—N. Zel.  
 monticola, Mart. in Flora, xxiv. (1841) II. Beibl. 18 = umbellata.  
 multiflora, Herb. Vindob. ex Miq. in Mart. Fl. Bras. x. 310 = leuconeura.  
 myricaefolia, A. Gray, in Proc. Am. Acad. v. (1861–62) 330.—Ins. Pacif.  
 myricoides, Schlecht. in Linnaea, viii. (1833) 525 = laeta.  
 myrtifolia, A. DC. in Trans. Linn. Soc. xvii. (1834) 112.—Am. austr.  
 Myrtillus, Hook. Ic. Pl. t. 825 = Embelia Myrtillus.  
 myrtoides, Hook. l. c. t. 87.—N. Granat.  
 neriifolia, Casar. Nov. Stirp. Bras. Dec. 55 = umbellata, lancifolia.  
 neriifolia, Sieb. & Zucc. in Abh. Akad. Muench. iv. III. (1846) 137 = capitellata.  
 nummularia, Hook. f. Handb. N. Zeal. Fl. 184.—N. Zel.  
 oblonga, Spreng. Syst. i. 664 = M. Mangilla.  
 ovalifolia, D. Dietr. Syn. Pl. i. 612 (= Badula ovalifolia).—Ins. Mauriti.  
 ovalifolia, Miq. in Mart. Fl. Bras. x. 313.—Bras.  
 ovalis, Nadeaud, Enum. Pl. Tahiti, 61.—Ins. Tahiti.  
 pachysandra, Wall. in Roxb. Fl. Ind. ed. Carey, ii. 297 = Pimelandra Wallichii.

**MYRSINE :—**

- parvifolia, A. DC. in Ann. Sc. Nat. Sér. II. xvi. (1841) 87.—Bras.  
 paulensis, A. DC. l. c. 86 = lancifolia.  
 pellucida, Spreng. Syst. i. 664.—Peruv.  
 pellucido-punctata, Oerst. in Kjoeb. Vidensk. Meddel. (1861) 133.—Costa Rica.  
 penduliflora, [Moc. & Sesse, ex] A. DC. in Trans. Linn. Soc. xvii. (1834) 110.—Mexic.  
 pentandra, R. Br. Prod. 533.—Afr. austr.  
 philippensis, A. DC. in DC. Prod. viii. 94 = capitellata.  
 platystigma, F. Muell. Fragm. viii. 48.—Austral.  
 popayanensis, H. B. & K. Nov. Gen. et Sp. iii. 249.—N. Granat.  
 porosa, F. Muell. Fragm. v. 108 = crassifolia.  
 Porteriana, Wall. Cat. n. 6525 = capitellata.  
 Potama, D. Don, Prod. Fl. Nep. 146 = africana.  
 querimbensis, Klotzsch, in Peters, Reise Mossamb. Bot. 185.—Afr. trop.  
 racemosa, Steud. Nom. ed. II. ii. 176.—Am. austr.  
 Rapanea, Roem. & Schult. Syst. iv. 509 = floribunda.  
 rawacensis, A. DC. in Ann. Sc. Nat. Sér. II. xvi. (1841) 85.—Ins. Rawak.  
 retusa, [Soland. in] Ait. Hort. Kew. ed. I. 271 = africana.  
 Richardiana, Endl. in Ann. Wien. Mus. i. (1836) 171 = Urvillei.  
 Roraimae, Klotzsch, in Schomb. Faun. & Fl. Brit. Gui. 1086, nomen.—Guian.  
 rotundifolia, Lam. Encyc. iv. 194 = africana.  
 rufescens, A. DC. in Trans. Linn. Soc. xvii. (1834) 109 = laeta.  
 ruminata, E. Mey. in Drège, Zwei Pfl. Docum. 204, nomen; et ex A. DC. in DC. Prod. viii. 104.—Afr. austr.  
 salicifolia, A. DC. in Trans. Linn. Soc. xvii. (1834) 108 = laeta.  
 salicina, Heward, in Hook. Lond. Journ. Bot. i. (1842) 283, in nota.—N. Zel.  
 saligna, A. DC. in Trans. Linn. Soc. xvii. (1834) 112.—Am. austr.  
 Samara, Roem. & Schult. Syst. iv. 511 = pentandra.  
 sandwicensis, DC. in Ann. Sc. Nat. Sér. II. xvi. (1841) 85.—Ins. Sandvic.  
 scabra, Gaertn. Fruct. i. 282 = africana.  
 Schomburgkiana, Miq. in Mart. Fl. Bras. x. 315.—Guiana.  
 semiserrata, Wall. in Roxb. Fl. Ind. ed. Carey, ii. 293.—Reg. Himal.; Burma.  
 serrata, Oerst. in Kjoeb. Vidensk. Meddel. (1861) 134.—Costa Rica.  
 sessilis, D. Don, Prod. Fl. Nep. 146 = semiserrata.  
 Sieberi, D. Dietr. Syn. Pl. i. 619 = Ardisia guadalupensis.  
 simensis, Hochst. ex A. DC. in DC. Prod. viii. 97.—Afr. trop.  
 spicata, H. B. & K. Nov. Gen. et Sp. iii. 250.—Am. austr.  
 subsessilis, F. Muell. Fragm. iv. 81 = crassifolia.  
 subspinosa, D. Don, Prod. Fl. Nep. 147 = semiserrata.  
 sumatrana, Miq. Fl. Ind. Bat. Suppl. 574.—Sumatra.  
 taitensis, A. Gray, in Proc. Am. Acad. v. (1861–62) 330.—Ins. Tahiti.  
 tetrandra, Willd. ex Roem. & Schult. Syst. iv. 803 = spicata.  
 theaeifolia, Wall. Cat. n. 6391 = Ilex theaeifolia.  
 tomentosa, Presl, Rel. Haenk. ii. 63.—Peruv.  
 Trinitatis, A. DC. in Trans. Linn. Soc. xvii. (1834) 108 = laeta.  
 umbellata, Mart. in Flora, xxiv. (1841) II. Beibl. 18.—Bras.  
 umbellulata, A. DC. in Trans. Linn. Soc. xvii. (1834) 135 = capitellata.  
 umbrosa, Mart. ex Miq. in Mart. Fl. Bras. x. 308 = floribunda.  
 undulata, A. Cun. in Ann. Nat. Hist. Ser. I. ii. (1839) 47 = Urvillei.  
 undulata, Phytopol. ex Schlecht. in DC. Prod. xiv. 615 = Olearia Forsteri.  
 undulata, Wall. Cat. n. 2301 = Embelia Nagushia.  
 urceolata, R. Br. Prod. 534.—Austral.  
 Urvillei, A. DC. in Trans. Linn. Soc. xvii. (1834) 105.—N. Zel.  
 variabilis, R. Br. Prod. 534.—Austral.  
 venosa, A. DC. in Ann. Sc. Nat. Sér. II. xvi. (1841) 86 = leuconeura.  
 venosissima, Spreng. Syst. i. 664.—Peruv.

**MYRSINE :—**

- venulosa, Spreng. Syst. i. 663 = melanophleas.  
 verticillata, Presl, Rel. Haenk. ii. 64.—Peruv.  
 villosissima, Mart. in Flora, xxiv. (1841) II. Beibl. 18.—Bras.  
 Wightiana, Wall. Cat. n. 2300 = capitellata.

- MYRSIPHYLLUM, Willd. in Ges. Naturf. Fr. Berl. Mag. ii. (1808) 25 = Asparagus, Tourn. (Liliac.).  
 angustifolium, Willd. l. c. = A. medeoloides.  
 asparagoides, Willd. l. c. = A. medeoloides.  
 erectum, Schlecht. ex Kunth, Enum. Pl. v. 109 = A. erectus.  
 falciforme, Kunth, l. c. 107 = A. medeoloides.  
 gramineum, Kunth, l. c. 108 = A. Krausii.  
 Krausianum, Kunth, l. c. 107 = A. Krausii.  
 striatum, Schlecht. ex Kunth, l. c. 110 = A. striatus.  
 undulatum, Schlecht. ex Kunth, l. c. 109 = A. undulatus.

- MYRSSIPHYLLA, Rafin. Sylva Tellur. 148 (1838) = Psychotria, Linn. (Rubiace.).  
 rigida, Rafin. l. c. = P. myrtiphylla.

- MYRSTIPHYLLUM, P. Br. Hist. Jamaic. 152 (1756) = Psychotria, Linn. (Rubiace.).

- MYRTELLA, F. Muell. Papuan Pl. i. 105 (1877 ?).  
 MYRTACEAE.  
 Beccarii, F. Muell. l. c. 106.—N. Guin.  
 hirsutula, F. Muell. l. c.—N. Guin.

- MYRTEOLA, Berg, in Linnaea, xxvii. (1854) 393 = Myrtus, Tourn.  
 Barneoudii, Berg, l. c. xxix. (1857–58) 252.—Chili.  
 bullata, Berg, l. c. xxvii. (1854) 394 = Myrtus bullata, Poepp.  
 humifusa, Berg, l. c. xxix. (1857–58) 252.—Chili.  
 microphylla, Berg, l. c. xxvii. (1854) 393 = Myrtus microphylla, Humb. & Bonpl.  
 myrsinoides, Berg, l. c. 396 = Myrtus myrsinoides.  
 nummularia, Berg, l. c. = Myrtus nummularia.  
 oxycoccoides, Berg, l. c. = Myrtus oxycoccoides.  
 repens, Berg, in Bot. Zeit. xvi. (1858) 250 = Myrtus repens.  
 vaccinioides, Berg, in Linnaea, xxvii. (1854) 395 = Myrtus vaccinioides.

- MYRTHUS, Scop. Introd. 218 (1777) = Myrtus, Tourn.

- MYRTILLOIDES, Banks & Soland. ex Hook. Ic. Pl. t. 639 (1844) = Fagus, Tourn. (Capul.).  
 cinerascens, Banks & Soland. ex Hook. l. c. = F. Solandri.

- MYRTILLUS, Gilib. Fl. Lituan. i. 4 (1781) = Vaccinium, Linn.  
 niger, Gilib. l. c. = V. Myrtillus.  
 sylvaticus, Drej. Fl. Excurs. Hafn. 147 = V. Myrtillus.  
 uliginosus, Drej. l. c. = V. uliginosum.

- MYRTINIA, Nees, in DC. Prod. xi. (1847), sphalm. = Martynia, Linn. (Pedal.).

- MYRTOBIUM, Miq. in Linnaea, xxv. (1852) 652 = Lepidoceras, Hook. f. (Loranth.).  
 microphyllum, Miq. l. c. = L. Kingii.

- MYRTOPHYLLUM, Turcz. in Bull. Soc. Nat. Mosc. xxxvi. (1863) I. 604 = Azara, Ruiz & Pav. (Bixin.).  
 chilense, Turcz. l. c. 605 = A. macrophylla.

- MYRTOPSIS, O. Hoffm. in Linnaea, xliii. (1880–82) 133. MYRTACEAE.  
 malangensis, O. Hoffm. l. c. 134.—Afr. trop.

- MYRTUS, [Tourn.] Linn. Syst. ed. I (1735). MYRTACEAE, Benth. & Hook. f. i. 714.  
 ANAMOMIS, Griseb. Fl. Brit. W. Ind. 240 (1860).  
 BLEPHAROCALYX, Berg, in Linnaea, xxvii. (1854) 412.  
 CALOMYRTUS, Blume, Mus. Bot. Lugd. Bat. i. 76, in obs. (1849).  
 CLUACENA, Rafin. Sylva Tellur. 104 (1838).  
 EVANESCA, Rafin. l. c. 105 (1838).  
 HETEROMYRTUS, Blume, Mus. Bot. Lugd. Bat. i. 76, in obs. (1849).



## MYRTUS:—

- LEANTRIA, Soland. ex Forst. in Comm. Gotting. ix. (1789) 45.  
 LUMA, A. Gray, Bot. U. St. Expl. Exped. i. 535. t. 66 (1854).  
 MACROPSIDIUM, Blume, Mus. Bot. Lugd. Bat. i. 85 (1849).  
 MYRCEUGENIA, Berg, in Linnaea, xxvii. (1854) 131.  
 MYRCIANTHES, Berg, l. c. 315 (1854).  
 MYRTEOLA, Berg, l. c. 393 (1854).  
 PSEUDOCARYOPHYLLUS, Berg, l. c. 415.  
 TEMU, Berg, in Linnaea, xxx. (1859-60) 710.  
 TEMUS, Molina, Sagg. Chil. 178 (1782).  
 UGNI, Turcz. in Bull. Soc. Nat. Mosc. xxi. (1848) i. 579.  
 acerosa, Berg, in Linnaea, xxix. (1857-58) 253.—Am. austr.  
 acetosans, Spreng. Syst. ii. 488 = Eugenia acetosans.  
 Acka, Juss. ex DC. Prod. iii. 277 = Eugenia Acka.  
 acmenioides, F. Muell. Fragm. i. 77.—Austral.  
 acris, Sw. Prod. Veg. Ind. Occ. 79 = Pimenta acris.  
 acuminata, H. B. & K. Nov. Gen. et Sp. vi. 141 = Myrcia acuminata.  
 acuminata, Mill. ex Steud. Nom. ed. I. 546, nomen = communis.  
 acuminatissima, Blume, Bijdr. 1088 = Eugenia acuminatissima.  
 acuta, Mill. Gard. Dict. ed. VIII. n. 3 = communis.  
 acutata, Berg, in Mart. Fl. Bras. xiv. i. 415.—Bras.  
 aequalis, Vell. Fl. Flum. 217; v. t. 76.—Bras.  
 aeruginea, Forsyth, ex DC. Prod. iii. 283 = Eugenia aeruginea.  
 aeruginosa, Griseb. in Goett. Abh. xxiv. (1879) 127.—Reg. Argent.  
 aeruginosa, Steud. Nom. ed. II. ii. 177 = aeruginea.  
 affinis, Sweet, Hort. Brit. ed. I. 158, nomen.—China?  
 aggregata, Vell. Fl. Flum. 215; v. t. 65 (= *Phyllo-calyx cerasiflorum*).—Bras.  
 alata, Zipp. ex Span. in Linnaea, xv. (1841) 204 = Gustavia globosa.  
 alaternoides, Brongn. & Gris, in Bull. Soc. Bot. Fr. xii. (1865) 177.—N. Caled.  
 alba, Noronha, in Verh. Batav. Gen. v. (1790) ed. I. Art. iv. 20 = Melaleuca Leucadendron.  
 albida, H. B. & K. Nov. Gen. et Sp. vi. 143 = Eugenia albida.  
 albida, Vell. Fl. Flum. 216; v. t. 72 = Eugenia discrossa.  
 albo-tomentosa, Mart. ex DC. Prod. iii. 254 = Myrica albotomentosa.  
 alpigena, Mart. l. c. 265 = Eugenia alpigena.  
 alpina, Sw. Prod. Veg. Ind. Occ. 77 = Eugenia alpina.  
 amazonica, Mart. ex DC. Prod. iii. 250 = Myrcia amazonica.  
 ambrosiaca, Mor. ex Berg, in Linnaea, xxvii. (1854) 351 = Psidiopsis Moritziana.  
 anceps, Spreng. Neue Entdeck. ii. 170; Syst. ii. 487 = Myrcia anceps.  
 androsaemoides, Linn. Sp. Pl. 472 = Eugenia androsaemoides.  
 androsaemoides, Poir. Encyc. iv. 409 = Myonima multiflora.  
 angustifolia, Linn. Mant. i. 74 = Metrosideros angustifolia.  
 angustifolia, Rafin. Sylva Tellur. 105 = communis.  
 angustifolia, Parodi, in Anal. Soc. Cienc. Argent. vii. (1879) 186; Contrib. 146.—Paraguay.  
 angustifolia, Spreng. Syst. ii. 479 = Eugenia angustifolia.  
 Arayan, H. B. & K. Nov. Gen. et Sp. vi. 133.—Peruv.  
 aromatica, Poir. in Lam. Encyc. iv. 410 = seq.?  
 aromatica, Salisb. Prod. 354 = Pimenta vulgaris.  
 Aubletii, Spreng. Syst. ii. 486 = Myrcia tomentosa.  
 auriculata, Zipp. ex Blume, Mus. Bot. Lugd. Bat. i. 98, 104 (= *Fambosa ovalifolia*, *auriculata*).—N. Guin.  
 australis, Spreng. Syst. ii. 482 = Eugenia myrtifolia, Sims.  
 axillaris, Poir. in Lam. Encyc. iv. 412 = Eugenia Poirerii.  
 axillaris, Sw. Prod. Veg. Ind. Occ. 78 = Eugenia monticola.  
 baetica, Hoffmgg. Verz. Pfl. 82, vide *baetica*.  
 baladensis, Brongn. & Gris, in Bull. Soc. Bot. Fr. xii. (1865) 177.—N. Caled.  
 balsamica, Spreng. Syst. ii. 481 = Eugenia balsamica.  
 banisteriaefolia, Mart. ex DC. Prod. iii. 246 = Myrcia banisteriaefolia.

## MYRTUS:—

- Barneoudii, Berg, in Linnaea, xxvii. (1854) 398.—Chili.  
 baruensis, Spreng. Syst. ii. 483 = Eugenia baruensis.  
 Becklerii, F. Muell. Fragm. ii. 85.—Austral.  
 belgica, Mill. Gard. Dict. ed. VIII. n. 2 = communis.  
 Berberis, Mart. ex DC. Prod. iii. 254 = Myrcia Berberis.  
 Berlandiereana, Berg, in Linnaea, xxvii. (1854) 403.—Mexic.  
 Berteriana, Spreng. Syst. ii. 482 = Eugenia Berteriana.  
 Berteroi, Phil. in Bot. Zeit. xiv. (1856) 644 = Selkirkii.  
 bicolor, H. B. & K. Nov. Gen. et Sp. vi. t. 540 = Eugenia discolor.  
 Bidevillii, Benth. Fl. Austral. iii. 275.—Austral.  
 biflora, Linn. Syst. ed. X. 1056 = Eugenia biflora.  
 biflora, Willd. ex Berg, in Linnaea, xxvii. (1854) 174 = Eugenia commutata.  
 Billardiana, H. B. & K. Nov. Gen. et Sp. vi. 139 = Myrcia Billardiana.  
 Blanchetiana, Berg, in Mart. Fl. Bras. xiv. i. 418.—Bras.  
 boetica, Mill. Gard. Dict. ed. VIII. n. 4 = communis.  
 borbonica, Spreng. Syst. ii. 481 = Eugenia coriacea.  
 brachyphylla, Kunze, ex Berg, in Linnaea, xxvii. (1854) 144 = Eugenia leptospermoides.  
 brachystemon, DC. Prod. iii. 240.—Ind. occ.  
 bracteata, Mart. ex DC. Prod. iii. 245 = Myrcia bracteata.  
 bracteata, Willd. Sp. Pl. ii. 969 = Eugenia bracteata.  
 bracteolaris, Poir. in Lam. Encyc. iv. 411 = Myrcia bracteolaris.  
 bracteolaris, Steud. Nom. ed. II. ii. 177 = Eugenia brasiliensis.  
 brasiliensis, Linn. Sp. Pl. 701 = Eugenia Michellii.  
 bullata, Poepp. ex Berg, in Linnaea, xxvii. (1854) 394, in syn.—Chili.  
 bullata, Salisb. Prod. 354 = Calyptanthus bullata.  
 bullata, Soland. ex A. Cunn. in Ann. Nat. Hist. Ser. I. iii. (1839) 115.—N. Zel.  
 buxifolia, Poir. in Lam. Encyc. iv. 413 = Eugenia coriacea.  
 buxifolia, Rafin. Sylva Tellur. 104 = communis.  
 buxifolia, Sw. Prod. Veg. Ind. Occ. 78 = Eugenia buxifolia.  
 Caledoniae, Spreng. Syst. iv. Cur. Post. 193 (= *Caryophyllus ellipticus*).—N. Caled.  
 calophylla, H. B. & K. Nov. Gen. et Sp. vi. 133.—Venezuela.  
 camaraeana, Mart. ex DC. Prod. iii. 251 = Myrcia camaraeana.  
 campestris, Mart. ex DC. l. c. 274 = Eugenia campestris.  
 camphorata, Baill. Hist. Pl. vi. 340.—Chili.  
 cana, Mart. ex DC. Prod. iii. 264 = Eugenia cana.  
 Candolleana, Mart. ex DC. l. c. 281 = Eugenia Candolleana.  
 Candollii, Barn. in C. Gay, Fl. Chil. ii. 382.—Chili.  
 canescens, Lour. Fl. Cochinch. 311 = Rhodomyrtus tomentosa.  
 capensis, Burm. f. Fl. Cap. Prod. 14.—Afr. austr.  
 capensis, Harv. Gen. S. Afr. Pl. 99 = Eugenia capensis.  
 capparidifolia, Mart. ex DC. Prod. iii. 281 = Eugenia capparidifolia.  
 carnea, G. F. Mey. Prim. Fl. Esseq. 191 = Myrcia carnea.  
 caryophyllata, Jacq. Obs. Bot. ii. 1 = Pimenta acris.  
 caryophyllata, Linn. Sp. Pl. 472 = Eugenia caryophyllata.  
 caryophyllata, Vell. Fl. Flum. 216; v. t. 70 = M. Pseudo-caryophyllus.  
 Caryophyllus, Blume, ex Steud. Nom. ed. II. ii. 177, nomen (Quid?)—Java.  
 Caryophyllus, Spreng. Syst. ii. 485 = Eugenia caryophyllus.  
 casearioides, H. B. & K. Nov. Gen. et Sp. vi. 145 = Eugenia casearioides.  
 cassinoides, Salzm. ex Berg, in Mart. Fl. Bras. xiv. i. 286 = Eugenia cassinoides, Berg.  
 cassinoides, Spreng. Syst. ii. 481 = Eugenia cassinoides, Lam.  
 cassinoides, Zipp. ex Blume, Mus. Bot. Lugd. Bat. i. 124 (= *Fossinia litoralis*).—N. Guinea.  
 caudata, Wall. Cat. n. 3631.—Singapur.  
 cauliflora, Blume, Bijdr. 1086 = Eugenia polycephala.  
 cauliflora, Mart. Reise Bras. i. 285 = Eugenia edulis, Vell.  
 cayennensis, Spreng. Syst. ii. 480 = Eugenia citrifolia.  
 cerasiformis, Blume, Bijdr. 1087 = Eugenia cerasiformis.

## MYRTUS:—

- cerasina, Vahl, Symb. Bot. ii. 57 = Eugenia ligustrina, Willd.  
 Cheken, Spreng. Syst. ii. 485 = Eugenia Chequen.  
 Chequen, Berg, in Linnaea, xxvii. (1854) 146 = praec.  
 chinensis, Lour. Fl. Cochinch. 313 = Symplocos sinica.  
 chrysocarpa, Poepp. ex Berg, in Linnaea, xxvii. (1854) 169 = Eugenia chrysocarpa.  
 Chrysophyllum, Spreng. Syst. ii. 482 = Eugenia ferruginea.  
 Chytraculia, Linn. Syst. ed. X. 1056 = Calyptanthus Chytraculia.  
 ciliaris, Mor. ex Berg, in Linnaea, xxvii. (1854) 246 = Eugenia ternifolia.  
 citrifolia, Poir. Encyc. iv. 410 (*cytrifolia*) = Pimenta officinalis.  
 citrifolia, Willd. ex Berg, in Linnaea, xxvii. (1854) 381 = Calycopus calophyllus.  
 clinocarpa, Mart. ex DC. Prod. iii. 267 = Eugenia clinocarpa.  
 clusiaefolia, H. B. & K. Nov. Gen. et Sp. vi. 138 = Myrcia clusiaefolia.  
 coarensis, Mart. ex DC. Prod. iii. 267 = Eugenia coarensis.  
 coccolobaefolia, H. B. & K. Nov. Gen. et Sp. vi. 139 = Myrcia coccolobaefolia.  
 collina, Mart. ex DC. Prod. iii. 281 = Eugenia collina.  
 Comete, Spreng. Syst. ii. 488 = Myrcia Coumeta.  
 Commersonii, Spreng. l. c. 479 = Eugenia cotinifolia.  
 communis, Blanco, Fl. Filip. ed. I. 422 = Decaspermum Blancoi.  
 communis, Linn. Sp. Pl. 471.—Europ. austr.; Oriens.  
 complicata, H. B. & K. Nov. Gen. et Sp. vi. 140 = Myrcia complicata.  
 compressa, H. B. & K. l. c. 135 = Eugenia compressa.  
 coquimbensis, Barn. in C. Gay, Fl. Chil. ii. 382.—Chili.  
 cordata, Sw. Prod. Veg. Ind. Occ. 78 = Eugenia cordata, DC.  
 cordiaefolia, Mart. ex DC. Prod. iii. 248 = Myrcia cordiaefolia.  
 coriacea, Sieber, ex DC. Prod. iii. 259 = Eugenia glomerata.  
 coriacea, Vahl, Symb. Bot. ii. 59 = Myrcia coriacea.  
 coriandriiformis, Zipp. ex Blume, Mus. Bot. Lugd. Bat. i. 74 = Nelitris Coriandri.  
 coromandelina, Koen. ex Roxb. Fl. Ind. ii. 491 = Eugenia bracteata.  
 corticosa, Spreng. Syst. ii. 488 = Eugenia Jambolana.  
 costata, Mart. ex DC. Prod. iii. 252 = Myrcia costata.  
 cotinifolia, Burm. ex Steud. Nom. ed. II. ii. 177, nomen (Quid?)—Am. austr.  
 cotinifolia, Poir. in Lam. Encyc. iv. 410 = Myrcia coriacea.  
 cotinifolia, Spreng. Syst. ii. 481 = Eugenia cotinifolia.  
 crassifolia, Mart. ex DC. Prod. iii. 266 = Eugenia crassifolia, Mig.  
 crenulata, Sw. Prod. Veg. Ind. Occ. 78 = Eugenia crenulata, Willd.  
 Cumini, Linn. Sp. Pl. 471 = Eugenia Jambolana.  
 cuneata, Heyne, ex Wall. Cat. sub n. 3625 = Eugenia Jossinia.  
 curatellaefolia, Mart. ex DC. Prod. iii. 253 = Myrcia curatellaefolia.  
 cuspidata, Berg, in Mart. Fl. Bras. xiv. i. 415.—Bras.  
 cuspidata, Willd. ex Berg, in Linnaea, xxvii. (1854) 283 = Eugenia intermedia.  
 cuspidatifolia, Mart. ex DC. Prod. iii. 279 = Eugenia cuspidifolia.  
 cuspidifolia, Mart. ex DC. l. c. = Eugenia sphaerosperma?  
 cymiflora, F. Muell. Fragm. v. 12 = Rhodomyrtus cymiflora.  
 cymosa, Blume, Bijdr. 1086 = Eugenia polyantha.  
 cymosa, Korth. ex Miq. Fl. Ind. Bat. i. 1. 445 = Eugenia pamatensis.  
 cymosa, Spreng. Syst. ii. 486 = Eugenia cymosa.  
 cytrifolia, Poir. in Lam. Encyc. iv. 410 = Pimenta officinalis.  
 daphnoides, Spreng. Syst. ii. 480 = Eugenia daphnoides.  
 Darwinii, Barn. in C. Gay, Fl. Chil. ii. 382.—Chili.  
 dealbata, Mart. ex DC. Prod. iii. 244 = Myrcia dealbata.  
 decorticans, Mart. ex DC. Prod. iii. 253 = Myrcia decorticans.  
 decussata, Mart. ex DC. l. c. 235 = Psidium decussatum.  
 decussata, Vell. Fl. Flum. 27; v. t. 73 = Eugenia ternifolia.



**MYRTUS:—**

- deflexa*, H. B. & K. Nov. Gen. et Sp. vi. 142 = Myrcia Humboldtiana.  
*deflexa*, Steud. Nom. ed. II. ii. 177 = Myrcia deflexa.  
*delicatula*, Mart. ex DC. Prod. iii. 273 = Eugenia delicatula.  
*densa*, Mart. ex Berg, in Mart. Fl. Bras. xiv. i. 69 = Calyptranthes densa.  
*densiflora*, Blume, Bijdr. 1087 = Eugenia densiflora.  
*dichotoma*, Poir. Encyc. Suppl. iv. 53 = Eugenia dichotoma.  
*dichotoma*, Salisb. Prod. 354 = Calyptranthes Syzygium.  
*dichroa*, Kunze, ex Berg, in Linnaea, xxvii. (1854) 254 = Eugenia stenophylla.  
*dioica*, Linn. Syst. ed. X. 1056.—'Am.'  
*dioica*, Sieber, ex DC. Prod. iii. 280 = Eugenia Trinitatis.  
*dioica*, Spreng. Syst. ii. 486 = Myrcia Schaueriana.  
*discolor*, H. B. & K. Nov. Gen. et Sp. vi. 134 = Eugenia discolor.  
*discolor*, Willd. ex Berg, in Mart. Fl. Bras. xiv. i. 315 = Eugenia Hoffmannseggii.  
*disticha*, Sw. Prod. Veg. Ind. Occ. 78 = Eugenia disticha.  
*divaricata*, Ham. Prod. Pl. Ind. Occ. 45 = Eugenia divaricata, Berg.  
*dives*, Kunze, ex Berg, in Linnaea, xxvii. (1854) 147 = Eugenia Chequen.  
*Dombeyi*, Spreng. Syst. ii. 485 = Eugenia brasiliensis.  
*Duarti*, Mart. ex DC. Prod. iii. 247 = Myrcia exsucca.  
*dumetorum*, Poir. Encyc. Suppl. iv. 52 = Eugenia dumetorum.  
*dumosa*, L'Hérit. ex DC. Prod. iii. 272 = Eugenia L'Heritieriana.  
*dumosa*, Spreng. Syst. ii. 483 = Eugenia salicifolia.  
*dumosa*, Vahl, Symb. Bot. ii. 57 = Eugenia dumosa.  
*dysenterica*, Mart. Reise Bras. ii. 571 = Eugenia dysenterica.  
*egensis*, Mart. ex DC. Prod. iii. 281 = Eugenia egensis.  
*Ehrenbergii*, Berg, in Linnaea, xxvii. (1854) 404.—Mexic.  
*elachantha*, F. Muell. Fragm. iv. 56 = Decaspermum paniculatum.  
*elegans*, DC. Prod. iii. 240.—Bras.  
*elegans*, Mart. ex DC. l. c. 251 = Myrcia elegans.  
*elegantula*, Kunze, ex Berg, in Linnaea, xxvii. (1854) 155 = Eugenia distoma.  
*elliptica*, Spreng. Syst. ii. 483 = Eugenia cotinifolia.  
*elliptica*, Wright, in Sauv. Fl. Cub. 39.—Cuba.  
*emarginata*, H. B. & K. Nov. Gen. et Sp. vi. 142 = Eugenia emarginata, DC.  
*emarginata*, Panch. ex Brongn. & Gris, in Bull. Soc. Bot. Fr. xii. (1865) 177.—N. Caled.  
*emarginata*, Ruiz, ex Berg, in Linnaea, xxvii. (1854) 274 = Eugenia andina.  
*eripus*, Mart. ex DC. Prod. iii. 255 = Myrcia eripus.  
*erythrocarpa*, H. B. & K. Nov. Gen. et Sp. vi. 148 = Eugenia erythrocarpa.  
*erythroxyloides*, H. B. & K. l. c. 149.—Venezuel.  
*eugeniaeflora*, Kunth, ex Berg, in Linnaea, xxvii. (1854) 139 (= *Acca domingensis*).—Ind. occ.  
*excelsa*, Cambess. in A. St. Hil. Fl. Bras. Mer. ii. 293.—Bras.  
*exsucca*, Domb. ex DC. Prod. iii. 278 = Eugenia exsucca.  
*exsucca*, Mart. ex DC. l. c. 247 = Myrcia exsucca.  
*fascicularis*, DC. l. c. 240.—Guian.  
*fasciculata*, Vell. Fl. Flum. 210; v. t. 69.—Bras.  
*Felisberti*, Mart. ex DC. Prod. iii. 266 = Eugenia Felisberti.  
*fenestrata*, Mart. ex DC. l. c. 251 = Myrcia fenestrata.  
*fernandeziana*, Hook. & Arn. in Hook. Bot. Misc. iii. (1833) 316.—Ins. J. Fernand.  
*ferruginea*, Spreng. Syst. ii. 487 = Myrcia ferruginea, DC.  
*fimbriata*, H. B. & K. Nov. Gen. et Sp. vi. 137 = Eugenia fimbriata.  
*firma*, Mart. ex DC. Prod. iii. 282 = Eugenia capparidifolia?  
*firma*, Spreng. Syst. ii. 487 = Myrcia nobilis.  
*flava*, Mart. ex DC. Prod. iii. 272 = Eugenia flavescens.  
*floribunda*, Spreng. Syst. ii. 484 = Eugenia floribunda.  
*florida*, Mart. ex DC. Prod. iii. 283 = Eugenia florida.  
*foetida*, Spreng. Syst. ii. 481 = Eugenia foetida.  
*foliosa*, H. B. & K. Nov. Gen. et Sp. vi. 134 = Eugenia foliosa.  
*fragrans*, Sw. Prod. Veg. Ind. Occ. 79 = Eugenia fragrans.

**MYRTUS:—**

- fragrantissima*, F. Muell. ex Benth. Fl. Austral. iii. 277.—Austral.  
*frigida*, Willd. ex Berg, in Linnaea, xxvii. (1854) 413 = salicifolia.  
*fruticulosa*, Mart. ex DC. Prod. iii. 270 = Eugenia fruticulosa.  
*fruticulosa*, Poepp. ex Berg, in Linnaea, xxvii. (1854) 244 = Eugenia crenulata, Willd.  
*fulva*, Spreng. Syst. ii. 487.—Bras.  
*Gayana*, Berg, in Linnaea, xxvii. (1854) 399.—Chili.  
*glabra*, Vell. Fl. Flum. 215; v. t. 67 = Eugenia badia.  
*glabrata*, Blume, Bijdr. 1088 = Eugenia ramosissima.  
*glabrata*, Sw. Prod. Veg. Ind. Occ. 78 = Eugenia glabrata.  
*globosa*, Korth, in Nederl. Kruidk. Arch. i. (1848) 197 = Rhodamnia globosa.  
*glomerata*, Spreng. Syst. ii. 483 = Eugenia glomerata.  
*Goetheana*, Mart. ex DC. Prod. iii. 240 = Calycolpus Goetheanus.  
*gonoclada*, F. Muell. ex Benth. Fl. Austral. iii. 275.—Austral.  
*grammica*, Spreng. Syst. ii. 480.—Bras.  
*grandifolia*, Berg, in Mart. Fl. Bras. xiv. i. 419.—Bras.  
*Greggii*, Nees & Mart. in Nov. Act. Nat. Cur. xii. i. (1824) 51 = Myrcia Maximiliana.  
*Greggii*, Sw. Prod. Veg. Ind. Occ. 78 = Eugenia Greggii.  
*Grunixama*, Vell. Fl. Flum. 216; v. t. 69 = Eugenia brasiliensis.  
*Guayabillo*, Wright, in Sauv. Fl. Cub. 39.—Cuba.  
*guayaquilensis*, H. B. & K. Nov. Gen. et Sp. vi. 147 = Eugenia guayaquilensis.  
*Gudilla*, Colla, in Mem. Acc. Torin. xxxvii. (1834) 66 = Eugenia stenophylla.  
*guianensis*, Ham. Prod. Pl. Ind. Occ. 45; Spreng. Syst. ii. 482 = Myrcia guayanensis.  
*Hayneana*, Mart. ex DC. Prod. iii. 246 = Myrcia Hayneana.  
*Heynei*, Spreng. Syst. ii. 482 = Eugenia bracteata.  
*Hilariana*, Mart. ex Berg, in Mart. Fl. Bras. xiv. i. 275 = Eugenia Hilariana.  
*Hillii*, Benth. Fl. Austral. iii. 275.—Austral.  
*hirta*, Willd. ex Berg, in Mart. Fl. Bras. xiv. i. 156 = Myrcia lanceolata.  
*horizontalis*, Vent. Jard. Malm. 60 = Eugenia disticha.  
*hortensis*, Noronha, in Verh. Batav. Gen. v. (1790) ed. I. Art. iv. 20 = communis?  
*hypericifolia*, Blume, Bijdr. 1082 (= *Jambosa hypericifolia*).—Java.  
*hypericifolia*, Salisb. Prod. 354 (= *Syzygium hypericifolium*).—Ins. Borbon.  
*idaea*, Willd. ex Berg, in Linnaea, xxvii. (1854) 395 = vaccinioides.  
*incana*, Berg, in Mart. Fl. Bras. xiv. i. 416.—Bras.  
*indica*, Walp. Rep. ii. 172 = Eugenia Jossinia.  
*inocarpus*, Mart. ex DC. Prod. iii. 264 = Eugenia inocarpa.  
*inundata*, Mart. ex DC. l. c. 280 = Eugenia inundata.  
*italica*, Mill. Gard. Diet. ed. VIII. n. 5 = communis.  
*Jaboticaba*, Vell. Fl. Flum. 214; v. t. 62 = Myrcia Jaboticaba.  
*Jacquiniana*, Berg, in Linnaea, xxvii. (1854) 406.—Hab.?  
*Jambos*, H. B. & K. Nov. Gen. et Sp. vi. 144 = Eugenia Jambos.  
*javanica*, Blume, Bijdr. 1084 = Eugenia aquea.  
*javanica*, Korth, ex Blume, Mus. Bot. Lugd. Bat. i. 96 = Eugenia javanica.  
*javanica*, Spreng. Syst. ii. 484 = Eugenia bifaria.  
*Kalah*, Miq. Anal. Bot. Ind. i. 23 = Eugenia kalahiensis.  
*Kochiana*, Mart. ex DC. Prod. iii. 268 = Eugenia Kochiana.  
*Krausei*, Phil. in Linnaea, xxvii. (1856) 638.—Chili.  
*Kuma*, Barn. in C. Gay, Fl. Chil. ii. 384.—Chili.  
*Kunthiana*, Mart. ex DC. Prod. iii. 265 = Eugenia Kunthiana.  
*laevigata*, Mart. ex DC. l. c. 284 = Eugenia laevigata.  
*laevis*, Thunb. Fl. Jap. 198.—Japon.  
*Lambertiana*, Mart. ex DC. Prod. iii. 271 = Eugenia bahiensis.  
*lancea*, Spreng. Syst. ii. 482 = Eugenia lancea.  
*lanceolata*, Juss. ex Jaume St. Hil. in Duham. Arb. ed. Nov. i. 208 = Eugenia Dombeyana.  
*lanceolata*, Rafin. Sylva Tellur. 105 = communis.  
*lasiantha*, Mart. ex DC. Prod. iii. 254 = Myrcia lasiantha.

**MYRTUS:—**

- lasioclada*, F. Muell. Fragm. ix. 148.—Austral.  
*lasiopus*, Steud. Nom. ed. II. ii. 178 = Myrcia lasiopus.  
*lateriflora*, Mart. ex DC. Prod. iii. 273 = Eugenia dicrossa.  
*latifolia*, Forsyth, ex DC. l. c. 245 = Myrcia crassinervia.  
*latifolia*, Heyne, ex Roth, Nov. Pl. Sp. 232 = Eugenia bracteata.  
*latifolia*, Rafin. Sylva Tellur. 104 = communis.  
*latifolia*, Spreng. Syst. ii. 481 = Eugenia latifolia.  
*lauriflora*, Mart. ex DC. Prod. iii. 252 = Myrcia lauriflora.  
*laurifolia*, Hort. Par. ex DC. l. c. 243 = Myrcia divaricata.  
*laurina*, Retz. Obs. iv. 26 = Symplocos spicata.  
*laxa*, Mart. ex DC. Prod. iii. 263 = Eugenia laxa.  
*leriocarpa*, Wright, in Sauv. Fl. Cub. 38.—Cuba.  
*Leucadendron*, Linn. Syst. ed. X. 1056 = Melaleuca Leucadendron.  
*leucomyrtillus*, Griseb. in Goett. Abh. vi. (1854) 120.—Chili.  
*leucomyrtus*, Griseb. ex Phil. in Linnaea, xxviii. (1856) 637 (an praec.?).—Chili.  
*leucophlaea*, Mart. ex DC. Prod. iii. 247 = Myrcia leucophlaea.  
*leucoxyla*, Ortega, Hort. Matr. Dec. 129.—N. Granat.  
*leucoxylon*, Korth, ex Miq. Anal. Bot. Ind. i. 26 = Eugenia leucoxylon.  
*ligustrina*, Sw. Prod. Veg. Ind. Occ. 78 = Eugenia ligustrina, Willd.  
*limbata*, H. B. & K. Nov. Gen. et Sp. vi. 136 = Eugenia limbata.  
*limbosa*, Ruiz, ex Berg, in Linnaea, xxvii. (1854) 295 = Eugenia limbosa.  
*Lindleyana*, H. B. & K. Nov. Gen. et Sp. vi. 138. t. 543 = Eugenia Lindleyana.  
*Lindleyana*, Mart. ex DC. Prod. iii. 269 = Eugenia Martiusiana.  
*linearis*, F. F. Gmel. Syst. 793 (Quid?).—Am. trop.  
*lineata*, Blume, Bijdr. 1087 = Eugenia lineata, Duthie.  
*lineata*, Sw. Prod. Veg. Ind. Occ. 78 = Eugenia lineata, DC.  
*linifolia*, Spreng. Syst. ii. 479 = Eugenia Sprengelii.  
*Linkiana*, Mart. ex DC. Prod. iii. 248 = Myrcia Linkiana.  
*littoralis*, Mart. ex DC. l. c. 249 = Myrcia littoralis.  
*littoralis*, Roxb. ex Wight & Arn. Prod. 331 = Eugenia bracteata.  
*littoralis*, Salisb. Prod. 353 = communis.  
*littoralis*, Zipp. ex Blume, Mus. Bot. Lugd. Bat. i. 124 = Jossinia littoralis.  
*longifolia*, H. B. & K. Nov. Gen. et Sp. vi. 258 = Myrcia longifolia.  
*longifolia*, Mart. ex DC. Prod. iii. 269 = Eugenia longifolia.  
*longifolia*, Reinw. ex Blume, Mus. Bot. Lugd. Bat. i. 75 = Decaspermum paniculatum.  
*Louveiri*, Spreng. Syst. ii. 488 = Eugenia nervosa.  
*lucida*, Linn. Syst. ed. X. 1056.—Guian.  
*lucida*, Steud. Nom. ed. II. ii. 178 = Eugenia cotinifolia.  
*lugens*, Poepp. ex Berg, in Linnaea, xxvii. (1854) 300 = Eugenia lugens.  
*Luma*, Barn. in C. Gay, Fl. Chil. ii. 384.—Chili.  
*Luma*, Hook. & Arn. in Hook. Bot. Misc. iii. (1833) 317 = fernandeziana.  
*Luma*, Molina, Sagg. Chile, 173 = Eugenia apiculata.  
*Luma*, Schau. in Nov. Act. Nat. Cur. xix. Suppl. i. (1843) 333 = Eugenia Chequen.  
*Luma*, Spreng. ex Berg, in Linnaea, xxvii. (1854) 262 = Eugenia Cruckshanksii.  
*lurida*, Spreng. Syst. ii. 480.—Reg. Argent.  
*lusitanica*, Willd. ex Steud. Nom. ed. I. 546 = communis.  
*macrochlamys*, Mart. ex Berg, in Mart. Fl. Bras. xiv. i. 419.—Bras.  
*macrophylla*, Ehrh. Beitr. vii. 50, nomen. = communis?  
*macrophylla*, Spreng. Syst. ii. 483 = Eugenia malaccensis.  
*magnoliaefolia*, Blume, Bijdr. 1088 (= *Syzygium magnoliaefolium*).—Java.  
*Makal*, J. F. Gmel. Syst. 792 (= *Syzygium Makal*).—Zeylan.  
*malaccensis*, Spreng. Syst. ii. 484 = Eugenia malaccensis.  
*malpighioides*, H. B. & K. Nov. Gen. et Sp. vi. 146 = Eugenia malpighioides.  
*maragnana*, Mart. ex DC. Prod. iii. 249 = Myrcia maragnana.



## MYRTUS:—

*marginata*, Spreng. Syst. ii. 438 = *Eugenia marginata*.  
*maritima*, H. B. & K. Nov. Gen. et Sp. vi. 146 = *Eugenia acapulcensis*.  
*maritima*, Mart. ex DC. Prod. iii. 271 = *Eugenia* *maritima*, DC.  
*maxima*, Molina, Sagg. Chile, 173.—Chili.  
*media*, Hoffm. Verz. Pfl. 82 = *communis*.  
*megapota mica*, Spreng. Syst. iv. Cur. Post. 193.—Bras.  
*melastomaefolia*, Zipp. ex Blume, Mus. Bot. Lugd. Bat. i. 102 (= *Jambosa melastomaefolia*).—Malaya.  
*melastomoides*, F. Muell. Fragm. i. 76 = *Rhodamnia trinervia*.  
*Meli*, Phil. in *Linnaea*, xxviii. (1856) 638.—Chili.  
*mespiloides*, Spreng. Syst. ii. 481 = *Eugenia cotinifolia*.  
*micrantha*, H. B. & K. Nov. Gen. et Sp. vi. 144 = *Eugenia micrantha*, Bertol.  
*micrantha*, Nees & Mart. in Nov. Act. Nat. Cur. xii. 1. (1824) 51 = *Eugenia Maximiliana*, DC.  
*microphylla*, Ehrh. Beitr. vii. 50, nomen = *communis*?  
*microphylla*, Humb. & Bonpl. Pl. Aequin. i. 19. t. 4.—Peruv.  
*Mikaniana*, Mart. ex DC. Prod. iii. 283 = *Eugenia Mikaniana*.  
*Mini*, Spreng. Syst. ii. 486 = *Myrcia Mini*.  
*minima*, Mill. Gard. Dict. ed. VIII. n. 7 = *communis*.  
*modesta*, Mart. ex DC. Prod. iii. 279 = *Eugenia modesta*.  
*Molinae*, Barn. in C. Gay, Fl. Chil. ii. 381.—Chili.  
*mollis*, H. B. & K. Nov. Gen. et Sp. vi. 141 = *Myrcia mollis*.  
*montana*, Benth. Pl. Hartw. 61.—Mexic.  
*monticola*, Sw. Prod. Veg. Ind. Occ. 78 = *Eugenia monticola*.  
*monticola*, Vahl, ex DC. Prod. iii. 280 = *Eugenia ludibunda*.  
*mucronata*, Cambess. in A. St. Hil. Fl. Bras. Mer. ii. 294.—Bras.  
*mucronata*, Pers. Syn. ii. 30 = *communis*.  
*Mulleri*, Korth. in Nederl. Kruidk. Arch. i. (1848) 197 = *Rhodamnia trinervia*.  
*multiflora*, Juss. ex Faume St. Hil. in Duham. Arb. ed. Nov. i. 208.—Chili.  
*multiflora*, Spreng. Syst. ii. 485 = *Myrcia multiflora*.  
*muricata*, Mart. ex DC. Prod. iii. 283 = *Eugenia muricata*.  
*myricoides*, H. B. & K. Nov. Gen. et Sp. vi. 131. t. 539.—Peruv.  
*myrobalana*, Mart. ex DC. Prod. iii. 278 = *Eugenia myrobalana*.  
*Myrsinites*, Mart. ex DC. l. c. 236 = *Psidium Myrsinites*.  
*myrsinoides*, H. B. & K. Nov. Gen. et Sp. vi. 132.—Peruv.  
*myrtillifolia*, Mart. ex DC. Prod. iii. 250 = *Myrcia myrtillifolia*.  
*Neesiana*, Mart. ex DC. l. c. 249 = *Myrcia Neesiana*.  
*nemoralis*, Mart. ex DC. l. c. 267 = *Eugenia nemoralis*.  
*nigra*, Mart. ex DC. l. c. 268 = *Eugenia nigra*.  
*negrescens*, Mart. ex DC. l. c. 246 = *Myrcia negrescens*.  
*nitens*, Poir. Encyc. Suppl. iv. 51 = *Eugenia nitens*.  
*nitida*, Vell. Fl. Flum. 216; v. t. 68 = *Eugenia Candolleana*.  
*nivea*, Berg, in Mart. Fl. Bras. xiv. 1. 414.—Reg. Argent.  
*nummularia*, Barn. in C. Gay, Fl. Chil. ii. 379 = *Barneoudii*.  
*nummularia*, Poir. in Lam. Encyc. iv. 407.—Reg. Magell.  
*obcordata*, Hook. f. Fl. N. Zeal. i. 71.—N. Zel.  
*oblongata*, Mart. ex DC. Prod. iii. 251 = *Myrcia oblongata*.  
*obovata*, Korth. ex Miq. Fl. Ind. Bat. i. 1. 453 = *Eugenia Muelleri*.  
*obovata*, Spreng. Syst. ii. 486 = *Eugenia obovata*, Poir.  
*obscura*, Lindl. Bot. Reg. t. 1044 = *Eugenia obscura*.  
*obtusata*, Juss. ex DC. Prod. iii. 266 = *Eugenia obtusa*.  
*obtusissima*, Blume, Bijdr. 1086 = *Eugenia javanica*.  
*Oerstediana*, Berg, in *Linnaea*, xxvii. (1851) 405.—Ins. S. Crucis.  
*Oerstedii*, Hemsl. Biol. Centr. Am. Bot. i. 407.—Costa Rica.  
*oleaeifolia*, H. B. & K. Nov. Gen. et Sp. vi. 147 = *Eugenia oleaeifolia*.  
*Oleaster*, Mart. ex DC. Prod. iii. 282 = *Eugenia Pseudocaryophyllus*.

VOL. II.

## MYRTUS:—

*oligoneura*, Korth. ex Blume, Mus. Bot. Lugd. Bat. i. 354 = *Memecylon oligoneurum*.  
*orbiculata*, Spreng. Syst. ii. 480 = *Eugenia cotinifolia*.  
*orinocensis*, Bonpl. ex Berg, in *Linnaea*, xxvii. (1854) 110 = *Myrcia polyantha*.  
*ovalifolia*, Cambess. in A. St. Hil. Fl. Bras. Mer. ii. 381.—Bras.  
*ovalis*, Berg, in Mart. Fl. Bras. xiv. 1. 417.—Uruguay.  
*ovalis*, Fl. Per. ex Berg, in *Linnaea*, xxvii. (1854) 156 = *Eugenia ovalis*.  
*ovalis*, Spreng. Syst. ii. 479.—Bras.  
*owariensis*, Steud. Nom. ed. II. ii. 178 = *Eugenia owariensis*.  
*oxycoccoides*, Benth. Pl. Hartw. 174.—N. Granat.  
*pellens*, Vahl, Symb. Bot. ii. 57 = *Eugenia pallens*.  
*palustris*, Mart. ex DC. Prod. iii. 246 = *Myrcia palustris*.  
*paniculata*, J. F. Gmel. Syst. 792 = *Eugenia paniculata*.  
*parviflora*, Spreng. Syst. ii. 486 = *Eugenia parviflora*.  
*parvifolia*, Juss. ex DC. Prod. iii. 266 = *Eugenia parvifolia*.  
*Patrisii*, Spreng. Syst. iii. 480 = *Eugenia Patrisii*.  
*patula*, Mart. ex DC. Prod. iii. 284 = *Eugenia patula*.  
*pauciflora*, Cambess. in A. St. Hil. Fl. Bras. Mer. ii. 296.—Reg. Argent.  
*Pavonii*, Poepp. ex Berg, in *Linnaea*, xxvii. (1854) 38.—Peruv.; Chili.  
*pedunculata*, Hook. f. in Hook. Ic. Pl. t. 629.—N. Zel.  
*pendula*, Blume, Bijdr. 1085 = *Eugenia pendula*.  
*phillyraeoides*, Willd. ex Berg, in *Linnaea*, xxvii. (1854) 326 (= *Myrciaria phillyraeoides*).—Am. austr.  
*phlebophylla*, Kunze, ex Berg, l. c. 155 = *Eugenia distoma*.  
*phylicoides*, Benth. Pl. Hartw. 131.—Peruv.  
*pia*, Mart. ex DC. Prod. iii. 263 = *Eugenia pia*.  
*pilosa*, Mart. ex DC. l. c. 253 = *Myrcia pilosa*.  
*Pimenta*, Linn. Sp. Pl. 472 = *Pimenta vulgaris*.  
*pimentoides*, Lindl. ex Steud. Nom. ed. II. ii. 178, nomen.—Ind. occ.  
*pistaciaefolia*, Mart. ex DC. Prod. iii. 270 = *Eugenia pistaciaefolia*.  
*Pohliana*, Mart. ex DC. l. c. 264 = *Eugenia Pohliana*.  
*Poiretii*, Spreng. Syst. ii. 483 = *Eugenia Poiretii*.  
*polyantha*, H. B. & K. Nov. Gen. et Sp. vi. 140 = *Myrcia Humboldtiana*.  
*polyantha*, Mart. ex DC. Prod. iii. 252 = *Myrcia polyantha*.  
*procera*, Sw. Prod. Veg. Ind. Occ. 77 = *Eugenia procera*.  
*prunifolia*, Mart. ex DC. Prod. iii. 253 = *Myrcia prunifolia*.  
*Pseudocaryophyllus*, Gomez, in Mem. Ac. Lisboa, iii. (1812) Mem. Corresp. 92 = *Eugenia Pseudocaryophyllus*.  
*Pseudomini*, Mart. ex Steud. Nom. ed. II. ii. 178 = *Myrcia Pseudomini*.  
*Pseudopsidium*, Spreng. Syst. ii. 480 = *Eugenia Pseudopsidium*.  
*psidioides*, Desv. in Ham. Prod. Pl. Ind. Occ. 44 = *Eugenia Desvauxiana*.  
*pubescens*, Berg, in Mart. Fl. Bras. xiv. 1. 415.—Reg. Argent.  
*pubescens*, H. B. & K. Nov. Gen. et Sp. vi. 143 = *Eugenia pubescens*.  
*pulchella*, Regel, Ind. Sem. Hort. Petrop. (1857) 56.—Hab.?  
*punctata*, Mart. ex DC. Prod. iii. 246 = *Myrcia myoporina*.  
*punctata*, Spreng. Syst. ii. 482 = *Myrcia punctata*.  
*punicaefolia*, H. B. & K. Nov. Gen. et Sp. vi. 149 = *Eugenia punicaefolia*.  
*pyriformis*, Parodi, in Anal. Soc. Cient. Argent. vii. (1879) 216; Contrib. 151.—Paraguay.  
*quadrangularis*, Buch.-Ham. ex Duthie, in Hook. f. Fl. Brit. Ind. ii. 486 = *Eugenia grata*.  
*quadriflora*, Vell. Fl. Flum. 217; v. t. 77 = *Eugenia lanceolata*.  
*quadriflora*, Van Royen, ex Blume, Mus. Bot. Lugd. Bat. i. 87 = *Eugenia bracteata*.  
*quadrisperma*, Vell. Fl. Flum. 215; v. t. 63 = *Eugenia Mikaniana*.  
*racemosa*, Mart. ex DC. Prod. iii. 231 = *Eugenia racemosa*.  
*racemosa*, Vell. Fl. Flum. 213; v. t. 60 (= *Eugeniopsis cannaefolia*).—Bras.  
*racemulosa*, Benth. Fl. Austral. iii. 276.—Austral.  
*racemulosa*, Mart. ex DC. Prod. iii. 254 = *Myrcia racemulosa*.

## MYRTUS:—

*Ralphii*, Hook. f. Fl. N. Zel. ii. 329.—N. Zel.  
*ramiflora*, Benth. ex Berg, in *Linnaea*, xxvii. (1854) 335 = *Eugenia coffeaeifolia*.  
*ramiflora*, Vahl, in West. Bidr. Ste.-Croix, 290.—Ins. S. Crucis.  
*Raran*, Colla, in Mem. Acc. Torin. xxxvii. (1834) 66 = *Eugenia Raran*.  
*Reinwardtiana*, Blume, Bijdr. 1082 = *Eugenia Reinwardtiana*.  
*Reloncavi*, Barn. ex Phil. f. Cat. Pl. Vasc. Chil. 79 = *M. Luma*, Barn.  
*repens*, Phil. in Bot. Zeit. xv. (1857) 400.—Chili.  
*resupinata*, Vell. Fl. Flum. 214; v. t. 61 = *Marlierea resupinata*.  
*reticulata*, Kunze, ex C. Gay, Fl. Chil. ii. 380.—Chili.  
*reticulata*, Poepp. ex Berg, in *Linnaea*, xxvii. (1854) 132, in syn.—Chili.  
*revoluta*, Schau. in *Linnaea*, xxi. (1848) 272.—Guian.  
*rhopaloides*, H. B. & K. Nov. Gen. et Sp. vi. 137 = *Eugenia rhopaloides*.  
*rhytisperma*, F. Muell. Fragm. i. 77.—Austral.  
*rigida*, Berg, in Mart. Fl. Bras. xiv. 1. 417.—Bras.  
*rigida*, J. F. Gmel. Syst. 792 = *Calyptanthus rigida*.  
*rigida*, Mart. ex DC. Prod. iii. 273 = *Eugenia rigida*.  
*rigida*, Sw. ex DC. l. c. 265 = *Eugenia alpina*.  
*riparia*, Mart. ex DC. l. c. 283 = *Eugenia riparia*.  
*romana*, Hoffm. Verz. Pfl. 82 = *communis*.  
*rosmarinifolia*, Pers. Syn. ii. 30 = *Eugenia rosmarinifolia*.  
*rosmarinifolia*, Spreng. Syst. ii. 479 = *Eugenia angustifolia*.  
*rostrata*, Mart. ex DC. Prod. iii. 255 = *Myrcia rostrata*.  
*rufa*, Colla, in Mem. Acc. Torin. xxxvii. (1834) 66 = *Eugenia ferruginea*.  
*rufa*, Vell. Fl. Flum. 217; v. t. 75 = *Marlierea rufa*.  
*rufescens*, Spreng. Syst. ii. 487 = *Eugenia rufescens*.  
*rufidula*, Bonpl. ex Berg, in *Linnaea*, xxvii. (1854) 123 = *Myrcia mollis*.  
*rufipes*, Mart. ex DC. Prod. iii. 247 = *Myrcia rufipes*.  
*rufo-punctata*, Panch. ex Brongn. & Gris, in Bull. Soc. Bot. Fr. xii. (1865) 176.—N. Caled.  
*Ruizii*, Poepp. ex Berg, in *Linnaea*, xxvii. (1854) 99 = *Myrcia chilensis*.  
*ruscifolia*, Rottl. ex Duthie, in Hook. f. Fl. Brit. Ind. ii. 486 = *Eugenia linearis*, Duthie.  
*ruscifolia*, Wight, ex Wall. Cat. n. 3623 = *Eugenia uniflora*, Linn.  
*ruscifolia*, Willd. Sp. Pl. ii. 970 = *Eugenia bracteata*.  
*Sagraea*, Berg, in *Linnaea*, xxx. (1859-60) 710.—Cuba.  
*salicifolia*, H. B. & K. Nov. Gen. et Sp. vi. 136. t. 541.—N. Granat.  
*salicifolia*, Mart. ex DC. Prod. iii. 246 = *Myrcia salicifolia*.  
*salicifolia*, Willd. ex Berg, in *Linnaea*, xxvii. (1854) 374 = *Psidium crenatum*.  
*saligna*, Burm. f. Fl. Ind. 116 = *Melaleuca Leucadendron*.  
*salutaris*, H. B. & K. Nov. Gen. et Sp. vi. 132.—Venezuela.  
*samarangensis*, Blume, Bijdr. 1084 = *Eugenia javanica*.  
*sancta*, Mart. ex DC. Prod. iii. 267 = *Eugenia sancta*.  
*saxicola*, Poepp. ex Berg, in *Linnaea*, xxvii. (1854) 92 = *Myrcia saxicola*.  
*scabra*, Arruda, in Koster, Trav. Bras. 491.—Bras.  
*Schomburgkii*, Klotzsch, in Schomb. Faun. et Fl. Brit. Gui. 1196, nomen.—Guian.  
*Schrankiana*, Mart. ex DC. Prod. iii. 247 = *Myrcia Schrankiana*.  
*scutulifera*, Mart. ex DC. l. c. 254 = *Myrcia scutulifera*.  
*Selkirkii*, Hemsl. Bot. Voy. Challeng. i. 111. 36.—Ins. J. Fernand.  
*Selloi*, Spreng. Syst. ii. 482.—Bras.  
*Sellowiana*, Berg, in Mart. Fl. Bras. xiv. 1. 413.—Bras.  
*Sellowiana*, Mart. ex DC. Prod. iii. 264 = *Eugenia Sellowiana*.  
*sepiaria*, Mart. ex DC. l. c. 249 = *Myrcia sepiaria*.  
*sericea*, Cambess. in A. St. Hil. Fl. Bras. Mer. ii. 296.—Bras.  
*seringapatamensis*, Herb. Madr. ex Wall. Cat. n. 3623 = *Eugenia uniflora*, Linn.  
*serrata*, Koen. ex Steud. Nom. ed. I. 547 = *Symplocos spicata*.

P p



**MYRTUS:—**

- serratifolia*, Griseb. in Goett. Abh. xix. (1874) 139.—Reg. Argent.  
*sessiliflora*, Spreng. Syst. ii. 479 = *Eugenia sessiliflora*.  
*sessilifolia*, Mart. ex DC. Prod. iii. 263 = *Eugenia sessilifolia*.  
*sessilis*, Korth. ex Miq. Anal. Bot. Ind. i. 25 = *Eugenia Korthalsiana*.  
 Shepherdi, F. Muell. Fragm. ix. 148.—Austral.  
*silvestris*, Vell. Fl. Flum. 215; v. t. 64 = *Myrcia anceps*.  
*sinemariensis*, Spreng. Syst. ii. 483 = *Eugenia sinemariensis*.  
*smilacifolia*, Wall. Cat. n. 3629 = *Rhodamnia trinervia*.  
*Smithii*, Spreng. Syst. ii. 487 = *Eugenia Smithii*.  
*Sonneratii*, Spreng. l. c. 485 = *Eugenia Wightiana*.  
*sparsiflora*, Mart. ex DC. Prod. iii. 263 = *Eugenia sparsiflora*.  
*sparsifolia*, Berg, in Linnaea, xxvii. (1854) 402.—Ins. S. Crucis.  
*spectabilis*, Blume, Bijdr. 1083 (*Rhodomyrti* sp.).—Malaya.  
*spectabilis*, Mart. ex DC. Prod. iii. 248 = *Myrcia spectabilis*.  
*spicata*, Buch-Ham. ex Wall. Cat. n. 3621 = *Eugenia bracteata*.  
*spiciflora*, Spreng. Syst. iv. Cur. Post. 193 = *Eugenia Sprengelii*.  
*splendens*, Sw. Prod. Veg. Ind. Occ. 79 = *Myrcia splendens*.  
*sponsalis*, Hort. ex Steud. Nom. ed. II. ii. 179 = *communis*.  
*stictopetala*, Mart. ex Berg, in Mart. Fl. Bras. xiv. i. 293 = *Eugenia stictopetala*.  
*stigmatica*, Mart. ex DC. Prod. iii. 268 = *Eugenia stigmatica*.  
*stipularis*, Hook. & Arn. in Hook. Bot. Misc. iii. (1833) 316 = *Tepualia stipularis*.  
*stipularis*, Zipp. ex Blume, Mus. Bot. Lugd. Bat. i. 88 = *Eugenia stipularis*.  
*Stoupii*, Spreng. Syst. ii. 484 = *Myrcia bracteolaris*.  
*suaveolens*, Parodi, in Anal. Soc. Cient. Argent. vii. (1879) 220; Contrib. 155.—Paraguay.  
*subalpestris*, Mart. ex DC. Prod. iii. 250 = *Myrcia subalpestris*.  
*subamplexicaulis*, Mart. ex DC. l. c. 277 = *Eugenia subamplexicaulis*.  
*subrubens*, Blanco, Fl. Filip. ed. II. 294 = *Eugenia cymosa*.  
*suffruticosa*, Berg, in Mart. Fl. Bras. xiv. i. 418.—Uruguay.  
*sylvatica*, G. F. W. Mey. Prim. Fl. Esseq. 191 = *Myrcia sylvatica*.  
*sylvestris*, Auct. = *silvestris*.  
*Syzygium*, Linn. Amoen. Acad. v. 398 = *M. Zuzygium*.  
*Tabasco*, Willd. ex Schlecht. & Cham. in Linnaea, v. (1830) 559 = *Pimenta officinalis*.  
*tarentina*, Mill. Gard. Dict. ed. VIII. n. 6; Bertol. Fl. Ital. v. 120 = *communis*.  
*tenella*, Mart. ex DC. Prod. iii. 272 = *Eugenia tenella*.  
*tenuifolia*, Sm. in Trans. Linn. Soc. iii. (1797) 280.—Austral.  
*thelocarpa*, Mart. ex Berg, in Mart. Fl. Bras. xiv. i. 138 = *Myrcia torta*.  
*timorensis*, Zipp. ex Span. in Linnaea, xv. (1841) 204 = *Eugenia javanica*.  
*tinifolia*, Spreng. Syst. ii. 481 = *Eugenia cotinifolia*.  
*tomentosa*, [Soland. ex] Ait. Hort. Kew. ed. I. ii. 159 = *Rhodomyrtus tomentosa*.  
*torta*, Mart. ex DC. Prod. iii. 250, 252 = *Myrcia pallens*, *torta*.  
*Tozerii*, F. Muell. Fragm. ii. 86. t. 13 = *Rhodomyrtus psidioides*.  
*triflora*, Herb. Madr. ex Wall. Cat. n. 3623 = *Eugenia uniflora*, Linn.  
*triflora*, Jacq. Enum. Pl. Carib. 23 = *Eugenia triflora*.  
*triflora*, Spreng. Syst. ii. 482.—Reg. Argent.  
*trinervia*, Lour. Fl. Cochinch. 312 = *Eugenia dumeroutii*.  
*trinervia*, Sm. in Trans. Linn. Soc. iii. (1797) 280 = *Rhodamnia trinervia*.  
*trineura*, F. Muell. Fragm. iv. 117 = *Rhodomyrtus trineura*.  
*tripinnata*, Blanco, Fl. Filip. ed. I. 421 = *Eugenia cymosa*.

**MYRTUS:—**

- trunciflora*, Schlecht. & Cham. in Linnaea, v. (1830) 561 = *Eugenia trunciflora*.  
*tuberculata*, H. B. & K. Nov. Gen. et Sp. vi. 148 = *Eugenia tuberculata*.  
*Ugni*, Bert. in Ann. Sc. Nat. Sér. I. xxi. (1830) 347 = *Selkirkii*.  
*Ugni*, Molina, Sagg. Chile, 161.—Chili.  
*uliginosa*, Miq. in Linnaea, xxv. (1852) 652.—Chili.  
*umbellata*, Desv. in Ham. Prod. Pl. Fl. Ind. Occ. 45.—Guian.  
*umbellata*, Mart. ex DC. Prod. iii. 269 = *Eugenia micropora*.  
*umbellulifera*, H. B. & K. Nov. Gen. et Sp. vi. 135 = *Myrcia umbellulifera*.  
*umbilicata*, Cambess. in A. St. Hil. Fl. Bras. Mer. ii. 296.—Bras.  
*umbraticola*, H. B. & K. Nov. Gen. et Sp. vii. 258.—Venezuela.  
*undulata*, Spreng. Syst. ii. 482 = *Eugenia undulata*.  
*Ungui*, Steud. Nom. ed. II. ii. 179, sphalm. = *E. Ugni*.  
*vaccinioides*, H. B. & K. Nov. Gen. et Sp. vi. 130.—Peruv.  
*vaccinioides*, Panch. ex Brongn. & Gris, in Bull. Soc. Bot. Fr. xii. (1865) 176.—N. Caled.  
*Vahlhii*, Spreng. Syst. ii. 486 = *Eugenia Vahlhii*.  
*valdiviana*, Phil. in Linnaea, xxviii. (1856) 688.—Chili.  
*variabilis*, Mart. ex DC. Prod. iii. 254 = *Myrcia variabilis*.  
*variegata*, Blume, Bijdr. 1082 = *Eugenia minima*.  
*venosa*, Spreng. Syst. ii. 485 = *Eugenia venosa*.  
*venulosa*, Mart. ex DC. Prod. iii. 250 = *Myrcia venulosa*.  
*verrucosa*, Berg, in Linnaea, xxvii. (1854) 405.—Hab.?  
*verrucosula*, Mart. ex DC. Prod. iii. 285 = *Eugenia verrucosula*.  
*verticillata*, Salz. ex Berg, in Linnaea, xxvii. (1854) 331 (= *Myrciaria splendens*).—Bras.  
*verticillata*, Vell. Fl. Flum. 215; v. t. 66 = *Eugenia Riedeliana*.  
*vestita*, Mart. ex DC. Prod. iii. 248 = *Myrcia vestita*.  
*vestita*, Spreng. Syst. iv. Cur. Post. 193.—Bras.  
*vetula*, Mart. ex DC. Prod. iii. 271 = *Eugenia vetula*.  
*Vieillardii*, Brongn. & Gris, in Bull. Soc. Bot. Fr. xii. (1865) 177.—N. Caled.  
*villosa*, Spreng. Syst. ii. 487 = *Monimia rotundifolia*.  
*violacea*, Spreng. l. c. 488 = *Eugenia violacea*.  
*virgata*, Mor. ex Berg, in Linnaea, xxvii. (1854) 391 = *myricoides*.  
*virgultosa*, Mart. ex DC. Prod. iii. 250 = *Myrcia ramulosa*.  
*virgultosa*, Sw. Prod. Veg. Ind. Occ. 79 = *Eugenia virgultosa*.  
*viridis*, Vell. Fl. Flum. 217; v. t. 74 = *Eugenia viridis*.  
*Vulcani*, Korth. in Nederl. Kruidk. Arch. i. (1848) 197 (= *Decaspermii* sp.?).—Sumatra.  
*Willdenowii*, Spreng. Syst. ii. 480 = *Eugenia portoricensis*, *uniflora*, Linn.  
*xalapensis*, H. B. & K. Nov. Gen. et Sp. vi. 145 = *Eugenia xalapensis*.  
*xylopioides*, H. B. & K. l. c. vii. 257. t. 657 = *Myrcia xylopioides*.  
*Zeyheri*, Harv. Gen. S. Afr. Pl. 99 = *Eugenia Zeyheri*.  
*zeylanica*, Linn. Sp. Pl. 472 = *Eugenia zeylanica*.  
*Zuzygium*, Linn. Syst. ed. X. 1056 = *Calyptanthus Zuzygium*.
- MYSCOLUS**, Cass. in Bull. Soc. Philom. (1818) 33 = **Scolymus**, Tourn. (Compos.).  
*grandiflorus*, D. Dietr. Syn. Pl. iv. 1333 = *S. grandiflorus*.  
*hispanicus*, D. Dietr. l. c. = *S. hispanicus*.  
*megacephalus*, Cass. in Dict. Sc. Nat. xxxiv. 84 = *S. grandiflorus*.  
*microcephalus*, Cass. l. c. 85 = *S. hispanicus*.
- MYSCARPUS**, Webb, in Hook. Niger Fl. 122 (1849) lapsu = **Alyscarpus**, Neck. (Legumin.).
- MYSTOTIS**, Hill, Veg. Syst. vii. 55 (1764), sphalm. = **Myosotis**, Rupp. (Borag.).

- MYSTACIDIUM**, Lindl. in Hook. Comp. Bot. Mag. ii. (1836) 205. **ORCHIDEAE**, Benth. & Hook. f. iii. 584.  
**ÆRANTHUS**, Reichb. f. in Walp. Ann. vi. 899 (1861).  
**GUSSONEA**, A. Rich. in Mém. Soc. Hist. Nat. Par. iv. 67 (1828).  
**GUSSONIA**, Spreng. Gen. ii. 664 (1831).  
**MICROCOELIA**, Lindl. Gen. et Sp. Orch. 60 (1830).  
*caulescens*, Ridl. in Journ. Linn. Soc. xxi. (1885) 488.—Madag.  
*flicorne*, Lindl. in Hook. Comp. Bot. Mag. ii. (1836) 206.—Afr. austr.  
*gracile*, Harv. Thes. Cap. ii. 48.—Afr. austr.  
*graminifolium*, Ridl. in Journ. Linn. Soc. xxi. (1885) 490.—Madag.  
*inapertum*, Ridl. l. c. 489.—Madag.  
*ochraceum*, Ridl. l. c. 488.—Madag.  
*pusillum*, Harv. Thes. Cap. ii. 47.—Afr. austr.  
*tenellum*, Ridl. in Journ. Linn. Soc. xxi. (1885) 489.—Madag.  
*zeylanicum*, Trimen, Cat. Pl. Ceyl. 90.—Zeylan.

- MYSTACINUS**, Rafin. Sylva Tellur. 30 (1838) = **Helinus**, E. Mey. (1840) (Rhamn.).  
*cirriferus*, Rafin. l. c. = *H. Mystacinus*.

- MYSTROPETALON**, Harv. Gen. S. Afr. Pl. 418 (1838); et in Ann. Nat. Hist. Ser. I. ii. (1839) 385. t. 19, 20. **BALANOPHOREAE**, Benth. & Hook. f. iii. 234.  
**BLEPHAROCHLAMYS**, Presl, Epim. Bot. 245 (1850).  
*Polemanni*, Harv. Gen. S. Afr. Pl. 418.—Afr. austr.  
*Thomii*, Harv. l. c. 419.—Afr. austr.

- MYSTROXYLON**, Eckl. & Zeyh. Enum. 125 (1835) = **Elaeodendron**, Jacq. (Tiliac.).  
*athranthum*, Eckl. & Zeyh. l. c. 126 = *E. athranthum*.  
*Burkeanum*, Sond. in Harv. & Sond. Fl. Cap. i. 470.—Afr. austr.  
*confertiflorum*, Tul. in Ann. Sc. Nat. Sér. IV. viii. (1857) 106 = *E. athranthum*.  
*eucleaeforme*, Eckl. & Zeyh. Enum. 125.—Afr. austr.  
*filiforme*, Eckl. & Zeyh. l. c.—Afr. austr.  
*Kuba*, Eckl. & Zeyh. l. c. 127.—Afr. austr.  
*macrocarpum*, Sond. in Harv. & Sond. Fl. Cap. i. 471.—Afr. austr.  
*oligocarpum*, Eckl. & Zeyh. Enum. 125.—Afr. austr.  
*pubescens*, Eckl. & Zeyh. l. c. 126.—Afr. austr.  
*reticulatum*, D. Dietr. Syn. Pl. i. 817.—Afr. austr.  
*sessiliflorum*, Eckl. & Zeyh. Enum. 126.—Afr. austr.  
*sphaerophyllum*, Eckl. & Zeyh. l. c. = *E. sphaerophyllum*.  
*spilocarpum*, Eckl. & Zeyh. l. c.—Afr. austr.

- MYSTYLLUS**, Presl, ex Ann. Sc. Nat. Sér. II. i. (1834) 365 = **MISTYLLUS**, Presl = **Trifolium**, Tourn. (Legumin.).

- MYTILICOCCUS**, Zoll. in Tijdschr. Nederl. Ind. xiv. (1857) 173 = **Lunasia**, Blanco (Rutac.).  
*costulatus*, Miq. Fl. Ind. Bat. i. ii. 388 = *L. amara*.  
*grandifolius*, Miq. l. c. = *L. amara*.  
*quercifolium*, Zoll. in Tijdschr. Nederl. Ind. xiv. (1857) 173 = *L. amara*.

- MYXOPYRUM**, Blume, Bijdr. 683 (1825). **OLEACEAE**, Benth. & Hook. f. ii. 680.  
**CHRONDROSPERMUM**, Wall. Cat. n. 2837 (1832).  
*coriaceum*, Blume, Mus. Bot. Lugd. Bat. i. 320.—Borneo.  
*nervosum*, Blume, Bijdr. 683.—Malaya.  
*smilacifolium*, Blume, Mus. Bot. Lugd. Bat. i. 320.—Ind. or.; Malaya.

- MYXOSPERMUM**, M. Roem. Syn. Hesper. 40 (1846) = **Glycosmis**, Correa (Rutac.).  
*chylocarpum*, M. Roem. l. c. = *G. pentaphylla*.

- MYZODENDRON**, [Banks] Soland. ex Forst. in Comm. Gotting. ix. (1789) 45 (*Myzodendrum*). **SANTALACEAE**, Benth. & Hook. f. iii. 229.  
*angulatum*, Phil. in Anal. Univ. Chil. (1865) ii. 315.—Chili.  
*brachystachyum*, DC. Coll. Mém. vi. t. 12. f. 1.—Reg. Magellan.  
*imbricatum*, Poepp. & Endl. Nov. Gen. et Sp. i. t. 8.—Chili.



**MYZODENDRON** :—

- lineare*, Poepp. & Endl. Nov. Gen. et Sp. i. 1. t. 1 = linearifolium.  
 linearifolium, *DC. Prod.* iv. 671.—Chili.  
 macrolepis, *Phil. in Anal. Univ. Chil.* (1865) II. 316.—Chili.  
*microphyllum*, Hook. & Arn. in Hook. Bot. Misc. iii. (1833) 357 = linearifolium.  
 oblongifolium, *DC. Prod.* iv. 671.—Chili.  
*planifolium*, Banks & Soland. ex Hook. f. Fl. Antarct. 297 = brachystachyum.  
 punctulatum, [Banks] *Soland. ex Forst. f. in Comm. Gotting.* ix. (1789) 45, nomen; et ex *DC. Prod.* iv. 286.—Reg. Magellan.  
 quadriflorum, *DC. Coll. Mém.* vi. t. 12. f. 2.—Reg. Magellan.

MYZODENDRUM, Soland. ex Forst. f. in Comm. Gotting. ix. (1789) 45 = praec.

MYZORRHIZA, Phil. in Linnaea, xxix. (1857–58) 36 = *Aphyllon*, Mitch. (Orobanch.).  
*chilensis*, Phil. l. c.—Chili.

## N

- NABALUS, Cass. in Dict. Sc. Nat. xxxiv. 94 (1825) = *Prenanthes*, Vaill. (Compos.).  
*acerifolius*, Maxim. in Bull. Acad. Pétersb. xv. (1871) 376.—Japon.  
*alatus*, Hook. Fl. Bor. Am. i. 294. t. 102 = *P. alata*.  
*albus*, Hook. l. c. 294 = *P. alba*.  
*altissimus*, Hook. l. c. 294 = *P. altissima*.  
*asper*, Torr. & Gray, Fl. N. Am. ii. 483 = *P. aspera*.  
*Boottii*, DC. Prod. vii. 241 = *P. Boottii*.  
*cordatus*, Hook. Fl. Bor. Am. i. 294 = *P. altissima*.  
*crepidineus*, DC. Prod. ii. 242 = *P. crepidinea*.  
*deltoideus*, DC. l. c. = *P. altissima*.  
*Fraseri*, DC. l. c. 241 = *P. serpentaria*.  
*glaucus*, DC. l. c. = *P. glauca*.  
*illinoënsis*, DC. l. c. 242 = *P. aspera*.  
*integrifolius*, Cass. in Dict. Sc. Nat. xxxiv. 96 = *P. serpentaria*, *alba*.  
*nanus*, DC. Prod. vii. 241 = *P. serpentaria*.  
*nipponicus*, Franch. & Sav. Enum. Pl. Jap. ii. 420.—Japon.  
*ochroleucus*, Maxim. in Bull. Acad. Pétersb. xv. (1871) 376.—Manchuria.  
*quercifolius*, Bertol. Misc. Bot. iv. 11.—Am. bor.  
*racemosus*, Hook. Fl. Bor. Am. i. 294 = *P. racemosa*.  
*repens*, Ledeb. Fl. Ross. ii. 840 = *Lactuca repens*.  
*roanensis*, Chickering, in Coult. Bot. Gaz. v. (1880) 155 = *P. serpentaria*.  
*serpentarius*, Hook. Fl. Bor. Am. i. 294 = *P. serpentaria*.  
*suavis*, DC. Prod. vii. 241 = *P. alba*.  
*trifoliatus*, Cass. in Dict. Sc. Nat. xxxiv. 95 = *P. alba*.  
*trilobatus*, Cass. l. c. = *P. serpentaria*.  
*virgata*, DC. Prod. vii. 242 = *P. virgata*.

NABEA, Lehm. Ind. Sem. Hort. Hamb. (1831); ex Klotzsch, in Linnaea, viii. (1833) 666 = *Macnabia*, Benth. (Ericac.).  
*montana*, Lehm. l. c. = *M. montana*.

NABLONIUM, Cass. in Dict. Sc. Nat. xxxiv. 101 (1825). *COMPOSITAE*, Benth. & Hook. f. ii. 341.  
*calyceroides*, Cass. l. c.—Austral.

NACIBAEA, Poir. Encyc. Suppl. iv. 55 (1816) = seq.

NACIBEA, Aubl. Pl. Gui. i. 95. t. 37 = *Manettia*, Mutis (Rubiace.).  
*acutiflora*, Poir. Encyc. Suppl. iv. 55 = *M. acutifolia*.  
*alba*, Aubl. Pl. Gui. i. 96. t. 37. f. 1 = *M. Lygistum*.  
*angustifolia*, Vahl, ex DC. Prod. iv. 364 = *M. secundiflora*.  
*coccinea*, Aubl. Pl. Gui. i. 96 = *M. Lygistum*.

**NACIBEA** :—

- glabra*, Gaertn. f. Fruct. iii. 102. t. 197. f. 5 = *Manettia* Gaertneri.  
*mutabilis*, Poir. Encyc. Suppl. iv. 55 = *M. racemosa*.  
*racemosa*, Poir. in Dict. Sc. Nat. xxxiv. 110 = *M. racemosa*.  
*reclinata*, Poir. in Lam. Encyc. iv. 416 = *M. reclinata*.  
*umbellata*, Poir. Encyc. Suppl. iv. 55 = *M. umbellata*.  
*uniflora*, Poir. in Dict. Sc. Nat. xxxiv. 110 = *M. uniflora*.

NAEGELIA, Lindl. Veg. Kingd. 560 (1847) = *Cotoneaster*, Medic. (Rosac.).

NAEGELIA, Regel, in Flora, xxxi. (1848) 249. *GESNERACEAE*, Benth. & Hook. f. ii. 999.  
*amabilis*, Decne. in Fl. des Serres, xvi. (1865) 115 = multiflora.  
*cinnabarina*, Linden, Suppl. Cat. Pl. Exot. Jard. Brux. (1856), cum fig.; ex Hook. Bot. Mag. t. 5036.—Mexico.  
*fulgida*, *Origies*, in Regel, Gartenfl. (1867) 97.—Mexico.  
*Geroltiana*, Regel, in Flora, xxxi. (1848) 249.—Mexico.  
*hyacinthina* ×, Carr. in Rev. Hortic. (1877) 29.  
*multiflora*, Hook. Bot. Mag. t. 5083.—Mexico.  
*punctata*, Hemsl. Biol. Centr. Am. Bot. ii. 476.—Mexico.  
*secunda*, Oerst. ex Hanst. in Linnaea, xxix. (1857–58) 510.—Mexico.  
*zebrina*, Regel, in Flora, xxxi. (1848) 249.—Mexico.

NAEGELIA, Zoll. & Mor. Syst. Verz. Zoll. 20 (1845–46) = *Gouania*, Linn. (Rhamn.).  
*dubia*, Zoll. & Mor. l. c. = *G. leptostachya*.  
*tomentosa*, Hassk. in Flora, xxxv. (1852) 114 = *G. javanica*.

NAEMATOSPERMUM, Steud. Nom. ed. II. ii. 180 (1841) = *NEMATOSPERMUM*, Rich. = *Lacistema*, Sw.

NAGASSARI, Adans. Fam. ii. 449 (1763) = seq.

NAGATAMPO, Adans. Fam. ii. 444 (1763) = *Mesua*, Linn. (Guttif.).

NAGEIA, Gaertn. Fruct. i. 191 (1788), partim = *Myrica*, Linn.  
*arabica*, Willd. Sp. Pl. iv. 749 = *M. arabica*.  
*japonica*, Gaertn. Fruct. i. 191. t. 39 = *M. Nagi*.

NAGEIA, Gaertn. Fruct. i. 191. t. 39 (1788) partim = *Podocarpus*, L'Hérit. (Conif.).  
*alpina*, F. Muell. in Papers Roy. Soc. Tasm. (1879) 23 = *P. alpina*.  
*amara*, F. Muell. Sel. Pl. Indust. Cult. 138 = *P. amara*.  
*andina*, F. Muell. l. c. = *P. andina*.  
*Blumei*, Gord. Pinet. 135 = *P. Blumei*.  
*bracteata*, F. Muell. Sel. Pl. Indust. Cult. 138 = *P. macrophylla*.  
*chilina*, F. Muell. l. c. = *P. chilina*.  
*coriacea*, F. Muell. l. c. = *P. coriacea*.  
*cupressina*, F. Muell. Phyt. New Hebr. 20 = *P. cupressina*.  
*cuspidata*, Gord. Pinet. 136 = *P. cuspidata*.  
*dacrydioides*, F. Muell. Sel. Pl. Indust. Cult. 138 = *P. dacrydioides*.  
*Drouyniana*, F. Muell. Census, 109 = *P. Drouyniana*.  
*elata*, F. Muell. Sel. Pl. Indust. Cult. 138 = *P. elata*.  
*elongata*, F. Muell. l. c. = *P. elongata*.  
*falcata*, Carr. in Rev. Hortic. (1869) 370 = *P. falcata*.  
*ferruginea*, F. Muell. Sel. Pl. Indust. Cult. 139 = *P. ferruginea*.  
*grandifolia*, Gord. Pinet. 137 = *P. grandifolia*.  
*Lamberti*, F. Muell. Sel. Pl. Indust. Cult. 139 = *P. Lamberti*.  
*latifolia*, Gord. Pinet. 138 = *P. latifolia*?  
*macrophylla*, F. Muell. Ausw. Aussettrop. Pfl. 245 = *P. macrophylla*.  
*minor*, Carr. Conif. ed. II. 641 = *P. minor*.  
*nubigena*, F. Muell. Sel. Pl. Indust. Cult. 139 = *P. nubigena*.  
*ovata*, Gord. Pinet. Suppl. 42 = *P. ovata*.  
*Purdieana*, F. Muell. Sel. Pl. Indust. Cult. 139 = *P. Purdieana*.  
*Rumphii*, F. Muell. Papuan Pl. 92 = *P. Rumphii*.  
*spicata*, F. Muell. Sel. Pl. Indust. Cult. 139 = *P. spicata*.

**NAGEIA** :—

- spinulosa*, F. Muell. Census, 109 = *P. spinulosa*.  
*Thunbergii*, F. Muell. Sel. Pl. Indust. Cult. 139 = *P. Thunbergii*.  
*Totara*, F. Muell. l. c. = *P. Totara*.

NAGEIA, Roxb. Hort. Beng. 71 (1814); Fl. Ind. iii. 766 (1832) = *Putranjiva*, Wall. (Euphorb.).  
*Putranjiva*, Roxb. Il. cc. 71; 766 = *P. Roxburghii*.

NAGELIA, Lindl. in Bot. Reg. (1845) Misc. 40 = *Cotoneaster*, Medic. (Rosac.).  
*denticulata*, Lindl. l. c. = *C. denticulata*.

NAGHAS, Mirb. ex Steud. Nom. ed. II. ii. 180 (1841) = *Mesua*, Linn. (Guttif.).

NAHUSIA, Schneev. Ic. 21 (1793) = *Fuchsia*, Linn. (Onagr.).  
*coccinea*, Schneev. l. c. = *F. coccinea*.

NAIAS, Juss. Gen. 19 (1789) = seq.

NAJAS, Linn. Syst. ed. I (1735). *NAIADACEAE*, Benth. & Hook. f. iii. 1018.

CAULINIA, Willd. in Mém. Acad. Sc. Berl. 87 (1798).  
 FLUVIALIS, Mich. ex Adans. Fam. ii. 472 (1763).  
 ITTNERA, C. C. Gmel. Fl. Bad. iii. t. 4 (1808).  
*alagnensis*, Masé, ex Nym. Consp. 685 = *fragilis*.  
*alagnensis*, Pollini, Fl. Veron. iii. 49 = *graminea*.  
*ancistrocarpa*, A. Br. ex Magnus, Beitr. Najas, p. vii.—Japon.  
*arguta*, H. B. & K. Nov. Gen. et Sp. i. 371.—Am. austr.  
*australis*, Bory, ex Cham. in Linnaea, iv. (1829) 501 = *minor*.  
*canadensis*, Michx. Fl. Am. Bor. ii. 220 = *flexilis*.  
*conferta*, A. Br. in Sitzb. Ges. Naturf. Fr. Berl. (1868) 17.—Hab.?  
*dichotoma*, Roxb. Hort. Beng. 71; Fl. Ind. iii. 749 = *minor*.  
*falciculata*, A. Br. in Journ. Bot. ii. (1864) 278.—Ind. or.; Ins. Philipp.  
*flexilis*, Rostk. & Schmidt, Fl. Sedin. 382.—Europ.; Aegypt.  
*fluvialis*, Poir. in Lam. Encyc. iv. 416 = *major*.  
*foveolata*, A. Br. ex Magnus, Beitr. Najas, p. vii.—Java.  
*fragilis*, Delile, Fl. Aeg. Illustr. 75.—Aegypt.  
*fragilis*, Rostk. & Schmidt, Fl. Sedin. 382 = *minor*.  
*fucoides*, Griff. Notul. iii. 182 = *major*.  
*gracillima*, A. Br. ex Magnus, Beitr. Najas, 23 = *minor*.  
*graminea*, Delile, Fl. Egypt. 282.—Geront. temp. & trop.  
*guadalupensis*, Magnus, Beitr. Najas, p. viii.—Ind. occ.  
*heteromorpha*, Griff. ex Voigt, Hort. Suburb. Calc. 694, nomen.—Ind. or.  
*horrida*, A. Br. ex Magnus, Beitr. Najas, 46 (= *Caulinia pectinata*).—Italia.  
*indica*, Cham. in Linnaea, iv. (1829) 501 = *minor*.  
*intermedia*, Gorski, in Eichw. Skizze, 126 = *major*.  
*latifolia*, A. Br. in Journ. Bot. ii. (1864) 276.—Venezuela.  
*Leichhardtii*, Magnus, Beitr. Najas, 50.—Austral.  
*lobata*, Blanco, Fl. Filip. ed. II. 459 = *minor*.  
*major*, All. Fl. Pedem. ii. 221.—Geront. temp. et trop.  
*marina*, Linn. Sp. Pl. 1015 = *major*, *minor*.  
*maritima*, Pall. Reise, i. 369 = *major*.  
*microdon*, A. Br. in Sitzb. Ges. Naturf. Fr. Berl. 1868 17 = *guadalupensis*.  
*microphylla*, Reichb. Fl. Germ. Excurs. 848 = *graminea*, *minor*.  
*minor*, All. Fl. Pedem. ii. 221.—Geront. temp. et trop.  
*monosperma*, Willd. Sp. Pl. iv. 331 = *major*.  
*muricata*, Delile, Fl. Egypt. 281.—Aegypt.  
*muricata*, Thuill. Fl. Par. ed. II. 509 = *major*.  
*obvoluta*, Blanco, Fl. Filip. ed. II. 460.—Ins. Philipp.  
*palustris*, Blanco, l. c. ed. I. 660 = *tenuifolia*.  
*podostemon*, Magnus, Beitr. Najas, p. vii.—Bras.  
*rigida*, Griff. Notul. iii. 181 (sp. dub.).—Ind. or.  
*seminuda*, Griff. l. c. 184 = *graminea*.  
*serristipula*, Maxim. in Bull. Acad. Pétersb. xii. (1868) 72.—Japon.  
*serristipula*, Nozza & Balb. Fl. Ticin. t. 15 = *graminea*.  
*spinosa*, Buch.-Ham. in Wall. Cat. n. 5182 = *major*.  
*subulata*, Thuill. Fl. Par. ed. II. 500 = *minor*.



**NAJAS** :—

*tenera*, Schrad. in Goett. Gel. Anz. i. (1821) 715.—Bras.  
*tenuifolia*, Aschers. in Att. Soc. Ital. Sc. Nat. Milan.  
 x. (1867) 267, 268 = graminea.  
*tenuifolia*, R. Br. Prod. 345.—Austral.  
*tenuis*, A. Br. ex Magnus, Beitr. Najas, p. vii. (sp.  
 dub.).—Ind. or.  
*ternata*, Roxb. ex Griff. Notul. iii. 183; Pl. As. t. 252  
 = minor.  
*tetrasperma*, Willd. Sp. Pl. iv. 331 = major.  
*Wrightiana*, A. Br. in Sitzb. Ges. Naturf. Fr. Berl.  
 (1868) 17.—Ind. occ.

NALAGU, Adans. Fam. ii. 445 (1763) = **Aralia**, Linn.

**NAMA**, Linn. Diss. Dass. ii. (1747); Amoen. Acad.  
 i. 394 (1749). **HYDROPHYLLACEAE**, Benth. &  
 Hook. f. ii. 831.

*Berlandieri*, A. Gray, in Proc. Am. Acad. viii. (1870)  
 282 = undulatum.

*biflorum*, Choisy, in DC. Prod. x. 183.—Mexic.  
*convolvuloides*, Willd. ex Schult. Syst. vi. 189 =  
*Evolvulus alsinoides*.

*Coulteri*, A. Gray, in Proc. Am. Acad. viii. (1870)  
 283.—Am. bor. occ.

*demissum*, A. Gray, l. c.—Am. bor. occ.

*depressum*, Lemmon, ex A. Gray, l. c. xx. (1885) 304.—  
 Calif.

*dichotomum*, Choisy, in DC. Prod. x. 182.—Peruv.;  
 Mexic.

*echioides*, Griseb. in Goett. Abh. xix. (1874) 230 =  
 = undulatum.

*erectum*, Roxb. Hort. Beng. 84, nomen.—Ind. or.  
*evolvuloides*, Willd. ex Choisy, in DC. Prod. ix. 447 =  
*Evolvulus alsinoides*.

*Havardi*, A. Gray, in Proc. Am. Acad. xx. (1885) 304.  
 —Texas.

*hirsutum*, Mart. & Gal. in Bull. Acad. Brux. xii. II.  
 (1845) 277.—Mexic.

*hispidum*, A. Gray, in Proc. Am. Acad. v. (1861) 339.  
 —Texas; Mexic.

*jamaicense*, Linn. Syst. ed. X. 950.—Ind. occ.

*latifolium*, A. Gray, in Proc. Am. Acad. viii. (1870)  
 284.—Mexic.

*Lobbii*, A. Gray, l. c. vi. (1864) 37.—Am. bor. occ.

*longiflorum*, Choisy, in Mém. Soc. Phys. Genève. vi.  
 (1833) 114 = sericeum.

*origanifolium*, H. B. & K. Nov. Gen. et Sp. iii. 130.  
 t. 218.—Am. bor. occ.; Mexic.

*Palmeri*, A. Gray, ex Hemsl. Biol. Centr. Am. Bot. ii.  
 361.—Mexic.

*Parryi*, A. Gray, in Bot. Calif. i. 621.—Am. bor. occ.

*pusillum*, Lemmon, ex A. Gray, in Proc. Am. Acad.  
 xx. (1885) 304.—Calif.

*racemosum*, Kellogg, in Proc. Calif. Acad. v. (1873)  
 51 = *Phacelia namatoides*.

*Rothrockii*, A. Gray, in Bot. Calif. i. 621.—Calif.

*rupicolum*, Bonpl. ex Choisy, in Mém. Soc. Phys.  
 Genève. vi. (1833) 114.—Mexic.; Peruv.

*sandwicense*, A. Gray, in Proc. Am. Acad. v. (1861–62)  
 338.—Ins. Sandvic.

*Schaffneri*, A. Gray, ex Hemsl. Biol. Centr. Am. Bot.  
 ii. 361.—Mexic.

*sericeum*, Willd. ex Schult. Syst. vi. 189.—Mexic.

*serpylloides*, A. Gray, ex Hemsl. Biol. Centr. Am. Bot.  
 ii. 363.—Mexic.

*stenocarpum*, A. Gray, in Proc. Am. Acad. x. (1875)  
 331.—Calif.

*stenophyllum*, A. Gray, ex Hemsl. Biol. Centr. Am.  
 Bot. ii. 361.—Mexic.; Texas.

*strictum*, Phil. Fl. Atac. 37.—Chili.

*subincanum*, Willd. ex Schult. Syst. vi. 189 = *origani-*  
*folium*.

*subpetiolare*, A. Gray, ex Hemsl. Biol. Centr. Am.  
 Bot. ii. 365.—Mexic.

*systylum*, A. Gray, in Proc. Am. Acad. v. (1861) 37.—  
 Calif.

*tetrandrum*, Pav. ex Steud. Nom. ed. II. ii. 180 =  
 dichotomum.

*undulatum*, A. Gray, in Proc. Am. Acad. viii. (1870)  
 282 = *stenocarpum*.

*undulatum*, H. B. & K. Nov. Gen. et Sp. iii. 130.—  
 Mexic.

*zeylanicum*, Linn. Sp. Pl. 226 = *Hydrolea zeylanica*.

**NANANTHEA**, DC. Prod. vi. 45 (1837). **COM-**  
**POSITAE**, Benth. & Hook. f. ii. 428.

*perpusilla*, DC. l. c.—Corsica; Sardin.

**NANDINA**, Thunb. Nov. Gen. i. 14 (1781). **BER-**  
**BERIDEAE**, Benth. & Hook. f. i. 44.

*domestica*, Thunb. l. c.; Fl. Jap. 147.—Japon.;  
 China.

*Tsermonanten*, Hassk. Cat. Hort. Bog. Alt. 180 (= *prae-*  
*prae*?).—Japon.

NANGHA, Zipp. ex Mackl. in Bijdr. Nat. Wet. v. (1830)  
 178, nomen = **Artocarpus**?, Forst. (Urtic.).

*amplifolia*, Zipp. l. c. = *A. integrifolia*?

NANI, Adans. Fam. ii. 88 (1763) = seq.

NANIA, Miq. Fl. Ind. Bat. i. 1. 399 (1855) = **Metro-**  
**sideros**, Banks (Myrtac.).

*vera*, Miq. l. c. 400.—Ins. Amboina.

**NANNOGLOTTIS**, Maxim. in Bull. Acad. Pétersb.  
 xxvii. (1881) 480. **COMPOSITAE**.

*carpesioides*, Maxim. l. c. 481.—China.

**NANNORRHOPS**, H. Wendl. in Bot. Zeit. xxxvii.  
 (1879) 147. **PALMAE**, Benth. & Hook. f. iii. 923.

*Ritchieana*, H. Wendl. l. c. 148.—Ind. bor. occ.

**NANOCNIDE**, Blume, Mus. Bot. Lugd. Bat. ii.  
 154. t. 17. 1855 (1856). **URTICACEAE**, Benth. &  
 Hook. f. iii. 381.

*japonica*, Blume, l. c. 155. t. 17.—Japon.; Corea.

*lobata*, Wedd. in DC. Prod. xvi. 69.—Ins. Loochoo.

**NANODEA**, Banks, ex Gaertn. f. Fruct. iii. 251.  
 t. 225 (1805). **SANTALACEAE**, Benth. & Hook. f.  
 iii. 226.

*muscosa*, Gaertn. f. l. c.—Reg. Magellan.

NANODES, Lindl. Bot. Reg. t. 1541 (1832) = **Epiden-**  
**drum**, Linn. (Orchid.).

*discolor*, Lindl. l. c.—Bras.

*Medusae*, Reichb. f. in Fl. des Serres, xvii. (1867–68)  
 78.—Am. trop.

**NANOLIRION**, Benth. in Benth. & Hook. f. Gen.  
 iii. 793 (1883). **LILIACEAE**, Benth. & Hook. f. l. c.

*capense*, Benth. l. c.—Afr. austr.

NANOPETALUM, Hassk. in Versl. Kon. Akad.  
 Wetensch. iv. (1855) 140 = **Cleistanthus**, Benth.

(Euphorb.).

*myrianthum*, Hassk. l. c. 141 = *C. myrianthum*.

**NANOPHYTON**, Less. in Linnaea, ix. (1834) 197.  
**CHENOPODIACEAE**, Benth. & Hook. f. iii. 73.

*caspicum*, Less. l. c.—Reg. Casp.

*erinaceum*, Bunge, Anab. Rev. 51 = *caspicum*.

*juniperinum*, C. A. Mey. in Bull. Phys-Math. Acad.  
 Pétersb. ii. (1844) 133 = *caspicum*.

*macranthum*, Fisch. & Mey. l. c. 134 = *caspicum*.

NANOPHYTUM, Endl. Gen. 299 (1837) = **Nanophyton**,  
 Less. (Chenop.).

**NANOTHAMNUS**, T. Thoms. in Journ. Linn.  
 Soc. ix. (1867) 342. t. 3. **COMPOSITAE**, Benth. &  
 Hook. f. ii. 293.

*sericeus*, T. Thoms. l. c.—Ind. or.

NANSIATUM, Miq. Fl. Ind. Bat. i. II. 797 (1855),  
 sphalm. = **Natsiatum**, Buch.-Ham. (Olcac.).

**NAPAEA**, Linn. Syst. ed. VI. Add. (1748). **MAL-**  
**VACEAE**, Benth. & Hook. f. i. 201.

**SCHIZOICA**, Alef. in Oestr. Bot. Zeitschr. xii. (1862)  
 249.

*crispa*, Moench, Meth. Suppl. 207 = *Abutilon crispum*.

*dioecia*, Hill, Veg. Syst. xv. 50 = seq.

*dioica*, Linn. Sp. Pl. 686.—Am. bor.

*discolor*, Alef. in Bot. Zeit. xxv. (1867) 220 = *Plagian-*  
*thus sidoides*.

*divaricata*, Alef. l. c. = *Plagianthus divaricatus*.

*hermaphrodita*, Linn. Sp. Pl. 686 = *dioica*.

*incurva*, Moench, Meth. Suppl. 206 = *Abutilon hirtum*.

*laevis*, Linn. Mant. ii. 435 = *dioica*.

*latifolia*, Blanco, Fl. Filip. ed. II. 387 = *Malachra*  
*capitata*.

**NAPAEA** :—

*lobata*, Moench, Meth. 621 = *dioica*.

*palmata*, Moench, l. c. = *dioica*.

*pulchella*, Alef. in Bot. Zeit. xxv. (1867) 220 = *Plagi-*  
*anthus pulchellus*.

*rhombofolia*, Moench, Meth. 621 = *Sida rhombifolia*.

*scabra*, Blanco, Fl. Filip. ed. I. 553 = *Malachra*  
*horrida*.

*scabra*, Linn. Mant. ii. 435 = *dioica*.

NAPEA, Crantz, Inst. i. 200 (1766) = *prae*c.

**NAPEANTHUS**, Gardn. in Hook. Lond. Journ.  
 ii. (1843) 13. **GESNERACEAE**, Benth. & Hook. f.  
 ii. 1018.

**MARSSONIA**, Karst. Fl. Columb. i. 97. t. 48  
 (1859?).

*brasiliensis*, Gardn. in Hook. Lond. Journ. ii. (1843)  
 13.—Bras.

*primulinus*, Benth. & Hook. f. Gen. ii. 1018.—N.  
 Granat.

*subacaulis*, Benth. & Hook. f. l. c.—Ins. Trinit.

NAPELLUS, Rupp. Fl. Jen. ed. Hall. 275 (1745) =  
**Aconitum**, Linn. (Ranunc.).

*vulgaris*, Fourr. in Ann. Soc. Linn. Lyon, N. S. xvi.  
 (1868) 327 = *A. Napellus*.

NAPIMOGA, Aubl. Pl. Gui. i. 592 (1775) = **Homalium**,  
 Jacq. (Samyd.).

*guianensis*, Aubl. l. c. = *H. Napimoga*.

NAPOEA, Hill, Veg. Syst. xv. 50 (1769) = **Napaea**,  
 Linn. (Malv.).

**NAPOLEONA**, Beauv. Fl. Owar. ii. 29. t. 7 (1805).  
**MYRTACEAE**, Benth. & Hook. f. i. 723.

*BELVISIA*, Desv. Journ. Bot. iv. (1814) 180.

*angolensis*, Welw. Apont. 586. n. 25.—Afr. trop.

*cuspidata*, Miers, in Trans. Linn. Soc. Ser. II. i. (1875)  
 10 = *imperialis*.

*Heudelotii*, A. Fuss. in Ann. Sc. Nat. Sér. III. ii.  
 (1844) 227.—Afr. trop.

*imperialis*, Beauv. Fl. Owar. ii. 32. t. 78.—Afr. trop.

*imperialis*, Hook. Bot. Mag. t. 4387 = *Whitfieldii*.

*Mannii*, Miers, in Trans. Linn. Soc. Ser. II. i. (1875)  
 11 = *imperialis*.

*Vogelii*, Hook. & Planch. in Hook. Ic. Pl. t. 799–800  
 = *imperialis*.

*Whitfieldii*, Decne. in Rev. Hort. (1853) 301. t. 16  
 = *imperialis*.

*Whitfieldii*, Van Houtte, ex Lem. in Fl. des Serres, i.  
 (1843) 2.—Afr. trop.

NAPUS, [Tourn.] Schimp. & Spenn. in Spenn. Fl.  
 Friburg. iii. 939 (1829) = **Brassica**, Linn. (Crucif.).

*Agriasinapis*, Schimp. & Spenn. l. c. 944 = *B. Sinapis*.

*campestris*, Schimp. & Spenn. l. c. 941, in obs. =  
*B. campestris*.

*Leucosinapis*, Schimp. & Spenn. l. c. 943 = *B. alba*.

*oleifera*, Schimp. & Spenn. l. c. 940 = *B. campestris*.

*oleracea*, Schimp. & Spenn. l. c. 939 = *B. oleracea*.

*Rapa*, Schimp. & Spenn. l. c. 941 = *B. campestris*.

*Villarsii*, Schimp. & Spenn. l. c. 942 = *B. Cheiranthus*.

NARAVEL, Adans. Fam. ii. 460 (1763) = seq.

**NARAVELIA**, DC. Syst. i. 167 (1818). **RANUN-**  
**CULACEAE**, Benth. & Hook. f. i. 4.

*dasyoneura*, Korth. in Nederl. Kruidk. Arch. i. (1848)  
 208.—Borneo.

*Finlaysoniana*, Wall. Cat. n. 4686 = *laurifolia*.

*laurifolia*, Wall. l. c. n. 4685.—Malaya.

*pilulifera*, Hance, in Journ. Bot. vi. (1868) 111 =  
*zeylanica*.

*zeylanica*, DC. Syst. i. 167.—Ind. or.; Malaya.

NARBALIA, Rafn. New Fl. Am. iv. 84 (1838) = **Pre-**  
**nanthes**, Vaill. (Compos.).

*latifolia*, Rafn. l. c. = *P. Serpentaria*?

NARCISSOIDES, Heist. Syst. 5 (1748) (Quid?).

NARCISSOS, St. Lag. in Ann. Soc. Bot. Lyon, vii.  
 (1880) 130 = **Narcissus**, Tourn. (Amaryll.).

NARCISSULUS, Heist. Syst. 5 (1748) (Quid?).



**NARCISSUS**, [Tourn.] Linn. Syst. ed. I (1735).  
*AMARYLLIDAE*, Benth. & Hook. f. iii. 718.  
 AJAX, CORBULARIA, GANYMEDES, HERMIONE,  
 PHILOGYNE, QUELTIA, Salisb. in Trans. Hort. Soc.  
 i. (1812) 351-357.  
 ARGENOPE, CHIONE, CYDERIS, PANZA, PATROCLES,  
 PLATEANA, PRASITELES, TITYRUS, VENIERA,  
 Salisb. Gen. Pl. Fragm. 99-102 (1866).  
 ASSARACUS, Haw. Monog. Narciss. 4 (1831).  
 ASSARCUS, Kunth, Enum. Pl. v. 717 (1850).  
 AURELIA, J. Gay, in Ann. Sc. Nat. Sér. IV. x. (1858)  
 95.  
 AUTOGENES, Rafin. Fl. Tellur. iv. 20 (1836).  
 CALATHINUS, Rafin. l. c. 21 (1836).  
 CHLORASTER, Haw. in Phil. Mag. lxiii. (1824) 103.  
 CODIAMINUM, Rafin. Fl. Tellur. iv. 21 (1836).  
 DIOMEDES, Haw. in Phil. Mag. lxii. (1823) 440.  
 HELENA, Haw. Monog. Narciss. 13 (1831).  
 ILLUS, Haw. l. c. 4 (1831).  
 JONQUILLA, Haw. l. c. 7 (1831).  
 MOSKERION, Rafin. Fl. Tellur. iv. 21 (1836).  
 OILEUS, Haw. Monog. Narciss. 4 (1831).  
 SCHISANTHES, Haw. Suppl. Pl. Succ. 128 (1819).  
 STEPHANOPHORUM, Dulac, Fl. Hautes-Pyr. 133  
 (1867).  
 TROS, Haw. Monog. Narciss. 5 (1831).  
*abscissus*, Schult. f. Syst. vii. 941 = N. Pseudo-Nar-  
 cissus.  
*aequilimbus*, Nym. Syll. 365 = serotinus.  
*albicans*, Spreng. Syst. ii. 45 = N. Pseudo-Narcissus.  
*albidus*, Heyne, Nom. i. 539 = N. Pseudo-Narcissus.  
*albidus*, Schult. f. Syst. vii. 949 = incomparabilis.  
*albus*, Haw. in Trans. Linn. Soc. v. (1800) 243 = mos-  
 chatus.  
*albus*, Mill. Gard. Dict. ed. VIII. n. 5 = biflorus.  
*albus*, Spach, Hist. Vég. Phan. xii. 440 = incomparabilis.  
*algiurus*, *Pomel*, *Nouv. Mat. Fl. Atl.* 384.—Alger.  
*Amancaes*, Ruiz & Pav. Fl. Per. iii. 53. t. 281 =  
 Hymenocallis Amancaes.  
*ambrosiacus*, *Risso*, *Fl. Nive*, 476.—Gall. austr.  
*amplus*, Salisb. Prod. 224 = incomparabilis.  
*anceps*, DC. Cat. Hort. Monsp. 127; et in Red. Lil.  
 viii. sub t. 486 = papyraceus.  
*Andersoni*, Sabine, ex M. Roem. Syn. Ens. 198 =  
 N. Pseudo-Narcissus.  
*angustifolius*, Curt. Bot. Mag. t. 193 = poëticus.  
*angustifolius*, Hort. ex M. Roem. Syn. Ens. 233 =  
 gracilis.  
*angustifolius*, Willd. Enum. Hort. Berol. 351.—Hab. ?  
*annuus*, Bull. Férussac, xiii. (1828) 328, sphalm. =  
 aureus.  
*aperticorona*, Steud. Nom. ed. II. ii. 181 = N. Tazetta.  
*apodanthus*, Boiss. & Reut. Diagn. Pl. Nov. Hisp. 25  
 = juncifolius.  
*arcuatus*, Heynh. Nom. i. 539 = cernuus.  
*Aschersonii*, Bolle, in Atti Soc. Ital. Sc. Nat. viii.  
 (1865) 90 = N. Tazetta.  
*Assoan*, Dufour, ex Schult. f. Syst. vii. 962 = odorus.  
*Assoi*, Dufour, ex Graells, in Mem. Acad. Cienc. Madr.  
 ii. (1859) 481 = juncifolius.  
*auranticoronus*, Spach, Hist. Vég. Phan. xii. 448 =  
 N. Tazetta.  
*aurantius*, Schult. f. Syst. vii. 948 = incomparabilis.  
*aureo-finctus* x, T. Moore & Ayres, Gard. Mag. Bot.  
 iii. (1851) 289.  
*aureus*, [Delile,] Red. Lil. viii. sub t. 486 = N. Bulbo-  
 codium.  
*aureus*, Loisel. *Nouv. Not.* 13.—Reg. Mediterr.  
*autumnalis*, Link, in Linnaea, ix. (1834) 569 = elegans.  
*Barlae*, Parl. Fl. Ital. iii. 129 = N. Tazetta.  
*bericus*, Turra, ex Marzari, Elenco (1802) 27; et ex  
 Sacc. in Atti Ist. Venet. Ser. III. ix. (1863-64) 486  
 = incomparabilis.  
*Bernardi*, DC. ex Hénon, in Mém. Acad. Lyon, iv.  
 (1854) 5, Macleayi.  
*Bertolonii*, Parl. Fl. Ital. iii. 132 = N. Tazetta.  
*Biancae*, Tod. in Ind. Sem. Hort. Panorm. (1857) 43  
 = N. Tazetta.  
*Bicchianus*, Parl. Fl. Ital. iii. 156 = N. Tazetta.  
*bicolor*, Auct. ex Schult. f. Syst. vii. 944 = lorifolius.  
*bicolor*, Linn. Sp. Pl. ed. II. 415 = N. Pseudo-Narcissus.  
*bicrenatus*, Hort. ex Nichols. Dict. Gard. ii. 411 = N.  
 Tazetta.  
*biflorus*, Curt. Bot. Mag. t. 197.—Europ.  
*biflorus*, Gren. & Godr. Fl. Fr. iii. 256 = N. Pseudo-  
 Narcissus.  
*biflorus*, Schur, Enum. Pl. Transs. 658 = radiiflorus.  
*bifrons*, Ker-Gawl. in Bot. Mag. t. 1186 = N. Tazetta.

**NARCISSUS** :—

*biscrenatus*, Haw. ex Spach, Hist. Vég. Phan. xii. 444.  
 —Europ. austr.  
*breviflorus*, Spach, Hist. Vég. Phan. xii. 448 = N.  
 Tazetta.  
*breviflorus*, Steud. Nom. ed. II. ii. 181 = N. Pseudo-  
 Narcissus.  
*Broussonetii*, Lag. Gen. et Sp. Nov. 13.—Maroc.  
*Bulbocodium*, Linn. Sp. Pl. 289.—Hispan.; Lusitan.  
*byzantinus*, Hort. ex Boiss. Fl. Orient. v. 151 = N.  
 Tazetta.  
*byzantinus*, Turra, ex Sacc. in Atti Ist. Venet. Ser.  
 III. ix. (1863-64) 487.—Oriens.  
*calathinus*, Colm. ex Willk. & Lange, Prod. Fl. Hisp.  
 i. 153 = triandrus.  
*calathinus*, Delarb. Fl. Auv. i. 138 = heminalis.  
*calathinus*, Linn. Sp. Pl. ed. II. 415 = odorus.  
*calathinus*, Loisel. Fl. Gall. ed. II. i. 235 = capax.  
*cambricus*, Steud. Nom. ed. II. ii. 181 = N. Pseudo-  
 Narcissus.  
*campanulatus*, Link, Enum. Hort. Berol. i. 311, in  
 obs. = triandrus.  
*Campernellii*, Hort. ex Haw. Monog. Narciss. 6 =  
 odorus.  
*canaliculatus*, Guss. Enum. Pl. Inar. 329. t. 15 = N.  
 Tazetta.  
*canariensis*, Burbidge, Narciss. 58. t. 48 = N. Tazetta.  
*candicans*, Haw. ex Willk. & Lange, Prod. Fl. Hisp.  
 i. 151 = N. Bulbocodium.  
*candidissimus*, [DC. in] Red. Lil. t. 188 = N. Pseudo-  
 Narcissus.  
*cantabricus*, [DC.] l. c. viii. sub t. 486 = N. Bulbo-  
 codium.  
*capax*, Schult. f. Syst. vii. 950.—Gallia.  
*cerinus*, Schult. f. l. c. 972 = N. Tazetta.  
*cernuus*, Bourg. ex Nym. Consp. 710 = triandrus.  
*cernuus*, Roth, Catalect. fasc. i. 43 = N. Pseudo-  
 Narcissus.  
*cernuus*, Salisb. Prod. 223.—Gallia; Hispan.  
*Chloraster*, Schult. f. Syst. vii. 981.—Afr. bor.  
*chrysanthus*, DC. Fl. Fr. Suppl. 323 = N. Tazetta.  
*citrinus*, Link, Handb. i. 202; Schult. f. Syst. vii. 968  
 = N. Tazetta.  
*Clusii*, Dun. in Mém. Acad. Montp. (Sect. Sc.) i.  
 (1847) 9 = N. Bulbocodium.  
*commutatus*, Parl. Fl. Ital. iii. 152, in obs. = N.  
 Tazetta.  
*compressus*, Haw. in Trans. Linn. Soc. v. (1800) 245.  
 —Europ. austr.  
*concolor*, Link, Handb. i. 201; Schult. f. Syst. vii.  
 949 = triandrus.  
*conspicuous*, D. Don, in Sweet, Brit. Flow. Gard.  
 Ser. II. t. 326 = N. Bulbocodium.  
*conspicuous*, Salisb. Prod. 224 = odorus.  
*constantinopolitanus*, Hort. ex Boiss. Fl. Orient. v.  
 151 = N. Tazetta.  
*Coornei*, [DC. in] Red. Lil. viii. sub t. 486.—Hab. ?  
*corcyrensis*, Nym. Syll. 365 = N. Tazetta.  
*corifolius*, Steud. Nom. ed. II. ii. 181, sphalm. = lori-  
 folius.  
*coronatus*, [DC. in] Red. Lil. viii. sub t. 486.—Hab. ?  
*cothurnalis*, Salisb. Prod. 225 = biflorus.  
*cothurnalis*, Williams, ex Steud. Nom. ed. II. ii. 181 =  
 odorus.  
*crenulatus*, Haw. in Trans. Linn. Soc. v. (1800) 245 =  
 papyraceus.  
*crispicoronus*, Spach, Hist. Vég. Phan. xii. 448 =  
 N. Tazetta.  
*croceo-cinctus*, Spach, l. c. 453.—Hab. ?  
*cuneiflorus*, Link, Handb. i. 204 = N. Pseudo-Narcissus.  
*Cupanianus*, Grech-Delic. Fl. Melit. 36 (1853) =  
 serotinus.  
*Cupanianus*, Guss. Fl. Sic. Syn. i. 382 = elegans.  
*cupularis*, Bertol. in Schult. f. Syst. vii. 970 = N.  
 Tazetta.  
*cupularis*, Puccin. ex Parl. Fl. Ital. iii. 133 = Puccinellii.  
*Curtisii*, Spach, Hist. Vég. Phan. xii. 441 = odorus.  
*cyclamineus*, [DC. in] Red. Lil. viii. sub t. 486 =  
 N. Pseudo-Narcissus.  
*Cypri*, Haw. Monog. Narciss. 10; Sweet, Brit. Flow.  
 Gard. Ser. II. t. 92 = N. Tazetta.  
*decorus*, Spach, Hist. Vég. Phan. xii. 449 = N. Tazetta.  
*deficiens*, Herb. in Lindl. Bot. Reg. (1847) t. 22 = sero-  
 tinus.  
*deflexicaulis*, Spach, Hist. Vég. Phan. xii. 445 = N.  
 Tazetta.  
*dianthos*, Haw. Monog. Narciss. 14 = biflorus.  
*dubius*, Gouan, Illustr. 22 = N. Tazetta.

**NARCISSUS** :—

*elatior*, Haw. in Trans. Linn. Soc. v. (1800) 244 =  
 odorus.  
*elatus*, Guss. in Bertol. Fl. Ital. vii. 627 = N. Tazetta.  
*elegans*, Spach, Hist. Vég. Phan. xii. 452.—Reg.  
 Mediterr.  
*etruscus*, Parl. Fl. Ital. iii. 146 = N. Tazetta.  
*exiguus*, Salisb. Prod. 220 = N. Pseudo-Narcissus.  
*eystettensis*, Hort. ex Gard. Chron. (1884) i. 484 =  
 N. Pseudo-Narcissus.  
*festalis*, Salisb. Prod. 220 = N. Pseudo-Narcissus.  
*fistulosus*, Schult. f. Syst. vii. 972 = N. Tazetta.  
*flaveolus*, Spach, Hist. Vég. Phan. xii. 445 = N.  
 Tazetta.  
*flavus*, Lag. Gen. et Sp. Nov. 13 = N. Jonquilla.  
*flexiflorus*, Spach, Hist. Vég. Phan. xii. 447 = N.  
 Tazetta.  
*floribundus*, Schult. f. Syst. vii. 968 = N. Tazetta.  
*Flos-lactis*, Steud. Nom. ed. II. ii. 181 = N. Tazetta ?  
*gaditanus*, Boiss. & Reut. Diagn. Ser. II. iv. 96 =  
 juncifolius.  
*galanthifolius*, Schult. f. Syst. vii. 950.—Mont. Pyren.  
*Gennarii*, Parl. Fl. Ital. iii. 130 = N. Tazetta.  
*Gigas*, Steud. Nom. ed. II. ii. 181 = N. Bulbocodium.  
*glaucofolius*, Pourr. in Mém. Acad. Toul. iii. (1788)  
 322 = N. Tazetta.  
*glaucus*, Hornem. Hort. Hafn. i. 315 = propinquus,  
 N. Pseudo-Narcissus.  
*Gouani*, Roth, in Roem. Arch. i. ii. 39 = incompara-  
 bilis.  
*gracilis*, Sabine, in Bot. Reg. t. 816.—Europ.  
*Graellsii*, Webb, ex Graells, in Mem. Acad. Cienc.  
 Madr. ii. (1859) 471; Ind. Pl. Nov. 8 = N. Bulbo-  
 codium.  
*grandicrenatus*, Parl. Fl. Ital. iii. 154 = N. Tazetta.  
*grandiflorus*, Haw. Suppl. Pl. Succ. 142, in syn. =  
 N. Trewianus.  
*grandiflorus*, Salisb. Prod. 221 = N. Pseudo-Narcissus.  
*Haworthii*, G. Don, in Loud. Hort. Brit. 116 = trian-  
 drus.  
*heminalis*, Schult. f. Syst. vii. 960.—Gall. austr.  
*herminicus*, Link, ex Willk. & Lange, Prod. Fl. Hisp.  
 i. 152 = juncifolius.  
*hispanicus*, Gouan, Illustr. 23 = N. Pseudo-Narcissus.  
*hispanicus*, Willd. ex Willk. & Lange, Prod. Fl. Hisp.  
 i. 152 = juncifolius.  
*homochroos*, Schult. f. Syst. vii. 955 = triandrus.  
*Horsfeldii*, Hort. ex Burbidge, Narcissus, 30 = N.  
 Pseudo-Narcissus.  
*incomparabilis*, Mill. Gard. Dict. ed. VIII. n. 3.—  
 Europ. austr.  
*inflatus*, Haw. in Trans. Linn. Soc. v. (1800) 243 =  
 N. Bulbocodium.  
*infundibularis*, Salisb. in Loud. Hort. Brit. 116 = seq. ?  
*Infundibulum*, Poir. Encyc. iv. 427 = heminalis,  
 odorus.  
*integer*, Spach, Hist. Vég. Phan. xii. 443 = viridiflorus.  
*interjectus*, Schult. f. Syst. vii. 960 = odorus.  
*intermedius*, Loisel. Fl. Gall. i. 237. t. 7 = N. Tazetta.  
*italicus*, Ker-Gawl. in Bot. Mag. t. 1188 = N. Tazetta.  
*jasmineus*, Schult. f. Syst. vii. 1734 = N. Tazetta.  
*Jonquilla*, Linn. Sp. Pl. 290.—Reg. Mediterr.  
*Jonquilla*, Pourr. ex Nym. Consp. 712 = juncifolius.  
*jonquilloides*, Willd. ex Schult. f. Syst. vii. 968 =  
 triandrus.  
*jonquilloides*, Willk. in Bot. Zeit. xviii. (1860) 103 =  
 N. Jonquilla.  
*juncifolius*, Reg. ex Lag. Gen. et Sp. Nov. 13; et Loisel.  
 in Mém. Soc. Linn. Par. vi. (1827) 406.—Gallia.  
*juncifolius*, Salisb. Prod. 223 = N. Jonquilla.  
*laticolor*, Steud. Nom. ed. II. ii. 182 = N. Tazetta.  
*laetis*, Salisb. Prod. 224 = odorus.  
*latifolius*, Schult. f. Syst. vii. 972 = N. Tazetta.  
*Leedsii* x, T. Moore, in Moore & Ayres, Gard. Mag.  
 Bot. iii. (1851) 169.  
*leucojifolius*, Auct. ex Schult. f. Syst. vii. 968 = tereti-  
 caulis.  
*lobatus*, Poir. Encyc. iv. 427 = odorus.  
*lobularis*, Schult. f. Syst. vii. 1732 = N. Pseudo-  
 Narcissus.  
*lobulatus*, Haw. Misc. Nat. 178 = N. Bulbocodium.  
*longiflorus*, Willd. Enum. Hort. Berol. 351 = N.  
 Tazetta ?  
*longipetalus*, Schleich. ex Steud. Nom. ed. II. ii. 181 =  
 poëticus.  
*lorifolius*, Schult. f. Syst. vii. 944 = N. Pseudo-Nar-  
 cissus.  
*Luna*, Schult. f. l. c. 974 = N. Tazetta.



**NARCISSUS** :—

- Macleayi, *Lindl. in Bot. Reg.* sub t. 762 (Macleaii). —Mont. Pyren.
- majalis*, Curt. Bot. Mag. sub t. 193 = poëticus.
- major*, Curt. l. c. t. 51 = N. Pseudo-Narcissus.
- Mastersianus* ×, Hort.—Cf. Gard. Chron. (1882) I. 472.
- maximus*, D. Don, in Sweet, Brit. Flow. Gard. Ser. II. t. 286 = N. Pseudo-Narcissus.
- medio-luteus*, Mill. Gard. Dict. ed. VIII. n. 4 = biflorus.
- medius*, M. Roem. Syn. Ens. 235 = M. Jonquilla.
- megacodium*, Dur. ex Munby, Fl. Alger. 34 = N. Bulbocodium.
- mignon*, Kunth, Enum. Pl. v. 730 in syn. sphalm. = *mion*.
- minimus*, Kunth, l. c. 895 (Index) = N. Pseudo-Narcissus.
- minor*, Linn. Sp. Pl. ed. II. 415 = N. Pseudo-Narcissus.
- minutiflorus*, Willk. in Bot. Zeit. xviii. (1860) 104 = juncifolius.
- mion*, Schult. f. Syst. vii. 961 = heminalis.
- monophyllus*, T. Moore, in Florist (1870) 84 = N. Bulbocodium.
- montanus*, Ker-Gawl. in Bot. Reg. t. 123 = poculiformis.
- moschatus*, Linn. Sp. Pl. ed. II. 415.—Hispan. ; Gall.
- multiflorus*, Lam. Fl. Fr. iii. 391 = N. Tazetta.
- muticus*, J. Gay, ex Baker, in Flor. Mag. N. S. (1876) t. 224 = N. Pseudo-Narcissus.
- nanus*, Steud. Nom. ed. II. ii. 182 = N. Pseudo-Narcissus.
- neglectus*, Tenore, Ind. Sem. Hort. Neap. (1837) 5 = N. Tazetta.
- Nelsoni* ×, Hort. ex Vilm. Fl. Pl. Terre, Suppl. 122.
- nivalis*, Graells, in Mem. Acad. Cienc. Madr. ii. (1859) 473 = N. Bulbocodium.
- niveus*, Loisel. in Desv. Journ. Bot. ii. (1809) 278 = papyraceus.
- niveus*, Panizz. ex Parl. Fl. Ital. iii. 128 = N. Tazetta.
- nobilis*, Schult. f. Syst. vii. 939.—Europ. austr.
- nutans*, Haw. Misc. Nat. 179.—Europ. austr.
- obesus*, Salisb. Prod. 222 = N. Bulbocodium.
- obliquus*, Guss. in Bertol. Fl. Ital. vii. 627 = N. Tazetta.
- obliquus*, Tausch, in Flora, xxiv. (1841) 237 = poëticus ?
- oblitteratus*, Willd. ex Schult. f. Syst. vii. 981 = N. Broussonetii.
- obscissus*, Loud. Hort. Brit. 117, sphalm. = *abscissus*.
- obsoletus*, Spach, Hist. Vég. Phan. xii. 452 = serotinus.
- obsoletus*, Steud. Nom. ed. II. ii. 182 = elegans.
- obvallaris*, Salisb. Prod. 221 = N. Pseudo-Narcissus.
- ochroleucus*, Loisel. Not. 163 = N. Tazetta.
- odoratus*, Linn. Cent. Pl. ii. 14 ; Sp. Pl. ed. II. 416.—Europ. austr.
- orientalis*, Linn. Mant. i. 38 = N. Tazetta.
- orientalis*, Tenore, Fl. Neap. i. 143 = N. Tazetta, biflorus.
- ornatus*, Haw. Monog. Narciss. 14 = poëticus.
- oxypetalus*, Boiss. Voy. Bot. Espagne, ii. 606 = elegans.
- pachybolbus*, Dur. in Duch. Rev. Bot. ii. (1846) 425 = N. Tazetta.
- pallidulus*, Graells, in Mem. Acad. Cienc. Madr. ii. (1854) 478 = triandrus.
- pallidus*, Graells, ex Nym. Consp. 713 = N. Bulbocodium.
- pallidus*, Poir. in Lam. Encyc. iv. 424 = N. Tazetta.
- Panizzianus*, Parl. Fl. Ital. iii. 128 = N. Tazetta.
- papyraceus*, Ker-Gawl. in Bot. Mag. t. 947.—Reg. Medit. occ.
- papyratus*, Spach, Hist. Vég. Phan. xii. 451 = N. Tazetta.
- Parkinsoni*, Steud. Nom. ed. II. ii. 182 ; Spach, l. c. 438 = Macleayi.
- parvicorona*, M. Roem. Syn. Ens. 235 = N. Jonquilla ?
- parvulus*, Sweet, Hort. Brit. ed. II. 515 = juncifolius.
- patellaris*, Salisb. Prod. 225 = poëticus.
- patulus*, Loisel. in Desv. Journ. Bot. ii. (1809) 276 = N. Tazetta.
- perluteus*, Spach, Hist. Vég. Phan. xii. 445 = N. Tazetta.
- planicorona*, Spach, l. c. 453 = gracilis.
- poculiformis*, Salisb. Prod. 224.—Mont. Pyren.
- poëtarum*, Haw. Monog. Narciss. 14 = poëticus.
- poëticus*, Huds. Fl. Angl. 122 ; ed. II. 141 = biflorus.
- poëticus*, Linn. Sp. Pl. 289.—Europ.
- poëticus*, Sibth. & Sm. Fl. Graec. Prod. 758 = radiiflorus.
- polyanthos*, Loisel. in Desv. Journ. Bot. ii. (1809) 277 = N. Tazetta.
- praecox*, Tenore, Cat. Hort. Neap. (1819) 39 = N. Tazetta.

**NARCISSUS** :—

- primulinus*, Haw. Suppl. Pl. Succ. 140, in syn. = N. Tazetta.
- propinquus*, Salisb. Prod. 221.—Europ. austr.
- Pseudo-Jonquilla*, Desf. Tabl. ed. II. 55 = juncifolius.
- Pseudo-Narcissus*, Linn. Sp. Pl. 289.—Europ.
- Pseudo-poëticus*, Boutigny, ex Nym. Consp. 710 = poëticus.
- Puccinellii*, Parl. Fl. Ital. iii. 133.—Ital.
- pulchellus*, Salisb. Prod. 223.—Europ. austr.
- pumilus*, [Delile, in] Red. Lil. vii. t. 409.—Hab. ?
- pumilus*, Salisb. Prod. 220 = N. Pseudo-Narcissus.
- purpureo-cinctus*, Spach, Hist. Vég. Phan. xii. 453 = poëticus.
- pusillus*, G. Don, in Loud. Hort. Brit. 116 = juncifolius.
- pyrenaicus*, Pers. Syn. i. 350 = triandrus.
- Queltia*, Sweet, Hort. Brit. ed. I. 407 = incomparabilis.
- radians*, Lapeyr. Hist. Abr. Pl. Pyren. 177 = N. Pseudo-Narcissus.
- radiatus*, [Delile, in] Red. Lil. viii. t. 459 = N. Tazetta.
- radiiflorus*, Salisb. Prod. 225.—Europ. austr.
- recurvifolius*, Lodd. ex Steud. Nom. ed. II. ii. 183 = seq. ?
- recurvus*, Haw. Syn. Pl. Succ. 331 = poëticus.
- reflexus*, Brot. Fl. Lusit. i. 550 = triandrus.
- reflexus*, Loisel. Not. 165 = odoratus ?
- regulosus*, Sweet, Hort. Brit. ed. III. 682, sphalm. = *rugulosus*.
- remopolensis*, Panizzi, in Parl. Giorn. Bot. Ital. ii. i. (1847) 3 = N. Tazetta.
- Renaudi*, Bavoux, in Mém. Soc. Emul. Doubs, Sér. II. iv. (1854) 114 = N. Pseudo-Narcissus.
- Requienii*, M. Roem. Syn. Ens. 236 = juncifolius.
- Ricasolianus*, Parl. Fl. Ital. iii. 147 = N. Tazetta.
- rotularis*, Spach, Hist. Vég. Phan. xii. 444.—Hab. ?
- rugilobus*, Steud. Nom. ed. II. ii. 183 = N. Pseudo-Narcissus.
- rugulosus*, Link. Handb. i. 201 ; Schult. f. Syst. vii. 956 = odoratus.
- rupicola*, Dufour, ex Schult. f. l. c. 958 = juncifolius.
- Sabini*, Lindl. in Bot. Reg. t. 762 = Macleayi.
- semipartitus*, Link. Handb. i. 200 ; Schult. f. Syst. vii. 949 = odoratus.
- seriorflorens*, Schur, Enum. Pl. Transs. 657 = radiiflorus.
- serotinus*, Linn. Sp. Pl. 290.—Reg. Mediterr.
- serotinus*, Salzm. ex Schousb. Vextr. Marok. 155 = elegans.
- serratus*, Haw. Misc. Nat. 179.—Hab. ?
- sexlobatus*, Haw. ex Schult. f. Syst. vii. 1723 = N. Tazetta ?
- Sibthorpii*, Haw. in Trans. Linn. Soc. v. (1800) 24 = N. Pseudo-Narcissus.
- siculus*, Parl. Fl. Ital. iii. 149 = N. Tazetta.
- similis*, Steud. Nom. ed. II. ii. 183 ; M. Roem. Syn. Ens. 235 = N. Jonquilla.
- solaris*, Spach, Hist. Vég. Phan. xii. 446 = N. Tazetta.
- spathulatus*, Haw. Monog. Narciss. 14 = poëticus.
- spiralis*, Fisch. & Mey. in Ann. Sc. Nat. Sér. IV. i. (1854) 30 = serotinus.
- spiralis*, Parl. Fl. Ital. iii. 152 = N. Tazetta.
- Spofforthiae* ×, Herb. in Bot. Reg. (1843) t. 38. ff. 3, 4.
- spurius*, Schult. f. Syst. vii. 939 = N. Pseudo-Narcissus.
- stellaris*, Haw. Monog. Narciss. 15 = poëticus.
- stellatus*, DC. Fl. Fr. Suppl. 323 = papyraceus.
- stellatus*, Sprun. ex Nym. Consp. 710 = N. Tazetta.
- stelliflorus*, Schur, in Oestr. Bot. Zeitschr. xix. (1869) 205 = poëticus.
- stramineus*, Spach, Hist. Vég. Phan. xii. 451 = N. Tazetta.
- striatellus*, Spach, l. c. 438 = triandrus.
- subalbidus*, Loisel. Not. 163 = N. Tazetta.
- sulcicaulis*, Spach, Hist. Vég. Phan. xii. 449 = N. Tazetta.
- sulphureus*, Sweet, Hort. Brit. ed. I. 407 = incomparabilis.
- sylvestris*, Lam. Fl. Fr. iii. 390 = N. Pseudo-Narcissus.
- syriacus*, Boiss. & Gaill. Diagn. Ser. II. iv. 96 = N. Tazetta.
- Tazetta*, Ker-Gawl. in Bot. Mag. t. 925 = aureus.
- Tazetta*, Linn. Sp. Pl. 290.—Reg. Mediterr.
- Tazetto-poëticus*, Gren. & Godr. Fl. Fr. iii. 257 = biflorus.
- tazettus*, St. Lag. in Ann. Soc. Bot. Lyon, vii. (1880) 130 = N. Tazetta.
- Telamonius*, Link. Handb. i. 204 ; Schult. f. Syst. vii. ii. 940 = N. Pseudo-Narcissus.
- Tenorii*, Parl. Fl. Ital. iii. 137 = N. Tazetta.
- tenuiflorus*, Schult. f. Syst. vii. 1733 = N. Tazetta.

**NARCISSUS** :—

- tenuifolius*, Salisb. Prod. 222 = N. Bulbocodium.
- tenuior*, Curt. Bot. Mag. t. 379 ; Haw. in Trans. Linn. Soc. v. (1800) 245 = gracilis.
- tenuis*, Agardh, ex Schult. f. Syst. vii. 964 = praec. ?
- tereticaulis*, Haw. in Trans. Linn. Soc. v. (1800) 245.—Hispan.
- Timbali*, Gautier, Herb. Comm. Agr. Narb. 18 ; ex Timb. in Bull. Soc. Sc. Phys. & Nat. Toul. iii. (1875-76) 143 = N. Tazetta.
- Tinei*, Tod. ex Parl. Fl. Ital. iii. 146, in textu = N. Tazetta.
- tortuosus*, Haw. Misc. Nat. 179 = N. Pseudo-Narcissus.
- Trewianus*, Ker-Gawl. in Bot. Mag. sub t. 1301.—Oriens.
- triandrus*, Curt. Bot. Mag. t. 48 = cernuus.
- triandrus*, Linn. Sp. Pl. ed. II. 416.—Mont. Pyren.
- tridymus* ×, Burbidge, in Gard. Chron. (1881) II. 603.
- triflorus*, Haw. Monog. Narciss. 14 = biflorus.
- trilobus*, Linn. Sp. Pl. ed. II. 417 = odoratus.
- tripartitus*, Hornem. Hort. Hafn. i. 316 = N. Tazetta.
- tripetalus*, Lodd. ex Schult. f. Syst. vii. 987 = poëticus.
- tripodalis*, Salisb. ex Herb. Amaryll. 317 = praec.
- tubaeiflorus*, Salisb. Prod. 221 = N. Pseudo-Narcissus.
- turgidus*, Salisb. l. c. 222 = N. Bulbocodium.
- unicolor*, Tenore, Fl. Neap. i. 144. t. 26 = N. Tazetta.
- unicolor*, Vent. Jard. Malm. t. 26 = papyraceus.
- uniflorus*, Hort. ex Schult. f. Syst. vii. 964 = gracilis.
- varians*, Guss. ex Parl. Fl. Ital. iii. 141 = N. Tazetta.
- verbanensis*, Herb. Amaryll. 318. t. 37 = poëticus.
- vergelensis*, Parl. Fl. Ital. iii. 148 = N. Tazetta.
- viridiflorus*, Schousb. Vextr. Marok. 157. t. 2.—Reg. Mediterr. occ.
- Webbii*, Parl. Fl. Ital. iii. 123, in textu = N. Jonquilla.
- NARDA, Vell. Fl. Flum. 108 (1825) ; iii. t. 24 (1827) = *Strychnos*, Linn. (Logan.).
- spinosa*, Vell. II. cc. = S. brasiliensis.
- NARDINA, Murr. Syst. ed. XIV. 344 (1784), sphalm. = *Nandina*, Thunb. (Berberid.).
- NARDOPHYLLUM**, Hook. & Arn. in Hook. Comp. Bot. Mag. ii. (1836) 44. *COMPOSITAE*, Benth. & Hook. f. ii. 257.
- ANACTINIA, Remy, in C. Gay, Fl. Chil. iv. 8 (1849).
- DOLICHOGYNE, DC. Prod. vii. 257 (1838).
- chilotrachoides, A. Gray, in Proc. Am. Acad. v. (1862) 123.—Chili.
- Darwini, A. Gray, l. c.—Patagon.
- genistoides, A. Gray, l. c. viii. (1873) 636.—Chili.
- humile, A. Gray, l. c. v. (1862) 123.—Patagon.
- Kingii, A. Gray, l. c.—Patagon.
- obtusifolium, Hook. & Arn. in Hook. Comp. Bot. Mag. ii. (1836) 144.—Patagon.
- revolutum, Hook. & Arn. l. c.—Chili.
- NARDOSMIA, Cass. in Dict. Sc. Nat. xxxiv. 186 (1825) = *Petasites*, Tourn. (Compos.).
- angulosa*, Cass. l. c. 188 = P. frigidus.
- Billingsiana*, Fisch. ex Herd. in Bull. Soc. Nat. Mosc. xxxviii. (1865) i. 370 = *glacialis*.
- corymbosa*, Hook. Fl. Bor. Am. i. 307 = P. frigidus.
- denticulata*, Cass. in Dict. Sc. Nat. xxxiv. 187 = P. fragrans.
- fragrans*, Reichb. Fl. Germ. Excurs. 289 = P. fragrans.
- frigida*, Hook. Fl. Bor. Am. i. 307 = P. frigidus.
- glacialis*, Ledeb. Fl. Ross. ii. 466.—Sibir. arct.
- Gmelini*, DC. Prod. vii. 271 = Gerbera Anandria.
- Hookeriana*, Nutt. in Trans. Ann. Phil. Soc. N. S. vii. (1841) 288 = P. palmatus ?
- japonica*, Sieb. & Zucc. in Abh. Akad. Muench. iv. III. (1846) 181 = P. japonicus.
- laevigata*, DC. Prod. v. 205 = P. laevigatus.
- palmata*, Hook. Fl. Bor. Am. i. 308 = P. palmatus.
- racemosa*, Pasq. Cat. Orto Nap. 112 = P. fragrans.
- sagittata*, Hook. Fl. Bor. Am. i. 307 = P. sagittatus.
- saxatilis*, Turcz. in Bull. Soc. Nat. Mosc. xix. (1846) ii. 138 = P. frigidus ?
- speciosa*, Nutt. in Trans. Am. Phil. Soc. N. S. vii. (1841) 289 = P. palmata ?
- spuria*, Less. in Linnaea, ix. (1834) 156 = P. spurius.
- straminea*, Cass. in Dict. Sc. Nat. xxxiv. 189 = P. laevigatus.
- NARDOSTACHYS**, DC. Coll. Mém. vii. 4. tt. 1, 2 (1830). *VALERIANEAE*, Benth. & Hook. f. ii. 153.
- grandiflora*, DC. l. c. t. 2 = N. Jatamansi.
- Jatamansi, DC. l. c.—Reg. Himal.



**NARDURUS**, Reichb. Fl. Germ. Excurs. 19, in obs. (1830); et Nom. 39 (1841) = **Festuca**, Tourn. (Gramin.).  
*Lachenalii*, Godr. Fl. Lorr. ed. I. iii. 187 = F. *Poa montanus*, Boiss. & Reut. Pugill. Pl. Nov. 129 = F. *montana*, Steud.  
*orientalis*, Boiss. Diagn. Ser. I. vii. 127 = F. *aleppica patens*, Hack. Cat. Gram. Portug. 31 = F. *loliacea persicus*, Boiss. & Buhse, in Mém. Soc. Nat. Mosc. xii. (1860) 225 = *Poa persica*.  
*Poa*, Boiss. Voy. Bot. Espagne, ii. 667 = F. *Poa Salzmanni*, Boiss. l. c. = F. *Salzmanni*.  
*tenuiculis*, Fries.—Cf. Linnaea, xxix. (1857-58) 730; Journ. in Bull. Soc. Bot. Fr. xiii. (1866) 131 = F. *montana* ? Steud.  
*tenuiculmis*, Fourn. in Ann. Soc. Linn. Lyon, N. S. xvii. (1869) 189 = F. *Poa* ?  
*tenuiflorus*, Boiss. Voy. Bot. Espagne, ii. 667 = F. *tenuiflora*.  
*unilateralis*, Fries.—Cf. Linnaea, xxix. (1857-58) 730; Journ. in Bull. Soc. Bot. Fr. xiii. (1866) 131 = F. *tenuiflora*.

**NARDUS**, Linn. Syst. ed. I (1735). **GRAMINEAE**, Benth. & Hook. f. iii. 1205.  
**SPARTUM** vel **SPARTIUM**, Heist. Syst. 12 (1748).  
*aristata*, Linn. Sp. Pl. ed. II. 78 = *Psilurus nardoides articulata*, Linn. l. c. ed. I. 53 = *Lepturus incurvatus ciliaris*, Linn. l. c. = *Perotis latifolia* ?  
*ciliata*, Lam. Tabl. Encyc. i. 152 = *præc. dactyloides*, Roland. ex Rottb. in Act. Lit. Univ. Hafn. i. (1778) 269 = *Panicum lanatum*.  
*Gangitis*, Linn. Sp. Pl. 53 = *Ctenium carolinianum incurva*, Gouan, Hort. Monsp. 33 = *Psilurus nardoides indica*, Linn. f. Suppl. 105 = *Microchloa setacea monandra*, Rasp. in Ann. Sc. Nat. Sér. I. v. (1825) 438 = *Psilurus nardoides*.  
*scorpioides*, Lam. Tabl. Encyc. i. 153 = *Ctenium carolinianum*.  
*stricta*, Linn. Sp. Pl. 53.—Europ.; As. bor.  
*Thomaea*, Linn. f. Suppl. 105 = *Rottboellia Thomaea*.

**NAREGA**, Rafin. Sylva Tellur. 98 (1838) = **Randia**, Linn. (Rubiaceae).  
*Coduva*, Rafin. l. c. = *R. dumetorum*.

**NAREGAMIA**, Wight & Arn. Prod. 116 (1834). **MELIACEAE**, Benth. & Hook. f. i. 331.  
*alata*, Wight & Arn. l. c. 117.—Ind. or.  
*dentata*, Miq. ex Hook. f. Fl. Brit. Ind. i. 542 = *alata*.

**NARGEDIA**, Bedd. Fl. Sylv. t. 328 (1873?). **RUBIACEAE**, Benth. & Hook. f. ii. 1228.  
*macrocarpa*, Bedd. Forest. Man. Bot. 134/2. t. 328.—Ind. or.

**NARICA**, Rafin. Fl. Tellur. ii. 87 (1836) = **Spiranthes**, Rich. (Orchid.).  
*moschata*, Rafin. l. c. = *S. picta*.

**NARINGI**, Adans. Fam. ii. 341 (1763) = **Limonia**, Linn. (Rutac.).

**NARKETIS**, Rafin. Fl. Tellur. iii. 26 (1836) = **Pleurogyne**, Eschsch. (Gentian.).  
*carinthiaca*, Rafin. l. c. = *P. carinthiaca hyperborea*, Rafin. l. c. = *præc. japonica*, Rafin. l. c., nomen = *P. rotata rotata*, Rafin. l. c. = *P. rotata*.  
*sulcata*, Rafin. l. c. = *P. rotata*.

**NARON**, Medic. in Act. Acad. Theod. Palat. vi. Phys. (1790) 419 = **Moraea**, Mill. (Irid.).  
*iridioideum*, Moench, Meth. 627 = *M. iridioides orientale*, Medic. in Act. Acad. Theod. Palat. vi. Phys. (1790) 419 = *M. iridioides*.

**NARTHECIUM**, Moehr. in Act. Acad. Nat. Cur. vi. (1742) 384. t. 5. **LILIACEAE**, Benth. & Hook. f. iii. 825.  
*ABAMA*, Adans. Fam. ii. 47 (1763).  
*alpinum*, Michx. Fl. Bor. Am. i. 209, in obs. = *Tofieldia calyculata*.  
*americanum*, Ker-Gawl. in Bot. Mag. t. 1505 = *ossifragum*.  
*anthericoides*, Hoppe, ex Mert. & Koch, Deutschl. Fl. ii. 559 = *ossifragum*.

**NARTHECIUM** :—

*asiaticum*, Maxim. in Bull. Acad. Pétersb. xi. (1867) 438.—Japon.  
*boreale*, Wahlenb. in Vet. Akad. Nya Handl. Stockh. (1805) 124 = *Tofieldia palustris*.  
*californicum*, Baker, in Journ. Linn. Soc. xv. (1876) 351.—Calif.  
*calyculatum*, Lam. Fl. Fr. iii. 298; All. Fl. Pedem. ii. 165 = *Tofieldia calyculata*.  
*falcatum*, Poir. Encyc. Suppl. iv. 61 = *Tofieldia falcata*.  
*falcatum*, Wahlenb. in Vet. Akad. Nya Handl. Stockh. (1805) 126 = *Tofieldia glutinosa*.  
*flavescens*, Wahlenb. Veg. Helv. 68, in syn. = *Tofieldia calyculata*.  
*glutinosum*, Michx. Fl. Bor. Am. i. 210 = *Tofieldia glutinosa*.  
*iridifolium*, Vill. Hist. Pl. Dauph. ii. 225 = *Tofieldia calyculata*.  
*ossifragum*, Huds. Fl. Angl. ed. I. 128; ed. II. 145.—Europ.; As. Min.; Am. bor.  
*pubens*, Michx. Fl. Bor. Am. i. 209 = *Tofieldia pubens*.  
*pusillum*, Michx. l. c. = *Tofieldia palustris*.  
*scabrum*, Rafin. Préc. Découv. 45; et in Desv. Journ. Bot. iv. (1814) 273.—Am. bor.

**NARTHEX**, Falc. in Proc. Linn. Soc. i. 309 (1846); et in Trans. Linn. Soc. xx. (1846) 285 = **Ferula**, Tourn. (Umbell.).  
*Asafoetida*, Falc. ll. cc. = F. *Narthenx*.  
*Silphium*, Oerst. in Overs. Danske Vidensk. Selsk. Forh. (1869) 21.—Afr. bor.

**NARUKILA**, Adans. Fam. ii. 54 (1763) = **Pontederia**, Linn.

**NARUM**, Adans. Fam. ii. 365 (1763) = **Ubaria**, Linn. (Anonac.).

**NARVALINA**, Cass. in Dict. Sc. Nat. xxxviii. 17 (1825). **COMPOSITAE**, Benth. & Hook. f. ii. 388.  
**NEEDHAMIA**, Cass. in Dict. Sc. Nat. xxxiv. 335 (1825).  
*domingensis*, Cass. in Dict. Sc. Nat. xxxviii. 17.—Ins. S. Doming.

**NARVELIA**, Link, Enum. Hort. Berol. ii. 89 (1822).  
*sphalm.* = **Naravelia**, DC. (Ranunc.).

**NASMYTHIA**, Huds. Fl. Angl. ed. II. ii. 414 (1778) = **Eriocaulon**, Linn.  
*articulata*, Huds. l. c. 415 = *E. septangulare*.  
*septangularis*, Mart. in Nov. Act. Nat. Cur. xviii. i. (1835) t. 2 = *E. septangulare*.

**NASONIA**, Lindl. in Benth. Pl. Hartw. 150 (1844) = **Centropetalum**, Lindl. (Orchid.).  
*cinnabarina*, Linden & Reichb. f. in Gard. Chron. (1867) 544 = *punctata*.  
*Hartwegii*, Reichb. f. Xenia Orch. i. 97 = *punctata*.  
*isnathera*, Reichb. f. & Warsz. in Bonplandia, ii. (1854) 99.—Peruv.  
*Myrtilus*, Reichb. f. l. c. iii. (1855) 239 = *C. Myrtilus*.  
*punctata*, Lindl. in Benth. Pl. Hartw. 150.—Peruv.  
*sanguinea*, Lindl. Orch. Linden. 18.—N. Granat.

**NASSAUVIA**, Comm. ex Juss. Gen. 175 (1789). **COMPOSITAE**, Benth. & Hook. f. ii. 502.  
**ACANTHOPHYLLUM**, Hook. & Arn. in Hook. Comp. Bot. Mag. i. (1835) 37.  
**ANAGYRUM**, Steud. Nom. ed. II. i. 84 (1840).  
**CALOPAPPUS**, Meyen, Reise, i. 315 (1834).  
**CALOPTILUM**, Lag. Amen. Nat. i. 34 (1811).  
**MASTIGOPHORUS**, Cass. in Dict. Sc. Nat. xxxiv. 222 (1825).  
**NASSOVIA**, Batsch, Tab. 251 (1802).  
**PANARGYRUS**, Lag. Amen. Nat. i. 33 (1811).  
**PENTANTHUS**, Less. Syn. Comp. 397 (1832).  
**PIPTOSTEMMA**, Spach, Hist. Vég. Phan. x. 34 (1841).  
**PORTALESIA**, Meyen, Reise, i. 316 (1834).  
**SPHAEROCEPHALUS**, Lag. ex DC. in Ann. Mus. Par. xix. (1812) 67.  
**STRONGILOMA**, DC. Prod. vii. 52 (1838).  
**TRIACHNE**, Cass. in Bull. Soc. Philom. (1818) 11.  
**TRIANTHUS**, Hook. f. Fl. Antarct. ii. 320 (1846).  
*abbreviata*, Benth. & Hook. f. Gen. ii. 503.—Patagon.  
*acerosa*, Wedd. Chlor. And. i. 51.—Chili.

**NASSAUVIA** :—

*aculeata*, Poepp. & Endl. Nov. Gen. et Sp. i. 13. t. 20.—Chili.  
*axillaris*, D. Don, in Phil. Mag. xi. (1832) 390.—Chili.  
*capillata*, D. Don, in Phil. Mag. xi. (1832) 390, nomen = *Triptilion capillatum*.  
*cespitosa*, Wedd. Chlor. And. i. 48.—Chili.  
*Commersonii*, Cass. in Dict. Sc. Nat. xxxviii. 457 = *magellanica*.  
*cordifolia*, D. Don, in Phil. Mag. xi. (1832) 390, nomen = *Triptilion cordifolium*.  
*Cumingii*, Hook. & Arn. in Hook. Comp. Bot. Mag. i. (1835) 37.—Chili.  
*dentata*, Griseb. in Goett. Abh. vi. (1854) 125.—Chili.  
*diffusa*, D. Don, in Phil. Mag. xi. (1832) 390, nomen = *Triptilion diffusum*.  
*digitata*, Wedd. Chlor. And. i. 48.—Chili.  
*Durvillei*, Cass. in Dict. Sc. Nat. xxxviii. 456 = *serpens*.  
*Gaudichaudii*, Cass. l. c. 457.—Reg. Magellan.  
*glabrata*, Phil. in Anal. Univ. Chil. (1872) 741.—Chili.  
*glomerata*, Wedd. Chlor. And. i. 53.—Chili.  
*glomerulosa*, D. Don, in Phil. Mag. xi. (1832) 390, nomen.—Chili.  
*Lagascæ*, Benth. & Hook. f. Gen. ii. 503.—Chili.  
*lycopodioides*, Phil. in Linnaea, xxviii. (1856) 714.—Chili.  
*macracantha*, DC. Prod. vii. 49 = *Cumingii*.  
*magellanica*, J. F. Gmel. Syst. 1281.—Reg. Magell.  
*multiflora*, Meyen, Reise, i. 356.—Chili.  
*nivalis*, Poepp. & Endl. Nov. Gen. et Sp. i. 13. t. 22.—Chili.  
*oligocephala*, Wedd. Chlor. And. i. 53.—Chili; Reg. Argent.  
*pinnigera*, D. Don, in Phil. Mag. xi. (1832) 390; Gill. ex Hook. & Arn. in Hook. Comp. Bot. Mag. i. (1835) 37.—Chili.  
*planifolia*, Wedd. Chlor. And. i. 48.—Chili.  
*pumila*, Poepp. & Endl. Nov. Gen. et Sp. i. 13. t. 21.—Chili.  
*pungens*, Phil. in Anal. Univ. Chil. (1872) 741 = *pyramidalis*.  
*pygmaea*, Hook. f. Fl. Antarct. ii. 319.—Reg. Magellan.  
*pyramidalis*, Meyen, Reise, i. 356.—Chili.  
*ramosissima*, DC. Prod. vii. 49.—Chili.  
*Remyana*, Wedd. Chlor. And. i. 51. t. 12 a.—Chili.  
*revoluta*, D. Don, in Phil. Mag. xi. (1832) 390; Gill. ex Hook. Comp. Bot. Mag. i. (1835) 37.—Chili.  
*rosulata*, Ball, in Journ. Linn. Soc. xxi. (1884) 225.—Patagon.  
*sericea*, Poepp. & Endl. Nov. Gen. et Sp. i. 13.—Chili.  
*serpens*, Urv. in Mém. Soc. Linn. Par. iv. (1826) 609. Ins. Falkland.  
*spicata*, Remy, in C. Gay, Fl. Chil. iii. 343.—Chili.  
*spinosa*, D. Don, in Phil. Mag. xi. (1832) 390, nomen = *Triptilion spinosum*.  
*sprengelioides*, DC. Coll. Mém. ix. 35. t. 14; et Prod. iii. 49.—Chili.  
*suaveolens*, D. Don, in Phil. Mag. xi. (1832) 389 = *Cumingii*.  
*suaveolens*, Willd. Sp. Pl. iii. 2396 = *magellanica*.

**NASSAVIA**, Spreng. Gen. ii. 624 (1831) = *præc.*

**NASSAVIA**, Vell. Fl. Flum. 141 (1825); iii. tt. 155, 156 (1827) = **Schmidelia**, Linn. (Sapind.).  
*axillaris*, Vell. ll. cc. 142; t. 155.—Bras.  
*terminalis*, Vell. ll. cc. 141; t. 156.—Bras.

**NASSAWIA**, Lag. Amen. Nat. i. 34 (1811) = **Nassauvia**, Comm. (Compos.).

**NASSELLA**, E. Desv. in C. Gay, Fl. Chil. vi. 263. t. 72 f. 1 (1853) = **Oryzopsis**, Michx. (Gramin.).  
*caespitosa*, Griseb. in Goett. Abh. xix. (1874) 228.—Reg. Argent.  
*chilensis*, E. Desv. in C. Gay, Fl. Chil. vi. 263.—Chili.  
*exserta*, Phil. in Linnaea, xxxiii. (1864-65) 278.—Chili.  
*humilis*, Phil. l. c.—Chili.  
*juncea*, Phil. l. c. 277.—Chili.  
*Landbeckii*, Phil. l. c. 279.—Chili.



## NASSELLA:—

- laxiflora*, Phil. in Linnaea, xxxiii. (1864-65) 279.—Chili.  
*major*, E. Desv. in C. Gay, Fl. Chil. vi. 265.—Chili.  
*melanocarpa*, Phil. in Anal. Univ. Chil. (1873) 558.—Chili.  
*planifolia*, Phil. l. c.—Chili.  
*pubiflora*, E. Desv. in C. Gay, Fl. Chil. vi. 264.—Chili.  
*pungens*, E. Desv. l. c. 258.—Chili.  
*ramosa*, E. Desv. l. c. 266.—Chili.  
*Sadae*, Phil. in Linnaea, xxxiii. (1864-65) 277.—Chili.

NASSOVIA, Batsch, Tab. 251 (1802) = **Nassauvia**, Comm. (Compos.).

NASTANTHUS, Miers, ex Lindl. Veg. Kingd. 701 (1847), nomen; et in Ann. & Mag. Nat. Hist. Ser. III. vi. (1860) 184 = **Boopis**, Juss. (Calycer.).  
*agglomeratus*, Miers, in Ann. & Mag. Nat. Hist. Ser. III. vi. (1860) 186.—Chili.  
*compactus*, Miers, l. c. 189 = B. compacta.  
*Gayanus*, Miers, l. c. = B. Gayana.  
*Gilliesii*, Miers, l. c. 188.—Chili.  
*laciniatus*, Miers, l. c. 187 = B. laciniata.  
*pinnatifidus*, Miers, l. c.—Chili.  
*scapigerus*, Miers, l. c. 188 = B. scapigera.  
*spatulatus*, Miers, l. c. 189 = B. spatulata.  
*ventosus*, Miers, l. c. 188 = Calycera ventosa.

NASTURTIODES, Medic. Pflanzengatt. i. 81 (1792); Moench, Meth. 270 (1794) = **Lepidium**, Tourn. (Crucif.).  
*inconspicuum*, Medic. l. c. = L. ruderales.

NASTURTIOLUM, S. F. Gray, Nat. Arr. Brit. Pl. ii. 692 (1821) = **Hutchinsia**, R. Br. (Crucif.).  
*montanum*, S. F. Gray, l. c. = H. petraea.

NASTURTIOLUM, Medic. Pflanzengatt. i. 82 (1792) = **Senebiera**, DC. (1799) (Crucif.).  
*castratum*, Medic. l. c. = S. pinnatifida.  
*pinnatum*, Moench, Meth. Suppl. 71 = S. pinnatifida.

NASTURTIOPSIS, Boiss. Fl. Orient. i. 237 (1867) = **Nasturtium**, Linn. (Crucif.).  
*arabica*, Boiss. l. c. = Arabis.

**NASTURTIIUM**, Linn. Syst. ed. I (1735); R. Br. in Ait. Hort. Kew. ed. II. iv. 109 (1812). **CRUCIFERAE**, Benth. & Hook. f. i. 68.  
 BRACHIOLOBOS, All. Fl. Pedem. i. 278 (1785).  
 CLANDESTINARIA, Spach, Hist. Vég. Phan. vi. 427 (1838).  
 LEIOLOBUM, Reichb. Consp. 184 (1828).  
 NASTURTIOPSIS, Boiss. Fl. Orient. i. 237 (1867).  
 RADICULA, Dill. ex Moench, Meth. 262 (1794).  
 RORIPA, Scop. Fl. Carn. ed. I. 520 (1760).  
 TETRACELLION, Turcz. ex Fisch. & Mey. Ind. Sem. Hort. Petrop. i. (1835) 39.  
 TETRAPOMA, Turcz. ex Fisch. & Mey. l. c. (1835).  
*acaule*, Welw. Apont. 589.—Afr. trop.  
*album*, Spreng. Syst. ii. 383 = Smelowskia cinerea.  
*alpinum*, Crantz, Crucif. t. i. 80 = Hutchinsia alpina.  
*amphibium*, R. Br. in Ait. Hort. Kew. ed. II. iv. 110.—Reg. bor. temp.  
*anceps*, Auct. ex Nym. Consp. 3 = sylvestre.  
*anceps*, DC. Prod. i. 137.—Europ.  
*anethifolium*, Phil. Fl. Atac. 7.—Chili.  
*apetalum*, DC. Syst. ii. 200 = indicum.  
*aquaticum*, Wahlenb. in Svensk Bot. t. 624 = officinale.  
*aquaticum*, Wallr. Sched. Crit. 371 = amphibium.  
*arabifforme*, DC. Syst. ii. 220.—Am. austr.  
*Armoracia*, Fries, Fl. Scan. 65 = Cochlearia Armoracia.  
*armoracioides*, Tausch, in Flora, xxiii. (1840) 707.—Europ.  
*arvense*, Laest. ex Nym. Consp. 36 = palustre.  
*Aschersonianum*, Janka.—Cf. *Just.*, *Fahresber.* iv. (1876) 1061.—Europ.  
*asperum*, Boiss. Voy. Bot. Espagne, ii. 28 = Sisymbrium Boissieri.  
*asperum*, Coss. Notes Crit. 27 = Sisymbrium asperum.  
*astyloides*, Knaf, ex Opiz, Seznam, 68 = sylvestre.  
*astylon*, Reichb. Fl. Germ. Excurs. 684 = austriacum.

## NASTURTIIUM:—

*atlanticum*, Ball, in Journ. Bot. xi. (1873) 297.—Marocc.  
*atrovirens*, DC. Syst. ii. 201 = indicum.  
*aureum*, Boiss. & Heldr. Diagn. Ser. I. viii. 17.—Syria.  
*austriacum*, Crantz, Stirp. Austr. ed. I. 15.—Europ. or.; As. Min.  
*barbaraoides*, Tausch, in Flora, xxiii. (1840) 713 = sylvestre.  
*barbareaefolium*, Baker, Fl. Maurit. 7.—Ins. Maurit.  
*benghalense*, DC. Syst. ii. 198 = indicum.  
*benghalense*, Hance, in Journ. Linn. Soc. xiii. (1873) 99 = microspermum.  
*Boissieri*, Coss. Notes Crit. ii. 26 = Sisymbrium Boissieri.  
*Boissieri*, Noé, ex Boiss. Fl. Orient. i. 181 = thracicum.  
*bonariense*, DC. Syst. ii. 193.—Reg. Argent.  
*brachycarpum*, C. A. Mey. in Ledeb. Fl. Alt. iii. 8.—Rossia; Sibir.  
*Brachylobus*, C. Muell. in Walp. Ann. vii. 100 = austriacum.  
*brachypus*, Webb, Fragm. Fl. Aethiop. 13.—Afr. trop.  
*brachystylum*, Wallr. Beitr. Fl. Hercyn. 236.—Europ.  
*brevipies*, Griseb. in Mem. Am. Acad. N. S. viii. (1861) 154.—Cuba.  
*brevistylon*, Schur, Enum. Pl. Transs. 39 = sylvestre.  
*Bursa-pastoris*, Roth, Tent. Fl. Germ. i. 281 = Capsella Bursa-pastoris.  
*bursifolium*, DC. Syst. ii. 194.—Kamtschat.  
*caledonicum*, Sond. in Linnaea, xxiii. (1850) 2.—Afr. austr.  
*Camelinae*, Fisch. & Mey. Ind. Sem. Hort. Petrop. i. 34 = austriacum.  
*cantonense*, Hance, in Journ. Bot. iii. (1865) 378 = Cochlearia globosa.  
*ceratophyllum*, DC. Syst. ii. 193.—Mauritan.  
*cernuum*, Nutt. in Torr. & Gray, Fl. N. Am. i. 74 = curvisiliqua.  
*chilense*, Hort. ex Steud. Nom. ed. II. ii. 185 = erectum.  
*clandestinum*, Spreng. Nov. Prov. 29.—Bras.  
*commutatum*, Opiz, Seznam, 68 = amphibium.  
*coronopifolium*, DC. Syst. ii. 194.—Afr. bor.  
*crispum*, Medic. Pflanzengatt. 81 (*cryspum*) = Lepidium sativum.  
*cryptanthum*, A. Rich. Tent. Fl. Abyss. i. 15.—Abyssin.  
*curvisiliqua*, Nutt. in Torr. & Gray, Fl. N. Am. i. 73.—Am. bor. occ.  
*densiflorum*, Turcz. in Bull. Soc. Nat. Mosc. xv. (1842) 226.—As. centr.  
*denticulatum*, Walp. Rep. ii. 755, sphalm. = *tenticulatum*.  
*deserticola*, Phil. in Anal. Univ. Chil. (1865) ii. 339.—Chili.  
*diandrum*, Moench, Meth. 270 = Lepidium Iberis.  
*diffusum*, DC. Prod. i. 139 = indicum.  
*divaricatum*, Wall. Cat. n. 4776.—Ind. or.  
*diversifolium*, Wall. l. c. n. 4775 = palustre.  
*Draba*, Crantz, Crucif. 91 = Lepidium Draba.  
*ellipticum*, Boiss. in Ann. Sc. Nat. Sér. II. xvii. (1842) 59 (= *Chrysochamela elliptica*).—As. Min.  
*erectum*, Trevir. ex Sweet, Hort. Brit. ed. III. 26.—Chili.  
*erythrospermum*, Boiss. & Huet, Diagn. Sér. II. v. 19, in obs. = sylvestre.  
*flaccidum*, Earn. in C. Gay, Fl. Chil. i. 119.—Chili.  
*flexicaule*, Boiss. in Ann. Sc. Nat. Sér. II. xvii. (1842) 58 = Cochlearia velutina.  
*flexuosum*, Seub. Fl. Azor. 43 = officinale?  
*fluviatile*, E. Mey. ex Harv. & Sond. Fl. Cap. i. 21.—Afr. austr.  
*fontanum*, Aschers. Fl. Brandenb. 32 = officinale.  
*gangeticum*, Buch.-Ham. in Wall. Cat. n. 4777 = indicum.  
*glaucophyllum*, DC. Syst. ii. 195 = Cochlearia glaucophylla.  
*globosum*, Turcz. ex Fisch. & Mey. Ind. Sem. Hort. Petrop. i. 35 = Cochlearia globosa.  
*Halleri*, Andr. ex DC. Syst. ii. 233 = Arabis Halleri.  
*heterophyllum*, Blume, Bijdr. 50 = indicum.  
*heterophyllum*, D. Don, Prod. Fl. Nep. 202 = palustre.  
*hispanicum*, Boiss. & Reut. Diagn. Ser. I. viii. 18.—Hispan.  
*hispidum*, DC. Syst. ii. 201 = palustre.  
*humifusum*, Guill. & Perr. Fl. Seneg. Tent. i. 19.—Afr. trop.

## NASTURTIIUM:—

*hybridum*, Nym. Consp. 35, in syn. = austriacum.  
*Iberis*, Gaertn. Mey. & Scherb. Fl. Wett. ii. 432 = Lepidium Iberis.  
*Impatiens*, Cham. & Schlecht. in Linnaea, v. (1830) 212.—Mexic.  
*indicum*, DC. Syst. ii. 199.—Ind. or.; China; Malaya.  
*Kernerii*, Menyh. ex Janka, in Termés. Füzetek, vii. (1883) 117, in syn. = brachycarpum.  
*lacustre*, A. Gray, Gen. Pl. N. Am. i. 132.—Am. bor.  
*limosum*, Nutt. in Torr. & Gray, Fl. N. Am. i. 74.—Am. bor.  
*linifolium*, Nutt. in Journ. Acad. Philad. vii. (1834) 12 = Sisymbrium linifolium.  
*lippizense*, DC. Syst. ii. 195.—Europ. austr. or.  
*lyratum*, Coop. in Pacif. Rail. Rep. xii. 51 = palustre.  
*lyratum*, Nutt. in Torr. & Gray, Fl. N. Am. i. 73 = curvisiliqua.  
*macrocarpum*, Boiss. & Heldr. Diagn. Ser. I. viii. 18.—Syria.  
*macrorrhizum*, Steud. in Flora, xxxix. (1856) 409 = flaccidum.  
*madagascariense*, DC. Syst. ii. 192.—Madag.  
*madagascariense*, Wight & Arn. Prod. 19 = indicum.  
*Menziesii*, Spreng. Syst. ii. 883 = Sisymbrium canescens.  
*mexicanum*, Moq. Sesse & Cerv. ex DC. Syst. ii. 193.—Mexic.  
*micranthum*, DC. Prod. i. 137.—Ind. or.  
*micropetalum*, Fisch. & Mey. Ind. Sem. Hort. Petrop. iii. 41 = tanacetifolium.  
*microphyllum*, Reichb. Ic. Fl. Germ. i. 15. t. 50. f. 4360 = officinale.  
*microspermum*, DC. Syst. ii. 199.—China.  
*Mirbellii*, Spreng. ex Steud. Nom. ed. II. ii. 185 = erectum.  
*montanum*, Wall. Cat. n. 4778, partim.—Reg. Himal.; Java; China.  
*Morisonii*, Tausch, in Flora, xxiii. (1840) 715 = sylvestre.  
*mucronulatum*, Lacroix, in Bull. Soc. Bot. Fr. vi. (1859) 551 = sylvestre.  
*multifidum*, Spreng. Syst. ii. 883 = Sisymbrium canescens.  
*Munbyanum*, Boiss. & Reut. Diagn. Ser. II. v. 19.—Alger.  
*myriophyllum*, Spreng. Syst. ii. 883 = Sisymbrium myriophyllum.  
*nanum*, Wedd. in Ann. Sc. Nat. Sér. IV. v. (1864) 290.—Bolivia.  
*natans*, DC. Syst. ii. 198.—Sibir.  
*natans*, Hook. Fl. Bor. Am. i. 39 = lacustre.  
*nebrodense*, Rafin. in Desv. Journ. iv. (1814) 270 = Lepidium nebrodense.  
*niloticum*, Boiss. Diagn. Ser. I. viii. 19.—Nubia.  
*Noëanum*, Boiss. l. c. Ser. II. i. 21 (= *Chrysochamela Noëana*).—Armenia.  
*obliquum*, Zoll. & Mor. in Nat. en Geneesk. Arch. Néerl. Ind. ii. (1845) 580.—Java.  
*obtusum*, Nutt. in Torr. & Gray, Fl. N. Am. i. 74.—Am. bor.  
*obtusum*, Torr. in Pacif. Rail. Rep. iv. 65 = curvisiliqua.  
*officinale*, R. Br. in Ait. Hort. Kew. ed. II. iv. 111.—Reg. bor. temp.  
*Orizabae*, Cham. & Schlecht. in Linnaea, v. (1830) 212.—Mexic.  
*ovirens*, Andr. ex DC. Syst. ii. 234 = Arabis Halleri.  
*palustre*, DC. Syst. ii. 191.—Reg. bor. et austr.  
*paniculatum*, Crantz, Stirp. Austr. ed. I. fasc. i. 15; ed. II. 15 = Neslia paniculata.  
*petraeum*, Crantz, Crucif. 80. t. 2 = Hutchinsia petraea.  
*perfoliatum*, Bess. Enum. Pl. Volh. 26 = Lepidium perfoliatum.  
*plebejum*, Polak. in Linnaea, xli. (1858) 546.—Costa Rica.  
*polymorphum*, Nutt. in Torr. & Gray, Fl. N. Am. i. 74 = curvisiliqua.  
*portoricense*, Spreng. Syst. ii. 882.—Ind. occ.  
*procurrens*, Andr. ex DC. Syst. ii. 229 = Arabis procurrens.  
*proliferum*, Heuff. in Flora, xxxvi. (1853) 624 = brachycarpum.  
*pumilum*, Cambess. in A. St. Hil. Fl. Bras. Mer. ii. 119.—Bras.  
*pumilum*, Nutt. in Journ. Acad. Philad. vii. (1834) 12 = Sisymbrium linifolium.  
*pumilum*, Pomel, Nouv. Mat. Fl. Atl. 376.—Alger.  
*pyrenaicum*, R. Br. in Ait. Hort. Kew. ed. II. iv. 110.—Europ. austr.



**NASTURTIIUM:—**

*pyrenaicum*, Reut. ex Boiss. Diagn. Ser. I. viii. 19 = hispanicum.  
*radicans*, Walp. in Nov. Act. Nat. Cur. xix. Suppl. i. (1843) 247.—Chili.  
*Reichenbachii*, Knaf, ex Opiz, Seznam, 68 = sylvestre.  
*riparium*, Gremli, Excursions-Fl. Schweiz, ed. I, in nota, 80 = sylvestre.  
*riparium*, Wallr. Sched. Crit. 373 = amphibium.  
*rivulare*, Reichb. Ic. Fl. Germ. vi. (1827) 14. t. 517 = sylvestre.  
*rotundifolium*, Rafin. Fl. Ludov. 86 (Quid?).—Louisian.  
*rudérale*, Scop. Fl. Carn. ed. II. ii. 13 = Lepidium rudérale.  
*sagittatum*, Auch. ex Fourn. Thèse Crucif. 124 = Sisymbrium pumilum.  
*sagittatum*, [R. Br. in] Ait. Hort. Kew. ed. II. iv. 111 = Alysopsis deflexa.  
*sativum*, Moench, Meth. 270 = Lepidium sativum.  
*saxatile*, Crantz, Stirp. Austr. ed. I. Fasc. i. 14; ed. II. 14 = Cochlearia saxatilis.  
*scapigerum*, Auch. ex Boiss. in Ann. Sc. Nat. Sér. II. xvii. (1842) 166 = Arabis sulphurea.  
*semipinnatifidum*, Hook. Journ. Bot. i. (1834) 246 = palustre.  
*sessiliflorum*, Nutt. in Torr. & Gray, Fl. N. Am. i. 73.—Am. bor. occ.  
*stifolium*, Reichb. Fl. Germ. Excurs. 683 = officinale.  
*sikokianum*, Franch. & Sav. Enum. Pl. Jap. ii. 277.—Japon.  
*sinense*, DC. Syst. ii. 699.—China.  
*sinuatum*, Nutt. in Torr. & Gray, Fl. N. Am. i. 73.—Am. bor. occ.  
*sparsum*, D. Don, Prod. Fl. Nep. 202 = micranthum.  
*sphaerocarpum*, A. Gray, in Mem. Am. Ac. N. S. iv. (1849) 6.—N. Mexic.  
*stenocarpum*, Godr. in Mém. Soc. Emul. Doubs, Sér. II. v. (1854) 21 = anceps.  
*sublyratum*, Franch. & Sav. Enum. Pl. Jap. ii. 281 = montanum.  
*supinum*, Beurl. ex Nym. Consp. 44 = Sisymbrium supinum.  
*sylvestre*, R. Br. in Ait. Hort. Kew. ed. II. iv. 110.—Reg. bor. temp.  
*tanacetifolium*, Hook. & Arn. in Hook. Journ. Bot. i. (1834) 190.—Am. bor.  
*tentaculatum*, Wallr. in Linnaea, xiv. (1840) 607 = amphibium.  
*tenue*, Miq. Ann. Mus. Bot. Lugd. Bat. ii. 71.—Japon.  
*terrestre*, R. Br. in Ait. Hort. Kew. ed. II. iv. 110 = palustre.  
*terrestre*, Tausch, in Flora, xxiii. (1840) 711 = anceps?  
*Thaliana*, Andr. ex DC. Syst. ii. 226 = Sisymbrium Thalianum.  
*thracicum*, Griseb. Spicil. Fl. Rumel. i. 258.—Banat.; Graecia.  
*trachycarpum*, A. Gray, in Bull. Geol. Geogr. Surv. ii. 233.—Am. bor. occ.  
*tuberosum*, Rafin. Fl. Ludov. 84 = Cardamine rhomboidea?  
*Turcsaninowii*, Czern. ex Turcz. in Bull. Soc. Nat. Mosc. xxvii. (1854) ii. 372, in textu = anceps?  
*turfosum*, Kunze, in Nov. Act. Nat. Cur. xix. Suppl. i. (1843) 247.—Chili.  
*verrucarium*, Garsault, Desc. Pl. t. 402; ex DC. Syst. ii. 525 = Senebiera Coronopus.  
*Walteri*, Wood, Class-Book (1861), 228 = tanacetifolium.  
*Wulfenianum*, Host, Fl. Austr. ii. 259 = lippizense.

**NASTUS**, Juss. Gen. 34 (1789). **GRAMINEAE**, Benth. & Hook. f. iii. 1210.

**STEMMATOSPERMUM**, Beauv. Agrost. 144. t. 25 (1812).

*arundinaceus*, Sm. in Rees, Cycl. xxiv. n. 1 = Bambusa arundinacea.  
*baccifer*, Roxb. ex Rasp. in Ann. Sc. Nat. Sér. I. v. (1825) 442 = Melocanna bambusoides.  
*barbatus*, Rupr. in Mém. Acad. Pétersb. Sér. VI. v. (1839) 132.—Bras.  
*borbonicus*, F. F. Gmel. Syst. ii. 580.—Ins. Borbon.  
*bruneus*, Desv. Opusc. 107 (err. typ. 211).—Bras.  
*capitatus*, Kunth, Rév. Gram. i. 325 (= *Beesha capitata*).—Ins. Borbon.  
*Chusquea*, H. B. & K. Nov. Gen. et Sp. i. 201 = Chusquea scandens.

VOL. II.

**NASTUS:—**

*Chusquea*, Rasp. in Ann. Sc. Nat. Sér. I. v. (1825) 442 = praec.  
*Guadua*, Spreng. Syst. ii. 113 = Guadua angustifolia.  
*humilis*, Hassk. Cat. Hort. Bog. Alt. 19 = Dinochloa Tjankorreh.  
*latifolius*, Spreng. Syst. ii. 113 = Guadua latifolia.  
*macrospemus*, Rasp. in Ann. Sc. Nat. Sér. I. v. (1825) 442, 458. t. 8. f. 1 = Arundinaria macrospema.  
*paniculatus*, Sm. in Rees, Cycl. xxiv. n. 4 = borbonicus.  
*plicatilis*, Zipp. ex Mackl. in Bijdr. Nat. Wet. v. (1830) 178, nomen (Quid?).—N. Guin.  
*prolifer*, Desv. Opusc. 107 (err. typ. 211).—Bras.  
*Quila*, Schult. f. Syst. vii. 1361 = Chusquea Quila.  
*strictus*, Sm. in Rees, Cycl. xxiv. n. 2 = Dendrocalamus strictus.  
*tessellatus*, Nees, Fl. Afr. Austr. i. 463 = Arundinaria tessellata.  
*Thouarsii*, Rasp. in Ann. Sc. Nat. Sér. I. v. (1825) 442; Spreng. Syst. ii. 113 = Bambusa vulgaris.  
*Tjankorreh*, Schult. f. Syst. vii. 1358 = Dinochloa Tjankorreh.  
*verticillatus*, Sm. in Rees, Cycl. xxiv. n. 3 = Giganthochloa verticillata.  
*viviparus*, Rasp. in Ann. Sc. Nat. Sér. I. v. (1825) 458. t. 8. f. 3 = Bambusa vulgaris.

**NATALANTHE**, Sond. in Linnaea, xxiii. (1850) 52 = **Tricalysia**, A. Rich. (Rubiaceae).  
*floribunda*, Sond. l. c. (= *Bunbura capensis*).—Afr. austr.

**NATALIA**, Hochst. in Flora, xxiv. (1841) ii. 663 = **Bersama**, Fresen. (Sapind.).  
*lucens*, Hochst. l. c. 664.—Afr. austr.  
*paullinioides*, Planch. in Hook. Ic. Pl. t. 780 = B. paullinioides.

**NATHUSIA**, Hochst. in Flora, xxiv. (1841) i. Intell. 25; ii. 671 = **Schrebera**, Roxb. (Oleaceae).  
*alata*, Hochst. ll. cc. 25; 672 = S. alata.

**NATRIX**, Moench, Meth. 158 (1794) = **Ononis**, Linn. (Legumin.).  
*crispa*, Moench, Meth. Suppl. 54 = O. crispa.  
*fruticosa*, Moench, Meth. 158 = O. fruticosa.  
*pinguis*, Moench, l. c. = O. Natrix.  
*rotundifolia*, Moench, l. c. = O. rotundifolia.

**NATSIATOPSIS**, Kurz, in Journ. As. Soc. Beng. xlv. (1875) ii. 201. **OLACINEAE**.  
*thunbergiaefolia*, Kurz, l. c. = Burma.

**NATSIATUM**, Buch.-Ham. in Wall. Cat. n. 4252 (1831). **OLACINEAE**, Benth. & Hook. f. i. 355.  
*NANSIATUM*, Miq. Fl. Ind. Bat. i. 1. 797 (1855).  
*gamosepalum*, Griff. Notul. iv. 330 = Lophophyllum bicristatum.  
*herpeticum*, Buch.-Ham. in Wall. Cat. n. 4252.—Reg. Himal.; Burma.  
*oppositifolium*, Planch. in Hook. Lond. Journ. Bot. v. (1846) 247 = Iodes ovalis.

**NAUCHEA**, Descourt. in Mém. Soc. Linn. Par. iv. (1826) 7 = **Clitoria**, Linn. (Legumin.).  
*bracteata*, Dupuis, ex Descourt. l. c. 11 = C. Ternatea.  
*brasiliensis*, Descourt. l. c. 9 = Centrosema brasiliense.  
*clipeata*, Pritz. Ic. Ind. i. 738 = C. glycinoides.  
*falcata*, Descourt. in Mém. Soc. Linn. Par. iv. (1826) 9 = Perianthera coccinea.  
*heterophylla*, Descourt. l. c. 8 = C. heterophylla.  
*laurifolia*, Ledru, ex Descourt. l. c. 11 = Centrosema vexillatum.  
*Mariana*, Descourt. l. c. 9 = C. Mariana.  
*multiflora*, Descourt. l. c. 10 = Vilmorinia multiflora.  
*Plumieri*, Pers. ex Descourt. l. c. 12 = Centrosema Plumieri.  
*polyphylla*, Ledru, ex Descourt. l. c. 10 = Barbieria polyphylla.  
*pudica*, Descourt. l. c. 12 = C. pudica.  
*rubiginosa*, Descourt. l. c. = C. glycinoides.  
*Ternatea*, Descourt. l. c. 8 = C. Ternatea.  
*virginiana*, Descourt. l. c. 9 = Centrosema virginianum.

**NAUCLEA**, Linn. Sp. Pl. ed. II. 243 (1762). **RUBIACEAE**, Benth. & Hook. f. ii. 31.  
**PLATANOCARPUM**, Korth. Obs. Nacl. 18 (1839), partim.  
*acida*, Hunter, in Trans. Linn. Soc. ix. (1808) 223 = Uncaria acida.

**NAUCLEA:—**

*aculeata*, H. B. & K. Nov. Gen. et Sp. iii. 382 = Uncaria tomentosa.  
*aculeata*, Willd. Sp. Pl. i. 929 = Uncaria guianensis.  
*Adina*, Blanco, Fl. Filip. ed. II. 102 (= *Stephegyne diversifolia*).—Ins. Philipp.  
*Adina*, Sm. in Rees, Cycl. xxiv. n. 13 = Adina globiflora.  
*adinoides*, Lindl. in Bot. Reg. sub t. 895 = Adina globiflora.  
*affinis*, Miq. Fl. Ind. Bat. ii. 137.—Ins. Banca.  
*africana*, Willd. Sp. Pl. i. 929 = Mitragnyna africana.  
*appendiculata*, Walp. Rep. ii. 943 = Uncaria appendiculata.  
*aralioides*, Miq. Fl. Ind. Bat. ii. 344, in textu = Adina polycephala.  
*attenuata*, Walp. Rep. ii. 513 = Uncaria attenuata.  
*Bartlingii*, DC. Prod. iv. 344.—Ins. Philipp.  
*Blancoi*, Vidal, Phan. Cuming. Philipp. 175.—Ins. Philipp.  
*bracteosa*, Welw. Syn. Explicat. 48. n. 130 = Mitragnyna macrophylla.  
*Brunonis*, Wall. Cat. n. 6097 (= *Stephegyne diversifolia*).—Ind. or.  
*Cadamba*, Roxb. Hort. Beng. 14; Fl. Ind. i. 512 = Anthocephalus morindaefolius.  
*callophylla*, Blume, ex Miq. Ann. Mus. Bot. Lugd. Bat. iv. 182 = purpurascens.  
*calycina*, Bartl. ex DC. Prod. iv. 346.—Ins. Philipp.  
*canescens*, Bartl. l. c.—Ins. Philipp.  
*canescens*, Walp. Rep. ii. 513 = Uncaria canescens.  
*capitellata*, Voigt, Hort. Suburb. Calc. 375 = Adina polycephala.  
*Cinchonae*, DC. Prod. iv. 345.—Am. austr.  
*citrifolia*, Poir. in Lam. Encyc. iv. 435 = Anthocephalus morindaefolius.  
*coadunata*, Roxb. ex Sm. in Rees, Cycl. xxiv. n. 6 = Sarcoccephalus cordatus.  
*cordata*, Blume, Bijdr. 1011.—Java.  
*cordata*, Roxb. Hort. Beng. 14; Fl. Ind. i. 509 = Sarcoccephalus cordatus.  
*cordifolia*, Roxb. Pl. Corom. i. 40. t. 53 = Adina cordifolia.  
*Cumingiana*, Vidal, Phan. Cuming. Philipp. 176.—Ins. Philipp.  
*cyclophylla*, Miq. Ann. Mus. Bot. Lugd. Bat. iv. 181.—Ins. Molucc.  
*cyrtopoda*, Miq. Fl. Ind. Bat. ii. 342.—Sumatra.  
*dasyoneura*, Walp. Rep. ii. 513 = Uncaria dasyoneura.  
*digitata*, Blanco, Fl. Filip. ed. II. 102 = Heptapleurum Cephalotes.  
*diversifolia*, Wall. Cat. n. 609 (= *Stephegyne diversifolia*).—Ind. or.  
*elliptica*, Dalz. & Gibs. Bomb. Fl. 118 = missionis.  
*elliptica*, Walp. Rep. ii. 512 = Uncaria dasyoneura.  
*excelsa*, Blume, Bijdr. 1009.—Java.  
*fagifolia*, Teijsm. & Binn. Cat. Hort. Bog. 117.—Ins. Amboina.  
*ferrea*, Blume, Bijdr. 1014 = Uncaria ferrea.  
*ferruginea*, Blume, l. c. 1013 = Uncaria pedicellata.  
*Forsteri*, Seem. Fl. Vit. 121, in obs.—Polynes.  
*Gambir*, Hunter, in Trans. Linn. Soc. ix. (1808) 218. t. 22 = Uncaria Gambier.  
*glaberrima*, Bartl. ex DC. Prod. iv. 344.—Ins. Philipp.  
*glaberrima*, Blanco, Fl. Filip. ed. II. 100 = Sarcoccephalus subditus.  
*glabra*, Blanco, Fl. Filip. ed. II. 101 = Anthocephalus morindaefolius.  
*glabra*, Roxb. Hort. Beng. 86; Fl. Ind. i. 512.—Ins. Molucc.  
*glabrata*, Blume, Bijdr. 1012 = Uncaria glabrata.  
*glandulifera*, Span. in Linnaea, xv. (1841) 315.—Ins. Timor.  
*glandulosa*, Blanco, Fl. Filip. ed. I. 143 = Anthocephalus morindaefolius.  
*gracilis*, Vidal, Phan. Cuming. Philipp. 176.—Ins. Philipp.  
*grandifolia*, DC. Prod. iv. 345 = Sarcoccephalus cordatus.  
*grandifolia*, Spreng. Syst. iv. Cur. Post. 81 = Uncaria macrophylla.  
*guianensis*, Poir. in Lam. Encyc. iv. 436; D. Dietr. Syn. Pl. i. 792 = Uncaria guianensis.  
*Haenkeana*, Steud. Nom. ed. II. ii. 186.—Ins. Philipp.  
*Hallii*, Walp. Rep. ii. 512 = Uncaria pedicellata.  
*imbricata*, Blume, ex Miq. Ann. Mus. Bot. Lugd. Bat. iv. 182 = purpurascens.  
*inermis*, Baill. in Bull. Soc. Linn. Par. i. (1879) 201 = Mitragnyna africana.

Q q



**NAUCLEA:**—

- insignis*, D. Dietr. Syn. Pl. i. 791 = *Uncaria sclerophylla*.  
*Korthalsii*, Steud. Nom. ed. II. ii. 186 = *Mitragyna speciosa*.  
*laevigata*, Walp. Rep. ii. 512 = *Uncaria laevigata*.  
*lanceolata*, Blume, Bijdr. 1009 = *purpurea*.  
*lanosa*, Poir. Encyc. Suppl. iv. 64 = *Uncaria lanosa*.  
*latifolia*, Blanco, Fl. Filip. ed. I. 144 = *obtusata*.  
*latifolia*, Sm. in Rees, Cycl. xxiv. n. 5 = *Sarcocephalus esculentus*.  
*longiflora*, Poir. Encyc. Suppl. iv. 63 = *Uncaria acida*.  
*luica*, Blanco, Fl. Filip. ed. I. 141 = *Sarcocephalus subditus*.  
*luzonensis*, D. Dietr. Syn. Pl. i. 791 = *Haenkeana*.  
*luzonensis*, Blanco, Fl. Filip. ed. II. 102 = *Mitragyna speciosa*.  
*macrophylla*, Blume, Bijdr. 1010 = *Sarcocephalus cordatus*.  
*macrophylla*, Perr. & Lepr. ex DC. Prod. iv. 346 = *Mitragyna macrophylla*.  
*macrophylla*, Roxb. Hort. Beng. 14; Fl. Ind. i. 511.—Ins. Amboin.  
*Maingayi*, Hook. f. Fl. Brit. Ind. iii. 27.—Malaya.  
*microcephala*, Delile, in Caill. Pl. Afr. 67. n. 54 = *Adina microcephala*.  
*microcephala*, Wall. ex Voigt, Hort. Suburb. Calc. 375; et ex Hook. f. Fl. Brit. Ind. iii. 25 = *Adina polycephala*.  
*missionis*, Wall. Cat. n. 6099.—Ind. or.  
*mollis*, Bartl. ex DC. Prod. iv. 344 = *Bartlingii*.  
*mollis*, Blume, Bijdr. 1010.—Java.  
*moluccana*, Miq. Ann. Mus. Bot. Lugd. Bat. iv. 183.—Ins. Molucc.  
*morindaefolia*, Blume, Bijdr. 1011 = *Anthocephalus morindaefolius*.  
*nemorosa*, Walp. Rep. ii. 512 = *Uncaria nemorosa*.  
*oblongata*, Miq. ex Hook. f. Fl. Brit. Ind. iii. 27 = *missionis*.  
*obtusata*, Blume, Bijdr. 1009.—Java.  
*orientalis*, Forst. f. Prod. 15 = *Forsteri*.  
*orientalis*, Gaertn. Fruct. i. 151. t. 30 = *Mitragyna parvifolia*.  
*orientalis*, Herb. Madr. ex Wight & Arn. Prod. 392 = *missionis*.  
*orientalis*, Linn. Sp. Pl. ed. II. 243.—Ind. or.  
*orientalis*, Willd. Sp. Pl. i. 928.—Ind. or.; Java.  
*ovalifolia*, Roxb. Hort. Beng. 14; Fl. Ind. i. 516 = *Adina sessilifolia* ?  
*ovalifolia*, Spreng. Syst. iv. Cur. Post. 80 = *Uncaria ovalifolia*.  
*oxyphylla*, Miq. Fl. Ind. Bat. Suppl. 538.—Sumatra.  
*pallida*, Blume, ex Miq. Ann. Mus. Bot. Lugd. Bat. iv. 182 = *purpurascens*.  
*parviflora*, Pers. Syn. i. 202 = *Mitragyna parvifolia*.  
*parvifolia*, Roxb. Pl. Corom. i. 40. t. 52 = *Mitragyna parvifolia*.  
*parvifolia*, Wall. Cat. n. 6093 B = *Sarcocephalus cordatus*.  
*parvifolia*, Willd. Sp. Pl. i. 929 = *Mitragyna parvifolia*.  
*pedicellata*, Blume, Bijdr. 1012 = *Uncaria pedicellata*.  
*peduncularis*, Thw. Enum. Pl. Zeyl. 137 = *zeylanica*.  
*peduncularis*, Wall. Cat. n. 6091.—Malaya.  
*pilosa*, Blume, Bijdr. 1013 = *Uncaria pilosa*.  
*pilulifera*, Baill. ex Franch. Pl. Davidian. i. 154 = *Adina globiflora*.  
*platanocarpa*, Hook. f. in Hook. Ic. Pl. t. 787 = *Mitragyna africana*.  
*polycephala*, A. Rich. in Mém. Soc. Hist. Nat. Par. v. (1834) 289 = *Cinchonae*.  
*polycephala*, Wall. Cat. n. 6100 = *Adina polycephala*.  
*purpurascens*, Korth. Verh. Nat. Gesch. Bot. 157.—Malaya.  
*purpurea*, Herb. Reinw. ex Miq. Fl. Ind. Bat. ii. 343 = *glabra*.  
*purpurea*, Roxb. Pl. Corom. i. 41. t. 54.—Ind. or.; China.  
*purpurea*, Wall. Cat. n. 6090 D = *undulata*.  
*racemosa*, Sieb. & Zucc. in Abh. Akad. Muench. iv. 111. (1846) 178 = *Adina racemosa*.  
*rhynchophylla*, Miq. Ann. Mus. Bot. Lugd. Bat. iii. 108.—Japan.  
*rotundifolia*, Bartl. ex DC. Prod. iv. 346 = *Haenkeana*.  
*rotundifolia*, Roxb. Hort. Beng. 86; Fl. Ind. i. 516 (= *Stephegyne diversifolia*).—Ind. or.  
*Roxburghiana*, Walp. Rep. ii. 513 = *Uncaria Roxburghiana*.

**NAUCLEA:**—

- Roxburghii*, G. Don, Gen. Syst. iii. 469 = *Sarcocephalus cordatus*.  
*sambucina*, T. Winterb. Account Sierra Leone, ii. 45 = *Sarcocephalus esculentus*.  
*scandens*, Roxb. ex Hook. f. Fl. Brit. Ind. iii. 30 = *Uncaria sessilifrutus*.  
*scandens*, Sm. in Rees, Cycl. xxiv. n. 9 = *Uncaria pilosa*.  
*sclerophylla*, Hunter, in Trans. Linn. Soc. ix. (1808) 223 = *Uncaria sclerophylla*.  
*sericea*, Span. in Linnaea, xv. (1841) 314.—Ins. Timor.  
*sericea*, Wall. Cat. n. 6095 = *Adina sessilifolia*.  
*sessilifolia*, Roxb. Hort. Beng. 86; Fl. Ind. i. 515 = *Adina sessilifolia*.  
*sessilifrutus*, D. Dietr. Syn. Pl. i. 792 = *Uncaria sessilifrutus*.  
*sessilis*, Spreng. Syst. iv. Cur. Post. 81 = *Uncaria sessilifrutus*.  
*setigera*, Blume, Bijdr. 1013 = *Uncaria lanosa*.  
*setiloba*, Walp. Rep. ii. 943 = *Uncaria setiloba*.  
*silhetana*, D. Dietr. Syn. Pl. i. 791 = *Uncaria macrophylla*.  
*speciosa*, Miq. Fl. Ind. Bat. ii. 140 = *Mitragyna speciosa*.  
*speciosa*, Walp. Rep. ii. 512 = *Uncaria sclerophylla*.  
*stellata*, Wall. Cat. n. 6102.—Ind. or.  
*sterculiaefolia*, Rich. in Mém. Soc. Hist. Nat. Par. v. (1834) 289 = *Adina cordifolia*.  
*stipulacea*, G. Don, Gen. Syst. iii. 469 = *Mitragyna macrophylla*.  
*stipulacea*, Roxb. ex Hook. f. Fl. Brit. Ind. iii. 22 = *Sarcocephalus cordatus*.  
*stipulata*, Benth. & Hook. f. Gen. ii. 31 = seq.  
*stipulosa*, DC. Prod. iv. 346 = *Mitragyna macrophylla*.  
*strigosa*, Korth. Verh. Nat. Gesch. Bot. 157.—Malaya.  
*subdita*, Steud. Nom. ed. II. ii. 186 = *Sarcocephalus subditus*.  
*surinamensis*, Miq. in Linnaea, xix. (1847) 129.—Guian.  
*synkorynes*, Korth. Verh. Nat. Gesch. Bot. 158.—Borneo.  
*tetrandra*, Roxb. Hort. Beng. 14; Fl. Ind. i. 516 = *Cephalanthus naucleoides*.  
*tomentosa*, Willd. in Roem. & Schult. Syst. v. 221 = *Uncaria tomentosa*.  
*trichotoma*, Zoll. & Mor. Syst. Verz. Zoll. 61 = *Adina polycephala*.  
*tubulosa*, Arn. ex Thw. Enum. Pl. Zeyl. 137 = (*Stephegyne tubulosa*).—Ind. or.  
*Uncaria*, D. Dietr. Syn. Pl. i. 791 = *Uncaria ovalifolia*.  
*undulata*, Roxb. Hort. Beng. 14; Fl. Ind. i. 508.—Ins. Molucc.  
*undulata*, Wall. Cat. n. 6094 = *Sarcocephalus cordatus*.  
*verticillata*, Baill. Adansonii, xii. (1879) 284.—Madag.  
*vestita*, Zipp. ex Span. in Linnaea, xv. (1841) 314 = *sericea*.  
*Wallichiana*, R. Br. in Wall. Cat. n. 6098 = *Sarcocephalus cordatus*.  
*Wallichiana*, Spreng. Syst. iv. Cur. Post. 81 = *Uncaria lanosa*.  
*Wallichii*, Walp. Rep. ii. 513 = *Uncaria Wallichii*.  
*zeylanica*, Hook. f. Fl. Brit. Ind. iii. 26.—Zeylan.

*NAUCLEOPSIS*, Miq. in Mart. Fl. Bras. iv. i. 120. t. 35 (1853) = *Noyera*, Tréc. (Urtic.).  
*macrophylla*, Miq. l. c.—Am. trop.

*NAUCOREPHES*, Rafin. Fl. Tellur. ii. 34 (1836) = *Coccoloba*, Linn. (Polygon.).  
*pubescens*, Rafin. l. c. = *C. coronata*.  
*punctata*, Rafin. l. c. = *C. coronata*.

*NAUDINIA*, Decne. ex Triana, in Seem. Fl. Vit. 86 (1866) = *Astronia*, Blume (Melastom.).  
*Forsteri*, Decne. ex Triana, in Trans. Linn. Soc. xxviii. (1871) 152 = *A. Forsteri*.  
*glabra*, Decne. ex Seem. Fl. Vit. 86 = *A. pileolata*.  
*ovalifolia*, Decne. ex Triana, in Trans. Linn. Soc. xxviii. (1871) 152 = *A. ovalifolia*.  
*pileolata*, Decne. ex Triana, l. c. = *A. pileolata*.  
*Umbella*, Decne. ex Triana, l. c. = *A. Forsteri*.

*NAUDINIA*, Planch. & Linden, in Ann. Sc. Nat. Sér. III. xix. (1853) 79. *RUTACEAE*, Benth. & Hook. f. i. 285.  
*amabilis*, Planch. & Linden, l. c.—N. Granat.

*NAUDINIA*, A. Rich. Ess. Fl. Cub. 561 (1845) = *Tetrazygia*, Rich. (Melastom.).  
*argyrophylla*, A. Rich. l. c. 562 (= *Miconia bicolor*).—Cuba.  
*chrysophylla*, A. Rich. l. c. 563 (= *Miconia pallens*).—Cuba.

*NAUENBURGIA*, Willd. Sp. Pl. iii. 2393 (1803) = *Flaveria*, Juss. (Compos.).  
*trinervata*, Willd. l. c. = *F. repanda*.

*NAUENIA*, Klotzsch, in Otto & Dietr. Allg. Gartenz. xxi. (1853) 193 = *Lacaena*, Lindl. (Orchid.).  
*spectabilis*, Klotzsch, l. c. = *L. spectabilis*.

*NAUMBURGIA*, Moench, Meth. Suppl. 23 (1802) = *Lysimachia*, Tourn. (Primul.).  
*guttata*, Moench, l. c. = *L. thyrsoflora*.  
*thyrsoflora*, Reichb. Fl. Germ. Excurs. 410 = *L. thyrsoflora*.

*NAUPLIUS*, Cass. in Dict. Sc. Nat. xxiii. 566 (1822) = *Odontospermum*, Neck. (Compos.).  
*aquaticus*, Cass. l. c. xxxiv. 273 = *O. aquaticum*.  
*intermedium*, Webb, ex Sch. Bip. in Webb & Berth. Phyt. Canar. ii. 236 = *O. intermedium*.  
*maritimus*, Cass. in Dict. Sc. Nat. xxxiv. 274 = *O. maritimum*.  
*sericeus*, Cass. ex Sch. Bip. in Webb & Berth. Phyt. Canar. ii. 234 = *O. sericeum*.  
*stenophyllus*, Webb, l. c. 237 = *O. stenophyllum*.

*NAUTEA*, Noronha, in Verh. Batav. Gen. v. (1790) ed. I. Art. iv. 3 = *Tectona*, Linn. f. (Verbenac.).

*NAUTICALYX*, Hort. ex Loud. Encyc. Pl. Suppl. ii. 1404 (1855) = seq.

*NAUTILOCALYX*, Linden, Cat. [1851, p. 12] ex Hanst. in Linnaea, xxvi. (1853) 207 = *Episcia*, Mart. (Gesnerac.).  
*hastatus*, Linden, ex Hanst. l. c. = *E. bractescens*.  
*panamensis*, Seem. Bot. Voy. Herald, 260 = *Achimenes panamensis*.

*NAUTONIA*, Decne. in DC. Prod. viii. 509 (1844).  
*ASCLEPIADEAE*, Benth. & Hook. f. ii. 747.  
*nummularia*, Decne. l. c. 510.—Bras.

*NAVAEA*, Webb & Berth. Phyt. Canar. i. 32. t. 1 C (1836) = *Lavatera*, Linn. (Malvac.).  
*phoenicea*, Webb & Berth. l. c. 34 = *L. phoenicea*.

*NAVARETTIA*, Hedw. f. Gen. 107 (1806) = seq.

*NAVARETTIA*, Ruiz & Pav. Prod. 20 (1794) = *Gilia*, Ruiz & Pav. (Polem.).  
*atractyloides*, Hook. & Arn. Bot. Beech. Voy. 368 = *G. atractyloides*.  
*cotulaefolia*, Hook. & Arn. l. c. = *G. cotulaefolia*.  
*heterophylla*, Benth. in DC. Prod. ix. 309 = *Collomia heterophylla*.  
*intertexta*, Hook. Fl. Bor. Am. ii. 75 = *G. intertexta*.  
*involuta*, Ruiz & Pav. Fl. Per. ii. 8 = *G. Navarettia*.  
*leucocephala*, Benth. Pl. Hartw. 324 = *G. leucocephala*.  
*minima*, Nutt. in Journ. Acad. Philad. N. S. i. (1847) 160 = *G. minima*.  
*pubescens*, Hook. & Arn. Bot. Beech. Voy. 368 = *G. cotulaefolia*.  
*pungens*, Hook. Fl. Bor. Am. ii. 75 = *G. squarrosa*.  
*pusilla*, Hort. ex Steud. Nom. ed. II. i. 683, in syn.; ii. 186 = *G. Navarettia*.  
*Schottii*, Torr. in Bot. Mex. Bound. 145 = *G. setosissima*.  
*setosissima*, Torr. & Gray, ex Torr. in Ives, Rep. Colorado River Bot. 22 = *G. setosissima*.  
*squarrosa*, Hook. & Arn. Bot. Beech. Voy. 368 = *G. squarrosa*.  
*viscidula*, Benth. Pl. Hartw. 324 = *G. viscidula*.

*NAVENIA*, Klotzsch, ex Benth. & Hook. f. Gen. iii. 547 (1883) = *NAUENIA*, Klotzsch = *Lacaena*, Lindl. (Orchid.).



NAVIA, Schult. f. Syst. vii. 65, 1195 (1830) = **Dyckia**, Schult. (Bromel.).  
*acaulis*, Mart. ex Schult. f. l. c. 1196.—Bras.  
*brevifolia*, Griseb. in Goett. Abh. xxiv. (1879) 332.—Reg. Argent.  
*caulescens*, Mart. ex Schult. f. Syst. vii. 1195.—Bras.

NAVICULARIA, Heist. ex Adans. Fam. ii. 188 (1763) = **Sideritis**, Tourn. (Labiata).  
*Heisteri*, Fabr. ex Benth. in DC. Prod. xii. 440 = *S. syriaca*.

NAVICULARIA, Raddi, Agrost. Bras. 38 (1823) = **Ichnanthus**, Beauv. (Gramin.).  
*glabra*, Raddi, l. c. 39 = *I. Martianus*, *I. Cyanotis*.  
*hirta*, Raddi, l. c. = *I. Planotis*.  
*lanata*, Raddi, l. c. 40. t. 1. f. 5 = *I. leiocarpus*?

NAVIDURA, Alef. in Bonplandia, ix. (1861) 147 = **Lathyrus**, Tourn. (Legumin.).  
*tingitana*, Alef. l. c. = *L. tingitanus*.

NAYAS, Neck. Elem. iii. 279 (1790) = **Najas**, Linn.

NAZIA, Adans. Fam. ii. 31 (1763) = **Tragus**, Hall. (Gramin.).

NEACTELIS, Rafin. New Fl. Am. iv. 69 (1836). **COMPOSITAE** (Quid?).  
*strigosa*, Rafin. l. c. = *Am. bor.*

NEAEA, Juss. in Ann. Mus. Par. ii. (1803) 275 = **Neea**, Ruiz & Pav. (Nyctag.).

NEAERA, Salisb. Gen. Fl. Fragm. 109 (1866) = **Stenomeson**, Herb. (Amaryll.).  
*crocea*, Salisb. l. c. = *S. croceum*.

NEARA, Soland. ex Seem. Fl. Vit. 118 (1865) = **Meryta**, Forst. (Araliac.).  
*longifolia*, Soland. l. c. = *M. lanceolata*.

NEBELIA, Neck. Elem. i. 113 (1790). **BRUNICEAE**.

*BERARDIA*, Brongn. in Ann. Sc. Nat. Sér. I. viii. (1826) 380. t. 37.  
*DIBERARA*, Baill. in Bull. Soc. Linn. Par. i. (1881) 279.  
*affinis*, Sweet, Hort. Brit. ed. II. 116.—Afr. austr.  
*paleacea*, Sweet, l. c. = *Afr. austr.*  
*phyllicoides*, Sweet, l. c. = *Raspalia phyllicoides*.

NEBRA, Noronha, ex Choisy, in DC. Prod. xiii. ii. 447 (1849) = **Neea**, Ruiz & Pav. (Nyctag.).  
*rudifolia*, Noronha, ex Choisy, l. c. 448 = *Neea floribunda*.

NEBROPSIS, Rafin. Alsog. Am. 68 (1838) = **Aesculus**, Linn. (Sapind.).  
*alba*, Rafin. l. c. 69 = *Ae. alba*.  
*glabra*, Rafin. l. c. = *Ae. glabra*.  
*muricata*, Rafin. l. c. 68 = *Ae. muricata*.  
*neglecta*, Rafin. l. c. 70 = *Ae. flava*.  
*ochroleuca*, Rafin. l. c. 68 = *Ae. ochroleuca*.  
*pallida*, Rafin. l. c. 69 = *Ae. glabra*.  
*verrucosa*, Rafin. l. c. = *Ae. verrucosa*.

NECALISTIS, Rafin. Sylva Tellur. 58 (1838) = **Ficus**, Tourn. (Urtic.).  
*aspera*, Rafin. l. c. = *F. hirta*.  
*turbinata*, Rafin. l. c. = *F. turbinata*.

NECHAMANDRA, Planch. in Ann. Sc. Nat. Sér. III. xi. (1849) 78 = **Lagarosiphon**, Harv. (Hydroch.).  
*alternifolia*, Thw. Enum. Pl. Zeyl. 332 = *L. Roxburghii*.  
*Roxburghii*, Planch. in Ann. Sc. Nat. Sér. III. xi. (1849) 78 = *L. Roxburghii*.

NECKERIA, J. F. Gmel. Syst. 3, 16 (1791) = **Pollichia**, Soland. (Illecebr.).  
*campestris*, J. F. Gmel. l. c. = *P. campestris*.

NECKERIA, Scop. Introd. 813 (1777) = **Corydalis**, Vent. (Papav.).  
*capnoides*, Neck. Elem. iii. 60 = *C. lutea*.  
*lutea*, Neck. l. c. = *C. lutea*.  
*sempervirens*, Neck. l. c. = *C. glauca*.

NECKIA, Korth. in Nederl. Kruidk. Arch. i. (1848) 358. **VIOLARIEAE**, Benth. & Hook. f. i. 120.  
*humilis*, Hook. f. in Trans. Linn. Soc. xxiii. (1860) 158.—Borneo.  
*lanceifolia*, Hook. f. l. c.—Borneo.  
*serata*, Korth. in Nederl. Kruidk. Arch. i. (1848) 358.—Sumatra.

NECTALISMA, Fourr. in Ann. Soc. Linn. Lyon, N. S. xvii. (1869) 156 = **Elisma**, Buchen. (Alismac.).  
*natans*, Fourr. l. c. = *E. natans*.

NECTANDRA, Berg. Desc. Pl. Cap. 131 (1767) = **Gnidia**, Linn. (Thymel.).  
*laevigata*, Berg. l. c. 134 = *G. oppositifolia*.  
*sericea*, Berg. l. c. 131 = *G. sericea*.  
*tetrandra*, Berg. l. c. 133 = *Struthiola erecta*.

NECTANDRA, Roland. ex Rottb. in Act. Lit. Univ. Hafn. i. (1778) 279. **LAURINEAE**, Benth. & Hook. f. i. iii. 159.  
*DAMBURNEYA*, Rafin. Sylva Tellur. 136 (1838).  
*POMATIUM*, Nees, ex Meissn. in Mart. Fl. Bras. v. ii. 252 (1866).

*POROSTEMA*, Schreb. Gen. 517 (1791), partim.  
*abortiens*, Roland. ex Rottb. in Act. Lit. Univ. Hafn. i. (1778) 281 = *Ocotea guianensis*.  
*acutangula*, Miq. in Linnaea, xxii. (1849) 806.—Bras.

*acutissima*, Nees, ex Meissn. in DC. Prod. xv. i. 147 = *rigida*.  
*amara*, Meissn. l. c. 158 = *puberula*.  
*amara*, Nees, ex Meissn. l. c. 156 = *cymbarum*.  
*amazonum*, Nees, Syst. Laurin. 282.—Bras.  
*ambigua*, Meissn. in DC. Prod. xv. i. 158.—Guian.  
*angustifolia*, Miq. ex Meissn. l. c. = *puberula*.  
*angustifolia*, Nees & Mart. ex Nees, in Linnaea, viii. (1833) 48.—Bras.

*anonyma*, Steud. Nom. ed. II. ii. 187 = *Willdenoviana*.  
*antillana*, Meissn. in DC. Prod. xv. i. 153.—Ind. occ.  
*Arnottiana*, Nees, Syst. Laurin. 289.—Peruv.  
*aurantiodora*, Benth. & Hook. f. Gen. iii. 158.—Bras.  
*barcellensis*, Meissn. in DC. Prod. xv. i. 155.—Bras.  
*berchemiaefolia*, Meissn. l. c. 154.—N. Granat.  
*bijuga*, Rottb. in Act. Lit. Univ. Hafn. i. (1778) 281 = *Ocotea guianensis*.

*Boniato*, A. Rich. Fl. Cub. Fanerog. ii. 188.—Cuba.  
*Bredemeyeriana*, Nees, in Linnaea, xxi. (1848) 505 = *turbacensis*, Willdenoviana.

*canescens*, Meissn. in DC. Prod. xv. i. 147 = *amazonum*.  
*canescens*, Nees & Mart. ex Nees, in Linnaea, viii. (1833) 47.—Bras.

*caudata*, Nees & Mart. ex Meissn. in DC. Prod. xv. i. 85 = *Acroclidium guianense*.  
*chrysothyrsus*, Benth. & Hook. f. Gen. iii. 159 = *Arnottiana*.

*Cigua*, A. Rich. Fl. Cub. Fanerog. ii. 187 = *Willdenoviana*.  
*cinnamomoides*, Nees, Syst. Laurin. 307.—N. Granat.  
*cissiflora*, Nees, l. c. 296.—Peruv.  
*concinna*, Nees, l. c. 322.—Am. trop.  
*coriacea*, Griseb. Fl. Brit. W. Ind. 281 = *Willdenoviana*.

*coriacea*, Meissn. in DC. Prod. xv. i. 163 = *patens*.  
*crassifolia*, Benth. Pl. Hartw. 253.—Peruv.  
*crassipes*, Meissn. in DC. Prod. xv. i. 150.—Peruv.  
*cuneata*, Griseb. in Mem. Am. Acad. N. S. viii. (1861) 188 (*Ocotea* sp.).—Cuba.

*cuspidata*, Nees & Mart. ex Nees, Syst. Laurin. 330.—Bras.

*cymbarum*, Nees, l. c. 305.—Venezuela.  
*discolor*, Nees, Syst. Laurin. 286.—N. Granat.  
*effusa*, Meissn. in DC. Prod. xv. i. 158 = *concinna*.  
*exaltata*, Griseb. Cat. Pl. Cub. 111.—Cuba.  
*exaltata*, Griseb. Fl. Brit. W. Ind. 281, partim = *sanguinea*.

*filiformis*, Rafin. Sylva Tellur. 134 (Quid?).—Guian.?  
*floribunda*, Nees, Syst. Laurin. 339.—Jamaic.  
*furcata*, Nees, in Linnaea, xxi. (1848) 501.—Peruv.  
*Gardneri*, Meissn. in DC. Prod. xv. i. 155.—Bras.  
*glabrescens*, Benth. Bot. Voy. Sulph. 161.—Mexic.  
*glauca*, Warm. in Kjoeb. Vidensk. Meddel. (1870) 142.—Bras.

*grandiflora*, Nees & Mart. ex Nees, in Linnaea, viii. (1833) 49.—Bras.

*grandis*, Klotzsch & Karst. ex Nees, l. c. xxi. (1848) 505 = *villosa*.  
*guianensis*, Meissn. in DC. Prod. xv. i. 160.—Guian.

NECTANDRA:—

*japurensis*, Nees & Mart. ex Nees, Syst. Laurin. 335.—Bras.

*lanceolata*, Nees & Mart. ex Nees, in Linnaea, viii. (1833) 47.—Bras.

*Laurel*, Klotzsch, ex Nees, l. c. xxi. (1848) 505.—N. Granat.

*Laurel-hu*, Parodi, in Anal. Soc. Cient. Argent. v. (1878) 267; Contrib. 73.—Reg. Argent.

*Laurel-y*, Parodi, l. c. 268; 74.—Reg. Argent.

*leucantha*, Griseb. Fl. Brit. W. Ind. 282 = *antillana*.  
*leucantha*, Nees & Mart. ex Nees, in Linnaea, viii. (1833) 48.—Bras.

*leucantha*, Nees, l. c. xxi. (1848) 507, partim = *ambigua*.

*leucothyrsus*, Meissn. in DC. Prod. xv. i. 160.—Bras.

*limbata*, Nees, in Linnaea, xxi. (1848) 509.—Peruv.

*limbosa*, Nees, ex Meissn. in DC. Prod. xv. i. 156 = *limbata*.

*longifolia*, Nees, in Linnaea, xxi. (1848) 502.—Peruv.

*longifolia*, A. Rich. Fl. Cub. Fanerog. ii. 188.—Cuba.

*lucida*, Nees, in Linnaea, viii. (1833) 47.—Bras.

*macrophylla*, Nees, Syst. Laurin. 292.—N. Granat.

*magnoliaefolia*, Meissn. in DC. Prod. xv. i. 154.—Bras.

*magnoliaefolia*, A. Rich. Fl. Cub. Fanerog. ii. 168.—Cuba.

*Matthewsii*, Meissn. in DC. Prod. xv. i. 159.—Peruv.

*membranacea*, Griseb. Fl. Brit. W. Ind. 282.—Ind. occ.

*microcarpa*, Meissn. in DC. Prod. xv. i. 162.—Peruv.

*mollis*, Nees, Syst. Laurin. 287 = *villosa*.

*Moritziana*, Klotzsch, ex Nees, in Linnaea, xxi. (1848) 503.—N. Granat.

*myriantha*, Meissn. in DC. Prod. xv. i. 163.—Am. trop.

*Neesiana*, Miq. in Linnaea, xviii. (1844) 745 (= *Oreodaphne fallax*).—Guian.

*nitidula*, Nees & Mart. ex Nees, in Linnaea, viii. (1833) 48.—Bras.

*oblongifolia*, Nees, ex Meissn. in DC. Prod. xv. i. 152 = *grandiflora*.

*oppositifolia*, Nees & Mart. ex Nees, in Linnaea, viii. (1833) 47 = *rigida*.

*Oreadum*, Mart. ex Meissn. in DC. Prod. xv. i. 148 = *lanceolata*.

*pallida*, Miq. Stirp. Surin. Sel. 196 = *vaga*.

*pallida*, Nees, in Linnaea, xxi. (1848) 510.—Guian.

*panurensis*, Meissn. in DC. Prod. xv. i. 157.—Bras.

*paraguayensis*, Parodi, in Anal. Soc. Cient. Argent. v. (1878) 266; Contrib. 72.—Paraguay.

*patens*, Griseb. Fl. Brit. W. Ind. 281.—Ind. occ.

*paterifera*, Nees, Syst. Laurin. 308.—Bras.

*pendula*, Nees, ex Meissn. in DC. Prod. xv. i. 137 = *Ocotea Sieberi*.

*Pisi*, Miq. Stirp. Surin. Sel. 199.—Guian.

*polita*, Nees & Mart. ex Nees, Syst. Laurin. 325.—Bras.

*polyphylla*, Nees, l. c. 332 = *Acroclidium guianense*.

*porphyria*, Griseb. in Goett. Abh. xix. (1874) 144.—Reg. Argent.

*psammophila*, Nees & Mart. ex Nees, Syst. Laurin. 303.—Bras.

*puberula*, Nees, l. c. 332.—Bras.

*Puchury-major*, Nees & Mart. ex Nees, l. c. 328.—Bras.

*Puchury-minor*, Nees & Mart. ex Nees, l. c. 326.—Bras.

*pulverulenta*, Nees, l. c. 283.—Bras.

*punctata*, Klotzsch, ex Nees, in Linnaea, xxi. (1848) 509.—Peruv.

*pyrifolia*, Nees, ex Meissn. in DC. Prod. xv. i. 166 = *squarrosa*.

*racemifera*, Meissn. in Mart. Fl. Bras. v. ii. 310.—Bras.

*rectinervia*, Meissn. in DC. Prod. xv. i. 158.—Venezuela.

*Regnellii*, Meissn. in Mart. Fl. Bras. v. ii. 310.—Am. trop.

*rhynchophylla*, Meissn. in DC. Prod. xv. i. 153.—Guian.

*Riedelii*, Meissn. l. c. 161.—Bras.

*rigida*, Nees, Syst. Laurin. 284.—N. Granat.

*Rodiei*, Schomb. ex Meissn. in DC. Prod. xv. i. 152.—seq.

*Rodioci*, Hook. Lond. Journ. Bot. iii. (1844) 181.—Guian.



**NECTANDRA** :—

- salicifolia*, Nees, in Linnaea, xxi. (1848) 506 (Ocotaea sp.).—Mexic.  
*salicifolia*, Nees, Syst. Laurin. 302 = sanguinea.  
*saligna*, Nees & Mart. ex Nees, in Linnaea, viii. (1833) 48.—Bras.  
*sanguinea*, Griseb. Fl. Brit. W. Ind. 281 = Willdenoviana.  
*sanguinea*, Nees, ex Meissn. in DC. Prod. xv. i. 164 = polita.  
*sanguinea*, Roland. ex Rottb. in Act. Lit. Univ. Hafn. i. (1778) 279.—Am. austr.  
*sarcocalyx*, Nees, Syst. Laurin. 338 = nitidula.  
*Schomburgkii*, Meissn. in DC. Prod. xv. i. 151 = lucida.  
*Schottii*, Meissn. l. c. 147 = rigida.  
*spicata*, Meissn. l. c. 151 = leucantha.  
*squarrosa*, Nees, Syst. Laurin. 326 = Ocotea squarrosa.  
*staminea*, Griseb. Fl. Brit. W. Ind. 282.—Ind. occ.  
*stenophylla*, Meissn. in DC. Prod. xv. i. 162 = Ocotea angustifolia.  
*striata*, Nees, Syst. Laurin. 309.—Mexic.  
*tovarensis*, Klotzsch & Karst. ex Nees, in Linnaea, xxi. (1848) 505 = N. Laurel.  
*turbacensis*, Nees, Syst. Laurin. 316.—N. Granat.  
*urophylla*, Meissn. in DC. Prod. xv. i. 157.—Bras.  
*vaga*, Meissn. l. c. 153.—Guiana.  
*venulosa*, Meissn. l. c.—Bras.  
*viburnoides*, Meissn. l. c. 162.—Am. trop.  
*villosa*, Nees & Mart. ex Nees, in Linnaea, viii. (1833) 47.—Bras.  
*virgulifolia*, Nees, Syst. Laurin. 304 = Ocotea virgulifolia.  
*Warmingii*, Meissn. ex Warm. in Kjoeb. Vidensk. Meddel. (1870) 141.—Bras.  
*Weddellii*, Meissn. in DC. Prod. xv. i. 148.—Bras.  
*Willdenoviana*, Nees, Syst. Laurin. 321. n. 29.—Ind. occ.  
*Willdenoviana*, Nees, l. c. 290. n. 9 = turbacensis.  
*xanthocalyx*, Nees, l. c. 312 = Ocotea xanthocalyx.

**NECTANDRA**, Roxb. Hort. Beng. [90]; Fl. Ind. ii. 425 (1832) = **Linostoma**, Wall. (Thymel.).  
*decandra*, Roxb. ll. cc. = L. decandrum.

**NECTAROBOTHRIUM**, Ledeb. Fl. Alt. ii. 36 (1830) = **Lloydia**, Salisb. (Liliac.).  
*Redowskianum*, Cham. in Linnaea, vi. (1831) 585 = L. alpina.  
*striatum*, Ledeb. Fl. Alt. ii. 36 = L. alpina.

**NECTAROSCILLA**, Parl. Nuov. Gen. e Spec. 26 (1854) = **Scilla**, Linn. (Liliac.).  
*hyacinthoides*, Parl. l. c. 27 = S. hyacinthoides.

**NECTAROSCORDUM**, Lindl. Bot. Reg. t. 1912 (1836) = **Allium**, Tourn. (Liliac.).  
*bulgaricum*, Janka, in Oestr. Bot. Zeitschr. xxiii. (1873) 242 = A. Dioscoridis.  
*siculum*, Lindl. Bot. Reg. t. 1912 = A. Dioscoridis.

**NECTOLIS**, Rafin. Alsog. Am. 15 (1838) = **Salix**, Tourn.  
*ambigua*, Rafin. l. c. = S. nigra.  
*hippophæifolia*, Rafin. l. c. = S. multiformis.  
*membranacea*, Rafin. l. c. = S. purpurea.  
*vitellina*, Rafin. l. c. = S. alba.

**NECTOPIX**, Rafin. Alsog. Am. 14 (1838) = **Salix**, Tourn.  
*caprea*, Rafin. l. c. = S. caprea.  
*rhamnifolia*, Rafin. l. c. = S. rhamnifolia.  
*sphacelata*, Rafin. l. c. = S. grandifolia.

**NECTOUXIA**, DC. Syst. ii. 149 (1821) = **Morettia**, DC. (Crucif.).

**NECTOUXIA**, H. B. & K. Nov. Gen. et Sp. iii. 10. t. 193 (1818). **SOLANACEAE**, Benth. & Hook. f. ii. 899.  
*NETOUXIA*, G. Don, Gen. Syst. iv. 454 (1837).  
*bella*, Miers, in Ann. & Mag. Nat. Hist. Ser. II. iv. (1849) 138 = formosa.  
*formosa*, H. B. & K. Nov. Gen. et Sp. iii. 10. t. 193.—Mexic.

**NECTRIS**, Schreb. Gen. i. 237 (1789) = **Cabomba**, Aubl. (Nymph.).  
*aquatica*, J. F. Gmel. Syst. 580; Willd. Sp. Pl. ii. 248 = C. aquatica.  
*aquatica*, Nutt. Gen. Am. i. 229 = C. caroliniana.  
*caroliniana*, Steud. Nom. ed. II. ii. 188 = C. caroliniana.  
*furcata*, Leandr. ex Schult. f. Syst. vii. 1379 = C. furcata.  
*peltata*, Pursh, Fl. Am. Sept. i. 238 = C. caroliniana.  
*pinnata*, Pursh, l. c. 239 = C. caroliniana.

**NECTUSION**, Rafin. Alsog. Am. 14 (1838) = **Salix**, Tourn.  
*reticulata*, Rafin. l. c. = S. reticulata.

**NEEA**, Ruiz & Pav. Prod. 52. t. 9. (1794). **NYCTAGINEAE**, Benth. & Hook. f. i. 9.  
**MITSCHERLICHIA**, Kunth, in Abh. Berl. Akad. (1831) 209.

**NEBRA**, Noronha, ex Choisy, in DC. Prod. xiii. ii. 447 (1849).  
**NEEANIA**, Rafin. Princ. Somiol. 30 (1814).  
*altissima*, Poepp. & Endl. Nov. Gen. et Sp. ii. 46.—Bras.  
*anisophylla*, Ernst, in Flora, lvii. (1874) 215.—Venezuela.  
*compressa*, J. A. Schmidt, in Mart. Fl. Bras. xiv. ii. 366.—Bras.  
*constricta*, Spruce, ex J. A. Schmidt, l. c. 368.—Bras.  
*divaricata*, Poepp. & Endl. Nov. Gen. et Sp. ii. 45 = oppositifolia.  
*floribunda*, Poepp. & Endl. l. c. 46.—Peruv.  
*hirsuta*, Poepp. & Endl. l. c. 45. t. 161.—Peruv.  
*jamaicensis*, Griseb. Fl. Brit. W. Ind. 71.—Jamaic.  
*lanceolata*, Choisy, in DC. Prod. xiii. ii. 449.—Bras.  
*laxa*, Poepp. & Endl. Nov. Gen. et Sp. ii. 45. t. 162.—Peruv.  
*macrophylla*, Poepp. & Endl. l. c. 46.—Peruv.  
*Mitscherlichia*, Steud. Nom. ed. II. ii. 152.—Hab. ?  
*mollis*, Spruce, ex J. A. Schmidt, in Mart. Fl. Bras. xiv. ii. 367.—Bras.  
*oppositifolia*, Ruiz & Pav. Syst. Veg. 91; Fl. Per. iv. t. 329.—Peruv.  
*ovalifolia*, Spruce, ex J. A. Schmidt, in Mart. Fl. Bras. xiv. ii. 368.—Bras.  
*parviflora*, Poepp. & Endl. Nov. Gen. et Sp. ii. 46.—Peruv.  
*pubescens*, Poepp. & Endl. l. c. 45.—Bras.  
*rosea*, Mart. ex J. A. Schmidt, in Mart. Fl. Bras. xiv. ii. 366.—Bras.  
*rufula*, Mart. ex J. A. Schmidt, l. c. 368.—Bras.  
*spectabilis*, Choisy, in DC. Prod. xiii. ii. 448 = N. Mitscherlichia.  
*theifera*, Oerst. in Overs. Danske Vidensk. Selsk. Forh. (1863) 9.—Bras.  
*verticillata*, Ruiz & Pav. Syst. Veg. 90; Fl. Per. iv. t. 328.—Peruv.

**NEEAIA**, Poepp. & Endl. Nov. Gen. et Sp. ii. 45 (1838) = praec.

**NEEANIA**, Rafin. Princ. Somiol. 30 (1814) = praec.

**NEEDHAMIA**, R. Br. Prod. 549 (1810). **EPACRIDAE**, Benth. & Hook. f. i. 613.  
*Pumilio*, R. Br. l. c.—Austral.

**NEEDHAMIA**, Cass. in Dict. Sc. Nat. xxxiv. 335 (1825) = **Narvalina**, Cass. (Compos.).  
*domingensis*, Cass. l. c. = Narvalina domingensis.

**NEEDHAMIA**, Scop. Introd. 310 (1777) = **Tephrosia**, Pers. (Legumin.).

**NEERIJA**, Roxb. Hort. Beng. 86; Fl. Ind. i. 646 (1832) = **Elaeodendron**, Jacq. (Tiliac.).  
*dichotoma*, Roxb. ll. cc. = E. glaucum.

**NEESIA**, Blume, in Nov. Act. Nat. Cur. xvii. i. (1835) 83. **MALVACEAE**, Benth. & Hook. f. i. 213.  
**COTYLEPHORA**, Meissn. Gen. Comm. 28 (1837).  
**ESENBECKIA**, Blume, Bijdr. 118 (1825).  
*altissima*, Blume, in Nov. Act. Nat. Cur. xvii. (1835) 83. t. 6.—Java.  
*Griffithii*, Planch. ex Mast. in Hook. f. Fl. Brit. Ind. i. 352 = Durio Oxleyanus.  
*strigosa*, Mast. in Journ. Linn. Soc. xiv. (1875) 504.—Malaya.  
*synandra*, Mast. in Hook. f. Fl. Brit. Ind. i. 352.—Ins. Penang.

**NEESIA**, Mart. ex Meissn. in Mart. Fl. Bras. v. i. 67 (1855) = **Funifera**, Leandr. (Thymel.).  
*daphnoides*, Mart. ex Meissn. l. c. = F. utilis.

**NEESIA**, Spreng. Anleit. ii. ii. 547 (1818) = **Diotis**, Desf. (Compos.).  
*Lupinaster*, Spreng. ex Steud. Nom. ed. II. ii. 188 = Trifolium Lupinaster.  
*maritima*, Spreng. ex Steud. l. c. ed. I. 551 = D. candidissima.

**NEFFLEA**, Spach, Hist. Vég. Phan. ix. 266 (1840) = **Celsia**, Linn. (Scrophul.).

**NEFRAKIS**, Rafin. Sylva Tellur. 69 (1838) = **Brya**, P. Br. (Legumin.).  
*Ebenus*, Rafin. l. c. = B. Ebenus.

**NEGRETIA**, Ruiz & Pav. Prod. 98. t. 21 (1794) = **Mucuna**, Adans. (Legumin.).  
*elliptica*, Ruiz & Pav. Syst. Veg. 176 = M. elliptica.  
*inflexa*, Ruiz & Pav. l. c. = M. inflexa.  
*mitis*, Blanco, Fl. Filip. ed. I. 588 = M. nivea.  
*mitis*, Ruiz & Pav. Syst. Veg. 177 = M. mitis.  
*mollis*, H. B. & K. Nov. Gen. et Sp. vi. 444 = M. mollis.  
*Mutisiana*, H. B. & K. l. c. 442 = M. Mutisiana.  
*nigricans*, Poir. Encyc. Suppl. iv. 74 = M. nigricans.  
*platycarpa*, Ruiz & Pav. Syst. Veg. 178 = M. platycarpa.  
*pruriens*, Naves, ex Villar, in Blanco, Fl. Philipp. ed. III. Nov. App. 63 = M. pruriens.  
*sericea*, Willd. ex Steud. Nom. ed. II. ii. 164, 188 = M. urens.  
*urens*, Blanco, Fl. Filip. ed. I. 586 = M. monosperma.  
*urens*, Tussac, Fl. Antill. ii. 52. t. 13 = M. urens.

**NEGRIA**, F. Muell. Fragm. vii. 151 (1871). **GERANACEAE**, Benth. & Hook. f. ii. 1011.  
*rhaddothamnoides*, F. Muell. l. c. 152.—Austral.

**NEGUNDIUM**, Rafin. in Med. Repos. N. York, v. (1808) 352; et ex Desv. Journ. Bot. ii. (1809) 166 = **Negundo**, Moench (Sapind.).  
*americanum*, DC. ex Loud. Hort. Brit. 398 = Negundo aceroides.  
*fraxineum*, Steud. Nom. ed. II. ii. 188 = seq.  
*fraxinifolium*, Rafin. in Med. Repos. N. York, v. (1808) 352; et ex Desv. Journ. Bot. ii. (1809) 170 = Negundo aceroides ?  
*lobatum*, Rafin. New Fl. Am. i. 48 = Negundo aceroides ?  
*trifoliatum*, Rafin. Atl. Journ. 176 = Negundo aceroides ?

**NEGUNDO**, Moench, Meth. 334 (1794). **SAPINDACEAE**, Benth. & Hook. f. i. 409.  
**NEGUNDIUM**, Rafin. in Med. Repos. N. York, v. (1808) 352; et ex Desv. Journ. Bot. ii. (1809) 166. aceroides, Moench, Meth. 334.—Am. bor.  
*aceroides*, Torr. in Pacif. Rail. Rep. iv. 74 = californicum.  
*californicum*, Torr. & Gray, Fl. N. Am. i. 250.—Am. bor. occ.  
*cissifolium*, Sieb. & Zucc. in Abh. Akad. Muench, iv. ii. (1843) 159 = Acer cissifolium.  
*cochinchinense*, DC. Prod. i. 596 = Acer pinnatum.  
*fraxinifolium*, Nutt. Gen. Am. i. 253 = aceroides.  
*Fraxinus*, Bourg. in Journ. Linn. Soc. iv. (1859) 9 = aceroides.  
*mandshuricum*, Budischtschew, ex Trautv. in Act. Hort. Petrop. viii. (1883) 171, nomen.—Manchnria.  
*mexicanum*, DC. Prod. i. 596.—Mexic.  
*nikoense*, Miq. Ann. Mus. Bot. Lugd. Bat. ii. 90 = Acer Maximowiczianum.  
*sessilifolium*, Miq. l. c. 89 = Acer palmatum.  
*virginianum*, Medic. Pfl. Anat. 439 = aceroides.

**NEILLIA**, D. Don, Prod. Fl. Nep. 228 (1825). **ROSACEAE**, Benth. & Hook. f. i. 612.  
**ADENILEMA**, Blume, Bijdr. 1121 (1826).  
**EPICOSTORUS**, Rafin. Atl. Journ. 144 (1832).  
**ICOTORUS**, Rafin. in Ser. Bull. Bot. i. (1830) 216.  
**OPULASTER**, Medic. Pfl. Anat. 109 (1799).  
**PHYSOCARPA**, Rafin. New Fl. Am. iii. 73 (1836).  
*Adenilema*, Miq. Fl. Ind. Bat. i. i. 391 = thyrsoflora.  
*fallax*, Blume, Mèl. Bot. (1855).—Cf. Flora, xli. (1858) 254 = thyrsoflora.



**NEILLIA** :—

*opulifolia*, Benth. & Hook. f. Gen. i. 612.—Am. bor. rubiflora, D. Don, Prod. Fl. Nep. 228.—Reg. Himal. Tanakae, Franch. & Sav. Enum. Pl. Jap. i. 121.—Japan.  
*thyrsiflora*, D. Don, Prod. Fl. Nep. 228.—Reg. Himal.; Java.  
 Torreyi, S. Wats. in Proc. Am. Acad. xi. (1876) 136.—Am. bor. occ.  
*virgata*, Wall. Cat. n. 7108 = *thyrsiflora*.

**NEILREICHIA**, Fenzl, in Denkschr. Akad. Wien, i. (1850) 258. t. 30 = **Schistocarpha**, Less. (Compos.).  
*eupatorioides*, Fenzl, l. c.—Peruv.

**NEILREICHIA**, Kotule, in Spraw. Kom. Fis. Krakow. xvii. (1883) 136 = **Carex**, Dill. (Cyperac.).  
*umbrosa*, Kotule, l. c. = *C. praecox*.

**NEIOSPERMA**, Rafin. Sylva Tellur. 162 (1838) = **Ochrosia**, Juss. (Apocyn.).  
*muricata*, Rafin. l. c. = *O. borbonica*.  
*musculiformis*, Rafin. l. c. = *Banksia musculiformis*.

**NEIPPERGIA**, C. Morr. in Ann. Soc. Bot. Gand, v. (1849) 375. t. 282 = **Acineta**, Lindl. (Orchid.).  
*chrysantha*, C. Morr. l. c. = *A. chrysantha*.

**NEISANDRA**, Rafin. Sylva Tellur. 163 (1838) = **Hopea**, Roxb. (Dipteroc.).  
*indica*, Rafin. l. c. = *H. odorata*.

**NEJA**, D. Don, in Sweet, Hort. Brit. ed. II. 299 (1830); et Brit. Flow. Gard. Ser. II. t. 78 (1831) = **Hysterionica**, Willd. (Compos.).  
*ciliaris*, DC. Prod. v. 326 = *H. pinifolia*.  
*falcata*, Nees, Del. Sem. Hort. Vratisl. (1839).—Cf. Linnaea, xiv. (1840) Litt. 168.—Bras.  
*filiformis*, Nees, l. c. = *H. pinifolia*.  
*gracilis*, D. Don, in Sweet, Hort. Brit. ed. II. 299; et Brit. Flow. Gard. Ser. II. t. 78 = *H. linearifolia*.  
*linearifolia*, DC. Prod. v. 325 = *H. linearifolia*.  
*macrocephala*, DC. l. c. (= *Asteropsis macrocephala*).—Bras.  
*montevidensis*, Sch. Bip. in Seem. Bot. Voy. Herald, 302 = *H. montevidensis*.  
*nidorelloides*, DC. Prod. v. 325 = *H. nidorelloides*.  
*Sprengelii*, Sch. Bip. in Seem. Bot. Voy. Herald, 302 = *H. montevidensis*.  
*subvillosa*, DC. Prod. v. 325 = *H. montevidensis*.  
*tenuifolia*, DC. l. c. 326 = *H. montevidensis*.

**NEKEMIAS**, Rafin. Sylva Tellur. 87 (1838) = **Vitis**, Tourn. (Ampel.).  
*bipinnata*, Rafin. l. c. = *V. arborea*.

**NELEIXA**, Rafin. New Fl. Am. iv. 55 (1836) = **Faramea**, Aubl. (Rubiace.).  
*prostrata*, Rafin. l. c. = *F. odoratissima*.

**NELENSIA**, Poir. Illustr. Gen. iii. 568 (1823) = **Pedicularis**? Tourn. (Scrophul.).  
*bibracteata*, Poir. l. c. (= *Enslenia bibracteata*, Rafin.).—Am. bor.

**NELIPUS**, Rafin. Fl. Tellur. iv. 109 (1836) = **Utricularia**, Linn. (Lentib.).  
*bifida*, Rafin. l. c. = *U. bifida*.  
*biloba*, Rafin. l. c. = *U. biloba*.  
*limosa*, Rafin. l. c. = *U. limosa*.  
*spiralis*, Rafin. l. c. = *U. spiralis*.

**NELITRIS**, Gaertn. Fruct. i. 134. t. 27 (1788) = **Timonius**, Rumph. (Rubiace.).  
*jambosella*, Gaertn. l. c. = *T. jambosella*.

**NELITRIS**, Spreng. Syst. ii. 488 (1825) = **Decaspermum**, Forst. (Myrtac.).  
*alba*, Blume, Mus. Bot. Lugd. Bat. i. 74.—Ins. Amboina.  
*alternifolia*, Miq. Fl. Ind. Bat. i. 1. 476.—Java.  
*Billardieri*, Seem. Fl. Vit. 81.—N. Caled.  
*bracteata*, Blume, Mus. Bot. Lugd. Bat. i. 74.—Ins. Molucc.  
*confinis*, Blume, l. c.—Malaya.  
*Coriandri*, Blume, l. c.—N. Guin.  
*Forsteri*, Seem. Fl. Vit. 81 = *D. fruticosum*.  
*fruticosa*, A. Gray, Bot. U. St. Expl. Exped. i. 547. t. 60.—Ins. Fiji.

**NELITRIS** :—

*humilis*, G. Don, Gen. Syst. ii. 829.—Austral.  
*ingens*, F. Muell. ex Benth. Fl. Austral. iii. 294 = (Memecylonis sp.?).—Austral.  
*laxiflora*, Blume, Mus. Bot. Lugd. Bat. i. 74.—N. Guin.  
*leucocoma*, Miq. Fl. Ind. Bat. i. 1. 474.—Sumatra.  
*lucida*, Blume, Mus. Bot. Lugd. Bat. i. 74.—Java.  
*myrsinoides*, Blume, l. c. 75.—Malaya.  
*pallens*, Miq. Fl. Ind. Bat. Suppl. 314 = *Decaspermum paniculatum*.  
*paniculata*, Lindl. Coll. Bot. 16 = *D. paniculatum*.  
*parviflora*, Blume, Mus. Bot. Lugd. Bat. i. 75.—Java.  
*polygama*, Blume, l. c.—Malaya.  
*polygama*, Spreng. Syst. ii. 488 = *D. paniculatum*.  
*polymorpha*, Blume, Mus. Bot. Lugd. Bat. i. 75 = *D. paniculatum*.  
*psidioides*, G. Don, Gen. Syst. ii. 829 = *Rhodomyrtus psidioides*.  
*pubescens*, Miq. Fl. Ind. Bat. i. 1. 475.—Borneo.  
*pyrifolia*, Miq. l. c.—Java.  
*rubra*, Blume, Mus. Bot. Lugd. Bat. i. 73 = *D. rubrum*?  
*rubra*, Vidal, Sin. Pl. Leñ. t. 50. f. C = *D. Blancoi*.  
*trinervia*, Spreng. Syst. ii. 488 = *Eugenia dumetorum*.  
*Urvillei*, DC. Prod. iii. 231.—Ins. Sechell.  
*vitiensis*, A. Gray, U. St. Expl. Exped. i. 548. t. 60.—Ins. Fiji.

**NELLICA**, Rafin. Sylva Tellur. 92 (1838) = **Phyllanthus**, Linn. (Euphorb.).  
*maderaspatana*, Rafin. l. c. = *P. maderaspatensis*.

**NELSONIA**, R. Br. Prod. 480 (1810). **ACANTHACEAE**, Benth. & Hook. f. ii. 1073.  
*albicans*, H. B. & K. Nov. Gen. et Sp. ii. 234 = *campestris*.  
*campestris*, R. Br. Prod. 481.—Amphig. trop.  
*canescens*, Spreng. Syst. i. 42 = *campestris*.  
*hirsuta*, Roem. & Schult. Syst. i. 172 = *Hemigraphis hirsuta*.  
*lamiifolia*, Spreng. Syst. i. 42 = *campestris*.  
*nummulariaefolia*, Roem. & Schult. Syst. i. 173 = *campestris*.  
*origanoides*, Roem. & Schult. l. c. = *campestris*.  
*Pohlil*, Nees, in Mart. Fl. Bras. ix. 15 = *campestris*.  
*rotundifolia*, R. Br. Prod. 481 = *campestris*.  
*senegalensis*, Oerst. in Kjoeb. Vidensk. Meddel. (1854) 119 = *campestris*.  
*Smithii*, Oerst. l. c. = *campestris*.  
*tomentosa*, A. Dietr. Sp. Pl. i. 419 = *campestris*.  
*vestita*, Schult. Mant. i. 145 = *campestris*.  
*villosa*, Oerst. in Kjoeb. Vidensk. Meddel. (1854) 118 = *campestris*.

**NELTUMA**, Rafin. Sylva Tellur. 119 (1838) = **Prosopis**, Linn. (Legumin.).  
*arenosa*, Rafin. l. c. = *Mimosa arenosa*.  
*juliflora*, Rafin. l. c. = *P. juliflora*.

**NELUMBIUM**, Juss. Gen. 68 (1789). **NYMPHAEACEAE**, Benth. & Hook. f. i. 47.  
 CYAMUS, Sm. Exot. Bot. i. 59. t. 31, 32 (1804).  
 NELUMBO, [Tourn.] Adans. Fam. ii. 76 (1763).  
 TAMARA, Roxb. ex Steud. Nom. ed. II. ii. 661 (1841).  
*album*, Bercht. & Presl, Rostl. i. Nelumbiac. 2 = *speciosum*.  
*asiaticum*, Rich. in Ann. Mus. Par. xvii. (1811) 249 = *speciosum*.  
*caspicum*, Fisch. ex DC. Syst. ii. 45 = *speciosum*.  
*caspium*, Eichw. Casp. Cauc. 2 = *praec.*  
*codophyllum*, Rafin. Fl. Ludov. 22 = *luteum*.  
*discolor*, Steud. Nom. ed. II. ii. 188 = *speciosum*.  
*indicum*, Poir. in Lam. Encyc. iv. 453 (Nelumbo) = *speciosum*.  
*indicum*, Tussac, Fl. Antill. iii. 83 = *luteum*.  
*jamaicense*, DC. Syst. ii. 41 = *luteum*.  
*javanicum*, Poir. in Lam. Encyc. ii. 454 (Nelumbo) = *speciosum*.  
*luteum*, Willd. Sp. Pl. ii. 1259.—Am. bor.; Ind. occ.  
*marginatum*, Steud. Nom. ed. II. ii. 188 = *speciosum*.  
*nuciferum*, Gaertn. Fruct. i. 73 (Nelumbo) = *speciosum*.  
*pentapetalum*, Willd. Sp. Pl. ii. 1259 = *luteum*.  
*reniforme*, Willd. l. c. 1260 = *luteum*.  
*Rheedii*, Presl, Rel. Haenk. ii. 183 in obs. = *speciosum*!

**NELUMBIUM** :—

*speciosum*, Willd. Sp. Pl. ii. 1258.—Afr. bor.; As. trop.  
*Tamara*, Sweet, Hort. Brit. ed. I. 14 = *speciosum*.  
*transversum*, Presl, Rel. Haenk. ii. 83 = *speciosum*.  
*turbinatum*, Blanco, Fl. Filip. ed. I. 458 = *speciosum*.  
*venosum*, Presl, Rel. Haenk. ii. 183, in obs. = *speciosum*?

**NELUMBO**, [Tourn.] Adans. Fam. i. 73 (1763) = **Nelumbium**, Juss. (Nymph.).

**NEMACALIS**, Nutt. in Journ. Acad. Philad. N. S. i. (1847) 168. **POLYGONACEAE**, Benth. & Hook. f. iii. 94.  
*denudata*, Nutt. l. c. = Nuttallii.  
*foliosa*, Nutt. l. c. 169 = Nuttallii.  
 Nuttallii, Benth. in DC. Prod. xiv. 23.—Calif.

**NEMAELADUS**, Nutt. in Trans. Am. Phil. Soc. N. S. viii. (1843) 254. **CAMPANULACEAE**, Benth. & Hook. f. ii. 554.  
*capillaris*, Greene, in Bull. Calif. Acad. i. IV. (1885) 196.—Calif.  
*longiflorus*, A. Gray, in Proc. Am. Acad. xii. (1877) 60.—Calif.  
*montanus*, Greene, in Bull. Calif. Acad. i. IV. (1885) 197.—Calif.  
*pinnatifidus*, Greene, l. c.—Calif.  
*ramosissimus*, Nutt. in Trans. Am. Phil. Soc. N. S. viii. (1843) 254.—Calif.  
*rigidus*, Curran, in Bull. Calif. Acad. i. III. (1885) 154.—Calif.  
*rubescens*, Greene, l. c. IV. (1885) 197.—Calif.  
*tenuissimus*, Greene, l. c. 198.—Calif.

**NEMACONIA**, Knowles & Westc. Flor. Cab. ii. (1838) 127 = **Ponera**, Lindl. (Orchid.).  
*graminifolia*, Knowles & Westc. l. c. 129 = *P. graminifolia*.

**NEMALLOSIS**, Rafin. Fl. Tellur. iii. 34 (1836) = **Mollugo**, Linn. (Ficoid.).  
*erecta*, Rafin. l. c.—Hab.?  
*prostrata*, Rafin. l. c. = *M. oppositifolia*.

**NEMAMPSIS**, Rafin. Fl. Tellur. iv. 46 (1836) = **Dracaena**, Vand. (Liliac.).  
*ternifolia*, Rafin. l. c. = *D. surculosa*.

**NEMANTHERA**, Rafin. Fl. Tellur. iv. 80 (1836) = **Ipomoea**, Linn. (Convolv.).  
*bufalina*, Rafin. l. c. = *I. bufalina*.

**NEMASTACHYS**, Steud. Syn. Pl. Gram. 357 (1855) = **Pollinia**, Trin. (Gramin.).  
*taitensis*, Steud. l. c. = *P. glabrata*.

**NEMASTYLIS**, Nutt. in Trans. Am. Phil. Soc. v. (1837) 157. **IRIDEEAE**, Benth. & Hook. f. iii. 696.  
 CHLAMYDOSTYLUS, Baker, in Journ. Bot. xiv. (1876) 185.

*EUSTYLIS*, Engelm. & A. Gray, in Bost. Journ. Nat. Hist. v. (1847) 236.  
*acuta*, Herb. in Bot. Mag. sub t. 3779 = *geminifolia*.  
*coelestina*, Nutt. in Trans. Am. Phil. Soc. v. (1837) 157.—Mexic.  
*furcata*, Klatt, in Linnaea, xxxi. (1861-62) 560.—Reg. Argent.  
*geminiflora*, Nutt. in Trans. Am. Phil. Soc. v. (1837) 157.—Am. bor.  
*Medusa*, Benth. & Hook. f. Gen. iii. 696 (Medicac.).—Bras.  
*multiflora*, Benth. & Hook. f. l. c.—Mexic.  
*nana*, S. Wats. in Proc. Am. Acad. xviii. (1882-83) 160.—Mexic.  
*punctata*, Hemsl. Biol. Centr. Am. Bot. iii. 329.—Mexic.  
*purpurea*, Herb. in Bot. Mag. sub t. 3779.—Am. bor.  
*spathacea*, Griseb. in Goett. Abh. xix. (1874) 222.—Bolivia.  
*tenuis*, Benth. & Hook. f. Gen. iii. 696 = *coelestina*.  
*triflora*, Herb. in Benth. Pl. Hartw. 95.—Guatemala.

**NEMASTYLUS**, Baker, in Journ. Linn. Soc. xvi. (1877) 102 = *praec.*

**NEMATANTHERA**, Miq. in Linnaea, xviii. (1844) 606 t. 11 = **Piper**, Linn.  
*guianensis*, Miq. l. c. 607 = *P. Nematanthera*.



NEMATANTHUS, Nees, in Linnaea, v. (1830) 661 = **Willdenowia**, Thunb. (Restiac.).  
*Ecklonii*, Nees, l. c. 662 = *W. striata*.

**NEMATANTHUS**, Schrad. in Goett. Gel. Anz. i. (1821) 718; Mart. Nov. Gen. et Sp. iii. 46. t. 220 (1829). **GESNERACEAE**, Benth. & Hook. f. ii. 1010.  
*calcaratus*, *Miq. in Linnaea*, xxii. (1849) 472.—Guiana.  
*calycinus*, *Presl, Bot. Bemerk.* 145.—Bras.  
*chloronema*, Hort. ex Tenore, in Parl. Giorn. Bot. Ital. ii. ii. (1847) 202 = *Hypocyrta perianthomega*.  
*chloronema*, Mart. Nov. Gen. et Sp. iii. 47. t. 219 = *longipes*.  
*corticola*, *Schrad. in Goett. Gel. Anz.* i. (1821) 718.—Bras.  
*erianthus*, *Benth. Pl. Hartw.* 231.—Ecuador.  
*erythrocalyx*, Hort. ex Lem. in *Fl. des Serres*, ii. (Juill. 1846) sub t. 9; (Août, sub t. 5).—Hab. ?  
*Guilleminianus*, Hort. ex Paxt. Mag. Bot. x. (1843) 5 = *longipes*.  
*heterophyllus*, *Poepp. & Endl. Nov. Gen. et Sp.* iii. 4. t. 103.—Peruv.  
*heterophyllus*, *Presl, Bot. Bemerk.* 145.—Bras.  
*jonema*, Mart. Nov. Gen. et Sp. iii. 48 = *corticola*.  
*longipes*, *DC. Prod.* vii. 544.—Bras.  
*Morrelliana*, Hort. ex Hook. Bot. Mag. sub t. 4460 = *corticola*.  
*pereskiaefolia*, *Presl, Bot. Bemerk.* 143 (err. typ. 145).—Bras.  
*radicans*, *Presl, l. c.*—Bras.  
*serrulatus*, *Presl, l. c.* 144.—Bras.

NEMATOCERAS, Hook. f. Fl. N. Zel. i. 249. t. 57 (1855) = **Corysanthes**, R. Br. (Orchid.).  
*macrantha*, Hook. f. l. c. 250 = *C. macrantha*.  
*oblonga*, Hook. f. l. c. = *C. oblonga*.  
*rivularis*, Hook. f. l. c. 251 = *C. rivularis*.  
*rotundifolia*, Hook. f. l. c. = *C. rotundifolia*.  
*triloba*, Hook. f. l. c. 250 = *C. triloba*.

**NEMATOLEPIS**, Turcz. in Bull. Soc. Nat. Mosc. xxv. (1857) ii. 158. **RUTACEAE**, Benth. & Hook. f. i. 295.  
SYMPHYOPETALUM, J. Drumm. in Hook. Kew Journ. vii. (1855) 54.  
*Euphemiae*, *F. Muell. Fragm.* iii. 149. t. 25.—Austral.  
*phelialoides*, *Turcz. in Bull. Soc. Nat. Mosc.* xxv. (1852) ii. 158.—Austral.

NEMATOPHYLLUM, F. Muell. in Hook. Kew Journ. ix. (1857) 20 = **Templetonia**, R. Br. (Legumin.).  
*Hookeri*, F. Muell. l. c. = *T. Hookeri*.

NEMATOPUS, A. Gray, in Hook. Kew Journ. iii. (1851) 150 = **Gnephosis**, Cass. (Compos.).  
*effusus*, A. Gray, l. c. = *G. arachnoides*.  
*foliatus*, Sond. in Linnaea, xxv. (1852) 486 = *G. arachnoides*.

NEMATOPYXIS, *Miq. Fl. Ind. Bat.* i. i. 630 (1855) = **Ludwigia**, Linn. (Onagrar.).  
*fruticulosa*, *Miq. l. c.* = *L. prostrata*.  
*japonica*, *Miq. Ann. Mus. Bot. Lugd. Bat.* iii. 95 = *L. prostrata*.  
*prostrata*, *Miq. Fl. Ind. Bat.* i. i. 630 = *L. prostrata*.  
*pusilla*, *Miq. l. c.* = *L. prostrata*.

NEMATOSPERMUM, Rich. in Act. Soc. Hist. Nat. Par. i. (1792) 105 = **Lacistema**, Sw.  
*laevigatum*, Rich. l. c. = *L. myricoides*.

NEMATOSTIGMA, A. Dietr. Sp. Pl. ii. 509 (1833) = **Libertia**, Spreng. (Irid.).  
*ixioides*, A. Dietr. l. c. 510 = *L. ixioides*.  
*paniculatum*, A. Dietr. l. c. = *L. paniculata*.  
*pulchellum*, A. Dietr. l. c. = *L. pulchella*.

NEMATOSTIGMA, Planch. ex Benth. & Hook. f. Gen. iii. 356 (1880) = NEMOSTIGMA, Planch. = **Gironniera**, Gaudich. (Urtic.).

**NEMATOSTYLIS**, Hook. f. in Benth. & Hook. f. Gen. ii. 110 (1873). **RUBIACEAE**, Benth. & Hook. f. l. c.  
*anthophylla*, Baill. Hist. Pl. vii. 432 = *loranthoides*.  
*loranthoides*, Hook. f. in Benth. & Hook. f. Gen. ii. 110.—Madag.

NEMATURIS, Turcz. in Bull. Soc. Nat. Mosc. xxi. (1848) i. 254 = **Enslenia**, Nutt. (Asclep.).  
*volubilis*, Turcz. l. c. = *E. volubilis*.

NEMAUCHENES, Cass. in Bull. Soc. Philom. (1818) 77 = **Crepis**, Linn. (Compos.).  
*aculeata*, Cass. in Dict. Sc. Nat. xxxiv. 362 = *C. aspera*.  
*ambigua*, Cass. in Bull. Soc. Philom. (1818) 77 = *C. aspera*.  
*aspera*, Steud. Nom. ed. II. ii. 189 = *C. aspera*.  
*inermis*, Cass. in Dict. Sc. Nat. xxxiv. 363 = *C. aspera*.

NEMAULAX, Rafin. Fl. Tellur. iii. 52 (1836) = **Albuca**, Linn. (Liliac.).  
*fastigiata*, Rafin. l. c. = *A. fastigiata*.

NEMEDRA, A. Juss. in Mém. Mus. Par. xix. (1830) 223 = **Aglaia**, Lour. (Meliac.).  
*elaeagnoides*, A. Juss. l. c. = *A. elaeagnoides*.  
*Nimmonii*, Dalz. in Dalz. & Gibs. Bomb. Fl. 37 = *Amoora Lawii*.

NEMEPIODON, Rafin. Fl. Tellur. iv. 22 (1836) = **Hymenocallis**, Salisb. (Amaryll.).  
*caribeum*, Rafin. l. c. = *H. caribaea*.  
*mexicanum*, Rafin. l. c. = *H. lacera*.  
*speciosum*, Rafin. l. c. = *H. speciosa*.

NEMEPIIS, Rafin. Fl. Tellur. iv. 91 (1836) = **Cuscuta**, Tourn. (Convolv.).  
*africana*, Rafin. l. c. = *C. unguilata*.  
*americana*, Rafin. l. c. = *C. americana*.  
*odorata*, Rafin. l. c. = *C. odorata*.  
*prolifera*, Rafin. l. c. (Quid ?)—Hab. ?

**NEMESIA**, Vent. Jard. Malm. 41. t. 41 (1803). **SCROPHULARINEAE**, Benth. & Hook. f. ii. 931.  
*acuminata*, Benth. in Hook. Comp. Bot. Mag. ii. (1836) 22.—Afr. austr.  
*affinis*, Benth. l. c. 21 = *floribunda*.  
*anisocarpa*, *E. Mey. ex Benth. l. c.* 19.—Afr. austr.  
*barbata*, Benth. l. c.—Afr. austr.  
*bicornis*, Pers. Syn. ii. 159.—Afr. austr.  
*calcarata*, *E. Mey. ex Benth. in Hook. Comp. Bot. Mag.* ii. (1836) 20.—Afr. austr.  
*chamaedrifolia*, Vent. Jard. Malm. sub t. 42.—Afr. austr.  
*Cheiranthus*, *E. Mey. ex Benth. in Hook. Comp. Bot. Mag.* ii. (1836) 19.—Afr. austr.  
*cynanchifolia*, Benth. l. c. 21.—Afr. austr.  
*dentata*, *G. Don, Gen. Syst.* iv. 534.—Afr. austr.  
*diffusa*, Benth. in Hook. Comp. Bot. Mag. ii. (1836) 22.—Afr. austr.  
*divergens*, Benth. l. c.—Afr. austr.  
*floribunda*, *Lehm. Del. Sem. Hort. Hamb.* (1833); ex Benth. in *Bot. Reg.* (1838) t. 39.—Afr. austr.  
*foetens*, Vent. Jard. Malm. 41. t. 41.—Afr. austr.  
*frutescens*, G. Don, in Sweet, Hort. Brit. ed. III. 515 = *Linaria fruticosa*.  
*fruticans*, Benth. in Hook. Comp. Bot. Mag. ii. (1836) 22.—Afr. austr.  
*gracilis*, Benth. l. c. 20.—Afr. austr.  
*hastata*, Benth. l. c. 19.—Afr. austr.  
*ligulata*, *E. Mey. ex Benth. l. c.* 20.—Afr. austr.  
*linearis*, Vent. Jard. Malm. sub t. 41.—Afr. austr.  
*longicornis*, Pers. Syn. ii. 159.—Afr. austr.  
*longicornis*, Vent. ex Steud. Nom. ed. II. i. 501, in syn. = *Diascia Thunbergiana*.  
*lucida*, Benth. in Hook. Comp. Bot. Mag. ii. (1836) 19.—Afr. austr.  
*melissaefolia*, Benth. l. c. 22.—Afr. austr.  
*monomotapensis*, Benth. in DC. Prod. x. 264 = *dentata*.  
*natalitia*, Sond. in Linnaea, xxiii. (1850) 82.—Afr. austr.

*parviflora*, Benth. in Hook. Comp. Bot. Mag. ii. (1836) 20.—Afr. austr.  
*patens*, G. Don, Gen. Syst. iv. 534.—Afr. austr.  
*pinnata*, *E. Mey. ex Benth. in Hook. Comp. Bot. Mag.* ii. (1836) 20.—Afr. austr.  
*pubescens*, Benth. l. c. 22.—Afr. austr.  
*saccata*, *E. Mey. ex Benth. l. c.* 19.—Afr. austr.  
*strumosa*, Benth. l. c. 18.—Afr. austr.  
*Thunbergii*, G. Don, Gen. Syst. iv. 534 = *linearis*.  
*versicolor*, *E. Mey. ex Benth. in Hook. Comp. Bot. Mag.* ii. (1836) 20.—Afr. austr.  
*viscosa*, *E. Mey. ex Benth. l. c.* 21.—Afr. austr.

NEMEXIA, Rafin. Neogenyt. 3 (1825) = **Smilax**, Tourn.  
*cerulea*, Rafin. l. c. = *S. herbacea*.  
*nigra*, Rafin. l. c. = *S. herbacea*.

NEMIA, Berg. Desc. Pl. Cap. 160 (1767) = **Manulea**, Linn. (Scrophul.).  
*capensis*, J. F. Gmel. Syst. 936 = *M. Cheiranthus*.  
*Cheiranthus*, Berg. Desc. Pl. Cap. 160 = *M. Cheiranthus*.  
*rubra*, Berg. l. c. 161 = *M. rubra*.

NEMITIS, Rafin. Fl. Tellur. iv. 33 (1836) = **Apteria**, Nutt. (Burman.).  
*setacea*, Rafin. l. c. = *A. setacea*.

NEMOCHARIS, Beurl. in Bot. Notiser (1853), 52 = **Scirpus**, Tourn. (Cyperac.).  
*radicans*, Beurl. l. c. = *S. radicans*.  
*sylvatica*, Beurl. l. c. = *S. sylvaticus*.

NEMOCHLOA, [Nees, in] Meyen, Reise, i. (1834) 108; et in Mart. Fl. Bras. ii. i. 148. t. 14, 15 (1842) = **Pleurostachys**, Brongn. (Cyperac.).  
*Beyrichii*, Nees, in Mart. Fl. Bras. ii. i. 152 = *P. Beyrichii*.  
*elegans*, Nees, l. c. 149 = *P. elegans*.  
*extenuata*, Nees, l. c. 152 = *P. extenuata*.  
*foliosa*, Nees, l. c. 152 = *P. foliosa*.  
*Gaudichaudii*, Nees, l. c. = *P. Gaudichaudii*.  
*macrantha*, Nees, l. c. 151 = *P. macrantha*.  
*Martiana*, Nees, l. c. 150 = *P. Martiana*.  
*millegrana*, Nees, l. c. 150 = *P. Martiana*.  
*Orbigniana*, Nees, ex Steud. Nom. ed. II. ii. 189 = *P. Orbigniana*.  
*Sellowii*, Nees, in Mart. Fl. Bras. ii. i. 152 = *P. Sellowii*.  
*sparsiflora*, Nees, l. c. = *P. sparsiflora*.  
*stricta*, Nees, l. c. = *P. stricta*.  
*tenuiflora*, Nees, l. c. 149 = *P. tenuiflora*.  
*turbinata*, [Nees, in] Meyen, Reise, i. 108 = *P. tenuiflora*.  
*Urvillei*, Nees, in Mart. Fl. Bras. ii. i. 150 = *P. Urvillei*.

NEMOCTIS, Rafin. Fl. Tellur. iv. 106 (1836) = **Daphne**, Linn. (Thymel.).  
*angustifolia*, Rafin. l. c. = *D. oleoides*.  
*buxifolia*, Rafin. l. c. = *D. oleoides*.

NEMODAPHNE, Meissn. in DC. Prod. xv. i. 109 (1864) = **Ocotea**, Aubl. (Laurin.).  
*cuneata*, Meissn. l. c. = Cuba.

NEMODON, Griff. Notul. iv. 286 (1854) = **Lepistemon**, Blume (Convolv.).

NEMOLEPIS, Vilm. Fl. Pl. Terre, ed. II. 396 (1866) = **Heliopsis**, Pers. (Compos.).  
*canescens*, Vilm. l. c. = *H. bupthalmoides*.

NEMOPANTHES, Rafin. in Journ. Phys. lxxxviii. (1819) 96 = seq.

**NEMOPANTHUS**, Rafin. in Am. Monthly Mag. (1819) 357. **ILICINEAE**, Benth. & Hook. f. i. 357.  
**ILICIOIDES**, Dum.-Cours. Bot. Cult. ed. I. iv. 127 (1804).  
**NUTTALLIA**, DC. Rapp. Jard. Genève. (1821) 44.  
*ambiguus*, Wood, Class-Book (1861), 497 = *Ilex ambigua*.  
*Andersonii*, Hort. ex Pasquale, Cat. Ort. Nap. (1866) adn. = *Ilex diplyrena*.  
*canadensis*, DC. in Mém. Soc. Genève. i. (1821) 44 = *fascicularis*.  
*fascicularis*, Rafin. in Journ. Phys. lxxxviii. (1819) 96.—Am. bor.  
*lucida*, C. Koch, Dendrol. ii. 229 = *fascicularis*.

**NEMOPHILA**, Nutt. ex Barton, Fl. N. Am. ii. 71. t. 61 (1882); et in Journ. Acad. Philad. ii. (1822) 179. **HYDROPHYLLACEAE**, Benth. & Hook. f. ii. 827.  
**PHOLISTOMA**, Lilja, in Bot. Notiser (1839), 40.  
*atomaria*, Fisch. & Mey. Ind. Sem. Hort. Petrop. ii. 42 = *Menziesii*.  
*auriculaeformis*, Hort. ex Vilm. Fl. Pl. Terre, ed. III. 746 = *Menziesii*.  
*aurita*, Lindl. Bot. Reg. t. 1601.—Calif.  
*breviflora*, A. Gray, in Proc. Am. Acad. x. (1875) 315.—Am. bor. occ.



**NEMOPHILA** :—

- crambeoides*, Hort. ex Vilm. Fl. Pl. Terre, ed. II. 586 = Menziesii.  
*discoidalis*, Lem. in Fl. des Serres, ii. (Août, 1846) t. 7 [75] = Menziesii.  
*evanescens* Darby, Bot. South. St. 444 = microcalyx.  
*heterophylla*, Fisch. & Mey. Sert. Petrop. t. 6 = parviflora.  
*hirsuta*, Buckl. in Proc. Acad. Sc. Philad. 1861 (1862) 462 = phacelioides.  
*insignis*, Benth. in Trans. Hort. Soc. N. S. i. (1835) 479; Dougl. ex Benth. in Trans. Linn. Soc. xvii. (1836) 275.—Calif.  
*liniflora*, Fisch. & Mey. Sert. Petrop. t. 5 = Menziesii.  
*maculata*, Benth. ex Lindl. in Journ. Hort. Soc. iii. (1848) 320.—Calif.  
*Menziesii*, Hook. & Arn. Bot. Beech. Voy. 152.—Am. bor. occ.  
*microcalyx*, Fisch. & Mey. Sert. Petrop. t. 6.—Am. bor.  
*modesta*, Kellogg, in Proc. Calif. Acad. vii. (1877) 93 = Menziesii.  
*nemorosa*, Reuben-Heynes, ex Steud. Nom. ed. II. ii. 189 = phacelioides.  
*Nuttallii*, Colla, Hort. Ripul. App. i. 135. t. 5 = phacelioides.  
*paniculata*, Spreng. Syst. i. 569 = Hydrophyllum appendiculatum.  
*parviflora*, Dougl. ex Benth. in Trans. Linn. Soc. xvii. (1836) 275.—Am. bor. occ.  
*pedunculata*, Dougl. l. c. = parviflora.  
*phacelioides*, Barton, Fl. N. Am. ii. 71. t. 61; Nutt. in Journ. Acad. Philad. ii. (1822) 179.—Am. bor. occ.  
*pilosa*, Buckl. in Proc. Acad. Sc. Philad. 1861 (1862), 463 = phacelioides.  
*racemosa*, Nutt. ex A. Gray, in Proc. Am. Acad. x. (1875) 315.—Calif.  
*speciosa*, Hartw. ex Lindl. in Journ. Hort. Soc. iii. (1848) 319 = maculata.

**NEMOPHILLA**, Buckl. in Proc. Acad. Sc. Philad. 1861 (1862), 462 = *praec*.

**NEMOPOGON**, Rafin. Fl. Tellur. ii. 27 (1836) = **Bulbine**, Linn. (Liliac.).  
*glaucum*, Rafin. l. c. = B. semibarbata.

**NEMORINTA**, Fourr. in Ann. Soc. Linn. Lyon, N. S. xvii. (1869) 172 = **Luzula**, DC. (Juncac.).  
*flavescens*, Fourr. l. c. = L. Hostii.  
*Forsteri*, Fourr. l. c. = L. Forsteri.  
*vernalis*, Fourr. l. c. = L. vernalis.

**NEMOSTIGMA**, Planch. in Ann. Sc. Nat. Sér. III. x. (1848) 265 = **Gironniera**, Gaudich. (Urtic.).

**NEMOSTIMA**, Rafin. Fl. Tellur. iv. 82 (1836) = **Convolvulus**, Tourn.  
*canariensis*, Rafin. l. c. = C. canariensis.  
*Cantabrica*, Rafin. l. c. = C. Cantabrica.  
*Hystrix*, Rafin. l. c. = C. Hystrix.  
*lanata*, Rafin. l. c. = C. sericeus?  
*lineata*, Rafin. l. c. = C. lineatus.  
*spicaefolia*, Rafin. l. c. = C. lineatus.

**NEMOSTYLIS**, Herb. in Bot. Mag. sub t. 3779 (1840) = **Nemastylis**, Nutt. (Irid.).

**NEMOSTYLIS**, Stev. Verz. Taur. Halbinsel, 187, in obs. (1857) = **Phuopsis**, Benth. & Hook. f. (Rubiace.) (1873).  
*ciliaris*, Stev. l. c. = P. stylosa.

**NEMUARON**, Baill. Adansonia, x. (1873) 351. **MONIMIACEAE**, Benth. & Hook. f. iii. 145.  
*Humboldtii*, Baill. l. c. 354.—N. Caled.  
*Vieillardii*, Baill. l. c. 353.—N. Caled.

**NEMUM**, Desv. in Ham. Prod. Pl. Ind. Occ. 13 (1825) = **Scirpus**, Tourn. (Cyperac.).  
*spadiceum*, Desv. l. c. = S. spadiceus.

**NEMURANTHES**, Rafin. Fl. Tellur. ii. 61 (1836) = **Habenaria**, Willd. (Orchid.).  
*Habenaria*, Rafin. l. c. 62 = H. macroceratitis.  
*longicauda*, Rafin. l. c. 61 = H. longicauda.

**NENAX**, Gaertn. Fruct. i. 165. t. 32 (1788). **RUBIACEAE**, Benth. & Hook. f. ii. 140.  
*AMBRARIA*, Cruse, Rub. Cap. 16. t. 1. ff. 3, 4 (1825).  
*acerosa*, Gaertn. Fruct. i. 165. t. 32. f. 7.—Afr. austr.

**NENGA**, H. Wendl. & Drude, in Linnaea, xxxix. (1875) 182. **PALMAE**, Benth. & Hook. f. iii. 888.  
*affinis*, Becc. Malesia, i. (1877) 29 = Leptophoenix affinis.  
*celebica*, Becc. in Ann. Jard. Buitenz. ii. (1885) 86 = *selebica*.  
*Geelvinkiana*, Becc. Malesia, i. (1877) 28 = Adelonenga Geelvinkiana.  
*gracilis*, Becc. l. c. 25 = Pinanga gracilis.  
*intermedia*, Becc. in Ann. Jard. Buitenz. ii. (1885) 81, 85.—Malacca.  
*latisepta*, Scheff. l. c. i. (1876) 120; Becc. Malesia, i. (1877) 25 = Pinanga latisepta.  
*nagensis*, Scheff. l. c.; Becc. l. c. = Areca nagensis.  
*pinangoides*, Becc. l. c. 28 = Leptophoenix pinangoides.  
*pumila*, H. Wendl. in Kerch. Palm. 251 = Wendlandiana.  
*Schefferiana*, Becc. in Ann. Jard. Buitenz. ii. (1885) 81, 84.—Sumatra.  
*selebica*, Becc. Malesia, i. (1877) 30 = Gronophyllum selebicum.  
*variabilis*, Becc. l. c. 26 = Adelonenga variabilis.  
*Wendlandiana*, Scheff. in Ann. Jard. Buitenz. i. (1876) 153.—Java.

**NENGELLA**, Becc. Malesia, i. (1877) 32. t. 1. **PALMAE**, Benth. & Hook. f. iii. 886.  
*flabellata*, Becc. l. c. 34.—N. Guin.  
*montana*, Becc. l. c. 33.—Malaya.  
*paradoxa*, Becc. l. c. 32, in obs. = Ophiria paradoxa.

**NENNINGIA**, Opiz, Seznam, 68 (1852) = **Campanula**, Tourn.  
*paniculata*, Opiz, l. c. = C. sibirica.

**NENUPHAR**, Link, Enum. Hort. Berol. ii. 70 (1822) = **Nuphar**, Sm. (Nymph.).  
*advena*, Link, l. c. = Nuphar advena.  
*luteum*, Link, l. c. = Nuphar luteum.  
*minimum*, Link, l. c. = Nuphar minimum.  
*pumila*, Bluff & Fingh. Comp. Fl. Germ. i. 705 = Nuphar minimum.

**NEOBARONIA**, Baker, in Journ. Linn. Soc. xxi. (1884) 336 = **Phylloxylon**, Baill. Adansonia, ii. (1861) 54.  
*phyllanthoides*, Baker, l. c. 337.—Madag.

**NEOBOUTONIA**, Muell. Arg. in Journ. Bot. ii. (1864) 336. **EUPHORBIACEAE**, Benth. & Hook. f. iii. 317.  
*africana*, Muell. Arg. l. c.—Afr. trop.  
*Mannii*, Benth. & Hook. f. Gen. iii. 317.—Afr. trop.

**NEOCEIS**, Cass. in Bull. Soc. Philom. (1820) 90 = **Erechtites**, Rafin. (Compos.).  
*carduifolia*, Cass. in Dict. Sc. Nat. xxxiv. 386 = E. praealta.  
*hieracifolia*, Cass. l. c. 387 = E. praealta.  
*microcephala*, Cass. l. c. 388 = E. arguta?  
*rigidula*, Cass. l. c. 387 = E. praealta.

**NEOCLIA**, Noronha, in Verh. Batav. Gen. v. (1790) ed. I. Art. IV. 3 (Quid?).

**NEODRYAS**, Reichb. f. in Bot. Zeit. x. (1852) 834. **ORCHIDEAE**, Benth. & Hook. f. iii. 566.  
*densiflora*, Reichb. f. in Gard. Chron. (1875) I. 492.—Peruv.  
*Mandonii*, Reichb. f. Xenia Orch. iii. 21.—Bolivia.  
*rhodoneura*, Reichb. f. in Bot. Zeit. x. (1852) 834.—Bolivia.

**NEOGAYA**, Meissn. Gen. 144 (1838) = **Ligusticum**, Linn. (Umbell.).  
*mucronata*, Schrenk, in Bull. Phys.-Math. Acad. Pétersb. i. (1843) 80.—Sibir.  
*simplex*, Meissn. Gen. Comm. 104 = L. simplex.

**NEOGYNA**, Reichb. f. in Bot. Zeit. x. (1852) 931 = **Coelogyne**, Lindl. (Orchid.).  
*Gardneriana*, Reichb. f. l. c. = C. Gardneriana.

**NEOHALLIA**, Hemsl. Biol. Centr. Am. Bot. ii. 519 (1882). **ACANTHACEAE**.  
*Borreria*, Hemsl. l. c.—Mexico.

**NEOLACIS**, Wedd. in DC. Prod. xvii. 59 (1873) = **Apinagia**, Tul. (Podost.).  
*capillacea*, Wedd. l. c. 63.—Bras.  
*corymbosa*, Wedd. l. c. 60 = Ligea corymbosa.  
*dissecta*, Wedd. l. c. 62 = Ligea dissecta.  
*divaricata*, Wedd. l. c. 60 = A. divaricata.  
*fucoides*, Wedd. l. c. 61 = A. fucoides.  
*Gardneriana*, Wedd. l. c. 61 = A. Gardneriana.  
*membranacea*, Wedd. l. c. 64 = A. membranacea.  
*myriophylla*, Wedd. l. c. 63.—Costa Rica.  
*nitelloides*, Wedd. l. c.—Bras.  
*peruviana*, Wedd. l. c. 64 = A. striata.  
*psyllophora*, Wedd. l. c. 60 = A. psyllophora.  
*pusilla*, Wedd. l. c. 63 = A. pusilla.  
*pygmaea*, Wedd. l. c. 60 = A. pygmaea.  
*Richardiana*, Tul. in Ann. Sc. Nat. Sér. III. xi. (1849) 96 = Ligea Richardiana.  
*Riedelii*, Wedd. in DC. Prod. xvii. 61 = A. Riedelii.  
*ruppioides*, Wedd. l. c. = A. ruppioides.  
*secundiflora*, Wedd. l. c. 62 = Ligea secundiflora.  
*Spruceana*, Wedd. l. c. 64.—Bras.

**NEOLEXIS**, Salisb. Gen. Pl. Fragm. 64 (1866) = **Smilacina**, Desf. (Liliac.).

**NEOROEPEA**, Muell. Arg. in DC. Prod. xv. II. 488 (1866). **EUPHORBIACEAE**, Benth. & Hook. f. iii. 276.  
*Banksii*, Benth. Fl. Austral. vi. 117.—Austral.  
*buxifolia*, Muell. Arg. in DC. Prod. xv. II. 489.—Austral.

**NEORTHOSIS**, Rafin. Fl. Tellur. iv. 125 (1836) = **Ipomoea**, Linn. (Convolv.).  
*coccinea*, Rafin. l. c. = I. coccinea.  
*tigrina*, Rafin. l. c. = I. Pes-tigridis.

**NEOSPARTON**, Griseb. in Goett. Abh. xix. (1874) 245 (Pl. Lorentz. 197). **VERBENACEAE**, Benth. & Hook. f. ii. 1144.  
*Darwinii*, Benth. & Hook. f. Gen. ii. 1144.—Bras.  
*ephedroides*, Griseb. in Goett. Abh. xix. (1874) 245.—Reg. Argent.

**NEOTIA**, Scop. Ann. IV. Hist. Nat. 99 (1770) = **Neottia**, Linn. (Orchid.).

**NEOTINEA**, Reichb. f. Poll. Orch. Comm. 18, 29 (1852) = **Habenaria**, Willd. (Orchid.).  
*intacta*, Reichb. f. l. c. = H. intacta.

**NEOTTIA**, Linn. Syst. ed. I (1735). **ORCHIDEAE**, Benth. & Hook. f. iii. 595.  
*NEOTTIDIUM*, Schlecht. Fl. Berol. i. 454 (1823).  
*SYNOPECTRIS*, Rafin. Fl. Tellur. ii. 89 (1836).  
*abortiva*, [Clairv]. Man. Herb. 264 = Limodorum abortivum.  
*abortiva*, S. F. Gray, Nat. Arr. Brit. Pl. ii. 209 = N. Nidus-avis.  
*acaulis*, Sm. Exot. Bot. ii. 91 = Spiranthes picta.  
*Adnaria*, Rafin. Fl. Tellur. ii. 87 = Pelexia adnata.  
*adnata*, Sw. Fl. Ind. Occ. iii. 1409 = Pelexia adnata.  
*aestivalis*, Lam. Encyc. iv. 567; DC. Fl. Fr. iii. 258 = Spiranthes aestivalis.  
*aestivalis*, Oakes, Cat. Pl. Verm. 28; et ex A. Gray, Fl. N. U. St. ed. V. 504 = Spiranthes latifolia.  
*alsinefolia*, Reinw. ex Blume, Orch. Archip. Ind. 77 = Myrmechis gracilis.  
*amoena*, Bieb. Fl. Taur. Cauc. iii. 606 = Spiranthes australis.  
*amphylla*, Hook. Bot. Mag. t. 2797 = Spiranthes orchioides.  
*aurantiaca*, La Llave & Lex. Nov. Veg. Desc. fas. (Orch. Opusc.) 2 = Spiranthes aurantiaca.  
*australis*, R. Br. Prod. 319 = Spiranthes australis.  
*australis*, Reichb. f. in Walp. Ann. iii. 595 = Spiranthes australis.  
*autumnalis*, Pers. Syn. ii. 510 = Spiranthes autumnalis.  
*Banksiana*, Reichb. f. in Walp. Ann. iii. 595 = Listera Eschscholiana.  
*bicolor*, Ker-Gawl. in Bot. Reg. t. 794 = Spiranthes bicolor.  
*bifida*, Blume, Bijdr. 408 = Goodyera bifida.



**NEOTTIA:—**

*bracteosa*, Steud. Nom. ed. II. ii. 189 = *Spiranthes bracteosa*.  
*calcarata*, Sw. Fl. Ind. Occ. 1413 = *Pelexia setacea*.  
*camtschatea*, Reichb. f. Ic. Fl. Germ. xiii., xiv. 146 = seq.  
*camtschatica*, Spreng. Syst. iii. 707.—*Kamtschat.*  
*cernua*, Sw. in Schrad. Neues Journ. i. (1805) 52; Willd. Sp. Pl. iv. 75 = *Spiranthes cernua*.  
*cinnabarina*, La Llave & Lex. Nov. Veg. Desc. fasc. ii. (Orch. Opusc.). 3 = *Spiranthes cinnabarina*.  
*convallarioides*, Rich. in Mém. Mus. Par. iv. (1818) 59 = *Listera convallarioides*.  
*cordata*, Rich. l. c. = *Listera cordata*.  
*crispata*, Blume, Bijdr. 406 = *Spiranthes australis*.  
*discolor*, Steud. Nom. ed. II. ii. 189 = *Haemaria discolor*.  
*diuretica*, Willd. Sp. Pl. iv. 73 = *Spiranthes diuretica*.  
*elata*, Sw. in Schrad. Neues Journ. i. (1805) 51 = *Spiranthes elata*.  
*Eschscholziana*, Steud. Nom. ed. II. ii. 189 = *Listera Eschscholziana*.  
*flava*, Sw. Fl. Ind. Occ. iii. 1417 = *Corymbis flava*.  
*flexuosa*, Sm. in Rees, Cycl. xxiv. n. 9 = *Spiranthes australis*.  
*gemmaipara*, Sm. Engl. Fl. iv. 36 = *Spiranthes Romanzoffiana*.  
*glandulosa*, Sims, Bot. Mag. t. 842 = *Ponthieva glandulosa*.  
*gracilis*, Bigel. Fl. Bost. ed. III. 345 = *Spiranthes gracilis*.  
*grandiflora*, Hook. Bot. Mag. tt. 2730, 2956 = *Spiranthes grandiflora*.  
*kamtschatica*, Lindl. Gen. et Sp. Orch. 458 = *camtschatica*.  
*lanceolata*, Willd. Sp. Pl. iv. 73 = *Stenorrhynchus lanceolatus*.—*Guian.*  
*latifolia*, Rich. in Mém. Mus. Par. iv. (1818) 59 = *Listera ovata*.  
*Lindleyana*, Decne. in Jacquem. Voy. Bot. 163. t. 163 = *listeroides*.  
*listeroides*, Lindl. in Royle, Illustr. Bot. Himal. 368.—*Reg. Himal.*  
*macrantha*, Sweet, Hort. Brit. ed. II. 485 = *Spiranthes grandiflora*.  
*macrophylla*, D. Don, Prod. Fl. Nep. 27 = *Herminium congestum*.  
*macrostelis*, Peterm. in Flora, xxvii. (1844) 369 = *N. Nidus-avis*.  
*maculata*, Linden, Illustr. Hort. xxix. (1812) 83.—*N. Granat.*  
*Michuacana*, La Llave & Lex. Nov. Veg. Desc. fasc. ii. (Orch. Opusc.). 3 = *Spiranthes Mechoacana*.  
*micrantha*, G. Don, in Sweet, Hort. Brit. ed. III. 654, sphalm. = *macrantha*.  
*micrantha*, La Llave & Lex. Nov. Veg. Desc. fasc. ii. (Orch. Opusc.). 5 = *Spiranthes Llaveana*.  
*micrantha*, Lindl. Gen. et Sp. Orch. 458.—*Sibir.*  
*minor*, Jacq. Coll. iii. 172 = *Spiranthes elata*.  
*monophylla*, D. Don, Prod. Fl. Nep. 27 = *Herminium gramineum*.  
*Nidus-avis*, Rich. in Mém. Mus. Par. iv. (1818) 59.—*Europ.*; *As. bor.*  
*odorata*, Nutt. in Journ. Acad. Philad. vii. (1834) 98 = *Spiranthes odorata*.  
*orchioides*, Sw. Fl. Ind. Occ. iii. 1411. t. 28 = *Spiranthes orchioides*.  
*orobanchioides*, St. Lag. in Ann. Soc. Bot. Lyon, vii. (1880) 61, 70, 130 = *N. Nidus-avis*.  
*ovata*, Bluff & Fingerh. Comp. Fl. Germ. ed. II. ii. 435 = *Listera ovata*.  
*pantani*, Korth. ex Blume, Mus. Bot. Lugd. Bat. ii. 173 = *Pachystoma pantanum*.  
*papulosa*, La Llave & Lex. Nov. Veg. Desc. fasc. ii. (Orch. Opusc.). 4.—*Mexic.*  
*parviflora*, Sm. in Rees, Cycl. xxiv. n. 10 = *Spiranthes australis*.  
*Petola*, Blume, Bijdr. 407. t. 2 = *Macodes Petola*.  
*picta*, Sims, Bot. Mag. t. 1562; [R. Br. in] Ait. Hort. Kew. ed. II. v. 199 = *Spiranthes picta*.  
*plantaginea*, D. Don, ex Spreng. Syst. iii. 708 = *Spiranthes plantaginea*.  
*plantaginea*, Hook. Exot. Fl. t. 226 = *Spiranthes orchioides*.  
*polystachya*, Sw. Fl. Ind. Occ. iii. 1415 (= *Chloidia vernalis*).—*Jamaic.*  
*procera*, Ker. Gawl. in Bot. Reg. t. 639 = *Goodyera procera*.

**NEOTTIA:—**

*pubera*, Steud. Nom. ed. II. ii. 189 = *Ponthieva glandulosa*.  
*pubescens*, Willd. Sp. Pl. iv. 76 = *Goodyera pubescens*.  
*pubica*, Sweet, Hort. Brit. ed. II. 485 = *Spiranthes australis*.  
*quadridentata*, Willd. Sp. Pl. iv. 73 = *Spiranthes quadridentata*.  
*reniformis*, Spreng. Syst. iii. 707 (= *Habenariae* sp.).—*Ind. or.*  
*repens*, Pursh, Fl. Am. Sept. ii. 589 = *Goodyera pubescens*.  
*repens*, Sw. in Vet. Akad. Handl. Stockh. xxi. (1800) 226 = *Goodyera repens*.  
*rubicunda*, Blume, Bijdr. 408 = *Goodyera rubicunda*.  
*Salassia*, Steud. Nom. ed. II. ii. 189 = *Liparis purpurascens*.  
*sinensis*, Pers. Syn. ii. 510 = *Spiranthes australis*.  
*speciosa*, Jacq. Ic. Pl. Rar. iii. t. 600 = *Spiranthes colorata*.  
*spiralis*, Sw. in Schrad. Neues Journ. i. (1805) 51 = *Spiranthes aestivalis*, autumnalis.  
*squamosa*, Dulac, Fl. Hautes-Pyr. 120 = *N. Nidus-avis*.  
*squamulosa*, H. B. & K. Nov. Gen. et Sp. i. 332. t. 71 = *Spiranthes orchioides*.  
*stratematica*, R. Br. Prod. 319 = *Zeuxine sulcata*.  
*sulphurea*, La Llave & Lex. Nov. Veg. Desc. fasc. ii. (Orch. Opusc.). 4 = *Spiranthes sulphurea*.  
*tortilis*, Pursh, Fl. Am. Sept. ii. 589 = *Spiranthes gracilis*.  
*tortilis*, Sw. in Schrad. Neues Journ. i. (1805) 51; Fl. Ind. Occ. iii. 1406 = *Spiranthes tortilis*.  
*vaginata*, H. B. & K. Nov. Gen. et Sp. i. 331 (= *Stenorrhynchus vaginatus*).—*Peruv.*  
*viridiflora*, Blume, Bijdr. 408 = *Goodyera viridiflora*.

**NEOTTIDIUM**, Schlecht. Fl. Berol. i. p. lxx. 454 (1823) = **Neottia**, Linn. (Orchid.).  
*Nidus-avis*, Schlecht. l. c. 454 = *Neottia Nidus-avis*.

**NEOU**, Adans. ex Juss. Gen. 342 (1789) = **Parinarium**, Juss. (Rosac.).

**NEOWEDIA**, Schrad. in Neuwied, Reise Bras. ii. 343 (1821) = **Ruellia**, Linn. (Acanthac.).  
*affinis*, Schrad. in Goett. Gel. Anz. i. (1821) 706 = *R. speciosa*.  
*Neesiana*, Mart. ex Nees, in Mart. Fl. Bras. ix. 37 (= *Dipteracanthus Neesianus*).—*Bras.*  
*speciosa*, Mart. ex Nees, l. c. 30 = *R. speciosa*.  
*speciosa*, Schrad. in Neuwied, Reise Bras. ii. 343 (= *Dipteracanthus Neowedia*).—*Bras.*

**NEPA**, Webb, in Ann. Sc. Nat. Sér. III. xvii. (1852) 286 = **Ulex**, Linn. (Legumin.).  
*aragonensis*, Losc. ex Willk. & Lange, Prod. Fl. Hisp. iii. 427 = *Genista hispanica*.  
*Boivini*, Webb, in Ann. Sc. Nat. Sér. III. xvii. (1852) 287 = *U. Boivini*.  
*Cossonii*, Webb, l. c. = *U. Cossonii*.  
*Escayracii*, Webb, l. c. = *U. Escayracii*.  
*lurida*, Webb, l. c. 286 = *U. Webbiana*.  
*megalorites*, Webb, l. c. 287 = *U. Boivini*.  
*Salzmanni*, Webb, l. c. = *U. Boivini*.  
*Vaillantii*, Webb, l. c. = *U. Boivini*.  
*Webbiana*, Webb, l. c. 286 = *U. Webbiana*.

**NEPENTHES**, Linn. Syst. ed. I (1735); Gen. ed. I 273 (1737). **NEPENTHACEAE**, Benth. & Hook. f. iii. 116.

**BANDURA**, Burm. Thes. Zeyl. t. 17 (1737).  
**PHYLLAMORPHA**, Lour. Fl. Cochinch. 606 (1790).  
*alata*, Blanco, Fl. Filip. ed. I. 805.—*Ins. Philipp.*  
*albo-marginata*, Lobb, ex Lindl. in Gard. Chron. (1849) 580.—*Singapore.*  
*ampullacea*, Jack, in Wall. Cat. n. 2243 = *ampullaria*.  
*ampullaria*, Jack, Desc. Malay. Pl. iii. [1823?] 23.—*Malaya.*  
*angustifolia*, Mast. in Gard. Chron. (1881) II. 524.—*Malaya.*  
*atro-sanguinea* ×, Hort.—*Cf. Gard. Chron. (1882) I. 826. f. 125.*  
*Bernaysii*, F. M. Bailey, in Proc. Linn. Soc. N. S. W. v. (1881) 186.—*Austral.*  
*bicalcarata*, Hook. f. in DC. Prod. xvii. 97.—*Borneo.*  
*Blancoi*, Blume, Mus. Bot. Lugd. Bat. ii. 10.—*Ins. Philipp.*  
*Bongso*, Korth. Verh. Nat. Gesch. Bot. 19. t. 14.—*Sumatra.*  
*Boschiana*, Korth. l. c. 25. t. 2.—*Borneo.*

**NEPENTHES:—**

*Burbridgei*, Hook. f. ex Burb. in Gard. Chron. (1882) I. 56 = *N. Phyllamphora*.  
*celebica*, Hook. f. in DC. Prod. xvii. 100.—*Ins. Celebes.*  
*Chelsoni* ×, Hort. Veitch, ex Masters, in Gard. Chron. (1872) 542.  
*cincta*, Mast. l. c. (1884) I. 576.—*Borneo.*  
*coccinea*, Hort.—*Cf. Gard. Chron. (1882) II. 169. f. 29. —Hab.?*  
*Courtii* ×, Hort. Veitch.—*Cf. l. c. (1881) II. 844. f. 160.*  
*cristata*, Brongn. in Ann. Sc. Nat. Sér. I. i. (1824) 48.—*Madag.*  
*distillatoria*, Auct. ex Steud. Nom. ed. II. ii. 190 = *N. Phyllamphora*.  
*distillatoria*, Brion, in Belg. Hort. v. (1855) 196 = *cristata?*  
*distillatoria*, R. Grah. in Edinb. N. Phil. Journ. (Jul.—Sept. 1827) 371; et in Bot. Mag. t. 2798 = *khassiana*.  
*distillatoria*, Linn. Sp. Pl. 955.—*Zeylan.*  
*Dominii* ×, Hort. Veitch. ex Mast. in Gard. Chron. (1872) 542.  
*Dormanniana* ×, Hort.—*Cf. Gard. Chron. (1882) I. 525. f. 81.*  
*Dyak*, S. Moore, in Journ. Bot. xviii. (1880) 1 = *bicalcarata*.  
*echinostoma*, Hook. f. in DC. Prod. xvii. 95.—*Borneo.*  
*Edwardsiana*, Low, ex Hook. f. in Trans. Linn. Soc. xx. (1851) 420.—*Borneo.*  
*eustachys*, Miq. Pl. Ind. Bat. i. i. 1074.—*Sumatra.*  
*fimbriata*, Blume, Mus. Bot. Lugd. Bat. ii. 7 = *N. Phyllamphora*.  
*gracilis*, Korth. Verh. Nat. Gesch. Bot. 22. t. 1.—*Borneo.*  
*gymnamphora*, Miq. Pl. Fungh. 169.—*Java.*  
*gymnamphora*, Reinw. ex Nees, in Ann. Sc. Nat. Sér. I. iii. (1824) 366 = *melamphora*.  
*Harryana* ×, Burb. in Gard. Chron. (1882) I. 56.—*Borneo.*  
*hirsuta*, Hook. f. in DC. Prod. xvii. 29.—*Borneo.*  
*Hookeri*, Alphonse, ex Hook. f. l. c. 96 = *Rafflesiana*.  
*Hookeriana*, Low, Sarawak, 68; ex W. Baxt. in Loud. Hort. Brit. Suppl. iii. 593, nomen.—*Borneo.*  
*hybrida* ×, Hort. Veitch. ex Mast. in Gard. Chron. (1872) 542.  
*indica*, Poir. in Lam. Encyc. iv. 458 = *distillatoria*.  
*intermedia* ×, Hort. ex Veitch. in Gard. Chron. (1875) I. 551; (1882) I. 178. f. 29.  
*Kennedyana*, F. Muell. Fragm. v. 154.—*Austral.*  
*Kennedyi*, Benth. Fl. Austral. vi. 40 = *prae.*  
*khassiana*, Hook. f. in DC. Prod. xvii. 102.—*Reg. Himal.*  
*Korthalsiana*, Miq. Pl. Ind. Bat. i. i. 1071 = *gracilis*.  
*laevis*, Korth. ex Hook. f. in DC. Prod. xvii. 104 = *gracilis*.  
*laevis*, Lindl. in Gard. Chron. (1848) 655.—*Malaya.*  
*laevis*, C. Morr. in Belg. Hort. ii. (1852) 234 = *Teysmanniana*.  
*lanata*, Hort. ex Linden, Illustr. Hort. xxiii. (1876) 192 [t. 261].—*Borneo.*  
*Lawrenciana* ×, Hort.—*Cf. Gard. Chron. (1880) II. 40. f. 8.*  
*Lindleyana*, Low, ex W. Baxt. in Loud. Hort. Brit. Suppl. iii. 593, nomen.—*Borneo.*  
*Loddigesii*, W. Baxt. l. c. = *Borneo.*  
*Lowii*, Hook. f. in Trans. Linn. Soc. xii. (1859) 420.—*Borneo.*  
*macrostachya*, Blume, Mus. Bot. Lugd. Bat. ii. 7 = *N. Phyllamphora*.  
*madagascariensis*, Poir. in Lam. Encyc. iv. 459.—*Madag.*  
*Mastersiana* ×, Hort.—*Cf. Gard. Chron. (1881) II. 749. f. 148.*  
*maxima*, Reinw. in Ann. Sc. Nat. Sér. I. iii. (1824) 369, t. 20.—*Ins. Celebes.*  
*melamphora*, Reinw. ex Blume, Cat. Gew. Buitens. 111.—*Java.*  
*Morganiana* ×, Hort.—*Cf. Gard. Chron. (1881) II. 381.*  
*nigropurpurea*, Hort. l. c. (1882) I. 429. f. 70.  
*Northiana*, Hook. f. l. c. (1881) II. 717.—*Borneo.*  
*Outramiana* ×, Hort.—*Cf. l. c. (1879) II. 505. f. 10.*  
*Pervillei*, Blume, Mus. Bot. Lugd. Bat. ii. 10.—*Ins. Seychell.*  
*Phyllamphora*, Hook. f. & Thoms. ex Hook. f. in DC. Prod. xvii. 102 = *khassiana*.  
*Phyllamphora*, Reinw. ex Miq. Pl. Ind. Bat. i. i. 1073 = *melamphora*.



NEPENTHES:—

- Phyllamphora, Willd. *Sp. Pl.* ii. 874.—Cochinch.; Ins. Molucc.  
pumila, Griff. *Notul.* iv. 349.—Malaya.  
Rafflesiana, Jack, in *Malay. Misc. App. Ined.* [1823?] 21; et in *Hook. Comp. Bot. Mag.* i. (1835) 271.—Ind. or.  
Rajah, Hook. f. in *Trans. Linn. Soc.* xxii. (1859) 421.—Borneo.  
Ratcliffiana, Hort.—Cf. *Gard. Chron.* (1882) i. 178. f. 28.  
Reinwardtiana, Miq. *Pl. Jungh.* 168.—Malaya.  
robusta, Hort.—Cf. *Gard. Chron.* (1880) ii. 40. f. 11.  
rubra, Hort. ex Rafarin, in *Rév. Hort.* (1869) 270 = khasyana.  
rubro-maculata, Hort. Veitch, ex Mast. in *Gard. Chron.* (1882) i. 143. f. 24.  
sanguinea, Lindl. in *Gard. Chron.* (1849) 580.—Malaya.  
Sedeni, Hort.—Cf. *Flor. & Pomel.* (1872) 54; Mast. in *Gard. Chron.* (1872) 542.  
superba, Hort. ex Flor. Mag. N. S. (1881) t. 434.  
tentaculata, Hook. f. in *DC. Prod.* xvii. 101.—Borneo.  
Teysmanniana, Miq. *Fl. Ind. Bat.* i. 1, 1073.—Malaya.  
tomentella, Miq. l. c. 1075 = albo-marginata.  
trichocarpa, Miq. l. c. 1072.—Sumatra.  
Veitchii, Hook. f. in *Trans. Linn. Soc.* xxii. (1859) 421.—Borneo.  
ventricosa, Blanco, *Fl. Filip.* ed. I. 807.—Ins. Philipp.  
Vieillardii, Hook. f. in *DC. Prod.* xvii. 104.—N. Caled.  
villosa, Hook. Bot. Mag. t. 5080 = Veitchii.  
villosa, Hook. f. in *Hook. Ic. Pl.* t. 888.—Borneo.  
Wardii, E. P. Wright, in *Trans. Roy. Irish Acad.* xxiv. (1869) 576. tt. 29, 30 = Pervillei.  
Williamsii, Hort. ex *Gard. Chron.* (1880) ii. 40. f. 9.  
Wrigleyana, Hort. Veitch, ex Mast. l. c. (1882) i. 143. f. 23.  
zeylanica, Rafin. *Fl. Tellur.* iv. 101 = distillatoria.

NEPETA, Riv. ex Linn. Gen. ed. I. 170 (1737).

- LABIATAE, Benth. & Hook. f. ii. 1199.  
CATARIA, Adans. *Fam.* ii. 192 (1763).  
CHAMAECELEMA, Moench, *Meth.* 393 (1794).  
GLECHOMA, Linn. *Syst.* ed. I. (1735).  
LOPHANTHUS, Adans. *Fam.* ii. 194 (1763).  
MARMORITES, Benth. in *Hook. Bot. Misc.* iii. (1833) 377.  
OXYNEPETA, Bunge, in *Mém. Acad. Pétersb. Sér.* VII. xxi. (1873) n. 1 (Lab. Pers.) 58.  
SACCILABIUM, Rottb. in *Act. Lit. Univ. Hafn.* i. (1778) 294.  
SAUSSURIA, Moench, *Meth.* 388 (1794).  
abyssinica, Hort. ex Fisch. *Mey. & Avé-Lall. Ind. Sem. Hort. Petrop.* xi. 77.—Abyssin.  
acerosa, Webb, *Iter Hisp.* 20 = Apuleii.  
acinifolia, Spreng. *Pugill.* i. 41 = cyanea.  
agrestis, Loisel. in *Mém. Soc. Linn. Par.* vi. (1827) 417.—Corsica; Hispan.  
alba, Steud. *Nom.* ed. I. 552 = nuda.  
algeriensis, Noé, in *Bull. Soc. Bot. Fr.* ii. (1855) 581.—Alger.  
altissima, Schrank, in *Denkschr. Bot. Ges. Regensb.* ii. (1822) 54 = Lophanthus nepetoides.  
amboinica, Linn. f. *Suppl.* 273 = Anisomelis ovata.  
americana, Vitm. *Summa Pl.* iii. 419 = N. Cataria?  
amethystina, Desf. ex Poir. *Encyc. Suppl.* iii. 206.—Hispan.  
amoena, Stapf, in *Denkschr. Acad. Wien*, I. (1885) 45.—Persia.  
andrica, Boiss. & Heldr. ex Benth. in *DC. Prod.* xii. 389 = cilicica.  
angustifolia, Mill. *Gard. Dict.* ed. VIII. n. 3; Vahl, *Symb. Bot.* i. 41 = N. Nepetella.  
annua, Pall. in *Act. Acad. Petrop.* ii. (1779) 263. t. 12 = botryoides.  
Apuleii, Ucria, in *Roem. Arch.* i. 1. 69.—Reg. Mediterr. occ.  
aragonensis, Lam. *Encyc.* i. 711 = N. Nepetella.  
argentea, Hort. ex Benth. *Lab. Gen. et Sp.* 480 = grandiflora, Mussini.  
argolica, Bory & Chaub. *Exp. Mor.* 36. n. 589. t. 16 = Sibthorpii.  
aristata, Boiss. & Kotschy, ex Boiss. *Fl. Orient.* iv. 656.—Armenia.  
aristata, Rich. in *Act. Soc. Hist. Nat. Par.* i. (1792) 110 = Hyptis pectinata.  
arragonensis, Benth. *Lab. Gen. et Sp.* 478 = N. Nepetella.

VOL. II.

NEPETA:—

- atlantica, Ball, in *Journ. Bot.* xiii. (1875) 175.—Maroc.  
Aucheri, Boiss. in *Tchihat. Asie Min. Bot.* ii. 155, nomen.—Armenia.  
austriaca, Host, *Fl. Austr.* ii. 154.—Europ.  
azurea, R. Br. in *Salt, Abyss. App.* 64, nomen; Benth. *Lab. Gen. et Sp.* 479.—Abyssin.  
Balbisii, Colla, *Herb. Pedem.* iv. 442. t. 85 (Quid?).—Italia.  
ballotaefolia, Hochst. ex A. Rich. *Tent. Fl. Abyss.* ii. 196.—Abyssin.  
barbata, Regel & Winkl. in *Act. Hort. Petrop.* vi. (1879) 361.—Turkestan.  
basilicoides, Rottb. in *Act. Lit. Univ. Hafn.* i. (1778) 294.—Guian.  
betonicaefolia, C. A. Mey. *Verz. Pfl. Cauc.* 92.—Reg. Caucas.  
betonicoides, Stapf, in *Denkschr. Acad. Wien*, I. (1885) 45.—Persia.  
biloba, Hochst. ex Benth. in *DC. Prod.* xii. 375.—Abyssin.  
bipinnata, Cav. *Ic.* i. 36. t. 49 = botryoides.  
bipinnatifida, Ledeb. *Fl. Ross.* iii. 372 = botryoides.  
Bodeana, Bunge, *Lab. Pers.* 53.—Persia.  
Boissieri, Willk. in *Bot. Zeit.* xv. (1857) 219 = amethystina.  
bombaensis, Dalz. in *Dalz. & Gibs. Bomb. Fl.* 209.—Ind. or.  
botryoides, [Soland. in] *Ait. Hort. Kew.* ed. I. ii. 287.—Reg. Himal.; Soongar.  
bracteata, Benth. in *DC. Prod.* xii. 395.—Persia; Beluchist.  
bracteata, Buch.-Ham. ex D. Don, *Prod. Fl. Nep.* 114 = Dysophylla crassicaulis.  
brevifolia, C. A. Mey. *Verz. Pfl. Cauc.* 93.—Reg. Caucas.  
cadmea, Boiss. *Diagn. Ser. I.* v. 21.—As. Min.  
caesarea, Boiss. *Fl. Orient.* iv. 655.—Cappadoc.  
Calamintha, Tausch, in *Flora*, xxiv. (1831) 219.—Hab.?  
calaminthoides, Benth. in *DC. Prod.* xii. 382 = ruderalis.  
Calverti, Boiss. *Diagn. Ser. II.* iv. 25.—Armen.  
calycina, Fenzl, in *Flora*, xxvi. (1843) 400.—Mesopot.  
campestris, Andr. ex Trautv. in *Act. Hort. Petrop.* ix. (1884) 97, nomen.—Rossia.  
campestris, Benth. *Lab. Gen. et Sp.* 734.—Reg. Himal.  
campestris, Hook. f. & Thoms. ex Hook. f. *Fl. Brit. Ind.* iv. 658 = nervosa.  
camphorata, Boiss. & Heldr. *Diagn. Ser. I.* vii. 49.—Graecia.  
canescens, J. F. Gmel. *Syst.* 900 = italica.  
Cataria, Linn. *Sp. Pl.* 570.—Europ.; Oriens; Himal.  
Cephalotes, Boiss. *Diagn. Ser. I.* v. 20.—Persia.  
chenopodiifolia, Stapf, in *Denkschr. Acad. Wien*, I. (1885) 46, 47.—Persia.  
chionophila, Boiss. & Haussk. ex Boiss. *Fl. Orient.* iv. 643.—Persia.  
ciliaris, Benth. in *Wall. Pl. As. Rar.* i. 64.—Reg. Himal.  
cilicica, Boiss. ex Benth. in *DC. Prod.* xii. 368.—As. Min.; Syria.  
circinnata, Willd. *Enum. Hort. Berol.* 602 = Stachys nepetaefolia.  
citriodora, Dum. *Fl. Belg.* 47; Becker, *Fl. Frankf.* i. 218 = N. Cataria.  
Clarkei, Hook. f. *Fl. Brit. Ind.* iv. 663.—Reg. Himal.  
clinopodioides, Royle, ex Benth. in *Hook. Bot. Misc.* iii. (1833) 379 = ruderalis.  
coerulea, [Soland. in] *Ait. Hort. Kew.* ed. I. ii. 285 = latifolia.  
coerulescens, Maxim. in *Bull. Acad. Pétersb.* xxvii. (1881) 529.—China.  
colorata, Willd. *Enum. Hort. Berol.* 601 = grandiflora.  
concolor, Boiss. & Heldr. ex Benth. in *DC. Prod.* xii. 386.—As. Min.  
congesta, Fisch. & Mey. in *Ann. Sc. Nat. Sér. IV.* i. (1854) 34 = curvidens.  
connata, Royle, ex Benth. in *Hook. Bot. Misc.* iii. (1833) 378.—Reg. Himal.  
cordifolia, C. Koch, ex Boiss. *Fl. Orient.* iv. 658 glabrescens.  
crassifolia, Boiss. & Buhse, in *Nouv. Mém. Soc. Nat. Mosc.* xii. (1860) 175 = Mussini.  
cretica, F. G. Dietr. *Vollst. Lexik. Gaertn.* vi. 348 Micromeria marifolia.

NEPETA:—

- crinita, Montbr. & Auch. in *Ann. Sc. Nat. Sér. II.* vi. (1836) 46.—As. Min.  
crispa, Willd. *Sp. Pl.* iii. 50.—Persia.  
croatica, Ledeb. *Fl. Ross.* iii. 351 = Micromeria marifolia.  
croatica, Spreng. *Syst.* ii. 727 = Micromeria rupestris.  
cryptantha, Boiss. & Haussk. ex Boiss. *Fl. Orient.* iv. 669.—Syria; Persia.  
curvidens, Boiss. & Bal. *Diagn. Ser. II.* iv. 26.—As. Min.  
curviflora, Boiss. l. c. Ser. I. v. 22.—Syria.  
cyanea, Stev. in *Mém. Soc. Nat. Mosc.* iii. (1812) 265.—Reg. Caucas.  
cyanotricha, Tausch, in *Flora*, xiv. (1831) 218 = Mussini.  
daenensis, Boiss. *Diagn. Ser. I.* vii. 53.—Persia.  
dasyangula, Lenné & C. Koch, in *Ind. Sem. Hort. Berol.* (1855) App. 12.—Hab.?  
delphinensis, Mutel, *Fl. Fr.* iii. 46 = N. Nepetella.  
densiflora, Kar. & Kir. in *Bull. Soc. Nat. Mosc.* (1841) 725.—Soongaria.  
denudata, Benth. in *DC. Prod.* xii. 390.—Persia.  
depauperata, Benth. l. c. 392.—Persia.  
diffusa, Fisch. ex Spreng. *Syst.* ii. 729 = Mussini.  
dirphyia, Heldr. ex Boiss. *Fl. Orient.* iv. 652 = Sibthorpii.  
discolor, Royle, ex Benth. in *Hook. Bot. Misc.* iii. (1833) 378.—Reg. Himal.  
distans, Royle, l. c. 379.—Reg. Himal.  
disticha, Blume, *Bijdr.* 823 = Anisomelis ovata.  
elata, Royle, ex Benth. in *Hook. Bot. Misc.* iii. (1833) 378 = spicata.  
elliptica, Royle, l. c. 378.—Reg. Himal.  
erecta, Benth. *Lab. Gen. et Sp.* 482.—Reg. Himal.  
eristochys, Benth. l. c. 734.—Reg. Himal.  
erodiifolia, Boiss. *Diagn. Ser. I.* v. 24 = Lallemanitia Royleana.  
Everandi, S. Moore, in *Journ. Bot.* xvi. (1878) 135.—China.  
fissa, Benth. *Lab. Gen. et Sp.* 471 = supina.  
fissa, C. A. Mey. *Verz. Pfl. Cauc.* 33 = teucrifolia.  
floccosa, Benth. *Lab. Gen. et Sp.* 736.—Reg. Himal.  
foliosa, Moris, *Stirp. Sard. Elench.* iii. 10.—Cf. *Linnaea*, v. (1830) *Litt.* 97.—Sardin.  
frutescens, Link. *Enum. Hort. Berol.* ii. 103, nomen.—Ins. Cap. Virid.  
glabra, Benth. *Lab. Gen. et Sp.* 483 = teucrifolia.  
glabrescens, Boiss. *Fl. Orient.* iv. 658.—As. Min.  
glechoma, Benth. *Lab. Gen. et Sp.* 485.—Europ.; As. bor.  
globifera, Bunge, *Del. Sem. Hort. Dorpat.* (1859).—Cf. *Linnaea*, xxx. (1859–60) 752.—Persia.  
globiflora, Bunge, l. c.; et *Lab. Pers.* 58 = praec.  
glomerata, Montbr. & Auch. in *Ann. Sc. Nat. Sér. II.* vi. (1836) 46.—Syria; Cappadoc.  
glomerulosa, Boiss. *Diagn. Ser. I.* v. 21.—Persia.  
glutinosa, Benth. *Lab. Gen. et Sp.* 735.—Reg. Himal.  
Govaniana, Benth. l. c. 482.—Reg. Himal.  
Goviana, Steud. *Nom.* ed. II. ii. 190, sphalm. praec.  
gracilescens, Boiss. *Fl. Orient.* iv. 647.—Armenia  
graciliflora, Benth. in *Wall. Pl. As. Rar.* i. 65.—Reg. Himal.  
graciliflora, Boiss. & Haussk. ex Boiss. *Fl. Orient.* iv. 648 = leptantha.  
gracilis, Salisb. *Prod.* 78 = botryoides.  
granatensis, Boiss. *Elench.* 76.—Hispan.  
grandiflora, Bieb. *Fl. Taur. Cauc.* ii. 42.—Reg. Caucas.  
grandiflora, Lapeyr. *Hist. Abr. Pl. Pyr.* 329 = latifolia.  
grandiflora, Mutel, *Fl. Dauph.* 343 = N. Nepetella.  
grandis, Hort. ex Benth. *Lab. Gen. et Sp.* 480 grandiflora.  
grata, Benth. l. c. 735.—Reg. Himal.  
graveolens, Vill. *Hist. Pl. Dauph.* ii. 366 = N. Nepetella.  
hederacea, Trev. *Prosp. Fl. Eug.* 26 = N. Glechoma.  
heliotropifolia, Lam. *Encyc.* i. 711.—Persia; Mesopot.  
hirsuta, Jan, ex Nym. *Consp.* 586 = tuberosa.  
hirsuta, Linn. *Sp. Pl.* 571 = N. Scordotis.  
hispanica, Boiss. & Reut. *Diagn. Ser. II.* iv. 26.—Hispan.  
humilis, Benth. in *DC. Prod.* xii. 382 = fissa.  
humilis, Salisb. *Prod.* 78 = N. Nepetella.  
hymenodonta, Boiss. *Fl. Orient.* iv. 665.—Persia  
imbricata, Lag. ex Spreng. *Syst.* ii. 729 = italica  
Imobus, Buch.-Ham. ex D. Don, *Prod. Fl. Nep.* 115  
Elsholtzia incis.

R T



## NEPETA:—

*incana*, Bieb. Fl. Taur. Cauc. ii. 40 = cyanea.  
*incana*, Hort. ex Benth. Lab. Gen. et Sp. 480 bis = Mussini, grandiflora.  
*incana*, Sieber, ex Reichb. Fl. Germ. Excurs. 328 = Calamintha cretica.  
*incana*, [Soland. in] Ait. Hort. Kew. ed. I. ii. 285 = N. Nepetella.  
*incana*, Thunb. Fl. Jap. 244 = Caryopteris Mastacanthus.  
*incana*, Willd. Sp. Pl. iii. 52 = italica.  
*indica*, Burm. f. Fl. Ind. 126 = Leucas biflora.  
*indica*, Linn. Sp. Pl. 571 = Anisomeles ovata.  
*intermedia*, Lej. ex Reichb. Fl. Germ. Excurs. 329 = Calamintha officinalis.  
*isaurica*, Boiss. & Heldr. ex Benth. in DC. Prod. xii. 378.—As. Min.  
*ispahanica*, Boiss. Diagn. Ser. I. v. 23.—Persia.  
*italica*, Linn. Sp. Pl. 571.—Europ. austr.; Reg. Caucas.  
*italica*, Sibth. & Sm. Fl. Graec. vi. t. 548 = Sibthorpii.  
*japonica*, Maxim. in Bull. Acad. Pétersb. xx. (1875) 468.—Japan.  
*japonica*, Willd. Sp. Pl. iii. 52 = Caryopteris Mastacanthus.  
*junceae*, Benth. in DC. Prod. xii. 379.—Afghanistan.  
*kokamirica*, Regel, in Act. Hort. Petrop. vi. (1879) 358.—Turkestan.  
*kokanica*, Regel, Pl. Nov. Fedesch. 65.—Turkestan.  
*Kotschyi*, Boiss. Diagn. Ser. I. vii. 50.—Persia.  
*laconica*, Orph. ex Nym. Consp. 586 = parnassica.  
*lagopsis*, Benth. in DC. Prod. xii. 379.—Afghan.  
*lamiifolia*, Adam, ex Hoffm. Hort. Mosq. (1808) n. 2169 = grandiflora.  
*lamiifolia*, Benth. in DC. Prod. xii. 390 = brevifolia.  
*lamiifolia*, Willd. Enum. Hort. Berol. 602.—Armenia.  
*lamiopsis*, Benth. ex Hook. f. Fl. Brit. Ind. iv. 659.—Reg. Himal.  
*lanata*, Jacq. Obs. Bot. iii. 21 = tuberosa.  
*lanceolata*, Kral. ex Nym. Consp. 586 = agrestis.  
*lanceolata*, Lam. Encyc. i. 710 = N. Nepetella.  
*lasiocephala*, Benth. in DC. Prod. xii. 380.—Persia.  
*latifolia*, DC. Fl. Fr. iii. 528.—Mont. Pyren.  
*lavandulacea*, Linn. f. Suppl. 272.—Sibir.  
*lavandulifolia*, J. F. Gmel. Syst. 1590, sphalm. = praec.  
*laxa*, Benth. Lab. Gen. et Sp. 483 = teucriifolia.  
*laxiflora*, Benth. in DC. Prod. xii. 393.—Persia.  
*leptantha*, Boiss. & Haussk. ex Boiss. Fl. Orient. iv. 648.—As. Min.  
*leptoclada*, Trautv. in Act. Hort. Petrop. ii. (1873) 480.—Armenia.  
*leucolaena*, Benth. ex Hook. f. Fl. Brit. Ind. iv. 662.—Reg. Himal.  
*leucophylla*, Benth. Lab. Gen. et Sp. 476.—Reg. Himal.  
*leucostegia*, Boiss. & Heldr. Diagn. Ser. I. xii. 62.—As. Min.; Syria.  
*linearis*, Royle, ex Benth. in Hook. Bot. Misc. iii. (1833) 377.—Reg. Himal.  
*lobata*, Rudolph, in Schrad. Journ. ii. (1799) 287 = lavandulacea.  
*longibracteata*, Benth. Lab. Gen. et Sp. 737.—Reg. Himal.  
*longicaulis*, Duf. in Bull. Soc. Bot. Fr. vii. (1860) 429 = N. Nepetella.  
*longiflora*, Fisch. ex Benth. Lab. Gen. et Sp. 484 = brevifolia.  
*longiflora*, Kotschy, ex Benth. in DC. Prod. xii. 388 = cilicica.  
*longiflora*, Sims, Bot. Mag. t. 923 = Mussini.  
*longiflora*, Vent. Jard. Cels. 66. t. 66.—Persia.  
*lophantha*, Fisch. ex Benth. Lab. Gen. et Sp. 464 = Lophanthus chinensis.  
*lusitanica*, Rouy, in La Natural. (1882); (Matér. Rév. Fl. Portug. 32).—Lusitan.  
*lycia*, Stapf, in Denkschr. Acad. Wien, l. (1885) 99.—Lycia.  
*macrantha*, Fisch. Hort. Gorenk. ed. II. (1812) 22.—Sibir. altaic.  
*macrantha*, Franch & Sav. Enum. Pl. Jap. ii. 464 = subsessilis.  
*macrantha*, Ledeb. ex Hook. f. Fl. Brit. Ind. iv. 663 = erecta.  
*macrostachya*, Boiss. Diagn. Ser. I. vii. 51.—Persia.  
*macrostachya*, Jan, ex Benth. Lab. Gen. et Sp. 736 = italica.  
*macrura*, Ledeb. ex Spreng. Syst. ii. 729 = N. Cataria.

## NEPETA:—

*madagascariensis*, Lam. Encyc. i. 712 = Plectranthus rotundifolius.  
*malabarica*, Linn. Mant. ii. 566 = Anisomeles malabarica.  
*mallophora*, Webb & Heldr. ex Nym. Consp. 585.—Hispan.  
*manchuriensis*, S. Moore, in Journ. Bot. xviii. (1880) 5.—Manchuria.  
*maracandia*, Bunge, in Mém. Sav. Etr. Pétersb. vii. (1847) 434.—Turkestan.  
*Mariae*, Regel, in Act. Hort. Petrop. vi. (1879) 359.—Turkestan.  
*marifolia*, Boiss. & Huet, Diagn. Ser. II. iv. 24.—Armenia.  
*marifolia*, Cav. in Anal. Cienc. Nat. ii. (1800) 192 = Micromeria marifolia.  
*marrubioides*, Boiss. & Heldr. ex Benth. in DC. Prod. xii. 387.—Graecia; As. Min.  
*marrubioides*, Willd. Enum. Hort. Berol. 603 = italica.  
*meda*, Stapf, in Denkschr. Acad. Wien, l. (1885) 46.—Persia.  
*melissaefolia*, Lam. Encyc. i. 711.—Ins. Creta; Melos.  
*melissaefolia*, Pers. Syn. ii. 115 = grandiflora.  
*menthoides*, Boiss. & Buhse, in Nouv. Mém. Soc. Nat. Mosc. xii. (1860) 174.—Persia.  
*Meyeri*, Benth. Lab. Gen. et Sp. 478 = micrantha.  
*micrantha*, Bunge, in Ledeb. Fl. Alt. ii. 401.—Oriens; Sibir.  
*microphylla*, Stapf, in Denkschr. Acad. Wien, l. (1885) 44.—Persia.  
*minor*, Mill. Gard. Dict. ed. VIII. n. 2 = N. Cataria.  
*mollis*, Benth. Lab. Gen. et Sp. 734.—Reg. Himal.  
*mollis*, Medic. in Act. Acad. Theod. Palat. iii. Phys. (1775) 218. t. 14 = violacea?  
*mollis*, Salisb. Prod. 78 = N. Cataria.  
*mollissima*, Tausch, in Flora, xiv. (1831) 219 = cyanea.  
*montana*, Turra, Fl. Ital. Prod. 66 = nuda.  
*multibracteata*, Desf. Fl. Atlant. ii. 11. t. 123.—Alger.  
*multibracteata*, Webb, Iter Hisp. 20 = granatensis.  
*multifida*, Linn. Sp. Pl. 572 = lavandulacea.  
*multifida*, Linn. f. Suppl. 273 = botryoides.  
*murica*, Guir. ex Willk. in Bot. Zeit. xv. (1857) 218 = amethystina.  
*Mussini*, Spreng. ex Henck. Adumbr. Pl. Hort. Hal. 15.—Reg. Caucas.; Persia.  
*mutabilis*, Rich. in Act. Soc. Hist. Nat. Par. i. (1792) 110 = Hyptis spicata.  
*nepalensis*, Spreng. Syst. ii. 730.—Nepal.  
*Nepetella*, Asso, Syn. Pl. Arag. 73; Boiss. Voy. Bot. Espagne, 503 = amethystina.  
*Nepetella*, Linn. Syst. ed. X. 1096.—Europ. austr.  
*Nepetellae*, Forsk. Fl. Aegypt. Arab. 212.—Arab.  
*nervosa*, Royle, ex Benth. in Hook. Bot. Misc. iii. (1833) 378.—Reg. Himal.  
*nivalis*, Benth. Lab. Gen. et Sp. 737.—Reg. Himal.  
*nova*, Bieb. ex Steud. Nom. ed. II. ii. 191 = Micromeria Pulegium.  
*nuda*, Linn. Sp. Pl. 570.—Europ. austr.; Oriens.  
*obtusata*, E. Mey. ex Benth. in DC. Prod. xii. 385 = Mussini.  
*obtusirena*, Boiss. Fl. Orient. iv. 647 = Calverti.  
*Olgae*, Regel, Pl. Nov. Fedesch. 64.—Turkestan.  
*orientalis*, Mill. Gard. Dict. ed. VIII. n. 10 = italica.  
*Orlichiana*, Lenné & Koch, in Ind. Sem. Hort. Berol. (1855) App. 12.—Reg. Himal.  
*orphanidea*, Boiss. Diagn. Ser. II. iv. 22 = parnassica.  
*ouroumitanensis*, Franch. in Ann. Sc. Nat. Sér. VI. xviii. (1884) 230.—Turkest.  
*oxyodonta*, Boiss. Diagn. Ser. I. vii. 51.—Persia.  
*pallida*, C. Koch, in Linnaea, xxi. (1848) 675 = micrantha.  
*pallida*, Salisb. Prod. 78 = Anisomeles malabarica.  
*paniculata*, Crantz, Stirp. Austr. ed. II. fasc. iv. 270 = nuda.  
*paniculata*, Mill. Gard. Dict. ed. VIII. n. 4 = N. Nepetella.  
*pannonica*, Linn. Sp. Pl. 570 = nuda.  
*parnassica*, Heldr. & Sart. in Boiss. Diagn. Ser. II. iv. 22.—Graecia.  
*parviflora*, Bieb. Fl. Taur. Cauc. ii. 41 = ucranica.  
*parviflora*, Unio Itin. ex Benth. in DC. Prod. xii. 393 = heliotropifolia.  
*parvifolia*, Hort. ex Benth. Lab. Gen. et Sp. 383 = Micromeria marifolia.  
*patavina*, Fisch. ex Steud. Nom. ed. I. 552 = Hyptis polyantha?

## NEPETA:—

*Patella*, All. ex Loud. Hort. Brit. 234, sphalm. = N. Nepetella?  
*pauciflora*, Spreng. in Schrad. Journ. (1800) ii. 198 = Hyptis polyantha?  
*pectinata*, Linn. Syst. ed. X. 1096 = Hyptis pectinata.  
*Peretii*, Colla, Herb. Pedem. iv. 441. t. 85. f. 1.—Hab.?  
*persica*, Boiss. Diagn. Ser. I. xii. 66.—Persia.  
*persica*, Poit. ex Benth. in DC. Prod. xii. 396 = Hyptis pectinata.  
*petraea*, Benth. l. c. 394.—Persia.  
*pinetorum*, Aitch. & Hemsl. in Journ. Linn. Soc. xix. (1882) 183.—Afghan.  
*pinnatifida*, Fisch. Hort. Gorenk. ed. II. (1812) 22 = Dracoccephalum botryoides.  
*pisidica*, Boiss. & Heldr. Diagn. Ser. I. xii. 65 = cilicica.  
*podostachys*, Benth. in DC. Prod. xii. 372.—Afghanistan.  
*polystachya*, Royle, ex Benth. in Hook. Bot. Misc. iii. (1833) 378 = elliptica.  
*pontica*, C. Koch, in Linnaea, xxi. (1848) 676 = nuda.  
*procumbens*, Mill. Gard. Dict. ed. VIII. n. 11 = N. Scorditis.  
*prostrata*, Benth. in DC. Prod. xii. 380.—Persia.  
*pubescens*, Benth. l. c. 373.—Afghan.  
*pumila*, Spreng. Nov. Prov. 29 = Micromeria rupestris.  
*pungens*, Benth. Lab. Gen. et Sp. 487.—Persia.  
*pusilla*, Benth. l. c. 488 = pungens.  
*pyncnantha*, Boiss. ex Benth. in DC. Prod. xii. 388 = cilicica.  
*racemosa*, Lam. Encyc. i. 711.—Armen.; Persia.  
*raphanorhiza*, Benth. Lab. Gen. et Sp. 734.—Reg. Himal.  
*rarifolia*, C. Koch, in Linnaea, xxi. (1848) 676 = teucriifolia.  
*Reichenbachiana*, Fisch. & Mey. Ind. Sem. Hort. Petrop. viii. 68 = racemosa.  
*reticulata*, Desf. Fl. Atlant. ii. t. 124.—Alger.  
*robusta*, Hook. f. in Journ. Linn. Soc. vii. (1864) 212.—Afr. trop.  
*rosea*, Salzm. ex Benth. Lab. Gen. et Sp. 471 = Apuleii.  
*rotundifolia*, Benth. in DC. Prod. xii. 392 = floccosa.  
*ruderalis*, Boiss. Fl. Orient. iv. 643 = N. Cataria.  
*ruderalis*, Buch.-Ham. ex Benth. in Wall. Pl. As. Rar. i. 64.—Europ.; Oriens.  
*rugosa*, Benth. in DC. Prod. xii. 384.—Arab.  
*Ruprechtii*, Boiss. Fl. Orient. iv. 661.—Reg. Caucas.  
*Sabinei*, J. A. Schmidt, in Journ. Bot. vi. (1868) 228, 238 = discolor.  
*saccharata*, Bunge, Lab. Pers. 56.—Persia.  
*salviaefolia*, Pers. Syn. ii. 115 = Mussini.  
*salviaefolia*, Royle, ex Benth. in Hook. Bot. Misc. iii. (1833) 379.—Reg. Himal.  
*satureioides*, Boiss. Diagn. Ser. I. v. 24.—Persia; Afghan.  
*scabra*, Tausch, in Flora, xiv. (1831) 218 = tuberosa.  
*scabridifolia*, Stapf, in Denkschr. Acad. Wien, l. (1885) 44.—Persia.  
*schiraziana*, Boiss. Diagn. Ser. I. vii. 52.—Persia.  
*Schtschurowskiana*, Regel, Pl. Nov. Fedesch. 63, 66.—Turkestan.  
*scordifolia*, Sieber, ex Mutel, Fl. Fr. iii. 45 = agrestis.  
*scordiifolia*, Schrank, in Denkschr. Bot. Ges. Regensb. ii. (1822) 53 (Quid?).—Sibir.  
*scordioides*, Fisch. ex Schrank, l. c. = praec.  
*Scordotis*, Linn. Cent. Pl. ii. 20; Amoen. Acad. iv. 317.—Ins. Creta.  
*Scorodonia*, Boiss. & Heldr. Diagn. Ser. I. xii. 63 = isaurica.  
*Scorodotis*, Hill, Veg. Syst. xviii. 36 = N. Scordotis.  
*secunda*, Wall. Cat. n. 2122 = ruderalis.  
*septomcrenata*, Benth. in DC. Prod. xii. 390, partim = persica.  
*septomcrenata*, Ehrenb. ex Benth. Lab. Gen. et Sp. 484.—Aegypt.; Arab.  
*serpyllifolia*, Bieb. Fl. Taur. Cauc. ii. 40 = Micromeria serpyllifolia.  
*sessilifolia*, Bunge, Lab. Pers. 54.—Persia.  
*Sewerzowi*, Regel, in Act. Hort. Petrop. vi. (1879) 360.—Turkestan.  
*sibirica*, Aschers. Fl. Brandenb. i. 520 = macrantha.  
*sibirica*, Bieb. Fl. Taur. Cauc. ii. 41 = ucranica.  
*sibirica*, Linn. Sp. Pl. 572.—Sibir.  
*Sibthorpii*, Benth. Lab. Gen. et Sp. 474.—Graecia.  
*sidaefolia*, J. F. Gmel. Syst. 898 = Hyptis polyantha?



**NEPETA:—**

*spathulifera*, Benth. in DC. Prod. xii. 380.—Afghan.  
*speciosa*, Boiss. & Noé, Diagn. Ser. II. iv. 34.—Persia.  
*spicata*, Benth. in Wall. Pl. As. Rar. i. 64.—Reg. Himal.  
*Spruneri*, Boiss. Diagn. Ser. II. iv. 23.—Graecia.  
*stachyoides*, Coss. in Bull. Soc. Bot. Fr. xxii. (1875) 65, nomen.—Alger.  
*stenantha*, Kotschy & Boiss. ex Boiss. Fl. Orient. iv. 661.—Armenia.  
*suaveolens*, Roem. ex Steud. Nom. ed. I. 552 = Hyptis suaveolens?  
*subhastata*, Regel, Pl. Nov. Fedtsch. 64.—Turkestan.  
*subcincisa*, Benth. in DC. Prod. xii. 373.—Afghan.  
*subsessilis*, Maxim. in Bull. Acad. Pétersb. xx. (1875) 469.—Japan.  
*sulphurea*, C. Koch, in Linnaea, xxi. (1848) 677 = nuda.  
*supina*, Steud. in Mém. Soc. Nat. Mosc. iii. (1812) 265.—Reg. Cauc. et Himal.  
*syriaca*, Hasselq. Iter Palaest. 479.—Syria.  
*tenuicaulis*, Boiss. Fl. Orient. iv. 661 = marifolia.  
*tenuifolia*, Benth. Lab. Gen. et Sp. 468.—China.  
*tenuifolia*, Steud. Nom. ed. II. ii. 191, sphalm. = seq.  
*teucriifolia*, Willd. Enum. Hort. Berol. 602.—As. Min.; Persia.  
*teucrioides*, Hort. ex Benth. in DC. Prod. xii. 385 = grandiflora, Mussini.  
*teucrioides*, Lam. Encyc. i. 711 = italica.  
*teydea*, Webb & Berth. Phyt. Canar. iii. 85. t. 165.—Ins. Canar.  
*thibetica*, Benth. Lab. Gen. et Sp. 737.—Reg. Himal.  
*Thomsoni*, Benth. ex Hook. f. Fl. Brit. Ind. iv. 658.—Reg. Himal.  
*tmolea*, Boiss. Diagn. Ser. I. v. 22.—As. Min.  
*tolypantha*, Stapf, in Denkschr. Acad. Wien, l. (1885) 98.—Lycia.  
*tomentosa*, Sieber, ex Benth. Lab. Gen. et Sp. 473 = N. Scorditis.  
*tomentosa*, Vitm. Summa Pl. iii. 419 = N. Cataria?  
*Trautvetteri*, Boiss. & Buhse, in Nouv. Mém. Soc. Nat. Mosc. xii. (1860) 175.—Reg. Caucas.  
*trichocalyx*, Boiss. & Haussk. ex Boiss. Fl. Orient. iv. 656 = aristata.  
*trichodonta*, Boiss. & Noé, Diagn. Ser. II. iv. 25 = heliotropifolia.  
*tuberosa*, Desf. Fl. Atlant. ii. 10 = Apuleii.  
*tuberosa*, Linn. Sp. Pl. 571.—Reg. Mediterr. occ.  
*tymphestea*, Heldr. & Sart. ex Boiss. Fl. Orient. iv. 654 = Spruneri.  
*ucranica*, Bieb. Fl. Taur. Cauc. ii. 41 = nuda.  
*ucranica*, Linn. Sp. Pl. 570.—Europ. occ.; As. bor.  
*Vaillantii*, Benth. Lab. Gen. et Sp. 471 = tuberosa.  
*versicolor*, Trev. in Nov. Act. Nat. Cur. xiii. (1826) 183 = Craniotome versicolor.  
*violacea*, Brot. Fl. Lusit. i. 173 = multibracteata.  
*violacea*, Hort. ex Tausch, in Flora, xiv. (1831) 220 = Mussini, Calamintha grandiflora.  
*violacea*, Lapeyr. Hist. Abr. Pl. Pyr. 329 = latifolia.  
*violacea*, Linn. Sp. Pl. 570.—Hispan.  
*violacea*, Vill. Hist. Pl. Dauph. ii. 367 = nuda.  
*violaeifolia*, Boiss. & Noé, Diagn. Ser. II. iv. 27.—Kurdistan.  
*virgata*, C. Koch, in Linnaea, xxi. (1848) 676 = teucriifolia.  
*virginica*, Linn. Sp. Pl. 571.—Am. bor.  
*virginica*, Willd. Sp. Pl. iii. 56 = Pycnanthemum lanceolatum.  
*viscida*, Boiss. Diagn. Ser. I. v. 20.—As. Min.  
*viscosa*, Rottb. in Act. Lit. Univ. Hafn. i. (1778) 294.—Guian.  
*vulgaris*, Lam. Fl. Fr. ii. 398 = N. Cataria.  
*Wildenowiana*, Hort. ex Benth. Lab. Gen. et Sp. 480 = Mussini.  
*yessoënsis*, Franch. & Sav. Enum. Pl. Jap. ii. 464.—Japan.

NEPETTA, Medic. in Act. Acad. Theod. Palat. iii. Phys. (1775) 218 = praec.

**NEPHELEPHYLLUM**, Blume, Bijdr. 372. t. 22 (1825). ORCHIDEAE, Benth. & Hook. f. iii. 514.  
 CYTHERIS, Lindl. Gen. et Sp. Orch. 128 (1831).  
*cordifolium*, Lindl. in Journ. Linn. Soc. iii. (1859) 23.—Reg. Himal.  
*pulchrum*, Blume, Bijdr. 373.—Malaya.  
*scapigerum*, Hook. f. Bot. Mag. t. 5390.—Borneo.  
*tenuiflorum*, Blume, Bijdr. 373.—Malaya.

NEPHELEPHYLLUM, Blume, Fl. Jav. praef. p. vii (1828) = praec.

**NEPHELIUM**, Linn. Mant. i. 18 (1767). SAPINDACEAE, Benth. & Hook. f. i. 405.  
 CORVINIA, Stadtm. ex Willem. in Usteri, Ann. Bot. xviii. (1796) 28.  
 DIMOCARPUS, Lour. Fl. Cochinch. 233 (1790), partim.  
 DIPHEROCARPUS, Llanos, in Mem. Acad. Cienc. Madr. ii. (1859) 501.  
 EUPHORIA, Comm. ex Juss. Gen. 248 (1789), partim.  
 LAETJI, Osb. ex Steud. Nom. ed. I. 460 (1821).  
 LITCHI, Sonner. Voy. Ind. iii. 255 (1782).  
 OTONEPHELIUM, Radlk. Sapind. Holland. Ind. Nachtr. 71 (1879).  
 PSEUDONEPHELIUM, Radlk. l. c. (1879).  
 SCYTALIA, Gaertn. Fruct. i. 197. t. 42 (1788).  
*acuminatum*, Hook. f. in Trans. Linn. Soc. xxiii. (1860) 164.—Borneo.  
*altissimum*, Teijsm. & Binn. Nederl. Kruidk. Arch. iii. (1855) 410.—Java.  
*Beccarianum*, Radlk. in Act. Congr. Bot. Amst. 1877 (1879), 97.—Borneo.  
*Beckleri*, Benth. Fl. Austral. i. 467.—Austral.  
*benghalense*, G. Don, Gen. Syst. i. 670 = N. Longana.  
*bifoliolatum*, Thw. Enum. Pl. Zeyl. 57 = Sapindus bifoliolatus.  
*capense*, Baill. Hist. Pl. v. 351 = Pappaea capensis.  
*chryseum*, Blume, Rumphia, iii. 105.—Borneo.  
*compressum*, Radlk. in Act. Congr. Bot. Amst. 1877 (1879), 98.—Borneo.  
*connatum*, F. Muell. ex Benth. Fl. Austral. i. 465.—Austral.  
*coriaceum*, Benth. l. c. 466.—Austral.  
*costatum*, Hiern, in Hook. f. Fl. Brit. Ind. i. 688.—Malacca.  
*cuspidatum*, Blume, Rumphia, iii. 110.—Borneo.  
*daedaleum*, Radlk. in Act. Congr. Bot. Amst. 1877 (1879), 97.—Borneo.  
*Danura*, G. Don, Gen. Syst. i. 671 = Sapindus Danura.  
*Dimocarpus*, Hook. f. & Thoms. ex Hook. f. Fl. Brit. Ind. i. 688 = N. Lit-chi.  
*distyle*, F. Muell. Fragm. ix. 99.—Austral.  
*divaricatum*, F. Muell. ex Benth. Fl. Austral. i. 467.—Austral.  
*diversifolium*, F. Muell. Fragm. x. 82.—Austral.  
*duriocarpum*, T. Anders. ex Hook. f. Fl. Brit. Ind. i. 688 = N. Lit-chi.  
*echinatum*, Noronha, in Verh. Batav. Gen. v. (1798) ed. I. Art. iv. 21 = lappaceum.  
*erectum*, Thw. Enum. Pl. Zeyl. 57 = Sapindus erectus.  
*eripetalum*, Miq. Fl. Ind. Bat. Suppl. 509.—Malacca.  
*eximium*, Thw. Enum. Pl. Zeyl. 57 = Pometia eximia.  
*ferrugineum*, F. Muell. Papuan Pl. i. 21.—N. Guin.  
*foveolatum*, F. Muell. ex Benth. Fl. Austral. i. 466.—Austral.  
*fumatum*, Blume, Rumphia, iii. 111.—Borneo.  
*fuscatum*, Thw. Enum. Pl. Zeyl. 58, 408 = Glenniea unijuga.  
*Gardneri*, Thw. l. c. 58.—Zeylan.  
*glabrum*, Noronha, in Verh. Batav. Gen. v. (1790) ed. I. Art. iv. 21; Walp. Rep. i. 420.—Java.  
*Griffithianum*, Kurz, in Journ. As. Soc. Beng. xli. (1872) ii. 303 = mutabile.  
*hamulatum*, Radlk. Sapind. Holland. Ind. Nachtr. 78.—Malaya.  
*hypoleucum*, Kurz, in Journ. As. Soc. Beng. xl. (1871) ii. 50 = N. Longana.  
*informe*, Cambess. in Mém. Mus. Par. xviii. (1829) 30 = Euphoria informe.  
*juglandifolium*, Blume, Rumphia, iii. 106.—Java.  
*lappaceum*, Linn. Mant. ii. 566.—Malaya.  
*laurinum*, Blume, Rumphia, iii. 109.—Java.  
*Leichhardtii*, F. Muell. App. Rep. Intercol. Exhib. (1867) 25.—Austral.  
*leiocarpum*, F. Muell. in Trans. Phil. Inst. Vict. iii. (1859) 25.—Austral.  
*Lichi*, Steud. Nom. ed. II. ii. 191 = seq.  
*Lit-chi*, Cambess. in Mém. Mus. Par. xviii. (1829) 30.—China.  
*Longana*, Cambess. l. c.—Ind. or.; Burma.  
*macrophyllum*, Radlk. in Act. Congr. Bot. Amst. 1877 (1879), 97.—Borneo.

**NEPHELIUM:—**

*malaiense*, Griff. Notul. iv. 549.—Malacca.  
*Mangayi*, Hiern, in Hook. f. Fl. Brit. Ind. i. 688.—Malacca.  
*melanomiscum*, Radlk. Sapind. Holland. Ind. Nachtr. 74.—Malaya.  
*microphyllum*, Benth. Fl. Austral. i. 468.—Austral.  
*Mora*, Gardn. ex Thw. Enum. Pl. Zeyl. 58 = N. Longana.  
*multijugum*, Hook. f. in Trans. Linn. Soc. xxiii. (1860) 164 = Capura multijuga (in Addend.).  
*multinerve*, Radlk. in Act. Congr. Bot. Amst. 1877 (1879), 97.—Borneo.  
*mutabile*, Blume, Rumphia, iii. 104.—Borneo.  
*Noronhianum*, Cambess. in Mém. Mus. Par. xviii. (1829) 30 = Xerospermum Noronhianum.  
*ophiodes*, Radlk. Sapind. Holland. Ind. Nachtr. 78.—Malaya.  
*oppositifolium*, G. Don, Gen. Syst. i. 671.—Ins. Molucc.  
*parviflorum*, G. Don, l. c.—Ins. Molucc.  
*pinnatum*, Cambess. in Mém. Mus. Par. xviii. (1829) 30 = Schmidelia pinnata.  
*pupillum*, Wight, Illustr. Ind. Bot. i. 141 = N. Longana.  
*reticulatum*, Radlk. in Act. Congr. Bot. Amst. 1877 (1879), 97.—Borneo.  
*rimosum*, G. Don, Gen. Syst. i. 671.—Ind. or.  
*rubescens*, Hiern, in Hook. f. Fl. Brit. Ind. i. 688.—Malaya.  
*Rubia*, Walp. Rep. v. 365.—Ind. or.  
*rubrum*, G. Don, Gen. Syst. i. 671 = Sapindus attenuatus.  
*semicinereum*, F. Muell. Fragm. iv. 158.—Austral.  
*simplicifolium*, Thw. Enum. Pl. Zeyl. 57 = Sapindus Thwaitesii.  
*stipulaceum*, Bedd. in Madr. Journ. Sc. Ser. III. i. (1864) 39.—Ind. or.  
*subdentatum*, F. Muell. ex Benth. Fl. Austral. i. 465.—Austral.  
*sufferugineum*, Radlk. Sapind. Holland. Ind. Nachtr. 77.—Malaya.  
*tomentosum*, F. Muell. in Trans. Vict. Inst. ii. (1858) 64.—Austral.  
*variabile*, Wall. ex Voigt, Hort. Suburb. Calc. 95.—Reg. Himal.  
*verticillatum*, G. Don, Gen. Syst. i. 670 = Sapindus Danura.  
*xanthioides*, Radlk. in Act. Congr. Bot. Amst. 1877 (1879), 97.—Borneo.  
*xerocarpum*, Cambess. in Mém. Mus. Par. xviii. (1829) 30 = Xerospermum Noronhianum.

**NEPHELOCHLOA**, Boiss. Diagn. Ser. I. v. 72 (1844). GRAMINEAE, Benth. & Hook. f. iii. 1195.  
*altaica*, Griseb. in Ledeb. Fl. Ross. iv. 367 = Poa soongarica.  
*breviglumis*, Trautv. in Act. Hort. Petrop. vii. (1880) 523 = Sphenopus Gouani.  
*orientalis*, Boiss. Diagn. Ser. I. v. 73.—As. Min.  
*persica*, Griseb. in Ledeb. Fl. Ross. iv. 366 = Poa persica.  
*soongarica*, Griseb. l. c. 367 = Poa soongarica.  
*tripolitana*, Boiss. & Blanche, Diagn. Ser. II. iv. 133 = Poa persica.

**NEPHRADENIA**, Decne. in DC. Prod. viii. 604 (1844). ASCLEPIADEAE, Benth. & Hook. f. ii. 771.  
*acerosa*, Decne. l. c.—Bras.  
*asparagoides*, Fourn. in Mart. Fl. Bras. vi. iv. 330.—Bras.  
*laurifolium*, Benth. & Hook. f. Gen. ii. 756 (sphalm. linearifolium).—Bras.  
*linearis*, Benth. & Hook. f. l. c. 756, 771.—Bras.  
*neriifolia*, Benth. & Hook. f. l. c. 771.—Mexic.

**NEPHRAEA**, Hassk. Cat. Hort. Bog. Alt. 283 (1844) = NEPHREA, Noronha = Pterocarpus, Linn. (Legumin.).

**NEPHRAELES**, Rafin. Fl. Tellur. iii. 70 (1836) = Comelina, Linn.  
*parviflora*, Rafin. l. c. = C. pallida



NEPHRANDRA, Willd. in Cothen. Disp. Veg. 8 (1790) = *Vitex*, Tourn. (Verben.).  
*dubia*, Willd. l. c.; J. F. Gmel. Syst. 946 = *V. umbrosa*.

NEPHRANTHERA, Hassk. in Hœv. & De Vriese, Tijdschr. ix. (1842) 145 = *Renanthera*, Lour. (Orchid.).  
*matutina*, Hassk. l. c. = *R. matutina*.

NEPHREA, Noronha, in Verh. Batav. Gen. v. (1790) Art. iv. 3 = *Pterocarpus*, Linn. (Legumin.).

NEPHROCODIUM, Benth. & Hook. f. Gen. iii. 457 (1883), sphalm. = seq.

NEPHROCODUM, C. Muell. in Walp. Ann. vi. 40 (1861); Becc. Malesia, i. (1878) 242 = seq.

NEPHROCOELIUM, Turcz. in Bull. Soc. Nat. Mosc. (1853) i. 287 = *Burmanna*, Linn.  
*malaccensis*, Turcz. l. c. = *B. caelestis*.

NEPHROIA, Lour. Fl. Cochinch. 565 (1790) = *Cocculus*, DC. (Menisp.).  
*sarmentosa*, Lour. l. c. = *C. Nephroia*.

NEPHROICA, Miers, in Ann. & Mag. Nat. Hist. Ser. II. vii. (1851) 42 = *Cocculus*, DC. (Menisp.).  
*bantamensis*, Miers, l. c. = *C. bantamensis*.  
*caudata*, Miers, l. c. Ser. III. xix. (1867) 26 = *C. diversifolia*? *Miq.* (in Addend.).  
*cuneifolia*, Miers, l. c. = *C. cuneatus*.  
*cynanchoides*, Miers, l. c.; et in Hook. Kew Journ. iii. (1851) 259 = *C. Thunbergii*.  
*dianthera*, Miers, l. c. Ser. II. vii. (1851) 42 = *C. Thunbergii*.  
*dilatata*, Miers, l. c. Ser. III. xix. (1867) 26 = *C. Thunbergii*.  
*Ferrandiana*, Miers, l. c. Ser. II. vii. (1851) 42 = *C. Ferrandianus*.  
*hastata*, Miers, l. c. Ser. III. xix. (1867) 26 = *C. Thunbergii*.  
*hexagyna*, Miers, l. c. = *C. Thunbergii*.  
*laurifolia*, Miers, l. c. Ser. II. vii. (1851) 42 = *C. laurifolius*.  
*mollis*, Miers, Contrib. Bot. S. Am. iii. 265 = *C. mollis*.  
*ovalifolius*, Miers, in Ann. & Mag. Nat. Hist. Ser. II. vii. (1851) 42 = *C. Thunbergii*.  
*pubinervis*, Miers, ex Benth. in Hook. Kew Journ. iii. (1851) 259 = *C. Thunbergii*.  
*pyncantha*, Miers, in Ann. & Mag. Nat. Hist. Ser. III. xix. (1867) 26 = *C. Thunbergii*.  
*sarmentosa*, Miers, l. c. 25 = *C. Thunbergii*.  
*Thunbergii*, Miers, l. c. 26 = *C. Thunbergii*.  
*triloba*, Miers, l. c. Ser. II. vii. (1851) 42 = *C. Thunbergii*.

NEPHROMEDIA, Kostel. Ind. Hort. Prag. 92 (1844) = *Trigonella*, Linn. (Legumin.).  
*radiata*, Kostel. l. c. = *T. radiata*.

NEPHROMISCHUS, Klotzsch, Ind. Sem. Hort. Berol. (1855) App. I = *Begonia*, Linn.  
*rutilans*, Klotzsch, l. c. = *B. rutilans*.

NEPHROPHYLLUM, A. Rich. Tent. Fl. Abyss. ii. 77. t. 76 (1850). *CONVOLVULACEAE*, Benth. & Hook. f. ii. 876.  
*HYGROCHARIS*, Hochst. ex A. Rich. Tent. Fl. Abyss. ii. 77 (1851).  
*abyssinicum*, A. Rich. l. c. = Abyssin.

NEPHROSIS, Rich. ex DC. Prod. ii. 420 (1825) = *Drepanocarpus*, G. F. W. Mey. (Legumin.).  
*aculeata*, Rich. ex DC. l. c. = *D. lunatus*.

NEPHROSPERMA, Balf. f. in Baker, Fl. Maurit. 386 (1877). *PALMAE*, Benth. & Hook. f. iii. 907.  
Van-Houtteana, Balf. f. l. c. = Ins. Seychelles.

NEPHROSTIGMA, Griff. Notul. iv. 717 (1854). *ANONACEAE*?—Cf. Benth. & Hook. f. i. 22.

NEPHTHYTIS, Schott, in Oestr. Bot. Wochenbl. vii. (1857) 406. *AROIDEAE*, Benth. & Hook. f. iii. 982.  
*OLIGOGYNIUM*, Engl. Bot. Jahrb. iv. (1883) 64.

# NEPHTHYTIS:—

*Azelii*, Schott, in Oestr. Bot. Wochenbl. vii. (1857) 406.—Afr. trop.  
*constricta*, N. E. Br. in Gard. Chron. (1881) i. 790.—Ins. Fernando Po.  
*liberica*, N. E. Br. l. c.—Afr. trop.

NEPSERA, Naud. in Ann. Sc. Nat. Sér. III. xiii. (1850) 28. *MELASTOMACEAE*, Benth. & Hook. f. i. 741.  
*aquatica*, Naud. l. c.—Am. trop.  
*glandulosa*, Naud. l. c. 29.—Guian.  
*pendulifolia*, Naud. l. c. = *Aciotis pendulifolia*.

NEPTUNIA, Lour. Fl. Cochinch. 653 (1790). *LEGUMINOSAE*, Benth. & Hook. f. i. 592.  
HEMIDESMAS, Rafin. Sylva Tellur. 119 (1838)  
*acinaciformis*, *Miq.* Fl. Ind. Bat. i. i. 51 (sp. dub.).—Ins. Timor.  
*cinerea*, F. Muell. Census, 43 = *Dichrostachys cinerea*.  
*gracilis*, Benth. in Hook. Journ. Bot. iv. (1842) 355.—Austral.  
*hexapetala*, *Micheli*, in Mém. Soc. Phys. Hist. Nat. Genève. xxviii. (1883) n. vii. 50.—Paraguay.  
*javanica*, *Miq.* Fl. Ind. Bat. i. i. 51.—Java.  
*lutea*, Benth. in Hook. Journ. Bot. iv. (1842) 356.—Am. bor.  
*lutea*, Torr. in Bot. Mex. Bound. 60, partim = pubescens.  
*monosperma*, F. Muell. ex Benth. Fl. Austral. ii. 300.—Austral.  
*oleracea*, Lour. Fl. Cochinch. 654.—Reg. trop.  
*plena*, Benth. in Hook. Journ. Bot. iv. (1842) 355.—Am. trop.  
*plena*, Lindl. Bot. Reg. (1846) t. 3, partim = *oleracea*.  
*polyphylla*, Benth. in Hook. Journ. Bot. ii. (1840) 129 = *plena*.  
*prostrata*, *Baill.* in Bull. Soc. Linn. Par. i. (1883) 356.—Madag.  
*pubescens*, Benth. in Hook. Journ. Bot. iv. (1842) 356.—Ind. occ.  
*spicata*, F. Muell. Fragm. iii. 151 = *Dichrostachys Muell.*  
*stolonifera*, Guill. & Perr. Fl. Seneg. Tent. i. 239 = *oleracea*.  
*surinamensis*, Steud. in Flora, xxvi. (1843) 759 = *plena*.  
*tenuis*, Benth. in Hook. Journ. Bot. iv. (1842) 355.—Texas.  
*triquetra*, Benth. l. c.—Ind. or.

NERAUDIA, Gaudich. in Freyc. Voy. Bot. 500. t. 117 (1826). *URTICACEAE*, Benth. & Hook. f. iii. 389.  
*glabra*, Meyen, Reise, ii. 124 = *melastomaeifolia*.  
*melastomaeifolia*, Gaudich. in Freyc. Voy. Bot. 500.—Ins. Sandvic.  
*melastomaeifolia*, Mus. Par. ex Blume, Mus. Bot. Lugd. Bat. ii. 56 = *Pilea insignis*.  
*ovata*, Gaudich. in Freyc. Voy. Bot. 501 = *melastomaeifolia*.  
*sericea*, Gaudich. Bot. Voy. Bonite, t. 133 = *melastomaeifolia*.

NERETIA, Moq. in DC. Prod. xiii. ii. 58 (1849) = *Oreobliton*, Moq. & Dur. (Chenop.).  
*thesioides*, Moq. l. c. 59 = *O. thesioides*.

NERIACANTHUS, Benth. in Benth. & Hook. f. Gen. ii. 1096 (1876). *ACANTHACEAE*, Benth. & Hook. f. l. c.  
*Purdianus*, Benth. l. c.; et in Hook. Ic. Pl. t. 1200.—Jamaic.

NERIANDRA, A. DC. in DC. Prod. viii. 422 (1844) = *Skytanthus*, Meyen (Apocyn.).  
*angustifolia*, A. DC. l. c. = *S. acutus*.  
*aurantiaca*, Mart. & Gal. in Bull. Acad. Brux. xi. (1844) 356.—Am. austr.  
*hancorniaefolia*, A. DC. in DC. Prod. viii. 422 = *S. hancorniaefolius*.  
*havanensis*, Muell. Arg. in Linnaea, xxx. (1859–60) 401 = *Cameraria havanensis* (in Addend.).  
*Martiana*, Muell. Arg. in Mart. Fl. Bras. vi. i. 62 = *S. Martianus*.  
*suberecta*, A. DC. in DC. Prod. viii. 422 = *Urechites suberecta*.

NERIJA, 'Roxb.' ex Endl. Gen. 1088 (1841) = *NEERIJA*, Roxb. = *Elaeodendron*, Linn. (Liliac.).

NERINE, Herb. in Bot. Mag. t. 2124 (1820). *AMARYLLIDAE*, Benth. & Hook. f. iii. 728.  
*GALATEA*, Herb. in Bot. Mag. sub t. 2113 (1820).  
*LATICOMA*, Rafin. Fl. Tellur. iv. 12 (1836).  
*LOXANTHES*, Salisb. Gen. Pl. Fragm. 117 (1866).  
*aucta*, M. Roem. Syn. Ens. 107 = *undulata*.  
*aurea*, Sweet, Hort. Brit. ed. I. 403 = *Lycoris aurea*.  
*cochinchinensis*, M. Roem. Syn. Ens. 104 = *sarniensis*.  
*corusca*, Herb. in Bot. Mag. sub t. 2124 = *sarniensis*.  
*curvifolia*, Herb. l. c.—Afr. austr.  
*excellens* ×, T. Moore, in Florist (1882), t. 567.  
*filifolia*, Baker, in Bot. Mag. t. 6547.—Afr. austr.  
*flexuosa*, Herb. in Bot. Mag. sub t. 2124.—Afr. austr.  
*Fothergilli*, M. Roem. Syn. Ens. 104 = *curvifolia*.  
*humilis*, Herb. in Bot. Mag. sub t. 2124.—Afr. austr.  
*hybrida*, Herb. App. [Bot. Reg.] 51. t. 3 = *versicolor*.  
*Jacquinii*, M. Roem. Syn. Ens. 105 = *sarniensis*.  
*japonica*, *Miq.* Ann. Mus. Bot. Lugd. Bat. ii. 139 = *Lycoris radiata*.  
*lucida*, Herb. *Amaryll.* 283. t. 26. f. 3.—Afr. austr.  
*marginata*, Herb. l. c.—Afr. austr.  
*pudica*, Hook. f. Bot. Mag. t. 5901.—Afr. austr.  
*pulchella*, Herb. App. [Bot. Reg.] 19 = *flexuosa*.  
*radiata*, Sweet, Hort. Brit. ed. I. 403 = *Lycoris radiata*.  
*rosea*, Herb. in Bot. Mag. t. 2124 = *sarniensis*.  
*sarniensis*, Herb. l. c. sub t. 2124.—Afr. austr.  
*undulata*, Herb. l. c.—Afr. austr.  
*venusta*, Herb. l. c. = *sarniensis*.  
*versicolor*, Herb. App. [Bot. Reg.] 51.—Afr. austr.

NERION, [Tourn.] St. Lag. in Ann. Soc. Bot. Lyon, vii. (1880) 130 = *Nerium*, Linn. (Apocyn.).  
*oleandrum*, St. Lag. l. c. = *Nerium Oleander*.

NERISSA, Rafin. Fl. Tellur. ii. 89 (1836) = *Ponthieva*, R. Br. (Orchid.).  
*glandulosa*, Rafin. l. c. = *P. glandulosa*.

NERISSA, Salisb. Gen. Pl. Fragm. 131 (1866) = *Hæmanthus*, Linn. (Amaryll.).  
*multiflorus*, Salisb. l. c. = *H. multiflorus*.

NERIUM, Linn. Syst. ed. I (1735). *APOCYNACEAE*, Benth. & Hook. f. ii. 713.  
OLEANDER, Medic. in Act. Acad. Theod. Palat. vi. Phys. (1790) 381.  
*antidysentericum*, Lepech. Reise, i. 270 = *Apocynum venetum*.  
*antidysentericum*, Linn. Sp. Pl. 209 = *Wrightia zeylanica*.  
*carneum*, Hort. ex Dum.-Cours. Bot. Cult. ed. II. iii. 268 = *N. Oleander*.  
*caudatum*, Lam. Encyc. iii. 458 = *Strophanthus dichotomus*.  
*caudatum*, Roxb. Hort. Beng. [84]; Fl. Ind. ii. 9 = *Strophanthus Wallichii*.  
*chinense*, Hunter, ex Roxb. ll. cc. = *Strophanthus divergens*.  
*coccineum*, Roxb. ll. cc. 19; 2 = *Wrightia coccinea*.  
*Coraea*, Buch.-Ham. ex A. DC. in DC. Prod. viii. 407, 421 = *Wrightia tomentosa*.  
*coronarium*, Jacq. Coll. i. 138 = *Tabernaemontana coronaria*.  
*divaricatum*, Herb. Madr. ex Hook. f. Fl. Brit. Ind. iii. 654 = *Wrightia zeylanica*.  
*divaricatum*, Linn. Sp. Pl. 209 = *Tabernaemontana coronaria*.  
*divaricatum*, Lour. Fl. Cochinch. i. 142 (Quid?).—Cochinch.  
*divaricatum*, Thunb. Fl. Jap. 110 = *Rhynchospermum jasminoides*.  
*flavescens*, Spin. Jard. S. Sebast. (1812); ex Roem. & Schult. Syst. iv. 410 = *odorum*.  
*floridum*, Salisb. Prod. 147 = *N. Oleander*.  
*grandiflorum*, Desf. Tabl. ed. II. 92 = *N. Oleander*.  
*grandiflorum*, Roxb. Hort. Beng. 19; Fl. Ind. ii. 10 = *Cryptostegia grandiflora*.  
*indicum*, Mill. Gard. Dict. ed. VIII. n. 2 = *odorum*.  
*jaspideum*, Span. in Linnaea, xv. (1841) 325 = *Wrightia tinctoria*.  
*Kotschii*, Boiss. Diagn. Ser. I. vii. 21 = *odorum*.  
*latifolium*, Mill. Gard. Dict. ed. VIII. n. 3 = *odorum*.  
*lauriforme*, Lam. Fl. Fr. ii. 299 = *N. Oleander*.  
*luteum*, Nois. ex Steud. Nom. ed. I. 553 = *odorum*.  
*macrocarpum*, Span. in Linnaea, xv. (1841) 325 = *Wrightia tinctoria*.  
*mascataense*, A. DC. in DC. Prod. viii. 421.—Arab.; Persia.



**NERIUM** :—

*obesum*, Forsk. Fl. Aegypt. Arab. 205 = *Adenium obesum*.  
*odoratum*, Lam. Encyc. iii. 456 = seq.  
*odorum*, [Soland. in] Ait. Hort. Kew. ed. I. i. 297.—Persia; Ind. or.; Japon.  
*Oleander*, Linn. Sp. Pl. 209.—Reg. Mediterr.; Oriens.  
*pauciflorum*, Roxb. ex Hook. f. Fl. Brit. Ind. iv. 6 = *Cryptolepis elegans*.  
*piscidium*, Roxb. Hort. Beng. 19; Fl. Ind. ii. 7 = *Melodinus monogynus*.  
*piscidium*, Wall. Cat. n. 8177 = *Cosmostigma racemosa*.  
*reticulatum*, Roxb. Hort. Beng. 19; Fl. Ind. ii. 8 = *Cryptolepis Buchanani*.  
*salicinum*, Forsk. Fl. Aegypt. Arab. 205.—Arabia.  
*scandens*, Lour. Fl. Cochinch. 116 = *Strophanthus dichotomus*.  
*scandens*, Thonn. in Schum. & Thonn. Beskr. Guin. Pl. 148 (*Alafia* sp. ?).—Afr. trop.  
*sibiricum*, Medic. Beobacht. (1782) 15 = *Apocynum cannabinum*.  
*splendens*, Hort. ex Paxt. Mag. Bot. iii. (1837) 73 = *N. Oleander*.  
*thyrsiflorum*, Paxt. l. c.—Nepal.  
*tinctorium*, Hort. ex Sweet, Hort. Brit. ed. I. 274 = *Alstonia scholaris*, *Allamanda verticillata*.  
*tinctorium*, Roxb. Hort. Beng. 19; Fl. Ind. ii. 4 = *Wrightia tinctoria*.  
*tomentosum*, Roxb. II. cc. [84]; 6 = *Wrightia tomentosa*.  
*undulatum*, Salisb. Prod. 148 = *Celastrus undulatus*.  
*verecundum*, Salisb. l. c. 147 = *odorum*.  
*zeylanicum*, Linn. Cent. Pl. ii. 12 = *Wrightea zeylanica*.

**NEROPHILA**, Naud. in Ann. Sc. Nat. Sér. III. xiv. (1850) 119. **MELASTOMACEAE**, Benth. & Hook. f. i. 744.  
*gentianoides*, Naud. l. c. 120.—Afr. trop.

**NERTERA**, Banks & Soland. ex Gaertn. Fruct. i. 124. t. 26 (1788). **RUBIACEAE**, Benth. & Hook. f. ii. 138.

*CUNINA*, Clos, in C. Gay, Fl. Chil. iii. 201. t. 34 (1849).  
*ERYTHRODANUM*, Thou. Desc. Tristan d'Acugna, 41. tt. 10, 11 (1811).  
*GOMOZIA*, Mutis, ex Linn. f. Suppl. 17 (1781).  
*LEPTOSTIGMA*, Arn. in Hook. Journ. Bot. iii. (1841) 270.  
*NERTERIA*, Sm. Ic. Ined. ii. 28. t. 28 (1790).  
*adsurgens*, DC. Prod. ii. 452 = *assurgens*.  
*alsinoides*, Cham. & Schlecht. in Linnaea, vi. (1831) 413 = *depressa*.  
*assurgens*, Thou. Desc. Tristan d'Acugna, 42. t. 11 = *depressa*.  
*Cunninghamii*, Hook. f. Fl. N. Zel. 112.—N. Zel.; Ins. Philipp.  
*depressa*, Banks & Soland. ex Gaertn. Fruct. i. 124. t. 26.—Am. austr.; N. Zel.; Ins. Trist. Acun.  
*dichondraefolia*, Hook. f. Fl. N. Zel. 112. t. 28 A.—N. Zel.  
*gracilis*, Raoul, in Ann. Sc. Nat. Sér. III. ii. (1864) 121 = *dichondraefolia*.  
*pusilla*, Colenso, in Trans. N. Z. Inst. xvi. (1884) 331.—N. Zel.  
*repens*, Ruiz & Pav. Fl. Peruv. i. 60 = *depressa*.  
*reptans*, F. Muell. ex Benth. Fl. Austral. iii. 431.—Austral.  
*scapanioides*, Lange, Ind. Sem. Hort. Haun. (1868) 22.—N. Zel.  
*setulosa*, Hook. f. Fl. N. Zel. 112. t. 28 B.—N. Zel.  
*tetrasperma*, H. B. & K. Nov. Gen. et Sp. iii. 379 = *Mitchella ovata*.

*NERTERIA*, Sm. Ic. Ined. ii. 28. t. 28 (1790) = *praec.*

**NERVILIA**, Comm. ex Gaudich. in Freyc. Voy. Bot. 422. t. 35 (1826) = **POGONIA**, Juss. (Orchid.).  
*Aragoana*, Gaudich. l. c. = *P. flabelliformis*.  
*ovata*, Gaudich. l. c. = *P. ovata*.

**NESAEAE**, Comm. ex Juss. Gen. 332 (1789). **LYTHRARIACEAE**, Benth. & Hook. f. i. 779.  
*CHRYSOLIGA*, Willd. ex DC. Prod. iii. 89, in syn. (1828).

**NESAEAE** :—

*DECODON*, J. F. Gmel. Syst. 677 (1791).  
*HEIMIA*, Link & Otto, Ic. Pl. 63. t. 28 (1822).  
*TOLYPEUMA*, E. Mey. in Drège, Zwei Pfl. Docum. 226 (1843), nomen.  
*TROTULA*, Comm. ex DC. Prod. iii. 90 (1828).  
*anagaloides*, Koehne, in Engl. Bot. Jahrb. iii. (1882) 327.—Afr. austr.  
*andongensis*, Welw. ex Hiern, in Oliver, Fl. Trop. Afr. ii. 473.—Afr. trop.  
*arnhemica*, F. Muell. Fragm. vii. 146.—Austral.  
*aspera*, Koehne, in Engl. Bot. Jahrb. iii. (1882) 327.—Afr. trop.  
*brevipes*, Koehne, l. c. 326.—Zeylan.  
*Candollei*, Guill. & Perr. Fl. Seneg. Tent. i. 307.—Afr. trop.  
*capitellata*, Presl, in Oken, Isis, xxi. (1828) 273 = *triflora*.  
*cordata*, Hiern, in Oliver, Fl. Trop. Afr. ii. 475.—Afr. trop.  
*crassicaulis*, Koehne, in Engl. Bot. Jahrb. iii. (1882) 324 = *polyantha*.  
*crinipes*, Koehne, l. c. 337.—Austral.  
*dodecandra*, Koehne, l. c. 334 = *Candollei*.  
*erecta*, Guill. & Perr. Fl. Seneg. Tent. i. 305.—Afr. trop.  
*floribunda*, Sond. in Harv. & Sond. Fl. Cap. ii. 517.—Afr. austr.  
*heptamera*, Hiern, in Oliver, Fl. Trop. Afr. ii. 472.—Afr. trop.  
*humilis*, Klotzsch, in Peters, Reise Mossamb. Bot. 68 = *erecta*.  
*icosandra*, Kotschy & Peyr. Pl. Tinn. 10. t. 5a.—Afr. trop.  
*lanceolata*, Koehne, in Engl. Bot. Jahrb. iii. (1882) 325.—Zeylan.  
*linariaefolia*, Steud. in Flora, xxv. (1842) 474.—Am. austr.  
*linearis*, Hiern, in Oliver, Fl. Trop. Afr. ii. 475.—Afr. trop.  
*linifolia*, Welw. ex Hiern, l. c. 472.—Afr. trop.  
*loandensis*, Koehne, in Engl. Bot. Jahrb. iii. (1882) 325.—Afr. trop.  
*longipes*, A. Gray, Pl. Wright. i. 68.—Texas.  
*lythroides*, Welw. ex Hiern, in Oliver, Fl. Trop. Afr. ii. 471.—Afr. trop.  
*myrtifolia*, Desf. ex A. St. Hil. Fl. Bras. Mer. iii. 138.—Bras.  
*passerinoïdes*, Koehne, in Engl. Bot. Jahrb. iii. (1882) 338.—Afr. trop.  
*pedicellata*, Hiern, in Oliver, Fl. Trop. Afr. ii. 472.—Afr. trop.  
*polyandra*, Steud. in Flora, xxv. (1842) 472 = *Pleurophora polyandra*.  
*polyantha*, Tul. in Ann. Sc. Nat. Sér. IV. vi. (1856) 132.—Madag.  
*pusilla*, Steud. in Flora, xxv. (1842) 473 = *Pleurophora pusilla*.  
*racemosa*, Klotzsch, in Peters, Reise Mossamb. Bot. 68, in adnot. = *erecta*.  
*radicans*, Guill. & Perr. Fl. Seneg. Tent. i. 306. t. 70.—Afr. trop.  
*recta*, Steud. in Flora, xxv. (1842) 473 = *Pleurophora pungens*.  
*rigidula*, Koehne, in Engl. Bot. Jahrb. iii. (1882) 333.—Afr. austr.  
*Robertsii*, F. Muell. Fragm. vii. 145.—Austral.  
*sagittifolia*, Koehne, in Engl. Bot. Jahrb. iii. (1882) 339.—Afr. austr.  
*salicifolia*, H. B. & K. Nov. Gen. et Sp. vi. 192.—Am. trop.  
*sarcophylla*, Koehne, in Engl. Bot. Jahrb. iii. (1882) 328.—Afr. trop.  
*speciosa*, H. B. & K. Nov. Gen. et Sp. vi. 191 = *Diplusodon speciosus*.  
*squarrosa*, Steud. in Flora, xxv. (1842) 473 = *Pleurophora polyandra*.  
*syphilitica*, Steud. l. c. 474.—Mexic.  
*triflora*, H. B. & K. Nov. Gen. et Sp. vi. 191.—Am. austr.; Ins. Mascar.  
*verticillata*, H. B. & K. l. c.—Am. bor. et austr.

**NESCIDIA**, A. Rich. in Mém. Soc. Hist. Nat. Par. v. (1834) 192 = **MYONIMA**, Comm. (Rubiace.).  
*myrtifolia*, A. Rich. l. c. 193 = *M. myrtifolia*.

**NESIOTA**, Hook. f. in Benth. & Hook. f. Gen. i. 389 (1862). **RHAMNEAE**, Benth. & Hook. f. l. c.  
*elliptica*, Hook. f. l. c.; et Ic. Pl. t. 1052.—Ins. S. Helena.

**NESLEA**, Aschers. Fl. Brandenb. 63 (1864) = seq.

**NESLIA**, Desv. Journ. Bot. iii. (1814) 162. **CRUCIFERAE**, Benth. & Hook. f. i. 95.  
*VOGELIA*, Medic. Pflanzeng. 32. t. 1. f. 6 (1792).  
*apiculata*, Fisch. Mey. & Avé-Lall. Ind. Sem. Hort. Petrop. viii. 68 = *paniculata*.  
*paniculata*, Desv. Journ. Bot. iii. (1814) 162.—Europ.; Oriens; Ind. bor. occ.

**NESODAPHNE**, Hook. f. Fl. N. Zel. i. 217 (1853) = **Beilschmiedia**, Nees (Laurin.).  
*obtusifolia*, Benth. Fl. Austral. v. 299.—Austral.  
*Tarairi*, Hook. f. Fl. N. Zel. i. 217.—N. Zel.  
*Tawa*, Hook. f. l. c.—N. Zel.

**NESOGENES**, A. DC. in DC. Prod. xi. 703 (1847). **VERBENACEAE**, Benth. & Hook. f. ii. 1141.  
*decumbens*, Balf. f. in Journ. Linn. Soc. xvi. (1877) 19; et in Baker, Fl. Mauriti. 252.—Ins. Rodriguez.  
*euphrasioides*, A. DC. in DC. Prod. xi. 703.—Ins. Sandvic.

**NESOPANAX**, Seem. Journ. Bot. ii. (1864) 249 = **Plerandra**, A. Gray (Araliac.).  
*vitiensis*, Seem. l. c. = *P. vitiensis*.

**NESSEA**, Steud. Nom. ed. I. 553 (1821) = **Nesaea**, Comm. (Lythrar.).

**NESTEGIS**, Rafin. Sylva Tellur. 10 (1838) = **Olea**, Tourn.  
*elliptica*, Rafin. l. c. = *O. americana*?

**NESTLERA**, E. Mey. ex Walp. Ann. iii. 856 (1852) = **Leucosidea**, Eckl. & Zeyh. (Rosac.).  
*acaenoides*, E. Mey. l. c. = *L. acaenoides*.

**NESTLERA**, Spreng. Anleit. ii. 11. 568 (1818). **COMPOSITAE**, Benth. & Hook. f. ii. 325.  
*COLUMELLEA*, Jacq. Hort. Schoenb. iii. 28. t. 301 (1798).

*POLYCHAETIA*, Less. Syn. Comp. 371 (1832).  
*STEPHANOPAPPUS*, Less. in Linnaea, vi. (1831) 234.  
*acerosa*, Harv. in Harv. & Sond. Fl. Cap. iii. 296.—Afr. austr.  
*biennis*, Spreng. Syst. iii. 589.—Afr. austr.  
*conferta*, DC. Prod. vi. 284.—Afr. austr.  
*Dregeana*, Harv. in Harv. & Sond. Fl. Cap. i. i. 296.—Afr. austr.  
*Garnotii*, Harv. l. c. = *tenuifolia*.  
*humilis*, Less. Syn. Comp. 372; DC. Prod. vi. 283.—Afr. austr.  
*minuta*, DC. l. c. = *humilis*.  
*muriculata*, DC. l. c. 284.—Afr. austr.  
*oppositifolia*, DC. l. c. 283.—Afr. austr.  
*prostrata*, Harv. in Harv. & Sond. Fl. Cap. iii. 296.—Afr. austr.  
*reflexa*, DC. Prod. vi. 283 = *biennis*.  
*rigida*, DC. l. c. 284 = *humilis*.  
*tenuifolia*, DC. l. c.—Afr. austr.  
*tricephala*, Harv. in Harv. & Sond. Fl. Cap. iii. 297.—Afr. austr.

**NESTLERA**, Willd. ex Steud. Nom. ed. II. ii. 192 (1841) = **Bouteloua**, Lag. (Gramin.).  
*festucaeformis*, Willd. l. c. = *B. bromoides*.

**NESTRONIA**, Rafin. New Fl. Am. iii. 12 (1836) = **Buckleya**, Torr. (Santal.).  
*cuneata*, Rafin. l. c. 14 = *Ceanothus cuneatus*.  
*umbellulata*, Rafin. l. c. 13 (= *Darbya umbellulata*).—Am. bor.  
*undulata*, Rafin. l. c. = *B. distichophylla*!

**NESTYLIX**, Rafin. Alsog. Am. 15 (1838) = **Salix**, Tourn.

*amygdalina*, Rafin. l. c. = *S. triandra*.  
*arborea*, Rafin. l. c. = *S. triandra*.  
*falcata*, Rafin. l. c. = *S. nigra*.  
*Hopeana*, Rafin. l. c. = *S. triandra*.  
*Willarsiana*, Rafin. l. c. = *S. triandra*.

**NESYNSTYLIS**, Rafin. Fl. Tellur. iv. 123 (1836) = **Strumaria**, Jacq. (Amaryll.).  
*filifolia*, Rafin. l. c. = *Nesaea filifolia*.  
*undulata*, Rafin. l. c. = *S. undulata*.



NETOUXIA, G. Don, Gen. Syst. iv. 454 (1837) = *Nectouxia*, H. B. & K. (Solan.).

NETTLERA, Rafin. Sylva Tellur. 147 (1838) = *Cephaelis*, Sw. (Rubiace.).  
*guianensis*, Rafin. l. c. —Guiana.

NETTOA, Baill. in Adansonia, vi. (1866) 238. t. 7.  
*TILLACEAE*, Benth. & Hook. f. i. 986.  
*chrozophorifolia*, Baill. l. c. 238, 242. —Austral.

NEUBECKIA, Alef. in Bot. Zeit. xxi. (1863) 290, 297 = *Iris*, Tourn.  
*caucasica*, Alef. l. c. 297 = *I. caucasica*.  
*cristata*, Alef. l. c. = *I. cristata*.  
*decora*, Klatt, in Linnaea, xxxiv. (1865–66) 588 = *I. nepalensis*.  
*fulva*, Alef. in Bot. Zeit. xxi. (1863) 297 = *I. fulva*.  
*humilis*, Alef. l. c. = *I. humilis*.  
*reticulata*, Alef. l. c. = *I. reticulata*.  
*scorpioides*, Alef. l. c. = *I. alata*.  
*stylosa*, Alef. l. c. = *I. unguicularis*.  
*sulcata*, Klatt, in Linnaea, xxxiv. (1865–66) 590 = *I. nepalensis*.  
*tenuifolia*, Alef. in Bot. Zeit. xxi. (1863) 297 = *I. tenuifolia*.  
*unguicularis*, Alef. ex Nym. Consp. 702, Index 980 = *I. unguicularis*.

NEUBERIA, Eckl. Top. Verz. 37 (1827) = *Watsonia*, Mill. (Irid.).  
*humilis*, Eckl. l. c. = *W. humilis*.  
*laccata*, Eckl. ex Baker, in Journ. Linn. Soc. xvi. (1877) 158 = *W. humilis*.  
*longifolia*, Eckl. Top. Verz. 37 = *Gladiolus Ecklonii*.  
*marginata*, Eckl. l. c. = *W. marginata*.  
*pyramidalis*, Eckl. l. c. = *W. Meriana*.  
*rosea*, Eckl. l. c. = *W. rosea*.

NEUBURGHIA, Walp. Ann. iii. 30 (1852) = seq.

NEUBURGIA, Blume, Mus. Bot. Lugd. Bat. i. 156 (1850). *APOCYNACEAE*, Benth. & Hook. f. ii. 700.  
*musculiformis*, Miq. Fl. Ind. Bat. ii. 403. —Ins. Molucc.; N. Guin.  
*tuberculata*, Blume, Mus. Bot. Lugd. Bat. i. 157. —Ins. Molucc.  
*tubiflora*, Blume, l. c. 156. —N. Guin.

NEUDORFIA, Adans. Fam. ii. 219 (1763) = *Nolana*, Linn. (Solan.).  
*peruviana*, Adans. l. c. = *Nolana prostrata*.

NEUHOFIA, Stokes, Bot. Mat. Med. i. 439 (1812) = *Baeckea*, Linn. (Myrtac.).  
*rosmarinifolia*, Stokes, l. c. = *B. cochinchinensis*.

NEUMANNIA, Brongn. in Ann. Sc. Nat. Sér. II. xv. (1841) 369 = *Pitcairnia*, L'Hérit. (Bromel.).  
*Altensteinii*, Griseb. in Goett. Nachr. (1864) 14 = *P. Altensteinii*.  
*atro-rubens*, C. Koch, Allg. Gartenz. (1858) 269 = *P. atro-rubens*.  
*imbricata*, Brongn. in Ann. Sc. Nat. Sér. II. xv. (1841) 369 = *P. imbricata*, Baker.  
*maidifolia*, Koch, Ind. Sem. Hort. Berol. (1856) App. 2 = *P. maidifolia*.  
*nigra*, E. Morr. Cat. Jard. Univ. Liège (1873), 11; Carr. in Rev. Hort. (1881) 390. —Hab.?  
*ochroleuca*, C. Koch & Bouché, Ind. Sem. Hort. Berol. (1856) App. 2 = *P. ochroleuca*.  
*petiolata*, Koch & Bouché, l. c. = *P. petiolata*.  
*sulphurea*, C. Koch, l. c. = *P. Wendlandii*.

NEUMANNIA, A. Rich. Ess. Fl. Cub. 96, in adnot. (1845) = *Aphloia*, Benn. (Bixin.).  
*integrifolia*, A. Rich. l. c. 97 = *A. mauritiana*.  
*theaeformis*, A. Rich. l. c. = *A. mauritiana*.

NEUMAYERA, Reichb. Ic. Fl. Germ. xv. 30 (1841) = *Arenaria*, Rupp. (Caryoph.).  
*austriaca*, Reichb. l. c. = *A. austriaca*.  
*filicaulis*, Reichb. l. c. = *A. austriaca*.  
*Villarsii*, Reichb. l. c. = *A. Villarsii*.

NEUMAYERA, Reichb. f. in Flora, lv. (1872) 278 = *NIEMAYERA*, F. Muell. = *Apostasia*, Blume (Orchid.).  
*stylidioides*, Reichb. f. l. c. = *A. stylidioides*.

NEURACANTHUS, Nees, in Wall. Pl. As. Rar. iii. 76 (1832). *ACANTHACEAE*, Benth. & Hook. f. ii. 1093.  
*aculeatus*, Balf. f. in Proc. Roy. Soc. Edinb. xii. (1884) 86. —Ins. Socotra.  
*africanus*, T. Anders. ex S. Moore, in Journ. Bot. xviii. (1880) 37. —Afr. trop.  
*capitatus*, Balf. f. in Proc. Roy. Soc. Edinb. xii. (1884) 86. —Ins. Socotra.  
*decorus*, S. Moore, in Journ. Bot. xviii. (1880) 307. —Afr. trop.  
*grandiflorus*, Kurz, in Journ. As. Soc. Beng. xlii. (1873) ii. 95. —Burma.  
*Lawii*, Wight, Ic. iv. t. 1532 = *sphaerostachyus*.  
*Neesianus*, C. B. Clarke, in Hook. f. Fl. Brit. Ind. iv. 491. —Ind. or.  
*niveus*, S. Moore, in Journ. Bot. xviii. (1880) 37. —Afr. trop.  
*parviflorus*, T. Anders. in Journ. Agr. Hort. Soc. Ind. N. S. i. (1868) 276. —Ins. Maurit.?  
*scaber*, S. Moore, in Journ. Bot. xviii. (1880) 307. —Afr. trop.  
*sphaerostachys*, Dalz. in Hook. Kew Journ. ii. (1850) 140. —Ind. or.  
*subuninervis*, Kurz, in Journ. As. Soc. Beng. xlii. (1873) ii. 95 = *Lepidagathis subuninervis*.  
*tetragonostachys*, Wall. Cat. n. 7168, partim = *Justicia dasycarpa*.  
*tetragonostachyus*, Nees, in Wall. Pl. As. Rar. iii. 97. —Burma.  
*trinervius*, Wight, Ic. iv. t. 1532. —Ind. or.

NEURACHNE, R. Br. Prod. 196 (1810). *GRAMINEAE*, Benth. & Hook. f. iii. 1123.  
*alopeuroides*, R. Br. l. c. —Austral.  
*meneritana*, Boj. Hort. Maur. 366 = *Isachne miliacea*.  
*meneritana*, R. Br. ex Roem. & Schult. Syst. ii. 475 = *Isachne australis*.  
*Mitchelliana*, Nees, in Hook. Lond. Journ. Bot. ii. (1843) 410. —Austral.  
*montana*, Gaudich. in Freyc. Voy. Bot. t. 26 = *Panicum nubigenum*.  
*Munroi*, F. Muell. Fragm. viii. 200. —Austral.  
*paradoxa*, R. Br. in Sturt, Exped. Centr. Austral. ii. App. 89 = *Spinifex paradoxus*.  
*phleoides*, R. Br. ex Nees, in Hook. Lond. Journ. Bot. ii. (1843) 411. —Austral.  
*torrida*, Gaudich. ex Kunth, Enum. Pl. i. 114 = *Panicum torridum*.

NEURACTIS, Cass. in Dict. Sc. Nat. xxxiv. 496 (1825) = *Chrysanthellum*, Rich. (Chrysanth.).  
*Leschenaultii*, Cass. l. c. —Java.

NEURADA, Linn. Gen. ed. II. 185 (1742). *ROSA-CEAE*, Benth. & Hook. f. i. 625.  
*FIGARAEAE*, Viv. Pl. Aegypt. Dec. 11 (1830).  
*NEURAS*, Adans. Fam. ii. 293 (1763).  
*TRIBULASTRUM*, B. Juss. ex Linn. Gen. ed. II. 185 (1742).  
*procumbens*, Linn. Sp. Pl. 441. —Afr. bor.; Oriens; Ind. or.

NEURAS, Adans. Fam. ii. 293 (1763) = praec.

NEURELMIS Rafin. New Fl. Am. iv. 72 (1836). —Cf. *JALAMBICA*, Rafin. (Compos.).  
*pumila*, Rafin. l. c. (= *J. pumila*). —Am. bor.

NEUROCALYX, Hook. Ic. Pl. t. 174 (1837). *RUBIACEAE*, Benth. & Hook. f. ii. 54.  
*capitata*, Benth. ex Hook. f. Fl. Brit. Ind. iii. 47. —Zeylan.  
*Championii*, Benth. ex Thw. Enum. Pl. Zeyl. 139. —Zeylan.  
*Gardneri*, Thw. l. c. —Zeylan.  
*Hookerianus*, Wight, Ic. i. t. 52 = *Wightii*.  
*Wightii*, Arn. in Ann. Nat. Hist. Ser. I. iii. (1839) 22. —Ind. or.; Zeylan.  
*zeylanicus*, Hook. Ic. Pl. t. 174. —Zeylan.

NEUROCARPAEA, R. Br. in Salt, Abyss. App. 64 (1814) = *Pentastemon*, Benth. (Rubiace.).  
*lanceolata*, R. Br. l. c. = *P. carnea*.

NEUROCARPUM, Desv. Journ. Bot. i. (1813) 119; iii. (1814) 75 = *Clitoria*, Linn. (Legumin.).  
*angustifolium*, Kunth, Mimos. 218. t. 60 = *C. guianensis*.  
*argenteum*, Duch. & Walp. in Flora, xxxvi. (1853) 228 = *C. glycinoides*.  
*barbatum*, Desv. in Ann. Sc. Nat. Sér. I. ix. (1826) 412. —Bras.  
*bracteatum*, Mart. ex Walp. Rep. i. 753 = *C. stipularis*.  
*cajanifolium*, Presl, Symb. Bot. i. 17. t. 9 = *C. cajanifolia*.  
*densiflorum*, Benth. in Ann. Wien. Mus. ii. (1838) 117 = *C. densiflora*.  
*ellipticum*, Desv. in Journ. Bot. i. (1813) 119 = *C. glycinoides*.  
*erectum*, Voigt, Hort. Suburb. Calc. 213 = *C. erecta*.  
*falcatum*, DC. Prod. ii. 236 = *C. glycinoides*.  
*flagellare*, Benth. in Hook. Journ. Bot. ii. (1840) 58 = *C. flagellaris*.  
*frigidulum*, Mart. ex Benth. in Ann. Wien. Mus. ii. (1838) 116 = *C. guianensis*.  
*glycinoides*, Desv. in Ann. Sc. Nat. Sér. I. ix. (1826) 413 = *C. glycinoides*.  
*guianense*, Desv. Journ. Bot. i. (1813) 119 (*gajanense*) = *C. guianensis*.  
*janense*, Desv. l. c. iii. (1814) 75 = praec.  
*javitense*, H. B. & K. Nov. Gen. et Sp. vi. 409 = *C. javitensis*.  
*laurifolium*, Desv. in Ham. Prod. Pl. Ind. Occ. 51 = *C. cajanifolia*.  
*longifolium*, Mart. ex Benth. in Ann. Wien. Mus. ii. (1838) 116 = *C. guianensis*.  
*macrophyllum*, H. B. & K. Nov. Gen. et Sp. vi. 409 = *C. macrophylla*.  
*mexicanum*, Steud. Nom. ed. II. ii. 193. —Mexic.  
*multiflorum*, Hook. & Arn. Bot. Beech. Voy. 286. —Mexic.  
*resupinatum*, Bunb. in Proc. Linn. Soc. i. (1841) 110. —Reg. Argent.  
*retusum*, Hassk. Cat. Hort. Bog. Alt. 276 = *C. cajanifolia*.  
*rubiginosum*, Desv. in Ham. Prod. Pl. Ind. Occ. 51 = *C. glycinoides*.  
*rufescens*, Benth. in Ann. Wien. Mus. ii. (1838) 116 = *C. rufescens*.  
*simplicifolium*, Kunth, Mimos. 213. t. 59 = *C. simplicifolia*.  
*speciosum*, Klotzsch, in Schomb. Fauna & Fl. Gui. 1202, nomen. —Guian.  
*villosum*, Desv. in Ann. Sc. Nat. Sér. I. ix. (1826) 413. = *C. glycinoides*.

NEUROCHLAENA, Less. Syn. Comp. 388 (1832) = *Neuroloa*, R. Br. (Compos.).

NEUROCTOLA, Rafin. ex Steud. Nom. ed. II. ii. 193 (1841) = *NEVROCTOLA*, Rafin. = *Uniola*, Linn. (Gramin.).

NEUROLA, Rafin. New Fl. Am. iv. 92 (1836) = *Sabatia*, Adans. (Gentian.).  
*arkansica*, Rafin. l. c. —Am. bor. occ.

NEUROLAENA, R. Br. in Trans. Linn. Soc. xii. (1817) 120. *COMPOSITAE*, Benth. & Hook. f. ii. 437.  
*CALEA*, Sw. Prod. Veg. Ind. Occ. 113 (1788).  
*NEUROCHLAENA*, Less. Syn. Comp. 388 (1832).  
*integrifolia*, Cass. in Dict. Sc. Nat. xxxiv. 501 = *lobata*.  
*integrifolia*, Klatt, in Leopoldina, xx. (1884) 94. —Ecuador.  
*lobata*, R. Br. in Trans. Linn. Soc. xii. (1817) 120. —Am. trop.  
*macrocephala*, Sch. Bip. ex Hemsl. Biol. Centr. Am. Bot. ii. 233. —Mexic.  
*semidentata*, Klatt, in Leopoldina, xx. (1884) 94. —Mexic.  
*Suriani*, Cass. in Journ. Phys. (Juillet, 1818) 29 = *lobata*.

NEUROLOMA, Andr. ex DC. Prod. i. 156 (1824) = *Parrya*, R. Br. (Crucif.).  
*Adamsianum*, Andr. ex Ledeb. Fl. Ross. i. 131 = *P. macrocarpa*.  
*arabidiflorum*, DC. Prod. i. 156 = *P. Linnaeana*.  
*articum*, Spreng. Syst. ii. 888 = *P. arctica*.  
*exscapum*, Steud. Nom. ed. II. ii. 193 = *P. exscapa*.  
*Haleniana*, Andr. ex Ledeb. Fl. Ross. i. 131 = *P. macrocarpa*.  
*nudicaule*, DC. Prod. i. 156 = *P. macrocarpa*.  
*scapigerum*, DC. l. c. = *P. macrocarpa*.  
*speciosum*, Steud. Nom. ed. II. ii. 193 = *P. integerrima*.



NEUROLOMA, Endl. Gen. 99 (1836) in syn. = NEVROLOMA, Rafin. = **Briza**, Linn. (Gramin.).

**NEUROPELTIS**, Wall. in Roxb. Fl. Ind. ed. Carey, ii. 43 (1824). *CONVOLVULACEAE*, Benth. & Hook. f. ii. 878.  
*acuminata*, Benth. & Hook. f. Gen. ii. 876, in nota, 878.—Afr. trop.  
*bracteata*, Griff. Notul. iv. 285 = *racemosa*.  
*intermedia*, Griff. l. c. = *racemosa*.  
*ovata*, Wall. Cat. n. 1323 = *racemosa*.  
*racemosa*, Wall. in Roxb. Fl. Ind. ed. Carey, ii. 43; Cat. n. 1322.—Ind. or.; Malaya.

**NEUROPHYLLUM**, Torr. & Gray, Fl. N. Am. i. 612 (1840) = **Peucedanum**, Linn. (Umbell.).  
*longifolium*, Torr. & Gray, l. c. = *Peucedanum ternatum*.

**NEUROSCAPHA**, Tul. in Ann. Sc. Nat. Sér. II. xx. (1843) 137 = **Lonchocarpus**, H. B. & K. (Legumin.).  
*Guilleminiana*, Tul. l. c. = *L. Neuroscapha*.  
*Martiana*, Tul. l. c. 138 = *L. Neuroscapha*.  
*pubigera*, Tul. l. c. = *L. Neuroscapha*.

**NEUROSPERMUM**, Bartl. Ord. 275 (1830) = **NEVROSPERMA**, Rafin. = **Momordica**, Linn. (Cucurb.).

**NEUROTHERCA**, Salisb. ex Benth. & Hook. f. Gen. ii. 812. (1876). *GENTIANAEAE*, Benth. & Hook. f. l. c. OCTOPLEURA, Spruce, ex Prog. in Mart. Fl. Bras. vi. 1. 212 (1865).  
*loeselioides*, Oliver (in Herb. Kew.).—Afr. trop.; Bras.

**NEUSTANTHUS**, Benth. in Miq. Pl. Jungh. 234 (1851-55) = **Pueraria**, DC. (Legumin.).  
*chinensis*, Benth. Fl. Hongk. 86 = *P. Thunbergiana*.  
*javanicus*, Benth. in Miq. Pl. Jungh. 235 = *P. phaseoloides*.  
*peduncularis*, Benth. l. c. = *P. peduncularis*.  
*phaseoloides*, Benth. l. c. = *P. phaseoloides*.  
*sericans*, Miq. Fl. Ind. Bat. i. 1. 218 = *P. phaseoloides*.  
*subspicatus*, Benth. in Miq. Pl. Jungh. 234 = *P. phaseoloides*.

**NEUWIEDIA**, Blume, in Hoen. & De Vriese, Tijdschr. i. (1834) 140. *ORCHIDEAE*, Benth. & Hook. f. iii. 635.  
*Griffithii*, Reicheb. f. Xenia Orch. ii. 215.—Malaya.  
*veratrifolia*, Blume, in Hoen. & De Vriese, Tijdschr. i. (1834) 142.—Java.  
*Zollingeri*, Reicheb. f. in Bonplandia, v. (1857) 58.—Java.

**NEVIUSA**, Benth. & Hook. f. Gen. i. 613 (1865), sphalm. = seq.

**NEVIUSIA**, A. Gray, in Mem. Am. Acad. N. S. vi. (1858) 374. *ROSACEAE*, Benth. & Hook. f. i. 613.  
*alabamensis*, A. Gray, l. c. —Alabama.

**NEVOSMILA**, Rafin. Sylva Tellur. 107 (1838) = **Crataeva**, Linn. (Cappar.).  
*arbores*, Rafin. l. c. = *C. gynandra*.

**NEVRILIS**, Rafin. Sylva Tellur. 138 (1838) = **Millingtonia**, Linn. f. (Bignon.).  
*suberosa*, Rafin. l. c. = *M. hortensis*.

**NEVROCTOLA**, Rafin. Neogenyt. 4 (1825) = **Uniola**, Linn. (Gramin.).  
*maritima*, Rafin. l. c. = *U. paniculata*.  
*paniculata*, Rafin. l. c. = *U. paniculata*.

**NEUROLOMA**, Rafin. in Journ. Phys. lxxxix. (1819) 106 = **Briza**, Linn. (Gramin.).  
*canadensis*, Rafin. l. c. = *B. canadensis*.

**NEUROLOMA**, Spreng. Syst. ii. 888 (1825) = **NEUROLOMA**, Andr. = **Parrya**, R. Br. (Crucif.).

**NEVROSPERMA**, Rafin. in Am. Monthly Mag. (1818) 40 = **Momordica**, Linn. (Cucurb.).  
*cuspidata*, Rafin. l. c. = *M. Balsamina*.

**NEWBERRYA**, Torr. in Ann. Lyc. N. York, viii. (1867) 55, in adnot. *MONOTROPEAE*, Benth. & Hook. f. ii. 606.

*HEMITOMES*, A. Gray, in Pacif. Rail. Rep. vi. 80. t. 12 (1855).  
*congesta*, Torr. in Ann. Lyc. N. York, viii. (1867) 55. —Am. bor. occ.  
*spicata*, A. Gray, in Proc. Am. Acad. xv. (1880) 44.—Calif.

**NEWBOULDIA**, Seem. Journ. Bot. i. (1863) 225. *BIGNONIACEAE*, Benth. & Hook. f. ii. 1045.  
*SPATHOTECOMA*, Bur. Monog. Bign. 49 (1864).  
*laevis*, Seem. Journ. Bot. i. (1863) 226; et viii. (1870) 210, 337.—Afr. trop.  
*pentandra*, Seem. l. c. viii. 338.—Afr. trop.

**NEWCASTLIA**, F. Muell. in Hook. Kew Journ. ix. (1857) 22 (Newcastelia). *VERBENACEAE*, Benth. & Hook. f. ii. 1139.  
*bracteosa*, F. Muell. Fragm. viii. 49.—Austral.  
*cephalantha*, F. Muell. l. c. ix. 4.—Austral.  
*chrysotricha*, F. Muell. l. c. 15.—Austral.  
*cladotricha*, F. Muell. in Hook. Kew Journ. ix. (1857) 22.—Austral.  
*hexarrhena*, F. Muell. Fragm. x. 16.—Austral.  
*spodiotricha*, F. Muell. l. c. iii. 21. t. 21.—Austral.

**NEXILIS**, Rafin. New Fl. Am. iv. 9 (1836) = **Ammannia**, Houst. (Lythrar.).

**NEZERA**, Rafin. New Fl. Am. iv. 64 (1836) = **Linum**, Tourn.  
*albiflora*, Rafin. l. c. 65 = *L. striatum*.  
*carnea*, Rafin. l. c. = *L. carneum*?  
*cuspidata*, Rafin. l. c. 66 = *L. cuspidatum*.  
*imbricata*, Rafin. l. c. = *L. imbricatum*.

**NHANDIROBA**, Plum. ex Adans. Fam. ii. 139 (1763) = **Fevillea**, Linn. (Cucurb.).  
*scandens*, Desc. Fl. Antill. viii. Index, 66 [t. 198] = *F. cordifolia*.

**NIARA**, Dennst. Schluess. Hort. Malab. 31 (1818) = **Myrsine**, Linn.  
*montanensis*, Dennst. l. c.—Ind. or.

**NIBBISIA**, Walp. Rep. i. 59 (1842), sphalm. = **NIRBISIA**, G. Don = **Aconitum**, Linn. (Ranunc.).

**NIBO**, Steud. Nom. ed. I. 553 (1821) = **VIBO**, Medic. = **Emex**, Neck. (Polygon.).

**NIBORA**, Rafin. Fl. Ludov. 36 (1817) = **Gratiola**, Rupp. (Scrophul.).  
*aquatica*, Rafin. l. c. = *G. Nibora*.

**NICANDRA**, Adans. Fam. ii. 219 (1763). *SOLANACEAE*, Benth. & Hook. f. ii. 897.  
*CALYDERMOS*, Ruiz & Pav. Fl. Per. et Chil. ii. 43 (1799).  
*anomala*, Link & Otto, Ic. Pl. Sel. 77. t. 35 = *Scopola lurida*.  
*indica*, Roem. & Schult. Syst. iv. 682 = *Physalis minima*.  
*minor*, Hort. ex Fisch. Mey. & Avé-Lall. Ind. Sem. Hort. Petrop. ix. 81 = *physaloides*.  
*physaloides*, Gaertn. Fruct. ii. 237. t. 131. f. 2.—Peruv.

**NICANDRA**, Schreb. Gen. 283 (1789) = **Potalia**, Aubl. (Logan.).  
*amara*, J. F. Gmel. Syst. 677; Willd. Sp. Pl. ii. 341 = *P. amara*.

**NICHOLSONIA**, Span. in Hook. Comp. Bot. Mag. i. (1835) 346 = **NICOLSONIA**, DC. = **Desmodium**, Desv. (Legumin.).

**NICIPE**, Rafin. Fl. Tellur. iii. 54 (1836) = **Ornithogalum**, Tourn. (Liliac.).  
*nivea*, Rafin. l. c. = *O. niveum*.

**NICODEMIA**, Tenore, Cat. Ort. Napol. 88 (1845). *LOGANIACEAE*, Benth. & Hook. f. ii. 794.  
*diversifolia*, Tenore, l. c.—Ins. Mascar.  
*rondeletiaeflora*, Benth. in Journ. Linn. Soc. i. (1857) 108.—Ins. Comor.

**NICOLAIA**, Horan. Prod. Scitam. 32. t. 1 (1862) = **Amomum**, Linn. (Scitam.).  
*elator*, Horan. l. c. = *Alpinia elator*.  
*hemisphaerica*, Horan. l. c. (= *Elettaria hemisphaerica*).—Java.  
*imperialis*, Horan. l. c. = *A. magnificum*.  
*pallida*, Horan. l. c. (= *Elettaria pallida*).—Java.  
*solaris*, Horan. l. c. (= *Elettaria solaris*).—Java.  
*speciosa*, Horan. l. c. (= *Elettaria speciosa*).—Java.

**NICOLETTIA**, Benth. & Hook. f. Gen. ii. 409 (1873) = seq.

**NICOLLETTIA**, A. Gray, in Rep. Frém. Exp. ii. 315 (1845). *COMPOSITAE*, Benth. & Hook. f. ii. 409.  
*Edwardsii*, A. Gray, Pl. Wright. i. 119.—Mexic.  
*occidentalis*, A. Gray, in Rep. Frém. Exp. ii. 316.—Calif.

**NICOLSONIA**, DC. Prod. ii. 325; Mém. Lég. vii. 311. t. 51 (1825) = **Desmodium**, Desv. (Legumin.).  
*barbata*, DC. l. cc. 325; 313 = *D. barbatum*.  
*caffra*, E. Mey. Comm. Pl. Afr. Austr. 123 = *D. Dregeanum*.  
*cayennensis*, DC. Mém. Lég. vii. 314. t. 51 = *D. barbatum*.  
*congesta*, Wight, Ic. t. 1056 = *Leptodesmia congesta*.  
*major*, Steud. in Flora, xxvi. (1843) 757 = *D. barbatum*.  
*oxalidifolia*, Span. in Hook. Comp. Bot. Mag. i. (1835) 346, nomen.—Malaya.  
*radicans*, Steud. in Flora, xxvi. (1843) 757 = *D. barbatum*.  
*reptans*, Meissn. in Linnaea, xxi. (1848) 260 = *D. triflorum*.  
*setigera*, E. Mey. Comm. Pl. Afr. Austr. 124 = *D. hirtum*.  
*styracifolia*, Desv. in Ann. Sc. Nat. Sér. I. ix. (1826) 418 = *D. retroflexum*.  
*triflora*, Griseb. in Goett. Abh. vii. (1857) 202 = *D. triflorum*.  
*venustula*, DC. Prod. ii. 325 = *D. venustulum*.  
*villosa*, Cham. & Schlecht. in Linnaea, v. (1830) 584 = *D. villosum*.

**NICOTIA**, Opiz, Seznam, 68 (1852) = **Nicotiana**, Linn. (Solanac.).  
*rustica*, Opiz, l. c. = *Nicotiana rustica*.

**NICOTIANA**, Linn. Syst. ed. I (1735). *SOLANACEAE*, Benth. & Hook. f. ii. 906.  
*AMPHIPLEIS*, Rafin. Fl. Tellur. iii. 75 (1836).  
*CAPNOREA*, Rafin. l. c. 74 (1836).  
*CODYLIS*, Rafin. in Am. Monthly Mag. (1819) 191.  
*EUCAPNIA*, Rafin. Fl. Tellur. iii. 74 (1836).  
*LANGSDORFIA*, Rafin. l. c. (1836).  
*LEHMANNIA*, Spreng. Anleit. ii. II. 458 (1817).  
*NICOTIA*, Opiz, Seznam, 68 (1852).  
*NICOTIDENDRON*, Griseb. in Abb. Goett. xix. (1874) 216.  
*PERIETERIS*, Rafin. Fl. Tellur. iii. 74 (1836).  
*POLYDICLIS*, Miers, in Ann. & Mag. Nat. Hist. Ser. II. iv. (1849) 361.  
*SAIRANTHUS*, G. Don, Gen. Syst. iv. 467 (1837).  
*SIPHAULAX*, Rafin. Fl. Tellur. iii. 74 (1836).  
*TABACINA*, Reicheb. Handb. 201 (1837).  
*TABACUM*, Gilib. Fl. Lituan. i. 39 (1781).  
*acuminata*, Hook. Bot. Mag. t. 2919.—Am. austr.  
*acuta*, Griseb. in Goett. Abh. xix. (1874) 215.—Reg. Argent.  
*acutiflora*, A. St. Hil. Pl. Rém. Bras. 209, 223.—Bras.  
*acutifolia*, Burb. in Gard. Chron. (1881) II. 183 = *alata*.  
*acutifolia*, Walp. Rep. iii. 12, in syn. = *acutiflora*.  
*affinis*, Hort.—Cf. Gard. Chron. (1881) II. 141, 271 = *alata*.  
*alata*, Link & Otto, Ic. Pl. Rar. i. 63. t. 32.—Bras.  
*aiba*, Mill. Gard. Dict. ed. VIII. n. 5 = *N. Tabacum*.  
*alipes*, Steud. Nom. ed. I. 553 = *N. Tabacum*.  
*alpina*, Poepp. ex Dun. in DC. Prod. xiii. 1. 564 = *ticola*.  
*andicola*, H. B. & K. Nov. Gen. et Sp. iii. 1.—Peruv.  
*angustifolia*, Mill. Gard. Dict. ed. VIII. n. 3; Ehrh. Beitr. v. 169 = *N. Tabacum*.  
*angustifolia*, Ruiz & Pav. Fl. Peruv. ii. 16. t. 130 = *pusilla*.  
*anisandra*, Vest. in Flora, iv. (1821) 147.—Hab. l.  
*anisoloba*, Sweet, ex Steud. Nom. ed. II. ii. 194, nomen.—C. hui.



## NICOTIANA:—

*asiatica*, Schult. Obs. Bot. 43 = rustica.  
*attenuata*, Steud. Nom. ed. I. 554 = N. Tabacum.  
*attenuata*, Torr. ex S. Wats. in Bot. King's Exped. 276. t. 27.—Am. bor. occ.  
*auriculata*, Agardh, ex Fisch. Mey. & Avé-Lall. Ind. Sem. Hort. Petrop. vi. 60 = maxima.  
*auriculata*, Bertol. in Moris, Stirp. Sard. Elench. App. 7.—Sardinia.  
*Australasiae*, R. Br. in Tuckey, Congo, App. 472 = suaveolens.  
*axillaris*, Lam. Tabl. Encyc. ii. 7 = Petunia nyctagini-flora.  
*Berteriana*, Hort. ex G. Don, in Sweet, Hort. Brit. ed. III. 504, nomen; Dun. in DC. Prod. xiii. i. 568.—Chili?  
*Bigelovii*, S. Wats. in Bot. King's Exped. 276. t. 27.—Am. bor. occ.  
*bonariensis*, Lehm. Nicot. 27.—Reg. Argent.  
*brasilica*, Hort. ex Steud. Nom. ed. II. ii. 194 = rustica.  
*brasilensis*, Link & Otto, ex Loud. Hort. Brit. 594; Mart. Fl. Bras. x. 168 = alata.  
*breviflora*, Gill. ex Miers, in Hook. Lond. Journ. Bot. v. (1846) 175 = Bouchetia erecta.  
*breviflora*, Poir. Encyc. Suppl. iv. 94 = undulata.  
*capensis*, Hort. ex Vilm. Fl. Pl. Terre, ed. I. 856 = N. Tabacum.  
*caudata*, Nutt. in Journ. Acad. Philad. N. S. i. (1847) 181 = N. Tabacum?  
*Cavanillesii*, Dun. in DC. Prod. xiii. i. 572.—Mexic.  
*cerinthoides*, Hornem. Hort. Hafn. i. 214 = paniculata.  
*cerinthoides*, Vitm. ex Viv. Elench. Pl. Dinegro, 26 = plumbaginifolia.  
*chinensis*, Fisch. ex Lehm. Nicot. 18.—China.  
*cirrhoides*, Miers, in Hook. Lond. Journ. Bot. v. (1846) 180.—Chili.  
*Clevelandi*, A. Gray, Syn. Fl. N. Am. ii. i. 242.—Calif.  
*commutata*, Fisch. Mey. & Avé-Lall. Ind. Sem. Hort. Petrop. vi. 61.—Hab.?  
*cordifolia*, Phil. in Bot. Zeit. xiv. (1856) 646.—Ins. J. Fernand.  
*corymbosa*, Remy, in C. Gay, Fl. Chil. v. 57.—Chili.  
*crispa*, Cav. Desc. 105 = Cavanillesii.  
*crispa*, Desf. Tabl. ed. I. 67; Pers. Syn. i. 217 = plumbaginifolia.  
*crispa*, Phil. Fl. Atac. 41.—Chili.  
*crispula*, Hort. ex Steud. Nom. ed. II. ii. 194 = N. Tabacum.  
*decurrens*, Agardh, Några ord om Tobaks, 17 = alata.  
*decurrens*, Tausch, in Flora, xix. (1836) 388.—Hab.?  
*dilatata*, Link, Enum. Hort. Berol. i. 179.—Am. austr.  
*diversifolia*, Nees, ex Dun. in DC. Prod. xiii. i. 572, nomen.—Hab.?  
*Doniana*, Dun. l. c. 570.—Cuba.  
*dubia*, Jacquem. Voy. Bot. 114 = Physochlaina praealta.  
*exasperata*, Lehm. in Hamb. Gartenz. xiv. (1858) 439.—Hab.?  
*fastigiata*, Nees, in Lehm. Pl. Preiss. i. 343 = suaveolens.  
*florida*, Salisb. Prod. 132 = N. Tabacum.  
*Forsteri*, Roem. & Schult. Syst. iv. 323 = suaveolens.  
*fragrans*, Bernh. ex Steud. Nom. ed. I. 554, nomen = suaveolens?  
*fragrans*, Hook. Bot. Mag. t. 4865.—N. Caled.  
*frigida*, Phil. Fl. Atac. 41.—Chili.  
*frutescens*, Hort. Amstel. ex Lehm. Nicot. 23 = N. Tabacum.  
*fruticosa*, Forst. f. Prod. 17 = suaveolens?  
*fruticosa*, Linn. Syst. ed. X. 932 = N. Tabacum.  
*fruticosa*, Lour. Fl. Cochinch. 111 = chinensis.  
*fruticosa*, Moç. & Sesse, ex Dun. in DC. Prod. xiii. i. 559 = pilosa.  
*gigantea*, Hort. Dorpat. ex Lehm. Nicot. 19 = N. Tabacum.  
*glandulosa*, Buckl. in Proc. Acad. Sc. Philad. 1862 (1863) 6 = trigonophylla.  
*glaucula*, R. Grah. in Edinb. N. Phil. Journ. (Apr.—June 1828) 175; et in Bot. Mag. t. 2837.—Reg. Argent.  
*glutinosa*, Linn. Sp. Pl. 181.—Am. austr.  
*graciliflora*, A. Br. Del. Sem. Hort. Frib. (1849) 3, adnot.; ex Walp. Ann. iii. 150.—Mexic.  
*gracilipes*, Steud. Nom. ed. I. 554 = N. Tabacum.  
*guatemalensis*, Hort. ex Vilm. Fl. Pl. Terre, ed. I. 856 = N. Tabacum.  
*havanensis*, Hort. Matrit. ex Lehm. Nicot. 21 = N. Tabacum.

## NICOTIANA:—

*hispidula*, Domb. ex Dun. in DC. Prod. xiii. i. 568 = pusilla.  
*humilis*, Bertol. Misc. Bot. xiii. 14.—Am. bor.  
*humilis*, Link, Enum. Hort. Berol. i. 178.—Aegypt.  
*humilis*, Mill. Gard. Dict. ed. VIII. n. 10 = pusilla.  
*humilis*, Steud. Nom. ed. I. 554 = rustica.  
*ipomopsisiflora*, Dun. in DC. Prod. xiii. i. 559.—Mexic.  
*ipomopsisiflora*, A. Gray, in Proc. Am. Acad. v. (1862) 166 = trigonophylla.  
*lancifolia*, Agardh, ex Steud. Nom. ed. II. ii. 194 = chinensis.  
*lancifolia*, Willd. ex Lehm. Nicot. 26 = N. Tabacum.  
*Langsdorffii*, Schrank, Pl. Rar. Hort. Monac. t. 72; Weinm. ex Roem. & Schult. Syst. iv. 323.—Bras.  
*latissima*, Mill. Gard. Dict. ed. VIII. n. 1 = N. Tabacum.  
*Lehmanni*, Agardh, ex Dun. in DC. Prod. xiii. i. 559 = N. Tabacum.  
*Lingua*, Steud. Nom. ed. I. 554 = N. Tabacum.  
*linoides*, Gill. ex Miers, in Hook. Lond. Journ. Bot. v. (1846) 174 = Leptoglossis linifolia.  
*longiflora*, Cav. Desc. 106.—Chili.  
*loxensis*, H. B. & K. Nov. Gen. et Sp. iii. 3.—Am. austr.  
*lychnoides*, Remy, in C. Gay, Fl. Chil. v. 57.—Chili.  
*lyrata*, H. B. & K. Nov. Gen. et Sp. iii. 4.—Cuba.  
*Macgillivrayi*, Seem. Fl. Vit. 179 = fragrans.  
*macrophylla*, Spreng. Ind. Hort. Hal. (1807) 45 = N. Tabacum.  
*marylandica*, Schuebl. in Hort. Tubing. ex Dun. in DC. Prod. xiii. i. 572 = N. Tabacum.  
*maxima*, Hoffmgg. ex Fisch. Mey. & Avé-Lall. Ind. Sem. Hort. Petrop. vi. 60.—Hab.?  
*megalosiphon*, Heurck & Muell. Arg. in Heurck, Obs. Bot. 126 = suaveolens.  
*mendocina*, Phil. in Linnaea, xxxiii. (1864-65) 199.—Chili.  
*mexicana*, Schlecht. Ind. Sem. Hort. Halens. (1840).—Cf. Linnaea, xv. (1841) Litt. 95.—Mexic.  
*micrantha*, Haw. ex Steud. Nom. ed. II. ii. 194.—Hab.?  
*Miersii*, Remy, in C. Gay, Fl. Chil. v. 56.—Chili.  
*militaris*, Linn. Sp. Pl. ed. II. 259, in syn. = glutinosa.  
*minima*, Molina, Sagg. Chile, 153 = Nierembergia repens.  
*minima*, Phil. in Linnaea, xxxiii. (1864-65) 198.—Chili.  
*monticola*, Dun. in DC. Prod. xiii. i. 564.—Chili.  
*multiflora*, Phil. in Linnaea, xxxiii. (1864-65) 197.—Chili.  
*multiflora*, Torr. in Pacif. Rail. Rep. v. 362 = trigonophylla.  
*multivalvis*, Lindl. Bot. Reg. t. 1057 = quadrivalvis.  
*nana*, Lindl. l. c. t. 833 = Hesperochiron californicus.  
*Neesii*, Lehm. Pl. Preiss. i. 344 = suaveolens.  
*nepalensis*, Link & Otto, ex Loud. Hort. Brit. 594; Dun. in DC. Prod. xiii. i. 572.—Nepal.  
*noctiflora*, Hook. Bot. Mag. t. 2785.—Chili.  
*nudicaulis*, S. Wats. in Proc. Am. Acad. xviii. (1882-83) 128.—N. Mexic.  
*nyctaginiiflora*, Lehm. Nicot. 47 = Petunia nyctagini-flora.  
*obtusifolia*, Mart. & Gal. in Bull. Acad. Brux. xii. i. (1845) 129.—Mexic.  
*odorata*, Hort.—Cf. Gard. Chron. (1881) II. 183 = suaveolens?  
*otophora*, Griseb. in Goett. Abh. xxiv. (1879) 243.—Reg. Argent.  
*oulophylla*, Dun. in DC. Prod. xiii. i. 560.—Chili.  
*pallidescens*, Steud. Nom. ed. I. 554 = N. Tabacum.  
*pallida*, Salisb. Prod. 132 = paniculata.  
*Palmeri*, A. Gray, Syn. Fl. N. Am. ii. i. 242.—Arizona.  
*pandurata*, Dun. in DC. Prod. xiii. i. 569 = repanda.  
*paniculata*, Linn. Sp. Pl. 180.—Am. austr.  
*parviflora*, Lehm. Nicot. 48 = Petunia parviflora.  
*parviflora*, Phil. in Linnaea, xxxiii. (1864-65) 198.—Chili.  
*pauciflora*, Remy, in C. Gay, Fl. Chil. v. 52.—Chili.  
*Pavoni*, Dun. in DC. Prod. xiii. i. 561.—Peruv.  
*persica*, Lindl. Bot. Reg. t. 1592 = alata.  
*petiolaris*, Schlecht. ex Dun. in DC. Prod. xiii. i. 558.—Hab.?  
*petiolata*, Agardh, Några ord om Tobaks, 17.—Am. austr.  
*petuniaeflora*, Greene, in Bull. Calif. Acad. i. iv. (1885) 209.—Ins. Guadalupe.

## NICOTIANA:—

*pilosa*, Dun. in DC. Prod. xiii. i. 559.—Mexic.  
*plantaginea*, DC. ex Dun. l. c.—Mexic.  
*plumbaginifolia*, Viv. Elench. Pl. Hort. Dinegro, 26. t. 5.—Am. bor. et trop.  
*plumbaginifolia*, Willd. Enum. Hort. Berol. 230 = Dunalia ramiflora.  
*Pseudodecurrrens*, Steud. Nom. ed. II. ii. 194 = alata.  
*pulmonarioides*, H. B. & K. Nov. Gen. et Sp. iii. 2 = undulata.  
*pumila*, Steud. Nom. ed. I. 554 = rustica.  
*pusilla*, Blanco, Fl. Filip. ed. I. 100 = rustica.  
*pusilla*, Linn. Syst. ed. X. 933.—Am. trop.  
*pusilla*, Moç. & Sesse, ex Dun. in DC. Prod. xiii. i. 559 = plantaginea.  
*quadrivalvis*, Pursh, Fl. Am. Sept. i. 141.—Am. bor. occ.  
*repanda*, Sims, Bot. Mag. t. 2484 = Doniana.  
*repanda*, Willd. ex Lehm. Nicot. 40. t. 3.—Mexic.  
*Roemeriana*, Scheele, in Linnaea, xxi. (1848) 767 = repanda.  
*rotundifolia*, Lindl. Bot. Reg. (1838) Misc. 59 = suaveolens.  
*rugosa*, Mill. Gard. Dict. ed. VIII. n. 7 = rustica?  
*ruralis*, Vell. Fl. Flum. 76; ii. 72 = Langsdorffii.  
*rustica*, Linn. Sp. Pl. 180.—Mexic.  
*sanguinea*, Link & Otto, ex Loud. Hort. Brit. 594; ex Dun. in DC. Prod. xiii. i. 572.—Bras.  
*scabra*, Hort. Matrit. ex Lehm. Nicot. 34 = rustica.  
*scapigera*, Phil. Fl. Atac. 41.—Chili.  
*Sellowii*, Link & Otto, ex Steud. Nom. ed. II. ii. 194; Maxim. in Ind. Sem. Hort. Petrop. (1869) 21.—Reg. Argent.  
*serotina*, Steud. Nom. ed. I. 554 = N. Tabacum.  
*sibirica*, Hort. ex Lehm. Nicot. 34 = rustica.  
*sileniflora*, Hort. ex Dun. in DC. Prod. xiii. i. 567 = acuminata.  
*silenoides*, Dum.-Cours. Bot. Cult. ed. I. Suppl. 148 = acuminata.  
*solanifolia*, Walp. Rep. iii. 12.—Chili.  
*sordida*, Lehm. Del. Sem. Hort. Hamb. (1843) 8.—Mexic.  
*suaveolens*, Lehm. Nicot. 43.—Austral.  
*tabaca*, St. Lag. in Ann. Soc. Bot. Lyon, vii. (1880) 130 = seq.  
*Tabacum*, Linn. Sp. Pl. 180.—Am. austr.  
*tatarica*, Hort. ex Lehm. Nicot. 34 = rustica.  
*tenella*, Cav. Desc. 105 = pusilla.  
*texana*, Hort. Par. ex Maxim. in Ind. Sem. Hort. Petrop. (1869) 21.—Texas.  
*tomentosa*, Ruiz & Pav. Fl. Per. ii. 16.—Peruv.  
*trigonophylla*, Dun. in DC. Prod. xiii. i. 562.—Am. bor. occ.  
*tristis*, Sm. in Rees, Cycl. xv. n. 6.—Reg. Argent.  
*turcica*, Haberl. ex Steud. Nom. ed. II. ii. 194, in syn. = chinensis.  
*turcica*, Hort. ex Dun. in DC. Prod. xiii. i. 564 = rustica.  
*ulophylla*, Phil. Fl. Atac. 41 = oulophylla.  
*undulata*, Ruiz & Pav. Fl. Per. ii. 16.—Peruv.  
*undulata*, Vent. Jard. Malm. 10 = suaveolens.  
*urens*, Linn. Syst. ed. X. 932 = Wigandia crispa.  
*Verdon*, Steud. Nom. ed. I. 554 = N. Tabacum.  
*vincaeflora*, Lag. ex Link, Enum. Hort. Berol. i. 179.—Am. austr.  
*virginica*, Agardh, Några ord om Tobaks, 18.—Am. bor.  
*viridiflora*, Hort. Madrit. ex Lehm. Nicot. 36 = paniculata.  
*viscosa*, Lehm. l. c. 28.—Reg. Argent.  
*viscoso-cordata*, Hort. ex Dun. in DC. Prod. xiii. i. 567 = acuminata.  
*wigandioides*, C. Koch & Fint. Wochenschr. i. (1858) 65.—N. Granat.  
*ybarrensis*, H. B. & K. Nov. Gen. et Sp. iii. 4 = N. Tabacum.

NICOTIDENDRON, Griseb. in Abh. Goett. xix. (1874) 216 = Nicotiana, Linn. (Solan.).  
*glaucula*, Griseb. l. c. = Nicotiana glauca.

NICTANTHES, All. in Misc. Taur. ii. 50 (1761) = Nyctanthus, Linn. (Oleac.).

NICTITELLA, Rafin. Sylva Tellur. 128 (1838) = Cassia, Tourn. (Legumin.).  
*amena*, Rafin. l. c. = C. nictitans.  
*aspera*, Rafin. l. c. = C. nictitans.  
*mimosoides*, Rafin. l. c. = C. mimosoides.



**NIDORELLA**, Cass. in Dict. Sc. Nat. xxxvii. 469 (1825). *COMPOSITAE*, Benth. & Hook. f. ii. 282. altissima, Benth. & Hook. f. Gen. ii. 282, in obs. sub Microglossa.—Madag.  
 amplexicaulis, DC. Prod. v. 324.—Afr. austr.  
 anomala, Steetz, in Peters, Reise Mossamb. Bot. 400.—Afr. trop.  
 auriculata, DC. Prod. v. 322.—Afr. austr.  
 choënsis, Delile, in Rochet, Sec. Voy. Choa, 341.—Afr. trop.  
 Chrysocoma, DC. Prod. v. 322 (Conyzae sp.?).—Madag.  
 compressa, Cass. ex Steud. Nom. ed. II. ii. 194.—Ins. Maurit.  
 conyzoides, Harv. in Harv. & Sond. Fl. Cap. iii. 90.—Afr. austr.  
 depauperata, Harv. l. c. = anomala.  
 diversifolia, Spreng. ex Sch. Bip. in Walp. Rep. ii. 958 = Sprengelii.  
 exilis, DC. Prod. v. 324.—Afr. austr.  
 floribunda, Lehm. Ind. Sem. Hort. Hamb. (1851) 8; ex Steetz, in Linnaea, xxv. (1852) 310.—Afr. austr.  
 foetida, DC. Prod. v. 323 = foliosa.  
 foliosa, Cass. in Dict. Sc. Nat. xxxvii. 470.—Afr. austr.  
 gariepina, DC. Prod. v. 324 (Feliciae sp.?).—Afr. austr.  
 hirta, DC. l. c. 322.—Afr. austr.  
 hispida, Benth. & Hook. f. Gen. ii. 282, in obs. sub Microglossa.—Madag.  
 hottentotica, DC. Prod. v. 323.—Afr. austr.  
 hyssopifolia, DC. l. c. = foliosa.  
 Kraussii, Sch. Bip. in Walp. Rep. ii. 958 = obovata.  
 linifolia, DC. Prod. v. 322.—Afr. austr.  
 longifolia, DC. l. c. 324 = amplexicaulis.  
 membranifolia, Steetz, in Peters, Reise Mossamb. Bot. 400 = Microcephala.  
 mespilifolia, DC. Prod. v. 321 = Microglossa mespiloides.  
 microcephala, Steetz, in Peters, Reise Mossamb. Bot. 406.—Afr. trop.  
 mucronata, DC. Prod. v. 323.—Madag.  
 natalensis, Sch. Bip. ex Walp. Rep. ii. 958 = Microglossa mespiloides.  
 nubigena, C. Bolle, in Bonplandia, vii. (1859) 294.—Ins. Cap. Virid.  
 obovata, DC. Prod. v. 322 = auriculata.  
 otophora, Griseb. in Goett. Abh. xxiv. (1879) 243.—Reg. Argent.  
 pinnatilobata, DC. Prod. v. 321.—Afr. austr.  
 polyccephala, DC. l. c. 323.—Afr. austr.  
 punctulata, DC. l. c. = Psiadia arabica.  
 rapunculoides, DC. l. c. = resedifolia.  
 resedifolia, DC. l. c. 322.—Afr. austr.  
 scandens, Sch. Bip. in Walp. Rep. ii. 958 = Microglossa mespiloides.  
 senecionidea, DC. Prod. v. 322 = auriculata.  
 solidaginea, DC. l. c.—Afr. austr.  
 Sprengelii, Sch. Bip. in Walp. Rep. ii. 958.—Afr. austr.  
 Steetzii, J. A. Schmidt, Beitr. Fl. Cap Verd Ins. 185.—Ins. Cap. Virid.  
 triloba, DC. Prod. v. 321 = Erigeron trilobus.  
 undulata, Sond. in Harv. & Sond. Fl. Cap. iii. 90 = amplexicaulis.  
 varia, J. A. Schmidt, Beitr. Fl. Cap Verd. Ins. 184.—Ins. Cap. Virid.  
 vernonioides, Sch. Bip. ex A. Rich. Tent. Fl. Abyss. i. 384.—Abyssin.

**NIDULARIUM**, Lem. Jard. Fleur. iv. (1854) Misc. 60 = Karatas, Adans. (Bromel.).  
 acanthocrater, E. Morr. in Belg. Hortic. xxxiv. (1884) 140. t. 9 = K. acanthocrater.  
 albo-roseum, Griseb. in Goett. Nachr. (1864) 12.—Venezuela.  
 amasonicum, Linden & Morr. Cat. (1873) 11.—Bras.  
 ampullaceum, E. Morr. in Belg. Hortic. xxx. (1880) 242.—Bras.  
 Antoineanum, Wawra, in Oestr. Bot. Zeitschr. xxx. (1880) 113.—Bras.  
 Binoti, E. Morr. in Belg. Hortic. xxx. (1880) 90 = K. Binoti.  
 bivittatum, Lem. Illustr. Hortic. ix. (1862) Misc. 58 = Cryptanthus bivittatus.  
 Carolinae, Lem. in Rev. Hortic. Sér. IV. vii. (1858) 398 = K. Carolinae.  
 chlorostictum, E. Morr. in Belg. Hortic. xxviii. (1878) 207.—Bras.?  
 coeruleum, Lem. in Rev. Hortic. (1861) 153.—Hab. ?  
 VOL. II.

**NIDULARIUM** :—  
 cruentum, Regel, Gartenfl. (1859) 267 = Karatas cruenta.  
 cyaneum, Linden & André, Illustr. Hortic. xx. (1873) 184.—Bras.; N. Granat.  
 denticulatum, Regel, Gartenfl. (1870) 268.—Am. trop.  
 discolor, Beer, Bromel. 74 = K. purpurea.  
 Ferdinandocoburgi, Wawra, in Oestr. Bot. Zeitschr. xxx. (1880) 112.—Bras.  
 fulgens, Lem. Jard. Fleur. iv. (1854) t. 411. Misc. 60 = K. fulgens.  
 giganteum, Baker, in Journ. Bot. xviii. (1880) 50.—Am. trop.  
 Innocentii, Lem. Illustr. Hortic. ii. (1855) Misc. 13 = K. Innocentii.  
 Johannis, Carr. in Rev. Hortic. (1884) 432.—Bras.  
 Karatas, Lem. ex Griseb. Fl. Brit. W. Ind. 591 = K. Plumieri.  
 Laurentii, Regel, Ind. Sem. Hort. Petrop. (1866) 80; Gartenfl. (1867) t. 529 = K. Laurentii.  
 Lindeni, Regel, Gartenfl. (1868) 78; Ann. Sc. Nat. Sér. V. x. (1869) 379.—Am. trop.  
 marmoratum, Hort.—Cf. Gard. Chron. (1869) 561.—Bras.?  
 Meyendorffii, Regel, Gartenfl. (1859) 264 = K. Carolinae.  
 neglectum, André, in Illustr. Hortic. xxiv. (1877) 178.—Bras.  
 pictum, Hort.—Cf. Gard. Chron. (1869) 561 = K. fulgens.  
 Pinelianum, Lem. Illustr. Hortic. (1860) Misc. 71.—Bras.  
 purpureum, Beer, Bromel. 75; Regel, Ind. Sem. Hort. Petrop. (1857) 28 = K. purpurea.  
 rutilans, E. Morr. in Belg. Hortic. (1885) 81.—Bras.  
 sarmentosum, Regel, Gartenfl. (1870) 268.—Am. trop.  
 Scheremetiewii, Regel, Ind. Sem. Hort. Petrop. (1857) 28 = K. Scheremetiewii.  
 spectabile, Hort. in Rev. Hortic. (1872) 120 = K. Meyendorffii.  
 spectabile, T. Moore, in Gard. Chron. (1873) 8 = K. spectabilis.  
 splendens, Hort. ex Beer, Bromel. 78 = Caraguata lingulata.  
 triste, Regel, Gartenfl. xv. (1866) 356.—Bras.

**NIEBUHRIA**, DC. Prod. i. 243 (1824). *CAPPARIDAE*, Benth. & Hook. f. i. 107.  
 acutifolia, E. Mey. in Drège, Zwei Pfl. Docum. 144 = Boscia caffra.  
 aethiopica, Fenzl, in Sitzb. Acad. Wien, Math.-Nat. II. Abth. II. (1865) 141 = Maerua aethiopica.  
 angustifolia, Harv. Gen. S. Afr. Pl. ed. II. 12.—Afr. austr.  
 arenaria, DC. Prod. i. 244 = Maerua ovalifolia.  
 avicularis, DC. l. c. 243 = triphylla.  
 caffra, DC. l. c. = triphylla.  
 linearis, DC. l. c. 244.—Ind. or.  
 linifolia, Voigt, Hort. Suburb. Calc. 74 = linearis.  
 madagascariensis, DC. Prod. i. 244.—Madag.  
 nervosa, Hochst. in Flora, xxvii. (1844) 289 = Maerua nervosa.  
 oblongifolia, DC. Prod. i. 244 = Maerua oblongifolia.  
 oblongifolia, Royle, Illustr. Bot. Himal. 73 = Maerua ovalifolia.  
 oleoides, DC. Prod. i. 244.—Afr. austr.  
 pedunculosa, Hochst. in Flora, xxvii. (1844) 289 = Boscia caffra.  
 rosmarinoides, Sond. in Linnaea, xxiii. (1850) 7.—Afr. austr.  
 siamensis, Kurz, For. Fl. Brit. Burma, i. 59.—Burma.  
 triphylla, Wendl. f. in Bartl. & Wendl. f. Beitr. ii. 29.—Afr. austr.  
 undulata, Zeyh. ex Sond. in Linnaea, xxiii. (1850) 8 = Boscia caffra.  
 variabilis, Kurz, in Journ. As. Soc. Beng. xliii. (1874) II. 68.—Burma.  
 venosa, Bunbury, in Hook. Lond. Journ. Bot. iii. (1844) 261.—Afr. austr.  
 Woodii, Oliver, in Hook. Ic. Pl. t. 1386.—Afr. austr.

**NIEBUHRIA**, Neck. Elem. i. 30 (1790) = Wedelia, Jacq. (Compos.).

**NIEBUHRIA**, Scop. Introd. 134 (1777) Baltimora, Linn. (Compos.).

**NIEDERLEINIA**, Hieron. in Roca, Exped. Rio-negro, ii. 183 (1881). *FRANKENIACEAE*.  
 juniperoides, Hieron. l. c.—Patagon.

**NIEMEYERA**, F. Muell. Fragm. vi. 96 (1867) = *Apostasia*, Blume (Orchid.).  
 stylidioides, F. Muell. l. c. = A. stylidioides.

**NIEMEYERA**, F. Muell. Fragm. vii. 114 (1870) = *Chrysophyllum*, Linn. (Sapot.).  
 prunifera, F. Muell. l. c. = C. pruniferum.

**NIEREMBERGIA**, Ruiz & Pav. Prod. 23 (1794). *SOLANACEAE*, Benth. & Hook. f. ii. 908.  
 BLENCOCÖES, Rafin. Fl. Tellur. iii. 75 (1836).  
 STIMENES, Rafin. l. c. 76 (1836).  
 angustifolia, H. B. & K. Nov. Gen. et Sp. iii. 9. t. 198.—Am. austr.  
 anomala, Dun. in DC. Prod. xiii. i. 588 = Bouchetia erecta, Petunia parviflora.  
 anomala, Miers, in Hook. Lond. Journ. Bot. v. (1846) 175 = Bouchetia erecta.  
 aristata, D. Don, in Sweet, Brit. Flow. Gard. Ser. II. iii. t. 255.—Reg. Argent.  
 Atkinsiana x, Sweet, l. c. t. 268.  
 browalliioides, Griseb. in Goett. Abh. xix. (1874) 214.—Reg. Argent.  
 calycina, Hook. Bot. Mag. t. 3371.—Reg. Argent.  
 calycina, Hort. ex Vilm. Fl. Pl. Terre, ed. III. 752 = gracilis.  
 coerulea, Gill. ex Miers, in Hook. Lond. Journ. Bot. v. (1846) 173.—Chili.  
 Coulteri, Hemsl. Biol. Centr. Am. Bot. ii. 437.—Mexic.  
 ericoides, Miers, in Hook. Lond. Journ. Bot. v. (1846) 168.—Bras.  
 filicaulis, Hort. ex Vilm. Fl. Pl. Terre, ed. III. 752 = gracilis.  
 filicaulis, Lindl. Bot. Reg. t. 1649 = linariaefolia.  
 frutescens, Dur. Ind. Sem. Hort. Burdig. (1866) 25.—Chili.  
 gracilis, Hook. Bot. Mag. t. 3108.—Reg. Argent.  
 graveolens, A. St. Hil. Pl. Rem. Brés. 221. t. 21 = Petunia viscidula.  
 hippomanica, Miers, in Hook. Lond. Journ. Bot. v. (1846) 168.—Reg. Argent.  
 intermedia, R. Grah. in Edinb. N. Phil. Journ. (Jan. 1833) 175 = Salpiglossis linearis.  
 linariaefolia, R. Grah. l. c. (Jul.-Sept. 1831) 373.—Chili.  
 linifolia, Miers, in Hook. Lond. Journ. Bot. v. (1846) 174 = Leptoglossis linifolia.  
 micrantha, Domb. ex Dun. in DC. Prod. xiii. i. 588 = Bouchetia erecta.  
 Miersiana, Sendt. in Mart. Fl. Bras. x. 200 = Bouchetia erecta.  
 montana, Hieron. in Bol. Acad. Nac. Córdoba, iv. (1881) 395.—Reg. Argent.  
 nana, Miers, in Hook. Lond. Journ. Bot. v. (1846) 177 = Hesperochiron californicus.  
 petiolata, Remy, in C. Gay, Fl. Chil. v. 46 = repens.  
 petunioides, Dun. in DC. Prod. xiii. i. 588.—Peruv.  
 phoenicea, G. Don, in Sweet, Brit. Flow. Gard. Ser. II. t. 193 = Petunia violacea.  
 pinifolia, Miers, in Hook. Lond. Journ. Bot. v. (1846) 168.—Bras.  
 procumbens, Benth. & Hook. f. Gen. ii. 908 = Bouchetia procumbens.  
 prunellaefolia, Dun. in DC. Prod. xiii. i. 583.—Chili.  
 pubescens, Spreng. Syst. i. 615 = Petunia viscidula.  
 pulchella, Gill. ex Miers, in Hook. Lond. Journ. Bot. v. (1846) 173.—Reg. Argent.  
 punicea, Hort. ex Dun. in DC. Prod. xiii. i. 573. 583 = Petunia violacea.  
 repens, Ruiz & Pav. Fl. Per. ii. 13. t. 123.—Chili.  
 rigida, Miers, Trav. Chile, ii. 532; et in Hook. Lond. Journ. Bot. v. (1846) 172.—Reg. Argent.  
 rivularis, Miers, in Hook. Lond. Journ. Bot. v. (1846) 167.—Reg. Argent.  
 scoparia, Sendt. in Mart. Fl. Bras. x. 178.—Bras.  
 spathulata, H. B. & K. Nov. Gen. et Sp. iii. 8 = repens.  
 staticaefolia, Sendt. in Mart. Fl. Bras. x. 179 = Bouchetia erecta.  
 stricta, Miers, in Hook. Lond. Journ. Bot. v. (1846) 171.—Reg. Argent.  
 subdentata, Meyen, Reise, i. 314.—Chili.  
 Veitchii, Berkeley, ex Hook. Bot. Mag. t. 5599.—Am. trop.  
 viscidula, H. B. & K. Nov. Gen. et Sp. iii. 246 = Petunia viscidula.  
 viscosa, Torr. Bot. Mex. Bound. 155.—N. Mex.



**NIETNERIA**, Klotzsch & Rich. Schomb. in Rich. Schomb. Reise Brit. Gu. 1066 (1848), nomen. *LILLACEAE*, Benth. & Hook. f. iii. 825. corymbosa, Klotzsch & Rich. Schomb. l. c., nomen.—Guiana.

**NIETOA**, Schaffn. in La Naturaleza, iii. (1876) 343 = **Hanburia**, Seem. (Cucurb.). *mexicana*, Schaffn. l. c. = *H. mexicana*.

**NIGELLA**, [Tourn.] Linn. Syst. ed. I (1735). *RA-NUNCULACEAE*, Benth. & Hook. f. i. 8. **EROBATUS**, Reichb. Handb. 277 (1837). **GARIDELLA**, Tourn. ex Linn. Gen. ed. I. 131 (1737). **MELANTHIUM**, Medic. Phil. Bot. i. 96 (1789). **NIGELLASTRUM**, Moench, Meth. 311 (1794). *agrestis*, J. & C. Presl, Delic. Prag. 225 = *arvensis*. *amoena*, Salisb. Prod. 374 = *hispanica*. *aristata*, Sibth. & Sm. Fl. Graec. Prod. i. 373 = *arvensis*. *armena*, Stev. in Bull. Soc. Nat. Mosc. xxi. (1848) II. 274 = *segetalis*. *arvensis*, Linn. Sp. Pl. 584.—Europ.; Reg. Mediterr.; Oriens. *arvensis*, Pall. ex Bieb. Fl. Taur. Cauc. ii. 16 = *segetalis*. *aspera*, C. Koch, in Linnaea, xix. (1847) 48 = *arvensis*. *assyriaca*, Boiss. Fl. Orient. i. 67.—Assyria. *bicolor*, Boiss. & Heldr. Diagn. Ser. I. viii. 7 = *segetalis*. *Bourgaei*, Jord. Pugill. Pl. Nov. (1852) 2 = *damascena*. *Catenae*, Tenore, Fl. Neap. Syll. App. v. 14 = *arvensis*. *ciliaris*, DC. Syst. i. 327.—Syria; Ins. Cyprus. *cilicica*, Boiss. & Bal. Diagn. Ser. II. v. 11 = *stellaris*. *coarctata*, C. C. Gmel. Fl. Bad. ii. 502, in adnot.—Europ. *coerulea*, Lam. Fl. Fr. iii. 312 = *damascena*. *confusa*, Salle, ex Nym. Consp. 16 = *hispanica*. *corniculata*, DC. Syst. i. 326.—Oriens? *cretensis*, Stev. in Bull. Soc. Nat. Mosc. xxix. (1856) I. 282, in textu = *arvensis*. *cretica*, Mill. Gard. Dict. ed. VIII. n. 4 = *arvensis*. *damascena*, Linn. Sp. Pl. 584.—Reg. Mediterr. *deserti*, Boiss. in Ann. Sc. Nat. Sér. II. xvi. (1841) 359.—Arabia. *divaricata*, Beaupré, ex DC. Syst. i. 329 = *arvensis*. *diversifolia*, Franch. in Ann. Sc. Nat. Sér. VI. xv. (1883) 220.—Turkest. *doliata*, Pall. ex Bieb. Fl. Taur. Cauc. ii. 16 = *arvensis*. *elata*, Boiss. Diagn. Ser. I. i. 66.—As. Min.; Ins. Cyprus. *elegans*, Salisb. Prod. 374 = *damascena*. *foeniculacea*, DC. Syst. i. 328 = *arvensis*. *foeniculacea*, Hohen. ex Boiss. Fl. Orient. i. 65 = *segetalis*. *fumariaefolia*, Kotschy, in Unger, Ins. Cyp. 319.—Ins. Cyprus. *gaditana*, Soleir. ex Nym. Consp. 16 = *hispanica*. *gallica*, Jord. Pugill. Pl. Nov. (1852) 3 = *hispanica*. *Garidella*, Spenn. Monog. Nigell. II.—Europ. *glauca*, Schkuhr, ex Wender. in Linnaea, xiv. (1840) 587 = *arvensis*. *hispanica*, Gren. & Godr. Fl. Fr. i. 44 = *arvensis*. *hispanica*, Linn. Sp. Pl. 584.—Hispan.; Afr. bor. *indica*, Roxb. ex Flem. in As. Res. xi. (1810) 173 = *sativa*. *integrifolia*, Regel, in Bull. Soc. Nat. Mosc. xliii. (1870) I. 246.—As. centr. *intermedia*, C. Koch, in Linnaea, xix. (1847) 48 = *elata*. *involuta*, C. Koch, l. c. = *elata*. *involuta*, Moench, Meth. 314 = *damascena*. *laevis*, Delile, ex DC. Syst. i. 329 = *arvensis*. *latifolia*, Mill. Gard. Dict. ed. VIII. n. 5 = *arvensis*. *multifida*, Gater. Desc. Pl. Montaub. 100 = *damascena*. *Nigellastrum*, Willk. in Willk. & Lange, Fl. Hisp. iii. 963 = *N. Garidella*. *Noëana*, Boiss. Diagn. Ser. II. i. 19 = *oxypetala*. *orientalis*, Linn. Sp. Pl. 584.—As. Min.; Syria; Reg. Caucas. *oxypetala*, Boiss. in Ann. Sc. Nat. Sér. II. xvi. (1841) 357.—Oriens. *persica*, Boiss. l. c. 358 = *oxypetala*. *polygynia*, Moench, Meth. Suppl. 111 = *hispanica*. *pygmaea*, DC. Syst. i. 333 = *coarctata*. *sativa*, Linn. Sp. Pl. 584.—Reg. Mediterr. *segetalis*, Bieb. Fl. Taur. Cauc. ii. 16.—Tauria; Oriens. *stellaris*, Boiss. Diagn. Ser. I. viii. 8.—Syria. *taurica*, Stev. in Bull. Soc. Nat. Mosc. xxix. (1856) II. 283 = *damascena*.

# **NIGELLA** :—

*tenuiflora*, Gilib. Fl. Lituan. ii. 285 = *arvensis*. *truncata*, Viv. Pl. Aegypt. Dec. 6 = *sativa*. *tuberculata*, Griseb. Spicil. Fl. Rumel. i. 310 = *arvensis*. *unguicularis*, Spenn. Monog. Nigell. 12.—Syria. *unguiculata*, Stokes, Bot. Mat. Med. iii. 229 = *arvensis*. *verrucosa*, C. Koch, in Linnaea, xv. (1841) 246.—Reg. Caucas.

**NIGELLASTRUM**, Moench, Meth. 311 (1794) = **Nigella**, Tourn. (Ranunc.). *ciliare*, Bercht. & Presl, Rostl. i. Ranunc. 102 = *Nigella ciliaris*. *corniculatum*, Bercht. & Presl, l. c. = *Nigella corniculata*. *flavum*, Moench, Meth. 312 = *Nigella orientalis*. *orientale*, Bercht. & Presl, Rostl. i. Ranunc. 102 = *Nigella orientalis*.

**NIGRINA**, Linn. Mant. i. 5 (1767) = **Melasma**, Berg (Scrophul.). *vesicaria*, Burm. f. Fl. Cap. Prod. 5 = *M. scabrum*? *viscosa*, Linn. Mant. i. 42 = *M. scabrum*.

**NIGRINA**, Thunb. Nov. Gen. 58 (1783); Fl. Jap. 5 (1784) = **Chloranthus**, Sw. (1787). *serrata*, Thunb. in Nov. Act. Soc. Sc. Upsal. vii. (1815) 142 = *C. serratus*. *spicata*, Thunb. Nov. Gen. 59 = *C. inconspicuus*. *spicifera*, Lam. Illustr. i. 295. t. 71 = *C. inconspicuus*.

**NIGRITELLA**, Rich. in Mém. Mus. Par. iv. (1818) 48 = **Habenaria**, Willd. (Orchid.). *angustifolia*, Rich. l. c. 56 = *H. nigra*. *brachystachya*, Kern. in Verh. Zool.-Bot. Ges. Wien, xv. (1865) 224 = *H. nigra*. *fragrans*, Saut. ex Reichb. Ic. Pl. Crit. viii. f. 1010; Fl. Germ. Excurs. 121 = *H. nigra*. *globosa*, Reichb. Fl. Germ. Excurs. 121 = *Orchis globosa*. *Heuffleri*, Kern. in Verh. Zool.-Bot. Ges. Wien, xv. (1865) 225 = *H. nigra*. *hybrida*, Schur, Enum. Pl. Transs. 647 = *H. nigra*. *megastachya*, Kern. in Verh. Zool.-Bot. Ges. Wien, xv. (1865) 222 = *H. nigra*. *micrantha* x, Kern. l. c. 227.—Europ. *nigra*, Reichb. f. Ic. Fl. Germ. xxiii., xxiv. 102 = *H. nigra*. *snaveolens*, Koch, Syn. Fl. Germ. ed. I. 690 = *H. nigra*.

**NIGROLEA**, Noronha, in Verh. Batav. Gen. v. (1790) ed. I. Art. IV. 3 = **Ebermaiera**? Nees (Acanthac.).

**NIL**, Medic. in Staatsw. Vorles. Churpf. Phys.-Oek. Ges. i. (1791) 210 = **Ipomoea**, Linn. (Convolv.).

**NIMA**, Buch.-Ham. ex A. Juss. in Mém. Mus. Par. xii. (1825) 516 = **Picrasma**, Blume (Simarub.). *quassioides*, Buch.-Ham. ex A. Juss. l. c. 517 = *P. quassioides*.

**NIMBO**, Dennst. Schluess. Hort. Malab. 30 (1818) = **Muraya**, Linn. (Rutac.). *melioides*, Dennst. l. c. = *M. Koenigii*.

**NIMMOIA**, Wight, in Calc. Journ. Nat. Hist. vii. (1847) 13 = **Amoora**, Roxb. (Meliac.). *Lawii*, Wight, l. c. = *A. Lawi*.

**NIMMOIA**, Wight, in Madr. Journ. Sc. vii. (1837) 311. t. 20 = **Ammannia**, Linn. (Lythrar.). *floribunda*, Wight, l. c. 312 = *A. floribunda*.

**NIMMONIA**, Wight, Illustr. i. 206, in obs. (1840) = *prae*.

**NIMPHEA**, Neck. Delic. Gallo-Belg. i. 227 (1768) = **Nymphaea**, Linn.

**NIMPHEA**, Nocca, in Usteri, Ann. Bot. v. (1793) 49 = *prae*.

**NINANGA**, Rafin. Fl. Tellur. iii. 76 (1836) = **Gomphrena**, Linn. et **Froelichia**, Moench (Amarant.). *bicolor*, Rafin. l. c. 77 = *G. perennis*. *interrupta*, Rafin. l. c. = *F. lanata*.

**NINTOOA**, Sweet, Hort. Brit. ed. II. 258 (1830) = **Lonicera**, Linn. (Caprifol.). *canescens*, Webb, Iter Hisp. 42 = *L. biflora*. *confusa*, Sweet, Hort. Brit. ed. II. 258 = *L. confusa*. *japonica*, Sweet, l. c. = *L. japonica*. *longiflora*, Sweet, l. c. = *L. macrantha*.

**NIOBE**, Salisb. in Trans. Hort. Soc. i. (1812) 335 = **Funkia**, Spreng. (Liliac.). *cordifolia*, Salisb. l. c. = *F. subcordata*. *japonica*, Salisb. Gen. Pl. Fragm. 82 = *F. ovata*.

**NIOBEA**, Willd. ex Schult. f. Syst. vii. 762 (1830) = **Hypoxis**, Linn. *memorosa*, Willd. l. c. = *H. decumbens*. *pratensis*, Willd. l. c. = *H. decumbens*.

**NIOTA**, Adans. Fam. ii. 172 (1763) = **Ceropegia**, Linn. (Asclep.).

**NIOTA**, Lam. Illustr. t. 299 (1796?); Encyc. iv. 490 (1797) = **Samadera**, Gaertn. (Simarub.). *Commersonii*, Pers. Syn. I. 416 = *S. indica*. *globosa*, Blanco, Fl. Filip. ed. II. 214 = *Claoxylon indicum*. *Lamarkiana*, Blume, Bijdr. 251, 260 = *S. indica*. *lucida*, Wall. Pl. As. Rar. ii. t. 168 = *S. lucida*. *pentapetala*, Poir. in Lam. Encyc. iv. 490 = *S. indica*. *polyandra*, Wight & Arn. Prod. 63 = *Brownlowia lanceolata*. *tetrapetala*, Poir. in Lam. Encyc. iv. 490 = *S. indica*.

**NIOTOUTT**, Adans. Voy. 162 (1759) = **Commiphora**, Jacq. (Burser.).

**NIPA**, Benth. & Hook. f. Gen. i. 484 (1865), sphalm. = **NEPA**, Webb = **Ulex**, Linn. (Legumin.).

**NIPA**, Thunb. in Vet. Akad. Nya Handl. Stockh. iii. (1782) 231; Nov. Gen. 90 (1784). **PALMAE**, Benth. & Hook. f. iii. 920. **NYPA**, Wurm. in Verh. Batav. Gen. i. (1779) 349, nomen prius. *arborescens*, Wurm. ex H. Wendl. in Kerch. Palm. 252 = *fruticans*. *fruticans*, Thunb. in Vet. Akad. Nya Handl. Stockh. iii. (1782) 231.—Ost. Ganget.; Malaya. *litoralis*, Blanco, Fl. Filip. ed. I. 662 = *fruticans*.

**NIPHAEA**, Lindl. Bot. Reg. (1841) Misc. 80. **GESNERACEAE**, Benth. & Hook. f. ii. 997. **MENEGHINIA**, Vis. in Atti 8va Riun. Scienz. Ital. 560 (1846). *albo-lineata*, Hook. Bot. Mag. t. 4282 = *Phinaea albo-lineata*. *anoctochilifolia*, Warsz. ex Hanst. in Linnaea, xxvii. (1854) 705 = *Phinaea albo-lineata*. *argyroneura*, Planch. & Linden, ex Hanst. l. c. = *Phinaea albo-lineata*. *caripensis*, Klotzsch, ex Hanst. l. c. 704.—Venezuela. *crenata*, Karst. Fl. Columb. i. 161. t. 80.—N. Granat. *cupreo-virens*, Lem. Illustr. Hort. vii. (1860) Misc. 72.—Mexic. *discolor*, Warsz. ex Hanst. in Linnaea, xxvii. (1854) 705 = *Phinaea albo-lineata*. *elata*, Lem. Hort. Univ. iii. (1841) 301 = *oblonga*? *oblonga*, Lindl. Bot. Reg. (1841) Misc. 80.—Guatemala. *parviflora*, A. Br. & Bouché, Ind. Sem. Hort. Berol. (1851) App. 14; et in Linnaea, xxv. (1852) 299.—Guatemala. *pulchella*, Griseb. Cat. Pl. Cub. 198.—Cuba. *Roezli*, Regel, Gartenfl. (1877) 67.—Am. trop. *rubida*, Lem. in Fl. des Serres, iii. (1847) t. 251.—Hab.? *rubra*, Baxt. in Loud. Hort. Brit. Suppl. iii. 594 = *prae*. *Warszewiczii*, Hort. Berol. ex Hanst. in Linnaea, xxvii. (1854) 705 = *parviflora*.

**NIPHOGETON**, Schlecht. in Linnaea, xxviii. (1856) 481 = **Oreosciadium**, Wedd. (Umbellif.). *andicola*, Schlecht. l. c. = *O. dissectum*.

**NIPHUS**, Rafin. ex Steud. Nom. ed. II. i. 133, in syn. (1840) = **Aristolochia**, Tourn.



**NIRARATHAMNOS**, Balf. f. in Proc. Roy. Soc. Edinb. xl (1882) 513. *UMBELLIFERAE*. asarifolius, Balf. f. l. c.—Ins. Socotra.

**NIRBISIA**, G. Don, Gen. Syst. i. 63 (1831) = **Aconitum**, Linn. (Ranunc.).  
*Bisma*, G. Don, l. c. = *A. palmatum*.  
*Codua*, G. Don, l. c. 64 = *A. ferox*.  
*Hamiltonii*, G. Don, l. c. = *A. ferox*.

**NIRURI**, Adans. Fam. ii. 356 (1763) = **Phyllanthus**, Linn. (Euphorb.).

**NIRURIS**, Rafin. Sylva Tellur. 91 (1838) = **Phyllanthus**, Linn. (Euphorb.).  
*annua*, Rafin. l. c. = *P. Niruri*.  
*indica*, Rafin. l. c. = *P. Niruri*.

**NIRWAMIA**, Rafin. Sylva Tellur. 35 (1838). *EU-PHORBIACEAE*?—Cf. Thunb. Fl. Jap. 367. n. 98. *pellucida*, Rafin. l. c. (Quid?).—Japon.

**NISA**, Noronha, ex Thou. Nov. Gen. Madag. 24 (1806) = **Homalium**, Jacq. (Samyd.).  
*albiflora*, Boiv. ex Tul. in Ann. Sc. Nat. Sér. IV. viii. (1857) 71 = *H. albiflorum*.  
*involuta*, DC. Prod. ii. 55 = *H. involutum*.  
*leucophylla*, Tul. in Ann. Sc. Nat. Sér. IV. viii. (1857) 72.—Madag.  
*nudiflora*, DC. Prod. ii. 55.—Madag.  
*retusa*, Blume, Mus. Bot. Lugd. Bat. ii. 28.—Madag.  
*sanguinea*, Boiv. ex Tul. in Ann. Sc. Nat. Sér. IV. viii. (1857) 70.—Madag.  
*scleroxylon*, Tul. l. c. 69.—Madag.

**NISOMENES**, Rafin. Fl. Tellur. iv. 116 (1836) = **Euphorbia**, Linn.  
*diffusa*, Rafin. l. c. = *E. diffusa*.

**NISORALIS**, Rafin. Sylva Tellur. 74 (1838) = **Helicteres**, Pluk. (Stercul.).  
*jamaicensis*, Rafin. l. c. = *H. jamaicensis*.

**NISSOLIA**, Jacq. Enum. Pl. Carib. 7 (1760). *LEGU-MINOSAE*, Benth. & Hook. f. i. 513.  
*aculeata*, DC. Prod. ii. 250 = *Machaerium aculeatum*.  
*aculeata*, Spreng. Syst. iii. 190 = *Berteroniana*.  
*aculeata*, Vell. Fl. Flum. 296; vii. t. 79 = *Machaerium Vellozianum*.  
*aculeata*, Willd. ex Vog. in Linnaea, xi. (1837) 194 = *Machaerium Humboldtianum*.  
*acuminata*, DC. Prod. ii. 258 = *Machaerium acuminatum*.  
*acuminata*, Vell. Fl. Flum. vii. t. 76.—Bras.  
*arborea*, Jacq. Enum. Pl. Carib. 27 = *Machaerium arboreum*.  
*Arrabidae*, Steud. Nom. ed. II. ii. 196 = *Machaerium Vellozianum*.  
*Berteroniana*, Steud. l. c.—N. Granat.  
*bicallosa*, Vog. in Linnaea, xi. (1837) 178.—Bras.?  
*debilis*, Vell. Fl. Flum. 297; vii. t. 81 = *Machaerium pedicellatum*.  
*declinata*, Vell. l. c. 296; vii. t. 77 = *Machaerium discolor*.  
*diadelpha*, DC. Prod. ii. 258 = *Machaerium ferrugineum*.  
*dubia*, Poir. Encyc. Suppl. iv. 99.—Guian.  
*ferruginea*, Willd. Sp. Pl. iii. 900 = *Machaerium ferrugineum*.  
*firma*, Vell. Fl. Flum. 297; vii. t. 83 = *Machaerium firmum*.  
*fruticosa*, Humb. & Bonpl. ex Vog. in Linnaea, xi. (1837) 178, partim = *bicallosa*.  
*fruticosa*, Jacq. Enum. Pl. Carib. 27.—Am. austr.  
*fruticosa*, Vell. Fl. Flum. 298; vii. t. 86 = *Machaerium nigrum*.  
*glabrata*, Link, Enum. Hort. Berol. ii. 221 = *Machaerium arboreum*.  
*hirsuta*, DC. Prod. ii. 257 = *fruticosa*.  
*hirta*, Vell. Fl. Flum. 296; vii. t. 78 = *Machaerium eriocarpum*.  
*incorruptibilis*, Vell. l. c. 297; vii. t. 82 = *Machaerium incorruptibile*.  
*lanceolata*, Vell. l. c. 299; vii. t. 87 = *Machaerium secundiflorum*.  
*legalis*, Vell. l. c. 298; vii. t. 84 = *Machaerium legale*.  
*leiophylla*, DC. Prod. ii. 258 = *Machaerium leiophyllum*.

# NISSOLIA :—

*microptera*, Poir. Encyc. Suppl. iv. 98 = *Machaerium micropteron*.  
*nyctitans*, Vell. Fl. Flum. 295; vii. t. 75 = *Machaerium nyctitans*.  
*platycalyx*, S. Wats. in Proc. Am. Acad. xvii. (1881–82) 344.—N. Mexic.  
*platycarpa*, Benth. in Mart. Fl. Bras. xv. l. 77, in nota.—Mexic.  
*polyphylla*, Poir. Encyc. Suppl. iv. 98 = *Machaerium polyphyllum*.  
*polysperma*, Bert. ex DC. Prod. ii. 257 = *fruticosa*.  
*punctata*, Lam. Illustr. ii. 159. t. 600. f. 1.—Am. austr.  
*quinata*, Aubl. Pl. Gui. ii. 743. t. 297 = *Machaerium ferrugineum*.  
*racemosa*, DC. Prod. ii. 257 = *fruticosa*.  
*reticulata*, Lam. Illustr. ii. 160. t. 600 = *Machaerium reticulatum*.  
*reticulata*, Vell. Fl. Flum. 299; vii. t. 88 = *Pterocarpus violaceus*.  
*retusa*, Willd. Enum. Hort. Berol. 742 (*Machaerii* sp.?).—Am. austr.  
*robiniaefolia*, DC. Prod. ii. 258 = *Machaerium robiniaefolium*.  
*robusta*, Vell. Fl. Flum. 298; vii. t. 85 = *Centrolobium robustum*.  
*scandens*, Koen. ex Spreng. Syst. iii. 191.—Ind. or.  
*Schottii*, A. Gray, in Journ. Linn. Soc. v. (1861) 26.—Mexic.  
*spinosa*, Vell. Fl. Flum. 296; vii. t. 80 = *Machaerium spinosum*.  
*stipitata*, DC. in Ann. Sc. Nat. Sér. I. iv. (1825) 99 = *Machaerium stipitatum*.  
*uncinata*, Vell. Fl. Flum. 295; vii. t. 76 = *Machaerium uncinatum*.  
*Wislizeni*, A. Gray, in Journ. Linn. Soc. v. (1861) 25.—Mexic.

**NISSOLIA**, [Tourn.] Linn. Syst. ed. I (1735) = **Lathyrus**, Tourn. (Leguminin.).  
*parviflora*, Moench, Meth. Suppl. 49 = *L. inconspicuus*.  
*uniflora*, Moench, Meth. 140 = *L. Nissolia*.

**NISSOLIUS**, Medic. in Vorles. Churpf. Phys. Gen. ii. (1787) 389 = **Nissolia**, Jacq. (Legumin.).

**NITELIUM**, Cass. in Dict. Sc. Nat. xxxv. 11 (1825) = **Dicoma**, Cass. (Compos.).  
*rubescens*, Cass. l. c. 12 = *D. diacanthoides*.

**NITRAPIA**, Pall. Reise, i. 494 (1771), err. typ. = seq.

**NITRARIA**, Linn. Syst. ed. X. 1044 (1759). *ZYGOPHYLLEAE*, Benth. & Hook. f. i. 265.  
*Billardi*, DC. Prod. iii. 456 = *Schoberi*.  
*caspica*, Willd. ex Pall. Fl. Ross. t. 50 = *Schoberi*.  
*Oliverii*, Jaub. & Spach, Illustr. iii. 143 = *Schoberi*.  
*retusa*, Aschers. in Verh. Bot. Ver. Brandenb. xviii. (1876) 94 = *tridentata*.  
*Schoberi*, Linn. Syst. ed. X. 1044.—Rossia; As. bor.; Austral.  
*senegalensis*, Poir. in Lam. Encyc. iv. 493 = *tridentata*.  
*sericea*, Jaub. & Spach, Illustr. iii. 142 = *tridentata*.  
*sibirica*, Poir. in Lam. Encyc. iv. 493 = *Schoberi*.  
*sphaerocarpa*, Maxim. in Bull. Acad. Pétersb. xxix. (1883) 74.—Mongol.  
*tridentata*, Desf. Fl. Atlant. i. 372.—Syria; Afr. bor. et trop.

**NITROPHILA**, S. Wats. in Bot. King's Exped. 297 (1871). *CHENOPODIACEAE*, Benth. & Hook. f. iii. 59.  
*occidentalis*, S. Wats. l. c.—Am. bor. occ.

**NIVARIA**, Heist. Syst. 5, 19 (1748); Medic. in Act. Acad. Theod. Palat. vi. Phys. (1790) 421 = **Leucojum**, Linn. (Amaryll.).  
*aestivus*, Moench, Meth. Suppl. 93 = *L. aestivum*.  
*hexanthera*, Medic. in Act. Acad. Theod. Palat. vi. Phys. (1790) 422 = *L. vernum*.  
*monadelphia*, Medic. l. c. = *L. aestivum*.  
*verna*, Moench, Meth. 279 = *L. vernum*.

**NIVENIA**, R. Br. in Trans. Linn. Soc. x. (1810) 133. *PROTEACEAE*, Benth. & Hook. f. iii. 171.  
*PARANOMUS*, Salisb. Parad. Lond. sub n. 66 (1805), nomen prius.  
*alopecuroides*, Lam. ex St. Lag. in Ann. Soc. Bot. Lyon, vii. (1880) 130 = *N. Sceptum*.  
*candicans*, R. Br. in Trans. Linn. Soc. x. (1810) 221 = *Serruria candicans*?  
*candicans*, Roem. & Schult. Syst. iii. 389 = *Serruria albicans*.  
*capitata*, R. Br. in Trans. Linn. Soc. x. (1810) 138.—Afr. austr.  
*concava*, R. Br. l. c. 221; Roem. & Schult. Syst. iii. 388.—Afr. austr.  
*crithmifolia*, R. Br. l. c. 136.—Afr. austr.  
*Dregei*, Buek, ex Meissn. in DC. Prod. xiv. 300.—Afr. austr.  
*intermedia*, Steud. Nom. ed. II. ii. 196 = *media*.  
*lagopus*, R. Br. in Trans. Linn. Soc. x. (1810) 137.—Afr. austr.  
*marginata*, R. Br. l. c. 134.—Afr. austr.  
*marginata*, Drège, ex Meissn. in DC. Prod. xiv. 300 = *spatulata*.  
*media*, R. Br. in Trans. Linn. Soc. x. (1810) 137.—Afr. austr.  
*mollissima*, R. Br. l. c. 138.—Afr. austr.  
*parvifolia*, R. Br. l. c. 135.—Afr. austr.  
*parvifolia*, Buek, ex Meissn. in DC. Prod. xiv. 300 = *spatulata*.  
*Sceptum*, R. Br. in Trans. Linn. Soc. x. (1810) 134.—Afr. austr.  
*spatulata*, R. Br. l. c. 135.—Afr. austr.  
*spatulata*, Drège, ex Meissn. in DC. Prod. xiv. 300 = *parvifolia*.  
*spicata*, R. Br. in Trans. Linn. Soc. x. (1810) 136.—Afr. austr.

**NIVENIA**, Vent. Dec. Gen. Nov. 3 (1808) = **Aristea**, Soland. (Irid.).  
*binata*, Klatt, in Abh. Naturf. Ges. Halle, xii. (1882) 382 = *A. corymbosa* (in Addend.).  
*corymbosa*, Baker, in Journ. Linn. Soc. xvi. (1877) 109 = *A. corymbosa*.  
*filamentosa*, Salisb. in Trans. Hort. Soc. i. (1812) 311 = *A. corymbosa*?  
*fruticosa*, Baker, in Journ. Linn. Soc. xii. (1877) 109 = *A. fruticosa*.  
*stylosa*, Salisb. in Trans. Hort. Soc. i. (1812) 311 = *A. corymbosa*.

**NOAEA**, Moq. in DC. Prod. xiii. ii. 207 (1849). *CHENOPODIACEAE*, Benth. & Hook. f. iii. 72.  
*NOEA*, Boiss. & Bal. Diagn. Ser. II. iv. 76 (1859).  
*aretoides*, Bunge, Anab. Rev. 35 = *Anabasis aretioides*.  
*Aucheri*, Moq. in DC. Prod. xiii. ii. 207 = *Salsola canescens*.  
*canescens*, Moq. l. c. 208 = *Salsola canescens*.  
*daghistanica*, Turcz. ex Bunge, Anab. Rev. 26.—Reg. Caucas.  
*Griffithii*, Bunge, l. c. 22.—Afghan.  
*major*, Bunge, l. c. 27.—Afghan.  
*malacophylla*, Moq. in DC. Prod. xiii. ii. 207 = *Halimocnemis Kirilowii*.  
*minuta*, Boiss. & Bal. Diagn. Ser. II. iv. 76.—Cappadoc.  
*oppositiflora*, Moq. in DC. Prod. xiii. ii. 209 = *Girgensohnia oppositiflora*.  
*oppositifolia*, Boiss. ex Bunge, Anab. Rev. 30 = *Girgensohnia fruticulosa*.  
*Regelii*, Bunge, in Act. Hort. Petrop. vi. (1879) 440.—Turkest.  
*spinossissima*, Moq. in DC. Prod. xiii. ii. 209.—Reg. Mediterr.: Oriens.  
*tomentosa*, Moq. l. c. 208 = *Salsola canescens*, *aurantiaca*.  
*Tournefortii*, Moq. l. c.—As. Min.; Persia.

**NOBULA**, Adans. Fam. ii. 145 (1763) = **Phyllis**, Linn. (Rubiace.).

**NOCCA**, Cav. Ic. iii. 12. t. 224 (1794) = **Laguscea**, Cav. (Compos.).  
*helianthifolia*, Cass. in Dict. Sc. Nat. xxv. 104 = *L. suaveolens*.  
*latifolia*, Cerv. in La Llave & Lex. Nov. Veg. fasc. i. 31 = *L. suaveolens*.  
*macrophylla*, Zucc. ex DC. Prod. v. 92 = *L. suaveolens*.  
*mollis*, Jacq. Fragm. 58 = *L. suaveolens*.  
*rigida*, Cav. Ic. iii. 13 = *L. rubra*.  
*rubra*, Cass. in Dict. Sc. Nat. xxv. 104 = *L. rubra*.  
*suaveolens*, Cass. l. c. 105 = *L. suaveolens*.



**NOCCAEA**, Moench, Meth. Suppl. 89 (1802); Reichb. Fl. Germ. Excurs. 663 (1832); et Ic. Fl. Germ. ii. 5. *CRUCIFERAE*, Benth. & Hook. f. i. 86. *CRUCIUNDULA*, Rafin. Fl. Tellur. ii. 100 (1836). *alpina*, Reichb. Fl. Germ. Excurs. 663 = *Hutchinsia alpina*. *Auerswaldii*, Willk. in Willk. & Lange, Prod. Fl. Hisp. iii. 780.—Hispan. *brevicaulis*, Reichb. Fl. Germ. Excurs. 663 = *Hutchinsia alpina*. *brevistyla*, Steud. Nom. ed. II. ii. 196 = *Thlaspi rivale*. *cepaefolia*, Reichb. Fl. Germ. Excurs. 663 = *Thlaspi cepaefolium*. *hastulata*, Steud. Nom. ed. II. ii. 196 = *Thlaspi hastulatum*. *petraea*, Steud. l. c. 27, in syn., sphalm. = seq. *procumbens*, Reichb. Fl. Germ. Excurs. 663 = *Capsella procumbens*. *pumila*, Steud. Nom. ed. II. ii. 197 = *Thlaspi pumilum*. *rotundifolia*, Moench, Meth. Suppl. 89 = *Thlaspi rotundifolium*. *stylosa*, Reichb. Fl. Germ. Excurs. 663.—Europ. austr. *trinervia*, Steud. Nom. ed. II. ii. 197 = *Iberidella trinervia*.

**NOCCAEA**, Willd. Sp. Pl. iii. 2393 (1803); Jacq. Fragn. 58. t. 85 (1805) = **NOCOA**, Cav. = **Lagascea**, Cav. (Compos.).

**NOCHOTTA**, S. G. Gmel. Reise, iii. 23. t. 3 (1774) = **Cicer**, Tourn. (Legumin.). *oleracea*, S. G. Gmel. l. c. = **C. arietinum**.

**NODOCARPAEA**, A. Gray, in Proc. Am. Acad. xix. (1883) 79. **RUBIACEAE**. *radicans*, A. Gray, l. c.—Cuba.

**NOËA**, Boiss. & Bal. Diagn. Ser. II. iv. 76 (1859) = **Noaea**, Moq. (Chenop.).

**NOISETTIA**, H. B. & K. Nov. Gen. et Sp. v. 382. 499 (1821). **VIOLARIEAE**, Benth. & Hook. f. t. i. 116. *IONIDIOPSIS*, Presl, Bot. Bemerk. 13 (1844). *VIOLAEODES*, Michx. ex DC. Prod. i. 280 (1824). *acuminata*, DC. Prod. i. 290 = *Ionidium concolor*. *frangulaefolia*, H. B. & K. Nov. Gen. et Sp. v. 384. t. 499 (= *Calyptrium frangulaefolium*).—Peruv. *galeopsifolia*, A. St. Hil. Pl. Rem. Brés. 287 = *longifolia*. *longifolia*, H. B. & K. Nov. Gen. et Sp. v. 384, in obs.—Guiana. *orchidiflora*, Ging. in DC. Prod. i. 290 = *longifolia*. *orinocensis*, H. B. & K. Nov. Gen. et Sp. v. 384 = *Corynostylis Hybanthus*. *pyrifolia*, Mart. Nov. Gen. et Sp. i. 24 = *Anchietea salutaris*. *Roquefeulliana*, A. St. Hil. Pl. Rem. Brés. 289 = *Anchietea salutaris*.

**NOLANA**, Linn. Sp. Pl. ed. II. 202 (1762). **CONVOLVULACEAE**, Benth. & Hook. f. ii. 879. *GUBLERIA*, Gaudich. Bot. Voy. Bonite, t. 104 (1844-52). *NEUDORFIA*, Adans. Fam. ii. 219 (1763). *SOREMA*, Lindl. Bot. Reg. (1844) sub t. 46. *TEGANIUM*, Schmid. Ic. 67. t. 18 (1747). *WALKERIA*, Mill. ex Ehret, in Phil. Trans. liii. (1763) 130. *ZWINGERA*, Neck. Elem. iii. 385 (1790). *acuminata*, Miers, ex Dun. in DC. Prod. xiii. i. 12.—Chili. *angustifolia*, Phil. in Linnaea, xxix. (1857-58) 26.—Chili. *atriplicifolia*, Hort. ex D. Don, in Sweet, Brit. Flow. Gard. Ser. II. t. 305.—Peruv. *baccata*, Dun. in DC. Prod. xiii. i. 14.—Chili. *carnosa*, Miers, ex Dun. l. c.—Chili. *Chastenayana*, Gaudich. Bot. Voy. Bonite, t. 33.—Peruv. ? *coelestis*, Miers, ex Dun. in DC. Prod. xiii. i. 13.—Chili. *cordata*, Dun. l. c.—Bolivia; Peruv. *coronata*, Ruiz & Pav. Fl. Per. ii. 7. t. 112.—Peruv. *crassulifolia*, Kunze, ex Walp. Rep. vi. 551 = *Dolia tomentosa*. *ericifolia*, Miers, ex Dun. l. c. 14.—Chili.

**NOLANA** :—

*fruticosa*, Penny, Hort. Epsom. 34; ex Loud. Gard. Mag. v. (1829) 471 = *tenella*. *gallinacea*, Pers. Syn. i. 168 = *prostrata*. *glandulosa*, Miers, ex Dun. in DC. Prod. xiii. i. 14.—Chili. *grandiflora*, Lehm. ex G. Don, Gen. Syst. iv. 479 = *atriplicifolia*. *inflata*, Ruiz & Pav. Fl. Per. ii. 7. t. 112.—Peruv. *lanceolata*, Miers, ex Dun. in DC. Prod. xiii. i. 12.—Chili. *linearis*, Miers, ex Dun. l. c. 13.—Chili. *littoralis*, Miers, ex Dun. l. c. 12.—Chili. *longifolia*, Miers, ex Dun. l. c.—Chili. *microphylla*, Miers, ex Dun. l. c. 15 = *Phrodus microphyllus*. *obtusata*, Miers, ex Dun. l. c. 14.—Chili. *paradoxa*, Bert. ex Dun. l. c. 17 = *Dolia tomentosa*. *paradoxa*, Hook. Bot. Mag. t. 2604 = *tenella*. *paradoxa*, Lindl. in Bot. Reg. t. 865.—Chili. *prostrata*, Hort. Monsp. ex Dun. in DC. Prod. xiii. i. 11 = *paradoxa*. *prostrata*, Linn. Sp. Pl. ed. II. 202.—Peruv. *revoluta*, Mathews, ex Dun. in DC. Prod. xiii. i. 17 = *Dolia tomentosa*. *revoluta*, Ruiz & Pav. Fl. Per. ii. 8. t. 113. f. b = *Dolia revoluta*. *rostrata*, Miers, ex Dun. in DC. Prod. xiii. i. 14.—Chili. *rupicola*, Gaudich. Bot. Voy. Bonite, t. 28.—Hab. ? *sedifolia*, Kunze, ex Walp. Rep. vi. 550 = *Dolia vermiculata*. *spathulata*, Ruiz & Pav. Fl. Per. ii. 7. t. 112.—Peruv. *tenella*, Lindl. in Trans. Hort. Soc. vii. (1830) 252.—Chili. *triquetra*, C. Koch & Bouché, Ind. Sem. Hort. Berol. (1855) 12.—Hab. ?

**NOLINA**, Michx. Fl. Bor. Am. i. 207 (1803). **LILIACEAE**, Benth. & Hook. f. iii. 780.

*BEAUCARNEA*, Lem. Illustr. Hort. viii. (1861) Misc. 59. *NOLINAEAE*, Baker, in Journ. Linn. Soc. xiii. (1873) 292. *NOLINEA*, Pers. Syn. i. 399 (1805). *PINCENECTITIA*, Hort. ex Lem. Illustr. Hort. viii. (1861) Misc. 48, 59. *ROULINIA*, Brongn. in Ann. Sc. Nat. Sér. II. xiv. (1840) 320. *Bigelovii*, S. Wats. in Proc. Am. Acad. xiv. (1879) 247.—Arizona. *erumpens*, S. Wats. l. c. 248.—Texas. *georgiana*, Michx. Fl. Bor. Am. i. 208.—Am. bor. *Hartwegiana*, Hemsl. Biol. Centr. Am. Bot. iii. 371.—Mexico. *humilis*, S. Wats. in Proc. Am. Acad. xiv. (1879) 248.—Mexico. *humilis*, S. Wats. l. c. 248, partim = *Watsoni*. *javanica*, Hassk. in Hoev. & De Vriese, Tijdschr. x. (1843) 120 = *Chlorophytum laxum*. *Lindheimeriana*, S. Wats. in Proc. Am. Acad. xiv. (1879) 247.—Mexico. *longifolia*, Hemsl. Biol. Centr. Am. Bot. iii. 372.—Mexico. *microcarpa*, S. Wats. in Proc. Am. Acad. xiv. (1879) 247.—Arizona. *Palmeri*, S. Wats. l. c. 248.—Calif. *Parryi*, S. Wats. l. c. 247 = *Bigelovii*. *parviflora*, Hemsl. Biol. Centr. Am. Bot. iii. 372.—Mexico. *recurvata*, Hemsl. l. c.—Mexico. *texana*, S. Wats. in Proc. Am. Acad. xiv. (1879) 248.—Texas. *Watsoni*, Hemsl. Biol. Centr. Am. Bot. iii. 372.—Mexico.

**NOLINAEAE**, Baker, in Journ. Linn. Soc. xiii. (1873) 292 = *praec.*

**NOLINEA**, Pers. Syn. i. 399 (1805) = *praec.*

**NOLLETTIA**, Cass. in Dict. Sc. Nat. xxxvii. 479 (1825). **COMPOSITAE**, Benth. & Hook. f. ii. 285.

*LEPTOTHAMNUS*, DC. Prod. v. 367 (1836). *chrysocomoides*, Cass. in Dict. Sc. Nat. xxxvii. 479.—Afr. bor. occ. *ciliaris*, Steetz, in Peters, Reise Mossamb. Bot. 404.—Afr. austr. *ligulata*, Steetz, l. c.—Afr. austr. *rarifolia*, Steetz, l. c.—Afr. austr.

**NOLTEA**, Reichb. Consp. 145 (1828). **RHAMNEAE**, Benth. & Hook. f. i. 381. *HOLIA*, Heynh. Nom. i. 880 (1840); ii. 303 (1846). *VITMANNIA*, Wight & Arn. Prod. 166 (1834). *WILLEMETIA*, Brongn. in Ann. Sc. Nat. Sér. I. x. (1827) 370. t. 16. f. 1. *africana*, Reichb. ex Harv. & Sond. Fl. Cap. i. 478.—Afr. austr.

**NOLTIA**, Benth. & Hook. f. Gen. i. 381 (1862), sphalm. = *praec.*

**NOLTIA**, Eckl. ex Steud. Nom. ed. II. ii. 197 (1841) = **Selago**, Linn.

**NOLTIA**, Schum. & Thonn. Beskr. Guin. Pl. 189 (1827) = **Diospyros**, Linn. (Ebenac.). *tricolor*, Schum. & Thonn. l. c. = **D. tricolor**.

**NOMAPHILA**, Blume, Bijdr. 804 (1826). **ACANTHACEAE**, Benth. & Hook. f. ii. 1075.

*ciliata*, T. Anders. in Journ. Linn. Soc. vii. (1864) 21.—Afr. trop. *corymbosa*, Blume, Bijdr. 804.—Java. *glandulosa*, Klotzsch, in Peters, Reise Mossamb. Bot. 198.—Afr. trop. *laevis*, Nees, in DC. Prod. xi. 85.—Afr. trop. *Lyalliana*, T. Anders. in Journ. Linn. Soc. vii. (1864) 22.—Madag. *nodosa*, Zipp. ex Span. in Linnaea, xv. (1841) 329 = *petiolata*. *Parishii*, T. Anders. in Journ. Linn. Soc. ix. (1867) 455.—Burma; Java. *petiolata*, Decne. in Nouv. Ann. Mus. Par. iii. (1834) 387.—Ins. Timor. *pinnatifida*, Dalz. in Hook. Kew Journ. iii. (1851) 38 = *Cardanthera pinnatifida*. *pubescens*, Kurz, in Journ. As. Soc. Beng. xl. (1871) ii. 74 = *Parishii*. *quadrangularis*, Klotzsch, in Peters, Reise Mossamb. Bot. 197.—Afr. trop. *stricta*, Nees, in DC. Prod. xi. 84, excl. syn.—Ind. or. ?; Malaya.

**NOMISMIA**, Wight & Arn. Prod. 236 (1834) = **Rhynchosia**, Lour. (Legumin.). *aurea*, Wight & Arn. l. c. 237 = **R. aurea**. *capitata*, Wight & Arn. l. c. = **R. aurea**. *nummularia*, Wight & Arn. l. c. = **R. nummularia**.

**NOMOCHLOA**, Beauv. in Lestib. Essai Fam. Cyp. 37 (1819) = **Scirpus**, Linn. (Cyperac.). *compressa*, Beauv. l. c. = **S. compressus**.

**NOMOCHLOA**, Nees, in Linnaea, ix. (1834) 299; et in Nov. Act. Nat. Cur. xix. Suppl. i. (1843) 110 = **Pleurostachys**, Brongn. (Cyperac.). *elegans*, Nees, in Nov. Act. Nat. Cur. xix. Suppl. i. (1843) 113 = **P. elegans**. *Orbigniana*, Nees, in Linnaea, ix. (1834) 299 = **P. Orbigniana**. *stricta*, Nees, in Hook. Journ. Bot. ii. (1840) 398 = **P. stricta**. *tenuiflora*, Nees, in Linnaea, ix. (1834) 299 = **P. tenuiflora**. *turbinata*, Nees, in Nov. Act. Nat. Cur. xix. Suppl. i. (1843) 112 = **P. tenuiflora**.

**NONATELIA**, Aubl. Pl. Gui. i. 182. t. 70 (1775) = **Palicourea**, Aubl. (Rubiace.). *clusiaefolia*, Reichb. ex DC. Prod. iv. 467, 532 = *Chasalia clusiaefolia*. *divaricata*, Bartl. ex DC. Prod. iv. 466 = *panamensis*. *divaricata*, A. Rich. in Mém. Soc. Hist. Nat. Par. v. (1834) 207.—Guian. *filamentosa*, Buch-Ham. ex D. Don, Prod. Fl. Nep. 137 = *Hamiltonia suaveolens*. *formosa*, A. Rich. in Mém. Soc. Hist. Nat. Par. v. (1834) 207.—Guian. *grandiflora*, H. B. & K. Nov. Gen. et Sp. iii. 422.—Am. austr. *hispida*, Wall. in Roxb. Fl. Ind. ed. Carey, ii. 187 = *Lasianthus Wallichii*. *longiflora*, Aubl. Pl. Gui. i. 185. t. 71 = **P. longiflora**. *lutea*, Aubl. l. c. 190. t. 74.—Guian. *macrophylla*, H. B. & K. Nov. Gen. et Sp. iii. 423.—Venezuela. *officinalis*, Aubl. Pl. Gui. i. 182. t. 79 = *Psychotria officinalis*.



## NONATELIA:—

*officinalis*, Spreng. ex DC. Prod. iv. 515 = Psychotria brachiata.  
*panamensis*, DC. l. c. 466.—Panama.  
*paniculata*, Aubl. Pl. Gui. i. 184 = Psychotria flexuosa.  
*pubescens*, Spreng. Syst. i. 751 = Psychotria pubescens.  
*racemosa*, Aubl. Pl. Gui. i. 186. t. 72 = Psychotria racemosa, Willd.  
*secundiflora*, Spreng. Syst. i. 751 = Retiniphyllum secundiflorum.  
*violacea*, Aubl. Pl. Gui. i. 188. t. 73 = Palicourea violacea.

NONEA, Medic. = seq.

**NONNEA**, (Nonea) Medic. Phil. Bot. i. 31 (1789); Moench, Meth. 421 (1794); Bernh. Syst. Verz. Erf. 98 (1800). *BORAGINEAE*, Benth. & Hook. f. ii. 856. ECHIOIDES, Desf. Fl. Atlant. i. 163 (1800). ELIZALDIA, Willk. Strand- u. Steppengeb. Iber. Halb. 128 (1852).

ONCHILIS, Mart. in Denkschr. Akad. Muench. v. (1817) 177.

OSKAMPIA, Moench, Meth. 420 (1794). *aegyptiaca*, Moench, ex Steud. Nom. ed. I. 556 = Anchusa flava.

alba, DC. Fl. Fr. Suppl. 420.—Europ. austr.; Oriens. alpestris, G. Don, Gen. Syst. iv. 336.—Reg. Caucas. amplexicaulis, Hochst. ex Boiss. Fl. Orient. iv. 170 = alba.

anchusoides, Boiss. & Buhse, in Nouv. Mém. Soc. Nat. Mosc. xii. (1860) 152.—Persia.

armena, Boiss. & Huet, ex Boiss. Fl. Orient. iv. 167 = pulla.

armena, Stev. in Bull. Soc. Nat. Mosc. xxiv. (1851) i. 574 = melanocarpa.

arvensis, DC. ex Steud. Nom. ed. I. 556 = Lycopsis arvensis.

atra, Griseb. Spicil. Fl. Rumel. ii. 94 = pulla. auriculata, Boiss. Diagn. Ser. I. xi. 95 = Pulmonaria mollis.

Bourgaei, Coss. Notes Crit. 122 = micrantha. capensis, G. Don, Gen. Syst. iv. 338 = Lycopsis capensis.

caspica, G. Don, l. c. 336 = picta. ciliata, DC. Fl. Fr. iii. 626; Roem. & Schult. Syst. iv. 71, 754.—Oriens.

Colsmanniana, G. Don, Gen. Syst. iv. 337.—Hab. ? confertiflora, G. Don, l. c. 338 = Lycopsis confertiflora.

decumbens, Moench, Meth. 422.—Reg. Mediterr. occ. decurrens, G. Don, Gen. Syst. iv. 337; Boiss. Fl. Orient. iv. 168.—Reg. Caucas.

diffusa, Boiss. & Buhse, in Nouv. Mém. Soc. Nat. Mosc. xii. (1860) 152 = picta.

dubia, Steud. Nom. ed. II. i. 85 = Alkanna lutea. echioides, Roem. & Schult. Syst. iv. 71 = Macrotomia echioides.

Edgeworthii, A. DC. in DC. Prod. x. 30 = pulla. elongata, G. Don, Gen. Syst. iv. 337.—Aegypt.

erecta, Bernh. Syst. Verz. Erf. 127 = pulla. euphratica, Boiss. Diagn. Ser. I. xi. 97 = macrosperma.

flavescens, Fisch. & Mey. Ind. Sem. Hort. Petrop. ii. 17; G. Don, Gen. Syst. iv. 337 = Alkanna lutea. grandiflora, Steud. Nom. ed. II. ii. 197 = rosea.

intermedia, Ledeb. Fl. Ross. iii. 111.—Reg. Caucas. lamprocarpa, Griseb. Spicil. Fl. Rumel. ii. 93 = obtusifolia.

longiflora, Wettstein, in Denkschr. Acad. Wien, l. (1885) 27.—Persia. lutea, Bory & Chaub. Nouv. Fl. Pélop. 12; Auch. ex A. DC. in DC. Prod. x. 98 = Alkanna graeca.

lutea, DC. Fl. Fr. iii. 626; Suppl. 420 = Alkanna lutea. macrosperma, Boiss. & Heldr. Diagn. Ser. I. xi. 97.—As. Min.

macrosperma, Griseb. Spicil. Fl. Rumel. ii. 93 = alba. melanocarpa, Boiss. Diagn. Ser. I. xi. 96.—Syria; Persia.

micrantha, Boiss. & Reut. Diagn. Pl. Hisp. 21.—Hispan. multicolor, Kunze, in Flora, xxix. (1846) 691.—Hispan.

nigricans, DC. Fl. Fr. iii. 626 = decumbens. obtusifolia, DC. l. c.; Roem. & Schult. Syst. iv. 71.—Graec.; As. Min.

persica, Boiss. Diagn. Ser. I. vii. 92.—Persia. phanerantha, Viv. Fl. Lib. Spec. 9. t. 1. f. 3.—Afr bor.

## NONNEA:—

philistaea, Boiss. Diagn. Ser. I. xi. 96.—Palestina. picta, Sweet, Hort. Brit. ed. I. 292.—Reg. Caucas.; Soongar.

pulla, DC. Fl. Fr. iii. 626.—Europ.; As. occ.; Ind. or. pulmonarioides, Boiss. & Bal. ex Boiss. Pl. Or. Nov. Dec. ii. 4.—As. Min.

purpurea, Opiz, in Lotos, iii. (1853) 212 = pulla? Reuteriana, Boiss. Diagn. Ser. I. xi. 95.—Hab. ? rosea, Link, Enum. Hort. Berol. i. 167.—Reg. Caucas.

rossica, Stev. in Bull. Soc. Nat. Mosc. xxiv. (1851) i. 572.—Rossia.

rubra, Steud. Nom. ed. II. ii. 198.—Italia. Schultesii, G. Don, Gen. Syst. iv. 338 = phanerantha.

setosa, Roem. & Schult. Syst. iv. 754 = Alkanna lutea. Sibthorpiana, G. Don, Gen. Syst. iv. 336 = alba.

sordida, Fisch. & Mey. Ind. Sem. Hort. Petrop. ii. 43 = picta. stenantha, Opiz, in Lotos, iii. (1853) 213 (Quid ?).—Europ.

stenophylla, Opiz, l. c. ii. (1852) 229 (Quid ?).—Europ. stenosolen, Boiss. & Bal. Diagn. Ser. II. vi. 123.—Cappadoc.

Szovitsiana, Stev. in Bull. Soc. Nat. Mosc. xxiv. (1851) i. 574 = picta.

taurica, Ledeb. Fl. Ross. iii. 112 = pulla. ventricosa, Griseb. Spicil. Fl. Rumel. ii. 93 = alba.

versicolor, Sweet, Hort. Brit. ed. I. 292 = rosea. vesicaria, Reichb. Fl. Germ. Excurs. 338 = decumbens. violacea, Auch. ex A. DC. in DC. Prod. x. 100 = Alkanna tinctoria.

violacea, DC. Fl. Fr. iii. 626 = decumbens. Viviani, A. DC. in DC. Prod. x. 31.—Aegypt.

NONNIA, St. Lag. in Ann. Soc. Bot. Lyon, viii. (1881) 175 = praec.

**NOPALEA**, Salm-Dyck, Cact. Hort. Dyck. ed. II. 63, 233 (1850). *CACTEAE*, Benth. & Hook. f. i. 850.

angustifrons, Lindb. in Act. Soc. Sc. Fenn. x. (1871) 123 = Opuntia leucacantha? Auberi, Salm-Dyck, Cact. Hort. Dyck. ed. II. 64, 233.—Cuba.

coccinellifera, Salm-Dyck, l. c. 64.—Mexic. dejecta, Salm-Dyck, l. c. 64, 233.—Cuba.

**NORANTEA**, Aubl. Pl. Gui. 554. t. 220 (1775). *TERNSTROEMIACEAE*, Benth. & Hook. f. i. 181. ASCIUM, Schreb. Gen. 358 (1789).

SCHWARTZIA, Vell. Fl. Flum. v. t. 84 (1827). adamantium, Cambess. in A. St. Hil. Fl. Bras. Mer. i. 312. t. 62.—Bras.

anomala, H. B. & K. Nov. Gen. et Sp. vii. 218. t. 647 b. —Nicaragua.

aurantiaca, Spruce, ex Wittm. in Mart. Fl. Bras. xii. i. 240 = anomala.

bahiensis, Mart. ex Wittm. l. c. 245 = brasiliensis. Berterii, G. Don, Gen. Syst. i. 624.—Ind. occ.

brasiliensis, Choisy, in DC. Prod. i. 566.—Bras. cacabifera, G. Don, Gen. Syst. i. 625.—Peruv. Caccabion, Delp. in Atti Soc. Ital. Sc. Nat. Milano, xii. (1869) 182 = cacabifera.

cordachida, G. Don, Gen. Syst. i. 625.—Peruv. cuneifolia, Delp. in Atti Soc. Ital. Sc. Nat. Milano, xii. (1869) 182.—Bras.

Delpiniana, Wittm. in Mart. Fl. Bras. xii. i. 236.—Bras. goyasensis, Cambess. in A. St. Hil. Fl. Bras. Mer. i. 313.—Bras.

guianensis, Aubl. Pl. Gui. i. 554. t. 220.—Am. trop. indica, Sweet, Hort. Brit. ed. II. 79, nomen.—Maurit. japurensis, Mart. Nov. Gen. et Sp. iii. 179. t. 295.—Bras.

Jussiaei, Triana & Planch. in Ann. Sc. Nat. Sér. IV. xvii. (1862) 373.—Ind. occ. macrocarpa, G. Don, Gen. Syst. i. 625 = Marcgravia rectiflora.

mixta, Triana & Planch. in Ann. Sc. Nat. Sér. IV. xvii. (1862) 374.—N. Granat. obovata, G. Don, Gen. Syst. i. 625.—Peruv.

oxystilis, Baill. Adansonia, x. (1872) 213.—N. Granat. paraensis, Mart. Nov. Gen. et Sp. iii. 180. t. 296 guianensis.

peduncularis, Poepp. ex Wittm. in Mart. Fl. Bras. xii. i. 238.—Peruv.

## NORANTEA:—

rosea, Mart. ex Wittm. l. c. 243, in obs. = japurensis. Selloi, G. Don, Gen. Syst. i. 624 = cuneifolia, brasiliensis.

sessiliflora, Triana & Planch. in Ann. Sc. Nat. Sér. IV. xvii. (1862) 373 = anomala.

violacea, Poir. Encyc. Suppl. iv. 108 = guianensis. Weddelliana, Baill. Adansonia, x. (1872) 242.—Bolivia.

NORATILEA, Walp. Ann. ii. 760 (1852), sphalm. in syn. = NONATELIA, Roxb. = Lasianthus, Jack (Rubiace.).

NORDMANNIA, Fisch. & Mey. ex C. A. Mey. in Bull. Phys.-Math. Acad. Pétersb. i. (1843) 355 = Daphnopsis, Mart. & Zucc. (Thymel.). tinifolia, Fisch. & Mey. l. c. 357 = D. tinifolia.

NORDMANNIA, Ledeb. ex Nordm. in Bull. Sc. Acad. Pétersb. ii. (1837) 312 = Trachystemon, D. Don (Borag.). cordifolia, Ledeb. ex Nordm. l. c. = T. orientale.

NORISCA, Dyer, in Hook. f. Fl. Brit. Ind. i. 253 (1874), sphalm. = NORYSCA, Spach = Hypericum, Tourn.

NORMANBYA, F. Muell. Fragm. xi. 57, in obs. (1878); Becc. in Ann. Jard. Buitenz. ii. (1885) 91 = Ptychosperma, Labill. (Palm.).

**NORMANDIA**, Hook. f. in Hook. Ic. Pl. t. 1121 (1872). *RUBIACEAE*, Benth. & Hook. f. ii. 139. neo-caledonica, Hook. f. in Hook. Ic. Pl. t. 1121.—N. Caled.

NORMANIA, Lowe, Man. Fl. Mad. ii. 70 (1868) = Solanum, Tourn. triphylla, Lowe, l. c. 87 = S. trisetum.

NORNA, Wahlenb. Fl. Suec. ed. II. 561 (1826) = Calypso, Salisb. (Orchid.). borealis, Wahlenb. l. c. = C. borealis.

NORONHEA, Hook. Bot. Misc. ii. (1831) t. 88, sphalm. = seq.

**NORONHIA**, Stadn. in Thou. Gen. Nov. Madag. 8 (1806). *OLEACEAE*, Benth. & Hook. f. ii. 679. Binia, Roem. & Schult. Syst. i. 72 = emarginata.

Broomeana, Horne, ex Oliver, in Hook. Ic. Pl. t. 1365. —Ins. Maurit.

cernua, G. Don, Gen. Syst. iv. 49 = Olea obtusifolia. chartacea, Stadn. ex Hook. Bot. Misc. ii. (1831) 167 = emarginata.

emarginata, Thou. Gen. Nov. Madag. 8.—Madag.

**NORRISIA**, Gardn. in Hook. Kew Journ. i. (1849) 326. *LOGANIACEAE*, Benth. & Hook. f. ii. 796. malaccensis, Gardn. l. c. 327.—Malacca; Borneo.

NORTA, Adans. Fam. ii. 417 (1763) = Sisymbrium, Tourn. (Crucif.).

juncea, Schur, Enum. Pl. Transs. 54 = S. strictissimum. strictissima, Schur, l. c. = S. strictissimum.

**NORTENIA**, Thou. Gen. Nov. Madag. 9 (1806) Torenia, Linn. (Scrophul.). Thouarsii, Cham. & Schlecht. in Linnaea, iii. (1828) 18 = T. parviflora.

**NORTHEA**, Hook. f. in Hook. Ic. Pl. t. 1473 (1881) *SAPOTACEAE*. seychellana, Hook. f. l. c.—Ins. Seychell.

**NORYSCA**, Spach, in Ann. Sc. Nat. Sér. II. v. (1836) 363 = Hypericum, Tourn. angustifolia, Blume, Mus. Bot. Lugd. Bat. 8. H. lanceolatum.

aurea, Blume, l. c. 23 = H. chinense. calycina, Blume, l. c. 22 = H. calycinum.

cernua, Voigt, Hort. Suburb. Calc. 90 = H. cernuum. chinensis, Spach, Hist. Vég. Phan. 42. H. chinense.

cordifolia, Blume, Mus. Bot. Lugd. Bat. ii. 22. H. cordifolium.



## NORYSCA :—

- coriacea*, Blume, Mus. Bot. Lugd. Bat. ii. 24 = *Hypericum coriaceum*.  
*Hookeriana*, Wight, Illustr. i. 113 = *H. Hookeriana*.  
*javanica*, Blume, Mus. Bot. Lugd. Bat. ii. 24 = *H. patulum*.  
*lanceolata*, Blume, l. c. 22 = *H. lanceolatum*.  
*Leschenaultii*, Blume, l. c. 24 = *H. Hookeriana*.  
*madagascariensis*, Blume, l. c. = *H. madagascariensis*.  
*myrtifolia*, Spach, Hist. Vég. Phan. v. 428 = *H. mysorensis*.  
*mysorensis*, Wight, Ic. t. 56 = *H. mysorensis*.  
*nervosa*, Miq. Fl. Ind. Bat. i. ii. 515 = *H. nervosum*.  
*oblongifolia*, Blume, Mus. Bot. Lugd. Bat. ii. 22 = *H. cernuum*.  
*patula*, Voigt, Hort. Suburb. Calc. 90 = *H. patulum*.  
*punctata*, Blume, Mus. Bot. Lugd. Bat. ii. 23 = *H. chinense*.  
*rorida*, Blume, l. c. 24.—Java.  
*salicifolia*, Blume, l. c. 23 = *H. chinense*.  
*venosa*, Blume, l. c. 22 = *H. calycinum*.

NOSTELIS, Rafin. Sylva Tellur. 76 (1838) = *Satureia*?, Tourn. (Labiata).

- arborea*, Rafin. l. c.—Hab.?  
*minor*, Rafin. l. c.—Hab.?  
*viminea*, Rafin. l. c. = *Micromeria obovata*.

NOTANTHERA, G. Don, Gen. Syst. iii. 428 (1834) = *Loranthus*, Linn.

- acuminatus*, G. Don, l. c. 429 = *L. acuminatus*.  
*anceps*, G. Don, l. c. 430 = *L. oblongo-ellipticus*.  
*attenuatus*, G. Don, l. c. = *L. attenuatus*.  
*buxifolius*, G. Don, l. c. 429 = *L. buxifolius*.  
*caesius*, G. Don, l. c. 428 = *L. caesius*.  
*conduplicatus*, G. Don, l. c. 430 = *L. conduplicatus*.  
*ellipticus*, G. Don, l. c. 429 = *L. ellipticus*.  
*grandiflorus*, G. Don, l. c. 428 = *L. grandiflorus*, Ruiz & Pav.  
*heterophyllus*, G. Don, l. c. 429 = *L. heterophyllus*.  
*lanceolatus*, G. Don, l. c. 430 = *L. lancifolius*.  
*ligustrifolius*, G. Don, l. c. 429 = *L. ligustrifolius*.  
*longibracteatus*, G. Don, l. c. 428 = *L. longibracteatus*.  
*orbicularis*, G. Don, l. c. 429 = *L. orbicularis*.  
*ovatus*, G. Don, l. c. 430 = *L. ovatus*.  
*oxyphyllus*, G. Don, l. c. = *L. oxyphyllus*.  
*Poeppigii*, G. Don, l. c. 428 = *L. Poeppigii*.  
*Pohlil*, G. Don, l. c. = *L. Pohlil*.  
*radicans*, G. Don, l. c. 429 = *L. radicans*.  
*salicifolius*, G. Don, l. c. = *L. salicifolius*.  
*sarmentosus*, G. Don, l. c. = *L. sarmentosus*.  
*Sellowianus*, G. Don, l. c. = *L. Sellowianus*.  
*Sternbergianus*, G. Don, l. c. 428 = *L. Sternbergianus*.  
*suaveolens*, G. Don, l. c. 430 = *L. suaveolens*.  
*vetulus*, G. Don, l. c. 429 = *L. vetulus*.  
*verticillatus*, G. Don, l. c. 428 = *L. verticillatus*, Ruiz & Pav.

NOTARISIA, Pestal. ex Cesati, in Bot. Zeit. xiv. (1856) 531 = *Ricotia*, Linn. (Crucif.).

*securigera*, Pestal. ex Cesati, l. c. = *R. Pestalotiana*.

NOTELAEAE, Vent. Choix, 25. t. 25 (1803). *OLEACEAE*, Benth. & Hook. f. ii. 678.

- HENSLOWIA*, Lowe, ex DC. Prod. viii. 288 (1844).  
*PICCONIA*, DC. l. c. (1844).  
*POSTUERA*, Rafin. Sylva Tellur. 10 (1838).  
*RHYSOSPERMUM*, Gaertn. f. Fruct. iii. 232. t. 224 (1805).  
*austro-caledonica*, Vieill. in Bull. Soc. Linn. Normand. ix. (1865) 345.—N. Caled.  
*Badula*, Vieill. ex Panch. & Sebert, Not. Bois Nouv. Caled. 184.—N. Caled.  
*excelsa*, Webb & Bert. Phyt. Canar. iii. 163.—Ins. Canar.  
*flavicans*, A. Dietr. Sp. Pl. i. 246.—Hab.?  
*lanceolata*, Teijsm. & Binn. in Tijdschr. Nederl. Ind. xxvii. (1864) 33.—Java.  
*laurifolia*, Kunth, Ind. Sem. Hort. Berol. (1846) 12.—N. Zel.  
*ligustrina*, Sieber, ex Benth. in DC. Prod. x. 191 = *Duboisia myoporoides*.  
*ligustrina*, Vent. Choix, sub t. 25.—Austral.  
*linearis*, Benth. Fl. Austral. iv. 300.—Austral.  
*longifolia*, Vent. Choix, 25. t. 25.—Austral.  
*microcarpa*, R. Br. Prod. 524.—Austral.  
*nervosa*, Steud. Nom. ed. II. ii. 198.—Austral.

## NOTELAEAE :—

- ovata*, R. Br. Prod. 524.—Austral.  
*ovata*, Endl. Iconog. t. 55 = *longifolia*.  
*Posna*, D. Don, Prod. Fl. Nep. 107 (Linocierae sp. ?).—Nepal.  
*punctata*, R. Br. Prod. 524.—Austral.  
*punctata*, A. Cunn. ex DC. Prod. viii. 291 = *longifolia*.  
*reticulata*, DC. l. c. = *longifolia*.  
*rigida*, Desf. Hist. Arb. i. 120 = *longifolia*.  
*rostrata*, Teijsm. & Binn. Cat. Hort. Bogor. 122.—Java.  
*venosa*, F. Muell. in Trans. Vict. Inst. (1855) 131 = *longifolia*.  
*zeylanica*, Gardn. ex Thw. Enum. Pl. Zeyl. 188 = *Olea polygama*.  
*Zollingeriana*, Teijsm. & Binn. in Tijdschr. Nederl. Ind. xxvii. (1864) 33 = *Olea maritima*.

NOTEROPHILA, Mart. Nov. Gen. et Sp. iii. 110. t. 254 (1829) = *Acisanthera*, P. Br. (Melastom.).

- Beccabunga*, Mart. in Flora, xxiv. (1841) ii. Beibl. 69 = *A. brevifolia*.  
*brevifolia*, Naud. in Ann. Sc. Nat. Sér. III. xii. (1849) 280 = *A. trivalvis*.  
*inundata*, Mart. Nov. Gen. et Sp. iii. 111. t. 254 = *A. inundata*.  
*inundata*, Naud. in Ann. Sc. Nat. Sér. III. xii. (1849) 279 = *A. limnobios*.  
*limnobios*, Cham. in Linnaea, ix. (1834) 385 = *A. fluitans*.  
*limnobios*, Mart. Nov. Gen. et Sp. iii. 112 = *A. limnobios*.  
*pusilla*, Naud. in Ann. Sc. Nat. Sér. III. xii. (1849) 281. t. 13. f. 1 = *A. limnobios*.  
*tetramera*, Naud. l. c. 280 = *A. tetramera*.

NOTHAPHOEBE, Blume, Mus. Bot. Lugd. Bat. i. 328 (1851) = *Alseodaphne*, Nees (Laurin.).

- canescens*, Blume, l. c. 329.—Sumatra.  
*chartacea*, Blume, l. c. 328.—Java.  
*cuneata*, Blume, l. c.—Malaya.  
*falcata*, Blume, l. c. 329.—Sumatra.  
*macrocarpa*, Meissn. in DC. Prod. xv. i. 227 = *cuneata*.  
*macrophylla*, Blume, Mus. Bot. Lugd. Bat. i. 329.—Malaya.  
*petiolaris*, Meissn. in DC. Prod. xv. i. 59.—Assam.  
*spathulata*, Meissn. l. c. 58.—Java.  
*superba*, Blume, Mus. Bot. Lugd. Bat. i. 329.—Malaya.  
*umbelliflora*, Blume, l. c. 328.—Malaya.

NOTHAPODYTES, Blume, Mus. Bot. Lugd. Bat. i. 248 (1850) = *Apodytes*, E. Mey. (Olacina.).

*montana*, Blume, l. c.—Java.

NOTHITES, Cass. in Dict. Sc. Nat. xxxv. 163 (1825) = *Stevia*, Cav. (Compos.).

- angustifolia*, Cass. l. c. 164 = *S. satyriaefolia*.  
*baccharidea*, DC. Prod. v. 187 = *Ophryosporus triangularis*.  
*breviflora*, Cass. in Dict. Sc. Nat. xxxv. 165.—Bras.  
*latifolia*, Cass. l. c. 163 = *melissaefolia*.  
*melissaefolia*, DC. Prod. v. 186.—Peruv.  
*ovatifolia*, DC. l. c. 187 = *Ophryosporus ovatifolius*.  
*petiolata*, Cass. in Dict. Sc. Nat. xxxv. 166.—Peruv.  
*satureiaefolia*, DC. Prod. v. 186 = *S. satyriaefolia*.

NOTHOCESTRUM, A. Gray, in Proc. Am. Acad. vi. (1862) 48. *SOLANACEAE*, Benth. & Hook. f. ii. 894.

- breviflorum*, A. Gray, l. c. 49.—Ins. Sandvic.  
*latifolium*, A. Gray, l. c. 48.—Ins. Sandvic.  
*longifolium*, A. Gray, l. c.—Ins. Sandvic.  
*subcordatum*, H. Mann, l. c. vii. (1867) 191.—Ins. Sandvic.

NOTHOCNESTIS, Miq. Fl. Ind. Bat. Suppl. 530 (1860) = *Kurrimia*, Wall. (Celastr.).

*sumatrana*, Miq. l. c. 531 = *K. pulcherrima*.

NOTHOCNIDE, Blume, Mus. Bot. Lugd. Bat. ii. 137, in nota, t. 14 [1856] = *Pipturus*, Wedd. (Urtic.).

*repanda*, Blume, l. c. t. 14 = *P. repandus*.

NOTHODERRIS, Blume, ex Miq. Fl. Ind. Bat. i. i. 148 (1855) = *Derris*, Lour. (Legumin.).

- elliptica*, Blume, l. c. = *D. elliptica*.  
*glaucescens*, Blume, l. c. 149 = *D. elliptica*.  
*purpurea*, Blume, l. c. = *D. elliptica*.

NOTHOFAGUS, Blume, Mus. Bot. Lugd. Bat. i. 307 (1850) = *Fagus*, Tourn. (Cupulif.).

- alpina*, Oerst. in Vidensk. Selsk. Skr. V. ix. (1873) 354 = *F. alpina*.  
*antarctica*, Oerst. l. c. = *F. antarctica*.  
*betuloides*, Blume, Mus. Bot. Lugd. Bat. i. 307 = *F. betuloides*.  
*cliffortioides*, Oerst. in Vidensk. Selsk. Skr. V. ix. (1873) 355 = *F. cliffortioides*.  
*Cunninghamii*, Oerst. l. c. = *F. Cunninghamii*.  
*Dombeyi*, Blume, Mus. Bot. Lugd. Bat. i. 307 = *F. Dombeyi*.  
*dubia*, Blume, l. c. = *F. betuloides*.  
*fusca*, Oerst. in Vidensk. Selsk. Skr. V. ix. (1873) 355 = *F. fusca*.  
*Gunnii*, Oerst. l. c. 354 = *F. Gunnii*.  
*Menziesii*, Oerst. l. c. 355 = *F. Menziesii*.  
*obliqua*, Blume, Mus. Bot. Lugd. Bat. i. 307 = *F. obliqua*.  
*procera*, Oerst. in Vidensk. Selsk. Skr. V. ix. (1873) 354 = *F. procera*.  
*Solanderi*, Oerst. l. c. 355 = *F. Solandri*.

NOTHOLIRION, Wall. ex Voigt, Hort. Suburb. Calc. 654 (1845) = *Lilium*, Tourn.

- macrophyllum*, Boiss. Fl. Orient. v. 190 = *L. roseum*.  
*roseum*, Wall. ex Voigt, Hort. Suburb. Calc. 654 = *L. roseum*.

NOTHONIA, Endl. Ench. 245 (1841) = *Notonia*, DC. (Compos.).NOTHOPANAX, Miq. Fl. Ind. Bat. i. i. 765 (1855) = *Panax*, Linn. (Araliac.).

- anisum*, Miq. l. c. 766 = *P. anisum*.  
*anomalum*, Seem. Journ. Bot. iv. (1866) 296 = *P. anomalum*.  
*arborescens*, Seem. l. c. = *P. arborescens*.  
*cephalobotrys*, Seem. l. c. = *P. cephalobotrys*.  
*cochleatum*, Miq. Fl. Ind. Bat. i. i. 766 = *P. cochleatum*.  
*Colensoi*, Seem. in Journ. Bot. iv. (1866) 296 = *P. Colensoi*.  
*Cumingii*, Seem. Fl. Vit. 114 = *P. Cumingianum*.  
*elegans*, Seem. l. c. = *P. elegans*.  
*farinosum*, Seem. Journ. Bot. iv. (1866) 295 = *P. pinnatum*.  
*fruticosum*, Miq. Fl. Ind. Bat. i. i. 765 = *P. fruticosum*.  
*Gunnii*, Seem. Journ. Bot. iv. (1866) 296 = *P. Gunnii*.  
*Macgillivrayi*, Seem. Fl. Vit. 114 = *P. Macgillivrayi*.  
*molle*, Seem. Journ. Bot. iv. (1866) 295 = *P. molle*.  
*multijugum*, Seem. Fl. Vit. 115, 114 = *P. multijugum*.  
*Murrayi*, Seem. l. c. 114 = *P. Murrayi*.  
*obtusum*, Miq. Fl. Ind. Bat. i. i. 766 = *P. obtusum*.  
*pinnatum*, Miq. l. c. = *Arthropodium pinnatum*.  
*sambucifolium*, C. Koch, in C. Koch & Fint. Wochenschr. ii. (1859) 77 = *P. sambucifolium*.  
*samoense*, Seem. Fl. Vit. 116 = *P. samoense*.  
*Schimperii*, C. Koch, in C. Koch & Fint. Wochenschr. ii. (1859) 78 = *P. pinnatum*.  
*simplex*, Seem. Journ. Bot. iv. (1866) 296 = *P. simplex*.  
*Sinclairii*, Seem. l. c. = *P. Sinclairii*.  
*trichocleatum*, Miq. Fl. Ind. Bat. Suppl. 340 = *Polyscias pinnata*.  
*Zippelianum*, Seem. Fl. Vit. 115 = *P. Zippelianum*.

NOTHOPEGIA, Blume, Mus. Bot. Lugd. Bat. i. 203 (1850). *ANACARDIACEAE*, Benth. & Hook. f. i. 425.

- GLYCYCARPUS*, Dalz. in Journ. As. Soc. Bomb. iii. (1849) 69.  
*aureo-fulva*, Bedd. ex Hook. f. Fl. Brit. Ind. ii. 40.—Ind. or.  
*Colebrookiana*, Blume, Mus. Bot. Lugd. Bat. i. 203.—Ind. or.  
*travancorica*, Bedd. ex Hook. f. Fl. Brit. Ind. ii. 40.—Ind. or.

NOTHOPROTIIUM, Miq. Fl. Ind. Bat. Suppl. 527 (1860). *BURSERACEAE*, Benth. & Hook. f. i. 326.

*sumatranum*, Miq. l. c.—Sumatra.

NOTHOSAERVA, Wight, Ic. vi. 1 (1853). *AMARANTACEAE*, Benth. & Hook. f. iii. 34.

- PSEUDANTHUS*, Wight, Ic. v. 3. t. 1776 bis B (1852).  
*brachiata*, Wight, Ic. vi. 1.—Ind. or.; Burma; Afr. trop.



**NOTHOSCORDUM**, Kunth, Enum. Pl. iv. 457 (1848). *LILIACEAE*, Benth. & Hook. f. iii. 802. **CALOSCORDUM**, Herb. in Bot. Reg. (1844) Misc. 66. **HELSPEROCLES**, Salisb. Gen. Pl. Fragm. 85 (1866). **OLIGOSMA**, Salisb. l. c. (1866). **PSEUDOSCORDUM**, Herb. Amaryll. 11 (1837), nomen prius. *andicolum*, Kunth, Enum. Pl. iv. 463 = *Milla andicola*. *aureum*, Hook. f. Bot. Mag. t. 5896 = *Bloomeria aurea*. *borbonicum*, Kunth, Enum. Pl. iv. 462 = *fragrans*. *euosmum*, Kunth, l. c. 460 = *striatum*. *flavescens*, Kunth, l. c. 459 = *striatum*. *fragrans*, Kunth, l. c. 461.—Am. bor.; Mexic.; Afr.; Maurit. *Gaudichaudianum*, Kunth, l. c. 458 = *Allium Sellovianum*. *macrostemum*, Kunth, l. c. 463 = *Milla macrostemum*. *neriniflorum*, Benth. & Hook. f. Gen. iii. 802.—China. *ornithogaloides*, Kunth, Enum. Pl. iv. 460 = *striatum*. *Philippianum*, Kunth & Bouché, Ind. Sem. Hort. Berol. (1853) 17.—Chili. *Poiretii*, Kunth, Enum. Pl. iv. 464.—Reg. Argent. *pulchellum*, Kunth, l. c. 458 = *striatum*. *Sellowianum*, Kunth, l. c. 460 = *Allium Sellovianum*. *siculum*, Hort.—Cf. Gard. Chron. (1884) II. 174 = *Nectaroscordum siculum*. *striatellum*, Kunth, Enum. Pl. iv. 458 = *striatum*. *striatum*, Kunth, l. c. 459.—Am. bor.; Mexic. *strictum*, C. Gay, Fl. Chil. vi. 114 = *praece.* *subbiflorum*, Walp. Ann. iii. 636 = *Allium subbiflorum*. *Sulvia*, Kunth, Enum. Pl. iv. 462 = *fragrans*.

**NOTHOSMYRNIUM**, Miq. Ann. Mus. Bot. Lugd. Bat. iii. 58 (1867). *UMBELLIFERAE*. *japonicum*, Miq. l. c.—Japan.

**NOTHOSPARTIUM**, Pritz. Ic. Ind. ii. 195 (1806) = **Notospartium**, Hook. f. (Legumin.).

**NOTHOSPERMUM**, Hort. ex Gard. Chron. (1883) II. 54 = **Notospartium**, Hook. f. (Legumin.).

**NOTHRIA**, Berg. Desc. Pl. Cap. 171 (1767) = **Frankenia**, Linn. *capensis*, J. F. Gmel. Syst. 1012 = *F. hirsuta*. *hirsuta*, Steud. Nom. ed. I. 556 = *F. hirsuta*. *repens*, Berg. Desc. Pl. Cap. 171 = *F. hirsuta*.

**NOTICASTRUM**, DC. Prod. v. 279 (1836) = **Aster**, Tourn. (Compos.). *adscendens*, DC. l. c. = *A. marginatus*. *album*, Phil. in Anal. Univ. Chil. (1865) II. 317.—Chili. *antucense*, Phil. in Linnaea, xxx. (1859–60) 192.—Chili. *erectum*, Remy, in C. Gay, Fl. Chil. iv. 19.—Chili. *eriphorum*, Remy, l. c. 20 = *Leucopsis sericea*. *Haplopappus*, Remy, l. c. = *Leucopsis sericea*. *Philippii*, Sch. Bip. in Bonplandia, iv. (1856) 54, nomen.—Peruv. *pradense*, Phil. in Linnaea, xxxiii. (1864–65) 130 = *A. pradensis*. *sericeum*, Less. ex Phil. l. c.—Chili.

**NOTIOPHRYS**, Lindl. in Journ. Linn. Soc. i. (1857) 189 = **Platylepis**, A. Rich. (Orchid.). *Commelynae*, Lindl. l. c. = *P. Commelynae*. *glandulosa*, Lindl. l. c. vi. (1862) 138 = *P. glandulosa*. *occulta*, Lindl. l. c. i. (1857) 189 = *P. goodyeroides*.

**NOTOBASIS**, Cass. in Dict. Sc. Nat. xxv. 225 (1822); xxxv. 170 (1825) = **Cnicus**, Tourn. (Compos.). *syriaca*, Cass. II. cc. = *C. syriacus*.

**NOTOBUXUS**, Oliver, in Hook. Ic. Pl. xiv. 78. t. 1400 (1882). *EUPHORBACEAE*, Benth. & Hook. f. iii. 1222. *natalensis*, Oliver, l. c.—Afr. austr.

**NOTOCENTRUM**, Naud. in Ann. Sc. Nat. Sér. III. xviii. (1852) 131 = **Meriania**, Sw. (Melastom.). *arborescens*, Naud. l. c. = *M. arborea*.

**NOTOCERAS**, R. Br. in Ait. Hort. Kew. ed. II. iv. 117 (1812). *CRUCIFERAE*, Benth. & Hook. f. i. 71. *DICERATIUM*, Lag. Elench. Madr. 20 (1815); Gen. et Sp. Nov. 20 (1816).

**NOTOCERAS** :—*bicornis*, Amo, Fl. Iber. vi. 536 = *canariense*. *canariense*, R. Br. in Ait. Hort. Kew. ed. II. iv. 117.—Reg. Mediterr.; Oriens; Ind. bor. occ. *canescens*, Walp. Rep. i. 124 = *Diceratella canescens*. *cardaminaefolium*, DC. Syst. ii. 205 = *Andrzeiowska Cardamine*. *floccosum*, Walp. Rep. i. 124 = *Diceratella floccosa*. *hispanicum*, DC. Syst. ii. 204 = *canariense*. *quadricorne*, DC. l. c. = *Tetracme quadricornis*. *Sibthorpii*, Spreng. Syst. ii. 894 = *Mathiola bicornis*. *sinuata*, Franch. in Revoil, Comali, 9.—Afr. trop.

**NOTOCHAETE**, Benth. in Wall. Pl. As. Rar. i. 63 (1830). *LABIATAE*, Benth. & Hook. f. ii. 1215. *hamosa*, Benth. in Wall. Pl. As. Rar. i. 63.—Reg. Himal.

**NOTOCLES**, Salisb. Gen. Pl. Fragm. 54 (1866) = **Iphigenia**, Kunth (Liliac.). *indica*, Salisb. l. c. = *I. indica*.

**NOTONEMA**, Rafin. Neogenyt. 4 (1825) = **Agrostis**, Linn. (Gramin.). *arachnoides*, Rafin. l. c. = *A. arachnoides*.

**NOTONERIUM**, Benth. in Benth. & Hook. f. Gen. ii. 698 (1876). *APOCYNACEAE*, Benth. & Hook. f. l. c. *Gosseii*, Benth. in Hook. Ic. Pl. t. 1180.—Austral.

**NOTONIA**, DC. in Guill. Arch. Bot. ii. (1833) 518. *COMPOSITAE*, Benth. & Hook. f. ii. 446. *abyssinica*, A. Rich. Tent. Fl. Abyss. i. 444 (al. gen. ?).—Abyssin. *balsamica*, Dalz. & Gibs. Bomb. Fl. 133.—Ind. or. *coccinea*, Oliver & Hiern, in Oliver, Fl. Trop. Afr. iii. 407.—Afr. trop. *corymbosa*, DC. Prod. vi. 442 = *grandiflora*. *crassissima*, DC. l. c. = *Burma*. *crassissima*, Sch. Bip. ex Hook. f. Fl. Brit. Ind. iii. 337 = *grandiflora*. *grandiflora*, DC. in Guill. Arch. Bot. ii. (1833) 518.—Ind. or. *Grantii*, Oliver & Hiern, in Oliver, Fl. Trop. Afr. iii. 407.—Afr. trop. *Hildebrandtii*, Vatke, in Oestr. Bot. Zeitschr. xxvii. (1877) 197 = *abyssinica*. *kleinioides*, Sch. Bip. in Schweinf. Beitr. Fl. Aethiop. 151 = *Senecio kleinioides*. *Schweinfurthii*, Oliver & Hiern, in Oliver, Fl. Trop. Afr. iii. 407.—Afr. trop. *semperviva*, Aschers. in Schweinf. Beitr. Fl. Aethiop. 152 = *trachycarpa*. *trachycarpa*, Klotzsch, in Sitzb. Acad. Wien, Math.-Nat. II. Abth. II. (1865) 370.—Afr. trop. *Walkerii*, C. B. Clarke, Comp. Ind. 176.—Ind. or.

**NOTONIA**, Wight & Arn. Prod. 207 (1834) = **Glycine**, Linn. (Legumin.). *Wightii*, Wight & Arn. l. c. = *G. javanica*.

**NOTOPHAENA**, Miers, in Ann. & Mag. Nat. Hist. Ser. III. v. (1860) 267 = **Discaria**, Hook. (Rhamn.). *andina*, Miers, l. c. 272.—Chili. *cognata*, Miers, l. c. 270.—Chili. *discolor*, Miers, l. c. = *Colletia discolor*. *foliosa*, Miers, l. c. 269 = *Colletia discolor*. *magellanica*, Miers, l. c. 271.—Reg. Magellan. *serratifolia*, Miers, l. c. 268 = *D. serratifolia*. *tomentosa*, Miers, l. c. 271 = *Colletia tomentosa*. *Toumatou*, Miers, l. c. = *D. Toumatou*.

**NOTOPHILUS**, Fourr. in Ann. Soc. Linn. Lyon, N. S. xvi. (1868) 325 = **Ranunculus**, Tourn. *muricatus*, Fourr. l. c. = *R. muricatus*. *parviflorus*, Fourr. l. c. = *R. parviflorus*. *vulgaris*, Fourr. l. c. = *R. sardous*.

**NOTOPORA**, Hook. f. in Hook. Ic. Pl. t. 1159 (1873). *VACCINIACEAE*, Benth. & Hook. f. ii. 567. *Schomburgkii*, Hook. f. in Hook. Ic. Pl. t. 1159.—Guian.

**NOTOSCEPTRUM**, Benth. in Benth. & Hook. f. Gen. iii. 775 (1883). *LILIACEAE*, Benth. & Hook. f. l. c. *aloides*, Benth. l. c.—Afr. austr. *angolense*, Benth. l. c.—Afr. trop. *benguellense*, Benth. l. c.—Afr. trop.

**NOTOSPARTIUM**, Hook. f. in Hook. Kew Journ. ix. (1857) 176. t. 3. *LEGUMINOSAE*, Benth. & Hook. f. i. 502. *Carmichaeliae*, Hook. f. in Hook. Kew Journ. ix. (1857) 176. t. 3.—N. Zel. *Exsul*, F. Muell. Fragm. vii. 126 = *Carmichaelia Exsul*.

**NOTOTHIXOS**, Oliver, in Journ. Linn. Soc. vii. (1864) 103. *LORANTHACEAE*, Benth. & Hook. f. iii. 214. *cornifolius*, Oliver, l. c.—Austral. *floccosus*, Oliver, l. c. 104.—Zeylan. *incanus*, Oliver, l. c.—Austral. *subaureus*, Oliver, l. c. 103.—Austral.

**NOTOTHLASPI**, Hook. f. in Benth. & Hook. f. Gen. i. 90 (1862). *CRUCIFERAE*, Benth. & Hook. f. l. c. *australe*, Hook. f. Handb. N. Zeal. Fl. 15.—N. Zel. *notabile*, J. Buch. in Trans. N. Z. Inst. xiv. (1882) 344.—N. Zel. *rosulatum*, Hook. f. Handb. N. Zeal. Fl. 15.—N. Zel.

**NOTOTRICHE**, Turcz. in Bull. Soc. Nat. Mosc. xxxvi. (1863) i. 567 = **Malvastrum**, A. Gray (Malvac.). *cheilanthifolia*, Turcz. l. c.—Bolivia. *discolor*, Turcz. l. c.—Bolivia. *incana*, Turcz. l. c. 568.—Bolivia. *incisa*, Turcz. l. c.—Bolivia.

**NOTYLIA**, Lindl. Bot. Reg. sub t. 930 (1825). *ORCHIDEEAE*, Benth. & Hook. f. iii. 586. *TRIDACHNE*, Liebm. ex Lindl. & Paxt. Flow. Gard. iii. (1852–53) 45. *albida*, Klotzsch, in Otto & Dietr. Allg. Gartenz. xix (1851) 281.—Am. centr. *amazonica*, Linden, Illustr. Hort. xxix. (1882) 83, nomen.—Bras. *Arachnites*, Reichb. f. in Nederl. Kruidk. Arch. iv. (1859) 326.—Bolivia. *aromatica*, Barker, ex Lindl. Bot. Reg. (1841) Misc. 40.—Guian. *Barkeri*, Lindl. l. c. (1838) Misc. 90.—Mexic. *bicolor*, Lindl. in Benth. Pl. Hartw. 93.—Guatemala. *bipartita*, Reichb. f. Xenia Orch. i. 47.—Mexic. *cardioglissa*, Reichb. f. l. c. 49.—Guian. *fragrans*, H. C. Focke, in Bot. Zeit. xi. (1853) 342.—Guian. *hemitricha*, Rodrig. Orch. Nov. ii. 223.—Bras. *Huegelii*, Fenzl, in Denkschr. Akad. Wien. Math.-Nat. ii. (1850) II. 255.—Mexic. *incurva*, Lindl. Bot. Reg. (1838) Misc. 90.—Ins. Trinit. *inversa*, Rodrig. Orch. Nov. ii. 223.—Bras. *laxa*, Reichb. f. in Gard. Chron. (1881) II. 620.—Bras. *laxiflora*, Westcott, in Phytologist, i. (1841) 55.—Bras. *micrantha*, Lindl. Bot. Reg. (1838) Misc. 90.—Guian. *multiflora*, Hook. Lond. Journ. Bot. iii. (1844) 315. t. 10.—Mexic. *multiflora*, Lindl. Bot. Reg. sub t. 930.—N. Granat. *nemorosa*, Rodrig. Orch. Nov. ii. 224.—Bras. *odontonotos*, Reichb. f. & Warm. in Otia Bot. Hamb. 87.—Bras. *orbicularis*, A. Rich. & Gal in Ann. Sc. Nat. Sér. III. iii. (1845) 26.—Mexic. *pentachne*, Reichb. f. in Bonplandia, ii. (1854) 90. Venezuela. *pubescens*, Lindl. Bot. Reg. (1842) Misc. 62.—Bras. *punctata*, Lindl. l. c. sub t. 930.—Ins. Trinit. *replicata*, Linden, Illustr. Hort. xxix. (1882) 83 nomen.—Bras. *sagittifera*, Hook. Lond. Journ. Bot. iii. (1844) 316 = *multiflora*, Lindl. *stenantha*, Reichb. f. in Hamb. Gartenz. xxi. 1861 299.—Bras. *tamaulipensis*, Reichb. f. l. c. xvi. (1860) 281.—Mexic. *tenuis*, Lindl. Bot. Reg. (1838) Misc. 90.—Guian. *Tridachne*, Lindl. & Paxt. Flow. Gard. iii. 1852–53 45 = *Huegelii*. *trisepala*, Lindl. & Paxt. l. c.—Costa Rica. *Wulfschlaegelia*, H. C. Focke, in Bot. Zeit. xi. 1853 343.—Guian.

**NOVATILEA**, Wight, in Calc. Journ. Nat. Hist. (1846) 503. sphalm. = **NOVATELIA**, Roxb. **Lasianthus**, Jack (Rubiace.).



NOVELLA, Rafin. Sylva Tellur. 39 (1838) = **Cordia**, Linn. (Borag.).  
*nigra*, Rafin. l. c. = *C. subcordata*.

NOWODWORSKYA, J. & C. Presl, Rel. Haenk. i. 351 (1830) = **Polypogon**, Desf. (Gramin.).  
*agrostoides*, J. & C. Presl, l. c. = *P. elongatus*.  
*imberbis*, Phil. in Anal. Univ. Chil. (1873) 562.—Chili.

NOYERA, Tréc. in Ann. Sc. Nat. Sér. III. viii. (1847) 135. t. 5. **URTICACEAE**, Benth. & Hook. f. iii. 373.  
*NAUCLEOPSIS*, Miq. in Mart. Fl. Bras. iv. i. 120. t. 35 (1853).  
*OGCODEIA*, Bur. in DC. Prod. xvii. 282 (1873).  
*ONCODEIA*, 'Bur.' emend. a Benth. & Hook. f. Gen. iii. 373 (1880).  
*rubra*, Tréc. in Ann. Sc. Nat. Sér. III. viii. (1847) 136.—Guian.

NUBIGENA, Rafin. Sylva Tellur. 23 (1838) = **Cytisus**, Linn. (Legumin.).  
*tenerifa*, Rafin. l. c. = *C. fragrans*.

NUDILUS, Rafin. Atl. Journ. 176 (1833) = **Forestiera**?, Poir. (Oleac.).  
*paradoxus*, Rafin. l. c. = *C. Texas*.

NUFAR, Wallr. Beitr. Fl. Hercyn. 212 (1840) = **Nuphar**, Sibth. & Sm. (Nymph.).

NUMISAUREUM, Rafin. Fl. Tellur. iii. 32 (1836) = **Linum**, Tourn.  
*acuminatum*, Rafin. l. c. = *Reinwardtia tetragyna*.  
*petiolatum*, Rafin. l. c. = *L. gallicum*.  
*repens*, Rafin. l. c., nomen = *Reinwardtia trigyna*?

NUMMULARIA, Riv. ex Rupp. Fl. Jen. ed. Hall. 18 (1745) = **Lysimachia**, Tourn. (Primul.).  
*centimorbia*, Fourr. in Ann. Soc. Linn. Lyon, N. S. xvii. (1869) 115 = *L. Nummularia*.  
*prostrata*, Opiz, Seznam, 68 = *L. Nummularia*.  
*repens*, Gilib. Fl. Lituan. i. 29 = *L. Nummularia*.  
*sylvatica*, S. F. Gray, Nat. Arr. Brit. Pl. ii. 300 = *L. nemorum*.

NUMULARIA, Gilib. Fl. Lituan. i. 29 (1781) = *præc.*

NUNNEZHARIA, Ruiz & Pav. Prod. 147. t. 31 (1794) = **Chamaedorea**, Willd. (1805) (Palm.).  
*fragrans*, Ruiz & Pav. Syst. Veg. 294 = *C. fragrans*.  
*geonomaeformis*, Hook. f. Bot. Mag. t. 6088 = *C. geonomaeformis*.  
*geonomoides*, Spruce, in Journ. Linn. Soc. xi. (1871) 122 = *C. geonomoides*.  
*tenella*, Hook. f. Bot. Mag. t. 6584 = *C. tenella*.

NUNNEZIA, Willd. Sp. Pl. iv. 1154 (1805) = **Chamaedorea**, Willd. (Palm.).  
*fragrans*, Willd. l. c. = *C. fragrans*.

NUPHAR, Sibth. & Sm. Fl. Graec. Prod. i. 361 [1808]. **NYMPHAEACEAE**, Benth. & Hook. f. i. 66.

*NYMPHOZANTHUS*, Rich. in Ann. Mus. Par. xvii. (1811) 230.

*ROPALON*, Rafin. New Fl. Am. ii. 17 (1836).  
*advena*, Ait. Hort. Kew. ed. II. iii. 295.—Am. bor.  
*americanum*, Provanch. Fl. Canad. 28 = *advena*.  
*intermedium*, Ledeb. Fl. Alt. ii. 274.—Sibir. altaic.  
*japonicum*, DC. Syst. ii. 62.—Japon.  
*Kalmianum*, Ait. Hort. Kew. ed. II. iii. 295 = *minimum*.

*latifolium*, Steud. Nom. ed. II. ii. 199, sphalm. = seq. *longifolium*, Sm. in Rees, Cycl. xxv. n. 5 = *sagittae-folium*.

*luteum*, Sibth. & Sm. Fl. Graec. Prod. i. 361.—Reg. bor. temp.

*minimum*, Sm. Engl. Bot. t. 2292.—Europ.; Am. bor. *minus*, Dum. Fl. Belg. Prod. 131 = *minimum*?  
*polysepalum*, Engelm. in Trans. Acad. Sc. St. Louis, ii. (1866) 282.—Am. bor. occ.

*pumilum*, DC. Syst. ii. 61 = *minimum*.  
*rivulare*, Dum. in Bull. Soc. Bot. Belg. iii. (1864) 5 = *luteum*.

**NUPHAR** :—

*sagittae-folium*, Pursh, Fl. Am. Sept. ii. 370.—Am. bor.

*sericeum*, Láng, in Syll. Ratisb. i. (1824) 180 = *luteum*.

*spathuliferum*, Reichb. Pl. Crit. ii. 10 = *luteum*.  
*Spennerianum*, Gaud. Fl. Helv. iii. 439 = *minimum*.

*systylum*, Wallr. Beitr. Fl. Hercyn. 212 = *luteum*.  
*tenellum*, Reichb. Pl. Crit. ii. 10 = *luteum*.

*tomentosum*, Nutt. ex Torr. & Gray, Fl. N. Am. i. 58 = *advena*.

*variegatum*, Engelm. ex Clinton, 19th Rep. N. York St. Univ. 73; ex S. Wats. Bibl. Ind. N. Am. Bot. 37 = *advena*.

NUTTALLA, Rafin. in Am. Monthly Mag. (1818) 175 = **Bartonia**?, Muhl. (Gentian.).

NUTTALLIA, Barton, Fl. N. Am. ii. 74. t. 62 (1822) = **Callirhoe**, Nutt. (Malvac.).

*ambigua*, Croom, in Am. Journ. Sc. Ser. I. xxvi. (1834) 313 = *C. Papaver*.

*cordata*, Lindl. Bot. Reg. t. 1938 = *C. digitata*.  
*cordifolia*, Nutt. in Journ. Acad. Philad. vii. (1834) 98 = *C. triangulata*.

*digitata*, Barton, Fl. N. Am. ii. 74. t. 62 = *C. digitata*.  
*grandiflora*, Paxt. Mag. Bot. v. (1838) 217 = *C. Papaver*.

*involuta*, Nutt. ex Torr. in Ann. Lyc. N. York, ii. (1828) 172 = *C. involutata*.

*malvaeflora*, Fisch. Mey. & Trautv. Ind. Sem. Hort. Petrop. iii. 41 = *Sidalcea malvaeflora*.

*Munroana*, Nutt. in Journ. Acad. Philad. vii. (1834) 16 = *Sphaeralcea Munroana*.

*palmata*, Torr. in Ann. Lyc. N. York, ii. (1828) 171, sphalm. pro *pedata*.

*Papaver*, R. Grah. in Bot. Mag. t. 3287 = *C. Papaver*.  
*pedata*, Nutt. ex Hook. Exot. Fl. iii. t. 172 = *C. digitata*.

*triangulata*, Hook. Journ. Bot. i. (1834) 197 = *C. triangulata*.

NUTTALLIA, DC. Rapp. Jard. Genève. (1821) 44 = **Nemopanthus**, Rafin. (Ilicin.).

*canadensis*, DC. l. c. = *Nem. fascicularis*.

NUTTALLIA, Spreng. Neue Entdeck. ii. 158 (1821) = **Trigonía**, Aubl. (Vochys.).

*villosa*, Spreng. l. c. = *T. villosa*.

**NUTTALLIA**, Torr. & Gray, ex Hook. Bot. Beech. Voy. 336. t. 82 (1840). **ROSACEAE**, Benth. & Hook. f. i. 611.

*cerasiformis*, Torr. & Gray, l. c. 337.—Am. bor. occ.

*Davidiana*, Baill. Adansonia, xi. (1875) 328.—Am. bor.

NUX, Tourn. ex Adans. Fam. ii. 497 (1763) = **Juglans**, Linn.

**NUXIA**, Comm. ex Lam. Illustr. i. 295. t. 71 (1791). **LOGANIACEAE**, Benth. & Hook. f. ii. 792.

*LACHNOPYLIS*, Hochst. in Flora, xxvi. (1843) 77.

*capitata*, Baker, in Journ. Bot. xx. (1882) 172.—Madag.

*congesta*, R. Br. in Salt, Abyss. App. 62, nomen; et ex Fresen. in Flora, xxi. (1838) 606.—Abyss.

*corrugata*, Benth. in Hook. Comp. Bot. Mag. ii. (1836) 60 = *Chilanthus corrugatus*.

*dentata*, R. Br. in Salt, Abyss. App. 62, nomen; et Benth. in DC. Prod. x. 435.—Abyss.

*dysophylla*, Benth. in Hook. Comp. Bot. Mag. ii. (1836) 60 = *Chilanthus dysophyllus*.

*elata*, Pers. Syn. i. 132 = *Aegiphila elata*.

*emarginata*, Sond. in Linnaea, xxiii. (1850) 83.—Afr. austr.

*floribunda*, Benth. in Hook. Comp. Bot. Mag. ii. (1836) 59.—Afr. austr.

*lobulata*, Benth. l. c. 60 = *Chilanthus lobulatus*.

*oppositifolia*, Benth. in DC. Prod. x. 435.—Abyss.

*pubescens*, Sond. in Linnaea, xxiii. (1850) 84.—Afr. austr.

*saligna*, Benth. in Hook. Comp. Bot. Mag. ii. (1836) 59 = *Chilanthus oleaceus*.

*tomentosa*, Sond. in Linnaea, xxiii. (1850) 84.—Afr. austr.

*verticillata*, Lam. Illustr. i. 296.—Ins. Mascar.

**NUYTSIA**, R. Br. in Journ. Geogr. Soc. i. (1831) 17. **LORANTHACEAE**, Benth. & Hook. f. iii. 206.

*floribunda*, R. Br. l. c.—Austral.

*ligustrina*, A. Cunn. ex Lindl. Swan River App. 39 = *Loranthus epigaeus*.

NYALELIA, Dennst. Schlüss. Hort. Malab. 30 (1818) = **Aglaia**, Lour. (Meliac.).

*racemosa*, Dennst. l. c. = *A. edulis*.

**NYCTAGINIA**, Choisy, in DC. Prod. xiii. ii. 429 (1849). **NYCTAGINEAE**, Benth. & Hook. f. iii. 4.

*capitata*, Choisy, l. c.—Texas.

*obtusata*, Choisy, l. c.—Texas.

*ovata*, Choisy, in Mém. Soc. Phys. Genève. xii. (1849) 167. t. 1 = *capitata*.  
*Torreyana*, Choisy, in DC. Prod. xiii. ii. 430 = *Mirabilis multiflora*.

NYCTAGO, Juss. Gen. 90 (1789) = **Mirabilis**, Linn. (Nyctag.).

*angulata*, DC. ex Choisy, in DC. Prod. xiii. ii. 429 = *Quamoclidion angulatum*.

*cordifolia*, Moq. & Sesse, ex Choisy, l. c. 432 = *Oxybaphus cordifolius*.

*dichotoma*, Juss. ex Roem. & Schult. Syst. iv. 1 = *M. dichotoma*.

*hortensis*, Juss. ex Roem. & Schult. l. c. = *M. Jalapa*.

*Jalapae*, DC. Fl. Fr. iii. 426 = *M. Jalapa*.

*longiflora*, Salisb. Prod. 57 = *M. longiflora*.

*parviflora*, Salisb. l. c. = *Oxybaphus viscosus*.

*versicolor*, Salisb. l. c. = *M. Jalapa*.

NYCTANDRA Prior, in Proc. Linn. Soc. (1883–86) 5, sphalm. = **Nectandra**, Roland. (Laurin.).

**NYCTANTHES**, Linn. Gen. ed. I. 333 (1737). **OLEACEAE**, Benth. & Hook. f. ii. 675.

*BRUSCHIA*, Bertol. in Mem. Acad. Sc. Bolog. viii. (1857) 238.

*PARIATICU*, Adans. Fam. ii. 223 (1763).

*PARILUM*, Gaertn. Fruct. i. 234. t. 51. f. 1 (1788).

*acuminata*, Burm. f. Fl. Ind. 5 = *Tabernaemontana coronaria*.

*angustifolia*, Linn. Sp. Pl. 6 = *Jasminum angustifolium*.  
*Arbor-tristis*, Linn. l. c.—Ind. or.

*dentata*, Blume, Mus. Bot. Lugd. Bat. i. 282.—Sumatra.

*elongata*, Linn. f. Suppl. 82 = *Jasminum elongatum*.

*glaucum*, Linn. f. l. c. = *Jasminum glaucum*.

*Goa*, Hort. ex Steud. Nom. ed. II. ii. 199 = *Jasminum Sambac*.

*grandiflora*, Lour. Fl. Cochinch. 21 = *Jasminum arborescens*.

*hirsuta*, Linn. Sp. Pl. 6 = *Jasminum pubescens*, Guet-tarda speciosa.

*multiflora*, Burm. f. Fl. Ind. 5. t. 3. f. 1 = *Jasminum pubescens*.

*pubescens*, Retz. Obs. v. 9 = *Jasminum pubescens*.

*Sambac*, Linn. Sp. Pl. 6 = *Jasminum Sambac*.

*scandens*, Retz. Obs. v. 9 = *Jasminum scandens*.

*triflora*, Burm. f. Fl. Ind. 4. t. 4 = *Jasminum angustifolium*.

*tristis*, Salisb. Prod. 11 = *N. Arbor-tristis*.

*undulata*, Linn. Sp. Pl. 6 = *Jasminum Sambac*.

*viminea*, Retz. Obs. v. 9 = *Jasminum angustifolium*.

NYCTANTHOS, St. Lag. in Ann. Soc. Bot. Lyon, vii. (1880) 56 = *præc.*

NYCTELEA, Scop. Introd. 183 (1777) = **Ellisia**, Linn. (Hydroph.).

NYCTERANTHUS, Neck. Elem. ii. 82 (1790) = **Mesembryanthemum**, Dill. (Ficoid.).

NYCTERINIA, D. Don, in Sweet, Brit. Flow. Gard. Ser. II. t. 239 (1834) = **Zaluzianskya**, F. W. Schmidt (Scrophul.).

*africana*, D. Don, l. c. sub t. 239 = *Z. villosa*.

*capensis*, Benth. in Hook. Comp. Bot. Mag. i. (1835) 370 = *Z. capensis*.

*coriacea*, Benth. l. c. 369 = *Z. coriacea*.

*dentata*, Benth. l. c. 370 = *Z. dentata*.



NYCTERINIA:—

*longiflora*, Benth. in Hook. Comp. Bot. Mag. i. (1835) 370 = *Zaluzianskya longiflora*.  
*lychnidea*, D. Don, in Sweet, Brit. Flow. Gard. Ser. II. t. 239 = *Z. lychnidea*.  
*maritima*, Benth. in Hook. Comp. Bot. Mag. i. (1835) 369 = *Z. maritima*.  
*natalensis*, Bernh. in Flora, xxvii. (1844) 834 = *Z. natalensis*.  
*ovata*, Benth. in Hook. Comp. Bot. Mag. i. (1835) 370 = *Z. ovata*.  
*peduncularis*, Benth. l. c. 371 = *Z. peduncularis*.  
*pumila*, Benth. l. c. 370 = *Z. pumila*.  
*pusilla*, Benth. l. c. 371 = *Z. pusilla*.  
*selaginoides*, Benth. l. c. 370 = *Z. selaginoides*.  
*spathacea*, Benth. l. c. 369 = *Z. spathacea*.  
*tristis*, D. Don, in Sweet, Brit. Flow. Gard. Ser. II. sub t. 239 = *Erinus tristis*.  
*villosa*, Benth. in Hook. Comp. Bot. Mag. i. (1835) 371 = *Z. Benthamiana*.

NYCTERISITION, Ruiz & Pav. Prod. 30. t. 5 (1794) = **Chrysophyllum**, Linn. (Sapot.).

*argenteum*, H. B. & K. Nov. Gen. et Sp. iii. 238. t. 244 = *C. granatense*.  
*ferrugineum*, Ruiz & Pav. Fl. Per. ii. 47. t. 187 = *C. ferrugineum*.  
*lanceolatum*, Blume, Bijdr. 676 = *C. javanicum*.

NYCTERIUM, Vent. Jard. Malm. t. 85 (1803) = **Solanum**, Tourn.

*amazonium*, Sims, Bot. Mag. t. 1801 = *S. amazonium*.  
*cardaminifolium*, Vent. Jard. Malm. sub t. 85 = *S. cornutum*.  
*cordifolium*, Vent. l. c. t. 85 = *S. Vespertilio*.  
*cornutum*, Link, Enum. Hort. Berol. i. 189 = *S. cornutum*.  
*flavum*, Lindl. in Donn, Hort. Cantabr. ed. XI. 76 = *S. heterandrum*.  
*Fontanesianum*, Sweet, Hort. Brit. ed. I. 301 = *S. Fontanesianum*.  
*heterandrum*, Heynh. Nom. ii. 440 = *S. heterandrum*.  
*heterodoxum*, Link, Enum. Hort. Berol. i. 189 = *S. heterodoxum*.  
*Lamberti*, Lindl. in Donn, Hort. Cantabr. ed. XI. 76 = *S. amazonium*.  
*lobatum*, Sweet, Hort. Brit. ed. I. 301 = *S. heterandrum*.  
*luteum*, Torr. ex Steud. Nom. ed. II. ii. 199 = *S. heterandrum*.  
*pubescens*, G. Don, in Sweet, Hort. Brit. ed. III. 501 = *S. pubescens*.  
*rostratum*, Link, Enum. Hort. Berol. i. 189 = *S. rostratum*.  
*triphyllum*, Lowe, in Trans. Camb. Phil. Soc. vi. (1838) reimpr. 14 = *S. trisetum*.  
*Vespertilio*, Link, Enum. Hort. Berol. i. 189 = *S. Vespertilio*.  
*violaceum*, Engelm. ex Walp. Ann. iii. 167 = *S. heterodoxum*.

NYCTOCALOS, Teijsm. & Binn. in Journ. Bot. Néerl. i. (1861) 366. **BIGNONIACEAE**, Benth. & Hook. f. ii. 1040.

*brunfelsiaeflorus*, Teijsm. & Binn. in Journ. Bot. Néerl. i. (1861) 367.—Java.  
*cuspidatum*, Miq. Ann. Mus. Bot. Lugd. Bat. iii. 249.—Ins. Molucc.; Celebes.  
*jucundum*, Seem. in Journ. Bot. viii. (1870) 149 = *Hausmannia jucunda*.  
*macrosiphon*, Teijsm. & Binn. Cat. Hort. Bog. 155, nomen.—Ins. Celebes.  
*Thomsoni*, Hook. f. Bot. Mag. t. 5678.—Assam.

NYCTOPHYLA, Zipp. in Alg. Konst. en Letter-bode i. (1829) 298. 'Nomen delendum.'—Cf. Benth. & Hook. f. Gen. iii. 639.

*alba*, Zipp. l. c.—Ins. Timor.

NYCTOSMA, Rafin. Fl. Tellur. ii. 9 (1836) = **Epidendrum**, Linn. (Orchid.).

*nocturna*, Rafin. l. c. = *E. nocturnum*.

NYLANDTIA, Dum. Comm. Bot. 31 (1822) = **Mundtia**, Kunth (Polygal.).

VOL. II.

NYMPHAEAE, [Tourn.] Linn. Syst. ed. I (1735).

**NYMPHAEACEAE**, Benth. & Hook. f. i. 46.  
*CASTALIA*, Salisb. Parad. Lond. i. t. 14 (1805).  
*abbreviata*, Guill. & Perr. Fl. Seneg. Tent. i. 16 = stellata.  
*acutiloba*, DC. Prod. i. 116.—China.  
*advena*, [Soland. in] Ait. Hort. Kew. ed. I. ii. 226 = *Nuphar advena*.  
*aegyptiaca*, Opiz, Natural. x. (1825) 216 = *N. Lotus*.  
*alba*, Linn. Sp. Pl. 510.—Reg. bor. temp.  
*alba*, Nutt. Gen. Am. ii. 13 = *tuberosa*.  
*alba*, Patrin, ex Bunge, in Ledeb. Fl. Alt. ii. 272 = *pau-ciradiata*.  
*alba*, Turcz. in Bull. Soc. Nat. Mosc. xv. (1842) 93 = *Basniniana*.  
*alba*, Walt. Fl. Carol. 155 = *odorata*.  
*albo-rosea*, Teijsm. ex Regel, Ind. Sem. Hort. Petrop. (1866) 101.—Hab.?  
*alboviridis*, A. St. Hil. Voy. Distr. Diam. ii. 426 = *amazonum*.  
*amazonum*, Hort. ex Casp. in Mart. Fl. Bras. iv. ii. 161 = *Rudgeana*.  
*amazonum*, Mart. & Zucc. in Abh. Akad. Muench. i. (1832) 363.—Bras.  
*ampla*, DC. Syst. ii. 54.—Am. bor.; Ind. occ.  
*ampla*, Kotschy, ex Casp. in Miq. Ann. Mus. Bot. Lugd. Bat. ii. 244 = stellata.  
*arifolia*, Salisb. in Kon. & Sims, Ann. Bot. ii. (1806) 71 = *Nuphar advena*.  
*Bashiniana*, Steud. Nom. ed. II. ii. 200 = seq.  
*Basniniana*, Turcz. in Bull. Soc. Nat. Mosc. xv. (1842) 93.—Sibir. baical.  
*bella*, Lehm. in Hamb. Gartenz. ix. (1853) 212 (Quid?).—Ind. or.  
*Bernieriana*, Planch. in Rev. Hort. Sér. IV. ii. (1853) 65 = stellata.  
*biradiata*, Somm. in Flora, xvi. (1833) 625 = *alba*.  
*blanda*, Hook. Bot. Mag. sub t. 4823 = *amazonum*.  
*blanda*, G. F. W. Mey. Prim. Fl. Esseq. 201.—Am. austr.  
*blanda*, Planch. in Ann. Sc. Nat. Sér. III. xix. (1853) 47 = *Rudgeana*.  
*Boucheana* ×, Planch. in Fl. des Serres, x. (1854–55) t. 1033–1034.  
*cachemiriana*, Cambess. in Jacquem. Voy. Bot. ii. t. 10 = *alba*.  
*caerulea*, Andr. Bot. Rep. t. 197 = *capensis*.  
*caerulea*, Savign. in Ann. Mus. Par. i. (1802) 366 = stellata.  
*Cahlara*, Donn, Hort. Cantabr. ed. VII. 159 = stellata.  
*candida*, J. & C. Presl, Delic. Prag. 224 = *alba*.  
*Candolliana*, Lehm. in Hamb. Gartenz. ix. (1853) 203 = *ampla*.  
*capensis*, Thunb. Prod. Pl. Cap. 92.—Afr. austr.  
*coerulea*, Auct. vide *caerulea*.  
*Coteka*, Roxb. ex Salisb. Parad. Lond. i. sub t. 14 = *N. Lotus*.  
*crenolata*, Rafin. in Med. Repos. N. York, v. (1808) 354, nomen (Quid?).—Am. bor.  
*cyanea*, Roxb. Hort. Beng. 41; Fl. Ind. ii. 577 = stellata.  
*dentata*, Schum. & Thonn. Beskr. Guin. Pl. 249 = *N. Lotus*.  
*Devoniensis*, Hook. Bot. Mag. t. 4665 = *N. Lotus*.  
*discolor*, Lehm. in Hamb. Gartenz. ix. (1853) 214 = stellata.  
*Edgeworthii*, Lehm. l. c. viii. (1852) 372 = stellata.  
*edulis*, DC. Syst. ii. 52 = *N. Lotus*.  
*elegans*, Hook. Bot. Mag. t. 4604.—Texas.  
*emirrensis*, Planch. in Rev. Hort. Sér. IV. ii. (1853) 65 = stellata.  
*erythrocarpa*, Hentze, in Bot. Zeit. x. (1852) 747 = *alba*.  
*esculenta*, Roxb. Hort. Beng. 41; Fl. Ind. ii. 578 = *N. Lotus*.  
*exumbonata*, Rupr. in Bull. Phys.-Math. Acad. Pétersb. xii. (1854) 219 = *alba*.  
*Fensliana*, Lehm. in Hamb. Gartenz. ix. (1853) 217 = *blanda*.  
*flava*, Leitner, ex Audubon, Birds of Am. ed. fol. iv. t. 411.—Florida.  
*flavo-virens*, Lehm. Ind. Sem. Hort. Hamb. (1852) 9; et in Ann. Sc. Nat. Sér. III. xix. (1853) 361.—Hab.?  
*foetida*, Gardn. ex Planch. in Fl. des Serres, Sér. II. i. (1856) 21 = *amazonum*.  
*fragrans*, Gardn. ex Casp. in Mart. Fl. Bras. iv. ii. 176 = *Gardneriana*.

NYMPHAEAE:—

*fragrantissima*, Welw. ex Casp. in Journ. Sc. Math. Lisboa, n. xvi. (1873) reimpr. 11.—Afr. trop.  
*Gardneriana*, Planch. in Rev. Hort. Sér. IV. ii. (1853) 66; et in Ann. Sc. Nat. Sér. III. xix. (1853) 50.—Bras.  
*gigantea*, Hook. Bot. Mag. t. 4647.—Austral.  
*glandulifera*, Rodsch, ex G. F. W. Mey. Prim. Fl. Esseq. 201 = *blanda*.  
*Goudotiana*, Planch. in Rev. Hort. Sér. IV. ii. (1853) 66 = *amazonum*.  
*gracilis*, Zucc. in Abh. Akad. Muench. i. (1832) 362.—Mexic.  
*guineensis*, Schum. & Thonn. Beskr. Guin. Pl. 248 = stellata.  
*hastata*, Michx. ex DC. Syst. ii. 62 = *Nuphar sagittae-folium*.  
*Heudelotii*, Planch. in Rev. Hort. Sér. IV. ii. (1853) 65 = stellata.  
*hirta*, Kurz, ex Teijsm. & Binn. in Tijdschr. Nederl. Indie, xxvii. (1864) 38.—Sumatra.  
*Hookeriana*, Lehm. in Hamb. Gartenz. ix. (1853) 213 = stellata.  
*integrifolia*, Salz. ex Planch. in Fl. des Serres, xi. (1856) 21 = *amazonum*.  
*intermedia*, Weiker, ex Reichb. Fl. Saxon. 10, in obs. = *alba*.  
*Jamesoniana*, Planch. in Rev. Hort. Sér. IV. ii. (1853) 66; et in Ann. Sc. Nat. Sér. III. xix. (1853) 51.—Ecuador.  
*Kalmiana*, Sims, Bot. Mag. t. 1243 = *Nuphar minimum*.  
*Kosteletskyi*, Paillard, ex Lehm. Ind. Sem. Hort. Hamb. (1852) 10; et in Ann. Sc. Nat. Sér. III. xix. (1853) 362 = *alba*.  
*lasiophylla*, Mart. & Zucc. in Abh. Akad. Muench. i. (1832) 364.—Bras.  
*Leiboldiana*, Lehm. in Hamb. Gartenz. ix. (1853) 209 = *ampla*, *Rudgeana*.  
*lineata*, A. St. Hil. Voy. Distr. Diam. ii. 425 = *ampla*.  
*longifolia*, Michx. Fl. Bor. Am. i. 312 = *Nuphar sagittae-folium*.  
*Lotus*, Aubl. Pl. Gui. i. 533 = *ampla*.  
*Lotus*, Linn. Sp. Pl. 511.—As. et Afr. trop.  
*lutea*, Linn. l. c. 510 = *Nuphar luteum*.  
*lutea*, Thunb. Fl. Jap. 223 = *Nuphar japonicum*.  
*lutea*, Walt. Fl. Carol. 154 = *Nuphar advena*.  
*maculata*, Rafin. Med. Fl. ii. 45 = *tuberosa*?  
*maculata*, Schum. & Thonn. Beskr. Guin. Pl. 247 = stellata.  
*madagascariensis*, DC. Syst. ii. 50 = stellata.  
*malabarica*, Poir. in Lam. Encyc. iv. 457 = stellata.  
*Maximiliani*, Lehm. in Hamb. Gartenz. ix. (1853) 215.—Bras.  
*membranacea*, Wall. ex Casp. in Miq. Ann. Mus. Bot. Lugd. Bat. ii. 245 = stellata.  
*mexicana*, A. Gray, Pl. Wright. i. 7 = *elegans*.  
*mexicana*, Zucc. in Abh. Akad. Muench. i. (1832) 365.—Mexic.  
*micrantha*, Guill. & Perr. Fl. Seneg. Tent. i. 16 = stellata.  
*microphylla*, Pers. Syn. ii. 63 = *Nuphar minimum*.  
*Milletii*, Bor. in Mém. Soc. Acad. Maine-et-Loire, vi. (1859) 37 = *alba*.  
*minima*, Reichb. Fl. Germ. Excurs. 14 = *Nuphar minimum*.  
*minor*, DC. Syst. ii. 58 = *odorata*.  
*Naccheli*, J. F. Gmel. Syst. 1591, sphalm. = *N. Nouchali*.  
*neglecta*, Hausleutner, in Bot. Zeit. viii. (1850) 906 = *alba*.  
*Nelumbo*, Linn. Sp. Pl. 511 = *Nelumbium speciosum*.  
*Nelumbo*, Schoepf. Mat. Med. 88; Lunan, Hort. Jamaic. ii. 272 = *Nelumbium luteum*.  
*Nelumbo*, Vell. Fl. Flum. 224; v. t. 95 = *Victoria regia*?  
*nervosa*, Lehm. in Hamb. Gartenz. ix. (1853) 211 = *ampla*.  
*nitida*, Sims, Bot. Mag. t. 1359.—Sibir.  
*nocturna*, March, ex Hook. Bot. Mag. sub t. 4823 = *amazonum*.  
*Nouchali*, Burm. f. Fl. Ind. 120 = stellata?  
*nubica*, Lehm. in Hamb. Gartenz. ix. (1853) 211.—Afr. trop.  
*odorata*, [Soland. in] Ait. Hort. Kew. ed. I. ii. 227.—Am. bor.  
*odorata*, Willd. Hort. Berol. t. 39 = *nitida*.  
*officinalis*, Gater. Pl. Montaub. 99 = *alba*.

T t



## NYMPHAEAE:—

- Ortgiesiana*, Planch. in Fl. des Serres, viii. (1852-53) 68 = *N. Lotus*.  
*oxypetal*, Planch. in Rev. Hort. Sér. IV. ii. (1853) 66; et in Ann. Sc. Nat. Sér. III. xix. (1853) 51.—Ecuador.  
*Parkeriana*, Lehm. Ind. Sem. Hort. Hamb. (1853) 10; et in Hamb. Gartenz. ix. (1853) 529.—Guian.  
*parviflora*, Hentze, in Bot. Zeit. vi. (1848) 700 = *alba*.  
*Passiflora*, Lehm. in Hamb. Gartenz. ix. (1853) 217 = *Gardneriana*.  
*pauciradiata*, Bunge, in Ledeb. Fl. Alt. ii. 272.—Sibir.  
*pentapetala*, Walt. Fl. Carol. 155 = *Nelumbium luteum*.  
*permixta*, Bor. in Mém. Soc. Acad. Maine-et-Loire, vi. (1859) 37 = *alba*.  
*Petersiana*, Klotzsch, in Peters, Reise Mossamb. Bot. 152 = *stellata*.  
*poecila*, Lehm. Ind. Sem. Hort. Hamb. (1852) 11.—Cf. Hamb. Gartenz. viii. (1852) 371, 425 = *stellata*.  
*Pseudo-pygmaea*, Lehm. in Hamb. Gartenz. ix. (1853) 208 = *stellata*.  
*pubescens*, Willd. Sp. Pl. ii. 1154 = *N. Lotus*.  
*pulchella*, DC. Syst. ii. 51 = *ampla*.  
*pulchella*, Lehm. ex Casp. in Mart. Fl. Bras. iv. II. 177 = *tenuinervia*.  
*pumila*, Hoffm. Deutschl. Fl. ed. II. i. 1. 241 = *Nuphar minimum*.  
*punctata*, Edgew. in Trans. Linn. Soc. xx. (1846) 29 = *stellata*.  
*punctata*, Kar. & Kir. in Bull. Soc. Nat. Mosc. (1841) 376.—As. centr.  
*pygmaea*, [Dryand. in] Ait. Hort. Kew. ed. II. iii. 293 = *tetragona*.  
*radiata*, Bercht. & Opiz, Natural. x. (1825) 216 = *stellata*.  
*Raja*, Lehm. in Hamb. Gartenz. ix. (1853) 208 = *oxypetal*.  
*Regina*, Schomb. ex Lindl. Monog. 3 = *Victoria regia*.  
*reniformis*, DC. Syst. ii. 55 = *tuberosa*?  
*reniformis*, Walt. Fl. Carol. 155 = *odorata*.  
*rhodantha*, Lehm. in Hamb. Gartenz. ix. (1853) 214 = *stellata*.  
*rosea*, Rafin. Med. Fl. ii. 45 = *odorata*?  
*rosea*, Sweet, Hort. Brit. ed. I. 15.—Ind. or.  
*rotundifolia*, Hentze, in Bot. Zeit. vi. (1848) 700 = *alba*.  
*rubra*, Roxb. ex Salisb. Parad. Lond. i. sub t. 14 = *N. Lotus*.  
*Rudgeana*, G. F. W. Mey. Prim. Fl. Esseq. 198.—Ind. occ.; Guiana.  
*rufescens*, Guill. & Perr. Fl. Seneg. Tent. i. 15 = *stellata*.  
*rufescens*, Willd. ex Casp. in Forn. Sc. Math. Lisboa, n. 16 (1873) reimpr. 8, nomen.—Hab.?  
*sagittariaefolia*, Lehm. in Hamb. Gartenz. ix. (1853) 216 = *Jamesoniana*.  
*sagittata*, Edgew. in Trans. Linn. Soc. xx. (1846) 29 = *N. Lotus*.  
*sagittata*, Pers. Syn. ii. 63 = *Nuphar sagittae-folium*.  
*sagittifolia*, Walt. Fl. Carol. 155 = *Nuphar sagittae-folium*.  
*scutifolia*, DC. Syst. ii. 50 = *capensis*.  
*semiaperta*, Klinggraeff, Fl. Preuss. 20 = *alba*.  
*semisterrilis*, Lehm. in Hamb. Gartenz. ix. (1853) 215 = *stellata*.  
*sinuata*, Salzm. ex Planch. in Ann. Sc. Nat. Sér. III. xix. (1853) 45 = *ampla*.  
*speciosa*, Mart. & Zucc. in Abh. Akad. Muench. i. (1832) 361 = *ampla*.  
*spiralis*, Rafin. Med. Fl. ii. 45 = *tuberosa*?  
*splendens*, Hentze, in Bot. Zeit. vi. (1848) 603 = *alba*.  
*stellata*, F. Muell. Fragm. ii. 142 = *gigantea*.  
*stellata*, Willd. Sp. Pl. ii. 1153.—As. et Afr. trop.  
*stenaspodota*, Casp. in Mart. Fl. Bras. iv. II. 175.—Bras.  
*suaveolens*, Dum. in Bull. Soc. Bot. Belg. iii. (1864) 7 = *alba*.  
*sumatrana*, Miq. Fl. Ind. Bat. Suppl. 387.—Sumatra.  
*tenuinervia*, Casp. in Mart. Fl. Bras. iv. II. 177.—Bras.  
*tetragona*, Georgi, Reise Russ. Reich. i. 220.—Reg. Himal.; Sibir.; China.  
*thermalis*, DC. Syst. ii. 54 = *N. Lotus*.  
*trispala*, Gaudich. in Mém. Sav. Etr. Pétersb. viii. (1841) 83.—Am. trop.

## NYMPHAEAE:—

- tropaeolifolia*, Lehm. in Hamb. Gartenz. ix. (1853) 209 = *ampla*, Rudgeana.  
*tuberosa*, Paine, Cat. Pl. Oneida, 132.—Am. bor.  
*tussilagifolia*, Lehm. Ind. Sem. Hort. Hamb. (1853) 10; et in Hamb. Gartenz. ix. (1853) 530.—Mexic.  
*umbilicalis*, Salisb. in Kon. & Sims, Ann. Bot. ii. (1806) 71 = *Nuphar luteum*.  
*undulata*, Lehm. in Hamb. Gartenz. ix. (1853) 210.—Mexic.  
*urceolata*, Hentze, in Bot. Zeit. vi. (1848) 699 = *alba*.  
*venusta*, Hentze, l. c. = *alba*.  
*versicolor*, Sims, Bot. Mag. t. 1189 = *stellata*.  
*Victoria*, Schomb. ex Lindl. Monog. 3 = *Victoria regia*.  
*violacea*, Lehm. in Hamb. Gartenz. ix. (1853) 218 = *gigantea*.  
*vivipara*, Lehm. Novit. Pl. Hort. Bot. Hamb. (1852) 11.—Cf. Hamb. Gartenz. viii. (1852) 370.—Hab.?  
*Wenzellii*, Maack, ex Regel, in Mém. Acad. Pétersb. Sér. VII. iv. (1861) n. iv. 17.—Reg. Amur.  
*zanzibariensis*, Casp. in Bot. Zeit. xxxv. (1877) 203.—Afr. trop.

NYMPHAEOLA, Heist. Syst. 7 (1748) = **Hydrocharis**? Linn.

NYMPHANTHUS, Lour. Fl. Cochinch. 543 (1790) = **Phyllanthus**, Linn. (Euphorb.).  
*chinensis*, Lour. l. c. 544 = *P. villosus*.  
*Niruri*, Lour. l. c. 545 = *P. Niruri*.  
*pilosus*, Lour. l. c. 544 = *P. pilosus*.  
*rubra*, Lour. l. c. = *P. ruber*.  
*squamifolia*, Lour. l. c. = *P. squamifolius*.

NYMPHEA, Rafin. in Med. Repos. N. York, v. (1808) 354 = **Nymphaea**, Tourn.

NYMPHOIDES, Tourn. ex Medic. Phil. Bot. i. 35 (1789) = **Limnanthemum**, S. P. Gmel. (Gentian.).  
*europaea*, Fisch. ex Steud. Nom. ed. I. 557 = *L. nymphoides*.  
*orbiculata*, Gilib. Fl. Lituan. i. 33 = *L. nymphoides*.

NYMPHOSANTHUS, Steud. Bot. ed. II. ii. 200 (1841) = *seq.*

NYMPHOZANTHUS, Rich. in Ann. Mus. Par. xvii. (1811) 230 = **Nuphar**, Sibth. & Sm. (Nymph.).  
*vulgaris*, Rich. l. c. = *Nuphar luteum*.

NYPA, Wurm. in Verh. Batav. Gen. i. (1779) 349 = **Nipa**, Thunb. (Palm.).  
*fruticans*, Wurm. l. c. = *Nipa fruticans*.

NYPHA, Buch.-Ham. in Mem. Wern. Soc. v. II. (1826) 318 = *praec.*

NYPHAR, Walp. Rep. i. 108 (1842), sphalm. = **Nuphar**, Sibth. & Sm. (Nymph.).

NYROPHYLLA, Neck. Elem. ii. 240 (1790). **LAURIN**, Gen. dub.

**NYSSA**, Gronov. ex Linn. Syst. ed. I (1735). **COR-NACEAE**, Benth. & Hook. f. i. 952.  
*AGATHISANTHES*, Blume, Bijdr. 645 (1825).  
*CERATOSTACHYS*, Blume, l. c. 644 (1825).  
*DAPHNIPHYLLOPSIS*, Kurz, in Journ. As. Soc. Beng. xlv. (1875) II. 201.  
*TUPELO*, Adans. Fam. ii. 80 (1763).  
*angulifolia*, Michx. Fl. Bor. Am. ii. 259 = *uniflora*.  
*angulosa*, Poir. in Lam. Encyc. iv. 507 = *uniflora*.  
*aquatica*, M. A. Curt. Bot. N. Carol. 62 = *caroliniana*.  
*aquatica*, Linn. Sp. Pl. 1058 = *multiflora*, *uniflora*.  
*biflora*, Michx. Fl. Bor. Am. ii. 259 = *multiflora*.  
*biflora*, Walt. Fl. Carol. 253 = *caroliniana*?  
*canadensis*, Poir. in Lam. Encyc. iv. 507 = *multiflora*?  
*candicans*, Michx. Fl. Bor. Am. ii. 259 = *capitata*.  
*capitata*, Walt. Fl. Carol. 253.—Am. bor.  
*caroliniana*, Poir. in Lam. Encyc. iv. 507.—Am. bor.  
*ciliata*, Rafin. Atl. Journ. 176 (Quid?).—Am. bor.  
*coccinea*, Bartr. Trav. ed. II. (1794) 17 = *capitata*.  
*denticulata*, Ait. Hort. Kew. ed. I. iii. 446 = *uniflora*.  
*glauca*, Hort. Par. ex Roem. & Schult. Syst. v. 575 = *multiflora*.  
*grandidentata*, Michx. f. Hist. Arb. For. Am. Sept. ii. 252 = *uniflora*.  
*integrifolia*, Ait. Hort. Kew. ed. I. iii. 446 = *multiflora*.  
*montana*, Gaertn. f. Fruct. iii. 201. t. 216 = *capitata*.

## NYSSA:—

- montana*, Hort. ex Pursh, Fl. Am. Sept. i. 177 = *multiflora*.  
*multiflora*, Ell. Sketch, ii. 684 = *caroliniana*?  
*multiflora*, Wangerh. Beitr. Forstw. Nordam. Holz. 46. t. 16.—Am. bor.  
*Ogeche*, Marsh. Arbust. 97 = *capitata*.  
*Oye-chee*, Steud. Nom. ed. I. 558 = *praec.*  
*palustris*, Salisb. Prod. 175 = *uniflora*.  
*sessiliflora*, Hook. f. & Thoms. in Benth & Hook. f. Gen. i. 952.—Reg. Himal.  
*sylvatica*, Marsh. Arbust. 97 = *multiflora*.  
*tomentosa*, Michx. Fl. Bor. Am. ii. 259 = *uniflora*.  
*tomentosa*, Poir. in Lam. Encyc. iv. 508 = *capitata*.  
*uniflora*, Wangerh. Beitr. Forstw. Nordam. Holz. 83. t. 27.—Am. bor.  
*villosa*, Bigel. Fl. Bost. ed. II. 380 = *multiflora*.  
*villosa*, Michx. Fl. Bor. Am. ii. 258 = *multiflora*.

**NYSSANTHES**, R. Br. Prod. 418 (1810). **AMA-RANTACEAE**, Benth. & Hook. f. iii. 36.  
*diffusa*, R. Br. Prod. 418.—Austral.  
*erecta*, R. Br. l. c.—Austral.  
*media*, R. Br. l. c. = *diffusa*.

## O

**OAKESIA**, Tuckerm. in Hook. Lond. Journ. Bot. i. (1842) 445 = **Corema**, D. Don (Empetr.).  
*Conradii*, Tuckerm. l. c. 446 = *C. Conradii*.

**OAKESIA**, S. Wats. in Proc. Am. Acad. xiv. (1879) 269. **LILIACEAE**.  
*puberula*, S. Wats. l. c.—Am. bor.  
*sessilifolia*, S. Wats. l. c.—Am. bor.

**OBAEJACA**, Cass. in Dict. Sc. Nat. xxxv. 270 (1825) = **Senecio**, Tourn. (Compos.).  
*sylvatica*, Cass. l. c. 271 = *S. sylvaticus*.  
*viscosa*, Cass. l. c. 270 = *S. viscosus*.

**OBEEA**, Hook. f. in Hook. Ic. Pl. t. 1070 (1870). **RUBIACEAE**, Benth. & Hook. f. ii. 102.  
*timonioides*, Hook. f. l. c.—Ins. Sandvic.

**OBECKIA**, Griff. Notul. iv. 675 (1854), sphalm. = **Osbeckia**, Linn. (Melastom.).

**OBELANTHERA**, Turcz. in Bull. Soc. Nat. Mosc. xx. (1847) i. 148 = **Saurauja**, Willd. (Ternstr.).  
*melastomaceae*, Turcz. l. c. 149 = *S. villosa*.

**OBELISCARIA**, Cass. in Dict. Sc. Nat. xxxv. 272 (1825) = **Lepachys**, Rafin. (Compos.).  
*columnaris*, DC. Prod. v. 559 = *L. columnaris*.  
*Drummondii*, Maund, Botanist, v. t. 201 = *Rudbeckia Drummondii*.  
*peduncularis*, Walp. Rep. ii. 979 = *L. peduncularis*.  
*pinnata*, Cass. in Dict. Sc. Nat. xxxv. 273 = *L. pinnatifida*.  
*pulcherrima*, DC. Prod. v. 559 = *L. columnaris*.  
*pulcherrima*, Hort. ex Vilm. Fl. Pl. Terre, ed. I. 744 = *Rudbeckia Drummondii*.  
*Tagetes*, DC. Prod. v. 559 = *L. Tagetes*.

**OBELISCOTHECA**, Vaill. ex Adans. Fam. ii. 128 (1763) = **Rudbeckia**, Linn. (Compos.).

**OBEANTONIA**, Vell. Fl. Flum. 18 (1825); i. t. 46 (1827) = **Cusparia**, Humb. (Rutac.).  
*castrata*, Vell. ll. cc. = *C. macrophylla*.

**OBERNA**, Adans. Fam. ii. 255 (1763) = **Silene**, Linn. (Caryoph.).

**OBERONIA**, Lindl. Gen. et Sp. Orch. 15 (1830). **ORCHIDEAE**, Benth. & Hook. f. iii. 494.  
*TITANIA*, Endl. Prod. Fl. Norf. 31 (1838).  
*acaulis*, Griff. Notul. iii. 275 = *myriantha*.  
*acaulis*, Hook. Bot. Mag. t. 5056 = *ensiformis*.  
*anceps*, Lindl. Sert. Orchid. sub t. 8 B.—Burma; Malaya.



**OBERONIA** :—

*angustifolia*, Lindl. *Fol. Orch. Ober.* 5.—Reg. Himal. anthropophora, Lindl. in Wall. *Cat. n.* 1951.—Burma. aporphylla, Reichb. f. in Bonplandia, iii. (1855) 223.—Ins. Philipp.  
*Arnottiana*, Wight, Ic. t. 1628 = *Wightiana*.  
*bicornis*, Lindl. in Wall. *Cat. n.* 1949.—Reg. Himal. brachystachys, Lindl. *Sert. Orch. sub t.* 8 B.—Burma. brevifolia, Lindl. *Gen. et Sp. Orch.* 16.—Ins. Societ.; Mascari.  
*Brunoniana*, Wight, Ic. t. 1622.—Ind. or. caulescens, Lindl. *Gen. et Sp. Orch.* 15.—Reg. Himal. *cimicina*, Griff. *Notul. iii.* 275 = *Griffithiana*.  
*crassiuscula*, F. Muell. ex Benth. *Fl. Austral. vi.* 290 = *Phreatia limenophylla*.  
*cylindrica*, Lindl. *Bot. Reg.* (1840) *Misc.* 20.—Ins. Philipp.  
*demissa*, Lindl. *Fol. Orch. Ober.* 4.—Reg. Himal. *denticulata*, Wight, Ic. t. 1625 = *iridifolia*.  
*ensiformis*, Lindl. *Fol. Orch. Ober.* 4.—Reg. Himal.; Burma.  
*forcipata*, Lindl. l. c. 2.—Zeylan.  
*Gardneriana*, Thw. *Enum. Pl. Zeyl.* 296.—Zeylan. *gladiata*, A. Rich. *Sert. Astrol.* 6. t. 2 = *Eria gladiata*.  
*glandulifera*, Ridl. in *Forbes, Nat. Wand. East Archip.* 518.—Ins. Timor.  
*glandulosa*, Lindl. *Fol. Orch. Ober.* 6.—Ins. Pacif. *Griffithiana*, Lindl. *Sert. Orch. t.* 8 B.—Burma.  
*Griffithii*, Wight, Ic. t. 1629 = *anceps*.  
*imbricata*, Lindl. *Gen. et Sp. Orch.* 17.—Java.  
*imbricata*, Wight, Ic. t. 1629 = *anceps*.  
*iridifolia*, Lindl. in Wall. *Cat. n.* 1948; et in *Gen. et Sp. Orch.* 15.—Ind. or.  
*Jenkinsiana*, Griff. ex Lindl. *Fol. Orch. Ober.* 4.—Reg. Himal.  
*Lindlei*, Brongn. in Duperr. *Voy. Coq. Bot. t.* 40. f. a = seq.  
*Lindleyana*, A. Brongn. l. c. p. 200 = *Phreatia Lindleyi*.  
*Lindleyana*, Wight, Ic. t. 1624.—Ind. or.  
*Lindleyi*, Benth. & Hook. f. *Gen. iii.* 511, lapsu = *Lindleyana*, Brongn.  
*Lobbiana*, Lindl. *Fol. Orch. Ober.* 7.—Borneo.  
*longibracteata*, Lindl. *Gen. et Sp. Orch.* 15.—Zeylan. *lunata*, Lindl. l. c. 17.—Java.  
*micrantha*, A. Rich. *Sert. Astrol.* 7. t. 3 = *Eria Richardiana*.  
*microphylla*, Lindl. *Gen. et Sp. Orch.* 17.—Java.  
*miniata*, Lindl. *Bot. Reg.* (1843) *Misc.* 6.—Singapore; Ins. Philipp.  
*monstruosa*, Lindl. *Gen. et Sp. Orch.* 17.—Java.  
*Myosurus*, Lindl. in Wall. *Cat. n.* 1947.—Reg. Himal.; Burma.  
*myriantha*, Lindl. *Fol. Orch. Ober.* 4.—Reg. Himal. *obcordata*, Lindl. l. c. 7.—Reg. Himal.  
*pachystachya*, Lindl. l. c. 6.—Ins. Pacif.  
*palmicola*, F. Muell. *Fragm. ii.* 24 = *O. Titania*.  
*platycaulon*, Wight, Ic. t. 1623.—Ind. or.  
*Pumilio*, Reichb. f. in Bonplandia, v. (1857) 58.—Java.  
*pyrulifera*, Lindl. *Fol. Orch. Ober.* 3.—Reg. Himal. *recurva*, Lindl. *Bot. Reg.* (1839) *Misc.* 14.—Ind. or.  
*rufilabris*, Lindl. *Sert. Orch. t.* 8 A.—Burma.  
*Scyllae*, Lindl. *Fol. Orch. Ober.* 5.—Zeylan.  
*setifera*, Lindl. l. c. 3 = *recurva*.  
*sikkimensis*, Lindl. l. c. 4 = *myriantha*.  
*similis*, Lindl. *Gen. et Sp. Orch.* 17.—Java.  
*spathulata*, Lindl. l. c. 16.—Java.  
*spiralis*, Griff. *Notul. iii.* 275.—Hab. ?  
*spiralis*, Lindl. *Fol. Orch. Ober.* 7.—Java.  
*stachyoides*, A. Rich. in Ann. Sc. Nat. Sér. II. xv. (1841) 15 = *Wightiana*.  
*tahitensis*, Lindl. *Fol. Orch. Ober.* 2.—Ins. Tahiti.  
*tenuis*, Lindl. l. c. 3.—Zeylan.  
*Thisbe*, Reichb. f. in Bonplandia, iii. (1855) 223.—Ins. Philipp.  
*Titania*, Lindl. *Fol. Orch. Ober.* 8.—Java; Austral. *trilobata*, Griff. *Notul. iii.* 273 = *ensiformis*.  
*truncata*, Lindl. *Fol. Orch. Ober.* 3.—Zeylan.  
*verticillata*, Wight, Ic. t. 1626.—Ind. or.  
*Wightiana*, Lindl. *Bot. Reg.* (1839) *Misc.* 14.—Ind. or.; Zeylan.

**OBSIA**, Haw. Syn. Pl. Succ. 42 (1812) = *Piarranthus*, R. Br. (Asclep.).  
*decora*, Haw. l. c. 43 = *P. decorus*.  
*geminata*, Haw. l. c. 42 = *P. geminatus*.  
*punctata*, Haw. l. c. 43 = *P. punctatus*.  
*serrulata*, Sweet, Hort. Brit. ed. I. 278 = *P. serrulatus*.

**OBETIA**, Gaudich. Bot. Voy. Bonite, t. 82 ('1844').  
*URTICACEAE*, Benth. & Hook. f. iii. 382.  
*ficifolia*, Gaudich. l. c.—Madag.  
*ficifolia*, Wedd. ex Baker, in Journ. Linn. Soc. xx. (1883) 263 = *morifolia*.  
*laciniata*, Baker, l. c. 264.—Madag.  
*madagascariensis*, Wedd. in Ann. Sc. Nat. Sér. IV. i. (1854) 178.—Madag.  
*morifolia*, Baker, in Journ. Linn. Soc. xx. (1883) 263.—Madag.  
*pinnatifida*, Baker, l. c. 264.—Madag.  
*Radula*, Baker, l. c. 265.—Madag.

**OBIONE**, Gaertn. Fruct. ii. 198. t. 126 (1791) = *Atriplex*, Linn. (Chenop.).  
*acanthocarpa*, Torr. Bot. Mex. Bound. 183 = *A. acanthocarpa*, Greggii.  
*arenaria*, Moq. Chenop. Enum. 71 = *A. arenaria*.  
*argentea*, Moq. l. c. 76 = *A. argentea*.  
*Barclayana*, Benth. Bot. Voy. Sulph. 48 = *A. Barclayana*.  
*Belangerii*, Moq. Chenop. Enum. 71 = *A. repens*.  
*Berlandieri*, Moq. in DC. Prod. xiii. ii. 114 = *A. canescens*.  
*Billardieri*, Moq. Chenop. Enum. 72 = *A. Billardieri*.  
*bracteosa*, Dur. & Hilg. in Journ. Acad. Philad. Ser. II. iii. (1855) 44 = *A. bracteosa*.  
*canescens*, Moq. Chenop. Enum. 74 = *A. canescens*.  
*confertifolia*, Torr. & Frém. Rep. 318 = *A. confertifolia*.  
*coriacea*, Moq. Chenop. Enum. 71 = *A. coriacea*.  
*Coulteri*, Moq. in DC. Prod. xiii. ii. 113 = *A. Coulteri*.  
*crispa*, Moq. Chenop. Enum. 73 = *A. Halimus*.  
*cristata*, Moq. l. c. 73 = *A. cristata*.  
*elegans*, Moq. in DC. Prod. xiii. ii. 113 = *A. elegans*.  
*fera*, Moq. l. c. 107 = *A. lenticularis*.  
*Gardneri*, Moq. l. c. 114 = *A. Gordonii*.  
*glauca*, Moq. l. c. 108 = *A. glauca*.  
*græca*, Moq. l. c. = *A. græca*.  
*hymenelytra*, Torr. in Pacif. Rail. Rep. iv. 129. t. 20 = *A. hymenelytra*.  
*imbricata*, Moq. in DC. Prod. xiii. ii. 108 = *A. imbricata*.  
*Konigii*, Moq. l. c. 109 = *A. repens*.  
*Kunthiana*, Moq. Chenop. Enum. 72 = *A. muricata*.  
*Lampa*, Moq. in DC. Prod. xiii. ii. 110 = *A. Lampa*.  
*lenticularis*, Moq. Chenop. Enum. 70 = *A. lenticularis*.  
*lenticiformis*, Torr. in Sitgreaves, Rep. 169 = *A. lenticiformis*.  
*leucophylla*, Moq. in DC. Prod. xiii. ii. 109 = *A. leucophylla*.  
*linifolia*, Moq. Chenop. Enum. 74 = *A. linifolia*.  
*microcarpa*, Benth. Bot. Voy. Sulph. 48 = *A. microcarpa*, D. Dietr.  
*montevidensis*, Moq. in DC. Prod. xiii. ii. 113 = *A. montevidensis*.  
*muricata*, Gaertn. Fruct. ii. 198. t. 126. f. 5 = *A. sibirica*.  
*muricata*, Moq. in DC. Prod. xiii. ii. 109 = *A. muricata*.  
*nummularia*, Moq. Chenop. Enum. 72 = *A. repens*.  
*occidentalis*, Moq. in DC. Prod. xiii. ii. 112 = *A. canescens*.  
*parvifolia*, Moq. Chenop. Enum. 73 = *A. parvifolia*.  
*patagonica*, Moq. in DC. Prod. xiii. ii. 111 = *A. patagonica*.  
*pedunculata*, Moq. Chenop. Enum. 75 = *A. pedunculata*.  
*phyllostegia*, Torr. ex S. Wats. in Bot. King's Exp. 291 = *A. phyllostegia*.  
*polycarpa*, Torr. in Emory, Notes Mil. Reconnois. 149, nomen = *A. polycarpa*.  
*polygama*, Moq. in DC. Prod. xiii. ii. 114 = *A. polygama*.  
*portulacoides*, Moq. Chenop. Enum. 75 = *A. portulacoides*.  
*pusilla*, Torr. ex S. Wats. in Bot. King's Exp. 291 = *A. pusilla*.  
*radiata*, Torr. Bot. Mex. Bound. 183 = *A. elegans*.  
*rotundifolia*, Moq. Chenop. Enum. 70 = *A. rotundifolia*.  
*salicifolia*, Moq. l. c. 74 = *A. polygama*.  
*sibirica*, Fisch. Cat. Hort. Gorenk. (1808) 25 = *A. sibirica*.  
*spinosa*, Moq. in DC. Prod. xiii. ii. 108 = *A. spinosa*.  
*Stocksii*, Wight, Ic. t. 1789 = *A. Stocksii*.  
*stylosa*, Moq. Chenop. Enum. 77 = *A. stylosa*.  
*Suckleyana*, Torr. ex A. Gray, in Pacif. Rail. Rep. xii. ii. (1860) 47. t. 4 = *A. Suckleyana*.

**OBIONE** :—

*tetraptera*, Benth. Bot. Voy. Sulph. 48 = *Atriplex canescens*.  
*thunbergiaefolia*, Boiss. & Noé, Diagn. Ser. II. iv. 74 = *A. thunbergiaefolia*.  
*Torreyi*, S. Wats. in Bot. King's Exp. 290 = *A. Torreyi*.  
*truncata*, Torr. ex S. Wats. l. c. 291 = *A. truncata*.  
*turcomanica*, Bunge, in Mém. Sav. Etr. Pétersb. vii. (1851) 451 = *A. turcomanica*.  
*undulata*, Moq. in DC. Prod. xiii. ii. 110 = *A. undulata*.  
*Verbasci*, Auct. ex Trautv. in Act. Hort. Petrop. ix. (1884) 127 = seq. ?  
*verrucifera*, Moq. Chenop. Enum. 76 = *A. verrucifera*.

**OBLITIA**, Rozier, in Journ. Phys. i. (1773) 367 = *Verbena*, Linn.

**OBLIXILIS**, Rafin. Fl. Tellur. iii. 49 (1836) = *Laportea*, Gaudich. (Urtic.).  
*canadensis*, Rafin. l. c. = *L. canadensis*.  
*divaricatus*, Rafin. l. c. = *L. canadensis*.

**OBOEJACA**, Steud. Nom. ed. II. ii. 201 (1841) = *OBAEJACA*, Cass. = *Senecio*, Tourn. (Compos.).

**OBOLARIA**, Linn. Sp. Pl. ed. I. 632 (1753). *GEN-TIANEAE*, Benth. & Hook. f. ii. 818.  
*OBULARIA*, Linn. Hort. Cliff. 323 (1737).  
*SCHULTZIA*, Rafin. in Med. Repos. N. York, v. (1808) 350.  
*caroliniana*, Walt. Fl. Carol. 166 = *Herpestis amplexicaulis*.  
*virginica*, Linn. Sp. Pl. 632.—Am. bor.

**OBOSKON**, Rafin. Fl. Tellur. iii. 93 (1836) = *Salvia*, Tourn. (Labi.).  
*cretica*, Rafin. l. c. = *S. cretica*.

**OBSITILA**, Rafin. Fl. Tellur. ii. 27 (1836) = *Anthericum*, Tourn. (Liliac.).

**OBULARIA**, Linn. Hort. Cliff. 323 (1737) = *Obolaria*, Linn. (Gentian.).

**OCALIA**, Klotzsch, in Wieg. Archiv, vii. (1841) 195 = *Croton*, Linn. (Euphorb.).  
*angustifolia*, Klotzsch, l. c. = *C. antisiphiliticus*.  
*betulina*, Klotzsch, l. c. = *C. repens*.  
*cordiaefolia*, Klotzsch, l. c. = *C. antisiphiliticus*.  
*echiifolia*, Klotzsch, l. c. = *C. antisiphiliticus*.  
*grandifolia*, Klotzsch, l. c. = *C. antisiphiliticus*.  
*lantanaefolia*, Didr. in Kjoeb. Vidensk. Meddel. (1857) 139 = *C. urticaefolius*.  
*Sellowiana*, Klotzsch, in Wieg. Archiv, vii. 1841 195, nomen = *C. antisiphiliticus*.

**OCAMPOA**, A. Rich. & Gal. in Ann. Sc. Nat. Sér. III. iii. (1845) 31 = *Cranichis*, Sw. (Orchid.).  
*mexicana*, A. Rich. & Gal. l. c. = *Mexic.*

**OCHAGAVIA**, Phil. in Bot. Zeit. xiv. (1856) 647. *BROMELIACEAE*, Benth. & Hook. f. iii. 661.  
*elegans*, Phil. l. c.—Ins. J. Fernand.

**OCHANOSTACHYS**, Mast. in Hook. f. Fl. Brit. Ind. i. 576 (1875). *OLACINEAE*.  
*amentacea*, Mast. l. c. 577.—Malacca; Borneo.

**OCHETOCARPUS**, Meyen, Reise, i. 310 (1834) = *Grammatocarpus*, Presl (Loasene).  
*striata*, Meyen, l. c. = *G. volubilis*.

**OCHETOPHILA**, Poepp. ex Reiss. in Endl. Gen. 1099 (1840) = *Discaria*, Hook. (Rhamn.).  
*divergens*, Poepp. l. c. = *Sageretia divergens*.  
*Hookeriana*, Reiss. ex C. Gay, Fl. Chil. ii. 39 = *Colletia Doniana*.  
*parvifolia*, Miers, in Ann. & Mag. Nat. Hist. Ser. III v. (1860) 379.—Chili.  
*prostrata*, Miers, l. c. = *Colletia nana*.  
*riparia*, Poepp. ex Endl. Gen. 1099 = *Sageretia riparia*.  
*trinervis*, Poepp. ex Endl. l. c. = *Colletia Domana*.

**OCHLANDRA**, Thw. Enum. Pl. Zeyl. 376 (1864) *GRAMINEAE*, Benth. & Hook. f. iii. 1215.  
*BEESHA*, Munro, in Trans. Linn. Soc. xxvi. (1862) 144.  
*stridula*, Thw. Enum. Pl. Zeyl. 376.—Zeylan.



**OCHNA**, Linn. Gen. ed. I. 364 (1737); Schreb. Gen. 354 (1789). **OCHNACEAE**, Benth. & Hook. f. i. 317.

**DIPORIDIUM**, Bartl. & Wendl. f. Beitr. ii. 24 (1825). Afzelii, R. Br. ex Oliver, *Fl. Trop. Afr.* i. 319.—Afr. trop.

*andamanica*, Kurz, in Journ. As. Soc. Beng. xli. (1872) ii. 295 = Wallichii.

arborea, Burch. ex DC. *Prod.* i. 736.—Afr. austr.

ardisioides, Webb, *Fragm. Fl. Aethiop.* 59.—Afr. trop.

atropurpurea, DC. in *Ann. Mus. Par.* xvii. (1811) 412.—Afr. austr.

brevipet, Planch. in *Hook. Lond. Journ. Bot.* v. (1846) 652.—Burma.

*capensis*, Hort. Berol. ex Kunth, in *Linnaea*, xix. (1847) 394 = Elaeodendron verrucosum.

*capensis*, Page, *Prod. Southamp. Bot. Gard.* 149 = arborea.

*cardiosperma*, Lam. *Encyc.* iv. 511 (*cardiosperma*) = Gomphia cardiosperma.

*chrysantha*, Mundt, ex Steud. *Nom.* ed. II. ii. 201 = arborea.

ciliata, Lam. *Encyc.* iv. 511.—Madag.

*collina*, Edgew. in *Trans. Linn. Soc.* xx. (1846) 43 = pumila.

*cordata*, Thw. *Enum. Pl. Zeyl.* 70, 409 = squarrosa.

*cardiosperma*, vide *cardiosperma*.

*crocea*, Griff. *Notul.* iv. 463 = Gomphia sumatrana.

*delagoensis*, Walp. *Rep.* i. 528.—Afr. trop.

*dubia*, Guill. & Perr. *Fl. Seneg. Tent.* i. 137 = multiflora.

*fascicularis*, Blanco, *Fl. Filip.* ed. II. 245 = Brackenridgea fascicularis.

*fruticulosa*, Kurz, in Journ. As. Soc. Beng. xli. (1872) ii. 295 = pumila.

*guianensis*, Lam. *Encyc.* iv. 511 = Gomphia guyanensis.

*Heyneana*, Wight & Arn. *Prod.* 152 = Wightiana.

*humilis*, Wall. *Cat.* n. 3762 = pumila.

*integrifolia*, Presl, in *Oken, Isis*, xxi. (1828) 273.—Ins. Maurit.

*itineraria*, Vell. *Fl. Flum.* 224; v. t. 94 = Gomphia olivaeformis.

*Jabotapita*, Linn. *Sp. Pl.* 513 = Gomphia Jabotapita.

*Jabotapitta*, Vell. *Fl. Flum.* 223; v. t. 90 = Gomphia parviflora.

Kirkii, Oliver, *Fl. Trop. Afr.* i. 317.—Afr. trop.

*laevigata*, Vahl, *Symb. Bot.* ii. 49 = Gomphia obtusifolia.

*lanceolata*, Spreng. *Syst.* ii. 597.—Ind. or.

*leptoclada*, Oliver, *Fl. Trop. Afr.* i. 318.—Afr. trop.

*leucophloeos*, Hochst. ex A. Rich. *Tent. Fl. Abyss.* i. 129.—Abyss.

*longifolia*, Lam. *Encyc.* iv. 511 = Gomphia longifolia.

*lucida*, Lam. *Encyc.* iv. 510 = squarrosa.

*macrocalyx*, Oliver, *Fl. Trop. Afr.* i. 319.—Afr. trop.

*madagascariensis*, DC. in *Ann. Mus. Par.* xvii. (1811) 413.—Madag.

*mauritiana*, Lam. *Encyc.* iv. 512.—Ins. Maurit.

*Mechowiana*, O. Hoffm. in *Linnaea*, xliii. (1880–82) 123.—Afr. trop.

*membranacea*, Oliver, *Fl. Trop. Afr.* i. 316.—Afr. trop.

*Moonii*, Thw. *Enum. Pl. Zeyl.* 70 = Wightiana.

*mossambicensis*, Klotzsch, in *Peters, Reise Mossamb.* Bot. i. 88. t. 16.—Afr. trop.

*multiflora*, DC. in *Ann. Mus. Par.* xvii. (1811) 412.—Afr. trop.

*nana*, Buch.-Ham. in Wall. *Cat.* n. 3761 = pumila.

*natalitia*, Walp. *Rep.* ii. 826 = atropurpurea.

*nitida*, Sw. *Prod. Veg. Ind. Occ.* 67 = Gomphia guyanensis.

*nitida*, Thunb. *Prod. Pl. Cap.* 67 = squarrosa.

*nitida*, Wall. *Cat.* n. 2804 = Wallichii.

*obtusata*, DC. in *Ann. Mus. Par.* xvii. (1811) 411 = squarrosa.

*obtusifolia*, Lam. *Encyc.* iv. 510 = Gomphia obtusifolia.

*parviflora*, Griff. *Notul.* iv. 464 = Wallichii.

*parvifolia*, Vahl, *Symb. Bot.* i. 33 = Wightiana.

*polycarpa*, Baker, in *Journ. Bot.* xx. (1882) 49.—Madag.

*pulchra*, Hook. *l. c.* t. 588.—Afr. austr.

*pumila*, Buch.-Ham. ex D. Don, *Prod. Fl. Nep.* 224.—Ind. or.; Burma.

*rufescens*, Thw. *Enum. Pl. Zeyl.* 70 = squarrosa.

*serratifolia*, Baker, in *Journ. Linn. Soc.* xxi. (1884) 329.—Madag.

**OCHNA** :—

*serrulata*, Walp. *Rep.* v. 400 = atropurpurea.

*squarrosa*, Kurz, Andam. *Rep. App.* 74 = Wallichii.

*squarrosa*, Linn. *Sp. Pl.* ed. II. 732.—Ind. or.; Burma.

*stipulacea*, Colebr. in Wall. *Cat.* n. 2806 = Wallichii.

*stipulata*, Vell. *Fl. Flum.* 223; v. t. 91 = Gomphia stipulacea.

*terminalis*, Vell. *l. c.* 223; v. t. 92.—Bras.

*vaccinioides*, Baker, in *Journ. Linn. Soc.* xxi. (1884) 329.—Madag.

*verticillata*, Vell. *Fl. Flum.* 222; v. t. 89 = Gomphia verticillata.

*vulgaris*, Vell. *l. c.* 223; v. t. 93.—Bras.

*Walkerii*, Planch. in Hook. *Lond. Journ. Bot.* v. (1846) 653 = Wightiana.

Wallichii, Planch. *l. c.* 650.—Burma.

Wightiana, Wall. *Cat.* n. 2808.—Ind. or.

*zeylanica*, Lam. *Encyc.* iv. 512 = Gomphia angustifolia.

**OCHRADENUS**, Delile, *Fl. Egypte*, 236. t. 31. f. 1 (1813). **RESEDACEAE**, Benth. & Hook. f. i. 112.

**HOMALODISCUS**, Bunge, ex Boiss. *Fl. Orient.* i. 422 (1867).

Aucheri, Boiss. *Diagn. Ser.* II. i. 50.—Arab.

baccatus, Delile, *Fl. Egypte*, 236. t. 31.—Aegypt.; Oriens; Scind.

Boissieri, Muell. *Arg. in DC. Prod.* xvi. ii. 588.—Persia.

minor, Muell. *Arg. l. c.*—Persia.

*rostratus*, Ehrenb. ex Muell. *Arg. in Neue Denkschr. Schw. Ges. Zurich*, xvi. (1858) (Monog. Resed.) 95 = baccatus.

**OCHRANTHE**, Lindl. *Bot. Reg.* t. 1819 (1836) = **Turpinia**, Vent. (Sapind.).

*arguta*, Lindl. *l. c.* = T. arguta.

**OCHROCARPOS**, Thou. *Gen. Nov. Madag.* 15 (1806). **GUTTIFERAE**, Benth. & Hook. f. i. 175.

**CALYSACTION**, Wight, *Illustr.* i. 130 (1840).

*africana*, Oliver, *Fl. Trop. Afr.* i. 169.—Afr. trop.

Chapelieri, Planch. & Triana, in *Ann. Sc. Nat. Sér.* IV. xiv. (1860) 366.—Madag.

decipiens, Baill. *Adansonia*, xi. (1876) 370.—Madag.

evonymoides, Planch. & Triana, in *Ann. Sc. Nat. Sér.* IV. xiv. (1860) 366.—Madag.

Goudotianus, Planch. & Triana, *l. c.* 365.—Madag.

Harmandii, Pierre, *Fl. For. Cochinch.* t. 93.—Cochinch.

*longifolius*, Benth. & Hook. f. ex T. Anders. in Hook. *f. Fl. Brit. Ind.* i. 270.—Ind. or.

*macrophyllus*, O. Hoffm. *Sert. Madag.* 7.—Madag.

*madagascariensis*, DC. *Prod.* i. 560.—Madag.

*multiflorus*, O. Hoffm. *Sert. Madag.* 7.—Madag.

*nervosus*, Kurz, *For. Fl. Brit. Burma*, i. 94.—Burma.

*ovalifolius*, T. Anders. ex Hemsl. *Bot. Voy. Challenger*, i. iii. 122.—Ins. Timor Laut.

*pentapetalus*, Blanco, ex Vill. in Blanco, *Fl. Philipp.* ed. III. *Nov. App.* 17.—Ins. Philipp.

*siamensis*, T. Anders. in Hook. *f. Fl. Brit. Ind.* i. 270.—Burma.

**OCHROLASIA**, Turcz. in *Bull. Soc. Nat. Mosc.* xxii. (1849) ii. 3 = **Hibbertia**, Andr. (Dillen.).

*Drummondii*, Turcz. *l. c.* 4 = H. Ochrolasia.

**OCHROMA**, Sw. *Prod. Veg. Ind. Occ.* 97 (1788). **MALVACEAE**, Benth. & Hook. f. i. 212.

*lagopodium*, St. Lag. in *Ann. Soc. Bot. Lyon*, vii. (1880) 131 = seq.

*Lagopus*, Sw. *Prod. Veg. Ind. Occ.* 98.—Am. trop.

*tomentosa*, Willd. *Enum. Hort. Berol.* 695.—Am. austr.

**OCHRONELIS**, Rafin. *Atl. Journ.* 153 (1832) = **Verbesina**, Linn. (Compos.).

*sulfurea*, Rafin. *l. c.* = V. nudicaulis.

**OCHROSIA**, Juss. *Gen.* 144 (1789). **APOCYNACEAE**, Benth. & Hook. f. ii. 700.

**BLECKERIA**, Hassk. *Retzia*, i. 38 (1855).

**DIDEROTA**, Comm. ex A. DC. in DC. *Prod.* viii. 356 (1844).

**LACTARIA**, Rumpf, ex Rafin. *Sylva Tellur.* 162 (1838); Miq. *Fl. Ind. Bat.* ii. 414 (1856).

**NEIOSPERMA**, Rafin. *Sylva Tellur.* 162 (1838).

**OCHROSIA** :—

*Ackeringae*, Miq. *Ann. Mus. Bot. Lugd. Bat.* iv. 138.—Ins. Banca.

*borbonica*, J. F. Gmel. *Syst.* 439.—Ins. Mascar.

*calocarpa*, Miq. *Ann. Mus. Bot. Lugd. Bat.* iv. 139.—Austral.?

*coccinea*, Miq. *l. c.* 138.—Ins. Ceram.

*elliptica*, Labill. *Sert. Austro-Caled.* 25. t. 30.—N. Caled.

*Kilneri*, F. Muell. *Fragm.* vii. 129.—Austral.

*maculata*, Jacq. *Coll.* iv. 218 = borbonica.

*mariannensis*, A. DC. in DC. *Prod.* viii. 357.—Ins. Marian.

*Moorei*, F. Muell. ex Benth. *Fl. Austral.* iv. 310.—Austral.

*Mulsanti*, Montr. in *Mém. Acad. Lyon*, x. (1860) 235.—N. Caled.

*parviflora*, G. Don, *Gen. Syst.* iv. 99 = elliptica.

*parviflora*, Henslow, in *Ann. Nat. Hist. Ser. I.* i. (1838) 345 = elliptica.

*platyspermus*, A. DC. in DC. *Prod.* viii. 356 = borbonica.

*salubris*, Blume, *Mus. Bot. Lugd. Bat.* i. 158 = borbonica.

*sandwicensis*, A. DC. in DC. *Prod.* viii. 357.—Ins. Sandvic.

*Thiollierei*, Montr. in *Mém. Acad. Lyon*, x. (1860) 235.—N. Caled.

*undulata*, Boj. *Hort. Maurit.* 206 = borbonica.

**OCHROSION**, St. Lag. in *Ann. Soc. Bot. Lyon*, vii. (1880) 131 = praec.

**OCHROXYLUM**, Schreb. *Gen.* 826 (1791) = **Zanthoxylum**, Linn. (Rutac.).

*punctatum*, Mart. in *Denkschr. Akad. Muench.* (1816) 151 = Z. Ochroxylum.

**OCHRUS**, Tourn. ex Adans. *Fam.* ii. 330 (1763) = **Lathyrus**, Linn. (Legumin.).

*hirsutus*, Pritz. *l. c.* i. 751, sphalm. = *Orobis hirsutus*.

*lathyroides*, Medic. in Vorles. *Churpf. Phys. Ges.* ii. (1787) 357 = L. Ochrus.

*pallida*, Pers. *Syn.* ii. 305 = L. Ochrus.

*uniflora*, Moench, *Meth.* 163 = L. Ochrus.

**OCHTHOCHARIS**, Blume, in *Flora*, xiv. (1831) 523. **MELASTOMACEAE**, Benth. & Hook. f. i. 752.

*bornensis*, Blume, *Mus. Bot. Lugd. Bat.* i. 40.—Borneo.

*buruensis*, Teijsm. & Binn. in *Tijdschr. Nederl. Ind.* xxv. (1863) 426 = bornensis.

*javanica*, Blume, in *Flora*, xiv. (1831) 523.—Burma; Malaya.

*javanica*, Korth. ex Blume, *Mus. Bot. Lugd. Bat.* i. 40 = bornensis.

*paniculata*, Korth. in *Verh. Nat. Gesch. Bot.* 247. t. 64.—Malaya.

**OCHTHOCOSMUS**, Benth. in Hook. *Lond. Journ. Bot.* ii. (1843) 366. **LINEAE**, Benth. & Hook. f. i. 245.

*africanus*, Hook. f. in Hook. *l. c.* t. 773 = *Phylloscosmus africanus*.

*Roraimae*, Benth. in Hook. *Lond. Journ. Bot.* ii. (1843) 366.—Guian.

*sessiliflorus*, Baill. *Adansonia*, x. (1873) 367 = *Phylloscosmus sessiliflorus*.

**OCHTHODIUM**, DC. *Syst.* ii. 423 (1821). **CRUCIFERAE**, Benth. & Hook. f. i. 97.

*aegyptiacum*, DC. *l. c.*—Cilicia; Syria; Aegypt.

**OCHTOCHARIS**, Walp. *Ann.* ii. 600 (1851–52) = **Ochthocharis**, Blume (Melastom.).

**OCIMUM**, Linn. *Hort. Cliff.* 315 (1737). **LABIATAE**, Benth. & Hook. f. ii. 1171.

**BECIUM**, Lindl. *Bot. Reg.* (1842) Misc. 43.

**OCYUMUM**, [Tourn.] Linn. *Syst.* ed. I (1735).

*abyssinicum*, Hort. *Par. ex Lam. Encyc.* i. 387 = *filamentosum*.

*acrocephalum*, Blume, *Bijdr.* 834 = *Acrocephalus capitatus*.

*acutum*, Thunb. *Fl. Jap.* 248.—Japon.

*adscendens*, Wight, ex Hook. *f. Fl. Brit. Ind.* iv. 614 = *Orthosiphon tomentosus*.



## OCIMUM:—

adscendens, Willd. *Sp. Pl.* iii. 166.—Ind. or. affine, *Hochst. ex Benth. in DC. Prod.* xii. 36.—Abyssin.  
*africanum*, Lour. *Fl. Cochinch.* 370.—Afr. trop.  
*album*, Linn. *Mant.* i. 85 = *O. Basilicum*.  
*album*, Roxb. *Hort. Beng.* 44; *Fl. Ind.* iii. 15 = *canum*.  
*americanum*, Auct. ex Benth. *Lab. Gen. et Sp.* 13 = *micranthum*.  
*americanum*, Jacq. *Hort. Vindob.* iii. 45. t. 86 = *O. Basilicum*.  
*americanum*, Linn. *Cent. Pl.* i. 15; *Amoen. Acad.* iv. 276 = *canum*.  
*angustifolium*, Benth. in *DC. Prod.* xii. 37.—Afr. austr.  
*anisatum*, Hort. ex Benth. *Lab. Gen. et Sp.* 4 = *O. Basilicum*.  
*anisodorum*, F. Muell. *Fragm.* iv. 46 = *sanctum*.  
*anosurum*, Fenzl, in *Flora*, xxvii. (1844) 312 = *gratissimum*.  
*arborescens*, Boj. ex Benth. in *DC. Prod.* xii. 34 = *gratissimum*.  
*aristatum*, Blume, *Bijdr.* 833.—Java.  
*asperum*, Roth, Nov. Pl. Sp. 268 = *Coleus barbatus*.  
*atropurpureum*, Tenore, ex Steud. *Nom. ed. II.* ii. 202, nomen.—Hab.?  
*atrovirens*, Bartl. *Ind. Sem. Hort. Gotting.* (1841).—Cf. *Linnaea*. xvi. (1842) *Litt.* 103 = *carnosum*.  
*Auricula*, Forsk. ex Benth. in *DC. Prod.* xii. 43, 68 = *Plectranthus madagascariensis*.  
*Barrelieri*, Roth, Nov. Pl. Sp. 278 = *O. Basilicum*.  
*Basilicum*, Linn. *Sp. Pl.* 597.—As. occ. et trop.  
*bengalense*, Poir. in *Lam. Encyc.* iv. 608 = *Pogostemon plectranthoides*.  
*Bojeri*, Benth. *Lab. Gen. et Sp.* 8.—Madag.  
*brachiatum*, Blume, *Bijdr.* 833.—Java.  
*bracteatum*, Benth. *Lab. Gen. et Sp.* 14.—Afr. trop.  
*bullatum*, Lam. *Encyc.* i. 384 = *O. Basilicum*.  
*Burchellianum*, Benth. *Lab. Gen. et Sp.* 8.—Afr. austr.  
*campechianum*, Chapm. *Fl. S. U. St.* 312 = *micranthum*.  
*campechianum*, Mill. *Gard. Dict.* ed. VIII. n. 5.—Am. centr.  
*canum*, Sims, *Bot. Mag.* t. 2452.—As. et Afr. trop.  
*capitatum*, Roth, Nov. Pl. Sp. 276 = *Acrocephalus capitatus*.  
*capitellatum*, Linn. f. *Suppl.* 276 = *Acrocephalus capitatus*.  
*carnosum*, Link & Otto, ex Benth. *Lab. Gen. et Sp.* 11.—Am. trop.  
*caryophyllatum*, Roxb. *Hort. Beng.* 45; *Fl. Ind.* iii. 16 = *O. Basilicum*.  
*caryophyllatum*, Schweig. ex Schrank, in *Denkschr. Bot. Ges. Regensb.* ii. (1822) 55.—Hab.?  
*caryophyllinum*, F. Muell. *Fragm.* iv. 46 = *sanctum*.  
*Cephalotes*, Buch.-Ham. ex Wall. *Cat. p.* 86, sub n. 1563 = *Acrocephalus capitatus*.  
*Chandra*, Buch.-Ham. ex Wall. l. c. = *Acrocephalus capitatus*.  
*chinense*, Hort. ex Steud. *Nom. ed. II.* ii. 202 = *Coleus scutellarioides*.  
*ciliare*, Heyne, ex Hook. f. *Fl. Brit. Ind.* iv. 608 = *O. Basilicum*.  
*ciliatum*, Hornem. *Hort. Hafn.* 565 = *O. Basilicum*.  
*cinereum*, R. Br. in *Salt, Abyss. App.* 64 = *Coleus barbatus*.  
*cinnamomeum*, Boj. *Hort. Maurit.* 253.—Afr. trop.  
*citriodorum*, Vis. *Sem. Hort. Patav.* (1840).—Cf. *Linnaea*, xv. (1841) *Litt.* 102.—Nubia.  
*citrodorum*, Blanco, *Fl. Filip.* ed. II. 591 = *O. Basilicum*.  
*citronatum*, Buch.-Ham. ex Wall. *Cat. n.* 2720 = *gratissimum*.  
*cochleatum*, Desf. *Tabl. ed. I.* 220 = *O. Basilicum*.  
*Coetsa*, Spreng. *Syst.* iv. *Cur. Post.* 223 = *Plectranthus Coetsa*.  
*coloratum*, Buch.-Ham. ex D. Don, *Prod. Fl. Nep.* 116 = *Geniosporum strobiliferum*.  
*coloratum*, Hochst. in *Flora*, xxiv. (1841) i. *Intell.* 23 = *Orthosiphon Schimperii*.  
*congestum*, Spreng. ex Steud. *Nom. ed. II.* ii. 202 = *Mosla ocimoides*.  
*cordifolium*, Boj. ex Loud. *Hort. Brit.* 240 = *Bojeri*.  
*cordifolium*, Buch.-Ham. ex D. Don, *Prod. Fl. Nep.* 116 = *Plectranthus incanus*.  
*cordifolium*, Herb. Madr. ex Wall. *Cat. n.* 2724 C = *Orthosiphon tomentosus*.

## OCIMUM:—

*crispum*, Thunb. *Fl. Jap.* 248.—Japon.  
*cristatum*, Buch.-Ham. & Koen. ex Roxb. *Fl. Ind.* iii. 19 = *adscendens*.  
*densiflorum*, Roth, Nov. Pl. Sp. 275 = *Plectranthus rugosus*.  
*dentatum*, Moench, *Meth.* 413 = *O. Basilicum*?  
*depauperatum*, Vatke, in *Linnaea*, xliii. (1880–82) 84.—Afr. trop.  
*dichotomum*, *Hochst. ex Benth. in DC. Prod.* xii. 39.—Abyss.  
*diffusum*, Benth. in Wall. *Pl. As. Rar.* ii. 14 = *Orthosiphon diffusum*.  
*dimidiatum*, Schum. & Thonn. *Beskr. Guin. Pl.* 267 = *Moschosma polystachyum*.  
*ebracteatum*, Pohl, ex J. A. Schmidt, in *Mart. Fl. Bras.* viii. 72 = *Sellowii*.  
*fastigiatum*, Roth, Nov. Pl. Sp. 277 = *Salvia plebeia*.  
*febrifugum*, Lindl. in *Bot. Reg.* t. 753 = *viride*.  
*filamentosum*, Forsk. *Fl. Aegypt. Arab.* 108.—Arab.; Afr. trop.  
*fimbriatum*, Hort. ex Benth. *Lab. Gen. et Sp.* 5 = *O. Basilicum*.  
*flaccidum*, A. Rich. *Tent. Fl. Abyss.* ii. 179 = *Platystema flaccidum*.  
*flexuosum*, Blanco, *Fl. Filip.* ed. I. 481.—Ins. Philipp.  
*flexuosum*, Thunb. *Pl. Bras. Dec.* ii. 23, nomen.—Bras.  
*fluminense*, Vell. *Fl. Flum.* 243; vi. t. 11.—Bras.  
*foetidum*, Banks, ex Benth. *Lab. Gen. et Sp.* 35 = *Plectranthus foetidus*.  
*formigense*, Reichardt, in *Verh. Zool.-Bot. Ges. Wien*, xxxiii. (1884) 321.—Bras.  
*Forskolei*, Benth. *Lab. Gen. et Sp.* 6; et in *DC. Prod.* xii. 33.—Arab.  
*frutescens*, Burm. f. *Fl. Ind.* 129 = *sanctum*.  
*frutescens*, Linn. *Sp. Pl.* 597 = *Perilla ocimoides*.  
*frutescens*, Mill. *Gard. Dict.* ed. VIII. n. 6 = *gratissimum*.  
*fruticulosum*, Burch. *Trav.* ii. 264.—Afr. austr.  
*glaucum*, Heyne, ex Hook. f. *Fl. Brit. Ind.* iv. 614 = *Orthosiphon tomentosus*.  
*gracile*, Benth. *Lab. Gen. et Sp.* 12.—Afr. trop.  
*grandiflorum*, Blume, *Bijdr.* 835 = *Orthosiphon stamineus*.  
*grandiflorum*, Lam. *Encyc.* i. 387; L'Hérit. *Stirp.* Nov. 89. t. 43 = *filamentosum*.  
*gratissimum*, Forsk. *Fl. Aegypt. Arab.* 110 = *Plectranthus ovatus*.  
*gratissimum*, Linn. *Sp. Pl.* 1197.—Ind. or.  
*gratissimum*, Seem. *Fl. Vit.* 191 = *O. Basilicum*.  
*graveolens*, A. Br. in *Flora*, xxiv. (1841) 265.—Abyss.  
*guineense*, Schum. & Thonn. *Beskr. Guin. Pl.* 264 = *viride*.  
*hadiense*, Forsk. *Fl. Aegypt. Arab.* 109 = *Plectranthus madagascariensis*.  
*helianthemifolium*, *Hochst. in Flora*, xxviii. (1845) 67.—Afr. austr.  
*heptodon*, Beauv. *Fl. Owar.* ii. 59. t. 94 = *viride*.  
*herbaceum*, Roxb. *Hort. Beng.* [95] nomen (Quid?).—Nepal.  
*hians*, Benth. in *DC. Prod.* xii. 36 = *obovatum*.  
*Hildebrandtii*, Vatke, in *Linnaea*, xliii. (1880–82) 83.—Afr. trop.  
*hirsutum*, Benth. in Wall. *Pl. As. Rar.* ii. 14 = *sanctum*.  
*hirsutum*, Wall. *Cat. n.* 2717, partim = *Orthosiphon diffusum*.  
*hirtum*, Banks, ex Benth. *Lab. Gen. et Sp.* 38 = *Plectranthus hirtus*.  
*hispidulum*, Schum. & Thonn. *Beskr. Guin. Pl.* 266 = *canum*.  
*hispidum*, Lam. *Encyc.* i. 384 = *O. Basilicum*.  
*holosericeum*, J. F. Gmel. *Syst.* 918 = *gratissimum*.  
*incanescens*, Mart. *Reise Bras.* ii. 790 = *canum*.  
*indicum*, Roth, Nov. Pl. Sp. 273 = *adscendens*.  
*inflexum*, Thunb. *Fl. Jap.* 250.—Japon.  
*inodorum*, Burm. f. *Fl. Ind.* 130 = *sanctum*.  
*integerrimum*, Willd. *Sp. Pl.* iii. 162 = *O. Basilicum*.  
*Knyanum*, Vatke, in *Linnaea*, xxxvii. (1871–73) 315.—Abyss.  
*lacerum*, [Heyne], ex Wall. *Cat. n.* 2713 = *O. Basilicum*.  
*lamiifolium*, *Hochst. in Flora*, xxiv. (1841) i. *Intell.* 23, nomen; et ex Benth. in *DC. Prod.* xii. 37.—Abyss.  
*lancolatum*, Schum. & Thonn. *Beskr. Guin. Pl.* 268 = *O. Basilicum*.  
*laxum*, Vahl, ex Benth. *Lab. Gen. et Sp.* 5 = *O. Basilicum*.  
*longiflorum*, Buch.-Ham. ex Wall. *Cat. n.* 2727 = *Orthosiphon stamineus*.

## OCIMUM:—

*longistylum*, Hochst. ex Benth. in *DC. Prod.* xii. 34 = *menthaefolium*.  
*macrostachyum*, Poir. *Encyc. Suppl.* i. 592 = *Geniosporum prostratum*.  
*madagascariense*, Pers. *Syn.* ii. 135 = *Plectranthus madagascariensis*.  
*majus*, Hort. ex Benth. *Lab. Gen. et Sp.* 4 = *O. Basilicum*.  
*maypureuse*, Roth, Nov. Pl. Sp. 271 (*mayporeuse*) = *Plectranthus incanus*.  
*medium*, Mill. *Gard. Dict.* ed. VIII. n. 3 = *O. Basilicum*.  
*membranaceum*, Benth. *Lab. Gen. et Sp.* 15.—Afr. trop.  
*menthaefolium*, Benth. in *DC. Prod.* xii. 34, partim = *O. Basilicum*.  
*menthaefolium*, *Hochst. ex Benth. l. c.*—Abyssin.; Arab.  
*menthoides*, Heyne, ex Roth, Nov. Pl. Sp. 274 = *viscosum*.  
*menthoides*, Linn. *Sp. Pl.* 598 = *Geniosporum prostratum*.  
*mexicanum*, Hort. ex Pasq. *Cat. Ort. Bot. Nap.* 71, nomen.—Mexic.  
*micranthum*, Willd. *Enum. Hort. Berol.* 630.—Am. bor. et austr.  
*minimum*, Linn. *Sp. Pl.* 597 = *O. Basilicum*.  
*Miria*, Buch.-Ham. in Wall. *Cat. n.* 2722 = *Orthosiphon rubicundus*.  
*molle*, Ait. *Hort. Kew.* ed. I. ii. 322 = *Plectranthus incanus*.  
*mollissimum*, Wall. ex Hook. f. *Fl. Brit. Ind.* iv. 615 = *Orthosiphon rubicundus*.  
*monachorum*, Linn. *Mant.* i. 85 = *sanctum*.  
*monadelphum*, R. Br. in *Salt, Abyss. App.* 64, nomen; Roth, Nov. Pl. Sp. 267 = *Coleus spicatus*.  
*monostachyum*, Beauv. *Fl. Owar.* ii. 60 = *Plectranthus Palisoti*.  
*montanum*, Hook. *Bot. Mag.* t. 2996 = *micranthum*.  
*moschatum*, Salisb. *Prod.* 87 = *Moschosma polystachyum*.  
*Nelsonii*, Zipp. ex Span. in *Linnaea*, xv. (1841) 333, nomen.—Ins. Timor.  
*nigrum*, Thou. ex Benth. *Lab. Gen. et Sp.* 5 = *O. Basilicum*.  
*nudicaule*, Benth. l. c. 14.—Bras.  
*obovatum*, E. Mey. *Comm. Pl. Afr. Austr.* 226.—Afr. austr.  
*obtusifolium*, E. Mey. l. c. 227.—Afr. austr.  
*odorum*, Salisb. *Prod.* 87 = *O. Basilicum*.  
*ovatum*, Benth. *Lab. Gen. et Sp.* 13.—Bras.  
*ovatum*, Willd. ex Benth. in *Linnaea*, xi. (1837) 344 = *Perilomia scutellarioides*.  
*paniculatum*, Boj. *Hort. Maurit.* 253 = *gratissimum*.  
*paniculatum*, Pers. *Syn.* ii. 135 = *Coleus Persoonii*.  
*peltatum*, Hort. ex Steud. *Nom. ed. II.* ii. 203 = *O. Basilicum*, *micranthum*.  
*peltatum*, Schweig. ex Schrank, in *Denkschr. Bot. Ges. Regensb.* ii. (1822) 55 = *Coleus scutellarioides*.  
*petiolare*, Lam. *Encyc.* i. 385 = *gratissimum*.  
*Petitianum*, A. Rich. *Tent. Fl. Abyss.* ii. 176.—Abyss.  
*pilosum*, Willd. *Enum. Hort. Berol.* 629 = *O. Basilicum*.  
*Plectranthus*, J. F. Gmel. *Syst.* 917 = *Coleus galeatus*.  
*polycladum*, Link, *Enum. Hort. Berol.* ii. 119 = *Mosla ocymoides*.  
*polystachyon*, Linn. *Mant.* ii. 567 = *Moschosma polystachyum*.  
*prostratum*, Linn. l. c. 566 = *Geniosporum prostratum*.  
*pubescens*, Boj. ex Benth. in *DC. Prod.* xii. 35 = *adscendens*.  
*pubescens*, Mill. ex Benth. *Lab. Gen. et Sp.* 13 = *micranthum*.  
*punctatum*, Blume, ex Steud. *Nom. ed. II.* ii. 203.—Java.  
*punctatum*, Linn. f. *Suppl.* 275 = *Plectranthus punctatus*.  
*punctatum*, Thunb. *Fl. Jap.* 249 = *Mosla punctata*.  
*punctulatum*, J. F. Gmel. *Syst.* 917, sphalm. = *prae-racemosum*, Thunb. *Prod. Pl. Cap.* 96 = *Plectranthus Thunbergii*.  
*rariflorum*, Hochst. in *Flora*, xxviii. (1845) 67 = *obtusifolium*.  
*reflexum*, Ehrenb. ex Schweinf. *Beitr. Fl. Aethiop.* 126.—Afr. trop.  
*rigidum*, Benth. *Lab. Gen. et Sp.* 14.—Afr. trop.  
*rigidum*, Buch.-Ham. ex Wall. *Cat. n.* 2724 = *Orthosiphon rubicundus*.  
*robustum*, Heyne, ex Hook. f. *Fl. Brit. Ind.* iv. 609 = *gratissimum*.  
*rubicundum*, Buch.-Ham. ex D. Don, *Prod. Fl. Nep.* 116 = *Orthosiphon rubicundus*.



**OCIMUM** :—

- rugosum, *Thunb. Fl. Jap.* 249.—Japon.  
*saccharoides*, Willd. ex Wall. Cat. n. 2728 = *Coleus* barbatus.  
*salinum*, Molina, Sagg. Chile, 139 = *O. Basilicum*.  
*salvioides*, Heyne, ex Roth, Nov. Pl. Sp. 272 = *Plectranthus salvioides*.  
*sanctum*, *Linn. Mant.* i. 85.—Geront. trop.  
*scabrum*, *Thunb. in Trans. Linn. Soc.* ii. (1794) 338 = *Mosla punctata*.  
*scabrum*, Wight, ex Hook. f. *Fl. Brit. Ind.* iv. 608 = *O. Basilicum*.  
*scutellarioides*, *Linn. Sp. Pl. ed. II.* 833 = *Coleus scutellarioides*.  
*scutellarioides*, Willd. ex Benth. in *Linnaea*, xi. (1837) 344 = *sanctum*.  
*Selloi*, *Benth. Lab. Gen. et Sp.* 6.—Am. austr.  
*sericeum*, *Medic. in Act. Acad. Theod. Palat.* iv. Phys. (1780) 199. t. 7 = *gratissimum*.  
*serpyllifolium*, *Forsk. Fl. Aegypt. Arab.* 110.—Arab.  
*stamineum*, Sims, Bot. Mag. t. 2452 = *canum*.  
*striatum*, Hochst. in *Flora*, xxviii. (1845) 66 = *obovatum*.  
*suave*, Willd. Enum. Hort. Berol. 629 = *gratissimum*.  
*subseriatum*, Heyne, ex Hook. f. *Fl. Brit. Ind.* iv. 609 = *sanctum*.  
*suffrutescens*, Schum. & Thonn. in *Dansk. Vidensk. Selsk. Afh.* iv. (1829) 330 = *Orthosiphon glabratus*.  
*suffruticosum*, *Benth. Lab. Gen. et Sp.* 709, sphalm. = *praece*.  
*sylvaticum*, Thonn. in Schum. & Thonn. *Beskr. Guin.* Pl. 270 = *Geniosporum Palisoti*.  
*tenellum*, *Benth. Lab. Gen. et Sp.* 12.—Madag.  
*tenuiflorum*, Burm. f. *Fl. Ind.* 129 = *Moschosma polystachyum*.  
*tenuiflorum*, Heyne, ex Hook. f. *Fl. Brit. Ind.* iv. 610 = *Geniosporum prostratum*.  
*tenuiflorum*, *Linn. Sp. Pl.* 597 = *sanctum*.  
*tereticaule*, *Poir. Encyc. Suppl.* i. 595.—Afr. trop.  
*ternifolium*, Spreng. *Syst.* iv. Cur. Post. 224 = *Plectranthus ternifolius*.  
*teucriifolium*, Hochst. in *Flora*, xxviii. (1845) 66 = (*Orthosiphon* sp.).—Afr. austr.  
*Thonningii*, Schum. & Thonn. *Beskr. Guin.* Pl. 265 = *tereticaule*.  
*Thonningii*, Schum. & Thonn. l. c. 269 = *Orthosiphon glabratus*.  
*thymiflorum*, Roth, Nov. Pl. Sp. 269 = *Orthosiphon tomentosus*.  
*thyrsiflorum*, *Linn. Mant.* i. 84 = *O. Basilicum*.  
*tomentosum*, Lam. *Encyc.* i. 387 = *sanctum*.  
*triste*, Roth, Nov. Pl. Sp. 270 = *Orthosiphon tomentosus*.  
*tuberosum*, Roxb. Hort. Beng. [95]; *Fl. Ind.* iii. 18 = *Orthosiphon rubicundus*.  
*Tweedianum*, *Benth. in DC. Prod.* xii. 38.—Uruguay.  
*urticaefolium*, Hort. ex Benth. Lab. Gen. et Sp. 5 = *O. Basilicum*.  
*urticifolium*, Roth, *Catalect. fasc.* ii. 52 = *gratissimum*.  
*Vaalae*, *Forsk. Fl. Aegypt. Arab.* 111.—Arab.  
*verticillatum*, Heyne, ex Hook. f. *Fl. Brit. Ind.* iv. 609 = *adscendens*.  
*verticillatum*, *Linn. f. Suppl.* 276 = *Plectranthus Thunbergii*.  
*villosum*, Roxb. Hort. Beng. 44; *Fl. Ind.* iii. 13 = *sanctum*.  
*villosum*, Weinm. in *Syll. Ratisb.* i. (1824) 121 = *gratissimum*.  
*virgatum*, Buch.-Ham. ex D. Don, *Prod. Fl. Nep.* 116 = *Orthosiphon rubicundus*.  
*virgatum*, *Thunb. Fl. Jap.* 250.—Japon.  
*viride*, Willd. Enum. Hort. Berol. 629.—Afr. trop.  
*viridiflorum*, Roth, *Catalect. fasc.* ii. 54.—Hab.?  
*viscosum*, Roth, Nov. Pl. Sp. 274.—Ind. or.  
*Zatarhendi*, Forsk. *Fl. Aegypt. Arab.* 109 = *Coleus spicatus*.  
*zeylanicum*, *Medic. in Act. Acad. Theod. Palat.* iv. Phys. (1780) 197. t. 6 = *gratissimum*.

OCKEA, F. G. Dietr. Vollst. Lexic. Gaertn. Nachtr. i. 105 (1815) = *Adenandra*, Willd. (Rutac.).

OCKENIA, Steud. Nom. ed. II. i. 24 (1840) = *praece*.

OCKIA, Bartl. & Wendl. f. Diosm. 69 (1824) = *praece*.

OCNERON, Rafn. Fl. Tellur. iv. 120 (1836) = *Stachelina*, Linn. (Compos.).  
*Aquifolium*, Rafn. l. c. (Quid?)—Hab.?  
*cordatum*, Rafn. l. c. (Quid?)—Hab.?

OCOTEA, Aubl. Pl. Gui. ii. 780. t. 310 (1775).  
**LAURINEAE**, Benth. & Hook. f. iii. 157.

- AGRIODAPHNE, Steud. Nom. ed. II. i. 38 (1840).  
 ANIBA, Aubl. Pl. Gui. i. 327 (1775).  
 BALANOPSIS, Rafn. Sylva Tellur. 134 (1838).  
 CALYCODAPHNE, Boj. Hort. Maurit. 273 (1837).  
 CAMPHOROMOEAE, Nees, Laurin. Expos. 16 (1833).  
 CANNELLA, Schott, ex Meissn. in DC. Prod. xv. i. 103, in syn. (1864).  
 CEDROTA, Schreb. Gen. i. 259 (1789).  
 CERAMOCARPUM, Nees, ex Meissn. in DC. Prod. xv. i. 111 (1864).  
 CERAMOPHORA, Nees, l. c. (1864).  
 EVONYMODAPHNE, Nees, Syst. Laurin. 263 (1836).  
 GYMNOBALANUS, Nees & Mart. in *Linnaea*, viii. (1833) 38.  
 LEPTODAPHNE, Nees, Laurin. Expos. (1833) 16; Syst. Laurin. 358 (1836).  
 MESPILODAPHNE, Nees, in *Linnaea*, viii. (1833) 45.  
 NEMODAPHNE, Meissn. in DC. Prod. xv. i. 109 (1864).  
 OREODAPHNE, Nees & Mart. ex Nees, in *Linnaea*, viii. (1833) 39.  
 PETALANTHERA, Nees, Laurin. Disp. Prog. 15 (1833); Syst. Laurin. 346 (1836).  
 STRYCHNODAPHNE, Nees, in *Linnaea*, viii. (1833) 39.  
 TELEIANDRA, Nees, l. c. (1836) 46.  
*acuminata*, Baker, in *Journ. Linn. Soc.* xx. (1883) 242.—Madag.  
*aenea*, Mart. ex Nees, Syst. Laurin. 394 = *tristis*.  
*amara*, Mart. Reise Bras. iii. 1128 = *Nectandra cymbarum*.  
*amazonum*, Mart. ex Nees, Syst. Laurin. 282 = *Nectandra amazonum*.  
*angustifolia*, Pohl, ex Meissn. in DC. Prod. xv. i. 162.—Bras.  
*angustifolia*, Schrad. in Goett. Gel. Anz. i. (1821) 711 = *Nectandra angustifolia*.  
*attenuata*, Nees, ex Wall. Pl. As. Rar. ii. 71 = *Phoebe attenuata*.  
*bifida*, Poepp. ex Nees, Syst. Laurin. 351 = *Pleurothyrium bifidum*.  
*Bofa*, H. B. & K. Nov. Gen. et Sp. ii. 161.—N. Granat.  
*botryophylla*, Klotzsch & Karst. ex Nees, in *Linnaea*, xxi. (1848) 524.—N. Granat.  
*bracteolata*, Mart. ex Nees, Syst. Laurin. 347.—Bras.  
*bullata*, E. Mey. ex Meissn. in DC. Prod. xv. i. 118.—Afr. austr.  
*caracasana*, Klotzsch, ex Nees, in *Linnaea*, xxi. (1848) 516, partim = *Nectandra discolor*.  
*carolinensis*, Kostel. Allg. Med. Pharm. Flora, ii. 482 = *Persea carolinensis*.  
*caryophyllacea*, Kostel. l. c. = *Dicypellium caryophyllatum*.  
*chrysophylla*, Poepp. ex Nees, Syst. Laurin. 351 = *Pleurothyrium chrysophyllum*.  
*citrosmoides*, Mart. ex Nees, l. c. 384.—Bras.  
*commutata*, Nees, ex Meissn. in DC. Prod. xv. i. 120, in syn.—Guian.  
*Cujumary*, Mart. Reise Bras. iii. 1128.—Bras.  
*cuspidata*, Mart. ex Nees, Syst. Laurin. 330 = *Nectandra cuspidata*.  
*cymbarum*, H. B. & K. Nov. Gen. et Sp. ii. 166 = *Nectandra cymbarum*.  
*cymbarum*, Poepp. ex Nees, Syst. Laurin. 120 = *Phoebe cubensis*.  
*cymbarum*, Spreng. ex Nees, l. c. 213 = *Cryptocarya moschata*.  
*daphnoides*, Mart. ex Nees, l. c. 402 = *lanceolata*.  
*dealbata*, Poepp. ex Meissn. in DC. Prod. xv. i. 88 = *Aydenron permolle*.  
*declinata*, Blume, Bijdr. 572 = *Phoebe declinata*.  
*desertorum*, Mart. ex Nees, Syst. Laurin. 260 = *Aydenron desertorum*.  
*discolor*, H. B. & K. Nov. Gen. et Sp. ii. 163 = *Nectandra discolor*.  
*effusa*, Hemsl. Biol. Centr. Am. Bot. iii. 73.—Mexic.  
*elongata*, Nees, ex Meissn. in DC. Prod. xv. i. 31 = *Phoebe montana*.  
*excelsa*, Blume, Bijdr. 572 = *Phoebe excelsa*.  
*firmita*, Mart. ex Nees, Syst. Laurin. 250.—Venezuela.

**OCOTEA** :—

- floribunda*, Benth. & Hook. f. Gen. iii. 158.—Bras.  
*foetens*, Benth. & Hook. f. l. c.—Ins. Canar.  
*glauescens*, Nees, in Wall. Pl. As. Rar. ii. 71 = *Phoebe pallida*.  
*globosa*, Schlecht. & Cham. in *Linnaea*, vi. (1831) 366 = *Nectandra sanguinea*.  
*glomerata*, Benth. & Hook. f. Gen. iii. 158.—Guiana.  
*guianensis*, Aubl. Pl. Gui. ii. 781.—Guiana.  
*helicterifolia*, Hemsl. Biol. Centr. Am. Bot. iii. 73.—Mexic.  
*Humboldtii*, Baill. in Bull. Soc. Linn. Par. i. (1885) 453.—Madag.  
*incana*, Schott, ex Meissn. in Mart. Fl. Bras. v. ii. 252 = *Nectandra rigida*.  
*indecora*, Schott, ex Meissn. in DC. Prod. xv. i. 102.—Bras.  
*indica*, Kostel. Allg. Med. Pharm. Flora, ii. 482 = *Persea indica*.  
*japurensis*, Mart. ex Nees, Syst. Laurin. 335 = *Nectandra japurensis*.  
*Klotzschiana*, Hemsl. Biol. Centr. Am. Bot. iii. 73.—Mexic.  
*lanceolaria*, Voigt, Hort. Suburb. Calc. 309 = *Phoebe lanceolata*.  
*lanceolata*, Nees, in Wall. Pl. As. Rar. ii. 71 = *Phoebe lanceolata*.  
*lanceolata*, Nees, Syst. Laurin. 474.—Bras.  
*latifolia*, H. B. & K. Nov. Gen. et Sp. ii. 165 = *Nectandra polita*.  
*Leucoxylon*, Benth. & Hook. f. Gen. iii. 158.—Ind. occ.  
*Lhotzkii*, Nees, Syst. Laurin. 475.—Bras.  
*ligustrina*, Nees, in Wall. Pl. As. Rar. ii. 71 = *Phoebe declinata*.  
*lineata*, H. B. & K. Nov. Gen. et Sp. ii. 165 = *Persea lineata*.  
*longifolia*, H. B. & K. l. c. 164.—N. Granat.  
*lucida*, Mart. ex Nees, Syst. Laurin. 334 = *Nectandra lucida*.  
*macrophylla*, H. B. & K. Nov. Gen. et Sp. ii. 165 = *Nectandra macrophylla*.  
*Maximiliana*, Mart. ex Nees, Syst. Laurin. 472 = *puberula*.  
*maynensis*, Poepp. ex Meissn. in DC. Prod. xv. i. 32 = *Phoebe peruviana*.  
*mexicana*, Hemsl. Biol. Centr. Am. Bot. iii. 73.—Mexic.  
*microcarpa*, Poepp. ex Meissn. in DC. Prod. xv. i. 112.—Bras.; Peruv.  
*minarum*, Mart. ex Nees, Syst. Laurin. 303, ex parte = *Nectandra psammophila*.  
*mollis*, H. B. & K. Nov. Gen. et Sp. ii. 164 = *Nectandra villosa*.  
*mucosa*, Hemsl. Biol. Centr. Am. Bot. iii. 73 = *Acroclidium salicifolium*.  
*nitidula*, Mart. ex Nees, Syst. Laurin. 313 = *Nectandra nitidula*.  
*obtusifolia*, H. B. & K. Nov. Gen. et Sp. ii. 165.—N. Granat.  
*obtusifolia*, Mart. ex Nees, Syst. Laurin. 260 = *Aydenron desertorum*.  
*opifera*, Mart. Reise Bras. iii. 1128.—Bras.  
*pallida*, Nees, in Wall. Pl. As. Rar. ii. 71 = *Phoebe pallida*.  
*paniculata*, Nees, l. c. = *Phoebe paniculata*.  
*Pichurim*, H. B. & K. Nov. Gen. et Sp. ii. 166 = *Aydenron Laurel*.  
*Plumieri*, Kostel. Allg. Med. Pharm. Flora, ii. 482 = *Persea carolinensis*.  
*polyantha*, Mart. ex Nees, Syst. Laurin. 458.—Bras.  
*pretiosa*, Benth. & Hook. f. Gen. iii. 158.—Bras.  
*psammophila*, Mart. ex Nees, Syst. Laurin. 303 = *Nectandra psammophila*.  
*psychotrioides*, Billb. ex Meissn. in DC. Prod. xv. i. 150 = *Nectandra amazonum*.  
*psychotrioides*, H. B. & K. Nov. Gen. et Sp. ii. 162.—Mexic.  
*puberula*, Nees, Syst. Laurin. 472.—Am. austr.  
*pubescens*, Nees, in Wall. Pl. As. Rar. ii. 71 = *Phoebe paniculata*.  
*Puchury-major*, Mart. Reise Bras. iii. 1127 = *Nectandra Puchury-major*.  
*Puchury-minor*, Mart. l. c. = *Nectandra Puchury-minor*.  
*pulchella*, Mart. in Buch. Rep. xxxv. (1830) 172.—Bras.  
*ramentacea*, Mart. ex Nees, Syst. Laurin. 553 = *Litsea glaucescens*.



**OCOTEA** :—

- rigida*, H. B. & K. Nov. Gen. et Sp. ii. 163 = *Nectandra rigida*.  
*riparia*, Mart. ex Nees, Syst. Laurin. 330 = *Nectandra cuspidata*.  
*rufo-tomentosa*, Mart. ex Nees, l. c. 153.—Bras.  
*salicifolia*, Hook. & Arn. Bot. Beech. Voy. 309 = *Nectandra glabrescens*.  
*salicifolia*, H. B. & K. Nov. Gen. et Sp. ii. 166 = *Nectandra sanguinea*.  
*salicifolia*, Nees, Syst. Laurin. 298.—Bras.  
*sanguinea*, J. S. Presl, Rostl. ii. 60 = *Nectandra sanguinea*.  
*Schomburgkiana*, Benth. & Hook. f. Gen. iii. 158.—Guiana.  
*sericea*, H. B. & K. Nov. Gen. et Sp. ii. 162 = *guianensis*.  
*sericea*, Nees, in Wall. Pl. As. Rar. ii. 71 = *Machilus sericea*.  
*Sieberi*, Hemsl. Biol. Centr. Am. Bot. iii. 73.—Mexic.  
*squarrosa*, Mart. ex Nees, Syst. Laurin. 326.—Bras.  
*striata*, Buek, Ind. ad DC. Prod. iv. 234 = *Nectandra striata*.  
*suaveolens*, Benth. & Hook. f. ex Hieron. in Bol. Acad. Nac. Córdoba, iv. (1881) 437.—Reg. Argent.  
*subacris*, Mart. ex Nees, Syst. Laurin. 410.—Bras.  
*subtriplinervia*, Hemsl. Biol. Centr. Am. Bot. iii. 74.—Mexic.  
*tampicensis*, Hemsl. l. c.—Mexic.  
*trichophlebia*, Baker, in Journ. Linn. Soc. xx. (1883) 242.—Madag.  
*tristis*, Mart. ex Nees, Syst. Laurin. 304.—Bras.  
*turbacensis*, H. B. & K. Nov. Gen. et Sp. ii. 162 = *Nectandra turbacensis*.  
*turbacensis*, Poepp. ex Nees, Syst. Laurin. 368 (= *Goeppertia longifolia*).—Peruv.  
*umbelliflora*, Blume, Bijdr. 573 = *Phoebe umbelliflora*.  
*umbrosa*, H. B. & K. Nov. Gen. et Sp. ii. 161 (*Nectandra* sp.).—N. Granat.  
*umbrosa*, Mart. ex Nees, Syst. Laurin. 388.—Bras.  
*variabilis*, Mart. l. c. 429.—Bras.  
*velutina*, Mart. l. c. 386.—N. Granat.  
*venulosa*, Benth. & Hook. f. Gen. iii. 158.—Bras.  
*virgultosa*, Mart. ex Nees, Syst. Laurin. 304.—Bras.  
*xanthocalyx*, Mart. l. c. 312.—Bras.
- OCTADENIA**, R. Br. ex Fisch. & Mey. Ind. Sem. Hort. Petrop. iii. 41 (1836) = *Alyssum*, Tourn. (Crucif.).  
*lybica*, R. Br. ex Fisch. & Mey. l. c. = *A. libycum*.  
*maritima*, Fisch. & Mey. l. c. = *A. maritimum*.
- OCTADESMIA**, Benth. in Journ. Linn. Soc. xviii. (1881) 311. **ORCHIDEAE**, Benth. & Hook. f. iii. 525.  
*Dilomilis*, Rafin. Fl. Tellur. iv. 43 (1836), nomen prius.  
*elata*, Benth. & Hook. f. Gen. iii. 525.—Jamaica.  
*monophylla*, Benth. & Hook. f. l. c. 526.—Ind. occ.  
*montana*, Benth. & Hook. f. l. c. 525 = *serratifolia*.  
*serratifolia*, Benth. in Journ. Linn. Soc. xviii. (1881) 311.—Ind. occ.
- OCTANEMA**, Rafin. Sylva Tellur. 112 (1838) = *Capparis*, Linn.  
*angustifolia*, Rafin. l. c. = *C. angustifolia*.  
*crotonoides*, Rafin. l. c. = *C. crotonoides*.  
*incana*, Rafin. l. c. = *C. incana*.  
*scabrida*, Rafin. l. c. = *C. scabrida*.
- OCTARILLUM**, Lour. Fl. Cochinch. 90 (1790) = *Elaeagnus*, Tourn.  
*fruticosum*, Lour. l. c.—Cochinch.
- OCTARRHENA**, Thw. Enum. Pl. Zeyl. 305 (1861) = *Phreatia*, Lindl. (Orchid.).  
*parvula*, Thw. l. c. 305.—Zeylan.
- OCTAS**, Jack, in Malay. Misc. ii. vii. (1822). (*INC. SED.*)  
*spicata*, Jack, l. c.—Malaya.
- OCTAVIA**, DC. Prod. iv. 464 (1830) = *Lasianthus*, Jack (Rubiace.).  
*sessiliflora*, DC. l. c.—Guiana.
- OCTELISIA**, Rafin. Sylva Tellur. 129 (1838) = *Cassia*, Tourn. (Legumin.).  
*aurea*, Rafin. l. c. 130 = *C. Sophera*.

- OCTELLA**, Rafin. Sylva Tellur. 96 (1838) = *Melastoma*, Linn. etc.  
*alpina*, Rafin. l. c. 97 = *Charianthus coccineus*.  
*angustifolius*, Rafin. l. c. 96 = *Tetragygia angustifolia*.  
*axillaris*, Rafin. l. c. 97 (Quid ?).—Hab. ?  
*capillaris*, Rafin. l. c. = *Sagraea capillaris*.  
*coccinea*, Rafin. l. c. = *Charianthus purpureus*.  
*fascicularis*, Rafin. l. c. = *Henriettella fascicularis*.  
*glabrata*, Rafin. l. c. = *Calycogonium glabratum*.  
*hispida*, Rafin. l. c. = *Tetragygia hispida*.  
*lateriflora*, Rafin. l. c. = *Henriettella lateriflora*.  
*microphylla*, Rafin. l. c. = *Ossaea microphylla*, Triana.  
*repens*, Rafin. l. c. = *M. repens*.  
*umbrosa*, Rafin. l. c. = *Sagraea umbrosa*.  
*vaccinoides*, Rafin. l. c. = *Miconia vaccinioides*.  
*verticillata*, Rafin. l. c. = *Ossaea verticillata*.  
*virgata*, Rafin. l. c. = *Mecranium virgatum*.

**OCTHOCHARIS**, G. Don, Gen. Syst. ii. 731 (1832) = *Ochthocharis*, Blume (Melastom.).

**OCTIMA**, Rafin. Alsog. Am. 42 (1838) = *Populus*, Linn. (Salicin.).  
*canescens*, Rafin. l. c. = *P. alba*.

**OCTOCERAS**, Bunge, in Arbeit. Nat. Ver. Riga, i. (1847) 172. **CRUCIFERAE**, Benth. & Hook. f. i. 97.  
*Lehmannianum*, Bunge, l. c.—Persia; Afghan.

**OCTOCLINIS**, F. Muell. in Trans. Phil. Inst. Vict. ii. (1858) 21 = *Callitris*, Vent. (Conif.).  
*Backhousi*, W. Hill, in Cat. Nat. & Industr. Prod. Queensl. (1862) 16 = *C. calcarata*.  
*juniperoides*, Carr. Conif. ed. II. 790.—N. Caled.  
*Macleayana*, Muell. in Trans. Phil. Inst. Vict. ii. (1858) 22 = *C. Macleayana*.

**OCTODON**, Thonn. in Schum. & Thonn. Beskr. Guin. Pl. 74 (1827). **RUBIACEAE**, Benth. & Hook. f. ii. 145.  
*filifolium*, Schum. & Thonn. l. c.—Afr. trop.  
*setosum*, Hiern, in Oliver, Fl. Trop. Afr. iii. 242.—Afr. trop.

**OCTOGONIA**, Klotzsch, in Linnaea, xii. (1838) 233 = *Simoneilus*, Klotzsch (Ericac.).  
*glabella*, Klotzsch, l. c. = *S. glabellus*.  
*hirta*, Klotzsch, l. c. = *S. hirtus*.

**OCTOLEPIS**, Oliver, in Journ. Linn. Soc. viii. (1865) 161. t. 12. **THYMELAEACEAE**, Benth. & Hook. f. iii. 201.  
*Casearia*, Oliver, l. c.—Afr. trop.

**OCTOLOBUS**, Welw. in Trans. Linn. Soc. xxvii. (1869) 17. **STERCULIACEAE**, Benth. & Hook. f. i. 982.  
*spectabilis*, Welw. l. c. 18. t. 6.—Afr. trop.

**OCTOMELIS**, Miq. Fl. Ind. Bat. Suppl. 336 (1860). **DATISCEAE**, Benth. & Hook. f. i. 845.  
*sumatranus*, Miq. l. c.—Sumatra.

**OCTOMERIA**, R. Br. in Ait. Hort. Kew. ed. II. v. 211 (1813). **ORCHIDEAE**, Benth. & Hook. f. iii. 493.

*ASPEGRENIA*, Poepp. & Endl. Nov. Gen. et Sp. ii. 12. t. 116 (1837).

*ENOTHREA*, Rafin. Fl. Tellur. iv. 43 (1836).  
*aetheoantha*, Rodrig. Orch. Nov. ii. 106.—Bras.  
*albina*, Rodrig. l. c. 107.—Bras.  
*albopurpurea*, Rodrig. l. c.—Bras.  
*alcofolia*, Rodrig. l. c. 113.—Bras.  
*alpina*, Rodrig. l. c. 102.—Bras.  
*Baueri*, Lindl. Gen. et Sp. Orch. 10.—Ind. occ.  
*caespitosa*, Lodd. Cat. ex W. Baxt. in Loud. Hort. Brit. Suppl. iii. 596, nomen.—Ins. Trinit.  
*candida*, Lodd. Cat. l. c., nomen.—Bras.  
*chamaeleptotes*, Reichb. f. in Linnaea, xxii. (1849) 817.—Bras.  
*cochlearis*, Reichb. f. in Gard. Chron. (1881) i. 266.—Bras.  
*concolor*, Rodrig. Orch. Nov. ii. 100.—Bras.  
*convallarioides*, Wall. ex Lindl. Gen. et Sp. Orch. 70 = *Eria convallarioides*.

**OCTOMERIA** :—

- crassifolia*, Lindl. in Hook. Comp. Bot. Mag. ii. (1836) 354.—Bras.  
*densiflora*, Rodrig. Orch. Nov. ii. 97.—Bras.  
*diaphana*, Lindl. Bot. Reg. (1839) Misc. 91.—Bras.  
*ementosa*, Rodrig. Orch. Nov. ii. 102.—Bras.  
*exchlorophyllata*, Rodrig. l. c. 103.—Bras.  
*fasciculata*, Rodrig. l. c. i. 32.—Bras.  
*flava*, Wall. ex Steud. Nom. ed. II. ii. 204 = *Eria flava*.  
*geraënsis*, Rodrig. Orch. Nov. ii. 295.—Bras.  
*Glazioviana*, Regel, in Act. Hort. Petrop. viii. (1883) 277.—Bras.  
*gracilis*, Lodd. ex Lindl. Bot. Reg. (1838) Misc. 36.—Bras.  
*gracilis*, Rodrig. Orch. Nov. ii. 108.—Bras.  
*graminifolia*, R. Br. in Ait. Hort. Kew. ed. II. v. 211.—Ind. occ.  
*grandiflora*, Lindl. Bot. Reg. (1842) Misc. 64.—Bras.  
*helvola*, Rodrig. Orch. Nov. ii. 110.—Bras.  
*juncifolia*, Rodrig. l. c.—Bras.  
*lancaefolia*, Hort. ex W. Baxt. in Loud. Hort. Brit. Suppl. iii. 596, nomen.—Bras.  
*leptophylla*, Rodrig. Orch. Nov. ii. 112.—Bras.  
*lichenicola*, Rodrig. l. c.—Bras.  
*linearifolia*, Rodrig. l. c. 106.—Bras.  
*lithophila*, Rodrig. l. c. 295.—Bras.  
*lobulosa*, Reichb. f. in Hamb. Gartenz. xiv. (1858) 215.—Hab. ?  
*Loddigesii*, Lindl. in Hook. Comp. Bot. Mag. ii. (1836) 354.—Bras. ?  
*micrantha*, Rodrig. Orch. Nov. i. 33.—Bras.  
*montana*, Rodrig. l. c. ii. 108.—Bras.  
*multiflora*, Rodrig. l. c. 98.—Bras.  
*ochroleuca*, Rodrig. l. c. i. 31.—Bras.  
*oxychela*, Rodrig. l. c. ii. 99.—Bras.  
*paucifolia*, Breda, Kuhl & Hasselt, Orch. [t. 11] = *Eria paucifolia*.  
*petulans*, Reichb. f. in Hamb. Gartenz. xv. (1859) 59.—Hab. ?  
*pinicola*, Rodrig. Orch. Nov. ii. 101.—Bras.  
*praestans*, Rodrig. l. c. 112.—Bras.  
*pubescens*, Spreng. Syst. iv. Cur. Post. 310 = *Eria flava*.  
*pusilla*, Lindl. in Hook. Comp. Bot. Mag. ii. (1836) 354.—Bras.  
*racemosa*, Breda, Kuhl & Hasselt, Orch. [t. 12] = *Eria micrantha*.  
*rigida*, Rodrig. Orch. Nov. ii. 104.—Bras.  
*robusta*, Rodrig. l. c. 97.—Bras.  
*Rodeiensis*, Rodrig. l. c. 105.—Bras.  
*rosea*, Spreng. Syst. iv. Cur. Post. 310 = *Eria rosea*.  
*rubrifolia*, Rodrig. Orch. Nov. i. 31.—Bras.  
*sarcophylla*, Rodrig. l. c. ii. 104.—Bras.  
*Saundersiana*, Reichb. f. in Gard. Chron. (1880) i. 264.—Bras.  
*scirpoidea*, Reichb. f. in Bot. Zeit. x. (1852) 856.—Peruv.  
*secunda*, Wall. ex Lindl. Gen. et Sp. Orch. 63 = *Eria stricta*.  
*semiteres*, Regel, in Ann. Sc. Nat. Sér. IV. vi. (1856) 373.—Bras.  
*serratifolia*, Hook. Bot. Mag. t. 2823 = *Octadesmia serratifolia*.  
*spatulata*, Reichb. f. in Hamb. Gartenz. xvi. 1860 424.—Hab. ?  
*stellaris*, Rodrig. Orch. Nov. ii. 99.—Bras.  
*stellata*, Spreng. Syst. iv. Cur. Post. 310 = *Eria stellata*.  
*surinamensis*, H. C. Focke, in Tijdschr. voor Wetensch. ii. (1849) 200.—Guian.  
*teretifolia*, Batem. ex W. Baxt. in Loud. Hort. Fr. Suppl. ii. 651.—Bras.  
*teretifolia*, Rodrig. Orch. Nov. i. 32 = *leptophylla*.  
*tricolor*, Reichb. f. in Gard. Chron. 1872) 1035.—Bras.  
*tridentata*, Lindl. Bot. Reg. (1839) Misc. 35.—Guiana  
*truncicola*, Rodrig. Orch. Nov. ii. 101.—Bras.  
*vaginata*, Breda, Kuhl & Hasselt, Orch. [t. 5] = *Eria vaginata*.  
*Warmingii*, Reichb. f. Otia Bot. Hamb. 94.—Bras.
- OCTOMERIA**, D. Don, Prod. Fl. Nep. 31 (1821) = *Eria*, Lindl. (Orchid.).  
*spicata*, D. Don. l. c. = *E. convallarioides*.
- OCTOMERIA**, Pfeiff. Nom. ii. 474 (1874) spha. = *Otomoria*, Benth. (Rubiace.).



OCTOMERIS, Naud. in Ann. Sc. Nat. Sér. III. iv. (1845) 52; et xvii. (1852) 378 = **Heterotrichum**, DC. et **Miconia**, Ruiz & Pav. (Melastom.).  
*Bonplandii*, Naud. l. c. iv. (1845) 54 = **H. Octonum**.  
*bracteosa*, Naud. l. c. xvii. (1852) 379 = **Anaetocalyx bracteosa**.  
*macrodon*, Naud. l. c. iv. (1845) 53 = **H. macrodon**.  
*paupercula*, Naud. l. c. xvii. (1852) 281 = **M. paupercula**.  
*polyandra*, Naud. l. c. 382 = **M. Benthiana**.  
*rostrata*, Naud. l. c. iv. (1845) 53 = **M. tuberculata**.  
*Schlimii*, Naud. l. c. xvii. (1852) 379 = **H. Schlimii**.  
*tuberculata*, Naud. l. c. iv. (1845) 53 = **M. tuberculata**.

OCTONUM, Rafin. Sylva Tellur. 95 (1838) = **Heterotrichum**, DC. (Melastom.).  
*Humboldtii*, Rafin. l. c. = **H. Octonum**.

OCTOPERA, D. Don, in Edinb. N. Phil. Journ. xvii. (1834) 156 = **Erica**, Tourn.  
*Bergiana*, D. Don, l. c. = **E. Bergiana**.

OCTOPLEURA, Griseb. Fl. Brit. W. Ind. 260 (1860). **MELASTOMACEAE**, Benth. & Hook. f. i. 769.  
*ciliata*, Triana, in Trans. Linn. Soc. xxviii. (1871) 146.—Ins. Trinit.  
*diversifolia*, Triana, l. c. 145.—N. Granat.  
*Epibaterium*, Ind. Kew. supra, i. 563 in syn., sphalm. = **Ossaea Epibaterium**.  
*macrophylla*, Triana, in Trans. Linn. Soc. xxviii. (1871) 145.—Am. centr.  
*micrantha*, Griseb. Fl. Brit. W. Ind. 260.—Jamaic.  
*quinquenervia*, Triana, in Trans. Linn. Soc. xxviii. (1871) 145.—Am. centr.  
*robusta*, Triana, l. c. 146.—N. Granat.; Peruv.  
*rubescens*, Triana, l. c.—N. Granat.

OCTOPLEURA, Spruce, ex Prog. in Mart. Fl. Bras. vi. i. 212. t. 58. f. 1 (1865) = **Neurotheca**, Salisb. (Gentian.).  
*loeselioides*, Spruce, ex Prog. l. c. = **N. loeselioides**.

OCTOPLIS, Rafin. Fl. Tellur. iv. 105 (1836) = **Cansjera**, Juss. (Oclacin.).  
*polistachya*, Rafin. l. c. = **C. Rheedii**.

OCTOTROPIS, Bedd. Fl. Sylv. t. 327 (1873); et Forest. Man. Bot. 134/12. **RUBIACEAE**, Benth. & Hook. f. ii. 1229.  
*travancorica*, Bedd. ll. cc. 327; 134/13.—Ind. or.

OCYUM, Tourn. ex Linn. Gen. ed. I. 173 (1737) = **Ocimum**, Tourn. (Labi.).

ODACMIS, Rafin. New Fl. Am. iv. 39 (1836) (Gen. sedis incert.).  
*fascicularis*, Rafin. l. c. 40 (Quid?).—Am. bor.

ODICARDIS, Rafin. Fl. Tellur. iv. 55 (1836) = **Veronica**, Tourn. (Scroph.).  
*Crista-galli*, Rafin. l. c. = **V. Crista-galli**.

ODINA, Netto, in Ann. Sc. Nat. Sér. V. v. (1866) 85 = **Marupa**, Miers (Simarub.).  
*Francoana*, Netto, l. c. = **M. Francoana**.

ODINA, Roxb. Hort. Beng. 29 (1814); Fl. Ind. ii. 293 (1832). **ANACARDIACEAE**, Benth. & Hook. f. i. 423.  
**CALESIAM**, Adans. Fam. ii. 446 (1763).  
**HABERLIA**, Dennst. Schluess. Hort. Malab. 30 (1818).  
**KOKKIA**, Zipp. ex Blume, Mus. Bot. Lugd. Bat. i. 206 (1850).  
**LANNEA**, A. Rich. in Guill. & Perr. Fl. Seneg. Tent. i. 153. t. 42 (1832).  
**WIRTGENIA**, Jungh. in Flora, xxvii. (1844) 624.  
*acida*, Walp. Rep. v. 412.—Afr. trop.  
*asplenifolia*, Balf. f. in Proc. Roy. Soc. Edinb. xi. (1882) 508.—Ins. Socotra.  
*Barteri*, Oliver, Fl. Trop. Afr. i. 446.—Afr. trop.  
*discolor*, Sond. in Linnaea, xxiii. (1850) 25.—Afr. austr.  
*edulis*, Sond. in Harv. & Sond. Fl. Cap. i. 503.—Afr. austr.  
*fraxinifolia*, Fenzl, ex Oliver, Fl. Trop. Afr. i. 446 = **fruticosa**?

#### ODINA:—

*fruticosa*, Hochst. ex A. Rich. Tent. Fl. Abyss. i. 141.—Abyss.  
*gummifera*, Blume, Mus. Bot. Lugd. Bat. i. 206.—Java.  
*humilis*, Oliver, Fl. Trop. Afr. i. 447.—Afr. trop.  
*obovata*, Hook. f. ex Oliver, l. c.—Afr. trop.  
*Oghigea*, Hook. f. in Hook. Niger Fl. 286 = **acida**.  
*ornifolia*, Balf. f. in Proc. Roy. Soc. Edinb. xi. (1882) 507.—Ins. Socotra.  
*pinnata*, Rottl. in Ges. Naturf. Fr. Berl. Neue Schr. iv. (1803) 209, in obs. = **O. Wodier**?  
*Schimperi*, Hochst. ex A. Rich. Tent. Fl. Abyss. i. 140.—Abyss.  
*Schweinfurthii*, Engl. in DC. Monog. Phan. iv. 273.—Afr. trop.  
*speciosa*, Blume, Mus. Bot. Lugd. Bat. i. 206.—N. Guin.  
*triphylla*, Hochst. ex A. Rich. Tent. Fl. Abyss. i. 140.—Abyss.  
*velutina*, Endl. ex Walp. Rep. i. 550.—Afr. trop.  
*Wodier*, Roxb. Hort. Beng. 29; Fl. Ind. ii. 293.—Ind. or.; Burma.

ODISCA, Rafin. Sylva Tellur. 80 (1838) = **Colea**, Boj. (Bignoniac.).  
*rosea*, Rafin. l. c. = **C. mauritiana**.

ODODECA, Rafin. Neogenyt. 3 (1825) = **Homalium**, Jacq. (Samyd.).

ODOGLOSSA, Rafin. New Fl. Am. ii. 15 (1836) = **Coreopsis**?, Linn. (Compos.).  
*heterophylla*, Rafin. l. c. 16 (Quid?).—Am. bor.

ODOLLAM, Adans. Fam. ii. 171 (1763) = **Cerbera**, Linn. (Apocyn.).

ODOLLAMIA, Rafin. Sylva Tellur. 162 (1838) = **Cerbera**, Linn. (Apocyn.).  
*malabarica*, Rafin. l. c. = **C. Odollam**?  
*Manghas*, Rafin. l. c. = **C. Odollam**.  
*moluca*, Rafin. l. c. = **C. Odollam**?

ODONECTIS, Rafin. in Med. Repos. N. York, v. (1803) 357 = **Pogonia**, Juss. (Orchid.).  
*verticillata*, Rafin. l. c. = **P. verticillata**.

ODONIA, Bertol. Lucub. 35 (1822) = **Galactia**, P. Br. (Legumin.).  
*speciosa*, Spreng. Syst. iv. Cur. Post. 279 (= **Collaea speciosa**).—Peruv.  
*tomentosa*, Bertol. Lucub. 35 = **G. tomentosa**.  
*trinervia*, Spreng. Syst. iv. Cur. Post. 279 = **Atylosia Candollei**.

ODONTADENIA, Benth. in Hook. Journ. Bot. iii. (1841) 242. **APOCYNACEAE**, Benth. & Hook. f. ii. 723.

**ANISOLOBUS**, A. DC. in DC. Prod. viii. 395 (1844).  
**CYLICADENIA**, Lem. Illustr. Hort. ii. (1855) Misc. 9.

*angustifolia*, A. DC. in DC. Prod. viii. 360 = **cordata**.  
*cordata*, A. DC. l. c.—Bras.; Guian.  
*coriacea*, Muell. Arg. in Linnaea, xxx. (1859–60) 450 = **Angadenia coriacea**.

*formosa*, Miers, Apocyn. S. Am. 127 = **grandiflora**.  
*geminata*, Muell. Arg. in Mart. Fl. Bras. vi. i. 119.—Bras.; Guian.

*grandiflora*, Miers, Apocyn. S. Am. 127 = **speciosa**.  
*grandiflora*, Miq. Stirp. Surin. Sel. 166.—Guian.  
*Harrisii*, Miers, Apocyn. S. Am. 128 = **speciosa**.  
*Hoffmannseggiana*, Klotzsch, ex Muell. Arg. in Mart. Fl. Bras. vi. i. 117 = **speciosa**.

*hypoglaucia*, Muell. Arg. l. c. 118.—Bras.  
*lucida*, Muell. Arg. l. c. 120, in obs. = **Rhabdadenia lucida**.

*macrocalyx*, Miers, Apocyn. S. Am. 128 = **Tabernaemontana macrocalyx**.  
*nitida*, Muell. Arg. in Mart. Fl. Bras. vi. i. 118 = **cordata**.

*Poeppigii*, Muell. Arg. l. c. 119.—Bras.  
*speciosa*, Benth. in Hook. Journ. Bot. iii. (1841) 242.—Bras.; Guian.

*sylvestris*, Muell. Arg. in Mart. Fl. Bras. vi. i. 117.—Bras.; Guian.

ODONTANDRA, Willd. ex Roem. & Schult. Syst. v. p. xli. 511 (1819) = **Trichilia**, P. Br. (Meliac.).  
*acuminata*, Humb. & Bonpl. ex Roem. & Schult. l. c. 511 = **T. acuminata**.

*acuminata*, Karst. Fl. Columb. ii. 49. t. 125 = **T. Karstenii**.

*appendiculata*, Triana & Planch. in Ann. Sc. Nat. Sér. V. xv. (1872) 375 = **T. appendiculata**.

*elegans*, Triana & Planch. l. c. 376, in obs. = **T. elegans**.

*Karstenii*, Triana & Planch. l. c. 373 = **T. Karstenii**.

*parviflora*, Triana & Planch. l. c. 375 = **T. parviflora**.

*Pseudostipulare*, Triana & Planch. l. c. in obs. = **T. Pseudostipularis**.

*quadrifuga*, Triana & Planch. l. c. 374 = **T. quadrifuga**.

*tuberculata*, Triana & Planch. l. c. = **T. tuberculata**.

ODONTANDRIA, G. Don, Gen. Syst. i. 686 (1831), sphalm. = **pracc**.

ODONTANTHERA, Wight, in Lindl. Veg. Kingd. 626 (1847), nomen. **ASCLEPIADEAE**.—Cf. Benth. & Hook. f. ii. 739.

ODONTARRHENA, C. A. Mey. in Ledeb. Fl. Alt. iii. 58 (1831) = **Alyssum**, Tourn. (Crucif.).

*alpestris*, Ledeb. Fl. Ross. i. 142 = **A. alpestre**.

*argentea*, Ledeb. l. c. 141 = **A. argenteum**.

*Bourgaei*, Jord. & Fourr. Brev. Pl. Nov. fasc. ii. 4 = **A. alpestre**.

*castellana*, Jord. & Fourr. l. c. 2 = **A. alpestre**.

*clypeolata*, Jord. & Fourr. l. c. 7 = **A. argenteum**.

*depressa*, Jord. & Fourr. l. c. 6 = **A. argenteum**.

*diffusa*, Jord. & Fourr. l. c. 5 = **A. argenteum**.

*Fischeriana*, C. A. Mey. ex Turcz. in Bull. Soc. Nat. Mosc. xv. (1842) 245 = **A. Fischerianum**.

*granatensis*, Jord. & Fourr. Brev. Pl. Nov. fasc. ii. 3 = **A. alpestre**.

*hirta*, Schrenk, Enum. Pl. Nov. 95.—Sibir. altaic.

*lycia*, Jord. & Fourr. Brev. Pl. Nov. fasc. ii. 3 = **A. alpestre**.

*Marschalliana*, C. A. Mey. Verz. Pfl. Cauc. 182 = **A. Marschallianum**.

*microphylla*, C. A. Mey. in Ledeb. Fl. Alt. iii. 63 = **A. alpestre**.

*muralis*, Jord. & Fourr. Brev. Pl. Nov. fasc. ii. 5 = **A. argenteum**.

*muralis*, Schur, Enum. Pl. Transs. 61 = **A. argenteum**.

*murica*, Jord. & Fourr. Brev. Pl. Nov. fasc. ii. 2 = **A. alpestre**.

*obovata*, C. A. Mey. in Ledeb. Fl. Alt. iii. 61 = **A. sibiricum**.

*obtusifolia*, C. A. Mey. Verz. Pfl. Cauc. 181 = **A. alpestre**.

*pyrenaica*, Jord. & Fourr. Brev. Pl. Nov. fasc. ii. 2 = **A. alpestre**.

*rubricaulis*, Jord. & Fourr. l. c. 6 = **A. argenteum**.

*saxatilis*, Jord. & Fourr. l. c. 1 = **A. alpestre**.

*surculosa*, Schott & Kotschy, ex Boiss. Fl. Orient. i. 268 = **A. alpestre**.

*tmolea*, Jord. & Fourr. Brev. Pl. Nov. fasc. ii. 7 = **A. argenteum**.

*tortuosa*, C. A. Mey. in Ledeb. Fl. Alt. iii. 60 = **A. tortuosum**.

ODONTEA, Fourr. in Ann. Soc. Linn. Lyon, N. S. xvi. (1868) 391 = **Bupleurum**, Tourn. (Umbell.).

*aristata*, Fourr. l. c. = **B. aristatum**.

ODONTEILEMA, Turcz. in Bull. Soc. Nat. Mosc. xxi. (1848) i. 587 = **Acalypha**, Linn. (Euphorb.).

*Clausseni*, Turcz. l. c. 588 = **A. Clausseni**.

ODONTITES, [Riv.] Hall. Enum. Stirp. Helv. ii. 627 (1742) = **Bartsia**, Linn. (Scrophul.).

*albidula*, Mabilie, Rech. Pl. Corse, fasc. ii. 44 = **corsica**.

*alpestris*, Jour. & Fourr. Brev. Pl. Nov. fasc. ii. 87 = **B. purpurea**.

*aspera*, Boiss. Voy. Bot. Espagne, ii. 473 = **B. aspera**.

*Aucherii*, Boiss. Diagn. Ser. I. iv. 74.—Graecia; Oriens.

*Biancae*, Guss. ex Nym. Consp. 550.—Sicil.

*Bocconi*, Kotschy, in Unger & Kotschy, Cypern, 292 = **cypria**.

*Bocconi*, Walp. Rep. iii. 400.—Sicil.



## ODONTITES:—

- breviflora*, Regel, in Bull. Soc. Nat. Mosc. xli. (1868) 1. 105.—As. temp.  
*caucasica*, C. Koch, in Linnaea, xvii. (1843) 289 = *Euphrasia officinalis*.  
*chrysantha*, Bor. Fl. Centr. Fr. ed. III. ii. 491 = *Faubertiana*.  
*ciliata*, Pomel, Nouv. Mat. Fl. Atl. 302.—Alger.  
*Citardae*, Todaro, ex Caruel, in Parl. Fl. Ital. vi. 459 = *rigidifolia*.  
*corsica*, G. Don, Gen. Syst. iv. 611.—Corsica.  
*cretica*, Boiss. Fl. Orient. iv. 477.—Ins. Creta.  
*cypria*, Boiss. l. c.—Ins. Cyprus.  
*discolor*, Pomel, Nouv. Mat. Fl. Atl. 301.—Alger.  
*divergens*, Jord. in F. Schult. Arch. Fl. Fr. et Allem. 191 = *Bartsia Odontitis*.  
*Dukerleyi*, Gren. & Paill. in Billotia, i. (1864) 82.—Alger.  
*Fradini*, Pomel, Nouv. Mat. Fl. Atl. 303.—Alger.  
*glutinosa*, Benth. in DC. Prod. x. 549 = *Euphrasia glutinosa*.  
*granatensis*, Boiss. Elench. 71 = *B. purpurea*.  
*hispanica*, Boiss. & Rent. Pugill. 91.—Hispan.  
*Holliana*, Benth. in DC. Prod. x. 550 = *B. scordifolia*.  
*ixodes*, Boiss. Diagn. Ser. I. vii. 55 = *glutinosa*.  
*Faubertiana*, D. Dietr. Syn. Pl. iii. 544.—Gallia.  
*Kochii*, F. Schultz, in Flora, xxxvi. (1853) 557 = *B. Odontites*.  
*lanceolata*, Reichb. Fl. Germ. Excurs. 862 = *B. lutea*.  
*linifolia*, G. Don, Gen. Syst. iv. 611.—Europ.  
*Linkii*, Heldr. & Sart. in Boiss. Diagn. Ser. II. iii. 177.—Graecia.  
*litoralis*, Fries, Summa Veg. Scand. i. 19 = *B. verna*.  
*longiflora*, Webb, Iter Hisp. 24 = *Euphrasia longiflora*.  
*lutea*, [Clairv.] Man. Herb. 207 = *B. lutea*.  
*lutea*, Stev. in Mém. Soc. Nat. Mosc. vi. (1823) 4.—Rossia.  
*purpurea*, G. Don, Gen. Syst. iv. 611 = *B. purpurea*.  
*Reboudii*, Pomel, Nouv. Mat. Fl. Atl. 303.—Alger.  
*Recordoni*, Burnat & Barbey, Voy. Bot. Baléar. 42. t. 1.—Hispan.  
*rigidifolia*, Benth. in DC. Prod. x. 550 = *Euphrasia rigidifolia*.  
*rotundata*, Ball, in Ann. & Mag. Nat. Hist. Ser. II. iv. (1849) 30 = *B. verna*.  
*rubra*, Gilib. Fl. Lituan. i. 126 = *B. Odontites*.  
*rubra*, Pers. Syn. ii. 150 = *B. verna*.  
*rubra*, Willk. in Flora, xxxv. (1852) 264 = *virgata*.  
*santolinifolia*, Fisch. & Mey. Ind. Sem. Hort. Petrop. i. 13 = *B. santolinaefolia*.  
*serotina*, Dum. Fl. Belg. 32; Reichb. Fl. Germ. Excurs. 359 = *B. Odontites*.  
*serotina*, Willk. ex Willk. & Lange, Prod. Fl. Hisp. ii. 617 = *virgata*.  
*sicula*, Todaro, ex Nym. Consp. 550 = *Faubertiana*.  
*simplex*, Krok, ex Nym. l. c. 551 = *B. verna*.  
*tenuifolia*, G. Don, Gen. Syst. iv. 611 = *Euphrasia tenuifolia*.  
*Triboutii*, Gren. & Paill. in Billotia, i. (1864) 81.—Alger.  
*verna*, Dum. Fl. Belg. 32; Reichb. Fl. Germ. Excurs. 359 = *B. verna*.  
*violacea*, Pomel, Nouv. Mat. Fl. Atl. 301.—Alger.  
*virgata*, Lange, in Willk. & Lange, Prod. Fl. Hisp. ii. 617.—Hispan.  
*viscosa*, [Clairv.] Man. Herb. 207; Reichb. Fl. Germ. Excurs. 360 = *B. purpurea*.  
*vulgaris*, Moench, Meth. 439 = *B. Odontites*.  
*vulgaris*, Stev. in Mém. Soc. Nat. Mosc. vi. (1823) 4 = *B. verna*.

ODONTITES, Spreng. in Ges. Naturf. Fr. Berl. Mag. vi. (1812) 258 = *Bupleurum*, Tourn. (Umbellif.).  
*glauca*, Spreng. in Schult. Syst. vi. 383 = *B. glaucum*.  
*gracilis*, Bieb. ex Hoffm. Gen. Umb. ed. II. 209 = *B. Marschallianum*.  
*luteola*, Hoffm. l. c. = *B. semicompositum*.  
*luteola*, Spreng. in Ges. Naturf. Fr. Berl. Mag. vi. (1812) 258 = *B. aristatum*.  
*procumbens*, Spreng. l. c. = *B. tenuissimum*.  
*semicomposita*, Spreng. l. c. = *B. semicompositum*.  
*tenuissima*, Spreng. l. c. = *B. tenuissimum*.

ODONTITIS, St. Lag. in Ann. Soc. Bot. Lyon, vii. (1880) 88 = *praece*.

ODONTOCARPA, Neck. Elem. i. 123 (1790) = *Valerianella*, Moench.

VOL. II.

ODONTOCARPHA, DC. Prod. v. 71 (1836) = *Gutierrezia*, Lag. (Compos.).  
*Gayana*, Remy, in C. Gay, Fl. Chil. iv. 36 (= *Brachyris Gayana*).—Chili.  
*Poeppigii*, DC. Prod. v. 72 = *G. paniculata*.

ODONTOCARYA, Miers, in Ann. & Mag. Nat. Hist. Ser. II. vii. (1851) 38. *MENISPERMACEAE*, Benth. & Hook. f. i. 960.  
*CHONDODENDRON*, Ruiz & Pav. Prod. 132 (1794).  
*acuparata*, Miers, in Ann. & Mag. Nat. Hist. Ser. III. xiv. (1864) 100, nomen; et *Contrib.* iii. 61.—Bras.  
*convolvulacea*, Miers, l. c. 100; 62.—Peruv.  
*filipendula*, Miers, *Contrib.* iii. 65 = *Cocculus filipendula*.  
*hederaefolia*, Miers, in Ann. & Mag. Nat. Hist. Ser. III. xiv. (1864) 100; et *Contrib.* iii. 64 = *tamoides*.  
*Hernandia*, Miers, l. c. Ser. II. vii. (1851) 38 = *Cissampelos Hernandia*.  
*macrostachya*, Miers, l. c. Ser. III. xiv. (1864) 100 = *O. Vitis*.  
*sagittata*, Miers, l. c. 100, nomen; et *Contrib.* iii. 64.—Guiana.  
*scabra*, Miers, l. c. 100; 65.—Bras.  
*tamoides*, Miers, l. c. 100; 63.—Bras.  
*Vitis*, Miers, l. c. Ser. II. vii. (1851) 38.—Bras.

ODONTOCHILUS, Blume, Orch. Archip. Ind. 79. tt. 29, 36 (1858). *ORCHIDEAE*, Benth. & Hook. f. iii. 600.

*CYSTOPUS*, Blume, Orch. Archip. Ind. 82 (1858).  
*flavescens*, Blume, Orch. Archip. Ind. 80.—Java.  
*flavus*, Benth. & Hook. f. Gen. iii. 598, sphalm. pro *luteo* = *lanceolatus*.  
*grandiflorus*, Benth. & Hook. f. l. c.—Reg. Himal.  
*Jaubertii*, Blume, Orch. Archip. Ind. 81.—Ins. Sandvic.  
*lanceolatus*, Blume, l. c. 80.—Reg. Himal.  
*longiflorus*, Benth. & Hook. f. Gen. iii. 598.—Ins. Vit.

ODONTOCYCLUS, Turcz. in Bull. Soc. Nat. Mosc. (1840) 65. *CRUCIFERAE*, Benth. & Hook. f. i. 75. *kurilensis*, Turcz. l. c.—Ins. Kurile.

ODONTOGLOSSUM, H. B. & K. Nov. Gen. et Sp. i. 350. t. 85 (1815). *ORCHIDEAE*, Benth. & Hook. f. iii. 561.

*CUITLAUZINA*, La Llave & Lex. Nov. Veg. Desc. fasc. ii. (Orch. Opusc.) 32 (1825).  
*LICHTERVELDIA*, Lem. Illustr. Hort. ii. (1855) t. 59.  
*MESOSPINIIDIUM*, Reichb. f. in Bot. Zeit. x. (1852) 929.

*acuminatissimum* ×, Reichb. f. in Gard. Chron. (1882) 1. 256.—Hab.?  
*acuminatum*, Hort. ex Lindl. Fol. Orch. Odontog. 9 = *apterum*.  
*Alexandrae*, Batem. in Gard. Chron. (1864) 1083; et in Proc. Roy. Hort. Soc. iv. (1864) 186 = *crispum*.  
*Amphiglottii*, Reichb. f. in Linnaea, xli. (1877) 2.—N. Granat.  
*anceps*, Klotzsch, in Otto & Dietr. Allg. Gartenz. xix. (1851) 250 = *Miltonia anceps*.  
*anceps*, Lem. Illustr. Hort. iii. (1856) Misc. 45.—Mexic.  
*Andersonianum* ×, Reichb. f. in Gard. Chron. (1868) 599.—N. Granat.  
*angustatum*, Lindl. Bot. Reg. sub t. 1992.—N. Granat.  
*angustatum*, Lindl. Orch. Linden. 17 = *ramosissimum*.  
*anthoxanthum*, Reichb. f. in Gard. Chron. (1869) 388.—Peruv.  
*apterum*, La Llave & Lex. Nov. Veg. Desc. fasc. ii. (Orch. Opusc.) 35.—Mexic.  
*armatum*, Reichb. f. in Linnaea, xli. (1877) 32.—Ecuador.  
*Arminii*, Reichb. f. in Bonplandia, iii. (1855) 66.—Venezuela.  
*Aspasia*, Reichb. f. in Walp. Ann. vi. 851 = *Aspasia epidendroides*.  
*asperum* ×, Reichb. f. in Gard. Chron. (1879) 1. 266.  
*astranthum*, Linden & Reichb. f. l. c. (1867) 404.—Reg. Andin.  
*atropurpureum*, Reichb. f. ex Beer, Prakt. Orch. 274.—Hab.?

## ODONTOGLOSSUM:—

- auropurpureum*, Reichb. f. in Linnaea, xxii. (1849) 848.—Peruv.  
*axinopterum*, Reichb. f. l. c. xli. (1877) 68.—Ecuador.  
*baphicanthum* ×, Reichb. f. in Gard. Chron. (1876) 11. 260.—N. Granat.  
*Barkeri*, Reichb. f. in Walp. Ann. vi. 854 = *Gomezia Barkeri*.  
*beloglossum*, Reichb. f. *Xenia Orch.* ii. 149. t. 158.—Mexic.  
*Bergamii*, Lodd. Cat. ex W. Baxt. in Loud. Hort. Brit. Suppl. iii. 596, nomen.—Mexic.  
*Biberianum*, Reichb. f. in Walp. Ann. vi. 851 = *Aspasia Biberiana*.  
*bicolor*, Lindl. Bot. Reg. (1845) Misc. 59 = *Oncidium aureum*.  
*bictoniense*, Lindl. Bot. Reg. (1840) t. 66.—Mexic.  
*blandum*, Reichb. f. in Gard. Chron. (1870) 1342.—Hab.?  
*Bluntii*, Reichb. f. in Bot. Zeit. xxii. (1864) 415.—N. Granat.  
*brachypterum* ×, Reichb. f. in Linnaea, xli. (1877) 26.—Peruv.  
*Brassia* ×, Reichb. f. in Gard. Chron. (1885) 1. 501.  
*brevifolium*, Lindl. in Benth. Pl. Hartw. 152.—Peruv.  
*caerulescens*, A. Rich. & Gal. in Ann. Sc. Nat. Sér. III. iii. (1845) 27.—Mexic.  
*calodryas*, Reichb. f. in Linnaea, xli. (1877) 3.—N. Granat.  
*candidum*, Linden & André, in Illustr. Hort. xxii. (1875) 58.—N. Granat.  
*cariniferum*, Reichb. f. in Bot. Zeit. x. (1852) 638.—Am. centr.  
*Cervantesii*, La Llave & Lex. Nov. Veg. Desc. fasc. ii. (Orch. Opusc.) 34.—Mexic.  
*chaetostroma* ×, Reichb. f. in Gard. Chron. (1883) 1. 592.  
*cheetostroma* ×, Reichb. f. l. c. 562 = *praece*.  
*Chestertoni*, Hort.—Cf. Gard. Chron. (1876) 1. 374.—Hab.?  
*chiriquense*, Reichb. f. in Bot. Zeit. x. (1852) 692.—Panama.  
*cimiciferum*, Reichb. f. in Linnaea, xxii. (1849) 849 = *Oncidium cimiciferum*.  
*cinnamomeum*, Hort. ex H. Williams, in Orchid. Alb. iii. (1884) sub t. 143 = *Schillerianum*.  
*cirrhosum*, Lindl. Gen. et Sp. Orch. 211.—Peruv.  
*citrosimum*, Lindl. Bot. Reg. (1842) Misc. 60.—Mexic.  
*claviceps*, Reichb. f. in Gard. Chron. (1876) 11. 516.—Ecuador.  
*Clowesii*, Lindl. Bot. Reg. (1839) Misc. 93 = *Miltonia Clowesii*.  
*Cochlioda*, Reichb. f. in Walp. Ann. vi. 853 = *Cochlioda densiflora*.  
*coerulescens*, Auct. vide *caerulescens*.  
*compactum*, Reichb. f. in Gard. Chron. (1875) 1. 492.—Peruv.  
*confertum*, Reichb. f. l. c. (1879) 1. 298.—Ecuador.  
*connivens*, Scheidw. in Journ. Hort. Prat. iii. (1846) 148.—Mexic.  
*constrictum*, Lindl. Bot. Reg. (1843) Misc. 17.—Venezuela.  
*Coradinei* ×, Reichb. f. in Gard. Chron. (1872) 1063.—N. Granat.  
*cordatum*, Lindl. Bot. Reg. 1838) Misc. 50.—Mexic.  
*coronarium*, Lindl. Fol. Orch. Odontog. 21.—N. Granat.  
*costatum*, Lindl. l. c. 11.—Venezuela.  
*crinitum*, Reichb. f. *Xenia Orch.* ii. 207.—N. Granat.  
*crispatum*, Reichb. f. in Walp. Ann. vi. 853 = *Gomezia crispa*.  
*crispum*, Lindl. in Ann. & Mag. Nat. Hist. Ser. I. xv. (1845) 256.—N. Granat.  
*cristatellum*, Reichb. f. in Gard. Chron. (1878) 1. 716.—Hab.?  
*cristatum*, Lindl. in Benth. Pl. Hartw. 152.—Peruv.  
*crocatum*, Linden & Reichb. f. l. c. (1867) 404.—Hab.?  
*crocidipterum*, Reichb. f. l. c. (1871) 1129.—N. Granat.  
*cruentum*, Reichb. f. *Xenia Orch.* ii. 174.—N. Granat.  
*cuspidatum*, Reichb. f. l. c. 194.—N. Granat.  
*Dawsonianum*, Reichb. f. in Gard. Chron. (1878) 1. 1226.—Mexic.  
*deltoglossum* ×, Reichb. f. l. c. (1881) 1. 202.  
*Denisonae* ×, Hort. ex Flor. Mag. N. S. 1872) t. 2.—N. Granat.

U U



## ODONTOGLOSSUM:—

densiflorum, *Lindl. Orch. Linden.* 17.—Mexic.  
 dipterum, *Lindl. l. c.* 16.—N. Granat.  
 distans, *Reichb. f. in Linnaea*, xxii. (1849) 848.—Venezuela.  
*divaricatum*, *Lindl. Orch. Linden.* 17 = *Oncidium refractum*.  
*Dormannianum*, *Reichb. f. in Gard. Chron.* (1884) i. 11.—N. Granat.  
 Edwardi, *Reichb. f. l. c.* (1878) ii. 74.—Ecuador.  
 Egertonii, *Lindl. Bot. Reg.* (1845) *Misc.* 50.—Guatemala.  
*Ehrenbergii*, *Hort. Angl. ex Reichb. f. in Gard. Chron.* (1879) i. 138 = *Dawsonianum*.  
*Ehrenbergii*, *Link. Klotzsch & Otto, Ic. Pl. Hort. Berol.* 38. t. 16.—Mexic.  
*Ehrenbergii*, *Planch. in Fl. des Serres*, viii. (1852-53) t. 846 = *apterum*.  
*elegans* ×, *Reichb. f. in Gard. Chron.* (1879) i. 462.—Ecuador.  
*epidendroides*, *H. B. & K. Nov. Gen. et Sp.* i. 351.—Peruv.  
*epidendroides*, *Lindl. Fol. Orch. Odontog.* 2 = *Lindleyanum*.  
*erosum*, *A. Rich. & Gal. in Ann. Sc. Nat. Sér. III.* iii. (1845) 27; *Reichb. f. & Warsz. in Bonplandia*, ii. (1854) 99 = *stellatum*.  
*eugenes* ×, *Hort.—Cf. Gard. Chron.* (1883) ii. 120.  
*excellens* ×, *Reichb. f. l. c.* (1881) ii. 426.—N. Granat.  
*facetum* ×, *Reichb. f. l. c.* i. 563.  
*ferrugineum* ×, *Reichb. f. l. c.* (1883) i. 814.  
*festatum*, *Reichb. f. in Bonplandia*, ii. (1854) 100; iv. (1856) 212 = *Oncidium aureum*.  
*foliosum*, *Reichb. f. in Walp. Ann. vi.* 854 = *Gomesa foliosa*.  
*forcipatum*, *Linden & Reichb. f. in Bonplandia*, ii. (1854) 279.—N. Granat.  
*fractum*, *Reichb. f. in Linnaea*, xli. (1877) 26.—N. Granat.  
*Galeottianum*, *A. Rich. in Ann. Sc. Nat. Sér. III.* iii. (1845) 27.—Mexic.  
*Ghiesbreghtianum*, *A. Rich. l. c.*—Mexic.  
*gloriosum*, *Linden & Reichb. f. in Bonplandia*, ii. (1854) 278.—N. Granat.  
*gracile*, *Lindl. in Benth. Pl. Hartw.* 151.—Peruv.  
*grande*, *Lindl. Bot. Reg.* (1840) *Misc.* 47.—Guatemala.  
*grande-pallidum*, *Klotzsch, ex Reichb. f. in Gard. Chron.* (1865) 1082 = *Schlieperianum*.  
*Hallii*, *Lindl. Bot. Reg.* sub t. 1992.—Ecuador.  
*hastatum*, *Batem. Orch. Mex. & Guat.* t. 20 = *Oncidium hastatum*.  
*hastilabium*, *Lindl. Orch. Linden.* 16; *et in Bot. Mag.* t. 4272.—N. Granat.  
*hebraicum* ×, *Reichb. f. in Gard. Chron.* (1879) i. 462.  
*hemichrysum*, *Reichb. f. & Warsz. in Bonplandia*, ii. (1854) 100 = *Oncidium aureum*.  
*Hinnus* ×, *Reichb. f. Xenia Orch.* ii. 153.—Ecuador.  
*histrionicum* ×, *Reichb. f. in Gard. Chron.* (1882) i. 178.  
*Hookeri*, *Lem. Illustr. Hortic.* iii. (1856) *Misc.* 41 = *cordatum*.  
*Horsmanni*, *Reichb. f. in Gard. Chron.* (1880) i. 41.—N. Granat.  
*Humeum* ×, *Reichb. f. l. c.* (1876) i. 170.  
*Inslayi*, *Lindl. Fol. Orch. Odontog.* 4.—Mexic.  
*ioplocum*, *Reichb. f. in Gard. Chron.* (1884) i. 445.—Hab.?  
*ixioides*, *Lindl. Bot. Reg.* (1845) *Misc.* 55.—N. Granat.  
*jamaicense*, *Griseb. Fl. Brit. W. Ind.* 633.—Ind. occ.  
*Jenningsianum* ×, *Reichb. f. in Gard. Chron.* (1878) i. 366.  
*Karwinski*, *Reichb. f. in Bonplandia*, iii. (1855) 214.—Mexic.  
*Kegeljani*, *E. Morr. in Belg. Hortic.* xxvii. (1877) 212. t. 10.—Hab.?  
*Krameri*, *Reichb. f. in Gard. Chron.* (1868) 98.—Costa Rica.  
*lacerum*, *Lindl. Sert. Orch.* sub t. 25.—Peruv.  
*laeve*, *Lindl. Bot. Reg.* (1844) t. 39.—Guatemala.  
*laxiflorum*, *Reichb. f. in Walp. Ann. vi.* 853 = *Gomesa chrysostoma*.  
*Leeanum* ×, *Reichb. f. in Gard. Chron.* (1882) i. 525.  
*Lehmanni*, *Reichb. f. Otia Bot. Hamb.* 4.—Ecuador.  
*lepidum*, *Reichb. f. in Gard. Chron.* (1883) ii. 526.—N. Granat.  
*leucomelas*, *Reichb. f. in Bot. Zeit.* xxii. (1864) 415.—Mexic.

## ODONTOGLOSSUM:—

*leucopterum*, *Linden & Reichb. f. in Bonplandia*, ii. (1854) 279.—N. Granat.  
*ligulare* ×, *Reichb. f. in Gard. Chron.* (1882) i. 558.  
*limbatum*, *Reichb. f. l. c.* (1870) 417.—Hab.?  
*Lindenii*, *Lindl. Fol. Orch. Odontog.* 16.—N. Granat.  
*Lindleyanum*, *Reichb. f. & Warsz. in Bonplandia*, ii. (1854) 99.—N. Granat.  
*Lindleyi*, *Galeotti, ex Lindl. Fol. Orch. Oncid.* 33 = *Oncidium maculatum*.  
*Londesboroughianum*, *Reichb. f. in Gard. Chron.* (1876) ii. 772.—Mexic.  
*longifolium*, *Lindl. in Benth. Pl. Hartw.* 152.—Peruv.  
*longipes*, *Reichb. f. & Warsz. in Bonplandia*, ii. (1854) 100.—Peruv.  
*Lueddemanni*, *Regel, Gartenfl.* (1859) 353. t. 275 = *cordatum*.  
*lunatum*, *Reichb. f. in Walp. Ann. vi.* 849 = *Aspasia lunata*.  
*luteo-purpureum*, *Lindl. Orch. Linden.* 16.—N. Granat.  
*lyratum*, *Reichb. f. in Walp. Ann. vi.* 852 = *Aspasia lyrata*.  
*lyroglossum* ×, *Reichb. f. in Flora*, lxx. (1882) 534.  
*macrospilum* ×, *Reichb. f. in Gard. Chron.* (1885) ii. 70.  
*macrum*, *Lindl. Fol. Orch. Odontog.* 12.—Am. centr.  
*maculatum*, *Hook. Bot. Mag.* t. 4878 = *cordatum*.  
*maculatum*, *La Llave, ex Lex. Nov. Veg. Desc.* fasc. ii. (*Orch. Opusc.*) 35.—Mexic.  
*madrense*, *Reichb. f. in Gard. Chron.* (1874) ii. 804.—Mexic.  
*marginellum*, *Reichb. f. l. c.* (1882) ii. 680.—Hab.?  
*Marriottianum* ×, *Reichb. f. l. c.* (1881) i. 168.  
*maxillare*, *Hook. f. Bot. Mag.* t. 6144 = *madrense*.  
*maxillare*, *Lindl. Bot. Reg.* (1847) sub t. 62.—Mexic.  
*Measuresianum*, *O'Brien, in Gard. Chron.* (1885) ii. 619.—Hab.?  
*megalophium*, *Lindl. Orch. Linden.* 15.—Peruv.  
*melanthes*, *Reichb. f. & Warsz. in Bonplandia*, ii. (1854) 100.—Peruv.  
*membranaceum*, *Lindl. Sert. Orch.* sub t. 25 = *Cervantesii*.  
*mentigerum*, *Reichb. f. & Warsz. in Bonplandia*, ii. (1854) 100 = *Oncidium mentigerum*.  
*mirandum*, *Reichb. f. in Gard. Chron.* (1882) i. 143.—N. Granat.  
*multistellare*, *Reichb. f. in Linnaea*, xli. (1877) 25.—Peruv.  
*Mulus* ×, *Reichb. f. Xenia Orch.* ii. 151.—Hab.?  
*myanthum*, *Lindl. in Benth. Pl. Hartw.* 152.—Peruv.  
*myrianthum*, *Reichb. f. Xenia Orch.* i. 189; *et in Bonplandia*, iv. (1856) 212.—Peruv.  
*mystacinum*, *Lindl. Fol. Orch. Odontog.* 6.—Peruv.  
*Murrellianum* ×, *Reichb. f. in Gard. Chron.* (1875) i. 653.—N. Granat.  
*naevium*, *Lindl. & Paxt. Flow. Gard.* i. (1850-51) 87.—N. Granat.  
*nebulosum*, *Lindl. Sert. Orch.* sub t. 25.—Mexic.  
*nevadense*, *Reichb. f. Illustr. Hortic.* xvii. (1870) 243. t. 45.—N. Granat.  
*nobile*, *Reichb. f. in Linnaea*, xxii. (1849) 850.—N. Granat.  
*odoratum*, *Lindl. Orch. Linden.* 16.—N. Granat.  
*Oerstedii*, *Reichb. f. in Bonplandia*, iii. (1855) 214.—Costa Rica.  
*oliganthum*, *Reichb. f. l. c.* iv. (1856) 321.—Guatemala.  
*orientale*, *Reichb. f. in Gard. Chron.* (1879) i. 366.—Ecuador.  
*pardinum*, *Lindl. Sert. Orch.* sub t. 25.—Peruv.; N. Granat.  
*parviflorum*, *Lindl. ex W. Baxt. in Loud. Hort. Brit. Suppl.* iii. 596, nomen.—Mexic.  
*pendulum*, *Batem. Monog. Odont.* t. 6 = *citrosimum*.  
*Pescatorei*, *Linden, ex Lindl. & Paxt. Flow. Gard.* iii. (1852-53) 83. t. 90 = *nobile*.  
*Phalaenopsis*, *Linden & Reichb. f. in Bonplandia*, ii. (1854) 278 = *Miltonia Phalaenopsis*.  
*phyllochilum*, *C. Morr. in Ann. Soc. Bot. Gand*, v. (1849) 295. t. 271 = *Oncidium hastatum*.  
*planifolium*, *Reichb. f. in Walp. Ann. vi.* 853 = *Gomesa planiflora*.  
*platyodon*, *Reichb. f. in Gard. Chron.* (1871) 1163.—N. Granat.  
*platyotum*, *Hort. ex Reichb. f. l. c.* = *praece*.  
*Pollettianum* ×, *O'Brien, l. c.* (1885) ii. 680.  
*polyanthum*, *Hort.—Cf. Gard. Chron.* (1881) ii. 460 = *Kegeljani*.

## ODONTOGLOSSUM:—

*praenitens*, *Reichb. f. in Gard. Chron.* (1875) i. 524.—N. Granat.  
*praestans*, *Reichb. f. & Warsz. in Bonplandia*, ii. (1854) 99.—N. Granat.  
*prasinum*, *Linden & Reichb. f. in Gard. Chron.* (1870) 987.—Ecuador.  
*principissa*, *Reichb. f. in Walp. Ann. vi.* 852 = *Aspasia principissa*.  
*prionopetalon* ×, *O'Brien, in Gard. Chron.* (1885) ii. 620.  
*psittacinum*, *Reichb. f. in Linnaea*, xli. (1877) 102 = *Aspasia psittacina*.  
*pulchellum*, *Batem. ex Lindl. Bot. Reg.* (1841) t. 48.—Guatemala.  
*purum*, *Reichb. f. in Gard. Chron.* (1872) 1323.—N. Granat.  
*pygmaeum*, *Lindl. in Benth. Pl. Hartw.* 82.—Guatemala.  
*radiatum*, *Reichb. f. in Gard. Chron.* (1865) 746.—N. Granat.  
*ramosissimum*, *Lindl. Fol. Orch. Odontog.* 16.—Venezuela.  
*ramulosum*, *Lindl. l. c.* 13.—N. Granat.  
*recurvum*, *Reichb. f. in Walp. Ann. vi.* 853 = *Gomesa recurva*.  
*Reichenheimii*, *Linden & Reichb. f. in Bonplandia*, iii. (1855) 214.—Mexic.  
*retusum*, *Lindl. in Benth. Pl. Hartw.* 152.—Peruv.  
*revolutum*, *Lindl. in Ann. & Mag. Nat. Hist. Ser. I.* xv. (1845) 256.—N. Granat.  
*rigidum*, *Lindl. in Benth. Pl. Hartw.* 152.—Peruv.  
*ringens*, *Reichb. f. in Saund. Refug. Bot.* t. 99; *Xenia Orch.* ii. 150.—Peruv.  
*robustum*, *Reichb. f. & Warsz. in Bonplandia*, ii. (1854) 100.—N. Granat.  
*Roezlii*, *Reichb. f. Xenia Orch.* ii. 191 = *Miltonia Roezlii*.  
*Rolliae*, *Lodd. Cat. ex W. Baxt. in Loud. Hort. Brit. Suppl.* iii. 596, nomen.—Guatemala.  
*roseum*, *Lindl. in Benth. Pl. Hartw.* 151 = *Cochlidoda rosea* (in Addend.).  
*Rossii*, *Lindl. Sert. Orch.* sub t. 25; *Knowles & Westc. Fl. Cal.* ii. (1838) 186.—Mexic.  
*rubescens*, *Lindl. in Journ. Hort. Soc.* v. (1850) 35.—Nicaragua.  
*Rueckerianum* ×, *Reichb. f. in Gard. Chron.* (1873) 105.—Hab.?  
*Sanderianum*, *Reichb. f. l. c.* (1881) ii. 524.—Am. trop.  
*Sceptrum*, *Reichb. f. & Warsz. in Bonplandia*, ii. (1854) 99.—N. Granat.  
*Schillerianum*, *Reichb. f. l. c.* 12.—Venezuela.  
*Schlieperianum*, *Reichb. f. in Gard. Chron.* (1865) 1082.—Costa Rica.  
*Schlimii*, *Linden & Reichb. f. in Bonplandia*, ii. (1854) 278.—N. Granat.  
*Schroederianum* ×, *Reichb. f. in Gard. Chron.* (1882) i. 700.  
*Scottii*, *Hort.—Cf. l. c.* (1883) i. 222.  
*Shuttleworthii* ×, *Hort.—Cf. l. c.* (1884) i. 490.  
*spathaceum*, *Lindl. Fol. Orch. Odontog.* 18.—N. Granat.  
*spectatissimum*, *Lindl. l. c.* 19.—N. Granat.  
*spilotanthum*, *Linden & Reichb. f. Xenia Orch.* ii. 175.—N. Granat.  
*stellatum*, *Lindl. Bot. Reg.* (1841) *Misc.* 9.—Am. centr.  
*stellimicans* ×, *Reichb. f. in Gard. Chron.* (1884) ii. 680.  
*stenochilum*, *Linden & Reichb. f. l. c.* (1872) 969.—Hab.?  
*subuligerum*, *Reichb. f. in Linnaea*, xli. (1877) 27.—Peruv.  
*tentaculatum* ×, *Reichb. f. in Gard. Chron.* (1883) i. 814.  
*tetraplasium*, *Reichb. f. l. c.* (1875) i. 558.—Peruv.  
*tigrinum*, *Lindl. Fol. Orch. Odontog.* 5 = *Oncidium tigrinum*.  
*tripudians*, *Reichb. f. & Warsz. in Bonplandia*, ii. (1854) 100.—Peruv.  
*triumphans*, *Reichb. f. l. c.* 99.—N. Granat.  
*ulopterum*, *Linden & Reichb. f. in Gard. Chron.* (1872) 731.—N. Granat. *vel* Ecuador.  
*umbrosus*, *Reichb. f. in Linnaea*, xxii. (1849) 848 = *Oncidium linguiforme*.  
*Uroskinneri*, *Lindl. in Gard. Chron.* (1859) 708.—Guatemala.  
*variegatum*, *Reichb. f. in Walp. Ann. vi.* 851 = *Aspasia variegata*.



**ODONTOGLOSSUM** :—

- vellem, *Reichb. f. in Gard. Chron.* (1874) i. 406.—Ecuador.  
*vezativum*, Reichb. f. l. c. (1876) ii. 808.—Mexic.  
*vevillarium*, Reichb. f. l. c. 901 = *Miltonia vexillaria*.  
 Victor, *Reichb. f. l. c.* (1883) i. 532.—Hab. ?  
*viminale*, Reichb. f. l. c. (1885) i. 108.—N. Granat.  
*Vuykstekeanum* ×, Reichb. f. l. c. (1884) ii. 7.  
 Wageneri, *Reichb. f. in Bonplandia*, ii. (1854) 12.—Venezuela.  
 Wallisii, *Linden & Reichb. f. in Gard. Chron.* (1870) 104.—N. Granat.  
 Warneri, *Lindl. Bot. Reg.* (1845) Misc. 54 = *Oncidium Warneri*.  
 Warnerianum, *Reichb. f. in Bot. Zeit.* xxii. (1864) 297.—Mexic.  
*Warszewiczianum*, Hemsl. *Biol. Centr. Am. Bot.* iii. 277, sphalm. = seq.  
*Warszewiczii*, Reichb. f. in *Bot. Zeit.* x. (1852) 692 = *Miltonia Warszewiczii*.  
 Weirii, *Reichb. f. in Gard. Chron.* (1875) i. 461.—N. Granat.  
 Weltoni, Hort.—Cf. *Gard. Chron.* (1870) 417 = *Miltonia Warszewiczii*.  
*Wilckeanum* ×, Reichb. f. in *Gard. Chron.* (1880) i. 298.  
*Williamsianum* ×, Reichb. f. l. c. (1881) ii. 134.  
*zebrinum*, Reichb. f. in *Linnaea*, xxii. (1849) 849 = *Oncidium zebrinum*.

ODONTOLOMA, H. B. & K. *Nov. Gen. et Sp.* iv. 43. t. 319 (1820) = *Oliganthes*, Cass. (Compos.).  
*acuminata*, H. B. & K. l. c. 44.—Venezuela.

ODONTOLOPHUS, Cass. in *Dict. Sc. Nat.* i. 252 (1827) = *Centaurea*, Linn. (Compos.).  
*cyanoides*, Cass. l. c. 253 = *C. trinervia*.

ODONTONEMA, Nees, in *Linnaea*, xvi. (1842) 300 = *Thyrsacanthus*, Nees (Acanth.).  
*lucidum*, Nees, l. c. = *T. bracteolatus*.

ODONTOPTERA, Cass. in *Dict. Sc. Nat.* xxxv. 396 (1825) = *Arctotis*, Linn. (Compos.).  
*sulphurea*, Cass. l. c. = *A. aspera*?

ODONTOSIPHON, M. Roem. *Syn. Hesper.* 85, 106 (1846) = *Trichilia*, Linn. (Meliac.).  
*elegans*, M. Roem. l. c. 106 = *T. elegans*.  
*Richardianum*, M. Roem. l. c. = *T. Richardiana*.

ODONTOSPERMUM, Neck. *Elem.* i. 20 (1790).  
 COMPOSITAE, Benth. & Hook. f. ii. 340.  
 ASTERISCUS, Moench, *Meth.* 592 (1794).  
 NAUPLIUS, Cass. in *Dict. Sc. Nat.* xxiii. 566 (1822); xxxiv. 272 (1825).  
 SAULCYA, Michon, *Voy. Reliq. Or.* ii. 383 (1854).  
*aquaticum*, Sch. *Bip. in Webb & Berth. Phyt. Canar.* ii. 232, 233.—Reg. Mediterr.  
 Daltoni, *Webb, in Hook. Niger Fl.* 140.—Ins. Cap. Virid.  
*graveolens*, Sch. *Bip. in Webb & Berth. Phyt. Canar.* ii. 232.—Afr. trop.; Ins. Canar.  
*imbricatum*, Sch. *Bip. l. c.*—Maroc.  
*intermedium*, Sch. *Bip. l. c.* 232, 236.—Ins. Canar.  
*lanuginosum*, Sch. *Bip. l. c.* 232.—Syria.  
*maritimum*, Sch. *Bip. l. c.* 233.—Reg. Mediterr.; Ins. Canar.  
*odorum*, Sch. *Bip. l. c.* 238.—Maroc.  
 Schultzei, C. Bolle, in *Bonplandia*, vii. (1859) 295.—Ins. Canar.  
*sericeum*, Sch. *Bip. in Webb & Berth. Phyt. Canar.* ii. 234.—Ins. Canar.  
 Smithii, *Webb, in Hook. Niger Fl.* 139.—Ins. Cap. Virid.  
*stenophyllum*, Sch. *Bip. in Webb & Berth. Phyt. Canar.* ii. 232.—Ins. Canar.  
 Vogelii, *Webb, in Hook. Niger Fl.* 140.—Ins. Cap. Virid.

ODONTOSTEMMA, Benth. in *Wall. Cat. n.* 645 (1828); et ex G. Don, *Gen. Syst.* i. 449 (1831) = *Arenaria*, Rupp. (Caryoph.).  
*glandulosum*, Benth. ll. cc. = *A. Benthamii*.

ODONTOSTEMUM, Baker, in *Journ. Linn. Soc.* xi. (1871) 436 = *Odontostomum*, Torr. (Haemod.).

ODONTOSTIGMA, A. Rich. *Fl. Cub. Fanerog.* ii. 86 (1853) = *Stemmaderia*, Benth. (Apocyn.).  
*Galeottianum*, A. Rich. l. c. 87 = *S. Galeottianum*.

ODONTOSTIGMA, Zoll. & Mor. in *Nat. en Geneesk. Arch. Neêrl. Indie*, ii. (1845) 573 = *Gymnostachyum*, Nees (Acanth.).  
*subacaule*, Zoll. & Mor. l. c. = *G. Cumingianum*.

ODONTOSTOMUM, Torr. in *Pacif. Rail. Rep.* iv. 150 (1856). *HAEMODORACEAE*, Benth. & Hook. f. iii. 680.  
 Hartwegii, *Torr. in Pacif. Rail. Rep.* iv. 150.—Calif.

ODONTOSTYLES, Breda, Kuhl & Hasselt, *Ge. et Sp. Orch. t.* [4] (1827) = *Bulbophyllum*, Thou. (Orchid.).  
*minor*, Breda, l. c. [sub t. 4.] = *multiflora*.  
*multiflora*, Breda, l. c. [t. 4.]—Java.  
*triflora*, Breda, l. c.—Java.

ODONTOTRICHUM, Zucc. in *Abh. Akad. Muench.* i. (1832) 311 = *Senecio*, Tourn. (Compos.).  
*cirsiiifolium*, Zucc. l. c. = *S. cervariaefolius*.

ODOPTERA, Rafin. *Cat.* 15 (1824) = *Corydalis*, Vent. (Papav.).  
*aurea*, Rafin. l. c. = *C. aurea*.

ODOSTELMA, Rafin. *Fl. Tellur.* iv. 104 (1836) = *Tacsonia*, Juss. (Passifl.).  
*adulterina*, Rafin. l. c. = *T. adulterina*.  
*pedunculata*, Rafin. l. c. = *T. peduncularis*.

ODOSTEMON, Rafin. in *Am. Monthly Mag.* (1817) 192; et in *Journ. Phys.* lxxxix. (1819) 259 = *Berberis*, Linn.

ODOSTEMUM, Steud. *Nom. ed.* II. ii. 204 (1841) = praec.

ODOTALON, Rafin. *Sylva Tellur.* 66 (1838) = *Argythamnia*, Sw. (Euphorb.).  
*lanceolata*, Rafin. l. c. 67 = *A. tricuspidata*.  
*tricuspidata*, Rafin. l. c. 66 = *A. tricuspidata*.

OEECOCLADES, Lindl. *Bot. Reg.* sub t. 1522 (1832); et *Gen. et Sp. Orch.* 235 (1833) = *Saccolabium*, Blume (Orchid.).  
*falcata*, Lindl. *Gen. et Sp. Orch.* 237 = *Angraecum falcatum*.  
*flexuosa*, Lindl. in *Wall. Cat. n.* 7333 (Cleisostomatis sp.).—Reg. Himal.; Burma.  
*funalis*, Lindl. *Gen. et Sp. Orch.* 237 = *Dendrophylax funale*.  
*gracilis*, Lindl. l. c. = *Angraecum gracile*.  
*javanica*, Teijsm. & Binn. in *Tijdschr. Nederl. Indie*, xxiv. (1862) 326.—Java.  
*Lindleyana*, Regel, *Ind. Sem. Hort. Petrop.* (1865) 43 = seq.  
*Lindleyi*, Regel, *Gartenfl.* (1866) 70 = *Angraecum falcatum*.  
*maculata*, Lindl. *Gen. et Sp. Orch.* 237 = *Eulophia monophylla*.  
*paniculata*, Lindl. l. c. 236 = *Saccolabium buccosum*.  
*parviflora*, Lindl. l. c. = *Angraecum parviflorum*.  
*pusilla*, Lindl. in *Wall. Cat. n.* 7332 = *Saccolabium Pumilio*.  
*Retzii*, Lindl. *Gen. et Sp. Orch.* 237 (Sarcocochili sp.).—Ind. or.  
*tenera*, Lindl. l. c. 236 (Cleisostomatis sp.).—Ind. or.

OECHMEA, Jaume St. Hil. *Expos.* i. 103 (1805) = *Aechmea*, Ruiz & Pav. (Bromel.).

OECOCLADES, Franch. & Sav. *Enum. Pl. Jap.* ii. 28 (1879), sphalm. = *Oeeocclades*, Lindl. (Orchid.).

OEDEMATOPUS, Planch. & Triana, in *Ann. Sc. Nat. Sér. IV.* xiv. (1860) 249 = *Havetiopsis*, Planch. (Guttif.).  
*dodecandrus*, Planch. & Triana, l. c. 251.—Bras.  
*obovatus*, Planch. & Triana, l. c. 250.—Bras.  
*octandrus*, Planch. & Triana, l. c.—Peruv.

OEDERA, Crantz, *Dracon. Arb.* 30 (1768) = *Draena*, Linn. (Liliac.).  
*dragonalis*, Crantz, l. c. = *D. Draco*.

OEDERA, Linn. *Mant.* ii. 159 (1767). *COMPOSITAE*, Benth. & Hook. f. ii. 418.

OEDERIA, DC. *Prod.* vi. 1 (1837).  
*aliena*, Linn. f. *Suppl.* 390 = *Heterolepis decipiens*.  
*alienata*, Thunb. *Prod. Pl. Cap.* 169 = *Hirpicium echinulatum*.  
*apiculata*, E. Mey. ex DC. *Prod.* vi. 289 = *Relhania quinquenervis*.  
*hirta*, Thunb. *Prod. Pl. Cap.* 169.—Afr. austr.  
*imbricata*, Lam. *Encyc.* ii. 345 = *latifolia*.  
*intermedia*, DC. *Prod.* vi. 2 = *latifolia*.  
*laevis*, DC. l. c.—Afr. austr.  
*lanceolata*, Cass. in *Dict. Sc. Nat.* xxxv. 402 = *prolifera*.  
*latifolia*, Less. *Syn. Comp.* 247.—Afr. austr.  
*obtusifolia*, Cass. in *Dict. Sc. Nat.* xxxv. 402 = *latifolia*.  
*prolifera*, Linn. *Mant.* ii. 159.—Afr. austr.  
*speciosa*, E. Mey. ex DC. *Prod.* vi. 289 = *Relhania speciosa*.  
*trinervia*, [Spreng.] *Bot. Gart. Halle*, 63.—Hab. ?

OEDERIA, DC. *Prod.* vi. 1 (1837) = praec.

OEDIPACHNE, Link, Hort. *Berol.* i. 51 (1827) = *Eriochloa*, H. B. & K. (Gramin.).  
*punctata*, Link, l. c. = *E. polystachya*.

OEDMANNIA, Thunb. *Nov. Gen.* 136 (1800) = *Rafnia*, Thunb. (Legumin.).  
*lancea*, Thunb. l. c. 137 = *R. lancea*.  
*lanceolata*, Steud. *Nom. ed.* II. ii. 205 = *R. lancea*.

OEGINETIA, Wight, *Ic.* iii. textu n. 895 [1843] = *Aeginetia*, Linn. (Orobanch.).

OENANTHE, [Tourn.] Linn. *Syst. ed.* I (1735). *UMBELLIFERAE*, Benth. & Hook. f. i. 905.

CYSSOPETALUM, Turcz. in *Bull. Soc. Nat. Mosc.* xxii (1849) ii. 25.  
 DASYLOMA, DC. *Prod.* iv. 140 (1830).  
 PHELLANDRIUM, Linn. *Syst. ed.* I (1735); *Gen. ed.* I. 77 (1737).  
*ambigua*, Nutt. *Gen. Am.* i. 189 = *Peucedanum ternatum*.  
*amoena*, *Lehm. ex Sweet, Hort. Brit.* ed. II. 247, nomen.—Hab. ?  
*anatolica*, C. Koch, in *Linnaea*, xix. (1847) 38 = *angulosa*.  
*angulosa*, *Griseb. Spicil. Fl. Rumel.* i. 352.—Macedon.; As. Min.; Syria.  
*anomala*, *Dur. & Coss. Notes Crit.* 133.—Alger.  
*apiifolia*, Brot. *Fl. Lusit.* i. 420 = *crocata*.  
*approximata*, Mérat, *Nouv. Fl. Par.* 115 = *Lachenalii*.  
*approximata*, Tenore, *Fl. Nap. Prod. App.* v. 10 = *Jordani*.  
*aquatica*, Poir. in *Lam. Encyc.* iv. 530 = *O. Phellandrium*.  
*australiana*, F. Muell. *Fragm.* v. 182 = *stolonifera*.  
*australis*, Wulf. ex Steud. *Nom. ed.* II. ii. 205; et *ej.* *Fl. Nor. Phan.* 360 = *silaifolia*.  
*banatica*, *Heuff. in Flora*, xxxvii. (1854) 291.—Ins. Banat.  
*benghalensis*, Benth. & Hook. f. *Gen.* i. 906.—Ind. or.  
*biloba*, Dulac, *Fl. Hautes-Pyr.* 353 = *peucedanifolia*.  
*californica*, S. Wats. in *Proc. Am. Acad.* xi. (1876) 139.—Calif.  
*callosa*, *Salzm. ex DC. Prod.* iv. 137.—Maroc.  
*calycina*, *Salzm. ex Ball, in Journ. Linn. Soc.* xvi. (1878) 473 = *globulosa*.  
*capensis*, D. Dietr. *Syn. Pl.* ii. 953 = *Annesorhiza capensis*.  
*capensis*, Hoult. *Handleid.* viii. 140 = *Lichtensteinia pyrethrifolia*.  
*carolinensis*, Pers. *Syn.* i. 318 = *Peucedanum teretifolium*.  
*carviformis*, Schur, *Enum. Pl. Transs.* 255 = *banatica chaerophyllacea*, Gouan, *Hort. Monsp.* 144 = *Seseli tortuosum* ?  
*chaerophylloides*, Pourr. in *Mém. Acad. Toul.* iii. 1788 = 323 = *pimpinelloides*.  
*corticata*, Edgew. in *Trans. Linn. Soc.* xx. (1846) 58 = *stolonifera*.  
*crocata*, Kit. in *Rochelet. Pl. Banat. Rar.* 27, nomen = *banatica vel media*.  
*crocata*, Linn. *Sp. Pl.* 254.—Europ.  
*dacica*, Kow. ex Schur, *Enum. Pl. Transs.* 254 = *banatica*.



**OENANTHE** :—

*daucifolia*, Link, ex Schult. Syst. vi. 423 = *virgata*.  
*densa*, J. Woods, *Tour. Fl.* 147.—Europ. austr.  
*diffusa*, Lag. Gen. et Sp. Nov. 13 = *globulosa*.  
*digitata*, Nutt. ex DC. Prod. iv. 141 = *Cynosciadium* *digitatum*.  
*diversifolia*, Dulac, Fl. Hautes-Pyr. 352 = *pimpinelloides*.  
*Dregeana*, E. Mey. in Drège, Zwei Pfl. Docum. 205 = *filiformis*.  
*dubia*, Roth, ex Schult. Syst. vi. 422 = *peucedanifolia*.  
*elata*, D. Dietr. Syn. Pl. ii. 953 = *Annesorhiza elata*.  
*exaltata*, Thunb. Prod. Pl. Cap. 50 = *Rhyticarpus* *difformis*.  
*ferulacea*, Kotschy & Boiss. in Fl. Orient. ii. 958.—Kurdistan.  
*ferulacea*, Thunb. Prod. Pl. Cap. 50 = *Peucedanum* *ferulaceum*.  
*filicaulis*, D. Dietr. Syn. Pl. ii. 953 = *Annesorhiza* *filicaulis*.  
*filiformis*, Poir. in Lam. Encyc. iv. 529.—Afr. austr.  
*filiformis*, Walt. Fl. Carol. 113 = *Peucedanum* *teretifolium*.  
*filipendula*, Dum. Fl. Belg. Prod. 80.—Europ.  
*filipenduloides*, Thuill. Fl. Par. ed. II. 146 = *peucedanifolia*.  
*fistulifolia*, Stokes, Bot. Mat. Med. ii. 111 = *fistulosa*.  
*fistulosa*, Asso, Syn. Stirp. Arag. 36 = *peucedanifolia*.  
*fistulosa*, Linn. Sp. Pl. 254.—Europ.; Reg. Casp.  
*fluvialis*, Colem. in Ann. & Mag. Nat. Hist. Ser. I. xiii. (1844) 188 = O. *Phellandrium*.  
*gigantea*, Zúmag. Fl. Pedem. i. 421.—Ital.  
*glauca*, DC. ex Schult. Syst. vi. 428; et ex DC. Prod. iv. 137 = *silaifolia*.  
*globosa*, Georgi, Geogr. Besch. Russ. Reich. III. iv. 852 = *pimpinelloides*.  
*globosa*, Hill, Veg. Syst. vi. 44 = *praec.*?  
*globularis*, Link, Diss. Bot. Suerin (1795) 55 = *globulosa*.  
*globulosa*, Bové, ex Dur. & Coss. Notes Crit. 135 = *peucedanifolia*.  
*globulosa*, Linn. Sp. Pl. 255.—Europ. austr.; Afr. bor.  
*globulosa*, Pall. Tabl. Taur. 49 = *pimpinelloides*.  
*graminifolia*, Gaud. Fl. Helv. ii. 359, in obs.—Europ.  
*gymnorhiza*, Brign. Fasc. Pl. Forojul. 21 = *Lachenalii*.  
*Heldreichii*, Boiss. Fl. Orient. ii. 957.—As. Min.  
*hirsuta*, D. Dietr. Syn. Pl. ii. 953 = *Annesorhiza* *hirsuta*.  
*Hookeri*, C. B. Clarke, in Hook. f. Fl. Brit. Ind. ii. 697.—Reg. Himal.  
*Huanaca*, Spreng. Umbell. Prod. 37 = *Huanaca* *Cavannesii*.  
*humilis*, Rafin. Préc. Découv. 41.—Sicil.  
*incrassata*, Bory & Chaub. Nouv. Fl. Pélop. t. 9 = *incrassata*.  
*incrassans*, Heldr. ex Nym. Consp. 298 = *media*.  
*incrassata*, Bory & Chaub. Nouv. Fl. Pélop. 19.—Graecia.  
*inebrians*, Thunb. Prod. Pl. Cap. 49 (= *Glia gummi-fera*).—Afr. austr.  
*interrupta*, Thunb. l. c. 50 = *Lichtensteinia* *pyrethri-folia*.  
*involuta*, Cav. ex Schult. Syst. vi. 421 = *pimpinelloides*.  
*javanica*, DC. Prod. iv. 138 = *stolonifera*.  
*Jordani*, Tenore, Fl. Nap. iii. 316.—Ital.  
*Karstia*, Hacq. Pl. Alp. Carniol. 17. t. 3 = *silaifolia*.  
*Kunzei*, Willk. in Flora, xxxiv. (1851) 725 = *globulosa*.  
*Lachenalii*, C. C. Gmel. Fl. Bad. i. 678.—Europ.; Reg. Casp.  
*laciniata*, Zoll. Syst. Verz. Ind. Archip. 139 = *stolonifera*.  
*lanceolata*, Poir. Encyc. Suppl. iv. 135 = *fistulosa*.  
*linearis*, Wall. Cat. n. 586; et ex DC. Prod. iv. 138.—Reg. Himal.  
*Lisaia*, Moris, in Mem. Acc. Torino, xxxviii. (1835) p. xxvii = *pimpinelloides*.  
*macrocarpa*, D. Dietr. Syn. Pl. ii. 953 = *Annesorhiza* *macrocarpa*.  
*macroscadia*, Willk. in Linnaea, xxv. (1852) 28 = *crocata*.  
*marginata*, Vis. Fl. Dalm. iii. 38.—Hispan.  
*media*, Bor. ex Nym. Consp. 298 = *peucedanifolia*.  
*media*, Griseb. Spicil. Fl. Rumel. i. 352.—Europ. austr. or.; Syria.

**OENANTHE** :—

*megapolitana*, Willd. in Ges. Naturf. Fr. Berl. Mag. iii. (1809) 297 = *Lachenalii*.  
*meifolia*, Schloss. & Vukot. Bilinar, 215 = *fistulosa*.  
*meoides*, Panč. Elem. Fl. Bulg. 32.—Bulgaria.  
*michelfeldensis*, Lachen. ex Mert. & Koch, Deutschl. Fl. ii. 416 = *Lachenalii*.  
*microsperma*, Guss. ex Bertol. Fl. Ital. iii. 241 = *silaifolia*.  
*millefolia*, Fanka, in Oestr. Bot. Zeitschr. xxii. (1872) 177.—Thracia.  
*montana*, D. Dietr. Syn. Pl. ii. 953 = *Annesorhiza* *montana*.  
*Mutellina*, DC. Prod. iv. 139 = *Ligusticum* *Mutellina*.  
*nodiflora*, Schousb. Vextr. Marokko, 135 (= *Sclerosciadium* *nodiflorum*).—Maroc.  
*obscura*, Spreng. Syst. i. 890 = *Lichtensteinia* *pyrethri-folia*.  
*patens*, Moench, Meth. 91 = *peucedanifolia*.  
*peucedanifolia*, Heuff. ex Boiss. Fl. Orient. ii. 958 = *media*.  
*peucedanifolia*, Pollich, Hist. Pl. Palat. i. 289. f. 3.—Europ.  
*peucedanifolia*, Schleich. ex DC. Prod. iv. 137 = *Lachenalii*.  
*peucedanoides*, Roth, Beitr. i. 19 = *peucedanifolia*.  
*peucedanoides*, Wredow, Fl. Meklenb. i. 516 = *Lachenalii*.  
*Phellandrium*, Lam. Fl. Fr. iii. 432.—Europ.; As. bor.  
*Phellandrium*, Nutt. Gen. Am. i. 189 = *sarmentosa*.  
*pimpinelloides*, Linn. Sp. Pl. 255.—Europ.; As. Min.; Afr. bor.  
*pimpinelloides*, Sm. Engl. Bot. t. 347 = *Lachenalii*.  
*Pollichii*, C. C. Gmel. Fl. Bad. i. 679 = *peucedanifolia*.  
*prolifera*, Hort. ex Steud. Nom. ed. I. 561 = *virgata*.  
*prolifera*, Host, ex Reichb. Fl. Germ. Excurs. 463 = *silaifolia*.  
*prolifera*, Linn. Sp. Pl. 254.—Europ. or.; Syria.  
*pteridifolia*, Lowe, in Trans. Camb. Phil. Soc. iv. (1831) 30.—Ins. Madera.  
*purpurea*, Poir. in Lam. Encyc. iv. 530 = *Ligusticum* *Mutellina*.  
*quintensis*, Spreng. Syst. i. 888 = *Ottoea* *oenanthoides*.  
*Rarania*, J. F. Gmel. Syst. 485, in syn. = *silaifolia*.  
*rhenana*, DC. Fl. Fr. Suppl. 506 = *Lachenalii*.  
*rigida*, Crantz, Cl. Umb. Emend. 85 = *Peucedanum* *ternatum*.  
*rigido-striata*, Steud. Nom. ed. II. ii. 205 = *Seseli* *tortuosum*.  
*sarmentosa*, Boland. Cat. 14; ex S. Wats. Bibliog. Ind. Bot. N. Am. 426 = *californica*.  
*sarmentosa*, Presl, ex DC. Prod. iv. 138.—Am. bor. occ.  
*seseloides*, Presl, Bot. Bemerk. 74 = *Peucedanum* *ferulaceum*.  
*silaifolia*, Ball, in Ann. & Mag. Nat. Hist. Ser. I. xiv. (1844) 6 = *peucedanifolia*.  
*silaifolia*, Biéb. Fl. Taur. Cauc. iii. 232.—Europ. austr.; Reg. Caucas.  
*silaifolia*, Heuff. ex Rochel, Reise Bot. 66 = *banatica*.  
*Smithii*, H. C. Wats. in Phytol. ii. (1845) 14 = *peucedanifolia*.  
*spuria*, D. Dietr. Syn. Pl. ii. 953 = *Annesorhiza* *spuria*.  
*stenoloba*, Schur, Enum. Pl. Transs. 255 = *media*.  
*stolonifera*, Wall. Cat. n. 585; DC. Prod. iv. 138.—Ind. or.; Java; China.  
*stylosa*, Pers. Syn. i. 318 = *virgata*.  
*Tabernaemontana*, C. C. Gmel. Fl. Bad. i. 676 = *fistulosa*.  
*tenuifolia*, Boiss. & Orph. Diagn. Ser. II. vi. 79.—Macedon.  
*tenuifolia*, Froel. ex DC. Prod. iv. 137 = *silaifolia*.  
*tenuifolia*, Thunb. Prod. Pl. Cap. 49 (= *Glia gummi-fera*).—Afr. austr.  
*teretifolia*, Lowe, Cat. 31 = *Peucedanum* *teretifolium*.  
*Thomsoni*, C. B. Clarke, in Hook. f. Fl. Brit. Ind. ii. 697.—Reg. Himal.  
*thracica*, Griseb. Spicil. Fl. Rumel. i. 355.—Thracia.  
*virgata*, Bory & Chaub. Nouv. Fl. Pélop. 19 = *Carum* *multiflorum*.  
*virgata*, Griseb. Spicil. Fl. Rumel. i. 355 = *thracica*.  
*virgata*, Koch, ex DC. Prod. iv. 137 = *silaifolia*.  
*virgata*, Poir. in Lam. Encyc. iv. 529.—Afr. bor.

**OENOCARPUS**, Mart. Hist. Nat. Palm. ii. 21 (1823).

*PALMAE*, Benth. & Hook. f. iii. 897.  
*altissimus*, Klotzsch, ex H. Wendl. Ind. Palm. 30.—Venezuela.  
*Bacaba*, Mart. Hist. Nat. Palm. ii. 24. t. 26. ff. 1, 2.—Guiana.  
*Bataua*, Mart. l. c. 23.—Bras.  
*Bataua*, Wallace, Palm-trees Amaz. 31. t. 10 = *praec.*  
*bolivianus*, Hort. Kew. ex H. Wendl. Ind. Palm. 30.—Am. austr.  
*Calaber*, Hort. ex H. Wendl. l. c. = *caracasanus*.  
*caracasanus*, H. Wendl. l. c.—Venezuela.  
*Chiragua*, Hort. ex H. Wendl. l. c.—Venezuela?  
*circumtextus*, Mart. Hist. Nat. Palm. ii. 26. t. 26. ff. 3, 4.—Bras.  
*Cubarro*, Hort. ex H. Wendl. Ind. Palm. 30.—Hab.?  
*dealbatus*, Hort. ex H. Wendl. in Kerch. Palm. 252 = *Mauritia* *armata*.  
*distichus*, Mart. Hist. Nat. Palm. ii. 22. tt. 22, 23.—Am. austr.  
*frigidus*, Spreng. Syst. ii. 140 = *Oreodoxa* *frigida*.  
*glaucus*, Lodd. ex H. Wendl. Ind. Palm. 30 = *caracasanus*.  
*gracilis*, Hort. ex H. Wendl. in Kerch. Palm. 252, nomen.—Hab.?  
*Mapora*, Karst. in Linnaea, xxviii. (1856) 274.—Venezuela.  
*minor*, Mart. Hist. Nat. Palm. ii. 25. t. 27.—Bras.  
*multicaulis*, Spruce, in Journ. Linn. Soc. xi. (1871) 142.—Bras.  
*pulchellus*, Linden, Illustr. Hort. xxviii. (1881) 32.—N. Granat.  
*regius*, Spreng. Syst. ii. 140 = *Oreodoxa* *regia*.  
*Sancona*, Spreng. l. c. = *Oreodoxa* *Sancona*.  
*Tarampabo*, Mart. Palmet. Orbign. 12. t. 8. f. 3.—Bolivia.  
*utilis*, Klotzsch, in Linnaea, xx. (1847) 447 = *Euterpe* *acuminata*.

**OENONE**, Tul. in Ann. Sc. Nat. Sér. III. xi. (1849) 96 = *Ligea*, Tul. (Podost.).  
*alcicornis*, Wedd. in DC. Prod. xvii. 58 = *L. alcicornis*.  
*flexuosa*, Wedd. l. c. = *L. flexuosa*.  
*longifolia*, Tul. in Ann. Sc. Nat. Sér. III. xi. (1849) 96 = *L. longifolia*.

**OENOPLEA**, Hedw. f. Gen. i. 151 (1806) = *Berchemia*, Neck. (Rhamn.).  
*lineata*, Roem. & Schult. Syst. v. 333 = *B. racemosa*.  
*volubilis*, Roem. & Schult. l. c. 332 = *B. volubilis*.

**OENOPLIA**, Roem. & Schult. Syst. v. p. xxvii; 332 (1819) = *praec.*

**OENOSCIADIUM**, Pomel, Nouv. Mat. Fl. Atl. 141 (1874). *UMBELLIFERAE*.  
*anomalum*, Pomel, l. c.—Afr. bor.

**OENOTHERA**, Linn. Syst. ed. I (1735). *ONAGRARIAE*, Benth. & Hook. f. i. 789.  
*AEONOTHERA*, Lam. Encyc. iv. 550 (1797).  
*AGASSIZIA*, Spach, Hist. Vég. Phan. iv. 347 (1835).  
*ANOGRA*, Spach, in Nouv. Ann. Mus. Par. iv. (1835) 339.  
*BAUMANNIA*, Spach, Hist. Vég. Phan. iv. 351 (1835).  
*BLENNODERMA*, Spach, in Nouv. Ann. Mus. Par. iv. (1835) 406.  
*BOISDUVALIA*, Spach, Hist. Vég. Phan. iv. 383 (1835).  
*CALYLOPHUS*, Spach, l. c. 349 (1835).  
*CAMISSONIA*, Link, in Jahrb. Gew. (1818) 186.  
*CRATERICARPUS*, Spach, in Nouv. Ann. Mus. Par. iv. (1835) 397.  
*DICTYOPETALUM*, Fisch. & Mey. Ind. Sem. Hort. Petrop. ii. 45 (1835) [§] ex Baill. Dict. ii. 410.  
*GODETIA*, Spach, Hist. Vég. Phan. iv. 386 (1835).  
*HARTMANNIA*, Spach, l. c. 370 (1835).  
*HOLOSTIGMA*, Spach, in Nouv. Ann. Mus. Par. iv. (1835) 332.  
*KNEIFFIA*, Spach, Hist. Vég. Phan. iv. 373 (1835).  
*LAVALUXIA*, Spach, l. c. 366 (1835).  
*MEGAPTERIUM*, Spach, l. c. 363 (1835).  
*MERIOLOX*, Rafin. in Am. Monthly Mag. (1819) 192.  
*ONAGRA*, Spach, Hist. Vég. Phan. iv. 357 (1835).  
*PACHYLOPHUS*, Spach, l. c. 365 (1835).



## OENOTHERA:—

- SPHAEROSTIGMA, Fisch. & Mey. Ind. Sem. Hort. Petrop. ii. 49 (1835).  
 XYLOPLEURUM, Spach, Hist. Vég. Phan. iv. 378 (1835).  
*acaulis*, Cav. Ic. iv. 68. t. 399.—Chili.  
*acaulis*, Lindl. in Bot. Reg. t. 763 = cuspidata.  
*affinis*, Cambess. in A. St. Hil. Fl. Bras. Mer. ii. 269 = mollissima?  
*affinis*, Penny, ex Loud. Gard. Mag. v. (1829) 470 = amoena.  
*Agassizii*, Steud. Nom. ed. II. ii. 206.—Chili.  
*alata*, Nutt. Gen. Am. i. 248 = missouriensis.  
*alata*, Rafin. Fl. Ludov. 95 = Jussieuia decurrens.  
*alba*, Noronha, in Verh. Batav. Gen. v. (1790) ed. I. Art. IV. 21 = Ludwigia leucorrhiza?  
*albescens*, S. Wats. in Proc. Am. Acad. viii. (1873) 597.—Calif.  
*albicans*, Lam. Encyc. iv. 552.—Peruv.  
*albicaulis*, Fras. Cat. (1813); ex Nutt. Gen. Am. i. 245.—Am. bor.  
*albicaulis*, Pursh, Fl. Am. Sept. ii. 733 = pinnatifida, Nutt.  
*alyssoideis*, Hook. & Arn. Bot. Beech. Voy. 340.—Am. bor. occ.  
*ambigua*, Spreng. Syst. ii. 229 = fruticosa.  
*ambigua*, S. Wats. in Proc. Am. Acad. xiv. (1879) 293.—Am. bor. occ.  
*amoena*, Lehm. Ind. Sem. Hort. Hamb. (1821) 8; Pugill. Pl. i. 22.—Am. bor.  
*andina*, Nutt. in Torr. & Gray, Fl. N. Am. i. 512.—Am. bor. occ.  
*angustifolia*, Mill. Gard. Dict. ed. VIII. n. 2 = biennis.  
*anisobolia*, Sweet, Brit. Flow. Gard. Ser. II. t. 105.—Ins. Chiloe.  
*anomala*, Curt. Bot. Mag. t. 388 = Gaura mutabilis.  
*arbores*, Kellogg, in Proc. Calif. Acad. ii. (1863) 32.—Calif.  
*arcuata*, Kellogg, l. c. i. (1855) 58 = amoena.  
*Arnottii*, Torr. & Gray, Fl. N. Am. i. 503 = decumbens.  
*ascendens*, Willd. ex Spreng. Syst. ii. 230.—Am. austr.  
*asperifolia*, Nutt. ex Torr. & Gray, Fl. N. Am. i. 509 = hirta.  
*aurantia*, Willd. ex Spreng. Syst. ii. 229 = multicaulis.  
*australis*, Salisb. Prod. 278.—Reg. Magellan.  
*Berlandieri*, Steud. Nom. ed. II. ii. 206 = serrulata.  
*Berlandieri*, Walp. Rep. ii. 85 = Delessertiana.  
*Berteriana*, Spach, in Nouv. Ann. Mus. Par. iv. (1835) 343.—Chili.  
*biennis*, Linn. Sp. Pl. 346.—Am. bor.  
*biennis*, Walt. Fl. Carol. 129 = sinuata.  
*bifrons*, D. Don, in Sweet, Brit. Flow. Gard. Ser. II. t. 386 = heterophylla.  
*bifrons*, Lindl. in Bot. Reg. t. 1405 = amoena.  
*biloba*, Durand, in Journ. Acad. Nat. Sc. Philad. Ser. II. iii. (1855) 87.—Calif.  
*bistorta*, A. Gray, in Proc. Bost. Soc. Nat. Hist. vii. (1859-61) 146 = hirta.  
*bistorta*, Nutt. ex Torr. & Gray, Fl. N. Am. i. 508.—Am. bor. occ.  
*Boothii*, Dougl. in Hook. Fl. Bor. Am. i. 213.—Am. bor. occ.  
*Bottae*, Steud. Nom. ed. II. ii. 206 = bistorta.  
*Bottae*, Torr. & Gray, Fl. N. Am. i. 505.—Calif.  
*brachycarpa*, A. Gray, Pl. Wright. i. 70.—N. Mexic.  
*brachysepala*, Spach, in Nouv. Ann. Mus. Par. iv. (1835) 345.—Chili.  
*bracteata*, Phil. in Anal. Univ. Chil. (1862) II. 394.—Chili.  
*brasilensis*, Gardn. ex Micheli, in Mart. Fl. Bras. xiii. II. 155 = Jussieuia nervosa.  
*Braunii* ×, Doell, Fl. Bad. 1077, adnot.—Europ.  
*breviflora*, Torr. & Gray, Fl. N. Am. i. 506.—Am. bor. occ.  
*brevipes*, A. Gray, ex Torr. in Pacif. Rail. Rep. iv. 87.—Calif.  
*caesia*, Nutt. ex Torr. & Gray, Fl. N. Am. i. 514 = Gayophytum racemosum.  
*caespitosa*, Gill. ex Hook. & Arn. in Hook. Bot. Misc. iii. (1833) 311 = subulata.  
*caespitosa*, Nutt. in Fras. Cat. (1813); ex Nutt. Gen. Am. i. 246.—Am. bor. occ.  
*californica*, D. Dietr. Syn. Pl. ii. 1288 = Bottae.  
*californica*, S. Wats. in Bot. Calif. i. 223.—Calif.  
*campylocalyx*, C. Koch & Bouché, Ind. Sem. Hort. Berol. (1855) 17.—Hab. ?

## OENOTHERA:—

- campylocarpa*, Hort. ex Vilm. Fl. Pl. Terre, ed. II. 291 = praec.  
*canadensis*, Goldie, in Edinb. Phil. Journ. vi. (Apr. 1822) 325 = fruticosa.  
*canescens*, Torr. in Frém. Rep. 315.—Am. bor. occ.  
*capensis*, Hort. ex Steud. Nom. ed. II. ii. 206 = tetraptera.  
*capillifolia*, Scheele, in Linnaea, xxi. (1848) 576 = serrulata.  
*cardiophylla*, Torr. in Pacif. Rail. Rep. v. 360.—Am. bor. occ.  
*catharinensis*, Cambess. in A. St. Hil. Fl. Bras. Mer. ii. 270.—Bras.  
*cedrosensis*, Greene, in Bull. Calif. Acad. i. IV. (1885) 187.—Calif.  
*centaureifolia*, Steud. Nom. ed. II. ii. 206.—Reg. Argent.  
*chamaenerioides*, A. Gray, Pl. Wright. ii. 58.—N. Mexic.  
*Chamissonis*, Link, Enum. Hort. Berol. i. 378 = dentata.  
*cheiranthifolia*, A. Gray, in Ives, Rep. Colorado River, Bot. 12 = bistorta.  
*cheiranthifolia*, Hornem. ex Spreng. Syst. ii. 228.—Chili.  
*cheiranthifolia*, Lindl. Bot. Reg. t. 1040 = O. Agassizii.  
*chilensis*, D. Dietr. Syn. Pl. ii. 1285.—Chili.  
*chrysantha*, Michx. Fl. Bor. Am. i. 225 = pumila.  
*cinnabarina*, Hort. ex E. Morr. Belg. Hort. xiv. (1864) 75.—Hab. ?  
*clavaeformis*, Torr. & Frém. Rep. 314 = scapoidea.  
*clavaeformis*, Torr. Bot. Mex. Bound. 66, partim = brevipes.  
*cochinchinensis*, Lour. ex Steud. Nom. ed. I. 561, nomen.—China.  
*concinna*, D. Don, in Sweet, Brit. Flow. Gard. Ser. II. t. 183.—Chili.  
*contorta*, Boland. Cat. 12; ex S. Wats. in Proc. Am. Acad. viii. (1873) 606 = cheiranthifolia.  
*contorta*, Dougl. ex Lehm. in Hook. Fl. Bor. Am. i. 214 = strigulosa.  
*coquimbensis*, C. Gay, Fl. Chil. ii. 331.—Chili.  
*cordata*, Steud. Nom. ed. II. ii. 206.—Chili; Ins. Juan Fernand.  
*coronopifolia*, A. Gray, Pl. Wright. ii. 56 = pinnatifida.  
*coronopifolia*, Torr. & Gray, Fl. N. Am. i. 495.—Am. bor. occ.  
*corymbosa*, Lam. Encyc. iv. 554.—Mexic.  
*corymbosa*, Sims, Bot. Mag. t. 1974 = Simsiana.  
*crassifolia*, Greene, in Bull. Calif. Acad. i. IV. (1885) 188.—Calif.  
*crassipes*, Hort. Berol. ex Steud. Nom. ed. II. ii. 206, in syn. = elata.  
*crispa*, Schult. Obs. Bot. 73.—Hab. ?  
*cruciata*, Nutt. ex G. Don, Gen. Syst. ii. 686 = biennis.  
*cruciformis*, Kellogg, in Proc. Calif. Acad. ii. (1863) 227, f. 71 = scapoidea.  
*cuneifolia*, Rafin. Atl. Journ. 147 (Quid?).—Am. bor.  
*cuprea*, Schlecht. in Linnaea, xii. (1838) 269.—Mexic.  
*cuspidata*, Steud. Nom. ed. II. ii. 206.—Am. austr.  
*decumbens*, Dougl. ex Hook. Bot. Mag. t. 2889.—Calif.  
*Delessertiana*, Steud. Nom. ed. II. ii. 206.—Mexic.  
*deltoides*, Torr. & Frém. Rep. 313 = trichocalyx.  
*densiflora*, Lindl. Bot. Reg. t. 1593.—Calif.  
*dentata*, Cav. Ic. iv. 67. t. 398.—Am. occ., bor. et austr.  
*dentata*, Link, ex Steud. Nom. ed. II. ii. 206 = heterophylla, Steud.  
*dentata*, Ser. in DC. Prod. iii. 46, partim = hirta.  
*dentata*, S. Wats. Bot. King's Exped. 111 = strigulosa.  
*diffusa*, Nutt. ex Torr. & Gray, Fl. N. Am. i. 513 = Gayophytum diffusum.  
*dissecta*, A. Gray, ex S. Wats. in Proc. Am. Acad. xvii. (1881-82) 357.—Mexic.  
*distorta*, Veitch, ex Vilm. Fl. Pl. Terre, ed. III. 370 = bistorta.  
*divaricata*, Greene, in Bull. Torrey Bot. Club, x. (1883) 125.—Calif.  
*Drummondii*, Hook. Bot. Mag. t. 3361.—Am. bor. occ.  
*Drummondii*, Hook. Lond. Journ. Bot. vi. (1847) 221 = missouriensis.  
*Drummondii*, Schnitzl. Iconog. t. 265. f. 1 = speciosa.  
*Drummondii*, Walp. Rep. ii. 85 = Spachiana.  
*dubia*, Hort. ex Steud. Nom. ed. II. ii. 206 = tetraptera.  
*elata*, H. B. & K. Nov. Gen. et Sp. vi. 90.—Mexic.

## OENOTHERA:—

- eminens*, Tausch, in Flora, xxii. (1839) 559.—Hab. ?  
*epilobiifolia*, H. B. & K. Nov. Gen. et Sp. vi. 92.—N. Granat.  
*epilobioides*, Nutt. ex Torr. & Gray, Fl. N. Am. i. 511.—Am. bor.  
*erosa*, Lehm. in Linnaea, iii. (1828) Litt. 8.—Afr. austr.  
*eximia*, A. Gray, in Mem. Am. Acad. N. S. iv. (1849) 45 = caespitosa.  
*Fendleri*, A. Gray, l. c. = Hartwegii.  
*fissifolia*, Steud. Nom. ed. II. ii. 206.—Mexic.  
*florida*, Salisb. Prod. 278 = fruticosa.  
*Fraseri*, Pursh, Fl. Am. Sept. ii. 734 = glauca.  
*Fremontii*, S. Wats. in Proc. Am. Acad. viii. (1873) 587.—Am. bor. occ.  
*fruticosa*, A. Gray, in Mem. Am. Acad. N. S. iv. (1849) 44 = serrulata.  
*fruticosa*, Linn. Sp. Pl. 346.—Am. bor.  
*gauraeiflora*, Torr. & Gray, Fl. N. Am. i. 510.—Am. bor. occ.  
*gauroides*, Hornem. Hort. Hafn. i. 362 = biennis.  
*Gayana*, Steud. Nom. ed. II. ii. 206.—Chili.  
*glabella*, Nutt. in Torr. & Gray, Fl. N. Am. i. 505.—Am. bor.  
*glabra*, Mill. Gard. Dict. ed. VIII. n. 3 = biennis.  
*glauca*, Michx. Fl. Bor. Am. i. 224.—Am. bor.  
*Glazioviana*, Micheli, in Mart. Fl. Bras. xiii. II. 178.—Bras.  
*globularis*, Hort. Chels. ex G. Don, in Loud. Hort. Brit. 154, nomen.—Hab. ?  
*Godetia*, Steud. Nom. ed. II. ii. 206 = Bottae.  
*graciliflora*, Hook. & Arn. Bot. Beech. Voy. 341.—Calif.  
*graciliflora*, Torr. in Pacif. Rail. Rep. iv. 87 = bistorta.  
*gracilis*, Schrad. ex Fisch. & Mey. Ind. Sem. Hort. Petrop. ii. 44 = pumila.  
*grandidentata*, Phil. in Linnaea, xxxiii. (1864-65) 68.—Chili.  
*grandiflora*, Ruiz & Pav. Fl. Per. iii. 78 = acaulis.  
*grandiflora*, [Soland. in] Ait. Hort. Kew. ed. I. ii. 2; Lam. Encyc. iv. 554 = biennis.  
*grandiflora*, S. Wats. in Proc. Am. Acad. viii. (1873) 596 = Whitneyi.  
*graveolens*, Gilib. Fl. Lituan. ii. 186 = biennis.  
*Greggii*, A. Gray, in Mem. Am. Acad. N. S. iv. (1849) 46.—Mexic.  
*guadalupensis*, S. Wats. in Proc. Am. Acad. xi. (1876) 115, 137.—Calif.  
*guttata*, Molina, Sagg. Chile, ed. II. 134.—Chili.  
*guttulata*, Geyer, ex Hook. Lond. Journ. Bot. vi. (1847) 222 = canescens.  
*Hartwegii*, Benth. Pl. Hartw. 5.—Mexic.  
*Havardi*, S. Wats. in Proc. Am. Acad. xx. 1885) 366.—Texas.  
*heterantha*, Nutt. in Journ. Acad. Philad. vii. (1834) 22.—Am. bor. occ.  
*heterochroma*, S. Wats. in Proc. Am. Acad. xvii. (1881-82) 373.—Calif.  
*heterophylla*, Nutt. ex Hook. & Arn. Bot. Beech. Voy. 341 = hirta.  
*heterophylla*, Spach, in Nouv. Ann. Mus. Par. iv. (1835) 348.—Am. bor. occ.  
*heterophylla*, Steud. Nom. ed. II. ii. 207.—Chili.  
*Hilgardi*, Greene, in Bull. Torrey Bot. Club, x. (1883) 41.—Am. bor.  
*hirsuta*, D. Dietr. Syn. Pl. ii. 1289 = biennis.  
*hirsuta*, Steud. Nom. ed. II. ii. 206.—Mexic.  
*hirta*, Link, Enum. Hort. Berol. i. 378.—Am. bor. occ.; Chili; Peruv.  
*hirta*, Linn. Syst. ed. X. 998 = Jussieuia peruviana.  
*hispidula*, S. Wats. in Proc. Am. Acad. viii. (1873) 597.—Am. bor. occ.  
*holosericea*, Tausch, in Flora, xxii. (1839) 558.—Hab. ?  
*Hookeri*, Torr. & Gray, Fl. N. Am. i. 493 = biennis.  
*humifusa*, Lindl. Bot. Reg. t. 1829 = subulata.  
*humifusa*, Nutt. Gen. Am. i. 245.—Am. bor.  
*humilis*, Donn, Cat. Hort. Cantab. ed. I. 41; Willd. S. Pl. ii. 311 = purpurea.  
*hybrida*, Michx. Fl. Bor. Am. i. 225 = fruticosa.  
*byssopifolia*, Molina, Sagg. Chile, ed. II. 134.—C.  
*incana*, Nutt. Gen. Am. i. 247 = fruticosa.  
*indecora*, Cambess. in A. St. Hil. Fl. Bras. Mer. ii. 268.—Bras.  
*Jamesii*, Torr. & Gray, Fl. N. Am. i. 493.—Am. bor. occ.



## OENOTHERA:—

- Johnsoni, Parry, in *Am. Natural*. ix. (1875) 270.—Am. bor. occ.
- laciniata, Hill, Hort. Kew. 172/4 = sinuata.
- Lamarkiana, Ser. in DC. Prod. iii. 47 = biennis.
- lampasana, Buckl. in Proc. Acad. Sc. Philad. 1861 (1862) 454 = Greggii?
- lasiocarpa, Griseb. in Goett. Abh. xix. (1874) 143.—Reg. Argent.
- latiflora, [Moq. & Sesse] ex Ser. in DC. Prod. iii. 50.—Mexic.
- lavandulaefolia, Torr. & Gray, Fl. N. Am. i. 501 = Hartwegii.
- leona, Buckl. in Proc. Acad. Sc. Philad. 1861 (1862) 455 = heterophylla, Spach.
- lepida, D. Dietr. Syn. Pl. ii. 1287; Hook. & Arn. Bot. Beech. Voy. 342 = decumbens.
- leptophylla, Nutt. ex Torr. & Gray, Fl. N. Am. i. 495 = albicaulis.
- leucocarpa, Comien, ex Lehm. in Hook. Fl. Bor. Am. i. 210 = serrulata.
- Lindleyana, Steud. Nom. ed. II. ii. 207 = seq.
- Lindleyi, Dougl. in Bot. Mag. t. 2832 = amoena.
- linearis, Michx. Fl. Bor. Am. i. 225 = fruticosa.
- linifolia, Nutt. in Journ. Acad. Philad. ii. (1821) 120.—Am. bor.
- lithospermoides, Nutt. ex Hook. & Arn. Bot. Beech. Voy. 341 = Boothii.
- littoralis, Schlecht. in Linnaea, xii. (1838) 268.—Mexic.
- longiflora, Linn. Mant. ii. 227.—Reg. Argent.
- longiflora, Scheele, in Roemer, Texas, 430; ex S. Wats. in Proc. Am. Acad. viii. (1873) 614 = sinuata.
- macrantha, Nutt. ex Hook. & Arn. Bot. Beech. Voy. 342 = amoena.
- macrantha, Sellow, ex Salm-Dyck, Hort. Dyck. 182, nomen.—Hab.?
- macrocarpa, Pursh, Fl. Am. Sept. ii. 734 = missouriensis.
- macroceles, A. Gray, in Mem. Am. Acad. N. S. iv. (1849) 43.—Am. bor. occ.
- macrosiphon, Lehm. in Hamb. Gartenz. xiv. (1858) 439.—Hab.?
- maculata, Hort. Angl. ex Steud. Nom. ed. II. ii. 207, nomen.—Am. bor.
- malacophylla, Spach, in Nouv. Ann. Mus. Par. iv. (1835) 344.—Chili.
- marginata, Nutt. ex Hook. & Arn. Bot. Beech. Voy. 342 = caespitosa.
- maritima, Nutt. ex Hook. & Arn. l. c. 341 = graciliflora.
- media, Link, Enum. Hort. Berol. i. 377 = fruticosa.
- mendocinensis, Gill. ex Hook. & Arn. in Hook. Bot. Misc. iii. (1833) 310.—Chili.
- mexicana, Spach, in Nouv. Ann. Mus. Par. iv. (1835) 347 = sinuata.
- micans, Tausch, in Flora, xxii. (1839) 559.—Hab.?
- micrantha, Hornem. ex Spreng. Syst. ii. 228 = hirta.
- micrantha, Nutt. ex Torr. & Gray, Fl. N. Am. i. 514 = Gayophytum racemosum.
- micrantha, Presl, Rel. Haenk. ii. 31.—Chili.
- micrantha, Walp. Rep. ii. 84 = fissifolia.
- minima, Pursh, Fl. Am. Sept. i. 262 = sinuata.
- minutiflora, D. Dietr. Syn. Pl. ii. 1285.—Chili.
- missouriensis, Sims, Bot. Mag. t. 1592, et sub t. 1674 (missouriensis).—Am. bor. occ.
- mollissima, Bert. ex Steud. Nom. ed. II. ii. 207 = cordata.
- mollissima, Hook. & Arn. Bot. Beech. Voy. 23 = odorata.
- mollissima, Linn. Sp. Pl. 346.—Reg. Argent.
- mollissima, Walt. Fl. Carol. 129 = fruticosa.
- montana, Nutt. in Torr. & Gray, Fl. N. Am. i. 500 = caespitosa.
- multicaulis, Ruiz & Pav. Fl. Per. iii. 80, t. 317.—Peruv.
- multijuga, S. Wats. in Am. Natural. vii. (1873) 300.—Am. bor.
- muricata, Linn. Syst. ed. XII. 263 = biennis.
- mutabilis, Steud. Nom. ed. I. 561 = tetraptera.
- nana, Griseb. in Goett. Abh. xix. (1874) 143.—Reg. Argent.
- nervosa, Hornem. ex Sweet, Hort. Brit. ed. II. 199, nomen.—Hab.?
- nevadensis, Kellogg, in Proc. Calif. Acad. ii. (1863) 224, f. 70.—Calif.
- nocturna, Jacq. Coll. iii. 205; Ic. Pl. Rar. iii. 3, t. 455.—Afr. austr.
- nocturna, Willd. ex Spreng. Syst. ii. 228 = mollissima.

## OENOTHERA:—

- Nuttallii, Sweet, Hort. Brit. ed. II. 199 = albicaulis.
- Nuttallii, Torr. & Frém. Rep. 89 = breviflora.
- Nuttallii, Torr. & Gray, Fl. N. Am. i. 506.—Am. bor. occ.
- Oakesiana, Robbins, ex S. Wats. Bibliog. Ind. N. Am. Bot. 383.—Am. bor.
- obtusifolia, D. Dietr. Syn. Pl. ii. 1289 = speciosa.
- octovalvis, Jacq. Enum. Pl. Carib. 19 = Jussieua suffruticosa.
- odorata, Hook. & Arn. Bot. Beech. Voy. 343 = biennis.
- odorata, Jacq. Ic. Pl. Rar. iii. 3, t. 456; Coll. Suppl. 107.—Chili.
- odoratissima, Tausch, in Flora, xxii. (1839) 557.—Hab.?
- ovata, Nutt. in Torr. & Gray, Fl. N. Am. i. 507.—Calif.
- pallida, Lindl. Bot. Reg. t. 1142 = albicaulis.
- Palmeri, S. Wats. in Proc. Am. Acad. xii. (1877) 251.—Am. bor. occ.
- paludosa, Featherm. Rep. Louis. Univ. (1870) 71 = Jussieua decurrens.
- Parryi, S. Wats. in Am. Natural. ix. (1875) 19; 270.—Am. bor. occ.
- parviflora, Linn. Syst. ed. X. 998 = biennis.
- parvula, Nutt. ex Torr. & Gray, Fl. N. Am. i. 511 = strigulosa.
- perampla, R. Grah. in Edinb. N. Phil. Journ. (Oct. 1832) 362.—Peruv.
- perennis, Linn. Syst. ed. X. 998 = pumila.
- pilosella, Rafin. Ann. Nat. 15 = fruticosa.
- pinnatifida, Hort. ex Steud. Nom. ed. II. ii. 207 = fissifolia.
- pinnatifida, H. B. & K. Nov. Gen. et Sp. vi. 91.—Mexic.
- pinnatifida, Nutt. Gen. Am. i. 245.—Am. bor.
- pinnatifida, Torr. in Ann. Lyc. N. York, ii. (1828) 201 = albicaulis.
- primiveris, A. Gray, Pl. Wright. ii. 58.—N. Mexic.
- propinqua, Spach, in Nouv. Ann. Mus. Par. iv. (1835) 343.—Chili.
- prostrata, Ruiz & Pav. Fl. Per. iii. 79, t. 315 = sinuata.
- psychrophila, Ball, in Journ. Linn. Soc. xxii. (1885) 38.—Peruv.
- pterosperma, S. Wats. in Bot. King's Exped. 112, t. 14.—Am. bor. occ.
- pubescens, Nees, in Wied-Neuwied, Reise N. Am. ii. 435 = biennis.
- pubescens, Willd. ex Spreng. Syst. ii. 229.—Am. austr.
- pumila, Linn. Sp. Pl. ed. II. 493.—Am. bor.
- purpurea, Benth. Pl. Hartw. 310 = albescens.
- purpurea, Curt. Bot. Mag. t. 352.—Am. bor.
- purpurea, Durand, in Journ. Acad. Philad. Ser. II. iii. (1855) 88 = decumbens, quadrivulnera.
- purpurea, A. Gray, in Proc. Am. Acad. viii. (1873) 384, partim = tenella.
- purpurea, Hort. ex Lam. Encyc. iv. 554 = rosea.
- Purshiana, Steud. Nom. ed. II. ii. 207 = seq.
- Purshii, G. Don, Gen. Syst. ii. 688 = pinnatifida, Nutt.
- pusilla, Michx. Fl. Bor. Am. i. 225 = pumila.
- pygmaea, Dougl. ex Lehm. in Hook. Fl. Bor. Am. i. 213 = Boothii.
- quadrilobata, Noronha, in Verh. Batav. Gen. v. (1790) ed. I. Art. iv. 21 = Ludwiga parviflora.
- quadrivulnera, Dougl. ex Lindl. Bot. Reg. t. 1119.—Am. bor.
- racemosa, Nutt. ex Torr. & Gray, Fl. N. Am. i. 514 = Gayophytum racemosum.
- ramosissima, Nutt. l. c. 513 = Gayophytum ramosissimum.
- ramulosa, Steud. Nom. ed. II. ii. 207.—Chili.
- refracta, S. Wats. in Proc. Am. Acad. xvii. (1881-82) 373.—Calif.
- repanda, Medic. in Act. Acad. Theod. Palat. iii. Phys. (1775) 198, t. 8 = sinuata.
- rhizocarpa, Spreng. Syst. ii. 230 = triloba.
- rhombipetala, Engelm. & Gray, in Bost. Journ. Nat. Hist. v. (1845) 216 = heterophylla, Spach.
- rhombipetala, Nutt. ex Torr. & Gray, Fl. N. Am. i. 493.—Am. bor.
- rigida, Gill. ex Hook. & Arn. in Hook. Bot. Misc. iii. (1833) 311 = micrantha.
- riparia, Lehm. in Hook. Fl. Bor. Am. i. 212 = pumila.
- riparia, Nutt. Gen. Am. i. 247 = fruticosa.
- Roemeriana, Scheele, in Linnaea, xxii. (1849) 154 = triloba.

## OENOTHERA:—

- Romanzowii, Ledeb. ex Hornem. Hort. Hafn. Suppl. 133.—Am. bor.
- rosea, [Soland. in] Ait. Hort. Kew. ed. I. ii. 3.—Am. bor. occ.; Peruv.
- roseo-alba, Bernh. Ind. Sem. Hort. Erford. (1824); ex Reichb. Ic. Bot. Exot. i. 34, t. 47 = amoena.
- rubicunda, Durand, in Journ. Acad. Philad. Ser. II. iii. (1855) 87 = hispidula.
- rubicunda, Hook. & Arn. Bot. Beech. Voy. 342; D. Dietr. Syn. Pl. ii. 1287 = amoena.
- rubicunda, Torr. & Gray, Fl. N. Am. i. 502 = Bottae.
- rubicunda, Torr. & Gray, in Pacif. Rail. Rep. ii. 121 = epilobioides.
- rubra, Cav. Ic. iii. 68 = rosea.
- salicifolia, Desf. Tabl. ed. II. 271 = elata.
- salicina, Nutt. ex Torr. & Gray, Fl. N. Am. i. 505 = densiflora.
- Sandiana, Hassk. in Flora, xxxix. (1856) 516.—Peruv.
- scapigera, Pursh, Fl. Am. Sept. i. 263 = caespitosa.
- scapoidea, Torr. & Gray, Fl. N. Am. i. 506.—Am. bor. occ.
- scoparia, Ruiz & Pav. ex D. Don, in Edinb. N. Phil. Journ. (July-Sept. 1831) 277 = Balbisia verticillata.
- Sellowii, Link & Otto, ex Steud. Nom. ed. II. ii. 207, nomen.—Am. austr.
- serotina, Lehm. Sem. Hort. Hamb. (1825) 17.—Hab.?
- serotina, Sweet, Brit. Flow. Gard. Ser. I. ii. t. 184 = fruticosa.
- serrulata, Nutt. Gen. Am. i. 246.—Am. bor.
- siliquosa, Nutt. ex Torr. & Gray, Fl. N. Am. i. 512 = strigulosa.
- Simsiana, Ser. in DC. Prod. iii. 47.—Mexic.
- sinuata, Linn. Mant. ii. 228.—Am. bor.
- Spachiana, Steud. Nom. ed. II. ii. 207 = serrulata.
- Spachiana, Torr. & Gray, Fl. N. Am. i. 498.—Am. bor. occ.
- Spachii, D. Dietr. Syn. Pl. ii. 1289 = speciosa.
- speciosa, Nutt. in Journ. Acad. Philad. ii. (1821) 119.—Am. bor.
- spectabilis, Bernh. ex Steud. Nom. ed. I. 562, nomen.—Mexic.
- spectabilis, Hort. ex Spach, Hist. Vég. Phan. iv. 358 = Simsiana.
- spinulosa, Nutt. ex Torr. & Gray, Fl. N. Am. i. 502 = serrulata.
- spiralis, Hook. Fl. Bor. Am. i. 213 = cheiranthifolia.
- stenophylla, Steud. Nom. ed. II. ii. 208 = chilensis.
- striata, Ledeb. in Link, Enum. Hort. Berol. i. 377.—Hab.?
- stricta, Steud. Nom. ed. II. ii. 208, sphalm. = praec.
- strigosa, Willd. ex Spreng. Syst. ii. 228 = tenuifolia.
- strigulosa, Benth. Pl. Hartw. 310 = dentata.
- strigulosa, Torr. & Gray, Fl. N. Am. i. 512; D. Dietr. Syn. Pl. ii. 1284.—Am. bor. occ.
- suaveolens, Desf. Tabl. ed. I. 169; et Pers. Syn. i. 408 = biennis.
- subincana, Hort. ex Steud. Nom. ed. II. ii. 208, nomen.—Hab.?
- subulata, Ruiz & Pav. Fl. Per. iii. 82, t. 316.—Chili.
- tanacetifolia, Torr. & Gray, in Pacif. Rail. Rep. ii. 121 = Nuttallii.
- taraxacifolia, Hort. ex Sweet, Brit. Flow. Gard. Ser. I. t. 294 = acaulis.
- tarquensis, H. B. & K. Nov. Gen. et Sp. vi. 91.—Ecuador.
- tasmanica, Hook. f. in Hook. Lond. Journ. Bot. vi. (1847) 475.—Tasmania.
- tenella, Bert. ex Steud. Nom. ed. II. ii. 208 = ramulosa.
- tenella, Cav. Ic. iv. 66, t. 396, f. 2.—Chili.
- tenella, A. Gray, in Proc. Am. Acad. viii. (1873) 384 = epilobioides.
- tenella, A. Gray, in Proc. Bost. Soc. Nat. Hist. Ser. vii. (1859-61) 164 = Bottae.
- tenuifolia, Bert. ex D. Dietr. Syn. Pl. ii. 1285 = chilensis.
- tenuifolia, Cav. Ic. iv. 67, t. 397.—Chili.
- tetragona, Roth, Catalect. fasc. ii. 39 = fruticosa.
- tetraptera, Cav. Ic. iii. 40, t. 279.—Mexic.
- Torreyi, S. Wats. in Proc. Am. Acad. viii. (1873) 600.—Calif.
- trichocalyx, Nutt. in Torr. & Gray, Fl. N. Am. i. 494.—Am. bor. occ.
- triloba, Hook. Lond. Journ. Bot. vi. (1847) 223 = heterantha.



## OENOTHERA:—

- triloba*, Nutt. in *Journ. Acad. Philad.* ii. (1821) 118.—Am. bor. occ.  
*tubicola*, A. Gray, *Pl. Wright.* i. 71.—N. Mexic.  
*tubifera*, [Moc. & Sesse] ex Ser. in *DC. Prod.* iii. 50.—Mexic.  
*uncinata*, Scheele, in *Linnaea*, xxi. (1848) 578 = *Spachiana*.  
*undulata*, Ait. Hort. Kew. ed. II. ii. 342 = odorata.  
*uniflora*, Gill. ex Hook. & Arn. in Hook. Bot. Misc. iii. (1833) 311 = subulata.  
*uniflora*, Rafin. in Med. Repos. N. York, v. (1808) 353, nomen (Quid?).—Am. bor.  
*variifolia*, Steud. Nom. ed. II. ii. 208 = heterophylla, Spach.  
*versicolor*, Hort. ex Vilm. Fl. Pl. Terre, ed. II. 291 = campylocalyx.  
*versicolor*, Lehm. Ind. Sem. Hort. Hamb. (1855) 7.—Cf. *Linnaea*, xxviii. (1856) 359.—Hab.?  
*villosa*, Thunb. Prod. Pl. Cap. 75.—Afr. austr.  
*viminea*, Dougl. ex Hook. Bot. Mag. t. 2873.—Calif.  
*viminea*, Torr. in Pacif. Rail. Rep. iv. 86, partim = quadrivulneta.  
*viminea*, S. Wats. Bot. King's Exped. 108 = epilobioides.  
*vinosa*, Torr. & Gray, Fl. N. Am. i. 503; D. Dietr. Syn. Pl. ii. 1287 = amoena.  
*vinosa*, Torr. Bot. Mex. Bound. 66 = epilobioides.  
*virgata*, Ruiz & Pav. Fl. Per. iii. 79.—Peruv.  
*viridescens*, Hook. Fl. Bor. Am. i. 214 = cheiranthifolia.  
*viscosa*, Rafin. Fl. Ludov. 96 = sinuata?  
*Webbiana*, Steud. Nom. ed. II. ii. 208 = speciosa.  
*Whitneyi*, A. Gray, in Proc. Am. Acad. vii. (1868) 340.—Calif.  
*Williamsoni*, S. Wats. l. c. viii. (1873) 597.—Calif.  
*Wrightii*, A. Gray, Pl. Wright, ii. 57.—Texas.  
*Wrightii*, Torr. Bot. Mex. Bound. 65 = Fremontii.

OEOLLANTHUS, G. Don, Gen. Syst. iv. 685 (1837) = *Aeolanthus*, Mart. (Labiata).

OEONIA, Lindl. Orch. Scel. 14 (1826) = *Aeonia*, Lindl. (Orchid.).

OERSTEDELLA, Reichb. f. in Bot. Zeit. x. (1852) 932 = *Epidendrum*, Linn. (Orchid.).  
*centradenia*, Reichb. f. l. c. = E. centropetalum.  
*centropetala*, Reichb. f. l. c. = E. centropetalum.

OESCHINOMENE, Poir. in Lam. Encyc. iv. 447 (1797) = *Aeschynomene*, Linn. (Legumin.).

OESCULUS, Neck. Elem. ii. 232 (1790) = *Aesculus*, Linn. (Sapind.).

OETHIONEMA, Knowles & Westc. Fl. Cab. i. (1837) 42 = *Aethionema*, R. Br. (Crucif.).

OFAISTON, Rafin. Fl. Tellur. iii. 46 (1836).  
*CHENOPODIACEAE*, Benth. & Hook. f. iii. 71.  
*OPSIESTON*, Bunge, in Mém. Sav. Etr. Petersb. vii. (1847) 474 (Rel. Lehm. 298).  
*monandrum*, Moq. in DC. Prod. xiii. ii. 203 = paucifolium.  
*pauciflorum*, Moq. l. c. = paucifolium.  
*paucifolium*, Rafin. Fl. Tellur. iii. 46.—As. bor.

OFTIA, Adans. Fam. ii. 199 (1763). *MYOPORINEAE*, Benth. & Hook. f. ii. 1125.  
*BATINDUM*, Rafin. Sylva Tellur. 81 (1838).  
*SPIELMANNIA*, Medik. in Act. Acad. Theod. Palat. iii. (1775) 196. t. 15.  
*africana*, Bocq. ex Baill. Adansonia, ii. (1861-62) 11.—Afr. austr.  
*revoluta*, Bocq. ex Baill. l. c. 12.—Afr. austr.

OGCEROSTYLUS, Cass. in Dict. Sc. Nat. xxiii. 563 (1822); xlix. 221 (1827) = *Angianthus*, Wendl. (Compos.).

OGCODEIA, Bur. in DC. Prod. xvii. 282 (1873) = *Noyera*, Tréc. (Urtic.).

OGIERA, Cass. in Bull. Soc. Philom. (1818) 32 = *Eleutheranthera*, Poit. (Compos.).  
*Eleutheranthera*, Steud. Nom. ed. II. i. 549 = E. ovata.

## OGIERA:—

- leiocarpa*, Cass. in Dict. Sc. Nat. xliii. 371 = Eleutheranthera ovata.  
*ruderalis*, Griseb. in Mem. Am. Acad. N. S. viii. (1863) 513 = E. ovata.  
*triplinervia*, Bert. ex DC. Prod. v. 501, 546 = Podanthus Mitiqui.  
*triplinervia*, Cass. in Dict. Sc. Nat. xxxv. 445 = E. ovata.  
*triplinervia*, Spreng. Syst. iii. 674 = Podanthus ovatifolius.

OGINETIA, Wight, Ic. iii. t. 895 [1843], sphalm. = *Aeginetia*, Linn. (Orobanch.).

OGLIFA, Cass. in Bull. Soc. Philom. (1819) 143 = *Filago*, Linn. (Compos.).  
*arvensis*, Cass. in Dict. Sc. Nat. xxxv. 448 = F. arvensis.  
*minima*, Reichb. f. Ic. Fl. Germ. xvi. 27 = F. minima.  
*neglecta*, Reichb. f. l. c. = F. neglecta.  
*Soyerii*, Godr. Fl. Lorr. ed. I. ii. 34 = F. neglecta.

O-HIGGENSIA, Steud. Nom. ed. II. ii. 208 (1841) = seq.

OHIGGINISIA, Ruiz & Pav. Fl. Per. i. 55 (1798) = *Hoffmannia*, Sw. (Rubiace.).  
*aggregata*, Ruiz & Pav. l. c. (= *Euosmia aggregata*).—Peruv.  
*obovata*, Ruiz & Pav. l. c. 56.—Peruv.  
*verticillata*, Ruiz & Pav. l. c. 55.—Peruv.

OHLENDORFFIA, Lehm. Del. Sem. Hort. Hamb. (1835).—Cf. *Linnaea*, xi. (1837) Litt. 91 = *Aptosimum*, Burch. (Scroph.).  
*caracasana*, Hort. ex Pasq. Cat. Ort. Bot. Nap. 71.—Hab.?  
*procumbens*, Schrad. Del. Sem. Hort. Hamb. (1835).—Cf. *Linnaea*, xi. (1837) Litt. 91 = A. depressum.  
*rosulata*, Nees, ex Benth. in DC. Prod. x. 345 = A. indivisum.

OIANTHUS, Benth. in Benth. & Hook. f. Gen. ii. 775 (1876). *ASCLEPIADEAE*, Benth. & Hook. f. l. c. Beddomei, Hook. f. Fl. Brit. Ind. iv. 49.—Ind. or. disciflorus, Hook. f. l. c.—Ind. or. urceolatus, Benth. in Hook. Ic. Pl. t. 1191.—Ind. or.

OILEUS, Haw. Monog. Narciss. 4 (1831) = *Narcissus*, Tourn. (Amaryll.).  
*abscissus*, albus, hexangularis, minor, pumilus, Haw. l. c. omnes = N. Pseudo-Narcissus.

OIOSPERMUM, Less. in *Linnaea*, iv. (1829) 339. *COMPOSITAE*, Benth. & Hook. f. ii. 225. involucreatum, Less. l. c.—Bras.  
*Metzianum*, Sch. Bip. ex Hook. f. in Fl. Brit. Ind. iii. 228 = *Centratherum Metzianum*.  
*molle*, Hook. f. l. c. 227, in syn. = *Centratherum molle*.  
*nigritianum*, Benth. in Hook. Niger Fl. 425 = *Gutenbergia nigritiana*.  
*Wightianum*, DC. Prod. v. 11 = *Carpesium cernuum*.

OISODIX, Rafin. Alsog. Am. 13 (1838) = *Salix*, Tourn.  
*decipiens*, Rafin. l. c. = S. fragilis.  
*fulva*, Rafin. l. c. 16 (Quid?).—Am. bor.  
*glaucula*, Rafin. l. c. 13 = S. glauca.  
*holosericea*, Rafin. l. c. = S. Smithiana.  
*longifolia*, Rafin. l. c. = S. longifolia.  
*oblongifolia*, Rafin. l. c. 16 (Quid?).—Am. bor.  
*reticulata*, Rafin. l. c. 13 = S. reticulata.  
*serpyllifolia*, Rafin. l. c. = S. retusa.

OKEA, Steud. Nom. ed. I. 562 (1821) = *Adenandra*, Willd. (Rutac.).

OKENIA, F. G. Dietr. Vollst. Lexik. Gaertn. Nachtr. v. 307 (1819) = *Adenandra*, Willd. (Rutac.).

OKENIA, Schlecht. & Cham. in *Linnaea*, v. (1830) 92. *NYCTAGINEAE*, Benth. & Hook. f. iii. 6. hypogaea, Schlecht. & Cham. l. c.—Mexic.

OLAX, Linn. Diss. Dass. 3 (1747); Amoen. Acad. i. 387 (1749). *OLACINEAE*, Benth. & Hook. f. i. 347.  
*FISSILIA*, Comm. ex Juss. Gen. 260 (1789).

## OLAX:—

- LOPADOCALYX*, Klotzsch, in Lehm. Pl. Preiss. i. 178 (1844).  
*PSEUDALEIODES*, Thou. Gen. Nov. Madag. 15 (1806).  
*PSEUDALIEA*, Thou. l. c. (1806).  
*ROXBURGHIA*, Koen. ex Roxb. Fl. ed. Carey, i. 168 (1820).  
*SPERMAXYRUM*, Labill. Nov. Holl. Pl. ii. 84. t. 233 (1806).  
*acuminata*, Wall. Cat. n. 6781.—Reg. Himal.  
*aphylla*, R. Br. Prod. 358.—Austral.  
*Bador*, Buch.-Ham. in Wall. Cat. n. 6778 = scandens.  
*Baticulin*, Blanco, Fl. Filip. ed. II. 589 = *Litsea obtusata*.  
*Benthamiana*, Miq. in Lehm. Pl. Preiss. i. 228.—Austral.  
*Bernieriana*, Baill. Adansonia, iii. (1862-63) 121.—Madag. occ.  
*Boiviniana*, Baill. l. c.—Madag.  
*Breonii*, Baill. l. c.—Ins. Borbon.  
*dissitiflora*, Oliver, Fl. Trop. Afr. i. 350.—Afr. trop.  
*emirnenis*, Baker, in Journ. Linn. Soc. xxi. (1884) 331.—Madag.  
*Gambecola*, Baill. Adansonia, iii. (1862-63) 121.—Afr. trop.  
*Gardneriana*, Benth. in Hook. Lond. Journ. Bot. ii. (1843) 375 = *Liriosma Gardneriana*.  
*Heyneana*, Wall. Cat. n. 6780 = *acuminata*; Gomphandra axillaris.  
*humilis*, Royle, ex Decne. in DC. Prod. viii. 525 = *Cynanchum Arnottianum*?  
*hypoleuca*, Baill. Adansonia, viii. (1868) 345.—N. Caled.  
*imbricata*, Roxb. Hort. Beng. 5; Fl. Ind. i. 164.—Burma; Malaya.  
*longifolia*, Wall. Cat. n. 6782 = *acuminata*, Gomphandra axillaris.  
*loranthiformis*, Griff. Notul. iv. 691.—Ind. or.  
*lucida*, Heyne, in Wall. Cat. n. 6777 = *Wightiana*.  
*macrophylla*, Benth. in Proc. Linn. Soc. i. (1840) 89.—Guian.  
*Mannii*, Oliver, Fl. Trop. Afr. i. 349.—Afr. trop.  
*merguensis*, Planch. ex Mast. in Hook. f. Fl. Brit. Ind. i. 576.—Burma; Malacca.  
*multiflora*, Rich. ex Baill. Adansonia, iii. (1862-63) 121.—Ins. Philipp.  
*nana*, Wall. Cat. n. 6783.—Reg. Himal.  
*obtusata*, Blume, Bijdr. 131 = *imbricata*, scandens.  
*pauciflora*, Benth. in Proc. Linn. Soc. i. (1840) 89.—*Liriosma pauciflora*.  
*Pervilleana*, Baill. Adansonia, iii. (1862-63) 120.—Madag.  
*phoenicarpa*, Roxb. Hort. Beng. 5, nomen.—Ind. or.  
*Phyllanthi*, R. Br. Prod. 358.—Austral.  
*Pseudoleia*, Willd. ex Steud. Nom. ed. I. 562.—Madag.  
*Pseudoleioides*, Willd. l. c.—Madag.  
*psittacorum*, Vahl, Enum. ii. 33 = scandens, *Wightiana*.  
*quercina*, Baill. Adansonia, iii. (1862-62) 120.—Ins. Madag.  
*retusa*, F. Muell. ex Benth. Fl. Austral. i. 392.—Austral.  
*scandens*, Roxb. Pl. Corom. ii. 2. t. 102.—Ind. or.: Malaya.  
*Schomburgkii*, Klotzsch, in Schomb. Faun. & Fl. Brit. Gui. 1177, nomen.—Guian.  
*sphaerocarpa*, Griff. Notul. iv. 689.—Ind. or.  
*stricta*, R. Br. Prod. 358.—Austral.  
*subscorpioides*, Oliver, Fl. Trop. Afr. i. 350.—Afr. trop.  
*sumatrana*, Miq. Fl. Ind. Bat. Suppl. 342 = *Cansjera Rheedii*.  
*Thouarsiana*, Baill. Adansonia, iii. (1862-63) 121.—Ins. Maurit.  
*triplinervia*, Oliver, Fl. Trop. Afr. i. 349.—Afr. trop.  
*uliginosa*, Klotzsch, in Lehm. Pl. Preiss. ii. 230.—Benthamiana.  
*Velloziana*, Benth. in Hook. Lond. Journ. Bot. (1843) 375 = *Liriosma Velloziana*.  
*viridis*, Oliver, Fl. Trop. Afr. i. 349.—Afr. trop.  
*Wightiana*, Wall. Cat. n. 6779.—Ind. or.; Zeylan.  
*zeylanica*, Linn. Sp. Pl. 34.—Zeylan.  
*zeylanica*, Wall. Cat. n. 6777 B. = *Wightiana*.

OLBIA, Medic. Malv. 41 (1787) = *Lavatera*, L. Malvac.).  
*canescens*, Moench, Meth. Suppl. 200 = *L. maritima*.  
*depressa*, Moench, l. c. = *L. punctata*.  
*flava*, Presl, Fl. Sic. 180 = *L. flava*.



## OLBIA:—

- hastata*, Medic. Malv. 42 = *Lavatera* Olbia.  
*heterophylla*, Moench, Meth. Suppl. 201 = *L. thuringiaca*.  
*hispidula*, Presl, Fl. Sic. 179 = *L. Olbia*.  
*micans*, Moench, Meth. 613 = *L. micans*.  
*obtusula*, Medic. Malv. 42 (Quid?).—Hab.?  
*thuringica*, Medic. l. c. = *L. thuringiaca*.  
*triloba*, Medic. l. c. = *L. triloba*.

## OLDENBURGIA, Less. in Linnaea, v. (1830) 252. COMPOSITAE, Benth. &amp; Hook. f. ii. 494.

- SCYTALA, E. Mey. ex DC. Prod. vii. 12 (1838).  
 Arbuscula, DC. Prod. vii. 12.—Afr. austr.  
*grandis*, Baill. Hist. Pl. viii. 97 = *O. Arbuscula*.  
 Papionum, DC. Prod. vii. 12.—Afr. austr.  
*paradoxa*, Less. in Linnaea, v. (1830) 252.—Afr. austr.

## OLDENLANDIA, P. Br. Hist. Jamaic. 208 (1756) = Jussieu, Linn. (Onagr.).

## OLDENLANDIA, Linn. Gen. ed. I. 362 (1737).

- RUBIACEAE, Benth. & Hook. f. ii. 58.  
 AGATHISANTHEMUM, Klotzsch, in Peters, Reise Mossamb. Bot. 294 (1861).  
 EDRASTENIA, Rafin. New Fl. Am. iv. 101 (1836).  
 GERONTOGAEA, Cham. & Schlecht. in Linnaea, iv. (1829) 154.  
 GONOTHECA, Blume, ex DC. Prod. iv. 429 (1830).  
 KARAMYSCHEWIA, Fisch. & Mey. in Bull. Soc. Nat. Mosc. (1838) 266.  
 KOHAUTIA, Cham. & Schlecht. in Linnaea, iv. (1829) 156.  
 PELTOSPERMUM, Benth. in Hook. Niger Fl. 400 (1849).  
 PENTODON, Hochst. in Flora, xxvii. (1844) 552.  
 LISTERIA, Neck. Elem. i. 206 (1790).  
 STELMOTIS, Rafin. New Fl. Am. iv. 101 (1836).  
 THEYODIS, A. Rich. Tent. Fl. Abyss. i. 364 (1847).  
 abyssinica, Hiern, in Oliver, Fl. Trop. Afr. iii. 57.—Afr. trop.  
*acerosa*, A. Gray, Pl. Wright. ii. 67 = *Houstonia acerosa*.  
*affinis*, DC. Prod. iv. 428 = *dichotoma*.  
*alata*, Herb. Mus. Par. ex Miq. Fl. Ind. Bat. ii. 193; et Hook. f. Fl. Brit. Ind. iii. 70.—Ind. or.  
*alata*, Koen. ex Roxb. Hort. Beng. 11; Fl. Ind. i. 421 paniculata.  
*alsinifolia*, G. Don, Gen. Syst. iii. 529 = *corymbosa*.  
*angustifolia*, Benth. Fl. Hongk. 151 = *Hedyotis tenelliflora*.  
*angustifolia*, A. Gray, Pl. Wright. ii. 68 = *Houstonia angustifolia*.  
*arenarioides*, Willd. ex Schult. Mant. iii. 144 = *Hedyotis arenarioides*.  
*arguta*, Hook. f. Fl. Brit. Ind. iii. 67 = *linoides*.  
*Arnottiana*, Miq. Fl. Ind. Bat. ii. 194 = *Anotis Leschenaultiana*.  
*aspera*, DC. Prod. iv. 428.—Ind. or.; Afr. trop.  
*asperula*, DC. l. c. 425 = *Heynei*.  
*Auricularia*, F. Muell. Census, 74 = *Hedyotis Auricularia*.  
*biflora*, Lam. Encyc. iv. 533 = *corymbosa*.  
*biflora*, Linn. Sp. Pl. 119.—Ind. or.  
*biflora*, Roth, Nov. Pl. Sp. 97 = *Vahlia oldenlandioides*.  
*Blumeana*, DC. Prod. iv. 423, in syn. = *paniculata*.  
 Bojeri, Hiern, in Oliver, Fl. Trop. Afr. iii. 53.—Afr. trop.  
 Boscii, Chapm. Fl. S. U. St. 181.—Am. bor.  
*brachiata*, Hook. f. Fl. Brit. Ind. iii. 66.—Ind. or.  
*brachypoda*, DC. Prod. iv. 424 = *diffusa*.  
*brachypoda*, Zoll. ex Miq. Fl. Ind. Bat. ii. 192 = *paniculata*.  
*Burmanni*, G. Don, Gen. Syst. iii. 529 = *corymbosa*.  
*caerulea*, A. Gray, Man. Bot. N. U. St. ed. II. 174 = *Houstonia caerulea*.  
*caespitosa*, Hiern, in Oliver, Fl. Trop. Afr. iii. 61.—Afr. trop.  
*cafra*, Eckl. & Zeyh. Enum. 360.—Afr. trop. et austr.  
*callitrichoides*, Griseb. in Mem. Am. Acad. N. S. viii. (1863) 506.—Cuba.  
*capensis*, Linn. f. Suppl. 127.—Syria; Afr. trop. et austr.  
*capillaris*, DC. Prod. iv. 426 = *corymbosa*?  
*capillipes*, Griseb. Cat. Pl. Cub. 130.—Cuba.  
*ciliolata*, Korth. in Nederl. Kruidk. Arch. ii. 11. (1851) 152.—Borneo.

## OLDENLANDIA:—

- coccinea*, Hook. f. Fl. Brit. Ind. iii. 69.—Reg. Himal.  
*coerulescens*, F. Muell. Census, 74 = *Hedyotis caerulea*.  
*congesta*, Balf. f. in Baker, Fl. Maur. 138.—Ins. Mascar.  
*conostyla*, DC. Prod. iv. 428 = *Kadua Menziesiana*.  
*cordata*, Vell. Fl. Flum. 53; i. t. 143 = *Coccocypselum umbellatum*.  
*corymbosa*, Ait. Hort. Kew. ed. I. i. 163 = *lactea*.  
*corymbosa*, Herb. Madr. ex Wight & Arn. Prod. 408 = *Hedyotis pruinosa*.  
*corymbosa*, Linn. Sp. Pl. 119.—Reg. trop.  
*crassifolia*, DC. Prod. iv. 427.—Ins. Philipp.  
*Crouchiana*, F. Muell. Census, 74 = *Hedyotis Crouchiana*.  
*crystallina*, Roxb. Hort. Beng. 11; Fl. Ind. i. 422.—Ind. or.; Malaya.  
*debilis*, Forst. f. Prod. 10.—Ins. Tonga.  
*decumbens*, Hiern, in Oliver, Fl. Trop. Afr. iii. 54.—Afr. trop.  
*decumbens*, Spreng. Pugill. ii. 36 = *Vahlia viscosa*.  
 Depeana, DC. Prod. iv. 428.—Mexic.  
*depressa*, Willd. Sp. Pl. i. 675 = *corymbosa*?  
*dichotoma*, Hook. f. Fl. Brit. Ind. iii. 67.—Ind. or.  
*dichotoma*, Roxb. ex Wight & Arn. Prod. 416 = *Heynei*.  
*dichotoma*, Spreng. Pugill. ii. 36 = *Vahlia oldenlandioides*.  
*dichotoma*, Willd. ex Cham. & Schlecht. in Linnaea, iv. (1829) 155 = *biflora*.  
*diffusa*, Roxb. Hort. Beng. 11; Fl. Ind. i. 423.—Ind. or.; Malaya.  
*digyna*, Retz. Obs. iv. 22 = *Vahlia viscosa*.  
*effusa*, Oliver, in Trans. Linn. Soc. xxix. (1873) 84. t. 48.—Afr. trop.  
*elatinoides*, F. Muell. Census, 74 = *Hedyotis elatinoides*.  
*erythraeoides*, Miq. Fl. Ind. Bat. ii. 353.—Sumatra.  
*flosculosa*, Hiern, in Oliver, Fl. Trop. Afr. iii. 60.—Afr. trop.  
*foetida*, Forst. f. Prod. 10.—Ins. Tonga.  
*galioides*, Benth. & Hook. f. Gen. ii. 58.—Austral.  
*globosa*, Hiern, in Oliver, Fl. Trop. Afr. iii. 54.—Afr. trop.  
*glomerata*, Michx. Fl. Bor. Am. i. 83.—Am. bor.; Ind. occ.  
*gracilis*, Hook. f. Fl. Brit. Ind. iii. 68.—Ind. or.  
*graminifolia*, DC. Prod. iv. 425 = *stricta*.  
*grandiflora*, Hiern, in Oliver, Fl. Trop. Afr. iii. 57.—Afr. trop.  
 Greenei, A. Gray, in Proc. Am. Acad. xix. (1883) 77.—N. Mexic.  
*Halaei*, Wood, Class-Book (1861), 404 = seq.?  
 Halei, Chapm. Fl. S. U. St. 181.—Am. bor.  
*hedyotoides*, Boiss. Fl. Orient. iii. 11.—Reg. Casp.; Afr. trop.  
*herbacea*, DC. Prod. iv. 425 = *corymbosa*.  
*herbacea*, Roxb. Hort. Beng. 11; Fl. Ind. i. 424 = *Heynei*.  
*heterophylla*, Miq. Ann. Mus. Bot. Lugd. Bat. iii. 109.—Japan.  
 Heynei, Oliver, in Trans. Linn. Soc. xxix. (1873) 84 = seq.  
 Heynei, G. Don, Gen. Syst. iii. 531.—Ind. or.; Malaya; Afr. trop.  
*hirsuta*, Linn. f. Suppl. 127 = *Hedyotis hirsuta*.  
*hirsuta*, Vell. Fl. Flum. 54; i. t. 144.—Bras.  
*hispidula*, DC. Prod. iv. 428 (Quid?).—Ind. or.  
*hispidula*, Lam. Encyc. iv. 536 = *Hedyotis hispidula*.  
 Hornei, Baker, Fl. Maur. 139.—Ins. Seychelles.  
*Horneriana*, Miq. Fl. Ind. Bat. ii. 190.—Sumatra.  
*humifusa*, A. Gray, Pl. Wright. ii. 68 = *Houstonia Wrightii*.  
*japonica*, Miq. Ann. Mus. Bot. Lugd. Bat. iii. 109 = *Hedyotis hirsuta*.  
 Korthalsiana, Miq. l. c. iv. 228.—Sumatra.  
*lactea*, DC. Prod. iv. 427 (sp. dub.).—Ind. or.  
*lancifolia*, DC. l. c. 425; Schweinf. ex Hiern, in Oliver, Fl. Trop. Afr. iii. 61.—Afr. trop.  
*lasiocarpa*, Hiern, l. c. 55.—Afr. trop.  
*latifolia*, Baker, in Journ. Linn. Soc. xxi. (1885) 409.—Madag.  
*latifolia*, Mart. & Gal. in Bull. Acad. Brux. xi. I. (1844) 235.—Mexic.  
*laxiflora*, Benth. in Hook. Niger Fl. 404 = *macrophylla*.  
*Lechleriana*, Benth. & Hook. f. Gen. ii. 58.—Peruv.

## OLDENLANDIA:—

- linearifolia*, Hook. f. Fl. Brit. Ind. iii. 67, sphalm. = seq.  
*linearifolia*, Herb. Madr. ex Wight & Arn. Prod. 416 = *dichotoma*.  
*linearifolia*, Thunb. Fl. Javan. 9.—Java.  
*linearis*, DC. Prod. iv. 425 = *Heynei*.  
*linifolia*, DC. l. c. = *stricta*, Heynei.  
*linoides*, Griff. Notul. iv. 265.—Burma.  
*longiflora*, Lam. Encyc. iv. 534 = *Rondeletia pilosa*.  
*longifolia*, DC. Prod. iv. 426 = *corymbosa*.  
*macrophylla*, DC. l. c. 427.—Afr. trop.  
*madagascariensis*, Desf. Tabl. ed. I. 112, nomen.—Madag.  
*maritima*, G. Don, Gen. Syst. iii. 531 = *stricta*?  
*maritima*, Roth, Nov. Pl. Sp. 97 = *Peplidium humifusum*.  
*microtheca*, DC. Prod. iv. 428; Cham. & Schlecht. in Linnaea, vi. (1831) 414.—Mexic.  
*mitrasacmoides*, F. Muell. in Trans. Phil. Soc. N. S. W. xiv. (1881) 90; Census, 74 = *Hedyotis mitrasacmoides*.  
*monanthes*, Hiern, in Oliver, Fl. Trop. Afr. iii. 60.—Afr. trop.  
*multiflora*, DC. Prod. iv. 427 = *paniculata*.  
*mysorensis*, G. Don, Gen. Syst. iii. 531 = *Anotis monosperma*.  
*noctiflora*, Hiern, in Oliver, Fl. Trop. Afr. iii. 57.—Afr. trop.  
*nudicaulis*, Roth, Nov. Pl. Sp. 96.—Ind. or.; Malaya.  
*nudiflora*, Thunb. Fl. Javan. 9.—Java.  
*obtusiloba*, Hiern, in Oliver, Fl. Trop. Afr. iii.—Afr. trop.  
*ovata*, S. Wats. in Proc. Am. Acad. xviii. (1882–83) 97.—Mexic.  
*ovatifolia*, DC. Prod. iv. 427 = *nudicaulis*.  
*oxyphylla*, G. Don, Gen. Syst. iii. 531 = *Anotis oxyphylla*.  
*paniculata*, Linn. Sp. Pl. 1667.—As. trop.; Ins. Pacif.  
*Parishii*, Hook. f. Fl. Brit. Ind. iii. 70.—Burma.  
*parviflora*, Oliver, in Trans. Linn. Soc. xxix. (1873) 84.—Afr. trop.  
*patens*, Chapm. Fl. S. U. St. Suppl. 625.—Am. bor.  
*pauciflora*, Roxb. ex Wight & Arn. Prod. 415 = *diffusa*.  
*peltospermum*, Hiern, in Oliver, Fl. Trop. Afr. iii. 53.—Afr. trop.  
*pentandra*, DC. Prod. iv. 427 = *macrophylla*.  
*pentandra*, Retz. Obs. iv. 22 = *Vahlia oldenlandioides*.  
*polyclada*, F. Muell. Census, 74 = *Hedyotis polyclada*.  
*pterita*, Miq. Fl. Ind. Bat. ii. 193 = *alata*.  
*pterospora*, F. Muell. Census, 74 = *Hedyotis pterospora*.  
*puberula*, G. Don, Gen. Syst. iii. 530 = *umbellata*.  
*pumila*, DC. Prod. iv. 425 = *crystallina*.  
*purpurea*, A. Gray, Man. Bot. N. U. St. ed. II. 173 = *Houstonia purpurea*.  
*pusilla*, Rottl. in Ges. Naturf. Fr. Neue Schr. iv. (1803) 216 = *brachiata*.  
*radicans*, Roxb. ex Wight & Arn. Prod. 413 = *paniculata*.  
*ramosa*, Roxb. Hort. Beng. 11; Fl. Ind. i. 424 = *corymbosa*.  
*ramosissima*, Hohen. ex Walp. Rep. ii. 502 = *Hedyotis toides*.  
*ramosissima*, Hook. f. Fl. Brit. Ind. iii. 69, sphalm. in syn. = *paniculata*.  
*ramosissima*, Spreng. Mant. i. 35.—Hab.?  
*recurva*, Miq. Fl. Ind. Bat. ii. 195.—Borneo.  
*repens*, Burm. f. Fl. Ind. 38 = *trinervia*.  
*repens*, Linn. Mant. i. 40 = *Dentella repens*.  
*retrorsa*, Boiss. Fl. Orient. iii. 12.—Sind; Arab.  
*rigida*, Hiern, in Oliver, Fl. Trop. Afr. iii. 55.—Afr. trop.  
*riparia*, DC. Prod. iv. 424 = *capensis*?  
*rotundifolia*, G. Don, Gen. Syst. iii. 531 = *nudicaulis*.  
*rotundifolia*, A. Gray, Man. Bot. N. U. St. ed. II. 174 = *Houstonia rotundifolia*.  
*rubioides*, Miq. Fl. Ind. Bat. ii. 353 = *Hedyotis capitellata*.  
*rubra*, A. Gray, Pl. Wright. ii. 68 = *Houstonia rubra*.  
*rupestris*, Lam. Encyc. iv. 535 = *Rachicallis rupestris*.  
*sabulosa*, DC. Prod. iv. 424 = *capensis*?  
*Salzmanni*, Benth. & Hook. f. Gen. ii. 58.—Bras.  
*scabra*, Wight, in Wight & Arn. Prod. 418 = *Hedyotis caerulea*.  
*scabrida*, DC. Prod. iv. 425 = *corymbosa*.



## OLDENLANDIA :—

- Schimperi, *T. Anders. in Journ. Linn. Soc. v. Suppl.* i. (1860) 21.—Arab.; Afr. trop.  
 scleranthoides, *Benth. & Hook. f. Gen. ii. 58.*—Austral.  
 senegalensis, *Hiern, in Oliver, Fl. Trop. Afr. iii. 56.*—Ind. or. ?; Afr. trop.  
 serpyllifolia, *A. Gray, Man. Bot. N. U. St. ed. II. 174 =* *Houstonia serpyllifolia.*  
 sessiliflora, *Sm. in Rees, Cycl. xxv. n. 2 =* *Vahlia viscosa.*  
 Shuteri, *Hook. f. Fl. Brit. Ind. iii. 69.*—Ind. or.  
 Sieberi, *Baker, Fl. Maurit. 138.*—Maurit.  
 spargulacea, *DC. Prod. iv. 428 =* *nudicaulis.*  
 spermacoides, *F. Muell. Census, 74 =* *Hedyotis spermacoides.*  
 Stocksii, *Hook. f. Fl. Brit. Ind. iii. 67.*—Ind. or.  
 stricta, *Linn. Mant. ii. 200.*—Ind. or.  
 stricta, *Willd. ex Schult. Mant. iii. 144 =* *Willdenowiana.*  
 strigulosa, *DC. Prod. iv. 427.*—Ins. Marian.  
 strumosa, *Hiern, in Oliver, Fl. Trop. Afr. iii. 58.*—Afr. trop.  
 subulata, *Korth. in Nederl. Kruidk. Arch. ii. II. (1851) 153.*—Borneo.  
 subviscosa, *Wright, ex A. Gray, Pl. Wright. ii. 68 =* *Houstonia subviscosa.*  
 succulenta, *Wright, ex Griseb. Cat. Pl. Cub. 285.*—Cuba.  
 tenuifolia, *Burm. f. Fl. Ind. 37 =* *corymbosa ?*  
 tenuifolia, *Forst. f. Prod. 11.*—Ins. Tanna.  
 tenuissima, *Hiern, in Oliver, Fl. Trop. Afr. iii. 61.*—Afr. trop.  
 Teysmanniana, *Miq. Fl. Ind. Bat. ii. 354 =* *Anotis Wightiana.*  
 tillaeacea, *F. Muell. Census, 74 =* *Hedyotis tillaeacea.*  
 trachymenioides, *F. Muell. l. c. =* *Hedyotis trachymenioides.*  
 triflora, *Roxb. Hort. Beng. 11, nomen.*—Ind. or.  
 triflora, *Thunb. Fl. Javan. 9.*—Java.  
 trinervia, *Rets. Obs. iv. 23.*—As. et Afr. trop.  
 tuberosa, *Lam. Encyc. iv. 535 =* *Lucya tuberosa.*  
 tubulosa, *G. Don, Gen. Syst. iii. 531 =* *paniculata,*  
*Anotis quadrilocularis, lancifolia.*  
 umbellata, *Hort. ex Steud. Nom. ed. I. 562 =* *lactea.*  
 umbellata, *Linn. Sp. Pl. 119.*—Ind. or. ; Abyss.  
 uniflora, *Linn. l. c. =* *glomerata.*  
 uniflora, *Ruiz & Pav. Fl. Per. i. 57.*—Chili.  
 verticillata, *Bacl. ex DC. Prod. iv. 572 =* *Mitracarpum scabrum.*  
 verticillata, *Korth. in Nederl. Kruidk. Arch. ii. II. (1851) 152.*—Java.  
 verticillata, *Linn. Mant. i. 40 =* *Hedyotis Crataegonum.*  
 virgata, *DC. Prod. iv. 425.*—Afr. trop.  
 wauensis, *Hiern, in Oliver, Fl. Trop. Afr. iii. 64.*—Afr. trop.  
 Wightii, *Hook. f. Fl. Brit. Ind. iii. 66.*—Ind. or.  
 Willdenowiana, *Schult. Mant. iii. 144.*—Madag.  
 Zanguebariae, *Lour. Fl. Cochinch. 78 =* *Hedyotis Zanguebariae.*

OLDFIELDIA, *Benth. & Hook. f. in Hook. Kew Journ. ii. (1850) 184. t. 6. EUPHORBIACEAE,*  
*Benth. & Hook. f. iii. 281 (cf. i. 999).*  
 africana, *Benth. & Hook. f. in Hook. Kew Journ. ii. (1850) 185.*—Afr. trop.

OLEA, [Tourn.] *Linn. Syst. ed. I (1735). OLEACEAE,*  
*Benth. & Hook. f. ii. 679.*

ENAIMON, *Rafin. Sylva Tellur. 9 (1838).*

GYMNELAEA, *Spach, Hist. Vég. Phan. viii. (1839) 258.*

NESTEGIS, *Rafin. Sylva Tellur. 10 (1838).*

PACHYDERMA, *Blume, Bijdr. 682 (1825).*

PAUSIA, *Rafin. Sylva Tellur. 9 (1838).*

PICRICARYA, *Dennst. Schlusss. Hort. Malab. 30 (1818).*

POGENDA, *Rafin. Sylva Tellur. 10 (1838).*

STEREODERMA, *Blume, Fl. Jav. Praef. 9 (1828).*

TETRAPILUS, *Lour. Fl. Cochinch. 611 (1790).*

acuminata, *Wall. Cat. n. 2809.*—Ind. or.

africana, *Mill. Gard. Dict. ed. VIII. n. 4 =* *verrucosa.*

alba, *Lam. ex Steud. Nom. ed. I. 562 =* *europaea.*

americana, *Linn. Mant. i. 24 =* *Osmanthus americana.*

amygdalina, *Gouan, Herbor. 264 =* *europaea.*

angulosa, *Gouan, l. c. =* *europaea.*

angustifolia, *Rafin. Sylva Tellur. 9 =* *europaea.*

angustifolia, *Salisb. Prod. 13 =* *Phillyrea angustifolia.*

apetala, *Andr. Bot. Rep. t. 316 =* *Notelaea longifolia.*

apetala, *Vahl, Symb. Bot. iii. 3.*—N. Zel. ; Ins. Norfolk.

Aquifolium, *Sieb. & Zucc. in Abh. Akad. Muench. iv. III. (1846) 166 =* *Osmanthus Aquifolium.*

## OLEA :—

- arbores, *Lodd. Cat. ex Loud. Hort. Brit. 5, nomen.*—Hab. ?  
 argentata, *Clem. ex Steud. Nom. ed. II. ii. 209 =* *europaea.*  
 arolensis, *Clem. ex Steud. l. c. =* *europaea.*  
 asiatica, *Desf. Cat. Hort. Par. ed. III. 88 =* *cuspidata.*  
 atrorubens, *Gouan, Herbor. 264 =* *europaea.*  
 attenuata, *Wall. Cat. n. 2839 =* *Linociera macrophylla.*  
 bifera, *Rafin. Sylva Tellur. 8 (Quid ?).*—Hab. ?  
 brevifolia, *Rafin. l. c. 9 (Quid ?).*—Hab. ?  
 Buchananii, 'Herb.' *Lamb. ex D. Don, Prod. Fl. Nep. 107 (=* *Notelaea Posua).*—Nepal.  
 buxifolia, *Mill. Gard. Dict. ed. VIII. n. 5 =* *capensis.*  
 buxifolia, *Steud. Nom. ed. I. 562 =* *europaea.*  
 cajetana, *Petagn. Inst. Bot. ii. 19 =* *europaea.*  
 capensis, *Buchoz, ex Roem. & Schult. Syst. v. 417 =* *Pterocelastrus tricuspidatus.*  
 capensis, *Linn. Sp. Pl. 8.*—Afr. austr.  
 cassinifolia, *Salisb. Prod. 13 =* *capensis.*  
 cayana, *Rafin. Sylva Tellur. 9 (Quid ?).*—Guian. ?  
 cernua, *Vahl, Symb. Bot. iii. 3 =* *obtusifolia.*  
 chrysophylla, *Lam. Tabl. Encyc. i. 29; Encyc. iv. 544.*—Ins. Mascar. ; Afr. trop.  
 clavata, *G. Don, Gen. Syst. iv. 48 =* *Linociera intermedia.*  
 communis, *Steud. Nom. ed. I. 562 =* *europaea.*  
 compacta, *Wall. Cat. n. 2819 =* *Ligustrum compactum.*  
 concolor, *E. Mey. Comm. Pl. Afr. Austr. 176.*—Afr. austr.  
 consanguinea, *Hance, ex Walp. Ann. iii. 18 =* *Ligustrum Stauntoni.*  
 craniomorpha, *Gouan, Herbor. 264 =* *europaea.*  
 Cunninghamii, *Hook. f. Fl. N. Zel. i. 175.*—N. Zel.  
 cuspidata, *Wall. Cat. n. 2817.*—Reg. Himal.  
 dentata, *Wall. l. c. n. 2840.*—Burma.  
 depauperata, *Steud. Nom. ed. II. ii. 209 =* *maritima.*  
 dioica, *Roxb. Hort. Beng. 3; Fl. Ind. i. 106.*—Ind. or.  
 divaricata, *Desf. Tabl. ed. II. 63 =* *Phillyrea divaricata.*  
 emarginata, *Lam. Tabl. Encyc. i. 29. t. 8. f. 2 =* *Noronhia emarginata.*  
 Endlicheri, *F. Muell. in Journ. Bot. xxiii. (1885) 354.*—Ins. Norfolk.  
 europaea, *Linn. Sp. Pl. 8.*—Reg. Mediterr. ; Oriens.  
 europaea, *Thunb. Prod. Pl. Cap. 2 =* *verrucosa.*  
 exasperata, *Jacq. Hort. Schoenb. iii. l. t. 251.*—Afr. austr.  
 exasperata, *Willd. Enum. Hort. Berol. Suppl. 1 =* *lancea.*  
 excelsa, *Ait. Hort. Kew. ed. I. i. 14 =* *Notelaea excelsa.*  
 ferruginea, *Hort. ex Steud. Nom. ed. II. ii. 209 =* *chrysophylla.*  
 ferruginea, *Royle, Illustr. Bot. Himal. 267 =* *cuspidata.*  
 ferruginea, *Wall. ex Aitch. in Journ. Linn. Soc. viii. (1865) 67 =* *europaea.*  
 floribunda, *Benth. in Hook. Lond. Journ. Bot. ii. (1843) 225.*—Ins. Salomon.  
 foveolata, *E. Mey. Comm. Pl. Afr. Austr. 176.*—Afr. austr.  
 fragrans, *Thunb. Fl. Jap. 18. t. 2 =* *Osmanthus fragrans.*  
 gallica, *Mill. Gard. Dict. ed. VIII. n. 1 =* *europaea.*  
 Gamblei, *C. B. Clarke, in Hook. f. Fl. Brit. Ind. iii. 613.*—Reg. Himal.  
 Gardneri, *Thw. Enum. Pl. Zeyl. 188 =* *polygama.*  
 glabella, *Herb. Banks, ex Lowe, in Trans. Camb. Phil. Soc. vi. III. (1838), reimpr. 15 =* *exasperata.*  
 glandulifera, *Desf. Cat. Hort. Par. ed. III. 391.*—Reg. Himal.  
 glandulosa, *DC. Prod. viii. 285 =* *glandulifera.*  
 grandiflora, *Wall. Cat. n. 2820 =* *Ligustrum nepalense.*  
 Heyneana, *Wall. l. c. n. 2823 =* *dioica.*  
 hispalensis, *Clem. ex Steud. ed. II. ii. 209 =* *europaea.*  
 hispanica, *Mill. Gard. Dict. ed. VIII. n. 2 =* *europaea.*  
 humilis, *Eckl. in S. Afr. Quart. Journ. i. (1830) 370.*—Afr. austr.  
 humilis, *Salisb. Prod. 13 =* *Ligustrum vulgare.*  
 ilicifolia, *Hassk. Cat. Hort. Bog. Alt. 118 =* *Osmanthus Aquifolium.*  
 intermedia, *Tausch, in Flora, xix. (1836) 393 =* *laurifolia.*  
 japonica, *Hassk. Cat. Hort. Bog. Alt. 118 =* *Osmanthus Aquifolium ?*  
 laeta, *Salisb. Prod. 13 =* *americana.*  
 laevis, *Stokes, Bot. Comment. i. 30 (Quid ?).*—Ind. or.  
 lancea, *Lam. Tabl. Encyc. i. 29; Encyc. iv. 544.*—Ins. Maurit.  
 lanceolata, *Hook. f. Fl. N. Zel. i. 176.*—N. Zel.  
 lancifolia, *Moench, Meth. 478 =* *europaea.*  
 latifolia, *Salisb. Prod. 13 =* *Phillyrea latifolia.*  
 laurifolia, *Lam. Tabl. Encyc. i. 29.*—Afr. austr.  
 ligustrina, *F. Muell. Fragm. v. 20 =* *Ligustrum australianum.*  
 Lindleyi, *Wall. Cat. n. 6305 =* *Ligustrum Massalongianum.*  
 linocieroides, *Wight, Ic. t. 1241 =* *Linociera Wightii.*  
 longifolia, *Steud. Nom. ed. I. 563 =* *europaea.*  
 Lorentii, *Hochst. in Lorent, Wanderung. 332.*—As. Min.  
 macrophylla, *Baker, Fl. Maurit. 219.*—Ins. Maurit.  
 maderiensis, *Hort. Cels, ex Steud. Nom. ed. I. 563 =* *Notelaea excelsa.*  
 malabarica, *Kostel. Allg. Med.-Pharm. Flora, iii. 1000 =* *dioica ?*  
 marginata, *Champ. ex Benth. in Hook. Kew Journ. iv. (1852) 330 =* *Osmanthus marginata.*  
 maritima, *Wall. Cat. n. 2813.*—Malaya.  
 microcarpa, *Lour. ex DC. Prod. viii. 288, 293 =* *Phillyrea Lowei.*  
 microcarpa, *Vahl, Enum. i. 43.*—Cochinch.  
 montana, *Hook. f. Fl. N. Zel. i. 176. t. 46.*—N. Zel.  
 myrtifolia, *Wall. ex Voigt, Hort. Suburb. Calc. 547.*—Ind. or.  
 nigra, *Loisel. Herb. Amat. t. 256.*—Hab. ?  
 obliqua, *Steud. Nom. ed. I. 563 =* *europaea.*  
 oblonga, *Gouan, Herbor. 264 =* *europaea.*  
 obovata, *Baker, Fl. Maurit. 219.*—Ins. Maurit.  
 obtusifolia, *Lam. Tabl. Encyc. i. 28.*—Madag.  
 odorata, *Rozier, ex Roem. & Schult. Syst. i. 69 =* *europaea.*  
 officinarum, *Crantz, Inst. ii. 379 =* *europaea.*  
 Oleaster, *Hoffm. & Link, Fl. Port. i. 387 =* *europaea.*  
 ovalis, *Miq. in Journ. Bot. Néerl. i. (1861) 111.*—China.  
 pallida, *Salisb. Prod. 13 =* *europaea.*  
 paniculata, *R. Br. Prod. 528.*—Austral.  
 paniculata, *Roxb. Hort. Beng. [80]; Fl. Ind. i. 105 =* *Linociera intermedia.*  
 pauciflora, *Wall. Cat. n. 2812 =* *Linociera pauciflora.*  
 polygama, *Wight, Ic. t. 1239.*—Ind. or.  
 polymorpha, *Risso, ex Schult. Mant. i. 75 =* *europaea.*  
 Posua, *Buch.-Ham. ex D. Don, Prod. Fl. Nep. 107 (=* *Notelaea Posua).*—Reg. Himal.  
 praecox, *Gouan, Herbor. 264 =* *europaea.*  
 procera, *Zipp. ex Mackl. in Bijdr. Nat. Wet. v. (1830) 178, nomen (Quid ?).*—N. Guin.  
 racemosa, *Gouan, Herbor. 264 =* *europaea.*  
 regia, *Rozier, ex Roem. & Schult. Syst. i. 69 =* *europaea.*  
 rigida, *Hort. Cels, ex Steud. Nom. ed. I. 563 =* *microcarpa.*  
 robusta, *Sweet, Hort. Brit. ed. I. 489; Wall. Cat. n. 2822 =* *Ligustrum robustum.*  
 Roxburghiana, *Schult. Mant. i. 77 =* *seq.*  
 Roxburghii, *Spreng. Neue Entdeck. iii. 78 =* *Linociera intermedia.*  
 Roxburghii, *Wall. Cat. n. 2816 E =* *Ligustrum neilgherrense.*  
 salicifolia, *Wall. l. c. n. 2821 =* *dentata.*  
 sandwicensis, *A. Gray, in Proc. Am. Acad. v. (1861-62) 331 =* *Osmanthus sandwicensis.*  
 sativa, *Hoffm. & Link, Fl. Port. i. 388 =* *europaea.*  
 similis, *Burch. Trav. i. 177; ii. 264 =* *verrucosa.*  
 sphaerica, *Gouan, Herbor. 264 =* *europaea.*  
 sylvestris, *Mill. Gard. Dict. ed. VIII. n. 3 =* *europaea.*  
 terniflora, *Kurz, For. Fl. Brit. Burma, ii. 157 =* *Linociera terniflora.*  
 Thozetii, *Panch. & Sebert, Not. Bois Nouv. Calédon. 183.*—N. Calédon. ; Austral.  
 undulata, *Jacq. Hort. Schoenb. i. l. t. 2 =* *laurifolia.*  
 variegata, *Gouan, Herbor. 264 =* *europaea.*  
 verrucosa, *Link, Enum. Hort. Berol. i. 33.*—Afr. austr.  
 verrucosa, *Rafin. Sylva Tellur. 8 =* *europaea.*  
 viridula, *Gouan, Herbor. 264 =* *europaea.*  
 vitiensis, *Seem. Fl. Vit. 155.*—Ins. Fiji.  
 Walpersiana, *Hance, ex Walp. Ann. iii. 17 =* *Ligustrum sinense.*  
 Wightiana, *Wall. Cat. n. 2815 =* *dioica.*

## OLEA :—

- lanceolata, *Hook. f. Fl. N. Zel. i. 176.*—N. Zel.  
 lancifolia, *Moench, Meth. 478 =* *europaea.*  
 latifolia, *Salisb. Prod. 13 =* *Phillyrea latifolia.*  
 laurifolia, *Lam. Tabl. Encyc. i. 29.*—Afr. austr.  
 ligustrina, *F. Muell. Fragm. v. 20 =* *Ligustrum australianum.*  
 Lindleyi, *Wall. Cat. n. 6305 =* *Ligustrum Massalongianum.*  
 linocieroides, *Wight, Ic. t. 1241 =* *Linociera Wightii.*  
 longifolia, *Steud. Nom. ed. I. 563 =* *europaea.*  
 Lorentii, *Hochst. in Lorent, Wanderung. 332.*—As. Min.  
 macrophylla, *Baker, Fl. Maurit. 219.*—Ins. Maurit.  
 maderiensis, *Hort. Cels, ex Steud. Nom. ed. I. 563 =* *Notelaea excelsa.*  
 malabarica, *Kostel. Allg. Med.-Pharm. Flora, iii. 1000 =* *dioica ?*  
 marginata, *Champ. ex Benth. in Hook. Kew Journ. iv. (1852) 330 =* *Osmanthus marginata.*  
 maritima, *Wall. Cat. n. 2813.*—Malaya.  
 microcarpa, *Lour. ex DC. Prod. viii. 288, 293 =* *Phillyrea Lowei.*  
 microcarpa, *Vahl, Enum. i. 43.*—Cochinch.  
 montana, *Hook. f. Fl. N. Zel. i. 176. t. 46.*—N. Zel.  
 myrtifolia, *Wall. ex Voigt, Hort. Suburb. Calc. 547.*—Ind. or.  
 nigra, *Loisel. Herb. Amat. t. 256.*—Hab. ?  
 obliqua, *Steud. Nom. ed. I. 563 =* *europaea.*  
 oblonga, *Gouan, Herbor. 264 =* *europaea.*  
 obovata, *Baker, Fl. Maurit. 219.*—Ins. Maurit.  
 obtusifolia, *Lam. Tabl. Encyc. i. 28.*—Madag.  
 odorata, *Rozier, ex Roem. & Schult. Syst. i. 69 =* *europaea.*  
 officinarum, *Crantz, Inst. ii. 379 =* *europaea.*  
 Oleaster, *Hoffm. & Link, Fl. Port. i. 387 =* *europaea.*  
 ovalis, *Miq. in Journ. Bot. Néerl. i. (1861) 111.*—China.  
 pallida, *Salisb. Prod. 13 =* *europaea.*  
 paniculata, *R. Br. Prod. 528.*—Austral.  
 paniculata, *Roxb. Hort. Beng. [80]; Fl. Ind. i. 105 =* *Linociera intermedia.*  
 pauciflora, *Wall. Cat. n. 2812 =* *Linociera pauciflora.*  
 polygama, *Wight, Ic. t. 1239.*—Ind. or.  
 polymorpha, *Risso, ex Schult. Mant. i. 75 =* *europaea.*  
 Posua, *Buch.-Ham. ex D. Don, Prod. Fl. Nep. 107 (=* *Notelaea Posua).*—Reg. Himal.  
 praecox, *Gouan, Herbor. 264 =* *europaea.*  
 procera, *Zipp. ex Mackl. in Bijdr. Nat. Wet. v. (1830) 178, nomen (Quid ?).*—N. Guin.  
 racemosa, *Gouan, Herbor. 264 =* *europaea.*  
 regia, *Rozier, ex Roem. & Schult. Syst. i. 69 =* *europaea.*  
 rigida, *Hort. Cels, ex Steud. Nom. ed. I. 563 =* *microcarpa.*  
 robusta, *Sweet, Hort. Brit. ed. I. 489; Wall. Cat. n. 2822 =* *Ligustrum robustum.*  
 Roxburghiana, *Schult. Mant. i. 77 =* *seq.*  
 Roxburghii, *Spreng. Neue Entdeck. iii. 78 =* *Linociera intermedia.*  
 Roxburghii, *Wall. Cat. n. 2816 E =* *Ligustrum neilgherrense.*  
 salicifolia, *Wall. l. c. n. 2821 =* *dentata.*  
 sandwicensis, *A. Gray, in Proc. Am. Acad. v. (1861-62) 331 =* *Osmanthus sandwicensis.*  
 sativa, *Hoffm. & Link, Fl. Port. i. 388 =* *europaea.*  
 similis, *Burch. Trav. i. 177; ii. 264 =* *verrucosa.*  
 sphaerica, *Gouan, Herbor. 264 =* *europaea.*  
 sylvestris, *Mill. Gard. Dict. ed. VIII. n. 3 =* *europaea.*  
 terniflora, *Kurz, For. Fl. Brit. Burma, ii. 157 =* *Linociera terniflora.*  
 Thozetii, *Panch. & Sebert, Not. Bois Nouv. Calédon. 183.*—N. Calédon. ; Austral.  
 undulata, *Jacq. Hort. Schoenb. i. l. t. 2 =* *laurifolia.*  
 variegata, *Gouan, Herbor. 264 =* *europaea.*  
 verrucosa, *Link, Enum. Hort. Berol. i. 33.*—Afr. austr.  
 verrucosa, *Rafin. Sylva Tellur. 8 =* *europaea.*  
 viridula, *Gouan, Herbor. 264 =* *europaea.*  
 vitiensis, *Seem. Fl. Vit. 155.*—Ins. Fiji.  
 Walpersiana, *Hance, ex Walp. Ann. iii. 17 =* *Ligustrum sinense.*  
 Wightiana, *Wall. Cat. n. 2815 =* *dioica.*

OLEANDER, *Medic. in Act. Acad. Theod. Palat. v. Phys. (1790) 381 =* *Nerium*, *Linn. (Apocyn.)*  
*indica*, *Medic. l. c. =* *N. odorum.*  
*vulgaris*, *Medic. l. c. =* *N. Oleander.*



**OLEARIA**, Moench, Meth. Suppl. 254 (1802). *COMPOSITAE*, Benth. & Hook. f. ii. 276.  
*Eurybia*, Cass. in Dict. Sc. Nat. xvi. 46 (1820).  
*Haxtonia*, Caley, ex D. Don, in Edinb. N. Phil. Journ. (Jul.-Sept. 1831) 272.  
*Orestion*, Rafin. Fl. Tellur. ii. 48 (1836).  
*Shawia*, Forst. Char. Gen. 95. t. 48 (1776), nomen prius.  
*Spongotrichum*, Nees, Gen. et Sp. Ast. 176 (1833).  
*Steezia*, Sond. in Linnaea, xxv. (1852) 450.  
*Steiractis*, DC. Prod. v. 345 (1836).  
*adenolasia*, F. Muell. Fragm. v. 67.—Austral.  
*adenophora*, F. Muell. l. c. 78.—Austral.  
*affinis*, Hook. f. in Hook. Lond. Journ. Bot. vi. (1847) 109 = stellulata.  
*albida*, Hook. f. Handb. N. Zeal. Fl. 128.—N. Zel.  
*Allomii*, T. Kirk, in Trans. N. Z. Inst. i. (1868) 92; iii. (1871) 179.—N. Zel.  
*alpicola*, F. Muell. Fragm. v. 70.—Austral.  
*angulata*, T. Kirk, in Trans. N. Z. Inst. xiii. (1881) 384.—N. Zel.  
*angustata*, Armst. l. c. 337 = oleifolia.  
*angustifolia*, Hook. f. Fl. N. Zel. i. 115.—N. Zel.  
*argophylla*, F. Muell. Fragm. v. 68.—Austral.  
*arguta*, Benth. Fl. Austral. iii. 487.—Austral.  
*asterotricha*, F. Muell. Fragm. v. 79.—Austral.  
*avicenniaefolia*, Hook. f. Handb. N. Zeal. Fl. 127.—N. Zel.  
*axillaris*, F. Muell. Fragm. v. 64.—Austral.  
*Ballii*, F. Muell. l. c. viii. 143 = Aster Balli.  
*calcareia*, F. Muell. ex Benth. Fl. Austral. iii. 481.—Austral.  
*capillaris*, J. Buch. in Trans. N. Z. Inst. iii. (1871) 212.—N. Zel.  
*Cassiniae*, F. Muell. Fragm. v. 68.—Austral.  
*chrysophylla*, Benth. Fl. Austral. iii. 468.—Austral.  
*ciliata*, F. Muell. Fragm. v. 79.—Austral.  
*Colensoi*, Hook. f. Fl. N. Zel. i. 115.—N. Zel.  
*colorata*, Colenso, in Trans. N. Z. Inst. xii. (1880) 362.—N. Zel.  
*conocephala*, F. Muell. Fragm. v. 79.—Austral.  
*Cunninghamii*, Hook. f. Handb. N. Zeal. Fl. 126.—N. Zel.  
*cyanodiscalis*, F. Muell. Fragm. v. 82 = ramosissima.  
*cydoniaefolia*, Benth. Fl. Austral. iii. 470.—Austral.  
*decurrens*, Benth. l. c. 481.—Austral.  
*dentata*, Hook. f. Handb. N. Zeal. Fl. 126 = macrodonta.  
*dentata*, Moench, Meth. Suppl. 254.—Austral.  
*elliptica*, DC. Prod. v. 271.—Austral.  
*excorticata*, J. Buch. in Trans. N. Z. Inst. vi. (1874) 241.—N. Zel.  
*exiguifolia*, F. Muell. Fragm. v. 67.—Austral.  
*exilifolia*, F. Muell. l. c. 69.—Austral.  
*Ferresii*, F. Muell. l. c. 75.—Austral.  
*floribunda*, Benth. Fl. Austral. iii. 477.—Austral.  
*Forsteri*, Hook. f. Handb. N. Zeal. Fl. 127.—N. Zel.  
*furfuracea*, Hook. f. l. c. 125.—N. Zel.  
*glandulosa*, Benth. Fl. Austral. iii. 483.—Austral.  
*glutescens*, F. Muell. Fragm. v. 77 = glutinosa.  
*glutinosa*, Benth. Fl. Austral. iii. 482.—Austral.  
*grandiflora*, Hook. l. c. 862.—Austral.  
*gravis*, F. Muell. Fragm. v. 82.—Austral.  
*Gunniana*, Hook. f. ex Hook. Bot. Mag. t. 4638 = stellulata.  
*Haastii*, Hook. f. Handb. N. Zeal. Fl. 126.—N. Zel.  
*Hectori*, Hook. f. l. c. 128.—N. Zel.  
*heleophila*, F. Muell. Fragm. v. 66.—Austral.  
*homolepis*, F. Muell. l. c. 65.—Austral.  
*Hookeri*, Benth. Fl. Austral. iii. 483.—Austral.  
*hygrophila*, Benth. l. c. 474.—Austral.  
*ilicifolia*, Hook. f. Handb. N. Zeal. Fl. 126.—N. Zel.  
*illita*, F. Muell. Fragm. v. 76 = elliptica.  
*imbricata*, Benth. Fl. Austral. iii. 483.—Austral.  
*insignis*, Hook. f. Fl. N. Zel. ii. 331.—N. Zel.  
*iodochroa*, F. Muell. Fragm. v. 81.—Austral.  
*lacunosa*, Hook. f. Handb. N. Zeal. Fl. 732.—N. Zel.  
*ledifolia*, Benth. Fl. Austral. iii. 472.—Austral.  
*lepidophylla*, Benth. l. c. 477.—Austral.  
*Lyallii*, Hook. f. Fl. N. Zel. i. 116.—N. Zel.  
*macrodonta*, Baker, in Gard. Chron. (1884) i. 604.—N. Zel.  
*magniflora*, F. Muell. Fragm. v. 80.—Austral.  
*marginata*, Colenso, in Trans. N. Z. Inst. xv. (1883) 321.—N. Zel.  
*megalophylla*, F. Muell. Fragm. v. 70.—Austral.  
*Mooneyi*, F. Muell. l. c. viii. 144 = Aster Mooneyi.

**OLEARIA** :—  
*moschata*, Hook. f. Handb. N. Zeal. Fl. 127.—N. Zel.  
*Muelleri*, Benth. Fl. Austral. iii. 481.—Austral.  
*multibracteolata*, Colenso, in Trans. N. Z. Inst. xvii. (1885) 242.—N. Zel.  
*muricata*, Benth. Fl. Austral. iii. 484.—Austral.  
*myrsinoides*, F. Muell. Fragm. v. 69.—Austral.  
*Nernstii*, F. Muell. l. c. 81.—Austral.  
*nitida*, Hook. f. Handb. N. Zeal. Fl. 125.—N. Zel.  
*nummularifolia*, Hook. f. l. c. 127.—N. Zel.  
*obcordata*, Benth. Fl. Austral. iii. 471.—Tasman.  
*oleifolia*, T. Kirk, in Trans. N. Z. Inst. xi. (1879) 463.—N. Zel.  
*oliganthema*, F. Muell. ex Benth. Fl. Austral. iii. 469.—Austral.  
*operina*, Hook. f. Fl. N. Zel. i. 114.—N. Zel.  
*oraria*, F. Muell. Fragm. v. 78 = glutinosa.  
*pannosa*, Hook. l. c. Pl. sub t. 862.—Austral.  
*passerinioides*, Benth. Fl. Austral. iii. 482.—Austral.  
*paucidentata*, F. Muell. Fragm. v. 66.—Austral.  
*persoonioides*, Benth. Fl. Austral. iii. 471.—Tasman.  
*phlogopappa*, DC. Prod. v. 272 = stellulata.  
*picridifolia*, Benth. Fl. Austral. iii. 487.—Austral.  
*pimeleoides*, Benth. l. c. 479.—Austral.  
*pinifolia*, Benth. l. c. 471.—Tasman.  
*populifolia*, Colenso, in Trans. N. Z. Inst. xvii. (1885) 243.—N. Zel.  
*quercifolia*, DC. Prod. v. 272 = stellulata.  
*ramosissima*, Benth. Fl. Austral. iii. 479.—Austral.  
*ramulosa*, Benth. l. c. 476.—Austral.  
*revoluta*, F. Muell. ex Benth. l. c. 476.—Austral.  
*rosmarinifolia*, Benth. l. c. 468.—Austral.  
*rotundifolia*, DC. Prod. v. 271 = dentata.  
*rudis*, F. Muell. Fragm. v. 75.—Austral.  
*semidentata*, Decne. ex Hook. Fl. N. Zel. i. 115.—N. Zel.  
*Siemsenii*, F. Muell. Fragm. v. 71 = viscidula.  
*Solandri*, Hook. f. Handb. N. Zeal. Fl. 128.—N. Zel.  
*Steetzii*, F. Muell. Fragm. v. 66 = strigosa.  
*stellulata*, DC. Prod. v. 272.—Austral.  
*stricta*, Benth. Fl. Austral. iii. 485.—Austral.  
*strigosa*, Benth. l. c.—Austral.  
*Stuartii*, F. Muell. Fragm. v. 76.—Austral.  
*subspicata*, F. Muell. l. c. 78; Benth. Fl. Austral. iii. 478.—Austral.  
*tenuifolia*, Benth. l. c. 486.—Austral.  
*teretifolia*, F. Muell. Fragm. v. 77.—Austral.  
*tomentosa*, DC. Prod. v. 252 = dentata.  
*Traillii*, T. Kirk, in Trans. N. Z. Inst. xvi. (1884) 372.—N. Zel.  
*Traversii*, F. Muell. ex J. Buch. l. c. vii. (1875) 337.—N. Zel.  
*tubuliflora*, Benth. Fl. Austral. iii. 475.—Austral.  
*Turczaninowii*, F. Muell. Fragm. v. 67 = imbricata.  
*vernicaosa*, F. Muell. l. c. = passerinioides.  
*virgata*, Hook. f. Handb. N. Zeal. Fl. 128.—N. Zel.  
*viscidula*, Benth. Fl. Austral. iii. 474.—Austral.  
*viscosa*, Benth. l. c. 468.—Austral.  
*xerophila*, F. Muell. Fragm. v. 76.—Austral.

**OLEASTER**, Heist. Syst. 11, 16 (1748) = *Hippophaë*, Linn. (Elaeagn.).

**OLEOBACHIA**, Hort. ex Mast. in Gard. Chron. (1880) ii. 232 = *Sterculia*, Linn.  
*macrophylla*, Hort.—Cf. l. c. (1883) i. 510 = *S. rupestris*.  
*palustris*, Hort. ex Mast. l. c. (1880) ii. 232 = *S. rupestris*.

**OLEOXYLON**, Wall. Cat. p. 157. n. 953 (1831) = *Dipterocarpus*, Gaertn.  
*balsamiferum*, Wall. l. c. = *D. alatus*.

**OLFA**, Adans. Fam. ii. 458 (1763) = *Isopyrum*, Linn. (Ranunc.).

**OLGASIS**, Rafin. Fl. Tellur. ii. 51 (1836) = *Oncidium*, Sw. (Orchid.).  
*triquetra*, Rafin. l. c. = *O. triquetrum*.

**OLIGACOE**, Willd. ex DC. Prod. iv. 632 (1830) = *Valeriana*, Tourn.  
*carnosa*, Willd. ex Steud. Nom. ed. II. ii. 210 = *Valeriana carnosa*.  
*hyalinorrhiza*, Willd. ex DC. Prod. iv. 638 = *Valeriana hyalinorrhiza*.  
*polystachya*, Willd. ex DC. l. c. 639 = *Valerianopsis polystachya*.

**OLIGACTIS**, Cass. in Dict. Sc. Nat. xxxvi. 16 (1825) = *Liabum*, Adans. (Compos.).  
*apodocephala*, Cass. l. c. 17 = *L. sessiliflorum*.  
*nubigena*, Cass. l. c. = *L. nubigenum*.  
*sessiliflora*, DC. Prod. v. 96 = *L. sessiliflorum*.  
*sessilifolia*, Steud. Nom. ed. II. ii. 210 = praec.  
*volubilis*, Cass. in Dict. Sc. Nat. xxxvi. 17 = *L. volubile*.

**OLIGACTIS**, Rafin. Fl. Tellur. ii. 44 (1836) = *Serico-carpus*, Nees (Compos.).  
*conyzoides*, Rafin. l. c. = *S. conyzoides*.  
*linifolia*, Rafin. l. c. = *Aster acris*?  
*tortifolia*, Rafin. l. c. = *S. tortifolius*.

**OLIGAERION**, Cass. in Dict. Sc. Nat. ii. Suppl. 75 (1816) = *Ursinia*, Gaertn. (Compos.).

**OLIGANDRA**, Less. in Linnaea, ix. (1834) 199 = *Chenopodium*, Linn.  
*atriplicoides*, Less. l. c. = *C. polyspermum*.

**OLIGANDRA**, Less. Syn. Comp. 123 (1832). *COMPOSITAE*, Benth. & Hook. f. ii. 302.  
*HYMENOPHOLIS*, Gardn. in Hook. Lond. Journ. Bot. vii. (1848) 88.  
*Chrysocoma*, Wedd. Chlor. And. i. 158.—N. Granat.  
*lucilioides*, Less. Syn. Comp. 124 = *lycopodioides*.  
*lycopodioides*, Less. l. c. = Bras.  
*pachymorpha*, Wedd. Chlor. And. i. 230.—N. Granat.

**OLIGANTHEMUM**, F. Muell. in Trans. Phil. Inst. Vict. iii. (1859) 56 = *Pterigeron*, A. Gray (Compos.).  
*filifolium*, F. Muell. l. c. = *P. filifolium*.

**OLIGANTHERA**, Endl. Gen. Suppl. i. 1377 (1841) = *Chenopodium*, Linn.

**OLIGANTHES**, Cass. in Bull. Soc. Philom. (1817) 10. *COMPOSITAE*, Benth. & Hook. f. ii. 233.  
*ADENOCYCLUS*, Less. in Linnaea, iv. (1829) 337.  
*DIALESTA*, H. B. & K. Nov. Gen. et Sp. iv. 45. t. 320 (1820).  
*ODONTOLOMA*, H. B. & K. l. c. 43. t. 319 (1820).  
*POLLALESTA*, H. B. & K. l. c. 46. t. 321 (1820).  
*acuminata*, Sch. Bip. in Linnaea, xx. (1847) 502.—Venezuela.  
*condensata*, Sch. Bip. l. c. 501.—Ins. Trinit.  
*discolor*, Sch. Bip. l. c. 502.—N. Granat.  
*Karstenii*, Sch. Bip. l. c. xxx. (1859-60) 166.—N. Granat.  
*Karwinskii*, Sch. Bip. l. c. xx. (1847) 505.—Mexic.  
*macrophylla*, Sch. Bip. l. c. 503.—N. Granat.  
*oxylepis*, Benth. in Benth. & Hook. f. Gen. ii. 233.—Mexic.  
*rufescens*, Sch. Bip. in Pollichia, xx-xxi. (1863) 338 = *Eupatorium domingense*.  
*Schomburgkii*, Sch. Bip. in Linnaea, xx. (1847) 504.—Guian.  
*Spruceana*, Benth. in Benth. & Hook. f. Gen. ii. 233.—Bras.  
*triflora*, Cass. in Bull. Soc. Philom. (1818) 58; et in Dict. Sc. Nat. xxxvi. 19.—Madag.

**OLIGARRHENA**, R. Br. Prod. 549 (1810). *EPA-CRIDEAE*, Benth. & Hook. f. ii. 615.  
*micrantha*, R. Br. l. c.—Austral.

**OLIGLORON**, Rafin. Sylva Tellur. 109 (1838) = *Capparis*, Tourn.  
*zeylanica*, Rafin. l. c. = *C. acuminata*.

**OLIGOCARPHA**, Cass. in Bull. Soc. Philom. (1817) 151 = *Brachylaena*, R. Br. (Compos.).  
*nereifolia*, Cass. in Dict. Sc. Nat. xxxvi. 22 = *B. nereifolia*.

**OLIGOCARPUS**, Less. Syn. Comp. 90 (1832). *COMPOSITAE*, Benth. & Hook. f. ii. 455.  
*XENISMIA*, DC. Prod. v. 509 (1836).  
*calendulaceus*, Less. Syn. Comp. 90.—Afr. austr.  
*tripteroides*, DC. Prod. vi. 455.—Afr. austr.

**OLIGOCHAETA**, C. Koch, in Linnaea, xvii. (1843) 42 = *Volutarella*, Cass. (Compos.).  
*divaricata*, C. Koch, l. c. 43 = *V. divaricata*.

**OLIGODORA**, DC. Prod. vi. 282 (1837). *COMPOSITAE*, Benth. & Hook. f. ii. 342.  
*dentata*, DC. l. c. 283.—Afr. austr.



OLIGODORELLA, Turcz. in Bull. Soc. Nat. Mosc. xxiv. (1851) 1. 187 = *Marasmodes*, DC. (Compos.).  
*teretifolia*, Turcz. l. c. 188 = *M. polycephalus*?

OLIGOGLOSSA, DC. Prod. vi. 76 (1837) = *Phymaspermum*, Less. (Compos.).  
*acicularis*, DC. l. c. = *P. aciculare*.

OLIGOGYNE, DC. Prod. v. 629 (1836) = *Blainvillea*, Cass. (Compos.).  
*bahiensis*, DC. l. c. = *B. bahiensis*.  
*Burchellii*, Hook. Ic. Pl. t. 101 = *B. rhomboidea*.  
*megapotamica*, DC. Prod. v. 629 = *B. biaristata*.  
*synedrelloides*, Hook. & Arn. in Hook. Journ. Bot. iii. (1841) 316 = *B. biaristata*.  
*tampicana*, DC. Prod. v. 629 = *B. tampicana*.

OLIGOPHYNIUM, Engl. Bot. Jahrb. iv. (1883) 64 = *Nephythytis*, Schott (Aroid.).  
*Poissoni*, Engl. l. c. 65.—Afr. trop.

OLIGOLEPIS, Cass. ex DC. Prod. v. 370, in syn. (1836) = *Sphaeranthus*, Vaill. (Compos.).  
*amaranthoides*, Wight, Ic. t. 1149 = *S. amaranthoides*.  
*angustifolia*, Steetz, in Peters, Reise Mossamb. Bot. 417 = *S. Steetzii*.  
*indicus*, Cass. ex Steud. Nom. ed. II. ii. 210 = *S. indicus*.  
*Sprunnera*, Steetz, in Peters, Reise Mossamb. Bot. 418 = *S. nubicus*.

OLIGOMERIS, Cambess. in Jacquem. Voy. Bot. 23. t. 25 (1838). *RESEDAEAE*, Benth. & Hook. f. i. 112.

*DIPETALIA*, Rafin. Fl. Tellur. iii. 73 (1836), nomen prius.  
*ELLIMIA*, Nutt. ex Torr. & Gray, Fl. N. Am. i. 125 (1838).  
*HOLOPETALUM*, Turcz. in Bull. Soc. Nat. Mosc. xvi. (1843) 51.  
*RESEDELLA*, Webb & Berth. Phyt. Canar. i. 107. t. 9 ('1835-60').

*Burchellii*, Harv. in Harv. & Sond. Fl. Cap. i. 65.—Afr. austr.

*capensis*, Harv. l. c. 64.—Afr. austr.  
*dipetala*, Muell. Arg. in DC. Prod. xvi. ii. 585 = *capensis*.  
*dipetala*, Turcz. in Bull. Soc. Nat. Mosc. xxvii. (1854) ii. 330 = *glaucescens*.  
*dispersa*, Muell. Arg. in Neue Denkschr. Schw. Ges. Zuerich, xvi. (1858); Monog. Resed. 214 = *glaucescens*.  
*Dregeana*, Muell. Arg. l. c. 216.—Afr. austr.

*Ellimia*, Webb, Fragm. Fl. Aethiop. 27 = *glaucescens*.  
*glaucescens*, Cambess. in Jacquem. Voy. Bot. 24. t. 25.—Afr. bor.; As. or.; Calif.; N. Mexic.  
*Resedella*, Webb, Fragm. Fl. Aethiop. 26 = *glaucescens*.  
*spatulata*, E. Mey. ex Harv. & Sond. Fl. Cap. i. 65.—Afr. austr.  
*subulata*, Webb, Fragm. Fl. Aethiop. 26; Boiss. Fl. Orient. i. 435 = *glaucescens*.

OLIGOPHOLIS, Wight, Ic. iv. 5. t. 1422 (1850) = *Christisonia*, Gardn. (Orobanch.).  
*tubulosa*, Wight, l. c. = *C. tubulosa*.

OLIGORON, Rafin. New Fl. Am. iv. 60 (1836) = *Asclepias*, Linn.  
*longifolium*, Rafin. l. c. = *A. angustifolia*.  
*tenuifolium*, Rafin. l. c. = *praec.*?

OLIGOSCIAS, Seem. Journ. Bot. iii. (1865) 179 = *Panax*, Linn. (Araliac.).  
*madagascariensis*, Seem. l. c. = *P. Maralia*?

OLIGOSMA, Salisb. Gen. Pl. Fragm. 85 (1866) = *Nothoscordum*, Kunth (Liliac.).  
*bivalve*, Salisb. l. c. 86 = *N. striatum*.

OLIGOSMILAX, Seem. Journ. Bot. vi. (1868) 258. t. 83 = *Heterosmilax*, Kunth (Liliac.).  
*Gaudichaudiana*, Seem. l. c. = *H. Gaudichaudiana*.

OLIGOSPORUS, Cass. in Bull. Soc. Philom. (1817) 33 = *Artemisia*, Linn. (Compos.).  
*adfinis*, Less. in Linnaea, ix. (1834) 164, 190 = *A. campestris*.  
*alpinus*, Jord. & Fourr. Brev. Pl. Nov. fasc. ii. 75 = *A. campestris*.

OLIGOSPORUS:—

*argyreus*, Jord. & Fourr. Brev. Pl. Nov. fasc. ii. 75 = *Artemisia campestris*.  
*brachyphyllus*, Jord. & Fourr. l. c. 78 = *A. campestris*.  
*brevicaulis*, Jord. & Fourr. l. c. 76 = *A. campestris*.  
*campestris*, Cass. in Bull. Soc. Philom. (1817) 33 = *A. campestris*.  
*collinus*, Jord. & Fourr. Brev. Pl. Nov. fasc. ii. 80 = *A. campestris*.  
*condimentarius*, Cass. in Dict. Sc. Nat. xxxvi. 26 = *A. Dracunculus*.  
*delphinensis*, Jord. & Fourr. Brev. Pl. Nov. fasc. ii. 77 = *A. campestris*.  
*emarginatus*, Cass. in Ann. Sc. Nat. Sér. I. v. (1825) 104 = *Abrotanella emarginata*.  
*eoythrocladus*, Jord. & Fourr. Brev. Pl. Nov. fasc. ii. 78 = *A. campestris*.  
*floribundus*, Jord. & Fourr. l. c. 81 = *A. campestris*.  
*fuscatus*, Jord. & Fourr. l. c. 79 = *A. campestris*.  
*glutinosus*, Fourr. in Ann. Soc. Linn. Lyon, N. S. xvii. (1869) 89 = *A. glutinosa*.  
*griseus*, Jord. & Fourr. Brev. Pl. Nov. fasc. ii. 80 = *A. campestris*.  
*implexus*, Jord. & Fourr. l. c. 81 = *A. campestris*.  
*laxatus*, Jord. & Fourr. l. c. 76 = *A. campestris*.  
*littoreus*, Jord. & Fourr. l. c. 82 = *A. campestris*.  
*Marshallianus*, Less. in Linnaea, ix. (1834) 154, 191 = *A. campestris*.  
*mexicanus*, Less. Syn. Comp. 264 = *A. mexicana*.  
*monospermus*, Deene. ex DC. Prod. vi. 95 = *A. Delileana*.  
*monspeliensis*, Jord. & Fourr. Brev. Pl. Nov. fasc. ii. 82 = *A. glutinosa*.  
*monticolus*, Jord. & Fourr. l. c. 77 = *A. campestris*.  
*orophilus*, Jord. & Fourr. l. c. 76 = *A. campestris*.  
*parvulus*, Jord. & Fourr. l. c. 74 = *A. campestris*.  
*pubescens*, Jord. & Fourr. l. c. 81 = *A. campestris*.  
*pycnocephalus*, Less. in Linnaea, vi. (1831) 524 = *A. pycnocephala*.  
*pyramidatus*, Jord. & Fourr. Brev. Pl. Nov. fasc. ii. 83 = *A. campestris*.  
*scoparius*, Less. in Linnaea, ix. (1834) 191 = *A. scoparia*.  
*stenocladus*, Jord. & Fourr. Brev. Pl. Nov. fasc. ii. 79 = *A. campestris*.  
*suberectus*, Jord. & Fourr. l. c. 77 = *A. campestris*.  
*subsericeus*, Jord. & Fourr. l. c. 74 = *A. campestris*.  
*tenuifolius*, Jord. & Fourr. l. c. 79 = *A. campestris*.  
*virescens*, Jord. & Fourr. l. c. 80 = *A. campestris*.  
*xylopodus*, Jord. & Fourr. l. c. 82 = *A. campestris*.

OLIGOSTEMON, Benth. in Benth. & Hook. f. Gen. i. 570 (1865). *LEGUMINOSAE*, Benth. & Hook. f. l. c.  
*pictus*, Benth. in Trans. Linn. Soc. xxv. (1865) 305. t. 39.—Afr. trop.

OLIGOSTEMON, Turcz. in Bull. Soc. Nat. Mosc. xxxi. (1858) 1. 447 = *Meliosma*, Blume (Sabiace.).  
*Schlimii*, Turcz. l. c. = *N. Granat*.

OLIGOTHRIX, DC. Prod. vi. 304 (1837). *COMPOSITAE*, Benth. & Hook. f. ii. 452.  
*gracilis*, DC. Prod. vi. 304; et in Deless. Ic. Sel. iv. t. 57.—Afr. austr.

OLINIA, Thunb. in Roem. Arch. ii. i. 4 (1799). *LYTHRARIEAE*, Benth. & Hook. f. i. 785.  
*CREMASTOSTEMON*, Jacq. Fragm. 68 (1809).  
*acuminata*, Klotzsch, in Otto & Dietr. Allg. Gartenz. iv. (1836) 27 = *cymosa*.  
*capensis*, Klotzsch, l. c. = *cymosa*.  
*cymosa*, Thunb. in Roem. Arch. ii. i. 5.—Afr. austr.  
*micrantha*, Deene. *Caract. Olinde*, 14.—Afr. austr.  
*Rochetiana*, A. Juss. in Comp. Rend. Par. xxii. (1846) 812.—Abyss.

OLISBAEA, Benth. & Hook. f. Gen. i. 772 (1867) = seq.

OLISBEA, DC. Prod. iii. 31 (1828) = *Mouriria*, Juss. (Melastom.).  
*rhizophoraefolia*, DC. l. c. = *M. rhizophoraefolia*.

OLISIA, Spach, Hist. Vég. Phan. ix. 166 (1840) = *Stachys*, Tourn. (Labiata).  
*annua*, Fourr. in Ann. Soc. Linn. Lyon, N. S. xvii. (1869) 136 = *S. annua*.  
*delphinensis*, Fourr. l. c. = *S. annua*.

OLIVAEA, Sch. Bip. ex Benth. in Hook. Ic. Pl. t. 1103 (1872). *COMPOSITAE*, Benth. & Hook. f. ii. 397.  
*tricuspis*, Sch. Bip. l. c.—Mexic.

OLIVERIA, Vent. Jard. Cels, t. 21 (1800). *UMBELLIFERAE*, Benth. & Hook. f. i. 890.  
*CALLISTROMA*, Fenzl, in Flora, xxvi. (1843) 457; et in Endl. Gen. Syst. Suppl. iii. 82 (1843).  
*Aucheri*, Jaub. & Spach, Illustr. v. 34 = *decumbens*.  
*Bruguieri*, Jaub. & Spach, l. c. = *decumbens*.  
*decumbens*, Vent. Jard. Cels, t. 21.—Persia.  
*orientalis*, DC. Prod. iv. 234 = *decumbens*.

OLIVERIANA, Reichb. f. in Linnaea, xli. (1877) 111 = *Trichopilia*, Lindl. (Orchid.).  
*egregia*, Reichb. f. l. c.—N. Granat.

OLMEDIA, Ruiz & Pav. Prod. 129. t. 28 (1794). *URTICACEAE*, Benth. & Hook. f. iii. 371.  
*PSEUDOLMEDIA*, Karst. Fl. Columb. ii. 21. t. 111 (1862?).

*affinis*, Steud. ex Tréc. in Ann. Sc. Nat. Sér. III. viii. (1847) 134 = *Helicostylis Poeppigiana*.  
*angustifolia*, Poepp. & Endl. Nov. Gen. et Sp. ii. 30. t. 143.—Bras.

*aspera*, Poepp. & Endl. l. c. 31 = *Poeppigiana*.  
*aspera*, Ruiz & Pav. Syst. Veg. 257.—Peruv.  
*calophylla*, Poepp. & Endl. Nov. Gen. et Sp. ii. 32. t. 146 = *Perebea calophylla*.

*cubensis*, Klotzsch, in Linnaea, xx. (1847) 523.—Cuba.  
*ferruginea*, Poepp. & Endl. Nov. Gen. et Sp. ii. 31.—Bras.

*grandifolia*, Tréc. in Ann. Sc. Nat. Sér. III. viii. (1847) 128 = *guianensis*.

*guianensis*, Tréc. l. c. 129.—Guiana.  
*laevis*, Ruiz & Pav. Syst. Veg. 258.—Peruv.  
*laurina*, Baill. Adansonia, xi. (1875) 305.—N. Granat.

*Maquira*, Steud. Nom. ed. II. ii. 210 (= *Maquira guianensis*).—Guiana.

*mollis*, Poepp. & Endl. Nov. Gen. et Sp. ii. 31. t. 144.—Bras.

*Poeppigiana*, Klotzsch, in Linnaea, xx. (1847) 525.—Peruv.

*Poeppigiana*, Mart. in Flora, xxiv. (1841) ii. Beibl. 93 = *Helicostylis Poeppigiana*.

*rigida*, Klotzsch & Karst. in Linnaea, xx. (1847) 524.—N. Granat.

*tomentosa*, Poepp. & Endl. Nov. Gen. et Sp. ii. 82. t. 145 = *Helicostylis Poeppigiana*.

*tovarensis*, Klotzsch & Karst. in Linnaea, xx. (1847) 526.—N. Granat.

OLMEDIELLA, Baill. in Bull. Soc. Linn. Par. i. (1880) 253. *URTICACEAE*, Benth. & Hook. f. iii. 1224.  
*Cesatiana*, Baill. l. c.—Bras.?

*ilicifolia*, Baill. l. c.—Bras.?

OLMEDIOPSIS, Karst. Fl. Columb. ii. 17. t. 109 (1862?) = *Pseudolmedia*, Tréc. (Urtic.).

*lanceolata*, Karst. l. c.—N. Granat.

*obliqua*, Karst. l. c.—N. Granat.

OLNEYA, A. Gray, in Mem. Am. Acad. N. S. v. (1855) 328. *LEGUMINOSAE*, Benth. & Hook. f. i. 500.

*TESOTA*, C. Muell. in Walp. Ann. iv. 479 (1857).  
*Tesota*, A. Gray, in Mem. Am. Acad. N. S. v. (1855) 328.—Mexic.

OLOFUTON, Rafin. Sylva Tellur. 108 (1838) = *Caparis*, Tourn.

*racemosum*, Rafin. l. c. = *C. cantoniensis*.

OLOPETALUM, Klotzsch, in Linnaea, x. (1835) 428 = *Monsonia*, Linn. (Geran.).

*ovatum*, Klotzsch, l. c. 429 = *M. ovata*.

OLOSTYLA, DC. Prod. iv. 440 (1830) = *ACEAE*, Benth. & Hook. f. ii. 66.

*HOLOSTYLA*, Endl. Gen. 546 (1838).  
*corymbosa*, DC. Prod. iv. 440.—N. Calcd.

OLSYNIUM, Rafin. New Fl. Am. i. 72 (1836) = *Sisyrinchium*, Linn. (Irid.).

*grandiflorum*, Rafin. l. c. = *S. grandiflorum*.  
*luteum*, Rafin. Fl. Tellur. iv. 30 = *S. californicum*.



OLUNTOS, Rafin. Sylva Tellur. 58 (1838) = **Ficus**, Tourn. (Urtic.).  
*levigata*, Rafin. l. c. = *F. laevigata*.  
*trigona*, Rafin. l. c. = *F. trigona*.

OLYMPIA, Spach, in Ann. Sc. Nat. Sér. II. v. (1836) 359; et Hist. Vég. Phan. v. 406 (1836) = **Hypericum**, Linn.  
*glauca*, Spach, ll. cc. 359; 407 = *H. olympicum*.

OLYMPUSA, Klotzsch, in Schomb. Fauna et Fl. Brit. Gu. 1147 (1848), nomen. **ASCLEPIADEAE**.  
*tomentosa*, Klotzsch, l. c. nomen.—Guian.

OLYNIA, Steud. Nom. ed. II. ii. 210 (1841) = **Olinia**, Thunb. (Sapot.).

OLYNTHIA, Lindl. Coll. Bot. 19, in obs. (1825) = **Eugenia**, Mich. (Myrtac.).  
*disticha*, Lindl. l. c. = *E. disticha*.

**OLYRA**, Linn. Syst. ed. X. 1261 (1759). **GRAMINEAE**, Benth. & Hook. f. iii. 1110.  
 LITHACHNE, Beauv. Agrost. 135. t. 24 (1812).  
 MAPIRA, Adans. Fam. ii. 39 (1763).  
 RADDIA, Bertol. in Opusc. Sc. Bologn. iii. (1819) 410.  
 STREPHIUM, Schrad. in Nees, Agrost. Bras. 298 (1829).

*arundinacea*, H. B. & K. Nov. Gen. et Sp. i. 197 = *latifolia*.

*axillaris*, Lam. Encyc. iv. 547 = *pauciflora*.  
*brasiliensis*, Desv. Opusc. 106.—Bras.  
*brasiliensis*, Spreng. Syst. iv. Cur. Post. 29 = *floribunda*.  
*brevifolia*, Schum. in Schum. & Thonn. Beskr. Guin. Pl. 402.—Afr. trop.

*capillata*, Trin. in Mém. Acad. Pétersb. Sér. VI. iii. (1835) II. 114.—Bras.

*caudata*, Trin. in Linnaea, x. (1836) 292.—Peruv.  
*ciliatifolia*, Raddi, Agrost. Bras. 19.—Bras.

*corcovadensis*, Wawra, Bot. Ergeb. Maxim. Bras. 180. t. 95 = *glaberrima*.

*cordifolia*, H. B. & K. Nov. Gen. et Sp. i. 198.—Am. austr.

*cuneatifolia*, Desv. Opusc. 106.—Bras.

*dimidiata*, Hochst. ex Steud. Syn. Pl. Gram. 36.—Guian.

*Durvillei*, Doell, in Mart. Fl. Bras. ii. II. 323, in syn. = *micrantha*.

*ecaadata*, Doell, l. c. 326.—Guian.

*fasciculata*, Trin. in Mém. Acad. Pétersb. Sér. VI. iii. (1835) II. 113.—Bras.

*filiformis*, Trin. l. c. 115.—Bras.

*flaccida*, Doell, in Mart. Fl. Bras. ii. II. 326.—Bras.

*floribunda*, Raddi, Agrost. Bras. 20.—Bras.

*floribunda*, Trin. Gram. Panic. 250 = *capillata*.

*glaberrima*, Raddi, Agrost. Bras. 19.—Bras.

*glauca*, Schomb. Faun. et Fl. Brit. Gu. 1057, nomen.—Guian.

*guineensis*, Steud. Syn. Pl. Gram. 37.—Afr. trop.

*hirsuta*, Trin. Gram. Panic. 250 = *micrantha*.

*humilis*, Nees, Agrost. Bras. 304.—Bras.

*latifolia*, Linn. Syst. ed. X. 1261.—Am. trop.; Ind. occ.

*longifolia*, Hochst. ex Steud. Syn. Pl. Gram. 36 = *obliquifolia*.

*longifolia*, H. B. & K. Nov. Gen. et Sp. i. 198.—Bras.; Guian.

*malaccensis*, Wall. Cat. n. 3540 B = *Scleria caricina*.

*media*, Desv. Opusc. 106.—Bras.

*micrantha*, H. B. & K. Nov. Gen. et Sp. 199.—Am. austr.

*nana*, Doell, in Mart. Fl. Bras. ii. II. 329.—Am. trop.

*obliqua*, Desv. Opusc. 106.—Bras.

*obliquifolia*, Steud. Syn. Pl. Gram. 36.—Guian.

*orientalis*, Lour. Fl. Cochinch. 552.—Cochinch.

*ovata*, Ham. Prod. Pl. Ind. Occ. 7.—Guian.

*paniculata*, Sw. Obs. Bot. 347 = *latifolia*.

*pauciflora*, Sw. Prod. Vég. Ind. Occ. 21.—Ind. occ.

*Pineti*, Wright, ex Griseb. in Mem. Am. Acad. N. S. viii. (1863) 532.—Cuba.

*polypodioides*, Trin. in Mém. Acad. Pétersb. Sér. VI. iii. (1835) II. 117.—Bras.

*pubescens*, Raddi, Agrost. Bras. 18 = *latifolia*.

*ramosissima*, Trin. in Mém. Acad. Pétersb. Sér. VI. iii. (1835) II. 116.—Bras.

*sarmentosa*, Doell, in Mart. Fl. Bras. ii. II. 319.—Bras.; Peruv.

**OLYRA** :—  
*scabra*, Nees, Agrost. Bras. 306.—Bras.  
*scrobiculata*, Schrad. ex Nees, l. c. 303 = *micrantha*.  
*semiovata*, Trin. Gram. Panic. 249.—Bras.  
*streptioides*, Griseb. Cat. Pl. Cub. 229.—Cuba.  
*strictiflora*, Hemsl. Biol. Centr. Am. Bot. iii. 510.—Mexic.  
*surinamensis*, Hochst. ex Steud. Syn. Pl. Gram. 36 = *latifolia*.  
*sympodica*, Doell, in Mart. Fl. Bras. ii. II. 322.—Guian.  
*Urvillei*, Steud. Syn. Pl. Gram. 36 = *micrantha*.  
*ventricosa*, Nees, Agrost. Bras. 303 = *micrantha*.

OLYTHIA, Steud. Nom. ed. II. ii. 210 (1841) = **OLYNTHIA**, Lindl. = **Eugenia**, Mich. (Myrtac.).

OMALANTHUS, A. Juss. Euph. Tent. 50. t. 16 (1824) = **Homalanthus**, A. Juss. (Euphorb.).

OMALANTHUS, Less. Syn. Comp. 260 (1832) = **Tanacetum**, Tourn. (Compos.).  
*camphoratus*, Less. l. c. = *T. camphoratum*.

OMALIUM, Auct. ex Steud. Nom. ed. II. i. 774, in syn. (1840) = **Homalium**, Jacq. (Samyd.).

OMALOCADOS, Hook. f. in Hook. Ic. Pl. t. 1128 (1873) = **HOMALOCADOS**, Hook. f. = **Faramea**, Aubl. (Rubiace.).

OMALOCLINE, Cass. in Dict. Sc. Nat. xlviii. 431 (1827) = **Crepis**, Linn. (Compos.).

*montana*, Sch. Bip. in Pollichia, xxii-xxiv. (1866) 321 = *C. montana*.

*prunellaefolia*, Cass. in Dict. Sc. Nat. xlviii. 432 = *C. pygmaea*.

*pygmaea*, Reichb. f. Ic. Fl. Germ. xix. 51 = *C. pygmaea*.

*Schimperi*, Sch. Bip. in Pollichia, xxii-xxiv. (1866) 321 = *C. Schimperi*.

*succisaefolia*, Monn. Ess. Hierac. 78 = *C. succisaefolia*.

*tergloensis*, Sch. Bip. in Pollichia, xxii-xxiv. (1866) 321 = *C. hyoseridifolia*.

OMALOTES, DC. Prod. vi. 83 (1837) = **Tanacetum**, Tourn. (Compos.).

*camphorata*, DC. l. c. 84 = *T. camphoratum*.

OMALOTHECA, Cass. in Dict. Sc. Nat. lvi. 218 (1828) = **Gnaphalium**, Linn. (Compos.).

*Einsleiana*, Schultz frat. Arch. Fl. 311 = *G. sylvaticum*.

*Hoppeana*, Schultz frat. l. c. = *G. Hoppeanum*.

*norvegica*, Schultz frat. l. c. = *G. norvegicum*.

*supina*, Cass. in Dict. Sc. Nat. lvi. 218 = *G. supinum*.

*sylvatica*, Schultz frat. Arch. Fl. 311 = *G. sylvaticum*.

**OMBROPHYTUM**, Poepp. in Leipz. Literaturz. (1833) 1874 [ex Endl. Gen. 73]. **BALANOPHOREAE**, Benth. & Hook. f. iii. 239.

*peruvianum*, Poepp. & Endl. Nov. Gen. ii. 40.—Peruv.

*zamioides*, Wedd. in Ann. Sc. Nat. Sér. III. xiv. (1850) 184. t. 10.—Peruv.

OMENTARIA, Salisb. Gen. Pl. Fragm. 87 (1866) = **Tulbaghia**, Linn. (Liliac.).

*cephacea*, Salisb. l. c. 88 = *T. cepacea*.

OMMATODIUM, Lindl. Gen. et Sp. Orch. 365 (1838) = **Pterygodium**, Sw. (Orchid.).

*Volucris*, Lindl. l. c. = *P. Volucris*.

OMOEIA, Blume, Bijdr. 359 (1825) = **Saccolabium**, Blume (Orchid.).

*micrantha*, Blume, l. c. (= *Saccolabii* sp. ?)—Malaya.

OMOLOCARPUS, Neck. Elem. ii. 40 (1790) = **Nyctanthus**? Linn. (Oleac.).

OMONOIA, Rafin. Fl. Tellur. ii. 92 (1836) = **Eschscholzia**, Cham. (Papav.).

*californica*, Rafin. l. c. = *E. californica*.

OMOSCLERIA, Nees, in Mart. Fl. Bras. ii. I. 180 (1842) = **Scleria**, Berg. (Cyperac.).

*Flagellum*, Nees, l. c. = *S. Flagellum*.

*tenacissima*, Nees, l. c. 181 = *S. tenacissima*.

OMPHACARPUS, Korth. Verh. Nat. Gesch. Bot. 192. t. 42 (1839-42) = **Grewia**, Linn. (Liliac.).  
*africanus*, Hook. f. in Hook. Niger Fl. 237 = *G. africana*.  
*hirsutus*, Korth. Verh. Nat. Gesch. Bot. 193 = *G. omphacarpa*.  
*opacus*, Korth. l. c. = *G. opaca*.

OMPHACOMERIA, A. DC. in DC. Prod. xiv. 680 (1857). **SANTALACEAE**, Benth. & Hook. f. iii. 227.

*acerba*, A. DC. l. c. 681.—Austral.

*psilotoides*, A. DC. l. c.—Austral.

OMPHALANDRIA, P. Br. Hist. Jamaic. 335 (1756) = seq.

**OMPHALEA**, Linn. Syst. ed. X. 1264 (1759). **EUPHORBACEAE**, Benth. & Hook. f. iii. 332.

*DUCHOLA*, Adans. Fam. ii. 357 (1763).

*HEBEOCCA*, Beurl. in Vet. Akad. Handl. Stockh. 1854 (1856) 146.

*HECATEA*, Thou. Hist. Vég. Isles Fr. 27. t. 5 (1804).

OMPHALANDRIA, P. Br. Hist. Jamaic. 335 (1756).

*RONNOWIA*, Buchow. Pl. Nouv. Découv. 6. t. 4 (1779).

*alternifolia*, Baill. Etud. Gén. Euph. 529.—Afr. trop.

*axillaris*, Sw. Prod. Veg. Ind. Occ. 95 = *Phyllanthus axillaris*.

*biglandulosa*, Baill. Etud. Gén. Euph. 529.—Afr. or.

*brasiliensis*, Muell. Arg. in Linnaea, xxxii. (1863) 86.—Bras.

*cardiophylla*, Hemsl. in Pharm. Journ. & Trans. (1882) 301.—Am. centr.

*cauliflora*, Sw. Prod. Veg. Ind. Occ. 95 = *Phyllanthus cauliflorus*.

*commutata*, Muell. Arg. in Linnaea, xxxii. (1863) 86.—Ind. occ.

*cordata*, Sw. Prod. Veg. Ind. Occ. 95 = *diandra*.

*diandra*, Linn. Syst. ed. X. 1264.—Ind. occ.

*diandra*, Vell. Fl. Flum. x. t. 12 = *Excoecaria diandra*.

*eglandulosa*, Vell. l. c.—Bras.

*Epistylum*, Poir. Encyc. Suppl. iv. 140 = *Phyllanthus cauliflorus*.

*frondosa*, Juss. ex Baill. Etud. Gén. Euph. 529.—Ind. occ.

*glandulata*, Vell. Fl. Flum. x. t. 14 = *Sapium aucuparium*.

*hypoleuca*, Griseb. in Goett. Nachr. (1865) 177.—Cuba.

*lactescens*, Vell. Fl. Flum. x. t. 11.—Bras.

*laevigata*, Desf. Cat. Hort. Par. ed. III. 411 = *triandra*.

*nucifera*, Sw. Prod. Veg. Ind. Occ. 95 = *triandra*.

*oleifera*, Hemsl. in Pharm. Journ. & Trans. (1882) 301.—Am. centr.

*triandra*, Linn. Syst. ed. X. 1264.—Am. trop.

*triandra*, Tussac, Fl. Antill. iv. 18. t. 9 = *commutata*.

*trichotoma*, Muell. Arg. in Linnaea, xxxii. (1863) 86.—Cuba.

*verticillata*, Vell. Fl. Flum. x. t. 15 = *Senefeldera multiflora*.

OMPHALISSA, Salisb. Gen. Pl. Fragm. 134 (1866) = **Hippeastrum**, Herb. (Amaryll.).

*aulica*, Salisb. l. c. 185 = *H. aulicum*.

*calyptata*, Salisb. l. c. = *H. calyptatum*.

OMPHALIUM, Roth, Enum. Pl. Germ. i. 590 (1827) = **Omphalodes**, Tourn. (Borag.).

*scorpioides*, Roth, l. c. 591 = *O. scorpioides*.

*vernum*, Roth, l. c. 590 = *O. verna*.

OMPHALOBium, Gaertn. Fruct. i. 217. t. 46 (1788) = **Connarus**, Linn.

*africanum*, DC. Prod. ii. 85 = *C. africanus*.

*Beyrichii*, Vog. ex Baker, in Mart. Fl. Bras. xiv. II. 189 = *C. Beyrichii*.

*brasiliense*, A. Rich. ex Baker, l. c. 185 = *C. marginatus*.

*carneum*, Zipp. ex Span. in Linnaea, xv. (1841) 189 = *C. Spanoghei*.

*discolor*, Sond. in Linnaea, xxiii. (1850) 24 = *Cnestis natalensis*.

*fasciculatum*, DC. Prod. ii. 86 = *C. erianthus*.

*Gaudichaudii*, DC. l. c. 85 = *C. monocarpus*.

*indicum*, Gaertn. Fruct. i. 217. t. 46 = *C. monocarpus*.

*Lambertii*, DC. Prod. ii. 85 = *C. guianensis*.



## OMPHALOBIUM:—

- lucidum*, Klotzsch, in Schomb. Faun. & Fl. Brit. Gui. 1188, nomen.—Guian.  
*magicum*, Mart. ex Baker, in Mart. Fl. Bras. xiv. ii. 189 = *Conarus Patrisii*.  
*micranthum*, Klotzsch, in Schomb. Faun. & Fl. Brit. Gui. 1189, nomen.—Guian.  
*nervosum*, G. Don, Gen. Syst. ii. 90 = *Agelaea villosa*.  
*obliquum*, Presl, Epim. Bot. 207 = *C. obliquus*.  
*opacum*, Klotzsch, in Schomb. Faun. & Fl. Brit. Gui. 1188, nomen.—Guian.  
*ovatifolium*, Mart. Herb. Fl. Bras. n. 1266 = *C. Blanchetii*.  
*Patrisii*, DC. Prod. ii. 86 = *C. Patrisii*.  
*pentagonum*, DC. l. c. = *Agelaea Lamarckii*.  
*Perrottetii*, DC. l. c. = *C. Perrottetii*.  
*pictum*, Blanco, Fl. Filip. ed. II. 271 = *C. monocarpus*.  
*pinnatum*, DC. Prod. ii. 86; Wall. Cat. n. 8532 = *C. monocarpus*.  
*rubrum*, Poepp. & Endl. Nov. Gen. et Sp. iii. 76. t. 288 = *C. ruber*.  
*scandens*, Boj. Hort. Maurit. 84.—Afr. trop.  
*Smeathmanni*, DC. Prod. ii. 86 = *C. Smeathmanni*.  
*Thonningii*, DC. l. c. = *C. floribundus*.  
*turgidum*, Wall. Cat. n. 8540; ex Planch. in Linnaea, xxiii. (1850) 436 = *C. turgidus*.  
*villosum*, DC. Prod. ii. 86 = *Agelaea villosa*.

OMPHALOBIUM, Jacq. ex DC. Prod. ii. 508 (1825); et Eclog. Pl. ii. 6. t. 126 (1844) = *Schotia*, Jacq. (Legumin.).  
*Schotia*, Jacq. ll. cc. = *S. latifolia*.

OMPHALOCARPUM, Beauv. Fl. Owar. i. 6. t. 5, 6 (1805). *SAPOTACEAE*, Benth. & Hook. f. ii. 653 (cf. i. 185).  
*elatum*, Miers, in Trans. Linn. Soc. Ser. II. i. (1875) 16.—Afr. trop.  
*procerum*, Beauv. Fl. Owar. i. 6. t. 5, 6.—Afr. trop.

OMPHALOCARYON, Klotzsch, in Linnaea, xii. (1838) 243 = *Scyphogyne*, Brongn. (Ericac.).  
*capitatum*, Klotzsch, l. c. 244 = *S. capitata*.  
*eglandulosum*, Klotzsch, l. c. = *S. eglandulosa*.  
*muscosum*, Klotzsch, l. c. 243 = *S. inconspicua*.

OMPHALOCOCCA, Willd. ex Schult. Mant. iii. 10 (1827) = *Aegiphila*, Jacq. (Verbenac.).  
*cornifolia*, Willd. l. c. 132 = *A. cornifolia*.

OMPHALODES, Tourn. ex Moench, Meth. 419 (1794). *BORAGINEAE*, Benth. & Hook. f. ii. 847.  
 OMPHALUM, Roth, Enum. Pl. Germ. i. 590 (1827).  
 PICOTIA, Roem. & Schult. Syst. iv. 10 (1819).  
*aliena*, A. Gray, ex Hemsl. Biol. Centr. Am. Bot. ii. 377.—Mexic.  
*amplexicaulis*, Lehm. in Ges. Naturf. Fr. Berl. Mag. viii. (1814) 98.—Hispan.  
*blepharolepis*, Maxim. in Bull. Acad. Pétersb. xxvii. (1881) 504.—China.  
*brassicaefolia*, Sweet, Hort. Brit. ed. I. 293 = *amplexicaulis*.  
*cappadocica*, DC. Prod. x. 161 = *cornifolia*.  
*cardiophylla*, A. Gray, ex Hemsl. Biol. Centr. Am. Bot. ii. 377.—Mexic.  
*carriensis*, Boiss. Diagn. Ser. I. iv. 41 = *Paracaryum myosotoides*.  
*controversa*, DC. Prod. x. 168.—Sibir.  
*cornifolia*, Lehm. in Ges. Naturf. Fr. Berl. Mag. viii. (1814) 97. t. 5.—As. Min.  
*cristata*, Schrank, in Denkschr. Muench. Akad. iii. (1812) 221 = *Paracaryum cristatum*.  
*diffusa*, Maxim. in Bull. Acad. Pétersb. xxvii. (1881) 504.—China.  
*Fortisii*, G. Don, Gen. Syst. iv. 352.—Europ.  
*glochidiata*, Bunge, in Mém. Sav. Etr. Pétersb. vii. (1847) 413 = *Paracaryum micranthum*.  
*hirsuta*, DC. Prod. x. 159 = *Paracaryum hirsutum*.  
*Howardii*, A. Gray, in Proc. Am. Acad. xx. (1885) 263.—Am. bor. occ.  
*Icuma*, Maxim. in Bull. Acad. Pétersb. xvii. (1872) 453.—Japan.  
*intermedia*, Decne. in Ann. Sc. Nat. Sér. II. ii. (1834) 255 = *Paracaryum micranthum*.  
*intermedia*, Schimp. ex DC. Prod. x. 159 = *papillosa*.  
*japonica*, Maxim. in Bull. Acad. Pétersb. xvii. (1872) 452.—Japan.  
*Krameri*, Franch. & Sav. Enum. Pl. Jap. ii. 452.—Japan.

## OMPHALODES:—

- linifolia*, Moench, Meth. 419.—Europ. austr.  
*linophyllum*, St. Lag. in Ann. Soc. Bot. Lyon, vii. (1880) 131 = *praece*.  
*littoralis*, Lehm. in Ges. Naturf. Fr. Berl. Mag. viii. (1814) 98.—Gallia.  
*longiflora*, DC. Prod. x. 158 = *Lindelia spectabilis*.  
*Luciliae*, Boiss. Diagn. Ser. I. iv. 41.—Graec.; As. Min.  
*lusitanica*, Pourr. ex Lange, in Kjoeb. Vidensk. Meddel. (1864) 28 = *nitida*.  
*lusitanica*, Schrank, in Denkschr. Muench. Akad. iii. (1812) 221 = *amplexicaulis*.  
*micrantha*, DC. Prod. x. 159 = *Paracaryum micranthum*.  
*myosotoides*, Fresen. in Mus. Senckenb. i. (1834) 170 = *Paracaryum rugulosum*.  
*myosotoides*, Schimp. ex DC. Prod. x. 160 = *rugulosa*.  
*myosotoides*, Schrank, in Denkschr. Muench. Akad. iii. (1812) 222 = *Paracaryum myosotoides*.  
*nana*, A. Gray, in Proc. Am. Acad. xx. (1885) 263 = *Eritrichium nanum*.  
*nervosa*, Edgew. ex C. B. Clarke, in Hook. f. Fl. Brit. Ind. iv. 158 = *Cynoglossum nervosum*.  
*nitida*, Hoffm. & Link, Fl. Port. i. 194. t. 25.—Lusitan.  
*papillosa*, DC. Prod. x. 159.—As. Min.  
*Pavoniana*, Boiss. Diagn. Ser. I. xi. 128.—Hispan.  
*persica*, Boiss. l. c. viii. 30 = *Paracaryum rugulosum*.  
*physodes*, Bunge, in Mém. Sav. Etr. Pétersb. vii. (1847) 413 = *Paracaryum micranthum*.  
*pontica*, C. Koch, in Linnaea, xxii. (1849) 646 = *Paracaryum ponticum*.  
*repens*, Schrank, in Denkschr. Muench. Akad. iii. (1812) 221 = *verna*.  
*rugulosa*, DC. Prod. x. 160.—As. Min.  
*rupestris*, Rupr. ex Boiss. Fl. Orient. iv. 267.—Reg. Caucas.  
*scorpioides*, Schrank, in Denkschr. Muench. Akad. iii. (1812) 222.—Europ.  
*sempervirens*, D. Don, Prod. Fl. Nep. 101 = *Anchusa sempervirens*.  
*sericea*, Maxim. in Bull. Acad. Pétersb. xvii. (1872) 453.—Japan.  
*stricta*, C. Koch, in Linnaea, xvii. (1843) 302 = *Paracaryum hirsutum*.  
*Thomsoni*, C. B. Clarke, in Hook. f. Fl. Brit. Ind. iv. 155.—Reg. Himal.  
*trichocarpa*, Maxim. in Bull. Acad. Pétersb. xxvi. (1880) 500.—China.  
*verna*, Moench, Meth. 420.—Europ.  
*Wittmanniana*, Stev. in Bull. Soc. Nat. Mosc. xxiv. (1851) 1. 607 = *cornifolia*.

OMPHALOPHTHALMUM, Karst. Fl. Columb. ii. 119. t. 163 (1865 ?). *ASCLEPIADEAE*, Benth. & Hook. f. ii. 767.  
*rubra*, Karst. l. c.—N. Granat.

OMPHALOPUS, Naud. in Ann. Sc. Nat. Sér. III. xv. (1851) 277. *MELASTOMACEAE*, Benth. & Hook. f. i. 759.  
*fallax*, Naud. l. c.—Malaya.  
*leprosus*, Naud. l. c.—Java.  
*reticulatus*, Naud. l. c. = *Dissochaeta inappendiculata*.

OMPHALOSPORA, Bartl. Ord. 171 (1830) = *Veronica*, Tourn. (Scrophul.).  
*praecox*, Fourn. in Ann. Soc. Linn. Lyon, N. S. xvii. (1869) 129 = *V. praecox*.  
*triphylla*, Fourn. l. c. = *N. triphyllus*.

OMPHALOSTIGMA, Reichb. Nom. 132 (1841) = *Leianthus*, Griseb. (Gentian.).

OMPHALOTHALMA, Pritz. Ic. Ind. ii. 198 (1866), sphalm. = *Omphalophthalmum*, Karst. (Asclep.).

OMPHALOTHECA, Hassk. in Bull. Congr. Bot. Amst. 1865 (1866) 103, 105 = *Commelina*, Linn.

OMPHALOTRIX, Maxim. Prim. Fl. Amur. 208. t. 10 (1859). *SCROPHULARINEAE*, Benth. & Hook. f. ii. 977.  
*longipes*, Maxim. l. c. 209.—Manchuria.

ONAGRA, [Tourn.] Adans. Fam. ii. 85 (1763) = *Oenothera*, Linn. (Onagrar.).  
*biennis*, Scop. Fl. Carn. ed. II. i. 269 = *Oenothera biennis*.

## ONAGRA:—

- chrysantha*, Spach, in Nouv. Ann. Mus. Par. iv. (1835) 355 = *Oenothera biennis*.  
*erosa*, Spach, Hist. Vég. Phan. iv. 361 = *Oenothera erosa*.  
*europaea*, Spach, l. c. 359 = *Oenothera biennis*.  
*Kunthiana*, Spach, in Nouv. Ann. Mus. Par. iv. (1835) 353 = *Oenothera elata*.  
*Lehmanniana*, Spach, l. c. = *Oenothera erosa*.  
*Linkiana*, Spach, l. c. = *Oenothera fruticosa*.  
*media*, Spach, Hist. Vég. Phan. iv. 360 = *Oenothera fruticosa*.  
*mollissima*, Moench, Meth. 675 = *Oenothera mollissima*.  
*muricata*, Moench, l. c. = *Oenothera biennis*.  
*nocturna*, Moench, Meth. Suppl. 287 = *Oenothera nocturna*.  
*parviflora*, Moench, l. c. = *Oenothera biennis*.  
*pellucida*, Moench, Meth. 675 = *Oenothera longiflora*.  
*purpurea*, Moench, Meth. Suppl. 288 = *Oenothera purpurea*.  
*salicifolia*, Spach, Hist. Vég. Phan. iv. 361 = *Oenothera elata*.  
*sinuata*, Moench, Meth. 676 = *Oenothera sinuata*.  
*spectabilis*, Spach, in Nouv. Ann. Mus. Par. iv. (1835) 352 = *Oenothera Simsiana*.  
*undulata*, Moench, Meth. Suppl. 287 = *Oenothera odorata*.  
*vulgaris*, Spach, in Nouv. Ann. Mus. Par. iv. (1835) 353 = *Oenothera biennis*.

ONCERUM, Dulac, Fl. Hautes-Pyr. 255 (1867) = *Silene*, Linn. (Caryoph.).

*acaule*, Dulac, l. c. 257 = *S. acaulis*.  
*alpinum*, Dulac, l. c. = *S. alpestris*.  
*ciliatum*, Dulac, l. c. 256 = *S. ciliata*.  
*cuspidatum*, Dulac, l. c. 257 = *S. Saxifraga*.  
*gallicum*, Dulac, l. c. 256 = *S. gallica*.  
*glareosum*, Dulac, l. c. 257 = *S. Cucubalus*.  
*globosum*, Dulac, l. c. 258 = *S. Cucubalus*.  
*nutans*, Dulac, l. c. 256 = *S. nutans*.  
*quadrifidum*, Dulac, l. c. 257 = *S. quadrifida*.  
*rubellum*, Dulac, l. c. = *S. rubella*.  
*rupestre*, Dulac, l. c. = *S. rupestris*.

ONCIDIUM, Sw. in Vet. Akad. Handl. Stockh. xxi. (1800) 239. *ORCHIDEAE*, Benth. & Hook. f. iii. 562.

- COPPENSA, Dum. in Mém. Ac. Brux. ix. (1835) (Sur Maelenia) 10, in nota.  
 CUITLANZINA, Lindl. Orch. Scel. 15 (1826).  
 CYRTOCHILUM, H. B. & K. Nov. Gen. et Sp. i. 349 (1815).  
 LOPHARIS, Rafin. Fl. Tellur. iv. 40 (1836).  
 OLGASIS, Rafin. Fl. Tellur. iv. 51 (1836).  
 PALUMBINA, Reichb. f. in Walp. Ann. vi. 699 (1861).  
 PSYCHOPSIS, Rafin. Fl. Tellur. iv. 40 (1836).  
 TOLUMNIA, Rafin. l. c. ii. 101 (1836).  
 XARITONIA, Rafin. l. c. iv. 9 (1836).  
 XEILYATHUM, Rafin. l. c. ii. 62 (1836).  
*abortivum*, Reichb. f. in Linnaea, xxii. (1849) 847.—Venezuela.  
*abruptum*, Linden & Reichb. f. in Illustr. Hort. xxix (1882) 98, nomen.—N. Granat.  
*acinaceum*, Lindl. Sert. Orch. sub t. 48.—Peruv.  
*acrobotryum*, Klotzsch, in Otto & Dietr. Allg. Gartenz. xxiii. (1855) 289 = *Harrisoniana*.  
*advena*, Reichb. f. in Hamb. Gartenz. xvi. (1860) 422.—Venezuela.  
*aemulum*, Reichb. f. in Bonplandia, ii. (1854) 102.—N. Granat.  
*alboviolaceum*, A. Rich. & Gal. in Ann. Sc. Nat. S. III. iii. (1845) 27 = *incurvum*.  
*alcicorne*, Reichb. f. in Gard. Chron. (1872) 96.—N. Granat.  
*Allemanii*, Rodrig. Orch. Nov. ii. 185.—Bras.  
*altissimum*, Lindl. Bot. Reg. t. 1851 = *Baueri*.  
*altissimum*, Sw. in Vet. Akad. Handl. Stockh. xxi. (1800) 240.—Ind. occ.  
*amabile*, Reichb. f. in Hamb. Gartenz. xxi. (1865) 309.—Bras.  
*amictum*, Lindl. Bot. Reg. (1847) t. 66.—Bras.  
*amoenum*, A. Rich. & Gal. in Ann. Sc. Nat. Sér. III. iii. (1845) 26.—Mexic.  
*ampliatum*, Lindl. Gen. & Sp. Orch. 202.—Am. centr.  
*anceps*, Reichb. f. in Walp. Ann. vi. 758 = *Miltonia anceps*.  
*andigenum*, Linden & Reichb. f. in Gard. Chron. (1869) 416.—Ecuador!



**ONCIDIUM:—**

- annulare, *Reichb. f. in Gard. Chron.* (1875) I. 396.—N. Granat.  
 anomalum, *Reichb. f. in Linnaea*, xxii. (1849) 845 = panchrysium.  
 ansiferum, *Reichb. f. in Bot. Zeit.* x. (1852) 696.—N. Granat.  
 antherotes, *Reichb. f. in Gard. Chron.* (1879) II. 782 = *Brassia antherotes*.  
 anthocrene, *Reichb. f. in Linnaea*, xli. (1877) 102.—N. Granat.  
 apterum, *Beer, Prakt. Orch.* 281 = *Odontoglossum apterum*?  
 armillare, *Lindl. Fol. Orch. Oncid.* 51.—Peruv.  
 ascendens, *Lindl. Bot. Reg.* (1842) sub t. 4.—Mexic.  
 atropurpureum, *Beer, Prakt. Orch.* 281 = *Odontoglossum atropurpureum*.  
 aurarium, *Reichb. f. in Gard. Chron.* (1884) II. 394.—Bolivia.  
 aureum, *Lindl. Sert. Orch.* sub t. 25.—Mexic.  
 auriculatum, *Schiller, ex Lindl. Fol. Orch. Oncid.* 58, nomen.—Hab.?  
 auriferum, *Reichb. f. in Linnaea*, xxii. (1849) 847.—N. Granat.  
 aurosum, *Reichb. f. & Warsz. in Bonplandia*, ii. (1854) 108 = excavatum.  
 Baldeviamae, *Reichb. f. in Gard. Chron.* (1873) 915.—N. Granat.  
 Barbaceniae, *Lindl. Fol. Orch. Oncid.* 32.—Bras.  
 barbatum, *Lindl. Coll. Bot.* t. 27.—Am. trop.  
 barbatum, *Lindl. & Paxt. Flow. Gard.* ii. (1851–52) 30 f. 150 = trichodes.  
 Barkeri, *Lindl. in Bot. Reg.* (1841) Misc. 81 = tigrinum.  
 Batemannianum, *Parment. ex Knowles & Westc. Flor. Cab.* iii. (1840) 183. t. 137.—Bras.  
 Baueri, *Lindl. Gen. et Sp. Orch.* 200.—Ind. occ.  
 Berenye, *Reichb. f. in Bot. Zeit.* xx. (1862) 215.—Ind. occ.  
 bicallosum, *Lindl. Pl. Hartw.* 94.—Guatemala.  
 bicolor, *Lindl. Bot. Reg.* (1843) 66 = Martianum.  
 bicornutum, *Hort. Bot. Mag.* t. 3109 = O. Pubes.  
 bictoniense, *Hort. ex Lindl. Fol. Orch. Oncid.* 59, nomen (*Odontoglossi* sp.).—Hab.?  
 bidens, *Reichb. f. in Walp. Ann.* vi. 769 = *Brassia bidens*.  
 biflorum, *Rodrig. Orch. Nov.* ii. 187.—Bras.  
 bifolium, *Sims, Bot. Mag.* t. 1491.—Reg. Argent.  
 biffons, *Lindl. in Gard. Chron.* (1857) 84.—Mexic.  
 Blancheti, *Reichb. f. in Linnaea*, xxii. (1849) 845.—Bras.  
 Bluntii, *Reichb. f. in Gard. Chron.* (1879) II. 489 = *Miltonia Bluntii*.  
 Boothianum, *Reichb. f. in Bonplandia*, ii. (1854) 14.—Venezuela.  
 Boydii, *Hort. ex Lindl. Fol. Orch. Oncid.* 41 = luridum.  
 brachiatum, *Reichb. f. in Walp. Ann.* vi. 768 = *Brassia brachiata*.  
 brachyandrum, *Lindl. Sert. Orch.* sub t. 25.—Mexic.  
 brachyphyllum, *Lindl. Bot. Reg.* (1842) sub t. 4 = O. Cebolleta.  
 brachypterum, *Linden & Reichb. f. in Illustr. Hortic.* xxix. (1882) 99, nomen.—N. Granat.  
 bracteatum, *Warsz. ex Reichb. f. in Bot. Zeit.* x. (1852) 695.—N. Granat.  
 Brassia, *Reichb. f. in Walp. Ann.* vi. 765 = *Brassia maculata*.  
 brevifolium, *A. Rich. & Gal. in Ann. Sc. Nat. Sér.* III. iii. (1845) 26.—Mexic.  
 Brienianum, *Reichb. f. in Gard. Chron.* (1881) I. 40.—Paraguay.  
 Brunleesianum, *Reichb. f. Otia Bot. Hamb.* 87.—Bras.  
 brunnipetalum, *Rodrig. Orch. Nov.* ii. 190.—Bras.  
 bryolophotum, *Reichb. f. in Gard. Chron.* (1871) 738.—Am. centr.  
 caesium, *Reichb. f. in Regel, Gartenfl.* (1854) 75. t. 80 = Geertianum.  
 calanthum, *Reichb. f. in Gard. Chron.* (1870) 39.—Ecuador vel Peruv.  
 caldense, *Reichb. f. in Linnaea*, xxii. (1849) 846.—Bras.  
 calobulbon, *Linden & Reichb. f. in Illustr. Hortic.* xxix. (1882) 99, nomen.—Hab.?  
 caloglossum, *Reichb. f. in Gard. Chron.* (1885) II. 166.—Am. trop.  
 caminiophorum, *Reichb. f. in Bot. Zeit.* x. (1852) 857.—Venezuela.

**ONCIDIUM:—**

- Candelabrum*, *Linden, Cat. n.* 6 (1851) 8 = *Odontoglossum coronarium*.  
 candidum, *Lindl. Bot. Reg.* (1843) Misc. 56.—Guatemala.  
 candidum, *Reichb. f. in Walp. Ann.* vi. 763 = *Miltonia candida*.  
 Carderi, *Reichb. f. in Gard. Chron.* (1875) I. 748.—N. Granat.  
 cardiochilum, *Lindl. Fol. Orch. Oncid.* 27.—N. Granat.  
 cardiostigma, *Reichb. f. in Bonplandia*, ii. (1854) 91.—Mexic.  
 carinatum, *Knowles & Westc. Flor. Cab.* ii. (1838) 31 = *Leochilus carinatus*.  
 cariniferum, *Beer, Prakt. Orch.* 283 = *Odontoglossum cariniferum*.  
 carthaginense, *Sw. in Vet. Akad. Handl. Stockh.* xxi. (1800) 240.—Am. trop.  
 castaneum, *Reichb. f. ex Linden, in Illustr. Hortic.* xxix. (1882) 99, nomen.—N. Granat.  
 caudatum, *Reichb. f. in Walp. Ann.* vi. 766 = *Brassia caudata*.  
 Cavendishianum, *Batem. Orch. Mex. et Guatem.* t. 3.—Guatemala.  
 Cebolleta, *Sw. in Vet. Akad. Handl. Stockh.* xxi. (1800) 240.—Bras.  
 centifrancum, *Reichb. f. in Hamb. Gartenz.* xix. (1863) 13.—Hab.?  
 Cepula, *Hoffm. Verz.*—Cf. *Bot. Zeit.* i. (1843) 833 = O. Cebolleta.  
 cerebrikerum, *Reichb. f. in Bot. Zeit.* x. (1852) 696.—Panama.  
 Cervantesii, *Beer, Prakt. Orch.* 283 = *Odontoglossum Cervantesii*.  
 Cheiri, *Reichb. f. ex Linden, in Illustr. Hortic.* xxix. (1882) 99, nomen.—N. Granat.  
 cheiroporum, *Reichb. f. in Bot. Zeit.* x. (1852) 695.—N. Granat.  
 chiriquense, *Beer, Prakt. Orch.* 283 = *Odontoglossum chiriquense*.  
 chrysomorphum, *Lindl. Fol. Orch. Oncid.* 54.—Venezuela.  
 chrysopterum, *Reichb. f. ex Lindl. l. c.* 48 = micropogon.  
 chrysopyramis, *Reichb. f. & Warsz. in Bonplandia*, ii. (1854) 108.—N. Granat.  
 chrysormis, *Reichb. f. in Gard. Chron.* (1880) II. 620 = ochthodes.  
 chrysothyrus, *Reichb. f. ex Warn. Sel. Orch. Ser.* II. t. 5.—Bras.  
 ciliatum, *Lindl. Gen. et Sp. Orch.* 200 = barbatum.  
 ciliolatum, *Hoffm. Verz.*—Cf. *Bot. Zeit.* i. (1843) 834 = barbatum.  
 cimitiferum, *Reichb. f. ex Lindl. Fol. Orch. Oncid.* 9.—N. Granat.  
 cimiferum, *Reichb. f. ex Linden, in Illustr. Hortic.* xxix. (1882) 99 = praec.  
 cinnabarinum, *Reichb. f. in Walp. Ann.* vi. 770 = *Brassia cinnabarina*.  
 cirrhosum, *Beer, Prakt. Orch.* 284 = *Odontoglossum cirrhosum*.  
 citrinum, *Lindl. Bot. Reg.* t. 1758.—Ins. Trinit.  
 citrosium, *Beer, Prakt. Orch.* 284 = *Odontoglossum citrosium*.  
 Clowesii, *Reichb. f. in Walp. Ann.* vi. 760 = *Miltonia Clowesii*.  
 cocciferum, *Reichb. f. & Warsz. in Bonplandia*, ii. (1854) 101.—Peruv.  
 cochleatum, *Lindl. Sert. Orch.* sub t. 25.—Peruv.  
 coeruleus, *Beer, Prakt. Orch.* 285 = *Odontoglossum coeruleus*.  
 Columbae, *Hort. fide Reichb. ex Lindl. Fol. Orch. Oncid.* 36 = stramineum.  
 Columbae, *Hort. fide Reichb. l. c.* = praec.  
 concolor, *Hook. Bot. Mag.* t. 3752.—Bras.  
 confragosum, *Lindl. Bot. Reg.* (1833) Misc. 51 = viperinum.  
 confusum, *Reichb. f. Xenia Orch.* i. 234.—Panama.  
 constrictum, *Beer, Prakt. Orch.* 285 = *Odontoglossum constrictum*.  
 convolvulaceum, *Lindl. & Paxt. Flow. Gard.* i. (1850–51) 102 = globuliferum.  
 cordatum, *Lindl. Sert. Orch.* sub t. 25.—Peruv.  
 cornigerum, *Lindl. Bot. Reg.* t. 1542.—Bras.  
 coronarium, *Beer, Prakt. Orch.* 285 = *Odontoglossum coronarium*.

**ONCIDIUM:—**

- corynephorum, *Lindl. Sert. Orch.* sub t. 25.—Peruv.  
 costatum, *Beer, Prakt. Orch.* 285 = *Odontoglossum costatum*.  
 cosymbephorum, *C. Morr. in Ann. Soc. Bot. Gand.* v. (1849) 333. t. 275 = luridum.  
 crispum, *Lodd. Bot. Cab.* t. 1854.—Bras.  
 Crista-galli, *Reichb. f. in Bot. Zeit.* x. (1852) 697.—Peruv.; Mexic.  
 cristatum, *Beer, Prakt. Orch.* 283 = *Odontoglossum cristatum*.  
 crocodiliceps, *Reichb. f. in Gard. Chron.* (1885) II. 360.—Mexic.  
 Croesus, *Reichb. f. in Hamb. Gartenz.* xiii. (1857) 314.—Am. trop.  
 cruciatum, *Reichb. f. in Gard. Chron.* (1878) I. 138.—Bras.  
 cruciferum, *Reichb. f. & Warsz. in Bonplandia*, ii. (1854) 109.—N. Granat.  
 cryptocopis, *Reichb. f. in Gard. Chron.* (1870) 827.—N. Granat.  
 cucullatum, *Lindl. Sert. Orch.* sub t. 21.—Peruv.; N. Granat.  
 cuencanum, *Reichb. f. in Linnaea*, xli. (1877) 32.—Ecuador.  
 cultratum, *Lindl. in Ann. & Mag. Nat. Hist. Ser.* I. xv. (1845) 384.—Peruv.  
 cuneatum, *Lindl. Coll. Bot.* sub t. 27 = luridum.  
 cuneatum, *Scheidw. in Otto & Dietr. Allg. Gartenz.* x. (1842) 309.—Bras.  
 curtum, *Lindl. Bot. Reg.* (1847) t. 68.—Bras.  
 cynicolle, *Reichb. f. ex Linden, in Illustr. Hortic.* xxix. (1882) 99, nomen.—N. Granat.  
 dactylopterum, *Reichb. f. in Gard. Chron.* (1875) I. 684.—N. Granat.  
 dasyle, *Reichb. f. in Gard. Chron.* (1873) 253, 432.—Bras.  
 Davisii, *Reichb. f. in Linnaea*, xli. (1877) 24.—Peruv.  
 decipiens, *Lindl. Fol. Orch. Oncid.* 22 = O. Crista-galli.  
 deltoideum, *Lindl. Bot. Reg.* t. 2006.—Peruv.  
 delumbe, *Lindl. Fol. Orch. Oncid.* 48.—Guatemala.  
 densiflorum, *Beer, Prakt. Orch.* 285 = *Odontoglossum densiflorum*.  
 densiflorum, [Schiller.] *ex Lindl. Fol. Orch. Oncid.* 58, nomen (*Quid?*).—Hab.?  
 dentatum, *Klotzsch in Otto & Dietr. Allg. Gartenz.* xxiii. (1855) 234 = micropogon.  
 Diadema, *Linden, Cat. n.* 20 (1866) = serratum?  
 diaphanum, *Reichb. f. in Linnaea*, xli. (1877) 67 (*Leochilus* sp.).—Mexic.  
 diceratum, *Lindl. Fol. Orch. Oncid.* 6.—Peruv.  
 dichromaticum, *Reichb. f. in Bonplandia*, iii. (1855) 215.—N. Granat.  
 digitatum, *Lindl. in Benth. Pl. Hartw.* 93 = leucochilum.  
 dimorphum, *Regel, Ind. Sem. Hort. Petrop.* (1869) 22; *et Gartenfl.* xix. (1870) 2. t. 637. f. 4–6.—Bras.  
 diodon, *Reichb. f. in Gard. Chron.* (1880) II. 69.—Hab.?  
 dipterum, *Beer, Prakt. Orch.* 285 = *Odontoglossum dipterum*.  
 disciferum, *Lindl. Fol. Orch. Oncid.* 24.—Bolivia.  
 distans, *Beer, Prakt. Orch.* 285 = *Odontoglossum distans*.  
 divaricatum, *Lindl. Bot. Reg.* t. 1050.—Bras.  
 Donianum, *Batem. ex W. Baxt. in Lond. Hort. Brit. Suppl.* iii. 598.—Guatemala.  
 dubium, *André, Illustr. Hortic.* xx. (1873) 184.—Hab.?  
 echinatum, *H. B. & K. Nov. Gen. et Sp.* i. 345. t. 79 = *Erycina echinata*.  
 echinophorum, *Rodrig. Orch. Nov.* ii. 195.—Bras.  
 Egertonii, *Beer, Prakt. Orch.* 285 = *Odontoglossum Egertonii*.  
 Ehrenbergii, *Beer, l. c.* = *Odontoglossum Ehrenbergii*.  
 elegans, *Beer, l. c.* = *Tetramicra rigida*.  
 elegantissimum, *Reichb. f. in Gard. Chron.* (1877) I. 13.—Bras.  
 elephantotis, *Reichb. f. in Linnaea*, xli. (1877) 25.—Ecuador.  
 emarginatum, *G. F. W. Mey. Prim. Pl. Esseq.* 259 (sp. dub.).—Guiana.  
 endocharis, *Reichb. f. in Gard. Chron.* (1884) I. 206.—Hab.?  
 Engellii, *Reichb. f. in Linnaea*, xli. (1877) 22.—Venezuela.  
 ensatum, *Lindl. Bot. Reg.* (1842) Misc. 17.—Guatemala.



**ONCIDIUM:—**

*epidendroides*, Beer, Prakt. Orch. 285 = *Odontoglossum epidendroides*.  
*erosum*, Beer, l. c. = *Odontoglossum stellatum*.  
*euodes*, Reichb. f. in Gard. Chron. (1880) i. 680 = *Brassia euodes*.  
*Eurycline*, Reichb. f. l. c. (1883) ii. 812.—Hab.?  
*euxanthinum*, Reichb. f. l. c. (1869) 1158.—Bras.  
*examinans*, Lindl. Fol. Orch. Oncid. 9.—Venezuela.  
*exasperatum*, Reichb. f. ex Linden, in *Illustr. Hort.* xxix. (1882) 99.—N. Granat.  
*excavatum*, Lindl. Sert. Orch. sub t. 25.—Peruv.  
*falcipetalum*, Lindl. Orch. Linden. 14.—Venezuela.  
*fasciferum*, Reichb. f. & Warsz. in *Bonplandia*, ii. (1854) 108.—Peruv.  
*festatum*, Reichb. ex Warsz. l. c. 100.—Peruv.  
*filipes*, Lindl. Sert. Orch. sub t. 48 = *graminifolium*.  
*fimbriatum*, Hoffmgg. Verz.—Cf. Bot. Zeit. i. (1843) 834 = *barbatum*.  
*fimbriatum*, Lindl. Gen. et Sp. Orch. 199.—Bras.  
*flabelliferum*, Pinel, in *Pact. Mag. Bot.* xvi. (1849) 65.—Bras.  
*flabellulatum*, Reichb. f. & Linden, in *Illustr. Hort.* xxix. (1882) 99, nomen.—Bras.  
*flavescens*, Reichb. f. in Walp. Ann. vi. 757 = *Miltonia flavescens*.  
*flexuosum*, Lindl. Sert. Orch. sub t. 48 = *cimiciferum*.  
*flexuosum*, Sims, Bot. Mag. t. 2203.—Bras.  
*Forbesii*, Hook. l. c. t. 3705.—Bras.  
*Forkellii*, Scheidw. in *Otto & Dietr. Allg. Gartenz.* x. (1842) 309 (sp. dub.).—Mexic.  
*formosissimum*, Reichb. f. in Bot. Zeit. x. (1852) 694.—Peruv.  
*foveatum*, Lindl. Fol. Orch. Oncid. 52.—Peruv.  
*Funcki*, Hort. Belg. ex Lubbers, Cat. Pl. Rar. San Donato (1880), 18.—Hab.?  
*funereum*, La Llave & Lex. Nov. Veg. Desc. fasc. ii. (Orch. Opusc.) 37.—Mexic.  
*funereum*, Lindl. Gen. et Sp. Orch. 201 = *reflexum*.  
*fuscans*, Reichb. f. Otia Bot. Hamb. 86.—Bras.  
*fuscatum*, Reichb. f. in Walp. Ann. vi. 763 = *Miltonia Warszewiczii*.  
*Gaertneri*, Beer, ex Lindl. Fol. Orch. Oncid. 58, nomen (Quid?).—Hab.?  
*galeatum*, Beer, l. c. (Quid?).—Hab.?  
*galeatum*, Scheidw. in *Otto & Dietr. Allg. Gartenz.* vii. (1839) 406.—Bras.  
*Galeottianum*, Beer, Prakt. Orch. 286 = *Odontoglossum Galeottianum*.  
*gallopavinum*, C. Morr. in Ann. Soc. Bot. Gand, i. (1845) 13. t. 1. = *Batemannianum*.  
*Gardneri*, Lindl. in Hook. Lond. Journ. Bot. ii. (1843) 662.—Bras.  
*Gardnerianum*, Hort.—Cf. Gard. Chron. (1880) i. 759; (1881) ii. 86 = *præc.*  
*Gargantua*, Reichb. f. in *Linnaea*, xli. (1877) 24.—Peruv.  
*Gautieri*, Regel, Ind. Sem. Hort. Petrop. (1868) 80 = *unicorn*.  
*Geertianum*, C. Morr. in Ann. Soc. Bot. Gand, iv. (1848) 55. t. 179.—Am. centr.  
*geraense*, Rodrig. Orch. Nov. ii. 193.—Bras.  
*Ghiesbreghtianum*, A. Rich. & Gal. in Ann. Sc. Nat. Sér. III. iii. (1845) 27.—Mexic.  
*Gireoudianum*, Reichb. f. in Walp. Ann. vi. 768 = *Brassia Gireoudiana*.  
*globuliferum*, H. B. & K. Nov. Gen. et Sp. i. 347.—N. Granat.  
*glossomystax*, Reichb. f. in Bot. Zeit. x. (1852) 696.—Mexic.  
*glumaceum*, Reichb. f. in Walp. Ann. vi. 769 = *Brassia glumacea*.  
*gracile*, Lindl. Bot. Reg. sub t. 1920.—Bras.  
*graminifolium*, Lindl. Sert. Orch. sub t. 48.—Peruv.  
*grandiflorum*, Reichb. f. in Gard. Chron. (1881) i. 782.—N. Granat.  
*Guibertianum*, A. Rich. Fl. Cub. Fanerog. ii. 244 = *Lemonianum*.  
*Gundlachii*, Wright, ex Griseb. Cat. Pl. Cub. 266.—Cuba.  
*guttatum*, Reichb. f. in Walp. Ann. vi. 783 = *luridum*.  
*guttulatum*, Reichb. f. ex Lindl. Fol. Orch. Oncid. 50.—Hab.?  
*gyriferum*, Reichb. f. in Gard. Chron. (1878) i. 558, in obs. = *seq.*  
*gyrobulbon*, Reichb. f. l. c. (1869) 838.—Hab.?  
*haematochilum*, Lindl. & Paxt. Flow. Gard. i. (1850-51) 21. t. 6.—N. Granat.

**ONCIDIUM:—**

*haematochrysum*, Reichb. f. in *Linnaea*, xxii. (1849) 844.—Bras.  
*haematoxanthum*, Reichb. f. ex Lindl. Fol. Orch. Oncid. 25.—Hab.?  
*Hallii*, Beer, Prakt. Orch. 287 = *Odontoglossum Hallii*.  
*halteratum*, Lindl. Orch. Linden. 14.—N. Granat.  
*Harrisonianum*, Lindl. Bot. Reg. t. 1569.—Bras.  
*Hartwegii*, Lindl. in Benth. Pl. Hartw. 151.—Peruv.; Ecuador.  
*hastatum*, Lindl. in Paxt. Flow. Gard. i. (1850-51) 9. n. 2.—Am. centr.; N. Granat.  
*hastiferum*, Hort.—Cf. Gard. Chron. (1875) i. 492 = *macranthum*.  
*hastiferum*, Reichb. f. in *Bonplandia*, ii. (1854) 102.—Peruv.  
*hastilabium*, Beer, Prakt. Orch. 287 = *Odontoglossum hastilabium*.  
*hebraicum*, Reichb. f. in Gard. Chron. (1875) i. 780.—N. Granat.  
*Helenae*, Reichb. f. in Walp. Ann. vi. 771 = *Brassia Warszewiczii*.  
*hemichrysium*, Reichb. f. l. c. 733 = *aureum*.  
*Henchmannii*, Lodd. Orch. 21; et ex Lindl. Fol. Orch. Oncid. 40 = *carthaginense*.  
*Henckenii*, Schomb. ex Lindl. l. c. 11.—Ins. S. Doming.  
*herbaceum*, Reichb. f. in Walp. Ann. vi. 772 = *Leochilus herbaceus*.  
*heteranthum*, Poepp. & Endl. Nov. Gen. et Sp. i. 34. t. 60.—Peruv.  
*hians*, Lindl. Bot. Reg. (1838) Misc. 65.—Peruv.  
*hieroglyphicum*, Reichb. f. & Warsz. in *Otto & Dietr. Allg. Gartenz.* xxii. (1854) 274.—Peruv.  
*Hirundo*, Reichb. f. in Bot. Zeit. xv. (1857) 158.—Hab.?  
*holochrysum*, Reichb. f. in Hamb. Gartenz. xviii. (1862) 33 = *onustum*.  
*Hrubyanum*, Reichb. f. in Gard. Chron. (1883) i. 562.—Hab.?  
*Huebschii*, Reichb. f. l. c. (1885) ii. 650.—Ecuador.  
*Huntianum*, Hook. Bot. Mag. t. 3806 = *carthaginense*.  
*Huntleyanum*, Beer, ex Lindl. Fol. Orch. Oncid. 58 (Quid?).—Hab.?  
*hyalinobulbon*, La Llave & Lex. Nov. Veg. Desc. Fasc. ii. (Orch. Opusc.) 38 (*Leochilus* sp.).—Mexic.  
*hydrophilum*, Rodrig. Orch. Nov. i. 92.—Bras.  
*hypbaematicum*, Reichb. f. in Gard. Chron. (1869) 814.—N. Granat.?  
*imbricatum*, Reichb. f. in Walp. Ann. vi. 770 = *Brassia intricata*.  
*Imperatoris-Maximiliani*, Reichb. f. in Bot. Ergeb. Maxim. Bras. 154.—Bras.  
*incurvum*, Barker, ex Lindl. in Bot. Reg. (1840) Misc. 75; (1845) t. 64.—Mexic.  
*inferlobium*, Hort.—Cf. Gard. Chron. (1872) 904 = *subpiens*.  
*insculptum*, Reichb. f. l. c. (1872) 1035.—Am. trop.  
*Insleayi*, Barker, ex Lindl. Bot. Reg. (1840) Misc. 19 = *Odontoglossum Insleayi*.  
*intermedium*, Knowles & Westc. Flor. Cab. ii. (1888) 53. t. 60 = *luridum*.  
*ionodon*, Reichb. f. in *Linnaea*, xli. (1877) 23.—Peruv.  
*ionopterum*, Reichb. f. l. c. 20.—Peruv.  
*ionosmum*, Hort. ex Lindl. in Gard. Chron. (1853) 726 = *tigrinum*.  
*iricolor*, Reichb. f. in *Bonplandia*, ii. (1854) 91.—Hab.?  
*iridifolium*, H. B. & K. Nov. Gen. et Sp. i. 344.—Am. trop.  
*iridifolium*, Lindl. Bot. Reg. t. 1911 = *O. Crista-galli*.  
*isopterum*, Lindl. l. c. sub t. 1920.—Bras.  
*ixioides*, Beer, Prakt. Orch. 287 = *Odontoglossum ixioides*.  
*Jamesoni*, Reichb. f. in Gard. Chron. (1877) ii. 680 = *seq.*  
*Jamiesoni*, Lindl. in Lindl. & Paxt. Flow. Gard. i. (1850-51) 104.—Peruv.  
*janeirense*, Reichb. f. in *Bonplandia*, ii. (1854) 90 = *longipes*.  
*Jonesianum*, Reichb. f. in Gard. Chron. (1883) ii. 781.—Paraguay.  
*Josstianum*, Reichb. f. in Walp. Ann. vi. 950 = *Brassia Josstiana*.  
*juncifolium*, Lindl. Coll. Bot. sub t. 27 = *O. Cebolleta*.

**ONCIDIUM:—**

*Jurgensenianum*, Lem. Jard. Fleur. iv. (1854) t. 368, in nota = *hastatum*.  
*Kappleri*, Reichb. f. ex Lindl. Fol. Orch. Oncid. 45.—Guiana.  
*Karwinski*, Lindl. Sert. Orch. sub t. 20 = *Odontoglossum Karwinski*.  
*Keilianum*, Reichb. f. in Walp. Ann. vi. 770 = *Brassia Keiliana*.  
*Kienastianum*, Reichb. f. in Gard. Chron. (1878) i. 558.—Peruv.  
*Klotzschianum*, Reichb. f. in Bot. Zeit. x. (1852) 695 = *nebulosum*.  
*Kramerianum*, Reichb. f. in Otto & Dietr. Allg. Gartenz. xxiii. (1855) 9.—Am. austr.  
*labiatum*, Reichb. f. in Walp. Ann. vi. 741 = *Leochilus cochlearis*.  
*lacerum*, Lindl. Bot. Reg. (1844) Misc. 30 = *stipitatum*.  
*laeve*, Beer, Prakt. Orch. 288 = *Odontoglossum laeve*.  
*lamelligerum*, Reichb. f. in Gard. Chron. (1876) ii. 808.—Ecuador.  
*Lanceanum*, Lindl. in Trans. Hort. Soc. N. S. ii. (1842) 100. t. 7.—Guiana.  
*lancifolium*, Lindl. ex Benth. Pl. Hartw. 151.—Ecuador?  
*Lansbergii*, Reichb. f. in Gard. Chron. (1876) i. 460.—Venezuela.  
*Lawrenceanum*, Reichb. f. in Walp. Ann. vi. 766 = *Brassia Lawrenceana*.  
*Leiboldi*, Reichb. f. l. c. 718.—Cuba.  
*Lemonianum*, Lindl. Bot. Reg. t. 1789.—Cuba.  
*lentiginosum*, Reichb. f. in *Bonplandia*, ii. (1854) 13.—Venezuela.  
*leopardinum*, Lindl. Fol. Orch. Oncid. 28.—Peruv.  
*lepidum*, Linden & Reichb. f. in Gard. Chron. (1870) 1053.—Ecuador.  
*leocochilum*, Batem. in Bot. Reg. sub t. 1920; et Orch. Mex. et Guatem. t. 1.—Guatemala.  
*leucostomum*, Hoffmgg. ex Lindl. Fol. Orch. Oncid. 36 = *hians*.  
*leucotis*, Reichb. f. in Gard. Chron. (1879) ii. 424.—N. Granat.  
*Lietzei*, Regel, in Act. Hort. Petrop. vii. (1880) 387.—Bras.  
*Limminghii*, C. Morr. ex Lindl. Fol. Orch. Oncid. 56.—Venezuela.  
*Lindenii*, Hort. ex Reichb. f. fide Lindl. l. c. 36 = *stramineum*.  
*Lindenii*, Lodd. ex Lindl. Sert. Orch. sub t. 48. n. 101 = *luridum*.  
*Lindleyanum*, Hort. Linden.—Cf. Gard. Chron. (1869) 587.—Hab.?  
*lineoligerum*, Reichb. f. ex Warsz. in *Bonplandia*, ii. (1854) 109.—Peruv.  
*linguiforme*, Lindl. Orch. Linden. 14.—Venezuela.  
*litum*, Reichb. f. in Gard. Chron. (1883) ii. 328.—Bras.  
*longicuspe*, Reichb. f. Otia Bot. Hamb. 23 = *Brassia longicuspis*.  
*longifolium*, Lindl. Bot. Reg. (1841) Misc. 22 = *O. Cebolleta*.  
*longipes*, Lindl. & Paxt. Flow. Gard. i. (1850-51) 46.—Bras.?  
*loxense*, Lindl. l. c. ii. (1851-52) 128.—Ecuador.  
*ludens*, Reichb. f. in Gard. Chron. (1885) i. 756.—Hab.?  
*lunatum*, Lindl. Bot. Reg. t. 1929.—Guiana.  
*luridum*, Knowles & Westc. Flor. Cab. iii. (1840) 21 t. 97, partim = *carthaginense*.  
*luridum*, Lindl. in Bot. Reg. t. 727.—Am. trop.  
*luteo-purpureum*, Beer, Prakt. Orch. 288 = *Odontoglossum luteo-purpureum*.  
*macrantherum*, Hook. Bot. Mag. t. 3845 = *Leochilus oncidoides*.  
*macranthum*, Lindl. Gen. et Sp. Orch. 205.—Am. centr.  
*macronyx*, Reichb. f. Otia Bot. Hamb. 95.—Bras.  
*macropetalum*, Klotzsch, in Otto & Dietr. Allg. Gartenz. (1855) 274 = *micropogon*.  
*macropetalum*, Lindl. Sert. Orch. sub t. 48.—Bras.  
*macropterum*, A. Rich. & Gal. in Ann. Sc. Nat. Sér. III. iii. (1845) 26 = *suave*.  
*macropus*, Linden & Reichb. f. in Gard. Chron. (1868) 125.—Ecuador.  
*macrum*, Beer, Prakt. Orch. 289 = *Odontoglossum macrum*.  
*maculatum*, Beer, l. c. = *Odontoglossum maculatum*.  
*maculatum*, Lindl. Sert. Orch. sub t. 48.—Mexic.



**ONCIDIUM:—**

- maculosum, *Lindl. Bot. Reg.* sub t. 1920.—Bras.  
 Magdalenae, *Reichb. f. in Bonplandia*, iii. (1855) 66.—Venezuela.  
 maizaefolium, *Lindl. Orch. Linden*, 14.—Venezuela.  
 mandibulare, *Linden & Reichb. f. in Bonplandia*, ii. (1854) 279.—N. Granat.  
 Mandonii, *Reichb. f. Xenia Orch.* iii. 21.—Bolivia.  
 Marshallianum, *Reichb. f. in Gard. Chron.* (1866) 682.—Am. trop.  
 Martianum, *Lindl. Bot. Reg.* sub t. 1920.—Bras.  
 Massangei, *E. Morr. in Belg. Hort.* xxvii. (1877) 124. t. 617.—Am. centr.  
 Mathieuanum, *Reichb. f. & Warsz. in Otto & Dietr. Allg. Gartenz.* xxiv. (1856) 321.—Peruv.  
 maxillare, *Beer, Prakt. Orch.* 289 = *Odontoglossum maxillare*.  
 maxilligerum, *Lem. Illustr. Hort.* iii. (1856) *Misc.* 43.—Bras.  
 megalophium, *Beer, Prakt. Orch.* 289 = *Odontoglossum megalophium*.  
 Meirax, *Reichb. f. in Bonplandia*, ii. (1854) 12.—Venezuela.  
 melanops, *Reichb. f. in Gard. Chron.* (1880) ii. 620.—Ecuador.  
 meliosum, *Reichb. f. l. c.* (1882) i. 796.—Hab.?  
 membranaceum, *Beer, Prakt. Orch.* 289 = *Odontoglossum Cervantesii*.  
 mentigerum, *Lindl. Bot. Reg.* t. 1920.—Peruv.  
 metallicum, *Reichb. f. in Gard. Chron.* (1876) i. 394.—N. Granat.  
 Methonica, *Reichb. f. in Linnaea*, xli. (1877) 21.—Bolivia.  
 micranthum, *Skinner, ex Lindl. Fol. Orch. Oncid.* 31 = *Hartwegii*.  
 microchilum, *Batem. ex Lindl. Bot. Reg.* (1840) *Misc.* 82.—Guatemala.  
 microglossum, *Klotzsch, in Otto & Dietr. Allg. Gartenz.* xxiii. (1855) 233 = *barbatum*.  
 micropogon, *Reichb. f. in Bonplandia*, ii. (1854) 90.—Hab.?  
 microstigma, *Reichb. f. l. c.*—Hab.?  
 microxiphium, *Reichb. f. in Linnaea*, xli. (1877) 21.—Bolivia.  
 Millianum x, *Reichb. f. in Gard. Chron.* (1878) ii. 364.—N. Granat.  
 minax, *Reichb. f. in Linnaea*, xli. (1877) 22.—Peruv.  
 mirabile, *Reichb. f. in Bot. Zeit.* x. (1852) 697 = *Lockhartia mirabilis*.  
 miserimum, *Reichb. f. in Bonplandia*, iii. (1855) 66.—Venezuela.  
 nitidum, *Rodrig. Orch. Nov.* ii. 193.—Bras.  
 monachicum, *Reichb. f. in Gard. Chron.* (1883) i. 368.—N. Granat.  
 monoceras, *Hook. Bot. Mag.* t. 3890 = *unicorne*.  
 montanum, *Rodrig. Orch. Nov.* i. 93.—Bras.  
 murinum, *Reichb. f. in Linnaea*, xli. (1877) 20.—Ecuador.  
 mystacinum, *Hort. ex Lindl. Fol. Orch. Oncid.* 59, nomen (*Odontoglossi* sp.).—Hab.?  
 naevium, *Beer, Prakt. Orch.* 289 = *Odontoglossum naevium*.  
 nanum, *Lindl. Bot. Reg.* (1842) *Misc.* 37.—Guatemala.  
 nebulosum, *Lindl. l. c.* (1841) *Misc.* 81.—Guatemala.  
 nigratum, *Lindl. & Paxt. Flow. Gard.* i. (1850–51) 78.—Guiana.  
 nodosum, *E. Morr. Belg. Hort.* xxiv. (1874) 258. t. 12; et *Cogn. & March. Pl. Ornem.* ii. (1874) t. 55 = *Kramerianum*.  
 Normani, *Hort. ex Pritz. Ic. Ind.* i. 758.—Cf. *Glenny, Journ. Hort.* ii. (1840) 149, cum tab.—Hab.?  
 nubigenum, *Lindl. Gen. et Sp. Orch.* 197; et in *Hook. Journ. Bot.* i. (1834) 13 = *cucullatum*.  
 nudum, *Batem. in Bot. Reg.* sub t. 1994.—Venezuela.  
 oblongatum, *Lindl. l. c.* (1844) *Misc.* 4.—Mexic.  
 obovatum, *Presl, Rel. Haenk.* i. 99.—Mexic.  
 obryzatum, *Reichb. f. & Warsz. in Bonplandia*, ii. (1854) 108.—Peruv.  
 obsoletum, *Galeotti, ex Lindl. Fol. Orch. Oncid.* 41 = *carthaginense*.  
 ocanense, *Reichb. f. in Walp. Ann.* vi. 769 = *Brassia ocanensis*.  
 ochmatochilum, *Reichb. f. in Bot. Zeit.* x. (1852) 698.—N. Granat.  
 ochthodes, *Reichb. f. in Gard. Chron.* (1871) 1483.—Ecuador.  
 odontochilum, *Rodrig. Orch. Nov.* ii. 189.—Bras.

**ONCIDIUM:—**

- odoratum, *Beer, Prakt. Orch.* 290 = *Odontoglossum odoratum*.  
 Oerstedii, *Reichb. f. in Bonplandia*, ii. (1854) 91 = *carthaginense*.  
 olivaceum, *H. B. & K. Nov. Gen. et Sp.* i. 347.—N. Granat.  
 onustum, *Lindl. Gen. et Sp. Orch.* 203; et in *Hook. Journ. Bot.* i. (1834) 7.—Panama.  
 orgyale, *Reichb. f. & Warsz. in Bonplandia*, ii. (1854) 102.—N. Granat.  
 ornithocephalum, *Lindl. Fol. Orch. Oncid.* 30.—N. Granat.  
 ornithopodium, *Reichb. f. in Gard. Chron.* (1879) ii. 200.—Hab.?  
 ornithorynchum, *H. B. & K. Nov. Gen. et Sp.* i. 345. t. 80.—Mexic.  
 oxyacanthosum, *Reichb. f. ex Linden, in Illustr. Hort.* xxix. (1882) 100, nomen.—N. Granat.  
 pachyphyllum, *Hook. Bot. Mag.* t. 3807.—Mexic.  
 pallidum, *Lindl. Bot. Reg.* (1840) *Misc.* 50 = *Harrisonianum*.  
 panchrysium, *Lindl. in Journ. Hort. Soc.* iv. (1849) 267.—N. Granat.  
 panduriferum, *H. B. & K. Nov. Gen. et Sp.* i. 346. t. 82 = *carthaginense*.  
 pantherinum, *Hoffingg. ex Lindl. Fol. Orch. Oncid.* 35 = *Harrisonianum*.  
 Papilio, *Lindl. Bot. Reg.* t. 910.—Ins. Trinit.  
 papilioniforme, *Regel, in Act. Hort. Petrop.* vi. (1879) 292.—N. Granat.  
 pardalis, *Reichb. f. in Bonplandia*, ii. (1854) 13.—Venezuela.  
 pardinum, *Beer, Prakt. Orch.* 291 = *Odontoglossum pardinum*.  
 pardothyrsus, *Reichb. f. & Warsz. in Bot. Zeit.* xv. (1857) 158.—Peruv.  
 Pastasae, *Reichb. f. in Linnaea*, xli. (1877) 21.—Ecuador.  
 pauciflorum, *Lindl. Coll. Bot.* sub t. 27 = *quadripetalum*.  
 Pavonii, *Reichb. f. in Lindl. Fol. Orch. Oncid.* 5.—Venezuela.  
 pectorale, *Lindl. Sert. Orch.* t. 39.—Bras.  
 pelicanum, *Hort. Monac. ex Lindl. Bot. Reg.* (1840) *Misc.* 89; *Mart. ex Lindl. Bot. Reg.* (1847) t. 70 = *reflexum*.  
 peliogramma, *Linden & Reichb. f. in Gard. Chron.* (1871) 1451.—Am. centr.  
 pentadactylon, *Lindl. in Ann. & Mag. Nat. Hist. Ser. I.* xv. (1845) 383.—Peruv.  
 pentaspilum, *Hoffingg. ex Lindl. Fol. Orch. Oncid.* 35 = *Harrisonianum*.  
 pentecostale, *Reichb. f. in Hamb. Gartenz.* xv. (1859) 56.—Bras.  
 pergamineum, *Lindl. in Benth. Pl. Hartw.* 93.—Guatemala.  
 peruvianum, *Reichb. f. in Walp. Ann.* vi. 767 = *Brassia peruviana*.  
 Pescatorii, *Beer, Prakt. Orch.* 291 = *Odontoglossum nobile*.  
 Phalaenopsis, *Linden & Reichb. f. in Gard. Chron.* (1869) 416.—Ecuador.  
 Phalaenopsis, *Linden, ex Reichb. f. l. c. in syn., nomen.* (Quid?).—Hab.?  
 phantasmaticum, *Lem. Illustr. Hort.* iv. (1857) *Misc.* 77.—N. Granat.  
 phyllochlum, *Beer, Prakt. Orch.* 292 = *hastatum*.  
 phylloglossum, *Reichb. f. in Gard. Chron.* (1881) i. 169.—N. Granat.  
 phymatochilum, *Lindl. l. c.* (1848) 139.—Mexic.  
 pictum, *H. B. & K. Nov. Gen. et Sp.* i. 346. t. 81.—Peruv.  
 picturatum, *Reichb. f. in Bonplandia*, ii. (1854) 13.—Venezuela.  
 Pinellianum, *Lindl. in Journ. Hort. Soc.* iii. (1848) *Proc.* 15. tab. B 17 = *Batemannianum*.  
 pirarense, *Reichb. f. in Linnaea*, xxii. (1849) 846.—Guian.  
 plagianthum, *Reichb. f. in Gard. Chron.* (1873) 915.—N. Granat.  
 planilabre, *Lindl. in Journ. Hort. Soc.* vi. (1851) 59.—Bras.  
 platyglossum, *Reichb. f. ex Linden, in Illustr. Hort.* xxix. (1882) 100, nomen.—N. Granat.  
 plicigerum, *Reichb. f. in Gard. Chron.* (1873) 1141.—Ecuador.  
 polyadenium, *Lindl. Fol. Orch. Oncid.* 27.—Peruv.

**ONCIDIUM:—**

- polychromum, *Scheidw. in Otto & Dietr. Allg. Gartenz.* xii. (1844) 219.—Bras.  
 polycladium, *Reichb. f. ex Lindl. Fol. Orch. Oncid.* 47.—N. Granat.  
 porrigens, *Reichb. f. in Gard. Chron.* (1868) 125.—N. Granat.  
 praestans x, *Reichb. f. l. c.* (1880) ii. 296.—Hab.?  
 praetextum, *Reichb. f. l. c.* (1873) 1206.—Bras.  
 psittacinum, *Linden, ex Lindl. Fol. Orch. Oncid.* 34 = *maculatum*.  
 puberum, *Spreng. Syst. iv. Cur. Post.* 308 = *O. Pubes.*  
 Pubes, *Lindl. Bot. Reg.* t. 1007.—Bras.  
 pulchellum, *Hook. Bot. Mag.* t. 2773.—Guian.; Jamaic.  
 pulvinatum, *Lindl. Bot. Reg.* (1838) *Misc.* 61.—Bras.  
 Pumilio, *Reichb. f. in Bot. Zeit.* x. (1852) 697.—Bras.  
 pumilum, *Lindl. Bot. Reg.* t. 920.—Bras.  
 pusillum, *Reichb. f. in Walp. Ann.* vi. 714 = *iridifolium*.  
 pygmaeum, *Beer, Prakt. Orch.* 292 = *Odontoglossum pygmaeum*.  
 pyramidale, *Lindl. in Ann. & Mag. Nat. Hist. Ser. I.* xv. (1845) 384.—Peruv.  
 pyxidophorum, *Reichb. f. in Gard. Chron.* (1879) ii. 136.—Hab.?  
 quadricorne, *Klotzsch, in Otto & Dietr. Allg. Gartenz.* xx. (1852) 249 = *hians*.  
 quadripetalum, *Sw. in Vet. Akad. Handl. Stockh.* xxi. (1800) 240.—Mexic.  
 racemosum, *Reichb. f. in Walp. Ann.* vi. 771 = *Solenidium racemosum*.  
 ramiferum, *Hort. ex Klotzsch, in Otto & Dietr. Allg. Gartenz.* xxiii. (1855) 289 = *Harrisonianum*.  
 ramosissimum, *Beer, Prakt. Orch.* 290 = *Odontoglossum ramosissimum*.  
 ramosum, *Lindl. Bot. Reg.* sub t. 1920 = *Batemannianum*.  
 ramulosum, *Beer, Prakt. Orch.* 290 = *Odontoglossum ramulosum*.  
 raniferum, *Lindl. Bot. Reg.* sub t. 1920; (1838) t. 48.—Bras.  
 rariflorum, *A. Rich. & Gal. in Ann. Sc. Nat. Sér. III.* iii. (1845) 26.—Mexic.  
 reflexum, *Lindl. Bot. Reg.* sub t. 1920.—Mexic.  
 refractum, *Reichb. f. in Bonplandia*, ii. (1854) 12.—N. Granat.  
 Regnellii, *Reichb. f. in Walp. Ann.* vi. 760 = *Miltonia Regnellii*.  
 Reichenbachii, *Lindl. Fol. Orch. Oncid.* 49.—N. Granat.  
 Retemeyerianum, *Reichb. f. in Bot. Zeit.* xiv. (1856) 513.—Mexic.  
 retusum, *Lindl. Bot. Reg.* sub t. 1920.—Peruv.  
 revolutum, *Beer, Prakt. Orch.* 290 = *Odontoglossum revolutum*.  
 Rhinoceros, *Reichb. f. in Bot. Zeit.* xiv. (1856) 514.—Hab.?  
 Rigbyanum, *Hort. ex Paxt. Mag. Bot.* xvi. (1849) 257, cum ic. = *sarcodes*.  
 rigidum, *Beer, Prakt. Orch.* 290 = *Odontoglossum rigidum*.  
 Rodgersii, *Hort. ex Batem. in Gard. Chron.* (1868) 1317; et in *Journ. Hort.* (1869) 522, cum fig. = *varicosum*.  
 roseum, *Beer, Prakt. Orch.* 290 = *Cochlioda rosea*.  
 roseum, *Lodd. Cat. ex Lindl. Fol. Orch. Oncid.* 40 = *carthaginense*.  
 Rossii, *Beer, Prakt. Orch.* 290 = *Odontoglossum apterum*.  
 rostrans, *Reichb. f. in Gard. Chron.* (1875) i. 748.—N. Granat.  
 rotundatum, *Reichb. f. l. c.* (1873) 978.—Hab.?  
 rupestre, *Lindl. in Benth. Pl. Hartw.* 151.—Am. centr.  
 Russellianum, *Lindl. Bot. Reg.* t. 1830 = *Miltonia Russelliana*.  
 rusticum, *Linden & Reichb. f. in Gard. Chron.* (1870) 1053.—Ecuador.  
 saltabundum, *Reichb. f. in Flora*, lxxv. (1882) 534.—N. Granat.  
 Saltator, *Lem. in Fl. des Serres*, iii. (1847) sub t. 237.—Bras.  
 salvum, *Reichb. f. in Flora*, xlvi. (1865) 278.—Ind. occ.  
 sanguineum, *Lindl. Sert. Orch.* t. 27 = *carthaginense*.  
 sarcodes, *Lindl. in Journ. Hort. Soc.* iv. (1849) 266.—Bras.



**ONCIDIUM:—**

*Scansor*, Reichb. f. in *Linnaea*, xxii. (1849) 844 = glo-  
buliferum.  
*Schillerianum*, Reichb. f. in *Bonplandia*, ii. (1854) 91.  
—Am. trop.?  
*Schlimii*, Linden, ex Lindl. & Paxt. *Flow. Gard.* ii.  
(1851-52) 168.—Venezuela.  
*Sciurus*, Scheidw. in *Otto & Dietr. Allg. Gartens.* vii.  
(1839) 406.—Bras.  
*scriptum*, Reichb. f. in *Walp. Ann.* vi. 772 = *Leochilus*  
*scriptus*.  
*sculptum*, Reichb. f. ex Linden, *Cat. n.* 90 (1873) 11,  
nomen.—Ecuador.  
*Semele*, Linden, ex Reichb. f. in *Gard. Chron.* (1870)  
39.—Ecuador.  
*serpens*, Lindl. *Gen. et Sp. Orch.* 204.—Peruv.  
*seratum*, Lindl. *Sert. Orch.* sub t. 48. n. 17.—Peruv.;  
Ecuador.  
*sessile*, Lindl. & Paxt. *Flow. Gard.* i. (1850-51) 101.  
t. 21 = *lancifolium*.  
*signatum*, Reichb. f. in *Gard. Chron.* (1881) ii. 6 =  
*Brassia signata*.  
*Skinneri*, Lindl. l. c. (1855) 629 = *rupestre*.  
*spathaceum*, Reichb. f. in *Walp. Ann.* vi. 770 = *Brassia*  
*spathacea*.  
*speciosum*, Reichb. f. l. c. 761 = *Miltonia cuneata*.  
*spectabile*, Beer, *Prakt. Orch.* 293; Reichb. f. l. c. 759.  
—Bras.  
*sphacelatum*, Lindl. *Sert. Orch.* sub t. 48.—Am.  
centr.  
*sphegiferum*, Lindl. *Bot. Reg.* (1843) *Misc.* 17.—  
Bras.  
*spilopterum*, Lindl. *Bot. Reg.* (1844) *Misc.* 75.—  
Bras.  
*spilotanthum*, Reichb. f. ex Linden, *Illustr. Hortic.*  
xxix. (1882) 100 (Quid?).—N. Granat.  
*splendidum*, A. Rich. ex Duch. in *Journ. Soc. Hortic.*  
*Par.* viii. (1855) 50.—Guatemala.  
*Sprucei*, Lindl. *Fol. Orch. Oncid.* 14.—Bras.  
*stellatum*, Beer, *Prakt. Orch.* 293 = *Miltonia flav-*  
*escens*.  
*stelligerum*, Reichb. f. in *Gard. Chron.* (1873) 1398.—  
Mexic.  
*stenochilum*, Linden & Reichb. f. in *Illustr. Hortic.*  
xxix. (1882) 100, nomen.—N. Granat.  
*stenopetalum*, Klotzsch, in *Otto & Dietr. Allg. Gartenz.*  
xxiii. (1855) 273 = *Batemannianum*.  
*stenotis*, Reichb. f. in *Linnaea*, xli. (1877) 67.—Costa  
Rica.  
*stipitatum*, Lindl. in *Benth. Bot. Voy. Sulph.* 172.—  
Panama.  
*stramineum*, Batem. ex Lindl. *Bot. Reg.* (1838) *Misc.*  
39.—Mexic.  
*suave*, Lindl. l. c. (1843) *Misc.* 16.—Mexic.  
*suaveolens*, Reichb. f. in *Walp. Ann.* vi. 765 = *Brassia*  
*Lanceana*.  
*subciliatum*, Hoffmgg. *Verz.*—Cf. *Bot. Zeit.* i. (1843)  
834 = *barbatum*.  
*superbiens*, Reichb. f. in *Linnaea*, xxii. (1849) 843.—  
N. Granat.  
*superfluum*, Reichb. f. in *Walp. Ann.* vi. 721.—  
Bras.  
*suscephalum*, *Rodrig. Orch. Nov.* ii. 188.—Bras.  
*Suttoni*, Batem. in *Lindl. Bot. Reg.* (1842) *Misc.* 4.—  
Am. centr.  
*sylvestre*, Lindl. in *Ann. & Mag. Nat. Hist.* Ser. III.  
i. (1853) 332.—Cuba.  
*Taylori*, Hort. ex Lindl. *Fol. Orch. Oncid.* 46 =  
*suave*.  
*tectum*, Reichb. f. in *Gard. Chron.* (1875) i. 780.—  
N. Granat.  
*tenense*, Reichb. f. & Warsz. in *Bonplandia*, ii. (1854)  
107.—N. Granat.  
*tenue*, Lindl. in *Journ. Hort. Soc.* iii. (1848) 76.—  
Am. centr.  
*tenue*, Lindl. l. c. vii. (1852) 271, partim = *delumbe*.  
*teretifolium*, Hort. ex Flor. & Pomol. (1882) 90.—  
Hab.?  
*tetracopis*, Reichb. f. in *Gard. Chron.* (1873) 915.—  
N. Granat.  
*tetrapetalum*, Willd. *Sp. Pl.* iv. 112 = *quadripetalum*.  
*tetrotis*, Reichb. f. & Warsz. in *Bonplandia*, ii. (1854)  
109.—N. Granat.  
*thyrsiflorum*, *Rodrig. Orch. Nov.* ii. 194.—Bras.  
*tigratum*, Reichb. f. & Warsz. in *Bonplandia*, ii. (1854)  
109.—Peruv.  
*tigrinum*, Hort. ex Lindl. *Fol. Orch. Oncid.* 33 =  
*maculatum*.

VOL. II.

**ONCIDIUM:—**

*tigrinum*, La Llave & Lex. *Nov. Veg. Desc. fasc.* ii.  
(*Orch. Opusc.*) 36.—Mexic.  
*tipuloides*, Reichb. f. in *Bot. Zeit.* x. (1852) 856.—  
Peruv.  
*trichodes*, Lindl. *Fol. Orch. Oncid.* 15.—Bras.  
*tricolor*, Hook. *Bot. Mag.* t. 4130 = *quadripetalum*.  
*tricolorum*, Beer, ex Lindl. *Fol. Orch. Oncid.* 58,  
nomen.—Hab.?  
*tricuspidatum*, Reichb. f. *Beitr. Orch. Centr. Am.* 72.  
—Costa Rica.  
*trifurcatum*, Lindl. in *Ann. & Mag. Nat. Hist.* Ser. I.  
xv. (1845) 384.—Peruv.  
*trilingue*, Lindl. & Paxt. *Flow. Gard.* i. (1850-51) 42.  
—Peruv.  
*tripterygium*, Reichb. f. in *Bot. Zeit.* x. (1852) 694.—  
Peruv.  
*triquetrum*, R. Br. in *Ait. Hort. Kew.* ed. II. v. 216.—  
Jamaic.  
*Trulla*, Reichb. f. & Warsz. in *Bonplandia*, ii. (1854)  
101.—N. Granat.  
*trulliferum*, Lindl. *Bot. Reg.* (1839) t. 57.—Bras.  
*tucumanense*, Reichb. f. in *Linnaea*, xli. (1877) 23.—  
Reg. Argent.  
*uliginosum*, *Rodrig. Orch. Nov.* i. 92.—Bras.  
*ulopterum*, Linden & Reichb. f. *Illustr. Hortic.* xxix.  
(1882) 100, nomen.—Ecuador.  
*umbonatum*, Reichb. f. in *Linnaea*, xli. (1877) 24.—  
Ecuador.  
*umbrosum*, Reichb. f. in *Bonplandia*, ii. (1854) 12 =  
*linguiforme*.  
*undulatum*, Lindl. *Sert. Orch.* sub t. 48.—N. Granat.  
*undulatum*, Salisb. in *Trans. Hort. Soc.* i. (1812) 295  
= *carthaginense*.  
*unguiculatum*, Klotzsch, in *Otto & Dietr. Allg. Gartenz.*  
xvii. (1849) 9 = *concolor*.  
*unguiculatum*, Lindl. in *Journ. Hort. Soc.* i. (1846)  
303 = *tigrinum*.  
*unicorne*, Lindl. *Bot. Reg.* (1839) *Misc.* 55.—Bras.  
*unicornutum*, Knowles & Westc. *Flor. Cab.* ii. (1838)  
143.—Bras.  
*uniflorum*, Booth, ex Lindl. *Bot. Reg.* (1843) t. 43.—  
Bras.  
*urophyllum*, Lodd. *Cat. ed.* II. n. 1381; ex Lindl.  
*Sert. Orch.* sub t. 48. n. 90.—Bras.  
*usneoides*, Lindl. in *Ann. & Mag. Nat. Hist.* Ser. III.  
i. (1853) 333.—Cuba.  
*ustulatum*, Reichb. f. in *Gard. Chron.* (1883) i. 340.  
—Am. trop.  
*varicosum*, Lindl. *Bot. Reg.* sub t. 1920.—Bras.  
*variegatum*, Lindl. *Orch. Linden.* 13 = *velutinum*.  
*variegatum*, Sw. in *Vet. Akad. Handl. Stockh.* xxi.  
(1800) 240.—Ind. occ.  
*velutinum*, Lindl. & Paxt. *Flow. Gard.* i. (1850-51)  
166. t. 33.—Cuba.  
*Ventilabrum*, Reichb. f. & Warsz. in *Bonplandia*, ii.  
(1854) 101.—Peruv.  
*venustum*, C. Morv. in *Hortic. Belg.* iii. (1836) 28.  
t. 49.—Bras.  
*vernixium*, Linden & Reichb. f. in *Gard. Chron.* (1870)  
1053.—Ecuador.  
*verrucosum*, Reichb. f. in *Walp. Ann.* vi. 768 = *Brassia*  
*verrucosa*.  
*villosum*, Reichb. f. l. c. 767 = *Brassia villosa*.  
*viperinum*, Lindl. *Gen. et Sp. Orch.* 197.—Uruguay.  
*virgulatum*, Reichb. f. in *Gard. Chron.* (1876) ii. 452.  
—Ecuador.  
*volubile*, Linden, ex Lindl. *Fol. Orch. Oncid.* 58, nomen.  
—Hab.?  
*Volvox*, Reichb. f. in *Bonplandia*, ii. (1854) 13.—  
Venezuela.  
*Wagneri*, Reichb. f. in *Walp. Ann.* vi. 767 = *Brassia*  
*Wagneri*.  
*Warmingii*, Reichb. f. in *Otia Bot. Hamb.* 86.—Bras.  
*Warszewiczii*, Reichb. f. in *Bot. Zeit.* x. (1852) 693.—  
N. Granat.  
*Warneri*, Lindl. *Fol. Orch. Oncid.* 36.—Mexic.  
*Weddelli*, Lindl. l. c. 39.—Bolivia.  
*Weltoni*, Hort. Bull. ex Regel, *Gartenfl.* (1876) 339 =  
*Miltonia Warszewiczii*.  
*Wendlandianum*, Reichb. f. in *Bonplandia*, ii. (1854)  
91 = *suave*.  
*Wentworthianum*, Batem. ex Lindl. *Bot. Reg.* (1840)  
*Misc.* 82.—Guatemala.  
*Widgreni*, Lindl. *Fol. Orch. Oncid.* 17.—Bras.  
*Wrayae*, Hook. *Bot. Mag.* t. 3854 = *graminifolium*.  
*Wyderi*, Reichb. f. in *Berl. Deutsch. Bot. Ges.* iii.  
(1885) 276.—Porto Rico.

**ONCIDIUM:—**

*xanthocentron*, Reichb. f. in *Gard. Chron.* (1880) i.  
104.—Reg. Andin.  
*xanthochlorum*, Klotzsch, *Ind. Sem. Hort. Berol.* (1852)  
12 = *oblongatum*.  
*xanthodon*, Reichb. f. in *Gard. Chron.* (1868) 1338.—  
Am. austr.  
*xanthornis*, Reichb. f. ex Linden, *Cat. n.* 21 (1867) 16.  
—N. Granat.  
*zebrinum*, Reichb. f. in *Bonplandia*, ii. (1854) 12.—  
Venezuela.  
  
*ONCINEMA*, Arn. in *Edinb. N. Phil. Journ.* xvii. (1834)  
261 = *Glossostephanus*, E. Mey. (Asclep.).  
*Roxburghii*, Arn. l. c. = *G. linearis*?  
  
*ONCINOCALYX*, F. Muell. in *Wing's South Sc.*  
*Record*, iii. (March 1883). *VERBENACEAE*.  
*Betchei*, F. Muell. l. c. —Austral.  
  
*ONCINOTIS*, Benth. in *Hook. Niger Fl.* 451 (1849).  
*APOCYNACEAE*, Benth. & Hook. f. ii. 718.  
*hirta*, Oliver, in *Hook. Ic. Pl.* t. 1230.—Afr. trop.  
*nitida*, Benth. in *Hook. Niger Fl.* 451.—Afr. trop.  
*tomentella*, Radlk. in *Bremen, Abh.* viii. (1883) 405.  
—Madag.  
  
*ONCINUS*, Lour. *Fl. Cochinch.* 123 (1790) = *Melo-*  
*dinus*, Forst. (*Apocyn.*).  
*cochinchinensis*, Lour. l. c. = *M. monogynus*?  
  
*ONCOBA*, Forsk. *Fl. Aegypt. Arab.* 103 (1775).  
*BIXINEAE*, Benth. & Hook. f. ii. 971.  
*CHLANIS*, Klotzsch, in *Peters, Reise Mossamb. Bot.*  
144 (1861).  
*HEPTACA*, Lour. *Fl. Cochinch.* 657 (1790).  
*LINDACKERIA*, Presl, *Rel. Haenk.* ii. 89. t. 65 (1831).  
*LUNDIA*, Schum. & Thonn. *Beskr. Guin. Pl.* 231  
(1828).  
*MAYNA*, Aubl. *Pl. Gui.* 921. t. 352 (1775).  
*VENTENATIA*, Beauv. *Fl. Owar.* i. 29. t. 17 (1805).  
*XYLOTHECA*, Hochst. in *Flora*, xxvi. (1843) 69.  
*africana*, Planch. in *Hook. Lond. Journ. Bot.* vi.  
(1847) 296.—Afr. trop.  
*aristata*, Oliver, *Fl. Trop. Afr.* i. 118.—Afr. trop.  
*brachyanthera*, Oliver, l. c. 116.—Afr. trop.  
*capraefolia*, Baker, in *Journ. Linn. Soc.* xxi. (1884)  
320.—Madag.  
*dentata*, Oliver, *Fl. Trop. Afr.* i. 119.—Afr. trop.  
*echinata*, Oliver, l. c. 118.—Afr. trop.  
*glaucia*, Planch. in *Hook. Lond. Journ. Bot.* vi. (1847)  
296.—Afr. trop.  
*Kirkii*, Oliver, *Fl. Trop. Afr.* i. 116.—Afr. trop.  
*Kraussiana*, Planch. in *Hook. Lond. Journ. Bot.* vi.  
(1847) 296.—Afr. austr.  
*lasiocalyx*, Oliver, in *Hook. Ic. Pl.* t. 1485.—Afr.  
trop.  
*latifolia*, Benth. ex Eichl. in *Mart. Fl. Bras.* xiii. i. 440.  
—Bras.  
*lophocarpa*, Oliver, *Fl. Trop. Afr.* i. 118.—Afr. trop.  
*Mannii*, Oliver, l. c. 117.—Afr. trop.  
*maynensis*, Poepp. & Endl. ex Eichl. in *Mart. Fl.*  
*Bras.* xiii. i. 441.—Bras.  
*monacantha*, Steud. *Nom. ed.* II. ii. 212 = *spinosa*.  
*ovalis*, Oliver, *Fl. Trop. Afr.* i. 118.—Afr. trop.  
*ovata*, Benth. ex Eichl. in *Mart. Fl. Bras.* xiii. i. 441.  
—Bras.  
*pauciflora*, Benth. ex Eichl. l. c. 442.—Bras.  
*Petersiana*, Oliver, *Fl. Trop. Afr.* i. 116.—Afr. trop.  
*spinosa*, Forsk. *Fl. Aegypt. Arab.* 103; A. Rich. in  
*Guill. & Perr. Fl. Seneg. Tent.* 32. t. 10.—Arab.  
*stipulata*, Oliver, in *Trans. Linn. Soc.* xxix. (1872) 31.  
—Afr. trop.  
*tettensis*, Hook. f. ex Harv. & Sond. *Fl. Cap.* ii. 584.  
—Afr. trop. et austr.  
*Welwitschii*, Oliver, *Fl. Trop. Afr.* i. 117.—Afr. trop.

*ONCOCALAMUS*, Mann & H. Wendl. in *Nachr.*  
*Palm.* 252 (1878). *PALMAE*, Benth. & Hook. f. iii. 236.  
*Mannii*, H. Wendl. in *Kerch. Palm.* 252.—Afr. trop.

*ONCOCARPUS*, A. Gray, *Bot. U. St. Expl. Exped.*  
i. 364. t. 43. (1854). *ANACARDIACEAE*, Benth. &  
Hook. f. i. 424.  
*atra*, Seem. *Miss. Viti*, 435 = *vitiensis*.  
*Teysmannianus*, Scheff. in *Ann. Jard. Bot. Paris* (1876)  
70, nomen.—N. Guin.  
*vitiensis*, A. Gray, *Bot. U. St. Expl. Exped.* i. 365.—  
Ins. Fiji.



ONCOCYCLUS, Siemss. in Bot. Zeit. iv. (1846) 706 = *Iris*, Tourn.  
*acutilobus*, Siemss. l. c. 709 = *I. acutiloba*.  
*Helena*, C. Koch, in Linnaea, xxi. (1848) 639 =  
*I. acutiloba*.  
*ibericus*, Siemss. in Bot. Zeit. iv. (1846) 708 =  
*I. iberica*.  
*paradoxus*, Siemss. l. c. 706 = *I. paradoxa*.  
*Sarii*, Klatt, in Abh. Naturf. Ges. Halle, xii. (1882)  
 373 = *I. Sarii*.  
*susianus*, C. Koch, in Linnaea, xxi. (1848) 639 =  
*I. susiana*.

ONCODEIA, Bur. in DC. Prod. xvii. 282 (1873)  
 (=Ogcodeia) = *Noyera*, Tréc. (Urtic.).

ONCODIA, Lindl. Fol. Orch. (1853) = *Bracthia*,  
 Reichb. f. (Orchid.).  
*glumacea*, Lindl. l. c. = *B. glumacea*.

ONCOMA, Spreng. Syst. iv. Cur. Post. II, 18 (1827) =  
*Oxera*, Labill. (Verbenac.).  
*pulchellum*, Spreng. l. c. 18 = *Oxera pulchella*.

ONCORHIZA, Pers. Syn. i. 374 (1805) = *Oncus*, Lour.  
 (Dioscor.).  
*esculentus*, Pers. l. c. = *Oncus esculentus*.

ONCORHYNCHUS, Lehm. Ind. Sem. Hort. Hamb.  
 (1832).—Cf. Linnaea, viii. (1833) Litt. 5 = *Ortho-*  
*carpus*, Nutt. (Scrophul.).  
*pinnatifidus*, Lehm. l. c. = *Orth. australis*.  
*tenellus*, Fisch. & Mey. Ind. Sem. Hort. Petrop. i. 35.  
 —Chili.

ONCOSPERMA, Blume, Rumphia, ii. 96. t. 82, 103  
 (1836). *PALMAE*, Benth. & Hook. f. iii. 895.  
*KEPLERIA*, Meissn. Gen. 355 (1842).  
*cambodianum*, Hance, in Journ. Bot. xiv. (1876) 261.  
 —Cambodia.  
*fasciculatum*, Thw. Enum. Pl. Zeyl. 328.—Zeylan.  
*filamentosum*, Blume, Rumphia, ii. 97.—Malaya.  
*horridum*, Scheff. in Tijdschr. Nederl. Indie, xxxii.  
 (1871) 191.—Sumatra.  
*Van-Houtteanum*, H. Wendl. in Fl. des Serres, xvii.  
 (1867–68) t. 1798 = *Nephrosperma Van-Houtteana*.

ONCOSPORUM, Putterl. in Endl. Nov. Stirp. Dec. 9  
 (1839); et Syn. Pittosp. 21 = *Marianthus*, Huegel  
 (Pittosp.).  
*bicolor*, Putterl. II. cc = *M. pictus*.  
*cuneatum*, Turcz. in Bull. Soc. Nat. Mosc. (1863) i.  
 561 = *M. cuneatus*.  
*Drummondianum*, Putterl. in Lehm. Pl. Preiss. i. 194  
 = *M. Drummondianus*.  
*granulatum*, Turcz. in Bull. Soc. Nat. Mosc. xxvii.  
 (1854) II. 366 = *M. granulatus*.  
*microphyllum*, Turcz. l. c. 365 = *M. microphyllum*.  
*villosum*, Turcz. l. c. = *M. villosus*.

ONCOSTEMA, Rafin. Fl. Tellur. ii. 13 (1836) = *Scilla*,  
 Linn. (Liliac.).  
*villosa*, Rafin. l. c. = *S. villosa*.

ONCOSTEMON, Spach, Hist. Vég. Phan. ix. 374 (1840)  
 = seq.

ONCOSTEMUM, A. Juss. in Mém. Mus. Par.  
 xix. (1830) 133. t. 19. *MYRSINEAE*, Benth. &  
 Hook. f. ii. 648.  
*arthriticum*, Baker, in Journ. Linn. Soc. xx. (1883)  
 202.—Madag.  
*Bojeranum*, A. DC. in Ann. Sc. Nat. Sér. II. xvi.  
 (1841) 82.—Madag.  
*Capelieranum*, A. Juss. in Mém. Mus. Par. xix. (1830)  
 137. t. 19.—Madag.  
*Commersonianum*, A. Juss. l. c. 136. t. 19.—Madag.  
*divaricatum*, A. DC. in DC. Prod. viii. 89.—Madag.  
*Goudotianum*, A. DC. in Ann. Sc. Nat. Sér. II. xvi.  
 (1841) 82.—Madag.  
*myrtifolium*, A. DC. in DC. Prod. viii. 90.—Madag.  
*namorosum*, A. DC. in Ann. Sc. Nat. Sér. II. xvi.  
 (1841) 82.—Madag. ?  
*neriifolium*, Baker, in Journ. Linn. Soc. xxi. (1885)  
 421.—Madag.  
*pauciflorum*, A. DC. in Ann. Sc. Nat. Sér. II. xvi.  
 (1841) 82.—Madag.

#### ONCOSTEMUM :—

*pedicellatum*, Baker, in Journ. Linn. Soc. xx. (1883)  
 202.—Madag.  
*phyllanthoides*, Baker, l. c. 203.—Madag.  
*platycladum*, Baker, l. c. xxi. (1885) 421.—Madag.  
*venulosum*, Baker, l. c. 422.—Madag.

ONCOSTYLIS, Nees, in Mart. Fl. Bras. ii. i. 80 (1842)  
 = *Fimbristylis*, Vahl (Cyperac.).  
*arenaria*, Nees, l. c. 87 = *F. capillaris*.  
*bivalvis*, Nees, l. c. 205.—Bras.  
*ciliata*, Nees, l. c. 84 = *F. capillaris*.  
*circinata*, Nees, l. c. 82.—Bras.  
*conifera*, Nees, l. c. 81.—Bras.  
*dubia*, Nees, l. c. 84 = *F. capillaris*.  
*fimbriata*, Nees, l. c. 88.—Bras.  
*hirtella*, Nees, l. c. 85.—Bras.  
*hispidula*, Liebm. in Vidensk. Selsk. Skr. V. ii. (1851)  
 240 = *F. vestita*.  
*junciformis*, Nees, in Mart. Fl. Bras. ii. i. 85.—Bras.  
*Kunthiana*, Nees, l. c. 87 (= *Bulbostylis consanguinea*).  
 —Bras.  
*paradoxa*, Nees, l. c. 81 (= *Bulbostylis paradoxa*).—  
 Bras.  
*pauciflora*, Liebm. in Vidensk. Selsk. Skr. V. ii. (1851)  
 241.—Mexic.  
*tenella*, Nees, in Mart. Fl. Bras. ii. i. 82 = *F. tenella*.  
*tenuifolia*, Nees, l. c. 83 = *F. capillaris*.  
*truncata*, Nees, l. c. = *F. capillaris*.  
*vestita*, Nees, l. c. 88, in nota = *F. vestita*.

ONCUFIS, Rafin. Sylva Tellur. 114 (1838) = *Cleome*,  
 Linn. (Capparid.).

ONCUS, Lour. Fl. Cochinch. 194 (1790). *DIOSO-*  
*RACEAE*, Benth. & Hook. f. iii. 745.  
 ONCORHIZA, Pers. Syn. i. 374 (1805).  
*esculentus*, Lour. Fl. Cochinch. 194.—Cochinch.

ONDETIA, Benth. in Hook. Ic. Pl. t. 1112 (1872).  
*COMPOSITAE*, Benth. & Hook. f. ii. 338.  
*linearis*, Benth. in Hook. Ic. Pl. t. 1112.—Afr. austr.

ONEFERA, Rafin. Fl. Tellur. iii. 30 (1836) = *Chironia*,  
 Linn. (Gentian.).  
*coccinea*, Rafin. l. c. = *C. liniodes*.

ONISTIS, Rafin. New Fl. Am. iv. 63 (1836) = *Asclepias* ?  
 Linn.  
*longifolia*, Rafin. l. c.—Am. bor.

ONITES, Rafin. Fl. Tellur. iii. 86 (1836) = *Origanum*,  
 Tourn. (Labiata).  
*tomentosa*, Rafin. l. c. = *Orig. Onites*.

ONIX, Medic. in Vorles. Churpf. Phys. Ges. ii. (1787)  
 378 = *Astragalus*, Tourn. (Legumin.).  
*galegiformis*, Medic. l. c. = *A. galegiformis*.

ONIXOTIS, Rafin. Fl. Tellur. ii. 32 (1836) = *Dipidax*,  
 Laws. (Liliac.).  
*ciliata*, Rafin. l. c. = *D. ciliata*.  
*secunda*, Rafin. l. c. = *D. ciliata*.  
*viridis*, Rafin. l. c. = *Ornithoglossum glaucum*.

ONKERIPUS, Rafin. Fl. Tellur. iv. 42 (1836) = *Xylo-*  
*bium*, Lindl. (Orchid.).  
*pallidus*, Rafin. l. c.—Ins. S. Vinc.

ONOBROMA, Gaertn. Fruct. ii. 380. t. 160 (1791) =  
*Carduncellus*, Adans. (Compos.).  
*arborescens*, Spreng. Syst. iii. 391 = *Carthamus ar-*  
*borescens*.  
*arenosum*, Pomel, in Bull. Soc. Bot. Fr. xvii. (1870)  
 235.—Alger.  
*armenium*, Spreng. Syst. iii. 392 = *Carthamus flavescens*.  
*atractylodes*, Pomel, Nouv. Mat. Fl. Atl. 24.—Alger.  
*caeruleum*, Gaertn. Fruct. ii. 380 = *C. caeruleus*.  
*calvum*, Pomel, in Bull. Soc. Bot. Fr. xvii. (1870) 235.  
 —Alger.  
*Carduncellus*, Steud. Nom. ed. II. ii. 213 = *C. mons-*  
*peliensium*.  
*carlinoides*, Pomel, in Bull. Soc. Bot. Fr. xvii. (1870)  
 235.—Alger.  
*carthamoides*, Pomel, l. c.—Alger.  
*Choulettianum*, Pomel, l. c.—Alger.  
*coeruleum*, Gaertn. Fruct. ii. t. 160 = *C. caeruleus*.

#### ONOBROMA :—

*corymbosum*, Spreng. Syst. iii. 393 = *Cardopatum*  
*corymbosum*.  
*cynaroides*, Spreng. l. c. 392 = *Cousinia cynaroides*.  
*dentatum*, Spreng. l. c. = *Carthamus dentatus*.  
*depauperatum*, Pomel, in Bull. Soc. Bot. Fr. xvii.  
 (1870) 235.—Alger.  
*eriocephalum*, Pomel, Nouv. Mat. Fl. Atl. 24.—Alger.  
*flavescens*, Spreng. Syst. iii. 392 = *Carthamus flavescens*.  
*glaucum*, Spreng. l. c. 393 = *Carthamus glaucus*.  
*helenioides*, Spreng. l. c. 392 = *Carthamus helenioides*.  
*hispanicum*, Pomel, in Bull. Soc. Bot. Fr. xvii. (1870)  
 235.—Alger.  
*lanatum*, Bluff & Fingerh. Comp. Fl. Germ. ed. I. ii.  
 328 = *Carthamus lanatus*.  
*leucocaulon*, Spreng. Syst. iii. 392 = *Carthamus leuco-*  
*caulos*.  
*lucidum*, Aucher, ex DC. Prod. vi. 553 = *Cousinia*  
*lucida*.  
*macrocephalum*, C. A. Mey. Verz. Pfl. Cauc. 67 =  
*Cousinia macrocephala*.  
*mitissimum*, Spreng. Syst. iii. 392 = *Carduncellus*  
*mitissimus*.  
*monspeliense*, Spreng. l. c. = *C. monspeliensium*.  
*multifidum*, Spreng. l. c. 393 = *C. caeruleus*.  
*pectinatum*, Spreng. l. c. 392 = *C. pectinatus*.  
*persicum*, DC. Prod. vi. 613 = *Carthamus flavescens*.  
*pinnatum*, Spreng. Syst. iii. 393 = *C. pinnatus*.  
*salicifolium*, Link. Enum. Hort. Berol. ii. 304 = *Carlina*  
*salicifolia*.  
*stricta*, Pomel, Nouv. Mat. Fl. Atl. 278.—Alger.  
*tingitana*, Sweet, Hort. Brit. ed. I. 216 = *Carthamus*  
*caeruleus*.

ONOBRYCHIS, Medic. in Vorles. Churpf. Phys. Ges. ii.  
 (1787) 372 = seq.

ONOBRYCHIS, Linn. Syst. ed. I (1735); Adans.  
 Fam. ii. 327 (1763). *LEGUMINOSAE*, Benth. &  
 Hook. f. i. 511.  
*ERIOCARPAEAE*, Bertol. in Nov. Comm. Acad. Bonon.  
 vi. (1843) 234; (Misc. Bot. ii. 20).  
*SARTORIA*, Boiss. Diagn. Ser. I. ix. 109 (1849).  
*aequidentata*, Urv. in Mém. Soc. Linn. Par. i. (1822)  
 346 = *cretica*.  
*affinis*, Verlot, Cat. Hort. Grenoble (1852), 11.—Hab. ?  
*alba*, Bor. Fl. Centr. Fr. ed. III. 168, in adnot. = *viciae-*  
*folia*.  
*alba*, Desv. Journ. Bot. iii. (1814) 83.—Europ. austr.  
*aleutorcephala*, St. Lag. in Ann. Soc. Bot. Lyon, vii.  
 (1880) 70 = *O. Caput-galli*.  
*aleutorolopha*, St. Lag. l. c. 70 = *C. Crista-galli*.  
*Allionii*, Ford. Hort. Grati. (1851).—Cf. Linnaea,  
 xxv. (1852) 304.—Gallia.  
*arenaria*, DC. Prod. ii. 345.—Hungar.; Sibir.  
*arenaria*, Koch, Syn. Fl. Germ. ed. II. 211 = *gracilis*.  
*argaea*, Boiss. & Bal. Diagn. Ser. II. vi. 61.—Cappadoc.  
*argentea*, Boiss. Voy. Bot. Espagne, ii. 188.—Hispan.  
*argyrea*, Boiss. Diagn. Ser. I. ix. 107.—Cilicia.  
*armena*, Boiss. l. c. Ser. II. ii. 36.—Armenia.  
*arnacantha*, Bunge, ex Boiss. Fl. Orient. ii. 538.—  
 Persia.  
*atropatana*, Boiss. l. c. 541.—Armenia.  
*Aucheri*, Boiss. Diagn. Ser. I. ii. 94.—Persia.  
*aurantiaca*, Boiss. l. c. Ser. I. ix. 105.—Syria.  
*aurea*, Boiss. ex Tchihatch. Asie Min. Bot. i. 104,  
 nomen.—As. Min.  
*Balansae*, Boiss. Diagn. Ser. II. vi. 64.—As. Min.  
*Belangeri*, Boiss. & Buhse, in Nouv. Mém. Soc. Nat.  
 Mosc. xii. (1860) 76 = *melanotricha*.  
*Bergeriana*, DC. Prod. ii. 346.—Ital.  
*Buhseana*, Bunge, ex Boiss. Fl. Orient. ii. 541.—  
 Persia.  
*Bungei*, Boiss. l. c. 535.—Persia.  
*Buxbaumiana*, Desv. Journ. Bot. iii. (1814) 81 =  
*Pallasii*.  
*Buxbaumiana*, Desv. ex Eichw. Nov. Casp. Cauc. 23 =  
*vaginalis*.  
*Buxbaumii*, Bieb. Fl. Taur. Cauc. ii. 179 = *radiata*.  
*cadmea*, Boiss. Diagn. Ser. I. ii. 96.—As. Min.  
*candidum*, Steud. Nom. ed. II. i. 730, in syn., *sphalm.*  
 = *Hedysarum candidum*.  
*cappadocica*, Boiss. Fl. Orient. ii. 550.—As. Min.  
*Caput-galli*, Lam. Fl. Fr. ii. 651.—Reg. Mediterr. et  
 Cauc.  
*Caput-galli*, Schur, Enum. Pl. Transs. 165 = *carpathica*.  
*carnea*, Boiss. et Heldr. Diagn. Ser. II. vi. 62 = *ebe-*  
*noides*.



## ONOBRYCHIS:—

- carnea*, Schleich. Cat. Pl. Helvet. ed. IV. 24 = arenaria. *carpathica*, DC. *Prod.* ii. 346.—Mont. Carpath. *carpathica*, Turcz. in Bull. Soc. Nat. Mosc. xv. (1842) 784 = viciaefolia. *chorassanica*, Bunge, ex Boiss. *Fl. Orient.* ii. 550.—Persia. *circinnata*, Desv. *Journ. Bot.* iii. (1814) 81.—Reg. Caucas.; As. Min. *collina*, Jord. Cat. Hort. Grenoble (1851).—Cf. Linnaea, xxv. (1852) 304 = viciaefolia. *comosa*, Spreng. *Syst.* iii. 205 = *Uria crinita*. *conferta*, Desv. *Journ. Bot.* iii. (1814) 83 = viciaefolia. *conferta*, Stev. ex Boiss. *Fl. Orient.* ii. 536 = gracilis. *conferta*, Tenore, *Fl. Nap.* v. 128 = supina. *cornuta*, Desv. *Journ. Bot.* iii. (1814) 81.—As. Min.; Persia. *cretica*, Desv. l. c. 83. t. 23.—Europ. austr.; Persia. *crinita*, Desv. l. c. 82.—Oriens. *crinita*, Spreng. *Syst.* iii. 205 = *Uria crinita*. *Crista-galli*, Gaertn. *Fruct.* ii. 318. t. 148 = Gaertneriana. *Crista-galli*, Lam. *Fl. Fr.* ii. 652.—Reg. Mediterr. *cristata*, DC. *Prod.* ii. 346 = cretica. *cristata*, Pomel, *Nouv. Mat. Fl. Atl.* 201.—Alger. *cuneifolia*, DC. *Prod.* ii. 348 = Indigofera echinata. *dasycephala*, Baker, in *Journ. Linn. Soc.* xviii. (1880) 48.—Afghan. *dealbata*, Stocks, in *Hook. Kew Journ.* iv. (1852) 146.—Beluchist. *declivum*, Gruner, in *Bull. Soc. Nat. Mosc.* xli. (1868) ii. 149.—Rossia. *decumbens*, Wallr. *Beitr. Fl. Hercyn.* 246; Jord. Cat. Hort. Grenoble (1851).—Cf. Linnaea, xxv. (1852) 305 = viciaefolia. *depauperata*, Boiss. *Fl. Orient.* ii. 543.—Persia. *depressa*, Presl, *Fl. Sicul.* p. xxii.—Sicilia. *diffusa*, Cambess. in Jacquem. *Voy. Bot.* 41 = *Taverniera nummularia*. *ebenoides*, Boiss. & Sprun. *Diagn.* Ser. I. ii. 97.—Graecia. *echinata*, D. Dietr. *Syn. Pl.* iv. 1160 = alba. *echinata*, G. Don, *Gen. Syst.* ii. 305.—Calabria. *echinata*, St. Lag. in *Ann. Soc. Bot. Lyon*, vii. (1880) 181 = O. Caput-galli. *Echinus*, DC. *Prod.* ii. 346 = O. Caput-galli? *elata*, Boiss. & Bal. *Diagn.* Ser. II. vi. 62.—Graecia; As. Min. *elegans*, Franch. in *Ann. Sc. Nat. Sér.* VI. xv. (1883) 265.—Turkestan. *elymaica*, Boiss. & Haussk. ex Boiss. *Fl. Orient.* ii. 538.—Persia. *eriophora*, Desv. *Journ. Bot.* iii. (1814) 82.—Reg. Mediterr. occ. *eriophora*, A. Rich. *Tent. Fl. Abyss.* i. 206 = Richardi. *eubrychidea*, Boiss. *Fl. Orient.* ii. 546.—Afghan. *expansa*, Boiss. & Heldr. *Diagn.* Ser. I. ix. 105 = Tournefortii. *Fontanesii*, G. Don, *Gen. Syst.* ii. 304 = *Hedysarum humile*. *foveolata*, DC. *Prod.* ii. 346 = cretica. *Gaertneriana*, Boiss. *Diagn.* Ser. I. ix. 108.—Syria. *Gaillardoti*, Boiss. *Fl. Orient.* ii. 548.—Mesopot. *galegifolia*, Boiss. *Diagn.* Ser. I. ii. 91.—Syria. *Gaudiniana*, Jord. Cat. Gr. Jard. Grenoble, (1850) 10.—Cf. Linnaea, xxv. (1852) 305 = gracilis. *geminiflora*, Schrank, in *Denkschr. Bot. Ges. Regensb.* ii. (1822) 64.—Bras. *glabra*, Desv. *Journ. Bot.* iii. (1814) 82 = viciaefolia. *gracilis*, Bess. *Enum. Pl. Volh.* 74.—Graec.; As. Min. *Haussknechtii*, Boiss. *Fl. Orient.* ii. 542.—Assyr. *Heldreichii*, Bunge, ex Boiss. l. c. 530 = laconica. *heliocarpa*, Boiss. *Diagn.* Ser. I. ii. 93.—Persia. *hemicycla*, Blanche, ex Boiss. *Fl. Orient.* ii. 553.—Syria. *heterophylla*, C. A. Mey. *Vers. Pfl. Cauc.* 146.—Reg. Caucas.; Persia. *heterophylla*, Schrank, ex Steud. *Nom. ed.* II. ii. 213 = *Desmodium triflorum*. *Hohenackeriana*, C. A. Mey. in *Bull. Sc. Acad. Petersb.* ii. (1837) 36 = Michauxii. *horrida*, Desv. *Journ. Bot.* iii. (1814) 83.—Afr. bor. *Huetiana*, Boiss. *Diagn.* Ser. II. ii. 35.—Armenia. *Huetiana*, Boiss. & Huet, in *Nouv. Mém. Soc. Nat. Mosc.* xii. (1860) 75 = atropatana. *hypargyrea*, Boiss. *Diagn.* Ser. I. ii. 91.—As. Min. *hypoleuca*, De Roem. ex Willk. & Lange, *Prod. Fl. Hisp.* iii. 267 = stenorrhiza.

## ONOBRYCHIS:—

- incana*, Gueldenst. *Reisen*, ii. 19 = viciaefolia. *incurvata*, DC. *Prod.* ii. 346.—Hab.? *inermis*, Stev. in *Bull. Soc. Nat. Mosc.* xxix. (1856) II. 165 = viciaefolia. *kachetica*, Boiss. & Buhse, in *Nouv. Mém. Soc. Nat. Mosc.* xii. (1860) 75.—Persia. *Kotschyana*, Fenzl, *Pugill. Pl. Nov. Syr.* 3.—Syria. *laconica*, Orph. ex Boiss. *Fl. Orient.* ii. 530.—Graecia. *lanata*, Boiss. *Diagn.* Ser. I. ii. 92.—Persia. *lasioleptachya*, Boiss. l. c. 96.—As. Min. *laxiflora*, Baker, in *Journ. Linn. Soc.* xix. (1882) 159.—Afghan. *lineata*, Desv. *Journ. Bot.* iii. (1814) 80 = *Flemingia lineata*. *longespicata*, Boiss. & Bal. ex Boiss. *Fl. Orient.* ii. 549 = hypargyrea. *longipes*, Bunge, ex Boiss. l. c. 546.—Persia. *lunata*, Boiss. *Diagn.* Ser. I. ii. 95.—Assyria. *major*, Boiss. & Kotschy, ex Boiss. *Fl. Orient.* ii. 533 = Balansae. *mareotica*, Stev. ex DC. *Prod.* ii. 345 = viciaefolia. *matritensis*, Boiss. & Reut. *Pl. Nov. Hisp. Diagn.* 11 = argentea. *megalophylla*, Griseb. *Spicil. Fl. Rumel.* i. 68 = Tournefortii. *megataphros*, Boiss. *Diagn.* Ser. I. ii. 97.—Syria. *melanotricha*, Boiss. l. c. vi. 43.—Persia. *Michauxii*, DC. *Prod.* ii. 347.—Armen.; Persia. *micrantha*, Schrenk, *Enum. Pl. Nov.* 85.—Soon-garia. *microptera*, Baker, in *Journ. Linn. Soc.* xviii. (1880) 48.—Afghan. *miniata*, Stev. ex Boiss. *Fl. Orient.* ii. 536 = gracilis. *montana*, DC. *Fl. Fr.* iv. 611 = viciaefolia. *neglecta*, Godet, in *Dub. Voy. Cauc.* iv. 541, nomen.—Reg. Caucas. *nitida*, Boiss. *Diagn.* Ser. I. ii. 92.—Cappadoc. *nummularia*, Stocks, in *Hook. Kew Journ.* iv. (1852) 146.—Beluchist. *Olivieri*, Boiss. *Fl. Orient.* ii. 547.—Mesopot. *orientalis*, Jaume St. Hil. *Expos.* ii. 239 = cornuta. *ornata*, Boiss. & Buhse, in *Mém. Soc. Nat. Mosc.* xii. (1860) 75 = atropatana. *ornata*, Desv. *Journ. Bot.* iii. (1814) 81.—Galatia. *ornata*, Ledeb. *Fl. Ross.* i. 711 = argyrea. *oxyodonta*, Boiss. *Diagn.* Ser. I. ii. 98.—Cappadoc. *oxyptera*, Boiss. l. c. vi. 44.—Persia. *oxytropoides*, Bunge, ex Boiss. *Fl. Orient.* ii. 530.—Armenia. *Pallasii*, Bieb. *Cent. Pl. Ross.* t. 35.—Tauria. *pallens*, Láng, *Enum.* 2; ex *Neilr. Aufzähl. Ung. Gefaesspfl.* 349.—Europ. *pallens*, Schur, in *Verh. Naturf. Ver. Bruenn*, xv. II. (1877) 183 = viciaefolia. *pallida*, Boiss. & Kotschy, ex Boiss. *Fl. Orient.* ii. 530.—Cilicia. *pannosa*, Boiss. *Diagn.* Ser. I. ix. 106 = *Hedysarum pannosum*. *parviflora*, Boiss. & Reut. ex Nym. *Consp.* 199 = supina. *paucidentata*, Pomel, *Nouv. Mat. Fl. Atl.* 200.—Alger. *peduncularis*, DC. *Prod.* ii. 346.—Afr. bor. *peduncularis*, Willk. in *Willk. & Lange, Prod. Fl. Hisp.* iii. 264 = saxatilis. *petraea*, Bess. *Enum. Pl. Volh.* 29 = gracilis. *petraea*, Desv. *Journ. Bot.* iii. (1814) 82.—Reg. Caucas. *petraea*, [Kit.] Host, *Fl. Austr.* ii. 351 = carpathica. *picta*, Desv. ex DC. *Prod.* ii. 347 = Michauxii. *pilosa*, Boiss. in *Ann. Sc. Nat. Sér.* IV. ii. (1854) 250 = Tournefortii. *pisidica*, Boiss. *Diagn.* Ser. I. ix. 107.—Pisidia. *procumbens*, Bunge, ex Boiss. *Fl. Orient.* ii. 535 = Bungei. *procumbens*, Fisch. ex Schrank, in *Denkschr. Bot. Ges. Regensb.* ii. (1822) 64 = viciaefolia. *psoralaeifolia*, Boiss. *Diagn.* Ser. I. ii. 93.—Persia. *ptolemaica*, Boiss. & Gaill. ex Boiss. *Fl. Orient.* ii. 548 = Gaillardoti. *ptolemaica*, DC. *Prod.* ii. 347.—Aegypt.; Arab. *pulchella*, Heldr. in *Boiss. Diagn.* Ser. II. vi. 64 = laconica. *pulchella*, Schrenk, *Enum. Pl. Nov.* 87.—Soongaria. *pumila*, Desv. *Journ. Bot.* iii. (1814) 84.—Hispan. *radiata*, Bieb. *Cent. Pl. Ross.* t. 55 = vaginalis.

## ONOBRYCHIS:—

- radiata*, Fisch. *Cat. Hort. Gorenk.* (1812) 73.—Reg. Caucas. *radiata*, Steud. *Nom. ed.* II. ii. 213 = circinnata, Michauxii. *reticulosa*, Opiz, *Natural.* ix. (1825) 134 (Quid?).—Europ. *Richardi*, Baker, in *Oliver, Fl. Trop. Afr.* ii. 141.—Afr. trop. *rotundifolia*, Desv. *Journ. Bot.* iii. (1814) 84 = Indigofera echinata. *sativa*, Lam. *Fl. Fr.* ii. 652 = viciaefolia. *saxatilis*, Lam. l. c. 653.—Europ. occ. *scapiformis*, C. Koch, in *Linnaea*, xix. (1847) 67 = cretica. *scrobiculata*, Boiss. *Diagn.* Ser. I. ii. 95.—Persia. *sericea*, Spreng. *Syst.* iii. 205 = Ebenus pinnata. *sibirica*, Turcz. ex Bess. in *Flora*, xvii. (1834) 1. *Beibl.* 10.—Sibir. *simplicifolia*, R. Br. in *Salt, Abyss. App.* 65.—Abyss. *sororia*, Desv. *Journ. Bot.* iii. (1814) 80 = Eleiotis sororia. *spicata*, Moench, *Meth.* 122 = viciaefolia. *spinosissima*, Baker, in *Journ. Linn. Soc.* xviii. (1880) 49.—Afghan. *Spruneriana*, Hampe, in *Flora*, xxv. (1842) 61 = ebenoides. *squarrosa*, Viv. *Fl. Aegypt. Arab. Diagn.* 14 = Gaertneriana. *stenorrhiza*, DC. *Prod.* ii. 346.—Hispan. *Stewartii*, Baker, in *Hook. f. Fl. Brit. Ind.* ii. 141.—Ind. bor. occ. *subcaulis*, Boiss. *Fl. Orient.* ii. 544.—Persia. *sulphurea*, Boiss. & Bal. *Diagn.* Ser. II. vi. 63.—Cappadoc. *supina*, DC. *Fl. Fr. Suppl.* 612.—Europ. *supina*, Gaud. *Fl. Helv.* iv. 570 = arenaria. *Szovitsii*, Boiss. *Fl. Orient.* ii. 542.—Persia. *tanaitica*, Fisch. ex Steud. *Nom. ed.* II. ii. 214 = viciaefolia. *tanaitica*, Spreng. *Neue Entdeck.* ii. 162 = petraea, viciaefolia. *tavernieraefolia*, Stocks, ex Boiss. *Fl. Orient.* ii. 545.—Afghan. *tenuifolia*, Moench, *Meth. Suppl.* 41 = saxatilis. *tenuis*, Boiss. & Bal. *Diagn.* Ser. II. vi. 65 = cadmea. *Tommasinii*, Borb. ex Nym. *Consp.* 589 = alba. *Tommasinii*, Jord. Cat. Gr. Jard. Grenoble (1851).—Cf. Linnaea, xxv. (1852) 303 = gracilis. *Tournefortii*, Desv. *Journ. Bot.* iii. (1814) 81 = Macedon.; As. Min. *tragacanthoides*, DC. *Prod.* ii. 347 = cornuta. *trichocalycina*, Boiss. *Diagn.* Ser. II. v. 90.—Armenia. *trilophocarpa*, Coss. & Dur. in *Ann. Sc. Nat. Sér.* IV. i. (1854) 223, nomen = O. Crista-galli. *vaginalis*, C. A. Mey. *Vers. Pfl. Cauc.* 145.—Reg. Caucas. *velutina*, Boiss. *Fl. Orient.* ii. 549 = hypargyrea. *venosa*, Desv. *Journ. Bot.* iii. (1814) 81.—Reg. Tunis.; Ins. Cyprus. *viçiaefolia*, Scop. *Fl. Carn.* ed. II. ii. 76.—Europ.; As. or. et bor. *viçoides*, Medic. in *Vorles. Churpf. Phys. Ges.* ii. (1787) 372 = viciaefolia. *virgata*, Presl, *Delic. Prag.* 43.—Sicilia. *Visianii*, Borb. ex Nym. *Consp.* 198 = alba. *vulgaris*, Gueldenst. *Reisen*, ii. 19, 33; Gaud. *Fl. Helv.* iv. 569 = viciaefolia. *Wiedemanni*, Boiss. *Fl. Orient.* ii. 549.—Oriens.

ONOCILIS, Mart. in *Denkschr. Akad. Muench.* v. (1817) 177 = *Nonnea*, Medic. (Borag.). *pulla*, Mart. l. c. = N. pulla.

ONOCOTONIA, Naud. in *Ann. Sc. Nat. Sér.* III. xii. (1849) 276 = *Poteranthera*, Bong. (Melastom.). *calcarata*, Naud. l. c. 277 = P. calcarata. *crassipes*, Naud. l. c. = P. crassipes. *pauciflora*, Naud. l. c. = P. pauciflora.

ONODONTEA, G. Don, *Gen. Syst.* i. 148 (1831), sphalm ANODONTEA, Sweet = *Alyssum*, Tourn. (Crucif.).

ONOEAE, Franch. & Sav. *Enum. Pl. Jap.* ii. 178 (1879) *Diarrhena*, Rafin. *Gramin.* *japonica*, Franch. & Sav. l. c. = D. japonica.



**ONONIS**, Linn. Syst. ed. ed. I. (1735). *LEGUMI-NOSAE*, Benth. & Hook. f. i. 485.  
*ANONIS*, Tourn. ex Adans. Fam. ii. 323 (1763).  
*BONAGA*, Medic. in Vorles. Churpf. Phys. Ges. ii. (1787) 345; Phil. Bot. 206 (1789).  
*BUGRANOPSIS*, Pomel, Nouv. Mat. Fl. Atl. 171 (1874).  
*NATRIX*, Moench, Meth. 158 (1794).  
*PASSAEA*, Adans. Fam. ii. 509 (1763).  
*adenotricha*, Boiss. Diagn. Ser. I. ii. 14.—As. Min.; Syria.  
*adglutinans*, Presl, Bot. Bemerk. 50 = *O. Natrix*.  
*aethiopica*, Burm. f. Fl. Cap. Prod. 21 = *Melolobium cernuum*.  
*aggregata*, Asso, Syn. Stirp. Arag. 97. t. 6. f. 1 = striata.  
*alba*, Poir. Voy. Barb. ii. 210.—Reg. Mediterr.  
*alopecuroides*, Coss. Notes Crit. 33.—Ind. or.  
*alopecuroides*, Linn. Sp. Pl. 717.—Reg. Mediterr.  
*alopecuroides*, Pall. Tabl. Taur. 55 = *hircina*.  
*altissima*, Colm. Genist. & Anthyll. Portug. 69 = *arvensis*.  
*altissima*, Lam. Encyc. i. 506 = *hircina*.  
*ambigua*, Lange, in Kjoeb. Vidensk. Meddel. (1877) 238.—Hispan.  
*angustifolia*, G. Don, Gen. Syst. ii. 160 = seq.  
*angustissima*, Lam. Encyc. i. 508.—Reg. Mediterr. occ.  
*Anil*, Mill. Gard. Dict. ed. VIII. n. 14 (Indigoferae sp.).—Ind. occ.  
*anomala*, Pomel, Nouv. Mat. Fl. Atl. 165.—Alger.  
*antennata*, Pomel, l. c. 315.—Alger.  
*anthylloides*, Ser. in DC. Prod. ii. 168 = *Lotononis umbellata*.  
*antiquorum*, Linn. Sp. Pl. ed. II. 1006.—Europ. austr.; Oriens.  
*antiquorum*, Pollini, ex Reichb. Fl. Germ. Excurs. 517 = *spinosa*.  
*antiquorum*, Willk. Sert. 41; ex Willk. & Lange, Prod. Fl. Hisp. iii. 393 = *arvensis*.  
*aphylla*, Lam. Encyc. i. 509 = *variegata*.  
*arachnoidea*, Lapeyr. Hist. Abr. Pl. Pyren. 409 = *O. Natrix*.  
*aragonensis*, Asso, Syn. Stirp. Arrag. 96. t. 6. f. 2.—Hispan.  
*arborescens*, Clem. ex Willk. & Lange, Prod. Fl. Hisp. iii. 416 = *speciosa*.  
*arborescens*, Desf. Fl. Atlant. ii. 149. t. 193.—Alger.  
*Arbuscula*, Desv. Journ. Bot. iii. (1814) 76 = *tridentata*.  
*arenaria*, DC. Cat. Hort. Monsp. 128 = *O. Natrix*.  
*argentea*, Linn. f. Suppl. 324 = *Rhynchosia microscias*.  
*aristata*, Steud. Nom. ed. II. ii. 214, sphaem. = *longe-aristata*.  
*arragonensis*, Coss. ex Boiss. & Reut. Pugill. Pl. Nov. 31 = *Reuteri*.  
*arthropodia*, Brot. Phyt. Lusit. i. 141. t. 58 = *pubescens*.  
*arvensis*, Linn. Syst. ed. XII. 478.—Europ.; Sibir.  
*arvensis*, Retz. Obs. ii. 21 = *hircina*?  
*aspalathoides*, G. Don, Gen. Syst. ii. 164 = seq.  
*asphaltoides*, Ser. in DC. Prod. ii. 167 = *Lotononis involucreta*.  
*atlantica*, Ball, in Journ. Bot. xi. (1873) 304.—Marocc.  
*Aucheri*, Jaub. & Spach, Illustr. i. 85 = *Lotus Garcini*.  
*avellana*, Pomel, Nouv. Mat. Fl. Atl. 168.—Alger.  
*baetica*, Roxas Clem. Ensay. Vid. 291 = *hirta*.  
*balearia*, Pourr. ex Nym. Consp. 161 = *pubescens*.  
*barbata*, Cav. Ic. ii. 42 = *minutissima*.  
*Barrelieri*, Duf. in Bull. Soc. Bot. Fr. vii. (1860) 324 = *tridentata*.  
*Bernhardii*, Vis. in Orto Bot. Padov. (1842) 101 = *spinosa*.  
*bicolor*, Moris, Stirp. Sard. Elench. iii. 7 = *biflora*.  
*biflora*, Desf. Fl. Atlant. ii. 143.—Reg. Mediterr.  
*Bonanniana*, Presl, Fl. Sicul. p. xix = *oligophylla*.  
*Bourgaei*, Boiss. & Reut. Pugill. Pl. Nov. 31.—Hispan.; Lusit.  
*brachycarpa*, Ser. in DC. Prod. ii. 160.—Hispan.  
*brachystachya*, Vis. Fl. Dalm. iii. 274.—Dalmat.  
*breviflora*, Ser. in DC. Prod. ii. 160 = *viscosa*.  
*Broteriana*, Ser. l. c. 162.—Hispan.  
*Broussonetii*, DC. Prod. ii. 160 = *pendula*.  
*caduca*, Vill. Hist. Pl. Dauph. iii. 428 = *arvensis*.  
*calycina*, Lam. Encyc. i. 506 = *pubescens*.  
*calycina*, Viv. Fl. Lyb. Spec. 41. t. 18. f. 3.—Afr. bor.  
*campestris*, Koch & Ziz, Cat. Pl. Palat. 22 = *spinosa*, *arvensis*.  
*campestris*, Sieber, ex Webb & Berth. Phyt. Canar. ii. 23.—Palaeatina.

**ONONIS**—

*canescens*, Steud. Nom. ed. II. ii. 214 = *tridentata*.  
*capensis*, Linn. Pl. Rar. Afr. 16; Amoën. Acad. vi. 95 (*Lotononis* sp.).—Afr. austr.  
*capillaris*, Thunb. Prod. Pl. Cap. 129 = *Aspalathus capillaris*.  
*capitata*, Cav. Ic. ii. 43. t. 159 = *Columnae*.  
*cenisia*, Linn. Mant. ii. 267.—Europ. austr.  
*cephalantha*, Pomel, Nouv. Mat. Fl. Atl. 168.—Alger.  
*Cephalotes*, Boiss. Elench. 33.—Hispan.  
*cernua*, Linn. Pl. Rar. Afr. 16; Amoën. Acad. vi. 95 = *Melolobium cernuum*.  
*cerriifolia*, Reichb. ex DC. Prod. ii. 317 = *Stylosanthes procumbens*.  
*cheiranthoides*, Lapeyr. ex Steud. Nom. ed. II. ii. 214 (Quid?).—Pyren.  
*Cherleri*, Desf. Fl. Atlant. ii. 148; Sibth. & Sm. Fl. Graec. vii. 72. t. 677 = *reclinata*.  
*Cherleri*, Forsk. Fl. Aegypt. Arab. 131 = *vaginalis*.  
*Cherleri*, Linn. Sp. Pl. ed. II. 1007.—Reg. Mediterr.  
*Cherleri*, Linn. l. c., partim = *Columnae*.  
*chorassanica*, Bunge, in Boiss. Fl. Orient. ii. 62.—Persia.  
*cicerifolia*, DC. Mém. Lég. vi. 222; Prod. ii. 165.—Hab.?  
*cintrana*, Brot. Phyt. Lusit. 138. t. 57.—Reg. Mediterr. occ.  
*Claousina*, Pomel, Nouv. Mat. Fl. Atl. 315.—Alger.  
*Columnae*, All. Fl. Pedem. i. 318. t. 20. f. 3.—Reg. Mediterr.; Oriens.  
*compressa*, Lag. & Rodr. in Anal. Sc. Nat. iv. (1801) 262.—Hab.?  
*confusa*, Bor. Fl. Centr. Fr. ed. III. ii. 144, in obs. = *spinosa*?  
*conjugata*, Herb. Lamb. ex G. Don, Gen. Syst. iii. 469.—Mexic.  
*coriifolia*, Reichb. ex Guill. & Perr. Fl. Seneg. Tent. 204 = *Stylosanthes erecta*.  
*Cossoniana*, Boiss. & Reut. Pugill. Pl. Nov. (1852) 33.—Reg. Mediterr. occ.  
*crassifolia*, Duf. ex DC. Prod. ii. 161 = *tridentata*.  
*crinita*, Pomel, Nouv. Mat. Fl. Atl. 170.—Alger.  
*crispa*, Linn. Sp. Pl. ed. II. 1010.—Hispan.  
*crispa*, Sibth. & Sm. Fl. Graec. vii. t. 680 = *O. Natrix*.  
*cristata*, Mill. Gard. Dict. ed. VIII. n. 9 = *cenisia*.  
*crotalariaoides*, Coss. Notes Crit. 155.—Hispan.  
*cuspidata*, Desf. Fl. Atlant. ii. 144.—Algeria.  
*decumbens*, Mill. Gard. Dict. ed. VIII. n. 15 = *Milleri*.  
*decumbens*, Sieber, ex DC. Prod. ii. 217 = *Psoralea decumbens*.  
*decumbens*, Thunb. Prod. Pl. Cap. 129 = *Lotononis porrecta*.  
*Dehnhardtii*, Tenore, Ind. Sem. Hort. Neap. (1825) 11. n. 18; Syll. 348 = *serrata*.  
*dentata*, Soland. ex Lowe, in Trans. Camb. Phil. Soc. iv. (1831) 34 = *reclinata*.  
*Desfontainii*, Duf. ex DC. Prod. ii. 162.—Hispan.; Ital.  
*diacantha*, Sieber, ex Reichb. Pl. Crit. i. 9. t. 7 = *antiquorum*.  
*diffusa*, Coss. Not. Crit. 35 = *Cossoniana*.  
*diffusa*, Tenore, Prod. Fl. Nap. p. xli = *serrata*.  
*dumosa*, Lapeyr. Hist. Abr. Pl. Pyr. 410 = *aragonensis*.  
*elegans*, Clem. ex Willk. & Lange, Prod. Fl. Hisp. iii. 416 = *speciosa*.  
*ellipticifolia*, Willk. l. c. 397.—Hispan.  
*elongata*, Thunb. Prod. Pl. Cap. 129 = *Lotononis prostrata*.  
*emarginata*, Boj. ex Benth. in Hook. Lond. Journ. Bot. ii. (1843) 576 = *Crotalaria spinosa*.  
*ervoides*, Sieber, Reise Kreta, ii. 325 = *Cicer ervoides*.  
*euphrasiaefolia*, Desf. Fl. Atlant. ii. 141. t. 184.—Alger.  
*excisa*, Thunb. Fl. Cap. ed. Schult. 586 = *Crotalaria humilis*.  
*excisa*, Thunb. Prod. Pl. Cap. 129 = *geminata*, *Lotononis excisa*.  
*falcata*, Viv. Fl. Lyb. Spec. 41. t. 18 = *angustissima*.  
*fasciculata*, Thunb. Prod. Pl. Cap. 130 = *Aspalathus undulata*.  
*filicaulis*, Salzm. ex Boiss. Voy. Bot. Espagne, 153. t. 46.—Reg. Mediterr. occ.  
*filiformis*, Linn. Mant. ii. 266 = *Indigofera sarmentosa*.  
*flava*, Forsk. Fl. Aegypt. Arab. 130.—Arab.  
*flexipes*, Webb & Berth. Phyt. Canar. ii. 27.—Ins. Canar.  
*foetens*, All. Fl. Pedem. i. 317. t. 41. f. 1 = *hircina*.

**ONONIS**—

*foetida*, Schousb. ex Balb. in DC. Prod. ii. 161 = *porrigens*.  
*foliosa*, Willk. & Costa, in Linnaea, xxx. (1859-60) 96.—Hispan.  
*fruticosa*, Linn. Sp. Pl. 718.—Europ.  
*geminata*, [Dryand. in] Ait. Hort. Kew. ed. I. iii. 23.—Afr. austr.  
*geminiflora*, Lag. Gen. et Sp. Nov. 22 = *biflora*.  
*gibraltaria*, Boiss. Elench. 32 = *O. Natrix*.  
*gibraltaria*, Salzm. ex Ball, in Journ. Linn. Soc. xvi. (1878) 410 = *Cossoniana*.  
*glabra*, Thunb. Prod. Pl. Cap. 130 = *Lotononis trichopoda*.  
*glandulifera*, Weinm. Cat. Hort. Dorpat. (1810) 107 = *rotundifolia*.  
*glaucescens*, Pomel, Nouv. Mat. Fl. Atl. 167.—Alger.  
*glutinosa*, Mart. in Denkschr. Akad. Muench. vi. (1816-17) 154 = *Crotalaria paniculata*.  
*glutinosa*, Presl, Delic. Prag. 35 = *viscosa*.  
*grandiflora*, Munby, in Bull. Soc. Bot. Fr. xi. (1864) 45.—Alger.  
*Hackelii*, Lange, in Kjoeb. Vidensk. Meddel. (1877) 239 = *biflora*.  
*hebecarpa*, Webb & Berth. Phyt. Canar. ii. 25.—Ins. Canar.  
*heterophylla*, Scheele, in Linnaea, xxv. (1852) 266.—Dalmat.  
*heterophylla*, Thunb. Prod. Pl. Cap. 129 = *Lotononis erostrata*.  
*hircina*, Jacq. Hort. Vindob. i. 40.—Europ.; As. bor.  
*hirsuta*, Thunb. Prod. Pl. Cap. 129 = *Euchlora serpens*.  
*hirta*, Desf. Hort. Par. ex Poir. Encyc. Suppl. i. 741.—Hispan.; Cilicia; Syria.  
*hispanica*, Linn. f. Suppl. 324 = *O. Natrix*.  
*hispidula*, Desf. Fl. Atlant. ii. 146. t. 189.—Alger.  
*hybrida*, Schrank, Baier. Fl. ii. 251 = *pubescens*?  
*inaequifolia*, Ser. in DC. Prod. ii. 165 = *O. Natrix*.  
*inaperta*, Moench, Meth. Suppl. 54 = *Columnae*.  
*incisa*, Coss. & Dur. in Munby, Cat. Pl. Alger. 8, nomen.—Alger.  
*inclusa*, Pourr. ex Willk. & Lange, Prod. Fl. Hisp. iii. 401.—Corsic.  
*inermis*, Huds. Fl. Angl. ed. II. 313 = *hircina*.  
*inermis*, Pall. Reise Suedl. Statth. Russl. ii. 87, 88.—Tauria.  
*insignis*, Coss. ex Nym. Consp. 161.—Hispan.  
*intermedia*, C. A. Mey. ex Beck. in Bull. Soc. Nat. Mosc. (1858) i. 28 = *arvensis*.  
*involucrata*, Berg. Desc. Pl. Cap. 213; Linn. f. Suppl. 324 = *Lotononis involucreta*.  
*juncea*, Asso, Syn. Stirp. Arrag. 96. t. 5. f. 2.—Hispan.  
*Kotschyana*, Fenzl, Pugill. Pl. Nov. 5.—Syria.  
*Kotschyana*, Kotschy, ex Boiss. Fl. Orient. ii. 58 = *adenotricha*.  
*laevis*, Pall. Reise Suedl. Statth. Russl. i. 350.—Rossia.  
*Lagopus*, Thunb. Prod. Pl. Cap. 130 = *Aspalathus lotoides*.  
*latifolia*, Asso, Syn. Stirp. Arag. Mant. t. 11. f. 1 = *rotundifolia*.  
*laxiflora*, Desf. Fl. Atlant. ii. 146. t. 190.—Afr. bor.; Ins. Canar.  
*laxiflora*, Lowe, ex Ball, in Journ. Linn. Soc. xvi. (1878) 408 = *pendula*.  
*laxiflora*, Viv. Fl. Cors. Sp. 13 = *reclinata*.  
*legitima*, Delarb. Fl. Auv. ed. II. 446 = *spinosa*, *arvensis*.  
*leiosperma*, Boiss. Fl. Orient. ii. 57.—Syria; Persia.  
*leucotricha*, Coss. Notes Crit. 34.—Hispan.  
*lingulata*, Munby, Cat. Pl. Alger. 8.—Alger.  
*litoralis*, Moris, ex Spreng. Syst. iv. Cur. Post. 346.—Sardin.  
*littoralis*, Vahl, ex Willk. & Lange, Prod. Fl. Hisp. iii. 398 = *serrata*.  
*longearistata*, Presl, Fl. Sic. p. xix = *viscosa*.  
*longifolia*, Brouss. ex Willd. Enum. Hort. Berol. 750 = *angustissima*.  
*lusitanica*, Spreng. Syst. iii. 182 = *Broteriana*.  
*macracantha*, Bernh. Sel. Sem. Hort. Erf. (1835).—Cf. Linnaea, xi. (1837) Litt. 86 = *spinosa*.  
*macracantha*, Clarke, Trav. ii. 354 = *antiquorum*.  
*macrophylla*, Spreng. Fl. Hal. Mant. 47.—Lusit.  
*maritima*, Cav. ex Nym. Consp. 160 = *O. Natrix*.  
*maritima*, Dum. in Bull. Soc. Bot. Belg. i. (1862) 113, in nota = *arvensis*.  
*Masquillierii*, Bertol. in Nov. Comm. Acad. Sc. Bonon. iv. (1840) 19. t. 5.—Italia.



## ONONIS:—

massesylia, *Pomel, Nouv. Mat. Fl. Atl.* 316.—Alger.  
*mauritanica*, Linn. Mant. ii. 266 = Indigofera coriacea.  
*mauritanica*, *Pomel, Nouv. Mat. Fl. Atl.* 164.—Alger.  
*mauritanica*, Schousb. ex Ball, in Journ. Linn. Soc. xvi.  
 (1878) 411 = alopecuroides.  
*Maweana*, Ball, in Journ. Bot. xi. (1873) 304.—  
 Marocc.  
*megalostachys*, Munby, in Bull. Soc. Bot. Fr. xi.  
 (1864) 45.—Alger.  
*micrantha*, Lowe, in Trans. Camb. Phil. Soc. vi. (1838)  
 reimpr. 25.—Ins. Madera.  
*micrantha*, Thunb. Prod. Pl. Cap. 130 = Lotononis  
 micrantha.  
*microphylla*, Linn. f. Suppl. 324; Thunb. Prod. Pl.  
 Cap. 129 = Melolobium microphyllum.  
*microphylla*, *Pomel, Nouv. Mat. Fl. Atl.* 164.—  
 Alger.  
*microphylla*, Presl, Bot. Bemerk. 50 = O. Natrix.  
*microperma*, Lowe, Man. Fl. Mad. i. 598 = micrantha.  
*Milleri*, Ser. in DC. Prod. ii. 168 (Indigofera sp.).—  
 Mexic.  
*Miniana*, Plan. Fl. Galleg. 166 = arvensis.  
*minuta*, Pall. Tabl. Taur. 55; et Phys. Gem. Taur.  
 115 = Columnae?  
*minutissima*, Jacq. Fl. Austr. iii. 23. t. 240 =  
 Columnae.  
*minutissima*, Linn. Sp. Pl. 717.—Reg. Mediterr. occ.  
*mitis*, Mill. Gard. Dict. ed. VIII. n. 2; C. C. Gmel.  
 Fl. Bad. ii. 162 = arvensis.  
*mitis*, Pall. Reise, i. 236 = hircina.  
*mitissima*, Linn. Sp. Pl. 717.—Reg. Mediterr.  
*mollis*, Lag. Gen. et Sp. Nov. 22 = Desfontainii.  
*mollis*, Savi, in Mem. Soc. Ital. Mod. ix. (1802) 351.  
 t. 8 = reclinata.  
*monophylla*, Desf. Fl. Atlant. ii. 145 = alopecuroides.  
*montana*, Coss. Notes Crit. 103.—Hispan.  
*Morissonii*, Gouan, Illustr. 47 = pubescens.  
*natricoides*, Coss. & Dur. ex Munby, Cat. Pl. Alger. 8  
 = lingulata.  
*Natrix*, Linn. Sp. Pl. 717.—Reg. Mediterr.  
*occidentalis*, Lange, in Willk. & Lange, Prod. Fl. Hisp.  
 iii. 394 = arvensis.  
*oligophylla*, Tenore, Prod. Fl. Nap. Suppl. ii. 69.—  
 Ital.  
*ornithopodioides*, Linn. Sp. Pl. 718.—Reg. Mediterr.  
*ornithopodioides*, Sieber, ex Tausch, in Flora, xiv.  
 (1831) 210 = Medicago minima.  
*pallida*, Willd. ex Hornem. Hort. Hafn. ii. 676.—  
 Hab.?  
*paniculata*, Cav. in Anal. Cienc. Nat. iv. (1801) 69.—  
 Afr. bor.  
*paradoxa*, Welw. ex Ball, in Journ. Linn. Soc. xvi.  
 (1878) 411 = alopecuroides.  
*parviflora*, Berg. Desc. Pl. Cap. 214.—Afr. austr.  
*parviflora*, Lam. Encyc. i. 510 = Columnae.  
*parvula*, Steud. ex Baker, in Oliver, Fl. Trop. Afr. ii.  
 48 = reclinata.  
*peduncularis*, Lindl. Bot. Reg. t. 1447.—Ins. Canar.  
*pendula*, Desf. Fl. Atlant. ii. 147. t. 191.—Reg.  
 Mediterr. occ.  
*pendula*, Sieber, ex Ser. in DC. Prod. ii. 162 = Sieberi.  
*persica*, Burm. f. Fl. Ind. 157. t. 49 = sicula.  
*phyllocephala*, Boiss. Fl. Orient. ii. 68.—Syria.  
*Picardi*, Boiss. Elench. 33.—Hispan.  
*Picardi*, Coss. ex Boiss. & Reut. Pugill. Pl. Nov.  
 (1852) 31 = Bourgaei.  
*picta*, Desf. Fl. Atlant. ii. 144. t. 187 = O. Natrix.  
*pilosa*, Bartl. in Bartl. & Wendl. f. Beitr. ii. 77 =  
 reclinata.  
*pinguis*, Linn. Sp. Pl. 1006 = O. Natrix.  
*pinnata*, Brot. Fl. Lusit. ii. 99.—Lusitan.  
*polymorpha*, Guss. Pl. Rar. Sic. 291 = Sieberi.  
*polyphylla*, Ball, in Journ. Bot. xi. (1873) 304.—  
 Marocc.  
*porrigens*, Salz. ex Ball, in Journ. Linn. Soc. xvi.  
 (1878) 406.—Marocc.  
*praecox*, Bianca, Pl. Nov. 14; ex Guss. Fl. Sic. Syn. ii.  
 851 = biflora.  
*procumbens*, Link, Handb. ii. 512, sphalm. = *pro-*  
*currens*, Wallr.  
*procurrens*, Benth. in Royle, Illustr. Bot. Himal. 197 =  
 hircina.  
*procurrens*, Wallr. Sched. Crit. 381 = arvensis.  
*prostrata*, Burm. f. Fl. Cap. Prod. 21 = Lotononis  
 prostrata.  
*psammophila*, Dur. ex Munby, Cat. Pl. Alger. 8 = lin-  
 gulata.

## ONONIS:—

*Pseudo-hircina*, Schur, Enum. Pl. Transs. 150 = hir-  
 cina.  
*Pseudo-repens*, Schur, in Verh. Naturf. Ver. Bruenn,  
 xv. ii. (1877) 170 = praec.?  
*pubescens*, Linn. Mant. ii. 267.—Reg. Mediterr.  
*pulchella*, Boiss. Fl. Orient. ii. 58 = adenotricha.  
*pungens*, *Pomel, Nouv. Mat. Fl. Atl.* 166.—Alger.  
*purpurea*, Gilib. Fl. Lituan. ii. 80 = arvensis.  
*purpurea*, Mill. ex Steud. Nom. ed. II. ii. 215 = fruticosa.  
*pusilla*, Linn. Syst. ed. X. 1159 = Columnae?  
*pygmaea*, C. Koch, in Linnaea, xix. (1847) 62 = vis-  
 cosa.  
*pyramidale*, Cav. in Anal. Cienc. Nat. iv. (1801) 71.  
 —Afr. bor.  
*pyrenaica*, Willk. & Costa, in Linnaea, xxx. (1859-60)  
 97.—Mont. Pyren.  
*quinata*, Forsk. Fl. Aegypt. Arab. 130 = Dorycnium  
 latifolium.  
*quinata*, Thunb. Prod. Pl. Cap. 130 = Lotononis qui-  
 nata, Harv.  
*racemosa*, Brot. Fl. Lusit. ii. 96 = O. Natrix.  
*racemosa*, Thunb. Prod. Pl. Cap. 129.—Afr. austr.  
*ramosissima*, Desf. Fl. Atlant. ii. 142. t. 186 = O.  
 Natrix.  
*reclinata*, Brot. Fl. Lusit. ii. 97 = pendula.  
*reclinata*, DC. Fl. Fr. iv. 511, in syn. = striata.  
*reclinata*, Linn. Sp. Pl. ed. II. 1011.—Reg. Mediterr.  
*reflexa*, Roem. Hort. Turic.; ex Steud. Nom. ed. II.  
 ii. 215 (Quid?).—Lusitan.  
*repens*, Linn. Sp. Pl. 717 = arvensis.  
*Reuteri*, Boiss. & Reut. Pugill. Pl. Nov. (1852) 30.—  
 Hispan.  
*rhinanthoides*, Lapeyr. Hist. Abr. Pl. Pyren. 407.—  
 Mont. Pyren.  
*rigida*, Kunze, in Flora, xxix. (1846) 634 = fruticosa.  
*rosaefolia*, DC. Mém. Lég. vi. 221; Prod. ii. 165.—  
 Hispan.  
*rosea*, Dur. in Duch. Rev. Bot. ii. (1846) 437.—Afr.  
 bor.  
*rostrata*, Ucria, in Roem. Arch. i. 1. 69 = Trigonella  
 prostrata?  
*rotundifolia*, Linn. Sp. Pl. 719.—Europ. austr.  
*rotundifolia*, Linn. l. c. ed. II. 1050, excl. syn. = tri-  
 bracteata.  
*Salzmänniana*, Boiss. & Reut. Pugill. Pl. Nov. (1852)  
 34 = alopecuroides.  
*saxatilis*, Lam. Encyc. i. 509 = minutissima.  
*saxicola*, Boiss. & Reut. Pugill. Pl. Nov. (1852) 32.—  
 Hispan.  
*scabra*, Lapeyr. Hist. Abr. Pl. Pyren. 407.—Mont.  
 Pyren.  
*scariosa*, Moench, Meth. 158 = mitissima.  
*Schouwii*, Ser. in DC. Prod. ii. 162 = pendula.  
*secunda*, Thunb. Prod. Pl. Cap. 130 = Lotononis  
 peduncularis.  
*senescens*, Lapeyr. Hist. Abr. Pl. Pyren. 405 = spinosa.  
*sericea*, Thunb. Prod. Pl. Cap. 129 = Argyrolobium  
 lanceolatum.  
*serotina*, *Pomel, Nouv. Mat. Fl. Atl.* 166.—Alger.  
*serrata*, Forsk. Fl. Aegypt. Arab. 131.—Reg. Mediterr.  
*serrata*, Gren. & Godr. Fl. Fr. i. 375 = diffusa.  
*sicula*, Guss. Adnot. Cat. Pl. Boccad. (1821) 10.—Reg.  
 Mediterr.; Persia.  
*Sieberi*, Bess. ex DC. Prod. ii. 162.—Europ. austr.  
*speciosa*, Lag. Nov. Gen. et Sp. 22.—Hispan.  
*spicata*, Munby, Fl. Algér. 76 = rosea.  
*spicata*, Thunb. Prod. Pl. Cap. 129 = Aspalathus hetero-  
 phylla.  
*spinosa*, Bieb. Fl. Taur. Cauc. ii. 149 = hircina.  
*spinosa*, Cav. Desc. 533 = antiquorum.  
*spinosa*, Hasselq. Iter, ed. Gall. i. 138; ii. 187; ex DC.  
 Prod. ii. 352 = Alhagi maurorum.  
*spinosa*, Linn. Sp. Pl. 716.—Europ.  
*spinosaeformis*, Simk. in Oestr. Bot. Zeitschr. xxvii.  
 (1877) 158.—Europ. austr.  
*spinulosa*, Coss. in Bull. Soc. Bot. Fr. xxii. (1875) 57  
 = atlantica.  
*stipularis*, Duf. ex Nym. Consp. 161 = sicula.  
*stipulata*, Thunb. Prod. Pl. Cap. 129 = Melolobium  
 stipulatum.  
*striata*, Gouan, Illustr. 47.—Europ. austr.  
*stricta*, *Pomel, Nouv. Mat. Fl. Atl.* 169.—Alger.  
*strigosa*, Burm. f. Fl. Cap. Prod. 21 = Psoralea hirta.  
*strigosa*, Thunb. Prod. Pl. Cap. 130 = Lotononis um-  
 bellata.  
*subaristata*, DC. ex W. Baxt. in Loud. Hort. Brit.  
 Suppl. ii. 652 = cenisia.

## ONONIS:—

subcordata, Cav. in Anal. Cienc. Nat. iv. (1801) 70  
 (sp. dub.).—Hispan.  
*subocculata*, Vill. Prosp. 41 = Columnae.  
*subspicata*, Lag. ex Colm. Genist. et Anthyll. Portug.  
 73.—Hispan.  
*syriaca*, Jaub. & Spach, Illustr. ii. 72. t. 155 = adeno-  
 tricha.  
*tingitana*, Salz. ex Ball, in Journ. Linn. Soc. xvi.  
 (1878) 410 = Cossoniana.  
*Tournefortii*, Coss. Notes Crit. 34.—Reg. Mediterr. occ.  
*tribracteata*, DC. Fl. Fr. Suppl. 553.—Carinthia.  
*tribracteolata*, Link, Handb. ii. 157, sphalm. = praec.  
*tridentata*, Linn. Sp. Pl. 718.—Hispan.  
*trifoliata*, Linn. Syst. ed. XII. 479 = Trifolium brac-  
 teatum.  
*Tuna*, *Pomel, Nouv. Mat. Fl. Atl.* 317.—Alger.  
*ulicina*, Webb & Berth. Phyt. Canar. ii. 23.—Ins.  
 Canar.  
*umbellata*, Linn. Mant. ii. 266 = Lotononis peduncularis.  
*umbrosa*, Schur, in Verh. Naturf. Ver. Bruenn, xv. ii.  
 (1877) 169 = spinosa.  
*vaginalis*, Vahl, Symb. Bot. i. 53.—Afr. bor.; Syria.  
*variegata*, Linn. Sp. Pl. 717.—Reg. Mediterr.  
*variegata*, Schousb. ex Ball, in Journ. Linn. Soc. xvi.  
 (1878) 411 = alopecuroides.  
*vestita*, Viv. Fl. Lyb. Spec. 40. t. 18 = vaginalis.  
*villosa*, Linn. Syst. ed. X. 1160 = viscosa.  
*villosa*, Sieber, ex Presl, Bot. Bemerk. 49 = Rhynchosia  
 microscias.  
*villosa*, Thunb. Prod. Pl. Cap. 129 = Lotononis azurea.  
*villosissima*, Desf. Fl. Atlant. ii. 147. t. 192.—Alger.  
*violacea*, Peterm. in Rabenh. Bot. Centralbl. (1846)  
 45 = spinosa.  
*virgata*, Burm. f. Fl. Cap. Prod. 21 = Psoralea decumbens  
 virgata, Kunze, in Flora, xxix. (1846) 760.—Hispan.  
*viscidula*, *Pomel, Nouv. Mat. Fl. Atl.* 318.—Alger.  
*visciflora*, Ser. in DC. Prod. ii. 168.—Afr. austr.  
*viscosa*, Coss. ex Ball, in Journ. Linn. Soc. xvi. (1878)  
 406 = porrigens.  
*viscosa*, Linn. Sp. Pl. 718.—Europ. austr.  
*viscosa*, Sieber, ex Presl, Bot. Bemerk. 50 = pubescens.  
*viscosa*, Welden, ex Reichb. Fl. Germ. Excurs. 517 = O.  
 Natrix.  
*vulgaris*, Gueldenst. Reisen, ii. 25 = hircina.

ONOXIX, Rafin. Fl. Ludov. 59 (1817). Genus dubium  
 COMPOSITARUM.

ONOPYXOS, Spreng. Syst. iii. 386 (1826).  
*intybaceus*, Rafin. Fl. Ludov. 60.—Louisiana.  
*sericeus*, Rafin. l. c.—Louisiana.

ONOPORDON, Linn. Sp. Pl. ed. I. 827 (1753).  
 COMPOSITAE, Benth. & Hook. f. ii. 463.

ACANOS, Adans. Fam. ii. 116 (1763).  
*acanthifolium*, C. Koch, in Linnaea, xxiv. (1851) 690  
 = Carduus lanuginosus.  
*acanthiifolia*, Gilib. Fl. Lituan. i. 190 = O. Acan-  
 thium.  
*Acanthium*, Linn. Sp. Pl. 827.—Europ.; Afr. bor.;  
 Oriens.  
*acaule*, Willd. Sp. Pl. iii. 1688, in syn. = seq.  
*acaulon*, Linn. Sp. Pl. ed. II. 1159.—Hab.?  
*alexandrinum*, Boiss. Diagn. Ser. I. x. 93 = Sibthor-  
 pianum.  
*algeriense*, *Pomel, Nouv. Mat. Fl. Atl.* 21.—Alger.  
*ambiguum*, Fresen. in Mus. Senckenb. i. (1833) 85.—  
 Arab.; Syria.  
*anatolicum*, Boiss. & Heldr. ex Boiss. Fl. Orient. iii.  
 562 = Sibthorpiatum.  
*anisacanthum*, Boiss. Diagn. Ser. I. x. 93 = heteracan-  
 thum.  
*arabicum*, Bové, ex DC. Prod. vi. 618 = illyricum.  
*arabicum*, Linn. Sp. Pl. 827.—Europ. austr.  
*araneosum*, Boiss. ex Boiss. Fl. Orient. iii. 562  
 = Sibthorpiatum.  
*arenarium*, *Pomel, Nouv. Mat. Fl. Atl.* 20.—Alger.  
*argolicum*, Boiss. Diagn. Ser. I. x. 91 = tauricum.  
*berardioides*, Sch. Bip. in Linnaea, xix. (1847) 329.  
 Persia; Beluchist.  
*bracteatum*, Boiss. & Heldr. in Boiss. Diagn. Ser. I.  
 x. 91.—Pisidia.  
*Carduelium*, C. Bolle, in Bonplandia, vii. (1859) 297.  
 —Ins. Canar.  
*carduiforme*, Boiss. Diagn. Ser. I. x. 92 = Sibthorpiatum.  
*Cardunculus*, Boiss. Fl. Orient. iii. 561 = illyricum.  
*carthamoides*, Buch.-Ham. ex Wall. Cat. n. 3922.  
 Vernonia Roxburghii.



**ONOPORDON** :—

- caulescens, *Urv. in Mém. Soc. Linn. Par. i.* (1822) 361.—Ins. Melos.  
 corymbosum, *Boiss. Fl. Orient. iii.* 560.—Lycia; Cilicia.  
*corymbosum*, Willk. in *Linnaea*, xxx. (1859–60) 108 = tauricum.  
 cynarocephalum, *Boiss. & Blanche, Diagn. Ser. II. iii.* 48.—Syria.  
*cynaroides*, Stev. ex Link, *Enum. Hort. Berol. ii.* 303 = *Cousinia cynaroides*.  
*Delortii*, Timb. in *Bull. Soc. Sc. Phys. et Nat. Toul. i.* (1872–73) 385 = illyricum.  
*deltoides*, Ait. *Hort. Kew. ed. I. iii.* 146 = *Serratula atriplicifolia*.  
*Diacantha*, Labill. ex Steud. *Nom. ed. II. ii.* 216 = *Cnicus Diacantha*.  
*elatum*, Sibth. & Sm. *Fl. Graec. ix.* 23 = tauricum.  
*elongatum*, Lam. *Fl. Fr. ii.* 6 = illyricum.  
*exelsum*, Salisb. *Prod.* 185 = arabicum.  
*floccosum*, Boiss. *Diagn. Ser. I. x.* 92 = illyricum.  
*glomeratum*, Costa, *Introd. Fl. Catal.* 135 = illyricum.  
*graecum*, Bory & Chaub. ex Boiss. *Fl. Orient. iii.* 562 = *Sibthorpium*.  
*graecum*, Gouan, *Illustr. 64. t.* 25 = illyricum.  
*graecum*, Linn. *f. Suppl.* 349.—Graecia; Cyprus.  
*gratum*, Bess. ex Steud. *Nom. ed. II. ii.* 216 (Quid ?).—Hab. ?  
*heteracanthum*, C. A. Mey. *Vers. Pf. Cauc.* 68.—Reg. Caucas.; Persia.  
*horridum*, Viv. *Fl. Lib. Spec.* 68 = illyricum.  
*Ilex*, Janka, in *Termész. Füzetek. ii.* (1878) 29, nomen.—Cf. *Oestr. Bot. Zeitschr. xxviii.* (1878) 176.—Graecia.  
*illyricum*, Vill. *Hist. Pl. Dauph. iii.* 26 = seq.  
*illyricum*, Linn. *Sp. Pl.* 827.—Europ. austr.; As. Min. intermedium, *Schult. Obs. Bot.* 198.—Hab. ?  
*lanatum*, Herb. *Madr. ex DC. Prod. vii.* 36 = *Dicoma tomentosa*.  
*lanatum*, Moench, *Meth. Suppl.* 225 = arabicum.  
*lanigerum*, Boiss. *Fl. Orient. iii.* 564 = *leptolepis*.  
*leptolepis*, DC. *Prod. vi.* 619.—Persia.  
*libanoticum*, Boiss. & Blanch. *Diagn. Ser. II. iii.* 48 = illyricum.  
*lyratum*, Froel. ex Sch. Bip. in *Linnaea*, xix. (1847) 329 = *Jurinea depressa*.  
*macrocanthum*, Schousb. *Vextr. Marokko*, 198. t. 5.—Reg. Mediterr. occ.  
*macrocanthum*, Schult. *Obs. Bot.* 198 = O. *Acanthium*.  
*macrocanthum*, Sibth. & Sm. *Fl. Graec. ix.* 23 = *Sibthorpium*.  
*macrocanthum*, Urv. in *Mém. Soc. Linn. Par. i.* (1822) 361 = illyricum.  
*maximum*, Schult. *Obs. Bot.* 199.—Hab. ?  
*meridionale*, Link, *Handb. i.* 685.—Arab.  
*myriacanthum*, Boiss. *Diagn. Ser. II. vi.* 114 = illyricum.  
*nervosum*, Boiss. *Voy. Bot. Espagne, ii.* 357. t. 108.—Hispan.  
*Olgae*, Regel & Schmalh. ex Regel, *Pl. Nov. Fedtsch.* 51.—Turkestan.  
*orientale*, Mill. *Gard. Dict. ed. VIII. n.* 4 = illyricum.  
*parnassicum*, Boiss. & Heldr. *Diagn. Ser. II. iv.* 114.—Graecia.  
*polyacanthum*, Eichw. *Pl. Nov. Casp. Cauc.* 3 = *Cousinia onopordioides*.  
*polycephalum*, Boiss. *Diagn. Ser. II. iii.* 47.—As. Min.  
*pyrenaicum*, DC. *Fl. Fr. Suppl.* 457 = acaulon.  
*ramosum*, Dulac, *Fl. Hautes-Pyr.* 525 = O. *Acanthium*.  
*rhodense*, Boiss. *Fl. Orient. iii.* 560 = illyricum.  
*rotundifolium*, All. *Fl. Pedem. i.* 144 = *Berardia subacaulis*.  
*Schultesii*, Bretting. ex Koch, *Syn. Fl. Germ. ed. I.* 404 = O. *Acanthium*.  
*Sibthorpium*, Boiss. & Heldr. in *Boiss. Fl. Orient. iii.* 561.—Graecia; Syria; Afr. bor.  
*stenostegium*, Boiss. *Fl. Orient. iii.* 563.—Mesopot.  
*tauricum*, Willd. *Sp. Pl. iii.* 1687.—Europ. austr.  
*teres*, Buch.-Ham. ex Wall. *Cat. n.* 2926 = *Vernonia teres*.  
*tomentosum*, Moench, *Meth.* 551 = illyricum.  
*tomentosum*, Salisb. *Prod.* 185 = O. *Acanthium*.  
*uniflorum*, Cav.  *Ic. i.* 60. t. 88 = acaulon.  
*virens*, DC. *Fl. Fr. Suppl.* 456 = tauricum.  
*viride*, Desf. *Tabl. ed. II.* 92 = O. *Acanthium*.  
*viscosum*, Hornem. ex Spreng. *Syst. iii.* 386 = tauricum.  
*Weissianum*, Aschers. ex E. Weiss, in *Verh. Zool. Bot. Ges. Wien*, xix. (1869) 43 = *Sibthorpium*.

ONOPORDUM, Vaill. ex Linn. *Gen. ed. I.* 243 (1737) = praec.

ONOPYXOS, Spreng. *Syst. iii.* 386 (1826) = ONOPIX, Rafin. (Compos.).

ONOPYXUS, Bubani, in *Nuov. Giorn. Bot. Ital. v.* (1873) 319 = *Carduus*, Tourn. (Compos.).  
*hamulosus*, Bubani, l. c. = C. *hamulosus*.

- ONOSERIS, DC. in *Ann. Mus. Par. xix.* (1812) 65. t. 12. *COMPOSITAE*, Benth. & Hook. f. ii. 486.  
 CALOSERIS, Benth. *Pl. Hartw.* 88 (1841).  
 CENTROCLINIUM, D. Don, in *Trans. Linn. Soc. xvi.* (1830) 254.  
 CHAETACHLAENA, D. Don, l. c. 256 (1830).  
 CLADOSERIS, Spach, *Hist. Vég. Phan. x.* 35 (1841).  
 CURSONIA, Nutt. in *Trans. Am. Phil. Soc. N. S.* vii. (1841) 422.  
 HILAIRIA, DC. *Prod. vii.* 33 (1838).  
 HIPPOSERIS, Cass. in *Dict. Sc. Nat. xxxiii.* 464 (1824).  
 ISOTYPUS, H. B. & K. *Nov. Gen. et Sp. iv.* 11. t. 307 (1820).  
 RHODOSERIS, Turcz. in *Bull. Soc. Nat. Mosc. xxiv.* (1851) II. 84.  
 SCHAETZELLIA, Klotzsch, in *Otto & Dietr. Allg. Gartenz. xvii.* (1849) 81.  
 SERIS, Willd. in *Ges. Naturf. Fr. Berl. Mag. i.* (1807) 139.  
*acerifolia*, H. B. & K. *Nov. Gen. et Sp. iv.* 8.—Am. austr.  
*adpressa*, Less. *Syn. Comp.* 120.—Peruv.  
*annua*, Less. in *Linnaea*, v. (1830) 341.—Am. austr.  
*brevifolia*, D. Don, in *Trans. Linn. Soc. xvi.* (1830) 246.—Bras.  
*Castelnaeana*, Wedd. *Chlor. And. i.* 10.—Peruv.  
*corymbosa*, Benth. & Hook. f. *Gen. ii.* 487.—Bras.  
*Cumingii*, Hook. & Arn. in *Hook. Comp. Bot. Mag. i.* (1835) 103 = odorata?  
*denticulata*, Willd. ex DC. *Prod. vii.* 22 = *Lycoseris denticulata*.  
*Drakeana*, André, in *Rev. Hort.* (1882) 181.—N. Granat.  
*eriocephala*, Benth. *Pl. Hartw.* 211 = *Hieracium erianthum*.  
*hastata*, Wedd. *Chlor. And. i.* 9.—Bolivia.  
*heterophylla*, Spreng. *Syst. iii.* 503 = *Trichocline heterophylla*.  
*hieracioides*, Bert. ex DC. *Prod. vii.* 29 = *Chaetanthera Berteriana*.  
*hieracioides*, H. B. & K. *Nov. Gen. et Sp. iv.* 7. t. 304.—Am. austr.  
*hyssopifolia*, H. B. & K. l. c. t. 306.—Ecuador.  
*integrifolia*, Less. in *Linnaea*, v. (1830) 343.—Peruv.  
*Isotypus*, Benth. & Hook. f. *Gen. ii.* 487.—Mexic.  
*lanuginosa*, Wall. *Cat. n.* 2929 = *Gerbera lanuginosa*.  
*linifolia*, Bert. in *Merc. Chil.* (1829).—Cf. *Am. Journ. Sc. Ser. I. xxiii.* (1833) 258 = *Chaetanthera linifolia*.  
*macrophylla*, Wall. ex Steud. *Nom. ed. II. ii.* 216 = *Gerbera nepalensis*.  
*mexicana*, Willd. *Sp. Pl. iii.* 1703 = *Lycoseris mexicana*.  
*montevicensis*, Spreng. *Syst. iii.* 502 = *Leucopsis diffusa*.  
*nepalensis*, Steud. *Nom. ed. II. ii.* 216 = *Gerbera nepalensis*.  
*odorata*, Hook. & Arn. in *Hook. Comp. Bot. Mag. i.* (1835) 103.—Peruv.  
*ovalifolia*, Wall. *Cat. n.* 2930 = *Gerbera piloselloides*.  
*paniculata*, [Moç. & Sesse,] ex DC. *Prod. vii.* 33 = O. *Isotypus*.  
*purpurata*, Willd. *Sp. Pl. iii.* 1702.—N. Granat.  
*purpurea*, DC. *Prod. vii.* 34 = praec.  
*reflexa*, Less. *Syn. Comp.* 119.—Peruv.  
*salicifolia*, H. B. & K. *Nov. Gen. et Sp. iv.* 7.—Am. austr.  
*speciosa*, H. B. & K. l. c. 7. t. 305.—Ecuador.  
*stricta*, Spreng. *Syst. iii.* 503 = *Trixis stricta*.  
*turbacensis*, Spreng. l. c. 502 = *Lycoseris mexicana*.

ONOSMA, Linn. *Sp. Pl. ed. II.* 196 (1762). *BORAGINAE*, Benth. & Hook. f. ii. 864.  
 COLSMANNIA, Lehm. in *Ges. Naturf. Fr. Berl. Mag. viii.* (1817–18) 92, t. 4.  
 MAHARANGA, DC. *Prod. x.* 71 (1846).  
 PODOOSMA, Boiss. *Diagn. Ser. I. xi.* 113 (1849).  
 SAVA, Adans. *Fam. ii. p.* (21) (1763).

**ONOSMA** :—

- albo-roseum, Fisch. & Mey. *Ind. Sem. Hort. Petrop. v.* 38.—As. Min.; Syria.  
 aleppicum, Boiss. *Diagn. Ser. I. xi.* 107.—Syria; Mesopot.  
*angustifolium*, Lehm. *Asperif.* 361 = stellulatum.  
*arenarium*, Waldst. & Kit. *Pl. Rar. Hung. iii.* 308. t. 279 = echiioides.  
 armenum, DC. *Prod. x.* 59.—As. Min.  
*asperifolium*, Lehm. *Asperif. ii.* 372 = *Arnebia cornuta*.  
*astroites*, Stev. in *Bull. Soc. Nat. Mosc.* (1851) I. 585, in nota = giganteum.  
*Aucherianum*, DC. *Prod. x.* 60 = stellulatum.  
*atrocyaneum*, Franch. in *Ann. Sc. Nat. Sér. VI. xviii.* (1884) 214.—As. centr.  
*aurantiacum*, Janka, ex Boiss. *Fl. Orient. iv.* 201 = stellulatum.  
*auriculatum*, DC. *Prod. x.* 61.—Mesopot.  
*bicolor*, Wall. *Cat. n.* 939.—Reg. Himal.  
*bifrons*, Stev. ex Ledeb. *Fl. Ross. iii.* 128 = polyphyllum.  
*bilabiatum*, Boiss. & Buhse, in *Nouv. Mém. Soc. Nat. Mosc. xii.* (1860) 153.—Persia.  
*Bodeanum*, Boiss. *Fl. Orient. iv.* 187.—Persia.  
*Bourgaei*, Boiss. *Pl. Or. Nov. Dec. ii.* 2.—Armenia.  
*brachyanthum*, Boiss. *Diagn. Ser. I. vii.* 34 = rostellatum.  
*brachysolen*, Boiss. *Diagn. I. c. xi.* 104 = flavum.  
*bracteatum*, Wall. in *Roxb. Fl. Ind. ed. Carey, ii.* 13.—Reg. Himal.  
*brevifolium*, DC. ex Boiss. *Fl. Orient. iv.* 202 = stellulatum.  
*bulbotrichum*, DC. *Prod. x.* 64.—Persia.  
*caerulescens*, Boiss. *Diagn. Ser. I. xi.* 110.—Syria.  
*calycinum*, Stev. ex Fisch. Mey. & Avé-Lall. *Ind. Sem. Hort. Petrop.* ix. 81 = setosum.  
*canescens*, Presl, *Fl. Sic. p.* xxxiv = stellulatum.  
*caspica*, Willd. *Sp. Pl. i.* 775 = *Nonnea picta*.  
*caspium*, Gruner, in *Bull. Soc. Nat. Mosc. xl.* (1867) II. 441 = setosum.  
*cassium*, Boiss. *Diagn. Ser. I. xi.* 102.—Syria.  
*cespitosum*, Kotschy, in *Unger & Kotschy, Cypern*, 282.—Ins. Cyprus.  
*chlorotrichum*, Boiss. & Noé, *Diagn. Ser. II. iii.* 137.—Kurdistan.  
*chorassanicum*, Bunge, *Helioc. 12*, nomen = bulbotrichum.  
*ciliatum*, DC. *Prod. x.* 61 = molle.  
*cinereum*, Schreb. in *Nov. Act. Nat. Cur. iii.* (1767) 474 = stellulatum.  
*cinnamatum*, Bourg. ex Boiss. *Pl. Or. Nov. Dec. ii.* 3 = Bourgaei.  
*coerulea*, Willd. *Sp. Pl. i.* 775 = *Moltkia coerulea*.  
*coerulescens*, vide caerulescens.  
*concinnum*, DC. *Prod. x.* 64 = microspermum.  
*congestum*, DC. l. c. 61 = albo-roseum.  
*cyaneum*, Less. ex Ledeb. *Fl. Ross. iii.* 123 = stamineum.  
*dalmaticum*, Scheele, in *Flora*, xxvi. (1843) 560 = stellulatum.  
*dasytrichum*, Boiss. *Diagn. Ser. I. vii.* 33.—Persia.  
*decipiens*, Schott & Kotschy, ex Boiss. *Pl. Or. Nov. Dec. ii.* 8 = nanum.  
*dichroanthum*, Boiss. *Diagn. Ser. I. xi.* 107 = setosum.  
*diffusum*, Boiss. & Huet, l. c. Ser. II. iii. 137 = rupestre.  
*divaricatum*, Lehm. *Asperif.* 372 = *Arnebia cornuta*.  
*echinatum*, Auch. ex DC. *Prod. x.* 58 = aleppicum.  
*echinatum*, Desf. *Fl. Atlant. i.* 161. t. 43.—Afr. bor.  
*echiioides*, Kotschy, ex Boiss. *Diagn. Ser. I. xi.* 108 = aleppicum.  
*echiioides*, Linn. *Sp. Pl. ed. II.* 196.—Europ.; As. temp.  
*echiioides*, Petagn. *Inst. Bot. ii.* 320 = stellulatum.  
*echiioides*, Sibth. & Sm. *Fl. Graec. ii.* t. 172 = frutescens.  
*echiioides*, Sieber, ex Nym. *Consp.* 516 = graecum.  
*elegans*, C. Koch, in *Linnaea*, xvii. (1843) 306 = sericeum.  
*elivendicum*, Wettstein, ex Stapf, in *Denkschr. Acad. Wien*, l. (1885) 28.—Persia.  
*Emodi*, Wall. *Cat. n.* 940 = *Wallichianum*.  
*Emodi*, Wall. in *Roxb. Fl. Ind. ed. Carey, ii.* 11.—Reg. Himal.  
*erectum*, Sibth. & Sm. *Fl. Graec. Prod. i.* 121 = stellulatum.  
*fallax*, Borb. ex Nym. *Consp.* 516 = setosum.  
*flavidum*, Boiss. *Diagn. Ser. I. xi.* 100 = flavum.  
*flavum*, Vathek, ex Boiss. *Fl. Orient. iv.* 186.—As. Min.; Persia.



**ONOSMA** :—

*frutescens*, Lam. *Illustr.* i. 407.—Graecia; Syria.  
*fruticosum*, Labill. *Pl. Syr. Dec.* iii. 10. t. 6.—Ins. Cyprus.  
*giganteum*, Lam. *Illustr.* i. 407.—Cilicia; Syria.  
*Gmelini*, Ledeb. *Fl. Alt.* i. 184 = *echioides*.  
*gracile*, Trautv. in *Act. Hort. Petrop.* ii. (1873) 478.—Armenia.  
*graecum*, Boiss. *Diagn.* Ser. I. xi. 106.—Graecia.  
*halophilum*, Boiss. & Heldr. *l. c.* 105.—Lycaonia.  
*hebeulbum*, DC. *Prod.* x. 60.—Mesopot.  
*helveticum*, Boiss. *Diagn.* Ser. I. xi. 111 = *stellulatum*.  
*heterophyllum*, Griseb. *Spicil. Fl. Rumel.* ii. 80 = *stellulatum*.  
*hispidum*, Wall. *Cat. n.* 988; Stev. ex Ledeb. *Fl. Ross.* iii. 125 = *echioides*.  
*Hookeri*, C. B. Clarke, in *Hook. f. Fl. Brit. Ind.* iv. 178.—Reg. Himal.  
*ibericum*, Fisch. ex Ledeb. *Fl. Ross.* iii. 127 = *setosum*.  
*incanescens*, DC. *Prod.* x. 58 = *rostellatum*.  
*intermedium*, Schur, *Enum. Pl. Transs.* 469 = *setosum*.  
*isauricum*, Boiss. & Heldr. *Diagn.* Ser. I. xi. 101.—As. Min.  
*kilouyense*, Boiss. & Haussk. ex Boiss. *Pl. Or. Nov. Dec.* ii. 1.—Persia.  
*Kotschy*, Boiss. *Diagn.* Ser. I. vii. 34.—Persia.  
*laconicum*, Boiss. *Pl. Or. Nov. Dec.* ii. 8 = *stellulatum*.  
*lanceolatum*, Boiss. & Haussk. ex Boiss. *l. c.* 1.—Kurdistan.  
*latifolium*, Boiss. & Haussk. ex Boiss. *l. c.* 3.—Kurdistan.  
*liparioides*, DC. *Prod.* x. 65.—Cappadoc.  
*longilobum*, Bunge, *Helioc.* 12.—Oriens.  
*macrocephala*, D. Don, *Prod. Fl. Nep.* 99 = *bracteatum*.  
*megalospermum*, Boiss. ex Boiss. *Pl. Or. Nov. Dec.* i. 8 = *Megacaryon armenum*.  
*micranthos*, Pall. *Reise*, ii. 734 = *Heliotropium micranthum*.  
*microcarpum*, DC. *Prod.* x. 62 = *microspermum*.  
*microspermum*, Stev. in *Bull. Soc. Nat. Mosc.* (1838) 305.—As. Min.; Persia.  
*mite*, Boiss. & Heldr. *Diagn.* Ser. I. xi. 111.—Lycia; Cyprus.  
*molle*, DC. *Prod.* x. 61.—Cappadoc.  
*montanum*, Sibth. & Sm. *Fl. Graec. Prod.* i. 121 = *stellulatum*.  
*mutabile*, Boiss. & Haussk. ex Boiss. *Pl. Or. Nov. Dec.* ii. 3.—Cataonia.  
*nanum*, DC. *Prod.* x. 65.—Cilicia.  
*Olivieri*, Boiss. *Pl. Or. Nov. Dec.* ii. 2.—Persia.  
*oreodoxum*, Boiss. & Heldr. *Diagn.* Ser. I. xi. 103.—Pisidia.  
*orientale*, Habl. *Desc. Phys. Taur.* 116 = *stellulatum*.  
*orientale*, Lehm. *Asperif.* ii. 376 = *frutescens*.  
*orientale*, Linn. *Sp. Pl.* ed. II. 196.—Aegypt.  
*orientale*, Pall. *Reise*, t. 50 = *Arnebia cornuta*.  
*Orphanideum*, Boiss. *Pl. Or. Nov. Dec.* ii. 8 = *stellulatum*.  
*ovalifolium*, Kotschy & Boiss. ex Boiss. *Fl. Orient.* iv. 196.—Cilicia.  
*pachypodium*, Boiss. *Diagn.* Ser. I. xi. 104.—Persia.  
*pallidum*, Boiss. *Diagn.* Ser. I. xi. 112 = *stellulatum*.  
*pallidum*, Salisb. *Prod.* 114 = *echioides*.  
*paradoxum*, Janka, in *Oestr. Bot. Zeitschr.* xxii. (1872) 180 = *stellulatum*.  
*pilosum*, [Soland. in] *Russ. Aleppo*, ed. II. ii. 246.—Syria.  
*polyanthum*, DC. *Prod.* x. 63.—Cappadoc.  
*polyphyllum*, Ledeb. *l. c.* Fl. Ross. i. 7. t. 24.—Tauria.  
*procerum*, Boiss. *Fl. Orient.* iv. 193.—Armenia.  
*Pseudoarenarium*, Schur, in *Verh. Siebenb. Ver. Naturw.* x. (1859) 76 = *setosum*.  
*pulla*, Schrank, ex DC. *Prod.* x. 67 = *Nonnea pulla*.  
*pusillum*, Schur, *Enum. Pl. Transs.* 469 = *stellulatum*.  
*pyrenaicum*, Timb. ex Nym. *Consp.* 516 = *echioides*.  
*Rascheyanum*, Boiss. *Diagn.* Ser. I. xi. 110.—Syria; Persia.  
*rigidum*, Ledeb. *Fl. Alt.* i. 180 = *stellulatum*.  
*rostellatum*, Lehm. *Asperif.* 374.—Mesopot.; Persia.  
*Roussaci*, DC. *Prod.* x. 59.—Syria.  
*rupestre*, Bieb. *Fl. Taur. Cauc.* i. 132.—As. Min.; Reg. Caucas.  
*saxatile*, Lehm. *Asperif.* 371.—Sibir.  
*scaberrimum*, Boiss. *Pl. Or. Nov. Dec.* ii. 8 = *stellulatum*.  
*scorpioides*, Boiss. & Huet, *Diagn.* Ser. II. iii. 187 = *stellulatum*.

**ONOSMA** :—

*sericeum*, Boiss. *Diagn.* Ser. I. xi. 101 = *isauricum*.  
*sericeum*, Willd. *Sp. Pl.* i. 774.—As. Min.; Persia.  
*setigerum*, Clarke, *Trav.* ii. 261 = *rostellatum*.  
*setosum*, Herb. *Unio It.* (1828); ex Steud. *Nom.* ed. II. ii. 217 = *echioides*.  
*setosum*, Ledeb. *Fl. Alt.* i. 181.—Reg. Caucas.  
*sibiricum*, Lam. *Illustr.* i. 407 = *simplicissimum*.  
*simplex*, Gaertn. *Fruct.* i. 325 = *simplicissimum*.  
*simplicissimum*, Linn. *Sp. Pl.* ed. II. 196.—Reg. Caucas.; Soongar.  
*Spruneri*, Boiss. *Diagn.* Ser. I. xi. 109.—Graecia.  
*spathulatum*, Wettstein, ex Stapf, in *Denkschr. Acad. Wien*, l. (1885) 29.—Persia.  
*stamineum*, Ledeb. in *Eichw. Pl. Nov. Casp. Cauc.* 10. t. 3.—Reg. Casp.  
*Staphil.*, Wettstein, ex Stapf, in *Denkschr. Acad. Wien*, l. (1885) 29.—Persia.  
*stellulatum*, Waldst. & Kit. *Pl. Rar. Hung.* ii. 189. t. 173.—Europ.; Oriens.  
*stenosiphon*, Boiss. *Diagn.* Ser. I. vii. 35.—Persia.  
*strigosissimum*, Boiss. *l. c.* xi. 102.—Pamphylia.  
*strigosum*, H. B. & K. *Nov. Gen. et Sp.* iii. 93 = *Onosmodium strigosum*.  
*strigosum*, Stev. ex Boiss. *Fl. Orient.* iii. 181 = *setosum*.  
*suffruticosum*, Schrank, ex Steud. *Nom.* ed. II. ii. 217 = *simplicissimum*.  
*synantherum*, Fisch. ex Sweet, *Hort. Brit.* ed. II. 375 (Quid?).—Sibir. altaic.  
*syriacum*, Labill. *Pl. Syr. Dec.* iii. 8. t. 5.—Syria; Persia.  
*Szovitzii*, Stev. in *Bull. Soc. Nat. Mosc.* xxiv. (1851) 1. 596.—Armenia.  
*tauricum*, Pall. in *Nov. Act. Petrop.* (1792) 306 = *stellulatum*.  
*tauricum*, Willd. in *Ges. Naturf. Fr. Berl. Neue Schr.* ii. (1799) 122 = *echioides*.  
*taygeteum*, Boiss. & Heldr. *Diagn.* Ser. I. xi. 101.—Graecia.  
*tenuiflorum*, Willd. *Sp. Pl.* i. 775 = *rupestre*.  
*tenuifolium*, Tausch, in *Syll. Ratisb.* ii. (1828) 246.—Carniola.  
*Thomsoni*, C. B. Clarke, in *Hook. f. Fl. Brit. Ind.* iv. 178.—Reg. Himal.  
*tinctorium*, Bieb. *Fl. Taur. Cauc.* i. 131.—Tauria.  
*tinctorium*, Bory & Chaub. *Fl. Pélop.* 13 = *graecum*.  
*Tournefortii*, Griseb. *Spicil. Fl. Rumel.* ii. 80 = *frutescens*.  
*trachyanthum*, Boiss. *Pl. Or. Nov. Dec.* ii. 8 = *Kotschy*.  
*trachytricha*, Boiss. *Diagn.* Ser. I. xi. 103 = *flavum*.  
*transsilvanicum*, Schur, ex Nym. *Consp.* 516 = *setosum*.  
*trapezuntinum*, Huet, ex Boiss. *Fl. Orient.* iv. 201 = *stellulatum*.  
*tricrosperma*, Lag. *Gen. et Sp.* Nov. 10 = *echioides*.  
*trinervium*, Lehm. *Asperif.* 378. t. 9 = *Onosmodium strigosum*.  
*tripartitum*, Hochst. in *Lorent, Wanderungen*, 334 = *sericeum*.  
*Troodi*, Kotschy, in *Unger & Kotschy, Cypern*, 283.—Ins. Cyprus.  
*tuberculatum*, Kit. ex Rochel, *Pl. Banat. Rar.* 26, nomen; et in *Linnaea*, xxxii. (1863) 436 (Quid?).—Hungar.  
*vaudense*, Gremli, *Excurs. Schw.* ed. II. 291 = *echioides*.  
*velutinum*, Boiss. *Diagn.* Ser. I. xi. 105.—Bithynia.  
*verrucosum*, F. G. Dietr. *Vollst. Lexik.* Gaertn. vi. 465 = *echinatum*.  
*versicolor*, Schott & Kotschy, ex Boiss. *Pl. Or. Nov. Dec.* ii. 8 = *armenum*.  
*vestitum*, Wall. *Cat. n.* 937 = *Emodi*.  
*Visianii*, Clem. in *Atti 3a Riun. Sc. Ital. Firenze* (1852), 519 = *setosum*.  
*Wallichianum*, Benth. ex Hook. *f. Fl. Brit. Ind.* iv. 179.—Reg. Himal.  
*xanthotrichum*, Boiss. *Diagn.* Ser. I. xi. 109 = *alepicum*.

**ONOSMIDIUM**, Walp. *Ann.* iii. 134 (1852-53), err. typ. = seq.

**ONOSMODIUM**, Michx. *Fl. Bor. Am.* i. 132. t. 15 (1803). *BORAGINAE*, Benth. & Hook. f. ii. 859. *OSMODIUM*, Rafin. in *Med. Repos. N. York*, v. (1808) 352. *PURSHIA*, Spreng. *Anleit.* ii. 1. 450 (1817).

**ONOSMODIUM** :—

*bejariense*, A. DC. in *DC. Prod.* x. 70.—Texas.  
*carolinianum*, A. DC. *l. c.* = *molle*.  
*carolinianum*, Torr. *Bot. Mex. Bound.* 139 = *bejariense*.  
*ericaulon*, A. DC. in *DC. Prod.* x. 70.—Mexic.  
*hispidum*, Michx. *Fl. Am. Bor.* i. 133.—Am. bor.  
*molle*, Michx. *l. c.* t. 15.—Am. bor.  
*scabrum*, Roem. & Schult. *Syst.* iv. 57 (Quid?).—Virginia.  
*strigosum*, G. Don, *Gen. Syst.* iv. 317.—Mexic.  
*Thurberi*, A. Gray, *Syn. Fl. N. Am.* ii. 1. 205.—N. Mexic.  
*virginianum*, A. DC. in *DC. Prod.* x. 70 = *hispidum*.

**ONOSURIS**, Rafin. *Fl. Ludov.* 95 (1817) = *Oenothera*, Linn. (*Onagrar.*).  
*acuminata*, Rafin. *l. c.* 96 (Quid?).—Louisiana.  
*Chamissonis*, DC. *Prod.* iii. 64 = *Oe. dentata*.

**ONOTROPHE**, Cass. in *Dict. Sc. Nat.* xxxvi. 146 (1825) = *Cnicus*, Tourn. (*Compos.*).  
*acaulis*, Cass. *l. c.* 146 = *C. acaulis*.  
*oleracea*, Cass. *l. c.* = *C. oleraceus*.  
*palustris*, Cass. *l. c.* = *C. palustris*.

**ONURIS**, Phil. in *Anal. Univ. Chil.* (1872) 675. *CRUCIFERAE*.  
*graminifolia*, Phil. *l. c.*—Chili.

**ONYCHACANTHUS**, Nees, in *DC. Prod.* xi. 217 (1847) = *Bravaisia*, DC. (*Acanth.*).  
*arborescens*, Karst. *Fl. Columb.* ii. 111. t. 159.—Venezuela.  
*Berlandierianus*, Nees, in *DC. Prod.* xi. 217 = *B. floribunda*.  
*Cumingii*, Nees, *l. c.* = *B. floribunda*.  
*speciosus*, Oerst. in *Kjoeb. Vidensk. Meddel.* (1854) 131 = *B. floribunda*.

**ONYCHIUM**, Blume, *Bijdr.* 323. t. 10 (1825) = *Dendrobium*, Sw. (*Orchid.*).  
*affine*, Decne. in *Nouv. Ann. Mus. Par.* iii. (1836) 305 = *D. affine*.  
*connatum*, Blume, *Bijdr.* 328 = *D. connatum*.  
*crumenatum*, Blume, *l. c.* 326 = *D. crumenatum*.  
*fimbriatum*, Blume, *l. c.* 325 = *D. Blumii*.  
*flavescens*, Blume, *l. c.* = *D. flavescens*.  
*gracile*, Blume, *l. c.* 327 = *D. gracile*.  
*japonicum*, Blume, *l. c.* 328 = *D. moniliforme*.  
*lamellatum*, Blume, *l. c.* 326 = *D. lamellatum*.  
*mutabile*, Blume, *l. c.* 324 = *D. mutabile*.  
*nudum*, Blume, *l. c.* 325 = *D. nudum*.  
*rigidum*, Blume, *l. c.* 324 = *D. firmum*.  
*subulatum*, Blume, *l. c.* 328 = *D. subulatum*.  
*tenellum*, Blume, *l. c.* 327 = *D. tenellum*.  
*tetraedre*, Blume, *l. c.* = *D. tetraedre*.  
*tricuspe*, Blume, *l. c.* 326 = *D. tricuspe*.

**ONYCHOSEPALUM**, Steud. *Syn. Pl. Cyp.* 249 (1855). *RESTIACEAE*, Benth. & Hook. f. iii. 1034.  
*laxiflorum*, Steud. *l. c.*—Austral.

**ONYX**, Medic. Phil. Bot. i. 207 (1789) = *Astragalus*, Linn. (*Legumin.*).

**OOCARPON**, Micheli, in *Flora*, lvii. (1874) 303. *ONAGRARIAE*.  
*jussiaeoides*, Micheli, *l. c.*—Am. trop.

**OOCLINIUM**, DC. *Prod.* v. 133 (1836) = *Eupatorium*, Tourn. (*Compos.*).  
*capillare*, DC. *l. c.* 134 = *E. capillare*.  
*clavatum*, Benth. in *Ann. Nat. Hist. Ser. I.* ii. 1839 108.—Guian.  
*depressum*, Gardn. in *Hook. Lond. Journ. Bot.* vi. (1847) 437 = *E. decumbens*.  
*grandiflorum*, DC. *Prod.* v. 134 = *E. kleinioides*.  
*paucidentatum*, DC. *l. c.* = *E. kleinioides*.  
*pedunculare*, DC. *l. c.* = *E. kleinioides*.  
*quinquepartitum*, Gardn. ex Baker, in *Mart. Fl. Bras.* vi. 11. 341 = *E. capillare*.  
*rupestre*, Gardn. ex Baker, *l. c.* 343 = *E. kleinioides*.  
*rigidum*, DC. *Prod.* v. 134 = *E. rigidum*.  
*Sideritis*, DC. in *Deless. Ic. Sel.* iv. t. 14 = *E. kleinioides*.  
*villosum*, DC. *Prod.* v. 134 = *E. urticifolium*.



OOSTERDYCKIA, Burm. Rar. Afr. Pl. 259 (1738) = **Cunonia**, Linn. (Saxifr.).  
*capensis*, Crantz, Inst. ii. 452 = *C. capensis*.

OPA, Lour. Fl. Cochinch. 308 (1790) = **Eugenia**, Mich. (Myrtac.).  
*integerrima*, Seem. Journ. Bot. i. (1863) 281 = *Raphiolepis japonica*.  
*japonica*, Seem. l. c. = *Raphiolepis japonica*.  
*Mertensii*, Seem. l. c. = *Raphiolepis indica*.  
*Metrosideros*, Lour. Fl. Cochinch. 309 = *Raphiolepis indica*.  
*odorata*, Lour. l. c. (= *Syzygium odoratum*).—Cochinch.  
*spiralis*, Seem. Journ. Bot. i. (1863) 281 = *Raphiolepis indica*.

OPALATOA, Aubl. Pl. Gui. t. 147 (APALATOA, in textu, p. 382) (1775) = **Crudia**, Schreb. (Legumin.).

OPANEA, Rafin. Sylva Tellur. 106 (1838) = **Eugenia**, Mich. (Myrtac.).  
*Billardiana*, Rafin. l. c. = *Myrcia Billardiana*.  
*trinervia*, Rafin. l. c. = *E. dumetorum*.

OPELIA, Pers. Syn. i. 241 (1805) = **Opilia**, Roxb. (Olacin.).

OPERCULARIA, Gaertn. Fruct. i. 112. t. 24 (1788). **RUBIACEAE**, Benth. & Hook. f. ii. 141.  
CRYPTOSPERMUM, Young, in Trans. Linn. Soc. iii. (1797) 30.

*apiciflora*, Labill. Nov. Holl. Pl. i. 35. t. 48.—Austral.  
*aspera*, Gaertn. Fruct. i. 112. t. 24.—Austral.  
*aspera*, Juss. in Ann. Mus. Par. iv. (1804) 427. t. 70. f. 1 = *hispidula*.

*Banksiana*, Schult. Mant. iii. 261 = *Pomax umbellata*.  
*brachyphylla*, F. Muell. ex Miq. in Nederl. Kruidk. Arch. iv. (1859) 110 = *varia*.

*cobrosmoides*, F. Muell. l. c. 108 = *hispidula*.  
*diphylla*, Gaertn. Fruct. i. 113.—Austral.  
*echinocephala*, Benth. Fl. Austral. iii. 436.—Austral.  
*ecliptoides*, F. Muell. ex Miq. in Nederl. Kruidk. Arch. iv. (1859) 110 = *varia*.

*hirsuta*, F. Muell. ex Benth. Fl. Austral. iii. 434.—Austral.

*hirtella*, DC. Prod. iv. 616 = *hispidula*?  
*hispidula*, Spreng. Syst. i. 385.—Austral.  
*hispidula*, Endl. in Enum. Pl. Hueg. 58.—Austral.  
*hispidula*, Miq. in Nederl. Kruidk. Arch. iv. (1859) 108 = *hispidula*.

*hyssopifolia*, Juss. in Ann. Mus. Par. iv. (1804) 428. t. 71 = *aspera*.

*hyssopifolia*, Miq. in Nederl. Kruidk. Arch. iv. (1859) 109 = *varia*.

*Lamarckiana*, Schult. Mant. iii. 261 = *Pomax umbellata*.  
*liberiflora*, F. Muell. Fragm. iv. 92 = *Eleutheranthes opercularina*.

*ligustrifolia*, Juss. in Ann. Mus. Par. iv. (1804) 428. t. 71 = *aspera*.

*micromerioides*, F. Muell. ex Miq. in Nederl. Kruidk. Arch. iv. (1859) 108 = *ovata*.

*multicaulis*, Bartl. in Lehm. Pl. Preiss. i. 369 = *vaginata*.  
*ocimifolia*, Juss. in Ann. Mus. Par. iv. (1804) 428. t. 71 = *aspera*.

*ovata*, Hook. f. in Hook. Lond. Journ. Bot. vi. (1847) 465.—Austral.

*paleata*, Young, in Trans. Linn. Soc. iii. (1797) 30. t. 5 = *aspera*.

*pauciflora*, Endl. in Enum. Pl. Hueg. 57 = *hispidula*.

*purpurea*, Bartl. in Lehm. Pl. Preiss. i. 369 = *hispidula*.

*rubrioides*, Juss. in Ann. Mus. Par. iv. (1804) 428.—Austral.

*scabrida*, Schlecht. in Linnaea, xx. (1847) 604.—Austral.

*sessiliflora*, Juss. in Ann. Mus. Par. iv. (1804) 427. t. 70 = *diphylla*.

*spermacoceae*, Labill. Nov. Holl. Pl. i. 45. t. 47.—Austral.  
*Stuartiana*, F. Muell. ex Miq. in Nederl. Kruidk. Arch. iv. (1859) 110 = *varia*.

*turpis*, F. Muell. l. c. 109 = *varia*.

*umbellata*, Gaertn. Fruct. i. 112. t. 24 = *Pomax umbellata*.

*vaginata*, Labill. Nov. Holl. Pl. i. 34. t. 46.—Austral.  
*varia*, Hook. f. in Hook. Lond. Journ. Bot. vi. (1847) 466.—Austral.

*volubilis*, R. Br. ex Benth. Fl. Austral. iii. 435.—Austral.

OPERCULINA, Silva Manso, Enum. Subst. Bras. 16 (1836) = **Ipomoea**, Linn. (Convolv.).  
*altissima*, Meissn. in Mart. Fl. Bras. vii. 213 = *I. altissima*.

*Convolvulus*, Silva Manso, Enum. Subst. Bras. 12, 49 = *I. operculata*.

*flammea*, Meissn. in Mart. Fl. Bras. vii. 212 = *I. flammea*.

*pterodes*, Meissn. l. c. 213 = *I. pterodes*.

*pteropsis*, Meissn. l. c. 214.—Am. trop.

*surinamensis*, Meissn. l. c. 214 = *I. surinamensis*.

*tuberosa*, Meissn. l. c. 212 = *I. tuberosa*.

*Turpethum*, Silva Manso, Enum. Subst. Bras. 16, 49 = *I. Turpethum*.

OPETIOLA, Gaertn. Fruct. i. 14. t. 2 (1788) = **Mariscus**, Gaertn. (Cyperac.).

*myosuroides*, Gaertn. l. c. = *M. umbellatus*

OPHELIA, D. Don, ex G. Don, Gen. Syst. iv. 178 (1837); D. Don, in Trans. Linn. Soc. xvii. (1837) 522, 524 = **Swertia**, Linn. (Gentian.).

*affinis*, Wight & Arn. in Wight, Illustr. ii. 175. t. 157, bis = *S. affinis*.

*alata*, Griseb. Gen. et Sp. Gent. 321 = *S. alata*.

*alba*, Wight & Arn. in Wight, Illustr. t. 157 bis = *S. decussata*.

*angustifolia*, D. Don, ex G. Don, Gen. Syst. iv. 178 = *S. angustifolia*.

*Baxteri*, Griseb. Gen. et Sp. Gent. 318 (Quid?)—Austral.

*bimaculata*, Sieb. & Zucc. in Abh. Akad. Muench. iv. III. (1846) 159 = *S. bimaculata*.

*chinensis*, Bunge, ex Griseb. in DC. Prod. ix. 126 = *S. diluta*.

*Chirata*, Griseb. Gen. et Sp. Gent. 320 = *S. Chirata*.

*Chirayta*, D. Don, ex G. Don, Gen. Syst. iv. 178 = *S. cordata*.

*ciliata*, D. Don, ex G. Don, l. c. = *S. purpurascens*.

*coerulea*, Zoll. & Mor. in Nat. en Geneesk. Arch. Neêrl. Indie, ii. (1845) 569.—Java.

*cordata*, D. Don, ex G. Don, Gen. Syst. iv. 178 = *S. cordata*.

*corymbosa*, Griseb. Gen. et Sp. Gent. 317 = *S. corymbosa*.

*Dalhousiana*, Griseb. l. c. 313 = *S. purpurascens*.

*densifolia*, Griseb. in DC. Prod. ix. 125 = *S. decussata*.

*diluta*, Ledeb. Fl. Ross. iii. 73 = *S. diluta*.

*elegans*, Wight, Ic. iv. t. 1331 = *S. affinis*.

*fimbriata*, Hochst. in Flora, xxvii. (1844) 28 = *S. Schimperii*.

*florida*, G. Don, Gen. Syst. iv. 178 = *S. pulchella*.

*gracilis*, Bedd. in Trans. Linn. Soc. xxv. (1865) 221.—Ind. or.

*Grisebachiana*, Wight, Ic. t. 1330 = *S. corymbosa*.

*japonica*, Griseb. Gen. et Sp. Gent. 321 = *S. rotata*.

*javanica*, Hassk. Cat. Hort. Bog. Alt. 127 = *S. javanica*.

*Lawii*, Wight & Arn. in Wight, Illustr. ii. 175 = *S. corymbosa*.

*lucida*, G. Don, Gen. Syst. iv. 179, sphalm. = seq.

*lurida*, D. Don, in Trans. Linn. Soc. xvii. (1837) 527 = *S. lurida*.

*macrocarpa*, C. B. Clarke, in Journ. Linn. Soc. xiv. (1875) 448 = *S. macrocarpa*.

*minor*, Griseb. in DC. Prod. ix. 126 = *Pleurogyne minor*.

*multiflora*, Dalz. in Hook. Kew Journ. ii. (1850) 135 = *S. decussata*.

*nervosa*, Griseb. Gen. et Sp. Gent. 317 = *S. nervosa*.

*nuda*, Klotzsch, in Bot. Ergeb. Waldem. Reise, 91 = *S. cordata*.

*oxyphylla*, Miq. Fl. Ind. Bat. ii. 562.—Java.

*paniculata*, D. Don, in Trans. Linn. Soc. xvii. (1837) 525 = *S. paniculata*.

*papillosa*, Franch. & Sav. Enum. Pl. Jap. ii. 450.—Japon.

*pauciflora*, Dalz. in Hook. Kew Journ. iii. (1851) 211 = *S. corymbosa*.

*porrigens*, G. Don, Gen. Syst. iv. 178 = *S. pulchella*.

*pratensis*, Edgew. in Trans. Linn. Soc. xx. (1846) 85 = *S. pulchella*.

*pulchella*, D. Don, ex G. Don, Gen. Syst. iv. 525 = *S. pulchella*.

*purpurascens*, D. Don, in Trans. Linn. Soc. xvii. (1837) 526 = *S. purpurascens*.

OPHELIA :—  
*racemosa*, Griseb. Gen. et Sp. Gent. 319 = *Swertia racemosa*.

*teres*, D. Don, ex G. Don, Gen. Syst. iv. 178.—Reg. Himal.

*tetragona*, C. B. Clarke, in Hook. f. Fl. Brit. Ind. iv. 122 = *S. tetragona*.

*trichotoma*, Wight & Arn. ex Wight, Illustr. sub t. 157 b = *S. trichotoma*.

*trilobata*, Pritz. Ic. Ind. 762 = *praec.*

*umbellata*, C. B. Clarke, in Journ. Linn. Soc. xiv. (1875) 446 = *S. corymbosa*.

*vacillans*, Hance, in Ann. Sc. Nat. Sér. V. v. (1866) 229 = *S. vacillans*.

*Wallichii*, G. Don, Gen. Syst. iv. 178 = *S. paniculata*.

*Wilfordii*, Kern. in Ber. Naturw. Ver. Innsbruck, i. (1870) 102.—Manchur.

*yessoensis*, Franch. & Sav. Enum. Pl. Jap. ii. 451.—Japon.

*zeylanica*, Griseb. Gen. et Sp. Gent. 316 = *S. zeylanica*.

OPHELUS, Lour. Fl. Cochinch. 412 (1790) = **Adanson**, Linn. (Malvac.).

*sitularius*, Lour. l. c. = *A. Situla*.

OPHIANTHE, Hanst. in Linnaea, xxvi. (1853) 205 = **Pentarrhaphia**, Lindl. (Gesner.).

*libanensis*, Hanst. l. c. = *P. libanensis*.

OPHIOCARON, Schomb. in Endl. Gen. Suppl. i. 1425 (1841). **SABIACEAE**, Benth. & Hook. f. i. 415.

*paradoxum*, Schomb. in Hook. Lond. Journ. Bot. iv. (1845) 377.—Guian.

OPHIOCAULON, Hook. f. in Benth. & Hook. f. Gen. i. 813 (1867). **PASSIFLOREAE**, Benth. & Hook. f. l. c.

*cissampeloides*, Hook. f. l. c. 814.—Afr. trop.

*cynanchifolius*, Hook. f. l. c.—Afr. trop.

*gummifer*, Harv. Gen. S. Afr. Pl. ed. II. 121.—Afr. trop.

OPHIOCAULON, Rafin. Sylva Tellur. 129 (1838) = **Cassia**, Tourn. (Legumin.).

*serpens*, Rafin. l. c. = *C. serpens*.

OPHIOLYZA, Salisb. Gen. Pl. Fragm. 142 (1866) = **Gladiolus**, Tourn. (Irid.).

*alata*, Salisb. l. c. = *G. alatus*.

*namaquensis*, Salisb. l. c. = *G. alatus*.

*orchidiflora*, Salisb. l. c. = *G. orchidiflorus*.

*viperata*, Salisb. l. c. = *G. orchidiflorus*.

OPHIOMERIS, Miers, in Proc. Linn. Soc. i. (1847) 323; et in Trans. Linn. Soc. xx. (1851) 373. t. 15 = **Thismia**, Griff. (Burman.).

*iguassuensis*, Miers, in Proc. Linn. Soc. i. (1847) 329.—Bras.

*macahensis*, Miers, l. c. 329.—Bras.

OPHIONE, Schott, in Oestr. Bot. Wochenbl. vii. (1857) 101. **AROIDEAE**, Benth. & Hook. f. iii. 997.

*Purdiana*, Schott, in Oestr. Bot. Wochenbl. vii. (1857) 101.—N. Granat.

OPHIOPOGON, Ker-Gawl. in Bot. Mag. t. 1063 (1807). **HAEMODORACEAE**, Benth. & Hook. f. iii. 678.

CHLOOPSIS, Blume, Enum. Pl. Jav. 14 (1827).

FLUEGGIA, Rich. in Schrad. Neues Journ. ii. (1807) 8. t. 1.

SLATERIA, Desv. Journ. Bot. i. (1808) 243.

*gracilis*, Kunth, Enum. Pl. v. 298 = *Liriope spicata*.

*indicus*, Royle, Illustr. Bot. Himal. i. 382, nomen.—Ind. or.

*intermedius*, D. Don, Prod. Fl. Nep. 48.—Ind. or.

*Jaburan*, Lodd. Bot. Cab. t. 1876.—Japon.

*japonicus*, Ker-Gawl. in Bot. Mag. t. 1063.—Japon.

*japonicus*, Wall. Cat. n. 5139 A = *longifolius*.

*longifolius*, Decne. in Fl. des Serres, xvii. (1867-68) 182.—Reg. Himal.

*Malcolmsonii*, Royle, Illustr. Bot. Himal. i. 382.—Burma.

*minor*, Royle, l. c. = *intermedia*?

*mollis*, Royle, l. c. = *Theropogon pallidus*?



**OPHIOPOGON** :—

*Muscari*, Decne. in Fl. des Serres, xvii. (1867–68) 181 = *Liriope spicata*.  
*pallidus*, Wall. Cat. n. 2138 = *Theropogon pallidus*.  
*prolifera*, Lindl. in *Journ. Hort. Soc.* i. (1846) 76.—Ins. Penang.  
*spicatus*, Hook. Bot. Mag. t. 5348 = *Liriope spicata*.  
*spicatus*, Ker-Gawl. in Bot. Reg. t. 593.—Cf. Bot. Mag. sub t. 1063 = *Liriope spicata*.  
*Thunbergii*, Schult. f. ex Miq. Ann. Mus. Bot. Lugd. Bat. iii. 151 = *Reineckia carnea*.  
*umbraticola*, Hance, in Journ. Bot. vi. (1868) 115 = *japonicus*.

**OPHIOPRASON**, Salisb. Gen. Fl. Fragm. 72 (1866) = **Asphodelus**, Tourn. (Liliac.).  
*fistulosum*, Salisb. l. c. = *A. fistulosus*.

**OPHIORHIZA**, Linn. Fl. Zeyl. 190 (1747) = seq.

**OPHIORRHIZA**, Linn. Sp. Pl. ed. I. 150 (1753).

**RUBIACEAE**, Benth. & Hook. f. ii. 63.  
*Mungos*, Adans. Fam. ii. 225 (1763).  
*acuminata*, DC. Prod. iv. 416.—Ins. Philipp.  
*acuminatissima*, Korth. in *Nederl. Kruidk. Arch.* ii. II. (1851) 132.—Sumatra.  
*affinis*, Zoll. & Mor. Syst. Verz. Zoll. 62.—Java.  
*albida*, Korth. in *Nederl. Kruidk. Arch.* ii. II. (1851) 126.—Sumatra.  
*angustifolia*, Thw. Enum. Pl. Zeyl. 140 = *O. Mungos*.  
*argentea*, R. Br. in Wall. Cat. n. 6229 = *Harrisiana*.  
*australiana*, Benth. Fl. Austral. iii. 407.—Austral.  
*Blumeana*, Korth. in *Nederl. Kruidk. Arch.* ii. II. (1851) 130.—Java.  
*bracteata*, Korth. l. c. 131.—Java.  
*bracteolata*, Wall. Cat. n. 6228 = *fasciculata*.  
*Brunonis*, Wight & Arn. Prod. 404.—Ind. or.  
*calcarata*, Hook. f. Fl. Brit. Ind. iii. 84.—Reg. Himal.  
*canescens*, Blume, Bijdr. 977.—Java.  
*cantonensis*, Hance, in Ann. Sc. Nat. Sér. IV. xviii. (1862) 222.—China.  
*corymbosa*, Buch.-Ham. ex Wall. Cat. n. 6232 = *discolor*.  
*Croomii*, M. A. Curt. in Bost. Journ. Nat. Hist. i. (1837) 128 = *Mitreola sessilifolia*.  
*cryptantha*, Zoll. & Mor. Syst. Verz. Pfl. 62.—Java.  
*decumbens*, Gardn. ex Thw. Enum. Pl. Zeyl. 419 = *Harrisiana*.  
*discolor*, R. Br. in Wall. Cat. n. 6232 A.—Ins. Penang.  
*discolor*, R. Br. l. c. n. 6232 B = *rosea*.  
*elongata*, Reinw. ex Korth. in *Nederl. Kruidk. Arch.* ii. II. (1851) 128 = *Richardiana*.  
*eriantha*, Wight, Ic. t. 1067.—Ind. or.  
*erubescens*, Wall. Cat. n. 6233.—Burma.  
*Eyreii*, Champ. ex Benth. in Hook. Kew Journ. iv. (1852) 170 = *japonica*.  
*falcata*, Bedd. in *Madr. Journ. Sc. Ser.* II. xxii. (1861) 72.—Ind. or.  
*fasciculata*, D. Don, Prod. Fl. Nep. 136.—Reg. Himal.  
*filistipula*, Miq. Fl. Ind. Bat. ii. 351.—Java.  
*fruticulosa*, Nadeaud, Enum. Pl. Tahiti, 53.—Ins. Tahiti.  
*fucosa*, Hance, in *Journ. Bot.* xv. (1877) 334.—Cambodia.  
*geminata*, Wall. Cat. n. 6237 = *Polyura geminata*.  
*glechomaefolia*, Thw. Enum. Pl. Zeyl. 140.—Zeylan.  
*gracilis*, Kurz, in *Journ. As. Soc. Beng.* xli. (1872) II. 311.—Burma.  
*grandiflora*, Wight, Ic. t. 1069.—Ind. or.  
*Griffithii*, Hook. f. Fl. Brit. Ind. iii. 82.—Reg. Himal.  
*Harrisiana*, Heyne, ex Wall. Cat. n. 6236.—Ind. or.  
*Harrisoniana*, Steud. Nom. ed. II. ii. 218, sphalm. = *prae*.  
*Hasseltii*, Blume, ex Korth. in *Nederl. Kruidk. Arch.* ii. II. (1851) 128.—Malaya.  
*heterophylla*, Jack, in Malay. Misc. ii. (1822) n. VII. p. 85.—Sumatra.  
*hirsutula*, Wight, ex Hook. f. Fl. Brit. Ind. iii. 81.—Ind. or.  
*hispida*, Hook. f. l. c. 83.—Reg. Himal.  
*hispidula*, Wall. Cat. n. 6234 = *trichocarpa*.  
*Horsfieldiana*, Miq. Fl. Ind. Bat. ii. 170 = *longiflora*.  
*imbricata*, Gardn. ex Hook. f. Fl. Brit. Ind. iii. 81 = *pectinata*.  
*inconspicua*, Miq. Fl. Ind. Bat. ii. 174.—Java.  
*Jackiana*, Korth. in *Nederl. Kruidk. Arch.* ii. II. (1851) 127.—Sumatra.

VOL. II.

**OPHIORRHIZA** :—

*japonica*, Blume, Bijdr. 978.—Japon.  
*Junghuhniana*, Miq. Fl. Ind. Bat. ii. 352.—Java.  
*Korthalsiana*, Miq. Ann. Mus. Bot. Lugd. Bat. iv. 232.—Java.  
*lanceolata*, Ell. Sketch, i. 238 = *Mitreola petiolata*.  
*lanceolata*, Forsk. Fl. Aegypt. Arab. 42 = *Mussaenda luteola*.  
*latifolia*, Miq. Fl. Ind. Bat. ii. 172.—Java.  
*laxa*, A. Gray, in Proc. Am. Acad. iv. (1858–59) 312.—Ins. Pacif.  
*leptantha*, A. Gray, l. c.—Ins. Pacif.  
*littorea*, Miq. Fl. Ind. Bat. ii. 350.—Java.  
*longiflora*, Blume, Bijdr. 977.—Java.  
*lurida*, Hook. f. Fl. Brit. Ind. iii. 82.—Reg. Himal.  
*marginata*, Blume, Bijdr. 976.—Java.  
*Mitreola*, Linn. Sp. Pl. 150 = *Mitreola petiolata*.  
*Mitreola*, Michx. Fl. Bor. Am. i. 148 = *Mitreola sessilifolia*.  
*Mungos*, Bartl. ex DC. Prod. iv. 415 = *oblongifolia*.  
*Mungos*, Linn. Sp. Pl. 150.—Ind. or.; Malaya.  
*Mungos*, Wall. in Roxb. Fl. Ind. ed. Carey, ii. 544 = *pectinata*.  
*nana*, Edgew. in Trans. Linn. Soc. xx. (1846) 60 = *Clarkella nana*.  
*neglecta*, Blume, ex DC. Prod. iv. 416.—Java.  
*Nelsoni*, Seem. Fl. Vit. 126.—Ins. Tahiti.  
*nemorosa*, Thw. Enum. Pl. Zeyl. 139 = *O. Mungos*.  
*nutans*, C. B. Clarke, in Hook. f. Fl. Brit. Ind. iii. 84.—Reg. Himal.  
*oblongifolia*, DC. Prod. iv. 415.—Ins. Philipp.  
*ochroleuca*, Hook. f. Fl. Brit. Ind. iii. 78.—Reg. Himal.  
*oligantha*, Miq. Fl. Ind. Bat. ii. 350.—Sumatra.  
*oppositifolia*, Hook. f. Fl. Brit. Ind. iii. 80.—Reg. Himal.  
*ovalifolia*, Muhl. Cat. 20 = *Mitreola sessilifolia*.  
*pallida*, Thw. Enum. Pl. Zeyl. 140.—Zeylan.  
*parviflora*, Reinw. ex Korth. in *Nederl. Kruidk. Arch.* ii. II. (1851) 127.—Ins. Celebes.  
*pauciflora*, Hook. f. Fl. Brit. Ind. iii. 84.—Reg. Himal.  
*pectinata*, Arn. in Nov. Act. Nat. Cur. xviii. i. (1836) 338.—Ind. or.  
*peploides*, A. Gray, in Proc. Am. Acad. iv. (1858–59) 311.—Ins. Pacif.  
*perpusilla*, Blume, ex DC. Prod. iv. 417.—Java.  
*prostrata*, D. Don, Prod. Fl. Nep. 136 = *Harrisiana*.  
*pumila*, Champ. ex Benth. in Hook. Kew Journ. iv. (1852) 169.—China.  
*quadrida*, Blume, Bijdr. 977.—Java.  
*radicans*, Gardn. ex Thw. Enum. Pl. Zel. 139.—Zeylan.  
*reticulata*, Korth. in *Nederl. Kruidk. Arch.* ii. II. (1851) 130.—Sumatra.  
*Richardiana*, Gaudich. Freyc. Voy. Bot. 473. t. 97.—Ins. Molucc.  
*rosea*, Hook. f. Fl. Brit. Ind. iii. 78.—Reg. Himal.  
*Roxburghiana*, Wight, Ic. t. 1068.—Ind. or.  
*rubella*, Korth. in *Nederl. Kruidk. Arch.* ii. II. (1851) 126.—Borneo.  
*rugosa*, Blume, Bijdr. 976 = *bracteata*.  
*rugosa*, Hook. f. & Thoms. ex Hook. f. Fl. Brit. Ind. iii. 82 = *Thomsoni*.  
*rugosa*, Soland. ex Seem. Fl. Vit. 127.—Ins. Tahiti.  
*rugosa*, Wall. in Roxb. Fl. Ind. ed. Carey, ii. 546; Cat. n. 6235 = *Harrisiana*.  
*sanguinea*, Blume, Bijdr. 978.—Java.  
*scorpioidea*, Nadeaud, Enum. Pl. Tahiti, 53.—Ins. Tahiti.  
*Solandri*, Seem. Fl. Vit. 127.—Ins. Tahiti.  
*subbracteata*, Korth. in *Nederl. Kruidk. Arch.* ii. II. (1851) 132.—Sumatra.  
*subcapitata*, Wall. Cat. n. 6238.—Reg. Himal.  
*subfalcifolia*, Miq. Fl. Ind. Bat. ii. 167.—Ins. Celebes.  
*subumbellata*, Bartl. ex DC. Prod. iv. 417 = *acuminata*.  
*subumbellata*, Forst. f. Prod. 12.—Ins. Tahiti.  
*succirubra*, King, ex Hook. f. Fl. Brit. Ind. iii. 82.—Reg. Himal.  
*tahitensis*, Seem. Fl. Vit. 127.—Ins. Tahiti.  
*Teysmanni*, Miq. Fl. Ind. Bat. ii. 351.—Java.  
*Thomsoni*, Hook. f. Fl. Brit. Ind. iii. 82.—Reg. Himal.  
*tomentosa*, Jack, in Roxb. Fl. Ind. ed. Carey, ii. 546.—Ins. Penang; Sumatra.  
*torrentium*, Nadeaud, Enum. Pl. Tahiti, 54.—Ins. Tahiti.

**OPHIORRHIZA** :—

*Treutleri*, Hook. f. Fl. Brit. Ind. iii. 83.—Reg. Himal.  
*triandra*, Blanco, Fl. Filip. ed. II. 65.—Ins. Philipp.  
*trichocarpa*, Blume, Bijdr. 977.—Ind. or.; Malaya.  
*villosa*, Kurz, in Journ. As. Soc. xlvii. (1877) II. 130 = *trichocarpa*.  
*villosa*, Reinw. ex Korth. in *Nederl. Kruidk. Arch.* ii. II. (1851) 132 = *longiflora*.  
*villosa*, Roxb. Hort. Beng. 85; Fl. Ind. i. 702.—Ind. or.  
*villosa*, Wall. Cat. n. 6230 B = *fasciculata*.  
*Wallichii*, Hook. f. Fl. Brit. Ind. iii. 79.—Reg. Himal.; Burma.

**OPHIORRHIZIPHYLLON**, Kurz, in Journ. As. Soc. Beng. xl. (1871) II. 76. **ACANTHACEAE**, Benth. & Hook. f. ii. 1074.  
*macrobotryum*, Kurz, l. c.—Burma.

**OPHIOSCORODON**, Wallr. Sched. Crit. 129 (1822) = **Allium**, Tourn. (Liliac.).  
*magicum*, Wallr. l. c., in obs. = *A. roseum*.  
*triccocum*, Wallr. l. c. = *A. tricoccum*.  
*ursinum*, Wallr. l. c. 130 = *A. ursinum*.

**OPHIOSPERMUM**, Reichb. Consp. 82 (1828) = **OPHIOSPERMUM**, Lour. = **Aquilaria**, Lam. (Thymel.).

**OPHIOSTACHYS**, [Delile, in] Red. Lil. t. 464 (1816) = **Chamaelirium**, Willd. (Liliac.).  
*virginica*, [Delile, in] l. c. = *C. luteum*.

**OPHIOXYLON**, Linn. Fl. Zeyl. 239 (1747) = **Rauwolfia**, Plum. (Apocyn.).  
*album*, Gaertn. Fruct. ii. 129 = *R. serpentina*.  
*arborescens*, Koen. ex Wight & Arn. Prod. 434 = *Gaertnera Koenigii*.  
*belgaumense*, Wight, Ic. iv. II. 2.—Ind. or.  
*ceylanicum*, Auct. = *zeylanicum*.  
*chinense*, Hance, in Journ. Bot. iii. (1865) 380 (= *Dissolena verticillata*).—China.  
*densiflorum*, Thw. Enum. Pl. Zeyl. 191 = *R. densiflora*.  
*macrocarpum*, Wight, Ic. iv. II. 1 = *R. densiflora*.  
*majus*, Hassk. in Flora, xxviii. (1845) [263 bis] 295.—Java.  
*micranthum*, Wight, ex Hook. f. Fl. Brit. Ind. iii. 633 = *R. micrantha*.  
*neilgherense*, Wight, Ic. iv. t. 1292 = *R. densiflora*.  
*obversum*, Miq. Fl. Ind. Bat. ii. 405 = *R. serpentina*.  
*Ochrosia*, Pers. Syn. i. 266 = *Ochrosia borbonica*.  
*salutiferum*, Salisb. Prod. 146 = *R. serpentina*.  
*serpentinum*, Linn. Sp. Pl. 1043 = *R. serpentina*.  
*trifoliatum*, Gaertn. Fruct. ii. 123 = *R. serpentina*.  
*zeylanicum*, Wight, Ic. iv. t. 1291 = *R. densiflora*.

**OPHIRA**, Linn. Mant. ii. 150 (1767) = **Grubbia**, Berg. (Santal.).  
*stricta*, Lam. Encyc. iv. 565. [t. 293] = *G. stricta*.  
*stricta*, Linn. Mant. ii. 229 = *G. rosmarinifolia*.

**OPHIRIA**, Becc. in Ann. Jard. Buitenz. ii. (1885) 128 = **Pinanga**, Blume (Palm.).  
*paradoxa*, Becc. l. c. = *P. paradoxa*.

**OPHISMENUS**, Poir. Encyc. Suppl. iv. 271 (1816) sphalm. = **Opismenus**, Beauv. (Gramin.).

**OPHISPERMUM**, Lour. Fl. Cochinch. 280 (1790) = **Aquilaria**, Lam. (Thymel.).  
*sinense*, Lour. l. c. 281 = *A. Ophispermum*.

**OPHIURINELLA**, Desv. Opusc. 75. t. 5. f. 4 (1831) = **Psilurus**, Trin. (Gramin.).  
*micrantha*, Desv. l. c.—Ins. Borbon.

**OPHIURUS**, Gaertn. f. Fruct. iii. 3. t. 181 (1805); R. Br. Prod. 206 (1810). **GRAMINEAE**, Benth. & Hook. f. iii. 1130.  
*DIPERIUM*, Desv. Opusc. 76 (1831).  
*MNESITHEA*, Kunth, Rév. Gram. i. 154 (1830).  
*THYRIDOSTACHYUM*, Nees, in Lindl. Introd. Nat. Syst. ed. II. 379 (1836).  
*aethiopicus*, Rupr. ex Steud. Syn. Pl. Gram. 360 = *papillosus*.  
*appendiculatus*, Steud. l. c. 359 = *Rottboellia ovalifolia*.  
*auriculatus*, Trin. in Mem. Acad. Petersb. Ser. VI. 3. Math. (1833) 246 = *Rateburgia pulcherrima*.  
*compressus*, Presl, Cyp. et Gram. Sic. 31.—Sedl.



**OPHIURUS:—**

- corymbosus, Gaertn. f. *Fruct.* iii. 4. t. 181. f. 4.—Ind. or.; Austral.  
*cylindricus*, Beauv. *Agrost.* 116 = *Lepturus cylindricus*.  
*erectus*, S. F. Gray, *Nat. Arr. Brit. Pl.* ii. 88; Link, Hort. Berol. ii. 172 = *Lepturus filiformis*.  
*filiformis*, Roem. & Schult. *Syst.* ii. 797 = *Lepturus filiformis*.  
*gracilis*, J. Gay, in Schult. *Mant.* iii. 663, in obs. = *Lepturus filiformis*.  
*incurvatus*, Beauv. *Agrost.* 116 = *Lepturus incurvatus*.  
*laevis*, Benth. in *Journ. Linn. Soc.* xix. (1881) 69 = *perforatus*.  
*loricatus*, Nees, ex Steud. *Syn. Pl. Gram.* 360 = *Rottboellia loricata*.  
*monostachyus*, F. & C. Presl, *Rel. Haenk.* i. 330.—China; Ins. Philipp.  
*muricatus*, Steud. *Syn. Pl. Gram.* 360 = *Rottboellia glandulosa*.  
*pannonicus*, Beauv. *Agrost.* 116 = *Lepturus pannonicus*.  
*papillosus*, Hochst. in *Flora*, xxvii. (1844) 248.—Afr. trop.  
*perforatus*, Trin. in *Mém. Acad. Pétersb. Sér. VI.* ii. Math. (1833) 246.—Ind. or.; Malaya.  
*plicatus*, Nees, ex Steud. *Nom. ed. II.* ii. 218 = *Rottboellia loricata*.  
*radicans*, Steud. *Syn. Pl. Gram.* 430 = (*Lepturus* sp.?).—Ins. Nossibé.  
*subulatus*, Link, *Handb.* i. 2 = *Lepturus cylindricus*.  
*undatus*, Nees, in Hook. *Kew Journ.* ii. (1850) 100 = *monostachyus*.  
*undulatus*, Benth. in *Journ. Linn. Soc.* xix. (1881) 69, sphalm. = *praec.*

OPHRIS, [Tourn.] *Linn. Syst. ed. I* (1735) = *Ophrys*, Linn. (*Orchid.*).

OPHRYOCOCCUS, Oerst. in Kjoeb, *Vidensk. Meddel.* (1852) 52. *RUBIACEAE*, Benth. & Hook. f. ii. 70. *gesnerioides*, Oerst. l. c. 53.—Nicaragua.

OPHRYOSCLERIA, Nees, in *Mart. Fl. Bras.* ii. i. 182. t. 25 (1842) = *Scleria*, Berg. (*Cyperac.*).  
*asprerrima*, Liebm. in *Vidensk. Selsk. Skr.* V. ii. (1851) 261 = *S. asprerrima*.  
*lucida*, Nees, in *Mart. Fl. Bras.* ii. i. 183 = *S. mitis*.  
*microcarpa*, Nees, l. c. 184 = *S. microcarpa*.  
*mitis*, Nees, l. c. 185 = *S. mitis*.  
*paludosa*, Nees, l. c. = *S. paludosa*.  
*racemosa*, Nees, l. c. 183 = *S. racemosa*.  
*riparia*, Nees, l. c. 184 = *S. riparia*.  
*Schiedeana*, Liebm. in *Vidensk. Selsk. Skr.* V. ii. (1851) 261 = *S. Schiedeana*, Schlecht. (p. 489, non 494).  
*sororia*, Nees, in *Mart. Fl. Bras.* i. ii. 184 = *S. sororia*.

OPHRYOSPORUS, Meyen, *Reise*, i. 402 (1834).  
*COMPOSITAE*, Benth. & Hook. f. ii. 239.  
 OPHRYOSPORUS, Baker, in *Mart. Fl. Bras.* vi. ii. 186 (1876).

*Burchellii*, Baker, in *Mart. Fl. Bras.* vi. ii. 187.—Bras.  
*clavulatus*, Griseb. in *Goett. Abh.* xxiv. (1879) 173.—Reg. Argent.  
*Cumingii*, Benth. & Hook. f. *Gen.* ii. 239.—Bolivia.  
*Freyreissii*, Baker, in *Mart. Fl. Bras.* vi. ii. 188.—Bras.  
*laxiflorus*, Baker, l. c. 189.—Bras.  
*macrodon*, Griseb. in *Goett. Abh.* xxiv. (1879) 173.—Reg. Argent.  
*Mandonii*, Benth. & Hook. f. *Gen.* ii. 239 = *piquerioides*.  
*ovatifolius*, Benth. & Hook. f. ex Hemsl. *Biol. Centr. Am. Bot.* ii. 79.—Mexic.  
*pachychaeta*, Baker, in *Mart. Fl. Bras.* vi. ii. 187.—Bras.  
*paradoxus*, Benth. & Hook. f. *Gen.* ii. 239.—Chili.  
*piquerioides*, Benth. & Hook. f. l. c.—Peruv.  
*Regnellii*, Baker, in *Mart. Fl. Bras.* vi. ii. 188.—Bras.  
*triangularis*, Meyen, *Reise*, i. 402.—Chili.

OPHRYS, Linn. *Gen. ed. I*. 272 (1737). *ORCHIDEAE*, Benth. & Hook. f. iii. 621.

ARACHNITES, F. W. Schmidt, *Fl. Boëm.* i. 74 (1793), partim.  
 MYODIUM, Salisb. in *Trans. Hort. Soc.* i. (1812) 289.  
*adachnites*, Mill. *Gard. Dict. ed. VIII.* n. 7 = *O. Arachnites*.  
*aestiva*, Balb. *Elench.* 96 = *Spiranthes aestivalis*.

**OPHRYS:—**

- aestivalis*, Michx. *Fl. Bor. Am.* ii. 157 = *Spiranthes tortilis*.  
*aestivalis*, Poir. in *Lam. Encyc.* iv. 567 = *Spiranthes aestivalis*.  
*aestriifera*, Boiss. *Fl. Orient.* v. 79 = *oestriifera*.  
*alaris*, Linn. f. *Suppl.* 404 = *Pterygodium catholicum*.  
*alata*, Linn. l. c. = *Pterygodium alatum*.  
*albiflora*, Sprun. ex Boiss. *Fl. Orient.* v. 79 = *apifera*.  
*aloidea*, Poir. in *Lam. Encyc.* iv. 559 = *guianensis*.  
*alpina*, Linn. *Sp. Pl.* 948 = *Herminium alpinum*.  
*andracnitis*, Bory & Chaub. *Nouv. Fl. Pélop.* 62. t. 34 = *O. Ferrum-equinum*.  
*anthropomorpha*, Willd. *Sp. Pl.* iv. 63 = *Aceras anthropomorpha*.  
*anthropophora*, Linn. *Sp. Pl.* 948 = *Aceras anthropophora*.  
*anthropophora*, Oed. *Fl. Dan.* t. 103 = *Orchis ustulata*.  
*apicula*, F. C. Schmidt, ex Reichb. f. *l. c. Fl. Germ.* xiii. 79 (an hybr.?).—Helvet.  
*apiculata*, Rich. in *Mém. Mus. Par.* iv. (1818) 55 = *O. Arachnites*, *bombyliflora*.  
*apifera*, Huds. *Fl. Angl.* ed. I. 340.—Europ.; Afr. bor.  
*apiformis*, Steud. *Nom. ed. I*. 567 = *sphegiformis*.  
*aquisgranensis*, *Kaltenb. in Verh. Rheinl.* vii. (1850) 519. t. 7.—Europ.  
*arachnis*, Vell. *Fl. Flum.* ix. t. 60.—Bras.  
*Arachnites*, *Lam. Fl. Fr.* iii. 515; *Murr. Syst.* ed. XIV. 813.—Europ.; As. Min.; Syria.  
*Arachnites*, Link, in *Schrad. Journ.* ii. (1799) 325 = *tenthredinifera*.  
*Arachnites*, Reichard, *Fl. Moeno-Franc.* ii. 89 = *apifera*.  
*arachnitiformis*, Gren. & Philippi, in *Mém. Soc. Emul. Doubs, Sér. III.* iv. (1860) 391 = *O. Arachnites*.  
*arachnoides*, Vell. *Fl. Flum.* ix. t. 59.—Bras.  
*Araneola*, Reichb. *Pl. Crit.* ix. 22; *Fl. Germ. Excurs.* 140<sup>19</sup> = *aranifera*.  
*aranifera*, Huds. *Fl. Angl.* ed. II. ii. 392.—Europ.; As. Min.  
*argentea*, Vell. *Fl. Flum.* ix. t. 61.—Bras.  
*arundinacea*, Noronha, in *Verh. Batav. Gen.* v. (1790) ed. I. Art. iv. 21 = *Arundina densiflora*.  
*asilifera*, Vayr. in *Anal. Soc. Esp. Hist. Nat.* ix. (1880) 98.—Hispan.  
*atlantica*, Munby, in *Bull. Soc. Bot. Fr.* iii. (1856) 108.—Algeria.  
*atrata*, Lindl. *Bot. Reg.* t. 1807.—Europ. austr.; As. Min.  
*atrata*, Linn. *Mant.* i. 121 = *Ceratandra chloroleuca*.  
*Atropos*, Barla, *l. c.* Orch. t. 59 = *O. Scolopax*.  
*attica*, Boiss. & Orph. *Diagn. Ser. II.* iv. 91 = *O. Arachnites*.  
*aurita*, Brot. *Phyt. Lusit.* ii. 34. t. 91. f. II.—Lusit.  
*austriaca*, Wiesb. ex Dichtl, in *Deutsch. Bot. Monatsb.* i. (1883) 148 = *apifera*.  
*autumnalis*, Balb. *Elench.* 96 = *Spiranthes autumnalis*.  
*barbata*, Walt. *Fl. Carol.* 221 = *Calopogon pulchellus*.  
*Bertolonii*, Moretti, *Dec.* vi. 9; in *Brugn. Giorn. Fis.* ii. (1823).—Italia.  
*Biancae*, Macch. in *Nuov. Giorn. Bot.* xiii. (1881) 315 = *O. Arachnites*.  
*biceratia*, Delile, ex Nym. *Consp.* 697 = *atrata*.  
*bicolor*, Thunb. *Prod. Pl. Cap.* 2 = *Corycium bicolorum*.  
*bicornis*, Sadl. ex Nendtv. *Pl. Quing. Eccl.* (1836) 35.—Cf. in *Linnaea*, x. (1836) Litt. 205 = *oestriifera*.  
*bifolia*, Lam. *Fl. Fr.* iii. 516; Gilib. *Exercit.* ii. 486 = *Listera ovata*.  
*bilunulata*, Risso, *Fl. Nice*, 463.—Gallia.  
*bivalvata*, Linn. f. *Suppl.* 403 = *Disa melaleuca*.  
*bombylifera*, Willd. *Sp. Pl.* iv. 68 = seq.  
*bombyliflora*, Link, in *Schrad. Journ.* ii. (1799) 325.—Reg. Mediterr.  
*bombyliflora*, Spreng. *Syst.* iii. 702 = *O. Arachnites*.  
*brachyotus*, Reichb. *Fl. Germ. Excurs.* 128 = *O. Arachnites*.  
*bracteata*, Linn. f. *Suppl.* 403 = *Satyrion bracteatum*.  
*brevisifera*, Stev. ex Bieb. *Fl. Taur. Cauc.* i. 370, in obs.; et in *Mém. Soc. Nat. Mosc.* ii. (1809) 174 = *oestriifera*.  
*Broteroi*, Welw. ex Nym. *Consp.* 698 = *apifera*.  
*bullata*, Cyril. ex Steud. *Nom. ed. II.* ii. 219 = *O. Scolopax*.  
*caffra*, Linn. *Pl. Rar. Afr.* 28; Amoen. *Acad.* vi. 111 = *Pterygodium caffrum*.  
*campestris*, Vell. *Fl. Flum.* ix. t. 58.—Bras.  
*camtschatea*, Linn. *Sp. Pl.* 948 = *Neottia camtschatica*.

**OPHRYS:—**

- canaliculata*, Viv. *App. Fl. Cors. Prod.* 7 = *bombyliflora*.  
*caroliniana*, Raeusch. *Nom. ed. III.* 261 = *Liparis liliifolia*?  
*catholica*, Linn. *Pl. Rar. Afr.* 27; Amoen. *Acad.* vi. 110 = *Pterygodium catholicum*.  
*cernua*, Linn. *Sp. Pl.* ed. II. 946 = *Spiranthes cernua*.  
*chlorantha*, Hegetschw. *Fl. Schw.* 876 = *apifera*.  
*ciliata*, Bivona, *Sic. Pl. Cent.* i. 60 = *O. Speculum*.  
*ciliata*, H. B. & K. *Nov. Gen. et Sp.* i. 334. t. 74 = *Cranichis ciliata*.  
*circumflexa*, Linn. *Pl. Afr. Rar.* 27; Amoen. *Acad.* vi. 111 = *Disperis secunda*.  
*Corallorhiza*, Linn. *Sp. Pl.* 945 = *Corallorhiza innata*.  
*Corallorhiza*, Michx. *Fl. Bor. Am.* ii. 158 = *Corallorhiza odontorhiza*.  
*cordata*, Linn. *Sp. Pl.* 946 = *Listera cordata*.  
*corniculata*, Brot. *Phyt. Lusit.* ii. 38. t. 93 = *O. Scolopax*.  
*cornuta*, Stev. ex Bieb. *Fl. Taur. Cauc.* i. 370, in obs.; et in *Mém. Soc. Nat. Mosc.* ii. (1809) 175 = *oestriifera*.  
*corsica*, Viv. *Fl. Cors. Sp. Nov.* 16.—Corsica.  
*corsica*, Soleir. ex Bertol. *Fl. Ital.* ix. 595 = *lutea*.  
*crabronifera*, Sebast. & Mauri, *Rom. Pl. Cent.* 13. t. 2. f. 1 = *O. Arachnites*.  
*cristata*, Noronha, in *Verh. Batav. Gen.* v. (1790) ed. I. Art. iv. 21 (Quid?).—Java.  
*crucigera*, Jacq. *l. c.* Pl. Rar. i. 18. t. 185 = *aranifera*.  
*cyanogramma*, Welw. ex Nym. *Consp.* 697 = *atrata*.  
*densiflora*, Desf. in *Ann. Mus. Par.* x. (1807) 228. t. 16 = *Habenaria intacta*.  
*devenensis* ×, Reichb. f. *l. c.* Fl. Germ. xiii-xiv. 87.—Europ.  
*discors*, Bianca, in *Todaro, Orch. Sic.* 84 = *O. Arachnites*.  
*disthoma*, Bivona, *Sic. Pl. Cent.* i. 59 = *bombyliflora*.  
*distoma*, Tenore, *Syll.* 131 = *praec.*  
*epeirophora* ×, Peter, in *Flora*, lxvi. (1883) 10.—Europ.  
*episcopalis*, Poir. *Encyc. Suppl.* iv. 170 = *tenthredinifera*.  
*exaltata*, Tenore, *Cat. Pl. Hort. Neap.* (1819) App. ii. 83 = *O. Arachnites*.  
*Ferrum-equinum*, Desf. in *Ann. Mus. Par.* x. (1807) 226. t. 15.—Graecia; Reg. Caucas.  
*fimbriata*, Walt. *Fl. Carol.* 221 = *Habenaria fissa*?  
*flavicans*, Vis. *Fl. Dalm.* i. 178 = *tenthredinifera*.  
*fucifera*, Sm. *Engl. Bot.* t. 2649 = *aranifera*.  
*fuciflora*, Curt. *Fl. Lond. fasc.* vi. t. 67 = *aranifera*.  
*fuciflora*, Moench, *Meth. Suppl.* 311 = *O. Arachnites*.  
*funerea*, Viv. *Fl. Cors. Sp. Nov.* 15 = *fusca*.  
*fusca*, Link, in *Schrad. Journ.* ii. (1799) 324.—Reg. Mediterr.  
*fusca*, Reichb. *l. c.* Pl. Germ. xiii. 73 = *tenthredinifera*.  
*fusca*, Tenore, *Fl. Nap.* ii. 303. t. 92 = *lutea*.  
*galactostictos*, Heldr. & Sart, ex Boiss. *Fl. Orient.* v. 79 = *Spruneri*.  
*glabra*, Pers. *Syn.* ii. 510 = *vespifera*.  
*grandiflora*, Tenore, *Cat. Pl. Hort. Neap.* (1819) App. ii. 83; *Fl. Nap.* ii. 309 = *tenthredinifera*.  
*grassensis*, Jauvy, ex Steud. *Nom. ed. I*. 568 (Quid?).—Gallia.  
*guianensis*, Aubl. *Pl. Gui.* ii. 816.—Guian.  
*Herminium*, Gren. in Gren. & Godr. *Fl. Fr.* iii. 300 = *Herminium Monorchis*.  
*hiulca*, Sebast. & Mauri, *Cent. Rom. Pl.* xiii. 43 = *bombyliflora*.  
*hiulca*, Sprun. ex Reichb. f. *l. c.* Fl. Germ. xiii. 93. t. 101. f. 2 = *Spruneri*.  
*hybrida* ×, Pokorny, ex Reichb. f. l. c. 79.—Austria.  
*incubacea*, Bianca, *Cat. Pl. Hort. Neap.* (1819) App. ii. 83; *Fl. Nap.* ii. 309 = *tenthredinifera*.  
*insectifera*, Gueldenst. *Reisen*, i. 422 = *oestriifera*.  
*insectifera*, Linn. *Sp. Pl.* 948 = sp. plurimae.  
*integra*, Sacc. in *Nuov. Giorn. Bot.* iii. (1871) 165.—Italia.  
*inversa*, Thunb. *Prod. Pl. Cap.* 2 = *Pterygodium inversum*.  
*Inzengae*, Nym. *Syll. Suppl.* 61 = *Bertolonii*.  
*iricolor*, Desf. in *Ann. Mus. Par.* x. (1807) 224. t. 13 = *fusca*.  
*kamtschatica*, Georgi, *Beschr. Russ. Reich.* v. 1273 = *Neottia camtschatica*.  
*labrofossa*, Brot. *Phyt. Lusit.* ii. 29. t. 88 = *bombyliflora*.  
*laetea*, Willk. & Lange, *Prod. Fl. Hisp.* i. 174 = *fusca*.  
*lancea*, Thunb. ex Sw. in *Vet. Akad. Handl. Stockh.* xxi. (1800) 223.—Java.



## OPHRYS:—

- lilifolia*, Huds. Fl. Angl. ed. I. 339; ed. II. 389 = *Liparis Loeselii*.  
*lilifolia*, Linn. Sp. Pl. 946 = *Liparis lilifolia*.  
*limbata*, Linn. Handb. I. 247 = *Serapias Lingua*.  
*Loeselii*, Linn. Sp. Pl. 947 = *Liparis Loeselii*.  
*lunulata*, Parl. in Giorn. Sc. Sicil. lxii. (1838) 4. — Europ. austr.  
*lutea*, Bivona, Cent. ii. 41. t. 5 = *fusca*.  
*lutea*, Cav. Ic. ii. 46. t. 160. — Reg. Mediterr.  
*macrostachya*, La Llave & Lex. Nov. Veg. Desc. fasc. ii. (Orch. Opusc.) 9 = *Microstylis macrostachya*.  
*mammosa*, Desf. in Ann. Mus. Par. x. (1807) 222. t. 12 = *aranifera*.  
*monophyllos*, Linn. Sp. Pl. 947 = *Microstylis monophyllos*.  
*monophyllos*, Pav. ex Lindl. Gen. et Sp. Orch. 23 = *Microstylis macrostachya*.  
*Monorchis*, Linn. Sp. Pl. 947 = *Herminium Monorchis*.  
*muscaria*, Lam. Fl. Fr. iii. 515 = *muscifera*.  
*muscaria*, Pall. Reise Suedl. Statth. Russ. Reich. ii. 172 = *oestriifera*?  
*muscifera*, Huds. Fl. Angl. ed. I. 340. — Europ.  
*myodes*, Jacq. Misc. ii. 273 = *muscifera*.  
*myodes*, Lapeyr. Hist. Abr. Pl. Pyren. ii. 551 = *fusca*.  
*neglecta*, Parl. Fl. Ital. iii. 548. — Italia; Pyren.  
*nervosa*, Thunb. Fl. Jap. 27 = *Liparis nervosa*.  
*Nidus-avis*, Linn. Sp. Pl. 945 = *Neottia Nidus-avis*.  
*obscura*, Beck, in Oestr. Bot. Zeitschr. xxix. (1879) 353. — Europ.  
*oestriifera*, Bieb. Fl. Taur. Cauc. ii. 369; Stev. in Mém. Soc. Nat. Mosc. ii. (1809) 176. t. 11. f. 4, 5. — Europ. austr.; Oriens.  
*oestriifera*, Reichb. Fl. Germ. Excurs. 128 = *O. Arachnites*.  
*ovata*, Linn. Sp. Pl. 946 = *Listera ovata*.  
*oxyrhynchos*, Todaro, in Imparziale Giorn. Sc. Lett. Art. (1840) 74; ex eod. Orch. Sic. 82 = *O. Arachnites*.  
*paleacea*, H. B. & K. Nov. Gen. et Sp. i. 334 = *Altensteinia paleacea*.  
*pallida*, Rafin. Caratteri, 87. — Sicilia.  
*paludosa*, Linn. Sp. Pl. 947 = *Malaxis paludosa*.  
*paludosa*, O. F. Muell. in Fl. Dan. t. 877 = *Liparis Loeselii*.  
*palustris*, Huds. Fl. Angl. ed. I. 339 = *præc.*  
*patens*, Linn. f. Suppl. 404 = *Disa tenuifolia*.  
*Pectus*, Mutel, in Ann. Sc. Nat. Sér. II. iii. (1835) 242. — Algeria.  
*peruviana*, Aubl. Pl. Gu. ii. 816 (*Spiranthes* sp.?). — Peruv.  
*Philippi*, Gren. in Mém. Soc. Emul. Doubs, Sér. III. iv. (1860) 401 = *oestriifera*.  
*picta*, Bory & Chaub. Nouv. Fl. Pélop. 62. t. 33; ex Boiss. Fl. Orient. v. 80 = *oestriifera*.  
*picta*, Link, in Schrad. Journ. ii. (1799) 325 = *O. Scolopax*.  
*picta*, Salzm. ex Ball, in Journ. Linn. Soc. xvi. (1878) 673 = *bombyliflora*.  
*prostrata*, Steud. Nom. ed. II. ii. 249, sphalm. = *rostrata*.  
*Pseudospeculum*, DC. Fl. Fr. Suppl. 332 = *aranifera*.  
*pubescens*, Presl, Rel. Haenk. 91. — Peruv.  
*pubescens*, Reinw. ex Lindl. in Journ. Linn. Soc. iii. (1859) 15 = *Dendrobium truncatum*.  
*pulchella*, Salisb. Prod. 8 = *Liparis Loeselii*.  
*pulla*, Tenore, Fl. Nap. Prod. p. liii; ii. 311. t. 97 = *bombyliflora*.  
*purpurea*, Tausch, in Flora, xiv. (1831) 222 = *apifera*.  
*quinquelobata*, Poir. in Lam. Encyc. iv. 568 = *peruviana*.  
*rosea*, Desf. ex Boiss. Fl. Orient. v. 77 = *tenthredinifera*.  
*rostrata*, Tenore, Ind. Sem. Hort. Neap. (1830) 15 = *apifera*.  
*Reinholdi*, Sprun. ex Boiss. Fl. Orient. v. 79 = *Sprunerii*.  
*Salassia*, Comm. ex A. Rich. in Mém. Soc. Hist. Nat. Par. iv. (1828) 47 = *Liparis purpurascens*.  
*Scolopax*, Bory & Chaub. Nouv. Fl. Pélop. 62. t. 24. f. 4 = *oestriifera*.  
*Scolopax*, Cav. Ic. ii. 46. t. 161. — Reg. Mediterr.  
*Scolopax*, Tenore, Fl. Neap. Prod. 53; Fl. Nap. ii. 396 = *Bertolonii*.  
*Scolopax*, Willd. Sp. Pl. iv. 69 = *O. Speculum*.  
*secundiflora*, Steud. Nom. ed. II. i. 768; ii. 219 = *Habenaria intacta*.  
*sicula*, Tineo, Pl. Rar. Sicil. 13 = *lutea*.  
*Speculum*, Bertol. Amoen. Ital. 201 = *Bertolonii*.

## OPHRYS:—

- Speculum*, Link, in Schrad. Journ. ii. (1799) 324. — Reg. Mediterr.  
*Speculum*, Steud. Nom. ed. II. ii. 219 = *lutea*.  
*sphegigera*, Willd. Sp. Pl. iv. 65. — Afr. bor.  
*sphegodes*, Mill. Gard. Dict. ed. VIII. n. 8 = *apifera*?  
*spiralis*, Georgi, Reise, i. 232 = *Spiranthes australis*.  
*spiralis*, Linn. Sp. Pl. 945 = *Spiranthes* sp. variae.  
*Sprunerii*, Nym. Syll. 360. — Graecia.  
*squamata*, Forst. f. Prod. 59 = *Dipodium squamatum*.  
*tabanifera*, Sieber, ex Nym. Consp. 697 = *tenthredinifera*.  
*tabanifera*, Willd. Sp. Pl. iv. 68 = *bombyliflora*.  
*Tenoreana*, Lindl. Bot. Reg. t. 1093 = *tenthredinifera*.  
*tenthredinifera*, Tenore, Fl. Nap. i. 308. t. 93 = *neglecta*.  
*tenthredinifera*, Willd. Sp. Pl. iv. 67. — Reg. Mediterr.  
*Todaroana* x, Macch. in Nuov. Giorn. Bot. xiii. (1881) 314. — Sardin.  
*Tommasinii*, Vis. Fl. Dalm. iii. 354. — Dalmat.  
*tricolor*, Desf. ex Nym. Consp. 699 = *fusca*.  
*trifolia*, Walt. Fl. Carol. 221 = *Liparis lilifolia*.  
*trigona*, Gilib. Exercit. ii. 488 = *Liparis Loeselii*.  
*triphylia*, Thunb. Prod. Pl. Cap. 2 = *Pterygodium Volucris*.  
*Trollii*, Hegetschw. Fl. Schw. 874. t. 8 = *apifera*.  
*truncata*, Dulac, Fl. Hautes-Pyr. 128 = *O. Arachnites*.  
*umbilicata*, Desf. in Ann. Mus. Par. x. (1807) 227. t. 15 = *bombyliflora*.  
*unifolia*, Forst. f. Prod. 59 = *Microtis porrifolia*.  
*unilateralis*, Poir. in Lam. Encyc. iv. 569 = *Spiranthes diuretica*.  
*vernixia*, Brot. Fl. Lusit. i. 24 = *O. Speculum*.  
*vespifera*, Brot. l. c. = *lutea*.  
*vespifera*, Willd. Sp. Pl. iv. 65. — Barbar.  
*vetula*, Risso, Fl. Nice, 464. — Gallia.  
*villosa*, Desf. in Ann. Mus. Par. x. (1807) 225. t. 14 = *tenthredinifera*.  
*Volucris*, Linn. f. Suppl. 403 = *Pterygodium Volucris*.  
*Volucris*, Thunb. Prod. Pl. Cap. 2 = *Corycium vestitum*.  
*OPHTHALMACANTHUS*, Nees, in DC. Prod. xi. 219 (1847) = *Ruellia*, Plum. (Acanth.).  
*gemmiparus*, Nees, l. c. 220 = *R. gemmipara*.  
*parvus*, Nees, l. c. = *R. parva*.  
*roseus*, Nees, l. c. = *R. rosea*.  
*speciosus*, Nees, l. c. = *R. pulcherrima*.  
*OPHTHALMOBLAPTON*, Fr. Allem. Tract. Rio Jan. (1849) 4. *EUPHORBACEAE*, Benth. & Hook. f. iii. 333.  
*brasiliense*, Walp. Ann. iii. 362. — Bras.  
*crassipes*, Muell. Arg. in Mart. Fl. Bras. xi. 11. 532. — Bras.  
*macrophyllum*, Fr. Allem. Tract. Rio Jan. 4. — Bras.  
*megalophyllum*, Muell. Arg. in Mart. Fl. Bras. xi. 11. 707. — Bras.  
*pedunculare*, Muell. Arg. l. c. 533. — Bras.  
*OPHYOSTACHYS*, Steud. Nom. ed. II. ii. 220 (1841) = *OPHIOSTACHYS*, Delile = *Chamaelirium*, Willd. (Liliac.).  
*OPHYRA*, Steud. Nom. ed. II. ii. 220 (1841) = *OPHIRA*, Linn. = *Grubbia*, Berg. (Santal.).  
*OPHYROSPORUS*, Baker, in Mart. Fl. Bras. vi. 11. 186 (1876), sphalm. = *Ophryosporus*, Meyen (Comp.).  
*OPICRINA*, Rafin. New Fl. Am. iv. 85 (1836). Gen. dub. *COMPOSITARUM*.  
*angustifolia*, Rafin. l. c. = *crepidinea*.  
*crepidinea*, Rafin. l. c. — Am. bor.  
*latifolia*, Rafin. l. c. — Am. bor.  
*OPILIA*, Roxb. Pl. Corom. ii. 31. t. 158 (1799). *OLACINEAE*, Benth. & Hook. f. i. 350.  
*GROUTIA*, Guill. & Perr. Fl. Seneg. Tent. 100. t. 22 (1832).  
*PENTITDIS*, Zipp. ex Blume, Mus. Bot. Lugd. Bat. i. 246 (1850).  
*acuminata*, Wall. Cat. n. 7206 F = *Lepionurus oblongifolius*.  
*amentacea*, Roxb. Pl. Corom. ii. 31. t. 158. — Ind. or.  
*amentacea*, Wall. Cat. n. 2331 = *Cansjera Rheedii*.  
*celtidifolia*, Endl. ex Walp. Rep. i. 377 = *amentacen*.  
*Cumingiana*, Baill. Adansonia, iii. (1862-63) 124. — Ins. Philipp.  
*javanica*, Miq. Fl. Ind. Bat. i. 1. 784 = *amentacea*.

## OPILIA:—

- manillana*, Baill. Adansonia, iii. (1862-63) 124. — Ins. Philipp.  
*odorata*, Spreng. Syst. i. 766 = *Aglaia odorata*.  
*odoratissima*, Zipp. ex Miq. Ann. Mus. Bot. Lugd. Bat. iv. 43 = *Aglaia Diepenhorstii*.  
*Pentitdis*, Blume, Mus. Bot. Lugd. Bat. i. 246. — N. Guin.  
*senegalensis*, Baill. Adansonia, ii. (1861-62) 381. t. 10. — Afr. trop.  
*umbellulata*, Baill. l. c. viii. (1868) 199. — Afr. trop.  
*OPISTHOCENTRA*, Hook. f. in Benth. & Hook. f. Gen. i. 749 (1867). *MELASTOMACEAE*, Benth. & Hook. f. l. c.  
*clidemioides*, Hook. f. l. c. — Bras.  
*OPIZIA*, J. & C. Presl, Rel. Haenk. i. 293. t. 41. f. 1 (1830). *GRAMINEAE*, Benth. & Hook. f. iii. 1173. *stolonifera*, Presl, l. c. — Mexic.  
*OPIZIA*, Rafin. New Fl. Am. ii. 29 (1836) = *Capsella*, Moench (Crucif.).  
*bursoides*, Rafin. l. c. = *C. Bursa-pastoris*.  
*OPLEXION*, Rafin. Fl. Tellur. iv. 86 (1836) = *Lobostemon*, Lehm. (Borag.).  
*ferox*, Rafin. l. c. = *L. ferocissimus*.  
*OPLISMENUS*, Beauv. Fl. Owar. ii. 14. t. 58 (1807). *GRAMINEAE*, Benth. & Hook. f. iii. 1104.  
*HEKATEROSACHNE*, Steud. Syn. Pl. Gram. 118 (1855).  
*OPHISMENUS*, Poir. Encyc. Suppl. iv. 271 (1816).  
*ORTHOPOGON*, R. Br. Prod. 194 (1810).  
*PANICULATUM*, Ard. Animad. ii. 14 (1764).  
*abortivus*, Auct. ex Roem. & Schult. Syst. ii. 808 = *Andropogon squarrosus*.  
*acuminatus*, Nees, ex Steud. Syn. Pl. Gram. 45 = *undulatifolius*.  
*aemulans*, Roem. & Schult. Syst. ii. 487 = *undulatifolius*.  
*aemulus*, Kunth, Rév. Gram. i. 44 = *undulatifolius*.  
*affinis*, J. & C. Presl, Rel. Haenk. i. 323 = *Burmannie*.  
*affinis*, Schult. Mant. ii. 273 = *Panicum Schultesii*.  
*africanus*, Beauv. Fl. Owar. ii. 15. t. 67 = *compositus*.  
*albus*, Roem. & Schult. Syst. ii. 890 = *Burmannie*.  
*angustifolius*, Fourn. ex Hemsl. Biol. Centr. Am. Bot. iii. 501 (*Panici* sp.). — Mexic.  
*brasiliensis*, Raddi, Agrost. Bras. 40 = *compositus*.  
*brevisetus*, Nees, ex Steud. Syn. Pl. Gram. 46 = *Panicum brevisetum*.  
*bromoides*, Baker, in Journ. Linn. Soc. xxi. (1855) 452. — Madag.  
*bromoides*, Beauv. Agrost. 54 = *Burmannie*.  
*Burmannie*, Beauv. l. c. — Amphig. trop.  
*capensis*, Hochst. in Flora, xxix. (1846) 114. — Afr. austr.  
*chondrosioides*, Fourn. ex Hemsl. Biol. Centr. Am. Bot. iii. 501 (*Panici* sp.). — Mexic.  
*colonus*, H. B. & K. Nov. Gen. et Sp. i. 108 = *Panicum colonum*.  
*compositus*, Beauv. Agrost. 54. — Cosmop. trop.  
*cristatus*, J. & C. Presl, Rel. Haenk. i. 323 = *Burmannie*.  
*Crus-galli*, Dum. Obs. Gram. Belg. 138 = *Panicum Crus-galli*.  
*Crus-pavonis*, H. B. & K. Nov. Gen. et Sp. i. 108 = *Panicum Crus-galli*.  
*cubensis*, Kunth, Rév. Gram. i. 45 = *Panicum cubense*.  
*cuspidatus*, Kunth, l. c. = *Panicum cuspidatum*.  
*decompositus*, Nees, in Endl. Prod. Fl. Norf. 19 = *compositus*.  
*depauperatus*, Fourn. ex Hemsl. Biol. Centr. Am. Bot. iii. 501. — Mexic.  
*discolor*, Kunth, Rév. Gram. i. 45 = *Panicum discolor*.  
*dubius*, Kunth, l. c. 44. — Ind. or.  
*echinatus*, Kunth, l. c. 45 = *Panicum Crus-galli*.  
*elatiior*, Beauv. Agrost. 54 = *compositus*.  
*erianthos*, Kunth, Rév. Gram. i. 45 = *Panicum Crus-galli*?  
*fasciculatus*, Roem. & Schult. Syst. ii. 487 = *Panicum fasciculiflorum*.  
*festucoides*, Kunth, Enum. Pl. i. 146 = *Chaetium festucoides*.  
*flaccidus*, Roem. & Schult. Syst. ii. 487 = *undulatifolius*.  
*foliaceus*, Beauv. Agrost. 54 = *compositus*.



**OPLISMENUS:—**

- frumentaceus*, Kunth, Rév. Gram. i. 45 = *Panicum Crus-galli*.  
*gracilis*, Schlecht. in *Linnaea*, xxiv. (1851) 649.—Hab.?  
*helvolicus*, Beauv. Agrost. 54 = *Setaria helvola*.  
*hirsutus*, Schult. Mant. ii. 271 = *Panicum javanicum*.  
*hirtellus*, Roem. & Schult. Syst. ii. 481 = *compositus*.  
*hirtiflorus*, J. & C. Presl, Rel. Haenk. i. 320 = *rari-florus*?  
*hirtus*, Heyne, ex Roem. & Schult. Syst. ii. 484 = *Panicum Rothii*.  
*hispidulus*, Kunth, Rév. Gram. i. 44 = *Panicum Crus-galli*.  
*holciformis*, H. B. & K. Nov. Gen. et Sp. i. 107 = *Panicum holciforme*.  
*Hookeri*, Parl. in Atti 8va Riun. Sc. Ital. (1846) 586 = *Burmannie*.  
*Humboldtianus*, Nees, Agrost. Bras. 264 = *Burmannie*.  
*imbecillus*, Roem. & Schult. Syst. ii. 487 = *undulatifolius*.  
*indicus*, Roem. & Schult. l. c. 484 = *compositus*.  
*intermedius*, Kunth, Rév. Gram. i. 45 = *Setaria italica*.  
*Jacquini*, Sieber, ex Steud. Syn. Pl. Gram. 45 = *compositus*.  
*jamaicensis*, Kunth, Enum. Pl. i. 147 = *Panicum spectabile*.  
*javanicus*, Klotzsch, ex Schlecht. in *Linnaea*, xxxi. (1861-62) 309.—Java.  
*javanicus*, Roem. & Schult. Syst. ii. 891 = *Panicum javanicum*.  
*lanceolatus*, Kunth, Rév. Gram. i. 45 = *compositus*.  
*latifolius*, Haenke, ex Steud. Nom. ed. II. ii. 220 = *compositus*.  
*Liebmanni*, Fourn. ex Hemsl. Biol. Centr. Am. Bot. iii. 502.—Mexico.  
*limosus*, J. & C. Presl, Rel. Haenk. i. 321 = *Panicum Crus-galli*.  
*loliaceus*, Beauv. Agrost. 168 = *compositus*.  
*longisetus*, Kunth, Rév. Gram. i. 45 = *Panicum Crus-galli*.  
*magellanicus*, Roem. & Schult. Syst. ii. 485 = *Centotheca lappacea*.  
*margaritaceus*, Kunth, Rév. Gram. i. 44 = *Panicum margaritaceum*.  
*Minarum*, Nees, Agrost. Bras. 268 = *Ichnanthus Minarum*.  
*mollissimus*, Hochst. ex Steud. Syn. Pl. Gram. 44 = *Burmannie*.  
*multisetus*, A. Rich. Tent. Fl. Abyss. ii. 377 = *Burmannie*.  
*muricatus*, Kunth, Rév. Gram. i. 44 = *Panicum Crus-galli*.  
*oahuensis*, Nees & Meyen, ex Steud. Nom. ed. II. ii. 220 = *compositus*.  
*parvifolius*, Kunth, Rév. Gram. i. 45 = *undulatifolius*.  
*penicillatus*, Kunth, l. c. = *Ichnanthus bambusiflorus*.  
*pictus*, Kunth, Enum. Pl. i. 144 = *Panicum Crus-galli*.  
*polystachyus*, H. B. & K. Nov. Gen. et Sp. i. 107.—Mexico.  
*pratensis*, Schult. Mant. ii. 597 = *compositus*.  
*Preslei*, Kunth, Enum. Pl. i. 141 = *Burmannie*.  
*prostratus*, Edgew. in Journ. Linn. Soc. vi. (1862) 195 = *Panicum prostratum*.  
*Pseudocolonus*, Kunth, Rév. Gram. i. 44 = *Panicum colonum*.  
*Pseudoundulatifolius*, Kunth, l. c. = *Panicum Pseudoundulatifolium*.  
*rariiflorus*, J. & C. Presl, Rel. Haenk. i. 320.—Mexico.  
*repens*, J. & C. Presl, l. c. 321 = *Panicum prorepens*.  
*sabulicolus*, Kunth, Enum. Pl. i. 145 = *Panicum Crus-galli*.  
*scaber*, Kunth, Rév. Gram. i. 44 = *Panicum Crus-galli*.  
*secundus*, J. & C. Presl, Rel. Haenk. i. 322.—Peruv.  
*semialatus*, Desv. Opusc. 81 = *Panicum semialatum*.  
*setarius*, Roem. & Schult. Syst. ii. 481 = *undulatifolius*.  
*spectabilis*, Kunth, Enum. Pl. i. 145 = *Panicum spectabile*.  
*stagninus*, Kunth, Rév. Gram. i. 44 = *Panicum Crus-galli*.  
*strictus*, Schult. Mant. ii. 272 = *Panicum bengalense*.  
*sylvaticus*, Roem. & Schult. Syst. ii. 481 = *compositus*.  
*tenuis*, J. & C. Presl, Rel. Haenk. i. 319 = *Ichnanthus candicans*.  
*Thiebauti*, Fourn. ex Hemsl. Biol. Centr. Am. Bot. iii. 502.—Mexico.  
*tomentosus*, Schult. Mant. ii. 272 = *Panicum tomentosum*.

**OPLISMENUS:—**

- undulatifolius*, Beauv. Agrost. 54.—Reg. trop. et subtrop.  
*velutinus*, Schult. Mant. ii. 271 = *Burmannie*?  
*Walteri*, Kunth, Rév. Gram. i. 45 = *Panicum carolinianum*.  
*zelayensis*, H. B. & K. Nov. Gen. et Sp. i. 108 = *Panicum zelayense*.

**OPLONIA**, Rafin. Fl. Tellur. iv. 64 (1836) = **Anthacanthus**, Nees (Acanth.).  
*spinosa*, Rafin. l. c. 65 = *A. spinosus*.

**OPLOPANAX**, Miq. Ann. Mus. Bot. Lugd. Bat. i. 16 (1863) = **Fatsia**, Decne. (Araliac.).  
*horridum*, Miq. l. c. = *F. horrida*.

**OPLOTHECA**, Nutt. Gen. Am. ii. 78 (1818) = **Frœlichia**, Moench (Amarant.).  
*amarantoides*, Mart. in Nov. Act. Nat. Cur. xiii. (1826) 297 = *Iresine amarantoides*.  
*decumbens*, Mart. l. c. = *Celosia trigyna*.  
*floridana*, Nutt. Gen. Am. ii. 79 = *F. floridana*.  
*gracilis*, Hook. Ic. Pl. sub t. 256 = *F. gracilis*.  
*interrupta*, Nutt. Gen. Am. ii. 79 = *F. lanata*.  
*lactea*, Mart. in Nov. Act. Nat. Cur. xiii. (1826) 295 = *Aerva sanguinolenta*.  
*lanata*, Mart. Nov. Gen. et Sp. ii. 48. t. 146 = *F. lanata*.  
*Poirretiana*, Mart. in Nov. Act. Nat. Cur. xiii. (1826) 297 = *F. Humboldtiana*.  
*sericea*, Mart. Nov. Gen. et Sp. ii. 49 = *F. sericea*.  
*texana*, A. Br. in Ann. Sc. Nat. Sér. III. xii. (1849) 355.—Texas.  
*tomentosa*, Mart. Nov. Gen. et Sp. ii. 48 = *F. tomentosa*.

**OPLUKION**, Rafin. Sylva Tellur. 53 (1838) = **Lycium**, Linn. (Solan.).  
*afrum*, Rafin. l. c. = *L. afrum*.  
*horridum*, Rafin. l. c. = *L. horridum*, Thunb.

**OPNITHOGALUM**, Roem. Arch. i. III. (1798) 42, err. typ. = **Ornithogalum**, Tourn. (Liliac.).

**OPOIDIA**, Lindl. Bot. Reg. (1839) Misc. 66 = **Peucedanum**, Linn. (Umbell.).  
*galbanifera*, Lindl. l. c. —Persia.

**OPOPANAX**, Koch, in Nov. Act. Nat. Cur. xii. i. (1824) 96. **UMBELLIFERAE**, Benth. & Hook. f. i. 922.  
**CRENOSCIADIUM**, Boiss. & Heldr. Diagn. Ser. I. x. 30 (1849).  
*Chironium*, Guss. Fl. Sic. Syn. i. 352 = *hispidum*.  
*Chironium*, Koch, in Nov. Act. Nat. Cur. xii. i. (1824) 96.—Reg. Mediterr.  
*glabrum*, Bernh. Sel. Sem. (1837); ex Steud. Nom. ed. II. ii. 220 = *O. Chironium*.  
*hispidum*, Griseb. Spicil. Fl. Rumel. i. 378.—Graec.; As. Min.  
*orientale*, Boiss. in Ann. Sc. Nat. Sér. III. i. (1844) 330 = *hispidum*.  
*persicum*, Boiss. & Heldr. Diagn. Ser. I. x. 36.—Persia.  
*siculum*, Huet, ex Nym. Conspect. 288 = *hispidum*.

**OPORANTHUS**, Herb. App. [Bot. Reg.] 38 (1821) = **Sternbergia** Waldst. & Kit. (Amaryll.).  
*citrinus*, Herb. l. c. = *S. citrina*.  
*Clusianus*, Herb. l. c. = *S. colchiciflora*.  
*colchiciflorus*, Herb. l. c. = *S. colchiciflora*.  
*exiguus*, Herb. l. c. = *Tapeinanthus humilis*.  
*Fischerianus*, Herb. Amaryll. 412. t. 47. f. 2 = *S. Fischeriana*.  
*luteus*, Herb. App. [Bot. Reg.] 38 = *S. lutea*.  
*siculum*, Parl. Fl. Ital. iii. 97 = *S. lutea*.

**OPORINEA**, Baxt. in Loud. Hort. Brit. Suppl. iii. 599 (1850) = seq.

**OPORINIA**, D. Don, in Edinb. N. Phil. Journ. (Jan.-March, 1829) 309 = **Leontodon**, Linn. (Compos.).  
*autumnalis*, Coss. ex Willk. & Lange, Prod. Fl. Hisp. ii. 215 = *L. carpetana*.  
*autumnalis*, D. Don, in Edinb. N. Phil. Journ. (Jan.-March, 1829) 309 = *L. autumnalis*.  
*hispidula*, DC. Prod. vii. 109 = *L. hispidulus*.

**OPORINIA:—**

- keretina*, Walp. Rep. vi. 345 = *Leontodon pyrenaicus*.  
*laciniata*, Bertol. Misc. Bot. ii. 21.—Mesopot.  
*microcephala*, Boiss. ex DC. Prod. vii. 109 = *L. microcephalus*.  
*norvegica*, Griseb. in Wieg. Archiv. x. (1844) i. 12 (Quid?).—Norvegia.  
*pratensis*, Less. Syn. Comp. 132 = *L. autumnalis*.  
*pyrenaica*, Sch. Bip. ex Willk. & Lange, Prod. Fl. Hisp. ii. 216 = *L. pyrenaicus*.

**OPSAGO**, Rafin. Sylva Tellur. 54 (1838) = **Withania**, Pauq. (Solan.).  
*cordata*, Rafin. l. c. = *W. frutescens*.  
*suberosa*, Rafin. l. c. = *W. frutescens*.

**OPSANTHA**, Delarb. Fl. Auv. ed. II. 30 (1800) = **Gentiana**, Linn.  
*Amarella*, Delarb. l. c. = *G. Amarella*.

**OPSANTHE**, Rencalm, ex Fourr. in Ann. Soc. Linn. Lyon, N. S. xvii. (1869) 120 = **Gentiana**, Linn. f.  
*flava*, Fourr. l. c. = *G. germanica*.  
*germanica*, Fourr. l. c. = *G. germanica*.  
*obtusifolia*, Fourr. l. c. = *G. germanica*.

**OPSIANTHES**, Lilja, Fl. Sverig. Suppl. 25 (1840) = **Clarkia**, Pursh. (Onagr.).  
*gauroides*, Lilja, l. c. = *C. rhomboidea*.

**OPSIESTON**, Bunge in Mém. Sav. Etr. Pétersb. vii. (1851) 474 (Rel. Lehm. 298) = **Ofaiston**, Rafin. (Chenop.).

**OPSOPAEA**, Neck. Elem. ii. 305 (1790) = **Helicteres**, Linn. (Stercul.).

**OPULASTER**, Medic. Pfl. Anat. 109 (1799) = **Neillia**, D. Don (Rosac.).  
*bullatus*, Medic. l. c. = *N. opulifolia*.

**OPULUS**, Tourn. ex Linn. Gen. ed. I. 86 (1737) = **Viburnum**, Linn. (Caprifol.).  
*edulis*, J. S. Presl, Rostl. ii. 98 = *V. Opulus*.  
*glandulosa*, Moench, Meth. 505 = *V. Opulus*.  
*lobatofolia*, Gilib. Exercit. i. 4 = *V. Opulus*.  
*mollis*, J. S. Presl, Rostl. ii. 97 = *V. molle*.  
*oxycoccus*, J. S. Presl, l. c. = *V. Opulus*.  
*palustris*, S. F. Gray, Nat. Arr. Brit. Pl. ii. 489 = *V. Opulus*.  
*rosea*, Schur, Enum. Pl. Transs. 941 (Index) = *V. Opulus*.  
*trilobifolia*, Gilib. Fl. Lituan. i. 2; ex Ledeb. Fl. Ross. ii. 384 = *V. Opulus*.  
*vulgaris*, Borckh. in Roem. Archiv. i. II. 20 = *V. Opulus*.

**OPUNTIA**, Tourn. ex Mill. Gard. Dict. ed. VI. (1752). **CACTEAE**, Benth. & Hook. f. i. 851.  
**CONSOLEA**, Lem. in Rev. Hort. (1862) 174.  
**FICINDICA**, St. Lag. in Ann. Soc. Bot. Lyon, vii. (1880) 70.  
**TEPHROCACTUS**, Lem. Cact. 88 (1868).  
*acanthocarpa*, Engelm. & Bigel. in Pacif. Rail. Rep. iv. 51. t. 18. f. 1-3.—Am. bor. occ.  
*acracantha*, Walp. Rep. ii. 354 = *aoracantha*.  
*albicans*, Salm-Dyck, Hort. Dyck. 361.—Mexico.  
*Alfagayucca*, Karw. ex Salm-Dyck, Cact. Hort. Dyck. ed. II. 68 = *O. Amyclaea*.  
*alpina*, Gill. ex Pfeiff. Enum. Diagn. Cact. 146 = *platyacantha*.  
*Amyclaea*, Tenore, Fl. Neap. Prod. App. v. 15.—Mexico.  
*andicola*, Hort. Angl. ex Pfeiff. Enum. Diagn. Cact. 145.—Chili.  
*andicola*, Hort. ex Salm-Dyck, Cact. Hort. Dyck. ed. II. 71 = *glomerata*.  
*angusta*, Meinsh. in C. Koch & Fint. Wochenschr. i. (1858) 30.—Mexico.  
*angustata*, Engelm. & Bigel. in Pacif. Rail. Rep. iv. 39. t. 7.—Calif.  
*aoracantha*, Lem. Cact. Aliq. Nov. Desc. 34.—Reg. Argent.  
*arborea*, Steud. Nom. ed. II. ii. 220.—Bras.  
*arborescens*, Engelm. in Wislitz. Tour N. Mexic. 90.—N. Mexic.  
*Arbuscula*, Engelm. in Proc. Am. Acad. iii. (1857) 309.—Mexico.  
*arenaria*, Engelm. l. c. 301.—Texas.



OPUNTIA:—

argentina, *Griseb. in Goett. Abh.* xxiv. (1879) 140.—Reg. Argent.  
*articulata*, Hort. Berol. ex Pfeiff. Enum. Diagn. Cact. 103 = *Cereus articulatus*.  
*atacamensis*, *Phil. Fl. Atac.* 24.—Chili.  
*Auberi*, *Pfeiff. in Otto & Dietr. Allg. Gartenz.* viii. (1840) 282.—Cuba.  
*aurantiaca*, *Lindl. Bot. Reg.* t. 1606.—Chili.  
*Bartrami*, *Rafin. Atl. Journ.* 146 (Quid?).—Am. bor.  
*basilaris*, *Engelm. & Bigel. in Pacif. Rail. Rep.* iv. 43.—Am. bor. occ.  
*bicolor*, *Phil. in Linnaea*, xxxiii. (1864-65) 83.—Chili.  
*Bigelovii*, *Engelm. in Pacif. Rail. Rep.* iv. 50.—Calif.  
*boliviana*, *Salm-Dyck, in Otto & Dietr. Allg. Gartenz.* xiii. (1845) 387.—Bolivia.  
*Bonplandii*, Hort. ex Pfeiff. Enum. Diagn. Cact. 161 = *O. Tuna*.  
*brachyarthra*, *Engelm. & Bigel. in Pacif. Rail. Rep.* iv. 47.—Am. bor. occ.  
*brasiliensis*, *Haw. Suppl. Pl. Succ.* 79.—Bras.  
*bulbispina*, *Engelm. in Proc. Am. Acad.* iii. (1857) 304 = *tunicata*.  
*caespitosa*, Auct. = *cespitosa*.  
*calacantha*, *Forbes, ex Baxt. in Loud. Hort. Brit. Suppl.* iii. 599, nomen.—Hab.?  
*californica*, *Engelm. in Emory, Notes Mil. Reconnoiss.* 158 = *acanthocarpa*.  
*calva*, *Lem. Cact. Gen. Sp. Nov.* 73 = *Turpinii*.  
*camanchica*, *Engelm. & Bigel. in Pacif. Rail. Rep.* iv. 40.—Am. bor. occ.  
*candelabrisformis*, *Hort. Monac. ex Pfeiff. Enum. Diagn. Cact.* 159.—Mexic.  
*caracasana*, *Salm-Dyck, Cact. Hort. Dyck.* ed. II. 238.—Venezuela.  
*carolina*, *Forbes, Hort. Tour Germ.* 160, nomen.—Am. bor.  
*catocantha*, *Hort. Berol. ex Pfeiff. Enum. Diagn. Cact.* 166.—Ins. S. Thomas.  
*cespitosa*, *Rafin. in Ser. Bull. Bot.* (1830) 216 = *Rafinesquii*.  
*chlorotica*, *Engelm. & Bigel. in Pacif. Rail. Rep.* iv. 38.—Calif.  
*clavarioides*, *Hort. Berol. ex Pfeiff. Enum. Diagn. Cact.* 173.—Mexic.  
*clavata*, *Engelm. in Wislitz. Tour. N. Mexic.* 95.—Mexic.  
*clavata*, *Phil. in Anal. Univ. Chil.* (1872) 722.—Chili.  
*coccinea*, Hort. ex Pfeiff. Enum. Diagn. Cact. 161 = *O. Tuna*.  
*coccinellifera*, *Steud. Nom. ed. II. ii.* 220 = *Nopalea coccinellifera*.  
*cochenillifera*, *DC. Pl. Grass. t.* 137 = *nigricans*.  
*cochinellifera*, *Mill. Gard. Dict. ed. VIII. n.* 6 = *Nopalea coccinellifera*.  
*coerulea*, *Gill. ex Pfeiff. Enum. Diagn. Cact.* 155 = *sericea*.  
*corrugata*, *Hort. Angl. ex Salm-Dyck, Hort. Dyck.* 360; *et ex D. Dietr. Syn. Pl.* iii. 111.—Am. austr.  
*corrugata*, Hort. Monv. ex *Salm-Dyck, Cact. Hort. Dyck.* ed. I. 43 = *Parmentieri*.  
*costigera*, *Miq. in Nederl. Kruidk. Arch.* iv. (1859) 338.—Mexic.  
*crassa*, *Haw. Suppl. Pl. Succ.* 81.—Mexic.  
*crinifera*, *Salm-Dyck, ex Pfeiff. Enum. Diagn. Cact.* 157.—Bras.  
*cristata*, *Salm-Dyck, Cact. Hort. Dyck.* ed. I. 49; *et ed. II.* 73 = *imbricata*.  
*cruciata*, Hort. ex Pfeiff. Enum. Diagn. Cact. 167 = *spinosissima*.  
*curassavica*, *Mill. Gard. Dict. ed. VIII. n.* 7.—Ind. occ.  
*cylindrica*, *DC. Prod.* iii. 471.—Peruv.  
*cymochila*, *Engelm. & Bigel. in Pacif. Rail. Rep.* iv. 42 = *Rafinesquii*.  
*Darwinii*, *Hensl. in Mag. Zool. & Bot.* i. (1837) 466.—Patagonia.  
*Davisi*, *Engelm. & Bigel. in Pacif. Rail. Rep.* iv. 49.—Am. bor.  
*decipiens*, *DC. in Mém. Mus. Par.* xvii. (1828) 118 = *imbricata*.  
*decumana*, *Haw. Rev. Pl. Succ.* 71.—Am. austr.  
*decumbens*, *Salm-Dyck, Hort. Dyck.* 361.—Mexic.  
*deflexa*, *Lem. Cact. Gen. Sp. Nov.* 68 = *gracilior*.  
*dejecta*, *Salm-Dyck, Hort. Dyck.* 361.—Cuba.

OPUNTIA:—

*Demorenia*, *Forbes, Hort. Tour Germ.* 160, nomen = seq.  
*Demoriana*, *Hort. Monac. ex Foerst. Handb. Cact. ed. I.* 508, nomen.—Hab.?  
*Deppei*, *Wendl. ex Foerst. l. c.* 508, nomen.—Mexic.?  
*diademata*, *Lem. Cact. Aliq. Nov. Desc.* 36.—Reg. Argent.  
*dichotoma*, *Hort. ex Forbes, Hort. Tour Germ.* 157.—Hab.?  
*diffusa*, Hort. ex Pfeiff. Enum. Diagn. Cact. 159 = *dejecta*.  
*Dillenii*, *Haw. Suppl. Pl. Succ.* 79.—Am. austr.  
*dimorpha*, *Foerst. in Hamb. Gartenz.* xvii. (1861) 167.—Peruv.  
*dolabriformis*, Hort. ex Pfeiff. Enum. Diagn. Cact. 167 = *ferox*.  
*Drummondii*, *R. Grah. in Maund, Botanist.* v. t. 246; *et ex Pritz. Ic. Ind.* i. 767 (Quid?).—Am. bor.  
*dulcis*, *Engelm. in Cact. Mex. Bound.* 48 = *Engelmanni*.  
*eborina*, *Foerst. ex Haage, Verz. Cact.* 29 = seq.?  
*eburnea*, *Lem. Cact. Aliq. Nov. Desc.* 35 = *corrugata*.  
*echinocarpa*, *Engelm. & Bigel. in Pacif. Rail. Rep.* iv. 49.—Am. bor. occ.  
*elata*, *Link & Otto, in Verh. Ver. Befoerd. Gartenb.* vi. (1830) 434, nomen; *Salm-Dyck, Hort. Dyck.* 361.—Bras.  
*elatiior*, *Mill. Gard. Dict. ed. VIII. n.* 4.—Am. austr.  
*Ellemetiana*, *Miq. in Nederl. Kruidk. Arch.* iv. (1859) 337.—Chili.  
*elongata*, *Haw. Suppl. Pl. Succ.* 81 = *decumana*, *fulvispina*.  
*Emoryi*, *Engelm. in Proc. Am. Acad.* iii. (1857) 303.—Am. bor. occ.  
*Engelmanni*, *Salm-Dyck, Cact. Hort. Dyck.* ed. II. 235.—Am. bor. occ.  
*erinacea*, *Engelm. & Bigel. in Pacif. Rail. Rep.* iv. 47 = *rutila*.  
*erythrocentron*, *Lem. ex Foerst. Handb. Cact. ed. I.* 492 = *fulvispina*.  
*extensa*, *Salm-Dyck, ex Pfeiff. Enum. Diagn. Cact.* 147.—Hab.?  
*exuviala*, *DC. in Mém. Mus. Par.* xvii. (1828) 118 = *tunicata*.  
*exuviala*, *Salm-Dyck, Cact. Hort. Dyck.* ed. I. 48; *ed. II.* 73 = *imbricata*.  
*exuvialo-stellata*, *Lem. ex Labour. Cact.* 492 = *arborescens*.  
*ferox*, *Haw. Suppl. Pl. Succ.* 82.—Am. austr.  
*festiva*, *Sencke, ex Haage, Verz. Cact.* 29 (Quid?).—Hab.?  
*Ficus-indica*, *Mill. Gard. Dict. ed. VIII. n.* 2 = *O. Tuna*?  
*filipendula*, *Engelm. in Proc. Am. Acad.* iii. (1857) 294.—Texas.  
*flavicans*, *Lem. Cact. Gen. Sp. Nov.* 61 = *robusta*.  
*flavispina*, *Hort. Berol. ex Foerst. Handb. Cact. ed. I.* 508, nomen.—Hab.?  
*flexibilis*, Hort. ex Pfeiff. Enum. Diagn. Cact. 161 = *O. Tuna*.  
*floccosa*, *Salm-Dyck, in Otto & Dietr. Allg. Gartenz.* xiii. (1845) 388.—Peruv.  
*floribunda*, *Lem. Cact. Gen. Sp. Nov.* 68 = *Salmiana*.  
*foliosa*, *Salm-Dyck, ex DC. Prod.* iii. 471.—Am. austr.  
*fragilis*, *Haw. Suppl. Pl. Succ.* 82.—Am. bor. occ.  
*fragilis*, Hort. ex Foerst. Handb. Cact. ed. I. 489 = *missouriensis*.  
*frutescens*, *Engelm. in Bost. Journ. Nat. Hist.* v. (1845) 245 = *leptocaulis*.  
*fulgens*, *Engelm. in Bot. Calif.* i. 250 = seq.  
*fulgida*, *Engelm. in Proc. Am. Acad.* iii. (1857) 306.—Mexic.  
*fulvispina*, *Salm-Dyck, ex Pfeiff. Enum. Diagn. Cact.* 164.—Am. austr.  
*furiosa*, *Wendl. Cat. Hort. Herrenh.* (1835) = *tunicata*.  
*fusco-atra*, *Engelm. in Proc. Am. Acad.* iii. (1857) 297.—Texas.  
*fusiformis*, *Engelm. & Bigel. in Pacif. Rail. Rep.* iv. 43 = *Rafinesquii*.  
*galapageia*, *Hensl. in Mag. Zool. & Bot.* i. (1837) 467.—Ins. Galapag.  
*Galeottii*, *De Smet, ex Miq. in Nederl. Kruidk. Arch.* iv. (1859) 337.—Mexic.  
*Gilliesii*, Hort. Berol. ex Pfeiff. Enum. Diagn. Cact. 102 = *Cereus ovatus*.  
*glaberrima*, Hort. Berol. ex Pfeiff. l. c. 153 = *crassa*.  
*glauca*, Hort. ex Pfeiff. l. c. 153 = *parvula*.

OPUNTIA:—

*glaucescens*, Hort. ex Pfeiff. Enum. Diagn. Cact. 155 = *grandis*.  
*glaucescens*, *Link & Otto, in Verh. Ver. Befoerd. Gartenb.* vi. (1830) 434; *Salm-Dyck, Hort. Dyck.* 362.—Mexic.  
*glaucophylla*, *Wendl. Cat. Hort. Herrenh.* (1835); *ex Pfeiff. Diagn. Cact.* 162.—Mexic.?  
*glomerata*, *Haw. in Phil. Mag.* vii. (1830) 111.—Reg. Argent.  
*gracilior*, *Lem. Cact. Gen. et Sp. Nov.* 68.—Hab.?  
*gracilis*, *Hort. Monac. ex Pfeiff. Enum. Diagn. Cact.* 172.—Mexic.  
*Grahami*, *Engelm. in Proc. Am. Acad.* iii. (1857) 304.—Mexic.  
*grandiflora*, *Engelm. l. c.* 295.—Texas.  
*grandis*, *Hort. Angl. ex Pfeiff. Enum. Diagn. Cact.* 155.—Mexic.  
*grata*, *Phil. in Linnaea*, xxx. (1859-60) 211.—Chili.  
*Hernandezii*, *DC. in Mém. Mus. Par.* xvii. (1828) 69. t. 16.—Mexic.  
*Hieronymi*, *Griseb. in Goett. Abh.* xxiv. (1879) 140.—Reg. Argent.  
*Hitchenii*, *Forbes, Hort. Tour Germ.* 159, nomen.—Hab.?  
*horizontalis*, *Gill. ex Pfeiff. Enum. Diagn. Cact.* 145 = *andicola*.  
*horizontalis*, Hort. ex Pfeiff. l. c. 159 = *dejecta*.  
*horrida*, *Salm-Dyck, ex DC. Prod.* iii. 472 = *O. Tuna*.  
*humifusa*, *Rafin. Fl. Med.* ii. 247 = *vulgaris*.  
*humilis*, *Haw. Syn. Pl. Succ.* 189 = *O. Tuna*.  
*hystericina*, *Engelm. & Bigel. in Pacif. Rail. Rep.* iv. 44.—Mexic.  
*Hystrix*, *Griseb. Cat. Pl. Cub.* 117.—Cuba.  
*Hystrix*, Hort. ex Pfeiff. Enum. Diagn. Cact. 148 = *foliosa*.  
*imbricata*, *DC. Prod.* iii. 471.—Mexic.  
*inermis*, *DC. l. c.* 473 = *stricta*.  
*inermis*, *Moris & De Not. Fl. Caprar.* 58 = *vulgaris*.  
*intermedia*, *A. Gray, in Bost. Journ. Nat. Hist.* vi. (1850) 206 = *Rafinesquii*.  
*intermedia*, *Salm-Dyck, Hort. Dyck.* 364 = *vulgaris*.  
*involuta*, *Otto, ex Foerst. Handb. Cact. ed. I.* 505 = *floccosa*.  
*irrorata*, *Mart. ex Pfeiff. Enum. Diagn. Cact.* 154 = *decumbens*.  
*italica*, *Tenore, ex Pfeiff. l. c.* 149 = *vulgaris*.  
*Jussieuui*, *Haage, ex Foerst. Handb. Cact. ed. I.* 508, nomen.—Hab.?  
*Karwinskiana*, *Salm-Dyck, Cact. Hort. Dyck.* ed. II. 239.—Mexic.  
*Kleiniae*, *DC. in Mém. Mus. Par.* xvii. (1828) 118.—Mexic.  
*lanceolata*, *Haw. Syn. Pl. Succ.* 192.—Am. austr.  
*lanigera*, *Farm. ex Pfeiff. Enum. Diagn. Cact.* 157 = *fulvispina*.  
*lanigera*, *Salm-Dyck, Cact. Hort. Dyck.* ed. II. 65, 234 = *crinifera*.  
*lasiacantha*, Hort. Vindob. ex Pfeiff. Enum. Diagn. Cact. 160 = *megacantha*.  
*leptocaulis*, *DC. in Mém. Mus. Par.* xvii. (1828) 118.—Mexic.  
*leucacantha*, *Salm-Dyck, Hort. Dyck.* 362 = *megacantha*.  
*leucantha*, *Link & Otto, in Verh. Ver. Befoerd. Gartenb.* vi. (1830) 434, nomen; *Pfeiff. Enum. Diagn. Cact.* 167.—Mexic.  
*leucostata*, *Forbes, Hort. Tour Germ.* 160, nomen = seq.?  
*leucosticta*, *Wendl. Cat. Hort. Herrenh.* (1835); *ex Pfeiff. Enum. Diagn. Cact.* 167 = *megacantha*.  
*leucotricha*, *DC. in Mém. Mus. Par.* xvii. (1828) 119.—Mexic.  
*Lindheimeri*, *Engelm. in Bost. Journ. Nat. Hist.* vi. (1850) 207 = *Engelmanni*.  
*longispina*, *Haw. in Phil. Mag.* vii. (1830) 111.—Chili.  
*longispina*, Hort. ex Pfeiff. Enum. Diagn. Cact. 156 = *orbiculata*.  
*macracantha*, *Griseb. Cat. Pl. Cub.* 116.—Cuba.  
*macrocentra*, *Engelm. in Proc. Am. Acad.* iii. (1857) 292.—Mexic.  
*macrorrhiza*, *Engelm. in Bost. Journ. Nat. Hist.* vi. (1850) 206 = *Rafinesquii*.  
*maculacantha*, *C. F. Foerst. in Hamb. Gartenz.* xvii. (1861) 166.—Reg. Argent.  
*Maelenii*, Hort. Belg. ex *Salm-Dyck, Cact. Hort. Dyck.* ed. I. 46 = *sericea*.  
*magnifolia*, *Noronha, in Verh. Batav. Gen.* v. (179) ed. I. Art. iv. 22 = *Nopalea coccinellifera*.



**OPUNTIA:—**

- mamillata*, Schott, ex Engelm. in Proc. Am. Acad. iii. (1857) 308.—Mexic.  
*maritima*, Rafin. Fl. Med. ii. 247 = *vulgaris*.  
*maxima*, Mill. Gard. Dict. ed. VIII. n. 5 = *decumana*.  
*maxima*, Salm-Dyck, ex DC. Prod. iii. 474 = *O. Amy-claea*.  
*media*, Haw. Suppl. Pl. Succ. 82 = *missouriensis*.  
*megacantha*, Salm-Dyck, Hort. Dyck. 363.—Mexic.  
*mesacantha*, Rafin. in Ser. Bull. Bot. (1830) 216 = *Rafinesquii*.  
*Metternichii*, Picol. ex Salm-Dyck, Cact. Hort. Dyck. ed. I. 46 = *orbiculata*.  
*mexicana*, Hort. ex Pfeiff. Enum. Diagn. Cact. 150, 160 = *megacantha*, *Nopalea coccinellifera*.  
*microcarpa*, Engelm. in Emory, Notes Mil. Reconnois. 157.—Am. bor. occ.  
*microdasys*, Pfeiff. Enum. Diagn. Cact. 154.—Mexic.  
*microthela*, Hort. ex Pfeiff. l. c. 173 = *clavarioides*.  
*minor*, C. Muell. in Walp. Ann. v. 50, *sphalm.* = *tenuispina*.  
*Miquelii*, Monv. ex Salm-Dyck, Cact. Hort. Dyck. ed. I. 49 = *pulverulenta*.  
*missouriensis*, DC. Prod. iii. 472.—Am. bor.  
*mohavensis*, Engelm. & Bigel. in Pacif. Rail. Rep. iv. t. 9. f. 6–8 = *seq.*  
*mojavensis*, Engelm. & Bigel. l. c. iv. 40.—Colorado.  
*monacantha*, Haw. Suppl. Pl. Succ. 81.—Am. austr.  
*moniliformis*, Haw. ex Steud. Nom. ed. II. 221 = *Cereus moniliformis*.  
*montana*, Sencke, in Haage, Verz. Cact. 29 (Quid ?).—Hab. ?  
*monticola*, Phil. in Linnaea, xxxiii. (1864–65) 82.—Chili.  
*myriacantha*, Link & Otto, ex Steud. Nom. ed. II. ii. 221, nomen.—Mexic.  
*nana*, DC. Pl. Grass. sub t. 138 = *vulgaris*.  
*nigricans*, Haw. Syn. Pl. Succ. 189.—Am. austr.  
*nigricans*, Hort. Par. ex Foerst. Handb. Cact. ed. I. 496 = *elator*.  
*Nopalilla*, Karw. ex Salm-Dyck, Cact. Hort. Dyck. ed. II. 68 = *Karwinskiana*.  
*oblongata*, Wendl. Cat. Hort. Herrnh. (1835); ex Pfeiff. Enum. Diagn. Cact. 161.—Mexic.  
*occidentalis*, Engelm. & Bigel. in Pacif. Rep. iv. 38 = *Engelmanni*.  
*oligacantha*, Hort. Vindob. ex Pfeiff. Enum. Diagn. Cact. 137 = *spinulifera*.  
*orbiculata*, Salm-Dyck, ex Pfeiff. l. c. 156.—Chili.  
*Ottonis*, G. Don, Gen. Syst. iii. 172 = *Echinocactus Ottonis*.  
*Ottonis*, Salm-Dyck, Cact. Hort. Dyck. ed. I. 48, nomen. = *Schomburgkii*.  
*Ovallei*, C. Gay, Fl. Chil. iii. 29.—Chili.  
*ovata*, Hort. Angl. ex Pfeiff. Enum. Diagn. Cact. 102 = *Cereus ovatus*.  
*ovata*, Pfeiff. l. c. 144.—Chili.  
*ovoides*, Lem. Cact. Gen. Sp. Nov. 73 = *ovata*.  
*papyracantha*, Phil. in Regel, Gartenfl. (1872) 129.—Chili.  
*Parmentieri*, Pfeiff. in Otto & Dietr. Allg. Gartenz. vi. (1838) 276.—Paraguay.  
*Parryi*, Engelm. in Am. Journ. Sc. Ser. II. xiv. (1852) 339.—Am. bor. occ.  
*parvispina*, Salm-Dyck, Cact. Hort. Dyck. ed. II. 238.—Mexic. ?  
*parvula*, Salm-Dyck, l. c. 69 = *crassa*.  
*parvula*, Salm-Dyck, Hort. Dyck. 364.—Chili.  
*patagonica*, Phil. in Linnaea, xxxiii. (1864–65) 82.—Patagon.  
*pelaguensis*, Hort. Angl. ex Salm-Dyck, Cact. Hort. Dyck. ed. II. 71 = *platyacantha*.  
*Pentlandii*, Salm-Dyck, in Otto & Dietr. Allg. Gartenz. xiii. (1845) 387.—Bolivia.  
*Pes-corvi*, Leconte, ex Chapm. Fl. S. U. St. 145.—Am. bor.  
*phaeacantha*, Engelm. in Mem. Am. Acad. N. S. iv. (1849) 51.—N. Mexic.  
*phyllacantha*, Salm-Dyck, ex Foerst. Handb. Cact. ed. I. 508, nomen.—Hab. ?  
*Phyllanthus*, Mill. Gard. Dict. ed. VIII. n. 9 = *Phyllocactus Phyllanthus*.  
*Pintadera*, Hort. ex Salm-Dyck, Cact. Hort. Dyck. ed. I. 47 = *crinifera*.  
*platyacantha*, Hort. Angl. ex Pfeiff. Enum. Diagn. Cact. 103 = *diademata*.  
*platyacantha*, Hort. Dyck. ex Pfeiff. in Otto & Dietr. Allg. Gartenz. v. (1837) 371.—Chili.

**OPUNTIA:—**

- Poeppigii*, Otto, ex Pfeiff. Enum. Diagn. Cact. 174.—Chili.  
*polyacantha*, Haw. Suppl. Pl. Succ. 82 = *missouriensis*.  
*polyantha*, Haw. Syn. Pl. Succ. 190.—Am. austr.  
*polymorpha*, Hort. Angl. ex Pfeiff. Enum. Diagn. Cact. 103 = *Cereus articulatus*.  
*Pottii*, Salm-Dyck, Cact. Hort. Dyck. ed. II. 236.—Mexic.  
*praecox*, Forbes, Hort. Tour Germ. 160, nomen.—Hab. ?  
*Prate*, Sabine, ex Pfeiff. Enum. Diagn. Cact. 155 = *albicans*.  
*procumbens*, Engelm. & Bigel. in Pacif. Rail. Rep. iv. 39. t. 7. f. 4–5.—N. Mexic.  
*prolifera*, Engelm. in Am. Journ. Sc. Ser. II. xiv. (1852) 338.—Am. bor. occ.  
*prostrata*, Monv. & Lem. ex Foerst. Handb. Cact. ed. I. 478 = *intermedia*.  
*protracta*, Lem. l. c. 508, nomen.—Hab. ?  
*pruinosa*, Hort. ex Salm-Dyck, Cact. Hort. Dyck. ed. II. 67 = *albicans*.  
*Pseudo-tuna*, Salm-Dyck, Obs. Bot. (1822) 7.—Am. austr.  
*puberula*, Hort. Vindob. ex Pfeiff. Enum. Diagn. Cact. 156.—Mexic.  
*pubescens*, Wendl. Cat. Hort. Herrnh. (1835); ex Pfeiff. l. c. 149.—Mexic.  
*pulchella*, Engelm. in Trans. Acad. St. Louis, ii. (1863) 201.—Am. bor. occ.  
*pulverulenta*, Pfeiff. in Otto & Dietr. Allg. Gartenz. viii. (1840) 407.—Am. austr.  
*pulvinata*, DC. in Mém. Mus. Par. xvii. (1828) 119 = *microdasys*.  
*pusilla*, Haw. Syn. Pl. Succ. 195 = *foliosa*.  
*pusilla*, Salm-Dyck, Obs. Bot. (1822) 10.—Am. austr.  
*Rafinesquii*, Engelm. in Pacif. Rail. Rep. iv. 41. t. 11.—Am. bor. occ.  
*ramosissima*, Engelm. in Am. Journ. Sc. Ser. II. xiv. (1852) 339 = *tesselata*.  
*ramulifera*, Salm-Dyck, Hort. Dyck. 360.—Mexic.  
*repens*, Bello, in Anal. Soc. Esp. Hist. Nat. x. (1881) 277.—Porto Rico.  
*repens*, Karw. ex Salm-Dyck, Hort. Dyck. 361 = *decumbens*.  
*reptans*, Karw. ex W. Baxt. in Loud. Hort. Brit. Suppl. iii. 599, nomen.—Mexic.  
*retrospinosa*, Lem. Cact. Aliq. Nov. Desc. 35 = *Parmentieri*.  
*robusta*, Wendl. Cat. Hort. Herrnh. (1835); ex Pfeiff. Enum. Diagn. Cact. 165.—Mexic.  
*rosea*, DC. Prod. iii. 471.—Mexic.  
*Roxburghiana*, Voigt, Hort. Suburb. Calc. 62 = *Dillenii*.  
*rubescens*, Salm-Dyck, ex DC. Prod. iii. 474.—Bras.  
*rufescens*, Salm-Dyck, ex Foerst. Handb. Cact. ed. I. 493 = *fulvispina*.  
*rufida*, Engelm. in Proc. Am. Acad. iii. (1857) 298.—Mexic.  
*rutila*, Nutt. ex Torr. & Gray, Fl. N. Am. i. 555.—Am. bor. occ.  
*Sabinii*, Hort. ex Pfeiff. Enum. Diagn. Cact. 147 = *fragilis*.  
*salicornioides*, Spreng. ex Pfeiff. l. c. 141 = *Rhipsalis salicornioides*.  
*Salmiana*, Parm. ex Pfeiff. l. c. 172.—Bras.  
*Salmii*, Hort. ex Forbes, Hort. Tour Germ. 158, nomen.—Hab. ?  
*Schomburgkii*, Hort. Berol. ex Salm-Dyck, Cact. Hort. Dyck. ed. I. 48, nomen.—Guian. ?  
*Schottii*, Engelm. in Proc. Am. Acad. iii. (1857) 304.—Texas.  
*Segethi*, Phil. in Anal. Univ. Chil. iv. (1879) 263; ex Phil. in Regel, Gartenfl. (1883) 260.—Hab. ?  
*senilis*, Parm. ex Pfeiff. Enum. Diagn. Cact. 157 = *crinifera*.  
*senilis*, Roetzl, in Belg. Hort. xxiv. (1874) 39.—Peruv.  
*sericea*, G. Don, ex Salm-Dyck, Hort. Dyck. 363.—Chili.  
*serpentina*, Engelm. in Am. Journ. Sc. Ser. II. xiv. (1852) 338.—Am. bor. occ.  
*setispina*, Engelm. ex Salm-Dyck, Cact. Hort. Dyck. ed. II. 239.—Mexic.  
*speciosa*, Steud. Nom. ed. II. ii. 222 = *Phyllocactus phyllanthoides*.  
*sphaerica*, C. F. Foerst. in Hamb. Gartenz. xvii. (1861) 167.—Peruv.

**OPUNTIA:—**

- sphaerocarpa*, Engelm. & Bigel. in Pacif. Rail. Rep. iv. 47.—N. Mexic.  
*spinalba*, Rafin. Atl. Journ. 147 (Quid ?).—Am. bor.  
*spinaurea*, Karw. ex Salm-Dyck, Cact. Hort. Dyck. ed. I. 46 = *O. Pseudo-tuna*.  
*spiniflora*, Phil. in Linnaea, xxx. (1859–60) 211.—Chili.  
*spinosissima*, Mill. Gard. Dict. ed. VIII. n. 8.—Ind. occ.  
*spinulifera*, Salm-Dyck, Hort. Dyck. 364.—Mexic.  
*spinulosa*, Salm-Dyck, Cact. Hort. Dyck. ed. I. 46, nomen.—Hab. ?  
*spirocentra*, Engelm. & Bigel. ex Haage, Verz. Cact. 30.—N. Mexic.  
*splendens*, Hort. Angl. ex Pfeiff. Enum. Diagn. Cact. 159 = *missouriensis*.  
*Stanlyi*, Engelm. in Emory, Notes Mil. Reconnois. 157.—N. Mexic.  
*Stapeliae*, DC. in Mém. Mus. Par. xvii. (1828) 117.—Mexic.  
*stellata*, Salm-Dyck, Cact. Hort. Dyck. ed. I. 48; ed. II. 73 = *arborescens*.  
*stenochila*, Engelm. & Bigel. in Pacif. Rail. Rep. iv. 43 = *Rafinesquii*.  
*stenopetala*, Engelm. in Proc. Am. Acad. iii. (1857) 289.—Mexic.  
*straminea*, Sencke, ex Haage, Verz. Cact. 30.—Hab. ?  
*streptacantha*, Lem. Cact. Gen. Sp. Nov. 62.—Mexic.  
*stricta*, Haw. Syn. Pl. Succ. 191.—Am. austr.  
*Strigil*, Engelm. in Proc. Am. Acad. iii. (1857) 290.—Texas.  
*subferox*, Schott, ex Pfeiff. Enum. Diagn. Cact. 167 = *leucacantha*.  
*subinermis*, Link, ex Steud. Nom. ed. II. ii. 222, nomen.—Am. austr.  
*subulata*, Engelm. in Gard. Chron. (1883) i. 627.—Am. austr.  
*sulphurea*, G. Don, ex Loud. Hort. Brit. 196; Salm-Dyck, Hort. Dyck. 360.—Chili.  
*syringacantha*, Pfeiff. ex Foerst. Handb. Cact. ed. I. 470 = *diademata*.  
*tenuispina*, Engelm. in Proc. Am. Acad. iii. (1857) 294.—Mexic.  
*tesselata*, Engelm. in Pacif. Rail. Rep. iv. 52. t. 21.—Calif.  
*Thurberi*, Engelm. in Proc. Am. Acad. iii. (1857) 308.—Mexic.  
*Tidballii*, Bigel. in Pacif. Rail. Rep. iv. 11 = *chlorotica*.  
*tomentosa*, Salm-Dyck, Obs. Bot. (1822) 8.—Am. austr.  
*tortispina*, Engelm. & Bigel. in Pacif. Rail. Rep. iv. 41.—Am. bor. occ.  
*triacantha*, Sweet, Hort. Brit. ed. I. 172 = *curassavica*.  
*tuberculata*, Haw. Suppl. Pl. Succ. 80.—Am. austr.  
*tuberosa*, Hort. Angl. ex Pfeiff. Enum. Diagn. Cact. 146 = *platyacantha*.  
*Tuna*, DC. Pl. Grass. sub t. 138 = *monacantha*.  
*Tuna*, Mill. Gard. Dict. ed. VIII. n. 3.—Am. austr.  
*tunicata*, Hort. Berol. ex Pfeiff. Enum. Diagn. Cact. 170.—Mexic.  
*Turpinii*, Lem. Cact. Aliq. Nov. Desc. 36.—Reg. Argent.  
*Umbrella*, Steud. Nom. ed. II. ii. 222 = *curassavica*.  
*undulata*, Hort. ex Pfeiff. Enum. Diagn. Cact. 170 = *tunicata*.  
*vaginata*, Engelm. in Wislitz. Tour N. Mexico, 100 = *leptocaulis*.  
*vestita*, Salm-Dyck, in Otto & Dietr. Allg. Gartenz. xiii. (1845) 388.—Peruv.  
*violacea*, Engelm. in Emory, Notes Mil. Reconnois. 157.—Arizona.  
*virgata*, Hort. Berol. ex Pfeiff. Enum. Diagn. Cact. 173 = *leptocaulis*.  
*virgata*, Hort. Vindob. ex Foerst. Handb. Cact. ed. I. 506 = *gracilis*.  
*vulgaris*, Mill. Gard. Dict. ed. VIII. n. 1.—Am. bor.  
*vulgaris*, Tenore, Syll. Fl. Neap. 239 = *O. Tuna*.  
*Whipplei*, Engelm. & Bigel. in Pacif. Rail. Rep. iv. 50.—Calif.  
*Wrightii*, Engelm. in Proc. Am. Acad. iii. (1857) 308 = *Kleiniae*.
- ORABANCHE**, Losc & Pardo, Ser. Inconfect. Pl. Arag. 79 (1863), *sphalm.* = **Orobanche**, Tourn.
- ORANIA**, Zipp. in Alg. Konst- en Letter-bode (1829), i. 297. *PALMAE*, Benth. & Hook. f. iii. 918.  
*ARAUSTACA*, Blume, Rumphia, ii. praef. p. 8 (1836), tt. 119, 122.  
*MACROCLADUS*, Griff. in Calc. Journ. Nat. Hist. v. (1845) 489.



**ORANIA:—**

- aruensis*, Becc. *Malesia*, i. (1877) 76.—N. Guin.  
*macrocladus*, Mart. *Hist. Nat. Palm.* iii. 186. t. 177.  
 —Malacca; Java.  
*moluccana*, Becc. in *Ann. Jard. Buitenz.* ii. (1885) 163.—Ins. Molucc.  
*nicobarica*, Kurz, in *Journ. Bot.* xiii. (1875) 331 = *Bentinckia nicobarica*.  
*philippinensis*, Scheff. ex Becc. in *Ann. Jard. Buitenz.* ii. (1885) 156.—Ins. Philipp.  
*porphyrocarpa*, Blume, ex Mart. *Hist. Nat. Palm.* iii. 190. t. 157 = *Didymosperma porphyrocarpa*.  
*regalis*, Blume, ex Zipp. in *Alg. Konst- en Letterbode* (1829), i. 297.—Java.  
*regalis*, Miq. *Palm. Archip. Ind.* 4 = *moluccana*.

ORAOMA, Turcz. in *Bull. Soc. Nat. Mosc.* xxxi. (1858) 411 = *Amoora*, Roxb. (Meliac.).  
*canarana*, Turcz. l. c. = *A. canarana*.

ORBEA, Haw. Syn. Pl. Succ. 37 (1812) = *Stapelia*, Linn. (Asclep.).

- anguinea*, Haw. l. c. 41 = *S. picta*.  
*bisulca*, Haw. l. c. 39 = *S. variegata*.  
*bufonia*, Haw. l. c. 40 = *S. variegata*.  
*clypeata*, Haw. Suppl. Pl. Succ. 13 = *S. clypeata*.  
*Curtisii*, Haw. Syn. Pl. Succ. 40 = *S. variegata*.  
*conspurcata*, Schult. Syst. vi. 834 = *S. conspurcata*.  
*decora*, Steud. Nom. ed. II. ii. 222 = *Piранthus decorus*.  
*inodora*, Haw. Suppl. Pl. Succ. 12 = *S. inodora*.  
*lepida*, Haw. l. c. 13 = *S. lepida*.  
*maculosa*, Haw. Syn. Pl. Succ. 37 = *S. maculosa*.  
*marginata*, Schult. Syst. vi. 834; et G. Don, Gen. Syst. iv. 120 = *S. marginata*.  
*marmorata*, Schult. Syst. vi. 834 = *S. marmorata*.  
*mixta*, Haw. Syn. Pl. Succ. 38 = *S. mixta*.  
*mutabilis*, G. Don, in *Loud. Hort. Brit.* 96; Gen. Syst. iv. 121 = *S. mutabilis*.  
*normalis*, Schult. Syst. vi. 834; G. Don, l. c. 120 = *S. normalis*.  
*orbicularis*, Haw. Syn. Pl. Succ. 40 = *S. orbicularis*.  
*picta*, Haw. l. c. 42 = *S. picta*.  
*planiflora*, G. Don, Gen. Syst. iv. 120 = *S. planiflora*.  
*quinguenervia*, Haw. Syn. Pl. Succ. 38 = *S. planiflora*.  
*retusa*, Haw. l. c. 41 = *S. retusa*.  
*rugosa*, G. Don, in *Loud. Hort. Brit.* 96 = *S. rugosa*.  
*trisolca*, G. Don, ex Steud. Nom. ed. II. ii. 222 = *S. trisolca*.  
*variegata*, Haw. Syn. Pl. Succ. 40 = *S. variegata*.  
*Wendlandiana*, Schult. Syst. vi. 834; G. Don, Gen. Syst. iv. 120 = *S. Wendlandiana*.  
*Woodfordiana*, Haw. Syn. Pl. Succ. 42 = *S. Woodfordiana*.

ORBECKIA, G. Don, Gen. Syst. ii. 730 (1832), err. typ. = *Osbeckia*, Linn. (Melast.).

ORBEXILUM, Rafin. Atl. Journ. 145 (1832) = *Psoralea*, Linn. (Legumin.).  
*latifolia*, Rafin. l. c. = *P. Onobrychis*.

ORBICULARIA, Baill. Etud. Gén. Euph. 616 (1858) = *Phyllanthus*, Linn. (Euphorb.).  
*phyllanthoides*, Baill. l. c. 617 = *P. orbicularis*.

ORBIGNIA, Bert. Herb. ex Steud. Nom. ed. II. ii. 222 (1841) = seq.

ORBIGNYA, Bert. in *Merc. Chil.* (1829) 737; ex Am. Journ. Sc. Sér. I. xxiii. (1833) 259 = *Llagunoa*, Ruiz & Pav. (Sapind.).  
*trifolia*, Bert. ex Steud. Nom. ed. II. ii. 222 = *L. glandulosa*.  
*trifoliata*, Bert. in *Merc. Chil.* (1829) 737; ex Am. Journ. Sc. Sér. I. xxiii. (1833) 259 = *L. glandulosa*.

ORBIGNYA, Mart. ex Endl. Gen. 257 (1837).  
*PALMAE*, Benth. & Hook. f. iii. 948.  
*Cuci*, Kunth, ex H. Wendl. in *Kerch. Palm.* 252 = *phalerata*.  
*dubia*, Mart. *Hist. Nat. Palm.* iii. 304. t. 169.—Bras.  
*Eichleri*, Drude, in *Mart. Fl. Bras.* iii. 11. 449.—Bras.  
*humilis*, Mart. *Palmet. Orbign.* 129. t. 10. f. 2.—Bolivia.  
*Lydiae*, Drude, in *Mart. Fl. Bras.* iii. 11. 448.—Bras.

**ORBIGNYA:—**

- phalerata*, Mart. *Palmet. Orbign.* 126. t. 13. f. 2.—Bolivia.  
*Pixuna*, Barb.-Rodr. Prot. App. (1879) 49 = *Attalea spectabilis*.  
*racemosa*, Drude, in *Mart. Fl. Bras.* iii. 11. 448.—Bras.

ORBINDA, Noronha, in *Verh. Batav. Gen. v.* (1790) ed. I. Art. iv. 3 (Quid?).

ORCHIASTRUM, Lem. in *Illustr. Hort.* ii. (1855) Misc. 96, 100 = *Lachenalia*, Jacq. (Liliac.).  
*Aitoni*, Lem. l. c. 100 = *L. orchioides*.  
*glaucinum*, Lem. l. c. = *L. glaucina*.  
*mutabile*, Lem. l. c. = *L. orchioides*.  
*pallidum*, Lem. l. c. = *L. pallida*.  
*pulchellum*, Lem. l. c. = *L. orchioides*.  
*virentiflavum*, Lem. l. c. = *L. orchioides*.

ORCHIDION, Mitch. in *Act. Phys. Med. Acad. Nat. Cur.* viii. (1748) App. 218 = *Arethusa*, Gronov. (Orchid.).

ORCHIDIUM, Sw. Summa Veg. Scand. 32 (1814); et in *Svensk Bot. t.* 518 (1819) = *Calypso*, Salisb. (Orchid.).  
*americanum*, Steud. Nom. ed. II. ii. 222 = *C. borealis*.  
*arcticum*, Sw. Summa Veg. Scand. 32 = *C. borealis*.  
*boreale*, Sw. in *Svensk. Bot. t.* 518 = *C. borealis*.

ORCHIDOCARPUM, Michx. Fl. Bor. Am. i. 329 (1803) = *Asimina*, Adans. (Anonac.).  
*arietinum*, Michx. l. c. = *A. triloba*.  
*grandiflorum*, Michx. l. c. 330 = *A. grandiflora*.  
*parviflorum*, Michx. l. c. 329 = *A. parviflora*.  
*pygmaeum*, Michx. l. c. 330 = *A. pygmaea*.

ORCHIDOFUNKIA, A. Rich. & Gal. in *Ann. Sc. Nat. Sér. III.* iii. (1845) 24 = *Cryptarrhena*, R. Br. (Orchid.).  
*pallidiflora*, A. Rich. & Gal. l. c. = *C. pallidiflora*.

ORCHIOPS, Salisb. Gen. Pl. Fragm. 21 (1866) = *Lachenalia*, Jacq. (Liliac.).  
*orchioides*, Salisb. l. c. = *L. orchioides*.

ORCHIPEDA, Blume, Bijdr. 1026 (1826) = *Voacanga*, Thou. (Apocyn.).  
*foetida*, Blume, Bijdr. 1027 = *V. foetida*.  
*gracilipes*, Miq. Ann. Mus. Bot. Lugd. Bat. i. 316.—Ins. Molucc.  
*grandifolia*, Miq. l. c. = *V. grandifolia*.  
*sumatrana*, Miq. Fl. Ind. Bat. Suppl. 553.—Sumatra.

ORCHIPEDIUM, Benth. in *Journ. Linn. Soc.* xviii. (1881) 344, err. typ. = seq.

ORCHIPEDUM, Breda, Kuhl & Hasselt, Gen. et Sp. Orch. [t. 10] (1827) = *Physurus*, Rich. (Orchid.).  
*plantaginifolium*, Breda, l. c. —Java.

ORCHIS, [Tourn.] Linn. Syst. ed. I (1735). *ORCHIDEAE*, Benth. & Hook. f. iii. 620.

ABROCHIS, Neck. Elem. iii. 130 (1790).  
 ANACAMPTIS, Rich. in *Mém. Mus. Par.* iv. (1818) 41, 47.  
 BARLIA, Parl. Nuov. Gen. Piant. Monocot. 5 (1858); Fl. Ital. iii. 445 (1858).  
 COMPERIA, C. Koch, in *Linnaea*, xxii. (1849) 287.  
 DACTYLORHIZA, Neck. Elem. iii. 129 (1790).  
 HIMANTOGLOSSUM, Spreng. Syst. iii. 675 (1826).  
 LOROGLOSSUM, Rich. in *Mém. Mus. Par.* iv. (1818) 41, 47.  
 MESICERA, Rafin. Neogenyt. 4 (1825).  
 ORCHITES, Schur, Enum. Pl. Transs. 942 (1866).  
 STRATEUMA, Salisb. in *Trans. Hort. Soc.* i. (1812) 290.  
 TRAUNSTEINERA, Reichb. Nom. 50 (1841); Fl. Sax. 87 (1844).

ZOOPHORA, Bernh. Syst. Verz. Erf. 308 (1800).  
*abortiva*, Leyss. Fl. Hal. 226 = *Orobancha purpurea*.  
*abortiva*, Linn. Sp. Pl. 943 = *Limodorum abortivum*.  
*acuminata*, Desf. Fl. Atlant. ii. 318 = *tridentata*.  
*acuta*, Banks, ex Presl, Fl. Am. Sept. ii. 588 = *Habenaria dilatata*.  
*aetnensis*, Tineo, in *Guss. Fl. Sic. Syn.* ii. 876 = *tridentata*.  
*affinis*, C. Koch, in *Linnaea*, xxii. (1849) 284 = *latifolia*.

**ORCHIS:—**

- agastachys*, Fisch. ex Lindl. Gen. et Sp. Orch. 287 = *Habenaria dilatata*.  
*alata*, Fleury, Orch. Rennes (1819), 17 = *laxiflora*.  
*alba*, Lam. Fl. Fr. iii. 502 = *Habenaria bifolia*.  
*albida*, Frivald. ex Hampe, in *Flora*, xx. (1837) 230 (= *Gymnadenia Frivaldskyan*).—Rumel.  
*albida*, Scop. Fl. Carn. ed. II. ii. 201 = *Habenaria albida*.  
*alpina*, Scop. l. c. 196 = *Herminium alpinum*.  
*ambigua*, Degl. ex Le Gall, Fl. Morb. 585 = *laxiflora*.  
*ambigua* x, Kern. in *Verh. Zool. Bot. Ges. Wien*, xv. (1865) 205.—Europ.  
*ambigua*, Martr. Fl. Tarn, 705 (Quid?).—Gallia.  
*amoena*, Crantz, Stirp. Austr. ed. II. fasc. vi. 490 = *ustulata*.  
*anatolica*, Boiss. *Diagn. Ser. I.* v. 56.—As. Min.; Syria.  
*angusticruris* x, Franch. in *Humnicki, Mon. Pl. Orl.* 27, nomen.—Gallia.  
*angustifolia*, Bieb. Fl. Taur. Cauc. ii. 368 = *iberica*.  
*angustifolia*, Loisel. ex Reichb. Pl. Crit. ix. 17. 1140 = *latifolia*.  
*angustifolia*, Wimm. & Grab. Fl. Siles. ii. 252 = *incarnata*.  
*anthropomorpha*, Steud. Nom. ed. I. 567 = *Ophrys anthropomorpha*.  
*anthropophora*, All. Fl. Pedem. ii. 148 = *Aceras anthropophora*.  
*aphylla*, Forsk. Fl. Aegypt. Arab. 156 = *Habenaria aphylla*, R. Br.  
*aphylla*, F. W. Schmidt, in *Mayer, Samml. Phys. Aufs.* i. (1791) 240 = *Epipogon aphyllum*.  
*apifera*, Salisb. Prod. 7 = *Ophrys apifera*.  
*appendiculata*, Stokes, Bot. Mat. Med. iv. 291 = *pyramidalis*.  
*Arachnites*, Scop. Fl. Carn. ed. II. ii. 194 = *Ophrys Arachnites*.  
*aristata*, Fisch. ex Lindl. Gen. et Sp. Orch. 262 = *latifolia*.  
*Aschersoniana* x, Hausskn. in *Mith. Geogr. Ges. Jena*, ii. (1885) 223.—Europ.  
*atlantica*, Willd. Sp. Pl. iv. 42 = *Habenaria intacta*.  
*atropurpurea*, Tausch, in *Flora*, xiv. (1831) 223 = *Habenaria nigra*.  
*austriaca* x, Kern. in *Oestr. Bot. Zeitschr.* xiv. (1864) 139 = *Dietrichiana*.  
*barbata*, Linn. f. Suppl. 399 = *Disa barbata*.  
*batrachites*, Schrank, Baier. Reise, 86 = *Habenaria viridis*.  
*Beyrichii* x, Kern. in *Verh. Zool.-Bot. Ges. Wien*, xv. (1865) 208.—Europ.  
*bicornis*, Gilib. Exercit. ii. 473 = *pyramidalis*.  
*bicornis*, Jacq. Hort. Schoenb. ii. 26 = *Satyrion ochroleucum*.  
*bicornis*, Linn. Pl. Afr. Rar. 26; Amoen. Acad. vi. 109 = *Satyrion bicornis*.  
*bicornis*, Linn. Sp. Pl. ed. II. 1330 = *Satyrion coriifolium*.  
*bidentata*, Ell. Sketch, ii. 488 = *Habenaria herbiola*.  
*Biermanni*, Otrm. in *Bot. Zeit.* viii. (1850) 738 = *maculata*.  
*biflora*, Linn. Sp. Pl. ed. II. 1330 = *Disa torta*.  
*bifolia*, Linn. l. c. 939 = *Habenaria bifolia*.  
*bipunctata*, Rafin. Préc. Découv. 43 = *quadripunctata*.  
*Bivonae*, Todaro, in *Imparziale Giorn. Sc. Lett. Art.* (1840) 34 = *longicruris*.  
*blephariglottis*, Willd. Sp. Pl. iv. 9 = *Habenaria ciliaris*.  
*Bonanniana*, Tod. Orch. Sic. 57 = *maculata*.  
*Bornemannii* x, Aschers. in *Oestr. Bot. Zeitschr.* xv. (1865) 70 = *longicornu*.  
*Boryi*, Reichb. f. Ic. Fl. Germ. xiii-xiv. 19 = *quadripunctata*.  
*brachiata*, Gilib. Exercit. ii. 477 = *militaris*.  
*brachystachys*, Urv. in *Mem. Soc. Linn. Par.* i. (1822) 377 = *pyramidalis*.  
*bracteata*, Tenore, Prod. Fl. Nap. p. lii = *O. Pseudo sambucina*.  
*bracteata*, Willd. Sp. Pl. iv. 34 = *Habenaria viridis*.  
*Brancifortii*, Bivona, Stirp. Rar. Sicil. i. [11] t. 1. f. 1 = *quadripunctata*.  
*Braunii* x, Halac. in *Oestr. Bot. Zeitschr.* xxxi. (1881) 137.—Europ.  
*brevicornis*, Viv. Ann. Bot. i. 11. 184 = *patens*.  
*brevicornu*, Viv. Fl. Ital. Fragm. 11. t. 12. f. 2 = *praece*.  
*brevilabris*, Fisch. & Mey. in *Ann. Sc. Nat. Ser. IV.* i. (1854) 30 = *tridentata*.



## ORCHIS:—

- Bruniana* ×, Bruegg. in Jahresb. Naturf. Ges. Graub. II. xxiii-xxiv. (1880) 118.—Europ.  
*Burmänniana*, Linn. Pl. Afr. Rar. 26; Amoen. Acad. vi. 108 = *Bartholina pectinata*.  
*calcarata*, Burm. f. Fl. Cap. Prod. 30 (err. typ. 26) = *Satyrium coriifolium*.  
*calcarata*, Walt. Fl. Carol. 220.—Am. bor.  
*camtschatica*, Cham. in *Linnaea*, iii. (1828) 27.—Kamtschatka.  
*canariensis*, Lindl. Gen. et Sp. Orch. 263.—Ins. Canar.  
*candidissima*, Krock. Fl. Siles. iii. 16. t. 2 = *Habenaria bifolia*?  
*caprina*, Bieb. Fl. Taur. Cauc. iii. 602 = *hircina*.  
*carnea*, [Dryand. in] Ait. Hort. Kew. ed. I. iii. 294.—Afr. austr.  
*caspia*, Trautv. in Act. Hort. Petrop. ii. (1873) 484 = *laxiflora*.  
*cassidea*, Bieb. Fl. Taur. Cauc. iii. 600 = *coriophora*.  
*Cataphracta*, Sieber, ex Steud. Nom. ed. II. ii. 223 (Quid?).—Hab.?  
*caucasica*, Regel, Ind. Sem. Hort. Petrop. App. (1863) 22.—Reg. Caucas.  
*cercopitheca*, Poir. in Lam. Encyc. iv. 593 = *O. Simia*.  
*cernua*, Burm. f. Fl. Cap. Prod. 30 (err. typ. 26) (Quid?).—Afr. austr.  
*Champagneuxii*, Barn. in Ann. Sc. Nat. Sér. II. xx. (1843) 380 = *O. Morio*.  
*chlorantha*, Willk. & Lange, Prod. Fl. Hisp. i. 171, in syn. = *Habenaria bifolia*?  
*Chusua*, D. Don, Prod. Fl. Nep. 23.—Reg. Himal.  
*cicadaria*, Noronha, in Verh. Batav. Gen. v. (1790) ed. I. Art. iv. 21 (Quid?).—Java.  
*ciliaris*, Linn. Sp. Pl. 939 = *Habenaria ciliaris*.  
*cimicina*, Bréb. Fl. Norm. ed. II. 296; Des Moul. in Act. Linn. Soc. Bord. xx. (1855) 706 = *olida*.  
*cimicina*, Crantz, Stirp. Austr. ed. II. fasc. vi. 498 = *coriophora*.  
*cinerea*, Schrank, Baier. Fl. i. 241 = *militaris*.  
*circumflexa*, Bolus, in Journ. Linn. Soc. xix. (1882) 346, in syn. = *Disperis secunda*.  
*clavellata*, Michx. Fl. Bor. Am. ii. 155 = *Habenaria tridentata*.  
*collina*, [Soland. in] Russell, Aleppo, ed. II. ii. 264; Banks, ex Lindl. Gen. et Sp. Orch. 262 = *saccata*.  
*Columnae*, F. W. Schmidt, in Mayer, Samml. Phys. Aufs. i. (1791) 227 = *ustulata*.  
*commelineifolia*, Roxb. Hort. Beng. 63; Fl. Ind. iii. 451 = *Habenaria commelinifolia*.  
*commutata*, Tod. Orch. Sic. 24 = *tridentata*.  
*comosa*, Schur, Enum. Pl. Transs. 641 = *angustifolia*.  
*comosa*, F. W. Schmidt, in Mayer, Samml. Phys. Aufs. i. (1791) 233 = *maculata*.  
*comosa*, Scop. Fl. Carn. ed. II. ii. 198 = *latifolia*.  
*Comperiana*, Stev. in Nouv. Mém. Soc. Nat. Mosc. i. (18) 259.—As. Min.; Tauria.  
*compressiflora*, Stokes, Bot. Mat. Med. iv. 292 = *mascula*.  
*condensa*, Schur, Enum. Pl. Transs. 642 = *latifolia*.  
*condensata*, Desf. Fl. Atlant. ii. 316 = *pyramidalis*.  
*conica*, Willd. Sp. Pl. iv. 14 = *tridentata*.  
*conopsea*, Gren. Fl. Ch. Jurass. 751 = *conopsea*, Linn.  
*conopsea*, Asso, Syn. Stirp. Arag. 130 = *odoratissima*.  
*conopsea*, Linn. Sp. Pl. 942 = *Habenaria conopsea*.  
*convallariaefolia*, Fisch. ex Lindl. Gen. et Sp. Orch. 217 (= *Platanthera convallariaefolia*).—Kamtschat.  
*cordata*, Willd. Sp. Pl. iv. 27 = *Habenaria cordata*.  
*cordigera*, Fries, Novit. Fl. Succ. Mant. iii. 130.—Europ.  
*coreosmus*, St. Lag. in Ann. Soc. Bot. Lyon, vii. (1880) 131 = *coriophora*.  
*coriophora*, Linn. Sp. Pl. 940.—Europ.; Oriens.  
*cornopica*, Mill. Gard. Dict. ed. VIII. n. 8, sphalm. = *conopsea*, Linn.  
*cornuta*, Houtt. Handleid. xii. 456 = *Satyrium coriifolium*.  
*cornuta*, Linn. Pl. Afr. Rar. 27; Amoen. Acad. vi. 109 = *Disa cornuta*.  
*cornuta*, Noronha, in Verh. Batav. Gen. v. (1790) ed. I. Art. iv. 21 (Quid?).—Java.  
*corsica*, Viv. Fl. Cors. Sp. Nov. 16 = *tridentata*.  
*crenulata*, Gilib. Exercit. ii. 474 = *O. Morio*.  
*cristata*, Michx. Fl. Bor. Am. ii. 156 = *Habenaria cristata*.  
*crocea*, Rafin. Atl. Journ. 119 (Quid?).—Am. bor.  
*cruenta*, O. F. Muell. in Fl. Dan. t. 876; Retz. Prod. Fl. Scand. ed. II. 205 = *incarnata*.  
*cruenta*, Roch, Pl. Banat. Rar. 34. t. 1. f. 1 = *cordigera*.

## ORCHIS:—

- cubitalis*, Linn. Sp. Pl. 940 = *Habenaria cubitalis*.  
*cucullata*, Linn. l. c. 939 = *Habenaria cucullata*.  
*Cupani*, Tod. Orch. Sic. 56 (sp. dub.).—Sicil.  
*cuprina*, Schur, Enum. Pl. Transs. 645, sphalm. = *caprina*.  
*curvifolia*, F. Nyland. Spicil. Pl. Fennic. ii. 12. n. 25 = *maculata*.  
*cylindrica*, C. Koch, in *Linnaea*, xix. (1847) 12.—As. Min.  
*Cyrelli*, Tenore, Prod. Fl. Nep. p. lii = *provincialis*.  
*decipiens*, Bianca, Nov. Pl. Sp. 1 = *papilionacea*.  
*densiflora*, Wahlenb. in Vet. Acad. Handl. Stockh. (1806) 68 = *Habenaria conopsea*, Benth.  
*dentata*, Sw. l. c. xxi. (1800) 207 (= *Plantanthera dentata*).—China.  
*depsata*, Burm. f. Fl. Cap. Prod. 30 (err. typ. 26) = *Satyrium candidum*?  
*Dietrichiana* ×, Bogenhard, Taschenb. Fl. Jena, 351.—Europ.  
*dilatata*, Pursh, Fl. Am. Sept. ii. 588 = *Habenaria dilatata*.  
*discolor*, Pursh, l. c. 586 = *Tipularia discolor*.  
*divaricata*, Bor. Fl. Centr. Fr. ed. II. 522; ed. III. ii. 646, in obs. = *angustifolia*.  
*divaricata*, Rich. ex Loisel. Fl. Gall. ed. I. 606; ed. II. ii. 267 = *latifolia*.  
*dolichorhiza*, Fisch. ex Lindl. Gen. & Sp. Orch. 287 = *Habenaria hyperborea*.  
*Draconis*, Linn. f. Suppl. 400 = *Disa Draconis*.  
*dubia* ×, Camus, in Bull. Soc. Bot. Fr. xxxii. (1885) 216.—Gallia.  
*dubia*, Le Gall. Fl. Morb. 585 = *laxiflora*.  
*Duquesnii*, Nym. Syll. 358 = *pyramidalis*.  
*Durandii*, Boiss. & Reut. Pugill. 111 = *latifolia*.  
*ecalcarata*, Costa & Vayr, in Anal. Soc. Esp. Hist. Nat. ix. (1880) 97 = *Habenaria albidia*.  
*elata*, Hartm. Handb. Skand. Fl. ed. X. 202 = *latifolia*.  
*elata*, Poir. Voy. Barb. ii. 248 (= *Gymnadenia elata*).—Afr. bor.  
*elator*, Afzel. ex Reichb. f. Ic. Fl. Germ. xiii-xiv. 51 = *incarnata*.  
*elator*, Fries, Summa Veg. Scand. 61, 217.—Fennia.  
*elegans*, Heuff. ex Rochel, Bot. Reise Banat. 67; et in Verh. Zool. Bot. Ges. Wien, viii. (1858) 202 = *palustris*.  
*elodes*, Griseb. Bild. Torfs. (in Goett. Studien, 1845); Gesam. Abh. 67 = *incarnata*.  
*ennensis*, Guss. ex Tineo, Pl. Rar. Sicil. 10 = *tridentata*.  
*ensifolia*, Vill. Hist. Pl. Dauph. ii. 29 = *laxiflora*.  
*entomantha*, La Llave & Lex. Nov. Veg. Desc. fasc. ii. (Orch. Opusc.) 8 = *Habenaria entomantha*.  
*epidendroides*, Willem. in Usteri, Ann. Bot. xviii. (1796) 53 (Quid?).—Ins. Maurit.  
*erubescens*, Zucc. ex Lindl. Gen. & Sp. Orch. 277 = *Habenaria odoratissima*.  
*expansa*, Tenore, Ind. Sem. Hort. Neap. (1829) 17; et Syll. 455 = *papilionacea*.  
*extensa*, Hartm. ex Pritz. Ic. Ind. 768 = *latifolia*.  
*falcata*, Thunb. Fl. Jap. 26 = *Angraecum falcatum*.  
*fallax*, De Not. ex Willk. & Lange, Prod. Fl. Hisp. i. 168 = *patens*.  
*fasciculata*, Tineo, in Guss. Fl. Sic. Syn. ii. 875 = *O. Pseudo-sambucina*.  
*fastigiata*, Spreng. Syst. iii. 687 = *Cynorchis fastigiata*.  
*ferruginea*, F. W. Schmidt, in Mayer, Samml. Phys. Aufs. i. (1791) 238 = *Habenaria viridis*.  
*festiva*, Heuff. ex Rochel, Bot. Reise Banat. 67 = *palustris*.  
*flicornis*, Linn. f. Suppl. 400 = *Disa patens*.  
*flicornis*, Schum. & Thonn. Beskr. Guin. Pl. 397 = *Habenaria flicornis*.  
*fimbriata*, [Dryand. in] Ait. Hort. Kew. ed. I. iii. 297 = *Habenaria fimbriata*.  
*fimbriata*, Pursh, Fl. Am. Sept. ii. 588 = *Habenaria fissa*?  
*fissa*, Muhl. ex Willd. Sp. Pl. iv. 40 = *Habenaria fissa*.  
*fissa*, Pursh, Fl. Am. Sept. ii. 589 = *Habenaria peramoena*.  
*fistulata*, Stokes, Bot. Mat. Med. iv. 296 = *seq.*  
*fistulosa*, Moench, Meth. 713 = *latifolia*.  
*flava*, Linn. Sp. Pl. 942 = *Habenaria herbiola*.  
*flava*, Nutt. Gen. Am. ii. 188 = *Habenaria integra*.  
*flavescens*, C. Koch, in *Linnaea*, xxii. (1849) 281 = *O. Pseudo-sambucina*.  
*flexicaulis*, Linn. f. Suppl. 398; J. F. Gmel. Syst. 51 = *Disa torta*.

## ORCHIS:—

- flexuosa*, Linn. Pl. Afr. Rar. 26; Amoen. Acad. vi. 108 = *Disa flexuosa*.  
*foliacea*, Burm. f. Fl. Cap. Prod. 30 (err. typ. 26) = *Satyrium carneum*.  
*foliosa*, Masson, ex [Ker-Gawl.] in Bot. Reg. sub t. 357 = *longibracteata*.  
*foliosa*, Schur, Enum. Pl. Transs. 642 = *cordigera*.  
*foliosa*, Soland. ex Lowe, in Trans. Camb. Phil. Soc. iv. (1831) 13.—Ins. Madera.  
*foliosa*, Sw. in Vet. Acad. Handl. Stockh. xxi. (1800) 206 = *Habenaria foliosa*.  
*formosa*, Stev. in Mém. Soc. Nat. Mosc. iv. (1812) 106.—Reg. Caucas.  
*fragrans*, Pollini, Elem. Bot. ii. 157 = *coriophora*.  
*fragrans*, Tenore, Fl. Nap. Prod. p. lii = *longibracteata*.  
*fuciflora*, Crantz, Stirp. Austr. ed. II. fasc. vi. 483 = *Ophrys Arachnites*.  
*fusca*, Jacq. Fl. Austr. iv. 4 = *purpurea*.  
*fusca*, Pall. Reise, ii. 124 = *purpurea*.  
*fuscescens*, Linn. Sp. Pl. 943; Pursh, Fl. Am. Sept. ii. 587 = *Habenaria herbiola*.  
*fuscescens*, Steph. Fl. Mosq. n. 610; ex Ledeb. Fl. Ross. iv. 61 = *purpurea*?  
*galeata*, Poir. in Lam. Encyc. iv. 593 = *militaris*.  
*geniculata*, Buch.-Ham. ex D. Don, Prod. Fl. Nep. 25 = *Habenaria geniculata*.  
*Gennarii*, Reichb. f. Ic. Fl. Germ. xiii-xiv. 172 = *papilionacea*.  
*germanorum*, Moritz, Fl. Schweiz (1844), 509 = *palustris*.  
*Gervasiana*, Tod. Orch. Sic. 57 = *maculata*?  
*gigantea*, Sm. Exot. Bot. ii. 79 = *Habenaria Susannae*.  
*glariosa*, Rafin. Atl. Journ. 150 (Quid?).—Am. bor.  
*glaucophylla*, Kern. in Oestr. Bot. Zeitschr. xiv. (1864) 101 = *mascula*?  
*globosa*, Brot. Fl. Lusit. i. 19 = *tridentata*.  
*globosa*, Linn. Syst. ed. X. 1242.—Europ.; As. Min.  
*gracilis*, Fisch. ex Lindl. Gen. et Sp. Orch. 285 = *Habenaria tipuloides*.  
*graminea*, Crantz, Stirp. Austr. ed. II. fasc. vi. 480 = *Herminium alpinum*.  
*grandiflora*, Bigel. Fl. Bost. ed. III. 343 = *Habenaria fimbriata*.  
*grandiflora*, Heyne, in Wall. Cat. sub n. 7032 = *Habenaria rotundifolia*.  
*Grisebachii*, Pant. in Verh. Ver. Natur- u. Heilk. Presb. ii. (1871-72) 27.—Montenegr.  
*Gussonii*, Tod. in Atti Acc. Sc. Palerm. N. S. i. (1845) 8 = *tridentata*.  
*Habenaria*, Linn. Syst. ed. X. 1242 = *Habenaria macroceratidis*.  
*haematodes*, Reichb. Fl. Germ. Excurs. 126 = *incarnata*.  
*Halleri*, Crantz, Stirp. Austr. ed. II. fasc. vi. 488 = *globosa*.  
*Hanrici*, Hénon, in Ann. Soc. Agr. ix. (1846) 722; ex Gren. & Godr. Fl. Fr. iii. 288 = *seq.*  
*Hanrii*, Jord. Obs. Pl. Crit. i. (1846) 27 = *tridentata*.  
*Hatagirea*, D. Don, Prod. Fl. Nep. 23 = *latifolia*.  
*Haussknechtii* ×, M. Schulze, in Mitth. Geogr. Ges. Jena, ii. (1885) 225.—Europ.  
*Heinzeliana* ×, Reichhardt, in Verh. Zool.-Bot. Ges. Wien, xxvi. (1876) 464.—Europ.  
*herbiola*, Pursh, Fl. Am. Sept. ii. 743 = *Habenaria herbiola*.  
*Herminium*, Gren. in Gren. & Godr. Fl. Fr. iii. 300 = *Herminium Monorchis*.  
*heroica*, Clarke, Trav. ii. 117.—Troas.  
*Heuffeliana*, Schur, in Verh. Siebenb. Ver. Naturw. iv. (1853) 71 = *palustris*.  
*hircina*, Crantz, Stirp. Austr. ed. II. fasc. vi. 484.—Europ.; Afr. bor.  
*hirtella*, Sw. in Vet. Acad. Handl. Stockh. xxi. (1800) 207; Fl. Ind. Occ. iii. 139 = *Physurus hirtellus*.  
*hispida*, Thunb. Prod. Pl. Cap. 4 = *Holothrix parvifolia*.  
*hispidula*, Linn. Suppl. 401 = *Holothrix parvifolia*.  
*Hookeri*, Wood, Am. Bot. & Flor. 327 = *seq.*  
*Hookeriana*, Oakes, Cat. Verm. Pl. 27 = *Habenaria Hookeriana*.  
*Hostii*, Tratt. Arch. Gew. 107. t. 122 (1814) = *quadripunctata*.  
*humilis*, Michx. Fl. Bor. Am. ii. 155 = *spectabilis*.  
*huronensis*, Nutt. Gen. Am. ii. 189 = *Habenaria hyperborea*.  
*hybrida*, Boenng. ex Reichb. Fl. Germ. Excurs. 125 = *purpurea*.



ORCHIS:—

hyemalis, Rafin. Fl. Ludov. 168; et ex Lindl. Gen. et Sp. Orch. 274.—Sicilia.  
*hyperborea*, Linn. Mant. i. 121 = *Habenaria hyperborea*.  
*iberica*, Bieb. ex Willd. Sp. Pl. iv. 25.—Graecia; Oriens.  
*ichneumonea*, Afzel. ex Sw. in Vet. Akad. Handl. Stockh. xxi. (1800) 207, nomen; et ex Pers. Syn. ii. 506.—Afr. trop.  
*imbricata*, Vest, in Syll. Ratisb. i. (1824) 80 = *ustulata*.  
*impudica*, Crantz, Stirp. Austr. ed. II. fasc. vi. 497 (sp. dub.).—Europ.  
*incarnata*, Linn. Fl. Suec. 312.—Europ.; Oriens.  
*incarnata*, Willd. Sp. Pl. iv. 30 = *sambucina*.  
*incisa*, Muhl. ex Willd. l. c. iv. 40; Nutt. Gen. Am. ii. 189 = *Habenaria fissa*.  
*insectifera*, Crantz, Stirp. Austr. ed. II. fasc. vi. 481 = *Ophrys insectifera*.  
*intacta*, Link, in Schrad. Journ. ii. (1799) 322 = *Habenaria intacta*.  
*integra*, Nutt. Gen. Am. ii. 188 = *Habenaria integra*.  
*intermedia*, Meigen & Weniger, Syst. Verz. Pfl. Rheins, 106 = O. Morio.  
*italica*, Poir. in Lam. Encyc. iv. 600 = *longicruris*.  
*jacquini*, Godr. Fl. Lorr. ed. I. iii. 33 = *purpurea*.  
*japonica*, Thunb. Fl. Jap. 26 = *Habenaria japonica*.  
*kamtschatica*, Ledeb. Fl. Ross. iv. 63 = *camtschatica*.  
*Koenigii*, Gunner, Fl. Norveg. ii. 103; Retz. Fl. Scand. ed. I. 168 = *Habenaria hyperborea*.  
*lacera*, Michx. Fl. Am. Bor. ii. 156 = *Habenaria lacera*.  
*lactea*, Poir. in Lam. Encyc. iv. 594 = *tridentata*.  
*laeta*, Steinh. in Ann. Sc. Nat. Sér. II. ix. (1838) 209 = *provincialis*.  
*Lagotis*, Reichb. f. Ic. Fl. Germ. xiii. t. 403 = *latifolia*.  
*lanceolata*, A. Dietr. Fl. Boruss. t. 5 (1833) = *incarnata*.  
*lanceolata*, A. Dietr. Fl. March. 807 (Index) sphalm. = *prae*.  
*lancibracteata*, C. Koch, in Linnaea, xxii. (1849) 282 = *maculata*.  
*lapponica*, Laest. ex Reichb. f. Ic. Fl. Germ. xiii. 59 = *maculata*.  
*lata*, Walt. Fl. Carol. 220.—Carolina.  
*latifolia*, Linn. Sp. Pl. 941.—Europ.; Afr. bor.; Oriens; Reg. Himal.  
*latifolia*, Scop. Fl. Carn. ed. II. ii. 196 = *incarnata*.  
*laurentina*, Bolós, ex Vayr. in Anal. Soc. Esp. Hist. Nat. ix. (1880) 96. t. 1 = *sambucina*.  
*laxiflora*, Lam. Fl. Fr. iii. 504.—Europ.; Oriens.  
*laxiflora*, C. A. Mey. Verz. Pfl. Cauc. 38 = *palustris*.  
*leptophylla*, C. Koch, in Linnaea, xxii. (1849) 282 = *iberica*.  
*leucophaea*, Nutt. in Trans. Am. Phil. Soc. N. S. v. (1837) 161 = *Habenaria leucophaea*.  
*leucostachya*, Griseb. Spicil. Fl. Rumel. ii. 359 = *provincialis*.  
*Lindackeri*, Sieber, ex Steud. Nom. ed. II. ii. 224 (Quid?).—Creta.  
*Lingua*, All. Fl. Pedem. ii. 148 = *Serapias Pseudo-cordigera*.  
*Lingua*, Scop. Fl. Carn. ed. II. ii. 187 = *Serapias Lingua*.  
*longibracteata*, F. W. Schmidt, in Mayer, Samml. Phys. Auf. i. (1791) 233. t. 2 = *maculata*.  
*longibracteata*, Bivona, Pl. Sic. Cent. i. 57.—Europ. austr.  
*longibracteata*, Schur, Enum. Pl. Transs. 643 = *maculata*.  
*longicornis*, Lam. Encyc. iv. 591; Desf. Fl. Atlant. ii. 317. t. 246 = *longicornu*.  
*longicornu*, Heyne, ex Wall. Cat. sub n. 7027 = *Habenaria longicornu*.  
*longicornu*, Poir. Voy. Barb. ii. 247.—Reg. Mediterr.  
*longicornu*, Salzm. ex Lindl. Gen. et Sp. Orch. 329 = *Habenaria pauciflora*, Reichb. f.  
*longicruris*, Link, in Schrad. Journ. ii. (1799) 323.—Reg. Mediterr.  
*Loreziana* ×, Pruegg. Beitr. Kenntn. Chur. 56; et in Jahresb. Naturf. Ges. Graub. II. xxiii-xxiv. (1880) 118.—Europ.  
*lucana*, Spreng. Pugill. ii. 79 = O. Pseudo-sambucina.  
*lusitanica*, Steud. Nom. ed. II. ii. 224 = *latifolia*.  
*lutea*, Dulac, Fl. Hautes-Pyr. 125 = *sambucina*.  
*macedonica*, Griseb. Spicil. Fl. Rumel. ii. 361 = *maculata*.  
*macra*, Koch, Syn. Fl. Germ. ed. II. 789 = *spuria*.  
*macra*, Lindl. Synop. ed. II. 260 = O. Simia.  
*macra*, Schur, Enum. Pl. Transs. 641 = *incarnata*.

VOL. II.

ORCHIS:—

*macronectar*, Vell. Fl. Flum. ix. t. 45 (*Habenariae* sp.).  
 —Bras.  
*macrostachys*, Tineo, Pl. Rar. Sicil. 7 = *maculata*.  
*maculata*, Linn. Sp. Pl. 942.—Europ.; As. Min.  
*majalis*, Reichb. Pl. Crit. vi. II. 7 = *latifolia*.  
*Markusii*, Tineo, Pl. Rar. Sicil. 9 = O. Pseudo-sambucina.  
*Martrinii*, Timb. in Bull. Soc. Bot. Fr. iii. (1856) 92 = *coriophora*.  
*mascula*, Alsch. Fl. Jadrins. 210 = *provincialis*.  
*mascula*, Crantz, Stirp. Austr. ed. II. fasc. vi. 500 = *palustris*.  
*mascula*, Linn. Fl. Suec. 310.—Europ.; Afr. bor.; Oriens.  
*masculo-latifolia*, Lange, in Kjoeb. Vidensk. Meddel. (1860) 78.—Hispan.  
*matodes*, Reichb. f. Ic. Fl. Germ. xiii. t. 398 = *incarnata*.  
*mauritanica*, Poir. in Lam. Encyc. iv. 601 = *Angraecum gladiifolium*?  
*mauritanica*, Sieber, ex Steud. Nom. ed. II. i. 711; ii. 224 = *Cynorchis fastigiata*.  
*maxima*, C. Koch, in Linnaea, xix. (1847) 14 = *purpurea*.  
*mediterranea*, Guss. Pl. Rar. 365 = *palustris*.  
*mediterranea*, Tenore, Syll. 455 = *laxiflora*.  
*membranacea*, Afzel. ex Sw. in Vet. Akad. Handl. Stockh. xxi. (1800) 207, nomen; et ex Pers. Syn. ii. 506 = *Habenaria membranacea*.  
*Michauxii*, Wood, Am. Bot. & Flor. 328 = *Habenaria Michauxii*.  
*micranthema*, Buch.-Ham. ex Wall. Cat. sub n. 7069 (= *Peristylus Hamiltonianus*).—Reg. Himal.  
*militaris*, Hornem. in Fl. Dan. t. 1277 = *purpurea*.  
*militaris*, Linn. Sp. Pl. 941.—Europ.; As. bor.  
*militaris*, Poir. in Lam. Encyc. iv. 592 = *longicruris*.  
*militaris*, Puccin. ex Parl. Fl. Ital. iii. 521 = *incarnata*.  
*militaris*, Sm. Engl. Bot. t. 1873 = O. Simia.  
*mimusops*, Thuill. Fl. Par. ed. II. 458 = *militaris*.  
*miniata*, Crantz, Stirp. Austr. ed. II. fasc. vi. 486 = *Habenaria nigra*.  
*mixta*, Retz. Fl. Scand. ed. I. 167 = *incarnata*, *sambucina*.  
*Monorchis*, Crantz, Stirp. Austr. ed. II. fasc. vi. 478 = *Herminium Monorchis*.  
*monorrhiza*, Sw. Prod. Veg. Ind. Occ. 118 = *Habenaria brachyceras*, *maculosa*.  
*montana*, F. W. Schmidt, Fl. Boëm. i. 35. t. 56 = *Habenaria nigra*.  
*moravica*, Jacq. Ic. Rar. i. t. 182 = *purpurea*.  
*Moria*, Retz. Fl. Scand. ed. I. 166, sphalm. = seq.  
*Morio*, Linn. Sp. Pl. 940.—Europ.; As. med. et bor.  
*Morio*, Uria, Hort. Reg. Panorm. 382 = *laxiflora*.  
*morio-papilionacea* ×, Timb. in Mém. Acad. Toul. Sér. IV. iv. (1854) 277 = *papilionacea*.  
*Moritziana*, Bruegg. Beitr. Kennt. Chur. 58; et in Jahresb. Naturf. Ges. Graub. II. xxiii-xxiv. (1880) 118 = *Habenaria nigra*.  
*Munbyana*, Boiss. & Reut. Pugill. Pl. Nov. 112.—Alger.  
*muscaria*, Scop. Fl. Carn. ed. II. ii. 193 = *Ophrys muscifera*.  
*muscifera*, Salisb. Prod. 7 = *Ophrys muscifera*.  
*musciflora*, Schrank, Baier. Fl. i. 242 = *Ophrys muscifera*.  
*mutabilis*, Stev. in Mém. Soc. Nat. Mosc. iii. (1812) 244 = *formosa*.  
*myodes*, Bernh. Syst. Verz. Erf. 315, in syn. = *Ophrys muscifera*.  
*mysorensis*, Heyne, ex Wall. Cat. n. 7038 B = *Habenaria digitata*, *marginata*.  
*Natalis*, Tineo, Pl. Rar. Sicil. 8 = O. Pseudo-sambucina.  
*natolia*, Fisch. & Mey. in Ann. Sc. Nat. Sér. IV. i. (1854) 30 = *angustifolia*.  
*nervata*, Marchand, in Hall, Bijdr. Nat. Wetensch. ii. (1827) 436 = *militaris*.  
*Nicodemi*, Cyrill. ex Tenore, Prod. Fl. Nap. p. liii = O. Morio.  
*Nicodemi*, Sieber, ex Steud. Nom. ed. II. ii. 224 (= *Gymnadenia humilis*).—Ital.  
*nigra*, Scop. Fl. Carn. ed. II. ii. 200 = *Habenaria nigra*.  
*nivea*, Nutt. Gen. Am. ii. 188 = *Habenaria nivea*.  
*obcordata*, Buch.-Ham. ex D. Don, Prod. Fl. Nep. 23 = *Habenaria galkandra*.

ORCHIS:—

*obcordata*, Willem. in Usteri, Ann. Bot. xviii. (1796) 52 = (*Cynorchidis* sp.?).—Ins. Maurit.  
*obsoleta*, Willd. Sp. Pl. iv. 34 = *Habenaria obsoleta*.  
*obtusa*, Schur, Enum. Pl. Transs. 942 (Index) = *mascula*?  
*obtusata*, Banks, ex Pursh, Fl. Am. Sept. ii. 588 = *Habenaria obtusata*.  
*obtusiflora*, Schur, in Verh. Siebenb. Ver. Naturw. iv. (1853) 71 = *mascula*.  
*obtusifolia*, Schur, l. c. 72 = *maculata*.  
*ochroleuca*, Schur, Enum. Pl. Transs. 641 = O. Pseudo-sambucina.  
*ochroleuca*, Tenore, Add. Fl. Neap. Syll. App. v. 45 = *Habenaria bifolia*.  
*odoratissima*, Linn. Syst. ed. X. 1243.—Europ.  
*oestrifera*, Bieb. Fl. Taur. Cauc. iii. 605 = *Ophrys oestrifera*.  
*officinalis*, Salisb. Prod. 6 = O. Morio.  
*olbiensis*, Ardoino, ex Moggr. Contr. Fl. Ment. t. 18 = *provincialis*?  
*olbiensis*, Reut. ex Ardoino, Fl. Alpes-Marit. 353 = *mascula*.  
*olida*, Brth. Fl. Normand. ed. I. 259.—Gallia.  
*olivetorum*, Gren. ex Nym. Consp. 693 = *mascula*.  
*ophioglossoides*, Walt. Fl. Carol. 220 = *Microstylis ophioglossoides*.  
*orbiculata*, Pursh, Fl. Am. Sept. ii. 588 = *Habenaria Hookeriana*.  
*ornithis*, Jacq. Fl. Austr. ii. 23 = *Habenaria conopsea*, *Benth.*  
*ovalis*, F. W. Schmidt, in Mayer, Samml. Phys. Auf. i. (1791) 224. t. 1 = *mascula*.  
*pellens*, Linn. Mant. ii. 292.—Europ. austr.; As. Min.  
*pellens*, Moritzi, Fl. Schw. 508; Puccin. Syn. Fl. Luc. 476 = *sambucina*.  
*pellens*, Savi, Fl. Pis. ii. 300 = *provincialis*.  
*paludosa*, Gilib. Exercit. ii. 479 = *latifolia*?  
*paludosa*, Pall. Reise, iii. 320 = *Malaxis paludosa*.  
*palustris*, Jacq. Coll. i. 75.—Europ.; Afr. bor.; Oriens.  
*panormitana*, Tineo, in Guss. Fl. Sic. Syn. ii. 875 = *patens*.  
*papilionacea*, Linn. Syst. ed. X. 1242.—Reg. Mediterr.  
*parasitica*, Willem. in Usteri, Ann. Bot. xviii. (1796) 53 (Quid?).—Ins. Maurit.  
*Parlatorii*, Tineo, Pl. Rar. Sicil. 29 = *tridentata*.  
*Parreissii*, Presl, Bot. Bernerk. 112 = *mascula*.  
*parviflora*, Poir. in Lam. Encyc. iv. 599 = *Habenaria albida*.  
*parviflora*, Steud. Nom. ed. II. ii. 224 = *Satyrion parviflorum*.  
*parviflora*, Tenore, Prod. Fl. Neap. p. liii = *tridentata*.  
*parviflora*, Willd. Sp. Pl. iv. 27 = *ustulata*.  
*parvifolia*, Chaub. in St. Amand, Fl. Agen. 369. t. 7.—Gallia.  
*patens*, Desf. Fl. Atlant. ii. 318. t. 248.—Reg. Mediterr.  
*pauciflora*, Fisch. ex Lindl. Gen. et Sp. Orch. 280 = (= *Gymnadenia pauciflora*).—Dalmat.  
*pauciflora*, Tenore, Prod. Fl. Neap. p. lii = *provincialis*.  
*pectinata*, Sm. Exot. Bot. ii. 77 = *Habenaria pectinata*.  
*pectinata*, Thunb. Prod. Pl. Cap. 4 = *Bartholina pectinata*.  
*peloria*, Fouc. ex Poir. Encyc. Suppl. iv. 179 = *Habenaria conopsea*, *Benth.*  
*peramoena*, Wood, Am. Bot. & Flor. 327 = *Habenaria peramoena*.  
*picta*, Loisel. in Mém. Soc. Linn. Par. vi. (1827) 431 = O. Morio.  
*picta*, Rafin. in Med. Repos. N. York, v. (1808) 354, nomen (Quid?).—Am. bor.  
*picta*, Reinw. ex Lindl. in Journ. Linn. Soc. i. (1827) 179 = *Anaetochilus setaceus*.  
*pinetorum*, Boiss. & Kotschy, ex Boiss. Fl. Orient. v. 68.—Cilicia.  
*pyramidalis*, Neck. Delic. Gallo-Belg. ii. 871 = *pyramidalis*.  
*plantaginea*, Roxb. Pl. Corom. i. 32. t. 37 = *Habenaria platyphylla*.  
*plantaginea*, Sw. in Vet. Handl. Stockh. xxi. (1800) 27 = *Spiranthes orchoides*, *Physarus plantagineus*.  
*platyphila*, C. Koch, in Linnaea, xix. (1847) 13 = *laxiflora*.

3 A



## ORCHIS:—

- platyphyllus*, Willd. Sp. Pl. iv. 11 = *Habenaria platyphylla*.  
*Polliniana*, Spreng. Pugill. ii. 78 = *coriophora*.  
*pratensis*, Salzm. ex Lindl. Gen. et Sp. Orch. 328 = *Habenaria pratensis*.  
*procera*, Afzel. ex Sw. in Vet. Akad. Handl. Stockh. xxi. (1800) 207, nomen; et ex Pers. Syn. ii. 506 = *Habenaria procera*.  
*provincialis*, Balb. Misc. Alt. 20. t. 2.—Reg. Mediterr.  
*Pseudo-apifera*, Caldesi, in Nuov. Giorn. Bot. xii. (1880) 258.—Ital.  
*Pseudo-conopsea*, Gren. Fl. Ch. Jurass. 751 = *Habenaria conopsea*, Benth.  
*Pseudo-pallens*, C. Koch, in Linnaea, xix. (1847) 13 = *pallens*.  
*Pseudo-sambucina*, Tenore, Syn. ed. I. 72; ed. II. 64; ex ej. Fl. Nap. ii. 284.—Europ. austr.; Oriens.  
*psychodes*, Linn. Sp. Pl. 943 = *Habenaria fissa*?  
*psychodes*, Muhl. Cat. ed. I. 80 = *Habenaria lacera*, punctulata, Stev. in Lindl. Gen. et Sp. Orch. 273.—As. Min.  
*purpurascens*, Spreng. Syst. iii. 687 = *Cynorchis purpurascens*.  
*purpurea*, Huds. Fl. Angl. ed. I. 334.—Europ.; As. Min.  
*pyramidalis*, Bieb. Fl. Taur. Cauc. ii. 263 = *tridentata*.  
*pyramidalis*, Linn. Sp. Pl. 940.—Europ.; Afr. bor.  
*pyrenaica*, Philippe, Fl. Pyrén. ii. 354 = *Habenaria conopsea*, Benth.  
*quadripunctata*, Cyrill. ex Tenore, Prod. Fl. Neap. p. liii.—Europ. austr.  
*quinqueseta*, Michx. Fl. Bor. Am. ii. 155 = *Habenaria Michauxii*.  
*Raddeana*, Regel, Ind. Sem. Hort. Petrop. (1869) 22.—Reg. Caucas.  
*radiata*, Pers. Syn. ii. 502 = *Habenaria radiata*.  
*rariiflora*, C. Koch, in Linnaea, xix. (1847) 13 = *anatolica*.  
*recurva*, Nyland. ex Fries, Summa Veg. Scand. i. 61 = *maculata*.  
*Regeliana* ×, Bruegg. in Jahresb. Naturf. Ges. Graub. II. xxiii-xxiv. (1880) 118.—Europ.  
*Reichenbachii*, Mutel, Fl. Fr. iii. 245, 403 = *Habenaria nigra*.  
*repens*, Eyster. ex Poir. Encyc. vi. 581 = *Goodyera repens*.  
*repens*, Wood, Am. Bot. & Flor. 328 = *Habenaria repens*.  
*resupinata*, Naumb. in Roem. Arch. ii. (1799) 238.—Europ.  
*Ricasoliana*, Parl. in Atti 5a Riun. Sc. Ital. (1843) 730, nomen; Fl. Ital. iii. 474 = *tridentata*.  
*Richardi*, Tratt. ex Steud. Nom. ed. II. ii. 224.—Hab.? *Rivini*, Gouan, Illustr. 74 = *militaris*.  
*rivularis*, Heuff. ex Schur, Enum. Pl. Transs. 642 = *cordigera*.  
*Robertiana*, Loisel. Fl. Gall. ed. I. 606 = *longibracteata*.  
*romana*, Sebast. & Mauri, Rom. Pl. Fasc. i. 12. t. 3 = *O. Pseudo-sambucina*.  
*rotundifolia*, Banks, ex Pursh, Fl. Am. Sept. ii. 588 = *Habenaria rotundifolia*.  
*Roxburghii*, Pers. Syn. ii. 503 = *Habenaria platyphylla*.  
*rubra*, Jacq. Ic. Pl. Rar. 183 = *papilionacea*.  
*saccata*, Reichb. Fl. Germ. Excurs. 122 = *sambucina*.  
*saccata*, Tenore, Prod. Fl. Neap. p. liii.—Reg. Mediterr.; Oriens.  
*saccata*, Urv. in Mém. Soc. Linn. Par. i. (1822) 375 (an praec.?).—Colchis.  
*saccifera*, Brongn. in Exp. Sc. Mor. Bot. 259 = *maculata*.  
*sagittalis*, Linn. f. Suppl. 399 = *Disa sagittalis*.  
*sagittata*, Munby, Fl. Algér. 100 = *Habenaria intacta*.  
*salina*, Fronius, in Verh. Siebenb. Ver. Naturf. viii. (1857) 102 = *sambucina*.  
*salina*, Turcz. ex Lindl. Gen. et Sp. Orch. 259.—Sibir. baical.  
*sambucina*, Brot. Fl. Lusit. i. 21; Bieb. Fl. Taur. Cauc. ii. 367 = *O. Pseudo-sambucina*.  
*sambucina*, Linn. Fl. Suec. 312.—Europ.  
*sancta*, Linn. Fl. Palaest. n. 512; *Amoen. Acad.* iv. 464.—As. Min.; Syria.  
*satyroides*, Linn. *Amoen. Acad.* vi. 109.—Afr. trop.  
*Schleicheri*, Sweet, Hort. Brit. ed. I. 382; Brit. Flow. Gard. Ser. I. ii. t. 199 = *sambucina*.  
*Scopoli*, Timb. Diagn. (1850); ex Gren. & Godr. Fl. Fr. iii. 288 = *tridentata*.

## ORCHIS:—

- scutellata*, Nutt. in Trans. Am. Phil. Soc. N. S. v. (1837) 161 = *Habenaria herbiola*.  
*secunda*, Thunb. Prod. Pl. Cap. 4 = *Holothrix secunda*.  
*secundiflora*, Bertol. Pl. Rar. Ital. Dec. ii. 42 = *Habenaria intacta*.  
*sepulchralis*, Boiss. & Heldr. Diagn. Ser. I. xiii. 10 = *punctulata*.  
*sesquipedalis*, Willd. Sp. Pl. iv. 30 = *latifolia*.  
*setacea*, Gilib. Exercit. ii. 482 = *Habenaria conopsea*, Benth.  
*setacea*, Jacq. Enum. Pl. Carib. 28 = *Habenaria maculosa*.  
*sicula*, Tineo, Pl. Rar. Sicil. 8 = *O. Pseudo-sambucina*.  
*signifera*, Vest. in Syll. Ratisb. i. (1824) 79 = *militaris*.  
*Simia*, Lam. Fl. Fr. iii. 507.—Europ.; Oriens.  
*Simia*, Vill. Hist. Pl. Dauph. ii. 33 = *tridentata*.  
*Smithii*, Sweet, Hort. Brit. ed. I. 381 = *O. Simia*.  
*solida*, Moench, Meth. 713 = *maculata*.  
*sparsiflora*, Tenore, ex Boiss. Fl. Orient. v. 67 = *saccata*.  
*spathulata*, Linn. f. Suppl. 398 = *Disa spathulata*.  
*spathulata*, Reichb. f. ex Benth. in Journ. Linn. Soc. xviii. (1880) 355 = *Habenaria spathulata*.  
*speciosa*, Heuff. ex Rochel, Bot. Reise Banat. 67 = *palustris*.  
*speciosa*, Host, Fl. Austr. ii. 527 = *mascula*.  
*speciosa*, Linn. f. Suppl. 401; Thunb. Prod. Pl. Cap. 4 = *Habenaria Bonatea*.  
*spectabilis*, Linn. Sp. Pl. 943.—Am. bor.  
*sphaerica*, Bieb. Fl. Taur. Cauc. ii. 362 = *globosa*.  
*Spitzeli*, Sauter, ex Koch, Syn. Fl. Germ. ed. I. 686.—Austria.  
*spuria*, Reichb. f. in Bot. Zeit. vii. (1849) 891.—Europ.  
*squamosa*, Poir. in Lam. Encyc. iv. 601 = *Cynorchis squamosa*.  
*Stabiana*, Tenore, Syll. 453 = *mascula*.  
*stercoraria*, Noronha, in Verh. Batav. Gen. v. (1790) ed. I. Art. iv. 21 (Quid?).—Java.  
*Steveni*, Reichb. f. in Bot. Zeit. vii. (1849) 892.—Reg. Caucas.; Persia.  
*Stevéniana*, Comper. ex Léveillé, in Démid. Voy. Russ. Mérid. ii. 168.—Tauria.  
*strateumatica*, Linn. Sp. Pl. 943 = *Zeuxine sulcata*.  
*strictiflora*, Opiz, Natural. x. (1825) 217 = *angustifolia*.  
*strictifolia*, Opiz, Seznam, 70 = *incarnata*.  
*stylomisantha*, Vell. Fl. Flum. ix. t. 46.—Bras.  
*suaveolens*, Salisb. Prod. 7 = *Habenaria conopsea*, Benth.  
*suaveolens*, Vill. Hist. Pl. Dauph. ii. 38 = *Habenaria nigra*.  
*sulphurea*, Sims, Bot. Mag. t. 2569 = *pallens*.  
*sulphurea*, Spreng. Syst. iii. 688, in syn. = *O. Pseudo-sambucina*.  
*Susannae*, Linn. Sp. Pl. 939 = *Habenaria Susannae*.  
*Susannae*, Thunb. Fl. Jap. 25 = *Habenaria radiata*.  
*syriaca*, Boiss. & Bal. ex Boiss. Fl. Orient. v. 60 = *O. Morio*.  
*Tabernaemontani*, C. C. Gmel. Fl. Bad. iii. 542 = *laxiflora*.  
*taurica*, Lindl. Gen. et Sp. Orch. 271 = *tridentata*.  
*tenella*, Linn. f. Suppl. 400 = *Disa tenella*.  
*Tenoreana*, Guss. Fl. Sic. Syn. ii. 533 = *tridentata*.  
*tenuifolia*, Burm. f. Fl. Cap. Prod. 30 (err. typ. 26). (Quid?).—Afr. austr.  
*tenuifolia*, C. Koch, in Linnaea, xxii. (1849) 281 = *O. Pseudo-sambucina*.  
*tenuis*, Rottl. ex Wall. Cat. sub n. 7053 = *Habenaria plantaginea*.  
*tephrosanthos*, Desf. Fl. Atlant. ii. 319 = *longicruris*.  
*tephrosanthos*, Vill. Prosp. 16; Hist. Pl. Dauph. ii. 32 = *O. Simia*.  
*tetragona*, Heuff. in Flora, xvi. (1833) 363 = *maculata*.  
*Tharandina*, Reichb. f. Ic. Fl. Germ. xiii. t. 403 = *latifolia*.  
*Timbali* ×, Velen. in Sitzb. Boehm. Acad. (1882) 254.—Europ.  
*tipuloides*, Linn. f. Suppl. 401 = *Tipularia camtschatica*.  
*transsilvanica*, Schur, in Verh. Siebenb. Ver. Naturw. iv. (1853) 72 = *maculata*.  
*Traunsteineri*, Sauter, ex Koch, Syn. Fl. Germ. ed. I. 688 = *angustifolia*.  
*trichocera*, Brongn. in Exp. Sc. Mor. Bot. 260 = *quadripunctata*.  
*tridactylites*, Webb & Berth. Phyt. Canar. iii. 307 = *Habenaria tridactylites*.

## ORCHIS:—

- tridentata*, Muhl. ex Willd. Sp. Pl. iv. 41 = *Habenaria tridentata*.  
*tridentata*, Scop. Fl. Carn. ed. II. ii. 190.—Europ.  
*tripetaloides*, Linn. f. Suppl. 398 = *Disa venosa*, Lindl.  
*triphylla*, C. Koch, in Linnaea, xxii. (1849) 283 = *latifolia*.  
*triphylla*, Spreng. Syst. iii. 68 (= *Gymnadenia triphylla*).—Ins. Maurit.  
*triplicata*, Willem. in Usteri, Ann. Bot. xviii. (1796) 52 = *Calanthe veratrifolia*.  
*Uechtritziana* ×, Hausskn. in Mitth. Geogr. Ges. Jena, ii. (1885) 225.—Europ.  
*umbrosa*, Kar. & Kir. in Bull. Soc. Nat. Mosc. xv. (1842) 504 = *latifolia*.  
*undulata*, Poir. in Lam. Encyc. iv. 588 = *Disa flexuosa*.  
*undulatifolia*, Bivona, Sic. Pl. Cent. ii. 44 = *longicruris*.  
*uniflora*, Buch.-Ham. ex D. Don, Prod. Fl. Nep. 25 = *Habenaria triflora*?  
*uniflora*, Roxb. Hort. Beng. 63; Fl. Ind. iii. 452 = *Diplomeris pulchella*.  
*Urvilleana*, Steud. Nom. ed. II. ii. 225 = *sancta*.  
*Urvillei*, Steud. l. c. 224, in syn. = *praec.*  
*ustulata*, Linn. Sp. Pl. 941.—Europ.  
*vallesiaca* ×, Spiess, in Oestr. Bot. Zeitschr. xxvii. (1877) 352.—Helvet.  
*varia*, J. F. Gmel. Syst. 53 (Quid?).—Guian.  
*variegata*, All. Fl. Pedem. ii. 147 = *tridentata*.  
*variegata*, Schrank, Baier. Fl. i. 241 = *Habenaria nigra*?  
*ventricosa*, Steud. Nom. ed. II. ii. 225 = *Scirpasia ventricosa*.  
*vernalis*, Salisb. Prod. 6 = *mascula*.  
*vestita*, Cav. in Anal. Cienc. Nat. vi. (1803) 142.—Hab.?  
*virens*, Scop. Fl. Carn. ed. II. ii. 199 = *Habenaria viridis*.  
*virescens*, Willd. Sp. Pl. iv. 37 = *Habenaria herbiola*.  
*virescens*, Zollik. ex Gaud. Fl. Helv. v. 497 = *Habenaria chlorantha*.  
*viridiflora*, Rottl. ex Pers. Syn. ii. 503. (= seq.?).—Ind. or.  
*viridiflora*, Sw. in Vet. Acad. Handl. Stockh. xxi. (1800) 206 = *Habenaria viridiflora*.  
*viridis*, Crantz, Stirp. Austr. ed. II. fasc. vi. 491 = *Habenaria viridis*.  
*Welwitschii*, Reichb. f. Ic. Fl. Germ. xxiii-xxiv. 183.—Lusitan.  
*zoophora*, Thuill. Fl. Par. ed. II. 459 = *O. Simia*.
- ORCHITES, Schur, Enum. Pl. Transs. 942 (1866) = *Orchis*, Tourn.  
*globosa*, Schur, l. c. = *O. globosa*.
- ORCYA, Vell. Fl. Flum. 344 (1825) = *Acanthospermum*, Schrank (Compos.).  
*adhaerescens*, Vell. l. c.; et viii. t. 83 = *A. Brasilum*.
- OREACANTHUS, Benth. in Benth. & Hook. f. Gen. ii. 1104 (1876). ACANTHACEAE, Benth. & Hook. f. l. c.  
*Manni*, Benth. l. c.; et in Hook. Ic. Pl. t. 1211.—Afr. trop.
- OREAMUNOA, Oerst. in Kjoeb. Vidensk. Meddel. (1870) 166. t. 2.—(Cf. OREOMUNNEA) = *Engelhardtia*, Leschen. (Jugland.).  
*pterocharpa*, Oerst. l. c. 167 = *E. Oreamunnea*.
- OREANTHES, Benth. Pl. Hartw. 140 (1844). VACCINIACEAE, Benth. & Hook. f. ii. 569.  
*buxifolius*, Benth. Pl. Hartw. 140.—Peruv.
- OREANTHUS, Rafin. in Ser. Bull. Bot. i. (1830) 216 = *Heuchera*, Linn. (Saxifr.).  
*bracteatus*, Rafin. l. c. = *H. bracteata*.
- OREAS, Cham. & Schlecht. in Linnaea, i. (1826) 29. t. 1 = *Braya*, Sternb. & Hoppe (Crucif.).  
*involutrata*, Cham. & Schlecht. l. c. = *B. involutrata*.
- OREINOTINUS, Oerst. in Kjoeb. Vidensk. Meddel. (1860) 281 = *Viburnum*, Linn. (Caprifol.).  
*acutifolius*, Oerst. l. c. 293. t. 6. f. 25 = *V. acutifolium*.  
*ayavacensis*, Oerst. l. c. 290 = *V. ayavacense*.  
*costa-ricanus*, Oerst. l. c. = *V. costa-ricanus*.  
*discolor*, Oerst. l. c. 287 = *V. discolor*.  
*divaricatus*, Oerst. l. c. = *V. divaricatum*.  
*ferrugineus*, Oerst. l. c. 286 (err. typ. 386).—N. Granat.  
*furcatus*, Oerst. l. c. 284.—N. Granat.  
*fuscus*, Oerst. l. c. 289 = *V. fuscum*.  
*glabratus*, Oerst. l. c. 290 = *V. glabratum*.  
*Halli*, Oerst. l. c. 292.—Ecuador.



## OREINOTINUS:—

- Hartwegi*, Oerst. in Kjoeb. Vidensk. Meddel. (1860) 289 = *Viburnum Hartwegi*.  
*Jamesonii*, Oerst. l. c. 288.—Ecuador.  
*lasiophyllum*, Oerst. l. c. 287 = *V. lasiophyllum*.  
*laurifolius*, Oerst. l. c. 291.—Peruv.  
*Mathewii*, Oerst. l. c.—Peruv.  
*membranaceus*, Oerst. l. c. 284 = *V. membranaceum*.  
*microcarpus*, Oerst. l. c. 282 = *V. microcarpum*.  
*microphyllum*, Oerst. l. c. 293 = *V. microphyllum*.  
*obovatus*, Oerst. l. c. 286 (err. typ. 386) = *V. obovatum*, Ruiz & Pav.  
*pichinchensis*, Oerst. l. c. 287 = *V. pichinchense*.  
*reticulatus*, Oerst. l. c. 286 (err. typ. 386) = *V. reticulatum*.  
*rhombifolius*, Oerst. l. c. 283 = *V. rhombifolium*.  
*stellato-tomentosus*, Oerst. l. c. = *V. stellato-tomentosum*.  
*stellatus*, Oerst. l. c. 292 = *V. stellatum*.  
*stenocalyx*, Oerst. l. c. 285 = *V. stenocalyx*.  
*sulcatus*, Oerst. l. c. 287 = *V. sulcatum*.  
*tiliaefolius*, Oerst. l. c. 282. t. 6 = *V. tiliaefolium*.  
*tinoides*, Oerst. l. c. 291 = *V. tinoides*.  
*triphyllum*, Oerst. l. c. 290 = *V. triphyllum*.  
*undulatus*, Oerst. l. c. 288.—N. Granat.  
*villosus*, Oerst. l. c. = *V. villosus*.  
*Wendlandi*, Oerst. l. c. 283 = *V. Wendlandi*.

- ORELIA, Aubl. Pl. Gui. i. 270. t. 106 (1775) = *Allamanda*, Linn. (Apocyn.).  
*grandiflora*, Aubl. l. c. 271 = *A. cathartica*.

- OREOBLITON, Dur. & Moq. in Duch. Rev. Bot. ii. (1847) 428. *CHENOPODIACEAE*, Benth. & Hook. f. iii. 52.  
 NERETIA, Moq. in DC. Prod. xiii. II. 58 (1849).  
*chenopodioides*, Coss. & Dur. in Bull. Soc. Bot. Fr. ii. (1855) 367.—Alger.  
*thesioides*, Dur. & Moq. in Duch. Rev. Bot. ii. (1847) 428.—Alger.

- OREOBOLUS, R. Br. Prod. 235 (1810). *CYPERACEAE*, Benth. & Hook. f. iii. 1057.  
*clandestinus*, Phil. in Linnaea, xxix. (1857-58) 81 = *obtusangulus*.  
*distichus*, F. Muell. in Trans. Phil. Soc. Vict. i. (1855) 109 = *Pumilio*.  
*furcatus*, H. Mann, in Proc. Am. Acad. vii. (1867) 210.—Ins. Sandvic.  
*obtusangulus*, Gaudich. in Ann. Sc. Nat. Sér. I. v. (1825) 99; et Atlas, 63. t. 2. f. 1.—Reg. Magell.  
*pectinatus*, Hook. f. Fl. Antarct. 87. t. 49.—N. Zel.; Ins. Antaret.  
*Pumilio*, R. Br. Prod. 236.—Austral.; N. Zel.  
*strictus*, Berggr. in Minneskr. Fisiog. Sällsk. Lund (1877), n. 8. p. 25.—N. Zel.

- OREOBULUS, Boeck. in Linnaea, xxxviii. (1874) 230, sphalm. = *praeac*.

- OREOCALLIS, R. Br. in Trans. Linn. Soc. x. (1810) 196 = *Embothrium*, Forst. (Proteac.).  
*grandiflora*, R. Br. l. c. 197 = *E. grandiflorum*.  
*Ruizii*, Klotzsch, in Linnaea, xx. (1847) 474.—Peruv.  
*Wickhami*, F. Muell. Fragm. viii. 164 = *E. Wickhami*.

- OREOCHARIS, Benth. in Benth. & Hook. f. Gen. ii. 1021 (1876). *GESNERACEAE*, Benth. & Hook. f. l. c.  
*Aurcula*, C. B. Clarke, in DC. Monog. Phan. v. 64.—China.  
*Benthami*, C. B. Clarke, l. c. 63.—China.  
*filipes*, Hance, in Journ. Bot. xxi. (1883) 166.—China.  
*lanuginosus*, Benth. & Hook. f. Gen. ii. 1021.—China.  
*Maximowiczii*, C. B. Clarke, in DC. Monog. Phan. v. 63 = *lanuginosus*.  
*notha*, C. B. Clarke, l. c. 64.—Ins. Philipp.  
*primuloides*, Benth. & Hook. f. Gen. ii. 1021.—Japon.

- OREOCHARIS, Lindl. Veg. Kingd. 656 (1847) = *Mertensia*, Roth (Borag.).

- OREOCHLOA, Link, Hort. Berol. i. 44 (1827). *GRAMINEAE*, Benth. & Hook. f. iii. 1188.  
*disticha*, Link, l. c.—Europ.  
*pedemontana*, Reut. in Boiss. & Reut. Pugill. Pl. Nov. 126.—Hispan.

- OREOCNIDA, Miq. Pl. Jungh. i. 39 (1851) = *Villebrunea*, Gaudich. (Urtic.).  
*acuminata*, Kurz, For. Fl. Brit. Burma, ii. 427 = *V. integrifolia*.  
*frutescens*, Miq. Ann. Mus. Bot. Lugd. Bat. iii. 131 = *V. frutescens*.  
*integrifolia*, Miq. l. c. iv. 306 = *V. integrifolia*.  
*major*, Miq. Pl. Jungh. 41 = *V. scabra*.  
*murina*, Miq. Fl. Ind. Bat. i. II. 271 = *V. murina*.  
*pilosula*, Miq. Pl. Jungh. 41 = *V. glomerata*.  
*rhodopleura*, Miq. Fl. Ind. Bat. i. II. 271 = *V. rhodopleura*.  
*rubescens*, Blume, ex Miq. in Zoll. Syst. Verz. Ind. Archip. 101 = *V. scabra*.  
*rubescens*, Miq. Ann. Mus. Bot. Lugd. Bat. iv. 306 = *V. scabra*.  
*rufescens*, Miq. Fl. Ind. Bat. i. II. 271 = *V. rufescens*.  
*semicrenata*, Miq. l. c. 270 = *V. semicrenata*.  
*sylvatica*, Miq. Pl. Jungh. 40 = *V. integrifolia*.  
*trinervis*, Miq. Fl. Ind. Bat. i. II. 270 = *V. trinervis*.

- OREOCOME, Edgew. in Proc. Linn. Soc. i. (1845) 252; et in Trans. Linn. Soc. xx. (1846) 54 = *Selinum*, Linn. (Umbell.).  
*Candolliana*, Edgew. in Trans. Linn. Soc. xx. (1846) 55 = *S. tenuifolium*.  
*Candollii*, Edgew. in Proc. Linn. Soc. i. (1845) 253 = *S. tenuifolium*.  
*cicutaria*, Edgew. l. c. = *S. tenuifolium*.  
*elata*, Edgew. l. c. = *S. tenuifolium*.  
*flicifolia*, Edgew. l. c. = *S. tenuifolium*.

- OREOCOSMUS, Naud. in Ann. Sc. Nat. Sér. III. xiii. (1850) 37 = *Tibouchina*, Aubl. (Melastom.).  
*Galeottianus*, Naud. l. c. 38 (= *Pleroma Galeottianum*, *scabriusculum*).—Mexic.  
*Ghiesbreghtii*, Naud. l. c. 39 (= *Pleroma scabriusculum*).—Mexic.  
*monticola*, Naud. l. c. 38 (= *Pleroma Naudinianum*).—Mexic.  
*Naudinianus*, Naud. l. c. 39 (= *Pleroma Naudinianum*).—Mexic.  
*tortuosus*, Naud. l. c. 38 (= *Pleroma mexicanum*).—Mexic.

- OREODAPHNE, Nees & Mart. ex Nees, in Linnaea, viii. (1833) 39 = *Ocotea*, Aubl. (Laurin.).  
*aciphylla*, Nees & Mart. ex Nees, l. c. 43.—Bras.  
*acutangula*, Miq. ex Meissn. in DC. Prod. xv. i. 121.—Bras.  
*acutifolia*, Nees, in Linnaea, viii. (1833) 42.—Bras.; Reg. Argent.  
*Adenotrachelium*, Nees, Syst. Laurin. 431.—Bras.  
*alba*, A. Rich. Fl. Cub. Fanerog. ii. 189 = *Phoebe elongata*.  
*alnifolia*, Meissn. in DC. Prod. xv. i. 132.—N. Granat.  
*amazonica*, Meissn. l. c. 123.—Bras.  
*amoena*, Nees & Mart. ex Nees, in Linnaea, viii. (1833) 44.—Bras.; Reg. Argent.  
*angustifolia*, Miq. ex Meissn. in DC. Prod. xv. i. 158 = *Nectandra puberula*.  
*angustifolia*, Nees, Syst. Laurin. 418 = *Ocotea angustifolia*.  
*antioquiiana*, Meissn. in DC. Prod. xv. i. 116 = *Persea costata*.  
*bahiensis*, Meissn. l. c. 130.—Bras.  
*Benthamiana*, Nees, in Linnaea, xxi. (1848) 521 = *Phoebe Hartwegii*.  
*Beyrichii*, Nees, Syst. Laurin. 435.—Bras.  
*Blanchetii*, Meissn. in DC. Prod. xv. i. 113.—Bras.  
*Bofo*, Nees, Syst. Laurin. 441 = *Ocotea Bofo*.  
*Boissieriana*, Meissn. in DC. Prod. xv. i. 123.—Bras.  
*Bowiei*, Walp. Ann. i. 576 = *Cryptocarya australis*.  
*brachybotrya*, Meissn. in DC. Prod. xv. i. 127.—Bras.  
*bracteolata*, Meissn. l. c. 124 = *Ocotea bracteolata*.  
*bracteosa*, Meissn. l. c. 114.—Bras.  
*bullata*, Nees, Syst. Laurin. 449 = *Ocotea bullata*.  
*californica*, Nees, l. c. 463 = *Umbellularia californica*.  
*canescens*, Meissn. in DC. Prod. xv. i. 122 = *Nectandra psammophila*.  
*caracasana*, Nees, in Linnaea, xxi. (1848) 522.—N. Granat.  
*caudata*, Miq. Stirp. Surin. Sel. 202 (= *Camphoromoea surinamensis*?).—Guian.  
*caudata*, Nees, in Linnaea, xxi. (1848) 519.—Guian.  
*cayennensis*, Meissn. in DC. Prod. xv. i. 133.—Guian.  
*celastroides*, Meissn. l. c. 126.—N. Granat.

## OREODAPHNE:—

- cernua*, Griseb. Fl. Brit. W. Ind. i. 284.—Ins. Dominic.  
*cernua*, Nees, Syst. Laurin. 424 = *Ocotea Sieberi*.  
*citrosimoides*, Nees, l. c. 384 = *Ocotea citrosimoides*.  
*colombiana*, Meissn. in DC. Prod. xv. i. 137.—N. Granat.  
*commutata*, Nees, Syst. Laurin. 428 = *Ocotea commutata*.  
*confertiflora*, Meissn. in DC. Prod. xv. i. 131.—Bras.  
*confusa*, Meissn. l. c. 126.—Bras.  
*coriacea*, Griseb. ex Meissn. l. c. 159 = *Nectandra membranacea*.  
*coriacea*, Nees, Syst. Laurin. 454 = *Nectandra Willdenoviana*, patens.  
*costulata*, Nees, in Linnaea, xxi. (1848) 520 = *Neesiana*, *Nectandra cuspidata*.  
*crassifolia*, Nees, l. c. 520 = *Misanteca crassiramea*.  
*crassiramea*, Meissn. in DC. Prod. xv. i. 117.—Bras.  
*cuneata*, Nees, Syst. Laurin. 385.—Peruv.  
*cuneifolia*, Nees, in Linnaea, xxi. (1848) 518 = *obovata*.  
*cuprea*, Meissn. in DC. Prod. xv. i. 114.—Peruv.  
*cupularis*, Nees, Syst. Laurin. 438 (= *Mespilodaphne cupularis*).—Ins. Mascar.  
*cymosa*, Nees, l. c. 437 (= *Mespilodaphne cupularis*).—Ins. Mascar.  
*daphnifolia*, Meissn. in DC. Prod. xv. i. 127.—Bras.  
*declinata*, Meissn. l. c. 114.—Bras.  
*diospyrifolia*, Meissn. l. c. 126.—Bras.  
*dispersa*, Mart. in Flora, xxiv. (1841) II. Beibl. 7 = *Nectandra polita*.  
*dispersa*, Nees & Mart. ex Nees, in Linnaea, viii. (1833) 43 = *confusa*, *japurensis*.  
*dispersa*, Nees, ex Meissn. in DC. Prod. xv. i. 129 = *maynensis*.  
*divaricata*, Nees, Syst. Laurin. 393.—Guian.?  
*domingensis*, Nees, l. c. 439 = *Ocotea botryophylla*.  
*dominicana*, Meissn. in DC. Prod. xv. i. 139.—Ins. Dominic.  
*effusa*, Meissn. l. c. 120 = *Ocotea effusa*.  
*estrellensis*, Meissn. l. c. 126.—Bras.  
*Evonymodaphne*, Meissn. l. c. 139.—Peruv.  
*exaltata*, Nees, Syst. Laurin. 406 = *Nectandra sanguinea*.  
*fallax*, Miq. Stirp. Surin. Sel. 203.—Guian.  
*fasciculata*, Nees, in Linnaea, xxi. (1848) 521 = *Ocotea firmula*.  
*Fenzliana*, Meissn. in DC. Prod. xv. i. 117 = *Ocotea velutina*.  
*floribunda*, Benth. in Benth. & Hook. f. Gen. Pl. iii. 158 = *Ocotea Cujumary*.  
*floribunda*, Nees, Syst. Laurin. 411.—Bras.  
*florulenta*, Meissn. in DC. Prod. xv. i. 125.—Bras.  
*foetens*, Nees, Syst. Laurin. 449 = *Ocotea foetens*.  
*fragrans*, Meissn. in DC. Prod. xv. i. 127.—Jamaic.  
*frondosa*, Meissn. in Mart. Fl. Bras. v. II. 309.—Bras.  
*gaboensis*, Meissn. in DC. Prod. xv. i. 130 = *Beilschmiedia gaboensis* (in Addend.).  
*glaberrima*, Meissn. l. c. 119 = *Ocotea lanceolata*.  
*glaucina*, Nees & Mart. ex Nees, in Linnaea, viii. (1833) 42 (= *Mespilodaphne glauca*).—Bras.  
*glaucina*, Meissn. in DC. Prod. xv. i. 134.—Bras.  
*glomerata*, Nees, in Linnaea, xxi. (1848) 515.—Guian.  
*gracilis*, Meissn. in DC. Prod. xv. i. 128.—Am. trop.  
*grandifolia*, Nees, in Linnaea, xxi. (1848) 517 = *Ocotea microcarpa*.  
*guianensis*, Nees, l. c. 516 = *Ocotea guianensis*.  
*helicterifolia*, Meissn. in DC. Prod. xv. i. 123 = *Ocotea helicterifolia*.  
*Hookeriana*, Meissn. l. c. 131.—Bras.  
*Hostmanniana*, Miq. Stirp. Surin. Sel. 202 = *Martiniana*.  
*Humboldtii*, Meissn. in DC. Prod. xv. i. 129 = *Ocotea umbrosa*, *H. B. & K.*  
*indecora*, Nees, Syst. Laurin. 407 = *Ocotea indecora*.  
*Jacobinae*, Meissn. in DC. Prod. xv. i. 122.—Bras.  
*Jacquini*, Meissn. l. c. 114.—Ins. Martinic.  
*japurensis*, Meissn. l. c. 124.—Bras.  
*kawaiensis*, H. Mann, in Mem. Bost. Soc. Nat. Hist. i. IV. (1869) 536 = *Cryptocarya kawaiensis* (in Addend.).  
*Klotzschiana*, Nees, in Linnaea, xxi. (1848) 520 = *Ocotea Klotzschiana*.  
*Kunthiana*, Meissn. in DC. Prod. xv. i. 119.—Bras.  
*lanata*, Nees & Mart. ex Nees, in Linnaea, viii. (1833) 43 (= *Mespilodaphne lanata*).—Bras.  
*lanceifolia*, Nees, Syst. Laurin. 410 = *Ocotea subacuta*.  
*Langsdorffii*, Meissn. in DC. Prod. xv. i. 128.—Bras.  
*leptobotra*, Nees, in Linnaea, xxi. (1848) 520.—Peruv.



## OREODAPHNE:—

- Leucoxylon*, Nees, Syst. Laurin. 413 = *Ocotea leucoxylon*.  
*Lindeniana*, A. Rich. Fl. Cub. Fanerog. ii. 189 = *Ocotea botryophylla*.  
*Lobii*, Meissn. in DC. Prod. xv. i. 136.—Bras.  
*longifolia*, Nees, Syst. Laurin. 391 = *Ocotea longifolia*.  
*lucida*, Meissn. in DC. Prod. xv. i. 127.—Bras.  
*macrophylla*, Meissn. l. c. 131.—Bras.  
*macrothyrsus*, Meissn. l. c. 115 = *Ocotea Cujumary*.  
*Mannii*, Meissn. l. c. 130 = *Beilschmiedia Mannii* (in Addend.).  
*maranhana*, Meissn. l. c. 138.—Bras.  
*marginata*, Nees, Syst. Laurin. 460 (= *Mespilodaphne cupulans*).—Ins. Mascar.  
*marowynensis*, Miq. Stip. Surin. Sel. 201 (= *Camphoromoea surinamensis*).—Guian.  
*Martiana*, Nees, in Linnaea, viii. (1833) 41 = *Ocotea lanceolata*.  
*Martiniana*, Nees, Syst. Laurin. 415.—Guian.  
*Maximiliana*, Nees & Mart. ex Nees, l. c. 451 (= *Mespilodaphne prolifera*).—Bras.  
*maynensis*, Meissn. in DC. Prod. xv. i. 129.—Bras.  
*maynensis*, Poepp. ex Meissn. l. c. 32 = *Phoebe peruviana*.  
*megaphylla*, Meissn. l. c. 131.—Bras.  
*mexicana*, Meissn. l. c. 118 = *Ocotea mexicana*.  
*microbotrys*, Meissn. l. c. 125.—Bras.  
*minarum*, Steud. Nom. ed. II. ii. 226 = *Ocotea umbrosa*.  
*minutiflora*, Meissn. in DC. Prod. xv. i. 130 = *Beilschmiedia minutiflora* (in Addend.).  
*Moritziana*, Nees, in Linnaea, xxi. (1848) 515.—Bras.  
*mucosa*, Nees, Syst. Laurin. 401 = *Acrodiclidium salicifolium*.  
*myriantha*, Meissn. in DC. Prod. xv. i. 120.—Bras.  
*Neesiana*, Meissn. l. c. 114.—Guian.  
*nitidula*, Nees & Mart. ex Nees, in Linnaea, viii. (1833) 41.—Bras.  
*notata*, Nees & Mart. l. c. 42 (= *Mespilodaphne notata*).—Bras.  
*nutans*, Nees, Syst. Laurin. 421 (= *Mespilodaphne nutans*).—Bras.  
*oblongo-obovata*, Nees, in Linnaea, xxi. (1848) 518 = *cuneata*.  
*obovata*, Meissn. in DC. Prod. xvi. i. 119.—Peruv.  
*obovata*, A. Rich. Fl. Cub. Fanerog. ii. 189 (= *Nemodaphne cuneata*).—Cuba.  
*obtusata*, Nees, Syst. Laurin. 447 (= *Mespilodaphne cupularis*).—Ins. Maurit.  
*odorata*, Meissn. in DC. Prod. xv. i. 116.—Bras.  
*opifera*, Nees, Syst. Laurin. 390 = *Ocotea opifera*.  
*pallida*, Meissn. in DC. Prod. xv. i. 115.—Bras.  
*paraensis*, Meissn. l. c. 126.—Bras.  
*parviflora*, Griseb. in Goett. Abh. vi. (1857) 219; et ex Meissn. l. c. 174 = *Aydenodon argenteum*.  
*parviflora*, Nees, Syst. Laurin. 415.—Jamaic.  
*pauciflora*, Nees, l. c. 409.—Bras.  
*perseoides*, Nees, ex Meissn. in DC. Prod. xv. i. 141 = *Ocotea puberula*.  
*Petalanthera*, Meissn. l. c. 125.—Bras.  
*phillyraeoides*, Nees, Syst. Laurin. 400 (= *Mespilodaphne phillyraeoides*).—Bras.  
*Poeppigiana*, Nees, l. c. 404.—Peruv.  
*polyantha*, Nees & Mart. ex Nees, in Linnaea, viii. (1833) 44 = *Ocotea polyantha*.  
*pomaderrones*, Meissn. in DC. Prod. xv. i. 128.—Bras.  
*porosa*, Nees & Mart. ex Nees, in Linnaea, viii. (1833) 44.—Peruv.  
*psychotrioides*, Benth. Pl. Hartw. 50 = *Ocotea Klotzschiana*.  
*psychotrioides*, Nees, Syst. Laurin. 452 = *Ocotea psychotrioides*.  
*pubescens*, Nees & Mart. ex Nees, in Linnaea, viii. (1833) 45.—Bras.  
*pulchella*, Nees & Mart. ex Nees, l. c. 40 = *Ocotea pulchella*.  
*rariflora*, Meissn. in DC. Prod. xv. i. 123.—Bras.  
*regalis*, Regel, Gartenfl. (1856) 366.—Hab.?  
*Regeliana*, Meissn. in DC. Prod. xv. i. 132 = *Ocotea lanceolata*.  
*retroflexa*, Nees, Syst. Laurin. 412 = *Ocotea botryophylla*.  
*Riedelii*, Meissn. in DC. Prod. xv. i. 130.—Bras.  
*rigens*, Nees & Mart. ex Nees, in Linnaea, viii. (1833) 40 = *Ocotea tristis*.

## OREODAPHNE:—

- rigida*, Meissn. in DC. Prod. xv. i. 115.—Bras.  
*rufotomentosa*, Meissn. l. c. 45 = *Ocotea rufotomentosa*.  
*Schomburgkiana*, Nees, in Linnaea, xxi. (1848) 519.—Guian.  
*Schottii*, Meissn. in DC. Prod. xv. i. 133.—Bras.  
*Sellowii*, Meissn. l. c.—Bras.  
*semecarpifolia*, Meissn. l. c. 120.—Bras.  
*semicompleta*, Nees & Mart. ex Nees, in Linnaea, viii. (1833) 43.—Bras.  
*sericea*, Nees, l. c. xxi. (1848) 516 = *Ocotea guianensis*.  
*Sieberi*, Meissn. in DC. Prod. xv. i. 137 = *Ocotea Sieberi*.  
*spectabilis*, Meissn. l. c. 119.—Bras.  
*Spixiana*, Nees, Syst. Laurin. 382 = *Ocotea rufotomentosa*.  
*splendens*, Meissn. in DC. Prod. xv. i. 129.—Guian.  
*strumosa*, Griseb. Fl. Brit. W. Ind. 284 = *Nectandra membranacea*.  
*suaveolens*, Meissn. in DC. Prod. xv. i. 136.—Paraguay.  
*subalpina*, Meissn. l. c. 137.—Bras.  
*sublanuginosa*, Nees, in Linnaea, xxi. (1848) 515.—Peruv.  
*subtripplinervia*, Meissn. in DC. Prod. xv. i. 125 = *Ocotea subtripplinervia*.  
*sylvatica*, Meissn. in Mart. Fl. Bras. v. ii. 228.—Bras.  
*tampicensis*, Meissn. in DC. Prod. xv. i. 136 = *Ocotea tampicensis*.  
*tarapotana*, Meissn. l. c. 129.—Peruv.  
*teleiandra*, Meissn. l. c. 138.—Bras.  
*terminalis*, Nees, ex Meissn. in DC. Prod. xv. i. 139 = *O. Evonymodaphne*.  
*terminalis*, Nees, Syst. Laurin. 426 = *leptobotra*.  
*tetragona*, Meissn. in Kjoeb. Vidensk. Meddel. (1870) 137.—Bras.  
*thymelaodes*, Nees & Mart. ex Nees, in Linnaea, viii. (1833) 42 = *Ocotea lanceolata*.  
*tinctoria*, 'Arruda,' ex Rosenth. Syn. Pl. Diaph. 235.—Bras.  
*tovarensis*, Klotzsch & Karst. ex Nees, in Linnaea, xxi. (1848) 511.—Venezuela.  
*tristis*, Nees & Mart. ex Nees, in Linnaea, viii. (1833) 40 = *Ocotea tristis*.  
*Tweedii*, Meissn. in DC. Prod. xv. i. 136.—Bras.  
*umbrosa*, Nees, Syst. Laurin. 388 = *Ocotea umbrosa*.  
*umbrosa*, Nees, l. c. 456 (nec p. 388) (*Nectandra* sp.).—N. Granat.  
*undulata*, Meissn. in DC. Prod. xv. i. 115.—Bras.  
*urophylla*, Meissn. l. c. 139.—Guian.  
*vaccinioides*, Meissn. l. c. 127.—Bras.  
*variabilis*, Nees, Syst. Laurin. 429 = *Ocotea variabilis*.  
*Velloziana*, Meissn. in DC. Prod. xv. i. 132.—Bras.  
*velutina*, Nees, Syst. Laurin. 388 = *Ocotea velutina*.  
*venulosa*, Meissn. in DC. Prod. xv. i. 126.—Bras.  
*verruculosa*, Meissn. l. c. 127.—Bras.  
*vesiculosa*, Nees & Mart. ex Nees, in Linnaea, viii. (1833) 44.—Bras.  
*Warmingii*, Meissn. in Kjoeb. Vidensk. Meddel. (1870) 136 = *Ocotea puberula*.  
*Willdenoviana*, Nees, Syst. Laurin. 412 = *Ocotea botryophylla*.

- OREODOXA**, Willd. in Mém. Acad. Berl. 1804 (1807) 34, partim. *PALMAE*, Benth. & Hook. f. iii. 899.  
*acuminata*, Willd. in Mém. Acad. Berl. 1804 (1807), 35 = *Euterpe acuminata*.  
*frigida*, H. B. & K. Nov. Gen. et Sp. i. 304.—Ecuador.  
*Ghiesbreghtii*, Hort.—Cf. Gard. Chron. (1870) 561 = *Gaussia Ghiesbreghtii*?  
*Manacle*, Mart. Hist. Nat. Palm. iii. 310.—Ins. S. Doming.  
*oleracea*, Mart. l. c. 166. t. 156. f. 1, 2.—Ind. occ.  
*praemorsa*, Willd. in Mém. Acad. Berl. 1804 (1807) 36 = *Catoblastus praemorsus*.  
*regia*, H. B. & K. Nov. Gen. et Sp. i. 305.—Cuba; Panama.  
*Sancona*, H. B. & K. l. c. 304.—N. Granat.  
*Sarcona*, Steud. Nom. ed. II. ii. 226 = *praec.*  
*ventricosa*, Hort. ex H. Wendl. in Kerch. Palm. 252 = *Gaussia Ghiesbreghtii*.  
*ventricosa*, H. Wendl. ex Linden, Illustr. Hort. xxviii. (1881), 32, nomen.—Mexic.

- OREOMUNNEA**, Oerst. in Kjoeb. Vidensk. Meddel. (1856) 33 = *Engelhardtia*, Leschen. (Jugland.).  
*pterocarpa*, Oerst. l. c. 34 = *E. Oreomunnea*.

**OREOMYRRHIS**, Endl. Gen. Pl. 787 (1839). *UMBELLIFERAE*, Benth. & Hook. f. i. 897.

- CALDASIA*, Lag. Amen. Acad. Madr. ii. 98 (1821).  
*andicola*, Endl. Gen. Pl. 787.—Reg. Andin.; Austral.; N. Zel.  
*andina*, Hemsl. Biol. Centr. Am. Bot. i. 567 = *praec.*  
*argentea*, Hook. f. in Hook. Ic. Pl. t. 300 = *andicola*.  
*brachycarpa*, Hook. f. l. c. sub t. 300 = *andicola*.  
*ciliata*, Hook. f. in Hook. Lond. Journ. Bot. vi. (1847) 471 [bis] = *andicola*.  
*Colensoi*, Hook. f. Fl. N. Zel. i. 92 = *andicola*.  
*daucoides*, Urban, in Linnaea, xliii. (1880-82) 303.—Peruv.  
*eripoda*, Hook. f. Fl. Tasm. i. 162 = *andicola*.  
*gracilipes*, Hemsl. Diagn. Pl. Nov. i. 16.—Mexic.  
*Haastii*, Hook. f. Handb. N. Zeal. Fl. 91 = *andicola*.  
*lasiopetala*, A. Gray, Bot. U. St. Expl. Exped. i. 712.—Peruv.  
*planipetala*, Hemsl. Diagn. Pl. Nov. i. 16.—Mexic.  
*pulvinifera*, F. Muell. Fragm. viii. 185.—Austral.  
*ramosa*, Hook. f. Handb. N. Zeal. Fl. 91 = *andicola*.  
*sessiliflora*, Hook. f. in Hook. Lond. Journ. Bot. vi. (1847) 47 [bis] = *andicola*.

**OREOPANAX**, Decne. & Planch. in Rev. Hort. Sér. IV. iii. (1854) 107. *ARALIACEAE*, Benth. & Hook. f. i. 946.

- MONOPANAX*, Regel, Gartenfl. xviii. (1869) 35. t. 606.  
*acerifolium*, Seem. Journ. Bot. iii. (1865) 275.—Am. austr.  
*Aleurites*, Decne. & Planch. in Rev. Hort. Sér. IV. iii. (1854) 108, nomen = *Pavonii*.  
*amplum*, Decne. & Planch. l. c., nomen.—Venezuela.  
*Andreanum*, March. in Bull. Soc. Bot. Belg. xix. (1880) 90.—Ecuador.  
*angulare*, Seem. in Journ. Bot. iii. (1865) 276.—Am. austr.  
*argentatum*, Decne. & Planch. in Rev. Hort. Sér. IV. iii. (1854) 108.—N. Granat.  
*avicenniaefolium*, Decne. & Planch. l. c.—Ecuador.  
*boliviense*, Seem. in Journ. Bot. iii. (1865) 272.—Bolivia.  
*Bonplandianum*, Planch. & Linden, ex Seem. l. c. 274 = *Humboldtianum*.  
*brachybotryum*, Planch. & Linden, ex Seem. l. c. = seq.  
*brachystachyum*, Decne. & Planch. in Rev. Hort. Sér. IV. iii. (1854) 108, nomen.—N. Granat.  
*Brownii*, Witte, in Fl. Jard. Pays-bas, iv. (1861) 90; et ex Regel, Gartenfl. (1863) 146. t. 399 = *Dendropanax japonicum*.  
*brunneum*, Decne. & Planch. in Rev. Hort. Sér. IV. iii. (1854) 108, nomen.—N. Granat.  
*bulbosum*, Seem. in Journ. Bot. iii. (1865) 275 = seq.  
*bulbosum*, Decne. & Planch. in Rev. Hort. Sér. IV. iii. (1854) 108, nomen.—N. Granat.  
*capitatum*, Decne. & Planch. l. c.—Am. austr.  
*catalpaefolium*, Decne. & Planch. l. c. = *capitatum*.  
*Cecropia*, Decne. & Planch. l. c., nomen.—N. Granat.  
*cheirophyllum*, Seem. in Journ. Bot. iii. (1865) 275.—Am. austr.  
*chrysocolum*, Planch. & Linden, ex Seem. l. c. 273.—Venezuela.  
*confusum*, March. in Bull. Acad. Belg. Sér. II. xlvii. (1879) 85.—Ecuador.  
*cordatum*, Decne. & Planch. in Rev. Hort. Sér. IV. iii. (1854) 108, nomen.—N. Granat.  
*coriaceum*, Decne. & Planch. l. c. (1854), 321, nomen.—N. Granat.  
*costaricense*, March. in Bull. Acad. Belg. Sér. II. xlvii. (1879) 89.—Costa Rica.  
*crassinervium*, Decne. & Planch. in Rev. Hort. Sér. IV. iii. (1854) 108.—N. Granat.  
*cumanense*, Decne. & Planch. l. c.—Venezuela.  
*dactylifolium*, Hort.—Cf. Gard. Chron. (1864) 413.—Hab.?  
*Destructor*, Seem. in Journ. Bot. vii. (1869) 351 = *capitatum*.  
*discolor*, Decne. & Planch. Rev. Hort. Sér. IV. iii. (1854) 108.—N. Granat.  
*divulsum*, March. in Bull. Acad. Belg. Sér. II. xlvii. (1879) 90.—Peruv.  
*Dombyanum*, Decne. & Planch. in Rev. Hort. Sér. IV. iii. (1854) 108, nomen.—Peruv.



**OREOPANAX** :—

- Echinops*, Decne. & Planch. in Rev. Hort. Sér. iv. iii. (1854) 108.—Mexic.  
*ecuadoriense*, Seem. Journ. Bot. iii. (1865) 272.—Ecuador.  
*elegans*, Decne. & Planch. in Rev. Hort. Sér. IV. iii. (1854) 108, nomen.—Hab.?  
*Eprenesnilianum*, André, l. c. (1882) 557.—Hab.?  
*farinosum*, Decne. & Planch. l. c. Sér. IV. iii. (1854) 108, nomen.—N. Granat.  
*flabellatum*, Decne. & Planch. l. c., nomen.—Ecuador.  
*flaccidum*, March. in Bull. Acad. Belg. Sér. II. xlvii. (1879) 84.—Mexic.  
*floribundum*, Decne. & Planch. in Rev. Hort. Sér. IV. iii. (1854) 108.—N. Granat.  
*fraternum*, Decne. & Planch. l. c., nomen.—Venezuela.  
*fulvum*, March. in Mart. Fl. Bras. xi. 1. 254.—Bras.  
*geminatum*, March. in Bull. Acad. Belg. Sér. II. xlvii. (1879) 94.—Nicaragua.  
*guatemalense*, Decne. & Planch. in Rev. Hort. Sér. IV. iii. (1854) 108, nomen.—Guatemala.  
*Horquetero*, Decne. & Planch. l. c., nomen.—Venezuela.  
*Humboldtiana*, Decne. & Planch. l. c., nomen.—Venezuela.  
*hypargyreum*, Decne. & Planch. l. c., nomen (hyphargyrum).—N. Granat.  
*hypoleucum*, Decne. & Planch. l. c., nomen=præc.  
*ilicifolium*, March. in Bull. Acad. Belg. Sér. II. xlvii. (1879) 82.—Bolivia.  
*incisum*, Decne. & Planch. in Rev. Hort. Sér. IV. iii. (1854) 108, nomen.—Hab.?  
*jatrophaefolium*, Decne. & Planch. l. c.—Mexic.  
*laciniosum*, Decne. & Planch. l. c., nomen.—N. Granat.  
*lancifolium*, Planch. & Linden, ex Seem. in Journ. Bot. iii. (1865) 273.—Venezuela.  
*lanigerum*, Decne. & Planch. in Rev. Hort. Sér. IV. iii. (1854) 108, nomen.—N. Granat.  
*Lechleri*, Seem. in Journ. Bot. iii. (1865) 271.—Peruv.  
*Liebmannii*, March. in Bull. Acad. Belg. Sér. II. xlvii. (1879) 87.—Mexic.  
*Lindenii*, Decne. & Planch. in Rev. Hort. Sér. IV. iii. (1854) 108, nomen.—N. Granat.  
*Macleani*, Seem. in Journ. Bot. iii. (1865) 272.—Peruv.  
*macrocephalum*, Decne. & Planch. in Rev. Hort. Sér. IV. iii. (1854) 108, nomen; et ex Wedd. Chlor. And. ii. 207.—Bolivia.  
*macrophyllum*, Decne. & Planch. in Rev. Hort. Sér. IV. iii. (1854) 108, nomen.—Hab.?  
*Mathewii*, Seem. in Journ. Bot. iii. (1865) 272 = Pavonii.  
*meridense*, Planch. & Linden, ex Seem. l. c. 275, nomen.—Venezuela.  
*Mutisianum*, Decne. & Planch. in Rev. Hort. Sér. IV. iii. (1854) 108.—N. Granat.  
*myriocarpum*, Decne. & Planch. l. c., nomen.—N. Granat.  
*obtusilobum*, Decne. & Planch. l. c.—Ecuador.  
*oceanense*, Decne. & Planch. l. c., nomen.—N. Granat.  
*Oerstedianum*, March. in Bull. Acad. Belg. Sér. II. xlvii. (1879) 85.—Costa Rica.  
*oxyodon*, Decne. & Planch. in Rev. Hort. Sér. IV. iii. (1854) 108, nomen.—Mexic.  
*pachycephalum*, Planch. & Linden, ex Seem. in Journ. Bot. iii. (1865) 275.—N. Granat.  
*Pavonii*, Seem. l. c. 272.—Peruv.  
*peltatum*, Linden, Cat. n. 14 (1859) 8; et ex Regel, Gartenfl. (1862) 170.—Mexic.  
*Pentlandiana*, Decne. & Planch. ex Wedd. Chlor. And. ii. 207.—Bolivia.  
*permixtum*, March. in Mart. Fl. Bras. xi. 1. 254.—Bras.  
*platanifolium*, Decne. & Planch. in Rev. Hort. Sér. IV. iii. (1854) 108.—Reg. Andin.  
*platyphyllum*, March. in Bull. Acad. Belg. Sér. II. xlvii. (1879) 88.—Mexic.  
*Pseudo-Jatropha*, Decne. & Planch. in Rev. Hort. Sér. IV. iii. (1854) 108, nomen.—N. Granat.  
*Pseudo-Platanus*, Decne. & Planch. l. c., nomen.—Hab.?  
*reticulatum*, Decne. & Planch. l. c., nomen; et ex Seem. in Journ. Bot. iii. (1865) 275.—Am. austr.  
*Ruizii*, Decne. & Planch. in Rev. Hort. Sér. IV. iii. (1854) 108, nomen.—Mexic.  
*Salvinii*, Hemsl. Diagn. Pl. Nov. 16.—Guatemala.  
*sclerophyllum*, Decne. & Planch. in Rev. Hort. Sér. IV. iii. (1854) 108.—N. Granat.  
*Seemannianum*, March. in Bull. Acad. Belg. Sér. II. xlvii. (1879) 80.—Ecuador.  
*septemnerium*, Decne. & Planch. in Rev. Hort. Sér. IV. iii. (1854) 108 = capitatum.

**OREOPANAX** :—

- Serra, André, in Rev. Hort. (1884) 321.—Ecuador.  
*sessiliflorum*, Decne. & Planch. l. c.—Peruv.  
*Sprucei*, Seem. in Journ. Bot. iii. (1865) 272.—Ecuador.  
*Thibautii*, Hook. f. Bot. Mag. t. 6340.—Mexic.  
*Trianae*, Decne. & Planch. in Rev. Hort. Sér. IV. iii. (1854) 108, nomen.—N. Granat.  
*turbacense*, Decne. & Planch. l. c. 108.—N. Granat.  
*xalapense*, Decne. & Planch. l. c.—Mexic.

**OREOPHEA**, Auct. ex Steud. Nom. ed. II. ii. 226 (1841) = **Orophea**, Blume (Anonac.).

- OREOPHILA**, D. Don, in Trans. Linn. Soc. xvi. (1830) 178; et in Phil. Mag. xi. (1832) 388 = **Hypochoeris**, Linn. (Compos.).  
*apargioides*, D. Don, in Phil. Mag. xi. (1832) 388 = *H. apargioides*.  
*Meyeniana*, Walp. in Nov. Act. Nat. Cur. xix. Suppl. i. (1843) 292 = *H. Meyeniana*.  
*odorata*, Poepp. & Endl. Nov. Gen. et Sp. iii. 57. t. 263 = *H. odorata*.  
*picroides*, D. Don, in Phil. Mag. xi. (1832) 388 = *H. apargioides*.  
*sessiliflora*, D. Don, in Trans. Linn. Soc. xvi. (1830) 178 = *H. sessiliflora*.  
*sibirica*, C. A. Mey. ex Turcz. in Bull. Soc. Nat. Mosc. (1838) 95 = *H. grandiflora*.  
*taraxacifolia*, Meyen & Walp. in Nov. Act. Nat. Cur. xix. Suppl. i. (1843) 291.—Peruv.  
*taraxacoides*, D. Don, in Phil. Mag. xi. (1832) 388 = *H. Scorzonerae*.  
*taraxacoides*, Walp. Rep. vi. 336, in syn. = *taraxacifolia*.  
*tenuifolia*, D. Don, ex Hook. & Arn. in Hook. Comp. Bot. Mag. i. (1835) 31 = *H. tenuifolia*.

- OREOPHILA**, Nutt. ex Torr. & Gray, Fl. N. Am. i. 258 (1840) = **Pachystima**, Rafin. (Celastr.).  
*myrtifolia*, Nutt. ex Torr. & Gray, l. c. 259 = *P. Myrsinites*.  
*myrtifolia*, Scheele, Roem. Texas, 432; ex S. Wats. Bibliog. Ind. N. Am. Bot. i. 158 = *Ilex Cassine*.

- OREOPOLUS**, Schlecht. in Linnaea, xxviii. (1856) 493. **RUBIACEAE**, Benth. & Hook. f. ii. 97.  
*citrius*, Schlecht. l. c.—Reg. Andin.

- OREORCHIS**, Lindl. in Journ. Linn. Soc. iii. (1859) 26. **ORCHIDEAE**, Benth. & Hook. f. iii. 498.  
*foliosa*, Lindl. l. c. 27.—Reg. Himal.  
*gracilis*, Franch. & Sav. Enum. Pl. Jap. ii. 27.—Japon.  
*lancifolia*, A. Gray, in Mem. Am. Acad. N. S. vi. (1858-59) 410.—Japon.  
*micrantha*, Lindl. in Journ. Linn. Soc. iii. (1859) 27.—Reg. Himal.  
*patens*, Lindl. l. c.—Japon.

- OREOSCIADIUM**, Wedd. Chlor. And. ii. 203 (1857). **UMBELLIFERAE**, Benth. & Hook. f. i. 889.  
*NIPHOGETON*, Schlecht. in Linnaea, xxviii. (1856) 481, nomen prius.  
*acaule*, A. Gray, in Proc. Am. Acad. vii. (1868) 343.—Am. bor. occ.  
*dissectum*, Wedd. Chlor. And. ii. 204.—N. Granat.  
*Lingula*, Wedd. l. c. 205.—N. Granat.  
*montanum*, Wedd. l. c. 204.—N. Granat.

- OREOSELINUM**, [Tourn.] Adans. Fam. ii. 100 (1763); Bieb. Fl. Taur. Cauc. iii. 209 (1819) = **Peucedanum**, Tourn. (Umbellif.).  
*album*, Hoffm. Gen. Umb. ed. I. 155 = *Silaus longifolius*.  
*austriacum*, Hoffm. l. c. = *P. austriacum*.  
*capense*, Eckl. & Zeyh. Enum. 350 = *P. capense*.  
*caucasicum*, Bieb. Fl. Taur. Cauc. iii. 209 = *P. caucasicum*.  
*Chabraei*, Bieb. l. c. = *P. carvifolium*.  
*dahuricum*, Bess. ex Steud. Nom. ed. II. ii. 226 = *P. terebinthaceum*.  
*Elaphobosum*, Delarb. Fl. Auv. ed. II. i. 429 = *P. Cervaria*.  
*elegans*, Hoffm. Gen. Umb. ed. I. 155 = *P. austriacum*.  
*glaucum*, Presl, Bot. Bemerk. 75 (= *Bubon montanus*, *hypoleucus*).—Afr. austr.  
*humile*, Bess. ex Steud. Nom. ed. II. ii. 226 = *P. salinum*.

**OREOSELINUM** :—

- latifolium*, Bieb. Fl. Taur. Cauc. iii. 211 = **Peucedanum latifolium**.  
*legitimum*, Bieb. l. c. 210 = **P. Oreoselinum**.  
*montanum*, Hoffm. Gen. Umb. ed. I. 155 = *P. austriacum*.  
*nigricans*, Hoffm. l. c. = *P. austriacum*.  
*nigrum*, Delarb. Fl. Auv. ed. II. i. 428 = *P. Oreoselinum*.  
*peucedanoides*, Hoffm. Gen. Umb. ed. I. 155 = *P. involucreatum*.  
*podolicum*, Bess. Enum. Pl. Volh. 12 = *P. Chabraei*.  
*Pseudo-carvifolium*, Hoffm. Gen. Umb. ed. I. 155 = *Selinum Carvifolia*.  
*pyrenaicum*, Hoffm. l. c. = *Selinum pyrenaicum*.  
*rablense*, Hoffm. l. c. = *P. austriacum*.  
*uliginosum*, Eckl. & Zeyh. Enum. 350 = *P. uliginosum*.

- OREOSERIS**, DC. Prod. vii. 17 (1838) = **Gerbera**, Gronov. (Compos.).  
*lanuginosa*, DC. l. c. = *G. lanuginosa*.  
*nivea*, DC. l. c. 18 = *G. nivea*.  
*ovalifolia*, Wall. Cat. n. 2930 = *G. piloselloides*.  
*pusilla*, DC. Prod. vii. 17 = *G. lanuginosa*.

- OREOSOLEN**, Hook. f. Fl. Brit. Ind. iv. 318 (1884). **SCROPHULARINEAE**.  
*Wattii*, Hook. f. l. c. 319.—Reg. Himal.

- OREOSPACUS**, Phil. in Leyb. Escurs. a las Pampas, 45 (1873). **LABIATAE**, Benth. & Hook. f. ii. 1184.  
*parvifolia*, Phil. l. c.—Chili.

- OREOSPENIUM**, Zahlb. ex Endl. Gen. 814, 1446 (1841) = **Zahlbrucknera**, Reichb. (Saxif.).

- OREOSTYLIDIUM** Berggr. in Minneskr. Fisiog. Sällsk. Lund (1877), n. viii. 1. **STYLIDEAE**.  
*subulatum*, Berggr. l. c. 2.—N. Zel.

- OREOSYCE**, Hook. f. in Oliver, Fl. Trop. Afr. ii. 548 (1871). **CUCURBITACEAE**.  
*africana*, Hook. f. l. c.—Afr. trop.

- OREOTRYS**, Rafin. Atl. Journ. 145 (1832); Fl. Tellur. ii. 74 (1836) = **Heuchera**, Linn. (Saxif.).  
*bracteata*, Rafin. Atl. Journ. 145 = *H. bracteata*.

- OREOXIS**, Rafin. in Ser. Bull. Bot. i. (1830) 217 = **Cymopterus**, Rafin. (Umbell.).  
*humilis*, Rafin. l. c. = *C. alpinus*.

- ORESCIA**, Reinw. in Syll. Ratisb. ii. (1828) 15. Gen. ignot.; an **PRIMULACEAE**?  
*montana*, Reinw. l. c. (Quid?).—Java.

- ORESIGONIA**, Schlecht. ex Less. Syn. Comp. 393 (1832) = **Culcitium**, H. B. & K. (Compos.).

- ORESIGONIA**, Willd. ex Less. Syn. Comp. 393 (1832); DC. Prod. vi. 323 (1837) = **Werneria**, H. B. & K. (Compos.).  
*brevifolia*, Willd. ex Wedd. Chlor. And. i. 82 = *W. humilis*.  
*latifolia*, Willd. ex Less. Syn. Comp. 393 = *W. disticha*.  
*pyncophylla*, Bonpl. ex Wedd. Chlor. And. i. 83 = *W. rigida*.

- ORESITROPHE**, Bunge, in Mém. Sav. Etr. Péterzb. ii. (1835) 106 (Enum. Pl. Chin. Bor. 31). **SAAA-FRAGEAE**, Benth. & Hook. f. i. 639.  
*rupifraga*, Bunge, l. c.—China.

- ORESTION**, Kunze, ex Berg, in Linnaea, xxvii. (1854) 394 = **Myrtus**, Tourn.  
*vaccinioides*, Kunze, ex Berg, l. c. = *M. bullata*.

- ORESTION**, Rafin. Fl. Tellur. ii. 48 (1836) = **Olearia**, Moench (Compos.).  
*dentata*, Rafin. l. c. = *O. dentata*.

- OREXIS**, Salisb. Gen. Pl. Fragm. 117 (1866) = **Lycoris**, Herb. (Amaryll.).  
*radiata*, Salisb. l. c. 118 = *L. radiata*.

- ORFILEA**, Baill. Etud. Gén. Euph. 452 (1858) = **Alchornea**, Sw. (Euphorb.).  
*coriacea*, Baill. l. c. 453 = *A. coriacea*.



ORIASTRUM, Poepp. & Endl. Nov. Gen. et Sp. iii. 50. t. 257 (1842) = **Chaetanthera**, Ruiz & Pav. (Compos.).  
*chilense*, Wedd. Chlor. And. i. 30.—Chili.  
*cochlearifolium*, A. Gray, in Proc. Am. Acad. v. (1861) 144.—Peruv.  
*gnaphalioides*, Wedd. Chlor. And. i. 30.—Chili.  
*lycopodioides*, Wedd. l. c.—Chili.  
*pulvinatum*, Phil. in Linnaea, xxxiii. (1864–65) 112.—Chili.  
*pusillum*, Poepp. & Endl. Nov. Gen. et Sp. iii. 50.—Chili.

ORIBA, Adans. Fam. ii. 459 (1763) = **Anemone**, Tourn. (Ranunc.).  
*sylvestris*, Opiz, Seznam, 70 = *A. sylvestris*.

ORIBASIA, [Moç. & Sesse,] ex DC. Prod. vi. 323 (1837) = **Werneria**, H. B. & K. (Compos.).  
*acaulis*, [Moç. Sesse & Cerv.] ex DC. l. c. 324 = *W. Mocciniana*.

ORIBASIA, Schreb. Gen. 123 (1789) = **Palicourea**, Aubl. (Rubiace.).  
*longiflora*, J. F. Gmel. Syst. 367 = *Pal. longiflora*.  
*lutea*, J. F. Gmel. l. c. (= *Nonatelia lutea*).—Guian.  
*officinalis*, J. F. Gmel. l. c. = *Psychotria officinalis*.  
*paniculata*, J. F. Gmel. l. c. = *Psychotria flexuosa*.  
*racemosa*, J. F. Gmel. l. c. = *Psychotria racemosa*.  
*violacea*, J. F. Gmel. l. c. = *Pal. violacea*.

ORIGANON, St. Lag. in Ann. Soc. Bot. Lyon, vii. (1880) 131 = **Origanum**, Tourn. (Labiata.).  
*majoranum*, St. Lag. l. c. = *Origanum Majorana*.  
*onitum*, St. Lag. l. c. = *Origanum Onites*.

**ORIGANUM**, Tourn. ex Linn. Syst. ed. I (1735).  
**LABIATAE**, Benth. & Hook. i. ii. 1185.  
**AMARACUS**, Gleditsch, Syst. 189 (1764).  
**BELTOKON**, Rafin. Fl. Tellur. iii. 86 (1836).  
**MAJORANA**, Rupp. Fl. Jen. ed. Hall. 235 (1745).  
**ONITES**, Rafin. Fl. Tellur. iii. 86 (1836).  
**OROGA**, Rafin. l. c. (1836).  
**SCHIZOCALYX**, Scheele, in Flora, xxvi. (1843) 575.  
**ZATARENDIA**, Rafin. Fl. Tellur. iii. 86 (1836).  
*acinacifolium*, Steud. Nom. ed. II. ii. 226 = *majoricum*.  
*acinifolium*, Wallr. ex Benth. Lab. Gen. et Sp. 728 = *majoricum*.  
*aegyptiacum*, Linn. Sp. Pl. 588 = *O. Maru*.  
*albiflorum*, C. Koch, in Linnaea, xxi. (1848) 662 = *vulgare*.  
*album*, Salisb. Prod. 85 = *O. Onites*.  
*anglicum*, Hill, Veg. Syst. xvii. 35 = *vulgare*.  
*angustifolium*, C. Koch, in Linnaea, xxi. (1848) 661 = *vulgare*.  
*balearicum*, Pourr. ex Lange, in Kjoeb. Vidensk. Meddel. (1863) 5 = *majoricum*.  
*bengalense*, Heyne, ex Wall. Cat. n. 1532 = *Pogostemon patchouly*.  
*benghalense*, Burm. f. Fl. Ind. 128 = *Pogostemon plectranthoides*.  
*calcaratum*, Juss. Gen. 115 = *Tournefortii*.  
*capitatum*, Willd. ex Benth. in Linnaea, xi. (1837) 339 = *vulgare*.  
*ciliatum*, Boiss. & Kotschy, Diagn. Ser. II. iv. 10. —As. Min.  
*ciliatum*, Willd. Sp. Pl. iii. 133 (Acanthaceae).—Afr. trop.  
*cinereum*, Noé, in Bull. Soc. Bot. Fr. ii. (1855) 579.—Afr. bor.  
*clinopodioides*, Walt. Fl. Carol. 165 = *Pycnanthemum aristatum*.  
*compactum*, Benth. Lab. Gen. et Sp. 334.—Afr. bor.  
*confertum*, Savi, Osserv. Origan. 12 = *O. Majorana*.  
*cordifolium*, Vog. in Linnaea, xv. (1841) 76.—Syria; Ins. Cyprus.  
*creticum*, Linn. Sp. Pl. 589 = *vulgare*.  
*creticum*, Schousb. ex Ball, in Journ. Linn. Soc. xvi. (1878) 610 = *compactum*.  
*creticum*, Sieber, ex Benth. Lab. Gen. & Sp. 336 = *hirtum*.  
*decipiens*, Wallr. ex Benth. l. c. 728 = *vulgare*.  
*dictamnifolium*, St. Lag. in Ann. Soc. Bot. Lyon, vii. (1880) 131 = *seq.*  
*dictamnus*, Linn. Sp. Pl. 589.—Ins. Creta.  
*dubium*, Boiss. Fl. Orient. iv. 553.—As. Min.  
*Ehrenbergii*, Boiss. l. c. 551.—Syria.

**ORIGANUM** :—  
*elegans*, Steph. ex Steud. Nom. ed. II. ii. 227 = *Dra-cocephalum pinnatum*.  
*flexuosum*, Walt. Fl. Carol. 165 = *Pycnanthemum linifolium*.  
*floribundum*, Munby, in Bull. Soc. Bot. Fr. ii. (1855) 286.—Alger.  
*floridum*, Salisb. Prod. 85 = *vulgare*.  
*fortuitum*, Savi, Osserv. Origan. 14 = *paniculatum*.  
*glandulosum*, Desf. Fl. Atlant. ii. 27 = *hirtum*.  
*glandulosum*, Salz. ex Benth. Lab. Gen. et Sp. 335 = *compactum*.  
*gracile*, C. Koch, in Linnaea, xxi. (1848) 661 = *vulgare*.  
*Haussknechtii*, Boiss. Fl. Orient. iv. 550.—Cataonia.  
*heracleoticum*, Benth. Lab. Gen. et Sp. 336 = *hirtum*.  
*heracleoticum*, Koch, in Mert. & Koch, Deutschl. Fl. iv. 305 = *O. Orega*.  
*heracleoticum*, Linn. Sp. Pl. 589.—Reg. Mediterr.  
*heracleoticum*, Reichb. Fl. Germ. Excurs. 313 = *vulgare*.  
*hirtum*, Link, Enum. Hort. Berol. ii. 114.—Europ.  
*hirtum*, Noé, ex Nym. Consp. 592 = *vulgare*.  
*humile*, Mill. Gard. Dict. ed. VIII. n. 4 = *vulgare*.  
*hybridum*, Mill. l. c. n. 12 = *sipyleum*.  
*illyricum*, Scheele, in Flora, xxvi. (1843) 574 = *hirtum*.  
*incanum*, Walt. Fl. Carol. 165 = *Pycnanthemum aristatum*.  
*indicum*, Roth, Nov. Pl. Sp. 265 = *Pogostemon plectranthoides*, P. Patchouly.  
*laevigatum*, Boiss. in Ann. Sc. Nat. Sér. IV. ii. (1854) 252.—As. Min.; Syria.  
*lanatum*, Boj. ex Nees, in DC. Prod. xi. 721 = *Nelsonia canescens*.  
*latifolium*, Mill. Gard. Dict. ed. VIII. n. 3 = *vulgare*.  
*latifolium*, Scheele, in Flora, xxvi. (1843) 574 = *hirtum*.  
*laxiflorum*, Royle, ex Benth. in Hook. Bot. Misc. iii. (1838) 376 = *vulgare*.  
*leptocladum*, Boiss. Fl. Orient. iv. 549.—Cilicia.  
*libanoticum*, Boiss. Diagn. Ser. I. v. 14.—Syria.  
*Loureiri*, Kostel. Allg. Med.-Pharm. Fl. iii. 768.—Cochinch.  
*lusitanicum*, Rouy, in La Natural. ii. (1882) (Matér. Rév. Fl. Portug. 36, in syn.) = *majoricum*.  
*lusitanicum*, Rouy, l. c. 37.—Ins. Balear.  
*macrostachyum*, Hoffmgg. & Link, Fl. Port. i. 120 = *vulgare*.  
*Majorana*, Linn. Sp. Pl. 590.—Europ.  
*majoranoides*, Willd. Sp. Pl. iii. 137 = *O. Majorana*.  
*majoricum*, Cambess. in Mém. Mus. Par. xiv. (1827) 296.—Ins. Balear.  
*Maru*, Linn. Sp. Pl. 825.—Syria; Arabia.  
*Maru*, Sibth. & Sm. Fl. Graec. vi. 59. t. 573 = *microphyllum*.  
*megastachyum*, Link, Enum. Hort. Berol. ii. 114 = *vulgare*.  
*micranthum*, Hort. ex Colla, Hort. Ripul. App. iv. 53 = *vulgare*?  
*micranthum*, Vog. in Linnaea, xv. (1841) 77.—As. Min.  
*microphyllum*, Sieber, ex Benth. Lab. Gen. et Sp. 338.—Ins. Creta.  
*neglectum*, Vog. in Linnaea, xv. (1841) 81 = *hirtum*.  
*nervosum*, Vog. l. c. 78 = *O. Maru*.  
*normale*, D. Don, Prod. Fl. Nep. 113 = *vulgare*.  
*nutans*, Willd. ex Benth. in Linnaea, xi. (1837) 339 = *vulgare*.  
*oblongatum*, Link, Enum. Hort. Berol. ii. 114 = *vulgare*.  
*odorum*, Salisb. Prod. 85 = *O. Majorana*.  
*officinale*, Gueldenst. Reisen, ii. 287 = *vulgare*.  
*Onites*, Lam. Encyc. iv. 608 = *O. Majorana*.  
*Onites*, Linn. Sp. Pl. 590.—Europ. austr. or.; As. Min.; Syria.  
*Orega*, Vog. in Linnaea, xv. (1841) 78.—Hab.?  
*orientale*, Mill. Gard. Dict. ed. VIII. n. 5 = *vulgare*.  
*pallidum*, Desf. Tabl. ed. I. 62, nomen; Cat. Hort. Par. ed. III. 395 = *O. Onites*.  
*paniculatum*, Koch, in Mert. & Koch, Deutschl. Fl. iv. 306.—Europ.  
*parviflorum*, Urv. in Mém. Soc. Linn. Par. i. (1822) 327 = *hirtum*.  
*pruinatum*, C. Koch, in Linnaea, xxi. (1848) 663 = *vulgare*.  
*pulchellum*, Boiss. Diagn. Ser. II. iv. 9.—Oriens.  
*pulchrum*, Boiss. & Heldr. l. c. 11.—Graecia.  
*punctatum*, Poir. Encyc. Suppl. iv. 186 = *Pycnanthemum incanum*.  
*purpureus*, Gilib. Fl. Lituan. i. 64 = *vulgare*.  
*rotundifolium*, Boiss. Diagn. Ser. II. iv. 11.—Armenia.  
*salvifolium*, Roth, Catalect. fasc. ii. 48.—Hab.?

**ORIGANUM** :—  
*sardoum*, Nym. Consp. 592 = *hirtum*.  
*saxatile*, Salisb. Prod. 85 = *O. Dictamnus*.  
*scabrum*, Boiss. & Heldr. Diagn. Ser. I. vii. 48.—Graecia.  
*serpylliforme*, Fisch. & Mey. Ind. Sem. Hort. Petrop. xi. Suppl. 59.—Hab.?  
*siculum*, Nym. Consp. 592 = *virens*.  
*sipyleum*, Linn. Sp. Pl. 589.—As. Min.  
*smyrnaeum*, Linn. l. c. = *O. Onites*.  
*smyrnaeum*, Sibth. & Sm. Fl. Graec. vi. 57. t. 571 = *hirtum*.  
*stoloniferum*, Bess. ex Reichb. Fl. Germ. Excurs. 313 = *vulgare*.  
*suffruticosum*, Hort. ex Steud. Nom. ed. I. 572 = *O. Majorana*.  
*syriacum*, Linn. Sp. Pl. 590 = *O. Maru*?  
*thymiflorum*, Reichb. Fl. Germ. Excurs. 313 = *vulgare*.  
*Tournefortii*, [Soland. in] Ait. Hort. Kew. ed. I. ii. 311.—Archip. Graec.  
*Tragoriganum*, Zucc. ex Steud. Nom. ed. II. ii. 227, nomen (Quid?).—Italia?  
*turbinatum*, Vog. in Linnaea, xv. (1841) 77.—Hab.?  
*venosum*, Willd. ex Benth. l. c. xi. (1837) 239 = *vulgare*.  
*vestitum*, Clarke, Trav. ii. 451 = *O. Maru*.  
*virens*, Hoffmgg. & Link, Fl. Port. i. 119.—Europ.  
*virens*, C. A. Mey. Verz. Pfl. Cauc. 90 = *vulgare*.  
*virescens*, Poir. Encyc. Suppl. iv. 186 = *virens*.  
*viride*, Willd. ex Benth. in Linnaea, xi. (1837) 339 = *vulgare*.  
*viridulum*, Martr. Fl. Tarn, 551 = *vulgare*.  
*vulgare*, Linn. Sp. Pl. 590.—Europ.; As. et Afr. bor.  
*vulgare*, O. F. Muell. in Fl. Dan. t. 638 = *Mentha aquatica*.  
*Wallichianum*, Benth. in Wall. Cat. n. 1565 = *O. Majorana*.  
*watariense*, Roxb. ex Hook. f. Fl. Brit. Ind. iv. 627 = *Anisochilus carnosus*.  
*Watsoni*, Schlagint. ex T. A. Schmidt, in Journ. Bot. vi. (1868) 227, 234 = *vulgare*.

ORIMARIA, Rafin. in Ser. Bull. Bot. i. (1830) 218.  
**UMBELLIF.** gen. dub.  
*filiformis*, Rafin. l. c. (Quid?).—Am. bor.

ORIOPHORUM, Gunn. Fl. Norveg. ii. 84 (1772), err. typ. = **Eriophorum**, Linn. (Cyper.).

ORITES, Banks & Soland. ex Hook. f. Fl. Antarct. 282 (1847) = **Donatia**, Forst. (Saxifrag.).  
*depressa*, Banks & Soland. l. c. = *D. fascicularis*.

**ORITES**, R. Br. in Trans. Linn. Soc. x. (1810) 189.  
**PROTEACEAE**, Benth. & Hook. f. iii. 180.  
**AMPHIDERRIS**, Spach, Hist. Vég. Phan. x. 402 (1841).  
**ORITINA**, R. Br. in Trans. Linn. Soc. x. (1810) 224.  
**PATAGUA**, Poepp. ex Baill. Adansonia, x. (1871) 49.  
**TROPOCARPA**, D. Don, ex Meissn. in DC. Prod. xiv. 423 (1857).  
*acicularis*, Roem. & Schult. Syst. iii. 427; R. Br. Prot. Nov. 32.—Austral.  
*diversifolia*, R. Br. in Trans. Linn. Soc. x. (1810) 190.—Tasman.  
*excelsa*, R. Br. Prot. Nov. 32.—Austral.  
*lanceifolia*, F. Muell. in Trans. Phil. Soc. Vict. i. (1855) 108.—Austral.  
*Milligani*, Meissn. in Hook. Kew Journ. iv. (1852) 209, nomen; et in DC. Prod. xiv. 424.—Tasman.  
*myrtoides*, Benth. & Hook. f. Gen. iii. 180.—Chili.  
*revoluta*, R. Br. in Trans. Linn. Soc. x. (1810) 190.—Tasman.

ORITHALIA, Blume, Fl. Jav. Praef. 6 (1828) = **Agalmia**, Blume (Gesner.).

ORITHYIA, D. Don, in Sweet, Brit. Flow. Gard. Ser. II. t. 336 (1836) = **Tulipa**, Tourn. (Liliac.).  
*biflora*, Kunth, Enum. Pl. iv. 227 = *T. biflora*.  
*dasytemon*, Regel, in Act. Hort. Petrop. v. (1877) 261 = *T. dasytemon*.  
*edulis*, Miq. Ann. Mus. Bot. Lugd. Bat. iii. 158 = *T. edulis*.  
*heterophylla*, Regel, in Bull. Soc. Nat. Mosc. xli. (1868) 1. 440 = *T. heterophylla*.  
*nutans*, Trautv. Pl. Imag. 15. t. 10 = *T. uniflora*.



- ORITHYIA** :—  
*oxypetala*, D. Don, in Sweet, Brit. Flow. Gard. Ser. II. sub t. 336 = *T. uniflora*.  
*oxypetala*, A. Gray, in Perry, Jap. Exped. ii. 322 = *Tulipa edulis*.  
*uniflora*, D. Don, in Sweet, Brit. Flow. Gard. Ser. II. t. 336 = *T. uniflora*.
- ORITINA**, R. Br. in Trans. Linn. Soc. x. (1810) 224 = **Orites**, R. Br. (Proteac.).  
*acicularis*, R. Br. l. c. = *Orites acicularis*.
- ORIUM**, Desv. Journ. Bot. iii. (1814) 161. t. 25. f. 10 = **Clypeola**, Linn. (Crucif.).  
*lanuginosum*, Desv. l. c. 162 = *C. eriocarpa*.
- ORIXA**, Thunb. Nov. Gen. 56 (1783) = **Celastrus**, Linn.  
*japonica*, Thunb. l. c. 57 = *C. Orixia*.  
*ternata*, Blanco, Fl. Filip. ed. I. 62 = *Evodia robusta*.
- ORIZA**, Franch. & Sav. Enum. Pl. Jap. ii. 155 (1879), sphalm. = **Oryza**, Tourn. (Gramin.).
- ORLAYA**, Hoffm. Gen. Umb. ed. I. 58 (1814) = **Daucus**, Tourn.  
*anisopoda*, Boiss. Diagn. Ser. I. x. 46 = *D. littoralis*.  
*Bubania*, Philippi. Fl. Perven. i. 407 = *D. umbellata*.
- ORMOCARPUM** :—  
*aristatum*, Desv. in Mém. Soc. Linn. Par. iv. (1826) 308 = *Pictetia aristata*.  
*australe*, Desv. l. c. 307 = *Desmodium umbellatum*.  
*bibracteatum*, Baker, in Oliver, Fl. Trop. Afr. ii. 143. —Afr. trop.  
*caeruleum*, Balf. f. in Proc. Roy. Soc. Edinb. xi. (1882) 511. —Ins. Socotra.  
*cassioideis*, Desv. Journ. Bot. i. (1813) 122. t. 5. f. 16 = *sennoides*.  
*coccinea*, G. Don, Gen. Syst. ii. 279. —Mexic.  
*coronilloides*, G. Don, l. c. = *sennoides*.  
*discolor*, Vatke, in Oestr. Bot. Zeitschr. xxix. (1879) 223. —Afr. trop.  
*elegans*, G. Don, Gen. Syst. ii. 279. —Mexic.  
*glabrum*, Teijsm. & Binn. in Tijdschr. Nederl. Indie, xxvii. (1864) 56. —Ins. Celebes.  
*intermedium*, Teijsm. & Binn. l. c. 55. —Java.  
*Kirkii*, S. Moore, in Journ. Bot. xv. (1877) 290. —Afr. trop.  
*mimosoides*, S. Moore, l. c. 291. —Afr. trop.  
*oblongum*, Desv. in Mém. Soc. Linn. Par. iv. (1825) 307 = *Desmodium umbellatum*.  
*ochroleucum*, Zoll. & Mor. Syst. Verz. Zoll. 6. —Java.  
*pluriflorum*, Vatke, in Oestr. Bot. Zeitschr. xxviii. (1878) 215 = *Kirkii*.  
*mossum*, Desv. Journ. Bot. i. (1813) 100. —
- ORMOSIA** :—  
*pacimonensis*, Spruce, ex Benth. in Journ. Linn. Soc. iv. Suppl. (1860) 119 = *Andira Amazonum*.  
*panamensis*, Benth. in Seem. Bot. Voy. Herald, 111. —Panama.  
*parvifolia*, Baker, in Hook. f. Fl. Brit. Ind. ii. 253. —Malacca.  
*robusta*, Baker, l. c. 252. —Reg. Himal.; Burma.  
*semicastrata*, Hance, in Journ. Bot. xx. (1882) 78. —China.  
*subsimplax*, Spruce, ex Benth. in Mart. Fl. Bras. xv. i. 316. —Bras.  
*travancorica*, Bedd. Fl. Sylv. i. t. 45. —Ind. or.  
*venosa*, Baker, in Hook. f. Fl. Brit. Ind. ii. 254. —Malacca.
- ORMOSOLENIA**, Tausch, in Flora, xvii. (1834) 348 = **Peucedanum**, Tourn. (Umbell.).  
*cretica*, Tausch, l. c. = *P. creticum*.  
*pisidica*, Boiss. & Heldr. Diagn. Ser. I. x. 34 = *P. pisidicum*.
- ORMOSTEMA**, Rafin. Fl. Tellur. iv. 38 (1836) = **Dendrobium**, Sw. (Orchid.).  
*albiflora*, Rafin. l. c. = *D. moniliforme*.  
*purpurea*, Rafin. l. c. = *D. Linawianum*.

iii. 82 (1790) = **Ra-**

I. Am. iii. 93 (1836) =

mericana.  
= F. Ornus.

Am. iii. 93 = F. rotundi-

40 = F. Ornus?

Am. iii. 93 = F. rotundi-

t. Flow. Gard. i. (1850-  
18, R. Br. (Orchid.).  
—Ind. or.i. Trans. Hort. Soc. i.  
Benth. & Hook. f. iii.

Indl. Nov. Gen. et Sp. i.

—Cf. Bot. Zeit. i. (1843

landia, ii. (1854) 18. —

t. 3306 = *Maxillaria*

—, Journ. f. Amer. Orn. Centr. Am. 75. —Costa Rica.

*aureum*, Poepp. & Endl. Nov. Gen. et Sp. i. 57. —Peruv.  
*bicolor*, Reichb. f. in Walp. Ann. vi. 489, sphalm. =  
Odontoglossum bicolor.*bracteatum*, Wall. ex Lindl. Fol. Orch. Sunipia =  
*Sunipia scariosa*.*ceriferum*, Rodrig. Orch. Nov. ii. 209. —Bras.*chloroleucum*, Rodrig. l. c. 208. —Bras.*coccineum*, Salisb. in Trans. Hort. Soc. i. (1812) 293.

—Ind. occ.

*confertum*, Griseb. Fl. Brit. W. Ind. 626. —Ind. occ.*Cordyline*, Reichb. f. in Linnaea, xli. (1877) 34. —

Ecuador.

*croceorubens*, Reichb. f. l. c. 35. —Guian. ? Ind. occ. ?*densum*, Reichb. f. in Bonplandia, iii. (1855) 217. —

Mexic.

*distichum*, Lindl. in Benth. Pl. Hartw. 153. —Peruv.*divaricatum*, Rodrig. Orch. Nov. ii. 209. —Bras.*flavoviridium*, Rodrig. l. c. —Bras.*fulgens*, Reichb. f. Beitr. Orch. Centr. Am. 76. —Costa

Rica.

*giganteum*, Lindl. in Benth. Pl. Hartw. 153. —Peruv.*histrionicum*, Reichb. f. in Bonplandia, iv. (1856) 324.

—Mexic.

*inflexum*, Reichb. f. in Walp. Ann. vi. 928 = *Cama-**ridium inflexum*.*Jamesoni*, Reichb. f. in Linnaea, xli. (1877) 35. —

Ecuador.

*Jenischianum*, Reichb. f. in Bonplandia, ii. (1854) 18.

—Venezuela.

*Origanum Majorana Linn.*

Linnaeus spelt it as above, and so did the earlier authors whom he quotes. There appears to be no valid reason for inserting another "a" in the name.

J.P.S. 24/ii/23

## A. nodosus.

**ORMIASTIS**, Rafin. Fl. Tellur. iii. 93 (1836) = **Salvia**, Tourn. (Labi.).  
*pinnata*, Rafin. l. c. = *S. pinnata*.

**ORMILIS**, Rafin. Fl. Tellur. iii. 94 (1836) = **Salvia**, Tourn. (Labi.).  
*Horminum*, Rafin. l. c. = *S. Horminum*.  
*viridis*, Rafin. l. c. = *S. viridis*.

**ORMISCUS**, Eckl. & Zeyh. Enum. 9 (1835) = **Helio-**  
**phila**, Burm. f. (Crucif.).  
*amplexicaulis*, Eckl. & Zeyh. l. c. = *H. amplexicaulis*.  
*pendulus*, Spach, Hist. Vég. Phan. vi. 453 = *H. pendula*.  
*pinnatus*, Eckl. & Zeyh. Enum. 10 = *H. pendula*.  
*pusillus*, Eckl. & Zeyh. l. c. 9 = *H. pusilla*.  
*tenuisiliqua*, Eckl. & Zeyh. l. c. = *H. pusilla*.

**ORMOCARPUM**, Beauv. Fl. Owar. i. 95. t. 58 (1805). **LEGUMINOSAE**, Benth. & Hook. f. i. 515.

**ACROTAPHROS**, Hochst. ex A. Rich. Tent. Fl. Abyss. i. 207. t. 38 (1847).

**DIPHACA**, Lour. Fl. Cochinch. 453 (1790).

**HORMOCARPUS**, Spreng. Gen. ii. 594 (1831).

**RATHKEA**, Schum. & Thonn. Beskr. Guin. Pl. 365 (1828).

**RUSSELLIA**, Koen. ex Roxb. Fl. Ind. iii. 364 (1832).

ins. Philipp.

*coarctata*, Jacks. in Trans. Linn. Soc. x. (1811) 363.

t. 27. —Guian.

*coccinea*, Jacks. l. c. 360. t. 25. —Am. trop.

*dasycarpa*, Jacks. l. c. 362. t. 26. —Ind. occ.

*discolor*, Spruce, ex Benth. in Mart. Fl. Bras. xv. i. 318. —Bras.

*emarginata*, Benth. in Hook. Kew Journ. iv. (1852) 77.

—Ins. Hongkong.

*excelsa*, Benth. in Mart. Fl. Bras. xv. i. 318. —

Bras.

*fastigiata*, Tul. in Arch. Mus. Par. iv. (1844) 108. —

Am. trop.

*floribunda*, Wall. Cat. n. 5337 = *robusta*.

*glauca*, Wall. Pl. As. Rar. ii. 23. t. 125. —Reg.

Himal.

*laxiflora*, Benth. ex Baker, in Oliver, Fl. Trop. Afr.

ii. 255. —Afr. trop.

*macrodisca*, Baker, in Hook. f. Fl. Brit. Ind. ii. 253.

—Malacca.

*macrophylla*, Benth. in Ann. Wien. Mus. ii. (1838) 88.

—Bras.

*microsperma*, Baker, in Hook. f. Fl. Brit. Ind. ii. 253.

—Malacca.

*minor*, Vog. in Linnaea, xi. (1837) 405. —*dasycarpa*.

*nitida*, Vog. l. c. 405. —Bras.

*nobilis*, Tul. in Arch. Mus. Par. iv. (1844) 106. —

Bras.

*pachycarpa*, Champ. ex Benth. in Hook. Kew Journ.

iv. (1852) 76. —Ins. Hongkong.



ORIASTRUM, Poepp. & Endl. Nov. Gen. et Sp. iii. 50. t. 257 (1842) = **Chaetanthera**, Ruiz & Pav. (Compos.).  
*chilense*, Wedd. Chlor. And. i. 30.—Chili.  
*cochlearifolium*, A. Gray, in Proc. Am. Acad. v. (1861) 144.—Peruv.  
*gnaphalioides*, Wedd. Chlor. And. i. 30.—Chili.  
*lycopodioides*, Wedd. l. c.—Chili.  
*pulvinatum*, Phil. in Linnaea, xxxiii. (1864-65) 112.—Chili.  
*pusillum*, Poepp. & Endl. Nov. Gen. et Sp. iii. 50.—Chili.

ORIBA, Adans. Fam. ii. 459 (1763) = **Anemone**, Tourn. (Ranunc.).  
*sylvestris*, Opiz, Seznam, 70 = **A. sylvestris**.

ORIBASIA, [Moç. & Sesse,] ex DC. Prod. vi. 323 (1837) = **Werneria**, H. B. & K. (Compos.).  
*acaulis*, [Moç. Sesse & Cerv.] ex DC. l. c. 324 = **W. Mocciniana**.

ORIBASIA, Schreb. Gen. 123 (1789) = **Palicourea**, Aubl. (Rubiace.).  
*longiflora*, J. F. Gmel. Syst. 367 = **Pal. longiflora**.  
*lutea*, J. F. Gmel. l. c. (= *Nonatelia lutea*).—Guian.  
*officinalis*, J. F. Gmel. l. c. = *Psychotria officinalis*.  
*paniculata*, J. F. Gmel. l. c. = *Psychotria paniculata*.  
*racemosa*, J. F. Gmel. l. c.  
*violacea*, J. F. Gmel. l. c.

ORIGANON, St. Lag. in 131 = **Origanum**, T.  
*majoranum*, St. Lag. l. c.  
*onitum*, St. Lag. l. c. =

**ORIGANUM**, Tourn.

**LABIATAE**, Benth. & AMARACUS, Gleditsc BELTOKON, Rafin. F MAJORANA, Rupp. F ONITES, Rafin. Fl. T OROGA, Rafin. l. c. ( SCHIZOCALYX, Schee ZATARENDIA, Rafin. *acinacifolium*, Steud. N *acinifolium*, Wallr. ex majoricum.  
*aegyptiacum*, Linn. Sp. *albiflorum*, C. Koch, vulgare.  
*album*, Salisb. Prod. 85 *anglicum*, Hill, Veg. 8 *angustifolium*, C. Koch = vulgare.  
*balearicum*, Pourr. ex L. (1863) 5 = majoricum *bengalense*, Heyne, ex V. Patchouly.  
*benghalense*, Burm. f. Fl. Ind. 128 = *Pogostemon plectranthoides*.  
*calcaratum*, Juss. Gen. 115 = *Tournefortii*.  
*capitatum*, Willd. ex Benth. in Linnaea, xi. (1837) 339 = vulgare.  
*ciliatum*, Boiss. & Kotschy, Diagn. Ser. II. iv. 10. —As. Min.  
*ciliatum*, Willd. Sp. Pl. iii. 133 (Acanthaceae).—Afr. trop.  
*cinereum*, Noé, in Bull. Soc. Bot. Fr. ii. (1855) 579.—Afr. bor.  
*clinopodioides*, Walt. Fl. Carol. 165 = *Pycnanthemum aristatum*.  
*compactum*, Benth. Lab. Gen. et Sp. 334.—Afr. bor.  
*confertum*, Savi, Osserv. Origan. 12 = *O. Majorana*.  
*cordifolium*, Vog. in Linnaea, xv. (1841) 76.—Syria; Ins. Cyprus.  
*creticum*, Linn. Sp. Pl. 589 = vulgare.  
*creticum*, Schousb. ex Ball, in Journ. Linn. Soc. xvi. (1878) 610 = *compactum*.  
*creticum*, Sieber, ex Benth. Lab. Gen. & Sp. 336 = hirtum.  
*decipiens*, Wallr. ex Benth. l. c. 728 = vulgare.  
*dictamnifolium*, St. Lag. in Ann. Soc. Bot. Lyon, vii. (1880) 131 = seq.  
*Dictamnus*, Linn. Sp. Pl. 589.—Ins. Creta.  
*dubium*, Boiss. Fl. Orient. iv. 553.—As. Min.  
*Ehrenbergii*, Boiss. l. c. 551.—Syria.

**ORIGANUM** :—

*elegans*, Steph. ex Steud. Nom. ed. II. ii. 227 = *Dra- cocephalum pinnatum*.  
*flexuosum*, Walt. Fl. Carol. 165 = *Pycnanthemum linifolium*.  
*floribundum*, Munby, in Bull. Soc. Bot. Fr. ii. (1855) 286.—Alger.  
*floridum*, Salisb. Prod. 85 = vulgare.  
*fortuitum*, Savi, Osserv. Origan. 14 = *paniculatum*.  
*glandulosum*, Desf. Fl. Atlant. ii. 27 = hirtum.  
*glandulosum*, Salzm. ex Benth. Lab. Gen. et Sp. 335 = *compactum*.  
*gracile*, C. Koch, in Linnaea, xxi. (1848) 661 = vulgare.  
*Hausknechtii*, Boiss. Fl. Orient. iv. 550.—Cataonia.  
*heracleoticum*, Benth. Lab. Gen. et Sp. 336 = hirtum.  
*heracleoticum*, Koch, in Mert. & Koch, Deutschl. Fl. iv. 305 = *O. Orega*.  
*heracleoticum*, Linn. Sp. Pl. 589.—Reg. Mediterr.  
*heracleoticum*, Reichb. Fl. Germ. Excurs. 313 = vulgare.  
*hirtum*, Link, Enum. Hort. Berol. ii. 114.—Europ.  
*hirtum*, Noé, ex Nym. Consp. 592 = vulgare.  
*humile*, Mill. Gard. Dict. ed. VIII. n. 4 = vulgare.  
*hybridum*, Mill. l. c. n. 12 = *sipyleum*.  
*illyricum*, Scheele, in Flora, xxvi. (1843) 574 = hirtum.  
*incanum*, Walt. Fl. Carol. 165 = *Pycnanthemum aristatum*.  
*indicum*, Roth, Nov. Pl. Sp. 265 = *Pogostemon plectranthoides*, P. Patchouly.

**ORIGANUM** :—

*sardoum*, Nym. Consp. 592 = hirtum.  
*saxatile*, Salisb. Prod. 85 = *O. Dictamnus*.  
*scabrum*, Boiss. & Heldr. Diagn. Ser. I. vii. 48.—Graecia.  
*serpylliforme*, Fisch. & Mey. Ind. Sem. Hort. Petrop. xi. Suppl. 59.—Hab.?  
*siculum*, Nym. Consp. 592 = virens.  
*sipyleum*, Linn. Sp. Pl. 589.—As. Min.  
*smyrnaeum*, Linn. l. c. = *O. Onites*.  
*smyrnaeum*, Sibth. & Sm. Fl. Graec. vi. 57. t. 571 = hirtum.  
*stoloniferum*, Bess. ex Reichb. Fl. Germ. Excurs. 313 = vulgare.  
*suffruticosum*, Hort. ex Steud. Nom. ed. I. 572 = *O. Majorana*.  
*syriacum*, Linn. Sp. Pl. 590 = *O. Maru*?  
*thymiflorum*, Reichb. Fl. Germ. Excurs. 313 = vulgare.  
*Tournefortii*, [Soland. in] Ait. Hort. Kew. ed. I. ii. 311.—Archip. Graec.  
*Tragoriganum*, Zucc. ex Steud. Nom. ed. II. ii. 227, nomen (Quid?).—Italia?  
*turbinatum*, Vog. in Linnaea, xv. (1841) 77.—Hab.?  
*venosum*, Willd. ex Benth. l. c. xi. (1837) 239 = vulgare.  
*vestitum*, Clarke, Trav. ii. 451 = *O. Maru*.  
*virens*, Hoffmgg. & Link, Fl. Port. i. 119.—Europ.  
*virens*, C. A. Mey. Verz. Pl. Cauc. 90 = vulgare.

—RUBUS HILLIbrandtii, Develille in Fedde, Reperit. x. 120 (1911) —

*neglectum*, Vog. in Linnaea, xv. (1841) 81 = hirtum.  
*nervosum*, Vog. l. c. 78 = *O. Maru*.  
*normale*, D. Don, Prod. Fl. Nep. 113 = vulgare.  
*nutans*, Willd. ex Benth. in Linnaea, xi. (1837) 339 = vulgare.  
*oblongatum*, Link, Enum. Hort. Berol. ii. 114 = vulgare.  
*odorum*, Salisb. Prod. 85 = *O. Majorana*.  
*officinale*, Gueldenst. Reisen, ii. 287 = vulgare.  
*Onites*, Lam. Encyc. iv. 608 = *O. Majorana*.  
*Onites*, Linn. Sp. Pl. 590.—Europ. austr. or.; As. Min.; Syria.  
*Orega*, Vog. in Linnaea, xv. (1841) 78.—Hab.?  
*orientale*, Mill. Gard. Dict. ed. VIII. n. 5 = vulgare.  
*pallidum*, Desf. Tabl. ed. I. 62, nomen; Cat. Hort. Par. ed. III. 395 = *O. Onites*.  
*paniculatum*, Koch, in Mert. & Koch, Deutschl. Fl. iv. 306.—Europ.  
*parviflorum*, Urv, in Mém. Soc. Linn. Par. i. (1822) 327 = hirtum.  
*pruinatum*, C. Koch, in Linnaea, xxi. (1848) 663 = vulgare.  
*pulchellum*, Boiss. Diagn. Ser. II. iv. 9.—Oriens.  
*pulchrum*, Boiss. & Heldr. l. c. 11.—Graecia.  
*punctatum*, Poir. Encyc. Suppl. iv. 186 = *Pycnanthemum incanum*.  
*purpureum*, Gilib. Fl. Lituan. i. 64 = vulgare.  
*rotundifolium*, Boiss. Diagn. Ser. II. iv. 11.—Armenia.  
*salvifolium*, Roth, Catalect. fasc. ii. 48.—Hab.?

PATAGUA, Poepp. ex Baill. Adansonia, x. (1871) 49.  
TROPICARPA, D. Don, ex Meissn. in DC. Prod. xiv. 423 (1857).  
*acicularis*, Roem. & Schult. Syst. iii. 427; R. Br. Prot. Nov. 32.—Austral.  
*diversifolia*, R. Br. in Trans. Linn. Soc. x. (1810) 190.—Tasman.  
*excelsa*, R. Br. Prot. Nov. 32.—Austral.  
*lancifolia*, F. Muell. in Trans. Phil. Soc. Vict. i. (1855) 108.—Austral.  
*Milligani*, Meissn. in Hook. Kew Journ. iv. (1852) 209, nomen; et in DC. Prod. xiv. 424.—Tasman.  
*myrtoides*, Benth. & Hook. f. Gen. iii. 180.—Chili.  
*revoluta*, R. Br. in Trans. Linn. Soc. x. (1810) 190.—Tasman.

ORITHALIA, Blume, Fl. Jav. Praef. 6 (1828) = **Agalmyla**, Blume (Gesner.).

ORITHYIA, D. Don, in Sweet, Brit. Flow. Gard. Ser. II. t. 336 (1836) = **Tulipa**, Tourn. (Liliac.).  
*biflora*, Kunth, Enum. Pl. iv. 227 = *T. biflora*.  
*dasytemon*, Regel, in Act. Hort. Petrop. v. (1877) 261 = *T. dasytemon*.  
*edulis*, Miq. Ann. Mus. Bot. Lugd. Bat. iii. 158 = *T. edulis*.  
*heterophylla*, Regel, in Bull. Soc. Nat. Mosc. xli. (1868) 1. 440 = *T. heterophylla*.  
*nutans*, Trautv. Pl. Imag. 15. t. 10 = *T. uniflora*.



- ORITHYIA** :—  
*oxyptala*, D. Don, in Sweet, Brit. Flow. Gard. Ser. II. sub t. 336 = *T. uniflora*.  
*oxyptala*, A. Gray, in Perry, Jap. Exped. ii. 322 = *Tulipa edulis*.  
*uniflora*, D. Don, in Sweet, Brit. Flow. Gard. Ser. II. t. 336 = *T. uniflora*.
- ORITINA**, R. Br. in Trans. Linn. Soc. x. (1810) 224 = **Orites**, R. Br. (Proteac.).  
*acicularis*, R. Br. l. c. = *Orites acicularis*.
- ORIUM**, Desv. Journ. Bot. iii. (1814) 161. t. 25. f. 10 = **Clypeola**, Linn. (Crucif.).  
*lanuginosum*, Desv. l. c. 162 = *C. eriocarpa*.
- ORIXA**, Thunb. Nov. Gen. 56 (1783) = **Celastrus**, Linn.  
*japonica*, Thunb. l. c. 57 = *C. Orixia*.  
*ternata*, Blanco, Fl. Filip. ed. I. 62 = *Evodia robusta*.
- ORIZA**, Franch. & Sav. Enum. Pl. Jap. ii. 155 (1879), sphalm. = **Oryza**, Tourn. (Gramin.).
- ORLAYA**, Hoffm. Gen. Umb. ed. I. 58 (1814) = **Daucus**, Tourn.  
*anisopoda*, Boiss. Diagn. Ser. I. x. 46 = *D. littoralis*.  
*Bubania*, Philippe, Fl. Pyren. i. 407 = *D. pumilus*.  
*cretica*, Nym. Consp. 278 = *D. pumilus*.  
*grandiflora*, Hoffm. Gen. Umb. ed. I. 58 = *D. grandiflorus*, Scop.  
*intermedia*, Boiss. in Ann. Sc. Nat. Sér. III. ii. (1844) 49 = *D. muricatus*.  
*maritima*, Koch, in Nov. Act. Nat. Cur. xii. I. (1824) 79 = *D. pumilus*.  
*platycarpus*, Koch, l. c. 79 = *D. muricatus*.
- ORLEANISIA**, Rodrig. Orch. Nov. i. 62 (1877). **ORCHIDEAE**.  
*amazonica*, Rodrig. l. c. 64. — Bras.
- ORLOWIA**, Gueldenst. ex Georgi, Besch. Russ. Reich. III. v. 1089 (1800) = **Phlomis**, Linn. (Labiata).  
*rossica*, Gueldenst. l. c. = *P. tuberosa*.
- ORMENIS**, Cass. in Dict. Sc. Nat. xxix. 180 (1823) = **Artemisia**, Mich. (Compos.).  
*aurea*, Coss. & Dur. Expl. Alg. t. 61 = *A. aurea*.  
*aurea*, Lowe, Man. Fl. Mader. i. 467 = *A. nobilis*.  
*bicolor*, Cass. in Dict. Sc. Nat. xxxvi. 355 = *A. mixta*.  
*coronopifolia*, Less. Syn. Comp. 249 = *A. mixta*.  
*eriolepis*, Coss. in Bull. Soc. Bot. Fr. xxii. (1875) 61, nomen. — Marocc.  
*fuscata*, Sch. Bip. ex Nym. Consp. 363 = *A. fuscata*.  
*heterophylla*, Coss. in Bull. Soc. Bot. Fr. xxii. (1875) 61, nomen = *A. heterophylla*.  
*mixta*, Dum. Fl. Belg. 69; DC. Prod. vi. 18 = *A. mixta*.  
*nobilis*, J. Gay, ex Coss. & Germ. Fl. Par. ed. I. 397 = *A. nobilis*.
- ORMIASTIS**, Rafin. Fl. Tellur. iii. 93 (1836) = **Salvia**, Tourn. (Labiata).  
*pinnata*, Rafin. l. c. = *S. pinnata*.
- ORMILIS**, Rafin. Fl. Tellur. iii. 94 (1836) = **Salvia**, Tourn. (Labiata).  
*Horminum*, Rafin. l. c. = *S. Horminum*.  
*viridis*, Rafin. l. c. = *S. viridis*.
- ORMISCUS**, Eckl. & Zeyh. Enum. 9 (1835) = **Helio-  
phila**, Burm. f. (Crucif.).  
*amplexicaulis*, Eckl. & Zeyh. l. c. = *H. amplexicaulis*.  
*pendulus*, Spach, Hist. Vég. Phan. vi. 453 = *H. pendula*.  
*pinnatus*, Eckl. & Zeyh. Enum. 10 = *H. pendula*.  
*pusillus*, Eckl. & Zeyh. l. c. 9 = *H. pusilla*.  
*tenuisiliqua*, Eckl. & Zeyh. l. c. = *H. pusilla*.
- ORMOCARPUM**, Beauv. Fl. Owar. i. 95. t. 58 (1805). **LEGUMINOSAE**, Benth. & Hook. f. i. 515.  
*ACROTAPHROS*, Hochst. ex A. Rich. Tent. Fl. Abyss. i. 207. t. 38 (1847).  
*DIPHACA*, Lour. Fl. Cochinch. 453 (1790).  
*HORMOCARPUS*, Spreng. Gen. ii. 594 (1831).  
*RATHKEA*, Schum. & Thonn. Beskr. Guin. Pl. 365 (1828).  
*RUSSELLIA*, Koen. ex Roxb. Fl. Ind. iii. 364 (1832).
- ORMOCARPUM** :—  
*aristatum*, Desv. in Mém. Soc. Linn. Par. iv. (1826) 308 = *Pictetia aristata*.  
*australe*, Desv. l. c. 307 = *Desmodium umbellatum*.  
*bibracteatum*, Baker, in Oliver, Fl. Trop. Afr. ii. 143. — Afr. trop.  
*caeruleum*, Balf. f. in Proc. Roy. Soc. Edinb. xi. (1882) 511. — Ins. Socotra.  
*cassioides*, Desv. Journ. Bot. i. (1813) 122. t. 5. f. 16 = *sennoides*.  
*coccinea*, G. Don, Gen. Syst. ii. 279. — Mexic.  
*coronilloides*, G. Don, l. c. = *sennoides*.  
*discolor*, Vathe, in Oestr. Bot. Zeitschr. xxix. (1879) 223. — Afr. trop.  
*elegans*, G. Don, Gen. Syst. ii. 279. — Mexic.  
*glabrum*, Teijsm. & Binn. in Tijdschr. Nederl. Indie, xxvii. (1864) 56. — Ins. Celebes.  
*intermedium*, Teijsm. & Binn. l. c. 55. — Java.  
*Kirkii*, S. Moore, in Journ. Bot. xv. (1877) 290. — Afr. trop.  
*mimosoides*, S. Moore, l. c. 291. — Afr. trop.  
*oblongum*, Desv. in Mém. Soc. Linn. Par. iv. (1825) 307 = *Desmodium umbellatum*.  
*ochroleucum*, Zoll. & Mor. Syst. Verz. Zoll. 6. — Java.  
*pluriflorum*, Vathe, in Oestr. Bot. Zeitschr. xxviii. (1878) 215 = *Kirkii*.  
*rugosum*, Desv. Journ. Bot. i. (1813) 122, nomen. — Hab. ?  
*sennoides*, DC. Prod. ii. 315. — As. et Afr. trop.  
*singapurianum*, Wall. Cat. n. 5659. — Singapore.  
*striatum*, Desv. in Mém. Soc. Linn. Par. iv. (1826) 307, sphalm. = *sulcatum*.  
*suberosum*, Teijsm. & Binn. in Tijdschr. Nederl. Indie, xxvii. (1864) 55. — Java.  
*sulcatum*, Beauv. Fl. Owar. i. 96. — Ins. S. Doming.  
*Thurberi*, Benth. & Hook. Gen. i. 515. — Mexic.  
*umbellatum*, Desv. in Mém. Soc. Linn. Par. iv. (1826) 307 = *Desmodium umbellatum*.  
*verrucosum*, Beauv. Fl. Owar. i. 96. t. 58. — Afr. trop.
- ORMOSCIADIUM**, Boiss. in Ann. Sc. Nat. Sér. III. ii. (1844) 95. **UMBELLIFERAE**, Benth. & Hook. f. i. 925.  
*Aucheri*, Boiss. l. c. — As. Min.
- ORMOSIA**, Jacks. in Trans. Linn. Soc. x. (1811) 360. t. 25. **LEGUMINOSAE**, Benth. & Hook. f. i. 556.  
*LAYIA*, Hook. & Arn. Bot. Beech. Voy. 183. t. 38 (1833).  
*MACROTROPIS*, DC. Prod. ii. 98 (1825).  
*TOULICHIBA*, Adans. Fam. ii. 326 (1763).  
*acuminata*, R. Grah. in Wall. Cat. n. 5973 = *Sophora acuminata*.  
*acuta*, Vog. in Linnaea, xi. (1837) 405 = *dasycarpa*.  
*angolensis*, Baker, in Oliver, Fl. Trop. Afr. ii. 255. — Afr. trop.  
*calavensis*, Azaola, in Blanco, Fl. Filip. ed. II. 230. — Ins. Philipp.  
*coarctata*, Jacks. in Trans. Linn. Soc. x. (1811) 363. t. 27. — Guian.  
*coccinea*, Jacks. l. c. 360. t. 25. — Am. trop.  
*dasycarpa*, Jacks. l. c. 362. t. 26. — Ind. occ.  
*discolor*, Spruce, ex Benth. in Mart. Fl. Bras. xv. I. 318. — Bras.  
*emarginata*, Benth. in Hook. Kew Journ. iv. (1852) 77. — Ins. Hongkong.  
*excelsa*, Benth. in Mart. Fl. Bras. xv. I. 318. — Bras.  
*fastigiata*, Tul. in Arch. Mus. Par. iv. (1844) 108. — Am. trop.  
*floribunda*, Wall. Cat. n. 5337 = *robusta*.  
*glauca*, Wall. Pl. As. Rar. ii. 23. t. 125. — Reg. Himal.  
*laxiflora*, Benth. ex Baker, in Oliver, Fl. Trop. Afr. ii. 255. — Afr. trop.  
*macrodisca*, Baker, in Hook. f. Fl. Brit. Ind. ii. 253. — Malacca.  
*macrophylla*, Benth. in Ann. Wien. Mus. ii. (1838) 88. — Bras.  
*microsperma*, Baker, in Hook. f. Fl. Brit. Ind. ii. 253. — Malacca.  
*minor*, Vog. in Linnaea, xi. (1837) 405 = *dasycarpa*.  
*nitida*, Vog. l. c. 405. — Bras.  
*nobilis*, Tul. in Arch. Mus. Par. iv. (1844) 106. — Bras.  
*pachycarpa*, Champ. ex Benth. in Hook. Kew Journ. iv. (1852) 76. — Ins. Hongkong.
- ORMOSIA** :—  
*pacimonensis*, Spruce, ex Benth. in Journ. Linn. Soc. iv. Suppl. (1860) 119 = *Andira Amazonum*.  
*panamensis*, Benth. in Seem. Bot. Voy. Herald, 111. — Panama.  
*parvifolia*, Baker, in Hook. f. Fl. Brit. Ind. ii. 253. — Malacca.  
*robusta*, Baker, l. c. 252. — Reg. Himal.; Burma.  
*semicastrata*, Hance, in Journ. Bot. xx. (1882) 78. — China.  
*subsimplex*, Spruce, ex Benth. in Mart. Fl. Bras. xv. I. 316. — Bras.  
*travancorica*, Bedd. Fl. Sylv. i. t. 45. — Ind. or.  
*venosa*, Baker, in Hook. f. Fl. Brit. Ind. ii. 254. — Malacca.
- ORMOSOLENIA**, Tausch, in Flora, xvii. (1834) 348 = **Peucedanum**, Tourn. (Umbell.).  
*cretica*, Tausch, l. c. = *P. creticum*.  
*pisidica*, Boiss. & Heldr. Diagn. Ser. I. x. 34 = *P. pisidicum*.
- ORMOSTEMA**, Rafin. Fl. Tellur. iv. 38 (1836) = **Dendrobium**, Sw. (Orchid.).  
*albiflora*, Rafin. l. c. = *D. moniliforme*.  
*purpurea*, Rafin. l. c. = *D. Linawianum*.
- ORMYCARPUS**, Neck. Elem. iii. 82 (1790) = **Raphanus**, Tourn. (Crucif.).
- ORNANTHES**, Rafin. New Fl. Am. iii. 93 (1836) = **Fraxinus**, Tourn. (Oleac.).  
*americana*, Rafin. l. c. = *F. americana*.  
*florida*, Rafin. Alsog. Am. 40 = *F. Ornus*.  
*lutea*, Rafin. l. c. = *F. Ornus*.  
*mannifera*, Rafin. New Fl. Am. iii. 93 = *F. rotundifolia*.  
*parviflora*, Rafin. Alsog. Am. 40 = *F. Ornus*?  
*rotundifolia*, Rafin. New Fl. Am. iii. 93 = *F. rotundifolia*.
- ORNITHARIUM**, Lindl. & Paxt. Flow. Gard. i. (1850-51) 188. f. 117 = **Sarcochilus**, R. Br. (Orchid.).  
*striatulum*, Lindl. & Paxt. l. c. — Ind. or.
- ORNITHIDIUM**, Salisb. in Trans. Hort. Soc. i. (1812) 293. **ORCHIDEAE**, Benth. & Hook. f. iii. 556.  
*SIAGONANTHUS*, Poepp. & Endl. Nov. Gen. et Sp. i. 40. t. 69 (1835).  
*acaule*, Hoffm. Verz. Orch. — Cf. Bot. Zeit. i. (1843) 834. — Bras.  
*aggregatum*, Reichb. f. in Bonplandia, ii. (1854) 18. — N. Granat.  
*album*, Hook. Bot. Mag. t. 3306 = *Maxillaria Camaridii*.  
*anceps*, Reichb. f. Beitr. Orch. Centr. Am. 75. — Costa Rica.  
*aureum*, Poepp. & Endl. Nov. Gen. et Sp. i. 57. — Peruv.  
*bicolor*, Reichb. f. in Walp. Ann. vi. 489, sphalm. = *Odontoglossum bicolor*.  
*bracteatum*, Wall. ex Lindl. Fol. Orch. Sunipia = *Sunipia scariosa*.  
*ceriferum*, Rodrig. Orch. Nov. ii. 209. — Bras.  
*chloroleucum*, Rodrig. l. c. 208. — Bras.  
*coccineum*, Salisb. in Trans. Hort. Soc. i. (1812) 293. — Ind. occ.  
*confertum*, Griseb. Fl. Brit. W. Ind. 626. — Ind. occ.  
*Cordylina*, Reichb. f. in Linnaea, xli. (1877) 34. — Ecuador.  
*croceorubens*, Reichb. f. l. c. 35. — Guian. ? Ind. occ. ?  
*densum*, Reichb. f. in Bonplandia, iii. (1855) 217. — Mexic.  
*distichum*, Lindl. in Benth. Pl. Hartw. 153. — Peruv.  
*divaricatum*, Rodrig. Orch. Nov. ii. 209. — Bras.  
*flavoviridium*, Rodrig. l. c. — Bras.  
*fulgens*, Reichb. f. Beitr. Orch. Centr. Am. 76. — Costa Rica.  
*giganteum*, Lindl. in Benth. Pl. Hartw. 153. — Peruv.  
*histrionicum*, Reichb. f. in Bonplandia, iv. (1856) 324. — Mexic.  
*inflexum*, Reichb. f. in Walp. Ann. vi. 928 = *Camaridium inflexum*.  
*Jamesoni*, Reichb. f. in Linnaea, xli. (1877) 35. — Ecuador.  
*Jenischianum*, Reichb. f. in Bonplandia, ii. (1854) 18. — Venezuela.



**ORNITHIDIUM** :—

- miniatur, *Lindl. Bot. Reg.* (1845) *Misc.* 62.—N. Granat.  
 multicaule, *Reichb. f. in Bonplandia*, ii. (1854) 18.—Peruv.  
 niveum, *Lindl. Orch. Linden.* 22.—Venezuela.  
 nubigenum, *Reichb. f. in Walp. Ann.* vi. 488.—N. Granat.  
 paleatum, *Reichb. f. in Linnaea*, xli. (1877) 36.—Am. centr.  
 parviflorum, *Reichb. f. in Bonplandia*, ii. (1854) 19.—Venezuela.  
 quitense, *Reichb. f. in Linnaea*, xli. (1877) 34.—Ecuador.  
 ruberrimum, *Reichb. f. in Walp. Ann.* vi. 489.—Venezuela.  
 sanguinolentum, *Lindl. Orch. Linden.* 22.—N. Granat.  
 semiscabrum, *Lindl. in Benth. Pl. Hartw.* 153.—Ecuador.  
 serrulatum, *Lindl. l. c.*—Ecuador.  
 Sophronitis, *Reichb. f. in Bonplandia*, ii. (1854) 18.—Venezuela.  
 squamatum, *Rodrig. Orch. Nov.* ii. 209.—Bras.  
 strumatum, *Endres & Reichb. f. in Gard. Chron.* (1874) ii. 772.—Costa Rica.  
 Tafallae, *Reichb. f. in Bonplandia*, ii. (1854) 18.—Peruv.  
 vestitum, *Reichb. f. in Walp. Ann.* vi. 491 = parviflorum.

**ORNITHOBOEA**, Parish, ex C. B. Clarke, in DC. Monog. Phan. v. 147 (1883). **CYRTANDREAE**. Parishii, C. B. Clarke, l. c. 148.—Burma.**ORNITHOCEPHALOCLOA**, Kurz, in *Journ. Bot.* xiii. (1875) 332. t. 171 = **Thuarea**, Pers. (Gramin.). *arenicola*, Kurz, l. c. = T. sarmentosa.**ORNITHOCEPHALUS**, Hook. Exot. Fl. ii. t. 127 (1825). **ORCHIDEAE**, Benth. & Hook. f. iii. 568. apiculatus, *Lindl. in Ann. Nat. Hist. Ser. I.* iv. (1840) 383.—Peruv.

- Avicula, *Reichb. f. in Walp. Ann.* vi. 495.—Guian.  
 bicornis, *Lindl. in Benth. Bot. Voy. Sulph.* 172.—Panama.  
 Bonplandi, *Reichb. f. in Walp. Ann.* vi. 494.—Hab. ?  
 chloroleucus, *Reichb. f. in Bonplandia*, iii. (1855) 226.—Bras.  
 ciliatus, *Lindl. in Ann. Nat. Hist. Ser. I.* iv. (1840) 383.—Guian.  
 Cruegeri, *Reichb. f. ex Griseb. Fl. Brit. W. Ind.* 635.—Ins. Trinit.  
 cujetifolia, *Rodrig. Orch. Nov.* i. 133.—Bras.  
 dolabratus, *Reichb. f. in Linnaea*, xli. (1877) 106.—Ecuador.  
 Elephas, *Reichb. f. in Walp. Ann.* vi. 493.—Guatemala.  
 falcatus, *Focke, in Tijdschr. Wetensch.* i. (1848) 211.—Bras.  
 gladius, *Hook. Exot. Fl.* ii. t. 127.—Ins. Trinit.  
 grandiflorus, *Lindl. in Ann. Nat. Hist. Ser. I.* iv. (1840) 383.—Bras.  
 Ibis, *Reichb. f. in Walp. Ann.* vi. 493 = gladius.  
 inflexus, *Lindl. in Ann. Nat. Hist. Ser. I.* iv. (1840) 384.—Mexic.  
 iridifolius, *Reichb. f. in Walp. Ann.* vi. 494.—Mexic.  
 Kruegeri, *Reichb. f. l. c.* 495 = Cruegeri.  
 mexicanus, A. Rich. & Gál. in *Ann. Sc. Nat. Sér. III.* iii. (1845) 24 = inflexus.  
 microphyllus, *Rodrig. Orch. Nov.* i. 134.—Bras.  
 myrticola, *Lindl. in Ann. Nat. Hist. Ser. I.* iv. (1840) 383.—Bras.  
 navicularis, *Rodrig. Orch. Nov.* i. 135 = Zygostates lunata.  
 Oberonia, *Reichb. f. in Gard. Chron.* (1869) 988.—Ins. Trinit.  
 planifolius, *Reichb. f. in Nederl. Kruidk. Arch.* iv. (1859) 315.—Venezuela.  
 polyodon, *Reichb. f. in Linnaea*, xli. (1877) 33.—Ecuador.  
 Pseudobulbiferus, *Rodrig. Orch. Nov.* i. 134.—Bras.  
 pygmaeus, *Reichb. f. & Warm. in Otia Bot. Hamb.* 88.—Bras.  
 Salvini, *Reichb. f. ex Hemsl. Biol. Centr. Am. Bot.* iii. 291.—Guatemala.  
 trichorhizus, *Batem. ex G. Don, in Sweet, Hort. Brit.* ed. III. 642.—Ins. Trinit.  
 tripollinicus, *Rodrig. Orch. Nov.* i. 136.—Bras.

**ORNITHOCHILUS**, Wall. ex Lindl. Gen. et Sp. Orch. 242 (1833). **ORCHIDEAE**, Benth. & Hook. f. iii. 581.

- eublepharon, Hance, in *Journ. Bot.* xxii. (1884) 364 = fuscus.  
 fuscus, *Wall. ex Lindl. Gen. et Sp. Orch.* 242.—Reg. Himal.; China.  
 Hillii, *Benth. in Journ. Linn. Soc.* xviii. (1881) 334.—Austral.  
 striatulus, *Hort. Calc. ex Lindl. & Paxt. Flow. Gard.* i. (1850–51) 188 (= Sarcocili sp.).—Hab. ?

**ORNITHOGALON**, Rafin. Fl. Tellur. ii. 22 (1836) = seq.**ORNITHOGALUM**, [Tourn.] Linn. Syst. ed. I (1735). **LILIACEAE**, Benth. & Hook. f. iii. 815.

- ARDERNIA, ASPASIA, BERYLLIS, BRIZOPHILA, CATHISSA, EUSTACHYS, MYANTHE, OSMYNE, PHAEOCLES, TAENIOLE, UROPHYLLON, Salisb. Gen. Pl. Fragm. 33–35 (1866).  
 ALBUCEA, *Reichb. Fl. Germ. Excurs.* 109 (1830).  
 CARUELIA, *Parl. Nouv. Gen. e Spec.* 21 (1854).  
 CELSIA, *Heist. Syst.* 5, 20 (1748).  
 COILONOX, *Rafin. Fl. Tellur.* ii. 28 (1836).  
 ELIOKARMOS, *Rafin. l. c.* 24; iii. 58 (1836).  
 ETHESA, *Rafin. l. c.* iii. 60 (1836).  
 FENELONIA, *Rafin. Atl. Journ.* 145 (1832).  
 HONORIUS, S. F. Gray, *Nat. Arr. Brit. Pl.* ii. 177 (1821).  
 IFUON, *Rafin. Fl. Tellur.* iv. 12 (1836).  
 LOMARESI, *Rafin. l. c.* iii. 59 (1836).  
 LONCODILUS, *Rafin. l. c.* ii. 24 (1836).  
 LONCOMAELOS, *Rafin. l. c.* (1836).  
 LONCOXIS, *Rafin. l. c.* iii. 58 (1836).  
 MELOMPHIS, *Rafin. l. c.* ii. 21 (1836).  
 MYOGALUM, *Link. Handb.* i. 163 (1829).  
 NICIPE, *Rafin. Fl. Tellur.* iii. 54 (1836).  
 OZIROE, *Rafin. l. c.* 53 (1836).  
 PARTHENOSTACHYS, *Fourn. in Ann. Soc. Linn. Lyon.* N. S. xvii. (1869) 158.  
 RAXAMARIS, *Rafin. Fl. Tellur.* iii. 54 (1836).  
 SMIRA, *Rafin. l. c.* iv. 28 (1836).  
 TOMOXIS, *Rafin. l. c.* iii. 54 (1836).  
 TRIMELOPTER, *Rafin. l. c.* ii. 24 (1836).  
 TRITRIELA, *Rafin. l. c.* iii. 59 (1836).  
 abyssinicum, *Hort. ex Schult. f. Syst.* vii. 500 = Albuca abyssinica.  
 aciphyllum, *Baker, in Journ. Bot.* xii. (1874) 365.—Afr. austr.  
 acuminatum, *Baker, in Saund. Refug. Bot.* t. 177 = Eckloni, *Schlecht.*  
 acuminatum, *Schur, Enum. Pl. Transs.* 664 = orthophyllum.  
 acutipetalum, *Herb. ex Schult. f. Syst.* vii. 540 = Gagea minima.  
 Adalgisae, *Groves, in Nuov. Giorn. Bot.* ix. (1877) 71.—Italia.  
 aemulum, *Schott & Kotschy, in Oestr. Bot. Wochenbl.* iv. (1854) 161 = oligophyllum.  
 aequipetalum, *Bert. in Merc. Chil.* xvi. 788; ex Am. Journ. Sc. Ser. I. xxiii. (1833) 259 = biflorum.  
 affine, *Bor. Fl. Centr. Fr. ed. III.* ii. 625 = umbellatum.  
 affine, *Schult. f. Syst.* vii. 1700.—Afr. austr.  
 afrum, *Zuccagni, in Roem. Collect.* 137.—Aegypt.  
 albovirens, *Baker, in Gard. Chron.* (1878) ii. 364.—Afr. austr.  
 albucoides, *Hort. Par. ex Poir. Encyc. Suppl.* iv. 191 = Albuca abyssinica.  
 albucoides, *Thunb. Prod. Pl. Cap.* 62 = suaveolens.  
 album, *Kit. ex Schult. f. Syst.* vii. 536, nomen (Quid ?).—Europ.  
 algeriense, *Jord. & Fourr. Brev. Pl. Nov. fasc. i.* 52 = orthophyllum.  
 alliaceum, *Lodd. Bot. Cab.* t. 1818.—Chili.  
 alpestre, *Jord. & Fourr. Brev. Pl. Nov. fasc. i.* 53 = monticolum.  
 alpigenum, *Stapf, in Denkschr. Acad. Wien*, l. (1885) 79.—Lycia.  
 altaicum, *Laxm. in Nov. Comm. Acad. Petrop.* xviii. (1774) 530. t. 7. f. 1 = Lloydia alpina.  
 altissimum, *Linn. f. Suppl.* 199 = Urginea altissima.  
 andinum, *Poepp. Fragm. Syn. Pl. Chil.* 9 = Allium Poeppigi.  
 angustifolium, *Bor. Fl. Centr. Fr. ed. III.* ii. 625.—Gallia.  
 anomalum, *Baker, in Saund. Refug. Bot.* t. 178.—Afr. austr.

**ORNITHOGALUM** :—

- anthericoides, *Link. ex Steud. Nom. ed. I.* 573 = Urginea anthericoides.  
 arabicum, *Brot. Fl. Lusit.* i. 531 = narbonense.  
 arabicum, [DC. in] *Red. Lil.* t. 63 = thyrsoides.  
 arabicum, *Linn. Sp. Pl.* 307.—Reg. Mediterr.  
 arcuatum, *Stev. in Mém. Soc. Nat. Mosc.* vii. (1829) 271.—Reg. Caucas.  
 aridum, *Poepp. Fragm. Syn. Pl. Chil.* 9 = arabicum.  
 armeniacum, *Baker, in Gard. Chron.* (1879) i. 748.—As. Min.  
 arvense, *Pers. in Usteri, Ann. Bot.* xi. (1794) 8 = Gagea stellaris.  
 asphodeloides, *Schur, Enum. Pl. Transs.* 664 = pyrenaicum.  
 atticum, *Boiss. & Orph. ex Boiss. Fl. Orient.* v. 217 = montanum.  
 Aucheri, *Boiss. Diagn. Ser. I.* v. 65 = oligophyllum.  
 Aucheri, *Boiss. Fl. Orient.* v. 222 (non Diagn.) = Balansae.  
 aurantiacum, *Baker, in Gard. Chron.* (1878) ii. 748.—Afr. austr.  
 aureum, *Curt. Bot. Mag.* t. 190 = thyrsoides.  
 autumnale, *Lam. Fl. Fr.* iii. 274 = Scilla autumnalis.  
 baeticum, *Boiss. Elench.* 84 = umbellatum.  
 Balansae, *Boiss. Fl. Orient.* v. 222.—As. Min.  
 barbatum, *Jacq. Hort. Schoenb.* i. 47. t. 91.—Afr. austr.  
 belgicum, *Lej. Rev. Fl. Spa.* 67 = Gagea bracteolaris, pygmaea.  
 benguellense, *Baker, in Trans. Linn. Soc. Ser. II.* i. (1878) 248.—Afr. trop.  
 Bergii, *Schlecht. in Linnaea*, i. (1826) 254.—Afr. austr.  
 Bertolonii, *Jord. & Fourr. Brev. Pl. Nov. fasc. i.* 58 = exscapum.  
 bicolor, *Haw. Misc. Nat.* 177 = thyrsoides.  
 biflorum, *D. Don, in Sweet, Brit. Flow. Gard.* Ser. II. iv. t. 246.—Chili; Peruv.  
 biflorum, *Jord. & Fourr. Brev. Pl. Nov. fasc. i.* 58 = exscapum.  
 bifolium, *C. Koch, in Linnaea*, xix. (1847) 10 = oligophyllum.  
 bifolium, *Lodd. Bot. Cab.* t. 1802 = biflorum.  
 bifolium, *Neck. in Act. Acad. Theod. Palat.* ii. (1770) 461 = Scilla bifolia.  
 bivalve, *Linn. Sp. Pl.* 306 = Nothoscordum striatum.  
 boeticum, vide baeticum.  
 bohemicum, *Gaud. Fl. Helv.* ii. 507 = Gagea saxatilis.  
 bohemicum, *Lag. ex Willk. & Lange, Prod. Fl. Hisp.* i. 218 = Gagea bracteolaris.  
 bohemicum, *Loisel. Fl. Gall. ed. II.* i. 243 = Gagea Liotardi.  
 bohemicum, *Tenore, Fl. Nap.* i. 172 = Gagea chrysanth.  
 bohemicum, *Zauschn. in Abh. Privatges. Prag.* ii. (1776) 120. t. 4 = Gagea pygmaea.  
 Bolusianum, *Baker, in Journ. Linn. Soc.* xiii. (1873) 279.—Afr. austr.  
 bonariense, *Pers. Syn. i.* 363 = Nothoscordum Poirerii.  
 Boraeanum, *Jord. & Fourr. Brev. Pl. Nov. fasc. i.* 55 = umbellatum.  
 Boucheanum, *Aschers. in Verh. Bot. Ver. Brand.* viii. (1866) 165 = nutans.  
 Bourgeanum, *Jord. & Fourr. Brev. Pl. Nov. fasc. i.* 52 = orthophyllum.  
 brachystachys, *Hort. Gorenk. ex Schult. f. Syst.* vii. 536, nomen.—Dahuria.  
 brachystachys, *C. Koch, in Linnaea*, xxii. (1849) 243 = narbonense.  
 bracteatum, *Thunb. Prod. Pl. Cap.* 62 = longibracteatum.  
 bracteatum, *Torr. in Ann. Lyc. N. York.* ii. (1828) 251 = Lloydia alpina.  
 brevipedicellatum, *Boiss. ex Baker, in Journ. Linn. Soc.* xiii. (1873) 263.—Lycia; Ins. Cyprus.  
 brevistylum, *Wolfner, in Oestr. Bot. Wochenbl.* vii. (1857) 230 = narbonense.  
 bulbiferum, *Pall. Reise*, ii. 736 = Gagea bulbifera.  
 bulbigerum, *Herb. ex Schult. f. Syst.* vii. 552 = Gagea bulbifera.  
 bulbosum, *Herb. ex Schult. f. l. c.* = praec.  
 Bungei, *Boiss. Fl. Orient.* v. 213.—Persia.  
 busambarense, *Tineo, in Guss. Fl. Sic. Syn.* ii. 813 = Gagea foliosa ?  
 byzanthinum, *Strangways & Tenore, ex Parl. Giorn. Bot. Ital.* ii. (1847) vii. 106 = montanum.  
 byzantinum, *Hort. ex Baker, in Journ. Linn. Soc.* xiii. (1873) 264 = cuspidatum.



## ORNITHOGALUM:—

*caeruleum*, Steud. Nom. ed. II. ii. 228 = *ceruleum*.  
*calcaratum*, Baker, in *Gard. Chron.* (1874) i. 723.—Afr. austr.  
*callosum*, Kit. in Schult. Oestr. Fl. ed. II. i. 557 = *Gagea minima*.  
*canadense*, Linn. Sp. Pl. 308 = *Albica major*, minor.  
*canaliculatum*, Baker, in Saund. Refug. Bot. t. 177, ad calcem = Eckloni, *Schlecht*.  
*canaliculatum*, Lag. Gen. et Sp. Nov. 14 = *graminifolium*.  
*capense*, Linn. Sp. Pl. 308 = *Eriospermum latifolium*.  
*capitatum*, Hook. f. Bot. Mag. t. 5388.—Afr. austr.  
*carolinianum*, Hort. ex Schult. f. Syst. vii. ii. 1128 = *Nothoscordum striatum*.  
*carpathicum*, Kit. in *Linnaea*, xxxii. (1863) 336 = *villosum*.  
*caucasicum*, Boiss. ex Tchihat. *Asie Min. Bot.* ii. 547, nomen.—Armenia.  
*caudatum*, Jacq. Coll. ii. 315.—Afr. austr.  
*cepaefolium*, Baker, in *Trans. Linn. Soc. Ser. II. i.* (1878) 248.—Afr. trop.  
*ceruleum*, Rafin. Caratteri, 85 = *Scilla Cupani*.  
*cespitium*, Jord. & Fourr. Brev. Pl. Nov. fasc. i. 56 = *umbellatum*.  
*chilense*, Phil. in *Linnaea*, xxix. (1857–58) 73.—Chili.  
*chinense*, Schult. f. Syst. vii. 555, in obs. = *Scilla chinensis*.  
*chloranthum*, Baker, in *Gard. Chron.* (1875) ii. 323.—Afr. austr.  
*chloranthum*, Bieb. Fl. Taur. Cauc. ii. 264 = *Gagea chlorantha*.  
*chloranthum*, Sauter, ex Koch, *Taschenb.* 508 = *nutans*.  
*chloroleucum*, Lindl. Bot. Reg. t. 1853 = *biflorum*.  
*chrysanthum*, Jan, Elench. 5; Guss. Suppl. Fl. Sic. Prod. 100 = *Gagea chrysantha*.  
*ciliare*, Fisch. ex R. Grah. in *Edinb. N. Phil. Jou. n.* (Apr.–Jun. 1831) 191 = *fimbriatum*.  
*ciliatum*, [Eckl.] ex Schult. f. Syst. vii. ii. 1697 = *Bergii*.  
*ciliatum*, Linn. f. Suppl. 199 = *Urginea ciliata*.  
*circinnatum*, Linn. f. l. c. = *Gagea reticularis*.  
*Clusii*, Tausch, in *Flora*, xi. (1828) 481 = *Gagea pusilla*.  
*coarctatum*, Jacq. Ic. Pl. Rar. ii. 20. t. 435.—Afr. austr.  
*coccineum*, Pritz. Ic. Ind. 773, sphalm. = *Ornithidium coccineum*.  
*coeruleum*, Parl. Fl. Ital. ii. 467 = *ceruleum*.  
*collinum*, Guss. Ind. Sem. Hort. Bocc. (1825); Fl. Sic. Prod. i. 412.—Europ. austr.  
*collinum*, Koch, Syn. Fl. Germ. ed. II. 821 = *tenuifolium*.  
*collinum*, Phil. ex Kunth, Enum. Pl. iv. 361 = *comosum*.  
*comosum*, Linn. Cent. Pl. ii. 15; *Amoen. Acad.* iv. 312.—Europ. or.  
*comosum*, Sadler, Fl. Pest. ed. I. i. 262 = *collinum*.  
*compositum*, Knaf, ex Opiz, *Seznam*, 45, in syn. = *Gagea bracteolaris*.  
*comptum*, Baker, in *Journ. Linn. Soc.* xiii. (1873) 274.—Afr. austr.  
*concinnum*, Salisb. Prod. 240 = *unifolium*.  
*conicum*, Jacq. Coll. iii. 232 = *lacteum*.  
*conicum*, Willd. ex Kunth, Enum. Pl. iv. 353 = *coarctatum*.  
*consanguineum*, Kunth, l. c. 368 = *tuberosum*.  
*contortum*, Tenore, Syll. 595 = *comosum*.  
*Cooperi*, Baker, in *Journ. Linn. Soc.* xiii. (1873) 284.—Afr. austr.  
*corniculatum*, Hort. Belved. ex Schult. f. Syst. vii. ii. 1702, nomen.—Hab.?  
*cornosum*, Vis. in *Flora*, xii. (1829) i. Erg. 11, sphalm. = *comosum*?  
*corsicum*, Jord. & Fourr. Brev. Pl. Nov. fasc. ii. 133 = *biflorum*.  
*corymbosum*, Ruiz & Pav. Fl. Per. iii. 68. t. 300 = *arabicum*.  
*crenulatum*, Linn. f. Suppl. 198.—Afr. austr.  
*croceum*, Ell. Sketch, i. 397 = *Anthericum croceum*.  
*cuspidatum*, Bertol. Fl. Ital. iv. 99, in obs.—Mesopot.  
*cuspidatum*, Griseb. Spicil. Fl. Rumel. ii. 392 = *montanum*.  
*Cydnii*, Schott & Kotschy, in *Oestr. Bot. Wochenbl.* iv. (1854) 153.—Cilicia.  
*decipiens*, Goiron. 'Spec. Morph. Veg.' 21 (Quid?).—Hab.?

## ORNITHOGALUM:—

*declinatum*, Jord. & Fourr. Brev. Pl. Nov. fasc. i. 57 = *divergens*.  
*deltoideum*, Baker, in *Journ. Linn. Soc.* xiii. (1873) 281.—Afr. austr.  
*densum*, Boiss. & Blanche, in Boiss. *Diagn. Sér. II. iv.* 107 = *narbonense*.  
*dichotomum*, Labill. Nov. Holl. Pl. i. 83. t. 109 = *Thysanotus dichotomus*.  
*divaricatum*, Lindl. Bot. Reg. (1841) Misc. 53 = *Chlorogalum pomeridianum*.  
*divergens*, Bor. Fl. Centr. Fr. 507; et ed. III. ii. 625.—Europ. austr.  
*divergens*, Sang. in *Atti Acc. Pont. Lincei, Sér. I.* xviii. (1865) t. 5 (an praec.?).—Italia.  
*Dregeanum*, Kunth, Enum. Pl. iv. 351 = *graminifolium*.  
*dubium*, Houtt. Handleid. xii. 309 = *thyrsoides*.  
*Eckloni*, Schlecht. in *Linnaea*, xxv. (1852) 177.—Afr. austr. et trop.  
*Ecklonii*, Fisch. & Mey. Ind. Sem. Hort. Petrop. vi. 62.—Afr. austr.  
*edule*, Siebold, in Verh. Batav. Gen. xii. (1830) 16 = *Tulipa edulis*.  
*elatum*, Andr. Bot. Rep. t. 528.—Aegypt.  
*ensifolium*, Thonn. in *Schum. & Thonn. Beskr. Guin. Pl.* 173.—Afr. trop.  
*erubescens*, Bess. Enum. Pl. Volh. 45 = *Gagea Liotardi*.  
*etruscum*, Parl. Fl. Ital. ii. 443 = *orthophyllum*.  
*exscapum*, Gasp. ex Tenore, Syll. 173 = *refractum*.  
*exscapum*, F. Schult. in *Flora*, x. (1827) 664 = *Gagea bracteolaris*.  
*exscapum*, Tenore, Prod. Fl. Nap. p. xxii.—Europ. austr.  
*exuviatum*, Kunth, Enum. Pl. iv. 369 = *Urginea exuviata*.  
*falcatum*, Heyne, ex Wall. Cat. n. 5057 = *Chlorophytum laxum*.  
*fasciculatum*, Timb. in *Bull. Soc. Hist. Nat. Toul.* iii. (1869) 126.—Gallia.  
*fibrosum*, Desf. Fl. Atlant. i. 294 = *Gagea fibrosa*.  
*filifolium*, Kunth, Enum. Pl. iv. 369 = *Urginea filifolia*.  
*filiforme*, Ledeb. Fl. Alt. ii. 30.—Sibir.  
*fimbriatum*, Willd. in *Ges. Naturf. Fr. Neue Schr.* iii. (1801) 420.—Graec.; As. Min.  
*fistulosum*, Ram. ex DC. Fl. Fr. iii. 215 = *Gagea Liotardi*.  
*fistulosum*, Roth, Enum. i. ii. 42 = *Gagea saxatilis*.  
*flavescens*, Jacq. Coll. iii. 229 = *thyrsoides*.  
*flavescens*, Lam. Fl. Fr. iii. 277 = *pyrenaicum*.  
*flavissimum*, Jacq. Ic. Pl. Rar. ii. 20. t. 436 = *thyrsoides*.  
*flavovirens*, Baker, in *Journ. Bot.* xii. (1874) 366.—Afr. austr.  
*flavum*, Forsk. Fl. Aegypt. Arab. 209.—Arab.  
*foliosum*, J. & C. Presl, Delic. Prag. 149 = *Gagea chrysantha*.  
*fragiferum*, Vill. Hist. Pl. Dauph. ii. 270 = *Gagea Liotardi*.  
*fragrans*, Kunth, Enum. Pl. iv. 366 = *Urginea fragrans*.  
*fuscum*, Jacq. Ic. Pl. Rar. ii. 19. t. 423.—Afr. austr.  
*fuscescens*, Boiss. & Gaill. *Diagn. Sér. II. iv.* 107.—Syria.  
*gadense*, Wight, ex Wall. Cat. sub n. 5062 = *Urginea indica*.  
*garganicum*, Tenore, Ind. Sem. Hort. Neap. (1827) 3; et in Mem. Acc. Sc. Borb. Nap. iii. ii. (1832) 110. t. 6 = *comosum*.  
*geminiflorum*, Herb. ex Lindl. Bot. Reg. (1838) Misc. 56 = *biflorum*.  
*giganteum*, Jacq. Hort. Schoenb. i. 45. t. 87 = *Urginea altissima*.  
*glaucophyllum*, Baker, in *Gard. Chron.* (1875) ii. 36.—As. Min.  
*glaucum*, Dethard, ex Schult. f. Syst. vii. ii. 1702 = *Gagea bracteolaris*.  
*gracile*, Baker, in *Journ. Bot.* xii. (1874) 366.—Afr. austr.  
*gracile*, Hagen, Chlor. Boruss. 122 = *Gagea minima*.  
*gracile*, Hort.—Cf. *Gard. Chron.* (1883) ii. 506; (1885) i. 480 = *lacteum*.  
*graciliflorum*, C. Koch, in *Linnaea*, xxii. (1849) 248 = *montanum*.  
*gramineum*, Lam. Fl. Fr. iii. 278 = *Anthericum Liliago*.  
*gramineum*, Poepp. ex Kunth, Enum. Pl. iv. 325 = *biflorum*.  
*gramineum*, Sims, Pot. Mag. t. 2419 = *Nothoscordum striatum*.

## ORNITHOGALUM:—

*graminifolium*, Thunb. Prod. Pl. Cap. 61.—Afr. austr.  
*Granatelli*, Parl. in *Diar. l'Occhio* (1839), n. xi. p. 85 = *Gagea Granatelli*.  
*Grimaldiae*, Nocca, Pl. Sel. Tic. 7. t. 4 = *thyrsoides*.  
*griseum*, Baker, in *Journ. Linn. Soc.* xiii. (1873) 281.—Afr. austr.  
*Gussonii*, Tenore, Fl. Nap. iii. 371 = *tenuifolium*.  
*haworthioides*, Baker, in *Journ. Bot.* xvi. (1878) 322.—Afr. austr.  
*hexapterum*, Fenzl, ex Boiss. Fl. Orient. v. 221 = *oligophyllum*.  
*Heynii*, Roth, in *Roem. Archiv*, i. iii. 42 = *Gagea spathacea*.  
*hirsutum*, Linn. Sp. Pl. 306 = *Hypoxis erecta*.  
*hispidum*, Hornem. Hort. Hafn. 331.—Afr. austr.  
*horologicum*, Stokes, Bot. Mat. Med. ii. 242 = *umbellatum*.  
*hortense*, Jord. & Fourr. Brev. Pl. Nov. fasc. i. 54 = *umbellatum*.  
*Huetii*, Boiss. *Diagn. Sér. II. iv.* 108 = *montanum*.  
*humifusum*, Baker, in *Gard. Chron.* (1874) i. 500.—Afr. austr.  
*hyalinum*, Granier, ex Brouss. Elench. Hort. Monsp. (1805) 41, nomen = *nutans*.  
*indicum*, Willd. ex Schult. f. Syst. vii. 535 = *Chlorophytum attenuatum*.  
*intermedium*, Schleich. ex Steud. Nom. ed. II. ii. 228 = *Gagea Liotardi*.  
*intermedium*, Schultz, ex Schult. f. Syst. vii. 537 = *Gagea bracteolaris*.  
*ixioides*, [Dryand. in] Ait. Hort. Kew. ed. II. ii. 257 = *Brodiaea ixioides*.  
*japonicum*, Thunb. Fl. Jap. 137 = *Scilla japonica*.  
*Joannoni*, Jord. & Fourr. Brev. Pl. Nov. fasc. i. 54 = *umbellatum*.  
*juncum*, Poir. Encyc. Suppl. iv. 197, in syn. = *graminifolium*.  
*juncifolium*, Jacq. Hort. Schoenb. i. 46. t. 90.—Afr. austr.  
*juncifolium*, Ker-Gawl. in *Bot. Mag.* t. 972 = *graminifolium*.  
*Kirkii*, Baker, in *Journ. Linn. Soc.* xiii. (1873) 279.—Afr. trop.  
*Kochii*, Parl. Fl. Ital. ii. 440 = *tenuifolium*.  
*lacteum*, Jacq. Ic. Pl. Rar. ii. 20. t. 434; Coll. Suppl. 76.—Afr. austr.  
*lacteum*, Vill. Hist. Pl. Dauph. ii. 272 = *narbonense*.  
*lanceolatum*, Kunth, Enum. Pl. iv. 360, partim = *cuspidatum*.  
*lanceolatum*, Labill. Ic. Pl. Syr. Dec. v. 11.—Syria.  
*latifolium*, Linn. Herb. ex Baker, in *Journ. Linn. Soc.* xiii. (1873) 275 = *pyrenaicum*.  
*latifolium*, Linn. Sp. Pl. 307.—Arab.; Aegypt.  
*latifolium*, Ucria, Hort. Reg. Panorm. 155 = *arabicum*.  
*libanoticum*, Boiss. *Diagn. Sér. II. iv.* 106.—Syria.  
*liliforme*, Lam. Fl. Fr. iii. 278 = *Paradisica Liliastrium*.  
*Liotardi*, Sternb. in *Denkschr. Bot. Ges. Regensb.* ii. (1818) 56. t. 3 = *Gagea Liotardi*.  
*longibracteatum*, Jacq. Hort. Vindob. iii. 18. t. 29.—Afr. austr.  
*Luschni*, Stapf, in *Denkschr. Acad. Wien*, l. (1855) 79.—Mesopot.  
*luteum*, Linn. Sp. Pl. 306 = *Gagea stellaris*, fascicularis, bracteolaris.  
*luteum*, Tenore, Fl. Nap. iii. 370, excl. syn. = *Gagea pusilla*.  
*macranthum*, Baker, in *Journ. Linn. Soc.* xiii. (1873) 280.—Afr. austr.  
*maculatum*, Jacq. Coll. ii. 368. t. 18. f. 3.—Afr. austr.  
*maculatum*, Thunb. Prod. Pl. Cap. 62 = *Thunbergianum*.  
*majus*, Gilib. Exercit. ii. 467 = *luteum*, Linn.  
*marginatum*, Lindl. Bot. Reg. (1845) t. 21 = *cuspidatum*.  
*marginatum*, Pall. Tabl. Taur. 49 = *Gagea pusilla*.  
*maritimum*, Lam. Fl. Fr. iii. 276 = *Urginea maritima*.  
*Massoni*, J. F. Gmel. Syst. 551 = *caudatum*.  
*Melleri*, Baker, in *Journ. Linn. Soc.* xiii. (1873) 280.—Afr. trop.  
*merizostylum*, Steud. Nom. ed. II. ii. 229.—Chili.  
*millegranum*, Janka, in *Termész. Füzetek*, viii. (1884) 29 = *umbellatum*.  
*miniaturum*, Jacq. Coll. iii. 233 = *thyrsoides*.  
*minimum*, Heldr. ex Nym. Conspect. 728 = *exscapum*.  
*minimum*, Linn. Sp. Pl. 306 = *Gagea minima*.  
*minimum*, O. F. Muell. in *Fl. Dan.* t. 612 = *Gagea spathacea*.  
*minimum*, Willd. Sp. Pl. ii. 114 = *Gagea stellaris*.



## ORNITHOGALUM:—

*minus*, Linn. Mant. ii. 364 = umbellatum.  
*minutum*, Pall. Reise, ii. 14 = Gagea minima.  
*monile*, Pall. Reise in Suedl. Statth. Russ. Reich. ii. 80, 89.—Tauria.  
*monspeliense*, Gueldest. Reisen, ii. 25 = narbonense.  
*montanum*, Tenore, Prod. Fl. Nap. p. xxii.—Europ. austr.; Oriens.  
*monticolum*, Jord. & Fourr. Brev. Pl. Nov. fasc. i. 54.—Gallia.  
*multifolium*, Baker, in Journ. Linn. Soc. xiii. (1873) 271.—Afr. austr.  
*Mundianum*, Kunth, Enum. Pl. iv. 351 = pilosum.  
*mutabile*, De Not. in Mem. Acc. Sc. Torin. II. ix. (1848) 441 = exscapum.  
*nanum*, Brot. Fl. Lusit. i. 529 = unifolium.  
*nanum*, Sibth. & Sm. Fl. Graec. Prod. i. 230; Fl. Graec. iv. 28. t. 333.—Graecia; As. Min.  
*nanum*, Spreng. Pugill. ii. 57 = exscapum.  
*nanum*, Tenore, Ind. Sem. Hort. Neap. (1830); ex ej. Syll. 173 = umbellatum.  
*nanum*, Thunb. Prod. Pl. Cap. 62 = Eucomis nana.  
*narbonense*, Bertol. Amoen. Ital. 143 = pyrenaicum.  
*narbonense*, Falk, Beitr. ii. 161 = Eremurus spectabilis.  
*narbonense*, Linn. Cent. Pl. ii. 15; Amoen. Acad. iv. 312.—Reg. Mediterr.; Oriens.  
*narbonense*, Reichard, Fl. Moeno-Fr. ii. 180 = umbellatum.  
*narbonense*, Stev. in Mém. Soc. Nat. Mosc. vii. (1829) 272 = arcuatum.  
*nebrosense*, Tod. Rar. Pl. Sic. Decad. i.; in Atti Acc. Sc. Palermo, N. S. i. (1845) 7 = Gagea saxatilis.  
*nervosum*, Burch. Trav. i. 537 = Scilla rigidifolia.  
*neurostegium*, Boiss. & Blanche, ex Boiss. Fl. Orient. v. 222.—Syria.  
*nivale*, Boiss. Diagn. Ser. I. v. 65.—Graecia.  
*niveum*, [Soland. in] Ait. Hort. Kew. ed. I. i. 440.—Afr. austr.  
*Nocceanum*, Balb. in Brugat. Giorn. Fis. ix. (1816) 446.—Hab.?  
*notatum*, Schult. f. Syst. vii. 528 = maculatum.  
*nudiflorum*, Steud. Nom. ed. II. i. 652, in syn., sphalm. = seq.  
*nudiscapum*, F. Schultz, in Flora, x. (1827) 664 = Gagea bracteolaris.  
*nutans*, Linn. Sp. Pl. 308.—Europ.; As. Min.  
*Nuttallianum*, Kunth, Enum. Pl. iv. 372 = Schoenolirion croceum.  
*nyssanum*, Petrovič, Fl. Agr. Nyss. 799.—Serbia.  
*octandrum*, Fingerh. in Linnaea, iv. (1829) 383. t. 4 = Gagea stellaris.  
*odoratum*, Jacq. Ic. Pl. Rar. ii. 20. t. 432; Coll. Suppl. 78 = suaveolens.  
*oligophyllum*, Clarke, Trav. iv. 555.—Graecia; As. Min.; Reg. Caucas.  
*orthophyllum*, Tenore, Syll. Fl. Neap. 594.—Italia.  
*ovatum*, Thunb. Prod. Pl. Cap. 62.—Afr. austr.  
*oxypetalum*, Ledeb. Fl. Alt. ii. 27 = Tulipa uniflora.  
*pallidum*, Salisb. Prod. 239 = pyrenaicum.  
*paludosum*, Baker, in Journ. Bot. xii. (1874) 366.—Afr. austr.  
*palustre*, Eckl. Top. Verz. 6.—Afr. austr.  
*pannonicum*, Chaix, ex Vill. Prosp. 18 = Gagea minima.  
*paradoxum*, Jacq. Coll. Suppl. 81 = Eriospermum paradoxum.  
*parviflorum*, Jord. & Fourr. Brev. Pl. Nov. fasc. i. 56 = angustifolium.  
*parviflorum*, Licht. ex Kunth, Enum. Pl. iv. 571 = Bulbinella robusta.  
*Pater-familias*, Godr. in Mém. Soc. Emul. Doubs, Sér. II. v. (1854) 15.—Gallia.  
*patulum*, Rafin. Préc. Découv. 44 = montanum.  
*pauciflorum*, Rafin. l. c. = exscapum.  
*pauciflorum*, Turcz. in Flora, xvii. (1834) Beibl. i. 25 = Lloydia triflora.  
*pedicellare*, Boiss. & Kotschy, in Unger & Kotschy, Cypern, 195.—Ins. Cyprus.  
*pedunculare*, Presl, Delic. Prag. 150 = Gagea pygmaea.  
*Persoonii*, Hoppe, in Bot. Zeit. Regensb. vi. (1807) 138 = Gagea fascicularis.  
*Peyrei*, Timb. in Bull. Soc. Hist. Nat. Toul. iii. (1869) 125.—Gallia.  
*pilosum*, Linn. f. Suppl. 199.—Afr. austr.  
*platyphyllum*, Boiss. Diagn. Ser. I. v. 64 = montanum.  
*podolicum*, Bess. ex Schult. f. Syst. vii. 545 = Gagea pusilla?

## ORNITHOGALUM:—

*polymorphum*, F. Schultz, in Arch. Fl. Fr. et Allem. 18 = bracteolaris.  
*polyphyllum*, Herb. Heyne, ex Wall. Cat. n. 5062 F (Urgineae sp.).—Ind. or.  
*polyphyllum*, Jacq. Ic. Pl. Rar. ii. 19. t. 480; Coll. Suppl. 79 = tuberosum.  
*polyphyllum*, Link, ex Kunth, Enum. Pl. iv. 361 = montanum.  
*praetextum*, Stev. in Hort. Berol. (1842); ex Kunth, l. c. 363 = umbellatum.  
*prasandrum*, Griseb. Spicil. Fl. Rumel. ii. 390 = nutans.  
*prasinum*, Ker-Gawl. in Bot. Reg. t. 158.—Afr. austr.  
*pratense*, Pers. in Usteri, Ann. Bot. xi. (1794) 8 = Gagea bracteolaris.  
*pratense*, Sadler, Fl. Pest. i. 260 = Gagea pusilla.  
*procerum*, Stapf, in Denkschr. Acad. Wien, l. (1885) 14.—Persia.  
*proliferum*, Jord. & Fourr. Brev. Pl. Nov. fasc. i. 57 = divergens.  
*proliferum*, Pall. Tabl. Taur. 49 = Gagea scillaris.  
*propinquum*, Jord. & Fourr. Brev. Pl. Nov. fasc. i. 53 = monticolum.  
*Pseudo-tenuifolium*, Goiron, 'Spec. Morph. Veg.' 22 (Quid ?).—Hab.?  
*pterocarpum*, Kotschy & Boiss. ex Baker, in Journ. Linn. Soc. xiii. (1873) 263 = oligophyllum.  
*pubescens*, Baker, l. c. 282.—Afr. austr.  
*pulchellum*, Salisb. Prod. 239 = Nothoscordum striatum.  
*punctatum*, Thunb. Prod. Pl. Cap. 62 = Eucomis punctata.  
*pusillum*, Noé, ex Baker, in Journ. Linn. Soc. xiii. (1873) 269 = nanum.  
*pusillum*, F. W. Schmidt, Fl. Boëm. Cent. iv. 41 = Gagea pusilla.  
*pygmaeum*, Willd. Enum. Hort. Berol. 367 = Gagea pygmaea.  
*pyramidale*, Linn. Sp. Pl. 307 = narbonense.  
*pyramidale*, Tenore, Viag. Garg. 366. t. 1 = comosum.  
*pyrenaicum*, Desf. Fl. Atlant. i. 295 = narbonense.  
*pyrenaicum*, Linn. Sp. Pl. 306.—Europ. austr.; Oriens.  
*ramosum*, Lam. Fl. Fr. iii. 279 = Anthericum ramosum.  
*refractum*, Guss. Suppl. Fl. Sic. Prod. 101 = divergens.  
*refractum*, Moris, Stirp. Sard. i. 46 = exscapum.  
*refractum*, Noé, ex Nym. Consp. 728 = nanum.  
*refractum*, Willd. Enum. Hort. Berol. Suppl. 18.—Hungar.; Reg. Caucas.  
*reticulatum*, Pall. Reise, iii. 727 = Gagea reticularis.  
*revolutum*, Jacq. Hort. Schoenb. i. 46. t. 89.—Afr. austr.  
*rigidulum*, Jord. & Fourr. Brev. Pl. Nov. fasc. i. 53 = monticolum.  
*rigidum*, Sprun. ex Boiss. Diagn. Ser. I. vii. 109 = Gagea reticularis.  
*roccense*, Link, in Schrad. Journ. ii. (1799) 320 = unifolium.  
*Roegnerianum*, C. Koch, in Linnaea, xxii. (1849) 246 = fimbriatum.  
*rubrum*, Ruiz & Pav. ex D. Don, in Edinb. N. Phil. Journ. (Oct. 1832) 235 = Xiphidium rubrum.  
*Rudolphi*, Jacq. Eclog. i. 31, 151. t. 20 = graminifolium.  
*rupestre*, Linn. f. Suppl. 199.—Afr. austr.  
*rupestre*, Rudolphi, in Schrad. Journ. ii. (1799) 281 = graminifolium.  
*rupestre*, Schlecht. ex Kunth, Enum. Pl. iv. 569 = Bulbinella triquetra.  
*rusticum*, Jord. & Fourr. Brev. Pl. Nov. fasc. i. 55 = umbellatum.  
*ruthenicum*, Bouché, ex Kunth, Enum. Pl. iv. 363.—Europ. austr.  
*ruthenicum*, Griseb. Spicil. Fl. Rumel. ii. 393 = oligophyllum.  
*saxatile*, Koch, ex Schult. f. Syst. vii. 549 = Gagea saxatilis.  
*saxatile*, Vis. in Flora, xii. (1829) i. Erg. 10 = collinum.  
*Schreberi*, Reichb. l. c. v. (1822) 537 = Gagea bracteolaris.  
*scilloides*, Jacq. Hort. Schoenb. i. 46. t. 88.—Afr. austr.  
*secundum*, Jacq. Ic. Pl. Rar. ii. 20. t. 433; Coll. Suppl. 79 = Urginea secunda.

## ORNITHOGALUM:—

*serotinum*, Reichb. in Moessl. Handb. ed. II. i. 554 = Lloydia alpina.  
*sessile*, Pacho, Voy. Marm. t. 96 (Quid ?).—Graecia.  
*sessiliflorum*, Desf. Fl. Atlant. i. 295.—Afr. bor. occ.  
*setifolium*, Kunth, Enum. Pl. iv. 351 = niveum.  
*siculum*, Ucria, in Roem. Arch. i. i. 68.—Sicilia.  
*simplex*, Becker, Fl. Frankf. i. 141 = Gagea bracteolaris.  
*sinense*, Lour. Fl. Cochinch. 206 = Scilla japonica.  
*Soleirolia*, Mutel, Fl. Fr. iii. 298, et Index, 93 = Gagea foliosa.  
*sororium*, Schott & Kotschy, in Oestr. Bot. Wochenbl. iv. (1854) 105.—Cilicia.  
*spathaceum*, Hayne, in Usteri, Ann. Bot. xxi. (1797) 11 = Gagea spathacea.  
*spathaceum*, Poir. Encyc. iv. 618 = Nothoscordum Poirerii.  
*spathaceum*, Sibth. & Sm. Fl. Graec. iv. 26. t. 331 = Gagea foliosa.  
*speciosum*, Rafin. Caratt. 85 = Scilla peruviana.  
*speciosum*, Salisb. Prod. 240 = arabicum.  
*sphaerocarpum*, A. Kern. in Oestr. Bot. Zeitschr. xxviii. (1878) 15 = pyrenaicum.  
*spicatum*, Plan. Ens. Fl. Gallega, 381 = unifolium.  
*spirale*, Wimm. in Linnaea, xvi. (1842) Litt. 274 = Eriospermum spirale.  
*squamosum*, Lam. Fl. Fr. iii. 274 = Scilla Liliohyacinthus.  
*Squilla*, Ker-Gawl. in Bot. Mag. t. 918 = Urginea maritima.  
*stachyodes*, [Soland. in] Ait. Hort. Kew. ed. I. i. 441 = narbonense.  
*stachyoides*, Host, Fl. Austr. i. 432 = pyrenaicum.  
*stellare*, Salisb. Prod. 239 = umbellatum.  
*stenopetalum*, Fries, Novit. Fl. Suec. ed. II. 87 = Gagea bracteolaris.  
*stenophyllum*, Schur, Enum. Pl. Transs. 942 (Index), sphalm. = praec.  
*Sternbergii*, Hoppe, in Bot. Zeit. Regensb. v. (1806) 339, cum tab. = Gagea minima.  
*striatum*, Willd. Sp. Pl. ii. 112 = Lloydia alpina.  
*suaveolens*, Jacq. Coll. ii. 316.—Afr. austr.  
*subalpinum*, J. Gay, ex Baker, in Journ. Linn. Soc. xiii. (1873) 266 = monticolum.  
*subulatum*, Baker, in Gard. Chron. (1874) i. 723.—Afr. austr.  
*sulfureum*, Schult. f. Syst. vii. 518 = pyrenaicum.  
*sulphureum*, Auct. = praec.  
*sylvaticum*, Pers. in Usteri, Ann. Bot. xi. (1794) 7 = Gagea fascicularis.  
*sylvaticum*, Schleich. ex Kunth, Enum. Pl. iv. 236 = Gagea bracteolaris.  
*Szovitsii*, Läng, in Flora, x. (1827) i. Beil. 64 = Gagea pygmaea.  
*tardans*, Jord. & Fourr. Brev. Pl. Nov. fasc. i. 56 = umbellatum.  
*tenellum*, Jacq. Coll. ii. 316.—Afr. austr.  
*tenuifolium*, [DC. in] Red. Lil. t. 312 = graminifolium.  
*tenuifolium*, Gren. & Godr. Fl. Fr. iii. 191, partim = monticolum.  
*tenuifolium*, Guss. Fl. Sicul. Prod. i. 413.—Europ. austr.; As. Min.; Aegypt.  
*tenuifolium*, Schur, ex Nym. Consp. 727 = umbellatum.  
*texanum*, Scheele, in Linnaea, xxiii. (1850) 146 = Schoenolirion croceum.  
*Thirkeanum*, C. Koch, l. c. xix. (1847) 17 = nutans.  
*Thunbergianum*, Baker, in Journ. Linn. Soc. xiii. (1873) 269.—Afr. austr.  
*Thunbergii*, Kunth, Enum. Pl. iv. 369 = Urginea nematodes.  
*thyrsoides*, Jacq. Hort. Vind. iii. 17. t. 28.—Afr. austr.  
*transbaicalense*, Pall. in Nov. Act. Acad. Petrop. x. (1795) 309 = Gagea transbaicalensis.  
*transversale*, Pall. l. c. = Gagea spathacea.  
*triandrum*, Labill. Nov. Holl. Pl. i. 84. t. 110 = Thysanotus triandrus.  
*trichophyllum*, Boiss. & Heldr. in Boiss. Diagn. Ser. II. iv. 108 = tenuifolium.  
*triflorum*, Ledeb. in Mém. Acad. Pétersb. v. (1812) 529 = Lloydia triflora.  
*trigonophyllum*, Auct. ex Schult. f. Syst. vii. 544 = Gagea pusilla.  
*trigynum*, [Delile, in] Red. Lil. t. 417 = narbonense.  
*tropicale*, Baker, in Journ. Bot. xii. (1874) 366.—Afr. trop.



## ORNITHOGALUM:—

- tuberosum, *Mill. Gard. Dict.* ed. VIII. n. 10.—Afr. austr.  
*tunicatum*, J. & C. Presl, *Delic. Prag.* 216 = *Gagea pusilla*.  
*umbellatum*, *Linn. Sp. Pl.* 307.—Europ.; As. Min.; Afr. bor.  
*undulatum*, Thunb. *Prod. Pl. Cap.* 62 = *Eucomis undulata*.  
*uniflorum*, *Linn. Mant.* i. 62 = *Tulipa uniflora*.  
*uniflorum*, Zauschn. in *Abh. Privatges. Prag.* ii. (1776) 120 = *Gagea pusilla*.  
*unifolium*, *Ker-Gawl. in Bot. Mag.* t. 935.—Reg. Mediterr. occ.  
*unifolium*, *Retz. Obs.* ii. 17.—Afr. austr.  
*villosum*, Bieb. *Fl. Taur. Cauc.* i. 274 = *Gagea stellaris villosum*, *Kit. in Linnaea*, xxxii. (1863) 336.—Hungar.  
*virens*, *Lindl. in Bot. Reg.* t. 814.—Afr. austr.  
*virginum*, *Soland. ex Baker, in Journ. Linn. Soc.* xiii. (1873) 271.—Afr. austr.  
*Visianicum*, *Tomas. ex Vis. in Mém. Ist. Venet.* xx. (1876) 176.—Dalmat.  
*vittatum*, *Kunth, Enum. Pl.* iv. 367.—Afr. austr.  
*Wiedemannii*, *Boiss. Fl. Orient.* v. 221.—Anatolia.  
*Zauschneri*, Pohl, *Fl. Bohem.* ii. 14 = *Gagea pygmaea*.  
*Zeyheri*, *Baker, in Journ. Linn. Soc.* xiii. (1873) 281.—Afr. austr.  
*zeylanicum*, Hort. *Belved. ex Schult. f. Syst.* vii. 1702, nomen (Quid?).—Zeylan.

ORNITHOGLOSSUM, *Salisb. Parad. Lond.* t. 54 (1806). *LILIACEAE*, Benth. & Hook. f. iii. 824. *CYMATIUM*, Spreng. *Syst.* ii. 142 (1825).

- LICHTENSTEINIA*, Willd. in *Ges. Naturf. Fr. Berl. Mag.* ii. (1808) 19. t. 1.  
*glaucum*, *Salisb. Parad. Lond.* t. 54.—Afr. austr.  
*Lichtensteinii*, Schlecht. in *Linnaea*, i. (1826) 91 = *glaucum*.  
*undulatum*, Spreng. *Syst.* iv. *Cur. Post.* 143 = *glaucum*.  
*viride*, [Dryand. in] *Ait. Hort. Kew.* ed. II. ii. 327 = *glaucum*.

ORNITHOPHORA, *Rodrig. Orch. Nov.* ii. 225. *ORCHIDEAE*.

- quadricolor*, *Rodrig. l. c.* 226.—Bras.

ORNITHOPODIUM, [Tourn.] *Linn. Syst. ed. I* (1735) = *Ornithopus*, *Linn. (Legumin.)*.

- compressum*, *All. Fl. Pedem.* i. 336 = *Ornithopus compressus*.  
*perpusillum*, *Medic. in Vorles. Churpf. Phys. Ges.* ii. (1787) 369 = *Ornithopus perpusillus*.  
*scorpioides*, Scop. *Fl. Carn. ed. II.* ii. 73 = *Coronilla scorpioides*.  
*triphyllum*, Moench, *Meth.* 121 = *Coronilla scorpioides*.

ORNITHOPUS, *Linn. Gen. ed. I.* 226 (1737). *LEGUMINOSAE*, Benth. & Hook. f. i. 509.

- ANTOPETITIA*, A. Rich. in *Ann. Sc. Nat. Sér. II.* xiv. (1840) 261.  
*ARTROLOBIUM*, Desv. *Journ. Bot.* iii. (1814) 121. t. 4.  
*ASTROLOBIUM*, DC. *Prod.* ii. 311 (1825).  
*ORNITHOPODIUM*, [Tourn.] *Linn. Syst. ed. I* (1735). *compressus*, *Linn. Sp. Pl.* 744.—Reg. Mediterr.; Oriens.  
*compressus*, Sieber, ex Steud. *Nom. ed. II.* ii. 230 = *Coronilla scorpioides*.  
*coriandrinus*, *Hochst. & Steud. in Flora*, xxiv. (1841). i. *Intell.* 32.—Abyssin.  
*durus*, *Cav. Ic.* i. 31. t. 41.—Lusitan.  
*durus*, DC. *Fl. Fr.* iv. 603 = *ebracteatus*.  
*ebracteatus*, *Brot. Fl. Lusit.* ii. 159. t. 68.—Europ. occ.; Reg. Mediterr.  
*exstipulatus*, Thore, *Chlor. Land.* 311 = *ebracteatus*.  
*heterophyllum*, Brot. *Fl. Lusit.* ii. 160 = *durus*.  
*intermedius*, Roth, *Tent. Fl. Germ.* i. 319 = *perpusillus*.  
*intermedius*, Salzmann, ex Baker, in *Journ. Linn. Soc.* xvi. (1878) 426 = *isthmocarpus*.  
*isthmocarpus*, *Coss. Notes Crit.* ii. 36.—Reg. Mediterr. occ.  
*laevigatus*, Sm. in *Rees, Cycl.* xxv. n. 6 = *ebracteatus*.  
*lotoides*, Viv. *Ann. Bot.* i. ii. 177; et *Fragm. Fl. Ital.* i. 7. t. 9 = *Coronilla repanda*.  
*nodosus*, Mill. *Gard. Dict.* ed. VIII. n. 2 = *perpusillus*.

## ORNITHOPUS:—

- nudiflorus*, Lag. in *Varied. Cienc.* ii. iv. (1805) 40 = *ebracteatus*.  
*perpusillus*, *Linn. Sp. Pl.* 743.—Europ.  
*pusillus*, Lepech. *Reise Versch. Prov. Russ. Reich.* iii. 193 = *perpusillus*?  
*pygmaeus*, Viv. *Fragm. Fl. Ital.* i. 13. t. 14. f. 2 = *ebracteatus*.  
*repandus*, Poir. *Voy. Barb.* ii. 215; et in *Lam. Encyc.* iv. 580 = *Coronilla repanda*.  
*roseus*, Duf. in *Ann. Sc. Nat. Sér. I.* v. (1825) 82 = *perpusillus*.  
*ruber*, Lour. *Fl. Cochinch.* ii. 452 = *Desmodium rubrum*.  
*sativus*, *Brot. Fl. Lusit.* ii. 160.—Hispan.  
*sativus*, Gren. & Godr. *Fl. Fr.* i. 499 = *perpusillus*.  
*scorpioides*, *Linn. Sp. Pl.* 744 = *Coronilla scorpioides*.  
*subumbellatus*, Gilib. *Fl. Lituan.* ii. 108 = *perpusillus*.  
*tetraphyllum*, *Linn. Syst. ed. X.* 1168 = *Zornia myriadenia*.  
*trifolius*, Lam. *Fl. Fr.* ii. 659 = *Coronilla scorpioides*.

ORNITHORHYNCHUM, *Roehl. Deutschl. Fl. ed. II.* 356 (1812-13) = *Euclidium*, R. Br. (Crucif.).

- syriacum*, *Roehl. l. c.* = *E. syriacum*.

ORNITHOSPERMA, *Rafin. Fl. Ludov.* 149 (1817) =

- Ipomoea*, *Linn. (Convolv.)*.  
*autumnalis*, *Rafin. Fl. Tellur.* iv. 72 = *I. hederacea*.  
*serotina*, *Rafin. Fl. Ludov.* 149 = *I. serotina*.

ORNITHOXANTHUM, *Link. Handb.* i. 161 (1829) = *Gagea*, *Salisb. (Liliac.)*.

- arvensis*, *Link. l. c.* = *G. arvensis*.  
*bohemica*, *Link. l. c.* = *G. bohemica*.  
*fistulosum*, *Link. l. c.* = *G. Liotardi*.  
*gracile*, *Link. l. c.* 162 = *G. minima*.  
*Liotardi*, *Link. l. c.* = *G. Liotardi*.  
*luteum*, *Link. l. c.* 161, 162 = *G. lutea*.  
*minimum*, *Link. l. c.* 162 = *G. minima*.  
*Persoonii*, *Link. l. c.* = *G. lutea*.  
*pratense*, *Link. l. c.* 161 = *G. pratensis*.  
*pusillum*, *Link. l. c.* 162 = *G. pusilla*.  
*spathaceum*, *Link. l. c.* = *G. spathacea*.  
*stenopetalum*, *Link. l. c.* 161 = *G. stenopetala*.  
*Sternbergii*, *Link. l. c.* 162 = *G. minima*?  
*sylvaticum*, *Link. l. c.* = *G. lutea*.  
*villosum*, *Link. l. c.* 161 = *G. arvensis*.  
*Zauschneri*, *Link. l. c.* = *G. bohemica*.

ORNITHOPHUS, *Boj. ex Engl. in Linnaea*, xxxvi. (1869-70) 636 = *Weinmannia*, *Linn. (Saxifr.)*.ORNITOPUS, *Krock. Fl. Siles. Suppl.* ii. 214 (1823) = *Ornithopus*, *Linn. (Legumin.)*.ORNITROPE, *Pers. Syn.* i. 412 (1805) = seq.ORNITROPHE, *Comm. ex Juss. Gen.* 247 (1789) = *Schmidelia*, *Linn. (Sapind.)*.

- Allophylus*, *Pers. Syn.* i. 412 = *Allophylus zeylanicus*.  
*aporetica*, Roxb. *Hort. Beng.* [28]; *Fl. Ind.* ii. 264 = *Allophylus Cobbe*.  
*asiatica*, Hort. ex Steud. *Nom. ed. II.* ii. 230 = *Allophylus Cobbe*.  
*borbonica*, J. F. Gmel. *Syst.* 613 = *Allophylus Cobbe*?  
*Cobbe*, Willd. *Sp. Pl.* ii. 322 = *Allophylus Cobbe*.  
*Cominia*, Willd. *l. c.* 323 = *S. Cominia*.  
*glabra*, Roxb. *Hort. Beng.* [28]; *Fl. Ind.* ii. 267 = *Allophylus Cobbe*.  
*glabrata*, Poir. in *Dict. Sc. Nat.* xxxvi. 450 = *S. glabrata*.  
*integrifolia*, Willd. *Sp. Pl.* ii. 322 = *Allophylus Cobbe*.  
*macrophylla*, Poir. *Encyc.* viii. 263 = *S. macrophylla*.  
*magica*, Schum. & Thonn. *Beskr. Guin. Pl.* 186 = *S. magica*.  
*malabarica*, Herb. *Madr. ex Hiern*, in *Hook. f. Fl. Brit. Ind.* i. 674 = *Allophylus Cobbe*.  
*mauritanica*, Boj. ex Baker, *Fl. Maurit.* 57 = *Allophylus Cobbe*.  
*Merularia*, *Comm. ex DC. Prod.* i. 610 = *Pittosporum Senecia*.  
*mollis*, Poir. in *Dict. Sc. Nat.* xxxvi. 451 = *S. mollis*.  
*occidentalis*, Willd. *Sp. Pl.* ii. 323 = *S. occidentalis*.  
*panigera*, Labill. *Sert. Austro-Caled.* 52. t. 52 = *S. Cominia*.  
*pinnata*, Poir. *Encyc.* viii. 366 = *Pometia pinnata*.  
*repanda*, Roxb. *Hort. Beng.* [88]; *Fl. Ind.* ii. 269.—*Ins. Molucc.*

## ORNITROPHE:—

- rigida*, Willd. *Sp. Pl.* ii. 324 = *Schmidelia rigida*.  
*Schmidelia*, *Pers. Syn.* i. 412 = *Allophylus Cobbe*.  
*serrata*, Roxb. *Pl. Corom.* i. 44. t. 61 = *Allophylus Cobbe*.  
*spicata*, Poir. *Encyc.* viii. 265 = *Allophylus Cobbe*.  
*thyrsoides*, Schum. & Thonn. *Beskr. Guin. Pl.* 185 = *S. thyrsoides*.  
*triandra*, Blanco, *Fl. Filip.* ed. I. 291 = *Schleichera trijuga*.  
*tristachyos*, Schum. & Thonn. *Beskr. Guin. Pl.* 188 = *Allophylus zeylanica*.  
*villosa*, Roxb. *Hort. Beng.* [28]; *Fl. Ind.* ii. 265 = *Allophylus Cobbe*.

ORNUS, *Neck. Elem.* ii. 375 (1790) = *Fraxinus*, *Tourn. (Oleac.)*.

- americana*, Bosc. in *Mém. Institut. Fr.* ix. 1808 (1811), 216; *Pursh, Fl. Am. Sept.* i. 9 = *F. Ornus*.  
*cappadocica*, A. Dietr. *Sp. Pl.* i. 249 = *F. Ornus*.  
*dipetala*, Nutt. *Sylva* iii. 66. t. 101 = *F. dipetala*.  
*europaea*, *Pers. Syn.* i. 8 = *F. Ornus*.  
*floribunda*, Sweet, *Hort. Brit.* ed. I. 271 = *F. floribunda*.  
*mammifera*, Steud. *Nom. ed. I.* 575; ed. II. ii. 230, sphalm. loco *mammifera* = *F. rotundifolia*.  
*Moorecroftiana*, G. Don, *Gen. Syst.* iv. 57 = *F. excelsior*.  
*rotundifolia*, Moench, *Meth.* 55 = *F. rotundifolia*.  
*rotundifolia*, *Pers. Syn.* i. 605 = *F. Ornus*.  
*striata*, Sweet, *Hort. Brit.* ed. I. 271 = *F. strigata*.  
*strigata*, A. Dietr. *Sp. Pl.* i. 249 = *F. angustifolia*.  
*urophylla*, G. Don, *Gen. Syst.* iv. 57 = *F. floribunda*.  
*xanthoxyloides*, G. Don, *l. c.* = *F. xanthoxyloides*.

OROBA, *Medic. in Vorles. Churpf. Phys. Ges.* ii. (1787) 400 = OROBUS, *Tourn. = Lathyrus*, *Linn. (Legumin.)*.OROBANCHE, [Tourn.] *Linn. Syst. ed. I* (1735). *OROBANCHACEAE*, Benth. & Hook. f. ii. 984.

- BOULARDIA*, F. Schultz, *Arch. Fl. Fr. et Allem.* 103 (1847).  
*CATODIACRUM*, Dulac, *Fl. Hautes-Pyr.* 369 (1867).  
*CERATOCALYX*, Coss. in *Ann. Sc. Nat. Sér. III.* ix. (1848) 145. t. 10.  
*CHOROBANCHE*, Benth. & Hook. f. *Gen.* ii. 985 (1876), lapsu.  
*CHOROBANE*, Presl, *Bot. Bemerk.* 91 (1844); in *Abh. Boehm. Ges.* V. iii. (1845) 521.  
*KOPSIA*, Dum. *Comm. Bot.* 16 (1822).  
*PHELIPANCHE*, Pomel, *Nouv. Mat. Fl. Atl.* 102 (1874).  
*THALESIA*, Rafin. *Neogenyt.* 3. (1825).  
*abortiva*, Reut. in *DC. Prod.* xi. 37 = *arenaria*.  
*abyssinica*, A. Rich. *Tent. Fl. Abyss.* ii. 137 = *minor*, *Sutt.*  
*acaulis*, Roxb. *Hort. Beng.* 45; *Fl. Ind.* iii. 28 = *Aeginetia pedunculata*.  
*adenostemon*, Reichb. *Fl. Germ. Excurs.* 354 = *caryophyllacea*.  
*Aeginetia*, *Linn. Sp. Pl.* ed. II. 883 = *Aeginetia indica*.  
*aeegyptiaca*, *Pers. Syn.* i. 181.—Aegypt.  
*alba*, Bieb. *Fl. Taur. Cauc.* ii. 82 = *crenata*.  
*alba*, Reichb. *Pl. Crit.* vii. 40. f. 912 = *reticulata*.  
*alba*, *Steph. ex Willd. Sp. Pl.* iii. 450.—Europ. or.; As. bor.  
*alba*, Wierzb. in *Flora*, xxviii. (1845) 324 = *alsatica*.  
*albiflora*, Gren. & Godr. *Fl. Fr.* ii. 628 = *ramosa*.  
*albolanata*, Steud. *Nom. ed. II.* ii. 230 = *caerulescens*.  
*Alectra*, D. Dietr. *Syn. Pl.* iii. 624 = *Harveya capensis*.  
*Alexandria*, *Tineo, in Guss. Fl. Sic. Syn. Add.* ii. ii. 845.—Sicil.  
*alostensis*, Demoor, ex T. Durand & Donck. in *Bull. Soc. Bot. Belg.* xii. (1873) 397 = *Carotae*.  
*alpestris*, F. W. Schultz, in *Flora*, xxiii. (1840) 128 = *Salviae*.  
*alpigena*, C. Koch, in *Linnaea*, xxii. (1849) 668.—As. Min.  
*alsatica*, Kirschl. *Prod. Fl. Als.* 109; *F. Sert.* *Arch. Fl. Fr. et Allem.* 69.—Europ.  
*altissima*, Noë, ex Nym. *Consp.* 558 = *crenata*.  
*ambigua*, Moris, *Diagn. Stip. Sard.* (1857) 2 = *Picridis*.  
*ambigua*, Pomel, *Nouv. Mat. Fl. Atl.* 109.—Alger.  
*americana*, *Linn. Mant.* i. 88 = *Conopholis americana*.  
*amethystea*, Maly, ex Reut. in *DC. Prod.* xi. 718.  
*amethystea*, Thuill. *Fl. Par.* ed. II. i. 317.—Europ.  
*As. Min.*; Afr. bor.  
*amethystea*, Thuill. *l. c.* partim = *gracilis*.



## OROBANCHE:—

*amethystina*, Reichb. Ic. Fl. Germ. vii. 42 = *amethystea*.  
*ammophila*, C. A. Mey. in Ledeb. Fl. Alt. ii. 454 = *caerulescens*.  
*amoena*, C. A. Mey. l. c. 457.—Sibir.  
*anatolica*, Boiss. & Reut. ex Reut. in DC. Prod. xi. 17.—As. Min.; Reg. Cauc.; Persia.  
*angustisepala*, F. Schultz, in Flora, xxvi. (1843) 130.—Graecia.  
*annulata*, Griseb. Reise, ii. 188 = *gracilis*.  
*antirrhina*, Reut. in DC. Prod. xi. 21 = *reticulata*.  
*apiculata*, Griseb. Spicil. Fl. Rumel. ii. 58 = *alsatica*.  
*apiculata*, Wallr. Sched. Crit. 310 = *minor*.  
*arachnoidea*, F. Schultz, in Linnaea, xix. (1847) 26 = *pubescens*.  
*araliotona*, Meissn. in Bot. Zeit. xxiv. (1866) 17 = *Hederae*.  
*arcuata*, F. Schultz, in Flora, xxvi. (1843) 19.—Graecia.  
*arenaria*, Auct. ex Wallr. Orob. Gen. 36 = *caryophyllacea*.  
*arenaria*, Bieb. Fl. Taur. Cauc. ii. 83 = *cumana*.  
*arenaria*, Borchh. in Roem. Neues Mag. i. (1794) 6; et ex Gaertn. Mey. & Scherb. Fl. Wett. ii. 405.—Europ.  
*Artemisiae*, Gren. in Gren. & Godr. Fl. Fr. ii. 638 = *loricata*.  
*Artemisiae-campestris*, Gaud. Fl. Helvet. iv. 179 = *loricata*.  
*Artemisiae-vulgaris*, F. Schultz, in Ann. Gew. Regensb. v. (1830) 5 = *arenaria*.  
*artemisi-epiphyta*, St. Lag. Cat. Fl. Rhône (1883), 611 = *loricata*.  
*arvensis*, Dum. Fl. Belg. Prod. 33 = *minor*.  
*asiatica*, Weinm. in Bull. Soc. Nat. Mosc. xxiii. (1850) 1. 552 = *borealis*.  
*atropurpurea*, F. Schultz, in Flora, xxiii. (1840) 128 = *seq.*  
*atro rubens*, F. Schultz, l. c. = *Teucrii*.  
*attica*, Reut. in DC. Prod. xi. 28 = *amethystea*.  
*australiana*, F. Muell. Census, 98, nomen.—Austral.  
*australis*, Moris, ex Bertol. Fl. Ital. vi. 440 = *canescens*.  
*Avellanae*, Pfund. in Flora, xxvi. (1843) 183 = *alsatica*.  
*banatica*, Nym. Consp. 559 = *alsatica*.  
*barbata*, Brot. Fl. Lusit. i. 183 = *foetida*, major.  
*barbata*, Poir. in Lam. Encyc. iv. 621.—Reg. Mediterr. occ.  
*barbata*, Reichb. Pl. Crit. vii. 31 (excl. syn.) t. 208 = *minor*.  
*barbata*, Sm. Engl. Bot. t. 2859 = *Hederae*.  
*Bartlingii*, Griseb. Spicil. Fl. Rumel. ii. 57 = *alsatica*.  
*Benthami*, Timb. in Mém. Acad. Toul. Sér. VII. vi. (1874) 643 = *O. Rapum-genistae*.  
*Berberidis*, Facchini, ex Reut. in DC. Prod. xi. 23 = *lucorum*.  
*Berthelotii*, Webb & Berth. Phyt. Canar. iii. 155.—Ins. Canar.  
*bicolor*, C. A. Mey. in Ledeb. Fl. Alt. ii. 458 = *cernua*.  
*bicolor*, Salzm. ex Moris, Fl. Sard. iii. 249 = *sanguinea*.  
*biflora*, Noronha, in Verh. Batav. Gen. v. (1790) ed. I. Art. IV. 21. (Quid?).—Java.  
*biflora*, Nutt. Gen. Am. ii. 59 = *Aphyllon uniflorum*.  
*bipontina*, F. Schultz, Beitr. 7; et in Flora, xii. (1829) 464 = *caryophyllacea*.  
*bohémica*, Čelak. in Sitzb. Boehm. Ges. Wiss. (1874) 61.—Europ.  
*Boissieri*, Reichb. f. Ic. Fl. Germ. xx. 118. t. 1838.—Algeria.  
*borealis*, Reut. in DC. Prod. ix. 32 = *caerulescens*.  
*borealis*, Turcz. in Bull. Soc. Nat. Mosc. (1841) 722.—Reg. Himal.; As. centr.  
*Borkhausenii*, Andr. ex Bess. in Flora, xv. (1832) II. Beibl. 19 = *arenaria*.  
*Bovei*, Reut. in DC. Prod. xi. 24 = *minor*.  
*brachysepala*, F. Schultz, in Arch. Fl. Fr. et Allem. 69, 89 = *alsatica*.  
*bracteata*, Viv. in Ann. Stor. Nat. iv. (1830) 235.—Corsica.  
*bracteata*, Weinm. in Bull. Soc. Nat. Mosc. (1837) n. VII. 65 = *reticulata*.  
*bracteosa*, Nym. Consp. 551 = *O. Rapum-genistae*.  
*breviflora*, F. Schultz, in Flora, xxvi. (1843) 130.—Graecia.  
*Buekiana*, Koch, Syn. Fl. Germ. ed. II. 619 = *alsatica*.  
*Buekii*, A. Dietr. Fl. Boruss. iii. t. 145 = *lutea*.  
*Buhsei*, Reut. in Nouv. Mém. Soc. Nat. Mosc. xii. (1860) 169 = *O. Epithymum*.

## OROBANCHE:—

*caerulea*, Bory, & Chaub. ex Reut. in DC. Prod. xi. 7, 37 = *lavandulacea*.  
*caerulea*, Fisch. ex Wallr. Orob. Gen. 57 = *caerulescens*.  
*caerulea*, Moris, Elench. fasc. i. 35 = *stricta*.  
*caerulea*, Plan. Ens. Fl. Gallega, 325 = *amethystea*.  
*caerulea*, Vill. Hist. Fl. Dauph. ii. 406 = *purpurea*.  
*caerulescens*, C. Koch, in Linnaea, xvii. (1843) 291 = *connata*.  
*caerulescens*, Steph. ex Willd. Sp. Pl. iii. 349.—Europ.; As. bor.  
*caesia*, Guss. Fl. Sic. Syn. ii. 138.—Europ.  
*Calendulae*, Pomel, Nouv. Mat. Fl. Atl. 110.—Alger.  
*californica*, Cham. & Schlecht. in Linnaea, iii. (1828) 134 = *Aphyllon californicum*.  
*Calotropidis*, Edgew. in Hook. Journ. Bot. ii. (1840) 285 (*Calotropidis*) = *Cistanche tubulosa*.  
*camptolepis*, Boiss. & Reut. ex Boiss. Fl. Orient. iv. 515.—Cilicia.  
*canescens*, Bunge, in Mém. Sav. Etr. Pétersb. ii. (1835) 124 = *caerulescens*.  
*canescens*, Presl, Delic. Prag. 72.—Sicilia.  
*canescens*, F. Schultz, in Flora, xxvi. (1843) 129 = *crenata*.  
*Cannabios*, F. Schultz, in Ann. Gew. Regensb. v. (1830) 500 = *seq.*  
*Cannabis*, Vauch. in Duby, Bot. Gall. i. 351 = *ramosa*.  
*capensis*, Burm. f. Fl. Cap. Prod. 17 = *seq.*?  
*capensis*, Thunb. Prod. Pl. Cap. 97 = *Harveya capensis*.  
*Cardui*, Saut. in Flora, xxxiv. (1851) 49 = *reticulata*.  
*carlinoides*, Miége. in Bull. Soc. Bot. Fr. xii. (1865) 347 = *reticulata*.  
*Carotae*, Des Moul. in Ann. Sc. Nat. Sér. II. iii. (1835) 78 = *Picridis*.  
*Carotae*, Freyn, in Verh. Zool.-Bot. Ges. Wien, xxvii. (1877) 394 = *loricata*.  
*caryophyllacea*, C. A. Mey. Verz. Pfl. Cauc. 103 = *loricata*.  
*caryophyllacea*, Quorund. ex Wallr. Orob. Gen. 46 = *rubens*.  
*caryophyllacea*, F. Schultz, Beitr. Kenntn. Deutsch. Orob. 8 = *gracilis*.  
*caryophyllacea*, Sm. in Trans. Linn. Soc. iv. (1798) 169.—Europ.; Oriens.  
*caryophyllacea*, Strohm. ex Wallr. Orob. Gen. 39 = *gracilis*.  
*castellana*, Reut. in DC. Prod. xi. 29 = *amethystea*.  
*caudata*, De Not. Prospett. Fl. Ligust. 53 (sp. dub.)—Italia.  
*Centaureae-scabiosae*, F. Schultz, in Ann. Gew. Regensb. v. (1830) 500 = *major*.  
*centaurina*, Bertol. Fl. Ital. vi. 430 = *Picridis*.  
*cernua*, Loebl. It. Hisp. 152.—Reg. Mediterr.; Oriens; Ind. or.; Austral.  
*cernua*, Pall. Ind. Taur. ex Wallr. Orob. Gen. 61, partim = *bicolor*.  
*Cervariae*, Kirschl. in Flora, xviii. (1835) 303; Suard, in Godr. Fl. Lorr. ed. I. ii. 180 = *alsatica*.  
*cervariahaerens*, St. Lag. in Ann. Soc. Bot. Lyon, vii. (1880) 131 = *praec.*  
*Chaboissaei*, Lacroix, in Bull. Soc. Bot. Fr. vi. (1859) 565 = *Hederae*.  
*Chironii*, Lojac. Contrib. Fl. Sicil. 12.—Sicil.  
*Chrysanthemi*, F. Schultz, ex Reut. in DC. Prod. xi. 27 = *pubescens*.  
*cistanchoideis*, Beck, in Denkschr. Acad. Wien, I. (1885) 26.—Persia.  
*Cirsii*, Fries, Mant. iii. 58 = *reticulata*.  
*Cirsii-oleracei*, Casp. in Schrift. Phys. Ges. Koenigsb. ii. (1861) 46 = *reticulata*.  
*citrina*, A. Dietr. Fl. Boruss. vii. t. 441 = *caryophyllacea*.  
*citrina*, Nym. Consp. 558 = *gracilis*.  
*Clarkei*, Hook. f. Fl. Brit. Ind. iv. 326.—Reg. Himal.  
*Clausonis*, Pomel, Nouv. Mat. Fl. Atl. 107.—Alger.  
*coccinea*, Bieb. Casp. 58; Fl. Taur. Cauc. ii. 84 = *Phe-lipaea coccinea*.  
*coelestis*, Boiss. & Reut. ex Reut. in DC. Prod. xi. 5, 37.—As. Min.  
*coerulea*, Auct. vide *caerulea*.  
*coerulescens*, Auct. vide *caerulescens*.  
*colorata*, C. Koch, in Linnaea, xvii. (1843) 291 = *alba*.  
*Columbariae*, Gren. & Godr. Fl. Fr. ii. 634 = *minor*.  
*commutata*, Zumag. Fl. Pedem. i. 202 = *ramosa*?  
*comosa*, Hook. Fl. Bor. Am. ii. 92 = *Aphyllon comosum*.  
*comosa*, Schur, Enum. Pl. Transs. 505 = *major*.  
*comosa*, Sprun. ex Reut. in DC. Prod. xi. 36 = *alba*.

## OROBANCHE:—

*comosa*, Wallr. Sched. Crit. 314 = *arenaria*.  
*compacta*, Viv. Fl. Lib. Spec. 34. t. 15. f. 2.—Afr. bor.  
*concolor*, Duby, Bot. Gall. 350 = *minor*.  
*condensata*, Ball, in Journ. Linn. Soc. xvi. (1878) 606 = *tetuanensis*.  
*condensata*, Griseb. Spicil. Fl. Rumel. ii. 56 = *minor*.  
*condensata*, Koch, ex Nym. Consp. 558 = *gracilis*.  
*condensata*, Lojac. Crit. Orob. 35 = *Sicil.*  
*condensata*, Moris, Stirp. Sard. ii. 8 = *variegata*.  
*confusa*, F. Schultz, Fl. Pfalz (1846), 339, in syn.; in Flora, xxx. (1847), 66. t. 2. f. 2 = *major*.  
*congesta*, Reichb. f. Ic. Fl. Germ. xx. 117. t. 1835 = *crenata*.  
*connata*, C. Koch, in Linnaea, xxii. (1849) 669 (sp. dub.)—Armenia.  
*crassistyla*, F. Schultz, in Flora, xxvi. (1843) 131 = *alba*.  
*crenata*, Forsk. Fl. Aegypt. Arab. 113.—Arabia.  
*crinita*, Benth. Cat. Pl. Pyr. 109 = *O. Rapum-genistae*.  
*crinita*, Reichb. Pl. Crit. vii. f. 922 = *densiflora*.  
*crinita*, Viv. Fl. Cors. Sp. Nov. 11 = *sanguinea*.  
*Crithmi*, Bertol. Fl. Ital. vi. 424 = *seq.*  
*Crithmi-maritimi*, F. Schultz, in Ann. Gew. Regensb. v. (1830) 500 = *minor*.  
*cruenta*, Bertol. Rar. It. Pl. Dec. iii. 56 = *gracilis*.  
*cruenta*, Boiss. Voy. Bot. Espagne, ii. 475 = *reticulata*.  
*cumana*, Guss. Suppl. Fl. Sic. Prod. 206 = *cernua*.  
*cumana*, Wallr. Orob. Gen. 58.—Ross. austr.; Reg. Caucas.  
*cuprea*, Boiss. & Bal. ex Boiss. Fl. Orient. iv. 510.—Cilicia.  
*curvata*, Pomel, Nouv. Mat. Fl. Atl. 111.—Alger.  
*curvispora*, Viv. Pl. Aegypt. Dec. 22 = *cernua*.  
*Cypria*, Reut. in Unger & Kotschy, Cypern, 294.—Ins. Cyprus.  
*Cytisi*, Duby, Bot. Gall. 349 = *O. Rapum-genistae*.  
*Cytisi-laburni*, F. Schultz, in Ann. Gew. Regensb. v. (1830) 500 = *variegata*.  
*Cytisi-scoparii*, Vauch. ex Duby, Bot. Gall. 349 = *O. Rapum-genistae*.  
*decora*, Moris, ex Reut. in DC. Prod. xi. 26 = *denu-data*.  
*Delilei*, Decne. in Ann. Sc. Nat. Sér. II. iv. (1835) 201 = *aegyptiaca*.  
*densiflora*, Moris, Fl. Sard. iii. 249 = *minor*.  
*densiflora*, Salzm. ex Reut. in DC. Prod. xi. 19.—Reg. Mediterr. occ.  
*denu data*, Moris, App. ad Stirp. Sard. Elench. 1.—Ins. Sardoia.  
*Deucalion*, Reichb. f. Ic. Fl. Germ. xx. 92. t. 1527 = *reticulata*.  
*diaphana*, F. Schultz, in Flora, xxvi. (1843) 130 = *alba*.  
*Dorycnii-suffruticosi*, F. Schultz, in Ann. Gew. Regensb. v. (1830) 500 = *gracilis*.  
*Echinopis*, Panč. in Oestr. Bot. Zeitschr. xviii. (1868) 80 = *major*.  
*elator*, Auct. ex Wallr. Orob. Gen. 34 = *minor*.  
*elator*, DC. Fl. Fr. iii. 490 = *amethystea*.  
*elator*, A. Dietr. Fl. Boruss. t. 148 = *alsatica*.  
*elator*, Fluegge, ex Wallr. Orob. Gen. 42 = *reticulata*.  
*elator*, Hornem. in Fl. Dan. t. 1338, excl. syn. = *O. Rapum-genistae*.  
*elator*, Koch & Ziz, Cat. Pl. Pal. 12; & Reichb. Pl. Crit. f. 901, 902 = *lutea*.  
*elator*, Schlecht. ex Reichb. Fl. Germ. Excurs. 355 = *loricata*.  
*elator*, Sutton, in Trans. Linn. Soc. iv. (1798) 178. t. 17 = *major*.  
*electra*, D. Dietr. Syn. Pl. iii. 624 = *alsatica*.  
*epithymoides*, Heuff. in Oestr. Bot. Zeitschr. viii. (1858) 28 = *alba*.  
*epithymophyta*, St. Lag. in Soc. Bot. Lyon, vii. (1880) 131 = *seq.*  
*Epithymum*, DC. Fl. Fr. iii. 490 = *alba*.  
*erubescens*, Saut. in Flora, xxv. (1852) 577 = *caryophyllacea*.  
*Eryngii*, Duby, Bot. Gall. 350 = *amethystea*.  
*Eryngii-campestris*, F. Schultz, in Ann. Gew. Regensb. v. (1830) 500 = *praec.*  
*Esulae*, Panč. Add. Fl. Princ. Serb. 194 = *Serbia*.  
*euglossa*, Reichb. f. Ic. Fl. Germ. xx. 117. t. 217.—Byzant.  
*fasciculata*, Nutt. Gen. Am. ii. 59 = *Aphyllon fasciculatum*.  
*ferruginea*, C. Koch, in Linnaea, xvii. (1843) 291 = *alba*.  
*flava*, Mart. ex F. Schultz, Beitr. Kenntn. Deutsch. Orob. 9.—Europ.



OROBANCHE:—

- flavidiflora*, Guss. Fl. Sic. Syn. ii. 11. 748 = *ca-nescens*.  
*foetida*, Bivona, Stirp. Rar. Sic. Manip. i. n. = *varie-gata*.  
*foetida*, Duby, Bot. Gall. i. 347 = *O. Rapum-genistae*.  
*foetida*, Klotzsch, in Reise Princ. Waldem. Bot. 111 = *Hansii*.  
*foetida*, Lapeyr. Hist. Abr. Pl. Pyr. i. 358 = *gracilis*, *O. Rapum-genistae*.  
*foetida*, Poir. Voy. Barb. ii. 195; Desf. Fl. Atlant. ii. 59. t. 144.—Reg. Mediterr. occ.  
*foetida*, Schimp. ex Reut. in DC. Prod. xi. 18 = *variegata*.  
*foetida*, Viv. Fl. Lib. Spec. 34 = *crenata*.  
*forajuliensis*, Nym. Consp. 560 = *major*.  
*Fraasii*, F. Schultz, in Flora, xxvi. (1843) 127 = *lavandulacea*.  
*fragrans*, Griseb. Spicil. Fl. Rumel. ii. 58 = *pubescens*.  
*fragrans*, Koch, in Mert. & Koch, Deutschl. Fl. iv. 463 = *major*.  
*fragrantissima*, Bertol. Fl. Ital. vi. 436 = *lutea*.  
*Freyntii*, Nym. Consp. 561 = *Picridis*.  
*Froelichii*, Reichb. f. Ic. Fl. Germ. xx. 106 = *flava*.  
*fuliginosa*, Reut. ex Jord. Obs. Pl. Crit. iii. (1846) 225. —Galicia; Graecia.  
*fusca*, Lam. Encyc. iv. 621 = *foetida*.  
*galeosiflora*, Zumag. Fl. Pedem. i. 197 (Quid?) = *Italia*.  
*Galii*, Duby, Bot. Gall. 349 = *caryophyllacea*.  
*Galii*, Klotzsch, Reise Princ. Waldem. Bot. 111 = *Solmsii*.  
*Galii-molluginis*, F. Schultz, in Ann. Gew. Regensb. v. (1830) 500 = *Galii*, Duby.  
*galioneiphyta*, St. Lag. in Ann. Soc. Bot. Lyon, vii. (1880) 131 = *praece*.  
*gallica*, Gren. in Acad. Sc. Besançon. Séances Publ. (1838) 144 = *cernua*.  
*gamosepala*, Reut. in DC. Prod. xi. 15.—Reg. Caucas.  
*Genistae*, Stokes, Bot. Mat. Med. iii. 407 = *major*.  
*Genistae-cinereae*, F. Schultz, in Ann. Gew. Regensb. v. (1830) 500 = *praece*.  
*Genistae-germanicae*, F. Schultz, l. c. = *praece*.  
*Genistae-sagittalis*, F. Schultz, l. c. = *praece*.  
*Genistae-tinctoriae*, F. Schultz, l. c. = *praece*.  
*gilva*, A. Dietr. Fl. Boruss. vii. t. 439 = *caryophyl-lacea*.  
*glaberrima*, Guss. ex Reut. in DC. Prod. xi. 719 = *Hederae*.  
*glabra*, Gaud. ex Reichb. f. Ic. Fl. Germ. xx. 103 = *minor*.  
*glabra*, Hook. Fl. Bor. Am. ii. 91 = *Boschniakia glabra*.  
*glabrata*, C. A. Mey. in Eichw. Pl. Casp. 16. t. 17.—Reg. Caucas.; Persia.  
*glaucantha*, Trautv. in Act. Hort. Petrop. i. (1871) 26 = *cumana*.  
*gracilis*, Bess. ex Ledeb. Fl. Ross. iii. 318 = *reticu-lata*.  
*gracilis*, Sm. in Trans. Linn. Soc. iv. (1798) 172.—Europ.; Reg. Caucas.  
*gracilis*, Welw. ex Nym. Consp. 562 = *minor*.  
*grandiflora*, Bory & Chaub. Nouv. Fl. Pélop. 40. t. 23 = *crenata*.  
*grandiflora*, Presl, Fl. Sicul. i. 34 = *variegata*.  
*grandisepala*, F. Schultz, in Flora, xxvi. (1843) 128.—Graecia.  
*grandiuscula*, Moris, Diagn. Stirp. Sard. (1857) 2; et Fl. Sard. iii. 246 = *gracilis*.  
*Grenieri*, Nym. Consp. 562 = *minor*.  
*Grenieri*, F. Schultz, in Flora, xxviii. (1845) 739 = *cernua*.  
*Grisebachii*, Reut. in DC. Prod. xi. 28 = *minor*?  
*Gussonii*, Nym. Consp. 558 = *cruenta*.  
*Haensleri*, Reut. in DC. Prod. xi. 22.—Hispan.  
*Hansl. Kern. in Ber. Naturw. Ver. Innsbruck*, i. (1870) 111.—Reg. Himal.  
*Hederae*, Duby, Bot. Gall. 350.—Europ.  
*Hederae-heliceae*, F. Schultz, in Ann. Gew. Regensb. v. (1830) 500 = *praece*.  
*Helicis*, Rota, Prospett. Piant. Pav. 287 = *Hederae*.  
*Hellebori*, Miègev. in Bull. Soc. Bot. Fr. xii. (1865) 347.—Hispan.  
*hians*, Reut. ex Boiss. Fl. Orient. iv. 508 = *Teucriti*.  
*hians*, Stev. in Bull. Soc. Nat. Mosc. xxix. (1856) 11. 266, nomen; xxx. (1857) 354 = *alba*.  
*Hieracii-pilosellae*, F. Schultz, in Ann. Gew. Regensb. v. (1830) 500 = *Picridis*.

OROBANCHE:—

- hirta*, Noronha, in Verh. Batav. Gen. v. (1790) ed. I. Art. iv. 21 (Quid?)—Java.  
*hispanica*, Boiss. Voy. Bot. Espagne, ii. 476 = *cernua*.  
*Hookeriana*, Ball, in Journ. Linn. Soc. xvi. (1878) 605.—Marocc.  
*hyalina*, Sprun. ex Reut. in DC. Prod. xi. 24 = *minor*.  
*hygrophila*, Bruegg. in Sendtner, Veget. Suedbay. 836 = *reticulata*.  
*hymenocalyx*, Reut. in DC. Prod. xi. 20 (sp. dub.).—Reg. Caucas.  
*Hyperici*, Unger, Einfl. Bodens Verth. Gew. (1836) 321 = *reticulata*?  
*Hypopitys*, Hill, Hort. Kew. 228 = *Monotropa Hypo-pitys*.  
*ianthina*, Franch. in Ann. Sc. Nat. Sér. VI. xviii. (1884) 227.—As. centr.  
*Illicis*, Haensl. in Bot. Zeit. iv. (1846) 313, sphalm. = *Ulicis*.  
*incurva*, F. Schultz, in Ann. Gew. Regensb. v. (1830) 500 = *caryophyllacea*.  
*indica*, Buch.-Ham. ex Roxb. Hort. Beng. 45; Fl. Ind. iii. 27 = *aegyptiaca*.  
*indica*, Spreng. Syst. ii. 817 = *Striga orobanchoides*.  
*indica*, Wall. Cat. n. 3966 = *cernua*.  
*insignis*, Clarke, Trav. iii. 42 (*Cistanches* sp.).—Aegypt.  
*interrupta*, Pers. Syn. ii. 181.—Afr. austr.  
*ionantha*, Kern. in Oestr. Bot. Zeitschr. xxiv. (1874) 236.—Europ.  
*kashmirica*, C. B. Clarke, ex Hook. f. Fl. Brit. Ind. iv. 324.—Reg. Himal.  
*Klugei*, Schmitz & Regel, Fl. Bonn. 190 = *minor*.  
*Knappti*, Pant. in Verh. Ver. Natur- u. Heilk. Presb. ii. (1871-72) 73 = *amethystea*.  
*Kochii*, F. Schultz, in Flora, xxx. (1847) 66 = *major*.  
*Kotschy*, Reut. in DC. Prod. xi. 33.—Persia.  
*Krausei*, A. Dietr. Pl. Boruss. vii. t. 437 = *caryo-phyllacea*.  
*Krylowi*, G. Beck, in Oestr. Bot. Zeitschr. xxxi. (1881) 309 = *major*.  
*kurdica*, Boiss. & Haussk. ex Boiss. Fl. Orient. iv. 505.—Persia.  
*labellata*, Dum. Fl. Belg. 33 = *gracilis*.  
*lactea*, Eckl. & Zeyh. ex Presl, Bot. Bemerk. 91 = *Harveya lactea*.  
*laevis*, Geners. ex Wallr. Orob. Gen. 36 = *caryo-phyllacea*.  
*laevis*, Lam. Fl. Fr. ii. 327 = *caerulea*.  
*laevis*, Linn. Sp. Pl. 632 = *purpurea*, *arenaria*.  
*Lamyana*, De Cassac, ex Nym. Consp. 562 = *amethystea*?  
*Laserpitii*, Reut. ex Jord. Obs. Pl. Crit. iii. (1846) 223 = *seq.*  
*Laserpitii-sileris*, Reut. in DC. Prod. xi. 25.—Hel-vetia.  
*latepubescens*, Guss. Fl. Sic. Syn. ii. 749 = *caryo-phyllacea*.  
*latisquama*, Reut. ex Boiss. Fl. Orient. iv. 516 = *camptolepis*.  
*laurina*, Bonap. ex Bertol. Fl. Ital. vi. 424 = *minor*.  
*laurina*, Reichb. f. Ic. Fl. Germ. xx. 104. t. 181 = *Hederae*.  
*lavandulacea*, Hohen. ex Reut. in DC. Prod. xi. 8 = *aegyptiaca*.  
*lavandulacea*, Reichb. Pl. Crit. vii. 48. f. 935.—Reg. Mediterr.  
*laxa*, Pomel, Nouv. Mat. Fl. Atl. 109 (sp. dub.).—Alger.  
*laxiflora*, Reichb. Pl. Crit. vii. 39 = *caryophyllacea*.  
*lazica*, Reut. ex Boiss. Fl. Orient. iv. 508 = *Teucriti*.  
*Leonuri*, Rota, Prosp. Piant. Pav. 270, 287 = *minor*.  
*leptantha*, Pomel, Nouv. Mat. Fl. Atl. 110 (sp. dub.).—Alger.  
*leucantha*, Griseb. Spicil. Fl. Rumel. ii. 57 = *reticulata*.  
*leucantha*, Reichb. f. Ic. Fl. Germ. xx. 97. t. 167 = *alsatica*.  
*leucopogon*, Boiss. & Haussk. ex Boiss. Fl. Orient. iv. 504.—Cataonia.  
*Levieri*, Lojac. Contrib. Fl. Sic. 14 = *gracilis*.  
*Libanotidis*, Rupr. Beitr. Pfl. Russl. iv. 70 = *alsatica*.  
*Ligustri*, Suard, ex Godr. Fl. Lorr. ed. I. ii. 178 = *caryophyllacea*.  
*lilacina*, F. Schultz, in Flora, xxvi. (1843) 129 = *Picridis*.  
*litorea*, Guss. Fl. Sic. Prod. ii. 184 = *minor*.  
*livida*, Sendtn. ex Reichb. f. Ic. Fl. Germ. xx. 104 = *minor*.

OROBANCHE:—

- Lobelii*, Noul. Fl. Sous-Pyr. 481 = *gracilis*.  
*longiflora*, Pers. Syn. ii. 181 = *aegyptiaca*.  
*loricata*, Reichb. Pl. Crit. vii. 41.—Europ.; Reg. Caucas.  
*Loti-corniculati*, F. Schultz, in Ann. Gew. Regensb. v. (1830) 500 (sp. dub.).—Europ.  
*Loti-cytisoidis*, F. Schultz, l. c. = *sanguinea*.  
*lucorum*, A. Br. ex F. Schultz, l. c. 504.—Bavaria.  
*ludoviciana*, Nutt. Gen. Am. ii. 58 = *Aphyllon ludo-vicianum*.  
*lutea*, Baumg. Enum. Stirp. Transs. ii. 215.—Europ.  
*lutea*, Eckl. & Zeyh. ex Steud. Nom. ed. II. ii. 231 = *Harveya lutea*.  
*lutea*, Lojac. in Natural. Sicil. i. (1882) 256 = *variegata*.  
*lutea*, Nym. Syll. 134 = *Cistanche lutea*.  
*lycica*, F. Schultz, in Flora, xxvi. (1843) 128.—Graecia.  
*macrantha*, A. Dietr. Fl. Boruss. vii. t. 438 = *caryo-phyllacea*.  
*macrolepis*, Coss. in Ann. Sc. Nat. Sér. III. ix. (1848) 146.—Hispan.  
*macrolepis*, Turcz. in Bull. Soc. Nat. Mosc. xxiv. (1851) 11. 356 = *pycnostachyum*.  
*macrosepala*, F. Schultz, in Arch. Fl. Fr. et Allem. 70 = *minor*.  
*major*, Auct. ex Wallr. Orob. Gen. 59 = *comosa*.  
*major*, Braun, ex Wallr. l. c. 46 = *lutea*.  
*major*, DC. Fl. Fr. iii. 488 = *Rapum-genistae*.  
*major*, Duby, Bot. Gall. ii. 349 = *gracilis*.  
*major*, Gorter. Fl. Ingr. 100 = *alsatica*.  
*major*, Langsd. ex Wallr. Orob. Gen. 44 = *foetida*.  
*major*, Linn. Sp. Pl. 632.—Europ.  
*major*, Loeff. It. Hisp. 151 = *Hederae*.  
*major*, Pollich, Hist. Pl. Palat. ii. 200 = *caryophyllacea*.  
*major*, Pourr. ex Costa, Cat. Fl. Catal. 191 = *sang-uinea*.  
*major*, Wolf, ex Wallr. Orob. Gen. 48 = *alba*.  
*marginata*, Reut. ex Boiss. Fl. Orient. iv. 508 = *Teucriti*.  
*Mathenii*, F. Schultz, in Bot. Zeit. ii. (1844) 857 = *reticulata*.  
*Mathesii*, Nym. Consp. 559 = *praece*.  
*media*, Desf. Fl. Atlant. ii. 59 = *cernua*.  
*Medicaginis*, Duby, Bot. Gall. 349 = *lutea*.  
*Medicaginis*, Reichb. Pl. Crit. vii. 41. f. 919 = *Hederae*.  
*Medicaginis-sativae*, F. Schultz, in Ann. Gew. Regensb. v. (1830) 500 = *praece*.  
*micrantha*, Kern. in Oestr. Bot. Zeitschr. xxiv. (1874) 235 = *Salviae*.  
*micrantha*, Wallr. Sched. Crit. 315 = *ramosa*.  
*Millefolii*, Steud. Nom. ed. II. ii. 231 = *caerulea*.  
*minor*, Facch. Fl. Suedtir. 76 = *Hederae*.  
*minor*, Sutt. in Trans. Linn. Soc. iv. (1798) 179; Sm. Engl. Bot. t. 422.—Europ.; Afr. bor.  
*minor*, Thunb. Prod. Pl. Cap. 97.—Afr. austr.  
*minor*, Vahl, in Fl. Dan. t. 1219 = *loricata*.  
*Morisiana*, Nym. Syll. Suppl. 24 = *Muteli*.  
*multiflora*, Nutt. in Journ. Acad. Philad. N. S. i. (1847) 179 = *Aphyllon multiflorum*.  
*Muteli*, A. Kern. in Oestr. Bot. Zeitschr. xxiv. (1874) 48, 49 = *ramosa*.  
*Muteli*, F. Schultz, in Mutel, Fl. Fr. ii. 353. t. 43.—Europ.; Oriens.  
*mutila*, Dum. Fl. Belg. 33 = *cernua*?  
*nana*, Nol. ex Reut. in DC. Prod. xi. 9.—Reg. Mediterr.  
*nebrodensis*, Tineo, in Guss. Fl. Sic. Syn. ii. 845 = *sanguinea*.  
*neottioides*, Saut. in Flora, xxxv. (1852) 578 = *Salviae*.  
*Nicotianae*, Wight, Illustr. ii. 179. t. 158 = *cernua*.  
*Noëana*, Nym. Consp. 558 = *gracilis*.  
*nuda*, Koch, ex Wallr. Orob. Gen. 48 = *alba*.  
*nudiflora*, Wallr. Sched. Crit. i. 310 = *minor*.  
*olbiensis*, Nym. Syll. 133 = *nana*.  
*ombrochares*, Hance, in Journ. Linn. Soc. xiii. (1873) 84 = *coerulea*.  
*Ozanonis*, F. Schultz, Arch. Fl. Fr. 358 (1866) = *Salviae*.  
*palaestina*, Boiss. Fl. Orient. v. 506, partum *Grisebachii*.  
*palaestina*, Reut. in DC. Prod. xi. 718 = *minor*.  
*palatina*, F. Schultz, Arch. Fl. Fr. 161 = *O. Rapum-genistae*.  
*pallens*, F. Schultz, in Flora, xiv. (1840) 128 = *Picridis*.  
*pallida*, F. Schultz, l. c. = *praece*.



## OROBANCHE:—

- pallidiflora*, Wimm. & Grab. Fl. Siles. ii. 233 = reticulata.  
*palustris*, Bruegg. in Flora, xxxviii. (1855) 34 = reticulata.  
*papyracea*, DC. ex F. Schultz, in Ann. Gew. Regensb. v. (1830) 500 = caryophyllacea.  
*paradoxa*, Koch, ex Wallr. Orob. Gen. 48 = alba.  
*Pareysi*, G. Beck, in Oestr. Bot. Zeitschr. xxxi. (1881) 310 = purpurea.  
*parviflora*, E. Mey. ex Steud. Nom. ed. II. i. 723, in syn.; ii. 231 = *Harveya parviflora*.  
*parviloba*, F. Schultz, in Flora, xxvi. (1843) 128 (Quid ?).—Graecia.  
*pedunculata*, Roxb. Hort. Beng. 45; Fl. Ind. iii. 29 = *Aeginetia pedunculata*.  
*pedunculata*, Viv. Pl. Aegypt. Dec. 22 = aegyptiaca.  
*Pelargonii*, Caldesi, in Nuov. Giorn. Bot. xii. (1880) 175.—Italia.  
*Peisonis*, G. Beck, in Halác. & Braun, Nachtr. Fl. Nieder-Oestr. 121 = caesia.  
*Petasites*, Borb. in Oestr. Bot. Zeitschr. xxxv. (1885) 76, nomen = flava.  
*Phelipaea*, Wallr. ex Reut. in DC. Prod. xi. 38 = *Cistanche violacea* (in Addend.).  
*Phelypaea*, Willd. Sp. Pl. iii. 352 = *Phelypaea foliata*.  
*picridiphyta*, St. Lag. in Ann. Soc. Bot. Lyon, vii. (1880) 131 = seq.  
*Picridis*, F. Schultz, in Ann. Gew. Regensb. v. (1830) 504.—Europ.  
*Picridis-hieracioidis*, F. Schultz, l. c. 500 = praec.  
*pinetorum*, S. Wats. in Bot. Calif. i. 585, sphalm. = seq.  
*pinorum*, Geyer, ex Hook. Kew Journ. iii. (1851) 297 = *Aphyllon pinetorum*.  
*platylepis*, Reut. ex Boiss. Fl. Orient. iv. 516 = *camptolepis*.  
*platystigma*, Reichb. Fl. Germ. Excurs. 353 = *gracilis*.  
*platystigma*, Reichb. Pl. Crit. vii. 31 = reticulata.  
*pogonantha*, Reut. in DC. Prod. xi. 33 = cernua.  
*polymorpha*, Schrank, ex Steud. Nom. ed. II. ii. 231 = spp. europaeae omnes.  
*pratensis*, Eckl. & Zeyh. ex Presl, Bot. Bemerk. 91 = *Harveya pratensis*.  
*procera*, Koch, in Mert. & Koch, Deutschl. Fl. iv. 438 = reticulata.  
*pruinosa*, Lapeyr. Hist. Abr. Pl. Pyr. Suppl. 87 = crenata.  
*psila*, C. B. Clarke, in Hook. f. Fl. Brit. Ind. iv. 327.—Reg. Himal.  
*psilandra*, C. Koch, in Linnaea, xxii. (1849) 668 = reticulata.  
*pubescens*, Gilib. Fl. Lituan. i. 129 = major.  
*pubescens*, Urv. in Mém. Soc. Linn. Par. i. (1822) 332.—Europ.; Oriens.  
*pumila*, Graaf, ex Reut. in DC. Prod. xi. 29; Koch & Noé, in Reichb. f. Ic. Fl. Germ. xx. 104 = minor, *Sutt.*  
*punctata*, F. Schultz, in Flora, xxvi. (1843) 131 = alba.  
*purpurascens*, J. F. Gmel. Syst. 954 = arenaria.  
*purpurea*, Jacq. Enum. Stirp. Vindob. 108, 252.—Europ.  
*purpurea*, Linn. f. Suppl. 228; Thunb. Prod. Pl. Cap. 97 = *Harveya purpurea*.  
*purpurea*, Rafin. Caratt. 80. n. 196 = variegata.  
*pycnostachya*, Hance, in Journ. Linn. Soc. xiii. (1873) 84.—China.  
*pyrrha*, Reichb. f. Ic. Fl. Germ. xx. 105 = minor.  
*quadrifida*, C. Koch, in Linnaea, xxii. (1849) 665 = caryophyllacea.  
*quadriovalvis*, Regel, in Act. Hort. Petrop. vi. (1879) 354 = caerulea.  
*racemosa*, Schleich. Cat. Pl. Helv. (1821) 25 = minor, *Hederae*.  
*racemosa*, Steph. ex C. A. Mey. in Mém. Acad. Pétersb. Sér. VI. ii. (1833) 157 = *Boschniakia glabra*.  
*ramosa*, Delile, ex Decne. in Ann. Sc. Nat. Sér. II. iv. (1835) 201 = aegyptiaca.  
*ramosa*, Duby, Bot. Gall. 351 = *lavandulacea*, Muteli.  
*ramosa*, Linn. Sp. Pl. 633.—Europ.; Kashmir.  
*ramosa*, Thunb. Prod. Pl. Cap. 97 = interrupta.  
*Rapum*, Reichb. Pl. Crit. vii. 43 = seq.  
*Rapum-genistae*, Thuill. Fl. Par. ed. II. 317.—Europ.  
*Reichardiae*, Freyn, in Verh. Zool.-Bot. Ges. Wien, xxvii. (1878) 392 = *Picridis*.

## OROBANCHE:—

- reticulata*, Wallr. Orob. Gen. 42.—Reg. Mediterr. occ.  
*Reuteri*, F. W. Schultz, ex Reut. in DC. Prod. xi. 24 = minor.  
*rhizopus*, Wallr. ex Ledeb. Fl. Ross. iii. 314 (= *Phelypaea salsa*).—Rossia.  
*rigens*, Loisel. Fl. Gall. ed. I. 884.—Corsica.  
*Ritro*, Gren. & Godr. Fl. Fr. ii. 635 = major.  
*robusta*, A. Dietr. Fl. Boruss. iii. t. 151 = *arenaria*.  
*rossica*, Cham. & Schlecht. in Linnaea, iii. (1828) 132 = *Boschniakia glabra*.  
*rubens*, Wallr. Sched. Crit. 307 = *lutea*.  
*Rubi*, Duby, Bot. Gall. 350 = *lucorum*.  
*Rubi-fruticosi*, F. Schultz, in Ann. Gew. Regensb. v. (1830) 500 = praec.  
*rubiginosa*, A. Dietr. Fl. Boruss. iii. t. 252 = alba.  
*rubra*, Rafin. Chlor. Aetn. 10 = variegata?  
*rubra*, Sm. Engl. Bot. t. 1786; Hook. Fl. Scot. 19 = alba.  
*rufescens*, Nym. Syll. 133 = *Muteli*.  
*sabulicola*, Lojac. in Natural. Sicil. ii. (1883) 61 = *fuliginosa*.  
*Salisii*, Req. ex Coss. Notes Crit. 9 = minor.  
*Salviae*, F. Schultz, in Ann. Gew. Regensb. v. (1830) 505.—Europ.  
*salvihaerens*, St. Lag. Cat. Pl. Rhône, 611 = praec.  
*sambucina*, Janka, in Termész. Füzetek, viii. (1884) 29; et in Oestr. Bot. Zeitschr. xxxiv. (1884) 336 = reticulata.  
*sanguinea*, Presl, Delic. Prag. 71.—Sicilia.  
*Santolinae*, Losc. & Pard. Ser. Inconf. 79.—Hispan.  
*sarothamnophyta*, St. Lag. in Ann. Soc. Bot. Lyon, vii. (1880) 131 = *O. Rapum-genistae*.  
*Satureiae-montanae*, F. Schultz, in Ann. Gew. Regensb. v. (1830) 500 = alba.  
*Satyris*, De Not. Prospett. Fl. Ligust. 35 = variegata.  
*Sauteri*, F. Schultz, in Flora, xxxiv. (1851) 49 = reticulata.  
*Scabiosae*, Koch, in Mert. & Koch, Deutschl. Fl. iv. 440 = reticulata.  
*Scabiosae-columbariae*, F. Schultz, in Ann. Gew. Regensb. v. (1830) 500 = minor, *Sutt.*  
*scabioshaerens*, St. Lag. in Ann. Soc. Bot. Lyon, vii. (1880) 131 = *Scabiosae*.  
*scarlatina*, E. Mey. ex Steud. Nom. ed. II. i. 723, in syn.; ii. 231 = *Harveya scarlatina*.  
*Schultzii*, Mutel, Fl. Fr. ii. 352.—Reg. Mediterr.; As. Min.  
*Scolymi*, Pomel, Nouv. Mat. Fl. Atl. 108 (sp. dub.).—Alger.  
*segetum*, Sprun. in Flora, xxvi. (1843) 129 = crenata.  
*serotina*, Kirschl. in Pollichia, iii. (1845) 14 = reticulata.  
*Serpylli*, Vauch. ex Des Moul. in Ann. Sc. Nat. Sér. II. iii. (1835) 76 = alba.  
*sicula*, Lojac. in Natural. Sicil. i. (1882) 255 = variegata.  
*sicula*, Spenn. ex Walp. Rep. iii. 463.—Sicilia.  
*Solmsii*, C. B. Clarke, ex Hook. f. Fl. Brit. Ind. iv. 325.—Reg. Himal.  
*sordida*, C. A. Mey. in Ledeb. Fl. Alt. ii. 455 = *lutea*.  
*sparsiflora*, Wallr. Sched. Crit. i. 309 = alba.  
*Spartii*, Guss. Fl. Sic. Prod. 182 = variegata.  
*Spartii-juncea*, F. Schultz, in Ann. Gew. Regensb. v. (1830) 500 = *gracilis*.  
*speciosa*, DC. Fl. Fr. Suppl. 393 = crenata.  
*speciosa*, A. Dietr. Fl. Boruss. t. 149 = reticulata.  
*speciosa*, Moris, Stirp. Sard. Elench. fasc. i. 35 = *condensata*.  
*speciosa*, Salis, in Flora, xvii. (1834) II. Beibl. 20 = minor.  
*spectabilis*, Benth. ex E. Mey. in Drège, Zwei Pfl. Docum. 205, nomen = *Harveya spectabilis*.  
*spectabilis*, Reut. in Nouv. Mém. Soc. Nat. Mosc. xii. (1860) 169 = *Kotschy*.  
*Spruneri*, Lojac. in Natural. Sicil. i. (1882) 215 = *Todari*.  
*Spruneri*, F. Schultz, in Flora, xxvi. (1843) 130 = *gracilis*.  
*squalida*, Stev. in Bull. Soc. Nat. Mosc. xxx. (1857) i. 354 = alba.  
*squamaria*, Fisch. ex Ledeb. Fl. Ross. iii. 314 (= *Phelypaea salsa*).—Rossia.  
*squamata*, G. Don, Gen. Syst. iv. 633 = seq.  
*squamosa*, Thunb. Prod. Pl. Cap. 97 = *Harveya squamosa*.  
*stans*, Noronha, in Verh. Batav. Gen. v. (1790) ed. I. Art. iv. 21 (Quid ?).—Java.

## OROBANCHE:—

- stenantha*, Lojac. in Natural. Sicil. ii. (1883) 62 = *Hederae*.  
*stigmatodes*, Wimm. Fl. Schles. (1841) 280 = major.  
*Stocksii*, Boiss. Fl. Orient. iv. 505 = *cistanchoides*.  
*striata*, Reut. in DC. Prod. xi. 28 = minor?  
*stricta*, Moris, ex Bertol. Fl. Ital. vi. 450 = *Schultzii*.  
*strigosa*, Salzm. ex Ball, in Journ. Linn. Soc. xvi. (1878) 604 = variegata.  
*strobiligena*, Reichb. Pl. Crit. vii. 38 = caryophyllacea.  
*strumosa*, Rogow. ex Trautv. in Act. Hort. Petrop. ix. (1884) 83, nomen = *alsatica*.  
*subacaulis*, Benth. ex Walp. Ann. iii. 208 = *Christisonia subacaulis*.  
*subverticillata*, F. Schultz, in Flora, xxvi. (1843) 128 (Quid ?).—Graecia.  
*superba*, De Not. Prospett. Fl. Ligust. 35 = variegata.  
*superficialis*, Griseb. ex Reut. in DC. Prod. xi. 28 = pubescens.  
*sylvatica*, F. Schultz, in Flora, xxiii. (1840) 128 = *Salviae*.  
*tetuanensis*, Ball, in Journ. Linn. Soc. xvi. (1878) 606.—Marocc.  
*Teucriti*, Holand. Fl. Moselle, ed. I. ii. 322; F. Schultz, in Flora, xviii. (1835) 200.—Europ.; As. Min.  
*teucronepiphya*, St. Lag. in Ann. Soc. Bot. Lyon, vii. (1880) 131 = praec.  
*thapsoides*, Lojac. in Natural. Sicil. ii. (1883) 60 = pubescens.  
*Thymi-serpylli*, F. Schultz, in Ann. Gew. Regensb. v. (1830) 500 = alba.  
*Thymi-vulgaris*, F. Schultz, l. c. = alba.  
*thyrsoides*, Moris, ex Bertol. Fl. Ital. vi. 428 = *rigens*.  
*tinctoria*, Forsk. Fl. Aegypt. Arab. 112 = *Cistanche lutea*.  
*tinctoria*, Willd. Sp. Pl. iii. 353 = *Cistanche lutea*.  
*Todari*, Lojac. in Natural. Sicil. i. (1882) 215.—Sicilia.  
*Tommasinii*, Reichb. f. Ic. Fl. Germ. xx. 92 = *Picridis*.  
*torquata*, Reichb. Pl. Crit. ix. 12. f. 1128 = caryophyllacea.  
*transsilvanica*, F. Porc. Fl. Phan. Naseud. (1881) 73 = alba.  
*Trifolii-pratensis*, F. Schultz, in Ann. Gew. Regensb. v. (1830) 500 = minor.  
*Trotzkii*, Wagn. ex Claus, in Beitr. Pfl. Russ. Reich. viii. 64 (Quid ?).—Rossia.  
*tubata*, E. Mey. ex Benth. in DC. Prod. x. 505 = *Harveya tubata*.  
*tuberosa*, Hook. Fl. Bor. Am. ii. 92 = *Boschniakia Hookeri*.  
*tubiflora*, A. Dietr. Fl. Boruss. iii. t. 147 = caryophyllacea.  
*tulbaghensis*, Eckl. & Zeyh. ex Presl, Bot. Bemerk. 91 = *Harveya tulbaghensis*.  
*tussilaginis*, Mutel, Fl. Fr. ii. 349 = flava.  
*uitenhagensis*, Eckl. ex Hook. Ic. Pl. sub t. 351 = *Harveya purpurea*.  
*Ulicis*, Des Moul. in Ann. Sc. Nat. Sér. II. iii. (1835) 71 = *gracilis*?  
*Ulicis*, Haensel. ex Willk. in Bot. Zeit. iv. (1846) 313; Reut. in DC. Prod. xi. 720 = *gracilis*.  
*Ulicis-europaeae*, F. Schultz, in Ann. Gew. Regensb. v. (1830) 500 = *gracilis*.  
*unicolor*, Bor. Fl. Centr. Fr. ed. III. ii. 501 = minor.  
*uniflora*, Linn. Sp. Pl. 633 = *Aphyllon uniflorum*.  
*vagabunda*, F. Schultz, in Ann. Gew. Regensb. v. (1830) 500 = pubescens.  
*varia*, E. Mey. ex Steud. Nom. ed. II. i. 723, in syn.; ii. 231 = *Harveya varia*.  
*variegata*, Wallr. Orob. Gen. 40.—Europ. med.; Marocc.  
*Vaucherii*, Noullet, Fl. Sous-Pyr. 487 = *Hederae*.  
*versicolor*, F. Schultz, in Flora, xxvi. (1843) 129 = pubescens.  
*versicolor*, Welw. Fl. Lusit. Excurs. n. 398 = *gracilis*.  
*Viciae-fabae*, F. Schultz, in Ann. Gew. Regensb. v. (1830) 500 = crenata.  
*villiflora*, Koch, ex Reut. in DC. Prod. xi. 27 = pubescens.  
*villosa*, F. Schultz, ex Guss. Enum. Pl. Inar. 218 = pubescens.  
*villosiflora*, F. Schultz, in Flora, xxviii. (1845) 737, 740 = pubescens.  
*violacea*, Wallr. Orob. Gen. 70 = *Cistanche violacea* (in Addend.).  
*virginiana*, Linn. Sp. Pl. 633 = *Epifagus americanus*.  
*virginica*, Hill, Veg. Syst. xviii. 71 = praec.



**OROBANCHE** :—

*viridis*, *Haslin*, in *Verh. Zool. Bot. Ges. Wien*, ii. (1852) *Abh.* 3, nomen (Quid?).—Europ.  
*Vitalbae*, Bertol. Fl. Ital. vi. 441 = pubescens.  
*vulgaris*, Gaud. Fl. Helv. iv. 176 = gracilis.  
*vulgaris*, Poir. in Lam. Encyc. iv. 621 = caryophyllacea.  
*Weinmanni*, Steud. Nom. ed. II. ii. 231 = reticulata.  
*Welwitschii*, Nym. Consp. 562 = gracilis.  
*Wiedemannii*, Boiss. Fl. Orient. iv. 510.—Anatolia.  
*Wierzbickii*, F. Schultz, in Flora, xxviii. (1845) 324 = gracilis.  
*Yuccae*, Savi f. ex Bertol. Fl. Ital. vi. 423 = minor.

**OROBANCHE**, Vell. Fl. Flum. 254 (1825); vi. tt. 60–79 (1827) = **Gesneria**, Linn. etc.

*brasilensis*, Vell. l. c. t. 63 (Besleriae sp.).—Bras.  
*carnea*, Vell. l. c. 255; vi. t. 61 (Besleriae sp.).—Bras.  
*cernua*, Vell. l. c. 258; vi. t. 71 = Sinningia speciosa.  
*crenata*, Vell. l. c. 254; vi. t. 60.—Bras.  
*ferox*, DC. Prod. vii. 541 = *pedunculata*.  
*fissa*, Vell. Fl. Flum. 257; vi. t. 69 (Hypocyrtae sp.).—Bras.  
*fluminensis*, Vell. l. c. 255; vi. t. 62 (Besleriae sp.).—Bras.  
*fornix*, Vell. l. c. 259; vi. t. 75 = G. allagophylla.  
*hirta*, Vell. l. c. 261; vi. t. 79 = G. allagophylla.  
*melancholica*, Vell. l. c. 260; vi. t. 77 (Hypocyrtae sp.).—Bras.  
*monanthera*, Vell. l. c. 256; vi. t. 66 (Hypocyrtae sp.).—Bras.  
*pedunculata*, Vell. l. c. 258; vi. t. 73 (Hypocyrtae sp.).—Bras.  
*perianthomega*, Vell. l. c. 257; vi. t. 68 = Alloplectus dichrous.  
*petraea*, Vell. l. c.; vi. t. 60.—Bras.  
*racemosa*, Vell. l. c. 258; vi. t. 72 = Rytidophyllum prasinatum.  
*serpens*, Vell. l. c. 257; vi. t. 67 (Hypocyrtae sp.).—Bras.  
*spicata*, Vell. l. c. 260; vi. t. 78 = G. allagophylla.  
*tuberosa*, Vell. l. c. 257; vi. t. 70 (Gloxiniæ sp.).—Bras.  
*tubulosa*, Vell. l. c. 259; vi. t. 76 = G. Douglasii.  
*umbellata*, Vell. l. c. 256; vi. t. 65 = G. confertiflora.  
*ventricosa*, Vell. l. c. 259; vi. t. 74 (Besleriae sp.).—Bras.  
*verticillata*, Vell. l. c. 255; vi. t. 64 = G. maculata.

**OROBANCHIA**, Vand. Fl. Lusit. 41. ff. 18, 19 (1788) = **Alloplectus**, Mart. (Gesner.).  
*lanceolata*, Poir. Encyc. Suppl. iv. 202.—Bras.  
*radicans*, Poir. l. c. 203.—Bras.

**OROBELLA**, Presl, in Weitenw. Beitr. ii. (1837) 27. t. 4 = **Vicia**, Tourn. (Legumin.).  
*vicioides*, Presl, l. c. 28 = V. dumetorum.

**OROBIMUM**, Reichb. Consp. 185 (1828) = **Braya**, Sternb. & Hoppe (Crucif.).

**OROBIMUM**, Schrad. ex Nees, in Mart. Fl. Bras. ii. 1. 164 (1842) = **Lagenocarpus**, Nees (Cyperac.).  
*adamantinum*, Schrad. ex Nees, l. c. 165 = L. adamantinus.

**OROBOS**, St. Lag. in Ann. Soc. Bot. Lyon, vii. (1880) 131 = **OROBUS**, Tourn.  
*piscidius*, St. Lag. l. c. = *Orobos Piscidia*.

**OROBUS**, [Tourn.] Linn. Syst. ed. I (1735) = **Lathyrus**, Tourn. (Legumin.).  
*acutangulus*, Wender. ex Steud. Nom. ed. II. ii. 232 = Vicia amoena?  
*aestivalis*, Schur, in Oestr. Bot. Zeitschr. x. (1860) 325 = *venetus*.  
*alatus*, A. Br. Ind. Sem. Hort. Berol. (1853) 13 = Lathyrus alatus.  
*alatus*, Maxim. Prim. Fl. Amur. 83.—Manchuria.  
*albus*, Linn. f. Suppl. 327 = Lathyrus pannonicus.  
*alpestris*, Waldst. & Kit. Pl. Rar. Hung. ii. 133. t. 126 = Lathyrus canescens?  
*americanus*, Mill. Gard. Dict. ed. VIII. n. 9 = Abrus precatorius.  
*angulatus*, Philippe, Fl. Pyren. i. 266 = Lathyrus angulatus.  
*angustifolius*, Linn. Sp. Pl. 729.—Sibir.  
*angustifolius*, Vill. Fl. Delphin. 75 = Lathyrus canescens.  
*anomalus*, C. Koch, in Linnaea, xxiv. (1851) 96 = Vicia truncatula.

**OROBUS** :—

*argenteus*, Mill. Gard. Dict. ed. VII. n. 10.—Mexic.  
*aristatus*, Lapeyr. Hist. Abr. Pyr. Suppl. 106 = Vicia Orobus.  
*armenus*, Boiss. & Huet, Diagn. Ser. II. ii. 43.—Armenia.  
*articulatus*, A. Br. Ind. Sem. Hort. Berol. (1853) 13 = Lathyrus Clymenum.  
*asphodeloides*, Gouan, Illustr. 48 = Lathyrus pannonicus.  
*atrorepureus*, Desf. Fl. Atlant. ii. 157. t. 196 = Vicia sicula.  
*atrorepureus*, Lapeyr. Hist. Abr. Pl. Pyr. 413 = Lathyrus canescens.  
*aurantius*, Stev. ex Bieb. Fl. Taur. Cauc. iii. 462 = Vicia aurantia.  
*aureus*, Stev. ex Fisch. Mey. & Trautv. Ind. Sem. Hort. Berol. ii. 42 = Lathyrus montanus?  
*austriacus*, Crantz, Stirp. Austr. ed. II. fasc. v. 374 = Lathyrus pannonicus.  
*bimarginatus*, Stokes, Bot. Mat. Med. iv. 36 = Lathyrus sativus.  
*bulbosus*, Stokes, l. c. 38 = Lathyrus montanus.  
*californicus*, Alef. in Bonplandia, ix. (1861) 146 = Lathyrus venosus?  
*canescens*, Linn. f. Suppl. 327 = Lathyrus canescens.  
*capensis*, Spreng. Syst. iii. 260 = Lessertia pulchra.  
*caucasicus*, Spreng. l. c. 261 = Vicia truncatula.  
*ciliatus*, Alef. in Flora, xlv. (1862) 275 = Lathyrus ciliatus.  
*Clusii*, Spreng. Syst. iii. 259 = Vicia oroboides.  
*Clymenum*, A. Br. Ind. Sem. Hort. Berol. (1853) 13 = Lathyrus Clymenum.  
*coccineus*, Mill. Gard. Dict. ed. VIII. n. 12; Lodd. Bot. Cab. t. 883 = Lathyrus sphaericus.  
*croceus*, Desf. in Ann. Mus. Par. xii. (1808) 59. t. 9 = Vicia aurantia.  
*cyaneus*, Stev. in Mém. Soc. Nat. Mosc. iv. (1813) 51 = Lathyrus cyaneus.  
*cyaneus*, Wahlenb. in Berggr. Resor. ii. Bihang, 41 = sessilifolius.  
*Denhardtii*, Tenore, ex Steud. Nom. ed. II. ii. 232 (Quid?).—Italia.  
*diffusus*, Nutt. in Fras. Cat. (1813) = Vicia americana.  
*digitatus*, Bieb. Fl. Taur. Cauc. ii. 153 = sessilifolius.  
*dispar*, Nutt. Gen. Am. ii. 95 = Astragalus multiflorus.  
*dissitifolius*, Alef. in Bonplandia, ix. (1861) 145 = Vicia americana.  
*divaricatus*, Lapeyr. in Mém. Mus. Par. ii. (1815) 302. t. 11 = Lathyrus montanus.  
*domingensis*, Spreng. Syst. iii. 261.—Ins. S. Doming.  
*emodi*, Wall. Cat. n. 5948 = Lathyrus luteus.  
*energius*, Turcz. in Bull. Soc. Nat. Mosc. xv. (1842) 796 = *venosus*.  
*ensifolius*, Lapeyr. in Mém. Mus. Par. ii. (1815) 303. t. 12 = Lathyrus canescens.  
*erectus*, Poir. in Lam. Encyc. iv. 627 = Vicia truncatula.  
*Ewaldi*, Meinsh. in Bull. Soc. Nat. Mosc. xli. (1868) 1. 354.—Ingria.  
*exaltatus*, Tenore & Guss. Fl. Neap. Syll. App. v. 25.—Italia.  
*Faba*, Brot. Fl. Lusit. ii. 147 = Vicia Faba.  
*filiformis*, Lam. Fl. Fr. ii. 568 = Lathyrus canescens.  
*Fischeri*, Sweet, Brit. Flow. Gard. Ser. I. iii. t. 289 = Vicia sicula.  
*flaccidus*, Kit. ex Reichb. Fl. Germ. Excurs. 536 = *venosus*.  
*flaccidus*, Radius, ex DC. Prod. ii. 377 = Lathyrus vernus.  
*formosus*, Stev. in Mém. Soc. Nat. Mosc. iv. (1813) 50 = Pisum formosum.  
*Friedrichsthalii*, Griseb. Spicil. Fl. Rumel. ii. 498 = alpestris.  
*fruticosus*, Pers. ex DC. Prod. ii. 264 = Coursetia tomentosa.  
*glaberrimus*, Schur, in Verh. Siebenb. Ver. Naturw. iv. (1853) 20 = Lathyrus montanus?  
*glabratus*, Nym. Consp. 204 = Lathyrus hirsutus.  
*Gmelini*, Fisch. ex DC. Prod. ii. 378.—Sibir.  
*Gmelini*, Weinm. in Bull. Soc. Nat. Mosc. (1837) n. vii. 66 = Lathyrus pannonicus.  
*gracilis*, Alef. in Bonplandia, ix. (1861) 141.—Chili.  
*gracilis*, Gaud. Fl. Helv. iv. 500 = Lathyrus montanus.  
*graminifolius*, Becker, Fl. Frankf. i. 408 = Lathyrus canescens.  
*grandiflorus*, Boiss. Fl. Orient. ii. 622.—Syria.  
*hirsutus*, Linn. Sp. Pl. 728 = Lathyrus hirsutus.  
*hispidulus*, Alef. in Bonplandia, ix. (1861) 141 = Lathyrus inconspicuus.  
*Hookeri*, Alef. l. c. 144 = Lathyrus magellanicus.  
*humilis*, Ser. in DC. Prod. ii. 371 = Lathyrus altaicus.

**OROBUS** :—

*inconspicuus*, A. Br. Ind. Sem. Hort. Berol. (1853) 13 = Lathyrus inconspicuus.  
*incurvus*, A. Br. l. c. = Lathyrus incurvus.  
*intermedius*, C. A. Mey. in Ledeb. Fl. Alt. iii. 360 = Lathyrus heterophyllus?  
*japonicus*, Alef. in Bonplandia, ix. (1861) 143 = Vicia pallida.  
*Jordani*, Griseb. Spicil. Fl. Rumel. i. 74 = Lathyrus canescens?  
*Jordani*, Tenore, Prod. Fl. Nap. App. v. 21.—Italia.  
*Kolenatii*, C. Koch, in Linnaea, xxiv. (1851) 96 = Lathyrus montanus.  
*lacteus*, Bieb. Fl. Taur. Cauc. ii. 152 = Lathyrus pannonicus.  
*laevigatus*, Waldst. & Kit. Pl. Rar. Hung. iii. 270 = Lathyrus montanus?  
*lathyroides*, Habl. Taur. 125 = Lathyrus hirsutus.  
*lathyroides*, Linn. Sp. Pl. 728 = Vicia unijuga.  
*lathyroides*, Sibth. & Sm. Fl. Graec. Prod. ii. 63 = Vicia oroboides.  
*laxiflorus*, Desf. in Ann. Mus. Par. xii. (1808) 57. t. 8 = Lathyrus hirsutus.  
*Lens*, Stokes, Bot. Mat. Med. iv. 37 = Ervum Lens.  
*linifolius*, Reich. ex Gaertn. Mey. & Scherb. Fl. Wett. iii. 25 = Lathyrus canescens.  
*linifolius*, Reichb. ex Nym. Consp. 205 = Lathyrus montanus.  
*linifolius*, Wender. in Linnaea, x. (1830) Litt. 55 = *praece*?  
*littoralis*, A. Gray, in Pacif. Rail. Rep. xii. ii. 58 = Lathyrus littoralis, *Endl.*  
*longifolius*, Kit. in Linnaea, xxxii. (1863) 632 = *pauciflorus*, Kit.  
*longifolius*, Nutt. Gen. Am. ii. 95 = Astragalus pictus.  
*luteus*, Linn. Sp. Pl. 728 = Lathyrus montanus.  
*macrorrhizus*, Dulac, Fl. Hautes-Pyr. 291 = Lathyrus montanus.  
*magellanicus*, Alef. in Bonplandia, ix. (1861) 144 = Lathyrus magellanicus.  
*maritimus*, Reichb. Fl. Germ. Excurs. 538 = Lathyrus maritimus.  
*montanus*, Hoppe & Hornsch. in Flora, xxi. (1838) 33, 485 = Lathyrus pannonicus.  
*montanus*, Scop. Fl. Carn. ed. II. ii. 60 = Lathyrus montanus.  
*Muehlenbergi*, Alef. in Bonplandia, ix. (1861) 146 = Lathyrus venosus.  
*multiflorus*, Sieber, in Flora, iv. (1821) 97 = *venetus*.  
*mutabilis*, Alef. in Bonplandia, ix. (1861) 144.—Sibir.  
*myrtiflorus*, Alef. in Bot. Zeit. xviii. (1860) 162 = Lathyrus palustris.  
*nervosus*, Boiss. Diagn. Ser. I. vi. 45 = Lathyrus nervosus.  
*niger*, Linn. Sp. Pl. 729 = Lathyrus niger.  
*Nissolia*, Doell. Rhein. Fl. 788 = Lathyrus Nissolia.  
*ochroleucus*, Waldst. & Kit. Pl. Rar. Hung. ii. 123. t. 118 = Lathyrus ochroleucus.  
*Ochrus*, A. Br. Ind. Sem. Hort. Berol. (1853) 13 = Lathyrus Ochrus.  
*orientalis*, Boiss. Diagn. Ser. I. ii. 106 = Lathyrus montanus.  
*pallescent*, Bieb. Fl. Taur. Cauc. ii. 153 = Lathyrus canescens.  
*palustris*, Reichb. Fl. Germ. Excurs. 537 = Lathyrus palustris.  
*pannonicus*, Jacq. Enum. Stirp. Vindob. 128 = Lathyrus pannonicus.  
*pannonicus*, Pall. Tabl. Taur. 55 = Lathyrus canescens.  
*paradensis*, Kit. & Kanitz, in Verh. Zool.-Bot. Ges. Wien, xiii. (1863) 554.—Hungar.  
*pastoensis*, Spreng. Syst. iv. Cur. Post. 283 = Coursetia dubia.  
*pauciflorus*, Hort. ex Link, Enum. Hort. Berol. ii. 236 = *venosus*.  
*pauciflorus*, Kit. in Linnaea, xxxii. (1863) 632.—Hungar.  
*pellucidus*, Spreng. Syst. iii. 260 = Lessertia falciformis.  
*persicus*, Boiss. Diagn. Ser. I. ii. 107 = Vicia *?*  
*Philippi*, Alef. in Bonplandia, ix. (1861) 144.—Chili.  
*Piscidia*, Spreng. Pugill. i. 47 (Quid?).—N. *?*  
*pisiformis*, Wender. Ind. Sem. Hort. Marb. (1857) ex Steud. Nom. ed. II. ii. 233; A. Br. Ind. Sem. Hort. Berol. (1853) 13 = Lathyrus pisiformis.  
*Plukenetii*, Lapeyr. in Mém. Mus. Par. ii. (1815) 299 = Lathyrus montanus.  
*polymorphus*, Alef. in Bonplandia, ix. (1861) 144 = Lathyrus polymorphus.  
*praece*, Kit. in Linnaea, xxxii. (1863) 632 = *seq.*?  
*praece*, Lilja, in Bot. Notiser (1839), 32 = Lathyrus vernus!



## OROBUS:—

- pratensis*, Stokes, Bot. Mat. Med. iv. 39; Doell, Rhein. Fl. 787 = *Lathyrus pratensis*.  
*procumbens*, Mill. Gard. Dict. ed. VIII. n. 11.—Mexico.  
*prostratus*, Host, Fl. Austr. ii. 322 = *Lathyrus montanus*.  
*Pseudo-Clusii*, Schur, in Verh. Naturf. Ver. Bruenn, xv. ii. (1877) 193.—Europ.  
*pubescens*, Alef. in Bonplandia, ix. (1861) 143 = *Lathyrus pubescens*.  
*purpureo-caeruleus*, Gilib. Fl. Lituan. ii. 100 = *Lathyrus vernus*.  
*pyrenaicus*, Philippe, Fl. Pyren. i. 263 = seq.  
*pyrenaicus*, Linn. Sp. Pl. 729 = *Lathyrus montanus*.  
*pyrenaicus*, Scop. Fl. Carn. ed. II. ii. 59 = *venetus*.  
*quadrangulus*, Spreng. Syst. iii. 258 = *Lathyrus canescens*.  
*Rafinesquei*, Presl, Delic. Prag. 41 = *Lathyrus canescens*.  
*ramuliflorus*, Maxim. Prim. Fl. Amur. 83.—Manchuria.  
*rigidus*, Láng, ex Rochel, Pl. Banat. Rar. 54 = *Lathyrus vernus*.  
*roseus*, Ledeb. Fl. Ross. i. 687 = *Lathyrus roseus*, Stev.  
*rupensis*, Lerchenf. ex Schur, Enum. Pl. Transs. 167 = *Vicia oroboides*.  
*russiciflorus*, Willd. ex Poir. Encyc. Suppl. iv. 203 = *venetus*.  
*saxatilis*, Vent. Jard. Cels, t. 94 = *Lathyrus ciliatus*.  
*Semenovii*, Regel & Herd. in Bull. Soc. Nat. Mosc. xxxix. (1866) ii. 35.—Turkestan.  
*sericeus*, Boiss. & Bal. ex Boiss. Fl. Orient. ii. 621.—As. Min.  
*serotinus*, Presl, Delic. Prag. 41 = *venetus*.  
*sessiliflorus*, Sm. ex DC. Prod. ii. 377.—Hab.?  
*sessilifolius*, Sibth. & Sm. Fl. Graec. Prod. ii. 64.—Graec.; As. Min.  
*setifolius*, Philippe, Fl. Pyrén. i. 266; Alef. in Bonplandia, ix. (1861) 141 = *Lathyrus setifolius*.  
*setiformis*, Schleich. ex Gaud. Fl. Helv. iv. 500 = *Lathyrus canescens*.  
*siculus*, Rafin. Caratt. 72. n. 182 = *Lathyrus canescens*.  
*silvestris*, Auct. = *silvestris*.  
*sparsiflorus*, Cocc. & Cug. in Mem. Acad. Sc. Bolog. Ser. III. vii. (1876) 559.—Europ.  
*sphaericus*, Philippe, Fl. Pyrén. i. 266; Dulac, Fl. Hautes-Pyr. 293 = *Lathyrus sphaericus*.  
*stenophyllus*, Steud. Nom. ed. II. ii. 233.—Sibir.  
*stipulaceus*, Hook. Bot. Mag. t. 2937 = *venosus*.  
*styriacus*, Gremli, ex Dalla Torre, Atl. Alpenfl. 89.—Europ.  
*subalpinus*, Herbach, Stirp. Rar. Bucov. 49 = *Lathyrus montanus*.  
*subvillosus*, Ledeb. Fl. Alt. iii. 359 = *Vicia subvillosa*.  
*sylvaticus*, Bast. Fl. Maine-et-Loire, Suppl. 7 = *Vicia cassubica*.  
*sylvaticus*, Baumg. Enum. Stirp. Transs. ii. 329 = *Lathyrus vernus*.  
*sylvaticus*, Linn. Cent. Pl. i. 23; Amoen. Acad. iv. 284 = *Vicia Orobus*.  
*sylvestris*, Wender. ex Steud. Nom. ed. II. ii. 233 = *Lathyrus pisiformis*.  
*tenuifolius*, Baumg. Enum. Stirp. Transs. ii. 328 = *Lathyrus pannonicus*.  
*tenuifolius*, Roth, Beitr. i. 78; Tent. Fl. Germ. i. 305; ii. 170 = *Lathyrus montanus*.  
*tomentosus*, Desf. Tabl. ed. I. 195 = *Coursetia tomentosa*.  
*Tournefortii*, Lapeyr. in Mém. Mus. Par. ii. (1815) 298. t. 10 = *Lathyrus montanus*?  
*trachycarpus*, Boiss. Diagn. Ser. I. vi. 45 = *Lathyrus trachycarpus*.  
*transylvanicus*, Spreng. Syst. iii. 260 = *Lathyrus montanus*.  
*tricuspidata*, Janka, in Termész. Füzetek, ix. (1885) 145 = *Vicia tricuspidata*?  
*tristis*, Láng, ex Reichb. Fl. Germ. Excurs. 538 = *Lathyrus niger*.  
*tuberosus*, Linn. Sp. Pl. 728 = *Lathyrus montanus*.  
*uninervius*, Turcz. ex Boiss. in Flora, xvii. (1834) i. Beibl. 11 = *Lathyrus nervosus*.  
*variabilis*, Boiss. & Kotschy, ex Boiss. Fl. Orient. ii. 617.—Cilicia.  
*variegatus*, Lapeyr. Hist. Abr. Pl. Pyr. 414 = *Lathyrus montanus*.  
*variegatus*, Tenore, Fl. Nap. Prod. Suppl. i. 62 = *venetus*.

## OROBUS:—

- varius*, Hill, Veg. Syst. xiii. 63; Soland. ex Sims, Bot. Mag. t. 675 = *Lathyrus pannonicus*.  
*varius*, Schleich. ex Reichb. Fl. Germ. Excurs. 529 = *Vicia pallens*.  
*venetus*, Mill. Gard. Dict. ed. VIII. n. 8.—Europ. austr.  
*venosus*, Willd. ex Link, Enum. Hort. Berol. ii. 236 = *Lathyrus venosus*.  
*vernus*, Linn. Sp. Pl. 728 = *Lathyrus vernus*.  
*vernus*, Sibth. & Sm. Fl. Graec. vii. t. 691 = *venetus*.  
*versicolor*, Bieb. ex Steud. Nom. ed. II. ii. 233 = *venetus*.  
*versicolor*, J. F. Gmel. Syst. 1108 = *Lathyrus pannonicus*.  
*vestitus*, Alef. in Bonplandia, ix. (1861) 145 = *Lathyrus vestitus*.  
*viciaeformis*, Lag. Gen. et Sp. Nov. 22 = *Vicia calcarata*.  
*viciaeformis*, Vill. ex Willk. & Lange, Prod. Fl. Hisp. iii. 322 = *Lathyrus canescens*.  
*vicioides*, Ser. in DC. Prod. ii. 377 = *Vicia oroboides*.  
*vicioides*, Vill. Prosp. 43 = *Lathyrus canescens*.  
*villosus*, Torr. in A. Gray, Bot. U. St. Expl. Exped. ii. 267 = *Lathyrus Torreyi*.

OROGA, Rafin. Fl. Tellur. iii. 86 (1836) = **Origanum**, Tourn. (Labiata).  
*heracleotica*, Rafin. l. c. = *Origanum vulgare*.

**OROGENIA**, S. Wats. in Bot. King's Exped. 120. t. 15. f. 1-3 (1871). **UMBELLIFERAE**.  
*linearifolia*, S. Wats. l. c.—Am. bor. occ.

OROLLANTHUS, E. Mey. Comm. Pl. Afr. Austr. ii. 230 (1837), sphalm. = **Aeolanthus**, Mart. (Labiata).

**ORONTIUM**, Linn. Diss. Chen. 26 (1751); Amoen. Acad. iii. 17 (1756). **AROIDEAE**, Benth. & Hook. f. iii. 994.

*ARONIA*, Mitch. in Act. Phys. Med. Acad. Nat. Cur. viii. (1748) App. 206.  
*aquaticum*, Linn. Sp. Pl. 324.—Am. bor.  
*cochinchinense*, Lour. Fl. Cochinch. 208 = *Acorus Calamus*.  
*japonicum*, Thunb. Fl. Jap. 144 = *Rohdea japonica*.  
*lilifolium*, Salisb. Prod. 263 = *Rohdea japonicum*.

**ORONTIUM**, Pers. Syn. ii. 158 (1807) = **Antirrhinum** Linn. (Scrophul.).  
*arabicum*, Ehrenb. ex Boiss. Fl. Orient. iv. 386 = *Schweinfurthia pterosperma*.  
*arvense*, Pers. Syn. ii. 158 = A. *Orontium*.  
*Asarina*, Pers. l. c. 159 = A. *Asarina*.  
*calycinum*, Pers. l. c. 158 = A. *Orontium*.  
*majus*, Pers. l. c. = A. *majus*.  
*molle*, Pers. l. c. = A. *molle*.  
*papilionaceum*, Pers. l. c. = *Schweinfurthia sphaerocarpa*.  
*pinnatum*, Pers. l. c. 159 = *Nemesia pinnata*.  
*sempervirens*, Pers. l. c. 158 = A. *sempervirens*.  
*siculum*, Pers. l. c. = A. *siculum*.  
*supinum*, Willem. ex Steud. Nom. ed. I. 433, in syn. = *Linaria repens*.

**OROPETIUM**, Trin. Fund. Agrost. 98. t. 3 (1820).  
**GRAMINEAE**, Benth. & Hook. f. iii. 1206.  
*thomacum*, Trin. l. c.—Ind. or.

**OROPHEA**, Blume, Bijdr. 18 (1825). **ANONACEAE**, Benth. & Hook. f. i. 29.  
*acuminata*, A. DC. Mém. Anonac. 39.—Burma.  
*anceps*, Pierre, Fl. For. Cochinch. t. 46.—Cambodia.  
*aurantiaca*, Miq. Ann. Mus. Bot. Lugd. Bat. ii. 25.—N. Guinea.  
*Beccarii*, Scheff. in Ann. Jard. Buitenz. ii. (1885) 18.—N. Guin.  
*borneensis*, Miq. Ann. Mus. Bot. Lugd. Bat. ii. 26.—Borneo.  
*Brandisii*, Hook. f. & Thoms. in Hook. f. Fl. Brit. Ind. i. 91.—Burma.  
*celebica*, Miq. Fl. Ind. Bat. i. ii. 30.—Ins. Celebes.  
*chrysocarpa*, Miq. Ann. Mus. Bot. Lugd. Bat. ii. 24.—Borneo.  
*coriacea*, Thw. Enum. Pl. Zeyl. 8 = *Bocagea coriacea*.  
*corymbosa*, Miq. Fl. Ind. Bat. i. ii. 29.—Java.  
*costata*, Scheff. in Ann. Jard. Buitenz. ii. (1885) 19.—N. Guin.  
*Cumingiana*, Vidal, Phan. Cuming. Philipp. 170.—Ins. Philipp.

## OROPHEA:—

- Desmos*, Pierre, Fl. For. Cochinch. t. 43.—Cambodia.  
*Diepenhorstii*, Scheff. in Flora, lii. (1869) 302; et in Tijdschr. Nederl. Ind. xxxi. (1870) 10.—Java.  
*dodecandra*, Miq. Ann. Mus. Bot. Lugd. Bat. ii. 25.—Borneo.  
*enneandra*, Blume, Bijdr. 18.—Malaya.  
*enterocarpa*, Maing. ex Hook. f. Fl. Brit. i. 92.—Malacca.  
*enterocarpoidea*, Vidal, Phan. Cuming. Philipp. 171.—Ins. Philipp.  
*erythrocarpa*, Bedd. in Madr. Journ. Sc. Ser. II. xxii. (1861) 71.—Ind. or.  
*Harmandiana*, Pierre, Fl. For. Cochinch. t. 44.—Cambodia.  
*hexandra*, Blume, Bijdr. 18.—Java.  
*Heyneana*, Hook. f. & Thoms. Fl. Ind. i. 110 = *Mitrephora Heyneana*.  
*katschallica*, Kurz, in Journ. Bot. xiii. (1875) 323.—Ins. Nicobar.  
*latifolia*, Miq. Fl. Ind. Bat. i. ii. 30.—Java.  
*macrocarpa*, Miq. Ann. Mus. Bot. Lugd. Bat. ii. 26.—Ins. Celebes.  
*obliqua*, Hook. f. & Thoms. Fl. Ind. i. 112 = *Bocagea obliqua*.  
*ovata*, Scheff. in Ann. Jard. Buitenz. i. (1876) 3.—N. Guin.  
*pamateonis*, Miq. Fl. Ind. Bat. i. ii. 24.—Borneo.  
*polycarpa*, A. DC. Mém. Anonac. 39.—Burma.  
*polycephala*, Pierre, Fl. For. Cochinch. t. 46.—Cambodia.  
*reticulata*, Miq. Ann. Mus. Bot. Lugd. Bat. ii. 23.—Java.  
*rugosa*, Miq. l. c.—Java.  
*sumatrana*, Miq. l. c. 24.—Sumatra.  
*Thomsoni*, Bedd. in Madr. Journ. Ser. II. xxii. (1861) 72.—Ind. or.  
*Thorelii*, Pierre, Fl. For. Cochinch. t. 44.—Cambodia.  
*trachycarpa*, Miq. Ann. Mus. Bot. Lugd. Bat. ii. 23.—Sumatra.  
*trigyna*, Miq. l. c. 25.—Borneo.  
*undulata*, Pierre, Fl. For. Cochinch. t. 45.—Cambodia.  
*uniflora*, Hook. f. & Thoms. Fl. Ind. i. 110.—Ind. or.  
*zeylanica*, Hook. f. & Thoms. l. c. 111.—Zeylan.

**OROPHOMA**, Drude, in Mart. Fl. Bras. iii. ii. 294. t. 66 (1882) = **Mauritia**, Linn. f. (Palm.).  
*Carand*, Spruce, ex Drude, l. c. 295 = M. *Caranà*.  
*subinermis*, Drude, l. c. 296 = M. *subinermis*.

**OROPOGON**, Neck. Elem. iii. 211 (1790) = **Andropogon**, Linn. (Gramin.).

**OROSTACHYS**, [Fisch.] Hort. Gorenk. ed. I (1808), 99 = **Cotyledon**, Tourn. (Crassul.).  
*chlorantha*, [Fisch.] l. c. = C. *spinosa*.  
*malachophylla*, [Fisch.] l. c. = C. *malachophylla*.  
*serrata*, Sweet, Hort. Brit. ed. II. 225 = C. *malachophylla*.  
*spinosa*, Sweet, l. c. = C. *spinosa*.  
*thyrsiflora*, [Fisch.] Cat. Hort. Gorenk. ed. I (1808), 99 = C. *leucantha*, Crassula *thyrsiflora*.

**OROSTACHYS**, Steud. Nom. ed. II. ii. 233 (1841) = **ORTHOSTACHYS**, Ehrh. = **Elymus**, Linn. (Gramin.).

**OROTHAMNUS**, Pappe, ex Hook. Bot. Mag. t. 4357 (1848) = **Mimetes**, Salisb. (Proteac.).  
*Zeyheri*, Pappe, ex Hook. l. c. = M. *Zeyheri*.

**OROXYLON**, Vent. Dec. Gen. Nov. (1808) 8. **BIGNONIACEAE**, Benth. & Hook. f. ii. 1040.  
*CALOSANTHES*, Blume, Bijdr. 760 (1826).  
*HIPPOXYLON*, Rafin. Sylva Tellur. 78 (1838).  
*indicum*, Vent. Dec. Gen. Nov. 8.—As. trop.

**ORPHANIDESIA**, Boiss. & Bal. ex Boiss. Pl. Or. Nov. Dec. i. 3 (1875). **ERICACEAE**, Benth. & Hook. f. ii. 586.  
*gaultherioides*, Boiss. & Bal. l. c. 4.—As. Min.

**ORPHIUM**, E. Mey. Comm. Pl. Afr. Austr. 181 (1837). **GENTIANAEAE**, Benth. & Hook. f. ii. 805.  
*VALERANDA*, Neck. Elem. ii. 33 (1790).  
*arenarium*, Presl, Bot. Bemerk. 104 = *Chironia arenaria*.  
*frutescens*, E. Mey. Comm. Pl. Afr. Austr. 181.—Afr. austr.



- ORSIDICE, Reichb. f. in Bonplandia, ii. (1854) 93 = *Sarcochilus*, R. Br. (Orchid.).  
*amplexicaulis*, Reichb. f. l. c. = *S. lilacinus*.  
*lilacina*, Reichb. f. l. c. = *S. lilacinus*.
- ORSINA, Bertol. in Ann. Stor. Nat. Bologn. I. ii. (1829) 362 = *Inula*, Linn. (Compos.).  
*camphorata*, Bertol. l. c. = *I. viscosa*.
- ORSINIA, Bertol. ex DC. Prod. v. 104 (1836) = *Clibadium*, Linn. (Compos.).  
*Eupatoria*, DC. l. c. = *C. rotundifolium*.
- ORSOPEA, Rafin. Sylva Tellur. 73 (1838) = *Sterculia*, Linn.  
*fetida*, Rafin. l. c. = *S. Helicteres*.
- ORTACHNE, Nees, in Seem. Bot. Voy. Herald, 225 (1852-57) = *Aristida*, Linn. (Gramin.).  
*pilosa*, Nees, l. c. = *A. jorullensis*.  
*retorta*, Nees, ex Steud. Syn. Pl. Gram. 121. — Patagon. scabra, Fourn. in Bull. Soc. Bot. Fr. xxvii. (1880) 295 = *A. scabra*.  
*tenuis*, Fourn. l. c. = *A. tenuis*.
- ORTEGA, Linn. Sp. Pl. ed. I. 560 (1753). *CARYOPHYLLEAE*, Benth. & Hook. f. i. 153.  
 MOSINA, Adans. Fam. ii. 272 (1763).  
 TEROGIA, Rafin. Fl. Tellur. iii. 56 (1836).  
*dichotoma*, Linn. Mant. ii. 174. — Italia.  
*hispanica*, Linn. Sp. Pl. 560. — Hispan. ; Afr. bor.
- ORTEGIA, Loeffl. Iter Hisp. 112 (1758) = *praece*.
- ORTEGIOIDES, Soland. ex DC. Prod. iii. 76 (1828) = *Ammannia*, Houst. (Lythrar.).  
*decussata*, Soland. l. c. = *A. pentandra*.
- ORTIGIESIA, Regel, Ind. Sem. Hort. Petrop. (1866) 80; et Gartenfl. (1867) 193. t. 547. *BROMELIACEAE*, [Benth. & Hook. f. iii. 662].  
*tillandsioides*, Regel, l. c. 81; 193. — Bras. ; Uruguay.
- ORTHAEA, Klotzsch, in Linnaea, xxiv. (1851) 23. *VACCINIACEAE*, Benth. & Hook. f. ii. 568.  
*panurensis*, Spruce, ex Benth. & Hook. f. Gen. ii. 568 = *Satyria panurensis*.  
*secundiflora*, Klotzsch, in Linnaea, xxiv. (1851) 24. — Peruv.
- ORTHANTHE, Lem. Illustr. Hort. iii. (1856) sub t. 81 = *Gloxinia*, L'Hérit. (Gesner.).  
*Fyfiana*, Lem. l. c. = *G. Fyfiana*.
- ORTHANTHERA, Wight, Contrib. 48 (1834). *ASCLEPIADEAE*, [Benth. & Hook. f. ii. 778.]  
*viminea*, Wight, l. c. — Ind. bor. occ.
- ORTHOCARPUS, Nutt. Gen. Am. ii. 56 (1818). *SCROPHULARINEAE*, Benth. & Hook. f. ii. 974.  
*ONCORHYNCHUS*, Lehm. Ind. Sem. Hort. Hamb. (1832). — Cf. Linnaea, viii. (1833) Litt. 5.  
*PHYSCHEILUS*, Nutt. ex Benth. in DC. Prod. x. 536, in syn. (1846).  
*TRIPHYSARIA*, Fisch. & Mey. Ind. Sem. Hort. Petrop. ii. 52 (1835).  
*attenuatus*, A. Gray, in Pacif. Rail. Rep. iv. 121. — Am. bor. occ.  
*australis*, Benth. in DC. Prod. x. 537. — Peruv.  
*Beldingi*, Greene, in Bull. Calif. Acad. i. III. (1885) 123. — Calif.  
*Bidwelliae*, A. Gray, in Proc. Am. Acad. xv. (1880) 51. — Calif.  
*bracteosus*, Benth. Scroph. Ind. 13. — Am. bor. occ.  
*campestris*, Benth. Pl. Hartw. 329. — Calif.  
*castillejoides*, Benth. Scroph. Ind. 13. — Am. bor. occ.  
*densiflorus*, Benth. l. c. — Calif.  
*erianthus*, Benth. l. c. 12. — Calif.  
*faucibaratus*, A. Gray, in Pacif. Rail. Rep. iv. 121 = *erianthus*.  
*floribundus*, Benth. Scroph. Ind. 12. — Calif.  
*gracilis*, Benth. l. c. — Calif.  
*hispidus*, Benth. l. c. 13. — Am. bor. occ.  
*imbricatus*, Torr. ex S. Wats. in Bot. King's Exped. 458. — Am. bor. occ.  
*lacerus*, Benth. Pl. Hartw. 329. — Calif.  
*lasiorynchus*, A. Gray, in Proc. Am. Acad. xii. (1877) 82. — Calif.
- VOL. II.
- ORTHOCARPUS:—  
*linearifolius*, Benth. ex A. Gray, in Proc. Am. Acad. xix. (1884) 95, sphalm. = *tenuifolius*.  
*linearilobus*, Benth. Pl. Hartw. 330. — Calif.  
*lithospermoides*, Benth. Scroph. Ind. 13. — Am. bor. occ.  
*luteus*, Nutt. Gen. Am. ii. 57. — Am. bor. occ.  
*mexicanus*, Hemsl. Biol. Centr. Am. Bot. ii. 463. — Mexic.  
*pachystachyus*, A. Gray, Syn. Fl. N. Am. ii. i. 300. — Calif.  
*pallidus*, A. Gray, in Am. Journ. Sc. Ser. II. xxxiv. (1862) 339. — Am. bor. occ.  
*pallidus*, A. Gray, in Bot. King's Exped. 231 = *pilosus*.  
*Parishii*, A. Gray, in Proc. Am. Acad. xvii. (1881-82) 229. — Calif.  
*Parryi*, A. Gray, in Am. Natural. viii. (1874) 214 = *pallidus*.  
*pilosus*, S. Wats. in Bot. King's Exped. 231, 459. — Calif.  
*purpurascens*, Benth. Scroph. Ind. 13. — Calif. ; Arizona.  
*purpureo-albus*, S. Wats. in Bot. King's Exped. 458. — Am. bor. occ.  
*pusillus*, Benth. Scroph. Ind. 12. — Calif.  
*strictus*, Benth. l. c. = *luteus*.  
*tenuifolius*, Benth. l. c. 12, in nota. — Am. bor. occ.  
*tenuifolius*, A. Gray, in Bot. Calif. i. 577 = *imbricatus*.  
*Tolmiei*, Hook. & Arn. Bot. Beech. Voy. 379. — Am. bor. occ.
- ORTHOCENTRON, Cass. in Dict. Sc. Nat. xxxvi. 480 (1823) = *Cnicus*, Linn. (Compos.).  
*glomeratum*, Cass. l. c. 481 = *C. polyanthemus*.
- ORTHOCERAS, R. Br. Prod. 316 (1810). *ORCHIDEAE*, Benth. & Hook. f. iii. 608.  
*Solandri*, Lindl. Gen. et Sp. Orch. 512 = *strictum*.  
*strictum*, R. Br. Prod. 317. — Austral. ; N. Zel.
- ORTHOCHILUS, Hochst. ex A. Rich. Tent. Fl. Abyss. ii. 284. t. 82 (1851) = *Eulophia*, R. Br. (Orchid.).  
*abyssinicus*, Hochst. l. c. = *E. abyssinica*.  
*Mechowii*, Reichb. f. in Flora, lxx. (1882) 532. — Afr. trop.  
*Renschianus*, Reichb. f. l. c. — Afr. trop.  
*Welwitschii*, Reichb. f. l. c. xlviii. (1865) 186. — Afr. trop.
- ORTHOCLADA, Beauv. Agrost. 69. t. 14. f. 9 (1812). *GRAMINEAE*, Benth. & Hook. f. iii. 1190.  
*laxa*, Beauv. l. c. 70. — Guian. ; Bras.  
*laxa*, Kunth, Rév. Gram. t. 71 = *rariflora*.  
*rariflora*, Beauv. Agrost. 70. — Am. trop.
- ORTHODANUM, E. Mey. Comm. Pl. Afr. Austr. 131 (1835) = *Rhynchosia*, Lour. (Legumin.).  
*argenteum*, E. Mey. l. c. 132 = *R. orthodanum*.  
*glabratum*, Meissn. in Hook Lond. Journ. Bot. ii. (1843) 91 = *R. orthodanum*.  
*latifolium*, E. Mey. Comm. Pl. Afr. Austr. i. 131 = *R. orthodanum*.  
*Muehlenbeckii*, Meissn. in Hook. Lond. Journ. Bot. ii. (1843) 92 = *R. orthodanum*.  
*sordidum*, E. Mey. Comm. Pl. Afr. Austr. 131 = *R. orthodanum*.
- ORTHODON, Benth. & Oliver, in Journ. Linn. Soc. ix. (1867) 167 = *Mosla*, Buch.-Ham. (Labiata).  
*japonicum*, Benth. & Oliver, l. c. = *M. japonica*.
- ORTHOGYNIUM, Baill. in Bull. Soc. Linn. Par. i. (1885) 459. *MENISPERMACEAE*.  
*gomphoides*, Baill. l. c. — Madag.
- ORTHOLOMA, Hanst. in Linnaea, xxvi. (1853-55) 209 = *Columnnea*, Linn. (Gesner.).  
*acuminatum*, Hanst. l. c. ; Oerst. in Vidensk. Selsk. Skr. V. v. (1861) 126 = *C. acuminata*.  
*ochroleucum*, Klotzsch, ex Oerst. l. c. 125 = *C. ochroleuca*.  
*pendulum*, Klotzsch, ex Oerst. l. c. 126 = *C. pendula*.  
*vestitum*, Klotzsch, ex Oerst. l. c. 124 = *C. Warszewicziana*.  
*Warszewiczianum*, Klotzsch, ex Oerst. l. c. 125 = *C. Warszewicziana*.  
*Warszewiczii*, Hanst. in Linnaea, xxvi. (1853) 216. t. 2. f. 5-6 = *C. Warszewicziana*.
- ORTHOLOTUS, Fourn. in Ann. Soc. Linn. Lyon, N. S. xvi. (1868) 363 = *Dorycnium*, Linn. (Legumin.).  
*rectus*, Fourn. l. c. = *D. rectum*.
- ORTHOPETALUM, Beer, Bromel. 70 (1857) = *Pitcairnia*, L'Hérit. (Bromel.).  
*inermis*, Beer, l. c. 72 = *P. inermis*.  
*lanuginosum*, Beer, l. c. 70 = *P. lanuginosa*.  
*pulverulentum*, Beer, l. c. 71 = *P. pulverulenta*.
- ORTHOPHYTUM, Beer, in Flora, xxvii. (1854) 347 = *Pitcairnia*, L'Hérit. (Bromel.).
- ORTHOPOGON, R. Br. Prod. 194 (1810) = *Oplismenus*, Beauv. (Gramin.).  
*abortivus*, Spreng. Syst. i. 306 = *Chamaeraphis spinescens*.  
*aemulus*, R. Br. Prod. 194 = *Oplism. undulatifolius*.  
*africanus*, Sweet, Hort. Brit. ed. I. 448 = *Oplism. compositus*.  
*agrostoides*, Trev. ex Steud. Nom. ed. II. ii. 234 = *Arundinella nepalensis*.  
*bromoides*, Loud. Hort. Brit. 25 = *Oplism. Burmannii*.  
*Burmanni*, R. Br. Prod. 194 = *Oplism. Burmannii*.  
*compositus*, R. Br. l. c. = *Oplism. compositus*.  
*Crus-galli*, Spreng. Syst. i. 307 = *Panicum Crus-galli*.  
*cubensis*, Spreng. l. c. 306 = *Panicum cubense*.  
*dichotomus*, Llanos, Fragn. 38 = *Panicum Crus-galli*.  
*echinatus*, Spreng. Syst. i. 307 = *Panicum Crus-galli*.  
*flaccidus*, R. Br. Prod. 194 = *Oplism. undulatifolius*.  
*gonyrrhizus*, Miq. Fl. Ind. Bat. iii. 443. — Java.  
*hirsutus*, Spreng. ex Steud. Nom. ed. II. ii. 234 = *Panicum spectabile*.  
*hirtellus*, R. Br. Prod. 194 = *Oplism. compositus*.  
*hirtellus*, Llanos, Fragn. 37 = *Panicum lanceolatum*.  
*hirtellus*, Nutt. Gen. Am. i. 55 = *Panicum Nuttallianum*.  
*hispidus*, Spreng. Syst. i. 307 = *Panicum Crus-galli*.  
*holciformis*, Spreng. l. c. = *Panicum holciforme*.  
*imbecillis*, R. Br. Prod. 194 = *Oplism. undulatifolius*.  
*loliaceus*, Spreng. Syst. i. 306 = *Oplism. compositus*.  
*longeracemosus*, Miq. Fl. Ind. Bat. iii. 443 = *Oplism. compositus*.  
*parvifolius*, Nutt. Gen. Am. ii., in Erratis = *Panicum Nuttallianum*.  
*pratensis*, Spreng. Syst. i. 306 = *Oplism. compositus*.  
*remotus*, Trin. Fund. Agrost. 181 = *Oplism. compositus*.  
*Retzii*, Spreng. Syst. i. 307 = *Panicum Crus-galli*.  
*setarius*, Spreng. l. c. 306 = *Oplism. undulatifolius*.  
*squarrosus*, Spreng. l. c. 307 = *Panicum Crus-galli*.  
*stagninus*, Spreng. l. c. = *Panicum Crus-galli*.  
*subverticillatus*, Llanos, Fragn. 38 = *Panicum coloratum*.  
*sylvaticus*, Miq. Fl. Ind. Bat. iii. 443 = *Oplism. compositus*.  
*undulatifolius*, Spreng. Syst. i. 306 = *Oplism. undulatifolius*.  
*velutinus*, Spreng. l. c. = *Oplism. Burmannii* !
- ORTHORAPHIUM, Nees, in Proc. Linn. Soc. i. (1841) 94 = *Stipa*, Linn. (Gramin.).  
*Roylei*, Nees, l. c. — Ind. or.
- ORTHOSANTHUS, Steud. Nom. ed. II. ii. 234 (1840) = *Orthrosanthus*, Sweet (Irid.).
- ORTHOSELIS, Spach, Hist. Vég. Phan. vi. 453 (1838) = *Heliophila*, Linn. (Crucif.).  
*pilosa*, Spach, l. c. 454 = *H. pilosa*.
- ORTHOSIA, Decne. in DC. Prod. viii. 526 (1844) = *Vincetoxicum*, Moench (Asclep.).  
*acuminata*, Griseb. Cat. Pl. Cub. 175. — Cuba.  
*arenosa*, Decne. in DC. Prod. viii. 527. — Bras.  
*congesta*, Decne. l. c. 527. — Bras.  
*Decaisnei*, Fourn. in Mart. Fl. Bras. vi. IV. 222. — Bras.  
*Eichleri*, Fourn. l. c. — Bras.  
*Kunthii*, Decne. in DC. Prod. viii. 527 = *V. Kunthii*.  
*multiflora*, Fourn. in Mart. Fl. Bras. vi. IV. 222. — Bras.  
*oblongata*, Griseb. Cat. Pl. Cub. 176. — Cuba.



## ORTHOSIA:—

*paniculata*, Klotzsch, in Schomb. Fauna & Fl. Brit. Gui. 954, nomen.—Guian.  
*serpyllifolia*, Decne. in DC. Prod. viii. 527.—Ecuador.  
*suberosa*, Decne. l. c. = *Metastelma suberosum*.  
*umbrosa*, Decne. l. c.—Bras.  
*urceolata*, Fourn. in Mart. Fl. Bras. vi. iv. 223.—Bras.  
*virgata*, Fourn. l. c.—Bras.

**ORTHOSIPHON**, Benth. in Bot. Reg. sub t. 1300 (1830); et Lab. Gen. et Sp. 25 (1832). *LABIATAE*, Benth. & Hook. f. ii. 1174.

*adscendens*, [Benth.] ex Sweet, Hort. Brit. ed. II. 413 = *Ocimum adscendens*.  
*ambiguus*, Bolus, in Journ. Linn. Soc. xviii. (1881) 394.—Afr. austr.  
*aristatus*, Miq. Fl. Ind. Bat. ii. 943.—Java.  
*asperus*, [Benth.] ex Sweet, Hort. Brit. ed. II. 413 = *Coleus barbatus*.  
*australis*, Vatke, in Linnaea, xl. (1876) 179.—Afr. trop.  
*bracteatus*, Wight, Ic. t. 1428 = *comosus*.  
*brevicaulis*, Baker, in Journ. Linn. Soc. xxi. (1885) 433.—Madag.  
*breviflorus*, Vatke, in Linnaea, xliii. (1880–82) 88.—Afr. bor.  
*capitatus*, Benth. Lab. Gen. et. Sp. 29 = *Catoptheria capitata*.  
*cleistocalyx*, Vatke, in Linnaea, xxxvii. (1871–73) 317.—Abyssin.  
*coloratus*, Vatke, l. c. xliii. (1880–82) 86.—Afr. trop.  
*comosus*, Wight, ex Benth. in DC. Prod. xii. 52.—Ind. or.  
*diffusus*, Benth. l. c. 50.—Ind. or.  
*Ehrenbergii*, Vatke, in Linnaea, xxxvii. (1871–73) 316.—Abyssin.  
*emimensis*, Baker, in Journ. Linn. Soc. xxi. (1885) 433.—Madag.  
*ferrugineus*, Balf. f. in Proc. Roy. Soc. Edinb. xii. (1884) 91.—Ins. Socotr.  
*glabratus*, Benth. in Wall. Pl. As. Rar. ii. 14; et in Cat. n. 2724 = *tomentosus*.  
*Hildebrandtii*, Vatke, in Bremen, Abh. ix. (1885) 134.—Madag.  
*hispidus*, Benth. in DC. Prod. xii. 50; et in Wall. Cat. n. 2718 = *diffusus*.  
*incurvus*, Benth. in Wall. Pl. As. Rar. ii. 15.—Reg. Himal.  
*inodorus*, Koen. ex Hook. f. Fl. Brit. iv. 613 = *pallidus*.  
*linearis*, Benth. in Hook. Ic. Pl. t. 1274.—Afr. trop.  
*pallidus*, Benth. Lab. Gen. et Sp. 703; Royle, ex Benth. in Hook. Bot. Misc. iii. (1833) 370.—Ind. or.; Arab.  
*parvifolius*, Vatke, in Linnaea, xliii. (1880–82) 87.—Afr. trop.  
*petiolaris*, Miq. Fl. Ind. Bat. ii. 943.—Java.  
*physocalycinus*, A. Rich. Tent. Fl. Abyss. ii. 180.—Abyssin.  
*reflexus*, Vatke, in Linnaea, xliii. (1880–82) 85 = *Ehrenbergii*.  
*robustus*, Hook. f. Fl. Brit. Ind. iv. 614.—Reg. Himal.  
*rubicundus*, Benth. in Wall. Pl. As. Rar. ii. 14.—Ind. or.; Burma.  
*scapiger*, Benth. l. c. 15.—Reg. Himal.  
*Schimperi*, Benth. in DC. Prod. xii. 51.—Abyssin.  
*secundiflorus*, Baker, in Journ. Linn. Soc. xxi. (1885) 433.—Madag.  
*somalensis*, Vatke, in Linnaea, xliii. (1880–82) 87.—Afr. trop.  
*spicatus*, Benth. in DC. Prod. xii. 53.—N. Granat.  
*stamineus*, Benth. in Wall. Pl. As. Rar. ii. 15.—Ind. or.; Malaya; Austral.  
*tenuiflorus*, Benth. in DC. Prod. xii. 50.—Arab.  
*tomentosus*, Benth. in Wall. Pl. As. Rar. ii. 14.—Ind. or.  
*tristis*, Benth. in Bot. Reg. sub t. 1300 = *tomentosus*.  
*verticillatus*, Heyne, ex Hook. f. Fl. Brit. Ind. iv. 613 = *pallidus*.  
*virgatus*, Benth. in Wall. Pl. As. Rar. ii. 14 = *rubicundus*.  
*viscosus*, Benth. in Wall. Cat. n. 2723 = *tomentosus*.  
*viscosus*, Benth. in Wall. Pl. As. Rar. ii. 14.—Ind. or.

**ORTHOSPERMUM**, Opiz, Seznam, 70 (1852); Schur, in Verh. Siebenb. Ver. Naturw. iv. (1853) 63 = **Chenopodium**, Tourn.  
*acuminatum*, Schur, Enum. Pl. Transs. 571 = *C. rubrum*.

## ORTHOSPERMUM:—

*Bonus-Henricus*, Schur, in Verh. Siebenb. Ver. Naturw. iv. (1853) 63 = *Chenopodium Bonus-Henricus*.  
*crassifolium*, Schur. l. c. = *C. rubrum*.  
*glaucum*, Opiz, Seznam, 71 = *C. glaucum*.  
*rubrum*, Opiz, l. c. 70 = *C. rubrum*.

**ORTHOSPORUM**, T. Nees, Gen. Fl. Germ. Monochl. n. 58 (1835) = **Chenopodium**, Tourn.  
*ambrosioides*, Kostel. Allg. Med.-Pharm. Fl. iv. 1433 = *C. ambrosioides*.  
*anthelminticum*, Kostel. l. c. = *C. ambrosioides*.  
*Bonus-Henricus*, T. Nees, Gen. Fl. Germ. Monochl. n. 58 = *C. Bonus-Henricus*.  
*glaucum*, Peterm. Fl. Bienitz, 94 = *C. glaucum*.  
*multifidum*, Kostel. Allg. Med.-Pharm. Fl. iv. 1434 = *Roubieva multifida*.  
*rubrum*, T. Nees, Gen. Fl. Germ. Monochl. n. 58 = *C. rubrum*.  
*suffruticosum*, Kostel. Allg. Med.-Pharm. Fl. iv. 1433 = *C. ambrosioides*.

**ORTHOSTACHYS**, Ehrh. Beitr. iv. 146 (1789) = **Elymus**, Linn. (Gramin.).

**ORTHOSTACHYS**, Spach, Hist. Vég. Phan. ix. 32 (1840) = **OROSTACHYS**, Fisch. = **Cotyledon**, Tourn. (Crassul.).

**ORTHOSTEMMA**, Wall. ex Voigt, Hort. Suburb. Calc. 384 (1845) = **Pentas**, Benth. (Rubiace.).  
*comorensis*, Boiv. ex Baill. Adansonia, xii. (1879) 234 = *Cremaspora comorensis*.  
*roseum*, Wall. ex Voigt, Hort. Suburb. Calc. 384 = *P. carnea*?

**ORTHOSTEMON**, Berg, in Linnaea, xxvii. (1854) 440 = **Feijoa**, Berg (Myrtac.).  
*obovatus*, Berg, in Mart. Fl. Bras. xiv. i. 468 = *F. obovata*.  
*Sellowianus*, Berg, l. c. 467 = *F. Sellowiana*.

**ORTHOSTEMON**, R. Br. Prod. 451 (1810) = **Canscora**, Lam. (Gentian.).  
*erectum*, R. Br. l. c. = *C. diffusa*.  
*Huegelii*, Griseb. in DC. Prod. ix. 63 = *C. diffusa*.

**ORTHOTACTUS**, Nees, in Mart. Fl. Bras. ix. 131. t. 21 (1847) = **Dianthera**, Gronov. (Acanth.).  
*aequilabris*, Nees, l. c. 134.—Bras.  
*Arnotianus*, Nees, l. c. 132.—Bras.  
*ciliatus*, Nees, l. c. 135 = *Beloperone ciliata*?  
*Felisbertianus*, Nees, l. c. 132 = *Adhatoda Felisbertiana*.  
*glandulosus*, Nees, l. c.—Bras.  
*montanus*, Nees, l. c. 134.—Bras.  
*nemorosus*, Nees, in Benth. Bot. Voy. Sulph. 147, in obs.—Hab.?  
*oblongus*, Nees, l. c. 147 = *D. oblonga*.  
*Pohlianus*, Nees, in Mart. Fl. Bras. ix. 134.—Bras.  
*roseus*, Nees, l. c. 133.—Bras.  
*strobilaceus*, Nees, l. c.—Bras.  
*venosus*, Nees, l. c.—Bras.

**ORTHOTHECIUM**, Schott & Endl. Melet. 31 (1832) = **Helicteres**, Pluk. (Stercul.).  
*hirsutum*, Hassk. in Hov. & De Vriese, Tijdschr. x. (1843) 135 = *H. hirsuta*.  
*javanense*, Hassk. l. c. xii. (1845) 105 = *H. javanensis*.  
*Lhotskyanum*, Schott & Endl. Melet. 31.—Am. austr.  
*viscidum*, Hassk. in Hov. & De Vriese, Tijdschr. x. (1843) 135 = *H. viscida*.

**ORTHOTHELIUM**, Walp. Ann. i. 105 (1848), sphalm. = *prae*.

**ORTHOTROPIS**, Benth. in Lindl. Swan River App. 16 (1839) = **Chorizema**, Labill. (Legumin.).  
*pungens*, Benth. l. c. = *C. Henchmanni*.

**ORTHROSANTHES**, Rafin. Fl. Tellur. iv. 30 (1836) = **Orthrosanthus**, Sweet (Irid.).  
*ixioides*, Rafin. l. c. = *Orthrosanthus multiflorus*.

**ORTHROSANTHUS**, Sweet, Fl. Austral. t. 11 (1827). *IRIDEAE*, Benth. & Hook. f. iii. 697.  
*EVELTRIA*, Rafin. Fl. Tellur. iv. 30 (1836).  
*caeruleus*, Mangles, ex Herb. in Journ. Hort. Soc. ii. (1847) 92 (Quid?).—Austral.  
*chilensis*, Klotzsch, ex Baker, in Journ. Linn. Soc. xvi. (1877) 121 = *Solenomelus chilensis*.  
*chimboraensis*, Baker, in Gard. Chron. (1876) II. 67.—Am. trop.  
*gracilis*, Herb. in Journ. Hort. Soc. ii. (1847) 92, nomen.—Austral.  
*gramineus*, Benth. Fl. Austral. vi. 411.—Austral.  
*laxus*, Benth. l. c.—Austral.  
*Moritzianus*, Klotzsch, ex Baker, in Journ. Linn. Soc. xvi. (1877) 113 = *chimboraensis*.  
*Muelleri*, Benth. Fl. Austral. vi. 411.—Austral.  
*multiflorus*, Sweet, Fl. Austral. t. 11.—Austral.  
*polystachyus*, Benth. Fl. Austral. vi. 411.—Austral.  
*spicatus*, Baker, in Journ. Linn. Soc. xvi. (1877) 113.—Bras.

**ORTIGA**, Neck. Elem. ii. 400 (1790) = **Loasa**, Adans.

**ORTMANNIA**, Opiz, in Flora, xvii. (1834) 592 = **Geodorum**, Jacks. (Orchid.).  
*cernua*, Opiz, l. c. = *G. dilatatum*.

**ORTOSTACHYS**, Fourn. in Ann. Soc. Linn. Lyon, N. S. xvii. (1869) 136 = **Stachys**, Tourn. (Labiata.).  
*recta*, Fourn. l. c. = *S. recta*.

**ORUCARIA**, Juss. ex DC. Prod. ii. 420 (1825) = **Drepanocarpus**, G. F. W. Mey. (Legumin.).  
*lunata*, Juss. l. c. = *D. lunatus*.

**ORVALA**, Linn. Gen. ed. I. 174 (1737) = **Lamium**, Tourn. (Labiata.).  
*garganica*, Linn. Sp. Pl. 578 = *L. Orvala*.  
*lamioides*, DC. Fl. Fr. iii. 539 = *L. Orvala*.

**ORXERA**, Rafin. Fl. Tellur. iv. 37 (1836) = **Aërides**, Lour. (Orchid.).  
*cornuta*, Rafin. l. c. = *A. odoratum*.

**ORYCHOPHRAGMUS**, Bunge, in Mém. Sav. Etr. Acad. Pétersb. ii. (1835) 81; (Enum. Pl. Chin. Bor. 7) = **Moricandia**, DC. (Crucif.).  
*sonchifolius*, Bunge, ll. cc. = *M. sonchifolia*.

**ORYCTANTHUS**, Eichl. in Mart. Fl. Bras. v. II. 87. t. 29, 30 (1868) = **Loranthus**, Linn.  
*amplexicaulis*, Eichl. l. c. 88 = *L. amplexicaulis*.  
*botryostachyus*, Eichl. l. c. 89.—Am. trop.  
*chloranthus*, Eichl. l. c. = *L. chloranthus*.  
*glaberrimus*, Eichl. l. c. = *L. glaberrimus*.  
*occidentalis*, Eichl. l. c. = *L. occidentalis*.  
*ruficaulis*, Eichl. l. c. 90 = *L. ruficaulis*.  
*scabridus*, Eichl. l. c. 91.—Am. trop.  
*spicatus*, Eichl. l. c. 89 = *L. spicatus*.

**ORYCTES**, S. Wats. Bot. King's Exped. 274. t. 28 (1871). *SOLANACEAE*, Benth. & Hook. f. ii. 893.  
*nevadensis*, S. Wats. l. c.—Am. bor. occ.

**ORYGIA**, Forsk. Fl. Aegypt. Arab. 103 (1775). *FICOIDEAE*, Benth. & Hook. f. i. 856.  
*AXONOTECNIUM*, Fenzl, in Ann. Wien. Mus. i. (1836) 354; ii. (1838) 299.  
*decumbens*, Forsk. Fl. Aegypt. Arab. 103.—As. occ.; Ind. or.; Afr. trop.  
*mucronata*, Klotzsch, in Peters, Reise Mossamb. Bot. 140 = *decumbens*.  
*portulacaefolia*, Forsk. Fl. Aegypt. Arab. 103 = *Talinum cuneifolium*.

**ORYMARIA**, Meissn. Gen. 103 (1838) = **Orimaria**, Rafin.

**ORYSA**, Desv. Journ. Bot. i. (1813) 76 = **Oriza**, Linn. (Gramin.).

**ORYTHIA**, Endl. Gen. Suppl. i. 1408 (1841) = **Agalmia**, Blume (Gesner.).

**ORYZA**, Linn. Syst. ed. I (1735). *GRAMINEAE*, Benth. & Hook. f. iii. 1116.  
*PADIA*, Zoll. & Mor. Syst. Verz. Pfl. Zoll. 103 (1846).  
*caudata*, Doell, in Mart. Fl. Bras. ii. II. 8 = *sativa*?  
*clandestina*, A. Br. ex Aschers. Fl. Brandenb. 799 = *Leersia oryzoides*.



## ORYZA:—

- coarctata, *Roxb. Hort. Beng.* 87; *Fl. Ind.* ii. 206.—Reg. Himal.  
*communissima*, Lour. *Fl. Cochinch.* 215 = sativa.  
*denudata*, Steud. *Nom.* ed. I. 577 = sativa.  
*elongata*, Steud. I. c. = sativa?  
*fatua*, Koen. ex Trin. in *Mém. Acad. Pétersb. Sér. VI.* ii. 11. Sc. Nat. (1839) 177 = sativa.  
*filiformis*, Buch.-Ham. ex Steud. *Syn. Pl. Gram.* 3 = sativa?  
*glaberrima*, Steud. I. c.—Afr. trop.  
*glumapatula*, Steud. I. c.—Guiana.  
*glutinosa*, Lour. *Fl. Cochinch.* 215 = sativa.  
*granulata*, Nees, in Wall. *Cat. n.* 8634; Steud. *Syn. Pl. Gram.* 3 = sativa?  
*hexandra*, Doell, in Mart. *Fl. Bras.* ii. 11. 10 = Leersia hexandra.  
*latifolia*, Desv. *Journ. Bot.* i. (1813) 77.—Am. bor.; Ind. occ.  
*leersioides*, Steud. *Syn. Pl. Gram.* 3.—Madag.  
*marginata*, Steud. *Nom.* ed. I. 577 = sativa.  
*mexicana*, Doell, in Mart. *Fl. Bras.* ii. 11. 10 = Leersia hexandra.  
*minuta*, *f.* & *C. Presl, Rel. Haenk.* i. 208.—Ins. Philipp.  
*monandra*, Doell, in Mart. *Fl. Bras.* ii. 11. 9 = Leersia monandra.  
*montana*, Buch.-Ham. in Wall. *Cat. n.* 8633 = sativa?  
*montana*, Lour. *Fl. Cochinch.* 215 = sativa.  
*mutica*, Steud. *Nom.* ed. I. 577 = sativa.  
*nepalensis*, G. Don, ex Lond. *Hort. Brit.* 139 = sativa.  
*officinalis*, Wall. *Cat. n.* 8635; et Steud. *Syn. Pl. Gram.* 3 = sativa.  
*palustris*, Salisb. *Prod.* 25 = sativa.  
*parviflora*, Beauv. *Agrost.* 27 = sativa.  
*perennis*, Moench, *Meth.* 197 = sativa.  
*platyphylla*, Schult. *f. Syst.* vii. 1364 = latifolia.  
*praecox*, Lour. *Fl. Cochinch.* 215 = sativa.  
*prehensilis*, Steud. *Syn. Pl. Gram.* 3.—Afr. austr.  
*pubescens*, Steud. *Nom.* ed. I. 577 = sativa?  
*pumila*, Hort. ex Steud. I. c. ed. II. ii. 234 = sativa.  
*punctata*, Kotschy, ex Steud. *Syn. Pl. Gram.* 3.—Afr. trop.  
*repens*, Buch.-Ham. ex Steud. I. c. = sativa.  
*rubra*, Hort. Pillnitz. ex Walp. *Ann.* i. 924 = *Panicum colonum*.  
*rubribarbis*, Steud. *Nom.* ed. I. 577 = sativa.  
*rufipogon*, Griff. *Notul.* iii. 5; I. c. *Pl. Asiat.* 145. f. 2 = sativa?  
*sativa*, Hochst. ex Steud. *Syn. Pl. Gram.* 3 = glumapatula, punctata.  
*sativa*, Linn. *Sp. Pl.* 333.—As. trop.  
*segetalis*, Russ. ex Steud. *Syn. Pl. Gram.* 3 = sativa.  
*sorghoidea*, Steud. *Nom.* ed. I. 577 = sativa.  
*sorghoides*, Steud. *Syn. Pl. Gram.* 3 = praec.  
*subulata*, Nees, *Agrost. Bras.* 518 = sativa?  
*triandra*, Heyne, ex Steud. *Syn. Pl. Gram.* 3 = sativa?  
*triticoidea*, Griff. *Notul.* iii. 8 = coarctata.

ORYZOPSIS, Michx. *Fl. Bor. Am.* i. 51. t. 9 (1803).

- GRAMINEAE*, Benth. & Hook. f. iii. 1142.  
*CARYOCHLOA*, Spreng. *Syst.* iv. *Cur. Post.* 22, 30 (1827).  
*DILEPYRUM*, Rafin. in *Med. Repos. N. York*, v. (1808) 352.  
*ERIOCOMA*, Nutt. *Gen. Am.* i. 40 (1818).  
*FENDLERIA*, Steud. *Syn. Pl. Gram.* 419 (1855).  
*NASELLA*, E. Desv. in C. Gay, *Fl. Chil.* vi. 263. t. 75. f. 1 (1853).  
*PIPTATHERUM*, Beauv. *Agrost.* 17. t. 5. f. 10. 11 (1812).  
*PIPTOCHAETIUM*, J. & C. Presl, *Rel. Haenk.* i. 222. t. 37 (1830).  
*URACHNE*, Trin. *Fund. Agrost.* 109 (1820).  
*asperifolia*, [Rich. in] Michx. *Fl. Bor. Am.* i. 51.—Am. bor.  
*canadensis*, Torr. ex A. Gray, *Man. Bot. N. U. St.* ed. I. 583.—Am. bor.  
*coerulescens*, Hack. in *Denkschr. Acad. Wien*, I. (1885) 75.—As. Min.  
*cuspidata*, Benth. ex Vasey, *Gram. U. St.* 23.—Am. bor.  
*exigua*, Thurb. ex Torr. *Bot. U. St. Expl. Exped.* ii. 481.—Am. bor. occ.  
*fimbriata*, Hemsl. *Biol. Centr. Am. Bot.* iii. 538.—Mexic.  
*Fournieriana*, Hemsl. I. c.—Mexic.  
*holciiformis*, Hack. in *Denkschr. Acad. Wien*, I. (1885) 8.—Persia.

## ORYZOPSIS:—

- leucosperma*, Walp. *Ann.* iii. 728 = *asperifolia*.  
*melanocarpa*, Muhl. *Desc. Gram.* 79.—Am. bor.  
*micrantha*, Thurb. ex Porter & Coult. *Syn. Fl. Colorado*, 145.—Am. bor. occ.  
*mutica*, Link, *Enum. Hort. Berol.* i. 41, in obs. = *asperifolia*.  
*paradoxa*, Nutt. in *Journ. Acad. Philad.* iii. (1823) 128.—Europ.; Reg. Caucas.  
*parviflora*, Nutt. I. c. 126 = *canadensis*.  
*pubiflora*, Hack. in *Denkschr. Acad. Wien*, I. (1885) 8.—Persia.  
*setacea*, Rich. in *Dict. Sc. Class.* xii. 445.—Reg. Argent.  
*Webberi*, Benth. ex Vasey, *Gram. U. St.* 23.—Am. bor.

OSBECKIA, Linn. *Sp. Pl. ed. I.* 345 (1753).

- MELASTOMACEAE*, Benth. & Hook. f. i. 744.  
*AMBYLANTHERA*, Blume, *Mus. Bot. Lugd. Bat.* i. 50 (1849).  
*ASTEROSTOMA*, Blume, I. c. (1849).  
*BECKIA*, Rafin. *Sylva Tellur.* 103 (1838).  
*CERAMICALYX*, Blume, *Mus. Bot. Lugd. Bat.* i. 50 (1849).  
*HEDUSA*, Rafin. *Sylva Tellur.* 101 (1838).  
*KADALI*, Adans. *Fam.* ii. 234 (1763).  
*alpestris*, DC. *Prod.* iii. 140 = *Pterolepis alpestris*.  
*alveolata*, Bedd. I. c. *Pl. Ind. Or.* i. 37 = *reticulata*.  
*angustifolia*, D. Don, *Prod. Fl. Nep.* 221 = *chinensis*.  
*antennina*, Sm. in Rees, *Cycl.* xxv. n. 3 = *Dissotis antennina*.  
*Antherotoma*, Naud. in *Ann. Sc. Nat. Sér. III.* xiv. (1850) 56 = *Antherotoma Naudini*.  
*aspera*, Benth. in Wall. *Cat. n.* 4073 = *glauc.*  
*aspera*, Blume, in *Flora*, xiv. (1831) 474.—Ind. or.  
*aspericaulis*, Hook. f. ex Triana, in *Trans. Linn. Soc.* xxviii. (1871) 55.—Burma.  
*Aubletiana*, Spreng. *Syst.* ii. 311 = *Rhynchanthera grandiflora*.  
*australiana*, Naud. in *Ann. Sc. Nat. Sér. III.* xiv. (1850) 59.—Austral.  
*Bonplandiana*, Spreng. *Syst.* ii. 313 = *Monochaetum multiflorum*.  
*brachystemon*, Naud. in *Ann. Sc. Nat. Sér. III.* xiv. (1850) 57 = *cupularis*.  
*bracteolaris*, DC. *Prod.* iii. 141 = *Marcetia bracteolaris*.  
*brasila*, Schrank, ex DC. *Prod.* iii. 154 = *Leandra sericea*.  
*brasiliensis*, Schrank, ex Steud. *Nom.* ed. II. ii. 234 = *Leandra scabra*.  
*buxifolia*, Arn. in *Hook. Comp. Bot. Mag.* ii. (1836) 309.—Zeylan.  
*buxifolia*, Thw. ex C. B. Clarke, in Hook. f. *Fl. Brit. Ind.* ii. 519 = *Walkeri*.  
*campestris*, Buch.-Ham. in Wall. *Cat. n.* 4063 = *rostrata*.  
*canescens*, R. Grah. in *Edinb. N. Phil. Journ.* xxviii. (1840) 399 = *Dissotis incana*.  
*capitata*, Benth. in Wall. *Cat. n.* 4072; et ex Naud. in *Ann. Sc. Nat. Sér. III.* xiv. (1850) 68.—Reg. Himal.  
*capitata*, D. Don, ex Wight & Arn. *Prod.* 323 = *Wightiana*.  
*cernua*, Spreng. *Syst.* ii. 312 = *Brachyotum cernuum*.  
*chinensis*, Gaertn. *Fruct.* ii. 202 = *zeylanica*.  
*chinensis*, [Ker-Gawl.] *Bot. Reg.* t. 542 = *octandra*.  
*chinensis*, Linn. *Sp. Pl.* 345.—As. et Austral. trop.  
*Chulesis*, D. Don, *Prod. Fl. Nep.* 221 = *nepalensis*.  
*ciliaris*, Ser. ex DC. *Prod.* iii. 132 (= *Pleroma ciliaris*).—N. Granat.  
*confertiflora*, Naud. in *Ann. Sc. Nat. Sér. III.* xiv. (1850) 59 = *cupularis*.  
*coronata*, D. Don, ex Wight & Arn. *Prod.* 322 = *truncata*.  
*crinita*, Benth. in Wall. *Cat. n.* 4066.—Reg. Himal.; Burma.  
*crinita*, Naud. in *Sc. Nat. Sér. III.* xiv. (1850) 72 = *stellata*.  
*cupularis*, D. Don, ex Wight & Arn. *Prod.* 323.—Ind. or.  
*debilis*, Naud. in *Ann. Sc. Nat. Sér. III.* xiv. (1850) 65 = *zeylanica*.  
*debilis*, Sond. in *Linnaea*, xxiii. (1850) 47 = *Dissotis debilis*.  
*decandra*, DC. *Prod.* iii. 143 = *Dissotis decandra*.  
*decora*, Wall. *Cat. n.* 4070 = *chinensis*.  
*decumbens*, DC. *Prod.* iii. 143 = *Dissotis decumbens*.

## OSBECKIA:—

- divaricata*, Spreng. *Syst.* ii. 312 = *Pterogastra divaricata*.  
*dolichophylla*, Naud. in *Ann. Sc. Nat. Sér. III.* xiv. (1850) 64.—Ins. Celebes.  
*elliptica*, Naud. I. c. 62 = *rubicunda*.  
*erythrocephala*, Naud. I. c. 58 = *cupularis*.  
*excelsa*, Spreng. *Syst.* ii. 312 = *Centronia excelsa*.  
*eximia*, Sond. in *Linnaea*, xxiii. (1850) 48 = *Dissotis eximia*.  
*Gardneriana*, Wight, I. c. t. 997 = *Leschenaultiana*.  
*glabrata*, Benth. in Wall. *Cat. n.* 4071 = *chinensis*.  
*glauc.*, Benth. I. c. n. 4073.—Ind. or.  
*glauc.*, Wall. ex Naud. in *Ann. Sc. Nat. Sér. III.* xiv. (1850) 68 = *capitata*.  
*glomerata*, DC. *Prod.* iii. 141 = *Pterolepis glomerata*.  
*glutinosa*, Spreng. *Syst.* ii. 313 = *Bucquetia glutinosa*.  
*gracilis*, Bedd. in *Madr. Journ. Sc. Ser. III.* i. (1864) 45; et in *Trans. Linn. Soc.* xxv. (1865) 216.—Ind. or.  
*grandiflora*, Sm. in Rees, *Cycl.* xxv. n. 6 = *Dissotis grandiflora*.  
*heteranthera*, Spreng. *Syst.* ii. 312 = *Melastoma repens*.  
*hirta*, Gaertn. *Fruct.* ii. t. 126; Sm. in Rees, *Cycl.* xxv. sub n. 2 = *chinensis*?  
*hispidissima*, Wight, I. c. t. 1612.—Ind. or.  
*inappendiculata*, D. Don, ex Wight & Arn. *Prod.* 323 = *octandra*.  
*incana*, E. Mey. ex Hochst. in *Flora*, xxvii. (1844) 424 = *Dissotis incana*.  
*japonica*, Naud. in *Ann. Sc. Nat. Sér. III.* xiv. (1850) 70 = *chinensis*.  
*Jucunda*, DC. *Prod.* iii. 139 = *Miconia Jucunda*.  
*Kleinii*, Wight & Arn. *Prod.* 323 = *aspera*.  
*Koti-gueda*, Naud. in *Ann. Sc. Nat. Sér. III.* xiv. (1850) 64 = *Wightiana*.  
*lanceolata*, Spreng. *Syst.* ii. 312 = *Tibouchina longifolia*.  
*Langsdorffiana*, Spreng. I. c. = *Tibouchina Langsdorffiana*.  
*Leschenaultiana*, Dalz. & Gibs. *Bomb. Fl.* 92 = *truncata*.  
*Leschenaultiana*, DC. *Prod.* iii. 142.—Ind. or.  
*Leschenaultiana*, Thw. *Enum. Pl. Zeyl.* 104, partim = *parvifolia*.  
*Leschenaultiana*, Wight, I. c. t. 996 = *cupularis*.  
*linearis*, Blume, in *Flora*, xiv. (1831) 473 = *chinensis*.  
*longicollis*, Benth. in Wall. *Cat. n.* 4065 = *rostrata*.  
*manillana*, DC. *Prod.* iii. 142 = *Otanthra manillana*.  
*marginulata*, Wall. *Cat. n.* 4064.—Ind. or.  
*maritima*, A. St. Hil. *Voy. Dist. Diam.* ii. 417 = *Pterolepis maritima*.  
*microphylla*, DC. *Prod.* iii. 140 = *Chaetolepis microphylla*.  
*minor*, Triana, in *Trans. Linn. Soc.* xxviii. (1871) 55 = *aspera*.  
*Moonii*, Thw. *Enum. Pl. Zeyl.* 105.—Zeylan.  
*multiflora*, Blanco, *Fl. Filip.* ed. I. 293 = *chinensis*.  
*multiflora*, Sm. in Rees, *Cycl.* xxv. n. 7 = *Dissotis multiflora*.  
*muralis*, Naud. in *Ann. Sc. Nat. Sér. III.* xiv. 1850 56 = *truncata*.  
*myrtifolia*, Blume, *Mus. Bot. Lugd. Bat.* i. 51 = *chinensis*.  
*nepalensis*, Hook. *Exot. Fl.* t. 31.—Reg. Himal.; Burma.  
*nutans*, Wall. *Cat. n.* 4068.—Reg. Himal.  
*octandra*, DC. *Prod.* iii. 142.—Ind. or.  
*oleaeifolia*, DC. I. c. 139 = *Microlepis oleaeifolia*.  
*ornata*, Sw. *Fl. Ind. Occ.* ii. 647 (= *Pleroma strigosum*).—Ind. occ.  
*ovata*, Zoll. & Mor. in *Nat. en Geneesk. Arch. Neerl.* Indie, ii. (1845) 586 = *Sarcopyramis nepalensis*.  
*parnassifolia*, DC. *Prod.* iii. 140 = *Pterolepis parnassifolia*.  
*parvifolia*, Arn. in *Hook. Comp. Bot. Mag.* ii. (1836) 308.—Zeylan.  
*perangusta*, F. Muell. *Fragm.* v. 181.—Austral.  
*Perrottetii*, DC. ex Naud. in *Ann. Sc. Nat. Sér. III.* xiv. (1850) 71.—Ins. Philipp.  
*peruviana*, Pav. ex D. Don, in *Mem. Wern. Soc.* iv. (1823) 315 = *Centronia laurifolia*.  
*phaeotricha*, Hochst. in *Flora*, xxvii. 1844 424 = *Dissotis phaeotricha*.  
*pityrophylla*, DC. *Prod.* iii. 139 = *Pyramia pityrophylla*.  
*polycephala*, Naud. in *Ann. Sc. Nat. Sér. III.* xiv. (1850) 67 = *octandra*.  
*Princeps*, DC. *Prod.* iii. 140 = *Dissotis Princeps*.



## OSBECKIA :—

- pulchella*, Benth. in Wall. Cat. n. 4059 = *rostrata*.  
*pumila*, DC. Prod. iii. 141 = *Pterolepis pumila*.  
*pusilla*, Zoll. & Mor. in Nat. en Geneesk. Arch. Neêrl. Indie, ii. (1845) 586 = *chinesis*.  
*quaterna*, Buch.-Ham. ex D. Don, Prod. Fl. Nep. 221 = *rostrata*.  
*repanda*, DC. Prod. iii. 141 = *Pterolepis repanda*.  
*repens*, DC. l. c. 142 = *Melastoma repens*.  
*reticulata*, Bedd. in Madr. Journ. Sc. Ser. III. i. (1864) 45, nomen; et in Trans. Linn. Soc. xxv. (1865) 216. —Ind. or.  
*Rheedii*, Gardn. ex Thw. Enum. Pl. Zeyl. 104. —Zeylan.  
*rostrata*, D. Don, Prod. Fl. Nep. 221. —Reg. Himal.  
*rotundifolia*, Sm. in Rees, Cycl. xxv. n. 204 = *Dissotis rotundifolia*.  
*Royeni*, Miq. Comm. Phyt. 69 = *Melastoma polyanthum*.  
*rubicunda*, Arn. in Hook. Comp. Bot. Mag. ii. (1836) 309. —Zeylan.  
*rubicunda*, Thw. Enum. Pl. Zeyl. 105 = *cupularis*.  
*senegambiensis*, Guill. & Perr. Fl. Seneg. Tent. i. 310 = *Dissotis senegambiensis*.  
*septemneria*, Buch.-Ham. ex Wall. Cat. n. 4062 B = *stellata*.  
*serialis*, Naud. in Ann. Sc. Nat. Sér. III. xiv. (1850) 67 = *zeylanica*.  
*sessilifolia*, Stokes, Bot. Mat. Med. ii. 348 = *chinensis*.  
*Simsii*, DC. Prod. iii. 140 = *octandra*.  
*sinensis*, J. F. Gmel. Syst. 605 = *chinensis*.  
*sipaneoides*, DC. Prod. iii. 141 = *Pterolepis sipaneoides*.  
*speciosa*, D. Don, Prod. Fl. Nep. 222 = *nepalensis*.  
*speciosa*, Naud. in Ann. Sc. Nat. Sér. III. xiv. (1850) 73 = *stellata*.  
*stellata*, Buch.-Ham. ex D. Don, in Bot. Reg. t. 674 = *crinita*.  
*stellata*, Wall. Cat. n. 4062. —Reg. Himal.  
*striphnocalyx*, DC. Prod. iii. 140 = *Pterolepis striphnocalyx*.  
*ternifolia*, D. Don, Prod. Fl. Nep. 221 = *rostrata*.  
*tetrandra*, Roxb. Hort. Beng. 88; Fl. Ind. ii. 224 = *Anplectrum glaucum*.  
*tortuosa*, Spreng. Syst. ii. 312 (= *Pleroma mexicanum*). —Mexic.  
*truncata*, Arn. in Hook. Comp. Bot. Mag. ii. (1836) 308 = *cupularis*.  
*truncata*, D. Don, ex Wight & Arn. Prod. 322. —Ind. or.  
*tubulosa*, Sm. in Rees, Cycl. xxv. n. 5 = *Dissotis tubulosa*.  
*umlaasiana*, Hochst. in Flora, xxvii. (1844) 424 = *Dissotis incana*.  
*urceolaris*, DC. Prod. iii. 139 = *Tibouchina urceolaris*.  
*virgata*, D. Don, ex Wight & Arn. Prod. 323 = *octandra*.  
*virusana*, Baill. Hist. Pl. vii. 34 = *Tristemma virusanum*.  
*Walkeri*, Arn. in Hook. Comp. Bot. Mag. ii. (1836) 309. —Ind. or.  
*Wightiana*, Benth. in Wall. Cat. n. 4060. —Ind. or.  
*Wightiana*, Benth. l. c. n. 4074 = *cupularis*, *octandra*.  
*wynaadensis*, C. B. Clarke, in Hook. f. Fl. Brit. Ind. ii. 521. —Ind. or.  
*zanzibariensis*, Naud. in Ann. Sc. Nat. Sér. III. xiv. (1850) 55 = *Dissotis prostrata*.  
*zeylanica*, DC. ex Naud. l. c. 71 = *chinensis*.  
*zeylanica*, [Ker-Gawl.] in Bot. Reg. t. 565 = *parvifolia*.  
*zeylanica*, Linn. f. Suppl. 215. —Zeylan.  
*zeylanica*, Steud. ex Naud. in Ann. Sc. Nat. Sér. III. xiv. (1850) 56 = *truncata*.

OSBECKIASTRUM, Naud. in Ann. Sc. Nat. Sér. III. xiv. (1850) 118 = *Dissotis*, Benth. (*Melastom.*).  
*Heudelotii*, Naud. l. c. 119 = *D. grandiflora*.

OSBORNIA, F. Muell. Fragm. iii. 30 (1862). MYRTACEAE, Benth. & Hook. f. i. 711.  
*octodonta*, F. Muell. l. c. 31. —Austral.; Ins. Philipp.

OSCARIA, Lilja, in Lindbl. Bot. Notiser (1839), 39 = *Primula*, Linn.  
*chinensis*, Lilja, l. c. = *P. sinensis*.  
*cortusoides*, Lilja, Flora öfver Sverige. odl. Vext. 19 = *P. cortusoides*.

OSCHATZIA, Walp. Ann. i. 340 (1849) = *Azorella*, Lam. (Umbell.).  
*Saxifraga*, Walp. l. c. = *A. Saxifraga*.

OSERYA, Tul. & Wedd. in Ann. Sc. Nat. Sér. III. xi. (1849) 105. PODOSTEMACEAE, Benth. & Hook. f. iii. 114.  
*biceps*, Tul. & Wedd. l. c. 106. —Bras.  
*Coulteriana*, Tul. l. c. —Mexic.  
*flabellifera*, Tul. & Wedd. l. c. —Bras.  
*sphaerocarpa*, Tul. l. c. —Guian.

OSKAMPIA, Moench, Meth. 420 (1794) = *Nonnea*, Moench (Borag.).  
*trichotoma*, Moench, l. c. = *Alkanna lutea*.

OSKAMPIA, Rafin. Sylva Tellur. 123 (1838) = *Tournefortia*, Linn. (Borag.).  
*hirsuta*, Rafin. l. c. = *T. hirsutissima*?  
*scandens*, Rafin. l. c. = *T. scandens*.

OSMADENIA, Nutt. in Trans. Am. Phil. Soc. N. S. vii. (1841) 391 = *Hemizonia*, DC. (Compos.).  
*tenella*, Nutt. l. c. 392 = *H. tenella*.

OSMANTHUS, Lour. Fl. Cochinch. 28 (1790). OLEACEAE, Benth. & Hook. f. ii. 677.  
*CARTREMA*, Rafin. Sylva Tellur. 184 (1838).  
*acuminata*, Wall. Cat. n. 2809 = *fragrans*.  
*americana*, Benth. & Hook. f. Gen. ii. 677. —Am. bor.  
*aquifolia*, C. Koch, in Belg. Hort. xii. (1862) 112; et Dendrol. ii. i. 278 = seq.  
*Aquifolium*, Siebold, ex Sieb. & Zucc. in Abh. Akad. Muench. iv. III. (1846) 166. —Japon.  
*fragrans*, Lour. Fl. Cochinch. 29. —Reg. Himal.; China; Japon.  
*heterophylla*, Hort. ex C. Koch, Dendrol. ii. i. 278 = *O. Aquifolium*.  
*japonica*, Siebold, in Verh. Batav. Gen. xii. (1830) 36 = *O. Aquifolium*?  
*marginata*, Benth. & Hook. f. Gen. ii. 677. —Ins. Hongkong.  
*sandwicensis*, Benth. & Hook. f. l. c. —Ins. Sandvic.  
*suavis*, King, ex C. B. Clarke, in Hook. f. Fl. Brit. Ind. iii. 607. —Reg. Himal.

OSMELIA, Thw. Enum. Pl. Zeyl. 20 (1858). SAMYDACEAE, Benth. & Hook. f. i. 797.  
*STACHYCRATER*, Turcz. in Bull. Soc. Nat. Mosc. xxxi. (1858) i. 464.  
*conferta*, Benth. in Journ. Linn. Soc. v. Suppl. ii. (1861) 89. —Ins. Philipp.  
*Gardneri*, Thw. Enum. Pl. Zeyl. 20. —Zeylan.  
*philippinensis*, Benth. in Journ. Linn. Soc. v. Suppl. ii. (1861) 89. —Ins. Philipp.  
*zeylanica*, C. B. Clarke, in Hook. f. Fl. Brit. Ind. ii. 595 = *Gardneri*.

OSMIA, Sch. Bip. in Pollichia, xxii-xxiv. (1866) 251 = *Eupatorium*, Tourn. (Compos.).  
*alternans*, Sch. Bip. l. c. 252 = *E. laevigatum*.  
*arrayana*, Sch. Bip. l. c. 253 = *E. arrayanum*.  
*ascendens*, Sch. Bip. ex Baker, in Mart. Fl. Bras. vi. II. 296 = *E. ascendens*.  
*asclepiadea*, Sch. Bip. in Pollichia, xxii-xxiv. (1866) 253 = *E. bupleurifolium*.  
*asperrima*, Sch. Bip. ex Baker, in Mart. Fl. Bras. vi. II. 293 = *E. asperum*.  
*atriplicifolia*, Sch. Bip. in Pollichia, xxii-xxiv. (1866) 252 = *E. atriplicifolium*.  
*bartsiaefolia*, Sch. Bip. l. c. 253 = *E. bartsiaefolium*.  
*Bertholdii*, Sch. Bip. l. c. = *E. Bertholdii*.  
*caleoides*, Sch. Bip. ex Baker, in Mart. Fl. Bras. vi. II. 282 = *E. squalidum*.  
*cinereo-viridis*, Sch. Bip. ex Baker, l. c. 294 = *E. cinereo-viride*.  
*Clematidis*, Sch. Bip. in Pollichia, xxii-xxiv. (1866) 252 = *E. conyzoides*.  
*conyzoides*, Sch. Bip. l. c. = *E. conyzoides*.  
*crenata*, Sch. Bip. l. c. 253 = *E. squalidum*.  
*divergens*, Sch. Bip. l. c. 252 = *E. conyzoides*.  
*extensa*, Sch. Bip. l. c. 253 = *E. extensum*.  
*ferruginea*, Sch. Bip. l. c. = *E. ferrugineum*.  
*floribunda*, Sch. Bip. l. c. 252 = *E. conyzoides*.  
*foliata*, Sch. Bip. ex Baker, in Mart. Fl. Bras. vi. II. 278 = *E. conyzoides*.  
*furcata*, Sch. Bip. in Pollichia, xxii-xxiv. (1866) 252 = *E. furcatum*.  
*glaberrima*, Sch. Bip. l. c. = *E. glaberrimum*.  
*graciliflora*, Sch. Bip. l. c. = *E. graciliflorum*.  
*gracillima*, Sch. Bip. ex Baker, in Mart. Fl. Bras. vi. II. 290 = *E. ivaefolium*.

## OSMIA :—

- hexantha*, Sch. Bip. in Pollichia, xxii-xxiv. (1866) 253 = *Eupatorium bartsiaefolium*.  
*hypericifolia*, Sch. Bip. l. c. = *E. hypericifolium*.  
*integrifolia*, Sch. Bip. l. c. 252 = *E. integrifolium*.  
*ivaefolia*, Sch. Bip. l. c. 250, 252 = *E. ivaefolium*.  
*laevigata*, Sch. Bip. l. c. 252 = *E. laevigatum*.  
*leptocephala*, Sch. Bip. l. c. 253 = *E. leptocephalum*.  
*liatridea*, Sch. Bip. l. c. 252 = *E. liatrideum*.  
*macrantha*, Sch. Bip. l. c. = *E. macranthum*.  
*macrodon*, Sch. Bip. l. c. = *E. laevigatum*.  
*Martiusii*, Sch. Bip. l. c. = *E. squalidum*.  
*Maximiliani*, Sch. Bip. l. c. = *E. conyzoides*.  
*mucronata*, Sch. Bip. l. c. 253 = *E. conyzoides*.  
*multiflosculosa*, Sch. Bip. l. c. 252 = *E. multiflosculum*.  
*myriocephala*, Sch. Bip. l. c. 253 = *E. myriocephalum*.  
*obscura*, Sch. Bip. l. c. 252 = *E. ivaefolium*.  
*odorata*, Sch. Bip. l. c. = *E. odoratum*, *conyzoides*.  
*Osseana*, Sch. Bip. l. c. = *E. Osseanum*.  
*oxylepis*, Sch. Bip. l. c. = *E. oxylepis*.  
*palmaris*, Sch. Bip. ex Baker, in Mart. Fl. Bras. vi. II. 294 = *E. cinereo-viride*.  
*pedalis*, Sch. Bip. ex Baker, l. c. 295 = *E. pedale*.  
*perforata*, Sch. Bip. ex Baker, l. c. 289 = *E. perforatum*.  
*phlogifolia*, Sch. Bip. in Pollichia, xxii-xxiv. (1866) 253 = *E. phlogifolium*.  
*picta*, Sch. Bip. l. c. = *E. pictum*.  
*polyantha*, Sch. Bip. ex Baker, in Mart. Fl. Bras. vi. II. 285 = *E. subserratum*?  
*propinqua*, Sch. Bip. in Pollichia, xxii-xxiv. (1866) 252 = *E. laevigatum*.  
*pulchella*, Sch. Bip. l. c. 253 = *E. pulchellum*.  
*punctata*, Sch. Bip. l. c. 252 = *E. punctatum*.  
*punctulata*, Sch. Bip. l. c. 253 = *E. punctulatum*.  
*ramosissima*, Sch. Bip. l. c. = *E. squalidum*.  
*repanda*, Sch. Bip. l. c. 252 = *E. repandum*.  
*rhinanthacea*, Sch. Bip. l. c. 253 = *E. rhinanthaceum*.  
*scabra*, Sch. Bip. l. c. = *E. scabrum*.  
*sericea*, Sch. Bip. l. c. 252 = *E. sericeum*.  
*serratuloides*, Sch. Bip. l. c. = *E. serratuloides*.  
*serrulata*, Sch. Bip. l. c. 253 = *E. serrulatum*.  
*smilacina*, Sch. Bip. l. c. 252 = *E. smilacinum*.  
*squalida*, Sch. Bip. l. c. = *E. squalidum*.  
*stenocephala*, Sch. Bip. ex Baker, in Mart. Fl. Bras. vi. II. 299 = *E. punctulatum*.  
*stenophylla*, Sch. Bip. ex Baker, l. c. 290 = *E. ivaefolium*.  
*subserrata*, Sch. Bip. in Pollichia, xxii-xxiv. (1866) 253 = *E. subserratum*.  
*subtruncata*, Sch. Bip. l. c. = *E. subtruncatum*.  
*subvelutina*, Sch. Bip. l. c. 252 = *E. squalidum*.  
*tecta*, Sch. Bip. l. c. 253 = *E. tectum*.  
*tomentosa*, Sch. Bip. ex Baker, in Mart. Fl. Bras. vi. II. 282 = *E. squalidum*.  
*tozziaefolia*, Sch. Bip. in Pollichia, xxii-xxiv. (1866) 253 = *E. tozziaefolium*.  
*trichophora*, Sch. Bip. l. c. = *E. bartsiaefolium*.  
*trifoliata*, Sch. Bip. ex Baker, in Mart. Fl. Bras. vi. II. 282 = *E. squalidum*.  
*verbenacea*, Sch. Bip. in Pollichia, xxii-xxiv. (1866) 253 = *E. verbenaceum*.

OSMITES, Linn. Pl. Rar. Afr. 24 (1760); Amoen. Acad. vi. 105 (1764). COMPOSITAE, Benth. & Hook. f. ii. 341.

BELLIDIASTRUM, [Vaill.] Less. Syn. Comp. 383 (1832).  
*BELLIDIOPSIS*, Spach. Hist. Vég. Phan. x. 25 (1841).  
*SPANOTRICHUM*, E. Mey. ex DC. Prod. vi. 291 (1837).

*angustifolia*, DC. Prod. vi. 291. —Afr. austr.  
*antheroides*, DC. l. c. —Afr. austr.  
*asteriscoides*, Linn. Pl. Rar. Afr. 24; Amoen. Acad. vi. 105 = *Osmitopsis asteriscoides*.  
*Bellidiastrum*, DC. Prod. vi. 291 (excl. syn.) = *hirsuta*.  
*Bellidiastrum*, Linn. Pl. Rar. Afr. 24; Amoen. Acad. vi. 105; Thunb. Fl. Cap. ed. Schult. 701. —Afr. austr.  
*calycina*, Linn. f. Suppl. 380 = *Peyrousea calycina*.  
*camphorata*, Thunb. Prod. Pl. Cap. 163 = *Osmitopsis asteriscoides*.  
*camphorina*, Gaertn. Fruct. ii. 442. t. 74. f. 3 = *dentata*.  
*camphorina*, Linn. Pl. Rar. Afr. 24; Amoen. Acad. vi. 105. —Afr. austr.  
*camphorina*, Thunb. Fl. Cap. ed. Schult. 700 = *Osmitopsis asteriscoides*.



- OSMITES** :—  
dentata, Thunb. *Prod. Fl. Cap.* 163.—Afr. austr.  
hirsuta, Less. *Syn. Comp.* 385.—Afr. austr.  
lancea, Thunb. ex Harv. & Sond. *Fl. Cap.* iii. 304 =  
O. Bellidiastrum.  
parviflora, DC. *Prod.* vi. 291.—Afr. austr.  
pinnatifida, DC. l. c.—Afr. austr.
- OSMITIPHYLLUM**, Sch. Bip. in *Flora*, xxvii. (1844)  
675 = **Peyrousea**, DC. (Compos.).  
*Kraussii*, Sch. Bip. l. c. = P. calycina.
- OSMITOPSIS**, Cass. in *Bull. Soc. Philom.* (1817) 154 ;  
et in *Dict. Sc. Nat.* xxix. 180 (1823). **COMPOSITAE**,  
Benth. & Hook. f. ii. 341.  
asteriscoides, Cass. in *Dict. Sc. Nat.* xxxvii. 6.—  
Afr. austr.  
camphorina, Less. *Syn. Comp.* 387 = asteriscoides.
- OSMODIUM**, Rafin. in *Med. Repos. N. York*, v. (1808)  
352 = **Onosmodium**, Michx. (Borag.).  
*nigrum*, Rafin. *Atl. Journ.* 148 = *Onosmodium*  
*virginianum* ?
- OSMORHIZA**, Rafin. in *Journ. Phys.* lxxxix. (1819)  
257. **UMBELLIFERAE**, Benth. & Hook. f. i. 897.  
SCHUDIA, Molina, ex C. Gay, *Fl. Chil.* iii. 143 (1847).  
SPERMATUM, Reichb. *Consp.* 141 (1828).  
URASPERMUM, Nutt. *Gen. Am. i.* 192 (1818).  
*amurensis*, F. Schmidt, in *Maxim. Prim. Fl. Amur.*  
129.—As. or.  
*Berterii*, DC. *Prod.* iv. 232.—Chili.  
*brachypoda*, Torr. ex Durand, in *Journ. Acad. Nat.*  
*Sc. Philad.* Ser. II. iii. (1855) 89.—Am. bor. occ.  
*brevistylis*, Bong. Vég. Sitcha, 142 = nuda.  
*brevistylis*, DC. *Prod.* iv. 232.—Reg. Himal.; As. bor.;  
Am. bor.  
*chilensis*, Hook. & Arn. in *Hook. Bot. Misc.* iii. 355.—  
Chili.  
*Claytoni*, C. B. Clarke, in *Hook. f. Fl. Brit. Ind.* ii.  
690 = *brevistylis*.  
*cordata*, Rafin. *Med. Bot.* ii. 249 = *longistylis*.  
*divaricata*, Nutt. ex Torr. & Gray, *Fl. N. Am. i.* 639 =  
nuda.  
*dulcis*, Rafin. *Med. Bot.* ii. 249 = *brevistylis*.  
*edulis*, Rafin. l. c. = *Carum Gairdneri*.  
*glabrata*, Phil. in *Linnaea*, i. (1856) 653.—Chili.  
*japonica*, Sieb. & Zucc. in *Abh. Akad. Muench.* iv. II.  
(1843) 203.—Japon.  
*laxa*, Royle, *Illustr. Bot. Himal.* 233 = *brevistylis*.  
*longistylis*, DC. *Prod.* iv. 232.—Am. bor.  
*mexicana*, Griseb. in *Goett. Abh.* xxiv. (1879) 147.—  
Reg. Andin.  
nuda, Torr. in *Pacif. Rail. Rep.* iv. 93.—Am. bor. occ.  
*occidentalis*, Torr. *Bot. Mex. Bound.* 71 = *Myrrhis*  
*occidentalis*.  
*villosa*, Rafin. *Med. Bot.* ii. 249 = *longistylis*.
- OSMOSCLERIA**, Lindl. *Veg. Kingd.* 119 (1847) =  
OMOSCLERIA, Nees = **Scleria**, Berg. (Cyperac.).
- OSMOTHAMNUS**, DC. *Prod.* vii. 715 (1839) = **Rhodo-**  
**dendron**, Linn. (Ericac.).  
*fragrans*, DC. l. c. = R. Anthopogon.  
*pallidus*, DC. l. c. = R. Anthopogon.
- OSMOXYLON**, Miq. *Ann. Mus. Lugd. Bat. i.* 5  
(1863). **ARALIACEAE**, Benth. & Hook. f. i. 944.  
*amboinense*, Miq. l. c. = Ins. Amboin.  
*barbatum*, Becc. *Malesia*, i. (1878) 197.—Malaya.  
*carpophagarum*, Becc. l. c. 196.—Malaya.  
*Geelvinkianum*, Becc. l. c. = Malaya.  
*helleborinum*, Becc. l. c. 198.—Borneo.  
*Insidiator*, Becc. l. c. 195.—N. Guin.  
*insigne*, Becc. l. c. = Ins. Molucc.  
*moluccanum*, Becc. l. c. = Ins. Amboin.  
*novo-guineense*, Becc. l. c. 197.—N. Guin.  
*Zippelianum*, Becc. l. c. 195.—Ins. Amboin.
- OSMYNE**, Salisb. *Gen. Pl. Fragm.* 35 (1866) =  
**Ornithogalum**, Tourn. (Liliac.).  
*odorata*, Salisb. l. c. = Ornith. suaveolens.
- OSSAEA**, DC. *Prod.* iii. 168 (1828). **MELASTO-**  
**MACEAE**, Benth. & Hook. f. i. 770.  
DICLEMIA, Naud. in *Ann. Sc. Nat. Sér. III.* xviii.  
(1852) 102.  
GONEMA, Rafin. *Sylva Tellur.* 96 (1838).  
SAGRAEA, Naud. in *Ann. Sc. Nat. Sér. III.* xviii.  
(1852) 92.
- OSSAEA** :—  
acuminata, DC. *Prod.* iii. 169.—Ins. S. Doming.  
amygdalina, DC. l. c. = *Mecranium amygdalinum*.  
amygdaloides, Triana, in *Trans. Linn. Soc.* xxviii.  
(1871) 147.—Bras.  
angustifolia, Triana, l. c.—Bras.  
asperifolia, Triana, l. c.—Ind. occ.  
birimosa, Naud. in *Ann. Sc. Nat. Sér. III.* xviii. (1852)  
335 = *Mecranium birimosum*.  
*brachystachya*, Naud. l. c. 337 = *Mecranium integri-*  
*folium*.  
*brachystachya*, Triana, in *Trans. Linn. Soc.* xxviii.  
(1871) 147.—Bras.  
bracteata, Triana, l. c.—N. Granat.  
capillaris, Wright, in *Sauv. Fl. Cub.* 46.—Cuba.  
cinnamomifolia, Triana, in *Trans. Linn. Soc.* xxviii.  
(1871) 147.—Bras.  
confertiflora, Triana, l. c.—Bras.  
coriacea, Triana, l. c.—Bras.  
cuspidata, Poepp. ex Triana, l. c. 137 = *Sagraea sessili-*  
*flora*.  
*echinata*, Benth. & Hook. f. *Gen. i.* 762 = *Calyco-*  
*gonium echinatum*.  
*Epibaterium*, Triana, in *Trans. Linn. Soc.* xxviii.  
(1871) 147.—Bras.  
euphorbioides, Triana, l. c.—Bras.  
fascicularis, Griseb. *Fl. Brit. W. Ind.* 246 = *Henriet-*  
*tella fascicularis*.  
flavescens, DC. *Prod.* iii. 169 = *Henriettella flavescens*.  
glomerata, Triana, in *Trans. Linn. Soc.* xxviii. (1871)  
146.—Ind. occ.  
Grisebachii, Triana, l. c.—Cuba.  
heteronervis, Triana, l. c.—Peruv.  
hirsuta, Triana, l. c.—Jamaic.  
hirtella, Triana, l. c.—Jamaic.  
hirtella, Wright, in *Sauv. Fl. Cub.* 46 = *Wrightii* ?  
hypoglaucha, Benth. & Hook. f. *Gen. i.* 762 = *Calyco-*  
*gonium hypoglaucum*.  
integrifolia, Naud. in *Ann. Sc. Nat. Sér. III.* xviii.  
(1852) 337 = *Mecranium integrifolium*.  
involuta, Triana, in *Trans. Linn. Soc.* xxviii.  
(1871) 147.—Jamaic.  
lanata, Triana, l. c. 146 ; Wright, in *Sauv. Fl. Cub.* 45.  
—Cuba.  
lateriflora, DC. *Prod.* iii. 169 = *Henriettella lateri-*  
*flora*.  
leptopus, Triana, in *Trans. Linn. Soc.* xxviii. (1871)  
147.—Peruv.  
Lima, Triana, l. c.—Jamaic.  
marginata, Triana, l. c.—Bras.  
micrantha, Macfad. *Fl. Jamaic.* ii. 49, 100 = *Octopleura*  
*micrantha*.  
microphylla, Triana, in *Trans. Linn. Soc.* xxviii.  
(1871) 146.—Jamaic.  
microphylla, Wright, in *Sauv. Fl. Cub.* 45.—Cuba.  
multiflora, DC. *Prod.* iii. 169 = *Mecranium multiflorum*.  
muricata, Triana, in *Trans. Linn. Soc.* xxviii. (1871)  
147.—Cuba.  
neurotricha, Wright, in *Sauv. Fl. Cub.* 46.—Cuba.  
penninervis, Wright, l. c.—Cuba.  
petiolaris, Triana, in *Trans. Linn. Soc.* xxviii. (1871)  
147.—Bolivia.  
pratensis, Macfad. *Fl. Jamaic.* ii. 48.—Jamaic.  
punctata, Griseb. in *Mem. Am. Acad. N. S. viii.* (1861)  
184 = *Henriettella punctata*.  
purpurascens, DC. *Prod.* iii. 169 = *Mecranium purpu-*  
*rascens*.  
purpurascens, Macfad. *Fl. Jamaic.* ii. 49 = *Mecranium*  
*virgatum*.  
retropila, Triana, in *Trans. Linn. Soc.* xxviii. (1871)  
147.—Bras.  
rufescens, Triana, l. c. 146 ; Wright, in *Sauv. Fl. Cub.*  
45.—Cuba.  
rufibarbis, Triana, l. c. 147.—N. Granat.  
salicifolia, Crueg. in *Linnaea*, xx. (1847) 105 =  
*Sagraea salicifolia*.  
scabrosa, DC. *Prod.* iii. 169.—Jamaic.  
scalpta, DC. l. c. 168.—Ins. S. Doming.  
sparsiflora, DC. l. c. 169 = *Henriettella lateriflora*.  
trichopetala, Wright, in *Sauv. Fl. Cub.* 45.—  
Cuba.  
trinitensis, Crueg. in *Linnaea*, xx. (1847) 105 =  
*Sagraea trinitensis*.  
verrucosa, Benth. & Hook. f. *Gen. i.* 762 = *Calyco-*  
*gonium verrucosum*.  
verticillata, Triana, in *Trans. Linn. Soc.* xxviii. (1871)  
146.—Ind. occ.  
Wrightii, Triana, l. c.—Cuba.
- OSTACHYRIUM**, Steud. *Nom. ed. II. ii.* 236 (1841) =  
OTACHYRIUM, Nees = **Panicum**, Tourn.  
(Gramin.).
- OSTEIZA**, Steud. *Nom. ed. II. ii.* 236 (1841) = OTEIZA,  
La Llave = **Calea**, Linn. (Compos.).
- OSTEOCARPUM**, F. Muell. *Second Gen. Rep.* 15  
(1854) = **Threlkeldia**, R. Br. (Chenop.).  
*salsuginosum*, F. Muell. l. c. = T. salsuginosa.
- OSTEOCARPUS**, Phil. in *Regel, Gartenfl.* (1884)  
39, 356. **SOLANACEAE**.  
rostratus, Phil. l. c. 356.—Chili.
- OSTEOMELES**, Lindl. in *Trans. Linn. Soc.* xiii.  
(1821) 98. t. 8. **ROSACEAE**, Benth. & Hook. f. i.  
628.  
ELEUTHEROCARPUM, Schlecht. in *Lechl. Berb. Am.*  
Austr. 59 (1857).  
HESPEROMELES, Lindl. *Bot. Reg. sub t.* 1956  
(1837).  
anthyllidifolia, Lindl. in *Trans. Linn. Soc.* xiii. (1821)  
99. t. 1.—Ins. Pacif.; China.  
anthyllifolia, Sieb. & Zucc. in *Abh. Akad. Muench.* iv.  
ii. (1843) 131 = praec.  
cordata, Decne. in *Nouv. Arch. Mus. Par. Sér. I. x.*  
(1874) 181 = latifolia.  
escalloniaefolia, Decne. l. c. 184.—Peruv.  
ferruginea, H. B. & K. *Nov. Gen. et Sp. vi.* 211.—  
Ecuador.  
Gayana, Decne. in *Nouv. Arch. Mus. Par. Sér. I. x.*  
(1874) 183.—Peruv.  
glabrata, H. B. & K. *Nov. Gen. et Sp. vi.* 210. t. 553.  
—N. Granat.  
Goudotiana, Decne. in *Nouv. Arch. Mus. Par. Sér. I.*  
x. (1874) 182.—Peruv.  
latifolia, H. B. & K. *Nov. Gen. et Sp. vi.* 212. t. 554.—  
Peruv.  
obtusifolia, Kunth, ex Steud. *Nom. ed. II. i.* 433 ; ii.  
236 = glabrata.  
Pentlandiana, Decne. in *Nouv. Arch. Mus. Par. Sér.*  
*I. x.* (1874) 183.—Peruv.  
pernettoides, Decne. l. c. 184.—N. Granat.; Bolivia ;  
Peruv.  
Persoonii, H. B. & K. *Nov. Gen. et Sp. vi.* 211, in  
obs. = glabrata.  
pyracantha, Decne. in *Nouv. Arch. Mus. Par. Sér. I.*  
x. (1874) 183 = *Photinia Fortuneana*.  
rufescens, Decne. l. c. 181.—N. Granat.  
subrotunda, C. Koch, in *Miq. Ann. Mus. Bot. Lugd.*  
*Bat. i.* 250 = anthyllidifolia.
- OSTEOSPERMUM**, Linn. *Gen. ed. I.* 264 (1737).  
**COMPOSITAE**, Benth. & Hook. f. ii. 455.  
ERIOCLINE, Cass. in *Dict. Sc. Nat.* xv. 191 (1819).  
GIBBARIA, Cass. in *Bull. Soc. Philom.* (1817) 139 ;  
et in *Dict. Sc. Nat.* xvii. 526 (1820).  
LEPISIPHON, Turcz. in *Bull. Soc. Nat. Mosc.* xxiv.  
(1851) i. 180.  
MONILIFERA, Adans. *Fam. ii.* 127 (1763).  
XEROTHAMNUS, DC. *Prod.* v. 311 (1836).  
aciphyllum, DC. *Prod.* vi. 463 = triquetrum.  
amplexicaule, Steud. *Nom. ed. II. ii.* 236 = corymbosum.  
arctotoides, Linn. f. *Suppl.* 385 = *Venidium arctotoides*.  
arctotoides, Thunb. *Prod. Pl. Cap.* 167 = *Venidium*  
*hispidulum*.  
arctotoides, J. F. Gmel. *Syst.* 1595, sphalm. = praec.  
asperum, Less. *Syn. Comp.* 89.—Afr. austr.  
Bidens, Thunb. *Prod. Pl. Cap.* 166.—Afr. austr.  
bipinnatum, Thunb. l. c. 167 = *Garuleum bipinnatum*.  
Burchellii, DC. *Prod.* vi. 461.—Afr. austr.  
caeruleum, Jacq. *Coll. i.* 78 = *Garuleum viscosum*.  
calendulaceum, Harv. in *Harv. & Sond. Fl. Cap.* iii.  
440.—Afr. austr.  
calendulaceum, Harv. l. c. 626 (Index), sphalm. =  
*Venidium hirsutum*.  
calendulaceum, Linn. f. *Suppl.* 386 = *Oligocarpus*  
*calendulaceus*.  
caulescens, Harv. in *Harv. & Sond. Fl. Cap.* iii. 442.  
—Afr. austr.  
ciliatum, Berg. *Desc. Pl. Cap.* 332.—Afr. austr.  
coeruleum, Auct. vide caeruleum.  
connatum, DC. *Prod.* vi. 466 = *Tripteris amplexicaulis*.  
coriaceum, DC. l. c. 461.—Afr. austr.  
corymbosum, Linn. *Mant.* ii. 290.—Afr. austr.  
cuspidatum, DC. *Prod.* vi. 463 = *Tripteris tomentosa*.



**OSTEOSPERMUM** :—

- dentatum*, Burm. f. Fl. Cap. Prod. 29 (err. typ. 25) = *Tripteris arborescens*.  
*dichotomum*, E. Mey. ex DC. Prod. vi. 462 = *corymbosum*.  
*ephedroides*, DC. l. c. 468 = *O. Bidens*.  
*falcatum*, E. Mey. ex l. c. 466 = *Gymnostephium ciliare*.  
*fallax*, Spreng. ex DC. l. c. 467 = *Gamolepis munita*.  
*floridum*, E. Mey. ex DC. l. c. 73 = *Dimorphotheca chrysanthemifolia*.  
*foveolatum*, DC. l. c. 462 = *imbricatum*.  
*glabratum*, Less. Syn. Comp. 89 = *Tripteris macroptera*.  
*glandulosum*, DC. Prod. vi. 463. —Afr. austr.  
*glandulosum*, Spreng. f. Tent. Suppl. Syst. 26 = *corymbosum*.  
*grandidentatum*, DC. Prod. vi. 465. —Afr. austr.  
*grandiflorum*, DC. l. c. 464. —Afr. austr.  
*helichrysoides*, DC. l. c. 466. —Afr. austr.  
*herbaceum*, Linn. f. Suppl. 385. —Afr. austr.  
*heterophyllum*, DC. Prod. vi. 467 = *Gamolepis brachypoda*.  
*hirsutum*, Thunb. Prod. Pl. Cap. 166. —Afr. austr.  
*hispidum*, Harv. in Harv. & Sond. Fl. Cap. iii. 438. —Afr. austr.  
*ilicifolium*, Linn. Syst. ed. X. 1234. —Afr. austr.  
*imbricatum*, Linn. Mant. ii. 290. —Afr. austr.  
*incanum*, Burm. f. Fl. Cap. Prod. 29 (err. typ. 25) (Quid?) —Afr. austr.  
*incanum*, Thunb. Prod. Pl. Cap. 166 = *Tripteris incana*.  
*juncum*, Berg. Desc. Pl. Cap. 334 = *Phymaspermum juncum*.  
*juncum*, Thunb. ex Harv. & Sond. Fl. Cap. iii. 437 = *coriaceum*.  
*lanatum*, Spreng. ex Sch. Bip. in Flora, xxvii. (1844) 768 = *corymbosum*.  
*lanceolatum*, DC. Prod. vi. 463. —Afr. austr.  
*lavandulaceum*, DC. l. c. 466. —Afr. austr.  
*laxum*, DC. l. c. 465. —Afr. austr.  
*leiocarpum*, DC. l. c. 467. —Afr. austr.  
*macrocarpum*, DC. l. c. 461 = *coriaceum*.  
*marginalum*, Spreng. f. Tent. Suppl. Syst. 27. —Afr. austr.  
*microphyllum*, DC. Prod. vi. 463. —Afr. austr.  
*moniliferum*, Linn. Sp. Pl. 923. —Afr. austr.  
*muricatum*, E. Mey. in DC. Prod. vi. 464. —Afr. austr.  
*natalense*, Sch. Bip. ex Harv. & Sond. Fl. Cap. iii. 440 = *grandidentatum*.  
*nervatum*, DC. Prod. vi. 462. —Afr. austr.  
*niveum*, Linn. f. Suppl. 386 = *Cryptostemma niveum*.  
*pachypteris*, DC. Prod. vi. 460 = *Tripteris pachypteris*.  
*paniculatum*, Less. ex Harv. & Sond. Fl. Cap. iii. 437 = *coriaceum*.  
*perfoliatum*, Linn. f. Suppl. 386 = *Venidium perfoliatum*.  
*perfoliatum*, Thunb. ex Harv. & Sond. Fl. Cap. iii. 460 = *Venidium discolor*.  
*picridioides*, DC. Prod. vi. 465. —Afr. austr.  
*piliferum*, Thunb. Fl. Cap. ed. Schult. 715 = *pisiferum*, Linn.  
*pinifolium*, Regel, Cat. Pl. Hort. Aksakov. 99. —Afr. austr.  
*pinnatifidum*, L'Hérit. Stirp. Nov. 11 = *Garuleum viscosum*.  
*pinnatipartitum*, DC. Prod. vi. 465. —Afr. austr.  
*pisiferum*, Burm. ex DC. Prod. vi. 461 = *coriaceum*.  
*pisiferum*, Linn. Syst. ed. X. 1234 = *moniliferum*.  
*plebeium*, DC. Prod. vi. 464. —Afr. austr.  
*polygaloides*, Linn. Sp. Pl. 924. —Afr. austr.  
*polygaloides*, Thunb. Prod. Pl. Cap. 166 = *imbricatum*.  
*pterospermum*, E. Mey. ex DC. Prod. vi. 460. —Afr. austr.  
*pungens*, Harv. in Harv. & Sond. Fl. Cap. iii. 437. —Afr. austr.  
*retirugum*, DC. Prod. vi. 462. —Afr. austr.  
*rigidum*, [Dryand. in] Ait. Hort. Kew. ed. I. iii. 275. —Afr. austr.  
*rotundatum*, DC. Prod. vi. 461 = *moniliferum*.  
*rubens*, Burm. f. Fl. Cap. Prod. 29 (err. typ. 25) = *ciliatum*.  
*scabridum*, DC. Prod. vi. 466. —Afr. austr.  
*scabrum*, Thunb. Prod. Pl. Cap. 166. —Afr. austr.  
*scariosum*, DC. Prod. vi. 464 = *Tripteris flexuosa*.  
*sonchifolium*, DC. l. c. 465. —Afr. austr.  
*spinescens*, DC. l. c. 459 = *moniliferum*.  
*spinescens*, Thunb. ex DC. l. c. 137 = *Pentzia spinescens*.  
*spinescens*, Thunb. Fl. Cap. ed. Schult. 713 = *Tripteris spinescens*.

**OSTEOSPERMUM** :—

- spinescens*, Thunb. Prod. Pl. Cap. 166. —Afr. austr.  
*spinescens*, Willd. Sp. Pl. iii. 2365 = *spinosum*.  
*spinosum*, Jacq. Hort. Schoenb. iii. 66 = *spinescens*.  
*spinosum*, Linn. Sp. Pl. 923. —Afr. austr.  
*squarrosus*, Harv. in Harv. & Sond. Fl. Cap. iii. 440. —Afr. austr.  
*subauritum*, DC. Prod. vi. 464. —Afr. austr.  
*subcanescens*, DC. l. c. 464. —Afr. austr.  
*subulatum*, DC. l. c. 463. —Afr. austr.  
*tenuifolium*, Harv. & Sond. Fl. Cap. iii. 607, sphalm. = *teretifolium*.  
*tenuilobum*, DC. Prod. vi. 467 = *Euryops punctatus*.  
*teretifolium*, Thunb. Prod. Pl. Cap. 166 = *Pteronia baccharoides*, *Gamolepis trifurcata*?  
*thymelaeoides*, DC. Prod. vi. 462. —Afr. austr.  
*tricuspe*, E. Mey. ex DC. l. c. 467 = *tridens*.  
*tridens*, DC. l. c. —Afr. austr.  
*trigonospermum*, DC. l. c. 460. —Afr. austr.  
*trigonum*, Spreng. Syst. iii. 628 = *Pteronia baccharoides*.  
*tripteroideum*, DC. Prod. vi. 463 = *Tripteris spinescens*.  
*triquetrum*, DC. l. c. 465 = *ciliatum*.  
*triquetrum*, Linn. f. Suppl. 385. —Afr. austr.  
*Uvedalia*, Linn. Sp. Pl. 923. —Afr. austr.  
*Zeyheri*, Spreng. ex DC. Prod. vi. 466 = *herbaceum*.
- OSTERDAMIA**, Neck. Elem. iii. 218 (1790) = **Zoysia**, Willd. (Gramin.).
- OSTERDICKIA**, Burm. Rar. Afr. Pl. 259. t. 96 (1737) = **Cunonia**, Linn. (Saxifr.).
- OSTERDYCKIA**, Reichb. Consp. 159 (1828) = *praec.*
- OSTERICUM**, Hoffm. Gen. Umb. ed. I. 262, in nota (1814); ed. II. 162 (1816) = **Angelica**, Riv. (Umbell.).  
*palustre*, Bess. Enum. Pl. Volh. 94 = *A. palustris*.  
*pratense*, Hoffm. Gen. Umb. ed. II. 164 = *A. palustris*.  
*verticillare*, Reichb. Fl. Germ. Excurs. 455 = *Peucedanum verticillare*.
- OSTINIA**, [Clairv.] Man. Herb. 162 (1811) (Rosac.).  
*Cotoneaster*, [Clairv.] l. c. = *Cotoneaster integerrima*.  
*lanata*, [Clairv.] l. c. —Europ.  
*Mespylus*, [Clairv.] l. c. = *Pyrus germanica*.  
*Oxyacantha*, [Clairv.] l. c. = *Crataegus Oxyacantha*.
- OSTODES**, Blume, Bijdr. 619 (1825). **EUPHORBIACEAE**, Benth. & Hook. f. iii. 299.  
*DESmostemon*, Thw. Enum. Pl. Zeyl. 278 (1861).  
*FAHRENHEITIA*, Reichb. f. & Zoll. in Linnaea, xxviii. (1856) 600.  
*corniculata*, Baill. Etud. Gén. Euph. 391 = *paniculata*.  
*Helferi*, Muell. Arg. in Linnaea, xxxiv. (1865–66) 215. —Burma.  
*macrophylla*, Benth. & Hook. f. Gen. iii. 299. —Malacca.  
*minor*, Muell. Arg. in Linnaea, xxxiv. (1865–66) 214 = *zeylanica*.  
*paniculata*, Blume, Bijdr. 620. —Reg. Himal.; Burma; Java.  
*zeylanica*, Muell. Arg. in Linnaea, xxxiv. (1865–66) 214. —Ind. or.
- OSTROWSKIA**, Regel, in Act. Hort. Petrop. viii. (1884) 686. **CAMPANULACEAE**.  
*magnifica*, Regel, l. c. —As. centr.
- OSTRUTHIUM**, Link, Handb. i. 360 (1829) = **Peucedanum**, Tourn. (Umbellif.).  
*officinale*, Link, l. c. = *P. Ostruthium*.
- OSTRYA**, Mich. ex Linn. Syst. ed. I (1735). **CUPULIFERAE**, Benth. & Hook. f. iii. 406.  
*ZUGILUS*, Rafin. Fl. Ludov. 159 (1817).  
*americana*, Michx. f. Hist. Arb. Am. iii. 54 = *virginica*.  
*carpinifolia*, Scop. Fl. Carn. ed. II. ii. 244. —Europ. austr.; As. Min.  
*italica*, Spach, Hist. Vég. Phan. xi. 216 = *carpinifolia*.  
*mandshurica*, Budisch. ex Trautv. in Act. Hort. Petrop. ix. (1884) 166, nomen. —As. or.  
*virginiana*, C. Koch, Dendrol. ii. 11. 6 = *seq.*  
*virginica*, Willd. Sp. Pl. iv. 469. —Am. bor.  
*vulgaris*, Wats. Dendr. t. 143 = *virginica*.  
*vulgaris*, Willd. Sp. Pl. iv. 469 = *carpinifolia*.

**OSTRYOCARPUS**, Hook. f. in Hook. Niger Fl. 316 (1849). **LEGUMINOSAE**, Benth. & Hook. f. i. 548.  
*riparius*, Hook. f. in Hook. Niger Fl. 316. —Afr. trop.  
*Welwitschii*, Baker, in Oliver, Fl. Trop. Afr. ii. 240. —Afr. trop.

**OSTRYODIUM**, Desv. Journ. Bot. iii. (1814) 119. t. 4 = **Flemingia**, Roxb. (Legumin.).

**OSTRYOPSIS**, Decne. in Bull. Soc. Bot. Fr. xx. (1873) 155. **CUPULIFERAE**, Benth. & Hook. f. iii. 405.  
*Davidiana*, Decne. l. c. —As. or.

**OSWALDA**, Cass. in Dict. Sc. Nat. lix. 322 (1829) = **Clibadium**, Linn. (Compos.).  
*baillieroides*, Cass. l. c. = *C. surinamense*.

**OSWALDIA**, Less. Syn. Comp. 215 (1832) = *praec.*

**OSYRICERA**, Blume, Bijdr. 307. t. 58 (1825). **ORCHIDEAE**, Benth. & Hook. f. iii. 505.  
*crassifolia*, Blume, l. c. —Java.

**OSYRIDICARPOS**, A. DC. in DC. Prod. xiv. 635. (1857). **SANTALACEAE**, Benth. & Hook. f. iii. 222.  
*natalensis*, A. DC. l. c. —Afr. austr.  
*Schimperianus*, A. DC. l. c. —Abyssin.

**OSYRIS**, Linn. Syst. ed. I (1735). **SANTALACEAE**, Benth. & Hook. f. iii. 227.  
*abyssinica*, Hochst. in Flora, xxiv. (1841) i. Intell. 22, nomen. —Abyssin.  
*alba*, Linn. Sp. Pl. 1022. —Reg. Mediterr.  
*arborea*, Wall. Cat. n. 4035. —Ind. or.  
*compressa*, A. DC. in DC. Prod. xiv. 634 = *Colpoen compressum*.  
*japonica*, Thunb. Fl. Jap. 31 = *Helwingia rusciflora*.  
*lanceolata*, Hochst. & Steud. ex A. DC. in DC. Prod. xiv. 633. —Hispan.  
*nepalensis*, Griff. Notul. iv. 376 = *arborea*.  
*peltata*, Roxb. Hort. Beng. 71; Fl. Ind. iii. 755 = *Macaranga Roxburghii*.  
*pendula*, Balf. f. in Proc. Roy. Soc. Edinb. xii. (1884) 93. —Ins. Socotra.  
*quadrifida*, Salzm. ex A. DC. in DC. Prod. xiv. 633 = *lanceolata*.  
*quadrifartita*, Salzm. ex Decne. in Ann. Sc. Nat. Sér. II. vi. (1836) 65 = *lanceolata*.  
*rhamnoides*, Scop. Fl. Carn. ed. II. ii. 261 = *Hippophaë rhamnoides*.  
*rotundata*, Griff. Notul. iv. 742; Ic. Pl. Asiat. t. 627. f. 11 = *Henslowia buxifolia*.  
*Schoberi*, Pall. ex A. DC. in DC. Prod. xiv. 634 = *Nitraria Schoberi*.  
*spinescens*, Mart. & Eichl. in Mart. Fl. Bras. xiii. i. 236. —Bras.  
*Wightiana*, Wall. Cat. n. 4036 = *arborea*.

**OTACANTHUS**, Lindl. in Fl. des Serres, xv. (1862?) 53. t. 1526. **ACANTHACEAE**, Benth. & Hook. f. ii. 1076.  
*caeruleus*, Lindl. l. c. —Bras.

**OTACHYRIUM**, Nees, Agrost. Bras. 273 (1829) = **Panicum**, Tourn. (Gramin.).  
*juncum*, Nees, l. c. 272 = *P. Pterygodium*.

**OTAMPLIS**, Rafin. New Fl. Am. iv. 8 (1836) = **Menispermum**?, Tourn.  
*vitifolia*, Rafin. l. c. = *M. canadense*?

**OTANDRA**, Salisb. in Trans. Hort. Soc. i. (1812) 298 = **Geodorum**, Jacks. (Orchid.).  
*cernua*, Salisb. l. c. = *G. dilatatum*.

**OTANEMA**, Rafin. New Fl. Am. iv. 61 (1826) = **Asclepias**, Tourn.  
*lanceolata*, Rafin. l. c. = *A. paupercula*?  
*latifolia*, Rafin. l. c. = *A. latifolia*.  
*ovata*, Rafin. l. c. = *Vincetoxicum officinale*?

**OTANTHERA**, Blume, in Flora, xiv. (1831) 488. **MELASTOMACEAE**, Benth. & Hook. f. i. 746.  
*LACHNOPODIUM*, Blume, in Flora, xiv. (1831) 477, in nota; et Mus. Bot. Lugd. Bat. i. 56 (1849).  
*MALABATHRIS*, Rafin. Sylva Tellur. 97 (1838).



## OTANTHERA:—

- bracteata, *Korth. Verh. Nat. Gesch. Bot.* 235. t. 51.—Sumatra.  
 celebica, *Blume, Mus. Bot. Lugd. Bat.* i. 56.—Ins. Celebes.  
 crinita, *Naud. in Ann. Sc. Nat. Sér. III.* xiii. (1850) 354.—Ins. Philipp.  
 cyanoides, Triana, in *Trans. Linn. Soc.* xxviii. (1871) 55 = moluccana.  
 Fordii, *Hance, in Journ. Bot.* xix. (1881) 46.—Ins. Hongkong.  
 gracilis, *Naud. in Ann. Sc. Nat. Sér. III.* xiii. (1850) 353.—Ins. Amboin.  
 manillana, Triana, in *Trans. Linn. Soc.* xxviii. (1871) 56.—Ins. Philipp.  
 moluccana, *Blume, in Flora*, xiv. (1831) 489.—Ins. Molucc.  
 nicobarensis, *Teijsm. & Binn. in Tijdschr. Nederl. Indie*, xxv. (1863) 427.—Ins. Nicobar.  
 rubro-limbata, Triana, in *Trans. Linn. Soc.* xxviii. (1871) 56 = bracteata?

OTANTHUS, Hoffm. & Link, *Fl. Port.* ii. 364 (1809) = *Diotis*, Desf. (Compos.).  
*maritimus*, Hoffm. & Link, l. c. 365 = *D. candidissima*.

OTARIA, Kunth, in *H. B. & K. Nov. Gen. et Sp.* iii. 192 (1818) = *Asclepias*, Linn.  
*auriculata*, G. Don, *Gen. Syst.* iv. 144 = *A. auriculata*.  
*fragrans*, Benth. *Pl. Hartw.* 89 = *A. fragrans*.  
*laxiflora*, Benth. l. c. 67 = *A. laxiflora*.

OTEIZA, La Llave, *Reg. Trim. Mex.* (1832) 41; ex DC. *Prod.* vii. 262 = *Calea*, Linn. (Compos.).  
*acuminata*, La Llave, l. c. = *C. elegans*.

OTHAKE, Rafin. *New Fl. Am.* iv. 73 (1836) = *Gailardia*, Foug. (Compos.).  
*longifolium*, Rafin. l. c. 74.—Am. bor.  
*tenuifolium*, Rafin. l. c. = *Polypteris callosa*.

OTHANTHERA, G. Don, *Gen. Syst.* iv. 107 (1837), sphalm. = *Orthanthera*, Wight (Asclep.).

OTHERA, Thunb. *Nov. Gen.* 56 (1783) = *Plex*, Linn. (Ilicin.).  
*japonica*, Thunb. l. c. = *I. Othera*.  
*Orixa*, Lam. *Illustr.* i. 310 = *Celastrus Orixa*.

OTHLIS, Schott, in *Spreng. Syst.* iv. App. 407 (1827) = *Doliodarpus*, Roland. (Dillen.).  
*castaneaefolia*, Schott, l. c. = *D. grandiflorus*.

OTHOCALLIS, Salisb. *Gen. Pl. Fragm.* 28 (1866) = *Scilla*, Linn. (Liliac.).  
*amoena*, Salisb. l. c. = *S. amoena*.  
*sibirica*, Salisb. l. c. = *S. sibirica*.

OTHONNA, Linn. *Syst. ed. I* (1735). *COMPOSITAE*, Benth. & Hook. f. ii. 453.  
 ARISTOTELEA, Adans. *Fam.* ii. 125 (1763).  
 CALTHOIDES, B. Juss. ex DC. *Prod.* vi. 473 (1837).  
 CERADIA, Lindl. *Bot. Reg.* (1845) Misc. 12.  
 DORIA, Less. in *Linnaea*, vi. (1831) 94.  
*abrotanifolia*, Linn. *Sp. Pl.* 926 = *Euryops abrotanifolius*.  
*acutiloba*, *Sch. Bip. in Flora*, xxvii. (1844) 769.—Afr. austr.  
*adscendens*, DC. *Prod.* vi. 480 = tuberosa.  
*alata*, *Sch. Bip. in Flora*, xxvii. (1844) 769 = *Othonnopsis alata*.  
*amplexicaulis*, Sims, *Bot. Mag.* t. 1312 = *amplexifolia*.  
*amplexicaulis*, Thunb. *Prod. Pl. Cap.* 167 = denticulata.  
*amplexifolia*, DC. *Prod.* vi. 480.—Afr. austr.  
*angustifolia*, DC. l. c. 477 = *Othonnopsis angustifolia*.  
*arborescens*, Linn. *Sp. Pl.* ed. II. 1310.—Afr. austr.  
*Arbuscula*, *Sch. Bip. in Flora*, xxvii. (1844) 769.—Afr. austr.  
*Athanasiae*, Jacq. *Hort. Schoenb.* ii. 62. t. 242 = *Euryops Athanasiae*.  
*Athanasiae*, Linn. f. *Suppl.* 386 = *Euryops abrotanifolius*.  
*auriculaefolia*, *Licht. ex Less. in Linnaea*, vi. (1831) 93.—Afr. austr.  
*Bainesii*, Oliver & Hiern, in *Oliver, Fl. Trop. Afr.* iii. 423 = *coriifolia*.

## OTHONNA:—

- Bergeri*, Spreng. *Syst.* iii. 626 = coronopifolia.  
*brachypoda*, DC. *Prod.* vi. 480 = heterophylla.  
*bulbosa*, Linn. *Sp. Pl.* 924 = sp. plurim.  
*bupleuroides*, DC. *Prod.* vi. 475 = parviflora.  
*calalioides*, Linn. f. *Suppl.* 388.—Afr. austr.  
*cakilefolia*, DC. *Prod.* vi. 482.—Afr. austr.  
*Calthoides*, Mill. *Gard. Dict.* ed. VIII. n. 2 = *Othonnopsis cheirifolia*.  
*campanulata*, *Sch. Bip. in Flora*, xxvii. (1844) 769.—Afr. austr.  
*capillaris*, Linn. f. *Suppl.* 388 = *Gymnodiscus capillaris*.  
*carcosa*, Less. *Syn. Comp.* 88.—Afr. austr.  
*cheirifolia*, Linn. *Sp. Pl.* 926 = *Othonnopsis cheirifolia*.  
*chromachaeta*, *Sch. Bip. in Flora*, xxvii. (1844) 769.—Afr. austr.  
*ciliata*, Linn. f. *Suppl.* 386 = *Othonnopsis ciliata*.  
*Cineraria*, Linn. *Sp. Pl.* 925.—Afr. austr.  
*cluytiaefolia*, *Sch. Bip. in Flora*, xxvii. (1844) 769 = *Othonnopsis cluytiaefolia*.  
*cneorifolia*, *Sch. Bip.* l. c. = *Othonnopsis cneorifolia*.  
*coriifolia*, *Sond. in Harv. & Sond. Fl. Cap.* iii. 333.—Afr. austr.  
*coronopifolia*, Linn. *Sp. Pl.* 926.—Afr. austr.  
*coronopifolia*, Thunb. *Prod. Pl. Cap.* 167 = arborescens.  
*crassifolia*, *Harv. in Harv. & Sond. Fl. Cap.* iii. 336.—Afr. austr.  
*crassifolia*, Linn. *Mant.* i. 118 = *Othonnopsis cheirifolia*.  
*crassifolia*, E. Mey. ex DC. *Prod.* vi. 476 = denticulata.  
*crispa*, *Roxb. Hort. Beng.* 62, nomen.—Afr. austr.  
*cuneata*, DC. *Prod.* vi. 481.—Afr. austr.  
*cyanoglossa*, DC. l. c. = auriculaefolia.  
*cylindrica*, DC. l. c. 477.—Afr. austr.  
*cymbalariaefolia*, Linn. *Pl. Rar. Afr.* 24 = *Senecio cymbalariaefolius*.  
*dentata*, Linn. *Sp. Pl.* 926.—Afr. austr.  
*denticulata*, *Dryand. in Ait. Hort. Kew.* ed. I. iii. 276.—Afr. austr.  
*digitata*, Linn. f. *Suppl.* 386.—Afr. austr.  
*diversifolia*, *Sch. Bip. in Flora*, xxvii. (1844) 769.—Afr. austr.  
*Dregeana*, DC. *Prod.* vi. 475 = denticulata.  
*Ecklonaeana*, DC. l. c. 476.—Afr. austr.  
*elliptica*, DC. l. c. 480 = tuberosa.  
*ericoides*, Linn. f. *Suppl.* 388; Thunb. *Prod. Pl. Cap.* 167 = *Gamolepis ericoides*.  
*eriocarpa*, *Sch. Bip. in Flora*, xxvii. (1844) 769.—Afr. austr.  
*filicaulis*, Eckl. ex *Harv. & Sond. Fl. Cap.* iii. 336 = crassifolia.  
*filicaulis*, *Jacq. Hort. Schoenb.* ii. 62. t. 241.—Afr. austr.  
*filifolia*, Burm. f. ex DC. *Prod.* vi. 278 = *Leyssera gnaphaloides*.  
*flabellifolia*, Lodd. *Bot. Cab.* t. 728 = *Euryopus virgineus*.  
*frutescens*, Drège, ex *Harv. & Sond. Fl. Cap.* iii. 331 = leptodactyla.  
*frutescens*, Eckl. ex *Harv. & Sond. Fl. Cap.* iii. 323 = *Othonnopsis Kraussii*.  
*frutescens*, Linn. *Mant.* ii. 288.—Afr. austr.  
*geifolia*, Linn. *Sp. Pl.* 924.—Afr. austr.  
*glauca*, Spreng. ex *Sch. Bip. in Flora*, xxvii. (1844) 696 = *Senecio othonnaeflorus*.  
*grandidentata*, DC. *Prod.* vi. 474 = pluridentata.  
*Gymnodiscus*, *Sch. Bip. in Flora*, xxvii. (1844) 769.—Afr. austr.  
*helenitis*, Linn. *Sp. Pl.* 925 = *Senecio brachychaetus*.  
*heterophylla*, Linn. f. *Suppl.* 387.—Afr. austr.  
*imbricata*, Thunb. *Prod. Pl. Cap.* 167 = *Euryops lateriflorus*.  
*incisa*, *Harv. in Harv. & Sond. Fl. Cap.* iii. 341.—Afr. austr.  
*integrifolia*, Linn. *Sp. Pl.* 925.—Afr. austr.  
*Kraussii*, *Sch. Bip. in Flora*, xxvii. (1844) 769 = *Othonnopsis Kraussii*.  
*lactucaefolia*, DC. *Prod.* vi. 482.—Afr. austr.  
*lasiocarpa*, *Sch. Bip. in Flora*, xxvii. (1844) 769.—Afr. austr.  
*lateriflora*, Linn. f. *Suppl.* 387; Thunb. *Prod. Pl. Cap.* 167 = *Euryops lateriflorus*.  
*Laureola*, *Sch. Bip. in Flora*, xxvii. (1844) 769.—Afr. austr.  
*laxa*, *Savign. in Lam. Encyc.* iv. 668.—Afr. austr.  
*leptodactyla*, *Harv. in Harv. & Sond. Fl. Cap.* iii. 331.—Afr. austr.  
*leptophylla*, DC. *Prod.* vi. 477.—Afr. austr.

## OTHONNA:—

- linearifolia*, *Sch. Bip. in Flora*, xxvii. (1844) 769.—Afr. austr.  
*Lingua*, *Herb. Thunb. ex Harv. & Sond. Fl. Cap.* iii. 342 = tuberosa.  
*Lingua*, Linn. f. *Suppl.* 387; Thunb. *Prod. Pl. Cap.* 167.—Afr. austr.  
*linifolia*, Burm. f. *Fl. Cap. Prod.* 29 (err. typ. 25) = *Euryops tenuissimus*.  
*linifolia*, Linn. f. *Suppl.* 388.—Afr. austr.  
*longifolia*, DC. *Prod.* vi. 476 = parviflora.  
*lyrata*, DC. l. c. 481.—Afr. austr.  
*macrophylla*, DC. l. c. 480.—Afr. austr.  
*macrosperma*, DC. l. c. 478.—Afr. austr.  
*maritima*, Linn. *Sp. Pl.* 925.—Afr. austr.  
*membranifolia*, DC. *Prod.* vi. 476.—Afr. austr.  
*minima*, DC. l. c. 479.—Afr. austr.  
*mucronata*, *Harv. in Harv. & Sond. Fl. Cap.* iii. 331.—Afr. austr.  
*multicaulis*, *Harv. l. c.* 333.—Afr. austr.  
*multifida*, Thunb. *Prod. Pl. Cap.* 168 = *Euryops multifidus*.  
*munita*, Linn. f. *Suppl.* 388 = *Gamolepis munita*.  
*nana*, *Sch. Bip. in Flora*, xxvii. (1844) 769.—Afr. austr.  
*natalensis*, *Sch. Bip. l. c.* 771.—Afr. austr.  
*nodulosa*, *Sch. Bip. l. c.* 769.—Afr. austr.  
*nudata*, DC. *Prod.* vi. 475 (sp. dub.)—Afr. austr.  
*nudicaulis*, *Savign. in Lam. Encyc.* iv. 668.—Afr. austr.  
*oblongifolia*, DC. *Prod.* vi. 480 = tuberosa.  
*obtusiloba*, *Harv. in Harv. & Sond. Fl. Cap.* iii. 337.—Afr. austr.  
*osteospermoides*, DC. *Prod.* vi. 474.—Afr. austr.  
*pallens*, DC. l. c. 476 = *Othonnopsis pallens*.  
*palustris*, Linn. *Sp. Pl.* 924 = *Senecio palustris*.  
*parviflora*, Berg. *Desc. Pl. Cap.* 335 = denticulata.  
*parviflora*, Linn. *Mant.* i. 89.—Afr. austr.  
*Pavonia*, E. Mey. ex DC. *Prod.* vi. 473.—Afr. austr.  
*pectinata*, Linn. *Sp. Pl.* 926 = *Euryops pectinatus*.  
*pectinata*, E. Mey. ex DC. *Prod.* vi. 484 = *Ruckeria othonnoides*.  
*perfoliata*, *Jacq. Hort. Schoenb.* ii. 61. t. 240.—Afr. austr.  
*petiolaris*, DC. *Prod.* vi. 480.—Afr. austr.  
*picridioides*, DC. l. c. 481 = auriculaefolia.  
*pinnata*, Linn. f. *Suppl.* 387.—Afr. austr.  
*pinnatifida*, Thunb. *Prod. Pl. Cap.* 168 = *Cineraria othonnoides*.  
*pinnatilobata*, *Sch. Bip. in Flora*, xxvii. (1844) 769.—Afr. austr.  
*pluridentata*, DC. *Prod.* vi. 474.—Afr. austr.  
*primulina*, DC. l. c. 479.—Afr. austr.  
*procera*, Salisb. *Prod.* 211 = arborescens.  
*pterionoides*, *Harv. in Harv. & Sond. Fl. Cap.* iii. 332.—Afr. austr.  
*purpurascens*, *Harv. l. c.* 331.—Afr. austr.  
*quercifolia*, DC. *Prod.* vi. 478.—Afr. austr.  
*quinquedentata*, DC. l. c. 474 = parviflora.  
*quinquedentata*, Thunb. *Prod. Pl. Cap.* 168.—Afr. austr.  
*quinqueradiata*, DC. *Prod.* vi. 478.—Afr. austr.  
*racemosa*, E. Mey. ex DC. l. c. 446 = *Euryops oligoglossus*.  
*ramosa*, *Sch. Bip. in Flora*, xxvii. (1844) 769.—Afr. austr.  
*ramulosa*, DC. *Prod.* vi. 477.—Afr. austr.  
*reticulata*, DC. l. c. 481.—Afr. austr.  
*retrofracta*, *Jacq. Hort. Schoenb.* iii. 66. t. 376.—Afr. austr.  
*retrorsa*, DC. *Prod.* vi. 479.—Afr. austr.  
*rhamnoides*, *Sch. Bip. in Flora*, xxvii. (1844) 769.—Afr. austr.  
*rigens*, Linn. *Pl. Afr. Rar.* 24.—Afr. austr.  
*rigida*, Burm. ex DC. *Prod.* vi. 510 = *Gazania Pavonia*.  
*rigida*, DC. l. c. 476 = denticulata.  
*rosea*, *Harv. in Harv. & Sond. Fl. Cap.* iii. 341.—Afr. austr.  
*rotundifolia*, *Harv. l. c.* 344, sphalm. = seq.  
*rotundiloba*, DC. *Prod.* vi. 481.—Afr. austr.  
*rufibarbis*, *Harv. in Harv. & Sond. Fl. Cap.* iii. 341.—Afr. austr.  
*scapigera*, *Harv. Thes. Cap.* i. 10.—Afr. austr.  
*sedifolia*, DC. *Prod.* vi. 479.—Afr. austr.  
*semicalva*, *Sch. Bip. in Flora*, xxvii. (1844) 769.—Afr. austr.  
*senecionea*, DC. *Prod.* vi. 475 = denticulata.  
*sibirica*, Linn. *Sp. Pl.* 924 = *Senecio Ligularia*.  
*sonchifolia*, DC. *Prod.* vi. 482.—Afr. austr.  
*sonchifolia*, Linn. *Sp. Pl.* 924 = *Cineraria sonchifolia*.



**OTHONNA** :—

*speciosa*, Spreng. ex Steud. Nom. ed. II. ii. 237 = *Euryops tenuissimus*.  
*spinescens*, DC. Prod. vi. 476.—Afr. austr.  
*spinescens*, D. Dietr. Syn. Pl. iv. 1662 = *rhamnoides*.  
*subumbellata*, DC. Prod. vi. 474 = *quinquedentata*.  
*sulcata*, Thunb. Prod. Pl. Cap. 167 = *Euryops sulcatus*.  
*Tagetes*, Linn. Syst. ed. X. 1234 = *Gamolepis annua*.  
*taraxacoides*, Sch. Bip. in Flora, xxvii. (1844) 769.—Afr. austr.  
*tenuissima*, Haw. Rev. Pl. Succ. 315 = *cylindrica*.  
*tenuissima*, Linn. Mant. i. 98 = *Euryops tenuissimus*.  
*tephrosioides*, Sond. in Harv. & Sond. Fl. Cap. iii. 344.—Afr. austr.  
*tomentosa*, Salisb. Prod. 211 = *Euryops pectinatus*.  
*tortuosa*, Sch. Bip. in Flora, xxvii. (1844) 769.—Afr. austr.  
*trifida*, Linn. f. Suppl. 387; Thunb. Prod. Pl. Cap. 168 = *Euryops trifidus*.  
*trifida*, Thunb. ex Harv. & Sond. Fl. Cap. iii. 414 = *Euryops oligoglossus*.  
*trifurcata*, Less. in Linnaea, vi. (1831) 94 = *Gamolepis trifurcata*.  
*trifurcata*, Linn. f. Suppl. 387; Thunb. Prod. Pl. Cap. 168 = *Euryops trifurcatus*.  
*trinervia*, DC. Prod. vi. 477.—Afr. austr.  
*triplinervis*, DC. l. c. 478.—Afr. austr.  
*tuberosa*, DC. l. c. 479 (excl. syn.) = *heterophylla*.  
*tuberosa*, Thunb. Prod. Pl. Cap. 168.—Afr. austr.  
*umbelliformis*, DC. Prod. vi. 474.—Afr. austr.  
*undulata*, E. Mey. ex Steud. Nom. ed. II. ii. 238.—Afr. austr.  
*uniflora*, Savign. in Lam. Encyc. iv. 670.—Afr. austr.  
*vestita*, DC. Prod. vi. 482.—Afr. austr.  
*vineae*, E. Mey. ex DC. l. c. 477.—Afr. austr.  
*virginea*, Linn. f. Suppl. 389; Thunb. Prod. Pl. Cap. 168 = *Euryops virgineus*.  
*Zeyheri*, Sond. ex Harv. & Sond. Fl. Cap. iii. 339.—Afr. austr.

**OTHONNOPSIS**, Jaub. & Spach. Illustr. iv. 90. t. 357 (1852). *COMPOSITAE*, Benth. & Hook. f. ii. 451.

*HERTIA*, Neck. Elem. i. 8 (1790); Less. in Linnaea, vi. (1831) 94.  
*alata*, Benth. & Hook. f. Gen. ii. 451.—Afr. austr.  
*angustifolia*, Jaub. & Spach, Illustr. iv. 90. t. 357.—Persia.  
*cheirifolia*, Benth. & Hook. f. Gen. ii. 451.—Algeria.  
*ciliata*, Benth. & Hook. f. l. c.—Afr. austr.  
*cluytiaefolia*, Benth. & Hook. f. l. c.—Afr. austr.  
*cneorifolia*, Benth. & Hook. l. c.—Afr. austr.  
*intermedia*, Boiss. Diagn. Ser. II. vi. 106.—Persia; Beluchist.  
*Kraussii*, Benth. & Hook. f. Gen. ii. 451.—Afr. austr.  
*pellens*, Benth. & Hook. f. l. c.—Afr. austr.

**OTHOSTEMMA**, Pritz. Ic. Ind. i. 782 (1855) = **OTOSTEMMA**, Blume = *Hoya*, R. Br. (Asclep.).

**OTHRYS**, Noronha, ex Thou. Nov. Gen. Madag. 13 (1806) = *Crataeva*, Linn. (Cappar.).

**OTIDIA**, Lindl. ex Sweet, Geran. t. 98 (1820) = *Pelargonium*, L'Hérit. (Geran.).  
*alternans*, Sweet, l. c. t. 286 = *P. alternans*.  
*Burmanni*, Eckl. & Zeyh. Enum. 69 = *P. ferulaceum*.  
*carnosa*, Lindl. ex Sweet, Geran. t. 98 = *P. carnosum*.  
*ceratophylla*, Hoffm. Verz. Pfl. 84 = *P. ceratophyllum*.  
*corallina*, Eckl. & Zeyh. Enum. 69 = *P. corallinum*.  
*crithmifolia*, Sweet, Hort. Brit. ed. I. 75; Geran. t. 354 = *P. crithmifolium*.  
*dasycaulon*, Eckl. & Zeyh. Enum. 68 = *P. dasycaulis*.  
*ferulacea*, Eckl. & Zeyh. l. c. 69 = *P. ferulaceum*.  
*laxa*, Sweet, Geran. t. 196 = *P. carnosum*.  
*microphylla*, Eckl. & Zeyh. Enum. 69 = *P. microphyllum*.

**OTILLIS**, Gaertn. Fruct. i. 275. t. 57 (1788) = *Leea*, Royen (Ampel.).  
*zeylanica*, Gaertn. l. c. = *L. sambucina*.

**OTIOPHORA**, Zucc. in Abh. Akad. Muench. i. (1832) 315. *RUBIACEAE*, Benth. & Hook. f. ii. 137.  
*cupheoides*, N. E. Br. in Hook. Ic. Pl. t. 1453.—Afr. austr.  
*pauciflora*, Baker, in Journ. Linn. Soc. xx. (1883) 170.—Madag.  
*scabra*, Zucc. in Abh. Akad. Muench. i. (1832) 316.—Madag.

**OTITES**, Adans. Fam. ii. 255 (1763) = *Silene*, Linn. (Caryoph.).  
*nemoralis*, Opiz, Seznam, 71 = *S. italica*.  
*nutans*, Opiz, l. c. = *S. nutans*.  
*parviflorus*, Fourr. in Ann. Soc. Linn. Lyon, N. S. xvi. (1868) 346 = *S. Otites*.  
*viridiflora*, Opiz, in Lotos, iv. (1854) 42 = *S. viridiflora*.

**OTOCARPUS**, Dur. in Duch. Rev. Bot. ii. (1847) 435 = *Rapistrum*, Desv. (Crucif.).  
*virgatus*, Dur. l. c. 436.—Alger.

**OTOCHILUS**, Lindl. Gen. et Sp. Orch. 35 (1830). *ORCHIDAE*, Benth. & Hook. f. iii. 519.  
*BROUGHTONIA*, Wall. ex Lindl. Gen. et Sp. Orch. 35 (1830).  
*TETRAPELTIS*, Wall. ex Lindl. Bot. Reg. sub t. 1522 (1832).

*alba*, Lindl. in Wall. Cat. n. 1967.—Reg. Himal.  
*fusca*, Lindl. l. c.—Reg. Himal.  
*lancifolia*, Griff. Notul. iii. 278; Ic. Pl. Asiat. t. 289 = *porrecta*.  
*latifolia*, Griff. ll. cc. 279; t. 288 = *fusca*.  
*porrecta*, Lindl. in Wall. Cat. n. 1968.—Reg. Himal.; Burma.

**OTOCHLAMYS**, DC. Prod. vi. 77 (1837). *COMPOSITAE*, Benth. & Hook. f. ii. 428.  
*Eckloniana*, DC. Prod. vi. 77.—Afr. austr.  
*majuscula*, Harv. ex Harv. & Sond. Fl. Cap. iii. 177 = *Eckloniana*.

**OTOGLYPHIS**, Pomel, Nouv. Mat. Fl. Atl. 56 (1874) = *Cotula*, Tourn. (Compos.).  
*pubescens*, Pomel, l. c. 57 = *C. pubescens*.

**OTOLEPIS**, Turcz. in Bull. Soc. Nat. Mosc. xxi. (1848) i. 572 = *Capura*, Blanco (Sapind.).  
*nigrescens*, Turcz. l. c. 573 = *C. pinnata*.

**OTOMERIA**, Benth. in Hook. Niger Fl. 405 (1849) *RUBIACEAE*, Benth. & Hook. f. ii. 55.  
*dilatata*, Hiern, in Oliver, Fl. Trop. Afr. iii. 50.—Afr. trop.  
*guineensis*, Benth. in Hook. Niger Fl. 405.—Afr. trop.  
*lanceolata*, Hiern, in Oliver, Fl. Trop. Afr. iii. 50.—Afr. trop.  
*madiensis*, Oliver, in Trans. Linn. Soc. xxix. (1873) 83. t. 47.—Afr. trop.  
*oculata*, S. Moore, in Journ. Bot. xviii. (1880) 4.—Afr. trop.

**OTONEPHELIUM**, Radlk. Sapind. Holland-Ind. Nachtr. 71 (1879) = *Nepheium*, Linn. (Sapind.).  
*stipulaceum*, Radlk. l. c. = *N. stipulaceum*.

**OTONYCHIUM**, Blume, Rumphia, iii. 180 (1850) = *Harpullia*, Roxb. (Sapind.).  
*imbricatum*, Blume, l. c. = *H. cupanioides*.  
*retusum*, Miq. Fl. Ind. Bat. i. II. 572.—Java.

**OTOPAPPUS**, Benth. in Benth. & Hook. f. Gen. ii. 380 (1873). *COMPOSITAE*, Benth. & Hook. f. l. c. *curviflorus*, Hemsl. Biol. Centr. Am. Bot. ii. 191.—Mexico.  
*epaleaceus*, Hemsl. l. c.—Mexico.  
*robustus*, Hemsl. l. c.—Mexico.  
*verbesinoides*, Benth. in Hook. Ic. Pl. t. 1153.—Nicaragua.

**OTOPETALUM**, Miq. Fl. Ind. Bat. ii. 400 (1856); et in Versl. en Med. Kon. Akad. Wetensch. vi. (1857) 191. *APOCYNACEAE*, Benth. & Hook. f. ii. 692.  
*micranthum*, Miq. ll. cc.—Java.

**OTOPHORA**, Blume, Rumphia, iii. 142 (1850). *SAPINDACEAE*, [Benth. & Hook. f. i. 405.]  
*alata*, Blume, l. c. 145.—Borneo.  
*amoena*, Blume, l. c. 142 = *Melicocca amoena*.  
*Blancoi*, Blume, l. c. = *Sapindus baccatus*.  
*confinis*, Blume, l. c. 143.—Borneo.  
*cordigera*, Radlk. Sapind. Holland-Ind. Nachtr. 85.—Borneo.  
*erythrocalyx*, Hiern, in Hook. f. Fl. Brit. Ind. i. 680.—Malacca.

**OTOPHORA** :—

*fruticosa*, Blume, Rumphia, iii. 142 = *Sapindus fruticosus*.  
*imbricata*, Blume, l. c. 144.—Borneo.  
*javanica*, Miq. Fl. Ind. Bat. i. II. 561.—Java.  
*nigrescens*, Villar, in Blanco, Fl. Philipp. ed. III. Nov. App. 52 = *Capura pinnata*.  
*paradoxa*, Blume, Rumphia, iii. 146.—Ins. Philipp.  
*paucijuga*, Hiern, in Hook. f. Fl. Brit. Ind. i. 680.—Malacca.  
*pubescens*, Blume, Rumphia, iii. 145.—Borneo.  
*ramiflora*, Radlk. in Act. Congr. Bot. Amst. 1877 (1879), 102.—Borneo.  
*spectabilis*, Blume, Rumphia, iii. 142.—Java.  
*Zollingeriana*, Teijsm. & Binn. in Tijdschr. Nederl. Indie, xxv. (1863) 423.—Java.

**OTOPHYLLA**, Benth. in DC. Prod. x. 512 (1846) = *Gerardia*, Linn. (Scrophul.).  
*Drummondii*, Benth. l. c. = *G. densiflora*.  
*Michauxii*, Benth. l. c. = *G. auriculata*.

**OTOPTERA**, DC. Mém. Lég. 249. t. 42 (1825) = *Vigna*, Savi (Legumin.).  
*Burchellii*, DC. l. c. = *V. Burchellii*.

**OTOSEMA**, Benth. in Miq. Pl. Jungh. 248 (1851) 55 = *Milletia*, Wight & Arn. (Legumin.).  
*caudata*, Benth. in Miq. Pl. Jungh. 249 = *M. caudata*.  
*extensa*, Benth. l. c. = *M. extensa*.  
*fruticosa*, Benth. l. c. = *M. fruticosa*.  
*macrophylla*, Benth. l. c. = *M. auriculata*.

**OTOSMA**, Rafn. New Fl. Am. ii. 90 (1836); et Fl. Tellur. iv. 8 (1836) = *Richardia*, Kunth (Aroid.).  
*ethiopica*, Rafn. ll. cc. = *R. africana*.

**OTOSPERMUM**, Willk. in Bot. Zeit. xxii. (1864) 251 = *Matricaria*, Tourn. (Compos.).  
*glabrum*, Willk. l. c. = *M. glabra*.

**OTOSTEGIA**, Benth. Lab. Gen. et Sp. 601 (1834). *LABIATAE*, Benth. & Hook. f. ii. 1213.  
*DICTYLIS*, Rafn. Fl. Tellur. iii. 89 (1836).  
*arabica*, Jaub. & Spach, Illustr. iv. 121. t. 380.—Orients.  
*Aucherii*, Boiss. Diagn. Ser. I. v. 40.—Persia; Beluchist.  
*Benthamiana*, Jaub. & Spach, Illustr. iv. 119. t. 379.—Orients.  
*integrifolia*, Benth. Lab. Gen. et Sp. 602.—Abyssin.  
*Kotschyii*, Boiss. Diagn. Ser. I. vii. 59.—Persia.  
*limbata*, Benth. ex Hook. f. Fl. Brit. Ind. iv. 680.—Ind. bor. occ.  
*microphylla*, Boiss. Diagn. Ser. I. v. 39.—Persia.  
*moluccoides*, Jaub. & Spach, Illustr. iv. 117. t. 378 = *scariosa*.  
*persica*, Boiss. Fl. Orient. iv. 777 = *microphylla*.  
*repanda*, Benth. Lab. Gen. et Sp. 602.—Abyssin.  
*scariosa*, Benth. l. c.—Arab.; Abyssin.  
*Schimperii*, Boiss. Fl. Orient. iv. 776.—Arab.  
*Steudneri*, Schweinf. in Verh. Zool.-Bot. Ges. Wien, xviii. (1868) 682.—Afr. bor.  
*tomentosa*, A. Rich. Tent. Fl. Abyss. ii. 198.—Abyssin.

**OTOSTEMMA**, Blume, Rumphia, iv. 30 (1848) = *Hoya*, R. Br. (Asclep.).  
*lacunosum*, Blume, l. c. = *H. lacunosa*.

**OTOTROPIS**, Nees, Del. Sem. Hort. Vratisl. (1838); ex Linnaea, xiii. (1839) Litt. 120 = *Desmodium*, Desv. (Legumin.).  
*microphyllus*, Benth. in Ann. Wien. Mus. ii. (1838) 142 = *Indigofera gracilis*, Spreng.  
*recurvatus*, Nees, Del. Sem. Hort. Vratisl. (1838); ex Linnaea, xiii. (1839) Litt. 121, in obs. = *D. laxiflorum*.  
*rufescens*, Nees, l. c. 121 = *D. rufescens*.  
*sambuensis*, Nees, l. c. 120 = *D. floribundum*.

**OTTELIA**, Pers. Syn. i. 400 (1805). *HYDROCHARIDAE*, Benth. & Hook. f. iii. 453.  
*DAMASONIUM*, Schreb. Gen. 242 (1789).  
*HYMENOTHECA*, Salisb. in Trans. Hort. Soc. i. (1812) 268.  
*alismoides*, Pers. Syn. i. 400.—As. et Austral. trop.  
*brasiliensis*, Walp. Ann. iii. 510.—Bras.  
*cygnorum*, Walp. l. c. = *ovalifolia*.



**OTTELIA** :—

ensiformis, *Blanco, Fl. Filip.* ed. I. 460.—Ins. Philipp. Hoffmeisteri, *Klotzsch, in Bot. Ergeb. Waldem. Reise*, 41.—Reg. Himal.  
indica, Planch. ex Dalz. & Gibs. Bomb. Fl. 278 = ovalifolia.  
japonica, *Miq. in Verh. Akad. Wetensch.* II. ii. (1868) 89.—Japon.  
javanica, *Miq. Fl. Ind. Bat.* iii. 240.—Java.  
lactucaefolia, Walp. Ann. iii. 510 = alismoides.  
lanceolata, Wight, ex Wall. Cat. n. 7244 = alismoides.  
lancifolia, *A. Rich. Tent. Fl. Abyss.* ii. 280.—Abyssin.  
ovalifolia, *Rich. in Mém. Inst. Par.* (1811) 27, 78. t. 7.—Austral.  
scabra, *Baker, in Trans. Linn. Soc.* xxix. (1875) 151.—Afr. trop.  
tenera, *Benth. Fl. Austral.* vi. 257.—Austral.  
ulvaefolia, *Walp. Ann.* iii. 510.—Madag.

OTTILIS, Endl. Gen. 797 (1839), sphalm. = OTILLIS, Gaertn. = **Leea**, Royen (Ampel.).

OTTOA, H. B. & K. Nov. Gen. et Sp. v. 20. t. 423 (1821). **UMBELLIFERAE**, Benth. & Hook. f. i. 899.  
oenanthoides, *H. B. & K. l. c.*—Mexic.; N. Granat.

OTTONIA, Spreng. Neue Entdeck. i. 255 (1820) = **Piper**, Linn.

*Anisum*, Mart. ex Miq. in Mart. Fl. Bras. iv. i. 66 = P. corcovadense.

*Anisum*, Spreng. Neue Entdeck. i. 255 = P. Jaborandi.  
*Blanchetii*, Moric. Pl. Nouv. Am. 86 = P. corcovadense.  
*carpinifolia*, Presl, Epim. Bot. 229 = P. carpinifolium.  
*Carpunga*, Miq. Syst. Pip. 547 = P. Carpunga.  
*consanguinea*, Presl, Epim. Bot. 230 = P. punctatisimul.

*corcovadensis*, Miq. in Linnaea, xx. (1847) 175 = P. corcovadense.

*diversifolia*, Kunth, l. c. xiii. (1839) 578 = P. Selloi.  
*eucalyptifolia*, Kunth, l. c. 582 = P. eucalyptiphyllum.  
*glaucescens*, Miq. in Seem. Bot. Voy. Herald, 200 = P. darienense.

*Hookeriana*, Miq. in Hook. Journ. Bot. iv. (1842) 40 = P. Gardneri.

*Jaborandi*, Kunth, in Linnaea, xiii. (1839) 579 = P. Jaborandi.

*Klotzschiana*, Kunth, l. c. 589 = P. Klotzschianum.

*laeta*, Kunth, l. c. 587 = P. laetum.

*leptostachya*, Kunth, l. c. 586 = P. Boucheanum.

*Lessertiana*, Miq. Syst. Pip. 546 = P. Lessertianum.

*macrophylla*, Kunth, in Linnaea, xiii. (1839) 583 = P. Heyneanum.

*macrostachya*, Mart. ex Miq. in Linnaea, xx. (1847) 176 = P. sebastianopolitense.

*Martiana*, Miq. l. c. 178 = P. Miquelianum.

*padifolia*, Kunth, l. c. xiii. (1839) 580 = P. padifolium.

*Pohlana*, Miq. l. c. xx. (1847) 179 = P. Pohlmanum.

*propinqua*, Kunth, l. c. xiii. (1839) 583 = P. corcovadense.

*propinqua*, in Mart. Fl. Bras. iv. i. 66, 222 = P. Baptisianum.

*pteropoda*, Moric. Pl. Nouv. Am. 88 = P. pteropodon.

*punctata*, Griseb. Cat. Pl. Cub. 65 = P. cubense.

*sphaerocarpa*, Griseb. in Mem. Am. Acad. N. S. viii. (1861) 176 = P. sphaerostachyum.

*sphaerostachya*, C. DC. in DC. Prod. xvi. 1. 326 = P. sphaerostachyum.

*stipulacea*, Presl, Epim. Bot. 231 = P. stipulaceum.

*unguiculata*, Heynh. Nom. ii. 464 = P. unguiculatum.

*Vahlia*, Kunth, in Linnaea, xiii. (1839) 585 = P. ovatum.

*Warakabacoura*, Miq. l. c. xx. (1847) 180 = P. Warakaboura.

OUDEMANSIA, Miq. Pl. Jungh. 295 (1854) = **Helicteres**, Pluk. (Stercul.).

*hirsuta*, Miq. l. c. 297 = H. spicata?

*integerrima*, Miq. l. c. 296 = H. angustifolia.

*javanensis*, C. Muell. in Walp. Ann. iv. 320 = seq.

*javanensis*, Hassk. Retzia, i. 134 = H. angustifolia.

*Korthalsii*, Miq. Fl. Ind. Bat. i. ii. 170 = H. integerrima.

*lanata*, Teijsm. & Binn. in Tijdschr. Nederl. Ind. xxix. (1867) 252.—Siam.

*microcarpa*, Miq. Fl. Ind. Bat. i. ii. 171 = H. microcarpa.

*obversa*, Miq. Pl. Jungh. 297 = H. sundaica.

*spicata*, Teijsm. & Binn. Cat. Hort. Bog. 196 = H. spicata.

*virgata*, Hassk. Retzia, i. 134 = H. angustifolia.

*viscida*, Miq. Pl. Jungh. 297 = H. viscida.

LOUDNEYA, R. Br. in Denh. & Clapp. Trav. App. 220 (1826) = **Moricandia**, DC. (Crucif.).  
*africana*, R. Br. l. c. = M. suffruticosa.

OUGEINIA, Benth. in Miq. Pl. Jungh. 216 (1851-55). **LEGUMINOSAE**, Benth. & Hook. f. i. 518.  
*dalbergioides*, Benth. in Miq. Pl. Jungh. 216—Ind. or.

OURAGOGA, Linn. Hort. Cliff. 486 (1737) = **Uragoga**, Linn. (Rubiace.).

OURATEA, Aubl. Pl. Gui. i. 397. t. 152 (1775) = **Gomphia**, Schreb. (1789) (Ochnac.).

*acuminata*, Engl. in Mart. Fl. Bras. xii. ii. 318 = G. acuminata.

*alternifolia*, Engl. l. c. 339 = G. alternifolia.

*aquatica*, Engl. l. c. 343 = G. aquatica.

*Blanchetiana*, Engl. l. c. 320 = G. Blanchetiana.

*Candollei*, Engl. l. c. 314, in adnot. = G. guyannensis.

*caracasana*, Engl. l. c. 315 = G. caracasana.

*cardiosperma*, Engl. l. c. 348 = G. cardiosperma.

*cassinefolia*, Engl. l. c. 319 = G. cassinefolia.

*castaneaefolia*, Engl. l. c. 309 = G. castaneaefolia.

*caudata*, Engl. l. c. 313.—Am. trop.

*cinnamomea*, Wawra, in Oestr. Bot. Zeitschr. xxix. (1879) 215.—Bras.

*coccinea*, Engl. in Mart. Fl. Bras. xii. ii. 310 = G. coccinea.

*conduplicata*, Engl. l. c. 343 = G. conduplicata.

*confertiflora*, Engl. l. c. 328 = G. confertiflora.

*crassifolia*, Engl. l. c. 311 = G. crassifolia.

*crassinervia*, Engl. l. c. 337.—Am. trop.

*cuspidata*, Engl. l. c. 345 = G. cuspidata.

*decorans*, Baill. Hist. Pl. iv. 357 = G. olivaeformis.

*Duparquetiana*, Baill. l. c. 359 = G. Duparquetiana.

*ferruginea*, Engl. in Mart. Fl. Bras. xii. ii. 335.—Am. trop.

*Fieldingiana*, Engl. l. c. 309 = G. Fieldingiana.

*floribunda*, Engl. l. c. 331 = G. floribunda.

*gigantophylla*, Engl. l. c. 338 = G. gigantophylla.

*glaucescens*, Engl. l. c. 328 = G. glaucescens.

*globosa*, Engl. l. c. 323.—Am. trop.

*grandiflora*, Engl. l. c. 336 = G. grandiflora.

*grandifolia*, Engl. l. c. 346 = G. grandifolia.

*guatemalensis*, Engl. l. c. 345.—Am. trop.

*guianensis*, Aubl. Pl. Gui. i. 397 = G. guyannensis.

*hexasperma*, Baill. Hist. Pl. iv. 366 = G. hexasperma.

*humilis*, Engl. in Mart. Fl. Bras. xii. ii. 330 = G. humilis.

*ilicifolia*, Baill. Hist. Pl. iv. 366 = G. ilicifolia.

*inundata*, Engl. in Mart. Fl. Bras. xii. ii. 335 = G. inundata.

*Jabotapita*, Engl. l. c. 350 = G. Jabotapita.

*Jurgensii*, Engl. l. c. 351 = G. Jurgensii.

*lanceolata*, Engl. l. c. 327 = G. lanceolata.

*laurifolia*, Engl. l. c. 350 = G. laurifolia.

*longifolia*, Engl. l. c. 316 = G. longifolia.

*lucens*, Engl. l. c. 350 = G. lucens.

*lucidula*, Engl. l. c. 349 = G. lucidula.

*Magdalenae*, Engl. l. c. 315 = G. Magdalenae.

*membranacea*, Engl. l. c. 342 = G. membranacea.

*mexicana*, Engl. l. c. 312 = G. mexicana.

*microdonta*, Engl. l. c. = G. microdonta.

*Miersii*, Engl. l. c. 341 = G. Miersii.

*multiflora*, Engl. l. c. = G. multiflora.

*nana*, Engl. l. c. 326 = G. nana.

*nervosa*, Engl. l. c. 332 = G. nervosa.

*nitida*, Engl. l. c. 310, 314, in adnot. = G. guyannensis.

*odora*, Poepp. ex Engl. l. c. 334 = G. odora.

*oleaeformis*, Engl. l. c. 325 = G. oleaeformis.

*olivaeformis*, Engl. l. c. 344 = G. olivaeformis.

*opaca*, Engl. l. c. 349.—Am. trop.

*ovalis*, Engl. l. c. 326 = G. ovalis.

*parviflora*, Baill. Hist. Pl. iv. 366 = G. parviflora.

*parvifolia*, Engl. in Mart. Fl. Bras. xii. ii. 332 = G. parvifolia.

*patens*, Engl. l. c. 317.—Am. trop.

*pendula*, Engl. l. c. 339 = G. pendula.

*pisiformis*, Engl. l. c. 343.—Am. trop.

*polita*, Engl. l. c. 349 = G. polita.

*polyantha*, Engl. l. c. 317 = G. polyantha.

*polygyna*, Engl. l. c. 342.—Am. trop.

*pubescens*, Engl. l. c. 327 = G. pubescens.

*pulchella*, Engl. l. c. 340 = G. pulchella.

*pyncostachys*, Engl. l. c. 315 = G. pyncostachys.

*pyrifolia*, Engl. l. c. 320 = G. pyrifolia.

*revoluta*, Engl. l. c. 346 = G. revoluta.

*Riedeliana*, Engl. l. c. 322.—Am. trop.

**OURATEA** :—

*rigida*, Engl. in Mart. Fl. Bras. xii. ii. 307.—Am. trop.

*Roraimae*, Engl. l. c. 308.—Am. trop.

*rotundifolia*, Engl. l. c. 307 = Gomphia rotundifolia.

*rufidula*, Engl. l. c. 320 = G. Blanchetiana.

*rupununiensis*, Engl. l. c. 318 = G. rupununiensis.

*salicifolia*, Engl. l. c. 324 = G. salicifolia.

*Schomburgkii*, Engl. l. c. 333 = G. Schomburgkii.

*Sellowii*, Engl. l. c. 347 = G. Sellowii.

*semiserrata*, Engl. l. c. 323 = G. semiserrata.

*spectabilis*, Engl. l. c. 330 = G. spectabilis.

*Spruceana*, Engl. l. c. 337.—Am. trop.

*squamosa*, Engl. l. c. 318 = G. squamosa.

*stipulacea*, Engl. l. c. 347 = G. stipulacea.

*suaveolens*, Engl. l. c. 349 = G. suaveolens.

*subscandens*, Engl. l. c. 322 = G. subscandens.

*superba*, Engl. l. c. 334.—Am. trop.

*tenuifolia*, Engl. l. c. 324.—Am. trop.

*Theophrasta*, Baill. Hist. Pl. iv. 359 = G. gigantophylla.

*thyrsoides*, Engl. in Mart. Fl. Bras. xii. ii. 313.—Am. trop.

*vaccinioides*, Engl. l. c. 329 = G. vaccinioides.

*Vasivae*, Engl. l. c. 336 = G. Vasivae.

*verruculosa*, Engl. l. c. 335.—Am. trop.

*verticillata*, Engl. l. c. 349 = G. verticillata.

OURISIA, Adans. Fam. ii. 268 (1763) = **Aerua**, Forsk. (Amarant.).

OURISIA, Comm. ex Juss. Gen. 100 (1789). **SCROPHULARINEAE**, Benth. & Hook. f. ii. 962.

*Dichroma*, Cav. in Anal. Cienc. Nat. iii. (1801) 232; et l. c. vi. 59. t. 582 (1801).

*alpina*, Poepp. & Endl. Nov. Gen. et Sp. i. 3. t. 6.—Chili.

*antartica*, Hook. f. Fl. Antarct. 335. t. 18 = breviflora.

*biflora*, Wedd. Chlor. And. ii. 117.—Bolivia.

*breviflora*, Benth. in DC. Prod. x. 493.—Reg. Magell.

*caespitosa*, Hook. f. Fl. N. Zel. i. 197.—N. Zel.

*californica*, Benth. Pl. Hartw. 327 = Hesperochiron californicus.

*chamaedrifolia*, Benth. in DC. Prod. x. 493.—N. Granat.; Peruv.

*coccinea*, Pers. Syn. ii. 169.—Ins. Chiloe.

*Colensoi*, Hook. f. Handb. N. Zeal. Fl. 218.—N. Zel.

*Diazii*, Phil. in Linnaea, xxxiii. (1864-65) 211.—Chili.

*elegans*, Phil. l. c. xxx. (1859-60) 197.—Chili.

*fragrans*, Phil. l. c. xxxiii. (1864-65) 211.—Chili.

*glabra*, Molina, Sagg. Chile, ed. II. 291 = magellanica.

*glandulosa*, Hook. f. Handb. N. Zeal. Fl. 219.—N. Zel.

*integrifolia*, R. Br. Prod. 439.—Austral.

*macrocarpa*, Hook. f. Fl. N. Zel. i. 197.—N. Zel.

*macrophylla*, Hook. l. c. Pl. tt. 545, 546.—N. Zel.

*magellanica*, Gaertn. f. Fruct. iii. 44. t. 185.—Reg. Magellan.

*magellanica*, Poepp. & Endl. Nov. Gen. et Sp. i. 2. t. 4 = Poeppigii.

*melosperma*, Phil. in Anal. Univ. Chil. (1873) 527.—Chili.

*microphylla*, Poepp. & Endl. Nov. Gen. et Sp. i. 3. t. 7.—Chili.

*muscosa*, Benth. in DC. Prod. x. 493.—N. Granat.

*nana*, Benth. l. c.—Ecuador.

*pallens*, Poepp. & Endl. Nov. Gen. et Sp. i. 3. t. 5.—Chili.

*Pearcei*, Phil. in Linnaea, xxxiii. (1864-65) 210.—Chili.

*pinnata*, Wall. ex Benth. Scroph. Ind. 47 = Sibthorpia pinnata.

*Poeppigii*, Benth. in DC. Prod. x. 492.—Chili.

*polyantha*, Poepp. & Endl. Nov. Gen. et Sp. i. 4.—Chili.

*pulchella*, Wedd. Chlor. And. ii. 116.—Bolivia.

*pygmaea*, Phil. in Linnaea, xxxix. (1867-68) 27.—Chili.

*racemosa*, Clos, in C. Gay, Bot. Chil. v. 130.—Chili.

*rancoana*, Phil. in Linnaea, xxxiii. (1864-65) 210.—Chili.

*robusta*, Colenso, in Trans. N. Z. Inst. xvii. (1885) 246.—N. Zel.

*rosen*, Phil. in Linnaea, xxxix. (1867-68) 26.—Chili.

*rupicola*, Wedd. Chlor. And. ii. 115.—Bolivia.



**OURISIA:—**

*serpyllifolia*, Benth. in DC. Prod. x. 493.—Chili.  
*sessilifolia*, Hook. f. Handb. N. Zool. Fl. 218.—N. Zel.  
*uniflora*, Phil. in Linnaea, xxix. (1857–58) 27.—  
 Chili.  
*villosa*, Molina, Sagg. Chile, ed. II. 291 = coccinea.

**OUROUPARIA**, Aubl. Pl. Gui. i. 177. t. 68 (1775) =  
**Uncaria**, Schreb. (1789) (Rubiaceae).  
*acida*, Baill. Hist. Pl. vii. 375 = *U. acida*.  
*africana*, Baill. in Bull. Soc. Linn. Par. i. (1879) 228 =  
*U. africana*.  
*Gambir*, Baill. Hist. Pl. vii. 350, 375 = *U. Gambir*.  
*guianensis*, Aubl. Pl. Gui. i. 177 = *U. tomentosa*.  
*madagascariensis*, Baill. in Bull. Soc. Linn. Par. i.  
 (1879) 228 = *U. africana*?  
*Perrottetii*, Baill. l. c. 227 (= *Sabicea Perrottetii*).—  
 Afr. trop.  
*polycephala*, Baill. l. c. 229 = *Nauclea Cinchonae*.

**OUSTROPIS**, G. Don, Gen. Syst. ii. 214 (1832) =  
**Indigofera**, Linn. (Legumin.).  
*microphylla*, G. Don, l. c. 215 = *I. gracilis*, Spreng.

**OUTARDA**, Dum. Anal. Fam. 32 (1829), sphalm. =  
**Coutarea**, Aubl. (Rubiaceae).

**OUTEA**, Aubl. Pl. Gui. 28. t. 9 (1775) = **Macrobium**,  
 Schreb. (1789) (Legumin.).  
*acaciaefolia*, Benth. in Hook. Journ. Bot. ii. (1840) 94  
 = *M. acaciaefolium*.  
*bijuga*, DC. Prod. ii. 511 = *Azelia bijuga*.  
*gracilis*, Spruce, ex Benth. in Mart. Fl. Bras. xv. II.  
 223 = *M. gracile*.  
*guianensis*, Aubl. Pl. Gui. i. 28. t. 9 = *M. Utea*.  
*humilis*, Spruce, ex Benth. in Mart. Fl. Bras. xv. II.  
 223 = *M. gracile*.  
*multijuga*, DC. Prod. ii. 510 = *M. multijugum*.  
*racemigera*, Tul. in Arch. Mus. Par. iv. (1844) 174 =  
*M. pendulum*.

**OUTREYA**, Jaub. & Spach, Illustr. i. 131. t. 68 (1842)  
 = **Jurinea**, Cass. (Compos.).  
*carduiformis*, Jaub. & Spach, l. c. = *J. carduiformis*.

**OUIRANDRA**, Thou. Gen. Nov. Madag. 2 (1806) =  
**Aponogeton**, Thunb. (Naiad.).  
*Bernieriana*, DeCne. in Deless. Ic. Sel. i. 62. t. 100 =  
*A. Bernierianum*.  
*fenestralis*, Poir. Encyc. Suppl. iv. 237 = *A. fenestrale*.  
*Heudelotii*, Kunth, Enum. Pl. iii. 593 (sp. dub.).—  
 Afr. austr.  
*Hildebrandtii*, Hort. Berol. ex Kurtz, in Verh. Bot.  
 Ver. Brandenb. xix. (1877) p. viii; et ex Eichl.  
 in Monatsschr. Beoord. Gartenb. xxii. (1879) 6. t. 1  
 = *A. Bernierianum*.  
*undulata*, Edgew. in Hook. Lond. Journ. Bot. iii.  
 (1844) 405 = *A. crispum*.

**OVERSTRATIA**, Deschamps, ex R. Br. in Benn. Pl.  
 Jav. Rar. 171 (1840) = **Saurauja**, Willd. (Ternstr.).

**OVIDIA**, Meissn. in DC. Prod. xiv. 524 (1857).  
**THYMELAEACEAE**, Benth. & Hook. f. iii. 190.  
*andina*, Meissn. l. c. = Chili.  
*Humboldtii*, Meissn. l. c. 525.—N. Granat.  
*parviflora*, Meissn. l. c. = Chili.  
*Pillo-Pillo*, Hohen. ex Meissn. l. c. = *parviflora*.  
*Pillo-Pillo*, Meissn. l. c. 524.—Chili.

**OVIDIA**, Rafin. Fl. Tellur. iii. 68 (1836) = **Commelina**,  
 Plum.  
*gracilis*, Rafin. l. c. = *C. fasciculata*?

**OVIDIA**, Linn. Gen. ed. I. 59 (1737) = **Clerodendron**,  
 Linn. (Verben.).  
*inermis*, Burm. f. Fl. Ind. 136. t. 43. f. 1 = *C. Siphonanthus*.  
*mitis*, Linn. Sp. Pl. ed. II. 888 = *C. Siphonanthus*.  
*ovalifolia*, A. Juss. in Ann. Mus. Par. vii. (1806) 76 =  
*C. floribundum*.  
*Pillo-Pillo*, Meissn. in Lechl. Berb. Am. Austr. 53,  
 sphalm. = *Ovidia Pillo-Pillo*.  
*spinosa*, Linn. Sp. Pl. 637 = *C. spinosum*.  
*verticillatum*, Roxb. ex D. Don, Prod. Fl. Nep. 102 =  
*C. Siphonanthus*.

**OVIDIA**, Spreng. Anleit. ii. i. 258 (1817) = **Lapey-  
 rousia**, Pourr. (Irid.).  
*aculeata*, Klatt, in Linnaea, xxxii. (1863) 777 =  
*L. compressa*.  
*anceps*, Spreng. Syst. i. 147 = *L. compressa*.  
*bracteata*, Spreng. l. c. = *L. fissifolia*.  
*corymbosa*, Spreng. l. c. = *L. corymbosa*.  
*erythrantha*, Klotzsch, ex Klatt, in Peters, Reise  
 Mossamb. Bot. 516 = *L. erythrantha*.  
*Fabricii*, Spreng. Syst. i. 147 = *L. Fabricii*.  
*falcata*, Spreng. l. c. = *L. falcata*.  
*fasciculata*, Spreng. l. c. = *L. fasciculata*.  
*fissifolia*, Spreng. l. c. = *L. fissifolia*.  
*fistulosa*, Spreng. ex Klatt, in Linnaea, xxxii. (1863)  
 781 = *L. fistulosa*.  
*micrantha*, E. Mey. ex Klatt, l. c. = *L. micrantha*.  
*purpureo-lutea*, Klatt, l. c. 780 = *L. purpureo-lutea*.  
*sileneoides*, Spreng. Syst. i. 147 = *L. sileneoides*.

**OVIDIA**, Adans. Fam. ii. 134 (1763) = **Jasione**, Linn.  
 (Campan.).

**OVOSTIMA**, Rafin. New Fl. Am. ii. 70 (1836) =  
**Gerardia**? Linn. (Scrophul.).  
*petiolata*, Rafin. l. c. (Quid?)—Am. bor.

**OWENIA**, Hilsenb. ex Meissn. in DC. Prod. xiv. 39  
 (1856) = **Oxygonum**, Burch. (Polygon.).

**OWENIA**, F. Muell. in Hook. Kew Journ. ix. (1857)  
 303. **MELIACEAE**, Benth. & Hook. f. i. 337.  
*acidula*, F. Muell. l. c. 304.—Austral.  
*cepiodora*, F. Muell. Fragm. xi. 82.—Austral.  
*cerasifera*, F. Muell. in Hook. Kew Journ. ix. (1857)  
 305.—Austral.  
*reticulata*, F. Muell. l. c.—Austral.  
*venosa*, F. Muell. l. c. 304.—Austral.  
*vernica*, F. Muell. Fragm. iii. 15, in obs.—Austral.  
*xerocarpa*, F. Muell. l. c. 13 = *reticulata*.

**OXALIS**, Linn. Gen. ed. I. 134 (1737). **GERANI-  
 ACEAE**, Benth. & Hook. f. i. 276.  
**OXYS**, Tourn. ex Adans. Fam. ii. 388 (1763).  
**SASSIA**, Molina, Sagg. Chile, 145 (1782).  
*abyssinica*, Turcz. in Bull. Soc. Nat. Mosc. xxxi. (1858)  
 i. 432 = *O. Pes-caprae*.  
*abyssinica*, Walp. Ann. ii. 241.—Afr. trop.  
*Acetosella*, Blanco, Fl. Filip. ed. I. 388 = *corniculata*.  
*Acetosella*, Hook. Fl. Bor. Am. i. 118, partim =  
*oregana*.  
*Acetosella*, Linn. Sp. Pl. 433.—Reg. bor. temp.  
*acuminata*, Schlecht. in Linnaea, v. (1830) 224 =  
*Lindenii*.  
*acuminata*, Turcz. in Bull. Soc. Nat. Mosc. xxxi. (1858)  
 i. 429.—Mexic.  
*acutifolia*, Prog. in Mart. Fl. Bras. xii. II. 514.—  
 Bras.  
*adenodes*, Sond. in Harv. & Sond. Fl. Cap. i. 334.—  
 Afr. austr.  
*adenophylla*, Gill. in Hook. Bot. Misc. iii. (1833) 165.  
 —Chili.  
*adoensis*, Turcz. in Bull. Soc. Nat. Mosc. xxxii. (1859)  
 i. 273.—Abyssin.  
*adscendens*, Willd. ex Zucc. in Denkschr. Akad.  
 Muench. ix. (1823–24) 164 = *medicaginea*.  
*adspersa*, Eckl. & Zeyh. Enum. 94.—Afr. austr.  
*aemula*, Pohl, ex Prog. in Mart. Fl. Bras. xii. II. 496 =  
*densifolia*.  
*aeschynomenifolia*, O. Hoffm. in Bremen, Abh. vii  
 (1882) 244.—Madag.  
*affinis*, Sond. in Harv. & Sond. Fl. Cap. i. 328.—  
 Afr. austr.  
*aganophila*, Sond. l. c. 339.—Afr. austr.  
*aganophylla*, Eckl. & Zeyh. Enum. 86 = *ebracteata*.  
*alata*, Zucc. in Denkschr. Akad. Muench. ix. (1823–24)  
 155.—Bras.  
*alba*, D. Don, in Sweet, Brit. Flow. Gard. Ser. II.  
 t. 398.—Am. austr.  
*alba*, Steud. Nom. ed. I. 578; ed. II. ii. 238 = *O.*  
*Acetosella*.  
*albicans*, H. B. & K. Nov. Gen. et Sp. v. 244.—  
 Mexic.  
*albida*, Sond. in Harv. & Sond. Fl. Cap. i. 325 =  
*leucotricha*.  
*albizioides*, O. Hoffm. in Bremen, Abh. vii. (1882)  
 242.—Madag.

**OXALIS:—**

*algoensis*, Eckl. & Zeyh. Enum. 90.—Afr. austr.  
*aliata*, Spreng. Neue Entdeck. iii. 58 = *mandioccana*.  
*alsinoides*, Walp. in Nov. Act. Nat. Cur. xix. Suppl. i.  
 (1843) 319.—Chili.  
*alta*, Pohl, ex Prog. in Mart. Fl. Bras. xii. II. 504 =  
*elator*.  
*amara*, A. St. Hil. Fl. Bras. Mer. i. 119.—Bras.  
*amazonica*, Prog. in Mart. Fl. Bras. xii. II. 503.—  
 Bras.  
*ambigua*, Jacq. Oxal. 80. t. 43 = *mutabilis*.  
*ambigua*, A. Rich. Bot. Voy. Astrol. i. 296 =  
*corniculata*.  
*ambigua*, Salisb. in Trans. Linn. Soc. ii. (1794) 242 =  
*corniculata*.  
*americana*, Bigel. ex DC. Prod. i. 700 = *O. Aceto-*  
*sella*.  
*amoena*, Jacq. Hort. Schoenb. ii. 42.—Afr. austr.  
*amoena*, Salisb. Prod. 321 = *purpurea*.  
*andicola*, Gill. in Hook. Bot. Misc. iii. (1833) 161.—  
 Chili.  
*anemonoides*, Eckl. & Zeyh. Enum. 85 = *heterophylla*.  
*angusta*, Sond. in Harv. & Sond. Fl. Cap. i. 329.—Afr.  
 austr.  
*angustifolia*, H. B. & K. Nov. Gen. et Sp. v. 249.—  
 Mexic.  
*anthelmintica*, A. Rich. Tent. Fl. Abyss. i. 124 = *O.*  
*Pes-caprae*.  
*antucensis*, Phil. in Anal. Univ. Chil. (1872) 685.—  
 Chili.  
*Apodoscias*, Turcz. in Bull. Soc. Nat. Mosc. xxxvi.  
 (1863) i. 430.—Java.  
*approximata*, Sond. in Harv. & Sond. Fl. Cap. i. 326.  
 —Afr. austr.  
*aptera*, Zucc. ex Prog. in Mart. Fl. Bras. xii. II. 514.—  
 Bras.  
*Aracatcha*, Hort. ex Zucc. in Abh. Akad. Muench. i.  
 (1829–30) 245 = *crassicaulis*.  
*arachnoides*, Prog. in Mart. Fl. Bras. xii. II. 494.—  
 Bras.  
*arborea*, Hort.—Cf. Gard. Chron. (1881) II. 183 =  
*stricta*.  
*arborescens*, Hort. ex Turcz. in Bull. Soc. Nat. Mosc.  
 xxxi. (1858) i. 430.—Hab. ?  
*arborescens*, Perr. in Mém. Soc. Linn. Par. iii. (1825)  
 133.—Guian.  
*Arbuscula*, Barn. in C. Gay, Chil. i. 443. t. 14.—  
 Chili?  
*arcuata*, Jacq. Oxal. 67. t. 31 = *linearis*.  
*arenaria*, Bert. in Merc. Chil. n. xvi. 739, 740; ex Colla,  
 in Mem. Acc. Torin. xxxvii. (1834) 48.—Chili.  
*aretioides*, Turcz. in Bull. Soc. Nat. Mosc. xxxi. (1858)  
 i. 436 = *linearis*.  
*argentea*, Eckl. & Zeyh. Enum. 85 = *bifurca*.  
*Arracacha*, G. Don. Gen. Syst. i. 756 = *crassicaulis*.  
*arthrophylla*, Turcz. in Bull. Soc. Nat. Mosc. xxxi.  
 (1858) i. 433 = *laburnifolia*.  
*articulata*, Savign. in Lam. Encyc. iv. 686.—Reg.  
 Argent.  
*asinina*, Jacq. Oxal. 59. t. 24.—Afr. austr.  
*aureo-flava*, Steud. in Flora, xxxix. (1856) 443; et ex  
 Phil. in Linnaea, xxviii. (1856) 617 = *parvifolia*.  
*autumnalis*, Poepp. ex Prog. in Mart. Fl. Bras. xii. II.  
 477.—Peruv.; Mexic.  
*autumnalis*, A. St. Hil. Fl. Bras. Mer. i. 128 = *erio-*  
*rhiza*.  
*bahiensis*, Prog. in Mart. Fl. Bras. xii. II. 501.—  
 Bras.  
*balsamifera*, E. Mey. ex Harv. & Sond. Fl. Cap. i.  
 335.—Afr. austr.  
*Barrelieri*, Linn. Sp. Pl. ed. II. 624; Jacq. Oxal.  
 24. t. 3.—Am. austr.  
*Barrelieri*, Willd. ex Zucc. in Denkschr. Akad. Muench.  
 ix. (1823–24) 174 = *sepium*.  
*Berlandieri*, Torr. in Bot. Mex. Bound. 41.—Am. bor.  
*Berteroana*, Barn. in C. Gay, Fl. Chil. i. 437. t. 14.—  
 Chili.  
*bicolor*, Savign. in Lam. Encyc. iv. 687 = *mega-*  
*lorrhiza*.  
*bifida*, Thunb. Prod. Pl. Cap. 82.—Afr. austr.  
*bifida*, Vell. Fl. Flum. 196; iv. t. 183 = *rhombeo-*  
*ovata*.  
*bifida*, Willd. ex Zucc. in Denkschr. Akad. Muench. ix.  
 (1823–24) 162 = *pubescens*.  
*biflora*, Burm. f. Fl. Cap. Prod. 13 = *O. Pes-caprae*.  
*bifolia*, Eckl. & Zeyh. Enum. 92.—Afr. austr.  
*bifolia*, Page, Prod. Southamp. Bot. Gard. 177 (Quid?)  
 —Afr. austr.



## OXALIS:—

- bifrons, *Prog. in Mart. Fl. Bras.* xii. ii. 495.—Bras.  
*bifurca*, Eckl. & Zeyh. Enum. 85 = heterophylla.  
*bifurca*, Lodd. *Bot. Cab. t.* 1056.—Afr. austr.  
*biglandulosa*, *Steud. in Flora*, xxxix. (1856) 444.—Chili.  
*bipartita*, *A. St. Hil. Fl. Bras. Mer. i.* 125.—Bras.  
*bipunctata*, R. Grah. in *Edinb. N. Phil. Journ.* (Apr.—June 1827) 176; & in *Hook. Bot. Mag. t.* 2781 = *corymbosa*.  
*bisfracta*, *Turcz. in Bull. Soc. Nat. Mosc.* xxxvi. (1863) i. 595.—Bolivia.  
*bisulca*, E. Mey. in *Drège, Zwei Pfl. Docum.* 44, nomen = stellata.  
*Blanchetiana*, Moric. ex *Prog. in Mart. Fl. Bras.* xii. ii. 518 = *Eichleria Blanchetiana*.  
*Blumei*, *Zucc. in Abh. Akad. Muench.* i. (1829–30) 276.—Java.  
*borjensis*, *H. B. & K. Nov. Gen. et Sp.* v. 249.—Am. austr.  
*Bowieana*, Lodd. *Bot. Cab. t.* 1782 = *purpurata*.  
*Bowiei*, Lindl. *Bot. Reg. t.* 1585 = *praec.*  
*brasilensis*, Lodd. *Bot. Cab. t.* 1962.—Bras.  
*Brehmiana*, Eckl. & Zeyh. Enum. 86 = *bifurca*.  
*brevicaulis*, *Sond. in Harv. & Sond. Fl. Cap. i.* 344.—Afr. austr.  
*brevicaulis*, *Steud. Nom. ed. II. ii.* 239.—Chili.  
*breviscapa*, Eckl. & Zeyh. Enum. 91 = *variabilis*.  
*breviscapa*, *Jacq. Oxal.* 95. t. 58.—Afr. austr.  
*Bridgesii*, *Bert. ex Colla, in Mem. Acc. Torin.* xxxvii. (1834) 49.—Chili.  
*bryoides*, *Phil. in Linnaea*, xxviii. (1856) 678.—Chili.  
*bupleurifolia*, *A. St. Hil. Fl. Bras. Mer. i.* 117.—Bras.  
*Burkei*, *Sond. in Harv. & Sond. Fl. Cap. i.* 320.—Afr. austr.  
*Burmauni*, *Jacq. Oxal.* 41.—Afr. austr.  
*Bustillosii*, *Phil. in Linnaea*, xxxviii. (1856) 614.—Chili.  
*caesia*, *Phil. Fl. Atac.* 13.—Chili.  
*caespitosa*, *A. St. Hil. Fl. Bras. Mer. i.* 122.—Bras.  
*cajanifolia*, *A. St. Hil. l. c.* 110 = *Barrelieri*.  
*calcaria*, Eckl. & Zeyh. Enum. 93 = *punctata*.  
*caledonica*, *Sond. in Harv. & Sond. Fl. Cap. i.* 341.—Afr. austr.  
*calliantha*, *Franch. & Sav. Enum. Pl. Jap.* ii. 310.—Japon.  
*calligera*, *Sond. in Harv. & Sond. Fl. Cap. i.* 333 = *foveolata*.  
*calophylla*, *Prog. in Mart. Fl. Bras.* xii. ii. 517.—Bras.  
*calthaefolia*, *Pohl, ex Prog. l. c.* 512 = *hirsutissima*.  
*calva*, *Prog. in Mart. Fl. Bras.* xii. ii. 486.—Bras.  
*campestris*, *A. St. Hil. Fl. Bras. Mer. i.* 116 = *densifolia*.  
*campestris*, *Zucc. in Denkschr. Akad. Muench.* ix. (1823–24) 172.—Bras.  
*cana*, *Sond. in Harv. & Sond. Fl. Cap. i.* 345.—Afr. austr.  
*candida*, Eckl. & Zeyh. Enum. 94 = *Smithiana*.  
*Candolleana*, *Steud. Nom. ed. II. ii.* 239 = *Biophytum sensitivum*.  
*canescens*, *Jacq. Oxal.* 45. t. 11 = *tubiflora*.  
*capillacea*, *E. Mey. ex Harv. & Sond. Fl. Cap. i.* 345.—Afr. austr.  
*caprina*, Eckl. & Zeyh. Enum. 84 = *livida*.  
*caprina*, *E. Mey. ex Harv. & Sond. Fl. Cap. i.* 349 = *cernua*.  
*caprina*, *Thunb. Diss. Oxal.* 13; *Prod. Pl. Cap.* 82 = *O. Pes-caprae*.  
*carnosa*, *Molina, Sagg. Chile*, ed. II. 288; *Lindl. Bot. Reg. t.* 1063.—Chili.  
*casta*, *Zucc. in Denkschr. Akad. Muench.* ix. (1823–24) 183.—Bras.  
*cataractae*, *A. Cunn. in Ann. Nat. Hist. Ser. I. iii.* (1839) 315 = *magellanica*.  
*cearensis*, *Turcz. in Bull. Soc. Nat. Mosc.* xxxii. (1859) i. 272.—Bras.  
*ceratilis*, *E. Mey. in Drège, Zwei Pfl. Docum.* 72, nomen = *corniculata*.  
*cernua*, *Thunb. Diss. Oxal.* 14.—Afr. austr.  
*cespitosa*, *Rafin. New Fl. Am. ii.* 27 = *corniculata*?  
*checoensis*, *Meyen, Reise*, i. 406.—Chili.  
*chilensis*, *Pers. Syn. i.* 518 = *rosea*.  
*chinensis*, *Haw. ex G. Don, in Loud. Hort. Brit. Suppl.* i. 595, nomen = *stricta*?  
*chrysantha*, *Prog. in Mart. Fl. Bras.* xii. ii. 491.—Bras.

## OXALIS:—

- ciliariflora*, Eckl. & Zeyh. Enum. 93 = *obtusa*.  
*ciliaris*, Eckl. & Zeyh. l. c. 88 = *glabra*.  
*ciliaris*, *Jacq. Oxal.* 66. t. 30.—Afr. austr.  
*ciliaris*, *E. Mey. ex Sond. in Harv. & Sond. Fl. Cap. i.* 326, 328 = *approximata*.  
*ciliata*, *Spreng. ex Prog. in Mart. Fl. Bras.* xii. ii. 512 = *hirsutissima*.  
*ciliata*, *Spreng. Syst. ii.* 423 = *alata*.  
*ciliifera*, *A. Cunn. in Ann. Nat. Hist. Ser. I. iii.* (1839) 316 = *corniculata*.  
*cineracea*, *A. St. Hil. Fl. Bras. Mer. i.* 123.—Bras.  
*cinerea*, *Zucc. in Denkschr. Akad. Muench.* ix. (1823–24) 156 = *Haenkeana*.  
*clandestina*, *Phil. in Linnaea*, xxviii. (1856) 616.—Chili.  
*clandestina*, *Prog. in Mart. Fl. Bras.* xii. ii. 479.—Bras.  
*clavifolia*, *Sond. in Harv. & Sond. Fl. Cap. i.* 330.—Afr. austr.  
*clavigera*, *Sond. l. c.* 539 = *praec.*  
*cognata*, *Steud. in Lehm. Pl. Preiss.* i. 160 = *corniculata*.  
*collina*, Eckl. & Zeyh. Enum. 90.—Afr. austr.  
*Commersonii*, *Pers. Syn. i.* 519.—Reg. Argent.  
*commutata*, *Sond. in Harv. & Sond. Fl. Cap. i.* 333.—Afr. austr.  
*comosa*, *E. Mey. ex Harv. & Sond. l. c.* 340.—Afr. austr.  
*comosa*, *Prog. in Mart. Fl. Bras.* xii. ii. 506.—Bras.  
*compacta*, *Gill. in Hook. Bot. Misc.* iii. (1833) 162.—Chili.  
*compressa*, *Linn. f. Suppl.* 243; *Thunb. Diss. Oxal.* 11.—Afr. austr.  
*concinna*, *Salisb. Prod.* 322 = *cernua*.  
*conferta*, *Pohl, ex Prog. in Mart. Fl. Bras.* xii. ii. 516 = *bupleurifolia*.  
*confertissima*, *A. St. Hil. Fl. Bras. Mer. i.* 122.—Bras.  
*conorrhiza*, *Jacq. Oxal.* 26.—Paraguay.  
*Consolii*, *Tod. Nuovi Gen. e Spec.* 31.—Afr. austr.?  
*controversa*, *Tod. l. c.* 33.—Afr. austr.?  
*convexula*, *Jacq. Oxal.* 92. t. 55.—Afr. austr.  
*Coppolerii*, *Tod. Nuovi Gen. e Spec.* 32.—Afr. austr.?  
*coquimbana*, *Phil. in Linnaea*, xxxiii. (1864–65) 34.—Chili.  
*cordata*, *A. St. Hil. Pl. Us. Brés.* t. 45.—Bras.  
*Cornelli*, *Anders. in Vet. Akad. Handl. Stockh.* 1853 (1855) 246.—Ins. Galap.  
*corniculata*, *Linn. Sp. Pl.* 435.—Amphig. temp. et trop.  
*corymbosa*, *DC. Prod.* i. 696.—Ins. Mascari.  
*crassicaulis*, *Zucc. in Denkschr. Akad. Muench.* ix. (1823–24) 163.—Peruv.; Mexic.  
*crassifolia*, *A. Cunn. in Ann. Nat. Hist. Ser. I. iii.* (1839) 317 = *corniculata*.  
*crassifolia*, Eckl. & Zeyh. Enum. 91 = *truncatula*.  
*crassipes*, *Urb. in Eichl. Jahrb. Berl.* iii. (1884) 242.—Afr. trop.  
*cratensis*, *Hook. Ic. Pl. t.* 361.—Bras.  
*crenata*, *Jacq. Oxal.* 27.—Peruv.  
*crispa*, *Jacq. l. c.* 58. t. 23 = *fabiaefolia*.  
*crispula*, *Sond. in Harv. & Sond. Fl. Cap. i.* 325.—Afr. austr.  
*cruentata*, Eckl. & Zeyh. Enum. 91 = *truncatula*.  
*cruentata*, *Jacq. f. Eclog. Am. i.* 66. t. 45.—Afr. austr.  
*Cumingiana*, *Turcz. in Bull. Soc. Nat. Mosc.* xxxi. (1858) i. 426.—Ins. Philipp.  
*Cummingii*, *Herb. in Bot. Reg. t.* 1545 = *pubescens*?  
*cumulata*, *Pohl, ex Prog. in Mart. Fl. Bras.* xii. ii. 506.—Bras.  
*cuneata*, *Herb. Un. It. ex Harv. & Sond. Fl. Cap. i.* 337 = *obtusa*.  
*cuneata*, *Jacq. Oxal.* 76. t. 40.—Afr. austr.  
*cuneata*, *Thunb. Fl. Cap. ed. Schult.* 540 = *glabra*.  
*cuneifolia*, *Jacq. Oxal.* 77. t. 41 = *cuneata*.  
*cuneifolia*, *E. Mey. ex Harv. & Sond. Fl. Cap. i.* 329 = *angusta*.  
*cuprea*, *Lodd. Bot. Cab. t.* 824 = *obtusa*.  
*cylindrica*, *E. Mey. in Drège, Zwei Pfl. Docum.* 99 nomen = *tenella*.  
*cytisoides*, *Zucc. in Denkschr. Akad. Muench.* ix. (1823–24) 178 = *Barrelieri*.  
*daphnaeformis*, *Mikan, ex Zucc. in Abh. Akad. Muench.* i. (1829–30) 269.—Bras.  
*Darvalliana*, *Knowles & Westc. Flor. Cab. iii.* (1840) 5.—Hab. ?

## OXALIS:—

- Darwinii*, *Ball, in Journ. Linn. Soc.* xxi. (1884) 214.—Patagon.  
*debilis*, *H. B. & K. Nov. Gen. et Sp.* v. 236. t. 466.—N. Granat.  
*decaphylla*, *H. B. & K. l. c.* 238. t. 468.—Mexic.  
*decipiens*, *Prog. in Mart. Fl. Bras.* xii. ii. 507.—Bras.  
*deflexa*, *Poepp. ex Prog. l. c.* 479.—Chili.  
*delicata*, *Pohl, ex Prog. l. c.* 498.—Bras.  
*delta*, *Vell. Fl. Flum.* 195; iv. t. 178 = *papilionacea*.  
*dendroides*, *H. B. & K. Nov. Gen. et Sp.* v. 250.—N. Granat.  
*densiflora*, *Sond. in Harv. & Sond. Fl. Cap. i.* 539 = *seq.*  
*densifolia*, *Turcz. in Bull. Soc. Nat. Mosc.* xxxi. (1858) i. 431.—Afr. austr.  
*densifolia*, *Zucc. in Denkschr. Akad. Muench.* ix. (1823–24) 169.—Bras.  
*dentata*, Eckl. & Zeyh. Enum. 84 = *O. Pes-caprae*.  
*dentata*, *Jacq. Oxal.* 38. t. 7.—Afr. austr.  
*depauperata*, *Prog. in Mart. Fl. Bras.* xii. ii. 505.—Bras.  
*Deppei*, *Lodd. Bot. Cab. t.* 1500.—Am. austr.  
*Deppei*, *Schlecht. ex Hemsl. Biol. Centr. Am. Bot. i.* 165 = *tetraphylla*.  
*Deppii*, *Sweet, Hort. Brit. ed. II.* 102, nomen = *Deppei*?  
*depressa*, Eckl. & Zeyh. Enum. 91 = *collina*, *convexula*.  
*dichondraefolia*, *A. Gray, Pl. Wright.* i. 72.—Texas; Mexic.  
*dichotomiflora*, *Steud. in Flora*, xxxix. (1856) 442.—Chili.  
*diffusa*, *Bor. Fl. Centr. Fr. ed. III.* ii. 186, in obs. = *corniculata*.  
*diffusa*, *Pohl, ex Prog. in Mart. Fl. Bras.* xii. ii. 500.—Bras.  
*digitata*, *Hort. ex Poir. Encyc. Suppl. iv.* 254 = *pentaphylla*.  
*Dillenii*, *Jacq. Oxal.* 28 = *corniculata*.  
*discolor*, *Klotzsch, in Otto & Dietr. Allg. Gartenz.* viii. (1840) 257.—Mexic.  
*dissecta*, *E. Mey. in Drège, Zwei Pfl. Docum.* 54, nomen = *bifurca*.  
*distans*, *A. St. Hil. Fl. Bras. Mer. i.* 115.—Bras.  
*disticha*, *Jacq. Oxal.* 52. t. 18.—Afr. austr.  
*divaricata*, *Zucc. in Denkschr. Akad. Muench.* ix. (1823–24) 169.—Bras.  
*divergens*, *Benth. Pl. Hartw.* 9.—Mexic.  
*divergens*, *A. Cunn. in Ann. Nat. Hist. Ser. I. iii.* (1839) 316 = *corniculata*.  
*divergens*, Eckl. & Zeyh. Enum. 92 = *tenella*.  
*dormiens*, *Zucc. in Denkschr. Akad. Muench.* ix. (1823–24) 182.—Bras.  
*Dregei*, *Sond. in Harv. & Sond. Fl. Cap. i.* 318.—Afr. austr.  
*droseroides*, *E. Mey. ex Harv. & Sond. l. c.* 330.—Afr. austr.  
*Drummondii*, *A. Gray, Pl. Wright.* ii. 25.—Am. bor.  
*dumetorum*, *Barn. in C. Gay, Fl. Chil.* i. 448.—Chili.  
*ebracteata*, *Savign. in Lam. Encyc.* iv. 682.—Afr. austr.  
*Echegarayi*, *Hieron. in Bol. Acad. Nac. Córdoba*, iv. (1881) 19.—Reg. Argent.  
*Eckloniana*, *Presl, Bot. Bemerk.* 29.—Afr. austr.  
*Eckloniana*, *Steud. Nom. ed. II. ii.* 239 = *tenella*.  
*Ehrenbergii*, *Schlecht. in Otto & Dietr. Allg. Gartenz.* vi. (1838) 313.—Mexic.  
*elator*, *Prog. in Mart. Fl. Bras.* xii. ii. 504.—Bras.  
*elegans*, *H. B. & K. Nov. Gen. et Sp.* v. 234. t. 466.—Peruv.  
*elegantula*, *Turcz. in Bull. Soc. Nat. Mosc.* xxxi. (1858) i. 434 = *imbricata*?  
*elongata*, Eckl. & Zeyh. Enum. 88 = *linenris*.  
*elongata*, *Jacq. Oxal.* 73. t. 37 = *versicolor*.  
*enneaphylla*, *Cav. Ic. v. 7.* t. 411.—Ins. Falkland.  
*erecta*, *Savign. in Lam. Encyc.* iv. 685 = *O. Pes-caprae*.  
*eremobia*, *Phil. in Anal. Univ. Chil.* (1865) ii. 332.—Chili.  
*ericoides*, *Hort. Angl. ex Steud. Nom. ed. II. ii.* 239 (Quid ?)—Afr. austr.  
*eriocarpa*, *DC. in Ann. Sc. Nat. Ser. I. v.* (1827) 18.—Reg. Magellan.  
*eriolados*, *Prog. in Mart. Fl. Bras.* xii. ii. 504.—Bras.  
*erioletis*, *Wedd. Chlor. And. n. 219.*—Afr. austr.  
*eriolhiza*, *Zucc. in Denkschr. Akad. Muench.* ix. (1823–24) 142.—Reg. Argent.



## OXALIS:—

*erubescens*, E. Mey. in Drège, Zwei Pfl. Docum. 103, nomen = commutata.  
*erythrorhiza*, Gill. in Hook. Bot. Misc. iii. (1833) 162.—Chili.  
*euphorbioides*, A. St. Hil. Fl. Bras. Mer. i. 113.—Bras.  
*europaea*, Jord. in F. Schultz, Arch. Fl. Fr. et Allem. 309, 311 = corniculata.  
*exaltata*, Jacq. Oxal. 86. t. 49 = mutabilis.  
*excisa*, Prog. in Mart. Fl. Bras. xii. II. 496.—Bras.  
*exilis*, A. Cunn. in Ann. Nat. Hist. Ser. I. iii. (1839) 316 = corniculata.  
*fabaeifolia*, Jacq. Oxal. 62. t. 27.—Afr. austr.  
*falcata*, Eckl. & Zeyh. Enum. 95 = pentaphylla.  
*falcata*, Sond. in Harv. & Sond. Fl. Cap. i. 322 = linearis.  
*Falconiana*, Steud. Nom. ed. II. ii. 239.—Chili.  
*fallax*, Eckl. & Zeyh. Enum. 91 = purpurea.  
*fallax*, Jacq. Oxal. 107. t. 67 = luteola.  
*fasciculata*, Turcz. in Bull. Soc. Nat. Mosc. xxxii. (1859) i. 272.—Mexic.  
*favosa*, Turcz. l. c. xxxi. (1858) i. 435 = punctata.  
*ferruginata*, Jacq. Hort. Schoenb. iii. 13 = mutabilis.  
*filicaulis*, Jacq. l. c. ii. 42. t. 205 = bifida.  
*filifolia*, Jacq. l. c. iii. 12. t. 273 = polyphylla.  
*filiformis*, H. B. & K. Nov. Gen. et Sp. v. 245. t. 464.—N. Granat.  
*filiformis*, Steud. Nom. ed. II. ii. 239, sphalm. = Indigofera sarmentosa.  
*fiabellifolia*, Jacq. Oxal. 117. t. 74.—Afr. austr.  
*flaccida*, Jacq. l. c. 88. t. 51 = mutabilis.  
*flava*, Linn. Sp. Pl. 433.—Afr. austr.  
*flavo-punctata*, Pohl, ex Prog. in Mart. Fl. Bras. xii. II. 510 = Zuccarinii.  
*floribunda*, Lehm. ex Lindl. Bot. Reg. t. 1123 = rosea.  
*floribunda*, Lehm. Ind. Sem. Hort. Hamb. (1826) 17; Link & Otto, Ic. Pl. Rar. i. 19. t. 10.—Bras.  
*floribunda*, Pohl, ex Prog. in Mart. Fl. Bras. xii. II. 510 = physocalyx.  
*florida*, E. Mey. ex Harv. & Sond. Fl. Cap. i. 328.—Afr. austr.  
*florida*, Salisb. Prod. 322 = corniculata.  
*fontana*, Bunge, in Mém. Sav. Etr. Pétersb. ii. (1835) 87 = corniculata.  
*foveolata*, Turcz. in Bull. Soc. Nat. Mosc. xxxi. (1858) i. 435.—Afr. austr.  
*fragrans*, Tod. Nuovi Gen. e Spec. 34.—Hab.?  
*frutescens*, Linn. Sp. Pl. 435 = Plumieri, Jacq.  
*frutescens*, Ruiz & Pav. ex G. Don, Gen. Syst. i. 754.—Peruv.  
*fruticosa*, Raddi, in Mem. Soc. Ital. Mod. xviii. Fis. (1820) 401 = rusciformis.  
*fruticosa*, Willd. ex Zucc. in Denkschr. Akad. Muench. ix. (1823-24) 171 = borjensis.  
*fruticula*, Phil. Fl. Atac. 13.—Chili.  
*fulgida*, Lindl. Bot. Reg. t. 1073 = hirta.  
*fulva*, A. St. Hil. Pl. Us. Brés. t. 44 = hirsutissima.  
*furcata*, Ell. Sketch, i. 527 = corniculata.  
*fusca*, Jacq. Oxal. 82. t. 45.—Afr. austr.  
*Galeotti*, Turcz. in Bull. Soc. Nat. Mosc. xxxi. (1858) i. 433.—Mexic.  
*Gardneriana*, Prog. in Mart. Fl. Bras. xii. II. 497.—Bras.  
*Gaudichaudii*, Barn. in C. Gay, Fl. Chil. i. 425.—Chili.  
*Gayana*, Phil. in Linnaea, xxviii. (1856) 615.—Chili.  
*gemella*, Willd. ex Zucc. in Denkschr. Akad. Muench. ix. (1823-24) 146 = debilis.  
*geminata*, Hook. & Arn. in Hook. Bot. Misc. iii. (1833) 163.—Chili.  
*geniculata*, Knowles & Westc. Flor. Cab. i. (1837) 43.—Bras.  
*gigantea*, Barn. in C. Gay, Fl. Chil. i. 433.—Chili.  
*glabella*, E. Mey. in Drège, Zwei Pfl. Docum. 96 = punctata.  
*glabra*, Meissn. ex Harv. & Sond. Fl. Cap. i. 321 = versicolor.  
*glabra*, Thunb. Prod. Pl. Cap. 83.—Afr. austr.  
*glandulifera*, Salisb. Parad. Lond. t. 66 = linearis.  
*glandulifera*, Steud. Nom. ed. I. 579 = praec.  
*glandulosa*, Jacq. Oxal. 83. t. 46.—Afr. austr.  
*glauca*, H. B. & K. Nov. Gen. et Sp. v. 248. t. 471.—Bras.  
*glauca*, Rafin. ex DC. Prod. i. 692 = corniculata.  
*glaucovirens*, Sond. in Harv. & Sond. Fl. Cap. i. 336 = stenoptera.  
*Glazioviana*, Prog. in Mart. Fl. Bras. xii. II. 494.—Bras.

## OXALIS:—

*glomerata*, Hook. & Arn. Bot. Beech. Voy. 13 = tortuosa.  
*glutinosa*, Phil. in Linnaea, xxviii. (1856) 614, 615.—Chili.  
*goniorhiza*, Eckl. & Zeyh. Enum. 89.—Afr. austr.  
*goyazensis*, Turcz. in Bull. Soc. Nat. Mosc. xxxii. (1859) i. 272.—Bras.  
*gracilenta*, Kurz, in Journ. As. Soc. Beng. xxxix. (1870) II. 68 = Biophytum Reinwardtii.  
*gracilicaulis*, Eckl. & Zeyh. Enum. 91 = Smithiana.  
*gracilis*, Eckl. & Zeyh. l. c. 88 = polyphylla.  
*gracilis*, Jacq. Oxal. 69. t. 33.—Afr. austr.  
*Grahamiana*, Benth. Pl. Hartw. 9.—Mexic.  
*grammopetala*, Sond. in Harv. & Sond. Fl. Cap. i. 335.—Afr. austr.  
*grandiflora*, Jacq. Oxal. 91. t. 54 = variabilis.  
*grandifolia*, DC. Prod. i. 696.—Mexic.  
*Griffithii*, Edgew. & Hook. f. in Hook. f. Fl. Brit. Ind. i. 436.—Reg. Himal.  
*grisea*, A. St. Hil. & Naud. in Ann. Sc. Nat. Sér. II. xviii. (1842) 28.—Bras.  
*gymnoclada*, Turcz. in Bull. Soc. Nat. Mosc. xxxi. (1858) i. 432.—Afr. austr.  
*gyrorrhiza*, Bert. in Merc. Chil. n. xvi. 739; ex Am. Journ. Sc. Ser. I. xxiii. (1833) 261.—Chili.  
*Haenkeana*, Spreng. Syst. iv. Cur. Post. 186 = melilotoides.  
*Haenkeana*, Zucc. in Abh. Akad. Muench. i. (1829-30) 233.—Peruv.  
*hapalcomidea*, Barn. in C. Gay, Fl. Chil. i. 450 = geminata.  
*hedysarifolia*, Pohl, ex Prog. in Mart. Fl. Bras. xii. II. 504 = elatior.  
*hedysarifolia*, Raddi, in Mem. Soc. Ital. Mod. xviii. Fis. (1820) 401 = Neaei.  
*hedysaroides*, H. B. & K. Nov. Gen. et Sp. v. 247.—Peruv.; Bras.  
*Hernandesii*, [Moq. & Sesse,] ex DC. Prod. i. 695 = decaphylla.  
*herpestica*, Schlecht. in Linnaea, xxvii. (1854) 525.—Guatemala.  
*heterophylla*, DC. Prod. i. 694.—Afr. austr.  
*heterophylla*, Eckl. & Zeyh. Enum. 94 = stenodactyla.  
*heterophylla*, E. Mey. in Drège, Zwei Pfl. Docum. 145 = bifurca.  
*Hieronymi*, Griseb. in Goett. Abh. xxiv. (1879) 72.—Reg. Argent.  
*hillsifolia*, Walp. Rep. i. 483, sphalm. = trilliifolium.  
*hirsuta*, Sond. in Harv. & Sond. Fl. Cap. i. 327.—Afr. austr.  
*hirsuta*, Steud. Nom. ed. I. 579 = hirta.  
*hirsutissima*, Zucc. in Denkschr. Akad. Muench. ix. (1823-24) 179.—Bras.  
*hirta*, Linn. Sp. Pl. 434.—Afr. austr.  
*hirtella*, Jacq. Oxal. 48. t. 14 = hirta.  
*hirtella*, Willd. ex Zucc. in Denkschr. Akad. Muench. ix. (1823-24) 160 = parvifolia.  
*hispidula*, Zucc. l. c. 170 = distans.  
*hispidula*, Zucc. l. c. 143.—Reg. Argent.  
*holosericea*, E. Mey. in Drège, Zwei Pfl. Docum. 84, nomen = truncatula.  
*holosericea*, Phil. in Linnaea, xxviii. (1856) 678.—Chili.  
*holosericea*, Sond. in Harv. & Sond. Fl. Cap. i. 338.—Afr. austr.  
*Hookeriana*, Pohl, ex Prog. in Mart. Fl. Bras. xii. II. 478.—Chili.  
*humilis*, Thunb. Prod. Pl. Cap. App. 190.—Afr. austr.  
*humistrata*, Willd. ex Steud. Nom. ed. II. ii. 240 = corniculata.  
*imbricata*, Eckl. & Zeyh. Enum. 93.—Afr. austr.  
*impatiens*, Vell. Fl. Flum. 186; iv. t. 181.—Bras.  
*incana*, Eckl. & Zeyh. Enum. 85 = bifurca.  
*incana*, Phil. in Linnaea, xxviii. (1856) 677.—Chili.  
*incarnata*, Linn. Sp. Pl. 433.—Afr. austr.  
*inops*, Eckl. & Zeyh. Enum. 92 = convexula.  
*inscripta*, E. Mey. in Drège, Zwei Pfl. Docum. 103, nomen = variabilis.  
*insipida*, A. St. Hil. Fl. Bras. Mer. i. 109.—Bras.  
*intermedia*, A. Rich. Ess. Fl. Cub. 315.—Cuba.  
*intermedia*, Steud. Nom. ed. II. ii. 240 = Biophytum intermedium.  
*isosepala*, Tod. Nuovi Gen. e Spec. 36.—Am. austr.?  
*Jacquiniana*, H. B. & K. Nov. Gen. et Sp. v. 235. t. 466.—Mexic.  
*jamaicensis*, Macfad. Fl. Jamaic. i. 182.—Jamaic.

## OXALIS:—

*japonica*, Franch. & Sav. Enum. Pl. Jap. ii. 308.—Japon.  
*javanica*, Blume, Bijdr. 243.—Java.  
*laburnifolia*, Jacq. Oxal. 63. t. 28.—Afr. austr.  
*laticola*, A. Cunn. in Ann. Nat. Hist. Ser. I. iii. (1839) 316 = corniculata.  
*laciniata*, Cav. Ic. v. 7. t. 412.—Am. austr.  
*lactea*, Hook. Comp. Bot. Mag. i. (1835) 276 = magellanica.  
*lacunosa*, Eckl. & Zeyh. Enum. 93 = obtusa.  
*laevigata*, Willd. Enum. Hort. Berol. Suppl. 26.—Afr. austr.  
*lanata*, Linn. f. Suppl. 244.—Afr. austr.  
*lancaefolia*, Tod. Ind. Sem. Hort. Panorm. (1858) 24 = Coppolerii.  
*lanceaefolia*, Jacq. Oxal. 61. t. 26 = asinina.  
*lasiandra*, R. Grah. in Hook. Bot. Mag. t. 3896 = floribunda?  
*lasiandra*, Zucc. in Otto & Dietr. Allg. Gartenz. ii. (1834) 245.—Mexic.  
*lasiopetala*, Zucc. in Denkschr. Akad. Muench. ix. (1823-24) 149.—Reg. Argent.  
*lasiophylla*, A. St. Hil. & Naud. in Ann. Sc. Nat. Sér. II. xviii. (1842) 30.—Bras.  
*lateriflora*, Jacq. Hort. Schoenb. ii. 41. t. 204.—Afr. austr.  
*latifolia*, H. B. & K. Nov. Gen. et Sp. v. 237. t. 467.—Mexic.  
*latipes*, Mart. ex Steud. Nom. ed. II. ii. 240 (Quid?).—Bras.  
*Laureola*, Prog. in Mart. Fl. Bras. xii. II. 509.—Bras.  
*laxa*, Hook. & Arn. Bot. Beech. Voy. 13.—Chili.  
*laxa*, E. Mey. ex Harv. & Sond. Fl. Cap. i. 340 = ebracteata.  
*laxula*, Eckl. & Zeyh. Enum. 90 = purpurea.  
*laxula*, Jacq. Oxal. 94. t. 57 = variabilis.  
*laxula*, Thunb. ex Harv. & Sond. Fl. Cap. i. 335 = luteola.  
*Lechleri*, Steud. in Flora, xxxix. (1856) 443, in obs. = dumetorum.  
*lepida*, Jacq. Oxal. 55. t. 21 = monophylla.  
*leporina*, Jacq. l. c. 60. t. 25 = asinina.  
*leporina*, Tod. Ind. Sem. Hort. Panorm. (1858) 24 = Consolii.  
*leptocalyx*, Sond. in Harv. & Sond. Fl. Cap. i. 320.—Afr. austr.  
*leptophylla*, Zucc. in Denkschr. Akad. Muench. ix. (1823-24) 172.—Bras.  
*leptopodes*, G. Don, Gen. Syst. i. 755.—Peruv.  
*lespedezioides*, G. Don, l. c. 754.—Peruv.  
*leucotricha*, Turcz. in Bull. Soc. Nat. Mosc. xxxi. (1858) i. 436.—Hab.?  
*libyca*, Viv. Fl. Lib. Spec. 24. t. 13. f. 1 = cernua.  
*lignosa*, Willd. ex Zucc. in Denkschr. Akad. Muench. ix. (1823-24) 179 = psoraloides.  
*ligulata*, E. Mey. ex Sond. in Harv. & Sond. Fl. Cap. i. 324.—Afr. austr.  
*lilacina*, Klotzsch, in Otto & Dietr. Allg. Gartenz. viii. (1840) 258.—Mexic.  
*limbata*, E. Mey. in Drège, Zwei Pfl. Docum. 101, nomen = tenuifolia.  
*limosa*, Prog. in Mart. Fl. Bras. xii. II. 487.—Bras.  
*Lindenii*, Turcz. in Bull. Soc. Nat. Mosc. xxxi. (1858) i. 429.—Mexic.  
*lindsaeaefolia*, Hook. Lond. Journ. Bot. iii. (1844) 141.—N. Granat.  
*linearis*, Eckl. & Zeyh. Enum. 88 = glabra.  
*linearis*, Jacq. Oxal. 68. t. 32.—Afr. austr.  
*linearis*, Zucc. in Denkschr. Akad. Muench. ix. (1823-24) 168 = Zuccariniana.  
*lineata*, Gill. in Hook. Bot. Misc. iii. (1833) 162.—Chili.  
*liniflora*, Eckl. & Zeyh. Enum. 85 = lateriflora.  
*liniflora*, Prog. in Mart. Fl. Bras. xii. II. 489.—Bras.  
*littoralis*, Eckl. & Zeyh. Enum. 90 = minuta.  
*littoralis*, Pohl, ex Prog. in Mart. Fl. Bras. xii. II. 501 = pentantha.  
*livescens*, E. Mey. ex Harv. & Sond. Fl. Cap. i. 333 = commutata.  
*livida*, Herb. ex Harv. & Sond. l. c. 338 = lanata.  
*livida*, Jacq. Oxal. 39. t. 8.—Afr. austr.  
*lobata*, Sims, Bot. Mag. t. 2386.—Chili.  
*Loddigesiana*, Eckl. & Zeyh. Enum. 87 = tenuifolia.  
*longiflora*, Linn. Sp. Pl. 433 = violacea.  
*longiscapa*, Willd. ex Zucc. in Denkschr. Akad. Muench. ix. (1823-24) 164 = peduncularis.  
*longisepala*, Tod. Nuovi Gen. e Spec. 77.—Afr. austr.



## OXALIS:—

- lotoides, *H. B. & K. Nov. Gen. et Sp. v.* 241.—N. Granat.  
*loxensis*, Willd. ex Zucc. in Denkschr. Akad. Muench.  
 ix. (1823-24) 145=elegans.  
*Lujula*, Noronha, in Verh. Batav. Gen. v. (1790) ed. I.  
 Art. iv. 21=javanica.  
*lunulata*, Zucc. in *Abh. Akad. Muench.* i. (1829-30)  
 200.—Mexic.  
*lupinifolia*, Jacq. *Oxal.* 115. t. 72.—Afr. austr.  
*lupulina*, H. B. & K. Nov. Gen. et Sp. v. 243=  
 corniculata.  
*lutea*, Steud. Nom. ed. I. 579=corniculata.  
*luteola*, Jacq. *Oxal.* 103. t. 65.—Afr. austr.  
*luteola*, E. Mey. ex Harv. & Sond. Fl. Cap. i. 338=  
 lanata.  
*lybica*, Willk. & Lange, Prod. Fl. Hisp. iii. 521=cernua.  
*Lyoni*, Pursh, Fl. Am. Sept. i. 322=corniculata.  
*macrogonia*, Jacq. *Oxal.* 110. t. 70=luteola.  
*macrogonia*, Sieber, ex Presl, Bot. Bemerk. 29=  
 punctata.  
*macromischos*, Spreng. Syst. iv. Cur. Post. 185=hirta.  
*macrophylla*, Dougl. ex Hook. Fl. Bor. Am. i. 118=  
 trillifolia.  
*macrophylla*, Hornem. Hort. Hafn. i. 428=O. Pes-  
 caprae.  
*macrophylla*, H. B. & K. Nov. Gen. et Sp. v. 237=  
 grandifolia.  
*macropoda*, Baker, in *Journ. Linn. Soc.* xxi. (1884)  
 328.—Madag.  
*macrophylla*, Phil. in *Linnaea*, xxviii. (1856) 617.—Chili.  
*macrorrhiza*, Gill. in *Hook. Bot. Misc.* iii. (1833) 162.  
 —Chili.  
*macrostylis*, Jacq. *Oxal.* 43. t. 9=tubiflora.  
*maculata*, Desf. *Tabl.* ed. II. 168 (Quid?).—Afr. austr.  
*magellanica*, Forst. in *Comm. Gotting.* ix. (1789) 33.  
 —Reg. Magellan.  
*Majoranae*, Tod. *Ind. Sem. Hort. Panorm.* (1858) 27;  
*Ann. Sc. Nat. Sér. IV.* xi. (1859) 381.—Hab.?  
*mallobolba*, Cav. *lc.* iv. 64. t. 393. f. 2.—Am. austr.  
*mandioccana*, Raddi, in *Mem. Soc. Ital. Mod.* xviii.  
*Fis.* (1820) 400.—Bras.  
*marginata*, Jacq. *Oxal.* 108. t. 68=pulchella.  
*marginata*, Willd. ex Zucc. in Denkschr. Akad.  
 Muench. ix. (1823-24) 160=albicans.  
*maritima*, Barn. in *C. Gay, Fl. Chil.* i. 424.—Chili.  
*Martiana*, Zucc. in Denkschr. Akad. Muench. ix.  
 (1823-24) 144=corymbosa.  
*mauritiana*, Lodd. *Bot. Cab.* t. 1780.—Ins. Maurit.  
*medicaginea*, H. B. & K. Nov. Gen. et Sp. v. 242.—  
 N. Granat.  
*megalorrhiza*, Bert. ex Steud. in *Flora*, xxxix. (1856)  
 441=reticulata.  
*megalorrhiza*, Jacq. *Oxal.* 33.—Peruv.  
*megapatomica*, Spreng. Syst. iv. Cur. Post. 184.—  
 Bras.  
*Meissneri*, Sond. in *Harv. & Sond. Fl. Cap.* i. 345.  
 —Afr. austr.  
*melanosticta*, Sond. *l. c.* 333.—Afr. austr.  
*melilotoides*, A. St. Hil. Fl. Bras. Mer. i. 112=cam-  
 pestris.  
*melilotoides*, Zucc. in Denkschr. Akad. Muench. ix.  
 (1823-24) 165.—Peruv.  
*Metsiana*, Miq. ex Edgew. & Hook. f. in Hook. f. Fl.  
 Brit. Ind. i. 438=Biophytum Reinwardtii.  
*Meyeri*, Sond. in *Harv. & Sond. Fl. Cap.* i. 328.—  
 Afr. austr.  
*Meyeriana*, Presl, Bot. Bemerk. 29=goniorhiza?  
*micrantha*, Bert. ex Colla, in *Mem. Acc. Torin.* xxxvii.  
 (1834) 50=laxa.  
*micrantha*, Boj. ex Prog. in Mart. Fl. Bras. xii. II.  
 493=corniculata.  
*microcarpa*, Benth. *Pl. Hartw.* 115.—Am. austr.  
*microphylla*, A. Cunn. ex Hook. f. Handb. N. Zeal.  
 Fl. 38=corniculata.  
*microphylla*, H. B. & K. Nov. Gen. et Sp. v. 245=  
 parvifolia.  
*microphylla*, Mart. ex Prog. in Mart. Fl. Bras. xii. II.  
 497=densifolia.  
*microphylla*, Phil. in *Linnaea*, xxviii. (1856) 678.—  
 Chili.  
*microphylla*, Poir. Encyc. Suppl. iv. 248=corniculata.  
*microstachys*, Prog. ex Warm. in *Kjoeb. Vidensk.*  
*Meddel.* (1879-80) 23.—Bras.  
*mimosoides*, A. St. Hil. Fl. Bras. Mer. i. 107.—Bras.  
*miniata*, Jacq. *Oxal.* 71. t. 35=gracilis.  
*miniata*, E. Mey. ex Harv. & Sond. Fl. Cap. i. 320=  
 glabra.  
*minima*, Eckl. & Zeyh. Enum. 92=commutata.

## OXALIS:—

- minima*, Sond. in *Harv. & Sond. Fl. Cap.* i. 336.—  
 Afr. austr.  
*minima*, Steud. Nom. ed. I. 579=corniculata.  
*minor*, Eckl. & Zeyh. Enum. 88=glabra.  
*minuta*, Thunb. *Diss. Oxal.* 8.—Afr. austr.  
*minutifolia*, Turcz. in Bull. Soc. Nat. Mosc. xxxi.  
 (1858) i. 431=gymnoclada.  
*minutula*, Cesati, in *Atti Soc. Acc. Sc. Nap.* v. (171)  
 n. vii. p. 5.—Chili.  
*Mirbeli*, Dehnh. *Mem. Sp. Oxal.* 2; ex Walp. *Rep.* i.  
 492.—Hab.?  
*modesta*, Phil. in *Linnaea*, xxviii. (1856) 617.—Chili.  
*mollis*, H. B. & K. Nov. Gen. et Sp. v. 241.—Reg. Andin.  
*monadelphæ*, Roxb. ex Wight & Arn. Prod. 142=corni-  
 culata.  
*monophylla*, Linn. *Mant.* ii. 241.—Afr. austr.  
*montana*, Rafin. in Am. Monthly Mag. (1818) 266;  
 Ann. Nat. 12=O. Acetosella.  
*montevicensis*, Prog. in Mart. Fl. Bras. xii. II. 491.—  
 Am. trop.  
*Mooniana*, Steud. Nom. ed. II. ii. 241=Biophytum  
 polyphyllum.  
*multibulbosa*, Turcz. in Bull. Soc. Nat. Mosc. xxxvi.  
 (1863) 595.—Ins. Maurit.  
*multicaulis*, Eckl. & Zeyh. Enum. 87.—Afr. austr.  
*multiflora*, Jacq. *Oxal.* 49. t. 15=hirta.  
*multiflora*, Turcz. in Bull. Soc. Nat. Mosc. xxxi.  
 (1858) i. 434=imbricata.  
*Mundtii*, Sond. in *Harv. & Sond. Fl. Cap.* i. 323.—  
 Afr. austr.  
*muscoideis*, Phil. in *Anal. Univ. Chil.* (1870) II. 166.  
 —Chili.  
*mutabilis*, Sond. in *Harv. & Sond. Fl. Cap.* i. 327.—  
 Afr. austr.  
*myriophylla*, O. Hoffm. in *Bremen, Abh.* vii. (1882)  
 243.—Madag.  
*myriophylla*, A. St. Hil. Fl. Mer. i. 121.—Bras.  
*namaquana*, Sond. in *Harv. & Sond. Fl. Cap.* i. 325.  
 —Afr. austr.  
*nana*, A. St. Hil. ex Spreng. Syst. iv. Cur. Post. 184.  
 —Bras.  
*natans*, Eckl. & Zeyh. Enum. 92=obtusa.  
*natans*, Linn. f. *Suppl.* 243.—Afr. austr.  
*Navieri*, Jord. in F. Schultz, Arch. Fr. Fl. et Allem.  
 310=stricta.  
*Neaci*, DC. *Prod.* i. 691.—Am. trop.  
*nematodes*, Spreng. Syst. ii. 429=filiformis.  
*memoralis*, Salisb. *Prod.* 321=O. Acetosella.  
*nemorosa*, Eckl. & Zeyh. Enum. 94=O. Smithiana.  
*nervosa*, Vell. Fl. Flum. 196; iv. t. 180.—Bras.  
*Neuwiedii*, Zucc. in *Abh. Akad. Muench.* i. (1829-30)  
 267.—Bras.  
*nidulans*, Eckl. & Zeyh. Enum. 92=purpurea.  
*nidulans*, Turcz. in Bull. Soc. Nat. Mosc. xxxi. (1858)  
 i. 436=minima?  
*nigrescens*, A. St. Hil. Fl. Bras. Mer. i. 113.—Bras.  
*nigricans*, Pohl, ex Warm. in *Kjoeb. Vidensk. Meddel.*  
 (1879-80) 21.—Bras.  
*nigricans*, Pohl, ex Prog. in Mart. Fl. Bras. xii. II.  
 497=Zuccariniana.  
*Noronhae*, Oliver, in Hook. *lc.* Pl. xiv. 21. t. 1226.—  
 Ins. Fern. Noronha.  
*nubigena*, Walp. in *Nov. Act. Nat. Cur.* xix. *Suppl.*  
 i. (1843) 320.—Bolivia.  
*nuda*, Arn. *l. c.* xviii. i. (1836) 326.—Zeylan.  
*nudiflora*, [Moc. & Sesse] ex DC. *Prod.* i. 695.—Mexic.  
*nutans*, Hill. Veg. Syst. ix. 4 (Quid?).—Afr. austr.  
*obliquifolia*, Steud. ex A. Rich. *Tent. Fl. Abyss.* i.  
 123.—Abyss.  
*obtriangulata*, Maxim. in Bull. Acad. Petersb. xii.  
 (1868) 62.—Japon.  
*obtusa*, Jacq. *Oxal.* 106. t. 79. f. 1.—Afr. austr.  
*oregana*, Nutt. ex Torr. & Gray, Fl. N. Am. i. 211.—  
 Am. bor.  
*ornata*, Phil. Fl. Atac. 13.—Chili.  
*ornata*, Poepp. ex Prog. in Mart. Fl. Bras. xii. II. 476.  
 —Bras.  
*ornithopus*, Phil. Fl. Atac. 13.—Chili.  
*Ortgiesi*, Regel, *Gartenfl.* (1875) 1; et in *Act. Hort.*  
*Petrop.* iii. (1875) 117.—Peruv.  
*Ottomii*, Klotzsch, in Otto & Dietr. Allg. Gartenz. vii.  
 (1839) 313=lobata.  
*Ottomii*, C. Morr. Belg. Hort. vi. (1856) 291. t. 73.—  
 Cuba.  
*ovata*, Zucc. in Denkschr. Akad. Muench. ix. (1823-24)  
 154.—Bras.  
*oxyptera*, Prog. in Mart. Fl. Bras. xii. II. 489.—Bras.

## OXALIS:—

- pachyphylla*, Phil. in *Linnaea*, xxviii. (1856) 610.—  
 Chili.  
*pachyrhiza*, Wedd. *Chlor. And.* ii. 291.—Peruv.  
*pallescens*, Eckl. & Zeyh. Enum. 89=goniorhiza, versi-  
 color.  
*paludosa*, A. St. Hil. Fl. Bras. Mer. i. 121.—Bras.  
*palustris*, A. St. Hil. *l. c.* 127.—Bras.  
*papilionacea*, Hoffm. ex Zucc. in Denkschr. Akad.  
 Muench. ix. (1823-24) 148.—Bras.  
*paposana*, Phil. Fl. Atac. 13.—Chili.  
*paradoxa*, Mart. ex Prog. in Mart. Fl. Bras. xii. II.  
 514=mandioccana.  
*pardalis*, Sond. in *Harv. & Sond. Fl. Cap.* i. 345.—  
 Afr. austr.  
*parviflora*, Lej. Fl. Spa. ii. 307=O. Acetosella.  
*parvifolia*, DC. *Prod.* i. 693.—Ecuador.  
*parvifolia*, Pohl, ex Prog. in Mart. Fl. Bras. xii. II.  
 496=densifolia.  
*parvula*, Remy, in *Ann. Sc. Nat. Sér. III.* vi. (1846)  
 354.—Mexic.  
*patula*, Eckl. & Zeyh. Enum. 87=tenuifolia.  
*paucifolia*, Pohl, ex Prog. in Mart. Fl. Bras. xii. II. 505  
 =depauperata.  
*Pavonii*, G. Don, Gen. Syst. i. 754.—Peruv.  
*Pearcei*, Phil. in *Anal. Univ. Chil.* (1872) 684.—Chili.  
*pectinata*, Jacq. *Oxal.* 118. t. 75=flava.  
*peduncularis*, H. B. & K. Nov. Gen. et Sp. v. 239.—  
 Ecuador.  
*penicillata*, Phil. in *Anal. Univ. Chil.* (1872) 685.—  
 Chili.  
*pentantha*, Jacq. *Oxal.* 21. t. 1.—Am. austr.  
*pentaphylla*, E. Mey. ex Harv. & Sond. Fl. Cap. i.  
 346=variifolia.  
*pentaphylla*, Sims, Bot. Mag. t. 1549.—Afr. austr.  
*pentaphylloides*, Sond. in Harv. & Sond. Fl. Cap. i.  
 346=variifolia.  
*Perdicaria*, Bert. in Merc. Chil. n. xvi. 739; ex Am.  
 Journ. Sc. Ser. I. xxiii. (1833) 260=lobata.  
*perennans*, Haw. Misc. 181=corniculata.  
*Pes-caprae*, Linn. *Sp. Pl.* 434.—Afr. austr.  
*Pes-caprae*, Savign. in Lam. Encyc. iv. 685=cernua.  
*Petersianum*, C. Muell. in Walp. Ann. vii. 502=  
 Biophytum sensitivum.  
*Petersii*, Edgew. & Hook. f. in Hook. f. Fl. Brit. Ind.  
 i. 437=Biophytum Apodiscias.  
*petiolaris*, E. Mey. ex Sond. in Harv. & Sond. Fl.  
 Cap. i. 350=purpurata.  
*phellandrioides*, E. Mey. ex Meissn. in Hook. Lond.  
 Journ. Bot. ii. (1843) 54=lateriflora.  
*physocalyx*, Zucc. ex Prog. in Mart. Fl. Bras. xii.  
 II. 510.—Bras.  
*pichinchensis*, Benth. *Pl. Hartw.* 166.—Ecuador.  
*Pickeringii*, A. Gray, Bot. U. St. Exped. i. 323.—Peruv.  
*pilosa*, Nutt. ex Torr. & Gray, Fl. N. Am. i. 212=  
 corniculata.  
*pilosa*, Pohl, ex Prog. in Mart. Fl. Bras. xii. II. 498=  
 pilulifera.  
*pilosissima*, Turcz. in Bull. Soc. Nat. Mosc. xxxi.  
 (1858) 427.—Bras.  
*pilosiuscula*, H. B. & K. Nov. Gen. et Sp. v. 243=corni-  
 culata.  
*pilulifera*, Prog. in Mart. Fl. Bras. xii. II. 498.—  
 Bras.  
*Piotiae*, Colla, Hort. Ripul. 98. t. 1=punctata?  
*plagiantha*, E. Mey. in Drège, Zwei Pfl. Docum. 95,  
 nomen=obtusa.  
*platensis*, A. St. Hil. & Naud. in *Ann. Sc. Nat. Sér.*  
 II. xviii. (1842) 30.—Bras.  
*platycaulis*, Steud. Nom. ed. II. ii. 241.—Chili.  
*platylepis*, Wedd. *Chlor. And.* ii. 240.—Bolivia.  
*platypila*, Gill. in Hook. Bot. Misc. iii. (1833) 163.—  
 Chili.  
*Plumieri*, Jacq. *Oxal.* 23.—Am. austr.  
*Plumieri*, Lindl. ex Prog. in Mart. Fl. Bras. xii. II.  
 480.—Ins. Martinic.  
*Plumierii*, Sieber, ex Zucc. in Denkschr. Akad. Muench.  
 ix. (1823-24) 174=sepium.  
*Poeppigii*, Prog. *l. c.* 511.—Bras.  
*Pohlana*, Zucc. ex Prog. *l. c.* 512.—Bras.  
*polyantha*, Walp. in Nov. Act. Nat. Cur. xix. *Suppl.* i.  
 (1843) 319=geminata.  
*polymorpha*, Zucc. in Denkschr. Akad. Muench. ix.  
 (1823-24) 174=Neuwiedii, rhomb. wata. rosclata.  
*polyphylla*, Jacq. *Oxal.* 75. t. 39.—Afr. austr.  
*polyscapa*, Eckl. & Zeyh. Enum. 84=stellata.  
*polytricha*, Sond. in *Harv. & Sond. Fl. Cap.* i. 324.  
 —Afr. austr.



## OXALIS:—

- praecox*, *Lehm. Ind. Sem. Hort. Hamb.* (1826) 17.—*Cf. Linnaea*, iii. (1828) *Litt.* 11.—Hab. ?  
*praecox*, *Prog. in Mart. Fl. Bras.* xii. II. 487.—Bras.  
*praetexta*, *Prog. l. c.* 513.—Bras.  
*pratensis*, Eckl. & Zeyh. Enum. 89 = minuta.  
*Preissiana*, Steud. in *Lehm. Pl. Preiss.* i. 160 = corniculata.  
*primulaefolia*, *Raddi, in Mem. Soc. Ital. Mod.* xviii. *Fis.* (1820) 400.—Bras.  
*procumbens*, Steud. ex A. Rich. Tent. Fl. Abyss. i. 123 = corniculata.  
*prolifera*, Arn. in *Nov. Act. Nat. Cur.* xviii. i. (1836) 327 = Biophytum proliferum.  
*prolongata*, Pohl, ex *Prog. in Mart. Fl. Bras.* xii. II. 505 = sepium.  
*propinqua*, A. Cunn. in *Ann. Nat. Hist. Ser. I.* iii. (1839) 316 = corniculata.  
*prorepens*, *Phil. in Linnaea*, xxviii. (1856) 618.—Chili.  
*prostrata*, Haw. Misc. 183 = corniculata.  
*psilopoda*, *Turcz. in Bull. Soc. Nat. Mosc.* xxxi. (1858) i. 434.—Afr. austr.  
*psilotricha*, *Turcz. l. c.* 427.—Mexic.  
*psoraloides*, Mart. in *Flora*, xx. (1837) II. Beibl. 124, nomen (an spec. ?).—Bras.  
*psoraloides*, *H. B. & K. Nov. Gen. et Sp.* v. 246. t. 470.—Bras.  
*puberula*, *Nees & Mart. in Nov. Act. Nat. Cur.* xii. (1824) 43 = Neaei.  
*puberula*, *Phil. in Anal. Univ. Chil.* (1865) II. 332.—Chili.  
*pubescens*, Bert. ex Steud. Nom. ed. II. ii. 241 = brevicaulis, *Steud.*, laxa, platycaulis, O. Vinaquillo.  
*pubescens*, *H. B. & K. Nov. Gen. et Sp.* v. 240.—Peruv.  
*pubescens*, Stokes, Bot. Mat. Med. ii. 558 = corniculata.  
*pulchella*, Eckl. & Zeyh. Enum. 91, partim = obtusa.  
*pulchella*, *Jacq. Oxal.* 109. t. 69.—Afr. austr.  
*pulchella*, *Salisb. Prod.* 321 = violacea.  
*pumila*, Nutt. ex Torr. & Gray, Fl. N. Am. i. 212 = corniculata.  
*pumila*, Urv. in *Mém. Soc. Linn. Par.* iv. (1826) 616 = enneaphylla.  
*punctata*, *Linn. f. Suppl.* 243.—Afr. austr.  
*purpurata*, *Jacq. Hort. Schoenb.* iii. 57. t. 356.—Afr. austr.  
*purpurea*, *Linn. Sp. Pl.* 433; *Thunb. Diss. Oxal.* 12; *Jacq. Oxal.* 93. t. 56.—Afr. austr.  
*pusilla*, *Jacq. Oxal.* 79 = glabra.  
*pusilla*, E. Mey. ex Harv. & Sond. Fl. Cap. i. 319 = goniorhiza.  
*pusilla*, *Salisb. Prod.* 322 = corniculata.  
*pycnophylla*, *Wedd. Chlor. And.* ii. 291.—Bolivia.  
*pygmaea*, A. Gray, Bot. U. St. Expl. Exped. 322.—Peruv.  
*pygmaea*, E. Mey. in Drège, Zwei Pfl. Docum. 105 = punctata.  
*pygmaea*, *Phil. in Linnaea*, xxviii. (1856) 614.—Chili.  
*quinata*, *Savign. in Lam. Encyc.* iv. 688.—Afr. austr.  
*quinquepunctata*, *Desf. Tabl.* ed. II. 168 (Quid ?).—Afr. austr.  
*racemosa*, *Savign. in Lam. Encyc.* iv. 684 = rosea.  
*radiata*, *Pohl, ex Prog. in Mart. Fl. Bras.* xii. II. 506.—Bras.  
*radicosa*, A. Rich. Tent. Fl. Abyss. i. 123 = corniculata.  
*ramigera*, *Sond. in Harv. & Sond. Fl. Cap.* i. 327 = gymnoclada.  
*ramosa*, *Pohl, ex Prog. in Mart. Fl. Bras.* xii. II. 504 = elatior.  
*recisa*, *Noronha, in Verh. Batav. Gen. v.* (1790) ed. I. Art. IV. 21 = repens.  
*reclinata*, *Jacq. Oxal.* 70. t. 34 = gracilis.  
*rectangularis*, E. Mey. in Drège, Zwei Pfl. Docum. 147, nomen = Smithiana.  
*recticaulis*, *Sond. in Harv. & Sond. Fl. Cap.* i. 330.—Afr. austr.  
*recurva*, Ell. Sketch, i. 526 = corniculata.  
*refracta*, A. St. Hil. Fl. Bras. Mer. i. 119.—Bras.  
*Regnellii*, *Miq. in Linnaea*, xxii. (1849) 545.—Bras.  
*Reinwardtii*, *Zucc. in Abh. Akad. Muench.* i. (1829–30) 274 = Biophytum Reinwardtii.  
*repens*, *Thunb. Diss. Oxal.* 16; *Prod. Pl. Cap.* 82 = corniculata.  
*reptans*, *Soland. ex Forst. f. Prod.* 90.—Ins. Norfolk.

## OXALIS:—

- reptatrix*, *Jacq. Oxal.* 54 = variabilis.  
*reptatrix*, E. Mey. ex Sond. in Harv. & Sond. Fl. Cap. i. 344 = brevicaulis.  
*reticulata*, *Steud. in Flora*, xxxix. (1856) 441.—Chili.  
*revoluta*, E. Mey. in Drège, Zwei Pfl. Docum. 101, nomen = polyphylla.  
*rhombico-ovata*, A. St. Hil. Fl. Bras. Mer. i. 108.—Bras.  
*rhombifolia*, *Jacq. Oxal.* 22. t. 2.—Venezuela.  
*Richardiana*, *Steud. Nom. ed. II.* ii. 241 = corniculata.  
*rigidula*, *Jacq. Oxal.* 96 = variabilis.  
*rosacea*, *Jacq. Oxal.* 51. t. 17 = hirta.  
*rosacea*, *Tod. Ind. Sem. Hort. Panorm.* (1858) 24 = controversa.  
*rosea*, *Jacq. Oxal.* 25.—Chili.  
*rosea*, *Sims. Pot. Mag. t.* 2415 = Simsii.  
*roselata*, A. St. Hil. Fl. Bras. Mer. i. 109.—Bras.  
*rostrata*, *Jacq. Oxal.* 57. t. 22 = monophylla.  
*rostrata*, E. Mey. in Drège, Zwei Pfl. Docum. 67, nomen = Dregei.  
*rubella*, *Jacq. Oxal.* 50. t. 16 = hirta.  
*rubens*, Haw. Misc. 182 = corniculata.  
*rubra*, A. St. Hil. Fl. Bras. Mer. i. 124.—Bras.  
*rubrocincta*, *Lindl. Bot. Reg.* (1842) t. 64.—Guatemala.  
*rubro-flava*, *Jacq. Oxal.* 87. t. 50 = mutabilis.  
*rufescens*, *Turcz. in Bull. Soc. Nat. Mosc.* xxxi. (1858) i. 429.—Peruv.  
*rufescens*, *Willd. ex Zucc. in Denkschr. Akad. Muench.* ix. (1823–24) 162 = mollis.  
*rufo-pilosa*, *Schult. ex Prog. in Mart. Fl. Bras.* xii. II. 477.—Reg. Andin.  
*rugulosa*, *Turcz. in Bull. Soc. Nat. Mosc.* xxxi. (1858) i. 436 = natans.  
*rupestris*, *Rafin. New Fl. Am.* ii. 26 (Quid ?).—Am. bor.  
*rupestris*, A. St. Hil. Fl. Bras. Mer. i. 126.—Bras.  
*rusciformis*, *Mikan, Delect. Fl. et Faun. Bras. fasc.* iii. [sine num.].—Bras.  
*Rutenbergii*, *O. Hoffm. in Bremen, Abh.* vii. (1882) 242.—Madag.  
*saliciformis*, *Mikan, ex Zucc. in Abh. Akad. Muench.* i. (1829–30) 270.—Bras.  
*sanguinea*, *Jacq. Oxal.* 64. t. 29 = laburnifolia.  
*sanguinolaria*, *Rafin. Fl. Ludov.* 89 (Quid ?).—Am. bor.  
*sarmentosa*, *Zucc. in Abh. Akad. Muench.* i. (1829–30) 244.—Bras.  
*saxatilis*, A. St. Hil. Fl. Bras. Mer. i. 114.—Bras.  
*scandens*, *H. B. & K. Nov. Gen. et Sp.* v. 242.—N. Granat.  
*Schiedeana*, *Zucc. ex Steud. Nom. ed. II.* ii. 241 (Quid ?).—Mexic.  
*Schomburgkiana*, *Prog. in Mart. Fl. Bras.* xii. II. 500.—Bras.  
*Schraderiana*, *H. B. & K. Nov. Gen. et Sp.* v. 236. t. 466.—N. Granat.  
*secunda*, *Jacq. Oxal.* 46. t. 12 = tubiflora.  
*segetalis*, *Poepp. ex Prog. in Mart. Fl. Bras.* xii. II. 511 = Poeppigii.  
*Selloi*, *Spreng. Syst.* v. 496 (Index) = Zuccariniana.  
*Sellowiana*, *Zucc. in Abh. Akad. Muench.* i. (1829–30) 198.—Bras.  
*semiglandulosa*, *Sond. in Harv. & Sond. Fl. Cap.* i. 330.—Afr. austr.  
*semiglaucula*, Eckl. & Zeyh. Enum. 88 = goniorhiza.  
*semiloba*, *Sond. in Harv. & Sond. Fl. Cap.* i. 350.—Afr. austr.  
*sensitiva*, *Herb. ex Edgew. & Hook. f. in Fl. Brit. Ind.* i. 439 = Biophytum intermedium.  
*sensitiva*, *Linn. Sp. Pl.* 434 = Biophytum sensitivum.  
*sensitiva*, *Zucc. in Denkschr. Akad. Muench.* ix. (1823–24) 183. t. 5 B = Biophytum Reinwardtii.  
*sepium*, A. St. Hil. Fl. Bras. Mer. i. 111.—Panama.  
*sericea*, *Linn. f. Suppl.* 243.—Afr. austr.  
*serpens*, A. St. Hil. Fl. Bras. Mer. i. 120.—Bras.  
*sessilifolia*, *Linn. Mant.* ii. 241 = hirta.  
*sessilis*, *Buch.-Ham. in Wall. Cat. n.* 4344 = Biophytum Apodiscias.  
*setosa*, E. Mey. ex *Sond. in Harv. & Sond. Fl. Cap.* i. 334.—Afr. austr.  
*sexenata*, *Savign. in Lam. Encyc.* iv. 687 = Commer-sonii.  
*Simsii*, *Sweet, Hort. Brit.* ed. II. 102.—Chili.  
*simulans*, *Baker, in Journ. Linn. Soc.* xx. (1883) 112.—Madag.  
*Smithiana*, *Eckl. & Zeyh. Enum.* 94.—Afr. austr.  
*Smithii*, *Sond. in Harv. & Sond. Fl. Cap.* i. 342 = praec.

## OXALIS:—

- soldanellaefolia*, *Pohl, ex Prog. in Mart. Fl. Bras.* xii. II. 513 = Pohliana.  
*somnians*, *Zucc. in Denkschr. Akad. Muench.* ix. (1823–24) 181.—Bras.  
*speciosa*, Eckl. & Zeyh. Enum. 90 = purpurea.  
*speciosa*, *Jacq. Oxal.* 97. t. 60 = variabilis.  
*spectabilis*, *Hort. ex W. Baxt. in Loud. Hort. Brit. Suppl.* ii. 653 = brasiliensis.  
*sphacelata*, *Willd. ex Zucc. in Denkschr. Akad. Muench.* ix. (1823–24) 170 = glauca.  
*spiralis*, *G. Don, Gen. Syst.* i. 755.—Peruv.  
*spodiophylla*, *Walp. in Nov. Act. Nat. Cur.* xix. *Suppl.* v. (1843) 318.—Chili.  
*Spruceana*, *Prog. in Mart. Fl. Bras.* xii. II. 481.—Peruv.  
*squamata*, *Zucc. in Denkschr. Akad. Muench.* ix. (1823–24) 157.—Chili.  
*squamoso-radicosa*, *Steud. in Flora*, xxxix. (1856) 443.—Reg. Magell.  
*squarrosa*, *Barn. in C. Gay, Fl. Chil.* i. 445.—Chili.  
*staphyloides*, *Mart. ex Steud. Nom. ed. II.* ii. 242 = seq. ?  
*staphyleoides*, *Prog. in Mart. Fl. Bras.* xii. II. 509.—Bras.  
*stellata*, *Eckl. & Zeyh. Enum.* 84.—Afr. austr.  
*stenodactyla*, *Turcz. in Bull. Soc. Nat. Mosc.* xxxi. (1858) i. 437 = variifolia.  
*stenophylla*, *Meissn. in Hook. Lond. Journ. Bot.* ii. (1843) 54 = monophylla.  
*stenoptera*, *Turcz. in Bull. Soc. Nat. Mosc.* xxxi. (1858) i. 433.—Afr. austr.  
*Sternbergii*, *Zucc. in Denkschr. Akad. Muench.* ix. (1823–24) 156 = Commerstonii.  
*stictophylla*, *Sond. in Harv. & Sond. Fl. Cap.* i. 335.—Afr. austr.  
*stricta*, *Linn. Sp. Pl.* 435 = corniculata.  
*strictula*, *Steud. in Flora*, xxxix. (1856) 443.—Chili.  
*strigulosa*, *Prog. in Mart. Fl. Bras.* xii. II. 484.—Bras.  
*strumosa*, *Jacq. Oxal.* 102. t. 64 = mutabilis.  
*strumosa*, E. Mey. ex *Sond. in Harv. & Sond. Fl. Cap.* i. 335 = luteola.  
*stylosa*, E. Mey. in Drège, Zwei Pfl. Docum. 95, nomen = obtusa.  
*subcaulis*, *Gill. in Hook. Bot. Misc.* iii. (1833) 163.—Chili.  
*subcarnosa*, *Klotzsch, ex Walp. Rep.* ii. 822.—Chili.  
*succulenta*, *Barn. in C. Gay, Fl. Chil.* i. 442.—Chili.  
*suffruticosa*, *Salzm. ex Turcz. in Bull. Soc. Nat. Mosc.* xxxi. (1858) i. 427.—Bolivia.  
*suggillata*, *Jacq. Oxal.* 98. t. 61 = variabilis.  
*sulphurea*, Eckl. & Zeyh. Enum. 91 = Eckloniana.  
*sulphurea*, *Jacq. Oxal.* 100. t. 63.—Afr. austr.  
*sulphurea*, E. Mey. in Drège, Zwei Pfl. Docum. 207 = luteola.  
*syvestris*, *Steud. Nom. ed. I.* 579; *ed. II.* ii. 242 = versicolor.  
*tenella*, Eckl. & Zeyh. Enum. 92 = commutata.  
*tenella*, *Jacq. Oxal.* 53. t. 19.—Afr. austr.  
*tenella*, *Lodd. Bot. Cab. t.* 1096 = minuta.  
*tenera*, *Phil. in Anal. Univ. Chil.* (1870) II. 166.—Chili.  
*tenera*, *Spreng. Syst.* ii. 424; *Lindl. Bot. Reg. t.* 1046 = lobata.  
*tenera*, *Willd. ex Zucc. in Denkschr. Akad. Muench.* ix. (1823–24) 145 = Jacquiniana.  
*tenuicaulis*, A. Cunn. in *Ann. Nat. Hist. Ser. I.* iii. (1839) 316 = corniculata.  
*tenuifolia*, Eckl. & Zeyh. Enum. 87 = multicaulis.  
*tenuifolia*, *Jacq. Oxal.* 74. t. 38.—Afr. austr.  
*tenuifolia*, E. Mey. in Drège, Zwei Pfl. Docum. 105, nomen = versicolor.  
*tephrodes*, *Turcz. in Bull. Soc. Nat. Mosc.* xxxi. (1858) i. 427.—Mexic.  
*teretifolia*, *Sond. in Harv. & Sond. Fl. Cap.* i. 322.—Afr. austr.  
*tetraphylla*, *Cav. Ic.* iii. 19.—Mexic.  
*tetraphylla*, *Link & Otto, Ic. Pl. Rar.* i. 21. t. 11 = Deppei.  
*thermarum*, Eckl. & Zeyh. Enum. 93 = obtusa.  
*Thunbergiana*, Eckl. & Zeyh. l. c. 87 = tenuifolia.  
*Thunbergiana*, *Montr. in Mém. Acad. Lyon*, x. (1860) 192.—N. Caled.  
*tinctoria*, *Poepp. ex Prog. in Mart. Fl. Bras.* xii. II. 479.—Chili.  
*tomentella*, *Pohl, ex Prog. l. c.* 511.—Bras.



## OXALIS:—

tomentosa, Linn. f. Suppl. 244.—Afr. austr.  
 tortuosa, Lindl. Bot. Reg. t. 1249.—Chili.  
 triangularis, A. St. Hil. Fl. Bras. Mer. i. 128.—Bras.  
 trichocalyx, Phil. Fl. Atac. 13.—Chili.  
 trichocalyx, Steud. Nom. ed. II. ii. 242.—Chili.  
 tricolor, Eckl. & Zeyh. Enum. 94 = affinis.  
 tricolor, Jacq. Oxal. 84 = mutabilis.  
 trilliifolia, Hook. Fl. Bor. Am. i. 118.—Am. bor.  
 tristis, Eckl. & Zeyh. Enum. 93 = Smithiana.  
 tropaeoloides, Hort. ex Vilm. Fl. Pl. Terre, ed. I. 584  
 = corniculata.  
 truncata, Willd. ex Zucc. in Denkschr. Akad. Muench.  
 ix. (1843-44) 148 = papilionacea.  
 truncatula, Jacq. Oxal. 99. t. 62.—Afr. austr.  
 tuberosa, Molina, Sagg. Chile, 132, 352; Savign. in  
 Lam. Encyc. iv. 684.—Chili.  
 tubiflora, Eckl. & Zeyh. Enum. 86, ex parte = hirta.  
 tubiflora, Jacq. Oxal. 44. t. 10.—Afr. austr.  
 tubistipula, Steud. ex Phil. f. Cat. Pl. Vasc. Chil. 40 =  
 rosea.  
 uitenhagensis, Sond. in Harv. & Sond. Fl. Cap. i. 337  
 = psilopoda.  
 umbraticola, A. St. Hil. Fl. Bras. Mer. i. 111.—Bras.  
 umbrosa, Willd. ex Zucc. in Denkschr. Akad. Muench.  
 ix. (1823-24) 147 = grandifolia.  
 undulata, Jacq. Oxal. 81. t. 44 = mutabilis.  
 urbana, A. St. Hil. Fl. Bras. Mer. i. 126 = corymbosa.  
 Urvillei, A. Cunn. in Ann. Nat. Hist. Ser. I. ii. (1839)  
 315 = corniculata.  
 valdiviana, Hort. Veitch, ex Vilm. Fl. Pl. Terre, ed.  
 III. 807 (an seq.?).—Chili.  
 valdiviensis, Barn. in C. Gay, Fl. Chil. i. 446.—Chili.  
 variabilis, Jacq. Oxal. 89.—Afr. austr.  
 variifolia, Steud. Nom. ed. II. ii. 242.—Afr. austr.  
 venosa, Savign. in Lam. Encyc. iv. 681 = glabra.  
 venusta, Lowe, Man. Fl. Mad. i. 595 = purpurea.  
 verecunda, Salisb. Prod. 322 = incarnata.  
 versicolor, Jacq. Ic. Pl. Rar. t. 473 = polyphylla.  
 versicolor, Linn. Sp. Pl. 434.—Afr. austr.  
 versicolor, Tod. Ind. Sem. Hort. Panorm. (1858) 24 =  
 fragrans.  
 verticillata, [Moc. & Sesse,] ex DC. Prod. i. 691.—  
 Mexic.  
 verticillata, Vell. Fl. Flum. 195; iv. t. 179 = primulaefolia.  
 vespertilionis, A. Gray. in Mem. Am. Acad. iv. (1849)  
 27 = violacea.  
 vespertilionis, Torr. & Gray, Fl. N. Am. i. 679 =  
 Drummondii.  
 vespertilionis, Zucc. in Otto & Dietr. Allg. Gartenz.  
 ii. (1834) 245.—Mexic.  
 villosa, Baker, in Journ. Linn. Soc. xx. (1883) 112.—  
 Madag.  
 villosa, Bieb. Fl. Taur. Cauc. i. 355 = corniculata.  
 villosa, Prog. in Mart. Fl. Bras. xii. II. 495.—Bras.  
 villosissima, Pohl, ex Prog. I. c. 512 = goyazensis.  
 Vinaquillo, Steud. Nom. ed. II. ii. 242; et in Flora,  
 xxxix. (1856) 442.—Chili.  
 violacea, Linn. Sp. Pl. 434.—Am. bor.  
 violacea, Savign. in Lam. Encyc. iv. 686 = bipunctata.  
 virginea, Jacq. Hort. Schoenb. iii. 13. t. 275.—Afr.  
 austr.  
 virginea, E. Mey. ex Sond. in Harv. & Sond. Fl. Cap.  
 i. 328 = florida.  
 virginica, Steud. Nom. ed. I. 580 = virginea.  
 virgosa, Molina, Sagg. Chile, 132 = gigantea.  
 viscosa, E. Mey. ex Sond. in Harv. & Sond. Fl. Cap. i.  
 344.—Afr. austr.  
 viva, Willd. ex Steud. Nom. ed. II. ii. 242 = den-  
 droides.  
 vulgaris, S. F. Gray, Nat. Arr. Brit. Pl. ii. 630 =  
 O. Acetosella.  
 Wallichiana, Gill. in Hook. Bot. Misc. iii. (1833) 162  
 = andicola.  
 Wrightii, A. Gray, Pl. Wright. i. 27.—N. Mexic.  
 xiphophylla, Baker, in Journ. Linn. Soc. xx. (1883)  
 112.—Madag.  
 Zeyheri, Sond. in Harv. & Sond. Fl. Cap. i. 347.—  
 Afr. austr.  
 zonata, Liebm. Ind. Sem. Hort. Haun. (1853) 20; et  
 in Ann. Sc. Nat. Sér. IV. i. (1854) 329.—Chili?  
 Zuccariniana, Steud. Nom. ed. II. ii. 242.—Bras.  
 Zuccarinii, Prog. in Mart. Fl. Bras. xii. II. 510.—Bras.

OXALISTYLIS, Baill. Etud. Gén. Euph. 628 (1858) =  
 Phyllanthus, Linn. (Euphorb.).  
 Kunthiana, Baill. l. c. 629 = P. salicifolius.

OXALLIS, Noronha, in Verh. Batav. Gen. v. (1790) ed.  
 I. Art. iv. 21 = Oxalis, Linn. (Geran.).

OXANDRA, A. Rich. Ess. Fl. Cub. 45. t. (1842) =  
 Bocagea, A. St. Hil. (Anonac.).  
 aromatica, Triana & Planch. in Ann. Sc. Nat. Sér. IV.  
 xvii. (1862) 36 = B. aromatica.  
 laurifolia, A. Rich. Ess. Fl. Cub. 49.—Cuba.  
 leucodermis, Warm. in Kjoeb. Vidensk. Meddel.  
 (1873) 147 = B. leucodermis.  
 Reinhardtiana, Warm. l. c.—Bras.  
 virgata, A. Rich. Ess. Fl. Cub. 47.—Ind. occ.

OXANTHERA, Montr. in Mém. Acad. Lyon, x. (1860)  
 186 = Citrus, Tourn. (Rutac.).  
 fragrans, Montr. l. c.—N. Caled.

OXERA, Labill. Sert. Austro-Caled. 23. t. 28. (1824).  
 VERBENACEAE, Benth. & Hook. f. ii. 1155.  
 ONCOMA, Spreng. Syst. iv. Cur. Post. 11. (1827).  
 MAOUTIA, Montr. in Mém. Acad. Lyon, x. (1860)  
 241.

baladica, Vieill. in Bull. Soc. Linn. Normand. vii.  
 (1863) 91.—N. Caled.  
 cordifolia, Vieill. l. c. 95.—N. Caled.  
 glandulosa, Vieill. l. c. 93.—N. Caled.  
 longifolia, Vieill. l. c. 92.—N. Caled.  
 Morieri, Vieill. l. c. 93.—N. Caled.  
 oblongifolia, Vieill. l. c. 94.—N. Caled.  
 ovata, Vieill. l. c. 95.—N. Caled.  
 pulchella, Labill. Sert. Austro-Caled. i. 23. t. 28.—  
 N. Caled.  
 robusta, Vieill. in Bull. Soc. Linn. Normand. vii.  
 (1863) 92.—N. Caled.  
 subverticillata, Vieill. l. c. 91.—N. Caled.

OXEROSTYLUS, Steud. Nom. ed. II. ii. 242. (1841)  
 sphalm. = OGCEOSTYLUS, Cass. = Angianthus,  
 Wendl. (Compos.).

OXIA, Reichb. Nom. 69 (1841), sphalm. = AXIA, Lour. =  
 Boerhaavia, Linn. (Nyctag.).

OXICEROS, Lour. Fl. Cochinch. 150 (1790), sphalm. =  
 OXYCEROS, Lour. = Randia, Linn. (Rubiace.).

OXICOCCUS, Neck. Elem. i. 217 (1790) = Oxycooccus,  
 Tourn. (Vaccin.).

OXIPHOERIA, Hort. Angl. ex Dum.-Cours. Bot. Cult.  
 ed. II. iv. 205 (1811) = Humea, Sm. (Compos.).  
 foetida, Hort. Angl. l. c. = H. elegans.

OXIS, Medic. Malv. 113 (1787) = OXYS, Tourn. =  
 Oxalis, Linn. (Geran.).

OXISMA, Rafin. Sylva Tellur. 94 (1838) = Loreya, DC.  
 (Melastom.).  
 arborescens, Rafin. l. c. = L. arborescens.  
 flavescens, Rafin. l. c. = Henriettella flavescens.

OXLEYA, A. Cunn. in Hook. Bot. Misc. i. (1830) 246.  
 t. 54 = Flindersia, R. Br. (Meliac.).  
 xanthoxyla, A. Cunn. l. c. = F. Oxleyana.

OXODIUM, Rafin. Sylva Tellur. 85 (1838) = Piper,  
 Linn.  
 callosum, Rafin. l. c. = P. callosum.

OXODON, Steud. Nom. ed. II. ii. 75, in syn. (1841),  
 sphalm. = OXYDON, Less. = Chaptalia, Vent.  
 (Compos.).

OXYACANTHA, Medic. Phil. Bot. i. 150 (1789) =  
 Crataegus, Tourn. (Rosac.).  
 apiifolia, M. Roem. Syn. Rosifl. 108 = C. Oxyacantha.  
 Azorella, M. Roem. l. c. 107 = C. Oxyacantha.  
 elegans, M. Roem. l. c. 108 = C. Oxyacantha.  
 granatensis, M. Roem. l. c. 106 = C. granatensis.  
 kyrtostylia, M. Roem. l. c. = C. Oxyacantha.  
 laciniata, M. Roem. l. c. 109 = C. laciniata.  
 macrocarpa, M. Roem. l. c. 107 = C. Oxyacantha.  
 media, M. Roem. l. c. 108 = C. Oxyacantha.  
 monogyna, M. Roem. l. c. 107 = C. Oxyacantha.  
 obtusata, M. Roem. l. c. = C. Oxyacantha.  
 Pallasii, M. Roem. l. c. 106 = C. pentagyna.  
 sicula, M. Roem. l. c. 109 = C. laciniata.  
 vulgaris, M. Roem. l. c. = C. Oxyacantha.

OXYADENIA, Spreng. Syst. i. 351, in syn. (1825) =  
 OXYDENIA, Nutt. = Leptochloa, Beauv. (Gramin.).

OXYANDRA, Reichb. Handb. 303 (1837) = Sloanea,  
 Linn. (Tiliac.).

OXYANTHE, Steud. Syn. Pl. Gram. 197 (1855) =  
 Phragmites, Trin. (Gramin.).  
 japonica, Steud. l. c. = P. communis.

OXYANTHERA, Brongn. in Duperr. Voy. Coq. Bot.  
 197. t. 37 (1829) = Thelasis, Blume (Orchid.).  
 micrantha, Brongn. l. c. = Ins. Molucc.

OXYANTHUS, DC. in Ann. Mus. Par. ix. (1807)  
 218. RUBIACEAE, Benth. & Hook. f. ii. 91.

MEGACARPHA, Hochst. in Flora, xxvii. (1844) 551.  
 breviflorus, Benth. in Hook. Niger Fl. 388.—Afr.  
 trop.

cymosus, Reichb. ex DC. Prod. iv. 372 = Mussaenda  
 Landia.

formosus, Hook. f. in Hook. Ic. Pl. t. 785.—Afr. trop.  
 Gerrardi, Sond. in Harv. & Sond. Fl. Cap. iii. 3.—  
 Afr. austr.

gracilis, Hiern, in Oliver, Fl. Trop. Afr. iii. 109.—  
 Afr. trop.

hirsutus, DC. Prod. iv. 376 = tubiflorus.

latifolius, Sond. in Harv. & Sond. Fl. Cap. iii. 4.—  
 Afr. austr.

longiflorus, Hort. ex Lem. in Fl. des Serres, ii. (Sept.  
 1846) 148 = versicolor.

macrophyllus, Schweinf. ex Hiern, in Oliver, Fl. Trop.  
 Afr. iii. 110.—Afr. trop.

multiflorus, Hassk. Cat. Hort. Bog. Alt. 115 = Randia  
 longiflora.

natalensis, Sond. in Linnaea, xxiii. (1850) 50.—Afr.  
 trop.

platystylis, Hiern, in Oliver, Fl. Trop. Afr. iii. 109.—  
 Afr. trop.

querimbensis, Klotzsch, in Peters, Reise Mossamb.  
 Bot. 292.—Afr. trop.

rubiflorus, Hiern, in Oliver, Fl. Trop. Afr. iii. 108.—  
 Afr. trop.

Smithii, Hiern, l. c. 107.—Afr. trop.

speciosus, Ait. Hort. Kew. ed. II. i. 371 = tubiflorus.  
 speciosus, DC. in Ann. Mus. Par. ix. (1807) 218.—  
 Afr. trop.

sulcatus, Hiern, in Oliver, Fl. Trop. Afr. iii. 108.—  
 Afr. trop.

Thonningii, Benth. in Hook. Niger Fl. 388.—Afr.  
 trop.

tubiflorus, DC. Prod. iv. 376.—Afr. trop.

tubiflorus, Hort. ex Lem. in Fl. des Serres, ii. (1846)  
 sub t. 148 = versicolor.

unilocularis, Hiern, in Oliver, Fl. Trop. Afr. iii. 110.  
 —Afr. trop.

versicolor, Lindl. Bot. Reg. (1840) Misc. 69.—Cuba.

villosus, G. Don, Gen. Syst. iii. 494.—Afr. trop.

OXYBAPHUS, L'Hérit. ex Willd. Sp. Pl. i. 185  
 (1797); Vahl, Enum. ii. 39 (1806). NYCTAGINEAE,  
 Benth. & Hook. f. iii. 4.

ALLIONIA, Loeff. It. 181 (1758); Linn. Syst. ed. X.  
 890 (1759).

CALYMENTIA, Pers. Syn. i. 36 (1805).

CALYXHYMENIA, Orteg. Hort. Matr. Dec. 5. t. 1  
 (1798).

VITMANIA, Turra, ex Cav. Ic. iii. Add. [53] (1791).  
 aggregatus, Vahl, Enum. ii. 41.—Mexic.

albidus, Sweet, Hort. Brit. ed. II. 429.—Am. bor.

angustifolius, Sweet, l. c. ed. I. 334.—Am. bor. occ.

bracteosus, Griseb. in Goett. Abh. xix. (1874) 86.—  
 Reg. Argent.

californicus, Benth. & Hook. f. Gen. iii. 4.—Calif.

campestris, Griseb. in Goett. Abh. xix. (1874) 87.—  
 Reg. Argent.

Cervantesii, Lag. ex Choisy, in DC. Prod. xiii. II. 432  
 = nyctagineus.

chilensis, Bert. ex Sweet, Hort. Brit. ed. III. 768  
 ovatus.

chilensis, Steud. Nom. ed. II. ii. 218.—Chili.

coccineus, Torr. in Bot. Mex. Bound. 169 = Mirabilis  
 coccinea.

cordifolius, Kunze, ex Choisy, in DC. Prod. xii. II.  
 432.—Chili.

cucullatus, Choisy, l. c. 434.—Hab. l.

decumbens, Sweet, Hort. Brit. ed. I. 334 = angustifolius.  
 elegans, Choisy, in DC. Prod. xiii. II. 431.—Chi



**OXYBAPHUS** :—

- expansus, *Vahl, Enum.* ii. 41.—Peruv.  
 floribundus, *Choisy, in DC. Prod.* xiii. ii. 433.—Am. bor.  
*Froebellii*, Behr, in *Proc. Calif. Acad.* i. (1855) 69 = *Mirabilis* Froebellii.  
 glaber, *S. Wats. in Am. Natural.* vii. (1873) 301.—Am. bor.  
 glabrifolius, *Vahl, Enum.* ii. 40.—Am. bor. occ.; Mexic.  
 himalaicus, *Edgew. in Trans. Linn. Soc.* xx. (1846) 87.—Reg. Himal.  
 hirsutus, *Sweet, Hort. Brit.* ed. I. 334; *Hook. Fl. Bor. Am.* ii. 124.—Am. bor. occ.  
 laevis, *Benth. Bot. Voy. Sulph.* 44 (an californicus?).—Calif.  
 linearifolius, *S. Wats. in Proc. Am. Acad.* xvii. (1881–82) 375.—Am. bor.  
 micranthus, *Choisy, in DC. Prod.* xiii. ii. 432.—Chili.  
 multiflorus, Torr. in *Ann. Lyc. N. York*, ii. (1828) 237 = *Mirabilis* multiflora.  
 nyctagineus, *Sweet, Hort. Brit.* ed. I. 334.—Am. bor.  
 ovatus, *Vahl, Enum.* ii. 40.—Peruv.  
 pauciflorus, Buckl. in *Proc. Acad. Sc. Philad.* 1862 (1863) 7 = nyctagineus.  
 pilosus, *Sweet, Hort. Brit.* ed. I. 334 = glabrifolius?  
 prostratus, Poepp. ex *Choisy, in DC. Prod.* xiii. ii. 432 = cordifolius.  
 prostratus, *Vahl, Enum.* ii. 40.—Peruv.  
 Toscae, *Lor. in Roca, Exped. Rio-Negro*, ii. 195.—Patag.  
 violaceus, *Choisy, in DC. Prod.* xiii. ii. 432; *Schlecht. in Linnaea*, xxvi. (1853–55) 644.—N. Granat.  
 viscosus, *L'Hérit. ex Choisy, in DC. Prod.* xiii. ii. 430.—Peruv.  
 Wrightii, *Hemsl. Biol. Centr. Am. Bot.* iii. 3.—Texas.

**OXYBASIS**, Kar. & Kir. in *Bull. Soc. Nat. Mosc.* (1841) 738 = *Chenopodium*, Tourn.  
*minutiflora*, Kar. & Kir. l. c. 739 = *C. rubrum*.

**OXYCARPUS**, Lour. *Fl. Cochinch.* 647 (1790) = *Garcinia*, Linn. (Guttif.).  
*celebica*, Poir. *Encyc. Suppl.* iv. 258 = *G. cornea*, indica.  
*cochinchinensis*, Lour. *Fl. Cochinch.* 648 = *G. cochinchinensis*.  
*gangetica*, Buch.-Ham. in *Mem. Wern. Soc.* v. (1824) 344 = *G. Cowa*.  
*indica*, Buch.-Ham. ex Wall. *Cat. sub n.* 4852 = *G. cornea*.  
*indica*, Poir. *Encyc. Suppl.* iv. 257 = *G. indica*.  
*Sopopia*, Buch.-Ham. in *Mem. Wern. Soc.* v. (1824) 345 (Quid?).—Ind. or.

**OXYCARYUM**, Nees, in *Mart. Fl. Bras.* ii. i. 90 (1842) = *Scirpus*, Linn. (Cyper.).  
*Schomburgkianum*, Nees, l. c. = *S. cubensis*.

**OXYCEDRUS**, Hort. ex Carr. *Conif. ed.* II. 13 (1867) = *Juniperus*, Tourn. (Conif.).  
*echinoformis*, Hort. ex Carr. l. c. = *J. Oxycedrus*.  
*Withmanniana*, Hort. ex Carr. l. c. = *J. Oxycedrus*.

**OXYCEROS**, Lour. *Fl. Cochinch.* 150 (1790) = *Randia*, Houst. (Rubiace.).  
*chinensis*, Lour. l. c. 151 = *R. sinensis*.  
*horridus*, Lour. l. c. = *R. horrida*.  
*sinensis*, Roem. & Schult. *Syst.* v. 248, in syn. = *R. sinensis*.

**OXYCHLOË**, Phil. *Fl. Atac.* 52. t. 6 (1860) = *Distichia*, Nees & Meyen (Juncac.).  
*andina*, Phil. l. c. = *D. macrocarpa*.

**OXYCLADIUM**, F. Muell. in *Hook. Kew Journ.* ix. (1857) 20 = *Mirbelia*, Sm. (Legumin.).  
*semiseptatum*, F. Muell. l. c. = *M. oxyclada*.

**OXYCLADUS**, Miers, in *Proc. Linn. Soc.* ii. (1851) 156; et in *Trans. Linn. Soc.* xxi. (1853) 146. t. 18 = *Monttea*, C. Gay (Scrophul.).  
*aphyllus*, Miers, l. c.—Am. austr.

**OXYCOCA**, Rafin. *Med. Fl.* ii. 48 (1830) = *Oxycoccus*, Tourn. (Vaccin.).  
*berberidacea*, Rafin. l. c. 49 = seq.?  
*macrocarpa*, Rafin. l. c. 48 = *Oxycoccus macrocarpus*.  
*vulgaris*, Rafin. l. c. 49 = *Oxycoccus palustris*.

**OXYCOCCOS**, Hedw. *f. Gen.* 275 (1806) = seq.

**OXYCOCCUS**, Tourn. ex Adans. *Fam.* ii. 164 (1763).  
**VACCINIACEAE**, Benth. & Hook. *f. ii.* 575.  
 SCHOLLERA, Roth, *Tent. Fl. Germ.* i. 170 (1788).  
*erectus*, Pursh, *Fl. Am. Sept.* i. 264 = *Vaccinium erythrocarpum*.  
*erythrocarpus*, Pers. *Syn.* i. 419 = *Vaccinium erythrocarpum*.  
*europaeus*, Pers. l. c. = palustris.  
*hispidulus*, Pers. l. c. = *Chiogenes serpyllifolia*.  
*macrocarpus*, Pers. l. c.—Reg. temp.  
*microcarpus*, Turcz. ex Rupr. in *Beitr. Pfl. Russ. Reich.* iv. 56 = palustris.  
*palustris*, Pers. *Syn.* i. 419.—Reg. bor.  
*quadripetala*, Gilib. *Fl. Lituan.* i. 5 = palustris.  
*vulgaris*, Bong. *Veg. Ins. Sitcha*, 152 = palustris.

**OXYDENDRON**, D. Dietr. *Syn. Pl.* ii. 1370, 1389 (1840) = seq.

**OXYDENDRUM**, DC. *Prod.* vii. 601 (1839). **ERICACEAE**, Benth. & Hook. *f. ii.* 585, 1239.  
*arborescens*, DC. l. c.—Am. bor.

**OXYDENIA**, Nutt. *Gen. Am.* i. 76 (1818) = *Leptochloa*, Beauv. (Gramin.).  
*attenuata*, Nutt. l. c. = *L. mucronata*.  
*filiformis*, Nutt. l. c. = *L. filiformis*.  
*virgata*, Nutt. l. c. = *L. virgata*?

**OXYDIUM**, Benn. *Pl. Jav. Rar.* 156 (1840) = *Desmodium*, Desv. (Legumin.).  
*oxalidifolium*, Walp. *Rep.* i. 747 = *D. Rottleri*.

**OXYDON**, Less. in *Linnaea*, v. (1830) 357 = *Chaptalia*, Vent. (Compos.).  
*bicolor*, Less. l. c. = *C. runcinata*.

**OXYGONUM**, Burch. *Trav.* i. 548 (1822). **POLYGONACEAE**, Benth. & Hook. *f. iii.* 96.  
*CERATOGONON*, Meissn. in *Wall. Pl. As. Rar.* iii. 63 (1832).  
 OWENIA, Hilsenb. ex Meissn. in *DC. Prod.* xiv. 39 (1856).

*Acetosella*, Welw. in *Trans. Linn. Soc.* xxvii. (1869) 60.—Afr. trop.  
*alatum*, Burch. *Trav.* i. 548.—Afr. austr.  
*calcaratum*, Burch. ex Meissn. in *DC. Prod.* xiv. 38.—Afr. austr.  
*canescens*, Sond. in *Linnaea*, xxiii. (1850) 100.—Afr. austr.  
*dentatum*, Meissn. l. c. xiv. (1840) 488, in obs. = *calcaratum*.  
*Dregeanum*, Meissn. l. c. 487.—Afr. austr.  
*Dregei*, Meissn. in *DC. Prod.* xiv. 38 = praec.  
*Zeyheri*, Sond. in *Linnaea*, xxiii. (1850) 100.—Afr. austr.

**OXYGRAPHIS**, Bunge, *Verz. Suppl. Fl. Alt.* 46 (1836). **RANUNCULACEAE**, Benth. & Hook. *f. i.* 6.  
*glacialis*, Bunge, *Verz. Suppl. Fl. Alt.* 47.—Sibir. altaic.  
*polypetala*, Hook. *f. & Thom. Fl. Ind.* i. 27.—Reg. Himal.  
*Shaftoana*, Aitch. & Hemsl. in *Journ. Linn. Soc.* xix. (1882) 149.—Afghan.

**OXYLAENA**, Benth. in *Hook. Ic. Pl.* t. 1109 (1872) = *Anaglypha*, DC. (Compos.).  
*acicularis*, Benth. l. c. = *A. acicularis*.

**OXYLAPATHON**, St. Lag. in *Ann. Soc. Bot. Lyon*, viii. (1881) 159 = *Rumex*, Linn. (Polygon.).

**OXYLEPIS**, Benth. *Pl. Hartw.* 87 (1841) = *Helenium*, Linn. (Compos.).  
*lanata*, Benth. l. c. = *H. integrifolium*.

**OXYLOBIUM**, Andr. *Bot. Rep.* t. 492 (1809). **LEGUMINOSAE**, Benth. & Hook. *f. i.* 467.  
*CALLISTACHYS*, Vent. *Jard. Malm.* t. 115 (1803).  
*PODOLOBIUM*, R. Br. in *Ait. Hort. Kew. ed.* II. iii. 9 (1811).  
*aciculiferum*, Benth. *Fl. Austral.* ii. 25.—Austral.  
*acutum*, Benth. l. c. 24.—Austral.  
*alpestre*, F. Muell. in *Trans. Phil. Soc. Vict.* i. (1855) 38.—Austral.

**OXYLOBIUM** :—

- angustifolium*, A. Cunn. ex Benth. in *Ann. Wien. Mus.* ii. (1838) 70; et in *Fl. Austral.* ii. 17 = ellipticum.  
*arborescens*, R. Br. in *Ait. Hort. Kew. ed.* II. iii. 9 = ellipticum.  
*argenteum*, Kunze, in *Linnaea*, xx. (1847) 61 = ellipticum.  
*atropurpureum*, Turcz. in *Bull. Soc. Nat. Mosc.* xxvi. (1853) i. 250.—Austral.  
*Batillum*, Hook. *Ic. Pl.* t. 612 = *Gastrolobium poly-stachyum*.  
*Callistachys*, Benth. *Fl. Austral.* ii. 16.—Austral.  
*capitatum*, Benth. in *Enum. Pl. Hueg.* 69.—Austral.  
*carinatum*, Benth. *Fl. Austral.* ii. 18.—Austral.  
*cordifolium*, Andr. *Bot. Rep.* t. 492.—Austral.  
*cuneatum*, Benth. in *Lindl. Swan River App.* 41.—Austral.  
*dilatatum*, Benth. l. c. 43 = cuneatum.  
*dilatatum*, A. Cunn. ex Benth. in *Ann. Wien. Mus.* ii. (1838) 70, 80 = *Pultenaea ternata*.  
*Drummondii*, Meissn. in *Lehm. Pl. Preiss.* i. 30 = cuneatum.  
*ellipticum*, R. Br. in *Ait. Hort. Kew. ed.* II. iii. 10.—Austral.  
*ferrugineum*, Lodd. *Cat. ex G. Don, in Loud. Hort. Brit.* 163, nomen (Quid?).—Afr. austr.  
*genistoides*, Meissn. in *Bot. Zeit.* xiii. (1855) 12 = *Chorizema humile*.  
*hamulosum*, Benth. ex A. Gray, *Bot. U. St. Expl. Exped.* i. 379.—Austral.  
*heterophyllum*, Benth. *Fl. Austral.* ii. 25.—Austral.  
*Leichhardtii*, F. Muell. *Fragm.* iv. 20 = *Isotropis filiculis*.  
*lineare*, Benth. *Fl. Austral.* ii. 17.—Austral.  
*microphyllum*, Benth. l. c. 19.—Austral.  
*nervosum*, Meissn. in *Bot. Zeit.* xiii. (1855) 12 = capitatum.  
*obovatum*, Benth. in *Lindl. Swan River App.* 40 = cuneatum.  
*obtusifolium*, Sweet, *Fl. Austral.* t. 5.—Austral.  
*ovalifolium*, Lindl. & Paxt. *Flow. Gard.* iii. (1852–53) 63. t. 85 = pyramidale.  
*ovalifolium*, Meissn. in *Lehm. Pl. Preiss.* i. 28 = retusum.  
*parviflorum*, Benth. in *Lindl. Swan River App.* 40.—Austral.  
*procumbens*, F. Muell. in *Trans. Phil. Soc. Vict.* i. (1855) 37.—Austral.  
*Pultenaea*, DC. *Mém. Lég.* v. 170; *Prod.* ii. 104.—Austral.  
*Pultenaea*, Lodd. *Bot. Cab.* t. 1947 = ellipticum.  
*reticulatum*, Meissn. in *Lehm. Pl. Preiss.* i. 29.—Austral.  
*retusum*, R. Br. in *Bot. Reg.* t. 913.—Austral.  
*scandens*, Benth. in *Ann. Wien. Mus.* ii. (1838) 70.—Austral.  
*sericeum*, Benth. l. c. = *Brachysema undulatum*.  
*spathulatum*, Benth. *Fl. Austral.* ii. 18.—Austral.  
*spectabile*, Endl. *Nov. Stirp. Dec.* 2.—Austral.  
*spinosa*, DC. *Prod.* ii. 104 = *Pultenaea ternata*.  
*staurophyllum*, Benth. *Fl. Austral.* ii. 26.—Austral.  
*tricuspidatum*, Meissn. in *Lehm. Pl. Preiss.* i. 30.—Austral.  
*trilobatum*, Benth. *Fl. Austral.* ii. 25.—Austral.  
*virgatum*, Hort. *Kew. ex Benth. l. c.* 22.—Austral.

**OXYLOBUS**, [Moç.] ex DC. *Prod.* v. 115 (1836) = *Ageratum*, Linn. (Compos.).  
*trinervius*, [Moç.] ex DC. *Prod.* v. 115 (= *Phania trinervia*).—Mexic.

**OXYMERIS**, DC. *Prod.* iii. 190 (1828). **MELASTOMACEAE**, Benth. & Hook. *f. i.* 761.  
 CHRYSOPHORA, Cham. ex Triana, in *Trans. Linn. Soc.* xxviii. (1871) 94, 95, 147.  
 CLIDEMIASTRUM, Naud. in *Ann. Sc. Nat. Sér.* III. xviii. (1852) 87.  
 TSCHUDYA, DC. *Prod.* iii. 168 (1828).  
*acutiflora*, Triana, in *Trans. Linn. Soc.* xxviii. (1871) 93.—Bras.  
*agrestis*, Triana, l. c. 95.—Guian.  
*alpestris*, Triana, l. c. 92.—Bras.  
*angustifolia*, Triana, l. c.—Bras.  
*anisophylla*, Triana, l. c. 96.—Guian.  
*aptera*, Triana, l. c. 91.—Bras.  
*aristigera*, Triana, l. c. 94.—Peruv.  
*asperifolia*, Triana, l. c. 96.—Ind. occ.



**OXYMERIS:—**

- asperiuscula, *Triana*, in *Trans. Linn. Soc.* xxviii. (1871) 95.—Guiana.
- aurca, *Triana*, l. c. 91.—Bras.
- australis, *Triana*, l. c. 90.—Bras.
- barbinervis, *Cham. ex Triana*, l. c. 93.—Bras.
- brackenridgei, *Triana*, l. c. 92.—Bras.
- calvescens, *Triana*, l. c. 91.—Bras.
- calyptrata, *Cham. ex Naud. in Ann. Sc. Nat. Sér. III.* xvi. (1851) 179 = *Miconia Chamissoi*.
- carassana, *Triana*, in *Trans. Linn. Soc.* xxviii. (1871) 91.—Bras.
- chaetocalyx, *Triana*, l. c. 92.—Bras.
- chaetodon, *Triana*, l. c. 94.—Bras.
- ciliata, *Mart. in Flora*, xxiv. (1841) II. *Beibl.* 38.—Bras.
- cinerea, *Triana*, in *Trans. Linn. Soc.* xxviii. (1871) 92.—Bras.
- cinnamomea, *Triana*, l. c. 94.—Panama.
- congestiflora, *Triana*, l. c. 92.—Bras.
- cordifolia, *Triana*, l. c. 90.—Bras.
- cordigera, *Triana*, l. c. 94.—Bras.
- cornioides, *Triana*, l. c. 93.—Mexic.
- crenata, *Triana*, l. c. 91.—Peruv.; Bras.
- cuneata, *Mart. in Flora*, xxiv. (1841) II. *Beibl.* 38.—Bras.
- cuspidata, *Mart. ex Triana*, in *Trans. Linn. Soc.* xxviii. (1871) 109 = *Miconia cuspidata*.
- cuspidata, *Triana*, l. c. 93.—Bras.
- debilis, *Triana*, l. c. 94.—Bras.
- deflexa, *Triana*, l. c.—Bras.
- dendroides, *Triana*, l. c.—Bras.
- dichotoma, *Triana*, l. c. 95.—Peruv.
- dispar, *Triana*, l. c. 91.—Bras.
- dolichantha, *Triana*, l. c. 90.—Bras.
- dolichondris, *Cham. ex Triana*, l. c. 93, nomen.—Bras.
- dolichostachya, *Triana*, l. c. 94.—Bras.
- dubia, *Triana*, l. c. 92.—Bras.
- erostrata, *Triana*, l. c.—Bras.
- fallax, *Triana*, l. c. 91.—Bras.
- floribunda, *Triana*, l. c.—Bras.
- foveolata, *Triana*, l. c. 90.—Bras.
- furfuracea, *Poepp. ex Triana*, l. c. 107 = *Miconia Poeppigii*.
- glandulifera, *Triana*, l. c. 95.—Bras.
- heterobasis, *Triana*, l. c.—Mexic.
- hirta, *Triana*, l. c. 90.—Bras.
- inaequalifolia, *Triana*, l. c. 96.—Bras.
- inopogon, *Triana*, l. c. 91.—Bras.
- intermedia, *Triana*, l. c. 95.—Bras.
- Itatiaiae, *Wawra*, in *Oestr. Bot. Zeitschr.* xxxii. (1882) 37.—Bras.
- laevigata, *Triana*, in *Trans. Linn. Soc.* xxviii. (1871) 94.—Bras.
- Lindeniana, *Triana*, l. c. 90.—Venezuela.
- longibarbis, *Triana*, l. c.—Bras.
- macrophylla, *Benth. Bot. Voy. Sulph.* 95 = *Octopleura macrophylla*.
- macropora, *Triana*, in *Trans. Linn. Soc.* xxviii. (1871) 94.—Bras.
- megalophylla, *Wawra*, in *Oestr. Bot. Zeitschr.* xxxii. (1882) 37.—Bras.
- melanodesma, *Triana*, in *Trans. Linn. Soc.* xxviii. (1871) 92.—Mexic.
- Miconiastrum, *Triana*, l. c. 91.—Bras.
- micropetala, *Triana*, l. c. 96.—Bras.
- multiplinnervis, *Triana*, l. c. 94.—Mexic.
- nervosa, *Triana*, l. c. 92.—Peruv.
- Nianga, *Triana*, l. c. 90.—Bras.
- oocarpa, *Triana*, l. c. 96.—Bras.
- ossaeoides, *Triana*, l. c. 93.—Venezuela.
- paraguayensis, *Triana*, l. c. 96.—Paraguay.
- penduliflora, *Triana*, l. c. 93.—Bras.
- pennipilis, *Triana*, l. c. 92.—Bras.
- Pickeringii, *Triana*, l. c. 93.—Bras.
- polystachya, *Triana*, l. c. 92.—Bras.
- pubescens, *Triana*, l. c. 95.—Bras.
- pulchra, *Cham. ex Triana*, l. c. 93.—Bras.
- pulverulenta, *Triana*, l. c. 96.—Guian.
- purpurascens, *Triana*, l. c. 91.—Bras.
- quinquedentata, *DC. Prod.* iii. 190.—Bras.
- quinquenodis, *DC. l. c.*—Bras.
- Regnellii, *Triana*, in *Trans. Linn. Soc.* xxviii. (1871) 91.—Bras.
- reversa, *Triana*, l. c. 95.—Bras.
- rhodopogon, *Triana*, l. c. 90.—Bras.
- ribesiaeiflora, *Triana*, l. c. 92.—Bras.
- Riedeliana, *Triana*, l. c. 92.—Bras.

**OXYMERIS:—**

- rufescens, *Triana*, in *Trans. Linn. Soc.* xxviii. (1871) 95.—Bras.
- secunda, *Triana*, l. c. 95.—Costa Rica; Peruv.
- secundiflora, *Triana*, l. c. 95.—Bras.
- sessilifolia, *Triana*, l. c. 93.—N. Granat.
- simplicicaulis, *Triana*, l. c. 92.—Bras.
- strigilliflora, *Triana*, l. c.—Bras.
- subseriata, *Triana*, l. c.—Mexic.
- sylvestris, *Triana*, l. c.—Bras.
- tetraquetra, *Triana*, l. c. 91.—Bras.
- urophylla, *Triana*, l. c. 94.—Bras.
- velutina, *Gardn. in Hook. Lond. Fourn. Bot.* ii. (1843) 347.—Bras.
- Widgrenii, *Triana*, in *Trans. Linn. Soc.* xxviii. (1871) 94.—Bras.
- xanthocoma, *Triana*, l. c. 91.—Bras.
- xantholasia, *Triana*, l. c. 90.—Bras.
- xanthopogon, *Triana*, l. c. 91.—Bras.

OXYMITUS, Presl, (Bot. Bemerk. 92) (1844); in *Abh. Boehm. Ges. V.* iii. (1845) 522 = *Argylia*, D. Don (Bignon.).

argylioides, Presl, II. cc.—Chili.

OXYMYRRHINE, Schau. in *Linnaea*, xvii. (1843) 240 = *Baeckea*, Linn. (Myrtac.).

gracilis, Schau. l. c. = *B. polyandra*.

- OXYMITRA**, Hook. f. & Thoms. *Fl. Ind.* i. 145 (1855). *ANONACEAE*, Benth. & Hook. f. i. 26.
- affinis, Hook. f. & Thoms. in *Hook. f. Fl. Brit. Ind.* i. 70.—Malacca.
- bassiaefolia, *Teijsm. & Binn. in Tijdschr. Nederl. Ind.* xxv. (1863) 419.—Malaya.
- biglandulosa, *Scheff. l. c.* xxxi. (1870) 341.—Malaya.
- borneensis, *Miq. Ann. Mus. Bot. Lugd. Bat.* ii. 30.—Borneo.
- caesia, *Miq. l. c.* 31.—Sumatra.
- cuneiformis, *Zoll. in Linnaea*, xxix. (1857–58) 324; *Miq. Fl. Ind. Bat.* i. ii. 50.—Java.
- diadema, *Miq. Ann. Mus. Bot. Lugd. Bat.* ii. 31.—Borneo.
- excisa, *Miq. l. c.* 32.—Sumatra.
- filipes, Hook. f. & Thoms. in *Hook. f. Fl. Brit. Ind.* i. 71.—Malacca.
- fornicata, Hook. f. & Thoms. *Fl. Ind.* i. 146.—Reg. Himal.; Burma.
- Gabriaciana, *Baill. Adansonia*, x. (1871) 106.—Cochinch.
- Gardneri, *Baill. Hist. Pl.* i. 236 = *Goniiothalamus Gardneri*.
- glauca, Hook. f. & Thoms. *Fl. Ind.* i. 146.—Ins. Philipp.
- gracilipes, *Benth. in Trans. Linn. Soc.* xxiii. (1862) 471.—Afr. trop.
- Grayana, *Baill. Hist. Pl.* i. 237 = *Richella monosperma*.
- hamata, *Benth. in Trans. Linn. Soc.* xxiii. (1862) 471.—Afr. trop.
- hirta, *Miq. Ann. Mus. Bot. Lugd. Bat.* ii. 30.—Ins. Celebes.
- Korthalsiana, *Miq. l. c.* 29.—Borneo.
- latifolia, Hook. f. & Thoms. *Fl. Ind.* i. 145.—Malaya.
- Maclellandii, Hook. f. & Thoms. in *Hook. f. Fl. Brit. Ind.* i. 70.—Burma.
- macrophylla, A. DC. *Mém. Anon.* 42 = *Goniiothalamus sesquipedalis*.
- Motleyana, Hook. f. in *Trans. Linn. Soc.* xxiii. (1860) 155.—Borneo.
- myristicifolia, *Oliver, Fl. Trop. Afr.* i. 33.—Afr. trop.
- obtusata, *Baill. Adansonia*, viii. (1867–68) 178.—N. Caled.
- oxyphylla, *Miq. Ann. Mus. Bot. Lugd. Bat.* ii. 29.—Borneo.
- patens, *Benth. in Trans. Linn. Soc.* xxiii. (1862) 472.—Afr. trop.
- platypetala, *Benth. l. c.*—Afr. trop.
- stenopetala, Hook. f. & Thoms. in *Hook. f. Fl. Brit. Ind.* i. 71.—Burma.
- unonaefolia, Hook. f. & Thoms. *Fl. Ind.* i. 146.—Burma.

OXYNEPETA, Bunge, in *Mém. Acad. Pétersb. Sér. VII.* xxi. (1873) 1. (Lab. Pers.) 58 = *Nepeta*, Linn. (Labiata.).

heliotropifolia, Bunge, l. c. 59 = *N. heliotropifolia*.

involutrata, Bunge, l. c. = *N. cryptantha*.

parviflora, Bunge, l. c. = *N. ucranica*.

OXYNIX, Noronha, in *Verh. Batav. Gen. v.* (1790) ed. I Art. IV. 3 = *Averrhoa*, Linn. (Geraniac.).

OXYDON, DC. *Prod.* vii. 43 (1838) lapsus = OXYDON, Less. = *Chaptalia*, Vent. (Compos.).

OXYPAPPUS, Benth. *Bot. Voy. Sulph.* 118. t. 42 (1844). *COMPOSITAE*, Benth. & Hook. f. ii. 398. scabra, *Benth. Bot. Voy. Sulph.* 118.—Mexic.

- OXYPETALUM**, R. Br. in *Mem. Wern. Soc.* i. (1809) 41. *ASCLEPIADEAE*, Benth. & Hook. f. ii. 752.
- GOTHOFREDA, Vent. *Choix*, t. 60 (1803).
- PACHYGLOSSUM, Decne. in *Ann. Sc. Nat. Sér. II.* ix. (1838) 345, in obs.
- SCHIZOSTEMMA, Decne. l. c. (1838) 344.
- TWEEDIA, Hook. & Arn. in *Hook. Journ. Bot.* i. (1834) 291.
- aequaliflorum, *Fourn. in Mart. Fl. Bras.* vi. IV. 283.—Bras.
- albiflorum, *Decne. in DC. Prod.* viii. 587.—Peruv.
- ampliflorum, *Fourn. in Mart. Fl. Bras.* vi. IV. 276.—Bras.
- appendiculatum, *Mart. Nov. Gen. et Sp.* i. 48. t. 30.—Bras.
- arachnoideum, *Fourn. in Mart. Fl. Bras.* vi. IV. 272.—Bras.
- Arnottianum, *Buek, ex Fourn. l. c.* 278.—Bras.
- Banksii, *Schult. Syst.* vi. 91.—Bras.
- Berterianum, *Spreng. Syst.* i. 854.—N. Granat.
- Berterii, *Spreng. ex Decne. in DC. Prod.* viii. 588 = *Metastelma Berterianum*.
- brevipes, *Phil. in Linnaea*, xxxiii. (1864–65) 177.—Chili.
- Brunonis, *Decne. in DC. Prod.* viii. 587.—Reg. Argent.
- campestre, *Decne. l. c.* 585.—Bras.
- capitatum, Hook. & Arn. in *Hook. Journ. Bot.* i. (1834) 288 = *Arnottianum*.
- capitatum, *Mart. Nov. Gen. et Sp.* i. 50.—Bras.
- coalitum, *Fourn. in Mart. Fl. Bras.* vi. IV. 282.—Bras.
- coccineum, *Griseb. in Goett. Abh.* xix. (1874) 206.—Reg. Argent.
- coeruleum, *Decne. in DC. Prod.* viii. 585.—Reg. Argent.
- confertiflorum, *Decne. l. c.* 588.—Chili.
- coriaceum, *Decne. l. c.* 585.—Bras.
- corymbiferum, *Fourn. in Mart. Fl. Bras.* vi. IV. 267.—Bras.
- crispum, *Wight, ex Hook. Fourn. Bot.* i. (1834) 288.—Bras.
- deltoidum, *Fourn. in Mart. Fl. Bras.* vi. IV. 269.—Bras.
- densiflorum, *Decne. in DC. Prod.* viii. 584.—Bras.
- dentatum, *Fourn. in Mart. Fl. Bras.* vi. IV. 263.—Bras.
- Dombeyanum, *Decne. in DC. Prod.* viii. 583.—Bras.
- Echegarayi, *Hieron. in Bol. Acad. Nac. Córdoba*, iv. (1881) 54.—Reg. Argent.
- erectum, *Mart. Nov. Gen. et Sp.* i. 50.—Bras.
- erianthum, *Decne. in DC. Prod.* viii. 584.—Bras.
- erostre, *Fourn. in Mart. Fl. Bras.* vi. IV. 265.—Bras.
- floribundum, *Decne. in DC. Prod.* viii. 586.—Bras.
- foliosum, *Mart. Nov. Gen. et Sp.* i. 50.—Bras.
- glomeratum, *Fourn. in Mart. Fl. Bras.* vi. IV. 281.—Bras.
- Gothofreda, *Schult. Syst.* vi. 92.—N. Granat.
- grandiflorum, *Fourn. in Mart. Fl. Bras.* vi. IV. 272.—Bras.
- Guilleminianum, *Decne. in DC. Prod.* viii. 582.—Bras.
- Hilariana, *Fourn. l. c.* 283.—Bras.
- Hookeri, *Decne. in DC. Prod.* viii. 587.—Chili.
- incanum, *Fourn. in Mart. Fl. Bras.* vi. IV. 276.—Bras.
- integrifolium, *Fourn. l. c.* 279.—Bras.
- Jacobinae, *Decne. in DC. Prod.* viii. 584.—Bras.
- lagoense, *Fourn. in Mart. Fl. Bras.* vi. IV. 264.—Bras.
- lanatum, *Decne. ex Fourn. l. c.* 266.—Bras.
- ligulatum, *Fourn. l. c.* 258.—Bras.
- Lindenianum, *Turcz. in Bull. Soc. Nat. Mosc.* xxv. (1852) II. 318.—N. Granat.
- lineare, *Decne. in DC. Prod.* viii. 587.—Bras.
- Luschnathii, *Fourn. in Mart. Fl. Bras.* vi. IV. 261.—Bras.
- lutescens, *Fourn. l. c.* 273.—Bras.
- macrolepis, *Decne. in DC. Prod.* viii. 585.—Bras.
- maritimum, Hook. & Arn. in *Hook. Journ. Bot.* i. (1834) 288.—Bras.



**OXYPETALUM** :—

- Martii, *Fourn. in Mart. Fl. Bras.* vi. iv. 280.—Bras.  
 megapotamicum, *Spreng. Syst. iv. Cur. Post.* 111.—Bras.  
 microphyllum, *Hook. & Arn. in Hook. Journ. Bot. i.* (1834) 289.—Reg. Argent.  
 microstemma, *Fourn. in Mart. Fl. Bras.* vi. iv. 282.—Bras.  
 Minarum, *Fourn. l. c.* 258.—Bras.  
 molle, *Hook. & Arn. in Hook. Journ. Bot. i.* (1834) 289.—Peruv.  
 monanthum, *Decne. in DC. Prod.* viii. 584.—Bras.  
 montanum, *Mart. Nov. Gen. et Sp.* iii. 49.—Bras.  
 mucronatum, *Fourn. in Mart. Fl. Bras.* vi. iv. 271.—Bras.  
 multicaule, *Fourn. l. c.* 284.—Bras.  
 muticum, *Fourn. l. c.* 277.—Bras.  
 nigrescens, *Fourn. l. c.* 264.—Bras.  
 niveum, *Griseb. in Goett. Abh.* xix. (1874) 206.—Reg. Argent.  
 pachyglossum, *Decne. in DC. Prod.* viii. 585.—Bras.  
 pachygynum, *Decne. l. c.* 583.—Bras.  
 pallidum, *Fourn. in Mart. Fl. Bras.* vi. iv. 259.—Bras.  
 paludosum, *Decne. in DC. Prod.* viii. 585.—Bras.  
 pannosum, *Decne. l. c.* 583.—Bras.  
 pardense, *Fourn. in Mart. Fl. Bras.* vi. iv. 277.—Bras.  
 parviflorum, *Decne. in DC. Prod.* viii. 587.—Bras.  
 parvifolium, *Fourn. in Mart. Fl. Bras.* vi. iv. 272.—Bras.  
 patulum, *Fourn. l. c.* 278.—Bras.  
 pauperculum, *Fourn. l. c.* 265.—Bras.  
 pedicellatum, *Decne. in DC. Prod.* viii. 582.—Bras.  
 pilosum, *Gardn. in Hook. Lond. Journ. Bot. i.* (1842) 539.—Bras.  
 pratense, *Griseb. in Goett. Abh.* xxiv. (1879) 231.—Reg. Argent.  
 proboscideum, *Fourn. in Mart. Fl. Bras.* vi. iv. 281.—Bras.  
 propinquum, *Decne. in DC. Prod.* viii. 582.—Bras.  
 pulchrum, *Decne. l. c.* 584.—Bras.  
 riparium, *H. B. & K. Nov. Gen. et Sp.* iii. 197.—N. Granat.  
 saxatile, *Decne. in DC. Prod.* viii. 588.—Chili.  
 Schottii, *Fourn. in Mart. Fl. Bras.* vi. iv. 273.—Bras.  
 siliculæ, *Fourn. l. c.* 66.—Bras.  
 solanoides, *Hook. & Arn. in Hook. Journ. Bot. i.* (1834) 289.—Reg. Argent.  
 squamulatum, *Fourn. in Mart. Fl. Bras.* vi. iv. 270.—Bras.  
 stigmatosum, *Fourn. l. c.* 280.—Bras.  
 strictum, *Mart. Nov. Gen. et Sp.* i. 50.—Bras.  
 suaveolens, *Fourn. in Mart. Fl. Bras.* vi. iv. 264.—Bras.  
 subhirtellum, *Miq. in Linnaea*, xxii. (1849) 568.—Bras.  
 tenuiflorum, *Griseb. in Goett. Abh.* xxiv. (1879) 230.—Reg. Argent.  
 ternifolium, *Fourn. in Mart. Fl. Bras.* vi. iv. 279.—Bras.  
 tomentosum, *Wight, ex Hook. & Arn. in Hook. Journ. Bot. i.* (1834) 288.—Bras.  
 umbellatum, *Gardn. in Hook. Lond. Journ. i.* (1842) 179.—Bras.  
 variegatum, *Griseb. in Goett. Abh.* xxiv. (1879) 230.—Reg. Argent.  
 villosum, *Fourn. in Mart. Fl. Bras.* vi. iv. 262.—Bras.  
 Wightianum, *Hook. & Arn. in Hook. Journ. Bot. i.* (1834) 288.—Bras.

OXYPHAERIA, Steud. Nom. ed. I. 138 (1821), sphalm. = seq.

OXYPHERIA, DC. Prod. vi. 157 (1837) = OXIPHOERIA, Hort. Angl. = *Humea*, Sm. (Compos.).

OXYPHYLLUM, Phil. Fl. Atac. 28. t. 4 (1860). *COMPOSITAE*, Benth. & Hook. f. ii. 499.  
 ulicinum, *Phil. l. c.*—Chili.

OXYPOGON, Rafin. in Journ. Phys. lxxxix. (1819) 98 = *Lathyrus*, Linn. (Legumin.).  
 elegans, Rafin. l. c. = *L. venosus*.  
 elegans, Rafin. ex DC. Prod. ii. 355 = *Vicia dume-torum*.

OXYPOLIS, Rafin. Neogenyt. 2 (1825) = *Peucedanum*, Tourn. (Umbell.).  
 caroliniana, Rafin. in Ser. Bull. Bot. i. (1830) 214 = *P. teretifolium*.  
 denticulata, Rafin. Neogenyt. 2 = *P. ternatum*.  
 rigida, Rafin. l. c. = *P. ternatum*.  
 teretifolia, Rafin. l. c. = *P. teretifolium*.  
 tricuspidata, Rafin. l. c. = *P. ternatum*.  
 triquinata, Rafin. l. c. = *Archangelica hirsuta*.

OXYRAMPHIS, Wall. Cat. n. 5348 (1831) = *Les-pedeza*, Michx. (Legumin.).  
 macrostyla, Lindl. Bot. Reg. (1846) t. 28 = *L. erio-carpa*.  
 macrostyla, Wall. Cat. n. 5348 = *L. sericea*.  
 sericea, R. Grah. in Wall. l. c. n. 5349 = *L. sericea*.  
 stenocarpa, Klotzsch, in Bot. Ergeb. Waldem. Reise, 159 = *L. sericea*.  
 virgata, R. Grah. in Wall. Cat. n. 5350 = *L. erio-carpa*.

OXYRHAMPHIS, Reichb. Nom. 147 (1841) = praec.

OXYRIA, Hill, Veg. Syst. x. 24. t. 24 (1765). *POLY-GONACEAE*, Benth. & Hook. f. iii. 100.  
 DONIA, R. Br. in Ross, Voy. ed. I. p. xli (1819).  
 OXYLAPATHON, St. Lag. in Ann. Soc. Bot. Lyon, viii. (1881) 159.  
 acida, R. Br. ex Hook. & Arn. Brit. Fl. ed. VI. 360 = *digyna*.  
 digyna, Hill, Hort. Kew. 158.—Reg. bor. alp. et arct.  
 elatior, R. Br. in Wall. Cat. n. 1726 = *digyna*.  
 reniformis, Hook. Fl. Scot. 111 = *digyna*.  
 rotundifolia, S. F. Gray, Nat. Arr. Brit. Pl. ii. 277 = *digyna*.

OXYS, Tourn. ex Adans. Fam. ii. 388 (1763) = *Oxalis*, Linn. (Geran.).  
 Acetosella, Scop. Fl. Carn. ed. II. i. 326 = *Oxalis* Acetosella.  
 alba, Lam. Fl. Fr. iii. 60; Gilib. Fl. Lituan. i. 62 = *Oxalis* Acetosella.  
 corniculata, Scop. Fl. Carn. ed. II. i. 326 = *Oxalis* corniculata.  
 incarnata, Medic. Malv. 113; Moench, Meth. 47 = *Oxalis* incarnata.  
 lutea, Lam. Fl. Fr. iii. 60 = *Oxalis* corniculata.  
 lutea, Moench, Meth. 48 = *Oxalis* corniculata.  
 stricta, All. Fl. Pedem. ii. 89; Medic. Malv. 113 = *Oxalis* corniculata.  
 vulgaris, Rupr. Fl. Caucas. 264 = *Oxalis* Acetosella.

OXYSEPALUM, Wight, Ic. v. 17. t. 1736 (1852) (Oxy-sepala) = *Bulbophyllum*, Thou. (Orchid.).  
 ovalifolium, Wight, l. c. = *B. clandestinum*.

OXYSPERMUM, Eckl. & Zeyh. Enum. 364 (1837) = *Galopina*, Thunb. (Rubiæ).  
 asperum, Eckl. & Zeyh. l. c. 365 = *G. Oxyspermum*.

OXYSPORA, DC. Prod. iii. 123 (1828). *MELA-STOMACEAE*, Benth. & Hook. f. i. 751.  
 ALLOZYGIA, Naud. in Ann. Sc. Nat. Sér. III. xv. (1851) 309. t. 15.  
 HOMOCENTRIA, Naud. l. c. (1851) 308.  
 HYLOCHARIS, Miq. Fl. Ind. Bat. Suppl. 319 (1860).  
 cernua, *Hook. f. & Thoms. ex Triana, in Trans. Linn. Soc.* xxviii. (1871) 73.—Reg. Himal.  
 macrophylla, *Triana, l. c.*—Sumatra.  
 paniculata, *DC. Prod.* iii. 123.—Reg. Himal.  
 pauciflora, *Benth. Fl. Hongk.* 116.—Ins. Hongkong.  
 vagans, *Hook. Bot. Mag.* t. 4553 = *paniculata*.  
 vagans, *Wall. Pl. Rar. As.* i. 78.—Reg. Himal.

OXYSTELMA, R. Br. in Mem. Wern. Soc. i. (1809) 40. *ASCLEPIADEAE*, Benth. & Hook. f. ii. 749.  
 Alpini, *Decne. in DC. Prod.* viii. 543 = *esculentum*.  
 bifidum, *Llanos, Fragm.* 64 = *Tylophora bifida*.  
 bornouense, *R. Br. in Denh. & Clapp. Trav. App.* 239.—Afr. trop.  
 carnosum, *R. Br. Prod.* 462 = *Vincetoxicum carnosum*.  
 caudatum, *Buch.-Ham. ex Wall. Cat. n.* 8213 D = *Pentatropis spiralis*.  
 esculentum, *R. Br. in Mem. Wern. Soc. i.* (1809) 40.—Austral.  
 esculentum, *Wall. ex Decne. in DC. Prod.* viii. 543 = *Wallichii*.

**OXYSTELMA** :—

Hooperianum, *Blume, Bijdr.* 1053.—Java.  
 pulchellum, *D. Dietr. Syn. Pl. ii.* 902 = *Raphistemma pulchellum*.  
 senegalense, *Decne. in DC. Prod.* viii. 543 = *bornouense*.  
 Wallichii, *Wight, Contrib.* 54 = *esculentum*.  
 Zippelianum, *Blume, Bijdr.* 1053 = *esculentum*.

OXYSTEMON, Planch. & Triana, in Ann. Sc. Nat. Sér. IV. xiii. (1860) 314 = *Clusia*, Linn. (Guttif.).  
 nervosus, *Planch. & Triana, l. c.* xiv. (1860) 226.—N. Granat.

OXYSTOPHYLLUM, Blume, Bijdr. 335. t. 38 (1825) = *Dendrobium*, Sw. (Orchid.).  
 atropurpureum, *Blume, Rumphia, iv.* 41. tt. 193. f. 4; 198 f. C = *D. atropurpureum*.  
 carnosum, *Blume, Bijdr.* 336 = *D. atropurpureum*.  
 excavatum, *Blume, l. c.* = *D. excavatum*.  
 macrostoma, *Hassk. in Hoev. & De Vriese, Tijdschr.* x. (1843) 122 = *D. Serra*.  
 rigidum, *Blume, Bijdr.* 336 = *D. rigens*.

OXYSTYLIS, Torr. & Frém. in Rep. Frém. App. 312 (1845). *CAPPARIDEAE*, Benth. & Hook. f. i. 107.  
 lutea, *Torr. & Frém. l. c.* 313.—Am. bor. occ.

OXYTANDRUM, Neck. Elem. ii. 255 (1790) = *Apeiba*, Aubl. (Tiliac.).

OXYTENANTHERA, Munro, in Trans. Linn. Soc. xxvi. (1868) 126. *GRAMINEAE*, Benth. & Hook. f. iii. 1211.  
 abyssinica, *Munro, l. c.* 127.—Afr. trop.  
 albo-ciliata, *Munro, l. c.* 129.—Ind. or.  
 monostigma, *Bedd. Forest. Man. Bot.* 233.—Ind. or.  
 nigrociliata, *Munro, in Trans. Linn. Soc.* xxvi. (1868) 128.—Ind. or.  
 Stocksii, *Munro, l. c.* 130.—Ind. or.  
 Thwaitesii, *Munro, l. c.* 129.—Zeylan.

OXYTENIA, Nutt. in Journ. Acad. Philad. N. S. i. (1847) 172. *COMPOSITAE*, Benth. & Hook. f. ii. 353.  
 acerosa, *Nutt. l. c.*—Calif.

OXYTHECA, Nutt. in Journ. Acad. Philad. N. S. i. (1847) 169. *POLYGONACEAE*, Benth. & Hook. f. iii. 92.  
 BRISEGNIA, Remy, in C. Gay, Fl. Chil. v. 291 (1849).  
 TETRARHAPHIS, Miers, in Trans. Linn. Soc. xxi. (1853) 141. t. 17.  
 apiculata, *S. Wats. in Bot. Calif.* ii. 32, in syn., sphalm. = *spiculata*.  
 caryophylloides, *Parry, in Proc. Davenport Acad. Nat. Sc. i.* (1876) 175.—Calif.  
 dendroidea, *Nutt. in Journ. Acad. Philad. N. S. i.* (1847) 169.—Am. bor. occ.  
 foliosa, *Nutt. l. c.*—Am. bor.  
 glandulosa, *Nutt. l. c.* 170.—Calif.  
 inermis, *S. Wats. in Proc. Am. Acad.* xii. (1877) 273.—Calif.  
 Parishii, *Parry, in Proc. Davenport Acad. Nat. Sc. i.* (1876) 176.—Calif.  
 perfoliata, *A. Gray, ex S. Wats. Bot. King's Exped.* 311. t. 34.—Am. bor. occ.  
 Reddingiana, *Jones, in Bull. Torrey Bot. Club*, ix. (1882) 32.—Am. bor.  
 spiculata, *Miers, in Proc. Linn. Soc. ii.* (1851) 155; et *Trans. Linn. Soc. xxi.* (1855) 144. t. 17 = *dendroidea*.  
 trilobata, *A. Gray, in Proc. Am. Acad.* xii. (1877) 83.—Calif.  
 Watsoni, *Torr. & Gray, ex S. Wats. Bot. King's Exp.* 311. t. 34. f. 5-7.—Am. bor. occ.

OXYTHECE, Miq. in Mart. Fl. Bras. vii. 105 (1863) = *Lucuma*, Juss. (Sapot.).  
 leptocarpa, *Miq. l. c.* 106 = *L. leptocarpa*.  
 Pseudo-sideroxylon, *Miq. l. c.* 106.—Bras.

OXYTRIA, Rafin. Fl. Tellur. ii. 26 (1836) = *Schoenolirion*, Torr. (Liliac.).  
 crocea, *Rafin. l. c.* = *S. croceum*.



**OXYTROPIS**, DC. Astrag. 24, 66. tt. 2-6, 8 (1802).  
**LEGUMINOSAE**, Benth. & Hook. f. i. 507.  
*aciphylla*, Ledeb. Fl. Alt. iii. 279.—Sibir. altaic.  
*adproximata*, Less. in Linnaea, ix. (1834) 154 = campestris.  
*aequipetala*, Bunge, in Mém. Acad. Pétersb. Sér. VII. xxii. (1874) i. 11.—Turkestan.  
*ajanensis*, Bunge, l. c. 95.—Sibir. or.  
*albana*, Stev. in Mém. Soc. Nat. Mosc. iv. (1813) 54.—Reg. Caucas.  
*albiflora*, Bunge, in Mém. Acad. Pétersb. Sér. VII. xxii. (1874) i. 96.—Sibir.  
*algida*, Bunge, in Bull. Soc. Nat. Mosc. xxxix. (1866) ii. 9.—As. bor.  
*alpicola*, Bunge, in Mém. Acad. Pétersb. Sér. VII. xxii. (1874) i. 86 = Tschujac.  
*alpicola*, Turcz. in Bull. Soc. Nat. Mosc. xv. (1842) 748 = uralensis.  
*alpina*, Bunge, Ind. Sem. Hort. Dorpat. (1840) 8 = uralensis.  
*altaica*, Pers. Syn. ii. 333 = brevirostra.  
*ambigua*, DC. Astrag. 70.—Sibir.  
*ammophila*, Turcz. in Bull. Soc. Nat. Mosc. (1840) 66.—Sibir.  
*amoena*, Kar. & Kir. in Bull. Soc. Nat. Mosc. xv. (1842) 327 = lapponica.  
*ampullacea*, Turcz. l. c. 744 = mixotricha.  
*ampullata*, Less. ex Bunge, in Mém. Acad. Pétersb. Sér. VII. xxii. (1874) i. 133 = polyphylla.  
*ampullata*, Pers. Syn. ii. 333.—Sibir.  
*ampullata*, Turcz. ex Bunge, Verz. Alt. Pf. 89 = mixotricha.  
*annularis*, DC. Astrag. 93 = Astragalus annularis.  
*approximata*, Less. in Linnaea, ix. (1834) 175 = campestris.  
*arctica*, R. Br. in Parry, 1st Voy. App. 278 = uralensis.  
*arctica*, Trautv. Fl. Taimyr. 49 = sordida.  
*arctobia*, Bunge, in Mém. Acad. Pétersb. Sér. VII. xxii. (1871) i. 114.—Am. bor.  
*argaea*, Boiss. & Kotschy, ex Boiss. Fl. Orient. ii. 505 = albana.  
*argentata*, Ledeb. Fl. Ross. i. 592 = recognita.  
*argentata*, Pers. Syn. ii. 331.—Desert. Kirgis.  
*argentata*, Pursh, Fl. Am. Sept. ii. 473 = nana?  
*argentata*, Regel & Tiling, in Nouv. Mém. Soc. Nat. Mosc. xi. (1859) 77 = ajanensis.  
*argyrea*, DC. Prod. ii. 276 = argentata.  
*argyrophylla*, Ledeb. Fl. Ross. III. t. 54 = argentata.  
*Aucher*, Boiss. Diagn. Ser. I. ii. 41.—Persia.  
*baicalensis*, Pall. ex Bess. in Flora, xvii. (1834) i. Beibl. 10.—Sibir. baical.  
*baicalia*, Pers. Syn. ii. 333.—Sibir. baical.  
*bicolor*, Bunge, in Mém. Soc. Nat. Mosc. ii. (1835) 91.—China.  
*borealis*, DC. Prod. ii. 275 = campestris.  
*borealis*, Trautv. ex C. A. Mey. Fl. Ochot. 26 = Trautvetteri.  
*brachybotrys*, Bunge, in Mém. Acad. Pétersb. Sér. VII. xxii. (1874) i. 53.—Sibir.  
*bracteosa*, Bunge, l. c. 143, in textu = oxyphylla?  
*brevicaulis*, Ledeb. Fl. Alt. iii. 284.—Sibir. altaic.  
*brevifolia*, Turcz. in Bull. Soc. Nat. Mosc. xv. (1842) 752 = dubia.  
*brevirostra*, DC. Astrag. 82. t. 6.—Sibir.  
*cabulica*, Boiss. Fl. Orient. ii. 507.—Afghan.  
*cachemiriana*, Cambess. in Jacquem. Voy. Bot. 38. t. 44.—Reg. Himal.  
*caerulea*, DC. Astrag. 68.—Sibir.  
*caespitosa*, Pers. Syn. ii. 333.—Dahuria.  
*campestris*, DC. Astrag. 74.—Reg. bor. temp. et arct.  
*campestris*, Hook. in Lond. Journ. Bot. vi. (1847) 212 = Lambertii.  
*cana*, Bunge, in Bull. Soc. Nat. Mosc. xxxix. (1866) ii. 3.—As. bor.  
*candicans*, DC. Astrag. 72.—Sibir.  
*Capusii*, Franch. in Ann. Sc. Nat. Sér. VI. xv. (1883) 263.—Turkestan.  
*carinthiaca*, Fischer-Oost. in Flora, xxxvii. (1854) 99 = lapponica.  
*carpatia*, Uechtr. in Oestr. Bot. Zeitschr. xiv. (1864) 218 = montana.  
*caucasica*, Regel, Ind. Sem. Hort. Petrop. (1865) 40.—Reg. Caucas.  
*caudata*, DC. Astrag. 73.—Sibir. altaic.  
*chiliophylla*, Royle, Illustr. Bot. Himal. 198 = microphylla.  
*chinensis*, Bunge, in Mém. Acad. Pétersb. Sér. VII. xxii. (1874) i. 35 = manshurica.

**OXYTROPIS**—

*chionobia*, Bunge, in Mém. Acad. Pétersb. Sér. VII. xxii. (1874) i. 148.—Turkestan.  
*chionophylla*, Schrenk, Enum. Pl. Nov. 77.—Sibir.  
*chrysocarpa*, Boiss. Diagn. Ser. I. vi. 34.—Persia.  
*chrysotricha*, Franch. Pl. Davidian. i. (1884) 90.—China.  
*ciliata*, Turcz. in Bull. Soc. Nat. Mosc. v. (1832) 186.—Mongolia.  
*cinerascens*, Bunge, in Mém. Acad. Pétersb. Sér. VII. xxii. (1874) i. 26.—Reg. Himal.  
*citricans*, Thomas, ex Bruegg. in Jahresb. Naturf. Ges. Graub. II. xxv. (1882) 63 = hybrida.  
*coerulea*, Auct. vide caerulea.  
*coerulea*, Turcz. Fl. Baic.-Dahur. i. 304 = filiformis.  
*collina*, Turcz. in Bull. Soc. Nat. Mosc. xv. (1842) 741 = grandiflora.  
*confusa*, Bunge, in Arb. Naturf. Ver. Riga, i. (1847) 227, in textu.—Mont. Altai.  
*curviflora*, Turcz. ex Bess. in Flora, xvii. (1834) i. Beibl. 10 = caerulea.  
*cuspidata*, Bunge, in Mém. Acad. Pétersb. Sér. VII. xxii. (1874) i. 70.—Soongaria.  
*cyanea*, Bieb. Fl. Taur. Cauc. iii. 502.—Reg. Caucas.  
*cyanea*, Gaud. Fl. Helvet. iv. 536 = Gaudini.  
*cymbicarpos*, Pers. Syn. ii. 333.—Lusitan.  
*dasyopoda*, Rupr. ex Boiss. Fl. Orient. ii. 506.—Reg. Caucas.  
*Davidi*, Franch. Pl. Davidian. i. (1884) 89.—China.  
*dealbata*, Pers. Syn. ii. 334 = Astragalus albicaulis.  
*deflexa*, DC. Astrag. 96.—Reg. bor. temp. et arct.  
*densa*, Benth. ex Bunge, in Mém. Acad. Pétersb. Sér. VII. xxii. (1874) i. 24.—Reg. Himal.  
*diantha*, Bunge, ex Maxim. in Bull. Acad. Pétersb. xxvi. (1880) 470.—Mongolia.  
*dichoptera*, DC. Astrag. 97 = triphylla.  
*dichroantha*, Schrenk, Enum. Pl. Nov. 78.—Sibir.  
*didymophysa*, Bunge, in Mém. Acad. Pétersb. Sér. VII. xxii. (1874) i. 61.—Turkestan.  
*diffusa*, Ledeb. Fl. Alt. iii. 281 = glabra.  
*dioritica*, Boiss. Diagn. Ser. II. v. 84.—As. Min.  
*dissitiflora*, Ledeb. Fl. Ross. i. 597.—Sibir. or.  
*Drakeana*, Franch. Pl. Davidian. i. (1884) 89.—China.  
*dubia*, Turcz. in Bull. Soc. Nat. Mosc. xv. (1842) 752.—Sibir. baical.  
*elongata*, Turcz. in Bull. Soc. Nat. Mosc. (1840) 67 = candicans.  
*eriocarpa*, Bunge, in Mém. Acad. Pétersb. Sér. VII. xxii. (1874) i. 122.—Mont. Altai.  
*falcata*, Bunge, l. c. 156.—China.  
*Fetisowi*, Bunge, in Act. Hort. Petrop. vii. (1880) 367.—Turkestan.  
*filiformis*, DC. Astrag. 80. t. 4.—Dahuria.  
*Fischeri*, DC. Prod. ii. 281 = vaginata.  
*floribunda*, Benth. in Royle, Illustr. Bot. Himal. 198 = mollis.  
*floribunda*, DC. Astrag. 94.—Turkestan.  
*foetida*, DC. l. c. 75.—Europ.  
*foliolosa*, Bunge, in Mém. Acad. Pétersb. Sér. VII. xxii. (1874) i. 101 = macrosema.  
*foliolosa*, Hook. Fl. Bor. Am. i. 146 = deflexa.  
*follicularis*, Pers. ex DC. Prod. ii. 301 = Astragalus follicularis.  
*frigida*, Kar. & Kir. in Bull. Soc. Nat. Mosc. xiv. (1841) 402.—Soongaria.  
*fruticulosa*, Bunge, l. c. xxxix. (1866) ii. 7.—As. bor.  
*Gaudini*, Bunge, in Arb. Naturf. Ver. Riga, i. (1847) 226.—Helvet.  
*Gebleri*, Fisch. ex Bunge, in Mém. Acad. Pétersb. Sér. VII. xxii. (1874) i. 89.—Mont. Altai.  
*Gebleriana*, Schrenk, in Bull. Phys.-Math. Acad. Pétersb. iii. (1845) 307 = mugodsharica.  
*gelida*, Bunge, in Mém. Acad. Pétersb. Sér. VII. xxii. (1874) i. 29, in textu = albana.  
*generosa* ×, Bruegg. in Jahresb. Naturf. Ges. Graub. II. xxv. (1882) 66.—Europ.  
*glabra*, DC. Astrag. 95. t. 8.—Reg. Himal. ; Sibir.  
*glacialis*, Benth. ex Bunge, in Mém. Acad. Pétersb. Sér. VII. xxii. (1874) i. 18 = lapponica.  
*glacialis*, Strach. & Winterb. ex Bunge, l. c. 26 = cinerascens.  
*glandulosa*, Turcz. in Bull. Soc. Nat. Mosc. xv. (1842) 754.—Sibir.  
*glaucia*, Sweet, Hort. Brit. ed. I. 123.—Tauria.  
*globifera*, Franch. in Ann. Sc. Nat. Sér. VI. xv. (1883) 262 = seq.  
*globiflora*, Bunge, in Rupr. Sert. Tiansch. 43.—Turkestan.

**OXYTROPIS**—

*Gmelini*, Fisch. Hort. Gorenk. ed. II (1812) 71, nomen = longirostra.  
*gracillima*, Bunge, in Linnaea, xvii. (1843) 5.—Mongol.  
*grandiflora*, DC. Astrag. 71.—Sibir.  
*Griffithii*, Bunge, ex Boiss. Fl. Orient. ii. 502.—Afghan.  
*gymnogyne*, Bunge, in Mém. Acad. Pétersb. Sér. VII. xxii. (1874) i. 25.—Turkestan.  
*Halleri*, Bal. ex Boiss. Fl. Orient. ii. 500 = lazica.  
*Halleri*, Bunge, Verz. Alt. Suppl. 2 = uralensis.  
*Hallii*, Bunge, in Mém. Acad. Sc. Pétersb. Sér. VII. xxii. (1874) i. 162.—Am. bor.  
*hedysaroides*, Pers. Syn. ii. 334 = Hedysarum obscurum.  
*heratensis*, Bunge, ex Boiss. Fl. Orient. ii. 507.—Persia.  
*heterophylla*, Bunge, ex Maxim. in Bull. Acad. Pétersb. xxvi. (1880) 470.—Mongolia.  
*heteropoda*, Bunge, in Bull. Soc. Nat. Mosc. xxxix. (1866) ii. 4.—As. bor.  
*heterotricha*, Turcz. l. c. xv. (1842) 752.—Sibir. baical.  
*hirsuta*, Bunge, in Mém. Acad. Pétersb. Sér. VII. xxii. (1874) i. 55.—Soongaria.  
*hirta*, Bunge, in Mém. Soc. Nat. Mosc. Etr. Pétersb. ii. (1835) 91.—China.  
*Hookeriana*, Nutt. ex Torr. & Gray, Fl. N. Am. i. 340 = Lambertii.  
*humifusa*, Kar. & Kir. in Bull. Soc. Nat. Mosc. xv. (1842) 535 = albana.  
*hybrida* ×, Bruegg. in Jahresb. Naturf. Ges. Graub. II. xxv. (1882) 63.—Europ.  
*hypsochila*, Bunge, ex Boiss. Fl. Orient. ii. 501.—Persia.  
*Hystrix*, Schrenk, in Bull. Sc. Acad. Pétersb. x. (1842) 254.—Soongaria.  
*inaria*, DC. Prod. ii. 279.—Sibir. altaic.  
*inaria*, Ledeb. Fl. Alt. iii. 273 = pumila.  
*integripetala*, Bunge, in Mém. Acad. Pétersb. Sér. VII. xxii. (1874) i. 69.—Turkestan.  
*intermedia*, Bunge, Del. Sem. Hort. Dorpat. (1839) 8.—Cf. in Linnaea, xiv. (1840) Litt. 120.—Sibir. altaic.  
*Jacquinii*, Bunge, in Arb. Naturf. Ver. Riga, i. (1847) 226 = montana.  
*kansuensis*, Bunge, in Mém. Acad. Pétersb. Sér. VII. xxii. (1874) i. 38.—China.  
*Kasbecki*, Bunge, ex Boiss. Fl. Orient. ii. 506.—Reg. Caucas.  
*kashemiriana*, Bunge, in Mém. Acad. Pétersb. Sér. VII. xxii. (1874) i. 43 = cachemiriana.  
*Kotschyana*, Boiss. & Hohen. Diagn. Ser. I. ix. 36.—Persia.  
*Lagopus*, Nutt. in Journ. Acad. Philad. vii. (1834) 17.—Am. bor.  
*Lambertii*, Pursh, Fl. Am. Sept. ii. 740.—Am. bor.  
*lanata*, DC. Astrag. 89.—Sibir.  
*lanceolata*, Benth. ex Bunge, in Mém. Acad. Pétersb. Sér. VII. xxii. (1874) i. 72, in textu = mollis.  
*lancifolia*, Vis. ex Bunge, l. c. 107 = campestris?  
*lapponica*, Gaud. Fl. Helvet. iv. 543.—Europ. ; As. bor.  
*lasiopoda*, Bunge, in Mém. Acad. Pétersb. Sér. VII. xxii. (1874) i. 151.—Mongolia.  
*lazica*, Boiss. Fl. Orient. ii. 499.—As. Min.  
*Lehmanni*, Bunge, in Arb. Naturf. Ver. Riga, i. (1847) 225.—Turkestan.  
*leptophylla*, DC. Astrag. 77.—Sibir.  
*leptophysa*, Bunge, in Mém. Acad. Pétersb. Sér. VII. xxii. (1874) i. 61.—Turkestan.  
*leucantha*, Pers. Syn. ii. 331.—Sibir.  
*leucocyanea*, Bunge, in Mém. Acad. Pétersb. Sér. VII. xxii. (1874) i. 22.—Turkestan.  
*leucopodia*, C. A. Mey. in Ledeb. Fl. Alt. iii. 279 = squamulosa.  
*leucotricha*, Turcz. in Bull. Soc. Nat. Mosc. xv. (1842) 745.—Sibir.  
*longibracteata*, Kar. & Kir. l. c. (1841) 403.—Sibir.  
*longicuspis*, Ledeb. Ind. Sem. Dorpat. ; ex ej. Fl. Alt. iii. 283 = vaginata.  
*longipes*, Bunge, in Arb. Naturf. Ver. Riga, i. (1847) 227 = revoluta.  
*longipes*, Fisch. ex Bunge, in Mém. Acad. Pétersb. Sér. VII. xxii. (1874) i. 118.—Sibir.  
*longirostra*, DC. Astrag. 80. t. 5.—Sibir.  
*lunata*, Pers. Syn. ii. 333 = Astragalus lunatus.  
*lycotriche*, Bunge, in Mém. Acad. Pétersb. Sér. VII. xxii. (1874) i. 134 = aciphylla.



## OXYTROPIS:—

- macrobotrys, *Bunge*, in *Mém. Acad. Pétersb.* Sér. VII. xxii. (1874) i. 53.—Mont. Altai.  
 macrocarpa, *Kar. & Kir. in Bull. Soc. Nat. Mosc.* xv. (1842) 326.—Turkestan.  
 macroptera, *Fisch. ex DC. Prod.* ii. 283 = *Astragalus macropterus*.  
 macrosema, *Bunge*, in *Mém. Acad. Pétersb.* Sér. VII. xxii. (1874) i. 101.—Sibir. altaic.  
 malacophylla, *Bunge*, l. c.—Mont. Altai.  
 manshurica, *Bunge*, in *Bull. Soc. Nat. Mosc.* xxxix. (1866) ii. 12, in obs.—Manchuria.  
 Maydelliana, *Trautv. in Act. Hort. Petrop.* vi. (1879) 16.—As. bor.  
 Meinshausenii, *Schrenk*, in *Bull. Sc. Acad. Pétersb.* x. (1842) 254.—Reg. Himal; Sibir.  
 melaleuca, *Bunge*, in *Bull. Soc. Nat. Mosc.* xxxix. (1866) ii. 15.—As. bor.  
 melanocalyx, *Bunge*, in *Mém. Acad. Pétersb.* Sér. VII. xxii. (1874) i. 8.—China.  
 melanotricha, *Bunge*, l. c. 26.—Turkestan.  
 merkensis, *Bunge*, in *Bull. Soc. Nat. Mosc.* xxxix. (1866) ii. 11.—As. bor.  
 Mertensiana, *Turcz.* l. c. (1840) 68.—Fret. Behring.  
 Meyeri, *Bunge*, ex *Boiss. Fl. Orient.* ii. 504.—Reg. Caucas.  
 micans, *Bunge*, in *Mém. Acad. Pétersb.* Sér. VII. xxii. (1874) i. 138, in textu = splendens.  
 micrantha, *Bunge*, ex *Maxim. in Bull. Acad. Pétersb.* xxvi. (1880) 470.—Mongolia.  
 microphylla, *DC. Astrag.* 83.—Sibir.  
 microphylla, *Hook. f. & Thoms. ex Bunge*, in *Mém. Acad. Pétersb.* Sér. VII. xxii. (1874) i. 155 = tibetica.  
 microrhyncha, *Benth. ex Baker*, in *Hook. f. Fl. Brit. Ind.* ii. 137.—Reg. Himal.  
 microrhyncha, *Strach. & Winterb. ex Bunge*, in *Mém. Acad. Pétersb.* Sér. VII. xxii. (1874) i. 8 = lapponica.  
 microsphaera, *Bunge*, l. c. 64.—Turkestan.  
 Middendorffii, *Trautv. in Middend. Sibir. Reise*, 49. t. 7.—Sibir.  
 mixotricha, *Bunge*, in *Mém. Sav. Etr. Pétersb.* ii. (1835) 589; *Verz. Suppl. Fl. Alt.* 89.—Dahuria.  
 Moellendorffii, *Bunge*, ex *Maxim. in Bull. Acad. Pétersb.* xxvi. (1880) 469.—China.  
 mollis, *Royle, Illustr. Bot. Himal.* 198.—Reg. Himal.  
 mollissima, *C. A. Mey. ex Bunge*, in *Mém. Acad. Pétersb.* Sér. VII. xv. (1869) i. 87 = *Astragalus saganlugensis*.  
 montana, *Benth. Cat. Pl. Pyr.* 110 = pyrenaica.  
 montana, *DC. Astrag.* 66.—Europ.  
 montana, *Guss. Pl. Rar.* 393 = lapponica.  
 montana, *Spreng. Fl. Hal.* 207 = *Astragalus hypoglottis*.  
 montana, *Stev. in Mém. Soc. Nat. Mosc.* iv. (1813) 54 = cyanea.  
 monticola, *A. Gray, in Proc. Am. Acad.* xx. (1885) 6.—Am. bor.  
 mugodsharica, *Bunge*, in *Mém. Acad. Pétersb.* Sér. VII. xxii. (1874) i. 68.—Soongar.  
 multiceps, *A. Gray, ex Bunge*, l. c. 162, partim = Hallii.  
 multiceps, *Nutt. in Torr. & Gray, Fl. N. Am.* i. 341.—Am. bor.  
 muricata, *DC. Astrag.* 86.—Sibir.  
 myriophylla, *DC. l. c.* 87.—Sibir.  
 nana, *A. Gray, in Am. Journ. Sc. Ser. II.* xxxiii. (1862) 410 = multiceps.  
 nana, *Nutt. ex Torr. & Gray, Fl. N. Am.* i. 340.—Am. bor.  
 neglecta, *J. Gay, ex Tenore, Syll. Fl. Nap.* 368 = lapponica.  
 nigrescens, *Fisch. ex DC. Prod.* ii. 278.—Sibir.; Am. bor. et arct.  
 nitens, *Turcz. in Bull. Soc. Nat. Mosc.* xv. (1842) 746.—Sibir. baical.  
 nivea, *Bunge*, in *Mém. Acad. Pétersb.* Sér. VII. xxii. (1874) i. 85.—Mont. Altai.  
 nutans, *Bunge*, in *Bull. Soc. Nat. Mosc.* xxxix. (1866) ii. 17.—Sibir.  
 ochotensis, *Bunge*, in *Mém. Acad. Pétersb.* Sér. VII. xxii. (1874) i. 95.—Sibir.  
 ochrantha, *Turcz. in Bull. Soc. Nat. Mosc.* v. (1832) 188.—Mongol.  
 ochrocephala, *Bunge*, in *Mém. Acad. Pétersb.* Sér. VII. xxii. (1874) i. 57.—China.  
 ochroleuca, *Bunge*, in *Bull. Soc. Nat. Mosc.* xxxix. (1866) ii. 6.—As. bor.

## OXYTROPIS:—

- oligantha, *Bunge*, in *Bull. Soc. Nat. Mosc.* xxxix. (1866) ii. 18 = chionobia.  
 oligantha, *Bunge*, in *Mém. Sav. Etr. Pétersb.* ii. (1835) 586; *Verz. Suppl. Fl. Alt.* 85.—Sibir. altaic.  
 oreophila, *A. Gray, in Proc. Am. Acad.* xx. (1885) 3.—Am. bor.  
 Owerini, *Bunge*, in *Mém. Acad. Pétersb.* Sér. VII. xxii. (1875) i. 105.—Reg. Caucas.  
 oxyphylla, *DC. Astrag.* 84.—As. bor.  
 oxyphylla, *Richards. in Frankl. Journ. App. ed. II.* 28 = splendens.  
 pagobia, *Bunge*, in *Mém. Acad. Pétersb.* Sér. VII. xxii. (1874) i. 27.—Turkestan.  
 Pallasii, *Pers. Syn.* ii. 334.—Ross. austr.; Reg. Caucas.  
 pallens, *Turcz. ex Bunge*, in *Mém. Acad. Pétersb.* Sér. VII. xxii. (1874) i. 100, in textu = candicans.  
 Parryi, *A. Gray, in Proc. Am. Acad.* xx. (1885) 4.—Mexic.  
 Parvopassuae, *Parl. Viag. Cat. Monte Bianco*, 21 = Gaudini.  
 pauciflora, *Bunge*, in *Arb. Naturf. Ver. Riga*, i. (1847) 227 = O. Tschujae.  
 pellita, *Bunge*, in *Mém. Acad. Sc. Pétersb.* Sér. VII. xxii. (1874) i. 147.—Soongar.  
 persica, *Boiss. Diagn. Ser. I.* ii. 40.—Persia.  
 petraea, *Steud. Nom. ed. II.* i. 731, in syn., sphalm. = *Onobrychis petraea*.  
 physocarpa, *Ledeb. Fl. Alt.* iii. 272.—Sibir. altaic.  
 physodes, *DC. Astrag.* 77 = ampullata, caespitosa.  
 pilosa, *DC. l. c.* 91.—Europ.; As. bor.  
 platonychya, *Bunge*, in *Mém. Acad. Pétersb.* Sér. VII. xxii. (1874) i. 44.—Kokan.  
 plattensis, *Nutt. in Torr. & Gray, Fl. N. Am.* i. 340 = Lambertii.  
 platysema, *Schrenk, in Bull. Sc. Acad. Pétersb.* x. (1842) 254.—Sibir.  
 podocarpa, *A. Gray, in Proc. Am. Acad.* vi. (1864) 234.—Am. bor. occ.  
 podoloba, *Kar. & Kir. in Bull. Soc. Nat. Mosc.* xv. (1842) 327.—Soongar.  
 polaris, *Seem. in Narr. Voy. Herald*, ii. 24 = *Astragalus polaris*.  
 polyphylla, *Ledeb. Fl. Alt.* iii. 277.—Sibir. altaic.  
 proboscidea, *Bunge*, in *Mém. Acad. Pétersb.* Sér. VII. xxii. (1874) i. 17.—Tibet.  
 prostrata, *DC. Astrag.* 85.—Sibir.  
 psammocharis, *Hance, in Journ. Linn. Soc.* xiii. (1873) 78.—China.  
 pumila, *Fisch. ex DC. Prod.* ii. 279.—Sibir. altaic.  
 pumila, *Ledeb. Fl. Alt.* iii. 275 = stenophylla.  
 Pumilio, *Ledeb. Fl. Ross.* i. 589.—Ins. Curil.  
 pusilla, *Bunge*, in *Mém. Acad. Pétersb.* Sér. VII. xxii. (1874) i. 27.—Tibet.  
 pyrenaica, *Gren. & Godr. Fl. Fr.* i. 449.—Europ. austr.  
 racemosa, *Turcz. in Bull. Soc. Nat. Mosc.* v. (1832) 187.—Mongol.  
 recognita, *Bunge*, in *Mém. Acad. Pétersb.* Sér. VII. xxii. (1874) i. 79.—Soongaria.  
 revoluta, *Ledeb. Fl. Ross.* i. 588.—Kamtschatka.  
 rhaetica x, *Bruegg. in Jahresb. Naturf. Ges. Graub.* II. xxiii-xxiv. (1880) 55.—Europ.  
 rhynchophysa, *Schrenk, in Bull. Phys.-Math. Acad. Pétersb.* ii. (1844) 196.—Soongar.  
 rosea, *Bunge*, in *Mém. Acad. Pétersb.* Sér. VII. xxii. (1874) i. 69.—Turkestan.  
 rupifraga, *Bunge*, in *Bull. Soc. Nat. Mosc.* xxxix. (1866) ii. 8.—Turkestan.  
 samurensis, *Bunge, ex Boiss. Fl. Orient.* ii. 504.—Reg. Caucas.  
 savellanica, *Bunge, ex Boiss. l. c.* 503.—Persia.  
 Schmidtii, *Meinsh. in F. Schmidt, Mammuth.* 97.—Sibir. arct.  
 Schrenkii, *Trautv. in Bull. Soc. Nat. Mosc.* xxxiii. (1860) i. 486.—As. bor.  
 selengensis, *Bunge*, in *Mém. Acad. Pétersb.* Sér. VII. xxii. (1874) i. 143.—Mongolia.  
 Semenowii, *Bunge*, in *Bull. Soc. Nat. Mosc.* xxxix. (1866) ii. 13.—As. bor.  
 sericea, *Nutt. in Torr. & Gray, Fl. N. Am.* i. 339 = Lambertii.  
 sericea, *Schur, Enum. Pl. Transs.* 162 = uralensis.  
 setosa, *DC. Astrag.* 71.—Mont. Alta.  
 Sewerzowii, *Bunge*, in *Mém. Acad. Pétersb.* Sér. VII. xxii. (1874) i. 36.—Turkestan.

## OXYTROPIS:—

- songarica, *DC. Astrag.* 73.—Sibir.  
 sordida, *Gaud. ex Nym. Consp.* 196 = campestris.  
 sordida, *Pers. Syn.* ii. 332.—Europ.  
 splendens, *Dougl. in Hook. Fl. Bor. Am.* i. 147.—Am. bor. occ.  
 squammulosa, *DC. Astrag.* 79. t. 3.—Dahuria.  
 ssojutica, *Less. ex Walp. Rep.* ii. 862 = uralensis.  
 stenophylla, *Bunge*, in *Mém. Sav. Etr. Pétersb.* ii. (1835) 587.—Sibir. alt.  
 Stracheyana, *Bunge*, in *Mém. Acad. Pétersb.* Sér. VII. xxii. (1874) i. 62, in adnot.—Reg. Himal.  
 strobilacea, *Bunge*, l. c. 103.—China.  
 subfalcata, *Hance, in Journ. Linn. Soc.* xiii. (1873) 78.—China.  
 submutica, *Bunge*, in *Mém. Acad. Pétersb.* Sér. VII. xxii. (1874) i. 50, in adnot.—Kurdistan.  
 subverticillaris, *C. A. Mey. in Ledeb. Fl. Alt.* iii. 274.—Sibir. altaic.  
 sulfurea, *Bunge*, in *Mém. Acad. Sc. Pétersb.* Sér. VII. xxii. (1874) i. 80 = seq.  
 sulphurea, *Fisch. ex Steud. Nom. ed. II.* ii. 244; *Ledeb. Fl. Alt.* iii. 285, partim.—Sibir. altaic.  
 sulphurea, *Ledeb. l. c.* partim = recognita.  
 sylvatica, *DC. Astrag.* 82.—Sibir.  
 sylvicola, *Bunge*, in *Mém. Acad. Pétersb.* Sér. VII. xxii. (1874) i. 138 = sylvatica.  
 Szovitsii, *Boiss. & Buhse, in Nouv. Mém. Soc. Nat. Mosc.* xii. (1860) 57.—Persia.  
 tachensis, *Franch. in Ann. Sc. Nat. Sér. VI.* xv. (1883) 263.—Turkestan.  
 tatarica, *Cambess. ex Bunge*, in *Mém. Acad. Pétersb.* Sér. VII. xxii. (1874) i. 16.—Reg. Himal.; Turkest.  
 tatarica, *Hook. f. & Thoms. ex Bunge*, l. c. 17 = proboscidea.  
 taurica, *Pers. ex DC. Prod.* ii. 284 = *Astragalus tauricus*.  
 tenella, *Fisch. ex DC. l. c.* 281 = floribunda.  
 teres, *DC. Astrag.* 92 = vaginata.  
 Thomasii, *Gaud. Fl. Helv.* iv. 543 = lapponica.  
 Thomsoni, *Benth. ex Bunge*, in *Mém. Acad. Pétersb.* Sér. VII. xxii. (1874) i. 72.—Ind. or.  
 tianschanica, *Bunge*, in *Rupr. Sert. Tiansch.* 43.—As. centr.  
 tibetica, *Bunge*, in *Mém. Acad. Pétersb.* Sér. VII. xxii. (1874) i. 155.—Tibet.  
 Tilingii, *Bunge*, l. c. 94.—Sibir.  
 tragacanthoides, *Fisch. ex DC. Prod.* ii. 280.—Mont. Alta.  
 Trautvetteri, *Meinsh. in F. Schmidt, Mammuth.* 97.—Sibir.  
 trichocalycina, *Bunge, ex Boiss. Fl. Orient.* ii. 502.—Turkestan.  
 trichophylla, *Bunge*, in *Mém. Acad. Pétersb.* Sér. VII. xxii. (1874) i. 158.—Turkestan.  
 triflora, *Hoppe, ex Sturm, Deutschl. Fl. Heft* 49.—Tyrol.  
 triphylla, *DC. Astrag.* 77.—Sibir. or.  
 Tschujae, *Bunge*, in *Mém. Acad. Pétersb.* Sér. VII. xxii. (1874) i. 86.—Turkestan.  
 tuberculata, *Turcz. ex Bess. in Flora*, xvii. (1834) i. Beibl. 10 = muricatus.  
 uncata, *Pers. Syn.* ii. 332 = *Astragalus uncatus*.  
 uralensis, *Bieb. Fl. Taur. Cauc.* iii. 503 = Owerini.  
 uralensis, *DC. Astrag.* 68.—Europ.; As. bor.  
 uralensis, *Ledeb. Fl. Alt.* iii. 289 = ambigua.  
 uralensis, *C. A. Mey. Verz. Pl. Cauc.* 140 = Meyeri.  
 uratensis, *Franch. Pl. Davidian.* i. (1884) 91, sphalm. = uralensis.  
 vaginata, *Fisch. ex DC. Prod.* ii. 281.—Sibir. altaic.  
 velutina, *Schur, Enum. Pl. Transs.* 162 = uralensis.  
 venosa, *Steud. Nom. ed. II.* i. 732, in syn., sphalm. = *Onobrychis venosa*.  
 versicolor, *Fisch. ex DC. Prod.* ii. 281 = floribunda.  
 verticillaris, *DC. Astrag.* 88.—Sibir.  
 verticillaris, *Ledeb. Fl. Ross.* i. 579 = oxyphylla.  
 viscida, *Nutt. ex Torr. & Gray, Fl. N. Am.* i. 341 = campestris.  
 viscosa, *Pers. Syn.* ii. 332 = foetida.  
 viscosa, *Turcz. ex Steud. Nom. ed. II.* ii. 244 (Quid?).—Sibir. baical.

OXYURA, *DC. Prod.* v. 693 (1836) = *Layia*, *Hook. & Arn. (Compos.)*.  
*chrysanthemoides*, *DC. Prod.* v. 693 = *L. chrysanthemoides*.



## OXYURA:—

*chrysanthemoides*, Lindl. Bot. Reg. t. 1850 = *Layia calliglossa*.  
*Douglasii*, E. Mey. Ind. Sem. Hort. Regiom. (1845) = *L. Douglasii*.

## OYEDAEA, DC. Prod. v. 576 (1836). COMPOSITAE, Benth. &amp; Hook. f. ii. 374.

SERPAEA, Gardn. in Hook. Lond. Journ. vii. (1848) 296.  
*acuminata*, Benth. & Hook. f. Gen. ii. 374; et ex Hemsl. Biol. Centr. Am. Bot. ii. 176.—Mexic.  
*ampeloides*, Hemsl. l. c.—Mexic.  
*angustifolia*, Gardn. in Hook. Lond. Journ. Bot. vii. (1848) 293.—Bras.  
*bahiensis*, Baker, in Mart. Fl. Bras. vi. iii. 206.—Bras.  
*Bonplandiana*, Benth. & Hook. f. Gen. ii. 374.—Bras.  
*bupthalamoides*, DC. Prod. v. 577.—Peruv.  
*Cuerviana*, Triana, in Ann. Sc. Nat. Sér. IV. ix. (1858) 39.—N. Granat.  
*helianthoides*, Triana, l. c. 38.—N. Granat.  
*Humboldtiana*, Benth. & Hook. f. Gen. ii. 374.—Bras.  
*lippioides*, Baker, in Mart. Fl. Bras. vi. iii. 208.—Bras.  
*macrophylla*, Benth. & Hook. f. Gen. ii. 374; et ex Hemsl. Biol. Centr. Am. Bot. ii. 176.—Mexic.  
*ovalifolia*, A. Gray, in Proc. Am. Acad. v. (1861) 183.—Mexic.  
*ovata*, Benth. & Hook. f. Gen. ii. 374.—Bras.  
*rotundifolia*, Baker, in Mart. Fl. Bras. vi. iii. 208.—Bras.  
*Seemannii*, A. Gray, in Proc. Am. Acad. xix. (1883) 10 = *Viguiera Seemannii*.  
*verbesinoides*, DC. in Deless. Ic. Sel. iv. t. 34.—Venezuela.  
*vestita*, Baker, in Mart. Fl. Bras. vi. iii. 207.—Bras.

OZANTHES, Rafin. Sylva Tellur. 133 (1838) = *Lindera*, Thunb. (Laurin.).

*Benzoin*, Rafin. l. c. = *L. Benzoin*.

OZARTHRI, Rafin. Fl. Tellur. iv. 92 (1836) = *Cassythia*, Linn. (Laurin.).

*capense*, Rafin. l. c. = *C. capensis*.  
*opuntioides*, Rafin. l. c.—Hab. ?  
*paradoxa*, Rafin. l. c.—Hab. ?  
*triquetra*, Rafin. l. c. = *Hab. ?*

OZIROË, Rafin. Fl. Tellur. iii. 53 (1836) = *Ornithogalum*, Tourn. (Liliac.).

*leuchlora*, Rafin. l. c. 54 = *O. biflorum*.

OZODIA, Wight & Arn. Prod. 375 (1834) = *Foeniculum*, Tourn. (Umbell.).

*foeniculacea*, Wight & Arn. l. c. = *F. vulgare*.

OZODYCUS, Rafin. Atl. Journ. 145 (1832) = *Cucurbita*, Tourn.

*perennis*, Rafin. l. c. = *C. foetidissima*.

OZOMELIS, Rafin. Fl. Tellur. ii. 73 (1836) = *Mitella*, Tourn. (Saxifr.).

*varians*, Rafin. l. c. = *M. trifida*.

OZOPHYLLUM, Schreb. Gen. 452 (1791) = *Ticorea*, Aubl. (Rutac.).

*foetidum*, Raeusch. Nom. ed. III. 191 = *T. foetida*.  
*trifoliatum*, Willd. Sp. Pl. iii. 585 = *T. foetida*.

OZOROA, Delile, in Ann. Sc. Nat. Sér. III. xx. (1843) 91. t. 1 = *Anaphrenium*, E. Mey. (Anacard.).

*insignis*, Delile, l. c. = *A. abyssinicum*.

OZOTHAMNUS, R. Br. in Trans. Linn. Soc. xii. (1816) 125 = *Helichrysum*, Vaill. (Compos.).

*adnatus*, DC. Prod. vi. 166 = *H. adnatum*.  
*antennaria*, Hook. f. Fl. Tasman. i. 203 = *H. antennarium*.  
*Backhousii*, Hook. f. l. c. 204 = *H. Backhousii*.  
*Becklerii*, F. Muell. Fragm. i. 183 = *H. Becklerii*.  
*bracteolatus*, Hook. f. Fl. Tasman. i. 203 = *H. bracteolatum*.  
*cinereus*, DC. Prod. vi. 165 = *H. cinereum*.  
*coralloides*, Hook. f. Fl. N. Zel. ii. 332.—N. Zel.  
*decurrens*, F. Muell. in Trans. Phil. Inst. Vict. iii. (1859) 59 = *H. decurrens*.

## OZOTHAMNUS:—

*depressus*, Hook. f. Fl. N. Zel. 134.—N. Zel.  
*diosmaefolius*, DC. Prod. vi. 166 = *Helichrysum diosmaefolium*.  
*diotophyllum*, F. Muell. Fragm. v. 150 = *H. diotophyllum*.  
*ericaeifolius*, Hook. f. in Hook. Lond. Journ. Bot. vi. (1847) 119 = seq.  
*ericifolius*, A. Cunn. ex DC. Prod. vi. 166 = *H. diosmaefolium*.  
*ferrugineus*, DC. l. c. 165 = *Helipterum citrinum*.  
*glomeratus*, Hook. f. Fl. N. Zel. 133.—N. Zel.  
*Gunnii*, Hook. f. Fl. Tasman. i. 205 = *H. Gunnii*.  
*Hookeri*, Sond. in Linnaea, xxv. (1852) 509 = *H. baccharoides*.  
*lanceolatus*, J. Buch. in Trans. N. Z. Inst. ii. (1870) 88.—N. Zel.  
*ledifolius*, Hook. f. Fl. Tasman. i. 204 = *H. ledifolium*.  
*lepidophyllum*, Hook. f. in Hook. Lond. Journ. Bot. vi. (1847) 120 = *H. baccharoides*.  
*lepidophyllum*, Steetz, in Lehm. Pl. Preiss. i. 468 = *H. lepidophyllum*.  
*lycopodioides*, Hook. f. in Hook. Lond. Journ. Bot. vi. (1847) 119 = *H. lycopodioides*.  
*microphyllum*, Hook. f. Fl. N. Zel. 134. t. 35 A.—N. Zel.  
*obcordatus*, DC. Prod. vi. 165 = *H. obcordatum*.  
*pholidotus*, F. Muell. Fragm. ii. 131 = *H. pholidotum*.  
*pinifolius*, DC. Prod. vi. 166; R. Br. ex A. Cunn. in Ann. Nat. Hist. Ser. I. ii. (1839) 129.—N. Zel.  
*purpurascens*, DC. l. c. 165 = *H. diosmaefolium*.  
*reticulatus*, DC. l. c. 164 = *H. reticulatum*.  
*retusus*, Sond. & F. Muell. in Linnaea, xxv. (1852) 510 = *H. adnatum*.  
*rosmarinifolius*, DC. Prod. vi. 165 = *H. diosmaefolium*.  
*rufescens*, DC. l. c.—Austral.  
*scaber*, F. Muell. in Linnaea, xxv. (1852) 407 = *H. adnatum*.  
*scutellifolius*, Hook. f. Fl. Tasman. i. 202. t. 56 = *H. scutellifolium*.  
*selaginioides*, Sond. & F. Muell. in Linnaea, xxv. (1852) 510 = *H. selaginioides*.  
*Selago*, Hook. f. Fl. N. Zel. i. 332.—N. Zel.  
*tephrodes*, Turcz. in Bull. Soc. Nat. Mosc. xxiv. (1851) 11. 79 = *H. obtusifolium*.  
*thyrsoides*, DC. Prod. vi. 165 = *H. diosmaefolium*.  
*turbinatus*, DC. l. c. 164 = *H. cinereum*.  
*Vauvilliersii*, Hombron & Jacquinot, ex Decne. Bot. Voy. Astrol. et Zél. 38 = *Cassinia Vauvilliersii*.

OZOTIS, Rafin. Alsog. Am. 71 (1838) = *Aesculus*, Linn. (Sapind.).

*trifoliata*, Rafin. l. c. = *Ae. glabra*.

OZOXETA, Rafin. Sylva Tellur. 75 (1838) = *Helicteres*, Pluk. (Stercul.).

*ovata*, Rafin. l. c. = *H. pentandra*.

## P

PACHEA, Pourr. ex Steud. Nom. ed. II. i. 449, in syn. (1840) = *Crypsis*, Ait. (Gramin.).PACHIDENDRON, Haw. Rev. Pl. Succ. 35 (1821) = *Aloë*, Tourn. (Liliac.).

*africanum*, Haw. l. c. 36 = *A. africana*.  
*angustifolium*, Haw. l. c. 38 = *Gasteria disticha*.  
*ferox*, Haw. l. c. = *A. ferox*.  
*Principis*, Haw. l. c. 37 = *A. Salm-Dyckiana*.  
*Pseudoafricanum*, Haw. ex Steud. Nom. ed. II. ii. 245 = *A. africana*.  
*Pseudoferox*, Haw. Rev. Pl. Succ. 38 = *A. ferox*.  
*supralaeve*, Haw. l. c. 40 = *A. supralaevis*.

PACHILA, Rafin. in Loud. Gard. Mag. viii. (1832) 246 = *Erucaria*, Gaertn. (Crucif.).PACHILOMA, Rafin. New Fl. Am. iv. 33 (1836) = *Polytaenia*, DC. (Umbell.).

*Nuttallii*, Rafin. l. c. = *P. Nuttallii*.  
*verticillata*, Rafin. l. c. = *P. Nuttallii*.

PACHIPHILLUM, La Llave & Lex. Nov. Veg. Desc. fasc. ii. (Orch. Opusc.) 42 = *Pachyphyllum*, H. B. & K. (Orchid.).

## PACHIRA, Aubl. Pl. Gui. ii. 725. tt. 291, 292 (1775).

*MALVACEAE*, Benth. & Hook. f. i. 210.  
*CAROLINEA*, Linn. f. Suppl. 51 (1781).  
*PACHYRA*, A. St. Hil. & Naud. in Ann. Sc. Nat. Sér. II. xviii. (1842) 209.  
*SOPHIA*, Linn. Pl. Surin. n. 86 (1775); Amoen. Acad. viii. 259.  
*affinis*, Decne. in Fl. des Serres, xxiii. (1880) 52.—Bras.  
*alba*, Walp. Rep. i. 329.—N. Granat.  
*angusta*, Duchass. ex Decne. in Fl. des Serres, xxiii. (1880) 52 = *sessilis*.  
*aquatica*, Aubl. Pl. Gui. ii. 726. tt. 291, 292.—Am. trop.  
*arenaria*, A. St. Hil. Fl. Bras. Mer. i. 261.—Bras.  
*aurea*, Decne. in Fl. des Serres, xxiii. (1880) 47.—Mexic.  
*Barrigon*, Seem. Bot. Voy. Herald, 83.—Panama.  
*bracteolata*, Decne. in Fl. des Serres, xxiii. (1880) 51.—Venezuela.  
*campestris*, Decne. l. c. 52.—Bras.  
*Commersonii*, Planch. ex Decne. l. c. 48.—Bras.  
*cyathophora*, Casar. Nov. Stirp. Bras. Dec. 21.—Bras.  
*decaphylla*, A. St. Hil. & Naud. in Ann. Sc. Nat. Sér. II. xviii. (1842) 209.—Bras.  
*emarginata*, A. Rich. Ess. Fl. Cub. 176.—Cuba.  
*fastuosa*, Decne. in Fl. des Serres, xxiii. (1880) 48.—Mexic.  
*Fendleri*, Seem. Bot. Voy. Herald, 83 = *Bombax Fendleri*.  
*glabra*, Pasq. in Rendic. Acc. Nap. vii. (1868) 18.—Hab. ?  
*grandiflora*, Tussac, Fl. Antill. iv. 12. tt. 3, 4.—Ind. occ.  
*humilis*, Spruce, ex Benth. in Journ. Linn. Soc. vi. (1862) 108 = *Bombax humile*.  
*insignis*, Savign. in Lam. Encyc. iv. 690.—Mexic.  
*Loddigesii*, Decne. in Fl. des Serres, xxiii. (1880) 51.—Ind. occ.  
*longiflora*, Decne. l. c. 52.—Bras.  
*longifolia*, Hook. Bot. Mag. t. 4549.—Mexic.  
*macrantha*, A. St. Hil. Fl. Bras. Mer. i. 261.—Bras.  
*macrantha*, Spruce, ex Decne. in Fl. des Serres, xxiii. (1880) 47.—Bras.  
*macrocarpa*, Walp. Rep. i. 329.—Mexic.  
*marginata*, A. St. Hil. Fl. Bras. Mer. i. 260.—Bras.  
*minor*, Hemsl. Biol. Centr. Am. Bot. i. 124.—Mexic.  
*nitida*, H. B. & K. Nov. Gen. et Sp. v. 302 = *aquatica*.  
*oleagina*, Decne. in Fl. des Serres, xxiii. (1880) 49.—Hab. ?  
*pulchra*, Planch. & Linden, ex Triana & Planch. in Ann. Sc. Nat. Sér. IV. xvii. (1862) 320.—N. Granat.  
*rufescens*, A. St. Hil. & Naud. in Ann. Sc. Nat. Sér. II. xviii. (1842) 210 = *Bombax carolinum*.  
*sessilis*, Benth. Bot. Voy. Sulph. 70.—Panama.  
*speciosa*, Triana & Planch. in Ann. Sc. Nat. Sér. IV. xvii. (1862) 319.—N. Granat.  
*Spruceana*, Decne. in Fl. des Serres, xxiii. (1880) 46.—Bras.  
*stenopetala*, Casar. Nov. Stirp. Bras. Dec. 21.—Bras.  
*tomentosa*, Endl. ex Walp. Rep. i. 329.—Bras.

**PACHISTIMA**, Rafin. in Am. Monthly Mag. (1818) 176. *CELASTRINEAE*, Benth. & Hook. f. i. 361.  
*OREOPHILA*, Nutt. ex Torr. & Gray, Fl. N. Am. i. 258 (1840).  
*PACHYSTIGMA*, Meissn. Gen. Comm. 348 (1843), sphalm.  
*Canbyi*, A. Gray, in Proc. Am. Acad. viii. (1873) 623.—Am. bor.  
*Myrsinites*, Rafin. in Am. Monthly Mag. (1818) 176.—Am. bor.

**PACHITES**, Lindl. Gen. et Sp. Orch. 301 (1835). *ORCHIDEAE*, Benth. & Hook. f. iii. 629.  
*appressa*, Lindl. l. c.—Afr. austr.

**PACHYANTHUS**, A. Rich. Ess. Fl. Cub. i. 559 (1845). *MELASTOMACEAE*, Benth. & Hook. f. i. 762.  
*CHALYBREA*, Naud. in Ann. Sc. Nat. Sér. III. xvi. (1851) 99.  
*SARCOMERIS*, Naud. l. c. xv. (1851) 340.



**PACHYANTHUS** :—

angustifolius, *Griseb. Cat. Pl. Cub.* 101.—Cuba.  
 corymbosus, *Triana, in Trans. Linn. Soc.* xxviii.  
 (1871) 97.—N. Granat.  
 cubensis, *A. Rich. Ess. Fl. Cub.* i. 560.—Cuba.  
 oleifolius, *Griseb. Cat. Pl. Cub.* 100.—Cuba.  
 Poiretii, *Griseb. l. c.* 101.—Cuba.  
 Wrightii, *Griseb. l. c.* = *Miconia Wrightii*.

**PACHYCALYX**, Klotzsch, in *Linnaea*, xii. (1838) 230 =  
**Simocheilus**, Klotzsch (Ericac.).  
 glaber, Klotzsch, l. c. 231 = *S. glaber*.  
 hispidus, Klotzsch, l. c. = *S. hispidus*.  
 inaequalis, Klotzsch, l. c. = *S. glaber*.  
 pubescens, Klotzsch, l. c. 230 = *S. Ecklonianus*.

**PACHYCARPUS**, E. Mey. *Comm. Pl. Afr. Austr.* 209  
 (1837) = **Gomphocarpus**, R. Br. (Asclep.).  
 albens, E. Mey. l. c. 214 = *G. albens*.  
 appendiculatus, E. Mey. l. c. 210 = *G. appendicu-*  
*latus*.  
 asperifolius, Meissn. in *Hook. Lond. Journ. Bot.* ii.  
 (1848) 544 (err. typ. 444) = *G. asperifolius* (cf.  
 Addend.).  
 concolor, E. Mey. *Comm. Pl. Afr. Austr.* 210 = *G.*  
*concolor*.  
 corniculatus, Hochst. in *Flora*, xxvii. (1844) 101 =  
*Asclepias micrantha*.  
 coronarius, E. Mey. *Comm. Pl. Afr. Austr.* 209 =  
*G. coronarius*.  
 crispus, E. Mey. l. c. 214 = *G. crispus*.  
 dealbatus, E. Mey. l. c. 211 = *G. dealbatus*.  
 gomphocarpoides, E. Mey. l. c. 213.—Afr. austr.  
 grandiflorus, E. Mey. l. c. 209 = *G. grandiflorus*.  
 humilis, E. Mey. l. c. 212 = *G. humilis*.  
 ligulatus, E. Mey. l. c. 211 = *G. dealbatus*.  
 marginatus, E. Mey. l. c. 213 = *G. marginatus*.  
 orbicularis, E. Mey. l. c. 212 = *Xysmalobium orbicu-*  
*lare*.  
 reflectens, E. Mey. l. c. 210 = *G. reflectens*.  
 reflexus, Steud. *Nom. ed. II.* ii. 245 = *praec.*  
 rigidus, E. Mey. *Enum. Pl. Afr. Austr.* 211 = *G.*  
*rigidus*.  
 vexillaris, E. Mey. l. c. 212 = *G. dealbatus*.  
 vexillatus, Steud. *Nom. ed. II.* ii. 245 = *praec.*  
 viridiflorus, E. Mey. *Comm. Pl. Afr. Austr.* 214 = *G.*  
*viridiflorus*.

**PACHYCENTRIA**, Blume, in *Flora*, xiv. (1831) 519.  
**MELASTOMACEAE**, Benth. & Hook. f. i. 760.  
 constricta, *Blume, l. c.* 520.—Java.  
 cordata, Korth. ex Blume, *Mus. Bot. Lugd. Bat.* i. 24  
 = *tuberculata*.  
 elliptica, *Blume, l. c.* 23.—Borneo.  
 glauca, *Triana, in Trans. Linn. Soc.* xxviii. (1871) 89.  
 —Borneo.  
 Junghuhniana, *Miq. Fl. Ind. Bat.* i. i. 552.—Java.  
 laxiflora, *Blume, Mus. Bot. Lugd. Bat.* i. 23.—  
 Sumatra.  
 rigida, *Blume, l. c.* 23.—Sumatra.  
 tuberculata, Korth. *Verh. Nat. Gesch. Bot.* 246. t. 63.  
 —Borneo.  
 varingaefolia, *Blume, in Flora*, xiv. (1831) 520.—  
 Java.  
 varingaefolia, Korth. in *Verh. Nat. Gesch. Bot.* t. 63.  
 f. 2 = *laxiflora*.  
 varingaefolia, Mor. *Syst. Verz. Zoll.* 11 = *Zollingeriana*.  
 Walkeri, Thw. *Enum. Pl. Zeyl.* 107 = *Kendrickia*  
*Walkeri*.  
 Zollingeriana, *Naud. in Ann. Sc. Nat. Sér.* III. xv.  
 (1851) 301.—Java.

**PACHYCENTRON**, Pomel, *Nouv. Mat. Fl. Atl.* 32  
 (1874) = **Centaurea**, Linn. (Compos.).

**PACHYCHAETA**, Sch. Bip. ex Baker, in *Mart. Fl.*  
*Bras.* vi. ii. 186 (1876) = **Ophryosporus**, Meyen  
 (Compos.).  
 eupatorioides, Sch. Bip. ex Baker, l. c. 187 = *O.*  
*Pachychaeta*.

**PACHYCHILUS**, Blume, *Fl. Jav. Praef.* 7 (1828) =  
**Pachystoma**, Blume (Orchid.).  
 chinensis, Blume, *Mus. Bot. Lugd. Bat.* ii. 173 =  
*Pachystoma chinensis*.  
 montanus, Blume, l. c. = *Pachystoma senile*.

**PACHYCHILUS** :—

*pantanus*, Blume, *Mus. Bot. Lugd. Bat.* ii. 173 =  
*Pachystoma pantanum*.  
 pubescens, Blume, l. c. = *Pachystoma pubescens*.  
 senilis, Blume, l. c. = *Pachystoma senile*.  
 Smithianus, Blume, l. c. = *Pachystoma senile*.  
 speciosum, Blume, *Orch. Archip. Ind.* 29. t. 22 =  
*Pachystoma senile*.

**PACHYCLADON**, Hook. f. *Handb. N. Zeal. Fl.*  
 724 (1864). **CRUCIFERAE**, Benth. & Hook. f. i.  
 967.  
 glabra, *♀. Buch. in Trans. N. Z. Inst.* xiv. (1882) 344.  
 —N. Zel.  
 Novae-Zelandiae, *Hook. f. Handb. N. Zeal. Fl.* i. 724.  
 —N. Zel.

**PACHYCORNIA**, Hook. f. in Benth. & Hook. f.  
*Gen.* iii. 65 (1880). **CHENOPODIACEAE**, Benth.  
 & Hook. f. l. c.  
 robusta, *Hook. f. l. c.*—Austral.

**PACHYDENDRON**, Dum. *Anal. Fam.* 60 (1829) =  
**PACHIDENDRON**, Haw. = **Aloë**, Linn. (Liliac.).

**PACHYDERIS**, Cass. in *Dict. Sc. Nat.* lvi. 170 (1828)  
 = **Pteronia**, Linn. (Compos.).  
 oblongifolia, Steud. *Nom. ed. II.* ii. 245, sphalm. = seq.  
 obtusifolia, Cass. in *Dict. Sc. Nat.* lvi. 170 = *Pteronia*  
*leptalepis*.

**PACHYDERMA**, Blume, *Bijdr.* 682 (1825) = **Olea**,  
 Tourn.  
 javanicum, Blume, l. c. = *O. maritima*.

**PACHYGLOSSUM**, Decne. in *Ann. Sc. Nat. Sér.* II. ix.  
 (1838) 345, in obs. = **Oxypetalum**, R. Br. (Asclep.).

**PACHYGONE**, Miers, in *Ann. & Mag. Nat. Hist.*  
*Ser.* II. vii. (1851) 43. **MENISPERMACEAE**,  
 Benth. & Hook. f. i. 38.

**HYPERBAENA**, Miers, in *Ann. & Mag. Nat. Hist.*  
*Ser.* II. vii. (1851) 44.  
 KOON, Gaertn. *Fruct.* ii. 486. t. 180 (1791), nomen  
 prius.

*adversa*, Miers, in *Ann. & Mag. Nat. Hist. Ser.* III.  
 xix. (1867) 321; *Contrib.* iii. 332 = *ovata*.  
*brachystachys*, Miers, l. c. *Ser.* II. vii. (1851) 43;  
*Ser.* III. xix. (1867) 321; *Contrib.* iii. 334 = *ovata*.  
*columbica*, *Eichl. in Flora*, xlvii. (1864) 394.—N.  
 Granat.

*concinna*, Miers, in *Ann. & Mag. Nat. Hist. Ser.* III.  
 xix. (1867) 321; *Contrib.* iii. 331 = *ovata*.  
*cubensis*, *Griseb. Cat. Pl. Cub.* 4.—Cuba.  
*dasycarpa*, *Kurz, in Journ. As. Soc. Beng.* xxxix.  
 (1870) ii. 62.—Burma.

*domingensis*, *Eichl. in Flora*, xlvii. (1864) 394.—Ins.  
 S. Doming.  
*graciliflora*, *Sagot, in Ann. Sc. Nat. Sér.* VI. xi. (1881)  
 141.—Guian.

*hebeophylla*, Miers, in *Ann. & Mag. Nat. Hist. Ser.* III.  
 xix. (1867) 321; *Contrib.* iii. 333 = *ovata*.  
*Hullsi*, *F. Muell. Fragm.* ix. 81.—Austral.  
*leptostachys*, Miers, in *Ann. & Mag. Nat. Hist. Ser.* II.  
 vii. (1851) 43; *Ser.* III. xix. (1867) 321; *Contrib.*  
 iii. 335 = *ovata*.

*oblongifolia*, *Eichl. in Flora*, xlvii. (1864) 394.—Bras.  
*odorifera*, Miers, in *Ann. & Mag. Nat. Hist. Ser.* III.  
 xix. (1867) 321; *Contrib.* iii. 333 = *ovata*.  
*ovata*, Miers, ex *Hook. f. & Thoms. Fl. Ind.* i. 203.—  
 Ind. or.; Malaya.

*Plukenetii*, Miers, in *Ann. & Mag. Nat. Hist. Ser.* II.  
 vii. (1851) 43; *Ser.* III. xix. (1867) 321; *Contrib.* iii.  
 330.—Ind. or.  
*pubescens*, *Benth. Fl. Austral.* i. 58.—Austral.  
*Wightiana*, Miers, in *Ann. & Mag. Nat. Hist. Ser.* II.  
 vii. (1851) 43 = *ovata*.

**PACHYLAENA**, D. Don, ex Hook. & Arn. in *Hook.*  
*Comp. Bot. Mag.* i. (1835) 106. **COMPOSITAE**,  
 Benth. & Hook. f. ii. 495.

**CHIONOPTERA**, DC. *Prod.* vii. 14 (1838).  
*atriplicifolia*, D. Don, ex *Hook. & Arn. in Hook. Comp.*  
*Bot. Mag.* i. (1835) 106.—Chili.  
*elegans*, *Phil. in Linnaea*, xxxiii. (1864–65) 113.—  
 Chili.

**PACHYLEPIS**, Brongn. in *Ann. Sc. Nat. Sér.* I. xxx.  
 (1831) 189 = **Callitris**, Vent. (Conif.).  
*Commersonia*, Brongn. l. c. (= *Widdringtonia*  
*Commersonii*).—Madag.  
*cupressoides*, Brongn. l. c. = *C. cupressoides*.  
*juniperoides*, Brongn. l. c. = *C. arborea*.

**PACHYLEPIS**, Less. *Syn. Comp.* 139 (1832) = **Rodigia**,  
 Spreng. (Compos.).  
*Kalmii*, Less. l. c.—Am. bor.

**PACHYLOBUS**, G. Don, *Gen. Syst.* ii. 89 (1832) =  
**Canarium**, Linn. (Burs.).  
*edulis*, G. Don, l. c. = *C. edule*.

**PACHYLOMA**, DC. *Prod.* iii. 122 (1828) = **Comolia**,  
 DC. (Melastom.).  
*coriaceum*, DC. l. c. 123.—Bras.  
*huberioides*, Triana, in *Trans. Linn. Soc.* xxviii. (1871)  
 64 = *Urodesmium huberioides*.

**PACHYLOMA**, Spach, *Hist. Vég. Phan.* vii. 194 (1839)  
 = **Ranunculus**, Tourn.  
*arvense*, Spach, l. c. 195 = *R. arvensis*.

**PACHYLOPHUS**, Spach, *Hist. Vég. Phan.* iv. 365 (1835)  
 = **Oenothera**, Linn. (Onagrar.).  
*Nuttalliana*, Spach, in *Ann. Mus. Par. Sér.* III. iv.  
 (1835) 356. t. 30 = seq.  
*Nuttallii*, Spach, *Hist. Vég. Phan.* iv. 365 = *Oe. caes-*  
*pitosa*.

**PACHYMERIA**, Benth. *Pl. Hartw.* 130 (1844) =  
**Meriania**, Sw. (Melastom.).  
*rigida*, Benth. l. c. = *M. rigida*.

**PACHYMITRA**, Nees, in *Mart. Fl. Bras.* ii. i. 115  
 (1842) = **Rynchospora**, Vahl (Cyperac.).  
*candida*, Nees, ex Boeck. l. c. 616 = *R. rufa*.  
 606 = *R. candida*.  
*conferta*, Nees, ex Boeck. l. c. 615 = *R. velutina*.  
*rufa*, Nees, ex Boeck. l. c. 616 = *R. rufa*.  
*velutina*, Nees, in *Mart. Fl. Bras.* ii. i. 115 = *R. velutina*.

**PACHYNE**, Salisb. in *Trans. Hort. Soc.* i. (1812)  
 299 = **Phaius**, Lour. (Orchid.).  
*spectabilis*, Salisb. l. c. = *Ph. grandifolius*.

**PACHYNEMA**, R. Br. ex DC. *Syst.* i. 411 (1818).  
**DILLENIACEAE**, Benth. & Hook. f. i. 15.  
 HUTTIA, Drumm. & Harv. in *Hook. Kew Journ.*  
 vii. (1855) 51.

*complanatum*, *R. Br. ex DC. Syst.* i. 412.—Austral.  
*conspicuum*, *Benth. Fl. Austral.* i. 47.—Austral.  
*dilatatum*, *Benth. l. c.* 48.—Austral.  
*juncum*, *Benth. l. c.* i. 47.—Austral.  
*sphenandrum*, *F. Muell. & Tate, in Trans. Roy. Soc.*  
*S. Austral.* v. (1882) 79.—Austral.

**PACHYNEURUM**, Bunge, *Del. Sem. Hort. Dorp.* (1839)  
 8; et in *Linnaea*, xiv. (1840) Litt. 121 = **Parrya**,  
 (Crucif.).  
*grandiflorum*, Bunge, *Il. cc.* = *Parrya microcarpa*.

**PACHYNOCARPUS**, Hook. f. in *Trans. Linn. Soc.*  
 xxiii. (1860) 159. t. 22. **DIPTEROCARPEAE**,  
 Benth. & Hook. f. i. 192.  
*umbonatus*, *Hook. f. l. c.*—Borneo.

**PACHYPHRAGMA**, Reichb. *Nom.* 179 (1841) =  
**Thlaspi**, Dill. (Crucif.).

**PACHYPHYLLUM**, H. B. & K. *Nov. Gen. et*  
*Sp.* i. 338. t. 77. (1815). **ORCHIDEAE**, Benth. &  
 Hook. f. iii. 571.  
*crystallinum*, *Lindl. Orch. Linden.* 18.—Venezuela.  
*Cuencae*, *Reichb. f. in Linnaea*, xli. (1877) 31.—  
 Ecuador.  
*distichum*, *H. B. & K. Nov. Gen. et Sp.* i. 339. t. 77.—  
 Peruv.  
*distichum*, *Lindl. ex Reichb. f. in Bonplandia*, iii.  
 (1855) 219 = *Hartwegii*.  
*echinocarpon*, *Spreng. Syst.* iii. 731.—Am. austr.  
*falcifolium*, *Reichb. f. in Linnaea*, xli. (1877) 32.—  
 Peruv.  
*Hartwegii*, *Reichb. f. in Bonplandia*, iii. (1855) 219.—  
 Ecuador.



**PACHYPHYLLUM** :—

- parvifolium, *Lindl. in Hook. Ic. Pl.* ii. (1837) t. 117.—Peruv.  
 Pastii, *Reichb. f. in Bonplandia*, iii. (1855) 239.—Peruv.  
 pectinatum, *Reichb. f. Xenia Orch.* iii. 22.—Chili.  
 procumbens, *Lodd. Cat. ex W. Baxt. in Loud. Hort. Brit. Suppl.* iii. 601, nomen.—Mexic.  
 pseudo-dichaea, *Reichb. f. Xenia Orch.* iii. 22.—Bolivia.  
 scandens, *La Llave & Lex. Nov. Veg. Desc. fasc.* ii. (Orch. Opusc.) 28.—Mexic.  
 Serra, *Reichb. f. in Bonplandia*, iii. (1855) 219.—Peruv.  
 squarrosium, *Lindl. in Ann. & Mag. Nat. Hist. Ser. I.* xv. (1845) 107.—N. Granat.  
 uniflorum, *La Llave & Lex. Nov. Veg. Desc. fasc.* ii. (Orch. Opusc.) 42.—Mexic.

- PACHYPHYTUM**, Link, Klotzsch & Otto, in Otto & Dietr. Allg. Gartenz. ix. (1841) 9 = **Cotyledon**, Linn. (Crassul.).  
*bracteosum*, Link, Klotzsch & Otto, l. c. 10 = **C.** *Pachyphytum*.  
*Lingua*, Hort. ex Baker, in Saund. Refug. Bot. sub t. 58 = **C.** *linguaefolia*.  
*roseum*, Hort. ex Baker, l. c. sub t. 60 = **C.** *adunca*.

- PACHYPLEURUM**, Ledeb. Fl. Alt. i. 296 (1829) = **Ligusticum**, Linn. (Umbell.).  
*albo-marginatum*, Rupr. Ser. Tiansch. 49 = **L.** *simplex*.  
*alpinum*, Ledeb. Fl. Alt. i. 297.—Sibir. altaic.  
*pyrenaicum*, Mutel, Fl. Fr. ii. 31, 403 = **Seseli nanum**.  
*simplex*, Reichb. Fl. Germ. Excurs. 471 = **L.** *simplex*.

- PACHYPODIUM**, Lindl. Bot. Reg. t. 1321 (1830). **APOCYNACEAE**, Benth. & Hook. f. ii. 722.  
 BELONITES, E. Mey. Comm. Pl. Afr. Austr. 187 (1837).  
 bispinosum, *A. DC. in DC. Prod.* viii. 424.—Afr. austr.  
*glabrum*, G. Don, Gen. Syst. iv. 77 = *bispinosum*.  
 Lealii, *Welw. in Trans. Linn. Soc.* xxvii. (1869) 45.—Afr. trop.  
 namaquanum, *Welw. l. c.*—Afr. austr.  
 obesum, *A. DC. in DC. Prod.* viii. 412, in syn. = **Adenium obesum**.  
 rosulatum, *Baker, in Journ. Bot.* xx. (1882) 219.—Madag.  
 Rutenbergianum, *Vatke, in Bremen, Abh.* ix. (1885) 125.—Madag.  
*succulentum*, Steud. Nom. ed. II. i. 196; ii. 245 = *tomentosum*.  
 tomentosum, *G. Don, Gen. Syst.* iv. 78.—Afr. austr.  
 tuberosum, *Lindl. Bot. Reg.* t. 1321 = *tomentosum*?

- PACHYPODIUM**, Nutt. ex Torr. & Gray, Fl. N. Am. i. 96 (1838) = **Thelypodium**, Endl. (Crucif.).  
*brachycarpum*, Torr. Bot. Am. Expl. Exped. ii. t. 1 = **T.** *brachycarpum*.  
*integrifolium*, Nutt. ex Torr. & Gray, Fl. N. Am. i. 96 = **T.** *integrifolium*.  
*laciniatum*, Nutt. l. c. = **T.** *laciniatum*.  
*linearifolium*, A. Gray, in Proc. Am. Acad. vi. (1866) 187 = **T.** *linearifolium*.  
*sagittatum*, Nutt. ex Torr. & Gray, Fl. N. Am. i. 97 = **T.** *sagittatum*.

- PACHYPODIUM**, Webb & Berth. Phyt. Canar. i. 74 (1836-40) = **Sisymbrium**, Tourn. (Crucif.).  
*bursifolium*, Endl. Gen. ii. 874 = **S.** *bursifolium*.  
*Columnae*, Webb, Iter Hisp. 75 = **S.** *Columnae*.  
*erysimoides*, Webb & Berth. Phyt. Canar. i. 75 = **S.** *erysimoides*.  
*pannonicum*, Endl. Gen. ii. 874 = **S.** *pannonicum*.

- PACHYPTERA**, DC. in Meissn. Gen. 299; Comm. 207 (1840); et Prod. ix. 175 (1845) = **Adenocalymna**, Mart. (Bignon.).  
*dasyantha*, DC. Prod. ix. 176.—Bras.  
*foveolata*, DC. l. c. 175.—Guian.  
*Perrottetii*, DC. l. c. 176.—Guian.  
*puberula*, DC. l. c. 175.—Bras.  
*striata*, DC. l. c. 176.—Bras.  
*umbelliformis*, DC. l. c. 175.—Bras.

- PACHYPTERIS**, Kar. & Kir. in Bull. Soc. Nat. Mosc. xv. (1842) 158 = **Pachypterygium**, Bunge, (Crucif.).  
*multicaule*, Kar. & Kir. l. c. 159 = **Pachypterygium** *multicaule*.

- PACHYPTERYGIUM**, Bunge, in Del. Sem. Hort. Dorpat. (1843) 8; et in Linnaea, xviii. (1844) 155. **CRUCIFERAE**, Benth. & Hook. f. i. 94.

- PACHYPTERIS**, Kar. & Kir. in Bull. Soc. Nat. Mosc. xv. (1842) i. 159.  
*brevipes*, *Bunge, Del. Sem. Hort. Dorpat.* (1843) 8; et in *Linnaea*, xviii. (1844) 155.—Persia; Turkestan.  
*densiflorum*, *Bunge, ex Boiss. Fl. Orient.* i. 373.—Persia.  
*heterotrichum*, *Bunge, l. c.* 374.—Persia.  
*lamprocarpum*, *Bunge, Del. Sem. Hort. Dorpat.* (1843) 8; et in *Linnaea*, xviii. (1844) 155.—Persia; Turkestan.  
*multicaule*, *Bunge, in Linnaea*, xviii. (1844) 155.—Turkestan.  
*stelligerum*, *Franch. in Ann. Sc. Nat. Sér. VI.* xv. (1883) 227.—Turkestan.

- PACHYRA**, A. St. Hil. & Naud. in Ann. Sc. Nat. Sér. II. xviii. (1842) 209 = **Pachira**, Aubl. (Malvac.).

- PACHYRAPHEA**, Presl, Bot. Bemerk. 126 (1844); in Abh. Boehm. Ges. V. iii. (1845) 556 = **Aspalathus**, Linn. (Legumin.).  
*propinqua*, Presl, Bot. Bemerk. 126 = **A.** *propinqua*.  
*triquetra*, Presl, l. c. = **A.** *triquetra*.  
*Zeyheriana*, Presl, l. c. = **A.** *triquetra*.

- PACHYRHIZUS**, Rich. ex DC. Mém. Lég. 379 (1825). **LEGUMINOSAE**, Benth. & Hook. f. i. 540.  
 CACARA, Rumph. ex Thou. in Dict. Sc. Nat. v. 35 (1805).

- ROBYNSIA, Mart. & Gal. in Bull. Acad. Brux. x. II. (1843) 193.  
 TAENIOCARPUM, Desv. in Ann. Sc. Nat. Sér. I. ix. (1826) 420.  
*angulatus*, *Rich. ex DC. Prod.* ii. 402.—As. trop.  
*articulatus*, Duchass. ex Walp. in Flora, xxxvi. (1853) 226 = *angulatus*.  
*bulbosus*, Kurz, in Journ. As. Soc. Beng. xlv. (1876) II. 246 = *angulatus*.  
*ficamas*, Blanco, Fl. Filip. ed. I. 579 = *angulatus*.  
*mollis*, Hassk. in Flora, xxv. (1842) II. Beibl. 74; Cat. Hort. Bog. Alt. 280 = *Pueraria phaseoloides*.  
*montanus*, DC. Prod. ii. 402 = *Pueraria phaseoloides*.  
*orbicularis*, *Welw. ex Baker, in Oliver, Fl. Trop. Afr.* ii. 208.—Afr. trop.  
*palmatilobus*, *Benth. & Hook. f. Gen.* i. 540.—Mexic.  
*teres*, Blanco, Fl. Filip. ed. I. 580 = *Pueraria phaseoloides*.  
*Thunbergianus*, Sieb. & Zucc. in Abh. Akad. Muench. iv. III. (1846) 237 = *Pueraria Thunbergiana*.  
*trilobus*, DC. Prod. ii. 402 = *angulatus*, *Pueraria Thunbergiana*.  
*tuberosus*, *Spreng. Syst.* iv. *Cur. Post.* 281.—Ind. occ.

- PACHYRHYNCHUS**, DC. Prod. vi. 255 (1837). **COMPOSITAE**, Benth. & Hook. f. ii. 813.  
*xeranthemoides*, *DC. l. c.*—Afr. austr.

- PACHYRRHIZOS**, Spreng. Syst. iv. *Cur. Post.* 281 (1827) = **Pachyrhiza**, Rich. (Legumin.).

- PACHYSA**, D. Don, in Edinb. N. Phil. Journ. xvii. (1834) 153 = **Erica**, Tourn.  
*ardens*, D. Don, l. c. = **E.** *ardens*.  
*aristata*, G. Don, Gen. Syst. iii. 806 = **E.** *Vernix*.  
*baccans*, D. Don, in Edinb. N. Phil. Journ. xvii. (1834) 153 = **E.** *baccans*.  
*formosa*, G. Don, Gen. Syst. iii. 806 = **E.** *formosa*.  
*glomiflora*, G. Don, l. c. = **E.** *reflexa*.  
*Lambertiana*, G. Don, l. c. = **E.** *physodes*.  
*physodes*, G. Don, l. c. = **E.** *physodes*.  
*Vernix*, D. Don, in Edinb. N. Phil. Journ. xvii. (1834) 153 = **E.** *Vernix*.  
*vesicularis*, G. Don, Gen. Syst. iii. 806 = **E.** *vesicularis*.

- PACHYSANDRA**, Michx. Fl. Bor. Am. ii. 177 (1803). **EUPHORBIACEAE**, Benth. & Hook. f. iii. 267.

- coriacea*, Hook. Exot. Fl. ii. t. 148 = *Sarcococca prunifolia*.  
*erecta*, Rafin. ex Baill. Monog. Buxin. 56 = *procumbens*.  
*procumbens*, *Michx. Fl. Am. Bor.* ii. 178. t. 45.—Am. bor.  
*terminalis*, *Sieb. & Zucc. in Abh. Akad. Muench.* iv. II. (1843) 142.—Japon.

- PACHYSANTHUS**, Presl, Bot. Bemerk. 87 (1844); in Abh. Boehm. Ges. V. iii. (1845) 517 = **Rudgea**, Salisb. (Rubiace.).  
*macrophyllus*, Presl, l. c. = **R.** *Pachysanthus*.

- PACHYSTACHYS**, Nees, in Mart. Fl. Bras. ix. 99 (1847) = **Jacobinia**, Moric. (Acanth.).  
*asperula*, Nees, in DC. Prod. xi. 320 = **J.** *coccinea*.  
*coccinea*, Nees, l. c. 319 = **J.** *coccinea*.  
*laticor*, Nees, l. c. 320 = **J.** *coccinea*.  
*lutea*, Nees, l. c.—Peruv.  
*nutans*, Nees, l. c. = **J.** *nutans*.  
*Riedeliana*, Nees, in Mart. Fl. Bras. ix. 99.—Bras.

- PACHYSTEMON**, Blume, Bijdr. 626 (1825) = **Maca-ranga**, Thou. (Euphorb.).  
*bancanus*, Miq. Fl. Ind. Bat. Suppl. 462 = **M.** *bancana*.  
*depressus*, Muell. Arg. in Flora, xlvii. (1864) 465 = **M.** *depressa*.  
*populifolius*, Miq. Fl. Ind. Bat. Suppl. 462 = **M.** *populifolia*.  
*trilobus*, Blume, Bijdr. 626 = **M.** *triloba*.

- PACHYSTIGMA**, Hochst. in Flora, xxv. (1842) 234 = **Fadogia**, Schweinf. (Rubiace.).  
*lasianthum*, Sond. in Linnaea, xxiii. (1850) 55.—Afr. austr.  
*latifolium*, Sond. l. c. 56.—Afr. austr.  
*venosa*, Hochst. in Flora, xxv. (1842) 235.—Afr. austr.  
*Zeyheri*, Sond. in Linnaea, xxiii. (1850) 56 = **F.** *Zeyheri* (cf. Addend.).

- PACHYSTIGMA**, Hook. Ic. Pl. t. 698 (1844) = **Pelto-stigma**, Walp. (Rutac.).  
*pteleoides*, Hook. l. c. = **Peltost.** *pteleoides*.

- PACHYSTIGMA**, Meissn. Gen. Comm. 348 (1843) sphalm. = **Pachistima**, Rafin. (Celastr.).

- PACHYSTIMA**, 'Rafin.' ex Endl. Gen. Suppl. i. 1424 (1841) = **Pachistima**, Rafin. (Celastr.).

- PACHYSTOMA**, Blume, Bijdr. 376 (1825). **OR-CHIDEAE**, Benth. & Hook. f. iii. 511.  
 APATURIA, Lindl. Gen. et Sp. Orch. 130 (1831).  
 IPSEA, Lindl. l. c. 124 (1831).  
 PACHYCHILUS, Blume, Fl. Jav. Praef. 7 (1828).  
*angustifolium*, Reichb. f. in Bonplandia, v. (1857) 54, in nota = *Tainia angustifolia*.  
*chinensis*, *Reichb. f. l. c.* iii. (1855) 251.—Ins. Hong-kong.  
*Edgworthii*, Reichb. f. in Walp. Ann. iii. 464 = *senile*.  
*Fortuni*, Reichb. f. l. c. = *senile*.  
*Josephi*, Reichb. f. l. c. = *senile*.  
*Lindleyanum*, Reichb. f. in Bonplandia, iii. (1855) 251 = *senile*.  
*malabaricum*, Reichb. f. in Walp. Ann. vi. 462 = *senile*.  
*montanum*, Reichb. f. in Bonplandia, iii. (1855) 251 = *senile*.  
*pantanum*, *Miq. Fl. Ind. Bat.* iii. 675.—Borneo.  
*parvifolium*, Reichb. f. in Walp. Ann. vi. 463 = *senile*.  
*pubescens*, *Blume, Bijdr.* 376; *Tabell.* t. 29.—Java.  
*senile*, *Reichb. f. in Bonplandia*, iii. (1855) 251.—As. trop.; Malaya.  
*Smithianum*, Reichb. f. l. c. = *senile*.  
*speciosum*, Reichb. f. l. c. 250 = *senile*.  
*Thompsoni*, Hort. in Gard. Chron. (1879) II. 505, 627. ff. 102, 103 = seq.  
*Thompsonianum*, *Reichb. f. l. c.* 582.—Afr. trop.  
*Wightii*, Reichb. f. in Walp. Ann. vi. 464 = *senile*.

- PACHYSTROMA**, [Klotzsch] Muell. Arg. in Linnaea, xxxiv. (1865-66) 177. **EUPHORBIACEAE**, Benth. & Hook. f. iii. 307.  
 ACANTHOLOMA, Gaudich. ex Baill. Adansonia, vi. (1866) 231. t. 1.  
*ilicifolium*, *Muell. Arg. in Linnaea* xxxiv. (1865-66) 178.—Bras.

- PACHYSTYLUM**, Eckl. & Zeyh. Enum. 13 (1835) = **Heliophila**, Burm. f. (Crucif.).  
*glabrum*, Eckl. & Zeyh. l. c. = **H.** *glabra*.

- PACHYSURUS**, Steetz, in Lehm. Pl. Preiss. i. 441 (1845) = **Calocephalus**, R. Br. (Compos.).  
*aerovoides*, F. Muell. Fragm. iii. 154 = **C.** *aerovoides*.  
*angianthoides*, Steetz, in Lehm. Pl. Preiss. i. 441 = **C.** *angianthoides*.



## PACHYSURUS:—

*Francisii*, F. Muell. Fragm. iii. 155 = *Calocephalus Francisii*.  
*multiflorus*, Turcz. in Bull. Soc. Nat. Mosc. xxiv. (1851) i. 192 = *C. multiflorus*.  
*platycephalus*, F. Muell. Fragm. iii. 154 = *C. platycephalus*.

PACHYTHELIA, Steetz, in Peters, Reise Mossamb. Bot. 453 (1863) = *Epaltes*, Cass. (Compos.).  
*brasiliensis*, Steetz, l. c. 455 = *E. brasiliensis*.  
*mexicana*, Steetz, l. c. 454 = *E. mexicana*.

PACHYTHRIX, Hook. f. Fl. Antarct. i. 32, in syn. (1844) = *Pleurophyllum*, Hook. f. (Compos.).

PACHYTROPHE, Bur. in DC. Prod. xvii. 234 (1873). *URTICACEAE*, Benth. & Hook. f. iii. 363. Dimepate, Bur. l. c. —Madag.  
*obovata*, Bur. l. c. 235. —Madag.

PACOUREA, Hook. f. Fl. Brit. Ind. iii. 624 (1882), sphalm. = seq.

PACOURIA, Aubl. Pl. Gui. i. 268. t. 105 (1775) = *Landolphia*, Beauv. (Apocyn.).  
*Gudara*, Buch.-Ham. ex Wall. Cat. n. 4465 = *Willughbeia edulis*.  
*guianensis*, Aubl. Pl. Gui. i. 269. t. 105. —Guian.  
*Roxburghii*, Kostel. Allg. Med.-Pharm. Fl. iii. 1070 = *Willughbeia edulis*.

PACOURINA, Aubl. Pl. Gui. ii. 800. t. 316 (1775). *COMPOSITAE*, Benth. & Hook. f. ii. 224.  
HAYNEA, Willd. Sp. Pl. iii. 1787 (1803).  
MEISTERIA, Scop. Intro. 124 (1777).  
PACOURINOPSIS, Cass. in Bull. Soc. Philom. (1817) 151; et in Dict. Sc. Nat. xxxvii. 212 (1825).  
*cirsiifolia*, H. B. & K. Nov. Gen. et Sp. iv. 30. —Ecuador.  
*edulis*, Aubl. Pl. Gui. ii. 800. —Guian.

PACOURINOPSIS, Cass. in Bull. Soc. Philom. (1817) 151; et in Dict. Sc. Nat. xxxvii. 212 (1825) = *Pacourina*, Aubl. (Compos.).  
*dentata*, Cass. in Bull. Soc. Philom. (1817) 151 = *Pacourina cirsiifolia*.  
*integrifolia*, Cass. l. c. = *Pacourina edulis*.

PADBRUGGEA, Miq. Fl. Ind. Bat. i. i. 150 (1855) = *Millettia*, Wight & Arn. (Legumin.).  
*dasyphylla*, Miq. l. c. = Java.

PADBRUGGIA, Baker, in Hook. f. Fl. Brit. Ind. ii. 110 (1876), sphalm. = praec.

PADIA, Zoll. & Mor. Syst. Verz. Zoll. 103 (1845-46) = *Oryza*, Linn. (Gramin.).  
*Meyeriana*, Zoll. & Mor. l. c. = *O. sativa*.

PADOSTEMON, Griff. Notal. iv. 376 (1854) err. typ. = *Podostemon*, Michx.

PADOTA, Adans. Fam. ii. 505 (1763) = *Marrubium*, Tourn. (Labiata.).

PADUS, Linn. Syst. ed. I (1735); Gen. ed. I. 142 (1737) = *Prunus*, Tourn. (Rosac.).  
*avium*, Mill. Gard. Dict. ed. VIII. n. 1 = *Prunus Padus*.  
*canadensis*, M. Roem. Syn. Rosifl. 88 = *Prunus americana*?  
*Capollin*, M. Roem. l. c. 87 = *Prunus Capollin*.  
*Capulinos*, Hamel. in Rev. Hort. (1884) 111 = praec.  
*Carolina*, Borck. in Roem. Arch. i. ii. 38 = seq.  
*caroliniana*, Mill. Gard. Dict. ed. VIII. n. 6 = *Prunus caroliniana*.  
*cartilaginea*, M. Roem. Syn. Rosifl. 86 = *Prunus serotina*.  
*cornuta*, Carr. in Rev. Hort. (1869) 275. f. 64 = *Prunus Padus*.  
*demissa*, M. Roem. Syn. Rosifl. 87 = *Prunus demissa*.  
*densiflora*, M. Roem. l. c. 84 = *Prunus virginiana*.  
*Duerinchii*, M. Roem. l. c. = *Prunus virginiana*.  
*eglandulosa*, Moench, Meth. 672 = *Prunus lusitanica*.  
*elliptica*, M. Roem. Syn. Rosifl. 88 = *Prunus elliptica*.  
*fimbriata*, M. Roem. l. c. 84 = *Prunus virginiana*.

## PADUS:—

*germanica*, Borck. in Roem. Arch. i. ii. 38 = *Prunus Padus*.  
*glaucofolia*, M. Roem. Syn. Rosifl. 88 = *Prunus nepaulensis*.  
*hirsuta*, M. Roem. l. c. 87 = *Prunus virginiana*.  
*Laurocerasus*, Mill. Gard. Dict. ed. VIII. n. 4 = *Prunus Laurocerasus*.  
*lusitanica*, Mill. l. c. n. 5 = *Prunus lusitanica*.  
*Mahaleb*, Borck. in Roem. Arch. i. ii. 38 = *Prunus Mahaleb*.  
*micrantha*, M. Roem. Syn. Rosifl. 84 = *Prunus micrantha*.  
*nana*, Borck. in Roem. Arch. i. ii. 38 = *Prunus Padus*.  
*oblonga*, Moench, Meth. 672 = *Prunus virginiana*.  
*obovata*, M. Roem. Syn. Rosifl. 86 = *Prunus virginiana*.  
*oxyphyrena*, M. Roem. l. c. 84 = *Prunus Padus*.  
*petraea*, M. Roem. l. c. 87 = *Prunus Padus*.  
*racemosus*, Gilib. Fl. Lituan. ii. 231 = *Prunus Padus*.  
*retusa*, M. Roem. Syn. Rosifl. 85 = *Prunus serotina*?  
*rubra*, Mill. Gard. Dict. ed. VIII. n. 2 = *Prunus virginiana*.  
*serotina*, Borck. in Roem. Arch. i. ii. 38 = *Prunus serotina*.  
*virginiana*, M. Roem. Syn. Rosifl. 86 = *Prunus virginiana*.  
*virginiana*, Mill. Gard. Dict. ed. VIII. n. 3 = *Prunus serotina*.  
*virginiana*, M. Roem. Syn. Rosifl. 86 = *Prunus virginiana*.  
*virginica*, Borck. in Roem. Arch. i. ii. 38 = *Prunus virginiana*.  
*vulgaris*, Borck. Forstbot. ii. 1426 = *Prunus Padus*.

PAEDERIA, Linn. Mant. i. 7, 52 (1767). *RUBIACEAE*, Benth. & Hook. f. ii. 133.  
HONDBESSEN, Adans. Fam. ii. 158 (1763).  
REUSSIA, Dennst. Schluess. Hort. Malab. 33 (1818).  
*aestivalis*, Buch.-Ham. ex Wall. Cat. n. 6247 = foetida.  
*amboinensis*, Miq. Ann. Mus. Bot. Lugd. Bat. iv. 254. —Ins. Amboin.  
*argentifolia*, Boj. ex A. Rich. in Mém. Soc. Hist. Nat. Par. v. (1834) 195 = *Lecontea argentea*.  
*autumnalis*, Buch.-Ham. ex Wall. Cat. n. 6247 = foetida.  
*barbulata*, Miq. Ann. Mus. Bot. Lugd. Bat. iv. 255 = tomentosa.  
*brasiliana*, DC. Prod. iv. 472. —Bras.  
*calycina*, Kurz, in Journ. As. Soc. Beng. xlii. (1873) ii. 74. —Burma.  
*chinensis*, Hance, in Journ. Bot. xvi. (1878) 228 = tomentosa.  
*corymbosa*, Noronha, in Verh. Batav. Gen. v. (1790) ed. I. Art. IV. 23 = foetida.  
*densiflora*, Miq. Fl. Ind. Bat. ii. 259. —Malaya.  
*erecta*, Roxb. Hort. Beng. 15; Fl. Ind. i. 685 (*Psychotriae* sp.?). —Ind. or.  
*erecta*, Spreng. Neue Entdeck. iii. 34 = *brasiliana*.  
*foetida*, Linn. Mant. i. 52. —Ind. or.; Malaya.  
*foetida*, Thunb. Fl. Jap. 106 = tomentosa.  
*foetida*, Wall. Cat. n. 6247 F = *calycina*.  
*fragrans*, Lam. Encyc. ii. 260 = *Landolphia owariensis*.  
*Gardneri*, Hook. f. in Benth. & Hook. f. Gen. ii. 134. —Bras.  
*lanuginosa*, Wall. Cat. n. 7293 = Wallichii.  
*lanuginosa*, Wall. Pl. As. Rar. ii. 52. t. 165. —Burma.  
*linearis*, Hook. f. Fl. Brit. Ind. iii. 197. —Burma.  
*Lingua*, Boj. ex A. Rich. in Mém. Soc. Hist. Nat. Par. v. (1834) 195 = *Lecontea Bojeriana*.  
*macrocarpa*, Wall. Cat. n. 7292 = *lanuginosa*.  
*magnifolia*, Noronha, in Verh. Batav. Gen. v. (1790) ed. I. Art. IV. 23 = tomentosa.  
*malayana*, F. Villar, in Blanco, Fl. Filip. ed. III. Nov. App. 112 = *Psychotria Tacpo*.  
*ovata*, Miq. Ann. Mus. Bot. Lugd. Bat. iv. 255 = foetida.  
*owariensis*, Spreng. Syst. i. 669 = *Landolphia owariensis*.  
*pilifera*, Hook. f. Fl. Brit. Ind. iii. 196. —Burma.  
*recurva*, Roxb. Hort. Beng. 15; Fl. Ind. i. 684 = *Ixora recurva*.  
*Roxburghii*, Spreng. Syst. iv. Cur. Post. 70 = *erecta*.  
*secundiflora*, Poir. Encyc. Suppl. ii. 450 = *Manettia secundiflora*.  
*sessiliflora*, Poir. l. c. 449 = foetida.

## PAEDERIA:—

*Tacpo*, Blanco, Fl. Filip. ed. I. 160 = *Psychotria Tacpo*.  
*ternata*, Wall. in Roxb. Fl. Ind. ed. Carey, ii. 520 = *Saprosma ternata*.  
*tetrandra*, Wall. Cat. n. 6249 = *Gynochthodes sublan- ceolata*.  
*Thouarsiana*, Baill. *Adansonia*, xii. (1879) 233. —Madag.  
*tomentosa*, Blume, Bijdr. 968. —As. trop.  
*Valli-kara*, Juss. in Mém. Mus. Par. vi. (1820) 381 = tomentosa.  
*verticillata*, Blume, Bijdr. 968. —Malaya.  
*Wallichii*, Hook. f. Fl. Brit. Ind. iii. 196. —Burma.

PAEDEROTA, Linn. Gen. ed. I. 4 (1737). *SCROPHULARINEAE*, Benth. & Hook. f. ii. 964.

BONAROTA, Adans. Fam. ii. 209 (1763).  
Ageria, Linn. Mant. i. 171. —Europ.  
*Amherstiana*, Wall. Cat. n. 410 = *Wulfenia Amherstiana*.  
*angustifolia*, Turcz. ex Bess. in Flora, xvii. (1834) i. Beibl. 21. —Sibir. baical.  
*axillaris*, Sieb. & Zucc. in Abh. Akad. Muench. iv. III. (1846) 144. —Japan.  
*Bonae-spei*, Linn. Sp. Pl. ed. II. 20 = *Diascia Bergiana*.  
*Bonarota*, Jacq. Hort. Vindob. ii. t. 121 = P. Ageria.  
*Bonarota*, Linn. Sp. Pl. ed. II. 20. —Europ.  
*borealis*, Lam. ex Choisy, in DC. Prod. xii. 25 = *Lagotis glauca*.  
*bracteata*, Sieb. & Zucc. in Abh. Akad. Muench. iv. III. (1846) 145 = *villosula*?  
*caerulea*, Scop. Ann. II. Hist. Nat. 41 = P. Bonarota.  
*chamaedrifolia*, Steud. Nom. ed. II. ii. 246, sphalm. = *cochlearifolia*.  
*chamaedrifolia*, Suffrén, Princ. Bot. 108 = P. Bonarota.  
*cochlearifolia*, Koen. ex Rottl. in Wall. Cat. n. 3920 = *Peplidium humifusum*.  
*densifolia*, F. Muell. in Trans. Phil. Soc. Vict. i. (1855) 107 = *Veronica densifolia*.  
*humilis*, Willd. ex Link, Jahrb. i. III. (1820) 45 = *Veronica densiflora*.  
*lutea*, Linn. f. Suppl. 84 = P. Ageria.  
*minima*, Koen. ex Retz. Obs. v. 10 = *Microcarpaea muscosa*.  
*minima*, Wight, ex Wall. Cat. n. 2488; Retz. fide Herb. Sm. ex Benth. in DC. Prod. x. 426 = *Glossostigma spathulatum*.  
*nudicaulis*, Lam. Illustr. i. 48; Savign. in Lam. Encyc. iv. 693 = *Wulfenia carinthiaca*.  
*obliqua*, A. Dietr. Sp. Pl. i. 563 = *Rhynchoglossum obliquum*.  
*pontica*, Rupr. ex Boiss. Fl. Orient. iv. 434. —Oriens.  
*racemosa*, Houtt. Handleid. vii. 110 = *Hemimeris montana*.  
*sibirica*, Walp. Rep. iii. 369 = *Veronica virginica*.  
*tubiflora*, Walp. l. c. 370 = *Veronica tubiflora*.  
*urticaefolia*, Brign. Fasc. Pl. Forojul. 8 = P. Ageria.  
*variegata*, Raeusch. Nom. ed. III. 5 (Quid?). —Maurit.  
*villosula*, Miq. Ann. Mus. Bot. Lugd. Bat. ii. 118. —Japan.  
*virginica*, Torr. Fl. N. York, ii. 44 = *Veronica virginica*.  
*Wulfenia*, Willd. Sp. Pl. i. 76, in syn. = *Wulfenia carinthiaca*.  
*Zannichellii*, Brign. Fasc. Pl. Forojul. 9 = P. Ageria.

PAENNAEA, Meerb. Pl. Rar. Viv. (1789) Desc. ad t. 51 = *Penaea*, Linn.

PAEONIA, [Tourn.] Linn. Syst. ed. I (1735); Gen. ed. I. 157 (1737). *RANUNCULACEAE*, Benth. & Hook. f. i. 10.

MOUTAN, Reichb. in Moessl, Handb. ed. II. i. p. lx. (1827).  
*albiflora*, Pall. Fl. Ross. i. ii. 92. —Sibir.  
*albiflos*, Sabine, ex Salm-Dyck, Hort. Dyck. (1834) 369 = *microcarpa*.  
*anomala*, Linn. Mant. ii. 247. —Sibir.  
*arborea*, Donn, Cat. Hort. Cantab. ed. III. 102 = P. Moutan.  
*arietina*, Anders. in Trans. Linn. Soc. xii. (1817) 275 = *peregrina*.  
*banatica*, Rochel, Pl. Banat. Rar. 48. t. 11 = *officinalis*.  
*Baxteri*, Sabine, ex Salm-Dyck, Hort. Dyck. (1834) 370 = *peregrina*.  
*Biebersteiniana*, Rupr. Fl. Cauc. 47, 288. —Reg. Caucas.



**PAEONIA** :—

- Broteri*, Boiss. & Reut. Diagn. Pl. Nov. Hisp. 4 = corallina.  
*Brownii*, Dougl. in Hook. Fl. Bor. Am. i. 27.—Am. bor. occ.  
*byzantina*, Hort. ex DC. Prod. i. 66 = decora.  
*californica*, Nutt. ex Torr. & Gray, Fl. N. Am. i. 41 = *Brownii*.  
*Cambessedesii*, Willk. Illustr. Fl. Hisp. t. 65 a = corallina.  
*chinensis*, Hort. ex Vilm. Fl. Pl. Terre, ed. III. 892 = albiflora.  
*commutata*, Wender. in Flora, xii. (1829) i. Erg. 29 = officinalis.  
*corallina*, Retz. Obs. iii. 34.—Europ.; As. Min.  
*coriacea*, Boiss. Elench. 7.—Hispan.  
*corsica*, Sieber, ex Tausch, in Flora, xi. (1828) 88 = corallina.  
*cretica*, Sabine, in Bot. Reg. t. 819 = peregrina.  
*daurica*, Anders. in Bot. Mag. t. 1441 = corallina.  
*decora*, Anders. in Trans. Linn. Soc. xii. (1817) 273.—Thrac.; As. Min.  
*edulis*, Salisb. Parad. Lond. t. 78 = albiflora.  
*elegans*, Sabine, ex Salm-Dyck, Hort. Dyck. (1834) 370 = officinalis.  
*Emodi*, Wall. Cat. n. 4727 = anomala.  
*festu*, Hort. ex Steud. Nom. ed. II. ii. 247 = seq.?  
*festiva*, Tausch, in Flora, xi. (1828) 84 = officinalis.  
*fimbriata*, Hort. Angl. ex Sabine, in Trans. Hort. Soc. ii. (1817) 276.—Oriens.  
*flavescens*, Presl, Delic. Prag. 5 = corallina.  
*foemina*, Mill. Gard. Dict. ed. VIII. n. 2 = corallina.  
*foemina*, Vilm. Fl. Pl. Terre, ed. III. 886 = officinalis.  
*foliosa*, Sabine, ex Salm-Dyck, Hort. Dyck. (1834) 370 = peregrina.  
*fragrans*, Vilm. Fl. Pl. Terre, ed. III. 892 = albiflora.  
*frutescens*, Link, Enum. Hort. Berol. ii. 77, sphalm. = seq.  
*fruticosa*, Dum.-Cours. Bot. Cult. ed. II. iv. 462 = P. Moutan.  
*fulgens*, Hort. ex Vilm. Fl. Pl. Terre, ed. I. 648 = officinalis.  
*fulgida*, Sabine, ex Salm-Dyck, Hort. Dyck. (1834) 370 = officinalis.  
*Hartwissiana*, Hort. ex Trautv. in Act. Hort. Petrop. viii. (1883) 61, nomen = Wittmanniana.  
*hirsuta*, Mill. Gard. Dict. ed. VIII. n. 4 = peregrina.  
*Humei*, Vilm. Fl. Pl. Terre, ed. III. 892 = albiflora.  
*humilis*, Retz. Obs. iii. 35 = peregrina.  
*humilis*, Willd. Sp. Pl. ii. 1222; Enum. Hort. Berol. 572 = paradoxa.  
*hybrida*, Pall. Fl. Ross. i. II. 94 = tenuifolia.  
*integra*, Murr. in Comm. Gotting. vii. (1786) 92 = corallina.  
*integrifolia*, Link, Enum. Hort. Berol. ii. 77, sphalm. = praec.  
*intermedia*, C. A. Mey. in Ledeb. Fl. Alt. ii. 277 = anomala.  
*laciniata*, Pall. Reise. ii. 244 = tenuifolia.  
*laciniata*, Siev. in Pall. N. Nord. Beitr. vii. 346 = anomala.  
*lactea*, Pall. Reise. iii. 321 = albiflora.  
*lactiflora*, Pall. l. c. 286 = albiflora.  
*lanceolata*, Salm-Dyck, Hort. Dyck. (1834) 367 = corallina.  
*lobata*, Boiss. Voy. Bot. Espagne, ii. 15 = corallina.  
*lobata*, Desf. Tabl. ed. I. 126 = officinale.  
*lobata*, Pall. Reise. ii. 553 = anomala.  
*lobata*, Reichb. Ic. Fl. Germ. iv. f. 4741 = peregrina.  
*lusitanica*, Mill. Gard. Dict. ed. VIII. n. 6 = corallina?  
*lusitanica*, Tausch, in Flora, xi. (1828) 86 = officinalis.  
*Makoya*, Marn. in Loud. Hort. Brit. Suppl. iii. 601 = albiflora.  
*mascula*, Desf. Tabl. ed. I. 126 = corallina.  
*mascula*, Mill. Gard. Dict. ed. VIII. n. 1 = officinalis.  
*microcarpa*, Boiss. & Reut. Pugill. Pl. Nov. (1852) 3 = officinalis.  
*microcarpa*, Salm-Dyck, Hort. Dyck. (1834) 368 = corallina.  
*mollis*, Anders. in Trans. Linn. Soc. xii. (1817) 282 (sp. dub.).—Sibir.  
*Moutan*, Sims, Bot. Mag. t. 1154.—China.  
*multifida*, Gueldenst. Reisen, ii. 19 = tenuifolia.  
*multifida*, Salm-Dyck, Hort. Dyck. (1834) 369 = peregrina.  
*nemoralis*, Salisb. Prod. 375 = officinalis.  
*obovata*, Maxim. Prim. Fl. Amur. 29.—Manchuria.  
VOL. II.

**PAEONIA** :—

- officinalis*, Falk, Beitr. ii. 198; Hook. f. & Thoms. Fl. Ind. i. 60 = anomala.  
*officinalis*, Gouan, Fl. Monsp. 266 = peregrina.  
*officinalis*, Hayne, Arzneigew. v. t. 26 = paradoxa.  
*officinalis*, Linn. Sp. Pl. 530.—Europ.  
*officinalis*, Pall. Fl. Ross. ii. 93; Brot. Fl. Lusit. ii. 299 = corallina.  
*officinalis*, Thunb. Fl. Jap. 230 = P. Moutan.  
*oreogeton*, S. Moore, in Journ. Linn. Soc. xvii. (1879) 376 = Wittmanniana.  
*pellens*, Sims, ex Boiss. Fl. Orient. i. 1000 (Index), sphalm. = pubens.  
*papaveracea*, Andr. Bot. Rep. t. 463 = P. Moutan.  
*paradoxa*, Anders. in Trans. Linn. Soc. xii. (1817) 280.—Europ. austr.  
*paradoxa*, Tenore, Syll. Fl. Neap. 261 = officinalis.  
*peregrina*, Mill. Gard. Dict. ed. VNI. n. 3.—Oriens.  
*peregrina*, Tenore, Viagg. Abruzzi, 71 = paradoxa.  
*porrigens*, Reichb. Fl. Germ. Excurs. 752 = officinalis.  
*promiscua*, Reichb. l. c. 751; Ic. Fl. Germ. iv. 28. t. 126 = corallina.  
*promiscua*, Tausch, in Flora, xi. (1828) 83 = officinalis.  
*pubens*, Sims, Bot. Mag. t. 2264 = officinalis.  
*pullens*, Boiss. Fl. Orient. i. 97, sphalm. = praec.  
*quinquecapsularis*, Pall. Reise. iii. 316 = anomala.  
*Reevesiana*, Loud. Hort. Brit. Suppl. iii. 601 = albiflora.  
*romana*, Brandza, Prod. Fl. Romane, 38 = decora.  
*rosea*, Host, Fl. Austr. ii. 64 = officinalis.  
*rotundifolia*, Hort. ex Steud. Nom. ed. II. ii. 247 = corallina.  
*rubra*, Hort. ex Steud. l. c. = officinalis.  
*Russi*, Amo, Fl. Iber. 746 = coriacea.  
*Russi*, Bivona, Man. Fl. Sic. iv. 12 = corallina.  
*sessiliflora*, Sims, Bot. Mag. t. 2648 = officinalis.  
*sibirica*, Pall. Fl. Ross. Ic. t. 85 = anomala.  
*sinensis*, Hort. ex Steud. Nom. ed. II. ii. 247 = albiflora.  
*splendens*, Hort. ex Vilm. Fl. Pl. Terre, ed. I. 648 = officinalis.  
*splendens*, Sabine, ex Salm-Dyck, Hort. Dyck. (1834) 370 = peregrina.  
*subternata*, Salm-Dyck, l. c. 367.—Hab.?  
*suffruticosa*, Andr. Bot. Rep. v. t. 373 = P. Moutan.  
*tatarica*, Mill. Gard. Dict. ed. VIII. n. 5 = peregrina.  
*tenuifolia*, Linn. Syst. ed. X. 1079.—Europ. or.; As. bor.  
*tritenata*, Pall. Tabl. Taur. 52.—Rossia.  
*versicolor*, Hort. ex W. Baxt. in Loud. Hort. Brit. Suppl. ii. 653, nomen = officinalis?  
*villosa*, Desf. Tabl. ed. I. 126 = peregrina.  
*villosa*, Sweet, Hort. Brit. ed. I. 10 = officinalis.  
Wittmanniana, Hartwiss, ex Lindl. Bot. Reg. (1846) t. 9; Stev. in Bull. Soc. Nat. Mosc. xxi. (1848) II. 275.—Reg. Caucas.

**PAEPALANTHUS**, Mart. in Nov. Act. Nat. Cur. xvii. i. (1835) 13. *ERIOCAULEAE*, Benth. & Hook. f. iii. 1022.

- CLADOCAULON*, Gardn. in Hook. Ic. Pl. t. 528 (1843).  
*DUPATYA*, Vell. Fl. Flum. 35 (1825).  
*LASIOLEPIS*, Boeck. in Flora, lxi. (1873) 90.  
*LIMNOXERANTHEMUM*, Salzmann, ex Steud. Syn. Pl. Cyp. 281 (1855).  
*STEPHANOPHYLLUM*, Guill. in Deless. Ic. Sel. iii. 61. t. 98, in obs. (1837).  
*aciphyllus*, Koern. in Mart. Fl. Bras. iii. i. 438.—Bras.  
*affinis*, Kunth, Enum. Pl. iii. 514.—Bras.  
*albidus*, Gardn. in Hook. Ic. Pl. t. 525.—Bras.  
*alpinus*, Koern. in Mart. Fl. Bras. iii. i. 409.—Am. trop.  
*alsinoides*, Wright, in Sauv. Fl. Cub. 163.—Cuba.  
*amocnus*, Koern. in Mart. Fl. Bras. iii. i. 316.—Bras.  
*andicola*, Koern. l. c. 408.—Am. trop.  
*androsaceus*, Griseb. Cat. Pl. Cub. 225.—Cuba.  
*angustifolius*, Koern. in Mart. Fl. Bras. iii. i. 424.—Bras.  
*anomalous*, Koern. l. c. 458.—Bras.  
*anthemidiflorus*, Kunth, Enum. Pl. iii. 535.—Bras.  
*appressus*, Koern. in Mart. Fl. Bras. iii. i. 468.—Bras.  
*aquatilis*, Mart. ex Koern. l. c. 495 = *Eriocaulon aquatile*.  
*arenarius*, Walp. Ann. i. 890.—Bras.

**PAEPALANTHUS** :—

- argenteus*, Koern. in Mart. Fl. Bras. iii. i. 343.—Bras.  
*argyrolinon*, Koern. l. c. 374.—Bras.  
*Armeria*, Mart. ex Koern. l. c. 377.—Bras.  
*atrovirens*, Koern. l. c. 445.—Bras.  
*bahiensis*, Kunth, Enum. Pl. iii. 517.—Bras.  
*bifidus*, Kunth, l. c. 512.—Bras.  
*bisulcatus*, Koern. in Mart. Fl. Bras. iii. i. 436.—Bras.  
*Blanchetianus*, Koern. l. c. 422.—Bras.  
*blepharocnemis*, Mart. ex Koern. l. c. 376.—Bras.  
*blepharophorus*, Kunth, Enum. Pl. iii. 499.—Bras.  
*Bongardi*, Kunth, l. c. 519.—Bras.  
*brachypus*, Kunth, l. c. 516.—Bras.  
*brasiliensis*, Walp. Ann. i. 890.—Bras.  
*breviscapus*, Koern. in Mart. Fl. Bras. iii. i. 370 = *zosterifolius*.  
*brizoides*, Kunth, Enum. Pl. iii. 534 = *gracilis*.  
*bryoides*, Kunth, l. c. 520.—Bras.  
*caespitius*, Mart. ex Koern. in Mart. Fl. Bras. iii. i. 365.—Bras.  
*caespitosus*, Koern. l. c. 431.—Bras.  
*calvus*, Koern. l. c. 391.—Bras.  
*canescens*, Koern. l. c. 381.—Bras.  
*capillaceus*, Klotzsch, in Schomb. Faun. & Fl. Brit. Gui. 1063, nomen.—Am. trop.  
*capillaris*, Koern. in Mart. Fl. Bras. iii. i. 367.—Bras.  
*Capito*, Koern. l. c. 392.—Bras.  
*caricifolius*, Gardn. in Hook. Ic. Pl. t. 524.—Bras.  
*caryophyllus*, Mart. ex Koern. in Mart. Fl. Bras. iii. i. 337 = *plumosus*.  
*caulescens*, Kunth, Enum. Pl. iii. 537.—Bras.  
*centauroides*, Koern. in Mart. Fl. Bras. iii. i. 434.—Bras.  
*chrysanthus*, Koern. l. c. 454 = *morulus*.  
*ciliatus*, Kunth, Enum. Pl. iii. 517.—Bras.  
*circinnatus*, Koern. in Mart. Fl. Bras. iii. i. 429.—Bras.  
*Claussenianus*, Koern. l. c. 323.—Bras.  
*compactus*, Gardn. in Hook. Ic. Pl. t. 527.—Bras.  
*conduplicatus*, Koern. in Mart. Fl. Bras. iii. i. 414.—Bras.  
*confusus*, Koern. l. c. 433.—Bras.  
*congestus*, Kunth, Enum. Pl. iii. 505.—Bras.  
*consanguineus*, Koern. in Mart. Fl. Bras. iii. i. 411.—Bras.  
*corymbosus*, Kunth, Enum. Pl. iii. 509.—Bras.  
*crassicaulis*, Koern. in Mart. Fl. Bras. iii. i. 408.—Bras.  
*crassifolius*, Koern. l. c. 420.—Bras.  
*curvifolius*, Kunth, Enum. Pl. iii. 522.—Bras.  
*cuyabensis*, Kunth, l. c. 520 = *Philodice cuyabensis*.  
*decussus*, Koern. in Mart. Fl. Bras. iii. i. 318.—Bras.  
*dendroides*, Kunth, Enum. Pl. iii. 507.—Am. trop.  
*densiflorus*, Koern. in Mart. Fl. Bras. iii. i. 450.—Bras.  
*densus*, Koern. l. c. 464.—Bras.  
*denudatus*, Koern. l. c. 328.—Bras.  
*dianthoides*, Mart. in Koern. l. c. 339.—Bras.  
*dichotomus*, Klotzsch, in Schomb. Faun. & Fl. Brit. Gui. 1064, nomen.—Guian.  
*dictyophyllus*, Mart. ex Koern. in Mart. Fl. Bras. iii. i. 486 = *Eriocaulon dictyophyllum*.  
*distichophyllum*, Mart. in Nov. Act. Nat. Cur. xvii. i. (1835) 23.—Bras.  
*divaricatus*, Kunth, Enum. Pl. iii. 515.—Bras.  
*dubius*, Koern. in Mart. Fl. Bras. iii. i. 342.—Bras.  
*Dupatya*, Mart. ex Koern. l. c. 410.—Bras.  
*eburneus*, Koern. l. c. 430.—Bras.  
*elatus*, Koern. l. c. 343.—Bras.  
*elegans*, Kunth, Enum. Pl. iii. 527.—Bras.  
*elongatus*, Koern. in Mart. Fl. Bras. iii. i. 312 = *heli-chrysoides*.  
*ensifolius*, Kunth, Enum. Pl. iii. 501.—Am. trop.  
*Erigeron*, Mart. ex Koern. in Mart. Fl. Bras. iii. i. 390.—Bras.  
*eriocephalus*, Klotzsch, in Schomb. Faun. & Fl. Brit. Gui. 1064 = *flavescens*.  
*criophyllum*, Mart. ex Koern. in Mart. Fl. Bras. iii. i. 463.—Bras.  
*exiguus*, Koern. l. c. 314.—Bras.  
*falcatus*, Koern. l. c. 387.—Bras.  
*falcifolius*, Koern. l. c. 327.—Bras.  
*fasciculatus*, Koern. l. c. 357 = *congestus*.  
*fasciculatus*, Kunth, Enum. Pl. iii. 506 = *Schraderi*.



**PAEPALANTHUS:—**

- fastigiatus, *Koern. in Mart. Fl. Bras. iii. i. 386.*—Bras.  
 fertilis, *Koern. l. c. 448.*—Bras.  
*Fischerianus*, *Koern. l. c. 455* = *nardifolius*.  
*flaccidus*, *Kunth, Enum. Pl. iii. 511.*—Bras.  
*flagellaris*, *Kunth, l. c. 526.*—Bras.  
*flavescens*, *Koern. in Mart. Fl. Bras. iii. i. 423.*—Bras.  
*flaviceps*, *Koern. l. c. 412.*—Bras.  
*flavidulus*, *Kunth, Enum. Pl. iii. 532.*—Am. bor.  
*fluitans*, *Mart. ex Koern. in Mart. Fl. Bras. iii. i. 415.*—Bras.  
*foliosus*, *Koern. l. c. 333.*—Bras.  
*Freyreissii*, *Koern. l. c. 370* = *paludosus*.  
*Funckeanus*, *Koern. l. c. 404.*—Am. trop.  
*fuscoater*, *Koern. l. c. 382.*—Bras.  
*Gardnerianus*, *Walp. Ann. i. 889.*—Bras.  
*geniculatus*, *Kunth, Enum. Pl. iii. 521.*—Bras.  
*glanduliferus*, *Mart. ex Koern. in Mart. Fl. Bras. iii. i. 464* = *eriphyllus*.  
*glareosus*, *Kunth, Enum. Pl. iii. 521.*—Bras.  
*glaucescens*, *Koern. in Mart. Fl. Bras. iii. i. 391.*—Bras.  
*goyazensis*, *Koern. l. c. 453.*—Bras.  
*gracilis*, *Koern. l. c. 460.*—Bras.  
*gramineus*, *Kunth, Enum. Pl. iii. 523.*—Bras.  
*granatensis*, *Koern. in Mart. Fl. Bras. iii. i. 403.*—Am. trop.  
*guyanensis*, *Klotzsch, ex Schomb. Faun. & Fl. Brit. Gui. 1064*, nomen.—Guian.  
*helichrysoides*, *Kunth, Enum. Pl. iii. 512.*—Bras.  
*helminthorrhizus*, *Mart. ex Koern. in Mart. Fl. Bras. iii. i. 443.*—Bras.  
*helodes*, *Mart. ex Koern. l. c. 357* = *myocephalus*.  
*heterocephalus*, *Koern. in Mart. Fl. Bras. iii. i. 442.*—Bras.  
*Hilairei*, *Koern. l. c. 332.*—Bras.  
*hirsutus*, *Kunth, Enum. Pl. iii. 530.*—Bras.  
*hispidus*, *Klotzsch, ex Schomb. Faun. & Fl. Brit. Gui. 1116* = *simplex*.  
*homomallus*, *Mart. ex Koern. in Mart. Fl. Bras. iii. i. 340.*—Bras.  
*Humboldtii*, *Kunth, Enum. Pl. iii. 535.*—Am. trop.  
*imbricatus*, *Koern. in Mart. Fl. Bras. iii. i. 430.*—Bras.  
*incanus*, *Koern. l. c. 380.*—Bras.  
*intermedius*, *Koern. l. c. 371.*—Bras.  
*inundatus*, *Koern. l. c. 468.*—Bras.  
*iridifolius*, *Kunth, Enum. Pl. iii. 502* = *monticola*.  
*ithyphyllus*, *Walp. Ann. i. 890.*—Bras.  
*juniperinus*, *Kunth, Enum. Pl. iii. 512* = *flaccidus*.  
*Kegelianus*, *Koern. in Mart. Fl. Bras. iii. i. 438.*—Bras.  
*Klotzschianus*, *Koern. l. c. 389.*—Bras.  
*lagopodioides*, *Griseb. Cat. Pl. Cub. 225.*—Cuba.  
*Lamarckii*, *Kunth, Enum. Pl. iii. 506.*—Bras.  
*lanato-albus*, *Mart. ex Koern. in Mart. Fl. Bras. iii. i. 342.*—Bras.  
*lanceolatus*, *Koern. l. c. 396.*—Bras.  
*Langsdorffii*, *Koern. l. c. 338.*—Bras.  
*lanuginosus*, *Koern. l. c. 428.*—Bras.  
*laricifolius*, *Gardn. in Hook. Ic. Pl. t. 524.*—Bras.  
*latifolius*, *Koern. in Mart. Fl. Bras. iii. i. 344.*—Bras.  
*laxifolius*, *Koern. l. c. 395.*—Bras.  
*laxifolius*, *Mart. ex Koern. l. c. 494* = *Eriocaulon laxifolium*.  
*Leprieuri*, *Koern. in Miq. Ann. Mus. Bot. Lugd. Bat. iii. 239.*—Guian.  
*leucoblepharus*, *Koern. in Mart. Fl. Bras. iii. i. 388.*—Bras.  
*leucophaeus*, *Mart. ex Koern. l. c. 441* = *laricifolius*.  
*Liebmannianus*, *Koern. l. c. 444.*—Bras.  
*lingulatus*, *Kunth, Enum. Pl. iii. 522.*—Bras.  
*longifolius*, *Koern. in Mart. Fl. Bras. iii. i. 333.*—Bras.  
*Lundii*, *Koern. l. c. 385.*—Bras.  
*luxurians*, *Koern. l. c. 418.*—Bras.  
*macaheensis*, *Koern. in Kjoeb. Vidensk. Meddel. (1871) 311.*—Bras.  
*macrocephalus*, *Koern. in Mart. Fl. Bras. iii. i. 379.*—Bras.  
*macrorrhizus*, *Kunth, Enum. Pl. iii. 524.*—Bras.  
*Martianus*, *Koern. in Mart. Fl. Bras. iii. i. 325.*—Bras.  
*Maximiliani*, *Kunth, Enum. Pl. iii. 513* = *ramosus*.  
*melaleucus*, *Kunth, l. c. 510.*—Bras.

**PAEPALANTHUS:—**

- meridensis*, *Klotzsch, ex Koern. in Mart. Fl. Bras. iii. i. 407.*—Am. trop.  
*microphyllus*, *Kunth, Enum. Pl. iii. 519.*—Bras.  
*Minarum*, *Koern. in Mart. Fl. Bras. iii. i. 378.*—Bras.  
*minutulus*, *Mart. ex Koern. l. c. 359.*—Bras.  
*mollis*, *Kunth, Enum. Pl. iii. 507* = *plumosus*.  
*monticola*, *Mart. in Nov. Act. Nat. Cur. xvii. i. (1835) 10.*—Bras.  
*morulus*, *Kunth, Enum. Pl. iii. 533.*—Bras.  
*mucronatus*, *Kunth, l. c. 523.*—Bras.  
*muscosus*, *Koern. in Mart. Fl. Bras. iii. i. 348.*—Am. trop.  
*myocephalus*, *Mart. ex Koern. l. c. 356.*—Bras.  
*nardifolius*, *Kunth, Enum. Pl. iii. 532.*—Bras.  
*neglectus*, *Koern. in Mart. Fl. Bras. iii. i. 368.*—Bras.  
*nigritella*, *Mart. ex Koern. l. c. 337* = *plumosus*.  
*nigro-niveus*, *Kunth, Enum. Pl. iii. 502.*—Bras.  
*nitens*, *Kunth, l. c. 531.*—Bras.  
*nitidus*, *Kunth, l. c. 528.*—Bras.  
*niveus*, *Kunth, l. c. 527.*—Bras.  
*nubigena*, *Kunth, l. c. 538.*—Bras.  
*oblongus*, *Koern. in Mart. Fl. Bras. iii. i. 446.*—Bras.  
*obtusifolius*, *Koern. l. c. 353.*—Bras.  
*ochrocephalus*, *Koern. l. c. 329.*—Bras.  
*Oerstedianus*, *Koern. l. c. 374.*—Bras.  
*oligocephalus*, *Koern. l. c. 402.*—Am. trop.  
*Otonis*, *Klotzsch, in Schomb. Faun. & Fl. Brit. Gui. 1115*, nomen = *Lamarckii*.  
*ovatus*, *Koern. in Mart. Fl. Bras. iii. i. 367.*—Bras.  
*oxycnemis*, *Mart. ex Koern. l. c. 461* = *gracilis*.  
*oxyphyllus*, *Koern. l. c. 313.*—Bras.  
*pachyphyllus*, *Koern. l. c. 378.*—Bras.  
*paludosus*, *Kunth, Enum. Pl. iii. 502.*—Bras.  
*pauciflorus*, *Koern. in Mart. Fl. Bras. iii. i. 398.*—Bras.  
*perpusillus*, *Kunth, Enum. Pl. iii. 503.*—Bras.  
*petraeus*, *Koern. in Mart. Fl. Bras. iii. i. 403.*—Am. trop.  
*philodicoides*, *Koern. l. c. 469.*—Bras.  
*pilifer*, *Kunth, Enum. Pl. iii. 524.*—Bras.  
*pilosus*, *Kunth, l. c. 518.*—Am. trop.  
*pilulifer*, *Koern. in Mart. Fl. Bras. iii. i. 425.*—Bras.  
*planifolius*, *Koern. l. c. 413* = *monticola*.  
*plantagineus*, *Koern. l. c. 369* = *zosterifolius*.  
*plantaginoides*, *Koern. l. c. 470.*—Am. trop.  
*Plantago*, *Mart. ex Koern. l. c. 426.*—Bras.  
*plumosus*, *Koern. l. c. 337.*—Bras.  
*polyanthus*, *Kunth, Enum. Pl. iii. 516.*—Bras.  
*polygonus*, *Koern. in Mart. Fl. Bras. iii. i. 393.*—Bras.  
*polytrichoides*, *Kunth, Enum. Pl. iii. 504.*—Bras.  
*procerus*, *Klotzsch, ex Schomb. Faun. & Fl. Brit. Gui. 1115*, nomen = *caulescens*.  
*prolifer*, *Koern. in Mart. Fl. Bras. iii. i. 417.*—Bras.  
*propinquus*, *Koern. l. c. 418.*—Bras.  
*prostratus*, *Koern. l. c. 350.*—Bras.  
*puberulus*, *Koern. l. c. 410.*—Bras.  
*pubescens*, *Koern. l. c. 384.*—Bras.  
*pulcher*, *Koern. l. c. 452.*—Bras.  
*pullus*, *Koern. l. c. 366.*—Bras.  
*pungens*, *Griseb. Cat. Pl. Cub. 224.*—Cuba.  
*pusillus*, *Koern. in Mart. Fl. Bras. iii. i. 459.*—Bras.  
*radicans*, *Mart. ex Koern. l. c. 370* = *zosterifolius*.  
*ramosus*, *Kunth, Enum. Pl. iii. 514.*—Bras.  
*reclinatus*, *Koern. in Mart. Fl. Bras. iii. i. 447.*—Bras.  
*regalis*, *Mart. ex Koern. l. c. 393.*—Bras.  
*Regelianus*, *Koern. l. c. 386.*—Bras.  
*repens*, *Koern. l. c. 371.*—Ind. occ.  
*retusus*, *Wright, in Sauv. Fl. Cub. 164.*—Cuba.  
*Riedelianus*, *Koern. in Mart. Fl. Bras. iii. i. 383* = *Vauthierianus*.  
*rigidulus*, *Mart. in Nov. Act. Mat. Cur. xvii. i. (1835) 15. t. 2. f. i.*—Bras.  
*rigidus*, *Kunth, Enum. Pl. iii. 515.*—Bras.  
*rosulatus*, *Mart. ex Koern. in Mart. Fl. Bras. iii. i. 487* = *Eriocaulon rosulatum*.  
*rufulus*, *Kunth, Enum. Pl. iii. 530.*—Bras.  
*rupestris*, *Gardn. in Hook. Ic. Pl. t. 525.*—Bras.  
*Ruprechtianus*, *Koern. in Mart. Fl. Bras. iii. i. 437.*—Bras.

**PAEPALANTHUS:—**

- saxatilis*, *Koern. in Mart. Fl. Bras. iii. i. 365.*—Bras.  
*saxicola*, *Koern. l. c. 455.*—Bras.  
*Schlechtendalii*, *Koern. l. c. 425.*—Bras.  
*Schlimii*, *Koern. l. c. 405.*—Am. trop.  
*Schnechianus*, *Koern. l. c. 369.*—Bras.  
*Schomburgkii*, *Klotzsch, ex Schomb. Faun. & Fl. Brit. Gui. 1064*, nomen.—Guian.  
*Schraderi*, *Koern. in Mart. Fl. Bras. iii. i. 360.*—Bras.  
*scirpeus*, *Mart. ex Koern. l. c. 364.*—Bras.  
*sedoides*, *Koern. l. c. 352.*—Bras.  
*selaginoides*, *Benth. Pl. Hartw. 260.*—N. Granat.  
*selaginoides*, *Koern. in Mart. Fl. Bras. iii. i. 362.*—Am. trop.  
*Sellowianus*, *Koern. l. c. 326.*—Bras.  
*seslerioides*, *Griseb. Cat. Pl. Cub. 224.*—Cuba.  
*sessiliflorus*, *Mart. ex Koern. in Mart. Fl. Bras. iii. i. 361.*—Bras.  
*simplex*, *Miq. Stirp. Surin. Sel. 222.*—Guian.  
*spadiceus*, *Koern. in Mart. Fl. Bras. iii. i. 452.*—Bras.  
*spathulatus*, *Koern. l. c. 389.*—Bras.  
*speciosus*, *Gardn. in Hook. Ic. Pl. t. 512.*—Bras.  
*speciosus*, *Koern. in Mart. Fl. Bras. iii. i. 315.*—Bras.  
*spiralis*, *Koern. l. c. 420.*—Bras.  
*Spixianus*, *Mart. in Nov. Act. Nat. Cur. xvii. (1835) 1. 14. t. 1* = *Eriocaulon quinquangulare?*  
*splendens*, *Mart. ex Koern. in Mart. Fl. Bras. iii. i. 466* = *caulescens*.  
*stellaris*, *Kunth, Enum. Pl. iii. 525* = *plumosus*.  
*Stendelianus*, *Koern. in Mart. Fl. Bras. iii. i. 450.*—Bras.  
*strictus*, *Koern. l. c. 319.*—Bras.  
*subtilis*, *Miq. Stirp. Surin. Sel. 221.*—Bras.  
*subulatus*, *Klotzsch, in Schomb. Faun. & Fl. Brit. Gui. 1116*, nomen = *subtilis*.  
*succisus*, *Mart. ex Koern. in Mart. Fl. Bras. iii. i. 384.*—Bras.  
*supinus*, *Koern. l. c. 352.*—Bras.  
*surinamensis*, *Miq. in Linnaea, xix. (1847) 126* = *caulescens*.  
*tenuis*, *Kunth, Enum. Pl. iii. 534.*—Am. trop.  
*tortilis*, *Mart. ex Koern. in Mart. Fl. Bras. iii. i. 354.*—Bras.  
*triangularis*, *Koern. l. c. 470.*—Bras.  
*trichopetalus*, *Koern. l. c. 399.*—Bras.  
*trichophyllus*, *Koern. l. c. 318.*—Bras.  
*Trinianus*, *Walp. Ann. i. 890.*—Bras.  
*truxillensis*, *Koern. in Mart. Fl. Bras. iii. i. 406.*—Am. trop.  
*tuberosus*, *Kunth, Enum. Pl. iii. 508.*—Bras.  
*umbellatus*, *Kunth, l. c. 537.*—Am. trop.  
*uncinatus*, *Gardn. in Hook. Ic. Pl. t. 523.*—Bras.  
*vaginatus*, *Koern. in Mart. Fl. Bras. iii. i. 313.*—Bras.  
*Vauthierianus*, *Kunth, Enum. Pl. iii. 500.*—Bras.  
*vellozioides*, *Koern. in Mart. Fl. Bras. iii. i. 401.*—Bras.  
*vernonioides*, *Kunth, Enum. Pl. iii. 528.*—Bras.  
*verticillatus*, *Kunth, l. c. 536.*—Bras.  
*villosulus*, *Mart. ex Koern. in Mart. Fl. Bras. iii. i. 400.*—Bras.  
*viridis*, *Koern. l. c. 355.*—Bras.  
*viviparus*, *Mart. ex Koern. l. c. 417.*—Bras.  
*Wahlbergii*, *Koern. l. c. 459.*—Afr. austr.  
*Weddellianus*, *Koern. l. c. 317.*—Bras.  
*Widgrenianus*, *Koern. l. c. 454.*—Bras.  
*xeranthemoides*, *Koern. l. c. 432.*—Bras.  
*zosterifolius*, *Kunth, Enum. Pl. iii. 504.*—Bras.
- PAGAEA**, *Griseb. in DC. Prod. ix. 70 (1845). GEN-TIANEAE*, *Benth. & Hook. f. ii. 814.*  
*BRACHYCODON*, *Prog. in Mart. Fl. Bras. vi. i. 229. t. 42 (1865).*  
*breviflora*, *Benth. & Hook. f. Gen. ii. 814.*—Guian.  
*Poeppigii*, *Griseb. in DC. Prod. ix. 71.*—Am. trop.  
*recurva*, *Benth. & Hook. f. Gen. ii. 814.*—Bras.  
*subcordata*, *Benth. & Hook. f. l. c.*—Bras.
- PAGAMEA**, *Aubl. Pl. Gui. i. 112. t. 44 (1775). LOGANIACEAE*, *Benth. & Hook. f. ii. 798.*  
*capitata*, *Benth. in Journ. Linn. Soc. i. (1857) 85, 109.*—Guian.  
*coriacea*, *Benth. l. c. 110.*—Bras.  
*guianensis*, *Aubl. Pl. Gui. i. 113.*—Guian.  
*hirsuta*, *Spruce, ex Benth. in Journ. Linn. Soc. i. (1857) 111.*—Bras.  
*macrophylla*, *Spruce, l. c. 110.*—Bras.  
*plicata*, *Spruce, l. c. 109.*—Bras.  
*sessiliflora*, *Spruce, l. c. 110.*—Bras.  
*thyrsiflora*, *Spruce, l. c.*—Bras.



- PAGERIA**, Juss. in Dict. Sc. Nat. iii. 53 (1816) = **Lapageria**, Ruiz & Pav. (Liliac.).
- PAGESIA**, Rafin. Fl. Ludov. 48 (1817) = **Gerardia**? Linn. (Scrophul.).  
*leucantha*, Rafin. l. c. 49.—Am. bor.
- PAGETIA**, F. Muell. Fragm. v. 178 (1866). **RUTACEAE**, Benth. & Hook. f. i. 991.  
*medicinalis*, F. Muell. l. c.—Austral.
- PAHUDIA**, Miq. Fl. Ind. Bat. i. 1. 86 (1855). **LEGUMINOSAE**, Benth. & Hook. f. i. 580.  
Hasskarliana, *Miq. l. c.* Add. 1080.—Java.  
*javanica*, *Miq. l. c.* 87.—Java.  
*xylocarpa*, *Kurz, For. Fl. Brit. Burma*, i. 413.—Burma.
- PAIVA**, Vell. Fl. Flum. 104 (1825); iii. t. 16 (1827) = **Sabicea**, Aubl. (Rubiace.).  
*verticillata*, Vell. ll. cc.—Bras.
- PAIVAEA**, Berg, in Mart. Fl. Bras. xiv. i. 614 (1857). **MYRTACEAE**, Benth. & Hook. f. i. 712.  
*Langsdorffii*, Berg, in Mart. l. c.—Bras.
- PAIVAEUSA**, Welw. in Trans. Linn. Soc. xxvii. (1869) 20. **BURSERACEAE**, Benth. & Hook. f. i. 993.  
*dactylophylla*, Welw. l. c. 21.—Afr. trop.
- PAJANELIA**, DC. in Bibl. Univ. Genève. xvii. (1838) 130; (Rev. Bign. 14). **BIGNONIACEAE**, Benth. & Hook. f. ii. 1047.  
*multijuga*, DC. Prod. ix. 227.—Ind. or.; Burma.  
*Rheedii*, Wight, Ic. t. 1343 = *multijuga*.
- PALA**, Juss. in Ann. Mus. Par. xv. (1810) 346 = **Alstonia**, R. Br. (Apocyn.).
- PALAFOXIA**, Lag. Gen. et Sp. Nov. 26 (1816) **COMPOSITAE**, Benth. & Hook. f. ii. 405.  
*LOMAXETA*, Rafin. New Fl. Am. iv. 72 (1836).  
**PALEOLARIA**, Cass. in Bull. Soc. Philom. (1816) 198.  
*callosa*, Torr. & Gray, Fl. N. Am. ii. 369 = *Polypteris collina*.  
*fastigiata*, Less. Syn. Comp. 156 = *Polypteris integrifolia*.  
Feayi, A. Gray, in Proc. Am. Acad. xii. (1877) 59.—Am. bor.  
*Hookeriana*, Torr. & Gray, Fl. N. Am. ii. 368 = *Polypteris Hookeriana*.  
*integrifolia*, Torr. & Gray, l. c. 369 = *Polypteris integrifolia*.  
*latifolia*, DC. Prod. v. 125 (al. gen.?).—Mexic.  
*leucophylla*, A. Gray, in Proc. Am. Acad. viii. (1870) 291 = *linearis*.  
*Lindenii*, A. Gray, Pl. Wright. i. 120.—Mexic.  
*linearis*, Lag. Gen. et Sp. Nov. 26.—Am. bor. occ.; Mexic.  
*texana*, DC. Prod. v. 125 = *Polypteris texana*.  
*texana*, Hook. Ic. Pl. t. 148 = *Polypteris Hookeriana*.
- PALAMOSTIGMA**, Benth. & Hook. f. Gen. iii. 294 (1880), sphalm. = seq.
- PALANOSTIGMA**, Mart. ex Klotzsch, in Hook. Lond. Journ. Bot. ii. (1843) 49 = **Croton**, Linn. (Euphorb.).  
*abutiloides*, Baill. Etud. Gén. Euph. 359 = *C. abutiloides*.  
*crotonoides*, Mart. ex Klotzsch, in Hook. Lond. Journ. Bot. ii. (1843) 48 = *C. Palanostigma*.  
*hibiscifolium*, Baill. Etud. Gén. Euph. 359 = *C. gossipifolius*.  
*Martiana*, Baill. l. c. = *C. Palanostigma*.  
*xalapense*, Baill. l. c. = *C. xalapensis*.
- PALAEQUIUM**, Blanco, Fl. Filip. ed. I. 403 (1837); ed. II. 282 = **Dichopsis**, Thw. (Sapotac.).  
*acuminatum*, Burck, in Ann. Jard. Buitenz. v. (1885) 40.—Sumatra.  
*amboinense*, Burck, l. c. 37.—Ins. Amboin.  
*argentatum*, Pierre, ex Burck, l. c. 30 = *D. argentatum*.  
*bancanum*, Burck, l. c. 43.—Ins. Banca.  
*Beauvisagei*, Burck, l. c. 38.—Sumatra!  
*borneense*, Burck, l. c. 26.—Borneo.
- PALAEQUIUM**:—  
*borneense*, Pierre, in Bull. Soc. Linn. Par. i. (1885) 499.—Borneo.  
*calophyllum*, Pierre, ex Burck, in Ann. Jard. Buitenz. v. (1885) 28 = *Bassia caloneura*?  
*celebicum*, Burck, l. c. 32.—Ins. Celebes.  
*cinereum*, Burck, l. c. 42.—Sumatra.  
*cuneatum*, Vidal, Sinops. t. 62. f. A = *Bassia cuneata*.  
*cupreum*, Burck, in Ann. Jard. Buitenz. v. (1885) 42.—Ins. Amboin.  
*formosum*, Pierre, in Bull. Soc. Linn. Par. i. (1885) 498.—Malacca.  
*gloegoerense*, Burck, in Ann. Jard. Buitenz. v. (1885) 40.—Sumatra.  
*Gutta*, Burck, l. c. 24 = *D. Gutta*.  
*javense*, Burck, l. c. 36.—Java.  
*lanceolatum*, Blanco, Fl. Filip. ed. I. 403 (an seq.?).—Ins. Philipp.  
*lanceolatum*, Burck, in Ann. Jard. Buitenz. v. (1855) 43 = *D. lanceolata*.  
*latifolium*, Blanco, Fl. Filip. ed. I. 404 = *D. latifolia*.  
*latifolium*, Naves, ex Villar, in Blanco, Fl. Philipp. ed. III. Nov. App. 125 = *D. luzoniensis*.  
*lingense*, Burck, in Ann. Jard. Buitenz. v. (1885) 42.—Ins. Lingga.  
*Lobbianum*, Burck, l. c. 29.—Ins. Ternate.  
*macrocarpum*, Burck, l. c. 32.—Sumatra.  
*malaccense*, Pierre, in Bull. Soc. Linn. Par. i. (1885) 498.—Malacca.  
*membranaceum*, Burck, in Ann. Jard. Buitenz. v. (1885) 42.—Sumatra.  
*Minahassae*, Burck, l. c.—Ins. Celebes.  
*Montgomerianum*, Burck, l. c. 34.—Sumatra.  
*Njatoh*, Burck, l. c. 41.—Java.  
*oblongifolium*, Burck, l. c. 25.—Malacca.  
*obscurum*, Burck, l. c. 40.—Sumatra.  
*obtusifolium*, Burck, l. c. 33.—Ins. Celebes.  
*oleiferum*, Blanco, Fl. Filip. 405 = *D. oleifera*.  
*Oxleyanum*, Burck, in Ann. Jard. Buitenz. v. (1885) 33.—Ins. Banca.  
*Oxleyanum*, Pierre, in Bull. Soc. Linn. Par. i. (1885) 498.—Singapore.  
*parviflorum*, Burck, in Ann. Jard. Buitenz. v. (1885) 37.—Sumatra.  
*parvifolium*, Burck, l. c. 36.—Ins. Banca.  
*Pierrei*, Burck, l. c. 31.—Borneo.  
*Pisang*, Burck, l. c. 41.—Sumatra.  
*Princeps*, Pierre, in Bull. Soc. Linn. Par. i. (1885) 499.—Borneo.  
*quercifolium*, Burck, in Ann. Jard. Buitenz. v. (1885) 41.—Borneo.  
*rostratum*, Burck, l. c. 39.—Ins. Banca.  
*Selendit*, Burck, l. c. 41.—Sumatra.  
*sumatranum*, Burck, l. c. 34.—Sumatra.  
*Teysmannianum*, Burck, l. c. 38.—Sumatra.  
*Treubii*, Burck, l. c. 27.—Ins. Banca.  
*Verslegii*, Burck, l. c. 35.—Ins. Banca.  
*Vriesianum*, Burck, l. c. 28.—Sumatra.  
*xanthochymum*, Pierre, ex Burck, l. c. 30.—Borneo.
- PALAU**, Cav. Diss. 40. t. 11. f. 4. 5 (1785). **MALVACEAE**, [Benth. & Hook. f. i. 200].  
*declinata*, Moench, Meth. 609 = *malvaefolia*.  
*dissecta*, Benth. in Journ. Linn. Soc. vi. (1862) 101.—Peruv.  
*flexuosa*, Mast. in Gard. Chron. (1866) 435.—Peruv.  
*malvaefolia*, Cav. Diss. 40.—Burma.  
*moschata*, Cav. l. c. 41.—Peruv.  
*prostrata*, G. Don, in Loud. Hort. Brit. 290 = *moschata*.  
*rhombifolia*, R. Grah. in Edinb. N. Phil. Journ. (July-Sept., 1830) 369.—Peruv.
- PALAU**, Ruiz & Pav. Prod. 100. t. 22 (1794) = **Saurauja**, Willd. (Ternstr.).  
*biserrata*, Ruiz & Pav. Syst. Veg. 181 = *S. biserrata*.  
*glabrata*, Ruiz & Pav. l. c. 182 = *S. serrata*.  
*lanceolata*, Ruiz & Pav. l. c. 181 = *S. Ruiziana*.  
*scabra*, Kunth, Syn. Pl. Aequin. 213 = *S. excelsa*.  
*tomentosa*, Kunth, l. c. = *S. tomentosa*.
- PALAVA**, Juss. Gen. 271 (1789) = **Palaua**, Cav. (Malvac.).
- PALAVA**, Pers. Syn. ii. 91 (1807) = **PALAU**, Ruiz & Pav. = **Saurauja**, Willd. (Ternstr.).
- PALAVIA**, Schreb. Gen. ii. 464 (1791) = **Palaua**, Cav. (Malvac.).
- PALEISTA**, Rafin. New Fl. Am. ii. 43 (1836) = **Eclipta**, Linn. (Compos.).  
*brachypoda*, Rafin. l. c. = *E. erecta*.  
*procumbens*, Rafin. l. c. = *E. erecta*.
- PALENGA**, Thw. in Hook. Kew Journ. viii. (1856) 270. t. 7 = **Putranjiva**, Wall. (Euphorb.).  
*zeylanica*, Thw. l. c. 271 = *Putranjiva Roxburghii*.
- PALEOLARIA**, Cass. in Bull. Soc. Philom. (1816) 198 = **Palafoxia**, Lag. (Compos.).  
*carnea*, Cass. l. c. = *Palafoxia linearis*.  
*fastigiata*, Less. Syn. Comp. 156 = *Polypteris integrifolia*.
- PALETUVIERA**, Thou. ex DC. Prod. iii. 32 (1828) = **Bruguiera**, Lam. (Rhizoph.).
- PALEYA**, Cass. in Dict. Sc. Nat. xxxix. 393 (1826) = **Crepis**, Vaill. (Compos.).  
*albida*, Cass. l. c. = *C. albida*.  
*billotioides*, Sch. Bip. in Pollichia, xxii-xxiv. (1866) 320.—Abyss.  
*oligocephala*, Sch. Bip. l. c.—Ind. or.
- PALIAVANA**, Vell. ex Vand. Fl. Lusit. 40. t. 3. f. 17 (1788). **GESNERACEAE**, Benth. & Hook. f. ii. 1002.  
**CODONOPHORA**, Lindl. Bot. Reg. sub t. 1110 (1827).  
**PRASANTHEA**, Decne. in Rev. Hortic. (1848) 467.  
*prasinata*, Benth. & Hook. f. Gen. ii. 1003.—Bras.  
*sericifolia*, Benth. & Hook. f. l. c.—Bras.
- PALICOUREA**, Aubl. Pl. Gui. i. 172. t. 66 (1775). **RUBIACEAE**, Benth. & Hook. f. ii. 125.  
**COLLADONIA**, Spreng. Syst. i. 516 (1825).  
**NONATELIA**, Aubl. Pl. Gui. i. 182. t. 70 (1775).  
**ORIBASIA**, Schreb. Gen. 123 (1789).  
**RHODOSTOMA**, Scheidw. in Otto & Dietr. Allg. Gartenz. x. (1842) 286.  
**STEPHANUM**, Schreb. Gen. 124 (1789).  
*alpina*, DC. Prod. iv. 528.—Ind. occ.; Am. austr.  
*amethystina*, DC. l. c. 527.—Peruv.  
*angustifolia*, H. B. & K. Nov. Gen. et Sp. iii. 367.—Venezuela.  
*apicata*, H. B. & K. l. c. t. 255.—Venezuela.  
*aurantiaca*, Miq. Stirp. Sel. Surin. 181 = *crocea*.  
*aurata*, Mart. Reise Bras. i. 544 = *Psychotria rigida*.  
*barbinervia*, DC. Prod. iv. 530.—Am. austr.  
*Blanchetiana*, Schlecht. in Linnaea, xxviii. (1856) 531 = *Psychotria Blanchetiana*.  
*brasiliensis*, Wawra, in Oestr. Bot. Zeitschr. xxxi. (1881) 70 = *Psychotria Muelleriana*.  
*breviflora*, Schlecht. in Linnaea, xxviii. (1856) 530 = *Psychotria breviflora*.  
*cajennensis*, Ham. Prod. Pl. Ind. Occ. 29 = *pedunculosa*.  
*calophylla*, DC. Prod. iv. 529.—Guian.  
*calycina*, Benth. Pl. Hartw. 133.—Peruv.  
*cayennensis*, DC. Prod. iv. 526, in syn. = *praece*.  
*chionantha*, DC. l. c. 526 = *Luschnathii*.  
*coccinea*, DC. l. c. 529 (= *crocea*?).—Ins. S. Doming.  
*cocculca*, Roem. & Schult. Syst. v. 194.—Peruv.  
*costa-ricensis*, Benth. ex Oerst. in Kjoeb. Vidensk. Meddel. (1852) 38.—Am. centr.  
*costata*, H. B. & K. Nov. Gen. et Sp. iii. 366.—Venezuela.  
*crocea*, Roem. & Schult. Syst. v. 193.—Ind. occ.; Am. austr.  
*crocea*, Schlecht. in Linnaea, xxviii. (1856) 525 = *Psychotria subcrocea*.  
*croceoides*, Ham. Prod. Pl. Ind. Occ. 29 (= *crocea*).—Ind. occ.  
*cujabensis*, Schlecht. in Linnaea, xxviii. (1856) 525 = *Psychotria subcrocea*.  
*densiflora*, Mart. in Flora, xxi. (1838) II. Beibl. 85 = *Rudgea viburnoides*.  
*densiflora*, Wawra, in Oestr. Bot. Zeitschr. xiii. 1863 220 = *Psychotria longepedunculata*.  
*didymocarpa*, Griseb. Cat. Pl. Cub. 138.—Cub.  
*diuretica*, Mart. Reise Bras. i. 544 = *Psychotria rigida*.  
*divaricata*, Schlecht. in Linnaea, xxviii. 1856 529 = *Psychotria Schlechtendaliana*.  
*domingensis*, DC. Prod. iv. 529.—Ins. S. Doming.



**PALICOUREA** :—

- elliptica, *H. B. & K. Nov. Gen. et Sp.* iii. 368.—Venezuela.  
 eriantha, *DC. Prod.* iv. 528.—Ins. S. Doming.  
*fastigiata*, Cham. & Schlecht. in *Linnaea*, iv. (1829) 16 = *Psychotria Sellowiana*.  
*fastigiata*, *H. B. & K. Nov. Gen. et Sp.* iii. 368.—Venezuela.  
*flavescens*, *H. B. & K. l. c.* 366.—Peruv.  
*Galeottiana*, *Martens, in Bull. Acad. Brux.* xi. i. (1844) 136.—Mexic.  
*gardenioides*, *Benth. & Hook. f. ex Hemsl. Biol. Centr. Am. Bot.* ii. 52.—Mexic.  
*guianensis*, *Aubl. Pl. Gui.* i. 173. t. 66.—Ind. occ; Am. austr.  
*Haenkeana*, *DC. Prod.* iv. 530.—Peruv.  
*hebeantha*, *DC. l. c.* 525 = *Psychotria Marcgravii*.  
*hyacinthiflora*, *Roem. & Schult. Syst.* v. 194.—Peruv.  
*intermedia*, *Oerst. ex Polak. in Linnaea*, xli. (1877) 571.—Costa Rica.  
*laevigata*, *Beurl. in Vet. Akad. Handl. Stockh.* 1854 (1856) 133.—Am. austr.  
*lanceolata*, *Benth. ex Oerst. in Kjoeb. Vidensk. Meddel.* (1852) 39.—Costa Rica.  
*lasiorhachis*, *Benth. ex Oerst. l. c.* 39.—Costa Rica.  
*laxa*, *Roem. & Schult. Syst.* v. 195.—Peruv.  
*lineata*, *Benth. Pl. Hartw.* 192.—Ecuador.  
*longepedunculata*, *Gardn. in Hook. Lond. Journ. Bot.* iv. (1845) 109 = *Psychotria longepedunculata*.  
*longibracteata*, *DC. Prod.* iv. 527.—Panama.  
*longiflora*, *DC. l. c.* 528.—Guian.  
*longifolia*, *H. B. & K. Nov. Gen. et Sp.* iii. 369.—N. Granat.  
*longifolia*, *A. St. Hil. Pl. Rem. Brés.* 232. t. 22 = *Psychotria verticillata*.  
*macrobotrys*, *Roem. & Schult. Syst.* v. 184.—Peruv.  
*macrocarpa*, *H. B. & K. Nov. Gen. et Sp.* iii. 369.—N. Granat.  
*Marcgravii*, *A. St. Hil. Pl. Rem. Brés.* 231. t. 22 = *Psychotria Marcgravii*.  
*metallica*, *Wawra, in Oestr. Bot. Zeitschr.* xii. (1862) 207 = *Psychotria Blanchetiana*.  
*mexicana*, *Benth. ex Oerst. in Kjoeb. Vidensk. Meddel.* (1852) 37 = alpina.  
*mitis*, *DC. Prod.* iv. 527.—Peruv.  
*nicotianaefolia*, *Cham. & Schlecht. in Linnaea*, iv. (1829) 18 = *Psychotria tabacifolia*.  
*nigrescens*, *Mart. & Gal. in Bull. Acad. Brux.* xi. i. (1844) 136.—Am. centr.  
*noxia*, *Mart. Reise Bras.* i. 544 = *Psychotria Marcgravii*.  
*obovata*, *DC. Prod.* iv. 527.—Peruv.  
*officinalis*, *Mart. Reise Bras.* i. 544.—Bras.  
*parviflora*, *Benth. Bot. Voy. Sulph.* 107.—Peruv.  
*Pavetta*, *DC. Prod.* iv. 525.—Ind. occ.  
*pedunculosa*, *DC. l. c.* 526.—Guian.  
*pedunculosa*, *Miq. in Linnaea*, xix. (1847) 444 = *Psychotria longepedunculata*.  
*petiolaris*, *H. B. & K. Nov. Gen. et Sp.* iii. 370.—Mexic.  
*popayanensis*, *Benth. Pl. Hartw.* 193.—N. Granat.  
*pulchra*, *Griseb. Fl. Brit. W. Ind.* 345.—Jamaic.  
*punicea*, *DC. Prod.* iv. 526.—Peruv.  
*quadrifolia*, *Rudge, Pl. Gui.* 27. t. 42.—Guian.  
*rigida*, *H. B. & K. Nov. Gen. et Sp.* iii. 370.—Am. austr.  
*riparia*, *Benth. in Hook. Journ. Bot.* iii. (1841) 224 = *croccea*.  
*Sellowiana*, *DC. Prod.* iv. 525 = *Psychotria Sellowiana*.  
*sonans*, *Mart. Reise Bras.* i. 544.—Bras.  
*speciosa*, *H. B. & K. Nov. Gen. et Sp.* iii. 368.—N. Granat.  
*stipularis*, *Benth. Pl. Hartw.* 133.—Ecuador.  
*strepens*, *Mart. Reise Bras.* i. 544 = *rigida*.  
*subrubra*, *Polak. in Linnaea*, xli. (1877) 571.—Costa Rica.  
*sulphurea*, *DC. Prod.* iv. 528.—Peruv.  
*tabernaefolia*, *DC. l. c.* 525.—Ins. S. Doming.  
*tetraphylla*, *Cham. & Schlecht. in Linnaea*, iv. (1829) 17 = *Psychotria tetraphylla*.  
*thyrsiflora*, *DC. Prod.* iv. 528.—Peruv.  
*tinctoria*, *Roem. & Schult. Syst.* v. 194.—Peruv.  
*tinifolia*, *DC. Prod.* iv. 529.—Am. austr.  
*triphylla*, *DC. l. c.* 526 = *Psychotria triphylla*.  
*umbellata*, *DC. l. c.*—Ind. occ.; Guian.  
*vaginata*, *Benth. Pl. Hartw.* 193.—N. Granat.

**PALICOUREA** :—

- velutina*, Schlecht. in *Linnaea*, xxviii. (1856) 528 = *Psychotria Marcgravii*.  
*verticillata*, *DC. Prod.* iv. 526 = *Psychotria verticillata*.  
*violacea*, *A. Rich. in Mém. Soc. Hist. Nat. Par.* v. (1834) 175.—Guian.  
*viridis*, *Roem. & Schult. Syst.* v. 195 = *Psychotria viridis*.  
*xanthina*, *DC. Prod.* iv. 525.—Guian.

**PALICUREA**, *Roem. & Schult. Syst.* v. 193 (1819) = *praece*.

**PALICURIA**, *Rafin. in Ann. Gén. Sc. Phys.* vi. (1820) 86 = *praece*.

- PALIMBIA**, *Bess. Enum. Pl. Volh.* 55, 94 (1822) = **Peucedanum**, *Tourn. (Umbellif.)*.  
*alpigenum*, *C. Koch, ex Boiss. Fl. Orient.* ii. 102 = *Peuced. alpigenum*.  
*carvifolia*, *Koch, ex DC. Prod.* iv. 176 = *Peuced. carvifolium*.  
*Chabraei*, *Bertol. Fl. Ital.* iii. 354, partim = *Peuced. Schottii*.  
*Chabraei*, *DC. Prod.* iv. 176 = *Peuced. carvifolium*.  
*chrysanthia*, *C. Koch, ex Boiss. Fl. Orient.* ii. 1021 = *Peuced. palmbioides*.  
*decussata*, *Schur, in Verh. Siebenb. Ver. Naturw.* iv. (1853) 30 = *Peuced. carvifolium*.  
*ramosissima*, *DC. Prod.* iv. 176 = *Peuced. ramosissimum*.  
*ramosissima*, *Thw. Enum. Pl. Zeyl.* 131 = *Peuced. ceylanicum*.  
*salsa*, *Bess. Enum. Pl. Volh.* 55, 94 = *Peuced. redivivum*.

**PALINETES**, *Salisb. Gen. Pl. Fragm.* 116 (1866) = **Ammocharis**, *Herb. (Amaryll.)*.  
*coranica*, *Salisb. l. c.* = *A. falcata*.  
*falcata*, *Salisb. l. c.* = *A. falcata*.

**PALIRIS**, *Dum. Fl. Belg.* 134 (1827) = **Liparis**, *Rich. (Orchid.)*.  
*Loeselii*, *Dum. l. c.* = *L. Loeselii*.

**PALISOTA**, *Reichb. Consp.* 59 (1828). **COMMELINACEAE**, *Benth. & Hook. f.* iii. 847.

- DUCKEIA**, *Kostel. Allg. Med.-Pharm. Fl.* i. 213 (1831).  
*ambigua*, *C. B. Clarke, in DC. Monog. Phan.* iii. 131.—Afr. trop.  
*Barteri*, *Hook. f. in Bot. Mag.* t. 5318.—Afr. trop.  
*bicolor*, *Mast. in Gard. Chron.* (1878) 527.—Afr. trop.  
*bracteosa*, *C. B. Clarke, in DC. Monog. Phan.* iii. 133.—Afr. trop.  
*Mannii*, *C. B. Clarke, l. c.* 132.—Afr. trop.  
*prionostachys*, *C. B. Clarke, l. c.* 134.—Afr. trop.  
*Schweinfurthii*, *C. B. Clarke, l. c.* 132.—Afr. trop.  
*thyrsiflora*, *Benth. in Hook. Niger Fl.* 544.—Afr. trop.  
*thyrsioidea*, *Baker, in Journ. Linn. Soc.* xiv. (1875) 518 = *thyrsiflora*.

**PALISSYA**, *Baill. Etud. Gén. Euph.* 502 (1858) = **Alchornea**, *Sw. (Euphorb.)*.  
*castaneaefolia*, *Baill. l. c.* 503 = *A. madagascariensis*.

**PALIUIROS**, *St. Lag. in Ann. Soc. Bot. Lyon*, vii. (1880) 131 = **Paliurus**, *Tourn. (Rhamn.)*.  
*Aubletius*, *St. Lag. l. c.* = *Paliurus ramosissima*.

**PALIURUS**, *Tourn. ex Mill. Gard. Dict. ed. VI.* (1752). **RHAMNEAE**, *Benth. & Hook. f.* i. 375.

- AUBLETIA**, *Lour. Fl. Cochinch.* 283 (1790).  
*aculeatus*, *Lam. Illustr.* ii. 347 n. 611.—Europ. austr.; As. occ.  
*asiaticus*, *Noronha, in Verh. Batav. Gen.* v. (1790) ed. I. Art. iv. 25 (*Zizyphi* sp. ?)—Java.  
*Aubletia*, *Roem. & Schult. Syst.* v. 343 = *ramosissimus*.  
*australis*, *Gaertn. Fruct.* i. 23. t. 43 = *aculeatus*.  
*clypeiformis*, *Medic. Beobacht.* (1782) 327 = *aculeatus*.  
*Dao*, *Blanco, Fl. Filip.* ed. I. 174 = *Dracontomelon mangiferum*.  
*dubius*, *Blanco, l. c.* 175 = *Harrisonia paucijuga*.  
*edulis*, *Blanco, l. c.* 173 = *Dracontomelon mangiferum*.  
*inermis*, *Hort. Par. ex DC. Prod.* ii. 31 = *Ceanothus reclinator*.  
*Lamuyo*, *Blanco, Fl. Filip.* ed. II. 122 = *Dracontomelon mangiferum*.  
*lucidus*, *Carr. in Rev. Hort.* (1866) 380.—China.

**PALIURUS** :—

- perforatus*, *Blanco, Fl. Filip.* ed. I. 174 = *Harrisonia paucijuga*.  
*Petasus*, *Dum.-Curs. Bot. Cult.* ed. II. vi. 266 = *aculeatus*.  
*ramosissimus*, *Poir. Encyc. Suppl.* iv. 262.—China.  
*reticulatus*, *Vahl, Eclog. Am.* iii. 6 = *Zizyphus reticulata*.  
*solitarius*, *Stokes, Bot. Mat. Med.* ii. 169 = *aculeatus*.  
*Spina-Christi*, *Mill. Gard. Dict.* ed. VIII. = *aculeatus*.  
*texanus*, *Scheele, in Linnaea*, xxi. (1848) 594 = *Zizyphus obtusifolia*.  
*trinervatus*, *Moench, Meth.* 74 = *aculeatus*.  
*virgatus*, *D. Don, in Bot. Mag.* t. 2535 = *Zizyphus incurva*.  
*vulgaris*, *Steud. Nom. ed. II.* ii. 249 = *aculeatus*.

**PALLADIA**, *Lam. Illustr.* t. 285 (1792) = **Blackwellia**, *Gaertn. (genus dubium)*.  
*antarctica*, *Lam. Encyc.* iv. 698; et *Illustr.* ii. 426 = *B. antarctica*.

**PALLADIA**, *Moench, Meth.* 429 (1794) = **Lysimachia**, *Linn. (Primul.)*.  
*atropurpurea*, *Moench, l. c.* = *L. atropurpurea*.

**PALLASIA**, *Houtt. Handleid.* iv. 382 (1775) = **Calodendrum**, *Thunb. (Rutac.)*.  
*capensis*, [*Christm. in*] *Houtt. Pfl. Syst.* iii. 318 = *C. capense*.

**PALLASIA**, *Klotzsch, in Monatsb. Akad. Berl.* (1853) 498 (reimpr. 5). **RUBIACEAE**, *Benth. & Hook. f.* ii. 48.  
*Stanleyana*, *Klotzsch, l. c.*—Guian.

**PALLASIA**, *L'Hérit. Diss.* (1784); ex *Ait. Hort. Kew.* ed. I. iii. 498 (1789) = **Encelia**, *Adans. (Compos.)*.  
*dentata*, *Humb. & Bonpl. Pl. Aequin.* ii. 101. t. 111 = *Verbesina dentata*.  
*grandiflora*, *Willd. Sp. Pl.* iii. 2261 = *E. halimifolia*.  
*halimifolia*, *L'Hérit. ex Ait. Hort. Kew.* ed. I. iii. 498 = *E. canescens*.  
*procumbens*, *Spreng. Syst.* iii. 610 = *E. parvifolia*.  
*serratifolia*, *Sm. in Rees, Cycl.* xxvi. n. 3 = *Verbesina encelioides*.

**PALLASIA**, *Linn. f. Suppl.* 37 (1781) = **Calligonum**, *Linn. (Polygon.)*.  
*caspiaca*, *Linn. f. Suppl.* 252 = *C. Pallasia*.  
*comosa*, *Raesch. Nom. ed. III.* 141 = *C. comosum*.  
*polygonoides*, *Pall. Reise*, iii. 530 = *C. Pallasia*.  
*Pterococcus*, *Pall. Fl. Ross.* i. II. 70 = *C. Pallasia*.

**PALLASIA**, *Scop. Introd.* 72 (1777) = **Crypsis**, *Ait. (Gramin.)*.

**PALLASTEMA**, *Salisb. Gen. Pl. Fragm.* 36 (1866) = **Albuca**, *Linn. (Liliac.)*.  
*abyssinica*, *Salisb. l. c.* = *A. abyssinica*.

**PALLAVIA**, *Vell. Fl. Flum.* 151 (1825); iv. t. 12 (1827) **Pisonia**, *Linn. (Nyctag.)*.  
*aculeata*, *Vell. ll. cc.* = *Pisonia aculeata*.

**PALLAVICINIA**, *De Not. in Flora*, xxx. (1847) 567 = **Cyphomandra**, *Sendt. (Solan.)*.  
*fragrans*, *De Not. l. c.* 568 = *C. fragrans*.

**PALLENIS**, *Cass. in Dict. Sc. Nat.* xxiii. 566 (1822); xxxvii. 275 (1825). **COMPOSITAE**, *Benth. & Hook. f.* ii. 340.  
**ASTERISCUS**, *Sch. Bip. in Webb & Berth. Phyt. Canar.* ii. 229 (1835-60).  
**ATHALMUS**, *Neck. Elem.* i. 20 (1790).  
*aurea*, *Nym. Consp.* 391 = *spinosa*.  
*aurea*, *Pomel, Nouv. Mat. Fl. Atl.* 38.—Alger.  
*canescens*, *Viv. Mem. Alc. Plag.* (1838) 11.—Aegypt.  
*cuspidata*, *Pomel, Nouv. Mat. Fl. Atl.* 38.—Alger.  
*spinosa*, *Cass. in Dict. Sc. Nat.* xxxvii. 275.—Reg. Mediterr.; Oriens.

**PALMA**, *Plum. ex Mill. Gard. Dict. ed. VI* (1752) (*Farrago Palmarum*, etc.).  
*altissima*, *Mill. l. c.* n. 4 = *Elaeis occidentalis*.  
*americana*, *Mill. l. c.* n. 10 (*Quid?*).—Ind. occ.  
*argentea*, *Jacq. Fragm.* 38. t. 43 = *Thrinax argentea*.  
*Avoira*, *Aubl. Pl. Guin. Suppl.* 95 (*Quid?*).—Guian.  
*Bache*, *Aubl. l. c.* 103 (*Quid?*).—Guian.



**PALMA:**—

- Cocos*, Mill. Gard. Dict. ed. VIII. n. 2 = *Cocos nucifera*.  
*Comon*, Aubl. Pl. Gui. Suppl. 102.—Guian.  
*dactylifera*, Mill. Gard. Dict. ed. VIII. n. 1 = *Phoenix dactylifera*.  
*Draco*, Mill. l. c. n. 11 = *Dracaena Draco*.  
*gracilis*, Mill. l. c. n. 5 = *Bactris minor*.  
*Maripa*, Aubl. Pl. Gui. ii. 974.—Guian.  
*Mocaya*, Aubl. l. c. 976.—Guian.  
*Mocaya*, Correa, in Ann. Mus. Par. x. (1807) t. 7 = *præc.*  
*oleosa*, Mill. Gard. Dict. ed. VIII. n. 6 = *Elaeis guineensis*?  
*Paripou*, Aubl. Pl. Gui. ii. 974 (Quid?).—Guian.  
*Patavoua*, Aubl. Pl. Gui. Suppl. 102 (Quid?).—Guian.  
*Pinao*, Aubl. Pl. Gui. ii. 974 (Quid?).—Guian.  
*polypodifolia*, Mill. Gard. Dict. ed. VIII. n. 8 = *Cycas circinalis*.  
*prunifera*, Mill. l. c. n. 7 = *Chamaerops humilis*.  
*pumila*, Mill. l. c. n. 9 = *Zamia furfuracea*.  
*Sancona*, Kunth, Enum. Pl. iii. 182 = *Oreodoxa Sancona*.  
*spinosa*, Mill. Gard. Dict. ed. VIII. n. 3 = *Bactris minor*; *Elaeis guineensis*.  
*thebaica*, Jacq. Fragm. 83 = *Hyphaene thebaica*.  
*Zagueneti*, Aubl. Pl. Gui. ii. 976 (Quid?).—Guian.
- PALMERELLA**, A. Gray, in Proc. Am. Acad. xi. (1876) 80. *CAMPANULACEAE*, Benth. & Hook. f. ii. 1238.  
*debilis*, A. Gray, l. c.—Calif.

- PALMERIA**, F. Muell. Fragm. iv. 151 (1864); v. 2 (1865). *MONIMIACEAE*, Benth. & Hook. f. iii. 140.  
*arfakiana*, Becc. *Malesia*, i. (1877) 186.—N. Guin.  
*racemosa*, A. DC. in DC. Prod. xvi. ii. 657.—Austral.  
*scandens*, F. Muell. Fragm. iv. 152.—Austral.

- PALMIA**, Endl. Gen. 653 (1839) = *Hewittia*, Wight & Arn. (Convolv.).  
*bicolor*, Endl. ex Dalz. & Gibs. Bomb. Fl. 163 = *H. bicolor*.

- PALMONARIA**, Boiss. Pl. Or. Nov. Dec. ii. 8 (1875), err. typ. = *Pulmonaria*, Tourn. (Borag.).

- PALMORCHIS**, Rodrig. Orch. Nov. i. 169 (1877). *ORCHIDEAE*.  
*pubescentis*, Rodrig. l. c. 170.—Bras.  
*sobralioides*, Rodrig. l. c.—Bras.

- PALMSTRUCKIA**, Retz. f. Obs. Bot. Pugill. 15 (1810) = *Chaenostoma*, Benth. (Scrophul.).  
*foetida*, Retz. f. l. c. = *C. foetidum*.

- PALMSTRUCKIA**, Sond. in Harv. & Sond. Fl. Cap. i. 35 (1859). *CRUCIFERAE*, Benth. & Hook. f. i. 96.  
*capensis*, Sond. l. c.—Afr. austr.

- PALOUÉ**, Aubl. Pl. Gui. 365, t. 141 (1775) = seq.

- PALOVEA**, Aubl. Pl. Gui. 365, t. 141 (1775) (Paloue); Juss. Gen. 350 (1789). *LEGUMINOSAE*, Benth. & Hook. f. i. 578.  
*GINANNIA*, Scop. Introd. 300 (1777).  
*guianensis*, Aubl. Pl. Gui. i. 365, t. 141.—Guian.

- PALTORIA**, Ruiz & Pav. Prod. 13 (1794) = *Ilex*, Tourn.  
*ovalis*, Ruiz & Pav. Fl. Per. i. 54 = *I. Paltoria*.

- PALUDANA**, Giseke, Prael. Linn. 199, 207 (1792) = *Amomum*, Linn. (Scitam.).  
*crispa*, Giseke, l. c. 207 = *A. echinatum*.

- PALUDANA**, Salisb. Gen. Pl. Fragm. 53 (1866) 53, in obs. = seq.

- PALUDARIA**, Salisb. Gen. Pl. Fragm. 53 (1866) = *Colchicum*, Tourn. (Liliac.).

- PALUMBINA**, Reichb. f. in Walp. Ann. vi. 699 (1861) = *Oncidium*, Sw. (Orchid.).  
*candida*, Reichb. f. l. c. = *O. candidum*.

- PALURA**, Buch.-Ham. ex D. Don, Prod. Fl. Nep. 145 (1825) = *Symplocos*, Linn. (Styrac.).  
*odorata*, Buch.-Ham. ex D. Don, l. c. = *S. crataegoides*.  
*pendula*, Miers, in Journ. Linn. Soc. xvii. (1879) 297 = *S. pendula*.  
*sinica*, Miers, l. c. = *S. sinica*.

- PAMEA**, Aubl. Pl. Gui. ii. 946, t. 359 (1775) = *Terminalia*, Linn. (Combret.).  
*guianensis*, Aubl. l. c. = *T. Pamea*.

- PAMPHALEA**, DC. in Ann. Mus. Par. xix. (1812) 68. *COMPOSITAE*, Benth. & Hook. f. ii. 503.  
*CERATOLEPIS*, Cass. in Bull. Soc. Philom. (1819) 111.  
*PANPHALEA*, Lag. Amen. Nat. i. 34 (1811).  
*bupleurifolia*, Less. in Linnaea, v. (1830) 8.—Bras.  
*cardaminefolia*, Less. l. c. 9.—Bras.  
*Commerstonii*, Cass. in Bull. Soc. Philom. (1819) 111.—Reg. Argent.  
*heterophylla*, Less. in Linnaea, v. (1830) 8.—Bras.  
*maxima*, Less. l. c. 9.—Bras.  
*Tweedii*, Gardn. & Field. Sert. Pl. t. 21.—Uruguay.

- PAMPFILIA**, Mart. Herb. Fl. Bras. n. 902 (1837). *STYRACEAE*, Benth. & Hook. f. ii. 670.  
*aurea*, Mart. l. c.; et ex A. DC. in DC. Prod. viii. 271.—Bras.  
*styracifolia*, A. DC. l. c.—Bras.

- PANACEA**, Mitch. in Act. Phys.-Med. Acad. Nat. Cur. viii. (1748) App. 221 = *Panax*, Linn. (Araliac.).

- PANAETIA**, Cass. in Ann. Sc. Nat. Ser. I. xvii. (1829) 417; et in Dict. Sc. Nat. lx. (1830) 593 = *Podolepis*, Labill. (Compos.).  
*athrixoides*, Sond. & F. Muell. in Linnaea, xxv. (1852) 506 = *Athrixia tenella*.  
*fulva*, Lindl. in Bot. Reg. (1838) Misc. 47.—Austral.  
*Lessonii*, Cass. in Ann. Sc. Nat. Ser. I. xvii. (1829) 417 = *Podolepis Lessonii*.  
*Muelleri*, Sond. in Linnaea, xxv. (1852) 505 = *Podolepis Lessonii*.

- PANARGYRUM**, D. Don, in Phil. Mag. xi. (1832) 390 = seq.

- PANARGYRUS**, Lag. Amen. Nat. i. 33 (1811) = *Nassauvia*, Juss. (Compos.).  
*abbreviatus*, Hook. & Arn. in Hook. Comp. Bot. Mag. ii. (1836) 43 = *N. abbreviata*.  
*Darwinii*, Hook. & Arn. l. c.—Reg. Magellan.  
*densifolius*, Phil. in Linnaea, xxx. (1859-60) 192 = *glomeratum*.  
*Diazii*, Phil. l. c. xxxiii. (1864-65) 117.—Chili.  
*glomeratus*, Gill. ex D. Don, in Phil. Mag. xi. (1832) 390.—Chili.  
*heterophyllus*, Phil. in Linnaea, xxxiii. (1864-65) 118.—Patagonia.  
*Lagascæ*, DC. Prod. vii. 54 = *N. Lagascæ*.  
*latifolius*, Phil. in Linnaea, xxxiii. (1864-65) 119.—Chili.  
*oligocephalus*, DC. Prod. vii. 54.—Chili.  
*pectinatus*, Phil. in Anal. Univ. Chil. (1861) i. 63.—Chili.  
*spinatus*, D. Don, in Phil. Mag. xi. (1832) 390.—Chili.  
*uniflorus*, D. Don, l. c. = *oligocephalus*.

- PANAX**, Linn. Syst. ed. I (1735). *ARALIACEAE*, Benth. & Hook. f. i. 938.  
*CHEIRODENDRON*, Nutt. ex Seem. in Journ. Bot. v. (1867) 236.  
*GINSEN*, Adans. Fam. ii. 102 (1763).  
*MARALIA*, Thou. Gen. Nov. Madag. 13 (1806).  
*NOTHOPANAX*, Seem. in Journ. Bot. iv. (1866) 293.  
*OLIGOSCIAS*, Seem. l. c. iii. (1865) 179.  
*PANACEA*, Mitch. in Act. Phys.-Med. Acad. Nat. Cur. viii. (1748) App. 221.  
*RAUKANA*, Seem. in Journ. Bot. iv. (1866) 352.  
*SCIADOPANAX*, Seem. l. c. iii. (1865) 73, t. 27.  
*aculeatum*, [Dryand. in] Ait. Hort. Kew. ed. I. iii. 448 = *Acanthopanax aculeatum*.  
*americanum*, Rafin. New Fl. Am. iv. 58 = *Aralia quinquefolia*.  
*amplifolium*, Baker, in Journ. Linn. Soc. xxi. (1884) 351.—Madag.

**PANAX:**—

- angustifolium*, F. Muell. in Trans. Phil. Inst. Vict. i. (1855) 42 = *sambucifolium*.  
*Anisum*, DC. Prod. iv. 254.—Ins. Molucc.  
*anomalum*, Hook. Lond. Journ. Bot. ii. (1843) 422, t. 12.—N. Zel.  
*arborescens*, Forst. f. Prod. 75.—N. Zel.  
*armatum*, Wall. Cat. n. 4933 = *Aralia armata*.  
*attenuatum*, Sw. Prod. Veg. Ind. Occ. 54.—Ind. occ.  
*australasium*, Pers. Syn. i. 298 = *arborescens*.  
*australe*, Spreng. ex Schult. Syst. vi. 215 (sp. dub.).—Austral.  
*bandanense*, Zipp. ex Span. in Linnaea, xv. (1841) 208 = *Arthrophyllum pinnatum*.  
*Bastardianum*, Decne. Bot. Voy. Vénus, 24.—Ins. Tahiti.  
*bijugum*, Wall. Cat. n. 4937 = *Pentapanax Leschenaultii*.  
*bipinnatifidum*, Seem. in Journ. Bot. vi. (1866) 54 = *Aralia bipinnatifida*.  
*Boivini*, Seem. l. c. iii. (1865) 74.—Madag.  
*calvum*, Cham. in Linnaea, viii. (1833) 332 = *Didymopanax calvum*.  
*cephalobotrys*, F. Muell. Fragm. ii. 83.—Austral.  
*chrysophyllum*, Vahl, Eclog. Am. i. 33 = *Didymopanax Morotoni*.  
*cissiflorum*, Baker, in Journ. Linn. Soc. xx. (1883) 154.—Madag.  
*cissodendron*, C. Moore & F. Muell. Fragm. vii. 96; viii. 280.—Austral.  
*cochleatum*, DC. Prod. iv. 253.—Ins. Malay.  
*Colensoi*, Hook. f. Fl. N. Zel. 94, t. 21.—N. Zel.  
*conchifolium*, Roxb. Hort. Beng. 21; Fl. Ind. ii. 77.—Ind. or.  
*confertifolium*, Baker, in Journ. Linn. Soc. xxi. (1884) 351.—Madag.  
*coriaceum*, Regel, Gartenfl. (1859) 45.—N. Zel.  
*crassifolium*, Decne. & Planch. in Rev. Hort. Sér. IV. iii. (1854) 105 = *Pseudopanax crassifolium*.  
*crenatum*, Dietr. ex Steud. Nom. ed. II. ii. 249 (Quid?).—Hab.?  
*crenatum*, Planch. & Sebert, Not. Bois Nouv. Calé. 202.—N. Calé.  
*Cumingianum*, Rolfe, in Journ. Linn. Soc. xxi. (1884) 310.—Ins. Philipp.  
*curcifolium*, Griff. Itin. Notes, 145 = *Brassaiaopsis Hainla*.  
*decaphyllum*, Sagot, ex Seem. in Journ. Bot. iii. (1865) 266 = *Sciadophyllum decaphyllum*.  
*decompositum*, Wall. Cat. n. 4935 = *Aralia cachemirica*.  
*dendroides*, F. Muell. in Trans. Phil. Soc. Vict. i. (1855) 42 = *sambucifolium*.  
*digitatum*, Roxb. Hort. Beng. 21; Fl. Ind. ii. 75.—Ind. or.  
*discolorum*, T. Kirk, in Trans. N. Z. Inst. iii. (1871) 178.—N. Zel.  
*divaricatum*, Sieb. & Zucc. in Abh. Akad. Muench. v. ii. (1843) 200 = *Acanthopanax divaricatum*.  
*dumosum*, Hort. Bull.—Cf. Gard. Chron. (1883) i. 404 = *fruticosum*.  
*Edgerleyi*, Hook. f. Fl. N. Zel. 94.—N. Zel.  
*elegans*, C. Moore & F. Muell. in Trans. Phil. Inst. Vict. ii. (1858) 68.—Austral.  
*fallax*, Miq. in Journ. Bot. Nêrl. i. 1861) 118.—China.  
*ferox*, T. Kirk, in Trans. N. Z. Inst. ix. (1877) 493, in obs. = *Pseudopanax crassifolium*.  
*ferrugineum*, Hiern, in Oliver, Fl. Trop. Afr. iii. 28.—Afr. trop.  
*Finlaysonianum*, Wall. Cat. n. 4936.—Ind. or.  
*fissum*, Bull. Cat. (1884) 14 = *fruticosum*.  
*foliolosum*, Wall. Cat. n. 4928 = *Aralia foliolosa*.  
*Forsteri*, Decne. & Planch. in Rev. Hort. Sér. IV. ii. (1854) 105 = *Polyscias pinnata*.  
*fragrans*, Roxb. Hort. Beng. 21; Fl. Ind. ii. 76.—*Heteropanax fragrans*.  
*fruticosum*, Linn. Sp. Pl. ed. II. 1513.—As. trop. Malay.; Polynes.  
*fulvum*, Hiern, in Oliver, Fl. Trop. Afr. iii. 28.—Afr. trop.  
*Gaudichaudii*, DC. Prod. iv. 253.—Ins. San'to.  
*Gerrardi*, Harv. Gen. S. Afr. Pl. ed. II. 147.—Afr. austr.  
*Ginseng*, C. A. Mey. in Bull. Phys.-Math. Acad. Pétersb. i. (1843) 340 = *Aralia quinquefolia*.  
*glabratum*, H. B. & K. Nov. Gen. et Sp. v. 10.—Afr. austr.  
*Guilfoylei*, Cogn. & March. Pl. Ornament. ii. (1874) t. 58 = *Aralia Guilfoylei*.



**PANAX:—**

- Gunnii, Hook. f. in Hook. Lond. Journ. Bot. vi. (1847) 466.—Tasman.  
 Hainla, DC. Prod. iv. 253 = Brassaiopsis Hainla.  
 Heyneanum, Wall. Cat. n. 4927 = Polyscias pinnata.  
 horridum, Sm. in Rees, Cycl. xxvi. n. 10 = Fatsia horrida.  
 innovans, Sieb. & Zucc. in Abh. Akad. Muench. iv. II. (1843) 198 = Acanthopanax innovans.  
 Jackianum, Wall. Cat. n. 4931 = Arthropphyllum diversifolium.  
 japonicum, C. A. Mey. in Bull. Phys.-Math. Acad. Pétersb. i. (1843) 340 = Aralia quinquefolia.  
 laciniatum, Hort.—Cf. Gard. Chron. (1876) I. 735; (1880) I. 759 = fruticosum.  
 lanceolatum, Rafin. New Fl. Am. iv. 57 = Aralia trifolia.  
 Leschenaultii, DC. Prod. iv. 254 = Pentapanax Leschenaultii.  
 Lessonii, DC. Prod. iv. 253 = Pseudopanax Lessonii.  
 lineare, Hook. f. Fl. N. Zel. 93.—N. Zel.  
 longepetiolatum, Pohl, ex DC. Prod. iv. 253 = Didymopanax longepetiolatum.  
 longissimum, Hook. f. Handb. N. Zeal. Fl. 102.—N. Zel.  
 Loureiranum, DC. Prod. iv. 252 = Acanthopanax aculeatum.  
 Macgillivraei, Benth. Fl. Austral. iii. 382.—Austral.  
 Macgillivrayi, Seem. Revis. Heder. 101, sphalm. = praec.  
 macrocarpum, Schlecht. in Linnaea, i. (1826) 404 = Didymopanax macrocarpum.  
 macrosciadeum, F. Muell. Fragm. ii. 108 = Mackinlaya macrosciadea.  
 Manguette, Vieill. in Ann. Sc. Nat. Sér. IV. xvi. (1861) 66.—N. Caled.  
 Maralia, Decne. & Planch. in Rev. Hort. Sér. IV. iii. (1854) 105.—Madag.  
 margaritifolium, Vis. Ind. Sem. Hort. Patav. (1855).—Cf. Linnaea, xxviii. (1856) 365.—Hab.?  
 micranthum, Wall. Cat. n. 4938.—Ind. or.  
 microphyllum, Colenso, in Trans. N. Z. Inst. xvi. (1884) 328; xvii. (1885) 240.—N. Zel.  
 molle, Benth. Fl. Austral. iii. 382.—Austral.  
 Morototoni, Aubl. Pl. Gui. ii. 949 = Didymopanax Morototoni.  
 multibracteatum, Baker, in Journ. Linn. Soc. xxi. (1884) 351.—Madag.  
 multijugum, Benth. & Hook. f. Gen. i. 938.—Ins. Fiji.  
 Murrayi, F. Muell. Fragm. ii. 106.—Austral.  
 obtusum, Blume, Bijdr. 880.—Java.  
 ornifolium, Baker, in Journ. Linn. Soc. xx. (1883) 155.—Madag.  
 ovatum, Hook. & Arn. Bot. Beech. Voy. 84.—Ins. Sandvic.  
 palmatum, Roxb. Hort. Beng. 21; Fl. Ind. ii. 74 = Brassaiopsis palmata.  
 papyrifolium, F. Muell. Fragm. iv. 122.—Austral.  
 parviflorum, Mart. & Zucc. in Abh. Akad. Muench. i. (1832) 319.—Bras.  
 pentadactylon, Decne. ex Regel, Cat. Pl. Hort. Aksakov. 100.—N. Zel.  
 pentamerum, Baker, in Journ. Linn. Soc. xxi. (1884) 352.—Madag.  
 pinnatum, Baill. Hist. Pl. vii. 164 (err. typ. 464) 197 = Polyscias pinnata.  
 pinnatum, Lam. Encyc. ii. 715 = Arthropphyllum pinnatum.  
 pinnatum, A. Rich. Tent. Fl. Abyss. i. 335.—Abyss.  
 platyphyllum, Hook. & Arn. Bot. Beech. Voy. 84.—Ins. Sandvic.  
 plumatum, Hort.—Cf. Gard. Chron. (1878) I. 439 = fruticosum.  
 polycarpum, Wall. Cat. n. 4930 = Arthropphyllum diversifolium.  
 Pseudo-ginseng, Wall. Pl. As. Rar. ii. 30 = Aralia Pseudo-ginseng.  
 pusillum, Sims, Bot. Mag. t. 1334 = Aralia trifolia.  
 quinquefolium, Linn. Sp. Pl. 1058 = Aralia quinquefolia.  
 repens, Maxim. in Bull. Acad. Pétersb. xii. (1868) 64.—Japan.  
 ricinifolium, Sieb. & Zucc. in Abh. Akad. Muench. iv. II. (1843) 199 = Acanthopanax ricinifolium.  
 rotundifolium, Hort. ex Link, Enum. Hort. Berol. ii. 448, nomen (Quid?).—Hab.?  
 sambucifolium, Sieber, ex DC. Prod. iv. 255.—Austral.

**PANAX:—**

- samoëense, A. Gray, Bot. U. St. Expl. Exped. i. 717.—Ins. Samoa.  
 scutellarioides, Reinw. in Blume, Bijdr. 880 = coch-leatum.  
 secundum, Schult. Syst. vi. 213 = Arthropphyllum pin-natum.  
 sericeum, Pohl, in DC. Prod. iv. 254 = Didymopanax vinosum.  
 serratum, Wall. Cat. n. 4915 = Macropanax oreo-phium.  
 sessiliflorum, Panch. ex Sebert, Not. Bois Nouv. Caléd. 202; et ex Carr. in Rev. Hort. (1874) 248 = Murrayi.  
 sessiliflorum, Rupr. & Maxim. in Bull. Phys.-Math. Pétersb. xv. (1856) 133; et Maxim. Prim. Fl. Amur. 131 = Acanthopanax sessiliflorum.  
 sessilifolium, C. Koch, Dendrol. i. 675, sphalm. = praec.  
 simplex, Forst. f. Prod. 75.—N. Zel.  
 simplicifolium, F. G. Dietr. Vollst. Lexik. Gaertn. vi. 633; ex DC. Prod. iv. 253 = simplex.  
 Sinclairii, Hook. f. Handb. N. Zeal. Fl. 103.—N. Zel.  
 speciosum, Willd. Sp. Pl. iv. 1126 = Didymopanax Morototoni.  
 spinosum, Linn. f. Suppl. 441 = Acanthopanax spi-nosum.  
 spinosum, Poir. Encyc. Suppl. ii. 778 = Didymopanax Morototoni.  
 splendens, H. B. & K. Nov. Gen. et Sp. v. 11.—Am. austr.  
 tahitense, Nadeaud, Enum. Pl. Tahiti, 63.—Ins. Tahiti.  
 tomentosum, Wall. ex DC. Prod. iv. 254 = Hepta-pleurum impressum.  
 tridactylon, Decne. et Planch. ex Seem. in Journ. Bot. iii. (1865) 179 = Pseudopanax crassifolium.  
 trifolium, Linn. Sp. Pl. 1059 = Aralia trifolia.  
 tripinnatum, Baker, in Journ. Linn. Soc. xx. (1883) 153.—Madag.  
 tripinnatum, Wall. Cat. n. 4934 = Aralia cache-mirica.  
 undulatum, H. B. & K. Nov. Gen. et Sp. v. 11. t. 417. f. 2 = Didymopanax Morototoni.  
 valdiviense, Baill. Hist. Pl. vii. 164 (err. typ. 464).—Chili.  
 Victoriae, André, in Illustr. Hort. xxxi. (1884) t. 521.—Ins. Pacif.  
 Victoriae, Hort. Bull.—Cf. Gard. Chron. (1883) I. 404 = fruticosum.  
 vinosum, Cham. & Schlecht. in Linnaea, i. 402 = Didymopanax vinosum.  
 Weinmanniae, Baill. Adansonia, xii. (1878) 150.—N. Caled.  
 zanthoxyloides, Baker, in Journ. Linn. Soc. xx. (1883) 154.—Madag.  
 Zippelianum, Mq. Ann. Mus. Bot. Lugd. Bat. i. 15.—N. Guinea.

PANAXUS, St. Lag. in Ann. Soc. Bot. Lyon, vii. (1880) 109 = **Panax**, Linn. (Araliac.).

PANCALUM, Ehrh. Beitr. iv. 147 (1789) = **Hypericum**, Linn.

**PANCHERIA**, Brongn. & Gris, in Bull. Soc. Bot. Fr. ix. (1862) 74; et in Ann. Sc. Nat. Sér. V. i. (1864) 347. **SAXIFRAGEAE**, Benth. & Hook. f. i. 649.  
 alaternoides, Brongn. & Gris, in Bull. Soc. Bot. Fr. ix. (1862) 75.—N. Caled.  
 elegans, Brongn. & Gris, l. c.—N. Caled.  
 ferruginea, Brongn. & Gris, l. c. 76.—N. Caled.  
 obovata, Brongn. & Gris, l. c. 75.—N. Caled.  
 piriifolia, Brongn. & Gris, l. c.—N. Caled.  
 pyrifolia, Brongn. & Gris, in Ann. Sc. Nat. Sér. V. i. (1864) 376 = praec.  
 ternata, Brongn. & Gris, in Bull. Soc. Bot. Fr. ix. (1862) 76.—N. Caled.  
 Vieillardii, Brongn. & Gris, l. c. 75.—N. Caled.

PANCHEZIA, Montr. in Mém. Acad. Lyon, x. (1860) 223 = **Ixora**, Linn. (Rubiace.).  
 collina, Montr. l. c.—N. Caled.

PANCIATICA, Picciv. Hort. Panciat. 9 (1783) = **Cadia**, Forsk. (Legumin.).  
 purpurea, Picciv. l. c. = C. purpurea.

PANČIČIA, Vis. Sem. Hort. Patav. (1857) 9.—Cf. Linnaea, xxix. (1857–58) 732 = **Pimpinella**, Riv. (Umbell.).  
 serbica, Vis. II. cc.—Europ.

PANCOVIA, Heist. ex Adans. Fam. ii. 294 (1763) = **Potentilla**, Linn. (Rosac.).  
 angustifolia, Rafin. Fl. Tellur. ii. 56 = Pot. palustris.  
 digitata, Rafin. l. c. 55 = Pot. palustris.  
 palustris, Rafin. l. c. = Pot. palustris.

PANCOVIA, Willd. Sp. Pl. ii. 285 (1799) = **Erioglossum**, Blume (Sapind.).  
 africana, Baill. Adansonia, ix. (1870) 229 = E. cauli-florum.  
 bijuga, Willd. Sp. Pl. ii. 285 = E. cauliiflorum.  
 rubiginosa, Baill. ex Kurz, For. Fl. Brit. Burma, i. 296 = E. edule.  
 tomentosa, Kurz, l. c. = Sapindus tomentosus.  
 turbinata, Radlk. in Sitzb. Math.-Phys. Akad. Muench. viii. (1878) 270.—Afr. trop.

PANCRATIO-CRINUM, Herb. ex Steud. Nom. ed. II. ii. 250 (1841) = **Crinum**, Linn. (Amaryll.).  
 disticho-capense, Herb. ex Steud. l. c. = C. longi-folium.

**PANCRACTIUM**, Dill. ex Linn. Syst. ed. I (1735).

- AMARYLLIDEAE**, Benth. & Hook. f. iii. 733.  
 ALMYRA, Salisb. in Trans. Hort. Soc. i. (1812) 336.  
 BOLLAEA, Parl. in Bull. Soc. Bot. Fr. v. (1858) 509.  
 HALMYRA, Herb. Amaryll. 202 (1837); Parl. Nov. Gen. Monoc. 28 (1854).  
 TIARANTHUS, Herb. l. c. (1837).  
 TROXISTEMON, Rafin. Fl. Tellur. iv. 23 (1836).  
 ZOCHIA, Rafin. l. c. 22 (1836).  
 abchasicum, Regel, Cat. Pl. Hort. Aksakov. 101.—Reg. Caucas.  
 acutifolium, Sweet, Hort. Brit. ed. I. 406 = Hymenocallis littoralis.  
 aegyptiacum, M. Roem. Syn. Ens. 180.—Aegypt.  
 Amancaes, [Ker-Gawl.] in Bot. Mag. t. 1224 = Hymenocallis Amancaes.  
 amboinense, Linn. Sp. Pl. 291 = Eurycles sylvestris.  
 americanum, Mill. Gard. Dict. ed. VIII. n. 7 = Hymenocallis littoralis.  
 amoenum, Andr. Bot. Rep. t. 556 = Hymenocallis ovata.  
 amoenum, Salisb. in Trans. Linn. Soc. ii. (1794) 71. t. 10 = Hymenocallis caribaea.  
 angustifolium, M. Roem. Syn. Ens. 178 = maritimum.  
 angustum, Ker-Gawl. in Bot. Reg. t. 221 = Hymenocallis caribaea.  
 aurantiacum, H. B. & K. Nov. Gen. et Sp. i. 280 = Stenomeson aurantiacum.  
 australasicum, Ker-Gawl. in Bot. Reg. t. 715 = Eurycles sylvestris.  
 australe, Spreng. Syst. ii. 47 = Eurycles sylvestris.  
 biflorum, Roxb. Hort. Beng. [23]; Fl. Ind. ii. 125 = verucundum.  
 Boschianum, Walp. Ann. i. 835 = Hymenocallis undulata.  
 Bovei, Steud. Nom. ed. II. ii. 250 = parviflorum.  
 calathiforme, [Delar. in] Red. Lil. t. 352 = Hymenocallis calathina.  
 calathinum, [Ker-Gawl. in] Bot. Reg. t. 215 = Hymenocallis calathina.  
 cambayense, Herb. Amaryll. 202, 207. t. 42. f. 1 = longiflorum.  
 canariense, [Ker-Gawl. in] Bot. Reg. t. 174.—Ins. Canar.  
 caribaeum, Curt. Bot. Mag. t. 826 = Hymenocallis speciosa.  
 caribaeum, Linn. Sp. Pl. 291 = Hymenocallis caribaea.  
 carolinianum, Linn. Sp. Pl. 291 = maritimum.  
 caribaeum, Mill. Gard. Dict. ed. VIII. n. 4 = Hymenocallis lacera.  
 Chapmanni, Harv. Gen. S. Afr. Pl. ed. II. 384 = trianthum.  
 Chlidanthus, Steud. Nom. ed. II. ii. 250 = Stenomeson luteum, Chlidanthus fragrans.  
 coccineum, Ruiz & Pav. Fl. Peruv. iii. 54 = Stenomeson coccineum.  
 collinum, Coss. & Dur. ex Coss. in Ann. Sc. Nat. Sér. IV. i. (1854) 228.—Afr. bor.



**PANCRATIUM** :—

- coronarum*, Le Conte, in Ann. Lyc. N. York, iii. (1828-36) 145. t. 4. f. 7-9 = *Hymenocallis crassifolia*.  
*crassifolium*, Baker, in Saund. Refug. Bot. t. 331.—Florida.  
*crassifolium*, Schult. f. Syst. vii. 921 = *Hymenocallis crassifolia*.  
*croceum*, Savign. in Lam. Encyc. iv. 725 (err. typ. 735); [DC. in] Red. Lil. iv. t. 187 = *Stenomesson croceum*.  
*Cunninghami*, Steud. Nom. ed. II. ii. 251 = *Eurycles Cunninghamii*.  
*curvidentatum*, Hort. ex Steud. l. c. 250 = *Stenomesson flavum*.  
*declinatum*, Jacq. Select. Am. 99 = *Hymenocallis caribaea*.  
*disciforme*, [DC. in] Red. Lil. t. 155 = *Hymenocallis lacera*.  
*distichum*, Sims, Bot. Mag. t. 1879 = *Hymenocallis littoralis*.  
*Dryandri*, Ker-Gawl. in Quart. Journ. Sc. & Arts, iii. (1817) 326 = *Hymenocallis littoralis*.  
*excisum*, Linn. f. ex Kunth, Enum. Pl. v. 669 = *Hymenocallis caribaea*.  
*expansum*, Sims, Bot. Mag. t. 1941 = *Hymenocallis expansa*.  
*flavum*, Ruiz & Pav. Fl. Per. iii. 54 = *Stenomesson croceum*.  
*fluitans*, Fraser, ex Schult. f. Syst. vii. 930, in obs. = *nutans*.  
*foetidum*, Pomel, Nouv. Mat. Fl. Atl. 253.—Alger.  
*formosum*, Hort. ex M. Roem. Syn. Ens. 167 = *Hymenocallis speciosa*.  
*fragrans*, Salisb. in Trans. Linn. Soc. ii. (1794) 72 = *Hymenocallis ovata*.  
*fragrans*, Willd. Sp. Pl. ii. 42 = *Hymenocallis caribaea*.  
*glaucum*, Zucc. in Abh. Akad. Muench. ii. (1837) 317 = *Hymenocallis glauca*.  
*guadelupense*, Hort. ex M. Roem. Syn. Ens. 182 (*Hymenocallidis* sp. ?).—Ins. Guadelup.  
*guianense*, [Ker-Gawl. in] Bot. Reg. t. 265 = *Hymenocallis tubiflora*.  
*Herbertianum*, Spreng. Syst. iv. Cur. Post. 132 = *Stenomesson flavum*.  
*humile*, Cav. Ic. iii. t. 4 = *Tapeinanthus humilis*.  
*illyricum*, Blanco, Fl. Filip. ed. I. 251 = *Hymenocallis littoralis*.  
*illyricum*, Forsk. Fl. Aegypt. Arab. p. lxxv = *aegyptiacum*.  
*illyricum*, Linn. Sp. Pl. 291.—Europ. austr.  
*incarnatum*, H. B. & K. Nov. Gen. et Sp. i. 280 = *Stenomesson incarnatum*.  
*Knightii*, Steud. Nom. ed. II. ii. 251 = *nutans*?  
*latifolium*, Mill. Gard. Dict. ed. VIII. n. 8 = *Hymenocallis speciosa*.  
*latifolium*, Ruiz & Pav. Fl. Per. iii. 54 = *Urceolina latifolia*.  
*limense*, Ker-Gawl. in Quart. Journ. Sc. & Arts, iii. (1817) 332 = *Stenomesson coccineum*.  
*liriosme*, Rafin. Fl. Ludov. 19 (Quid ?).—Am. bor.  
*littorale*, Jacq. Select. Am. 99 = *Hymenocallis littoralis*.  
*longiflorum*, Buch.-Ham. ex Roxb. Hort. Beng. [23]; Fl. Ind. ii. 125.—Ins. Molucc.  
*luteum*, Pav. ex Steud. Nom. ed. II. ii. 251 = *Stenomesson luteum*.  
*luteum*, Poir. ex Spreng. Syst. ii. 48 = *Chlidanthus fragrans*.  
*Macleanum*, Steud. Nom. ed. II. ii. 251 = *Ismene Macleana*.  
*Macquaria*, Lewin, ex Steud. Nom. ed. II. ii. 251 = *Calostemma purpureum*.  
*malabathricum*, Herb. Amaryll. 202, 206 = *triflorum*.  
*maritimum*, Linn. Sp. Pl. 291.—Reg. Mediterr.; Am. bor.  
*maximum*, Forsk. Fl. Aegypt. Arab. 72.—Arabia.  
*mexicanum*, Lindl. Bot. Reg. t. 940 = *Hymenocallis littoralis*.  
*mexicanum*, Linn. Sp. Pl. 290 = *Hymenocallis lacera*.  
*narcissiflorum*, Jacq. Fragm. 68 = *Hymenocallis calathina*.  
*nervifolium*, Salisb. Parad. Lond. t. 84 = *Eurycles sylvestris*.  
*nutans*, Ker-Gawl. in Quart. Journ. Sc. & Arts, iii. (1817) 324.—Am. bor. et austr.

**PANCRATIUM** :—

- obtusatum*, Griseb. in Linnaea, xxi. (1848) 277.—Guiana.  
*occidentale*, Le Conte, in Ann. Lyc. N. York, iii. (1828-36) 146 = *Hymenocallis crassifolia*.  
*ornatum*, Bouché, in Linnaea, xiii. (1839) 79.—Hab. ?  
*ovalifolium*, Steud. Nom. ed. II. ii. 251 = *Hymenocallis ovalifolia*.  
*ovatifolium*, Stokes, Bot. Mat. Med. ii. 215 = *Eurycles sylvestris*.  
*ovatum*, Mill. Gard. Dict. ed. VI. [in 4to] (1771) n. 9 = *Hymenocallis ovata*.  
*parviflorum*, Decne. in Ann. Sc. Nat. Sér. II. iv. (1835) 346.—Syria.  
*parviflorum*, Desf. Tabl. ed. II. 272 = *Vagaria parviflora*.  
*parvum*, Daltz. in Hook. Kew Journ. ii. (1840) 144.—Ind. or.  
*patens*, [Delile, in] Red. Lil. vii. sub t. 414 = *Hymenocallis caribaea*.  
*patens*, Lindl. in Trans. Hort. Soc. vi. (1820) 87 = *Hymenocallis caymanensis*.  
*pedale*, Schult. f. Syst. vii. 916 = *Hymenocallis pedalis*.  
*petiolatum*, Willd. in Schult. f. l. c. 912, in obs. = *Hymenocallis tubiflora*.  
*plicatum*, Livinst. ex Steud. Nom. ed. II. ii. 251 (Quid ?).—Ind. or.  
*quitense*, Willd. ex Schult. f. Syst. vii. 908 = *Stenomesson incarnatum*.  
*quitoense*, Schult. f. l. c. 923 = *Hymenocallis quitensis*.  
*recurvatum*, Ruiz & Pav. Fl. Per. iii. 54 = *Stenomesson recurvatum*.  
*recurvum*, Stokes, Bot. Mat. Med. ii. 214 = *Hymenocallis caribaea*.  
*ringens*, Ruiz & Pav. Fl. Per. iii. 53 = *Elisena ringens*.  
*rotatum*, Ker-Gawl. in Bot. Mag. t. 827 = *Hymenocallis lacera*.  
*rubrum*, Pav. ex Steud. Nom. ed. II. ii. 251 = *Stenomesson rubrum*.  
*Sickenbergeri*, Aschers. & Schweinf. ex Boiss. Fl. Orient. v. 153.—Egypt; Arabia.  
*speciosum*, Linn. f. ex Salisb. in Trans. Linn. Soc. ii. (1794) 73; Salisb. Prod. 227 = *Hymenocallis speciosa*.  
*Staplesi*, Steud. Nom. ed. II. ii. 251 = *Hymenocallis littoralis*.  
*stellare*, Salisb. in Trans. Linn. Soc. ii. (1794) 74 = *illyricum*.  
*Tagliabue*, Colla, Hort. Ripul. App. iv. 60.—Hab. ?  
*Teneriffae*, Willd. in Schult. f. Syst. vii. 925, adnot. = *canariense*.  
*tenuiflorum*, Herb. ex Steud. Nom. ed. II. ii. 251 = *Hymenocallis tenuiflora*.  
*tenuifolium*, Hochst. in A. Rich. Tent. Fl. Abyss. ii. 312 = *trianthum*.  
*tiaraeflorum*, Salisb. Parad. Lond. t. 86 = *zeylanicum*.  
*tortifolium*, Boiss. Diagn. Ser. I. xiii. 18 = *tortuosum*.  
*tortuosum*, Herb. in Ann. Nat. Hist. Ser. I. iv. (1840) 28.—Arab.  
*trianthum*, Herb. l. c.—Afr. trop.; Arab.  
*trichromum*, Cerv. in La Llave & Lex. Nov. Veg. Desc. fasc. i. 20.—Mexic.  
*triflorum*, Roxb. Hort. Beng. [23]; Fl. Ind. ii. 126.—Ind. or.  
*triphyllum*, Willd. ex M. Roem. Syn. Ens. 169 = *Hymenocallis undulata*.  
*tristylum*, De Rijk, in Rev. Hort. (1880) 446.—Java.  
*tubiflorum*, Schult. f. Syst. vii. 923 = *Hymenocallis tubiflora*.  
*tubulosum*, Willd. ex Kunth, Enum. Pl. v. 667.—Am. austr.  
*undulatum*, H. B. & K. Nov. Gen. et Sp. i. 280 = *Hymenocallis undulata*.  
*uniflorum*, Stokes, Bot. Mat. Med. ii. 213; Donn, Hort. Cantabr. ed. IV. 68 = *zeylanicum*.  
*variegatum*, Ruiz & Pav. Fl. Per. iii. 55.—Peruv.  
*verecundum*, [Soland. in] Ait. Hort. Kew. ed. I. i. 412.—Ind. or.  
*viridiflorum*, Ruiz & Pav. Fl. Per. iii. 55 = *Stenomesson viridiflorum*.  
*zeylanicum*, Linn. Sp. Pl. 290.—Ind. or.

**PANCTENIS**, Rafin. New Fl. Am. ii. 60 (1836) = **Gerardia**, Linn. (Scrophul.).  
*pectinata*, Rafin. l. c. 61 = *G. Pedicularia*.  
*pedicularis*, Rafin. l. c. = *G. Pedicularia*.  
*pumila*, Rafin. l. c. (Quid ?).—Am. bor.

**PANDACA**, Noronha, ex Thou. Gen. Nov. Madag. 10 (1806) = **Tabernaemontana**, Linn. (Apocyn.).

**PANDANOPHYLLUM**, Hassk. in Hoen. & De Vriese, Tijdschr. x. (1843) 118 = **Mapania**, Aubl. (Cyperac.).  
*humile*, Hassk. l. c. 119 = *M. humilis*.  
*hypolytroides*, F. Muell. Fragm. ix. 16 (Thoracostachyi sp.).—Austral.  
*immersum*, Thw. Enum. Pl. Zeyl. 433 = *M. immersa*.  
*longifolium*, Boeck. in Flora, lviii. (1875) 112.—Malaya; Ins. Samoa.  
*macrocephalum*, Boeck. l. c.—N. Guin.  
*Miquelianum*, Kurz, in Journ. As. Soc. Beng. xxxviii. (1869) ii. 81.—Malaya.  
*palustre*, Hassk. in Hoen. & De Vriese, Tijdschr. x. (1843) 119 = *M. palustris*.  
*squamatum*, Kurz, in Journ. As. Soc. Beng. xxxviii. (1869) ii. 80.—Java.  
*Wendlandi*, Hort.—Cf. Gard. Chron. (1884) i. 711 = *M. humilis*.  
*zeylanicum*, Thw. Enum. Pl. Zeyl. 345 = *M. zeylanica*.  
*Zippelianum*, Kurz, in Tijdschr. Nederl. Ind. xxvii. (1864) 224 = *M. humilis*.

**PANDANUS**, Rumph. ex Linn. f. Suppl. 64 (1781).

**PANDANEAE**, Benth. & Hook. f. iii. 949.  
**ATHRODACTYLIS**, Forst. Char. Gen. 149 (1776).  
**BARROTTIA**, Gaudich. Bot. Voy. Bonite, t. 13 (1844-52).  
**BRYANTIA**, Brongn. in Ann. Sc. Nat. Sér. VI. i. (1875) 287. t. 15.  
**DOORNIA**, De Vriese, in Hook. Kew Journ. vi. (1854) 266; et in Tuinb. Fl. (1855) 174.  
**DORYSTIGMA**, Gaudich. Bot. Voy. Bonite, t. 13 (1844-52).  
**EYDOUXIA**, Gaudich. l. c. t. 18 (1844-52).  
**FISQUETIA**, Gaudich. l. c. t. 4, 5 (1844-52).  
**FOULLIOYA**, Gaudich. l. c. t. 26 (1844-52).  
**HASSKARLIA**, Walp. Ann. i. 753 (1849).  
**HETEROSTIGMA**, Gaudich. Bot. Voy. Bonite, t. 25 (1844-52).  
**HOMBRONIA**, Gaudich. l. c. t. 22 (1844-52).  
**JEANNERETIA**, Gaudich. l. c. t. 25 (1844-52).  
**KEURA**, Forsk. Fl. Aegypt. Arab. 95, 122, 172 (1775).  
**MARQUARTIA**, Hassk. in Flora, xxv. (1842) ii. Beibl. 14.  
**RUSSINIA**, Gaudich. Bot. Voy. Bonite, t. 21 (1844-52).  
**RYKIA**, De Vriese, in Verh. Kon. Akad. Wetensch. ii. (1854) 203.  
**SUSSEA**, Gaudich. Bot. Voy. Bonite, tt. 24, 25, 38 (1844-52).  
**TUCKEYA**, Gaudich. l. c. t. 26 (1844-52).  
**VINSONIA**, Gaudich. l. c. tt. 17, 23, 31 (1844-52).  
*acuminatus*, Balf. f. in Journ. Linn. Soc. xvii. (1878) 40, nomen.—Madag.  
*acuminatus*, Hort. ex H. Wendl. Ind. Palm. (1854) 45.—Hab. ?  
*affinis*, Kurz, in Journ. Bot. v. (1867) 101.—Zeylan.  
*albus*, Hort. ex Steud. Nom. ed. II. ii. 251.—Ind. or.  
*altissimus*, Panch. ex Brongn. in Ann. Sc. Nat. Sér. VI. i. (1875) 277 = *P. Minda*?  
*altissimus*, Solms, in Linnaea, xlii. (1878-79) 43.—N. Caled.  
*amaryllidifolius*, Hort. ex H. Wendl. Ind. Palm. (1854) 46 = *laevis*?  
*amaryllidifolius*, Voigt, in Syll. Ratisb. ii. (1828) 52 = *seq.*?  
*amaryllifolius*, Roxb. Hort. Beng. 71; Fl. Ind. iii. 743.—Ins. Amboin.  
*amarylloides*, Parment. ex Desf. Cat. Hort. Par. ed. III. 9 = *prae.*?  
*Amberstiae*, Hort. ex H. Wendl. Ind. Palm. 1854 45.—Hab. ?  
*andamanensis*, Hort. ex Balf. f. in Journ. Linn. Soc. xvii. (1878) 41, nomen = *seq.*?  
*andamanensium*, Kurz, in Journ. As. Soc. Beng. xxxv. (1869) ii. 148.—Ins. Andam.  
*angustifolius*, Hort. ex Steud. Nom. ed. II. ii. 251.—Hab. ?



**PANDANUS:—**

aquaticus, *F. Muell. in Hook. Kew Journ.* viii. (1856) 329; *Fragm.* v. 40.—Austral.  
 aragoënsis, *Solms, in Linnaea*, xlii. (1878-79) 45; *Balf. f. in Journ. Linn. Soc.* xvii. (1878) 41.—N. Caled.  
 atrocarpus, *Griff. Notul.* iii. 160.—Ind. or.  
 australis, *Prestoe, Cat. Hort. Trinit.* 77.—Austral.?  
 Bagea, *Miq. Fl. Ind. Bat.* iii. 159 = dubius?  
 Balansae, *Solms, in Linnaea*, xlii. (1878-79) 45; *Balf. f. in Journ. Linn. Soc.* xvii. (1878) 42.—N. Caled.  
 Barkleyi, *Balf. f. in Baker, Fl. Maurit.* 397.—Ins. Mascar.  
 Beccarii, *Solms, in Ann. Jard. Buitenz.* iii. (1883) 97.—N. Guin.  
 Bidur, *Fungh. ex Miq. Pl. Fungh.* i. 166 = latissimus.  
 Blancoi, *Kunth, Enum. Pl.* iii. 583 = odoratissimus?  
 Boivini, *Solms, in Linnaea*, xlii. (1878-79) 26.—Madag.  
 Boryi, *Gaudich. Bot. Voy. Bonite*, t. 22. f. 15 = odoratissimus?  
 Boucheanus, *C. Koch, in C. Koch & Fint. Wochenschr.* (1858) 131.—Madag.  
 bromeliaefolius, *Lodd. ex Desf. Cat. Hort. Par.* ed. III. 9.—Ins. Borbon.  
 butyrophorus, *Kurz, in Journ. As. Soc. Beng.* xxxviii. (1869) ii. 150.—Hab.?  
 calathiphorus, *Balf. f. in Journ. Linn. Soc.* xvii. (1878) 42.—Ins. Salomon.  
 Candelabrum, *Beauv. Fl. Owar.* i. 37. tt. 21, 22.—Afr. trop.  
 Candelabrum, *Hook. Bot. Mag.* t. 5014 = utilis?  
 Candelabrum, *Kurz, in Journ. Bot.* v. (1867) 127 = P. Kaida.  
 caricoccus, *Spreng. Syst.* iii. 897.—Ins. Molucc.  
 cauliflorus, *Carm. ex Balf. f. in Journ. Linn. Soc.* xvii. (1878) 44, nomen.—Ins. Maurit.  
 ceramicus, *Kunth, Enum. Pl.* iii. 98 = conoideus?  
 ceratophorus, *Baker, in Journ. Linn. Soc.* xxi. (1885) 448.—Madag.  
 ceylanicus, *Solms, in Linnaea*, xlii. (1878-79) 16.—Zeylan.  
 Chamissonis, *Gaudich. Bot. Voy. Bonite*, t. 22. f. 9 = odoratissimus?  
 concidens, *Pritz. Ic. Ind.* i. 793, sphalm. = conoideus.  
 concretus, *Baker, in Journ. Linn. Soc.* xxi. (1885) 448.—Madag.  
 conglomeratus, *Balf. f. in Baker, Fl. Maurit.* 403.—Ins. Mascar.  
 conoideus, *De Vriese, in Hook. Kew Journ.* vi. (1854) 264 = montanus?  
 conoideus, *Lam. Encyc.* i. 372.—Malaya.  
 conoideus, *Thou. in Bull. Soc. Philom.* (1808) 5 = prostratus?  
 crassipes, *Wall. ex Balf. f. in Journ. Linn. Soc.* xvii. (1878) 46 = furcatus?  
 cylindricus, *Hort. ex Balf. f. l. c.* 44, nomen.—Hab.?  
 decorus, *Hort. ex C. Koch, Wochenschr.* xiii. (1870) 166.—N. Caled.  
 decumbens, *Solms, in Linnaea*, xlii. (1878-79) 47; *Balf. f. in Journ. Linn. Soc.* xvii. (1878) 44.—N. Caled.  
 deflexus, *Hort. ex H. Wendl. Ind. Palm.* (1854) 45 = Doornianus?  
 demissus, *Soland. ex Kunth, Enum. Pl.* iii. 104 = Freycinetia demissa.  
 distichus, *Hort.—Cf. Illustr. Hort.* xix. (1872) 55 = utilis?  
 Doornianus, *De Vriese, ex H. Wendl. Ind. Palm.* (1854) 45.—Ins. Mascar.  
 Douglasii, *Gaudich. Bot. Voy. Bonite*, t. 22. f. 16 = odoratissimus?  
 drupaceus, *Thou. in Bull. Soc. Philom.* (1808) 4.—Ins. Mascar.  
 dubius, *Spreng. Syst.* iii. 897.—Ins. Amboin.  
 edulis, *De Vriese, in Hook. Kew Journ.* vi. (1854) 264 = dubius?  
 edulis, *Thou. in Bull. Soc. Philom.* (1808) 4.—Madag.  
 elegans, *Thou. l. c.* = sylvestris?  
 elegantissimus, *Hort. ex Proc. Roy. Hort. Soc.* iii. (1863) 108 = utilis?  
 ensifolius, *Thou. in Bull. Soc. Philom.* (1808) 4.—Ins. Mascar.  
 erigens, *Thou. l. c.* 5 = montanus.  
 exaltatus, *Blanco, Fl. Filip.* ed. I. 778.—Ins. Philipp.  
 Eydouxia, *Balf. f. in Baker, Fl. Maurit.* 401.—Ins. Mascar.

**PANDANUS:—**

fascicularis, *Lam. Encyc.* i. 372 = odoratissimus?  
 flabelliformis, *Carr. in Rev. Hort.* (1866) 271 = utilis?  
 foetidus, *Roxb. Hort. Beng.* 71; *Fl. Ind.* iii. 742.—Ind. or.  
 Forsteri, *C. Moore & F. Muell. in F. Muell. Fragm.* viii. 220.—Ins. Dom. Howe.  
 fragrans, *Gaudich. Bot. Voy. Bonite*, t. 22. f. 10.—Ins. Marian.  
 freycinetioides, *Kurz, in Journ. As. Soc. Beng.* xxxviii. (1869) ii. 151.—Hab.?  
 furcatus, *Roxb. Hort. Beng.* 71; *Fl. Ind.* iii. 744.—Ind. or.  
 furcatus, *Thw. Enum. Pl. Zeyl.* 327 = ceylanicus.  
 glaucescens, *Hort.—Cf. Proc. Roy. Hort. Soc.* v. (1865) 143.—Hab.?  
 glaucus, *Hort. ex H. Wendl. Ind. Palm.* (1854) 47 = sessilis.  
 globuliferus, *Thou. in Bull. Soc. Philom.* (1808) 5 = sphaeroideus?  
 gracilis, *Blanco, Fl. Filip.* ed. I. 778.—Ins. Philipp.  
 gramineus, *Hort. ex Balf. f. in Journ. Linn. Soc.* xvii. (1878) 48 = Freycinetia graminea.  
 graminifolius, *Hort. ex Miq. Anal. Bot. Ind.* ii. 17 = pygmaeus.  
 graminifolius, *Kurz, in Journ. Bot.* v. (1867) 104.—Burma.  
 helicopus, *Kurz, in Miq. Ann. Mus. Bot. Lugd. Bat.* ii. 54. t. 2.—Ins. Banca.  
 heterocarpus, *Balf. f. in Journ. Linn. Soc.* xvi. (1877) 22; *Baker, Fl. Maurit.* 399.—Ins. Mascar.  
 Heudelotianus, *Balf. f. l. c.* xvii. (1878) 49.—Afr. trop.  
 Hoffa, *Chapel. ex Boj. Hort. Maurit.* 303.—Madag.  
 Hornei, *Balf. f. in Baker, Fl. Maurit.* 397.—Ins. Seychell.  
 horridus, *Reinw. ex Blume, Cat. Gew. Buitenz.* 111 = furcatus.  
 Houlettii, *Carr. in Rev. Hort.* (1868) 210. f. 23.—Singapore.  
 humilis, *Jacq. Fragm.* 21. t. 14. f. 2 = sylvestris?  
 humilis, *Lour. Fl. Cochinch.* 603 = polycephalus.  
 humilis, *Rumph. ex Miq. Fl. Ind. Bat.* iii. 160.—Ind. or.; China.  
 Iceryi, *Horne, ex Balf. f. in Baker, Fl. Maurit.* 400.—Ins. Seychell.  
 inclinans, *Soland. ex Kunth, Enum. Pl.* iii. 102 = Freycinetia Banksii.  
 inermis, *Blanco, Fl. Filip.* ed. II. 537.—Ins. Philipp.  
 inermis, *Roxb. Hort. Beng.* 71; *Fl. Ind.* iii. 744 = laevis.  
 integrifolius, *Lour. ex Steud. Nom. ed. II.* ii. 251 (Quid?).—China; Ind. or.  
 javanicus, *Hort. ex H. Wendl. Ind. Palm.* (1854) 45 = P. Candelabrum?  
 Joskei, *Horne, ex Balf. f. in Journ. Linn. Soc.* xx. (1883) 416.—Ins. Fiji.  
 Kaida, *Kurz, in Journ. As. Soc. Beng.* xxxviii. (1869) ii. 148.—Ind. or.  
 Korthalsii, *Solms, in Linnaea*, xlii. (1878-79) 12.—Borneo.  
 Kurzianus, *Solms, l. c.* 4 = polycephalus.  
 labyrinthicus, *Kurz, in Miq. Ann. Mus. Bot. Lugd. Bat.* ii. 53.—Sumatra.  
 laevis, *Lour. Fl. Cochinch.* 604.—Cochinch.; Java.  
 lagenaeformis, *Balf. f. in Journ. Linn. Soc.* xvii. (1878) 50.—Hab.?  
 Lais, *Hort. ex Balf. f. l. c.* nomen.—Ins. Molucc.  
 Lais, *Kurz, in Tijdschr. Nederl. Ind.* xxvii. (1864) 218 = furcatus.  
 latifolius, *Hassk. in Flora*, xxv. (1842) ii. Beibl. 13 = amaryllifolius.  
 latifolius, *Hort. Angl. ex Link, Enum. Hort. Berol.* ii. 412, nomen (Quid?).—Hab.?  
 latifolius, *Hort. Lodd. ex C. Koch, Wochenschr.* (1858) 131 = Boucheanus.  
 latifolius, *Loud. ex Steud. Nom. ed. II.* ii. 251 = polycephalus.  
 latifolius, *Perr. in Mém. Soc. Linn. Par.* iii. (1825) 134.—Ins. Philipp.  
 latissimus, *Blume, ex Miq. Ann. Mus. Bot. Lugd. Bat.* ii. 52.—Malaya.  
 leonensis, *Hort. ex H. Wendl. Ind. Palm.* (1854) 46.—Afr. trop.  
 Leram, *Fones, ex Voigt, Hort. Suburb. Calc.* 683.—Ins. Nicobar.  
 Leram, *Kurz, in Journ. Bot.* v. (1867) 185 = andamanensis.

**PANDANUS:—**

leucanthus, *Hassk. in Flora*, xxv. (1842) ii. Beibl. 14 = odoratissimus?  
 leucanthus, *Hort. ex H. Wendl. Ind. Palm.* (1854) 46 = odoratissimus?  
 Linnaei, *Gaudich. Bot. Voy. Bonite*, t. 22. ff. 1-8 = odoratissimus?  
 Linnei, *Hort. ex Balf. f. in Journ. Linn. Soc.* xvii. (1878) 51, nomen.—Hab.?  
 littoralis, *Jungh. Topog. Nat. Reise Java*, 61 = odoratissimus?  
 littoralis, *Kurz, in Journ. As. Soc. Beng.* xxxviii. (1869) ii. 150.—Malaya.  
 lividus, *Hort. ex H. Wendl. Ind. Palm.* (1854) 46.—Hab.?  
 longifolius, *Hort. Berol. ex H. Wendl. l. c.* = laevis?  
 longifolius, *Hort. Lodd. ex Steud. Nom. ed. II.* ii. 251 = Doornianus?  
 Loureiri, *Gaudich. Bot. Voy. Bonite*, t. 22. f. 13 = odoratissimus?  
 lucidus, *Wall. ex Kurz, in Journ. As. Soc. Beng.* xxxviii. (1869) ii. 149 = sylvestris?  
 macrocarpus, *Hort. ex Balf. f. in Journ. Linn. Soc.* xvii. (1878) 52, nomen.—Hab.?  
 macrocarpus, *Viell. in Ann. Sc. Nat. Sér. IV.* xvi. (1861) 51.—N. Caled.  
 madagascariensis, *Balf. f. in Journ. Linn. Soc.* xvii. (1878) 52.—Madag.  
 malatensis, *Blanco, Fl. Filip.* ed. II. 536.—Ins. Philipp.  
 marginatus, *Roxb. Hort. Beng.* 71.—Ins. Maurit.  
 maritimus, *Thou. in Bull. Soc. Philom.* (1808) 4 = utilis?  
 mauritianus, *Hort. Berol. ex H. Wendl. Ind. Palm.* (1854) 47 = sylvestris?  
 mauritianus, *Hort. Kew. ex Lem. Illustr. Hort.* vii. (1860) t. 265 = utilis?  
 Menziesii, *Gaudich. Bot. Voy. Bonite*, t. 22. f. 14 = odoratissimus?  
 microcarpus, *Balf. f. in Baker, Fl. Maurit.* 396.—Ins. Mascar.  
 microcephalus, *Baker, in Journ. Linn. Soc.* xxi. (1885) 447.—Madag.  
 microstigma, *Balf. f. l. c.* xvii. (1878) 53.—Madag.  
 militaris, *Balf. f. l. c.*—Singapore.  
 Millore, *Roxb. Hort. Beng.* 71, nomen = P. Leram?  
 Minda, *Panch. ex Brongn. in Compt.-rend. Par.* lxxx. (1875) 1196; et in *Ann. Sc. Nat. Sér. VI.* i. (1875) 288 = oblongus?  
 Minda, *Viell. in Ann. Sc. Nat. Sér. IV.* xvi. (1861) 51.—N. Caled.  
 minor, *Buch.-Ham. ex Wall. Cat. n.* 8592.—Ind. or.  
 monodon, *Balf. f. in Journ. Linn. Soc.* xvii. (1878) 53.—Cochinch.  
 montanus, *Bory, Voy.* i. 313.—Ins. Borbon.  
 montanus, *Miq. Fl. Ind. Bat.* iii. 161 = atrocarpus.  
 monticola, *F. Muell. Fragm.* v. 40; vii. 63; viii. 220.—Austral.  
 Moorei, *F. Muell. Census*, 140.—Austral.  
 moschatus, *Hort. ex H. Wendl. Ind. Palm.* (1854) 45 = amaryllifolius?  
 moschatus, *Miq. Fl. Ind. Bat.* iii. 165 = laevis?  
 Motleyanus, *Solms, in Linnaea*, xlii. (1878-79) 21.—Borneo.  
 multispicatus, *Balf. f. in Baker, Fl. Maurit.* 403.—Ins. Seychell.  
 muricatus, *Thou. in Bull. Soc. Philom.* (1808) 6.—Madag.  
 nitidus, *Kurz, in Journ. Bot.* v. (1867) 103 = stenophyllus?  
 nudus, *Thou. in Bull. Soc. Philom.* (1808) 4 = utilis?  
 obeliscus, *Thou. l. c.* 6.—Madag.  
 oblongus, *Balf. f. in Journ. Linn. Soc.* xvii. (1878) 54.—N. Caled.  
 odoratissimus, *Blume, Cat. Gew. Buitenz.* 111 = amaryllifolius?  
 odoratissimus, *Hort. Herrenh. ex H. Wendl. Ind. Palm.* (1854) 46.—Hab.?  
 odoratissimus, *Jacq. Fragm.* 21. t. 13, 14. f. 1 = utilis?  
 odoratissimus, *Linn. f. Suppl.* 424.—Ind. or.; Arab.  
 odoratissimus, *Noronha, in Verh. Batav. Gen. v.* (1790) ed. I. Art. iv. 25 = laevis.  
 odoratus, *Salisb. Prod.* 3 = odoratissimus?  
 odoratus, *Thunb. Fl. Fav.* 19.—Java.  
 Olango, *Blanco, ex Vidal & Garcia, Cat. Sem. Manil.* 14.—Ins. Philipp.



**PANDANUS:**—

- oligocephalus, *Baker, in Journ. Linn. Soc.* xxi. (1885) 448.—Madag.  
 ornatus, *Hort. Bull.—Cf. Journ. Roy. Hort. Soc. N. S.* i. (1866) *Misc.* i.—Ins. Rodriguez.  
 ornatus, *Kurz, in Journ. As. Soc. Beng.* xxxviii. (1869) ii. 147.—Malacca.  
 ovatus, *Kurz, l. c.*—Malacca.  
 palustris, *Thou. in Bull. Soc. Philom.* ii. (1808) 6.—Ins. Mascar.  
 Pancheri, *Balf. f. in Journ. Linn. Soc.* xvii. (1878) 57.—N. Caled.  
 papuanus, *Solms, in Ann. Jard. Buitenz.* iii. (1883) 93.—N. Guin.  
 parasiticus, Noronha, in Verh. Batav. Gen. v. (1790) ed I. Art. iv. 25 (Freycinetia sp.).—Java.  
 pedunculatus, *R. Br. Prod.* 341.—Austral.  
 Pervilleanus, *Kurz, in Journ. As. Soc. Beng.* xxxviii. (1869) ii. 149 = Boucheanus?  
 Pervilleanus, *Solms, in Linnaea*, xlii. (1878–79) 35.—Madag.  
 polycephalus, *Lam. Encyc.* i. 372.—Malaya.  
 polyryzos, Noronha, *ex Thou. Prod. Phyt.* 2, in *Mélang.* (1811), nomen.—Madag.  
 Porteanus, *Lescuyer, ex Héring, L'Hortic. Français*, (1866) 16.—Ins. Philipp.  
 Princeps, *Hort. Bull.—Cf. Gard. Chron.* (1878) i. 440.—Austral.  
 proliferus, *Hort. ex H. Wendl. Ind. Palm.* (1854) 47.—Hab.?  
 prostratus, *Balf. f. in Journ. Linn. Soc.* xvii. (1878) 59.—Ins. Maurit.  
 purpurascens, *Thou. in Bull. Soc. Philom.* (1808) 3.—Ins. Mascar.  
 pygmaeus, *Hook. Bot. Mag.* t. 4736 = seq.?  
 pygmaeus, *Thou. in Bull. Soc. Philom.* (1808) 6.—Ins. Mascar.  
 pyramidalis, *Barkly, ex Balf. f. in Baker, Fl. Maurit.* 399.—Ins. Mascar.  
 pyramidalis, *Carm. ex Balf. f. in Journ. Linn. Soc.* xvii. (1878) 53 = montanus.  
 racemosus, *Kurz, in Journ. As. Soc. Beng.* xxxviii. (1869) ii. 150.—Hab.?  
 radicans, *Blanco, Fl. Filip.* ed. I. 780.—Ins. Philipp.  
 reflexus, *Lodd. ex Desf. Cat. Hort. Par.* ed. III. 9; *C. Koch & Fint. Wochenschr.* i. (1858) 132.—Ins. Mascar.  
 repens, *Miq. Fl. Ind. Bat.* iii. 165 = P. Samak.  
 reticulatus, *Viell. in Ann. Sc. Nat. Sér. IV.* xvi. (1861) 52.—N. Caled.  
 Rheedei, *Gaudich. Bot. Voy. Bonite*, t. 22. f. 12 = odoratissimus?  
 Rumphii, *Gaudich. l. c.* f. 11 = odoratissimus?  
 Sabotan, *Blanco, Fl. Filip.* ed. I. 779.—Ins. Philipp.  
 Samak, *Hassk. in Flora* (1842), *Beibl.* ii. 13; *Cat. Hort. Bog.* 61.—Java.  
 sativus, *Thou. in Bull. Soc. Philom.* (1808) 3 = utilis?  
 sechellarum, *Balf. f. in Baker, Fl. Maurit.* 402.—Ins. Seychell.  
 sessilis, *Boj. Hort. Maurit.* 302.—Afr. trop.  
 sessilis, *Hort. ex H. Wendl. Ind. Palm.* (1854) 47.—Austral.  
 sphaerocephalus, *Panch. ex Brongn. in Ann. Sc. Nat. Sér. VI.* i. (1875) 284, partim.—N. Caled.  
 sphaerocephalus, *Panch. ex Brongn. l. c.*, partim = Pancheri.  
 sphaeroideus, *Thou. in Bull. Soc. Philom.* (1808) 5.—Ins. Mascar.  
 spinifructus, *Dennst. Schluess. Hort. Malab.* 27 = furcatus?  
 spiralis, *Blanco, Fl. Filip.* ed. I. 777 = odoratissimus?  
 spiralis, *R. Br. Prod.* 341 = odoratissimus?  
 spiralis, *Hort. ex H. Wendl. Ind. Palm.* (1854) 47 = utilis?  
 spurius, *Miq. Anal. Bot. Ind.* ii. 15 = utilis?  
 spurius, *Miq. Fl. Ind. Bat.* iii. 157 = odoratissimus?  
 spurius, *Steud. Nom. ed. II.* ii. 251 = P. Candelabrum.  
 stenocarpus, *Solms, in Ann. Jard. Buitenz.* iii. (1883) 91.—N. Guin.  
 stenophyllus, *Kurz, in Miq. Ann. Mus. Bot. Lugd. Bat.* ii. 53.—Java.  
 striatus, *Carm. ex Balf. f. in Journ. Linn. Soc.* xvii. (1878) 60 = pyramidalis?  
 strigilis, *Carm. ex Balf. f. l. c.* 45 = drupaceus?  
 subumbellatus, *Becc. ex Solms, in Ann. Jard. Buitenz.* iii. (1883) 96.—Malaya.  
 Sussea, *Balf. f. in Journ. Linn. Soc.* xvii. (1878) 62.—Hab.?  
 VOL. II.

**PANDANUS:**—

- sylvestris, *Bory, Voy.* ii. 260.—Ins. Mascar.  
 sylvestris, *Kunth, Enum. Pl.* iii. 98 = conoideus?  
 tectorius, *Soland. ex Balf. f. in Journ. Linn. Soc.* xvii. (1878) 63, 56 = odoratissimus.  
 tenuifolius, *Balf. f. in Journ. Linn. Soc.* xvi. (1877) 22.—Ins. Rodriguez.  
 tenuifolius, *Linden, ex Dufresne, in Illustr. Hortic.* xx. (1873) 70.—Hab.?  
 tetradon, *Balf. f. in Journ. Linn. Soc.* xvii. (1878) 63.—Hab.?  
 turbinatus, *Lodd. ex Steud. Nom. ed. II.* ii. 251.—Ind. or.  
 unguifer, *Hook. f. Bot. Mag.* t. 6347 = minor.  
 unipapillatus, *Dennst. Schluess. Hort. Malab.* 27.—Ind. or.  
 urophyllus, *Hance, in Journ. Bot.* xiii. (1875) 68 = furcatus?  
 utilis, *Bory, Voy.* ii. 3.—Madag.  
 utilis, *Hort. ex H. Wendl. Ind. Palm.* (1854) 47 = odoratissimus?  
 Vacqua, *Carm. ex Balf. f. in Journ. Linn. Soc.* xvii. (1878) 64 = utilis?  
 Vandermeeschii, *Balf. f. in Baker, Fl. Maurit.* 398.—Ins. Mascar.  
 variegatus, *Miq. Anal. Bot. Ind.* ii. 28 = P. Samak?  
 Veitchii, *Hort.—Cf. Gard. Chron.* (1868) 349; *Hort. ex Dallièr, Pl. Ornament.* i. 28 (1873).—Polynes.  
 viscidus, *Panch. ex Brongn. in Ann. Sc. Nat. Sér. VI.* i. (1875) 287.—N. Caled.  
 vittariifolius, *Boj. Hort. Maurit.* 302.—Madag.  
 Yvanii, *Solms, in Linnaea*, xlii. (1878–79) 20.—Malacca.

**PANDERIA**, Fisch. & Mey. Ind. Sem. Hort. Petrop. ii. 46 (1835). *CHENOPODIACEAE*, Benth. & Hook. f. iii. 57.  
 PTEROCHLAMYS, Fisch. ex Endl. Gen. 294 (1837).  
 divaricata, *C. Koch, in Linnaea*, xxii. (1849) 186 = pilosa.  
 monticola, *Boiss. ex Bunge, Pfl. Geogr. Betracht. Fam. Chenop.* 9.—Turkestan.  
 pilosa, *Fisch. & Mey. Ind. Sem. Hort. Petrop.* ii. 46.—As. Min.; Oriens.

**PANDIAKA**, Benth. & Hook. f. Gen. iii. 35 (1880). *AMARANTACEAE*, Benth. & Hook. f. l. c.  
 cylindrica, *Benth. & Hook. f. l. c.* 36.—Afr. trop.  
 Heudelotii, *Benth. & Hook. f. l. c.*—Afr. trop.  
 involucreta, *Benth. & Hook. f. l. c.*—Afr. trop.

**PANDORA**, Noronha, ex Thou. Vég. Isl. Afr. 48 (1806) = *Rhodolaena*, Thou. (Chlaenac.).

**PANDOREA**, Spach, Hist. Vég. Phan. ix. 136 (1840) = *Tecoma*, Juss. (Bignon.).  
 australis, *Spach, l. c.* = T. australis.  
 austro-caledonica, *Seem. in Gard. Chron.* (1870) 1085 = T. austro-caledonica.

**PANEGUIA**, Rafin. Fl. Tellur. iv. 84 (1836) = *Sisyrinchium*, Linn. (Irid.).  
 palmifolia, *Rafin. l. c.* = S. palmifolium.  
 striata, *Rafin. l. c.* = S. striatum.

**PANEMATA**, Rafin. Fl. Tellur. iv. 64 (1836) = *Dieliptera*, Juss. (Acanthac.).  
 zeylanica, *Rafin. l. c.* = D. zeylanica.

**PANETOS**, Rafin. in Ann. Gén. Sc. Phys. v. (1820) 227; vi. 81 = *Hedyotis*, Linn. (Rubiace.).

**PANGIUM**, Reinw. in Syll. Ratisb. ii. (1828) 12. *BIXINEAE*, Benth. & Hook. f. i. 129.  
 edule, *Reinw. l. c.*—Java.

**PANICASTRELLA**, Moench, Meth. 205 (1794) = *Echinaria*, Desf. (Gramin.).  
 capitata, *Moench, l. c.* 206 = *Sesleria capitata*.  
 muricata, *Moench, l. c.* = E. capitata.

**PANICULARIA**, Heist. Syst. 12 (1748) (Quid?).

**PANICULUM**, Ard. Animad. Spec. Alt. 14 (1764), err. typ. = *Oplismenus*, Beauv. (Gramin.).  
 undulatifolium, *Ard. l. c.* = O. compositus?

**PANICUM**, Linn. Syst. ed. I (1735); Gen. ed. I. 17 (1737). *GRAMINEAE*, Benth. & Hook. f. iii. 1100.  
 ACICARPA, Raddi, Agrost. Bras. 31 (1823).  
 BLUFFIA, Nees, Del. Sem. Hort. Hamb. (1835).—Cf. *Linnaea*, x. (1836) Litt. 114; et Fl. Afr. Austr. 61 (1841).  
 BRACHIARIA, Griseb. in Ledeb. Fl. Ross. iv. 469 (1853).  
 COLEATAENIA, Griseb. in Goett. Abh. xxiv. (1879) 308.  
 CORIDIOCHLOA, Nees, in Edinb. N. Phil. Journ. xv. (1833) 381.  
 DIGITARIA, Heist. ex Adans. Fam. ii. 38, 550 (1763); Scop. Fl. Carn. ed. II. i. 52 (1772).  
 DILEUCADEN, Rafin. ex Steud. Nom. ed. II. i. 508 (1840).  
 DIMORPHOSTACHYS, Fourn. in Compt. Rend. Acad. Par. lxxx. (1875) 441.  
 ECHINOCHLOA, Beauv. Agrost. 53. t. 11 (1812).  
 ERIACHNE, Phil. Sert. Mendoc. Alt. 49 (1871).  
 ERIOLYTRUM, Desv. ex Kunth, Rév. Gram. i. 219 (1829).  
 HOLOSETUM, Steud. in Flora, xxxiii. (1850) i. 228, nomen; Syn. Pl. Gram. 118 (1855).  
 HYMENACHNE, Beauv. Agrost. 48. t. 10. f. 8 (1812).  
 MESOSETUM, Steud. in Flora, xxxiii. (1850) i. 228, nomen; Syn. Pl. Gram. 118 (1855).  
 MILIUM, [Tourn.] Adans. Fam. ii. 34 (1763).  
 OTACHYRUM, Nees, Agrost. Bras. 273 (1829).  
 PARACTAENIUM, Beauv. Agrost. 47. t. 10 (1812).  
 PSEUDORAPHIS, Griff. Notul. iii. 29 (1851).  
 RHYNCHELYTHRUM, Nees, in Lindl. Introd. Nat. Syst. ed. II. 446 (1836).  
 SANGUINELLA, Gleichen, Mikrosk. Untersuch. 4 [bis] t. 8 (1764).  
 STEINCHISMA, Rafin. in Ser. Bull. Bot. i. (1830) 220.  
 STREPTOSTACHYS, Desv. in Nouv. Pull. Soc. Philom. ii. (1810) 190.  
 SYNTHESISMA, Walt. Fl. Carol. 76 (1788).  
 TEMA, Adans. Fam. ii. 496 (1763).  
 THALASIUM, Spreng. Syst. iv. Cur. Post. 30 (1827).  
 THRASYA, H. B. & K. Nov. Gen. et Sp. i. 120. t. 39 (1815).  
 TRICHACHNE, Nees, Agrost. Bras. 85 (1829).  
 TRICHOLAENA, Schrad. in Schult. Mant. ii. 163 (1824).  
 TYLOTHRASYA, Doell, in Mart. Fl. Bras. ii. ii. 295. t. 37 (1877).  
 UROCHLOA, Beauv. Agrost. 52. t. 11. f. 1 (1812).  
 VALOTA, Adans. Fam. ii. 495 (1763).  
 abludens, *Roem. & Schult. Syst.* ii. 457.—Ind. or.  
 abortivum, *R. Br. Prod.* 193 = *Chamaeraphis spine-scens*.  
 abyssinicum, *Hochst. in Flora*, xxiv. (1841) i. Intell. 19, nomen; et ex A. Rich. Tent. Fl. Abyss. ii. 360.—Abyss.  
 acariferum, *Trin. Sp. Gram. Ic. i. t. 87* = *Thysanolaena Agrostis*.  
 accrescens, *Trin. l. c.* t. 88 = trigonum?  
 aciculare, *Desv. in Poir. Encyc. Suppl.* iv. 274.—Ind. or.  
 acroanthum, *Steud. Syn. Pl. Gram.* 87.—Ind. or.; China; Japon.  
 acromelaenum, *Hochst. in Flora*, xxxviii. (1855) 198.—Abyss.  
 acrotrichum, *Hook. f. in Journ. Linn. Soc.* vii. (1864) 226.—Afr. trop.  
 acuminatissimum, *Nees, ex Doell, in Mart. Fl. Bras.* ii. ii. 194 = latissimum.  
 acuminatissimum, *Steud. Syn. Pl. Gram.* 45 = *Oplismenus acuminatus*.  
 acuminatum, *Muhl. Desc. Gram.* 125 = *Muehlenbergii*.  
 acuminatum, *Salzm. ex Doell, in Mart. Fl. Bras.* ii. ii. 234 = P. Myurus.  
 acuminatum, *Sw. Prod. Veg. Ind. Occ.* 23 = dichotomum.  
 acutatum, *Steud. Syn. Pl. Gram.* 86.—Chili.  
 acutiflorum, *Poir. Encyc. Suppl.* iv. 283.—Hab.?  
 acutiflorum, *Steud. Syn. Pl. Gram.* 93 = *Ichnanthus candicans*.  
 acutifolium, *Willd. ex Spreng. Syst. i.* 320 = capillare hirtum.  
 acutiglumum, *Steud. Syn. Pl. Gram.* 66 = amplexicaul.  
 acutum, *Rasp. in Ann. Sc. Nat. Sér. I.* v. (1825) 299 = *Reimaria acuta*.  
 adhaerens, *Forsk. Fl. Aegypt. Arab.* 20 = *Setaria verticillata*.



**PANICUM:—**

*adoense*, Steud. Nom. ed. II. ii. 252 = Pennisetum adoense.  
*adpressum*, Willd. in Ges. Naturf. Fr. Neue Schr. iv. (1803) 193 = sanguinale.  
*adscendens*, Cham. & Schlecht. in Linnaea, vi. (1831) 32 = sanguinale.  
*adscendens*, Hoffm. ex Schult. Mant. ii. 592 = parvifolium.  
*adscendens*, H. B. & K. Nov. Gen. et Sp. i. 97.—Am. trop.  
*adspersum*, Trin. Gram. Panic. 146 = grossarium.  
*adstans*, Steud. Syn. Pl. Gram. 94 = Isachne miliacea.  
*adnuatum*, Moench, Meth. Suppl. 67.—Hab.?  
*adustum*, Nees, Agrost. Bras. 101.—Bras.  
*aegyptiacum*, Hort. ex Roem. & Schult. Syst. ii. 493 = Setaria italica.  
*aegyptiacum*, Retz. Obs. iii. 8 = sanguinale.  
*aegyptium*, J. F. Gmel. Syst. 1596, sphalm. = praec.  
*aemulum*, Steud. Nom. ed. II. ii. 252 = Oplismenus setarius.  
*aequatum*, Nees, ex Steud. Syn. Pl. Gram. 98.—Ind. or.  
*aequinerve*, Nees, Fl. Afr. Austr. 40.—Afr. austr.  
*affine*, Hook. & Arn. Bot. Beech. Voy. 100 = nubigenum.  
*affine*, Nees, Agrost. Bras. 113 = paspaloides.  
*affine*, Poir. Encyc. Suppl. iv. 273 = Oplismenus prostratus.  
*africanum*, Poir. l. c. 275 = Oplismenus compositus?  
*Afzelii*, Sw. Adnot. Bot. 5.—Afr. trop.  
*agglutinans*, Kunth, Enum. Pl. i. 120 = lanatum.  
*agrioides*, Trin. ex Doell, in Mart. Fl. Bras. ii. 271 = Isachne miliacea.  
*agrostoides*, Salzm. ex Steud. Nom. ed. II. ii. 252 = Ichnanthus pallens.  
*agrostidiforme*, Lam. Illustr. i. 172 = laxum.  
*Agrostis*, Nees, ex Doell, in Mart. Fl. Bras. ii. 213 = laxum.  
*agrostoides*, Salzm. ex Steud. Syn. Pl. Gram. 93 = Ichnanthus candicans.  
*agrostoides*, Spreng. Pugill. ii. 4.—Am. bor.  
*airoides*, R. Br. Prod. 190 = repens.  
*airoides*, Fluegge, ex Nees, Agrost. Bras. ii. 175, in adnot. = madagascariense.  
*alabamense*, Trin. ex Steud. Syn. Pl. Gram. 64 = floridanum.  
*albans*, Trin. ex Steud. Nom. ed. II. ii. 252; Syn. Pl. Gram. 96 = Isachne albans.  
*albidulum*, Steud. l. c. 69.—Nubia.  
*album*, Poir. Encyc. Suppl. iv. 274 = Oplismenus Burmanni.  
*alectorocnemum*, St. Lag. in Ann. Soc. Bot. Lyon, vii. (1880) 70 = P. Crus-galli.  
*alectomerum*, Dulac, Fl. Hautes-Pyr. 76 = P. Crus-galli.  
*almadense*, Nees, ex Trin. Gram. Panic. 186 = Ichnanthus almadensis.  
*alopecuroides*, Koen. ex Trin. l. c. 162 = Setaria glauca.  
*alopecuroides*, Linn. Sp. Pl. 55 = Pennisetum compressum, Linnaei.  
*alopecuroides*, Spreng. Syst. i. 309 = Neurachne alopecuroides.  
*alopecuroides*, Walt. Fl. Carol. 72 = Setaria verticillata.  
*alopecuroides*, Schreb. ex Steud. Syn. Pl. Gram. 50 = Setaria flava.  
*Alopecuros*, Fisch. ex Spreng. Nov. Prov. 38 = Setaria macrostachya.  
*Alopecuros*, Lam. Illustr. i. 169 = Pennisetum setosum.  
*alsinoides*, Griseb. Fl. Brit. W. Ind. 550 = Ichnanthus alsinoides.  
*alternatum*, Brouss. Elench. Hort. Monsp. (1805) 42, nomen.—Hab.?  
*altissimum*, Brouss. l. c. = maximum.  
*altissimum*, G. F. W. Mey. Prim. Fl. Esseq. 63.—Guian.  
*amabile*, Balansa, in Bull. Soc. Bot. Fr. xix. (1872) 324 = decompositum.  
*amarum*, Ell. Sketch, i. 121.—Am. bor.  
*ambiguum*, Haussk. in Oestr. Bot. Zeitschr. xxv. (1875) 345 = P. Pseudoholcus.  
*ambiguum*, Lapeyr. Hist. Abr. Pl. Pyr. 31 = glabrum.  
*ambiguum*, Sang. in Atti Acc. Pont. Lincei, Ser. I. xviii. (1865) 219, t. 6.—Italia.  
*ambiguum*, Trin. in Mém. Acad. Pétersb. Sér. VI. iii. II. (1835) 243.—As. trop.; Maurit.; Ins. Pacif.  
*ambitosum*, Fourn. ex Hemsl. Biol. Centr. Am. iii. 485.—Mexic.  
*americanum*, Linn. Sp. Pl. 56 = Pennisetum typhoideum.

**PANICUM:—**

*ammophilum*, F. Muell. in Trans. Vict. Inst. i. (1855) 46 = divaricissimum.  
*ammophilum*, Steud. Syn. Pl. Gram. 92.—Afr. austr.  
*ammophilum*, Trin. ex Nees, Agrost. Bras. 164 = Setaria brachiata.  
*amnigenum*, Trin. ex Steud. Nom. ed. II. ii. 252.—Hab.?  
*amphibium*, Steud. Syn. Pl. Gram. 61 = molle.  
*amphibolum*, Steud. l. c. 51 = Setaria composita.  
*amphistemon*, Wright, in Sauv. Fl. Cub. 198.—Cuba.  
*amplectens*, Chapm. in Coult. Bot. Gaz. iii. (1878) 20.—Am. bor.  
*amplexicaule*, Poir. ex Kunth, Enum. Pl. i. 113 = ovalifolium.  
*amplexicaule*, Rudge, Pl. Gui. i. 21.—Amphig. trop.  
*amplexifolium*, Hochst. in Flora, xxxviii. (1855) 194.—Abyss.  
*amplifolium*, Steud. Syn. Pl. Gram. 53 = Setaria composita.  
*amplissimum*, Steud. l. c. 54 = plicatum.  
*anceps*, Michx. Fl. Bor. Am. i. 48.—Am. bor.  
*ancylocarpum*, Nees, ex Steud. Nom. ed. II. ii. 252.—Hab.?  
*angustifolium*, Chapm. Fl. S. U. St. 374 = brachyanthum.  
*angustifolium*, Ell. Sketch, i. 129 = dichotomum.  
*angustifolium*, Le Conte, ex Torr. Cat. Pl. N. York, 91 = debile.  
*angustissimum*, Hochst. ex Steud. Syn. Pl. Gram. 66.—Am. trop.  
*angustum*, Trin. Sp. Gram. Ic. iii. t. 334 = indicum.  
*angustum*, Wall. Cat. n. 1642 = myosuroides.  
*anisostachium*, Boj. Hort. Mauriti. 364.—Ins. Maurit.  
*annulatum*, A. Rich. Tent. Fl. Abyss. ii. 370.—Abyss.  
*anomalum*, Walt. Fl. Carol. 72 = dichotomum.  
*ansatum*, Trin. Sp. Gram. Ic. iii. t. 279.—Bras.  
*antidotale*, Retz. Obs. iv. 17.—Geront. calid.  
*antillarum*, Poir. Encyc. Suppl. iv. 275 = Setaria setosa.  
*antipodum*, Spreng. Syst. i. 314 = Isachne australis.  
*Aparine*, Steud. Syn. Pl. Gram. 52 = Setaria verticillata.  
*apiculatum*, Salzm. ex Steud. l. c. 65 = pilosum.  
*appressum*, Doell, in Mart. Fl. Bras. ii. 184 = paspaloides.  
*appressum*, Forsk. Fl. Aegypt. Arab. 20 = fluitans?  
*appressum*, Kunth, Enum. Pl. i. 84 = adpressum.  
*aquariorum*, Buch.-Ham. ex Wall. Cat. n. 8727 = ramosum.  
*aquaticum*, Bosc, ex Spreng. Syst. ii. 319 = gibbum.  
*aquaticum*, Muhl. Desc. Gram. 126 = hydrophilum.  
*aquaticum*, Poir. Encyc. Suppl. iv. 281.—Portorico.  
*aquaticum*, A. Rich. Tent. Fl. Abyss. ii. 373.—Abyss.  
*arabicum*, Nees, ex Steud. Nom. ed. II. ii. 252 = colonum.  
*araneosum*, Edgew. in Journ. As. Soc. Beng. xxi. (1853) 180.—Ind. or.  
*arborescens*, Linn. Sp. Pl. ed. I. 59 = sparsicomum, Arundinaria glaucescens.  
*arborescens*, Sieber, ex Trin. Gram. Panic. 208 = latifolium.  
*arbusculum*, Sieber, ex Griseb. Fl. Brit. W. Ind. 553 = Isachne rigens.  
*arcuatum*, R. Br. Prod. 189 = indicum.  
*arenarium*, Bieb. Fl. Taur. Cauc. i. 52 = glabrum.  
*arenarium*, Brot. Fl. Lusit. i. 82 = repens.  
*arenarium*, Cham. & Schlecht. in Linnaea, vi. (1831) 35.—Mexic.  
*argenteum*, R. Br. Prod. 190.—Austral.  
*argyrograptum*, Nees, Fl. Afr. Austr. 27 = sanguinale.  
*argyrostachyum*, Steud. Syn. Pl. Gram. 40.—Java.  
*argyrotichum*, Anderss. in Peters, Reise Mossamb. Bot. 548.—Afr. trop.  
*aristatum*, Cav. ex Willk. & Lange, Prod. Fl. Hisp. i. 57 = Polypogon monspeliensis.  
*aristatum*, Macfad. in Hook. Bot. Misc. ii. (1831) 115 = spectabile.  
*aristatum*, Rasp. in Ann. Sc. Nat. Sér. I. v. (1825) 299, absque desc.—Hab.?  
*aristatum*, Retz. Obs. iv. 17 = Oplismenus compositus.  
*Aristella*, Doell, in Mart. Fl. Bras. ii. 221.—Am. trop.  
*aristoides*, Willd. ex Spreng. Syst. i. 302 = Pennisetum compressum.  
*aristulatum*, Steud. Syn. Pl. Gram. 42.—Afr. trop.  
*Arnacites*, Trin. Sp. Gram. Ic. iii. t. 317.—Bras.

**PANICUM:—**

*Arnotianum*, Nees, in Steud. Syn. Pl. Gram. 59 = nodosum.  
*Arnotianum*, Nees, in Steud. l. c. 98 = nubigenum.  
*arundinaceum*, Sw. Prod. Veg. Ind. Occ. 24 = Isachne disperma.  
*Arundinariae*, Trin. ex Steud. Nom. ed. II. ii. 253; Fourn. ex Hemsl. Biol. Centr. Am. Bot. iii. 485.—Mexic.  
*arvense*, Kunth, Rév. Gram. ii. t. 109 = ramosum.  
*ascendens*, Hemsl. Biol. Centr. Am. Bot. iii. 485 = adscendens.  
*ascendens*, Willd. ex Spreng. Syst. i. 321 = parvifolium.  
*asiaticum*, Hort. ex Schult. Mant. ii. 598, in obs. = Setaria italica.  
*asperatum*, Kunth, Rév. Gram. i. 89 = plicatum.  
*asperum*, Fisch. Cat. Hort. Gorenk. ed. II. 3; ex Jacq. Eclog. Gram. 46, t. 31; Lag. ex Link, Enum. Hort. Berol. i. 77 = miliaceum.  
*asperum*, Koen. in Naturf. xxiii. (1788) 209 = Chamaeraphis spinescens.  
*asperum*, Lam. Fl. Fr. iii. 577 = Setaria verticillata.  
*asperum*, Link, Enum. Hort. Berol. i. 75 = Pennisetum asperum.  
*astracanicum*, Hort. ex Steud. Nom. ed. II. ii. 253 = Koeleria brachystachya.  
*atrichum*, Steud. l. c.—Abyss.  
*atro-purpureum*, Desv. Opusc. 97.—Hab.?  
*atrosanguineum*, Hochst. ex A. Rich. Tent. Fl. Abyss. ii. 375.—Abyss.  
*atroviolaceum*, A. Rich. l. c. 368.—Abyss.  
*atrovirens*, Trin. in Spreng. Neue Entdeck. ii. 88 = Isachne australis.  
*attenuatum*, Hort. ex Trin. Gram. Panic. 166 = Setaria italica.  
*attenuatum*, Willd. Enum. Hort. Berol. 1033 = miliare.  
*aturensis*, Balb. ex Kunth, Enum. Pl. i. 119 = oryzoides.  
*aturensis*, H. B. & K. Nov. Gen. et Sp. i. 103, t. 33.—Venezuel.  
*aurantiacum*, Buch.-Ham. ex Wall. Cat. n. 8714 = paludosum.  
*Aurelianum*, Hale, ex Wood, Class Book (1861), 787.—Am. bor.  
*aureum*, Trin. in Mém. Acad. Pétersb. Sér. VI. iii. 11. (1835) 196.—Bras.  
*auricomum*, Nees, ex Trin. Gram. Panic. 204.—Bras.  
*auriculatum*, Willd. ex Spreng. Syst. i. 322 = Ichnanthus panicoides.  
*auritum*, Hassk. Pl. Jav. Rar. 22 = amplexicaule.  
*auritum*, Presl, ex Nees, Agrost. Bras. 176.—As. trop.  
*australe*, Rasp. in Ann. Sc. Nat. Sér. I. v. (1825) 299 = Isachne australis.  
*australe*, Spreng. Syst. i. 309 = parviflorum.  
*australe-caledonicum*, Balansa, in Bull. Soc. Bot. Fr. xix. (1872) 326.—N. Caled.  
*autumnale*, Bosc, ex Spreng. Syst. i. 320.—Am. bor.  
*autumnale*, F. Muell. Fragm. viii. 196 = papposum.  
*avenaceum*, H. B. & K. Nov. Gen. et Sp. i. 99.—Am. trop.  
*axillare*, Nees, Agrost. Bras. 141 = Ichnanthus pallens.  
*axipilum*, Steud. Syn. Pl. Gram. 79.—Guian.  
*Baileyi*, Benth. Fl. Austral. vii. 471.—Austral.  
*Balanites*, Trin. in Linnaea, x. (1835-36) 297 = streptostachys.  
*Balbisianum*, Schult. Mant. ii. 254 = oryzoides.  
*Balfourii*, Baker, Fl. Maurit. 438.—Ins. Rodrig.  
*bambusaefolium*, Desv. Opusc. 83.—Bras.  
*bambusiflorum*, Trin. Gram. Panic. 188 = Ichnanthus bambusiflorus.  
*bambusoides*, Ham. Prod. Pl. Ind. Occ. 10.—Portorico.  
*Bansnium*, Buch.-Ham. ex Wall. Cat. n. 8725 A = ramosum.  
*barbatulum*, Steud. Nom. ed. II. ii. 253, 255, in syn., sphalm. = barbulatum.  
*barbatum*, Kunth, Rév. Gram. i. 33.—Malaya; China.  
*barbatum*, Lam. Illustr. i. 171 = prostratum.  
*barbatum*, Roxb. Hort. Beng. 7; Fl. Ind. i. 282 = Pennisetum barbatum.  
*barbifolium*, Hochst. ex Schlecht. in Linnaea, xxxi. (1861-62) 307 = Oplismenus undulatifolius.  
*barbigerum*, Bertol. in Mem. Acc. Sc. Bologn. iii. (1851) 250.—Afr. trop.?



## PANICUM:—

*barbinode*, Trin. in Mém. Acad. Pétersb. Sér. VI. iii. ii. (1835) 256 = molle.  
*barbulatum*, Michx. Fl. Bor. Am. i. 49 = dichotomum.  
*basisetum*, Steud. Syn. Pl. Gram. 52.—Afr. trop.  
*batavicum*, Steud. l. c. 96 = Isachne australis.  
*beckmanniaeforme*, Mikan, ex Trin. in Spreng. Neue Entdeck. ii. 83 = paspaloides.  
*Beecheyi*, Hook. & Arn. Bot. Beech. Voy. 100.—Ins. Sandvic.  
*bellum*, Steud. Nom. ed. II. ii. 253 = Isachne pulchella.  
*bengalense*, Spreng. Syst. i. 311.—Ind. or.  
*Benjaminii*, Steud. Syn. Pl. Gram. 96 = Isachne australis.  
*Benthami*, Steud. l. c. 43.—Afr. trop.  
*Berchtholdiae*, Doell. in Mart. Fl. Bras. ii. ii. 150, in obs. = Chaetium bromoides.  
*bermudianum*, Steud. Nom. ed. II. ii. 253 = gibbum.  
*Bertonianum*, Steud. Syn. Pl. Gram. 50.—Ins. S. Doming.  
*Bertolonianum*, Schult. Mant. ii. 240 = Ichnanthus candicans.  
*Beyreichii*, Kunth, Rév. Gram. i. 281. t. 27 = rugulosum.  
*bicolor*, R. Br. Prod. 191.—Austral.  
*bicolor*, Moench, Meth. 206 = Setaria viridis.  
*bicorne*, Kunth, Rév. Gram. i. 33 = sanguinale.  
*bicorne*, Sieber, ex Steud. Syn. Pl. Gram. 41 = didactylum.  
*bicrulum*, Salz. ex Steud. Nom. ed. II. ii. 273 (Quid?).—Bras.  
*bidentatum*, Steud. Syn. Pl. Gram. 45 = Oplismenus compositus.  
*bifasciculatum*, Trin. Gram. Panic. 76 = Schraderi.  
*bifidum*, Bertol. in Mem. Acad. Sc. Bolog. ii. (1850) 598.—Am. bor.  
*biflorum*, Lam. Illustr. i. 174 = Isachne miliacea.  
*biflorum*, Kunth, Rév. Gram. i. 33 = sanguinale.  
*Billbergianum*, Beurl. in Vet. Akad. Handl. Stockh. 1854 (1856) 113 = aturense.  
*bipustulatum*, Schlecht. in Linnaea, xxvi. (1853-55) 135.—N. Granat.  
*bistipulatum*, Steud. Syn. Pl. Gram. 417, sphalm. = prae.  
*bisulcatum*, Thunb. in Nov. Act. Soc. Sc. Upsal. vii. (1815) 141 (sp. dub.).—Japon.  
*blephariphyllum*, Trimen, in Journ. Bot. xxiii. (1885) 272.—Zeylan.  
*blepharophorum*, J. & C. Presl, Rel. Haenk. i. 312 = aturense.  
*Bobartii*, Lam. Encyc. iv. 748 = dichotomum?  
*Bonplandianum*, Steud. Syn. Pl. Gram. 48 = Oplismenus polystachyus.  
*Boscianum*, Spreng. Syst. i. 317 = striatum.  
*Boscii*, Poir. Encyc. Suppl. iv. 282 = dichotomum?  
*Bourgaei*, Fourn. ex Hemsl. Biol. Centr. Am. Bot. iii. 486.—Mexic.  
*brachiariaeforme*, Steud. Syn. Pl. Gram. 54.—Afr. trop.  
*brachiatum*, Bosc, ex Spreng. Syst. i. 321.—Ins. Bermud.  
*brachiatum*, Poir. Encyc. Suppl. iv. 282 = Setaria brachiata.  
*brachyanthum*, Steud. Syn. Pl. Gram. 67.—Am. bor.  
*brachyclados*, Reichb. ex Trin. in Mém. Acad. Pétersb. Sér. VI. iii. ii. (1835) 251 = stoloniferum.  
*brachyglume*, Hochst. ex Steud. Syn. Pl. Gram. 95 = Coelachne pulchella.  
*brachylachnum*, Steud. l. c. 62.—Afr. trop.  
*brachyphyllum*, Steud. l. c. 42.—Mexic.  
*brachystachyum*, Trin. Gram. Panic. 138.—Bras.  
*brachytrichum*, Steud. in Lechl. Berb. Am. Austr. 52, nomen.—Chili.  
*brasiliense*, Spreng. Syst. i. 321 = parvifolium.  
*Braunii*, Steud. Syn. Pl. Gram. 93.—Abyss.  
*brevifolium*, Balb. ex Nees, Fl. Afr. Austr. 40 = miliare.  
*brevifolium*, Boj. Hort. Maurit. 365 = parvifolium.  
*brevifolium*, Jahn, ex Schrank, in Syll. Ratisb. i. (1824) 193 = Jahnii.  
*brevifolium*, Kunth, Rév. Gram. i. 32.—Mexic.  
*brevifolium*, Linn. Sp. Pl. 59.—Am. trop.  
*brevifolium*, Roxb. Fl. Ind. i. 306 = ovalifolium.  
*brevifolium*, Trin. in Mém. Acad. Pétersb. Sér. VI. iii. ii. (1835) 290 = microspermum.  
*brevisetum*, Doell, Fl. Grossh. Baden, 233 = Setaria italica.

## PANICUM:—

*brevisetum*, Steud. Syn. Pl. Gram. 46.—Venezuela.  
*brizaeforme*, J. & C. Presl, Rel. Haenk. i. 302 = paspaloides.  
*brizanthum*, Hochst. in Flora, xxiv. (1841) i. Intell. 19, nomen; et ex A. Rich. Tent. Fl. Abyss. ii. 363.—Abyss.  
*brizoides*, Jacq. Eclog. Gram. 2. t. 2; Trin. Gram. Panic. 128 = flavidum.  
*brizoides*, Lam. Illustr. i. 170 = paspaloides.  
*brizoides*, Linn. Mant. i. 184; Sw. Obs. Bot. 36 = colonum.  
*brizoides*, Retz. Obs. iii. 8 = fluitans.  
*brizoides*, Salz. ex Doell, in Mart. Fl. Bras. ii. ii. 274 = Isachne ventricosa.  
*bromoides*, Lam. Illustr. i. 170 = Oplismenus Burmanni.  
*Brownei*, Roem. & Schult. Syst. ii. 462 = lanatum.  
*Brownianum*, Wight & Arn. ex Steud. Syn. Pl. Gram. 34, 98 = subeglime.  
*Brunonianum*, Griff. Notul. iii. 29; Ic. Pl. As. iii. t. 145 (Chamaeraphidis sp.).—Ind. or.  
*Buchingeri*, Fourn. ex Hemsl. Biol. Centr. Am. Bot. iii. 486.—Mexic.  
*bulbosum*, H. B. & K. Nov. Gen. et Sp. i. 99.—Mexic.  
*Buncei*, F. Muell. ex Benth. Fl. Austral. vii. 487.—Austral.  
*bunophilum*, Steud. Syn. Pl. Gram. 76 = Ichnanthus calvensens.  
*Burmanni*, Balb. Misc. Bot. i. 8; Schlecht. ex Steud. Nom. ed. II. ii. 253 = Oplismenus undulatifolius.  
*Burmanni*, Bieb. Fl. Taur. Cauc. i. 51 = P. Crus-galli.  
*Burmanni*, Heyne, ex Wall. Cat. n. 8734 A = Isachne Kunthiana.  
*Burmanni*, Retz. Obs. iii. 10 = Oplismenus Burmannii.  
*caesioglaucum*, Nees, ex Steud. Syn. Pl. Gram. 75.—Java.  
*caesium*, Hook. & Arn. Bot. Beech. Voy. 235; Nees, ex Steud. Syn. Pl. Gram. 47 = colonum.  
*caespitium*, Lam. Illustr. i. 173; Encyc. iv. 743.—Am. austr.  
*caespitosum*, Spreng. ex Steud. Nom. ed. II. ii. 253 = grossarium.  
*caespitosum*, Sw. Fl. Ind. Occ. i. 146 = prostratum.  
*caffrorum*, Retz. Obs. ii. 7 = Sorghum vulgare.  
*cajennense*, Lam. Illustr. i. 173.—Guian.  
*calaccanzenze*, Steud. Syn. Pl. Gram. 65.—Ins. Philipp.  
*californicum*, Benth. Bot. Voy. Sulph. 55.—Calif.  
*callosum*, Hochst. ex A. Rich. Tent. Fl. Abyss. ii. 374 = miliaceum.  
*Calumet*, Brouss. Elench. Hort. Monsp. (1805) 42, nomen (Quid?).—Hab.?  
*calvescens*, Nees, ex Trin. Gram. Panic. 193 = Ichnanthus calvescens.  
*campestre*, Nees, ex Trin. l. c. 197.—Bras.  
*camporum*, Kunth, Enum. Pl. i. 88.—Bras.  
*campylogrammum*, Buese, in Miq. Pl. Jungh. 375.—Sumatra.  
*canaliculatum*, Nees, ex Steud. Syn. Pl. Gram. 55.—Ind. or.  
*Canayae*, Steud. Syn. Pl. Gram. 58 = Paspalum compactum.  
*candicans*, Nees, Agrost. Bras. 133 = Ichnanthus candicans.  
*candidum*, Nees, ex Trin. Gram. Panic. 176 = Ichnanthus pallens.  
*canescens*, Roth, Nov. Sp. Pl. 54 = ramosum?  
*capense*, Licht. ex Roem. & Schult. Syst. ii. 457.—Afr. austr.  
*capillaceum*, Lam. Illustr. i. 173 = brevifolium.  
*capillare*, Hook. & Arn. Bot. Beech. Voy. 100, nomen = nephelophilum.  
*capillare*, Linn. Sp. Pl. 58.—Am. bor. et austr.  
*capillare*, F. Muell. Fragm. viii. 191 = effusum.  
*capillare*, Roland. ex Rottb. in Act. Lit. Univ. Hafn. i. (1778) 271 = commelinacifolium.  
*capillare*, Vahl, ex Hornem. Hort. Hafn. i. 84 = commelinacifolium?  
*capillipes*, Benth. Fl. Austral. vii. 484.—Austral.  
*Careyanum*, Nees, Agrost. Bras. 118 = paspaloides.  
*caricoides*, Nees, ex Trin. Gram. Panic. 149.—Bras.  
*carinatum*, J. & C. Presl, Rel. Haenk. i. 309.—Ins. Philipp.  
*carinatum*, Torr. ex M. A. Curt. in Am. Journ. Sc. Ser. II. vii. (1849) 410 = Curtisii.

## PANICUM:—

*carnosum*, Salz. ex Steud. Syn. Pl. Gram. 60 = paspaloides.  
*carolinianum*, Spreng. Syst. i. 310.—Am. bor.  
*carthaginense*, Sw. Fl. Ind. Occ. i. 148.—Am. trop.  
*cartilagineum*, Muhl. Desc. Gram. 128 = dichotomum.  
*cartilagineum*, Nees, Agrost. Bras. 112 = subulatum.  
*caucasicum*, Trin. Sp. Gram. Ic. iii. t. 262 = P. Isachne.  
*Cauda-ratti*, Schum. in Schum. & Thonn. Beskr. Guin. Pl. 59.—Afr. trop.  
*caudatum*, Lam. Illustr. i. 171 = Setaria setosa.  
*caudatum*, Salz. ex Doell, in Mart. Fl. Bras. ii. ii. 233 = vilfoides.  
*caudatum*, Thunb. Prod. Pl. Cap. 19 = interruptum.  
*caudatum*, Willd. ex Steud. Nom. ed. II. ii. 251 = amplexicaule.  
*caudigerum*, Trin. ex Steud. Nom. ed. II. ii. 254.—Hab.?  
*cayennense*, Lam. Illustr. i. 173.—Am. trop.  
*cenchroides*, Ell. Skech. i. 111 = Cenchrus Elliotii.  
*cenchroides*, Lam. Encyc. iv. 737 = Trachys micro-nata.  
*cenchroides*, Rich. in Act. Soc. Hist. Nat. Par. i. (1792) 106 = Pennisetum setosum.  
*cernuum*, Willd. ex Spreng. Syst. i. 318 = Ecuador.  
*certificandum*, Steud. Syn. Pl. Gram. 44 = Oplismenus compositus.  
*chaetium*, Steud. Nom. ed. II. ii. 254.—Bras.  
*chaetophorum*, Roem. & Schult. Syst. ii. 884 = setigerum.  
*chamaelonche*, Trin. Gram. Panic. 242 = dichotomum.  
*Chamaeraphis*, Nees, ex A. Br. Ind. Sem. Hort. Berol. (1855) App. 20 = rhachitrichum.  
*Chamaeraphis*, Trin. in Mém. Acad. Pétersb. Sér. VI. iii. ii. (1835) 217 = Chamaeraphis hordeacea.  
*Chapmani*, Vasey, in Bull. Torrey Bot. Club, xi. (1884) 61.—Am. bor.  
*chartaginense*, Sw. Prod. Veg. Ind. Occ. 22 = carthaginense.  
*Chauvinii*, Steud. Syn. Pl. Gram. 68.—Mexic.  
*chinense*, Trin. in Mém. Acad. Pétersb. Sér. VI. iii. ii. (1835) 225.—China.  
*chloroleucum*, Griseb. in Goett. Abh. xix. (1874) 262.—Reg. Argent.  
*chlorostachyum*, Doell, in Mart. Fl. Bras. ii. ii. 173.—Am. trop.  
*chloroticum*, Nees, Agrost. Bras. 164 = Setaria brachiata.  
*chnoodes*, Trin. Gram. Panic. 211.—Bras.  
*chondrachne*, Steud. Syn. Pl. Gram. 51 = Setaria setosa.  
*Chondrachyum*, Trin. ex Steud. Nom. ed. II. ii. 254 (Melicae sp.).—Bras.  
*chrysanthum*, Steud. Nom. ed. II. ii. 254 = Setaria glauca.  
*chrysites*, Steud. Syn. Pl. Gram. 38 = Paspalum chrysites.  
*chrysoblephare*, Steud. l. c. = Paspalum exasperatum.  
*chrysochaetum*, Steud. l. c. 50.—Ins. Borbon.  
*chrysodactylon*, Trin. in Mém. Acad. Pétersb. Sér. VI. iii. ii. (1835) 197 = Paspalum chrysodactylon.  
*chrysostachyum*, Trin. l. c. 196 = Paspalum chrysostachyum.  
*ciliare*, Retz. Obs. iv. 16 = sanguinale.  
*ciliatiflorum*, Wood, Class Book (1861), 786 = Anthaenanthia villosa.  
*ciliatifolium*, Kunth, Rév. Gram. i. 36 = dichotomum.  
*ciliatum*, Ell. Sketch, i. 126 = dichotomum.  
*ciliatum*, Thunb. Mus. Nat. Acad. Upsal. x. 148, nomen (Quid?).—Hab.?  
*cimicinum*, Retz. Obs. iii. 9.—Ind. or.  
*cinerascens*, Doell, in Mart. Fl. Bras. ii. ii. 189.—Am. trop.  
*clandestinum*, Linn. Sp. Pl. 58.—Am. bor.  
*clandestinum*, Wall. Cat. n. 8680.—Burma.  
*coarctatum*, Stev. ex Trin. Gram. Panic. 137 = P. Crus galli?  
*coccospermum*, Steud. Syn. Pl. Gram. 62 = villosum.  
*coenicolum*, F. Muell. in Trans. Vict. Inst. i. (1855) 45.—Austral.  
*coenosum*, Doell, in Mart. Fl. Bras. ii. ii. 191.—Am. trop.  
*coeruleum*, Mill. Gard. Dict. ed. VIII. n. 5.—Peruv.  
*cognatissimum*, Steud. Syn. Pl. Gram. 69.—Afr. trop.  
*cognatum*, Roem. & Schult. Syst. ii. 235 = autumnale.  
*collare*, Schum. in Schum. & Thonn. Beskr. Guin. Pl. 60.—Afr. trop.



**PANICUM:**—

collinum, *Balansa*, in *Bull. Soc. Bot. Fr.* xix. (1872) 323.—N. Caled.  
 colonum, *Linn. Syst. ed. X.* 870.—Reg. calid.  
 coloratum, *Cav. Ic. ii.* 6. t. 110 = repens.  
 coloratum, *Kunth, Enum. Pl. i.* 104 = Kunthii.  
 coloratum, *Linn. Mant. i.* 30.—Afr. bor.  
 coloratum, *F. Muell. Fragm. viii.* 192 = melananthum, *F. Muell.*  
 coloratum, *Thou. ex Spreng. Syst. i.* 317 = madagascariense.  
 comatum, *Hochst. ex A. Rich. Tent. Fl. Abyss. ii.* 376.—Abyss.  
 commelinaefolium, *Kunth, Enum. Pl. i.* 114 = microspermum.  
 commelinaefolium, *Rudge, Pl. Guian. 21.* t. 28.—Guian.  
 commixtum, *Steud. Syn. Pl. Gram. 59.*—Austral.  
 commutatum, *Nees, in Linnaea, vii.* (1832) 274 = sanguinale.  
 commutatum, *Roem. & Schult. Syst. ii.* 242 = dichotomum.  
 comosum, *Steud. Syn. Pl. Gram. 53.*—Ins. Philipp.  
 comosum, *Steud. l. c.* 417.—Japon.  
 compactum, *Kit. in Schult. Oesterr. Fl. ed. II. i.* 212 = *Setaria italica*.  
 compactum, *Sw. Adnot. Bot. 14*; et *Griseb. Fl. Brit. W. Ind. 552.*—Ind. occ.; Mexic.  
 composito-proximum, *Rottl. in Ges. Naturf. Fr. Neue Schr. iv.* (1804) 224 = *Oplismenus compositus*.  
 compositum, *Linn. Sp. Pl. 57* = *Oplismenus compositus*.  
 compositum, *Nees, Agrost. Bras. 244* = *Setaria composita*.  
 compositum, *Rottl. ex Steud. Syn. Pl. Gram. 44* = peninsularum.  
 compressum, *Balb. ex Steud. Nom. ed. II. ii.* 254 = *Setaria glauca*.  
 compressum, *Bivona, Stirp. Sic. Manip. iv.* 6.—Sicilia.  
 compressum, *Forsk. Fl. Aegypt. Arab. 18* = *Eleusine indica*.  
 conchatum, *Fourn. ex Hemsl. Biol. Centr. Am. Bot. iii.* 487.—Mexic.  
 concinnum, *Edgew. in Journ. As. Soc. Beng. xxi.* (1853) 179.—Ind. or.  
 concinnum, *Nees, in Hook. Kew Journ. ii.* (1850) 97 = *sarmentosum*.  
 condensatum, *Bertol. in Bologn. Opusc. Sc. iii.* (1819) 408.—Bras.  
 confertum, *Desv. ex Poir. Encyc. Suppl. iv.* 279.—Ind. occ.  
 confine, *Hochst. ex A. Rich. Tent. Fl. Abyss. ii.* 373 = *trypheron*.  
 confusum, *Trin. ex Steud. Nom. ed. II. ii.* 254 = maximum, *Jacq.*  
 conglomeratum, *Boj. Hort. Maurit. 364.*—Ins. Maurit.  
 conglomeratum, *Linn. Mant. ii.* 324; *Willd. Sp. Pl. i.* 341 (sp. dub.).—Ind. or.  
 conjugatum, *Roxb. Hort. Beng. 82*; *Fl. Ind. i.* 288 = *Paspalum conjugatum*.  
 connivens, *Trin. in Mém. Acad. Pétersb. Sér. VI. iii.* II. (1835) 206.—Bras.  
 consanguineum, *Kunth, Rév. Gram. i.* 36 = *dichotomum*.  
 contractum, *Trin. ex Steud. Nom. ed. II. ii.* 254.—Ind. occ.  
 contractum, *Wight & Arn. ex Steud. l. c.* = *indicum*.  
 controversum, *Steud. Syn. Pl. Gram. 60.*—Abyss.  
 convallium, *F. Muell. in Trans. Vict. Inst. i.* (1855) 46 = *effusum*.  
 convolutum, *Beauv. ex Spreng. Syst. i.* 319 = *repens*.  
 cordatum, *Buese, in Miq. Pl. Fungh. 376.*—Java.  
 cordatum, *Doell, in Mart. Fl. Bras. ii.* III. 239.—Bras.  
 cordifolium, *Desv. Opusc. 90.*—Am. bor.  
 cordifolium, *Steud. Syn. Pl. Gram. 85* = *sciurotis*.  
 cordovense, *Fourn. ex Hemsl. Biol. Centr. Am. Bot. iii.* 487.—Mexic.  
 coryphorum, *Auct. = coryophorum*.  
 corrugatum, *Ell. Sketch, i.* 123 = *Setaria corrugata*.  
 corvipes, *Stokes, Bot. Mat. Med. i.* 141 = *P. Crus-galli*.  
 corymbiferum, *Nees, ex Steud. Syn. Pl. Gram. 76.*—Afr. trop.  
 corymbosum, *Roxb. Hort. Beng. 7*; *Fl. Ind. i.* 292 = *sanguinale*.  
 coryphorum, *Kunth, Rév. Gram. ii.* t. 107 = *curvatum*.  
 costatum, *Roxb. Hort. Beng. 8*; *Fl. Ind. i.* 312 = *flavescens*.

**PANICUM:**—

courtallense, *Nees & Wight, ex Steud. Syn. Pl. Gram. 83* = *montanum*.  
 crinitum, *Willd. ex Steud. Nom. ed. II. ii.* 255 = *Setaria purpurea*.  
 Crinum-urvi, *Bory, ex Steud. l. c.* = *Zoysia tenuifolia*.  
 crispum, *Llanos, Fragm. 42* = *prostratum*.  
 Crista-galli, *Gromow, ex Trautv. in Act. Hort. Petrop. ix.* (1884) 357 = *P. Crus-galli*?  
 cristatum, *Anderss. in Peters, Reise Mossamb. Bot. 548.*—Afr. trop.  
 cristatum, *Steud. Syn. Pl. Gram. 46* = *Oplismenus Burmannii*.  
 cruciatum, *Nees, ex Steud. l. c.* 39 = *sanguinale*.  
 cruciforme, *Steud. Nom. ed. II. ii.* 255, sphalm. = *eruciforme*.  
 Crus-ardeae, *Willd. ex Nees, Agrost. Bras. 253.*—Am. austr.  
 Crus-corvi, *Linn. Syst. ed. X.* 870 = *P. Crus-galli*.  
 Crus galli, *Linn. Sp. Pl. 56.*—Reg. calid.  
 Crus-pavonis, *Nees, Agrost. Bras. 259* = *P. Crus-galli*.  
 Crus-pici, *Willd. ex Doell, in Mart. Fl. Bras. ii.* II. 143, in obs. = *P. Crus-galli*.  
 ctenanthum, *F. Muell. Fragm. viii.* 153.—Austral.  
 ctenodes, *Trin. Sp. Gram. Ic. ii.* t. 171 = *stoloniferum*.  
 cubense, *Steud. Nom. ed. II. ii.* 255.—Cuba.  
 cuyabense, *Steud. l. c.* = *cuyabense*.  
 culicinium, *F. Muell. Fragm. viii.* 189 = *obtusum*.  
 cultratum, *Trin. Gram. Panic. 126* = *monostachyum*.  
 Cumingianum, *Steud. Syn. Pl. Gram. 58.*—Ins. Philipp.  
 Curtisii, *Chapm. Fl. S. U. St. 573* = *hydrophilum*?  
 Curtisii, *Steud. Syn. Pl. Gram. 66.*—Am. bor.  
 curvatum, *Linn. Syst. ed. XII.* 730.—Ind. or.; Afr. austr.  
 curvatum, *Roxb. Fl. Ind. i.* 286 = *myosuroides*.  
 curviflorum, *Hornem. Hort. Hafn. Suppl. 116.*—Hab.?  
 cuspidatum, *Roxb. Hort. Beng. 7*; *Fl. Ind. i.* 298.—Ind. or.  
 cuspidatum, *Willd. ex Steud. Nom. ed. II. ii.* 255 = *Isachne australis*.  
 cuspidiglume, *Steud. Syn. Pl. Gram. 96* = *Isachne Kunthiana*.  
 cuyabense, *Trin. in Mém. Acad. Pétersb. Sér. VI. iii.* II. (1835) 206.—Bras.  
 cyanescens, *Nees, Agrost. Bras. 220.*—Bras.  
 cylindricum, *Link, Enum. Hort. Berol. i.* 76 = *Setaria setosa*.  
 cylindricum, *Thunb. Mus. Nat. Acad. Upsal. x.* 148 (Quid?).—Java.  
 Cynodon, *Reichardt, in Sitzb. Akad. Wien, lxxvi.* (1878) 724.—Ins. Sandvic.  
 cynosuroides, *Linn. Syst. ed. X.* 870.—Hab.?  
 cynosuroides, *Scop. Fl. Carn. ed. II. i.* 50 = *Setaria viridis*.  
 cynotis, *Trin. in Mém. Acad. Pétersb. Sér. VI. iii.* II. (1835) 325 = *Ichnanthus inconstans*.  
 Dactylon, *Linn. Sp. Pl. 58* = *Cynodon Dactylon*.  
 Daltoni, *Parl. ex Webb, in Hook. Niger Fl. 185* = *cololum*.  
 dasyanthum, *Licht. ex Nees, Fl. Afr. Austr. 19* = *Tricholaena capensis*.  
 dasytrichum, *Spreng. Syst. i.* 317 = *cayennense*.  
 dasyurum, *Nees, Agrost. Bras. 241* = *Pennisetum Sieberi*.  
 dasyurum, *Willd. ex Nees, Fl. Afr. Austr. 56* = *Setaria imberbis*.  
 debile, *Desf. Fl. Atlant. i.* 59 = *sanguinale*.  
 debile, *Poir. Encyc. Suppl. iv.* 283.—Am. bor.  
 debile, *Torr. ex Steud. Nom. ed. II. ii.* 255 = *dichotomum*.  
 decipiens, *Kunth, Enum. Pl. i.* 92 = *despiciens*.  
 decipiens, *Nees, Agrost. Bras. 193.*—Bras.  
 decolorans, *H. B. & K. Nov. Gen. et Sp. i.* 100.—Mexic.  
 decompositum, *R. Br. Prod. 191.*—Ind. or.; Austral.  
 decumbens, *Roem. & Schult. Syst. ii.* 429.—Am. austr.  
 deflexum, *Guss. in Tenore, Fl. Nap. v.* 320 = *Ehrharta panicea*.  
 deflexum, *Schum. in Schum. & Thonn. Beskr. Guin. Pl. 63.*—Afr. trop.  
 delicatulum, *Fig. & De Not. in Mem. Acc. Torin. Ser. II. xiv.* (1854) 381.—Nubia.  
 demissum, *Trin. Sp. Gram. Ic. iii.* t. 319.—Bras.

**PANICUM:**—

densepilosum, *Steud. Syn. Pl. Gram. 72.*—Japon.  
 densiflorum, *Willd. ex Spreng. Syst. i.* 320.—Am. austr.  
 densiglume, *Steud. Syn. Pl. Gram. 41*, sphalm. = *uniglume*.  
 densispica, *Poir. Encyc. Suppl. iv.* 273 = *Pennisetum setosum*.  
 densum, *Muhl. Desc. Gram. 122* = *dichotomum*.  
 denudatum, *Nees, Fl. Afr. Austr. 23.*—Afr. austr.  
 depauperatum, *Muhl. Desc. Gram. 112.*—Am. bor.  
 desertorum, *A. Rich. Tent. Fl. Abyss. ii.* 365.—Abyss.  
 despiciens, *Link, Hort. Berol. i.* 207.—Hab.?  
 Despreauxii, *Steud. Syn. Pl. Gram. 58.*—Afr. trop.  
 deustum, *Brickell & Enslin, ex Muhl. Desc. Gram. 119* = *dichotomum*.  
 deustum, *Thunb. Prod. Pl. Cap. 19.*—Afr. austr.  
 diagonale, *Nees, Fl. Afr. Austr. 23.*—Afr. austr.  
 diamesum, *Steud. Syn. Pl. Gram. 42.*—Afr. trop.  
 diandrum, *Kunth, Rév. Gram. ii.* t. 110 = *laxum*.  
 dichotomiflorum, *Michx. Fl. Bor. Am. i.* 48 = *autumnale*.  
 dichotomum, *Forsk. Fl. Aegypt. Arab. 19* = *Pennisetum dichotomum*.  
 dichotomum, *Linn. Sp. Pl. 58.*—Am. bor.  
 dictyonemum, *Fig. & De Not. in Mem. Acc. Torin. Ser. II. xiv.* (1854) 329. t. 8.—Nubia.  
 didactylum, *Kunth, Rév. Gram. i.* 33; *Enum. Pl. i.* 84 = *sanguinale*.  
 didymostachyum, *Steud. Syn. Pl. Gram. 97.*—Chili.  
 difforme, *Roth, Nov. Pl. Sp. 52.*—Ind. or.  
 diffusulum, *Salzm. ex Steud. Syn. Pl. Gram. 89.*—Am. trop.  
 diffusum, *Pursh, Fl. Am. Sept. i.* 68 = *capillare*.  
 diffusum, *Sw. Prod. Veg. Ind. Occ. 23.*—Ind. occ.; Afr. austr.  
 Digitaria, *Latirr. Ami des Champs (1825), 339* = *Paspalum distichum*.  
 digitarioides, *Carpenter, ex M. A. Curt. in Am. Journ. Sc. Ser. II. vii.* (1849) 410 = *Curtisii*.  
 digitarioides, *Rasp. ex Steud. Nom. ed. II. ii.* 255 = *Paspalum Michauxianum*.  
 digitatum, *Gilib. Exercit. 517* = *P. Crus-galli*.  
 dilatatum, *Steud. Syn. Pl. Gram. 39.*—Ind. or.  
 dimidiatum, *Burm. f. Fl. Ind. 25. t. 8. f. 3* = *Trachys mucronata*.  
 dimidiatum, *Linn. Sp. Pl. 57* = *Stenotaphrum complanatum*.  
 dimidiatum, *Walt. Fl. Carol. 72* = *carolinianum*.  
 dioecum, *Spreng. Syst. i.* 322.—Bras.  
 disciferum, *Fourn. ex Hemsl. Biol. Centr. Am. Bot. iii.* 488.—Mexic.  
 discolor, *Muhl. Desc. Gram. 114* = *dichotomum*.  
 discolor, *Spreng. Fl. Hal. Mant. 31.*—Am. bor.  
 discolor, *Trin. ex Nees, Agrost. Bras. 144.*—Bras.  
 discrepans, *Doell, in Mart. Fl. Bras. ii.* II. 252.—Am. trop.  
 disjunctum, *Steud. Syn. Pl. Gram. 417.*—Madag.  
 dispar, *Steud. l. c.* 96.—Nepal.  
 dispernum, *Lam. Illustr. i.* 173 = *Isachne disperma*.  
 dispersum, *Trin. in Mém. Acad. Pétersb. Sér. VI. iii.* II. (1885) 282 = *rugulosum*.  
 dissectum, *Linn. Sp. Pl. 57* = *Paspalum scrobiculatum*.  
 dissitiflorum, *Steud. Nom. ed. II. ii.* 255.—Mexic.  
 distachyum, *Linn. Mant. i.* 138.—As. et Austral. trop.  
 distans, *Salzm. in Steud. Syn. Pl. Gram. 61* = *plantagineum*, *Link.*  
 distans, *Trin. Sp. Gram. Ic. ii.* t. 172 = *flavidum*.  
 distans, *Willd. ex Spreng. Syst. i.* 305 = *pilosum*.  
 distantiflorum, *A. Rich. Fl. Cub. Fanerog. ii.* 304.—Cuba.  
 distichophyllum, *Nees, Agrost. Bras. 234* = *subulatum*.  
 distichophyllum, *Trin. Gram. Panic. 147.*—Afr. trop.  
 distichum, *Gaudich. ex Steud. Nom. ed. II. ii.* 255 = *glabrum*.  
 distichum, *Lam. Encyc. iv.* 731 (err. typ. 741) = *pilosum*.  
 divaricatissimum, *R. Br. Prod. 192.*—Austral.  
 divaricatum, *Kunth, ex Griseb. Fl. Brit. W. Ind. 552* = *martinicense*.  
 divaricatum, *Linn. Syst. ed. X.* 871.—Am. austr.  
 divaricatum, *Michx. Fl. Bor. Am. i.* 50 = *debile*.  
 divaricatum, *Presl, ex Griseb. Fl. Brit. W. Ind. 551* = *latifolium*.



## PANICUM:—

*divergens*, Afzel. ex Sw. Adnot. Bot. 5 = Afzelii.  
*divergens*, H. B. & K. Nov. Gen. et Sp. i. 102.—Ecuador.  
*divergens*, Muhl. Desc. Gram. 120 = autumnale.  
*diversinerve*, Nees, Fl. Afr. Austr. 23.—Afr. austr.  
*divisum*, Forsk. ex J. F. Gmel. Syst. 156 = Pennisetum setosum.  
*domingense*, Zuccagni, in Roem. Collect. 123.—Ins. S. Doming.  
*donacifolium*, Raddi, Agrost. Bras. 44 = Ichnanthus panicoides.  
*Dregeanum*, Nees, Fl. Afr. Austr. 42.—Afr. austr.  
*Drummondii*, Nees, ex Steud. Syn. Pl. Gram. 63.—Am. bor.  
*dubium*, Lam. Encyc. iv. 743 = Isachne miliacea.  
*dubium*, Sieber, ex Steud. Nom. ed. II. ii. 256 = P. Crus-galli.  
*dubium*, Steud. l. c. = Oplismenus dubius.  
*Duchaissingii*, Steud. Syn. Pl. Gram. 93 = lanatum.  
*dumetorum*, Rich. ex Steud. l. c. 49.—Ind. occ.  
*Dumus*, Desv. Opusc. 88.—Am. calid.  
*durum*, Griseb. in Mem. Am. Acad. N. S. viii. (1863) 533.—Ind. occ.  
*eburneum*, Trin. in Mém. Acad. Pétersb. Sér. VI. iii. ii. (1835) 268.—Nepal.  
*echinatum*, Willd. Enum. Hort. Berol. 1032 = P. Crus-galli.  
*echinatum*, Willd. ex Doell, in Mart. Fl. Bras. ii. II. 193 = uncinatum.  
*Echinochloa*, Steud. Nom. ed. II. i. 316, in syn., sphalm. = seq.  
*Echinolaena*, Nees, Agrost. Bras. 128 = Echinolaena hirta.  
*Ecklonii*, Nees, Fl. Afr. Austr. 43.—Afr. austr.  
*effusum*, R. Br. Prod. 191.—Austral.  
*elatus*, Kunth, Rév. Gram. i. 38 = altissimum.  
*elatus*, Linn. f. Suppl. 107 = Oplismenus compositus.  
*elatum*, Willd. ex Steud. Nom. ed. II. ii. 256 = decolorans.  
*elegans*, Wight & Arn. ex Steud. l. c. —Zeylan.  
*elephantipes*, Nees, Agrost. Bras. 165.—Bras.  
*Elliotianum*, Schult. Mant. ii. 256 = gibbum.  
*Elliotii*, Spreng. ex Steud. Nom. ed. II. ii. 256 = dichotomum.  
*Elliotii*, Trin. ex Nees, Agrost. Bras. 170 = proliferum.  
*elongatum*, Poir. Encyc. Suppl. iv. 278 = P. Crus-ardeae.  
*elongatum*, Pursh, Fl. Am. Sept. i. 69 = virgatum.  
*elongatum*, Salisb. Prod. 18 = Setaria italica.  
*Elythroblepharum*, Steud. in Zoll. Syst. Verz. Pfl. Ind. Archip. 54; Miq. Fl. Ind. Bat. iii. 439 = barbatum.  
*emergens*, Doell, in Mart. Fl. Bras. ii. II. 269.—Am. trop.  
*emergens*, Hochst. in Flora, xxxviii. (1855) 196.—Abyss.  
*eminens*, Steud. Syn. Pl. Gram. 43 = barbatum.  
*enneaneurum*, Griseb. in Goett. Abh. xix. (1874) 261.—Reg. Argent.  
*ensifolium*, Baldw. in Ell. Sketch, i. 126 = dichotomum?  
*Enslini*, Trin. Gram. Panic. 230 = dichotomum.  
*equinum*, Salzm. ex Steud. Syn. Pl. Gram. 67 = molle.  
*Equisetum*, Nees, ex Doell, in Mart. Fl. Bras. ii. II. 206 = maximum, Jacq.  
*equitans*, Hochst. ex A. Rich. Tent. Fl. Abyss. ii. 365.—Abyssin.  
*erianthum*, Poir. Encyc. Suppl. iv. 284 = P. Crus-galli.  
*erichrysoideis*, Fritz. Ic. Ind. i. 795, sphalm. = seq.  
*erichrysoideis*, Nees, ex Trin. Gram. Panic. 160.—Bras.  
*eriogonum*, Schrad. Pl. Hort. Gotting. fasc. 1; ex Schult. Mant. ii. 253 = sanguinale.  
*eriphorum*, Link. ex Nees, Agrost. Bras. 148 = Ichnanthus Hoffmannseggii.  
*eriphorum*, Schult. Mant. ii. 591 = dichotomum.  
*erubescens*, Willd. Enum. Hort. Berol. 1031 = Pennisetum erubescens.  
*eruciforme*, Sibth. & Sm. Fl. Graec. i. 44. t. 59 = P. Isachne.  
*erythrospermum*, Vahl, ex Hornem. Hort. Hafn. i. 82 = Setaria italica.  
*esculentum*, A. Br. Ind. Sem. Hort. Berol. (1861) App. 3.—Japon (cult.).  
*Esenbeckii*, Steud. Syn. Pl. Gram. 90 = Olyra nana.  
*euchroum*, Steud. l. c. 98 = montanum.  
*exaratum*, Trin. Gram. Panic. 160.—Bras.  
*exasperatum*, Nees, ex Steud. Syn. Pl. Gram. 62.—Afr. trop.  
*excelsum*, Nees, Agrost. Bras. 180 = rivulare.

## PANICUM:—

*excelsum*, Spreng. ex Steud. Nom. ed. II. ii. 256 = Paspalum barbatum.  
*excurrans*, Trin. Sp. Gram. Ic. i. t. 89 = plicatum.  
*exiguiflorum*, Griseb. Cat. Pl. Cub. 234.—Cuba.  
*exile*, Steud. Nom. ed. II. ii. 256 = Ichnanthus candidans.  
*expansum*, Fourn. ex Hemsl. Biol. Centr. Am. Bot. i. 488.—Mexic.  
*expansum*, Trin. ex Steud. Nom. ed. II. ii. 256 (Quid?).—Mexic.  
*extensum*, Desv. Opusc. 84.—Aegypt.  
*extensum*, Nees, ex Steud. Syn. Pl. Gram. 39 = dilatatum.  
*extensum*, Steud. l. c. 72.—Ins. Philipp.  
*falcatum*, J. F. Gmel. Syst. 163.—Guian.  
*falciferum*, Trin. Gram. Panic. 127.—Afr. trop.  
*fallax*, Kunth, Rév. Gram. i. 35 = decipiens.  
*fallax*, Spreng. Nachr. i. Bot. Gart. Halle, 29 = sanguinale.  
*falsum*, Steud. Syn. Pl. Gram. 67.—Cuba.  
*fasciculare*, Schrad. ex Kunth, Enum. Pl. i. 80 = Schraderi.  
*fasciculatum*, Griseb. Fl. Brit. W. Ind. 549 = maximum, Jacq.  
*fasciculatum*, Hort. ex Trin. Gram. Panic. 76 = Schraderi.  
*fasciculatum*, Lam. Encyc. iv. 731 (err. typ. 741) = fasciculiflorum.  
*fasciculatum*, Sw. Prod. Veg. Ind. Occ. 22.—Am. calid.  
*fasciculiflorum*, Steud. Nom. ed. II. ii. 256.—Jamaic.  
*fastigiatum*, Poir. Encyc. Suppl. iv. 277 = fasciculatum.  
*fatmense*, Steud. & Hochst. ex Steud. Nom. ed. II. ii. 256; et Syn. Pl. Gram. 100 (Eriochloae sp.).—Ind. or.; Arab.  
*fatuum*, Fig. & De Not. in Mém. Acc. Torin. Ser. II. xiv. (1854) 346.—Nubia.  
*fenestratum*, Hochst. in Flora, xxiv. (1841) i. Intell. 19, nomen; et ex A. Rich. Tent. Fl. Abyss. ii. 361.—Abyssin.  
*ferrugineum*, Kunth, Rév. Gram. i. 39 = phaeothrix.  
*ferrugineum*, Trin. Gram. Panic. 159 = eriochrysoideis.  
*festucoides*, Poir. Encyc. Suppl. iv. 283.—Ind. or.  
*Figarei*, Tod. Ind. Sem. Hort. Panorm. (1866) 33.—Aegypt.  
*filamentosum*, Pers. Syn. i. 83 = brevifolium.  
*filiforme*, Garcke, Fl. Deutschl. ed. II. 360 = glabrum.  
*filiforme*, Jacq. Obs. iii. 18. t. 70 = sanguinale.  
*filiforme*, Linn. Sp. Pl. 57.—Am. bor.  
*filiforme*, Poir. Voy. Barb. ii. 93 = debile.  
*fimbriatum*, Kunth, Rév. Gram. i. 33; J. & C. Presl, Rel. Haenk. i. 298 = sanguinale.  
*fimbriatum*, Willd. ex Spreng. Syst. i. 316 = divergens.  
*firmandum*, Steud. Syn. Pl. Gram. 418 = microcarpon?  
*firmifolium*, Trin. ex Kunth, Enum. Pl. i. 110 = cyanescens.  
*firmum*, Kunth, Rév. Gram. i. 37 = Oryzopsis canadensis.  
*fistulosum*, Hochst. ex Steud. Syn. Pl. Gram. 71.—Am. trop.  
*flabellatum*, Fourn. in Bull. Soc. Bot. Fr. xxvii. (1850) 293.—Nicaragua.  
*flabellatum*, Steud. Syn. Pl. Gram. 53 = Setaria sulcata.  
*flaccidum*, Steud. Nom. ed. II. ii. 256 = Oplismenus setarius.  
*flavescens*, Moench, Meth. 206 = Setaria glauca.  
*flavescens*, Sieber, ex Presl, Bot. Bemerck. 120 = Eriochloa polystachya.  
*flavescens*, Sw. Prod. Veg. Ind. Occ. 23.—Ind. occ.  
*flavidum*, Retz. Obs. iv. 15.—As. trop.; Austral.  
*flavum*, Nees, ex Trin. Gram. Panic. 162 = Setaria flava.  
*flexirameum*, Steud. Nom. ed. II. ii. 254, in syn., sphalm. = flexuosum, Willd.  
*flexuosum*, Retz. Obs. iii. 9 = Isachne ventricosa.  
*flexuosum*, Willd. ex Schult. Mant. ii. 591 = capense.  
*floribundum*, Rich. ex Lam. Encyc. iv. 742 = capense.  
*floribundum*, Willd. ex Spreng. Syst. i. 306.—Ind. or.  
*floridanum*, Trin. in Mém. Acad. Pétersb. Sér. VI. iii. ii. (1835) 248.—Am. bor.  
*fuitans*, Brickell, ex Muhl. Desc. Gram. 126 = hydrophilum.  
*fuitans*, Retz. Obs. iii. 8.—Geront. trop.  
*fuitans*, Retz. l. c. v. 18, in obs. = paspaloides.  
*fluviicola*, Steud. Syn. Pl. Gram. 89.—Afr. trop.  
*foliaceum*, Steud. Nom. ed. II. ii. 256, sphalm. loliaceum.  
*foliolosum*, Wall. Cat. n. 8680.—Burma.  
*foliosum*, R. Br. Prod. 191.—Malaya; Austral.

## PANICUM:—

*Forbesianum*, Nees, in Steud. Syn. Pl. Gram. 98 (Setariae sp.).—Ind. or.  
*fragile*, Kunth, Enum. Pl. i. 36 = autumnale.  
*Francavillanum*, Fourn. ex Hemsl. Biol. Centr. Am. Bot. iii. 489.—Mexic.  
*Francoi*, Steud. Syn. Pl. Gram. 44 = Oplismenus Burmannii.  
*fraudulentum*, Steud. l. c. 419.—Ins. Borbon.  
*frondescens*, G. F. W. Mey. Prim. Fl. Esseq. 56 = stoloniferum.  
*frondescens*, Trin. Sp. Gram. Ic. ii. t. 218 = Ichnanthus panicoides.  
*frumentaceum*, Roxb. Hort. Beng. 7; Fl. Ind. i. 304 = colonum.  
*frumentaceum*, Salisb. Prod. 18 = Sorghum vulgare.  
*fruticosum*, Salzm. ex Doell, in Mart. Fl. Bras. ii. II. 207 = latifolium.  
*fugax*, J. F. Gmel. Syst. i. 162.—Ind. or.?  
*Funcianum*, Steud. Syn. Pl. Gram. 77.—N. Granat.  
*fuscatum*, Presl, ex Steud. Nom. ed. II. ii. 256 = fasciculatum.  
*fuscens*, Willd. ex Steud. l. c. = Setaria imberbis.  
*fusculiflorum*, Steud. Syn. Pl. Gram. 93 = Anthaenantia lanata.  
*fuscinode*, Steud. l. c. 418.—Ins. Comor.  
*fusco-rubens*, Lam. Illustr. i. 171 = fasciculatum.  
*fusco-viride*, Steud. Syn. Pl. Gram. 80.—Hab.?  
*fusum*, Doell, in Mart. Fl. Bras. ii. II. 130 = violascens.  
*fusum*, Rupr. ex Galeotti, in Bull. Acad. Brux. (1842) 239 = carthaginense.  
*fusum*, Sieber, ex Griseb. Fl. Brit. W. Ind. 552 = martinicense.  
*fusum*, Sw. Prod. Veg. Ind. Occ. 23.—Jamaic.  
*Galli*, Thunb. Prod. Pl. Cap. 18.—Afr. austr.  
*Gardneri*, Thw. Enum. Pl. Zeyl. 359.—Zeylan.  
*Gaudichaudii*, Kunth, Rév. Gram. ii. t. 106.—Ins. Marian.  
*Gavanianum*, Steud. ex Doell, in Mart. Fl. Bras. ii. II. 137 = lanatum.  
*Gayanum*, Kunth, l. c. i. 239. t. 31.—Afr. trop.  
*geminatum*, Forsk. Fl. Aegypt. Arab. 18 = paspaloides.  
*geminatum*, Hochst. in Flora, xxiv. (1841) i. Intell. 19 = Hochstetterianum.  
*geniculatum*, Forsk. ex Spreng. Syst. i. 309, in syn. = fluitans.  
*geniculatum*, Lam. Encyc. iv. 727 (err. typ. 737) = Setaria geniculata.  
*geniculatum*, Muhl. Desc. Gram. 123; et ex Spreng. Syst. i. 319, in syn. = proliferum.  
*geniculatum*, Thunb. Fl. Cap. i. 383 = Pennisetum Thunbergii.  
*georgicum*, Spreng. Syst. i. 308 = Eriochloa punctata.  
*germanicum*, Mill. Gard. Dict. ed. VIII. n. 1 = Setaria italica.  
*Ghiesbreghtii*, Fourn. ex Hemsl. Biol. Centr. Am. Bot. iii. 489.—Mexic.  
*gibbosum*, R. Br. Prod. 193.—Austral.  
*gibbum*, Ell. Sketch, i. 116.—Am. bor.  
*gibbum*, Steud. Syn. Pl. Gram. 87 = trigonum.  
*giganteum*, Scheele, in Linnaea, xxii. (1849) 340 = virgatum.  
*Gilesii*, Benth. Fl. Austral. vii. 477.—Austral.  
*glaberrimum*, Steud. Syn. Pl. Gram. 94 = gymnocarpum?  
*glabrescens*, Steud. l. c. 71.—Afr. trop.  
*glabripes*, Doell, in Mart. Fl. Bras. ii. II. 216.—Am. trop.  
*glabrum*, Ell. ex Steud. Nom. ed. II. ii. 257 = gibbum.  
*glabrum*, Gaud. Agrost. i. 22.—Reg. bor. temp. et trop.  
*gladiatum*, Wawra, in Oestr. Bot. Zeitschr. xii. (1862) 170 = Oplismenus dubius.  
*glandulosum*, Nees, ex Trin. Gram. Panic. 174 = uncinatum.  
*glareae*, F. Muell. in Linnaea, xxv. (1852) 445 = lanatum.  
*glauescens*, H. B. & K. Nov. Gen. et Sp. i. 104.—Am. austr.  
*glauescens*, Lam. Encyc. iv. 749 = Arundinaria glaucescens.  
*glauescens*, Nees, Agrost. Bras. 100 = Arundinaria glaucescens.  
*glauescens*, Salzm. ex Doell, in Mart. Fl. Bras. ii. II. 157 = Setaria imberbis.  
*glauescens*, Willd. ex Doell, l. c. 275 = Isachne disperma.  
*glaucum*, Linn. Sp. Pl. 56 = Setaria glauca.  
*glaucum*, Rupr. ex Galeotti, in Bull. Acad. Brux. (1842) 241 = Setaria geniculata.



**PANICUM:—**

*glaucum*, Steud. ex Doell, in Mart. Fl. Bras. ii. ii. 157 = *Setaria imberbis*.  
*globulare*, Steud. Nom. ed. II. ii. 51 = *Setaria globularis*.  
*globuliferum*, Steud. Syn. Pl. Gram. 51.—Am. trop.  
*glomeratum*, Moench, Meth. 207 = *Setaria italica*.  
*glomeratum*, Trin. Gram. Panic. 170 = conglomeratum.  
*glumaepatulum*, Steud. Syn. Pl. Gram. 41.—Ins. Philipp.  
*glumare*, Trin. Gram. Panic. 143.—N. Zel.  
*glutinosum*, Lam. Illustr. i. 174 = *latifolium*.  
*glutinosum*, Presl, ex Griseb. Fl. Brit. W. Ind. 552 = *martinicense*.  
*glutinosum*, Sw. Prod. Veg. Ind. Occ. 24.—Am. austr.  
*Gmelini*, [Honck.] Verz. Aller Gew. Teutschl. 164 (Quid?).—Europ.  
*gonatodes*, Steud. Syn. Pl. Gram. 95 = *Isachne australis*.  
*gongyloides*, Jacq. Eclog. Gram. 30. t. 21 = *maximum*, Jacq.  
*gonyrrhizum*, Steud. Syn. Pl. Gram. 44 (= *Orthopogon gonyrrhizus*).—Java.  
*gossypinum*, Hook. & Arn. Bot. Beech. Voy. 100 = *montanum*.  
*gossypinum*, A. Rich. Tent. Fl. Abyss. ii. 365.—Afr. bor. et austr.  
*Gouini*, Fourn. ex Hemsl. Biol. Centr. Am. Bot. iii. 489.—Mexic.  
*gracile*, R. Br. Prod. 190.—Austral.  
*gracile*, Nees, ex Spreng. Syst. iv. Cur. Post. 33 = *distachyum*.  
*gracile*, Nym. Syll. Suppl. 70 = *sanguinale*.  
*gracile*, Willd. ex Spreng. Syst. i. 320 = *micranthum*.  
*gracilentum*, Poir. Encyc. Suppl. iv. 276 = *madagascariense*.  
*gracilescens*, Desv. ex Poir. l. c. 279 = *microcarpon*?  
*grandiflorum*, Trin. ex Nees, Agrost. Bras. 143 = *oryzoides*.  
*grandifolium*, Doell, in Mart. Fl. Bras. ii. ii. 195.—Am. trop.  
*granulare*, Boj. Hort. Maurit. 364 = *fluitans*.  
*granulare*, Lam. Illustr. i. 170 = *flavidum*.  
*granuliferum*, H. B. & K. Nov. Gen. et Sp. i. 19 = *parvifolium*.  
*grossarium*, Griff. Notul. iii. 36; Ic. Pl. Asiat. t. 139. f. 113 = *colonum*.  
*grossarium*, Koen. in Naturf. xxiii. (1788) 205 = *prostratum vel trypheron*.  
*grossarium*, Linn. Syst. ed. X. 871.—Am. austr.  
*grossarium*, Roxb. Hort. Beng. 82; Fl. Ind. i. 297 = *paspaloides*?  
*grossularium*, Thunb. Fl. Jap. 48 = *bisulcatum*.  
*grossum*, Salisb. Prod. 18 = P. Crus-galli.  
*grumosum*, Nees, Agrost. Bras. 182.—Am. austr.  
*guadaloupense*, Steud. Syn. Pl. Gram. 61 = *molle*.  
*guadalupense*, Spreng. ex Steud. Nom. ed. II. ii. 256.—Ins. Guadalup.  
*guaraniticum*, Speg. in Anal. Soc. Cient. Argent. xvi. (1813) 129.—Reg. Argent.  
*guayaquilense*, Steud. Syn. Pl. Gram. 85.—Ecuador.  
*guineense*, Desv. ex Poir. Encyc. Suppl. iv. 279 = *ovalifolium*.  
*gymnocarpum*, Ell. Sketch, i. 117.—Am. bor.  
*haematodes*, Presl, Fl. Sic. i. 43 = *colonum*.  
*Haenkeanum*, J. & C. Presl, Rel. Haenk. i. 304.—Mexic.  
*Hallii*, Vasey, in Bull. Torrey Bot. Club, xi. (1884) 61.—Texas.  
*hamatum*, Desv. Opusc. 83.—Bras.  
*Hamiltonii*, Kunth, Rév. Gram. i. 33.—Ind. occ.  
*Hasskarlii*, Steud. ex Zoll. Syst. Verz. Ind. Archip. 54 = *amplexicaule*.  
*havaïense*, Reichardt, in Sitzb. Akad. Wien, lxxvi. i. (1878) 723 = *nephelophilum*.  
*hebotes*, Trin. in Mém. Acad. Pétersb. Sér. VI. iii. ii. (1835) 301.—Bras.  
*Helopus*, Trin. in Spreng. Neue Entdeck. ii. 84 = *javanicum*.  
*helvolum*, Linn. f. Suppl. 107 = *Setaria glauca*.  
*hemignostum*, Steud. Syn. Pl. Gram. 77 = *Ichnanthus pallens*.  
*hemitomum*, Schult. Mant. ii. 227 = *carolinianum*.  
*hermaphroditum*, Steud. Syn. Pl. Gram. i. 67.—As. trop.; Austral.  
*heteranthum*, Link, Hort. Berol. i. 212 = *uncinatum*.

**PANICUM:—**

*heteranthum*, Nees & Meyen, in Nov. Act. Nat. Cur. xix. Suppl. i. (1843) 174 = *barbatum*.  
*heterophyllum*, Bosc, ex Nees, Agrost. Bras. 227 = *dichotomum*.  
*heterophyllum*, Muhl. in Trans. Am. Phil. Soc. iii. (1793) 160, nomen = *dichotomum*?  
*heterophyllum*, Spreng. Neue Entdeck. iii. 13 = *pilosum*.  
*heterophyllum*, Sw. Adnot. Bot. 6 = *Kalmii*.  
*Heynii*, Roth, Nov. Sp. Pl. 49.—Ind. or.  
*hians*, Ell. Sketch, i. 118 = *debile*.  
*hians*, Spruce, ex Griseb. Fl. Brit. W. Ind. 548 = *stenodes*.  
*hirsutissimum*, Steud. Syn. Pl. Gram. 72.—Afr. austr.  
*hirsutum*, Heyne, ex Wall. Cat. n. 8734 B = *prostratum*.  
*hirsutum*, Koen. ex Roxb. Hort. Beng. 7; Fl. Ind. i. 300 = *javanicum*.  
*hirsutum*, Lam. Encyc. iv. 741 = *rugulosum*.  
*hirsutum*, Sw. Fl. Ind. Occ. i. 173.—Ind. occ.  
*hirsutum*, Vahl, ex Griseb. Fl. Brit. W. Ind. 548 = *diffusum*.  
*hirsutum*, Willd. ex Spreng. Syst. i. 317 = *cayennense*.  
*hirtellum*, All. Fl. Pedem. ii. 240 = *Oplismenus undulatifolius*.  
*hirtellum*, Burm. f. Fl. Ind. 24. t. 13; Thunb. Fl. Jap. 46 = *Oplismenus Burmannii*.  
*hirtellum*, Linn. Syst. ed. X. 870 = *Oplismenus loliaceus*.  
*hirtellum*, Walt. Fl. Carol. 72 = P. Crus-Galli.  
*hirticalycinum*, Steud. Nom. ed. II. ii. 257 = seq.  
*hirticalycinum*, Bosc, ex Spreng. Syst. i. 315 = P. Crus-galli.  
*hirticaulum*, J. & C. Presl, Rel. Haenk. i. 308 = *cayennense*.  
*hirticulum*, Doell, in Mart. Fl. Bras. ii. ii. 219 = *cayennense*.  
*hirtum*, Lam. Encyc. iv. 741.—Am. trop.  
*hirtum*, Nees, Agrost. Bras. 212 = *brevifolium*.  
*hirtum*, Roth, Nov. Sp. Pl. 46 = *Rothii*.  
*hirtum*, Willd. ex Kunth, Enum. Pl. i. 112 = *Isachne miliacea*.  
*hispidulum*, Lam. Illustr. i. 171; Retz. Obs. v. 18 = P. Crus-galli.  
*hispidum*, Forst. f. Prod. 7; Muhl. Desc. Gram. 107 = P. Crus-galli.  
*Hochstetteri*, Steud. Syn. Pl. Gram. 90.—Abyss.  
*Hochstetterianum*, A. Rich. Tent. Fl. Abyss. ii. 369.—Abyss.  
*Hoffmannseggii*, Roem. & Schult. Syst. ii. 450 = *Ichnanthus Hoffmannseggii*.  
*holciforme*, Steud. Nom. ed. II. ii. 257.—Mexic.  
*holcoides*, Hort. ex Trin. Gram. Panic. 163 = P. Pseudoholcus.  
*holcoides*, Jacq. Eclog. Gram. t. 22 = *Setaria glauca*, Pennisetum barbatum.  
*holcoides*, Roxb. Hort. Beng. 7; Fl. Ind. i. 285 = Pennisetum holcoides.  
*holochrysum*, Trin. in Mém. Acad. Pétersb. Sér. VI. iii. ii. (1835) 195 = *Paspalum radiatum*.  
*holosericeum*, R. Br. Prod. 190.—Austral.  
*holosericeum*, Nees, Fl. Afr. Austr. 30 = *gossypinum*.  
*homonymum*, Steud. Syn. Pl. Gram. 48 = *rhachitrichum*.  
*Hookerianum*, Balansa, in Bull. Soc. Bot. Fr. xix. (1872) 326.—N. Caled.  
*hordeaceum*, Rasp. in Ann. Sc. Nat. Sér. I. v. (1825) 299 = *Chamaeraphis hordeacea*.  
*hordeiforme*, Thunb. Fl. Jap. 46 = *Pennisetum compressum*.  
*hordeoides*, Lam. Illustr. i. 170.—Afr. trop.  
*horizontale*, G. F. W. Mey. Prim. Fl. Esseq. 54 = *sanguinale*.  
*horridum*, Salzm. ex Steud. Syn. Pl. Gram. 47 = P. Crus-galli.  
*horticum*, Steud. l. c. 95.—Hab.?  
*Hostii*, Bieb. Fl. Taur. Cauc. iii. 57 = P. Crus-galli.  
*humedorum*, Buch-Ham. in Wall. Cat. n. 8721.—Ind. or.  
*humifusum*, Kunth, Rév. Gram. i. 33 = *glabrum*.  
*humile*, Aitch. Cat. Punjab Pl. 159 = *hydaspicum*.  
*humile*, Nees, ex Steud. Syn. Pl. Gram. 84.—Ind. or.  
*humile*, Thunb. ex Trin. Gram. Panic. 164 = *Setaria viridis*.  
*humile*, Trin. l. c. 167 = *Setaria verticillata*.  
*hybridum*, Trin. ex Steud. Nom. ed. II. ii. 257.—Ins. Guadalup.  
*hydaspicum*, Edgew. in Journ. Linn. Soc. vi. (1862) 207.—Ind. or.

**PANICUM:—**

*hydrophilum*, Salzm. ex Steud. Nom. ed. II. ii. 71 = *Setaria brachiata*.  
*hydrophilum*, Schult. Mant. ii. 237.—Am. bor.  
*hydrophilum*, Trin. ex Nees, Agrost. Bras. 208 = *gibbum*.  
*hygrocharis*, F. Muell. Fragm. viii. 195 = *obseptum*.  
*hygrocharis*, Steud. Syn. Pl. Gram. 72 = *repens*.  
*hygrophilum*, Salzm. ex Steud. l. c. 71 = *Setaria brachiata*.  
*hymenochilum*, Nees, Fl. Afr. Austr. 46.—Afr. austr.  
*Hystrix*, Steud. Syn. Pl. Gram. 95.—Afr. trop.  
*ichnanthoides*, Fourn. ex Hemsl. Biol. Centr. Am. iii. 491.—Mexic.  
*Ichnanthus*, Nees, Agrost. Bras. 149 = *Ichnanthus panicoides*.  
*ichnodes*, Griseb. Fl. Brit. W. Ind. 551.—Ind. occ.  
*ignoratum*, Kunth, Rév. Gram. i. 55. t. 20 = *Anthaeantia villosa*.  
*illinoniense*, Desv. Opusc. 91.—Am. bor.  
*imbelle*, Trin. Sp. Gram. Ic. ii. t. 191 = *Oplismenus undulatifolius*.  
*imbelle*, Spreng. Syst. i. 321 = *tenellum*.  
*imberbe*, Poir. Encyc. Suppl. iv. 272 = *Setaria viridis*.  
*imberbe*, Schlecht. in Linnaea, xxxi. (1861–62) 431.—Am. bor.; Bras.  
*immersum*, Trin. in Mém. Acad. Pétersb. Sér. VI. iii. ii. (1835) 197 = *Paspalum aureum*.  
*imperfectum*, Roxb. ex Kunth, Enum. Pl. i. 61 = *Paspalum compactum*.  
*impressum*, Nees, Agrost. Bras. 247 = *Setaria impressa*.  
*inaequale*, Fourn. ex Hemsl. Biol. Centr. Am. iii. 490.—Mexic.  
*inaequale*, F. Muell. Fragm. viii. 189.—Austral.  
*incanum*, Schum. in Schum. & Thonn. Beskr. Guin. Pl. 60.—Afr. trop.  
*incertum*, Bosc, ex Steud. Nom. ed. II. ii. 258 = *colonum*.  
*incomptum*, Fig. & De Not. in Mem. Acc. Torin. Ser. II. xiv. (1854) 344.—Nubia.  
*incomptum*, F. Muell. Fragm. x. 76 = *Mitchellii*?  
*incomtum*, Trin. Gram. Panic. 200 = *sarmentosum*.  
*inconstans*, Trin. ex Nees, Agrost. Bras. 132 = *Ichnanthus inconstans*.  
*incurum*, Linn. Herb. ex Munro, in Journ. Linn. Soc. vi. (1862) 39 = *indicum*.  
*indicum*, Linn. Mant. ii. 184; Retz. Obs. iii. 9.—Geront. trop.  
*indicum*, Mill. Gard. Dict. ed. VIII. n. 3 = *Setaria italica*.  
*indutum*, Steud. Syn. Pl. Gram. 68.—Afr. trop.  
*infestum*, Anderss. in Peters, Reise Mossamb. Bot. 546.—Afr. trop.  
*infidum*, Steud. Syn. Pl. Gram. 63 = *ambiguum*, Trin.?  
*insculptum*, Steud. l. c. 49.—Afr. trop.  
*insigne*, Steud. Nom. ed. II. ii. 258.—Abyss.  
*insulare*, G. F. W. Mey. Prim. Fl. Esseq. 60 = *lanatum*.  
*insularum*, Steud. Syn. Pl. Gram. 61 = *prostratum*.  
*insulicola*, Steud. l. c. 78 = *aureum*.  
*intermedium*, Roth, Nov. Pl. Sp. 47 = *Setaria glauca*.  
*intermedium*, Salzm. ex Steud. Syn. Pl. Gram. 51 = *Setaria macrostachya*.  
*intermedium*, Vahl, ex Hornem, Hort. Hafn. i. 82 = *Setaria italica*.  
*interruptum*, Steud. Syn. Pl. Gram. 66, partim = *indicum*.  
*interruptum*, Willd. Sp. Pl. i. 341.—Ind. or.; Afr. austr.  
*inundatum*, Kunth, Rév. Gram. i. 34 = *interruptum*.  
*involutum*, Roxb. Hort. Beng. 7; Fl. Ind. i. 284 = *Pennisetum typhoideum*.  
*involutum*, Torr. Fl. U. St. 144 = *depauperatum*.  
*Isachne*, Roth, Nov. Pl. Sp. 54.—Reg. Mediterr.; Ind. or.  
*isachnoides*, Munro, in Journ. Bot. vii. (1869) 178, nomen.—Ins. Sandvic.  
*ischaemoides*, Herb. Heyne, ex Wall. Cat. n. 8679 = *Chamaeraphis spinescens*.  
*ischaemoides*, Koen. ex Trin. Gram. Panic. 97 = *Paspalum furcatum*.  
*ischaemoides*, Retz. Obs. iv. 17 = *repens*.  
*Ischaemum*, Schreb. ex Schweigg. Spec. Fl. Erlang. (1804) 16 = *glabrum*.  
*ischnocaulon*, Steud. Syn. Pl. Gram. 45 = *Oplismenus gracilis*.  
*isocalycinum*, G. F. W. Mey. Prim. Fl. Esseq. 59.—Guian.



## PANICUM:—

*italicum*, Linn. Sp. Pl. 56 = *Setaria italica*.  
*italicum*, Ucria, Hort. Reg. Panorm. 54 = *Setaria verticillata*.  
*Itieri*, Steud. Syn. Pl. Gram. 51 = *Setaria Itieri*.  
*Jacobinae*, Steud. l. c. 55.—Am. austr.  
*Jahnii*, Steud. l. c. 54.—Ind. or.  
*jamaicense*, Steud. Nom. ed. II. ii. 257 = spectabile.  
*japonicum*, Kunth, Rév. Gram. i. 205, in syn., sphalm. = *javanicum*.  
*japonicum*, Steud. in Flora, xxix. (1846) 18 = *Oplismenus Burmannii*.  
*Jardini*, Steud. Syn. Pl. Gram. 95.—Afr. trop.  
*javanicum*, Poir. Encyc. Suppl. iv. 274.—Geront. trop.  
*javanicum*, Thw. Enum. Pl. Zeyl. 358 = *ambiguum*, Trin.  
*javanum*, Nees, ex Bueae, in Miq. Pl. Jungh. 376 = *Isachne australis*.  
*jejunum*, Trin. in Bull. Sc. Acad. Pétersb. i. (1836) 71 = debile.  
*Johannae*, Herb. Linn. ex Munro, in Journ. Linn. Soc. vi. (1862) 39 = *indicum*.  
*jubatum*, Fig. & De Not. in Mem. Acc. Torin. Ser. II. xiv. (1854) 331.—Nubia.  
*jubiflorum*, Trin. Gram. Panic. 130 = gracile.  
*jumentorum*, Pers. Syn. i. 83 = *maximum*, Jacq.  
*jumentorum*, A. Rich. Tent. Fl. Abyss. ii. 373 = *trypheron*.  
*junceum*, Nees, Agrost. Bras. 159.—Bras.  
*junceum*, Trin. Gram. Panic. 220 = *depauperatum*.  
*junciforme*, Steud. Syn. Pl. Gram. 82 = *caricoides*.  
*Junghuhnianum*, Nees, ex Steud. l. c. 63.—Java.  
*juniperinum*, Nees, Agrost. Bras. 236 = *lycopodioides*.  
*Kalmii*, Sw. Adnot. Bot. 6.—Am. bor.  
*Kappleri*, Steud. Syn. Pl. Gram. 90 = *micranthum*.  
*Kegelii*, Steud. l. c. 65.—Guatemala.  
*Kleinianum*, Nees, ex Anderss. in Walp. Ann. vi. 945 = *plicatum*.  
*Koenigii*, Herb. Wight, ex Nees, Fl. Afr. Austr. 30 = *P. Isachne*.  
*Koenigii*, Spreng. Syst. i. 311 = *javanicum*.  
*Kohautianum*, Presl, Bot. Bemerk. 119.—Ins. Martinic.  
*Kotschyianum*, Hochst. in Flora, xxv. (1842) i. Beibl. 133 = *ramosum*.  
*Kraussii*, Steud. Syn. Pl. Gram. 45.—Afr. austr.  
*Kunthianum*, Wight & Arn. ex Steud. l. c. 96.—Java.  
*Kunthii*, Fourn. ex Hemsl. Biol. Centr. Am. Bot. iii. 490 = *arenarium*.  
*Kunthii*, Steud. Nom. ed. II. ii. 258.—Ind. or.  
*lachnanthum*, A. Gray, in Pacif. Rail. Rep. vii. 21.—Am. bor. occ.  
*lachnanthum*, Hochst. in Flora, xxxviii. (1855) 195.—Abyss.  
*lachneum*, Nees, Agrost. Bras. 248 = *Setaria setosa*.  
*lachnophyllum*, Benth. Fl. Austral. vii. 486.—Austral.  
*lacunarium*, F. Muell. in Trans. Vict. Inst. i. (1855) 47 = *P. Crus-galli*.  
*laetum*, Kunth, Rév. Gram. ii. t. 113.—Afr. trop.  
*laeve*, Lam. Illustr. i. 172 = *maximum*, Jacq.  
*laevicaule*, Steud. Syn. Pl. Gram. 82, sphalm. = *laevinode*.  
*laevigatum*, Ell. Sketch, i. 112 = *Setaria glauca*.  
*laevigatum*, Lam. Fl. Fr. iii. 578 = *Setaria viridis*.  
*laevigatum*, Muhl. Desc. Gram. 100 = *Setaria laevigata*.  
*laevinode*, Lindl. in Mitch. Three Exped. i. 238 = *decompositum*.  
*Lagopus*, Willd. ex Spreng. Syst. i. 265 = *Saccharum cayennense*.  
*Lagotis*, Trin. in Mém. Acad. Pétersb. Sér. VI. iii. 11. (1835) 326 = *Ichnanthus petiolatus*.  
*Lamarckii*, Kunth, Rév. Gram. i. 41.—Hab.?  
*lanatum*, Rottb. in Act. Lit. Univ. Hafn. i. (1778) 269.—Am. trop.  
*lanceaefolium*, Desv. Opusc. 83.—Bras.  
*lanceaefolium*, Desc. l. c. 94 (sp. diversa).—Bras.  
*lancearum*, Trin. Agrost. Bras. 246 = *dichotomum*.  
*lanceolatum*, Retz. Obs. v. 17 = *Oplismenus compositus*.  
*lancifolium*, Salzm. ex Doell, in Mart. Fl. Bras. ii. 11. 250 = *sciurotis*.  
*Langei*, Fourn. in Hemsl. Biol. Centr. Am. Bot. iii. 490.—Mexic.  
*laniflorum*, Nees, in Hook. Lond. Journ. Bot. ii. (1843) 410 = *lanatum*.  
*lanuginosum*, Ell. Sketch, i. 123 = *dichotomum*.

## PANICUM:—

*lanuginosum*, J. & C. Presl, Rel. Haenk. i. 306 = *mollicomum*.  
*lappaceum*, Willd. ex Spreng. Syst. i. 306 = *Oplismenus Burmannii*.  
*lasianthum*, Trin. Sp. Gram. Ic. iii. t. 245 = *rugulosum*.  
*laterale*, Nees, ex Doell, in Mart. Fl. Bras. ii. 11. 329 = *Olyra nana*.  
*laterale*, J. & C. Presl, Rel. Haenk. i. 305.—Am. trop.  
*laticomum*, Nees, Fl. Afr. Austr. 43.—Afr. austr.  
*latifolium*, H. B. & K. Nov. Gen. et Sp. i. 100 = *oryzoides*.  
*latifolium*, Linn. Sp. Pl. 58.—Am. bor.; Ind. occ.  
*latiglume*, Doell, in Mart. Fl. Bras. ii. 11. 257.—Am. trop.  
*latissimum*, Mikan, ex Trin. in Spreng. Neue Entdeck. ii. 87.—Bras.  
*latum*, Schum. in Schum. & Thonn. Beskr. Guin. Pl. 61.—Afr. trop.  
*laxiflorum*, Lam. Encyc. iv. 748 = *dichotomum*.  
*laxum*, Sw. Prod. Veg. Ind. Occ. 23.—Am. trop.  
*Leandri*, Trin. Sp. Gram. Ic. iii. t. 335 = *plantagineum*.  
*leersioides*, Hochst. in Flora, xxxviii. (1855) 196.—Abyss.  
*leiocarpum*, Spreng. Neue Entdeck. i. 243 = *Ichnanthus leiocarpus*.  
*leiogonum*, Delile, Fl. Aegypt. Illustr. 51.—Aegypt.  
*leiogonum*, Sieber, ex Link, Hort. Berol. i. 206 = *numidianum*.  
*leiophyllum*, Fourn. ex Hemsl. Biol. Centr. Am. Bot. iii. 490.—Mexic.  
*leiophyllum*, Nees, Agrost. Bras. 249.—Bras.  
*lene*, Steud. Syn. Pl. Gram. 54 = *plicatum*.  
*lentigerum*, J. & C. Presl, Rel. Haenk. i. 299.—Hab.?  
*lepidotum*, Steud. in Flora, xxix. (1846) 19 = *Isachne australis*.  
*Leprieurii*, Steud. Syn. Pl. Gram. 65 = *stoloniferum*.  
*Leptachne*, Doell, in Mart. Fl. Bras. ii. 11. 195.—Am. trop.  
*Leptachyrium*, Doell, l. c. 150.—Am. trop.  
*leptanthum*, Steud. Syn. Pl. Gram. 79.—Ins. Philipp.  
*leptocaulon*, Trin. in Mém. Acad. Pétersb. Sér. VI. iii. 11. (1835) 275.—Afr. trop.  
*Leptochloa*, Nees, ex Steud. Syn. Pl. Gram. 62.—Ind. or.  
*leptomerum*, J. & C. Presl, Rel. Haenk. i. 311.—Hab.?  
*leptostachyum*, J. & C. Presl, l. c.—Mexic.  
*leucanthum*, A. Rich. Tent. Fl. Abyss. ii. 372; Steud. Syn. Pl. Gram. 92.—Abyss.  
*leucitis*, Trin. Gram. Panic. 85 = *mollissimum*.  
*leucoblepharis*, Trin. Clav. Agrost. 234 = *dichotomum*.  
*leucophaeum*, H. B. & K. Nov. Gen. et Sp. i. 97 = *lanatum*.  
*Liebmannianum*, Fourn. ex Hemsl. Biol. Centr. Am. Bot. iii. 491.—Mexic.  
*ligulare*, Nees, ex Trin. Gram. Panic. 206 = *scaberrium*.  
*limnaeum*, Steud. Syn. Pl. Gram. 72 = *molle*.  
*limosum*, Presl, ex Nees, Agrost. Bras. 257 = *P. Crus-galli*.  
*Lindenbergianum*, Nees, Fl. Afr. Austr. 47.—Afr. austr.  
*Lindeni*, Fourn. ex Hemsl. Biol. Centr. Am. Bot. iii. 491.—Mexic.  
*Lindleyanum*, Nees, ex Steud. Syn. Pl. Gram. 91.—Afr. trop.  
*lineare*, Burm. f. Fl. Ind. 25. t. 10. f. 2 = *Paspalum brevifolium*.  
*lineare*, Krock. Fl. Siles. i. 95 = *glabrum*.  
*lineare*, Linn. Sp. Pl. ed. II. 85.—Am. bor.  
*lineatum*, Schum. in Schum. & Thonn. Beskr. Guin. Pl. 61.—Afr. trop.  
*lineatum*, Trin. Sp. Gram. Ic. ii. t. 233.—Afr. trop.  
*Linkianum*, Kunth, Rév. Gram. i. 33 = *sanguinale*.  
*Linkii*, Steud. Nom. ed. II. ii. 259 = *Setaria longifolia*.  
*linoides*, Steud. Syn. Pl. Gram. 418.—Ins. Comor.  
*litigium*, Steud. l. c. 89 = *Isachne miliacea*.  
*litorale*, C. Mohr, ex Vasey, in Coult. Bot. Gaz. iii. (1878) 106.—Am. bor.  
*lobatum*, Brouss. ex Schult. Mant. ii. 258 (Quid?)—Hab.?  
*loliaceum*, Bertol. in Bologn. Opusc. Sc. iii. (1819) 408 = *Ichnanthus candicans*.

## PANICUM:—

*loliaceum*, Lam. Illustr. i. 170 = *Oplismenus loliaceus*.  
*loliiforme*, Hochst. ex Steud. Syn. Pl. Gram. 56.—Am. trop.  
*Lolium*, Nees, Agrost. Bras. 102 = *rottboellioides*.  
*longebrachiatum*, Steud. Syn. Pl. Gram. 60.—Guian.  
*longeracemosum*, Steud. l. c. 45 = *Oplismenus compositus*.  
*longiflorum*, J. F. Gmel. Syst. 158 = *Paspalum brevifolium*.  
*longiflorum*, Trin. in Mém. Acad. Pétersb. Sér. VI. iii. 11. (1835) 317 = *Ichnanthus longiflorus*.  
*longifolium*, Schum. in Schum. & Thonn. Beskr. Guin. Pl. 63.—Afr. trop.  
*longifolium*, Torr. Fl. U. St. 149.—Am. bor.  
*longisetum*, Poir. Encyc. Suppl. iv. 275 = *Pennisetum borbonicum*.  
*longisetum*, Torr. in Am. Journ. Sc. Ser. I. iv. (1822) 58 = *P. Crus-galli*.  
*longispiculum*, Doell, in Mart. Fl. Bras. ii. 11. 261 = *Ichnanthus longiflorus*.  
*loreum*, Trin. Gram. Panic. 211.—Bras.  
*lutescens*, Weig. Obs. 20 = *Setaria glauca*.  
*luteum*, Gueldenst. Reisen, ii. 58, nomen = *Setaria glauca*.  
*luxurians*, Willd. ex Spreng. Syst. i. 305 = *Setaria luxurians*.  
*luzonense*, J. & C. Presl, Rel. Haenk. i. 308.—Ins. Philipp.  
*lycopodioides*, Bory, ex Nees, Agrost. Bras. 236.—Ins. Borbon.  
*macilentum*, J. & C. Presl, Rel. Haenk. i. 310.—Ins. Philipp.  
*macracinium*, Benth. Fl. Austral. vii. 468.—Austral.  
*macranthum*, Trin. Gram. Panic. 209.—Bras.  
*macrocarpon*, Torr. Fl. U. St. i. 143.—Am. bor.  
*macrocarpum*, Le Conte, ex Torr. Cat. Pl. N. York, 91 = *scoparium*.  
*macrochaetum*, Link, Enum. Hort. Berol. i. 76 = *Setaria italica*.  
*macrochaetum*, Voigt, Hort. Suburb. Calc. 702 = *Setaria macrochaeta*.  
*macrophyllum*, Raddi, Agrost. Bras. 46 = *streptostachys*.  
*macrosporum*, Willd. ex Spreng. Syst. i. 317 = *olyroides*.  
*macrostachyum*, Doell, in Mart. Fl. Bras. ii. 11. 166 = *Setaria composita*.  
*macrostachyum*, Nees, Agrost. Bras. 245 = *Setaria macrostachya*.  
*macrotrichum*, Steud. Syn. Pl. Gram. 92.—Abyssin.  
*macrourum*, Trin. in Mém. Acad. Pétersb. Sér. VI. iii. 11. (1835) 227 = *Setaria macrostachya*.  
*macrum*, Kunth, Rév. Gram. i. 40 = *dichotomum*.  
*maculatum*, Aubl. Pl. Gui. i. 51 = *latifolium*.  
*maculatum*, Reichb. ex Schlecht. in Linnaea, vi. (1831) 33 = *divaricatum*.  
*madagascariense*, Spreng. Syst. i. 317.—Ins. Mascar.  
*magellanicum*, Lam. Encyc. iv. 732 (err. typ. 742).—Am. austr.  
*majusculum*, F. Muell. ex Benth. Fl. Austral. vii. 482.—Austral.  
*malaccense*, Trin. Gram. Panic. 204 = *Isachne pulchella*.  
*malacotrichum*, Steud. Syn. Pl. Gram. 418.—Ins. Nossibé.  
*mandshuricum*, Maxim. Prim. Fl. Amur. 328 = *Arundinella anomala*.  
*mangaloricum*, Steud. Syn. Pl. Gram. 78.—Ind. or.  
*margaritaceum*, Link, Hort. Berol. i. 205.—Hab.?  
*marginatum*, R. Br. Prod. 190.—Austral.  
*marginatum*, Vahl, ex Wall. Cat. n. 5732 B prostratum.  
*Mariae*, Steud. Syn. Pl. Gram. 419.—Madag.  
*maritimum*, Hort. ex Lam. Encyc. iv. 727 (err. typ. 737) = *Setaria italica*.  
*Martianum*, Nees, ex Trin. in Mém. Acad. Pétersb. Sér. VI. iii. 11. (1835) 325 = *Ichnanthus petiolatus*.  
*martiniense*, Griseb. Fl. Brit. W. Ind. 552.—Ind. occ.  
*mauritanum*, Willd. ex Spreng. Syst. i. 305 = *plicatum*.  
*Maximilianum*, Schrad. ex Schult. Mant. ii. 255.—Bras.  
*maximum*, Hochst. ex A. Rich. Tent. Fl. Abyss. 373 = *trypheron*.  
*maximum*, Jacq. Ic. Pl. Rar. i. t. 13; Am. trop.; Geront. trop. inquil.  
*maximum*, Nees, Fl. Afr. Austr. 36.—Afr. austr.  
*mayarens*, Wright, in Sauv. Fl. Cué. 197.—Cuba



**PANICUM** :—

maynense, *Trin. in Linnaea*, x. (1836) 298.—Peruv.  
*megacarpum*, Steud. in Lechl. Berb. Am. Austr. 56 =  
 latifolium.  
*megalanthum*, Steud. *Syn. Pl. Gram.* 93.—Ind. or.  
*megaphyllum*, Steud. l. c. 53.—Afr. trop.  
*megapotamicum*, Spreng. *Syst. iv. Cur. Post.* 34.—  
 Bras.  
*megapotamicum*, Spreng. *Syst. iv. Cur. Post.* 34 =  
 debile.  
*megastachyum*, Nees, ex *Trin. Gram. Panic.* 205.—  
 Bras.  
*megastachyum*, J. & C. Presl, *Rel. Haenk.* i. 305 =  
 Preslii.  
*megiston*, Schult. *Mant. ii.* 248 = maximum, Jacq.  
*melananthum*, F. Muell. in *Trans. Vict. Inst.* i. (1855)  
 47.—Austral.  
*melananthum*, *Trin. ex Steud. Nom. ed. II. ii.* 259  
 (Quid?).—Reg. Argent.  
*Mel-frugum*, Hort. ex Schult. *Mant. ii.* 599, in obs. =  
 Setaria italica.  
*melicarium*, Michx. Fl. Bor. Am. i. 50 = debile.  
*melicoides*, Poir. *Encyc. Suppl. iv.* 284.—Bras.  
*Melinis*, *Trin. in Mém. Acad. Pétersb. Sér. VI. iii.* II.  
 (1835) 291.—Bras.  
*Meneri*, Koen. ex Nees, Fl. Afr. Austr. 40 = miliare.  
*Meneritana*, Spreng. *Syst. i.* 321 = Isachne australis.  
*Mertensii*, Roth, *Nov. Pl. Sp.* 48.—Guian.  
*mesocomum*, Nees, Fl. Afr. Austr. 34.—Afr. austr.  
*Metzii*, Hochst. ex Steud. *Syn. Pl. Gram.* 95 = Isachne  
 Kunthiana.  
*Meyerianum*, Nees, Fl. Afr. Austr. 32.—Afr. austr.  
*Meyerianum*, *Trin. ex Steud. Nom. ed. II. ii.* 259  
 (Quid?).—Hab. ?  
*Michauxii*, Roem. & Schult. *Syst. ii.* 427 = Eriochloa  
 punctata.  
*micranthum*, H. B. & K. *Nov. Gen. et Sp.* i. 105.—  
 Venezuela.  
*microbachne*, J. & C. Presl, *Rel. Haenk.* i. 298.—  
 Am. austr.  
*microcarpon*, Muhl. *Desc. Gram.* 111.—Am. bor.  
*micrognostum*, Steud. *Syn. Pl. Gram.* 78 = sarmen-  
 tosum.  
*microspermum*, Fourn. ex Hemsl. *Biol. Centr. Am.*  
*Bot. iii.* 492.—Mexic.  
*microstachyum*, Lam. *Illustr. i.* 170 = indicum.  
*miliaceoides*, Roxb. *Hort. Beng.* 8, nomen.—Sumatra.  
*miliaceum*, Blanco, Fl. Filip. ed. I. 39 = Setaria italica.  
*miliaceum*, Linn. *Sp. Pl.* 58.—Reg. calid.  
*miliaceum*, *Trin. ex Kunth, Enum. Pl. i.* 113 = Isachne  
 pulchella.  
*miliaceum*, Walt. Fl. Carol. 72 = proliferum.  
*miliare*, Lam. *Illustr. i.* 173.—As. trop. (cult.).  
*miliiforme*, J. & C. Presl, *Rel. Haenk.* i. 300.—Ins.  
 Philipp.  
*milioides*, Nees, ex *Trin. Gram. Panic.* 225 = debile.  
*Milium*, Pers. *Syn. i.* 83 = miliaceum.  
*Millegrana*, Poir. *Encyc. iv.* 278 = rugulosum.  
*Minarum*, Steud. *Nom. ed. II. ii.* 259 = Ichnanthus  
 Minarum.  
*minutiflorum*, Doell, in *Mart. Fl. Bras.* ii. II. 253.—  
 Am. trop.  
*minutiflorum*, Fig. & De Not. in *Mem. Acc. Torin.*  
*Ser. II. xiv.* (1854) 350.—Nubia.  
*minutiflorum*, Hochst. ex A. Rich. *Tent. Fl. Abyss.* ii.  
 362 = Paspalum ischnocaulon.  
*minutiflorum*, Rasp. in *Ann. Sc. Nat. Sér. I. v.* (1825)  
 299 = Melinis minutiflora.  
*minutiflorum*, A. Rich. *Fl. Cub. Fanerog. ii.* 305.—  
 Cuba.  
*minutulum*, Desv. *Opusc.* 87.—Carolina.  
*minutulum*, Gaudich. in Freyc. *Voy. Bot.* 410 = Isachne  
 miliacea.  
*minutum*, R. Br. *Prod.* 191 = brevifolium, Linn.  
*mirabile*, A. Br. Del. Sem. Hort. Carlsruh. (1846).—Cf.  
 Walp. *Ann. i.* 924 = colonum.  
*Mitchelli*, Benth. *Fl. Austral. vii.* 489.—Austral.  
*mite*, Steud. *Syn. Pl. Gram.* 68.—Nubia.  
*molinioides*, *Trin. Gram. Panic.* 238.—Bras.  
*molle*, Michx. Fl. Bor. Am. i. 47 = Eriochloa punctata.  
*molle*, Sw. *Prod. Veg. Ind. Occ.* 22.—Am. trop.; As.  
 trop. (inquit.).  
*molliconum*, Kunth, *Enum. Pl. i.* 108.—Peruv.  
*mollifolium*, Link. *Hort. Berol.* ii. 215.—Afr. austr.  
*mollissimum*, Kunth, *Rév. Gram.* i. 33.—Mexic.  
*Monachne*, *Trin. in Spreng. Neue Entdeck.* ii. 86.—  
 Ins. Borbon.  
*monachnoides*, Desv. *Opusc.* 86.—Bras.

**PANICUM** :—

monobotrys, *Trin. ex Steud. Syn. Pl. Gram.* 55.—  
 Bras.  
*monodactylum*, Nees, Fl. Afr. Austr. 21.—Afr. austr.  
*monostachyum*, H. B. & K. *Nov. Gen. et Sp. i.* 96.—  
 Venezuela.  
*monostachyum*, Salzm. ex Steud. *Nom. ed. II. ii.* 260  
 = monobotrys.  
*montanum*, Gaudich. in Freyc. *Voy. Bot.* 411 = nubi-  
 genum.  
*montanum*, Roxb. *Hort. Beng.* 82; Fl. Ind. i. 313.—  
 As. trop.  
*montevidense*, Spreng. ex Doell, in *Mart. Fl. Bras.* ii.  
 II. 260 = racemosum.  
*monticolum*, Hook. f. in *Journ. Linn. Soc. vii.* (1864)  
 226.—Afr. trop.  
*movaiense*, Steud. *Syn. Pl. Gram.* 78 = concinnum.  
*mucronatum*, Heyne, ex Wall. *Cat. n.* 8717 = try-  
 pheron.  
*mucronatum*, Roth, *Nov. Pl. Sp.* 45 (sp. dub.).—Ind. or.  
*Muehlenbergianum*, Ell. *Sketch, i.* 122 = microcarpum.  
*Muehlenbergii*, Spreng. *Syst. i.* 314.—Am. bor.  
*multibrachiatum*, Hochst. ex Steud. *Syn. Pl. Gram.* 74  
 = Perrottetii.  
*multiculmum*, Anderss. in *Vet. Akad. Handl. Stockh.*  
 1853 (1855) 133.—Ins. Galap.  
*multiflorum*, Ell. *Sketch, i.* 122 = microcarpum.  
*multiflorum*, Poir. *Encyc. Suppl. iv.* 282 = agrostoides.  
*multinerve*, Desv. ex Poir. *Encyc. Suppl. iv.* 279.—  
 Ind. occ.  
*multinode*, Lam. *Encyc. iv.* 747 = trigonum.  
*multinode*, J. & C. Presl, *Rel. Haenk.* i. 303 =  
 nodosum.  
*multisetum*, Hochst. ex A. Rich. *Tent. Fl. Abyss.* ii.  
 377 = Oplismenus Burmannii.  
*munitum*, *Trin. ex Steud. Nom. ed. II. ii.* 260.—  
 Mexic.  
*Munroi*, F. Muell. *Fragm. v.* 204 = Neurachne Munroi.  
*muricatum*, Michx. Fl. Bor. Am. i. 47 = P. Crus-galli.  
*muricatum*, Retz. *Obs. iv.* 18 = Isachne australis.  
*musaeifolium*, Klotzsch, ex Schlecht. in *Linnaea*, xxxi.  
 (1861–62) 417.—N. Granat.  
*musarium*, *Trin. Sp. Gram. Ic. ii. t.* 235.—Afr.  
 trop.  
*musciparum*, Linn. *Herb. ex Munro, in Journ. Linn.*  
*Soc. vi.* (1862) 39 = miliare.  
*Musei*, Steud. *Syn. Pl. Gram.* 58.—Guian.  
*muticum*, Forsk. *Fl. Aegypt. Arab.* 20.—Aegypt.;  
 Arab.  
*muticum*, Link. *Hort. Berol. i.* 206 = numidianum.  
*Myosotis*, Steud. *Syn. Pl. Gram.* 96 = Isachne Myosotis.  
*myosuroides*, R. Br. *Prod.* 189.—As. trop.; Austral.  
*Myosurus*, Rich. in *Act. Soc. Hist. Nat. Par. i.* (1792)  
 106 = indicum.  
*myrianthum*, Buese, in *Mig. Pl. Fungh.* 374.—Java.  
*Myuros*, Kunth, *Enum. Pl. i.* 86 = seq.  
*Myurum*, G. F. W. Mey. *Prim. Fl. Esseq.* 50 =  
 amplexicaule.  
*Myurum*, Wight, ex Steud. *Syn. Pl. Gram.* 55 = canali-  
 culatum.  
*Myurus*, Lam. *Illustr. i.* 172 = P. Myosurus.  
*nanum*, Herb. Royle, ex Steud. *Syn. Pl. Gram.* 62 =  
 villosum.  
*natalense*, Hochst. in *Flora*, xxix. (1846) 113.—Afr.  
 austr.  
*natans*, Koen. ex *Trin. Gram. Panic.* 237 = paludosum,  
 decompositum.  
*naviculare*, Nees, *Agrost. Bras.* 123 = Ichnanthus  
 Martianus.  
*Neesianum*, Wight & Arn. ex Steud. *Syn. Pl. Gram.*  
 74 = trypheron.  
*Neesii*, Kunth, *Rév. Gram.* i. 33 = sanguinale.  
*neglectum*, Roem. & Schult. *Syst. ii.* 451.—Afr. trop.  
*memorale*, Schrad. ex Schult. *Mant. ii.* 255 = Ichnanthus  
 leiocarpus.  
*nemorosum*, Reichb. ex Steud. *Nom. ed. II. ii.* 260 =  
 stoloniferum.  
*nemorosum*, Sw. *Prod. Veg. Ind. Occ.* 22 = Ichnanthus  
 nemorosus.  
*nemorosum*, Willd. ex *Mart. Fl. Bras.* ii. II. 193 =  
 uncinatum.  
*nepalense*, Spreng. *Syst. i.* 321 = plicatum.  
*nephelophilum*, Gaudich. in Freyc. *Voy. Bot.* 411.—Ins.  
 Sandvic.  
*nervosum*, Lam. *Encyc. iv.* 747.—Guian.  
*nervosum*, Muhl. *Desc. Gram.* 116 = dichotomum.  
*nervosum*, Rottl. in *Ges. Naturf. Fr. Neue Schr. iv.*  
 (1803) 194 = sanguinale.

**PANICUM** :—

*nervosum*, Roxb. *Hort. Beng.* 8; Fl. Ind. i. 311 =  
 plicatum.  
*neuranthum*, Griseb. *Cat. Pl. Cub.* 232.—Cuba;  
 Mexic.  
*neurodes*, Schult. *Mant. ii.* 228 = plicatum.  
*neurophyllum*, Spruce, ex Doell, in *Mart. Fl. Bras.* ii.  
 II. 254 = P. Pterigodium.  
*nigrescens*, Salzm. ex Doell, l. c. 213 = laxum.  
*nigricans*, Willd. ex Spreng. *Syst. i.* 310 = fascicu-  
 latum.  
*nigrirostre*, Nees, Fl. Afr. Austr. 55.—Afr. austr.  
*nigropedatum*, Munro, ex Ficalho & Hiern, in *Trans.*  
*Linn. Soc. Ser. II. ii.* (1881) 29.—Afr. austr.  
*nilagiricum*, Steud. *Syn. Pl. Gram.* 62 = villosum.  
*nitidum*, Lam. *Illustr. i.* 172; *Encyc. iv.* 748 = dichot-  
 osum.  
*nodibarbatum*, Hochst. ex Steud. *Syn. Pl. Gram.* 95 =  
 Isachne australis.  
*nodiflorum*, Lam. *Encyc. iv.* 744 = dichotomum.  
*nodiflorum*, Pursh, *Fl. Am. Sept. i.* 68.—Am. bor.  
*nodosum*, Kunth, *Enum. Pl. i.* 97.—As. trop.  
*nodosum*, Willd. ex Steud. *Nom. ed. II. ii.* 260 =  
 bulbosum.  
*norfolkianum*, Endl. *Prod. Fl. Norf.* 18.—Ins.  
 Norfolk.  
*nossibense*, Steud. *Syn. Pl. Gram.* 419.—Ins. Nossibé.  
*notatum*, Retz. *Obs. iv.* 18 = montanum?  
*Novae-Hollandiae*, Desv. *Opusc.* 83.—Austral.  
*nubicum*, Fig. & De Not. in *Mem. Acc. Torin. Ser. II.*  
*xiv.* (1854) 352.—Nubia.  
*nubicum*, Steud. *Syn. Pl. Gram.* 88 (sp. diversa?).—  
 Nubia.  
*nubigenum*, Kunth, *Enum. Pl. i.* 98.—Ins. Sandvic.  
*nudiglume*, Hochst. in *Flora*, xxvii. (1844) 253 =  
 ramosum.  
*nudum*, Walt. Fl. Carol. 73 = autumnale?  
*numaense*, Balansa, in *Bull. Soc. Bot. Fr.* xix. (1872)  
 325.—N. Caled.  
*numidianum*, Lam. *Illustr. i.* 172; *Encyc. iv.* 749.—  
 Afr. bor.; Syria.  
*numidianum*, Presl, *Cyp. et Gram. Sic.* 19 = colonum.  
*numidianum*, Sieber, ex Schult. *Mant. ii.* 267 = paspa-  
 loides.  
*nutans*, Desv. *Opusc.* 93 = Ichnanthus pallens.  
*Nuttallianum*, Steud. *Nom. ed. II. ii.* 260 = Oplis-  
 menus undulatifolius.  
*oahuense*, Steud. l. c. 260 = Oplismenus compositus.  
*oaxacense*, Steud. *Syn. Pl. Gram.* 73.—Mexic.  
*obliquum*, Roth, *Nov. Pl. Sp.* 51 = radicans.  
*obliquum*, Zoll. ex Steud. *Syn. Pl. Gram.* 96 = Isachne  
 Kunthiana.  
*oblongatum*, Griseb. in *Goett. Abh.* xix. (1874, 261.—  
 Reg. Argent.  
*oblongiflorum*, Desv. *Opusc.* 89.—Carolina.  
*obovatum*, Doell, in *Mart. Fl. Bras.* ii. II. 256.—Am.  
 trop.  
*obseptum*, *Trin. ex Nees, Agrost. Bras.* 113.—Austral.;  
 Bras.  
*obtectum*, J. & C. Presl, *Rel. Haenk.* i. 301.—Mexic.  
*obtusiflorum*, Hochst. ex A. Rich. *Tent. Fl. Abyss.* ii.  
 367.—Abyss.  
*obtusiflorum*, A. Rich. *Fl. Cub. Fanerog. ii.* 305.—  
 Cuba.  
*obtusifolium*, Delile, *Fl. Egypt.* 150. t. 5.—Alger.;  
 Aegypt.  
*obtusiforme*, D. Dietr. *Syn. Pl. i.* 256 = obtusifolium.  
*obtusum*, H. B. & K. *Nov. Gen. et Sp. i.* 98.—Mexic.  
*ocreatum*, Willd. ex Spreng. *Syst. i.* 305 = Setaria  
 ocreata.  
*oliganthum*, Schlecht. in *Linnaea*, xxvi. (1853–55)  
 137.—Venezuela.  
*oligosanthes*, Schult. *Mant. ii.* 256 = dichotomum.  
*oligostachyum*, Steud. *Syn. Pl. Gram.* 97.—Chili.  
*oligotrichum*, Fig. & De Not. in *Mem. Acc. Torin.*  
*Ser. II. xiv.* (1854) 333.—Nubia.  
*Olyrachne*, Beurl. in *Vet. Akad. Handl. Stockh.* 1854  
 (1856) 112 = aturense.  
*olyraefolium*, Raddi, *Agrost. Bras.* 43 = stoloniferum.  
*olyroides*, H. B. & K. *Nov. Gen. et Sp. i.* 102.—Mexic.  
*Onurus*, Willd. in Nees, *Agrost. Bras.* 251 = Setaria  
 Onurus.  
*orientale*, Willd. *Enum. Hort. Berol.* 1031 = Penni-  
 setum orientale.  
*orinocense*, Willd. ex Spreng. *Syst. i.* 316 = latifolium.  
*ornatum*, Ham. *Prod. Pl. Ind. Occ.* 11.—Portorico.  
*ornithopus*, *Trin. in Spreng. Neue Entdeck.* ii. 83 =  
 sanguinale.



## PANICUM:—

*orthum*, Voigt, Hort. Suburb. Calc. 701 = Kunthii.  
*oryzinum*, J. F. Gmel. Syst. i. 157 = P. Crus-galli.  
*oryzoides*, Ar. Aminad. Spec. Alt. 16. t. 5 = P. Crus-galli.  
*oryzoides*, Nees, Agrost. Bras. 154 = grandiflorum.  
*oryzoides*, Sw. Prod. Veg. Ind. Occ. 23.—Reg. trop.  
*ovale*, R. Br. in Salt, Abyss. App. 62, nomen.—Abyss.  
*ovale*, Ell. Sketch, i. 123 = microcarpon?  
*ovaliferum*, Steud. Nom. ed. II. ii. 260, sphalm. = ovuliferum.  
*ovalifolium*, Poir. Encyc. Suppl. iv. 279.—As. et Afr. trop.  
*ovatum*, Steud. Nom. ed. II. ii. 260, sphalm. = ovale.  
*ovuliferum*, Trin. Gram. Panic. 191.—Am. trop.  
*oxyanthum*, Steud. Syn. Pl. Gram. 41.—Ins. S. Doming.  
*oxyphyllum*, Hochst. ex Steud. l. c. 65 = pilipes.  
*ozogonium*, Steud. l. c. 68.—Afr. trop.  
*pabulare*, Aitch. & Hemsl. in Journ. Linn. Soc. xix. (1882) 190 = sanguinale.  
*pachystachys*, Franch. & Sav. Enum. Pl. Jap. ii. 594.—Japon.  
*pallens*, Cham. & Schlecht. in Linnaea, vi. (1831) 35 = Schlechtendalii.  
*pallens*, Sw. Prod. Veg. Ind. Occ. 23 = Ichnanthus pallens.  
*pallide-fuscum*, Schum. in Schum. & Thonn. Beskr. Guin. Pl. 58.—Afr. trop.  
*pallidifolium*, Desv. Opusc. 85.—Am. calid.  
*palmaefolium*, Koen. in Naturf. xxiii. (1788) 208 = plicatum.  
*palmifolium*, Poir. Encyc. Suppl. iv. 282.—Ind. occ.  
*paludicolum*, Nees, Agrost. Bras. 179 = Ichnanthus panicoides.  
*paludicolum*, Steud. ex Griseb. Fl. Brit. W. Ind. 547 = fuscum.  
*paludosum*, Hochst. ex Steud. Syn. Pl. Gram. 72 = repens.  
*paludosum*, Roxb. Hort. Beng. 8; Fl. Ind. i. 307.—As. trop.  
*palustre*, Trin. Gram. Panic. 181 = Ichnanthus panicoides.  
*pamplemoussense*, Steud. Syn. Pl. Gram. 71 = maximum, Jacq.  
*pangerangense*, Steud. l. c. 95.—Java.  
*paniculiferum*, Steud. l. c. 54 = Setaria paniculifera.  
*papillosum*, Fenzl, ex Steud. l. c. 100 = javanicum.  
*pappophorum*, Nees, Agrost. Bras. 104.—Bras.  
*papposum*, R. Br. Prod. 192.—Austral.  
*paractaenoides*, Trin. in Mém. Acad. Pétersb. Sér. VI. iii. ii. (1835) 219.—Ind. occ.  
*Paractaenium*, Kunth, Rév. Gram. i. 41; Enum. Pl. i. 184 = gracile.  
*paradoxum*, R. Br. Prod. 193 = Chamaeraphis paradoxa.  
*paradoxum*, Roth, ex Steud. Syn. Pl. Gram. 75 = abludens.  
*paraguayense*, Steud. ex Doell, in Mart. Fl. Bras. ii. ii. 189 = numidianum.  
*parciflorum*, Steud. Syn. Pl. Gram. 45 = Oplismenus rariflorus.  
*Parlatorei*, Steud. l. c. 40.—Ins. Canar.  
*parviflorum*, R. Br. Prod. 192.—Austral.  
*parviflorum*, Lam. ex Spreng. Syst. i. 321 = tenellum.  
*parvifolium*, Lam. Illustr. i. 173; Encyc. iv. 752.—Reg. trop.  
*parvulum*, Trin. in Mém. Acad. Pétersb. Sér. VI. iii. ii. (1835) 205 = Paspalum brevifolium.  
*parvum*, Buese, in Miq. Pl. Jungh. 373.—Java.  
*paspaliforme*, J. & C. Presl, Rel. Haenk. i. 296.—Peruv.  
*paspaloides*, Pers. Syn. i. 81.—Reg. trop.  
*patagonicum*, Hieron. in Bol. Acad. Nac. Córdoba, iii. (1879) 377.—Reg. Argent.  
*patens*, Boj. Hort. Maurit. 365 = auritum.  
*patens*, Burm. f. Fl. Ind. t. 10. f. 2 = trigonum.  
*patens*, Hochst. ex Steud. Syn. Pl. Gram. 90 = Hochstetteri.  
*patens*, Linn. Sp. Pl. 58.—Ind. or.  
*patentissimum*, Desv. ex Poir. Encyc. Suppl. iv. 283.—Am. trop.  
*patentissimum*, Roem. & Schult. Syst. ii. 448 = debile.  
*pauciflorum*, Bory, ex Nees, Agrost. Bras. 236 = parvifolium.  
*pauciflorum*, Bosc, ex Spreng. Syst. i. 313 = dichotomum.  
*pauciflorum*, R. Br. Prod. 191.—Austral.

VOL. II.

## PANICUM:—

*pauciflorum*, Ell. Sketch, i. 120 = scoparium.  
*pauciflorum*, Willd. ex Spreng. Syst. i. 312 = depauperatum, pygmaeum.  
*paucisetum*, Steud. Syn. Pl. Gram. 52 = plicatum.  
*pauperulum*, Steud. l. c. 58.—Afr. trop.  
*pedunculare*, Willd. ex Steud. Nom. ed. II. ii. 260; et Syn. Pl. Gram. 77 = cayennense.  
*pedunculatum*, Torr. Fl. U. St. 141 = clandestinum, Linn.  
*pellitum*, Trin. Gram. Panic. 198 = nubigenum.  
*penicillatum*, Nees, Agrost. Bras. 145 = Ichnanthus bambusiflorus.  
*penicillatum*, Trin. Gram. Panic. 196 = discolor.  
*penicillatum*, Willd. ex Nees, Agrost. Bras. 242 = Setaria glauca.  
*peninsularum*, Steud. Syn. Pl. Gram. 44.—Ind. or.  
*pennatum*, Hochst. in Flora, xxxviii. (1855) 197 (Paspali sp.).—Afr. bor.; As. occ.  
*Pennisetum*, Roth, Nov. Pl. Sp. 55 = pilosum.  
*pensylvanicum*, Spreng. Nachr. i. Bot. Gart. Halle, 29 = anceps.  
*perdensum*, Steud. Syn. Pl. Gram. 65.—Reg. Argent.  
*peregrium*, Steud. l. c. 63.—Hab.?  
*perfoliatum*, Nees, Agrost. Bras. 142 = streptostachys.  
*perforatum*, Nees, l. c. 126 = trachystachyum.  
*perpusillum*, Nees, ex Steud. Syn. Pl. Gram. 96.—Zeylan.  
*Perrottetii*, Kunth, Rév. Gram. ii. 395. t. 111 (Paspali sp.).—Ind. or.; Afr. trop.  
*persicum*, Jensch. ex Trautv. in Act. Hort. Petrop. ix. (1884) 358, nomen.—Reg. Transcauc.  
*petiolatum*, Nees, Agrost. Bras. 140 = Ichnanthus petiolatus.  
*Petiverii*, Kotschy, ex Griseb. Fl. Brit. W. Ind. 545 = colonum.  
*Petiverii*, Thw. Enum. Pl. Zeyl. 359 = semiverticillatum.  
*Petiverii*, Trin. Gram. Panic. 144 = ramosum, remotum.  
*petrosum*, Trin. Sp. Gram. Ic. iii. t. 280.—Bras.  
*phaeocarpum*, Nees, Fl. Afr. Austr. 22.—Afr. austr.  
*phaeothrix*, Trin. Sp. Gram. Ic. iii. t. 91.—Bras.  
*phaetrix*, Steud. Nom. ed. II. ii. 261, sphalm. = praec.  
*phalaroides*, Roem. & Schult. Syst. ii. 452 = indicum.  
*philadelphicum*, Bernh. ex Trin. Gram. Panic. 216 = capillare.  
*phleiforme*, J. & C. Presl, Rel. Haenk. i. 302.—Mexic.  
*phleoides*, R. Br. Prod. 189 = indicum.  
*Phragmites*, Nees, Agrost. Bras. 190 = discolor.  
*phyllanthum*, Steud. Syn. Pl. Gram. 47 = spectabile.  
*phyllomacrum*, Steud. l. c. 53.—Afr. trop.  
*pictigluma*, Steud. l. c. 73 = numidianum.  
*pictum*, Koen. in Naturf. xxiii. (1788) 204 = P. Crus-galli.  
*piliferum*, Koen. l. c. 235; ex J. F. Gmel. Syst. 157.—Hab.?  
*piligerum*, F. Muell. ex Benth. Fl. Austral. vii. 477.—Austral.  
*pilipes*, Nees, ex Thw. Enum. Pl. Zeyl. 359 = hermaproditum, trigonum.  
*pilipes*, Nees & Arn. ex Buese, in Miq. Pl. Jungh. 376 (an seq.?).—Java.  
*pilisparsum*, G. F. W. Mey. Prim. Fl. Esseq. 57 = pilosum.  
*pilosissimum*, Roth, Nov. Pl. Sp. 48 = cayennense.  
*pilosum*, Rupr. ex Galeotti, in Bull. Acad. Brux. ix. (1842) 239 = Paspalum fastigiatum.  
*pilosum*, Sw. Prod. Veg. Ind. Occ. 22.—Am. austr.  
*piluliferum*, Nees, ex Steud. Syn. Pl. Gram. 94.—Ind. or.  
*piptopium*, Steud. l. c. 417.—Ins. Nossibé.  
*Planopteris*, Trin. ex Doell, in Mart. Fl. Bras. ii. ii. 222 = Maximiliani.  
*Planotis*, Trin. in Mém. Acad. Pétersb. Sér. VI. iii. ii. (1835) 322 = Ichnanthus Planotis.  
*plantagineum*, Link, Hort. Berol. i. 206.—Am. trop.  
*plantagineum*, Schum. in Schum. & Thonn. Beskr. Guin. Pl. 64.—Afr. trop.  
*platycarpum*, Trin. in Mém. Acad. Pétersb. Sér. VI. iii. ii. (1835) 198.—Ins. Bonin.  
*platyphyllum*, Munro, ex Wright, in Sauv. Fl. Cub. 197.—Cuba.  
*pleiophyllum*, Link, Hort. Berol. i. 208.—Hab.?  
*plicatile*, Hochst. in Flora, xxxviii. (1855) 198.—Afr. trop.  
*plicatum*, Lam. Illustr. i. 171; Encyc. iv. 736; Schrank, Pl. Rar. Hort. Monac. t. 19.—Reg. trop.

## PANICUM:—

*plicatum*, Roxb. Hort. Beng. 8; Fl. Ind. i. 311 = asperatum.  
*plumosum*, Presl, Fl. Sic. p. xliii = Teneriffae.  
*poaeforme*, Boj. Hort. Maurit. 365 = Stenotaphrum complanatum.  
*poaeforme*, Poir. Encyc. Suppl. iv. 284 = melicoides.  
*poaeforme*, Willd. ex Spreng. Syst. i. 318.—Ins. Mascar.  
*poaemorphum*, J. & C. Presl, Rel. Haenk. i. 310.—Peruv.  
*Poiretianum*, Schult. Mant. ii. 229.—Bras.  
*polyanthes*, Schult. l. c. 207 = dichotomum.  
*polycomum*, Trin. in Mém. Acad. Pétersb. Sér. VI. iii. ii. (1835) 306.—Guian.  
*polygamum*, Forsk. Fl. Aegypt. Arab. 27 (Penniseti sp.).—Arab.  
*polygamum*, Sw. Prod. Veg. Ind. Occ. 24 = maximum, Jacq.  
*polygonatum*, Kunth, Rév. Gram. ii. t. 209 = laxum.  
*polygonatum*, Schrad. in Schult. Mant. ii. 256 = pilosum.  
*polygonatum*, Sieber, ex Griseb. Fl. Brit. W. Ind. 548 = gibbum.  
*polygonoides*, Lam. Encyc. iv. 742 = Isachne miliacea.  
*polygonoides*, C. Muell. in Bot. Zeit. xix. (1861) 323.—Am. bor.  
*polynuron*, Steud. Syn. Pl. Gram. 91 = dichotomum.  
*polyphyllum*, R. Br. Prod. 190.—Austral.  
*polyrrhizum*, J. & C. Presl, Rel. Haenk. i. 296 = Paspalum distichum.  
*polystachion*, Linn. Syst. ed. X. 870 = Andropogon caricosum.  
*polystachion*, Ucria, Hort. Reg. Panorm. 54 = repens.  
*polystachyum*, Burm. ex Kunth, Enum. Pl. i. 478 = Pogonatherum saccharoides.  
*polystachyum*, J. & C. Presl, Rel. Haenk. i. 312.—Peruv.  
*polystachyum*, Rich. ex Kunth, Enum. Pl. i. 93 = pyramidale.  
*polystachyum*, Schult. Mant. ii. 146, in obs. = holcoides.  
*polystachyum*, Steud. Nom. ed. I. 589; ed. II. ii. 261 = Oplismenus polystachys.  
*polythyrsus*, Nees, ex Steud. Syn. Pl. Gram. 93 = Ichnanthus candicans.  
*porphyrium*, Trin. ex Nees, Agrost. Bras. 198 = capillare.  
*porphyrrhizos*, Steud. Syn. Pl. Gram. 72 = tryperon.  
*porranthum*, Steud. l. c. 42.—Afr. trop.  
*portoricense*, Ham. Prod. Pl. Ind. Occ. 11.—Portorico.  
*potanicum*, Steud. Syn. Pl. Gram. 71 = seq.  
*potanium*, Trin. Gram. Panic. 239 = gibbum.  
*praecaltum*, Afzel. ex Sw. Adnot. Bot. 5.—Afr. trop.  
*praegnans*, Steud. Syn. Pl. Gram. 74.—Bras.  
*praelongum*, Steud. l. c. 73.—Afr. trop.  
*pratense*, Steud. Nom. ed. II. ii. 261 = Oplismenus compositus.  
*praticola*, Salz. ex Doell, in Mart. Fl. Bras. ii. ii. 203 = maximum, Jacq.  
*Preslii*, Kunth, Enum. Pl. i. 121.—Peruv.  
*Prionitis*, Nees, Agrost. Bras. 162.—Bras.  
*probandum*, Steud. Syn. Pl. Gram. 76 = rugulosum.  
*proboscideum*, Trin. Gram. Panic. 184 = olyroides.  
*procumbens*, Nees, Agrost. Bras. 109 = prostratum.  
*procurrens*, Nees, ex Trin. Gram. Panic. 183.—Bras.  
*proliferum*, Lam. Encyc. iv. 747.—Am. bor.  
*proliferum*, F. Muell. Fragm. viii. 191 = decompositum.  
*prolisetum*, Steud. Syn. Pl. Gram. 52.—Afr. trop.  
*prolutum*, F. Muell. in Trans. Vict. Inst. i. (1855) 46.—Austral.  
*propinquum*, R. Br. Prod. 193 = Paspalum brevifolium.  
*prorepens*, Steud. Syn. Pl. Gram. 46.—Mexic.  
*prostratum*, Lam. Illustr. i. 171.—Amphig. trop.  
*proximum*, Steud. Syn. Pl. Gram. 64.—Guian.  
*pruinatum*, Bernh. ex Trin. Gram. Panic. 191 = antidotale.  
*pruriens*, Trin. l. c. 77 = sanguinale.  
*Pseudagrostis*, Trin. l. c. 197 = nubigenum.  
*Pseudagrostis*, Steud. Syn. Pl. Gram. 71.—Afr. trop.  
*Pseudocolonum*, Roth, Nov. Pl. Sp. 47 = colonum.  
*Pseudo-duroa*, Nees, Fl. Afr. Austr. 21 = Paspalum brevifolium.  
*Pseudoholcus*, Steud. Nom. ed. II. ii. 262. Syn. Pl. Gram. 50.—Am. austr.  
*Pseudo-neurachne*, F. Muell. Fragm. viii. 199 = Spinifex paradoxus.

3 11



**PANICUM:—**

- Pseudopaspalus*, Nees, *Del. Sem. Hort. Vrat.* (1850).  
—Cf. *Linnaea*, xxiv. (1851) 236.—Hab.?  
*Pseudoryzoides*, Steud. *Syn. Pl. Gram.* 75 = *oryzoides*.  
*Pseudosetaria*, Steud. *l. c.* 39.—Ind. or.  
*Pseudoundulatifolium*, Roem. & Schult. *Syst.* ii. 437.  
—Guian.  
*psilanthum*, Steud. *Syn. Pl. Gram.* 66 = *laxum*.  
*psilocaulon*, Steud. *l. c.* 50 = *Setaria viridis*.  
*psilopodium*, Trin. *Gram. Panic.* 217.—Ind. or.  
*Pterigodium*, Trin. *l. c.* 227.—Bras.  
*puberulum*, Kunth, *Rév. Gram.* i. 32 = *Paspalum ischnocaulon*.  
*puberulum*, Trin. in *Mém. Acad. Pétersb. Sér. VI.* iii. ii. (1835) 277 = *rugulosum*.  
*pubescens*, R. Br. *Prod.* 190 = *foliosum*.  
*pubescens*, Hort. ex Kunth, *Enum. Pl.* i. 59 = *Paspalum elegans*.  
*pubescens*, Lam. *Encyc.* iv. 748 = *dichotomum*.  
*pubescens*, Michx. *Fl. Bor. Am.* i. 49 = *dichotomum*.  
*pubescens*, Presl, ex Steud. *Nom. ed. II.* ii. 262 = *glutinatum*.  
*pubescens*, Trin. in *Mém. Acad. Pétersb. Sér. VI.* iii. ii. (1805) 301 = *parvifolium*.  
*pubiflorum*, Trin. *Gram. Panic.* 150 = *gracile*.  
*pubigerum*, Roem. & Schult. *Syst.* ii. 460 = *foliosum*.  
*pubinode*, Hochst. ex A. Rich. *Tent. Fl. Abyss.* ii. 363 = *P. Isachne*.  
*pulchellum*, Raddi, *Agrost. Bras.* 42.—Am. trop.  
*pulchellum*, Spreng. *Syst.* i. 322 = *Isachne pulchella*.  
*pulchrum*, Willd. ex Spreng. *Syst.* i. 272; et ex Trin. *Gram. Panic.* 88 = *Paspalum pulchrum*.  
*pulipes*, C. Muell. in Walp. *Ann.* vi. 953, *sphalm.* = *pilipes*.  
*pumilum*, Bosc, ex Nees, *Agrost. Bras.* 228 = *dichotomum*.  
*pumilum*, Link, *Enum. Hort. Berol.* i. 76 = *Setaria italica*.  
*pumilum*, Poir. *Encyc. Suppl.* iv. 273 = *Setaria glauca*.  
*pumilum*, Rafin. in *Med. Repos. N. York*, v. (1808) 353, *nomen* (Quid?).—Am. bor.  
*punctatum*, Burm. *f. Fl. Ind.* 26.—Ind. or.  
*punctulatum*, Arn. ex Steud. *Syn. Pl. Gram.* 62 = *molle*.  
*pungens*, Poir. *Encyc. Suppl.* iv. 273.—Am. bor.  
*pungens*, Trin. *Gram. Panic.* 210.—Bras.  
*purpurascens*, Opiz, in *Flora*, v. (1822) 266; Raddi, ex Nees, *Agrost. Bras.* 240 = *Setaria viridis*.  
*purpureum*, Ruiz & Pav. *Fl. Per.* i. 48 = *Setaria purpurea*.  
*pusillum*, Hook. *f. in Fourn. Linn. Soc.* vii. (1864) 227.—Afr. trop.  
*pycnanthum*, Steud. *Syn. Pl. Gram.* 70 = *rivulare*.  
*pygmaeum*, Boj. *Hort. Maurit.* 365 = *foliosum*.  
*pygmaeum*, R. Br. *Prod.* 191.—Austral.  
*pygmaeum*, Spreng. *Syst.* i. 312 = *parvifolium*.  
*pyramidale*, Lam. *Illustr.* i. 171; *Encyc.* iv. 735 (err. typ. 745).—Afr. trop.  
*quadrifarium*, Hochst. in *Flora*, xxiv. (1841) i. *Intell.* 19, *nomen*; et in A. Rich. *Tent. Fl. Abyss.* ii. 367.—Abyss.  
*quale-Linnaei*, Krock. *Fl. Siles.* i. 88 = *Setaria viridis*.  
*quinquangulare*, Buch.-Ham. ex Wall. *Cat. n.* 8725 B = *ramosum*.  
*racemiferum*, Steud. *Syn. Pl. Gram.* 64.—Guian.  
*racemiferum*, Wawra, in *Oestr. Bot. Zeitschr.* xii. (1862) 171.—Bras.  
*racemosum*, Rasp. in *Ann. Sc. Nat. Sér. I.* v. (1825) 299 = *reptans*.  
*racemosum*, Spreng. *Syst.* i. 313.—Bras.  
*Raddianum*, Steud. *Syn. Pl. Gram.* 45 = *Oplismenus compositus*.  
*radiatum*, R. Br. *Prod.* 192 = *divaricatissimum*.  
*radicans*, Retz. *Obs.* iv. 18.—Ind. or.  
*radicosum*, J. & C. Presl, *Rel. Haenk.* i. 297 = *sanguinale*.  
*Rafinesquianum*, Schult. *Mant.* ii. 257.—Am. bor.  
*ramosissimum*, Trin. in *Mém. Acad. Pétersb. Sér. VI.* iii. II. (1835) 312 = *parvifolium*.  
*ramosum*, Linn. *Mant.* i. 29.—Ind. or.  
*ramulare*, Trin. *Gram. Panic.* 244 = *parviflorum*.  
*ramuliflorum*, Hochst. ex Steud. *Syn. Pl. Gram.* 65 = *laxum*.  
*ramulosum*, Michx. *Fl. Bor. Am.* i. 50 = *dichotomum*.  
*rariflorum*, Lam. *Encyc.* iv. 746 = *Orthocladia rariflora*.

**PANICUM:—**

- rariflorum*, Rupr. ex Galeotti, in *Bull. Acad. Brux.* ix. ii. (1842) 240.—Mexic.  
*rariflorum*, Steud. *Syn. Pl. Gram.* 51 = *Setaria rariflora*.  
*raripilum*, Kunth, *Rév. Gram.* ii. t. 114.—Afr. trop.  
*rarisetum*, Steud. *Syn. Pl. Gram.* 52.—Ins. Mascar.  
*rarum*, R. Br. *Prod.* 189.—Austral.  
*recalvum*, Kunth, *Rév. Gram.* i. 39.—Bras.  
*reclinatum*, Vill. *Hist. Pl. Dauph.* ii. 64 = *Setaria viridis*.  
*rectum*, Roem. & Schult. *Syst.* ii. 457 = *depauperatum*.  
*redevivum*, Trin. ex Steud. *Nom. ed. II.* ii. 262.—Mexic.  
*reflexopilum*, Steud. *Syn. Pl. Gram.* 84.—Mexic.  
*regulare*, Nees, *Fl. Afr. Austr.* 41.—Afr. trop.  
*relaxatum*, Nees, ex Steud. *Nom. ed. II.* ii. 262 = *remotum*.  
*reimarioides*, Anderss. in *Peters, Reise Mossamb. Bot.* 547.—Afr. trop.  
*remotum*, Retz. *Obs.* iv. 17.—Ind. or.  
*Renggeri*, Steud. *Syn. Pl. Gram.* 89 = *aturense*.  
*repandum*, Nees, *Agrost. Bras.* 98.—Bras.  
*repens*, Burm. *f. Fl. Ind.* 2. f. 1 = *prostratum*.  
*repens*, Linn. *Sp. Pl.* ed. II. 87.—Reg. calid.  
*repens*, Nees, *Agrost. Bras.* 171 = *parvifolium*.  
*repens*, Thw. *Enum. Pl. Zeyl.* 360 = *paludosum*.  
*reptans*, Kunth, *Rév. Gram.* i. 219. t. 21 = *racemosum*.  
*reptans*, Linn. *Syst.* ed. X. 870 = *repens*?  
*rescissum*, Trin. in *Mém. Acad. Pétersb. Sér. VI.* iii. ii. (1835) 218.—Afr. trop.  
*respicens*, Hochst. ex Steud. *Syn. Pl. Gram.* 52.—Abyss.; Java.  
*restitutum*, Steud. *l. c.* 53.—Ins. S. Doming.  
*reticulatum*, Griseb. in *Goett. Abh.* vii. (1857) 264.—Ind. occ.?  
*reticulatum*, Thw. ex Trimen, in *Fourn. Bot.* xxiii. (1885) 271.—Zeylan.  
*reticulatum*, Torr. in *Marcy, Bot. Exp. Red Riv. Louis.* (1852), 299.—Am. bor.  
*retroflexum*, Steud. *Syn. Pl. Gram.* 74.—Guian.  
*retrofractum*, Delile, ex Desv. *Opusc.* 96.—Am. bor.  
*reversipilum*, Steud. *Syn. Pl. Gram.* 76.—Chili.  
*reversum*, F. Muell. *Fragm.* viii. 152.—Austral.  
*rhabdinum*, Steud. *Syn. Pl. Gram.* 96 = *Isachne virgata*.  
*rhachitrichum*, Hochst. in *Flora*, xxvii. (1844) 254.—As. et Afr. trop.  
*rhigiophyllum*, Steud. *Syn. Pl. Gram.* 76 = *cayennense*.  
*rhignon*, Steud. *l. c.* 95 = *Isachne rigida*.  
*rhizophorum*, Fourn. ex Hemsl. *Biol. Centr. Am. Bot.* iii. 495.—Mexic.  
*Riedelii*, Trin. *Sp. Gram. Ic.* iii. t. 323 = *Ichnanthus Riedelii*.  
*rigens*, Salzm. ex Steud. *Syn. Pl. Gram.* 76 = *cayennense*.  
*rigens*, Sw. *Prod. Veg. Ind. Occ.* 23 = *Isachne rigens*.  
*rigidifolium*, Kunth, *Rév. Gram.* i. 37.—Ins. S. Doming.  
*rigidifolium*, Trin. *Sp. Gram. Ic.* ii. t. 214 = *dioecum*.  
*rigidulum*, Bosc, ex Nees, *Agrost. Bras.* 163 = *agrostoides*, *anceps*.  
*rigidum*, Balf. in *Proc. Roy. Soc. Edinb.* xii. (1884) 97.—Ins. Socotra.  
*rigiophyllum*, Doell, in *Mart. Fl. Bras.* ii. II. 220 = *cayennense*.  
*rivulare*, Trin. *Gram. Panic.* 213.—Bras.  
*Rohrii*, Nees, ex Steud. *Syn. Pl. Gram.* 76 = *streptostachys*.  
*roseum*, Steud. *l. c.* 92.—Afr. austr.  
*roseum*, Willd. ex Spreng. *Syst.* i. 251 = *Milium roseum*.  
*rostellatum*, Trin. in *Mém. Acad. Pétersb. Sér. VI.* iii. II. (1835) 288 = *rugulosum*.  
*rostratum*, Muhl. ex Willd. *Enum. Hort. Berol.* 1032 = *anceps*.  
*Rothii*, Spreng. *Syst.* i. 310.—Ind. or.  
*rotboelloides*, H. B. & K. *Nov. Gen. et Sp.* i. 96.—Venezuela.  
*Rottleri*, Kunth, *Rév. Gram.* i. 33 = *sanguinale*.  
*Rottleri*, Nees, *Fl. Afr. Austr.* 53 = *Setaria glauca*.  
*Rottleri*, Sw. *Adnot. Bot.* 7.—Ind. or.  
*Roxburghianum*, Schult. *Mant.* ii. 245 = *uliginosum*.  
*Roxburghii*, Spreng. *Syst.* i. 320 = *trypheron*.  
*Royleanum*, Nees, ex Steud. *Syn. Pl. Gram.* 47 = *Paspalum ischnocaulon*.  
*rubigerum*, Steud. *Nom. ed. II.* i. 567, in syn., *sphalm.* = *nubigenum*.

**PANICUM:—**

- rubiginosum*, Steud. *Syn. Pl. Gram.* 50.—Ins. Philipp.  
*rude*, Lam. ex Steud. *Nom. ed. I.* 589, 772 = *Setaria verticillata*.  
*rude*, Nees, *Agrost. Bras.* 158.—Bras.  
*Rudgei*, Roem. & Schult. *Syst.* ii. 444 = *cayennense*.  
*rudimentosum*, Steud. *Syn. Pl. Gram.* 51.—Afr. trop.  
*rufum*, Kunth, *Rév. Gram.* i. 35 = *Anthraenantia rufa*.  
*Rugelii*, Griseb. *Cat. Pl. Cub.* 233.—Cuba.  
*rugosum*, Bosc, ex Nees, *Agrost. Bras.* 226 = *verrucosum*.  
*rugosum*, Hemsl. *Biol. Centr. Am. Bot.* iii. 506 = *Setaria semirugosa*.  
*rugulosum*, Trin. *Gram. Panic.* 195.—Bras.  
*rupestre*, Trin. *l. c.* 109.—Bras.  
*Ruprechtii*, Fourn. ex Hemsl. *Biol. Centr. Am. Bot.* iii. 495 = *rariflorum*.  
*ruscifolium*, H. B. & K. *Nov. Gen. et Sp.* i. 101.—Mexic.  
*sabulicolum*, Nees, *Agrost. Bras.* 258 = *P. Crus-galli*.  
*sabulorum*, Lam. *Encyc.* iv. 744.—Reg. Argent.  
*sacchariferum*, Salisb. *Prod.* 18 = *Sorghum vulgare*.  
*sacchariflorum*, Steud. *Syn. Pl. Gram.* 97.—Bras.  
*saccharoides*, Kunth, *Rév. Gram.* i. 237. t. 30 = *Paspalum saccharoides*.  
*saccharoides*, A. Rich. *Fl. Cub. Fanerog.* ii. 306.—Cuba.  
*saccharoides*, Trin. *Gram. Panic.* 245 = *Teneriffae*.  
*saccharoides*, Willd. ex Hemsl. *Biol. Centr. Am. Bot.* iii. 490 = *lanatum*.  
*sagittaeifolium*, Hochst. ex Steud. *Syn. Pl. Gram.* 54.—Abyss.  
*Salzmanni*, Trin. ex Steud. *l. c.* 95 = *Isachne ventricosa*.  
*Sanctae-Marthae*, Steud. *l. c.* 45.—N. Granat.  
*sanguinale*, Burm. *f. Fl. Ind.* t. 10. f. 1 = *javanicum*.  
*sanguinale*, Linn. *Sp. Pl.* 57.—Cosmop.  
*sanguinale*, Pollich, *Hist. Pl. Palat.* i. 57 = *glabrum*.  
*sanguineum*, Gueldest. *Reisen*, ii. 278 = *sanguinale*.  
*sarmentosum*, Rasp. in *Ann. Sc. Nat. Sér. I.* v. (1825) 299 = *Thuarea sarmentosa*.  
*sarmentosum*, Roxb. *Hort. Beng.* 8; *Fl. Ind.* i. 308.—As. trop.  
*saxatile*, Salzm. ex Steud. *Nom. ed. II.* ii. 263.—Bras.  
*saxatile*, Steud. *Syn. Pl. Gram.* 97 = *Isachne albens*.  
*scaberrimum*, Lag. *Gen. et Sp. Nov.* 2.—Mexic.  
*scabridum*, Doell, in *Mart. Fl. Bras.* ii. II. 201.—Am. trop.  
*scabrifolium*, Nees, *Agrost. Bras.* 246.—Bras.  
*scabriusculum*, Ell. *Sketch.* i. 121.—Am. bor.  
*scabrum*, Lam. *Illustr.* i. 171 = *P. Crus-galli*.  
*scandens*, Trin. *Gram. Panic.* 166 = *Setaria scandens*.  
*scariosum*, Trin. ex Steud. *Nom. ed. II.* ii. 263.—Mexic.  
*Scheelii*, Steud. *Syn. Pl. Gram.* 51 = *Setaria polystachya*.  
*Schiedeanum*, Trin. ex Steud. *Nom. ed. II.* ii. 263.—Mexic.  
*Schiedei*, Spreng. ex Steud. *l. c.* = *Zeugites mexicanus*.  
*Schimperianum*, Hochst. ex A. Rich. *Tent. Fl. Abyss.* ii. 371.—Abyss.  
*Schlechtendalii*, Fourn. ex Hemsl. *Biol. Centr. Am. Bot.* iii. 496.—Mexic.  
*Schraderi*, Kunth, *Rév. Gram.* i. 32.—Hab.?  
*Schultesii*, Steud. *Nom. ed. II.* ii. 263.—N. Granat.  
*sciaphilum*, Rupr. ex Galeotti, in *Bull. Acad. Brux.* ix. II. (1842) 240.—Mexic.  
*scindens*, Nees, ex Steud. *Syn. Pl. Gram.* 47.—Am. bor.  
*sciurotis*, Trin. *Gram. Panic.* 228.—Bras.  
*Sclerochloa*, Trin. *Sp. Gram. Ic.* iii. t. 283.—Bras.  
*scoparium*, Lam. *Encyc.* iv. 744.—Am. bor.  
*scoparium*, Michx. *Fl. Bor. Am.* 49 = *latifolium*.  
*scoparium*, Rudge, *Pl. Guian. Rar.* 21. t. 29 = *cayennense*.  
*scopuliferum*, Trin. *Sp. Gram. Ic.* ii. t. 165 = *serratum*.  
*secundum*, Steud. *Nom. ed. II.* ii. 263 = *Oplismenus secundus*.  
*secundum*, Trin. *Sp. Gram. Ic.* iii. t. 324 = *latissimum*.  
*Sellowii*, Nees, *Agrost. Bras.* 153 = *rugulosum*.  
*semialatum*, R. Br. *Prod.* 192.—As. trop.; Afr. austr.; Austral.  
*semirugosum*, Nees, *Agrost. Bras.* 243 = *Setaria semirugosa*.  
*semitonsum*, F. Muell. ex Benth. *Fl. Austral.* vii. 483.—Austral.  
*semiundulatum*, Hochst. in *Flora*, xxiv. (1841) i. *Intell.* 19, *nomen*; et ex A. Rich. *Tent. Fl. Abyss.* ii. 49.—Abyss.



## PANICUM:—

semiverticillatum, Rottl. in Ainslie, Mat. Med. Hindost. ed. I. 219.—Ind. or.  
 senegalense, Desv. Opusc. 86.—Afr. trop.  
 senescens, Trin. ex Steud. Nom. ed. II. ii. 263.—Hab. ?  
 sericatum, Steud. Syn. Pl. Gram. 58 = lanatum.  
 sericeum, [Soland. in] Ait. Hort. Kew. ed. I. 88.—Ind. or.  
 serotinum, Hort. ex Schult. Mant. iii. 598, in obs. = Setaria italica.  
 serotinum, Trin. Gram. Panic. 166 = Paspalum serotinum.  
 serpens, Kunth, Rév. Gram. i. 38 = parvifolium.  
 serraeifolium, Hochst. in Flora, xxxviii. (1855) 196.—Abyss.  
 serrarium, Fig. & De Not. in Mem. Acc. Torin. Ser. II. xiv. (1854) 347.—Nubia.  
 serrulatum, Buch.-Ham. ex Wall. Cat. n. 8699 = amplexicaule.  
 serratum, R. Br. Prod. 189; Spreng. Syst. i. 309.—Afr. austr.  
 serrulatum, Hochst. ex Steud. Syn. Pl. Gram. 78 = mangaloricum.  
 serrulatum, Roxb. Hort. Beng. 8; Fl. Ind. i. 307 = amplexicaule.  
 serrulatum, Schum. in Schum. & Thonn. Beskr. Guin. Pl. 62.—Afr. trop.  
 setaceum, Hort. ex Trin. Gram. Panic. 166 = Setaria italica.  
 setaceum, Muhl. Desc. Gram. 99 = dichotomum ?  
 setarioides, Steud. Syn. Pl. Gram. 74.—Guian.  
 setarium, Lam. Illustr. i. 170 = Oplismenus undulatifolius.  
 setifolium, Nees, Agrost. Bras. 233 = subulatum.  
 setifolium, Trin. ex Steud. Nom. ed. II. ii. 263 = rupestre.  
 setigerum, Beauv. Fl. Owar. i. t. 49.—Afr. trop.  
 setigerum, Retz. Obs. iv. 16 = prostratum ?  
 setosum, Hort. ex Trin. Gram. Panic. 166 = Setaria italica.  
 setosum, Sw. Prod. Veg. Ind. Occ. 22 = Setaria setosa.  
 setosum, Trin. ex Doell, in Mart. Fl. Bras. ii. 11. 169 = Setaria impressa.  
 sibiricum, Hort. ex Roem. & Schult. Syst. ii. 493, in syn. = Setaria italica.  
 siccanum, Trin. in Linnaea, x. (1836) 298.—Bras.  
 Sieberi, Link, Hort. Berol. i. 207 = prostratum.  
 simplex, Rottl. ex Trin. Gram. Panic. 216 = miliare.  
 simplex, Willd. ex Spreng. Syst. i. 318 = sumatrense.  
 simplicissimum, Koen. in Naturf. xxiii. (1788) 209 (Quid ?)—Ind. or.  
 simplicissimum, Wight & Arn. ex Steud. Syn. Pl. Gram. 96 = Coelachne pulchella.  
 singulare, Steud. Syn. Pl. Gram. 60 = marginatum.  
 sordidum, Thw. Enum. Pl. Zeyl. 443.—Zeylan.  
 Sloanei, Griseb. Fl. Brit. W. Ind. 551 = latifolium.  
 Sorghi, Delile, Fl. Aeg. Illustr. 51, nomen.—Aegypt.  
 sorghoideum, Ham. Prod. Pl. Ind. Occ. 10.—Portorico; Mexic.  
 Sorghum, Steud. Syn. Pl. Gram. 58 = P. Sorghi.  
 spanianthum, Steud. l. c. 69.—Hab. ?  
 sparsicomum, Nees, ex Steud. l. c. 83.—Zeylan.  
 sparsiflorum, Doell, in Mart. Fl. Bras. ii. 11. 243.—Am. trop.  
 sparsum, Nees, ex Steud. Syn. Pl. Gram. 63 = peregrinum ?  
 sparsum, Rottl. ex Steud. l. c. 70 = antidotale.  
 sparsum, Schum. in Schum. & Thonn. Beskr. Guin. Pl. 64.—Afr. trop.  
 spatheosum, Doell, in Mart. Fl. Bras. ii. 11. 241.—Bras.  
 speciosum, Nees, ex Trin. Gram. Panic. 169 = Poiretianum.  
 speciosum, Walt. Fl. Carol. 73.—Am. bor.  
 spectabile, Nees, ex Trin. Gram. Panic. 138.—Am. et Afr. trop.  
 sphacelatum, Schum. in Schum. & Thonn. Beskr. Guin. Pl. 58.—Afr. trop.  
 sphacelatum, Steud. Syn. Pl. Gram. 92 (sp. diversa).—Afr. trop.  
 sphaerocarpon, Ell. Sketch, i. 125 = microcarpum.  
 sphaerocarpon, Salz. ex Steud. Syn. Pl. Gram. 51.—Bras.  
 spicatum, Roxb. Hort. Beng. 7; Fl. Ind. i. 283 = Pennisetum typhoideum.  
 spiciforme, Hochst. ex A. Rich. Tent. Fl. Abyss. ii. 359 = interruptum ?

## PANICUM:—

spinescens, R. Br. Prod. 193 = Chamaeraphis spinescens.  
 spithameum, Willd. ex Steud. Nom. ed. II. ii. 263 = fasciculatum.  
 spithameum, Willd. ex Steud. Syn. Pl. Gram. 80 = carthagenense.  
 Sprengelianum, Schult. Mant. ii. 234 = pilosum.  
 Sprengelii, Kunth, Rév. Gram. i. 39 = Muehlenbergii.  
 spretum, Schult. Mant. ii. 248 = dichotomum.  
 squamatum, Fourn. ex Hemsl. Biol. Centr. Am. Bot. iii. 496.—Mexic.  
 squarrosus, Lam. Encyc. iv. 743 = Chamaeraphis spinescens.  
 squarrosus, Retz. Obs. iv. 15 = Trachys mucronata.  
 stagninum, Retz. l. c. 17; Host, Gram. Austr. iii. t. 2. 51 = P. Crus-galli.  
 stenanthum, Steud. Syn. Pl. Gram. 96.—Madag.  
 stenocladium, Trin. Gram. Panic. 200 = subulatum.  
 stenodes, Griseb. Fl. Brit. W. Ind. 547.—Jamaic.  
 stenostachyum, Benth. Fl. Austral. vii. 470.—Austral.  
 stenostachyum, Thw. Enum. Pl. Zeyl. 436 = canaliculatum.  
 stenotaphodes, Nees, ex Steud. Syn. Pl. Gram. 41.—'Ins. Choin.'  
 stigmatum, Trin. Gram. Panic. 194.—Bras.  
 stipatum, J. & C. Presl, Rel. Haenk. i. 297.—Mexic.  
 stoloniferum, Poir. Encyc. Suppl. iv. 274.—Am. austr.  
 streptostachys, Spreng. Syst. i. 316.—Am. austr.  
 striatulum, Schult. Mant. ii. 252 = Isachne australis.  
 striatum, R. Br. Prod. 192 = parviflorum.  
 striatum, Chapm. Fl. S. U. St. Suppl. 666 = fasciculatum.  
 striatum, Lam. Illustr. i. 172.—Am. bor.  
 striatum, Muhl. ex Hemsl. Biol. Centr. Am. Bot. iii. 492, in syn. = neuranthum.  
 striatum, Spreng. Syst. i. 318 = miliaceum.  
 strictissimum, Afzel. ex Sw. Adnot. Bot. 4.—Afr. trop.  
 strictum, Bosc, ex Trin. Gram. Panic. 241 = dichotomum.  
 strictum, R. Br. Prod. 190 = marginatum.  
 strictum, Pursh, Fl. Am. Sept. i. 69 = depauperatum.  
 strictum, Roxb. Hort. Beng. 7; Fl. Ind. i. 303 = bengalense.  
 strigosum, Muhl. in Ell. Sketch, i. 126 = capillare.  
 striolatum, Schult. Mant. iii. 589 = striatum.  
 strumosum, J. & C. Presl, Rel. Haenk. i. 303.—Calif.  
 subalbidum, Kunth, Rév. Gram. ii. 397. t. 112 = antidotale.  
 subangustum, Schum. in Schum. & Thonn. Beskr. Guin. Pl. 59.—Afr. trop.  
 subaristulatum, Steud. Syn. Pl. Gram. 79 = Ichnanthus candicans.  
 subcordatum, Roth, Nov. Pl. Sp. 46 = prostratum ?  
 subglume, Trin. in Mém. Acad. Pétersb. Sér. VI. iii. 11. (1835) 292.—Ind. or.  
 subulatum, Doell, in Mart. Fl. Bras. ii. 11. 181.—Am. trop.  
 subpellucidum, Steud. Syn. Pl. Gram. 77.—Bras.  
 subpetiolatum, Steud. l. c. 70 = Ichnanthus petiolatus.  
 subquadrilapum, Trin. Gram. Panic. 145 = distachyum.  
 subphaerocarpon, Salz. ex Schlecht. in Linnaea, xxxi. (1861-62) 483 = Setaria macrostachya.  
 subspicatum, Desv. Opusc. 84.—Am.  
 subtile, Nees, ex Steud. Nom. ed. II. ii. 264 = distachyum.  
 subulatum, Spreng. Syst. i. 319.—Bras.  
 subuniflorum, Bosc, ex Spreng. l. c. 313.—Carolina.  
 suffrutescens, Steud. Syn. Pl. Gram. 92.—Arab.  
 sulcatum, Aubl. Pl. Gui. i. 50 = Setaria sulcata.  
 sulcatum, Bertol. in Opusc. Centur. iv. (1823) 230 = P. Crus-ardeae.  
 sulphureum, Nees & Mey. ex Steud. Nom. ed. II. ii. 264.—China.  
 sumatrense, Roth, Nov. Pl. Sp. 50 (Paspali sp. ?)—Ind. or.  
 surinamense, Hochst. ex Steud. Syn. Pl. Gram. 42 = Paspalum scoparium.  
 sylvaticum, Lam. Encyc. iv. 733 (err. typ. 743) = Oplismenus compositus.  
 Syzigachne, Steud. in Flora, xxix. (1846) 19.—Japon.  
 tabulatum, Hack. in Engl. Bot. Jahrb. vi. (1885) 234.—Austral.  
 taitense, Steud. Syn. Pl. Gram. 418.—Ins. Taiti.  
 taurinum, Steud. l. c. 74.—Tauria.  
 tectum, Willd. ex Spreng. Syst. i. 313 = dichotomum.  
 Teff, Desv. Opusc. 97 = Poa abyssinica.

## PANICUM:—

tejuense, Nees, ex Trin. Gram. Panic. 166 = Setaria viridis.  
 telmatodes, Balansa, in Bull. Soc. Bot. Fr. xix. (1872) 324.—N. Caled.  
 tenacissimum, Nees, Agrost. Bras. 238 = Setaria scandens.  
 tenax, Rich. in Act. Soc. Hist. Nat. Par. i. (1792) 103 = Setaria setosa.  
 tenellum, Griff. Notul. iv. 21 = humile.  
 tenellum, Hort. ex Willd. Enum. Hort. Berol. 89 = Paspalum elegans.  
 tenellum, Lam. Illustr. i. 173; Encyc. iv. 753.—Afr. trop.  
 tenellum, Roxb. Hort. Beng. 7; Fl. Ind. i. 306 = trypheron.  
 Teneriffae, R. Br. Prod. 189.—Reg. Mediterr.; Oriens.  
 Teneriffae, Parl. in Hook. Niger Fl. 183 = megalanthum.  
 tenerimum, Kunth, Rév. Gram. i. 39.—Bras.  
 tenerum, Beyreich, ex Trin. in Mém. Acad. Pétersb. Sér. VI. iii. 11. (1835) 341 = anceps.  
 tenue, Muhl. Desc. Gram. 118 = dichotomum.  
 tenue, Roxb. Fl. Ind. ed. Carey, i. 313.—Ind. or.  
 tenuicolum, G. F. W. Mey. Prim. Fl. Esseq. 58 = laxum.  
 tenuiflorum, R. Br. Prod. 193 = Paspalum brevifolium.  
 tenuiflorum, Schrank, in Syll. Ratisb. i. (1824) 192.—Bras.  
 tenuifolium, Hook. & Arn. Bot. Beech. Voy. 100 = nephelophilum.  
 tenuissimum, Benth. Fl. Austral. vii. 470.—Austral.  
 tenuissimum, Mart. ex Schrank, in Denkschr. Bot. Ges. Regensb. ii. (1822) 26 = Sporobolus minutiflorus.  
 tenuissimum, Vest, ex Steud. Nom. ed. II. ii. 264 = Polypogon monspeliensis.  
 ternatum, Hochst. in Flora, xxiv. (1841) i. Intell. 19, nomen; et ex Steud. Syn. Pl. Gram. 40 = glabrum.  
 tetraspermum, Steud. Nom. ed. II. ii. 257, in syn., sphalm. = trachyspermum.  
 tetrastichum, Forsk. Fl. Aegypt. Arab. 19 = colonum.  
 texanum, Vasey, Agric. Grasses U. St. 36. t. 7.—Texas.  
 thermale, Boland. in Proc. Calif. Acad. ii. (1863) 181 = dichotomum.  
 Thouarsianum, Nees, ex Steud. Syn. Pl. Gram. 62 = flavescent.  
 Thrasya, Trin. in Mém. Acad. Pétersb. Sér. VI. iii. 11. (1835) 228; Steud. Syn. Pl. Gram. 55.—Am. austr.  
 thrasyoides, Trin. Gram. Panic. 126.—Bras.  
 Thuarii, Rasp. in Ann. Sc. Nat. Sér. I. v. (1825) 299 = Pennisetum compressum.  
 timorene, Kunth, Enum. Pl. i. 83.—Ins. Timor.  
 tjicoyaense, Steud. Syn. Pl. Gram. 70.—Java.  
 tomentosum, Roxb. Hort. Beng. 7; Fl. Ind. i. 304.—Ind. or.  
 tonsum, Steud. Syn. Pl. Gram. 92.—Afr. austr.  
 Torreyanum, Wight & Arn. ex Steud. Nom. ed. II. ii. 264 = subglume.  
 Torreyi, Fourn. ex Hemsl. Biol. Centr. Am. Bot. iii. 497.—Mexic.  
 torridum, Gaudich. in Freyc. Voy. Bot. 411.—Ins. Sandvic.  
 trachypus, Trin. in Mém. Acad. Pétersb. Sér. VI. iii. 11. (1835) 258.—Nepal.  
 trachyrhachis, Benth. Fl. Austral. vii. 490.—Austral.  
 trachyspermum, Nees, Agrost. Bras. 212 = Isachne miliacea.  
 trachystachyum, Nees, l. c. 125.—Bras.  
 tremulum, Spreng. Neue Entdeck. ii. 103. 202 = brachyanthum.  
 tricarinarum, Steud. Nom. ed. II. ii. 264 = ovalifolium.  
 trichanthum, Nees, Agrost. Bras. 210 = microspermum.  
 trichanthum, A. Rich. Tent. Fl. Abyss. ii. 375 = Hochstetteri.  
 trichidiachus, Doell, in Mart. Fl. Bras. ii. 11. 339.—Am. trop.  
 trichocladum, Reichb. ex Kunth. Enum. Pl. i. 89 = stoloniferum.  
 trichocondylum, Steud. Syn. Pl. Gram. 74 = maximum, Jacq.  
 trichogonum, Willd. Steud. Nom. ed. II. ii. 264 pilosum.  
 trichoides, Cham. & Schlecht. in Linnaea, vi. 1831 33 = microspermum.



**PANICUM** :—

*trichoides*, Sw. Prod. Veg. Ind. Occ. 24 = *brevifolium*.  
*tricholaenoides*, Steud. Syn. Pl. Gram. 68 = *juncum*, Linn.  
*trichophorum*, Schrad. ex Schult. Mant. ii. 247 = *pilosum*.  
*trichopiptum*, Steud. Syn. Pl. Gram. 85 = *Isachne miliacea*.  
*trichopodon*, A. Rich. Tent. Fl. Abyss. ii. 369. — Abyss.  
*trichopus*, Hochst. in Flora, xxvii. (1844) 254 = *javanicum*.  
*trichostachyum*, Hort. ex Steud. Nom. ed. II. ii. 264 = *sanguinale*.  
*triflorum*, Edgew. in Journ. As. Soc. Beng. xxi. (1853) 179. — Ind. or.  
*trigonum*, Retz. Obs. iii. 9. — Ind. or.  
*trigonum*, Wight, ex Steud. Syn. Pl. Gram. 83 = *sparsicomum*.  
*trinapalium*, Wall. Cat. sub n. 8719, 8722, 8739 = *montanum*.  
*trinerve*, Trin. Sp. Gram. Ic. ii. t. 226. — Bras.  
*Trinii*, Kunth, Enum. Pl. i. 88. — Bras.  
*Trinii*, Mor. Syst. Verz. Zoll. 102 = *uncinatum*.  
*triquetrum*, Willd. ex Doell. in Mart. Fl. Bras. ii. II. 161 = *Setaria setosa*.  
*tristachyoides*, Trin. in Bull. Sc. Acad. Pétersb. i. (1836) 71. — Afr. trop.  
*triticeum*, Willd. ex Spreng. Syst. ii. 609 = *Pariana angustifolia*.  
*triticoidea*, Poir. Encyc. Suppl. iv. 274 = *Pennisetum setosum*.  
*truncatum*, Nees, Agrost. Bras. 215. — Bras.  
*truncatum*, Trin. Gram. Panic. 130 = *paspaloides*.  
*trypheron*, Schult. Mant. ii. 244. — Ind. or.  
*tuberculatum*, J. & C. Presl, Rel. Haenk. i. 307 = *maximum*, Jacq.  
*tuberculiflorum*, Steud. Syn. Pl. Gram. 59 = *Eriochloa villosa*.  
*tubulatum*, Hack. in Engl. Bot. Jahrb. vi. (1885) 234. — Austral.  
*tumescens*, Trin. in Mém. Acad. Pétersb. Sér. VI. iii. II. (1835) 316 = *aturense*.  
*tumidum*, Koen. in Naturf. xxiii. (1788) 205; J. F. Gmel. Syst. 157. — Hab.?  
*turgidum*, Forsk. Fl. Aegypt. Arab. 18. — Afr. bor.; Oriens.  
*turgidum*, Hochst. ex Steud. Syn. Pl. Gram. 88 = *nubicum*, Steud.  
*turritum*, Thunb. Mus. Nat. Acad. Upsal. x. 148, nomen = interruptum.  
*uliginosum*, Roth, Nov. Pl. Sp. 50 = interruptum.  
*uliginosum*, Roxb. Hort. Beng. 8; Fl. Ind. i. 308 = *repens*.  
*umbellatum*, Trin. Gram. Panic. 238 = *parvifolium*.  
*umbraculatum*, Bosc, ex Spreng. Syst. i. 314 = *verrucosum*.  
*umbraticola*, Kunth, Rév. Gram. i. 33. — Bras.  
*umbrosum*, Le Conte, ex Torr. Cat. Pl. N. York, 91 = *verrucosum*.  
*umbrosum*, Retz. Obs. iv. 16 = *prostratum*.  
*umbrosum*, Salzm. ex Doell. in Mart. Fl. Bras. ii. II. 210 = *stoloniferum*.  
*uncinatum*, Raddi, Agrost. Bras. 41. — Reg. trop.  
*uncinulatum*, R. Br. Prod. 191. — Austral.  
*unciphylum*, Trin. Gram. Panic. 242 = *dichotomum*.  
*undatum*, Steud. Nom. ed. II. ii. 264 = *Oplismenus compositus*.  
*undulatifolium*, Ard. Animad. Spec. Alt. 14 = *Oplismenus undulatifolius*.  
*unguiculatum*, Trin. in Mém. Acad. Pétersb. Sér. VI. iii. II. (1835) 275. — Afr. austr.  
*unguinum*, Herb. Banks, ex Roxb. Fl. Ind. i. 294 = *Oplismenus compositus*.  
*uniglume*, Hochst. in Flora, xxiv. (1841) I. Intell. 19, nomen; et ex A. Rich. Tent. Fl. Abyss. ii. 370. — Abyss.  
*unilaterale*, Desv. Opusc. 86. — Am. austr.  
*uniseta*, Trin. in Mém. Acad. Pétersb. Sér. VI. iii. II. (1835) 217, in adnot. = *Setaria uniseta*.  
*Urochloa*, Desv. Opusc. 82. — Ins. Maurit.  
*Urochloa*, Steud. Nom. ed. II. ii. 264. — Ins. Philipp.  
*Urvilleanum*, Kunth, Rév. Gram. i. 35; ii. 405. t. 115. — Chili.  
*utriculatum*, Steud. Nom. ed. II. ii. 264 = *Setaria vaginata*.  
*vacillans*, Steud. Syn. Pl. Gram. 75 = *sarmentosum*.  
*vaginaeflorum*, Steud. l. c. 80 = *decumbens*.  
*vaginatum*, Gren. & Godr. Fl. Fr. iii. 462 = *Paspalum distichum*.

**PANICUM** :—

*vaginatum*, Nees, Agrost. Bras. 156 = *macranthum*.  
*vagum*, Scop. Fl. Carn. ed. II. i. 51 = *Polypogon monspeliensis*.  
*Valenzuelanum*, A. Rich. Fl. Cub. Fanerog. ii. 304. — Cuba.  
*variegatum*, Hort. — Cf. Gard. Chron. (1867) 458 = *Oplismenus Burmannii*.  
*velutinum*, Nees, ex Trin. Gram. Panic. 144. — Am. trop.  
*velutinum*, Bosc, ex Spreng. Syst. i. 315 = *dichotomum*.  
*velutinum*, Kunth, Enum. Pl. i. 92 = *velutinosum*.  
*velutinum*, G. F. W. Mey. Prim. Fl. Esseq. 51 = *Oplismenus Burmannii*?  
*Ventenatii*, Steud. Nom. ed. II. ii. 265 = *Setaria glauca*.  
*ventricosum*, Lam. Illustr. i. 173; Encyc. iv. 745 = *Isachne ventricosa*.  
*verrucosum*, Muhl. Desc. Gram. 113. — Am. bor.  
*versicolor*, Doell. in Mart. Fl. Bras. ii. II. 254 = *truncatum*.  
*verticillatum*, Linn. Sp. Pl. ed. II. 82 = *Setaria verticillata*.  
*verticillatum*, Rottl. ex Spreng. Syst. i. 304 = *Setaria glauca*.  
*verticillatum*, Ucria, Hort. Reg. Panorm. 54 = *Agrostis stolonifera*.  
*vestitum*, Kunth, Rév. Gram. i. 39. — Bras.  
*vestitum*, Nees, ex Steud. Syn. Pl. Gram. 62 = *villosum*.  
*viaticum*, Griff. Ic. Pl. Asiat. t. 145. f. 2 = *semialatum*.  
*viaticum*, Salzm. ex Doell. in Mart. Fl. Bras. ii. II. 155 = *prostratum*.  
*vicarium*, Fourn. ex Hemsl. Biol. Centr. Am. Bot. iii. 498. — Mexic.  
*villiforme*, Wood, Class Book (1861), 785. — Am. bor.  
*vilfoidea*, Trin. Gram. Panic. 171 (*vilfoidea*). — Am. trop.  
*villiferum*, Nees, in Linnaea, xix. (1847) 687 = *adscendens*.  
*villosum*, R. Br. Prod. 192 = *lanatum*.  
*villosum*, Ell. Sketch, i. 124 = *dichotomum*.  
*villosum*, Hoffm. ex Steud. Nom. ed. II. ii. 265 = *Ichnanthus Hoffmannseggii*.  
*villosum*, Lam. Illustr. i. 173. — As. trop.  
*villosum*, Presl, Cyp. & Gram. Sic. 18 = *Teneriffae*.  
*vilvoidea*, Trin. vide *vilfoidea*.  
*vimineum*, Schrad. in Schult. Mant. ii. 255. — Bras.  
*violaceum*, Klein, ex Thiele, in Linnaea, ix. (1834) 307 = *Isachne australis*.  
*violaceum*, Lam. ex Spreng. Syst. i. 303 = *Pennisetum typhoideum*.  
*violaceum*, Llanos, Fragm. 42 = *nodosum*.  
*violaceum*, Rottl. ex Sw. Adnot. Bot. 7 = *Rottleri*.  
*violascens*, Kunth, Rév. Gram. i. 33. — Am. trop.  
*virescens*, Poir. Encyc. Suppl. iv. 278. — Hab.?  
*virescens*, Salzm. ex Doell. in Mart. Fl. Bras. ii. II. 157 = *Setaria viridis*.  
*virgatum*, Linn. Sp. Pl. 59. — Am. bor.  
*virgatum*, F. Muell. Fragm. viii. 192 = *trachyrhachis*.  
*virgatum*, Muhl. Desc. Gram. 120 = *coloratum*.  
*virgatum*, Roxb. ex Steud. Nom. ed. II. ii. 265 = *psilopodium*.  
*virgatum*, Willd. ex Spreng. Syst. i. 318 = *avenaceum*.  
*viride*, Desf. Fl. Atlant. i. 58 = *Setaria verticillata*.  
*viride*, Linn. Syst. ed. X. 870 = *Setaria viridis*.  
*viride*, Pollich, Hist. Pl. Palat. i. 55 = *Setaria glauca*.  
*viridescens*, Steud. Syn. Pl. Gram. 51. — China.  
*viridiflorum*, Nees, Agrost. Bras. 135 = *aturense*.  
*Virletii*, Fourn. ex Hemsl. Biol. Centr. Am. Bot. iii. 498. — Mexic.  
*viscidum*, Ell. Sketch, i. 123. — Am. bor.  
*viviparum*, Nees, ex Steud. Syn. Pl. Gram. 97 (an seq.?). — Afr. trop.  
*viviparum*, Schum. in Schum. & Thonn. Beskr. Guin. Pl. 62. — Afr. trop.  
*vulgare*, Wallr. in Linnaea, xiv. (1840) 542; et Beitr. Fl. Hercyn. 172 = *Setaria italica*.  
*vulpinum*, Willd. Enum. Hort. Berol. 1031 = *Pennisetum cenchroides*.  
*vulpisetum*, Lam. Encyc. iv. 735 (err. typ. 745). — Ins. S. Doming.  
*Walkerii*, Steud. Syn. Pl. Gram. 97 = *Isachne Walkerii*.  
*Wallichianum*, Nees, Fl. Afr. Austr. 49 = *plicatum*, Perrottetii.  
*Walteri*, Ell. Sketch, i. 115 = *Curtisii*.  
*Walteri*, Muhl. Desc. Gram. 108 = *carolinianum*.  
*Walteri*, Poir. Encyc. Suppl. iv. 282 = *latifolium*.

**PANICUM** :—

*Walteri*, Pursh, Fl. Am. Sept. i. 66 = *P. Crus-galli*.  
*Wightianum*, Arn. & Nees, ex Nees, Fl. Afr. Austr. 30 = seq.  
*Wightii*, Nees, l. c. 29 = *P. Isachne*.  
*Willdenowii*, Steud. Nom. ed. II. ii. 265 = *Setaria luxurians*.  
*Williamsii*, Hance, in Ann. Sc. Nat. Sér. V. v. (1866) 250. — China.  
*xalapense*, H. B. & K. Nov. Gen. et Sp. i. 103. — Mexic.  
*xanthophyllum*, A. Gray, Man. Bot. N. U. St. ed. I. 613. — Am. bor.  
*xanthorrhizum*, Steud. Syn. Pl. Gram. 59. — Java?  
*Zenkowskii*, Rupr. Ind. Sem. Hort. Petrop. (1851). — Cf. Linnaea, xxvii. (1854) 477. — Hab.?  
*Zeyheri*, Nees, Fl. Afr. Austr. 25. — Afr. austr.  
*zeylayense*, Steud. Nom. ed. II. ii. 265. — Mexic.  
*zizanioides*, H. B. & K. Nov. Gen. et Sp. i. 100 = *oryzoides*.  
*Zollingeri*, Steud. Syn. Pl. Gram. 96 = *Isachne albens*.  
*zonale*, Guss. Fl. Sic. Prod. i. 82 = *cololum*.

**PANIOPSIS**, Rafin. Fl. Tellur. ii. 49 (1836) = **Inula**, Linn. (Compos.).

*fetidum*, Rafin. l. c. = *Nidorella foliosa*.  
*glutinosum*, Rafin. l. c. = *Grindelia glutinosa*.  
*graveolens*, Rafin. l. c. = *I. graveolens*.  
*viscosum*, Rafin. l. c. = *I. viscosa*.

**PANIOS**, Adans. Fam. ii. 124 (1763) = **Erigeron**, Linn. (Compos.).

**PANISEA**, Lindl. Fol. Orch. Panis. i. (1854). **ORCHIDEAE**, Benth. & Hook. f. iii. 507.

**ANDROGYNE**, Griff. Notul. iii. 279 (1851).  
*apiculata*, Lindl. Fol. Orch. Panis. 2. — Burma.  
*bilamellata*, Reichb. f. in Walp. Ann. vi. 240. — Ins. Philipp.  
*parviflora*, Lindl. Fol. Orch. Panis. 1. — Reg. Himal.  
*reflexa*, Lindl. l. c. = *parviflora*.  
*uniflora*, Lindl. l. c. 2 = *Coelogyne uniflora*.

**PANISIA**, Rafin. Sylva Tellur. 128 (1838) = **Cassia**, Tourn. (Legumin.).  
*biflora*, Rafin. l. c. 129 = *C. biflora*.

**PANKE**, Molina, Sagg. Chile, 143 (1782) = **Gunnera**, Linn. (Halorag.).  
*acaulis*, Molina, l. c. 145 = *G. chilensis*.  
*caulescens*, J. F. Gmel. Syst. 652 = *G. chilensis*?  
*sonchifolia*, Willd. Sp. Pl. ii. 487 = *Francia sonchifolia*.  
*tinctoria*, Molina, Sagg. Chile, 143 = *G. chilensis*.

**PANKEA**, Oerst. in Kjoeb. Vidensk. Meddel. (1857) 189, 192 = **Gunnera**, Linn. (Halorag.).  
*bracteata*, Oerst. l. c. 192 = *G. bracteata*.  
*chilensis*, Oerst. l. c. = *G. chilensis*.  
*insignis*, Oerst. l. c. = *G. insignis*.

**PANOPE**, Rafin. Fl. Tellur. ii. 103 (1836) = **Lippia**, Linn. (Verben.).  
*stechadifolia*, Rafin. l. c. = *L. stoechadifolia*.

**PANOPIA**, Noronha, ex Thou. Gen. Nov. Madag. 26 (1806) = **Macananga**, Thou. (Euphorb.).

**PANOPSIS**, Salisb. in Knight, Prot. 104 (1809).  
**PROTEACEAE**, Benth. & Hook. f. iii. 177.  
**ANDRIAPETALUM**, Pohl, Pl. Bras. Ic. i. 113 (1827).  
*hameliaefolia*, Knight, Prot. 104. — Guian.  
*hamelifolia*, Spreng. Syst. i. 483 = *praeac*.

**PANOXIS**, Rafin. Med. Fl. ii. 109 (1830) = **Veronica**, Tourn. (Scrophul.).  
*cataractae*, Rafin. l. c. = *V. cataractae*.  
*macrocarpa*, Rafin. l. c. = *V. macrocarpa*.  
*salicifolia*, Rafin. l. c. = *V. salicifolia*.

**PANPHALEA**, Lag. Amen. Nat. i. 34 (1811) = **Pamphalea**, DC. (Compos.).

**PANSTENUM**, Rafin. Fl. Tellur. ii. 20 (1836) = **Allium**, Tourn. (Liliac.).  
*monspessulanum*, Rafin. l. c. 21 = *A. nigrum*?

**PANSTREPIS**, Rafin. Fl. Tellur. iv. 41 (1836) = **Cory-anthes**, Hook. (Orchid.).  
*paradoxa*, Rafin. l. c. = *C. macrantha*.



PANTASACHME, Endl. Gen. 590 (1838) sphalm. = *Pentasachme*, Wall. (Asclep.).

**PANTATHERA**, Phil. in Bot. Zeit. xiv. (1856) 649. *GRAMINEAE*, Benth. & Hook. f. iii. 1200. *avenacea*, Hemsl. Bot. Voy. Challng. t. 61 = fernandeziana. *fernandeziana*, Phil. in Bot. Zeit. xiv. (1856) 649.—Ins. J. Fernand.

**PANTERPA**, Miers, in Proc. Roy. Hort. Soc. iii. (1863) 195 = *Bignonia*, Linn. *dichotoma*, Miers, l. c. 196 = *B. dichotoma*. *extensa*, Miers, l. c., nomen = *B. extensa*. *Leucopogon*, Miers, l. c. = *B. Leucopogon*. *mollissima*, Miers, l. c. = *B. mollissima*. *palpebrosa*, Miers, l. c., nomen.—Bras. *Prieuri*, Miers, l. c. = *B. Prieuri*. *prolixa*, Miers, l. c., nomen.—Bras. *puberula*, Miers, l. c. = *Cuspidaria puberula*. *trajecta*, Miers, l. c., nomen.—Bras. *varians*, Miers, l. c. = *B. varians*.

**PANTHOCARPA**, Rafin. Neogenyt. 2 (1825) = *Mimosa*? Linn. (Legumin.). *chionacantha*, Rafin. l. c. = *M. chionacantha*.

**PANTOCSEKIA**, Griseb. ex Pantoč. in Oestr. Bot. Zeitschr. xxiii. (1873) 267 = *Convolvulus*, Tourn. *illyrica*, Griseb. l. c.—Europ. austr.

**PANUREA**, Spruce, ex Benth. & Hook. f. Gen. i. 553 (1865). *LEGUMINOSAE*, Benth. & Hook. f. l. c. *longifolia*, Spruce, ex Benth. in Trans. Linn. Soc. xxv. (1865) 301.—Am. trop.

**PANZA**, Salisb. Gen. Pl. Fragm. 99 (1866) = *Narcissus*, Tourn. (Amaryll.). *bicolor*, Salisb. l. c. = *N. Macleayi*.

**PANZERA**, Willd. Sp. Pl. ii. 540 (1799) = *Eperua*, Aubl. (Legumin.). *falcata*, Willd. l. c. = *E. falcata*.

**PANZERIA**, J. F. Gmel. Syst. 247 (1791) = *Lycium*, Linn. (Solan.). *caroliniana*, J. F. Gmel. l. c. = *L. carolinianum*.

**PANZERIA**, Moench, Meth. 402 (1794) = *Leonurus*, Linn. (Labi.). *canescens*, Bunge, Del. Sem. Hort. Dorpat. (1839) 8 = *L. lanatus*. *lanata*, Bunge, l. c. (1836) 5 = *L. lanatus*. *multifida*, Moench, Meth. Suppl. 137 = *L. sibiricus*. *sibirica*, Hort. ex Steud. Nom. ed. II. ii. 265 = *L. sibiricus*. *tatarica*, Hort. ex Steud. l. c. = *L. tataricus*. *tomentosa*, Moench, Meth. 402 = *L. lanatus*. *tripartita*, Moench, l. c. = *L. tataricus*. *viridis*, Bunge, Del. Sem. Hort. Dorpat. (1839) 8.—Hab.?

**PAPAYER**, Tourn. ex Linn. Syst. ed. I (1735); Gen. ed. I. 150 (1737). *PAPAYERACEAE*, Benth. & Hook. f. i. 51.

*CALOMECON*, Spach, Hist. Vég. Phan. vii. 7. (1839). *CERASTITES*, S. F. Gray, Nat. Arr. Brit. Pl. ii. 703 (1821).

*CLOSTERANDRA*, Boiv. ex Béleng. Voy. Indes Or., tab. absque num. (1839).

*aculeatum*, Thunb. Prod. Pl. Cap. 92.—Afr. austr.; Austral.

*agrivagum*, Jord. Diagn. i. 96 = *P. Rhoas*. *album*, Mill. Gard. Dict. ed. VIII. n. 9 = somniferum. *album* & *nigrum*, Crantz, Stirp. Austr. ed. I. fasc. ii. 129; ed. II. 138 = somniferum.

*alpinum*, Linn. Sp. Pl. 507 = nudicaule. *alpinum*, Salisb. Prod. 377 = Meconopsis cambrica. *ambiguum*, Jord. & Fourr. Brev. Pl. Nov. fasc. i. 3 = dubium.

*amoenum*, Lindl. Bot. Reg. (1839) Misc. 56 = somniferum.

*amplexicaule*, Stokes, Bot. Mat. Med. iii. 181 = somniferum.

*angustulum*, Jord. & Fourr. Brev. Pl. Nov. fasc. i. 2 = dubium.

### PAPAYER:—

*apulum*, Tenore, Fl. Neap. App. v. 16.—Europ. austr.; Oriens.

*arenarium*, Bieb. Fl. Taur. Cauc. iii. 364.—Reg. Caucas. et Casp.

*Argemone*, Linn. Sp. Pl. 506.—Europ.; Afr. bor.

*argemonium*, St. Lag. in Ann. Soc. Bot. Lyon, vii. (1880) 131 = praec.

*argemonoides*, Cesati, in Bibl. Ital. xci. (1838) 346 = apulum.

*armeniaceum*, Lam. Encyc. i. 247 = caucasicum. *arvaticum*, Jord. Diagn. i. 95 = *P. Rhoas*.

*arvense*, Borkh. in Rhein. Mag. i. (1793) 439 = *P. Argemone*.

*arvense*, Salisb. Prod. 376 = *P. Rhoas*.

*atropurpureum*, Gilib. Fl. Lituan. ii. 214 = *P. Rhoas*.

*aurantiacum*, Loisel. in Desv. Journ. Bot. ii. (1809) 340 = nudicaule.

*Belangeri*, Boiss. Fl. Orient. i. 117.—Persia.

*bipinnatum*, C. A. Mey. Verz. Pfl. Cauc. 175.—Reg. Caucas.

*bracteatum*, Lindl. Coll. Bot. t. 23.—Reg. Caucas.; Persia.

*breviflorum*, Gilib. Fl. Lituan. ii. 214 = dubium.

*Burseri*, Crantz, Stirp. Austr. ed. I. fasc. ii. 129; ed. II. 138 = nudicaule.

*cambricum*, Linn. Sp. Pl. 508 = Meconopsis cambrica. *caucasicum*, Bieb. Fl. Taur. Cauc. ii. 5.—Reg. Caucas.

*caucasicum*, J. Henning, in Mém. Soc. Nat. Mosc. vi. (1823) 73 = arenarium.

*caudatifolium*, Timb. in Bull. Soc. Hist. Nat. Toul. iv. (1870) 163.—Gallia.

*cereale*, Jord. Diagn. i. 97 = *P. Rhoas*.

*chelidoniaefolium*, Boiss. & Buhse, in Nouv. Mém. Soc. Nat. Mosc. xii. (1860) 11.—Persia.

*clavatum*, Boiss. & Haussk. ex Boiss. Fl. Orient. i. 112.—Syria.

*clavatum*, Gilib. Fl. Lituan. ii. 215 = *P. Argemone*.

*clavigerum*, Lam. Fl. Fr. iii. 175 = *P. Argemone*.

*collinum*, Bogenh. ex Bisch. Del. Sem. Hort. Heidelb. (1849) 4 = dubium.

*commutatum*, Fisch. Mey. & Trautv. Ind. Sem. Hort. Petrop. iv. 41 = *P. Rhoas*.

*confine*, Jord. Diagn. i. 89 = dubium.

*corniculatum*, Pall. Reise, iii. 591 = Glaucium corniculatum.

*cornigerum*, Stocks, in Hook. Kew Journ. iv. (1852) 142 = pavoninum.

*corsicum*, Jord. & Fourr. Brev. Pl. Nov. fasc. i. 4 = dubium.

*corsicum*, Thouin, ex Schrank, in Syll. Ratisb. i. (1824) 219.—Corsica.

*croceum*, Ledeb. Fl. Alt. ii. 271 = nudicaule.

*cruciatum*, Jord. Diagn. i. 97 = *P. Rhoas*.

*davuricum*, Fisch. ex Schrank, in Syll. Ratisb. i. (1829) 219.—Dahuria.

*Decaisnei*, Hochst. & Steud. ex Elkan, Tent. Monog. Papav. 26.—Arab.; Persia; Afghan.

*depressum*, Jord. & Fourr. Brev. Pl. Nov. fasc. i. 4 = dubium.

*dodecandrum*, Medic. Beobacht. (1783) 307.—Hab.?

*Dodonei*, Timb. in Bull. Soc. Hist. Nat. Toul. iv. (1870) 161 = *P. Rhoas*.

*dubium*, Linn. Sp. Pl. 1196.—Europ.

*dubium*, Tenore, Fl. Nap. iv. 306 = pinnatifidum.

*erosulum*, Jord. Diagn. i. 88 = laevigatum.

*errabundum*, Jord. l. c. 93 = dubium.

*erraticum*, S. F. Gray, Nat. Arr. Brit. Pl. ii. 705; Jord. l. c. 96 = *P. Rhoas*.

*erroneum*, Jord. l. c. 91 = dubium.

*flavum*, Moench, Meth. 247 = Meconopsis cambrica.

*floribundum*, Desf. in Ann. Mus. Par. vi. (1805) 376 = caucasicum.

*frenatum*, Steud. Nom. ed. II. ii. 266, sphalm. = seq. frentanum, Tenore, Relas. Viag. Abruss. 124.—Italia.

*Fuchsii*, Timb. in Bull. Soc. Hist. Nat. Toulouse, vi. (1870) 162 (*Fuschii*) = *P. Rhoas*.

*fugax*, Poir. Encyc. v. 118 = caucasicum.

*gariepinum*, Burch. ex DC. Syst. ii. 79; et in Burch. Trav. i. 318 = aculeatum.

*glabellum*, Stev. ex DC. l. c. 78 = laevigatum.

*glabrum*, Gilib. Fl. Lituan. 213; Exercit. Bot. i. 337 = somniferum.

*glabrum*, Royle, Illustr. Bot. Himal. 67 = dubium.

*glaucoides*, Roux, in Bull. Soc. Bot. et Hort. Prov. i. (1879) 83.—Gallia.

*glaucum*, Boiss. & Hausskn. ex Boiss. Fl. Orient. i. 116.—Syria.

### PAPAYER:—

*gracile*, Auch. ex Boiss. in Ann. Sc. Nat. Sér. II. xvi. (1841) 372.—As. Min.

*grandiflorum*, Moench, Meth. 247 = orientale.

*Heldreichii*, Boiss. Fl. Orient. i. 108.—As. Min.

*hispidum*, Desf. ex Elkan, Tent. Monog. Papav. 22 = caucasicum.

*hispidum*, Lam. Fl. Fr. iii. 174 = hybridum.

*Hookeri*, Baker, ex Hook. f. Bot. Mag. t. 6729.—Hab.?

*horridum*, DC. Syst. ii. 79 = aculeatum.

*hortense*, Hussen, Chard. Nanc. Fl. 39 = somniferum.

*hybridum*, Linn. Sp. Pl. 506.—Europ.; Syria; Afr. bor.

*hybridum*, Spenn. Fl. Friburg. iii. 979 = *P. Argemone*.

*hyoscyamifolium*, Boiss. & Haussk. ex Boiss. Fl. Orient. i. 110.—Syria.

*improperum*, Jord. & Fourr. Brev. Pl. Nov. fasc. i. 3 = dubium.

*indehiscens*, Dum. Fl. Belg. Prod. 130 = somniferum.

*inornatum*, Schott & Kotschy, ex Schott, in Oestr. Bot. Wochenbl. iv. (1854) 233 = polytrichum.

*insignitum*, Jord. Diagn. i. 94 = *P. Rhoas*.

*integrifolium*, Viquier, Hist. Nat. Pavots, 38.—Hispan.

*intermedium*, Becker, Fl. Frankf. i. 386 = *P. Rhoas*.

*intermedium*, DC. 7me Not. Pl. Rar. Jard. Genève. 37 = bracteatum.

*laevigatum*, Bieb. Fl. Taur. Cauc. iii. 364.—Graecia; Oriens.

*Lamottei*, Bor. Fl. Centr. Fr. ed. III. ii. 30 = dubium.

*lateritium*, C. Koch, Ind. Sem. Hort. Berol. (1854) 14.—Armenia.

*Lecoqii*, Lamotte, Not. Pap. Dub. in Ann. Auvergne, (1851) 429 = dubium.

*leiocarpum*, Turcz. in Bull. Soc. Nat. Mosc. xi. (1838) i. 86 = nudicaule.

*libanoticum*, Boiss. in Ann. Sc. Nat. Sér. II. xvi. (1841) 373.—Syria.

*luteo-rubrum*, Jord. Diagn. i. 92 = dubium.

*luteum*, Lam. Fl. Fr. iii. 173 = Meconopsis cambrica.

*macrostomum*, Boiss. & Huet, Diagn. Ser. II. v. 15.—As. Min.; Persia.

*maculosum*, Schur, Enum. Pl. Transs. 36 = dubium.

*maritimum*, With. Arr. Brit. Pl. ed. III. 486 = *P. Argemone*.

*micranthum*, Bor. Fl. Centr. Fr. ed. III. ii. 29 = *P. Argemone*.

*microcarpum*, DC. Syst. ii. 71 = nudicaule.

*miniaturum*, Reichb. Fl. Crit. viii. 19 = nudicaule.

*mixtum*, Jord. Diagn. i. 91, in obs.; Ic. t. 66 = dubium.

*modestum*, Jord. Pugill. Pl. Nov. 4 = laevigatum.

*monanthum*, Trautv. in Bull. Acad. Pétersb. x. (1866) 393.—Reg. Caucas.

*multiflorum*, Burm. f. Fl. Cap. Prod. 15 = aculeatum?

*nothum*, Stev. ex Nym. Consp. 24 = laevigatum.

*nudicaule*, Linn. Sp. Pl. 507.—Reg. alp. et arct.

*nudum*, Burm. f. Fl. Cap. Prod. 15 = aculeatum?

*obtusifolium*, Desf. Fl. Atlant. i. 407.—Alger.

*officinale*, C. C. Gmel. Fl. Bad. ii. 479 = somniferum.

*oligophyllum*, Béleng. Voy. Indes Or., tab. absque num. = tenuifolium.

*olympicum*, Sibth. Fl. Graec. v. 75 = pilosum.

*opiiferum*, Forsk. Fl. Aegypt. Arab. p. cxiii. n. 336 = somniferum.

*oreophilum*, Rupr. Fl. Cauc. 51.—Reg. Caucas.

*orientale*, Bieb. Fl. Taur. Cauc. ii. 5; iii. 365 = bracteatum.

*orientale*, Linn. Sp. Pl. 508.—As. Min.; Persia.

*paniculatum*, D. Don, Prod. Fl. Nep. 197 = Meconopsis napalensis.

*parviflorum*, Lam. Fl. Fr. iii. 173 = dubium.

*pavoninum*, Boiss. & Buhse, in Nouv. Mém. Soc. Nat. Mosc. xii. (1860) 10 = apulum.

*pavoninum*, Mey. in Fisch. Mey. & Avc-Lall. Ind. Sem. Hort. Petrop. ix. 82.—Afghan.; Turkestan.

*persicum*, Dijon, ex Elkan, Tent. Monog. Papav. 21 = caucasicum.

*persicum*, Lindl. Bot. Reg. t. 1570.—Persia.

*pilosum*, Sibth. & Sm. Prod. i. 360; Fl. Graec. v. 75. t. 492.—Bithynia.

*pinnatifidum*, Moris, Fl. Sard. i. 74.—Ital.; Sardinia.

*polycephalum*, Hort. ex Vilm. Fl. Pl. Terre, ed. i. 594 = somniferum.

*polychaetum*, Schott & Kotschy, ex Boiss. Fl. Orient. i. 111.—As. Min.

*polytrichum*, Boiss. & Kotschy, Diagn. Ser. II. i. 11.—As. Min.; Syria.



**PAPAVER** :—

- pulcherrimum*, Fisch. ex Steud. Nom. ed. II. ii. 266 = bracteatum.  
*pyrenaicum*, Willd. Enum. Hort. Berol. 563 = nudicaule.  
*radicatum*, Rottb. ex DC. Prod. i. 118 = nudicaule.  
*ramosissima*, Hort. Prag. ex Elkan, Tent. Monog. Papav. 21 = caucasicum.  
*ravipilum*, Jord. & Fourr. Brev. Pl. Nov. fasc. i. 3 = dubium.  
*Rhoeas*, Linn. *Sp. Pl.* 507.—Europ.; Oriens; Afr. bor.  
*Rhoeas*, Pall. Reise, iii. 546 = arenarium.  
*Roubiaei*, Viquier, Hist. Nat. Pavots, 39 = P. *Rhoeas*.  
*rubro-aurantiacum*, Fisch. ex Steud. Nom. ed. II. ii. 266 = nudicaule.  
*rupifragum*, Boiss. & Reut. *Pugill. Pl. Nov.* (1852) 6. Hispan.; Maroc.  
*rusticum*, Jord. Diagn. i. 99 = P. *Rhoeas*.  
*segetale*, Jord. l. c. 93 = P. *Rhoeas*.  
*segetale*, Schimp. & Spenn. in Spenn. *Fl. Friburg.* iii. 979 = P. *Rhoeas*, dubium.  
*setigerum*, DC. *Fl. Fr. Suppl.* 585 = somniferum.  
*siculum*, Guss. *Fl. Sic. Syn.* ii. 6 = hybridum.  
*simplicifolium*, D. Don, Prod. *Fl. Nep.* 197 = *Mec-nopsis simplicifolia*.  
*somniferum*, Linn. *Sp. Pl.* 508.—Graecia; Oriens.  
*spectabile*, Link, ex Elkan, Tent. Monog. Papav. 22 = caucasicum.  
*spectabile*, Salisb. Prod. 377 = orientale.  
*spicatum*, Boiss. & Bal. *Diagn. Ser. II.* v. 14.—As. Min.  
*strictum*, Boiss. & Bal. l. c. vi. 8.—Phrygia.  
*strigosum*, Schur, in Verh. Naturf. Ver. Bruenn, xv. II. (1877) 66 = P. *Rhoeas*.  
*stylatum*, Boiss. & Bal. *Diagn. Ser. II.* v. 13.—Cilicia.  
*suaveolens*, Lapeyr. Hist. Abr. Pl. Pyr. Suppl. 72 = nudicaule.  
*sylvestre*, Godr. in Mém. Soc. Emul. Doubs, Sér. II. v. (1854) 23 (Quid?).—Gallia.  
*syriacum*, Boiss. & Blanche, *Diagn. Ser. II.* vi. 8 = P. *Rhoeas*.  
*tauricum*, Boiss. *Fl. Orient.* i. 109.—As. Min.  
*tauricum*, Hort. Kiel. ex Elkan, Tent. Monog. Papav. 21 = caucasicum.  
*tenue*, Ball, in *Journ. Bot.* xi. (1873) 296.—Marocc.  
*tenuifolium*, Boiss. & Hohen. *Diagn. Ser. I.* viii. 10.—Persia.  
*trilobum*, Wallr. Ann. Bot. 149 = P. *Rhoeas*.  
*triniaefolium*, Boiss. *Fl. Orient.* i. 110.—Cappadoc.  
*turbatum*, DC. *Syst.* ii. 84.—Assyria.  
*turbatum*, Fresen. in Mus. Senkenb. i. (1834) 173 = *Decaisnei*.  
*umbonatum*, Boiss. *Diagn. Ser. I.* viii. 11.—Syria.  
*umbrosum*, Hort.—Cf. Gard. Chron. (1876) II. 16 = P. *Rhoeas*.  
*uniflorum*, Balb. ex Spenn. *Fl. Friburg.* iii. 980 = P. *Rhoeas*, dubium.  
*vagum*, Jord. Diagn. i. 90 = dubium.  
*villosum*, C. Koch, in Linnaea, xix. (1847) 49 = pilosum.  
*virgatum*, Sm. in Rees, Cycl. xxvi. n. 9 = caucasicum.

**PAPAYA**, Tourn. ex Linn. *Syst. ed. I* (1735) = **Carica**, Linn. (Passifl.).  
*Carica*, Gaertn. *Fruct.* ii. t. 122 = C. *Papaya*.  
*cauliflora*, Poir. *Encyc. Suppl.* iv. 296 = C. *cauliflora*.  
*citriiformis*, A. DC. in DC. *Prod.* xv. i. 414 = C. *citriiformis*.  
*communis*, Noronha, in Verh. Batav. Gen. v. (1790) ed. I. Art. iv. 23 = C. *Papaya*.  
*cucumerina*, Noronha, l. c. = C. *Papaya*.  
*edulis*, Boj. Hort. Maurit. 277.—Hab.?  
*microcarpa*, Poir. *Encyc. Suppl.* iv. 296 = C. *microcarpa*.  
*monoica*, Poir. l. c. 297 = C. *monoica*.  
*nana*, A. DC. in DC. *Prod.* xv. i. 415 = C. *nana*.  
*Posoposa*, DC. in Poir. *Encyc.* v. 3 = C. *Posoposa*.  
*quercifolia*, Baill. Hist. Pl. iv. 235 (= *Vasconcellia quercifolia*).—Am. trop.  
*sativa*, Tuss. *Fl. Antill.* iii. 45 = C. *Papaya*.  
*spinosa*, DC. Poir. *Encyc.* v. 3 = C. *spinosa*.  
*vulgaris*, DC. l. c. v. 2 = C. *Papaya*.

**PAPEDA**, Hassk. in *Flora*, xxv. (1842) II. Beibl. 42; et Cat. Hort. Bog. Alt. 216 (1844) = **Citrus**, Linn. (Rutac.).  
*Rumphii*, Hassk. II. cc. = C. *Hystrix*.

**PAPHIA**, Seem. in *Journ. Bot.* ii. (1864) 77 = **Agapetes**, G. Don (Vaccin.).  
*vitiensis*, Seem. l. c.—Ins. Fiji.

**PAPHINIA**, Lindl. Bot. Reg. (1843) Misc. 14 = **Lycaste**, Lindl. (Orchid.).  
*cristata*, Lindl. l. c. = L. *cristata*.  
*grandiflora*, Rodrig. Orch. Nov. i. 124.—Bras.  
*grandis*, Reichb. f. ex Warn. Orch. Alb. iv. t. 145 = *grandiflora*.  
*nutans*, Houlet, in Rev. Hort. (1878) 188 = *grandiflora*?  
*rugosa*, Reichb. f. in Linnaea, xli. (1877) 110.—N. Granat.

**PAPILLARIA**, Dulac, *Fl. Hautes-Pyr.* 45 (1867) = **Scheuchzeria**, Linn. (Naiad.).  
*palustris*, Dulac, l. c. = S. *palustris*.

**PAPIRIA**, Thunb. in Phys. Sällsk. Handl. Lund, i. (1776) 110 = **Gethyllis**, Plum. (Amaryll.).  
*ciliaris*, Thunb. l. c. 111 = G. *ciliaris*.  
*lanceolata*, Thunb. l. c. 112 = *Apodolirion lanceolatum*.  
*spiralis*, Thunb. l. c. 111 = G. *spiralis*.  
*villosa*, Thunb. l. c. = G. *villosa*.

**PAPPEA**, Eckl. & Zeyh. Enum. 53 (1835). **SAPIN-DACEAE**, Benth. & Hook. f. i. 407.  
*capensis*, Eckl. & Zeyh. l. c.—Afr. austr.

**PAPPEA**, Sond. & Harv. *Fl. Cap.* ii. 562 (1862) = **Choritaenia**, Benth. (Umbell.).  
*capensis*, Sond. & Harv. l. c.—Afr. austr.

**PAPPERITZIA**, Reichb. f. in Bot. Zeit. x. (1852) 670. **ORCHIDEAE**.  
*Leiboldi*, Reichb. f. l. c.—Mexic.

**PAPPOCHROMA**, Rafin. *Fl. Tellur.* ii. 48 (1836) = **Erigeron**, Linn. (Compos.).  
*uniflora*, Rafin. l. c. = E. *Pappochroma*.

**PAPPOPHORUM**, Schreb. Gen. ii. 787 (1791). **GRAMINEAE**, Benth. & Hook. f. iii. 1174.  
*ENNEAPOGON*, Desv. ex Beauv. *Agrost.* 81 (1812); et *Journ. Bot.* iii. (1814) 70.  
*EURAPHIS*, Trin. ex Lindl. *Veg. Kingd.* 115 (1847).  
*POLYRHAPHIS*, Lindl. l. c. (1847).  
*abyssinicum*, Hochst. in *Flora*, xxxviii. (1855) 202.—Abyss.  
*alopecuroideum*, Vahl, *Symb. Bot.* iii. 10. t. 51.—Am. austr.  
*apertum*, Munro, ex Scribner, in *Bull. Torrey Bot. Club*, ix. (1882) 148.—N. Mexic.  
*arabicum*, Hochst. ex Steud. *Syn. Pl. Gram.* 199 = brachystachyum.  
*Aucheri*, Jaub. & Spach, *Illustr.* iv. 32 = persicum.  
*avenaceum*, Lindl. in *Mitch. Journ. Trop. Austral.* 320.—Austral.  
*bicolor*, Fourn. ex Hemsl. *Biol. Centr. Am. Bot.* iii. 568.—Mexic.  
*boreale*, Griseb. in *Ledeb. Fl. Ross.* iv. 404.—Sibir. baical.  
*brachystachyum*, Jaub. & Spach, *Illustr.* iv. 34.—Afr. bor.; Arab.  
*bulbosum*, Fig. & De Not. in Mem. Acc. Torin. Ser. II. xii. (1852) 254 = brachystachyum.  
*caerulescens*, Gaudich. in Freyc. *Voy. Bot.* 409 = nigricans.  
*cenchroides*, Licht. in Roem. & Schult. *Syst.* ii. 616.—Afr. austr.  
*commune*, F. Muell. *Fragm.* viii. 200 = nigricans.  
*elegans*, Nees, ex Steud. *Syn. Pl. Gram.* 199.—Ind. or.  
*elongatum*, Spreng. *Syst.* iv. Cur. Post. 34 = alopecuroideum.  
*eutrianoidea*, Trin. ex Nees, *Agrost. Bras.* 414 = *Bouteloua multisetata*.  
*Figarianum*, Fig. & De Not. in Mem. Acc. Torin. Ser. II. xii. (1852) 254 = brachystachyum.  
*flavesces*, Lindl. in *Mitch. Journ. Trop. Austral.* 34 = nigricans.  
*glandulosum*, Berg. ex Nees, *Fl. Afr. Austr.* 298 = *Danthonia Buekeana*.  
*glumosum*, Hochst. in *Flora*, xxxviii. (1855) 202.—Afr. trop.  
*gracile*, R. Br. Prod. 185 = nigricans.

**PAPPOPHORUM** :—

- faminianum*, Coss. & Dur. ex Boiss. *Fl. Orient.* v. 558 = brachystachyum.  
*laguroideum*, Schrad. in *Schult. Mant.* ii. 342 = alopecuroideum.  
*macrostachyum*, Schrad. l. c. = alopecuroideum.  
*megapotamicum*, Spreng. *Syst.* iv. Cur. Post. 34 = alopecuroideum.  
*mexicanum*, Griseb. ex Hemsl. *Biol. Centr. Am. Bot.* iii. 568.—Mexic.  
*molle*, Kunth, *Enum. Pl.* i. 255.—Afr. austr.  
*mucronulatum*, Nees, in Mart. *Fl. Bras.* ii. 412.—Bras.  
*nanum*, Steud. ex J. A. Schmidt, *Beitr. Fl. Cap. Verd.* Ins. 144; *Syn. Pl. Gram.* 200 = *Vincen-tianum*.  
*nigricans*, R. Br. Prod. 185.—Austral.; N. Guin.  
*pallidum*, R. Br. l. c. = nigricans.  
*persicum*, Steud. *Syn. Pl. Gram.* 200.—Persia; Afghan.; Turkest.  
*phleoides*, [Lag.] Hort. Matr. ex Roem. & Schult. *Syst.* ii. 616.—Arabia.  
*phleoides*, Turcz. in *Bull. Soc. Nat. Mosc.* xxix. (1856) i. 30 = boreale.  
*polystachyum*, Kunth, *Rév. Gram.* ii. t. 131 = alopecuroideum.  
*Pumilio*, Trin. in Mém. Acad. Pétersb. Sér. VI. i. (1831) 92 = Boissiera bromoides.  
*pungens*, Trin. l. c. = *Triraphis pungens*.  
*purpurascens*, R. Br. Prod. 185 = nigricans.  
*saccharoides*, Griseb. in Goett. *Abh.* xxiv. (1879) 301.—Paraguay.  
*scabrum*, Kunth, *Enum. Pl.* i. 255.—Afr. austr.  
*Schimperianum*, Hochst. in *Flora*, xxiv. (1841) i. *Intell.* 19, nomen; et ex A. Rich. *Tent. Fl. Abyss.* ii. 403.—Abyss.  
*senegalense*, Steud. *Syn. Pl. Gram.* 199.—Afr. trop.  
*sinaicum*, Trin. in Mém. Acad. Pétersb. Sér. VI. iv. II. (1838) 54 = Boissiera bromoides.  
*squarrosus*, [Soland. in] Russ. Aleppo, ed. II. ii. 244 = Boissiera bromoides.  
*turcomanicum*, Trautv. in *Act. Hort. Petrop.* i. (1871) 27.—Turkestan.  
*vaginatum*, Phil. *Sert. Mendoc. Alt.* 48.—Chili.  
*Vincetianum*, J. A. Schmidt, *Beitr. Fl. Cap. Verd.* Ins. 144.—Ins. Cap. Virid.  
*virens*, Lindl. in *Mitch. Journ. Trop. Austral.* 360 = nigricans.  
*Wrightii*, S. Wats. in *Proc. Am. Acad.* xviii. (1882-83) 178.—Mexic.

**PAPULARIA**, Forsk. *Fl. Aegypt. Arab.* 69 (1775) = **Trianthema**, Linn. (Ficoid.).  
*crystallina*, Forsk. l. c. = T. *crystallina*.

**PAPYRIUS**, Lam. *Illustr. t.* 762 (1798) = **Broussonetia**, Vent. (Urtic.).  
*japonica*, Lam. *Encyc.* v. 3 = B. *papyrifera*.  
*polimorphus*, Cav. Desc. 343 = B. *papyrifera*.

**PAPYRUS**, Willd. in *Abh. Acad. Berl.* (1812-13) 70 = **Cyperus**, Mich.  
*aequalis*, Boj. Hort. Maurit. 381 = C. *aequalis*.  
*antiquorum*, Willd. in *Abh. Acad. Berl.* (1812) 70 = C. *Papyrus*.  
*comosus*, Willd. l. c. 74 = C. *comosus*.  
*corymbosus*, Nees, in Wight, *Contrib.* 89 = C. *tegetum*.  
*dehiscens*, Nees, in Wight, l. c. = C. *tegetum*.  
*domesticus*, Poir. in *Dict. Sc. Nat.* xxxvii. 447 = C. *Papyrus*.  
*elatus*, Nees, in Wight, *Contrib.* 88 = C. *auri-comosus*.  
*elegans*, G. Don, ex Loud. Hort. Brit. 22 = C. *elegans*.  
*elegans*, Schrad. ex Nees, in Mart. *Fl. Bras.* ii. i. 59 = C. *comosus*.  
*giganteus*, Schrad. ex Nees, l. c. 58 = C. *giganteus*.  
*junciformis*, Schrad. ex Nees, l. c. 57. t. 3 = C. *spici-gerus*.  
*latifolius*, Willd. in *Abh. Acad. Berl.* (1812) 74 = C. *platyphyllus*.  
*laxiflorus*, Spreng. *Syst.* i. 232 = C. *aequalis*.  
*madagascariensis*, Willd. in *Abh. Acad. Berl.* (1812) 72 = C. *madagascariensis*.  
*mossambicensis*, Parl. in Peters, *Reise Mossamb. Bot.* 582 (Index), t. 59 = C. *Papyrus*.  
*odoratus*, Willd. ex Nees, in Mart. *Fl. Bras.* ii. i. 58 = C. *giganteus*.  
*Pangorei*, Nees, in Wight, *Contrib.* 88 = C. *corymbosus*.



**PAPYRUS:—**

- Pohlii*, Nees, in Mart. Fl. Bras. ii. 1. 59 (Marisci sp.).—Bras.  
*radiatus*, Schrad. ex Nees, l. c. 57 = *C. comosus*.  
*siculus*, Parl. in Hook. Kew Journ. iii. (1851) 189 = *C. Papyrus*.  
*spectabilis*, Schrad. ex Nees, in Mart. Fl. Bras. ii. 1. 58 = *C. giganteus*.  
*tuberiferus*, Schrad. Ind. Sem. Hort. Gotting. (1835).—Cf. Steud. Nom. ed. II. ii. 266 = *C. digitatus*.  
*venustus*, Nees, in Linnaea, x. (1836) 138 = *C. exaltatus*.

- PAQUERINA**, Cass. in Dict. Sc. Nat. xxxvii. 492 (1825) = **Brachycome**, Cass. (Compos.).  
*graminea*, Cass. l. c. 464 = *B. graminea*.

- PARABAENA**, Miers, in Ann. & Mag. Nat. Hist. Ser. II. vii. (1851) 39. **MENISPERMACEAE**, Benth. & Hook. f. i. 34.  
*ferruginea*, Miers, l. c. = sagittata.  
*heterophylla*, Miers, l. c. = sagittata.  
*oleracea*, Miers, l. c. = sagittata.  
*sagittata*, Miers, l. c.—Reg. Himal.; Burma.  
*tuberculata*, Becc. Malesia, i. (1877) 137.—Malaya; N. Guin.

- PARABESLERIA**, Oerst. in Vidensk. Selsk. Skr. V. v. (1861) 126 (Gesner. Centr. Am. 52. t. 6) = **Besleria**, Linn. (Gesnerac.).  
*costaricensis*, Oerst. l. c. 127 = *B. costaricensis*.  
*triflora*, Oerst. l. c. = *B. triflora*.

- PARABOTRYS**, C. Muell. in Walp. Ann. vii. 59 (1868) sphalm. = **PARATABOTRYS**, Miq. = **Xylopi**, Linn. (Anonac.).

- PARACARYUM**, Boiss. Diagn. Ser. I. xi. (1849) 128. **BORAGINEAE**, Benth. & Hook. f. ii. 849.  
*anchusoides*, Benth. & Hook. f. Gen. ii. 850 = *helio-*  
*carpum*.  
*ancyritanum*, Boiss. Fl. Orient. iv. 260.—Anatolia.  
*angustifolium*, Boiss. Diagn. Ser. I. xi. 131.—Graecia; As. Min.  
*asperum*, Stocks, in Hook. Kew Journ. iv. (1852) 175.—Afghan.  
*Aucherii*, Boiss. Diagn. Ser. I. xi. 131.—Caria.  
*azureum*, Boiss. & Heldr. Diagn. Ser. I. xi. 131 = *angustifolium*.  
*caelestinum*, Benth. & Hook. f. Gen. ii. 850.—Ind. or.  
*calathicarpum*, Boiss. Fl. Orient. iv. 254.—Beluchist.  
*calycinum*, Boiss. & Bal. Diagn. Ser. II. vi. 125.—Cappadoc.  
*cappadocium*, Boiss. & Bal. l. c. 124.—Cappadoc.  
*Capusii*, Franch. in Ann. Sc. Nat. Sér. VI. xviii. (1884) 218.—Turkest.  
*cariense*, Boiss. Diagn. Ser. I. xi. 130 = *myosotoides*.  
*corymbiforme*, Boiss. l. c. 131.—As. Min.  
*corymbiforme*, Tchihat. Asie Min. Bot. ii. 115. t. 21 = *angustifolium*.  
*cristatum*, Boiss. Diagn. Ser. I. xi. 131.—Armenia.  
*denticulatum*, Boiss. l. c. Ser. II. iii. 140 = *cristatum*.  
*erigerifolium*, Schott, ex Kotschy, in Boiss. l. c. = *angustifolium*.  
*erysimifolium*, Boiss. Fl. Orient. iv. 259.—Armenia.  
*glastifolium*, Boiss. Diagn. Ser. I. xi. 131.—Armenia.  
*glochidiatum*, Benth. & Hook. f. Gen. ii. 850.—Reg. Himal.  
*heliocarpum*, Kern. in Ber. Naturw. Ver. Innsbruck, i. (1870) 105.—Reg. Himal.  
*himalayense*, C. B. Clarke, in Hook. f. Fl. Brit. Ind. iv. 162.—Reg. Himal.  
*hirsutum*, Boiss. Diagn. Ser. I. xi. 130.—As. Min.  
*incanum*, Boiss. Fl. Orient. iv. 262.—Reg. Caucas.  
*Lambertianum*, C. B. Clarke, in Hook. f. Fl. Brit. Ind. iv. 161.—Ind. or.  
*lamprocarpum*, Boiss. Diagn. Ser. I. xi. 131.—Syria.  
*laxiflorum*, Trautv. in Act. Hort. Petrop. iii. ii. (1875) 274.—Armenia.  
*leptophyllum*, Boiss. Diagn. Ser. I. xi. 131.—Armenia.  
*longiflorum*, Boiss. l. c. 132 = *Lindelia spectabilis*.  
*longipes*, Boiss. l. c. Ser. II. vi. 126.—Cappadoc.  
*malabaricum*, C. B. Clarke, in Hook. f. Fl. Brit. Ind. iv. 160.—Ind. or.  
*micanthum*, Boiss. Diagn. Ser. I. xi. 129.—Aegypt.; Persia; Turkest.  
*microcarpum*, Boiss. l. c. II. iii. 139.—Reg. Himal.; Afghan.

**PARACARYUM:—**

- modestum*, Boiss. & Haussk. ex Boiss. Pl. Or. Nov. Dec. ii. 5.—Persia.  
*myosotoides*, Boiss. Diagn. Ser. I. xi. 130.—Graec.; As. Min.; Syria.  
*obtusifolium*, Boiss. & Huet, in Tchihat. Asie Min. Bot. ii. 115, nomen.—As. Min.  
*persicum*, Boiss. Diagn. Ser. I. xi. 129 = *rugulosum*.  
*ponticum*, Boiss. Pl. Or. Nov. Dec. ii. 9.—As. Min.  
*Reuteri*, Boiss. & Haussk. ex Boiss. l. c. 6.—Cataonia.  
*rubriflorum*, Stocks, in Hook. Kew Journ. iv. (1852) 175 = *rugulosum*.  
*rugulosum*, Boiss. Diagn. Ser. I. xi. 129.—Persia; Afghan.  
*salsum*, Boiss. Fl. Orient. iv. 255.—Persia.  
*stenolophum*, Boiss. Diagn. Ser. II. vi. 124.—Cappadoc.  
*strictum*, Boiss. Fl. Orient. iv. 256 = *hirsutum*.  
*Thomsoni*, C. B. Clarke, in Hook. f. Fl. Brit. Ind. iv. 161.—Reg. Himal.  
*tibeticum*, C. B. Clarke, l. c. 162.—Reg. Himal.  
*undulatum*, Boiss. Diagn. Ser. I. xi. 129.—Persia.

- PARACELASTRUS**, Miq. Fl. Ind. Bat. i. II. (1859) 590 = **Microtropis**, Wall. (Celastr.).  
*bivalvis*, Miq. l. c. = *M. bivalvis*.

- PARACELSEA**, Zoll. & Mor. in Nat. en Geneesk. Arch. Neêrl. Indie, ii. (1845) 18 = **Exacum**, Linn. (Gentian.).  
*amoena*, Zoll. & Mor. l. c.—Java.  
*fruticosa*, Zoll. in Tijdschr. Nederl. Ind. xiv. (1857) 172.—Ins. Sunda.

- PARACELSIA**, Hassk. in Flora, xxx. (1847) 664 = *praec.*

- PARACELSIA**, Mart. ex Tul. in Mart. Fl. Bras. iv. 1. 314, 316 (1857) = **Mollinedia**, Ruiz & Pav. (Monim.).  
*arguta*, Mart. l. c. 314 = *M. brasiliensis*.  
*obovata*, Mart. l. c. 316 = *M. cinerea*.

- PARACEPHAËLIS**, Baill. Adansonia, xii. (1879) 316. **RUBIACEAE**.  
*tiliacea*, Baill. l. c.—Madag.

- PARACROTON**, Miq. Fl. Ind. Bat. i. II. 382 (1859). **EUPHORBIACEAE**, Benth. & Hook. f. iii. 299.  
*pendulus*, Miq. l. c.—Java.

- PARACTAENIUM**, Benth. & Hook. f. Gen. iii. 1102 (1883), sphalm. = *seq.*

- PARACTAENUM**, Beauv. Agrost. 47. t. 10 (1812) = **Panicum**, Linn. (Gramin.).  
*Novae-Hollandiae*, Beauv. l. c. = *Panic. gracile*.

- PARADENOCLINE**, Muell. Arg. in DC. Prod. xv. II. 1141 (1866) = **Adenocline**, Turcz. (Euphorb.).  
*procumbens*, Muell. Arg. l. c.—Afr. austr.

- PARADIGMA**, Miers, in Trans. Linn. Soc. Ser. II. i. (1875) 30. t. 8 = **Cordia**, Linn. (Borag.).  
*Galeottiana*, Miers, l. c. 31 = *C. Galeottiana*.

- PARADISANTHUS**, Reichb. f. in Bot. Zeit. x. (1852) 930. **ORCHIDEARUM** gen. dub.—Cf. Benth. & Hook. f. iii. 477.  
*bahiensis*, Reichb. f. l. c. 93.—Bras.  
*Moseni*, Reichb. f. in Gard. Chron. (1881) 1. 298.—Bras.  
*paranaënsis*, Rodrig. Orch. Nov. ii. 215.—Bras.  
*paulensis*, Rodrig. l. c.—Bras.

- PARADISEA**, Mazzuc. Viag. Alp. Giul. 27 (1814). **LILIACEAE**, Benth. & Hook. f. iii. 783.  
**ALLOBROGIA**, Tratt. Fl. Kaiserth. ii. 91. n. 184 (1820).  
*CZACKIA*, Andr. Diss. (1818).  
**HYPEROGYNE**, Salisb. Gen. Pl. Fragm. 81 (1866).  
**LILIASTRUM**, [Tourn.] Link. Handb. i. 173 (1829).  
**PLEISOLIRION**, Rafin. Fl. Tellur. ii. 28 (1836).  
*hemeroanthericoides*, Mazzuc. Viag. Alp. Giul. 27 = *P. Liliastrium*.  
*Liliastrium*, Bertol. Fl. Ital. iv. 133.—Europ.

- PARADRYMONIA**, Hanst. in Linnaea, xxvi. (1853–55) 207 = **Episcia**, Mart. (Gesnerac.).  
*glabra*, Hanst. l. c. = *E. glabra*.

- PARAGENIPA** Baill. in Bull. Soc. Linn. Par. ii. (1879) 207. **RUBIACEAE**.  
*cervorum*, Baill. l. c.—Afr. trop.

- PARAGNATHIS**, Spreng. Syst. iii. 695 (1826) = **Diplo-**  
**meris**, D. Don (Orchid.).  
*pulchella*, Spreng. l. c. = *D. pulchella*.

- PARAGONIA**, Bur. in Bull. Soc. Bot. Fr. xix. (1872) 17 = **Bignonia**, Linn.

- PARALEA**, Aubl. Pl. Gui. i. 576. t. 231 (1775) = **Diospyros**, Linn. (Ebenac.).  
*guianensis*, Aubl. l. c. = *D. Paralea*.

- PARALLOSA**, Alef. in Oestr. Bot. Zeitschr. ix. (1859) 359 = **Vicia**, Linn. (Legumin.).  
*dianthos*, Boiss. Fl. Orient. ii. 593, in syn. = *V. smyrnaea*.  
*monanthos*, Alef. in Oestr. Bot. Zeitschr. ix. (1859) 359 = *V. smyrnaea*.

- PARAMERIA**, Benth. in Benth. & Hook. f. Gen. ii. 715 (1876). **APOCYNACEAE**, Benth. & Hook. f. l. c.  
*glandulifera*, Benth. l. c.—Malaya; Cambodia.  
*glandulifera*, Vidal, Sin. Pl. Leñ. t. 47. f. D = *philip-*  
*pinensis*.  
*pedunculosa*, Benth. in Benth. & Hook. f. Gen. ii. 715.—Malaya.  
*philippinensis*, Radlk. in Sitzb. Math.-Phys. Akad. Muench. xiv. [1884] 518.—Ins. Philipp.  
*polynura*, Hook. f. Fl. Brit. Ind. iii. 660.—Malaya.  
*vulneraria*, Radlk. in Sitzb. Math.-Phys. Akad. Muench. xiv. [1884] 519.—Ins. Philipp.

- PARAMESUS**, Presl, Symb. Bot. i. 45 (1830) = **Tri-**  
**folium**, Tourn. (Legumin.).  
*laevigatus*, Fourr. in Ann. Soc. Linn. Lyon, N. S. xvi. (1868) 362 = *T. strictum*.  
*strictus*, Presl, Symb. Bot. i. 46 = *T. strictum*.

- PARAMIGNYA**, Wight, Illustr. i. 108. t. 42 (1838). **RUTACEAE**, Benth. & Hook. f. i. 305.  
**ARTHROMISCHUS**, Thw. Enum. Pl. Zeyl. 47 (1858).  
*angulata*, Kurz, in Journ. As. Soc. Beng. xlv. (1875) 11. 135 = *longispina*.  
*armata*, Oliver, in Journ. Linn. Soc. v. Suppl. ii. (1861) 43.—Zeylan.  
*Blumei*, Hassk. in Hoev. & De Vriese, Tijdschr. x. (1843) 137.—Java.  
*citrifolia*, Hook. f. Fl. Brit. Ind. i. 510.—Ind. or.  
*citrifolia*, Oliver, in Journ. Linn. Soc. v. Suppl. ii. (1861) 42 = *Griffithii*.  
*grandiflora*, Oliver, l. c.—Burma; Singapore.  
*Griffithii*, Hook. f. Fl. Brit. Ind. i. 510.—Reg. Himal.; Burma; Malaya.  
*littoralis*, Miq. Ann. Mus. Bot. Lugd. Bat. i. 211.—Java.  
*longispina*, Hook. f. Fl. Brit. Ind. i. 511.—Malacca.  
*micrantha*, Kurz, in Andam. Rep. App. B 4.—Cf. Journ. As. Soc. Beng. xlv. (1875) 11. 135 = *citrifolia*.  
*monophylla*, Wight, Illustr. i. 109. t. 42.—Ind. or.

- PARANEPHELIUM**, Miq. Fl. Ind. Bat. Suppl. 509 (1860). **SAPINDACEAE**, Benth. & Hook. f. l. c. 400.  
*MILDEA*, Miq. Ann. Mus. Bat. Lugd. Bat. iii. 88 (1867).  
*gibbosum*, Teijsm. & Binn. in Tijdschr. Nederl. Ind. xxix. (1866) 254.—Sumatra.  
*xestophyllum*, Miq. Fl. Ind. Bat. Suppl. 509.—Sumatra.

- PARANEPHELIUS**, Poepp. & Endl. Nov. Gen. et Sp. iii. 42. t. 248 (1842) = **Liabum**, Adans. (Compos.).  
*bullatus*, A. Gray, ex Wedd. Chlor. And. i. 214.—Peruv.  
*ovatifolius*, A. Gray, ex Wedd. l. c. = *L. ovatum*.  
*ovatus*, Wedd. l. c. = *L. ovatum*.  
*uniflorus*, Poepp. & Endl. Nov. Gen. et Sp. iii. 42. t. 248 = *L. uniflorum*.

- PARANOMUS**, Salisb. Parad. Lond. sub t. 66 (1807) = **Nivenia**, R. Br. (1810) (Proteac.).  
*abrotanifolius*, Knight, Prot. 68.—Afr. austr.  
*adiantifolius*, Knight, l. c. 70 = *N. spatulata*.  
*argenteus*, Knight, l. c. 68.—Afr. austr.



## PARANOMUS:—

*bracteolaris*, Knight, Prot. 68.—Afr. austr.  
*crithmifolius*, Knight, l. c. 69 = *Nivenia spicata*.  
*cumuliflorus*, Knight, l. c. 68.—N. *Lagopus*.  
*flabellifer*, Knight, l. c. 70.—Afr. austr.  
*longicaulis*, Knight, l. c.—Afr. austr.  
*sceptriformis*, Knight, l. c. 69 = *N. Sceptrum*.  
*sceptriformis*, Salisb. ex Spreng. Syst. i. 469 = *N. media*.

## PARAPANAX, Miq. Fl. Ind. Bat. Suppl. 338 (1860) =

**Trevesia**, Vis. (Araliac.).  
*littorale*, Miq. l. c. 339.—Sumatra.  
*sessile*, Miq. l. c.—Sumatra.

## PARAPETALIFERA, Wendl. Coll. Bot. i. 49 (1805) =

**Barosma**, Willd. (Rutac.).  
*odorata*, Wendl. l. c. 50. t. 15 = *B. crenata*.  
*serrata*, Wendl. l. c. 92. t. 34 = *B. serratifolia*.

PARAPODIUM, E. Mey. Comm. Pl. Afr. Austr. 221 (1837). *ASCLEPIADEAE*, Benth. & Hook. f. ii. 749.

*costatum*, E. Mey. l. c.—Afr. austr.

## PARAPOTTISIA, Miq. Fl. Ind. Bat. ii. 1080 (1856) =

**Pottisia**, Hook. & Arn. (Apocyn.).  
*Hookeriana*, Miq. l. c. = *P. cantoniensis*.  
*laxiflora*, Miq. l. c. = *P. cantoniensis*.

PARAPYROLA, Miq. Ann. Mus. Lugd. Bat. iii. 191 (1867) = **Epigaea**, Linn. (Ericac.).

*trichocarpa*, Miq. l. c. = *E. asiatica*.

PARARTABOTRYS, Miq. Fl. Ind. Bat. Suppl. 154 (1860) = **Xylopia**, Linn. (Anonac.).

*hexagynus*, Miq. Ann. Mus. Bot. Lugd. Bat. ii. 43.—Sumatra.  
*sumatranus*, Miq. Fl. Ind. Bat. Suppl. 154, 374 = *X. malayana*.

PARARTOCARPUS, Baill. Adansonia, xi. (1875) 294. *URTICACEAE*, Benth. & Hook. f. iii. 375.

*Beccariana*, Baill. l. c.—Borneo.

PARASHOREA, Kurz, in Journ. As. Soc. Beng. xxxix. (1870) ii. 65 = **Shorea**, Roxb. (Dipterocarp.).

*longisperma*, Kurz, l. c. 66 = *S. longisperma*.  
*lucida*, Kurz, l. c. = *S. lucida*.  
*stellata*, Kurz, l. c. = *S. stellata*.

PARASIA, Rafin. Fl. Tellur. iii. 78 (1836) = **Belmontia**, E. Mey. (Gentian.).

*cordata*, Rafin. l. c. = *B. cordata*.

PARASPALATHUS, Presl, Bot. Bemerk. 129 (1844); in Abh. Boehm. Ges. V. iii. (1845) 559 = **Aspalathus**, Linn. (Legumin.).

*acicularis*, Presl, ll. cc. 130; 560 = *A. acicularis*.  
*aemula*, Presl, ll. cc. = *A. aemula*.  
*albanensis*, Presl, ll. cc. = *A. frankenioides*.  
*albiflora*, Presl, ll. cc. = *A. thymifolia*.  
*araneosa*, Presl, ll. cc. = *A. araneosa*.  
*arenarioides*, Presl, ll. cc. = *A. thymifolia*.  
*argentea*, Presl, ll. cc. 129; 559 = *A. argentea*.  
*ascendens*, Presl, ll. cc. = *A. elongata*.  
*callosa*, Presl, ll. cc. 130; 560 = *A. callosa*.  
*cancellata*, Presl, ll. cc. 130, 133; 560, 563 = *A. araneosa*.  
*capitata*, Presl, ll. cc. 130; 560 = *A. capitata*.  
*carnosa*, Presl, ll. cc. = *A. carnosa*.  
*Cephalotes*, Presl, ll. cc. = *A. Cephalotes*.  
*ceranthanth*, Presl, ll. cc. = *A. spicata*.  
*cinerea*, Presl, ll. cc. 129; 559 = *A. cytisoides*.  
*crocea*, Presl, ll. cc. 130; 560 = *A. abietina*.  
*cytisoides*, Presl, ll. cc. 129; 559 = *A. cytisoides*.  
*elongata*, Presl, ll. cc. 129; 559 = *A. elongata*.  
*ericifolia*, Presl, ll. cc. 130; 560 = *A. ericifolia*.  
*ericoides*, Presl, ll. cc. = *A. ericifolia*.  
*erythroides*, Presl, ll. cc. = *A. erythroides*.  
*fagonioides*, Presl, ll. cc. = *A. callosa*.  
*filicaulis*, Presl, ll. cc. = *A. filicaulis*.  
*frankenioides*, Presl, ll. cc. = *A. frankenioides*.  
*galeata*, Presl, ll. cc. = *A. galeata*.  
*globosa*, Presl, ll. cc. = *A. globosa*.  
*heterophylla*, Presl, ll. cc. 129; 559 = *A. lotoides*.  
*hispida*, Presl, ll. cc. 130; 560 = *A. thymifolia*.  
*humifusa*, Presl, ll. cc. 129; 559 = *A. procumbens*.  
*incurva*, Presl, ll. cc. 130; 560 = *A. incurva*.

## PARASPALATHUS:—

*intermedia*, Presl, Bot. Bemerk. 130 (1854); in Abh. Boehm. Ges. V. iii. (1845) 560 = *Aspalathus frankenioides*.  
*Jacobaea*, Presl, ll. cc. 129; 559 = *A. Jacobaea*.  
*leucocephala*, Presl, ll. cc. 130; 560 = *A. virgata*.  
*lotoides*, Presl, ll. cc. = *A. lotoides*.  
*melanoides*, Presl, ll. cc. = *A. nigra*.  
*Meyeriana*, Presl, ll. cc. = *A. ciliaris*.  
*micrantha*, Presl, ll. cc. = *A. thymifolia*.  
*microcarpa*, Presl, ll. cc. = *A. microcarpa*.  
*mollis*, Presl, ll. cc. = *A. mollis*.  
*multiflora*, Presl, ll. cc. = *A. thymifolia*.  
*nigra*, Presl, ll. cc. = *A. nigra*.  
*nigrescens*, Presl, ll. cc. = *A. nigra*.  
*pilosa*, Presl, ll. cc. 129; 559 = *A. pilosa*.  
*Pluckenetiana*, Presl, ll. cc. = *A. rugosa*.  
*procumbens*, Presl, ll. cc. = *A. lotoides*.  
*psoraloides*, Presl, ll. cc. = *A. cytisoides*.  
*purpurascens*, Presl, ll. cc. = *A. purpurea*.  
*Scholliana*, Presl, ll. cc. = *A. Scholliana*.  
*securifolia*, Walp. Ann. i. 212 = *A. securifolia*.  
*sericea*, Presl, (Bot. Bemerk. 130) in Abh. Boehm. Ges. V. iii. (1845) 560 = *A. sericea*.  
*Simsiana*, Presl, ll. cc. = *A. araneosa*.  
*spatulata*, Presl, ll. cc. 129; 559 = *A. securifolia*.  
*spicata*, Presl, ll. cc. 130; 560 = *A. spicata*.  
*stellaris*, Presl, ll. cc. 129; 559 = *A. stellaris*.  
*stenophylla*, Presl, ll. cc. = *A. stenophylla*.  
*thymifolia*, Presl, ll. cc. 130; 560 = *A. thymifolia*.  
*villosa*, Presl, ll. cc. 129; 559 = *A. villosa*.  
*virgata*, Presl, ll. cc. = *A. virgata*.

PARASPONIA, Miq. Pl. Jungh. 68 (1851). *URTICACEAE*, Benth. & Hook. f. iii. 355.

*Andersonii*, Planch. in DC. Prod. xvii. 195.—Ins. Fiji.  
*aspera*, Blume, Mus. Bot. Lugd. Bat. ii. 66 = *parviflora*.  
*euryhyncha*, Miq. Fl. Ind. Bat. Suppl. 411.—Ins. Banca.  
*parviflora*, Miq. Pl. Jungh. 69.—Malaya.  
*rugosa*, Blume, Mus. Bot. Lugd. Bat. ii. 66 = *parviflora*.  
*similis*, Blume, l. c. = *parviflora*.

PARASTEMON, A. DC. in Ann. Sc. Nat. Sér. II. xviii. (1842) 208. *ROSACEAE*, Benth. & Hook. f. i. 607.

*urophyllus*, A. DC. l. c.—Burma; Malaya.

PARASTRANTHUS, G. Don, Gen. Syst. iii. 716 (1834) = **Lobelia**, Linn. (Campan.).

*capitatus*, A. DC. in DC. Prod. vii. 354 = *L. lutea*.  
*ericoides*, A. DC. l. c. = *L. lutea*.  
*euphrasioides*, A. DC. l. c. 355 = *L. lutea*.  
*flavus*, A. DC. l. c. 785 = *L. flava*.  
*luteus*, A. DC. l. c. 354 = *L. lutea*.  
*simplex*, G. Don, Gen. Syst. iii. 716 = *L. lutea*.  
*stellarioides*, Vatke, in Linnaea, xxxviii. (1874) 717 = *L. stellarioides*.  
*thermalis*, A. DC. in DC. Prod. vii. 354 = *L. leptocarpa*.  
*unidentatus*, G. Don, Gen. Syst. iii. 716 = *L. tenella*.  
*variifolius*, G. Don, l. c. = *L. variifolia*.

PARASTREPHIA, Nutt. in Trans. Am. Phil. Soc. N. S. vii. (1841) 449. *COMPOSITAE*, Benth. & Hook. f. ii. 286.

*ericoides*, Nutt. l. c. 450.—Peruv.

PARATHERIA, Griseb. Cat. Pl. Cub. 236 (1866). *GRAMINEAE*, Benth. & Hook. f. iii. 1107.

*prostrata*, Griseb. l. c.—Ind. occ.

PARATHESIS, Hook. f. in Benth. & Hook. f. Gen. ii. 645 (1876). *MYRSINEAE*, Benth. & Hook. f. l. c.

*adenanthera*, Hook. f. l. c.—Peruv.  
*corymbosa*, Hemsl. Biol. Centr. Am. Bot. ii. 291.—Mexic.  
*crenulata*, Hook. f. ex Hemsl. l. c.—Mexic.  
*melanosticta*, Hemsl. l. c.—Mexic.  
*trichogyne*, Hemsl. l. c.—Nicaragua.

PARATROPHIS, Blume, Mus. Bot. Lugd. Bat. ii. 81. 1852 [1856]. *URTICACEAE*, Benth. & Hook. f. iii. 364.

*Uromorus*, Bur. in DC. Prod. xvii. 236 (1873).  
*heterophylla*, Blume, Mus. Bot. Lugd. Bat. ii. 81.—N. Zel.  
*philippinensis*, F. Villar, in Blanco, Fl. Philipp. ed. III. Nov. App. 198.—Ins. Philipp.

PARATROPIA, DC. Prod. iv. 265 (1830) = **Heptapleurum**, Gaertn. (Araliac.).

*acutissima*, Miq. Ann. Mus. Bot. Lugd. Bat. i. 20 = *H. acutissimum*.  
*aesculifolia*, C. Koch, in Wochenschr. ii. (1859) 365 = *Brassaiopsis aculeata*.  
*apiculata*, Miq. Ann. Mus. Bot. Lugd. Bat. i. 219 = *H. apiculatum*.  
*aromatica*, Miq. l. c. 760 (= *Agalma aromaticum*).—Java.  
*assamicum*, C. Koch, in Wochenschr. ii. (1859) 365 = *Sciadophyllum assamicum*.  
*avenis*, Miq. Ann. Mus. Bot. Lugd. Bat. i. 19 = *H. avene*.  
*brachybotrya*, Miq. Fl. Ind. Bat. i. 755 = *H. scandens*.  
*calophylla*, Miq. l. c. 758 = *H. heterophyllum*.  
*cantoniensis*, Hook. & Arn. Bot. Beech. Voy. 189 = *H. octophyllum*.  
*capitata*, Wight & Arn. Prod. 378 = *Brassia capitata*.  
*confine*, Miq. in Bonplandia, iv. (1856) 138; et Fl. Ind. Bat. i. 757 = *H. confine*.  
*Corona-sylvae*, Miq. l. c. 755 = *H. Coronae-sylvae*.  
*crassa*, Blanco, Fl. Filip. ed. II. 158 = *H. venulosum*.  
*Cumingiana*, Presl, Epim. Bot. 250 = *Panax Cumingianum*.  
*digitata*, Voigt, Hort. Suburb. Calc. 25 = *H. venulosum*.  
*divaricata*, Miq. Fl. Ind. Bat. i. 754 = *H. confine*.  
*elata*, C. Koch, in Wochenschr. ii. (1859) 365; Hook. f. in Journ. Linn. Soc. vii. (1864) 196 = *H. elatum*.  
*elliptica*, Miq. Fl. Ind. Bat. i. 755 = *H. venulosum*.  
*emarginata*, Regel, Gartenfl. (1865) 305 = *H. emarginatum*.  
*euryhyncha*, Miq. Ann. Mus. Bot. Lugd. Bat. i. 21 = *H. euryhynchum*.  
*farinifera*, Hort. Linden, ex C. Koch, Wochenschr. ii. (1859) 365 = *H. tomentosum*.  
*farinosa*, Teijsm. & Binn. Cat. Hort. Bogor. 167; et in Tijdsch. Nederl. Indie, xxix. (1867) 251.—Ins. Molucc.  
*fastigiata*, Miq. Ann. Mus. Bot. Lugd. Bat. i. 24 = *H. fastigiatum*.  
*floribunda*, C. Koch, Wochenschr. ii. (1859) 365 = *Brassaiopsis speciosa*.  
*gracilis*, Miq. Ann. Mus. Bot. Lugd. Bat. i. 22 = *H. gracile*.  
*heterophylla*, Presl, Epim. Bot. 250 = *H. heterophyllum*.  
*Horsfieldii*, Miq. Fl. Ind. Bat. i. 761 (= *Agalma Horsfieldii*).—Java.  
*Junghuhniana*, Miq. l. c. 758 = *H. Junghuhniana*.  
*latifolia*, C. Koch, in Wochenschr. ii. (1859) 365 = *Polyscias pinnata*.  
*littoralis*, Teijsm. & Binn. Cat. Hort. Bogor. 167 (= *Parapanax littorale*).—Sumatra.  
*longifolia*, DC. Prod. iv. 266 = *H. longifolium*.  
*lutescens*, Miq. Fl. Ind. Bat. i. 754.—Java.  
*lucida*, Miq. l. c. = *H. rigidum*.  
*lutescens*, C. Koch, in Wochenschr. ii. (1859) 365 = *lutescens*.  
*macrantha*, Miq. Fl. Ind. Bat. i. 756 = *H. venulosum*.  
*macrostachya*, Miq. l. c. 760.—N. Guin.  
*Mannii*, Hook. f. in Journ. Linn. Soc. vi. (1862) 10 = *H. Mannii*.  
*micrantha*, Miq. Fl. Ind. Bat. Suppl. 337 = *H. micranthum*.  
*multijuga*, A. Gray, Bot. U. St. Expl. Exped. i. 722.—Ins. Fiji.  
*nodosa*, DC. Prod. iv. 265 = *Polyscias nodosa*.  
*obovata*, C. Koch, in Wochenschr. ii. (1859) 365 = *H. stellatum*.  
*obtusa*, Blanco, Fl. Filip. ed. II. 159 = *H. venulosum*.  
*oxyphylla*, Miq. Fl. Ind. Bat. Suppl. 338 = *H. oxyphyllum*.  
*parasitica*, Miq. l. c. i. 757 = *H. parasiticum*.  
*pergamacea*, DC. Prod. iv. 266 = *H. pergamaceum*.  
*petiolosa*, Miq. Ann. Mus. Bot. Lugd. Bat. i. 24 = *H. petiolosum*.  
*polita*, Miq. l. c. 22 = *H. politum*.  
*polybotrya*, Miq. Fl. Ind. Bat. i. 755 = *H. polybotryum*.  
*polydactylis*, Montr. in Mém. Acad. Lyon, x. (1860) 212.—N. Caled.  
*polyphylla*, Miq. Fl. Ind. Bat. i. 760 = *H. polyphyllum*.  
*pubigera*, Brongn. ex C. Koch, in Wochenschr. ii. (1859) 365 = *Sciadophyllum assamicum*.  
*pulchra*, Decne. & Planch. in Rev. Hort. Sér. IV. iii. (1854) 106 = *Sciadophyllum pulchrum*.



## PARATROPIA:—

- rigida*, DC. Prod. iv. 266 = *Heptapleurum rigidum*.  
*rostrata*, Wight, Ic. t. 1013-14 = *H. rostratum*.  
*rotundifolia*, Tenore, Cat. Orto Nap. (1845) 89 = *H. venulosum*?  
*samoënsis*, A. Gray, Bot. U. St. Expl. Exped. i. 722. —Ins. Samoa.  
*scandens*, Miq. Fl. Ind. Bat. i. 1. 757 = *H. scandens*.  
*serrata*, Miq. l. c. = *H. serratum*.  
*singalensis*, Miq. Ann. Mus. Bot. Lugd. Bat. i. 23 = *H. singalangense*.  
*subcordata*, C. Koch, Wochenschr. ii. (1859) 365 = *Pentapanax subcordatum*.  
*subulata*, Miq. Ann. Mus. Bot. Lugd. Bat. i. 22 = *H. subulatum*.  
*Teijsmaniana*, Hort. ex C. Koch, in Wochenschr. ii. (1859) 365 = *H. tomentosum*.  
*terebinthinacea*, Arn. in Nov. Act. Nat. Cur. xviii. (1836) 338 = *H. stellatum*.  
*tomentosa*, Miq. Fl. Ind. Bat. i. 1. 753 = *H. tomentosum*.  
*trifoliata*, C. Koch, in Wochenschr. ii. (1859) 365 = *Pentapanax Leschenaultii*.  
*umbraculifera*, Wall. ex Voigt, Hort. Suburb. Calc. 25 = *Polyscias nodosa*.  
*undulata*, C. Koch, Wochenschr. ii. (1859) 365 = *Macropanax undulatum*.  
*venulosa*, Wight & Arn. Prod. 377 = *H. venulosum*.  
*verticillata*, C. Koch, Wochenschr. ii. (1859) 365 = *H. verticillatum*.  
*Wallichiana*, C. Koch, l. c. = *H. tomentosum*.  
*Wallichiana*, Wight & Arn. Prod. 377 = *H. Wallichianum*.

PARAVINIA, Hassk. in Flora, xxxi. (1848) 580 = *Praravinia*, Korth. (Rubiace.).

PARDANTHUS, Ker-Gawl. in Kon. & Sims, Ann. Bot. i. (1805) 246 = *Belamcanda*, Adans. (Irid.).  
*bulbiferus*, Klatt, in Linnaea, xxxi. (1861-62) 561 = *Sparaxis bulbifera*.  
*chinensis*, Ker-Gawl. in Kon. & Sims, Ann. Bot. i. (1805) 247 = *B. punctata*.  
*dichotomus*, Ledeb. Fl. Ross. iv. 106 = *Iris dichotoma*.  
*nepalensis*, Sweet, Hort. Brit. ed. I. 395 = *B. punctata*.  
*sinensis*, Van Houtte, in Fl. des Serres, xxvi. (1865-67) t. 1632 = *B. punctata*.

PARDINIA, Herb. in Lindl. Bot. Reg. (1844) Misc. 66, in obs. = *Hydrotaenia*, Lindl. et *Tigridia*, Juss. (Irid.).

PARDISIUM, Burm. f. Fl. Cap. Prod. 26 (1768) = *Gerbera*, Gronov. (Compos.).  
*capense*, Burm. f. l. c. = *Afr. austr.*

PARDUYNIA, Salisb. Gen. Pl. Fragm. 58 (1866) = *Schelhammerya*, R. Br. (Liliac.).  
*multiflora*, Salisb. l. c. = *S. multiflora*.

PARECHITES, Miq. in Versl. en Med. Kon. Akad. Wetensch. vi. (1859) 193 = *Trachelospermum*, Lem. (Apocyn.).  
*adnascens*, Hance, in Journ. Bot. vi. (1868) 299 = *T. jasminoides*.  
*borneana*, Miq. in Versl. en Med. Kon. Akad. Wetensch. vi. (1857) 193. —Borneo.  
*Bowringii*, Hance, in Journ. Bot. vi. (1868) 299. —China.  
*Thunbergii*, A. Gray, in Mem. Am. Acad. N. S. vi. (1858-59) 403 = *T. jasminoides*.

PARENTUCHELLIA, Viv. Fl. Lib. Spec. 31. t. 21. f. 3 (1824) = *Bartsia*, Linn. (Scrophul.).  
*floribunda*, Viv. l. c. 32 = *B. latifolia*.

PARFONSIA, Scop. Introd. 210 (1777), err. typ. = *PARSONSIA*, P. Br. = *Cuphea*, P. Br. (Lythrar.).

PARIANA, Aubl. Pl. Gui. ii. 876. t. 337 (1775).  
*GRAMINEAE*, Benth. & Hook. f. iii. 1112.  
*APHONINA*, Neck. Elem. iii. 237 (1790).  
*EREMITIS*, Doell, in Mart. Fl. Bras. ii. 11. 338. t. 48 (1877).  
*angustifolia*, Spreng. Syst. ii. 609. —Venezuela.  
*campestris*, Aubl. Pl. Gui. ii. 877. t. 337. —Guian.; Bras.  
*glauca*, Nees, Agrost. Bras. 294. —Bras.  
*gracilis*, Doell, in Mart. Fl. Bras. ii. 11. 337. —Am. trop.  
*imberbis*, Nees, Agrost. Bras. 297. —Bras.

VOL. II.

## PARIANA:—

- inaequalis*, Miq. in Linnaea, xix. (1847) 127. —Guian.  
*intermedia*, Doell, in Mart. Fl. Bras. ii. 11. 337. —Am. trop.  
*lanceolata*, Trin. in Mém. Acad. Pétersb. Sér. VI. iii. 11. (1835) 107. —Bras.  
*lunata*, Nees, Agrost. Bras. 295. —Bras.  
*mollis*, Nees, l. c. 296. —Bras.  
*parviflora*, Trin. in Mém. Acad. Pétersb. Sér. VI. iii. (1835) 105. —Bras.  
*radiciflora*, Sagot, ex Doell, in Mart. Fl. Bras. ii. 11. 336. —Guian.  
*scabra*, Nees, Agrost. Bras. 294. —Bras.  
*sylvestris*, Nees, l. c. 295. —Bras.  
*zinziberina*, Doell, in Mart. Fl. Bras. ii. 11. 337. —Am. trop.

PARIATICU, Adans. Fam. ii. 223 (1763) = *Nyctanthes*, Linn. (Oleac.).

PARIETARIA, [Tourn.] Linn. Syst. ed. I (1735); Gen. ed. I. 317 (1737). *URTICACEAE*, Benth. & Hook. f. iii. 392.

FREIREA, Gaudich. in Freyc. Voy. Bot. 502 (1826).  
 THAUMURIA, Gaudich. l. c. (1826).

*abyssinica*, Hochst. ex A. Rich. Tent. Fl. Abyss. ii. 258 = *Pouzolzia abyssinica*.  
*affinis*, Hornem. Hort. Hafn. (1850); ex Blume, Mus. Bot. Lugd. Bat. ii. 250 = *cretica*.  
*alsinefolia*, Delile, Fl. Egypt. 281. t. 50. f. 2. —Aegypt.; Oriens.  
*angustifolia*, Boj. Hort. Maur. 295. —Hab.?  
*appendiculata*, Webb & Berth. Phyt. Canar. iii. 265 = *debilis*.  
*arborea*, L'Hérit. in Journ. Phys. xxxiii. (1788) 55 = *Gesnouinia arborea*.  
*aspera*, Leschen. ex Gaudich. in Freyc. Voy. Bot. 510 = *Fatoua pilosa*.  
*assurgens*, Poir. Encyc. v. 15 = *officinalis*.  
*australis*, Blume, Mus. Bot. Lugd. Bat. ii. 256 = *debilis*.  
*boehmerioides*, Mart. ex Miq. in Mart. Fl. Bras. iv. 1. 194. —Bras.  
*bracteata*, Moench, Meth. Suppl. 115 = *cretica*.  
*bracteata*, Wight, ex Wall. Cat. n. 4600 = *Pouzolzia caudata*.  
*canescens*, Blume, Mus. Bot. Lugd. Bat. ii. 249 = *officinalis*.  
*canescens*, Poir. Encyc. v. 17 = *Pouzolzia laevigata*.  
*capensis*, Thunb. Prod. Pl. Cap. 31 = *Boehmeria capensis*.  
*carnosula*, Blume, Mus. Bot. Lugd. Bat. ii. 255 = *debilis*.  
*circaeefolia*, Pourr. ex Wedd. in DC. Prod. xvi. 1. 235<sup>b</sup> = *mauritanica*.  
*cochinchinensis*, Lour. Fl. Cochinch. 654 = *Pouzolzia indica*.  
*cretica*, Linn. Sp. Pl. 1052. —Graecia; Ins. Creta.  
*cretica*, Loisel. Fl. Gall. 693 = *lusitanica*.  
*cretica*, Moris, Stirp. Sard. Elench. fasc. i. 41 = *Helxine Soleirolii*.  
*cretica*, Willd. Sp. Pl. iv. 956 = *judaica*.  
*cryptorum*, C. Koch, in Linnaea, xxii. (1849) 606 = *judaica*.  
*cuneata*, Eckl. & Zeyh. ex Krauss, in Flora, xxviii. (1845) 88 = *Droguetia ambigua*.  
*cuneata*, E. Mey. ex Wedd. in Ann. Sc. Nat. Sér. IV. i. (1854) 212 = *Australina acuminata*.  
*debilis*, Forst. f. Prod. 73. —Reg. trop. et subtrop.  
*Decaisnei*, Steud. Nom. ed. II. ii. 267 = *Pouzolzia indica*.  
*diffusa*, Mert. & Koch, Deutschl. Fl. i. 827 = *judaica*.  
*diffusa*, Schur, Enum. Pl. Transs. 602 = *officinalis*.  
*elliptica*, C. Koch, in Linnaea, xxii. (1849) 606 = *judaica*.  
*erecta*, Mert. & Koch, Deutschl. Fl. i. 825 = *officinalis*.  
*Feliciania*, Phil. in Bot. Zeit. xxviii. (1870) 501. —Chili.  
*filamentosa*, Webb & Berth. Phyt. Canar. iii. 263 = *Gesnouinia filamentosa*.  
*filiformis*, Tenore, Syn. Fl. Neap. 77 = *lusitanica*.  
*floridana*, Nutt. Gen. Am. ii. 298 = *pensylvanica*.  
*gracilis*, Lowe, in Trans. Camb. Phil. Soc. iv. (1831) 16 = *debilis*.  
*guineensis*, G. Don, ex Hook. Niger Fl. 518 = *Pouzolzia guineensis*.  
*Huetia*, Comm. ex Wedd. in DC. Prod. xvi. 1. 192 = *Pilea verbascifolia*.

## PARIETARIA:—

- humifusa*, Blume, Mus. Bot. Lugd. Bat. ii. 252 = *debilis*.  
*indica*, Linn. Mant. i. 128 = *Pouzolzia indica*.  
*indica*, Portensch. ex Blume, Mus. Bot. Lugd. Bat. ii. 232 = *Pouzolzia auriculata*.  
*judaica*, Linn. Sp. Pl. ed. II. 1492. —Graecia; Oriens; Tibet.  
*judaica*, Pers. Syn. ii. 555 = *lusitanica*.  
*judaica*, Vill. Hist. Pl. Dauph. ii. 346 = *officinalis*.  
*judaica*, Welw. ex Blume, Mus. Bot. Lugd. Bat. ii. 252 = *mauritanica*.  
*lanceolata*, Thunb. in Hoffm. Phytog. Blaetter, i. (1803) 17 = *Australina capensis*.  
*laevigata*, Poir. Encyc. v. 17 = *Pouzolzia laevigata*.  
*linguaeifolia*, Liebm. in Vidensk. Selsk. Skr. V. ii. (1851) 313 = *pensylvanica*.  
*lusitanica*, Janka, in Oester. Bot. Zeitschr. viii. (1858) 200 = *officinalis*.  
*lusitanica*, Linn. Sp. Pl. 1052. —Reg. Mediterr.  
*lusitanica*, Sieber, ex Blume, Mus. Bot. Lugd. Bat. ii. 250 = *cretica*.  
*lusitanica*, Viv. Fl. Cors. Prod. App. 7 = *Helxine Soleirolii*.  
*maderensis*, Reichb. in Flora, xiii. (1830) 131 = *officinalis vel debilis*.  
*mauritanica*, Dur. in Duch. Rev. Bot. ii. (1847) 427. —Reg. Mediterr. occ.  
*micrantha*, Ledeb. Ic. Pl. Fl. Ross. i. 7. t. 22 = *debilis*.  
*microphylla*, Linn. Syst. ed. X. 1308 = *Pilea microphylla*.  
*multicaulis*, Boiss. & Heldr. Diagn. Ser. I. xii. 106 = *judaica*.  
*muralis*, Salisb. Prod. 69 = *officinalis*.  
*nitens*, C. Koch, in Linnaea, xxii. (1849) 607 = *judaica*.  
*nitida*, Miq. in Mart. Fl. Bras. iv. 1. 204. —Bras.  
*ocimifolia*, Poir. Encyc. v. 15 = *mauritanica*.  
*officinalis*, Linn. Sp. Pl. 1052. —Europ. austr.; Oriens.  
*oppositifolia*, F. Muell. Fragm. iv. 83 = *Pouzolzia indica*.  
*Orizabae*, Liebm. in Vidensk. Selsk. Skr. V. ii. (1851) 313 = *pensylvanica*.  
*parviflora*, Friedrich, ex Blume, Mus. Bot. Lugd. Bat. ii. 249 = *lusitanica*.  
*pensylvanica*, Muhl. ex Willd. Sp. Pl. iv. 955. —Am. bor.  
*pilosa*, Willd. l. c. 954. —Afr. austr.  
*platyphyllos*, Link. ex Steud. Nom. ed. II. ii. 267 (Quid?). —Hab.?  
*polygonoides*, Willd. Sp. Pl. iv. 956. —Armenia.  
*populifolia*, Nym. in Linnaea, xviii. (1844) 661. —Ins. Melita.  
*prostrata*, Hort. Berol. ex Spreng. Nov. Prov. 30 = *Pilea serpyllifolia*.  
*punctata*, Willd. Sp. Pl. iv. 953 = *judaica*.  
*ramiflora*, Moench, Meth. 327 = *judaica*.  
*reclinata*, Moon, Cat. Pl. Ceyl. 72. —Zeylan.  
*repens*, Noronha, in Verh. Batav. Gen. v. (1790) ed. I. Art. iv. 23 (= *Pouzolzia* sp.?). —Java.  
*repens*, Soleir. ex Mutel, Fl. Fr. iii. 172 = *Helxine Soleirolii*.  
*rubicunda*, Pohl, ex Miq. in Mart. Fl. Bras. iv. 1. 194. —Bras.  
*serbica*, Panč. ex Kanitz, in Just. Bot. Jahresb. iii. 1875 (1877), 701 = *lusitanica*.  
*serpyllifolia*, Poir. Encyc. v. 16 = *Pilea serpyllifolia*.  
*Soleirolii*, Spreng. Syst. iv. Cur. Post. 318 = *Helxine Soleirolii*.  
*Sonnerati*, Poir. Encyc. v. 15 = *Phenax vulgaris*.  
*squalida*, Hook. f. in Hook. Lond. Journ. Bot. vi. (1847) 285 = *debilis*.  
*tibethana*, Blume, Mus. Bot. Lugd. Bat. ii. 251 = *judaica*.  
*urticaefolia*, Linn. f. Suppl. 434 = *Pilea urticaefolia*.  
*urticaefolia*, E. Mey. ex Wedd. in DC. Prod. xvi. 1. 235<sup>ss</sup> = *Droguetia ambigua*.  
*velutina*, Blume, Mus. Bot. Lugd. Bat. ii. 251 = *judaica*.  
*verbascifolia*, Poir. Encyc. v. 16 = *Pilea verbascifolia*.  
*Welwitschii*, Blume, Mus. Bot. Lugd. Bat. ii. 251 = *mauritanica*.  
*zeylanica*, Linn. Sp. Pl. 1052 = *Pouzolzia indica*.



PARILIA, Dennst. Schluess. Hort. Malab. 31 (1818) = *Elaeodendron*, Jacq. (Tiliac.).  
*malabarica*, Dennst. l. c. (Quid?).—Ind. or.

PARILIUM, Gaertn. Fruct. i. 234. t. 51. f. 1 (1788) = *Nyctanthes*, Linn. (Oleac.).  
*Arbor-tristis*, Gaertn. l. c.; et ii. 265 = *N. Arbor-tristis*.

PARILLAX, Rafin. Neogenyt. 3 (1825) = *Smilax*, Tourn. (Liliac.).  
*laurifolia*, Rafin. l. c. = *S. laurifolia*.  
*pumila*, Rafin. l. c. = *S. pumila*.

PARILTARIA, Burm. f. Fl. Ind. 221 (1768), err. typ. = *Parietaria*, Tourn. (Urtic.).

PARINARI, Aubl. Pl. Gui. i. 514 (1775) = seq.

PARINARIUM, Aubl. Pl. Gui. i. 514 (Parinari) (1775); Juss. Gen. 342 (1789). *ROSACEAE*, Benth. & Hook. f. i. 607.

BALANTIUM, Desv. in Ham. Prod. Pl. Ind. Occ. 34 (1825).

DUGORTIA, Scop. Introd. 217 (1777).

ENTOSIPHON, Bedd. in Madr. Journ. Sc. Ser. III. i. (1864) 44.

EXITELIA, Blume, Fl. Jav. Praef. p. vii (1828).

FEROLIA, Aubl. Pl. Gui. Suppl. 7 (1775).

GRYMANIA, Presl, Epim. Bot. 193 (1849).

LEPIDOCARPA, Korth. in Nederl. Kruidk. Arch. iii. (1855) 385.

LEPIDOCARYA, Korth. ex Miq. Fl. Ind. Bat. i. i. 353 (1855).

MAMPATA, 'Adans.' ex Steud. Nom. ed. II. ii. 98 (1841).

MARANTHES, Blume, Bijdr. 89 (1825).

NEON, Adans. ex Juss. Gen. 342 (1789).

PETROCARYA, Schreb. Gen. 245 (1789).

THELIRA, Thou. Gen. Nov. Madag. 21 (1806).

anamense, Hance, in Journ. Bot. xv. (1877) 333.—China.

asperulum, Miq. Fl. Ind. Bat. Suppl. 307.—Sumatra.  
*brachystachyum*, Benth. in Hook. Journ. Bot. ii. (1840) 213 = *excelsum*.

brasiliense, Hook. f. in Mart. Fl. Bras. xiv. ii. 51.—Bras.

campestre, Aubl. Pl. Gui. i. 514.—Guian.

capense, Harv. in Harv. & Sond. Fl. Cap. ii. 597.—Afr. austr.

Chapellieri, Baill. Adansonia, ix. (1868–70) 148.—Madag.

chrysophyllum, Oliver, Fl. Trop. Afr. ii. 369.—Afr. trop.

congenise, Didr. in Kjoeb. Vidensk. Meddel. (1854) 197.—Afr. trop.

cordatum, Hook. f. in Mart. Fl. Bras. xiv. ii. 50.—Bras.

coriaceum, Benth. in Hook. Journ. Bot. ii. (1840) 213.—Guian.

corymbosum, Miq. Fl. Ind. Bat. i. i. 356.—Java.

costatum, Blume, Mélang. Bot. (1855).—Cf. *Flora*, xli. (1858) 255; et ex Miq. l. c. 354.—Malaya.

curatellaefolium, Planch. ex Benth. in Hook. Niger Fl. 333.—Afr. trop.

dillenifolium, R. Br. in Wall. Cat. n. 7520 = *Dipterocarpaceus cornutus*.

excelsum, Sabine, in Trans. Hort. Soc. v. (1824) 451.—Afr. trop.

fragile, Teijsm. & Binn. Cat. Hort. Bog. 253.—Sumatra.

Gardneri, Hook. f. in Mart. Fl. Bras. xiv. ii. 50.—Bras.

glaberrimum, Hassk. in Flora, xxvii. (1844) 583.—Java.

glabrum, Oliver, Fl. Trop. Afr. ii. 370.—Afr. trop.

Glaziovianum, Warm. in Kjoeb. Vidensk. Meddel. (1874) 72.—Bras.

Griffithianum, Benth. in Hook. Niger Fl. 334.—Burma; Malaya.

Helferi, Hook. f. Fl. Brit. Ind. ii. 311.—Burma.

indicum, Bedd. Ic. Pl. Ind. Or. 22. t. 109; Fl. Sylv. i. t. 191.—Ind. or.

insularum, A. Gray, Bot. U. St. Expl. Exped. i. 488. t. 54.—Ins. Samoa.

Jackianum, Benth. in Hook. Niger Fl. 335.—Malacca.

lanceolatum, Teijsm. & Binn. Cat. Hort. Bog. 253.—Java.

#### PARINARIUM:—

laurinum, A. Gray, Bot. U. St. Expl. Exped. i. 490.—Ins. Fiji.

macrophyllum, Sabine, in Trans. Hort. Soc. v. (1824) 452.—Afr. trop.

macrophyllum, Teijsm. & Binn. in Tijdschr. Nederl. Ind. xxix. (1867) 256.—Malaya.

Maranthes, Blume, Mélang. Bot. (1855).—Cf. *Flora*, xli. (1858) 256; et in Mus. Bot. Lugd. Bat. ii. 99.—Java.

Margarata, A. Gray, Bot. U. St. Expl. Exped. i. 489.—Ins. Fiji.

Mobola, Oliver, Fl. Trop. Afr. ii. 368.—Afr. trop.

montanum, Aubl. Pl. Gui. i. 514.—Guian.

multiflorum, Miq. Fl. Ind. Bat. i. i. 356 = *Griffithianum*.

nitidum, Hook. f. Fl. Brit. Ind. ii. 310.—Malaya.

nonda, F. Muell. ex Benth. Fl. Austral. ii. 426.—Austral.

oblongifolium, Hook. f. Fl. Brit. Ind. ii. 309.—Malacca.

obtusifolium, Hook. f. in Mart. Fl. Bras. xiv. ii. 52.—Bras.

ovale, Blume, ex Miq. Fl. Ind. Bat. i. i. 353 = *costatum*.

Pohlili, Hook. f. in Mart. Fl. Bras. xiv. ii. 51.—Bras.

polyandrum, Benth. in Hook. Niger Fl. 333.—Afr. trop.

polyneurum, Miq. Fl. Ind. Bat. Suppl. 306.—Sumatra.

robustum, Oliver, Fl. Trop. Afr. ii. 370.—Afr. trop.

salicifolium, Miq. Fl. Ind. Bat. i. i. 357.—Ins. Philipp.

scabrum, Hassk. in Flora, xxvii. (1844) 585.—Java.

senegalense, Perr. ex DC. Prod. ii. 527 = *macrophyllum*, Sabine.

Sprucei, Hook. f. in Mart. Fl. Bras. xiv. ii. 53.—Bras.

subcordatum, Oliver, Fl. Trop. Afr. ii. 367.—Afr. trop.

sumatranum, Benth. in Hook. Niger Fl. 335 = *costatum*.

sumatranum, Kurz, For. Fl. Brit. Burma, i. 433 = *Helferi*.

travancoricum, Bedd. Ic. Pl. Ind. Or. i. 43.—Ind. or.

Wallichianum, R. Br. in Wall. Cat. n. 7520.—Singapore.

PARIPON, Voigt, in Syll. Ratisb. ii. (1828) 51. *PALMAE*.

*Palmiri*, Voigt, l. c. (Quid?).—Hab.?

PARIS, [Rupp.] Linn. Syst. ed. I (1735). *LILIACEAE*, Benth. & Hook. f. iii. 833.

ALOPECARPUS, Neck. Elem. ii. 369 (1790).

CARTALINIA, Szov. ex Kunth, Enum. Pl. v. 119 (1850).

DAISWA, Rafin. Fl. Tellur. iv. 18 (1836).

DEMIDOVIA, Hoffm. Hort. Mosq. (1808) f. 2.

EUTHYRA, Salisb. Gen. Pl. Fragm. 61 (1866).

apetala, Hoffm. in Comm. Phys. Med. Mosc. i. (1808) t. p. 5 = *incompleta*.

dahurica, Fisch. ex Turcz. in Bull. Soc. Nat. Mosc. xxvii. (1854) ii. 105.—Dahuria.

Daisua, Buch.-Ham. ex D. Don, Prod. Fl. Nep. 49 = *polyphylla*.

hexaphylla, Cham. in Linnaea, vi. (1831) 568.—Sibir.

incompleta, Bieb. Fl. Taur. Cauc. i. 306.—Reg. Caucas.; Armenia.

obovata, Ledeb. Ic. Pl. Ross. i. t. 16.—Sibir.

octophylla, Hoffm. Hort. Mosq. (1808) 27 = *incompleta*.

pentafolia, Renault, Fl. Dép. Orne, 26 = *quadrifolia*.

polyphylla, Sm. in Rees, Cyclop. xxvi. n. 2.—Reg. Himal.; China.

quadrifolia, Linn. Sp. Pl. 367.—Europ.; As. bor.

tetraphylla, A. Gray, in Mem. Am. Acad. N. S. vi. (1858–59) 412.—Japon.

trifolia, Renault, Fl. Dép. Orne, 26 = *quadrifolia*.

verticillata, Bieb. Fl. Taur. Cauc. iii. 287.—Reg. Caucas.; Sibir.

PARISHELLA, A. Gray, in Coult. Bot. Gaz. vii. (1882) 94. *CAMPANULACEAE*.

californica, A. Gray, l. c.—Am. bor. occ.

PARISHIA, Hook. f. in Trans. Linn. Soc. xxxiii. (1860) 169. t. 26. *ANACARDIACEAE*, Benth. & Hook. f. i. 424.

insignis, Hook. f. in Trans. Linn. Soc. xxiii. (1860) 170. t. 26.—Burma.

#### PARISHIA:—

Maingayi, Hook. f. Fl. Brit. Ind. ii. 30.—Malacca.

pubescens, Hook. f. l. c.—Malacca.

paucijuga, Engl. in DC. Monog. Phan. iv. 309.—Malaya.

PARITA, Scop. Introd. 282 (1777) = seq.

PARITI, Adans. Fam. ii. 401 (1763) = seq.

PARITIUM, A. Juss. in A. St. Hil. Fl. Bras. Mer. i. 255 (1827) = *Hibiscus*, Linn. (Malvac.).

abutiloides, G. Don, Gen. Syst. i. 485 = *H. abutiloides*.

Azanzae, G. Don, l. c. = *H. Azanzae*.

Bealii, Wall. ex Voigt, Hort. Suburb. Calc. 120, nomen.—Japon.

circinnatum, G. Don, Gen. Syst. i. 485 = *H. tiliaceus*.

elatum, G. Don, l. c. = *H. elatus*.

gangeticum, G. Don, l. c. = *Thespesia Lampas*.

guineense, G. Don, l. c. = *H. tiliaceus*.

macrophyllum, G. Don, l. c. = *H. macrophyllum*.

pernambucense, G. Don, l. c. = *H. pernambucensis*.

purpurascens, Seem. in Bonplandia, ix. (1861) 254.—Ins. Fiji.

quinquelobum, Hook. f. in Hook. Niger Fl. 227 = *H. quinquelobus*.

simile, G. Don, Gen. Syst. i. 485 = *H. elatus*.

sterculiaefolium, Guill. & Perr. Fl. Seneg. Tent. i. 60 = *H. quinquelobus*.

tiliaceum, A. St. Hil. Fl. Bras. Mer. i. 256 = *H. tiliaceus*.

tricuspe, G. Don, Gen. Syst. i. 485 = *H. tricuspis*.

virgatum, Guill. & Perr. Fl. Seneg. Tent. i. 59 = *H. quinquelobus*.

Wrayae, Walp. Rep. i. 311 = *H. Huegelii*.

PARIVOA, Aubl. Pl. Gui. ii. 756. t. 303 (1775) = *Eperua*, Aubl. (Legumin.).

grandiflora, Aubl. l. c. ii. 757. t. 303 = *E. grandiflora*.

tomentosa, Aubl. l. c. 759 = *Crudia Parivoa*.

PARKIA, R. Br. in Denh. & Clapp. Trav. App. 234 (1826). *LEGUMINOSAE*, Benth. & Hook. f. i. 588.

PARYPHOSPHAERA, Karst. Fl. Columb. ii. 7. t. 104 (1862).

africana, R. Br. in Denh. & Clapp. Trav. App. 234.—Afr. trop.

auriculata, Spruce, ex Benth. in Trans. Linn. Soc. xxx. (1875) 363; et in Mart. Fl. Bras. xv. ii. 267.—Bras.

biglandulosa, Wight & Arn. Prod. 279.—Malaya.

biglobosa, Benth. in Hook. Journ. Bot. iv. (1842) 328 = *Roxburghii*, africana.

Brunonis, R. Grah. in Wall. Cat. n. 5288 = *Roxburghii*.

discolor, Spruce, ex Benth. in Trans. Linn. Soc. xxx. (1875) 363; et in Mart. Fl. Bras. xv. ii. 267.—Bras.

filicina, Benth. ex Walp. Rep. v. 577.—Am. trop.

filicoidea, Welw. in Oliver, Fl. Trop. Afr. ii. 324.—Afr. trop.

fraterna, Vatke, in Linnaea, xliii. (1880–82) 339.—Madag.

grandis, Hassk. in Flora, xxv. (1842) ii. Beibl. 55 = *Roxburghii*.

Hoffmanni, Vatke, in Linnaea, xliii. (1880–82) 338.—Madag.

insignis, Kurz, in Journ. As. Soc. Beng. xlii. (1873) ii. 74.—Burma.

intermedia, Hassk. in Hoev. & De Vriese, Tijdschr. x. (1843) 149 = *Roxburghii*?

intermedia, Oliver, Fl. Trop. Afr. ii. 324.—Afr. trop.

leiophylla, Kurz, in Journ. As. Soc. Beng. xlii. (1873) ii. 73.—Burma.

macrocarpa, Miq. Fl. Ind. Bat. Suppl. 284.—Sumatra.

multijuga, Benth. in Trans. Linn. Soc. xxx. (1875) 362; et in Mart. Fl. Bras. xv. ii. 265.—Am. trop.

nitida, Miq. Stirp. Surin. Sel. 7.—Guian.

oppositifolia, Spruce, ex Benth. in Trans. Linn. Soc. xxx. (1875) 363; et in Mart. Fl. Bras. xv. ii. 267.—Bras.



**PARKIA** :—

- Parii*, *Horne*, ex *Baker*, in *Journ. Linn. Soc.* xx. (1883) 359.—Ins. Fiji.  
*Paryphosphaera*, *Benth.* in *Trans. Linn. Soc.* xxx. (1875) 363.—Am. trop.  
*pectinata*, *Benth.* l. c. 362; et in *Mart. Fl. Bras.* xv. ii. 266.—Am. trop.  
*pendula*, *Benth.* ex *Walp. Rep.* v. 577.—Bras.  
*platycephala*, *Benth.* in *Hook. Journ. Bot.* iv. (1842) 329.—Bras.  
*Roxburghii*, *G. Don*, *Gen. Syst.* ii. 397.—As. trop.  
*singularis*, *Miq. Fl. Ind. Bat.* i. i. 1078.—Sumatra.  
*speciosa*, *Hassk.* in *Flora*, xxv. (1842) ii. Beibl. 55 = *Roxburghii*?  
*streptocarpa*, *Hance*, in *Journ. Bot.* xiv. (1876) 259.—Siam.  
*sumatrana*, *Miq. Fl. Ind. Bat. Suppl.* 284.—Sumatra.  
*uniglobosa*, *G. Don*, *Gen. Syst.* ii. 396 = *africana*.

**PARKINSONIA**, *Plum.* ex *Linn. Gen. ed.* I. 342 (1737). **LEGUMINOSAE**, *Benth.* & *Hook.* f. i. 570.

- aculeata*, *Linn. Sp. Pl.* 375.—Am. trop.  
*africana*, *Sond.* in *Linnaea*, xxiii. (1850) 38.—Afr. austr.  
*florida*, *S. Wats.* in *Proc. Am. Acad.* xi. (1876) 135.—Am. bor. occ.  
*inermis*, *Spreng. Syst.* ii. 345.—Reg. Argent.  
*microphylla*, *Torr.* in *Pacif. Rail. Rep.* iv. 82.—Am. bor. occ.  
*orientalis*, *Spreng. Syst.* iv. Cur. Post. 170 = *Ormocarpum sennoides*.  
*spinosa*, *H. B. & K. Nov. Gen. et Sp.* vi. 335 = *aculeata*.  
*texana*, *S. Wats.* in *Proc. Am. Acad.* xi. (1876) 136.—Am. bor. occ.  
*Torreyana*, *S. Wats.* l. c. 135.—Am. bor. occ.

**PARLATOREA**, *Rodrig. Orch. Nov.* i. 141 (1877). **ORCHIDAE**.

- discolor*, *Rodrig. l. c.*—Bras.

**PARLATORIA**, *Boiss.* in *Ann. Sc. Nat. Sér. II.* xvii. (1842) 72. **CRUCIFERAE**, *Benth.* & *Hook.* f. i. 102.

- brachycarpa*, *Boiss.* l. c. 73 = *Sobolewsia clavata*.  
*cakiloides*, *Boiss.* l. c. 72.—Assyria.  
*clavata*, *Boiss.* l. c. 73 = *Sobolewsia clavata*.  
*Griffithiana*, *Boiss. Diagn. Ser. II.* i. 23.—Afghan.  
*rostrata*, *Boiss. & Hohen. l. c. Ser. I.* viii. 22.—Persia.

**PARMENTIERA**, *DC.* in *Bibl. Univ. Genève.* xvii. (1838) 135 (Rev. Bign. 19). **BIGNONIACEAE**, *Benth.* & *Hook.* f. ii. 1051.

- ZENKERIA*, *Reichb. Nom.* 236 (1841).  
*aculeata*, *Seem. Bot. Voy. Herald*, 183 = *edulis*.  
*alata*, *Miers*, in *Trans. Linn. Soc.* xxvi. (1868) 166.—Mexic.  
*cereifera*, *Seem. Bot. Voy. Herald*, 182. t. 32.—Panama.  
*edulis*, *DC. Prod.* ix. 244.—Mexic.  
*foliolosa*, *Miers*, in *Trans. Linn. Soc.* xxvi. (1870) 166 = *edulis*.  
*lanceolata*, *Miers*, l. c. 167 = *edulis*.

**PARNASSIA**, [*Tourn.*] *Linn. Syst. ed.* I (1735); *Gen. ed.* I. 87 (1737). **SAXIFRAGEAE**, *Benth.* & *Hook.* f. i. 639.

- affinis*, *Hook. f. & Thoms.* in *Journ. Linn. Soc.* ii. (1858) 81 = *ovata*.  
*alpina*, *Dalla Torre, Atl. Alpenfl.* 71 = *palustris*.  
*americana*, *Muhl. Cat.* 33, nomen = *caroliniana*.  
*asarifolia*, *Vent. Fard. Malm.* 39. t. 39.—Am. bor.  
*cabulica*, *Planch. ex C. B. Clarke*, in *Hook. f. Fl. Brit. Ind.* ii. 403.—Afghan.  
*caroliniana*, *Michx. Fl. Bor. Am.* i. 184.—Am. bor.  
*ciliata*, *Gilib. Fl. Lituan.* ii. 139 = *palustris*.  
*europaea*, *Pers. Syn.* i. 331 = *palustris*.  
*fimbriata*, *Banks*, in *Kon. & Sims, Ann. Bot.* i. (1805) 391.—Am. bor. occ.  
*foliosa*, *Hook. f. & Thoms.* in *Journ. Linn. Soc.* ii. (1858) 79.—Reg. Himal.  
*glauca*, *Rafin. Autikon Bot.* 42 = *caroliniana*.  
*grandiflora*, *Rafin. l. c.* = *caroliniana*.  
*grandifolia*, *DC. Prod.* i. 320 = *caroliniana*.  
*Kotzebuei*, *Cham. ex Spreng. Syst.* i. 951.—Am. bor. occ.

**PARNASSIA** :—

- Laxmanni*, *Pall. ex Schult. Syst.* vi. 696 = *ovata*.  
*maioresensis*, *Henders. & Hume*, Lahore, 320; et ex *C. B. Clarke*, in *Hook. f. Fl. Brit. Ind.* ii. 403 = *ovata*.  
*mucronata*, *Sieb. & Zucc.* in *Abh. Akad. Muench.* iv. ii. (1843) 169 = *palustris*.  
*mysorensis*, *Heyne, ex Wall. Cat.* n. 3754; et *Wight & Arn. Prod.* 35.—Ind. or.  
*nana*, *Griff. Notul.* iv. 427; *l. c.* Pl. Asiat. t. 570. f. 2 = *Wightiana*.  
*nubicola*, *Wall. Cat.* n. 1246.—Reg. Himal.  
*nudata*, *Rafin. Autikon Bot.* 41 = *asarifolia*.  
*nummularia*, *Maxim.* in *Bull. Acad. Pétersb.* xi. (1867) 430 = *foliosa*.  
*obtusiflora*, *Rupr. in Beitr. Pfl. Russ. Reich.* ii. 23. t. 3.—Ross. arct.  
*oreophila*, *Hance*, in *Journ. Bot.* xvi. (1878) 106.—China.  
*ornata*, *Wall. Cat.* n. 1247 = *Wightiana*.  
*ovata*, *Ledeb. in Mém. Acad. Pétersb.* v. (1815) 528.—Reg. Himal.; *Sibir.*  
*ovata*, *Muhl. Cat. ed. II.* 32, nomen = *caroliniana*.  
*palustris*, *Linn. Sp. Pl.* 273.—Europ.; *As. et Am. bor.*  
*parviflora*, *DC. Prod.* i. 320.—Am. bor.  
*polynectaria*, *Forsk. Fl. Egypt. Arab.* 207 = *Swertia decumbens*.  
*pusilla*, *Wall. Cat.* n. 1245.—Reg. Himal.  
*Schmidii*, *Zenk. Pl. Ind. Dec.* i. 3. t. 5 = *Wightiana*.  
*speciosa*, *Hort. ex W. Baxt.* in *Loud. Hort. Brit. Suppl.* ii. 653 = *caroliniana*.  
*subacaulis*, *Kar. & Kir.* in *Bull. Soc. Nat. Mosc.* xv. (1842) 164 = *ovata*.  
*tenella*, *Hook. f. & Thoms.* in *Journ. Linn. Soc.* ii. (1858) 80.—Reg. Himal.; *Soongar.*  
*tenuis*, *DC. Prod.* i. 320, in syn. = *palustris*.  
*trinevris*, *Drude*, in *Linnaea*, xxxix. (1875) 322 = *ovata*.  
*Turcaninowii*, *Ledeb. Fl. Ross.* i. 263 = *ovata*.  
*vulgaris*, *Dum.-Cours. Bot. Cult. ed. II.* iv. 546 = *palustris*.  
*Wightiana*, *Wall. Cat.* n. 3755; et ex *Wight & Arn. Prod.* 35.—Ind. or.; *Reg. Himal.*

**PAROCHETUS**, *Buch.-Ham. ex D. Don, Prod. Fl. Nep.* 240 (1825). **LEGUMINOSAE**, *Benth.* & *Hook.* f. i. 485.

- COSMIUA*, *Alef.* in *Bot. Zeit.* xxiv. (1866) 146.  
*communis*, *Buch.-Ham. ex D. Don, Prod. Fl. Nep.* 240.—Ind. or.; *Malaya*; *Afr. trop.*  
*maculata*, *Benn. Pl. Jav. Rar.* i. 162 = *communis*.  
*major*, *Buch.-Ham. ex D. Don, Prod. Fl. Nep.* 241 = *communis*.  
*oxalidifolius*, *Royle, Illustr. Bot. Himal.* 201. t. 35. f. 1 = *communis*.

**PAROLINIA**, *Endl. Gen. Suppl.* i. 1372 (1841) = *Callitris*, *Vent. (Conif.)*.  
*juniperoides*, *Endl. ex Gord. Pinet. Suppl.* 107 = *C. arborea*.**PAROLINIA**, *Webb*, in *Ann. Sc. Nat. Sér. II.* xiii. (1840) 133. t. 3. **CRUCIFERAE**, *Benth.* & *Hook.* f. i. 71.  
*ornata*, *Webb, l. c.*—Ins. Canar.**PARONYCHIA**, [*Tourn.*] *Linn. Syst. ed.* I (1735); *Adans. Fam.* ii. 272 (1763); *Juss. in Mém. Mus. Par.* ii. (1815) 389. **ILLECEBRACEAE**, *Benth.* & *Hook.* f. iii. 15.

- BUINALIS*, *Rafin. New Fl. Am. iv.* 40 (1836).  
*PLOTTOZIA*, *Arn. in Lindl. Introd. Nat. Syst. ed. II.* 441 (1836).  
*Achyrantha*, *Desf. Tabl. ed. II.* 54 = *Alternanthera Achyrantha*.  
*albella*, *Juss. in Mém. Mus. Par.* ii. (1815) 390.—Arabia.  
*alsinefolia*, *Juss. l. c.*—Hispan.  
*americana*, *Fenzl, ex Walp. Rep.* i. 262 = *Siphonochia americana*.  
*andina*, *A. Gray, Bot. U. St. Expl. Exped.* i. 128.—Reg. Andin.  
*andina*, *Phil. in Anal. Univ. Chil.* (1870) ii. 172.—Chili.  
*appressa*, *Phil. in Linnaea*, xxxiii. (1864-65) 79.—Chili.  
*arabica*, *DC. Cat. Hort. Monsp.* (1813) 130; *Delile, Fl. Egypte*, 187. t. 18.—Syria; *Arabia*; *Aegypt.*  
*arborea*, *Walp. Rep.* i. 261 = *Acronychia arborea*.

**PARONYCHIA** :—

- Arbuscula*, *C. Gay, Fl. Chil.* ii. 520.—Chili.  
*aretioides*, *DC. Prod.* iii. 371.—Hispan.  
*argentea*, *Lam. Fl. Fr.* iii. 230.—Reg. Mediterr.  
*argentea*, *Schur, Enum. Pl. Transs.* 223 = *capitata*.  
*argyrocoma*, *Nutt. Gen. Am.* i. 160.—Am. bor.  
*aristata*, *DC. in Poir. Encyc.* v. 23 = *Polycarpaea aristata*.  
*aragonica*, *Schult. in Roem. & Schult. Syst.* v. 520.—Hispan.  
*aurasiaca*, *Webb, ex Coss.* in *Bull. Soc. Bot. Fr.* xi. (1864) 160 = *argentea*.  
*australis*, *Gill. ex Hook. & Arn. in Hook. Bot. Misc.* iii. (1833) 337.—Chili.  
*Baldwinii*, *Fenzl, in Walp. Rep.* i. 262.—Am. bor.  
*bengalensis*, *Roem. & Schult. Syst.* v. 521 = *Achyranthes bengalensis*.  
*bogotensis*, *Triana & Planch. in Ann. Sc. Nat. Sér. IV.* xvii. (1862) 147.—N. Granat.  
*bonariensis*, *DC. Prod.* iii. 370.—Reg. Argent.  
*brasiliensis*, *DC. in Poir. Encyc.* v. 23 = *bonariensis*.  
*brevistipulata*, *Lange, in Kjoeb. Vidensk. Meddel.* (1865) 99.—Hispan.  
*bryoides*, *Hochst. ex A. Rich. Tent. Fl. Abyss.* i. 302.—Abyss.  
*Bungei*, *Boiss. Fl. Orient.* i. 744.—Persia.  
*camphorosmoides*, *Cambess. in A. St. Hil. Fl. Bras. Mer.* ii. 187.—Bras.  
*canadensis*, *Wood, Class-Book* (1861), 262 = *Anychia dichotoma*.  
*canariensis*, *Juss. in Mém. Mus. Par.* ii. (1815) 390.—Ins. Canar.  
*capensis*, *Eckl. ex Steud. Nom. ed. II.* ii. 209 = *Cyathula globulifera*.  
*capitata*, *Lam. Fl. Fr.* iii. 229.—Europ. austr.; *Oriens*.  
*capitata*, *Reichb. Fl. Germ. Excurs.* 564 = *P. Cephalotes*.  
*Cephalotes*, *Stev. in Bull. Soc. Nat. Mosc.* xxix. (1856) ii. 184.—Tauria.  
*chilensis*, *DC. Prod.* iii. 370.—Chili.  
*chionaea*, *Boiss. Diagn. Ser. I.* iii. 9 = *capitata*.  
*communis*, *Cambess. in A. St. Hil. Fl. Bras. Mer.* ii. 186.—Bras.  
*confertissima*, *Parodi, in Anal. Soc. Cient. Argent.* vi. (1878) 44; *Contrib.* 96.—Reg. Argent.  
*coquimbensis*, *C. Gay, Fl. Chil.* ii. 520.—Chili.  
*Cossoniana*, *J. Gay, ex Coss. in Bull. Soc. Bot. Fr.* iv. (1857) 486.—Alger.  
*curdica*, *Walp. Rep.* v. 75 = *kurdica*.  
*cymosa*, *DC. in Poir. Encyc.* v. 26.—Reg. Mediterr. occ.  
*depressa*, *Nutt. ex Torr. & Gray, Fl. N. Am.* i. 171 = *Jamesii*.  
*desertorum*, *Boiss. Diagn. Ser. I.* iii. 11.—Aegypt.; *Arab.*; *Persia*.  
*dichotoma*, *DC. in Poir. Encyc.* v. 25 = *Herniaria dichotoma*.  
*dichotoma*, *Nutt. Gen. Am.* i. 159.—Am. bor.  
*dichotoma*, *Torr. in Ann. Lyc. N. York*, ii. (1828) 203 = *Jamesii*.  
*divaricata*, *Juss. in Mém. Mus. Par.* ii. (1815) 390 = *Polycarpaea Teneriffae*.  
*Drummondii*, *Torr. & Gray, Fl. N. Am.* i. 170.—Am. bor. occ.  
*dubia*, *Hort. ex Moq. in DC. Prod.* xiii. ii. 361 = *Alternanthera sessilis*?  
*echinata*, *Lam. Fl. Fr.* iii. 232.—Reg. Mediterr.  
*ficoidea*, *Desf. Tabl. ed. I.* 44; *ed. II.* 54 = *Alternanthera se-silis*.  
*flavescens*, *Boiss. Diagn. Ser. I.* x. 14 = *sinaica*.  
*frutescens*, *Desf. Tabl. ed. I.* 41; *ed. II.* 54 = *Alternanthera frutescens*.  
*fruticosa*, *Lam. Fl. Fr.* iii. 230.—Reg. Mediterr. occ.  
*glomerata*, *Moench. Meth.* 315 = *argentea*.  
*Hartwegiana*, *Rohrb. in Linnaea*, xxxvii. (1871-73) 204.—Ecuador.  
*hemarioides*, *Nutt. Gen. Am.* i. 159.—Am. bor.  
*hispanica*, *DC. in Poir. Encyc.* v. 24 = *argentea*.  
*hispidula*, *Steud. ex Boiss. Fl. Orient.* i. 744 = *kurdica*.  
*hungarica*, *Griseb. Spicil. Fl. Rumel.* i. 215 = *P. Cephalotes*.  
*illecebroides*, *Webb. in Hook. Niger Fl.* 106. t. 7.—I. Cap. Virid.  
*imbricata*, *Boiss. & Haussk. in Fl. Egypte*, 187. t. 18.—Syria.  
*imbricata*, *Reichb. Fl. Germ. Excurs.* 564 = *capitata*.  
*italica*, *Roem. & Schult. Syst.* v. 518 = *argentea*.



**PARONYCHIA**—

- Jamesii, Torr. & Gray, *Fl. N. Am.* i. 170.—Am. bor. occ.  
 Kapela, A. Kern. in *Oestr. Bot. Zeitschr.* xix. (1869) 367.—Europ. austr.  
*Kochiana*, Boiss. *Diagn. Ser. I. x.* 13 = capitata.  
*kurdica*, Boiss. *l. c.* iii. 10.—Oriens.  
*lanata*, Moench, *Meth. Suppl.* 112 = *Aerva lanata*.  
*lanuginosa*, Poir. *Encyc. Suppl.* iv. 303; Tuss. *Fl. Antilles*, ii. 90, t. 21.—Ins. S. Doming.  
*laurifolia*, Walp. *Rep. i.* 261 = *Acronychia laurifolia*.  
*Lindheimeri*, Engelm. ex A. Gray, in *Bost. Journ. Nat. Hist.* vi. (1850) 152.—N. Mexic.  
*linearifolia*, DC. in Poir. *Encyc. v.* 26 = *Polycarpha linearifolia*.  
*longifolia*, Steud. *Nom. ed. II. ii.* 269.—Chili.  
*longiseta*, Webb & Berth. *Phyt. Canar. i.* 163, in textu = *arabica*.  
*macrosepala*, Boiss. *Diagn. Ser. I. iii.* 11; Ball, in *Journ. Bot.* xiii. (1875) 204.—Reg. Mediterr.  
*Mandoniana*, Rohrb. in *Linnaea*, xxxvii. (1871-73) 208.—Bolivia.  
*maritima*, DC. ex G. Don, in *Loud. Hort. Brit.* 91 = capitata.  
*mexicana*, Hemsl. *Diagn. Pl. Nov.* 36.—Mexic.  
*mutica*, Phil. in *Linnaea*, xxxiii. (1864-65) 79.—Chili.  
*nitida*, Gaertn. *Fruct. ii. t.* 128 = *argentea*.  
*nivea*, DC. in Poir. *Encyc. iv.* 25 = capitata.  
*nivea*, C. A. Mey. *Verz. Pfl. Cauc.* 154 = *kurdica*.  
*paniculata*, Benth. & Hook. *f. Gen. iii.* 16.—Hispan.  
*polycnemoides*, Schlecht. in *Linnaea*, xiii. (1839) 407 = *Pentacaena polycnemoides*.  
*polygonifolia*, DC. *Fl. Fr. iii.* 403.—Europ. austr.  
*pubescens*, DC. *l. c.* = *Herniaria hirsuta*.  
*pulvinata*, A. Gray, in *Proc. Acad. Sc. Philad.* 1863 (1864) 58.—Am. bor. occ.  
*ramosissima*, DC. *Mém. Paronych.* 12, t. 4 = *Pentacaena polycnemoides*.  
*rigida*, Moench, *Meth.* 315 = capitata.  
*riparia*, Chapm. *Fl. S. U. St. Suppl.* 607.—Am. bor.  
*Rosetta*, Cambess. in *A. St. Hil. Fl. Bras. Mer. ii.* 188.—Bras.  
*Rugelii*, Shuttl. ex Chapm. *Fl. S. U. St.* 47 = *Siphonochia Rugelii*.  
*sclerocarpa*, Steud. *Nom. ed. II. ii.* 269 = seq.  
*sclerocephala*, Decne. in *Ann. Sc. Nat. Sér. II. iii.* (1835) 262 = *Sclerocephalus arabicus*.  
*sedifolia*, R. Br. in *Salt. Abyss. App.* 64; Roem. & Schult. *Syst. v.* 523.—Abyss.  
*serpyllifolia*, Auct. ex Nym. *Consp.* 255 = capitata.  
*serpyllifolia*, DC. *Fl. Fr. iii.* 404; et in Poir. *Encyc. v.* 24.—Europ. austr.  
*sessiliflora*, Nutt. *Gen. Am. i.* 160.—Am. bor.  
*sessilis*, Desf. *Tabl. ed. II.* 45 = *Alternanthera sessilis*.  
*setacea*, Torr. & Gray, *Fl. N. Am. i.* 170.—Am. bor. occ.  
*sinaica*, Fresen. in *Mus. Senckenb. i.* (1833) 180.—Syria.  
*Smithii*, Choisy, ex Link, in *Buch, Besch. Canar. Ins.* 142 = *Polycarpha Smithii*.  
*splendens*, Stev. in *Bull. Soc. Nat. Mosc.* xxix. (1856) ii. 184 = *kurdica*.  
*striata*, DC. in Poir. *Encyc. v.* 25 = *Polycarpon tetraphyllum*.  
*subulata*, DC. *l. c.* = *Polycarpha corymbosa*.  
*suffruticosa*, DC. *l. c.* = *fruticosa*.  
*tenella*, Desf. *Cat. Hort. Par. ed. III.* 407 = *Alternanthera tenella*?  
*tenuifolia*, Link, *Enum. Hort. Berol. i.* 151; DC. *Prod. iii.* 372.—Hab.?  
*tetragona*, Moench, *Meth.* 315 = *Alternanthera sessilis*.  
*trinervis*, Dulac, *Fl. Hautes-Pyr.* 364 = *polygonifolia*.  
*urceolata*, Shuttl. ex Chapm. *Fl. S. U. St.* 47 = *Siphonochia americana*.  
*verticillata*, Lam. *Fl. Fr. iii.* 231; DC. in Poir. *Encyc. v.* 23 = *Illecebrum verticillatum*.  
*virginica*, Spreng. *Syst. i.* 822 = *dichotoma*.

**PAROPHIORRHIZA**, C. B. Clarke, ex Hook. *f. Fl. Brit. Ind.* iii. 85 (1880) = *Mitreola*, Linn. (Logan.).  
*khasiana*, C. B. Clarke, *l. c.* = *M. pedicellata*.

**PAROPSIA**, Noronha, ex Thou. *Hist. Vég. Isles Afr.* 59, t. 19 (1805). *PASSIFLOREAE*, Benth. & Hook. *f. i.* 812.

*TRICHODIA*, Griff. *Notul. iv.* 570 (1854).  
*edulis*, Thou. *Hist. Vég. Isles Afr.* ii. 59, t. 19.—Madag.

**PAROPSIA**—

- grewioides, Welw. ex Mast. in *Oliver, Fl. Trop. Afr.* ii. 505.—Afr. trop.  
*guineensis*, Oliver, in *Journ. Linn. Soc.* viii. (1865) 161.—Afr. trop.  
*malayana*, Planch. ex Mast. in *Trans. Linn. Soc.* xxvii. (1871) 639.—Malacca.  
*obscura*, O. Hoffm. *Sert. Madag.* 20.—Madag.  
*vareiciformis*, Mast. in *Trans. Linn. Soc.* xxvii. (1871) 639.—Malacca.

**PAROSELA**, Cav. *Desc.* 185 (1802) = **Dalea**, Linn. (*Legumin.*).  
*Lagopus*, Cav. *l. c.* 187 = *D. Lagopus*.  
*lutea*, Cav. *l. c.* 186 = *D. lutea*.  
*mutabilis*, Cav. *l. c.* = *D. mutabilis*.  
*tuberculata*, Cav. *Elench. Hort. Madr.* (1805); ex DC. *Prod. ii.* 245 = *D. thymoides*.

**PAROSELLA**, Cav. ex DC. *Prod. ii.* 244 (1825) = *praec.*

**PARQUI**, Adans. *Fam. ii.* 219 (1763) = **Cestrum**, Linn. (*Solanac.*).

**PARRIA**, Steud. *Nom. ex II. ii.* 269 (1841) = **Parrya**, R. Br. (*Crucif.*).

**PARROTIA**, C. A. Mey. *Verz. Pfl. Cauc.* 46 (1831).  
*HAMAMELIDEAE*, Benth. & Hook. *f. i.* 666.  
*Jacquemontiana*, Decne. in *Jacquem. Voy. Bot.* 73, t. 82.—Reg. Himal.  
*persica*, C. A. Mey. *Verz. Pfl. Cauc.* 46.—Persia; Reg. Caucas.  
*siderodendron*, C. A. Mey. ex Ledeb. *Fl. Ross. ii.* 377 = *persica*.

**PARROTIA**, Walp. *Ann. i.* 754 (1849?), *sphalm.* = **BARROTIA**, Gaudich. = **Pandanus**, Linn.

**PARRYA**, R. Br. in Parry, *Voy. App.* 268 (1824).  
*CRUCIFERAE*, Benth. & Hook. *f. i.* 67.  
*ERMANIA*, Cham. in *Linnaea*, vi. (1831) 533.  
*NEUROLOMA*, Andr. ex DC. *Prod. i.* 156 (1824).  
*PACHYNEURUM*, Bunge, in *Linnaea*, xiv. (1840) 121.

- arctica*, R. Br. in Parry, *Voy. App.* 270.—Reg. arct.  
*arctica*, Turcz. in *Bull. Soc. Nat. Mosc.* xv. (1842) 242 = *macrocarpa*.  
*arenicola*, Hook. *f. in Trans. Linn. Soc.* xxiii. (1861) 285, 315.—Am. arct.  
*Ermanni*, Ledeb. *Fl. Ross. i.* 132.—Sibir.  
*ericalyx*, Regel & Schmalh. in *Act. Hort. Petrop. v.* (1877) 234.—Turkestan.  
*exscapa*, C. A. Mey. in *Ledeb. Fl. Alt.* iii. 28.—Tibet. occ.; Mont. Altai.  
*flabellata*, Regel, in *Bull. Soc. Nat. Mosc.* xliii. (1870) i. 261.—Rossia.  
*fruticulosa*, Regel & Schmalh. in *Act. Hort. Petrop. v.* (1877) 237.—Kokan.  
*integerrima*, G. Don, *Gen. Syst. i.* 173.—Sibir.  
*lanuginosa*, Hook. *f. & Thoms. in Journ. Linn. Soc.* v. (1861) 136.—Reg. Himal.  
*Linnaea*, Ledeb. *Fl. Ross. i.* 131.—Kamtschatk.  
*macrocarpa*, R. Br. in Parry, *Voy. App.* 270.—Reg. arct.; As. centr.  
*microcarpa*, Ledeb. *Fl. Ross. i.* 132.—Mont. Altai.  
*nudicaulis*, Boiss. *Fl. Orient. i.* 159 = *macrocarpa*.  
*pinnatifida*, Kar. & Kir. in *Bull. Soc. Nat. Mosc.* xv. (1842) 147.—Mont. Altai; Afghan.  
*platycarpa*, Hook. *f. & Thoms. in Journ. Linn. Soc. v.* (1861) 136.—Reg. Himal.  
*pumila*, Kurz, in *Flora*, lv. (1872) 285.—Tibet.  
*scapigera*, G. Don, *Gen. Syst. i.* 173.—Sibir.  
*stenocarpa*, Kar. & Kir. in *Bull. Soc. Nat. Mosc.* xv. (1842) 147.—Mont. Altai.  
*stenoloma*, Schrenk, ex Fisch. Mey. & Avé-Lall. *Ind. Sem. Hort. Petrop.* viii. 69 = *stenocarpa*.

**PARRYELLA**, Torr. & Gray, ex A. Gray, in *Proc. Am. Acad.* vii. (1868) 397. *LEGUMINOSAE*.  
*filifolia*, Torr. & Gray, *l. c.*—Mexic.

**PARSONSIA**, P. Br. *Hist. Jamaic.* 199, t. 21 (1756) = **Cuphea**, P. Br. (*Lythrar.*).  
*herbacea*, Jaume St Hil. *Expos. ii.* 178 = *C. Parsonsia*.  
*prostrata*, Bert. ex DC. *Prod. iii.* 86 = *C. Parsonsia*.

**PARSONSIA**, R. Br. in *Mem. Wern. Soc. i.* (1809) 64. *APOCYNACEAE*, Benth. & Hook. *f. ii.* 711.

- GASTRANTHUS*, F. Muell. *Fragm. vi.* 130 (1868).  
*HELICANDRA*, Hook. & Arn. *Bot. Beech. Voy.* 198, in nota (1833).  
*HELIGME*, Blume, *Fl. Jav. Praef. p.* vii (1828).  
*HELYGIA*, Blume, *Bijdr.* 1043 (1826).  
*SPIROSTEMON*, Griff. *Notul. iv.* 80 (1854).  
*acuminata*, Wall. *Cat. n.* 1634 = *spiralis*.  
*albiflora*, Raoul, in *Ann. Sc. Nat. Sér. III. ii.* (1844) 118.—N. Zel.  
*barbata*, Blume, *Bijdr.* 1042 = *Parameria glandulifera*.  
*bracteata*, Hook. & Arn. in *Hook. Journ. Bot. i.* (1834) 287.—Reg. Argent.  
*capsularis*, R. Br. in *Mem. Wern. Soc. i.* (1809) 65.—Austral.; N. Zel.  
*capsularis*, Endl. ex Deless. *l. c.* v. t. 49 = *albiflora*.  
*capsularis*, Raoul, in *Ann. Sc. Nat. Sér. III. ii.* (1844) 118 = *rosea*.  
*corymbosa*, R. Br. in *Mém. Wern. Soc. i.* (1809) 65.—Ins. S. Doming.  
*Cumingiana*, A. DC. in *DC. Prod. viii.* 402.—Ins. Philipp.  
*diaphanophlebia*, F. Muell. *Fragm. ii.* 158 = *Lyonsia diaphanophlebia*.  
*eucalyptifolia*, Benth. *Fl. Austral. iv.* 323 = seq.  
*eucalyptophylla*, F. Muell. *l. c.* 159 = *Lyonsia eucalyptifolia*.  
*floribunda*, R. Br. in *Mem. Wern. Soc. i.* (1809) 65 = *Forsteronia floribunda*, G. F. W. Mey.  
*Forsteri*, G. Don, *Gen. Syst. iv.* 79 = *rosea*, *albiflora*.  
*glaucescens*, F. Muell. *Fragm. vi.* 126 = *lanceolata*.  
*Helicandra*, Hook. & Arn. *Bot. Beech. Voy.* 197.—China.  
*heterophylla*, A. Cunn. in *Ann. Nat. Hist. Ser. I. ii.* (1839) 46 = *albiflora*.  
*induplicata*, F. Muell. *Fragm. vi.* 129 = *Lyonsia induplicata*.  
*javanica*, Blume, *Bijdr.* 1041 (= *Chavannesia javanica*).—Java.  
*lanceolata*, R. Br. *Prod.* 466.—Austral.  
*Langiana*, F. Muell. *Fragm. vi.* 128 = *Lyonsia Langiana*.  
*Leichhardtii*, F. Muell. *l. c.*—Austral.  
*leptocarpa*, Hook. & Arn. in *Hook. Journ. Bot. i.* (1834) 287.—Bras.  
*lilacina*, F. Muell. *Fragm. vi.* 127 = *Lyonsia lilacina*.  
*macrocarpa*, Colenso, in *Trans. N. Z. Inst.* xiv. (1882) 331.—N. Zel.  
*mollis*, R. Br. *Prod.* 466 = *lanceolata*.  
*myrtifolia*, Roem. & Schult. *Syst. iv.* 403.—Madag.  
*oblonga*, Wall. *Cat. n.* 1632 = *spiralis*.  
*ovata*, Wall. *l. c.* n. 1630 = *Pottsia cantonensis*.  
*pauciflora*, Wall. *l. c.* n. 1633 = *spiralis*.  
*Rheedii*, F. Villar, in *Blanco, Fl. Philipp.* ed. III. *Nov. App.* 130.—Ins. Philipp.  
*rosea*, Raoul, in *Ann. Sc. Nat. Sér. III. ii.* (1844) 118.—N. Zel.  
*spicata*, R. Br. in *Mem. Wern. Soc. i.* (1809) 65.—N. Granat.  
*spiralis*, Vidal, *Sin. Fl. Leñ. t.* 66, f. E = *Rheedii*.  
*spiralis*, Wall. *Cat. n.* 1631.—As. trop.  
*variabilis*, Lindl. in *Journ. Hort. Soc. v.* (1850) 196 = *rosea*?  
*velutina*, R. Br. *Prod.* 466.—Austral.  
*ventricosa*, F. Muell. in *Trans. Phil. Inst. Vict. ii.* (1858) 71.—Austral.

**PARTHENICE**, A. Gray, *Pl. Wright. ii.* 85 (in *Smithson. Contrib. v.*) (1853). *COMPOSITAE*, Benth. & Hook. *f. ii.* 352.  
*mollis*, A. Gray, *l. c.*—N. Mexic.

**PARTHENIUM**, Linn. *Syst. ed. I* (1735); *Gen. ed. I.* 265 (1737). *COMPOSITAE*, Benth. & Hook. *f. ii.* 351.

- ARGYROCHAETA*, Cav. *l. c.* iv. 54, t. 378 (1791).  
*BOLOPHYTA*, Nutt. in *Trans. Am. Phil. Soc. N. S.* vii. (1841) 347.  
*HYSTEROPHORUS*, Adans. *Fam. ii.* 128 (1763).  
*VILLANOVA*, Orteg. *Hort. Matr. Dec.* 47, t. 6 (1789).  
*alpinum*, Torr. & Gray, *Fl. N. Am. ii.* 285.—Am. bor. occ.  
*amplectens*, Rafin. *New Fl. Am. ii.* 26 = *integrifolium*.  
*angustifolium*, Rafin. *l. c.* 25 (Quid?).—Am. bor.  
*annuum*, Crantz, *Inst. i.* 345 = *Iva annua*.  
*argentatum*, A. Gray, in *Torr. Bot. Mex. Bound.* 86.—Texas.



**PARTHENIUM:—**

confertum, *A. Gray, in Proc. Am. Acad.* xvii. (1881–82) 216.—Mexic.  
*Dillenianum, Rafin. New Fl. Am.* ii. 26 (Quid?).—Am. bor.  
*Elliotanum, Rafin. l. c.* (Quid?).—Am. bor.  
*frutescens, Crantz, Inst. i.* 345 = *Iva frutescens*.  
*fruticosum, Less. in Linnaea, v.* (1830) 152.—Am. austr.  
*hispidum, Rafin. New Fl. Am.* ii. 35 (Quid?).—Am. bor.  
*Hysterophorus, Linn. Sp. Pl.* 988.—Am. bor. et austr.  
*incanum, H. B. & K. Nov. Gen. et Sp.* iv. 260. t. 391.—Am. bor. occ.  
*integrifolium, Linn. Sp. Pl.* 988.—Am. bor.  
*lobatum, Buckl. in Proc. Acad. Sc. Philad.* 1861 (1862) 457 = *P. Hysterophorus*.  
*luteum, Spreng. Nov. Prov.* 31 = *Guizotia abyssinica*.  
*lyratum, A. Gray, Syn. Fl. N. Am.* i. ii. 244.—Texas; Mexic.  
*Matricaria, Gueldenst. Reisen, ii.* 25 = *Chrysanthemum Parthenium*.  
*pinnatifidum, Stokes, Bot. Mat. Med.* iv. 278 = *P. Hysterophorus*.  
*pumilum, Rafin. New Fl. Am.* ii. 25 (Quid?).—Am. bor.  
*ramosissimum, DC. Prod. v.* 532 = *incanum*.  
*sinuatum, Rafin. New Fl. Am.* ii. 25 (Quid?).—Am. bor.  
*tomentosum, DC. Prod. v.* 532.—Mexic.

**PARTHENOPSIS, Kellogg, in Proc. Calif. Acad. v.** (1878) 100 = **Venegazia, DC.** (Compos.).  
*maritimus, Kellogg, l. c.* 101 = *V. carpesioides*.

**PARTHENOSTACHYS, Fourr. in Ann. Soc. Linn. Lyon, N. S. xvii.** (1869) 158 = **Ornithogalum, Tourn.** (Liliac.).  
*narbonensis, Fourr. l. c.* = *O. narbonense*.  
*pyrenaica, Fourr. l. c.* = *O. pyrenaicum*.

**PARTHENOXYLON, Blume, Mus. Bot. Lugd. Bat. i.** 322 (1851) = **Cinnamomum, Tourn.** (Laurin.).  
*porrectum, Blume, l. c.* 323 = *C. Parthenoxylon*.  
*pruinatum, Blume, l. c.* = *Java*.  
*Pseudo-sassafras, Blume, l. c.* = *C. Parthenoxylon*.

**PARVATIA, Decne. in Arch. Mus. Par. i.** (1837) 190. t. 12 A. **BERBERIDEAE, Benth. & Hook. f. i.** 42.  
*Brunoniana, Decne. l. c.*; et in *Ann. Sc. Nat. Sér. II.* xii. (1839) 104.—Reg. Himal.

**PARYPHANTHA, Schau. in Linnaea, xvii.** (1843) 235 = **Thryptomene, Endl.** (Myrtac.).  
*camphorata, F. Muell. ex Miq. in Nederl. Kruidk. Arch.* iv. (1859) 116 = *T. saxicola*.  
*cuspidata, Turcz. in Bull. Phys.-Math. Acad. Pétersb.* x. (1852) 321 = *T. tenella*.  
*Mitchelliana, Schau. in Linnaea, xvii.* (1843) 235 = *T. Mitchelliana*.

**PARYPHANTHE, Benth. Fl. Austral. iii.** 62 (1866) = *praec.*

**PARYPHOSPHAERA, Karst. Fl. Columb. iii.** 7. t. 104 (1862) = **Parkia, R. Br.** (Legumin.).  
*arborea, Karst. l. c.* = *Parkia Paryphosphaera*.

**PASANIA, Oerst. in Kjoeb. Vidensk. Meddel.** (1866) 81 = **Quercus, Tourn.** (Cupul.).  
*acuminata, Oerst. l. c.* 83 = *Q. acuminata*.  
*acuminatissima, Oerst. l. c.* 84 = *Q. Junghuhniana*.  
*Amherstiana, Oerst. l. c.* = *Q. Amherstiana*.  
*cornea, Oerst. l. c.* 83 = *Q. cornea*.  
*crassinervia, Oerst. l. c.* 84 = *Q. crassinervia*.  
*cuspidata, Oerst. l. c.* = *Q. cuspidata*.  
*dealbata, Oerst. l. c.* = *Q. dealbata*.  
*densiflora, Oerst. l. c.* 83 = *Q. densiflora*.  
*Eyreii, Oerst. in Vidensk. Selsk. Skr. V. ix.* (1873) 379 = *Q. Eyreii*.  
*fenestrata, Oerst. in Kjoeb. Vidensk. Meddel.* (1866) 84 = *Q. fenestrata*.  
*fissa, Oerst. l. c.* = *Q. fissa*.  
*glabra, Oerst. l. c.* 83 = *Q. glabra*.  
*glomerata, Oerst. in Vidensk. Selsk. Skr. V. ix.* (1873) 379 = *Q. glomerata*.  
*glutinosa, Oerst. l. c.* = *Q. glutinosa*.

**PASANIA:—**

*Harlandi, Oerst. in Kjoeb. Vidensk. Meddel.* (1866) 83 = *Quercus Harlandi*.  
*Irwinii, Oerst. l. c.* = *Q. Irwinii*.  
*Korthalsii, Oerst. l. c.* = *Q. Korthalsii*.  
*lancaefolia, Oerst. l. c.* 84 = *Q. lanceaefolia*.  
*lappacea, Oerst. l. c.* = *Q. lappacea*.  
*lithocarpaea, Oerst. l. c.* = *Assam*.  
*littoralis, Oerst. in Vidensk. Selsk. Skr. V. ix.* (1873) 379 = *Q. littoralis*.  
*mixta, Oerst. in Kjoeb. Vidensk. Meddel.* 1866) 83 = *Q. spicata*.  
*Molucca, Oerst. in Vidensk. Selsk. Skr. V. ix.* (1873) 373 = *Q. Molucca*.  
*neurophylla, Oerst. l. c.* 379 = *Q. sundaica*?  
*oligoneura, Oerst. in Kjoeb. Vidensk. Meddel.* (1866) 84 = *Q. oligoneura*.  
*pallida, Oerst. l. c.* 83 = *Q. pallida*.  
*Pinanga, Oerst. in Vidensk. Selsk. Skr. V. ix.* (1873) 379 = *Q. Pinanga*.  
*placentaria, Oerst. in Kjoeb. Vidensk. Meddel.* (1866) 83 = *Q. spicata*.  
*plumbea, Oerst. l. c.* 84 = *Q. plumbea*.  
*polystachya, Oerst. in Vidensk. Selsk. Skr. V. ix.* (1873) 379 = *Q. polystachya*.  
*pruinosa, Oerst. in Kjoeb. Vidensk. Meddel.* (1866) 83 = *Q. pruinosa*.  
*Pseudo-molucca, Oerst. l. c.* = *Q. Pseudo-molucca*.  
*rotundata, Oerst. l. c.* = *Q. rotundata*.  
*sessilifolia, Oerst. in Vidensk. Selsk. Skr. V. ix.* (1873) 379 = *Q. sessilifolia*.  
*spicata, Oerst. in Kjoeb. Vidensk. Meddel.* (1866) 83 = *Q. spicata*.  
*sundaica, Oerst. l. c.* = *Q. sundaica*.  
*thalassica, Oerst. l. c.* = *Q. thalassica*.  
*urceolaris, Oerst. l. c.* = *Q. Lamponga*?  
*variabilis, Regel, Cat. Pl. Hort. Aksakov.* 102 = *Q. variabilis*.

**PASCALIA, Orteg. Hort. Matr. Dec. 39. t. 4** (1797). **COMPOSITAE, Benth. & Hook. f. ii.** 369.  
**LORENTZIA, Griseb. in Goett. Abh. xix.** (1874) 182.  
*baccata, Spreng. Syst. iii.* 602 = *Wulffia stenoglossa*.  
*glandulosa, Fisch. ex Steud. Nom. ed. I.* 592.—Hab.?  
*glauca, Orteg. Hort. Matr. Dec. 39.*—Chili.

**PASCHANTHUS, Burch. Trav. i.** 543 (1822) = **Mo-decca, Lam.** (Passifl.).  
*repandus, Burch. l. c.* = *M. Paschanthus*.

**PASINA, Adans. Fam. ii.** 189 (1763) = **Horminum, Linn.** (Labiata.).

**PASITHEA, D. Don, in Edinb. N. Phil. Journ.** xiii. (Oct. 1832) 236. **LILIACEAE, Benth. & Hook. f. iii.** 791.  
*coerulea, D. Don, in Edinb. N. Phil. Journ.* xiii. (Oct. 1832) 237.—Chili.

**PASPALANTHIUM, Desv. Opusc. 59** (1831) = **Paspalum, Linn.** (Gramin.).  
*stoloniferum, Desv. l. c.* = *Paspalum racemosum*.

**PASPALUM, Linn. Syst. ed. X.** 855 (1759). **GRAMINEAE, Benth. & Hook. f. iii.** 1097.  
**ANACHYRIS, Nees, in Hook. Kew Journ.** ii. (1850) 103.  
**ANASTROPHUS, Schlecht. in Bot. Zeit. viii.** (1850) 681.  
**AXONOPUS, Beauv. Agrost. 12** (1812).  
**CARRERA, Lag. Gen. et Sp. Nov. 5** (1816).  
**CERESIA, Pers. Syn. i.** 85 (1805).  
**CLEACHNE, Roland. ex Rottb. in Act. Lit. Univ. Hafn. i.** (1778) 285.  
**CYMATOCHLOA, Schlecht. in Bot. Zeit. xii.** (1854) 821.  
**LAPPAGOPSIS, Steud. Syn. Pl. Gram. 112** (1855).  
**MAIZILLA, Schlecht. in Bot. Zeit. viii.** (1850) 601.  
**MOENCHIA, Wender. ex Steud. Nom. ed. II. ii.** 153 (1841).  
**PASPALANTHIUM, Desv. Opusc. 59** (1831).  
**SABSAB, Adans. Fam. ii.** 31 (1763).  
**WIRTGENIA, Nees, ex Doell, in Mart. Fl. Bras. ii.** 40 (1877).  
*abbreviatum, Trin. ex Steud. Nom. ed. II. ii.* 270.—Mexic.  
*abstrusum, Trin. in Mém. Acad. Pétersb. Sér. VI.* iii. ii. (1835) 135.—Bras.  
*acuminatum, Raddi, Agrost. Bras. 25.*—Bras.

**PASPALUM:—**

*adelogaeum, Steud. Syn. Pl. Gram. 27.*—Java.  
*adpressum, Pers. Syn. i.* 85, in syn. = *Panicum paspaloides*.  
*aegyptiacum, Poir. Encyc. Suppl. iv.* 314 = *Panicum sanguinale*.  
*affine, Bello, in Anal. Soc. Esp. Hist. Nat. xii.* (1883) 125.—Costa Rica.  
*affine, Steud. Syn. Pl. Gram. 24* = *tenellum*?  
*africanum, Poir. Encyc. Suppl. iv.* 314.—Afr. trop.  
*alternans, Steud. Syn. Pl. Gram. 26* = *scrobiculatum*.  
*alterniflorum, A. Rich. Fl. Cub. Phanerog. ii.* 299.—Cuba.  
*altissimum, Le Conte, in Journ. Phys. xci.* (1820) 285.—Am. bor.  
*amazonicum, Trin. in Linnaea, x.* (1836) 294 = *plicatulum*.  
*ambiguum, DC. Fl. Fr. iii.* 16 = *Panicum glabrum*.  
*ambiguum, Salzm. ex Doell, in Mart. Fl. Bras. ii.* ii. 59 = *pleostachyum*.  
*ammodes, Trin. Gram. Panic. 120.*—Bras.  
*ancylolcarpum, Nees, ex Steud. Syn. Pl. Gram. 27.*—Bras.  
*angustifolium, Le Conte, in Journ. Phys. xci.* (1820) 285.—Am. bor.  
*angustifolium, Nees, ex Trin. Gram. Panic. 99* = *Neesii*.  
*annulatum, Fluegge, Gram. Monog. 133* = *Eriochloa annulata*.  
*antillense, Husnot, in Bull. Soc. Linn. Normand. Sér. II. v.* (1870) 260 = *undulatum*.  
*apiculatum, Doell, in Mart. Fl. Bras. ii.* ii. 48.—Am. trop.  
*appendiculatum, J. & C. Presl, Rel. Haenk. i.* 211.—Panama.  
*appressum, Lam. Illustr. i.* 176 = *Panicum paspaloides*.  
*approximatum, Doell, in Mart. Fl. Bras. ii.* ii. 82.—Am. trop.  
*arenarium, Schrad. ex Schult. Mant. ii.* 172.—Bras.  
*arenicolum, C. Muell. in Bot. Zeit. xix.* (1861) 325.—Guian.  
*argyrocondylon, Steud. Syn. Pl. Gram. 22.*—Guian.  
*aristatum, Moench, Meth. 178* = *Beckmannia erucaciformis*.  
*arundinaceum, Poir. Encyc. Suppl. iv.* 310.—m. Abor.  
*aspidotes, Trin. Sp. Gram. l. c.* iii. t. 269.—Bras.  
*atrocarpum, Steud. Syn. Pl. Gram. 25.*—Hab.?  
*attenuatum, J. & C. Presl, Rel. Haenk. i.* 212 = *scoparium*?  
*aureum, H. B. & K. Nov. Gen. et Sp. i.* 93. t. 27.—Am. austr.  
*aureum, Trin. Gram. Panic. 88* = *pulchrum*.  
*auriculatum, J. & C. Presl, Rel. Haenk. i.* 217 = *scrobiculatum*.  
*axicilium, Steud. Syn. Pl. Gram. 20* = *Ischaemum Urvilleanum*.  
*barbatum, Nees, Agrost. Bras. 27* = *barbigerum*.  
*barbatum, Schult. Mant. ii.* 558 = *distichum*.  
*barbatum, Schum. in Schum. & Thonn. Beskr. Guin. Pl. 53.*—Afr. trop.  
*barbigerum, Kunth. Rev. Gram. i.* 24.—Bras.  
*barbigerum, Steud. Nom. ed. II. ii.* 260, in syn., *sphalm.* = *praec.*  
*bicorne, Lam. Illustr. i.* 176 = *Panicum sanguinale*.  
*bicrurum, Salzm. ex Steud. Syn. Pl. Gram. 21* = *seq.?*  
*bicrurum, Salzm. ex Doell, in Mart. Fl. Bras. ii.* ii. 55 = *conjugatum*.  
*bifarium, Edgew. in Journ. As. Soc. Beng. xxi.* (1853) 179 = *scrobiculatum*?  
*biflorum, Rasp. in Ann. Sc. Nat. Sér. I. v.* (1825) 301 sp. dub.).—Hab.?  
*biglume, Steud. Syn. Pl. Gram. 24.*—Hab.?  
*bistipulatum, Hochst. ex Steud. Syn. Pl. Gram. 29* = *repens*.  
*blepharophorum, Roem. & Schult. Syst. ii.* 292 = *ciliatum*.  
*Blodgettii, Chapm. Fl. S. U. St. 571.*—Ind. occ.  
*Boivini, Steud. Syn. Pl. Gram. 416* = *heteropodium*.  
*Bonplandianum, Fluegge, Gram. Monog. 71.*—Ecuador.  
*borbonicum, Steud. Syn. Pl. Gram. 25.*—Ins. Mascar.  
*Boryanum, J. & C. Presl, Rel. Haenk. i.* 209.—Ins. Philipp.  
*Boscianum, Fluegge, Gram. Monog. 170* = *undulatum*.  
*brachiatum, Trin. ex Nees, Agrost. Bras. 62* = *distichum*.  
*brachystachyum, Trin. in Mém. Acad. Pétersb. Sér. VI.* iii. ii. (1835) 133 = *distichum*.  
*bracteatum, Dufour, ex Kunth, Enum. Pl. i.* 53 = *distichum*?



**PASPALUM:—**

*brasiliense*, Spreng. Syst. i. 249 = dissitifolium.  
*brevifolium*, Fluegge, Gram. Monog. 150.—Geront. trop.  
*brunneum*, Bosc, ex Poir. Encyc. Suppl. iv. 312 = undulatum.  
*Burchellii*, Munro, ex Doell, in Mart. Fl. Bras. ii. 11. 42.—Bras.  
*caespitosum*, Fluegge, Gram. Monog. 161.—Ind. occ.  
*caespitosum*, Hochst. ex Doell, in Mart. Fl. Bras. ii. 11. 76, 79 = plicatum, undulatum, dissectum.  
*campestre*, Schlecht. in Linnaea, xxvi. (1853) 131.—Bras.  
*campestre*, Trin. in Mém. Acad. Pétersb. Sér. VI. iii. 11. (1835) 144 = pumilum.  
*canaliculatum*, Nees, Agrost. Bras. 33.—Bras.  
*candidum*, Kunth, in Mém. Mus. Par. ii. (1803) 68; H. B. & K. Nov. Gen. et Sp. i. 87.—Ecuador.  
*canescens*, Anderss. in Vet. Akad. Handl. Stockh. 1853 (1855) 132.—Ins. Galapag.  
*canescens*, Nees, ex Trin. Gram. Panic. 89 = chrysodactylon.  
*capillare*, Boj. Hort. Maurit. 362 = heteropodium.  
*capillare*, Lam. Illustr. i. 176.—Am. austr.  
*carinatum*, Fluegge, Gram. Monog. 65.—N. Granat.  
*carolinianum*, Poir. Encyc. Suppl. iv. 311 = Panicum sanguinale?  
*cartilagineum*, J. & C. Presl, Rel. Haenk. i. 216 = scrobiculatum.  
*castaneum*, Remy, in Ann. Sc. Nat. Sér. III. vi. (1846) 348.—Bolivia.  
*caudicatum*, Wright, in Sauv. Fl. Cub. 196.—Cuba.  
*chepica*, Steud. Syn. Pl. Gram. 21 = distichum.  
*chinense*, Nees, in Hook. & Arn. Bot. Beech. Voy. 231; et in Steud. Syn. Pl. Gram. 41 = brevifolium.  
*chrysites*, Doell, in Mart. Fl. Bras. ii. 11. 117.—Am. trop.  
*chrysoblephare*, Doell, l. c. 119 = exasperatum.  
*chrysocomum*, Trin. ex Nees, Agrost. Bras. 81 = chrysostachyum.  
*chrysodactylon*, Doell, in Mart. Fl. Bras. ii. 11. 118.—Am. trop.  
*chrysostachyum*, Schrad. in Schult. Mant. ii. 176.—Ins. Philipp.  
*chrysotrichum*, J. & C. Presl, Rel. Haenk. i. 211.—Ins. Philipp.  
*chrysotrichum*, Schrad. ex Schult. Mant. ii. 176.—Bras.  
*ciliare*, DC. Fl. Fr. Suppl. 250 = Panicum sanguinale.  
*ciliatifolium*, Michx. Fl. Bor. Am. i. 44 = setaceum.  
*ciliatifolium*, Trin. in Mém. Acad. Pétersb. Sér. VI. iii. 11. (1835) 340 = conjugatum.  
*ciliatum*, H. B. & K. Nov. Gen. et Sp. i. 87. t. 24.—Bras.  
*ciliatum*, Lam. Illustr. i. 175 = conjugatum.  
*ciliatum*, Rottb. in Act. Lit. Univ. Hafn. i. (1778) 285 (Quid ?)—Guian.  
*ciliatum*, Rupr. ex Galeotti, in Bull. Acad. Brux. ix. (1842) 238 = Humboldtianum.  
*clavuliferum*, Wright, in Sauv. Fl. Cub. 195.—Cuba.  
*cochinchinense*, Willd. in Fluegge, Gram. Monog. 198.—Cochinch.  
*cognatissimum*, Steud. Syn. Pl. Gram. 18 = paniculatum.  
*cognatum*, Steud. l. c. 28.—Java.  
*coloratum*, Rich. ex Doell, in Mart. Fl. Bras. ii. 11. 78 = scrobiculatum.  
*comans*, Trin. ex Doell, l. c. 109.—Bras.  
*Commersonii*, Lam. Illustr. i. 175 = scrobiculatum.  
*Commersonii*, Zuccagni, in Roem. Collect. 122 = membranaceum.  
*commutatum*, Nees, Agrost. Bras. 59.—Bras.  
*compactum*, Roth, Nov. Pl. Sp. 38.—Ind. or.  
*complanatum*, Nees, ex Trin. Gram. Panic. 96 = platycaule.  
*complicatum*, D. Dietr. Syn. Pl. i. 242 = platycaule.  
*compressicaule*, Raddi, Agrost. Bras. 29 = paniculatum.  
*compressum*, Rasp. in Ann. Sc. Nat. Sér. I. v. (1825) 301; Nees, ex Trin. Gram. Panic. 96 = platycaule.  
*concinnum*, Steud. Syn. Pl. Gram. 19 = ischnocaulon.  
*confertum*, Le Conte, in Journ. Phys. xci. (1820) 285 = undulatum.  
*confertum*, Willd. ex Steud. Nom. ed. II. ii. 270 = candidum.  
*conjugatum*, Berg. in Act. Helv. vii. (1772) 129. t. 8.—Reg. trop.

**PASPALUM:—**

*consanguineum*, Kunth, Enum. Pl. i. 46 = Panicum sanguinale.  
*conspersum*, Schrad. ex Schult. Mant. ii. 174 = virgatum.  
*convexum*, Fluegge, Gram. Monog. 175.—Mexic.  
*convexum*, Willd. ex Doell, in Mart. Fl. Bras. ii. 11. 79 = ancylocarpum.  
*corcovadense*, Raddi, Agrost. Bras. 27 = laxum.  
*corcovadense*, Trin. Sp. Gram. Ic. ii. t. 153 = densiflorum.  
*cordovense*, Fourn. ex Hemsl. Biol. Centr. Am. Bot. iii. 477.—Mexic.  
*coromandelinum*, Lam. Illustr. i. 175 = scrobiculatum.  
*corymbosum*, Kunth, Rév. Gram. i. 25 = Panicum sanguinale.  
*coryphaeum*, Trin. Gram. Panic. 114.—Bras.  
*costatum*, Hochst. ex Steud. Syn. Pl. Gram. 58 = compactum.  
*cristatum*, Trin. in Mém. Acad. Pétersb. Sér. VI. iii. 11. (1835) 152.—Chili.  
*cromyorchizon*, Trin. ex Doell, in Mart. Fl. Bras. ii. 11. 74.—Am. trop.  
*ctenostachyum*, Trin. in Mém. Acad. Pétersb. Sér. VI. iii. 11. (1835) 133 = grandiflora.  
*cubense*, Spreng. Neue Entdeck. iii. 12.—Ind. occ.  
*cujabense*, Trin. Sp. Gram. Ic. iii. t. 284 = stellatum.  
*Cumingii*, Nees, ex Steud. Syn. Pl. Gram. 23 = dasypleurum.  
*Curtisianum*, Steud. l. c. 26.—Am. bor.  
*curvistachyum*, Raddi, Agrost. Bras. 26 = Panicum decumbens.  
*cuyabense*, Auct. = *cujabense*.  
*cymbiforme*, Fourn. ex Hemsl. Biol. Centr. Am. Bot. iii. 477.—Mexic.  
*cynosuroides*, Brot. Fl. Lustit. i. 85 = Spartina stricta.  
*Dactylon*, DC. Fl. Fr. iii. 16 = Cynodon Dactylon.  
*Dactylon*, Lam. Illustr. i. 176 = Panicum glabrum.  
*dasyphyllum*, Ell. Sketch, i. 105 = setaceum.  
*dasypleurum*, Kunze, ex Desv. in C. Gay, Fl. Chil. i. 242.—Chili.  
*debile*, Michx. Fl. Bor. Am. i. 44 = setaceum.  
*debile*, Muhl. Desc. Gram. 91 = arenarium.  
*debile*, Poir. Encyc. v. 34 = Panicum sanguinale.  
*decumbens*, Rottb. in Act. Lit. Univ. Hafn. i. (1778) 285 (Quid ?)—Guian.  
*decumbens*, Sagot, ex Doell, in Mart. Fl. Bras. ii. 11. 77 = undulatum.  
*decumbens*, Sw. Prod. Veg. Ind. Occ. 22 = Panicum decumbens.  
*Delochei*, Steud. Syn. Pl. Gram. 23 = fasciculatum.  
*densiflorum*, Doell, in Mart. Fl. Bras. ii. 11. 52.—Am. trop.  
*densum*, Poir. Encyc. v. 32.—Bras.  
*centiculatum*, Trin. Gram. Panic. 111.—Am. austr.  
*depauperatum*, J. & C. Presl, Rel. Haenk. i. 215.—Peruv.  
*depressum*, Steud. Syn. Pl. Gram. 20 = distichum.  
*didactylum*, Salz. ex Steud. l. c. = distichum.  
*difforme*, Le Conte, in Journ. Phys. xci. (1820) 284.—Am. bor.  
*diffusum*, Rottb. in Act. Lit. Univ. Hafn. i. (1778) 285 (Quid ?)—Guian.  
*Digitaria*, C. Muell. in Bot. Zeit. xix. (1861) 324.—Am. bor.  
*Digitaria*, Poir. Encyc. Suppl. iv. 316 = dichotomum.  
*digitarioides*, Desv. Opusc. 56.—Bras.  
*digitatum*, Kunth, Rév. Gram. i. 24.—Jamaic.  
*dilatatum*, Poir. Encyc. v. 35.—Bras.  
*dilatatum*, Trin. in Linnaea, x. (1815) 294 = dasypleurum.  
*dimidiatum*, Linn. Syst. ed. X. 855 = scrobiculatum.  
*dissectum*, Linn. Sp. Pl. ed. II. 81.—Am. austr.  
*dissectum*, Sw. ex Roem. & Schult. Syst. ii. 308 = caespitosum.  
*dissectum*, Thunb. Fl. Jap. 45 = scrobiculatum.  
*dissitiflorum*, Trin. Gram. Panic. 92.—Bras.  
*distachyon*, Salz. ex Doell, in Mart. Fl. Bras. ii. 11. 57 = pumilum.  
*distachyon*, Willd. ex Doell, l. c. 73 = distichum.  
*distachyon*, Poit. ex Trin. in Mém. Acad. Pétersb. Sér. VI. iii. 11. (1835) 142.—Ins. S. Doming.  
*distans*, Nees, ex Trin. Gram. Panic. 83 = Panicum sanguinale.  
*distichophyllum*, H. B. & K. Nov. Gen. et Sp. i. 86.—Am. austr.  
*distichum*, Houtt. Handleid. xiii. 167. t. 89. f. 4 = Eriochloa villosa.

**PASPALUM:—**

*distichum*, Linn. Amoen. Acad. v. 391; Burm. f. Fl. Ind. 23.—Reg. trop. et sub trop.  
*divergens*, Doell, in Mart. Fl. Bras. ii. 11. 71.—Am. trop.  
*dolichopus*, Trin. ex Steud. Nom. ed. II. ii. 271 = conjugatum.  
*dolichostachyum*, Trin. ex Nees, Agrost. Bras. 30 = pellitum.  
*Dombeyi*, Spreng. Nachr. i. Bot. Gart. Halle, 31 (Quid ?)—Hab.?  
*Drummondii*, C. Muell. in Bot. Zeit. xix. (1861) 332.—Am. bor.  
*dubium*, DC. Cat. Hort. Monsp. 130.—Hab.?  
*effusum*, Nees, in Hook. Kew Journ. ii. (1850) 104.—Bras.  
*effusum*, Rasp. in Ann. Sc. Nat. Sér. I. v. (1825) 301 = Milium effusum.  
*elatum*, Rich. ex Doell, in Mart. Fl. Bras. ii. 11. 78.—Am. trop.  
*elegans*, Fluegge, Gram. Monog. 183 = tenellum.  
*elegans*, Hort. ex Roem. & Schult. Syst. ii. 290 = membranaceum.  
*elegantulum*, J. & C. Presl, Rel. Haenk. i. 211.—Peruv.  
*ellipticum*, Doell, in Mart. Fl. Bras. ii. 11. 71.—Am. trop.  
*elongatum*, Griseb. in Goett. Abh. xix. (1874) 260.—Reg. Argent.  
*eminens*, Nees, Agrost. Bras. 30 = barbigerum.  
*eranthum*, Nees, ex Trin. Gram. Panic. 121.—Bras.  
*eriphorum*, Schult. Mant. ii. 560 = dilatatum.  
*eriphorum*, Willd. ex Nees, Agrost. Bras. 56 = conjugatum.  
*eriostachyum*, D. Dietr. Syn. Pl. i. 254, in syn., sphalm. = *curvistachyum*.  
*erucaeforme*, Spreng. Nachr. i. Bot. Gart. Halle, 31 (Quid ?)—Hab.?  
*eruciferum*, Trin. ex Steud. Nom. ed. ii. 271, 272 = quadrifarium.  
*eucanum*, Steud. l. c. 271 = seq.  
*eucomum*, Nees, Agrost. Bras. 37.—Am. trop.  
*exaltatum*, J. & C. Presl, Rel. Haenk. i. 219.—Chili.  
*exasperatum*, Nees, Agrost. Bras. 81.—Bras.  
*excavatum*, Nees, ex Trin. Gram. Panic. 88 = aureum.  
*exile*, Kippist, in Proc. Linn. Soc. i. (1842) 157.—Afr. trop.  
*expansum*, Doell, in Mart. Fl. Bras. ii. 11. 81.—Am. trop.  
*extenuatum*, Nees, Agrost. Bras. 25.—Bras.  
*falcatum*, Nees, ex Steud. Syn. Pl. Gram. 31.—Bras.  
*Falcula*, Doell, in Fl. Bras. ii. 11. 60.—Am. trop.  
*familiare*, Steud. Syn. Pl. Gram. 24.—N. Granat.  
*fasciculatum*, Willd. ex Fluegge, Gram. Monog. 69.—Am. trop.  
*fastigiatum*, Nees, ex Trin. Gram. Panic. 100.—Bras.  
*fernandezianum*, Colla, in Mem. Acc. Torin. xxxix. (1836) 27 = distichum.  
*ferrugineum*, Trin. Sp. Gram. Ic. ii. t. 136 = quadrifarium.  
*fliculme*, Nees, ex Thw. Enum. Pl. Zeyl. 358 = brevifolium.  
*filifolium*, Nees, ex Steud. Syn. Pl. Gram. 22.—Bras.  
*filifolium*, Kunth, Enum. Pl. i. 582 (Index), sphalm. = fissifolium.  
*filiforme*, Fluegge, Gram. Monog. 139 = Panicum filiforme.  
*filiforme*, Steud. Nom. ed. I. 586 = Panicum sanguinale.  
*filiforme*, Sw. Prod. Veg. Ind. Occ. 22.—Ind. occ.  
*filostachyum*, Rich. ex Steud. Syn. Pl. Gram. 20.—Ind. occ.  
*fimbriatum*, H. B. & K. Nov. Gen. et Sp. i. 93.—Am. austr.  
*firmum*, Trin. Gram. Panic. 105 = scrobiculatum.  
*fissifolium*, Nees, ex Doell, in Mart. Fl. Bras. ii. 11. 104 = distichum.  
*fissifolium*, Raddi, Agrost. Bras. 26.—Bras.  
*flaccidum*, Nees, Agrost. Bras. 48.—Bras.  
*flavum*, J. & C. Presl, Rel. Haenk. i. 220.—Hab.?  
*flexuosum*, Klein, ex J. & C. Presl, l. c. 215 = scrobiculatum.  
*floribundum*, Desv. Opusc. 58.—Ind. occ.  
*floridanum*, Michx. Fl. Bor. Am. i. 44.—Am. bor.  
*fluitans*, Kunth, Rév. Gram. i. 24.—Am. bor.  
*foliosum*, Kunth, l. c. 25.—Cuba.  
*Forsterianum*, Fluegge, Gram. Monog. 172.—N. Caled.  
*foveolatum*, Steud. Syn. Pl. Gram. 22.—Guian.  
*fragile*, Steud. l. c. 17.—Venezuela.  
*Frankii*, Steud. l. c. 19.—Am. bor.



**PASPALUM:—**

- frumentaceum*, Rottl. ex Roem. & Schult. Syst. ii. 296 = scrobiculatum.  
*furcatum*, Cham. & Schlecht. in Linnaea, vi. (1831) 32 = obtusifolium.  
*furcatum*, Fluegge, Gram. Monog. 114 = distichum.  
*furcatum*, Spreng. ex Steud. Nom. ed. II. ii. 271 = Panicum hybridum.  
*fuscum*, Spreng. ex Steud. Nom. ed. II. ii. 257, in syn. = praece.  
*fuscum*, F. & C. Presl, Rel. Haenk. i. 213.—Peruv.  
*fuscum*, F. & C. Presl, l. c. 214.—Am. austr.  
*Gardnerianum*, Nees, in Hook. Kew Journ. ii. (1850) 103.—Bras.  
*Gayana*, E. Desv. in C. Gay, Fl. Chil. vi. 240.—Chili.  
*geminiflorum*, Steud. Syn. Pl. Gram. 25 = undulatum.  
*geniculatum*, Rafin. Fl. Ludov. 15 (Quid ?).—Am. bor.  
*geniculatum*, Steud. Syn. Pl. Gram. 18 = pusillum.  
*germanicum*, Baumg. Enum. Stirp. Transs. iii. 277 = Setaria italica.  
*glabrum*, Poir. Encyc. v. 30.—Ind. occ.  
*globosum*, Rasp. in Ann. Sc. Nat. Sér. I. v. (1825) 301 = Airopsis globosa.  
*gnaphalioidum*, C. Muell. in Bot. Zeit. xix. (1861) 332.—Guian.  
*gracile*, Le Conte, in Journ. Phys. xci. (1820) 284 = tenue.  
*gracile*, Poir. Encyc. Suppl. iv. 313 = Poiretii.  
*gracile*, Rudge, Pl. Guian. Ic. et Desc. 20. t. 26 = repens.  
*gracile*, Schlecht. in Linnaea, xxvi. (1853-55) 134.—N. Granat.  
*granulare*, Trin. in Spreng. Neue Entdeck. ii. 47 (sp. dub.).—Ind. or.  
*Griffithianum*, C. Muell. in Bot. Zeit. xix. (1861) 325.—Ind. or.  
*guadaloupense*, Steud. Syn. Pl. Gram. 18.—Ind. occ.  
*guineense*, Steud. l. c. = paniculatum.  
*guttatum*, Trin. Gram. Panic. 91.—Bras.  
*haemisphericum*, Poir. Encyc. v. 31 = paniculatum.  
*Haenkeanum*, Hort. Vrat. ex Nees, Cat. Sem. Hort. Vrat. (1850).—Cf. Linnaea, xxiv. (1851) 236 = Panicum Pseudopaspalus.  
*Haenkeanum*, F. & C. Presl, Rel. Haenk. i. 210.—Peruv.  
*Hartwegianum*, Fourn. ex Hemsl. Biol. Centr. Am. Bot. iii. 479.—Mexic.  
*hemispermum*, Wright, in Sauv. Fl. Cub. 196.—Cuba.  
*heterophyllum*, Desv. ex Poir. Encyc. Suppl. iv. 315.—Ins. S. Doming.  
*heteropodium*, Steud. Syn. Pl. Gram. 19.—Ins. Maurit.  
*heterotrichum*, Trin. Sp. Gram. Ic. iii. t. 285.—Bras.  
*hirsutum*, Poir. Encyc. v. 28 = conjugatum.  
*hirsutum*, Retz. Obs. ii. 7 = scrobiculatum.  
*hirtigluma*, Steud. Syn. Pl. Gram. 18.—Guian.  
*hirtum*, H. B. & K. Nov. Gen. et Sp. i. 89.—N. Granat.  
*holosericeum*, Blume, ex Griseb. in Ledeb. Fl. Ross. iv. 467 = Eriochloa succinata.  
*horticola*, Salzm. ex Doell, in Mart. Fl. Bras. ii. 11. 60 = P. Falcata.  
*Houttuynii*, H. C. Hall, ex De Vries, Pl. Ind. Bat. Reinw. 113 = scrobiculatum.  
*Humboldtianum*, Fluegge, Gram. Monog. 67.—Am. trop.  
*humifusum*, Heyne, in Wall. Cat. n. 8755 = Panicum glabrum.  
*humifusum*, Poir. Encyc. Suppl. iv. 316 = undulatum.  
*humile*, Steud. Syn. Pl. Gram. 25 = dissectum.  
*hyalinum*, Nees, ex Trin. Gram. Panic. 103.—Bras.  
*immersum*, Nees, Agrost. Bras. 82 = aureum.  
*inaequale*, Link, Enum. Hort. Berol. i. 103 = Panicum sanguinale.  
*inaequivalve*, Raddi, Agrost. Bras. 38.—Bras.  
*incertum*, Roem. & Schult. Syst. ii. 308.—Hab. ?  
*incomptum*, Nees, ex Steud. Nom. ed. II. ii. 271 (an seq. ?).—Bras.  
*incomptum*, Kunth, ex Doell, in Mart. Fl. Bras. ii. 11. 68 = obscurum.  
*infirmum*, Roem. & Schult. Syst. ii. 307 = setaceum ?  
*inflatum*, A. Rich. Fl. Cub. Fanerog. ii. 298.—Cuba.  
*interruptum*, Wood, Class Book (1861), 783 = Panicum floridanum.  
*iridifolium*, Poepp. Reise, ii. 324.—Chili.  
*ischnocaulon*, Trin. Sp. Gram. Ic. ii. t. 126.—As. trop.  
*Jardini*, Steud. Syn. Pl. Gram. 18.—Afr. trop.

**PASPALUM:—**

- jubatum*, Griseb. in Goett. Nachr. (1868) 84.—Reg. Himal.  
*Kappleri*, Hochst. ex Doell, in Mart. Fl. Bras. ii. 11. 96 = carinatum.  
*Karwinskii*, Fourn. ex Hemsl. Biol. Centr. Am. Bot. iii. 479.—Mexic.  
*Kegelii*, C. Muell. in Bot. Zeit. xix. (1861) 324.—Guian.  
*Kleinianum*, J. & C. Presl, Rel. Haenk. i. 209 = distichum.  
*koleopodium*, Steud. Syn. Pl. Gram. 18.—Ins. Guadeloupe.  
*Kora*, Forst. ex Spreng. Syst. i. 244 = distichum.  
*Kora*, Willd. Sp. Pl. i. 332; Hort. Berol. t. 74 = scrobiculatum.  
*lachneum*, Nees, ex Steud. Syn. Pl. Gram. 26.—Bras.  
*lachneum*, Trin. ex Doell, in Mart. Fl. Bras. ii. 11. 77 = undulatum.  
*laeve*, Michx. Fl. Bor. Am. i. 44.—Am. bor.  
*laevigatum*, Bosc, ex Poir. Encyc. Suppl. iv. 313 = floridanum.  
*Lagasciae*, Roem. & Schult. Syst. ii. 317 = quadrifarium.  
*lanatum*, H. B. & K. Nov. Gen. et Sp. i. 94. t. 29 = Anthaenanthia lanata.  
*lanatum*, Spreng. Syst. iv. Cur. Post. 30 = dilatatum.  
*lanceolatum*, Mikan, ex Trin. in Spreng. Neue Entdeck. ii. 48 = laxum.  
*lanceaefolium*, Desv. Opusc. 58.—Hispan.  
*lanciflorum*, Trin. Sp. Gram. Ic. iii. t. 286.—Bras.  
*lanuginosum*, Nees, Agrost. Bras. 63.—Bras.  
*lanuginosum*, Willd. ex Steud. Nom. ed. II. ii. 271 = lentiferum.  
*lasiogonum*, Link, Hort. Berol. i. 48.—Hab. ?  
*laticulmum*, Spreng. Syst. i. 245 = platycaule.  
*latifolium*, Le Conte, in Journ. Phys. xci. (1820) 284.—Bras.  
*latifolium*, Spreng. Syst. i. 248 = virgatum.  
*laxiflorum*, Trin. in Mém. Acad. Pétersb. Sér. VI. iii. 11. (1835) 148.—Bras.  
*laxum*, Lam. Illustr. i. 176.—Am. austr.  
*laxum*, Rich. ex Steud. Syn. Pl. Gram. 17 = Richardi.  
*Leconteanum*, Schult. Mant. ii. 168.—Am. bor.  
*Lenormandi*, Husnot, in Bull. Soc. Linn. Normand. Sér. II. v. (1870) 259.—Ind. occ.  
*lenticulare*, H. B. & K. Nov. Gen. et Sp. i. 92.—Mexic.  
*lentiferum*, Lam. Illustr. i. 175.—Am. bor.  
*lentiferum*, Munro, ex Benth. Pl. Hartw. 346 = Hartwegianum.  
*lentiginosum*, F. & C. Presl, Rel. Haenk. i. 218.—Mexic.  
*lepton*, Schult. Mant. ii. 173 = tenue.  
*leptostachyum*, DC. Cat. Hort. Monsp. (1813) 130 = incertum.  
*leptostachyum*, Fluegge, Gram. Monog. 123.—Venezuela.  
*leptostachyum*, H. B. & K. Nov. Gen. et Sp. i. 90 = scoparium.  
*leptostachyum*, Nees, ex Doell, in Mart. Fl. Bras. ii. 11. 108 = barbigerum.  
*leucocheilum*, Wright, in Sauv. Fl. Cub. 194.—Cuba.  
*leucotrichum*, Steud. Syn. Pl. Gram. 16 = falcatum.  
*Liebmannii*, Fourn. ex Hemsl. Biol. Centr. Am. Bot. iii. 479.—Mexic.  
*ligulare*, Nees, Agrost. Bras. 60.—Bras.  
*Lindenianum*, A. Rich. Fl. Cub. Fanerog. ii. 299.—Cuba.  
*lineare*, Fourn. ex Hemsl. Biol. Centr. Am. Bot. iii. 479.—Mexic.  
*lineare*, Sw. ex Steud. Nom. ed. II. ii. 272 = caespitosum.  
*lineare*, Trin. Gram. Panic. 99 = Neesii.  
*litorale*, Spreng. Syst. i. 244 = seq.  
*littorale*, R. Br. Prod. 188 = distichum.  
*lividum*, Trin. ex Schlecht. in Linnaea, xxvi. (1853-55) 383.—Mexic.  
*loliaceum*, Willd. ex Steud. Nom. ed. II. ii. 272 = Microchloa setacea.  
*longepedunculatum*, Le Conte, in Journ. Phys. xci. (1820) 284 = arenarium.  
*longiflorum*, Raddi, Agrost. Bras. 25 = platycaule.  
*longiflorum*, Retz. Obs. iv. 15; ex Roxb. Fl. Ind. i. 279 = distichum.  
*longiflorum*, Trin. in Mém. Acad. Pétersb. Sér. VI. iii. 11. (1835) 307 = Ichnanthus longiflorus.  
*longifolium*, Roxb. Hort. Beng. 7; Fl. Ind. i. 280 = scrobiculatum.

**PASPALUM:—**

- longifolium*, Steud. Syn. Pl. Gram. 21.—Jamaic.  
*longispica*, Doell, in Mart. Fl. Bras. ii. 11. 105.—Am. trop.  
*longissimum*, Hochst. ex Steud. Syn. Pl. Gram. 19 = conjugatum.  
*macrophyllum*, H. B. & K. Nov. Gen. et Sp. i. 92.—N. Granat.  
*macropodium*, Steud. Syn. Pl. Gram. 19 = platycaule.  
*macrosporum*, Fluegge, Gram. Monog. 172 = floridanum.  
*maculosum*, Trin. Gram. Panic. 98; Sp. Gram. Ic. iii. t. 113 = distichum.  
*malacophyllum*, Trin. l. c. t. 271.—Bras.  
*mandiocanum*, Trin. Gram. Panic. 113.—Panama; Bras.  
*marginatum*, Remy, in Ann. Sc. Nat. Sér. III. vi. (1846) 348.—Bolivia.  
*marginatum*, Spreng. ex Steud. Nom. ed. II. ii. 272 = undulatum.  
*marginatum*, Trin. Gram. Panic. 90.—Bras.  
*maritimum*, Trin. in Mém. Acad. Pétersb. Sér. VI. iii. 11. (1835) 148.—Bras.  
*mauritanicum*, Nees, ex Steud. Syn. Pl. Gram. 26 = scrobiculatum.  
*melanospermum*, Desv. ex Poir. Encyc. Suppl. iv. 315.—Guian.  
*membranaceum*, Lam. Illustr. i. 177.—Peruv.  
*membranaceum*, Walt. Fl. Carol. 75 = Walterianum.  
*metabolon*, Steud. Syn. Pl. Gram. 19 = scrobiculatum.  
*Metzii*, Steud. l. c. 21 = scrobiculatum.  
*Meyerianum*, Spreng. Syst. i. 248 = quadrifarium.  
*Eriochloa Kunthii*.  
*Michauxianum*, Kunth, Rév. Gram. i. 25 = distichum.  
*micranthum*, Desv. Opusc. 56.—Ins. Mascar.  
*micranthum*, Doell, in Mart. Fl. Bras. ii. 11. 51.—Am. trop.  
*microstachyum*, F. & C. Presl, Rel. Haenk. i. 215.—Hab. ?  
*miliare*, Spreng. Syst. i. 247 = milioidum.  
*miliaria*, C. Muell. in Bot. Zeit. xix. (1861) 332.—Ind. or.  
*milioidum*, Desv. ex Poir. Encyc. Suppl. iv. 315.—Ind. occ.  
*milleganum*, Schrad. ex Schult. Mant. ii. 175 = densum.  
*minimum*, Meyen, Reise, i. 484, nomen.—Peruv.  
*minus*, Fourn. ex Hemsl. Biol. Centr. Bot. iii. 480.—Mexic.  
*minutiflorum*, Desv. Opusc. 57.—Bras.  
*minutiflorum*, Steud. Syn. Pl. Gram. 17 = brevifolium.  
*minutum*, Trin. in Linnaea, x. (1836) 293.—Peruv.  
*molle*, Poir. Encyc. v. 34.—Ins. S. Thomas.  
*mollicomum*, Kunth, Enum. Pl. i. 47 = molle.  
*mollipilum*, Steud. Syn. Pl. Gram. 20 = scrobiculatum.  
*mononeurum*, Steud. l. c. 24.—Mexic.  
*monostachyum*, Hort. ex Walp. Ann. iii. 714 = Panicum Pseudopaspalus.  
*monostachyum*, Vasey, ex Chapm. Fl. S. U. St. Suppl. 665.—Florida.  
*monostachyum*, Willd. ex Steud. Nom. ed. II. ii. 272 = Panicum monostachyum.  
*montevideense*, Spreng. Syst. i. 246 = undulatum.  
*mucronatum*, Muhl. Cat. ex Doell, in Mart. Fl. Bras. ii. 11. 98 = repens.  
*mucronatum*, Muhl. Desc. Gram. 96.—Am. bor.  
*multicaule*, Poir. Encyc. Suppl. iv. 309.—Bras.  
*multiflorum*, Desv. Opusc. 58.—Bras.  
*multiflorum*, Doell, in Mart. Fl. Bras. ii. 11. 90.—Am. trop.  
*multispica*, Steud. Syn. Pl. Gram. 18 = paniculatum.  
*nanum*, Wright, ex Griseb. Cat. Pl. Cub. 230.—Cuba.  
*natans*, Le Conte, in Journ. Phys. xci. (1820) 285 = mucronatum.  
*Neesii*, Kunth, Rév. Gram. i. 25.—Bras.  
*nematodes*, Schult. Mant. ii. 71 = brevifolium.  
*nepalense*, Spreng. ex Steud. Nom. ed. II. ii. 272 = Panicum plicatum.  
*notatum*, Fluegge, Gram. Monog. 106 = distichum.  
*nutans*, Lam. Illustr. i. 175 = conjugatum.  
*oajacense*, Hemsl. Biol. Centr. Am. Bot. iii. 499 = seq.  
*oaxacense*, Steud. Syn. Pl. Gram. 21 = Panicum oaxacense.  
*obscurum*, Nees, ex Steud. l. c. 30.—Am. trop.  
*obtusatum*, Nees, ex Doell, in Mart. Fl. Bras. ii. 11. 103 = distichum.  
*obtusifolium*, Raddi, Agrost. Bras. 23.—Mexic.  
*obtusifolium*, Trin. Sp. Gram. i. t. 115 = distichum.



**PASPALUM:—**

*oligostachyum*, Salzmann ex Steud. Syn. Pl. Gram. 23 = undulatum.  
*orbiculare*, Forst. f. Prod. 7 = scrobiculatum.  
*orbiculatum*, Poir. Encyc. v. 32 = pusillum.  
*orizaforme*, Steud. Syn. Pl. Gram. 27 = scoparium.  
*orthos*, Kunth, Enum. Pl. i. 57, in syn. = tenue.  
*ovale*, Nees, ex Steud. Syn. Pl. Gram. 22.—Bras.  
*ovatum*, Nees, ex Trin. Gram. Panic. 113 = dilatatum.  
*oxyanthum*, Steud. Syn. Pl. Gram. 27 = Panicum sanguinale.  
*pachyrrhizum*, Steud. l. c. 23.—Chili.  
*pallidum*, H. B. & K. Nov. Gen. et Sp. i. 88.—Ecuador.  
*paniculatum*, Linn. Syst. ed. X. 855.—Am. austr.  
*paniculatum*, Poir. Encyc. v. 32, partim = quadrifarium.  
*paniculatum*, Walt. Fl. Carol. 75 = repens.  
*papillosum*, Spreng. Nov. Prov. 47 = multicaule.  
*paradisicum*, Steud. Syn. Pl. Gram. 23.—Chili.  
*parviflorum*, Desv. Opusc. 58 = heterophyllum.  
*parviflorum*, Rhodé, ex Fluegge, Gram. Monog. 98.—Am. austr.  
*patulum*, Hornem. Hort. Hafn. i. 78 = Panicum parviflorum.  
*pauperculum*, Fourn. ex Hemsl. Biol. Centr. Am. Bot. iii. 481.—Mexic.  
*pectinatum*, Nees, Agrost. Bras. 34.—Bras.  
*pedicellare*, Trin. ex Steud. Nom. ed. II. ii. 272.—Ind. or.  
*pedunculare*, J. & C. Presl, Rel. Haenk. i. 217.—Hab. ?  
*pedunculatum*, Desv. in Poir. Encyc. Suppl. iv. 315 = Panicum decumbens.  
*pellitum*, Nees, ex Trin. Gram. Panic. 89.—Bras.  
*pellitum*, Willd. ex Steud. Nom. ed. II. ii. 272 = pallidum.  
*penicillatum*, Hook. f. in Trans. Linn. Soc. xx. (1847) 171.—Ins. Galap.  
*pilosum*, Lam. Illustr. i. 175 = Panicum monostachyum.  
*pilosum*, Roth, Catalect. fasc. iii. 12 = parviflorum.  
*pilosum*, Spreng. ex Steud. Nom. ed. II. ii. 272 = Panicum thraoides.  
*planifolium*, Fourn. ex Hemsl. Biol. Centr. Am. Bot. iii. 481.—Mexic.  
*plantagineum*, Nees, Agrost. Bras. 69 = densiflorum, laxum.  
*platense*, Spreng. Syst. i. 247 = dilatatum.  
*platycaule*, Poir. Encyc. v. 34 (platicaula).—Afr. et Am. trop.  
*platycaule*, Willd. ex Steud. Nom. ed. II. ii. 272 = distichum.  
*platyculmum*, Thou. ex Nees, Agrost. Bras. 24 = platycaule.  
*platyphyllum*, Griseb. Cat. Pl. Cub. 230.—Cuba.  
*platyphyllum*, Schult. Mant. ii. 557 = virgatum.  
*pleostachyum*, Doell, in Mart. Fl. Bras. ii. II. 58.—Am. trop.  
*plicatulum*, Michx. Fl. Bor. Am. i. 45 = undulatum.  
*plicatum*, Pers. Syn. i. 86 = praec.  
*pluriracemosum*, Steud. Syn. Pl. Gram. 27.—Ins. Philipp.  
*Poeppigianum*, Trin. ex Steud. Nom. ed. II. ii. 272.—Chili.  
*Poiretii*, Roem. & Schult. Syst. ii. 878.—Ins. S. Doming.  
*polydactylon*, Steud. Syn. Pl. Gram. 19 = scoparium.  
*polyphyllum*, Nees, ex Trin. Gram. Panic. 114 = distichophyllum.  
*polystachyum*, R. Br. Prod. 188 = scrobiculatum.  
*polystachyum*, Rasp. in Ann. Sc. Nat. Sér. I. v. (1825) 301 = Eriochloa polystachya.  
*polystachyum*, Salzmann ex Steud. Syn. Pl. Gram. 18 = paniculatum.  
*praecox*, Walt. Fl. Carol. 75.—Am. bor.  
*Preslii*, Kunth, Enum. Pl. i. 47.—Peruv.  
*pressum*, Nees, ex Steud. Syn. Pl. Gram. 23 = scoparium.  
*protensum*, Trin. Gram. Panic. 108 = conjugatum.  
*pruinatum*, Trin. Sp. Gram. Ic. iii. t. 272 = coryphaeum.  
*Pseudo-duroa*, Nees, ex Baker, Fl. Maurit. 431 = longiflorum.  
*puberulum*, Roem. & Schult. Syst. ii. 316 = scrobiculatum.  
*pubescens*, R. Br. Prod. 188 = scrobiculatum.  
*pubescens*, Lag. Gen. et Sp. Nov. 2. n. 21 = quadrifarium.  
*pubescens*, Muhl. ex Willd. Enum. Hort. Berol. 89 = conjugatum.

**PASPALUM:—**

*pubescens*, J. & C. Presl, Rel. Haenk. i. 214 = Preslii.  
*pubescens*, Sm. in Herb. Linn. ex Munro, in Journ. Linn. Soc. vi. (1862) 37 = granulare.  
*pubiflorum*, Rupr. ex Galeotti, in Bull. Acad. Brux. ix. (1842) 237.—Mexic.  
*pubifolium*, J. & C. Presl, Rel. Haenk. i. 219.—Peruv.  
*pulchellum*, H. B. & K. Nov. Gen. et Sp. i. 90.—Am. austr.  
*pulchellum*, Rasp. in Ann. Sc. Nat. Sér. I. v. (1825) 301 = Coelachne pulchella.  
*pulchrum*, Nees, Agrost. Bras. 79.—Bras.  
*pumilum*, Nees, l. c. 52.—Bras.  
*punctatum*, Fluegge, Gram. Monog. 127 = Eriochloa polystachya.  
*punctulatum*, Bertol. Misc. Bot. xi. 13.—Am. bor. ?  
*purpurascens*, Ell. Sketch, i. 108 = undulatum.  
*purpureum*, Ruiz & Pav. Fl. Per. i. 47 = racemosum.  
*pusillum*, Vent. ex Fluegge, Gram. Monog. 100.—Am. austr.  
*pyramidale*, Nees, Agrost. Bras. 77 = repens.  
*quadrifarium*, Lam. Illustr. i. 176.—Reg. Argent.  
*quadrifarium*, Nees, Agrost. Bras. 71 = denticulatum.  
*quadrifarium*, Trin. Sp. Gram. Ic. ii. t. 128 = falcatum.  
*racemosum*, Lam. Illustr. i. 176.—Bras.  
*racemosum*, Nutt. in Trans. Am. Phil. Soc. v. (1837) 145 = Panicum floridanum.  
*racemosum*, Chapm. Fl. S. U. St. 571 = Panicum floridanum.  
*radiatum*, Trin. in Mém. Acad. Pétersb. Sér. VI. iii. II. (1835) 195, in syn.—Bras.  
*ramosissimum*, Nees, Agrost. Bras. 80 = pulchrum, chrysites.  
*rectum*, Nees, in Hook. Kew Journ. ii. (1850) 104.—Bras.  
*reduncum*, Nees, ex Steud. Syn. Pl. Gram. 31.—Bras.  
*reimarioides*, Brongn. Bot. Voy. Coquille, t. 20 = Panicum sanguinale.  
*reimarioides*, Chapm. Fl. S. U. St. Suppl. 665.—Florida.  
*remotum*, Remy, in Ann. Sc. Nat. Sér. III. vi. (1846) 349.—Bolivia.  
*Remyi*, Steud. Syn. Pl. Gram. 28.—Bolivia.  
*Renggeri*, Steud. l. c. 17 = conjugatum.  
*repens*, Berg. in Act. Helvet. vii. (1772) 129. t. 7.—Am. calid.  
*repens*, Frank, ex Steud. Syn. Pl. Gram. 19 = Frankii.  
*reptans*, Poir. ex Doell, in Mart. Fl. Bras. ii. II. 75 = distichum.  
*rhizomatosum*, Steud. Syn. Pl. Gram. 17.—Ins. Guadalup.  
*Richardi*, Steud. l. c.—Ind. occ.  
*riparium*, Nees, Agrost. Bras. 56.—Bras.  
*robustum*, Link, ex Steud. Nom. ed. II. ii. 273 = tenellum.  
*Rodschiedianum*, G. F. W. Mey. ex Steud. l. c. (Quid ?).—Guian.  
*rottboellioides*, Wright, in Sauv. Fl. Cub. 195.—Cuba.  
*Royleanum*, Nees, ex Thw. Enum. Pl. Zeyl. 358 = ischnocaulon.  
*rudimentosum*, Steud. Syn. Pl. Gram. 24.—Mexic.  
*rufum*, Nees, ex Steud. l. c. 26.—Bras.  
*rupestre*, Trin. in Linnaea, x. (1836) 293.—Cuba.  
*saccharoides*, Nees, ex Trin. Spec. Gram. Ic. i. t. 107.—Panama.  
*Salzmanni*, Doell, in Mart. Fl. Bras. ii. II. 49.—Bras.  
*sanguinale*, Lam. Illustr. i. 176 = Panicum sanguinale.  
*sanguinale*, Schult. Mant. ii. 291 = Panicum javanicum.  
*sanguinolentum*, Trin. Gram. Panic. 116.—Bras.  
*savannarum*, Schlecht. in Linnaea, xxvi. (1853-55) 132.—N. Granat.  
*saxatile*, Salzmann ex Doell, in Mart. Fl. Bras. ii. II. 76 = undulatum.  
*scalare*, Trin. Sp. Gram. Ic. iii. t. 274.—Bras.  
*Schaffneri*, Griseb. ex Hemsl. Biol. Centr. Am. Bot. iii. 482.—Mexic.  
*sciaphilum*, Steud. Syn. Pl. Gram. 18 = molle.  
*scoparium*, Fluegge, Gram. Monog. 124.—Am. austr.  
*scrobiculatum*, Steud. Nom. ed. I. 594, sphalm. = seq.  
*scrobiculatum*, Linn. Mant. i. 29.—Geront. trop.  
*scutatum*, Nees, ex Trin. Gram. Panic. 105.—Bras.  
*Selloi*, Spreng. ex Nees, Agrost. Bras. 43 = dilatatum.  
*semirugosum*, Nees, ex Steud. Nom. ed. II. ii. 273.—Bras.  
*senescens*, Doell, in Mart. Fl. Bras. ii. II. 119.—Am. trop.

**PASPALUM:—**

*sericeum*, Scheele, in Linnaea, xxii. (1849) 341.—Texas.  
*serotinum*, Fluegge, Gram. Monog. 145.—Carolina.  
*serpens*, Presl, ex Trin. Gram. Panic. 102; Nees, Agrost. Bras. 50.—Bras.  
*serpentinum*, Hochst. ex Steud. Syn. Pl. Gram. 22 = distichum.  
*sesquiglume*, Benth. in Journ. Linn. Soc. xix. (1881) 36 = subsesquiglume.  
*setaceum*, Michx. Fl. Bor. Am. i. 43.—Am. bor.  
*setaceum*, Rasp. in Ann. Sc. Nat. Sér. I. v. (1825) 301 = Microchloa setacea.  
*setifolium*, Doell, in Mart. Fl. Bras. ii. II. 61 = Kegeli.  
*setifolium*, Nees, ex Steud. Nom. ed. II. ii. 273 (Quid ?).—Hab. ?  
*siccum*, Nees, Agrost. Bras. 28.—Bras.  
*Sieberianum*, Steud. Syn. Pl. Gram. 17.—Ind. occ.  
*singulare*, Link, Hort. Berol. i. 48.—Bras.  
*sinuosum*, Desv. Opusc. 57.—Ind. occ.  
*spathaceum*, Desv. ex Poir. Encyc. Suppl. iv. 314.—Ins. S. Thomas.  
*squamatum*, Steud. Syn. Pl. Gram. 21.—Afr. trop.  
*squamulatum*, Fourn. ex Hemsl. Biol. Centr. Am. Bot. iii. 482.—Mexic.  
*stellatum*, Fluegge, Gram. Monog. 62.—Am. austr.  
*stellatum*, Trin. Gram. Panic. 100 = carinatum.  
*stoloniferum*, Bosc, in Trans. Linn. Soc. ii. (1794) 83 = racemosum.  
*stoloniferum*, E. Desv. in C. Gay, Fl. Chil. vi. 241.—Chili.  
*strictum*, Brot. Phyt. Lusit. 13. t. 5 = Spartina stricta.  
*strictum*, Pers. Syn. i. 86 = paniculatum.  
*strictum*, Spreng. ex Steud. Nom. ed. II. ii. 273 = mandiocanum.  
*subarticulatum*, Beauv. ex Steud. l. c. ed. I. 594 (Quid ?).—Hab. ?  
*subsesquiglume*, Doell, in Mart. Fl. Bras. ii. II. 43.—Am. trop.  
*succinctum*, Trin. in Mém. Acad. Pétersb. Sér. VI. iii. II. (1835) 131 = Eriochloa succincta.  
*suffultum*, Mikan, ex Trin. in Spreng. Neue Entdeck. ii. 46 = scoparium.  
*sumatrense*, Roth, Nov. Pl. Sp. 35 = scrobiculatum.  
*Sumichrastii*, Fourn. ex Hemsl. Biol. Centr. Am. Bot. iii. 492.—Mexic.  
*superbum*, Spreng. Syst. i. 248 = Chloris distichophylla.  
*supinum*, Bosc, ex Poir. Encyc. v. 29 = conjugatum.  
*supinum*, Hornem. Hort. Hafn. i. 77 = dubium.  
*supinum*, Rupr. ex Galeotti, in Bull. Acad. Brux. ix. (1842) 237 = paniculatum.  
*supinum*, Sieber, ex Baker, Fl. Maurit. 431 = heteropodium.  
*surinamense*, Hochst. ex Benth. in Journ. Linn. Soc. xix. (1881) 35.—Guian.  
*Swartzianum*, Fluegge, Gram. Monog. 96 = caespitosum.  
*taphrophyllum*, Steud. Syn. Pl. Gram. 19.—Ins. Martinic.  
*tectum*, Steud. l. c. 29.—Florida.  
*tenax*, Trin. Gram. Panic. 122.—N. Zel.  
*tenellum*, Willd. Enum. Hort. Berol. 89.—Mexic.  
*tenerum*, Nees, Agrost. Bras. 32 = dissitiflorum.  
*tenue*, Gaertn. Fruct. ii. 2. t. 80 = conjugatum.  
*tenue*, Kunth, Rév. Gram. i. 26.—Am. bor.  
*tenue*, Willd. ex Steud. Nom. ed. II. ii. 273 = platycaule.  
*Thouarsianum*, Fluegge, Gram. Monog. 148.—Madag.  
*Thunbergii*, Kunth, ex Steud. Syn. Pl. Gram. 28 = scrobiculatum.  
*tomentosum*, Poir. Encyc. Suppl. iv. 308.—Hab. ?  
*trachycaleon*, Steud. Syn. Pl. Gram. 28.—Am. trop.  
*tridentatum*, Trin. Gram. Panic. 119 (= Helopus tridentatus).—Am. austr.  
*triglume*, Steud. Syn. Pl. Gram. 27.—Mexic.  
*tristachyum*, Lam. Illustr. i. 176 = platycaule.  
*tristachyum*, Le Conte, in Journ. Phys. xci. (1820) 285 = distichum.  
*tristachyum*, Willd. ex Steud. Nom. ed. II. ii. 273 = pulchellum.  
*tropicum*, Doell, in Mart. Fl. Bras. ii. II. 83.—Am. trop.  
*umbellatum*, Lam. Illustr. i. 177 = Panicum Dactylon.  
*umbrosum*, Salzmann ex Doell, in Mart. Fl. Bras. ii. II. 50 = molle.



**PASPALUM:—**

- umbrosum, Trin. in *Mém. Acad. Pétersb.* Sér. VI. iii. II. (1835) 153.—Bras.  
 undulatum, Poir. *Encyc.* v. 29.—Am. bor. et austr.  
 undulatum, Spreng. Fl. Hal. Mant. 30 = Forsterianum.  
 undulosum, Le Conte, in Journ. Phys. xci. (1820) 284 = Leconteanum.  
 uniflorum, Steud. *Nom.* ed. II. ii. 273.—Bras.  
 uniseriatum, Steud. in *Lechl. Berb. Am. Austr.* 55.—Peruv.  
 Urvillei, Steud. *Syn. Pl. Gram.* 24.—Hab. ?  
 vaginatum, Ell. Sketch, i. 409 = Walterianum.  
 vaginatum, Sw. Prod. Veg. Ind. Occ. 21 = distichum.  
 vaginiflorum, Steud. *Syn. Pl. Gram.* 19 = Panicum decumbens.  
 variegatum, Link, Hort. Berol. i. 50 = quadrifarium.  
 velutinum, Kunth, *Rév. Gram.* i. 27.—Mexic.  
 venustum, Forst. f. ex Roem. & Schult. Syst. ii. 297 = scrobiculatum.  
 vestitum, Steud. ex Doell, in Mart. Fl. Bras. ii. II. 45 = parviflorum.  
 villifolium, Steud. *Syn. Pl. Gram.* 20 = ancylocarpum.  
 villosum, Naves, ex F. Villar, in Blanco, Fl. Philipp. ed. III. Nov. App. 311 = Panicum flavidum.  
 villosum, Thunb. Fl. Jap. 45 = Eriochloa villosa.  
 villosum, Willd. ex Steud. *Nom.* ed. II. ii. 273 = Panicum filiforme.  
 virgatum, Cham. & Schlecht. in Linnaea, vi. (1831) 32 = lentiginosum.  
 virgatum, Le Conte, in Journ. Phys. xci. (1820) 285 = undulatum.  
 virgatum, Linn. *Syst.* ed. X. 855.—Am. austr.  
 Virletii, Fourn. ex Hemsl. *Biol. Centr. Am. Bot.* iii. 483.—Mexic.  
 vulnerans, Salzm. ex Steud. *Nom.* ed. II. ii. 273 = densum.  
 Wagnerianum, Schlecht. in Linnaea, xxvi. (1853–55) 133.—N. Granat.  
 Walteri, Chapm. Fl. S. U. St. 570, sphalm. = seq.  
 Walterianum, Schult. Mant. ii. 166.—Am. bor.  
 Zollingeri, Steud. *Syn. Pl. Gram.* 28 = scrobiculatum.

PASPALUS, Fluegge, Gram. Monog. 53 (1810) = **Paspalum**, Linn. (Gramin.).

PASSAEA, Adans. Fam. ii. 509 (1763) = **Ononis**, Linn. (Legumin.).

PASSAEA, Baill. Etud. Gén. Euph. 507. t. 18 (1858) = **Bernardia**, Houst. (Euphorb.).  
 spartioides, Baill. l. c. 508 = B. spartioides.

PASSALIA, Soland. ex R. Br. in Tuckey, Congo, 440 (1818) = **Alsodeia**, Thou. (Violar.).

PASSAVERIA, Mart. & Eichl. ex Miq. in Mart. Fl. Bras. vii. 85. t. 38; et t. 47. f. 1, 3 (1863) = **Ecclinusa**, Mart. (Sapot.).  
 lanceolata, Mart. & Eichl. l. c. 86.—Bras.  
 lancifolia, Mart. & Eichl. l. c.—Bras.  
 obovata, Mart. & Eichl. l. c. 87.—Bras.

**PASSERINA**, Linn. Gen. ed. I. 341 (1737). **THYMELAEACEAE**, Benth. & Hook. f. iii. 194.

BALENDASIA, STEIROCTIS, TRIMEIANDRA, Rafin. Fl. Tellur. iv. 105 (1836).  
 Ammodendron, Kar. & Kir. in Bull. Soc. Nat. Mosc. xv. (1842) 444 = Stellera Lessertii.  
 annua, Auch. ex Meissn. in DC. Prod. xiv. 552 = Thymelaea Aucheri.  
 annua, Wikstr. in Vet. Acad. Handl. Stockh. (1818) 320 = Thymelaea arvensis.  
 anthylloides, Linn. f. Suppl. 226 = Lasiosiphon anthylloides.  
 arvensis, Ball. in Journ. Linn. Soc. xvi. (1878) 653 = Thymelaea arvensis.  
 axillaris, Thunb. Mus. Nat. Acad. Upsal. xiii. 106, nomen = Pimelea virgata.  
 bruniades, Eckl. & Zeyh. ex Meissn. in DC. Prod. xiv. 579 = Lachnaea penicillata.  
 brunioides, Eckl. & Zeyh. l. c. 563, 579 = praec.  
 calocephala, Meissn. in Linnaea, xiv. (1840) 393 = Arthrosolen calocephalus.  
 calycina, DC. Fl. Fr. iii. 360 = Thymelaea calycina.  
 campanulata, E. Mey. ex Presl, Bot. Bemerk. 108 = Cryptadenia breviflora.  
 canescens, Schousb. Vext. Marok. 190 = Thymelaea canescens.

VOL. II.

**PASSERINA:—**

- cantabrica, Pourr. ex Willk. & Lange, Prod. Fl. Hisp. i. 299 = Thymelaea coridifolia.  
 capitata, Linn. Pl. Rar. Afr. 11; Amoen. Acad. vi. 88 = Lachnaea capitata.  
 cephalophora, Thunb. Prod. Pl. Cap. 75 = Lasiosiphon eriocephalus.  
 Chamaedaphne, Bunge, Enum. Pl. Chin. Bor. 58 = Wikstroemia canescens.  
 Chamaejasme, Fisch. ex Meissn. in DC. Prod. xiv. 549 = Stellera Chamaejasme.  
 ciliata, Linn. Sp. Pl. 559 = Struthiola lucens?  
 ciliata, Thunb. Fl. Cap. ex Schult. 377 = Cryptadenia ciliata.  
 concinna, Walp. Ann. i. 583 = Thymelaea arvensis.  
 conglomerata, Wikstr. in Vet. Acad. Handl. Stockh. (1818) 322 = ericoides.  
 coridifolia, Wikstr. l. c. 334 = Thymelaea coridifolia.  
 corymbosa, Eckl. ex Meissn. in DC. Prod. xiv. 562 = filiformis.  
 costata, Griff. Notul. iv. 367 = Diarthron vesiculosum.  
 cupressina, Wendl. ex Bartl. in Linnaea, xiv. (1840) 404.—Afr. austr.  
 cupressoides, Steud. *Nom.* ed. II. ii. 273 = praec.  
 diarthronoides, Griff. Notul. iv. 365 = Thymelaea arvensis.  
 dichotoma, Steud. *Nom.* ed. II. ii. 273 = Stellera Chamaejasme.  
 dioica, Ramond, in Bull. Soc. Philom. ii. (1800) 139 = Thymelaea dioica.  
 dodecandra, Linn. Cent. Pl. i. 10 = Struthiola erecta.  
 elliptica, Boiss. Voy. Bot. Espagne, ii. 556. t. 158 = Thymelaea elliptica.  
 empetrifolia, Lapeyr. Hist. Abr. Pl. Pyr. 212 = Thymelaea dioica.  
 ericoides, Eckl. & Zeyh. ex Meissn. in DC. Prod. xiv. 563 = rigida.  
 ericoides, Linn. Mant. i. 236.—Afr. austr.  
 eriocephala, Thunb. Prod. Fl. Cap. 75 = Lachnaea globulifera.  
 filiformis, Linn. Sp. Pl. 559.—Afr. austr.  
 filiformis, Mill. Gard. Dict. ed. VIII. n. 1 = Struthiola erecta.  
 Ganpi, Sieb. & Zucc. in Abh. Akad. Muench. iv. III. (1846) 201 = Wikstroemia canescens.  
 globosa, Lam. Illustr. ii. 431 = Lachnaea alpina.  
 glomerata, Thunb. Prod. Pl. Cap. 75 = ericoides.  
 Gnidia, Linn. f. Suppl. 226 = Pimelea Gnidia.  
 grandiflora, Curt. Bot. Mag. t. 292 = Cryptadenia breviflora.  
 grandiflora, Linn. f. Suppl. 226 = Cryptadenia grandiflora.  
 gymnostachya, Meissn. in Linnaea, xiv. (1840) 397 = Arthrosolen gymnostachys.  
 hirsuta, Asso. Stirp. Arag. 49 = Thymelaea tinctoria.  
 hirsuta, Linn. Sp. Pl. 559.—Reg. Mediterr.  
 incana, Pourr. ex Willk. & Lange, Prod. Pl. Hisp. i. 300 = Thymelaea velutina.  
 inconspicua, Meissn. in Linnaea, xiv. (1840) 397 = Arthrosolen inconspicuus.  
 incurva, Wendl. ex Bartl. l. c. 404.—Afr. austr.  
 involucreta, Spreng. ex Meissn. in DC. Prod. xiv. 595 = Lasiosiphon linifolius.  
 involucreta, Thunb. Mus. Nat. Acad. Upsal. xiii. 106 = Pimelea linifolia.  
 japonica, Sieb. & Zucc. in Abh. Akad. Muench. iv. III. (1846) 200 = Wikstroemia japonica.  
 javanica, Thunb. Fl. Javan. ii. 19 (Quid?).—Java.  
 juniperifolia, Lapeyr. Hist. Abr. Pl. Pyr. 213 = Thymelaea tinctoria, calycina.  
 kalifolia, Pourr. ex Willk. & Lange, Prod. Fl. Hisp. i. 301 = Thymelaea canescens.  
 laevigata, Linn. Cent. Pl. ii. 15 = Gnidia oppositifolia.  
 lateriflora, Hort. ex Wikstr. in Vet. Acad. Handl. Stockh. (1818) 347 = Arthrosolen spicatus.  
 laxa, Linn. f. Suppl. 226 = Arthrosolen laxus.  
 Lessertii, Wikstr. in Vet. Acad. Handl. Stockh. (1818) 341 = Stellera Lessertii.  
 linariaefolia, Pourr. ex Wikstr. l. c. 333 = Thymelaea thesioides.  
 linearifolia, Wikstr. l. c. 343 = Gnidia linoides.  
 linearis, Wendl. ex Bartl. in Linnaea, xiv. (1840) 404 (Quid?).—Afr. austr.  
 linoides, Thunb. Prod. Pl. Cap. 75 = Gnidia linoides.  
 longiflora, Thunb. l. c. 189 = Pimelea longifolia.  
 longifolia, Thunb. Mus. Nat. Acad. Upsal. xiii. 106, nomen = Pimelea longifolia.  
 Matnak, J. F. Gmel. Syst. 1597, sphalm. = seq.  
 Metkan, J. F. Gmel. l. c. 634, sphalm. = seq.

**PASSERINA:—**

- Metnan, Forsk. Fl. Aegypt. Arab. 81 = Thymelaea hirsuta.  
 microphylla, Coss. & Dur. in Bull. Soc. Bot. Fr. iii. (1856) 744 = Thymelaea microphylla.  
 nervosa, Thunb. Prod. Pl. Cap. 75 = Lachnaea nervosa.  
 nervosa, Wikstr. in Vet. Acad. Handl. Stockh. (1818) 328 = Lachnaea striata.  
 nitida, Desf. Fl. Atlant. i. 331. t. 94 = Thymelaea nitida.  
 nivalis, Ram. in Bull. Soc. Philom. ii. (1800) 131. t. 9 = Thymelaea tinctoria.  
 orientalis, Willd. Sp. Pl. ii. 431 = Thymelaea orientalis.  
 paleacea, Wikstr. in Vet. Acad. Handl. Stockh. (1818) 323.—Afr. austr.  
 pectinata, Hort. ex Lodd. Cat. (1816) 18 = filiformis.  
 pendula, Eckl. & Zeyh. ex Meissn. in DC. Prod. xiv. 563 = rigida.  
 pentandra, Thunb. Prod. Pl. Cap. 76 = Lonchostoma obtusiflorum.  
 persica, Boiss. Diagn. Ser. I. vii. 85 = Stellera Lessertii.  
 pilosa, Linn. f. Suppl. 226; Forst. f. Prod. 28 = Pimelea virgata.  
 planifolia, Burm. f. Fl. Cap. Prod. 12 = Lachnaea alpina.  
 polycephala, E. Mey. ex Meissn. in Linnaea, xiv. (1840) 390 = Arthrosolen polycephalus.  
 polygalaefolia, Lapeyr. Hist. Abr. Pl. Pyr. 214 = hirsuta.  
 prostrata, Linn. f. Suppl. 227 = Pimelea prostrata.  
 pubescens, Guss. Fl. Sic. Syn. i. 451 = Thymelaea arvensis.  
 pubescens, Wikstr. in Vet. Acad. Handl. Stockh. (1818) 332 = Thymelaea virgata.  
 purpurea, Wikstr. l. c. 323 = Lasiosiphon eriocephalus.  
 racemosa, Wikstr. l. c. 320 = Stellera Chamaejasme.  
 rigida, Wikstr. l. c. 326.—Afr. austr.  
 salsolaefolia, Herb. Berol. ex Meissn. in DC. Prod. xiv. 664 (Bruniaceae? vel Phyllicae sp.).—Hab. ?  
 salsolaefolia, Poir. *Encyc.* v. 41 = paleacea.  
 sericea, Linn. Cent. Pl. ii. 15 = Gnidia sericea.  
 setosa, Thunb. Prod. Pl. Cap. 75 = Gnidia setosa.  
 spicata, Linn. f. Suppl. 226 = Arthrosolen spicatus.  
 stachyoides, Meissn. in DC. Prod. xiv. 550, in syn. = Stellera stachyoides.  
 Stellera, Ram. ex DC. Fl. Fr. iii. 361 = Thymelaea arvensis.  
 Stelleri, Wikstr. in Vet. Acad. Handl. Stockh. (1818) 321 = Stellera Chamaejasme.  
 striata, Lam. Illustr. ii. 430 = Lachnaea striata.  
 stricta, Thunb. Prod. Pl. Cap. 75 = Gnidia stricta, Wikstroemiana?  
 subspicata, Meissn. in Linnaea, xiv. (1840) 395 = Wikstroemia subspicata.  
 Tartonraira, Schrad. Neues Journ. iv. i. (1810) 89 = Thymelaea Tartonraira.  
 tenuiflora, Willd. Enum. Hort. Berol. 426 = Arthrosolen laxus.  
 tetragona, Steud. *Nom.* ed. II. ii. 274 = Struthiola erecta.  
 thesioides, Wikstr. in Vet. Acad. Handl. Stockh. (1818) 333 = Thymelaea thesioides.  
 Thomasii, Duby, Bot. Gall. i. 406 = Thymelaea Tartonraira.  
 Thunbergii, Wikstr. in Vet. Acad. Handl. Stockh. (1818) 343 = Gnidia sericea.  
 Thymelaea, DC. Fl. Fr. Suppl. 366 = Thymelaea Sana-munda.  
 tinctoria, Pourr. in Mém. Acad. Toul. iii. (1788) 323 = Thymelaea tinctoria.  
 tingitana, Salzm. ex Meissn. in DC. Prod. xiv. 554 = Thymelaea villosa.  
 tomentosa, Wikstr. in Vet. Acad. Handl. Stockh. (1818) 332 = Thymelaea Tartonraira.  
 uniflora, Drège, ex Meissn. in DC. Prod. xiv. 574 = Cryptadenia ciliata.  
 uniflora, Linn. Sp. Pl. 560 = Cryptadenia uniflora.  
 velutina, Boiss. Elench. 81 = Thymelaea elliptica.  
 velutina, [Pourr.] Cambess. in Mém. Mus. Par. xiv. (1827) 304 = Thymelaea velutina.  
 vesiculosa, Fisch. & Mey. in Bull. Soc. Nat. Mosc. (1839) 170 = Diarthron vesiculosum.  
 villosa, Thunb. in Mus. Nat. Acad. Upsal. xiii. 106, nomen = Pimelea arenaria.  
 villosa, Wikstr. in Vet. Acad. Handl. Stockh. (1818) 332 = Thymelaea villosa.  
 virescens, Coss. & Dur. ex Meissn. in DC. Prod. xiv. 554 = Thymelaea virescens.  
 virgata, Desf. Fl. Atlant. i. 331. t. 95 = Thymelaea virgata.

3 K



**PASSIFLORA**, Linn. Syst. ed. I (1735). *PASSIFLOREAE*, Benth. & Hook. f. i. 810.

**ANTHACTINIA**, Bory, in Ann. Gén. Sc. Phys. ii. (1819) 139.

**ASTEPHANANTHES**, Bory, l. c. (1819) 138.

**ASTROPHEA**, Reichb. Consp. 132 (1828).

**BALDWINIA**, Rafin. in Am. Monthly Mag. (1818) 267.

**BLEPHISTELMA**, Rafin. Fl. Tellur. iv. 103 (1836).

**CERATOSEPALUM**, Oerst. Réch. Fl. Am. Centr. 18. t. 17 (1863).

**CIECA**, Medic. Malv. 97 (1787).

**DECALOBA**, M. Roem. Syn. Pepon. 131, 152 (1846).

**DISEMMA**, Labill. Sert. Austro-Caled. 78. t. 79 (1824).

**DISTEMMA**, Lem. Hort. Van Houtte, fasc. ii. t. 11 (1847 ?).

**DISTEPHANA**, Juss. in Ann. Mus. Par. vi. (1805) 396.

**DISTEPHANIA**, Steud. Nom. ed. II. i. 521 (1840).

**DISTEPHIA**, Salisb. ex DC. Prod. iii. 335 (1828).

**DYSOSMIA**, M. Roem. Syn. Pepon. 149 (1846).

**ERNEMLIA**, Neck. Elem. ii. 235 (1790).

**GRANADILLA**, [Tourn.] Rupp. Fl. Jen. ed. Hall. 166 (1745).

**MACROPHORA**, Rafin. Fl. Tellur. iv. 103 (1836).

**MEIOPERIS**, Rafin. l. c. (1836).

**MONACTINEIRMA**, Bory, in Ann. Gén. Sc. Phys. ii. (1819) 138.

**MURUCUJA**, Tourn. ex Medic. Malv. 97 (1787).

**PENTARIA**, M. Roem. Syn. Pepon. 131, 187 (1846).

**PEREMIS**, Rafin. Fl. Tellur. iv. 104 (1836).

**PERICODIA**, Rafin. l. c. (1836).

**POLYANTHEA**, DC. in Mém. Soc. Phys. Genève. i. II. (1822) 435.

**PSILANTHUS**, Juss. in Ann. Mus. Par. vi. (1805) 396.

**SYNACTINIA**, Rafin. Fl. Tellur. iv. 104 (1836).

**TETRAPATHAEA**, Reichb. Consp. 132 (1828).

**TRIPSILINA**, Rafin. Fl. Tellur. iv. 103 (1836).

**XEROGONA**, Rafin. l. c. (1836).

*acerifolia*, Cham. & Schlecht. in Linnaea, v. (1830) 89 = *adenopoda*.

*acerifolia*, Hort.—Cf. Darwin, Clim. Plants, ed. I. 154 = *sicyoides*.

*actinia*, Hook. Bot. Mag. t. 4009.—Bras.

*aculeata*, Hort. ex Mast. in Journ. Hort. Soc. N. S. iv. (1877) 144.—Hab. ?

*acuminata*, DC. Prod. iii. 328 = *laurifolia*.

*adenophylla*, Mast. in Mart. Fl. Bras. xiii. i. 568 = *alba*.

*adenopoda*, [Moq. & Sesse, ex] DC. Prod. iii. 330.—Mexic.

*adiantifolia*, Ker-Gawl. in Bot. Reg. t. 233.—Ins. Norfolk.

*Adiantum*, Willd. Enum. Hort. Berol. 698 = *glabra*.

*adulterina*, Linn. f. Suppl. 408 = *Tacsonia adulterina*.

*affinis*, Engelm. ex A. Gray, in Bost. Journ. Nat. Hist. vi. (1850) 233.—Texas.

*alata*, [Dryand. in] Ait. Hort. Kew. ed. I. iii. 306.—Peruv.

*alba*, Link & Otto, Ic. Pl. Rar. Hort. Berol. t. 33.—Bras.

*albicans*, Hort. ex Loud. Hort. Brit. 596; et ex Mast. in Journ. Hort. Soc. N. S. iv. (1877) 144.—Mexic.

*albida*, Ker-Gawl. in Bot. Reg. t. 677 = *mucronata*.

*alnifolia*, H. B. & K. Nov. Gen. et Sp. ii. 136.—N. Granat.

*alnifolia*, Mast. in Mart. Fl. Bras. xiii. i. 549, partim = *bogotensis*.

*amabilis*, Hook. Bot. Mag. t. 4406.—Bras.

*amabilis*, Hort. ex Lem. in Fl. des Serres, iii. (1847) 209 = *populifolia*.

*amabilis*, Hort. ex Mart. in Journ. Hort. Soc. N. S. iv. (1877) 144 = *racemosa*.

*amethystina*, Mikan, Delic. Fl. et Faun. Bras. 20.—Bras.

*Andersonii*, DC. Prod. iii. 326.—Ind. occ.

*Andreana*, Mast. in Journ. Linn. Soc. xx. (1883) 37.—N. Granat.

*anfracta*, Mast. & André, l. c. 38.—N. Granat.

*angulata*, Sweet, Hort. Brit. ed. I. 354, nomen; Hort. ex Mart. in Journ. Hort. Soc. N. S. iv. (1877) 137 = *alata*.

*angustifolia*, Sw. Prod. Veg. Ind. Occ. 97 = *suberosa*.

*antioquiensis*, Karst. in Linnaea, xxx. (1859-60) 162 = *Tacsonia Van-Volkemii*.

*appendiculata*, G. F. W. Mey. Prim. Fl. Esseq. 223 = *aureolata*.

**PASSIFLORA** :—

*arborea*, Spreng. Syst. iii. 42.—N. Granat.; Ecuador.

*aristulata*, Mast. in Mart. Fl. Bras. xiii. i. 570.—Peruv.

*arvensis*, Vell. Fl. Flum. ix. t. 71.—Bras.

*asperata*, Regel, Cat. Pl. Hort. Aksakov. 104.—Hab. ?

*atomaria*, Planch. ex Mast. in Mart. Fl. Bras. xiii. i. 570 = *alba*.

*atropurpurea*, Hort.—Cf. Gard. Chron. xix. (1883) 499.—Hab. ?

*aurantia*, Andr. Bot. Rep. t. 295 = *glabra*.

*aurantia*, Forst. f. Prod. 326.—N. Caled.

*aureolata*, H. B. & K. Nov. Gen. et Sp. ii. 131.—Venezuela.

*bahiensis*, Klotzsch, in Linnaea, xiv. (1840) 293.—Bras.

*Banksii*, Benth. Fl. Austral. iii. 312.—Austral.

*Baraquiniana*, Lem. Illustr. Hort. vii. (1860) t. 276 = *foetida*.

*Barclayi*, Mast. in Trans. Linn. Soc. xxvii. (1871) 634.—Ins. Fiji.

*Baueriana*, Mast. l. c.—Ins. Norfolk.

*baubiniifolia*, H. B. & K. Nov. Gen. et Sp. ii. 132 (=*baubiniifolia*)—Ecuador.

*Belottii* x, Hort. ex Moore & Ayres, Gard. Mag. Bot. i. (1850) 9, cum ic.

*Berberiana*, Balb. ex DC. Prod. iii. 325.—Ins. S. Doming.

*bicornis*, Mill. Gard. Dict. ed. VIII. n. 13.—N. Granat.

*bicuspidata*, Mast. in Trans. Linn. Soc. xxvii. (1871) 635; et Mart. Fl. Bras. xiii. i. 558.—N. Granat.

*biflora*, Domb. ex Triana & Planch. in Ann. Sc. Nat. Sér. V. xiii. (1873) 156 = *P. Niorbo*.

*biflora*, Lam. Encyc. iii. 36 = *lunata*.

*biformis*, Hort. ex Mast. in Journ. Hort. Soc. N. S. iv. (1877) 128 = *coriacea*.

*bifurca*, Triana & Planch. in Ann. Sc. Nat. Sér. V. xvii. (1873) 162.—N. Granat.

*biglandulosa*, Caley, ex DC. Prod. iii. 333 = *Herbertiana*.

*bilobata*, A. Juss. in Ann. Mus. Par. vi. (1805) 107. t. 37. f. 2.—Ins. S. Doming.

*bilobata*, Vell. Fl. Flum. ix. t. 78 = *capsularis*.

*bogotensis*, Benth. Pl. Hartw. 184 = *alnifolia*.

*brachystephana*, F. Muell. ex Benth. Fl. Austral. iii. 312.—Austral.

*bracteosa*, Planch. & Linden, ex Triana & Planch. in Ann. Sc. Nat. Sér. V. xvii. (1873) 137 (*Tacsonia* sp. ?)—N. Granat.

*brasiliensis*, Desf. Cat. Hort. Par. ed. III. 411 = *alata*.

*brasiliensis*, Steud. Nom. ed. II. ii. 274, sphalm. = *praec*.

*bryoniifolia*, Spreng. Syst. iii. 42 = *seq*.

*bryonioides*, H. B. & K. Nov. Gen. et Sp. ii. 140.—Mexic.

*Buchanani*, Triana & Planch. in Ann. Sc. Nat. Sér. V. xvii. (1873) 144 = *vitifolia*.

*Buonaparteana* x, Baxt. in Loud. Hort. Brit. Suppl. iii. 603; Hort. ex Mast. in Journ. Hort. Soc. N. S. iv. (1877) 145.

*caerulea*, Linn. Sp. Pl. 959.—Bras.

*caerulea*, Lour. ex DC. Prod. iii. 330 = *chinensis*.

*calcarata*, Mast. in Trans. Linn. Soc. xxvii. (1871) 638.—Madag.

*caloneura*, Kurz, in Journ. As. Soc. Beng. xlvii. (1877) II. 95, 94 = *Aristolochia trilobata*.

*campanulata*, Mast. in Mart. Fl. Bras. xiii. i. 568, 615.—Bras.

*candida*, Mast. in Trans. Linn. Soc. xxvii. (1871) 629.—Bras.

*capsularis*, Lam. Encyc. iii. 36 = *rubra*.

*capsularis*, Linn. Sp. Pl. 957.—Am. trop.

*caracasana*, Jacq. ex Willd. Enum. Hort. Berol. 697.—Venezuela.

*cardinalis*, Hort. ex Mast. in Journ. Hort. Soc. N. S. iv. (1877) 145.—Hab. ?

*Cavanillesii*, DC. Prod. iii. 323 = *cuprea*.

*celtifolia*, Salisb. Prod. 154 = *serratifolia*.

*cephaleima*, Bory, in Ann. Gén. Sc. Phys. ii. (1819) 152. t. 22. f. 2 = *perfoliata*.

*ceratosepala*, Mast. in Trans. Linn. Soc. xxvii. (1871) 630.—Am. trop.

*chelidonea*, Mast. in Gard. Chron. (1879) II. 40.—Ecuador.

*chilensis*, Miers, Trav. Chil. ii. 522 = *Tacsonia pinnatifoliata*.

**PASSIFLORA** :—

*chinensis*, Hort. ex Mast. in Journ. Hort. Soc. N. S. iv. (1877) 145 = *caerulea*.

*chinensis*, Sweet, Hort. Brit. ed. I. 355; ed. II. 217.—China.

*ciliaris*, 'Curt.' ex Steud. Nom. ed. I. 595 = *ciliata*.

*ciliata*, [Dryand. in] Ait. Hort. Kew. ed. I. iii. 310 = *foetida*.

*cinninata*, Mast. in Gard. Chron. (1868) 966.—Bras.

*cinerea*, Poepp. & Endl. Nov. Gen. et Sp. ii. 57. t. 177.—Guian.

*cinnabarina*, Lindl. in Gard. Chron. (1855) 724.—Austral.

*cirrhiiflora*, A. Juss. in Ann. Mus. Par. vi. (1805) 115. t. 41. f. 1.—Guian.

*citrifolia*, Mast. in Trans. Linn. Soc. xxvii. (1871) 629.—Guian.

*citrifolia*, Salisb. Prod. 154 = *alata*.

*clathrata*, Mast. in Mart. Fl. Bras. xiii. i. 547, 580.—Bras.

*clypeata*, Sm. in Rees, Cycl. xxvi. n. 20 = *coriacea*.

*coccinea*, Aubl. Pl. Gui. ii. 828. t. 324.—Guian.

*coccinea*, Blanco, Fl. Filip. ed. I. 650 = *Modecca heterophylla*.

*coccinea*, Soland. ex Benth. Fl. Austral. iii. 312 = *Banksii*.

*cochinchinensis*, Spreng. Syst. iv. Cur. Post. 346 (*Malpigiaceae* ?)—Cochinch.

*coerulea*, Auct. vide *caerulea*.

*colorata*, Mast. in Mart. Fl. Bras. xiii. i. 562, 601.—Bras.

*colubrina*, Poepp. & Endl. Nov. Gen. et Sp. ii. 58 = *triloba*.

*Colvillei* x, Sweet, Brit. Flow. Gard. Ser. II. i. t. 126.

*Contrayerva*, Sm. in Rees, Cycl. xxvi. n. 23 = *bilobata*.

*coriacea*, Juss. in Ann. Mus. Par. vi. (1805) 109. t. 39. f. 23.—Am. austr.

*coriacea*, A. Rich. Ess. Fl. Cub. 599.—Cuba.

*cornuta*, Mast. in Mart. Fl. Bras. xiii. i. 566.—Bras.

*costata*, Mast. l. c. 545, 573.—Bras.

*cuellenis*, Goudot, ex Planch. & Triana, in Ann. Sc. Nat. Sér. V. xvii. (1873) 154 = *pilosa*.

*cuneata*, Willd. Enum. Hort. Berol. 696.—Venezuela.

*cuneifolia*, Cav. Diss. x. t. 292 = *edulis* ?

*cuprea*, Linn. Sp. Pl. 955.—Ind. occ.

*cyanea*, Mast. in Mart. Fl. Bras. xiii. i. 571.—Venezuela.

*cyathophora*, Desv. in Ham. Prod. Pl. Ind. Occ. 48 = *aureolata*.

*decipiens*, Mast. in Journ. Bot. xxi. (1883) 34.—Guian.

*dentata*, Vell. Fl. Flum. ix. t. 94 = *Raddiana* ?

*diaden*, Vell. l. c. 90 = *edulis*.

*Dictamo*, [Moq. & Sesse, ex] DC. Prod. iii. 324.—Mexic.

*difformis*, H. B. & K. Nov. Gen. et Sp. ii. 136 = *coriacea*, Juss.

*digitata*, Linn. Sp. Pl. ed. II. 1355 = *serrata*.

*discolor*, Link & Otto, Ic. Pl. Sel. 13. t. 5 = *Maximiliana*.

*divaricata*, Griseb. in Bonplandia, vi. (1858) 7 = *pulchella*.

*divaricata*, Linn. Mant. ii. 491 = *perfoliata*.

*edulis*, Sims, Bot. Mag. t. 1989.—Bras.

*Eichleriana*, Mast. in Mart. Fl. Bras. xiii. i. 568.—Bras.

*elata*, Fisch. Hort. Gorenk. ed. II. (1812) 32, sphalm. = *alata* ?

*elegans*, Mast. in Mart. Fl. Bras. xiii. i. 621.—Bras.

*elegans*, Triana & Planch. in Ann. Sc. Nat. Sér. V. xvii. (1873) 133.—N. Granat.

*elliptica*, Gardn. in Hook. Lond. Journ. Bot. i. (1842) 173.—Bras.

*elongata*, Poir. Encyc. Suppl. ii. 839 = *oblongata*.

*emarginata*, Humb. & Bonpl. Pl. Aequin. i. t. 23.—Peruv.

*eminula*, Mast. in Journ. Linn. Soc. xx. (1883) 32.—Am. trop.

*erubescens*, Macfad. Fl. Jamaic. ii. 154 = *rubra*.

*erubescens*, Triana & Planch. in Ann. Sc. Nat. Sér. V. xvii. (1873) 161.—N. Granat.

*erythrophylla*, Mast. in Trans. Linn. Soc. xxvii. (1871) 633.—Am. trop.

*exoperculata*, Mast. in Mart. Fl. Bras. xiii. i. 556.—Bolivia.

*exsudans*, Zucc. in Abh. Akad. Muench. ii. (1831-36) 342 = *bryonioides*.



## PASSIFLORA:—

- ferruginea, *Mast. in Mart. Fl. Bras.* xiii. 1. 556.—Am. trop.  
 filamentosa, *Cav. Diss.* x. t. 294.—Am. austr.  
 filipes, *Benth. Pl. Hartw.* 118.—Mexic.; Ecuador.  
 flexipes, Triana & Planch. in *Ann. Sc. Nat. Sér. V.* xvii. (1873) 142 = *Tacsonia flexipes*.  
 flexuosa, Gardn. in *Hook. Journ. Bot.* i. (1834) 174 = suberosa.  
 floribunda, Lem. in *Fl. des Serres*, iv. (1848) 335 b = sexflora.  
 foetida, *Linn. Sp. Pl.* 959.—Bras.  
 foetida, Vell. *Fl. Flum.* ix. t. 86 = Vellozii.  
 fragrans, Regel, *Cat. Hort. Aksakov.* (1860) 104; et ex *Mast. in Journ. Hort. Soc. N. S.* iv. (1877) 145 = Middletoniana.  
 fulgens, Wallis, ex E. Morr. in *Belg. Hort.* xv. (1865) 103; xvi. (1866) 193 = coccinea.  
 furcata, *Mast. in Mart. Fl. Bras.* xiii. 1. 550.—Venezuela.  
 fuscina, *Mast. l. c.* 551.—Mexic.  
 Garcke, *Mast. in Trans. Linn. Soc.* xxvii. (1871) 639.—Bras.  
 Gardneri, *Mast. in Mart. Fl. Bras.* xiii. 1. 566, 614.—Bras.  
 Gaudichaudiana, Planch. ex Planch. & Triana, in *Ann. Sc. Nat. Sér. V.* xvii. (1873) 142 = *Tacsonia peduncularis*.  
 Gaudichaudii, Planch. l. c. = praec.  
 geminiflora, DC. *Prod.* iii. 323 = *P. Vespertilio*.  
 geminiflora, D. Don, *Prod. Fl. Nep.* 63 = *napalensis*.  
 glaberrima, Triana & Planch. in *Ann. Sc. Nat. Sér. V.* xvii. (1873) 132 = *Tacsonia glaberrima*.  
 glabra, Mill. *Gard. Dict.* ed. VIII. n. 4 = minima.  
 glabra, Wendl. *Coll.* i. 55. t. 17.—Ins. Norfolk.  
 glabrata, H. B. & K. *Nov. Gen. et Sp.* ii. 135 = lunata.  
 glandulosa, *Cav. Diss.* x. 453. t. 281.—Bras.  
 glauca, [*Dryand. in*] *Ait. Hort. Kew.* ed. I. iii. 308.—Mexic.  
 glauca, Humb. & Bonpl. *Pl. Aequin.* i. 76. t. 22 = arborea.  
 globosa, Vell. *Fl. Flum.* ix. t. 85 = suberosa.  
 gossypifolia, Desv. in *Ham. Prod. Pl. Ind. Occ.* 48 = foetida.  
 gossypifolia, *Lindl. Bot. Reg.* t. 1634.—Ind. occ.; Mexic.; Peruv.  
 Goudotiana, Triana & Planch. in *Ann. Sc. Nat. Sér. V.* xvii. (1873) 132.—N. Granat.  
 gracilis, *Jacq. Eclog. Am.* t. 168; *Link, Enum. Hort. Berol.* ii. 182.—Bras.  
 grandiflora, Salisb. *Prod.* 154 = quadrangularis.  
 gritensis, *Karst. in Linnaea*, xxx. (1859-60) 163.—Venezuela.  
 guazumaefolia, *Jacq. Fragm.* 13; *Fuss. in Ann. Mus. Par.* vi. (1805) 112. t. 39.—N. Granat.  
 guianensis, Miq. in *Linnaea*, xviii. (1844) 751 = quadriglandulosa.  
 haematostigma, *Mast. in Mart. Fl. Bras.* xiii. 1. 545.—Am. trop.  
 Hahnii, *Mast. in Trans. Linn. Soc.* xxvii. (1871) 638.—Am. trop.  
 hainanensis, Hance, in *Journ. Bot.* xvi. (1878) 227 = ligulifolia.  
 hamosa, Goudot, ex Triana & Planch. in *Ann. Sc. Nat. Sér. V.* xvii. (1873) 169 = acerifolia.  
 Hartwiesiana, Hort. ex *Mast. in Journ. Hort. Soc. N. S.* iv. (1877) 145 = caerulea.  
 hastata, Bertol. *Fl. Guatim.* 27 = foetida.  
 hastata, Ruiz & Pav. ex *Mast. in Mart. Fl. Bras.* xiii. 1. 569 = reflexiflora.  
 hederacea, *Cav. Diss.* x. 448 = suberosa.  
 hederacefolia, *Lam. Encyc.* iii. 38 = minima, suberosa.  
 helleborifolia, Wallis, ex *Mast. in Mart. Fl. Bras.* xiii. 1. 622.—Am. trop.  
 Helleri, *Peyr. in Linnaea*, xxx. (1859-60) 54.—Mexic.  
 hemicycla, G. F. W. Mey. *Prim. Fl. Esseq.* 225 = *P. Vespertilio*.  
 Herbertiana, [*Ker-Gawl. in*] *Bot. Reg.* t. 737.—Austral.  
 Hermannii, DC. *Prod.* iii. 332.—Ins. Curaçao.  
 heterophylla, [*Dryand. in*] *Ait. Hort. Kew.* ed. I. iii. 309 = suberosa.  
 heterophylla, *Lam. Encyc.* iii. 41.—Ins. S. Doming.  
 hexangularis, *Raeusch. Nom. ed. III.* 85 (Quid?).—Ind. occ.

## PASSIFLORA:—

- Heyneana, Wall. *Cat. n.* 1233 = *Erythralium populifolium*?  
 hibiscifolia, *Lam. Encyc.* iii. 39 = foetida.  
 hircina, Sweet, *Hort. Brit.* ed. I. 354; Hort. ex *Mast. in Journ. Hort. Soc. N. S.* iv. (1877) 146 = foetida.  
 hirsuta, *Linn. Sp. Pl.* 958 = suberosa.  
 hirsuta, Lodd. *Bot. Cab.* t. 138 = foetida.  
 hispida, DC. ex Triana & Planch. in *Ann. Sc. Nat. Sér. V.* xvii. (1873) 172.—Reg. trop.  
 hispidula, Knowles & Weste. *Flor. Cab.* iii. (1839) 126 = suberosa.  
 holosericea, *Linn. Sp. Pl.* 958.—Mexic.  
 holosericea, Ruiz & Pav. ex *Mast. in Journ. Linn. Soc.* xx. (1883) 44 = alba.  
 Hondala, Steud. *Nom. ed. II.* ii. 275 = *Modecca palmata*.  
 Horsfieldii, Blume, *Rumphia*, 170. t. 52.—Java.  
 Hulletti, Hort. ex *Mast. in Journ. Hort. Soc. N. S.* iv. (1877) 137 = macrocarpa.  
 hyacinthiflora, Planch. & Linden, ex Planch. & Triana, in *Ann. Sc. Nat. Sér. V.* xvii. (1873) 179.—N. Granat.  
 hybrida, Nees, 'Sammlung, t. 36'; ex *Pritz. Ic. Ind.* ii. 206 (Quid?).—Hab.?  
 ianthina, *Mast. in Journ. Bot.* xxi. (1888) 36.—Bolivia.  
 ichthyura, *Mast. in Mart. Fl. Bras.* xiii. 1. 549.—Bras.  
 inamoena, A. Gray, *Pl. Wright.* ii. 59.—Mexic.  
 incana, Seem. ex *Mast. in Journ. Linn. Soc.* xx. (1883) 40 = Seemannii.  
 incarnata, Ker-Gawl. in *Bot. Reg.* t. 332 = edulis.  
 incarnata, *Linn. Sp. Pl.* 959.—Am. trop.  
 indecora, H. B. & K. *Nov. Gen. et Sp.* ii. 134.—N. Granat.  
 Innesii, *Mast. in Gard. Chron.* (1870) 891.  
 insignis, Hook. *Bot. Mag.* t. 6069 = *Tacsonia insignis*.  
 Itondala, Steud. *Nom. ed. I.* 595 = *P. Hondala*.  
 Jileki, Wawra, in *Oestr. Bot. Zeitschr.* xiii. (1863) 110; et in *Bot. Ergeb. Maxim. Bras.* 59.—Am. trop.  
 jorullensis, H. B. & K. *Nov. Gen. et Sp.* ii. 133.—Mexic.  
 Kalbreyeri, *Mast. in Journ. Bot.* xxi. (1883) 36.—N. Granat.  
 Karsteniana, A. Dietr. in *Otto & Dietr. Allg. Gartenz.* xxi. (1853) 42 = bryonoides.  
 Karwinski, *Mast. in Mart. Fl. Bras.* xiii. 1. 555.—Am. trop.  
 Kegeliana, Garcke, in *Linnaea*, xxii. (1849) 60 = suberosa.  
 Kerii, Spreng. *Syst.* iii. 39 = edulis.  
 kermesina, Link & Otto, in *Verh. Ver. Befoerd. Gartenb.* ii. (1826) 403. t. 15 = Raddiana.  
 Kohautiana, Presl, *Bot. Bemerk.* 72 = suberosa.  
 Lamberti, Hort. ex *Mast. in Journ. Hort. Soc. N. S.* iv. (1877) 146 (Quid?).—Hab.?  
 lanata, Poir. *Encyc. Suppl.* ii. 843 = *Tacsonia lanata*.  
 lancearia, *Mast. in Journ. Bot.* xxiii. (1885) 114.—Costa Rica.  
 lanceolata, G. Don, *Gen. Syst.* iii. 54 = seq.  
 lancifolia, Desv. in *Ham. Prod. Pl. Ind. Occ.* 48.—Ind. occ.  
 latifolia, DC. *Prod.* iii. 328 = alata.  
 laurifolia, *Linn. Sp. Pl.* 956.—Am. trop.  
 Lawsoniana, *Mast. in Gard. Chron.* (1868) 1288.—Bras.  
 Lehmanni, *Mast. in Journ. Bot.* xxiii. (1885) 115.—N. Granat.  
 Lemicheziana, *Mast. in Journ. Hort. Soc. N. S.* iv. (1877) 146.  
 lepidota, *Mast. in Mart. Fl. Bras.* xiii. 1. 547, 581.—Am. trop.  
 Leschenaultii, DC. *Prod.* iii. 326.—Ind. or.  
 Liebmanni, *Mast. in Mart. Fl. Bras.* xiii. 1. 547.—Am. trop.  
 ligularis, A. *Fuss. in Ann. Mus. Par.* vi. (1805) 113. t. 40.—Am. trop.  
 ligulifolia, *Mast. in Trans. Linn. Soc.* xxvii. (1871) 632.—Ins. Hongkong.  
 limbata, Tenore, *Ind. Sem. Hort. Neap.* (1839) 12. n. 10; et in *Ann. Sc. Nat. Sér. II.* xiii. (1840) 380 = suberosa?  
 Lindeniana, Planch. ex Triana & Planch. in *Ann. Sc. Nat. Sér. V.* xvii. (1873) 132.—Venezuela.

## PASSIFLORA:—

- lineariloba, Hook. f. in *Trans. Linn. Soc.* xx. (1347) 222 = suberosa.  
 littoralis, H. B. & K. *Nov. Gen. et Sp.* ii. 138 = suberosa.  
 Lobbi, *Mast. in Mart. Fl. Bras.* xiii. 1. 553.—N. Granat.  
 Lockharti, G. Don, ex M. Roem. *Syn. Pepon.* 183 = quadriglandulosa.  
 longiflora, *Lam. Encyc.* iii. 39 = *Tacsonia mixta*.  
 longifolia, *Lam. l. c.* 40 = suberosa.  
 longipes, A. *Fuss. in Ann. Mus. Par.* vi. (1805) 111. t. 33. f. 1.—N. Granat.  
 lorifera, *Mast. & André, in Journ. Linn. Soc.* xx. (1883) 42.—Ecuador.  
 Loudoni, Loud. *Encyc. Pl.* 1234; Hort. ex *Mast. in Journ. Hort. Soc. N. S.* iv. (1877) 146.  
 Loureirii, G. Don, *Gen. Syst.* iii. 54 = caerulea?  
 Lowe, Heer, in *Regel, Gartenfl.* i. (1852) 69. t. 9 = ligularis.  
 lunata, *Fuss. ex DC. Prod.* iii. 331.—Peruv.  
 lunata, Poepp. & Endl. *Nov. Gen. et Sp.* ii. 58 = Poeppigii.  
 lunata, Vell. *Fl. Flum.* ix. t. 80 = capsularis.  
 lunata, Willd. *Sp. Pl.* iii. 612 (Quid?).—Am. trop.  
 lutea, *Linn. Sp. Pl.* 958.—Ind. occ.  
 lutea, Ruiz & Pav. ex *Mast. in Journ. Linn. Soc.* xx. (1883) 44 = alba.  
 lyraefolia, Tussac, *Fl. Antill.* i. 70. t. 4 = oblongata.  
 macrocarpa, *Mast. in Gard. Chron.* (1869) 1012.—Bras.  
 macrophylla, Spruce, ex *Mast. in Journ. Linn. Soc.* xx. (1883) 31.—Ecuador.  
 maculata, Donn, *Hort. Cantabr.* ed. XIII. 436 = peltata.  
 maculata, *Scanag. ex Colla, Hort. Ripul.* 101.—Ind. occ.  
 Magdalene, Triana & Planch. in *Ann. Sc. Nat. Sér. V.* xvii. (1873) 166.—N. Granat.  
 malacophylla, *Mast. in Mart. Fl. Bras.* xiii. 1. 563.—Am. trop.  
 maliformis, *Linn. Sp. Pl.* 956.—Ind. occ.  
 maliformis, Vell. *Fl. Flum.* ix. t. 73 = alata.  
 manicata, Pers. *Syn.* ii. 221 = *Tacsonia manicata*.  
 Manora, Scott, in *Journ. Linn. Soc.* viii. (1865) 202.—Hab.?  
 Mansoi, *Mast. in Trans. Linn. Soc.* xxvii. (1871) 629.—Bras.  
 marginata, *Mast. in Mart. Fl. Bras.* xiii. 1. 562, 603.—Am. trop.  
 Marigouja, Perr. ex Triana & Planch. in *Ann. Sc. Nat. Sér. V.* xvii. (1873) 172 = hispida.  
 marmorea, Linden, *Cat. n.* 8 (1853), 3; Hort. ex *Gard. Chron.* (1871) 234 = *Ophiocaulon cissampeloides*.  
 mascarensis, Presl, *Bot. Bemerk.* 72 = alata.  
 mauritiana, Thou. in *Ann. Mus. Par.* vi. (1805) 457. t. 65 = alata.  
 Maximiliana, Bory, in *Ann. Gén. Sc. Phys.* ii. (1819) 129. t. 24.—Bras.  
 Mayana, Veitch, ex Voigt, *Hort. Suburb. Calc.* 81; Hort. ex *Mast. in Journ. Hort. Soc. N. S.* iv. (1877) 146 = caerulea.  
 mediterranea, Vell. *Fl. Flum.* ix. t. 72.—Bras.  
 Medusac, Lem. in *Fl. des Serres*, iii. (1848) 373 b = jorullensis.  
 membranacea, *Benth. Pl. Hartw.* 83.—Guatemal.  
 menispermacea, Triana & Planch. in *Ann. Sc. Nat. Sér. V.* xvii. (1873) 168.—N. Granat.  
 menispermifolia, H. B. & K. *Nov. Gen. et Sp.* ii. 137 = pilosa.  
 meridensis, *Karst. in Linnaea*, xxx. (1859-60) 165.—N. Granat.  
 mexicana, A. *Fuss. in Ann. Mus. Par.* vi. (1805) 108. t. 38. f. 2.—Mexic.  
 microcarpa, *Mast. in Mart. Fl. Bras.* xiii. 1. 550, 598.—Am. trop.  
 micropetala, *Mast. l. c.* 549.—Am. trop.  
 Middletoniana, *Paxt. Mag. Bot.* ix. (1842) t. 51 (an hybr.?).—Hab.?  
 Miersii, *Mast. in Mart. Fl. Bras.* xiii. 1. 561, 599.—Bras.  
 minima, Blanco, *Fl. Filip.* ed. I. 647.—Philipp.  
 minima, *Linn. Sp. Pl.* 950 = suberosa.  
 misera, H. B. & K. *Nov. Gen. et Sp.* ii. 136.—Am. austr.  
 mixta, *Linn. f. Suppl.* 408 = *Tacsonia mixta*.  
 mollis, H. B. & K. *Nov. Gen. et Sp.* ii. 137.—N. Granat.



## PASSIFLORA:—

- moluccana, Reinw. in Blume, Bijdr. 938.—Ins. Moluco.  
*Monnieri*, Buchoz, Herb. Coll. Am. (1783) t. 35 = coccinea.  
 Mooreana, Hook. Bot. Mag. t. 3773.—Bras.  
 morifolia, Mast. in Mart. Fl. Bras. xiii. i. 555.—Bras.  
 Moritziana, Planch. ex Triana & Planch. in Ann. Sc. Nat. Sér. V. xvii. (1873) 175.—N. Granat.  
 mucronata, Lam. Encyc. iii. 33.—Bras.  
 Muelleriana, Mast. in Journ. Hort. Soc. N. S. iv. (1877) 133.—Austral.  
 multiflora, Linn. Sp. Pl. 956.—Ins. S. Doming.  
 multifloris, Jacq. Fragm. 50. t. 67. f. 1.—Venezuela.  
 Munroii x, Mast. in Gard. Chron. (1868) 1288.  
 Murucua, Mill. Gard. Dict. ed. VIII. n. 14 = perfoliata.  
 Murucuja, Billb. ex Beurl. in Vet. Akad. Handl. Stockh. 1854 (1856) 131 = lunata, Fuss.?  
 Murucuja, Linn. Sp. Pl. 957.—Ind. occ.  
 myriadenia, Van Houtte, Hortus, t. 5; ex Pritz. Ic. Ind. i. 806 (Quid?).—Hab.?  
 napalensis, Wall. Tent. Fl. Nep. 20. t. 11.—Reg. Himal.  
 naviculata, Griseb. in Goett. Abh. xix. (1874) 149.—Am. austr.  
 Neillii, Regel, in Flora, xxxii. (1849) 184.—Hab.?  
 nepalensis, Walp. Rep. ii. 221 = napalensis.  
 Neumannii x, Paxt. Mag. Bot. xv. (1849) 270, cum t.  
 nigelliflora, Hook. Bot. Mag. t. 3635 = foetida.  
 nigra, Jacq. Obs. Bot. ii. 27. t. 46. f. 3 = suberosa.  
 Niorbo, Planch. ex Triana & Planch. in Ann. Sc. Nat. Sér. V. xvii. (1873) 156.—Peruv.  
 nipaulensis, G. Don, Gen. Syst. iii. 47 = napalensis.  
 nitida, H. B. & K. Nov. Gen. et Sp. ii. 130.—Venezuela.  
 normalis, Linn. Syst. ed. X. 1248 = perfoliata.  
 nymphaeoides, Karst. in Linnaea, xxx. (1859–60) 165 = nitida.  
 oblonga, DC. Prod. iii. 327 = seq.  
 oblongata, Sw. Prod. Veg. Ind. Occ. 97.—Jamaic.  
 obscura, Lindl. in Trans. Hort. Soc. vii. (1830) 148 = foetida.  
 obtusa, Vell. Fl. Flum. ix. t. 81 = organensis?  
 obtusiloba, Mast. in Mart. Fl. Bras. xiii. i. 554.—Peruv.  
 oceanensis, Planch. & Linden, ex Triana & Planch. in Ann. Sc. Nat. Sér. V. xvii. (1873) 183.—N. Granat.  
 octandra, Thomps. ex DC. Prod. iii. 337 = Deidamia Thompsoniana.  
 odora, Link & Otto, Ic. Pl. Rar. 93. t. 47 = sicyoides.  
 Oerstedii, Mast. in Mart. Fl. Bras. xiii. i. 562.—Costa Rica.  
 olivaceiformis, Mill. Gard. Dict. ed. VIII. n. 6; Vell. Fl. Flum. ix. t. 83 = suberosa.  
 onychina, Lindl. Bot. Reg. (1838) Misc. 1. t. 21 = amethystina.  
 orbiculata, Cav. Diss. x. 456 = P. Murucuja.  
 orbicula, Planch. & Linden, ex Triana & Planch. in Ann. Sc. Nat. Sér. V. xvii. (1873) 150.—N. Granat.  
 organensis, Gardn. in Hook. Lond. Journ. Bot. iv. (1845) 104.—Bras.  
 ornata, H. B. & K. Nov. Gen. et Sp. ii. 129 = mali-formis.  
 ovalis, Vell. Fl. Flum. ix. t. 75.—Bras.  
 ovata, Martin, ex DC. Prod. iii. 322.—Guian.  
 oviformis, M. Roem. Syn. Pepon. 167 = alata.  
 Pala, Planch. & Linden, ex Triana & Planch. in Ann. Sc. Nat. Sér. V. xvii. (1873) 162.—N. Granat.  
 pallens, Poepp. ex Mast. in Trans. Linn. Soc. xxvii. (1871) 638.—Am. trop.  
 pallida, Linn. Sp. Pl. 955 = suberosa.  
 pallida, Lour. Fl. Cochinch. 644 = cochinchinensis.  
 pallida, Vell. Fl. Flum. ix. t. 70 = mucronata.  
 pallidiflora, Bertol. Syll. Pl. Hort. Bonon. (1827) 6; ex Moris, in Mem. Acc. Torin. xxxvi. (1833) 178. t. 6 = edulis.  
 palmata, Lodd. Bot. Cab. 97 = filamentosa.  
 palmatisecta, Mast. in Mart. Fl. Bras. xiii. i. 564.—Reg. Argent.  
 pamplonensis, Planch. & Linden, ex Triana & Planch. in Ann. Sc. Nat. Sér. V. xvii. (1873) 137 (Tacsonia sp.).—N. Granat.

## PASSIFLORA:—

- pannosa, Sm. in Rees, Cycl. xxvi. n. 28.—Ind. occ.  
 parviflora, Blanco, Fl. Filip. ed. I. 649 = Modecca cardiophylla.  
 parviflora, Sw. Prod. Veg. Ind. Occ. 97 = suberosa.  
 pavonis, Mast. in Journ. Bot. xxi. (1883) 35.—Mexic.  
 pectinata, Griseb. Fl. Brit. W. Ind. 294.—Ind. occ.  
 pedata, Linn. Sp. Pl. 960.—Ins. S. Doming.  
 peduncularis, Cav. Ic. v. 15 = Tacsonia peduncularis.  
 pedunculata, Hort. ex Mast. in Journ. Hort. Soc. iv. (1877) 137 = alata.  
 peltata, Cav. Diss. x. 447. t. 274 = suberosa.  
 penangiana, Wall. Cat. n. 1233 = Modecca nico-barica.  
 penduliflora, Bert. ex DC. Prod. iii. 326.—Jamaic.  
 pennipes, M. Roem. Syn. Pepon. 194 = Tacsonia pinnatistipula.  
 pentagona, Mast. in Mart. Fl. Bras. xiii. i. 545, 575.—Am. trop.  
 perfoliata, Linn. Sp. Pl. 956.—Ind. occ.  
 pertusa, Vell. Fl. Flum. ix. t. 79 = organensis?  
 phoenicea, Lindl. Bot. Reg. t. 1603 = alata.  
 picta, Hort. ex Steud. Nom. ed. I. 596 = tuberosa.  
 picturata, Ker-Gawl. in Bot. Reg. t. 673.—Bras.  
 piligera, Gardn. in Hook. Lond. Journ. Bot. i. (1842) 173 = capsularis.  
 pilosa, Ruiz & Pav. ex DC. Prod. iii. 330.—Mexic.  
 Pinardia, Buchoz, Herb. Pl. Méd. Chin. t. 30 (Quid?).—China.  
 pinnatifolia, Molina, Sagg. Chile, Ed. II. 292 = Tacsonia pinnatistipula.  
 pinnatistipula, Cav. Ic. v. 16 = Tacsonia pinnatistipula.  
 Pisonis, Kostel. Allg. Med.-Pharm. Fl. iv. 1389 = cincinnata?  
 platystyla, Mart. in Journ. Bot. xxi. (1883) 35.—Bras.  
 Poeppigii, Mast. in Trans. Linn. Soc. xxvii. (1871) 630.—Am. trop.  
 Pohlii, Mast. in Mart. Fl. Bras. xiii. i. 549.—Bras.  
 Polignacia, Buchoz, Herb. Pl. Méd. Chin. t. 38 (Quid?).—China.  
 polyaden, Vell. Fl. Flum. ix. t. 92 = foetida.  
 pomifera, M. Roem. Syn. Pepon. 179 = edulis.  
 populifolia, Triana & Planch. in Ann. Sc. Nat. Sér. V. xvii. (1873) 150.—N. Granat.  
 porophylla, Vell. Fl. Flum. ix. t. 82.—Bras.  
 Princeps, Lodd. Bot. Cab. t. 84 = racemosa.  
 Pseudo-suberosa, Fisch. Ind. Sem. Hort. Petrop. ix. 82 = suberosa.  
 pubera, Planch. & Linden, ex Triana & Planch. in Ann. Sc. Nat. Sér. V. xvii. (1873) 185.—N. Granat.  
 puberula, Hook. f. in Trans. Linn. Soc. xx. (1847) 222 = suberosa.  
 pubescens, H. B. & K. Nov. Gen. et Sp. ii. 132 = capsularis.  
 pulchella, H. B. & K. l. c. ii. 134.—Venezuela.  
 punctata, Linn. Sp. Pl. 957.—Peruv.  
 punctata, Lodd. Bot. Cab. t. 101 = tuberosa.  
 punicea, Ruiz & Pav. ex DC. Prod. iii. 329 = vitifolia.  
 pyriformis, DC. l. c. 331 = alata?  
 quadrangularis, Linn. Syst. ed. X. 1248.—Am. trop.  
 quadrangularis, Triana & Planch. in Ann. Sc. Nat. Sér. V. xvii. (1873) 147 = macrocarpa.  
 quadriglandulosa, Rodschied, Obs. 77.—Am. trop.  
 racemosa, Brot. in Trans. Linn. Soc. xii. (1817) 71.—Bras.  
 Raddiana, DC. Prod. iii. 329.—Bras.  
 recurva, Mast. in Mart. Fl. Bras. xiii. i. 565, 608.—Bras.  
 reflexiflora, Cav. Ic. v. 15. t. 425.—Ecuador.  
 regalis, Macfad. Fl. Jamaic. ii. 151 = lancifolia.  
 resticulata, Mast. & André, in Journ. Linn. Soc. xx. (1883) 42.—Am. trop.  
 reticulata, Sauv. Fl. Cub. 56.—Cuba.  
 retusa, Hook. & Arn. in Hook. Bot. Misc. iii. (1833) 325 = Maximiliana.  
 rhamnifolia, Mast. in Mart. Fl. Bras. xiii. i. 545, 575.—Am. trop.  
 rigidula, Jacq. Eclog. Am. ii. 5. t. 124 = incarnata?  
 riparia, Mart. ex Mast. in Mart. Fl. Bras. xiii. i. 599.—Am. trop.  
 Rohrii, DC. Prod. iii. 326 = auriculata.  
 rotundifolia, Jacq. Obs. t. 46. f. 1 = pulchella.  
 rotundifolia, Linn. Sp. Pl. 957.—Ind. occ.  
 rotundifolia, Sw. Obs. Bot. 337 = Swartzii.  
 rubra, Lam. Encyc. iii. 35 = capsularis.

## PASSIFLORA:—

- rubra, Linn. Sp. Pl. 956.—Ind. occ.  
 rubricaulis, Jacq. Eclog. Am. ii. t. 169 = edulis.  
 rugosa, Planch. & Triana, in Ann. Sc. Nat. Sér. V. xvii. (1873) 136 = Tacsonia rugosa.  
 sanguinea, Colla, Hort. Ripul. App. iii. 45. t. 6 = hybrida?  
 sanguinea, Sm. in Rees, Cycl. xxvi. n. 45 = vitifolia.  
 sanguinolenta, Mast. & Linden, in Gard. Chron. (1868) 1162.—N. Granat. ?; Peruv.?  
 saponaria, Blanco, Fl. Filip. ed. I. 650 = Modecca trilobata.  
 Schlimiana, Regel, Cat. Pl. Hort. Aksakov. 105; et Triana & Planch. in Ann. Sc. Nat. Sér. V. xvii. (1873) 130.—N. Granat.  
 Seemannii, Griseb. in Bonplandia, vi. (1858) 7.—Am. centr.  
 Selloi, Dehnh. Revista Napol. i. iii. 180; ex Walp. Rep. ii. 220 = serrata.  
 semiciliosa, Triana & Planch. in Ann. Sc. Nat. Sér. V. xvii. (1873) 145.—N. Granat.  
 semiobicularis, Hort. ex Mast. in Journ. Hort. Soc. N. S. iv. (1877) 146, nomen.—Bras.?  
 singaporeana, Steud. Nom. ed. II. ii. 276 = Modecca singaporeana.  
 septenata, DC. Prod. iii. 323 = cirrhiflora.  
 serrata, Linn. Syst. ed. X. 1248.—Ins. Martinic.  
 serratifolia, Linn. Sp. Pl. 955.—Am. austr.  
 serratistipula, [Moç. & Sesse, ex] DC. Prod. iii. 328 = ligularis.  
 serrato-digitata, Linn. Sp. Pl. 960 = serrata.  
 serrulata, Jacq. Obs. ii. t. 46. f. 2.—N. Granat.  
 servitensis, Karst. in Linnaea, xxx. (1859–60) 163 = vitifolia.  
 setacea, DC. Prod. iii. 329.—Bras.  
 sexflora, A. Fuss. in Ann. Mus. Par. vi. (1805) t. 37. f. 1.—Ins. S. Doming.  
 sexocellata, Schlecht. in Linnaea, xxvii. (1854) 521 = mexicana.  
 sicyoides, Cham. & Schlecht. in Linnaea, v. (1830) 88.—Mexic.  
 sidaefolia, M. Roem. Syn. Pepon. 173 = tetraden.  
 silvestris, Vell. Fl. Flum. ix. t. 74.—Bras.  
 singaporeana, Wall. Cat. n. 1232 = Modecca singaporeana.  
 spathulata, Mast. in Mart. Fl. Bras. xiii. i. 552.—Am. trop.  
 speciosa, Gardn. in Field. Sert. Pl. t. 17.—Bras.  
 sphaerocarpa, Triana & Planch. in Ann. Sc. Nat. Sér. V. xvii. (1873) 184.—N. Granat.  
 spicata, Mast. in Mart. Fl. Bras. xiii. i. 545, 576.—Am. trop.  
 spinosa, Mast. in Trans. Linn. Soc. xxvii. (1871) 630.—Bras.  
 Sprucei, Mast. in Mart. Fl. Bras. xiii. i. 568.—Ecuador.  
 stenophylla, Hoffmgg. Verz. Pfl. 85 = caerulea.  
 stipulata, Aubl. Pl. Gui. ii. 830. t. 325.—Guian.  
 stipulata, Benth. ex Griseb. Cat. Pl. Cub. 113; et ex Mast. in Mart. Fl. Bras. xiii. i. 567 = pallens.  
 stipulata, Triana & Planch. in Ann. Sc. Nat. Sér. V. xvii. (1873) 152 = alba, glauca.  
 suberosa, Linn. Sp. Pl. 958.—Am. trop.  
 subpeltata, Orteg. Hort. Mat. Dec. 78 = subulata?  
 subrotunda, Mast. in Mart. Fl. Bras. xiii. i. 561, 601.—Bras.  
 subulata, Mast. l. c. 567.—Peruv.  
 sulcata, Jacq. Select. Am. 232 = quadrangularis.  
 Sulivani, Booth, ex Baxt. in Loud. Hort. Brit. Suppl. ii. 654 = amethystina.  
 sumatrana, Blume, Rumphia, i. 170, in obs.—Sumatra.  
 surinamensis, Miq. in Linnaea, xviii. (1844) 363 = P. Vespertilio.  
 Sururua, Vell. Fl. Flum. ix. t. 88 = setacea.  
 Swartzii, Mast. in Trans. Linn. Soc. xxvii. (1871) 634 (Swartzii); et in Mart. Fl. Bras. xiii. i. 556.—Bras.  
 sylvestris, Auct. = silvestris.  
 Tacso, Cav. Diss. x. 450 = Tacsonia mixta.  
 tacsonioides, Griseb. Fl. Brit. W. Ind. 295.—Jamaic.  
 tenuiloba, Engelm. in A. Gray, in Bost. Journ. Nat. Hist. vi. (1850) 192.—Texas.  
 tetradena, Vand. ex DC. Prod. iii. 331 = alata.  
 tetradena, Vell. Fl. Flum. ix. t. 91.—Bras.  
 tetragona, M. Roem. Syn. Pepon. 165 = alata.  
 tetrandra, Banks & Soland. ex DC. Prod. iii. 323.—N. Zel.



## PASSIFLORA:—

- theobromaefolia*, DC. Prod. iii. 331 = guazumaefolia.  
*tiliaefolia*, Cav. Diss. x. 455. t. 285.—Peruv.  
*tiliaefolia*, Linn. Sp. Pl. 956 = ligularis vel triloba.  
*timorensis*, M. Roem. Syn. Pepon. 191 = moluccana.  
*timoriana*, Span. in Linnaea, xv. (1841) 207 = moluccana.  
*tinifolia*, Juss. in Ann. Mus. Par. vi. (1805) 113. t. 41. f. 2 = laurifolia.  
*tomentosa*, Cav. Diss. x. 450. tt. 275, 276 = Tacsonia mixta.  
*tomentosa*, Lam. Encyc. iii. 40 = Tacsonia tomentosa.  
*torta*, Mast. in Mart. Fl. Bras. xiii. i. 548.—Bras.  
*tricuspis*, Mast. l. c. 550.—Bras.  
*tridactylites*, Hook. f. in Trans. Linn. Soc. xx. (1847) 222 = suberosa.  
*trifasciata*, Lem. Illustr. Hort. xv. (1868) t. 544.—Hab. ?  
*triflora*, Macfad. Fl. Jamaic. ii. 149.—Jamaic.  
*trifoliata*, Cav. Ic. v. 16 = Tacsonia trifoliata.  
*trigona*, Ruiz & Pav. ex DC. Prod. iii. 334 = Tacsonia trifoliata.  
*triloba*, Ruiz & Pav. ex DC. l. c. 330.—Peruv.  
*trinervia*, Poir. Encyc. Suppl. ii. 843; Spreng. Syst. iii. 40; Mast. in Trans. Linn. Soc. xxvii. (1871) 635.—N. Granat.  
*tripartita*, Breit. Hort. Breit. 327, nomen (Quid ?).—Am. austr.  
*triquetra*, Lam. ex Mart. in Trans. Linn. Soc. xxvii. (1871) 633 = rubra.  
*trisecta*, Mast. in Mart. Fl. Bras. xiii. i. 564.—Bolivia.  
*trisetosa*, [Mof. & Sesse ex,] DC. Prod. iii. 324.—Mexic.  
*truncata*, Regel, Gartenfl. viii. (1859) 356.—Bras.  
*truxillensis*, Planch. & Linden, ex Triana & Planch. in Ann. Sc. Nat. Sér. V. xvii. (1873) 135.—Venezuela.  
*tuberosa*, Jacq. Hort. Schoenb. iv. 49. t. 496.—Am. trop.  
*tubiflora*, H. B. & K. Nov. Gen. et Sp. ii. 139 = viridiflora.  
*tucumanensis*, Hook. Bot. Mag. t. 3636.—Chili.  
*ulmifolia*, Hort. ex Mast. in Journ. Hort. Soc. N. S. iv. (1877) 146.—Hab. ?  
*Van-Volxemi*, Triana & Planch. in Ann. Sc. Nat. Sér. V. xvii. (1873) 141 = Tacsonia Van-Volxemii.  
*Varansof*, Carr. in Rev. Hort. (1872) 320 = racemosa ?  
*variegata*, Mill. Gard. Diet. ed. VIII. n. 8 = foetida.  
*variolata*, Poepp. & Endl. Nov. Gen. et Sp. ii. 58. t. 179.—Bras.  
*velata*, Mast. in Mart. Fl. Bras. xiii. i. 560.—Venezuela.  
*Vellozii*, Gardn. in Hook. Lond. Journ. Bot. iv. (1845) 103.—Bras.  
*velutina*, DC. Prod. iii. 327 = coccinea.  
*verecunda*, Salisb. Prod. 155 = rubra.  
*verrucifera*, Lindl. Bot. Reg. (1840) Misc. 49 = edulis.  
*verrucosula*, Steud. Nom. ed. II. ii. 276, sphalm. = seq.  
*verruculosa*, Weinm. in Syll. Ratisb. i. (1824) 228.—Austral.  
*Vespertilio*, Ker-Gawl. in Bot. Reg. t. 597 = Maximiliana.  
*Vespertilio*, Lawrence, Passif. t. 8; ex DC. Prod. iii. 326 = lunata.  
*Vespertilio*, Linn. Sp. Pl. 957.—Am. trop.  
*vetutina*, G. Don, Gen. Syst. iii. 51, sphalm. = coccinea.  
*villosa*, Macfad. Fl. Jamaic. ii. 151 = suberosa.  
*villosa*, Vell. Fl. Flum. ix. t. 87.—Bras.  
*violacea*, Vell. l. c. t. 84.—Bras.  
*viridiflora*, Cav. Ic. v. 15. t. 424.—Mexic.  
*viridiflora*, Hort. ex Tenore, Ind. Sem. Hort. Neap. (1839) 12. n. 10, partim = limbata.  
*vitiensis*, Mast. in Trans. Linn. Soc. xxvii. (1871) 634.—Ins. Fiji.  
*vitifolia*, H. B. & K. Nov. Gen. et Sp. ii. 138.—Am. austr.  
*Walkerii*, Wight, Illustr. Ind. Bot. ii. 39. t. 108 = suberosa.  
*Warei*, Nutt. in Am. Journ. Sc. Ser. I. v. (1822) 297 = suberosa.  
*Warmingii*, Mast. in Mart. Fl. Bras. xiii. i. 554, 91.—Am. trop.

## PASSIFLORA:—

- Weberiana, André, in Rev. Hort. (1885) 113.—Reg. Argent.  
*Zucca*, Blanco, Fl. Filip. ed. I. 648 = Modecca palmata.  
PASSOURA, Aubl. Pl. Gui. Suppl. 21. t. 380 (1775) = Alsodeia, Thou. (Violet.).  
*guianensis*, Aubl. l. c. = A. guianensis.  
PASSOVIA, Karst. ex Klotzsch, in Bot. Zeit. iv. (1846) 107 = Loranthus, Linn.  
*odorata*, Karst. l. c. x. (1852) 305 = L. Theobromae.  
*suaveolens*, Karst. l. c. iv. (1846) 107 (an praec. ?).—N. Granat.  
PASSOWIA, Karst. in Bot. Zeit. x. (1852) 305 = praec.  
PATAGONICA, Dill. ex Adans. Fam. ii. 179 (1763) = Patagonula, Linn. (Borag.).  
PATAGONIUM, E. Mey. Comm. Pl. Afr. Austr. 203. t. 37 (1835) = Aeschynomene, Linn. (Legumin.).  
*racemosum*, E. Mey. l. c. = A. micrantha.  
PATAGONIUM, Schrank, in Denkschr. Akad. Muench. (1808) 93 = Adesmia, DC. (1825) (Legumin.).  
*hedysaroides*, Schrank, l. c. = A. muricata.  
PATAGONULA, Linn. Gen. ed. I. 45 (1737).  
BORAGINEAE, Benth. & Hook. f. ii. 839.  
PATAGONICA, Dill. ex Adans. Fam. ii. 179 (1763).  
*americana*, Linn. Sp. Pl. 149.—Patagonia.  
*australis*, Salisb. Prod. 111 = americana.  
*bahiensis*, Moric. Pl. Nouv. Am. 144. t. 86.—Bras.  
*glabra*, Miers, in Trans. Linn. Soc. Ser. II. i. (1875) 29 = americana.  
*Tweediana*, Miers, l. c.—Bras.  
PATAGUA, Poepp. ex Baill. Adansonia, x. (1871) 49 = Orites, R. Br. (Proteac.).  
*chilensis*, Poepp. ex Baill. l. c. = R. myrtoidea.  
PATAMOGETON, Honck. Syn. 110 (1793), err. typ. = Potamogeton, Tourn. (Naiad.).  
PASTINACA, Linn. Gen. ed. I. 81 (1737) = Peucedanum, Tourn. (Umbell.).  
*altissima*, Lam. Fl. Fr. iii. 465 = Opopanax Chironium.  
*ambigua*, Torr. Fl. U. St. 315 = Peuced. ternatum.  
*Anethum*, Spreng. in Schult. Syst. vi. 587 = Peuced. graveolens.  
*angulosa*, Dulac, Fl. Hautes-Pyr. 343 = Peuced. sativum.  
*armena*, Fisch. & Mey. in Bull. Soc. Nat. Mosc. (1838) 324.—Reg. Caucas.  
*arvensis*, Steud. Nom. ed. I. 596 = Peuced. sativum.  
*atropurpurea*, Steud. ex A. Rich. Tent. Fl. Abyss. i. 329 = Peuced. atropurpureum.  
*Candolleana*, Wight & Arn. Prod. 372 = Heracleum rigens.  
*capensis*, Sond. in Harv. & Sond. Fl. Cap. ii. 562.—Afr. austr.  
*dasyantha*, C. Koch, in Linnaea, xvi. (1842) 359 = Malabaila pimpinellifolia.  
*dasycarpa*, Regel & Schmalh. in Act. Hort. Petrop. v. (1877) 598.—Turkestan.  
*denticulata*, D. Dietr. Syn. Pl. ii. 971 = Peuced. ternatum.  
*dissecta*, Vent. Hort. Cels. 78 = Malabaila Sekakul.  
*divaricata*, Desf. Tabl. ed. II. 139; Cat. Hort. Par. ed. III. 200, 405 = Peuced. divaricatum.  
*esculenta*, Salisb. Prod. 167 = Peuced. sativum.  
*ferulacea*, Walp. Rep. iii. 412, in syn. = Peuced. foeniculaceum.  
*Fleischmanni*, Hladnik, in D. Dietr. Syn. Pl. ii. 970.—Carinth.  
*Fleischmanni*, Reichb. ex Steud. Nom. ed. II. ii. 276 = Peuced. caruifolium.  
*foeniculacea*, Spreng. in Schult. Syst. vi. 587 = Peuced. foeniculaceum.  
*glandulosa*, Boiss. & Haussk. ex Boiss. Fl. Orient. ii. 1062.—Cataonia.  
*glauca*, Dalz. in Hook. Kew Journ. iv. (1852) 293 = Peuced. Dana.  
*glauca*, Scop. Fl. Cam. ed. II. i. 203 = farrago spp. Peucedani et Trinia vulgaris.  
*grandis*, Dalz. & Gibs. Bomb. Fl. 107 = Peuced. grande.

## PASTINACA:—

- graveolens*, Bernh. Syst. Verz. Erf. 171 = Peucedanum graveolens.  
*graveolens*, Bieb. Fl. Taur. Cauc. i. 237 = Malabaila graveolens.  
*graveolens*, Salzm. ex Koch, in Nov. Act. Nat. Cur. xii. i. (1824) 91 = Peuced. divaricatum.  
*hirsuta*, Panč. Fl. Princ. Sorbiae (1874), 359 = Peuced. sativum.  
*hispidula*, Fenzl, in Flora, xxvi. (1843) 462 = Opopanax hispidum.  
*Hookeriana*, Wight, Ic. t. 1010 = Heracleum Hookerianum.  
*incana*, Willd. ex DC. Prod. iv. 196 = Zosimia orientalis.  
*intermedia*, Fisch. & Mey. ex Boiss. Fl. Orient. ii. 1061.—Reg. Caucas.  
*involuta*, Cesati, ex Nym. Consp. 288 = Malabaila involutata.  
*involuta*, C. Koch, in Linnaea, xvi. (1842) 359 (nom. delend.—Cf. Boiss. Fl. Orient. ii. 1062).  
*involuta*, Stokes, Bot. Mat. Med. ii. 132 = Peuced. Opopanax.  
*Kochii*, Duby, Bot. Gall. i. 220 = Peuced. divaricatum.  
*latifolia*, DC. Prod. iv. 189.—Corsica.  
*latifolia*, Ledeb. Fl. Ross. ii. 318 = teretiuscula, Boiss.  
*ligusticifolia*, Wight & Arn. Prod. 372 = Heracleum rigens.  
*lucida*, Auct. ex Nym. Consp. 286 = latifolia.  
*lucida*, Linn. Mant. i. 58.—Ins. Balear.  
*lutea*, Gilib. Fl. Lituan. ii. 39 = Peuced. sativum.  
*Mazurevskii*, Kalen. in Bull. Soc. Nat. Mosc. xviii. (1845) i. 232.—Reg. Caucas.  
*nudicaulis*, Spreng. in Schult. Syst. vi. 587 = Peuced. nudicaule.  
*obtusifolia*, DC. Prod. iv. 190 = Malabaila obtusifolia.  
*Olgae*, Regel & Schmalh. ex Regel, Pl. Nov. Fedsch. 37.—Turkestan.  
*opaca*, Bernh. ex Hornem. Hort. Hafn. 961 = Peuced. sativum.  
*Opopanax*, Linn. Sp. Pl. 262 = Opopanax hispidum.  
*panacifolia*, Fisch. ex Sweet, Hort. Brit. ed. II. 251.—Tauria.  
*parvifolia*, Kral. ex Nym. Consp. 289 = Peuced. divaricatum.  
*Petteri*, Vis. ex Reichb. Fl. Germ. Excurs. 866 = Peuced. coriaceum.  
*pimpinellifolia*, Bieb. Fl. Taur. Cauc. i. 237 = Malabaila pimpinellifolia.  
*pimpinellifolia*, Bory & Chaub. Nouv. Fl. Pélop. 19 = Malabaila aurea.  
*pimpinellifolia*, Griseb. Spicil. Fl. Rumel. i. 376 = Malabaila involutata.  
*pratensis*, H. Mart. Fl. Mosq. 55; ex Ledeb. Fl. Ross. ii. 318 = Peuced. sativum.  
*propinqua*, Jord. ex Bor. Fl. Cent. Fr. ed. III. ii. 286, in obs. = Peuced. sativum.  
*rectistyla*, Cesati, in Linnaea, xi. (1837) 321 = Malabaila aurea.  
*rectistylis*, Boiss. Fl. Orient. ii. 1053 = praec.  
*rigens*, Wight, Ic. t. 1009 = Heracleum rigens.  
*rigida*, Spreng. in Schult. Syst. vi. 586 = Peuced. ternatum.  
*sativa*, Linn. Sp. Pl. 262 = Peuced. sativum.  
*sativa*, Thomas, ex DC. Prod. iv. 189 = Peuced. divaricatum.  
*Secacul*, [Soland. in] Russ. Aleppo, ed. II. ii. 249.—Syria; Aegypt.  
*Sekakul*, DC. Prod. iv. 189, partim. = Malabaila pumila.  
*selinoides*, Vis. in Flora, xii. (1829) i. Erg. 10 = Peuced. caruifolium.  
*Sprengeliana*, Wight, Ic. t. 1008 = Heracleum Sprengelianum.  
*stenocarpa*, DC. Prod. iv. 189.—Sibir.  
*sulcata*, C. Koch, ex Boiss. Fl. Orient. ii. 1055 = Malabaila sulcata.  
*sylvestris*, Mill. Gard. Dict. ed. VIII. n. 1 = Peuced. sativum.  
*taraxacifolia*, Sweet, Hort. Brit. ed. II. 251 = Peuced. sativum.  
*tereticaulis*, Bor. ex Nym. Consp. 289 = Peuced. sativum.  
*teretiuscula*, Boiss. Fl. Orient. ii. 1060.—As. Min.; Syria.  
*teretiuscula*, Jord. ex Nym. Consp. 289 = Peuced. sativum.



## PASTINACA:—

- tolucensis*, Spreng. Syst. i. 913 = *Peucedanum toluense*.  
*tricuspidata*, D. Dietr. Syn. Pl. ii. 971 = *Peuced. ternatum*.  
*triquinata*, Spreng. Sp. Umbellif. 68 = *Archangelica hirsuta*.  
*umbrosa*, Stev. ex DC. Prod. iv. 189 = *Peuced. sativum*.  
*urens*, Req. ex Gren. & Godr. Fl. Fr. i. 694 = *Peuced. sativum*.  
*velutina*, Koch, ex DC. Prod. iv. 189 = *Peuced. divaricatum*.  
*zozimoides*, Fenzl, in Tchihat. Asie Min. Bot. i. 436. —Cilicia.

PASTINACHA, Hill, Herb. Brit. i. 132 (1769) = *praec.*

PASTORAEA, Tod. in Nuov. Gen. e Sp. Pianta, i. 17 (1858) = *seq.*

PASTOREA, Tod. ex Bertol. Fl. Ital. x. 520 (1854) = *Cochlearia*, Tourn. (Crucif.).  
*praecox*, Tod. l. c. (= *Ionopsidium albiflorum*). —Sicil.  
*Savianum*, Ball, ex Nym. Consp. 66 = *Bivonaea Saviana*.

PATABEA, Aubl. Pl. Gui. i. 110. t. 43 (1775) = *Psychotria*, Linn. (Rubiace.).  
*alba*, H. B. & K. Nov. Gen. et Sp. iii. 375 = *Psych. maypurensis*.  
*capitellata*, Wawra, in Oestr. Bot. Zeitschr. xii. (1862) 209 = *Psych. barbiflora*.  
*coccinea*, Aubl. Pl. Gui. i. 111. —Guian.  
*coriacea*, Cham. in Linnaea, ix. (1835) 234 = *Psych. xanthophylla*.  
*lanceolata*, Presl, Bot. Bemerk. 80. —Bras.  
*tenerior*, Cham. in Linnaea, ix. (1835) 236 = *Psych. tenerior*.  
*tenuiflora*, DC. Prod. iv. 538. —Guian.

PATAGNANA, Steud. Nom. ed. II. ii. 277 (1841), sphalm. = *PETAGNANA*, J. F. Gmel. = *Smithia*, Ait. (Legumin.).

PATERSONIA, R. Br. Prod. 303 (1810). *IRIDEAE*, Benth. & Hook. f. iii. 699.

GENOSIRIS, Labill. Nov. Holl. Pl. i. 13. t. 9 (1804), nomen prius.  
*babianoides*, Benth. Fl. Austral. vi. 408. —Austral.  
*bicolor*, F. Muell. ex Benth. l. c. 403 = *longiscapa*.  
*compa*, Endl. in Lehm. Pl. Preiss. ii. 30 = *occidentalis*.  
*Diesingii*, Endl. l. c. = *occidentalis*.  
*Drummondii*, F. Muell. ex Benth. Fl. Austral. vi. 407. —Austral.

*flaccida*, Endl. in Lehm. Pl. Preiss. ii. 30 = *occidentalis*.  
*glabrata*, R. Br. in Bot. Reg. t. 51 = *sericea*.  
*glabrata*, R. Br. Prod. 304. —Austral.  
*glauca*, R. Br. l. c. —Austral.  
*graminea*, Benth. Fl. Austral. vi. 408. —Austral.  
*inaequalis*, Benth. l. c. —Austral.  
*junceae*, Lindl. Swan River App. 58. —Austral.  
*lanata*, R. Br. Prod. 303. —Austral.  
*limbata*, Endl. in Lehm. Pl. Preiss. ii. 29. —Austral.  
*longifolia*, R. Br. Prod. 303. —Austral.  
*longiscapa*, Sweet, Fl. Austral. t. 39. —Austral.  
*macrantha*, Benth. Fl. Austral. vi. 407. —Austral.  
*Maxwellii*, F. Muell. ex Benth. l. c. 405. —Austral.  
*media*, R. Br. Prod. 304 = *glabrata*.  
*montana*, Endl. in Lehm. Pl. Preiss. ii. 31 = *occidentalis*.  
*nana*, Endl. l. c. 30 = *occidentalis*.  
*occidentalis*, R. Br. Prod. 304. —Austral.  
*pannosa*, Endl. in Lehm. Pl. Preiss. ii. 29 = *lanata*.  
*pygmaea*, Lindl. Swan River App. 58. —Austral.  
*Roei*, Endl. in Lehm. Pl. Preiss. ii. 31 = *junceae*?  
*rudis*, Endl. l. c. 29. —Austral.  
*sapphirina*, Lindl. Bot. Reg. (1839) t. 60 = *occidentalis*.  
*sericea*, R. Br. in Bot. Mag. t. 1041. —Austral.  
*sylvestris*, Endl. in Lehm. Pl. Preiss. ii. 30 = *occidentalis*.  
*tenuispatha*, Endl. l. c. 31 = *occidentalis*.  
*turfosa*, Endl. l. c. = *occidentalis*.  
*umbrosa*, Endl. l. c. —Austral.  
*xanthina*, F. Muell. Fragm. i. 214. —Austral.

PATERSONIA, vel PATHERSONIA, Poir. Encyc. Suppl. iv. 323 (1816) = *PATERSONIA*, J. F. Gmel. = *Ruellia*, Linn. (Acanth.).

PATIENTIA, Rafin. Fl. Tellur. iii. 46 (1836) = *Rumex*, Linn. (Polygon.).

PATIMA, Aubl. Pl. Gui. i. 196. t. 77 (1775). *RUBIACEAE*, Benth. & Hook. f. ii. 73.  
*Forsythii*, DC. Prod. iv. 444 (an seq.?). —Guian.  
*guianensis*, Aubl. Pl. Gui. i. 197. t. 77. —Guian.  
*laxiflora*, Benth. in Hook. Journ. Bot. iii. (1841) 220 = *Kutchubaea insignis*.

PATONIA, Wight, Illustr. i. 18 (1838) = *Xylopia*, Linn. (Anonac.).  
*parvifolia*, Wight, l. c. 19 = *X. parvifolia*.  
*Walkerii*, Wight, l. c. = *Diospyros Gardneri*.

PATRINIA, Juss. in Ann. Mus. Par. x. (1807) 311. *VALERIANEAE*, Benth. & Hook. f. ii. 153.  
*FEDIA*, Adans. Fam. ii. 152 (1763).  
*MOUFFETTA*, Neck. Elem. i. 124 (1790).

*ceratophylla*, Hook. Fl. Bor. Am. i. 290 = *Valeriana edulis*.  
*coronata*, Fisch. Hort. Gorenk. ed. II. (1812) 43 = *sibirica*.  
*gibbosa*, Maxim. in Bull. Acad. Pétersb. xii. (1868) 67. —Japon.  
*graveolens*, Hance, in Ann. Sc. Nat. Sér. IV. xv. (1861) 224 = *heterophylla*.  
*heterophylla*, Bunge, in Mém. Sav. Etr. Pétersb. ii. (1835) 109. —China.  
*hispidia*, Bunge, Pl. Mongholic-Chin. 25. t. 3 = *scabiosaefolia*.  
*intermedia*, Roem. & Schult. Syst. iii. 90. —Sibir.  
*japonica*, Miq. in Arch. Néerl. v. (1870) 96 = *Valeriana japonica*.  
*Jatamansi*, D. Don, Prod. Fl. Nep. 159 = *Nardostachys Jatamansi*.  
*longifolia*, Macnab, in Edinb. N. Phil. Journ. xix. (1835) 59 = *Valeriana edulis*.  
*monandra*, C. B. Clarke, in Hook. f. Fl. Brit. Ind. iii. 210. —Reg. Himal.  
*nudiuncula*, Fisch. Hort. Gorenk. ed. II. (1812) 43 = *intermedia*.  
*ovata*, Bunge, Pl. Mongholic-Chin. 23. t. 2 = *villosa*.  
*palmata*, Maxim. in Bull. Acad. Pétersb. xii. (1868) 66. —Japon.  
*palmatifida*, Miq. in Verh. Kon. Akad. Wetensch. II. iv. (1870) 22, in syn., sphalm. = *praec.*  
*parviflora*, Sieb. & Zucc. in Abh. Akad. Muench. iv. III. (1846) 195 = *scabiosaefolia*.  
*rupestris*, Bunge, in Ledeb. Fl. Alt. i. 130 = *intermedia*.  
*rupestris*, Steud. Nom. ed. II. ii. 277, sphalm. = *seq.*  
*ruthenica*, Juss. in Ann. Mus. Par. x. (1807) 311 = *sibirica*.  
*scabiosaefolia*, [Fisch. ex] Link, Enum. Hort. Berol. i. 131. —Dahuria.  
*scabra*, Bunge, Pl. Mongholic-Chin. 20. t. 1. —China.  
*serrulaefolia*, Fisch. ex DC. Prod. iv. 624 = *scabiosaefolia*.  
*sibirica*, Juss. in Ann. Mus. Par. x. (1807) 311. —Sibir.  
*triloba*, Miq. in Verh. Kon. Akad. Wetensch. II. iv. (1870) 22 = *palmata*.  
*villosa*, Juss. in Ann. Mus. Par. x. (1807) 311. —Japon.

PATRINIA, Rafin. in Journ. Phys. lxxxix. (1819) 97 = *Sophora*, Linn. (Legumin.).  
*sericea*, Rafin. l. c. = *S. sericea*.

PATRISIA, Rich. in Act. Soc. Hist. Nat. Par. i. (1792) 110 = *Ryania*, Vahl (Bixin.).  
*affinis*, H. B. & K. Nov. Gen. et Sp. v. 357 = *R. dentata*.  
*bicolor*, DC. Prod. i. 256. —Guian.  
*dentata*, H. B. & K. Nov. Gen. et Sp. v. 357 = *R. dentata*.  
*parviflora*, DC. Prod. i. 256 = *R. parviflora*.  
*pyriferia*, Rich. in Act. Soc. Hist. Nat. Par. i. (1792) 110 = *R. speciosa*.

PATRISIA, Rohr, ex Steud. Nom. ed. II. i. 342 (1840) = *Chailletia*, DC.

PATROCLES, Salisb. Gen. Pl. Fragm. 100 (1866) = *Narcissus*, Tourn. (Amaryll.).  
*orientalis*, Salisb. l. c. = *N. Tazetta*.

PATSJOTTI, Adans. Fam. ii. 84 (1763) = *Strumpfia*, Jacq. (Rubiace.).

PATTARA, Adans. Fam. ii. 447 (1763) = *Embelia*, Burm. f. (1768) (Myrsin.).  
*acuta*, Rafin. Sylva Tellur. 11 = *E. robusta*.  
*Basal*, Rafin. l. c. = *E. robusta*.

PATTERSONIA, J. F. Gmel. Syst. 925 (1791) = *Ruellia*, Linn. (Acanth.).  
*carolinensis*, J. F. Gmel. l. c. = *R. strepens*?

PATTONIA, Wight, Ic. t. 1750 (1852) = *Grammatophyllum*, Blume (Orchid.).  
*macrantha*, Wight, l. c. = *G. speciosum*.

PATYA, Neck. Elem. i. 296 (1790) = *Verbena*, Linn.

PAULETIA, Cav. Ic. v. 5. t. 409 (1799) = *Bauhinia*, Linn. (Legumin.).

*aculeata*, Cav. l. c. 6. t. 410 = *B. Pauletia*.  
*bicolor*, Bong. in Mém. Acad. Pétersb. Sér. VI. iv. (1836) 117. t. 6 = *B. bicolor*.  
*cheilantha*, Bong. l. c. 120 = *B. cheilantha*.  
*cuyabensis*, Bong. l. c. 125 = *B. cuyabensis*.  
*dodecandra*, Bong. l. c. 129 = *B. dodecandra*.  
*ferruginea*, Bong. l. c. 119 = *B. Bongardi*.  
*fusconervis*, Bong. l. c. 116 = *B. fusconervis*.  
*glandulosa*, H. B. & K. Nov. Gen. et Sp. vi. 314 = *B. glandulosa*.  
*glaucescens*, H. B. & K. l. c. 316 = *B. glaucescens*.  
*grandifolia*, Bong. in Mém. Acad. Pétersb. Sér. VI. iv. (1836) 130 = *B. grandifolia*.  
*hirsuta*, Bong. l. c. 134 = *B. hirsuta*.  
*holophylla*, Bong. l. c. 121 = *B. holophylla*.  
*inermis*, Cav. Ic. v. 6 = *B. inermis*.  
*longiflora*, Bong. in Mém. Acad. Pétersb. Sér. VI. iv. (1836) 122 = *B. forficata*.  
*longifolia*, Bong. l. c. 128 = *B. longifolia*.  
*marginata*, Bong. l. c. 127 = *B. marginata*.  
*mollis*, Bong. l. c. 133 = *B. mollis*.  
*multinervia*, H. B. & K. Nov. Gen. et Sp. vi. 316 = *B. multinervia*.  
*ovata*, Bong. in Mém. Acad. Pétersb. Sér. VI. iv. (1836) 132 = *B. ovata*.  
*pentandra*, Bong. l. c. 126 = *B. pentandra*.  
*picta*, H. B. & K. Nov. Gen. et Sp. vi. 316 = *B. picta*.  
*rufa*, Bong. in Mém. Acad. Pétersb. Sér. VI. iv. (1836) 123 = *B. rufa*, Steud.

PAULINIA, Gled. in Mém. Acad. Berl. (1751) 125 = *seq.*

PAULLINIA, Linn. Gen. ed. I. 116 (1737). *SAPINDACEAE*, Benth. & Hook. f. i. 394.

ENOUREA, Aubl. Pl. Gui. i. 587 (1775).  
*SEMARILLARIA*, Ruiz & Pav. Prod. iv. 54. t. 9 (1794).

*acutangula*, Pers. Syn. i. 443. —Peruv.  
*affinis*, Cambess. in A. St. Hil. Fl. Bras. Mer. i. 377. t. 78 A. —Bras.  
*africana*, G. Don, Gen. Syst. i. 661 = *Serjania curasavica*.  
*alata*, G. Don, l. c. 660. —Peruv.  
*angustifolia*, Poir. Encyc. v. 101 = *Serjania angustifolia*, Willd.  
*anisoptera*, Turcz. in Bull. Soc. Nat. Mosc. xxxi. (1858) i. 397. —Guian.  
*asiatica*, Linn. Sp. Pl. 365 = *Toddalia aculeata*.  
*aurea*, Hort. Calc. ex Radlk. Monog. Serjan. 59 = *Koelreuteria paniculata*.  
*australis*, A. St. Hil. Pl. Réim. Brés. 236 = *Serjania perulacea*.  
*baetadensis*, A. Gray, Bot. U. St. Expl. Exped. i. 249 = *Serjania clematidifolia*.  
*barbadensis*, Jacq. Enum. Pl. Carib. 36; Obs. Bot. t. 61. f. 9. —Ind. occ.  
*belangeroides*, Gardn. in Hook. Lond. Journ. Bot. ii. (1843) 338 = *Serjania Laroutteana*.  
*Berteriana*, Balb. ex DC. Prod. i. 602 = *Urvillea Berteriana*.  
*bipinnata*, Poir. Encyc. v. 99. —Bras.  
*bitermata*, D. Dietr. Syn. Pl. ii. 1314, sphalm. = *Serjania diversifolia*.  
*brachystachya*, Griseb. in Goett. Abh. xix. (1874) 109. —Reg. Argent.  
*brasiliensis*, Lodd. ex Radlk. Monog. Serjan. 67. —Bras.  
*Cambessedesii*, Triana & Planch. in Ann. Sc. Nat. Sér. IV. xviii. (1862) 352, in obs. —Bras.  
*capitata*, Benth. ex Triana & Planch. l. c. 352. —N. Granat.



## PAULLINIA:—

- capreolata*, Radlk. Monog. Serjan. 34, 70 = *connarifolia*.  
*caracasana*, Jacq. Hort. Schoenb. i. 52 = *Serjania caracasana*.  
*caribaea*, Jacq. Obs. Bot. iii. 11 = *Serjania mexicana*.  
*carpocarpa*, Cambess. in A. St. Hil. Fl. Bras. Mer. i. 376. t. 78 B.—Bras.  
*cartagenensis*, Balb. Cat. Hort. Taur. (1807) 43 = *Serjania polyphylla*.  
*cartagenensis*, Dum.-Cours. Bot. Cult. ed. II. iv. 549 = *Serjania subdentata*.  
*cartagenensis*, Jacq. Obs. Bot. iii. 11 = *Serjania curassavica*.  
*cartagenensis*, Vis. Ort. Bot. Padov. (1842) 104 = *Serjania triquetra*.  
*caudata*, Vell. Fl. Flum. 160; iv. t. 31.—Bras.  
*cauliflora*, Jacq. Ic. Pl. Rar. iii. 3. t. 458.—Am. austr.  
*clavigera*, Schlecht. in Linnaea, x. (1835-36) 239.—Mexic.  
*connaracea*, Triana & Planch. in Ann. Sc. Nat. Sér. IV. xviii. (1862) 354.—N. Granat.  
*connarifolia*, Rich. ex Fuss. in Ann. Mus. Par. iv. (1804) 349.—Guian.  
*coriacea*, Casar. Nov. Stirp. Bras. Dec. iii. 27.—Bras.  
*costata*, Schlecht. & Cham. in Linnaea, v. (1830) 216.—Mexic.  
*Cupana*, H. B. & K. Nov. Gen. et Sp. v. 117.—Venezuela.  
*cupaniaefolia*, Rich. ex Fuss. in Ann. Mus. Par. iv. (1804) 349.—Venezuela.  
*curassavica*, Jacq. Obs. Bot. iii. 12. t. 61; Sw. Obs. 151.—Ind. or.  
*curassavica*, Linn. Sp. Pl. 366, partim = *Serjania curassavica*.  
*curassavica*, Rich. in Act. Soc. Hist. Nat. Par. i. (1792) 108 = *Serjania polyphylla*.  
*Cururu*, Linn. Sp. Pl. 365 = *Serjania nodosa*.  
*densiflora*, Sm. in Rees, Cycl. xxvi. n. 3.—N. Granat.  
*dentata*, Vell. Fl. Flum. 159; iv. t. 28 = *Serjania dentata*.  
*discolor*, Gardn. in Hook. Lond. Journ. Bot. ii. (1843) 337.—Bras.  
*divaricata*, Sw. Prod. Veg. Ind. Occ. 64 = *Serjania mexicana*, Willd.  
*diversifolia*, Jacq. Enum. Pl. Carib. 36 = *Serjania diversifolia*.  
*diversifolia*, Miq. in Hoev. & De Vriese, Tijdschr. x. (1843) 87 = *Serjania curassavica*.  
*elegans*, Cambess. in A. St. Hil. Fl. Bras. Mer. i. 370.—Bras.  
*elegans*, Griseb. in Goett. Abh. xvii. (1879) 79 = *Serjania caracasana*.  
*enneaphylla*, G. Don, Gen. Syst. i. 662.—Peruv.  
*eriantha*, Benth. ex Radlk. Monog. Serjan. 75.—Peruv.  
*eriocarpa*, Triana & Planch. in Ann. Sc. Nat. Sér. IV. xviii. (1862) 354.—N. Granat.  
*erythrocarpa*, Casar. Nov. Stirp. Bras. Dec. iii. 27.—Bras.  
*faginea*, Radlk. Monog. Serjan. 76.—N. Granat.  
*falcata*, Gardn. in Hook. Lond. Journ. Bot. i. (1842) 530.—Bras.  
*ferruginea*, Casar. Nov. Stirp. Bras. Dec. iii. 28.—Bras.  
*fibulata*, Rich. ex Fuss. in Ann. Mus. Par. iv. (1804) 349.—Guian.  
*fluminensis*, Vell. Fl. Flum. 161; iv. t. 37 = *thalictrifolia*.  
*fraxinifolia*, Triana & Planch. in Ann. Sc. Nat. Sér. IV. xviii. (1862) 363.—N. Granat.  
*fusca*, Griseb. in Bonplandia, vi. (1858) 3 = *velutina*.  
*fuscescens*, H. B. & K. Nov. Gen. et Sp. v. 120 = *velutina*.  
*gigantea*, Poepp. & Endl. Nov. Gen. et Sp. iii. 37.—Chili.  
*glabra*, Bertol. Fl. Guatim. 13 = *Serjania caracasana*.  
*granatensis*, Radlk. Monog. Serjan. 76.—N. Granat.  
*grandiflora*, Cambess. in A. St. Hil. Fl. Bras. Mer. i. 372.—Bras.  
*grandifolia*, Benth. ex Radlk. Monog. Serjan. 75.—Bras.  
*Guarumima*, Vell. Fl. Flum. 160; iv. t. 35 = *Serjania cuspidata*.  
*guatemalensis*, Turcz. in Bull. Soc. Nat. Mosc. xxxii. (1859) 1. 268.—Guatemala.  
*hispida*, Jacq. Hort. Schoenb. iii. 268.—Am. austr.  
*hispida*, Rossi, Cat. Pl. Hort. Reg. Modoc. (1826) 49 = *Serjania triquetra*.

## PAULLINIA:—

- Hostmanni*, Steud. in Flora, xxvii. (1844) 725 = *Serjania curassavica*.  
*ingaeolia*, Rich. ex Fuss. in Ann. Mus. Par. iv. (1804) 349.—Ind. occ.; Guian.  
*interrupta*, Benth. in Hook. Kew Journ. iii. (1851) 195.—Bras.  
*jamaicensis*, Macfad. Fl. Jamaic. i. 158 = *curassavica*.  
*japonica*, Thunb. Fl. Jap. 170 = *Vitis serjaniaefolia*.  
*lachnocarpa*, Benth. ex Radlk. Monog. Serjan. 75.—Ecuador.  
*lacinata*, Hort. Cels. ex C. C. Gmel. Hort. Bad. (1811) 197, nomen.—Am. austr.  
*lactescens*, Poepp. & Endl. Nov. Gen. et Sp. iii. 37.—Peruv.  
*latifolia*, Benth. ex Radlk. Monog. Serjan. 75.—Bras.  
*leiocarpa*, Griseb. Fl. Brit. W. Ind. 124.—Ind. occ.  
*lucida*, Salisb. Encyc. v. 102 = *Serjania polyphylla*.  
*lupulina*, Poir. Encyc. v. 101 = *Serjania diversifolia*.  
*macrophylla*, Cambess. in Mém. Mus. Par. xviii. (1829) 23 = *Schmidelia macrophylla*.  
*macrophylla*, H. B. & K. Nov. Gen. et Sp. v. 114.—N. Granat.  
*macropoda*, St. Lag. in Ann. Soc. Bot. Lyon, vii. (1880) 131 = *longipes*.  
*macrostachya*, Hemsl. Biol. Centr. Am. Bot. i. 210, sphalm. = *Serjania polystachya*, Radlk.  
*marginata*, Casar. Nov. Stirp. Bras. Dec. iii. 28.—Bras.  
*maritima*, Vell. Fl. Flum. 161; iv. t. 36.—Bras.  
*meliaefolia*, Fuss. in Ann. Mus. Par. iv. (1804) 347.—Bras.  
*mexicana*, Jacq. Obs. Bot. iii. 11. t. 61. f. 5 = *Serjania angustifolia*.  
*mexicana*, Linn. Sp. Pl. 366 = *Serjania mexicana*, Willd.  
*Meyeniana*, Walp. in Nov. Act. Nat. Cur. xix. Suppl. i. (1843) 312 = *Serjania cuspidata*.  
*micrantha*, Cambess. in A. St. Hil. Fl. Bras. Mer. i. 373.—Bras.  
*micropterygia*, Miq. in Hoev. & De Vriese, Tijdschr. x. (1843) 89.—Guian.  
*mollis*, H. B. & K. Nov. Gen. et Sp. v. 120 = *Serjania amplifolia*.  
*monogyna*, Radlk. Monog. Serjan. 74.—Hab.?  
*multiflora*, Cambess. in A. St. Hil. Fl. Bras. Mer. i. 379.—Bras.  
*neglecta*, Radlk. Monog. Serjan. 71.—Hab.?  
*nitida*, Cambess. ex Radlk. l. c. 72 = *tricornis*.  
*nitida*, H. B. & K. Nov. Gen. et Sp. v. 115.—Venezuela.  
*nitida*, Steud. in Flora, xxvi. (1843) 756 = *Serjania curassavica*.  
*nodosa*, Jacq. Enum. Pl. Carib. 35; Obs. Bot. iii. 11 = *Serjania nodosa*.  
*obliqua*, Ruiz & Pav. ex Radlk. Monog. Serjan. 54 = *Thouinia obliqua*.  
*obovata*, Pers. Syn. i. 443.—Peruv.  
*obtusa*, Vell. Fl. Flum. 161; iv. t. 38.—Bras.  
*oceanica*, Hort.—Cf. Gard. Chron. (1875) 1. 589.—Ins. Pacif.  
*pachycarpa*, Benth. in Hook. Kew Journ. iii. (1851) 196.—Bras.  
*paullinioides*, Radlk. Monog. Serjan. 75 = *Castanella paullinioides*.  
*pinnata*, Linn. Sp. Pl. 366 = *Serjania curassavica*.  
*Plumierii*, Triana & Planch. in Ann. Sc. Nat. Sér. IV. xviii. (1862) 360.—N. Granat.  
*podocarpa*, Klotzsch, in Schomb. Faun. & Fl. Brit. Gui. 1180, nomen.—Guian.  
*polyphylla*, Aubl. ex Steud. Nom. ed. I. 597 = *Serjania polyphylla*.  
*polyphylla*, Linn. Sp. Pl. 366 = *Serjania diversifolia*.  
*polyphylla*, Schum. in Act. Soc. Hist. Nat. Hafn. iii. ii. (1792) 462.—Ind. occ.  
*polyphylla*, Sm. in Rees, Cyclop. xxvi. n. 8 = *Serjania trachygona*.  
*polystachya*, Turcz. in Bull. Soc. Nat. Mosc. xxxii. (1859) 1. 268.—Mexic.  
*protracta*, Steud. in Flora, xxvii. (1844) 725 = *Serjania paucidentata*.  
*pterocarpa*, Triana & Planch. in Ann. Sc. Nat. Sér. IV. xviii. (1862) 356.—N. Granat.  
*pterophylla*, Triana & Planch. l. c. 354.—N. Granat.  
*pteropoda*, [Moc. & Sesse, ex] DC. Prod. i. 605.—Mexic.  
*pubescens*, DC. l. c. 606.—Am. austr.

## PAULLINIA:—

- racemosa*, Poir. Encyc. v. 101 = *Serjania racemosa*.  
*racemosa*, Vell. Fl. Flum. 159; iv. t. 29.—Bras.  
*racemosa*, Wawra, in Oestr. Bot. Zeitschr. xxix. (1879) 215.—Bras.  
*rhizantha*, Poepp. & Endl. Nov. Gen. et Sp. iii. 36.—Peruv.  
*riparia*, H. B. & K. Nov. Gen. et Sp. v. 116 = *Serjania nodosa*.  
*riparia*, Radlk. Monog. Serjan. 75 = *Castanella riparia*.  
*Rossii*, Lodd. ex Radlk. l. c. 67 (Quid?).—Hab.?  
*rubicaulis*, Pav. ex Radlk. l. c. 254 = *Serjania rubicaulis*.  
*rubiginosa*, Cambess. in A. St. Hil. Fl. Bras. Mer. i. 371.—Bras.  
*rufescens*, Rich. ex Fuss. in Ann. Mus. Par. iv. (1804) 349.—Guian.  
*rugosa*, Benth. ex Radlk. Monog. Serjan. 75.—Bras.  
*scabra*, Benth. l. c.—Bras.  
*seminuda*, Radlk. l. c. 47.—Bras.  
*senegalensis*, Juss. in Ann. Mus. Par. iv. (1804) 348 = *Serjania curassavica*.  
*Seriana*, Gaertn. Fruct. i. 381 = *barbadensis*.  
*Seriana*, Linn. Sp. Pl. 365 = *Serjania sinuata*.  
*Seriana*, Vell. Fl. Flum. 159; iv. t. 27 = *coriacea*.  
*sericea*, Cambess. in A. St. Hil. Fl. Bras. Mer. i. 374. t. 77 A.—Bras.  
*serjaniaefolia*, Triana & Planch. in Ann. Sc. Nat. Sér. IV. xviii. (1862) 356.—N. Granat.  
*sinuata*, Lam. Illustr. ii. 446 = *Serjania sinuata*.  
*sorbilis*, Mart. Reise Bras. i. 311, nomen = P. Cupana.  
*spectabilis*, Poir. Encyc. v. 101 = *Serjania mexicana*, Willd.  
*sphaerocarpa*, Rich. ex Fuss. in Ann. Mus. Par. iv. (1804) 348.—Ind. occ.; Guian.  
*spicata*, Benth. in Hook. Kew Journ. iii. (1851) 193.—Bras.  
*stenopetala*, Sagot, in Ann. Sc. Nat. Sér. VI. xii. (1881) 194.—Guian.  
*stipularis*, Benth. ex Radlk. Monog. Serjan. 75.—Bras.  
*subalata*, A. Gray, in S. Wats. Bibliog. Ind. N. Am. Bot. i. 180.—Am. bor.  
*subcordata*, Benth. ex Radlk. Monog. Serjan. 75.—Bras.  
*subrotunda*, Pers. Syn. i. 443.—Peruv.  
*Tamuya*, Vell. Fl. Flum. 160; iv. t. 34.—Bras.  
*tenera*, Poepp. & Endl. Nov. Gen. et Sp. iii. 37. t. 243. f. a, b.—Peruv.  
*tetragona*, Aubl. Pl. Gui. i. 355.—Guian.  
*thalictrifolia*, DC. Prod. i. 605, sub n. 12 = *Serjania filicifolia*.  
*thalictrifolia*, Fuss. in Ann. Mus. Par. iv. (1804) 347.—Am. trop.  
*Timbo*, Vell. Fl. Flum. 160; iv. t. 32 = *multiflora*.  
*tomentosa*, Jacq. Enum. Pl. Carib. 37; Mill. Gard. Dict. ed. VIII. n. 6.—Ind. occ.  
*tricornis*, Radlk. Monog. Serjan. 44.—Guina.  
*trigonia*, Vell. Fl. Flum. 159; iv. t. 30.—Bras.  
*triptera*, Triana & Planch. in Ann. Sc. Nat. Sér. IV. xviii. (1862) 356.—N. Granat.  
*triquetra*, Hort. Madr. ex Dum.-Cours. Bot. Cult. ed. II. iv. 549 = *Serjania triquetra*.  
*triternata*, H. B. & K. Nov. Gen. et Sp. v. 120 = *Serjania diversifolia*.  
*triternata*, Jacq. Select. Am. 110 = *Serjania polyphylla*.  
*triternata*, Linn. Mant. ii. 236 = *Serjania triternata*.  
*triternata*, Steud. in Flora, xxvi. (1843) 756 = *Serjania paucidentata*.  
*turbacensis*, H. B. & K. Nov. Gen. et Sp. v. 114.—N. Granat.  
*uvata*, Schum. & Thonn. Beskr. Guin. Pl. 195 = *Serjania curassavica*.  
*velutina*, DC. Prod. i. 605.—N. Granat.  
*velutina*, Turcz. in Bull. Soc. Nat. Mosc. xxxi. (1858) 1. 397 = *Serjania polystachya*.  
*Vespertilio*, Sm. Prod. Veg. Ind. Occ. 64.—Ind. occ.  
*velutina*, G. Don, Gen. Syst. i. 662 = *velutina*.  
*weinmanniaefolia*, A. Gray, in Bot. U. St. Expl. Exped. i. 247 = *discolor*.  
*weinmanniaefolia*, Mart. in Flora, xx. (1857) 1. Beibl. 91.—Bras.

PAULO-WILHELMIA. Hochst. in Flora, xxvii. 1844 17 = *Mollugo*, Linn. (Ficoid.).  
*triphylla*, Hochst. l. c. = M. Pauli-Wilhelmi.



**PAULO-WILHELMIA**, Hochst. in Flora, xxvii. (1844) Beibl. 4. *ACANTHACEAE*, Benth. & Hook. f. ii. 1079.  
*EPISANTHERA*, Hochst. ex Nees, in DC. Prod. xi. 208, in syn. (1847).  
*polysperma*, Benth. in Hook. Niger Fl. 479.—Afr. trop.  
*speciosa*, Hochst. in Flora, xxvii. (1844) Beibl. 5.—Abyssin.

**PAULOWNIA**, Sieb. & Zucc. Fl. Jap. i. 25. t. 10 (1835). *SCROPHULARINEAE*, Benth. & Hook. f. ii. 939.  
*imperialis*, Sieb. & Zucc. l. c.—Japan.  
*tomentosa*, Steud. Nom. ed. II. ii. 278 = *imperialis*.

**PAURIDIA**, Harv. Gen. S. Afr. Pl. 341 (1838). *AMARYLLIDAE*, Benth. & Hook. f. iii. 716.  
*hypoxidioides*, Harv. l. c. 342.—Afr. austr.

**PAURIDIANTHA**, Hook. f. in Benth. & Hook. f. Gen. ii. 69 (1873). *RUBIACEAE*, Benth. & Hook. f. l. c.  
*canthiifolia*, Hook. f. l. c. 70.—Afr. trop.

**PAUSANDRA**, Radlk. in Flora, liii. (1870) 92. t. 2. *EUPHORBACEAE*, Benth. & Hook. f. iii. 298.  
*Martini*, Baill. Adansonia, xi. (1873) 92.—Guian.  
*megalophylla*, Muell. Arg. in Mart. Fl. Bras. xi. II. 504.—Bras.  
*Morisiana*, Radlk. in Flora, liii. (1870) 92. t. 2.—Bras.  
*Trianae*, Baill. Adansonia, xi. (1873) 92.—N. Granat.

**PAUSIA**, Rafin. Fl. Tellur. iv. 105 (1836) = *Thymelaea*, Tourm.  
*orientalis*, Rafin. l. c. = *T. orientalis*.

**PAUSIA**, Rafin. Sylva Tellur. 9 (1838) = *Osmanthus*, Lour. (Oleac.).  
*americana*, Rafin. l. c. = *O. americana*.  
*odorata*, Rafin. l. c. = *O. fragrans*.

**PAUTSAUVIA**, Juss. in Mém. Mus. Par. iii. (1817) 443 = *Marlea*, Roxb. (Cornac.).

**PAVETTA**, Linn. Diss. Dass. 4 (1747); Amoen. Acad. i. 388 (1749). *RUBIACEAE*, Benth. & Hook. f. ii. 114.

*ACMOSTIMA*, Rafin. Sylva Tellur. 26 (1838).  
*BACONIA*, DC. in Ann. Mus. Par. ix. (1807) 219.  
*CHARPENTIERA*, Vieill. in Bull. Soc. Linn. Normand. ix. (1865) 346.  
*CRINITA*, Houtt. Handleid. vii. 361. t. 40. f. 1 (1777).  
*VERULAMIA*, DC. ex Poir. Encyc. viii. 543 (1808).  
*abyssinica*, Fresen. in Mus. Senckenb. ii. (1837) 166; Hochst. ex A. Rich. Tent. Fl. Abyss. i. 352.—Abyssin.

*Ackeringiae*, Teijsm. & Binn. in Tijdschr. Nederl. Ind. xxvii. (1864) 31 = *Ixora cuneifolia*.

*acuminata*, Korth. in Nederl. Kruidk. Arch. ii. II. (1851) 263.—Malaya.

*acutifolia*, Reinw. ex Korth. l. c. 262.—Java.

*adelensis*, Delile, in Rochet, Sec. Voy. Choja, 343.—Afr. trop.

*alba*, Vahl, Symb. Bot. iii. 11 = *indica*.

*amboinica*, Blume, Bijdr. 949 = *Ixora amboinica*.

*amplexicaulis*, Pers. Syn. i. 131.—Ind. or.

*angustifolia*, Roem. & Schult. Syst. iii. 175.—Ind. or.

*angustifolia*, Thw. Enum. Pl. Zeyl. 156 = *hispidula*.

*anthophylla*, A. Rich. in Mém. Soc. Hist. Nat. Par. v. (1834) 181.—Madag.

*arbores*, Blanco, Fl. Filip. ed. I. 61 = *Ixora stricta*.

*arborescens*, Hassk. Retzia, i. 22.—Java.

*arenosa*, Lour. Fl. Cochinch. 73.—China.

*aristata*, Wall. Cat. n. 6169 = *Webera stellulata*?

*assimilis*, Sond. in Harv. & Sond. Fl. Cap. iii. 20.—Afr. austr.

*Baconia*, Hiern, in Oliver, Fl. Trop. Afr. iii. 176.—Afr. trop.

*Bandhuca*, Miq. Fl. Ind. Bat. ii. 266 = *Ixora coccinea*.

*barbata*, Sm. in Rees, Cyclop. xxvi. n. 6 (= *Polyozus barbatus*).—Ins. Hominoia.

*bidentata*, Hiern, in Oliver, Fl. Trop. Afr. iii. 170.—Afr. trop.

#### PAVETTA :—

*borbonica*, Hort.—Cf. Gard. Chron. (1878) II. 535.—Ins. Borbon.

*borneensis*, Miq. Ann. Mus. Bot. Lugd. Bat. iv. 200.—Borneo.

*Bowkeri*, Harv. Thes. Cap. ii. 21.—Afr. austr.

*brachycalyx*, Hiern, in Oliver, Fl. Trop. Afr. iii. 169.—Afr. trop.

*breviflora*, DC. Prod. iv. 491.—Ind. or.

*Brunonis*, Miq. Fl. Ind. Bat. ii. 27 = *Ixora Brunonis*.

*Brunonis*, Wall. Cat. n. 6172.—Ind. or.

*Brunonis*, Wight, Ic. t. 1065 = *indica*.

*caffra*, Linn. f. Suppl. 121; Thunb. Prod. Pl. Cap. 29.—Afr. austr.

*calycina*, Korth. in Nederl. Kruidk. Arch. ii. II. (1851) 265.—Sumatra.

*canarica*, Bedd. Forest. Man. Bot. 134/8 = *Webera canarica*?

*canescens*, R. Br. in Wall. Cat. n. 6181 = *indica*.

*canescens*, DC. Prod. iv. 492.—Afr. trop.

*cerberaefolia*, Miq. Fl. Ind. Bat. ii. 279 = *Webera odorata*.

*cerniflora*, Zipp. ex Span. in Linnaea, xv. (1841) 318; et ex Miq. Ann. Mus. Bot. Lugd. Bat. iv. 195 = *indica*.

*chinensis*, Roem. & Schult. Syst. iii. 526 = *Ixora chinensis*.

*ciliolata*, Korth. in Nederl. Kruidk. Arch. ii. II. (1851) 261.—Borneo.

*cinerea*, A. Rich. in Mém. Soc. Hist. Nat. Par. v. (1834) 181.—Madag.

*coccinea*, Blume, Bijdr. 950 = *Ixora coccinea*.

*coffea*, Wall. Cat. n. 7290 = *Webera attenuata*?

*compactiflora*, Hook. f. Fl. Brit. Ind. iii. 153.—Burma.

*congesta*, R. Br. in Salt, Abyss. App. 62 = *abyssinica*.

*congesta*, Miq. Fl. Ind. Bat. ii. 269 = *Ixora congesta*.

*Cooperi*, Harv. & Sond. Fl. Cap. iii. 19.—Afr. austr.

*coriacea*, Boj. Hort. Maurit. 172 = *Rutidea coriacea*.

*Cornelia*, Reichb. ex DC. Prod. iv. 473 (= *Canthium Cornelia*).—Afr. trop.

*corymbosa*, Houtt. ex Roem. & Schult. Syst. iii. 175, in syn. = *caffra*.

*crebrifolia*, Hiern, in Oliver, Fl. Trop. Afr. iii. 172.—Afr. trop.

*diversifolia*, Boj. Hort. Maurit. 172 = *Rutidea coriacea*.

*dolichosepala*, Hiern, in Oliver, Fl. Trop. Afr. iii. 174.—Afr. trop.

*doreensis*, Scheff. in Ann. Jard. Buitenz. i. (1876) 31.—N. Guin.

*dubia*, Endl. in Ann. Wien. Mus. i. (1836) 176.—N. Hebrid.; Ins. Amic.

*edentula*, Sond. in Harv. & Sond. Fl. Cap. iii. 20.—Afr. austr.

*elliptica*, Hochst. in Flora, xxvii. (1844) 98 = *Feretia apodanthera*.

*erubescens*, Miq. Fl. Ind. Bat. ii. 270 = *Ixora nigricans*.

*Finlaysoniana*, Wall. Cat. n. 6177 = *indica*.

*floribunda*, Miq. Ann. Mus. Bot. Lugd. Bat. iv. 193.—Borneo.

*foetidissima*, Cyril. Pl. Rar. Neap. Fasc. i. 7 = *Putoria calabrica*.

*fulgens*, Miq. Fl. Ind. Bat. ii. 204 = *Ixora fulgens*.

*gardeniaefolia*, Hochst. ex A. Rich. Tent. Fl. Abyss. i. 351.—Abyss.

*genipaefolia*, Schum. in Schum. & Thonn. Beskr. Guin. Pl. 78 = *P. Baconia*.

*Gerrardii*, Harv. in Harv. & Sond. Fl. Cap. iii. 20.—Afr. austr.

*glauca*, Boj. Hort. Maurit. 172 = *cinerea*.

*glaucescens*, Hiern, in Oliver, Fl. Trop. Afr. iii. 171.—Afr. trop.

*glaucina*, Teijsm. & Binn. in Tijdschr. Nederl. Ind. xxix. (1867) 245.—Ins. Banca.

*Gleniei*, Thw. ex Hook. f. Fl. Brit. Ind. iii. 152.—Zeylan.

*graciliflora*, Wall. Cat. n. 6178 = *indica*.

*gracilipes*, Hiern, in Oliver, Fl. Trop. Afr. iii. 179.—Afr. trop.

*gracilis*, Klotzsch, in Peters, Reise Mossamb. Bot. 290.—Afr. trop.

*gracilis*, Korth. in Nederl. Kruidk. Arch. ii. II. (1851) 262.—Borneo.

*gracilis*, A. Rich. in Mém. Soc. Hist. Nat. Par. v. (1834) 181.—Madag.

*grandifolia*, Korth. in Nederl. Kruidk. Arch. ii. II. (1851) 264.—Sumatra.

#### PAVETTA :—

*hispidula*, Hiern, in Oliver, Fl. Trop. Afr. iii. 175.—Afr. trop.

*hispidula*, Wight & Arn. Prod. 431.—Ind. or.

*Hookeriana*, Hiern, in Oliver, Fl. Trop. Afr. iii. 176.—Afr. trop.

*humilis*, Hook. f. Fl. Brit. Ind. iii. 151.—Malacca.

*hypophylla*, Miq. Fl. Ind. Bat. ii. 273 = *longituba*.

*incana*, Klotzsch, in Peters, Reise Mossamb. Bot. 289 = *gracilis*, Klotzsch.

*incarnata*, Blume, Bijdr. 950 = *Ixora coccinea*.

*indica*, Burm. f. Fl. Ind. 35. t. 13. f. 3 = *angustifolia*.

*indica*, Linn. Sp. Pl. 110.—As. et Austral. trop.

*involuta*, Thw. Enum. Pl. Zeyl. 156.—Zeylan.

*jambosaeifolia*, Teijsm. & Binn. Cat. Hort. Bog. 112.—Ins. Celebes.

*javanica*, Blume, Bijdr. 949 = *Ixora javanica*.

*Korthalsiana*, Miq. Ann. Mus. Bot. Lugd. Bat. iv. 197.—Sumatra.

*Kroneana*, Miq. in Journ. Bot. Néerl. i. (1861) 107.—China.

*Kurziana*, Teijsm. & Binn. in Tijdschr. Nederl. Ind. xxix. (1867) 246.—Ins. Banca.

*laevis*, Benth. in Hook. Niger Fl. 415.—Afr. trop.

*lanceolata*, Eckl. in South Afr. Quart. Journ. (1830) 374.—Afr. austr.

*lateriflora*, G. Don, Gen. Syst. iii. 575 = *Memecylon Donianum*.

*leptantha*, Zipp. ex Span. in Linnaea, xv. (1841) 318, nomen.—Ins. Timor.

*leucoxydon*, Miq. Fl. Ind. Bat. ii. 275.—Java.

*littorea*, Miq. l. c. 272.—Ins. Flores.

*Lobbii*, Teijsm. & Binn. Cat. Hort. Bog. 112 = *Ixora fulgens*.

*longiflora*, Blume, Bijdr. 952 = *macrantha*.

*longiflora*, Hochst. ex A. Rich. Tent. Fl. Abyss. i. 351 = *gardeniaefolia*.

*longiflora*, Vahl, Symb. Bot. iv. 12.—Arabia.

*longifolia*, Miq. Fl. Ind. Bat. ii. 275 = *Webera longifolia*.

*longipes*, DC. Prod. iv. 490.—Ins. Timor.

*longituba*, Miq. Fl. Ind. Bat. ii. 278.—Java.

*lucens*, R. Br. in Wall. Cat. n. 6168 = *Webera lucens*.

*macrantha*, Steud. Nom. ed. II. ii. 278.—Java.

*macrocoma*, Miq. Fl. Ind. Bat. ii. 274 = *Ixora grandifolia*.

*macrophylla*, Blume, Bijdr. 953 = *Ixora grandifolia*.

*macroptera*, Miq. Ann. Mus. Bot. Lugd. Bat. iv. 197.—Sumatra.

*macrosepala*, Hiern, in Oliver, Fl. Trop. Afr. iii. 172.—Afr. trop.

*macrothyrsa*, Teijsm. & Binn. in Tijdschr. Nederl. Ind. xxix. (1867) 246.—Java.

*manillensis*, Walp. in Nov. Act. Nat. Cur. xix. Suppl. i. (1843) 351.—Ins. Philipp.

*Mannii*, Hiern, in Oliver, Fl. Trop. Afr. iii. 169.—Afr. trop.

*membranacea*, Blanco, Fl. Filip. ed. I. 59 = *angustifolia*.

*mollis*, Afzel. ex Hiern, in Oliver, Fl. Trop. Afr. iii. 174.—Afr. trop.

*mollis*, Wall. Cat. n. 6179 = *indica*.

*montana*, Reinw. ex Blume, Bijdr. 952.—Java.

*monticola*, Hiern, in Oliver, Fl. Trop. Afr. iii. 170.—Afr. trop.

*natalensis*, Sond. in Harv. & Sond. Fl. Cap. iii. 19.—Afr. austr.

*naucleaeflora*, G. Don, Gen. Syst. iii. 575 = seq.

*naucleiflora*, R. Br. in Wall. Cat. n. 6171 (*naucleiflora*).—Ind. or.; Burma; Malaya.

*neurocarpa*, Benth. in Hook. Niger Fl. 414.—Afr. trop.

*nigricans*, Miq. Fl. Ind. Bat. ii. 272.—Java.

*nilagirica*, Bedd. Forest. Man. Bot. 134/8 = *Webera nilagirica*.

*oblonga*, Korth. in Nederl. Kruidk. Arch. ii. II. (1851) 263.—Borneo.

*oblonga*, Wall. Cat. n. 6170 (*Webera* sp.).—Siam.

*obovata*, E. Mey. in Drège, Zwei Pfl. Docum. 208, nomen.—Natal.

*obtusa*, Pers. Syn. i. 131 = *indica*.

*odorata*, Blume, Bijdr. 952.—Java.

*odorata*, Zoll. ex Miq. Fl. Ind. Bat. ii. 204 (= *Stylacoryna polycarpa*).—Java.

*Oliveriana*, Hiern, in Oliver, Fl. Trop. Afr. iii. 174.—Afr. trop.

*opaca*, Miq. Fl. Ind. ii. 270 = *Ixora opaca*.

*opulina*, DC. Prod. iv. 492.—N. Caled.



## PAVETTA:—

owariensis, Beauv. Fl. Owar. i. 87. t. 52.—Afr. trop.  
 paludosa, Blume, Bijdr. 954.—Java.  
 paludosa, Miq. Fl. Ind. Bat. ii. 271 = *Ixora paludosa*.  
 parasitica, Lour. Fl. Cochinch. 92.—Cochinch.  
 parviflora, Afzel. Rem. Guin. viii. 47.—Afr. trop.  
 parviflora, Smeathm. ex DC. Prod. iv. 492 = *Smeathmanni*.  
 parvifolia, Vidal, Phan. Cuming. Philipp. 183.—Ins. Philipp.  
 pauciflora, Blume, ex DC. Prod. iv. 487; Miq. Fl. Ind. Bat. ii. 268.—Java.  
 pendula, Miq. l. c. 269 = *Ixora pendula*.  
 pentandra, Sw. Fl. Ind. Occ. i. 233 = *Palicourea Pavetta*.  
 petiolaris, Wall. Cat. n. 6186 = *indica*.  
 polita, Miq. Ann. Mus. Bot. Lugd. Bat. iv. 196.—Borneo.  
 polyantha, R. Br. in Salt, Abyss. App. 62.—Abyss.  
 polyantha, Wall. Cat. n. 6176 = *indica*.  
 Pseudo-amboinica, Korth. in Kruidk. Nederl. Arch. ii. II. (1851) 261.—Borneo.  
 puberula, Hiern, in Oliver, Fl. Trop. Afr. iii. 171.—Afr. trop.  
 pulcherrima, Teijsm. & Binn. Cat. Hort. Bog. 113.—Ins. Banca; Sumatra.  
 reflexa, R. Br. in Salt, Abyss. App. 62 = *gardeniaefolia*.  
 reticulata, Blume, Bijdr. 953.—Java.  
 revoluta, Hochst. in Flora, xxv. (1842) 237.—Afr. austr.  
 rigida, Hiern, in Oliver, Fl. Trop. Afr. iii. 178.—Afr. trop.  
 Rothiana, DC. Prod. iv. 491 = *indica*.  
 rubra, Noronha, in Verh. Batav. Gen. v. (1790) ed. I. Art. IV. 25 = *Ixora coccinea*.  
 salicifolia, Blume, Bijdr. 951 = *Ixora fulgens*.  
 sambucina, Blanco, Fl. Filip. ed. II. 41 = *angustifolia*.  
 sambucina, DC. Prod. iv. 492.—Ins. Amicor.  
 secundiflora, Zipp. ex Span. in Linnaea, xv. (1841) 318, nomen.—Ins. Timor.  
 sinica, Miq. in Journ. Bot. Néerl. i. (1861) 107 = *indica*.  
 siphonantha, Dalz. in Hook. Kew Journ. ii. (1850) 133 = *hispidula*.  
 Smeathmanni, DC. Prod. iv. 492.—Afr. trop.  
 stenophylla, Korth. in Nederl. Kruidk. Arch. ii. II. (1851) 262.—Borneo.  
 stricta, Blume, Bijdr. 950 = *Ixora stricta*.  
 subcana, Hiern, in Oliver, Fl. Trop. Afr. iii. 172.—Afr. trop.  
 subcapitata, Hook. f. Fl. Brit. Ind. iii. 150.—Reg. Himal.  
 subcuneata, Miq. Fl. Ind. Bat. Suppl. 546.—Sumatra.  
 subglabra, Schum. in Schum. & Thonn. Beskr. Guin. Pl. 78.—Afr. trop.  
 subulata, Teijsm. & Binn. in Nederl. Kruidk. Arch. iii. (1855) 403.—Java.  
 subvelutina, Miq. Fl. Ind. Bat. ii. 276.—Java.  
 sumatrensis, Roth, Nov. Pl. Sp. 88.—Sumatra.  
 sylvatica, Blume, Bijdr. 953.—Java.  
 syringoides, Webb, in Hook. Kew Journ. ii. (1850) 371.—Ins. Cap. Virid.  
 Teijsmanni, Hassk. in Nederl. Kruidk. Arch. iv. (1859) 4 = *Ixora grandifolia*?  
 tenuiflora, Miq. Fl. Ind. Bat. ii. 268.—Ins. Molucc.  
 tenuifolia, Benth. in Hook. Niger Fl. 415.—Afr. trop.  
 ternata, Teijsm. & Binn. in Tijdschr. Nederl. Ind. xxix. (1867) 246.—Malaya.  
 ternifolia, Hook. f. ex Oliver, in Trans. Linn. Soc. xxix. (1873) 86. t. 51.—Afr. trop.  
 thyrsiflora, Thunb. ex DC. Prod. iv. 492 = *caffra*.  
 timorensis, Miq. Fl. Ind. Bat. ii. 278.—Ins. Timor.  
 tomentosa, A. Rich. in Mém. Soc. Hist. Nat. Par. v. (1834) 181 = *canescens*.  
 tomentosa, Roxb. ex Sm. in Rees, Cyclop. xxvi. n. 2 = *indica*.  
 triflora, DC. Prod. iv. 492.—Ins. Tahiti.  
 undulata, Lehm. in Hamb. Gartenz. xiv. (1858) 437; et in Linnaea, xxix. (1857–58) 726.—Hab.?  
 velutina, Wall. Cat. n. 6174 = *indica*.  
 villosa, Heyne, in Roth, Nov. Pl. Sp. 88 = *indica*.  
 villosa, Vahl, Symb. Bot. iii. 12.—Arabia.  
 Wallichiana, Steud. Nom. ed. II. ii. 279 = *indica*.  
 weberaeifolia, R. Br. in Wall. Cat. n. 6182 = *Webera odorata* et *Wallichii*.  
 Wightiana, Wall. l. c. n. 6167 = *Webera corymbosa*.  
 VOL. II.

## PAVETTA:—

Wightii, Hook. f. Fl. Brit. Ind. iii. 152.—Ind. or.  
 Wyckii, Hassk. in Retzia, i. 21 = *Ixora jucunda*.  
 Wyckii, Miq. Fl. Ind. Bat. ii. 356.—Java.  
 Zeyheri, Sond. in Harv. & Sond. Fl. Cap. iii. 21.—Afr. austr.  
 Zippelliana, Miq. Ann. Mus. Bot. Lugd. Bat. iv. 201.—N. Guin.  
 PAVIA, Boerh. ex Mill. Gard. Dict. ed. VI (1752) = *Aesculus*, Linn. (Sapind.).  
 alba, Poir. Encyc. v. 95 = *Ae. parviflora*.  
 americana, Jaume St. Hil. Expos. ii. 16 = *Ae. Pavia*.  
 arguta, Rafin. Alsog. Am. 74 = *Ae. arguta*.  
 atropurpurea, Spach, in Ann. Sc. Nat. Sér. II. ii. (1834) 58 = *Ae. Pavia*.  
 bicolor, Rafin. Alsog. Am. 74 = *Ae. flava*.  
 californica, Hartw. in Journ. Hort. Soc. ii. (1847) 123 = *Ae. californica*.  
 carnea, Spach, in Ann. Sc. Nat. Sér. II. ii. (1834) 53 = *Ae. glabra*.  
 discolor, Sweet, Hort. Brit. ed. I. 69 = *Ae. flava*.  
 edulis, Poit. Arb. Fr. t. 88; ex DC. Prod. i. 598 = *Ae. parviflora*.  
 flava, Moench, Meth. 66; DC. l. c. = *Ae. flava*.  
 fulva, Rafin. Alsog. Am. 74 = *Ae. octandra* (in Addend.).  
 glabra, Spach, in Ann. Sc. Nat. Sér. II. ii. (1834) 54 = *Ae. glabra*.  
 glauca, Rafin. Alsog. Am. 71.—Am. bor.  
 humilis, G. Don, in Loud. Hort. Brit. 143 = *Ae. Pavia*?  
 hybrida, DC. Prod. i. 598 = *Ae. flava*.  
 indica, Wall. ex Jacquem. Voy. Bot. 31 = *Ae. indica*.  
 intermedia, Spach, in Ann. Sc. Nat. Sér. II. ii. (1834) 60 = *Ae. Pavia*.  
 khassiana, Voigt, Hort. Suburb. Calc. 97 = *Ae. punduana*.  
 Lindleyana, Spach, in Ann. Sc. Nat. Sér. II. ii. (1834) 59 = *Ae. Pavia*.  
 livida, Spach, l. c. 56 = *Ae. Pavia*?  
 longiflora, Rafin. Alsog. Am. 72.—Am. bor.  
 lucida, Spach, in Ann. Sc. Nat. Sér. II. ii. (1834) 60 = *Ae. Pavia*.  
 lutea, Poir. Encyc. v. 95 = *Ae. flava*.  
 macrocarpa, Hort. ex G. Don, in Sweet, Hort. Brit. ed. III. 765, nomen = *Ae. Pavia*.  
 macrostachya, DC. Prod. i. 598 = seq.  
 macrostachys, Loisel. Herb. Amat. iii. t. 212 = *Ae. parviflora*.  
 Michauxii, Spach, in Ann. Sc. Nat. Sér. II. ii. (1834) 61 = *Ae. Pavia*.  
 mollis, Rafin. Alsog. Am. 71.—Am. bor.  
 mutabilis, Spach, in Ann. Sc. Nat. Sér. II. ii. (1834) 57 = *Ae. Pavia*?  
 nana, Hort. ex W. Baxt. in Loud. Hort. Brit. Suppl. iii. 603, nomen = *Ae. Pavia*.  
 neglecta, G. Don, ex Loud. Hort. Brit. i. 143; et Gen. Syst. i. 653 = *Ae. flava*.  
 octandria, Mill. Gard. Dict. ed. VIII. n. 1 = *Ae. Pavia*.  
 ohioensis, Michx. f. N. Am. Sylv. ii. 101. t. 29 = *Ae. glabra*.  
 pallida, Spach, in Ann. Sc. Nat. Sér. II. ii. (1834) 54 = *Ae. glabra*.  
 parviflora, Rafin. Alsog. Am. 73 = *Ae. parviflora*.  
 punctata, Rafin. l. c. 72.—Am. bor.  
 punduana, Wall. ex Voigt, Hort. Suburb. Calc. 97 = *Ae. punduana*.  
 reticulata, Rafin. Alsog. Am. 73 = *Ae. flava*.  
 rubra, Moench, Meth. 65 = *Ae. Pavia*.  
 versicolor, Spach, in Ann. Sc. Nat. Sér. II. ii. (1834) 57 = *Ae. Pavia*?  
 Watsoniana, Spach, l. c. 53 = *Ae. glabra*?  
 Whitleyi, C. Koch, Dendrol. i. 511 = *Ae. Pavia*.  
 Willdenowiana, Spach, in Ann. Sc. Nat. Sér. II. ii. (1834) 59 = *Ae. Pavia*.

PAVIANA, Rafin. Fl. Ludov. 87 (1817) = *Aesculus*, Linn. (Sapind.).  
 coccinea, Rafin. l. c. = *Ae. Pavia*.  
 flava, Rafin. l. c. = *Ae. flava*.

PAVINDA, Thunb. ex Bartl. Ord. 374 (1830) = *Audouinia*, Brongn. (Bruniac.).  
 capensis, Retz. ex Steud. Nom. ed. II. ii. 279  
 A. capitata.

PAVONIA, Cav. Diss. ii. App. II. (1786), et iii. 132. t. 45 (1787). MALVACEAE, Benth. & Hook. f. i. 205.

ASTEROCHLAENA, Garcke, in Bot. Zeit. viii. (1850) 666.  
 BREHMIA, Schrank, in Syll. Ratisb. i. (1824) 85.  
 DIPLOPENTA, Alef. in Oestr. Bot. Zeitschr. xiii. (1863) 10.  
 GREEVESIA, F. Muell. in Hook. Kew Journ. viii. (1856) 8.  
 LEBRETONIA, Schrank, Pl. Rar. Hort. Monac. t. 90 (1819).  
 LOPIMIA, Nees & Mart. in Nov. Act. Nat. Cur. xi. (1823) 96.  
 MALACHE, B. Vog. in Trew, Pl. Select. 50. t. 90 (1772).  
 PENTAMERIS, E. Mey. in Drège, Zwei Pfl. Docum. 210 (1843).  
 THORNTONIA, Reichb. Consp. 202 (1828).  
 TYPHALEA, Neck. Elem. ii. 412 (1790).  
 acerifolia, Link & Otto, Ic. Pl. Sc. i. 5. t. 1 = *Hibiscus collinus*.  
 achanoides, Griseb. Cat. Pl. Cub. 27.—Cuba.  
 acuminata, Spreng. Syst. iii. 98 = *Kosteletzkya acuminata*.  
 affinis, A. St. Hil. Fl. Bras. Mer. i. 229 = *sagittata*.  
 alba, Seem. Bot. Voy. Herald, 81 = *paniculata*.  
 alnifolia, A. St. Hil. Fl. Bras. Mer. i. 241 = *Goethea alnifolia*.  
 angustifolia, Benth. in Hook. Kew Journ. Bot. iv. (1842) 119.—Guian.  
 arabica, Hochst. ex Steud. Nom. ed. II. ii. 279.—Sind.; Arab.; Abyss.  
 arachnoides, Presl, Rel. Haenk. ii. 129.—Mexic.  
 arenaria, Roth, Catalect. fasc. ii. 80.—Ind. or.  
 aristata, Cav. Diss. iii. 133 = *spinifex*.  
 Armitiana, F. Muell. Fragm. x. 78 = *Urena Armitiana*.  
 assimilis, C. Muell. in Walp. Ann. vii. 399, sphalm. = *Pavetta assimilis*.  
 begoniaefolia, Gardn. in Hook. Lond. Journ. Bot. ii. (1843) 333 = *rosea*.  
 Berterii, Spreng. Syst. iii. 99 = *Kosteletzkya pentasperma*.  
 betonicifolia, Presl, Rel. Haenk. ii. 128.—Peruv.  
 Blanchetiana, Miq. in Linnaea, xxii. (1849) 801.—Bras.  
 Bojeri, Baker, in Journ. Bot. xx. (1882) 45.—Madag.  
 brachypoda, Turcz. in Bull. Soc. Nat. Mosc. xxxvi. (1863) i. 563 = *P. Typhalea*.  
 brachysepala, A. St. Hil. & Naud. in Ann. Sc. Nat. Sér. II. xviii. (1842) 44 = *rosea*.  
 bracteosa, Benth. in Hook. Journ. Bot. iv. (1842) 118 = *sessiliflora*.  
 brasiliensis, Spreng. Syst. iii. 100 = *Hibiscus brasiliensis*.  
 calyculosa, A. St. Hil. & Naud. in Ann. Sc. Nat. Sér. II. xviii. (1842) 40.—Bras.  
 cancellata, Cav. Diss. iii. 135.—Venezuela.  
 caracasana, Turcz. in Bull. Soc. Nat. Mosc. xxxi. (1858) i. 188 = *paniculata*.  
 cardiossepala, Turcz. l. c. = *varians*.  
 castanaefolia, A. St. Hil. & Naud. in Ann. Sc. Nat. Sér. II. xviii. (1842) 44.—Ind. occ.; Bras.  
 Cavanillesii, Spreng. Syst. v. 513 = *Kosteletzkya hastata*, Garcke.  
 ceratocarpa, Dalz. ex Mast. in Hook. f. Fl. Brit. Ind. i. 331.—Sind.  
 cernua, Walp. Rep. ii. 790.—Ins. Timor.  
 clathrata, Mast. in Oliver, Fl. Trop. Afr. i. 193.—Afr. trop.  
 coccinea, Cav. Diss. iii. 140. t. 47. f. 1.—Ins. S. Doming.  
 Columella, Cav. l. c. 138. t. 48. f. 3.—Ins. Borbon.  
 communis, A. St. Hil. Fl. Bras. Mer. i. 224 = *srinifex*.  
 commutata, Garcke, in Eichl. Jahrb. Berl. i. (1851) 212.—Bras.  
 conferta, A. St. Hil. Fl. Bras. Mer. i. 238.—Bras.  
 Cooperi, C. Muell. in Walp. Ann. vii. 399, sphalm. = *Pavetta Cooperi*.  
 cordifolia, Wright, ex Griseb. Cat. Pl. Cub. 27.—Cuba.  
 corymbosa, Willd. Sp. Pl. iii. 836 = *paniculata*.  
 crenata, Hochst. ex A. Rich. Tent. Fl. Abyss. i. Kraussiana.  
 crenata, Hochst. in Flora, xxvii. (1844) 100; et ex Mast. in Oliver, Fl. Trop. Afr. i. 179 = *Sida trilobata*.



## PAVONIA:—

- cuneifolia*, Cav. Diss. iii. 139 = praemorsa.  
*cymbalaria*, A. St. Hil. & Naud. in Ann. Sc. Nat. Sér. II. xviii. (1842) 42.—Bras.  
*dasypetala*, Turcz. in Bull. Soc. Nat. Mosc. xxxi. (1858) i. 189.—Venezuela.  
*deltoidea*, Mart. in Flora, xxii. (1839) i. Beibl. 59.—Bras.  
*dictyocarpa*, Hochst. ex Webb, Fragm. Fl. Aethiop. 46 = Hibiscus dictyocarpus.  
*distinguenda*, A. St. Hil. & Naud. in Ann. Sc. Nat. Sér. II. xviii. (1842) 42 = sagittata.  
*diuretica*, A. St. Hil. Pl. Us. Brés. t. 53.—Bras.  
*diversifolia*, Hassk. in Hoev. & De Vriese, Tijdschr. x. (1843) 134; xii. (1845) 79.—Java?  
*Dregei*, Garcke, in Eichl. Jahrb. Berl. i. (1881) 218.—Afr. austr.  
*Drummondii*, Torr. & Gray, Fl. N. Am. i. 682 = Malvaviscus Drummondii.  
*edentula*, C. Muell. in Walp. Ann. vii. 399, sphalm. = Pavetta edentula.  
*elegans*, Garcke, in Eichl. Jahrb. Berl. ii. (1883) 332.—Afr. trop.  
*flava*, Spring, ex Mart. in Flora, xx. (1837) ii. Beibl. 96 = sepium.  
*flavispina*, Miq. in Linnaea, xxii. (1849) 551 = sepium.  
*foliosa*, Mart. ex Garcke, in Eichl. Jahrb. Berl. i. (1881) 217 = microphylla.  
*Gardneriana*, Turcz. in Bull. Soc. Nat. Mosc. xxxi. (1858) i. 187 = rosea.  
*geminiflora*, Moric. Pl. Nouv. Am. 120. t. 73 = paniculata.  
*Gerrardii*, C. Muell. in Walp. Ann. vii. 399, sphalm. = Pavetta Gerrardii.  
*glandulosa*, Franch. in Revoil, Çomali, 18.—Afr. trop.  
*glandulosa*, Presl, Reliq. Haenk. ii. 129.—Mexic.  
*glechomifolia*, Garcke, in Schweinf. Beitr. Fl. Aethiop. 54.—As. et Afr. trop.  
*glechomoides*, A. St. Hil. Fl. Bras. Mer. i. 227. t. 45.—Bras.  
*glomerata*, Casar. Nov. Stirp. Bras. Dec. 38 = P. Typhalaea.  
*Goudotiana*, Triana & Planch. in Ann. Sc. Nat. Sér. IV. xvii. (1862) 160.—N. Granat.  
*grandiflora*, A. St. Hil. Fl. Bras. Mer. i. 232.—Bras.  
*grandifolia*, Walp. Rep. i. 300.—Bras.  
*grewioides*, Hochst. ex Boiss. Fl. Orient. i. 837 = propinqua.  
*grisea*, A. St. Hil. & Naud. in Ann. Sc. Nat. Sér. II. xviii. (1842) 41 = speciosa.  
*hastata*, Cav. Diss. iii. 138. t. 47. f. 2.—Bras.  
*hastata*, Spreng. Syst. iii. 99 = Kosteletzkya hastata, Garcke.  
*heterophylla*, Turcz. in Bull. Soc. Nat. Mosc. xxxi. (1858) i. 188.—Mexic.  
*hirsuta*, Guill. & Perr. Fl. Seneg. Tent. i. 51.—Afr. trop.  
*hirta*, Klotzsch, in Linnaea, xiv. (1840) 301 = cancellata.  
*hirta*, Schweigg. Enum. Pl. Hort. Regiom. 52.—Hab.?  
*hirta*, Spreng. Syst. iii. 99 = glechomoides.  
*hirtiflora*, Benth. Pl. Hartw. 7 = glandulosa, Presl.  
*hispidula*, Spreng. Syst. iii. 99 = Kosteletzkya hispidula.  
*hispidula*, Wright, in Sauv. Fl. Cub. 12.—Cuba.  
*Hostmanni*, Miq. in Linnaea, xxii. (1849) 469.—Guian.  
*humifusa*, A. St. Hil. Fl. Bras. Mer. i. 235.—Bras.  
*humilis*, Jacq. Fragm. 78 = odorata.  
*insignis*, Fenzl, ex Webb, Fragm. Fl. Aethiop. 42 = hirsuta.  
*intermedia*, A. St. Hil. Fl. Bras. Mer. i. 223.—Bras.  
*intermixta*, A. Rich. Ess. Fl. Cub. 128.—Cuba.  
*involucrata*, Klotzsch, in Linnaea, xiv. (1840) 301 = sessiliflora.  
*Jonesii*, Feay, ex Wood, Class-Book (1862), 269 = hastata.  
*Kotschyi*, Hochst. in Flora, xxiv. (1841) i. Intell. 43; et in Webb, Fragm. Fl. Aethiop. 43.—Abyss.  
*Kraussiana*, Hochst. in Flora, xxvii. (1844) 293.—Afr. trop. et austr.  
*lanceolata*, Schlecht. in Linnaea, xi. (1837) 356.—Mexic.  
*lappacea*, Casar. Nov. Stirp. Bras. Dec. 37 = rosea.  
*lasiopetala*, Scheele, in Linnaea, xxi. (1848) 470.—Texas.  
*latifolia*, Spreng. Syst. iii. 98.—Bras.

## PAVONIA:—

- laxiflora*, A. St. Hil. Fl. Bras. Mer. i. 226 = paniculata.  
*Le-Contei*, Torr. & Gray, in Mem. Am. Acad. N. S. iv. (1849) 16 = hastata.  
*leptocarpa*, Cav. Diss. vi. 351 = P. Typhalaea.  
*leucantha*, Garcke, in Eichl. Jahrb. Berl. i. (1881) 211.—Bras.  
*linearis*, A. Rich. Ess. Fl. Cub. 127.—Cuba.  
*longifolia*, A. St. Hil. Fl. Bras. Mer. i. 239.—Bras.  
*Luschnathiana*, Klotzsch, in Linnaea, xiv. (1840) 301, nomen = microphylla.  
*macrophylla*, E. Mey. ex Harv. & Sond. Fl. Cap. i. 169 = Kraussiana.  
*macrotis*, Baker, in Journ. Linn. Soc. xx. (1883) 98.—Madag.  
*Makoyana*, E. Morr. in Belg. Hort. xxviii. (1878) 59. t. 3 = Goethea Mackoyana.  
*malacophylla*, Hemsl. Biol. Centr. Am. Bot. i. 117, in syn. = velutina.  
*malvaviscoides*, A. St. Hil. Fl. Bras. Mer. i. 237.—Bras.  
*megalophylla*, Wright, ex Griseb. Cat. Pl. Cub. 27 = velutina.  
*mexicana*, H. B. & K. Nov. Gen. et Sp. v. 284 = Kosteletzkya mexicana.  
*Meyeri*, Mast. in Oliver, Fl. Trop. Afr. i. 191 = P. Columella.  
*microphylla*, Casar. Nov. Stirp. Bras. Dec. 38.—Am. trop.  
*microphylla*, E. Mey. ex Harv. & Sond. Fl. Cap. i. 169 = Dregei.  
*modesta*, Mart. in Flora, xxii. (1839) i. Beibl. 59.—Bras.  
*mollis*, H. B. & K. Nov. Gen. et Sp. v. 282 = Mutisii.  
*mollis*, E. Mey. ex Harv. & Sond. Fl. Cap. i. 169 = P. Columella.  
*monatherica*, Casar. Nov. Stirp. Bras. Dec. 37.—Bras.  
*montana*, Garcke, in Eichl. Jahrb. Berl. i. (1881) 222, nomen.—Bras.  
*multiflora*, A. St. Hil. Fl. Bras. Mer. i. 239. t. 47.—Bras.  
*muricata*, A. St. Hil. l. c. 225. t. 44 = Schrankii.  
*Mutisii*, H. B. & K. Nov. Gen. et Sp. v. 283.—N. Granat.  
*natalensis*, C. Muell. in Walp. Ann. vii. 400, sphalm. = Pavetta natalensis.  
*nemoralis*, A. St. Hil. & Naud. in Ann. Sc. Nat. Sér. II. xviii. (1842) 43 = rosea.  
*nudicaulis*, A. St. Hil. Fl. Bras. Mer. i. 231.—Bras.  
*obovata*, C. Muell. in Walp. Ann. vii. 400, sphalm. = Pavetta obovata.  
*odorata*, Willd. Sp. Pl. iii. 837.—As. et Afr. trop.  
*ovata*, Spreng. Syst. iii. 99 = Hibiscus aethiopicus.  
*paniculata*, Cav. Diss. iii. 135. t. 46. f. 2.—Am. austr.  
*papilionacea*, Cav. l. c. 140. t. 49. f. 2.—Ins. Societ.  
*paraibica*, Wawra, in Oestr. Bot. Zeitschr. xxxii. (1882) 39.—Bras.  
*parviflora*, Desf. Tabl. ed. I. 221; et ex Poir. Encyc. Suppl. iv. 335 = Kosteletzkya hispidula.  
*pellita*, H. B. & K. Nov. Gen. et Sp. v. 282.—Venezuela.  
*pentacarpus*, Poir. Encyc. Suppl. iv. 335 = Kosteletzkya pentacarpa.  
*pilosa*, Willd. Enum. Hort. Berol. Suppl. 50 = Kosteletzkya hispidula.  
*plantanifolia*, Baker, in Journ. Linn. Soc. xx. (1883) 99.—Madag.  
*platanifolia*, Willd. in Ges. Naturf. Fr. Berl. Mag. iv. (1810) 220 = Hibiscus collinus.  
*plumosa*, Turcz. in Bull. Soc. Nat. Mosc. xxxi. (1858) i. 190 = velutina.  
*Poeppigii*, Schlecht. in Linnaea, xi. (1837) 357, in textu = Hibiscus Poeppigii.  
*polymorpha*, A. St. Hil. Fl. Bras. Mer. i. 232 = speciosa.  
*praemorsa*, Cav. Diss. iii. 139.—Afr. austr.  
*procumbens*, Casar. Nov. Stirp. Bras. Dec. 39 = cancellata.  
*procumbens*, Walp. Rep. i. 301 = glechomifolia.  
*propinqua*, Garcke, in Schweinf. Beitr. Fl. Aethiop. 55.—Sind.; Beluchist.  
*prostrata*, Moric. Pl. Nouv. Am. 119. t. 72.—Bras.  
*Pseudo-typhalaea*, Planch. & Linden, ex Triana & Planch. in Ann. Sc. Nat. Sér. IV. xvii. (1862) 160.—N. Granat.  
*racemiflora*, Hook. & Arn. Bot. Beech. Voy. 277.—Mexic.  
*racemosa*, Sw. Fl. Ind. Occ. ii. 1215.—Am. trop.

## PAVONIA:—

- Regnelliana*, Miq. in Linnaea, xxii. (1849) 551 = sepium?  
*repanda*, Spreng. Syst. iii. 98 = Urena repanda.  
*reticulata*, Garcke, in Eichl. Jahrb. Berl. i. (1881) 212.—Bras.  
*Romborna*, Steud. Nom. ed. II. ii. 279, sphalm = seq.  
*Romborua*, Buch.-Ham. in Wall. Cat. n. 2690 = odorata.  
*Rosa-campestris*, A. St. Hil. Fl. Bras. Mer. i. 236. t. 46.—Bras.  
*rosea*, Schlecht. in Linnaea, xi. (1837) 355.—Am. trop.  
*rosea*, Wall. Cat. n. 1887; Moris, in Mem. Acc. Torin. xxxvi. (1833) 194 = odorata.  
*rubiformis*, Turcz. in Bull. Soc. Nat. Mosc. xxxi. (1858) i. 189.—Ins. Philipp.  
*sagittata*, A. St. Hil. Fl. Bras. Mer. i. 229.—Bras.  
*scabra*, Benth. ex Garcke, in Eichl. Jahrb. Berl. i. (1881) 221 = speciosa.  
*scabra*, Presl, Rel. Haenk. ii. 129 = paniculata.  
*Schiedeana*, Steud. Nom. ed. II. ii. 279 = rosea.  
*Schimperiana*, Hochst. ex A. Rich. Tent. Fl. Abyss. i. 52.—Abyssin.  
*Schrankii*, Spreng. Syst. iii. 98.—Bras.  
*semiserrata*, Steud. Nom. ed. II. ii. 279.—Bras.  
*semperflorens*, Garcke, in Eichl. Jahrb. Berl. i. (1881) 222.—Bras.  
*sepium*, A. St. Hil. Fl. Bras. Mer. i. 225.—Bras.  
*serrata*, Franch. in Revoil, Çomali, 18.—Afr. trop.  
*sessiliflora*, H. B. & K. Nov. Gen. et Sp. v. 281.—N. Granat.  
*sidaefolia*, H. B. & K. l. c. 283.—Venezuela.  
*sidoides*, Hornem. Hort. Hafn. ii. 658 = odorata.  
*somalensis*, Franch. in Revoil, Çomali, 17.—Afr. trop.  
*speciosa*, H. B. & K. Nov. Gen. et Sp. v. 281.—Venezuela.  
*spicata*, Cav. Diss. iii. 136 = racemosa.  
*spinifex*, Cav. l. c. 133.—Am. austr.  
*spinigera*, St. Lag. in Ann. Soc. Bot. Lyon, vii. (1880) 131 = praec.  
*spiralis*, Cav. Ic. v. 20 = Malvaviscus ciliatus.  
*stellata*, Spreng. Syst. iii. 97 = P. Typhalaea.  
*subhastata*, Triana & Planch. in Ann. Sc. Nat. Sér. IV. xvii. (1862) 163.—N. Granat.  
*subpandurata*, Wright, ex Griseb. Cat. Pl. Cub. 26.—Cuba.  
*subrotunda*, A. St. Hil. & Naud. in Ann. Sc. Nat. Sér. II. xviii. (1842) 42.—Bras.  
*sulphurea*, Steud. Nom. ed. II. ii. 279 = cancellata.  
*surinamensis*, Miq. in Hoev. & De Vriese, Tijdschr. x. (1843) 77 = P. Typhalaea.  
*tomentosa*, Hochst. ex A. Rich. Tent. Fl. Abyss. i. 52 = Schimperiana.  
*tricalycaris*, A. St. Hil. Fl. Bras. Mer. i. 240.—Bras.  
*triloba*, Guill. & Perr. Fl. Seneg. Tent. i. 50 = zeylanica.  
*triloba*, Hochst. in Flora, xxiv. (1841) i. Intell. 43; et ex Webb, Fragm. Fl. Aethiop. 43.—Afr. trop.  
*Typhalaea*, Cav. Diss. iii. 134.—Ind. occ.  
*Typhalaea*, A. St. Hil. Fl. Bras. Mer. i. 223 = rosea.  
*typhalaeoides*, H. B. & K. Nov. Gen. et Sp. v. 279 = P. Typhalaea.  
*urens*, Cav. Diss. iii. 137. t. 49. f. 1; v. 283.—Ins. Mascar.  
*urticaefolia*, Presl, Rel. Haenk. ii. 128.—Mexic.  
*varians*, Moric. Pl. Nouv. Am. 122. t. 74.—Bras.  
*velutina*, A. St. Hil. Fl. Bras. Mer. i. 233.—Bras.  
*veneta*, Spreng. Syst. iii. 98 = Kosteletzkya pentacarpa.  
*virginica*, Spreng. l. c. = Kosteletzkya virginica.  
*viscida*, Klotzsch, in Schomb. Faun. & Fl. Brit. Gui. 1170 = paniculata.  
*viscidula*, A. St. Hil. & Naud. in Ann. Sc. Nat. Sér. II. xviii. (1842) 42 = sagittata.  
*viscosa*, A. St. Hil. Fl. Bras. Mer. i. 236.—Bras.  
*Wioti*, E. Morr. in Belg. Hort. xxv. (1875) 113. t. 7 = multiflora.  
*Wrightii*, A. Gray, Gen. Pl. Am. Ill. ii. 76. t. 130 = lasiopetala.  
*Zeyheri*, C. Muell. in Walp. Ann. vii. 400 = Pavetta Zeyheri.  
*zeylanica*, Cav. Diss. iii. 134.—Ind. or.; Afr. trop.

PAVONIA, Domb. ex Lam. Tabl. Encyc. (Illustr.) i. 421 (1800) = Cordia, Linn. (Borag.).  
*lutea*, Domb. l. c. = C. lutea.



PAVONIA, Ruiz & Pav. Prod. 127. t. 28 (1794) = **Laurelia**, Juss. (Monim.).  
*sempervirens*, Ruiz & Pav. Syst. Veg. 253 = *L. aromatica*.

PAXTONIA, Lindl. Bot. Reg. (1838) Misc. 61 = **Spathoglottis**, Blume (Orchid.).  
*rosea*, Lindl. l. c. — Ins. Philipp.

PAYANELIA, C. B. Clarke, in Hook. f. Fl. Brit. Ind. iv. 384 (1884) = **Pajanelia**, DC. (Bignon.).

**PAYENA**, A. DC. in DC. Prod. viii. 196 (1844).  
**SAPOTACEAE**, Benth. & Hook. f. ii. 659.  
 AZAOLA, Blanco, Fl. Filip. ed. I. 402 (1837), nomen prius.  
 CACOSMANTHUS, Miq. Fl. Ind. Bat. ii. 1040 (1857).  
 KAKOSMANTHUS, Hassk. Retzia, 97 (1855); Walp. Ann. v. 474 (1858).  
 KERATEPHORUS, Hassk. in Flora xxxviii. (1855), 578; Retzia, 100 (1855).  
*acuminata*, Pierre, in Bull. Soc. Linn. Par. i. (1885) 528 = *Mimusops acuminata*.  
*Balem*, Pierre, l. c. 530 = *Bassia Balem*.  
*bankensis*, Burck, in Ann. Jard. Buitenz. v. (1885) 54. — Ins. Banca.  
*Bawun*, Scheff. l. c. i. (1876) 33. — N. Guin.  
*Beccarii*, Pierre, in Bull. Soc. Linn. Par. i. (1885) 525. — Borneo.  
*Benamina*, Pierre, l. c. 524 = *Isonandra Benamina*.  
*Betis, Villar*, in Blanco, Fl. Philipp. ed. III. Nov. App. 125. — In. Philipp.  
*Boelageana*, Burck, in Ann. Jard. Buitenz. v. (1885) 54. — Java?  
*Croixiana*, Pierre, in Bull. Soc. Linn. Par. i. (1885) 524. — Malacca.  
*dasyphylla*, Pierre, l. c. 527 = *Isonandra dasyphylla*.  
*glutinosa*, Pierre, l. c. 529. — Borneo.  
*Griffithii*, Kurz, For. Fl. Brit. Burma, ii. 121 = *Dichopsis hexandra*.  
*Griffithii*, Pierre, in Bull. Soc. Linn. Par. i. (1885) 525. — Malacca.  
*Hillii*, Horne, ex Baker, in Journ. Linn. Soc. xx. (1883) 368. — Madag.  
*Junghuhniana*, Pierre, in Bull. Soc. Linn. Par. i. (1885) 530. — Java.  
*lamponga*, Burck, in Ann. Jard. Buitenz. v. (1885) 48, 59 = *Isonandra lamponga*.  
*latifolia*, Burck, l. c. 58. — Ins. Sunda.  
*Leerii*, Kurz, in Journ. As. Soc. Beng. xl. (1871) 11. 69; Burck, l. c. 48, 56. — Burma.  
*longipetiolata*, Kurz, l. c. — Ind. or.  
*Lowiana*, Pierre, in Bull. Soc. Linn. Par. i. (1885) 525. — Malaya.  
*lucida*, A. DC. in DC. Prod. viii. 197. — Penang; Singapore.  
*lucida*, Herb. Traj. ex Pierre, in Bull. Soc. Linn. Par. i. (1885) 526 = *Griffithii*.  
*lucida*, Pierre, l. c. 525 = *Lowiana*.  
*macrophylla*, Burck, in Ann. Jard. Buitenz. v. (1885) 51. — Java.  
*Maingayi*, C. B. Clarke, in Hook. f. Fl. Brit. Ind. iii. 547. — Malacca.  
*malaccensis*, C. B. Clarke, l. c. — Malacca.  
*microphylla*, Burck, in Ann. Jard. Buitenz. v. (1885) 99, 60 = *Isonandra microphylla*.  
*nigro-punctata*, Burck, l. c. 53. — Java.  
*obscura*, Burck, l. c. 60. — Sumatra.  
*paralleloneura*, Kurz, in Journ. As. Soc. Beng. xl. (1871) 11. 70. — Burma.  
*polyandra*, Benth. & Hook. f. Gen. ii. 659. — Ind. or.  
*puberula*, Pierre, ex Burck, in Ann. Jard. Buitenz. v. (1885) 50 = *Isonandra puberula*.  
*rubro-pedicellata*, Burck, l. c. 55. — Java?  
*sericea*, De Vriese, Pl. Reinw. 62; Miq. Fl. Ind. Bat. ii. 1039 = *Bassia sericea*.  
*stipularis*, Burck, in Ann. Jard. Buitenz. v. (1885) 48. — Ins. Celebes.  
*sumatrana*, Miq. Fl. Ind. Bat. Suppl. 582. — Sumatra.  
*sumatrana*, Pierre, in Bull. Soc. Linn. Par. i. (1885) 527 = *Teysmanniana*.  
*Suringariana*, Burck, in Ann. Jard. Buitenz. v. (1885) 49 = *Bassia sericea*.  
*Teysmanniana*, Pierre, in Bull. Soc. Linn. Par. i. (1885) 527. — Sumatra.

PAYERIA, Baill. Adansonia, i. (1860-61) 50. t. 3 = **Quivisia**, Comm. (Meliac.).  
*chrysogyne*, Muell. Arg. in Linnæa, xxxiv. (1865-66) 65. — Ins. Borbon.

*excelsa*, Baill. Adansonia, i. (1860-61) 51. t. 3. — Madag.

**PAYPAYROLA**, Aubl. Pl. Gui. i. 249. t. 99 (1775).  
**VIOLARIEAE**, Benth. & Hook. f. i. 118.  
**LIGNONIA**, Scop. Introd. 292 (1777).  
 PAYROLA, Juss. Gen. 472 (1789).  
**PERICLISTIA**, Benth. in Hook. Journ. Bot. iv. (1842) 108.  
 WIBELIA, Pers. Syn. i. 210 (1805).  
*Blanchetiana*, Tul. in Ann. Sc. Nat. Sér. III. vii. (1847) 371. — Bras.  
*brasiliensis*, Steud. Nom. ed. II. ii. 280. — Bras.  
*confertiflora*, Tul. in Ann. Sc. Nat. Sér. III. vii. (1847) 373. — Guian.  
*grandiflora*, Tul. l. c. 371. — Guian.  
*guianensis*, Aubl. Pl. Gui. i. 249. t. 99. — Guian.  
*longifolia*, Tul. in Ann. Sc. Nat. Sér. III. vii. (1847) 372. — Guian.  
*Sprengelii*, Tul. l. c. 371 = *brasiliensis*.  
*ventricosa*, Tul. l. c. xi. (1849) 153. — Peruv.

PAYROLA, Juss. Gen. 472 (1789) = **Paypayrola**, Aubl. (Violar.).  
*guianensis*, Lam. Illustr. ii. t. 72 = *Paypayrola guianensis*.

PEARCEA, Regel, Gartenfl. xvi. (1867) 388 = **Isoloma**, Decne. (Gesner.).  
*hypocyrtiflora*, Regel, l. c. = *I. hypocyrtiflorum*.

PECCANA, Rafin. Sylva Tellur. 114 (1838) = **Euphorbia**, Linn.  
*glauca*, Rafin. l. c. 115 = *E. nudiflora*.

PECHEA, 'Arrab.' ex Steud. Nom. ed. II. ii. 280 (1841) sphalm. = **PECKIA**, Vell. = **Cybianthus**, Mart. (Myrsin.).

PECHEA, Pour. Chlor. Narb. n. 103; ex Kunth, Enum. Pl. i. 22, in syn. (1833) = **Heleocholea**, Host (Gramin.).  
*subcylindrica*, Pourr. l. c. = *H. schoenoides*.

PECHEYA, Scop. Introd. 143 (1777) = **Coussarea**, Aubl. (Rubiace.).

PECKEYA, Rafin. in Ann. Gén. Sc. Phys. vi. (1820) 87 = *præc.*

PECKIA, Vell. Fl. Flum. 51; Ic. i. t. 134, 135 (1825) = **Cybianthus**, Mart. (Myrsin.).  
*megaphylla*, Vell. l. c. 52; i. t. 135. — Bras.  
*verticillata*, Vell. l. c. 51; i. t. 134 = *C. cuneifolius*.

**PECKOLTIA**, Fourn. in Mart. Fl. Bras. vi. vi. 310 (1885). **ASCLEPIADEAE**.  
*pedalis*, Fourn. l. c. — Bras.

PECTANISIA, Rafin. Fl. Tellur. iii. 72 (1836) = **Reseda**, Linn.  
*Phyteuma*, Rafin. l. c. 73 = *R. Phyteuma*.

PECTEILIS, Rafin. Fl. Tellur. ii. 37 (1836) = **Habenaria**, Willd. (Orchid.).  
*gigantea*, Rafin. l. c. 38 = *H. Susannæ*.  
*radiata*, Rafin. l. c. = *H. radiata*.  
*Susanna*, Rafin. l. c. = *H. Susannæ*.

PECTEN, Lam. Fl. Fr. iii. 437 (1778) = **Scandix**, Tourn. (Umbell.).  
*Veneris*, Lam. l. c. = *S. Pecten-Veneris*.

PECTIANTIA, Rafin. Fl. Tellur. ii. 72 (1836) = **Mitella**, Tourn. (Saxifr.).  
*mitelloides*, Rafin. l. c. = *M. pentandra*.

PECTIDIUM, Less. in Linnæa, vi. (1831) 706 = **Pectis**, Linn. (Compos.).  
*punctatum*, Less. l. c. = *Pectis punctata*.

PECTIDOPSIS, DC. Prod. v. 98 (1836) = **Pectis**, Linn. (Compos.).  
*angustifolia*, DC. l. c. = *Pectis angustifolia*.

PECTINARIA, Bernh. Syst. Verz. Erf. 113 (1800) = **Scandix**, Tourn. (Umbell.).  
*vulgaris*, Bernh. l. c. 168 = *S. Pecten-Veneris*.

**PECTINARIA**, Haw. Syn. Pl. Succ. Suppl. 14 (1819). **ASCLEPIADEAE**, [Benth. & Hook. f. ii. 782].  
*articulata*, Haw. l. c. — Afr. austr.  
*mammillaris*, Sweet, Hort. Brit. ed. II. 357 = *Bouca-rosia mammillaris*.

PECTINASTRUM, Cass. in Dict. Sc. Nat. xlv. 36 (1826) = **Centaurea**, Linn. (Compos.).  
*napifolium*, Cass. l. c. = *C. napifolia*.

PECTINEA, Gaertn. Fruct. ii. 136. t. 111. f. 3 (1791) = **Erythrospermum**, Lam. (Bixin.).  
*zeylanica*, Gaertn. l. c. = *E. phytolaccoides*?

**PECTIS**, Linn. Syst. ed. X. 1221 (1759). **COMPOSITAE**, Benth. & Hook. f. ii. 412.  
**CHEILODISCUS**, Triana, in Ann. Sc. Nat. Sér. IV. ix. (1858) 36.  
**CHTHONIA**, Cass. in Dict. Sc. Nat. ix. 173 (1817).  
**CRYPTOPETALON**, Cass. in Bull. Soc. Philom. (1817) 12; et Dict. Sc. Nat. xii. 123 (1818).  
**CRYPTOPETALUM**, DC. Prod. v. 101, in syn. (1836).  
**HELIOREOS**, Rafin. Atl. Journ. 145 (1832).  
**LORENTEA**, Lag. Gen. et Sp. Nov. 28 (1816).  
**PECTIDIUM**, Less. in Linnæa, vi. (1831) 706.  
**PECTIDOPSIS**, DC. Prod. v. 98 (1836).  
**SEALA**, Adans. Fam. ii. 131 (1763).  
**STAMMARIUM**, Willd. ex DC. Prod. v. 102 (1836).  
*acicularis*, D. Don, ex Hook. & Arn. in Hook. Journ. Bot. iii. (1841) 320 = *Hymenatherum tenuifolium*.  
*affinis*, Sch. Bip. in Seem. Bot. Voy. Herald, 309. — Bras.  
*anceps*, Less. in Linnæa, vi. (1831) 715 = *ciliaris*.  
*angustifolia*, Torr. in Ann. Lyc. N. York, ii. (1828) 214. — Am. bor. occ.  
*apodocephala*, Baker, in Mart. Fl. Bras. vi. iii. 285 = *brevipedunculata*.  
*arenaria*, Benth. Bot. Voy. Sulph. 110. — Mexic.  
*auricularis*, Sch. Bip. in Seem. Bot. Voy. Herald, 309. — Mexic.  
*Berlandieri*, DC. Prod. v. 100. — Mexic.  
*bibracteata*, Klatt, in Leopoldina, xx. (1884) 92. — Mexic.  
*bipinnata*, Steud. Nom. ed. II. ii. 280 = *Schkuhria abrotanoides*.  
*Bonplandiana*, H. B. & K. Nov. Gen. et Sp. iv. 293. — Mexic.  
*brevipedunculata*, Sch. Bip. in Seem. Bot. Voy. Herald, 309. — Mexic.  
*Burchellii*, Baker, in Mart. Fl. Bras. vi. iii. 287. — Bras.  
*canescens*, H. B. & K. Nov. Gen. et Sp. iv. 263. t. 393. — Mexic.  
*canescens*, Less. in Linnæa, v. (1830) 135 = *auricularis*.  
*capillaris*, DC. Prod. v. 99. — Mexic.  
*capillipes*, Hemsl. Biol. Centr. Am. Bot. ii. 225. — Nicaragua.  
*carthusianorum*, Less. in Linnæa, vi. (1831) 712. — Ins. S. Doming.  
*ciliaris*, Linn. Sp. Pl. ed. X. 1221. — Ind. occ.  
*ciliaris*, Sw. Obs. Bot. 307 = *Swartziana*.  
*ciliata*, Steud. Nom. ed. II. i. in syn. = *ciliaris*.  
*congesta*, Sch. Bip. in Seem. Bot. Voy. Herald, 309; Baker, in Mart. Fl. Bras. vi. iii. 287. — Bras.  
*costata*, Ser. & Merc. in DC. Prod. v. 100. — Mexic.  
*Coulteri*, Harv. & Gray, in Mem. Am. Acad. N. S. iv. (1849) 62. — Arizona.  
*cryptocephala*, Sch. Bip. in Seem. Bot. Voy. Herald, 309. — Peruv.  
*cubensis*, Griseb. Cat. Pl. Cub. 156. — Cuba.  
*decumbens*, Sch. Bip. in Seem. Bot. Voy. Herald, 309; Baker, in Mart. Fl. Bras. vi. iii. 286. — Bras.  
*dichotoma*, Klatt, in Leopoldina, xx. (1884) 92. — Mexic.  
*diffusa*, Hook. & Arn. Bot. Beech. Voy. 296 Mexic.  
*discoidea*, Hornem. Suppl. Hort. Hafn. 100 = *Leyssera capillifolia*.  
*elongata*, H. B. & K. Nov. Gen. et Sp. iv. 262. t. 392. — N. Granat.  
*fasciculata*, Poir. Encyc. v. 120. — prostrata.  
*fasciculiflora*, DC. Prod. v. 100. — Mexic.



**PECTIS:**—

- fastigiata*, A. Gray, in Mem. Am. Acad. N. S. iv. (1849) 62 = *angustifolia*.  
*febrifuga*, Van Hall, in Fl. Jard. Pays-Bas, iv. (1861) 33.—Ins. Curaçoa.  
*filipes*, Harv. & Gray, in Mem. Am. Acad. N. S. iv. (1849) 62 = *taliscana*.  
*floribunda*, A. Rich. Fl. Cub. Fanerog. ii. 36.—Cuba.  
*Gardneri*, Baker, in Mart. Fl. Bras. vi. III. 287.—Bras.  
*gibbosa*, La Llave, in La Naturaleza, vii. (1885) Apénd. 84.—Mexic.  
*gracilis*, Baker, in Mart. Fl. Bras. vi. III. 290.—Bras.  
*Granierii*, Sch. Bip. in Linnaea, xxxiv. (1865–66) 535, nomen.—Bolivia.  
*Haenkeana*, Sch. Bip. in Seem. Bot. Voy. Herald, 309.—Mexic.  
*humifusa*, Sw. Prod. Veg. Ind. Occ. 114.—Ind. occ.  
*imberbis*, A. Gray, Pl. Wright. ii. 70.—Arizona; Mexic.  
*jaliscana*, Hemsl. Biol. Centr. Am. Bot. ii. 225 = *taliscana*.  
*latisquama*, Sch. Bip. ex A. Gray, in Proc. Am. Acad. v. (1862) 181 = *canescens*.  
*Liebmanni*, Sch. Bip. ex Hemsl. Biol. Centr. Am. Bot. ii. 226.—Mexic.  
*linearis*, La Llave, in La Naturaleza, vii. (1885) Apénd. 84.—Mexic.  
*linearis*, Willd. ex Less. in Linnaea, vi. (1831) 712 = *Bonplandiana*.  
*linifolia*, Linn. Amoen. Acad. v. 407 = *punctata*.  
*linifolia*, Linn. Syst. ed. X. 1221.—Ind. occ.  
*longipes*, A. Gray, Pl. Wright. ii. 69.—Arizona.  
*maritima*, Sch. Bip. ex Baker, in Mart. Fl. Bras. vi. III. 289 = *oligocephala*.  
*meifolia*, Wall. Cat. n. 3198 = *Glossocardia linearifolia*.  
*minuta*, Schreb. ex Steud. Nom. ed. I. 103, 509 = *Bellium minutum*.  
*minuta*, Willd. ex Less. in Linnaea, vi. (1831) 713 = *pygmaea*.  
*multifida*, Orteg. Hort. Matr. Dec. 45 = *Schkuhria abrotanoides*.  
*multiflosculosa*, Sch. Bip. in Herb. ex Benth. & Hook. f. Gen. ii. 412 = *arenaria*.  
*multiflosculosa*, Sch. Bip. in Seem. Bot. Voy. Herald, 309.—Costa Rica.  
*multisetata*, Benth. Bot. Voy. Sulph. 20.—Calif.  
*odorata*, Griseb. in Goett. Abh. xxiv. (1879) 200.—Reg. Argent.  
*oligocephala*, Sch. Bip. in Herb. ex Benth. & Hook. f. Gen. ii. 412 = *rigida*.  
*oligocephala*, Sch. Bip. in Seem. Bot. Voy. Herald, 309; Baker, in Mart. Fl. Bras. vi. III. 289.—Bras.  
*papposa*, Harv. & Gray, in Mem. Am. Acad. N. S. iv. (1849) 62.—Am. bor. occ.  
*patula*, Linn. f. ex DC. Prod. v. 99 = *Swartziana*.  
*pinnata*, Lam. in Journ. Hist. Nat. Par. ii. (1792) 150. t. 31 = *Schkuhria abrotanoides*.  
*Plumieri*, Griseb. Fl. Brit. W. Ind. 378.—Ind. occ.  
*polycephala*, Sch. Bip. in Seem. Bot. Voy. Herald, 309 = *elongata*.  
*pratensis*, Wright, in Sauv. Fl. Cub. 81.—Cuba.  
*prostrata*, Cav. Ic. iv. 12. t. 324.—Am. bor. occ.; Mexic.  
*prostrata*, Sieber, ex Less. in Linnaea, vi. (1831) 717 = *humifusa*.  
*punctata*, Jacq. Enum. Pl. Carib. 28.—Calif.; Ind. occ.; Ins. Galap.  
*punctata*, Sw. ex DC. Prod. v. 99 = *Swartziana*.  
*pygmaea*, H. B. & K. Nov. Gen. et Sp. iv. 262.—N. Granat.  
*ramosissima*, Sch. Bip. in Seem. Bot. Voy. Herald, 309.—Bras.  
*rigida*, Baker, in Mart. Fl. Bras. vi. III. 288.—Bras.  
*rubicea*, Baker, l. c. 287.—Bras.  
*Rusbyi*, Greene, ex A. Gray, Syn. Fl. N. Am. i. II. 361.—Arizona.  
*satureioides*, Sch. Bip. in Seem. Bot. Voy. Herald, 309.—Mexic.  
*Seemannii*, Sch. Bip. l. c. = *Oxypappus scaber*.  
*serpyllifolia*, Less. in Linnaea, vi. (1831) 715 = *humifusa*.  
*sessiliflora*, Sch. Bip. in Seem. Bot. Voy. Herald, 309.—Hab.?  
*Sieberi*, Less. in Linnaea, vi. (1831) 717 = *humifusa*.  
*stricta*, Willd. ex Less. l. c. 710 = *elongata*.

**PECTIS:**—

- subsquarrosa*, Sch. Bip. in Seem. Bot. Voy. Herald, 309.—Mexic.  
*Swartziana*, Less. in Linnaea, vi. (1831) 711.—Ind. occ.; Panama.  
*taliscana*, Benth. Pl. Hartw. 121 = *diffusa*.  
*taliscana*, Hook. & Arn. Bot. Beech. Voy. 296.—Mexic.  
*tenella*, DC. Prod. v. 99.—Mexic.  
*tenella*, Rothrock, in Wheeler, Rep. vi. 171 = *papposa*.  
*tenuifolia*, Sch. Bip. in Seem. Bot. Voy. Herald, 309.—Mexic.  
*uniaristata*, DC. Prod. v. 99.—Mexic.  
*violacea*, Griseb. ex Lorentz, Veget. Entre-Rios, 78, nomen; et in Goett. Abh. xxiv. (1879) 200.—Reg. Argent.  
**PECTOCARYA**, DC. ex Meissn. Gen. 279 (1840).  
*BORAGINEAE*, Benth. & Hook. f. ii. 847.  
*GRUVELIA*, A. DC. in DC. Prod. x. 119 (1846).  
*KTENOSPERMUM*, Lehm. Del. Sem. Hort. Hamb. (1837) 17.  
*chilensis*, DC. Prod. x. 120 = *linearis*.  
*lateriflora*, DC. l. c.—Peruv.  
*linearis*, DC. l. c.—Calif.; Chili.  
*penicillata*, A. DC. l. c.—Am. bor. occ.  
*pusilla*, A. Gray, in Proc. Am. Acad. xii. (1877) 81.—Calif.; Chili.  
*setosa*, A. Gray, l. c.—Calif.  
**PECTOPHYLLUM**, Reichb. Consp. 145 (1828), sphalm. = seq.  
**PECTOPHYTUM**, H. B. & K. Nov. Gen. et Sp. v. 28. t. 425 (1821) = *Azorella*, Lam. (Umbell.).  
*pedunculare*, H. B. & K. l. c. 29 = *A. pedunculata*.  
**PEDALIUM**, Adans. Fam. ii. 277 (1763) = *Atraphaxis*, Linn. (Polygon.).  
**PEDALIUM**, Royen, ex Linn. Syst. ed. X. 1123 (1759).  
*PEDALINEAE*, Benth. & Hook. f. ii. 1056.  
*CACATALI*, Adans. Fam. ii. 43 (1763).  
*Caillaudii*, Hochst. ex DC. Prod. ix. 256, in adnot. = *Rogeria adenophylla*.  
*filiforme*, Pav. ex DC. l. c. 256, 257.—Mexic.  
*longiflorum*, Decne. in Ann. Sc. Nat. Sér. V. iii. (1865) 331 = *Rogeria longiflora*.  
*microcarpum*, Decne. l. c. 332 = *Rogeria microcarpa*.  
*Murex*, Linn. Syst. ed. X. 1123.—Ind. or.; Afr. trop.  
*muricatum*, Salisb. Prod. 104 = *praec.*  
*Rogeria*, Decne. in Ann. Sc. Nat. Sér. V. iii. (1865) 331 = *Rogeria adenophylla*.  
**PEDASTIS**, Rafin. Sylva Tellur. 87 (1838) = *Vitis*, Linn. (Ampel.).  
*indica*, Rafin. l. c. = *V. pedata*.  
**PEDDIEA**, Harv. in Hook. Journ. Bot. ii. (1840) 265. t. 10. *THYMELAEACEAE*, Benth. & Hook. f. iii. 199.  
*CYATHODISCUS*, Hochst. in Flora, xxv. (1842) 240.  
*PSILOSOLENA*, Presl, Bot. Bemerk. 102 (1844).  
*africana*, Harv. in Hook. Journ. Bot. ii. (1840) 266.—Afr. austr.  
*africana*, Plant. ex Meissn. in DC. Prod. xiv. 528 = *Dregei*.  
*Dregei*, Meissn. l. c.—Afr. austr.  
*Harveyi*, Meissn. l. c. = *africana*.  
*involuta*, Baker, in Journ. Linn. Soc. xx. (1883) 244.—Madag.  
*parviflora*, Hook. f. l. c. vi. (1862) 20.—Afr. trop.  
**PEDERIA**, Noronha, in Verh. Batav. Gen. v. (1790) ed. I. Art. iv. 23 = *Paederia*, Linn. (Rubiace.).  
**PEDERLEA**, Rafin. Sylva Tellur. 54 (1838) = *Acnistus*, Schott (Solan.).  
*aggregata*, Rafin. l. c. = *A. aggregatus*.  
*arborescens*, Rafin. l. c. = *A. aggregatus*.  
*cestroides*, Rafin. l. c. = *Lycium cestroides*.  
**PEDEROTA**, Scop. Ann. II. Hist. Nat. (1769) 41 = *Paederota*, Linn. (Scrophul.).  
**PEDICELLARIA**, Schrank, in Roem. & Usteri, Mag. Bot. iii. St. VIII. (1790) 10 = *Gynandropsis*, DC. (1824) (Capparid.).  
*pentaphylla*, Schrank, l. c. 11 = *G. pentaphylla*.

**PEDICELLIA**, Lour. Fl. Cochinch. 655 (1790) = *Ratonia*?, DC. (Sapind.).  
*oppositifolia*, Lour. l. c.—Cochinch.

**PEDICULARIS**, [Tourn.] Linn. Syst. ed. I (1735).

- SCROPHULARINEAE*, Benth. & Hook. f. ii. 978.  
*PROSOPIA*, Reichb. Consp. 121 (1828).  
*SCEPANIUM*, Ehrh. Beitr. iv. 148 (1789).  
*SCEPTRUM-CAROLINUM*, Linn. Fl. Lapp. 197 (1737).  
*abrotanifolia*, Bieb. ex Stev. in Mém. Soc. Nat. Mosc. vi. (1823) 22.—Sibir.  
*abrotanifolia*, Henders. & Hume, Yarkand, 330; Hook. f. & Thoms. ex Hook. f. Fl. Brit. Ind. iv. 309 = *cheiranthifolia*.  
*abrotanifolia*, Kar. & Kir. in Bull. Soc. Nat. Mosc. (1841) 718 = *violascens*.  
*acaulis*, Salzer, Reiseb. 323 = *Oederi*.  
*acaulis*, Scop. Fl. Carn. ed. II. i. 439.—Europ. austr.  
*acaulis*, Vell. Fl. Flum. 270; vi. t. 107.—Bras.  
*achilleaeifolia*, Host, ex Boiss. Fl. Orient. iv. 492 = *comosa*.  
*achilleaeifolia*, Steph. ex Willd. Sp. Pl. iii. 219.—Sibir.  
*achilleaeifolia*, Turcz. ex Bunge, in Ledeb. Fl. Ross. iii. 293 = *fissa*.  
*acmodonta*, Boiss. Diagn. Ser. I. iv. 83 = *comosa*.  
*adscendens*, Gaud. Fl. Helvet. iv. 145.—Europ.  
*adscendens*, Hoppe & Sternb. in Denkschr. Bot. Ges. Regensb. i. II. (1818) 122 = *tuberosa*.  
*adunca*, Bieb. ex Stev. in Mém. Soc. Nat. Mosc. vi. (1823) 29.—Sibir.; Kamtschat.  
*aequinoctialis*, H. B. & K. Nov. Gen. et Sp. ii. 332 = *canadensis*.  
*alaschanica*, Maxim. in Bull. Acad. Pétersb. xxiv. (1878) 59.—Reg. Himal.; Mongolia.  
*Alberti*, Regel, in Act. Hort. Petrop. vi. (1879) 353.—As. centr.  
*Allionii*, Reichb. f. Ic. Fl. Germ. xxx. 77. t. 1760 = *rosea*.  
*alopeuroides*, Adams, ex Stev. in Mém. Soc. Nat. Mosc. vi. (1823) 49 = *Langsdorffii*.  
*altaica*, Steph. ex Bunge, in Ledeb. Fl. Ross. iii. 291 = *uliginosa*.  
*altaica*, Steph. ex Stev. in Mém. Soc. Nat. Mosc. vi. (1823) 48. t. 14 a.—Sibir. altaic.  
*altissima*, Pall. Reise, iii. 297 = *uncinata*.  
*amoena*, Adams, ex Stev. in Mém. Soc. Nat. Mosc. vi. (1823) 25.—Sibir.; Kamtschat.  
*angustifolia*, Benth. Pl. Hartw. 22.—Mexic.  
*anthemifolia*, Fisch. in Ledeb. Fl. Ross. iii. 303 = *amoena*.  
*araratica*, Bunge, in Mém. Acad. Pétersb. Sér. VI. vii. (1858) 594 = *crassirostris*.  
*arctica*, Adams, ex Stev. in Mém. Soc. Nat. Mosc. vi. (1823) 51 = *hirsuta*.  
*arctica*, Bieb. ex Stev. l. c. 25 = *amoena*.  
*arctica*, R. Br. in Parry, Voy. App. 280; et in Frankl. Journ. App. 742 = *Langsdorffii*.  
*armata*, Maxim. in Bull. Acad. Pétersb. xxiv. (1878) 56.—China.  
*armena*, Boiss. & Huet, Diagn. Ser. II. iii. 175 = *caucasica*.  
*armena*, Bunge, in Mém. Acad. Pétersb. Sér. VI. vii. (1858) 595 = *crassirostris*.  
*Artselaeri*, Maxim. in Bull. Acad. Pétersb. xxiv. (1878) 84.—Mongolia.  
*ascendens*, Schleich. Cat. Pl. Helv. ed. III. 21 = *tuberosa*.  
*asparagoides*, Lapeyr. Hist. Abr. Pl. Pyren. 349 = *comosa*.  
*asplenifolia*, Baumg. Enum. Stirp. Transs. ii. 202 = *Oederi*.  
*asplenifolia*, Croom, in Am. Journ. Sc. Ser. I. xxvi. (1834) 315 = *canadensis*.  
*asplenifolia*, Floerk. ex Willd. Sp. Pl. iii. 208.—Austria.  
*asplenifolia*, Muhl. in Trans. Am. Phil. Soc. iii. (1793) 173 = *Oederi*?  
*asplenifolia*, Wall. Cat. n. 416; Hook. f. Fl. Brit. Ind. iv. 314 (excl. syn.) = *Wallichii*.  
*atropurpurea*, Nordm. in Bull. Phys.-Math. Acad. Pétersb. ii. (1837) 813.—As. Min.  
*atrurubens*, Salzer, Reiseb. 323 = *Oederi*.  
*atrurubens*, Schleich. Cat. Pl. Helv. (1815) 21.—Helvet.  
*attenuata*, Benth. in DC. Prod. x. 574 = *densiflora*.  
*attollens*, A. Gray, in Proc. Am. Acad. vii. (1868) 384.—Calif.  
*auriculata*, Sm. in Rees, Cycl. xxvi. [n. 6] = *lanceolata*.  
*avana*, Wall. Cat. n. 1007 = *Cardanthera avana*.



**PEDICULARIS:—**

*Barrelieri*, Reichb. Fl. Germ. Excurs. 362 = adscendens. bella, Hook. f. Fl. Brit. Ind. iv. 313.—Reg. Himal. Besseriana, Andr. ex Trautv. in Act. Hort. Petrop. ix. (1884) 74, nomen (Quid ?).—Rossia. bicornuta, Klotzsch, in Bot. Ergeb. Waldem. Reise, 109.—Reg. Himal. bicuspidata, Griseb. & Schenk, in Wieg. Archiv, xviii. (1852) i. 325 = comosa. Bonjeani, Colla, Herb. Pedem. iv. 363 = cenisia. borealis, Stev. ex Hook. f. in Trans. Linn. Soc. xxiii. (1861) 337 = palustris. Borgeau, Maxim. in Bull. Acad. Pétersb. xxvii. (1881) 519.—Armenia. brachyodonta, Schloss. & Vukot. Fl. Croat. 652.—Macedon. brachystachys, Bunge, in Ledeb. Fl. Alt. ii. 429.—Mont. Altai. bracteosa, Benth. in Hook. Fl. Bor. Am. ii. 110.—Am. bor. occ. bracteosa, Pall. ex Bunge, in Bull. Sc. Acad. Pétersb. viii. (1841) 252 = fissa. breviflora, Regel, in Act. Hort. Petrop. vi. (1879) 352.—As. centr. brevifolia, D. Don, Prod. Fl. Nep. 94.—Reg. Himal. Brunoniana, Wall. Cat. n. 422 = gracilis. bulbosa, Pall. Reise, ii. 87 = comosa. Bungii, Tchihatch. Asie Min. Bot. ii. 45.—As. Min. cabulica, Benth. in DC. Prod. x. 575 = dolichorrhiza. cadmea, Boiss. Diagn. Ser. I. iv. 82.—As. Min. caespitosa, Sieber, ex Reichb. Fl. Germ. Excurs. 364 = rostrata. caespitosa, Webb, Iter Hisp. 24 = verticillata. callicoma, Herb. Gorenk. ex Stev. in Mem. Soc. Nat. Mosc. vi. (1823) 55 = Wilhelmsiana. callosa, Adams, ex Stev. i. c. 25 = verticillata. campestris, Griseb. & Schenk, in Wieg. Archiv, xviii. (1852) i. 324.—Transsylv. campylosiphon, C. Koch, in Linnaea, xxii. (1849) 682 = condensata. canadensis, Linn. Mant. i. 86.—Am. bor. ; Mexic. capitata, Adams, in Mem. Soc. Nat. Mosc. v. (1817) 100.—As. et Am. arct. carnea, Wall. Pl. As. Rar. ii. 44. t. 154.—Reg. Himal. caucasica, Bieb. Fl. Taur. Cauc. ii. 72.—Reg. Caucas. ; Persia. cenisia, Gaud. Fl. Helvet. iv. 132.—Helvet. centranthera, A. Gray, in Torr. Bot. Mex. Bound. 120.—Am. bor. occ. Chamissonis, Stev. in Mem. Soc. Nat. Mosc. vi. (1823) 20. t. 4. f. 1.—Sibir. ; Ins. Aleut. cheilanthifolia, Schrenk, Enum. Pl. Nov. ii. 19 ; et in Bull. Phys.-Math. Acad. Pétersb. i. (1843) 79.—Reg. Himal. ; Soongar. ; China. chinensis, Maxim. in Bull. Acad. Pétersb. xxiv. (1878) 57.—China. chorgonica, Regel, in Act. Hort. Petrop. vi. (1879) 350.—As. centr. chorgossica, Regel & Winkler, ex Maxim. in Bull. Acad. Pétersb. xxvii. (1881) 514 = praec. Clarkei, Hook. f. Fl. Brit. Ind. iv. 310.—Reg. Himal. comosa, Baumg. Enum. Stirp. Transs. ii. 202 = campestris. comosa, Griseb. Spicil. Fl. Rumel. ii. 17 = brachyodonta. comosa, Linn. Sp. Pl. 609.—Europ. ; Oriens ; As. bor. comosa, Mattus. Enum. Stirp. Siles. 160 = sudetica. comosa, Scop. Fl. Carn. ed. II. i. 440 = foliosa. comosa, Vell. Fl. Flum. 270 ; vi. t. 106.—Bras. compacta, Steph. ex Willd. Sp. Pl. iii. 219.—Soongar. ; Sibir. condensata, Bieb. Fl. Taur. Cauc. ii. 72.—As. Min. ; Reg. Caucas. conica, Pall. ex Bunge, in Ledeb. Fl. Ross. iii. 295 = physocalyx. conica, Pall. ex Stev. in Mem. Soc. Nat. Mosc. vi. (1823) 46 = comosa. contorta, Benth. in Hook. Fl. Bor. Am. ii. 108.—Am. bor. occ. coronensis, Schur, in Oestr. Bot. Zeitschr. x. (1860) 183 = campestris. corymbosa, Pall. ex Stev. in Mem. Soc. Nat. Mosc. vi. (1823) 42 = euphrasioides. cranolopha, Maxim. in Bull. Acad. Pétersb. xxiv. (1878) 55.—China. crassirostris, Bunge, in Bull. Sc. Acad. Pétersb. viii. (1840) 248.—Reg. Caucas. ; Armenia.

**PEDICULARIS:—**

crenulata, Benth. in DC. Prod. x. 568.—Am. bor. occ. cristata, Vitm. Summa Pl. iii. 481 = gyroflexa. curvipes, Hook. f. Fl. Brit. Ind. iv. 316.—Reg. Himal. curvituba, Maxim. in Bull. Acad. Pétersb. xxiv. (1878) 60.—China. dasystachys, Schrenk, in Bull. Phys.-Math. Acad. Pétersb. ii. (1844) 195 = sudetica. densiflora, Benth. in Hook. Fl. Bor. Am. ii. 110.—Calif. denudata, Hook. f. Fl. Brit. Ind. iv. 309.—Reg. Himal. discolor, Adams, ex Ledeb. Fl. Ross. iii. 286 = sudetica. distans, Willd. ex Walp. Rep. iii. 412 = verticillata. dolichorrhiza, Reichb. Ic. Fl. Germ. xx. 71 = campestris. dolichorrhiza, Schrenk, Enum. Pl. Nov. ii. 23 ; et in Bull. Phys.-Math. Acad. Pétersb. i. (1843) 80.—Reg. Himal. ; As. centr. Dollingeriana, Nordm. ex Benth. in DC. Prod. x. 573 = condensata. elata, Pursh, Fl. Am. Sept. ii. 425 = bracteosa ? elata, Willd. Sp. Pl. iii. 210.—Sibir. elegans, Ledeb. ex Sweet, Hort. Brit. ed. II. 395 (Quid ?).—Sibir. elegans, Tenore, Fl. Nap. v. 37.—Ital. elephantoides, Benth. Scroph. Ind. 23.—Reg. Himal. Elephas, Boiss. Diagn. Ser. I. iv. 81 = siphonantha. Elephas, Boiss. Fl. Orient. iv. 489, partim = rhinanthoides. elongata, Kern. in Zeitschr. Ferd. Tirol. III. xv. (1870) 260.—Europ. Elwesii, Hook. f. Fl. Brit. Ind. iv. 312.—Reg. Himal. erecta, Gilib. Exercit. i. 135 = palustris. eriophora, Turcz. in Bull. Soc. Nat. Mosc. xxiv. (1851) ii. 333.—Reg. Himal. eriostachys, Ledeb. ex Spreng. Syst. ii. 280 = sudetica. erubescens, Kern. ex Caruel, in Parl. Fl. Ital. vi. 445 = Jacquinii. euphrasioides, Cham. in Linnaea, vi. (1831) 590 = lapponica. euphrasioides, Stev. ex Willd. Sp. Pl. iii. 204.—Sibir. ; Am. arct. exaltata, Bess. in Flora, xv. (1832) ii. Beibl. 19.—Ross. med. exaltata, Fisch. ex Bunge, in Bull. Sc. Acad. Pétersb. viii. (1841) 252 = condensata. exaltata, Ledeb. ex Sweet, Hort. Brit. ed. II. 395 (Quid ?).—Sibir. excelsa, Hook. f. Fl. Brit. Ind. iv. 311.—Reg. Himal. eximia, Watt, in Journ. Linn. Soc. xviii. (1881) 381 = bicornuta. fasciculata, Bell. ex Willd. Sp. Pl. iii. 218 = gyroflexa. fasciculata, Poll. ex Benth. in DC. Prod. x. 570 = Friderici-Augusti. Fetisowi, Regel, in Act. Hort. Petrop. vi. (1879) 349.—Am. centr. flicifolia, Adams, ex Bunge, in Bull. Sc. Acad. Pétersb. viii. (1841) 252 = Oederi. fissa, Hook. f. Fl. Brit. Ind. iv. 316 = dolichorrhiza. fissa, Turcz. in Bull. Soc. Nat. Mosc. xxiv. (1851) ii. 339.—Sibir. baical. fistulosa, Turcz. l. c. 350 = P. Sceptum-Carolinum. flagellaris, Benth. in DC. Prod. x. 581.—Reg. Himal. flammea, Linn. Sp. Pl. 609.—Europ. arct. ; Am. bor. occ. flammea, Oed. in Fl. Dan. t. 30 = Oederi. flava, Ledeb. Fl. Alt. ii. 433 = physocalyx. flava, Pall. Reise, iii. 736.—Sibir. flava, Sibth. & Sm. Fl. Graec. Prod. i. 429 = comosa. flexuosa, Hook. f. Fl. Brit. Ind. iv. 308.—Reg. Himal. folio-ceterac, Gilib. Fl. Lituan. i. 133 = P. Sceptum-Carolinum. foliosa, Georgi, Besch. Russ. Reich. v. 1104 = exaltata. foliosa, Gunn. Fl. Norveg. ii. 146 = Oederi. foliosa, Linn. Mant. i. 86.—Europ. foliosa, Schur, Enum. Pl. Transs. 509 = condensata. Friderici-Augusti, Tommasini, in Linnaea, xiii. (1839) 74. t. 2.—Austria. frondosa, Pall. ex Stev. in Mem. Soc. Nat. Mosc. vi. (1823) 46 = comosa. Furbishiae, S. Wats. in Proc. Am. Acad. xvii. (1881-82) 375.—Am. bor. furfuracea, Wall. Cat. n. 412.—Reg. Himal. Ganderi, Huter, in Oestr. Bot. Zeitschr. xxiii. (1873) 122 = Jacquinii. Gaudini, Arv. in Bull. Soc. Dauph. vii. (1880) 273, in obs. = adscendens.

**PEDICULARIS:—**

geminata, Portenschl. ex J. N. Gebhard, Verz. (1821) 190.—Alp. austr. geminiflora, Reichb. Fl. Germ. Excurs. 361, sphalm. = praec. gladiata, Michx. Fl. Bor. Am. ii. 18 = canadensis. globifera, Hook. f. Fl. Brit. Ind. iv. 308.—Reg. Himal. gloriosa, Bisset & S. Moore, in Journ. Bot. xv. (1877) 295.—Japon. gracilis, Wall. Cat. n. 413.—Reg. Himal. graeca, Bunge, in Bull. Phys.-Math. Acad. Pétersb. i. (1843) 376.—Graecia. grandiflora, Cham. ex Ledeb. Fl. Ross. iii. 302 = capitata. grandiflora, Fisch. in Mem. Soc. Nat. Mosc. iii. (1812) 68.—Dahuria. groenlandica, Retz. Prod. Fl. Scand. ed. II. 145.—Am. bor. occ. et arct. gyroflexa, DC. ex Nym. Consp. 553 = pyrenaica. gyroflexa, Lapeyr. Hist. Abr. Pl. Pyr. 349 = rostrata. gyroflexa, Reichb. Fl. Germ. Excurs. 362 = cenisia. gyroflexa, Vill. Hist. Pl. Dauph. ii. 426. t. 9.—Europ. med. Hacquetii, Graf, in Flora, xvii. (1834) 42 = condensata ? Hacquetii, C. Koch, in Linnaea, xvii. (1843) 42 = condensata. hamata, Bieb. ex Stev. in Mem. Soc. Nat. Mosc. vi. (1823) 20. t. 4. f. 1 = Chamissonis. Hausmanni, Huter, in Oestr. Bot. Zeitschr. xxiii. (1873) 126 = rosea. heterodonta, Panč. ex Janka, in Termész. Füzetek, iv. (1881) 318.—Europ. heterophylla, Patrin, ex Stev. in Mem. Soc. Nat. Mosc. 42 = euphrasioides. himalayea, Klotzsch, in Bot. Ergeb. Waldem. Reise, 107 = siphonantha. hirsuta, All. Fl. Pedem. i. 63 = rosea. hirsuta, Haenke, in Jirasek, Riesengeb. 86 = sudetica. hirsuta, Linn. Sp. Pl. 609.—Reg. arct. hirsuta, Linn. l. c. ed. II. 847, partim = Oederi. Hoffmeisteri, Klotzsch, in Bot. Ergeb. Waldem. Reise, 108 = megalantha. Hookeriana, Wall. Cat. n. 421 = siphonantha. Howellii, A. Gray, in Proc. Am. Acad. xx. (1885) 307.—Calif. Huguenini, Reichb. f. Ic. Fl. Germ. xxx. 73. t. 1777 = gyroflexa. Huteri x, A. Kern. in Zeitschr. Ferd. Tirol. III. xv. (1870) 263.—Europ. imbricata, Pall. ex Stev. in Mem. Soc. Nat. Mosc. vi. (1823) 46 = comosa. incarnata, Baumg. Enum. Stirp. Transs. ii. 203 = Jacquinii. incarnata, Jacq. Fl. Austr. ii. 24. t. 140.—Europ. incarnata, Krock. Fl. Siles. ii. 378 = sudetica. incarnata, Linn. Sp. Pl. 609.—Sibir. incarnata, Pall. Reise, ii. 404 = laeta. incarnata, Retz. Prod. Fl. Scand. ed. I. 117 ; et Obs. iv. 27. t. 1 = groenlandica. incurva, Benth. in DC. Prod. x. 566.—N. Granat. insubrica, Rota, Prosp. Fl. Bergamo, 102 = palustris. integrifolia, Hook. f. Fl. Brit. Ind. iv. 308.—Reg. Himal. interrupta, Steph. ex Stev. in Mem. Soc. Nat. Mosc. vi. (1823) 23.—Sibir. Jacquinii, Koch, in Roehl. Deutschl. Fl. ed. III. iv. 363.—Austria. japonica, Miq. Ann. Mus. Bot. Lugd. Bat. ii. 121.—Japon. jucunda, Schott & Kotschy, ex Boiss. Fl. Orient. iv. 492 = comosa. Kanei, Dur. in Journ. Acad. Philad. Ser. II. iii. (1856) 195 = Langsdorffii. kansuensis, Maxim. in Bull. Acad. Pétersb. xxvii. (1881) 516.—China. Kaufmanni, Pinsger, Krit. Vergl. Gouv. Moskau Wildw. Pfl. 17. t. 1.—Rossia. Keiskei, Franch. & Sav. Enum. Pl. Jap. ii. 459.—Japon. Kernerii, Dalla Torre, Anleit. Alpenpfl. (1882) 176 = rostrata. Kernerii, Huter, in Oestr. Bot. Zeitschr. xxiii. (1873) 122, 123.—Europ. Korolkowi, Regel, in Act. Hort. Petrop. vi. (1879) 349 = violascens. labellata, Benth. in DC. Prod. x. 565 = siphonantha, rhinanthoides. labellata, Boiss. Fl. Orient. iv. 489 = siphonantha.



## PEDICULARIS:—

- labellata*, Decne. in Jacquem. Voy. Bot. 118. t. 123 = rhinanthoides.  
*labradorica*, [Panzer, in] Houtt. Pflanzensyst. viii. 39 = euphrasioides.  
*lachnoglossa*, Hook. f. Fl. Brit. Ind. iv. 311.—Reg. Himal.; China.  
*laciniosa*, Pall. ex Benth. in DC. Prod. x. 570 = fissa.  
*laciniosa*, Pall. ex Stev. in Mém. Soc. Nat. Mosc. vi. (1823) 46 = comosa.  
*laeta*, Stev. ex Steud. Nom. ed. II. ii. 281 = sudetica.  
*laevicaulis*, Láng, ex Walp. Rep. iii. 420 = palustris.  
*lanata*, Pall. ex Pursh, Fl. Am. Sept. ii. 426 = verticillata.  
*lanata*, Willd. ex Stev. in Mém. Soc. Nat. Mosc. vi. (1823) 49 = Langsdorffii.  
*lanceolata*, Michx. Fl. Am. Bor. ii. 18.—Am. bor.  
*Langsdorffii*, Fisch. ex Stev. in Mém. Soc. Hist. Nat. Mosc. vi. (1823) 49.—Reg. arct.  
*laniflora*, Stev. ex Bunge, in Bull. Sc. Acad. Pétersb. viii. (1841) 252 = Wilhelmsiana.  
*lanigera*, Wall. Cat. n. 419 = brevifolia.  
*lapponica*, Linn. Sp. Pl. 609.—Reg. arct.  
*lasiphrys*, Maxim. in Bull. Acad. Pétersb. xxiv. (1878) 68.—Mongolia.  
*lasiochrys*, Bunge, in Ledeb. Fl. Alt. ii. 434.—Sibir. altaic.  
*lasiochrys*, Less. in Linnaea, ix. (1834) 157 = sudetica.  
*lepidota*, Weinm. in Bull. Soc. Nat. Mosc. xxiii. (1850) i. 551.—Rossia.  
*leptorhiza*, Rupr. Sert. Tiansch. 62.—Turkestan.  
*Letourneuxii*, Person. in Bull. Soc. Bot. Fr. viii. (1861) 461 = rostrata.  
*leucodon*, Griseb. Spicil. Fl. Rumel. ii. 17.—Macedon.  
*leucodon*, Reichb. f. Ic. Fl. Germ. xxx. 70. t. 133 = comosa.  
*limnogenia*, Kern. in Oestr. Bot. Zeitschr. xiii. (1863) 362.—Europ.  
*longiflora*, Rudolph, in Mém. Acad. Pétersb. iv. (1811) 345. t. 3.—Sibir.; Reg. Himal.  
*Ludwigi*, Regel, in Bull. Soc. Nat. Mosc. xli. (1868) i. 107.—As. bor.  
*lusitanica*, Hoffm. & Link, Fl. Port. i. 306. t. 61.—Lusitan.  
*macrantha*, Klotzsch, in Bot. Ergeb. Waldem. Reise, 108.—Reg. Himal.  
*macrantha*, Spreng. Syst. iv. Cur. Post. 233 = grandiflora.  
*macrocarpa*, Pall. ex Stev. in Mém. Soc. Nat. Mosc. vi. (1823) 57 = tristis.  
*macrodon*, Steud. Nom. ed. II. ii. 281 = seq.  
*macrodon*, Richards. in Frankl. 1st Journ. App. ed. II. 24.—Sinus Hudson.  
*macrostachya*, St. Lag. in Ann. Soc. Bot. Lyon, vii. (1880) 131 = P. Sceptum-Carolinum.  
*Malyi*, Fanka, in Termész. Füzetek, iv. (1880) 318.—Europ.  
*mandshurica*, Maxim. in Bull. Acad. Pétersb. xxiv. (1878) 79.—Manchur.  
*Mariae*, Regel, in Act. Hort. Petrop. vi. (1879) 351.—As. centr.  
*megalantha*, D. Don, Prod. Fl. Nep. 94.—Reg. Himal.  
*melampyroides*, Rich. in Act. Soc. Hist. Nat. Par. i. (1792) 111.—Guian.  
*Menziesii*, Benth. in DC. Prod. x. 563.—Am. bor. occ.  
*mexicana*, Zucc. ex Bunge, in Bull. Phys.-Math. Acad. Pétersb. i. (1843) 384, nomen.—Mexic.  
*microcalyx*, Hook. f. Fl. Brit. Ind. iv. 315.—Reg. Himal.  
*mixta*, Gren. ex Gren. & Godr. Fl. Fr. ii. 617 = pyrenaica.  
*mollis*, Wall. Cat. n. 415.—Reg. Himal.  
*montenegrina*, Janka, ex Nym. Consp. 554 = Friderici-Augusti.  
*moschata*, Maxim. in Bull. Acad. Pétersb. xxvii. (1881) 516.—Mongolia.  
*mucida*, C. Koch, ex Bunge, in Bull. Sc. Acad. Pétersb. viii. (1841) 251 = Friderici-Augusti.  
*Murithiana*, Arv. in Bull. Soc. Dauph. vii. (1880) 275.—Europ.  
*musciola*, Maxim. in Bull. Acad. Pétersb. xxiv. (1878) 54.—China.  
*myriophylla*, Pall. Reise, iii. 737 = abrotanifolia.  
*myrtophylla*, Steud. Nom. ed. II. ii. 281, sphalm. = praec.  
*nasuta*, Bieb. ex Stev. in Mém. Soc. Nat. Mosc. vi. (1823) 43. t. 15. f. 1.—Ins. Curile.

## PEDICULARIS:—

- nasuta*, Bong. Vég. Ins. Sitcha, 159 = pedicellata.  
*nasuta*, Turcz. ex Bess. in Flora, xvii. (1834) i. Beibl. 21 = sudetica.  
*Nelsonii*, R. Br. in Frankl. 1st Journ. App. 25.—Am. arct.  
*Nordmanniana*, Bunge, in Ledeb. Fl. Ross. iii. 277.—Reg. Caucas.; As. Min.  
*nudicaulis*, C. Koch, in Linnaea, xvii. (1843) 289 = caucasica.  
*numidica*, Pomel, Nouv. Mat. Fl. Atl. 300.—Alger.  
*obliqua*, Adams, in Mém. Soc. Nat. Mosc. ix. (1834) 248 = lapponica.  
*obsoleta*, Crantz, Stirp. Austr. ed. II. fasc. iv. 316 = recutita.  
*occulta*, Janka, in Oestr. Bot. Zeitschr. xxii. (1872) 180 = leucodon.  
*ochroleuca*, Schloss. in Reichb. Ic. Fl. Germ. xx. 71. t. 1755 = comosa.  
*Oederi*, Vahl, in Hornem. Dansk. Oek. Plantel. ed. II. 580.—Reg. bor. frigid.  
*Olgae*, Regel, in Act. Hort. Petrop. vi. (1879) 349 = pycnantha.  
*oliota*, Vill. Fl. Delphin. 64 (err. typ. 65), sphalm. = foliosa.  
*olympica*, Boiss. Diagn. Ser. I. iv. 83.—Bithyn.  
*Orizabae*, Benth. Pl. Hartw. 47 = mexicana.  
*Orizabae*, Cham. & Schlecht. in Linnaea, v. (1830) 103.—Mexic.  
*ornithorhyncha*, Benth. in Hook. Fl. Bor. Am. ii. 18.—Am. bor. occ.  
*orthantha*, Griseb. Spicil. Fl. Rumel. ii. 15.—Macedon.  
*pallens*, Brugg. in Jahresb. Naturf. Ges. Graub. II. xxiii–xxiv. (1880) 102 = Vulpia.  
*pallida*, Herb. Banks, ex Pursh, Fl. Am. Sept. ii. 424 = lanceolata.  
*pallida*, Nutt. Gen. Am. ii. 50.—Am. bor.  
*palustris*, Linn. Sp. Pl. 607.—Reg. bor. temp. et arct.  
*paniculata*, Pall. Reise, iii. 34 = euphrasioides.  
*Parryi*, A. Gray, in Am. Journ. Sc. Ser. II. xxxiv. (1860) 250.—Am. bor. occ.  
*parviflora*, Sm. in Rees, Cycl. xxvi. [n. 4] = palustris.  
*pectinata*, Wall. Cat. n. 420.—Reg. Himal.  
*pedicellata*, Bunge, in Bull. Sc. Acad. Pétersb. viii. (1841) 250.—Am. arct.  
*pennina*, Gaud. Fl. Helvet. iv. 139 = atrorubens.  
*Perrottetii*, Benth. in DC. Prod. x. 565.—Ind. or.  
*persica*, Willd. ex Stev. in Mém. Soc. Nat. Mosc. vi. (1823) 26 = caucasica.  
*petiolaris*, Tenore, Fl. Nap. v. Syll. App. iv. 11.—Italia.  
*philippica*, Gay, ex Benth. in DC. Prod. x. 575.—Mexic.  
*physocalyx*, Bunge, in Bull. Sc. Acad. Pétersb. viii. (1841) 252.—Sibir.  
*physodes*, [Fisch.] Herb. Gorenk. ex Stev. in Mém. Soc. Nat. Mosc. vi. (1823) 36 = compacta.  
*pilostachya*, Maxim. in Bull. Acad. Pétersb. xxiv. (1878) 64.—China.  
*platyrhyncha*, Schrenk, Enum. Pl. Schrenk. ii. 21; et in Bull. Phys.-Math. Acad. Pétersb. i. (1843) 79.—As. centr.  
*polygaloides*, Hook. f. Fl. Brit. Ind. iv. 317.—Reg. Himal.  
*pontica*, Boiss. Fl. Orient. iv. 485.—As. Min.  
*porrecta*, Wall. Cat. n. 423.—Reg. Himal.  
*Portenschlagii*, Saut. ex Reichb. Fl. Germ. Excurs. 361 = geminata.  
*pratensis*, Schur, in Verh. Siebenb. Ver. Naturw. iv. (1853) 56 = campestris.  
*proboscidea*, Gaud. Fl. Helv. iv. 133 = cenisia.  
*proboscidea*, Stev. in Mém. Soc. Nat. Mosc. vi. (1823) 33.—Sibir.  
*procera*, Adams, ex Stev. l. c. 55 = fissa.  
*procera*, A. Gray, in Am. Journ. Sc. Ser. II. xxxiv. (1862) 251.—Am. bor. occ.  
*procumbens*, Gilib. Exercit. i. 135 = sylvatica.  
*Przewalskii*, Maxim. in Bull. Acad. Pétersb. xxiv. (1878) 55.—Reg. Himal.; China.  
*Pseudocomosa*, Schur, in Verh. Siebenb. Ver. Naturw. iv. (1853) 68 = campestris.  
*psyllifolia*, Poir. Encyc. Suppl. iv. 338 (gen. dub.).—Oriens.  
*pulchella*, Turcz. ex Bess. in Flora, xvii. (1834) i. Beibl. 21.—Sibir. baical.  
*pumila*, Mieliich. ex Saut. in Oestr. Bot. Wochenbl. vi. (1856) 107 = geminata.  
*punctata*, Decne. in Jacquem. Voy. Bot. 117 (err. typ. 11) t. 122 = siphonantha.

## PEDICULARIS:—

- punica*, Pall. ex Stev. in Mém. Soc. Nat. Mosc. vi. (1823) 53 = elata.  
*purpurascens*, Cham. ex Spreng. Syst. ii. 781 = Langsdorffii.  
*purpurea*, Walp. Rep. iv. 617 (Index) = myriophylla.  
*pycnantha*, Boiss. Diagn. Ser. I. xii. 45.—Turkestan; Persia; Reg. Himal.  
*pyramidata*, Pall. ex Stev. in Mém. Soc. Nat. Mosc. vi. (1823) 46 = comosa.  
*pyramidata*, Royle, ex Benth. Scroph. Ind. 52.—Reg. Himal.  
*pyrenaica*, J. Gay, in Ann. Sc. Nat. Sér. I. xxvi. (1832) 210.—Mont. Pyren.  
*racemosa*, Dougl. ex Hook. Fl. Bor. Am. ii. 108.—Am. bor. occ.  
*ramosa*, Wormsk. ex Stev. in Mém. Soc. Nat. Mosc. vi. (1823) 42 = euphrasioides.  
*ramosa*, Wormsk. in Fl. Dan. t. 1758.—Groenl.  
*recutita*, Baumg. Enum. Stirp. Transs. ii. 201, 202 = verticillata.  
*recutita*, Linn. Sp. Pl. 608.—Europ.  
*recutita*, Pursh, Fl. Am. Sept. ii. 425 = bracteosa?  
*refracta*, Maxim. in Bull. Acad. Pétersb. xxvii. (1881) 517.—China.  
*resupinata*, Linn. Sp. Pl. 608.—Sibir.  
*resupinata*, Pursh, Fl. Am. Sept. ii. 425 = lanceolata?  
*rhaetica*, Kern. Sched. Fl. Exsicc. ii. 116 = rostrata.  
*rhinanthoides*, Hook. f. Fl. Brit. Ind. iv. 314, partim = elephantoides.  
*rhinanthoides*, Schrenk, Enum. Pl. Nov. i. 22.—Sibir.; Reg. Himal.  
*Roborowskii*, Maxim. in Bull. Acad. Pétersb. xxvii. (1881) 512.—China.  
*robusta*, Hook. f. Fl. Brit. Ind. iv. 306.—Reg. Himal.  
*Romanzovii*, Cham. ex Spreng. Syst. ii. 778 = Chamis-sonis.  
*rosea*, Frivald. ex Griseb. Spicil. Fl. Rumel. ii. 16 = orthantha.  
*rosea*, Tenore, ex Benth. in DC. Prod. x. 570 = Friderici-Augusti.  
*rosea*, Wulf. in Jacq. Misc. ii. 57.—Alp. europ.  
*rostrata*, Georgi, Besch. Russ. Reich. v. 1102; C. A. Mey. Verz. Pfl. Cauc. 108 = Nordmanniana.  
*rostrata*, Guss. ex Tenore, Fl. Nap. iv. Syll. 87 = elegans.  
*rostrata*, Jacq. Fl. Austr. t. 205 = Jacquinii.  
*rostrata*, Linn. Sp. Pl. 607.—Europ.  
*rostrato-capitata*, Crantz, Stirp. Austr. ed. II. fasc. iv. 320, 323 = rostrata.  
*rostrato-spicata*, Crantz, l. c. fasc. iv. 317, 323 = incarnata.  
*Roylei*, Maxim. in Bull. Acad. Pétersb. xxvii. (1881) 517.—Reg. Himal.; China.  
*rubens*, Bunge, in Ledeb. Fl. Alt. ii. 435 = uliginosa.  
*rubens*, Steph. ex Willd. Sp. Pl. iii. 219 = fissa.  
*rubra*, Gueldenst. Reisen, i. 427 = crassirostris?  
*rudis*, Maxim. in Bull. Acad. Pétersb. xxiv. (1878) 67.—Mongolia.  
*rupestris*, Boiss. & Orph. Diagn. Ser. II. iii. 175 = graeca.  
*rupestris*, Turcz. ex Bunge, Verz. Alt. Pfl. 60 = abrotanifolia.  
*sajanensis*, Steph. ex Bunge, in Bull. Sc. Acad. Pétersb. viii. (1841) 252.—Sibir. baical.  
*salina*, Turcz. ex Bunge, l. c. = fissa.  
*sarawschanica*, Regel, Pl. Nov. Fedtsch. 61.—Turkestan.  
*Sceptum*, Schrank, Baier. Fl. ii. 162 = seq.  
*Sceptum-Carolinum*, Linn. Sp. Pl. 608.—Europ.  
*Sceptum-Carolinum*, Miq. Ann. Mus. Bot. Lugd. Bat. ii. 122 = gloriosa.  
*Sceptum-Marianum*, Vell. Fl. Flum. 269; vi. t. 104 (Quid?).—Bras.  
*Schlosseri*, Tommas. ex Nym. Consp. 554 = comosa.  
*Scolopax*, Maxim. in Bull. Acad. Pétersb. xxvii. (1881) 513.—China.  
*scopolorum*, A. Gray, Syn. Fl. N. Am. ii. i. 308.—Am. bor. occ.  
*Seliwanowii*, Regel, in Bull. Soc. Nat. Mosc. xli. (1868) i. 108 = pycnantha.  
*semibarbata*, A. Gray, in Proc. Am. Acad. vii. (1868) 385.—Calif.  
*serotina*, Adams, ex Bunge, in Bull. Sc. Acad. Pétersb. viii. (1841) 251 = sudetica.



**PEDICULARIS:**—

*serotina*, Muhl. Cat. 58; ed. II. 60; et ex Benth. in DC. Prod. x. 582 = lanceolata.  
*sessilis*, Vell. Fl. Flum. 270; vi. t. 105 = Hygrophila costata.  
*Sibthorpii*, Boiss. Diagn. Ser. I. iv. 83 = comosa.  
*sima*, Maxim. in Bull. Acad. Pétersb. xxvii. (1881) 514.—China.  
*siphonantha*, D. Don, Prod. Fl. Nep. 65.—Reg. Himal.; Persia.  
*siphonantha*, Hook. f. Fl. Brit. Ind. iv. 313, partim = rhinanthoides.  
*soongarica*, Schrenk, Enum. Pl. Nov. ii. 25; et in Bull. Phys.-Math. Acad. Pétersb. i. (1843) 79.—Soongar.  
*speciosa*, Ledeb. ex Sweet, Hort. Brit. ed. II. 305 (Quid ?)—Sibir.  
*Spica-foliola*, Jacq. Fl. Austr. ii. 24 = foliosa.  
*spicata*, Pall. Reise, iii. 738.—Dahuria.  
*Stelleriana*, Pall. ex Stev. in Mém. Soc. Hist. Nat. Mosc. vi. (1823) 54 = capitata.  
*Steveni*, Adams, ex Stev. l. c. 44 = sudetica.  
*Stevensi*, Bunge, in Ledeb. Fl. Alt. ii. 427 = verticillata.  
*striata*, Pall. Reise, iii. 737.—Dahur.  
*strica*, Wall. Cat. n. 414 = gracilis.  
*subnuda*, Benth. in DC. Prod. x. 577 = pedicellata.  
*subrostrata*, C. A. Mey. Verz. Pfl. Cauc. 108.—Reg. Caucas.  
*sudetica*, Willd. Sp. Pl. iii. 209.—Europ.; Reg. arct.  
*sulphurea*, Pall. Reise, iii. 223 = flava.  
*sumana*, Pall. ex Bunge, in Bull. Sc. Acad. Pétersb. viii. (1841) 252 = condensata.  
*sumana*, Pollini, in Brugn. Giorn. Fis. ix. (1816) 34; Spreng. Pugill. ii. 70 = tuberosa.  
*surrecta*, Benth. in Hook. Fl. Bor. Am. ii. 107 = groenlandica.  
*sylvatica*, Linn. Sp. Pl. 607.—Europ.  
*tanacetifolia*, Adams, in Mém. Soc. Nat. Mosc. v. (1817) 102 = sudetica.  
*Tatarinowi*, Maxim. in Bull. Acad. Pétersb. xxiv. (1878) 60.—China.  
*tenuifolia*, Adams, ex Burge, in Bull. Sc. Acad. Pétersb. viii. (1841) 251 = palustris.  
*tenuirostris*, Aitch. in Journ. Linn. Soc. xviii. (1880) 84; xix. (1882) 181 = pyramidata.  
*tenuirostris*, Benth. Scroph. Ind. 52.—Reg. Himal.  
*ternata*, Maxim. in Bull. Acad. Pétersb. xxiv. (1878) 64.—Mongolia.  
*Tommasinii*, Kern. ex Marches. in Boll. Soc. Adriat. Sc. Nat. Trieste, ii. (1880) reimpr. 22, nomen = Friderici-Augusti?  
*teucrifolia*, Bieb. ex Stev. in Mém. Soc. Nat. Mosc. vi. (1823) 31.—Ins. Curila.  
*tianschanica*, Rupr. Sert. Tiansch. 63.—Turkestan.  
*transsilvanica*, Schur, in Oestr. Bot. Zeitschr. xi. (1861) 361 = exaltata.  
*trichoglossa*, Hook. f. Fl. Brit. Ind. iv. 310.—Reg. Himal.  
*tripinnata*, Mart. & Gal. in Bull. Acad. Brux. xii. II. (1845) 34.—Mexic.  
*tristis*, Linn. Sp. Pl. 608.—Sibir.  
*tuberosa*, All. Fl. Pedem. i. 64 = elegans.  
*tuberosa*, Linn. Sp. Pl. 610.—Europ.  
*tuberosa*, Vill. Fl. Delphin. 65 = adscendens.  
*tubiflora*, Fisch. in Mém. Soc. Nat. Mosc. iii. (1812) 58 = longiflora.  
*tubiformis*, Klotzsch, in Bot. Ergeb. Waldem. Reise, 106 = longiflora.  
*uliginosa*, Bunge, Del. Sem. Hort. Dorpat. (1839) 8; et in Bull. Sc. Acad. Pétersb. viii. (1841) 251.—Sibir. altaic.  
*uncinata*, Poir. Encyc. v. 133 (excl. syn.) = tuberosa.  
*uncinata*, Steph. in Willd. Sp. Pl. iii. 213.—Sibir.  
*venosa*, Pall. ex Stev. in Mém. Soc. Nat. Mosc. vi. (1823) 20 = striata.  
*venusta*, Schang. ex Bunge, in Bull. Sc. Acad. Pétersb. viii. (1841) 251 = fissa.  
*versicolor*, Wahlenb. Veg. Helvet. 118 = Oederi.  
*verticillata*, Benth. Scroph. Ind. 53 = Roylei.  
*verticillata*, Bunge, in Ledeb. Fl. Alt. ii. 427 = amoena.  
*verticillata*, Linn. Sp. Pl. 608.—Reg. bor. et arct.  
*verticillata*, Pursh, Fl. Am. Sept. ii. 426 = capitata.  
*verticillata*, Tchihat. Asie Min. Bot. ii. 46 = pontica.  
*villobractea*, C. Koch, in Linnaea, xxii. (1849) 632 = atropurpurea.  
*villosa*, Ledeb. ex Spreng. Syst. ii. 780.—Sibir.  
*violascens*, Schrenk, Enum. Pl. Nov. ii. 22; et in Bull. Phys.-Math. Acad. Pétersb. i. (1843) 79.—As. centr.

**PEDICULARIS:**—

*virescens*, Wahlenb. Fl. Suec. i. 389 = Oederi.  
*virginica*, Poir. Encyc. v. 126 = lanceolata.  
*Vulpia* ×, Solms, in Oestr. Bot. Zeitschr. xv. (1865) 174.—Europ.  
*Wallichiana*, Steud. Nom. ed. II. ii. 282 = seq.  
*Wallichii*, Bunge, in Bull. Sc. Acad. Pétersb. viii. (1843) 251, nomen.—Reg. Himal.  
*Wilhelmsiana*, Fisch. ex Bieb. Fl. Taur. Cauc. iii. 412.—Reg. Caucas.  
*Wlassoviana*, Stev. in Mém. Soc. Nat. Mosc. vi. (1823) 27. t. 9. f. 1 = palustris.  
*yezoensis*, Maxim. in Bull. Acad. Pétersb. xxiv. (1878) 69.—Japan.  
*zeylanica*, Benth. Scroph. Ind. 54.—Ind. or.; Zeylan.

**PEDILANTHUS**, Neck. Elem. ii. 354 (1790).

**EUPHORBACEAE**, Benth. & Hook. iii. 257.  
**CREPIDARIA**, Haw. Syn. Pl. Succ. 136 (1812).  
**DIADENARIA**, Klotzsch & Garcke, in Monatsb. Akad. Berl. (1859) 254; et in Abh. Akad. Berl. (1860) 107.  
**HEXADENIA**, Klotzsch & Garcke, ll. cc. 253 (1859); 107 (1860).  
**VENTENATIA**, Tratt. Gen. Pl. Disp. 86 (1802).  
*anacampseroides*, Klotzsch & Garcke, in Monatsb. Akad. Berl. (1859) 253 = padifolius.  
*angustifolius*, Poit. in Ann. Mus. Par. xix. (1812) 393.—Hab.?  
*aphyllus*, Boiss. in Klotzsch & Garcke, in Monatsb. Akad. Berl. (1859) 253, nomen; et in Abh. Akad. Berl. (1860) 106.—Mexic.  
*articulatus*, Boiss. in DC. Prod. xv. II. 6.—Mexic.  
*bracteatus*, Boiss. l. c.—Mexic.  
*calcaratus*, Schlecht. in Linnaea, xix. (1847) 255.—Mexic.  
*canaliculatus*, Sweet, Hort. Brit. ed. I. 355.—Am. austr.  
*carinatus*, Spreng. Syst. iii. 802.—Ind. occ.  
*cordatus*, Spreng. l. c.—angustifolius.  
*cordellatus*, Steud. Nom. ed. II. ii. 282.—Am. austr.  
*cymbiferus*, Schlecht. in Linnaea, xix. (1847) 253.—Mexic.  
*Fendleri*, Boiss. in DC. Prod. xv. II. 5.—Venezuela.  
*Finkii*, Boiss. l. c. 1261.—Mexic.  
*Ghiesbreghtianus*, Baill. Adansonia, i. (1860–61) 340.—Mexic.  
*Houletii*, Baill. l. c. 341.—Hab.?  
*involucrat*, Boiss. in DC. Prod. xv. II. 6.—Mexic.  
*linearifolius*, Griseb. in Mem. Am. Acad. N. S. viii. (1861) 161.—Ind. occ.  
*macrocarpus*, Benth. Bot. Voy. Sulph. 49. t. 23.—Calif.  
*myrsifolius*, Rafin. Fl. Tellur. iv. 117 = seq.?  
*myrtifolius*, Link, Enum. Hort. Berol. ii. 18 = tithymaloide.  
*Oerstedii*, Klotzsch & Garcke, in Monatsb. Akad. Berl. (1859) 253, nomen.—Nicaragua.  
*padifolius*, Poit. in Ann. Mus. Par. xix. (1812) 393.—Am. austr.  
*parasiticus*, Klotzsch & Garcke, in Monatsb. Akad. Berl. (1859) 253, nomen = ramosissimus.  
*Pavonis*, Boiss. in DC. Prod. xv. II. 6.—Mexic.  
*ramosissimus*, Boiss. l. c.—Mexic.  
*retusus*, Benth. in Hook. Kew Journ. vi. (1854) 321.—Bras.  
*subcarinatus*, Steud. Nom. ed. II. ii. 282.—Am. austr.  
*tithymaloide*, Poit. in Ann. Mus. Par. xix. (1812) 390. t. 19.—Am. austr.

**PEDILEA**, Lindl. Orch. Scel. 27 (1826) = **Microstylis**, Nutt. (Orchid.).

**PEDILONIA**, Presl, Pedil. Nov. Pl. Gen. (1829); et in Flora, xii. (1829) 568 = **Wachendorfia**, Linn. (Haemod.).

*violacea*, Presl, l. c. = W. hirsuta.

**PEDILONUM**, Blume, Bijdr. 320. t. 36 (1825) = **Dendrobium**, Sw. (Orchid.).

*biflorum*, Blume, l. c. 322 = D. gemellum.  
*erosum*, Blume, l. c. 323 = D. erosum.  
*Hasseltii*, Blume, l. c. 321 = D. Hasseltii, Lindl.  
*Kuhlii*, Blume, l. c. 321 = D. Kuhlii.  
*secundum*, Blume, l. c. 322 = D. secundum.  
*undulatum*, Blume, l. c. = D. hymenophyllum.

**PEDINA**, Stev. in Bull. Soc. Nat. Mosc. xxix. (1856) II. 144 = **Astragalus**, Tourn. (Legumin.).  
*aspera*, Stev. l. c. = A. asper.

**PEDOCHELUS**, Wight, Ic. v. t. 1748. f. 2 (1852), sphalm. = **Podochilus**, Blume (Orchid.).

**PEDROSIA**, Lowe, in Hook. Kew Journ. viii. (1856) 292 = **Lotus**, Tourn. (Legumin.).  
*arenaria*, Lowe, in Journ. Linn. Soc. v. (1861) 38 = L. arenarius.  
*argentea*, Lowe, in Hook. Kew Journ. viii. (1856) 293 = L. argenteus.  
*Bertholetii*, Webb, ex Masf. in Anal. Soc. Esp. Hist. Nat. x. (1881) 160 = L. Bertholetii.  
*florida*, Lowe, in Hook. Kew Journ. viii. (1856) 294 = L. floridus.  
*glauca*, Lowe, l. c. = L. glaucus.  
*leptophylla*, Lowe, Man. Fl. Mad. i. 177.—Ins. Mader.  
*Loweana*, Lowe, l. c. 181 = L. Loweana.  
*macrantha*, Lowe, in Hook. Kew Journ. viii. (1856) 293 = L. macranthus.  
*neglecta*, Lowe, Man. Fl. Mader. i. 172 = L. neglectus.  
*Paivae*, Lowe, Fl. Salv. Tent. 10.—Ins. Salvad.  
*porto-sanctana*, Lowe, in Hook. Kew Journ. viii. (1856) 293 = L. Loweana.  
*sessilifolia*, Lowe, Man. Fl. Mad. i. 177, in obs. = L. sessilifolius.  
*tenella*, Lowe, l. c. 177.—Ins. Mader.

**PEGAMEA**, Vitm. Summa Pl. i. 360 (1789) = **Pagamea**, Aubl. (Logan.).

**PEGANON**, St. Lag. in Ann. Soc. Bot. Lyon, vii. (1880) 131 = **Peganum**, Linn. (Rutac.).  
*harmalum*, St. Lag. l. c. = Peganum Harmala.

**PEGANUM**, Linn. Syst. ed. I (1735); Gen. ed. I. 157 (1737). **RUTACEAE**, Benth. & Hook. f. i. 287.  
**HARMALA**, Tourn. ex Adans. Fam. ii. 343 (1763).  
**MALACOCARPUS**, Fisch. & Mey. Ind. Sem. Hort. Petrop. ix. 78 (1843).  
*crithmifolium*, Georgi, ex DC. Prod. i. 712 = Adonisidis sp.?  
*crithmifolium*, Retz. Obs. iii. 34 = P. Harmala.  
*dauricum*, Pall. Reise, i. 418 = P. Harmala.  
*davurica*, Linn. Sp. Pl. 445 = Ruta dahurica.  
*Harmala*, Linn. l. c. 444.—Reg. Mediterr.; As. med.  
*mexicanum*, A. Gray, Pl. Wright. i. 30; ii. 306.—Mexic.  
*Nigellastrum*, Bunge, in Mém. Sav. Etr. Pétersb. ii. (1835) 87.—China.  
*retusum*, Forsk. Fl. Aegypt. Arab. 211 = Nitraria tridentata.

**PEGESIA**, 'Rafin.' ex Steud. Nom. ed. II. ii. 282 (1841) = **PAGESIA**, Rafin. = **Gerardia**, Linn. (Scrophul.).

**PEGIA**, Coleb. in Trans. Linn. Soc. xv. (1827) 364 = **Tapiria**, Juss. (Anacard.).  
*Colebrookiana*, Wight, Ic. t. 236 = Nothopegia Colebrookiana.  
*nitida*, Colebr. in Trans. Linn. Soc. xv. (1827) 364 = Tapiria hirsuta.

**PEGOLETTIA**, Cass. in Dict. Sc. Nat. xxxviii. 230 (1825). **COMPOSITAE**, Benth. & Hook. f. ii. 334.

*acuminata*, DC. Prod. v. 481 = Iphiona acuminata.  
*baccharidifolia*, Less. Syn. Comp. 200 = Iphiona baccharidifolia.  
*javanica*, Mig. Fl. Ind. Bat. ii. 63.—Java.  
*lanceolata*, Harv. in Harv. & Sond. Fl. Cap. iii. 123 = Bojeria lanceolata (in Addend.).  
*mucronata*, Benth. in Hook. Niger Fl. 432.—Afr. trop.  
*oxyodonta*, DC. Prod. v. 481.—Afr. austr.  
*polygalaeifolia*, Less. Syn. Comp. 200 = Iphiona polygalaeifolia.  
*senegalensis*, Cass. in Dict. Sc. Nat. xxxviii. 230.—Afr. trop.  
*tenella*, DC. Prod. v. 482.—Afr. austr.

**PEGOLLETTIA**, Less. Syn. Comp. 200 (1832) = **praec.**

**PEIRANISIA**, Rafin. Sylva Tellur. 127 (1838) = **Cassia**, Tourn. (Legumin.).  
*aversifolia*, Rafin. l. c. = C. biflora.

**PEIRESCIA**, Zucc. in Abh. Akad. Muench. ii. (1837) 635 = **Pereskia**, Plum. (Cact.).



PEIRESKIA, Steud. Nom. ed. II. ii. 282 (1841), sphalm. = praec.

PEIXOTOA, A. Juss. in A. St. Hil. Fl. Bras. Mer. iii. 60. t. 172 (1833). *MALPIGHIACEAE*, Benth. & Hook. f. i. 257.  
cordistipula, A. Juss. in Arch. Mus. Par. iii. (1843) 431.—Bras.  
discolor, Griseb. in Linnaea, xiii. (1839) 216.—Bras.  
glabra, Griseb. l. c. 212 = hispidula.  
glabra, A. Juss. in A. St. Hil. Fl. Bras. Mer. iii. 60. t. 172.—Bras.  
hirta, Mart. ex A. Juss. in Arch. Mus. Par. iii. (1843) 430.—Bras.  
hispidula, A. Juss. l. c. 429.—Bras.  
Jussieuana, Mart. ex A. Juss. l. c. 432.—Bras.  
lateritia, A. Juss. in Walp. Rep. v. 251.—Bras.  
leptoclada, A. Juss. in Arch. Mus. Par. iii. (1843) 431.—Bras.  
macrophylla, Griseb. in Linnaea, xiii. (1839) 214.—Bras.  
microphylla, Turcz. in Bull. Soc. Nat. Mosc. xxxvi. (1863) 1.584.—Bras.  
paludosa, Turcz. l. c. xxxi. (1858) 1. 293 = Jussieuana.  
parviflora, A. Juss. in A. St. Hil. Fl. Bras. Mer. iii. 62.—Bras.  
reticulata, Griseb. in Linnaea, xiii. (1839) 213.—Bras.  
tomentosa, A. Juss. in A. St. Hil. Fl. Bras. Mer. iii. 61.—Bras.

PEKEA, Aubl. Pl. Gui. i. 594 (1775) = *Caryocar*, Linn. (Ternstr.).  
butyrosa, Aubl. l. c. = C. butyrosom.  
Couroupita, Juss. ex DC. Prod. iii. 294 = Couroupita guianensis.  
ternata, Poir. Encyc. v. 148 = C. glabrum.  
tuberculosa, Aubl. Pl. Gui. i. 597 = C. tomentosum.  
villosa, Poir. Encyc. v. 148 = C. villosum.

PEKIA, Steud. Nom. ed. II. ii. 282 (1841), sphalm. = praec.

PELAGODENDRON, Seem. Fl. Vit. 124 (1866). *RUBIACEAE*, Benth. & Hook. f. ii. 92.  
vitiense, Seem. l. c.—Ins. Fiji.

PELAPHIA, Banks & Soland. ex A. Cunn. in Ann. Nat. Hist. Ser. I ii. (1839) 206 = *Coprosma*, Forst. (Rubiace.).  
acerosa, Banks & Soland. ex Hook. f. Fl. N. Zel. i. 109 = C. acerosa.  
grandifolia, Banks & Soland. ex Hook. f. l. c. 104 = C. grandifolia.  
laeta, Banks & Soland. ex Hook. f. l. c. = C. grandifolia.  
laurifolia, Banks & Soland. ex Hook. f. l. c. = C. lucida.  
parvifolia, Banks & Soland. ex Hook. f. l. c. 109 = C. propinqua.  
retusa, Banks & Soland. ex Hook. f. l. c. 104 = C. Baueri.

PELARGONION, St. Lag. in Ann. Soc. Bot. Lyon, vii. (1880) 131 = *Pelargonium*, L'Hérit. (Geran.).  
althaeoideum, St. Lag. l. c. = *Pelargonium althaeoides*.  
ladanomum, St. Lag. l. c. = *Pelargonium Ladanoma*.  
radulum, St. Lag. l. c. = *Pelargonium Radula*.

PELARGONIUM, L'Hérit. Geran. tt. 7-35, 43, 44 (1787). *GERANIACEAE*, Benth. & Hook. f. i. 273.  
CAMPYLIA, Lindl. ex Sweet, Geran. sub t. 43 (1820).  
CICONIUM, Sweet, in Colvill, Cat.; et Geran. t. 13 (1820).  
CORTHUMIA, Reichb. Nom. 201 (1841).  
CORTUSINA, Eckl. & Zeyh. Enum. 77 (1835).  
DIBRACHYA, Eckl. & Zeyh. l. c. 74 (1835).  
DIMACRIA, Lindl. in Sweet, Geran. t. 46 (1820).  
EUMORPHA, Eckl. & Zeyh. Enum. 77 (1835).  
GRENVILLEA, Sweet, Geran. sub t. 262 (1825).  
HOAREA, Sweet, l. c. t. 18 (1820).  
ISOPETALUM, Sweet, l. c. t. 126 (1820).  
JENKINSONIA, Sweet, l. c. t. 79 (1820).  
LIGULARIA, Eckl. & Zeyh. Enum. 69 (1835).  
MYRRHIDUM, Eckl. & Zeyh. l. c. 71 (1835).  
OTIDIA, Lindl. ex Sweet, Geran. t. 98 (1820).  
PERISTERA, Eckl. & Zeyh. Enum. 72 (1835).  
PHYMATANTHUS, Sweet, Geran. t. 43 (1820).  
POLYACTIUM, Eckl. & Zeyh. Enum. 65 (1835).

# PELARGONIUM:—

POLYSCHISMA, Turcz. in Bull. Soc. Nat. Mosc. (1859) 1. 269.  
SEYMOURIA, Sweet, Geran. t. 206 (1830).  
abbreviatum x, Tratt. Pelarg. ii. t. 62.  
abrotanifolium, Jacq. Hort. Schoenb. ii. t. 36.—Afr. austr.  
abutiloides x, Sweet, Geran. Suppl. t. 3.  
abutiloides x, Tratt. Pelarg. i. t. 30.  
abyssinicum, R. Br. in Salt, Abyss. App. 65.—Abyss.  
acanthifolium, Hoffmgg. ex F. G. Dietr. Vollst. Lexik. Gaertn. Nachtr. vi. 63.—Afr. austr. ?  
acaule, DC. Prod. i. 680.—Afr. austr.  
accedens x, Colv. ex Sweet, Hort. Brit. ed. I. 79.  
acerifolium, L'Hérit. Geran. t. 21.—Afr. austr.  
acerinum, Hoffmgg. ex F. G. Dietr. Vollst. Lexik. Gaertn. Nachtr. vi. 63 = palmatum.  
aceroides x, Sweet, Geran. t. 242.  
acerosum, Hort. ex Hoffmgg. Verz. Pfl. 94, in syn. = palmatum.  
acetabulosum x, Sweet, Geran. Suppl. t. 44.  
acetosellum, Hort. ex Steud. Nom. ed. II. ii. 291.—Hab. ?  
acetosum, Soland. in Ait. Hort. Kew. ed. I. ii. 430.—Afr. austr.  
aciculare, Hoffmgg. Verz. Pfl. 86.—Afr. austr.  
acidum x, Sweet, Geran. t. 261.  
aconitophyllum, Steud. Nom. ed. II. ii. 283.—Afr. austr.  
Actinogramma x, Tratt. Pelarg. i. t. 46.  
acugnaticum, Thou. Fl. Tristan d'Acugn. 44. t. 13 = australe.  
aculeatum, Hort. ex Steud. Nom. ed. II. ii. 283.—Afr. austr.  
acuminatum, DC. Prod. i. 680.—Afr. austr.  
acutangulum x, Tratt. Pelarg. i. t. 35.  
acutidentatum x, Sweet, Geran. Suppl. t. 40.  
acutifolium x, Sweet, Hort. Brit. ed. I. 81.  
acutilobum x, Sweet, Geran. t. 184.  
Adelinae x, Tratt. Pelarg. vi. t. 255.  
adscendens x, Sweet, Hort. Brit. ed. I. 78, nomen.  
adulterinum, L'Hérit. Geran. t. 34.—Afr. austr.  
adulterinum, Wendl. ex Hoffmgg. Verz. Pfl. 92 = limbatum.  
adventitium x, Sweet, Geran. Suppl. t. 80.  
aemulum, Hoffmgg. ex F. G. Dietr. Vollst. Lexik. Gaertn. Nachtr. vi. 63 = australe.  
aemulum x, Sweet, Geran. t. 160.  
aequaliflorum, Colv. ex Steud. Nom. ed. II. ii. 283.—Hab. ?  
affine, Colv. ex Sweet, Hort. Brit. ed. I. 79; et Geran. t. 277.—Hab. ?  
affluens x, Sweet, l. c. t. 194.  
agathosmum x, Tratt. Pelarg. iii. t. 119.  
agonizans x, Tratt. l. c. t. 98.  
alatum, Steud. Nom. ed. II. ii. 291 = elatum.  
albidum, Colv. ex Steud. l. c. 283.—Hab. ?  
albiflorum, Spin. Cat. (1818) 30.—Hab. ?  
albinotatum x, Sweet, Geran. t. 359.  
alchemillaefolium, Salisb. Prod. 312 = seq.  
alchemilloides, L'Hérit. ex [Soland. in] Ait. Hort. Kew. ed. I. ii. 419.—Afr. austr.  
alienatum x, Tratt. Pelarg. ii. t. 60.  
Allenii x, Sweet, Geran. t. 229.  
alneum, Hoffmgg. Verz. Pfl. 86 = cordatum.  
alnifolium, Willd. Enum. Hort. Berol. 710.—Hab. ?  
Aloysianum, Dehnh. Cat. Pl. Hort. Camald. ed. II. 21.—Afr. austr.  
alpinum, Eckl. & Zeyh. Enum. 80.—Afr. austr.  
Alstromeria x, Tratt. Pelarg. t. 127.  
alternans, Wendl. Hort. Herrenh. i. 14.—Afr. austr.  
althaeaeefolium, Salisb. Prod. 313 = seq.  
althaeoides, L'Hérit. Geran. t. 10.—Afr. austr.  
altum x, Sweet, Geran. Suppl. t. 26.  
alutaceum, Hoffmgg. Verz. Pfl. 86.—Afr. austr.  
amabile, Hoffmgg. ex F. G. Dietr. Vollst. Lexik. Gaertn. Nachtr. vi. 64.—Afr. austr.  
amabile x, Tratt. Pelarg. i. t. 2.  
amaryllidis x, Tratt. l. c. t. 42.  
amatymbicum, Steud. Nom. ed. II. ii. 283.—Afr. austr.  
amauron x, Tratt. Pelarg. t. 111.  
ambiguum, Dehnh. Cat. Pl. Hort. Camald. ed. II. 21.—Afr. austr. ?  
ambrosiacum, Hoffmgg. ex F. G. Dietr. Vollst. Lexik. Gaertn. Nachtr. vi. 64.—Afr. austr. ?  
amicum, Hoffmgg. ex F. G. Dietr. l. c.—Afr. austr. ?  
amoenum, Hort. ex F. G. Dietr. l. c. = zonale.

# PELARGONIUM:—

amoenum x, Sweet, Geran. t. 121.  
ampliatum x, Tratt. Pelarg. t. 167.  
amplissimum, Wendl. Coll. ii. 67. t. 65; Willd. Enum. Hort. Berol. Suppl. 48.—Afr. austr.  
anacampton x, Sweet, Geran. Suppl. t. 64.  
Anais x, Chauv. ex Poit. in Rev. Hort. Sér. II. i. (1841) 121.  
anceps, DC. Prod. i. 660 = australe.  
anceps, [Soland. in] Ait. Hort. Kew. ed. I. ii. 420.—Afr. austr.  
Andrewsii, G. Don, Gen. Syst. i. 729.—Afr. austr.  
anemonifolium, Harv. in Harv. & Sond. Fl. Cap. i. 288 = urbanum.  
anemonifolium, Jacq. Ic. Pl. Rar. iii. 535 = myrrhifolium.  
anethifolium, Steud. Nom. ed. II. ii. 283.—Afr. austr.  
angulatum, Link. Handb. ii. 334 = seq.  
angulosum, [Soland. in] Ait. Hort. Kew. ed. I. ii. 426 = acerifolium.  
angustifolium, DC. Prod. i. 680.—Afr. austr.  
angustifolium, L'Hérit. ex Harv. & Sond. Fl. Cap. i. 293 = coronopifolium.  
angustissimum, E. Mey, in Drège, Zwei Pfl. Docum. 208 = coronopifolium.  
angustum, Hort. ex Steud. Nom. ed. II. ii. 283.—Afr. austr.  
anisodonton x, Sweet, Geran. t. 399.  
Annesleyanum x, Sweet, Geran. Suppl. t. 56.  
Annleyanum, Pritz. Ic. Ind. i. 812, sphalm. = praec.  
anodaefolium, Hoffmgg. Verz. Pfl. 86.—Afr. austr. ?  
anomalanthum x, Tratt. Pelarg. t. 182.  
anomalum x, Sweet, Hort. Brit. ed. I. 78; Geran. t. 315.  
anomalum x, Tratt. Pelarg. t. 88.  
anosma, Hoffmgg. Verz. Pfl. 86 = citrionorum.  
anosmon x, Tratt. Pelarg. t. 175.  
anthriscifolium x, Sweet, Geran. t. 233.  
antidysentericum, Kostel. Allg. Med.-Pharm. Flora, v. 1896.—Afr. austr.  
Antonianum x, Tratt. Pelarg. t. 109.  
aphanoides, DC. Prod. i. 680.—Afr. austr.  
aphanoides, Harv. in Harv. & Sond. Fl. Cap. i. 296 = alchemilloides.  
apiifolium, Jacq. f. Eclog. i. t. 27.—Afr. austr.  
apioides, Steud. Nom. ed. II. ii. 291.—Afr. austr.  
appendiculatum, Willd. Sp. Pl. iii. 651.—Afr. austr.  
aquilinum x, Tratt. Pelarg. t. 66.  
ardens, Lodd. Bot. Cab. t. 139.—Afr. austr.  
ardescens x, Sweet, Geran. t. 231.  
Arembergianum, Klier, in Hamb. Gartenz. i. (1845-46) 78. t. 2 (Quid ?)—Hab. ?  
arenarium, DC. Prod. i. 680.—Afr. austr.  
arenarium, Harv. in Harv. & Sond. Fl. Cap. i. 272 = lobatum.  
arenicola, Steud. Nom. ed. II. ii. 283.—Afr. austr.  
argutum x, Sweet, Hort. Brit. ed. I. 471; Geran. t. 344.  
aristatum, G. Don, Gen. Syst. i. 728.—Afr. austr.  
armatum, Colv. in Sweet, Geran. t. 214.—Afr. austr.  
aromaticum, Hoffmgg. Verz. Pfl. 87.—Afr. austr.  
artemisiaefolium, DC. Prod. i. 661.—Afr. austr.  
artemisiaefolium, E. Mey, in Drège, Zwei Pfl. Docum. 208 = abrotanifolium.  
articulatum, Harv. in Harv. & Sond. Fl. Cap. i. 296 = alchemilloides.  
articulatum, Willd. Sp. Pl. iii. 655.—Afr. austr.  
asarifolium, G. Don, Gen. Syst. i. 731.—Afr. austr.  
asperifolium, Sweet, Geran. t. 169.—Afr. austr.  
asperum, Ehrh. ex Spreng. Syst. iii. 62 = graveolens.  
asperum, Willd. Sp. Pl. iii. 678 = quercifolium.  
astragalifolium, Jacq. Ic. Pl. Rar. iii. 8.—Afr. austr.  
astrantiaefolium, Hoffmgg. Verz. Pfl. 87.—Afr. austr.  
athamanthoides, L'Hérit. Geran. 47; ex DC. Prod. i. 660.—Afr. austr.  
Atkinsianum, Sweet, Geran. Suppl. t. 99.—Hab. ?  
atrofulgens, Kern. Hort. t. 804.—Hab. ?  
atrofuscum, Sweet, Geran. t. 82.—Afr. austr.  
atromaculatum, Dehnh. Cat. Pl. Hort. Camald. ed. II. 21.—Afr. austr. ?  
atropurpureum x, Sweet, Geran. t. 152.  
atrovirens x, Colv. ex Sweet, Hort. Brit. ed. I. 97.  
atrosanguineum, DC. Prod. i. 653.—Afr. austr.  
atrosanguineum, F. G. Dietr. in N. Bot. Garten-Journ. i. 163; ex Vollst. Lexik. Gaertn. Nachtr. vi. 61 = sanguineum.  
atrovirens x, Sweet, Geran. Suppl. t. 74.  
atrum, L'Hérit. Geran. t. 44.—Afr. austr.  
attenuatum, Harv. in Harv. & Sond. Fl. Cap. i. 266.—Afr. austr.



**PELARGONIUM:—**

*augustissimum* ×, Tratt. Pelarg. t. 193.  
*augustum*, Link, Enum. Hort. Berol. ii. 192.—Afr. austr.  
*aulicum* ×, Sweet, Hort. Brit. ed. I. 77.  
*aurantiadorum*, Sweet, Geran. t. 198.  
*aurantiadorum*, Hoffmgg. Verz. Pfl. 87.—Afr. austr. ?  
*auriculæflorum* ×, Tratt. Pelarg. t. 232.  
*auriculatum* ×, Forbes, Hort. Woburn. 149.  
*auriculatum*, Willd. Sp. Pl. iii. 643 = longifolium.  
*auritum*, Willd. Sp. Pl. iii. 644.—Afr. austr.  
*aurorum* ×, Tratt. Pelarg. t. 8.  
*australe*, Jacq. Eclog. Pl. t. 100; Sweet, Geran. t. 68.—Reg. austr.  
*autumnale*, Hort. ex DC. Prod. i. 676 = floridum.  
*Avronianum* ×, Sweet, Geran. t. 394.  
*Azaleæ* ×, Tratt. Pelarg. t. 87.  
*Bacchantum*, De Kleist, ex F. G. Dietr. Vollst. Lexik. Gaertn. Nachtr. vi. 65 = glutinosum ?  
*Baileyanum*, Sweet, Geran. t. 87.—Afr. austr.  
*Bakerianum* ×, Sweet, l. c. t. 240.  
*Balbisanum*, Spin, Cat. Hort. Sebast. (1818) 30.—Afr. austr.  
*Baldinianum* ×, Tratt. Pelarg. t. 219.  
*balsameum*, Jacq. Ic. Pl. Rar. iii. t. 543; Coll. Suppl. 136 = scabrum.  
*barbatum*, Jacq. l. c. t. 513; Coll. 197.—Afr. austr.  
*Barclayanum* ×, Sweet, Hort. Brit. ed. I. 84; Geran. t. 384.  
*Barmanum*, Voigt, ex Hoffmgg. Verz. Pfl. 87.—Afr. austr. ?  
*Barnardianum*, Sweet, Geran. t. 127.—Afr. austr.  
*Barringtonii*, Willd. Enum. Hort. Berol. 706.—Afr. austr.  
*basilicum* ×, Sweet, Hort. Brit. ed. I. 471; Geran. t. 360.  
*Bathoniae*, Hoare, in Sweet, Geran. sub t. 74 = *Thynneæ*.  
*Baummannianum* ×, Tratt. Pelarg. t. 154.  
*Beadoniae* ×, Sweet, Geran. t. 191.  
*Beaufortianum*, Pers. Syn. ii. 231.—Afr. austr.  
*Belladonna* ×, Sweet, Geran. t. 270.  
*Bellardi*, Spin, Cat. Hort. St. Sebast. (1818) 30.—Afr. austr.  
*Bellermanni*, Dehnh. Cat. Pl. Hort. Camald. ed. II. 21.—Hab. ?  
*bellulum*, Sweet, Geran. t. 60.—Afr. austr.  
*bellum*, Hort. ex Tratt. Pelarg. sub t. 22 = *chamaerhodon*.  
*Bentinkianum*, DC. Prod. i. 664 = fulgidum ?  
*Bentinkianum*, Hort. ex Willd. Enum. Hort. Berol. 704 = praece. ?  
*Berterianum*, Spin, Cat. Hort. Sebast. Suppl. (1823) 12; et ex Colla, Hort. Ripul. App. iii. 8. t. 4.—Afr. austr.  
*Besseri*, Link, Enum. Hort. Berol. ii. 195 (Quid ?).—Afr. austr. ?  
*betonicum*, Jacq. Coll. Suppl. 127 = myrrhifolium.  
*betulaefolium*, Schrank, ex Hoffmgg. Verz. Pfl. 87 = cordatum.  
*betulinum*, [Soland. in] Ait. Hort. Kew. ed. I. ii. 429.—Afr. austr.  
*Beudoniae*, Steud. Nom. ed. II. ii. 292, sphalm. = *Beadoniae*.  
*bicolor*, [Soland. in] Ait. Hort. Kew. ed. I. ii. 425.—Afr. austr.  
*biflorum* ×, Sweet, Geran. t. 287.  
*bifolium*, Willd. Sp. Pl. iii. 645.—Afr. austr.  
*bijugum*, Steud. Nom. ed. II. ii. 284.—Afr. austr.  
*bipartitum*, DC. Prod. i. 653.—Afr. austr.  
*bipinnatifidum*, Steud. Nom. ed. II. ii. 284.—Afr. austr.  
*bipinnatifidum* ×, Sweet, Geran. Suppl. t. 62.  
*Birolii*, Spin, ex Colla, Hort. Ripul. App. ii. 353.—Afr. austr. ?  
*Bishopae* ×, Sweet, Geran. t. 272.  
*Bivonae*, Dehnh. Cat. Pl. Hort. Camald. ed. II. 21.—Afr. austr. ?  
*biulnerum* ×, Tratt. Pelarg. t. 178.  
*Blandfordianum*, Sweet, Geran. t. 101.—Afr. austr.  
*blandum*, Hornem. Hort. Hafn. Suppl. 76 = *Horne-manni*.  
*blandum*, Sweet, Geran. t. 4.—Afr. austr.  
*blattarium*, Jacq. Hort. Schoenb. ii. 3. t. 131 = ovale.  
*Bluecherianum*, Hort. ex Hoffmgg. Verz. Pfl. 87.—Hab. ?  
*Bluntianum* ×, Sweet, Geran. Suppl. t. 79.  
*Boleyniae* ×, Forbes, Hort. Woburn. 150.

VOL. II.

**PELARGONIUM:—**

*Boscaweniae* ×, Colv. ex Sweet, Hort. Brit. ed. I. 79.  
*Bowkeri*, Harv. in Harv. & Sond. Fl. Cap. ii. 592.—Afr. austr.  
*Boyleae*, Sweet, Geran. t. 50 = formosissimum.  
*bracteatum*, DC. Prod. i. 664.—Afr. austr.  
*brassicatum* ×, Sweet, Hort. Brit. ed. I. 78.  
*Brayanum* ×, Tratt. Pelarg. t. 141.  
*Breesianum*, Sweet, Geran. t. 64.—Afr. austr.  
*brevipes* ×, Sweet, Hort. Brit. ed. I. 84, nomen.  
*brevirostre*, E. Mey. in Drège, Zwei Pfl. Docum. 208 = australe.  
*Brightianum* ×, Sweet, Geran. t. 227.  
*Broadleyae* ×, Colv. ex Sweet, Hort. Brit. ed. I. 81; G. Don, Gen. Syst. i. 740.—Hab. ?  
*Broughtoniae* ×, Sweet, Geran. t. 181.  
*Brownii*, Sweet, l. c. t. 146.—Afr. austr.  
*bryoniaefolium* ×, Sweet, l. c. t. 320.  
*bubonifolium*, Pers. Syn. ii. 227.—Afr. austr.  
*Buffonianum*, Spin, ex Colla, Hort. Ripul. App. ii. 353.—Hab. ?  
*bullatum*, Jacq. Ic. Pl. Rar. iii. 530; Coll. v. 124 = myrrhifolium.  
*Burdini*, Colla, Hort. Ripul. App. iii. 6. t. 3.—Afr. austr.  
*Burmanni*, Hoffmgg. Verz. Pfl. 87 = *Barmanum*.  
*Burmmanianum*, Steud. Nom. ed. II. ii. 284 = ferulaceum.  
*Burnelianum*, Steud. l. c., sphalm. 292 = seq.  
*Burnettianum* ×, Sweet, Geran. t. 369.  
*Byronianum* ×, Forbes, Hort. Woburn. 150.  
*caespitosum*, Turcz. in Bull. Soc. Nat. Mosc. xxxi. (1858) 1. 419.—Afr. austr.  
*caffrum*, Steud. Nom. ed. II. ii. 284.—Afr. austr.  
*calamistratum* ×, Sweet, Geran. Suppl. t. 36.  
*calliston* ×, Sweet, l. c. t. 9.  
*callodon* ×, Tratt. Pelarg. t. 76.  
*callosum*, E. Mey. in Drège, Zwei Pfl. Docum. 208 = anethifolium.  
*calocephalon* ×, Sweet, Geran. t. 201.  
*calographicum* ×, Tratt. Pelarg. t. 25.  
*calycinum* ×, Sweet, Geran. t. 81.  
*Camaldulense* ×, Dehnh. Cat. Pl. Hort. Camald. ed. II. 21.  
*campestre*, Steud. Nom. ed. II. ii. 284.—Afr. austr.  
*camphoratum*, Hoffmgg. Verz. Pfl. 87.—Afr. austr.  
*campyliaeflorum* ×, Sweet, Geran. t. 251.  
*campylosepalum* ×, Sweet, l. c. 379.  
*canaliculatum*, Zuccagni, in Roem. Collect. 146 = myrrhifolium.  
*canariense*, Willd. Hort. Berol. t. 17; Enum. Hort. Berol. 702 (Quid ?).—Ins. Canar.  
*candicans*, Spreng. Syst. iii. 57.—Afr. austr.  
*candidum*, Hoare, ex Sweet, Geran. t. 128.—Afr. austr. ?  
*candidum*, Link, Enum. Hort. Berol. ii. 194 = *Blandfordianum*.  
*canescens*, Sweet, Geran. sub t. 93 = incisum.  
*cantabrigiense*, Forbes, Hort. Woburn. 150.  
*canum*, Pers. Syn. ii. 229 = ovale.  
*capense*, Link, Enum. Hort. Berol. ii. 195 (Quid ?).—Afr. austr.  
*capillare*, Harv. in Harv. & Sond. Fl. Cap. i. 293 = violarium.  
*capillare*, Willd. Sp. Pl. iii. 660.—Afr. austr.  
*capitatum*, [Soland. in] Ait. Hort. Kew. ed. I. ii. 425.—Afr. austr.  
*capnoides*, L'Hérit. ex DC. Prod. i. 660 = minimum.  
*carbasinum* ×, Sweet, Geran. Suppl. t. 38.  
*carbonatum* ×, Tratt. Pelarg. t. 100.  
*cardiifolium*, Sweet, Geran. t. 15.—Afr. austr.  
*cardiophyllum*, Harv. in Harv. & Sond. Fl. Cap. i. 284 = setulosum.  
*carinatum*, Sweet, Geran. t. 21.—Afr. austr.  
*carinatum*, Wendl. Coll. ii. 79. t. 71.—Afr. austr.  
*carnescens* ×, Sweet, Hort. Brit. ed. I. 79.  
*carneum*, Jacq. Ic. Pl. Rar. iii. 8. t. 512; Coll. iv. 189.—Afr. austr.  
*carnosum*, [Soland. in] Ait. Hort. Kew. ed. I. ii. 421.—Afr. austr.  
*carolinaeum* ×, Tratt. Pelarg. t. 218.  
*carotae-folium*, Hoffmgg. Verz. Pfl. 87 = flavum.  
*cartilagineum*, Sweet, Hort. Brit. ed. I. 471; Geran. t. 382.  
*cartilagineum* ×, Tratt. Pelarg. t. 7.  
*caryophyllaceum* ×, Sweet, Hort. Brit. ed. I. 77.  
*castaliaefolium* ×, Tratt. Pelarg. t. 68.  
*castellianum*, Spin, Cat. Hort. Sebast. (1818) 30.—Afr. austr.  
*castum* ×, Tratt. Pelarg. t. 15.

**PELARGONIUM:—**

*cataractae*, Steud. Nom. ed. II. ii. 284 = patulum.  
*caucalifolium*, Jacq. Ic. Pl. Rar. iii. 529; Coll. v. 145.—Afr. austr.  
*cavrianum* ×, Tratt. Pelarg. t. 243.  
*centauroides*, L'Hérit. Geran. t. 12.—Afr. austr.  
*cephalanthum* ×, Tratt. Pelarg. t. 159.  
*cephalicum*, Hoffmgg. Verz. Pfl. 87 = scabrum.  
*Cephalotes*, Hoffmgg. l. c. 88.—Afr. austr.  
*ceratophyllum*, L'Hérit. Geran. Ined. 12; ex DC. Prod. i. 652.—Afr. austr.  
*cerinum*, DC. Prod. i. 659 = inquinans.  
*cernuum* ×, Tratt. Pelarg. t. 209.  
*chaerophyllum* ×, Sweet, Geran. t. 257.  
*chamaedrifolium*, Harv. in Harv. & Sond. Fl. Cap. i. 290.—Afr. austr.  
*chamaedrifolium*, Jacq. Ic. Pl. Rar. iii. 523; Coll. Suppl. 130.—Afr. austr.  
*chamaerhodon* ×, Tratt. Pelarg. t. 22.  
*Chandleri* ×, Colv. ex Sweet, Hort. Brit. ed. I. 79; Forbes, Hort. Woburn. 151.  
*Charlwoodii* ×, Sweet, Geran. t. 380.  
*chelidoniifolium* ×, Sweet, Hort. Brit. ed. I. 471; Geran. t. 341.  
*Chelidonium*, DC. Prod. i. 650.—Afr. austr.  
*chenopodiifolium* ×, Sweet, Geran. t. 328.  
*chrysanthemifolium* ×, Sweet, l. c. t. 124.—Afr. austr.  
*Chrysosplenium* ×, Tratt. Pelarg. t. 262.  
*ciliatum*, Jacq. Coll. iv. 195 = longifolium.  
*ciliatum*, Willd. Sp. Pl. iii. 643 = *parnassioides*.  
*cinctum*, Baker, in Saund. Refug. Bot. t. 151.—Afr. austr.  
*circumflexum* ×, Sweet, Hort. Brit. ed. I. 78, nomen.  
*circumscripsum* ×, Tratt. Pelarg. t. 102.  
*citriodorum*, Hort. ex Breit. Hort. Breit. 331; Schrank, in Syll. Ratisb. ii. (1828) 67.—Afr. austr.  
*citrosium*, Voigt, ex Breit. l. c. = *citriodorum*.  
*clandestinum*, L'Hérit. ex DC. Prod. i. 160 = australe.  
*clarum*, Hoffmgg. Verz. Pfl. 88 = zonale.  
*clarum* ×, Sweet, Geran. t. 366.  
*clathratum* ×, Sweet, l. c. Suppl. t. 85.  
*clausum* ×, Colv. ex Sweet, Hort. Brit. ed. I. 77.  
*clavatum*, L'Hérit. ex DC. Prod. i. 660.—Afr. austr.  
*Clementinae* ×, Tratt. Pelarg. t. 196.  
*Clintoniae* ×, Sweet, Geran. t. 392.  
*clypeatum*, Steud. Nom. ed. II. ii. 284 = *peltatum*.  
*coarctatum* ×, Sweet, Geran. t. 70.—Afr. austr.  
*Coburgiae* ×, Tratt. Pelarg. t. 148.  
*Coburgianum* ×, Tratt. l. c. t. 147.  
*coccineum*, Ehrh. Beitr. vii. 162 = hybridum.  
*cochleatum*, Willd. Enum. Hort. Berol. Suppl. 48 = *acerifolium*.  
*Codringtonii* ×, Forbes, Hort. Woburn. 150.  
*coeleste* ×, Tratt. Pelarg. t. 17.  
*coliohyllum*, Sweet, Hort. Brit. ed. II. 98.  
*Collae*, Spin, Cat. Hort. Sebast. (1818) 31.—Afr. austr.  
*Colleyanum* ×, Sweet, Geran. Suppl. t. 83.  
*columbinum*, Jacq. Hort. Schoenb. ii. 4. t. 133 = australe.  
*columbinum*, E. Mey. ex Harv. in Harv. & Sond. Fl. Cap. i. 291 = *fumarioides*.  
*colutae-folium*, Steud. Nom. ed. II. ii. 284.—Afr. austr.  
*Colvillii* ×, Sweet, Geran. t. 86.—Afr. austr.  
*commixtum* ×, Sweet, l. c. Suppl. t. 71.  
*compactum* ×, Sweet, Hort. Brit. ed. I. 84; et l. c. t. 70.  
*compactum* ×, Tratt. Pelarg. t. 116.  
*compar* ×, Colv. ex Sweet, Hort. Brit. ed. I. 81.  
*compositum*, L'Hérit. ex DC. Prod. i. 667 = *laevigatum*.  
*compson* ×, Tratt. Pelarg. t. 234.  
*Comptoniae* ×, Sweet, Geran. t. 122.—Afr. austr.  
*comptum* ×, Sweet, l. c. t. 255.  
*concaivifolium*, Pers. Syn. ii. 226.—Afr. austr.  
*concaivifolium*, Wendl. Coll. t. 64; Hort. ex DC. Prod. i. 672 = *acerifolium*.  
*concaivum*, Hoffmgg. Verz. Pfl. 88 = *Dennisianum*.  
*concaivum* ×, Sweet, Geran. t. 237.  
*conchaefolium* ×, Tratt. Pelarg. t. 187.  
*conchiifolium* ×, Sweet, Hort. Brit. ed. I. 82.  
*conchyllatum* ×, Sweet, Geran. Suppl. t. 95.  
*concinnum*, Dehnh. Cat. Pl. Hort. Camald. ed. II. 2 (Quid ?).—Afr. austr. ?  
*concinnum* ×, Sweet, Geran. t. 108.—Afr. austr.

38



## PELARGONIUM:—

*conclausum* ×, Sweet, Geran. t. 305.  
*concolor* ×, Sweet, l. c. t. 140.—Afr. austr.  
*concretum* ×, Sweet, l. c. Suppl. t. 24.  
*condensatum*, Pers. Syn. ii. 227.—Afr. austr.  
*conduplicatum*, Willd. Enum. Hort. Berol. 705.—Afr. austr.  
*conduplicatum-crispum*, Hort. ex Hoffmgg. Verz. Pfl. 97 = vestitum.  
*confertifolium* ×, Sweet, Hort. Brit. ed. I. 77.  
*conforme* ×, Tratt. Pelarg. t. 54.  
*confusum*, DC. Prod. i. 661.—Afr. austr.  
*congestum*, Sweet, Geran. t. 325; G. Don, Gen. Syst. i. 727.—Hab.?  
*coniophyllum*, Steud. Nom. ed. II. ii. 285 = flavum.  
*Conquestor* ×, Stroud, ex Forbes, Hort. Woburn. 150.  
*consanguineum*, Willd. Enum. Hort. Berol. 710.—Afr. austr.  
*consimile* ×, Sweet, Hort. Brit. ed. I. 78.  
*conspicuum*, G. Don, Gen. Syst. i. 731.—Afr. austr.  
*contiguum* ×, Sweet, Geran. Suppl. t. 73.  
*convolutum*, Hoffmgg. Verz. Pfl. 88.—Hab.?  
*corallinum*, Steud. Nom. ed. II. ii. 285.—Afr. austr.  
*cordatum*, L'Hérit. Geran. t. 22.—Afr. austr.  
*cordatum-varium*, Van Eeden, ex Hoffmgg. Verz. Pfl. 97 = P. Volucris.  
*cordifolium*, Curt. Bot. Mag. t. 165 = cordatum.  
*cordifolium*, Hort. ex Willd. Enum. Hort. Berol. 705 = conduplicatum.  
*cordiforme* ×, Sweet, Geran. Suppl. t. 49.  
*coriaceum* ×, Tratt. Pelarg. t. 26.  
*coriandrifolium*, Jacq. Ic. Pl. Rar. iii. 528; Coll. v. 142 = myrrhifolium.  
*Cornvallii* ×, Forbes, Hort. Woburn. 150.  
*coronillaefolium*, Fisch. Hort. Gorenk. ed. II. (1812) 54, nomen = rapaceum.  
*coronillaefolium*, Pers. Syn. ii. 227.—Afr. austr.  
*coronopifolium*, Jacq. Ic. Pl. Rar. iii. t. 526; Coll. v. 132.—Afr. austr.  
*cortusaefolium*, Jacq. Ic. Pl. Rar. iii. t. 539 = saniculaefolium.  
*cortusaefolium*, L'Hérit. Geran. t. 25.—Afr. austr.  
*cortusaefolium*, E. Mey. in Drège, Zwei Pfl. Docum. 208 = ionidiflorum.  
*coruscans*, Hoare, ex Sweet, Geran. t. 173.—Afr. austr.  
*corydaliflorum*, DC. Prod. i. 652 = rapaceum.  
*corydalifolium*, Harv. in Harv. & Sond. Fl. Cap. i. 269, sphalm. = praec.  
*corymbosum*, Turcz. in Bull. Soc. Nat. Mosc. xxxi. (1858) i. 422 = tomentosum.  
*Cosmianum* ×, Sweet, Geran. t. 189.  
*cosmon* ×, Tratt. Pelarg. t. 239.  
*Cotyledon*, G. Don, Gen. Syst. i. 732 = seq.  
*cotyledonifolium*, Salisb. Prod. 315 = seq.  
*Cotyledonis*, L'Hérit. Geran. t. 27.—Ins. S. Helen.  
*Couttsiae* ×, Sweet, Geran. t. 269.  
*crassicaule*, L'Hérit. Geran. t. 26; Curt. Bot. Mag. t. 477.—Afr. austr.  
*crassicaule*, E. Mey. in Drège, Zwei Pfl. Docum. 209 = carnosum.  
*crassifolium*, Hoffmgg. Verz. Pfl. 88 = crispum.  
*crassipes*, Harv. in Harv. & Sond. Fl. Cap. i. 281.—Afr. austr.  
*crataegifolium*, Eckl. & Zeyh. Enum. 82.—Afr. austr.  
*crataegifolium* ×, Sweet, Geran. Suppl. t. 19.  
*craterifolium*, Hoffmgg. Verz. Pfl. 88 = calycinum.  
*crenaeflorum* ×, Colv. ex Sweet, Hort. Brit. ed. I. 82.  
*crenatum*, Hoffmgg. Verz. Pfl. 88 = zonale.  
*crenatum*, Link, Enum. Hort. Berol. ii. 189.—Afr. austr.  
*crenulatum* ×, Sweet, Geran. t. 162.  
*crinitum*, Harv. in Harv. & Sond. Fl. Cap. i. 263.—Afr. austr.  
*crinitum*, Nees, in Lehm. Pl. Preiss. i. 163 = australe.  
*crispilobum*, Hoffmgg. ex F. G. Dietr. Vollst. Lexik. Gaertn. Nachtr. vi. 65.—Afr. austr.  
*crispum*, L'Hérit. Geran. t. 32.—Afr. austr.  
*crispum-minus*, Hort. ex Hoffmgg. Verz. Pfl. 91 = Hospes.  
*crithmifolium*, Sm. Ic. Pict. i. t. 13.—Afr. austr.  
*crucifolium*, Hoffmgg. Verz. Pfl. 88.—Afr. austr.?  
*cruentum*, Sweet, Geran. t. 170.—Afr. austr.  
*Cuae*, Dehnh. Cat. Pl. Hort. Camald. ed. II. 21.—Afr. austr.?  
*cucullatum*, [Soland. in] Ait. Hort. Kew. ed. I. ii. 426.—Afr. austr.

## PELARGONIUM:—

*cucumerinum* ×, Tratt. Pelarg. t. 63.  
*cucurbitaceum* ×, Tratt. l. c. t. 123.  
*Cummingiae*, Sweet, Geran. Suppl. t. 39.—Hab.?  
*cuneatum* ×, Hoffmgg. Verz. Pfl. 88 = mixtum.  
*cuneatum*, Spin, Cat. Hort. Sebast. (1818) 31 = praec.?  
*cuneiflorum* ×, Sweet, Geran. t. 330.  
*curinbeticum*, Hort. Cels, ex Hoffmgg. Verz. Pfl. 88.—Afr. austr.  
*Curtisianum*, Balb. & Spin, ex DC. Prod. i. 667; Spreng. Syst. iii. 52 = pulchellum.  
*Curtisii*, Hort. ex Hoffmgg. Verz. Pfl. 89 = adulterinum.  
*Curtisii*, Jacq. ex F. G. Dietr. Vollst. Lexik. Gaertn. Nachtr. vi. 51 = pulchellum.  
*curvatum*, Steud. Nom. ed. II. i. 677, in syn. = aristatum, &c.  
*cuspidatum*, Willd. Enum. Hort. Berol. Suppl. 47 = glaucum.  
*cycloides*, Hoffmgg. ex F. G. Dietr. Vollst. Lexik. Gaertn. Nachtr. vi. 65.—Hab.?  
*cynosbatifolium*, Willd. Hort. Berol. t. 78 = malvaeefolium.  
*Czerniniae* ×, Tratt. Pelarg. t. 253.  
*Czerninianum* ×, Tratt. l. c. t. 117.  
*daedaleum* ×, Sweet, Geran. Suppl. t. 100.  
*damnoides*, Hort. ex Hoffmgg. Verz. Pfl. 96 = thamnoides.  
*Darnleyanum* ×, Sweet, Geran. Suppl. t. 63.  
*dasycaule*, Harv. Rev. Pl. Succ. 309.—Afr. austr.  
*dasyphyllum*, E. Mey. in Drège, Zwei Pfl. Docum. 209 = crithmifolium.  
*daucifolium*, Salisb. Prod. 312 = flavum.  
*daucifolium*, Steud. Nom. ed. II. ii. 285 = triste.  
*daucoides*, Jacq. Coll. Suppl. 143 = flavum.  
*Daveyanum* ×, Sweet, Geran. t. 32.—Afr. austr.  
*Deburghae* ×, Sweet, l. c. Suppl. t. 21.  
*decepiens*, Steud. Nom. ed. II. ii. 285 = discipes?  
*decepiens* ×, Tratt. Pelarg. t. 27.  
*decoloratum* ×, Tratt. l. c. t. 120.  
*decorum* ×, Colv. ex Sweet, Hort. Brit. ed. I. 81; et Geran. Suppl. t. 15.  
*degener*, Hoffmgg. Verz. Pfl. 89.—Afr. austr.  
*delectabile*, Hoffmgg. l. c.—Afr. austr.  
*deletum* ×, Tratt. Pelarg. t. 59.  
*delicatum* ×, Hoare, ex Sweet, Geran. t. 267.  
*delphinifolium*, Willd. Enum. Hort. Berol. 708.—Afr. austr.  
*deltoideum*, Hoffmgg. ex F. G. Dietr. Vollst. Lexik. Gaertn. Nachtr. vi. 65 (Quid ?)—Hab.?  
*deltoideum*, L'Hérit. ex DC. Prod. i. 650 = P. Ficaria.  
*dendriticum* ×, Tratt. Pelarg. t. 90.  
*Dennisianum*, Sweet, Geran. t. 20.—Afr. austr.  
*densiflorum*, Steud. Nom. ed. II. ii. 285 = zonale.  
*dentatum* ×, Sweet, Hort. Brit. ed. I. 81.—Hab.?  
*denticulatum*, Jacq. Hort. Schoenb. ii. t. 135.—Afr. austr.  
*dependens* ×, Sweet, Geran. t. 195.  
*depressum*, Jacq. Coll. iv. 193 = longifolium.  
*depressum*, Licht. ex Spreng. Syst. iii. 60 = lignosum.  
*dianthiflorum* ×, Sweet, Hort. Brit. ed. I. 82.  
*diaphanum* ×, Tratt. Pelarg. t. 101.  
*dichondraefolium*, DC. Prod. i. 656.—Afr. austr.  
*dichotomum*, Otto & Dietr. Allg. Gartenz. iii. (1835) 306.—Hab.?  
*didymum* ×, Tratt. Pelarg. t. 52.  
*difforme* ×, Sweet, Geran. t. 105.  
*dilatatum* ×, Sweet, l. c. t. 314.  
*dilatilobum* ×, Sweet, l. c. t. 378.  
*dilectum* ×, Sweet, Hort. Brit. ed. I. 78, nomen.  
*dilutum* ×, Sweet, l. c. 84; et Geran. t. 293.  
*dimacriaeflorum* ×, Sweet, Geran. t. 220.  
*dimidiatum*, Steud. Nom. ed. II. ii. 285 = alchemilloides.  
*diminutum* ×, Tratt. Pelarg. t. 130.  
*dioicum*, R. Br. in Ait. Hort. Kew. ed. II. iv. 162 = atrum.  
*dipetalum*, L'Hérit. Geran. t. 43.—Afr. austr.  
*discipes*, Harv. Rev. Pl. Succ. 305.—Afr. austr.  
*dissectum*, Hort. ex Link, Enum. Hort. Berol. ii. 190 = Willdenowii.  
*dissectum*, Steud. Nom. ed. II. ii. 285.—Afr. austr.  
*dissectum* ×, Sweet, Geran. t. 247.  
*dissimile* ×, Sweet, l. c. Suppl. t. 60.  
*distans*, L'Hérit. Geran. Ined. 35; ex DC. Prod. i. 660.—Afr. austr.

## PELARGONIUM:—

*distantifolium*, Hort. ex Steud. Nom. ed. II. ii. 285 = amplissimum.  
*distentifolium*, Hort. ex Link, Enum. Hort. Berol. ii. 189 = amplissimum.  
*distichum*, Dehnh. Cat. Pl. Hort. Camald. ed. II. 23 = strigosum, Dehnh.  
*distichum*, Hoffmgg. Verz. Pfl. 89.—Afr. austr.  
*divaricatum*, DC. Prod. i. 682.—Afr. austr.  
*divaricatum*, F. G. Dietr. Vollst. Lexik. Gaertn. Nachtr. vi. 52 = egregium.  
*divergens* ×, Sweet, Geran. Suppl. t. 39.  
*diversiflorum* ×, Tratt. Pelarg. t. 53.  
*diversifolium*, Wendl. Bot. Beobacht. 52 = glaucum.  
*diversilobum* ×, Sweet, Geran. t. 361.  
*Dobraeanum* ×, Sweet, l. c. t. 253.  
*Dodonaei*, Hoffmgg. Verz. Pfl. 89.—Afr. austr.  
*dondiaefolium*, Link, Enum. Hort. Berol. ii. 187.—Afr. austr.  
*Drakeae* ×, Sweet, Geran. Suppl. t. 96.  
*Dregeanum*, Turcz. in Bull. Soc. Nat. Mosc. xxxi. (1858) i. 422 = cordatum.  
*Drummondii*, Turcz. l. c. 421.—Austral.  
*dubium* ×, Tratt. Pelarg. t. 11.  
*dumosum* ×, Sweet, Geran. t. 19.  
*durum*, Hoffmgg. Verz. Pfl. 89.—Afr. austr.  
*dysgenon* ×, Tratt. Pelarg. t. 214.  
*echinatum*, Curt. Bot. Mag. t. 309.—Afr. austr.  
*Ecklonii*, Turcz. in Bull. Soc. Nat. Mosc. xxxi. (1858) i. 419.—Afr. austr.  
*egregium*, Hort. Belved. 71; ex Link, Enum. Hort. Berol. ii. 195.—Afr. austr.?  
*elatum*, DC. Prod. i. 657; Colla, Hort. Ripul. 103. t. 5.—Afr. austr.  
*elatum*, G. Don, Gen. Syst. i. 731 = violarium.  
*elatum*, E. Mey. in Drège, Zwei Pfl. Docum. 209 = caespitosum.  
*electum* ×, Sweet, Geran. t. 238.  
*elegans*, Hort. ex Hoffmgg. Verz. Pfl. 86 = anodaefolium.  
*elegans*, Willd. Sp. Pl. iii. 655.—Afr. austr.  
*elegantissimum*, Hort. Burdin, ex Colla, Hort. Ripul. App. ii. 354 = Burdini.  
*elegantulum*, Steud. Nom. ed. II. ii. 292.—Afr. austr.?  
*Elisae* ×, Tratt. Pelarg. t. 205.  
*ellipticum*, DC. Prod. i. 681.—Afr. austr.  
*elongatum*, Steud. Nom. ed. II. ii. 285 = tabulare.  
*emancipatum*, Hoffmgg. ex F. G. Dietr. Vollst. Lexik. Gaertn. Nachtr. vi. 66.—Afr. austr.  
*emarginatum*, Hort. ex F. G. Dietr. l. c. (Quid ?)—Hab.?  
*emarginatum*, Moench, Meth. Suppl. 296.—Hab.?  
*emarginatum*, Wendl. ex Breit. Hort. Breit. 334.—Afr. austr.  
*Endlicherianum*, Fensl, Pugill. Pl. Nov. Syr. 6; et in Belg. Hortic. vi. (1856) 133.—Oriens.  
*enigmaticum* ×, Tratt. Pelarg. t. 86.  
*ensatum*, DC. Prod. i. 680.—Afr. austr.  
*epiphanon* ×, Tratt. Pelarg. t. 251.  
*eratinum* ×, Sweet, Geran. Suppl. t. 30.  
*erectum* ×, Sweet, Geran. t. 187.  
*eriocaulon* ×, Sweet, l. c. t. 357.  
*eriophorum* ×, Sweet, Hort. Brit. ed. I. 79.  
*eriophyllum* ×, Sweet, Geran. t. 141.  
*eriosepalum* ×, Sweet, l. c. t. 375.  
*eriospermum*, Jacq. Hort. Schoenb. ii. 4. t. 132 = ovale.  
*erodioides*, Hook. Journ. Bot. i. (1834) 252 = australe.  
*erosum* ×, Tratt. Pelarg. t. 264.  
*errans*, Hort. ex Link, Enum. Hort. Berol. ii. 193 = P. Exsul.  
*erubescens*, Spin, Cat. Hort. Sebast. (1809) 27.—Hab.?  
*Eryngii* ×, Tratt. Pelarg. t. 84.  
*erythraeum*, DC. Prod. i. 681.—Afr. austr.  
*erythraeum*, Hoffmgg. Verz. Pfl. 89 = saepeflorens.  
*erythrophyllum*, Steud. Nom. ed. II. ii. 285.—Afr. austr.  
*Essexiae* ×, Colv. ex Sweet, Hort. Brit. ed. i. 82, nomen.  
*eugeniaum* ×, Tratt. Pelarg. t. 223.  
*eupatoriaefolium*, Steud. Nom. ed. II. ii. 286.—Afr. austr.  
*euphraseum*, Hornem. Hort. Hafn. ii. 634.—Afr. austr.  
*eurphyllum* ×, Tratt. Pelarg. t. 129.  
*exaratum* ×, Tratt. l. c. 211.  
*exetelon* ×, Tratt. l. c. 238.  
*exile* ×, Sweet, Hort. Brit. ed. I. 78.  
*eximium*, Hoffmgg. Verz. Pfl. 90 = delectabile.  
*eximium* ×, Sweet, Geran. t. 26.



**PELARGONIUM:—**

*exochum* ×, Tratt. Pelarg. t. 131.  
*exornatum* ×, Sweet, Hort. Brit. ed. I. 80.  
*expansum* ×, Sweet, l. c. 82; Steud. Nom. ed. II. ii. 286.—Afr. austr.  
*exquisitum*, Hoffmgg. Verz. Pfl. 90.—Afr. austr.  
*exquisitum* ×, Sweet, Geran. Suppl. t. 55.  
*exstipulatum*, L'Hérit. Geran. t. 35.—Afr. austr.  
*Exsul*, Hoffmgg. ex F. G. Dietr. Vollst. Lexik. Gaertn. Nachtr. vi. 66.—Afr. austr.  
*Fairliae* ×, Sweet, Geran. t. 178.  
*familare*, Hoffmgg. ex F. G. Dietr. Vollst. Lexik. Gaertn. Nachtr. vi. 66.—Afr. austr.?  
*fasciculatum* ×, Colv. ex Sweet, Hort. Brit. ed. I. 79.  
*fastuosum* ×, Sweet, Geran. Suppl. t. 93.  
*fastuosum* ×, Tratt. Pelarg. t. 4.  
*Fauxiae* ×, Forbes, Hort. Woburn. 152.  
*Felderi*, Hort. Wendl. ex Hoffmgg. Verz. Pfl. 89, in syn.—seq.  
*Felteri*, Hort. ex F. G. Dietr. Vollst. Lexik. Gaertn. Nachtr. vi. 52=egregium.  
*fenestratum* ×, Tratt. Pelarg. t. 94.  
*Ferdinandum* ×, Tratt. l. c. t. 49.  
*ferulaceum*, Willd. Sp. Pl. iii. 687.—Afr. austr.  
*festivum*, Hoffmgg. Verz. Pfl. 90=cordatum.  
*Ficaria*, E. Mey. ex Harv. & Sond. Fl. Cap. i. 262=Meyeri.  
*Ficaria*, Willd. Sp. Pl. iii. 643.—Afr. austr.  
*ficifolium*, Hoffmgg. ex F. G. Dietr. Vollst. Lexik. Gaertn. Nachtr. vi. 66.—Afr. austr.  
*ficifolium* ×, Tratt. Pelarg. t. 206.  
*filipendulifolium*, Sweet, Geran. t. 85=triste.  
*fimbriatum*, E. Mey. in Drège, Zwei Pfl. Docum. 209=amatymbicum.  
*Fischerianum*, Dehnh. Cat. Pl. Hort. Camald. ed. II. 21 (Quid?).—Afr. austr.  
*fissifolium*, Pers. Syn. ii. 227.—Afr. austr.  
*fissum*, Baker, in Saund. Refug. Bot. t. 149.—Afr. austr.  
*flabellatum*, Dehnh. Cat. Pl. Hort. Camald. ed. II. 21.—Hab.?  
*flabellifolium*, Harv. in Harv. & Sond. Fl. Cap. i. 276.—Afr. austr.  
*flabellifolium* ×, Sweet, Geran. Suppl. t. 48.  
*flaccidum* ×, Sweet, Hort. Brit. ed. I. 471; Geran. t. 337.  
*flagrans*, Sweet, Geran. t. 16.  
*flammeum* ×, Colv. ex Sweet, Hort. Brit. ed. I. 79; Forbes, Hort. Woburn. 151.  
*flavescens*, Steud. Nom. ed. II. ii. 286=tetragonum.  
*flavum*, [Soland. in] Ait. Hort. Kew. ed. I. ii. 418.—Afr. austr.  
*flexuosum*, DC. Prod. i. 680.—Afr. austr.  
*flexuosum* ×, Sweet, Geran. t. 180.  
*floccosum* ×, Sweet, l. c. 129.  
*floribundum*, Breit. Hort. Breit. 334=undulatum.  
*floribundum*, R. Br. in Ait. Hort. Kew. ed. II. iv. 163.—Afr. austr.  
*floridum*, Sweet, Geran. t. 41.—Afr. austr.?  
*Flos-jambeae*, Steud. Nom. ed. II. ii. 293=Foljambeae.  
*foliolosum*, DC. Prod. i. 653=astragalifolium.  
*foliosum* ×, Sweet, Hort. Brit. ed. I. 471; Geran. t. 340.  
*Foljambeae* ×, Sweet, Geran. t. 312.  
*Footianum* ×, Forbes, Hort. Woburn. 151.  
*formosissimum*, Pers. Syn. ii. 231.—Afr. austr.  
*formosum*, Balb. ex Spreng. Syst. iii. 61=scabrum.  
*formosum*, Desf. Arb. i. 459=formosissimum.  
*formosum*, Sweet, Geran. t. 120=Willdenowii.  
*formosum-grandiflorum*, Cels. ex Hoffmgg. Verz. Pfl. 92=magniflorum.  
*Forsterianum* ×, Forbes, Hort. Woburn. 152.  
*Fothergillii*, Sweet, ex Kern. Hort. t. 469.—Hab.?  
*fragile*, Hort. ex Hoffmgg. Verz. Pfl. 92=laeve.  
*fragile*, Willd. Sp. Pl. iii. 686=tripartitum.  
*fragrans*, E. Mey. in Drège, Zwei Pfl. Docum. 209=althaeoides.  
*fragrans*, Willd. Hort. Berol. i. t. 77.—Hab.?  
*fragrantissimum*, F. G. Dietr. Vollst. Lexik. Gaertn. Nachtr. vi. 54=praec.?  
*fragrantissimum*, Link, Enum. Hort. Berol. ii. 192.—Afr. austr.  
*Franciscaeum* ×, Tratt. Pelarg. t. 198=seq.?  
*Francisii* ×, Sweet, Hort. Brit. ed. I. Add. 471.  
*fraternum*, Schrank, Pl. Rar. Hort. Monac. t. 16.—Afr. austr.  
*Friderici-Guilelmi*, Klier, ex Otto & Dietr. Allg. Gartenz. v. (1837) 202.—Hab.?  
*fruticosum*, DC. Prod. i. 661=myrrhifolium.  
*fruticosum*, E. Mey. in Drège, Zwei Pfl. Docum. 209=divaricatum.

**PELARGONIUM:—**

*fruticosum*, Willd. Sp. Pl. iii. 689.—Afr. austr.  
*Fuerstenbergianum* ×, Tratt. Pelarg. t. 222.  
*Fuerstianum* ×, Tratt. l. c. t. 228.  
*fulgens*, Hoffmgg. Verz. Pfl. 90=formosissimum.  
*fulgens*, Steud. Nom. ed. II. ii. 293.—Hab.?  
*fulgidum*, [Soland. in] Ait. Hort. Kew. ed. I. ii. 422.—Afr. austr.  
*fulminans*, Hoffmgg. Verz. Pfl. 90.—Afr. austr.?  
*fumarioides*, L'Hérit. ex Harv. & Sond. Fl. Cap. i. 290.—Afr. austr.  
*fuscatum*, Jacq. Ic. Pl. Rar. iii. 450=saniculaefolium.  
*fuscatum*, Sweet, Geran. t. 210=seq.  
*fusculorum*, Sweet, Geran. errat. sub t. 215.  
*Galathea* ×, Tratt. Pelarg. t. 213.  
*gangrenosum* ×, Tratt. l. c. t. 112.  
*Gardeniae*, Hort. ex Steud. Nom. ed. II. ii. 286=seq.  
*Gardneriae* ×, Colv. ex Sweet, Hort. Brit. ed. I. 80.  
*geifolium*, E. Mey. in Drège, Zwei Pfl. Docum. 209=heracleifolium.  
*Geislernianum* ×, Tratt. Pelarg. t. 121.  
*geniculatum*, Dehnh. Cat. Pl. Hort. Camald. ed. II. 22 (Quid?).—Afr. austr.?  
*geranioides*, Steud. Nom. ed. II. ii. 286=alchemiloides.  
*germanum*, Hort. ex Tratt. Pelarg. sub t. 42=Amaryllidis.  
*Ghilini*, Spin. Cat. Hort. Sebast. (1818) 31.—Hab.?  
*gibbosum*, L'Hérit. ex [Soland. in] Ait. Hort. Kew. ed. I. ii. 422.—Afr. austr.  
*giganteum* ×, Tratt. Pelarg. t. 215.  
*Giordani*, Dehnh. Cat. Pl. Hort. Camald. ed. II. 22 (Quid?).—Hab.?  
*glabellum*, Steud. Nom. ed. II. ii. 293=seq.  
*glabellum*, Link, Enum. Hort. Berol. ii. 190.—Hab.?  
*glabrescens* ×, Sweet, Geran. Suppl. t. 45.  
*glabrifolium*, Steud. Nom. ed. II. ii. 293.—Afr. austr.?  
*glabrum*, Hoffmgg. Verz. Pfl. 90.—Afr. austr.?  
*glaciale* ×, Tratt. Pelarg. t. 58.  
*gladioloides* ×, Tratt. l. c. t. 29.  
*glaucefolium*, Dehnh. Cat. Pl. Hort. Camald. ed. II. 22 (an seq.).—Hab.?  
*glaucefolium* ×, Sweet, Geran. t. 179.  
*glaucoides*, Wendl. Coll. 63. t. 63=glaucum.  
*glaucophyllum*, Steud. Nom. ed. II. ii. 286, sphalm.=praec.  
*glaucum*, L'Hérit. Geran. t. 29.—Afr. austr.  
*glechomoides*, A. Rich. Tent. Fl. Abyss. i. 118.—Afr. trop.  
*glomeratum*, Jacq. f. Eclog. i. 146. t. 98=australe.  
*glorianum* ×, Sweet, Geran. Suppl. t. 82.  
*gloriosum*, Hoffmgg. ex F. G. Dietr. Vollst. Lexik. Gaertn. Nachtr. vi. 67.—Afr. austr.  
*glutinosum*, L'Hérit. Geran. t. 20.—Afr. austr.  
*glutinosum*, Van Eeden, ex Hoffmgg. Verz. Pfl. 89=Dodonaei.  
*Gordoniae* ×, Forbes, Hort. Woburn. 152.  
*gossypifolium* ×, Sweet, Hort. Brit. ed. II. 98.  
*Goweri*, Sweet, l. c. ed. I. Add. 471.—Afr. austr.?  
*gracile*, Steud. Nom. ed. II. ii. 286.—Afr. austr.  
*gracilesens* ×, Sweet, Hort. Brit. ed. I. 78.  
*Graftoniae* ×, Forbes, Hort. Woburn. 152.  
*grandidentatum* ×, Sweet, Geran. t. 217.  
*grandiflorum*, Willd. Sp. Pl. iii. 674.—Afr. austr.  
*graphicum* ×, Sweet, Geran. Suppl. t. 12.  
*gratum*, Willd. Enum. Hort. Berol. 710.—Hab.?  
*graveolens*, L'Hérit. Geran. t. 17.—Afr. austr.  
*Grenvilleae*, Harv. in Harv. & Sond. Fl. Cap. i. 265.—Afr. austr.  
*Grevillanum*, Hort. ex Steud. Nom. ed. II. ii. 286=conspicuum.  
*Grimaldiae*, Spin. Cat. Hort. Sebast. (1818) 31 (Quid?).—Hab.?  
*grossulariaefolium*, Salisb. Prod. 313=seq.  
*grossularioides*, [Soland. in] Ait. Hort. Kew. ed. I. ii. 42=australe.  
*gruinale* ×, Tratt. Pelarg. t. 165.  
*Gurneyanum* ×, Sweet, Geran. t. 393.  
*Gussonii*, Dehnh. Cat. Pl. Hort. Camald. ed. II. 22.—Hab.?  
*gymnophyllum* ×, Tratt. Pelarg. t. 134.  
*haemanthor* ×, Sweet, Hort. Brit. ed. I. 78.  
*haemastictum* ×, Sweet, Geran. Suppl. t. 18.  
*hamatum*, Jacq. Hort. Schoenb. ii. 7=echinatum.  
*Hammersleiae* ×, Sweet, Geran. t. 225.  
*hardenbergense*, Dehnh. Cat. Pl. Hort. Camald. ed. II. 22.—Hab.?

**PELARGONIUM:—**

*Harewoodiae* ×, Sweet, Geran. t. 389.  
*hederiaefolium*, Salisb. Prod. 315=lateripes.  
*Hellerii*, Hort. ex Hoffmgg. Verz. Pfl. 90.—Afr. austr.  
*Henricae* ×, Tratt. Pelarg. t. 146.  
*hepaticaefolium*, Hoffmgg. Verz. Pfl. 91=lateripes.  
*hepaticaefolium*, Spreng. Nachr. i. Bot. Gart. Halle, 31; Nov. Prov. 31.—Afr. austr.  
*heracleifolium*, Lodd. Bot. Cab. t. 437.—Afr. austr.  
*heraldicum* ×, Tratt. Pelarg. t. 56.  
*Heritieri*, Sweet, Hort. Brit. ed. I. 83; ed. II. 100.—Afr. austr.  
*hermanniaefolium*, Jacq. Ic. Pl. Rar. iii. t. 545; Coll. Suppl. 137=crispum.  
*Hermineae* ×, Tratt. Pelarg. t. 242.  
*Heslrigii*, Sweet, Hort. Brit. ed. I. 84=seq.  
*Heslrigiae* ×, Sweet, Geran. t. 819.  
*hesperideum* ×, Tratt. Pelarg. t. 18.  
*heterogamum*, L'Hérit. Geran. t. 18.—Afr. austr.  
*heterolobum*, DC. Prod. i. 680.—Afr. austr.  
*heteromallum* ×, Sweet, Hort. Brit. ed. I. 79.  
*heterophyllum*, Jacq. Ic. Pl. Rar. iii. 516; Coll. iv. 197.—Afr. austr.  
*heterophyllum*, L'Hérit. ex DC. Prod. i. 652=atrum.  
*heterotrichum* ×, Sweet, Hort. Brit. ed. I. 84; et Geran. t. 303.  
*hibiscifolium* ×, Sweet, Hort. Brit. ed. I. 79.  
*hibiscinum* ×, Tratt. Pelarg. t. 99.  
*hibridaefolium*, Steud. Nom. ed. II. ii. 286=heracleifolium.  
*hilare*, Hoffmgg. ex F. G. Dietr. Vollst. Lexik. Gaertn. Nachtr. vi. 67.—Afr. austr.?  
*Hillianum* ×, Sweet, Geran. Suppl. t. 51.  
*Hippocrepis*, L'Hérit. ex DC. Prod. i. 668=saniculacifolium.  
*hirsutum*, [Soland. in] Ait. Hort. Kew. ed. I. ii. 417=atrum.  
*hirtum*, Jacq. Ic. Pl. Rar. iii. 536; Coll. v. 144=tenuifolium.  
*hirtum*, Willd. Sp. Pl. iii. 644=longifolium.  
*hispidum*, Willd. l. c. 677.—Afr. austr.  
*Histrio*, Hoffmgg. Verz. Pfl. 91=elatum.  
*hoaraeflorum* ×, Sweet, Geran. t. 133.  
*Hoareanum* ×, Sweet, l. c. t. 80.  
*Hoffmannseggii*, F. G. Dietr. Vollst. Lexik. Gaertn. Nachtr. vi. 32.—Afr. austr.  
*Hollandianum* ×, Forbes, Hort. Woburn. 152.  
*holosericeum*, Hoffmgg. Verz. Pfl. 91=ovale.  
*homonymum*, Steud. Nom. ed. II. ii. 293.—Afr. austr.?  
*homophyllum* ×, Tratt. Pelarg. t. 106.  
*honestum*, Hoffmgg. ex F. G. Dietr. Vollst. Lexik. Gaertn. Nachtr. vi. 67.—Afr. austr.  
*Hornemanni*, DC. Prod. i. 681.—Afr. austr.?  
*Hospes*, Hoffmgg. ex F. G. Dietr. Vollst. Lexik. Gaertn. Nachtr. vi. 67.—Afr. austr.  
*Humei* ×, Sweet, Geran. t. 324.  
*humifusum*, DC. Prod. i. 654=australe.  
*humifusum*, Willd. Enum. Hort. Berol. Suppl. 47=parvulum.  
*humile*, Hort. ex Hoffmgg. Verz. Pfl. 91=scandens.  
*huraefolium*, Sweet, Geran. sub t. 281=luridum.  
*Husseyanum* ×, Sweet, l. c. t. 92.  
*hybridaefolium*, Harv. in Harv. & Sond. Fl. Cap. i. 272=heracleifolium.  
*hybridum*, [Soland. in] Ait. Hort. Kew. ed. I. ii. 424.—Afr. austr.  
*hypoleucum*, Turcz. in Bull. Soc. Nat. Mosc. xxxi. (1858) i. 421.—Afr. austr.  
*hypotrachys*, Hoffmgg. Verz. Pfl. 91.—Afr. austr.  
*Hystrix*, Harv. in Harv. & Sond. Fl. Cap. i. 280.—Afr. austr.  
*iatrophaefolium*, Steud. Nom. ed. II. ii. 287=jatrophaefolium.  
*ichorosum* ×, Tratt. Pelarg. t. 118.  
*iconicum* ×, Sweet, Geran. Suppl. t. 88.  
*Idion* ×, Tratt. Pelarg. t. 115.  
*ignescens*, Lodd. Bot. Cab. ii. t. 109.—Afr. austr.?  
*Illecebrum* ×, Tratt. Pelarg. t. 186.  
*illustre*, Steud. Nom. ed. II. ii. 287.—Afr. austr.  
*imbricatum* ×, Sweet, Geran. t. 65.  
*imbutum*, Colv. ex Sweet, Hort. Brit. ed. I. 81; Hort. ex Steud. Nom. ed. II. ii. 293.—Afr. austr.  
*Immelinianum* ×, Tratt. Pelarg. t. 155.  
*imperatoriae* ×, Tratt. l. c. t. 110.  
*imperiale*, Hoffmgg. Verz. Pfl. 91=cordatum.  
*imperiale* ×, Sweet, Geran. t. 365.  
*implicatum* ×, Sweet, Geran. Suppl. t. 86.  
*impurum* ×, Tratt. Pelarg. t. 157.



**PELARGONIUM** :—

incanescens, *Dehnh. Cat. Pl. Hort. Camald.* ed. II. 22.—Afr. austr. ?  
*incanescens* ×, Sweet, Geran. t. 203.  
*incanum* ×, Willd. Enum. Hort. Berol. Suppl. 47.  
*incarnatum*, *Moench, Meth. Suppl.* 295.—Afr. austr. ?  
*incarnatum* ×, Sweet, Geran. t. 308.  
*incisum*, *Willd. Sp. Pl.* iii. 686.—Afr. austr.  
*incomparabile* ×, Sweet, Hort. Brit. ed. I. 79.  
*incrassatum*, *Sims, Bot. Mag. t.* 761.—Afr. austr.  
*incurvum* ×, Sweet, Geran. t. 249.  
*Infans* ×, Tratt. Pelarg. t. 73.  
*infundibuliforme* ×, Tratt. l. c. t. 103.  
*inodorum*, Willd. Enum. Hort. Berol. 702 = australe.  
*inquans*, [*Soland. in*] *Ait. Hort. Kew.* ed. I. ii. 424.—Afr. austr.  
*inscriptum* ×, Sweet, Geran. t. 193.  
*insculptum* ×, Sweet, Geran. Suppl. t. 65.  
*insigne*, *Hoffmgg. Verz. Pfl.* 91.—Afr. austr.  
*insignitum* ×, Sweet, Geran. t. 301.  
*instratum* ×, Sweet, l. c. Suppl. t. 78.  
*integrifolium* ×, Tratt. Pelarg. t. 72.  
*interlitum* ×, Sweet, Hort. Brit. ed. I. 80.  
*intermedium* ×, Sweet, l. c. 78 ; et Tratt. Pelarg. t. 170.  
*intermixtum* ×, Sweet, Hort. Brit. ed. I. 82.  
*intertextum* ×, Sweet, Geran. t. 185.  
*involutum* ×, Sweet, l. c. t. 33.  
*iocastum*, Steud. Nom. ed. II. ii. 287 = grossularioides.  
*ionidiflorum*, Steud. l. c.—Afr. austr.  
*Irbiana* ×, Colv. ex Sweet, Hort. Brit. ed. I. 81 ; Hort. ex Steud. l. c.  
*irregulare* ×, Sweet, Hort. Brit. ed. I. 79.  
*ixiaeflorum* ×, Tratt. Pelarg. t. 67.  
*Jacquinianum* ×, Tratt. l. c. t. 125.  
*Jannackii*, *Hoffmgg. Verz. Pfl.* 91.—Afr. austr.  
*jatrophaefolium*, *DC. Prod.* i. 679.—Afr. austr.  
*Jenkinsoni* ×, Sweet, Geran. t. 154.  
*Jenseni*, *Dehnh. Cat. Pl. Hort. Camald.* ed. II. 22.—Afr. austr. ?  
*Jeschekianum* ×, Tratt. Pelarg. t. 156.  
*Joanneum* ×, Tratt. l. c. t. 200.  
*jocundum* ×, Hoare, ex Sweet, Hort. Brit. ed. I. 81.  
*jonquillinum* ×, Sweet, Geran. t. 241.  
*Josephinae* ×, Lee, ex Sweet, Hort. Brit. ed. I. 80.  
*Josephinum* ×, Tratt. Pelarg. t. 145.  
*Julianae* ×, Tratt. l. c. t. 257.  
*Kalmianum*, Van Eeden, ex Hoffmgg. Verz. Pfl. 96 = spurium.  
*Keglevicsianum* ×, Tratt. Pelarg. t. 256.  
*Kewrickae* ×, Sweet, Geran. Suppl. t. 58.  
*Kernhoferianum* ×, Tratt. Pelarg. t. 39.  
*Kingii* ×, Sweet, Geran. t. 248.  
*Klierianum* ×, Tratt. Pelarg. t. 132.  
*Knappianum* ×, Tratt. l. c. t. 151.  
*Knipeae* ×, Sweet, Geran. t. 372.  
*Kolowrathiae* ×, Tratt. Pelarg. t. 220.  
*Kolowrathianum* ×, Tratt. l. c. t. 137.  
*Krebnianum* ×, Tratt. l. c. t. 150.  
*Kunthii*, *Dehnh. Cat. Pl. Hort. Camald.* ed. II. 22.—Afr. austr.  
*labyrinthicum* ×, Sweet, Hort. Brit. ed. I. 80 ; G. Don, Gen. Syst. i. 726.—Afr. austr. ?  
*lacerum*, Jacq. Ic. Pl. Rar. iii. t. 532 ; Coll. v. 122 = myrrhifolium.  
*laciniatum*, E. Mey. in Drège, Zwei Pfl. Docum. 209 = barbatum.  
*laciniatum*, Pers. Syn. ii. 228 = longifolium.  
*laciniatum*, Steud. Nom. ed. II. ii. 293.—Afr. austr.  
*Laconiae* ×, Sweet, Geran. t. 374.  
*ladanosma*, Hoffmgg. ex F. G. Dietr. Vollst. Lexik. Gaertn. Nachtr. vi. 68.—Afr. austr.  
*laetum* ×, Tratt. Pelarg. t. 37.  
*laeve*, Otto, ex Hoffmgg. Verz. Pfl. 92.—Afr. austr.  
*laevigatum*, Willd. Sp. Pl. iii. 685.—Afr. austr.  
*Lamberti* ×, Sweet, Geran. t. 104.  
*lanatum*, DC. Prod. i. 681 = cordatum.  
*lanceaeefolium*, G. Don, Gen. Syst. i. 729 = longifolium.  
*lanceolatum*, Hort. ex Kern. Hort. t. 632 = glaucum.  
*lanceolatum*, Steud. Nom. ed. II. ii. 287.—Hab. ?  
*lancifolium*, Steud. l. c.—Afr. austr.  
*lanosum* ×, Sweet, Geran. Suppl. t. 84.  
*lanuginosum*, Hoffmgg. Verz. Pfl. 92.—Afr. austr.  
*lappaceum*, Hoffmgg. l. c.—Afr. austr.  
*lasiocaulon* ×, Sweet, Geran. t. 364.  
*lasiophyllum* ×, Sweet, Hort. Brit. ed. I. 83 ; et Geran. t. 296.  
*lateripedatum*, St. Lag. in Ann. Soc. Bot. Lyon, vii. (1880) 131 = lateripes.

**PELARGONIUM** :—

*lateripes*, L'Hérit. Geran. t. 24.—Afr. austr.  
*lateritium*, Willd. Enum. Hort. Berol. Suppl. 47 = malvaefolium.  
*Lathyrus* ×, Tratt. Pelarg. t. 259.  
*latidentatum* ×, Sweet, Geran. Suppl. t. 28.  
*latifolium* ×, Sweet, Geran. t. 335.  
*latilobum* ×, Sweet, l. c. t. 236.  
*lautum* ×, Sweet, l. c. Suppl. t. 91.  
*lavateraefolium*, Steud. Nom. ed. II. ii. 287.—Afr. austr.  
*Lawranceanum* ×, Sweet, Geran. Suppl. t. 23.  
*laxatum*, Harv. in Harv. & Sond. Fl. Cap. i. 274 = triste.  
*laxiflorum* ×, Sweet, Geran. t. 216.  
*laxulum* ×, Sweet, l. c. Suppl. t. 75.  
*laxum*, G. Don, Gen. Syst. i. 730 = crithmifolium.  
*laxum*, Steud. Nom. ed. II. ii. 287 = carnosum.  
*laxum* ×, Tratt. Pelarg. t. 260.  
*Lechianum*, Spin. Cat. Hort. Sebast. (1818) 32.—Afr. austr. ?  
*Leeanum*, Loud. Hort. Brit. 271.—Afr. austr.  
*Leghkeckae* ×, Sweet, Geran. t. 377.  
*leion* ×, Tratt. Pelarg. t. 247.  
*Leontinae* ×, Tratt. l. c. t. 221.  
*Leopoldinum*, Hoffmgg. Verz. Pfl. 92 = Thynneae.  
*lepidum* ×, Sweet, Geran. t. 156.  
*leptopetalum*, Steud. Nom. ed. II. ii. 287.—Afr. austr.  
*lessertinaefolium*, Steud. l. c. = astragalifolium.  
*leucanthum*, Hoffmgg. ex F. G. Dietr. Vollst. Lexik. Gaertn. Nachtr. vi. 48 = zonale.  
*leucophyllum*, Turcz. in Bull. Soc. Nat. Mosc. xxxi. (1858) i. 421.—Afr. austr.  
*leve*, Hort. ex F. G. Dietr. Vollst. Lexik. Gaertn. Nachtr. vi. 38 = ranunculifolium.  
*lignosum*, Spreng. Syst. iii. 60.—Afr. austr.  
*lingulatum* ×, Sweet, Hort. Brit. ed. I. 84 ; Geran. t. 301.  
*lilacinum* ×, Tratt. Pelarg. t. 164.  
*Lima* ×, Tratt. Pelarg. t. 135.  
*limbatum*, Hoffmgg. Verz. Pfl. 92.—Afr. austr.  
*limbatum*, E. Mey. in Drège, Zwei Pfl. Docum. 209 = barbatum.  
*limoneum* ×, Sweet, Hort. Brit. ed. I. 81 ; Geran. t. 278.  
*lineare*, Pers. Syn. ii. 228.—Afr. austr.  
*lineatum* ×, Sweet, Geran. t. 16.  
*lineolatum* ×, Tratt. Pelarg. t. 169.  
*litigiosum* ×, Tratt. l. c. t. 85.  
*Littleanum* ×, Sweet, Geran. Suppl. t. 72.  
*littorale*, Huegel, in Enum. Pl. Hueg. 44 = australe.  
*lividum*, Hoffmgg. ex F. G. Dietr. Vollst. Lexik. Gaertn. Nachtr. vi. 68 = nothum.  
*lividum* ×, Sweet, Hort. Brit. ed. I. 80.  
*lobatum*, Hort. ex Hoffmgg. Verz. Pfl. 92 = lappaceum.  
*lobatum*, Willd. Sp. Pl. iii. 650.—Afr. austr.  
*Locusta* ×, Tratt. Pelarg. t. 248.  
*longicaule*, Jacq. Ic. Pl. Rar. iii. t. 533 ; Coll. v. 125.—Afr. austr.  
*longiflorum*, Jacq. l. c. t. 521 = seq.  
*longifolium*, Jacq. l. c. t. 518 ; Coll. iv. 194.—Afr. austr.  
*longipedicellatum* ×, Tratt. Pelarg. t. 163.  
*longipes*, Hoffmgg. Verz. Pfl. 92.—Afr. austr.  
*longipetalum* ×, Tratt. Pelarg. t. 9.  
*Loudonianum* ×, Sweet, Geran. Suppl. t. 17.  
*Lousadianum*, Sweet, Geran. t. 44.  
*lucidum*, Hort. ex F. G. Dietr. Vollst. Lexik. Gaertn. Nachtr. vi. 68.—Afr. austr.  
*lucidum* ×, Sweet, Geran. t. 373.  
*luculentum* ×, Sweet, Hort. Brit. ed. I. 78.  
*Ludoviccae* ×, Tratt. Pelarg. t. 195.  
*Ludovicianum* ×, Tratt. l. c. t. 69.  
*luridum*, Sweet, Geran. t. 281.—Afr. austr.  
*luteum*, G. Don, Gen. Syst. i. 726.—Afr. austr.  
*luxurians* ×, Tratt. Pelarg. t. 173.  
*macranthum*, Hoffmgg. Verz. Pfl. 92 = magniflorum.  
*macranthum* ×, Sweet, Geran. t. 83.  
*macrolobum*, Hoffmgg. Verz. Pfl. 92.—Afr. austr.  
*macrostephanon* ×, Tratt. Pelarg. t. 143.  
*magnificens*, Van Eeden, in Hoffmgg. Verz. Pfl. 92 = magnificum.  
*magnificum*, Cels. ex Hoffmgg. l. c.—Afr. austr. ?  
*magniflorum*, Hoffmgg. l. c. 92.—Hab. ?  
*magnifolium* ×, Sweet, Geran. Suppl. t. 10.  
*magnistipulatum* ×, Sweet, Hort. Brit. ed. II. 93.  
*mahernium*, L'Hérit. ex DC. Prod. i. 656 = capillare.  
*majale* ×, Tratt. Pelarg. t. 41.  
*majestum*, Hort. ex Hoffmgg. Verz. Pfl. 97 = villosum.

**PELARGONIUM** :—

*malachraefolium* ×, Sweet, l. c. Suppl. t. 2.  
*malacophyllum* ×, Tratt. Pelarg. t. 216.  
*malacophyllum* ×, Sweet, Geran. t. 397.  
*malvaceum* ×, Sweet, Hort. Brit. ed. I. 82.  
*malvaeefolium*, Jacq. f. Eclog. i. 145. t. 97.—Afr. austr.  
*mamillariae*, Hort. ex Steud. Nom. ed. II. ii. 287 = crassicaule.  
*mammulosum*, Wendl. Coll. ii. 77. t. 70.—Afr. austr.  
*marginatum*, Link. Enum. Hort. Berol. ii. 189.—Afr. austr.  
*Mariae* ×, Tratt. Pelarg. t. 204.  
*Markianum* ×, Tratt. l. c. t. 10.  
*marmoratum*, Steud. Nom. ed. II. ii. 287 = patulum.  
*Mathildinae* ×, Tratt. Pelarg. t. 254.  
*Mattocksianum* ×, Sweet, Geran. t. 234.  
*Maurii*, Dehnh. Cat. Pl. Hort. Camald. ed. II. 22. (Quid ?)—Hab. ?  
*maximum*, Hort. ex Hoffmgg. Verz. Pfl. 93.—Afr. austr. ?  
*medusulum* ×, Tratt. Pelarg. t. 57.  
*megalanthum* ×, Sweet, Geran. Suppl. t. 4.  
*megaleion* ×, Sweet, l. c. Suppl. t. 5.  
*megaloctictum* ×, Sweet, l. c. t. 8.  
*megiston* ×, Tratt. Pelarg. t. 210.  
*meifolium*, Meissn. ex Krauss, in Flora, xxvii. (1844) 299 = artemisiaefolium.  
*melalophon* ×, Tratt. Pelarg. t. 13.  
*melananthum*, Jacq. Ic. Pl. Rar. iii. t. 514 = atrum.  
*melancholicum* ×, Sweet, Geran. Suppl. t. 53.  
*melanostictum*, Sweet, l. c. t. 6.—Hab. ?  
*melissimum* ×, Sweet, Geran. t. 5.  
*metallicum* ×, Tratt. Pelarg. t. 263.  
*metempsychodes* ×, Tratt. l. c. t. 3.  
*Metternichianum* ×, Tratt. l. c. t. 77.  
*Meyeri*, Harv. in Harv. & Sond. Fl. Cap. i. 262.—Afr. austr.  
*micans* ×, Tratt. Pelarg. t. 184.  
*micranthum*, G. Don, Gen. Syst. i. 733.—Afr. austr.  
*micranthum*, Eckl. & Zeyh. Enum. 79 = tomentosum.  
*micranthum*, Presl, Bot. Bemerck. 27 = australe.  
*micropetalum*, E. Mey. in Drège, Zwei Pfl. Docum. 209 = australe.  
*microphyllum*, Steud. Nom. ed. II. ii. 287.—Afr. austr.  
*militare*, Hoffmgg. Verz. Pfl. 93.—Afr. austr.  
*millefoliatum*, Sweet, Geran. t. 230 = triste.  
*Milleri* ×, Sweet, Hort. Brit. ed. I. 84.  
*minimum*, Willd. Sp. Pl. iii. 664.—Afr. austr.  
*mirabile* ×, Tratt. Pelarg. t. 136.  
*mirabile* ×, Young, ex Sweet, Geran. Suppl. t. 57.  
*mitellaefolium*, Sweet, Hort. Brit. ed. II. 97.—Afr. austr.  
*mixtum* ×, Sweet, Geran. t. 71.  
*modestum* ×, Sweet, l. c. t. 204.  
*moestum*, Hoffmgg. Verz. Pfl. 93 = triste.  
*molle*, Hoffmgg. l. c.—Afr. austr.  
*mollifolium* ×, Sweet, Geran. Suppl. t. 77.  
*moniliforme*, E. Mey. in Drège, Zwei Pfl. Docum. 209 ; et ex Harv. in Harv. & Sond. Fl. Cap. i. 264.—Afr. austr.  
*monsoniaefolium*, Fisch. ex Steud. Nom. ed. I. 601 = incisum.  
*monstrosum*, Pers. Syn. ii. 231 = seq.  
*monstrum*, [*Soland. in*] *Ait. Hort. Kew.* ed. I. ii. 425.—Afr. austr.  
*Moreanum* ×, Sweet, Hort. Brit. ed. I. 84.  
*morifolium* ×, Tratt. Pelarg. t. 107.  
*moschatum*, Andr. ex Sweet, Hort. Brit. ed. I. 80 = bellulum.  
*Mostynae* ×, Sweet, Geran. t. 10.  
*mucronatum* ×, Sweet, l. c. t. 275.  
*multibracteatum*, Hochst. in Flora, xxiv. (1841) i. Intell. 29 ; et ex A. Rich. Tent. Fl. Abyss. i. 118.—Abyss.  
*multicaule*, Jacq. Ic. Pl. Rar. iii. 534 ; Coll. v. 126.—Afr. austr.  
*multidentatum* ×, Sweet, Hort. Brit. ed. I. 82.  
*multifidum*, Harv. in Harv. & Sond. Fl. Cap. i. 282.—Afr. austr.  
*multifidum*, Hort. ex Hoffmgg. Verz. Pfl. 93.—Afr. austr.  
*multiflorum*, Hoffmgg. ex F. G. Dietr. Vollst. Lexik. Gaertn. Nachtr. vi. 48.—Afr. austr.  
*multinervae* ×, Sweet, Geran. t. 17.  
*multiradiatum*, Harv. in Harv. & Sond. Fl. Cap. i. 274, in syn. = triste.



**PELARGONIUM :—**

*multiradiatum*, E. Mey. ex Harv. & Sond. Fl. Cap. i. 273 = *radulaefolium*.  
*multiradiatum*, Wendl. Coll. ii. 56. t. 59; Link, Enum. Hort. Berol. ii. 191.—Afr. austr.  
*mundulum* ×, Sweet, Hort. Brit. ed. I. 84.  
*munitum*, Burch. Trav. i. 225 = *crithmifolium*.  
*Murrayanum*, Colla, Hort. Ripul. App. iii. 5.—Afr. austr.  
*mutabile*, Dehnh. Cat. Pl. Hort. Camal. 26; ed. II. 22. (Quid ?).—Hab. ?  
*mutabile*, E. Mey. in Drège, Zwei Pfl. Docum. 209 = *australe*.  
*mutabile* ×, Sweet, Geran. t. 213.  
*Muthianum* ×, Tratt. Pelarg. t. 226.  
*myrrhifolium*, L'Hérit. ex [Soland. in] Ait. Hort. Kew. ed. I. ii. 421.—Afr. austr.  
*Myrtillum* ×, Haw. ex Sweet, Hort. Brit. ed. I. 81.  
*Nairnii* ×, Sweet, Geran. t. 376.  
*nanum*, L'Hérit. ex DC. Prod. i. 660 = *parvulum*.  
*nanum* ×, Sweet, Geran. t. 102.  
*neapolitanum*, Van Eeden, ex Steud. Nom. ed. II. ii. 288 = *adulterinum*.  
*nervifolium*, Jacq. Ic. Pl. Rar. iii. t. 517; Coll. iv. 198.—Afr. austr.  
*nervosum* ×, Sweet, Geran. t. 47.  
*Newshamianum* ×, Sweet, l. c. t. 144.  
*nigrescens*, Sweet, ex Steud. Nom. ed. II. ii. 288 (Quid ?).—Afr. austr. ?  
*nitidum*, Dehnh. Cat. Pl. Hort. Camal. ed. II. 22.—Afr. austr. ?  
*nissonianum*, Lecchi, ex Colla, Hort. Ripul. App. iii. 8, 10 = *Berterianum*.  
*nitens* ×, Tratt. Pelarg. t. 33.  
*nitidum* ×, Sweet, Hort. Brit. ed. I. 77.  
*Niveni*, Harv. in Harv. & Sond. Fl. Cap. i. 271.—Afr. austr.  
*niveum*, Loud. Hort. Brit. 277.—Afr. austr.  
*niveum* ×, Tratt. Pelarg. t. 23.  
*nobile*, Hort. ex F. G. Dietr. Vollst. Lexik. Gaertn. Nachtr. vi. 68.—Afr. austr.  
*nodosum*, Sweet, Geran. Suppl. t. 68.  
*Nonfordium* ×, Forbes, Hort. Woburn. 1 3.  
*notabile* ×, Sweet, Hort. Brit. ed. I. 81.  
*notatum* ×, Sweet, Geran. t. 208.  
*nothum*, Willd. Enum. Hort. Berol. 710.—Afr. austr. ?  
*novum*, Hort. ex Steud. Nom. ed. II. ii. 294 = *zonale*.  
*nubilum* ×, Sweet, Geran. Suppl. t. 20.  
*nummulariaefolium*, Harv. in Harv. & Sond. Fl. Cap. i. 289 = *australe*.  
*nummulifolium*, Salisb. Parad. Lond. t. 23 = *australe* ?  
*nutans*, DC. Prod. i. 651 = *rapaceum*.  
*nutans* ×, Sweet, Geran. Suppl. t. 66.  
*obcordatum* ×, Sweet, Hort. Brit. ed. I. 83.  
*oblatum* ×, Sweet, Geran. t. 35.  
*obliquum* ×, Tratt. Pelarg. t. 240.  
*oblongatum*, E. Mey. in Drège, Zwei Pfl. Docum. 209.—Afr. austr.  
*obovatum* ×, Sweet, Geran. t. 367.  
*Obrianianum* ×, Sweet, l. c. Suppl. t. 11.  
*obscurum* ×, Sweet, Geran. t. 89.  
*obsoletum* ×, Tratt. Pelarg. t. 172.  
*obtusidentatum* ×, Sweet, Geran. Suppl. t. 92.  
*obtusifolium* ×, Sweet, Geran. t. 25.—Afr. austr.  
*obtusilobum*, Willd. Enum. Hort. Berol. 11.—Afr. austr.  
*obtusum*, Hoffmgg. Verz. Pfl. 93.—Afr. austr. ?  
*ochroleucum*, Harv. in Harv. & Sond. Fl. Cap. ii. 263.—Afr. austr.  
*odontophyllum* ×, Tratt. Pelarg. t. 55.  
*odoratissimum*, [Soland. in] Ait. Hort. Kew. ed. I. ii. 419.—Afr. trop.  
*odoratum*, Hoffmgg. Verz. Pfl. 93.—Afr. austr. ?  
*odoriferum*, Sweet, Hort. Brit. ed. I. 81; G. Don, Gen. Syst. i. 739 = *odoratissimum*.  
*odorum*, Salisb. Prod. 312 = *odoratissimum*.  
*oenanthifolium* ×, Sweet, Geran. Suppl. t. 13.  
*Oenotherae*, Jacq. Ic. Pl. Rar. iii. 9. t. 525.—Afr. trop.  
*oleatum*, Hort. ex F. G. Dietr. Vollst. Lexik. Gaertn. Nachtr. vi. 52 = *egregium*.  
*olidum*, Hoffmgg. Verz. Pfl. 93.—Afr. austr.  
*optabile* ×, Sweet, Geran. t. 62.  
*optimum*, Hoffmgg. Verz. Pfl. 93.—Afr. austr.  
*opulifolium* ×, Sweet, Geran. t. 53.  
*opulinum*, Hoffmgg. Verz. Pfl. 94 = *praec.*  
*orbiculatum* ×, Sweet, Hort. Brit. ed. I. 78.  
*orchideum* ×, Tratt. Pelarg. t. 75.  
*ornatum* ×, Sweet, Geran. t. 39.

**PELARGONIUM :—**

*ornithopifolium*, Steud. Nom. ed. II. ii. 288.—Afr. austr.  
*orobifolium*, Steud. l. c. (Quid ?).—Afr. austr. ?  
*orphanum*, Hoffmgg. ex F. G. Dietr. Vollst. Lexik. Gaertn. Nachtr. vi. 68 = *mixtum*.  
*Orites*, E. Mey. in Drège, Zwei Pfl. Docum. 209 = *longifolium*.  
*ovale*, L'Hérit. Geran. t. 28.—Afr. austr.  
*ovalifolium*, DC. Prod. i. 649.—Afr. austr.  
*ovalifolium*, Harv. in Harv. & Sond. Fl. Cap. i. 262 = *Meyeri*.  
*ovifolium*, Salisb. Prod. 316 = *ovale*.  
*oxalidifolium*, Pers. Syn. ii. 227.—Afr. austr.  
*oxaloides*, Willd. Sp. Pl. iii. 642.—Afr. austr.  
*oxoniense*, Van Eeden, ex Hoffmgg. Verz. Pfl. 89 = *malvaefolium*.  
*oxyaloides*, Ait. ex Steud. Nom. ed. II. ii. 288 = *malvaefolium*.  
*oxyphyllum*, DC. Prod. i. 667 = *laevigatum*.  
*Palkii* ×, Sweet, Geran. t. 224.  
*pallens*, Sweet, l. c. t. 148 = *stipulaceum*.  
*pallidulum* ×, Sweet, l. c. Suppl. t. 97.  
*pallidum*, Willd. Enum. Hort. Berol. 710.—Hab. ?  
*palmatum*, Hort. Par. ex Breit. Hort. Breit. 337.—Afr. austr.  
*palmatum*, Van Eeden, ex Hoffmgg. Verz. Pfl. 91 = *illustre*.  
*panduraeforme*, Eckl. & Zeyh. Enum. 82 = *quercifolium*.  
*paniculatum*, Hornem. Hort. Hafn. Suppl. 76.—Afr. austr.  
*paniculatum*, Jacq. Hort. Schoenb. ii. 6 = *crithmifolium*.  
*pannifolium* ×, Sweet Geran. t. 9.  
*papaverifolium*, Steud. Nom. ed. II. ii. 288 = *triste*.  
*papilionaceum*, Ait. Hort. Kew. ed. I. ii. 423.—Afr. austr.  
*papyraceum* ×, Sweet, Geran. Suppl. t. 22.  
*paradoxum* ×, Sweet, Hort. Brit. ed. I. 77.  
*paradoxum* ×, Tratt. Pelarg. t. 21.  
*parameson* ×, Tratt. l. c. t. 233.  
*Parmentieri* ×, Colv. ex Sweet, Hort. Brit. ed. I. 82.  
*parnassioides*, L'Hérit. Geran. Ined. 1; ex DC. Prod. i. 650.—Afr. austr.  
*particeps* ×, Sweet, Geran. t. 49.  
*parviflorum*, Wendl. Coll. ii. 69. t. 66.—Afr. austr.  
*parvulum*, DC. Prod. i. 660.—Afr. austr.  
*parvulum*, Harv. in Harv. & Sond. Fl. Cap. i. 291 = *fumarioides*.  
*patens* ×, Sweet, Geran. t. 125.  
*patentissimum*, Wendl. Coll. ii. 75. t. 69.—Afr. austr.  
*paternum* ×, Tratt. Pelarg. t. 65.  
*patulum*, Jacq. Ic. Pl. Rar. iii. t. 541; Coll. iv. 187.—Afr. austr.  
*patulum*, Spin, ex DC. Prod. i. 667 = *albiflorum*.  
*paucidentatum* ×, Sweet, Geran. t. 186.  
*pavoninum*, Hoffmgg. Verz. Pfl. 94 = *anodaefolium*.  
*pavoninum* ×, Sweet, Geran. t. 40.  
*pectinifolium*, Sweet, l. c. t. 66 = *crispum*.  
*pedicellatum*, Sweet, l. c. t. 250 = *pulverulentum*.  
*pedunculare*, Dehnh. Cat. Pl. Hort. Camal. ed. II. 22 = *seq.* ?  
*pedunculatum* ×, Sweet, Hort. Brit. ed. I. 470; et Geran. t. 346.  
*Peelii* ×, Forbes, Hort. Woburn. 154.  
*pellitum* ×, Tratt. Pelarg. t. 97.  
*peltatum*, [Soland. in] Ait. Hort. Kew. ed. I. ii. 427.—Afr. austr.  
*penasticum*, Steud. Nom. ed. II. ii. 294, sphalm. = *pentastictum*.  
*pendulum*, G. Don, Gen. Syst. i. 732.—Afr. austr.  
*penicillatum*, Willd. Hort. Berol. t. 37 = *betulinum*.  
*pennaeforme*, Harv. in Harv. & Sond. Fl. Cap. i. 267, in textu.—Afr. austr.  
*penniforme*, Pers. Syn. ii. 227.—Afr. austr.  
*pentastictum* ×, Sweet, Geran. Suppl. t. 25.  
*peramplum* ×, Sweet, l. c. t. 61.  
*Percyanum* ×, Forbes, Hort. Woburn. 154.  
*perigraphon* ×, Tratt. Pelarg. t. 237.  
*Perryanum* ×, Colv. ex Sweet, Hort. Brit. ed. I. 81.  
*petroselinifolium*, G. Don, Gen. Syst. i. 728.—Afr. austr.  
*peucedanifolium*, Steud. Nom. ed. II. ii. 288 = *anethifolium*.  
*Peytoniae* ×, Sweet, Geran. Suppl. t. 46.  
*phaedimon* ×, Tratt. Pelarg. t. 252.  
*Phellandrium*, E. Mey. in Drège, Zwei Pfl. Docum. 209 = *senecioides*.  
*phellodes*, Hoffmgg. Verz. Pfl. 94.—Afr. austr.  
*phoeniceum* ×, Sweet, Geran. t. 207.

**PELARGONIUM :—**

*phymatanthoides*, Hoffmgg. Verz. Pfl. Nachtr. ii. 172.—Afr. austr.  
*pictum*, Pers. Syn. ii. 227 = *pulchellum*.  
*picturatum* ×, Sweet, Geran. Suppl. t. 34.  
*Pignatellii*, Dehnh. Cat. Pl. Hort. Camal. ed. II. 22.—Afr. austr.  
*piliferum*, F. G. Dietr. Vollst. Lexik. Gaertn. Nachtr. vi. 69.—Afr. austr.  
*piligerum*, Hoffmgg. Verz. Pfl. 94 = *praec.*  
*pilipes*, Hoffmgg. ex F. G. Dietr. Vollst. Lexik. Gaertn. Nachtr. vi. 69.—Afr. austr.  
*pilosellaeforme*, Steud. Nom. ed. II. i. 771, in syn. = *seq.*  
*pilosellaefolium*, Steud. l. c. ii. 288.—Afr. austr.  
*pilosum*, Hort. ex F. G. Dietr. Vollst. Lexik. Gaertn. Nachtr. vi. 69 = *piliferum*.  
*pilosum*, Pers. Syn. ii. 227.—Afr. austr.  
*pingue*, DC. Prod. i. 680.—Afr. austr.  
*pinguifolium*, Sweet, Geran. t. 52 = *lateripes*.  
*pinnatum*, L'Hérit. Geran. t. 8.—Afr. austr.  
*pinnatum*, Willd. Sp. Pl. iii. 647 = *astragalifolium*.  
*piperatum*, Spin, Cat. Hort. Sebast. (1818) 32.—Afr. austr. ?  
*piperitum*, Hort. ex F. G. Dietr. Vollst. Lexik. Gaertn. Nachtr. vi. 69 = *praec.* ?  
*placidum*, Hoffmgg. Verz. Pfl. 94 = *amoenum*.  
*planiflorum*, Colv. ex Sweet, Hort. Brit. ed. I. 79 = *seq.*  
*planifolium* ×, Sweet, Geran. t. 219.  
*platanifolium*, Hort. ex F. G. Dietr. Vollst. Lexik. Gaertn. Nachtr. vi. 69.—Afr. austr.  
*platanifolium* ×, Sweet, Geran. t. 326.  
*platypetalum*, Sweet, l. c. t. 116.—Afr. austr.  
*platyphyllum*, Hoffmgg. Verz. Pfl. 94 = *lappaceum*.  
*plectophyllum* ×, Sweet, Geran. Suppl. t. 41.  
*plicatum*, DC. Prod. i. 680.—Afr. austr.  
*plicatum*, Hoffmgg. Verz. Pfl. 94 = *acerifolium*.  
*poculifolium* ×, Sweet, Geran. Suppl. t. 31.  
*podophylloides*, Dehnh. Cat. Pl. Hort. Camal. ed. II. 22.—Afr. austr.  
*politum* ×, Sweet, Geran. Suppl. t. 87.  
*polyanthos* ×, Sweet, Hort. Brit. ed. I. 84.  
*polyanthum*, Krauss, in Flora, xxvii. (1844) 298 = *ardens*.  
*polycephalum*, E. Mey. in Drège, Zwei Pfl. Docum. 209 = *ferulaceum*.  
*polygrammon* ×, Tratt. Pelarg. t. 235.  
*polymorphum*, E. Mey. in Drège, Zwei Pfl. Docum. 209 = *aconitiphyllum*.  
*polyodon* ×, Tratt. Pelarg. t. 185.  
*polyphyllum* ×, Tratt. l. c. t. 180.  
*polytrichum* ×, Sweet, Geran. t. 274.  
*populifolium*, Eckl. & Zeyh. Enum. 81 = *ribifolium*.  
*porphyreon* ×, Sweet, Geran. Suppl. t. 89.  
*Porphyria*, Hoffmgg. Verz. Pfl. 94.—Afr. austr. ?  
*Potteri* ×, Sweet, Geran. t. 147.  
*praeclarum* ×, Sweet, Geran. Suppl. t. 67.  
*Prestonii* ×, Forbes, Hort. Woburn. 154.  
*primulaeforme*, Steud. Nom. ed. II. ii. 289 = *pulverulentum*.  
*primulinum*, Sweet, Geran. sub t. 14, in textu = *crassicaule*.  
*Princeanum* ×, Sweet, Geran. t. 386.  
*principissae*, Sweet, l. c. t. 139.  
*procumbens*, DC. Prod. i. 654 = *australe*.  
*procumbens*, E. Mey. in Drège, Zwei Pfl. Docum. 209 = *parvulum*.  
*procumbens*, Pers. Syn. ii. 229.—Afr. austr. ?  
*proliferum*, Steud. Nom. ed. II. ii. 289 = *barbatum*.  
*prophanon* ×, Tratt. Pelarg. t. 208.  
*propinquum* ×, Colv. ex Sweet, Hort. Brit. ed. I. 81.  
*propugnatum*, Hoffmgg. Verz. Pfl. 94 = *fulminans*.  
*pruinosis*, Hoffmgg. l. c.—Afr. austr.  
*Pseudociconium* ×, Tratt. Pelarg. t. 188.  
*psilophyllum* ×, Sweet, Geran. t. 356.  
*pubescens*, Andr. ex Link, Enum. Hort. Berol. ii. 195.—Afr. austr.  
*pubescens*, Hort. ex Tratt. Pelarg. sub t. 13 = *lophum*.  
*pubescens*, Spin, Cat. Hort. Sebast. (1818) 32.—Afr. austr. ?  
*pudicum* ×, Tratt. Pelarg. t. 43.  
*pulchellum*, Sims, Bot. Mag. t. 524.—Afr. austr.  
*pulchellum*, Willd. Enum. Hort. Berol. Suppl. 47 = *Willdenowii*.  
*pulcherrimum* ×, Sweet, Geran. t. 134.  
*pulchrum*, Hoffmgg. Verz. Pfl. 95 = *formosissimum*.



**PELARGONIUM:—**

*pulchrum* ×, Sweet, Geran. t. 107.  
*pullaceum* ×, Sweet, Geran. Suppl. t. 76.  
*pululentum*, Colv. ex Sweet, Geran. t. 218.—Afr. austr.  
*pumilum*, Willd. Enum. Hort. Berol. 704 = scandens.  
*punctatum*, Willd. Sp. Pl. iii. 645.—Afr. austr.  
*punicum* ×, Colv. ex Sweet, Hort. Brit. ed. I. 77.  
*punicum*, Hoffmgg. ex F. G. Dietr. Vollst. Lexik. Gaertn. Nachtr. vi. 48.—Afr. austr.  
*purpurascens*, Pers. Syn. ii. 227 = longifolium.  
*purpurascens*, Van Eeden, ex Hoffmgg. Verz. Pfl. 96 = spectabile.  
*purpureum*, Hoffmgg. l. c. 95.—Afr. austr.  
*purpureum*, Hort. ex Steud. Nom. ed. II. ii. 289 = longifolium.  
*purum* ×, Sweet, Geran. t. 334.  
*pusillum* ×, Colv. ex Sweet, Hort. Brit. ed. I. 77.  
*pustulosum*, Sweet, Geran. t. 11 = crispum.  
*pygmaeum* ×, Colv. ex Sweet, Hort. Brit. ed. I. 77.  
*pyrethrifolium* ×, Sweet, Geran. t. 153; Hoffmgg. Verz. Pfl. 95.  
*quadriflorum* ×, Sweet, l. c. t. 321.  
*Queenii* ×, Forbes, Hort. Woburn. 154.  
*querceolatum*, Hort. ex Hoffmgg. Verz. Pfl. 95.—Afr. austr. ?  
*quercifolium*, Baum. ex Hoffmgg. Verz. Pfl. 97, in syn. = ustulatum.  
*quercifolium*, Hort. Cels, ex Hoffmgg. l. c. 94, in syn. = phellodes.  
*quercifolium*, Hort. ex Hoffmgg. l. c. 95, in syn. = quercinum.  
*quercifolium*, L'Hérit. Geran. t. 14.—Afr. austr.  
*quercinum*, Hoffmgg. Verz. Pfl. 95.—Afr. austr.  
*quinatum*, Sims, Bot. Mag. t. 547.—Afr. austr.  
*quingelobatum*, Hochst. ex A. Rich. Tent. Fl. Abyss. i. 118.—Abyss.  
*quingelobum*, Colla, Hort. Ripul. 105. t. 33.—Afr. austr.  
*quinquevulnerum*, Willd. Enum. Hort. Berol. 703.—Afr. austr.  
*radiatum*, Pers. Syn. ii. 226.—Afr. austr.  
*radiatum*, Steud. Nom. ed. II. ii. 289 = seq.  
*radicatum*, Vent. Jard. Malm. n. 65.—Afr. austr.  
*Radula*, L'Hérit. Geran. t. 16.—Afr. austr.  
*radulaefolium*, Steud. Nom. ed. II. ii. 289.—Afr. austr.  
*raduloides*, Hoffmgg. ex F. G. Dietr. Vollst. Lexik. Gaertn. Nachtr. vi. 70 = P. Radula.  
*Rainerianum* ×, Tratt. Pelarg. t. 201.  
*ramigerum* ×, Sweet, Hort. Brit. ed. I. 471; et Geran. t. 352.  
*ramosissimum*, Willd. Sp. Pl. iii. 688.—Afr. austr.  
*ramulosum* ×, Sweet, Geran. t. 177.  
*ranunculifolium*, F. G. Dietr. Vollst. Lexik. Gaertn. Nachtr. vi. 38.—Afr. austr.  
*ranunculifolium*, Steud. Nom. ed. II. ii. 289 = alchemilloides.  
*ranunculophyllum*, Baker, in Saund. Refug. Bot. iii. t. 150.—Afr. austr.  
*ranunculophyllum*, Harv. in Harv. & Sond. Fl. Cap. i. 296 = alchemilloides.  
*rapaceum*, Jacq. Ic. Pl. Rar. iii. t. 510.—Afr. austr.  
*rapaeifolium* ×, Sweet, Hort. Brit. ed. I. 78.  
*raphanosmon* ×, Tratt. Pelarg. t. 212.  
*rarium*, Hoffmgg. Verz. Pfl. 95.—Afr. austr.  
*Razoumovianum*, Spreng. Fl. Hal. Mant. 46.—Afr. austr. ?  
*recurvatum*, Sweet, Geran. t. 223.—Afr. austr.  
*recurvifolium* ×, Sweet, Hort. Brit. ed. I. 471; et Geran. t. 343.  
*reflexum*, E. Mey. ex Harv. & Sond. Fl. Cap. i. 264 = ochroleucum.  
*reflexum*, Pers. Syn. ii. 227.—Afr. austr.  
*reformatum* ×, Tratt. Pelarg. t. 138.  
*regale* ×, Hoffmgg. Verz. Pfl. 95 = villosulum.  
*regium* ×, Sweet, Geran. t. 368.  
*reniforme*, Curt. Bot. Mag. t. 493.—Afr. austr.  
*reniforme*, Hort. ex F. G. Dietr. Vollst. Lexik. Gaertn. Nachtr. vi. 46 = Willdenowii.  
*reniforme*, Spreng. Fl. Hal. Mant. 46.—Afr. austr.  
*repandum*, Hoffmgg. Verz. Pfl. 95.—Afr. austr.  
*reticulatum*, DC. Prod. i. 649; G. Don, Gen. Syst. i. 726.—Afr. austr.  
*retinervium*, DC. Prod. i. 659.—Afr. austr.  
*resurgens* ×, Tratt. Pelarg. t. 158.  
*retirugum* ×, Tratt. l. c. t. 82.  
*retusum*, Hoffmgg. Verz. Pfl. 95.—Afr. austr.

**PELARGONIUM:—**

*retusum*, Hort. ex F. G. Dietr. Vollst. Lexik. Gaertn. Nachtr. vi. 58 = spurium.  
*retusum*, Wendl. ex Hoffmgg. Verz. Pfl. 95, in syn. = reniforme.  
*revolutiflorum* ×, Tratt. Pelarg. t. 166.  
*revolutum*, Pers. Syn. ii. 226.—Afr. austr.  
*Rheinwardtianum*, Hoffmgg. Verz. Pfl. 95.—Afr. austr.  
*Rhodiola* ×, Tratt. Pelarg. t. 161.  
*rhodolentum*, Sweet, Hort. Brit. ed. I. 84; et Geran. t. 291.  
*rhodopetalon* ×, Sweet, Geran. Suppl. t. 14.  
*rhoeadifolium*, Steud. Nom. ed. II. ii. 289.—Afr. austr.  
*ribifolium*, Baumg. ex Hoffmgg. Verz. Pfl. 87, in syn. = aurantiodorum.  
*ribifolium*, DC. Prod. i. 658, in syn. = zonale.  
*ribifolium*, Jacq. Ic. Pl. Rar. iii. t. 538; Coll. v. 141.—Afr. austr.  
*ribiodorum*, Steud. Nom. ed. II. ii. 295 = aurantiodorum.  
*Richianum* ×, Sweet, Geran. t. 370.  
*rigescens* ×, Sweet, l. c. t. 112.  
*rigidum*, Wendl. ex Hoffmgg. Verz. Pfl. 96, in syn. = sidaefolium.  
*rigidum*, Willd. Sp. Pl. iii. 681 = crispum.  
*ringens* ×, Sweet, Geran. t. 256.  
*Robertianum*, Hoffmgg. Verz. Pfl. 95.—Afr. austr.  
*Robinsoni* ×, Sweet, Geran. t. 150.  
*robustum* ×, Colv. ex Sweet, Hort. Brit. ed. I. 79.  
*Rochlederianum* ×, Tratt. Pelarg. t. 152.  
*Rodneyanum*, Lindl. in Mitch. Three Exped. ii. 144.—Austral.  
*Rollisoni* ×, Sweet, Geran. t. 371.  
*Rosenthalianum* ×, Tratt. Pelarg. t. 153.  
*Rosetta*, Hort. ex DC. Prod. i. 675 = bellulum.  
*roseum*, [R. Br. in] Ait. Hort. Kew. ed. II. iv. 161.—Afr. austr.  
*roseum*, Ehrh. Beitr. vii. 161 = hybridum.  
*roseum*, Willd. Sp. Pl. iii. 679 = P. Radula.  
*rosodorum*, Hoffmgg. Verz. Pfl. 95 = P. Radula.  
*Rosula*, Hoffmgg. l. c. = zonale.  
*rotundilobum* ×, Sweet, Geran. t. 252.  
*Rowanium* ×, Hoffmgg. Verz. Pfl. 95 = Daveyanum.  
*rubefactum* ×, Tratt. Pelarg. t. 231.  
*rubens*, Wendl. Coll. ii. 45. t. 54.—Afr. austr.  
*rubescens* ×, Jenkins. ex Sweet, Geran. t. 30.  
*rubicundum* ×, Sweet, Hort. Brit. ed. I. 78.  
*rubidum*, Sweet, l. c. 81.—Afr. austr.  
*rubrocinctum*, Link, Enum. Hort. Berol. ii. 191 = cordatum.  
*rubromaculatum*, Andr. Bot. Rep. t. 168.—Afr. austr.  
*rubromaculatum*, Poir. Encyc. Suppl. ii. 757 = pulchellum.  
*Rudo'phanum* ×, Tratt. Pelarg. t. 202.  
*rugosum*, Colv. ex Sweet, Hort. Brit. ed. I. 79; G. Don, Gen. Syst. i. 740.—Afr. austr.  
*rumicifolium*, Sweet, Geran. t. 318.—Afr. austr.  
*Russelianum* ×, Sweet, l. c. t. 385.  
*rutaceum* ×, Sweet, Hort. Brit. ed. I. 84; Geran. t. 279.  
*rutaefolium*, Baker, in Saund. Refug. Bot. t. 27.—Afr. austr.  
*rutilum* ×, Colv. ex Sweet, Hort. Brit. ed. I. 82.  
*Sabini*, Haw. ex Sweet, l. c. 81.  
*saepestlorens* ×, Sweet, Geran. t. 58.  
*Salamonce*, Hort. ex Dehnh. Cat. Pl. Hort. Camald. ed. II. 22 = hardenbergense.  
*salebrosum* ×, Sweet, l. c. t. 309.  
*sanguineum*, Wendl. Coll. ii. 43. t. 53; Sweet, Geran. t. 76.—Afr. austr.  
*saniculaefolium*, Willd. Sp. Pl. iii. 673.—Afr. austr.  
*saturatum* ×, Sweet, Geran. Suppl. t. 37.  
*Saundersii* ×, Sweet, l. c. t. 205.  
*Savii*, Dehnh. Cat. Pl. Hort. Camald. ed. II. 22.—Afr. austr.  
*Savonitianum* ×, Tratt. Pelarg. t. 246.  
*scabridum*, Colv. ex Sweet, Hort. Brit. ed. I. 78.—Afr. austr.  
*scabrum*, Hort. ex Hoffmgg. Verz. Pfl. 86, in syn. = alutaceum.  
*scabrum*, L'Hérit. Geran. t. 31.—Afr. austr.  
*scandens*, Ehrh. Beitr. vii. 161; Willd. Sp. Pl. iii. 666.—Afr. austr.  
*scapifolium*, L'Hérit. ex DC. Prod. i. 649 = reticulatum.  
*scaposum*, DC. Prod. i. 656 = ovale.

**PELARGONIUM:—**

*Scarboroviae* ×, Sweet, Geran. t. 117.  
*scariosum*, Wendl. ex Hoffmgg. Verz. Pfl. 96.—Afr. austr.  
*sceleratum* ×, Colv. ex Sweet, Hort. Brit. ed. I. 82.  
*schizopetalum*, Sweet, Geran. t. 232.—Afr. austr.  
*schizophyllum* ×, Sweet, l. c. t. 289.  
*Schottii*, Hook. f. Bot. Mag. t. 5777.—Hab. ?  
*Schraderi*, Dehnh. Cat. Pl. Hort. Camald. ed. II. 22.—Afr. austr.  
*Schreibersianum* ×, Tratt. Pelarg. t. 126.  
*Schulzianum* ×, Tratt. l. c. t. 229.  
*Schwarzenbergianum* ×, Tratt. l. c. t. 1.  
*scintillans* ×, Sweet, Geran. t. 28.  
*scintillare*, Steud. Nom. ed. II. ii. 289 = fulgidum ?  
*scitulum* ×, Sweet, Geran. t. 390.  
*Skellii*, Hort. ex Steud. Nom. ed. II. ii. 295 = Skellii.  
*Scottii* ×, Sweet, Geran. t. 264.  
*scutatum*, DC. Prod. i. 666 = peltatum.  
*scutatum*, Sweet, Geran. t. 95.—Afr. austr.  
*selectum* ×, Sweet, Geran. t. 190.  
*selenifolium* ×, DC. Prod. i. 652.  
*Selinum*, Pers. Syn. ii. 228 = rapaceum.  
*semicircularum* ×, Tratt. Pelarg. t. 81.  
*semitrilobum*, Jacq. Hort. Schoenb. ii. t. 130 = adulterinum.  
*senecioides*, L'Hérit. Geran. t. 11.—Afr. austr.  
*sericeum*, E. Mey. ex Harv. & Sond. Fl. Cap. i. 282.—Afr. austr.  
*serotinum*, Colv. ex DC. Prod. i. 673 = Watsoni.  
*Serpesianum* ×, Tratt. Pelarg. t. 244.  
*Serra*, Hoffmgg. Verz. Pfl. 96.—Hab. ?  
*serratifolium* ×, Sweet, Geran. t. 221.  
*serratum*, DC. Prod. i. 681.—Afr. austr.  
*setiferum*, DC. l. c. i. 680.—Afr. austr.  
*setigerum*, Steud. Nom. ed. II. ii. 290.—Afr. austr.  
*setosum*, DC. Prod. i. 652.—Afr. austr.  
*setosum*, E. Mey. in Drège, Zwei Pfl. Docum. 209 = barbatum.  
*setulosum*, Turcz. in Bull. Soc. Nat. Mosc. xxxi. (1858) i. 422.—Afr. austr.  
*severum* ×, Tratt. Pelarg. t. 174.  
*Seymouriae* ×, Sweet, Geran. t. 37.  
*sibthorpiæfolium*, Harv. in Harv. & Sond. Fl. Cap. i. 301.—Afr. austr.  
*siccifolium*, Hoffmgg. ex F. G. Dietr. Vollst. Lexik. Gaertn. Nachtr. vi. 70 = zonale.  
*sidaefolium*, Willd. Enum. Hort. Berol. 706.—Afr. austr.  
*sidoides*, DC. Prod. i. 680.—Afr. austr.  
*signatum*, Sweet, Geran. t. 265.  
*simplex* ×, Tratt. Pelarg. t. 74.  
*sinapifolium* ×, Sweet, Hort. Brit. ed. I. 78.  
*sisonifolium*, Baker, in Saund. Refug. Bot. t. 28.—Afr. austr.  
*sisymbriifolium*, Steud. Nom. ed. II. ii. 295.—Afr. austr.  
*Skellii*, Hoffmgg. Verz. Pfl. 96.—Afr. austr.  
*Smithianum*, Steud. Nom. ed. II. ii. 295.—Afr. austr. ?  
*Smithii* ×, Sweet, Geran. t. 110.  
*smyrniifolium* ×, Tratt. Pelarg. t. 64.  
*solubile* ×, Sweet, Geran. t. 24.  
*somalense*, Franch. in Revoil, Comali, 19.—Afr. trop.  
*Sophiae* ×, Tratt. Pelarg. t. 199.  
*sororium* ×, Willd. Enum. Hort. Berol. Suppl. 48.  
*Southcotianum* ×, Sweet, Hort. Brit. ed. I. 84; et Geran. t. 348.  
*spathulatum*, Pers. Syn. ii. 226.—Afr. austr.  
*spatulatum*, G. Don, Gen. Syst. i. 729 = praec.  
*speciosum*, Van Eeden, ex Hoffmgg. Verz. Pfl. 95, in syn. = rarum.  
*speciosum*, Willd. Enum. Hort. Berol. 706.—Afr. austr.  
*spectabile*, Hort. ex Link, l. c. ii. 192 = sidaefolium.  
*spectabile*, Sweet, Geran. t. 136.—Afr. austr.  
*Speculum* ×, Sweet, l. c. t. 52.  
*Speculum* ×, Tratt. Pelarg. t. 192.  
*sphaerocephalum* ×, Sweet, Geran. t. 317.  
*sphondilifolium*, Steud. Nom. ed. II. ii. 290 = lobatum.  
*sphondyliifolium* ×, Sweet, Geran. t. 246.  
*sphondyliifolium*, Salisb. Prod. 312 = lobatum.  
*Spinii*, Colla, Hort. Ripul. 105. t. 7 = quercifolium.  
*spinosum*, Willd. Sp. Pl. iii. 681.—Afr. austr.  
*spirans*, Hoffmgg. Verz. Pfl. 96.—Afr. austr.  
*splendens*, Willd. Hort. Berol. ii. 76 = ignescens.  
*splendidum* ×, Sweet, Hort. Brit. ed. I. 78.



**PELARGONIUM:—**

*splendidum* ×, Tratt. Pelarg. t. 216.  
*spondylifolium*, Harv. & Sond. Fl. Cap. i. 272 sphalm. = lobatum.  
*spurium*, Willd. Enum. Hort. Berol. 709.—Afr. austr.?  
*Stamfordianae* ×, Forbes, Hort. Woburn. 155.  
*staphysagrioides*, Sweet, Geran. Suppl. t. 98.—Afr. austr.  
*Stapletoni* ×, Sweet, l. c. t. 212.  
*staticaeifolium*, Steud. Nom. ed. II. ii. 290.—Afr. austr.  
*stenanthum*, Turcz. in Bull. Soc. Nat. Mosc. xxxi. (1858) i. 419 = australe.  
*stenopetalum*, Ehrh. Beitr. vii. 161 = zonale.  
*Stephanianum* ×, Tratt. Pelarg. t. 241.  
*Stewartii* ×, Sweet, Geran. t. 353.  
*Stiftii* ×, Tratt. Pelarg. t. 224.  
*stipulaceum*, Willd. Sp. Pl. iii. 655.—Afr. austr.  
*striatum* ×, Sweet, Geran. t. 1.  
*strictum*, Dietr. ex Steud. Nom. ed. II. ii. 290 = crispum.  
*strigosum*, Dehnh. Cat. Pl. Hort. Camald. ed. II. 23.—Afr. austr.?  
*strigosum*, Steud. Nom. ed. II. ii. 290.—Afr. austr.  
*suaveolens*, Desf. Arb. ii. 465; F. G. Dietr. Vollst. Lexik. Gaertn. Nachtr. vi. 70.—Afr. austr.  
*subuniflorum* ×, Tratt. Pelarg. t. 160.  
*succulentum* ×, Sweet, Geran. Suppl. t. 69.  
*suffultum* ×, Tratt. Pelarg. t. 207.  
*suffusum* ×, Sweet, Hort. Brit. ed. I. 471; et Geran. l. c. t. 47.  
*sulphureum*, Steud. Nom. ed. II. ii. 295.—Afr. austr.  
*superbum*, F. G. Dietr. Aesth. Pfl. 44; ex ej. Vollst. Lexik. Gaertn. Nachtr. vi. 43 = Willdenowii.  
*Sweetianum*, DC. Prod. i. 653.—Afr. austr.  
*Sweetianum* ×, Sm. ex Sweet, Hort. Brit. ed. II. 588 = praec.?  
*Synnotii*, G. Don, Gen. Syst. i. 731.—Afr. austr.  
*tabulare*, L'Hérit. Geran. t. 9.—Afr. austr.  
*tanacetifolium* ×, Sweet, l. c. 336.  
*Tankervillei*, Hort. ex Hoffmgg. Verz. Pfl. 96 = glaucum.  
*tectum*, DC. Prod. i. 680.—Afr. austr.  
*tenellum*, Loud. Hort. Brit. 272; G. Don, Gen. Syst. i. 729.—Afr. austr.  
*Tenorii*, Dehnh. Cat. Pl. Hort. Camald. ed. II. 23.—Afr. austr.  
*tenuiflorum*, Schweigg. Enum. Pl. Regiom. 53.—Afr. austr.?  
*tenuifolium*, L'Hérit. Geran. t. 12.—Afr. austr.  
*tenuilobum*, Steud. Nom. ed. II. ii. 290 = patulum.  
*terebintaceum*, Harv. & Sond. Fl. Cap. i. 306, in syn. = graveolens.  
*ternatifidum*, Hort. ex F. G. Dietr. Vollst. Lexik. Gaertn. Nachtr. vi. 70.—Afr. austr.  
*ternatum*, Jacq. Ic. Pl. Rar. iii. 544; Coll. Suppl. 135.—Afr. austr.  
*terpnon* ×, Tratt. Pelarg. t. 171.  
*testaceum*, E. Mey. in Drège, Zwei Pfl. Docum. 209 = pulverulentum.  
*tetragonum*, L'Hérit. Geran. t. 23.—Afr. austr.  
*thamnoides*, Hoffmgg. Verz. Pfl. 96.—Afr. austr.?  
*theianthum*, Steud. Nom. ed. II. ii. 290 = ochroleucum.  
*Theresiae* ×, Tratt. Pelarg. t. 203.  
*Thibantii*, Regel, Gartenfl. (1866) 356.—Hab.?  
*Thynneae* ×, Sweet, Geran. t. 74.  
*Tibbittianum* ×, Sweet, Geran. t. 158.  
*tinctum*, Sweet, Geran. Suppl. t. 29.  
*tinctum* ×, Tratt. Pelarg. t. 142.  
*Tinei*, Dehnh. Cat. Pl. Hort. Camald. ed. II. 23.—Afr. austr.  
*tomentellum*, DC. Prod. i. 680.—Afr. austr.  
*tomentosum*, Eckl. & Zeyh. Enum. 613 = papilionaceum.  
*tomentosum*, Jacq. Ic. Pl. Rar. 10. t. 537; Coll. Suppl. 140.—Afr. austr.  
*tomentosum*, L'Hérit. ex DC. Prod. i. 656 = ovale.  
*Tormanni*, F. G. Dietr. Besch. Gaert. ed. III. 253 = Barringtonii.  
*torrefactum* ×, Sweet, Geran. t. 243.  
*toruosum* ×, Sweet, Geran. Suppl. t. 43.  
*tottum*, DC. Prod. i. 681.—Afr. austr.  
*trachyphyllum*, Hoffmgg. Verz. Pfl. 97.—Afr. austr.  
*tragacanthoides*, Burch. Trav. ii. 98 = ramosissimum.  
*translucens* ×, Sweet, Geran. t. 400.  
*transmarinum*, Hoffmgg. ex F. G. Dietr. Vollst. Lexik. Gaertn. Nachtr. vi. 32 = Hoffmansseggii.  
*Trattinickiae* ×, Tratt. Pelarg. t. 245.  
*triangulare*, Steud. Nom. ed. II. ii. 290.—Afr. austr.

**PELARGONIUM:—**

*trichostemum*, Jacq. Ic. Pl. Rar. iii. t. 524 = ovale.  
*tricolor*, Curt. Bot. Mag. t. 240 = violaceum.  
*tricuspidatum*, Hort. ex Steud. Nom. ed. I. 602 = acerifolium.  
*tricuspidatum*, L'Hérit. Geran. t. 30.—Afr. austr.  
*trifidum*, Jacq. Hort. Schoenb. ii. 5 = tripartitum.  
*trifidum*, Willd. Sp. Pl. iii. 646.—Afr. austr.  
*trifoliatum*, Harv. in Harv. & Sond. Fl. Cap. i. 271.—Afr. austr.  
*trifoliatum*, Steud. Nom. ed. II. ii. 290 = astragalifolium.  
*trifoliatum*, Sweet, Geran. t. 294 = laevigatum.  
*trifurcatum* ×, Colv. ex Sweet, Hort. Brit. ed. I. 81.  
*trilingue*, Hoffmgg. ex F. G. Dietr. Vollst. Lexik. Gaertn. Nachtr. vi. 58.—Afr. austr.?  
*trilobatum*, Eckl. & Zeyh. Enum. 81 = ribifolium.  
*trilobatum*, Schrad. Hort. Gotting. i. 8. t. 2 = semitri-lobum.  
*trilobatum*, Van Eeden, ex Hoffmgg. Verz. Pfl. 92, in syn. = lobatum.  
*trilobum*, DC. Prod. i. 680.—Afr. austr.  
*trilobum*, Van Eeden, ex Hoffmgg. Verz. Pfl. 95, in syn. = Rheinwardianum.  
*trinum* ×, Tratt. Pelarg. t. 61.  
*tripartitum*, Hort. ex Hoffmgg. Verz. Pfl. 92 = laeve.  
*tripartitum*, Willd. Sp. Pl. iii. 683.—Afr. austr.  
*triphylum*, Jacq. Ic. Pl. Rar. iii. 515; Coll. iv. 199.—Afr. austr.  
*trisetum*, Hoffmgg. Verz. Pfl. 97.—Afr. austr.  
*triste*, [Soland. in] Ait. Hort. Kew. ed. I. ii. 418.—Afr. austr.  
*triternatum* ×, Tratt. Pelarg. t. 45.  
*triumphans* ×, Colv. ex Sweet, Hort. Brit. ed. I. 82.  
*tuberculatum*, Dehnh. Cat. Pl. Hort. Camald. ed. II. 23.—Afr. austr.  
*tuberosum*, Hort. ex Steud. Nom. ed. II. ii. 290 = triste.  
*tussilaginfolium* ×, Tratt. Pelarg. t. 14.  
*tyrianthinum* ×, Sweet, Geran. t. 183.  
*uitenhagense*, Steud. Nom. ed. II. ii. 290 = schizope-talum.  
*umbellatum* ×, Breit. Hort. Breit. 340.  
*umbellatum*, Hoffmgg. ex F. G. Dietr. Vollst. Lexik. Gaertn. Nachtr. vi. 48.—Afr. austr.?  
*undatum*, Hoffmgg. Verz. Pfl. 97.—Afr. austr.  
*undulaeflorum* ×, Sweet, Geran. t. 329.  
*undulatifolium*, Pasq. Cat. Orto Bot. Nap. 76 = seq.  
*undulatum*, Harv. in Harv. & Sond. Fl. Cap. i. 262, in syn. = longifolium.  
*undulatum*, [Soland. in] Ait. Hort. Kew. ed. II. iv. 160.—Afr. austr.  
*undulatifolium*, Hoffmgg. ex F. G. Dietr. Vollst. Lexik. Gaertn. Nachtr. vi. 70 = undulatum.  
*unguiculatum* ×, Tratt. Pelarg. t. 93.  
*unicolorum*, Willd. Enum. Hort. Berol. Suppl. 48 = Willdenowii.  
*uniflorum*, Breit. Hort. Breit. 340; Link, Enum. Hort. Berol. ii. 193.—Afr. austr.  
*urbanum*, Steud. Nom. Bot. ed. II. ii. 290.—Afr. austr.  
*urbanum* ×, Sweet, Geran. Suppl. t. 50.  
*urenaefolium*, Steud. Nom. ed. II. ii. 290.—Afr. austr.  
*ursinum* ×, Sweet, Geran. Suppl. t. 94.  
*ustulatum*, Hoffmgg. Verz. Pfl. 97.—Afr. austr.  
*Valleti* ×, Colv. ex Sweet, Hort. Brit. ed. I. 79.  
*Vandesiae* ×, Sweet, Geran. t. 7.  
*varians*, Dehnh. Cat. Pl. Hort. Camald. ed. II. 23.—Afr. austr.?  
*variegatum*, Hort. ex Steud. Nom. ed. II. ii. 291 = marginatum.  
*variegatum*, Willd. Sp. Pl. iii. 674.—Afr. austr.  
*variifolium*, Steud. Nom. ed. II. ii. 291.—Afr. austr.  
*variifolium* ×, Sweet, Geran. t. 280.  
*Vaudricourtii*, Dehnh. Cat. Pl. Hort. Camald. ed. II. 23.—Afr. austr.  
*Veitchianum* ×, Sweet, Geran. Suppl. t. 81.  
*velutinum*, Hoffmgg. Verz. Pfl. 97 = ovale.  
*velutinum*, L'Hérit. Geran. Ined. iv. 82; ex DC. Prod. i. 650.—Afr. austr.  
*verbasciflorum*, DC. l. c. 657 = ovale.  
*verbascifolium*, Steud. Nom. ed. II. i. 680, in syn. = sphalm. = praec.  
*veniferum* ×, Sweet, Geran. t. 322.  
*veniflorum* ×, Sweet, l. c. t. 258.  
*venosum* ×, Steud. Nom. ed. II. ii. 295.  
*venulosum* ×, Sweet, Hort. Brit. ed. I. 77.  
*venustum*, Hoffmgg. Verz. Pfl. 97 = imbricatum.

**PELARGONIUM:—**

*venustum* ×, Sweet, Geran. t. 167.  
*verbenaeifolium* ×, Sweet, Geran. t. 149 = piperatum.  
*verecundum* ×, Sweet, l. c. t. 316.  
*veronicaefolium*, Steud. Nom. ed. II. ii. 291.—Afr. austr.  
*versicolor* ×, Sweet, Geran. t. 78.  
*vespertinum* ×, Sweet, l. c. t. 239.  
*vestitum* ×, Sweet, l. c. Suppl. t. 27.  
*vestitum*, Hoffmgg. Verz. Pfl. 97.—Afr. austr.  
*viciaefolium*, L'Hérit. Geran. Ined. n. 15; ex DC. Prod. i. 653 = pinnatum.  
*Victorianum* ×, Sweet, Geran. Suppl. t. 7.  
*villiferum*, DC. Prod. i. 680.—Afr. austr.  
*villosum*, Spin. Cat. Hort. Sebast. (1818) 83 tomentosum.  
*villosum* ×, Sweet, Geran. t. 100.  
*violaeiflorum*, DC. Prod. i. 652.—Afr. austr.  
*violareum*, Jacq. Ic. Pl. Rar. t. 527.—Afr. austr.  
*virgatum* ×, Tratt. Pelarg. t. 217.  
*virgineum*, Pers. Syn. ii. 226 = longifolium.  
*viridifolium* ×, Sweet, Geran. t. 331.  
*viscidum*, F. G. Dietr. Vollst. Lexik. Gaertn. Nachtr. vi. 45.—Afr. austr.  
*viscidum*, Hoffmgg. Verz. Pfl. 97.—Afr. austr.  
*viscosissimum*, Sweet, Geran. t. 118.—Afr. austr.  
*viscosum*, Harv. & Sond. Fl. Cap. i. 306, in syn. = glutinosum.  
*vitifolium*, L'Hérit. Geran. t. 19.—Afr. austr.  
*volatiflorum* ×, Sweet, Hort. Brit. ed. I. 84; et Geran. t. 284.  
*volubile*, Sweet, ex Drapiez, Herb. Amat. Fl. i. (1828) t. 43.—Afr. austr.?  
*Volucris*, Hoffmgg. Verz. Pfl. 97.—Afr. austr.?  
*vulpinum* ×, Tratt. Pelarg. t. 34.  
*Wachendorffiae* ×, Tratt. l. c. t. 183.  
*Watsoni*, Link, Enum. Hort. Berol. ii. 192.—Afr. austr.?  
*Wedelii*, Hort. ex Hoffmgg. Verz. Pfl. 97.—Afr. austr.  
*Wellsianum* ×, Sweet, Geran. t. 175.  
*Willdenowii*, F. G. Dietr. Vollst. Lexik. Gaertn. Nachtr. vi. 46 = Barringtonii.  
*Willdenowii*, Link, Enum. Hort. Berol. ii. 190.—Afr. austr.  
*Yarburghii* ×, Forbes, Hort. Woburn. 155.  
*Yeatmanianum* ×, Sweet, Geran. Suppl. t. 59.  
*Wuerthianum* ×, Tratt. Pelarg. t. 225.  
*Youngii* ×, Sweet, Geran. t. 131.  
*Zeyheri*, Harv. in Harv. & Sond. Fl. Cap. i. 276.—Afr. austr.  
*Zeyherianum*, Dehnh. Cat. Pl. Hort. Camald. ed. II. 23.—Afr. austr.  
*Zichyanum* ×, Tratt. Pelarg. t. 149.  
*zingiberinum* ×, Sweet, Geran. Suppl. t. 42.  
*zonale*, L'Hérit. [ex Soland.] in Ait. Hort. Kew. ed. I. ii. 424.—Afr. austr.

**PELEA**, A. Gray, in Bot. U. St. Expl. Exped. i. 339 (1854) = **Melicope**, Forst. (Rutac.).  
*anisata*, H. Mann, in Proc. Bost. Soc. Nat. Hist. x. (1866) 314.—Ins. Sandvic.  
*auriculaefolia*, A. Gray, Bot. U. St. Expl. Exped. i. 343. t. 36.—Ins. Sandvic.  
*calophylla*, Baill. Adansonia, x. (1871-72) 322.—N. Caled.  
*clusiaefolia*, A. Gray, Bot. U. St. Expl. Exped. i. 340. t. 35.—Ins. Sandvic.  
*Deplanchei*, Baill. Adansonia, x. (1871-72) 322.—N. Caled.  
*hawaiiensis*, Wawra, in Flora, lvi. (1873) 110.—Ins. Sandvic.  
*Kaala*, Wawra, l. c. = M. elliptica.  
*kavaensis*, H. Mann, in Proc. Bost. Soc. Nat. Hist. x. (1866) 313.—Ins. Sandvic.  
*lucida*, A. Gray, Bot. U. St. Expl. Exped. i. 343. t. 34.—Ins. Sandvic.  
*madagascariensis*, Baill. Adansonia, x. (1871-72) 323.—Madag.  
*myrtoidea*, Baill. l. c. = N. Caled.  
*oblongifolia*, A. Gray, Bot. U. St. Expl. Exped. i. 343.—Ins. Sandvic.  
*rotundifolia*, A. Gray, l. c. 344. t. 37.—Ins. Sandvic.  
*sandwicensis*, A. Gray, l. c. 345. t. 37.—Ins. Sandvic.  
*sapotaefolia*, H. Mann, in Proc. Bost. Soc. Nat. Hist. x. (1866) 312.—Ins. Sandvic.  
*volcanica*, A. Gray, Bot. U. St. Expl. Exped. i. 346. t. 38.—Ins. Sandvic.  
*Waialealae*, Wawra, in Flora, lvi. (1873) 108.—Ins. Sandvic.



**PELECINUS**, Tourn. ex Medic. in Vorles. Churpf. Phys. Ges. ii. (1787) 378 = **Biserrula**, Linn. (Legumin.). *Biserrula*, Moench, Meth. 169 = **B. Pelecinus**. *vilgaris*, Medic. in Vorles. Churpf. Phys. Ges. ii. (1787) 378 = **B. Pelecinus**.

**PELECYNTHIS**, E. Mey. Comm. Pl. Afr. Austr. 13 (1835) = **Rafnia**, Thunb. Legumin.). *axillaris*, E. Mey. l. c. 14 = **R. axillaris**. *corymbosa*, E. Mey. l. c. = **R. cuneifolia**. *dichotoma*, E. Mey. l. c. = **Afr. austr.** *diffusa*, E. Mey. l. c. 15 = **R. diffusa**. *gibba*, E. Mey. l. c. 14 = **R. dichotoma**. *opposita*, E. Mey. l. c. = **R. opposita**. *retroflexa*, E. Mey. l. c. 15 = **R. retroflexa**. *racemosa*, Walp. Rep. i. 579 = **R. racemosa**. *rhomboidea*, E. Mey. Comm. Pl. Afr. Austr. 14 = **R. cuneifolia**.

**PELECYPHORA**, Ehrenb. in Bot. Zeit. i. (1843) 737. **CACTEAE**, Benth. & Hook. f. i. 848. *aselliformis*, Ehrenb. l. c. = **Mexic.**

**PELEXIA**, [Poit.] Rich. in Mém. Mus. Par. iv. (1818) 59. **ORCHIDEAE**, Benth. & Hook. f. iii. 597. *ADNULA*, Rafin. Fl. Tellur. ii. 87 (1836). *COLLEA*, Lindl. Bot. Reg. sub t. 760 (1823). *ELTROPECTRIS*, Rafin. Fl. Tellur. ii. 51 (1836). *acanthiiformis*, Reichb. f. & Warm. in Otia Bot. Hamb. 83. = **Bras.** *adnata*, Spreng. Syst. iii. 704. = **Ind. occ.** *bursaria*, Lindl. in Ann. Nat. Hist. Ser. I. v. (1840) 116 = **Physurus plantaginensis**. *corymbosa*, Lindl. Gen. et Sp. Orch. 482. = **Peruv.** *cranichoides*, Griseb. Cat. Pl. Cub. 269. = **Cuba.** *domingensis*, Lindl. Gen. et Sp. Orch. 482. = **Ins. S. Doming.** *falcata*, Spreng. Syst. iii. 704 = **Cephalanthera falcata** foliosa, Poepp. & Endl. Nov. Gen. et Sp. ii. 17. = **Bras.** *Hoffmanni*, Reichb. f. Beitr. Orch. Centr. Am. 102 = **Pseudocentrum Hoffmanni**. *japonica*, Spreng. Syst. iii. 704 = **Cephalanthera pallens**. *laxa*, Lindl. Gen. et Sp. Orch. 482. = **Peruv.** *pauciflora*, Poepp. & Endl. Nov. Gen. et Sp. ii. 17. t. 124. = **Bras.** *repens*, Poepp. & Endl. l. c. ii. 17. t. 124. f. a-c. = **Peruv.** *roseoalba*, Reichb. f. in Bonplandia, ii. (1854) 11. = **N. Granat.** *setacea*, Lindl. Gen. et Sp. Orch. 482. = **Bras.** *spiranthoides*, Lindl. Bot. Reg. t. 985 = **adnata**. *stenorrhynchoides*, Griseb. Cat. Pl. Cub. 269. = **Cuba.** *triloba*, Lindl. Gen. et Sp. Orch. 483. = **Bras.**

**PELIANTHUS**, E. Mey. ex Moq. in DC. Prod. xiii. ii. 246 (1849) = **Hermestaedia**, Reichb. (Amarant.). *celosioides*, E. Mey. ex Moq. l. c. = **H. caffra**.

**PELIOSANTHES**, Andr. Bot. Rep. tt. 605, 634 (1808). **HAEMODORACEAE**, Benth. & Hook. f. iii. 678. *BULBISPERMA*, Reinw. ex Blume, Cat. Hort. Buitenz. 59 [1823]. *BULBOSPERMUM*, Blume, Enum. Pl. Jav. 15 (1828). *TETA*, Roxb. Hort. Beng. 24 (1814); Fl. Ind. ii. 165 (1832). *altissima*, Donn, Hort. Cantab. ed. VI. 89. = **Ind. or.** *campanulata*, Wall. ex Baker, in Journ. Linn. Soc. xvii. (1879) 504 = **violacea**. *courtallensis*, Wight, Ic. t. 2051. = **Ind. or.** *Griffithii*, Baker, in Journ. Linn. Soc. xvii. (1879) 506. = **Reg. Himal.** *humilis*, Andr. Bot. Rep. t. 634. = **Penang**; Malacca. *humilis*, Baker, in Journ. Linn. Soc. xvii. (1879) 505. = **Reg. Himal.** *javanica*, D. Dietr. Syn. Pl. ii. 1123. = **Java.** *longifolia*, Steud. ex Baker, in Journ. Linn. Soc. xvii. (1879) 503 = **neilgherriensis**. *macrophylla*, Wall. ex Baker, l. c. 505. = **Reg. Himal.** *macrostegia*, Hance, in Journ. Bot. xxiii. (1885) 328. = **China.** *neilgherriensis*, Wight, Ic. t. 2052. = **Ind. or.** *petiolaris*, Wall. ex Voigt, Hort. Suburb. Calc. 650. nomen. = **Hab. ?** *Teta*, Andr. Bot. Rep. t. 605. = **Ind. or.**; Burma; Penang. *Teta*, Wall. Cat. n. 5083 = **violacea**, courtallensis. *violacea*, Wall. Cat. n. 5084. = **Reg. Himal.**; Burma.

**PELIOSTOMUM**, E. Mey. ex Benth. in Bot. Reg. sub t. 1882 (1836). **SCROPHULARINEAE**, Benth. & Hook. f. ii. 927. *leucorrhizum*, E. Mey. ex Benth. l. c. = **Afr. austr.** *origanoides*, E. Mey. ex Benth. l. c. = **Afr. austr.** *scoparium*, E. Mey. ex Benth. l. c. = **Afr. austr.** *virgatum*, E. Mey. ex Benth. l. c. = **Afr. austr.** *viscosum*, E. Mey. ex Benth. l. c. = **Afr. austr.**

**PELLA**, Gaertn. Fruct. i. 143. t. 28. f. 8 (1788) = **Salvadora**, Garcin. *Ribesiodes*, Gaertn. l. c. = **S. persica**.

**PELLACALYX**, Korth. in Hœv. & De Vriese, Tijdschr. iii. (1836) 20. t. 3. **RHIZOPHOREAE**, Benth. & Hook. f. i. 680. *axillaris*, Korth. l. c. = **Malaya.**

**PELLEA**, André, in Illustr. Hort. xxvii. (1880) 177 = **Pellionia**, Gaudich. (Urtic.).

**PELLETERIA**, Poir. in Dict. Sc. Nat. xxxviii. 324 (1825) = **seq.**

**PELLETIERA**, A. St. Hil. in Mém. Mus. Par. ix. (1822) 365 = **Asterolinon**, Hoffmgg. & Link (Primul.). *verna*, A. St. Hil. l. c. = **A. serpyllifolium**.

**PELLICIERA**, Planch. & Triana, in Benth. & Hook. f. Gen. i. 186 (1862). **TERNSTROEMACEAE**, Benth. & Hook. f. l. c. *Rhizophoreae*, Planch. & Triana, in Ann. Sc. Nat. Sér. IV. xvii. (1862) 381. = **N. Granat.**

**PELLINIA**, Molina, Sagg. Chile, ed. II. 160 (1810) = **Eucryphia**, Cav. (Rosac.). *cordifolia*, Molina, l. c. = **E. cordifolia**.

**PELLIONIA**, Gaudich. in Freyc. Voy. Bot. 494. t. 119 (1826). **URTICACEAE**, Benth. & Hook. f. iii. 385.

**POLYCHROA**, Lour. Fl. Cochinch. 559 (1790). *ambigua*, Wedd. in Arch. Mus. Par. viii. (1855-56) 285. = **Reg. Himal.** *australis*, Wedd. in DC. Prod. xvi. i. 169. = **Ind. occ.** *brevifolia*, Benth. Fl. Hongk. 330. = **China.** *Daveauana*, N. E. Br. in Gard. Chron. (1880) ii. 262. = **Burma**; Malaya; Cochinch. *divaricata*, Gaudich. in Freyc. Voy. Bot. 494. = **Ins. Marian.**

*elatostemoides*, Gaudich. l. c. t. 119. = **Ins. Molucc.** *filicoides*, Seem. Fl. Vit. 239. = **Ins. Fiji.** *Griffithiana*, Wedd. in DC. Prod. xvi. i. 165. = **Reg. Himal.** *Grijsii*, Hance, in Journ. Bot. vi. (1868) 49. = **China.** *Helferiana*, Wedd. in DC. Prod. xvi. i. 170. = **Burma.** *heteroloba*, Wedd. in Arch. Mus. Par. viii. (1855-56) 283. = **Reg. Himal.** *Heyneana*, Wedd. l. c. 287. = **Ind. or.** *javanica*, Wedd. l. c. 288. = **Malaya.** *procrisifolia*, Kurz, in Journ. Bot. xiii. (1875) 330. = **Ins. Nicobar.** *pulchra*, N. E. Br. in Gard. Chron. (1882) ii. 712. = **Cochinch.** *radicans*, Wedd. in DC. Prod. xvi. i. 167. = **Japon.** *scabra*, Benth. Fl. Hongk. 330. = **China.** *stenocarpa*, Wedd. in Arch. Mus. Par. viii. (1855-56) 284. = **Reg. Himal.** *umbellata*, Wedd. in DC. Prod. xvi. i. 167. = **Japon.** *vitiensis*, A. Gray, ex Wedd. l. c. = **Ins. Fiji.**

**PELONASTES**, Hook. f. in Hook. Lond. Journ. Bot. vi. (1847) 474 = **Myriophyllum**, Linn. (Halorag.). *integrifolia*, Hook. f. l. c. 475 = **M. integrifolium**. *tillaeacea*, F. Muell. in Hook. Kew Journ. viii. (1856) 65 = **M. integrifolium**. *tuberculata*, Hook. f. in Hook. Lond. Journ. Bot. vi. (1847) 474 = **M. Drummondii**.

**PELTA**, Dulac, Fl. Hautes-Pyr. 43 (1867) = **Zannichellia**, Mich. (Naiad.). *palustris*, Dulac, l. c. = **Z. palustris**.

**PELTACTILA**, Rafin. New Fl. Am. iv. 28 (1836) = **Daucus**, Tourn. (Umbell.). *aurea*, grandiflora, hispida, parviflora, Rafin. l. c. = **D. Carota vel D. pusillus**.

**PELTANDRA**, Rafin. in Journ. Phys. lxxxix. (1819) 102. **AROIDEAE**, Benth. & Hook. f. iii. 975. *LECONITA*, W. Cooper, ex Torr. Compend. 358 [bis] (1826).

*RENSELAERIA*, Beck, Bot. U. St. 382 (1833). *alba*, Rafin. New Fl. Am. i. 88. = **Am. bor.** *angustifolia*, Rafin. l. c. 89 = **virginica**. *canadensis*, Rafin. l. c. 87 = **virginica**. *hastata*, Rafin. l. c. 88 = **virginica**. *heterophylla*, Rafin. l. c. = **virginica**. *latifolia*, Rafin. l. c. 87 = **virginica**. *sagittaeifolia*, Rafin. in Journ. Phys. lxxxix. (1819) 102 = **Xanthosoma sagittaeifolium**. *undulata*, Rafin. l. c. = **Am. bor.** *undulata*, Schott, Melet. i. 19 = **virginica**. *virginica*, Rafin. in Journ. Phys. lxxxix. (1819) 102. = **Am. bor.** *virginica*, Schott, Syn. Aroid. 50 = **undulata**. *Walteri*, Rafin. New Fl. Am. i. 88 = **virginica**.

**PELTANDRA**, Wight, Ic. v. ii. 24 (1852) = **Phyllanthus**, Linn. (Euphorb.). *flexuosa*, Thw. Enum. Pl. Zeyl. 281 = **Phyll. Thwaitesianus**. *longipes*, Wight, Ic. t. 1891 = **Phyll. longipes**. *parvifolia*, Wight, l. c. t. 1892 = **Phyll. Thwaitesianus**.

**PELTANTHERA**, Benth. in Benth. & Hook. f. Gen. ii. 797 (1876). **LOGANIACEAE**, Benth. & Hook. f. l. c. *floribunda*, Benth. l. c. = **Peruv.**

**PELTANTHERA**, Roth, Nov. Sp. Pl. 132 (1821) = **Vallaris**, Burm. f. (Apocyn.). *solanacea*, Roth, l. c. = **V. Heynei**.

**PELTARIA**, Burm. ex DC. Prod. ii. 420 (1825) = **Wiborgia**, Thunb. (Legumin.). *capensis*, Burm. ex DC. l. c. = **W. fusca**.

**PELTARIA**, Jacq. Enum. Hort. Vindob. 260 (1762); Linn. Sp. Pl. ed. II. 910 (1763). **CRUCIFERAE**, Benth. & Hook. f. i. 93. *BOHADSCHIA*, Crantz, Stirp. Austr. ed. I. fasc. i. 2 (1762); ed. II. 5 (1769). *aleppica*, Hort. ex Steud. Nom. ed. I. 603 = **Isatis aleppica**. *alliacea*, Jacq. Enum. Hort. Vindob. 260. = **Europ. or.** *angustifolia*, DC. Syst. ii. 329. = **As. Min.**; Persia. *aspera*, Grauer, Pl. Min. Cogn. Dec. 6 (Quid ?). = **Oriens.** *Aucher*, Boiss. in Ann. Sc. Nat. Sér. II. xvii. (1842) 175. = **Armenia.** *capensis*, Linn. f. Suppl. 296 = **Heliophila diffusa**. *caramanensis*, Sibth. ex DC. Syst. ii. 285 = **Ricotia tenuifolia**. *deflexa*, DC. l. c. 337 = **Texiera glastifolia**. *Garcini*, Burm. f. Fl. Ind. 139 = **Fortuynia Garcini**. *glastifolia*, DC. Syst. ii. 330 = **Texiera glastifolia**. *obcordata*, Steud. Nom. ed. I. 603 = **Alyssum obcordatum**.

**PELTICALYX**, Griff. Notul. ii. 706 (1854). Genus dub. **ANONACEARUM**. = **Cf. Benth. & Hook. f. i. 22.** *argentea*, Griff. l. c. = **Ind. or.**

**PELTIDIUM**, Zollikof. in Nat. Anz. Schw. Ges. iv. (1820) 13 = **Chondrilla**, Tourn. (Compos.). *apargioides*, Zollikof. l. c. = **C. Peltidium**.

**PELTIMELA**, Rafin. Atl. Journ. 199 (1833) = **Glossostigma**, Arn. (1836) (Scrophul.). *cuneata*, Rafin. l. c. = **G. spatulatum**.

**PELTISPERMUM**, Moq. Clenop. Enum. 102 (1840) = **Anthochlamys**, Fenzl (Chenop.). *Aucher*, Moq. in DC. Prod. xiii. ii. 143 = **A. polygaloides**.

**PELTOBRYON**, Klotzsch, ex Miq. Syst. Pip. 369 (1843) = **Piper**, Linn. *attenuatum*, Klotzsch, l. c. 371 = **Pip. Peltobryon**. *callosum*, Miq. l. c. 369 = **Pip. callosum**. *cyrtopodum*, Miq. in Mart. Fl. Bras. iv. i. 219 = **Pip. cyrtopodum**. *dichotomum*, Klotzsch, ex Miq. Syst. Pip. 372 = **Pip. dichotomum**.



## PELTOBRYON:—

- exserens*, Miq. in Mart. Fl. Bras. iv. 1. 31 = *Piper exserens*.  
*Guilleminianum*, Miq. l. c. 30 = *Pip. crassinervium*.  
*Hookeri*, Miq. in Hook. Lond. Journ. Bot. iv. (1845) 442 = *Pip. munchanum*.  
*longifolium*, Miq. Syst. Pip. 372 = *Pip. longifolium*.  
*Martianum*, Miq. in Linnaea, xx. (1847) 133 = *Pip. egense*.  
*Mathewsi*, Miq. in Hook. Lond. Journ. Bot. iv. (1845) 441 = *Pip. tenuistylum*.  
*phytolaccaefolium*, Presl, Epim. Bot. 224 = *Pip. phytolaccaefolium*.  
*Poeppigii*, Klotzsch, ex Miq. Syst. Pip. 370 = *Pip. Poeppigii*.  
*pubescens*, Miq. in Linnaea, xx. (1847) 134 = *Pip. brasiliense*.

- PELTODON**, Pohl, Pl. Bras. Ic. i. 66. tt. 54–56 (1827). *LABIATAE*, Benth. & Hook. f. ii. 1177. longipes, A. St. Hil. ex Benth. Lab. Gen. & Sp. 63.—Bras.  
 pusillus, Pohl, Pl. Bras. Ic. i. 67. t. 54.—Bras.  
 radicans, Pohl, l. c. 68. t. 55.—Bras.  
 tomentosus, Pohl, l. c. 69. t. 56.—Bras.

- PELTOGYNE**, Vog. in Linnaea, xi. (1837) 410. *LEGUMINOSAE*, Benth. & Hook. f. i. 582. confertiflora, Benth. in Mart. Fl. Bras. xv. II. 232.—Bras.  
 densiflora, Spruce, ex Benth. l. c.—Bras.  
 discolor, Vog. in Linnaea, xi. (1837) 410.—Bras.  
 latifolia, Benth. in Mart. Fl. Bras. xv. II. 232.—Bras.  
 paniculata, Benth. in Hook. Journ. Bot. ii. (1840) 96.—Am. austr.  
 parvifolia, Spruce, ex Benth. in Mart. Fl. Bras. xv. II. 233.—Bras.  
 pauciflora, Benth. l. c. 234.—Bras.  
 porphyrocardia, Griseb. ex Benth. l. c. 234, in obs.—Am. trop.  
 pubescens, Benth. in Hook. Journ. Bot. ii. (1840) 96.—Guian.  
 venosa, Benth. in Mart. Fl. Bras. xv. II. 233, in obs.—Guian.

- PELTOMESA**, Rafin. Sylva Tellur. 126 (1838) = **Loranthus**, Linn.  
 acuminata, Rafin. l. c. = *L. acuminatus*.

- PELTOPHORA**, Benth. & Hook. f. Gen. iii. 1129 (1883), sphalm. = **PELTOPHORUS**, Desv.

- PELTOPHORUM**, Walp. Rep. i. 811 (1842). *LEGUMINOSAE*, Benth. & Hook. f. i. 565. adnatum, Griseb. Fl. Brit. W. Ind. 206.—Ins. Bahamas.  
 africanum, Sond. in Linnaea, xxiii. (1850) 35.—Afr. trop.  
 dasyrachis, Kurz, ex Baker, in Hook. f. Fl. Brit. Ind. ii. 257.—Malacca.  
 ferrugineum, Benth. Fl. Austral. ii. 279.—Austral.  
 inerme, Naves, ex Villar, in Blanco, Fl. Filip. ed. III. Nov. App. 69 = *ferrugineum*.  
 Linnaei, Benth. ex Griseb. Fl. Brit. W. Ind. 206.—Jamaic.  
 Vogelianum, Walp. Rep. i. 811.—Bras.

- PELTOPHORUS**, Desv. in Nouv. Bull. Soc. Philom. ii. (1810) 188 = **Rottboellia**, Linn. (Gramin.).  
 elegans, Beauv. Agrost. 172 = *R. Myurus*.  
 Myurus, Desv. in Nouv. Bull. Soc. Philom. ii. (1810) 188 = *R. Myurus*.

- PELTOPHYLLUM**, Gardn. in Proc. Linn. Soc. i. (1843) 176; et in Trans. Linn. Soc. xix. (1845) 157. t. 15 = **Triuris**, Miers.  
 luteum, Gardn. II. cc. = *T. lutea*.

- PELTOPSIS**, Rafin. in Journ. Phys. lxxxix. (1819) 102 = **Potamogeton**, Tourn. (Naiad.).  
 perfoliata, Rafin. l. c. 103 = *Pot. perfoliatus*.

- PELTOSPERMUM**, Benth. in Hook. Niger Fl. 400 (1849) = **Oldenlandia**, Linn. (Rubiace.).  
 paniculatum, Benth. l. c. = *O. Peltospermum*.

VOL. II.

- PELTOSPERMUM**, DC. in Bibl. Univ. Genève. xvii. (1838) 133 (Rev. Bign. 17) = **Aspidosperma**, Mart. & Zucc. (Bignon.).  
*latisiliquum*, DC. ex A. DC. in Prod. viii. 676 = *A. latisiliqua*.  
*orbiculatum*, DC. l. c. 191 = *Anemopaegma orbiculatum*.  
*Patrisii*, DC. l. c. viii. 676 = *A. latisiliqua*.

- PELTOSTEGIA**, Turcz. in Bull. Soc. Nat. Mosc. xxxi. (1858) 1. 223. Gen. INCERT. SED. (Cf. Benth. & Hook. f. Gen. i. 217).  
 parviflora, Turcz. l. c. 224.—Bras.

- PELTOSTIGMA**, Walp. Rep. v. 387 (1846). *RUTACEAE*, Benth. & Hook. f. i. 300.  
 PACHYSTIGMA, Hook. Ic. Pl. t. 698 (1844).  
 ptelioides, Walp. Rep. v. 387.—Jamaic.

- PEMPHIS**, Forst. Char. Gen. 67. t. 34 (1776). *LYTHRARIACEAE*, Benth. & Hook. f. i. 780.  
 MACLELLANDIA, Wight, Ic. t. 1996 (1853).  
 MILLANIA, Zipp. ex Blume, Mus. Bot. Lugd. Bat. ii. 128 ('1852') [1856].  
 acidula, Forst. Char. Gen. 68. t. 34.—As. trop.; Ins. Pacif.  
 angustifolia, Roxb. Hort. Beng. [91]; Fl. Ind. ii. 465 = *acidula*.  
 hexandra, Mart. ex Koehne, in Mart. Fl. Bras. xiii. II. 324 = *Diplusodon hexander*.  
 setosa, Blanco, Fl. Filip. ed. I. 410 = *acidula*.  
 stachydifolia, Mart. ex Koehne, in Mart. Fl. Bras. xiii. II. 332 = *Diplusodon villosissimus*.

- PENAEAE**, Linn. Hort. Cliff. 37 (1737). **PENAEACEAE**, Benth. & Hook. f. iii. 202.  
 STYLAPTERUS, A. Juss. in Ann. Sc. Nat. Sér. III. vi. (1846) 22, 23. t. 1.  
 acuta, Thunb. in Hoffmgg. Phytog. Blaetter, i. (1803) 16 = *Sarcocolla acuta*.  
 acutifolia, A. Juss. in Ann. Sc. Nat. Sér. III. vi. (1846) 22.—Afr. austr.  
 affinis, Endl. Gen. Suppl. iv. II. 73.—Afr. austr.  
 barbata, Endl. l. c.—Afr. austr.  
 Cneorum, Meerb. Ic. Pl. Sel. 51; Lam. Illustr. i. 317 = *myrtoides*.  
 Cneorum, Meissn. in Hook. Lond. Journ. Bot. ii. (1843) 556 (err. typ. 456) = *myrtifolia*.  
 Dregei, Endl. Gen. Suppl. iv. II. 73.—Afr. austr.  
 ericoides, Endl. l. c.—Afr. austr.  
 formosa, Thunb. Prod. Pl. Cap. 187.—Afr. austr.  
 fruticulosa, Linn. f. Suppl. 121.—Afr. austr.  
 fucata, Herb. Boiv. ex A. DC. in DC. Prod. xiv. 484 = *mucronata*.  
 fucata, Herb. Lamb. ex A. DC. l. c. 490 (= *Glischrocolla Lessertiana*).—Afr. austr.?  
 fucata, Herb. Vit. ex A. DC. l. c. 487 = *Sarcocolla imbricata*.  
 fucata, Linn. Mant. i. 199.—Afr. austr.  
 fucata, Zeyh. ex A. DC. in DC. Prod. xiv. 489 = *Sarcocolla squamosa*.  
 furcata, Murr. Syst. ed. XIII. 130, sphalm. = *fucata*.  
 fuscata, Auct. ex Steud. Nom. ed. I. 603 = *fucata*.  
 fuscata, Poir. Encyc. vi. 540 = *Sarcocolla imbricata*.  
 imbricata, Eckl. ex A. DC. in DC. Prod. xiv. 484 = *mucronata*.  
 imbricata, R. Grah. in Edinb. N. Phil. Journ. (Apr.–Jun. 1827) 177; et in Bot. Mag. t. 2809 = *Sarcocolla imbricata*.  
 intermedia, Endl. Gen. Suppl. iv. II. 73.—Afr. austr.  
 lateriflora, Linn. f. Suppl. 121.—Afr. austr.  
 Linnaei, A. Juss. ex A. DC. in DC. Prod. xiv. 486 = *Sarcocolla fucata*.  
 longiflora, Meerb. Ic. Pl. Sel. t. 51 = *Sarcocolla longiflora*.  
 marginata, Linn. Mant. i. 199.—Afr. austr.  
 mucronata, Linn. Sp. Pl. 111.—Afr. austr.  
 myrtifolia, Endl. Gen. Suppl. iv. II. 73.—Afr. austr.  
 myrtilloides, Herb. Berol. ex A. DC. in DC. Prod. xiv. 485 = *acutifolia*.  
 myrtilloides, Thunb. Prod. Pl. Cap. 30 = *seq.*  
 myrtoides, Linn. f. Suppl. 122.—Afr. austr.  
 nitida, Lour. Fl. Cochinch. 72.—Cochinch.  
 ovata, Eckl. & Zeyh. ex A. Juss. in Ann. Sc. Nat. Sér. III. vi. (1846) 22.—Afr. austr.

## PENAEAE:—

- punica*, Hort. ex Steud. Nom. ed. II. ii. 297.—Afr. austr.  
*Sarcocolla*, Lam. ex A. DC. in DC. Prod. xiv. 486 = *squamosa*.  
*Sarcocolla*, Linn. Sp. Pl. 111; Berg. Desc. Fl. Cap. 35 = *fucata*.  
*scandens*, Lour. Fl. Cochinch. 73.—Cochinch.  
*squamosa*, Auct. ex A. Juss. in Ann. Sc. Nat. Sér. III. vi. (1846) 25 = *Sarcocolla imbricata*.  
*squamosa*, Linn. Sp. Pl. 112.—Afr. austr.  
*tetragona*, Berg. Desc. Pl. Cap. 36 = *fucata*.  
*tomentosa*, Thunb. Prod. Pl. Cap. 30.—Afr. austr.

- PENANTHES**, Vell. Fl. Flum. 350 (1825), sphalm. = **Prenanthes**, Vaill. (Compos.).

- PENDULINA**, Willk. in Linnaea, xxv. (1852) 2 = **Diplotaxis**, DC. (Crucif.).  
*crassifolia*, Willk. l. c. = *D. pendula*.  
*Fontanesii*, Willk. l. c. 4.—Afr. bor.  
*hispida*, Willk. l. c. = *D. pendula*.  
*intricata*, Willk. l. c. = *D. intricata*.  
*Lagascana*, Willk. l. c. 2 = *D. Lagascana*.  
*Webbiana*, Willk. in Willk. & Lange, Prod. Fl. Hispan. iii. 868.—Hispan.

- PENIANTHUS**, Miers, in Ann. & Mag. Nat. Hist. Ser. III. xiii. (1864) 124; xx. (1867) 171. Gen. dub.  
**MENISPERMACEARUM**.  
 longifolius, Miers, l. cc. 124; 172.—Afr. trop.

- PENICILLANTHEMUM**, Vieill. in Bull. Soc. Linn. Normand. x. (1866) 94 = **Hugonia**, Linn. (Lineae).  
*latifolium*, Vieill. l. c. 95.—N. Caled.  
*neo-caledonicum*, Vieill. l. c. 96.—N. Caled.  
*racemosum*, Vieill. l. c. 95.—N. Caled.

- PENICILLARIA**, Willd. Enum. Hort. Berol. 1036 (1809) = **Pennisetum**, Rich. (Gramin.).  
*alopecuroides*, Sweet, Hort. Brit. ed. I. 440; A. Br. Ind. Sem. Hort. Berol. (1855) App. 25 = *Pennis. typhoideum*.  
*arabica*, A. Br. l. c. 23.—Arab.  
*chinensis*, Nees, ex A. Br. l. c. 26 = *Pennis. chinense*.  
*ciliata*, Willd. Enum. Hort. Berol. 1037 = *Pennis. typhoideum*.  
*compacta*, A. Br. Ind. Sem. Hort. Berol. (1855) App. 23.—Nubia.  
*cordofana*, A. Br. l. c. 23.—Afr. trop.  
*cylindrica*, Roem. & Schult. Syst. ii. 498 = *Pennis. typhoideum*.  
*deflexa*, Anderss. ex A. Br. Ind. Sem. Hort. Berol. (1855) App. 25.—Afr. trop.  
*Doche*, A. Br. l. c. 23, in obs.—Hab.?  
*fallax*, Fig. & De Not. in Mem. Acc. Torin. Ser. II. xii. (1852) 371.—Nubia.  
*Gymnothrix*, A. Br. & Bouché, Ind. Sem. Hort. Berol. (1855) App. 26.—Afr. trop.  
*involuta*, Schult. Mant. ii. 283; Schlecht. in Linnaea, xxv. (1852) 565 = *Pennis. typhoideum*.  
*leucostachys*, Klotzsch, ex A. Br. Ind. Sem. Hort. Berol. (1855) App. 25.—Afr. trop.  
*macrostachya*, Klotzsch, l. c. = *Pennis. megastachyum*.  
*mossambicensis*, Klotzsch, l. c.—Afr. trop.  
*nigritarum*, Schlecht. in Linnaea, xxv. (1852) 561.—Afr. trop.  
*nubica*, A. Br. Ind. Sem. Hort. Berol. (1855) App. 23.—Afr. trop.  
*Perrottetii*, Klotzsch, ex A. Br. l. c. 25.—Afr. trop.  
*Plukenetii*, Link, Hort. Berol. i. 221 = *Pennis. typhoideum*.  
*Raddiana*, Fig. & De Not. in Mem. Acc. Torin. Ser. II. xii. (1852) 373, in obs. = *Pennis. typhoideum*.  
*Roxburghii*, A. Br. & Bouché, Ind. Sem. Hort. Berol. (1855) App. 26 = *Pennis. typhoideum*.  
*Sieberiana*, Schlecht. in Linnaea, xxv. (1852) 565.—Aegypt.  
*socia*, A. Br. & Bouché, Ind. Sem. Hort. Berol. (1855) App. 24.—Afr. trop.?  
*solitaria*, Stokes, Bot. Mat. Med. i. 129 = *Pennis. typhoideum*.  
*speciosa*, A. Br. & Bouché, Ind. Sem. Hort. Berol. (1855) App. 23.—Afr. trop.  
*spicata*, Willd. Enum. Hort. Berol. 1037; Wall. ex Anderss. in Walp. Ann. vi. 986 = *Pennis. typhoideum*.



## PENICILLARIA:—

- stenostachya*, Klotzsch, ex A. Br. & Bouché, Ind. Sem. Hort. Berol. (1855) App. 25.—Afr. trop.  
*typhoidea*, Fig. & Not. in Mem. Acc. Torin. Ser. II. xii. (1852) 371 = *Pennisetum typhoideum*.  
*vulpina*, A. Br. & Bouché, Ind. Sem. Hort. Berol. (1855) App. 24.—Afr. trop.  
*Willdenowii*, Klotzsch, ex A. Br. & Bouché, l. c. 25.—Afr. trop.

## PENNANTIA, Forst. Char. Gen. 133. t. 67 (1776).

- OLACINEAE, Benth. & Hook. f. i. 351.  
*corymbosa*, Endl. Prod. Fl. Norf. 80 = Endlicheri.  
*corymbosa*, Forst. Char. Gen. 134.—N. Zel.  
*Cunninghamii*, Miers, in Ann. & Mag. Nat. Hist. Ser. II. ix. (1852) 491.—Austral.  
*Endlicheri*, Reiss. in Linnaea, xvi. (1842) 341. t. 13.—Ins. Norfolk.  
*odorata*, Raoul, in Ann. Soc. Sc. Nat. Sér. III. ii. (1844) 123 = *corymbosa*.

## PENNISETUM, Rich. in Pers. Syn. i. 72 (1805).

- GRAMINEAE, Benth. & Hook. f. iii. 1105.  
 AMPHOCHAETA, Anderss. in Vet. Akad. Handl. Stockh. 1853 (1855) 136.  
 BECKEROPSIS, Fig. & De Not. in Mem. Acc. Torin. Ser. II. xiv. (1854) 365.  
 CATATHEROPHORA, Steud. in Flora, xii. (1829) 465.  
 ERIOCHAETA, Fig. & De Not. in Mem. Acc. Torin. Ser. II. xiv. (1854) 374.  
 GYMNOTRIX, Beauv. Agrost. 59. t. 13. f. 6. (1812).  
 MACROCHAETA, Steud. in Zoll. Syst. Verz. Ind. Archip. 60 (1854).  
 PENICILLARIA, Willd. Enum. Hort. Berol. 1036 (1809).  
 PENTASTACHYA, Hochst. ex Steud. Nom. ed. II. ii. 299 (1841).  
 SERICURA, Hassk. in Flora, xxv. (1842) II. Beibl. 2. adoëse, Steud. Nom. ed. II. ii. 252.—Abyssin.  
*alopecuroides*, Ham. Prod. Pl. Ind. Occ. 11 = *Hamiltonii*.  
*alopecuroides*, Spreng. Syst. i. 303 = *typhoideum*.  
*alopecuroides*, Steud. in Flora, xii. (1829) 472.—Afr. austr.  
*Alopecuros*, Jacq. Eclog. Gram. t. 45 = *Setaria macrostachya*.  
*Alopecuros*, Steud. Syn. Pl. Gram. 102.—Ind. or.  
*amethystinum*, Beauv. Agrost. 59, nomen.—Hab. ?  
*amoenum*, Hochst. ex A. Rich. Tent. Fl. Abyss. ii. 386.—Abyssin.  
*angustifolium*, Hort. ex Vilm. Fl. Pl. Terre, ed. I. 599 = *longistylum*.  
*antillarum*, Desv. Opusc. 76.—Ind. occ.  
*araneosum*, Edgew. in Journ. As. Soc. Beng. xxi. (1852) 180 = *lanuginosum*.  
*arnhemicum*, F. Muell. Fragm. viii. 109.—Austral.  
*articulare*, Trin. in Spreng. Neue Entdeck. ii. 77.—Ins. Marques.  
*asperifolium*, Hochst. & Steud. n. 100; ex Steud. Nom. ed. II. ii. 297 = *Ruppellii*.  
*asperifolium*, Hochst. & Steud. n. 308; ex Steud. l. c. = *elatum*.  
*asperifolium*, Kunth, Rév. Gram. i. 49.—Syria; Afr. bor.  
*asperum*, Link, Hort. Berol. i. 214 = *compressum*.  
*asperum*, Schult. Mant. ii. 149.—Afr. austr.  
*aureum*, Link, Hort. Berol. i. 1215.—Ind. or.  
*aureum*, A. Rich. Tent. Fl. Abyss. ii. 378.—Abyss.  
*bambusiforme*, Hemsl. Biol. Centr. Am. Bot. iii. 507.—Mexic.  
*barbatum*, Schult. Mant. ii. 147.—Ind. or.  
*Benthami*, Steud. Syn. Pl. Gram. 105.—Afr. trop.  
*borbonicum*, Kunth, Rév. Gram. i. 259 = *setosum*.  
*breve*, Nees, Agrost. Bras. 281.—Bras.  
*breviflorum*, Steud. Syn. Pl. Gram. 107.—Afr. trop.  
*calyculatum*, Spreng. Syst. i. 303 = *Cenchrus calyculatus*.  
*carneum*, Hornem. ex Steud. Nom. ed. II. ii. 297.—Hab. ?  
*cenchroides*, Rich. in Pers. Syn. i. 72.—Amphig. trop. et subtrop.  
*cereale*, Trin. in Mém. Acad. Pétersb. Sér. VI. iii. II. (1835) 185 = *typhoideum*.  
*chinense*, Steud. Syn. Pl. Gram. 108.—China.  
*ciliare*, Link, Hort. Berol. i. 213; Handb. i. 85 = *cenchroides*.

## PENNISETUM:—

- ciliatum*, Parl. ex Webb, in Hook. Niger Fl. 184 = *cenchroides*.  
*cognatum*, Steud. Syn. Pl. Gram. 107.—Afr. trop.  
*complanatum*, Hemsl. Biol. Centr. Am. Bot. iii. 507.—Guatemala.  
*compressum*, R. Br. Prod. 195.—Austral.  
*corrugatum*, Nutt. Gen. Am. i. 55 = *Setaria corrugata*.  
*crinitum*, Spreng. Syst. i. 302 = *Setaria purpurea*.  
*Crus-galli*, Baumg. Enum. Stirp. Transs. iii. 277 = *Panicum Crus-galli*.  
*cynosuroides*, Wall. Cat. n. 8563 = *P. Alopecuros*.  
*dasystachyum*, Desv. Opusc. 76.—Guian.  
*dichotomum*, Delile, Fl. Egypte, 159. t. 8. f. 1.—Aegypt; Arab.; Ind. or.  
*Dilloni*, Steud. Syn. Pl. Gram. 107, in obs.—Abyss.  
*dioicum*, A. Rich. Tent. Fl. Abyss. ii. 380 = *adoëse*.  
*distachyum*, Rupr. in Bull. Acad. Brux. ix. II. (1842) 242 = *tristachyum*.  
*distylum*, Guss. Ind. Sem. Hort. Bocc. (1826) 8; Pl. Sic. Syn. i. 115 = *cenchroides*.  
*domingense*, Spreng. Syst. i. 302 = *Setaria Venenatii*.  
*elatum*, Hochst. ex Steud. Nom. ed. II. ii. 297 = *dichotomum*.  
*elegans*, Nees, ex Steud. Syn. Pl. Gram. 105.—Afr. trop.  
*elegans*, Rupr. ex Steud. l. c. = *mollissimum*.  
*erubescens*, Link, Hort. Berol. i. 215.—Ind. occ.  
*fasciculatum*, Trin. in Mém. Acad. Pétersb. Sér. VI. iii. II. (1835) 181 = *orientale*.  
*flaccidum*, Griseb. in Goett. Nachr. (1868) 86 = *incomptum*.  
*flavescens*, J. & C. Presl, Rel. Haenk. i. 316.—Mexic.  
*flavisetum*, Steud. ex Jard. in Mém. Soc. Sc. Nat. Cherb. v. (1857) 299.—Ins. Pacif.  
*geniculatum*, Jacq. Eclog. Gram. t. 27 = *Setaria geniculata*.  
*germanicum*, Baumg. Enum. Stirp. Transs. iii. 277 = *Setaria italica*.  
*giganteum*, Regel, in Act. Hort. Petrop. viii. (1884) 643.—Hab. ?  
*giganteum*, A. Rich. Tent. Fl. Abyss. ii. 382.—Abyss.  
*giganteum*, Tenore, ex Steud. Nom. ed. II. ii. 297 = *typhoideum*.  
*glabrum*, Steud. Syn. Pl. Gram. 104.—Abyss.  
*glaucofolium*, Hochst. in Flora, xxiv. (1841) I. Intell. 19; et ex A. Rich. Tent. Fl. Abyss. ii. 382.—Abyss.  
*glauca*, R. Br. Prod. 195 = *Setaria glauca*.  
*gracile*, Benth. in Hook. Niger Fl. 564.—Afr. trop.  
*gracilescens*, Hochst. in Flora, xxxviii. (1855) 199.—Abyss.  
*Hamiltonii*, Steud. Nom. ed. II. ii. 297.—Ind. occ.  
*helvolum*, R. Br. Prod. i. 195 = *Setaria helvola*.  
*hirsutum*, Nees, Agrost. Bras. 284.—Bras.  
*Hohenackeri*, Hochst. ex Steud. Syn. Pl. Gram. 103 = *P. Alopecuros*.  
*holcoides*, Schult. Mant. ii. 148.—Ind. or.  
*hordeiforme*, Spreng. Syst. i. 302 = *compressum*.  
*Humboldtianum*, Hemsl. Biol. Centr. Am. Bot. iii. 508.—Mexic.  
*humile*, Hochst. ex A. Rich. Tent. Fl. Abyss. ii. 383.—Abyss.  
*identicum*, Steud. ex Jard. in Mém. Soc. Sc. Nat. Cherb. v. (1857) 299.—Ins. Pacif.  
*imberbe*, Edgew. in Journ. As. Soc. Beng. xxi. (1852) 181 = *parviflorum*.  
*implicatum*, Steud. Syn. Pl. Gram. 107.—Afr. trop.  
*incomptum*, Nees, ex Steud. l. c. 105.—Reg. Himal.  
*intertextum*, Schlecht. in Bot. Zeit. ix. (1851) 878.—Ins. Cap. Virid.  
*italicum*, R. Br. Prod. 195 = *Setaria italica*.  
*japonicum*, Trin. in Spreng. Neue Entdeck. ii. 76 = *compressum*.  
*Karwinskyi*, Schrad. in Linnaea, xii. (1838) 431.—Mexic.  
*lanatum*, Klotzsch, in Bot. Ergeb. Waldem. Reise, 65.—Reg. Himal.  
*lanuginosum*, Hochst. in Flora, xxv. (1842) Beibl. i. 133, nomen; et ex A. Rich. Tent. Fl. Abyss. ii. 385.—Abyss.; Ind. or.  
*latifolium*, Spreng. Syst. i. 302.—Reg. Argent.  
*Lechleri*, Steud. in Lechl. Berb. Am. Austr. 56.—Peruv.  
*Linnaei*, Kunth, Rév. Gram. i. 49 = *typhoideum*.

## PENNISETUM:—

- longifolium*, Fenzl, ex Steud. Syn. Pl. Gram. 109 = *Cenchrus longifolius*.  
*longistylum*, Hochst. in Flora, xxiv. (1841) I. Intell. 19, nomen; et ex A. Rich. Tent. Fl. Abyss. ii. 388.—Abyss.  
*macrochaetum*, Jacq. Eclog. Gram. t. 25 = *Setaria italica*.  
*macrostachyum*, Fresen. in Mus. Senckenb. ii. (1837) 135 = *Ruppellii*.  
*macrostachyum*, Benth. in Hook. Niger Fl. 563 = *Benthami*.  
*macrostachyum*, Trin. in Mém. Acad. Pétersb. Sér. VI. iii. II. (1835) 177.—Ins. Molucc.  
*macrourum*, Trin. l. c. 178.—Afr. austr.  
*megastachyum*, Steud. Syn. Pl. Gram. 108.—Hab. ?  
*mexicanum*, Hemsl. Biol. Centr. Am. Bot. iii. 508.—Mexic.  
*mollissimum*, Hochst. in Flora, xxvii. (1844) 253.—Aegypt.  
*multiflorum*, Fourn. ex Hemsl. Biol. Centr. Am. Bot. iii. 508.—Mexic.  
*myosuroides*, Spreng. Syst. i. 303 = *Cenchrus myosuroides*.  
*Myurus*, Parl. in Atti 8<sup>va</sup> Riun. Sc. Ital. 586; et in Hook. Niger Fl. 183.—Ins. Cap. Virid.  
*nepalense*, Spreng. Syst. i. 303.—Reg. Himal.  
*nervosum*, Trin. in Mém. Acad. Pétersb. Sér. VI. iii. II. (1835) 177.—Bras.  
*nicaraguense*, Fourn. in Bull. Soc. Bot. Fr. xxvii. (1880) 293.—Nicaragua.  
*nigricans*, Trin. ex Steud. Nom. ed. II. ii. 297.—Ins. Philip.  
*numidicum*, Paris, in Bull. Soc. Bot. Fr. xviii. (1871) 263.—Afr. trop.  
*orientale*, Link, Hort. Berol. i. 214 = *Triticum scaberimum*.  
*orientale*, Rich. in Pers. Syn. i. 72.—Alger.; Oriens; Ind. or.  
*ovale*, Rupr. ex Steud. Syn. Pl. Gram. 104.—Afr. trop.  
*pallidum*, Nees, Agrost. Bras. 285.—Bras.  
*parviflorum*, Trin. Sp. Gram. Ic. iii. t. 288.—Afr. trop.  
*pauperum*, Steud. Syn. Pl. Gram. 102.—Ins. Galapag.  
*pedicellatum*, Trin. in Mém. Acad. Pétersb. Sér. VI. iii. II. (1835) 184.—Ins. Cap. Virid.  
*pentastachyum*, Hochst. in Flora, xxiv. (1841) I. Intell. 19, nomen; et ex A. Rich. Tent. Fl. Abyss. ii. 387.—Abyss.  
*persicum*, Boiss. & Buhse, in Nouv. Mém. Soc. Nat. Mosc. xii. (1860) 232 = *orientale*.  
*peruvianum*, Trin. in Linnaea, x. (1836) 295.—Peruv.  
*petraeum*, Steud. Syn. Pl. Gram. 106 = *cenchroides*.  
*phalariforme*, Steud. Syn. Pl. Gram. 106.—Ind. or.  
*phalaroides*, Schult. Mant. ii. 147 = *dichotomum*.  
*plumosum*, Hochst. & Steud. Syn. Pl. Gram. 201, in syn.—Arab.  
*polystachyum*, Schult. Mant. ii. 146 = *holcoides*.  
*Preslii*, Trin. ex Steud. Nom. ed. II. ii. 298.—Peruv.  
*Prieurii*, Kunth, Rév. Gram. ii. 411. t. 119.—Afr. trop.; Ind. or.  
*pungens*, Nutt. Gen. Am. i. 54 = *Cenchrus Elliotii*.  
*purpurascens*, H. B. & K. Nov. Gen. et Sp. i. 113 = *setosum*.  
*purpureum*, Schum. in Schum. & Thonn. Beskr. Guin. Pl. 44.—Afr. trop.  
*Quartinianum*, A. Rich. Tent. Fl. Abyss. ii. 384.—Abyss.  
*ramosissimum*, Steud. Syn. Pl. Gram. 105.—Afr. trop.  
*ramosum*, C. Sm. in Tuckey, Congo, 251, nomen.—Ins. Cap. Virid.  
*respicens*, A. Rich. Tent. Fl. Abyss. ii. 379 = *Setaria verticillata*.  
*refractum*, F. Muell. Fragm. viii. 109 = *Plagiosetum refractum*.  
*Richardii*, Kunth, Rév. Gram. i. 49 = *setosum*.  
*riparioides*, Hochst. in Flora, xxiv. (1841) I. Intell. 19, nomen; et ex A. Rich. Tent. Fl. Abyss. ii. 383.—Abyss.  
*riparium*, Hochst. ex A. Rich. l. c. 381.—Abyss.  
*rufescens*, Spreng. Syst. i. 302 = *cenchroides*.  
*Ruppellii*, Steud. Nom. ed. II. ii. 298.—Abyss.  
*sagittifolium*, A. Rich. Tent. Fl. Abyss. ii. 379.—Abyss.  
*scandens*, Jacq. f. Cat. Hort. Vindob. (1801); ex Roem. & Schult. Syst. ii. 279 = *scandens*.



**PENNISETUM** :—

- Schimperi, *Steud. Nom.* ed. II. ii. 298.—Abyss.  
 sciureum, *Trin. ex Steud. l. c.*—Hab. ?  
 setosum, Raddi, *Agrost. Bras.* 50 = breve.  
 setosum, *Rich. in Pers. Syn.* i. 72.—Reg. trop.  
 Sieberi, *Kunth, Rév. Gram.* i. 50.—Ins. Martinic.  
 sinaicum, Decne. in *Ann. Sc. Nat. Sér. II. ii.* (1834) 11  
 = orientale.  
 spectabile, Fig. & De Not. in *Mem. Acc. Torin. Ser.*  
 II. xii. (1852) 248 = Prieurii.  
 spicatum, Roem. & Schult. *Syst.* ii. 499 = typhoideum.  
 squamulatum, *Fresen. in Mus. Senckenb. ii.* (1837)  
 137.—Abyss.  
 Swartzii, F. Muell. *Fragm.* viii. 110 = Setaria macro-  
 stachya.  
 Teneriffae, *Steud. Syn. Pl. Gram.* 105.—Ins. Canar.  
 tenue, Fig. & De Not. in *Mem. Acc. Torin. Ser. II.*  
 xii. (1852) 246 = orientale.  
 tenuispiculatum, *Steud. Syn. Pl. Gram.* 107.—Afr.  
 trop.  
 Thunbergii, *Kunth, Rév. Gram.* i. 50.—Afr. austr.  
 tiberiadis, Boiss. *Diagn. Ser. I. xiii.* 43 = asperifolium.  
 triflorum, Nees, ex *Steud. Syn. Pl. Gram.* 107 =  
 orientale.  
 tristachyon, *Spreng. Syst.* i. 302.—Ecuador.  
 tristachyum, *Steud. Syn. Pl. Gram.* 103 = praec.  
 triticoides, Baker, in *Journ. Linn. Soc. xxi.* (1885)  
 453.—Madag.  
 triticoides, Roem. & Schult. *Syst.* ii. 877 = setosum.  
 typhoideum, *Rich. in Pers. Syn.* i. 72.—Reg. trop.  
 uniflorum, H. B. & K. *Nov. Gen. et Sp.* i. 114. t. 34  
 = setosum.  
 unisetum, *Benth. in Journ. Linn. Soc. xix.* (1881) 49,  
 47.—Afr. austr.  
 Vahl, *Kunth, Rév. Gram.* i. 49.—Arabia.  
 variabile, Fig. & De Not. in *Mem. Acc. Torin. Ser.*  
 II. xii. (1852) 248 = orientale.  
 versicolor, *Schrad. Ind. Hort. Gotting.* (1827).—Cf.  
*Linnaea*, xii. (1838) 432.—Hab. ?  
 verticillatum, R. Br. *Prod.* 195 = Setaria verticillata.  
 villosum, R. Br. in *Salt, Abyss. App.* 62, nomen ;  
 et in *Fresen. Mus. Senckenb. ii.* (1837) 134.—  
 Abyss.  
 villosum, Hort. ex Vilm. *Fl. Pl. Terre*, ed. I. 599 =  
 longistylum.  
 violaceum, *Rich. in Pers. Syn.* i. 72 = typhoideum.  
 viride, R. Br. *Prod.* 195 = Setaria viridis.

PENSTEMON, Mitch. in *Act. Phys. Med. Acad. Nat.*  
*Cur.* viii. (1748) App. 214 ; D. Don, in *Edinb. N.*  
*Phil. Journ.* xix. (1835) 113 = *Pentstemon*, Mitch.  
 (Scrophul.).

**PENTABOTHRA**, Hook. f. *Fl. Brit. Ind.* iv. 18  
 (1883). *ASCLEPIADEAE*.  
 nana, Hook. f. l. c. 19.—Reg. Himal.

**PENTABRACHION**, Muell. Arg. in *Flora*, xlvii. (1864)  
 532 = *Microrodermis*, Planch. (Euphorb.).  
*reticulatum*, Muell. Arg. l. c. 533.—Afr. trop.

**PENTABRACHIUM**, Muell. Arg. in *DC. Prod.* xv. II.  
 223 (1866) = praec.

**PENTACAEIUM**, Franch. & Sav. *Enum. Pl. Jap.* i.  
 368 (1875) = *PENTACOEIUM*, Sieb. & Zucc. =  
*Myoporum*, Banks & Soland.

**PENTACAENA**, Bartl. in *Presl, Rel. Haenk.* ii. 5.  
 t. 49 (1830). *ILLECEBRACEAE*, Benth. & Hook.  
 f. iii. 14.  
 ACANTHONYCHIA, Rohrb. in *Mart. Fl. Bras.* xiv. II.  
 249. t. 56 (1872).  
 CARDIONEMA, DC. *Prod.* iii. 372 (1828).  
 camphorosmoides, *Walp. Rep.* i. 261.—Bras.  
 congesta, *Benth. Pl. Hartw.* 186.—Ecuador.  
 polycnemoides, Bartl. in *Presl, Rel. Haenk.* ii. 5. t. 49.  
 f. 1.—Mexic.  
 ramosissima, Hook. & Arn. in *Hook. Bot. Misc.* iii.  
 (1833) 338 = polycnemoides.  
 rosetta, *Walp. Rep.* i. 261.—Bras.  
 tenuior, *Steud. Nom.* ed. II. ii. 298 = polycnemoides.

**PENTACALIA**, Cass. in *Dict. Sc. Nat.* xlviii. 461  
 (1827) = *Senecio*, Tourn. (Compos.).  
 arborea, Cass. l. c. (= *Psacalium arboreum*).—Am.  
 austr.  
 peltata, Cass. ex *Steud. Nom.* ed. II. ii. 298 = *S. pelti-*  
*ferus*.

**PENTACARYA**, DC. ex Meissn. *Gen.* 279 ; *Comm.* 187  
 (1840) ; DC. *Prod.* ix. 559 (1845) = *Heliotropium*,  
 Tourn. (Borag.).  
*heliotropoides*, DC. *Prod.* ix. 559 = *H. anomalum*.

**PENTACE**, Hassk. *Hort. Bog. Desc.* i. 110 (1858).  
*TILIACEAE*, Benth. & Hook. f. i. 231.  
 burmanica, Kurz, in *Journ. As. Soc. Beng.* xl. (1871)  
 II. 47.—Burma.  
 polyantha, Hassk. *Hort. Bog. Desc.* i. 110.—Java.  
 triptera, *Mast. in Hook. f. Fl. Brit. Ind.* i. 382.—  
 Malacca.

**PENTACERAS**, Hook. f. in Benth. & Hook. f. *Gen.*  
 i. 298 (1862). *RUTACEAE*, Benth. & Hook. f. l. c.  
 australis, Hook. f. l. c.—Austral.

**PENTACERAS**, Roem. & Schult. *Syst.* v. p. xlviii ; 570  
 (1818) = seq.

**PENTACEROS**, G. F. W. Mey. *Prim. Fl. Esseq.* 136  
 (1818) = *Buettneria*, Linn.  
*aculeatus*, G. F. W. Mey. l. c. = *B. brevipes*.

**PENTACHAETA**, Nutt. in *Trans. Am. Phil. Soc.*  
 N. S. vii. (1841) 336. *COMPOSITAE*, Benth.  
 & Hook. f. ii. 251.  
 alsinoides, Greene, in *Bull. Torrey Bot. Club*, ix.  
 (1882) 109.—Calif.  
 aphantochaeta, Greene, in *Coult. Bot. Gaz.* viii. (1883)  
 255 = exilis.  
 aurea, A. Gray, in *Pacif. Rail. Rep.* iv. 99 = bellidi-  
 flora.  
 aurea, Nutt. in *Trans. Am. Phil. Soc.* N. S. vii. (1841)  
 336.—Calif.  
 bellidiflora, Greene, in *Bull. Calif. Acad.* i. III. (1885)  
 86.—Calif.  
 exilis, A. Gray, in *Proc. Am. Acad.* viii. (1873) 633.—  
 Calif.  
 gracilis, Benth. in *Hook. Ic. Pl.* t. 1101.—Mexic.  
 Lyoni, A. Gray, *Syn. Fl. N. Am.* i. II. 445.—Calif.  
 paleacea, Greene, in *Bull. Calif. Acad.* i. IV. (1885)  
 189 = aurea.

**PENTACHONDRA**, R. Br. *Prod.* 549 (1810).  
*EPACRIDAEAE*, Benth. & Hook. f. ii. 612.  
 ericaefolia, Hook. f. in *Hook. Lond. Journ. Bot.* vi.  
 (1847) 271.—Tasman.  
 involocrata, R. Br. *Prod.* 549.—Tasman.  
 javanica, Zoll. & Mor. in *Nat. en Geneesk. Arch. Neêrl.*  
*Indie*, ii. (1845) 576.—Java.  
 mucronata, Hook. f. in *Hook. Lond. Journ. Bot.* vi.  
 (1847) 270 = *Leucopogon Fraseri*.  
 pumila, R. Br. *Prod.* 549.—Austral. ; N. Zel.  
 vaccinioides, Sond. in *Linnaea*, xxvi. (1853–55) 252 =  
 pumila.  
 verticillata, Hook. f. *Fl. Tasman.* i. 256. t. 77 B.—  
 Tasman.

**PENTACLATHRA**, Endl. *Gen. Suppl.* ii. 108 (1842) =  
*Polyclathra*, Bertol. ? (Cucurb.).

**PENTACLETHRA**, Benth. in *Hook. Journ. Bot.* ii.  
 (1840) 127. *LEGUMINOSAE*, Benth. & Hook. f.  
 i. 588.  
 brevifila, Benth. in *Hook. Journ. Bot.* ii. (1840) 128 =  
 filamentosa.  
 filamentosa, Benth. l. c. 127.—Guian. ; Ind. occ.  
 Griffoniana, Baill. *Adansonia*, vi. (1866) 206.—  
 Afr. trop.  
 macrophylla, Benth. in *Hook. Journ. Bot.* iv. (1842)  
 330.—Afr. trop.

**PENTACME**, A. DC. in *DC. Prod.* xvi. II. 626 (1868)  
 = *Shorea*, Roxb. (Dipteroc.).  
 siamensis, Kurz, in *Journ. As. Soc. Beng.* xxxix. (1870)  
 II. 66 = *S. siamensis*.  
 suavis, A. DC. in *DC. Prod.* xvi. II. 626 = *S. siamensis*.

**PENTACocca**, Turcz. in *Bull. Soc. Nat. Mosc.* xxxvi.  
 (1863) i. 600 = *Phyllocosmus*, Klotzsch (Lineae).  
 leonensis, Turcz. l. c. 601 = *Phyllocosmus africanus*.

**PENTACOEIUM**, Sieb. & Zucc. in *Abh. Akad. Muench.*  
 iv. III. (1846) 151 = *Myoporum*, Banks.  
 bontiodes, Sieb. & Zucc. l. c. = *M. bontiodes*.

**PENTACRASPEDON**, Steud. *Syn. Pl. Gram.* 151 (1855)  
 = *Amphipogon*, R. Br. (Gramin.).  
*amphipogonoides*, Steud. l. c.—Austral.

**PENTACROPHYS**, A. Gray, in *Am. Journ. Sc. Ser. II.*  
 xv. (1853) 261 = *Acleisanthes*, A. Gray (Nyctag.).  
*Wrightii*, A. Gray, l. c. = *A. Wrightii*.

**PENTACRYPTA**, Lehm. *Sem. Hort. Hamb.* (1828) 16.  
 —Cf. *Flora*, xii. (1829) Erg. 52 = *Arracacia*,  
 Bancr. (Umbellif.).  
*atropurpurea*, Lehm. l. c. 17 = *A. atropurpurea*.

**PENTADACTYLON**, Gaertn. f. *Fruct.* iii. 219. t. 220  
 (1805) = *Persoonia*, Sm. (Proteac.).  
*angustifolium*, Gaertn. f. l. c. = *Persoonia linearis*.

**PENTADENIA**, Hanst. in *Linnaea*, xxvi. (1853) 211 =  
*Columnnea*, Plum. (Gesnerac.).  
 aurantiaca, Hanst. l. c. = *C. aurantiaca*.  
 nervosa, Hanst. l. c. 216. t. 1. f. 65 ; Klotzsch, ex Oerst.  
 in *Vidensk. Selsk. Skr.* V. v. (1861) 131 = *C. nervosa*.  
 strigosa, Hanst. l. c. 211 = *C. strigosa*.

**PENTADESMA**, Sabine, in *Trans. Hort. Soc.* v.  
 (1824) 457. *GUTTIFERAE*, Benth. & Hook. f. i.  
 174.  
 butyracea, Sabine, l. c.—Afr. trop.

**PENTADESMOS**, Spruce, ex Planch. & Triana, in *Ann.*  
*Sc. Nat. Sér. IV.* xiv. (1860) 295 = *Moronobea*,  
 Aubl. (Guttif.).  
 riparius, Spruce, l. c. 296 = *M. riparia*.

**PENTADYNAMIS**, R. Br. in *Sturt, Exped. Centr.*  
*Austral.* ii. App. 76 (1849). *LEGUMINOSAE*,  
 Benth. & Hook. f. i. 408.  
 incana, R. Br. l. c.—Austral.

**PENTAGLOSSUM**, Forsk. *Fl. Aegypt. Arab.* 11 (1775)  
 = *Lythrum*, Linn.  
*linifolium*, Forsk. l. c. = *L. Hyssopifolia*.

**PENTAGLOTTIS**, Tausch, in *Flora*, xii. (1829) 643 =  
*Anchusa*, Linn. (Borag.).  
 sempervirens, Tausch, l. c. = *A. sempervirens*.

**PENTAGLOTTIS**, Wall. *Cat. n.* 1156 (1831) =  
*Melhania*, Forsk. (Stercul.).  
 suberifolia, Wall. l. c. 1169, partim = *Pterospermum*  
 Heyneanum.  
 tomentosa, Wall. l. c. 1156 = *M. Hamiltoniana*.

**PENTAGONASTER**, Klotzsch, in *Otto & Dietr. Allg.*  
*Gartenz.* iv. (1836) 112 = *Kunzea*, Reichb. (Myrtac.).  
*Baxteri*, Klotzsch, l. c. 115 = *K. Baxteri*.

**PENTAGONIA**, Benth. *Bot. Voy. Sulph.* 105. t. 39  
 (1844). *RUBIACEAE*, Benth. & Hook. f. ii. 78.  
 MEGAPHYLLUM, Spruce, ex Baill. *Hist. Pl.* vii. 456.  
 in nota (1880).  
 SEEMANNIA, Hook. *Lond. Journ. Bot.* vii. (1848)  
 567.

macrophylla, Benth. *Bot. Voy. Sulph.* 105. t. 39.—  
 Panama.  
 macrophylla, H. Wendl. ex Hook. *Bot. Mag.* t. 5230 =  
 Wendlandi.  
 pinnatifida, Seem. in *Hook. Lond. Journ. Bot.* vii  
 (1848) 566.—Panama.  
 Tinajita, Hook. *Bot. Mag.* t. 5230 = seq.  
 Tinajita, Seem. in *Hook. Kew Journ.* i. (1849) 187.  
 —N. Granat.  
 Wendlandi, Hook. *Bot. Mag.* t. 5230.—Mexic.

**PENTAGONIA**, Vent. ex *Steud. Nom.* ed. II. ii. 298  
 (1841) = *Specularia*, Heist. (Campan.).  
*Speculum*, Vent. ex *Steud.* l. c. = *S. Speculum*.

**PENTAGONIUM**, Schau. in *Nov. Act. Nat. Cur.* xix  
 Suppl. i. (1843) 364 = *Philibertia*, H. B. & K.  
 (Asclep.).  
 flavum, Schau. l. c. = *Phil. flava*.

**PENTAGONOCARPUS**, Mich. ex Parl. *Fl. Ital.* i.  
 105 (1872) = *Kosteletzkya*, Presl (Malvac.).  
 cordatus, Parl. *Fl. Ital.* v. 106 = *K. cordata*.  
 hastatus, Parl. l. c. = *K. hastata*.  
 hispidus, Parl. l. c. = *K. hispida*.  
 palmatus, Parl. l. c. = *K. palmata*.  
 paniculatus, Parl. l. c. = *K. paniculata*.  
 pentacarpos, Reichb. ex Nym. *Consp.* 127 = *K.*  
*pentacarpa*.  
 sagittatus, Parl. *Fl. Ital.* v. 106 = *K. sagittata*.  
 virginicus, Parl. l. c. = *K. virginica*.  
 Zantediella, Parl. l. c. = *K. pentacarpa*.



PENTAKE, Rafin. Fl. Tellur. iv. 90 (1836) = *Cuscuta*, Linn. (Convolv.).  
*chinense*, Rafin. l. c. = *C. chinensis*.

PENTALEPIS, F. Muell. in Trans. Bot. Soc. Edinb. vii. (1863) 496; in Edinb. N. Phil. Journ. N.S. xvii. (Jan.-Apr. 1863) 230 = *Chrysogonum*, Linn. (Compos.).  
*ecliptoides*, F. Muell. ll. cc. = *C. ecliptoides*.  
*trichodesmoides*, F. Muell. ll. cc. = *C. trichodesmoides*.

PENTALINON, Voigt, Hort. Suburb. Calc. 523 (1845) = *Prestonia*, R. Br. (Apocyn.).  
*suberectum*, Voigt, l. c. (= *Haemadictyon suberectum*).—Ind. occ.

PENTALOBA, Lour. Fl. Cochinch. 154 (1790) = *Alsodeia*, Thou. (Violar.).  
*benghalensis*, Wall. Cat. n. 4896 = *A. bengalensis*.  
*ceylanica*, Arn. in Mag. Zool. Bot. ii. (1838) 543 = *A. zeylanica*.  
*corylifolia*, Turcz. in Bull. Soc. Nat. Mosc. xxvii. (1854) ii. 341 = *A. corylifolia*.  
*fasciculata*, Turcz. l. c. = *A. fasciculata*.  
*lanceolata*, Wall. Cat. n. 4023 = *A. lanceolata*.  
*macrophylla*, Wall. l. c. 4024 = *A. Wallichiana*.  
*Roxburghii*, Wall. l. c. 7189 = *A. Roxburghii*.  
*semigyrata*, Turcz. in Bull. Soc. Nat. Mosc. xxvii. (1854) ii. 342 = *A. semigyrata*.  
*sessilis*, Lour. Fl. Cochinch. 154 = *A. sessilis*.  
*zeylanica*, Thw. Enum. Pl. Zeyl. 21 = *A. zeylanica*.

PENTALONCHA, Hook. f. in Benth. & Hook. f. Gen. ii. 73 (1873). *RUBIACEAE*, Benth. & Hook. f. l. c.  
*humilis*, Hook. f. l. c.—Afr. trop.

PENTALOPHUS, A. DC. in DC. Prod. x. 86 (1846) = *Lithospermum*, Tourn. (Borag.).  
*longiflorus*, DC. l. c. = *L. angustifolium*.  
*mandanensis*, DC. l. c. 87 = *L. angustifolium*.

PENTAMEREA, Klotzsch, ex Baill. Adansonia, ii. 39 (1861) = seq.

PENTAMERIA, Klotzsch, ex Baill. Etud. Gén. Euph. 584 (1858) = *Bridelia*, Willd. (Euphorb.).  
*melanthesoides*, Klotzsch, ex Baill. l. c. = *B. cathartica*.

PENTAMERIS, Beauv. Agrost. 92. t. 18. f. 8 (1812) = *Danthonia*, DC. (Gramin.).  
*airoides*, Steud. Nom. ed. II. ii. 298 = *D. airoides*.  
*angulata*, Steud. l. c. = *D. angulata*.  
*angustifolia*, Steud. l. c. = *D. angustifolia*.  
*barbata*, Steud. l. c. = *D. barbata*.  
*Buekeana*, Steud. l. c. = *D. Buekeana*.  
*cirrhusula*, Steud. l. c. = *D. cirrhusula*.  
*collinita*, Steud. l. c. = *D. collinita*.  
*crispa*, Steud. l. c. = *D. crispa*.  
*curvifolia*, Nees, in Linnaea, vii. (1832) 313 = *D. curvifolia*.  
*cyathophora*, Steud. Nom. ed. II. ii. 298 = *D. cyathophora*.  
*densiflora*, Steud. l. c. = *D. densiflora*.  
*denuata*, Steud. l. c. = *D. densiflora*.  
*distichophylla*, Nees, in Linnaea, vii. (1832) 314 = *D. distichophylla*.  
*elegans*, Steud. Nom. ed. II. ii. 298 = *D. elegans*.  
*eristoma*, Steud. l. c. = *D. eristoma*.  
*filiformis*, Steud. l. c. = *D. filiformis*.  
*glandulosa*, Nees, in Linnaea, vii. (1832) 310 = *D. glandulosa*.  
*heptameris*, Steud. Nom. ed. II. ii. 298 = *D. heptameris*.  
*hirsuta*, Steud. l. c. = *D. hirsuta*.  
*involuta*, Nees, in Linnaea, vii. (1832) 313 = *D. involuta*.  
*Lima*, Steud. Nom. ed. II. ii. 299 = *D. Lima*.  
*longiglumis*, Steud. l. c. = *D. longiglumis*.  
*macrantha*, Nees, in Linnaea, vii. (1832) 312 = *D. macrantha*.  
*micrantha*, Steud. Nom. ed. II. ii. 299 = *D. micrantha*.  
*mutica*, Steud. l. c. = *D. mutica*.  
*nutans*, Steud. l. c. = *D. nutans*.  
*pallenscens*, Nees, in Linnaea, vii. (1832) 312 = *D. pallenscens*.  
*papillosa*, Nees, l. c. 311 = *D. papillosa*.  
*patula*, Steud. Nom. ed. II. ii. 299 = *D. patula*.  
*porosa*, Steud. l. c. = *D. porosa*.

#### PENTAMERIS:—

*procumbens*, Steud. Nom. ed. II. ii. 298, in syn = *Danthonia Buekeana*.  
*propinqua*, Steud. l. c. 299 = *D. propinqua*.  
*rupestris*, Steud. l. c. = *D. rupestris*.  
*scabra*, Steud. l. c. = *D. scabra*.  
*speciosa*, Steud. l. c. = *D. speciosa*.  
*stricta*, Nees, in Linnaea, vii. (1832) 313 = *D. stricta*.  
*Thouarii*, Steud. Nom. ed. I. 604 = *Thuarii*.  
*Thouarsii*, Hochst. ex Krauss, in Flora, xxix. (1846) 120 = *D. trichotoma*.  
*Thouarsii*, Kunth, Rév. Gram. i. 309, t. 66 = seq.  
*Thuarii*, Beauv. Agrost. 93, t. 18 = *D. tortuosa*.  
*tortuosa*, Nees, in Linnaea, vii. (1832) 311 = *D. tortuosa*.  
*trichotoma*, Steud. Nom. ed. II. ii. 299 = *D. trichotoma*.  
*villosa*, Nees, in Linnaea, vii. (1832) 310 = *D. Thunbergii*.  
*viscidula*, Steud. Nom. ed. II. ii. 299 = *D. viscidula*.

PENTAMERIS, E. Mey. in Drège, Zwei Pfl. Docum. 210 (1843) = *Pavonia*, Cav. (Malvac.).  
*macrophylla*, E. Mey. l. c. = *Pav. Kraussiana*.  
*microphylla*, E. Mey. l. c. = *Pav. microphylla*.

PENTAMORPHA, Scheidw. in Bull. Acad. Brux. ix. i. (1842) 20 = *Erythrochiton*, Nees & Mart. (Rutac.).  
*graveolens*, Scheidw. l. c. 21 = *E. brasiliensis*.

PENTANEMA, Cass. in Bull. Soc. Philom. (1818) 74 = *Vicoa*, Cass. (Compos.).  
*Aucherii*, Boiss. Diagn. Ser. I. vi. 75 = *Inula pulicariaeformis*.  
*divaricatum*, Cass. in Bull. Soc. Philom. (1818) 75 (= seq. ?)—Oriens.  
*divaricatum*, Jaub. & Spach, Illustr. t. 350 = *Inula divaricata*.  
*multicaule*, Boiss. Diagn. Ser. I. vi. 75 = *Inula pulicariaeformis*.  
*pulicariaeforme*, Jaub. & Spach, Illustr. iv. 83. t. 351 = *Inula pulicariaeformis*.  
*radiatum*, Boiss. Diagn. Ser. II. iii. 15 = *V. vestita*.

PENTANISIA, Harv. in Hook. Lond. Journ. Bot. i. (1842) 21. *RUBIACEAE*, Benth. & Hook. f. ii. 104.  
*DIOTOCARPUS*, Hochst. in Flora, xxvi. (1843) 70.  
*angustifolia*, Hochst. in Flora, xxvii. (1844) 555 = *variabilis*.  
*cymosa*, Klotzsch, in Peters, Reise Mossamb. Bot. 287, 288 = *Pentas carnea*.  
*glaucescens*, Harv. in Hook. Lond. Journ. Bot. i. (1842) 22 = *variabilis*.  
*nervosa*, Klotzsch, in Peters, Reise Mossamb. Bot. 287, 288 = *Pentas carnea*.  
*ouranogyne*, S. Moore, in Journ. Bot. xviii. (1880) 4.—Afr. trop.  
*prunelloides*, Walp. Rep. ii. 941 = *variabilis*.  
*Schweinfurthiana*, Hiern, in Oliver, Fl. Trop. Afr. iii. 131.—Afr. trop.  
*suffruticosa*, Klotzsch, in Peters, Reise Mossamb. Bot. 287, 288 = *Pentas carnea*.  
*variabilis*, Harv. in Hook. Lond. Journ. Bot. i. (1842) 22.—Afr. austr.  
*zanzibarica*, Klotzsch, in Peters, Reise Mossamb. Bot. 286 = *Pentas purpurea*.

PENTANOME, [Moç. & Sessé, ex] DC. Prod. i. 725, in syn. (1824) = *Zanthoxylum*, Linn. (Rutac.).  
*simplicifolia*, [Moç. & Sessé] l. c. = *Z. Pentanome*.

PENTANTHUS, Hook. & Arn. in Hook. Comp. Bot. Mag. i. (1835) 32 = *Senecio*, Tourn. (Compos.).  
*jungoides*, Hook. & Arn. l. c. 33.—Peruv.

PENTANTHUS, Less. Syn. Comp. 397 (1832) = *Nas-sauvia*, Comm. (Compos.).  
*aculeatus*, Less. l. c. 398 = *N. aculeata*.

PENTANTHUS, Rafin. Fl. Tellur. iv. 70 (1836) = *Jacquemontia*, Choisy (Convolv.).  
*violaceus*, Rafin. l. c. = *J. violacea*.

PENTANURA, Blume, Mus. Bot. Lugd. Bat. i. 125. t. 21 (1849). *ASCLEPIADEAE*, Benth. & Hook. f. ii. 739.  
*khasiana*, Kurz, For. Fl. Brit. Burma, ii. 196.—Reg. Himal.; Burma.  
*sumatrana*, Blume, Mus. Bot. Lugd. Bat. i. 125.—Sumatra.

PENTAPANAX, Seem. Journ. Bot. ii. (1864) 294. *ARALIACEAE*, Benth. & Hook. f. i. 936.  
*angelicifolium*, Griseb. in Goett. Abh. xxiv. (1879) 144.—Am. austr.  
*Leschenaultii*, Seem. in Journ. Bot. ii. (1864) 296.—Ind. or.; Burma.  
*micranthum*, Hook. f. Fl. Brit. Ind. ii. 779 (Index), sphalm. = *Leschenaultii*.  
*parasiticum*, Seem. in Journ. Bot. ii. (1864) 296.—Reg. Himal.  
*racemosum*, Seem. l. c. 295.—Reg. Himal.  
*subcordatum*, Seem. l. c.—Reg. Himal.  
*umbellatum*, Seem. l. c. = *Leschenaultii*.

PENTAPELTIS, Bunge, in Lehm. Pl. Preiss. i. 292 (1845) = *Xanthosia*, Rudge (Umbell.).  
*peltigera*, Bunge, l. c. = *X. peltigera*.

PENTAPERIA, Klotzsch, in Linnaea, xii. (1838) 497. *ERICACEAE*, Benth. & Hook. f. ii. 589.  
*sicula*, Klotzsch, l. c.—Sicil.

PENTAPETES, Linn. Diss. Dass. 23 (1747); Amoen. Acad. i. 407 (1749). *STERCULIACEAE*, Benth. & Hook. f. i. 222.  
*ERIORHAPHE*, Miq. Pl. Jungh. 289 (1854).  
*MORANDA*, Scop. Introd. 289 (1777).  
*acerifolia*, Linn. Sp. Pl. 698 = *Pterospermum acerifolium*.  
*acutangula*, Poir. Encyc. v. 155 = *Dombeya acutangula*.  
*alba*, Hill, Veg. Syst. xv. 18 (Quid ?)—Ind. or.  
*angulosa*, Poir. Encyc. v. 155 = *Dombeya acutangula*.  
*angustifolia*, Blume, Bijdr. 87 = *phoenicea*.  
*bracteosa*, Steud. Nom. ed. II. ii. 299 = *Melhania Denhami*.  
*cebuana*, Blanco, Fl. Filip. ed. I. 529 = *phoenicea*.  
*coccinea*, Blanco, l. c. = *phoenicea*.  
*decanthera*, Poir. Encyc. v. 157 = *Trochetia decanthera*.  
*Erythroxylon*, Forst. f. in Comm. Gotting. ix. (1789) 61 = *Melhania Erythroxylon*.  
*Erythroxylon*, Sims, Bot. Mag. t. 1000 = *Melhania Melanoxylon*.  
*ferruginea*, Poir. Encyc. v. 159 = *Dombeya ferruginea*.  
*Leprieurii*, Steud. Nom. ed. II. ii. 299 = *Melhania abyssinica*.  
*Melanoxylon*, Soland. ex Sims, Bot. Mag. sub t. 1000 = *Melhania Melanoxylon*.  
*ovata*, Poir. Encyc. v. 158 = *Dombeya ovata*.  
*ovata*, Willd. Enum. Hort. Berol. 719 = *Melhania abyssinica*.  
*palmata*, Poir. Encyc. v. 154 = *Dombeya acutangula*.  
*parviflora*, Fisch. ex Steud. Nom. ed. I. 604 = *Melhania abyssinica* ?  
*phoenicea*, Linn. Sp. Pl. 698.—As. trop.  
*populnea*, Poir. Encyc. v. 154 = *Dombeya populnea*.  
*punctata*, Poir. l. c. 157 = *Dombeya punctata*.  
*suberifolia*, Linn. Sp. Pl. 698 = *Pterospermum suberifolium*.  
*tiliaefolia*, Poir. Encyc. v. 156 = *Dombeya tiliaefolia*.  
*tomentosa*, Poir. l. c. = *Dombeya tomentosa*.  
*tomentosa*, 'Wall. Cat.' ex Mast. in Hook. f. Fl. Brit. Ind. i. 373 (cf. Index 728), sphalm. = *Pentaglottis tomentosa*.  
*umbellata*, Poir. Encyc. v. 158 = *Dombeya umbellata*.  
*velutina*, Vahl, Symb. Bot. i. 49 = *Melhania velutina*.

PENTAPHILTRUM, Reichb. Nom. 121 (1841) = *Phy-salis*, Linn. (Solan.).

PENTAPHORUS, D. Don, in Trans. Linn. Soc. xvi. (1830) 296 = *Gochnatia*, H. B. & K. (Compos.).  
*fascicularis*, D. Don, in Phil. Mag. (Apr. 1832) 392 = *G. fascicularis*.  
*foliolosus*, D. Don, in Trans. Linn. Soc. xvi. (1830) 297 = *G. rigida* ?  
*glutinosus*, D. Don, in Phil. Mag. (Apr. 1832) 392 = *G. glutinosus*, D. Don.  
*pyrifolius*, D. Don, l. c. = *G. pyrifolia*.  
*rosmarinifolius*, Gill. ex Hook. & Arn. in Hook. Comp. Bot. Mag. i. (1835) 109 = *Nardophyllum revolutum*.

PENTAPHRAGMA, Wall. Cat. n. 1313 (1830). *CAMPANULACEAE*, Benth. & Hook. f. ii. 558.  
*begoniaefolium*, Wall. Cat. n. 1313; *G. Don*, Gen. Syst. iii. 731.—Burma; Penang.



**PENTAPHRAGMA** :—

grandiflorum, Kurz, in *Flora*, lv. (1872) 136.—Ins. Molucc.  
macrophyllum, Oliver, in *Journ. Linn. Soc.* xv. (1875) 29.—N. Guin.

PENTAPHRAGMA, Zucc. ex Reichb. *Consp.* 131 (1828) = *Araujia*, Brot. (Asclep.).

**PENTAPHYLAX**, Gardn. & Champ. in Hook. *Kew Journ.* i. (1849) 244. *TERNSTROEMACEAE*, Benth. & Hook. f. i. 183.  
euryoides, Gardn. & Champ. l. c.—China.

PENTAPHYLLON, Pers. Syn. ii. 352 (1807) = *Tri- folium*, Tourn. (Legumin.).  
*Ammani*, Ledeb. Ind. Sem. Hort. Dorpat. (1823) 5 = *T. Lupinaster*.  
*Lupinaster*, Pers. Syn. ii. 352 = *T. Lupinaster*.  
*macrocephalum*, Spreng. Syst. iii. 286 = *T. megace- phalum*.

PENTAPHYLLUM, Gaertn. *Fruct.* i. 349. t. 73 (1788) = *Potentilla*, Linn. (Rosac.).  
*norwegicum*, Gaertn. l. c. = *Pot. norvegica*.

PENTAPLE, Reichb. *Nom.* 205; et *l. c.* Fl. Germ. v. 37. t. 227 (1841) = *Cerastium*, Linn. (Caryoph.).  
*mantica*, Reichb. *l. c.* Fl. Germ. v. 37. t. 227 = *C. manticum*.

**PENTAPOGON**, R. Br. *Prod.* 173 (1810). *GRAMI- NEAE*, Benth. & Hook. f. iii. 1154.  
*Billardieri*, Beauv. *Agrost.* 34 = *Deyeuxia quadriseta*.  
*Billardieri*, R. Br. *Prod.* 173.—Austral.  
*Drummondii*, Steud. Syn. Pl. Gram. 193 = *Deyeuxia cylindrica*.

PENTAPTELION, Turcz. in *Bull. Soc. Nat. Mosc.* xxxvi. (1863) ii. 193 = *Leucopogon*, R. Br. (Epacrid.).  
*involutum*, Turcz. l. c. 194.—Austral.

PENTAPTERA, Roxb. *Hort. Beng.* 34 (1814); *Fl. Ind.* ii. 437 (1832) = *Terminalia*, Linn. (Combret.).  
*alata*, Banks, ex G. Don, Gen. Syst. ii. 661 = *T. pani- culata*.  
*angustifolia*, Roxb. *Hort. Beng.* 34; *Fl. Ind.* ii. 437 = *T. Arjuna*.  
*Arjuna*, Roxb. *l. c.* 34; 438 = *T. Arjuna*.  
*bialata*, Roxb. *l. c.* 34; 441 = *T. bialata*.  
*coriacea*, Roxb. *l. c.* 34; 438 = *T. tomentosa*.  
*crenulata*, Roxb. *l. c.* = *T. tomentosa*.  
*cuneata*, DC. *Prod.* iii. 15 = *T. tomentosa*.  
*glabra*, Roxb. *Hort. Beng.* 34; *Fl. Ind.* ii. 440 = *T. Arjuna*.  
*gracilis*, Presl, *Epim. Bot.* 214.—Burma.  
*Huliva*, Buch.-Ham. ex Wall. Cat. n. 3980 = *T. pani- culata*.  
*macrocarpa*, Wall. l. c. n. 3982 = *T. tomentosa*.  
*Maradu*, G. Don, Gen. Syst. ii. 660 = *T. tomentosa*.  
*mollis*, Presl, *Epim. Bot.* 214 = *T. mollis*, *Vidal*.  
*obovata*, DC. *Prod.* iii. 14 = *T. Arjuna*.  
*paniculata*, Roxb. *Hort. Beng.* 34; *Fl. Ind.* ii. 442 = *T. paniculata*.  
*pyrifolia*, Presl, *Epim. Bot.* 215 = *T. pyrifolia*.  
*pyrifolia*, Wall. Cat. n. 3985 = *Combretum pyrifolium*.  
*Roxburghii*, Tul. in *Ann. Sc. Nat. Sér. IV.* vi. (1856) 84 = *Combretum decandrum*.  
*Saja*, Buch.-Ham. ex Wall. Cat. n. 3983 = *T. myrio- carpa*.  
*tomentosa*, Roxb. *Hort. Beng.* 34; *Fl. Ind.* ii. 440 = *T. tomentosa*.  
*triopteris*, Heyne, ex Steud. *Nom. ed. II.* ii. 299 = *T. paniculata*.  
*triphylia*, Presl, *Bot. Bemerk.* 142.—Ind. or.  
*undulata*, Buch.-Ham. ex Wall. Cat. n. 3984 = *Com- bretum flagrocarpum*.

**PENTAPTERYGIUM**, Klotzsch, in *Linnaea*, xxiv. (1851) 47. *VACCINIACEAE*, Benth. & Hook. f. ii. 572.  
*flavum*, Hook. *Bot. Mag.* t. 4910.—Reg. Himal.  
*Hookeri*, C. B. Clarke, in *Hook. f. Fl. Brit. Ind.* iii. 450.—Reg. Himal.  
*Listeri*, King, ex C. B. Clarke, l. c.—Reg. Himal.  
*rugosum*, Hook. *Bot. Mag.* t. 5198.—Reg. Himal.  
*serpens*, Klotzsch, in *Linnaea*, xxiv. (1851) 47.—Reg. Himal.

**PENTAPYXIS**, Hook. f. in Benth. & Hook. f. Gen. ii. 6 (1873). *CAPRIFOLIACEAE*, Benth. & Hook. f. l. c.  
*stipulata*, Hook. f. *Fl. Brit. Ind.* iii. 17.—Reg. Himal.

**PENTARRHAPHIA**, Lindl. *Bot. Reg.* sub t. 1110 (1827) (Pentarrhaphia). *GESNERACEAE*, Benth. & Hook. f. ii. 1005.

CHORISANTHERA, Oerst. in *Vidensk. Selsk. Skr.* V. v. (1861) 109.

CODONOPHORA, Lindl. *Bot. Reg.* sub t. 1110 (1827).

CODONORAPHIA, Oerst. in *Vidensk. Selsk. Skr.* V. v. (1859) 82.

CONRADIA, Mart. *Nov. Gen. et Sp.* iii. 38 (1829).

DITTANTHERA, G. Don, ex Steud. *Nom. ed. II.* i. 521 (1840).

DUCHARTREA, Decne. in *Ann. Sc. Nat. Sér. III.* vi. (1846) 109. t. 8.

GESNERIA, Linn. Gen. ed. I. 179 (1737).

HENRINQUIA, Benth. & Hook. f. Gen. ii. 1006 (1876), sphalm.

HERINQUIA, Decne. ex Jacques & Hérinacq, Man. Pl. ii. 562 [1850].

MEGAPLEILIS, Rafin. *Fl. Tellur.* ii. 57 (1836).

OPHIANTHE, Hanst. in *Linnaea*, xxvi. (1853-55) 205.

STYROSINIA, Rafin. *Fl. Tellur.* ii. 95 (1836).

TULISMA, Rafin. l. c. 98 (1836).

VAUPELLIA, Griseb. *Fl. Brit. W. Ind.* 460 (1861).

albiflora, Decne. in *Ann. Sc. Nat. Sér. III.* vi. (1846) 101.—Porto Rico.

calycina, Hanst. in *Linnaea*, xxxiv. (1865-66) 307.—Jamaic.

calycosa, Decne. in *Ann. Sc. Nat. Sér. III.* vi. (1846) 99.—Jamaic.

catalpaeflora, Decne. l. c. 100.—Ind. occ.

corymbosa, Hanst. in *Linnaea*, xxxiv. (1865-66) 307.—Jamaic.

cranioraria, Decne. in *Ann. Sc. Nat. Sér. III.* vi. (1846) 99.—Ins. S. Doming.

cubensis, Decne. l. c. 108.—Cuba.

cumanensis, Hanst. in *Linnaea*, xxxiv. (1865-66) 300.—Venezuela.

cuneifolia, Hanst. l. c. 294.—Mexic.

duchartraoides, Wright, in *Sauv. Fl. Cub.* 92.—Cuba.

exserta, Decne. in *Ann. Sc. Nat. Sér. III.* vi. (1846) 104 = longiflora.

ferruginea, Wright, in *Sauv. Fl. Cub.* 93.—Cuba.

floribunda, Carr. in *Rév. Hort.* (1878) 30, cum tab.; et in *Gard. Chron.* (1878) ii. 593.—Cuba.

florida, Decne. in *Ann. Sc. Nat. Sér. III.* vi. (1846) 106. t. 7 = longiflora.

glandulosa, Griseb. *Cat. Pl. Cub.* 199.—Cuba.

Herminieri, Decne. in *Ann. Sc. Nat. Sér. III.* vi. (1846) 106 = longiflora.

hispidula, Hanst. in *Linnaea*, xxxiv. (1865-66) 293 = Sloanei.

humilis, Hanst. l. c. 294.—Ind. occ.

incurva, Griseb. *Cat. Pl. Cub.* 199.—Cuba.

Lessertiana, Decne. in *Ann. Sc. Nat. Sér. III.* vi. (1846) 101 = catalpaeflora.

libanensis, Hanst. in *Linnaea*, xxxiv. (1865-66) 293.—Ind. occ.

Lindleyana, Decne. in *Ann. Sc. Nat. Sér. III.* vi. (1846) 103 = longiflora.

longiflora, Lindl. *Bot. Reg.* sub t. 1110.—Ind. occ.

montana, Decne. in *Ann. Sc. Nat. Sér. III.* vi. (1846) 105 = longiflora.

neglecta, Hanst. in *Linnaea*, xxxiv. (1865-66) 305.—Jamaic.

parviflora, Decne. in *Ann. Sc. Nat. Sér. III.* vi. (1846) 102 = catalpaeflora.

pedunculosa, Decne. l. c. 108.—Mexic.

pumila, Hanst. in *Linnaea*, xxxiv. (1865-66) 305.—Jamaic.

salicifolia, Griseb. *Cat. Pl. Cub.* 199.—Cuba.

scabra, Hanst. in *Linnaea*, xxxiv. (1865-66) 308.—Jamaic.

Sloanei, Hanst. l. c. 295.—Jamaic.

Swartzii, Decne. in *Ann. Sc. Nat. Sér. III.* vi. (1846) 103 = longiflora.

tenera, Hanst. in *Linnaea*, xxxiv. (1865-66) 304.—Costa Rica.

triflora, Griseb. *Cat. Pl. Cub.* 199.—Cuba.

ventricosa, Hanst. in *Linnaea*, xxxiv. (1865-66) 229 = longiflora.

**PENTARRHAPHIA** :—

verrucosa, Decne. in *Ann. Sc. Nat. Sér. III.* vi. (1846) 107.—Cuba.  
viridiflora, Hanst. in *Linnaea*, xxxiv. (1865-66) 306.—Cuba.

PENTARIA, M. Roem. Syn. Pepon. 131, 187 (1846) = *Passiflora*, Linn.  
*orbiculata*, M. Roem. l. c. 187 = *P. Murucuja*.

**PENTARRHAPHIS**, H. B. & K. *Nov. Gen. et Sp.* i. 177. t. 60 (1815). Gen. dub. *GRAMINEARUM*.—Cf. Benth. & Hook. f. Gen. iii. 1096.

STROMBODURUS, Willd. ex Steud. *Nom. ed. II.* ii. 647 (1841).

scabra, H. B. & K. *Nov. Gen. et Sp.* i. 178. t. 60.—Mexic.

**PENTARRHINUM**, E. Mey. *Comm. Pl. Afr. Austr.* 199 (1837). *ASCLEPIADEAE*, Benth. & Hook. f. ii. 758.

abyssinicum, Decne. in *DC. Prod.* viii. 553.—Abyss.  
insipidum, E. Mey. *Comm. Pl. Afr. Austr.* 200.—Afr. austr.

**PENTAS**, Benth. in *Bot. Mag.* t. 4086 (1844). *RUBI- ACEAE*, Benth. & Hook. f. ii. 54.

NEUROCARPAEA, R. Br. in *Salt, Abyss. App.* 64 (1814).

ORTHOSTEMMA, Wall. ex Voigt, *Hort. Suburb. Calc.* 384 (1845).

VIGNALDIA, A. Rich. *Tent. Fl. Abyss.* i. 357 (1847).

arvensis, Hiern, in *Oliver, Fl. Trop. Afr.* iii. 47.—Afr. trop.

carnea, Benth. in *Bot. Mag.* t. 4086.—Afr. trop.

elator, Benth. in *Hook. Niger Fl.* 402, in obs.; et Walp. *Rep.* vi. 57 = *Virecta procumbens*?

Klotzschii, Watke, in *Oestr. Bot. Zeitschr.* xxv. (1875) 231 = carnea.

micrantha, Baker, in *Journ. Linn. Soc.* xxi. (1855) 408.—Madag.

mussaendoides, Baker, l. c. xx. (1863) 165.—Madag.

occidentalis, Benth. & Hook. f. ex *Oliver, Fl. Trop. Afr.* iii. 46.—Afr. trop.

parviflora, Benth. in *Bot. Mag.* sub t. 4086.—Afr. trop.

parvifolia, Hiern, in *Journ. Linn. Soc.* xvi. (1877) 262.—Afr. trop.

pentandra, Benth. in *Hook. Niger Fl.* 402, in obs. = *Oldenlandia macrophylla*.

purpurea, Oliver, in *Trans. Linn. Soc.* xxix. (1873) 83.—Afr. trop.

Quartiniana, Oliver, l. c. 82. t. 46 = carnea.

Schimperiana, Watke, in *Linnaea*, xl. (1876) 192.—Afr. trop.

Thomningii, Walp. *Rep.* vi. 58 = *Oldenlandia macro- phylla*.

zanzibarica, Watke, in *Oestr. Bot. Zeitschr.* xxv. (1875) 232 = purpurea.

**PENTASACHME**, Wall. ex Wight, *Contrib.* 60 (1834). *ASCLEPIADEAE*, Benth. & Hook. f. ii. 769.

caudatum, Wall. l. c.—Reg. Himal.; Burma.

Championi, Benth. in *Hook. Kew Journ.* v. (1853) 54.—China.

glaucescens, Decne. in *DC. Prod.* viii. 627.—China.

Stauntonii, Decne. l. c.—China.

Wallichii, Wight, *Contrib.* 60.—Reg. Himal.

**PENTASACME**, G. Don, *Gen. Syst.* iv. 159 (1837) = praec.

**PENTASCYPHUS**, Radlk. in *Sitzb. Math.-Phys. Akad. Muench.* ix. (1879) 495. *SAPINDACEAE*.

thyrsiflorus, Radlk. l. c. 539.—Guian.

**PENTASPADON**, Hook. f. in *Trans. Linn. Soc.* xxiii. (1860) 168. t. 24. *ANACARDIACEAE*, Benth. & Hook. f. i. 419.

Motleyi, Hook. f. l. c.—Borneo.

velutinus, Hook. f. *Fl. Brit. Ind.* ii. 28 = *Microstemon velutina*.

**PENTASTACHYA**, Hochst ex Steud. *Nom. ed. II.* ii. 299 (1841) = *Pennisetum*, Rich. (Gramin.).

abyssinica, Hochst. l. c. = *Pennis. pentastachyum*.

**PENTASTEMON**, Batsch, *Tab. Affin.* 193 (1802) = *Pentstemon*, Mitch. (Scrophul.).

**PENTASTEMUM**, Steud. *Nom. ed. II.* ii. 299 (1841) = praec.



PENTASTICHA, Turcz. in Bull. Soc. Nat. Mosc. (1862) ii. 330 = **Fuirena**, Rottb. (Cyperac.).  
*madagascariensis*, Turcz. l. c. = *F. stricta*.

PENTATAPHRUS, Schlecht. in Linnaea, xx. (1847) 618 = **Astroloma**, R. Br. (Epacrid.).  
*Behrii*, Schlecht. l. c. = *A. conostephioides*.

PENTATAXIS, D. Don, in Mem. Wern. Soc. v. (1826) 550 = **Heliehrysum**, Vaill. (Compos.).  
*micrantha*, D. Don, l. c. = *H. Zeyheri*.

PENTATROPIS, R. Br. in Salt, Abyss. App. 64 (1814). **ASCLEPIADEAE**, Benth. & Hook. f. ii. 764.

EUTROPIS, Falc. in Proc. Linn. Soc. i. (1839) 15.  
RHYNCHARRHENA, F. Muell. Fragm. i. 128 (1859).  
*atropurpurea*, Benth. Fl. Austral. iv. 329.—Austral.  
*cynanchoides*, R. Br. in Salt, Abyss. App. 64.—Abyss.;  
Persia; Ind. bor. occ.

Kempeana, F. Muell. in Wing, South Sc. Record, ii. (1882) 172.—Austral.  
linearis, Decne. in DC. Prod. viii. 536.—Austral.  
*madagascariensis*, Decne. l. c.—Madag.  
*microphylla*, Wall. Cat. n. 8213 D = *cynanchoides*.  
*microphylla*, Wight & Arn. Contrib. 52.—Ind. or.  
*quinquepartita*, Benth. Fl. Austral. iv. 329.—Austral.  
*senegalensis*, Decne. in Ann. Sc. Nat. Sér. II. ix. (1838) 328 = *cynanchoides*?  
*spiralis*, Decne. l. c. 327 = *cynanchoides*.

PENTECA, Rafin. Sylva Tellur. 62 (1838) = **Croton**, Linn. (Euphorb.).  
*tomentosa*, Rafin. l. c. = *C. dioicus*.

PENTELESIA, Rafin. Sylva Tellur. 146 (1838) = **Bignonia**, Linn.  
*discolor*, Rafin. l. c. = *B. carichanensis*.

PENTENA, Rafin. Fl. Tellur. iv. 96 (1836) = **Scabiosa**, Tourn. (Dipsac.).  
*ochroleuca*, Rafin. l. c. = *S. ochroleuca*.  
*uniseta*, Rafin. l. c. = *S. gramuntia*.

PENTHEA, Lindl. Introd. Nat. Syst. ed. II. 446 (1836) = **Disa**, Berg. (Orchid.).  
*atricapilla*, Harv. ex Lindl. in Hook. Lond. Journ. Bot. i. (1842) 17 = *D. atricapilla*.  
*elegans*, Sond. in Linnaea, xx. (1847) 220, nomen = *D. elegans*.

*flicornis*, Lindl. Gen. et Sp. Orch. 361 = *D. patens*.  
*melaleuca*, Lindl. l. c. = *D. melaleuca*.  
*minor*, Sond. in Linnaea, xix. (1847) 104 = *D. minor*.  
*obtusata*, Lindl. Gen. et Sp. Orch. 361 = *D. Richardiana*.  
*patens*, Lindl. l. c. 362 = *D. tenuifolia*.  
*Pumilio*, Lindl. in Journ. Linn. Soc. vi. (1862) 138 = *Brachycorythis Pumilio*.  
*reflexa*, Lindl. Gen. et Sp. Orch. 361 = *D. patens*.  
*triloba*, Sond. in Linnaea, xix. (1847) 104 = *D. oligantha*.  
*virginica*, Harv. Gen. S. Afr. Pl. 325 = *D. Richardiana*.

PENTHEA, Spach, Hist. Vég. Phan. x. 9 (1841) = **Barnadesia**, Mutis (Compos.).  
*laxa*, Steud. Nom. ed. II. ii. 300 = *B. rosea*.

PENTHORUM, Gronov. ex Linn. Coroll. Gen. 8 (1737). **CRASSULACEAE**, Benth. & Hook. f. i. 661.

*chinense*, Pursh, Fl. Am. Sept. i. 323 = *sedoides*.  
*circinale*, Salisb. Prod. 308 = *sedoides*.  
*humile*, Regel & Maack, in Regel, Tent. Fl. Ussur. 65.—Reg. Amur.  
*intermedium*, Turcz. in Bull. Soc. Nat. Mosc. (1837) n. vii. 152.—China.  
*sedoides*, Linn. Sp. Pl. 432.—Am. bor.

PENTHYSA, Rafin. Fl. Tellur. iv. 86 (1836) = **Lobostemon**, Lehm. (Borag.).  
*glauca*, Rafin. l. c. = *L. glaucophyllus*.  
*levigata*, Rafin. l. c. = *L. laevigatus*.  
*strigosa*, Rafin. l. c. = *L. strigosus*.

PENTIPHGRAMMA, Hook. Bot. Misc. i. (1830) t. 57, err. typ. = **Pentaphragma**, Wall. (Compos.).

PENTITDIS, Zipp. ex Blume, Mus. Bot. Lugd. Bat. i. 246 (1850) = **Opilia**, Roxb. (Olinac.).  
*scandens*, Zipp. ex Blume, l. c. = *O. Pentitdis*.

PENTLANDIA, Herb. in Bot. Reg. (1839) t. 68 = **Urceolina**, Reichb. (Amaryll.).  
*miniata*, Herb. l. c. = *U. miniata*.  
*sulvanica*, M. Roem. Syn. Ens. 55 = *U. miniata*.

PENTOCNIDE, Rafin. Fl. Tellur. iii. 48 (1836) = **Pouzolzia**, Gaudich. (Urtic.).  
*glomerata*, Rafin. l. c. = *P. indica*.

PENTODON, Ehrenb. ex Boiss. Fl. Orient. iv. 925 (1879) = **Kochia**, Roth (Chenopod.).  
*barbatus*, Ehrenb. l. c. = *K. monticola*.

PENTODON, Hochst. in Flora, xxvii. (1844) 552 = **Oldenlandia**, Linn. (Rubiace.).  
*abyssinicus*, Hochst. l. c. = *O. macrophylla*.  
*decumbens*, Hochst. l. c. = *O. macrophylla*.  
*Halei*, A. Gray, Syn. Fl. N. Am. i. ii. 28 = *O. Halei*.  
*pentandrus*, Vatke, in Oestr. Bot. Zeitschr. xxv. (1875) 231 = *O. macrophylla*.

PENTOPETIA, Decne. in DC. Prod. viii. 500 (1844). **ASCLEPIADEAE**, Benth. & Hook. f. ii. 741.  
*androsaemifolia*, Decne. l. c.—Madag.  
*Cotoneaster*, Decne. l. c.—Madag.  
*gracilis*, Decne. l. c.—Madag.

PENTOSTEMON, Rafin. Atl. Journ. 176 (1833) = **Pentstemon**, Mitch. (Scrophul.).

PENTRIAS, Benth. & Hook. f. Gen. iii. 28 (1880), sphalm. = seq.

PENTRIUS, Rafin. Fl. Tellur. iii. 42 (1836) = **Amaranthus**, Linn.  
*oleraceus*, Rafin. l. c. = *A. oleraceus*.

PENTROPIS, Rafin. Fl. Tellur. ii. 80 (1836) = **Campanula**, Tourn.  
*saxatilis*, Rafin. l. c. = *C. saxatilis*.

PENTSTEMON, Mitch. in Act. Phys. Med. Acad. Nat. Cur. viii. (1748) App. 214 (Penstemon). **SCROPHULARINEAE**, Benth. & Hook. f. ii. 940.

DASANTHERA, Rafin. in Am. Monthly Mag. (1818) 267.  
ELMIGERA, Reichb. Consp. 123 (1828).  
LEIOSTEMON, Rafin. Neogenyt. 2 (1825).  
LEPIDOSTEMON, Lem. Illustr. Hort. ix. (1862) t. 315.

LEPTEIRIS, Rafin. New Fl. Am. ii. 73 (1836).  
PENTASTEMON, Batsch, Tab. Affin. 193 (1802).  
*acuminatus*, Dougl. in Bot. Reg. t. 1285.—Am. bor. occ.

*albidus*, Nutt. Gen. Am. ii. 53.—Am. bor. occ.  
*albidus*, Torr. in Ann. Lyc. N. York, ii. (1828) 229, partim = *Jamesii*.  
*alpinus*, Torr. l. c. i. (1824) 35 = *glaber*.

*ambiguus*, Torr. l. c. ii. (1828) 228.—Am. bor. occ.  
*amoenus*, Kunze, Hort. Lips. Sem. (1840).—Cf. Linnaea, xvi. (1842) Litt. 107 = *venustus*.

*amplexicaulis*, Buckl. in Proc. Acad. Sc. Philad. 1861 (1862) 461 = *acuminatus*.  
*amplexicaulis*, Moench, Meth. 442 = *pubescens*.

*angustifolius*, Fraser, ex Pursh, Fl. Am. Sept. ii. 738 = *caeruleus*.

*angustifolius*, Poir. in Dict. Sc. Nat. xxxviii. 385 = *campanulatus*.

*antirrhinoides*, Benth. in DC. Prod. x. 594.—Calif.  
*argutus*, Paxt. Mag. Bot. vi. (1839) 271 = *diffusus*?  
*atropurpureus*, G. Don, in Loud. Hort. Brit. 243 = *campanulatus*.

*attenuatus*, Dougl. in Bot. Reg. t. 1295.—Am. bor. occ.

*azureus*, Benth. Pl. Hartw. 327.—Am. bor. occ.  
*baccharifolius*, Hook. Bot. Mag. t. 4627.—Texas.  
*barbatus*, Roth, Catalect. fasc. iii. 49; Nutt. Gen. Am. ii. 53.—Am. bor. occ.

*Bradburii*, Pursh, Fl. Am. Sept. ii. 738 = *grandiflorus*.  
*breviflorus*, Lindl. Bot. Reg. t. 1946.—Calif.  
*brevilabris*, A. Gray, in Proc. Am. Acad. xvii. (1881-82) 229 = *cerrosensis*.

*Bridgesii*, A. Gray, l. c. vii. (1868) 379.—Am. bor. occ.

*caeruleus*, Hort. ex Vilm. Fl. Pl. Terre, ed. II. 651 = *Hartwegii*.  
*caeruleus*, Nutt. vide *coeruleus*.

*caesius*, A. Gray, in Proc. Am. Acad. xix. (1883) 92.—Calif.

# PENTSTEMON:—

*caespitosus*, Nutt. ex A. Gray, Proc. Am. Acad. vi. (1862) 66.—Am. bor. occ.

*campanulatus*, Willd. Sp. Pl. iii. 228.—Mexic.  
*canoso-barbatus*, Kellogg, in Proc. Calif. Acad. ii. (1863) 15 = *breviflorus*.

*carinatus*, Kellogg, l. c. i. (1855) 63 = *breviflorus*.  
*centranthifolius*, Benth. Scroph. Ind. Introd. 7, adnot.—Calif.

*centranthifolius*, S. Wats. Bot. King's Exped. 219 = *Eatonii*.

*cerrosensis*, Kellogg, in Proc. Calif. Acad. ii. (1863) 19.—Calif.  
Clevelandi, A. Gray, l. c. xi. (1876) 94.—Calif.; Mexic.

Cobaea, Nutt. in Trans. Am. Phil. Soc. N. S. v. (1837) 182.—Am. bor. occ.

*coccineus*, Engelm. in Wislitz. Tour N. Mexic. 107 (Sketch, 23) = *barbatus*.  
*coccineus*, Hoffm. & G. Cf. Linnaea, xvi. (1842) Litt. 281 = *Hartwegii*.

*coeruleus*, Nutt. Gen. Am. ii. 52.—Am. bor. occ.  
*coeruleus*, Torr. in Ann. Lyc. N. York, ii. (1828) 229 = *barbatus*.

*comarrhenus*, A. Gray, in Proc. Am. Acad. xii. (1877) 81 = *strictus*.

*confertus*, Dougl. in Bot. Reg. t. 1260.—Am. bor. occ.  
*connatus*, Deppe, in Otto & Dietr. Allg. Gartenz. xii. (1844) 276 = *perfoliatus*.

*cordatus*, Mart. & Gal. in Bull. Acad. Brux. xii. II. (1845) 17 = *perfoliatus*.  
*cordatus*, Walp. Rep. iii. 249 = *cordifolius*.

*cordifolius*, Benth. Scroph. Ind. Introd. 7.—Calif.  
*corymbosus*, Benth. in DC. Prod. x. 593.—Calif.  
*crassifolius*, Lindl. Bot. Reg. (1838) t. 16 = *Menziesii*.  
*crassifolius*, Shutt. ex Benth. in DC. Prod. x. 327 = *pubescens*.

*cristatus*, Fras. Cat. (1813); ex Nutt. Gen. Am. ii. 52.—Am. bor. occ.

Cusickii, A. Gray, in Proc. Am. Acad. xvi. (1881) 106.—Am. bor. occ.

*cyananthus*, Hook. Bot. Mag. t. 4464; et in Moore & Ayres, Gard. Mag. Bot. iii. (1851) 249 = *glaber*.

*dasyphyllus*, A. Gray, in Torr. Bot. Mex. Bound. 112.—N. Mexic.

*deustus*, Dougl. in Bot. Reg. t. 1318.—Am. bor. occ.  
*diffusus*, Dougl. l. c. t. 1132.—Am. bor. occ.

*Digitalis*, Nutt. in Trans. Am. Phil. Soc. N. S. v. (1837) 181 = *laevigatus*.

*dissectus*, Ell. Sketch, ii. 129.—Am. bor.  
*Douglasii*, Hook. Fl. Bor. Am. ii. 98 = *Menziesii*.  
Eatonii, A. Gray, in Proc. Am. Acad. viii. (1872) 395.—Am. bor. occ.

*elegans*, Poir. in Dict. Sc. Nat. xxxviii. 384 = *campanulatus*.

*erianthera*, Fras. Cat. (1813); ex Nutt. Gen. Am. ii. 52 = *glaber*.

*erianthera*, Pursh, Fl. Am. Sept. ii. 737 = *cristatus*.  
Fendleri, Torr. & Gray, in Pacif. Rail. Rep. ii. 168 = *acuminatus*.

*filifolius*, Nutt. ex Benth. in DC. Prod. x. 322 = *laricifolius*.

*Fremontii*, A. Gray, in Bot. Calif. i. 622 = *heterodoxus*.  
Fremontii, Torr. & Gray, in Proc. Am. Acad. vi. (1862) 60.—Am. bor. occ.

*frutescens*, Lamb. in Trans. Linn. Soc. x. (1811) 259. t. 6.—Unalashk.; Kamtsch.; Japon.

*Gairdneri*, Hook. Fl. Bor. Am. ii. 99.—Am. bor. occ.  
*gentianoides*, Lindl. Bot. Reg. (1838) t. 3 = *Hartwegii*.  
*gentianoides*, Poir. in Dict. Sc. Nat. xxxviii. 385.—Mexic.

*giganteus*, Morr. in Ann. Soc. Bot. Gand, ii. (1846) 143. t. 63.—Am. bor.

*glaber*, Pursh, Fl. Am. Sept. ii. 738.—Am. bor. occ.  
*glaberrimus*, Bevis, ex W. Baxt. in Loud. Hort. Brit. Suppl. ii. 654 (Quid?).—Am. bor.?

*glandulosus*, Dougl. ex Lindl. Bot. Reg. t. 1262.—Am. bor. occ.

*glaucifolius*, A. Gray, in Pacif. Rail. Rep. vi. 82 = *azureus*.

*glaucophyllus*, Scheele, in Linnaea, xxi. (1848) 763 = *laevigatus*.

*glaucus*, R. Grah. in Edinb. N. Phil. Journ. (July-Oct. 1829) 348.—Am. bor. occ.

*Gordonii*, Hook. Bot. Mag. t. 4319 = *glaber*.

*Gordonianus*, A. Gray, in Pacif. Rail. Rep. xii. II. Bot. 45 = *prae*.

*gracilentus*, A. Gray, l. c. vi. 82.—Am. bor. occ.



**PENTSTEMON:**—

- gracilis*, Nutt. *Gen. Am.* ii. 52.—Am. bor. occ.  
*grandiflorus*, *Fras. Cat.* (1813); ex Nutt. l. c. 53.—Am. bor.  
*Hallii*, A. Gray, in *Proc. Am. Acad.* vi. (1862) 70.—Am. bor. occ.  
*Harbourii*, A. Gray, l. c. 71.—Am. bor. occ.  
*Hartwegii*, Benth. *Pl. Hartw.* 48.—Mexic.  
*Havardi*, A. Gray, in *Proc. Am. Acad.* xx. (1885) 306.—Texas.  
*heterander*, Torr. & Gray, in *Pacif. Rail. Rep.* ii. 123 = *deustus*.  
*heterodoxus*, A. Gray, *Syn. Fl. N. Am.* ii. i. 269.—Calif.  
*heterophyllus*, Lindl. *Bot. Reg.* t. 1899.—Am. bor. occ.  
*heterophyllus*, S. Wats. *Bot. King's Exp.* 222 = *azureus*.  
*hirsutus*, Willd. *Sp. Pl.* iii. 227 = *pubescens*.  
*Humboldtii*, G. Don, *Gen. Syst.* iv. 640 = *imberbis*.  
*humilis*, Nutt. ex A. Gray, in *Proc. Am. Acad.* vi. (1862) 69.—Am. bor. occ.  
*ilicifolius*, Nutt. ex A. DC. in *DC. Prod.* x. 593 = *deustus*.  
*imberbis*, Trautv. in *Bull. Sc. Acad. Pétersb.* v. (1839) 345.—Mexic.  
*inermis*, Poir. in *Dict. Sc. Nat.* xxxviii. 385 = *imberbis*.  
*Jaffrayanus*, Hook. *Bot. Mag.* t. 5045 = *azureus*.  
*Jamesii*, Benth. in *DC. Prod.* x. 325.—Am. bor. occ.  
*Jeffreyanus*, A. Murr. *Circ. Oreg. Comm.* 2 = *azureus*.  
*Kingii*, S. Wats. *Bot. King's Exp.* 222.—Am. bor. occ.  
*Kleei*, Greene, in *Bull. Torrey Bot. Club.* x. (1883) 127 = *Rattani*.  
*Kunthii*, G. Don, in *Loud. Hort. Brit.* 243 = *campanulatus*.  
*labrosus*, *Hort.*—Cf. *Gard. Chron.* (1883) II. 536; *Hook. f. Bot. Mag.* t. 6738.—Calif.  
*laetus*, A. Gray, in *Proc. Am. Acad.* vi. (1866) 76.—Calif.  
*laevigatus*, Ait. *Hort. Kew.* ed. I. ii. 361.—Am. bor.  
*lanceolatus*, Benth. *Pl. Hartw.* 22.—Mexic.  
*laricifolius*, Hook. & Arn. *Bot. Beech. Voy.* 376.—Am. bor. occ.  
*latifolius*, Hoffm. *Verz. Pfl.* 98 = *pubescens*.  
*Lemmoni*, A. Gray, in *Bot. Calif.* i. 557.—Calif.  
*Lewisii*, Benth. in *DC. Prod.* x. 321 = *Menziesii*.  
*linarioides*, A. Gray, in *Torr. Bot. Mex. Bound.* 112.—N. Mexic.  
*Lobbii*, Hort. ex Lem. *Illustr. Hort.* (1862) t. 315 = *antirrhinoides*.  
*longifolius*, Scheele, in *Linnaea*, xxi. (1848) 764 = *pubescens*.  
*Macewani* ×, Paxt. *Mag. Bot.* xiv. (1848) 174.  
*Mackayanus*, Knowles & Westc. *Flor. Cab.* ii. (1838) 117 = *pubescens*.  
*Menziesii*, Hook. *Fl. Bor. Am.* ii. 98.—Am. bor. occ.  
*mexicanus*, Hort. ex A. DC. in *DC. Prod.* x. 331, in nota = *Tetranema mexicanum*.  
*micranthus*, Nutt. in *Journ. Acad. Philad.* vii. (1834) 45 = *confertus*.  
*micranthus*, Torr. in *Frém. Rep.* 89 = *strictus*.  
*microphyllus*, A. Gray, in *Pacif. Rail. Rep.* iv. 119.—Arizona.  
*miniatus*, Lindl. *Bot. Reg.* (1847) t. 14.—Mexic.  
*multiflorus*, Chapm. ex Benth. in *DC. Prod.* x. 327 = *pubescens*.  
*Murrayanus*, Hook. *Bot. Mag.* t. 3472.—Texas.  
*nemorosus*, Trautv. in *Bull. Sc. Acad. Pétersb.* v. (1839) 345 = *Chelone nemorosa*.  
*Newberryi*, A. Gray, in *Pacif. Rail. Rep.* vi. 82 = *Menziesii*.  
*nitidus*, Dougl. ex Benth. in *DC. Prod.* x. 323 = *acuminatus*.  
*nudiflorus*, A. Gray, in *Proc. Am. Acad.* xx. (1885) 206.—Arizona.  
*Nuttallii*, Beck, in *Am. Journ. Sc. Ser.* I. xiv. (1828) 120 = *laevigatus*?  
*oregonensis*, A. Murr. *Circ. Oreg. Comm.* 2.—Oregon.  
*ovatus*, Dougl. in *Bot. Mag.* t. 2903.—Am. bor. occ.  
*Palmeri*, A. Gray, in *Proc. Am. Acad.* vii. (1868) 379.—Arizona.  
*Parishii*, A. Gray, l. c. xvii. (1881–82) 228.—Calif.  
*Parryi*, A. Gray, *Syn. Fl. N. Am.* ii. i. 264.—Am. bor. occ.  
*pauciflorus*, Buckl. in *Proc. Acad. Sc. Philad.* 1861 (1862) 461 = *Phlox pilosa*.  
*pauciflorus*, Greene, in *Coult. Bot. Gaz.* vi. (1881) 218 = *lanceolatus*.

**PENTSTEMON:**—

- peduncularis*, Nutt. ex A. DC. in *DC. Prod.* x. 593 = *Menziesii*.  
*perfoliatus*, A. Brongn. in *Hortic. Univ.* (Janv. 1844) cum ic.; ex Benth. in *DC. Prod.* x. 326.—Mexic.  
*pinifolius*, Greene, in *Coult. Bot. Gaz.* vi. (1881) 218.—Arizona.  
*Pononi*, Hort.—Cf. *Gard. Chron.* (1872) 733 = *confertus vel acuminatus*.  
*procerus*, Dougl. ex R. Grah. in *Edinb. N. Phil. Journ.* (July–Oct. 1829) 348 = *confertus*.  
*pruinosis*, Dougl. in *Bot. Reg.* t. 1280.—Am. bor. occ.  
*pubescens*, [Soland. in] Ait. *Hort. Kew.* ed. I. ii. 360.—Am. bor.  
*pulchellus*, Lindl. *Bot. Reg.* t. 1138 = *campanulatus*.  
*pumilus*, Nutt. in *Journ. Acad. Philad.* vii. (1834) 46.—Am. bor. occ.  
*punicus*, A. Gray, in *Torr. Bot. Mex. Bound.* 113.—Arizona.  
*punicus*, Lilja, in *Linnaea*, xvii. (1843) 111 = *Hartwegii*.  
*Rattani*, A. Gray, in *Proc. Am. Acad.* xv. (1880) 50.—Calif.  
*Richardsonii*, Dougl. in *Lindl. Bot. Reg.* t. 1121.—Am. bor. occ.  
*rivularis*, Dougl. ex Trautv. in *Bull. Sc. Acad. Pétersb.* v. (1839) 346 = *Richardsonii*.  
*Roezli*, Regel, *Gartenfl.* (1872) 239.—Am. bor. occ.  
*roseus*, G. Don, in *Loud. Hort. Brit.* 243 = *campanulatus*.  
*rostriflorus*, Kellogg, in *Proc. Calif. Acad.* ii. (1863) 15 = *Bridgesii*.  
*Rothrockii*, A. Gray, *Syn. Fl. N. Am.* ii. i. 260.—Calif.  
*rubescens*, A. Gray, in *Proc. Am. Acad.* xix. (1883) 92.—Am. bor.  
*Scouleri*, Dougl. in *Bot. Reg.* t. 1277 = *Menziesii*.  
*secundiflorus*, Benth. in *DC. Prod.* x. 325.—Am. bor. occ.  
*serrulatus*, Menzies, in *Hook. Fl. Bor. Am.* ii. 95 = *diffusus*.  
*speciosus*, Dougl. in *Bot. Reg.* t. 1270 = *glaber*.  
*spectabilis*, Thurb. ex Torr. & Gray, in *Pacif. Rail. Rep.* iv. 119.—Calif.  
*spicatus*, Hort.—Cf. *Gard. Chron.* (1872) 733 = *confertus vel acuminatus*.  
*staticifolius*, Lindl. *Bot. Reg.* t. 1770 = *glandulosus*.  
*stenophyllus*, A. Gray, in *Torr. Bot. Mex. Bound.* 112.—Mexic.  
*strictus*, Benth. in *DC. Prod.* x. 324.—Am. bor. occ.  
*suffruticosus*, Dougl. ex Benth. l. c. 330 = *venustus*.  
*tenellus*, Kellogg, in *Proc. Calif. Acad.* i. (1855) 56 = *azureus*.  
*tenuifolius*, Benth. *Pl. Hartw.* 22.—Mexic.  
*teretiflorus*, *Fras. Cat.* (1813); ex Nutt. *Gen. Am.* ii. 53 = *albidus*.  
*ternatus*, Torr. ex A. Gray, in *Torr. Bot. Mex. Bound.* 115.—Calif.  
*Themisteri*, Hort. ex Vilm. *Fl. Pl. Terre*, ed. II. 657 = *diffusus*.  
*Thurberi*, Torr. in *Pacif. Rail. Rep.* vii. 15 = *ambiguus*.  
*Tolmiei*, Hook. *Fl. Bor. Am.* ii. 98 = *confertus*.  
*Torreyi*, Benth. in *DC. Prod.* x. 324 = *barbatus*.  
*Torreyi*, Hort. ex Regel, *Ind. Sem. Hort. Petrop.* (1860) 40.—Texas.  
*triphyllus*, Dougl. in *Bot. Reg.* t. 1245.—Am. bor. occ.  
*tubiflorus*, Nutt. in *Trans. Am. Phil. Soc. N. S. v.* (1837) 181.—Am. bor. occ.  
*venustus*, Dougl. in *Bot. Reg.* t. 1309.—Am. bor. occ.  
*verticillatus*, Mart. & Gal. in *Bull. Acad. Brux.* xii. II. (1845) 18 = *perfoliatus*.  
*virgatus*, A. Gray, in *Torr. Bot. Mex. Bound.* 112.—N. Mexic.  
*viscidulus*, Nees, in *Neuwied, Reise Nord. Am.* ii. 444 = *albidus*.  
*Wardii*, A. Gray, in *Proc. Am. Acad.* xii. (1877) 82.—Am. bor. occ.  
*Watsoni*, A. Gray, *Syn. Fl. N. Am.* ii. i. 267.—Am. bor. occ.  
*Whippleanus*, A. Gray, in *Proc. Am. Acad.* vi. (1862) 73.—N. Mexic.  
*Wrightii*, Hook. *Bot. Mag.* t. 4601.—Am. bor. occ.

**PENTSTEMONACANTHUS**, Nees, in *Mart. Fl. Bras.* ix. 159 (1847). *ACANTHACEAE*, Benth. & Hook. f. ii. 1082.  
*modestus*, Nees, l. c.—Bras.

**PENTSTEIRA** et **PENTSTERIA**, Griff. *Notul.* iv. 11 (1854) = **Torenia**, Linn. (Scrophul.).  
*dichotoma*, Griff. l. c. 119 = *T. parviflora*.  
*grandiflora*, Griff. l. c. 118 = *T. vagans*.  
*paniculata*, Griff. l. c. 119 = *Vandellia crustacea*.  
*racemosa*, Griff. l. c. 120 = *T. flava*.

**PENTSTEMUM**, Steud. *Nom. ed. II.* ii. 299 (1841) = **Pentstemon**, Mitch. (Scrophul.).

**PENTULOPS**, Rafin. *Fl. Tellur.* iv. 42 (1836) = **Xylobium**, Lindl. (Orchid.).  
*discolor*, Rafin. l. c. (= *Maxillaria decolor*).—Ind. occ.

**PENTZIA**, Thunb. *Prod. Pl. Cap.* 145 (1800). *COMPOSITAE*, Benth. & Hook. f. ii. 433.  
*annua*, DC. *Prod.* vi. 138.—Afr. austr.  
*Burchellii*, Fenzl, ex Harv. & Sond. *Fl. Cap.* iii. 172 = *Matricaria Burchellii*.  
*cinerascens*, DC. *Prod.* vi. 138.—Afr. austr.  
*Cooperi*, Harv. in *Harv. & Sond. Fl. Cap.* iii. 173.—Afr. austr.  
*cotuloides*, DC. *Prod.* vi. 138.—Afr. austr.  
*crenata*, Thunb. *Prod. Pl. Cap.* 145.—Afr. austr.  
*dichotoma*, DC. *Prod.* vi. 138.—Afr. austr.  
*elegans*, DC. l. c. 136.—Afr. austr.  
*fiabelliformis*, Willd. *Sp. Pl.* iii. 1808 = *crenata*.  
*globosa*, Less. *Syn. Comp.* 266.—Afr. austr.  
*microphylla*, DC. *Prod.* vi. 137.—Afr. austr.  
*nana*, Burch. *Trav.* i. 400; et ex DC. *Prod.* vi. 137.—Afr. austr.  
*pinnatifida*, Oliver, in *Hook. Ic. Pl.* t. 1340.—Afr. austr.  
*punctata*, Harv. in *Harv. & Sond. Fl. Cap.* iii. 172 = *Matricaria Burchellii*.  
*quinquefida*, Less. *Syn. Comp.* 266.—Afr. austr.  
*sphaerocephala*, DC. *Prod.* vi. 138.—Afr. austr.  
*spinescens*, Less. *Syn. Comp.* 266.—Afr. austr.  
*tortuosa*, Fenzl, ex Harv. & Sond. *Fl. Cap.* iii. 174.—Afr. austr.  
*trifurcata*, Sch. Bip. in *Flora*, xxvii. (1844) 675.—Afr. austr.  
*virgata*, Less. *Syn. Comp.* 266.—Afr. austr.

**PEPERIDIA**, Kostel. *Allg. Med. Pharm. Fl.* ii. 455 (1831) = **Piper**, Linn.  
*Afzeliana*, Kostel. l. c. 456 = *Piper subpeltatum*.  
*peltata*, Kostel. l. c. 455 = *Piper peltatum*.  
*sidaefolia*, Kostel. l. c. = *Piper umbellatum*.  
*subpeltata*, Kostel. l. c. 456 = *Piper subpeltatum*.  
*umbellata*, Kostel. l. c. 455 = *Piper umbellatum*.

**PEPERIDIA**, Reichb. *Consp.* 212\* (1828) = **Chloranthus**, Sw.

**PEPERIDIUM**, Lindl. *Introd. Nat. Syst. ed. II.* 446 (1836) = **Renealmia**, Linn. (Scitam.).  
*tubulatum*, Lindl. l. c. = *R. exaltata*.

**PEPEROMIA**, Ruiz & Pav. *Prod.* 8 (1794). *PIPE-RACEAE*, Benth. & Hook. f. iii. 132.  
**ACROCARPIDIUM**, Miq. *Syst. Pip.* 51 (1843).  
**ERASMIA**, Miq. in *Inst. Versl. & Med.* 1842 (1843) 81.  
**MICROPIPER**, Miq. in *Bull. Sc. Phys. Mat. Néerl.* (1839) 447.  
**PHYLLOBRYON**, Miq. *Syst. Pip.* 50 (1843).  
**TILDENIA**, Miq. in *Inst. Versl. et Med.* 1842 (1843) 82.  
**TROXIRUM**, Rafin. *Sylva Tellur.* 85 (1838).  
*abyssinica*, Miq. in *Hook. Lond. Journ. Bot.* iv. (1845) 419.—Abyss.  
*acuminata*, A. Dietr. *Sp. Pl.* i. 148 = *nemorosa*.  
*acuminata*, Griseb. *Cat. Pl. Cub.* 63 = *guadalou-pensis*.  
*acuminata*, Miq. in *Hook. Lond. Journ. Bot.* iv. (1845) 416 = *Rupertiana*.  
*acuminata*, Ruiz & Pav. *Fl. Per.* i. 32. t. 51. f. a. = *Peruv.*  
*acuminatissima*, Miq. in *Hook. Lond. Journ. Bot.* iv. (1845) 416.—Bras.  
*acutifolia*, C. DC. in *Journ. Bot.* iv. (1866) 142.—Peruv.  
*adscendens*, C. DC. l. c. 140.—Venezuela  
*agapatisensis*, C. DC. in *DC. Prod.* xvi. i. 455.—Mex.  
*Peruv.*



**PEPEROMIA** :—

- aguacatensis, *C. DC. in Linnaea*, xxxvii. (1871-73) 376.—Costa Rica.  
 alata, *Ruiz & Pav. Fl. Per. i. 31. t. 48. f. b.*—Am. trop.  
 alismaefolia, *Presl, Epim. Bot. 222.*—Peruv.  
 alpina, *A. Dietr. Sp. Pl. i. 157.*—Jamaic.  
 alpina, *Griseb. Cat. Pl. Cub. 64 = P. Pseudopereskiaefolia.*  
 alpina, *Mart. & Gal. in Bull. Acad. Brux. x. II. (1843) 19 = quadrifolia.*  
 alsinoides, *A. Dietr. Sp. Pl. i. 168.*—Am. bor.  
 amantlanensis, *C. DC. in Linnaea*, xxxvii. (1871-73) 369.—Mexic.  
 amplexicaulis, *A. Dietr. Sp. Pl. i. 144.*—Jamaic.  
 amplexifolia, *A. Dietr. l. c. 145.*—Jamaic.  
 andinacea, *C. DC. in Journ. Bot. iv. (1866) 134.*—Ecuador.  
 angularis, *C. DC. in DC. Prod. xvi. i. 415.*—Ecuador.  
 angulata, *H. B. & K. Nov. Gen. et Sp. i. 66.*—Venezuela.  
 angustata, *H. B. & K. l. c. 68.*—Venezuela.  
 angustifolia, *C. DC. in DC. Prod. xvi. i. 438, in syn. = Roxburghiana.*  
 antillarum, *C. DC. l. c. 447.*—Cuba.  
 aphylla, *C. DC. l. c. 465.*—N. Granat.  
 arabica, *Decne. ex Miq. Syst. Pip. 121.*—Afr. austr.  
 arboricola, *C. DC. in Linnaea*, xxxvii. (1871-73) 374.—Mexic.  
 argyrea, *Hort.*—Cf. *Gard. Chron. (1865) 934 = seq. ?*  
 argyrea, *E. Morr. in Belg. Hort. xvii. (1867) 2. t. 2.*—Am. austr.  
 arifolia, *Miq. Syst. Pip. 72.*—Bras.  
 asarifolia, *Schlecht. in Linnaea*, v. (1830) 75.—Mexic.  
 atropunctata, *Miq. in Arch. Néerl. vi. (1871) 171; et in Verh. Kon. Acad. Wetensch. II. v. (1871) 233.*—Bras.  
 augescens, *Miq. ll. cc.*—Bras.  
 australis, *Phil. in Linnaea*, xxx. (1859-60) 200 = portulacaefolia.  
 Balansana, *C. DC. in Mém. Soc. Phys. Genève. xxvii. II. (1881) 313.*—Paraguay.  
 bangrooana, *C. DC. in Journ. Bot. iv. (1866) 134.*—Afr. trop.  
 barbarana, *C. DC. in Mém. Soc. Phys. Genève. xxvii. II. (1881) 314.*—Paraguay.  
 Baroni, *Baker, in Journ. Linn. Soc. xx. (1883) 239.*—Madag.  
 basellaefolia, *H. B. & K. Nov. Gen. et Sp. i. 66.*—Peruv.  
 Baueriana, *Miq. Syst. Pip. 120.*—Ins. Norfolk.  
 Belangeri, *C. DC. in DC. Prod. xvi. i. 411.*—Ins. Martinic.  
 Berlandieri, *Miq. Syst. Pip. 158 = reflexa.*  
 Bernieriana, *Miq. l. c. 124.*—Madag.  
 Bernouillii, *C. DC. in Linnaea*, xxxvii. (1871-73) 367.—Guatemala.  
 Berteroana, *Miq. Syst. Pip. 114.*—Ins. J. Fernand.  
 bilineata, *Miq. l. c. 106.*—Java.  
 biuncialis, *H. B. & K. Nov. Gen. et Sp. i. 65.*—N. Granat.  
 blanda, *H. B. & K. l. c. 67.*—Venezuela.  
 blattarum, *A. Dietr. Sp. Pl. i. 150 = Piper blattarum.*  
 Boivinii, *C. DC. in Journ. Bot. iv. (1866) 146.*—Ins. Comor.  
 boliviensis, *C. DC. in DC. Prod. xvi. i. 453.*—Bolivia.  
 borbonensis, *Miq. Syst. Pip. 109.*—Ins. Borbon.  
 Botterii, *C. DC. in Journ. Bot. iv. (1866) 146.*—Mexic.  
 Bourgeani, *C. DC. in Linnaea*, xxxvii. (1871-73) 370.—Mexic.  
 brachyphylla, *Sweet, Hort. Brit. ed. I. 380 = trinervis.*  
 brachystachya, *A. Dietr. Sp. Pl. i. 181.*—Peruv.  
 bracteiflora, *C. DC. in Mém. Soc. Phys. Genève. xxvii. II. (1881) 317.*—Ins. Martinic.  
 brasiliensis, *Miq. in Mart. Fl. Bras. iv. i. 10.*—Bras.  
 brevipes, *C. DC. in DC. Prod. xvi. i. 397.*—Am. trop.  
 caffra, *E. Mey. ex Miq. Syst. Pip. 121 = arabica.*  
 Caldasiana, *C. DC. in Linnaea*, xxxvii. (1871-73) 365 = Martiana.  
 caledonica, *C. DC. in Journ. Bot. iv. (1866) 135.*—N. Caled.  
 campinasana, *C. DC. in Linnaea*, xxxvii. (1871-73) 381.—Bras.  
 campotricha, *Miq. Syst. Pip. 144.*—Mexic.  
 candida, *Miq. l. c. 105.*—Java.  
 Candolleana, *Miq. l. c. 146 (err. typ. 246) = portulacoides.*

**PEPEROMIA** :—

- capensis, *Loud. Hort. Brit. 13 = Piper capense.*  
 cardiophylla, *C. DC. in Journ. Bot. iv. (1866) 141.*—N. Granat.  
 carlosiana, *C. DC. l. c. 140.*—Venezuela.  
 carthaginensis, *C. DC. in Linnaea*, xxxvii. (1871-73) 377.—Costa Rica.  
 casapiana, *C. DC. in Journ. Bot. iv. (1866) 146.*—Peruv.  
 Casaretti, *C. DC. l. c. 141.*—Bras.  
 Casimiri, *Heurck & Muell. Arg. in Heurck, Obs. Bot. 111.*—Ins. Martinic.  
 catharina, *Miq. Syst. Pip. 127.*—Bras.  
 caulibarbis, *Miq. l. c. 98.*—Bras.  
 ceylanica, *Miq. in Hook. Lond. Journ. Bot. v. (1846) 550 = Wightiana.*  
 chachapoyasensis, *C. DC. in DC. Prod. xvi. i. 449.*—Peruv.  
 chilensis, *C. DC. in Journ. Bot. iv. (1866) 144.*—Chili.  
 choroniana, *C. DC. l. c. 141.*—Venezuela.  
 chrysotricha, *Miq. Syst. Pip. 163.*—Peruv.  
 ciliaris, *C. DC. in Journ. Bot. iv. (1866) 144.*—N. Granat.  
 ciliata, *H. B. & K. Nov. Gen. et Sp. i. 68.*—Mexic.  
 ciliata, *Mor. ex C. DC. in DC. Prod. xvi. i. 411 = lanceolato-peltata.*  
 ciliolata, *Miq. in Hook. Lond. Journ. Bot. vi. (1847) 459.*—Mexic.  
 ciliosa, *C. DC. in Journ. Bot. iv. (1866) 144.*—N. Granat.  
 circinnata, *Link, Bot. Jahrb. i. III. (1820) 64.*—Bras.  
 circularis, *Hensch. in Nov. Act. Soc. Sc. Upsal. Ser. III. viii. n. VIII. (1873) 24.*—Bras.  
 claytonioides, *Kunth, Ind. Sem. Hort. Berol. (1847) 11.*—Guatemala.  
 clusiaeifolia, *Hook. Bot. Mag. t. 2943 = obtusifolia.*  
 colorata, *H. B. & K. Nov. Gen. et Sp. i. 64. t. 11.*—N. Granat.  
 columbiana, *Miq. in Hook. Lond. Journ. Bot. iv. (1845) 429.*—N. Granat.  
 Commersonii, *Baill. in Bull. Soc. Linn. Par. i. (1885) 479.*—Madag.  
 concava, *Ruiz & Pav. Fl. Per. i. 31. t. 46. f. C.*—Peruv.  
 concinna, *A. Dietr. Sp. Pl. i. 164.*—Jamaic.  
 congesta, *H. B. & K. Nov. Gen. et Sp. i. 68.*—Peruv.  
 conjugata, *H. B. & K. l. c. 63.*—Peruv.  
 consouquilana, *C. DC. in Linnaea*, xxxvii. (1871-73) 379.—Mexic.  
 convexa, *Miq. Syst. Pip. 107.*—Java.  
 Cookiana, *C. DC. in DC. Prod. xvi. i. 450.*—Ins. Sandvic.  
 corcovadensis, *Gardn. in Hook. Lond. Journ. Bot. i. (1842) 187.*—Bras.  
 cordifolia, *A. Dietr. Sp. Pl. i. 154.*—Jamaic.  
 cordifolia, *Opiz, in Presl, Rel. Haenk. i. 164 = dependens.*  
 cordovana, *C. DC. in Linnaea*, xxxvii. (1871-73) 374.—Mexic.  
 cordulata, *C. DC. in Journ. Bot. iv. (1866) 137.*—Panama.  
 coriacea, *Loud. Hort. Brit. 13.*—Ind. or.  
 Cotyledon, *Benth. Pl. Hartw. 145.*—N. Granat.  
 Coulteri, *C. DC. in DC. Prod. xvi. i. 424.*—Mexic.  
 courtallensis, *Miq. in Hook. Lond. Journ. Bot. v. (1846) 549.*—Ind. or.  
 crystallina, *Ruiz & Pav. Fl. Per. i. 30.*—Peruv.  
 cubana, *C. DC. in DC. Prod. xvi. i. 413.*—Cuba.  
 cubensis, *C. DC. in Journ. Bot. iv. (1866) 142.*—Cuba.  
 cuneata, *Miq. in Hook. Lond. Journ. Bot. iv. (1845) 429.*—Ins. S. Vincent.  
 cuneifolia, *A. Dietr. Sp. Pl. i. 146 = obtusifolia.*  
 cyclophylla, *C. DC. in DC. Prod. xvi. i. 444.*—Peruv.  
 cyclophylla, *Miq. in Mart. Fl. Bras. iv. i. 219.*—Am. trop.  
 dasystachya, *Miq. in Hook. Lond. Journ. Bot. iv. (1845) 416.*—Peruv.  
 Decaisnei, *Miq. Syst. Pip. 133.*—Ins. Borbon.  
 decurrens, *C. DC. in Journ. Bot. iv. (1866) 143.*—Venezuela.  
 defoliata, *C. DC. l. c. 138.*—N. Granat.  
 delicatula, *Hench. in Nov. Act. Soc. Sc. Upsal. Sér. III. viii. n. VIII. (1873) 22.*—Hab. ?  
 demissa, *C. DC. in DC. Prod. xvi. i. 423.*—Venezuela.  
 dendrophila, *Griseb. Cat. Pl. Cub. 64 = guadaloupenensis, alata.*  
 dendrophila, *Schlecht. in Linnaea*, v. (1830) 74.—Mexic.

**PEPEROMIA** :—

- dependens, *Ruiz & Pav. Fl. Per. i. 33. t. 48. f. a.*—Peruv.  
 Deppiana, *Schlecht. & Cham. in Linnaea*, v. (1830) 75.—Mexic.  
 diaphana, *Miq. in Arch. Néerl. vi. (1871) 170; et in Verh. Kon. Acad. Wetensch. II. v. (1871) 232.*—Bras.  
 dichotoma, *Regel, in Bull. Soc. Nat. Mosc. xxxi. (1858) II. 545.*—Bras.  
 diffusa, *C. DC. in Journ. Bot. iv. (1866) 133.*—Venezuela.  
 dindygulensis, *Miq. Syst. Pip. 122.*—Ind. or.  
 discolor, *C. DC. in DC. Prod. xvi. i. 463.*—Jamaic.  
 discolor, *Loud. Hort. Brit. 13.*—Am. austr.  
 dissimilis, *H. B. & K. Nov. Gen. et Sp. i. 67 = blanda.*  
 distachya, *A. Dietr. Sp. Pl. i. 156.*—Am. austr.  
 distachya, *Griseb. Cat. Pl. Cub. 64 = producta, cubensis.*  
 diversifolia, *H. B. & K. Nov. Gen. et Sp. i. 64.*—Peruv.  
 Doelli, *Phil. Fl. Atac. 49.*—Chili.  
 dolabriformis, *H. B. & K. Nov. Gen. et Sp. i. 60. t. 4.*—Peruv.  
 dominicana, *C. DC. in Journ. Bot. iv. (1866) 149.*—Ins. S. Doming.  
 donaguiana, *C. DC. in Linnaea*, xxxvii. (1871-73) 382.—Mexic.  
 drusophila, *C. DC. l. c. 372.*—Mexic.  
 eburnea, *Linden, Cat. n. 87 (1871) 5.*—N. Granat.  
 edulis, *Miq. in Linnaea*, xviii. (1844) 711.—Mexic.  
 elegans, *C. DC. in DC. Prod. xvi. i. 430.*—Peruv.  
 elliptica, *A. Dietr. Sp. Pl. i. 167.*—Ins. Borbon.  
 elliptica, *Link, Bot. Jahrb. i. III. (1820) 64 = mauritiana.*  
 ellipticifolia, *C. DC. in DC. Prod. xvi. i. 463.*—Venezuela.  
 elliptico-rhombea, *C. DC. l. c. 407.*—Peruv.  
 elongata, *H. B. & K. Nov. Gen. et Sp. i. 62.*—Venezuela.  
 elongata, *Miq. in Linnaea*, xx. (1847) 127 = japurensis.  
 emarginata, *Ruiz & Pav. Fl. Per. i. 33. t. 49. f. a.*—Peruv.  
 emarginella, *C. DC. in DC. Prod. xvi. i. 437.*—Ins. Guadaloup.  
 emarginulata, *C. DC. l. c. 433.*—Peruv.  
 Endlicheri, *Miq. Syst. Pip. 102.*—Ins. Norfolk.  
 epidendron, *C. DC. in Linnaea*, xxxvii. (1871-73) 379.—Mexic.  
 Erasmia, *C. DC. in DC. Prod. xvi. i. 397.*—Mexic.  
 Ernstiana, *C. DC. l. c. 422.*—Venezuela.  
 estrellensis, *C. DC. l. c. 421.*—Bras.  
 exigua, *Griseb. Cat. Pl. Cub. 63 = minima.*  
 exigua, *Miq. Syst. Pip. 77.*—Java.  
 exilis, *Griseb. Fl. Brit. W. Ind. 164.*—Ind. occ.  
 exilis, *Miq. in Arch. Néerl. vii. (1871) 169; et in Verh. Kon. Akad. Wetensch. II. v. (1871) 231.*—Bras.  
 Fendleriana, *C. DC. in DC. Prod. xv. i. 460.*—Venezuela.  
 Fenzlei, *Regel, in Act. Hort. Petrop. vi. (1879) 293.*—Hab. ?  
 fernandeziana, *Miq. Syst. Pip. 139.*—Ins. J. Fernand.  
 fernandopoana, *C. DC. in DC. Prod. xvi. i. 397 = seq.*  
 fernandopoiana, *C. DC. in Journ. Bot. iv. (1866) 134.*—Afr. trop.  
 filiformis, *A. Dietr. Sp. Pl. i. 177 = obtusifolia.*  
 filiformis, *Ruiz & Pav. Fl. Per. i. 31. t. 47. f. b.*—Peruv.  
 fimbriata, *Miq. Syst. Pip. 178.*—Bras.  
 flagelliformis, *Hook. f. ex Miq. in Hook. Lond. Journ. Bot. iv. (1845) 423; et in Trans. Linn. Soc. xx. (1846) 181.*—Ins. Galapag.  
 flavesces, *C. DC. in DC. Prod. xvi. i. 436.*—Peruv.  
 flexicaulis, *Wawra, in Oestr. Bot. Zeitschr. xii. (1862) 240; et Bot. Ergeb. Waldem. Reise, 134. t. 19. f. A.*—Bras.  
 foliiflora, *Ruiz & Pav. Fl. Per. i. 30. t. 45. f. c.*—Peruv.  
 foliosa, *H. B. & K. Nov. Gen. et Sp. i. 63.*—N. Granat.  
 fontinalis, *A. Dietr. Sp. Pl. i. 176.*—Bras.  
 fragrans, *C. DC. in Journ. Bot. iv. (1866) 140.*—Venezuela.  
 Fraseri, *C. DC. l. c. 134.*—Ecuador.  
 freireaeifolia, *A. Rich. Tent. Fl. Abyss. ii. 274.*—Abyssin.



## PEPEROMIA:—

- fugax, C. DC. in *Linnaea*, xxxvii. (1871-73) 370.—Mexic.  
 furcata, Opiz, in *Presl, Rel. Haenk.* i. 164.—Peruv.  
 galapagensis, Hook. f. ex *Miq. in Hook. Lond. Journ. Bot.* iv. (1845) 426.—Ins. Galap.  
 Galeottiana, Hook. Ic. Pl. t. 327.—Mexic.  
 Galeottii, *Miq. Syst. Pip.* 190.—Mexic.  
 galioides, H. B. & K. *Nov. Gen. et Sp.* i. 71. t. 17.—N. Granat.  
 Gardneriana, *Miq. Syst. Pip.* 73.—Bras.  
 Gaudichaudii, *Miq. l. c.* 137.—Ins. Sandvic.  
 gemella, *Miq. in Zoll. Syst. Verz. Ind. Archip.* 83, 85.—Java.  
 glabella, A. *Dietr. Sp. Pl.* i. 156.—Jamaic.  
 glabella, Griseb. *Fl. Brit. W. Ind.* 165 = nigro-punctata.  
 glabra, C. DC. in *Journ. Bot.* iv. (1866) 143.—Venezuela.  
 Glaziovii, C. DC. in *Linnaea*, xxxvii. (1871-73) 380.—Bras.  
 globulifera, Parodi, in *Anal. Soc. Cient. Argent.* vi. (1878) 93; *Contrib.* 103.—Paraguay.  
 Goudotii, *Miq. Syst. Pip.* 133.—Ins. Borbon.  
 grandifolia, A. *Dietr. Sp. Pl.* i. 166 = Piper subpeltatum.  
 Grisebachii, C. DC. in *Linnaea*, xxxvii. (1871-73) 382.—Ind. occ.  
 guadalupensis, C. DC. in *Journ. Bot.* iv. (1866) 139.—Mexic.  
 guayaquilensis, C. DC. in *DC. Prod.* xvi. i. 400.—Ecuador.  
 Guildingiana, A. *Dietr. Sp. Pl.* i. 162 = scandens.  
 Haenkeana, Opiz, in *Presl, Rel. Haenk.* i. 162.—Peruv.  
 Hahnii, C. DC. in *Linnaea*, xxxvii. (1871-73) 368.—Ins. Martinic.  
 Hamiltoniana, *Miq. in Hook. Lond. Journ. Bot.* iv. (1845) 417.—Jamaic.  
 Hartwegiana, *Miq. l. c.* 425.—N. Granat.  
 Haworthiana, A. *Dietr. Sp. Pl.* i. 171.—Ind. or.?  
 Haworthii, Sweet, *Hort. Brit. ed. II.* 482 = praec.  
 Haycockii, C. DC. in *DC. Prod.* xvi. i. 404.—Zeylan.  
 hederacea, *Miq. in Mart. Fl. Bras.* iv. i. 20.—Bras.  
 hemionitidifolia, Ham. *Prod. Pl. Ind. Occ.* 2.—Ins. S. Doming.  
 Herminieri, C. DC. in *Mém. Soc. Phys. Génér.* xxvii. ii. (1881) 316.—Ins. Guadeloup.  
 hernandiaefolia, A. *Dietr. Sp. Pl.* i. 157; *Miq. Syst. Pip.* 72.—Ind. occ.  
 hernandiaefolia, Griseb. *Fl. Brit. W. Ind.* 166; *Cat. Pl. Cub.* 64 = Ponthieu.  
 Hesperomannii, Wawra, in *Flora*, lviii. (1875) 227.—Ins. Sandvic.  
 heterophylla, Griseb. ex C. DC. in *DC. Prod.* xvi. i. 456 = agapatis.  
 heterophylla, *Miq. in Hook. Lond. Journ. Bot.* iv. (1845) 415.—Peruv.  
 heterostachya, A. *Dietr. Sp. Pl.* i. 717 (Index).—Peruv.  
 Heyneana, *Miq. Syst. Pip.* 123.—Ind. or.  
 Heyneana, Wight, Ic. t. 1922 = dindigulensis.  
 Hilariana, *Miq. Syst. Pip.* 89.—Bras.  
 hircina, C. DC. in *DC. Prod.* xvi. i. 415.—Ins. Borbon.  
 hirsuta, *Miq. Syst. Pip.* 143.—Bras.  
 hirta, Balf. f. in *Journ. Linn. Soc.* xvi. (1877) 20.—Ins. Rodriguez.  
 hirta, C. DC. in *DC. Prod.* xvi. i. 412.—Cuba.  
 hirtella, Griseb. *Cat. Pl. Cub.* 64 = hirta, C. DC.  
 hirtella, *Miq. in Hook. Lond. Journ. Bot.* iv. (1845) 414.—Ins. Dominic.  
 hispidula, A. *Dietr. Sp. Pl.* i. 165.—Ind. occ.  
 Hoffmannii, C. DC. in *Journ. Bot.* iv. (1866) 133.—Costa Rica.  
 huatoscoana, C. DC. in *Linnaea*, xxxvii. (1871-73) 383.—Mexic.  
 humilis, A. *Dietr. Sp. Pl.* i. 168.—Ins. S. Crucis.  
 hydrocotyloides, *Miq. in Linnaea*, xx. (1847) 118. t. 1. f. 1.—Bras.  
 hymenophylla, *Miq. Syst. Pip.* 78 = exigua.  
 hypoleuca, *Miq. l. c.* 136.—Ins. Sandvic.  
 inaequalifolia, Ruiz & Pav. *Fl. Per.* i. 30. t. 46. f. a.—Peruv.  
 incana, A. *Dietr. Sp. Pl.* i. 166.—Bras.  
 increscens, *Miq. in Linnaea*, xx. (1847) 124 = Langsdorffii.  
 insularum, *Miq. in Hook. Lond. Journ. Bot.* iv. (1845) 422.—Ins. Sandvic.  
 ionophylla, Griseb. in *Mem. Am. Acad. N. S.* viii. (1861) 175.—Ind. occ.; Venezuela.

VOL. II.

## PEPEROMIA:—

- Jamesoni, Regel, in *Bull. Soc. Nat. Mosc.* xxxi. (1858) ii. 544.—Ecuador.  
 Jamesoniana, C. DC. in *Journ. Bot.* iv. (1866) 137; in *DC. Prod.* xvi. i. 412.—Ecuador.  
 japurensis, C. DC. in *DC. Prod.* xvi. i. 407.—Bras.  
 jarisiana, C. DC. in *Linnaea*, xxxvii. (1871-73) 382.—Costa Rica.  
 javanica, *Miq. Pl. Fungh.* 15.—Java.  
 Junghuhniana, *Miq. l. c.*—Java.  
 Klotzschiana, *Miq. Syst. Pip.* 145.—Peruv.  
 Knobleriana, Schott, in *Bot. Zeit.* ix. (1851) 225 = Verhuelia Knobleriana.  
 kravangensis, *Miq. Syst. Pip.* 108.—Java.  
 Kuhlana, *Miq. l. c.* 104.—Java.  
 Kunthiana, C. DC. in *DC. Prod.* xvi. i. 464.—Ecuador.  
 laevifolia, *Miq. Syst. Pip.* 107.—Java.  
 laevis, C. DC. in *Journ. Bot.* iv. (1866) 139.—Venezuela.  
 lanata, A. *Dietr. Sp. Pl.* i. 145 = Piper caninum.  
 lanceolata, C. DC. in *Journ. Bot.* iv. (1866) 145.—Ecuador.  
 lanceolato-peltata, C. DC. l. c. 136.—Costa Rica.  
 lancifolia, Hook. Ic. Pl. t. 332.—Mexic.  
 Langsdorffii, *Miq. Syst. Pip.* 116.—Bras.  
 larecayana, C. DC. in *DC. Prod.* xvi. i. 406.—Bolivia.  
 latifolia, *Miq. Syst. Pip.* 128.—Ins. Sandvic.  
 laxiflora, H. B. & K. *Nov. Gen. et Sp.* i. 63. t. 10.—N. Granat.  
 lenticularis, Parodi, in *Anal. Soc. Cient. Argent.* vi. (1878) 93; *Contrib.* 102.—Paraguay.  
 leptophylla, *Miq. in Linnaea*, xviii. (1844) 712.—Mexic.  
 leptostachya, Chapm. *Fl. S. U. St. Suppl.* 645.—Am. bor.  
 leptostachya, Hook. & Arn. *Bot. Beech. Voy.* 96.—Ins. Sandvic.  
 leuconoura, Hort. Berol. ex C. DC. in *DC. Prod.* xvi. i. 417 = trinervis.  
 Liebmannii, C. DC. in *Linnaea*, xxxvii. (1871-73) 383.—Mexic.  
 lignescens, C. DC. in *Journ. Bot.* iv. (1866) 137.—Costa Rica.  
 linatifolia, Rich. ex C. DC. in *DC. Prod.* xvi. i. 410 = caulibarbis.  
 Lindeniana, *Miq. in Versl. en Med. Kon. Akad. Wetensch.* II. ii. (1868) 59.—Mexic.  
 Lindleyana, *Miq. Syst. Pip.* 147 (err. typ. 247) = Perrottetiana.  
 linearis, C. DC. in *Journ. Bot.* iv. (1866) 145.—Venezuela.  
 lineatipila, A. *Rich. Fl. Cub. Fanerog.* ii. 229.—Cuba.  
 longepedunculata, Opiz, in *Presl, Rel. Haenk.* i. 164.—Peruv.  
 longiflora, Link, ex A. *Dietr. Sp. Pl.* i. 174.—Hab.?  
 longifolia, C. DC. in *DC. Prod.* xvi. i. 405.—Guian.  
 loxensis, H. B. & K. *Nov. Gen. et Sp.* i. 70.—Ecuador.  
 lunaria, Ham. *Prod. Pl. Ind. Occ.* 2.—Ins. S. Doming.  
 lunaris, A. *Dietr. Sp. Pl.* i. 167 = praec.  
 Lundii, C. DC. in *Linnaea*, xxxvii. (1871-73) 367.—Bras.  
 Lyalli, C. DC. in *Journ. Bot.* iv. (1866) 140.—Madag.  
 Macraeana, C. DC. l. c. 145.—Ins. Sandvic.  
 macropoda, *Miq. in Linnaea*, xx. (1847) 128.—Bras.  
 macrorhiza, H. B. & K. *Nov. Gen. et Sp.* i. 72.—Peruv.  
 macrostachya, A. *Dietr. Sp. Pl.* i. 149.—Guian.  
 macrothyrsa, *Miq. in Hook. Lond. Journ. Bot.* iv. (1845) 419.—Peruv.  
 maculosa, Hook. *Exot. Fl.* t. 92.—Ins. S. Doming.  
 madagascariensis, C. DC. in *DC. Prod.* xvi. i. 448.—Madag.  
 magnoliaefolia, A. *Dietr. Sp. Pl.* i. 153 = tithymalioides.  
 major, C. DC. in *DC. Prod.* xvi. i. 432 = hederacea.  
 mandiocana, *Miq. in Linnaea*, xx. (1847) 125.—Bras.  
 Mandonii, C. DC. in *DC. Prod.* xvi. i. 395.—Bolivia.  
 Mannii, Hook. f. in *Journ. Linn. Soc.* vii. (1864) 217.—Afr. trop.  
 margaritifera, Bert. ex Hook. Ic. Pl. t. 91.—Ins. J. Fernand.  
 marginata, *Miq. Syst. Pip.* 129.—Ins. Borbon.  
 mariannensis, C. DC. in *DC. Prod.* xvi. i. 442.—Ins. Marian.  
 maribiana, C. DC. l. c. 428.—Bras.

## PEPEROMIA:—

- marmorata, Hook. f. *Bot. Mag.* t. 5568.—Bras.  
 Martiana, *Miq. in Arch. Néerl.* iv. (1871) 173 = caldesiana.  
 Martiana, *Miq. Syst. Pip.* 189.—Bras.  
 mascharena, C. DC. in *Journ. Bot.* iv. (1866) 135.—Madag.  
 Mathewsiana, *Miq. in Hook. Lond. Journ. Bot.* iv. (1845) 423.—Peruv.  
 Mathewsii, C. DC. in *Journ. Bot.* iv. (1866) 144.—Peruv.  
 matlalucaensis, C. DC. in *Linnaea*, xxxviii. (1871-73) 375.—Mexic.  
 mauritiana, Wawra, in *Flora*, lviii. (1875) 225.—Ins. Sandvic.  
 mauritiana, A. *Dietr. Sp. Pl.* i. 171.—Ins. Maurit.  
 maypurensis, H. B. & K. *Nov. Gen. et Sp.* i. 66.—Venezuela.  
 melanostigma, *Miq. Syst. Pip.* 90.—Costa Rica.  
 membranacea, Hook. & Arn. *Bot. Beech. Voy.* 96.—Ins. Sandvic.  
 membranacea, *Miq. Syst. Pip.* 120 = mariannensis.  
 Menkeana, *Miq. in Linnaea*, xx. (1847) 124 = galioides.  
 metapalcoensis, C. DC. in *DC. Prod.* xvi. i. 416 = rotundifolia.  
 mexicana, *Miq. Syst. Pip.* 75.—Mexic.  
 microphylla, H. B. & K. *Nov. Gen. et Sp.* i. 69.—N. Granat.  
 minensis, Hensch. in *Nov. Act. Soc. Sc. Upsal.* Ser. III. viii. n. viii. (1873) 29.—Bras.  
 minima, C. DC. in *DC. Prod.* xvi. i. 399.—Cuba.  
 Miqueliana, C. DC. in *Journ. Bot.* iv. (1866) 138.—Ecuador.  
 Miqueliana, Griseb. *Cat. Pl. Cub.* 63 = metapalcoensis.  
 miradoresiana, C. DC. in *DC. Prod.* xvi. i. 395.—Mexic.  
 Moerenhoutii, C. DC. l. c. 458.—Ins. Tahiti.  
 mollis, H. B. & K. *Nov. Gen. et Sp.* i. 65.—N. Granat.  
 Monini, C. DC. in *DC. Prod.* xvi. i. 444.—Ins. Borbon.  
 monostachya, Ruiz & Pav. *Fl. Per.* i. 33.—Peruv.  
 monsterifolia, Griseb. *Cat. Pl. Cub.* 64 = septuplinervia.  
 montana, C. DC. in *DC. Prod.* xvi. i. 426.—Peruv.  
 monticola, Hook. f. in *Journ. Linn. Soc.* vii. (1864) 217.—Afr. trop.  
 monticola, *Miq. Syst. Pip.* 71.—Mexic.  
 Moritzii, C. DC. in *DC. Prod.* xvi. i. 420.—Venezuela.  
 moulmeiniana, C. DC. in *Journ. Bot.* iv. (1866) 140.—Burma.  
 Muellieri, C. DC. in *Linnaea*, xxxvii. (1871-73) 366.—Mexic.  
 multiplex, Lepr. ex C. DC. in *DC. Prod.* xvi. i. 406 = longifolia.  
 muscophila, C. DC. in *Journ. Bot.* iv. (1866) 133.—Mexic.  
 muscosa, Link, *Bot. Jahrb.* i. III. 64 (1820).—Bras.  
 myosuroides, A. *Dietr. Sp. Pl.* i. 157.—Guian.  
 Myosurus, Willd. ex A. *Dietr. l. c.* 160 = scandens.  
 myriocarpa, *Miq. in Linnaea*, xx. (1847) 128 = mari-biana.  
 myriocarpa, *Miq. Syst. Pip.* 185.—Bras.  
 myrtifolia, A. *Dietr. Sp. Pl.* i. 147; *Miq. Syst. Pip.* 92.—Ins. S. Crucis.  
 Myrtillus, *Miq. l. c.* 154.—Venezuela.  
 nana, C. DC. in *Journ. Bot.* iv. (1866) 135.—Ins. Comoro.  
 naraugoana, C. DC. in *Linnaea*, xxxvii. (1871-73) 378.—Costa Rica.  
 nematostachya, Link, *Bot. Jahrb.* i. III. (1820) 63.—Bras.  
 nemorosa, C. DC. in *DC. Prod.* xvi. i. 415.—Jamaic.  
 nemostachya, A. *Dietr. Sp. Pl.* i. 156 = nematostachya.  
 nervoso-venosa, *Miq. Syst. Pip.* 104.—Java.  
 nigro-punctata, *Miq. l. c.* 188.—Ins. Martinic.  
 nivalis, *Miq. l. c.* 112.—Peruv.  
 nuda, C. DC. in *Linnaea*, xxxvii. (1871-73) 386.—Bras.  
 nummularifolia, H. B. & K. *Nov. Gen. et Sp.* i. 66.—Am. trop.  
 nummularioides, Griseb. in *Goett. Abh.* vi. (1854) 132.—Chili.  
 oahuensis, C. DC. in *DC. Prod.* xvi. i. 422.—Ins. Sandvic.  
 obcordata, Presl, *Epim. Bot.* 223.—Peruv.  
 obliqua, Ruiz & Pav. *Fl. Per.* i. 32. t. 51. f. c.—Peruv.  
 obtusifolia, A. *Dietr. Sp. Pl.* i. 154.—Am. trop.  
 obtusifolia, A. *Dietr. l. c.*, partim = magnoliaefolia.

3 U



**PEPEROMIA:—**

*obtusifolia*, Miq. in Hook. Lond. Journ. Bot. iv. (1845) 429 = emarginulata.  
*obversa*, A. Dietr. Sp. Pl. i. 173; Griseb. Fl. Brit. W. Ind. 168.—Ind. occ.  
*obversa*, C. DC. in DC. Prod. xvi. i. 415 = Grisebachii.  
*Oerstedii*, C. DC. in Linnaea, xxxvii. (1871-73) 375.—Costa Rica.  
*oleracea*, Poepp. ex Miq. in Mart. Fl. Bras. iv. i. 10 = pellucida.  
*olivacea*, C. DC. in Journ. Bot. iv. (1866) 146.—Costa Rica.  
*Opiziana*, A. Dietr. Sp. Pl. i. 162 = dependens.  
*orbicularis*, C. DC. in DC. Prod. xvi. i. 465.—Bras.  
*orbiculata*, A. Dietr. Sp. Pl. i. 180.—Am. bor.  
*oreophila*, Hensch. in Nov. Act. Soc. Sc. Upsal. Ser. III. viii. n. 8 (1873) 28.—Bras.  
*Ottomaniana*, Kunth, ex Miq. Syst. Pip. 100.—Mexic.  
*ovalifolia*, Hook. Exot. Fl. t. 165.—Ins. S. Vincent.  
*ovato-peltata*, C. DC. in Journ. Bot. iv. (1866) 132.—Costa Rica.  
*oxycarpa*, C. DC. in Linnaea, xxxvii. (1871-73) 377.—Mexic.  
*pachyphylla*, Miq. Syst. Pip. 137.—Ins. Sandvic.  
*pallens*, H. B. & K. Nov. Gen. et Sp. i. 69.—N. Granat.  
*pallenscens*, Miq. in Hook. Lond. Journ. Bot. vi. (1847) 460 [bis].—Guatemala.  
*pallida*, A. Dietr. Sp. Pl. i. 153.—Ins. Societ.  
*pallida*, Seem. Fl. Vit. 259 = vitiana.  
*paniculata*, Regel, in Bull. Soc. Nat. Mosc. xxxi. (1858) II. 542.—Bras.  
*papantlacensis*, C. DC. in Linnaea, xxxvii. (1871-73) 366.—Mexic.  
*paraguayensis*, Parodi, in Anal. Soc. Cient. Argent. vi. (1878) 94; Contrib. 104.—Paraguay.  
*parasitica*, C. DC. in DC. Prod. xvi. i. 421.—Ecuador.  
*Parkeriana*, Miq. in Hook. Lond. Journ. Bot. iv. (1845) 427.—Guian.  
*parnassiaefolia*, Miq. in Linnaea, xx. (1847) 119.—Bras.  
*parvifolia*, C. DC. in Journ. Bot. iv. (1866) 133.—Peruv.; Boliv.  
*patula*, C. DC. l. c. 139.—Venezuela.  
*Favoniana*, C. DC. in DC. Prod. xvi. i. 460.—Peruv.  
*pedunculata*, C. DC. in Journ. Bot. iv. (1866) 146.—Ins. Borbon.  
*peepuloides*, A. Dietr. Sp. Pl. i. 145 = Piper peepuloides.  
*pellucida*, H. B. & K. Nov. Gen. et Sp. i. 64.—Am. et Afr. trop.  
*peltata*, A. Dietr. Sp. Pl. i. 142 = Piper peltatum.  
*peltoides*, H. B. & K. Nov. Gen. et Sp. i. 61. t. 7.—Venezuela.  
*pendula*, Willd. ex Schult. Mant. i. 372 (Index).—Am. merid.  
*penninervia*, Baker, Fl. Maurit. 298.—Ins. Mascar.  
*peplodes*, H. B. & K. Nov. Gen. et Sp. i. 69.—Ecuador.  
*pereskiaefolia*, H. B. & K. l. c. 68.—Venezuela.  
*perforata*, Opiz, in Presl, Rel. Haenk. i. 162.—Mexic.  
*pernambucensis*, Miq. in Hook. Lond. Journ. Bot. iv. (1845) 420.—Bras.  
*Perrottetiana*, Miq. Syst. Pip. 146.—Ins. Maurit.  
*Perrottetiana*, Sieber, ex C. DC. in DC. Prod. xvi. i. 441 = marginata.  
*petiolaris*, C. DC. in Journ. Bot. iv. (1866) 138.—Costa Rica.  
*petiolata*, Hook. f. in Trans. Linn. Soc. xx. (1846) 181.—Ins. Galap.  
*petrophila*, C. DC. in Linnaea, xxxvii. (1871-73) 369.—Mexic.  
*phyllantha*, Opiz, in Presl, Rel. Haenk. i. 162 = foliiflora.  
*Pichinchae*, C. DC. in Journ. Bot. iv. (1866) 144.—Ecuador.  
*pilosa*, Ruiz & Pav. Fl. Per. i. 32. t. 50. f. a.—Peruv.  
*pilosula*, C. DC. in Linnaea, xxxvii. (1871-73) 378.—Bras.  
*piperea*, C. DC. in Journ. Bot. iv. (1866) 143.—Guian.  
*plantaginifolia*, Opiz, in Presl, Rel. Haenk. i. 164 = Piper chilense.  
*plicata*, Opiz, l. c. 163.—Mexic.  
*Poeppigii*, Miq. Syst. Pip. 84.—Peruv.  
*polybotrya*, H. B. & K. Nov. Gen. et Sp. i. 60.—Peruv.

**PEPEROMIA:—**

*polystachya*, Hook. Exot. Fl. t. 23.—Ind. occ.  
*Ponthieui*, Miq. Syst. Pip. 186.—Ind. occ.  
*portobellensis*, Beurl. in Vet. Akad. Handl. Stockh. 1854 (1856) 147.—Panama.  
*portulacaefolia*, H. B. & K. Nov. Gen. et Sp. i. 70.—Peruv.  
*portulacoides*, A. Dietr. Sp. Pl. i. 172.—Ins. Maurit.  
*procumbens*, C. DC. in Journ. Bot. iv. (1866) 141.—Peruv.  
*producta*, Griseb. Fl. Brit. W. Ind. 166.—Ind. occ.  
*prostrata*, Hort. Williams, ex Gard. Chron. (1879) I. 716; et in Illustr. Hort. xxvi. (1879) 113.—N. Granat.?  
*pruinosa*, Kunth, Syn. Pl. Aequin. i. 124 = Piper peltatum.  
*Pseudoamplexicaulis*, C. DC. in DC. Prod. xvi. i. 432.—Mexic.  
*Pseudodependens*, C. DC. in Journ. Bot. iv. (1866) 137.—Venezuela.  
*Pseudodindygulensis*, C. DC. in Mém. Soc. Phys. Genève, xxvii. II. (1881) 307.—Paraguay.  
*Pseudofurcata*, C. DC. in DC. Prod. xvi. i. 399.—Peruv.  
*Pseudopeltoides*, C. DC. l. c. 434.—Venezuela.  
*Pseudopereskiaefolia*, C. DC. l. c. 448.—Cuba.  
*Pseudorhombea*, C. DC. l. c. 440.—Zeylan.  
*Pseudorhynchophoron*, C. DC. l. c. 425.—Peruv.  
*Pseudovariegata*, C. DC. l. c. 428.—N. Granat.  
*pteroaulis*, Miq. Syst. Pip. 86 = alata.  
*puberula*, Baker, in Saund. Refug. Bot. t. 302.—Guatemala.  
*pubescens*, Ruiz & Pav. Fl. Per. i. 31.—Peruv.  
*pubifolia*, Hort. Veitch, in Proc. Hort. Soc. v. (1865) 143.—Hab.?  
*pulchella*, A. Dietr. Sp. Pl. i. 177.—Jamaic.  
*pulicaris*, Opiz, in Presl, Rel. Haenk. i. 162. t. 30. f. 1 = scandens.  
*pumila*, Opiz, l. c. 163. t. 30. f. 3.—Peruv.  
*punctulata*, Regel, in Bull. Soc. Nat. Mosc. xxxi. (1858) II. 543.—Bras.  
*purpurascens*, C. DC. in DC. Prod. xvi. i. 417.—Ins. Sandvic.  
*purpurascens*, Mor. ex C. DC. l. c. 420 = trinervula.  
*purpurea*, Ruiz & Pav. Fl. Per. i. 32. t. 49. f. b.—Peruv.  
*purpurella*, C. DC. in DC. Prod. xvi. i. 414.—Venezuela.  
*pyrifolia*, Humb. & Bonpl. in Pl. Aequin. i. 61.—Mexic.  
*quadrangularis*, A. Dietr. Sp. Pl. i. 169.—Ins. Trinit.  
*quadrangularis*, Griseb. Fl. Brit. W. Ind. 168 = muscosa.  
*quadrifolia*, H. B. & K. Nov. Gen. et Sp. i. 69.—Am. trop.  
*quadrifolia*, Miq. in Linnaea, xx. (1847) 571 = trinervia.  
*quadrifolia*, Mus. Par. ex Miq. Syst. Pip. 169 = reflexa.  
*quaternata*, Miq. in Seem. Bot. Voy. Herald, 197.—Panama.  
*quintuplinervia*, C. DC. in DC. Prod. xvi. i. 470 (Index) = Pichinchae?  
*quitensis*, Benth. Pl. Hartw. 253 = blanda.  
*quitensis*, Miq. in Hook. Lond. Journ. Bot. iv. (1845) 421 = ciliata.  
*radicans*, C. DC. in Mém. Soc. Phys. Genève, xxvii. II. (1881) 308.—Paraguay.  
*ramulosa*, Anderss. in Vet. Akad. Handl. Stockh. 1853 (1855) 158.—Ins. Galap.  
*recurvata*, Miq. Syst. Pip. 141.—Java.  
*reflexa*, A. Dietr. Sp. Pl. i. 180.—Ind. occ.; Afr. austr.  
*reflexa*, H. B. & K. Nov. Gen. et Sp. i. 70 = fontinalis.  
*Regelii*, C. DC. in DC. Prod. xvi. i. 455.—Bras.  
*Regnelliana*, C. DC. in Linnaea, xxxvii. (1871-73) 381.—Bras.  
*Regnelliana*, Miq. in Arch. Néerl. vi. (1871) 173; et in Verh. Kon. Akad. Wetensch. II. v. (1871) 235.—Bras.  
*Reinwardtiana*, Miq. Syst. Pip. 141.—Borneo.  
*reniformis*, A. Dietr. Sp. Pl. i. 162 = Verhuellia elegans.  
*reniformis*, Hook. Exot. Fl. t. 164 = scandens.  
*repens*, H. B. & K. Nov. Gen. et Sp. i. 65 = scandens.  
*reptans*, C. DC. in Journ. Bot. iv. (1866) 141.—N. Granat.  
*resedaceflora*, Linden & André, Illustr. Hort. xvii. (1870) t. 26.—N. Granat.

**PEPEROMIA:—**

*reticulata*, Balf. f. in Journ. Linn. Soc. xvi. (1877) 21; et in Baker, Fl. Maurit. 297.—Ins. Mascar.  
*retusa*, A. Dietr. Sp. Pl. i. 155.—Afr. austr.  
*rhexiaefolia*, Mor. ex C. DC. in DC. Prod. xvi. i. 460.—Venezuela.  
*rhombea*, Ruiz & Pav. Fl. Per. i. 31. t. 46. f. c.—Peruv.  
*rhomboidea*, Hook. & Arn. Bot. Beech. Voy. 70.—Ins. Societ.  
*Riedeliana*, Regel, Ind. Sem. Hort. Petrop. (1858) 35; et in Gartenfl. (1859) 229. t. 265.—Bras.  
*rigida*, Parodi, in Anal. Soc. Cient. Argent. vi. (1878) 94; Contrib. 104.—Paraguay.  
*rodriguesiana*, Balf. f. in Journ. Linn. Soc. xvi. (1877) 21.—Ins. Mascar.  
*Rodriguesi*, Balf. f. in Phil. Trans. clxviii. (1879) 370 = praec.  
*Rollingo*, Link, Bot. Jahrb. i. III. (1820) 65.—Hab.?  
*rostrata*, A. Dietr. Sp. Pl. i. 153.—Ins. Molucc.  
*rotundata*, H. B. & K. Nov. Gen. et Sp. i. 67. t. 12.—N. Granat.  
*rotundifolia*, Griseb. Cat. Pl. Cub. 63 = circinata.  
*rotundifolia*, H. B. & K. Nov. Gen. et Sp. i. 65 = nummularifolia.  
*rotundifolia*, Schlecht. & Cham. in Linnaea, vi. (1831) 353.—Mexic.  
*Roxburghiana*, A. Dietr. Sp. Pl. i. 144.—Malaya.  
*rubella*, Hook. Exot. Fl. t. 58.—Am. austr.  
*rubella*, Hook. & Arn. ex C. DC. in DC. Prod. xvi. i. 380 = Piper purpurascens.  
*rubrioides*, H. B. & K. Nov. Gen. et Sp. i. 70.—Mexic.  
*rubricaulis*, A. Dietr. Sp. Pl. i. 182 = pereskiaefolia.  
*rubrinodis*, Kunth & Bouché, Ind. Sem. Hort. Berol. (1848) 12.—Guatemala.  
*rufescens*, C. DC. in DC. Prod. xvi. i. 416.—Peruv.  
*Rupertiana*, C. DC. l. c. 413.—Ins. Dominic.  
*rupestris*, H. B. & K. Nov. Gen. et Sp. i. 62.—Mexic.  
*rupestris*, Miq. in Linnaea, xx. (1847) 127 = nematostachya.  
*rupestris*, Miq. Syst. Pip. 183, partim = distachya.  
*ruscifolia*, H. B. & K. Nov. Gen. et Sp. i. 63.—Venezuela.  
*saligna*, H. B. & K. l. c. 62.—N. Granat.  
*san-carlosiana*, C. DC. in Journ. Bot. iv. (1866) 138.—Venezuela.  
*Sandersii*, C. DC. in DC. Prod. xvi. i. 400.—Bras.  
*sandwicensis*, Miq. Syst. Pip. 126.—Ins. Sandvic.  
*san-joseana*, C. DC. in Linnaea, xxxvii. (1871-73) 372.—Costa Rica.  
*sarmentosa*, A. Dietr. Sp. Pl. i. 161 = Piper sarmentosum.  
*saxatilis*, A. Dietr. l. c. 178.—Reg. Himal.  
*scandens*, Ruiz & Pav. Fl. Per. i. 32. t. 51. f. b.—Peruv.  
*Schiedeana*, Schlecht. in Linnaea, vii. (1832) 138 = tenerima.  
*Schneepeana*, Parodi, in Anal. Soc. Cient. Argent. vi. (1878) 95; Contrib. 104.—Paraguay.  
*Schomburgkii*, C. DC. in DC. Prod. xvi. i. 395.—Guiana.  
*scutata*, A. Dietr. Sp. Pl. i. 143 = Piper peltatum.  
*scutellaefolia*, Ruiz & Pav. Fl. Per. i. 29. t. 44. f. b.—Peruv.  
*secunda*, Ruiz & Pav. l. c. 30. t. 45. f. a.—Peruv.  
*Seemanniana*, Miq. in Seem. Bot. Voy. Herald, 198. t. 37.—Panama.  
*Sellowiana*, Miq. Syst. Pip. 161 = Deppeana.  
*semiruensis*, C. DC. in DC. Prod. xvi. i. 467.—Malaya.  
*septemnervis*, Ruiz & Pav. Fl. Per. i. 31. t. 47. f. c.—Peruv.  
*septuplinervia*, C. DC. in Journ. Bot. iv. (1866) 142.—Cuba.  
*serpens*, C. DC. l. c. 136.—N. Granat.  
*serpens*, Griseb. Cat. Pl. Cub. 63 = subrotundifolia.  
*serpens*, Loud. Hort. Brit. 13 = Verhuellia serpens.  
*serpentarioides*, Miq. in Linnaea, xx. (1847) 120.—Bras.  
*serpyllifolia*, A. Dietr. Sp. Pl. i. 174.—Ins. Maurit.  
*sessilifolia*, Humb. & Bonpl. ex Schult. Mant. i. 372 (Index).—Am. austr.  
*sidaefolia*, A. Dietr. Sp. Pl. i. 141 = Piper subpeltatum.  
*simplex*, Ham. Prod. Pl. Ind. Occ. 2.—Jamaic.  
*spathulata*, Ham. l. c.—Jamaic.  
*speciosa*, Kunth, Syn. Pl. Aequin. i. 124 = Piper peltatum.  
*spectabilis*, Miq. in Hook. Lond. Journ. Bot. iv. (1845) 417.—Peruv.



**PEPEROMIA** :—

- Spruceana, *Benth. ex C. DC. in DC. Prod.* xvi. i. 402.—Bras.  
 Sprucei, *C. DC. in Journ. Bot.* iv. (1866) 133.—Peruv.  
 stelechophila, *C. DC. in DC. Prod.* xvi. i. 433.—Ecuador.  
 stellata, *A. Dietr. Sp. Pl.* i. 175.—Jamaic.  
 stenocarpa, *Regel, Ind. Sem. Hort. Petrop.* (1858) 36; *et Gartenfl.* (1859) 291. t. 271.—Bras.  
 stolonifera, *H. B. & K. Nov. Gen. et Sp.* i. 71.—N. Granat.  
 striata, *Ruiz & Pav. Fl. Per.* i. 32. t. 52. f. b.—Peruv.  
 suaveolens, *Ham. Prod. Pl. Ind. Occ.* 2.—Cuba.  
 subpeltata, *C. DC. in Journ. Bot.* iv. (1866) 136.—Ecuador.  
 subpeltata, *A. Dietr. Sp. Pl.* i. 144 = *Piper subpeltatum*.  
 subrotunda, *A. Dietr. l. c.* 154 = *magnoliaefolia*.  
 subrotundifolia, *C. DC. in Journ. Bot.* iv. (1866) 136.—Cuba.  
 subsessilifolia, *C. DC. in Linnaea*, xxxvii. (1871-73) 375.—Bras.  
 subvillosa, *C. DC. Heurck & Muell. Arg. in Heurck, Obs. Bot.* 113.—Ins. Martinic.  
 succulenta, *C. DC. in Journ. Bot.* iv. (1866) 142.—Venezuela.  
 sumidoriensis, *C. DC. in DC. Prod.* xvi. i. 435.—Bras.  
 surinamensis, *C. DC. l. c.* 408.—Guian.  
 Swartziana, *Miq. Syst. Pip.* 155; *Griseb. Fl. Brit. W. Ind.* 166 = *obtusifolia*.  
 sylvatica, *C. DC. in DC. Prod.* xvi. i. 435.—Peruv.  
 sylvestris, *C. DC. in Journ. Bot.* iv. (1866) 142.—Ecuador.  
 talinifolia, *H. B. & K. Nov. Gen. et Sp.* i. 62. t. 8.—N. Granat.  
 talinifolia, *Link, Bot. Jahrb.* i. III. (1820) 64 = *amplexifolia*.  
 tanalensis, *Baker, in Journ. Bot.* xx. (1882) 244.—Madag.  
 tarapotana, *C. DC. in Journ. Bot.* iv. (1866) 137.—Peruv.  
 tenella, *A. Dietr. Sp. Pl.* i. 153.—Jamaic.  
 tenera, *Miq. in Mart. Fl. Bras.* iv. i. 19 = *hispidula*.  
 tenerima, *Schlecht. & Cham. in Linnaea*, vi. (1831) 353.—Mexic.  
 tenuiflora, *Opiz, in Presl, Rel. Haenk.* i. 163.—Mexic.  
 tenuifolia, *C. DC. in Linnaea*, xxxvii. (1871-73) 371.—Costa Rica.  
 tetragona, *Ruiz & Pav. Fl. Per.* i. 31. t. 47. f. a.—Peruv.  
 tetraphylla, *Hook. & Arn. Bot. Beech. Voy.* 96 = *reflexa*.  
 thrichocarpa, *C. DC. in DC. Prod.* xvi. i. 455, sphalm. = *trichocarpa*.  
 Thwaitesii, *C. DC. l. c.* 448 = *dindygulensis*.  
 tithymaloïdes, *A. Dietr. Sp. Pl.* i. 152.—Am. trop.  
 tlapacoyoënsis, *C. DC. in Linnaea*, xxxvii. (1871-73) 376.—Mexic.  
 tomentosa, *A. Dietr. Sp. Pl.* i. 172.—Java.  
 tovariana, *C. DC. in DC. Prod.* xvi. i. 404.—Venezuel.  
 transparens, *Miq. in Linnaea*, xx. (1847) 121.—Bras.  
 Trianae, *C. DC. in Journ. Bot.* iv. (1866) 135.—N. Granat.  
 tricarinata, *A. Dietr. Sp. Pl.* i. 181.—Ind. occ.  
 trichocarpe, *Miq. Syst. Pip.* 176.—Bras.  
 trichophylla, *Baker, in Journ. Linn. Soc.* xxi. (1885) 436.—Madag.  
 trifolia, *A. Dietr. Sp. Pl.* 173.—Guian.  
 trinervia, *Miq. ex C. DC. in DC. Prod.* xvi. i. 470 (Index) = *trineura*.  
 trinervis, *Ruiz & Pav. Fl. Per.* i. 32. t. 50. f. b.—Peruv.  
 trinervula, *C. DC. in DC. Prod.* xvi. i. 420.—Venezuel.  
 trinervula, *Miq. Syst. Pip.* 175.—Bras.  
 tristachya, *H. B. & K. Nov. Gen. et Sp.* i. 61. t. 6.—N. Granat.  
 tristachya, *Opiz, in Presl, Rel. Haenk.* i. 163 = *heterostachya*.  
 tuberosa, *Opiz, l. c.* 164.—Mexic.  
 turalvensis, *C. DC. in Linnaea*, xxxvii. (1871-73) 380.—Costa Rica.  
 umbellata, *Kunth, Syn. Pl. Aequin.* i. 124 = *Piper umbellatum*.  
 umbellata, *Miq. in Hook. Lond. Journ. Bot.* iv. (1845) 427.—Peruv.

**PEPEROMIA** :—

- umbilicata, *Ruiz & Pav. Fl. Per.* i. 30. t. 45. f. b.—Mexic.; Peruv.  
 undenivervia, *C. DC. in DC. Prod.* xvi. i. 441.—Peruv.  
 unguiculata, *Steud. Nom. ed. II.* ii. 341, in syn., sphalm. = *umbilicata*.  
 urocarpa, *Fisch. & Mey. Ind. Sem. Hort. Petrop.* iv. 42.—Bras.  
 Urvilleana, *A. Rich. Bot. Voy. Astrolab.* 356 = *Indlicheri*.  
 Vahlia, *A. Dietr. Sp. Pl.* i. 169.—Hab. ?  
 valantoides, *Miq. Syst. Pip.* 174 = *reflexa*.  
 Vanheurckii, *C. DC. ex C. DC. Huerck & Muell. Arg. in Heurck, Obs. Bot.* 116.—Ins. Martinic.  
 variegata, *Ruiz & Pav. Fl. Per.* i. 33. t. 52. f. a = *maculosa*.  
 variifolia, *C. DC. in DC. Prod.* xvi. i. 462.—Peruv.  
 Velloziana, *Miq. in Linnaea*, xx. (1847) 122 = *alata*.  
 Velloziana, *Miq. Syst. Pip.* 88.—Bras.  
 velutina, *Linden & André, Illustr. Hort.* xix. (1872) t. 89.—Ecuador.  
 venezueliana, *C. DC. in Journ. Bot.* iv. (1866) 139.—Venezuela.  
 Ventenatii, *Miq. Syst. Pip.* 125.—Java.  
 Verhuelia, *C. DC. in DC. Prod.* xvi. i. 398.—Bras.  
 Verschaffeltii, *Lem. Illustr. Hort.* xvi. (1869) t. 598.—Bras.  
 verticillata, *A. Dietr. Sp. Pl.* i. 179 = *pulchella*.  
 Victoriana, *C. DC. in DC. Prod.* xvi. i. 449.—Venezuela.  
 villosa, *C. DC. in Journ. Bot.* iv. (1866) 135.—Ecuador.  
 vincentiana, *Miq. in Hook. Lond. Journ.* iv. (1845) 415.—Ins. S. Vincent.  
 vitiana, *C. DC. in DC. Prod.* xvi. i. 458.—Ins. Fiji.  
 Vogelii, *Miq. in Hook. Lond. Journ. Bot.* iv. (1845) 413.—Afr. trop.  
 Wallichii, *Miq. Syst. Pip.* 82.—Ind. or.  
 Warmingii, *C. DC. in Linnaea*, xxxvii. (1871-73) 371.—Bras.  
 Weddellii, *C. DC. in Journ. Bot.* iv. (1866) 135.—Bras.  
 Wightiana, *Miq. in Hook. Lond. Journ. Bot.* v. (1846) 548.—Ind. or.  
 Wightiana, *Wight, Ic.* t. 1924 = *dindygulensis* ?  
 Wrightiana, *C. DC. in DC. Prod.* xvi. i. 431.—Cuba.  
 zeylanica, *Walp. Ann.* i. 598 = *Wightiana*.

PEPINIA, Brongn. ex André, *Illustr. Hort.* xvii. (1870) 32. t. 5 = *Pitcairnia*, L'Hérit. (Bromel.).  
 aphelandraeflora, André, l. c. = *Pitc. aphelandraeflora*.  
 punicea, André, l. c. = *Pitc. punicea*.

PEPLIDIUM, Delile, *Fl. Egypte*, 148. t. 4 (1813).  
 SCROPHULARINEAE, Benth. & Hook. f. ii. 957.  
 capense, Spreng. *Syst.* i. 43 = *Glossostigma spatulatum*.  
 diandrum, Voigt, *Hort. Suburb. Calc.* 503 = *Glossostigma spatulatum*.  
 humifusum, Delile, *Fl. Egypte*, 148.—Aegypt.  
 Muelleri, *Benth. Fl. Austral.* iv. 500.—Austral.

PEPLIS, Linn. *Syst. ed. I* (1735). LYTHRARIEAE, Benth. & Hook. f. i. 776.  
 CHABRAEA, Adans. *Fam.* ii. 234 (1763).  
 MIDDENDORFIA, Trautv. in *Mém. Sav. Etr. Acad. Pétersb.* iv. (1842) 489.  
 PORTULA, Dill. ex Moench, *Meth.* 661 (1794).  
 alternifolia, *Bieb. Fl. Taur. Cauc. Suppl.* 277.—Rossia; Sibir.  
 alternifolia, *Fisch. Cat. Hort. Gorenk. ed. II.* (1812) 63 = *Tetradiclis salsa*.  
 americana, Pursh, *Fl. Am. Sept.* i. 238 = *Elatine americana*.  
 australis, J. Gay, ex *Schult. f.* 54 = *erecta*.  
 biflora, Salzm. ex *DC. Prod.* iii. 77 = *erecta*.  
 Boraei, *Jord. Obs. Pl. Crit.* iii. (1846) 81.—Gallia.  
 Boraei, Lange, in *Kjoeb. Vidensk. Meddel.* (1865) 140 = *erecta*.  
 borysthenica, Bess. *Enum. Pl. Vohh.* 81.—Europ.  
 diandra, Nutt. ex *DC. Prod.* iii. 77 = *Didipdis linearis*.  
 erecta, *Reg. ex Benth. Cat. Pl. Pyrén.* 111.—Reg. Mediterr.  
 Fradini, *Pomel, Nouv. Mat. Fl. Atl.* 156.—Alger.  
 glandulifera, Dulac, *Fl. Hautes-Pyr.* 327 = *P. Portula*.  
 hispidula, Dur. in *Duch. Rev. Bot.* ii. (1846-47) 431 = *erecta*.

**PEPLIS** :—

- indica, Willd. *Sp. Pl.* ii. 244 = *Ammannia peploides*.  
 longedentata, Boiss. & Reut. ex *Nym. Consp.* 252 = *P. Portula*.  
 nummulariaefolia, *Jord. Obs. Pl. Crit.* iii. (1846) 95 = *erecta*.  
 occidentalis, Spreng. *Syst.* ii. 135 = *Rotala ramosior*.  
 Portula, Linn. *Sp. Pl.* 332.—Europ.; Reg. Caucas.  
 Portula, Schrank, in *Denkschr. Bot. Ges. Regensb.* ii. (1818) 14, nomen.—Cf. S. Wats. *Bibliog. Ind. N. Am. Bot.* 376 = *Ludwigia palustris* ?  
 Portulaca, Crantz, *Inst.* i. 139 = *P. Portula*.  
 portulacaefolia, Gilib. *Fl. Lituan.* ii. 147 = *P. Portula*.  
 serpyllifolia, Rupr. *Fl. Ingr.* i. 387 = *P. Portula*.  
 tetrandra, Linn. *Diss. Pugill. Jam. App.*; *Amoen. Acad.* v. 413 = *Lucya tuberosa*.  
 Timeroyi, *Jord. Obs. Pl. Crit.* iii. (1846) 83 = *erecta*.  
 tithymaloïdes, Bertol. *Fl. Ital.* iv. 233 = *erecta*.  
 wolgensis, Fisch. ex *DC. Prod.* iii. 77 = *alternifolia*.

PEPLONIA, Decne. in *DC. Prod.* viii. 545 (1844).  
 ASCLEPIADEAE, Benth. & Hook. f. ii. 763.  
 amazonica, Benth. in *Hook. Ic. Pl.* t. 1234.—Bras.  
 Hilariana, *Fourn. in Mart. Fl. Bras.* vi. iv. 237.—Bras.  
 nitida, Decne. in *DC. Prod.* viii. 546.—Bras.

PEFO, [Tourn.] Linn. *Syst. ed. I* (1735) = *Cucurbita*, Tourn.  
 Citrullus, Sageret, in *Ann. Sc. Nat. Sér. I.* viii. (1826) 311 = *C. Pepo*.  
 eximius, Sageret, l. c. = *C. moschata*.  
 lagenarius, Moench, *Meth.* 658 = *Lagenaria vulgaris*.  
 macrocarpus, Rich. ex Spach, *Hist. Vég. Phan.* vi. 202 = *C. moschata*.  
 malabaricus, Sageret, in *Ann. Sc. Nat. Sér. I.* viii. (1826) 312 (Quid ?)—Ind. or.  
 maximus, Peterm. *Fl. Lips. Excurs.* 562 = *C. maxima*.  
 Melopepo, Moench, *Meth.* 653 = *Cucumis Melo*.  
 moschatus, Sageret, in *Ann. Sc. Nat. Sér. I.* viii. (1826) 312 = *C. moschata*.  
 Potiron, Sageret, l. c. 311 = *C. Pepo*.  
 verrucosus, Moench, *Meth.* 653 = *Cucumis Melo*.  
 vulgaris, Moench, l. c. = *C. Pepo*.

PEPONIA, Naud. in *Ann. Sc. Nat. Sér. V.* v. (1866) 29. t. 3. CUCURBITACEAE, Benth. & Hook. f. i. 823.  
 Boivinii, *Cogn. in DC. Monog. Phan.* iii. 408.—Madag.  
 Bojeri, *Cogn. l. c.* 410.—Afr. trop.  
 caledonica, *Cogn. l. c.*—Afr. austr.  
 Cienkowski, *Hook. f. in Oliver, Fl. Trop. Afr.* i. 527.—Afr. trop.  
 lagenarioides, *Hook. f. l. c.*—Afr. trop.  
 Mackennii, *Naud. in Ann. Sc. Nat. Sér. V.* v. (1866) 29.—Afr. austr.  
 Vogelii, *Hook. f. in Oliver, Fl. Trop. Afr.* ii. 526.—Afr. trop.

PEPONOPSIS, Naud. in *Ann. Sc. Nat. Sér. IV.* xii. (1859) 88. CUCURBITACEAE, Benth. & Hook. f. i. 829.  
 adhaerens, *Naud. l. c.* 89.—Am.

PERA, Mutis, in *Vet. Akad. Handl. Stockh.* v. (1784) 299. t. 8. EUPHORBIACEAE, Benth. & Hook. f. iii. 340.  
 CLISTANTHUS, Muell. Arg. in *DC. Prod.* xv. ii. 1025 (1866).  
 CLISTRANTHUS, Poit. ex Baill. *Etud. Gén. Euph.* 434 (1858).  
 PERIDIUM, Schott, in Spreng. *Syst.* iv. Cur. Post. 410 (1827).  
 PERULA, Schreb. *Gen.* 703 (1791).  
 SCHISMATOPERA, Klotzsch, in Wiegmann. *Arch.* i. (1841) 178.  
 SPINIA, Leandr. *Sacram. in Denkschr. Akad. Muench.* vii. (1821) 231. t. 13.  
 anisotricha, *Muell. Arg. in Mart. Fl. Bras.* xi. ii. 426.—Bras.  
 arborea, Baill. *Adansonia*, v. (1864-65) 224 = *glabrata*.  
 arborea, Mutis, in *Vet. Akad. Handl. Stockh.* v. (1784) 299.—N. Granat.  
 Bailloniana, *Muell. Arg. in DC. Prod.* xv. ii. 1030.—Bras.  
 bicolor, *Muell. Arg. l. c.* 1028.—Guian.



**PERA** :—

- bumeliaefolia*, Baill. Adansonia, v. (1864-65) 224 = Bailloniana.  
*humelifolia*, Griseb. in Goett. Nachtr. (1865) 180.—Cuba.  
*cinerea*, Baill. Adansonia, v. (1864-65) 223 = tomentosa.  
*citriodora*, Baill. l. c. 222.—Bras.  
*coccinea*, Muell. Arg. in DC. Prod. xv. ii. 1028.—Bras.  
*decipiens*, Muell. Arg. in Linnaea, xxxiv. (1865-66) 201.—Guian.  
*distichophylla*, Baill. Etud. Gén. Euph. 434.—Bras.  
*echinocarpa*, Baill. Adansonia, v. (1864-65) 223.—Bras.  
*ferruginea*, Muell. Arg. in DC. Prod. xv. ii. 1031.—Bras.  
*furfuracea*, Muell. Arg. in Mart. Fl. Bras. xi. ii. 426.—Bras.  
*glabrata*, Poepp. ex Baill. Etud. Gén. Euph. 434.—Bras.  
*heterodoxa*, Muell. Arg. in Mart. Fl. Bras. xi. ii. 423.—Bras.  
*Klotzschiana*, Baill. Adansonia, v. (1864-65) 225 = *glabrata*.  
*Leandri*, Baill. Etud. Gén. Euph. 434 = *obovata*.  
*obovata*, Baill. Adansonia, v. (1864-65) 225.—Bras.  
*obtusifolia*, Muell. Arg. in DC. Prod. xv. ii. 1030 = *obovata*.  
*oppositifolia*, Griseb. in Goett. Nachr. (1865) 181; Muell. Arg. in DC. Prod. xv. ii. 1029.—Cuba.  
*parvifolia*, Muell. Arg. l. c. 1031.—Bras.  
*Schomburgkiana*, Muell. Arg. l. c. 1027.—Guian.  
*tomentosa*, Muell. Arg. l. c. 1028.—Bras.

**PERACARPA**, Hook. f. & Thoms. in Journ. Linn. Soc. ii. (1858) 26. **CAMPANULACEAE**, Benth. & Hook. f. ii. 558.  
*carnosa*, Hook. f. & Thoms. l. c.—Reg. Himal.

**PERALTEA**, H. B. & K. Nov. Gen. et Sp. vi. 469. t. 589 (1823) = **Brongniartia**, H. B. & K. (Legumin.).  
*lupinoides*, Benth. Pl. Hartw. 10 = B. Benthamiana.  
*lupinoides*, H. B. & K. Nov. Gen. et Sp. vi. 471. t. 589 = B. thermoides.  
*oxyphylla*, DC. Mém. Lég. xiii. 463 = B. oxyphylla.

**PERAMA**, Aubl. Pl. Gui. i. 54. t. 18 (1775). **RUBIACEAE**, Benth. & Hook. f. ii. 147.  
*BUCHIA*, H. B. & K. Nov. Gen. et Sp. ii. 269. t. 132 (1817).  
*MATTUSCHKAEAE*, Schreb. Gen. 788 (1791).  
*dichotoma*, Poepp. & Endl. Nov. Gen. et Sp. iii. 29.—Bras.  
*ericoides*, Poepp. & Endl. l. c. = *hirsuta*.  
*galioides*, Poir. in Dict. Sc. Nat. xxxviii. 414.—Venezuela.  
*hirsuta*, Aubl. Pl. Gui. i. 54. t. 18.—Guian.  
*hispida*, Poir. in Dict. Sc. Nat. xxxviii. 414 = *hirsuta*.  
*humilis*, Benth. in Hook. Journ. Bot. iii. (1841) 239.—Guian.  
*setulosa*, Miq. in Linnaea, xviii. (1844) 617 = *hirsuta*.  
*stricta*, Benth. in Hook. Journ. Bot. ii. (1841) 239 = *galioides*.

**PERAMIBUS**, Rafin. Ann. Nat. 14 (1820) = **Coreopsis**, Linn. (Compos.).  
*acutus*, Rafin. l. c. = *Actinomeris squarrosa*.  
*hirtus*, Rafin. l. c. = *Rudbeckia triloba*.  
*scaber*, Rafin. l. c. = *C. scabra*.

**PERAMIUM**, Salisb. in Trans. Hort. Soc. i. (1812) 301 = **Goodyera**, R. Br. (Orchid.).  
*repens*, Salisb. l. c. = *G. repens*.

**PERAPHORA**, Miers, in Ann. & Mag. Nat. Hist. Ser. III. xviii. (1866) 20 = **Lophophyllum**, Griff. (Menisp.).  
*robusta*, Miers, l. c. 21 = *L. bicristatum*.

**PERAPHYLLUM**, Nutt. ex Torr. & Gray, Fl. N. Am. i. 474 (1840). **ROSACEAE**, [Benth. & Hook. f. i. 628].  
*ramosissimum*, Nutt. ex Torr. & Gray, l. c.—Am. bor. occ.

**PERCEPIER**, Dill. ex Moench, Meth. 690 (1794) = **Alchemilla**, Tourn. (Rosac.).  
*arvensis*, Moench. l. c. = *A. arvensis*.

**PERDICIUM**, Linn. Pl. Afr. Rar. 22 (1762) = **Gerbera**, Gronov. et **Trixis**, P. Br. (Compos.).  
*Anandria*, R. Br. in Ait. Hort. Kew. ed. II. v. 84 = *Gerbera Anandria*.  
*bocconiaefolium*, Pohl, ex Baker, in Mart. Fl. Bras. vi. iii. 393 = *Jungia floribunda*, Less.  
*brasiliense*, R. Grah. in Edinb. N. Phil. Journ. (Jan.-Mar. 1827) 387 = *Trixis divaricata*.  
*brasiliense*, Linn. Mant. i. 115 = *Trixis Lessingii*.  
*brasiliense*, Mart. ex D. Don, in Trans. Linn. Soc. xvi. (1830) 189 = *Trixis glutinosa*.  
*calalioides*, H. B. & K. Nov. Gen. et Sp. iv. 154 = *Trixis calalioides*.  
*calycinum*, Mart. ex D. Don, in Trans. Linn. Soc. xvi. (1830) 188 = *Trixis calycina*.  
*capense*, Linn. Pl. Afr. Rar. 22 = *Taraxaci*.  
*chilense*, Willd. Sp. Pl. iii. 2118 = *Chaetanthera chilensis*.  
*cordatum*, Cerv. in La Llave et Lex. Nov. Veg. Desc. fasc. i. 27; Moç. [& Sesse,] ex DC. Prod. vii. 66 = *Perezia hebeclada*.  
*corymbosum*, Sesse & Moç. ex D. Don, in Trans. Linn. Soc. xvi. (1830) 188 = *Trixis corymbosa*.  
*decurrens*, Moç. & Sesse, ex DC. Prod. vii. 68 = *Trixis decurrens*.  
*divaricatum*, H. B. & K. Nov. Gen. et Sp. iv. 155 = *Trixis divaricata*.  
*exscapum*, Steud. Nom. ed. I. 604 = *Chaptalia exscapa*.  
*flexuosum*, H. B. & K. Nov. Gen. et Sp. iv. 155 = *Trixis divaricata*.  
*glaciale*, Poepp. ex DC. Prod. vii. 60 = *Leuceria pulchella*.  
*havanense*, H. B. & K. Nov. Gen. et Sp. iv. 155 = *Trixis frutescens*.  
*lactuoides*, Vahl, in Skrivt. Nat. Hist. Selsk. i. ii. (1791) 11 = *Perezia lactuoides*.  
*laevigatum*, Banks & Soland. ex Hook. f. Fl. Antarct. ii. 322 = *Perezia lactuoides*.  
*laevigatum*, Berg. in Vet. Acad. Handl. Stockh. (1772) 238 = *Trixis frutescens*.  
*leiocarpum*, DC. Prod. vii. 39.—Afr. austr.  
*Leontodon*, Crantz, Inst. i. 230.—Hab.?  
*lithospermifolium*, Poepp. ex DC. Prod. vii. 60 (= *Chabrea lithospermifolia*).—Chili.  
*longifolium*, Sesse & Moç. ex D. Don, in Trans. Linn. Soc. xvi. (1830) 192 = *Trixis longifolia*.  
*lyratum*, R. Br. ex Steud. Nom. ed. II. ii. 303 = *Chaptalia lyrata*.  
*magellanicum*, Linn. f. Suppl. 376 = *Perezia magellanica*.  
*mexicanum*, Alaman, ex DC. Prod. vii. 67 = *Perezia Alamani*.  
*mexicanum*, Moç. & Sesse, ex D. Don, in Trans. Linn. Soc. xvi. (1830) 201 = *Perezia Humboldtii*.  
*nervosum*, Thunb. Prod. Pl. Cap. 160 = *Landtia nervosa*.  
*nutans*, Poepp. ex DC. Prod. vii. 63 = *Perezia nutans*.  
*oblongum*, Ruiz & Pav. ex D. Don, in Trans. Linn. Soc. xvi. (1830) 240 = *Chaptalia oblonga*.  
*ovale*, Ruiz & Pav. ex D. Don, l. c. = *Chaptalia ovalis*.  
*paniculatum*, Poepp. ex DC. Prod. vii. 57 = *Leuceria paniculata*.  
*pedicularifolium*, Poepp. ex Less. Syn. Comp. 410 = *Perezia pedicularidifolia*.  
*piloselloides*, Juss. ex Steud. Nom. ed. II. ii. 303 = *Chaptalia exscapa*.  
*piloselloides*, Vahl, in Skrivt. Nat. Hist. Selsk. ii. ii. (1793) 38 = *Chaptalia piloselloides*.  
*populifolium*, Sm. in Rees, Cycl. xxvi. n. 4 = *Gerbera Anandria*.  
*prenanthoides*, Poepp. ex Less. Syn. Comp. 409 = *Perezia prenanthoides*.  
*Printzii*, Cass. in Dict. Sc. Nat. xxxviii. 426 = *Taraxaci*.  
*purpureum*, Vahl, in Skrivt. Nat. Hist. Selsk. i. ii. (1791) 9 = *Leuceria purpurea*.  
*radiale*, Linn. Sp. Pl. ed. II. 1248 = *Trixis frutescens*.  
*recurvatum*, Poepp. ex Less. Syn. Comp. 412 = *Perezia linearis*.  
*recurvatum*, Vahl, in Skrivt. Nat. Hist. Selsk. i. ii. (1791) 13 = *Perezia recurvata*.  
*roseum*, Poepp. ex Less. Syn. Comp. 405 = *Leuceria runcinata*.  
*sarmentosum*, Steud. Nom. ed. I. 604 = *Chevreulia stolonifera*.  
*semiflosculare*, Buch.-Ham. ex D. Don, Prod. Fl. Nep. 166 = *Gerbera nepalensis*.

**PERDICIUM** :—

*semiflosculare*, Linn. Amoen. Acad. vi. 103 = *Taraxaci*.  
*semiflosculare*, Wall. Fl. Carol. 204 = *Chaptalia tomentosa*.  
*senecioides*, Banks & Soland. ex Hook. f. Fl. N. Zel. i. 149 = *Senecio perdicoides*.  
*senecioides*, Willd. ex Less. in Linnaea, v. (1830) 13 = *Perezia Humboldtii*.  
*serrulatum*, Moç. & Sesse, ex D. Don, in Trans. Linn. Soc. xvi. (1830) 200 = *Perezia reticulata*.  
*sinuatum*, Banks & Soland. ex Hook. f. Fl. Antarct. ii. 322 = *Perezia magellanica*.  
*squarrosus*, Vahl, in Skrivt. Nat. Hist. Selsk. i. ii. (1791) 11 = *Perezia squarrosa*.  
*suaveolens*, Urv. in Mém. Soc. Linn. Par. iv. (1826) 611 = *Leuceria gossypina*.  
*Taraxaci*, Vahl, in Skrivt. Nat. Hist. Selsk. i. ii. (1791) 9.—Afr. austr.  
*tomentosum*, Blanco, Fl. Filip. ed. I. 630 = *Grangea maderaspatana*.  
*tomentosum*, Thunb. Fl. Jap. 319 = *Gerbera Anandria*.  
*triflorum*, Buch.-Ham. ex D. Don, Prod. Fl. Nep. 169 = *Ainsliaea pteropoda*.  
*viscosum*, Poepp. ex Less. Syn. Comp. 408 = *Perezia viscosa*.

**PEREBEA**, Aubl. Pl. Gui. ii. 952. t. 361. (1775). **URTICACEAE**, Benth. & Hook. f. iii. 373.  
*MIKANIA*, Neck. Elem. ii. 217 (1790).  
*calophylla*, Benth. & Hook. f. Gen. iii. 371, in obs.—Bras.  
*guianensis*, Aubl. Pl. Gui. ii. 953. t. 361.—Guian.; Ind. occ.  
*integrifolia*, Karst. Fl. Columb. ii. 23.—N. Granat.  
*laurifolia*, Tul. in Ann. Sc. Nat. Sér. III. viii. (1847) 133.—Guian.  
*xanthochyma*, Karst. Fl. Columb. ii. 23.—N. Granat.

**PEREILEMA**, J. & C. Presl, Rel. Haenk. i. 233. t. 37. f. a (1830). **GRAMINEAE**, Benth. & Hook. f. iii. 1144.  
*brasilianum*, Trin. in Mém. Acad. Pétersb. Sér. VI. vi. ii. Sc. Nat. (1845) 382.—Bras.  
*ciliatum*, Fourn. ex Hemsl. Biol. Centr. Am. Bot. iii. 543.—Mexic.  
*crinitum*, J. & C. Presl, Reliq. Haenk. i. 233. t. 37. f. a.—Mexic.  
*crinitum*, Trin. Sp. Gram. Ic. iii. t. 358 = *brasilianum*.  
*setarioides*, Fourn. ex Hemsl. Biol. Centr. Am. Bot. iii. 544.—Mexic.

**PEREIRA**, Hook. f. & Thoms. Fl. Brit. Ind. i. 99 (1872) sphalm. = seq.

**PEREIRIA**, Lindl. Fl. Med. 370 (1838) = **Coscinium**, Colebr. (Menisp.).  
*medica*, Lindl. l. c. 370 = *C. fenestratum*.

**PEREMIS**, Rafin. Fl. Tellur. iv. 104 (1836) = **Passiflora**, Linn.  
*orbiculata*, Rafin. l. c. = *Passif. Murucuja*.

**PEREPUSA**, Steud. Nom. ed. II. i. 303 (1841), sphalm. = **Prepusa**, Mart. (Gentian.).

**PERESCIA**, Lem. Cact. Hort. Monv. 14 (1838) = seq.

**PERESKIA**, Plum. ex Linn. Syst. ed. I (1735); Mill. Dict. ed. VI (1752). **CACTEAE**, Benth. & Hook. f. i. 851.  
*acardia*, Parm. ex Pfeiff. Enum. Diagn. Cact. 176 = *aculeata*.  
*aculeata*, Mill. Gard. Dict. ed. VIII; Haw. Syn. Pl. Succ. 198.—Ind. occ.  
*affinis*, Meinsh. in C. Koch & Fint. Wochenschr. ii. (1859) 118.—Hab.?  
*Bleo*, DC. Prod. iii. 475.—Mexic.; N. Granat.  
*brasiliensis*, Hort. Hamb. ex Pfeiff. Enum. Diagn. Cact. 176 = *aculeata*.  
*calandriniaefolia*, Hort. Berol. ex Salm Dyck, Cact. Hort. Dyck. ed. II. 252.—Mexic.  
*crassicaulis*, Zucc. ex Pfeiff. Enum. Diagn. Cact. 176 = *spathulata*.  
*cruenta*, Hort. ex Pfeiff. l. c. = *P. Bleo*.  
*glomerata*, Pfeiff. in Meyen, Reise, i. 452.—Peruv.



**PERESKIA** :—

- grandiflora*, Hort. ex Pfeiff. Enum. Diagn. Cact. 177 = seq.  
*grandifolia*, Haw. Rev. Pl. Succ. 85.—Bras.  
*grandispina*, Hort. ex Forbes, Hort. Tour Germ. 159, nomen.—Bras.?  
*Haageana*, Meinsh. in C. Koch & Fint. Wochenschr. ii. (1859) 118.—Hab.?  
*horrida*, DC. Prod. iii. 475.—Bras.  
*lanceolata*, Hort. Berol. ex Salm-Dyck, Cact. Hort. Dyck. ed. II. 252.—Hab.?  
*lanceolata*, Hort. Hamb. ex Foerst. Handb. Cact. ed. I. 513 = *aculeata*.  
*longispina*, Haw. Syn. Pl. Succ. 178 = *aculeata*.  
*lychnidiflora*, DC. in Mém. Mus. Par. xvii. (1828) 75. t. 18.—Mexic.  
*ochnacarpa*, Miq. in Bull. Sc. Nat. Phys. Néerl. (1838) 48.—Hab.?  
*opuntiaeflora*, DC. in Mém. Mus. Par. xvii. (1828) 76. t. 19.—Mexic.  
*Pititache*, Karw. ex Labour. Cact. 503 = *calandriniaefolia*.  
*Pititache*, Karw. ex Pfeiff. Enum. Diagn. Cact. 176.—Mexic.  
*plantaginea*, Hort. Gotting. ex Pfeiff. Enum. Diagn. Cact. 179.—Hab.?  
*Poeppigii*, Salm-Dyck, Cact. Hort. Dyck. ed. II. 76, 252.—Am. austr.  
*portulacaeifolia*, Haw. Syn. Pl. Succ. 199.—Ind. occ.  
*rosea*, Hort. ex A. Dietr. in Otto & Dietr. Allg. Gartz. xix. (1851) 153.—Mexic.?  
*rotundifolia*, DC. in Mém. Mus. Par. xvii. (1828) 77. t. 20.—Mexic.  
*Sacharosa*, Griseb. in Goett. Abh. xxiv. (1879) 141 = *aculeata*.  
*spathulata*, Otto, ex Pfeiff. Enum. Diagn. Cact. 176.—Mexic.  
*subulata*, Muehlenpf. in Otto & Dietr. Allg. Gartenz. xiii. (1845) 347.—Chili.  
*undulata*, Lem. Illustr. Hort. v. (1858) Misc. 11.—Bras.  
*zinniaeflora*, DC. in Mém. Mus. Par. xvii. (1828) 75. t. 17.—Mexic.

**PERESKIA**, Vell. Fl. Flum. 34 (1825); i. t. 81 (1827) = **Hippocratea**, Linn. (Celastr.).  
*paniculata*, Vell. II. cc. = *H. ovata*?

**PEREUPHORA**, Hoffm. Verz. Pfl. Nachtr. ii. 173 (1826) = **Serratula**, Linn. (Compos.).  
*coronata*, Hoffm. l. c. = *S. coronata*.

**PEREZIA**, Lag. Amen. Nat. i. 31 (1811). **COMPOSITAE**, Benth. & Hook. f. ii. 500.

- ACOURTIA**, D. Don, in Trans. Linn. Soc. xvi. (1830) 203.  
**CLARIONEAE**, Lag. ex DC. in Ann. Mus. Par. xix. (1812) 65.  
**DROZIA**, Cass. in Dict. Sc. Nat. xxxiv. 217 (1825).  
**DUMERILIA**, Less. in Linnaea, v. (1830) 13.  
**HETERANTHUS**, Bonpl. ex Cass. in Dict. Sc. Nat. xxi. 110 (1821).  
**HOMANTHIS**, H. B. & K. Nov. Gen. et Sp. iv. 12 (1820).  
**HOMOIANTHUS**, Bonpl. ex DC. in Ann. Mus. Par. xix. (1812) 65.  
**ISANTHUS**, DC. Prod. vii. 63, in syn. (1838).  
**POGONURA**, DC. in Lindl. Introd. Nat. Syst. ed. II. 263 (1836).  
**SCOLYMANTHUS**, Willd. ex DC. Prod. vii. 63 (1838).  
*acanthoides*, Hook. & Arn. in Hook. Comp. Bot. Mag. i. (1835) 33 = *multiflora*.  
*adnata*, A. Gray, Pl. Wright. i. 127.—Mexic.  
*Alamani*, Hemsl. Biol. Centr. Am. Bot. ii. 255.—Mexic.  
*arizonica*, A. Gray, in Bot. Calif. i. 422 = *Wrightii*.  
*Beckii*, Hook. & Arn. in Hook. Comp. Bot. Mag. i. (1835) 34 = *recurvata*.  
*bidentata*, Meyen, Reise, i. 470.—Peruv.  
*carduncelloides*, Griseb. in Goett. Abh. xix. (1874) 198.—Reg. Argent.  
*carpholepis*, A. Gray, in Proc. Am. Acad. xix. (1883) 60.—Mexic.  
*carthamoides*, Hook. & Arn. in Hook. Comp. Bot. Mag. i. (1835) 34 = *diversifolia*.  
*ciliaris*, Hook. & Arn. l. c.—Chili.  
*circisifolia*, Wedd. Chlor. And. i. 41.—Am. austr.  
*coerulescens*, Wedd. l. c. 39.—Peruv.

**PEREZIA** :—

- Coulteri*, A. Gray, in Proc. Am. Acad. xv. (1880) 40 = *Wrightii*.  
*cupatensis*, Less. in Linnaea, v. (1830) 16.—Bras.  
*dicephala*, Less. l. c. 21.—Hab.?  
*diversifolia*, Meyen, Reise, i. 311, 347.—Chili.  
*Doniana*, Less. Syn. Comp. 412 = *recurvata*.  
*Dugesii*, A. Gray, in Proc. Am. Acad. xix. (1883) 60.—Mexic.  
*fruticosa*, Lex. in La Llave & Lex. Nov. Veg. Desc. fasc. i. 26.—Mexic.  
*Gayana*, DC. in Deless. Ic. Sel. iv. t. 94 = *diversifolia*.  
*glandulosa*, Meyen, Reise, i. 470.—Peruv.  
*hebeclada*, A. Gray, Pl. Wright. i. 127.—Mexic.  
*Humboldtii*, A. Gray, l. c. 128.—Mexic.  
*inermis*, Wedd. Chlor. And. i. 39.—Chili.  
*integrifolia*, Wedd. l. c. 40.—Peruv.  
*Kingii*, Baker, in Mart. Fl. Bras. vi. III. 380.—Reg. Argent.  
*lactucoides*, Less. in Linnaea, v. (1830) 22.—Reg. Magellan.  
*laevis*, Less. l. c. 18.—Bras.  
*Lagascas*, Cass. in Dict. Sc. Nat. xxxviii. 455 = *magellanica*.  
*lanigera*, Hook. & Arn. in Hook. Comp. Bot. Mag. ii. (1836) 42.—Patagon.  
*linearis*, Less. Syn. Comp. 412.—Chili.  
*lyrata*, Wedd. Chlor. And. i. 42.—Chili.  
*magellanica*, Lag. Amen. Nat. i. 31.—Reg. Magell.  
*microcephala*, A. Gray Pl. Wright. i. 127.—Calif.  
*moschata*, Lex. in La Llave & Lex. Nov. Veg. Desc. fasc. i. 26.—Mexic.  
*multicapitata*, Wedd. Chlor. And. i. 44.—Chili.  
*multiflora*, Less. in Linnaea, v. (1830) 19.—Bras.  
*nana*, A. Gray, in Mem. Am. Acad. N. S. iv. (1849) 111.—Am. bor. occ.  
*nivalis*, Wedd. Chlor. And. i. 39.—Peruv.  
*nudicaulis*, A. Gray, Pl. Wright. i. 127.—Guatemala.  
*nutans*, Less. Syn. Comp. 409.—Chili.  
*ochroleuca*, Less. in Linnaea, v. (1836) 22 = *Trixis ochroleuca*.  
*oxylepis*, Sch. Bip. ex A. Gray, in Proc. Am. Acad. xv. (1880) 41.—Mexic.  
*Parryi*, A. Gray, l. c. 40.—Mexic.  
*patens*, A. Gray, Pl. Wright. i. 127.—Mexic.  
*pedicularidifolia*, Less. Syn. Comp. 410.—Chili.  
*perfoliata*, Remy, in C. Gay, Fl. Chil. iii. 415.—Chili.  
*pillifera*, Hook. & Arn. in Hook. Comp. Bot. Mag. i. (1835) 34.—Chili.  
*pinnatifida*, Lag. ex D. Don, in Trans. Linn. Soc. xvi. (1830) 210, in syn.—Peruv.  
*platyphylla*, A. Gray, in Mem. Am. Acad. N. S. iv. (1849) 111.—N. Mexic.  
*Poeppigii*, Less. Syn. Comp. 411.—Chili.  
*prenanthoides*, Less. l. c. 409.—Chili.  
*pristiphylla*, Wedd. Chlor. And. i. 37.—Chili.  
*pungens*, Less. in Linnaea, v. (1830) 20.—Peruv.  
*purpurata*, Wedd. Chlor. And. i. 43.—Bolivia.  
*pygmaea*, Wedd. l. c. 40.—Am. austr.  
*recurvata*, Less. in Linnaea, v. (1830) 21.—Chili.  
*reflexa*, Meyen, Reise, i. 311.—Chili.  
*reticulata*, A. Gray, Pl. Wright. i. 128.—Mexic.  
*rigida*, A. Gray, l. c. 127.—Mexic.  
*runcinata*, Lag. ex D. Don, in Trans. Linn. Soc. xvi. (1830) 207, in syn.—Texas; Mexic.  
*Seemannii*, A. Gray, Pl. Wright. i. 127.—Mexic.  
*sonchifolia*, Baker, in Mart. Fl. Bras. vi. III. 380.—Bras.  
*spathulata*, Hook. & Arn. in Hook. Comp. Bot. Mag. i. (1835) 33 = *viscosa*.  
*squarrosa*, Less. in Linnaea, v. (1830) 15.—Bras.  
*Thurberi*, A. Gray, in Mem. Acad. Am. N. S. v. (1855) 324.—Arizona.  
*thyrsoides*, A. Gray, in Torr. Bot. Mex. Bound. 104.—Mexic.  
*turbinata*, Lex. in La Llave & Lex. Nov. Veg. Desc. fasc. i. 25.—Mexic.  
*violacea*, Wedd. Chlor. And. i. 42.—Bolivia.  
*virens*, Hook. & Arn. in Hook. Comp. Bot. Mag. i. (1835) 34 = *Poeppigii*.  
*viscosa*, Less. Syn. Comp. 408.—Chili.  
*Wislizeni*, A. Gray, in Mem. Am. Acad. N. S. iv. (1849) 111.—Mexic.  
*Wrightii*, A. Gray, Pl. Wright. i. 127.—Am. bor. occ.

**PERFOLIATA**, Dod. ex Fourr. in Ann. Soc. Linn. Lyon, N. S. xvi. (1868) 390 = **Eupleurum**, Tourn. (Umbell.).  
*protracta*, Fourr. l. c. = *B. protractum*.  
*rotundifolia*, Fourr. l. c. = *B. rotundifolium*.

**PERFONON**, Rafin. Sylva Tellur. 29 (1838) = **Rhamnus**, Tourn.  
*ferrugineum*, Rafin. l. c. = *Colubrina ferruginosa*.  
*laurifolium*, Rafin. l. c. = *R. californicus*.

**PERGULARIA**, Linn. Mant. i. 8 (1767). **ASCLEPIADEAE**, Benth. & Hook. f. ii. 773.

- accedens*, Blume, Bijdr. 1056.—Java.  
*albiflora*, Zipp. ex Span. in Linnaea, xv. (1841) 323, nomen.—Ins. Timor.  
*angustifolia*, D. Dietr. Syn. Pl. ii. 894 = *Lygisma angustifolia*.  
*angustifolia*, Fisch. Cat. Hort. Gorenk. ed. II. (1812) 29 (Quid?).—Hab.?  
*bifida*, Zipp. in Ann. Sc. Nat. Sér. II. ix. (1838) 276.—Ins. Timor.  
*Brunonianana*, D. Dietr. Syn. Pl. ii. 894 = *Marsdenia Brunonianana*.  
*calesiana*, Buch.-Ham. ex Hook. f. Fl. Brit. Ind. iv. 37 = *Marsdenia Calesiana*.  
*campanulata*, Buch.-Ham. ex Wall. Pl. As. Rar. ii. 50 = *Raphistemma pulchellum*.  
*cinerascens*, Spreng. Syst. i. 844 = *Marsdenia cinerascens*.  
*clausa*, Spreng. l. c. = *Marsdenia clausa*.  
*coromandeliana*, Decne. in DC. Prod. viii. 619 = *odoratissima*!  
*crocea*, Zipp. ex Span. in Linnaea, xv. (1841) 323 = *Marsdenia tenacissima*.  
*divaricata*, Lour. Fl. Cochinch. 169 = *Strophanthus divergens*.  
*edulis*, Thunb. Prod. Pl. Cap. 38.—Afr. austr.  
*erecta*, Spreng. Syst. i. 844 = *Marsdenia erecta*.  
*exilis*, Spreng. l. c. = *Tylophora exilis*.  
*flavescens*, D. Dietr. Syn. Pl. ii. 894 = *Marsdenia flavescens*.  
*glabra*, Blanco, Fl. Filip. ed. II. 141 = *procumbens*.  
*glabra*, Linn. Mant. i. 53 = *Vallis Pergulana*.  
*glandulosa*, Blanco, Fl. Filip. ed. I. 201 = *minor*.  
*Hamiltonii*, D. Dietr. Syn. Pl. ii. 894 = *Marsdenia Hamiltonii*.  
*japonica*, Thunb. Fl. Jap. 111 = *Metaplexis Stauntoni*.  
*jasminiflora*, Burch. ex Decne. in DC. Prod. viii. 630 = *Barrowia jasminiflora*.  
*limbata*, Wall. ex Wight, Contrib. 42 = *odoratissima*!  
*lucida*, Fisch. Cat. Hort. Gorenk. ed. II. (1812) 29 (Quid?).—Hab.?  
*minor*, Andr. Bot. Rep. t. 184.—As. trop.  
*montana*, Decne. in DC. Prod. viii. 619 = *odoratissima*!  
*odora*, Salisb. Prod. 151 = *Daemia cordata*.  
*odoratissima*, Roxb. Hort. Beng. 20; Fl. Ind. ii. 46; Wight & Arn. Contrib. 43 = *minor*.  
*odoratissima*, Sm. Ic. Pict. t. 16; Andr. Bot. Rep. t. 185.—China; Ind. or.?  
*pallida*, Wight & Arn. Contrib. 42 = *odoratissima*!  
*parviflora*, Blume, Bijdr. 1056 = *Marsdenia tinctoria*.  
*procumbens*, Blanco, Fl. Filip. ed. I. 201.—Malaya.  
*puberula*, Miq. Fl. Ind. Bat. ii. 495 = *procumbens*.  
*purpurea*, Vahl, Symb. Bot. iii. 44.—Ind. or.; China.  
*rostrata*, Spreng. Syst. i. 844 = *Marsdenia rostrata*.  
*Roylei*, D. Dietr. Syn. Pl. i. 894 = *Marsdenia Roylei*.  
*sanguinolenta*, Lindl. Bot. Reg. t. 2532 (*Cryptolepidis* sp.).—Afr. trop.  
*sinensis*, Lour. Fl. Cochinch. 169 = *Vallis sinensis*.  
*suaveolens*, Spreng. Syst. i. 843 = *Marsdenia suaveolens*.  
*syringaeifolia*, Zipp. ex Decne. in DC. Prod. viii. 624 = *Marsdenia syringaeifolia*.  
*tenacissima*, D. Dietr. Syn. Pl. ii. 895 = *Marsdenia tenacissima*.  
*tinctoria*, Spreng. Syst. i. 844 = *Marsdenia tinctoria*.  
*tomentosa*, Linn. Mant. i. 53 = *Daemia cordata*.  
*tomentosa*, Span. in Linnaea, xv. (1841) 323 = *Marsdenia tenacissima*.  
*velutina*, Spreng. Syst. i. 844 = *Marsdenia velutina*.  
*villosa*, Blume, Bijdr. 1057.—Java.  
*viridiflora*, Spreng. Syst. i. 844 = *Marsdenia viridiflora*.  
*viridis*, Buch.-Ham. ex Wight, Contrib. 42 = *odoratissima*!

**PERIANDRA**, Cambess. in Jacquem. Voy. Bot. 27. t. 29 (1844) = **Thylacospermum**, Fenzl (Caryoph.).  
*caespitosa*, Cambess. l. c. = *T. repens*.

**PERIANDRA**, Mart. ex Benth. in Ann. Wien. Mus. ii. (1838) 120. **LEGUMINOSAE**, Benth. & Hook. f. i. 527.

- acutifolia*, Benth. in Ann. Wien. Mus. ii. (1838) 121.—Bras.  
*angulata*, Benth. l. c. = *dulcis*.



**PERIANDRA** :—

*angustifolia*, Benth. in Ann. Wien. Mus. ii. (1838) 121 = *dulcis*.  
*Berteriana*, Benth. l. c. 122.—Ins. S. Doming.  
*coccinea*, Benth. l. c.—Bras.  
*densiflora*, Benth. l. c.—Bras.  
*dulcis*, Mart. ex Benth. l. c. 121.—Bras.  
*heterophylla*, Benth. l. c.—Bras.  
*mucronata*, Mart. ex Benth. l. c. = *dulcis*.  
*racemosa*, Benth. l. c. = *dulcis*.

**PERIANTHOPODUS**, Silva Manso, Enum. Subst. Bras. 28 (1836) = **Cayaponia**, Silva Manso (Cucurb.).  
*amazonicus*, Cogn. in Mart. Fl. Bras. vi. iv. 96 = *amazonica*.  
*Bonplandii*, Cogn. in Bull. Soc. Bot. Belg. xvii. (1878) 296 = *C. Bonplandii*.  
*Carijo*, Silva Manso, Enum. Subst. Bras. 29 = *C. Espelina*.  
*Espelina*, Silva Manso, l. c. 28 = *C. Espelina*.  
*Tomba*, Silva Manso, l. c. 28 = *C. Espelina*.  
*Weddellii*, Naud. in Ann. Sc. Nat. Sér. IV. xviii. (1862) 203 = *C. Weddellii*.

**PERIBAEA**, Lindl. Veg. Kingd. 206 (1847) = **PERIBOEA**, Kunth = **Hyacinthus**, Tourn. (Liliac.).

**PERIBALLANTHUS**, Franch. & Sav. Enum. Pl. Jap. ii. 524 (1876) = **Polygonatum**, Adans. (Liliac.).  
*involutcratus*, Franch. & Sav. l. c. = *Polyg. multiflorum*.

**PERIBALLIA**, Trin. Fund. Agrost. 133 (1820) = **Deschampsia**, Beauv. (Gramin.).  
*hispanica*, Trin. l. c. = *D. involucreta*.  
*involutcrata*, Janka, in Terméz. Füzetek (1877), 97 = *D. involucreta*.  
*poaeoides*, Trin. ex Steud. Nom. ed. II. i. 492; ii. 304 = *D. involucreta*.

**PERIBLEMA**, DC. in Ann. Sc. Nat. Sér. II. xi. (1839) 296. **ACANTHACEAE**, Benth. & Hook. f. ii. 1091.  
*BOUTONIA*, DC. in Bibl. Univ. Genève. xvii. (1838) 143 (Rev. Bign. 18).  
*cuspidata*, DC. Prod. ix. 243.—Madag.

**PERIBOEA**, Kunth, Enum. Pl. iv. 292 (1843) = **Hyacinthus**, Tourn. (Liliac.).  
*brevifolia*, Kunth, l. c. 294 = *H. brevifolius*.  
*corymbosa*, Kunth, l. c. 293 = *H. corymbosus*.  
*Gawleri*, Kunth, l. c. = *H. brevifolius*.

**PERICALIA**, Cass. in Dict. Sc. Nat. xlviii. 459 (1827) = **Senecio**, Tourn. (Compos.).  
*cordifolia*, Cass. l. c. = *S. cardiophyllus*.

**PERICALLIS**, Webb & Berth. Phyt. Canar. ii. 324 (1836-50) = **Senecio**, Tourn. (Compos.).  
*cruenta*, Webb & Berth. l. c. 336; C. Bolle, in Bonplandia, viii. (1860) 133 = *S. cruentus*.  
*echinata*, Webb & Berth. l. c. 335 = *S. echinatus*.  
*lanata*, Webb & Berth. l. c. 324 = *S. Heritieri*.  
*multiflora*, Webb & Berth. l. c. 326 = *S. multiflorus*.  
*papyracea*, Webb & Berth. l. c. 339 = *S. papyraceus*.  
*populifolia*, Webb & Berth. l. c. 328 = *S. appendiculatus*.  
*Tussilaginis*, Webb & Berth. 331 = *S. Tussilaginis*.  
*Webbii*, C. Bolle, in Bonplandia, viii. (1860) 133.—Ins. Canar.

**PERICALYMMA**, Endl. Gen. 1230 (1840) = **Leptospermum**, Forst. (Myrtac.).  
*crassipes*, Schau. in Lehm. Pl. Preiss. i. 120 = *L. crassipes*.  
*ellipticum*, Schau. l. c. = *L. ellipticum*.  
*floridum*, Schau. l. c. 121 = *L. floridum*.  
*roseum*, Turcz. in Bull. Phys.-Math. Acad. Pétersb. x. (1852) 334.—Austral.  
*teretifolium*, Turcz. l. c.—Austral.

**PERICALYMNA**, Meissn. Gen. Comm. 354 (1843) = *praec.*

**PERICAMPYLUS**, Miers, in Ann. & Mag. Nat. Hist. Ser. II. vii. (1851) 40. **MENISPERMACEAE**, Benth. & Hook. f. i. 37.

**PERICAMPYLUS** :—

**LEGNEPHORA**, Miers, in Ann. & Mag. Nat. Hist. Ser. III. xix. (1867) 88.  
**PSELIUM**, Lour. Fl. Cochinch. 622 (1790).  
*aduncus*, Miers, l. c. xiv. (1864) 371 = *incanus*.  
*assamicus*, Miers, l. c. 371 = *incanus*.  
*incanus*, Miers, l. c. Ser. II. vii. (1851) 40.—Ind. or.; Malaya.  
*lanuginosus*, Miq. Fl. Ind. Bat. i. ii. 83 = *Cocculus lanuginosus*.  
*membranaceus*, Miers, in Ann. & Mag. Nat. Hist. Ser. III. xiv. (1864) 371 = *incanus*.

**PERICAULON**, Rafin. New Fl. Am. ii. 50 (1836) = **Baptisia**, Vent. (Legumin.).  
*cordatum*, Rafin. l. c. 51 = *B. perfoliata*.  
*microphyllum*, Rafin. l. c. = *B. microphylla*.  
*perfoliatum*, Rafin. l. c. = *B. perfoliata*.

**PERICHASMA**, Miers, in Ann. & Mag. Nat. Hist. Ser. III. xviii. (1866) 21 = **Stephania**, Lour. (Menisp.).  
*laetiflora*, Miers, l. c. 22.—Afr. trop.

**PERICLA**, Rafin. Sylva Tellur. 112 (1838) = **Cleome**, Linn. (Capparid.).  
*imbricata*, Rafin. l. c. = *C. integrifolia*.

**PERICLISTIA**, Benth. in Hook. Journ. Bot. iv. (1842) 108 = **Paypayrola**, Aubl. (Violar.).  
*latifolia*, Benth. l. c. 109 = *Payp. guianensis*.  
*longifolia*, Benth. l. c.—Guian.  
*longifolia*, Miq. in Mart. Fl. Bras. xiii. i. 378, in syn. = *Payp. guianensis*.

**PERICLYMENUM**, Tourn. ex Rupp. Fl. Jen. ed. Hall. 250 (1745); Mill. Gard. Dict. ed. VI (1752) = **Lonicera**, Linn. (Caprifol.).  
*americanum*, Mill. Gard. Dict. ed. VIII. n. 7 = *L. grata*.  
*germanicum*, Mill. l. c. n. 4 = *L. Periclymenum*.  
*italicum*, Mill. l. c. n. 5 = *L. Caprifolium*.  
*javanicum*, Noronha, in Verh. Batav. Gen. v. (1790) ed. I. Art. iv. 22 = *L. javanica*.  
*perfoliatum*, S. F. Gray, Nat. Arr. Brit. Pl. ii. 487 = *L. Caprifolium*.  
*racemosum*, Mill. Gard. Dict. ed. VIII. n. 2 = *Chamaecoccia racemosa*.  
*sempervirens*, Mill. l. c. n. 1 = *L. sempervirens*.  
*serotinum*, Ait. ex Steud. Nom. ed. II. ii. 304 = *L. Periclymenum*.  
*verticillatum*, Mill. Gard. Dict. ed. VIII. n. 3 = *L. verticillata*.  
*vulgare*, Mill. l. c. n. 6 = *L. Periclymenum*.

**PERICODIA**, Rafin. Fl. Tellur. iv. 104 (1836) = **Passiflora**, Linn.  
*perfoliata*, Rafin. l. c. = *Passifl. perfoliata*.

**PERICOME**, A. Gray, Pl. Wright. ii. 81 (in Smithson. Contrib. v.) (1853). **COMPOSITAE**, Benth. & Hook. f. ii. 406.  
**GALINSOGEOPSIS**, Sch. Bip. in Seem. Bot. Voy. Herald, 306 (1857 ?).  
*caudata*, A. Gray, Pl. Wright. ii. 82.—N. Mexic.  
*spilanthoides*, Benth. & Hook. f. ex Hemsl. Biol. Centr. Am. Bot. ii. 215.—Mexic.

**PERICOPSIS**, Thw. Enum. Pl. Zeyl. 413 (1864). **LEGUMINOSAE**, Benth. & Hook. f. i. 556.  
*Mooniana*, Thw. l. c. 414.—Zeylan.

**PERICTENIA**, Miers, Apocyn. S. Am. 182 (1878). **APOCYNACEAE**.  
*stipellaris*, Miers, l. c. 183.—Am. austr.

**PERICYCLA**, Blume, Rumphia, ii. 47. t. 94 (1843) = **Licuala**, Thunb. (Palm.).  
*penduliflora*, Blume, l. c. = *L. penduliflora*, Zipp.

**PERIDERAEEA**, Webb, Iter Hisp. 37 (1838) = **Anthemis**, Mich. (Compos.).  
*aurea*, Willk. in Willk. & Lange, Prod. Fl. Hisp. ii. 90 = *Cotula aurea*.  
*fusca*, Webb, Iter Hisp. 37 = *A. fusca*.

**PERIDERIDIA**, Reichb. Handb. 219 (1837) = **Eulophus**, Nutt. (Umbell.).  
*americana*, Reichb. l. c. = *E. americanus*.

**PERIDISCUS**, Benth. in Benth. & Hook. f. Gen. i. 127 (1862). **BIXINEAE**, Benth. & Hook. f. l. c.  
*lucidus*, Benth. l. c.—Bras.

**PERIDIUM**, Schott, in Spreng. Syst. iv. Cur. Post. 410 (1827) = **Pera**, Mutis (Euphorb.).  
*bicolor*, Klotzsch, in Hook. Lond. Journ. Bot. ii. (1843) 44 = *Pera bicolor*.  
*coccineum*, Benth. in Hook. Kew Journ. vi. (1854) 323 = *Pera coccinea*.  
*ferrugineum*, Schott, in Spreng. Syst. iv. Cur. Post. 410 = *Pera ferruginea*.  
*glabratum*, Schott, l. c. = *Pera glabrata*.  
*oblongifolium*, Benth. in Hook. Kew Journ. ii. (1850) 243 = *Pera ferruginea*.  
*obovatum*, Klotzsch, in Wieg. Arch. vii. (1841) 180 = *Pera obovata*.  
*obtusifolium*, Schott, in Spreng. Syst. iv. Cur. Post. 410 = *Pera glabrata*.  
*ovale*, Klotzsch, in Wieg. Arch. vii. (1841) 180 = *Pera ferruginea*.  
*parvifolium*, Klotzsch, l. c. = *Pera parvifolia*.  
*Schomburgkianum*, Benth. in Hook. Kew Journ. vi. (1854) 323, in obs. = *Pera Schomburgkiana*.  
*Schomburgkii*, Klotzsch, in Schomb. Faun. & Fl. Brit. Gui. 1089 = *praec.*

**PERIEILEMA**, Benth. & Hook. f. Gen. iii. 1144 (1883), sphalm. = **Pereilema**, Presl (Gramin.).

**PERIETERIS**, Rafin. Fl. Tellur. iii. 74 (1836) = **Nicotiana**, Linn. (Solan.).  
*tristis*, Rafin. l. c. = *N. tristis*.  
*viridiflora*, Rafin. l. c. = *N. Langsdorffii*.

**PERIGARIA**, Span. in Linnaea, xv. (1841) 204 = **PIRIGARA**, Aubl. = **Gustavia**, Linn. (Myrtac.).

**PERIGLOSSUM**, Decne. in DC. Prod. viii. 520 (1844) = **Cordylogyne**, E. Mey. (Asclep.).  
*angustifolium*, DC. l. c.—Afr. austr.  
*M'Kenii*, Harv. Thes. Cap. ii. 7. t. 111.—Afr. austr.  
*macrum*, Decne. in DC. Prod. viii. 520 (= *Lagarinthus macer*).—Afr. austr.

**PERIHEMIA**, Rafin. Fl. Tellur. iv. 20 (1836) = **Hae-manthus**, Tourn. (Amaryll.).  
*coarctata*, Rafin. l. c. = *H. coccineus*.

**PERILLA**, Linn. Gen. ed. VI. 578 (1764). **LABIATAE**, Benth. & Hook. f. ii. 1182.  
**DENTIDIA**, Lour. Fl. Cochinch. 369 (1790).  
*arguta*, Benth. in DC. Prod. xii. 164.—China.  
*elata*, D. Don, Prod. Fl. Nep. 115 = *Elsholtzia blanda*.  
*fruticosa*, D. Don, l. c. = *Elsholtzia polystachya*.  
*lanceolata*, Benth. in DC. Prod. xii. 164.—China.  
*leptostachya*, D. Don, Prod. Fl. Nep. 115 = *Elsholtzia incisa*.  
*macrostachya*, Benth. in Wall. Cat. n. 1559 = *ocymoides*.  
*marathrosma*, Hort. ex Spreng. Nov. Prov. 24 = *Lophanthus anisatus*.  
*nankinensis*, Decne. in Rev. Hort. Sér. IV. i. (1852) 61 = *arguta*.  
*nankinensis*, Hort. ex Wender.—Cf. Linnaea, xxix. (1857-58) 726 = *Coleus ingratus*.  
*ocymoides*, Linn. Gen. ed. VI. 578.—Ind. or.  
*polystachya*, D. Don, Prod. Fl. Nep. 115 = *Elsholtzia cristata*.  
*urticaefolia*, Salisb. Prod. 80 = *ocymoides*.

**PERILLULA**, Maxim. in Bull. Acad. Pétersb. xx. (1875) 463. **LABIATAE**, Benth. & Hook. f. ii. 1182.  
*reptans*, Maxim. l. c.—Japan.

**PERILOBA**, Rafin. Fl. Tellur. iv. 87 (1836) = **Nothoscordum**, Kunth (1843) (Liliac.).  
*paradoxa*, Rafin. l. c. = *N. fragrans*.

**PERILOMIA**, H. B. K. Nov. Gen. et Sp. ii. 326, t. 159 (1817). **LABIATAE**, Benth. & Hook. f. ii. 1202.  
*THERESA*, Clos, in C. Gay, Fl. Chil. iv. 496, t. 54 (1849).  
*cordifolia*, Cham. & Schlecht. in Linnaea, vi. (1831) 374 = *Scutellaria splendens*.



**PERILOMIA** :—

*dubia*, Spreng. Syst. ii. 704.—Bras.  
*fruticosa*, Cham. & Schlecht. in Linnaea, v. (1830)  
 102 = *Scutellaria Mociniana*.  
*gardoquioides*, Benth. & Hook. f. Gen. ii. 1203.—  
 Peruv.  
*ocymoides*, Benth. in Bot. Reg. t. 1394 = *scutellarioides* ?  
*ocymoides*, H. B. & K. Nov. Gen. et Sp. ii. 328.—  
 Ecuador.  
*scutellarioides*, H. B. & K. l. c. 327. t. 157.—Peruv.  
*tomentosa*, Benth. Lab. Gen. et Sp. 446.—Mexic.

**PERIMA**, Rafin. Sylva Tellur. 118 (1838) = **Entada**,  
 Adans. (Legumin.).  
*odorata*, Rafin. l. c. = *E. scandens*.

**PERIMENIUM**, Steud. Nom. ed. II. ii. 305 (1841) =  
**Perymenium**, Schrad. (Compos.).

**PERINKA**, Rafin. Sylva Tellur. 60 (1838) = **Elaeo-**  
**carpus**, Burm. (Tiliac.).  
*grandiflora*, Rafin. l. c. = *E. grandiflorus*, Sm.  
*reticulata*, Rafin. l. c. = *E. cyaneus*.

**PERIPEA**, Steud. Nom. ed. II. ii. 305 (1841) = **PIRIPEA**,  
 Aubl. = **Buchnera**, Linn. (Scrophul.).

**PERIPHANES**, Salisb. Gen. Pl. Fragm. 118 (1866) =  
**Hesseea**, Herb. (Amaryll.).  
*crispa*, Salisb. l. c. = *H. crispa*.  
*stellaris*, Salisb. l. c. = *H. stellaris*.

**PERIPHAS**, Rafin. Fl. Tellur. iv. 85 (1836) = **Convol-**  
**vulus**, Tourn.  
*pannifolius*, Rafin. l. c. = *C. canariensis*.

**PERIPHRAGMOS**, Ruiz & Pav. Prod. 26. t. 24 (1794)  
 = **Cantua**, Juss. (Polemon.).  
*dependens*, Ruiz & Pav. Fl. Per. ii. 18 = *C. buxifolia*.  
*flexuosa*, Ruiz & Pav. l. c. 17 = *C. pyrifolia*.  
*foetidus*, Ruiz & Pav. l. c. = *Vestia lycioides*.  
*uniflorus*, Ruiz & Pav. l. c. 18 = *C. ovata*.

**PERIPLEXIS**, Wall. Cat. sub n. 8022 (1832) = **Hemi-**  
**cyclia**, Wight & Arn. (Euphorb.).

**PERIPLOCA**, Tourn. ex Linn. Gen. ed. I. 65 (1737),  
 partim. **ASCLEPIADEAE**, Benth. & Hook. f. ii.  
 746.

*APLOCA*, Neck. Elem. i. 255 (1790).

**CAMPELEPIS**, Falc. in Trans. Linn. Soc. xix. (1842)  
 101.

*africana*, Linn. Sp. Pl. 211 (= *Cynoctonum pilosum*).  
 —Afr. austr.

*Afzelii*, G. Don, Gen. Syst. iv. 163 = *nigrescens* ?  
*albicans*, Poir. Encyc. v. 191 (Quid ?).—Ind. or.  
*alboflavescens*, Dennst. Schluess. Hort. Malab. 35  
 (Parsonsia sp. ?).—Ind. or.

*angustifolia*, Labill. Ic. Pl. Syr. Dec. ii. 13. t. 7 =  
*laevigata*.

*aphylla*, Decne. in Jacquem. Voy. Bot. 109. t. 116.—  
 Oriens ; Ind. bor. occ.

*arborea*, Dennst. Schluess. Hort. Malab. 35 (Quid ?).—  
 Ind. or.

*audica*, Raeusch. Nom. ed. III. 72 = *laevigata*.

*bifida*, D. Dietr. Syn. Pl. ii. 883 = *Phyllanthera bifida*.

*calophylla*, Falc. in Proc. Linn. Soc. i. (1841) 115.—  
 Reg. Himal.

*calumpitensis*, Llanos, Fragm. 62 = *Streptocaulon*  
*Baumii*.

*capensis*, Roxb. ex Arn. in Edinb. N. Phil. Journ. xvii.  
 (1834) 261 = *Glossostephanus linearis* ?

*capsularis*, Forst. f. Prod. 20 = *Parsonsia rosea*.

*chinensis*, Decne. in DC. Prod. viii. 499 = *cochinchi-*  
*nensis*.

*chinensis*, Spreng. Syst. i. 836 = *Vallaris sinensis*.

*ciliata*, Leschen. ex Kostel. Allg. Med.-Pharm. Fl. iii.  
 1082 (Quid ?).—Java ?

*cochinchinensis*, Lour. Fl. Cochinch. 167 (*Pergularia*  
*sp. ?*).—Cochinch.

*cordata*, Poir. Encyc. v. 191 = *Hemidesmus indicus*.

*divaricata*, Spreng. Syst. i. 836 = *Strophanthus*  
*divergens*.

*dubia*, Burm. f. Fl. Ind. 70 = *Cryptolepis Buchanani*.

*emetica*, Retz. Obs. ii. 14 = *Secamone emetica*.

*esculenta*, Linn. f. Suppl. 168 = *Oxystelma esculentum*.

*fasciculata*, Viv. ex Coss. in Eull. Soc. Bot. Fr. xii.  
 (1865) 278 = *laevigata*.

*Forsteri*, Decne. in DC. Prod. viii. 499 = *Parsonsia*  
*rosea*.

**PERIPLOCA** :—

*fruticosa*, Mill. Gard. Dict. ed. VIII. n. 3 (Quid ?).—  
 Mexic.

*gracilis*, Boiss. Fl. Orient. iv. 50.—Cilicia.

*gracila*, Linn. Sp. Pl. 211.—Europ. austr. ; Oriens.

*hastata*, Decne. in DC. Prod. viii. 499 = *Microlooma*  
*sagittatum*.

*heterophylla*, A. Cunn. ex Decne. l. c. = *Parsonsia albi-*  
*flora*.

*Humboldtiana*, Schult. Syst. vi. 129 = *Astephanus*  
*cubensis*.

*Hydaspidis*, Falc. in Proc. Linn. Soc. i. (1841) 115.—  
 Ind. bor. occ.

*indica*, Linn. Sp. Pl. 211 = *Hemidesmus indicus*.

*khasiana*, Benth. ex Hook. f. Fl. Brit. Ind. iv. 4 =  
*Pentanura khasiana*.

*laeta*, Salisb. Prod. 148 = *gracila*.

*laevigata*, Ait. Hort. Kew. ed. I. i. 301.—Reg.  
 Mediterr. ; Ins. Canar.

*laevigata*, Bal. ex Boiss. Fl. Orient. iv. 50 = *gracilis*.

*linearifolia*, Dillon & A. Rich. in Ann. Sc. Nat.  
 Sér. II. xiv. (1840) 263.—Abyssin.

*linearis*, Hochst. in Flora, xxiv. (1841) i. Intell. 25 =  
*linearifolia*.

*maculata*, Moench, Meth. 46 = *gracila*.

*malabarica*, Burm. ex Decne. in DC. Prod. viii. 499 =  
*Hemidesmus indicus*.

*mauritanica*, Poir. Encyc. v. 188 = *Tylophora laevigata*.

*montana*, Rottl. ex Wight, Contrib. 45 = *Gymnema*  
*montanum*.

*mucronata*, Willd. ex Schult. Syst. vi. 129.—Am.  
 austr.

*multiflora*, Burm. f. Fl. Cap. Prod. 7 (Quid ?).—Afr.  
 austr.

*nigrescens*, Afzel. Stirp. Guin. Med. Sp. Nov. i. 2.—  
 Afr. trop.

*oblongata*, Humb. & Bonpl. ex Schult. Syst. vi. 129.—  
 Am. austr.

*oleaeifolia*, Salisb. Prod. 148 = *laevigata*.

*ovata*, Poir. ex Decne. in DC. Prod. viii. 508 =  
*Astephanus ovatus*.

*pallida*, Salisb. Prod. 148 (= *Cynoctonum pilosum*).—  
 Afr. austr.

*Palvalli*, Dennst. Schluess. Hort. Malab. 35 (Quid ?).  
 —Ind. or.

*parviflora*, Poir. Encyc. v. 192.—Ind. or.

*parviflora*, Willd. ex Schult. Syst. vi. 129 = *Astephanus*  
*cubensis*.

*Petersiana*, Vatke, in Oestr. Bot. Zeitschr. xxvi. (1876)  
 147.—Afr. trop.

*pubescens*, Willd. ex Schult. Syst. vi. 129.—Am.  
 austr.

*punicaefolia*, Cav. Ic. iii. 9. t. 217 = *laevigata*.

*reticulata*, Roth, Nov. Pl. Sp. 175 = *Cynanchum*  
*Callialata* ?

*rigida*, Viv. Lib. Spec. 14. t. 6 = *laevigata*.

*Secamone*, Lam. ex Decne. in DC. Prod. viii. 498 =  
*laevigata*.

*Secamone*, Linn. Mant. ii. 216 = *Oxystelma Alpini*.

*Secamone*, Thunb. Prod. Pl. Cap. 47 = *Secamone*  
*Thunbergii*.

*sepium*, Bunge, Enum. Pl. Chin. Bor. 43.—China.

*sinensis*, Steud. Nom. ed. II. i. 552, in syn. = *Vallaris*  
*sinensis*.

*sylvestris*, Retz. Obs. ii. 15 = *Gymnema sylvestre*.

*tenuifolia*, Linn. Sp. Pl. 212 = *Microlooma lineare*.

*tenuifolia*, Willd. ex Schult. Syst. vi. 129 = *Gymnema*  
*subvolubile*.

*tunicata*, Hort. Madr. ex Wight, Contrib. 56 = *Cynan-*  
*chum Callialata*.

*tunicata*, Retz. Obs. ii. 15 = *Cynanchum pauciflorum*.

*venosa*, Hochst. ex Decne. in DC. Prod. viii. 493 =  
*Tacazzea venosa*.

*virgata*, Poir. Encyc. v. 192 (= *Orthosia virgata*).—  
 Bras.

*viridiflora*, Kostel. Allg. Med.-Pharm. Fl. iii. 1082 =  
*Cryptolepis Buchanani*.

*vomitaria*, Leschen. ex Kostel. l. c. (Quid ?).—Java ?

**PERIPTERA**, DC. Prod. i. 459 (1824) (Malvac.).

*megapotamica*, G. Don, Gen. Syst. i. 490 = *Abutilon*  
*megapotamicum*.

*punica*, DC. Prod. i. 459 = *Anoda punicea*.

**PERIPTERYGIUM**, Hassk. in Hoev. & De Vriese,  
 Tijdschr. x. (1843) 142 ; et Cat. Hort. Bog. Alt. 234  
 (1844) = **Cardiopteris**, Wall. (Olecin.).

*quinquelobum*, Hassk. ll. cc. 142 ; 235 = *C. lobata*.

**PERISTEIRA**, Hook. f. Fl. Brit. Ind. iv. 277-9 (1884),  
 sphalm. = **PENTSTEIRA**, Griff. = **Torenia**, Linn.  
 (Scrophul.).

**PERISTERA**, Eckl. & Zeyh. Enum. 72 (1835) = **Pelar-**  
**gonium**, L'Hérit. (Geran.).

*althaeoides*, Eckl. & Zeyh. l. c. = *Pelarg. althaeoides*.

*anceps*, Eckl. & Zeyh. l. c. = *Pelarg. anceps*.

*brevipes*, Presl, Bot. Bemerk. 27 = *Pelarg. australe*.

*columbina*, Eckl. & Zeyh. Enum. 73 = *Pelarg. australe*.

*grossularioides*, Eckl. & Zeyh. l. c. 72 = *Pelarg. australe*.

*humifusa*, Eckl. & Zeyh. l. c. 73 = *Pelarg. parvulum*.

*iocasta*, Eckl. & Zeyh. l. c. = *Pelarg. australe*.

*nummulariaefolia*, Eckl. & Zeyh. l. c. 72 = *Pelarg.*  
*australe*.

*parvula*, Eckl. & Zeyh. l. c. 73 = *Pelarg. parvulum*.

*procumbens*, Eckl. & Zeyh. l. c. = *Pelarg. australe*.

**PERISTERIA**, Hook. Bot. Mag. t. 3116 (1831).

**ORCHIDEAE**, Benth. & Hook. f. iii. 550.

**ECKARTIA**, Reichb. Nom. 53 (1841).

*Barkeri*, Batem. Orch. Mex. & Guat. t. 8 = *Acineta*  
*Barkeri*.

*cerina*, Lindl. Bot. Reg. t. 1953.—Am. austr.

*elata*, Hook. Bot. Mag. t. 3116.—Panama.

*Ephippium*, Reichb. f. in Gard. Chron. (1883) II. 198.  
 —Am. trop.

*fusca*, Hort. ex Lindl. in Gard. Chron. (1856) 388 =  
*Lycomormium squalidum*.

*graveolens*, Hort. l. c. (1882) II. 151.—Hab. ?

*guttata*, Knowles & Westc. Flor. Cab. ii. (1838) 99.  
 t. 70.—Am. austr.

*Humboldtii*, Lindl. Bot. Reg. (1843) t. 18 = *Acineta*  
*Humboldtii*.

*lentiginosa*, Lodd. Cat. ex W. Baxt. in Loud. Hort. Brit.  
 Suppl. iii. 604 = *pendula* ?

*longiscapa*, Rich. & Gal. in Ann. Sc. Nat. Sér. III. iii.  
 (1845) 25 = *Lacena bicolor*.

*maculata*, Hort. ex Loud. Encyc. Pl. Suppl. ii. 1474 =  
*pendula*.

*pendula*, Hook. Bot. Mag. t. 3479.—Guian.

*stapelioides*, Loud. Hort. Brit. Suppl. iii. 604 = *Zygo-*  
*petalum stapelioides* ?

**PERISTIMA**, Rafin. Sylva Tellur. 89 (1838) = **Helio-**  
**tropium**, Tourn. (Borag.).

*bicolor*, Rafin. l. c. = *H. strigosum*.

**PERISTROPHE**, Nees, in Wall. Pl. As. Rar. iii. 112  
 (1832). **ACANTHACEAE**, Benth. & Hook. f. ii.  
 1121.

**RAMUSIA**, Nees, in DC. Prod. xi. 309 (1847).

**STREPSIPHUS**, Rafin. Fl. Tellur. ii. 91 (1835).

*acuminata*, Nees, in Wall. Pl. As. Rar. iii. 113.—  
 Burma ; Malaya.

*albiflora*, Hassk. Cat. Hort. Bog. Alt. 152.—Java.

*angustifolia*, Nees, in DC. Prod. xi. 494.—Java.

*bicalyculata*, Nees, in Wall. Pl. As. Rar. iii. 113.—As.  
 et Afr. trop.

*Blumeana*, Nees, in DC. Prod. xi. 495 = *acuminata*.

*caulopsila*, Presl, Bot. Bemerk. 95 ; Nees, l. c. 498.—  
 Afr. trop.

*cernua*, Nees, in Linnaea, xv. (1841) 374 = *caulopsila*.

*chinensis*, Nees, in DC. Prod. xi. 494.—China.

*ciliata*, Royle, ex Nees, l. c. 499, 500 = *Justicia publi-*  
*gera*.

*commutata*, Nees, l. c. 497.—Ins. Molucc.

*contorta*, Villar, in Blanco, Fl. Philipp. ed. III. Nov.  
 App. 157.—Ins. Philipp.

*Cumingiana*, Nees, in DC. Prod. xi. 498 = *Hypoestes*  
*Cumingiana*.

*Dalaora*, Nees, l. c. 499 = *tinctoria* ?

*dichotoma*, Hassk. Cat. Hort. Bog. Alt. 152 = *Dianthera*  
*dichotoma*.

*fera*, C. B. Clarke, in Hook. f. Fl. Brit. Ind. iv. 556.—  
 Reg. Himal.

*fragilis*, Nees, in Wall. Pl. As. Rar. iii. 113 = *acuminata*.

*gracilis*, Nees, l. c. = *acuminata*.

*grandiflora*, Parish, ex C. B. Clarke, in Hook. f. Fl.  
 Brit. Ind. iv. 556 = *lanceolaria*.

*jalappaefolia*, Nees, in DC. Prod. xi. 494.—Java.

*Kotschyana*, Nees, l. c. 497 = *bicalyculata*.

*Krebsii*, Presl, Bot. Bemerk. 94.—Afr. austr.

*lanceolaria*, Nees, in Wall. Pl. As. Rar. iii. 114.—  
 Ind. or. ; Burma.

*maculata*, Hochst. ex Nees, in DC. Prod. xi. 485 =  
*Dicliptera maculata*.

*montana*, Nees, in Wall. Pl. As. Rar. iii. 113.—Ind. or.



**PERISTROPHE:**—

- natalensis*, T. Anders. in Journ. Linn. Soc. vii. (1864) 48.—Afr. austr.  
*oblonga*, Nees, in Linnaea, xv. (1841) 375 = *Rhinacanthus oblongus*.  
*pallida*, Nees, in DC. Prod. xi. 494.—Java.  
*pubigera*, Nees, in Wall. Pl. As. Rar. iii. 114 = *Justicia pubigera*.  
*pulchella*, Voigt, Hort. Suburb. Calc. 492.—Hab.?  
*rivinoides*, Wall. Cat. n. 2488 = *bicalyculata*.  
*salicifolia*, Hassk. Cat. Hort. Bog. Alt. 152.—Java.  
*Schimperiana*, Hochst. ex Nees, in DC. Prod. xi. 497 = *bicalyculata*.  
*speciosa*, Nees, in Wall. Pl. As. Rar. iii. 113.—Reg. Himal.  
*tinctoria*, Nees, l. c.—Ind. or.; Malaya.  
*tinctoria*, Span. ex Nees, in DC. Prod. xi. 493 = *fera*.  
*undulata*, Nees, l. c. 496.—Ind. or.

**PERISTYLIS**, Benth. & Hook. f. Gen. iii. 625 (1883), sphalm. = seq.

**PERISTYLUS**, Blume, Bijdr. 404. t. 30 (1825) = **Habenaria**, Willd. (Orchid.).

- albidus*, Lindl. Syn. Brit. Fl. ed. II. 261 = *H. albidus*.  
*arachnoideus*, A. Rich. in Ann. Sc. Nat. Sér. II. xiv. (1840) 267.—Abyss.  
*aristatus*, Lindl. Gen. et Sp. Orch. 300 = *H. aristata*.  
*atlanticus*, Lindl. l. c. = *H. intacta*.  
*brachyphyllus*, A. Rich. in Ann. Sc. Nat. Sér. II. xv. (1841) 70. t. 2.—Ind. or.  
*bracteatus*, Lindl. Gen. et Sp. Orch. 298 = *H. viridis*.  
*brevilobus*, Thw. Enum. Pl. Zeyl. 311 = *H. breviloba*.  
*chloranthus*, Lindl. in Hook. Kew Journ. vii. (1855) 37 = *H. lacertifera*.  
*chorisianus*, Lindl. Gen. et Sp. Orch. 297 = *H. chorisiana*.  
*citrinus*, Lindl. l. c. 298 = *H. citrina*.  
*Commersonianus*, Lindl. l. c. 297.—Ins. Borbon.  
*constrictus*, Lindl. l. c. 300.—Reg. Himal.; Burma.  
*cordatus*, Lindl. l. c. 298 = *Orchis cordata*.  
*densiflorus*, Lindl. l. c. = *H. intacta*.  
*elatus*, Dalz. in Hook. Kew Journ. iii. (1851) 344 = *H. Wightii*.  
*elatus*, Wall. ex Voigt, Hort. Suburb. Calc. 631, nomen.—Hab.?  
*exilis*, Wight, Ic. v. t. 1698 = *H. aristatus*.  
*fallax*, Lindl. Gen. et Sp. Orch. 298 = *Herminium fallax*.  
*filiformis*, Kraentz. in Bremen, Abh. vii. (1882) 258 = *H. filiformis*.  
*flexuosus*, S. Moore, in Baker, Fl. Maurit. 336.—Ins. Mascar.  
*goodyeroides*, Lindl. Gen. et Sp. Orch. 299 = *H. goodyeroides*.  
*gracilis*, Blume, Bijdr. 404 = *H. tipulifera*?  
*gramineus*, S. Moore, in Baker, Fl. Maurit. 336 = *H. graminea*.  
*grandis*, Blume, Bijdr. 405. t. 30 = *H. goodyeroides*.  
*Hamiltonianus*, Lindl. Gen. et Sp. Orch. 299.—Reg. Himal.  
*Horsfieldii*, Blume, Mus. Bot. Lugd. Bat. ii. 189.—Java.  
*islandicus*, Lindl. Gen. et Sp. Orch. 297 = *H. viridis*.  
*lancifolius*, A. Rich. in Ann. Sc. Nat. Sér. II. xv. (1841) 69.—Ind. or.  
*latifolius*, Lindl. Gen. et Sp. Orch. 297 = *H. chlorantha*.  
*Lawii*, Wight, Ic. v. t. 1698.—Ind. or.  
*Lefebvreanus*, A. Rich. in Ann. Sc. Nat. Sér. II. xiv. (1840) 266. t. 16 = *Herminium Lefebreanum*.  
*maculatus*, Reichb. f. Ic. Pl. Germ. xiii-xiv. 2, in syn. sphalm. = *H. intacta*.  
*montanus*, Schur, Enum. Pl. Transs. 645 = *H. viridis*.  
*Novo-Ebudarum*, F. Muell. Phyt. N. Hebrid. 22 = *H. Novo-Ebudarum*.  
*obsoletus*, Lindl. Gen. et Sp. Orch. 297 = *H. obsoleta*.  
*Parishii*, Reichb. f. in Trans. Linn. Soc. xxx. (1874) 139.—Ind. or.  
*Petitianus*, A. Rich. in Ann. Sc. Nat. Sér. II. xiv. (1840) 266.—Abyss.  
*plantagineus*, Lindl. Gen. et Sp. Orch. 300.—Ind. or.  
*purpureus*, S. Moore, in Baker, Fl. Maurit. 335 = *H. purpurea*.  
*purpureus*, Schur, Enum. Pl. Transs. 646 = *H. cucullata*.  
*Quartinianus*, A. Rich. in Ann. Sc. Nat. Sér. II. xiv. (1840) 265.—Abyss.  
*Richardianus*, Wight, Ic. t. 1697.—Ind. or.  
*robustior*, Wight, l. c. v. t. 1699.—Ind. or.

**PERISTYLUS:**—

- sacculatus*, Balf. f. & S. Moore, in Journ. Bot. xiv. (1876) 293.—Ins. Borbon.  
*Sampsoni*, Hance, in Journ. Bot. vi. (1868) 371.—China.  
*satyrioides*, Reichb. f. in Bot. Zeit. vii. (1849) 868 (= *Coeloglossum satyrioides*).—Tauria.  
*secundiflorus*, Boiv. ex S. Moore, in Journ. Bot. xiv. (1876) 293, nomen.—Ins. Borbon.  
*spiralis*, S. Moore, in Baker, Fl. Maurit. 335 = *H. spiralis*, A. Rich.  
*spiralis*, A. Rich. in Ann. Sc. Nat. Sér. II. xv. (1841) 69. t. 2 B = *H. spiralis*, Trimen.  
*squamatus*, Hochst. ex A. Rich. Tent. Fl. Abyss. ii. 289.—Abyss.  
*tridentatus*, Hook. f. in Journ. Linn. Soc. vii. (1864) 221.—Afr. trop.  
*unifolius*, Hochst. ex Reichb. f. in Bonplandia, iii. (1855) 213 (= *Deroemera unifolia*).—Abyss.  
*virescens*, Lindl. Gen. et Sp. Orch. 298 = *H. herbiola*.  
*viridis*, Lindl. Syn. Brit. Fl. ed. II. 261 = *H. viridis*.

**PERITASSA**, Miers, in Trans. Linn. Soc. xxviii. (1872) 402 = **Salacia**, Linn. (Celastr.).

- adamantina*, Miers, l. c. 404.—Bras.  
*compta*, Miers, l. c. 405 = *S. laevigata*.  
*dulcis*, Miers, l. c. 403 = *S. dulcis*.  
*fluminensis*, Miers, l. c. 407 = *S. fluminensis*.  
*rorida*, Miers, l. c. 406 = *S. laevigata*.  
*rubicunda*, Miers, l. c. 405 = *S. laevigata*.  
*smaragdina*, Miers, l. c. 404 = *S. laevigata*.

**PERITOMA**, DC. Prod. i. 237 (1824) = **Cleome**, Linn. (Cappar.).

- aureum*, Nutt. in Journ. Acad. Philad. vii. (1834) 15 = *C. lutea*.  
*integrifolium*, Nutt. l. c. 14 = *C. integrifolia*.  
*luteum*, Rafin. Sylva Tellur. 112 = *C. lutea*.  
*serrulatum*, DC. Prod. i. 237 = *C. integrifolia*.

**PERITOMIA**, G. Don, Gen. Syst. iv. 668 (1837), sphalm. = **Perilomia**, H. B. & K. (Labiata.).

**PERITRIS**, Rafin. New Fl. Am. ii. 23 (1836) = **Arnica**?

- Linn. (Compos.).  
*ovatifolia*, Rafin. l. c. (Quid?).—Am. bor.

**PERITTUM**, Vog. in Linnaea, xi. (1837) 408 = **Melanoxylon**, Schott (Legumin.).

- ferrugineum*, Vog. l. c.—M. Brauna.

**PERITYLE**, Benth. Bot. Voy. Sulph. 23. t. 15 (1844).

- COMPOSITAE**, Benth. & Hook. f. ii. 398.  
*Acemella*, Harv. & Gray, in Mem. Am. Acad. N. S. iv. (1849) 77 = *microglossa*.  
*aglossa*, A. Gray, Pl. Wright. ii. 107 = *Laphamia aglossa*.  
*californica*, Benth. Bot. Voy. Sulph. 23. t. 15.—Calif.  
*californica*, A. Gray, in Proc. Am. Acad. v. (1862) 159 = *microglossa*.  
*coronopifolia*, A. Gray, Pl. Wright. ii. 82.—N. Mexic.  
*dissecta*, A. Gray, in Proc. Am. Acad. ix. (1874) 195.—Texas; Mexic.  
*Emoryi*, Torr. in Emory, Notes Mil. Reconnois. 142 = *californica*.  
*Fitchii*, Torr. ex A. Gray, in Pacif. Rail. Rep. iv. 100.—Calif.  
*incana*, A. Gray, in Proc. Am. Acad. xi. (1876) 78.—Calif.  
*leptoglossa*, Harv. & Gray, ex A. Gray, in Mem. Am. Acad. N. S. iv. (1849) 77.—Arizona.  
*microglossa*, Benth. Bot. Voy. Sulph. 119.—Calif.  
*nuda*, Torr. ex A. Gray, in Pacif. Rail. Rep. iv. 100 = *californica*.  
*Parryi*, A. Gray, Pl. Wright. ii. 106 = *Laphamia Parryi*.  
*plumigera*, Harv. & Gray, ex A. Gray, in Mem. Am. Acad. N. S. iv. (1849) 77.—Arizona.

**PERIZOMA**, Miers, ex Lindl. Veg. Kingd. 622 (1847) = **Salpichroa**, Miers (Solan.).

**PERLEBIA**, DC. Mém. Omb. 67 (1829) = **Prangos**, Lindl. (Umbell.).

- triquetra*, DC. l. c. = *P. triquetra*.

**PERLEBIA**, Mart. Reise Bras. i. 555 (1828) = **Bauhinia**,

- Linn. (Legumin.).  
*bauhinoides*, Mart. l. c. = *B. microphylla*.

**PERNETTYA**, Gaudich. in Ann. Sc. Nat. Sér. I. v. (1825) 102 (Pernetia); et in Freyc. Voy. Bot. 454. t. 67 (1826). **ERICACEAE**, Benth. & Hook. f. ii. 582.

- angustata*, Benth. Pl. Hartw. 212 = *Pentlandii*.  
*angustifolia*, Lindl. Bot. Reg. (1840) t. 63.—Chili.  
*brasiliensis*, Mart. Herb. Fl. Bras. n. 987; ex Meissn. in Mart. Fl. Bras. vii. 150 = *myrtilloides*.  
*breviflora*, Phil. in Linnaea, xxix. (1857-58) 12.—Chili.  
*Bridgesii*, Phil. in Bot. Zeit. xiv. (1856) 646 = *rigida*.  
*buxifolia*, Mart. & Gal. in Bull. Acad. Brux. ix. (1842) 538.—Mexic.  
*buxifolia*, Phil. in Anal. Univ. Chil. (1873) 508.—Chili.  
*Cavanillesiana*, G. Don, Gen. Syst. iii. 837 = *Gaultheria microphylla*.  
*ciliaris*, D. Don, ex G. Don, l. c.—Peruv.  
*congesta*, Klotzsch, ex Oerst. Amér. Centr. 9.—Am. centr.  
*coriacea*, Klotzsch, in Linnaea, xxiv. (1851) 85.—Bras.  
*crassifolia*, Phil. l. c. xxix. (1857-58) 10.—Chili.  
*elegans*, Phil. l. c. xxxiii. (1864-65) 173.—Chili.  
*elliptica*, DC. Prod. vii. 587.—Peruv.?  
*empetrifolia*, Gaudich. in Ann. Sc. Nat. Sér. I. v. (1825) 102.—Reg. Magellan.  
*floribunda*, Hort.—Cf. Gard. Chron. (1882) ii. 649.—Chili?  
*furens*, Klotzsch, in Linnaea, xxiv. (1851) 83.—Chili.  
*Gayana*, Decne. Bot. Voy. Astrol. et Zélée, ii. Dicot. Phan. t. 23.—Chili.  
*Halliana*, Klotzsch, in Linnaea, xxiv. (1851) 84.—Ecuador.  
*humilis*, Planch. ex Wedd. Chlor. And. ii. 170 = *Pentlandii*.  
*ilicifolia*, Miq. in Lechl. Berb. Am. Austr. 54, nomen.—Chili.  
*leucocarpa*, DC. Prod. vii. 586.—Chili.  
*linifolia*, Phil. in Linnaea, xxxiii. (1864-65) 172.—Chili.  
*litoralis*, Phil. in Anal. Univ. Chil. (1865) ii. 349.—Chili.  
*melanocarpa*, Phil. l. c. (1884) reimpr. 5.—Chili.  
*microphylla*, Gaudich. ex G. Don, Gen. Syst. iii. 836 = *Gaultheria microphylla*.  
*minima*, Phil. in Linnaea, xxix. (1857-58) 11.—Chili.  
*mucronata*, Gaudich. ex G. Don, Gen. Syst. iii. 836.—Reg. Magellan.  
*Myrsinites*, G. Don, l. c. = *Gaultheria microphylla*.  
*myrsinoides*, Zucc. in Abh. Akad. Muench. ii. (1831-36) 325.—N. Granat.  
*myrtilloides*, Griseb. ex Wedd. Chlor. And. ii. 170 = *Pentlandii*.  
*myrtilloides*, Meissn. in Mart. Fl. Bras. vii. 149.—Bras.  
*myrtilloides*, Zucc. in Abh. Akad. Muench. ii. (1831-36) 325.—Chili.  
*nitida*, Planch. ex Wedd. Chlor. And. ii. 170 = *Pentlandii*.  
*nubigena*, Phil. in Anal. Univ. Chil. i. (1861) 64.—Chili.  
*oblongifolia*, Hombr. & Jacquinot, ex Decne. Bot. Voy. Astrol. et Zélée, ii. Dicot. Phan. t. 22 bis = *mucronata*.  
*Oerstediana*, Klotzsch, ex Oerst. Amér. Centr. 9.—Am. centr.  
*ovalifolia*, Hombr. & Jacquinot, ex Decne. Bot. Voy. Astrol. et Zélée, ii. Dicot. Phan. t. 22 bis = *mucronata*.  
*parvifolia*, Benth. Pl. Hartw. 212.—N. Granat.  
*Pentlandii*, DC. Prod. vii. 587.—Reg. Andin.  
*phillyreaefolia*, DC. l. c.—Am. austr.  
*pilosa*, G. Don, Gen. Syst. iii. 837.—Mexic.  
*Poeppigii*, Klotzsch, in Linnaea, xxiv. (1851) 83.—Chili.  
*pumila*, Hook. Ic. Pl. t. 9 = *empetrifolia*.  
*punctata*, Klotzsch, in Linnaea, xxiv. (1851) 83.—Chili.  
*purpurea*, D. Don, ex G. Don, Gen. Syst. iii. 837 = *Pentlandii*.  
*quadrifida*, Phil. in Linnaea, xxix. (1857-58) 11.—Chili.  
*racemulosa*, DC. Prod. vii. 588 = *rigida*.  
*repens*, Zoll. & Mor. Syst. Verz. Zöll. 42 = *Gaultheria nummularioides*.  
*reticulata*, Phil. in Anal. Univ. Chil. (1873) 507.—Chili.  
*rigida*, DC. Prod. vii. 587.—Ins. J. Fernand.  
*robusta*, Wedd. Chlor. And. ii. 171.—N. Granat.



**PERNETTYA:**—

*rupicola*, Phil. in *Linnaea*, xxix. (1857–58) 10.—Chili.  
*serpyllifolia*, DC. Prod. vii. 587 = *Gaultheria microphylla*.  
*setigera*, Klotzsch, in *Linnaea*, xxiv. (1851) 85.—Costa Rica.  
*tasmanica*, Hook. f. in *Hook. Lond. Journ. Bot.* vi. (1847) 268.—Tasmania.  
*tenuifolia*, Phil. in *Linnaea*, xxix. (1857–58) 10.—Chili.

PERNETTYA, Scop. Introd. 150 (1777) = **Canarina**, Linn. (Campan.).

PEROA, Pers. Syn. i. 174 (1805) = **PEROJOA**, Cav. = **Leucopogon**, R. Br. (Epacrid.).  
*microphylla*, Pers. l. c. = *L. microphyllus*.

PEROBACHNE, J. & C. Presl, Rel. Haenk. i. 348. t. 48 (1830) = **Anthistiria**, Linn. f. (Gramin.).  
*secunda*, J. & C. Presl. l. c. = *A. gigantea*.

PEROJOA, Cav. Ic. iv. 29. t. 349 (1797) = **Leucopogon**, R. Br. (Epacrid.).  
*microphylla*, Cav. l. c. = *L. microphyllus*.

PERONEMA, Jack, in Malay. Misc. ii. (1822) n. vii. 46. **VERBENACEAE**, Benth. & Hook. f. ii. 1158. *canescens*, Jack, l. c. = *Sumatra*.  
*heterophyllum*, Miq. Fl. Ind. Bat. Suppl. 570 = *canescens*.

PERONIA, R. Br. in Wall. Cat. n. 7543 (1832) = **Sarcosperma**, Hook. f. (Sapot.).  
*spicigera*, R. Br. l. c. = *Ind. or.*

PERONIA, [Delar. in] Red. Lil. vi. t. 342 (1812) = **Thalia**, Linn.  
*stricta*, [Delar.] l. c. = *T. dealbata*.

PEROSTEMA, Raensch. Nom. ed. III. 224 (1797) = **Nectandra**, Roland. (Laurin.).  
*bijuga*, Raensch. l. c. = *Ocotea guianensis*.  
*sanguinea*, Raensch. l. c. = *N. sanguinea*.

PEROTIS, Ait. Hort. Kew. ed. I. i. 85 (1789); iii. 506. **GRAMINEAE**, Benth. & Hook. f. iii. 1123.  
**XYSTIDIUM**, Trin. Fund. Agrost. 102 (1820).  
*Burmanni*, Steud. Nom. ed. I. 605 = *latifolia*.  
*cubana*, Wright, in *Savv. Fl. Cub.* 202. = *Cuba*.  
*glabrata*, Steud. Syn. Pl. Gram. 186 = *latifolia*.  
*hordeiformis*, Nees, ex Steud. Nom. ed. II. ii. 306; et ex Trin. in *Mém. Acad. Pétersb. Sér. VI.* vi. ii. (1845) 267. = *Zeylan*.  
*latifolia*, Ait. Hort. Kew. ed. I. i. 85. = *Ind. or.*; Japon.  
*latifolia*, Eckl. ex Steud. Nom. ed. II. ii. 306 = *Pennisetum macrochloa*.  
*longiflora*, Nees, ex Hook. & Arn. Bot. Beech. Voy. 247. = *China*.  
*patula*, Nees, ex Steud. Nom. ed. II. ii. 306 = *latifolia*.  
*polystachya*, Willd. Sp. Pl. i. 324 = *Pogonatherum saccharoideum*.  
*rara*, R. Br. Prod. 172. = *Austral*.  
*scabra*, Willd. ex Trin. Gram. Unifl. 172. = *Afr. trop.*  
*spicaeformis*, Beauv. ex Steud. Nom. ed. I. 605 = *latifolia*.

PEROTRICHE, Cass. in Bull. Soc. Philom. (1818) 75. **COMPOSITAE**, Benth. & Hook. f. ii. 322.  
**GYMNACHAENA**, Reichb. ex DC. Prod. vi. 264 (1837).  
*microphylla*, Sch. Bip. in *Pollichia*, xviii–xix. (1861) 181. = *Afr. austr.*  
*tortilis*, Cass. in Bull. Soc. Philom. (1818) 75. = *Afr. austr.*

PEROVSKIA, Karel. in Bull. Soc. Nat. Mosc. (1841) 15. t. 1. **LABIATAE**, Benth. & Hook. f. ii. 1193.  
*abrotanoides*, Karel. l. c. = *Turkest.*; Reg. Himal.  
*artemisioides*, Boiss. Diagn. Ser. II. iv. 15. = *Beluchist.*  
*atriplicifolia*, Benth. in DC. Prod. xii. 261. = *Reg. Himal.*; *Afghan*.  
*scrophulariaefolia*, Bunge, in *Mém. Sav. Etr. Pétersb.* vii. (1851) 433. = *Turkestan*.

PEROWSKIA, Benth. in DC. Prod. xii. 260 (1848) = *pracc.*

VOL. II.

PERPENSUM, Burm. f. Fl. Cap. Prod. 30 (err. typ. 26) (1768) = **Gunnera**, Linn. (Halorag.).  
*blitispermum*, Burm. f. l. c. = *G. perpensa*.

PERRALDERIA, Coss. in Bull. Soc. Bot. Fr. vi. (1859) 394; et in Ann. Sc. Nat. Sér. IV. xviii. (1862) 209. t. 12 = **Grantia**, Boiss. (Compos.).  
*coronopifolia*, Coss. ll. cc. 395; 210 = *G. coronopifolia*.

PERREYMONDIA, Barn. in Ann. Sc. Nat. Sér. III. iii. (1845) 168 = **Schizopetalon**, Sims (Crucif.).  
*Brongniartii*, Barn. l. c. = *Chili*.  
*dentata*, Barn. l. c. = *Chili*.  
*multifida*, Barn. l. c. = *Chili*.  
*rupestris*, Barn. l. c. = *Chili*.  
*viridis*, Phil. in *Linnaea*, xxviii. (1856) 668. = *Chili*.

PERROTTETIA, DC. in Ann. Sc. Nat. Sér. I. iv. (1825) 95 = **Desmodium**, Desv. (Legumin.).  
*barbata*, DC. l. c. 96 = *D. barbatum*.  
*cayennensis*, DC. l. c. = *Guian*.  
*venustula*, DC. l. c. = *D. venustum*.

PERROTTETIA, H. B. & K. Nov. Gen. et Sp. vii. 73. t. 622 (1825). **CELASTRINEAE**, Benth. & Hook. f. i. 867.  
**THEAPHYLLUM**, Nutt. ex Turcz. in Bull. Soc. Nat. Mosc. xxxvi. (1863) i. 605.  
*lanceolata*, Karst. Fl. Columb. ii. 47. t. 124. = *N. Granat*.  
*ovata*, Hemsl. Diagn. Pl. Nov. 6. = *Mexic*.  
*quindensis*, H. B. & K. Nov. Gen. et Sp. vii. 75. t. 622. = *N. Granat*.  
*sandwicensis*, A. Gray, Bot. U. St. Expl. Exped. i. 291. = *Ins. Sandvic*.

**PERSEA**, Plum. ex Linn. Gen. ed. I. 94 (1737); Gaertn. f. Fruct. iii. 222. t. 221 (1805). **LAURINEAE**, Benth. & Hook. f. iii. 156.  
**MENESTRATA**, Vell. Fl. Flum. 199 (1825).  
**TAMALA**, Rafin. Sylva Tellur. 136 (1838).  
*acuminata*, Nees & Mart. ex Nees, Syst. Laurin. 170 = *Nectandra berchemiaefolia*.  
*alba*, Nees, in *Linnaea*, xviii. (1833) 51. = *Bras*.  
*alpigena*, Spreng. Syst. ii. 268. = *Jamaic*.  
*americana*, Mill. Gard. Dict. ed. VIII = *gratissima*.  
*amplexicaulis*, Cham. & Schlecht. in *Linnaea*, v. (1830) 90. = *Mexic*.  
*angustifolia*, Bartl. ex Meissn. in DC. Prod. xv. i. 162 = *Nectandra angustifolia*.  
*angustifolia*, Parodi, in *Anal. Soc. Cient. Argent.* v. (1878) 261; *Contrib.* 67. = *Reg. Argent*.  
*angustifolia*, Schott, in Spreng. Syst. iv. Cur. Post. 405 = *Ocotea angustifolia*.  
*argentea*, Spreng. Syst. ii. 269 = *Ocotea guianensis*.  
*aurata*, Mig. in *Linnaea*, xxii. (1849) 805. = *Bras*.  
*Ayui-y*, Parodi, in *Anal. Soc. Cient. Argent.* iv. (1877) 131; *Contrib.* 68. = *Reg. Argent*.  
*azorica*, Seub. Fl. Azor. 29. t. 6. = *Ins. Azor*.  
*Benthiana*, Meissn. in DC. Prod. xv. i. 44. = *Bras*.  
*Bofo*, Spreng. Syst. ii. 269 = *Ocotea Bofo*.  
*Borbonia*, Spreng. l. c. 268 = *carolinensis*.  
*brevipes*, Meissn. in DC. Prod. xv. i. 46. = *Ecuador*.  
*caesia*, Meissn. l. c. 44. = *Bras*.  
*Camfora*, Spreng. Syst. ii. 268 = *Cinnamomum Camphora*.  
*canariensis*, Spreng. l. c. = *Apollonia canariensis*.  
*canescens*, Mart. ex Nees, Syst. Laurin. 280 = *Nectandra canescens*.  
*carolinensis*, Nees, l. c. 150. = *Am. bor*.  
*caryophyllata*, Mart. Reise Bras. iii. 915 = *Dicypellium caryophyllum*.  
*Cassia*, Spreng. Syst. ii. 267 = *Cinnamomum Cassia*.  
*Catesbyana*, Chapm. Fl. S. U. St. 393 = *Nectandra Willdenoviana*.  
*Cathia*, Spreng. Syst. iv. Cur. Post. 156 = *Phoebe paniculata*.  
*caustica*, Spreng. Syst. ii. 269 = *Mauria simplicifolia*.  
*causticans*, Pasq. Cat. Orto Bot. Nap. 77 (= *Tetranthera causticans*). = *Hab. ?*  
*ceanothifolia*, Mart. ex Nees, Syst. Laurin. 236 (= *Mespilodaphne ceanothifolia*). = *Bras*.  
*cinnamomifolia*, Hemsl. Biol. Centr. Am. Bot. iii. 71 = *Phoebe mexicana*.  
*cinnamomifolia*, H. B. & K. Nov. Gen. et Sp. ii. 160 = *Phoebe cinnamomifolia*.

**PERSEA:**—

*Cinnamomum*, Spreng. Syst. ii. 267 = *Cinnamomum zeylanicum*.  
*cordata*, Meissn. in DC. Prod. xv. i. 54. = *Bras*.  
*costata*, Meissn. l. c. 50. = *Peruv*.  
*crassifolia*, Spreng. Syst. ii. 269 = *Ocotea puberula*.  
*Cubeba*, Spreng. l. c. = *Litsea Cubeba*.  
*cubensis*, Meissn. in DC. Prod. xv. i. 51. = *Peruv*.  
*cuneata*, Meissn. l. c. 46. = *N. Granat*.  
*cupularis*, Spreng. Syst. ii. 269 (= *Mespilodaphne cupularis*). = *Ins. Mascar*.  
*curvifolia*, Spreng. l. c. 268. = *Cochinch*.  
*densiflora*, Meissn. in DC. Prod. xv. i. 52. = *Bras*.  
*drymifolia*, Cham. & Schlecht. in *Linnaea*, vi. (1831) 365 = *gratissima*.  
*dulcis*, Spreng. Syst. ii. 268 = *Cinnamomum Burmanni*.  
*edulis*, Rafin. Sylva Tellur. 134 = *gratissima*?  
*effusa*, Benth. & Hook. f. Gen. iii. 158, in nota; et ex Hemsl. Biol. Centr. Am. Bot. iii. 71 = *Phoebe effusa*.  
*erythropus*, Nees & Mart. ex Nees, in *Linnaea*, xviii. (1833) 49. = *Bras*.  
*exaltata*, Spreng. Syst. ii. 268 = *Nectandra sanguinea*.  
*ferruginea*, Benth. & Hook. f. Gen. iii. 159 (= *Ocotea* sp.). = *Peruv*.  
*ferruginea*, H. B. & K. Nov. Gen. et Sp. ii. 159. = *Peruv*.  
*floribunda*, Schott, in Spreng. Syst. iv. Cur. Post. 405 = *Ocotea floribunda*.  
*foetens*, Spreng. Syst. ii. 268 = *Ocotea foetens*.  
*fuliginosa*, Nees, Syst. Laurin. 156. = *Bras*.  
*globosa*, Spreng. Syst. ii. 269 = *Nectandra sanguinea*.  
*grandis*, Bartl. ex Meissn. in DC. Prod. xv. i. 146 = *Nectandra rigida*.  
*grandis*, Nees, in Wall. Pl. As. Rar. iii. 32 = *Phoebe opaca*.  
*granulosa*, Parodi, in *Anal. Soc. Cient. Argent.* v. (1878) 265; *Contrib.* 71. = *Reg. Argent*.  
*gratissima*, Gaertn. f. Fruct. iii. 222. = *Am. trop*.  
*Hartwegii*, Hemsl. Biol. Centr. Am. Bot. iii. 72 = *Phoebe Hartwegii*.  
*hirta*, Nees, Syst. Laurin. 673. = *Peruv*.  
*hypericifolia*, Nees, l. c. 165. = *Hab. ?*  
*hypoglaucia*, Herb. Monac. ex Meissn. in DC. Prod. xv. i. 49 = *pyrifolia*, *scrobiculata*.  
*hypoglaucia*, Mart. ex Nees, Syst. Laurin. 132 = *venosa*.  
*incana*, Schott, in Spreng. Syst. iv. Cur. Post. 405 = *Nectandra villosa*.  
*incrassata*, Nees, Syst. Laurin. 127 = *Dehaasia microcarpa*.  
*indecora*, Schott, in Spreng. Syst. iv. Cur. Post. 405 = *Ocotea indecora*.  
*indica*, Spreng. Syst. ii. 268. = *Ins. Canar*.  
*laevigata*, H. B. & K. Nov. Gen. et Sp. ii. 157. = *N. Granat*.  
*lancifolia*, Schott, in Spreng. Syst. iv. Cur. Post. 405 = *Ocotea subacris*.  
*lancifolia*, Willd. ex Meissn. in DC. Prod. xv. i. 57 = *Nectandra turbacensis*.  
*latifolia*, Spreng. Syst. ii. 270 = *Nectandra polita*.  
*Laurel-moroti*, Parodi, in *Anal. Soc. Cient. Argent.* v. (1878) 263; *Contrib.* 69. = *Reg. Argent*.  
*laxa*, Mart. ex Nees, Syst. Laurin. 468, 469 (= *Oreodaphne venulosa*). = *Bras*.  
*leucantha*, Mart. l. c. 310 = *Nectandra leucantha*.  
*Leucoxydon*, Spreng. Syst. ii. 268 = *Ocotea Leucoxydon*.  
*Ligé*, Nees, ex Meissn. in DC. Prod. xv. i. 48 = *P. Lingue*.  
*lineata*, Spreng. Syst. ii. 270. = *Venezuela*.  
*Lingue*, Nees, Syst. Laurin. 157. = *Chili*.  
*longifolia*, Spreng. Syst. ii. 270 = *Ocotea longifolia*.  
*longifolia*, Zipp. ex Blume, Mus. Bot. Lugd. Bat. i. 344 = *Actinodaphne Rumphii*.  
*longipeda*, Bertol. Misc. Bot. xiii. 14. = *Am. bor*.  
*longipes*, Meissn. in DC. Prod. xv. i. 55. = *Mexic*.  
*macrocarpa*, Rafin. in Med. Repos. N. York, v. (1808) 352 = *gratissima*.  
*macrophylla*, Blume, Bijdr. 568 = *Phoebe attenuata*.  
*macrophylla*, Spreng. Syst. ii. 270 = *Nectandra macrophylla*.  
*macropoda*, H. B. & K. Nov. Gen. et Sp. ii. 160 = *Ocotea velutina*.  
*marginata*, Bartl. ex Meissn. in DC. Prod. xv. i. 142 = *Ocotea puberula*.  
*membranacea*, Spreng. Syst. ii. 270 = *Nectandra saligna*.



**PERSEA** :—

- mexicana*, Hemsl. Biol. Centr. Am. Bot. iii. 72 = *Phoebe mexicana*.  
*Meyeniana*, Nees, in *Linnaea*, viii. (1833) 5.—Chili.  
*microneura*, Meissn. in DC. Prod. xv. i. 53.—Bras.  
*mollis*, Spreng. Syst. ii. 270 = *Nectandra villosa*.  
*montana*, Spreng. l. c. ii. 268 = *Phoebe montana*.  
*Mutisii*, H. B. & K. Nov. Gen. et Sp. ii. 158.—N. Granat.  
*Nam-mu*, Oliver, in Hook. Ic. Pl. t. 1316.—China.  
*nitida*, Spreng. Syst. iv. Cur. Post. 156 = *Cinnamomum iners*.  
*nutans*, Nees, Syst. Laurin. 141 = *Phoebe cubensis*.  
*obovata*, Nees & Mart. ex Nees, in *Linnaea*, viii. (1833) 51.—Bras.  
*Orizabae*, Mart. & Gal. in Bull. Acad. Brux. x. ii. (1843) 358.—Mexic.  
*pachypoda*, Nees, in *Linnaea*, xxi. (1848) 490.—Mexic.  
*paniculigera*, Mart. ex Nees, Syst. Laurin. 313 = *Nectandra nitidula*.  
*parviflora*, Spreng. Syst. ii. 270 (= *Oreodaphne parviflora*).—Jamaic.  
*patens*, Spreng. Syst. ii. 270 = *Nectandra patens*.  
*peduncularis*, Nees, Syst. Laurin. 125 (= *Haasia peduncularis*).—Ind. or.  
*pedunculosa*, Meissn. in DC. Prod. xv. i. 47.—Bras.  
*peruviana*, Nees, Syst. Laurin. 155.—Peruv.  
*petiolaris*, H. B. & K. Nov. Gen. et Sp. ii. 159.—Am. austr.  
*Pichurim*, Spreng. Syst. ii. 269 = *Ayendron Laurel*.  
*praecox*, Poepp. ex Nees, Syst. Laurin. 129 = *gratissima*.  
*psammophila*, Mart. ex Meissn. in DC. Prod. xv. i. 161 = *Nectandra psammophila*.  
*Pseudoinдика*, Link. Handb. i. 889 = *indica*.  
*Pseudo-sassafras*, Zoll. & Mor. in Nat. en Geneesk. Arch. Néerl. Ind. i. (1844) 615 = *Cinnamomum Parthenoxylon*.  
*psychotrioides*, Spreng. Syst. ii. 269 = *Ocotea psychotrioides*.  
*puberula*, Schott, in Spreng. l. c. iv. Cur. Post. 405 = *Nectandra puberula*.  
*punctata*, Meissn. in DC. Prod. xv. i. 50.—Bras.  
*pyrifolia*, Nees, Syst. Laurin. 145.—Bras.  
*pyrifolia*, Spreng. Syst. iv. Cur. Post. 156 = *Cinnamomum pyrifolium*.  
*retroflexa*, Spreng. l. c. ii. 269 = *Ocotea botryophylla*.  
*Richardiana*, Cham. & Schlecht. in *Linnaea*, vi. (1831) 366 = *Ocotea puberula*.  
*Riedelii*, Meissn. in DC. Prod. xv. i. 54.—Bras.  
*rigida*, Meissn. l. c. 46 = *rufotomentosa*.  
*rigida*, Nees, Syst. Laurin. 154.—Bras.  
*rimosa*, Zoll. ex Meissn. in DC. Prod. xv. i. 42 = *Machilus rimosa*.  
*rufotomentosa*, Nees & Mart. ex Nees, Syst. Laurin. 153.—Bras.  
*rugosa*, Meissn. in DC. Prod. xv. i. 47 = *hirta*, *pedunculosa*.  
*salicifolia*, Hemsl. Biol. Centr. Am. Bot. iii. 72 = *Phoebe salicifolia*.  
*salicifolia*, Spreng. Syst. ii. 270 = *Nectandra sanguinea*.  
*sanguinea*, Spreng. l. c. 268 = *Nectandra sanguinea*.  
*sarcocalyx*, Buek, Ind. DC. Prod. iv. 253 = *Nectandra nitidula*.  
*Sassafras*, Spreng. Syst. ii. 270 = *Sassafras officinalis*.  
*Schiedeana*, Nees, Syst. Laurin. 130 = *gratissima*.  
*scrobiculata*, Meissn. in DC. Prod. xv. i. 50.—Bras.  
*Sellowiana*, Nees & Mart. ex Nees, in *Linnaea*, viii. (1833) 50.—Bras.  
*sericea*, H. B. & K. Nov. Gen. et Sp. ii. 159.—Peruv.  
*sericea*, Poepp. ex Meissn. in DC. Prod. xv. i. 46 = *peruviana*.  
*splendens*, Meissn. l. c. 44.—Bras.  
*stenophylla*, Meissn. l. c. 55.—Bras.  
*subcordata*, Nees, in *Linnaea*, xxi. (1848) 492.—Peruv.  
*subsessilis*, Meissn. in DC. Prod. xv. i. 54.—Peruv.  
*subtripplinervia*, Mart. ex Nees, Syst. Laurin. 466 (= *Camphoromoea subtripplinervia*).—Bras.  
*sulcata*, Meissn. in DC. Prod. xv. i. 54.—Peruv.  
*sumatrana*, Teijsm. & Binn. Cat. Hort. Bog. 93.—Sumatra.  
*surinamensis*, Spreng. Syst. ii. 269 = *Ocotea pulchella*.

**PERSEA** :—

- sylvestris*, A. Rich. Fl. Cub. Fanerog. ii. 186.—Cuba.  
*tabacifolia*, Meissn. in DC. Prod. xv. i. 51 = *Ocotea umbrosa*.  
*Tamala*, Spreng. Syst. ii. 268 = *Cinnamomum Tamala*.  
*Teneriffae*, F. Muell. Sel. Pl. Indust. Cult. 159 = *indica*.  
*tenuiflora*, Mart. ex Nees, Syst. Laurin. 359 (= *Leptodaphne tenuiflora*).—Bras.  
*tigricida*, Spreng. Syst. ii. 270 = *Nectandra discolor*.  
*tomentosa*, Spreng. l. c. iv. Cur. Post. 156 = *Phoebe paniculata*.  
*tubigera*, Mart. ex Nees, Syst. Laurin. 480 = *Nectandra psammophila*.  
*umbrosa*, Spreng. Syst. ii. 269 (= *Ocotea umbrosa*, H. B. & K.).—N. Granat.  
*velutina*, Benth. & Hook. f. Gen. iii. 159 (*Ocotea* sp.).—N. Granat.  
*venosa*, Benth. ex Meissn. in DC. Prod. xv. i. 44 = *Benthamiana*.  
*venosa*, Nees & Mart. ex Nees, in *Linnaea*, viii. (1833) 50.—Bras.  
*veraguasensis*, Seem. Bot. Voy. Herald, 193.—Panama.  
*veraguensis*, Meissn. in DC. Prod. xv. i. 51 = *praec.*  
*viburnoides*, Meissn. l. c. 52.—Bras.  
*Yacupeti*, Parodi, in Anal. Soc. Cient. Argent. v. (1878) 264; Contrib. 70.—Reg. Argent.

**PERSICA**, [Tourn.] Mill. Gard. Dict. ed. VI. (1752) = **Prunus**, Linn. (Rosac.).

- Amygdalus*, Mill. l. c. ed. VIII. n. 3 = **Pr. Persica**.  
*communis*, Duham. ex Steud. Nom. ed. II. i. 81, in syn. = **Pr. Persica**.  
*Davidiana*, Carr. in Rev. Hort. (1872) 74 = **Pr. Persica**.  
*domestica*, Risso, Hist. Nat. ii. 104 = **Pr. Persica**.  
*ispahamensis*, Thouin, in Ann. Mus. Par. viii. (1806) 433 = **Pr. Persica**.  
*laevis*, DC. Fl. Fr. iv. 487 = **Pr. Persica**.  
*nana*, Mill. Gard. Dict. ed. VIII. n. 2 (= *Amygdalus nana*).—Europ.; Reg. Cauc.; Sibir.  
*necturina*, Steud. Nom. ed. II. i. 81, in syn. = **Pr. Persica**.  
*nucicarpa*, Steud. l. c. = **Pr. Persica**.  
*Nucipersica*, Borchh. Hess. Hoelz. 205; ex Roem. Arch. i. II. (18) 37 = **Pr. Persica**.  
*Pavia*, Delarb. Fl. Auv. ed. II. 328 = **Pr. Persica**.  
*pumila*, Steud. Nom. ed. II. ii. 307 = **Pr. sinensis**.  
*violacea*, Risso, Hist. Nat. ii. 119 = **Pr. Persica**.  
*vulgaris*, Mill. Gard. Dict. ed. VIII. n. 1 = **Pr. Persica**.

**PERSICANA**, Tourn. ex Scop. Introd. 344 (1777), sphalm. = **PERSICARIA**, Tourn.

**PERSICARIA**, Neck. Elem. ii. 210 (1790) = **Atraphaxis**, Linn. (Polygon.).

**PERSICARIA**, [Tourn.] Linn. Syst. ed. I (1735) = **Polygonum**, Tourn.

- acris*, Gilib. Exercit. ii. 431 = **Polyg. Hydropiper**.  
*amphibia*, S. F. Gray, Nat. Arr. Brit. Pl. ii. 268 = **Polyg. amphibium**.  
*Brittingeri*, Opiz, in Lotos, iv. (1854) 42 = **Polyg. lapathifolium**.  
*dubia*, Fourr. in Ann. Soc. Linn. Lyon, N. S. xvii. (1869) 146 = **Polyg. mite**.  
*Fischeri*, Opiz, in Lotos, iv. (1854) 43 (Quid ?).—Europ.  
*Hydropiper*, Opiz, Seznam, 72 = **Polyg. Hydropiper**.  
*incana*, S. F. Gray, Nat. Arr. Brit. Pl. ii. 269 = **Polyg. Persicaria**.  
*interrupta*, S. F. Gray, l. c. 732 = **Polyg. Persicaria**.  
*lapathifolia*, S. F. Gray, l. c. 270 = **Polyg. lapathifolium**.  
*laxiflora*, Opiz, Seznam, 72 = **Polyg. mite**.  
*Lorinseri*, Opiz, l. c. 73 = **Polyg. Lorinseri**.  
*maculata*, S. F. Gray, Nat. Arr. Brit. Pl. ii. 270 = **Polyg. Persicaria**.  
*maculosa*, S. F. Gray, l. c. 269 = **Polyg. Persicaria**.  
*minor*, Opiz, Seznam, 72 = **Polyg. minus**.  
*mitis*, Gilib. Exercit. ii. 431 = **Polyg. Persicaria**.  
*nodosa*, Opiz, Seznam, 72 = **Polyg. lapathifolium**.  
*orientalis*, Vilm. Fl. Pl. Terre, ed. II. 660 = **Polyg. orientale**.

**PERSICARIA** :—

- polystachya*, Opiz, in Lotos, ii. (1852) 229 (Quid ?).—Europ.  
*pusilla*, S. F. Gray, Nat. Arr. Brit. Pl. ii. 269 = **Polyg. Persicaria**.  
*rivularis*, Opiz, Seznam, 72 = **Polyg. Persicaria**.  
*salicifolia*, S. F. Gray, Nat. Arr. Brit. Pl. ii. 270 = **Polyg. Persicaria**.  
*serrulata*, Webb & Moq. in Webb & Berth. Phyt. Canar. iii. 219 = **Polyg. serrulatum**.  
*virginiana*, Gaertn. Fruct. ii. 180 = **Polyg. virginianum**.  
*vulgaris*, Webb & Moq. in Webb & Berth. Phyt. Canar. iii. 219 = **Polyg. Persicaria**.

**PERSIMON**, Rafn. Sylva Tellur. 164 (1838) = **Diospyros**, Linn. (Ebenac.).  
*virginiana*, Rafn. l. c. = *D. virginiana*.

**PERSONARIA**, Lam. Illustr. t. 716 (1798 ?) = **Gorteria**, Linn. (Compos.).  
*personata*, Lam. ex Poir. Illustr. iii. 291 (1823) = *G. personata*.

**PERSONULA**, Rafn. Fl. Tellur. iv. 110 (1836) = **Utricularia**, Linn. (Lentib.).  
*grandiflora*, Rafn. l. c. = *U. juncea*.

**PERSOONIA**, Michx. Fl. Bor. Am. ii. 104. t. 43 (1805) = **Marshallia**, Schreb. (Compos.).  
*angustifolia*, Michx. l. c. 106 = *M. angustifolia*.  
*lanceolata*, Michx. l. c. 105 = *M. lanceolata*.  
*latifolia*, Michx. l. c. = *M. latifolia*.

**PERSOONIA**, Sm. in Trans. Linn. Soc. iv. (1798) 215. **PROTEACEAE**, Benth. & Hook. f. iii. 176.

**LINKIA**, Cav. Ic. iv. 61. t. 389 (1797).  
**PENTADACTYLON**, Gaertn. f. Fruct. iii. 219. t. 220 (1805)

- abietina*, A. Cunn. ex Meissn. in DC. Prod. xiv. 336 = *curvifolia*.  
*acerosa*, Sieber, ex Schult. Mant. iii. 269.—Austral.  
*acicularis*, F. Muell. Fragm. vi. 220.—Austral.  
*angulata*, R. Br. Prot. Nov. 14.—Austral.  
*angustiflora*, Benth. Fl. Austral. v. 386.—Austral.  
*angustifolia*, Knight, Prot. 99 = *linearis*.  
*apiculata*, Meissn. in Hook. Kew Journ. vii. (1855) 73 = *nutans*.  
*arborescens*, F. Muell. Fragm. v. 37.—Austral.  
*arida*, Sieber, ex Schult. Mant. iii. 270; et Spreng. Syst. iv. Cur. Post. 45 = *hirsuta*.  
*articulata*, R. Br. in Trans. Linn. Soc. x. (1810) 164.—Austral.  
*aspera*, A. Cunn. ex Benth. Fl. Austral. v. 394 = *hirsuta*.  
*attenuata*, R. Br. Prot. Nov. 16 = *media vel lanceolata*.  
*brachystylis*, F. Muell. Fragm. vi. 221.—Austral.  
*brevifolia*, Loud. Hort. Brit. Suppl. iii. 605 (Quid ?).—Austral.  
*Caleyi*, R. Br. Prot. Nov. 13.—Austral.  
*Caleyi*, F. Muell. Pl. Vict. ii. t. 69 = *P. Chamaepeuce*.  
*Chamaepeuce*, Lhotsky, ex Meissn. in DC. Prod. xiv. 336.—Austral.  
*Chamaepitys*, A. Cunn. in Field, N. S. Wales, 329.—Austral.  
*comata*, Meissn. in Hook. Kew Journ. vii. (1855) 71.—Austral.  
*confertifolia*, Benth. Fl. Austral. v. 396.—Austral.  
*cornifolia*, A. Cunn. ex R. Br. Prot. Nov. 16.—Austral.  
*Cunninghamii*, R. Br. l. c. 15.—Austral.  
*curvifolia*, R. Br. l. c. 13.—Austral.  
*daphnoides*, A. Cunn. ex R. Br. l. c. 15 = *prostrata*.  
*diadema*, F. Muell. Fragm. x. 46.—Austral.  
*dillwynioides*, Meissn. in DC. Prod. xiv. 333.—Austral.  
*Drummondii*, Lindl. Swan River App. 35 = *longifolia*.  
*elliptica*, R. Br. in Trans. Linn. Soc. x. (1810) 164.—Austral.  
*falcata*, R. Br. l. c. 162.—Austral.  
*fastigiata*, R. Br. Prot. Nov. 13.—Austral.  
*fastigiata*, A. Cunn. ex Meissn. in DC. Prod. xiv. 336 = *curvifolia*.  
*ferruginea*, Sm. Exot. Bot. ii. 47. t. 83.—Austral.  
*filifolia*, F. G. Dietr. Vollst. Lexik. Gaertn. vii. 100 = *linearis*.  
*flexifolia*, R. Br. in Trans. Linn. Soc. x. (1810) 162 = *scabra*.



**PERSOONIA:—**

- flexifolia*, Lodd. Bot. Cab. t. 922 = nutans.  
*Fraseri*, R. Br. Prot. Nov. 14 = saccata.  
*Fraseri*, Meissn. in Lehm. Pl. Preiss. i. 532 = angustiflora.  
*fusca*, Hort. ex Steud. Nom. ed. II. ii. 307 (Quid?).—Austral.  
*glaucula*, Sm. ex Spreng. Syst. i. 473.—Austral.  
*glaucescens*, Sieber, ex Schult. Mant. iii. 271 = lanceolata.  
*gnidioides*, Sieber, l. c. 269; et Spreng. Syst. iv. Cur. Post. 45 = P. Chamaepitys.  
*graminea*, R. Br. in Trans. Linn. Soc. x. (1810) 164.—Austral.  
*Gunnii*, Hook. f. in Hook. Lond. Journ. Bot. vi. (1847) 283.—Tasmania.  
*hakeaeformis*, Meissn. in DC. Prod. xiv. 330.—Austral.  
*heterophylla*, Loud. Hort. Brit. Suppl. iii. 605 (Quid?).—Austral.  
*hirsuta*, A. Cunn. ex Meissn. in DC. Prod. xiv. 339 = mollis.  
*hirsuta*, Knight, Prot. 99 (= seq.).—Austral.  
*hirsuta*, Pers. Syn. i. 118.—Austral.  
*juniperina*, Labill. Nov. Holl. Pl. i. 33. t. 45.—Austral.  
*lanceolata*, Andr. Bot. Rep. t. 74.—Austral.  
*lanceolata*, A. Cunn. ex Meissn. in DC. Prod. xiv. 343 = salicina.  
*latifolia*, Andr. Bot. Rep. t. 280 = lanceolata.  
*latifolia*, Knight, Prot. 100 = salicina.  
*Laureola*, Lindl. Swan River App. 35 = elliptica.  
*laurina*, Pers. Syn. i. 118 = ferruginea.  
*ledifolia*, A. Cunn. ex Meissn. in DC. Prod. xiv. 339.—Austral.  
*ledifolia*, Nois. ex Schult. Mant. iii. 273 (Quid?).—Hab.?  
*ligustrina*, Knight, Prot. 100 = lanceolata.  
*linariifolia*, A. Cunn. ex Benth. Fl. Austral. v. 402 = virgata.  
*linearis*, Andr. Bot. Rep. t. 77.—Austral.  
*linearis*, Sieber, ex Schult. Mant. iii. 271 = nutans.  
*longifolia*, R. Br. in Trans. Linn. Soc. x. (1810) 164.—Austral.  
*lucida*, R. Br. l. c. 161.—Austral.  
*macrostachya*, Lindl. Swan River App. 35 = saccata.  
*marginata*, A. Cunn. ex R. Br. Prot. Nov. 16.—Austral.  
*media*, R. Br. l. c.—Austral.  
*microcarpa*, R. Br. in Trans. Linn. Soc. x. (1810) 160.—Austral.  
*microphylla*, R. Br. Prot. Nov. 15 = oxycoccoides.  
*mimosoides*, A. Cunn. ex Benth. Fl. Austral. v. 386 = falcata.  
*Mitchellii*, Meissn. in Hook. Kew Journ. vii. (1855) 73.—Austral.  
*mollis*, R. Br. in Trans. Linn. Soc. x. (1810) 161.—Austral.  
*mollis*, A. Cunn. ex Meissn. in DC. Prod. xiv. 337 = hirsuta.  
*Myrsinites*, A. Cunn. l. c. 339 = mollis.  
*myrtilloides*, Sieber, ex Schult. Mant. iii. 272.—Austral.  
*nutans*, R. Br. in Trans. Linn. Soc. x. (1810) 162.—Austral.  
*obcordata*, A. Cunn. ex Benth. Fl. Austral. v. 393 = marginata.  
*oblongata*, A. Cunn. ex R. Br. Prot. Nov. 15.—Austral.  
*oleifolia*, A. Cunn. ex Endl. Gen. Suppl. iv. II. 82 = myrtilloides.  
*oxycoccoides*, Sieber, ex Schult. Mant. iii. 270; et Spreng. Syst. iv. Cur. Post. 45.—Austral.  
*pallida*, R. Grav. in Edinb. N. Phil. Journ. (Oct.—Dec. 1823) 177 = acerosa.  
*pentadactylon*, Steud. Nom. ed. II. ii. 308 = linearis.  
*pinifolia*, R. Br. in Trans. Linn. Soc. x. (1810) 160.—Austral.  
*pinifolia*, Sieber, ex Schult. Mant. iii. 271 = linearis.  
*planifolia*, A. Cunn. ex Benth. Fl. Austral. v. 400 = oblongata.  
*prostrata*, R. Br. in Trans. Linn. Soc. x. (1810) 163.—Austral.  
*pruinosa*, A. Cunn. ex Steud. Nom. ed. II. ii. 308 = linearis.  
*pubes*, F. Muell. ex Meissn. in DC. Prod. xiv. 336 = juniperina.  
*quinquenervis*, Hook. Ic. Pl. t. 425.—Austral.  
*revoluta*, Sieber, ex Schult. Mant. iii. 272.—Austral.  
*rigida*, R. Br. Prot. Nov. 14.—Austral.

**PERSOONIA:—**

- rudis*, Meissn. in Hook. Kew Journ. vii. (1855) 73.—Austral.  
*ruiflora*, Meissn. l. c. 72.—Austral.  
*saccata*, R. Br. Prot. Nov. 12.—Austral.  
*salicina*, Pers. Syn. i. 118.—Austral.  
*Saundersiana*, Kippist, ex Meissn. in Hook. Kew Journ. vii. (1855) 72.—Austral.  
*scabra*, R. Br. in Trans. Linn. Soc. x. (1810) 162.—Austral.  
*scabrella*, Meissn. in Hook. Kew Journ. vii. (1855) 72.—Austral.  
*scoparia*, Meissn. in DC. Prod. xiv. 329 = teretifolia.  
*sericea*, A. Cunn. ex R. Br. Prot. Nov. 13.—Austral.  
*spathulata*, R. Br. in Trans. Linn. Soc. x. (1810) 162 = scabra.  
*spathulata*, Sieber, ex Schult. Mant. iii. 271 = rigida.  
*Strangeana*, Kippist, ex Meissn. in DC. Prod. xiv. 334 = tenuifolia.  
*striata*, R. Br. Prot. Nov. 13.—Austral.  
*striolata*, Meissn. in Hook. Kew Journ. vii. (1855) 72 = striata.  
*suffruticosa*, F. Muell. 1st Gen. Rep. 17 = P. Chamaepeuce.  
*sulcata*, Meissn. in DC. Prod. xiv. 333.—Austral.  
*surrecta*, F. Muell. ex Meissn. in DC. Prod. xiv. 336 = juniperina.  
*tenuifolia*, R. Br. Prot. Nov. 12.—Austral.  
*tenuifolia*, Meissn. in DC. Prod. xiv. 334 = virgata.  
*teretifolia*, R. Br. in Trans. Linn. Soc. x. (1810) 160.—Austral.  
*thymifolia*, A. Cunn. ex R. Br. Prot. Nov. 15 = oxycoccoides.  
*tinifolia*, A. Cunn. ex Benth. Fl. Austral. v. 392 = cornifolia.  
*Tora*, A. Cunn. in Ann. Hist. Nat. Ser. I. i. (1838) 378 = P. Toru.  
*tortifolia*, Meissn. in Hook. Kew Journ. iv. (1852) 185.—Austral.  
*Toru*, A. Cunn. in Bot. Mag. sub t. 3513.—N. Zel.  
*trinervis*, Meissn. in DC. Prod. xiv. 332.—Austral.  
*velutina*, A. Cunn. ex Meissn. in Lehm. Pl. Preiss. i. 534 = sericea.  
*virgata*, R. Br. in Trans. Linn. Soc. x. (1810) 161.—Austral.

PERSOONIA, Willd. Sp. Pl. ii. 331 (1799) = **Carapa**, Aubl. (Meliac.).  
*guareoides*, Willd. l. c. = C. guianensis.

**PERTYA**, Sch. Bip. in Bonplandia, x. (1862) 109. t. 10.  
**COMPOSITAE**, Benth. & Hook. f. ii. 493.  
*Aitchisoni*, C. B. Clarke, in Journ. Linn. Soc. xviii. (1880) 72.—Afghan.  
*glabrescens*, Sch. Bip. in Bonplandia, x. (1862) 109 = scandens.  
*ovata*, Maxim. in Bull. Acad. Pétersb. xvi. (1871) 217.—Japan.  
*paradoxa*, Sch. Bip. in Schweinf. Beitr. Fl. Aethiop. 153, nomen = Lactuca paradoxa.  
*scandens*, Sch. Bip. in Bonplandia, x. (1862) 109.—Japan.

**PERULA**, Rafin. Sylva Tellur. 58 (1838) = **Ficus**, Tourn. (Urticac.).  
*benghalensis*, Rafin. l. c. 59 = F. benghalensis.  
*retusa*, Rafin. l. c. = F. retusa.  
*rubiginosa*, Rafin. l. c. = F. rubiginosa.

**PERULA**, Schreb. Gen. ii. 703 (1791) = **Pera**, Mutis (Compos.).  
*arborea*, Gaudich. ex Baill. Etud. Gén. Euph. 434 = Pera ferruginea.  
*arborea*, Willd. Sp. Pl. iv. 836 = Pera arborea.

**PERULARIA**, Lindl. Bot. Reg. sub t. 1701 (1835) = **Habenaria**, Willd. (Orchid.).  
*fuscescens*, Lindl. l. c. = H. herbiola.

**PERVILLAEA**, Decne. in DC. Prod. viii. 618 (1844).  
**ASCLEPIADEAE**, Benth. & Hook. f. ii. 774.  
*tomentosa*, Decne. l. c. = Ins. Maurit.

**PERVINCA**, Tourn. ex Adans. Fam. ii. 172 (1763) = **Vinca**, Linn. (Apocyn.).  
*major*, Scop. Fl. Carn. ed. II. i. 170 = V. major.  
*minor*, Scop. l. c. = V. minor.  
*procumbens*, Gilib. Exercit. i. 63 = V. minor.  
*rosea*, Moench, Meth. 463 = V. rosea.

**PERYMENIUM**, Schrad. Ind. Sem. Hort. Gotting. (1830).—Cf. Linnaea, vi. (1831) Litt. 73. **COMPOSITAE**, Benth. & Hook. f. ii. 377.  
*Barclayanum*, DC. Prod. v. 609.—Mexic.  
*Berlandierii*, DC. l. c. 608.—Mexic.  
*buphthalmoides*, DC. l. c. 609.—Mexic.  
*Cervantesii*, DC. l. c.—Mexic.  
*discolor*, Schrad. Ind. Sem. Hort. Gotting. (1830).—Cf. Linnaea, vi. (1831) Litt. 73.—Mexic.  
*gracile*, Hemsl. Biol. Centr. Am. Bot. ii. 181.—Mexic.  
*grande*, Hemsl. l. c.—Guatemala.  
*gymnolomoides*, DC. Prod. v. 609.—Mexic.  
*Mendezii*, DC. l. c. 608.—Mexic.  
*parvifolium*, A. Gray, in Proc. Am. Acad. xv. (1880) 36.—Mexic.  
*tenellum*, A. Gray, l. c.—Mexic.  
*Tuerckheimii*, Klatt, in Leopoldina, xx. (1884) 95.—Mexic.  
*verbesinoides*, DC. Prod. v. 608.—Mexic.

**PERYTIS**, Rafin. Alsog. Am. 29 (1838) = **Quercus**, Tourn. (Cupul.).  
*annulata*, Rafin. l. c. = Q. annulata.  
*concentrica*, Rafin. l. c. = Q. concentrica.  
*glaucula*, Rafin. l. c. = Q. glauca.  
*lamellosa*, Rafin. l. c. = Q. lamellosa.

**PESCATOREA**, Reichb. f. in Gard. Chron. (1869) 710 = seq.

**PESCATORIA**, Reichb. f. in Bot. Zeit. x. (1852) 667 = **Zygopetalum**, Hook. (Orchid.).  
*Backhousiana*, Reichb. f. in Gard. Chron. (1877) II. 456 = Z. Backhousianum.  
*bella*, Reichb. f. l. c. (1878) I. 492 = Z. bellum.  
*cerina*, Reichb. f. in Bot. Zeit. x. (1852) 667; et Xenia Orch. i. 184. t. 65 = Z. cerinum.  
*coronaria*, Reichb. f. in Linnaea, xli. (1877) 108 = Z. coronarium.  
*Dayana*, Reichb. f. in Gard. Chron. (1872) 1618 = Z. Dayanum.  
*Dormaniana*, Reichb. f. l. c. (1881) I. 330.—N. Granat.  
*euglossa*, Reichb. f. l. c. (1876) II. 808 = Z. Roetzlii.  
*fimbriata*, Regel, in Act. Hort. Petrop. vi. (1879) 293; et in Gartenfl. (1880) 129. t. 1008.—N. Granat.?  
*Gairiana*, Reichb. f. in Gard. Chron. (1879) I. 684 = Z. Gairianum.  
*Klabochorum*, Reichb. f. l. c. = Z. Klabochorum.  
*lamellosa*, Reichb. f. l. c. (1875) II. 225 = Z. lamellosum.  
*Lehmanni*, Reichb. f. l. c. (1879) II. 424 = Z. Lehmanni.  
*Roetzlii*, Reichb. f. l. c. (1874) I. 755 = Z. Roetzlii.  
*Rueckertiana*, Reichb. f. l. c. (1885) II. 424.—Hab.?  
*Russeliana*, Reichb. f. l. c. (1878) II. 524 = Z. Russelianum.  
*triumphans*, Reichb. f. & Warsz. in Bonplandia, ii. (1854) 97 = Z. triumphans.  
*Vervaeii*, Hort. ex T. Moore, Fl. & Pom. 1883) 10.—Hab.?  
*Wallisii*, Linden & Reichb. f. in Gard. Chron. (1869) 710 = Z. Wallisii.

**PESCHIERA**, A. DC. in DC. Prod. viii. 360 (1844)  
**Tabernaemontana**, Plum. (Apocyn.).  
*acuminata*, Miers, Apocyn. S. Am. 43 = T. acuminata.  
*affinis*, Miers, l. c. 40 = T. affinis.  
*albidiflora*, Miers, l. c. 39.—Bras.  
*albiflora*, Miq. Sturp. Surin. Sel. 165.—Guian.  
*australis*, Miers, Apocyn. S. Am. 46 = T. australis.  
*blanda*, Miers, l. c. 44.—Peruv.  
*brevifolia*, Miers, l. c. 45 = T. breviflora.  
*catharinensis*, Miers, l. c. 41 = T. catharinensis.  
*concinna*, Miers, l. c. 44.—Peruv.  
*cuspidata*, Miers, l. c. 37.—N. Granat.  
*diversifolia*, Miq. Sturp. Surin. Sel. 164 = T. heterophylla, Vahl.  
*echinata*, A. DC. in DC. Prod. viii. 360 = T. echinata.  
*fallax*, Miers, Apocyn. S. Am. 40 = T. fallax.  
*florida*, Miers, l. c. 41 = T. lacta.  
*fuchsiaeifolia*, Miers, l. c. 34 = T. fuchsiaeifolia.  
*Gaudichaudii*, Miers, l. c. 40 = T. Gaudichaudii.  
*gracillima*, Miers, l. c. 41 = T. gracilis.  
*granulosa*, Miers, l. c. 37.—Bras.  
*heterophylla*, Miers, l. c. 38 = T. heterophylla, Linn.  
*Hilariana*, Miers, l. c. 41 = T. Hilariana.



## PESCHIERA:—

- Hystrix*, A. DC. in DC. Prod. viii. 360 = *Tabernaemontana Hystrix*.  
*laeta*, Miers, Apocyn. S. Am. 35 = *T. laeta*.  
*latiflora*, Benth. ex Miers, l. c. 50 = *T. flavicans*.  
*lingulata*, Miers, l. c. 42 = *Peruv.*  
*Linkii*, Miers, l. c. 47 = *T. Linkii*.  
*litoralis*, Miers, l. c. 45 = *T. litoralis*.  
*lorifera*, Miers, l. c. 47 = *Guian.*  
*Lundii*, Miers, l. c. 36 = *T. Lundii*.  
*multiflora*, Spruce, ex Miers, l. c. 45 = *T. Benthiana*.  
*muricata*, A. DC. in DC. Prod. viii. 361 = *T. muricata*.  
*ochracea*, Miers, Apocyn. S. Am. 42 = *T. muricata*.  
*praeclara*, Miers, l. c. 47 = *Venezuela*.  
*psychotriaefolia*, Miers, l. c. 42 = *T. psychotrifolia*.  
*puberiflora*, Miers, l. c. 43 = *Peruv.*  
*Salzmanni*, Miers, l. c. 40 = *T. Salzmanni*.  
*Solandri*, Miers, l. c. 46 = *T. cymosa*?  
*solanifolia*, Miers, l. c. 46 = *T. solanifolia*.  
*Spixiana*, Miers, l. c. 36 = *T. Spixiana*.  
*stenoloba*, Miers, l. c. 38 = *T. stenoloba*.  
*surinamensis*, Miq. in Linnaea, xviii. (1844) 742 = *Guian.*  
*tenuiflora*, Poepp. & Endl. Nov. Gen. et Sp. iii. 70. t. 280 = *T. tenuiflora*, Muell. Arg.  
*umbrosa*, Miers, Apocyn. S. Am. 44 = *T. umbrosa*.

PESOMERIA, Lindl. Bot. Reg. (1838) Misc. 5 = **Phaius**, Lour. (Orchid.).  
*tetragona*, Lindl. l. c. = *Ph. villosus*.

PESSULARIA, Salisb. Gen. Pl. Fragm. 70 (1866) = **Anthericum**, Linn. (Liliac.).  
*ramosa*, Salisb. l. c. = *A. ramosum*.

PESTALOZZIA, Zoll. & Mor. Syst. Verz. Zoll. 31 (1846) = **Gynostemma**, Blume (Cucurb.).  
*laxa*, Thw. Enum. Pl. Zeyl. 124 = *G. Wightianum*.  
*pedata*, Zoll. & Mor. Syst. Verz. Zoll. 31 = *G. pedatum*.

PETAGNANA, J. F. Gmel. Syst. 1078 (1791) = **Smithia**, Ait. (Legumin.).  
*sensitiva*, J. F. Gmel. l. c. 1119 = *S. sensitiva*.

PETAGNIA, Guss. Fl. Sic. Prod. i. 311 (1826). **UMBELLIFERAE**, Benth. & Hook. f. i. 881.  
**HETEROSCIADIUM**, DC. Prod. iv. 83, in syn. (1830).  
*saniculaefolia*, Guss. Fl. Sic. Prod. i. 311 = *Sicil.*

PETALACTE, D. Don, in Mem. Wern. Soc. v. (1826) 522, ex syn. cit. **COMPOSITAE**, Benth. & Hook. f. ii. 314.  
**PETALOLEPIS**, Less. Syn. Comp. 357 (1832).  
*bicolor*, D. Don, in Mem. Wern. Soc. v. (1826) 553 = *coronata*.  
*canescens*, DC. Prod. vi. 267 = *Anaxeton canescens* (in Addend.).  
*coronata*, D. Don, in Mem. Wern. Soc. v. (1826) 553. —Afr. austr.

PETALANDRA, Hassk. Hort. Bog. Desc. 104 (1858) = **Hopea**, Roxb. (Dipteroc.).  
*micrantha*, Hassk. l. c. 105 = *H. micrantha*.

PETALANDRA, F. Muell. ex Boiss. in DC. Prod. xv. ii. 27, in syn. (1862) = **Euphorbia**, Linn.  
*euphorbioides*, F. Muell. ex Boiss. l. c. = *E. micradenia*.

PETALANISIA, Rafin. Fl. Tellur. iii. 80 (1836) = **Hypericum**, Linn.

PETALANTHERA, Nees, Laurin. Disp. 15 (1833); Syst. Laurin. 346 (1836) = **Ocotea**, Aubl. (Laurin.).  
*bracteolata*, Nees, Syst. Laurin. 347 = *O. bracteolata*.

PETALANTHERA, Nutt. in Journ. Acad. Philad. vii. i. (1834) 107 = **Cevallia**, Lag. (Loasac.).  
*hispidia*, Nutt. l. c. = *C. sinuata*.

PETALANTHERA, Rafin. Fl. Tellur. ii. 100 (1836) = **Justicia**, Houst. (Acanth.).  
*punctata*, Rafin. l. c. = *J. ventricosa*.

**PETALIDIUM**, Nees, in Wall. Pl. As. Rar. iii. 75 (1832). **ACANTHACEAE**, Benth. & Hook. f. ii. 1081.

**PSEUDOBARLERIA**, T. Anders. in Journ. Linn. Soc. vii. (1863) 26.  
*barlerioides*, Nees, in Wall. Pl. As. Rar. iii. 82. —Ind. or.  
*coccineum*, S. Moore, in Journ. Bot. xviii. (1880) 225. —Afr. trop.  
*glandulosum*, S. Moore, l. c. 226. —Afr. trop.  
*halimoides*, S. Moore, l. c. 228. —Afr. trop.  
*Lepidagathis*, S. Moore, l. c. 227. —Afr. trop.  
*limifolium*, T. Anders. in Journ. Linn. Soc. vii. (1864) 25. —Afr. austr.  
*loranthifolium*, S. Moore, in Journ. Bot. xviii. (1880) 227. —Afr. trop.  
*patulum*, Dalz. & Gibs. Bomb. Fl. 185 = *Ruellia patula*.  
*physaloides*, S. Moore, in Journ. Bot. xviii. (1880) 225. —Afr. trop.  
*rupestre*, S. Moore, l. c. 226. —Afr. trop.  
*Welwitschii*, S. Moore, l. c. 227. —Afr. trop.

**PETALINIA**, Becc. Malesia, i. (1883) 257. **OLACINEAE**.  
*bancana*, Becc. l. c. 258. —Ins. Banca.

**PETALODISCUS**, Baill. Etud. Gén. Euph. 571. t. 22 (1858) = **Savia**, Willd. (Euphorb.).  
*Laureola*, Baill. l. c. 572 = *S. Laureola*.  
*platyrachis*, Baill. l. c. = *S. platyrachis*.

**PETALOGYNE**, F. Muell. in Hook. Kew Journ. viii. (1856) 324 = **Petalostylis**, R. Br. (Legumin.).  
*cassioides*, F. Muell. l. c. = *Petalostylis labicheoides*.  
*labicheoides*, F. Muell. l. c. 325 = *Petalostylis labicheoides*.

**PETALOLEPIS**, Cass. in Bull. Soc. Philom. (1817) 134 = **Helichrysum**, Vaill. (Compos.).  
*ferruginea*, Cass. in Diet. Sc. Nat. xxix. 195 = *Helipterum citrinum*.  
*rosmarinifolia*, Cass. l. c. = *Helichrysum diosmifolium*.

**PETALOLEPIS**, Less. Syn. Comp. 357 (1832) = **Petalacte**, D. Don (Compos.).  
*bicolor*, Less. l. c. 358 = *Petalacte coronata*.  
*coronata*, Less. l. c. 357 = *Petalacte coronata*.  
*discolor*, Less. l. c. 358 = *Petalacte coronata*.

**PETALOMA**, Rafin. ex Boiss. in DC. Prod. xv. ii. 63 (1862) = **Euphorbia**, Linn.

**PETALOMA**, Roxb. Hort. Beng. [90] (1814); Fl. Ind. ii. 372 (1832) = **Lumnitzera**, Willd. (Combret.).  
*alba*, Blanco, Fl. Filip. ed. I. 344 = *L. racemosa*.  
*albiflora*, Zipp. ex Span. in Linnaea, xv. (1841) 203 = *L. racemosa*.  
*alternifolia*, Roxb. Hort. Beng. [90]; Fl. Ind. ii. 372 = *L. racemosa*.  
*coccinea*, Blanco, Fl. Filip. ed. I. 345 = *L. coccinea*.

**PETALOMA**, Sw. Prod. Veg. Ind. Occ. 73 (1788); Fl. Ind. Occ. ii. 831 (1800) = **Mouriria**, Juss. (Melastom.).  
*cauliflora*, Mart. ex DC. Prod. iii. 7 = *M. cauliflora*.  
*domingensis*, Tussac, Fl. Antill. iii. 119. t. 37 = *M. domingensis*.  
*grandiflora*, D. Dietr. Syn. Pl. ii. 1472 = *M. grandiflora*.  
*mexicana*, D. Dietr. l. c. = *M. mexicana*.  
*Mouriri*, Sw. Prod. Veg. Ind. Occ. 73 = *M. guianensis*.  
*myrtilloides*, Sw. l. c. = *M. myrtilloides*.

**PETALONYX**, A. Gray, in Mem. Am. Acad. v. (1855) 319. **LOASEAE**, Benth. & Hook. f. i. 803.  
*crenatus*, A. Gray, ex S. Wats. in Proc. Am. Acad. xvii. (1881–82) 358. —Mexic.  
*linearis*, Greene, in Bull. Calif. Acad. i. iv. (1885) 188. —Calif.  
*nitidus*, S. Wats. in Am. Natural. vii. (1873) 300. —Utah.  
*Parryi*, A. Gray, in Proc. Am. Acad. x. (1874) 72 = *nitidus*.  
*Thurberi*, A. Gray, in Mem. Acad. Am. N. S. v. (1855) 319. —Mexic.

**PETALOPOGON**, Reiss. in Endl. Nov. Stirp. Dec. 82 (1839) = **Phylla**, Linn. (Rhamn.).  
*cuspidatus*, Reiss. l. c. 83 = *Phylla cuspidata*.

**PETALOSTEIRA**, Rafin. Fl. Tellur. ii. 74 (1836) = **Tiarella**, Linn. (Saxifr.).  
*laciniata*, Rafin. l. c. = *T. trifoliata*.  
*unifolia*, Rafin. l. c. = *T. unifoliata*.

**PETALOSTELMA**, Fourn. in Mart. Fl. Bras. vi. iv. 328 (1885). **ASCLEPIADEAE**.  
*Martianum*, Fourn. l. c. —Bras.

**PETALOSTEMMA**, R. Br. in Salt, Abyss. App. 44 (1814), nomen (Quid?).  
*Chenopodii*, R. Br. l. c., nomen. —Abyssin.

**PETALOSTEMON**, Michx. Fl. Bor. Am. ii. 48. t. 37 (1803) (Petalostemum). **LEGUMINOSAE**, Benth. & Hook. f. i. 493.

**CYLIPOGON**, Rafin. in Journ. Phys. lxxxix. (1819) 97.

**DALEA**, Cram. Disp. Syst. 154 (1803).  
**GATESIA**, Bertol. Misc. Bot. vii. 30. t. 1 (1848).  
**GAVESIA**, Walp. Ann. ii. 950 (1852).  
**KUHNISTERA**, Lam. Encyc. iii. 370 (1789).  
*alopecuroides*, Pers. Syn. ii. 268 = *Dalea alopecuroides*.  
*amethystinus*, Schott, in Wien. Zeitschr. iv. (1830) 1216; ex Endl. in Linnaea, vi. (1831) Litt. 55. —Bras.

*bicolor*, Bertol. Misc. Bot. ix. 9 = *gracilis*.  
*candidus*, Michx. Fl. Bor. Am. ii. 49. t. 37. —Am. bor.  
*capitatus*, DC. Prod. ii. 244 = *Dalea aurea*.  
*carneus*, Michx. Fl. Bor. Am. ii. 49. —Am. bor.  
*corymbosus*, Michx. l. c. 50. —Am. bor.  
*decumbens*, Nutt. in Journ. Acad. Philad. vii. i. (1834) 93. —Am. bor. occ.

*emarginatus*, Torr. & Gray, Fl. N. Am. i. 311. —Am. bor. occ.

*exilis*, A. Gray, Pl. Wright. ii. 41. —N. Mexic.

*Feayi*, Chapm. Fl. S. U. St. Suppl. 615. —Florida.

*flavescens*, S. Wats. in Am. Natural. vii. (1873) 299. —Am. bor. occ.

*foliosus*, A. Gray in Proc. Am. Acad. vii. (1868) 336. —Am. bor.

*gracilis*, Nutt. in Journ. Acad. Philad. vii. i. (1834) 92. —Am. bor. occ.

*griseus*, Torr. & Gray, Fl. N. Am. i. 310. —Am. bor. occ.

*laxiflorus*, Steud. Nom. ed. II. ii. 308 = *Dalea laxiflora*.

*macrostachyus*, Torr. in Ann. Lyc. N. York, ii. (1828) 176. —Am. bor. occ.

*macrostachyus*, Torr. & Gray, Fl. N. Am. i. 309, partim = *ornatus*.

*multiflorus*, Nutt. in Journ. Acad. Philad. vii. i. (1834) 92. —Am. bor. occ.

*obovatus*, Torr. & Gray, Fl. N. Am. i. 310. —Am. bor. occ.

*ornatus*, Dougl. ex Hook. Fl. Bor. Am. i. 138. —Am. bor. occ.

*ovatus*, S. Wats. in Am. Natural. vii. (1873) 300, sphalm., in obs. = *praece*.

*phleoides*, Torr. & Gray, Fl. N. Am. i. 310. —Am. bor. occ.

*reclinatus*, Steud. Nom. ed. II. ii. 408, in syn. = *Dalea reclinata*.

*roseus*, Nutt. in Am. Journ. Sc. Ser. I. v. (1822) 298. —Florida.

*Searlsiae*, A. Gray, in Proc. Am. Acad. vii. (1872) 380. —Am. bor. occ.

*sessilis*, [Moq. & Sesse] ex DC. Prod. ii. 246 = *Dalea Thouini*.

*tenuifolius*, A. Gray, in Proc. Am. Acad. xi. (1876) 73. —N. Mexic.

*villosus*, Nutt. Gen. Am. ii. 85. —Am. bor.

*violaceus*, Michx. Fl. Bor. Am. ii. 50. t. 37. f. 2. —Am. bor. occ.

*virgatus*, Nees & Schwein. in Neuwied, Reise Nord-Am. ii. 432 = *candidum*.

*virgatus*, Scheele, in Linnaea, xxi. (1848) 461 = *violaceus*.

**PETALOSTIGMA**, F. Muell. in Hook. Kew Journ. ix. (1857) 16. **EUPHORBIACEAE**, Benth. & Hook. f. iii. 277.  
**HYLOCOCCLUS**, R. Br. ex Benth. Fl. Austral. vi. 92 (1873).  
*australianum*, Baill. Adansonia, vii. (1866–67) 356. t. 2 = *quadriloculare*.  
*quadriloculare*, F. Muell. in Hook. Kew Journ. ix. (1857) 17. —Austral.  
*triloculare*, Muell. Arg. in Flora, xlvii. (1864) 471 = *quadriloculare*.



**PETALOSTIMA**, Rafin. Fl. Tellur. ii. 79 (1836) = **Wahlenbergia**, Schrad. (Campan.).  
*capensis*, Rafin. l. c. = *W. capensis*.

**PETALOSTYLES**, Benth. Fl. Austral. ii. 291 (1864) = seq.

**PETALOSTYLIS**, R. Br. in Sturt, Exped. Centr. Austral. App. ii. 79 (1849). **LEGUMINOSAE**, Benth. & Hook. f. i. 573.  
*Petalostylis*, F. Muell. in Hook. Kew Journ. viii. (1856) 324.  
*labicheoides*, R. Br. in Sturt, Exped. Centr. Austr. 80. —Austral.

**PETALOSTYLIS**, Lindl. Veg. Kingd. 614 (1847) = **PETASOSTYLIS**, Griseb. = **Leianthus**, Griseb. (Gentian.).

**PETALOTOMA**, DC. Prod. iii. 294 (1828) = **Carrallia**, Roxb. (Rhizoph.).  
*brachiata*, DC. l. c. 295 = *C. integririma*.

**PETALOXIS**, Rafin. Fl. Tellur. ii. 83 (1836) = **Dichorisanthra**, Mikan (Commel.).  
*purpurea*, Rafin. l. c. = *D. oxypetala*.

**PETAMENES**, Salisb. in Trans. Hort. Soc. i. (1812) 324 = **Antholyza**, Linn. (Irid.).  
*quadrangularis*, Salisb. l. c. = *A. quadrangularis*.

**PETASIOIDES**, Vitm. Summa Veg. i. 349 (1789) = **PETESIOIDES**, Jacq. = **Wallenia**, Sw. (Myrsin.).

**PETASITES**, [Tourn.] Linn. Syst. ed. I (1735); Gaertn. Fruct. ii. 406. t. 166. (1791). **COMPOSITAE**, Benth. & Hook. f. ii. 439.  
*albus*, Gaertn. l. c. —Europ.; As. bor.  
*albus*, Wirzin, Casan, n. 265; ex Ledeb. Fl. Ross. ii. 470 = *spurius*.  
*alpestris* ×, Bruegg. in Jahresh. Naturf. Ges. Graub. II. xxiii–xxiv. (1880) 104. —Europ.  
*alpinus*, Baumg. Enum. Stirp. Transs. iii. 92 = *Homo-gyne alpina*.  
*androgynus*, Schur, Enum. Pl. Transs. 302 = officinalis.  
*consimilis*, Jord. ex Nym. Consp. 397 = officinalis.  
*discolor*, Baumg. Enum. Stirp. Transs. iii. 92 = *Homo-gyne discolor*.  
*elator*, Hill, Herb. Brit. i. 29 = officinalis.  
*Farfara*, Baill. Hist. Pl. viii. 58, 309 = *Tussilago Farfara*.  
*fragrans*, Presl, Fl. Sicul. i. 28. —Reg. Mediterr.  
*frigidus*, Fries, Syll. 20; et *Summa Veg. Scand.* 182. —Reg. bor. et austr.  
*giganteus*, Fuss, Fl. Transs. 310 = officinalis.  
*giganteus*, F. Schmidt, ex Trautv. in Act. Hort. Petrop. viii. (1883) 443. —Ins. Sachalin.  
*glabrescens*, Hoppe, ex DC. Prod. v. 207 = *albus*.  
*hermaphroditus*, Schur, Enum. Pl. Transs. 302 = officinalis.  
*hybridus*, Gaertn. Mey. & Scherb. Fl. Wett. iii. 184 = officinalis.  
*intermedius*, Hoppe, ex Nym. Consp. 397 = officinalis.  
*japonicus*, F. Schmidt, Reise Amurl. 145. —Ins. Sachalin.  
*Kablikianus*, Tausch, ex Lotos (1851), 120; et ex Reichb. Ic. Fl. Germ. xv. 4. t. 900 = officinalis.  
*laevigatus*, Reichb. Fl. Germ. Excurs. 279. —Bohem.; Sibir.  
*Lorenzianus* ×, Bruegg. in Jahresh. Naturf. Ges. Graub. II. xxiii–xxiv. (1880) 104. —Europ.  
*macrophyllus*, Schur, Enum. Pl. Transs. 302 = officinalis.  
*niveus*, Baumg. Enum. Stirp. Transs. iii. 94; *Cass. in Dict. Sc. Nat.* xxxix. 202. —Europ.  
*niveus*, Trotzky, Ind. Sem. Hort. Casan. (1842); ex Ledeb. Fl. Ross. ii. 470 = *spurius*.  
*ochroleucus*, Boiss. & Huet, Diagn. Ser. II. iii. 5 = officinalis.  
*officinalis*, Moench, Meth. 568. —Europ.; As. bor.  
*ovatus*, Hill, Herb. Brit. i. 28 = officinalis.  
*palmatus*, A. Gray, in Bot. Calif. i. 407. —As. occ.; Am. bor.  
*paradoxus*, Baumg. Enum. Stirp. Transs. iii. 94 = *niveus*.  
*pratensis*, Jord. Pugill. Pl. 103 = officinalis.

**PETASITES** :—  
*ramosus*, Baumg. Enum. Stirp. Transs. iii. 94 = *albus*.  
*Reuterianus*, Jord. ex Nym. Consp. 397 = officinalis.  
*riparius*, Jord. ex Bor. Fl. Centr. Fr. ed. III. ii. 321 = officinalis.  
*sagittatus*, A. Gray, in Bot. Calif. i. 407. —Am. bor.  
*sebethius*, Tenore, Cat. Ort. Bot. Nap. (1845) 90 = officinalis.  
*spurius*, Miq. Ann. Mus. Bot. Lugd. Bat. ii. 168 = *japonicus*.  
*spurius*, Reichb. f. Ic. Fl. Germ. xvi. 3. t. 896. —Europ.  
*stramineus*, Nym. Syll. 20. —Europ.  
*tomentosus*, DC. Prod. v. 207 = *spurius*.  
*tricholobus*, Franch. Pl. Davidian. i. (1884) 172. —Mongol.  
*vulgaris*, Desf. Fl. Atlant. ii. 270 = officinalis.

**PETASOSTYLIS**, Griseb. in DC. Prod. ix. 71 (1845) = **Leianthus**, Griseb. (Gentian.).  
*nigrescens*, Griseb. l. c. = *L. nigrescens*.  
*saponarioides*, Griseb. l. c. = *L. saponarioides*.

**PETASTOMA**, Miers, in Proc. Roy. Hort. Soc. iii. (1863) 194 = **Bignonia**, Tourn.  
*Claussenii*, Miers, l. c. 195 = *Arrabidaea Claussenii*.  
*corymbiferum*, Miers, l. c. 193 = *B. corymbifera*.  
*crenatum*, Miers, l. c. 193. —Bras.  
*divaricatum*, Miers, l. c. 195, nomen. —Bras.  
*Donianum*, Miers, l. c. 195 = *B. Doniana*.  
*formosum*, Bur. in Rev. Hort. (1868) 154. —Bras.  
*glabrum*, Miers, in Proc. Roy. Hort. Soc. iii. (1863) 195 = *B. samyoides*.  
*jucundum*, Miers, l. c., nomen. —Guian.  
*lachnaeum*, Miers, l. c., nomen. —Bras.  
*laevigatum*, Miers, l. c., nomen. —Bras.  
*leptopodium*, Miers, l. c., nomen. —Bras.  
*mansuetum*, Miers, l. c., nomen. —Bras.  
*obliquum*, Miers, l. c. = *B. obliqua*.  
*ophthalmicum*, Miers, l. c. = *B. ophthalmica*.  
*patelliferum*, Miers, l. c. = *B. patellifera*.  
*phaseoloides*, Miers, l. c. = *B. phaseoloides*.  
*physaloides*, Miers, l. c. = *B. physaloides*.  
*platyphyllum*, Miers, l. c. = *Arrabidaea platyphylla*.  
*pubescens*, Miers, l. c. = *B. pubescens*.  
*punicum*, Miers, l. c. = *B. punicea*.  
*samyoides*, Miers, l. c. = *B. samyoides*.  
*Sceptrum*, Miers, l. c. = *B. Sceptrum*.  
*simplicifolium*, Miers, l. c. 194. —Bras.  
*triplinerve*, Miers, l. c. 195 = *B. triplinervia*.

**PETASULA**, Noronha, in Verh. Batav. Gen. v. (1790) ed. I. Art. iv. 3 = **Trevesia**, Vis. (Araliac.).

**PETERIA**, A. Gray, Pl. Wright. i. 50; (in Smithson. Contrib. iii.) (1852). **LEGUMINOSAE**, Benth. & Hook. f. i. 495.  
*scoparia*, A. Gray, Pl. Wright. i. 50. —N. Mexic.  
*Thomsonae*, S. Wats. in Am. Natural. vii. (1873) 300. —Am. bor.

**PETERMANNIA**, Klotzsch, in Monatsb. Berl. Acad. (Maerz, 1854) 124; et in Abh. Akad. Berl. (1855) 74. t. 6 C = **Begonia**, Linn.  
*Cumingiana*, Klotzsch, in Monatsb. Berl. Acad. (Maerz, 1854) 124 = *B. Cumingiana*.  
*fasciculata*, Klotzsch, l. c. = *B. fasciculata*.  
*geniculata*, Klotzsch, l. c. = *B. fasciculata*.  
*racemosa*, Klotzsch, l. c. = *B. racemosa*.

**PETERMANNIA**, F. Muell. Fragm. ii. 92 (1860). **DIOSCOREACEAE**, Benth. & Hook. f. iii. 746.  
*cirrosa*, F. Muell. l. c. 93. —Austral.

**PETERMANNIA**, Reichb. Nom. 236 (1841) = **Cyclo-loma**, Moq. (Chenop.).

**PETERSIA**, Klotzsch, in Peters, Reise Mossamb. Bot. 168. t. 30 (1861) = **Capparis**, Linn.  
*rosea*, Klotzsch, l. c. = *C. rosea*.

**PETERSIA**, Welw. in Benth. & Hook. f. Gen. i. 721 (1867). **MYRTACEAE**, Benth. & Hook. f. l. c.  
*africana*, Welw. ex Benth. & Hook. f. l. c. —Afr. trop.

**PETESIA**, P. Br. Hist. Jamaica. 143. tt. 2, 3 (1756) = **Rondeletia**, Linn. (Rubiace.).  
*carnea*, Forst. f. Prod. 10 = *Ixora carnea*.  
*carnosa*, Hook. & Arn. Bot. Beech. Voy. 64 = *Bikkia grandiflora*.  
*coriacea*, Hook. & Arn. l. c. 85 = *Gouldia sandwicensis*.  
*grandis*, Bartl. ex DC. Prod. iv. 395 = *Sommeria arborescens*.  
*hispida*, Bartl. l. c. (an *Wendlandia* sp.?). —Ins. Philipp.  
*Hita*, Buch.-Ham. ex D. Don, Prod. Fl. Nep. 134 = *Hedyotis scandens*.  
*Lygistum*, Linn. Syst. ed. X. 894 = *Manettia Lygistum*.  
*minor*, Griseb. in Bonplandia, vi. (1858) 8. —Mexic.  
*nitida*, Bartl. ex DC. Prod. iv. 395. —Ins. Philipp. et Marian.  
*simplicissima*, Lour. Fl. Cochinch. 77. —Cochinch.  
*spicata*, Sw. Fl. Ind. Occ. iii. 1945 = *Gonzalea Petesia*.  
*stipularis*, Linn. Syst. ed. X. 894 = *R. tomentosa*.  
*terminalis*, Hook. & Arn. Bot. Beech. Voy. 85 = *Gouldia sandwicensis*.  
*ternifolia*, Bartl. ex DC. Prod. iv. 395. —Ins. Philipp.  
*tomentosa*, Jacq. Select. Am. 18. —N. Granat.  
*trifida*, Lour. Fl. Cochinch. 77. —Cochinch.  
*villosa*, Sm. in Rees, Cycl. xxvii. n. 4 = *R. umbellulata*.

**PETESIOIDES**, Jacq. Select. Am. 17 (1763) = **Wal-lenia**, Sw. (1788) (Myrsin.).  
*laurifolium*, Jacq. l. c. = *W. laurifolia*.

**PETILUM**, Linn. Syst. ed. I (1735); Hort. Cliff. 119 (1737) = **Fritillaria**, Linn. (Liliac.).  
*imperiale*, Jaume St. Hil. Expos. i. 120 = *F. imperialis*.

**PETITIA**, J. Gay, in Ann. Sc. Nat. Sér. I. xxvi. (1829) 219 = **Xatardia**, Meissn. (Umbellif.).  
*scabra*, J. Gay, l. c. = *X. scabra*.

**PETITIA**, Jacq. Enum. Pl. Carib. 1 (1760). **VER-BENACEAE**, Benth. & Hook. f. ii. 1151.  
**SCLEROON**, Benth. in Lindl. Bot. Reg. (1843) Misc. 65.  
*domingensis*, Jacq. Enum. Pl. Carib. 12. —Ins. S. Doming.  
*domingensis*, Walp. Rep. iv. 71 = *Poeppigii*.  
*oleina*, Benth. & Hook. f. ex Hemsl. Biol. Centr. Am. Bot. ii. 539. —Mexic.  
*Poeppigii*, Schau. in DC. Prod. xi. 639. —Cuba.  
*quinduensis*, H. B. & K. Nov. Gen. et Sp. ii. 248 = *Aegiphila Humboldtii*.  
*tenuifolia*, Willd. ex Schult. Mant. iii. 50 = *Aegiphila Humboldtii*.

**PETITIA**, Neck. Elem. ii. 407 (1790) = **Hibiscus**, Linn. (Malvac.).

**PETIVERIA**, Plum. ex Linn. Gen. ed. I. 341 (1737). **PHYTOLACCACEAE**, Benth. & Hook. f. iii. 82.  
*MAPA*, Vell. Fl. Flum. 59 (1825).  
*alliacea*, Linn. Sp. Pl. 342. —Ind. occ.  
*foetida*, Salisb. Prod. 214 = *alliacea*.  
*hexaglochis*, Fisch. & Mey. Ind. Sem. Hort. Petrop. i. 35. —Bras.  
*ochroleuca*, Moq. in DC. Prod. xiii. 11. 9 = *alliacea*.  
*octandra*, Linn. Sp. Pl. ed. II. 486 = *alliacea*.  
*paraguayensis*, Parodi, in Anal. Soc. Cient. Argent. v. (1878) 160; Contrib. 53. —Paraguay.  
*tetrandra*, Gomes, Obs. Med. Bot. Pl. Bras. (1803) 13; et in Mem. Ac. Lisboa, iii. (1812) Mem. Corresp. 17. —Bras.

**PETRACANTHUS**, Nees, in DC. Prod. xi. 97 (1847) = **Gymnostachyum**, Nees (Acanth.).  
*Junghuhnii*, Nees, l. c. 98 = *G. Cumingianum*.

**PETRAEA**, B. Juss. ex Juss. Gen. 108 (1789) = **Petrea**, Houtt. (Verben.).

**PETRAEOVITEX**, Oliver, in Hook. Ic. Pl. xv. 15. t. 1420 (1833). **VERBENACEAE**.  
*Riedelii*, Oliver, l. c. 16. t. 1420. —Malaya.

**PETRAMNIA**, Rafin. Fl. Tellur. iv. 68 (1836) = **Cranio-laria**, Linn. (Pedalin.).

**PETRANTHA**, DC. Prod. v. 503 (1836), err. typ. = **TETRANTHA**, Poit. = **Riencourtia**, Cass (Compos.).



PETRANTHE, Salisb. Gen. Pl. Fragm. 27 (1866) = *Scilla*, Linn. (Liliac.).  
*verna*, Salisb. l. c. = *S. verna*.

PETREA, Houst. ex Linn. Gen. ed. I. 347 (1737).  
VERBENACEAE, Benth. & Hook. f. ii. 1149.  
arborea, *H. B. & K. Nov. Gen. et Sp.* ii. 282.—  
N. Granat.  
*aspera*, Turcz. in *Bull. Soc. Nat. Mosc.* xxxvi. (1863)  
ii. 211.—Bras.

Blanchetiana, *Schau. in DC. Prod.* xi. 617.—Bras.  
bracteata, *Steud. in Flora*, xxvi. (1843) 764.—Guian.  
Candolleana, *Schau. in DC. Prod.* xi. 617.—Hab.?  
dentata, Spreng. Syst. ii. 761 = Patagonula americana.  
denticulata, Schrad. in Goett. Gel. Anz. i. (1821) 712  
= Patagonula americana.

erecta, Lodd. Bot. Cab. t. 1606 = arborea.  
guianensis, *Cham. in Linnaea*, vii. (1832) 367.—Guian.  
insignis, *Schau. in DC. Prod.* xi. 620.—Bras.  
Kohautiana, Presl, Bot. Bemerk. 99 = subserrata,  
*Cham.*

macrostachya, Benth. in *Ann. Nat. Hist. Ser. I.* ii.  
(1839) 448 = guianensis.

Martiana, *Schau. in DC. Prod.* xi. 620.—Bras.  
mexicana, Willd. ex *Cham. in Linnaea*, vii. (1832)  
367 = arborea.

multiflora, Sm. in *Rees, Cycl.* xxvii. n. 2 (Quid?).—  
'Ins. Honim.'

oblonga, Spreng. Syst. ii. 761 (Banisteria sp.).—Bras.  
obtusifolia, Benth. Pl. Hartw. 246.—N. Granat.  
ovata, Mart. & Gal. in *Bull. Acad. Brux.* xi. ii. (1844)  
328 = arborea.

pubescens, Turcz. in *Bull. Soc. Nat. Mosc.* xxxvi.  
(1863) ii. 211.—Bras.

racemosa, Nees & Mart. in *Nov. Act. Nat. Cur.* xi.  
(1823) 72 = oblonga.

retusa, Presl, Bot. Bemerk. 99 = subserrata.  
rugosa, *H. B. & K. Nov. Gen. et Sp.* ii. 282.—Vene-  
zuela.

Schomburgkiana, *Schau. in DC. Prod.* xi. 619.—  
Guian.

serrata, Presl, Bot. Bemerk. 99 = subserrata.  
Stapeliae, *Paxt. Mag. Bot.* iv. (1838) 199 (Stapelsiae).  
—Am. austr.

subserrata, *Bárcena, Notic. Cient. Estad. Hidal.* 31.  
—Mexic.

subserrata, *Cham. in Linnaea*, vii. (1832) 368.—Bras.  
vincentina, Turcz. in *Bull. Soc. Nat. Mosc.* xxxvi.  
(1863) ii. 212.—Ins. S. Vinc.

volubilis, Gaertn. *Fruct.* ii. 471 = Patagonula ameri-  
cana.

volubilis, Linn. *Sp. Pl.* 626; *Jacq. Select. Am.* 180.  
t. 114.—Am. trop.

volubilis, Vell. *Fl. Flum.* 254; vi. t. 59 = subserrata,  
*Cham.*

volubilis, Walp. in *Nov. Act. Nat. Cur.* xix. Suppl. i.  
(1843) 381 = arborea.

PETROBIUM, Bong. in *Mém. Acad. Pétersb. Sér. VI.*  
iv. (1838) t. 4 = Lithobium. Bong. (Melastom.).  
*cordatum*, Bong. l. c. = *L. cordatum*.

PETROBIUM, R. Br. in *Trans. Linn. Soc.* xii. (1816)  
113. COMPOSITAE, Benth. & Hook. f. ii. 355.  
DRIMYPHYLLUM, Burch. ex *DC. Prod.* v. 501 (1836).  
LAXMANNIA, Forst. *Char. Gen.* 94. t. 47 (1776).  
arborescens, R. Br. in *Trans. Linn. Soc.* xii. (1816)  
113.—Ins. S. Helen.  
*Forsteri*, Cass. in *Dict. Sc. Nat.* xxxix. 307 = arborescens.

PETROCALLIS, R. Br. in *Ait. Hort. Kew. ed. II.* iv.  
93 (1812) = *Draba*, Linn. (Crucif.).  
*araratica*, Griseb. ex Tchihat. *Asie Min. Bot.* i. 317,  
nomen = *D. araratica*?

*fenestrata*, Boiss. & Hohen. *Diagn. Ser. I.* viii. 27.—  
Persia.

*pyrenaica*, R. Br. in *Ait. Hort. Kew. ed. II.* iv. 93 =  
*D. pyrenaica*.

PETROCARVI, Tausch, in *Flora*, xvii. (1834) 355 =  
*Athamantia*, Linn. (Umbell.).  
*cretense*, Tausch, l. c. = *A. cretensis*.

PETROCARYA, Schreb. *Gen.* 245 (1789) = *Pari-  
narium*, Aubl. (Rosac.).  
*brasiliensis*, Schott, in *Spreng. Syst.* iv. App. 405 =  
Parin. montanum.  
*campestris*, Willd. *Sp. Pl.* ii. 287 = Parin. campestre.

#### PETROCARYA :—

*dillenifolia*, Steud. *Nom. ed. II.* ii. 309 = Diptero-  
carpus cornutus.

*excesla*, Jack, in *Malay. Misc.* ii. (1822) n. vii. p. 66 =  
Parinarium Jackianum.

*excelsa*, Steud. *Nom. ed. II.* ii. 309 = Parin. excel-  
sum.

*glaberrima*, Miers, in *Journ. Linn. Soc.* xvii. (1879)  
336 = Parin. glaberrimum.

*Griffithiana*, Miers, l. c. = Parin. Griffithianum.

*macrophylla*, Steud. *Nom. ed. II.* ii. 309 = Parin.  
macrophyllum, *Sabine*.

*Maranthes*, Miers, in *Journ. Linn. Soc.* xvii. (1879)  
336 = Parin. Maranthes.

*montana*, Willd. *Sp. Pl.* ii. 287 = Parin. montanum.

*scabra*, Miers, in *Journ. Linn. Soc.* xvii. (1879) 336 =  
Parin. scabrum.

*senegalensis*, Steud. *Nom. ed. II.* ii. 309 = Parin.  
senegalense.

*sumatrana*, Jack, in *Malay. Misc.* ii. (1822) n. vii.  
p. 67.—Sumatra.

*sumatrana*, Miers, in *Journ. Linn. Soc.* xvii. (1879)  
336 = Parin. costatum.

PETROCODON, Hance, in *Journ. Bot.* xxi. (1883)  
167. GESNERACEAE.

*dealbatus*, Hance, l. c. = China.

PETROCOMA, Rupr. *Fl. Cauc.* 200 (1869) = *Silene*,  
Linn. (Caryoph.).

*Hoefftiana*, Rupr. l. c. = *S. Hoefftiana*.

PETROCOPTIS, A. Br. in *Flora*, xxvi. (1843) 370 =  
*Lychnis*, Tourn. (Caryoph.).

*glaucofolia*, Boiss. *Diagn. Ser. II.* i. 80.—Hispan.

*Lagascæ*, Willk. in *Flora*, xxxiv. (1851) 601 =  
*L. Lagascæ*.

*pyrenaica*, A. Br. l. c. xxvi. (1843) 370 = *L. pyrenaica*.

PETRODORA, Fourr. in *Ann. Soc. Linn. Lyon*, N. S.  
xvii. (1869) 128 = *Veronica*, Tourn. (Scrophul.).

*fruticulosa*, Fourr. l. c. = *V. fruticulosa*.

*saxatilis*, Fourr. l. c. = *V. saxatilis*.

PETROGETON, Eckl. & Zeyh. *Enum.* 291 (1837) =  
*Crassula*, Dill.

*alpinum*, Eckl. & Zeyh. l. c. = *C. alpina*.

*dentatum*, Eckl. & Zeyh. l. c. = *C. dentata*.

*nemorosum*, Eckl. & Zeyh. l. c. 292 = *C. nemorosa*.

*nivale*, Eckl. & Zeyh. l. c. = *C. nivalis*.

*patens*, Eckl. & Zeyh. l. c. 291 = *C. patens*.

*typicum*, Eckl. & Zeyh. l. c. = *C. dentata*.

*Umbella*, Eckl. & Zeyh. l. c. = *C. Umbella*.

PETROMARULA, Vent. ex Hedw. f. *Gen.* 139 (1806)  
= *Phyteuma*, Linn. (Campan.).

*pinnata*, A. DC. *Monog. Camp.* 139 = Phyt. pinnatum.

PETRONIA, Jungh. in *Nat. en Geneesk. Arch. Neêrl.*  
Indie, ii. (1845) 52, sphalm. = *Pteronia*, Linn.  
(Compos.).

PETRONIA, Rodrig. *Orch. Nov.* i. 106 (1877).  
ORCHIDEAE.

*regia*, Rodrig. l. c. 107.—Bras.

PETROPHILA, R. Br. in *Trans. Linn. Soc.* x. (1810)  
67. PROTEACEAE, Benth. & Hook. f. iii. 172.

ATYLUS, Salisb. *Parad. Lond.* sub t. 67 (1807),  
partim.

*acicularis*, R. Br. in *Trans. Linn. Soc.* x. (1810) 69.  
—Austral.

*adiantifolia*, Sm. ex Meissn. in *DC. Prod.* xiv. 274 =  
diversifolia.

*anceps*, R. Br. *Prot. Nov.* 5 = linearis.

*axillaris*, Meissn. in *Hook. Kew Journ.* vii. (1855) 68  
= *P. Serruriae*.

*biloba*, R. Br. *Prot. Nov.* 7.—Austral.

*bitemata*, Meissn. in *Hook. Kew Journ.* vii. (1855) 69.  
—Austral.

*brevifolia*, Lindl. *Swan River App.* 35 = media.

*canescens*, A. Cunn. ex R. Br. *Prot. Nov.* 6 = sessilis.

*carduacea*, Meissn. in *DC. Prod.* xiv. 274.—Austral.

*chrysantha*, Meissn. in *Hook. Kew Journ.* vii. (1855)  
68.—Austral.

*circinnata*, Kippist, ex Meissn. l. c. 67.—Austral.

*colorata*, Meissn. in *Lehm. Pl. Preiss.* ii. 246.—  
Austral.

#### PETROPHILA :—

conifera, Meissn. in *Hook. Kew Journ.* vii. (1855) 67.  
—Austral.

*crassifolia*, R. Br. *Prot. Nov.* 5 = teretifolia.

*crispata*, R. Br. l. c. 6.—Austral.

*Cunninghami*, Meissn. in *Lehm. Pl. Preiss.* i. 499 =  
squamata.

*divaricata*, R. Br. *Prot. Nov.* 7.—Austral.

*diversifolia*, R. Br. in *Trans. Linn. Soc.* x. (1810) 70.  
—Austral.

*Drummondii*, Meissn. in *Lehm. Pl. Preiss.* i. 496.—  
Austral.

*dubia*, R. Br. *Prot. Nov.* 7 = Isopogon roseus.

*ericifolia*, R. Br. l. c. 5.—Austral.

*falcata*, A. Cunn. ex Meissn. in *DC. Prod.* xiv. 267 =  
linearis.

*fastigiata*, R. Br. in *Trans. Linn. Soc.* x. (1810) 76.—  
Austral.

*filifolia*, R. Br. l. c. 69 = acicularis.

*fucifolia*, Knight, *Prot.* 92 = pulchella.

*glanduligera*, Lindl. *Swan River App.* 35 = *P.*  
*Serruriae*.

*gracilis*, A. Cunn. ex Endl. *Gen. Suppl.* iv. ii. 76 =  
squamata.

*heterophylla*, Lindl. *Swan River App.* 35.—Austral.

*inconspicua*, Meissn. in *Hook. Kew Journ.* vii. (1855)  
68.—Austral.

*intricata*, Lindl. *Swan River App.* 35 = divaricata.

*juncifolia*, Lindl. l. c. = media.

*linearis*, R. Br. *Prot. Nov.* 6.—Austral.

*longifolia*, R. Br. l. c. 5.—Austral.

*longifolia*, A. Cunn. ex Endl. *Gen. Suppl.* iv. ii. 75 =  
teretifolia.

*macrostachya*, R. Br. *Prot. Nov.* 7.—Austral.

*media*, R. Br. l. c. 5.—Austral.

*megalostegia*, F. Muell. *Fragm.* x. 61.—Austral.

*multisecta*, F. Muell. l. c. vi. 242.—Austral.

*pedunculata*, R. Br. in *Trans. Linn. Soc.* x. (1810) 70.  
—Austral.

*phyllicoides*, R. Br. *Prot. Nov.* 6 = ericifolia.

*plumosa*, Meissn. in *Hook. Kew Journ.* vii. (1855) 69.  
—Austral.

*propinqua*, R. Br. *Prot. Nov.* 7.—Austral.

*pulchella*, R. Br. in *Trans. Linn. Soc.* x. (1810) 69.—  
Austral.

*rhoifolia*, Sm. ex Meissn. in *DC. Prod.* xiv. 274 =  
diversifolia.

*rigida*, R. Br. in *Trans. Linn. Soc.* x. (1810) 69.—  
Austral.

*Roei*, Endl. *Gen. Suppl.* iv. ii. 75, nomen.—Austral.

*scabriuscula*, Meissn. in *Lehm. Pl. Preiss.* i. 495 =  
ericifolia.

*semifurcata*, F. Muell. ex Benth. *Fl. Austral.* v. 335.  
—Austral.

*seminuda*, Lindl. *Swan River App.* 34.—Austral.

*Serruriae*, R. Br. *Prot. Nov.* 6.—Austral.

*sessilis*, Sieber, ex Schult. *Mant.* iii. 262.—Austral.

*Shuttleworthiana*, Meissn. in *Lehm. Pl. Preiss.* ii. 246.  
—Austral.

*squamata*, R. Br. in *Trans. Linn. Soc.* x. (1810) 70.—  
Austral.

*striata*, R. Br. *Prot. Nov.* 6.—Austral.

*teretifolia*, R. Br. in *Trans. Linn. Soc.* x. (1810) 68.—  
Austral.

*trifida*, R. Br. in *Trans. Linn. Soc.* x. (1810) 70.—  
Austral.

*trifida*, Lodd. Bot. Cab. t. 1883 = Isopogon trilobus.

*triternata*, Kippist, ex Meissn. in *Hook. Kew Journ.*  
vii. (1855) 67 = Drummondii.

PETROPHILE, Knight, *Prot.* 92 (1809) = *Petrophila*,  
R. Br. (Proteac.).

PETROPHYES, Webb & Berth. *Phyt. Canar.* i. 201.  
t. 36 (1836–40) = *Monanthes*, Haw. *Crassul.*

*agriostaphis*, Webb & Berth. l. c. 203.—Ins. Canar.

*brachycaulon*, Webb & Berth. l. c. = *M. brachycaulon*.

*icterica*, Webb, ex Bolle, in *Bonplandia*, vii. (1859)  
244.—Ins. Canar.

*microbotrys*, Bolle & Webb, l. c. 245.—Ins. Canar.

*minima*, Bolle, l. c.—Ins. Canar.

*moralis*, Bourg. ex Bolle, l. c. = *tilophila*.

*muralis*, Webb, ex Bolle, l. c. 244.—Ins. Canar.

*polyphyllum*, Webb & Berth. *Phyt. Canar.* i. 201 =  
*M. polyphylla*.

*purpurascens*, Bolle & Webb, in *Bonplandia*, vii. (1859)  
245.—Ins. Canar.

*tilophila*, Bolle, l. c.—Ins. Canar.



PETRORHAGIA, Link, Handb. ii. 235 (1831) = **Tunica**, Hall. (Caryophyll.).

*glomerata*, Link, l. c. = *Gypsophila glomerata*.  
*multicaulis*, Link, l. c. = *T. Saxifraga*.  
*rigida*, Link, l. c. = *T. Saxifraga*.  
*Saxifraga*, Link, l. c. = *T. Saxifraga*.

**PETROSAVIA**, Becc. in Nuov. Giorn. Bot. Ital. iii. (1871) 7. t. 1. **LILIACEAE**, Benth. & Hook. f. iii. 828.  
*stellaris*, Becc. l. c. 8.—Borneo.

**PETROSCIADIUM**, Edgew. in Proc. Linn. Soc. i. (1845) 252; et in Trans. Linn. Soc. xx. (1846) 51 = **Pimpinella**, Linn. (Umbell.).  
*caespitosum*, Edgew. ll. cc. = *Pimpinella caespitosa*.

**PETROSELINUM**, Hoffm. Gen. Umb. i. 78 (1814); DC. Prod. iv. 102 = **Carum**, Linn. (Umbell.).  
*ammoides*, Reichb. f. Ic. Fl. Germ. xxi. 11 = *C. ammoides*.  
*australe*, Hook. f. Fl. N. Zel. ii. 366 (Index) = *Apium prostratum*.  
*crispum*, Nym. Consp. 309 = *C. Petroselinum*.  
*dissectum*, Benth. Pl. Hartw. 188.—N. Granat.  
*filiforme*, A. Rich. Ess. Fl. Nouv. Zél. 278 = *Apium prostratum*.  
*fractophyllum*, Lag. ex Sweet, Hort. Brit. ed. II. 245, nomen.—Hab.?  
*hortense*, Hoffm. Gen. Umb. 163 = *C. Petroselinum*.  
*humile*, Meissn. in Hook. Lond. Journ. Bot. ii. (1843) 531 = *Apium humile*.  
*intermedium*, Reichb. f. Ic. Fl. Germ. xxi. 11 = *C. inundatum*.  
*peregrinum*, Lag. Amen. Nat. ii. 100, 103 = *C. peregrinum*.  
*prostratum*, DC. Prod. iv. 102 = *Apium prostratum*.  
*protractum*, Walp. Rep. ii. 391, sphalm. = *præc.*  
*romantum*, Sweet, Hort. Brit. ed. II. 245 = *C. peregrinum*; *C. Petroselinum*.  
*sativum*, Hoffm. Gen. Umb. 177 = *C. Petroselinum*.  
*sativum*, Hook. & Gill. in Hook. Bot. Misc. i. (1830) 335; iii. (1833) 354 = *Seseli Gilliesii*.  
*segetum*, Koch, in Nov. Act. Nat. Cur. xii. i. (1824) 128 = *C. segetum*.  
*selinoides*, DC. Prod. iv. 102 = *C. peregrinum*.  
*Seubertianum*, H. C. Wats. in Hook. Lond. Journ. Bot. vi. (1847) 387.—Ins. Azor.  
*ternatum*, Mutel, Fl. Fr. ii. 402 = *Ligusticum scoticum*.  
*Thermoeri*, Weinm. in Bull. Soc. Nat. Mosc. (1837) n. vii. 60.—Rossia.  
*Thorei*, Coss. ex Reichb. Ic. Fl. Germ. xxi. 11 = *C. inundatum*.  
*trifoliatum*, H. C. Wats. in Hook. Lond. Journ. Bot. iii. (1844) 502.—Ins. Azor.

**PETROSILENE**, Fourr. in Ann. Soc. Linn. Lyon, N. S. xvi. (1868) 344 = **Silene**, Linn. (Caryoph.).  
*saxifragum*, Fourr. l. c. = *S. Saxifraga*.

**PETROSIMONIA**, Bunge, Anab. Rev. 52 (1862).  
**CHENOPODIACEAE**, Benth. & Hook. f. iii. 73.  
*brachiata*, Bunge, l. c. 59.—Reg. Casp.  
*crassifolia*, Bunge, l. c. 55.—Reg. Casp.  
*glauca*, Bunge, l. c. 58 = *crassifolia*.  
*monandra*, Bunge, l. c. 53.—Reg. Casp.  
*sibirica*, Bunge, l. c. 60.—Rossia; Soongaria.  
*squarrosa*, Bunge, l. c. 57.—Soongaria.  
*Volvox*, Bunge, l. c. 52.—Reg. Casp.

**PETROSTYLIS**, Pritz. Ic. Ind. i. 828 (1855), sphalm. = **Pterostylis**, R. Br. (Orchid.).

**PETROTHERCA**, Steud. Nom. ed. II. ii. 310 (1841), sphalm. = **Tetratheca**, Sm. (Tremand.).  
*ericifolia*, Steud. l. c. = *T. ericifolia*.  
*glandulosa*, Steud. l. c. = *T. pilosa*.

**PETRUSIA**, Baill. in Bull. Soc. Linn. Par. i. (1881) 274. **OLACINEAE**?  
*madagascariensis*, Baill. l. c.—Madag.

**PETTERA**, Reichb. Ic. Fl. Germ. v. 33. t. 220 (1841); Nom. 205 (1841) = **Arenaria**, Rupp. (Caryoph.).  
*graminifolia*, Reichb. l. c. 33 = *A. graminifolia*.

**PETTERIA**, Presl, Bot. Bemerk. 139 (1844); in Abb. Boehm. Ges. v. iii. (1845) 569. **LEGUMINOSAE**, Benth. & Hook. f. i. 482.  
*ramentacea*, Presl, l. c.—Dalmat.

**PETTOSPERMUM**, Roxb. Hort. Beng. 18 (1814), nomen, sphalm. = **Pittosporum**, Banks.

**PETUNGA**, DC. Prod. iv. 398 (1830). **RUBIACEAE**, Benth. & Hook. f. ii. 93.  
*Higginsia*, Blume, Bijdr. 988 (1826).  
*PHYLANTHERA*, Noronha, in Verh. Batav. Gen. v. (1790) ed. I. Art. iv. 3.  
*SPICILLARIA*, A. Rich. in Mém. Soc. Hist. Nat. Par. v. (1830) 252.  
*coniocarpa*, Korth. in Nederl. Kruidk. Arch. ii. II. (1851) 173.—Borneo.  
*dasyoneura*, Korth. l. c.—Sumatra.  
*glomerata*, DC. Prod. iv. 399.—Java.  
*gracilis*, Korth. in Nederl. Kruidk. Arch. ii. II. (1851) 173.—Borneo.  
*lanceolata*, Korth. l. c. 171.—Borneo.  
*longifolia*, DC. Prod. iv. 399.—Penang; Java.  
*microcarpa*, DC. l. c. = *Roxburghii*.  
*Roxburghii*, DC. l. c.—Ind. or.; Malaya.  
*rufula*, Miq. Ann. Mus. Bot. Lugd. Bat. iv. 131.—Sumatra.  
*salicina*, Miq. l. c. 132.—Borneo.  
*variabilis*, Hassk. in Flora, xxv. (1842) II. Beibl. 24; xxviii. (1845) 232 = *Roxburghii*.  
*venulosa*, Hook. f. Fl. Brit. Ind. iii. 121.—Malaya.

**PETUNIA**, Juss. in Ann. Mus. Par. ii. (1803) 215. t. 47. **SOLANACEAE**, Benth. & Hook. f. ii. 907.  
*CALIBRACHOA*, La Llave & Lex. Nov. Veg. Desc. fasc. ii. 3 (1825).  
*LEPTOPHRAGMA*, Benth. ex Dun. in DC. Prod. xiii. i. 578 (1852).  
*STIMOMPHIS*, Rafin. Fl. Tellur. iii. 76 (1836).  
*STIMORYNE*, Rafin. l. c. (1836).  
*WADDINGTONIA*, Phil. Fl. Atac. 41. t. 5 (1857).  
*acuminata*, R. Grah. in Edinb. N. Phil. Journ. (Jul.—Sept. 1828) 378 = *Nicotiana acuminata*.  
*Atkinsiana*, D. Don, ex Loud. Hort. Brit. Suppl. ii. 655 = *violacea*.  
*caesia*, Sendtn. in Mart. Fl. Bras. x. 173.—Bras.  
*calycina*, Sendtn. l. c.—Bras.  
*cirrroides*, Miers, Trav. ii. 531 = *Nicotiana cirrroides*.  
*Cumingiana*, Remy, in C. Gay, Fl. Chil. v. 50.—Chili.  
*dichotoma*, Sendtn. in Mart. Fl. Bras. x. 173.—Bras.  
*elegans*, Miers, in Hook. Lond. Journ. Bot. v. (1846) 186.—Bras.  
*helianthemoides*, Sendtn. in Mart. Fl. Bras. x. 174.—Bras.  
*heterophylla*, Sendtn. l. c. 176 = *Fabiana heterophylla*.  
*humifusa*, Dun. in DC. Prod. xiii. i. 574.—Chili.  
*hybrida* ×, Hort. ex Vilm. Fl. Pl. Terre, ed. I. 615.  
*intermedia*, G. Don, Gen. Syst. iv. 468 = *Salpiglossis linearis*.  
*ledifolia*, Sendtn. in Mart. Fl. Bras. x. 176.—Bras.  
*linearis*, Herb. ex Paxt. Mag. Bot. ii. (1836) 219 = *Salpiglossis linearis*.  
*linoides*, Sendtn. in Mart. Fl. Bras. x. 174.—Bras.  
*Meleagris* ×, Planch. in Fl. des Serres, vi. (1850–51) 39. t. 550.  
*mendozinensis*, Gill. ex Miers, in Hook. Lond. Journ. Bot. v. (1846) 174 = *Leptoglossis linifolia*.  
*nyctaginiflora*, Fuss. in Ann. Mus. Par. ii. (1803) 216. t. 47. f. 2.—Reg. Argent.  
*ovalifolia*, Miers, in Hook. Lond. Journ. Bot. v. (1846) 189.—Bras.  
*parviflora*, Fuss. in Ann. Mus. Par. ii. (1803) 216. t. 47.—Reg. Argent.  
*phoenicea*, D. Don, ex Loud. Hort. Brit. Suppl. ii. 655 = *violacea*.  
*propinqua*, Miers, in Hook. Lond. Journ. Bot. v. (1846) 185.—Reg. Argent.  
*punctata* ×, Paxt. Mag. Bot. xi. (1842) 7.  
*Sellowiana*, Sendtn. in Mart. Fl. Bras. x. 176 = *Fabiana Sellowiana*.  
*serpyllifolia*, Sendtn. l. c. 175.—Bras.  
*thymifolia*, Sendtn. l. c.—Bras.  
*villadiana*, Bárcena, ex Hemsl. Biol. Centr. Am. Bot. ii. 436.—Mexic.  
*violacea*, Lindl. Bot. Reg. t. 1626.—Reg. Argent.  
*viscidula*, Miers, in Hook. Lond. Journ. Bot. v. (1846) 189.—Mexic. (cult.).  
*viscosa*, Colla, in Mem. Acc. Torin. xxxviii. (1835) 135. t. 45 = *Bouchetia erecta*.  
*viscosa*, Miers, Trav. ii. 531 = *Nicotiana acuminata*.

**PEUCE**, Rich. in Ann. Mus. Par. xvi. (1810) 298 (Conif.).  
*Abies*, Rich. l. c. = *Picea excelsa*.

**PEUCE** :—  
*balsamea*, Rich. in Ann. Mus. Par. xvi. (1810) 298 = *Abies balsamea*.  
*Cedrus*, Rich. l. c. = *Cedrus Libani*.  
*Larix*, Rich. l. c. = *Larix europaea*.  
*rubra*, Rich. l. c. = *Picea nigra*.

**PEUCEDANON**, St. Lag. in Ann. Soc. Bot. Lyon, vii. (1880) 131 = **Peucedanum**, Tourn. (Umbell.).  
*cervarium*, St. Lag. l. c. = *Peucedanum Cervaria*.

**PEUCEDANUM**, [Tourn.] Linn. Syst. ed. I (1735); Gen. ed. I. 74 (1737). **UMBELLIFERAE**, Benth. & Hook. f. i. 918.  
*ALVARDIA*, Fenzl, in Flora, xxvii. (1844) 312.  
*ANALYRIUM*, E. Mey. in Drège, Zwei Pfl. Docum. 163 (1843).  
*ANETHUM*, Tourn. ex Linn. Gen. ed. I. 82 (1737).  
*ARCHEMORA*, DC. Prod. iv. 188 (1830).  
*BUBON*, Linn. Sp. Pl. ed. I. 233 (1753); Koch, in Nov. Act. Nat. Cur. xii. i. (1824) 95.  
*CAROSLINUM*, Griseb. Spicil. Fl. Rumel. i. 374 (1843).  
*CERVARIA*, Gaertn. Fruct. i. 90. t. 21 (1788).  
*COGSWELLIA*, Schult. Syst. vi. p. xlviii (1820).  
*CYNORHIZA*, Eckl. & Zeyh. Enum. 351 (1837).  
*DIPLOTAENIA*, Boiss. in Ann. Sc. Nat. Nat. Sér. III. i. (1844) 308.  
*DREGEA*, Eckl. & Zeyh. Enum. 350 (1837).  
*ELAECHYTRIS*, Fenzl, in Russegg. Reise, i. 957 (1843); (Ill. Pl. Syr. 71. t. 19).  
*EULOPHUS*, Nutt. in Journ. Acad. Philad. vii. (1834) 27.  
*EURYPTERA*, Torr. & Gray, Fl. N. Am. i. 629 (1840).  
*GALIMBIA*, Endl. Ench. 379 (1841), sphalm.  
*IFDREGEA*, Steud. Nom. ed. II. i. 801 (1840).  
*IMPERATORIA*, Linn. Syst. ed. I (1735).  
*LOMATIUM*, Rafin. in Journ. Phys. lxxxix. (1619) 101.  
*MACROSELINUM*, Schur. in Verh. Siebenb. Ver. Naturw. iv. (1853) 30.  
*NEUROPHYLLUM*, Torr. & Gray, Fl. N. Am. i. 612 (1840).  
*OFOIDIA*, Lindl. Bot. Reg. (1839) Misc. 66.  
*OREOSELINUM*, [Tourn.] Adans Fam. ii. 100 (1763); Bieb. Fl. Taur. Cauc. iii. 209 (1819).  
*ORMOLENIA*, Tausch, in Flora, xvii. (1834) 348.  
*OSTRUTHIUM*, Link. Handb. i. 360 (1829).  
*OXYPOLIS*, Rafin. Neogenyt. 2 (1825).  
*PALIMBIA*, Bess. Enum. Pl. Volh. 55 (1822).  
*PASTINACA*, Linn. Gen. ed. I. 81 (1737).  
*PLEUROTAENIA*, Hohen. ex Benth. & Hook. f. Gen. i. 920 (1865).  
*POLYCYRTUS*, Schlecht. in Linnaea, xvii. (1843) 126.  
*PORPHYROSCIAS*, Miq. Ann. Mus. Bot. Lugd. Bat. iii. 62 (1867).  
*PTEROSELINUM*, Reichb. Fl. Germ. Excurs. 453 (1832).  
*SATARIA*, Rafin. New Fl. Am. iv. 20 (1836).  
*SCHLOSSERIA*, Vukot. in Oestr. Bot. Wochenbl. vii. (1857) 350.  
*SCIOTHAMNUS*, Endl. Gen. 780 (1839).  
*STEGANOTAENIA*, Hochst. in Flora, xxvii. (1844) Beibl. 4.  
*TAENIOPEPTALUM*, Vis. Fl. Dalm. iii. 49 (1849).  
*THYSSELINUM*, Moench, Meth. 84 (1794); Hoffm. Umb. Gen. ed. I. 153 (1814).  
*TIEDMANNIA*, DC. Prod. iv. 187 (1830).  
*TOMMASINIA*, Bertol. Fl. Ital. iii. 414 (1837).  
*XANTHOSELINUM*, Schur. Enum. Pl. Transs. 264 (1866).  
*abbreviatum*, E. Mey. ex Meissn. in Hook. Lond. Journ. Bot. ii. (1843) 535.—Afr. austr.  
*abrotanifolium*, Nutt. in Journ. Acad. Philad. N. S. i. (1847) 184 = *ambiguum*.  
*abyssinicum*, Vatke, in Linnaea, xl. (1876) 187.—Abyss.  
*album*, Hort. ex Hoffm. Gen. Umb. ed. I. 155 = *Silaus alpestris*.  
*album*, Hort. Par. ex Poir. Encyc. v. 228 = *alaticum*.  
*album*, Spreng. Gesch. Bot. ii. 200 = *alaticum*.  
*alliacea*, Baill. Hist. Pl. vii. 185 = *Ferula alliacea*.  
*alpestre*, Linn. Sp. Pl. 246.—Bessarab.  
*alpestre*, Spreng. Sp. Umbell. 56 = *Silaus alpestris*.  
*alpestre*, Stev. ex DC. Prod. iv. 116 = *Silaus carvifolius*.  
*alpigenum*, Boiss. Fl. Orient. ii. 1020.—As. Min.



## PEUCEDANUM:—

alsaticum, Linn. *Sp. Pl.* ed. II. 354.—Europ. austr.; As. bor.  
*alsaticum*, Poir. *Encyc.* v. 227 = officinale.  
*altissimum*, Desf. *Tabl.* ed. I. 119 = officinale.  
*altum*, Hiern, in *Oliver, Fl. Trop. Afr.* iii. 20.—Afr. trop.  
*ambiguum*, Hook. *Lond. Journ. Bot.* vi. (1847) 235 = Geyeri.  
*ambiguum*, Nutt. ex Torr. & Gray, *Fl. N. Am.* i. 626.—Am. bor. occ.  
*Ammoniacum*, Baill. *Hist. Pl.* vii. 186 = Dorema Ammoniacum.  
*anagymnodes*, Pall. *Reise in Suedl. Statth. Russ. Reich.* i. 134 = paucifolium.  
*anamallayense*, C. B. Clarke, in *Hook. f. Fl. Brit. Ind.* ii. 710.—Ind. or.  
*anatolicum*, Boiss. *Fl. Orient.* ii. 985 = Ferula anatolica.  
*angelicaefolium*, Turcz. in *Bull. Soc. Nat. Mosc.* (1838) i. 93; xvii. (1844) 738 = Angelica sylvestris.  
*angustifolium*, Reichb. f.  *Ic. Fl. Germ.* xxi. 62.—Italia.  
*araliaceum*, Benth. & Hook. f. ex Vatke, in *Linnaea*, xl. (1876) 188.—Afr. trop.  
*arenarium*, Hort. ex Spreng. *Umb. Prod.* 13, 32 = Silaus tenuifolius.  
*arenarium*, Waldst. & Kit. *Pl. Rar. Hung.* i. 19. t. 20.—Hungar.  
*Asa-foetida*, Baill. *Hist. Pl.* vii. 98, 185 = Ferula Assa-foetida.  
*atlanticum*, Pomel, *Nouv. Mat. Fl. Atl.* 144.—Algeria.  
*atropurpureum*, Hiern, in *Oliver, Fl. Trop. Afr.* iii. 21.—Afr. trop.  
*Aucheri*, Boiss. in *Ann. Sc. Nat. Sér. III.* i. (1844) 315 = Dorema Aucheri.  
*augymnodes*, Cusson, ex Ledeb. *Fl. Ross.* ii. 272 = paucifolium.  
*aureum*, [Soland. in] *Ait. Hort. Kew.* ed. I. i. 341.—Ins. Canar.  
*aureum*, Spreng. *Syst.* i. 911 = Ferula soongarica.  
*austriacum*, Koch, in *Nov. Act. Nat. Cur.* xii. i. (1824) 94.—Europ.  
*baicalense*, Koch, l. c.—Hungar.; Sibir.  
*Bellardi*, Lag. ex Sweet, *Hort. Brit.* ed. II. 250 (Quid?).—Pedemont.  
*Bellardi*, Nym. *Consp.* 285, in syn. = austriacum.  
*Besserianum*, DC. *Prod.* iv. 177 = ruthenium.  
*bicolor*, S. Wats. in *Bot. King's Exp.* 129.—Am. bor. occ.  
*Bourgaei*, Lange, in *Willk. & Lange, Prod. Fl. Hisp.* iii. 42 = P. Oreoselinum.  
*caledonicum*, Eckl. & Zeyh. *Enum.* 349.—Afr. austr.  
*californicum*, Nutt. ex Torr. & Gray, *Fl. N. Am.* i. 628 = caruifolium.  
*campestre*, Fanka, in *Linnaea*, xxx. (1859–60) 570.—Hungar.  
*canescens*, Ledeb. *Fl. Alt.* i. 307 = Ferula canescens.  
*capense*, D. Dietr. *Syn. Pl.* ii. 967 (= *Bubon capensis*).—Afr. austr.  
*capense*, Sond. in *Harv. & Sond. Fl. Cap.* ii. 554.—Afr. austr.  
*capillaceum*, DC. *Prod.* iv. 178 = Sieberianum.  
*capillaceum*, Thunb. *Prod. Pl. Cap.* 50.—Afr. austr.  
*caruifolium*, Torr. & Gray, *Fl. N. Am.* i. 628.—Am. bor. occ.  
*caruifolium*, Bieb. ex Ledeb. *Fl. Ross.* ii. 285 = Silaus caruifolius.  
*caruifolium*, Vill. *Prosp.* 25; *Hist. Pl. Dauph.* ii. 638.—Europ.  
*caspicum*, Link, *Enum. Hort. Berol.* i. 272 = Ferula caspica.  
*caucasicum*, C. Koch, in *Linnaea*, xvi. (1842) 358.—Reg. Caucas.  
*Cephalotes*, Boiss. in *Ann. Sc. Nat. Sér. III.* i. (1844) 314.—Rossia.  
*Cervaria*, Cusson, ex Lapeyr. *Hist. Abr. Pl. Pyr.* 149.—Europ. med.; As. bor.  
*cervariaefolium*, C. A. Mey. *Verz. Pfl. Cauc.* 126.—Persia.  
*ceylanicum*, Gardn. in *Calc. Journ. Nat. Hist.* viii. (1847) 14.—Zeylan.  
*Chabraei*, Reichb. ex Moesl. *Handb.* ed. II. 448 = caruifolium.  
*chaerophylloides*, Less. ex Ledeb. *Fl. Ross.* ii. 290 = Selinum Benthami.  
*chrysanthum*, Boiss. & Bal. *Diagn. Sér. II.* vi. 86.—As. Min.  
*cnidioides*, Boiss. & Heldr. l. c. ii. 90.—Graecia.

## PEUCEDANUM:—

collinum, D. Dietr. *Syn. Pl.* ii. 969.—Afr. austr.  
*connatum*, E. Mey. in *Drège, Zwei Pfl. Docum.* 210, nomen; et ex *Sond. in Harv. & Sond. Fl. Cap.* ii. 557.—Afr. austr.  
*cordatum*, Balf. f. in *Proc. Roy. Soc. Edinb.* xi. (1882) 514.—Ins. Socotr.  
*coriaceum*, Reichb. *Fl. Germ. Excurs.* 866.—Europ. austr.  
*creticum*, DC. *Prod.* iv. 182 = Ferula nodosa.  
*creticum*, Spreng. *Neue Entdeck.* ii. 148.—Ins. Creta.  
*Crouanorum*, Bor. ex Nym. *Consp.* 286 = palustre.  
*cuneifolium*, Vill. ex Steud. *Nom. ed. I.* 607 = Selinum Carvifolia.  
*cupulare*, Boiss. *Diagn. Sér. I.* vi. 63.—Persia.  
*Cynorhiza*, Sond. in *Harv. & Sond. Fl. Cap.* ii. 558.—Afr. austr.  
*Dana*, Buch.-Ham. in *Wall. Cat. n.* 7216.—Ind. or.  
*dasyacarpum*, Regel & Schmalh. in *Act. Hort. Petrop.* v. (1877) 254.—Turkestan.  
*dasyacarpum*, Torr. & Gray, *Fl. N. Am.* i. 628.—Calif.  
*daucifolium*, Nutt. ex Torr. & Gray, l. c. 627 = foeniculaceum.  
*davuricum*, Turcz. ex Ledeb. *Fl. Ross.* ii. 314 = terebinthaceum.  
*decussatum*, Dulac, *Fl. Hautes-Pyr.* 343 = caruifolium.  
*depauperatum*, Boiss. & Bal. *Diagn. Sér. II.* v. 98.—As. Min.; Syria.  
*dissectum*, DC. *Prod.* iv. 178 = Selinum dissectum.  
*dissectum*, Ledeb. *Fl. Alt.* i. 306 = Ferula dissecta.  
*distans*, Griseb. *Spicil. Fl. Rumel.* i. 374 = Johrenia graeca.  
*divaricatum*, Benth. & Hook. f. ex *Arcang. Comp. Fl. Ital.* 294.—Europ.  
*diversifolium*, Benth. & Hook. f. *Gen.* i. 919 = Heracleum Wallichii.  
*Dregeanum*, D. Dietr. *Syn. Pl.* ii. 969 = Ecklonianum?  
*dubium*, Ledeb. *Fl. Alt.* i. 310 = Ferula gracilis.  
*Ecklonianum*, Sond. in *Harv. & Sond. Fl. Cap.* ii. 555.—Afr. austr.  
*Ecklonis*, Walp. *Rep.* ii. 410 = capillaceum.  
*elatum*, Ledeb. *Fl. Alt.* i. 304 = Ferula soongarica.  
*elongatum*, E. Mey. ex Meissn. in *Hook. Lond. Journ. Bot.* ii. (1843) 535.—Afr. austr.  
*euryptera*, A. Gray, in *Proc. Am. Acad.* vii. (1868) 348.—Calif.  
*falcaria*, Turcz. in *Bull. Soc. Nat. Mosc.* v. (1832) II. 192.—As. centr.  
*farinosum*, Geyer, in *Hook. Lond. Journ. Bot.* vi. (1847) 235.—Am. bor. occ.  
*Ferula*, Baill. *Hist. Pl.* vii. 186 = Ferula communis.  
*ferulaceum*, Eckl. & Zeyh. *Enum.* 349 = Sieberianum.  
*ferulaceum*, Thunb. ex *Sond. in Harv. & Sond. Fl. Cap.* ii. 556.—Afr. austr.  
*ferulaeoides*, Steud. *Nom. ed. II.* ii. 311 = Ferula resinosa.  
*filiforme*, Gilib. *Fl. Lituan.* ii. 15 = officinalis.  
*flavum*, Salisb. *Prod.* 163 = Silaus flavescens.  
*Fleischmanni*, Benth. & Hook. f. *Gen.* i. 920.—Carinth.  
*flexuosum*, Kit. ex Rochel, *Pl. Rar. Banat.* 26 = Seseli annuum.  
*flexuosum*, Moench, *Meth.* 82 = alsaticum.  
*foeniculaceum*, Cooper, in *Pacif. Rail. Rep.* xii. 63 = millefolium, S. Wats.?  
*foeniculaceum*, Newberry, in *Pacif. Rail. Rep.* vi. 75 = macrocarpum?  
*foeniculaceum*, Nutt. ex Torr. & Gray, *Fl. N. Am.* i. 627.—Am. bor. occ.  
*foeniculaceum*, Torr. *Bot. Mex. Bound.* 70 = dasyacarpum, Torr. & Gray.  
*fraxinifolium*, Hiern, ex *Oliver, in Trans. Linn. Soc.* xxix. (1873) 79.—Afr. trop.  
*frutescens*, E. Mey. in *Drège, Zwei Pfl. Docum.* 210 = capense.  
*galbanifolium*, Baill. *Hist. Pl.* vii. 185 = Ferula galbanifolia.  
*Galbanum*, Benth. & Hook. f. *Gen.* i. 920.—Afr. austr.  
*gallicum*, Latour. *Chlor. Lugd.* 7; *Pers. Syn.* i. 310.—Europ.  
*geniculatum*, Forst. f. *Prod.* 22 = Angelica geniculata.  
*Geyeri*, S. Wats. *Bibliog. Ind. N. Am. Bot.* 428.—Am. bor. occ.  
*glaucifolium*, St. Lag. in *Ann. Soc. Bot. Lyon*, vii. (1880) 131 = P. Cervaria.

## PEUCEDANUM:—

glaucum, DC. *Prod.* iv. 179.—Reg. Himal.  
*glaucum*, Hook. f. & Thoms. ex C. B. Clarke, in *Hook. f. Fl. Brit. Ind.* ii. 712 = Heracleum cachemiricum.  
*glaucum*, Link, *Enum. Hort. Berol.* i. 273 = Ferula glauca.  
*gracile*, Ledeb. *Fl. Alt.* i. 308 = Ferula gracilis.  
*graminifolium*, Boiss. in *Ann. Sc. Nat. Sér. III.* i. (1844) 314.—Bithynia.  
*grande*, C. B. Clarke, in *Hook. f. Fl. Brit. Ind.* ii. 710.—Ind. or.  
*Grantii*, Kingston, ex *Oliver, in Trans. Linn. Soc.* xxix. (1873) 79.—Afr. trop.  
*graveolens*, Benth. & Hook. f. *Gen.* i. 919.—Europ. et As. trop.  
*graveolens*, S. Wats. in *Bot. King's Exped.* 128.—Am. bor. occ.  
*Hallii*, S. Wats. in *Proc. Am. Acad.* xi. (1876) 141.—Am. bor. occ.  
*heterophyllum*, Vis. *Cat. Sem. Hort. Patav.* (1836) 3, 4 = caruifolium.  
*hispanicum*, Endl. ex Walp. *Rep.* ii. 411.—Hispan.  
*Hooshe*, Baill. *Hist. Pl.* vii. 186 = Ferula Assa-foetida?  
*Howellii*, S. Wats. in *Proc. Am. Acad.* xx. (1885) 369.—Am. bor.  
*humile*, Turcz. in *Bull. Soc. Nat. Mosc.* (1838) i. 93; xvii. (1844) 745 = salinum.  
*Hystrix*, Bunge, *Verz. Suppl. Fl. Alt.* 23; et in *Mém. Sav. Etr. Pétersb.* ii. (1835) 538.—Sibir.  
*iletense*, Spreng. *Gesch. Bot.* ii. 200; *Sp. Umbell.* 57.—Sibir.  
*imperatoriioides*, DC. *Prod.* iv. 183, in syn. = angustifolium.  
*involutum*, Koch, in *Nov. Acad. Nat. Cur.* xii. i. (1824) 94.—Europ.  
*isetense*, Spreng. ex Schult. *Syst.* vi. 569, sphalm. = iletense.  
*italicum*, Mill. *Gard. Dict.* ed. VIII. n. 2 = officinale.  
*japonicum*, Thunb. *Fl. Jap.* 117 = Ligusticum acutifolium.  
*junceum*, Humb. & Bonpl. ex Spreng. in *Schult. Syst.* vi. 572 = Eulophus peucedanoides.  
*karataviense*, Regel & Schmalh. in *Act. Hort. Petrop.* v. (1877) 598.—Turkestan.  
*Kotschyi*, Boiss. *Diagn. Sér. I.* vi. 62 = Dorema Aucheri.  
*laciniatum*, Heynh. *Nom.* ii. 504 = Ferula dissecta.  
*laevigatum*, Nutt. ex Torr. & Gray, *Fl. N. Am.* i. 627 = ambiguum.  
*lanceolatum*, E. Mey. ex Meissn. in *Hook. Lond. Journ. Bot.* ii. (1843) 536 = capense.  
*lancifolium*, Lange, in *Kjoeb. Vidensk. Meddel.* (1865) 39.—Hispan.  
*lasiocarpum*, Boiss. *Diagn. Sér. II.* ii. 88 = Zosima lasiocarpa.  
*lateriflorum*, Sond. in *Harv. & Sond. Fl. Cap.* ii. 557.—Afr. austr.  
*latifolium*, DC. *Prod.* iv. 181.—Europ. med.; Reg. Caucas.  
*latifolium*, Nutt. ex Torr. & Gray, *Fl. N. Am.* i. 625 = Nuttallii.  
*lativittatum*, Fisch. Mey. & Avé-Lall. *Ind. Sem. Hort. Petrop.* ix. *Suppl.* 14.—Soongaria.  
*Latourretii*, Cusson, ex Steud. *Nom. ed. I.* 607, in syn. = gallicum.  
*Ledebourii*, G. Don, *Gen. Syst.* iii. 330 = officinale.  
*Ledebourii*, Steud. *Nom. ed. II.* ii. 311 = Ferula dissecta.  
*leiocarpum*, Nutt. in *Torr. & Gray, Fl. N. Am.* i. 626.—Am. bor. occ.  
*leptocarpum*, Nutt. ex Torr. & Gray, l. c. 626 = triter-natum, Nutt.  
*ligusticoides*, Less. ex Ledeb. *Fl. Ross.* ii. 290 = Selinum Benthami.  
*longifolium*, Waldst. & Kit. *Pl. Rar. Hung.* iii. 279.—Banat.  
*ludovicianum*, Rafin. ex Torr. & Gray, *Fl. N. Am.* i. 629 = verticillare?  
*lusitanicum*, Hoffmg. ex Spreng. in *Schult. Syst.* vi. 571 = Ferula sulcata.  
*macedonicum*, Fanka, in *Oestr. Bot. Zeitschr.* xxiii. (1873) 203.—Macedon.  
*macrocarpum*, Nutt. ex Torr. & Gray, *Fl. N. Am.* i. 627.—Am. bor. occ.  
*macrocarpum*, Parry, in *Am. Natural.* ix. (1875) 272 = Parryi.  
*macrocoleum*, Boiss. in *Ann. Sc. Nat. Sér. III.* i. (1844) 310 = Ferula macrocolea.



**PEUCEDANUM:—**

- magalismontanum, *Sond. in Harv. & Sond. Fl. Cap.* ii. 558.—Afr. austr.
- marginatum*, Benth. Pl. Hartw. 312 = *caruifolium*.
- Matthioli*, Spreng. in Schult. Syst. vi. 569 = *Silaus tenuifolius*.
- meifolium*, Boiss. *Diagn.* Ser. I. x. 34.—Syria.
- membranaceum*, Boiss. in *Ann. Sc. Nat. Sér. III.* i. (1844) 315.—Persia.
- mexicanum*, S. Wats. in *Proc. Am. Acad.* xvii. (1881–82) 361.—N. Mexic.
- Meyeri*, Boiss. Fl. Orient. ii. 1018 = *paucifolium*.
- microcoleum*, Boiss. *Diagn.* Ser. I. vi. 62 = *Ferula microcolea*.
- microphyllum*, Sm. in Rees, *Cycl.* xxvii. n. 11 = *salinum*.
- millefolium*, *Sond. in Harv. & Sond. Fl. Cap.* ii. 559.—Afr. austr.
- millefolium*, S. Wats. in *Bot. King's Exped.* 129.—Am. bor. occ.
- minus*, All. Fl. Pedem. ii. 6 = *carvifolium*.
- minus*, Huds. Fl. Angl. ed. I. 101 = *Trinia vulgaris*.
- minus*, Poir. *Encyc.* v. 228 = *Silaus longifolius*.
- montanum*, Koch, in *Nov. Act. Nat. Cur.* xii. i. (1824) 94 = *austriacum*.
- Morisoni*, Bess. ex Schult. Syst. vi. 567 = *ruthenicum*.
- Munbyi*, Boiss. *Diagn.* Ser. II. ii. 89.—Afr. bor. occ.
- neapolitanum*, Baill. Hist. Pl. vii. 98 = *Ferula glauca*?
- nebrodensis*, Nym. Syll. 153 = *carvifolium*.
- Neumayeri*, *Reichb. f. Ic. Fl. Germ.* xxi. 63.—Europ. or.
- nevadense*, S. Wats. in *Proc. Am. Acad.* xi. (1876) 143.—Calif.
- Newberryi*, S. Wats. in *Am. Natural.* vii. (1873) 301 = *Ferula Newberryi*.
- nodosum*, Linn. Sp. Pl. 246 = *Ferula nodosa*.
- nudicaule*, Boland. Cat. ex S. Wats. Bibliog. Ind. N. Am. Bot. 429 = *macrocarpum*.
- nudicaule*, A. Gray, in *Proc. Am. Acad.* viii. (1872) 385 = Hallii.
- nudicaule*, Nutt. ex Torr. & Gray, *Fl. N. Am.* i. 627.—Am. bor. occ.
- nudicaule*, S. Wats. in *Bot. King's Exped.* 130 = *nevadense*.
- nudiceps*, Cusson, ex Ledeb. Fl. Ross. ii. 272 = *paucifolium*.
- Nuttallii*, Walp. Rep. ii. 411 = *tritermatum*, Nutt.
- Nuttallii*, S. Wats. in *Bot. King's Exped.* 128.—Calif.
- obtusifolium*, Sibth. & Sm. Fl. Graec. Prod. i. 189; Fl. Graec. iii. 70 = *Malabaila obtusifolia*.
- officinale*, Bess. Prim. Fl. Galic. i. 208 = *Ferula sylvatica*.
- officinale*, Gorter, Fl. Ingr. 42 = *Selinum Benthami*?
- officinale*, Linn. Sp. Pl. 245.—Europ. med.; As. bor.
- officinale*, Pall. Tabl. Taur. 48, nomen = *ruthenicum*.
- officinale*, Thuill. Fl. Par. ed. I. 140 = *gallicum*.
- officinale*, Ucria, Hort. Reg. Panorm. 128 = *Seseli Bocconi*.
- oopodum*, Boiss. & Buhse, in *Nouv. Mém. Soc. Nat. Mosc.* xii. (1860) 100 = *Ferula oopoda*.
- opacum*, Franch. Fl. Loir-et-Cher, 248 = *sativum*.
- orbiculare*, Dulac, Fl. Hautes-Pyr. 344 = *P. Oreoselinum*.
- Oreopansil*, Griseb. in *Goett. Abh.* xxiv. (1879) 147.—Reg. Argent.
- Oreoselinum*, Moench, *Meth.* 82.—Europ. med. et austr.
- orientale*, Boiss. in *Ann. Sc. Nat. Sér. III.* i. (1844) 309 = *Ferula orientalis*.
- orientale*, G. Don, Gen. Syst. iii. 332 = *Selinum dissectum*.
- Ostruthium*, Koch, in *Nov. Act. Nat. Cur.* xii. i. (1824) 95.—Europ.
- ovinum*, Boiss. *Diagn.* Ser. I. vi. 61 = *Ferula ovina*.
- Palimbia*, Baill. Hist. Pl. vii. 100 = *carvifolium*?
- palimboides*, Boiss. Fl. Orient. ii. 1021.—As. Min.
- Pallasii*, Cusson, ex Ledeb. Fl. Ross. ii. 272 = *paucifolium*.
- palustre*, Moench, *Meth.* 82.—Europ.
- palustre*, Sieber, ex Spreng. Sp. Umbell. 73 = *alsaticum*.
- paniculatum*, Ledeb. Fl. Alt. i. 310 = *Ferula resinosa*.
- paniculatum*, Loisel. Fl. Gall. 722.—Corsica.
- parisiense*, DC. Fl. Fr. iv. 336 = *gallicum*.
- parisiense*, Koch, Syn. Fl. Germ. ed. I. 303 = *coriacum*.
- Parryi*, S. Wats. in *Proc. Am. Acad.* xi. (1876) 143.—Am. bor. occ.

VOL. II.

**PEUCEDANUM:—**

- parvifolium*, Torr. & Gray, *Fl. N. Am.* i. 628.—Am. bor. occ.
- Pastinaca*, Baill. Hist. Pl. vii. 96, 188 = *sativum*.
- pastinacaeifolium*, Boiss. & Hohen. *Diagn.* Ser. I. x. 35.—Persia.
- paucifolium*, Ledeb. Fl. Ross. ii. 312.—Reg. Caucas.; Persia.
- persicum*, Baill. Hist. Pl. vii. 186 = *Ferula persica*.
- petiolare*, Boiss. in *Ann. Sc. Nat. Sér. III.* i. (1844) 312.—Persia.
- Petitium*, A. Rich. *Tent. Fl. Abyss.* i. 327.—Abyss.
- petraeum*, Noé, ex Koch, Syn. Fl. Germ. ed. I. 304 = *Schottii*.
- Petroselinum*, Desf. Tabl. ed. II. 272; Cat. Hort. Par. ed. III. 405 = *Carum Petroselinum*.
- Petteri*, Vis. in Cat. Sem. Hort. Patav. (1836) 3, 4. n. 8 = *coriaceum*.
- pisidicum*, Boiss. Fl. Orient. ii. 1021.—*Pisidia*.
- platycarpum*, E. Mey. in *Drège, Zwei Pfl. Docum.* 210, nomen; et ex *Harv. & Sond. Fl. Cap.* ii. 557.—Afr. austr.
- platytenium*, Boiss. & Bal. *Diagn.* Ser. II. vi. 87 = *ruthenicum*.
- podolicum*, Eichw. Skizze, 155 = *carvifolium*.
- polymorphum*, Lag. ex Sweet, Hort. Brit. ed. II. 250 (Quid?).—*Rossia*.
- polyphyllum*, Ledeb. Fl. Alt. i. 314 = *baicalense*.
- polyscias*, Boiss. in *Ann. Sc. Nat. Sér. III.* i. (1844) 313.—Persia.
- pratense*, Lam. Fl. Fr. iii. 469 = *Silaus flavescens*.
- pschawicum*, Boiss. Fl. Orient. ii. 1020.—Reg. Caucas.
- Pseudoreoselinum*, Regel & Schmalh. ex Regel, Pl. Nov. Fedtsch. 36.—*Turkestan*.
- puberulum*, Turcz. in Bull. Soc. Nat. Mosc. (1838) i. 93 = *vaginatum*.
- pungens*, E. Mey. in *Drège, Zwei Pfl. Docum.* 210, nomen; et ex *Sond. in Harv. & Sond. Fl. Cap.* ii. 557.—Afr. austr.
- pyramidatum*, Kar. & Kir. in Bull. Soc. Nat. Mosc. xv. (1842) 366 = *Ferula paniculata*.
- pyrenaicum*, Costa, ex Steud. Nom. ed. I. 209, in syn. = *alsaticum*.
- rablense*, Koch, in *Nov. Act. Nat. Cur.* xii. i. (1824) 94 = *austriacum*.
- ramosissimum*, D. Dietr. Syn. Pl. ii. 967.—Reg. Himal.
- rapiferum*, Trautv. in Bull. Soc. Nat. Mosc. xxxix. (1866) i. 326.—As. centr.
- redivivum*, Pall. in *Nov. Act. Petrop.* ii. (1779) 252. t. 8.—*Rossia*.
- refractum*, Vill. ex Spreng. Sp. Umbell. 52 = *gallicum*.
- Renardi*, Regel & Schmalh. in *Act. Hort. Petrop.* v. (1877) 596.—*Turkestan*.
- rhombifolium*, Stokes, Bot. Mat. Med. ii. 82 = *P. Galbanum*.
- rigidius*, Baill. Hist. Pl. vii. 187 = *ternatum*.
- rigidum*, Bunge, in *Mém. Sav. Etr. Pétersb.* ii. (1835) 106.—China.
- rigidum*, Eckl. & Zeyh. Enum. 350 = *capillaceum*.
- rigidum*, E. Mey. in *Drège, Zwei Pfl. Docum.* 210; et ex *Sond. in Harv. & Sond. Fl. Cap.* ii. 554 = *capense*.
- Rochelianum*, Heuff. in *Oestr. Bot. Zeitschr.* viii. (1858) 27 = *ruthenicum*.
- rubricaule*, Baill. Hist. Pl. vii. 186 = *Ferula rubricaule*.
- rupestre*, Boiss. & Bal. *Diagn.* Ser. II. vi. 85 = *Ferula orientalis*.
- rupestre*, Hoffmgg. ex Spreng. in *Schult. Syst.* vi. 572.—*Lusitan*.
- ruthenicum*, Bieb. Fl. Taur. Cauc. i. 215.—*Rossia*; Reg. Caucas.
- ruthenicum*, Kováts, ex Janka, in *Linnaea*, xxx. (1859–60) 570 = *campestre*.
- salinum*, Pall. ex Spreng. Syst. i. 910.—*Sibir.* alt.
- sativum*, Steud. Nom. ed. II. ii. 311 = *redivivum*.
- sativum*, Benth. & Hook. f. Gen. i. 920.—Europ.; Am. bor.
- saxatile*, Noé, ex Bertol. Fl. Ital. iii. 355 = *carvifolium*.
- Schiewereckii*, Eichw. Skizze, 155 = *palustre*.
- Schlechtendalii*, Boiss. in *Ann. Sc. Nat. Sér. III.* i. (1844) 311 = *Ferula Schlechtendalii*.
- Schottii*, Bess. ex DC. Prod. iv. 178.—*Podolia*.
- sclerophyllum*, Boiss. & Haussk. ex Boiss. Fl. Orient. ii. 1015.—Persia.
- scoparium*, Boiss. *Diagn.* Ser. II. ii. 90.—Persia.

**PEUCEDANUM:—**

- selinoides*, DC. Prod. iv. 181 (= *Pachypleurum alpinum*).—*Sibir.* altaic.
- serotinum*, Pers. Syn. i. 310 = *Silaus tenuifolius*.
- seseloides*, Turcz. in Bull. Soc. Nat. Mosc. (1838) i. 93; xvii. (1844) 743 = *vaginatum*.
- Shair*, Baill. Hist. Pl. vii. 186 = *Ferula Schair*.
- sibiricum*, DC. Prod. iv. 178, partim = *Ferula tartarica*.
- sibiricum*, Waldst. & Kit. Pl. Rar. Hung. i. 60 = *Ferula Sadleriana*.
- sibiricum*, Willd. Sp. Pl. i. 1406 = *Ferula soongarica*.
- Sieberianum*, *Sond. in Harv. & Sond. Fl. Cap.* ii. 556.—Afr. austr.
- Sieboldi*, Miq. Ann. Mus. Bot. Lugd. Bat. iii. 63.—*Japon*.
- sikkimense*, C. B. Clarke, in *Hook. f. Fl. Brit. Ind.* ii. 710.—Reg. Himal.
- silaifolium*, Hiern, in *Oliver, Fl. Trop. Afr.* iii. 20.—Afr. trop.
- Silaus*, Bieb. Fl. Taur. Cauc. i. 215 = *Silaus alpestris*.
- Silaus*, Linn. Sp. Pl. 246 = *Silaus flavescens*.
- simplex*, Nutt. ex S. Wats. in *Bot. King's Exped.* 129.—Am. bor. occ.
- skardicum*, C. B. Clarke, in *Hook. f. Fl. Brit. Ind.* ii. 711.—Reg. Himal.
- soongaricum*, G. Don, Gen. Syst. iii. 332 = *Ferula paniculata*.
- Sowa*, Kurz, in *Journ. As. Soc. Beng.* xlvi. (1877) ii. 116 = *graveolens*, Benth. & Hook. f.
- Spreitzenhoferi*, Dingl. in *Flora*, lxvi. (1883) 210.—*Oriens*.
- Sprengelii*, DC. Prod. iv. 182.—Hab.?
- stadense*, Eckl. & Zeyh. Enum. 349 = *ferulaceum*.
- stenocarpum*, Boiss. & Reut. ex Boiss. in *Ann. Sc. Nat. Sér. III.* i. (1844) 311.—*Hispan*.
- striatum*, *Sond. in Harv. & Sond. Fl. Cap.* ii. 555 = *collinum*.
- Suksdorfii*, S. Wats. in *Proc. Am. Acad.* xx. (1885) 369.—Am. bor.
- sulcatum*, Nym. Syll. 152.—*Ital*.
- sulcatum*, *Sond. in Harv. & Sond. Fl. Cap.* ii. 559.—Afr. austr.
- Sumbul*, Baill. Hist. Pl. vii. 186 = *Ferula Sumbul*.
- sylvaticum*, Baill. l. c. 187 = *Ferula sylvatica*.
- sylvestre*, DC. Prod. iv. 179 = *palustre*.
- Szowitsianum*, Baill. Hist. Pl. vii. 186 = *Ferula Szowitziana*.
- tauricum*, Bieb. Fl. Taur. Cauc. i. 215 = *ruthenicum*.
- tauricum*, Desf. Cat. Hort. Par. ed. III. 203, 361 = *Silaus carvifolius*.
- tenuifolium*, Eckl. & Zeyh. Enum. 349 = *ferulaceum*.
- tenuifolium*, Hort. Par. ex Poir. *Encyc.* v. 228 = *Silaus tenuifolius*.
- tenuifolium*, Thunb. Prod. Pl. Cap. 50.—Afr. austr.
- tenuisectum*, Regel & Schmalh. ex Regel, Pl. Nov. Fedtsch. 37.—*Turkest*.
- tenuissimum*, Geyer, ex Hook. Lond. Journ. Bot. vi. (1847) 235 = *ambiguum*.
- terebinthaceum*, Fisch. ex Reichb. Fl. Germ. Excurs. 454.—*Europ*.
- teretifolium*, Wood, Am. Bot. & Flor. 136.—Am. bor.
- ternarium*, Pall. ex Ledeb. Fl. Ross. ii. 271 = *paucifolium*.
- ternatum*, Nutt. Gen. Am. i. 182.—Am. bor.
- Thomsoni*, C. B. Clarke, in *Hook. f. Fl. Brit. Ind.* ii. 711.—Reg. Himal.
- tolucense*, Hemsl. Biol. Centr. Am. Bot. i. 570.—*Mexic*.
- tomentosum*, Benth. Pl. Hartw. 312 = *dasycarpum*, Torr. & Gray.
- transiliense*, Herd. in Bull. Soc. Nat. Mosc. xxxix. (1866) ii. 78.—As. centr.
- transsilvanicum*, Schur, Enum. Pl. Transs. 265 = *austriacum*.
- trilobatum*, Gilib. Fl. Lituan. ii. 14 = *Silaus flavescens*.
- tritermatum*, Eckl. & Zeyh. Enum. 349.—Afr. austr.
- tritermatum*, A. Gray, in *Proc. Am. Acad.* viii. (1873) 385 = *leiocarpum*.
- tritermatum*, Nutt. ex Torr. & Gray, *Fl. N. Am.* i. 626.—Am. bor. occ.
- tritermatum*, Torr. in *Sitgreave. Rep.* 160 = *simplex*.
- tritermatum*, Torr. & Gray, in *Pacif. Rail. Rep.* ii. 121 = *Carum Gairdneri*.
- uliginosum*, D. Dietr. Syn. Pl. ii. 967.—Afr. austr.
- utriculatum*, Nutt. ex Torr. & Gray, *Fl. N. Am.* 628.—Am. bor. occ.

34



**PEUCEDANUM** :—

- vaginale*, Pall. ex Ledeb. Fl. Ross. ii. 300 = *Ferula tatarica*.  
*vaginatum*, Ledeb. Fl. Alt. i. 312. — Sibir. alt. varium, Fisch. Mey. & Avé-Lall. Ind. Sem. Hort. Petrop. ix. Suppl. 15. — Soongaria.  
*venetum*, Koch, Syn. Fl. Germ. ed. I. 305. — Europ. austr.  
*verticillare*, Spreng. Syst. iv. Cur. Post. 121. — Europ. austr.  
*verticillatum*, Rafn. Fl. Ludov. 81 = *Discopleura Nuttallii*.  
*villosum*, Nutt. ex S. Wats. in Bot. King's Exp. 131. — Calif.  
*virgatum*, Cham. ex Schlecht. in Linnaea, i. (1826) 392 = *capense*.  
*vittijugum*, Boiss. Fl. Orient. ii. 1018. — Graecia.  
*Vocontiorum*, Spreng. Sp. Umbell. 51 = *Heracleum minimum*.  
*Wallichianum*, DC. Prod. iv. 181 = *Selinum tenuifolium*.  
*Zeyheri*, Sond. in Harv. & Sond. Fl. Cap. ii. 559. — Afr. austr.  
*Zeyheri*, Steud. Nom. ed. II. ii. 312 = *capillaceum*.  
*zeylanicum*, Thw. Enum. Pl. Zeyl. 131 = *ceylanicum*.

- PEUCEPHYLLUM**, A. Gray, in Bot. Mex. Bound. 74 (1858). *COMPOSITAE*, Benth. & Hook. f. ii. 438.  
 Schottii, A. Gray, l. c. — Am. bor. occ.

- PEUDANUM**, Diagl. in Flora, lxvi. (1883) 210, sphalm. = **Peucedanum**, Tourn. (Umbell.).

- PEUMUS**, Molina, Sagg. Chile, 185 (1782), partim; Pers. Syn. ii. 629 (1807). *MONIMIACEAE*, Benth. & Hook. f. iii. 141, 150.  
 BOLDEA, Jus. in Ann. Mus. Par. xiv. (1809) 134.  
 BOLDU, Feuill. ex Adans. Fam. ii. 446 (1763).  
 BOLDUS, Schult. f. Syst. vii. p. x. 56 (1829).  
 RUIZIA, Ruiz & Pav. Prod. 135. t. 29. (1794).  
*alba*, Molina, Sagg. Chile, 185 = *Cryptocarya Peumus*.  
*Boldus*, Molina, l. c. 185. — Chili.  
*fragrans*, Pers. Syn. ii. 629 = *P. Boldus*.  
*mammosa*, Molina, Sagg. Chile, 185 = *Cryptocarya Peumus*.  
*rubra*, Molina, l. c. = *Cryptocarya Peumus*.

- PEUROUSEA**, Stend. Nom. ed. II. i. 312 (1841), sphalm. = **Peyrousea**, DC. (Compos.).

- PEUTALIS**, Rafn. New Fl. Am. iv. 47 (1836); Fl. Tellur. iii. 14 (1836) = **Polygonum**, Tourn.  
*divergens*, Rafn. l. c. 48 (Quid ?). — Am. bor.  
*floridana*, Rafn. l. c. 47 (Quid ?). — Am. bor.  
*glomerata*, Rafn. l. c. 48 (Quid ?). — Am. bor.  
*heterophylla*, Rafn. l. c. (Quid ?). — Am. bor.  
*Hydropiper*, Rafn. Tellur. iii. 14 = *Polyg. Hydropiper*.  
*incana*, Rafn. l. c. = *Polyg. lapathifolium*.  
*ligularis*, Rafn. New Fl. Am. iv. 47 (Quid ?). — Am. bor.  
*linearis*, Rafn. Fl. Tellur. iii. 16 (Quid ?). — Hab. ?  
*longifolia*, Rafn. New Fl. Am. iv. 48. — Am. bor.  
*minus*, Rafn. Fl. Tellur. iii. 14 = *Polyg. minus*.  
*nodosa*, Rafn. l. c. = *Polyg. nodosum*.  
*palustris*, Rafn. New Fl. Am. iv. 50 (Quid ?). — Am. bor.  
*Persicaria*, Rafn. Fl. Tellur. iii. 14 = *Polyg. Persicaria*.  
*polystachya*, Rafn. New Fl. Am. iv. 50 = *Polyg. polystachyum*.  
*punctata*, Rafn. l. c. 48 = *Polyg. punctatum*, Rafn.  
*scabra*, Rafn. l. c. = *Polyg. lapathifolium* ?

- PEVRAEA**, Comm. ex Juss. Gen. 320 (1789) = **POIVREA**, Comm. = **Combretum**, Linn.

- PEYRITSCHIA**, Fourn. ex Benth. & Hook. f. Gen. iii. 1158 (1883) = **Deschampsia**, Beauv. (Gramin.).  
*koelerioides*, Fourn. ex Hemsl. Biol. Centr. Am. Bot. iii. 555 = *D. koelerioides*.

- PEYROUSEA**, DC. Prod. vi. 76 (1837). *COMPOSITAE*, Benth. & Hook. f. ii. 432.  
 LAPEIROUSIA, Thunb. Prod. Pl. Cap. 163 (1800).  
 LAPEYROUSIA, Spreng. Anleit. ii. ii. 552 (1818).  
 OSMITIPHYLLUM, Sch. Bip. in Flora, xxvii. (1844) 675.  
*calycina*, DC. Prod. vi. 77. — Afr. austr.  
*oxylepis*, DC. l. c. = *calycina*.

- PEYROUSIA**, Poir. in Dict. Sc. Nat. xxxix. 363 (1826) = **Lapeyrouisia**, Pourr. (Irid.).

- aculeata*, Sweet, Brit. Flow. Gard. Ser. II. t. 39 = *L. compressa*.  
*anceps*, Poir. in Dict. Sc. Nat. xxxix. 363 = *L. compressa*.  
*bracteata*, Sweet, Hort. Brit. ed. II. 499 = *L. fissifolia*.  
*corymbosa*, Poir. in Dict. Sc. Nat. xxxix. 365 = *L. corymbosa*.  
*Fabricii*, Sweet, Hort. Brit. ed. II. 499 = *L. Fabricii*.  
*falcata*, Sweet, l. c. = *L. falcata*.  
*fasciculata*, Sweet, l. c. = *L. fasciculata*.  
*fissifolia*, Poir. in Dict. Sc. Nat. xxxix. 364 = *L. fissifolia*.  
*juncea*, Poir. l. c. = *L. juncea*.  
*marmorata*, Poir. l. c. = *L. juncea*.  
*silenoides*, Poir. l. c. 365 = *L. silenoides*.

- PEYRUSA**, Rich. ex Dun. in DC. Prod. vii. 560, in syn. (1839) = **Hornemannia**, Vahl (Vaccin.).  
*royenoides*, Rich. ex Dun. l. c. = *H. martinicensis*.

- PEYSSONELIA**, Boiv. ex Webb & Berth. Phyt. Canar. ii. 35, in obs. ('1836-50') = **Cytisus**, Linn. (Legumin.).

- PFAFFIA**, Mart. Nov. Gen. et Sp. ii. 20. t. 122-124 (1826). *AMARANTACEAE*, Benth. & Hook. f. iii. 37.

- SERTURNERA, Mart. Nov. Gen. et Sp. ii. 36. t. 136. (1826).  
*glabrata*, Mart. Nov. Gen. et Sp. ii. 21. t. 122. — Bras.  
*glauca*, Spreng. Syst. iv. Cur. Post. 107. — Bras.  
*gnaphaloides*, Mart. Nov. Gen. et Sp. ii. 24. — Bras.  
*hirtula*, Mart. l. c. — Bras.  
*iresinoides*, Spreng. Syst. iv. Cur. Post. 103, 106 = *Gomphrena iresinoides*.  
*jubata*, Mart. Nov. Gen. et Sp. ii. 24. — Bras.  
*lanata*, Gibert. Enum. Pl. Montev. 73 = *tomentosa*.  
*luzulaeflora*, D. Dietr. Syn. Pl. i. 868 = *Gomphrena luzulaeflora*.  
*puberula*, Spreng. Syst. iv. Cur. Post. 106 = *Telanthera puberula*.  
*rufa*, Spreng. l. c. = *Telanthera rufa*.  
*sericea*, Mart. Nov. Gen. et Sp. ii. 22. t. 123. — Bras.  
*tomentosa*, Mart. l. c. 24. — Bras.  
*velutina*, Mart. l. c. 23. t. 124. — Bras.  
*villosa*, Spreng. Syst. iv. Cur. Post. 106 = *Telanthera Martii*.

- PFEIFFERA**, Salm-Dyck, Cact. Hort. Dyck. ed. I. 40 (1845) = **Rhipsalis**, Gaertn. (Cact.).  
*cereiformis*, Salm-Dyck, l. c. 41 = *R. cereiformis*.

- PFEIFFERIA**, Buching. in Ann. Sc. Nat. Sér. III. v. (1846) 88 = **Cuscuta**, Tourn. (Convolv.).  
*suaveolens*, Buching. l. c. = *C. racemosa*.

- PFUNDIA**, Opiz, Seznam, 73 (1852) = **Ranunculus**, Tourn.  
*arvensis*, Opiz, l. c.; et in Lotos, iv. (1854) 43 = *R. arvensis*.

- PHACA**, Linn. Coroll. Gen. 13 (1737) = **Astragalus**, Linn. (Legumin.).

- abbreviata*, Ledeb. Fl. Alt. iii. 268 = *A. alpinus*.  
*aboriginorum*, Hook. Fl. Bor. Am. i. 143 = *A. aboriginorum*.  
*alpina*, Linn. Sp. Pl. 755 = *A. alpinus*.  
*alpina*, O. F. Muell. in Fl. Dan. t. 856 = *A. frigidus*.  
*amoena*, Phil. in Linnaea, xxviii. (1856) 630. — Chili.  
*andicola*, Gill. in Hook. Bot. Misc. iii. (1833) 105 = *carinata*.  
*andina*, Nutt. ex Torr. & Gray, Fl. N. Am. i. 345 = *A. alpinus*.  
*annua*, Geyer, in Hook. Lond. Journ. Bot. vi. (1847) 213 = *A. Geyeri*.  
*arenaria*, Pall. Reise, iii. 748 = *A. chorinensis*.  
*argophylla*, Nutt. ex Torr. & Gray, Fl. N. Am. i. 342 = *A. triphyllus*.  
*aristata*, [Clairv.] Man. Herb. 133 = *A. aristatus*.  
*Arnottiana*, Gill. in Hook. Bot. Misc. iii. (1833) 184. — Chili.  
*aspera*, Medic. in Vorles. Churpf. Phys. Ges. ii. (1787) 374 = *A. asper*.  
*astragalina*, DC. Astrag. 52. n. 9 = *A. alpinus*.  
*astragalina*, Mart. & Gal. in Bull. Acad. Brux. x. ii. (1843) 51. — Mexic.

**PHACA** :—

- atrata*, Turcz. in Bull. Soc. Nat. Mosc. xv. (1842) 760 = *Astragalus australis*.  
*australis*, Ledeb. Fl. Alt. iii. 270 = *A. vaginatus*.  
*australis*, Linn. Mant. i. 103; ii. 448 = *A. lusitanicus*.  
*austriaca*, Medic. in Vorles. Churpf. Phys. Ges. ii. (1787) 374 = *A. austriacus*.  
*baetica*, Linn. Sp. Pl. 755 = *A. lusitanicus*.  
*Bayeri*, Janka, in Verh. Zool.-Bot. Ges. Wien, viii. (1858) 431 = *A. Haarbachi*.  
*Berteriana*, Moris, in Mem. Acc. Torin. xxxvii. (1834) 105 = *canescens*.  
*bisulcata*, Hook. Fl. Bor. Am. i. 145 = *A. bisulcatus*.  
*brachycarpa*, Turcz. in Bull. Soc. Nat. Mosc. v. (1832) 185 = *A. zacharenensis*.  
*brachyptera*, Phil. in Linnaea, xxxiii. (1864-65) 44. — Chili.  
*brachytropis*, Stev. in Mém. Soc. Nat. Mosc. iv. (1812) 93 = *A. brachytropis*.  
*bracteosa*, Kar. & Kir. l. c. xv. (1842) 323 = *A. aksuensis*.  
*Bustillosi*, Phil. in Linnaea, xxviii. (1856) 680. — Chili.  
*cachemera*, Benth. ex Baker, in Hook. f. Fl. Brit. Ind. ii. 126 = *A. himalayanus*.  
*caespitosa*, Nutt. Gen. Am. ii. 98 = *A. triphyllus*.  
*campestris*, Wahlenb. Veg. Helv. 130 = *Oxytropis campestris*.  
*candidissima*, Benth. Bot. Voy. Sulph. 13 = *A. candidissimus*.  
*Candolleana*, H. B. & K. Nov. Gen. et Sp. vi. 495. t. 586 = *A. triflora*.  
*canescens*, Hook. & Arn. in Hook. Bot. Misc. iii. (1833) 185. — Chili.  
*canescens*, Nutt. in Torr. & Gray, Fl. N. Am. i. 344 = *A. leucopsis*.  
*carinata*, Hook. & Arn. in Hook. Bot. Misc. iii. (1833) 185. — Chili.  
*Chamissonis*, Vog. in Linnaea, x. (1836) 592. — Chili.  
*chilensis*, Nees, l. c. x. (1836) Litt. 72. — Chili.  
*chrysantha*, Moris, in Mem. Acc. Torin. xxxvii. (1834) 104. — Chili.  
*clandestina*, Phil. Fl. Atac. 14. — Chili.  
*collina*, Hook. Fl. Bor. Am. i. 141 = *A. collinus*.  
*concinna*, Phil. in Linnaea, xxxiii. (1864-65) 44. — Chili.  
*coquimbensis*, Hook. & Arn. in Hook. Bot. Misc. iii. (1833) 184. — Chili.  
*cretacea*, Buckl. in Proc. Acad. Sc. Philad. 1861 (1862) 452 = *A. missouriensis*.  
*Crotalariae*, Benth. Pl. Hartw. 307 = *A. oocarpus*.  
*Cruckshanksii*, Hook. & Arn. in Hook. Bot. Misc. iii. (1833) 184. — Chili.  
*curvicaulis*, Clos, in C. Gay, Fl. Chil. ii. 102. — Chili.  
*debilis*, Nutt. in Torr. & Gray, Fl. N. Am. i. 345 = *A. debilis*.  
*densifolia*, Sm. in Rees, Cycl. xxvii. n. 9 = *A. Menziesii*.  
*densifolia*, Torr. in Pacif. Rail. Rep. iv. 80 = *A. oocarpus*.  
*depauperata*, Phil. Fl. Atac. 14. — Chili.  
*digitata*, Torr. in Frém. Rep. (1845) 89 = *A. tridactylus*.  
*Douglasii*, Torr. & Gray, Fl. N. Am. i. 346 = *A. Douglasii*.  
*Edmonstonei*, Hook. f. in Trans. Linn. Soc. xx. (1847) 227. — Ins. Galap.  
*elata*, Hook. & Arn. in Hook. Bot. Misc. iii. (1833) 185. — Chili.  
*elegans*, Hook. Fl. Bor. Am. i. 144 = *A. oroboides*.  
*elongata*, Hook. l. c. 140 = *A. flexuosus*.  
*elongata*, Mart. & Gal. in Bull. Acad. Brux. x. ii. (1843) 51. — Mexic.  
*elongata*, Phil. in Linnaea, xxxiii. (1864-65) 43. — Chili.  
*exaltata*, Fisch. ex Sweet, Hort. Brit. ed. II. 145 = *A. secundus* ?  
*fastidia*, Kellogg, in Hesperian (June 1860), cum fig.; ex Curran, in Bull. Calif. Acad. i. iii. (1885) 136 = *A. Coulteri* ?  
*Fendleri*, A. Gray, in Mem. Am. Acad. N. S. iv. (1849) 36 = *A. Fendleri*.  
*flava*, Hook. & Arn. in Hook. Bot. Misc. iii. (1833) 186. — Chili.  
*flexuosa*, Hook. Fl. Bor. Am. i. 140 = *A. flexuosus*.  
*floridana*, Willd. Sp. Pl. iii. 1252 = *Sesbania platycarpa*.  
*frigida*, Linn. Syst. ed. X. 1173 = *A. frigidus*.  
*Gerardi*, Vill. Prosp. 43; Hist. Pl. Dauph. iii. 474 = *A. australis*.  
*glabra*, Clar. in Bull. Soc. Philom. iii. (1811) 99 = *A. australis*.



## PHACA :—

- glabriuscula*, Hook. Fl. Bor. Am. i. 144 = *Astragalus glabriusculus*.  
*gracilentia*, A. Gray, in Mem. Am. Acad. N. S. iv. (1849) 35 = *A. gracilentus*.  
*grata*, Clos, in C. Gay, Fl. Chil. ii. 92.—Chili.  
*halicacaba*, Willd. Sp. Pl. iii. 1254 = *A. Vulnerariae*.  
*Halleri*, Vill. Prosp. 42; Hist. Pl. Dauph. iii. 473 = *A. australis*.  
*helvetica*, Vitm. Summa Pl. iv. 297 = *A. australis*.  
*Hoffmeisteri*, Klotzsch, in Bot. Ergeb. Waldem. Reise, 159 = *A. adesmiaefolius*.  
*Hookeriana*, Torr. & Gray, Fl. N. Am. i. 693 = *A. Hookerianus*.  
*incana*, Vahl, Symb. Bot. i. 57 = *A. anthylloides*.  
*inflata*, Gill, in Hook. Bot. Misc. iii. (1833) 183.—Chili.  
*inflata*, Nutt. ex Torr. & Gray, Fl. N. Am. i. 343 = *A. Menziesii*.  
*lanata*, Pall. Reise, iii. 746 = *Oxytropis lanata*.  
*Landbeckii*, Phil. in Linnaea, xxxiii. (1864-65) 42.—Chili.  
*lapponica*, Wahlenb. Veg. Helvet. 131, in obs. = *A. arcticus*.  
*Laxmanni*, Medic. in Vorles. Churpf. Phys. Ges. ii. (1787) 374 = *A. adsurgens*?  
*leucophylla*, Hook. & Arn. Bot. Beech. Voy. 333 = *A. leucophyllus*.  
*leucopsis*, Torr. & Gray, Fl. N. Am. i. 694 = *A. leucopsis*.  
*longicaulis*, Benth. ex Bunge, in Mém. Acad. Sc. Pétersb. Sér. VII. xv. (1869) n. i. 28 = *A. himalayanus*.  
*longifolia*, Nutt. in Torr. & Gray, Fl. N. Am. i. 346 = *A. pictus*, *A. Gray*.  
*lotiflora*, Torr. & Gray, l. c. 349 = *A. lotiflorus*.  
*lutea*, Ledeb. ex Sweet, Hort. Brit. ed. II. 145 (Quid?).—Sibir.  
*macrocarpa*, A. Gray, in Mem. Am. Acad. N. S. iv. (1849) 36 = *A. lonchocarpus*.  
*macrocarpa*, Phil. in Linnaea, xxviii. (1856) 619.—Chili.  
*macrodon*, Hook. & Arn. Bot. Beech. Voy. 333 = *A. lonchocarpus*.  
*macrophylla*, Phil. in Linnaea, xxviii. (1856) 619.—Chili.  
*macrostachys*, Turcz. in Bull. Soc. Nat. Mosc. (1840) 66 = *A. mongolicus*.  
*magellensis*, Huet, ex Bunge, in Mém. Acad. Sc. Pétersb. Sér. VII. xv. (1869) n. i. 24 = *A. australis*.  
*megacarpa*, Nutt. ex Torr. & Gray, Fl. N. Am. i. 343 = *A. megacarpus*.  
*membranacea*, Fisch. ex Link, Enum. Hort. Berol. ii. 252 = *A. membranaceus*.  
*microcarpa*, Strach. & Winterb. ex Bunge, in Mém. Acad. Sc. Pétersb. Sér. VII. xv. (1869) n. i. 22 = *A. melanostachys*.  
*microphylla*, Pall. Reise, iii. 744 = *A. polyphyllus*.  
*minima*, All. Fl. Pedem. i. 338 = *A. alpinus*.  
*mollis*, H. B. & K. Nov. Gen. et Sp. vi. 496 = *A. Humboldtii*.  
*mollissima*, Nutt. ex Torr. & Gray, Fl. N. Am. i. 350 = *A. Purshii*.  
*montana*, Crantz, Stirp. Austr. ed. II. fasc. v. 422 = *Oxytropis montanus*.  
*montana*, Wahlenb. Fl. Lapp. 189 = *Oxytropis montana*, *lapponica*.  
*muricata*, Pall. Reise, iii. 746 = *Oxytropis muricata*.  
*myriophylla*, Pall. l. c. 745 = *Oxytropis myriophylla*.  
*neglecta*, Torr. & Gray, Fl. N. Am. i. 344 = *A. Cooperi*.  
*nigrescens*, Hook. Fl. Bor. Am. i. 143 = *A. multiflorus*.  
*nubigena*, E. Mey. ex Vog. in Nov. Act. Nat. Cur. xix. Suppl. i. (1843) 16.—Chili.  
*Nuttallii*, Torr. & Gray, Fl. N. Am. i. 343, 693 = *A. Menziesii*.  
*ochreata*, Crantz, Stirp. Austr. ed. II. fasc. v. 419 = *A. frigidus*.  
*ochroleuca*, Hook. & Ara. in Hook. Bot. Misc. iii. (1833) 186.—Chili.  
*oligantha*, Phil. in Linnaea, xxxiii. (1864-65) 42.—Chili.  
*oreophila*, Phil. l. c. xxviii. (1856) 681.—Chili.  
*oroboides*, DC. Prod. ii. 274 = *A. oroboides*.  
*ovigera*, Boiss. Diagn. Ser. I. vi. 35 = *A. ovigerus*.  
*oxyphylla*, Pall. Reise, iii. 743 = *Oxytropis oxyphylla*.  
*parviflora*, Nutt. ex Torr. & Gray, Fl. N. Am. i. 348 = *A. oroboides*.

## PHACA :—

- parviflora*, Turcz. in Bull. Soc. Nat. Mosc. (1840) 66 = *Astragalus secundus*.  
*parvifolia*, Nutt. ex Torr. & Gray, Fl. N. Am. i. 348 = *A. gracilis*.  
*pauciflora*, Nutt. l. c. = *A. leptaleus*.  
*pauciflora*, Pers. Syn. ii. 331 = *A. triflorus*.  
*pectinata*, Hook. Fl. Bor. Am. i. 141 = *A. pectinatus*, *Dougl.*  
*picta*, A. Gray, in Mem. Am. Acad. N. S. iv. (1849) 36 = *A. pictus*.  
*pilosa*, [Clairv.] Man. Herb. 133 = *Oxytropis pilosa*.  
*Pisissi*, Phil. in Anal. Univ. Chil. (1862) 46.—Chili.  
*podocarpa*, Hook. Fl. Bor. Am. i. 142 = *A. sclerocarpus*.  
*prostrata*, Pall. Reise, iii. 744; Linn. f. Suppl. 336 = *Oxytropis prostrata*.  
*pulchella*, Clos, in C. Gay, Fl. Chil. ii. 92.—Chili.  
*pygmaea*, Nutt. ex Torr. & Gray, Fl. N. Am. i. 349 = *A. Chamaeleuce*.  
*quindecimjuga*, Phil. in Linnaea, xxxiii. (1864-65) 41.—Chili.  
*Reedi*, Phil. in Anal. Univ. Chil. (1870) II. 168.—Chili.  
*reptans*, Benth. ex Bunge, in Mém. Acad. Sc. Pétersb. Sér. VII. xv. (1869) n. i. 28 = *A. tenuicaulis*.  
*Richii*, A. Gray, Bot. U. St. Expl. Exped. i. 769 = *A. Richii*.  
*Robbinsii*, Oakes, in Hovey, Mag. Hort. vii. (1841) 181 = *A. Robbinsii*.  
*robusta*, Phil. in Anal. Univ. Chil. (1872) 690.—Chili.  
*salsula*, Pall. Reise, iii. 747 = *Sphaerophysa salsula*.  
*sericea*, Nutt. ex Torr. & Gray, Fl. N. Am. i. 343 = *A. sericoleucus*.  
*sibirica*, Linn. Sp. Pl. 755 = *Oxytropis lanata*.  
*simplicifolia*, Nutt. ex Torr. & Gray, Fl. N. Am. i. 350 = *A. simplicifolius*.  
*sordida*, Fisch. ex Link, Enum. Hort. Berol. ii. 252 = *Oxytropis campestris*?  
*sordida*, Wahlenb. Fl. Lapp. 190 = *Oxytropis sordida*.  
*striata*, Clos, in C. Gay, Fl. Chil. ii. 92.—Chili.  
*subverticillaris*, Fisch. & Mey. Ind. Sem. Hort. Petrop. vi. 62 = *A. subverticillaris* (in Addend.).  
*sulcata*, Linn. Syst. ed. X. 1173 = *A. sulcatus*.  
*sylvatica*, Pall. Reise, iii. 744 = *Oxytropis sylvatica*.  
*tomentosa*, Georgi, Bemerk. Reise Russ. Reich. i. 226 = *Oxytropis lanata*.  
*Tragacantha*, All. Fl. Pedem. i. 338 = *A. aristatus*.  
*triangularis*, Zea, in Hornem. Hort. Hafn. Suppl. 63 = *A. triangularis*.  
*trichopoda*, Nutt. ex Torr. & Gray, Fl. N. Am. i. 343 = *A. trichopodus*.  
*tricolor*, Clos, in C. Gay, Fl. Chil. ii. 105.—Chili.  
*triflora*, DC. Astrag. 62. t. 1 = *A. triflorus*.  
*trifoliata*, Linn. Mant. ii. 270.—China.  
*trigonocarpa*, Turcz. in Bull. Soc. Nat. Mosc. xv. (1842) 761 = *A. trigonocarpus*.  
*triphylla*, Eaton & Wright, N. Am. Bot. ed. VIII. 351 = *A. triphyllus*.  
*umbellata*, Nym. Consp. 196 = *A. frigidus*.  
*uralensis*, Wahlenb. Fl. Carp. 223 = *Oxytropis uralensis*.  
*uspallatensis*, Phil. in Anal. Univ. Chil. (1870) II. 168.—Chili.  
*vaga*, Clos, in C. Gay, Fl. Chil. ii. 99.—Chili.  
*velutina*, Turcz. ex Bess. in Flora, xvii. (1834) i. Beibl. 10, nomen.—As. centr.?  
*vesicaria*, Linn. Mant. i. 103 = *A. halicacabus*.  
*vestita*, Benth. Bot. Voy. Sulph. 13 = *A. vestitus*, *S. Wats.*  
*villosa*, Nutt. Gen. Am. ii. 97 = *A. villosus*.  
*villosa*, S. Wats. Bibliog. Ind. N. Am. Bot. 197 = *A. mollissimus*.  
*viscosa*, [Clairv.] Man. Herb. 133 = *Oxytropis foetida*.  
*Vogelii*, Webb, in Hook. Niger Fl. 123. t. 8 = *A. proluxus*.  
*zerdana*, Boiss. Diagn. Ser. I. vi. 34 = *A. zerdanus*.

- PHACELIA**, Juss. Gen. 129 (1789). **HYDRO-PHYLLACEAE**, Benth. & Hook. f. ii. 827.  
**ALDEA**, Ruiz & Pav. Prod. 19 (1794).  
**COSMANTHUS**, Nolte, ex A. DC. in DC. Prod. ix. 296 (1845).  
**ENDIPLUS**, Rafin. in Am. Monthly Mag. (1811) 356; (1819) 191.  
**EUTOCA**, R. Br. Frankl. Voy. App. 764. t. 27 (1823).

## PHACELIA :—

- HETERVTA**, Rafin. in Med. Repos. N. York, v. (1808) 352.  
**MICROGENETES**, A. DC. in DC. Prod. ix. 291 (1845).  
**WHITLAVIA**, Harv. in Hook. Lond. Journ. Bot. v. (1846) 311.  
*affinis*, A. Gray, Syn. Fl. N. Am. ii. i. 417.—Calif.  
*Aldea*, Loud. Hort. Brit. 59 = *circinata*.  
*arizonica*, A. Gray, Syn. Fl. N. Am. ii. i. 394.—Arizona.  
*artemisioides*, Griseb. in Goett. Abh. xix. (1874) 230.—Reg. Argent.  
*bicolor*, Torr. ex S. Wats. in Bot. King's Exped. 255.—Am. bor. occ.  
*bipinnatifida*, Frank, ex A. DC. in DC. Prod. ix. 300 = *Hydrophyllum macrophyllum*.  
*bipinnatifida*, Michx. Fl. Bor. Am. i. 134. t. 16.—Am. bor.  
*Bolanderi*, A. Gray, in Proc. Am. Acad. x. (1875) 322.—Calif.  
*brachyantha*, Benth. in Trans. Linn. Soc. xvii. (1837) 279.—Chili.  
*brachyloba*, A. Gray, in Proc. Am. Acad. x. (1875) 324.—Calif.  
*Brannani*, Kellogg, in Proc. Calif. Acad. vii. i. (1877) 90 = *Fremontii*.  
*brevistylis*, Buckl. in Am. Journ. Sc. Ser. I. xlv. (1843) 172 = *bipinnatifida*.  
*Breweri*, A. Gray, in Proc. Am. Acad. x. (1875) 317.—Calif.  
*caerulea*, Greene, in Bull. Torrey Bot. Club, viii. (1881) 122.—Am. bor. occ.  
*californica*, Cham. in Linnaea, iv. (1829) 495 = *circinata*.  
*campanularia*, A. Gray, Syn. Fl. N. Am. ii. i. 164.—Calif.  
*canescens*, Nutt. in Journ. Acad. Philad. N. S. i. (1847) 159 = *circinata*.  
*Cephalotes*, A. Gray, in Proc. Am. Acad. x. (1875) 325.—Utah.  
*ciliata*, Benth. in Trans. Linn. Soc. xvii. (1837) 280.—Am. bor. occ.  
*circinata*, Jacq. f. Eclog. Am. i. 135. t. 91.—Am. bor. occ.; Chili.  
*circinatifomis*, A. Gray, in Proc. Am. Acad. x. (1875) 325.—Calif.  
*clinopodioides*, Bert. in Merc. Chil. (1829); ex Am. Journ. Sc. Ser. I. xliii. (1833) 263.—Chili.  
*coerulea* Auct. = *caerulea*.  
*conferta*, G. Don, Gen. Syst. iv. 397 = *congesta*.  
*congesta*, Hook. Bot. Mag. t. 3452.—Texas.  
*Cooperae*, A. Gray, in Proc. Am. Acad. xv. (1880) 49 = *gymnoclada*?  
*crassifolia*, Parry, in Am. Natural. ix. (1875) 16 = *pulchella*.  
*crassifolia*, Torr. ex S. Wats. in Bot. King's Exped. 255.—Am. bor. occ.  
*crenulata*, Torr. ex S. Wats. l. c. 251.—Am. bor. occ.  
*Cumingii*, A. Gray, Syn. Fl. N. Am. ii. i. 169, in obs.—Chili.  
*curvipes*, Parry, in Am. Natural. ix. (1875) 16 = *P. Cephalotes*.  
*curvipes*, Torr. ex S. Wats. in Bot. King's Exped. 252.—Am. bor. occ.  
*Davidsonii*, A. Gray, in Proc. Am. Acad. x. (1875) 324.—Calif.  
*demissa*, A. Gray, l. c. 326.—N. Mexic.  
*distans*, Benth. Bot. Voy. Sulph. 36.—Calif.  
*divaricata*, A. Gray, in Proc. Am. Acad. x. (1875) 325.—Calif.  
*Douglasii*, Torr. in Bot. Mex. Bound. 143.—Calif.  
*Endiplus*, Steud. Nom. ed. II. ii. 313 (sp. dub.).—Am. bor.  
*fimbriata*, Michx. Fl. Bor. Am. i. 134. t. 16.—Am. bor.  
*fimbriata*, Pursh, Fl. Am. Sept. i. 140 = *Purshii*.  
*floribunda*, Greene, in Bull. Calif. Acad. i. iv. (1881) 200.—Calif.  
*Franklinii*, A. Gray, Man. Bot. N. U. St. ed. II. 329.—Am. bor.  
*Fremontii*, Torr. in Ives, Rep. Colorado River Bot. 21.—Am. bor. occ.  
*furcata*, Dougl. ex Hook. Fl. Bor. Am. ii. 75.—Am. bor. occ.  
*glabra*, Nutt. in Trans. Am. Phil. Soc. v. (1837) 192.—Am. bor. occ.  
*glandulosa*, Kellogg, in Proc. Calif. Acad. vii. i. (1877) 92 = *Parryi*?



**PHACELIA:**—

- glandulosa*, Nutt. in *Journ. Acad. Philad.* N. S. i. (1847) 160.—Am. bor. occ.
- grandiflora*, A. Gray, in *Proc. Am. Acad.* x. (1875) 321.—Calif.
- grisea*, A. Gray, l. c. xii. (1877) 80.—Calif.
- gymnoclada*, Torr. ex S. Wats. in *Bot. King's Exped.* 255.—Calif.
- hastata*, Dougl. ex Lehm. Pugill. ii. 20 = *circinata*.
- heterophylla*, Pursh, Fl. Am. Sept. i. 140 = *circinata*.
- hirsuta*, Nutt. in *Trans. Am. Phil. Soc.* v. (1837) 191 = *parviflora*.
- hispidula*, Buckl. in *Proc. Acad. Sc. Philad.* 1861 (1862), 463 = *patuliflora*.
- hispidula*, A. Gray, *Syn. Fl. N. Am.* ii. i. 161.—Calif.
- humilis*, Torr. ex Gray, in *Pacif. Rail. Rep.* ii. 122. t. 7.—Am. bor. occ.
- hydrophyloides*, Torr. ex A. Gray, in *Proc. Am. Acad.* vii. (1868) 400.—Calif.
- infundibuliformis*, Torr. Bot. Mex. Bound. 144.—N. Mexic.
- integrifolia*, Torr. in *Ann. Lyc. N. York*, ii. (1828) 222. t. 3.—Am. bor. occ.
- invenusta*, A. Gray, in *Proc. Am. Acad.* xx. (1885) 303.—Arizona.
- Ivesiana*, Torr. in *Ives, Rep. Colorado River Bot.* 21.—Am. bor. occ.
- ixodes*, Kellogg, in *Bull. Calif. Acad.* i. (1884) 6.—Calif.
- Lemmoni*, A. Gray, *Syn. Fl. N. Am.* ii. i. 417.—Arizona.
- leucophylla*, Torr. in *Frém. Rep.* (1845) 93 = *circinata*.
- loasaeifolia*, Torr. Bot. Mex. Bound. 144.—Calif.
- longipes*, Torr. ex A. Gray, in *Proc. Am. Acad.* x. (1875) 322.—Calif.
- Lyoni*, A. Gray, l. c. xx. (1885) 303.—Calif.
- maculata*, Wood, *Am. Bot. & Flor.* 255 (Quid?).—Am. bor.
- malvaeflora*, G. Don, *Gen. Syst.* iv. 396 = seq.
- malvaefolia*, Cham. & Schlecht. in *Linnaea*, iv. (1829) 494.—Am. bor. occ.
- Menziesii*, Torr. ex S. Wats. in *Bot. King's Exped.* 252.—Am. bor. occ.
- micrantha*, Torr. Bot. Mex. Bound. 144.—Am. bor. occ.
- mohavensis*, A. Gray, *Syn. Fl. N. Am.* ii. i. 164.—Calif.
- namatoides*, A. Gray, in *Proc. Am. Acad.* x. (1875) 317.—Calif.
- nana*, Wedd. *Chlor. And.* ii. 86.—Bolivia.
- neo-mexicana*, Thurb. ex Torr. Bot. Mex. Bound. 143.—Am. bor. occ.
- Orcuttiana*, A. Gray, in *Proc. Am. Acad.* xix. (1883) 88.—Calif.
- pachyphylla*, A. Gray, l. c.—Calif.
- Palmeri*, Torr. ex S. Wats. in *Bot. King's Exped.* 251.—Calif.
- Parishii*, A. Gray, in *Proc. Am. Acad.* xix. (1883) 88.—Calif.
- Parryi*, Torr. Bot. Mex. Bound. 143.—Calif.
- parviflora*, Pursh, Fl. Am. Sept. i. 140.—Am. bor.
- patuliflora*, A. Gray, in *Proc. Am. Acad.* x. (1875) 321.—Texas.
- pedicellata*, A. Gray, *Syn. Fl. N. Am.* ii. i. 160.—Calif.
- peruviana*, Spreng. *Syst.* i. 584 = *circinata*.
- phyllomanica*, A. Gray, in *Proc. Am. Acad.* xi. (1876) 87.—Calif.
- pimpinelloides*, A. Gray, l. c. x. (1875) 321.—Mexic.
- pinnatifida*, Griseb. ex Wedd. *Chlor. And.* ii. 86.—Peruv.
- platycarpa*, Spreng. *Syst.* i. 584.—Mexic.
- platyloba*, A. Gray, in *Proc. Am. Acad.* xvii. (1881–82) 223.—Calif.
- Popei*, Torr. & Gray, in *Pacif. Rail. Rep.* ii. 172.—Am. bor. occ.
- Pringlei*, A. Gray, in *Proc. Am. Acad.* xvii. (1881–82) 223.—Calif.
- procera*, A. Gray, l. c. x. (1875) 323.—Am. bor. occ.
- pubescens*, Poir. *Encyc.* v. 239 = *bipinnatifida*.
- pulchella*, A. Gray, in *Proc. Am. Acad.* x. (1875) 326.—Utah.
- Purshii*, Buckl. in *Am. Journ. Sc. Ser. I.* xlv. (1843) 171.—Am. bor.
- pusilla*, Buckl. l. c. 172 = *parviflora*.
- pusilla*, Torr. ex S. Wats. in *Bot. King's Exped.* 253.—Am. bor. occ.

**PHACELIA:**—

- ramosissima*, Dougl. ex Lehm. Pugill. ii. 21.—Am. bor. occ.
- Rattani*, A. Gray, in *Proc. Am. Acad.* xx. (1885) 302.—Am. bor. occ.
- rotundifolia*, Torr. ex S. Wats. in *Bot. King's Exped.* 253.—Am. bor. occ.
- rudis*, Dougl. ex A. DC. in *DC. Prod.* ix. 298 = *circinata*.
- saxicola*, A. Gray, in *Proc. Am. Acad.* xx. (1885) 304.—Arizona.
- secunda*, J. F. Gmel. *Syst.* 330 = *circinata*?
- sericea*, A. Gray, in *Am. Journ. Sc. Ser. II.* xxxiv. (1862) 254.—Am. bor. occ.
- simplex*, Pers. *Syn.* i. 168 = *bipinnatifida*.
- sinuata*, Phil. in *Linnaea*, xxxiii. (1864–65) 185.—Chili.
- strictiflora*, A. Gray, in *Proc. Am. Acad.* x. (1875) 321.—Am. bor. occ.
- suffrutescens*, Parry, in *Proc. Davenp. Acad.* iv. (1884) 38 = *ramosissima*.
- tanacetifolia*, Benth. in *Trans. Linn. Soc.* xvii. (1837) 280.—Calif.
- tanacetifolia*, A. DC. in *DC. Prod.* ix. 299 = *congesta*.
- tanacetifolia*, Thurb. ex Torr. Bot. Mex. Bound. 143 = *ramosissima*.
- tenuifolia*, Harv. ex Torr. l. c. = *tanacetifolia*.
- tripinnata*, Hort. ex Fisch. Mey. & Avé-Lall. *Ind. Sem.* Hort. Petrop. xi. 79 = *tanacetifolia*.
- vinifolia*, Paxt. *Mag. Bot.* iii. (1837) 121 = *circinata*?
- viscida*, Torr. Bot. Mex. Bound. 143.—Calif.
- viscosa*, Phil. *Fl. Atac.* 37.—Chili.
- vitifolia*, Steud. *Nom. ed. II.* ii. 313 = *vinifolia*.
- Whitlavia*, A. Gray, in *Proc. Am. Acad.* x. (1875) 321.—Calif.

**PHACELLANTHUS**, Sieb. & Zucc. in *Abh. Akad. Muench.* iv. iii. (1846) 141 (*Fam. Nat. Fl. Jap.* ii. 17). **OROBANCHACEAE**, Benth. & Hook. f. ii. 983. *tubiflorus*, Sieb. & Zucc. l. c.—Japan.

**PHACELLANTHUS**, Steud. in *Zoll. Syst. Verz.* Ind. Archip. 61 (1854) = **Gahnia**, Forst. (Cyper.). *multiflorus*, Steud. l. c. = *G. javanica*.

**PHACELLARIA**, Benth. in Benth. & Hook. f. *Gen.* iii. 229 (1880). **SANTALACEAE**, Benth. & Hook. f. l. c. *compressa*, Benth. l. c.—Burma. *rigidula*, Benth. l. c.—Burma.

**PHACELLARIA**, Willd. ex Steud. *Nom. ed. II.* i. 353, in syn. (1840); ii. 313 (1841) = **Chloris**, Sw. (Gramin.). *panicea*, Willd. ex Steud. *ll. cc.* = *C. submutica*.

**PHACELLOTHRIX**, F. Muell. *Fragm.* xi. 49 (1878). **COMPOSITAE**. *cladochaeta*, F. Muell. l. c.—Austral.

**PHACELURA**, Benth. in *Journ. Linn. Soc.* xix. (1881) 68, sphalm. = seq.

**PHACELURUS**, Griseb. *Spicil. Fl. Rumel.* ii. 423 (1844) = **Rottboellia**, Linn. f. (Gramin.). *digitatus*, Griseb. l. c. 424 = *R. digitata*.

**PHACOCAPNOS**, Bernh. in *Linnaea*, xii. (1838) 664 = **Corydalis**, DC. (Papav.). *Cracca*, Bernh. l. c. = *C. Cracca*. *Dregeanus*, Bernh. l. c. = *C. Cracca*. *pruinusosus*, Bernh. l. c. = *C. pruinusosus*.

**PHACOSPERMA**, Haw. in *Phil. Mag.* i. (1827) 124 = **Calandrinia**, H. B. & K. (Portul.). *peruviana*, Haw. l. c. = *C. Phacosperma*.

**PHADROSANTHUS**, Neck. *Elem.* iii. 153 (1790) = **Epidendrum**? Linn. (Orchid.).

**PHAEANTHUS**, Hook. f. & Thoms. *Fl. Ind.* i. 146 (1855). **ANONACEAE**, Benth. & Hook. f. i. 27. *crassipetalus*, Becc. in *Nuov. Giorn. Bot.* iii. (1871) 191.—Borneo. *Cumingii*, Miq. *Fl. Ind. Bat.* i. ii. 51.—Ins. Philipp. *dioicus*, Kurz, in *Flora*, liii. (1870) 274 = *Milusa Roxburghiana*.

**PHAEANTHUS:**—

- glabrescens*, Baill. *Hist. Pl.* i. 246 = *Piptostigma glabrescens*.
- heteropetalus*, Baill. l. c. 245 = *Heteropetalum brasiliense*.
- lanceolatus*, Miq. *Ann. Mus. Bot. Lugd. Bat.* ii. 40.—Malaya.
- malabaricus*, Bedd. *l. c. Pl. Ind. Or.* i. 16. t. 76.—Ind. or.
- malabaricus*, Naves, in *Blanco, Fl. Filip.* ed. III. t. 193 = *Polyalthia suberosa*.
- nutans*, Hook. f. & Thoms. *Fl. Ind.* i. 147.—Malaya.
- nutans*, Scheff. in *Ann. Jard. Buitenz.* i. (1876) 5 = *crassipetala*.
- pilosus*, Baill. *Hist. Pl.* i. 246 = *Piptostigma pilosum*.
- splendens*, Miq. *Ann. Mus. Bot. Lugd. Bat.* ii. 40.—Borneo.
- sumatrana*, Miq. l. c.—Sumatra.

**PHAECASIUM**, Cass. in *Dict. Sc. Nat.* xxxix. 387 (1826). **COMPOSITAE**, Benth. & Hook. f. ii. 515. **CYMBOSERIS**, Boiss. *Diagn. Ser. I.* xi. 50 (1849). **IDIANTHES**, Desv. *Fl. Anj.* 199 (1827). **SCLEROPHYLLUM**, Gaud. *Fl. Helv.* v. 47 (1829). *lampsanoides*, Cass. in *Dict. Sc. Nat.* xxxix. 387.—Europ. *pulchrum*, Reichb. f. *l. c. Fl. Germ.* xix. 39 = *lampsanoides*.

**PHAEDRA**, Klotzsch, in *Endl. Gen. Suppl.* iv. iii. 88 (1850) = **Bernardia**, P. Br. (Euphorb.).

**PHAEDRANASSA**, Herb. in *Bot. Reg.* (1845) t. 17. *Misc.* 16. **AMARYLLIDEAE**, Benth. & Hook. f. iii. 732. *Carmioli*, Baker, in *Saund. Refug. Bot.* t. 46.—Costa Rica. *chloracra*, Herb. in *Bot. Reg.* (1845) t. 17. *Misc.* 16.—Peruv. *eucrosioides*, Benth. & Hook. f. *Gen.* iii. 733.—Ecuador. *Lehmanni*, Regel, *Gartenfl.* (1883) 354.—N. Granat. *multiflora*, Kunth, *Enum. Pl.* v. 502 = *chloracra*. *obtusa*, Herb. in *Bot. Reg.* (1845) sub t. 17 = *chloracra*. *rubro-viridis*, Baker, in *Gard. Chron.* (1875) ii. 7 = *Eustephia coccinea*. *schizantha*, Baker, l. c. (1880) ii. 556.—Peruv. *viridiflora*, Regel, *Gartenfl.* (1853) 357; Baker, in *Gard. Chron.* (1877) ii. 134.—Peruv.

**PHAEDRANTHUS**, Miers, in *Proc. Hort. Soc.* iii. (1863) 182 = **Bignonia**, Tourn. *buccinatorum*, Miers, l. c. = *B. buccinatoria*. *cinerascens*, Miers, l. c. 183 = *B. buccinatoria*. *exsertus*, Miers, l. c. = *B. buccinatoria*. *extatus*, Miers, l. c. = *B. buccinatoria*? *Lindleyanus*, Miers, l. c. 182 = *B. buccinatoria*.

**PHAENICANTHUS**, Thw. *Enum. Pl. Zeyl.* 242, in syn. (1861) = **Premna**, Linn. (Verben.). *zeylanicus*, Thw. l. c. = *Prem. purpurascens*.

**PHAENIX**, Hill, Hort. Kew. 449 (1768) = **Phoenix**, Linn. (Palm.).

**PHAENIXOPUS**, Cass. in *Dict. Sc. Nat.* xxxix. 391 (1826) = **Lactuca**, Tourn. (Compos.). *acanthifolius*, Cass. l. c. xlviii. 426 = *L. acanthifolia*. *chondrillaeflorus*, Fourr. in *Ann. Soc. Linn. Lyon*, N. S. xvii. (1869) 102 = *L. chondrillaeflora*. *decurrens*, Cass. in *Dict. Sc. Nat.* xxxix. 391 = *L. viminea*. *intricatus*, Pomel, *Nouv. Mat. Fl. Atl.* 264 = *L. intricata*. *intybaceus*, Less. *Syn. Comp.* 137 = *L. intybacea*. *Kotschyi*, Boiss. *Fl. Orient.* iii. 818 = *L. brevirostris*. *muralis*, Koch, *Syn. Fl. Germ.* ed. I. 430 = *L. muralis*. *orientalis*, Boiss. *Voy. Bot. Espagne*, ii. 390 = *L. spinosa*. *ramosissimus*, Cass. in *Dict. Sc. Nat.* xxxix. 392; Reichb. *Fl. Germ. Excurs.* 272 = *L. viminea*. *spinusosus*, Cass. l. c. xlviii. 426 = *L. spinosa*. *triqueter*, DC. *Prod.* vii. 176 = *L. triquetra*. *vimineus*, Reichb. *Fl. Germ. Excurs.* 272 = *L. viminea*.



**PHAEOCARPUS**, Mart. Nov. Gen. et Sp. i. 61. t. 37, 38 (1824) = **Magonia**, A. St. Hil. (Sapind.).  
*agrestis*, Mart. l. c. 63, in obs.—Bras.  
*campestris*, Mart. l. c. 62 = *M. pubescens*.  
*glabratus*, Spreng. Syst. iv. Cur. Post. 150 = *M. glabrata*.

**PHAENOCODON**, Salisb. Gen. Pl. Fragm. 58 (1866) = **Lapageria**, Ruiz & Pav. (Liliac.).

**PHAENOCOMA**, D. Don, in Mem. Wern. Soc. v. (1826) 554. **COMPOSITAE**, Benth. & Hook. f. ii. 313.  
*prolifera*, D. Don, l. c.—Afr. austr.

**PHAENOMERIA**, Steud. Nom. ed. II. ii. 313 (1841) = **PHAEOMERIA**, Lindl. = **Amomum**, Linn. (Scitam.).

**PHAENOPODA**, Cass. in Dict. Sc. Nat. xlii. 84 (1826) = **Podotheca**, Cass. (Compos.).  
*angustifolia*, Cass. l. c. 85 = *Podotheca angustifolia*.

**PHAENOPUS**, DC. Prod. vii. 176 (1838) = **PHAE-NIXOPUS**, Cass. = **Lactuca**, Tourn. (Compos.).

**PHAENOPYRUM**, M. Roem. Syn. Rosifl. 152 (1847) = **Crataegus**, Tourn. (Rosac.).  
*acerifolium*, M. Roem. l. c. 157 = *C. cordata*.  
*arborescens*, M. Roem. l. c. 153 = *C. arborescens*.  
*carolinianum*, M. Roem. l. c. 152 = *C. flava*.  
*coccineum*, M. Roem. l. c. 156 = *C. coccinea*.  
*corallinum*, M. Roem. l. c. 154 = *C. cordata*.  
*cordatum*, M. Roem. l. c. 157 = *C. cordata*.  
*ellipticum*, M. Roem. l. c. 155 = *C. flava*.  
*hirsutum*, M. Roem. l. c. 154 = *C. mexicana*.  
*melanocarpum*, M. Roem. l. c. 155 = *C. pentagyna*.  
*mexicanum*, M. Roem. l. c. 154 = *C. mexicana*.  
*nigrum*, M. Roem. l. c. 157 = *C. nigra*.  
*odoratissimum*, M. Roem. l. c. 158 = *C. orientalis*.  
*parvifolium*, M. Roem. l. c. 152 = *C. parvifolia*.  
*pentagynum*, M. Roem. l. c. 155 = *C. pentagyna*.  
*populifolium*, M. Roem. l. c. 153 = *C. coccinea*.  
*pruinatum*, M. Roem. l. c. 154 = *C. glandulosa*.  
*Schraderianum*, M. Roem. l. c. 158 = *C. sanguinea*.  
*spathulatum*, M. Roem. l. c. 155 = *C. spathulata*.  
*subvillosum*, M. Roem. l. c. 154 = *C. subvillosa*.  
*tanacetifolium*, M. Roem. l. c. 158 = *C. tanacetifolia*.  
*Tournefortii*, M. Roem. l. c. = *C. orientalis*.  
*Trewianum*, M. Roem. l. c. 154 = *C. Crus-galli*.  
*uniflorum*, M. Roem. l. c. 153 = *C. tomentosa*.  
*virginicum*, M. Roem. l. c. 155 = *C. flava*.  
*viride*, M. Roem. l. c. 156 = *C. Crus-galli*.  
*Wendlandii*, M. Roem. l. c. 154 = *C. coccinea*.

**PHAENOPYRUM**, Schrad. ex Nees, in Mart. Fl. Bras. ii. 1. 166 (1842) = **Lagenocarpus**, Nees (Cyperac.).  
*paniculatum*, Schrad. ex Nees, l. c. = *L. guianensis*.

**PHAEOSPERMA**, Munro, ex Benth. in Journ. Linn. Soc. xix. (1881) 59. **GRAMINEAE**, Benth. & Hook. f. iii. 1119.  
*globosa*, Munro, ex Benth. l. c.—China.

**PHAENOSTOMA**, Steud. Nom. ed. II. i. 234, in syn. (1840), sphalm. = **Chaenostoma**, Benth. (Scrophul.).

**PHAEOCLES**, Salisb. Gen. Pl. Fragm. 35 (1866) = **Ornithogalum**, Linn. (Liliac.).  
*maculatum*, Salisb. l. c. = *O. maculatum*.

**PHAEOCORDYLIS**, Griff. in Proc. Linn. Soc. i. (1844) 219; et in Trans. Linn. Soc. xx. (1846) 100. t. 8 = **Rhopalocnemis**, Jungh. (Balanoph.).  
*areolata*, Griff. in Proc. Linn. Soc. i. (1844) 220 = *R. phalloides*.

**PHAEOMERIA**, Lindl. Introd. Nat. Syst. ed. II. 446 (1836) = **Amomum**, Linn. (Scitam.).  
*magnifica*, Lindl. l. c. = *A. magnificum*.

**PHAEOPAPPUS**, Boiss. Diagn. Ser. I. vi. 122 (1845) = **Centaurea**, Linn. (Compos.).  
*amblyolepis*, Boiss. Fl. Orient. iii. 601 = *C. amblyolepis*.  
*araneosus*, Boiss. l. c. 598 = *C. araneosa*.

**PHAEOPAPPUS** :—

*aristatus*, Jaub. & Spach, Illustr. iii. 18. t. 213 = *Centaurea aristata*.  
*armenus*, Jaub. & Spach, l. c. 13. t. 210 = *C. armena*.  
*cappadocius*, Boiss. Fl. Orient. iii. 594 = *C. cappadocica*.  
*carthamoides*, Boiss. Diagn. Ser. I. vi. 125 = *C. carthamoides*.  
*cataonicus*, Boiss. & Haussk. ex Boiss. Fl. Orient. iii. 596 = *C. cataonica*?  
*cheirolaphus*, Boiss. l. c. 595 = *C. macrolopha*.  
*chrysocollus*, Nym. Consp. 418 = *C. trinervia*.  
*cichoriifolius*, Jaub. & Spach, Illustr. iii. 14.—As. Min.  
*declinatus*, Boiss. Fl. Orient. iii. 595.—Lycia.  
*decurrens*, Boiss. l. c. 600 = *C. decurrens*.  
*dichrous*, Boiss. l. c. 601 = *C. dichroa*.  
*drabifolius*, Boiss. l. c. 594 = *C. drabifolia*.  
*floccosus*, Boiss. l. c. 595 = *C. macrolopha*.  
*gymnocladus*, Jaub. & Spach, Illustr. iii. 15. t. 211 = *C. gymnocladus*.  
*Haussknechtii*, Boiss. Fl. Orient. iii. 599.—Mesopot.  
*helenioides*, Boiss. l. c. 633 = *C. helenioides*.  
*inuloides*, Nym. Consp. 418 = *C. trinervia*.  
*Kotschyi*, Boiss. Fl. Orient. iii. 595 = *C. macrolopha*.  
*leuzeoides*, Boiss. Diagn. Ser. I. vi. 124 = *C. leuzeoides*.  
*libaniticus*, Boiss. Fl. Orient. iii. 594.—Syria.  
*macracanthus*, Boiss. & Buhse, in Nouv. Mém. Soc. Nat. Mosc. xii. (1860) 129 = *C. leuzeoides*.  
*macrocephalus*, Boiss. Diagn. Ser. I. vi. 124 = *C. macrocephala*.  
*microcephalus*, Jaub. & Spach, Illustr. iii. 16. t. 212 = *C. microcephala*.  
*microlonchoides*, Boiss. Fl. Orient. iii. 602 = *C. microlonchoides*.  
*microlophus*, Boiss. in Tchihat. Asie Min. Bot. ii. 308 = *C. armena*.  
*obtusifolius*, Boiss. & Haussk. in Boiss. Fl. Orient. iii. 599.—Mesopot.  
*ossicus*, C. Koch, in Linnaea, xxiv. (1851) 436 = *C. ossica*.  
*rupestris*, Boiss. & Haussk. ex Boiss. Fl. Orient. iii. 598.—Cataonia.  
*Ruprechtii*, Boiss. l. c. 601.—Reg. Caucas.  
*salignus*, Boiss. l. c. 596.—As. Min.  
*saxatilis*, Boiss. l. c. 602 = *C. saxatilis*.  
*scoparius*, Boiss. l. c. = *C. scoparia*.  
*spectabilis*, Boiss. Diagn. Ser. I. vi. 124.—Armenia.  
*Steveni*, C. Koch, in Linnaea, xxiv. (1851) 437 = *C. Steveni*.  
*Szowitsii*, Boiss. Diagn. Ser. I. vi. 123 = *C. leuzeoides*.  
*trinervius*, Boiss. Fl. Orient. iii. 600 = *C. trinervia*.

**PHAEOPSIS**, Nutt. ex Benth. in DC. Prod. xii. 555 (1848) = **Stenogyne**, Benth. (Labiata).  
*montana*, Nutt. ex Benth. l. c. 556 = *S. Nelsonii*.

**PHAEOPTILUM**, Radlk. in Bremen, Abh. viii. (1883) 435. **NYCTAGINEAE**.  
*spinosum*, Radlk. l. c. 436.—Afr. austr.

**PHAEOSPHERIONA**, Hassk. in Flora, xlix. (1866) 212 = **Athyrocarpus**, Schlecht. (Commel.).  
*efoveolatum*, C. B. Clarke, in DC. Monog. Phan. iii. 136.—Venezuela.

*leiocarpum*, Hassk. in Flora, xlix. (1866) 212 = *A. leiocarpum*.  
*Mathewsii*, C. B. Clarke, in DC. Monog. Phan. iii. 138.—Peruv.  
*persicariaefolium*, C. B. Clarke, l. c. 137 = *A. persicariaefolium*.

**PHAEOSTEMMA**, Fourn. in Mart. Fl. Bras. vi. iv. 311 (1885). **ASCLEPIADEAE**.  
*Glaziovii*, Fourn. l. c. 312.—Bras.  
*Riedelii*, Fourn. l. c. 311.—Bras.

**PHAEOSTOMA**, Spach, Hist. Vég. Phan. iv. 392 (1835) = **Clarkia**, Pursh (Onagr.).  
*Douglasii*, Spach, l. c. 393 = *C. elegans*.  
*elegans*, Lilja, Fl. Sverig. Suppl. 25 = *C. elegans*.

**PHAEETHUSA**, Gaertn. Fruct. ii. 425. t. 169. f. 3 (1791) = **Verbesina**, Linn. (Compos.).  
*americana*, Gaertn. l. c. = *V. occidentalis*.  
*australis*, Spreng. Syst. iii. 591 = *Monactis flaverioides*.  
*borealis*, Spreng. l. c. = *V. occidentalis*.

**PHAEOTUSA**, Schreb. Gen. ii. 571 (1791) = *praec.*

**PHAGNALON**, Cass. in Bull. Soc. Philom. (1819) 174. **COMPOSITAE**, Benth. & Hook. f. ii. 304.

*GNAPHALON*, Lowe, Man. Fl. Mad. i. 438 (1868).  
*abyssinicum*, Sch. Bip. ex Hochst. in Flora, xxiv. (1841) i. Intell. 26, nomen.—Abyss.  
*acuminatum*, Aitch. in Journ. Linn. Soc. xix. (1882) 169 = *niveum*.

*acuminatum*, Boiss. Fl. Orient. iii. 222.—Beluchist.  
*affine*, Boiss. Diagn. Ser. I. vi. 34 = *persicum*.  
*arabicum*, Boiss. l. c. = *Iphiaea arabica*.  
*atlanticum*, Ball, in Journ. Bot. xi. (1873) 364.—Marocce.

*Bennetti*, Lowe, ex DC. Prod. v. 397 = *rupestre*.  
*bicolor*, Ball, in Journ. Bot. xi. (1873) 364.—Marocce.

*Borianianum*, Sch. Bip. in Schweinf. Beitr. Fl. Aethiop. 286, nomen.—Afr. trop.

*Borianum*, Oliver, Fl. Trop. Afr. iii. 338 = *praec.*  
*calycinum*, DC. Prod. v. 397 = *rupestre*.  
*denticulatum*, Decne. ex C. B. Clarke, Comp. Ind. 113 = *niveum*.

*geminiflorum*, Nym. Consp. 385 = *rupestre*.  
*gracum*, Boiss. & Heldr. Diagn. Ser. I. xi. 6.—Graec.; As. Min.

*hypoleucum*, Sch. Bip. ex A. Rich. Tent. Fl. Abyss. i. 396 = *abyssinicum*.

*intermedium*, DC. ex Boiss. & Heldr. Diagn. Ser. I. xi. 7, in obs. = *gracum*.

*Kotschy*, Sch. Bip. ex Boiss. Fl. Orient. iii. 221.—Syria; Assyria.

*Lagasciae*, Cass. in Bull. Soc. Philom. 1819) 174 = *saxatile*.

*lepidotum*, Pomel, Nouv. Mat. Fl. Atl. 34.—Alger.

*Lowe*, DC. ex Lowe, Man. Fl. Mad. i. 443 = *rupestre*.

*lucidum*, Webb, in Hook. Niger Fl. 136.—Ins. Cap. Virid.

*melanoleucum*, Webb, l. c. 135. t. 9.—Ins. Cap. Virid.

*nitidum*, Fresen. in Mus. Senckenb. i. (1833) 81. t. 4. f. 2.—Arab.; Persia; Afghan.

*niveum*, Edgew. in Trans. Linn. Soc. xx. (1846) 68.—Reg. Himal.

*persicum*, Boiss. Diagn. Ser. I. vi. 74.—Persia.

*pumilum*, DC. Prod. v. 397.—Ins. Creta.

*purpurascens*, Sch. Bip. in Webb & Berth. Phyt. Canar. ii. 212. t. 82.—Ins. Canar.

*Quartinianum*, A. Rich. Tent. Fl. Abyss. i. 396.—Abyss.

*rupestre*, DC. Prod. v. 396.—Reg. Mediterr.; Oriens.

*saxatile*, Cass. in Bull. Soc. Philom. 1819) 174.—Reg. Mediterr.

*scariosum*, DC. ex Lowe, Man. Fl. Mad. i. 443.—Ins. Mader.

*Schweinfurthii*, Sch. Bip. ex Schweinf. in Verh. Zool.-Bot. Ges. Wien, xviii. (1868) 685.—Abyss.

*scoparium*, Sch. Bip. ex Schweinf. Beitr. Fl. Aethiop. 153, nomen.—Afr. trop.

*sordidum*, Reichb. Fl. Germ. Excurs. 224 DC. Prod. v. 396 = *tricephalum*.

*spathulatum*, Cass. in Dict. Sc. Nat. xxxix. 401 = *rupestre*.

*subdentatum*, Cass. l. c. 400 = *saxatile*.

*telonense*, Jord. & Fourr. Brev. Pl. Nov. fasc. ii. 61 = *tricephalum*.

*Tenorii*, Presl, Fl. Sic. i. 29 = *rupestre*.

*tricephalum*, Cass. in Dict. Sc. Nat. xxxix. 401.—Reg. Mediterr.

*umbelliforme*, DC. Prod. v. 396.—Ins. Canar.

*viride*, Uecht. in Oestr. Bot. Zeitschr. xxiv. (1874) 134.—Hispan.

*viridifolium*, Decne. ex Boiss. Fl. Orient. iii. 220.—Arabia.

**PHAIANTHES**, Rafin. Fl. Tellur. iv. 30 (1836) = **Moraea**, Mill. (Irid.).

*lurida*, Rafin. l. c. 31 = *M. lurida*.

**PHAIOPHLEPS**, Rafin. Fl. Tellur. iv. 29 (1836) = **Solenomelus**, Miers (Irid.).

*odoratissima*, Rafin. l. c. = *S. biflorus*.

**PHAIOSPERMA**, Rafin. New Fl. Am. iv. 32 (1836) = **Polytaenia**, DC. (Umbell.).

*pulverulenta*, Rafin. l. c. = *Polyt. Nuttallii*.

*trifida*, Rafin. l. c.—*Polyt. Nuttallii*.



**PHAIUS**, Lour. Fl. Cochinch. 529 (1790). *ORCHIDEAE*, Benth. & Hook. f. iii. 512.  
*CYANORCHIS*, Thou. ex Steud. Nom. ed. II. i. 457 (1840).  
*HECABE*, Rafn. Fl. Tellur. iv. 44 (1836).  
*LIMATODIS*, Blume, Bijdr. 375 (1825).  
*PACHYNE*, Salisb. in Trans. Hort. Soc. i. (1812) 299.  
*PESOMERIA*, Lindl. Bot. Reg. (1838) Misc. 5.  
*TANKERVILLIA*, Link, Handb. i. 251 (1829).  
*THUNIA*, Reichb. f. in Bot. Zeit. x. (1852) 764.  
*albus*, Lindl. in Wall. Cat. n. 3749.—Reg. Himal.  
*amboinensis*, Blume, Mus. Bot. Lugd. Bat. ii. 180.—Ins. Amboin.  
*Augustinianus*, Klotzsch, in Otto & Dietr. Allg. Gartenz. xxiv. (1856) 9 = *cupreus*.  
*australis*, F. Muell. Fragm. i. 42 = *grandifolius*.  
*Bensoniae*, Benth. in Journ. Linn. Soc. xviii. (1881) 305; Hemsl. in Gard. Chron. (1882) II. 565 = *albus*.  
*Bernaysii*, F. Muell. ex Bernays, in Gard. Chron. (1873) 361, 1244.—Austral.  
*bicolor*, Lindl. Gen. et Sp. Orch. 128 = *Wallichii*.  
*Blumei*, Lindl. l. c. 127 = *Wallichii*.  
*bracteosus*, Reichb. f. in Bonplandia, v. (1857) 42.—Java.  
*callosus*, Lindl. Gen. et Sp. Orch. 128.—Malaya.  
*Carroni*, F. Muell. Pl. Burdek. Exped. 19 = *Wallichii*.  
*crispus*, Blume, Mus. Bot. Lugd. Bat. ii. 180.—Java.  
*cupreus*, Reichb. f. in Bonplandia, iii. (1855) 226.—Java.  
*Dodgsonii*, Dean, in Flor. Mag. N. S. (1878) t. 329.—Ind. or.  
*fimbriatus*, Hort.—Cf. Gard. Chron. (1876) I. 735.—Hab.?  
*flavus*, Lindl. Gen. et Sp. Orch. 128.—Java.  
*flexuosus*, Blume, Mus. Bot. Lugd. Bat. ii. 179.—Java.  
*formosus*, Hort. ex Hemsl. in Gard. Chron. (1882) II. 565 (Quid?).—Hab.?  
*giganteus*, Hort. ex Hemsl. l. c. = *grandifolius*.  
*Graeffei*, Reichb. f. in Seem. Fl. Vit. 299.—Ins. Samoa.  
*grandiflorus*, Reichb. f. in Walp. Ann. vi. 459 = seq.  
*grandifolius*, Lindl. in Wall. Cat. n. 3747 = *Wallichii*.  
*grandifolius*, Lour. Fl. Cochinch. 529.—China; Austral.  
*gratus*, Blume, Mus. Bot. Lugd. Bat. ii. 181.—Ins. Amboin.  
*Hookerianus*, Reichb. f. in Bonplandia, iv. (1856) 328.—Am. austr.?  
*Humboldtii*, Reichb. f. in Gard. Chron. (1880) II. 812.—Madag.  
*indigoferus*, Hassk. in Hov. & De Vriese, Tijdschr. ix. (1842) 140; Reichb. f. Xenia Orch. i. 202.—Java.  
*inquilinus* ×, Reichb. f. in Gard. Chron. (1867) 544.  
*irroratus* ×, Reichb. f. l. c. 264.  
*Kuhlii*, Reichb. f. Xenia Orch. ii. 81. t. 122.—Java.  
*leucophaeus*, F. Muell. Fragm. iv. 163 = *grandifolius*.  
*luridus*, Hort.—Cf. Gard. Chron. (1882) II. 566 (Quid?).—Hab.?  
*luridus*, Thw. Enum. Pl. Zeyl. 300.—Zeylan.  
*maculatus*, Lindl. in Wall. Cat. n. 3748; et in Bot. Mag. t. 3960.—Reg. Himal.; China.  
*Mannii*, Reichb. f. Ota Bot. Hamb. 118 = *Wallichii*.  
*Marshalliae*, Hort.—Cf. Gard. Chron. (1871) 807; Veitch, Cat. (1880) 68; ex Hemsl. in Gard. Chron. (1882) II. 566 = *albus*.  
*minor*, Blume, Mus. Bot. Lugd. Bat. ii. 181.—Japon.  
*mishmensis*, Reichb. f. in Bonplandia, v. (1857) 43.—Reg. Himal.  
*niveus*, Hort. ex Hemsl. in Gard. Chron. (1882) II. 566 = *albus*.  
*pauciflorus*, Blume, Mus. Bot. Lugd. Bat. ii. 181.—Java.  
*platyphilus*, Reichb. f. in Bonplandia, v. (1857) 42.—Java.  
*pulchellus*, Kraentz. in Bremen, Abh. vii. (1882) 254.—Madag.  
*Robertii*, F. Muell. in Wing's South. Sc. Record, iii. (18 ) 263.—N. Caled.  
*rosellus*, Lem. in Fl. des Serres, iii. (1847) t. 301.—Guian.  
*Rumphii*, Blume, Mus. Bot. Lugd. Bat. ii. 179 = *callosus*.  
*stuppeus*, Blume, Orch. Archip. Ind. 14.—Ins. Borbon.  
*Tankervillii*, Blume, Mus. Bot. Lugd. Bat. ii. 177 = *Wallichii*.

**PHAIUS** :—

*tenuis*, Reichb. f. in Bonplandia, v. (1857) 42.—Java.  
*tetragonus*, Reichb. f. l. c. iii. (1855) 221.—Ins. Mascar.  
*tuberculatus*, Blume, Orch. Archip. Ind. t. 11 = seq.  
*tuberculosus*, Blume, Mus. Bot. Lugd. Bat. ii. 181.—Madag.  
*veratrifolius*, Lindl. in Wall. Cat. n. 3746.—Reg. Himal.  
*vestitus*, Reichb. f. in Gard. Chron. (1867) 264, in obs. = *Calanthe vestita*.  
*villosus*, Blume, Mus. Bot. Lugd. Bat. ii. 182.—Ins. Maurit.  
*Wallichii*, Lindl. in Wall. Pl. As. Rar. ii. 46. t. 158.—Ind. or.; Burma; Malaya.  
*Zollingeri*, Reichb. f. in Bonplandia, v. (1857) 42.—Java.

**PHAJUS**, Hassk. Cat. Hort. Bog. Alt. 42 (1844) = *prae*.

**PHAKELLANTHUS**, Steud. Syn. Pl. Cyp. 153 (1855) = **PHACELLANTHUS**, Sieb. & Zucc. = *Gahnia*, Forst. (Cyperac.).

**PHALACRAEA**, DC. Prod. v. 105 (1836) = **Piqueria**, Cav. (Compos.).  
*coelestina*, Regel, Gartenfl. (1854) 388. t. 107 = *Ageratum conyzoides*.  
*latifolia*, DC. in Deless. Ic. Sel. iv. t. 8 = *Ageratum conyzoides*.  
*Lindenii*, Sch. Bip. ex Benth. & Hook. f. Gen. ii. 240 = *Alomia ageratoides*.  
*Wendlandii*, Sch. Bip. ex Klatt, in Leopoldina, xx. (1884) 74 = *Piq. latifolia*.

**PHALACROCARPUM**, Willk. in Bot. Zeit. xxii. (1864) 252 = **Chrysanthemum**, Tourn. (Compos.).  
*oppositifolium*, Willk. l. c. = *C. oppositifolium*.

**PHALACRODERIS**, DC. Prod. vii. 97 (1838). *COMPOSITAE*, Benth. & Hook. f. ii. 511.  
*coa*, DC. l. c.—Ins. Cos.

**PHALACRODISCUS**, Less. Syn. Comp. 253 (1832) = **Chrysanthemum**, Tourn. (Compos.).  
*arvensis*, Fisch. Mey. & Trautv. Ind. Sem. Hort. Petrop. iii. 44 = *C. tingitanum*?  
*cebennensis*, Sch. Bip. in Webb & Berth. Phyt. Canar. ii. 245 = *C. monspeliense*.  
*ceratophylloides*, Less. Syn. Comp. 254 = *C. monspeliense*.  
*corsicus*, Less. l. c. = *C. coronopifolium*.  
*Froelichii*, Sch. Bip. in Webb & Berth. Phyt. Canar. ii. 245 (Quid?).—Europ.?  
*graminifolius*, Less. Syn. Comp. 253 = *C. graminifolium*.  
*lanceolatus*, Less. l. c. = *C. lanceolatum*.  
*latifolius*, Sch. Bip. in Webb & Berth. Phyt. Canar. ii. 245 = *C. lacustre*.  
*maximus*, Less. Syn. Comp. 253 = *C. maximum*.  
*monspeliensis*, Sch. Bip. Ueb. Tanacet. 44 = *C. monspeliense*.  
*montanus*, Less. Syn. Comp. 254 = *C. montanum*.  
*pallens*, Sch. Bip. in Webb & Berth. Phyt. Canar. ii. 245, nomen = *C. pallens*.  
*pyrethroides*, Decne. in Ann. Sc. Nat. Sér. II. iv. (1835) 354 = *Anthemis chia*.

**PHALACROGLOSSUM**, Sch. Bip. in Webb & Berth. Phyt. Canar. ii. 276 (1835–60) = **Chrysanthemum**, Tourn. (Compos.).

**PHALACROLOMA**, Cass. in Dict. Sc. Nat. xxxix. 404 (1826) = **Erigeron**, Linn. (Compos.).  
*acutifolium*, Cass. l. c. 405 = *E. annuus*.  
*annuum*, Dum. Fl. Belg. 67 = *E. annuus*.  
*Beyrichii*, Fisch. & Mey. Ind. Sem. Hort. Petrop. vi. 63 = *E. strigosus*.  
*obtusifolium*, Cass. in Dict. Sc. Nat. xxxix. 404 = *E. strigosus*.

**PHALACROMESUS**, Cass. in Dict. Sc. Nat. liii. 235 (1828) = **Tessaria**, Ruiz & Pav. (Compos.).  
*riparia*, Cass. l. c. = *T. integrifolia*.

**PHALACROS**, Wenzig, in Linnaea, xxxviii. (1874) 164 = **Crataegus**, Tourn. (Rosac.).  
*cordatus*, Wenzig, l. c. = *C. cordata*.

**PHALACROSERIS**, A. Gray, in Proc. Am. Acad. vii. (1868) 364. *COMPOSITAE*, Benth. & Hook. f. ii. 507.  
*Bolanderi*, A. Gray, l. c.—Calif.

**PHALAENOPSIS**, Blume, Bijdr. 294 (1825). *ORCHIDEAE*, Benth. & Hook. f. iii. 573.

*POLYCHILLOS*, Breda, Kuhl & Hass. Orch., sine num. (1827).  
*POLYSTYLUS*, Hasselt, ex Hassk. Retzia, 3 (1855).  
*STAUROGLLOTIS*, Schau. in Nov. Act. Nat. Cur. xix. Suppl. i. (1843) (Pl. Meyen.) 432.  
*SYNADENA*, Rafn. Fl. Tellur. iv. 9 (1836).  
*amabilis*, Blume, Bijdr. 294. t. 44.—Malaya.  
*amabilis*, Lindl. Bot. Reg. (1838) t. 34 = *P. Aphrodite*.  
*ambigua*, Reichb. f. in Hamb. Gartenz. xviii. (1862) 35 = *P. Aphrodite*.  
*amethystina*, Reichb. f. in Gard. Chron. (1865) 602.—Malaya.  
*antennifera*, Reichb. f. l. c. (1879) I. 398 = *P. Esmeralda*.  
*Aphrodite*, Reichb. f. in Hamb. Gartenz. xviii. (1862) 35.—Ins. Philipp.  
*bella*, Teijsm. & Binn. in Tijdschr. Nederl. Ind. xxiv. (1862) 321 = *P. Hebe*.  
*Boxallii*, Reichb. f. in Gard. Chron. (1883) I. 274.—Ins. Philipp.  
*Brymeriana*, Reichb. f. l. c. (1876) I. 366 = *intermedia*.  
*casta* ×, Reichb. f. l. c. (1875) I. 590.—Ins. Philipp.  
*Corningiana*, Reichb. f. l. c. (1879) I. 620.—Hab.?  
*Cornu-cervi*, Blume & Reichb. f. in Hamb. Gartenz. xvi. (1860) 116.—As. trop.  
*Cumingiana*, Reichb. f. in Gard. Chron. (1881) I. 562, sphalm. = *Corningiana*.  
*delicata* ×, Reichb. f. l. c. (1882) I. 700.  
*deliciosa*, Reichb. f. in Bonplandia, ii. (1854) 93.—Java.  
*De-Vriesiana*, Reichb. f. in Hamb. Gartenz. xvi. (1860) 116.—Java.  
*equestris*, Reichb. f. in Linnaea, xxii. (1849) 864 = *rosea*.  
*Esmeralda*, Reichb. f. in Gard. Chron. (1874) II. 582.—Cochinch.  
*fasciata*, Reichb. f. l. c. (1882) II. 134.—Ins. Philipp.  
*fusca*, Reichb. f. l. c. (1874) II. 6.—Malaya.  
*grandiflora*, Lindl. l. c. (1848) 39 = *amabilis*.  
*Hebe*, Reichb. f. in Hamb. Gartenz. xviii. (1862) 35.—Java.  
*intermedia* ×, Lindl. in Lindl. & Paxt. Flow. Gard. iii. (1852–53) 162, 163. f. 310.—Ins. Philipp.  
*leucorrhoda* ×, Reichb. f. in Gard. Chron. (1875) I. 301, 366.—Ins. Philipp.  
*Lowii*, Reichb. f. in Bot. Zeit. xx. (1862) 214.—Burma.  
*Lueddemanniana*, Reichb. f. l. c. xxiii. (1865) 146.—Ins. Philipp.  
*Lueddemannii*, Naves, in Blanco, Fl. Philipp. ed. III. Nov. App. 243 = *prae*.  
*maculata*, Reichb. f. in Gard. Chron. (1881) II. 134.—Borneo.  
*Mannii*, Reichb. f. l. c. (1871) 902.—Assam.  
*Mariae*, Burbidge, in Warn. Orch. Album, ii. t. 80.—Ins. Philipp.  
*pallens*, Reichb. f. in Walp. Ann. vi. 932.—Ins. Philipp.  
*pantherina*, Reichb. f. in Bot. Zeit. xxii. (1864) 298.—Borneo.  
*Parishii*, Reichb. f. l. c. xxiii. (1865) 146.—Burma.  
*Porteri*, Hort.—Cf. Gard. Chron. (1876) I. 369 = *intermedia*.  
*Reichenbachiana*, Reichb. f. & Sander, in Gard. Chron. (1882) II. 586.—Ins. Philipp.  
*rosea*, Lindl. in Gard. Chron. (1848) 671.—Ins. Philipp.  
*Ruckeri*, Hort.—Cf. l. c. (1881) I. 562 = *Sarcochilus unguiculatus*.  
*Sanderiana*, Reichb. f. l. c. (1883) I. 656.—Ins. Philipp.  
*Schilleriana*, Reichb. f. in Hamb. Gartenz. xvi. (1860) 115.—Ins. Philipp.  
*speciosa*, Reichb. f. in Gard. Chron. (1881) I. 562.—Ins. Andaman.  
*Stobartiana*, Reichb. f. l. c. (1877) II. 392.—Hab.?  
*Stuartiana*, Reichb. f. l. c. (1881) I. 748.—Ins. Philipp.  
*sumatrana*, Korth. & Reichb. f. in Hamb. Gartenz. xvi. (1860) 115.—Sumatra.



**PHALAEENOPSIS:—**

- tetraspis, *Reichb. f. Xenia Orch.* ii. 146.—Ins. Andaman.  
 Valentini, *Reichb. f. in Gard. Chron.* (1883) II. 262.—Malaya.  
 Veitchiana, *Reichb. f. l. c.* (1872) 935.—Ins. Philipp.  
 violacea, *Teijsm. & Binn. in Tijdschr. Nederl. Ind.* xxiv. (1862) 320.—Sumatra.  
 Wightii, *Reichb. f. in Bot. Zeit.* xx. (1862) 214 = *Doritis Wightii*.  
 zebrina, *Teijsm. & Binn. in Tijdschr. Nederl. Ind.* xxiv. (1862) 319 = *sumatrana*.

PHALANGION, St. Lag. in *Ann. Soc. Bot. Lyon*, vii. (1880) 131 = PHALANGIUM, Tourn.

PHALANGIUM, Burm. f. *Prod. Cap.* 3 (1768) = **Melaspheerula**, Ker-Gawl. (Irideae).  
*obsoletum*, Burm. f. l. c. (Quid?).—Afr. austr.  
*ramosum*, Burm. f. l. c. = *M. graminea*.  
*spicatum*, Burm. f. l. c. (Quid?).—Afr. austr.

PHALANGIUM, [Tourn.] Adans. *Fam.* ii. 49 (1763); Juss. *Gen.* 52 (1789) = **Anthericum**, Linn. (Liliac.).  
*abyssinicum*, Kunth, *Enum. Pl.* iv. 598 = *Chlorophytum tetraphyllum*.  
*acuminatum*, Dulac, *Fl. Hautes-Pyr.* 114 = *A. Liliago*.  
*Adenantha*, Poir. *Encyc.* v. 252 = *Dianella nemorosa*.  
*alatum*, Buch.-Ham. ex Wall. *Cat. n.* 5056 = *Chlorophytum arundinaceum*.  
*albucoides*, Poir. *Encyc.* v. 249 = *Ornithogalum suaveolens*.  
*algeriense*, Boiss. & Reut. *Pugill. Pl. Nov.* 115 = *A. Liliago*.  
*angustifolium*, Schweinf. *Beitr. Fl. Aethiop.* 294 = *A. angustifolium*.  
*attenuatum*, Wight, *l. c.* t. 2037 = *Chlorophytum attenuatum*.  
*baeticum*, Boiss. *Elench.* 84 = *A. Liliago*.  
*bicolor*, [DC. in] *Red. Lil.* t. 215 = *Simethis bicolor*.  
*bipedunculatum*, Jacq. ex Poir. *Encyc.* v. 244 = *A. triflorum*.  
*caeruleum*, Pers. *Syn.* i. 368 = *Pasithea coerulea*.  
*canaliculatum*, Poir. *Encyc.* v. 249 = *A. canaliculatum*.  
*capillare*, Poir. l. c. 247 = *Bulbinella triquetra*.  
*ciliatum*, H. B. & K. *Nov. Gen. et Sp.* i. 276. t. 676 = *A. Humboldtii*.  
*coarctatum*, Pers. *Syn.* i. 368 = *Excremis ramosa*.  
*coeruleum*, Poir. *Encyc. Suppl.* iv. 381 = *Pasithea coerulea*.  
*comosum*, Poir. *Encyc.* v. 252 = *Chlorophytum Sternbergianum*.  
*contortum*, Pers. *Syn.* i. 368 = *A. contortum*.  
*croceum*, Michx. *Fl. Bor. Am.* i. 196 = *Schoenolirion croceum*.  
*croceum*, Nutt. *Gen. Am.* i. 220 = *A. Nuttallianum*.  
*eccremorhizum*, Poir. *Encyc. Suppl.* iv. 380 = *A. eccremorhizum*.  
*elatum*, Poir. *Encyc.* v. 248; [DC. in] *Red. Lil.* t. 191 = *Chlorophytum elatum*.  
*elongatum*, Pers. *Syn.* i. 367 = *A. Jacquinianum*.  
*esculentum*, Nutt. *Gen. Am.* i. 219, partim = *Camassia esculenta*.  
*exuviatum*, Poir. *Encyc.* v. 243 = *Urginea exuviatum*.  
*falcatum*, Wall. *Cat. n.* 5057 = *Chlorophytum laxum*.  
*fasciculatum*, Baker, in *Journ. Linn. Soc.* xv. (1876) 331 = *Chlorophytum elatum*.  
*fastigiatum*, Poir. *Encyc.* v. 246 = *Chlorophytum elatum*.  
*filifolium*, Poir. l. c. 542 = *Urginea nematodes*.  
*filiforme*, Poir. l. c. 247 = *Bulbinella triquetra*.  
*flavescens*, Kunth, *Enum. Pl.* iv. 596 = *A. flavescens*.  
*flexifolium*, Poir. *Encyc.* v. 243 = *A. Jacquinianum*.  
*floribundum*, Pers. *Syn.* i. 368 = *Bulbinella latifolia*.  
*fragrans*, Poir. *Encyc.* v. 247 = *A. glaucum*.  
*glaucum*, Poir. l. c. *Suppl.* 147 = *A. glaucum*.  
*graecum*, Poir. *Encyc.* v. 250 = *Lloydia alpina*.  
*graminifolium*, Pers. *Syn.* i. 368 = *A. undulatum*.  
*hirsutum*, Pers. l. c. = *A. hirsutum*.  
*holosericeum*, Poir. ex Willk. & Lange, *Prod. Fl. Hisp.* i. 203 = *Simethis bicolor*.  
*humile*, Schweinf. *Beitr. Fl. Aethiop.* 294 = *A. humile*.  
*indicum*, Kunth, *Enum. Pl.* iv. 598 = *Chlorophytum attenuatum*.  
*japonicum*, Poir. *Encyc.* v. 248 = *Anthericum japonicum*.  
*latifolium*, H. B. & K. *Nov. Gen.* i. 276 = *A. glaucum*.

**PHALANGIUM:—**

*laxum*, F. Muell. *Fragm.* vii. 71 = *Chlorophytum laxum*.  
*lilaceum*, St. Lag. in *Ann. Soc. Bot. Lyon*, vii. (1880) 131 = *A. Liliago*.  
*liliaginoides*, Schlecht. in *Linnaea*, xxiv. (1851) 187 = *A. Liliago*?  
*Liliago*, Schreb. *Spicil.* 36 = *A. Liliago*.  
*Liliastrium*, Brot. *Fl. Lusit.* i. 534 = *Paradisja Liliastrium*.  
*lineare*, Hort.—Cf. *Rev. Hort.* (1879) 320.—Hab.?  
*longifolium*, R. Grah. in *Edinb. N. Phil. Journ.* (Oct. Dec. 1830) 171.—Peruv.  
*longifolium*, Poir. *Encyc.* v. 243 = *A. longifolium*.  
*luteum*, Nutt. *Gen. Am.* i. 220 = *Schoenolirion croceum*?  
*marginatum*, Poir. *Encyc.* v. 250 = *Urginea physodes*.  
*milleflorum*, Steud. *Nom. ed.* II. i. 141; ii. 314 = *Arthropodium paniculatum*.  
*nepalense*, Lindl. in *Trans. Hort. Soc.* vi. (1826) 277 = *Chlorophytum nepalense*.  
*niveum*, Poir. *Encyc.* v. 248 = *Chlorophytum tuberosum*.  
*oligospermum*, Wight, *l. c.* t. 2038 = *Chlorophytum Orchidastrium*.  
*ornithogaloideis*, Schweinf. *Beitr. Fl. Aethiop.* 294 = *Chlorophytum tuberosum*.  
*ossifragum*, Muhl. ex Steud. *Nom. ed.* II. ii. 184, 314 = *Narthecium ossifragum*.  
*paniculatum*, [Delar. in] *Red. Lil.* t. 360; Poir. *Encyc. Suppl.* iv. 383 = *Arthropodium paniculatum*.  
*parviflorum*, Wight, *l. c.* t. 2039 = *Chlorophytum laxum*.  
*pauciflorum*, Poir. *Encyc.* v. 251 = *Urginea pusilla*.  
*pedunculatum*, Baker, in *Journ. Linn. Soc.* xv. (1876) 315 (*bipedunculatum*) = *A. triflorum*.  
*pendulum*, [Delar. in] *Red. Lil.* t. 360; Poir. *Encyc. Suppl.* iv. 380 = *Arthropodium paniculatum*.  
*pilosum*, Poir. *Encyc.* v. 244 = *Ornithogalum hispidum*.  
*planifolium*, Pers. *Syn.* i. 367 = *Simethis bicolor*.  
*pomeridianum*, Sweet, *Hort. Brit. ed.* I. 416 = *Chlorogalum pomeridianum*.  
*Quamash*, Pursh, *Fl. Am. Sept.* i. 226 = *Camassia esculenta*.  
*ramosissimum*, Presl, *Rel. Haenk.* ii. 127 = *Echeandia terniflora*.  
*ramosum*, Houtt. *Handleid.* xii. 114; Poir. *Encyc.* v. 250 = *A. ramosum*.  
*reflexum*, Poir. *Encyc.* v. 249 = *Echeandia terniflora*.  
*Renarii*, Booth, ex Schlecht. in *Linnaea*, xxiv. (1851) 187 = *A. Liliago*?  
*revolutum*, Pers. *Syn.* i. 367 = *Scilla revoluta*.  
*revolutum*, Poir. *Encyc.* v. 248; Pers. l. c. 368 = *A. revolutum*.  
*scabrellum*, Benth. *Pl. Hartw.* 293 = *A. scabrellum*.  
*scilloides*, Poir. *Encyc.* v. 251 = *A. scilloides*.  
*serotinum*, Poir. l. c. 241 = *Lloydia alpina*.  
*spicatum*, Houtt. *Handleid.* xii. 115. t. 80. f. 2 = *Micranthus alopecuroides*.  
*spicatum*, Poir. *Encyc.* v. 247 = *Scilla revoluta*.  
*spirale*, Poir. l. c. 249 = *Eriospermum spirale*.  
*squameum*, Poir. l. c. 246 = *A. hispidum*.  
*sulphureum*, Poir. *Encyc. Suppl.* iv. 381 = *Ornithogalum pyrenaicum*.  
*triflorum*, Pers. *Syn.* i. 368 = *A. triflorum*.  
*tuberosum*, Dalz. & Gibs. *Bomb. Fl.* 251 = *Chlorophytum malabaricum*.  
*tuberosum*, Kunth, *Enum. Pl.* iv. 598 = *Chlorophytum tuberosum*.  
*undulatum*, Poir. *Encyc.* v. 242 = *A. undulatum*.  
*variegatum*, Hort. ex Baker, in *Gard. Chron.* (1882) II. 108 = *Chlorophytum elatum*.  
*vespertinum*, Poir. l. c. 249 = *A. falcatum*.  
*villosum*, Poir. *Encyc. Suppl.* iv. 381 = *Gagea pygmaea*.  
*virgatum*, Poir. *Encyc.* v. 246 = *Nolina georgiana*.  
*viviparum*, Reinw. ex Kunth, *Enum. Pl.* iv. 607 = *Chlorophytum Sternbergianum*.

PHALARIDIUM, Nees, in *Nov. Act. Nat. Cur.* xix. *Suppl.* i. (1843) (Pl. Meyen.) 161 = **Dissanthelium**, Trin. (Gramin.).  
*peruvianum*, Nees & Meyen, l. c. = *D. supinum*.

PHALARIS, Linn. *Syst. ed.* I (1735); *Gen. ed.* I. 14 (1737). **GRAMINEAE**, Benth. & Hook. f. iii. 1138.  
 BALDINGERA, Gaertn. *Mey. & Schreb. Fl. Wett.* i. 43 (1799).

**PHALARIS:—**

DIGRAPHIS, Trin. *Fund. Agrost.* 127 (1820).  
 ENDALLEX, Rafin. in *Ser. Bull. Bot.* i. (1830) 220.  
 TYPHOIDES, Moench, *Meth.* 201 (1794).  
*alpina*, Haenke, in *Jacq. Coll.* ii. 91; Turra, *Fl. Ital. Prod.* 62 = *Phleum Michellii*.  
*ambigua*, Fig. & De Not. in *Mem. Acc. Torin. Ser.* II. xii. (1852) 326 = *minor*.  
*americana*, Ell. *Sketch.* i. 101 = *intermedia*.  
*americana*, Fourn. ex Hemsl. *Biol. Centr. Am. Bot.* iii. 531 = *arundinacea*.  
*amethystina*, Trin. in *Mém. Acad. Pétersb. Sér.* VI. iii. (1835) 56.—Calif.  
*Ammophila*, Link, *Enum. Hort. Berol.* i. 66 = *Ammophila arundinacea*.  
*angusta*, Hort. *Gryph. ex Schlecht. in Linnaea*, xxiv. (1851) 187.—Hab.?  
*angusta*, Nees, *Agrost. Bras.* ii. 391 = *intermedia*.  
*appendiculata*, Schult. *Mant.* ii. 216 = *paradoxa*.  
*aquatica*, Ait. *Hort. Kew. ed.* I. i. 56 = *minor*.  
*aquatica*, Delile, ex Boiss. *Fl. Orient.* v. 471 = *canariensis*.  
*aquatica*, Desf. *Fl. Atlant.* i. 56 = *tuberosa*.  
*aquatica*, Guss. *Fl. Sic. Prod.* i. 67 = *truncata*.  
*aquatica*, Linn. *Cent. Pl. Rar.* i. 4; *Amoen. Acad.* iv. 264.—Europ.  
*aquatica*, Sebast. & Mauri, *Fl. Rom. Prod.* i. 31 = *coerulescens*.  
*arenaria*, Huds. *Fl. Angl. ed.* I. 21 = *Phleum arenarium*.  
*ariculata*, Dicks. ex Roem. & Usteri, *Mag. Bot.* iv. 10<sup>tes</sup> St. (1790) 190, sphalm. = *utriculata*?  
*aristata*, Gouan, ex Beauv. *Agrost.* 172 = *Polypogon monspeliensis*.  
*aristata*, Schousb. ex Willd. in *Ges. Naturf. Fr. Neue Schr.* iii. (1801) 413 = *Alopecurus pratensis*.  
*arundinacea*, Linn. *Sp. Pl.* 55.—Reg. bor. temp.  
*arundinacea*, Michx. *Fl. Bor. Am.* i. 43 = *intermedia*.  
*aspera*, Retz. *Obs.* iv. 14 = *Phleum asperum*.  
*avicularis*, Salisb. *Prod.* 17 = *canariensis*.  
*Barrelieri*, Tenore, *Prod. Fl. Nap.* p. viii = *Koeleria villosa*.  
*Bellardi*, Willd. in *Ges. Naturf. Fr. Neue Schr.* iii. (1801) 415 = *Phleum tenue*.  
*Berteroniana*, Steud. *Syn. Pl. Gram.* 11.—Chili.  
*brachystachys*, Link, in *Schrad. Neues Journ.* i. III. (1806) 134.—Reg. Mediterr.; Oriens.  
*brevis*, Trin. in *Mém. Acad. Pétersb. Sér.* VI. v. II. (1839) 50 = *amethystina*.  
*bulbosa*, Cav. *l. c.* 46. t. 64 = *coerulescens*.  
*bulbosa*, Desf. *Fl. Atlant.* i. 35 = *minor*.  
*bulbosa*, Linn. *Cent. Pl. Rar.* i. 4; *Amoen. Acad.* iv. 264 = *Phleum tenue*.  
*bulbosa*, Tenore, *Fl. Nap.* iii. 60 = *tuberosa*.  
*caesia*, Nees, *Fl. Afr. Austr.* 6.—Afr. austr.  
*caespitosa*, Thou. *Fl. Trist. d'Acugn.* 37 (*caespitosa*).—Ins. Trist. Acunha.  
*californica*, Hook. & Arn. *Bot. Beech. Voy.* 161 = *intermedia*.  
*canariensis*, Brot. *Fl. Lusit.* i. 9 = *brachystachys*.  
*canariensis*, Linn. *Sp. Pl.* 54.—Europ.; Afr. bor.  
*capensis*, Thunb. *Prod. Pl. Cap.* 19 = *minor*.  
*caroliniana*, Walt. *Fl. Carol.* 74 = *intermedia*.  
*chilensis*, J. & C. Presl, *Rel. Haenk.* i. 245 = *intermedia*.  
*ciliaris*, [Spreng.] *Bot. Gart. Halle*, 69 = *seq.*?  
*ciliata*, Lag. *Gen. et Sp.* Nov. 3 = *Phleum Michellii*.  
*ciliata*, Pourr. in *Mém. Acad. Toul.* iii. (1785) 323 = *Anthoxanthum odoratum*, *Koeleria villosa*.  
*coerulescens*, Desf. *Fl. Atlant.* i. 56.—Reg. Mediterr.  
*colchaguensis*, Phil. in *Linnaea*, xxxiii. (1864-65) 276.—Chili.  
*colorata*, Beauv. *Agrost.* 172 = *arundinacea*.  
*commutata*, Roem. & Schult. *Syst.* ii. 403 = *coerulescens*.  
*cristata*, Forsk. *Fl. Aegypt. Arab.* 17 = *Polypogon monspeliensis*.  
*cryptoides*, Urv. in *Mém. Soc. Linn. Par.* i. (1822) 20 = *Maillea cryptoides*.  
*cuspidata*, Hort. ex Steud. *Nom. ed.* I. 609 = *Phleum Michellii*.  
*cylindrica*, DC. *Fl. Fr.* iii. 11 = *Phleum tenue*.  
*decumbens*, Moench, *Meth.* 208 = *minor*.  
*dentata*, Linn. *f. Suppl.* 116.—Afr. austr.  
*dentata*, Sieber, ex Kunth, *Enum. Pl.* i. 33 = *paradoxa*.  
*disticha*, Forsk. *Fl. Aegypt. Arab.* 17 = *Sporobolus pungens*.



**PHALARIS:**—

*eruciformis*, Linn. Sp. Pl. 55 = Beckmannia eruciformis.  
*explicata*, Link, in Schrad. Journ. ii. (1799) 312 = Heleochloa alopecuroides.  
*geniculata*, Sibth. & Sm. Fl. Graec. Prod. i. 38 = Heleochloa alopecuroides.  
*glomerata*, Gueldenst. Reisen, ii. 214 = Dactylis glomerata.  
*gracilis*, Parl. Pl. Nov. 36 = minor.  
*hispida*, Thunb. Fl. Jap. 44 = Arthraxon ciliaris.  
*humilis*, Desv. Opusc. 63. — Oriens.  
*intermedia*, Bosc, ex Poir. Encyc. Suppl. i. 300. — Am. bor.  
*japonica*, Steud. Syn. Pl. Gram. 11. — Japon.  
*laxa*, Spreng. ex Steud. Nom. ed. II. ii. 315 = intermedia?  
*ludoviciana*, Torr. ex Trin. in Mém. Acad. Pétersb. Sér. VI. v. II. (1839) 56 = americana.  
*macrostachya*, D. Dietr. Syn. Pl. i. 237, sphalm. = *microstachya*.  
*maritima*, Nutt. Gen. Am. i. 48 = Ammophila arundinacea.  
*Michellii*, Savi, in Nuov. Giorn. Pisa, iv. (1806) 230 = Phleum Michellii.  
*microstachya*, DC. Cat. Hort. Monsp. 131 = intermedia.  
*minor*, Retz. Obs. iii. 8. — Graecia; Oriens; Afr. austr.  
*mollis*, Thou. Fl. Tristan d'Acugn. 37 = Polypogon intermedius.  
*mucronata*, Desf. Tabl. ed. II. 12 = Phleum Michellii.  
*muricata*, Forsk. Fl. Aegypt. Arab. 202 = Tragus racemosus.  
*nepalensis*, Trin. Sp. Gram. i. t. 80 = minor.  
*nitida*, Presl, Cyp. et Gram. Sic. 26 = brachystachys.  
*nodosa*, Murr. Syst. ed. XIII. 88 = tuberosa.  
*obovallata*, Trin. in Mém. Acad. Pétersb. Sér. VI. v. II. (1839) 51 = paradoxa.  
*occidentalis*, Nutt. ex Trin. l. c. 56 = intermedia.  
*oryzoides*, Linn. Mant. ii. 183 = Andropogon squarrosus.  
*oryzoides*, Linn. Sp. Pl. 55 = Leersia oryzoides.  
*oryzoides*, Thunb. Fl. Jap. 44 = Beckmannia eruciformis.  
*ovata*, Moench, Meth. 208 = canariensis.  
*paniculata*, Ait. Hort. Kew. ed. I. i. 87 = Phleum asperum.  
*paradoxa*, Linn. Sp. Pl. ed. II. 1665. — Reg. Mediterr.; Oriens.  
*pectinata*, Roth, Nov. Pl. Sp. 34. — Ind. or.  
*phleoides*, Linn. Sp. Pl. 55 = Phleum Boehmeri.  
*phleoides*, Savi, Fl. Pis. i. 58 = Phleum Michellii.  
*phleoides*, Steud. Nom. ed. II. ii. 315 = Phleum arenarium.  
*picta*, Hort. ex Steud. l. c. ed. I. 609 = arundinacea.  
*praemorsa*, Lam. Fl. Fr. iii. 566 = paradoxa.  
*Pseudo-paradoxa*, Fig. & De Not. in Mem. Acc. Torin. Ser. II. xii. (1852) 327 = paradoxa.  
*pubescens*, Lam. Encyc. i. 92 = Koeleria villosa.  
*quadrivalvis*, Lag. Gen. et Sp. Nov. 3 = brachystachys.  
*Robinsoniana*, Nees, ex Steud. Syn. Pl. Gram. 11 = intermedia.  
*rubens*, Ehrenb. ex Trin. in Mém. Acad. Petrop. Sér. VI. v. II. (1839) 50 = paradoxa.  
*sativa*, Pers. Syn. i. 78 = Phleum tenue.  
*segetalis*, Steud. in Lechl. Berb. Am. Austr. 52, nomen. — Chili.  
*semineutra*, Roem. & Schult. Syst. ii. 406 = Poa semineutra.  
*semiverticillata*, Forsk. Fl. Aegypt. Arab. 17 = Agrostis alba.  
*setacea*, Forsk. l. c. = Pennisetum dichotomum.  
*Sibthorpian*, Griseb. Spicil. Fl. Rumel. ii. 468, in obs. = paradoxa.  
*subulata*, Savi, Fl. Pis. i. 57 = Phleum tenue.  
*tenuifolia*, Hort. ex Steud. Nom. ed. I. 609 = Phleum asperum.  
*tenuis*, Host, Gram. Austr. ii. 27 = Phleum tenue.  
*trigyna*, Host, l. c. iv. 12. t. 20 = Phleum Michellii.  
*trivialis*, Trin. in Mém. Acad. Pétersb. Sér. VI. v. II. (1839) 55. — Am. bor.  
*truncata*, Guss. Fl. Sic. Prod. Suppl. 18; Fl. Sic. Syn. i. 118. — Reg. Mediterr.  
*tuberosa*, Link, in Schrad. Journ. ii. (1799) 312 = coerulescens.  
*tuberosa*, Linn. Mant. ii. 557. — Reg. Mediterr.  
*utricularis*, Salisb. Prod. 17 = seq.  
*utriculata*, Linn. Syst. ed. X. 869 = Alopecurus utriculatus.

**PHALARIS:**—

*utriculosa*, Linn. ex Munro, in Journ. Linn. Soc. vi. (1862) 36 = paradoxa.  
*vaginiflora*, Forsk. Fl. Aegypt. Arab. 18 = Heleochloa schoenoides.  
*variegata*, Spreng. Neue Entdeck. ii. 101 = coerulescens.  
*velutina*, Forsk. Fl. Aegypt. Arab. 17 = Panicum sanguinale.  
*villosa*, Michx. Fl. Bor. Am. i. 43 = Anthaenantia villosa.  
*villosula*, De Not. ex Parl. Fl. Ital. i. 73 = coerulescens.  
*sizanioides*, Linn. Mant. ii. 183 = Andropogon squarrosus.

**PHALERIA**, Jack, in Malay. Misc. ii. (1822) n. vii. p. 59. **THYMELAEACEAE**, Benth. & Hook. f. iii. 199.

**DRIMYSPERMUM**, Reinw. in Syll. Ratisb. ii. (1828) 15.  
**PLUTONIA**, Noronha, in Verh. Batav. Gen. v. (1790) ed. I. Art. iv. 3.  
 Blumei, Benth. Fl. Austral. vi. 38. — Malaya; Austral. capitata, Jack, in Malay. Misc. ii. (1822) n. vii. p. 59. — Sumatra.  
 cauliflora, Bedd. Forest. Man. Bot. 180; Trimen, Cat. Pl. Ceyl. 77. — Zeylan.  
 Clerodendron, F. Muell. ex Benth. Fl. Austral. vi. 38. — Austral.  
 coccinea, F. Muell. Papuan Pl. ii. 9. — N. Guin.  
 Cumingii, Villar, in Blanco, Fl. Philipp. ed. III. Nov. App. 183. — Ins. Philipp.  
 disperma, Baill. Adansonia, xi. (1873-76) 318. — Ins. Tonga.  
 dubiosa, Zoll. in Nat. en Geneesk. Arch. Neêrl. Indie, i. (1844) 616. — Malaya.  
 laurifolia, Hook. f. Bot. Mag. t. 5787. — Ins. Timor.  
 Neumanni, F. Muell. ex Benth. Fl. Austral. vi. 38. — Austral.  
 octandra, Baill. Adansonia, xi. (1873-76) 321. — Ind. or.  
 Perrottetiana, Villar, in Blanco, Fl. Filip. ed. III. Nov. App. 183. — Ins. Philipp.

**PHALEROCARPUS**, G. Don, Gen. Syst. iii. 841 (1834) = **Chiogenes**, Salisb. (Vaccin.).  
*hispidulus*, Heynh. Nom. i. 612 = C. serpyllifolia.  
*serpyllifolia*, G. Don, Gen. Syst. iii. 841 = C. serpyllifolia.**PHALLARIA**, Schum. & Thonn. Beskr. Guin. Pl. 112 (1827) = **Plectronia**, Linn. (Rubiace.).  
*horizontalis*, Schum. in Schum. & Thonn. l. c. (= *Canthium horizontale*). — Afr. trop.  
*lucida*, Hochst. in Flora, xxv. (1842) 238 (= *Canthium obovatum*). — Afr. austr.  
*Schimperi*, Hochst. l. c. xxiv. (1841) i. Intell. 27 = P. Schimperi.  
*spinosa*, Schum. & Thonn. Beskr. Guin. Pl. 113 (= *Canthium Thonningii*). — Afr. trop.**PHALLEROCARPUS**, G. Don, Gen. Syst. iii. 788 (1834) = **Chiogenes**, Salisb. (Vaccin.)**PHALOCALLIS**, Herb. in Bot. Mag. t. 3710 (1839) = **Cypella**, Herb. (Irid.).  
*plumbea*, Herb. l. c. = C. plumbea.**PHALOË**, Dum. Fl. Belg. 110 (1827) = **Sagina**, Linn. (Caryoph.).  
*nodosa*, Dum. l. c. = S. nodosa.  
*saginoides*, Dum. l. c. = S. Spergella.  
*subulata*, Dum. l. c. = S. subulata.**PHALOLEPIS**, Cass. in Dict. Sc. Nat. l. 248 (1828) = **Centaurea**, Linn. (Compos.).  
*alba*, Cass. l. c. 249 = C. alba.  
*nitens*, Cass. l. c. = C. nitens.  
*splendens*, Cass. l. c. = C. splendens.**PHALONA**, Dum. Obs. Gram. Belg. 114 (1823) = **Cynosurus**, Linn. (Gramin.).  
*Castagnei*, Fourr. in Ann. Soc. Linn. Lyon, N. S. xvii. (1869) 186 = C. echinatus.  
*echinata*, Dum. Obs. Gram. Belg. 114 = C. echinatus.**PHANERA**, Lour. Fl. Cochinch. 37 (1790) = **Bauhinia**, Linn. (Legumin.).

*acuminatissima*, Miq. Fl. Ind. Bat. Suppl. 287. — Sumatra.  
*albo-lutea*, Miq. Fl. Ind. Bat. i. i. 1079; et Suppl. 285. — Sumatra.  
*bicornuta*, Miq. Fl. Ind. Bat. Suppl. 286. — Sumatra.  
*bidentata*, Benth. in Miq. Pl. Jungh. 263 = B. bidentata.  
*Blancoi*, Benth. in Miq. l. c. 264 = B. Blancoi.  
*bracteata*, Benth. in Miq. l. c. 264 = B. bracteata.  
*Burkeana*, Benth. in Miq. l. c. 264 = B. esculenta.  
*catalpaefolia*, Miq. Fl. Ind. Bat. i. i. 1079. — Sumatra.  
*Championii*, Benth. in Hook. Kew Journ. iv. (1852) 78 = B. Championi.  
*coccinea*, Lour. Fl. Cochinch. 37 = B. Cumingiana.  
*complicata*, Miq. Fl. Ind. Bat. i. i. 70 = B. diphylla.  
*cordifolia*, Miq. l. c. 166 = B. emarginata.  
*corymbosa*, Benth. in Hook. Kew Journ. iv. (1852) 77 = B. glauca.  
*corymbosa*, Benth. in Miq. Pl. Jungh. 264 = B. corymbosa.  
*Cumingiana*, Benth. l. c. 263 = B. Cumingiana.  
*Cunninghamii*, Benth. l. c. 264 = B. Cunninghamii.  
*dasycarpa*, Miq. Fl. Ind. Bat. i. i. 1078. — Sumatra.  
*debilis*, Miq. l. c. 69 = B. debilis.  
*diphylla*, Benth. in Miq. Pl. Jungh. 264 = B. diphylla.  
*diptera*, Miq. Fl. Ind. Bat. i. i. 70 = B. emarginata.  
*elongata*, Benth. in Miq. Pl. Jungh. 262 = B. elongata.  
*excelsa*, Blume, ex Miq. Fl. Ind. Bat. i. i. 62 = B. ferruginea.  
*ferruginea*, Benth. in Miq. Pl. Jungh. 262 = B. ferruginea.  
*Finlaysonian*, Benth. in Miq. l. c. = B. Finlaysonian.  
*fulva*, Benth. l. c. 262, 263 = B. fulva.  
*glabrifolia*, Benth. l. c. 263 = B. glabrifolia.  
*glauca*, Benth. l. c. 265 = B. glauca.  
*Griffithiana*, Benth. l. c. 263 = B. ferruginea.  
*integrifolia*, Benth. l. c. = B. integrifolia.  
*Junghuhniana*, Benth. l. c. — Java.  
*Kockiana*, Benth. l. c. = B. Kockiana.  
*Lingua*, Miq. Fl. Ind. Bat. i. i. 67 = B. Lingua.  
*lucida*, Benth. in Miq. Pl. Jungh. 262 = B. emarginata.  
*macrostachya*, Benth. l. c. = B. macrostachya, Wall.  
*maculata*, A. Rich. ex Teijsm. & Binn. Cat. Hort. Bog. 268 = B. maculata?  
*nervosa*, Benth. in Miq. Pl. Jungh. 262 = B. nervosa.  
*ochroleuca*, Miq. Fl. Ind. Bat. i. i. 69 = B. glauca.  
*parvifolia*, Teijsm. & Binn. Cat. Hort. Bog. 268 = B. parvifolia.  
*phoenicea*, Benth. in Miq. Pl. Jungh. 262 = B. phoenicea.  
*piperifolia*, Benth. l. c. = B. anguina?  
*polyantha*, Miq. Fl. Ind. Bat. i. i. 1079. — Sumatra.  
*purpurea*, Benth. in Miq. Pl. Jungh. 262 = B. purpurea.  
*pyrrhaneura*, Benth. l. c. 262 = B. pyrrhaneura.  
*retusa*, Benth. l. c. 263 = B. retusa.  
*rosea*, Rich. ex Teijsm. & Binn. Cat. Hort. Bog. 268. — Madag.  
*rufa*, Benth. in Miq. Pl. Jungh. 263 = B. rufa, R. Grah.  
*scandens*, Teijsm. & Binn. Cat. Hort. Bog. 268 = B. macrostachya, racemosa.  
*semibifida*, Benth. in Miq. Pl. Jungh. 263 = B. semibifida.  
*speciosa*, Blume, ex Miq. Fl. Ind. Bat. i. i. 61 = B. elongata.  
*stipularis*, Benth. in Miq. Pl. Jungh. 263 = B. stipularis.  
*sumatrana*, Miq. Fl. Bat. i. i. 1078. — Sumatra.  
*Vahlia*, Benth. in Miq. Pl. Jungh. 263 = B. Vahlia.  
*variegata*, Benth. l. c. 262 = B. variegata.  
*velutina*, Benth. l. c. = B. velutina.

**PHANERANDRA**, Stschegl. in Bull. Soc. Nat. Mosc. xxxii. (1859) i. 20 = **Leucopogon**, R. Br. (Epacrid.).  
*esquamata*, Stschegl. l. c. = L. esquamatus.**PHANERANTHERA**, DC. ex Meissn. Gen. Comm. 189 (1840) = **Nonnea**, Medic. (Borag.).**PHANIA**, DC. Prod. v. 114 (1836). **COMPOSITAE**, Benth. & Hook. f. ii. 238.  
*arbutifolia*, DC. l. c. 115 = Ageratum arbutifolium.  
*dissecta*, Hook. & Arn. Bot. Beech. Voy. 433 = Eupatorium dissectum.  
*domingensis*, Griseb. Cat. Pl. Cub. 145. — Cuba.  
*matricarioides*, Griseb. l. c. — Cuba.



**PHANIA:—**

multicaulis, DC. in Deless. Ic. Sel. iv. t. 11.—Am. austr.  
*trinervia*, DC. Prod. v. 115 (Agerati sp.?).—Mexic.  
*urensifolia*, Hook. & Arn. Bot. Beech. Voy. 297 =  
*Fleischmannia urenaefolia*.

**PHANTIS**, Linn. Fl. Zeyl. 191 (1747) = **Atalantia**?  
 Correa (Rutac.).

**PHARBITIS**, Choisy, in Mém. Soc. Phys. Genève. vi.  
 (1833) 438 (Convolv. Or. 56) = **Ipomoea**, Linn. (Convolv.).

*acuminata*, Choisy, in DC. Prod. ix. 348 = *I. acuminata*.  
*aristolochifolia*, Rafin. Fl. Tellur. iv. 72.—Hab.?  
*asteropila*, Tenore, ex Pasquale, Ind. Sem. Hort. Neap.  
 Adn. (1866).—Hab.?

*barbata*, G. Don, Gen. Syst. iv. 263 = *I. hederacea*.  
*barbigera*, G. Don, l. c. 262 = *Lettsonia barbigera*.  
*bogotensis*, Choisy, in DC. Prod. ix. 341 = *I. bogotensis*.

*bracteata*, Choisy, l. c. 344 = *I. bracteata*.  
*caerulescens*, Sweet, Hort. Brit. ed. III. 482 =  
*I. hederacea*.

*calycosa*, A. Rich. Fl. Cub. Fanerog. ii. 128.—Cuba.  
*cathartica*, Choisy, in DC. Prod. ix. 342 = *I. cathartica*.  
*cuspidata*, G. Don, Gen. Syst. iv. 263 = *I. bicolor*.  
*dealbata*, Mart. & Gal. in Bull. Acad. Brux. xii. II.  
 (1845) 272 = *I. dealbata*.

*Dillenii*, G. Don, Gen. Syst. iv. 263 = *I. bicolor*.  
*diversifolia*, Lindl. Bot. Reg. t. 1988 = *I. hederacea*.  
*ericalyx*, Mart. in DC. Prod. ix. 342 = *I. ericalyx*.  
*Forskoeli*, G. Don, Gen. Syst. iv. 263 = *I. scabra*.  
*fragrans*, Boj. Hort. Maurit. 227 = *I. fragrans*.  
*githaginea*, Hochst. ex Choisy, in DC. Prod. ix. 341 =  
*I. purpurea*.

*grandiflora*, Beurl. in Vet. Akad. Handl. Stockh. 1854  
 (1856) 139 = *I. grandiflora*?  
*hederacea*, Choisy, in Mém. Soc. Phys. Genève. vi.  
 (1833) 440 = *I. hederacea*.

*heterophylla*, Choisy, in DC. Prod. ix. 344 = *I. heterophylla*.

*heterosepala*, Benth. Bot. Voy. Sulph. 134.—N. Granat.  
*hispida*, Choisy, in Mém. Soc. Phys. Genève. vi. (1833)  
 440 = *I. purpurea*.

*insularis*, Choisy, l. c. 441 = *I. congesta*.  
*jamaicensis*, Gib. Enum. Pl. Montev. 28 = *I. jamaicensis*.

*laciniata*, Dalz. in Hook. Kew Journ. iii. (1851) 178 =  
*I. laciniata*, C. B. Clarke.

*Learii*, Lindl. Bot. Reg. (1841) t. 56 = *I. Learii*.

*lilacina*, Schlecht. ex Kunze, in Linnaea, xx. (1847) 31  
 = *I. Schachtendalii*.

*limbata*, Lindl. in Journ. Hort. Soc. v. (1850) 33 = *I. hederacea*.

*Lindenii*, Mart. & Gal. in Bull. Acad. Brux. xii. II.  
 (1845) 272.—Mexic.

*livescens*, Schlecht. ex Kunze, in Linnaea, xx. (1847)  
 32 = *I. livescens*.

*longepedunculata*, Mart. & Gal. in Bull. Acad. Brux.  
 xii. II. (1845) 271 = *I. longepedunculata*.

*medians*, Choisy, in DC. Prod. ix. 343 = *I. villosa*,  
*Ruiz & Pav.*

*mollis*, Choisy, l. c. 342 = *I. mollis*.

*mutabilis*, Boj. Hort. Maurit. 227 = *I. bicolor*.

*Nil*, Benth. ex Meissn. in Mart. Fl. Bras. vii. 227 =  
*I. bicolor*.

*Nil*, Choisy, in Mém. Soc. Phys. Genève. vi. (1833) 441  
 = *I. hederacea*.

*Nil*, Gardn. in Hook. Lond. Journ. Bot. i. (1842) 180  
 = *I. acuminata*.

*ostrina*, Lindl. Bot. Reg. (1842) t. 51.—Cuba.

*polymorpha*, Siebold & De Vriese, Fl. Jard. Pays-Bas,  
 i. (1858) 187. tt. 3-5.—Japon.

*Preauxii*, Webb & Berth. Phyt. Canar. iii. 26.—Ins.  
 Canar.

*pubescens*, Choisy, in DC. Prod. ix. 344 = *I. pubescens*,  
*Lam.*

*punctata*, G. Don, Gen. Syst. iv. 263 = *I. hederacea*.

*purpurea*, Voigt, Hort. Suburb. Calc. 354 = *I. purpurea*.

*Purshii*, G. Don, Gen. Syst. iv. 163 = *I. hederacea*.

*quinquefolia*, Rafin. Fl. Tellur. iv. 81 = *I. quinquefolia*.

*rosea*, Choisy, in DC. Prod. ix. 342 = *I. jamaicensis*.

*rubro-caerulea*, Planch. in Fl. des Serres, ix. (1854)  
 t. 966 = *I. rubro-caerulea*.

*scabra*, G. Don, Gen. Syst. iv. 263 = *I. hederacea*.

*scabrida*, G. Don, l. c. = *I. hederacea*.

**PHARBITIS:—**

*serotina*, Choisy, in DC. Prod. ix. 341 = *Ipomoea*  
*serotina*.

*speciosa*, Choisy, l. c. 343 = *I. bicolor*.

*tomentosa*, Choisy, l. c. 342 = *I. jamaicensis*.

*triloba*, Miq. Ann. Mus. Bot. Lugd. Bat. ii. 93 = *I. hederacea*.

*tyrianthina*, Hook. Bot. Mag. t. 4024 = *I. tyrianthina*.

*varia*, G. Don, Gen. Syst. iv. 263 = *I. pubescens*,  
*Hornem.*

*variifolia*, Decne. in Nouv. Ann. Mus. Par. iii. (1834)  
 390 = *I. hederacea*.

*villosa*, G. Don, Gen. Syst. iv. 263 = *I. villosa*.

*violacea*, Boj. Hort. Maurit. 227 = *I. violacea*.

**PHARETRELLA**, Salisb. Gen. Pl. Fragm. 47 (1866) =  
**Cyanella**, Linn. (Haemod.).

*alba*, Salisb. l. c. = *C. alba*.

**PHARIA**, Steud. Nom. II. ii. 243 (1841), in syn., err. typ.  
 = **Phania**, DC. (Compos.).

**PHARIUM**, Herb. in Bot. Reg. t. 1546 (1832) =  
**Bessera**, Schult. f. (Liliac.).

*elegans*, Steud. Nom. ed. II. ii. 316 = *B. elegans*.

*fistulosum*, Herb. in Bot. Reg. t. 1546 = *B. elegans*.

*Herberti*, Steud. Nom. ed. II. ii. 316 = *B. elegans*.

**PHARMACOSYCEA**, Miq. in Hook. Lond. Journ. Bot.  
 vii. (1848) 64. t. 2 = **Ficus**, Tourn. (Urtic.).

*adhatodaefolia*, Miq. l. c. 70 = *F. adhatodaefolia*.

*angustifolia*, Liebm. in Vidensk. Selsk. Skr. V. ii.  
 (1851) 333 = *F. Segoviae*.

*anthelmintica*, Miq. in Hook. Lond. Journ. Bot. vii.  
 (1848) 66 = *F. anthelmintica*.

*dendroctona*, Miq. l. c. 67 = *F. dendroctona*.

*glaucescens*, Liebm. in Vidensk. Selsk. Skr. V. ii.  
 (1851) 332 = *F. glaucescens*.

*grandaeva*, Miq. in Hook. Lond. Journ. Bot. vii.  
 (1848) 70 = *F. oblongata*.

*guyanensis*, Miq. l. c. 67 = *F. Parkeri*.

*Hernandezii*, Liebm. in Vidensk. Selsk. Skr. V. ii.  
 (1851) 332 = *F. Hernandezii*.

*jamaicensis*, Liebm. l. c. 331, in nota = *F. jamaicensis*.

*laurifolia*, Miq. in Hook. Lond. Journ. Bot. vii. (1848)  
 71 = *F. daphniphylla*.

*mexicana*, Miq. in Versl. en Med. Kon. Akad. Wetensch.  
 xiii. (1862) 415 = *F. mexicana*.

*obtusiuscula*, Miq. in Hook. Lond. Journ. Bot. vii.  
 (1848) 69 = *F. obtusiuscula*.

*Parkeriana*, Miq. l. c. 71 = *F. Parkeri*.

*perforata*, Miq. l. c. 68 = *F. perforata*.

*perviana*, Miq. l. c. 72 = *F. Perv.*

*Pseudoradula*, Miq. in Versl. en Med. Kon. Akad.  
 Wetensch. xiii. (1862) 414 = *F. Pseudoradula*.

*Radula*, Miq. in Hook. Lond. Journ. Bot. vii. (1848)  
 64. t. 2 B.—Bras.

*Radula*, Miq. in Versl. en Med. Kon. Akad. Wetensch.  
 xiii. (1862) 414 = *F. Radula*.

*rigida*, Miq. in Seem. Bot. Voy. Herald, 195 = *F. coy-*  
*vana*.

*vermifuga*, Miq. in Hook. Lond. Journ. Bot. vii. (1848)  
 70 = *F. vermifuga*.

**PHARNACEUM**, Linn. Coroll. Gen. 5 (1737).  
**FICOIDEAE**, Benth. & Hook. f. i. 857.

**GINGINSIA**, DC. Prod. iii. 362 (1828).

**HYPERTELIS**, E. Mey. ex Fenzl, in Ann. Wien. Mus.  
 ii. (1839) 261.

*acidum*, Hook. f. in Hook. Ic. Pl. t. 1035.—Ins. S.  
*Helena*.

*albens*, Linn. f. Suppl. 186; Thunb. Prod. Pl. Cap. 53.  
 —Afr. austr.

*album*, Walp. Rep. ii. 244, in syn. = *albens*.

*arenarium*, Spreng. Syst. i. 949 = *Mollugo verticillata*.

*bellidifolium*, Poir. Encyc. v. 262 = *Mollugo nudicaulis*.

*Berterianum*, Spreng. Syst. i. 949 = *Mollugo verticillata*.

*brevicaule*, Bartl. in Linnaea, vii. (1832) 625 = *dichotomum*.

*Cerviana*, Linn. Sp. Pl. 272 = *Mollugo Cerviana*.

*Cerviana*, Mart. ex Rohrb. in Mart. Fl. Bras. xiv. II.  
 241 = *Mollugo verticillata*.

*confertum*, Eckl. & Zeyh. Enum. 285 = *incanum*.

*cordifolium*, Linn. Pl. Afr. Rar. 9; Amoen. Acad. vi.  
 85 = *Polycarpon tetraphyllum*.

*croceum*, E. Mey. ex Fenzl, in Ann. Wien. Mus. ii.  
 (1839) 255.—Afr. austr.

**PHARNACEUM:—**

*denticulatum*, D. Dietr. Syn. Pl. ii. 1014 = *Mollugo*  
*oppositifolia*.

*depressum*, Linn. Mant. ii. 564 = *Polycarpon depressum*.

*detonsum*, Fenzl, in Ann. Wien. Mus. ii. (1839) 253.  
 —Afr. austr.

*dichotomum*, Linn. f. Suppl. 186.—Afr. austr.

*diffusum*, Bartl. in Linnaea, vii. (1832) 625 = *Adenogramma diffusa*.

*distichum*, Linn. Mant. ii. 221 = *Mollugo racemosa*.

*distichum*, Thunb. in Hoffm. Phytogr. Blätter, i.  
 (1803) 30.—Afr. austr.

*fluviale*, Eckl. & Zeyh. Enum. 286 = *dichotomum*.

*galioides*, Licht. ex Schult. Syst. vi. 692 = *Adenogramma diffusa*.

*galioides*, Willd. ex Schult. l. c. = *Mollugo verticillata*.

*glabrum*, Steud. Nom. ed. I. 609 = *Mollugo Cerviana*.

*glomeratum*, Linn. f. Suppl. 185; Thunb. Prod. Pl. Cap.  
 53 = *Adenogramma galioides*.

*gracile*, Fenzl, in Ann. Wien. Mus. ii. (1839) 256.—  
 Afr. austr.

*hirtum*, Spreng. Syst. i. 949 = *Mollugo hirta*.

*Hoffmannseggianum*, Schult. Syst. vi. 692 = *Mollugo verticillata*.

*holosteoides*, Turra, Fl. Ital. Prod. 65 = *Polycarpon tetraphyllum*.

*incanum*, Linn. Sp. Pl. 272.—Afr. austr.

*lanatum*, Bartl. in Linnaea, vii. (1832) 625.—Afr. austr.

*Lichtensteinianum*, Schult. Syst. vi. 692 = *Adenogramma diffusa*.

*lineare*, Andr. Bot. Rep. t. 326 = *reflexum*.

*lineare*, Bert. ex Rohrb. in Mart. Fl. Bras. xiv. II. 241  
 = *Mollugo verticillata*.

*lineare*, Linn. f. Suppl. 185.—Afr. austr.

*Linkii*, D. Dietr. Syn. Pl. ii. 1014 = *Mollugo pentaphylla*.

*marginatum*, Thunb. Prod. Pl. Cap. 54 = *Psammotropa parvifolia*.

*maritimum*, Walt. Fl. Carol. 117 = *Sesuvium pentandrum*.

*microphyllum*, Linn. f. Suppl. 185.—Afr. austr.

*Mollugo*, Linn. Mant. ii. 561 = *Mollugo oppositifolia*.

*mucronatum*, Thunb. in Hoffm. Phytog. Blätter, i.  
 (1803) 29 = *Psammotropa androsacea*.

*multiflorum*, G. Don, Gen. Syst. i. 422.—China.

*nudicaule*, D. Dietr. Syn. Pl. ii. 1014 (Quid?).—  
 Ind. or.

*occultum*, Forsk. Fl. Aegypt. Arab. 58 = *Gisekia pharnaceoides*.

*oppositifolium*, Spreng. Syst. i. 949 = *Mollugo oppositifolia*.

*parviflorum*, Roth, Nov. Pl. Sp. 186 = *Mollugo oppositifolia*.

*patens*, Eckl. & Zeyh. Enum. 285 = *detonsum*.

*pentagonum*, Roxb. Hort. Beng. 22; Fl. Ind. ii.  
 103 = *Mollugo hirta*.

*pentaphyllum*, Spreng. Syst. i. 949 = *Mollugo pentaphylla*.

*pruinatum*, Haw. Succ. Pl. Suppl. 15.—Afr. austr.

*quadrangulare*, Linn. f. Suppl. 185 = *Psammotropa quadrangularis*.

*quinquefidum*, Walp. Rep. ii. 246 = *Coelanthum parviflorum*.

*radiatum*, D. Dietr. Syn. Pl. ii. 1014.—Chili.

*reflexum*, Eckl. & Zeyh. Enum. 285.—Afr. austr.

*rigidum*, Bartl. in Linnaea, vii. (1832) 626 = *Adenogramma rigida*.

*salsoloides*, Burch. Trav. i. 286 = *verrucosum*.

*scleranthoides*, Sond. in Harv. & Sond. Fl. Cap. i.  
 143.—Afr. austr.

*semiquinquefidum*, Hook. Ic. Pl. t. 83 = *Coelanthum parviflorum*.

*serpyllifolium*, Linn. f. Suppl. 186.—Afr. austr.

*spathulatum*, Sw. Fl. Ind. Occ. i. 568 = *Mollugo nudicaulis*.

*sperguloides*, Poir. Encyc. v. 260 = *Mollugo sperguloides*.

*strictum*, Spreng. Syst. i. 949 = *Mollugo stricta*.

*subtile*, E. Mey. ex Fenzl, in Ann. Wien. Mus. ii.  
 (1839) 259.—Afr. austr.

*suffruticosum*, Baker, in Journ. Linn. Soc. xx. (1883)  
 151.—Madag.

*suffruticosum*, Pall. Reise, iii. 716 = *Securinega ramiflora*.

*teretifolium*, Thunb. Prod. Pl. Cap. 53.—Afr. austr.

*teretifolium*, Willd. ex Walp. Rep. ii. 250 = *Adenogramma galioides*.



## PHARNACEUM:—

tomentosum, *Burm. f. Fl. Cap. Prod.* 8 (Quid?).—Afr. austr.  
 trigonum, *Eckl. & Zeyh. Enum.* 286.—Afr. austr.  
 triphyllum, *Dennst. Schluess. Hort. Malab.* 36 = Mollugo triphylla.  
 triphyllum, *Spreng. Syst. i.* 949 = Mollugo stricta.  
 umbellatum, *Forsk. Fl. Aegypt. Arab.* 58 = Mollugo Cerviana.  
 verrucosum, *Eckl. & Zeyh. Enum.* 286.—Afr. trop.  
 verticillatum, *Spreng. Syst. i.* 949 = Mollugo verticillata.  
 Zeyheri, *Sond. in Harv. & Sond. Fl. Cap. i.* 141.—Afr. austr.

PHARSEOPHORA, Miers, in *Proc. Roy. Hort. Soc. iii.* (1863) 185 = *Macfadyena*, A. DC. (Bignon.).  
 allamandaeformis, Miers, l. c. 186 = Bignonia allamandaeformis.

bracteosa, Miers, l. c. = M. bracteosa.  
 coriacea, Miers, l. c. = Bignonia Selloi?  
 fallax, Miers, l. c. = Bignonia fallax.  
 involucreta, Miers, l. c.—Bras.

PHARUS, P. Br. *Hist. Jamaic.* 344 (1756). *GRAMINEAE*, Benth. & Hook. f. iii. 1110.

angustifolius, *Doell. in Mart. Fl. Bras. ii.* 23.—Am. trop.  
 aristatus, *Retz. Obs. v.* 23 = Hygroryza aristata.  
 Banksii, *Spreng. Syst. ii.* 114 = Leptaspis Banksii.  
 brasiliensis, *Raddi, Agrost. Bras.* 21.—Bras.  
 ciliatus, *Retz. Obs. v.* 23 = Zizania ciliata.  
 glaber, *H. B. & K. Nov. Gen. et Sp. i.* 196.—Am. trop.  
 glochidiatus, *J. & C. Presl, Rel. Haenk. i.* 345.—Peruv.  
 lanifolius, *Ham. Prod. Pl. Ind. Occ. 8* = glaber.  
 lappulaceus, *Aubl. Pl. Gui. ii.* 859 = latifolius.  
 lappulaceus, *Lam. ex Tuss. Fl. Antill. ii. t. 8* = glaber.  
 latifolius, *Linn. Syst. ed. X.* 1269.—Am. trop.  
 latifolius, *Rasp. in Ann. Sc. Nat. Sér. I. v.* (1825) 305, 459, t. 9. f. 4 (Quid?).—Hab.?  
 latifolius, *Trin. ex Griseb. Fl. Brit. Ind.* 536 = glaber.  
 micranthus, *Schrad. ex Nees, Agrost. Bras. ii.* 302.—Bras.  
 natans, *Russ. ex Steud. Syn. Pl. Gram. 5* = Hygroryza aristata.

ovalifolius, *Ham. Prod. Pl. Ind. Occ. 8* = latifolius.  
 pubescens, *Spreng. Neue Entdeck. i.* 241 = brasiliensis.  
 scaber, *H. B. & K. Nov. Gen. et Sp. i.* 196 = latifolius.  
 urceolatus, *Roxb. Hort. Beng. [104]; Fl. Ind. iii.* 611.—Ind. or.

virescens, *Doell. in Mart. Fl. Bras. ii.* 21.—Am. trop.  
 vittatus, *Lem. in Fl. des Serres, iii.* (1847) t. 265, Misc. 50 = latifolius.

PHASELLUS, Medic. in *Vorles. Churpf. Phys. Ges. ii.* (1787) 352 = Phaseolus, *Tourn. (Legumin.)*.

farinosus, *Medic. Phil. Bot. i.* 205 = Phaseolus trinervius.

lanatus, *Moench, Meth.* 140 = Phaseolus trinervius.  
 lathyroides, *Moench, l. c.* = Phaseolus semierectus.  
 roseus, *Medic. in Vorles. Churpf. Phys. Ges. ii.* (1787) 353 = Phaseolus trinervius.

scaber, *Moench, Meth.* 140 = Phaseolus scaber.  
 violaceus, *Moench, l. c.* 141 = Phaseolus violaceus.

PHASEOLUS, [Tourn.] *Linn. Syst. ed. I* (1735); *Gen. ed. I.* 216 (1737). *LEGUMINOSAE*, Benth. & Hook. f. i. 538.

CANDELIUM, *Medic. in Vorles. Churpf. Phys. Ges. ii.* (1787) 352; *Phil. Bot. i.* 206 (1789).

CARACALLA, *Tod. Ind. Sem. Panorm.* (1861) 32; et in *Illustr. Hort. ix.* (1862) Misc. 13.

LIPUSA, *Alef. Landw. Fl.* 26 (1866).  
 PHASELLUS, *Medic. in Vorles. Churpf. Phys. Ges. ii.* (1787) 352.

STROPHOSTYLES, *Ell. Sketch. ii.* 229 (1822).  
 abyssinicus, *Hort. ex DC. Prod. ii.* 396 = violaceus.  
 abyssinicus, *Savi, in Mem. Acc. Torin. xxxviii.* (1835) 176.—Abyss.

acherensis, *Medic. in Vorles. Churpf. Phys. Ges. ii.* (1787) 351.—Hab.?

aconitifolius, *Jacq. Obs. Bot. iii.* 2. t. 52.—Ind. or.; Arab.

aconitifolius, *Roxb. Hort. Beng. 55; Fl. Ind. iii.* 299 = trilobus.

acutifolius, *A. Gray, Pl. Wright. i.* 43.—N. Mexic.  
 adenanthus, *G. F. W. Mey. Prim. Fl. Esseq.* 239.—Ind. or. (ubique cult.).

alatus, *Linn. Sp. Pl.* 725 = Vigna vexillata?

## PHASEOLUS:—

alatus, *Roxb. Hort. Beng. 54; Fl. Ind. iii.* 288 = adenanthus.

alatus, *Schrank, in Syll. Ratisb. ii.* (1828) 79 (Quid?).—Ind. or.

amarus, *Roxb. ex Wight & Arn. Prod.* 244 = adenanthus.  
 amazonicus, *Benth. in Mart. Fl. Bras. xv. i.* 181 = lunatus.

amoenus, *Soland. ex Forst. f. Prod.* 91 = adenanthus.  
 amplus, *Benth. Bot. Voy. Sulph. 85.*—Am. austr.

anguinus, *Bunge, Enum. Pl. Chin. Bor.* 20.—China.  
 angulosus, *Orteg. Hort. Matr. Dec.* 24 = diversifolius.

angulosus, *Schuebl. & Martens, ex Martens, Gartenbohne,* 47 = vulgaris.

angustatus, *Wall. Cat. n.* 5597.—Burma.

angustifolius, *R. Grah. in Wall. Cat. n.* 5596 = Vigna capensis.

angustifolius, *Hassk. Cat. Hort. Bog. Alt.* 279 = hispidulus.

angustifolius, *Roxb. Hort. Beng. 55.*—Ind. or.  
 angustissimus, *A. Gray, Pl. Wright. ii.* 33.—N. Mexic.

anisotrichus, *Schlecht. in Linnaea, xii.* (1838) 326.—Mexic.

appendiculatus, *Benth. in Ann. Wien. Mus. ii.* (1838) 137.—Bras.

arcuatus, *Zipp. ex Span. in Linnaea, xv.* (1841) 196, nomen.—Ins. Timor.

Arrabidae, *Steud. Nom. ed. II. ii.* 316.—Bras.  
 Asellus, *Heyne, in Wall. Cat. n.* 5588 G = trilobus.

Asellus, *Molina, Sagg. Chile,* 130.—Chili.  
 asparagioides, *Schur, Enum. Pl. Transs.* 177 = vulgaris.

asper, *Benth. in Ann. Wien. Mus. ii.* (1838) 139 = coriaceous.

asper, *Benth. in Linnaea, xxii.* (1849) 519 = linearis.  
 asperrimus, *Schrank, in Syll. Ratisb. ii.* (1828) 81 = Vigna capensis.

atropurpureus, [*Moc. & Sesse*], *ex DC. Prod. ii.* 395.—Mexic.

Atsuki, *Siebold, in Verh. Batav. Gen. xii.* (1830) 57 = P. Mungo.

aureus, *Roxb. Hort. Beng. 55; Fl. Ind. iii.* 297 = P. Mungo.

Balansae, *Micheli, in Mém. Soc. Phys. Génér. xxviii.* (1883) n. VII. 29.—Parag.

barbulatus, *Benth. in Ann. Wien. Mus. ii.* (1838) 138 = adenanthus.

bicolor, *Hort. ex Vilm. Fl. Pl. Terre, ed. II.* 389 = multiflorus.

bicolor, *Vell. Fl. Flum.* 311; vii. t. 123.—Bras.  
 bilobatus, *Engelm. in Wislitz. Tour N. Mexic.* 109.—N. Mexic.

bipunctatus, *Jacq. Hort. Vindob. i.* 44 = lunatus.  
 bracteatus, *Nees & Mart. in Nov. Act. Nat. Cur. xii.* (1824) 27.—Bras.

bracteatus, *Spreng. Syst. iii.* 253 (an praec.?).—Bras.  
 bracteolatus, *DC. Prod. ii.* 391, sphalm. = bracteatus, *Nees & Mart.*

brevipes, *Benth. in Ann. Wien. Mus. ii.* (1838) 139 = adenanthus.

Bulai, *Blanco, Fl. Filip. ed. I.* 572 = Crotalaria verrucosa.

Bundoo, *Siebold, in Verh. Batav. Gen. xii.* (1830) 57 = P. Mungo.

caeduorum, *Mart. ex Benth. in Ann. Wien. Mus. ii.* (1838) 133 = adenanthus.

caffer, *Haberle, ex Steud. Nom. ed. II. ii.* 316 = Vigna capensis.

calcaratus, *Roxb. Hort. Beng. 54; Fl. Ind. iii.* 289.—Ind. or.; Malaya.

campestris, *Mart. ex Benth. in Ann. Wien. Mus. ii.* (1838) 141.—Bras.

candidus, *Vell. Fl. Flum.* 311; vii. t. 125.—Bras.  
 canescens, *Mart. & Gal. in Bull. Acad. Brux. x.* II. (1843) 196 = atropurpureus.

capensis, *Burm. f. Fl. Cap. Prod.* 21 = Rhynchosia glandulosa.

capensis, *Hort. ex Schur, Enum. Pl. Transs.* 177 = vulgaris.

capensis, *Thunb. Prod. Pl. Cap.* 130 = Vigna capensis.  
 Caracalla, *Linn. Sp. Pl.* 725.—Reg. trop.

caracallensis, *St. Lag. in Ann. Soc. Bot. Lyon, vii.* (1880) 131 = praec.

caribaeus, *Eaton & Wright, N. Am. Bot. ed. VIII.* 353 = Rhynchosia minima.

chrysanthos, *Savi, in Nuov. Giorn. Sc. iii.* (1822) 318; et in *Mem. Acc. Torin. xxxviii.* (1835) 177.—Hab.?

cinnabarinus, *Salisb. Prod.* 335 = semierectus.

## PHASEOLUS:—

circinalis, *Buch.-Ham. in Wall. Cat. n.* 5594 = Dunbaria circinalis.

cirrosus, *H. B. & K. Nov. Gen. et Sp. v. i.* 448 = adenanthus.

citrinus, *Savi, in Mem. Acc. Torin. xxxviii.* (1835) 176.—Hab.?

clitorioides, *Mart. ex Benth. in Ann. Mus. Wien, ii.* (1838) 137.—Bras.

clitorius, *Noronha, in Verh. Batav. Gen. v.* (1790) ed. I. Art. iv. 22 = Clitoria Ternatea.

coccineus, *Lam. Encyc. iii.* 70 = multiflorus.  
 coccineus, *Linn. Sp. Pl.* 724; *Mill. Gard. Dict. ed.* VIII. n. 6.—Hab.?

coccineus, *Moc. & Sesse, ex G. Don, Gen. Syst. ii.* 350.—Mexic.

cochleatus, *Bello, in Anal. Soc. Esp. Hist. Nat. x.* (1831) 262.—Ind. occ.

cochleatus, *Vell. Fl. Flum.* 312; vii. t. 126.—Bras.  
 communis, *Pritz. Ic. Ind.* 832 = vulgaris?

compressus, *DC. Prod. ii.* 392 = vulgaris.  
 compressus, *Zoll. & Mor. Syst. Verz. Zoll.* 3 = lunatus.

conspicuous, *Klotzsch, in Schomb. Faun. & Fl. Brit. Gui.* 1203, nomen.—Guian.

coriaceous, *Desv. in Ann. Sc. Nat. Sér. I. ix.* (1826) 419.—Bras.

cornutus, *Blume, ex Miq. Fl. Ind. Bat. i. i.* 198 = trilobus.

cornutus, *Noronha, in Verh. Batav. Gen. v.* (1790) ed. I. Art. iv. 23 (Lablab sp.?).—Java.

crassifolius, *Mart. ex Benth. in Ann. Wien. Mus. ii.* (1838) 138.—Bras.

crotalarioides, *Mart. ex Benth. l. c.* 140 = semierectus.  
 cruentus, *Hort. ex Schur, Enum. Pl. Transs.* 177 = vulgaris.

Cumingii, *Benth. in Ann. Wien. Mus. ii.* (1838) 139 (Cumingii) = adenanthus.

cytisoides, *Zoll. & Mor. Syst. Verz. Zoll.* 3 = C. Caracalla.

decipiens, *Salzm. ex Benth. in Mart. Fl. Bras. xv. i.* 191 = bracteatus, *Nees & Mart.*

decurrens, *R. Grah. in Wall. Cat. n.* 5612 = Pueraria phaseoloides.

depauperatus, *R. Grah. in Wall. Cat. n.* 5614.—Burma.

derasus, *Schrank, Pl. Rar. Hort. Monac. t.* 89.—Bras.  
 difformis, *Wall. Cat. n.* 5599 = Vigna pilosa.

dimidiatus, *Haberle, ex Schuebl. & Mart. Fl. Wuert.* 472 = vulgaris.

discolor, *Span. ex Miq. Fl. Ind. Bat. i. i.* 196.—Java.  
 diversifolius, *Pers. Syn. ii.* 296.—Am. bor.

dolichoides, *Roxb. Hort. Beng. 54; Fl. Ind. iii.* 290 = Vigna dolichoides.

dolichoides, *Vell. Fl. Flum.* 312; vii. t. 127 = Arrabidae.

domingensis, *Zuccagni, in Roem. Collect.* 150.—Ins. S. Doming.

dumosus, *Macfad. Fl. Jamaic. i.* 279 = vulgaris?  
 dysophyllus, *Benth. Pl. Hartw.* 287.—Mexic.

ellipticus, *Schur, Enum. Pl. Transs.* 177 = Dolichos sphaerospermus.

erectus, *Fisch. Hort. Gorenk. ed. II.* (1812) 70, nomen.—Hab.?

erythroloma, *Mart. ex Benth. in Ann. Wien. Mus. ii.* (1838) 141.—Bras.

esculentus, *Salisb. Prod.* 335 = vulgaris.  
 falcatus, *Benth. ex Hemsl. Biol. Centr. Am. Bot. i.* 304.—Mexic.

farinosus, *Linn. Sp. Pl.* 724 = trinervius.  
 ferrugineus, *Salzwed. ex Medic. Beobacht.* (1783) 213.—Hab.?

ficifolius, *Schrank, in Denkschr. Bot. Ges. Regensb. ii.* (1822) 62.—Ind. or.

filiformis, *Benth. Bot. Voy. Sulph. 13.*—Calif.  
 firmulus, *Mart. ex Benth. in Ann. Wien. Mus. ii.* (1838) 138.—Bras.

foecundus, *Macfad. Fl. Jamaic. i.* 281 = lunatus.  
 formosus, *H. B. & K. Nov. Gen. et Sp. vi.* 448.—Mexic.

frutescens, *Eaton & Wright, Bot. N. Am. ed. VIII.* 354 = Wistaria frutescens.

fusus, *Wall. Pl. As. Rar. i.* 6. t. 6.—Burma.  
 fusiformis, *R. Grah. in Wall. Cat. n.* 5607 = Vigna capensis.

gibbosifolius, *Orteg. Hort. Matr. Dec.* 25.—Cuba.  
 gibbosus, *Blume, ex Miq. Fl. Ind. Bat. i. i.* 201.—Java.

glaber, *Roxb. Hort. Beng. 55; Fl. Ind. iii.* 291 = P. Mungo.



## PHASEOLUS:—

- glaber, *Schlecht. in Linnaea*, xii. (1838) 327.—Mexic.  
*glabrescens*, Steud. Nom. ed. II. ii. 317 = P. Mungo.  
*glycinaeformis*, *Weinm. in Flora*, iv. (1821) i. 29.—China.  
*gonospermus*, Savi, in Mem. Phas. iii. (1826?) 21. f. 19 = vulgaris.  
*gracilis*, *Poepp. ex Benth. in Ann. Wien. Mus.* ii. (1838) 141.—Cuba.  
*Grahamianus*, *Wight & Arn. Prod.* 244.—Ind. or.  
*Grandidieri*, *Baill. in Bull. Soc. Linn. Par. i.* (1883) 379.—Madag.  
*grandiflorus*, *Steud. Nom.* ed. II. ii. 317.—Bras.  
*grandis*, Buch.-Ham. in Wall. Cat. n. 5602 = velutinus.  
*grandis*, *Dalz. & Gibs. Bomb. Fl.* 72.—Ind. or.  
*haematocarpus*, Savi, Mem. Phas. iii. (1826?) 20. f. 17 = vulgaris.  
*hastaeifolius*, Mart. ex Benth. in Ann. Wien. Mus. ii. (1838) 141 = semierectus.  
*helvolus*, *Linn. Sp. Pl.* 724.—Am. bor.  
*helvulus*, *Crantz, Inst.* ii. 21, sphalm. = praec.  
*Hernandesii*, *Savi, in Nuov. Giorn. Sc.* iii. (1822) 310.—Mexic.  
*heterophyllus*, *Humb. & Bonpl. ex Willd. Enum. Hort. Berol.* 753.—Mexic.  
*hircinus*, *Steud. Nom.* ed. II. ii. 317, sphalm. = trinerivus.  
*hirsutus*, Mart. ex Benth. in Ann. Wien. Mus. ii. (1838) 140 = lasiocarpus.  
*hirtus*, *Retz. Obs.* iii. 38 = P. Mungo.  
*hirtus*, *Wall. Cat. n.* 5593 = calcaratus.  
*hispanicus*, *Gromow, ex Trautv. in Act. Hort. Petrop.* viii. (1883) 256, nomen.—Rossia.  
*hispidulus*, *Hassk. Cat. Hort. Bog. Alt.* 279.—Malaya.  
*humifusus*, *Savi, in Mem. Acc. Torin.* xxxviii. (1835) 177.—Hab.?  
*humilis*, *Hassk. Cat. Hort. Bog. Alt.* 278 = chrysantha.  
*hysterinus*, *Dur. Ind. Sem. Hort. Burdig* (1866) 27.—China.  
*ilocanus*, *Blanco, Fl. Filip.* ed. I. 572 = lunatus.  
*inamoenus*, *Linn. Sp. Pl.* 724 = lunatus.  
*incanus*, *Zoll. & Mor. Syst. Verz. Zoll.* 4.—Java.  
*ionocarpus*, *Fingerh. in Linnaea*, x. (1836) 8 = vulgaris.  
*Kirkii*, *Baker, in Oliver, Fl. Trop. Afr.* ii. 194.—Afr. trop.  
*Lambertianus*, *D. Dietr. Syn. Pl.* iv. 1196 (Quid?).—Mexic.  
*lanatus*, *Benth. in Ann. Wien. Mus.* ii. (1838) 137, sphalm. = lunatus.  
*lanceolatus*, *Bello, in Anal. Soc. Esp. Hist. Nat.* x. (1881) 262.—Porto Rico.  
*lasiocarpus*, *Mart. ex Benth. in Ann. Wien. Mus.* ii. (1838) 140.—Am. trop.  
*lathyroides*, *Linn. Sp. Pl.* ed. II. 1018 = semierectus.  
*latifolius*, *Benth. in Ann. Wien. Mus.* ii. (1838) 139.—Bras.  
*latifolius*, *Eaton & Wright, N. Am. Bot. ed. VIII.* 353 = *Rhynchosia latifolia*.  
*latisiliquus*, *Macfad. Fl. Jamaica.* i. 282 = lunatus.  
*leiospermus*, *Torr. & Gray, Fl. N. Am.* i. 280 = pauciflorus, *Benth.*  
*leptophyllus*, *G. Don, Gen. Syst.* ii. 350.—Mexic.  
*leptospermus*, *Lag. Gen. et Sp. Nov.* 22.—Mexic.  
*leptostachyus*, *Benth. in Ann. Wien. Mus.* ii. (1838) 136.—Mexic.  
*lilacinus*, *Zuccagni, in Roem. Collect.* 148 = vulgaris.  
*limensis*, *Macfad. Fl. Jamaica.* i. 279 = lunatus?  
*linearis*, *H. B. & K. Nov. Gen. et Sp.* vi. 445.—Bras.  
*lobatus*, *Hook. Bot. Mag.* t. 4076.—Reg. Argent.  
*lobatus*, *Roxb. ex Wight & Arn. Prod.* 247 = aconitifolius.  
*longepedunculatus*, *Mart. ex Benth. in Ann. Wien. Mus.* ii. (1838) 141.—Bras.  
*longifolius*, *Benth. l. c.* 139.—Bras.  
*lucens*, *Wall. Cat. n.* 5601 = *Vigna lucens*.  
*lunatus*, *Billb. ex Beurl. in Vet. Akad. Handl. Stockh.* 1854 (1856) 122 = tenuiflorus.  
*lunatus*, *Haberle, Sel. Sem. Hort. Pesth.* (1824); ex Martens, *Gartenbohne*, 47 = vulgaris.  
*lunatus*, *Linn. Sp. Pl.* 724.—Reg. trop. (cult.).  
*lupinoides*, *Fingerh. in Linnaea*, x. (1836) 24 (cult.).—Hab.?  
*luteus*, *Blume, ex Miq. Fl. Ind. Bat.* i. 1. 200.—Java.  
*Macfadyeni*, *Steud. Nom.* ed. II. ii. 317 = adenanthus.  
*macrocarpus*, *Benth. in Ann. Wien. Mus.* ii. (1838) 140.—Mexic.

## PHASEOLUS:—

- macrocarpus*, *Moench, Meth.* 155 = lunatus.  
*macrocarpus*, *Poir. Encyc. Suppl.* iii. 6.—Hab.?  
*macropoides*, *A. Gray, Pl. Wright.* ii. 33.—N. Mexic.  
*macropus*, *Benth. in Ann. Wien. Mus.* ii. (1838) 140.—Mexic.  
*macrostachyus*, *Ell. in Journ. Acad. Philad.* i. ii. (1818) 324 = perennis.  
*maculatus*, *Mart. Hort. Reg. Monac.* (1829) 185 (Quid?).—Hab.?  
*maculatus*, *Scheele, in Linnaea*, xxi. (1848) 465 = retusus, *Benth.*  
*marinus*, *Burm. Ind. Alt.* [18] = semierectus.  
*maritimus*, *Benth. in Ann. Wien. Mus.* ii. (1838) 140 = semierectus.  
*maritimus*, *Salzm. ex Benth. in Mart. Fl. Bras.* xv. i. 183 = membranaceus.  
*Martii*, *Benth. in Ann. Wien. Mus.* ii. (1838) 141.—Bras.  
*Max*, *Linn. Sp. Pl.* 725 = P. Mungo.  
*maximus*, *Roxb. Hort. Beng.* [98]; *Fl. Ind.* iii. 288 = lunatus?  
*melanospermus*, *Fingerh. in Linnaea*, x. (1836) 8 = vulgaris.  
*membranaceus*, *Benth. in Ann. Wien. Mus.* ii. (1838) 137.—Bras.  
*menispermoides*, *Eaton & Wright, N. Am. Bot. ed. VIII.* 353 = *Rhynchosia menispermoides*.  
*mesoleucus*, *Schrank, ex Link, Enum. Hort. Berol.* ii. 232.—Bras.  
*mexicanus*, *Mart. Hort. Reg. Monac.* (1829) 185 = vulgaris?  
*micranthus*, *Hook. & Arn. Bot. Beech. Voy.* 287.—Mexic.  
*micranthus*, *Mart. & Gal. in Bull. Acad. Brux.* x. ii. (1843) 196.—Mexic.  
*microcarpus*, *Mart. Ausw. Merkw. Pfl.* 18. t. 12.—Mexic.  
*microspermus*, *Hochst. ex Baker, in Oliver, Fl. Trop. Afr.* i. 197 = *Vigna membranacea*.  
*microspermus*, *Orteg. Hort. Matr. Dec.* 130.—Cuba.  
*minimus*, *Roxb. Hort. Beng.* 54; *Fl. Ind.* iii. 290.—China.  
*Minomoo*, *Roxb. ex Wight & Arn. Prod.* 246 = P. Mungo.  
*modestus*, *Mart. ex Benth. in Ann. Wien. Mus.* ii. (1838) 138 = clitorioides.  
*mollis*, *Hook. f. in Trans. Linn. Soc.* xx. (1847) 228.—Ins. Galap.  
*monoicus*, *Eaton & Wright, N. Am. Bot. ed. VIII.* 353 = *Amphicarpaea monoica*.  
*monophyllus*, *Benth. in Ann. Wien. Mus.* ii. (1838) 140.—Bras.  
*multiflorus*, *Willd. Sp. Pl.* iii. 1030.—Mexic.  
*Mungo*, *Linn. Mant.* i. 101.—Reg. trop.  
*Mungo*, *Wall. Cat. n.* 5589 C = calcaratus.  
*nanus*, *Linn. Cent. Pl.* i. 23; *Amoen. Acad.* iv. 284 = vulgaris.  
*nigerrimus*, *Juss. ex Zuccagni, in Roem. Collect.* 149 = vulgaris.  
*nigricans*, *Haberle, ex Martens, Gartenbohne*, 47 = vulgaris.  
*obliquaeifolius*, *Mart. ex Benth. in Ann. Wien. Mus.* ii. (1838) 137.—Bras.  
*oblongifolius*, *Micheli, in Mém. Soc. Phys. Genève.* xxviii. (1883) n. vii. 27.—Parag.  
*oblongus*, *Savi, Mem. Phas.* iii. 17. t. 10. f. 14 = vulgaris.  
*obovatus*, *R. Grah. in Wall. Cat. n.* 5609 = *Vigna retusa*.  
*obvallatus*, *Schlecht. in Linnaea*, xii. (1838) 323.—Mexic.  
*opistotrichus*, *Hochst. ex Baker, in Oliver, Fl. Trop. Afr.* ii. 193 = trinerivus.  
*ovalispermus*, *Fingerh. in Linnaea*, x. (1836) 12, 21.—Hab.?  
*ovatus*, *Benth. in Ann. Wien. Mus.* ii. (1838) 139.—Bras.  
*Pallar, Molina, Sagg. Chil.* 130.—Chili.  
*palmatus*, *Forsk. Fl. Aegypt. Arab.* 214 = aconitifolius.  
*panduratus*, *Mart. ex Benth. in Ann. Wien. Mus.* ii. (1838) 141.—Bras.  
*paniculatus*, *Michx. Fl. Bor. Am.* ii. 60 = perennis.  
*parabolicus*, *Nutt. ex Barton, Comp. Fl. Philad.* ii. 81 = helvolus.  
*parviflorus*, *Schlecht. in Linnaea*, xii. (1838) 325 = heterophyllus.  
*parviflorus*, *Stokes, Bot. Mat. Med.* iv. 18.—Jamaic.  
*parvulus*, *Greene, in Coult. Bot. Gaz.* vi. (1881) 217.—N. Mexic.

## PHASEOLUS:—

- pascuorum*, *Mart. ex Benth. in Ann. Wien. Mus.* ii. (1838) 137 = peduncularis.  
*pauciflorus*, *Benth. l. c.* 140.—Am. bor. occ.  
*pauciflorus*, *Dalz. in Hook. Kew Journ.* iii. (1851) 209.—Ind. or.  
*pauciflorus*, *Sesse & Moq. ex G. Don, Gen. Syst.* ii. 356 = *Lambertianus*.  
*pedicellatus*, *Benth. in Ann. Wien. Mus.* ii. (1838) 137.—Mexic.  
*peduncularis*, *Barton, Comp. Fl. Philad.* ii. 81 = helvolus.  
*peduncularis*, *H. B. & K. Nov. Gen. et Sp.* vi. 447.—N. Granat.  
*pedunculatus*, *Spreng. Syst. iv. Cur. Post.* 282 = praec.  
*perennis*, *Walt. Fl. Carol.* 182.—Am. bor.  
*pictus*, *Cav. ex Steud. Nom.* ed. II. ii. 317 = vulgaris.  
*pilosus*, *H. B. & K. Nov. Gen. et Sp.* vi. 453.—Am. austr.  
*pisiformis*, *Fingerh. in Linnaea*, x. (1836) 24 = lupinoides.  
*pisiformis*, *Schrad. ex Steud. Nom.* ed. II. ii. 317 = P. Mungo.  
*pius*, *Mart. ex Benth. in Ann. Wien. Mus.* ii. (1838) 138.—Bras.  
*Pitcheri*, *Eaton & Wright, N. Am. Bot. ed. VIII.* 353 = *Amphicarpaea Pitcheri*.  
*platyspermus*, *Haberle, ex Steud. Nom.* ed. II. ii. 317 = lunatus.  
*polymorphus*, *S. Wats. in Proc. Am. Acad.* xvii. (1881-82) 346.—Am. bor.  
*portoricensis*, *Bert. ex Spreng. Syst.* iii. 253.—Portorico.  
*praecox*, *Fingerh. in Linnaea*, x. (1836) 17.—Hab.?  
*prostratus*, *Benth. in Mart. Fl. Bras.* xv. i. 192.—Bras.  
*pruriens*, *Noronha, in Verh. Batav. Gen.* v. (1790) ed. I. Art. iv. 23 = *Mucuna urens*.  
*psoraleoides*, *Wight & Arn. Prod.* 244 = semierectus.  
*puberulus*, *H. B. & K. Nov. Gen. et Sp.* vi. 451 = lunatus.  
*pubescens*, *Blume, Cat. Gew. Buitenz.* 93 = calcaratus.  
*pulniensis*, *Wight, Ic.* t. 202 = *Vigna capensis*.  
*quadrifarius*, *Baker, in Oliver, Fl. Trop. Afr.* ii. 199 = seq.  
*quadriflorus*, *Hochst. ex A. Rich. Tent. Fl. Abyss.* i. 216 = *Vigna vexillata*.  
*radiatus*, *Linn. Sp. Pl.* 725 = P. Mungo.  
*radicans*, *Benth. in Ann. Wien. Mus.* ii. (1838) 138 = adenanthus.  
*reniformis*, *Eaton & Wright, N. Am. Bot. ed. VIII.* 353 = *Rhynchosia tomentosa*, *Hook. & Arn.*  
*repens*, *R. Grah. in Wall. Cat. n.* 5608 = *Vigna repens*.  
*retusus*, *Benth. Pl. Hartw.* 11.—Am. bor. occ.; Mexic.  
*retusus*, *Moench, Meth.* 155.—Ind. or.  
*Ricciardianus*, *Tenore, Ind. Sem. Hort. Neap.* (1833) 4; *et ex Savi, in Mem. Acc. Torin.* xxxviii. (1835) 173. t. 3.—Hab.?  
*romanus*, *Savi, Mem. Phas.* iii. 17. t. 10. f. 20 = vulgaris.  
*rostratus*, *Wall. Pl. As. Rar.* i. 50. t. 63 = adenanthus.  
*rotundifolius*, *A. Gray, Pl. Wright.* ii. 34.—N. Mexic.  
*Roxburghii*, *Wight & Arn. Prod.* 245 = P. Mungo.  
*rufus*, *Jacq. Hort. Vindob.* i. 13.—Hab.?  
*rufus*, *Micheli, in Mém. Soc. Phys. Genève.* xxviii. (1883) n. vii. 29.—Parag.  
*saccharatus*, *Macfad. Fl. Jamaica.* i. 282 = lunatus.  
*saccharatus*, *Moench, Meth.* 155.—Hab.?  
*saccharatus*, *Stokes, Bot. Mat. Med.* iv. 16.—Jamaic.  
*saponaceus*, *Savi, Mem. Phas.* iii. 19. t. 10. f. 15 = vulgaris.  
*scaber*, *Steud. Nom.* ed. I. 610.—Hab.?  
*scaberulus*, *Miq. Fl. Ind. Bat.* i. 1. 197.—Java.  
*scabrellus*, *Benth. ex S. Wats. in Proc. Am. Acad.* xvii. (1881-82) 346.—Mexic.  
*Schiedeanus*, *Schlecht. in Linnaea*, xii. (1838) 323 = atropurpureus.  
*Schottii*, *Benth. in Ann. Wien. Mus.* ii. (1838) 139 = longifolius.  
*sclaraeoides*, *Jacq. Enum. Pl. Carib.* 27.—Cuba.  
*semierectus*, *Linn. Mant.* i. 100.—Reg. trop.  
*senegalensis*, *Guill. & Perr. Fl. Seneg. Tent.* i. 217 = adenanthus.  
*sepiarius*, *Dalz. in Hook. Kew Journ.* ii. (1850) 33 = *Vigna capensis*.  
*setulosus*, *Dalz. l. c.* = P. Mungo.  
*sinensis*, *Hort. ex Schur, Enum. Pl. Transs.* 177 = vulgaris.



**PHASEOLUS:**—

- sinuatus, Nutt. ex Torr. & Gray, *Fl. N. Am.* i. 279.—Am. bor.  
*sordidus*, Salisb. Prod. 335 = P. Max.  
*speciosus*, Boj. ex Benth. in Ann. Wien. Mus. ii. (1838) 139 = *adenanthus*.  
*speciosus*, H. B. & K. Nov. Gen. et Sp. vi. 452.—Am. trop.  
*sphaericus*, Savi, Mem. Phas. iii. 20 = *vulgaris*.  
*sphaerocarpus*, Schur, Enum. Pl. Transs. 945 (Index) = seq.  
*sphaerospermus*, Linn. Sp. Pl. ed. II. 1018 = *Dolichos sphaerospermus*.  
*Spixianus*, Benth. in Linnaea, xxii. (1849) 518 = *membranaceus*.  
*Spixianus*, Mart. ex Benth. in Ann. Wien. Mus. ii. (1838) 137 = *peduncularis*.  
*stenophyllus*, Klotzsch, in Schomb. Faun. et Fl. Brit. Gui. 1204, nomen.—Guian.  
*stipularis*, Lam. Encyc. iii. 74.—Peruv.  
*strictus*, A. Br. & Bouché, in Ind. Sem. Hort. Berol. (1852) App. 3 = *semierectus*.  
*subglobosus*, Fingerh. in Linnaea, x. (1836) 20 = *vulgaris*.  
*sublobatus*, Buch.-Ham. in Wall. Cat. n. 5598 C.—Burma.  
*sublobatus*, Roxb. Hort. Beng. 54; Fl. Ind. iii. 288 = *trilobus*.  
*sublobatus*, Wall. Cat. n. 5598 A, B = *calcaratus*.  
*sublobatus*, Wall. l. c. 5598 D = *tenuicaulis*.  
*subtortus*, Benth. in Ann. Wien. Mus. ii. (1838) 138 = *adenanthus*.  
*subtrilobus*, Link, Enum. Hort. Berol. ii. 232 = *gibbosifolius*?  
*subvolubilis*, Buch.-Ham. in Wall. Cat. n. 5605 = P. Mungo.  
*superbus*, A. DC. in Mém. Soc. Phys. Genève. vii. (1836) 310.—Hab.?  
*surinamensis*, Miq. in Ann. & Mag. Nat. Hist. Ser. I. xi. (1843) 14 = *adenanthus*.  
*sylvestris*, H. B. & K. Nov. Gen. et Sp. vi. 450.—Mexic.  
*tenuicaulis*, Baker, in Hook. f. Fl. Brit. Ind. ii. 201.—Burma.  
*tenuiflorus*, Beurl. in Vet. Akad. Handl. Stockh. 1854, (1856) 121.—Panama.  
*tetraspermus*, Heyne, ex Wall. Cat. sub n. 5536 = *Dolichos Lablab*.  
*tomentosus*, Anders. in Vet. Akad. Handl. Stockh. 1853 (1854) 250.—Ins. Galap.  
*torosus*, Roxb. Hort. Beng. 55; Fl. Ind. iii. 298 = *calcaratus*?  
*triangularis*, Steud. Nom. ed. II. ii. 318 = seq.  
*triangulus*, Fingerh. in Linnaea, x. (1836) 12.—Hab.?  
*trichocarpus*, Wright, in Sauv. Fl. Cub. 30.—Cuba.  
*trilobatus*, Baill. in Bull. Soc. Linn. Par. i. (1883) 379 = *trilobus*.  
*trilobus*, Ait. Hort. Kew. ed. I. iii. 30.—As. et Afr. trop.  
*trilobus*, Michx. Fl. Bor. Am. ii. 60 = *diversifolius*.  
*trilobus*, Wall. Cat. n. 5588 L-N = *aconitifolius*.  
*trinervius*, Heyne, ex Wall. Cat. n. 5603.—Ind. or.; Malaya.  
*truncatus*, Blume, ex Miq. Fl. Ind. Bat. i. i. 200, = *trinervius*.  
*truxillensis*, H. B. & K. Nov. Gen. et Sp. vi. 451 = *adenanthus*.  
*tuberosus*, Eaton & Wright, N. Am. Bot. ed. VIII. 354 = *Apios tuberosa*.  
*tuberosus*, Lour. Fl. Cochinch. 434.—Cochinch.  
*tuberosus*, Sesse & Moç. ex G. Don, Gen. Syst. ii. 355.—Mexic.  
*tumidus*, Savi, Mem. Phas. iii. 19. f. 16 = *vulgaris*.  
*tunkidus*, Stend. Nom. ed. II. ii. 318, sphalm. = *præc.*  
*tunkinensis*, Lour. Fl. Cochinch. 435 = *lunatus*.  
*velutinus*, R. Grah. in Wall. Cat. n. 5615.—Reg. Himal.; Burma.  
*vestitus*, Hook. Bot. Misc. ii. (1831) 216.—Peruv.  
*vexillatus*, Blanco, Fl. Filip. ed. I. 574 = *vulgaris*.  
*vexillatus*, Linn. Sp. Pl. 724 = *Vigna capensis*.  
*vexillatus*, Walt. Fl. Carol. 182 = *helvolus*.  
*violaceus*, Moench, Meth. 141; Steud. Nom. ed. I. 610.—Afr.  
*violaceus*, Vell. Fl. Flum. 311; vii. t. 124 = *grandiflorus*.  
*viridissimus*, Tenore, ex Miq. Fl. Ind. Bat. i. i. 197 = P. Mungo.  
*virosus*, Boj. Hort. Maurit. 106 = *Canavalia ensiformis*.  
*vulgaris*, Linn. Sp. Pl. 723.—Ubique cult.  
*vulgaris*, Wall. Cat. n. 5595 = *lunatus*.

**PHASEOLUS:**—

- Wightianus*, R. Grah. in Wall. Cat. n. 5591 = P. Mungo.  
*Wightii*, Wight & Arn. Prod. 245 = *præc.*  
*Wrightii*, A. Gray, Pl. Wright. i. 43.—N. Mexic.  
*Xuarezii*, Zuccagni, in Roem. Collect. 149 = *lunatus*.  
*Zebra*, Fingerh. in Linnaea, x. (1836) 9 = *vulgaris*?

PHASIOLOS, St. Lag. in Ann. Soc. Bot. Lyon, vii. (1880) 181 = *præc.*

PHASIOLOS, Moench, Meth. 141 (1794) = *præc.*

**PHAULOTHAMNUS**, A. Gray, in Proc. Am. Acad. xx. (1885) 293. **PHYTOLACCACEAE**.  
*spinescens*, A. Gray, l. c. 294.—Mexic.

**PHAYLOPSIS**, Willd. Sp. Pl. iii. 342 (1800).  
**ACANTHACEAE**, Benth. & Hook. f. ii. 1081.

**AETHELEMA**, R. Br. Prod. 478 (1810).  
**MICRANTHUS**, Wendl. Bot. Beobacht. 38, 39 (1798), nomen prius.

*angolana*, S. Moore, in Journ. Bot. xviii. (1880) 229.—Afr. trop.

*Barteri*, T. Anders. in Journ. Linn. Soc. vii. (1864) 27.—Afr. trop.; Ind. occ.

*glutinosa*, G. Don, ex Loud. Hort. Brit. 244 = *parviflora*.  
*imbricata*, Sweet, Hort. Brit. ed. I. 327 = *longifolia*.

*longifolia*, T. Anders. in Journ. Linn. Soc. vii. (1863) 26.—Ins. Madag.

*longifolia*, Sims, Bot. Mag. t. 2433.—Afr. trop.; Arab.; Ind. or.

*obliqua*, T. Anders. ex S. Moore, in Journ. Bot. xviii. (1880) 229.—Afr. trop.

*parviflora*, Willd. Sp. Pl. iii. 342.—Madag.

**PHEBALIUM**, Vent. Jard. Malm. 102 (1804).  
**RUTACEAE**, Benth. & Hook. f. i. 292.

*amblycarpum*, Benth. Fl. Austral. i. 345.—Austral.

*anceps*, DC. Prod. i. 719 = *argenteum*.

*anceps*, Sieber, ex A. Juss. in Mém. Soc. Hist. Nat. Par. ii. (1825) 136, in nota = *squamulosum*.

*argenteum*, Sm. in Rees, Cycl. xxvii. n. 3.—Austral.

*asteriscophorum*, F. Muell. in Trans. Vict. Inst. i. (1855) 31 = *Asterolasia Muellieri*.

*aureum*, A. Cunn. in Field, N. S. Wales, 331 = *squamulosum*.

*Baxteri*, Benth. Fl. Austral. i. 345.—Austral.

*Billardieri*, A. Juss. in Mém. Soc. Hist. Nat. Par. ii. (1825) 134.—Austral.

*bilobum*, Bartl. in Lehm. Pl. Preiss. i. 172 = *rude*.

*bilobum*, Lindl. in Mitch. Three Exped. ii. 178.—Austral.

*brachyphyllum*, Benth. Fl. Austral. i. 341.—Austral.

*buxifolium*, A. Cunn. ex Benth. l. c. 351 = *Asterolasia buxifolia*.

*correaefolium*, A. Juss. in Mém. Soc. Hist. Nat. Par. ii. (1825) 130 = *Asterolasia correaefolia*.

*Daviesii*, Hook. f. Fl. Tasman. ii. 358 = *glandulosum*.

*dentatum*, Sm. in Rees, Cycl. xxvii. n. 2.—Austral.

*diosmeum*, A. Juss. in Mém. Soc. Hist. Nat. Par. ii. (1825) 135. t. 11. f. 3.—Austral.

*Drummondii*, Benth. Fl. Austral. i. 343.—Austral.

*elaeagnifolium*, A. Juss. in Mém. Soc. Hist. Nat. Par. ii. (1825) 132 = *squamulosum*.

*elaeagnoides*, Sieber, ex A. Juss. l. c. 136, in nota = *Billardieri*.

*elatus*, Benth. Fl. Austral. i. 340.—Austral.

*elatum*, A. Cunn. in Field, N. S. Wales, 331 = *Billardieri*.

*filifolium*, Turcz. in Bull. Soc. Nat. Mosc. xxv. (1852) 11. 159.—Austral.

*glandulosum*, Hook. in Mitch. Journ. Trop. Austral. 199.—Austral.

*grandiflorum*, Hook. Ic. Pl. t. 724 = *Asterolasia grandiflora*.

*hexapetalum*, A. Juss. in Mém. Soc. Hist. Nat. Par. ii. (1825) 131. t. 11. f. 1 = *Asterolasia mollis*.

*lachnaeoides*, A. Cunn. in Field, N. S. Wales, 332.—Austral.

*lachnoides*, Sweet, Hort. Brit. ed. I. 471, nomen = *præc.*?

*lamprophyllum*, Benth. Fl. Austral. i. 340.—Austral.

*linearis*, Hort. Mackay, ex Sweet, Hort. Brit. ed. I. 471, nomen (Quid?).—Austral.

*microphyllum*, Turcz. in Bull. Soc. Nat. Mosc. xxv. (1852) 11. 159.—Austral.

*montanum*, Hook. Journ. Bot. i. (1834) 255.—Tasman.

*nudum*, Hook. Ic. Pl. t. 568.—N. Zel.

**PHEBALIUM:**—

*obcordatum*, A. Cunn. ex Benth. Fl. Austral. i. 342.—Austral.

*Oldfieldii*, F. Muell. l. c. 340.—Austral.

*ovatifolium*, F. Muell. in Trans. Phil. Soc. Vict. i. (1855) 99.—Austral.

*ovatum*, Sieber, ex A. Juss. in Mém. Soc. Hist. Nat. Par. ii. (1825) 136, in nota = *Asterolasia correaefolia*.

*ozothamnoides*, F. Muell. in Trans. Vict. Inst. i. (1855) 31.—Austral.

*phylicifolium*, F. Muell. l. c. 32.—Austral.

*phylicoides*, Sieber, ex A. Juss. in Mém. Soc. Hist. Nat. Par. ii. (1825) 136, in nota = *diosmeum*.

*podocarpoides*, F. Muell. in Trans. Vict. Inst. i. (1855) 31 = *squamulosum*.

*pungens*, Benth. Fl. Austral. i. 338.—Austral.

*Ralstoni*, Benth. l. c. 339.—Austral.

*retusum*, Hook. Journ. Bot. i. (1834) 254 = *Billardieri*.

*rotundifolium*, Benth. Fl. Austral. i. 341.—Austral.

*rude*, Bartl. in Lehm. Pl. Preiss. i. 172.—Austral.

*salicifolium*, A. Juss. in Mém. Soc. Hist. Nat. Par. ii. (1825) 134 = *dentatum*.

*sediflorum*, F. Muell. in Trans. Vict. Inst. i. (1855) 30 = *glandulosum*.

*squamuligerum*, Hook. Ic. Pl. t. 727 = *Asterolasia squamuligera*.

*squamulosum*, Vent. Jard. Malm. 102. t. 102.—Austral.

*truncatum*, Hook. f. Fl. Tasm. i. 64 = *bilobum*.

*tuberculosum*, Benth. Fl. Austral. i. 343.—Austral.

**PHEBOANTHA**, Reichb. Fl. Germ. Excurs. Index 91 (1833), sphalm. = **PHEBOANTHA**, Tausch = **Ajuga**, Linn. (Labiata.).

**PHEBOLITIS**, 'Gaertn.' ex DC. Prod. viii. 201 (1844) = **Phlebolithis**, Gaertn. (Gen. dub. Sapot.).

**PHEDIMUS**, Rafin. Cat. 15 (1824) = **Sedum**?, Tourn. (Crassul.).

*sagittatus*, Rafin. l. c. (Quid?).—Am. bor.

**PHEGOPYRUM**, Peterm. Fl. Bienitz, 92 (1841) = **Fagopyrum**, Tourn. (Polygon.).

*esculentum*, Peterm. l. c. = *F. esculentum*.

*tataricum*, Peterm. l. c. = *F. tataricum*.

**PHEGOS**, St. Lag. in Ann. Soc. Bot. Lyon, vii. (1880) 133 = **Fagus**, Tourn. (Cupul.).

**PHELLANDRIUM**, Neck. Delic. Gallo-Belg. i. 149 (1768) = **PHELLANDRIUM**, Tourn. = **Oenanthe**, Tourn. (Umbell.).

**PHELIMA**, Noronha, in Verh. Batav. Gen. v. (1790) ed. I. Art. iv. 3 = **Michelia**, Linn. (Magnol.).

**PHELIPACA**, Fourr. in Ann. Soc. Linn. Lyon, N. S. xvii. (1869) 131, sphalm. = **Phelypaea**, Tourn. (Orobanch.).

**PHELIPAEA**, Tourn. ex Desf. in Ann. Mus. Par. x. (1807) 298. t. 21 = **Phelypaea**, Tourn. (Orobanch.).

**PHELIPANCHE**, Pömel, Nouv. Mat. Fl. Atl. 102 (1874) = **Orobanche**, Tourn.

*aegyptiaca*, Pömel, l. c. 107 = *O. aegyptiaca*.

*arenaria*, Pömel, l. c. 103 = *O. arenaria*.

*atlantica*, Pömel, l. c. = *O. arenaria*?

*cernua*, Pömel, l. c. 105 = *O. nana*.

*coerulea*, Pömel, l. c. 103 = *O. purpurea*.

*floribunda*, Pömel, l. c. 106 = *O. nana*.

*lavandulacea*, Pömel, l. c. = *O. lavandulacea*.

*Mutellii*, Pömel, l. c. = *O. Mutellii*.

*pulchra*, Pömel, l. c. 105 = *O. nana*.

*ramosa*, Pömel, l. c. 103 = *O. ramosa*.

*Schultzii*, Pömel, l. c. 107 = *O. Schultzii*.

*tenuiflora*, Pömel, l. c. 104 = *O. Mutellii*?

**PHELIPEA**, Pers. Syn. ii. 181 (1807) = **Phelypaea**, Tourn. (Orobanch.).

**PHELLANDRIUM**, [Tourn.] Linn. Syst. ed. I (1735); Gen. ed. I. 77 (1737) = **Oenanthe**, Tourn. (Umbell.).  
*aquaticum*, Linn. Sp. Pl. 255 = *Oe. Phellandrium*.  
*ciliatum*, Herb. ex DC. Prod. iv. 81 = *Spananthe paniculata*.



**PHELLANDRIUM:**—

- conioides*, Nolte, ex Nym. Consp. 297 = *Oenanthe Phellandrium*.  
*divaricatum*, Gilib. Fl. Litan. ii. 33 = *Oe. Phellandrium*.  
*globulosum*, Bertol. ex Nym. Consp. 299 = *Oe. peucedanifolia*.  
*montanum*, S. G. Gmel. Reise durch Russl. iv. 48.—Turkestan.  
*Mutellina*, Linn. Sp. Pl. 255 = *Ligusticum Mutellina*.  
*stoloniferum*, Roxb. Hort. Beng. 21; Fl. Ind. ii. 93 = *Oe. stolonifera*.

**PHELLANDRYUM**, Gilib. Fl. Litan. ii. 33 (1791) = praec.

**PHELLINE**, Labill. Sert. Austro-Caled. 35. t. 38 (1824). *RUTACEAE*, Benth. & Hook. f. i. 302. *comosa*, Labill. l. c.—N. Caled.  
*lucida*, Vieill. ex Baill. *Adansonia*, x. (1871–72) 332.—N. Caled.

**PHELLOCARPUS**, Benth. in Ann. Wien. Mus. ii. (1838) 106 = **Pterocarpus**, Linn. (Legumin.).  
*acutus*, Benth. l. c. = *Pteroc. ancylocalyx*.  
*amazonum*, Mart. ex Benth. l. c. = *Pteroc. Rohrii*.  
*floridus*, Benth. l. c. = *Pteroc. Rohrii*.  
*laxiflorus*, Benth. l. c. = *Pteroc. violaceus*.

**PHELLODENDRON**, Rupr. in Bull. Phys.-Math. Acad. Pétersb. xv. (1857) 353. *RUTACEAE*, Benth. & Hook. f. i. 301.  
*amurense*, Rupr. l. c.—Reg. Amur.  
*japonicum*, Maxim. in Bull. Acad. Pétersb. xvi. (1871) 212.—Japon.

**PHELLODERMA**, Miers, in Trans. Linn. Soc. xxvii. (1870) 100. t. 27 = **Priva**, Adans. (Verben.).  
*cuneato-ovata*, Miers, l. c. 101. t. 27 = *Priva laevis*.

**PHELLOLOPHIUM**, Baker, in Journ. Linn. Soc. xxi. (1884) 349. *UMBELLIFERAE*.  
*madagascariense*, Baker, l. c.—Madag.

**PHELLOPTERUS**, Benth. in Benth. & Hook. f. Gen. i. 905 (1867). *UMBELLIFERAE*, Benth. & Hook. f. l. c.  
*GLEHNIA*, F. Schmidt, ex Miq. Ann. Mus. Bot. Lugd. Bat. iii. 61 (1867).  
*littoralis*, Benth. in Benth. & Hook. f. Gen. i. 905.—Ins. Sachalin.

**PHELLOPTERUS**, Nutt. ex Torr. & Gray, Fl. N. Am. i. 623 (1840) = **Cymopterus**, Rafin. (Umbell.).  
*glaucus*, Nutt. ex Torr. & Gray, l. c. 624 = *C. glaucus*.  
*montanus*, Nutt. ex Torr. & Gray, l. c. = *C. montanus*.

**PHELYPAEA**, Tourn. ex Linn. Syst. ed. I (1735); Gen. ed. I. 80 (1737). *OROBANCHACEAE*, Benth. & Hook. f. ii. 982.  
*ALATRAEA*, Neck. Elem. i. 374 (1790).  
*ANOPLANTHUS*, Endl. Gen. 727 (1839), pro parte.  
*ANOPLON*, Reichb. Consp. 212<sup>b</sup> (1828).  
*KOPSIA*, Dum. Comm. Bot. 16 (1822).  
*PHELYPAEA*, Tourn. ex Desf. in Ann. Mus. Par. x. (1807) 298. t. 21.  
*abbreviata*, Steud. Nom. ed. II. ii. 318 = *Aeginetia pedunculata*.  
*aegyptiaca*, Hook. f. & Thoms. ex Hook. f. Fl. Brit. Ind. iv. 327 = *Orobanche ramosa*.  
*aegyptiaca*, Walp. Rep. iii. 463 = *Orobanche aegyptiaca*.  
*albiflora*, Gren. & Godr. Fl. Fr. ii. 628 = *Orobanche ramosa*.  
*aleppensis*, Reut. ex Boiss. Fl. Orient. iv. 499 = *Orobanche aegyptiaca*.  
*ambigua*, Bunge, in Mém. Sav. Etr. Pétersb. vii. (1851) 429 (al. gen.).—Turkestan.  
*arancosa*, Reut. ex Boiss. Fl. Orient. iv. 496 = *Orobanche caesia*.  
*arenaria*, Walp. Rep. iii. 459 = *Orobanche arenaria*.  
*armena*, C. Koch, in Linnaea, xvii. (1843) 291 = *salsa*.  
*Biebersteinii*, Fisch. ex Walp. Rep. iii. 481 = *coccinea*.  
*biflora*, Spreng. Syst. ii. 818 = *Aphyllon uniflorum*.  
*bohémica*, Celak. in Sitzb. Boehm. Ges. (1874) 61 = *Orobanche bohémica*.  
*Brunneri*, Webb, in Hook. Niger Fl. 167 (al. gen.).—Ins. Cap. Virid.  
*caesia*, Griseb. Spicil. Fl. Rumel. ii. 59 = *Orobanche Muteli*.  
*caesia*, Guss. Fl. Sic. Syn. 4 = *Orobanche Schultzii*.

**PHELYPAEA:**—

*caesia*, Reut. in DC. Prod. xi. 6 = *Orobanche caesia*.  
*californica*, G. Don, Gen. Syst. iv. 632 = *Aphyllon californicum*.  
*Calotropidis*, Walp. Rep. iii. 462 = *Cistanche tubulosa*.  
*capensis*, G. Don, Gen. Syst. iv. 633 = *Harveya squamosa*.  
*carnosa*, C. A. Mey. ex Walp. Rep. iii. 463 = *Orobanche sicula*.  
*cedreti*, Reut. ex Boiss. Fl. Orient. iv. 495 = *Orobanche coerulea*.  
*cernua*, Pomel, Nouv. Mat. Fl. Atl. 105 = *Orobanche nana*.  
*coccinea*, Poir. Encyc. v. 268.—As. Min.; Reg. Caucas.  
*coelestis*, Reut. in DC. Prod. xi. 5 = *Orobanche coelestis*.  
*coerulea*, C. A. Mey. Verz. Pfl. Cauc. 104 = *Orobanche coerulea*.  
*comosa*, G. Don, Gen. Syst. iv. 632 = *Orobanche arenaria*.  
*comosa*, Torr. & Gray, in Pacif. Rail. Rep. xii. II. Bot. 45 = *Aphyllon comosum*.  
*compacta*, G. Don, Gen. Syst. iv. 632 (Quid?).—Afr. bor.  
*concolor*, Moris, Diagn. Stirp. 3; et ej. Fl. Sard. iii. 243 = *Orobanche Muteli*.  
*cytinoides*, Reut. in DC. Prod. xi. 14 = *Christisonia neilgherrica*.  
*Delilei*, Walp. Rep. iii. 459 = *Orobanche aegyptiaca*.  
*elongata*, Lojac. in Natural. Sicil. ii. (1883) 133 = *Orobanche aegyptiaca*.  
*emarginata*, Reut. in DC. Prod. xi. 9 = *Orobanche Muteli*.  
*erianthera*, Engelm. ex A. Gray, in Proc. Am. Acad. vii. (1868) 372 = *Aphyllon multiflorum*.  
*erianthera*, S. Wats. Bot. King's Exp. 225 = *Aphyllon californicum*.  
*fasciculata*, Spreng. Syst. ii. 818 = *Aphyllon fasciculatum*.  
*fissa*, C. A. Mey. Verz. Pfl. Cauc. 104 (al. gen.).—Reg. Caucas.  
*flava*, C. A. Mey. l. c. (al. gen.).—Reg. Casp.  
*floribunda*, Pomel, Nouv. Mat. Fl. Atl. 106 = *Orobanche nana*.  
*foliata*, Lamb. in Trans. Linn. Soc. x. (1811) 260. t. 7.—As. Min.; Reg. Caucas.  
*Fraasii*, Walp. Rep. iii. 460 = *Orobanche lavandulacea*.  
*gigantea*, Karel. in Bull. Soc. Nat. Mosc. (1839) 165 = *flava*.  
*gossypina*, Baker, ex Tristram, Surv. West. Palest. 377, nomen.—Palaestin.  
*gratiosa*, Webb & Berth. Phyt. Canar. iii. 153 (Quid?).—Ins. Canar.  
*Gussoneana*, Lojac. in Natural. Sicil. i. (1882) 197 = *Orobanche Schultzii*.  
*Heldreichii*, Reut. in DC. Prod. xi. 8 = *Orobanche Heldreichii*.  
*Hesperugo*, Webb, in Hook. Niger Fl. 167 (al. gen.).—Afr. trop.  
*hirtiflora*, Reut. in DC. Prod. xi. 10 = *Orobanche aegyptiaca*.  
*Hohenackeri*, Reut. l. c. = *Orobanche Muteli*.  
*hyans*, Reut. in Tchihat. Asie Min. Bot. ii. 57, nomen (Quid?).—As. Min.  
*incana*, Payne, Expl. Palest. 116 = *salsa*.  
*indica*, G. Don, Gen. Syst. iv. 632 = *Orobanche aegyptiaca*.  
*indica*, Spreng. ex Steud. Nom. ed. II. ii. 318 = *Aeginetia indica*.  
*lanuginosa*, C. A. Mey. in Ledeb. Fl. Alt. ii. 460 = *Orobanche caesia*.  
*lavandulacea*, F. Schultz, Arch. Fl. Fr. et All. 99; Reut. in DC. Prod. xi. 7 = *Orobanche Schultzii*, *lavandulacea*.  
*longiflora*, C. A. Mey. Verz. Pfl. Cauc. 104 = *Orobanche aegyptiaca*.  
*ludoviciana*, G. Don, Gen. Syst. iv. 632 = *Aphyllon ludovicianum*.  
*lusitanica*, Coss. Notes Crit. 43 = *Cistanche lutea*.  
*lutea*, Brunn. in Flora, xxiii. (1840) 11. Beibl. 4 = *Brunneri*.  
*lutea*, Desf. Fl. Atlant. ii. 60. t. 146 = *Cistanche lutea*.  
*lutea*, Parry, in Am. Natural. viii. (1874) 214 = *Aphyllon fasciculatum*.  
*macrantha*, C. Koch, in Linnaea, xvii. (1843) 290 = *Orobanche ramosa vel Muteli*.

**PHELYPAEA:**—

*mauritanica*, Coss. & Dur. in Bull. Soc. Bot. Fr. (1857) 409.—Afr. bor.  
*Millefolii*, Nym. Consp. 556 = *Orobanche coerulea*.  
*Muteli*, Reut. in DC. Prod. xi. 8 = *Orobanche Muteli*.  
*nana*, Reichb. f. Ic. Fl. Germ. xx. 88 = *Orobanche nana*.  
*obtusiloba*, Reut. ex Boiss. Fl. Orient. iv. 496 = *Orobanche arenaria*.  
*olbiensis*, Coss. Notes Crit. 8 = *Orobanche nana*.  
*oxyloba*, Reut. in DC. Prod. xi. 9 (*Orobanches* sp.).—As. Min.  
*palles*, Bunge, ex Ledeb. Fl. Ross. iii. 312 (*Orobanches* sp.).—Sibir.  
*panormitana*, Lojac. in Natural. Sicil. i. (1882) 174. t. 6 = *Orobanche Muteli*.  
*pedunculata*, Walp. Rep. iii. 459 = *Orobanche aegyptiaca*.  
*pinetorum*, A. Gray, in Proc. Am. Acad. vii. (1868) 371 = *Aphyllon pinetorum*.  
*pulchella*, C. A. Mey. in Eichw. Pl. Casp. 17. t. 18 (*Orobanches* sp.).—Reg. Caucas.  
*pulchra*, Pomel, Nouv. Mat. Fl. Atl. 105 = *Orobanche nana*.  
*purpurea*, Aschers. Fl. Brandenb. 499 = *Orobanche purpurea*.  
*pyramidalis*, Reut. in DC. Prod. xi. 7 = *Orobanche Schultzii*.  
*ramosa*, C. A. Mey. Verz. Pfl. Cauc. 104 = *Orobanche ramosa*.  
*ramosissima*, Genn. Sp. Fl. Sard. 10; ex Barbey, Fl. Sard. Comp. 233 = *Orobanche Muteli*.  
*Reuteri*, Boiss. & Huet, ex Tchihat. Asie Min. Bot. ii. 57 (Quid?).—As. Min.  
*Reuteri*, Moris, Fl. Sard. iii. 343 = *Orobanche Muteli*.  
*Reuteriana*, Reichb. f. Ic. Fl. Germ. xx. 117. t. 1839 = *Orobanche caesia*.  
*robusta*, Walp. Rep. iii. 460 = *Orobanche arenaria*.  
*Rosmarini*, Welw. ex Nym. Consp. 557 = *Orobanche Muteli*.  
*rufescens*, Griseb. Spicil. Fl. Rumel. ii. 59 = *Orobanche Muteli*.  
*rufescens*, Lojac. Contrib. Fl. Sic. 4 = *Orobanche Schultzii*.  
*salsa*, C. A. Mey. in Ledeb. Fl. Alt. ii. 461.—As. bor. et occ.  
*Schultzii*, F. Schultz, ex Reut. in DC. Prod. xi. 7 = *Orobanche lavandulacea*.  
*senegalensis*, Reut. in DC. Prod. xi. 13.—Afr. trop.  
*serotina*, Haussk. ex Boiss. Fl. Orient. iv. 499 = *Orobanche aegyptiaca*.  
*sicula*, Walp. Rep. iii. 463 = *Orobanche sicula*.  
*stricta*, [Moris,] Reut. in DC. Prod. xi. 7 = *Orobanche Schultzii*.  
*subcaulis*, Benth. Scroph. Ind. 55 = *Christisonia subcaulis*.  
*sympirensis*, C. Koch, in Linnaea, xxii. (1849) 662 = *Orobanche coelestis*.  
*tenuiflora*, Pomel, Nouv. Mat. Fl. Atl. 104 = *Orobanche Muteli*.  
*tinctoria*, Walp. Rep. iii. 462 = *Cistanche lutea*.  
*Tournefortii*, Desf. in Ann. Mus. Par. x. (1807) 298. t. 21 = *coccinea*.  
*trichocalyx*, Webb & Berth. Phyt. Canar. iii. 154 = *Orobanche lavandulacea*.  
*tricholoba*, Reut. in DC. Prod. xi. 10 = *Orobanche lavandulacea*.  
*trivalvis*, Trautv. in Act. Hort. Petrop. v. (1877) 467 (al. gen.).—Turkestan.  
*tuberosa*, A. Gray, in Proc. Am. Acad. vii. (1868) 371 = *Aphyllon tuberosum*.  
*tubulosa*, Schenk, Sp. Pl. Aegypt. 23 = *Cistanche tubulosa*.  
*violacea*, Desf. Fl. Atlant. ii. 60. t. 115 = *Cistanche violacea* (in Addend.).

**PHELYPEA**, Thunb. Nov. Gen. Pl. v. 91 (1784)  
**Cytinus**, Linn. (Balanoph.).  
*sanguinea*, Thunb. l. c. = *C. dioicus*.

**PHIEMERANTHUS**, Rafin. in Med. Repos. N. York, v. (1808) 350 = **Talinum**, Adans. (Portul.).  
*teretifolius*, Rafin. l. c. = *T. teretifolium*.

**PHENAKOSPERMUM**, Endl. Prod. Fl. Norf. 35, in cons. (1833) = **Ravenala**, Adans. (Scitum.).  
*guyanensis*, Endl. l. c. = *R. guyanensis*.



**PHENAX**, Wedd. in Ann. Sc. Nat. Sér. IV. i. (1854) 191. *URTICACEAE*, Benth. & Hook. f. iii. 392. angustifolius, Wedd. l. c. 193.—Costa Rica. *aquatica*, Wedd. in DC. Prod. xvi. i. 235<sup>2</sup>, lapsu = *Pouzolzia pentandra*. asper, Wedd. l. c. 235<sup>39</sup>.—Cuba. *ballotaefolius*, Wedd. in Ann. Sc. Nat. Sér. IV. i. (1854) 192.—N. Granat. *concinna*, Wedd. in DC. Prod. xvi. i. 235<sup>2</sup>, lapsu = *Pouzolzia Wightii*. *Galeottianus*, Blume, Mus. Bot. Lugd. Bat. ii. 227 = *mexicanus*. *Gaudichaudianus*, Wedd. in Ann. Sc. Nat. Sér. IV. i. (1854) 193 = *mexicanus*. *haitensis*, Wedd. l. c. 192 = *laevigatus*. *hirtus*, Wedd. in DC. Prod. xvi. i. 235<sup>38</sup> = *urticaefolius*. *hirtus*, Wedd. l. c. 235<sup>2</sup>, lapsu = *Pouzolzia Bennettiana*. *integrifolius*, Wedd. in Ann. Sc. Nat. Sér. IV. i. (1854) 193.—Peruv. *laevigatus*, Wedd. l. c. 191.—Am. trop. *laxiflorus*, Wedd. in Arch. Mus. Par. viii. (1855–56) 499.—Peruv. *mexicanus*, Wedd. in Ann. Sc. Nat. Sér. IV. i. (1854) 193.—Mexic. *nilghirensis*, Wedd. in DC. Prod. xvi. i. 235<sup>2</sup>, lapsu = *Pouzolzia Wightii*. *pentandrus*, Blume, Mus. Bot. Lugd. Bat. ii. 169 = *vulgaris*. *pentandrus*, Wedd. in DC. Prod. xvi. i. 235<sup>2</sup>, lapsu = *Pouzolzia pentandra*. *Pentlandianus*, Wedd. in Ann. Sc. Nat. Sér. IV. i. (1854) 192 = *urticaefolius*. *petiolaris*, Wedd. l. c. = *urticaefolius*. *rugosa*, Wedd. in DC. Prod. xvi. i. 235<sup>38</sup> = *ballotaefolius*. *Sonneratii*, Wedd. l. c. 235<sup>37</sup> = *vulgaris*. *Stockii*, Wight, ex Wedd. l. c. 492, lapsu = *Pouzolzia pentandra*. *ternata*, Benn. ex Wedd. l. c., lapsu = *Pouzolzia Wightii*. *tomentosus*, Wedd. in Ann. Sc. Nat. Sér. IV. i. (1854) 192 = *uliginosus*. *tomentosa*, Wight, ex Wedd. in DC. Prod. xvi. i. 492, lapsu = *Pouzolzia Bennettiana*. *triandra*, Wedd. l. c. 235<sup>2</sup>, lapsu = *Pouzolzia parvifolia*. *uliginosus*, Wedd. in Ann. Sc. Nat. Sér. IV. i. (1854) 192.—Venezuela. *urticaefolius*, Wedd. l. c.—Jamaic. *urticifolius*, Griseb. Fl. Brit. W. Ind. 159 = *laevigatus*. *urticifolius*, Griseb. in Mem. Am. Acad. N. S. viii. (1861) 174 = *asper*. *vulgaris*, Wedd. in Ann. Sc. Nat. Sér. IV. i. (1854) 192.—Am. trop.

**PHENIANTHUS**, Rafin. in Ann. Gén. Sc. Phys. vi. (1820) 83 = *Lonicera*, Linn. (Caprifol.). *sempervirens*, Rafin. l. c. = *L. sempervirens*.

**PHENOPUS**, Hook. f. Fl. Brit. Ind. iii. 404 (1881), sphalm. = *PHAENOPUS* DC. = *Lactuca*, Tourn. (Compos.)

**PHENOTRICHIS**, Steud. Nom. ed. II. ii. 319 (1841), sphalm. = *Pherotrichis*, Decne. (Asclep.).

**PEROSPHERA**, Archer, in Hook. Kew Journ. ii. (1850) 52. *CONIFERAE*, Benth. & Hook. f. iii. 433. Fitzgeraldi, F. Muell. in Hook. Ic. Pl. t. 1383.—Austral. *Hookeriana*, Archer, in Hook. Kew Journ. ii. (1850) 52, partim.—Tasman. *Hookeriana*, Archer, l. c., partim = *Microcachys tetragona*.

**PHEROTRICHIS**, Decne. in Ann. Sc. Nat. Sér. II. ix. (1838) 322. *ASCLEPIADEAE*, [Benth. & Hook. f. ii. 767.] *villosa*, Meisn. Gen. Comm. 176.—Mexic.

**PHIALANTHUS**, Griseb. Fl. Brit. W. Ind. 335 (1861). *RUBIACEAE*, Benth. & Hook. f. ii. 106. *myrtilloides*, Griseb. l. c.—Ind. occ. *resinifluus*, Griseb. Cat. Pl. Cub. 140.—Cuba. *rigidus*, Griseb. l. c.—Cuba. *spicatus*, Wright, in Sauv. Fl. Cub. 71 = *Ceratopyxis verbenacea*. *stillans*, Griseb. Cat. Pl. Cub. 149.—Cuba.

**PHILACANTHUS**, Benth. in Benth. & Hook. f. Gen. ii. 1102 (1876). *ACANTHACEAE*, Benth. & Hook. f. l. c. Griffithii, Benth. l. c.—Reg. Himal.

**PHIALIS**, Spreng. Gen. ii. 631 (1831) = *Eriophyllum*, Lag. (Compos.). *caespitosa*, Spreng. l. c. = *E. caespitosum*.

**PHIALODISCUS**, Radlk. in Sitzb. Math.-Phys. Akad. Muench. ix. (1879) 497, 655. *SAPINDACEAE*. *unijugatus*, Radlk. l. c. 655.—Afr. trop. *zambesiacus*, Radlk. l. c.—Afr. trop.

**PHILACTIS**, Schrad. Ind. Sem. Hort. Gotting. (1831). —Cf. Linnaea, viii. (1833) Litt. 24. *COMPOSITAE*. Benth. & Hook. f. ii. 356. *longipes*, A. Gray, in Proc. Am. Acad. xv. (1880) 85. —Mexic. *zinnoides*, Schrad. Ind. Sem. Hort. Gotting. (1831). —Cf. Linnaea, viii. (1833) Litt. 24.—Mexic.

**PHILADELPHUS**, [Riv.] Linn. Syst. ed. I (1735). *SAXIFRAGEAE*, Benth. & Hook. f. i. 642. *SYRINGA*, Tourn. ex Adans. Fam. ii. 244 (1763). *acuminatus*, Lange, Ind. Sem. Hort. Haun. (1875) 33; ex Bot. Tidsskr. Ser. III. ii. (1877–79) 131 = *coronarius*. *affinis*, Schlecht. in Linnaea, xiii. (1839) 419.—Mexic. *aromaticus*, Ait. Hort. Kew. ed. I. ii. 156 = *Leptospermum ericoides*. *aromaticus*, Hort. Par. ex Steud. Nom. ed. I. 611 = *coronarius*. *asperifolius*, Koern. in Regel, Gartenfl. (1867) 73.—Mexic. *californicus*, Benth. Pl. Hartw. 309 = *Lewisii*. *californicus*, Carr. in Rev. Hort. (1866) 339 = *Gordonianus*. *chinensis*, Hort. ex C. Koch, Dendrol. i. 339 = *coronarius*. *columbianus*, Hort. l. c. 344 = *Gordonianus*. *cordatus*, Hort. l. c. = *Gordonianus*. *cordifolius*, Lange, in Bot. Tidsskr. Ser. III. ii. (1877–79) 132 = *Gordonianus*? *coronarius*, Linn. Sp. Pl. 473.—Europ. austr. *corymbosus*, Wall. Cat. n. 3652 = *Deutzia staminea*. *dubius*, Hort. ex C. Koch, Dendrol. i. 343 = *grandiflorus*. *floribundus*, Schrad. ex DC. Prod. iii. 205 = *grandiflorus*. *floribundus*, Usteri, ex Roem. Mag. iii. 7tes St. (1790) 177. t. 2 = *Leptospermum scoparium*. *globosus*, Hort. ex C. Koch, Dendrol. i. 344 = *Gordonianus*. *Godokokerii*, Hort. Booth, ex C. Koch, l. c. 346.—Am. bor.? *Gordonianus*, Lindl. Bot. Reg. (1838) Misc. 21.—Calif. *gracilis*, Hort. ex DC. Prod. iii. 206 = *hirsutus*. *Grahami*, Hort. ex C. Koch, Dendrol. i. 344 = *Gordonianus*. *grandiflorus*, Lodd. ex Schrad. in Linnaea, xii. (1838) 393 = *coronarius*. *grandiflorus*, Willd. Enum. Hort. Berol. 511; [Ker. Gawl.] Bot. Reg. t. 570.—Am. bor. *hirsutus*, Nutt. Gen. Am. i. 301.—Am. bor. *humilis*, Hort. ex DC. Prod. iii. 206 = *grandiflorus*. *imbricatus*, Soland. ex Gaertn. Fruct. i. 174 = *Baeckea crenulata*. *inodorus*, Hort. ex Poir. Encyc. Suppl. v. 135 = *grandiflorus*. *inodorus*, Linn. Sp. Pl. 470.—Am. bor. *inodorus*, Stuv. ex Schrad. in Linnaea, xii. (1838) 399 = *hirsutus*. *insignis*, Carr. in Rev. Hort. (1870) 40.—Hab.? *intermedius*, Salm-Dyck, Hort. Dyck. (1834) 204.—Hab.? *Keteleerii*, Carr. in Rev. Hort. (1866) 44.—Hab.? *laniger*, Ait. Hort. Kew. ed. I. ii. 150 = *Leptospermum pubescens*. *latifolius*, Schrad. ex DC. Prod. iii. 206 = *grandiflorus*. *laxus*, Schrad. l. c. = *grandiflorus*. *Ledebourii*, Hort. ex C. Koch, Dendrol. i. 339 = *coronarius*. *Lewisii*, Pursh, Fl. Am. Sept. i. 329.—Am. bor. *mexicanus*, Schlecht. in Linnaea, xiii. (1839) 418.—Mexic.

# PHILADELPHUS:—

*microphyllus*, A. Gray, in Mem. Am. Acad. N. S. iv. (1849) 54.—N. Mexic. *myrtoides*, Bertol. Fl. Guatim. 21.—Guatemala. *nanus*, Mill. Gard. Dict. ed. VIII. n. 2 = *coronarius*. *nepalensis*, Wall. ex Loud. Hort. Brit. 196 = *coronarius*. *nivalis*, Hort. ex C. Koch, Dendrol. i. 343 = *pubescens*. *niveus*, Hort. l. c. = *praece*. *oreganus*, Nutt. ex Torr. & Gray, Fl. N. Am. i. 595 = *Gordonianus*. *parviflorus*, Carr. in Rev. Hort. (1870–71) 460.—China. *pekinensis*, Rupr. in Bull. Phys.-Math. Acad. Pétersb. xv. (1857) 365 = *coronarius*. *pendulifolius*, Carr. in Rev. Hort. (1875) 360.—Hab.? *primulaeflorus*, Hort.—Cf. Gard. Chron. (1871) 5 = *coronarius*. *pubescens*, Bosc, ex Torr. & Gray, Fl. N. Am. i. 595 = *hirsutus*. *pubescens*, Loisel. in Herb. Amat. iv. 268 = *grandiflorus*. *Roylei*, Hort. ex C. Koch, Dendrol. i. 339 = *coronarius*. *rubricaulis*, Carr. in Rev. Hort. (1870–71) 460.—China. *salicifolius*, Hort. ex C. Koch, Dendrol. i. 337 = *coronarius*. *Salzmanni*, Hort. l. c. 338 = *coronarius*. *satsumanus*, Miq. Ann. Mus. Bot. Lugd. Bat. iii. 99 = *seq.* *Satsumi*, Siebold, ex Lindl. & Paxt. Flow. Gard. ii. (1851–52) 102 = *coronarius*. *Schrenkii*, Rupr. in Bull. Phys.-Math. Acad. Pétersb. xv. (1857) 365 = *coronarius*. *scoparius*, Ait. Hort. Kew. ed. I. ii. 150 = *Leptospermum scoparium*. *serpyllifolius*, A. Gray, Pl. Wright. i. 77.—N. Mexic. *speciosus*, Hort. ex C. Koch, Dendrol. i. 339 = *coronarius*. *speciosus*, Schrad. ex DC. Prod. iii. 206 = *grandiflorus*. *stamineus*, Wall. Pl. As. Rar. ii. 82 = *Deutzia staminea*. *stenopetalus*, Carr. in Rev. Hort. (1870) 340.—Hab.? *tenuifolius*, Rupr. in Bull. Phys.-Math. Acad. Pétersb. xv. (1856) 133 = *coronarius*. *tomentosus*, D. Don, Gen. Syst. ii. 807; Wall. Cat. n. 3653 = *coronarius*. *tomentosus*, James, ex Maxim. Hydrang. As. 29 = *Deutzia staminea*. *trichopetalus*, Koern. in Regel, Gartenfl. (1867) 73.—Costa Rica. *triflorus*, Wall. Cat. n. 3653 = *coronarius*. *trinervius*, Schrad. in Linnaea, xii. (1838) 399 = *hirsutus*. *undulatus* x, Hort. ex Petz. & Kirch. Arbor. Muscav. 205. *uniflorus*, Hort. l. c. 206 = *coronarius*? *verrucosus*, Schrad. ex DC. Prod. iii. 205 = *coronarius*. *villosus*, Lodd. ex W. Baxt. in Loud. Hort. Brit. Suppl. iii. 606 = *hirsutus*. *Zeyheri*, Schrad. ex DC. Prod. iii. 205 = *coronarius*.

**PHILAGERIA** x, Mast. in Gard. Chron. (1872) 358 (*Lapageria* x *Philesia*). *LILIACEAE*. *Veitchii*, Mast. l. c.

**PHILAGINOPSIS**, Walp. Rep. ii. 972 (1843), sphalm. = *FILAGINOPSIS*, Torr. & Gray = *Diaperia*, Nutt. (Compos.).

**PHILAGONIA**, Blume, Cat. Gew. Buitenz. 20 (1823); Bijdr. 250 (1825) = *Evodia*, Forst. (Rutac.). *fraxinifolia*, Hook. Ic. Pl. t. 710 = *E. fraxinifolia*. *procera*, Blume, ex Nees, in Flora, viii. (1825) 125 = *E. fraxinifolia*. *sambucina*, Blume, Cat. Gew. Buitenz. 20; Bijdr. 250 = *E. fraxinifolia*.

**PHILAMMOS**, Stev. in Bull. Soc. Nat. Mosc. iv. (1832) 268 = *Astragalus*, Tourn. (Legumin.). *Arbuscula*, Stev. l. c. = *A. Arbuscula*. *arcuatus*, Stev. l. c. xxix. (1856) II. 146 = *A. arcuatus*. *arenarius*, Stev. l. c. iv. (1832) 268 = *A. arenaria*. *ceratoides*, Stev. l. c. = *A. ceratoides*. *compressus*, Stev. l. c. xxix. (1856) II. 146 = *A. compressus*. *corniculatus*, Stev. l. c. iv. (1832) 268 = *A. corniculatus*.



## PHILAMMOS:—

- davuricus*, Stev. in Bull. Soc. Nat. Mosc. iv. (1832) 268 = *Astragalus davuricus*.  
*erioceras*, Stev. l. c. xxix. (1856) ii. 146 = *A. erioceras*.  
*eriolobus*, Stev. l. c. = *A. depauperatus*.  
*Helmii*, Stev. l. c. = *A. Helmii*.  
*horizontalis*, Stev. l. c. = *A. Arbuscula*.  
*macroceras*, Stev. l. c. = *A. macrolobus*.  
*macrolobus*, Stev. l. c. iv. (1832) 268 = *A. macrolobus*.  
*pyncolobus*, Stev. l. c. xxix. (1856) ii. 146 = *A. pyncolobus*.  
*stenoceras*, Stev. l. c. = *A. stenoceras*.  
*Stevenianus*, Stev. l. c. iv. (1832) 268 = *A. Stevenianus*.  
*subulatus*, Stev. l. c. = *A. subulatus*.

## PHILASTREA, Pierre, in Bull. Soc. Linn. Par. i. (1885) 475. STERCULIACEAE.

*pauciflora*, Pierre, l. c. = Cambodia.

## PHILEOPTERA, Fenzl, in Flora, xxvii. (1844) 312 =

- Lonchocarpus*, H. B. & K. (Legumin.).  
*Heuglini*, Pritz. Ic. Ind. ii. 212, cum cit. falsa = *L. laxiflorus*.  
*Kotschyana*, Fenzl, in Flora, xxvii. (1844) 312 = *L. laxiflorus*.  
*Schimperi*, Hochst. ex A. Rich. Tent. Fl. Abyss. i. 232 = *L. laxiflorus*.

PHILEOZERA, Buckl. in Proc. Acad. Sc. Philad. 1861 (1862) 459 = *Actinella*, Nutt. (Compos.).

*multiflora*, Buckl. l. c. = *A. odorata*.

## PHILESIA, Comm. ex Juss. Gen. 41 (1789). LILIA-CEAE, Benth. &amp; Hook. f. iii. 767.

- buxifolia*, Lam. ex Poir. Encyc. v. 269 = *magellanica*.  
*magellanica*, Y. F. Gmel. Syst. 1012. — Reg. Magellan.  
*rosea*, D. Dietr. Syn. Pl. ii. 1122 = *Lapageria rosea*.

PHILETAERIA, Liebm. in Vidensk. Selsk. Skr. V. ii. (1851) 283 = *Fouquieria*, H. B. & K. (Tamarisc.).

*horrida*, Liebm. l. c. = *F. formosa*.

## PHILIBERTIA, H. B. &amp; K. Nov. Gen. et Sp. iii. 195, t. 230 (1818). ASCLEPIADEAE, Benth. &amp; Hook. f. ii. 750.

- CERAMANTHUS*, Kunze, in Linnaea, xx. (1847) 26.  
*PENTAGONIA*, Schau. in Nov. Act. Nat. Cur. xix. Suppl. i. (1843) (Pl. Meyen.) 364.

*ZOSIMA*, Phil. Sert. Mendoc. Alt. 29 (1871).  
*canescens*, Decne. in Orb. Voy. Bot. i. t. 9 = *solanoides*.

*crassifolia*, Hemsl. Biol. Centr. Am. Bot. ii. 318. — Mexic.

*crispa*, Hemsl. l. c. — Mexic.  
*cumanensis*, Hemsl. l. c. — Mexic.

*cynanchoides*, A. Gray, in Proc. Am. Acad. xii. (1877) 64. — Texas; Mexic.

*elegans*, Hemsl. Biol. Centr. Am. Bot. ii. 318. — Mexic.

*flava*, Meyen, Reise, i. 466. — Peruv.  
*Gilliesii*, Hook. & Arn. in Hook. Journ. Bot. i. (1834) 290 = *solanoides*.

*gracilis*, D. Don, in Sweet, Brit. Flow. Gard. Ser. II. iv. t. 403. — Reg. Argent.

*grandiflora*, Hook. Bot. Mag. t. 3618 = *gracilis*.  
*incana*, Decne. in DC. Prod. viii. 542 = *solanoides*.

*Lindeniana*, Hemsl. Biol. Centr. Am. Bot. ii. 318. — Mexic.

*linearis*, A. Gray, in Proc. Am. Acad. xii. (1877) 64. — Calif.; Arizon.

*lurida*, Hemsl. Biol. Centr. Am. Bot. ii. 319. — Mexic.  
*odorata*, Hemsl. l. c. — Guatemala.

*pannosa*, Hemsl. l. c. 320. — Mexic.  
*Pavoni*, Hemsl. l. c. 319. — Mexic.

*rotata*, Griseb. in Goett. Abh. xxiv. (1879) 233. — Reg. Argent.

*rotundifolia*, Hemsl. Biol. Centr. Am. Bot. ii. 320. — Mexic.

*solanoides*, Decne. in DC. Prod. viii. 542 = *flava*?  
*solanoides*, H. B. & K. Nov. Gen. et Sp. iii. 196, t. 230. — Am. austr.

*stellaris*, Griseb. in Goett. Abh. xxiv. (1879) 284. — Reg. Argent.

*Torreyi*, A. Gray, in Proc. Am. Acad. xii. (1877) 64. — Texas.

*undulata*, A. Gray, l. c. 65. — N. Mexic.

*viminalis*, A. Gray, l. c. 64. — Ind. occ.; Guian.

## PHILIPPIA, Klotzsch, in Linnaea, ix. (1834) 354. ERICACEAE, Benth. &amp; Hook. f. ii. 591.

ELEUTHEROSTEMON, Klotzsch, in Linnaea, xii. (1838) 219.

*abietina*, Klotzsch, l. c. ix. (1834) 357. — Afr. austr.; Ins. Mascar.

*arborescens*, Klotzsch, l. c. 358. — Ins. Maurit.  
*aristata*, Benth. in DC. Prod. vii. 696. — Madag.

*brachyphylla*, Benth. l. c. 697. — Ins. Maurit.  
*Chamissonis*, Klotzsch, in Linnaea, ix. (1834) 356. — Afr. austr.

*ciliata*, Benth. in DC. Prod. vii. 695. — Madag.  
*densa*, Benth. l. c. — Madag.

*floribunda*, Benth. l. c. 696. — Madag.  
*galioides*, Benth. l. c. — Ins. Borbon.; Madag.

*Goudotiana*, Klotzsch, in Linnaea, ix. (1834) 355. — Madag.

*Leeana*, Klotzsch, l. c. xii. (1838) 213. — Afr. austr.  
*macrocalyx*, Baker, in Journ. Linn. Soc. xx. (1883) 195. — Madag.

*montana*, Klotzsch, in Linnaea, ix. (1834) 354. — Ins. Maurit.; Borbon.

*oophylla*, Baker, in Journ. Linn. Soc. xx. (1883) 195. — Madag.

*Parkeri*, Baker, in Journ. Bot. xx. (1882) 171. — Madag.

*parviflora*, Benth. in DC. Prod. vii. 695. — Madag.  
*ramosissima*, Benth. l. c. 696. — Ins. Borbon.

*tenuifolia*, Benth. l. c. — Madag.  
*tenuissima*, Klotzsch, in Linnaea, ix. (1834) 358. — Madag.

*viscosa*, Benth. in DC. Prod. vii. 696. — Ins. Borbon.

## PHILIPPODENDRON, Eadl. Gen. 1004 (1840) = seq.

PHILIPPODENDRUM, Poit. in Ann. Sc. Nat. Sér. II. viii. (1837) 183. t. 3 = *Plagianthus*, Forst. (Malvac.).

*regium*, Poit. l. c. 184. t. 3 = *Plag. betulinus*.

## PHILLYREA, Linn. Gen. ed. I. 2 (1737). OLEACEAE, Benth. &amp; Hook. f. ii. 677.

PHYLLIREA, Tourn. ex Adans. Fam. ii. 223 (1763).  
*angustifolia*, Linn. Sp. Pl. 7. — Reg. Mediterr.

*brachiata*, Stokes, Bot. Comm. i. 26 = *angustifolia*.  
*bracteolata*, Herb. Lamb. ex D. Don, Prod. Fl. Nep. 107 = *Ligustrum nepalense*.

*buxifolia*, Link. Jahrb. i. i. (1820) 157 = *media*.  
*capensis*, Burm. f. Fl. Cap. Prod. 1 = *Polygala bracteolata*, myrtifolia.

*conferta*, Stokes, Bot. Comm. i. 23 = *angustifolia*, latifolia.

*coriacea*, Link. Jahrb. i. i. (1820) 155 = *latifolia*.  
*decora*, Boiss. & Bal. in Vilm. Fl. Pl. Terre, Suppl. (1867). — Lazistan.

*divaricata*, Vis. Ort. Bot. Pad. (1842) 144. — Hab. ?  
*grandiflora*, Wall. ex DC. Prod. viii. 289 = *Ligustrum nepalense*.

*ilicifolia*, Willd. Enum. Hort. Berol. 13 = *latifolia*.  
*indica*, Lour. Fl. Cochinch. 19 = *Olea microcarpa*.

*laevis*, Willd. Enum. Hort. Berol. 12 = *latifolia*.  
*lanceolata*, Steud. Nom. ed. I. 611 = *angustifolia*.

*latifolia*, Linn. Sp. Pl. 8. — Reg. Mediterr.  
*latifolia*, Sibth. & Sm. Fl. Graec. i. 2. t. 2 = *media*.

*laurifolia*, Hort. — Cf. Gard. Chron. (1883) ii. 494 = *decora*.

*levis*, Tenore, Fl. Nap. iii. 7 = *laevis*.  
*ligustrifolia*, Mill. Gard. Dict. ed. VIII. n. 4 = *media*.

*longifolia*, Link. Jahrb. i. i. (1820) 154 = *latifolia*.  
*Lorentei*, Walp. Rep. vi. 461 = *Olea Lorentii*.

*Lowei*, DC. Prod. viii. 293. — Ins. Mader.  
*major*, Zumag. Fl. Pedem. i. 73 = *latifolia*.

*media*, Linn. Syst. ed. X. 887. — Reg. Mediterr.  
*media*, Tenore, Fl. Nap. iii. 6 = *angustifolia*.

*Medwedewi*, Sredinski, ex Trautv. in Act. Hort. Petrop. ix. (1884) 13 = *decora*.

*microphylla*, J. Grah. Cat. Pl. Bomb. 108 = *Linociera malabarica*.

*microphylla*, Link. ex Steud. Nom. ed. I. 611 = *media*?

*minor*, Zumag. Fl. Pedem. i. 73 = *angustifolia*.

*obliqua*, Tenore, Fl. Nap. 6, in syn. = *angustifolia*.

*obliqua*, Willd. Enum. Hort. Berol. 12 = *latifolia*.

*obtusata*, Link. Jahrb. i. i. (1820) 156 = *latifolia*.

*oleaeifolia*, Mill. Gard. Dict. ed. VIII. n. 5; Willd. Enum. Hort. Berol. 13 = *media*.

## PHILLYREA:—

*paniculata*, Roxb. Hort. Beng. 3; Fl. Ind. i. 100 = *Ligustrum lucidum*.

*pedunculata*, Bory & Chaub. Nouv. Fl. Pélop. 7 = *media*.

*pendula*, Willd. Enum. Hort. Berol. 12 = *media*.  
*racemosa*, Link. Jahrb. i. i. (1820) 150 = *media*.

*ramiflora*, Roxb. ex C. B. Clarke, in Hook. f. Fl. Brit. Ind. iii. 611 = *Linociera macrophylla*.

*robusta*, Blume, Bijdr. 611 = *Ligustrum obtusiusculum*.

*robusta*, Roxb. Hort. Beng. 3; Fl. Ind. i. 101 = *Ligustrum robustum*.

*rosmarinifolia*, Mill. Gard. Dict. ed. VIII. n. 7 = *angustifolia*.

*spinosa*, Mill. l. c. n. 3 = *latifolia*.  
*stricta*, Bertol. Fl. Ital. i. 43 = *latifolia*.

*terminalis*, Heyne, ex Wall. Cat. n. 2816 B = *Ligustrum lucidum*.

*terminalis*, Roxb. ex Wall. Cat. n. 2816 A = *Ligustrum Roxburghii*.

*undulata*, Zipp. ex Blume, Mus. Bot. Lugd. Bat. i. 314 = *Ligustrum undulatum*.

*variabilis*, Timb. ex Nym. Consp. 494 = spp. plurimae.

*Vilmoriniana*, Boiss. & Bal. ex Boiss. Fl. Orient. iv. 37 = *decora*.

*virgata*, Willd. Enum. Hort. Berol. 12 = *media*.  
*vulgaris*, Caruel, Prod. Fl. Tosc. 444 = spp. plurimae.

PHILOCRENA, Bong. in Mém. Acad. Pétersb. Sér. VI. i. (1832) 80. t. 6 = *Tristicha*, Thou. (Podost.).

*pusilla*, Bong. l. c. = *T. hypnoides*.

## PHILODENDRON, Schott, in Wien. Zeitschr. iii. (1829) 780; ex Endl. in Linnaea, vi. (1831) Litt. 53; Melet. 19 (1832). AROIDEAE, Benth. &amp; Hook. f. iii. 978.

BAURSEA, Hoffmgg. Verz. Pf. 42 (1824).  
 CALOSTIGMA, Schott, Melet. 19 (1832).

ELOPIUM, Schott, in Oestr. Bot. Zeitschr. xv. (1865) 34.

MECONOSTIGMA, Schott, Melet. 20 (1832).  
 SPHINCTEROSTIGMA, Schott, l. c. (1832).

TELIPODUS, Rafin. Fl. Tellur. iii. 66 (1836).  
*aceriferum*, Schott, in Oestr. Bot. Zeitschr. xv. (1865) 71 = *squamiferum*.

*Acrocardium*, Schott, l. c. viii. (1858) 179 = *P. Oxy-cardium*.

*aculeatum*, Kunth, Enum. Pl. iii. 48. — Guian.  
*acutatum*, Schott, Syn. Aroid. 94. — Venezuela.

*adamantinum*, Mart. ex Schott, l. c. 114. — Bras.  
*adhatodaefolium*, Schott, l. c. 81. — Venezuela.

*advena*, Schott, in Oestr. Bot. Wochenbl. v. (1855) 289. — Mexic.

*aemulum*, Schott, in Journ. Bot. ii. (1864) 4. — Bras.  
*affine*, Hemsl. Diagn. Pl. Nov. 37. — Guatemala.

*alatum*, Klotzsch & Karst. ex Engl. in DC. Monog. Phan. ii. 362 = *Karstenianum*.

*alatum*, Poepp. & Endl. Nov. Gen. et Sp. iii. 87. — Peruv.

*albo-vaginatam*, C. Koch & Sello, Ind. Sem. Hort. Berol. (1853) App. 3 = *lacerum*.

*alternans*, Schott, Syn. Aroid. 75. — Bras.  
*amazonicum*, Hort. ex Engl. in Mart. Fl. Bras. iii. 11. 164 = *laciniosum*.

*ambiguum*, Schott, Prod. Aroid. 227 = *P. Ochrostemon*.  
*amphibium*, Kunth, Enum. Pl. iii. 52. — Bras.

*anatomicum*, Hort. ex Kunth, Ind. Sem. Hort. Berol. (1847) 11 = *Monstera deliciosa*.

*angustatum*, Schott, Syn. Aroid. 103. — Am. trop.  
*anisotomum*, Schott, in Oestr. Bot. Zeitschr. viii. (1858) 179 = *Fenzlii*.

*arborescens*, Kunth, Enum. Pl. iii. 48 = *Montrichardia aculeata*.

*arborescens*, Kunth, l. c. *Montrichardia aculeata*.

*asperatum*, C. Koch, in Ind. Sem. Hort. Berol. 1855 App. 4. — Bras.

*Augustinum*, C. Koch, l. c. (1853) App. 4. — Am. trop.

*aurantiifolium*, Schott, in Oestr. Bot. Zeitschr. viii. (1858) 178 = *guttiferum*.

*auritum*, Lindl. in Journ. Hort. Soc. viii. (1853) 60. — Guatemala.

*bipennifolium*, Schott, in Oestr. Bot. Wochenbl. v. (1855) 289 = *panduraceformis*.

*bipinnatifidum*, Schott, in Wien. Zeitschr. iii. (1829) 780; ex Endl. in Linnaea, vi. (1831) Litt. 53. — Bras.



## PHILODENDRON:—

Blanchetianum, Schott, in *Bonplandia*, vii. (1859) 164.—Bras.  
 brasiliense, Engl. in *Mart. Fl. Bras.* iii. II. 168.—Bras.  
 brevilaminatum, Schott, in *Journ. Bot.* ii. (1864) 4.—Bras.  
 brevspathum, Schott, in *Bonplandia*, vii. (1859) 29.—Panama.  
 callaeifolium, Hort. ex Engl. in *Mart. Fl. Bras.* iii. II. 162 = P. Imbe.  
 calophyllum, Brongn. ex Linden & André, *Illustr. Hort.* xviii. (1871) 172. t. 76.—Bras.  
 cannaefolium, Mart. in *Flora*, xiv. (1831) 451.—Bras.  
 cannaefolium, Sweet, Hort. Brit. ed. III. 632 = spathiphyllum.  
 Carderi, Hort.—Cf. Gard. Chron. (1878) II. 56; (1880) I. 759 = verrucosum.  
 cardiophyllum, C. Koch & Sello, Ind. Sem. Hort. Berol. (1853) App. 4 = eximium.  
 Clementis, Griseb. *Cat. Pl. Cub.* 220.—Cuba.  
 consanguineum, Schott, *Syn. Aroid.* 88.—Ins. S. Doming.  
 corcovadense, Kunth, *Enum. Pl.* iii. 49.—Bras.  
 cordatum, Kunth, l. c. 52.—Bras.  
 cordifolium, Moritz, ex Schott, *Prod. Aroid.* 246 = fraterium.  
 crassinervium, Lindl. *Bot. Reg.* t. 1958.—Bras.  
 crinipes, Hort. Amstel. ex C. Koch, in Ind. Sem. Hort. Berol. (1855) App. 4 = squamiferum.  
 crinitum, Hort. ex Engl. in DC. Monog. Phan. ii. 417 = squamiferum.  
 cruentum, Poepp. & Endl. *Nov. Gen. et Sp.* iii. 86.—Peruv.  
 cuneatum, Engl. in *Bot. Jahrb.* vi. (1885) 281.—N. Granat.  
 curvilobum, Schott, *Syn. Aroid.* 102.—Am. trop.  
 cuspidatum, C. Koch & Bouché, *Ind. Sem. Hort. Berol.* (1854) App. 7.—Mexic.; Panama.  
 cuspidifolium, Mart. ex Schott, *Prod. Aroid.* 243 = ecardatum.  
 daemonum, Liebm. in *Kjoeb. Vidensk. Meddel.* (1849) 17.—Mexic.  
 Dagilla, Schott, in *Oestr. Bot. Zeitschr.* viii. (1858) 179 = tripartitum.  
 daguense, Linden & André, in *Illustr. Hort.* (1871) 192. t. 79 = verrucosum.  
 deflexum, Poepp. ex Schott, *Syn. Aroid.* 101.—Peruv.  
 deltoideum, Poepp. & Endl. *Nov. Gen. et Sp.* iii. 87. t. 298.—Peruv.  
 deviatum, Schott, in *Bonplandia*, vii. (1859) 29.—Venezuela.  
 dilaceratum, Hort. ex Endl. in DC. Monog. Phan. ii. 265 = *Monstera dilacerata*.  
 dispar, Schott, *Syn. Aroid.* 79 = *Karstenianum*.  
 disparile, Schott, in *Bonplandia*, x. (1862) 86.—Bras.  
 dolosum, Schott, in *Oestr. Bot. Zeitschr.* xv. (1865) 71.—Bras.  
 ecardatum, Schott, *Syn. Aroid.* 83.—Bras.  
 elaphoglossoides, Schott, l. c. 80 = heterophyllum.  
 elongatum, Engl. in *Mart. Fl. Bras.* iii. II. 161.—Bras.  
 erubescens, C. Koch & Augustin, *Ind. Sem. Hort. Berol.* (1854) App. 6.—N. Granat.  
 erythropus, Mart. ex Schott, *Syn. Aroid.* 76 (= *Adelonema erythropus*).—Bras.  
 eximium, Schott, in *Oestr. Bot. Wochenbl.* iii. (1853) 378.—Bras.  
 fenestratum, Linden, *Cat. n.* 14 (1859) 7.—Mexic.  
 Fenzlii, Engl. in *Mart. Fl. Bras.* iii. II. 144.—Mexic.  
 fibrillosum, Poepp. & Endl. *Nov. Gen. et Sp.* iii. 86.—Peruv.  
 Fontanesii, Kunth, *Enum. Pl.* iii. 48 = *Xanthosoma hastifolium*.  
 Fontanesii, Kunth, ex Engl. in DC. Monog. Phan. ii. 385 = Simsii.  
 fragrantissimum, Kunth, *Enum. Pl.* iii. 49.—Gnien.  
 fraterium, Schott, in *Bonplandia*, vii. (1859) 29.—Venezuela.  
 Ghiesbreghtii, Linden, ex Engl. in DC. Monog. Phan. ii. 407 = sagittifolium.  
 giganteum, Schott, *Syn. Aroid.* 89.—Am. trop.  
 Glaziovii, Hook. f. *Bot. Mag.* t. 6813.—Bras.  
 gloriosum, André, in *Illustr. Hort.* xxiii. (1876) 194. t. 262.—N. Granat.  
 gracile, Schott, *Prod. Aroid.* 244.—Costa Rica.  
 grandifolium, Schott, in *Wien. Zeitschr.* iii. 780; ex Endl. in *Linnaea*, vi. (1831) Litt. 53.—Venezuela.

## PHILODENDRON:—

guttiferum, Kunth, *Enum. Pl.* iii. 51.—Costa Rica.  
 hastaeifolium, Regel, in *Gartenfl.* (1856) 131. t. 159.—Bras.  
 hastaeifolium, Regel, Ind. Sem. Hort. Petrop. (1855) 21 = seq.  
 hastatum, C. Koch & Sello, *Ind. Sem. Hort. Berol.* (1854) App. 7.—Bras.  
 hastatum, Schott, *Syn. Aroid.* 101 = elongatum.  
 hederaceum, Kunth, *Enum. Pl.* iii. 49, partim = Hoffmanni.  
 hederaceum, Schott, in *Wien. Zeitschr.* iii. (1829) 780; ex Endl. in *Linnaea*, vi. (1831) Litt. 53.—Am. austr.  
 heterophyllum, Poepp. & Endl. *Nov. Gen. et Sp.* iii. 86. t. 297.—Peruv.  
 Hoffmanni, Schott, in *Oestr. Bot. Zeitschr.* viii. (1858) 178.—Costa Rica.  
 Holtonianum, Mast. in *Gard. Chron.* (1876) II. 367 = tripartitum.  
 Holtonianum, Schott, in *Bonplandia*, vii. (1859) 29.—N. Granat.  
 Hookeri, Schott, *Syn. Aroid.* 93 = grandifolium.  
 Imbe, Hort. ex Engl. in DC. Monog. Phan. ii. 407, 408 = sagittifolium, sanguineum.  
 Imbe, Schott, in *Wien. Zeitschr.* iii. (1829) 780; ex Endl. in *Linnaea*, vi. (1831) Litt. 53.—Am. austr.  
 imperiale, Schott, in *Oestr. Bot. Zeitschr.* xv. (1865) 71 = asperatum.  
 impositum, Schott, *Prod. Aroid.* 291 = radiatum.  
 inaequilaterum, Liebm. in *Kjoeb. Vidensk. Meddel.* (1849) 16.—Mexic.  
 inciso-crenatum, Kunth, *Enum. Pl.* iii. 49 = lacerum.  
 inconcinnum, Schott, *Syn. Aroid.* 81.—Venezuela.  
 inops, Schott, in *Oestr. Bot. Zeitschr.* ix. (1859) 99 = hastatum.  
 insigne, Schott, *Syn. Aroid.* 73.—Guian.  
 Isertianum, Schott, *Prod. Aroid.* 242 = P. Oxycardium.  
 Jacquinii, Schott, *Syn. Aroid.* 90 = Hoffmanni?  
 Karstenianum, Schott, l. c. 78.—Venezuela.  
 Krebsii, Schott, in *Bonplandia*, vii. (1859) 164.—Ins. S. Thomas.  
 lacerum, Schott, in *Wien. Zeitschr.* iii. (1829) 780; ex Endl. in *Linnaea*, vi. (1831) Litt. 53.—Ind. occ.  
 lacinatum, Engl. in *Mart. Fl. Bras.* iii. II. 164 = laciniosum.  
 laciniosum, Schott, in *Wien. Zeitschr.* iii. (1829) 780; ex Endl. in *Linnaea*, vi. (1831) Litt. 53.—Bras.  
 lanceolatum, Schott, *Syn. Aroid.* i. 75 = crassinervium.  
 latifolium, C. Koch, in *Ind. Sem. Hort. Berol.* (1855) App. 3.—Venezuela.  
 latilobum, Schott, *Syn. Aroid.* 104.—Peruv.  
 latipes, C. Koch & Augustin, *Ind. Sem. Hort. Berol.* (1854) App. 6 = fragrantissimum.  
 Lechlerianum, Schott, *Prod. Aroid.* 250.—Peruv.  
 Lehmanni, Engl. in *Bot. Jahrb.* vi. (1885) 282.—N. Granat.  
 ligulatum, Schott, *Prod. Aroid.* 224.—Costa Rica.  
 Lindenii, Hort. ex Engl. in DC. Monog. Phan. ii. 388 = verrucosum.  
 Lindenii, Wallis, in *Belg. Hort.* xvi. (1866) 202.—Ecuador.  
 Lindenianum, Wallis, l. c. xvi. (1867) 105 = praec.?  
 Lindenii, Schott, *Syn. Aroid.* 89.—N. Granat.  
 linguaeforme, C. Koch, ex Schott, *Prod. Aroid.* 269 = Simsii.  
 linguifolium, Schott, *Syn. Aroid.* 74.—Bras.  
 lingulatum, Schott, l. c. 77.—Ind. occ.  
 Linnaei, Kunth, *Enum. Pl.* iii. 47.—Bras.  
 longepetiolatum, Engl. in *Bot. Jahrb.* i. (1881) 483.—Guian.  
 longilaminatum, Schott, in *Bonplandia*, x. (1862) 5.—Bras.  
 Lundii, Warm. in *Kjoeb. Vidensk. Meddel.* (1867) 128 = bipinnatifidum.  
 luridum, Kunth, *Enum. Pl.* iii. 50 = *Staurostigma concinnum*.  
 macroglossum, Schott, in *Oestr. Bot. Wochenbl.* vii. (1857) 197.—Venezuela.  
 Mamei, André, in *Rev. Hort.* (1883) 104. f. 21.—Ecuador.  
 Martini, Schott, *Prod. Aroid.* 225 = guttiferum.  
 Mathewsii, Schott, in *Bonplandia*, vii. (1859) 29.—Peruv.  
 megalophyllum, Schott, *Prod. Aroid.* 279 = deflexum.  
 melanochrysum, Linden & André, *Illustr. Hort.* xx. (1873) 198. t. 149.—N. Granat.  
 Melionii, Brongn. ex Regel, *Gartenfl.* xxiii. (1874) 67. t. 789.—Am. trop.

## PHILODENDRON:—

membranaceum, Poepp. & Endl. *Nov. Gen. et Sp.* ii. 87.—Peruv.  
 mexicanum, Engl. in *Mart. Fl. Bras.* iii. II. 143.—Mexic.  
 micans, C. Koch, Ind. Sem. Hort. Berol. (1854) App. 7 = cuspidatum.  
 micranthum, Poepp. ex Schott, in *Oestr. Bot. Wochenbl.* v. (1855) 17.—Peruv.  
 microphyllum, C. Koch, Ind. Sem. Hort. Berol. (1854) App. 7 = cuspidatum.  
 Minarum, Engl. in *Mart. Fl. Bras.* iii. II. 166.—Bras.  
 modestum, Schott, in *Oestr. Bot. Wochenbl.* v. (1855) 289.—Venezuela.  
 montanum, Engl. in *Bot. Jahrb.* vi. (1885) 282.—N. Granat.  
 muricatum, Schott, in *Oestr. Bot. Wochenbl.* iv. (1854) 418.—Bras.  
 nervosum, Kunth, *Enum. Pl.* iii. 51 = *Karstenianum*?  
 nervosum, Schott, ex Engl. in DC. Monog. Phan. ii. 359 = P. Ochrostemon.  
 nigrum, Kunth, *Enum. Pl.* iii. 52 = *Xanthosoma violaceum*?  
 niveo-chermesinum, Linden & André, ex André, *Illustr. Hort.* xviii. (1871) 172. sub t. 76 = calophyllum.  
 oblongum, Kunth, *Enum. Pl.* iii. 51.—Bras.  
 obtusilobum, Miq. *Delect. Sem. Hort. Amstelod.* (1853); ex Schott, *Syn. Aroid.* 95.—Venezuela?  
 Ochrostemon, Schott, *Prod. Aroid.* 229.—Bras.  
 ornatum, Schott, in *Oestr. Bot. Wochenbl.* iii. (1853) 378.—Bras.  
 Oxycardium, Schott, *Syn. Aroid.* 82.—Bras.  
 oxyprorum, Schott, l. c. 82.—Venezuela.  
 panduraeforme, Kunth, *Ennm. Pl.* iii. 51.—Bras.  
 Pearcei, Hort.—Cf. *Gard. Chron.* (1869) 587.—Hab.?  
 pedatum, Kunth, *Enum. Pl.* iii. 49 = laciniatum.  
 peltatum, Schott, *Prod. Aroid.* 253 = *Homalomena peltata*.  
 peregrinum, Kunth, *Enum. Pl.* iii. 51 = *Alocasia macrorhiza*.  
 pertusum, Kunth & Bouché, Ind. Sem. Hort. Berol. (1848) 11 = *Monstera deliciosa*.  
 pinnatifidum, Schott, in *Wien. Zeitschr.* iii. (1829) 780; ex Endl. in *Linnaea*, vi. (1831) Litt. 53.—Venezuela.  
 pinnatifidum, Engl. in *Mart. Fl. Bras.* iii. II. 162.—Bras.  
 placidum, Schott, in *Bonplandia*, vii. (1859) 164 = guttiferum.  
 planinervium, C. Koch, ex Schott, *Syn. Aroid.* 74 = crassinervium.  
 Poeppigii, Schott, l. c. 84.—Bras.  
 Poiteauanum, Schott, *Prod. Aroid.* 242 = ecardatum.  
 polytomum, Schott, in *Bonplandia*, vii. (1859) 164.—Mexic.  
 populneum, C. Koch, ex Schott, *Prod. Aroid.* 258.—Hab.?  
 Prioreanum, Brongn. ex Engl. in *Mart. Fl. Bras.* iii. II. 151 = calophyllum.  
 Priurianum, Schott, in *Oestr. Bot. Wochenbl.* iii. (1853) 378.—Bras.  
 propinquum, Schott, *Syn. Aroid.* 78.—Bras.  
 pteropus, Mart. ex Engl. in DC. Monog. Phan. ii. 364.—Bras.  
 pterotum, C. Koch & Augustin, *Ind. Sem. Hort. Berol.* (1854) App. 6.—Venezuela.  
 punctatum, Kunth, *Enum. Pl.* iii. 48 = *Alocasia indica*.  
 quercifolium, Hort. ex Engl. in *Mart. Fl. Bras.* iii. II. 164 = laciniosum.  
 quinquenervium, Miq. *Delect. Sem. Hort. Amstelod.* (1853); ex Schott, *Syn. Aroid.* 95 = acutatum.  
 radiatum, Schott, in *Oestr. Bot. Wochenbl.* iii. (1853) 378.—Mexic.  
 recurvifolium, Schott, in *Bonplandia*, x. (1862) 5.—Bras.  
 Reichenbachianum, Schott, in *Oestr. Bot. Wochenbl.* vii. (1857) 197.—Venezuela.  
 Riedelianum, Schott, in *Oestr. Bot. Zeitschr.* ix. (1859) 98.—Bras.  
 robustum, Schott, l. c. v. (1865) 33.—Am. trop.  
 Roezlii, Bull. *Cat.* (1872) 7.—N. Granat.  
 rotundatum, Engl. in *Kjoeb. Vidensk. Meddel.* (1880) 360.—Bras.  
 rubens, Schott, *Syn. Aroid.* 84.—Venezuela.  
 rubro-punctatum, Hook. f. *Bot. Mag.* t. 5948.—Bras.  
 Rudgeanum, Schott, *Syn. Aroid.* 78.—Guian.



**PHILODENDRON** :—

- Ruizii, *Schott, in Oestr. Bot. Wochenbl.* iv. (1854) 418.—Peruv.  
 sagittifolium, *Liebm. in Kjoeb. Vidensk. Meddel.* (1849) 17.—Mexic.  
 sanguineum, *Regel, Ind. Sem. Hort. Petrop.* (1868) 82; *et in Gartenfl.* (1869) 196. t. 621.—Mexic.  
 Saueranum, C. Koch, *Ind. Sem. Hort. Berol.* (1855) App. 3 = eximium.  
 scaberulum, *Wright, in Sauv. Fl. Cub.* 155.—Cuba.  
 scandens, C. Koch & Sello, *Ind. Sem. Hort. Berol.* (1853) 14 = cuspidatum.  
 Schottianum, *Wendl. ex Schott, in Oestr. Bot. Zeitschr.* xv. (1865) 72.—Costa Rica.  
 Seguine, *Schott, in Bonplandia*, vii. (1859) 164.—Mexic.  
 Selloum, C. Koch, *in Bot. Zeit.* x. (1852) 276.—Bras.  
 Sellowianum, C. Koch, *Ind. Sem. Hort. Berol.* (1854) 8 = latifolium.  
 Sellowianum, Kunth, *Enum. Pl.* iii. 50 = P. Imbe.  
 serpens, *Hook. f. Bot. Mag.* t. 6375.—N. Granat.  
 serpens, *Hort. ex Engl. in DC. Monog. Phan.* ii. 421 = Warszewiczii.  
 Simsii, *Hort. ex C. Koch, Ind. Sem. Hort. Berol.* (1854) 8, 9 = hastatum, P. Imbe.  
 Simsii, *Sweet, Hort. Brit. ed.* III. 632; *Kunth, Enum. Pl.* iii. 48.—Guian.  
 Sodiroi, *Hort.—Cf. Gard. Chron.* (1883) I. 510.—N. Granat.  
 Sonderianum, *Schott, in Oestr. Bot. Wochenbl.* vii. (1857) 237.—Bras.  
 speciosum, *Schott, Melet.* 20.—Bras.  
 spectabile, *Linden, ex Gard. Chron.* (1869) 587 (Quid?).—N. Granat.  
 sphalerum, *Schott, Prod. Aroid.* 235.—Guian.  
 Splitgerberi, *Schott, l. c.* 251.—Guian.  
 squamiferum, *Poepp. & Endl. Nov. Gen. et Sp.* iii. 87.—Bras.  
 striatipes, *Kunth & Bouché, Ind. Sem. Hort. Berol.* (1848) 11 = Caladium striatipes.  
 subincisum, *Schott, in Oestr. Bot. Zeitschr.* ix. (1859) 99 = lacerum?  
 subovatum, *Schott, in Oestr. Bot. Wochenbl.* v. (1855) 289.—Mexic.  
 surinamense, *Engl. in DC. Monog. Phan.* ii. 361.—Guian.  
 Swartzianum, *Schott, in Oestr. Bot. Wochenbl.* vii. (1857) 237.—Ins. S. Christoph.  
 tanyphyllum, *Schott, Prod. Aroid.* 272 = sagittifolium.  
 tenue, C. Koch & Augustin, *Ind. Sem. Hort. Berol.* (1854) App. 7.—Venezuela.  
 thaliaefolium, *Schott, Syn. Aroid.* 81.—Venezuel.  
 trilobatum, *Hort. ex Regel, Cat. Pl. Hort. Aksakov.* 109 = seq.?  
 tripartitum, *Schott, in Wien. Zeitschr.* iii. (1829) 780; *ex Endl. in Linnaea*, vi. (1831) Litt. 53.—Venezuela.  
 Tweedieanum, *Schott, in Bonplandia*, vii. (1859) 29.—Bras.  
 undulatum, *Engl. in DC. Monog. Phan.* ii. 428.—Paraguay.  
 variifolium, *Schott, Syn. Aroid.* 100.—Peruv.  
 verrucosum, *Mathieu, ex Schott, l. c.* 85.—N. Granat.  
 Warszewiczii, C. Koch & Bouché, *Ind. Sem. Hort. Berol.* (1855) App. 4.—Guatemala.  
 Weddellianum, *Engl. Bot. Jahrb.* i. (1881) 485 = laciniosum.  
 Wendlandii, *Schott, Prod. Aroid.* 221.—Am. centr.  
 Williamsii, *Hook. f. Bot. Mag.* t. 5899.—Bras.  
 Wrightii, *Griseb. Cat. Pl. Cub.* 219.—Cuba.  
 Wulfschlaegelii, *Schott, Syn. Aroid.* 94 = acutatum.

- PHILODICE**, Mart. in *Nov. Act. Nat. Cur.* xvii. I. (1835) 16. t. 3. **ERIOCAULEAE**, Benth. & Hook. f. iii. 1023.  
 cuyabensis, *Koern. in Mart. Fl. Bras.* iii. t. 305.—Bras.  
 Hoffmannseggii, *Mart. in Nov. Act. Nat. Cur.* xvii. I. (1835) 17. t. 3.—Bras.

- PHILOGLOSSA**, DC. *Prod.* v. 567 (1836). **COMPOSITAE**, Benth. & Hook. f. ii. 347.  
 peruviana, DC. l. c.—Peruv.

- PHILOGYNE**, Salisb. in *Trans. Hort. Soc.* i. (1812) 355 = **Narcissus**, Tourn. (Amaryll.).  
 Broteri, M. Roem. *Syn. Ens.* 212 = N. odor.  
 calathina, Salisb. in *Trans. Hort. Soc.* i. (1812) 356 = N. odor.  
 Campbellii, Haw. *Monog. Narciss.* 66 = N. odor.  
 conspicua, Salisb. in *Trans. Hort. Soc.* i. (1812) 355 = N. odor.  
 parviflorus, Benth. & Hook. f. l. c.—Austral.

VOL. II.

**PHILOGYNE** :—

- Curtisii*, Haw. *Monog. Narciss.* 6 = **Narcissus** odor.  
*heminalis*, Haw. *Suppl. Pl. Succ.* 136 = N. odor.  
*heminalis*, Salisb. in *Trans. Hort. Soc.* i. (1812) 356 = N. heminalis.  
*Infundibulum*, M. Roem. *Syn. Ens.* 213 = N. odor.  
*interjecta*, Haw. *Suppl. Pl. Succ.* 135 = N. odor.  
*isometra*, M. Roem. *Syn. Ens.* 212 = N. odor.  
*laeta*, M. Roem. l. c. 211 = N. odor.  
*lobata*, M. Roem. l. c. 210 = N. odor.  
*minor*, Haw. *Suppl. Pl. Succ.* 137 = N. juncifolius.  
*odora*, Haw. l. c. 134 = N. odor.  
*rugulosa*, Haw. l. c. 133 = N. odor.  
*rupicola*, M. Roem. *Syn. Ens.* 211 = N. juncifolius.  
*triloba*, Haw. *Suppl. Pl. Succ.* 135 = N. odor.

- PHILOMEDA**, Noronha, ex Thou. *Gen. Nov. Madag.* 17 (1806) = **Gomphia**, Schreb. (Ochnac.).

- PHILONOMIA**, DC. ex Steud. *Nom. ed.* II. ii. 88, 320 (1841) = **Macromeria**, D. Don (Borag.).

- PHILONOTION**, Schott, in *Oestr. Bot. Wochenbl.* vii. (1857) 421. **AROIDEAE**, Benth. & Hook. f. iii. 981.  
 Spruceanum, *Schott, l. c.*—Bras.

- PHILOSTEMON**, Rafin. *Fl. Ludov.* 107 (1817) = **Rhus**, Linn. (Anacard.).  
*radicans*, Rafin. l. c. = R. Toxicodendron.

- PHILOSTEMUM**, Steud. *Nom. ed.* II. ii. 320 (1841) = praec.

- PHILOSTIZUS**, Cass. in *Dict. Sc. Nat.* xxxix. 498 (1826) = **Centauraea**, Linn. (Compos.).  
*Fontesianus*, Cass. l. c. = C. ferox.

- PHILOTHECA**, Rudge, in *Trans. Linn. Soc.* xi. (1815) 298. t. 21. **RUTACEAE**, Benth. & Hook. f. i. 293.  
 australis, *Rudge, l. c.*—Austral.  
 calida, *F. Muell. Fragm.* vii. 21.—Austral.  
 ciliata, *Hook. in Mitch. Journ. Trop. Austral.* 347 = australis.  
 ericoides, *F. Muell. Fragm.* vii. 21.—Austral.  
 Gaudichaudii, *G. Don, Gen. Syst.* i. 792 (sp. dub.).—Austral.  
 Hassellii, *F. Muell. in Wing's South. Sc. Record*, iii. (1883) 3.—Austral.  
 longifolia, Turcz. in *Bull. Soc. Nat. Mosc.* xxii. (1849) II. 16 = Reichenbachiana.  
 Reichenbachiana, *Sieber, ex Spreng. Syst. iv. Cur. Post.* 253.—Austral.  
 Steudellii, *Buching. ex Steud. Nom. ed.* II. ii. 320 (Quid?).—Austral.

- PHILOTRIA**, Rafin. in *Am. Monthly Mag.* (1818) 175 = **Elodea**, Michx. (Hydroch.).

- PHILOXERUS**, R. Br. *Prod.* 416 (1810). **AMARANTACEAE**, Benth. & Hook. f. iii. 40.  
 BLUTAPARON, Rafin. *New Fl. Am.* iv. 45 (1836).  
 CARAXERON, Vaill. ex Rafin. *Fl. Tellur.* iii. 38 (1836).  
 aggregatus, *H. B. & K. Nov. Gen. et Sp.* ii. 203.—Am. austr.  
 brasiliensis, Sm. in *Rees, Cycl.* xxvii. n. 4 = Mogiphanes straminea.  
 brasiliensis, R. Br. *Prod.* 416 = Telanthera dentata.  
 canescens, Poir. *Encyc. Suppl.* iv. 393 = Gomphrena canescens.  
 carnosus, Benth. & Hook. f. *Gen.* iii. 40.—Reg. Argent.  
 conicus, R. Br. *Prod.* 416 = Gomphrena conica.  
 crassifolius, *H. B. & K. Nov. Gen. et Sp.* ii. 203.—Am. austr.  
 diffusus, R. Br. *Prod.* 416.—Austral.  
 ferrugineus, Griff. *Notul.* iv. 341 = Psilotrichum ferrugineum.  
 flaccidus, Poir. *Encyc. Suppl.* iv. 392 = Gomphrena flaccida.  
 heliotropifolium, Griseb. in *Goett. Abh.* xix. (1874) 82 = Gomphrena Martiana.  
 humilis, Poir. *Encyc. Suppl.* iv. 392 = Gomphrena humilis.  
 lanatus, Poir. l. c. = Gomphrena Brownii.  
 maracaybiensis, *Klotzsch, ex Benth. & Hook. f. Gen.* iii. 40.—N. Granat.  
 parviflorus, Benth. & Hook. f. l. c.—Austral.

**PHILOXERUS** :—

- portulacoides*, A. St. Hil. *Voy. Bras.* ii. 436 = Iresine portulacoides.  
*surinamensis*, Miq. ex Moq. in *DC. Prod.* xiii. II. 339 = Iresine surinamensis.  
*tenellus*, A. Cunn. ex Moq. l. c. = Gomphrena tenella.  
*vermicularis*, Mart. ex Moq. l. c. 341 = Iresine portulacoides.  
*vermiculatus*, R. Br. *Prod.* 416.—Mexic.  
 Wrightii, *Hook. f. in Benth. & Hook. f. Gen.* iii. 40.—China.

- PHILYEA**, Linn. *Gen. ed.* I. 58 (1737), sphalm. = **Phyllia**, Linn. (Rhamn.).

- PHILYDRELLA**, Caruel, in *Nuov. Giorn. Bot. Ital.* x. (1878) 91 = **Pritzelia**, F. Muell. (Phylid.).  
 pygmaea, Caruel, in *DC. Monog. Phan.* iii. 4 = Pritzelia pygmaea.

- PHILYDRUM**, Banks, ex Gaertn. *Fruct.* i. 62. t. 16. (1788). **PHILYDRACEAE**, Benth. & Hook. f. iii. 840.  
 GARCIANA, Lour. *Fl. Cochinch.* 14 (1790).  
 glaberrimum, *Hook. f. Bot. Mag.* t. 6056 = Helmholtzia glaberrima.  
 Helmholtzii, F. Muell. *Fragm.* v. 203 = Helmholtzia acorifolia.  
 lanuginosum, Banks, ex Gaertn. *Fruct.* i. 62. t. 16. f. 10.—As. et Austral. trop.  
 pygmaeum, R. Br. *Prod.* 265 = Pritzelia pygmaea.

- PHILYRA**, Klotzsch, in *Wieg. Archiv.* i. (1841) 199 = **Argithamnia**, Sw. (Euphorb.).  
 brasiliensis, Klotzsch, l. c. = A. brasiliensis.

- PHINAEA**, Benth. in *Benth. & Hook. f. Gen.* ii. 997 (1876). **GESNERACEAE**, Benth. & Hook. f. l. c.  
 albo-lineata, Benth. ex Hemsl. *Biol. Centr. Am. Bot.* ii. 472.—Am. centr.

- PHIPPSIA**, R. Br. in *Parry's 1st Voy.* App. 285 (err. typ. 185) (1824). **GRAMINEAE**, Benth. & Hook. f. iii. 1147.  
 algida, R. Br. l. c.—Reg. arct.  
 monandra, *Hook. & Arn. Bot. Beech. Voy.* 132, in syn. = algida.

- PHISALIS**, Nocca, in *Usteri, Ann. Bot.* v. (1793) 48 = **Physalis**, Linn. (Solan.).

- PHITOPIS**, Hook. f. in *Hook. Ic. Pl.* t. 1093 (1871). **RUBIACEAE**, Benth. & Hook. f. ii. 84.  
 multiflora, *Hook. f. in Hook. Ic. Pl.* t. 1093.—Peruv.

- PHLEBANTHIA**, Reichb. *Nom.* 205 (1843). **CARYOPHYLLEAE**, gen. dub.

- PHLEBOANTHE**, Tausch, in *Flora*, xi. (1828) 322 = **Ajuga**, Linn. (Labi.).  
 Laxmanni, Tausch, l. c. 323 = A. Laxmanni.  
 salicifolia, Schur, *Enum. Pl. Transs.* 546 = A. salicifolia.

- PHLEBOCALYMNA**, Griff. ex Miers, in *Ann. & Mag. Nat. Hist. Ser. II.* x. (1852) 109. **OLACINEAE**, Benth. & Hook. f. i. 353.  
 Calleryana, *Baill. Adansonia*, ix. (1868-70) 147.—Ins. Philipp.  
 Griffithiana, Benth. & Hook. f. *Gen.* i. 353.—Burma.  
 Lobbiana, Benth. & Hook. f. l. c.—Burma.  
 lobospora, F. Muell. *Fragm.* ix. 151.—Austral.

- PHLEBOCARYA**, R. Br. *Prod.* 301 (1810). **HAEMODORACEAE**, Benth. & Hook. f. iii. 675.  
 ciliata, R. Br. l. c.—Austral.  
 filifolia, F. Muell. *Fragm.* viii. 23.—Austral.  
 laevis, Lindl. *Swan River App.* 43 = ciliata.  
 pilosissima, F. Muell. *Fragm.* viii. 23.—Austral.

- PHLEBOCHITON**, Wall. in *Trans. Med. & Phys. Soc. Calc.* vii. (1835) 230 = **Tapiria**, Juss. (Anacard.).  
 extensum, Wall. l. c. 231 = T. hirsuta.

- PHLEBOLITHIS**, Gaertn. *Fruct.* i. 201 (1788). **SAPOTACEAE**, gen. dub. Benth. & Hook. f. iii. 653.  
 indica, Gaertn. l. c.—Ind. or.

S S



PHLEBOPHYLLUM, Nees, in Wall. Pl. As. Rar. iii. 75, 102 (1832) = *Strobilanthes*, Blume (Acanth.).  
*angustifolium*, Benth. ex C. B. Clarke, in Hook. f. Fl. Ind. iv. 434 = S. Kunthianus.  
*apricum*, Benth. in Hook. Kew Journ. v. (1853) 131 = S. apricus.  
*Kunthianum*, Nees, in Wall. Pl. As. Rar. iii. 83 = S. Kunthianus.

PHLEBOSPORIUM, Hassk. in Flora, xxx. (1847) 508 = seq.

PHLEBOSPORUM, Jungh. Reise, 346 (1845) = *Lespedeza*, Michx. (Legumin.).  
*cytisoides*, Jungh. l. c. = L. cytisoides.

PHLEBOTAENIA, Griseb. in Mem. Am. Acad. N. S. viii. (1861) 156. *POLYGALEAE*, Benth. & Hook. f. i. 138.  
*cuneata*, Griseb. l. c. 157. —Cuba.

PHLEDINIUM, Spach, Hist. Vég. Phan. vii. 351 (1839) = *Delphinium*, Linn. (Ranunc.).  
*virgatum*, Spach, l. c. 353 = D. halteratum.

PHLEOBANTHE, Ledeb. Fl. Ross. iii. 449 (1846-51), sphalm. = PHLEBOANTHE, Tausch = *Ajuga*, Linn. (Labi.).

PHLEUM, Linn. Syst. ed. I (1735). *GRAMINEAE*, Benth. & Hook. f. iii. 1146.  
*ACHNODON*, Link, Hort. Berol. i. 65 (1827).  
*ACHNODONTON*, Beauv. Agrost. 24. t. 7. f. 5 (1812).  
*CHILOCHLOA*, Beauv. l. c. 37. t. 7. f. 2 (1812).  
*PLANTINIA*, Bubani, in Nuov. Giorn. Bot. Ital. v. (1873) 317.  
*STELEPHUROS*, Adans. Fam. ii. 31 (1763).  
*aculeatum*, Lam. Fl. Fr. iii. 563 = *Crypsis aculeata*.  
*Aegilops*, Scop. Fl. Carn. ed. II. i. 55 = *Triticum ovatum*.  
*africanum*, Lour. Fl. Cochinch. 61. —Afr. or.  
*alatum*, Host, Fl. Austr. i. 84 = *Phalaris coerulea*.  
*alopecuroides*, Pill. & Mitter. It. Posegan. 147. t. 16 = *Heleochoa alopecuroides*.  
*alpinum*, Linn. Sp. Pl. 59. —Reg. bor. et arct.; Am. austr.  
*ambiguum*, Griseb. Spicil. Fl. Rumel. ii. 463 = *Boehmeri*.  
*ambiguum*, Tenore, Fl. Nap. iii. 64 = *Michellii*.  
*annuum*, Bieb. Fl. Taur. Cauc. i. 46 = *asperum*.  
*arcticum*, Giesecke, ex Lange, Consp. Fl. Groenl. i. 155 = *alpinum*.  
*arenarium*, Linn. Sp. Pl. 60. —Europ.  
*arvense*, Pourr. in Mém. Acad. Toul. iii. (1788) 324 = *pratense*.  
*asperum*, Jacq. Coll. i. 110. —Europ.; Oriens.  
*autumnale*, Scop. Fl. Carn. ed. II. i. 56 = *Sesleria argentea*.  
*Bellardi*, J. F. Gmel. Syst. 166 = *geniculatum*.  
*Bellardii*, Willd. Enum. Hort. Berol. 85 = *tenue*.  
*Bertolonii*, DC. Cat. Hort. Monsp. 132 = *pratense*.  
*Boehmeri*, Wibel, Prim. Fl. Werth. 125. —Europ.; As. bor.  
*brevifolium*, Dulac, Fl. Hautes-Pyr. 75 = *Boehmeri*.  
*bulbosum*, Gouan, Fl. Monsp. 117 = *pratense*.  
*capitatum*, Scop. Fl. Carn. ed. II. i. 56 = *Alopecurus Gerardi*.  
*ciliatum*, Gilib. Exercit. ii. 518 = *pratense*.  
*ciliatum*, Pourr. in Mém. Acad. Toul. iii. (1788) 324 = *Boehmeri*.  
*cochinchinense*, Lour. Fl. Cochinch. 48 = *Paspalum cochinchinense*.  
*collinum*, Schur, Enum. Pl. Transs. 945 (Index) = *Boehmeri*.  
*commutatum*, Gaud. in Alpina, iii. (1808) 4 = *alpinum*.  
*crinitum*, Roxb. Hort. Beng. 8; Fl. Ind. i. 313 = *Polypogon maritimus*.  
*crinitum*, Schreb. Besch. Graes. i. 151 = *Polypogon monspeliensis*.  
*cristatum*, Scop. Fl. Carn. ed. II. i. 57 = *Cynosurus cristatus*.  
*cuspidatum*, Willd. Enum. Hort. Berol. Suppl. 5 = *Michellii*.  
*Dactylon*, Georgi, Besch. Russ. Reich. iv. 681 = *Cynodon Dactylon*.

## PHLEUM:—

*Deckeri*, Roem. ex Trin. in Mém. Acad. Pétersb. Sér. VI. v. II. (1840) 124 = *pratense*.  
*dentatum*, Pers. Syn. i. 79 = *Phalaris dentata*.  
*echinatum*, Host, Gram. Austr. iii. 8. t. 11. —Europ. austr.  
*erucoides*, Rasp. in Ann. Sc. Nat. Sér. I. v. (1825) 450 = *Beckmannia eruciformis*.  
*exaratum*, Griseb. Spicil. Fl. Rumel. ii. 462 = *graecum*.  
*exaratum*, Hochst. ex Boiss. Fl. Orient. v. 480. —As. Min.; Syria.  
*fallax*, Janka, Koezlem. xii. (1876) 168; ex Just, Jahresb. iv. III. 1061 = *pratense*.  
*felinum*, Sibth. & Sm. Prod. Fl. Graec. i. 32 = *echinatum*.  
*flavum*, Scop. Fl. Carn. ed. II. i. 55 = *Alopecurus agrestis*.  
*geniculatum*, Bell. ex Vitm. Summa Pl. i. 176 (Quid?). —Italia.  
*Gerardi*, All. Fl. Pedem. ii. 232 = *Alopecurus Gerardi*.  
*Gerardi*, Georgi, Besch. Russ. Reich. iv. 684 (Quid?). —Tauria.  
*Gerardi*, [Panz.] in Sturm, Deutschl. Fl. Heft 29 = *alpinum*.  
*gibbum*, Boiss. Diagn. Ser. I. v. 69. —As. Min.  
*glabratum*, Koch, Syn. Fl. Germ. ed. II. 1119 (Index), sphalm. = seq.  
*glabrum*, Bernh. Syst. Verz. Erf. 38 = *Boehmeri*.  
*glomeruliflorum*, Steud. Syn. Pl. Gram. 150. —Afr. trop.  
*graecum*, Boiss. & Heldr. Diagn. Ser. I. xiii. 42. —Graecia.  
*graecum*, Willd. ex Trin. in Mém. Acad. Pétersb. Sér. VI. v. II. (1840) 122 = *echinatum*.  
*Haenkeanum*, J. & C. Presl, Rel. Haenk. i. 245 = *alpinum*.  
*hirsutum*, Suter, Fl. Helv. i. 34 = *Michellii*.  
*Hostii*, Jacq. Cat. Hort. Vindob.; ex Roem. & Schult. Syst. ii. 409 = *Michellii*.  
*intermedium*, Jord. in F. Schultz, Arch. Fl. Fr. et Allem. 325 = *pratense*.  
*japonicum*, Franch. & Sav. Enum. Pl. Jap. ii. 158. —Japon.  
*Kotschyi*, Boiss. Fl. Orient. v. 483 = *Boehmeri*.  
*laeve*, Bieb. Fl. Taur. Cauc. i. 46 = *Boehmeri*.  
*Lima*, Hort. ex C. C. Gmel. Fl. Bad. i. 121 = *asperum*.  
*macrourum*, Willd. ex Steud. Nom. ed. II. i. 365; ii. 321 = *Epicampes macroura*.  
*Mesopotamiae*, Hort. ex Roem. & Schult. Syst. ii. 382 = *tenue*.  
*Michellii*, All. Fl. Pedem. ii. 233. —Europ.; Reg. Caucas.  
*microstachyum*, Ruiz, ex Nym. in Bot. Notiser (1851), 67 = *pratense*.  
*monspeliense*, Koel. Desc. Gram. 57 = *Polypogon monspeliensis*.  
*montanum*, C. Koch, in Linnaea, xxi. (1848) 383 = *Boehmeri*.  
*nigricans*, Willd. ex Trin. in Mém. Acad. Pétersb. Sér. VI. v. II. (1840) 123 = *alpinum*.  
*nodosum*, Linn. Syst. ed. X. 871 = *pratense*.  
*odoratum*, Hort. ex Roem. & Schult. Syst. ii. 410 = *asperum*.  
*palare*, Tardent, Ess. Hist. Nat. Bessar. 34 = *Boehmeri*?  
*paniculatum*, Huds. Fl. Angl. ed. I. 23 = *asperum*.  
*parnassicum*, Boiss. & Heldr. ex Nym. Consp. 792 = *pratense*.  
*phalarideum*, Vill. Hist. Pl. Dauph. ii. 60 = *Michellii*.  
*Phalaris*, Pers. Syn. i. 79 = *Boehmeri*.  
*phalaroides*, Koel. Desc. Gram. 52 = *Boehmeri*.  
*praecox*, Jord. in F. Schultz, Arch. Fl. Fr. et Allem. 325 = *pratense*.  
*pratense*, Linn. Sp. Pl. 59. —Reg. bor. temp.  
*ramosum*, Gilib. Exercit. ii. 519 = *arenarium*.  
*reclinatum*, Gorter, Fl. Belg. 18 = *pratense*.  
*schoenoides*, Jacq. Fl. Austr. v. 29 = *Crypsis aculeata*.  
*schoenoides*, Linn. Sp. Pl. 60 = *Heleochoa schoenoides*.  
*serotinum*, Jord. Pugill. Pl. Nov. 141 = *pratense*.  
*serrulatum*, Boiss. Diagn. Ser. II. iv. 125 = *Boehmeri*.  
*sibiricum*, Hort. ex C. C. Gmel. Fl. Bad. i. 121 = *asperum*.  
*stoloniferum*, Host, Fl. Austr. i. 80 = *pratense*.  
*strictum*, Willd. ex Steud. Nom. ed. II. i. 365; ii. 321 = *Epicampis macroura*.  
*subulatum*, Spreng. ex Steud. l. c. ii. 12, 321 = *Lasiochoa hispida*.  
*supinum*, Lam. Fl. Fr. iii. 563 = *Heleochoa schoenoides*.

## PHLEUM:—

*tenue*, Schrad. Fl. Germ. i. 191. —Europ. austr.; Oriens.  
*trigynum*, Schrad. ex Mert. & Koch, Deutschl. Fl. i. 496 = *Michellii*.  
*tuberosum*, Panz. ex Trin. in Mém. Acad. Pétersb. Sér. VI. v. II. (1840) 124 = *pratense*.  
*vaginatum*, Pall. Reise Suedl. Statth. Russ. Reich. ii. 192 = *Alopecurus vaginatus*.  
*veluchense*, Boiss. Fl. Orient. v. 483 = *Boehmeri*.  
*velutinum*, Steud. Nom. ed. I. 276, 612 = *Panicum sanguinale*.  
*ventricosum*, Moench, Meth. 177 = *asperum*.  
*villosum*, Opiz, Natural. x. (1825) 221 = *pratense*.  
*viride*, All. Fl. Pedem. ii. 232 = *asperum*.

PHLOGA, Noronha, ex Thou. Prod. Phyt. 2; in Mélang. (1811) nomen. *PALMAE*, Benth. & Hook. f. iii. 909.  
*polystachia*, Noronha, l. c. —Madag.

PHLOGACANTHUS, Nees, in Wall. Pl. As. Rar. iii. 76, 99 (1832). *ACANTHACEAE*, Benth. & Hook. f. ii. 1100.  
*JANASIA*, Rafin. Fl. Tellur. iv. 63 (1836).  
*LOXANTHUS*, Nees, in Wall. Pl. As. Rar. iii. 76, 322 (1832).  
*albiflorus*, Bedd. Ic. Pl. Ind. Or. i. 40 = *Diotacanthus albiflorus*.  
*asperulus*, Nees, in Wall. Pl. As. Rar. iii. 99. —Reg. Himal.  
*asperulus*, Wall. Cat. n. 7171 = *Wallichii*.  
*curviflorus*, Nees, in Wall. Pl. As. Rar. iii. 99. —Reg. Himal.  
*cymosus*, Kurz, For. Fl. Brit. Burma, ii. 246 = *Cystacanthus cymosus*.  
*elongatus*, T. Anders. in Journ. Linn. Soc. ix. (1867) 508. —Burma.  
*grandis*, Bedd. Ic. Pl. Ind. Or. i. 39 = *Diotacanthus grandis*.  
*guttatus*, Nees, in Wall. Pl. As. Rar. iii. 99. —Reg. Himal.  
*insignis*, Kurz, in Journ. As. Soc. Beng. xxxix. (1870) 11. 79 = *Cystacanthus insignis*.  
*Jenkinsii*, C. B. Clarke, in Hook. Fl. Brit. Ind. iv. 513. —Assam; Burma.  
*latifolius*, Wight, Ic. t. 1537 = *Gymnostachyum latifolium*.  
*parviflorus*, T. Anders. in Journ. Linn. Soc. ix. (1867) 506. —Reg. Himal.  
*pubinervius*, T. Anders. l. c. 508. —Reg. Himal.  
*pulcherrimus*, T. Anders. l. c. 507 = *Cystacanthus pulcherrimus*.  
*thyrsiflorus*, Nees, in Wall. Pl. As. Rar. iii. 99. —Reg. Himal.; Burma.  
*tubiflorus*, Nees, l. c. —Reg. Himal.  
*vitellinus*, T. Anders. in Journ. Linn. Soc. ix. (1867) 507 = *asperulus*.  
*Wallichii*, C. B. Clarke, in Hook. f. Fl. Brit. Ind. iv. 511. —Reg. Himal.

PHLOIODICARPUS, Turcz. ex Bess. in Flora, xvii. (1834) i. Beibl. 14 = *Johrenia*, DC. (Umbell.).  
*dahuricus*, Turcz. in Bull. Soc. Nat. Mosc. (1838) i. 93 = *nudiusculus*.  
*microcarpus*, Ledeb. Fl. Ross. ii. 331. —Sibir. altaic.  
*nudiusculus*, Turcz. ex Bess. in Flora, xvii. (1834) i. Beibl. 14. —Dahuria.  
*villosus*, Turcz. l. c.; et in Bull. Soc. Nat. Mosc. (1838) i. 93; xvii. (1844) 727. —Sibir. baical.

PHLOMIDOPSIS, Link, Handb. i. 479 (1829) = *Phlomis*, Linn. (Labi.).  
*tuberosa*, Link, l. c. 480 = *Phlomis tuberosa*.

PHLOMIS, Linn. Syst. ed. I (1735); Gen. ed. I. 177 (1737). *LABIATAE*, Benth. & Hook. f. ii. 1214.  
*ANEMITIS*, BELOAKON, TRAMBIS, Rafin. Fl. Tellur. iii. 87 (1836).  
*ANTHOCOMA*, Zoll. & Mor. in Nat. en Geneesk. Arch. Neerl. Indie, ii. (1845) 569.  
*BLEPHILOMA*, Rafin. Fl. Tellur. iii. 95 (1836).  
*HERSILIA*, Rafin. l. c. 88 (1836).  
*ORLOWIA*, Gueldenst. ex Georgi, Besch. Russ. Reich. v. 1089 (1800).  
*PHLOMIDOPSIS*, Link, Handb. i. 479 (1829).  
*PHLOMITIS*, Reichb. ex T. Nees, Gen. Fl. Germ. Gamop. ii. Trib. VII. n. 43 (1843).  
*PHLOMOIDES*, Moench, Meth. 403 (1794).



## PHLOMIS:—

- africana*, Beauv. Fl. Owar. ii. 82. t. 111 = *Leonotis pallida*.  
*agraria*, Bunge, in Ledeb. Fl. Alt. ii. 411.—Sibir. altaica.  
*alba*, Blanco, Fl. Filip. ed. I. 474 = *Anisomeles ovata*.  
*alba*, Forsk. Fl. Aegypt. Arab. 107 = *Ballota Forskählei*.  
 Alberti, Regel, in Act. Hort. Petrop. vi. (1879) 373.—Turkestan.  
*alpina*, Pall. in Act. Acad. Petrop. ii. (1779) 265. t. 13.—Sibir. altaica.  
*angustifolia*, Boiss. & Bal. ex Boiss. Fl. Orient. iv. 783 = *linearis*.  
*angustifolia*, Mill. Gard. Dict. ed. VIII. n. 2 = *aurea*.  
*anisodonta*, Boiss. Diagn. Ser. I. v. 37.—Persia.  
*armeniaca*, Benth. in DC. Prod. xii. 538 = *orientalis*.  
*armeniaca*, Willd. Sp. Pl. iii. 119.—As. Min.  
*aspera*, Willd. Enum. Hort. Berol. ii. 621 = *Leucas aspera*.  
 Aucheri, Boiss. Diagn. Ser. I. v. 36.—Persia.  
*aurea*, Decne. in Ann. Sc. Nat. Sér. II. ii. (1834) 251.—Arab.  
*Barrelieri*, Duf. in Bull. Soc. Bot. Fr. vii. (1860) 430 = *crinita*.  
*bicolor*, Benth. Lab. Gen. et Sp. 629 = *floccosa*.  
*bicolor*, Willd. ex Benth. in Linnaea, xi. (1837) 338 = *discolor*.  
*biflora*, Roxb. Hort. Beng. 44; Fl. Ind. iii. 12 = *Leucas procumbens*.  
*biflora*, Vahl, Symb. Bot. iii. 77 = *Leucas biflora*.  
*biloba*, Desf. Fl. Atlant. ii. 25. t. 127 = *crinita*.  
 Bourgaei, Boiss. Fl. Orient. iv. 787.—Pamphylia.  
 Bovei, Noë, in Bull. Soc. Bot. Fr. ii. (1855) 585.—Afr. bor.  
*brachystegia*, Bunge, Lab. Pers. 77.—Turkestan.  
*bracteata*, Herb. Madr. ex Wall. Cat. n. 2043 F = *Leucas capitata*.  
*bracteosa*, Royle, ex Benth. in Hook. Bot. Misc. iii. (1833) 383.—Reg. Himal.  
*breviflora*, Benth. in Wall. Pl. As. Rar. i. 62.—Reg. Himal.  
*brevilabris*, Ehrenb. ex Boiss. Fl. Orient. iv. 782.—Syria.  
 Bruguieri, Desf. in Mém. Mus. Par. xi. (1824) 9. t. 5.—Mesopot.; Persia.  
*cachemeriana*, Benth. in DC. Prod. xii. 542 = *spectabilis*.  
*calycina*, Roxb. Fl. Ind. iii. 11 = *Roylea elegans*.  
*cancellata*, Bunge, Lab. Pers. 76.—Persia.  
*capensis*, Thunb. Prod. Fl. Cap. 95.—Afr. austr.  
*capitata*, Boiss. Diagn. Ser. II. iv. 96.—As. Min.  
*caribaea*, Jacq. Coll. i. 154 = *Leucas martinicensis*.  
*cashmeriana*, Royle, ex Benth. in Hook. Bot. Misc. iii. (1833) 382.—Reg. Himal.  
*Cephalotes*, Koen. ex Roxb. Hort. Beng. 46; Fl. Ind. iii. 10; et Roth, Nov. Sp. Pl. 262 = *Leucas capitata*.  
*chinensis*, Blume, Bijdr. 829 = *Leucas javanica*.  
*chinensis*, Retz. Obs. ii. 19 = *Leucas chinensis*.  
*chinensis*, Wight, ex Wall. Cat. n. 2524 C = *Leucas marrubioides*.  
*chorassanica*, Bunge, Lab. Pers. 76.—Persia.  
*chrysophylla*, Boiss. Diagn. Ser. I. xii. 89.—Syria.  
*ciliata*, Heyne, ex Wall. Cat. n. 2046 = *Leucas ciliata*.  
*clandestina*, Bory & Chaub. Exp. Sc. Mor. 170 = *Sideritis theezans*.  
*collina*, Salisb. Prod. 84 = *fruticosa*.  
*condensata*, Mart. Hort. Erlang. (1814) 123, nomen.—Hab. ?  
*cordata*, Boiss. & Kotschy, ex Boiss. Fl. Orient. iv. 782.—Syria.  
*cordata*, Royle, ex Benth. in Hook. Bot. Misc. iii. (1833) 382 = *bracteosa*.  
*cretica*, Presl, Delic. Prag. 84 = *ferruginea*.  
*crinita*, Cav. Ic. iii. 25. t. 247.—Reg. Mediterr. occ.  
*cymifera*, Boiss. Diagn. Ser. I. vii. 60 = *persica*.  
*decemdentata*, Willd. Sp. Pl. iii. 124 = *Leucas flaccida*.  
*dentosa*, Franch. Pl. Davidian. i. (1884) 243.—China.  
*diffusa*, Herb. Madr. ex Wall. Cat. n. 2528 = *Leucas dimidiata*.  
*diffusa*, Rottl. ex Hook. f. Fl. Brit. Ind. iv. 689 = *Leucas diffusa*.  
*dimidiata*, Roth, Nov. Pl. Sp. 264 = *Leucas dimidiata*.  
*discolor*, Ledeb. Fl. Ross. iii. 435.—Sibir.  
*elliptica*, Benth. Lab. Gen. et Sp. 626.—Persia.  
*eriotoma*, Heyne, ex Hook. f. Fl. Brit. Ind. iv. 686 = *Leucas eriotoma*.

## PHLOMIS:—

- esculenta*, Roxb. Hort. Beng. 44; Fl. Ind. iii. 10 = *Leucas aspera*.  
*ferruginea*, Hort. ex Benth. in DC. Prod. xii. 540 = *fruticosa*.  
*ferruginea*, Mill. Gard. Dict. ed. VIII. n. 12 = *purpurea*.  
*ferruginea*, Tenore, Prod. Fl. Neap. 35; Fl. Nap. ii. 36. t. 57.—Ital.; Graecia.  
*flaccida*, Steud. Nom. ed. I. 613 = *Leucas flaccida*.  
*flavescens*, Mill. Gard. Dict. ed. VIII. n. 10 = *aurea*.  
*floccosa*, D. Don, in Bot. Reg. t. 1300.—Afr. bor. or.  
*fruticosa*, Linn. Sp. Pl. 584.—Europ. austr.  
*fruticosa*, Sieber, ex Presl, Delic. Prag. 84 = *ferruginea*.  
*ghilanensis*, C. Koch, in Linnaea, xxi. (1848) 698.—Persia.  
*ghilanica*, Boiss. Fl. Orient. iv. 784 = *praec.*  
*glabrata*, Vahl, Symb. Bot. i. 42 = *Leucas glabrata*.  
*glandulosa*, Schenk, Pl. Sp. Aegypt. 20 = *viscosa*.  
*gracilis*, Salisb. Prod. 84 = *Leucas zeylanica*.  
*Haussknechti*, Bunge, Lab. Pers. 78 = *capitata*.  
*Herba-venti*, Linn. Sp. Pl. 586.—Reg. Mediterr.  
*hirsuta*, Wight, ex Wall. Cat. n. 2528 D = *Leucas dimidiata*.  
*hirta*, Herb. Madr. ex Wall. l. c. 2053 B = *Leucas helianthemifolia*.  
*hirta*, Heyne, ex Roth, Nov. Pl. Sp. 264 = *Leucas hirta*.  
*iberica*, Vis. ex Boiss. Fl. Orient. iv. 793 = *Eremostachys laciniata*.  
*imbricata*, Boiss. Fl. Orient. iv. 785 = *lunarifolia*.  
*indica*, Herb. Madr. ex Wall. Cat. n. 2528 = *Leucas dimidiata*.  
*indica*, Linn. Sp. Pl. 586 = *Leucas indica*, R. Br.  
*italica*, Linn. Syst. ed. X. 1102; Sm. Spic. i. 6.—Ital.; Lusit.  
*laciniata*, Linn. Sp. Pl. 585 = *Eremostachys laciniata*.  
*laciniata*, Willd. ex Ledeb. Fl. Ross. iii. 440 = *Eremostachys gymnocalyx*.  
*lamiiflora*, Regel, in Act. Hort. Petrop. vi. (1879) 374.—Turkestan.  
*lamiifolia*, Royle, ex Benth. in Hook. Bot. Misc. iii. (1833) 383 = *bracteosa*.  
*lanata*, Willd. Enum. Hort. Berol. Suppl. 41.—Ital.; Creta.  
*lanceolata*, Boiss. Diagn. Ser. I. v. 36 = *armeniaca*.  
*lanigera*, Siev. in Pall. N. Nord. Beitr. vii. 295 = *Eremostachys gymnocalyx*.  
*latifolia*, Mill. Gard. Dict. ed. VIII. n. 3 = *fruticosa*.  
*latifolia*, Royle, ex Benth. in Hook. Bot. Misc. iii. (1833) 383 = *bracteosa*.  
*Leonitis*, Linn. Mant. i. 13 = *Leonotis Leonitis*.  
*Leonurus*, Linn. Sp. Pl. 587 = *Leonotis Leonurus*.  
*linearis*, Boiss. & Bal. Diagn. Ser. II. iv. 46.—As. Min.  
*linifolia*, Roth, Nov. Pl. Sp. 260 = *Leucas lavandulaefolia*.  
*longifolia*, Boiss. & Blanche, Diagn. Ser. II. iv. 47 = *viscosa*.  
*lunarifolia*, Sibth. & Sm. Fl. Graec. Prod. i. 414.—As. Min.; Ins. Rhodos.  
*lunarifolia*, Sibth. & Sm. l. c., partim = *samia*.  
*Lychitis*, Linn. Sp. Pl. 585.—Europ.  
*lycia*, D. Don, in Fellows, Discov. Lycia, 293.—Lycia.  
*macrophylla*, Wall. Pl. As. Rar. i. 62.—Reg. Himal.  
*major*, Clos, in Bull. Soc. Bot. Fr. xv. (1868) 7 = *polymorpha*.  
*marrubioides*, Regel, in Act. Hort. Petrop. vi. (1879) 375.—Turkestan.  
*martinicensis*, Sw. Prod. Veg. Ind. Occ. 88 = *Leucas martinicensis*.  
*mauritanica*, Munby, Fl. Algér. 60. t. 3 = *crinita*.  
*mesopotamica*, Boiss. Diagn. Ser. II. iv. 47.—Mesopot.  
*micrantha*, Burch. Trav. i. 340 = *Stachys Burchellii*.  
*microphylla*, Sieber, Reise Kreta, i. 190; ii. 319. t. 8 = *lanata*.  
*mollis*, Schum. & Thonn. Beskr. Guin. Pl. 263 = *Leucas martinicensis*.  
*moluccana*, Roxb. Hort. Beng. [95]; Fl. Ind. iii. 11 = *Leucas flaccida*.  
*moluccoides*, Vahl, Symb. Bot. i. 42. t. 14 = *Otostegia scariosa*.  
*mongolica*, Turcs. in Bull. Soc. Nat. Mosc. (1851) II. 406.—Mongolia.  
*montana*, Koen. ex Roxb. Hort. Beng. [95]; Fl. Ind. iii. 11 = *Leucas chinensis*.  
*montana*, Roth, Nov. Pl. Sp. 263 = *Leucas montana*.  
*montana*, Rottl. ex Wall. Cat. n. 2524 = *Leucas marrubioides*.

## PHLOMIS:—

- nepetaefolia*, Linn. Sp. Pl. 586 = *Leonotis nepetaefolia*.  
*nepetifolia*, Linn. Syst. ed. XII. 398 = *praec.*  
 Nissolii, Linn. Sp. Pl. 585.—As. Min.; Syria.  
*nutans*, Roth, Nov. Pl. Sp. 263 = *Leucas nutans*.  
*obliqua*, Buch.-Ham. ex Hook. f. Fl. Brit. Ind. iv. 690 = *Leucas aspera*.  
*oblongata*, Schrenk, Enum. Pl. Nov. i. 29.—As. Min.  
*octodentata*, Stokes, Bot. Mat. Med. iii. 355 = *Leucas zeylanica*.  
*ocymifolia*, Burm. f. Fl. Cap. Prod. 16.—Afr. austr.  
 Olgae, Regel, Pl. Nov. Fedesch. 68.—Turkestan.  
*Olivieri*, Benth. Lab. Gen. et Sp. 624 = *orientalis*.  
*oppositiflora*, Boiss. & Haussk. ex Boiss. Fl. Orient. iv. 784.—Cataonia.  
*oreophila*, Kar. & Kir. in Bull. Soc. Nat. Mosc. xv. (1842) 426.—Sibir.  
*orientalis*, Mill. Gard. Dict. ed. VIII. n. 9.—As. Min.  
*pallida*, Schum. & Thonn. Beskr. Guin. Pl. 262 = *Leonotis pallida*.  
*parviflora*, Benth. in Wall. Cat. n. 2066 = *breviflora*.  
*parvifolia*, Burch. Trav. i. 225 = *Stachys integrifolia*.  
*parvifolia*, Presl, Delic. Prag. 86 = *lanata*.  
*persica*, Boiss. Diagn. Ser. I. v. 37.—Persia.  
*pilosa*, Herb. Madr. ex Wall. Cat. n. 2526 = *Leucas nepetaefolia*.  
*pilosa*, Roxb. Hort. Beng. 44; Fl. Ind. iii. 12 = *Leucas pilosa*.  
*Pluckenettii*, Roth, Nov. Pl. Sp. 261 = *Leucas aspera*.  
*polymorpha*, Clos, in Bull. Soc. Bot. Fr. xv. (1868) 7 = *viscosa*, *ferruginea*.  
*Portae*, Kern. ex Nym. Consp. 681 = *fruticosa*.  
*pratensis*, Kar. & Kir. in Bull. Soc. Nat. Mosc. xv. (1842) 426.—Sibir.  
*pungens*, Willd. Sp. Pl. iii. 121 = *P. Herba-venti*.  
*purpurea*, Linn. Sp. Pl. 585.—Hispan.; Lusit.  
*purpurea*, Linn. l. c. ed. II. 818 = *italica*.  
*repens*, Willd. ex Benth. in Linnaea, xi. (1837) 338 = *Leucas decumbens*.  
*repetifolia*, Roxb. Fl. Ind. iii. 8, err. typ. = *nepetaefolia*.  
*rigida*, Labill. Ic. Pl. Syr. iii. 15. t. 10.—As. Min.; Syria.  
*Rodontia*, Buch.-Ham. ex Wall. Cat. n. 2525 = *Leucas montana*.  
*rotata*, Benth. ex Hook. f. Fl. Brit. Ind. iv. 694.—Reg. Himal.  
*rotundifolia*, Mill. Gard. Dict. ed. VIII. n. 13 = *italica*.  
*rugosa*, Benth. in Wall. Pl. As. Rar. i. 63; Cat. n. 2067.—Reg. Himal.; Malaya.  
*Russelliana*, Lag. ex Benth. Lab. Gen. et Sp. 629 = *viscosa*.  
*sagittata*, Regel, in Act. Hort. Petrop. vi. (1879) 373.—Turkestan.  
*salicifolia*, Regel, l. c. 371.—Turkestan.  
*salviaefolia*, Jacq. Hort. Schoenb. iii. 58 = *purpurea*.  
*salvifolia*, Stokes, Bot. Mat. Med. iii. 354 = *fruticosa*.  
*samia*, Linn. Sp. Pl. 585.—Graec.; As. Min.  
*scariosa*, Presl, Delic. Prag. 85 = *fruticosa*.  
*setigera*, Falc. ex Benth. in DC. Prod. xii. 543.—Reg. Himal.  
 Sewerzowi, Regel, in Act. Hort. Petrop. vi. (1879) 372.—Turkestan.  
*sibirica*, Medic. Beobacht. (1783) 124 = *Leonurus sibiricus*.  
*simplex*, Royle, ex Benth. in Hook. Bot. Misc. iii. (1833) 382 = *bracteosa*.  
*sinensis*, J. F. Gmel. Syst. 910 = *chinensis*.  
*speciosa*, Salisb. Prod. 84 = *Leonotis Leonurus*.  
*spectabilis*, Falc. ex Benth. in DC. Prod. xii. 543.—Reg. Himal.  
*Spica-venti*, C. Koch, in Linnaea, xxi. (1848) 699.  
*sphalm* = *P. Herba-venti*.  
*spinosa*, Vand. Fasc. Pl. 15.—Bras.  
*Stewartii*, Hook. f. Fl. Brit. Ind. iv. 692.—Ind. bor. occ.  
*stricta*, Heyne, ex Hook. f. l. c. 688 = *Leucas stricta*.  
*superba*, C. Koch, in Linnaea, xxi. (1848) 699 = *samia*.  
*syriaca*, Boiss. Diagn. Ser. I. xii. 89 = *Nissolii*.  
*tarsensis*, Boiss. Fl. Orient. iv. 781 = *Nissolii*.  
*taurica*, Hartwiss, ex Bunge, Lab. Pers. 77, in obs.—Persia.  
*thapsoides*, Bunge, in Mém. Sav. Etr. Petersb. vii. (1851) 440.—Turkestan.  
*tomentosa*, Herb. Madr. ex Wall. Cat. n. 2524 = *Leucas marrubioides*.  
*tomentosa*, Regel, Pl. Nov. Fedesch. 69.—Turkestan.  
*tuberosa*, Linn. Sp. Pl. 586.—Europ. austr.; As. or. et bor.



**PHLOMIS** :—

turkestanica, Bunge, Lab. Pers. 78, nomen.—Turkestan.  
umbrosa, Turcz. in Bull. Soc. Nat. Mosc. (1840) 76.—  
China.  
urticifolia, Vahl, Symb. Bot. iii. 76 = *Leucas urticae-*  
folia.  
ventosa, St. Lag. in Ann. Soc. Bot. Lyon, vii. (1880)  
70, 131 = *P. Herba-venti*.  
virens, DC. Cat. Hort. Monsp. 132 = *viscosa*.  
viscosa, Poir. Encyc. v. 271.—Syria.  
zeylanica, Blanco, Fl. Filip. ed. I. 475 = *Leucas*  
*aspera*.  
zeylanica, Heyne, ex Wall. Cat. n. 2522 = *Pluckenetii*.  
zeylanica, Linn. Sp. Pl. 586 = *Leucas zeylanica*.  
zeylanica, Roxb. Hort. Beng. 44; Fl. Ind. iii. 9 =  
*Leucas lavandulaefolia*.

PHLOMITIS, Reichb. ex T. Nees, Gen. Fl. Germ.  
Gamop. ii. Trib. VII. n. 43 (1843) = *Phlomis*, Linn.  
(Labiata).

pungens, Reichb. ex T. Nees, l. c. = *Phlomis Herba-*  
*venti*.  
tuberosa, Reichb. ex T. Nees, l. c. = *Phlomis tuberosa*.

PHLOMOIDES, Moench, Meth. 403 (1794) = *Phlomis*,  
Linn. (Labiata).  
tuberosa, Moench, l. c. = *Phlomis tuberosa*.

PHLOMOSTACHYS, C. Koch, Ind. Sem. Hort. Berol.  
(1856) App. 3; Beer, Bromel. 45 (1857) = *Pit-*  
*cairnia*, L'Hérit. (Bromel.).  
Altensteinii, Beer, Bromel. 45 = *Pitc. Altensteinii*.  
atrovirens, C. Koch, Ind. Sem. Hort. Berol. (1856)  
App. 3 = *Pitc. atrovirens*.  
densiflora, Beer, Bromel. 46 = *Pitc. densiflora*.  
Funkiana, Beer, l. c. 47 = *Pitc. Funkiana*.  
gigantea, C. Koch, Ind. Sem. Hort. Berol. (1856) App.  
3 = *Pitc. Altensteinii*.  
imbricata, Beer, Bromel. 47 = *Pitc. imbricata*.  
sulphurea, Beer, l. c. 46 = *Pitc. Wendlandi*.

PHLOX, Linn. Gen. ed. I. 52 (1737). *POLEMONIA-*  
*CEAE*, Benth. & Hook. f. ii. 821.

FONNA, Adans. Fam. ii. 214 (1763).  
acuminata, Pursh, Fl. Am. Sept. ii. 730 = *paniculata*.  
acutifolia, Sweet, Hort. Brit. ed. II. 368 = *præc.* ?  
adsurgens, Torr. ex A. Gray, in Proc. Am. Acad. viii.  
(1870) 256.—Am. bor. occ.  
alba, Moench, Meth. Suppl. 173 = *maculata*.  
altissima, Moench, l. c. 454 = *glaberrima*.  
americana, Hort. ex Sweet, Brit. Flow. Gard. Ser. I.  
sub t. 248 = *paniculata*.  
amoena, Sims, Bot. Mag. t. 1308.—Am. bor.  
amplexicaulis, Rafin. Fl. Ludov. 36 (Quid ?).—Am.  
bor.  
aristata, Lodd. Bot. Cab. t. 1731 = *subulata*.  
aristata, Michx. Fl. Bor. Am. i. 144 = *pilosa*.  
atrocaulis, Hort. ex W. Baxt. in Loud. Hort. Brit.  
Suppl. ii. 656.  
bifida, Beck, in Am. Journ. Sc. Ser. I. xi. (1826) 170.  
—Am. bor.  
biflora, Ruiz & Pav. Fl. Per. ii. 17.—Chili.  
bimaculata, Hort. ex Sweet, Brit. Flow. Gard. Ser. I.  
sub t. 224 = *odorata*.  
brevifolia, Baum. ex Hoffm. Vers. Pfl. 98 (Quid ?).—  
Am. bor. ?  
Bridgesii, Hort. ex Marnock, Floric. Mag. (1842)  
t. 1.  
Broughtoni, Hort. l. c. t. 3.  
Brownii, Salm-Dyck, Hort. Dyck. 205.  
bryoides, Nutt. in Journ. Acad. Philad. N. S. i. (1847)  
153.—Am. bor. occ.  
caespitosa, Nutt. l. c. vii. (1834) 41.—Am. bor. occ.  
Caldiana, Court. ex Steud. Nom. ed. II. ii. 322  
(Quid ?).—Hab. ?  
canadensis, Sweet, Brit. Flow. Gard. Ser. I. t. 221 =  
*divaricata*.  
candida, Pers. Syn. i. 186 = *maculata*.  
canescens, Salm-Dyck, Hort. Dyck. 205.—Hab. ?  
canescens, Torr. & Gray, in Pacif. Rail. Rep. ii. 122.  
—Am. bor. occ.  
carnea, Sims, Bot. Mag. t. 2155 = *glaberrima*.  
carolina, Linn. Sp. Pl. ed. II. 216 = *ovata*.  
carolina, Sims, Bot. Mag. t. 1344 = *glaberrima*.  
carolina, Sweet, Brit. Flow. Gard. Ser. I. t. 190 =  
*floridana*.  
carolina, Walt. Fl. Carol. 96 = *maculata*.  
caroliniana, Hill, Veg. Syst. viii. 32 = *ovata* ?

**PHLOX** :—

clarkiioides, Poit. in Rev. Hort. Sér. II. i. (1841–43)  
69.—Hab. ?  
Coldryana, Paxt. Mag. Bot. vii. (1840) 197.  
cordata, Ell. Sketch, ii. 40 = *paniculata*.  
corymbosa, Hort. ex Sweet, Hort. Brit. ed. II. 368;  
et Brit. Flow. Gard. Ser. II. t. 114 = *paniculata*.  
crassifolia, Lodd. Bot. Cab. t. 1596 = *reptans*.  
cruenta, Curt. ex Steud. Nom. ed. II. 322 (an hybr. ?).  
cuspidata, Scheele, in Linnaea, xxiii. (1850) 139 =  
*pilosa*.  
decussata, Lyon, ex Pursh, Fl. Am. Sept. ii. 730 =  
*paniculata*.  
diffusa, Benth. Pl. Hartw. 325 = *Douglasii*.  
disticha, Sabine, ex Sweet, Hort. Brit. ed. III. 478  
(Quid ?).—Am. bor.  
divaricata, Durand, in Journ. Acad. Philad. N. S. iii.  
(1855) 97 = *speciosa*.  
divaricata, Linn. Sp. Pl. 152.—Am. bor.  
divergens, Wender. ex Steud. Nom. ed. II. ii. 322  
(Quid ?).—Hab. ?  
Douglassii, Hook. Fl. Bor. Am. ii. 73.—Am. bor. occ.  
Drummondii, Hook. Bot. Mag. t. 3441.—Texas.  
elata, Penny, ex G. Don, in Loud. Hort. Brit. Suppl.  
i. 596, nomen.—Am. bor.  
excelsa, Penny, ex G. Don, in Sweet, Hort. Brit. ed. II.  
368 (Hybr. ?).—Am. bor.  
floridana, Benth. in DC. Prod. ix. 304.—Am. bor.  
frondosa, Hort. ex Vilm. Fl. Pl. Terre, ed. II. 683 =  
*subulata*.  
fruticosa, Hort. ex Steud. Nom. ed. II. ii. 322 =  
*maculata* ?  
glaberrima, Linn. Sp. Pl. 152.—Am. bor.  
glomerata, Nutt. in Trans. Am. Phil. Soc. v. (1837)  
196, nomen.—Am. bor.  
glutinosa, Buckl. in Am. Journ. Sc. Ser. I. xlv. (1843)  
177 = *divaricata*.  
Hentsii, Nutt. in Journ. Acad. Philad. vii. (1834) 110  
= *subulata*.  
Heynholdii, Hort.—Cf. Gard. Chron. (1871) 1041 =  
*Drummondii* ?  
Hoodii, Richards. in Frankl. Journ. App. ed. II. 6.  
t. 28.—Am. bor. occ.  
Hookeri, Dougl. ex Hook. Fl. Bor. Am. ii. 73 = *Gilia*  
*pungens*.  
humilis, Dougl. ex Hook. l. c. 72 = *longifolia*.  
hybrida, Rafin. in Med. Repos. N. York, v. (1808)  
353, nomen.—Am. bor.  
Ingramiana, Hort. ex Loud. Hort. Brit. Suppl. ii.  
656.  
intermedia, Lodd. ex Sweet, Hort. Brit. ed. I. 285,  
nomen.—Am. bor.  
involuta, Nutt. ex Loud. Hort. Brit. Suppl. i. 596  
(Quid ?).—Am. bor.  
involuta, Wood, Class-book (1861), 568 = *amoena*.  
laeta, Penny, ex G. Don, in Sweet, Hort. Brit.  
ed. III. 478, nomen.—Am. bor.  
latifolia, Michx. Fl. Bor. Am. i. 143 = *ovata*.  
Leopoldiana, Paxt. Mag. Bot. xiv. (1848) t. 266.  
linearifolia, A. Gray, Syn. Fl. N. Am. ii. i. 133.—Am.  
bor. occ.  
linearis, Cav. Ic. vi. 17 = *Collomia coccinea*.  
Listoniana, Sweet, Hort. Brit. ed. II. 368; Forbes,  
Hort. Woburn. 37.—Am. bor.  
longifolia, Sweet, Brit. Flow. Gard. Ser. II. t. 31 =  
*maculata*.  
longifolia, Nutt. in Journ. Acad. Philad. vii. (1834)  
41.—Am. bor. occ.  
macrantha, Buckl. in Proc. Acad. Sc. Philad. 1862  
(1863) 5 = *Roemeriana*.  
macrophylla, Court. ex Steud. Nom. ed. II. ii. 323.  
maculata, Linn. Sp. Pl. 152.—Am. bor.  
melampyroides, Salisb. Prod. 123 = *glaberrima*.  
missouriica, Salm-Dyck, Hort. Dyck. 205 (Quid ?).—  
Am. bor.  
montana, Rafin. in Med. Repos. N. York, v. (1808)  
353, nomen.—Am. bor.  
muscoidea, Nutt. in Journ. Acad. Philad. vii. (1834)  
42. t. 6. f. 2.—Am. bor. occ.  
nana, Nutt. l. c. N. S. i. (1847) 153.—Am. bor. occ.  
nitida, Pursh, Fl. Am. Sept. ii. 730 = *glaberrima*.  
nivalis, Lodd. Bot. Cab. t. 780 = *subulata*.  
Nuttalliana, Hort. ex G. Don, in Sweet, Hort. Brit.  
ed. III. 767 = *floridana*.  
Nuttallii, Court. ex Steud. Nom. ed. II. ii. 323 =  
*præc.*  
obovata, Muhl. ex Roem. & Schult. Syst. iv. 362 =  
*reptans*.

**PHLOX** :—

occidentalis, Durand, ex Torr. in Pacif. Rail. Rep. iv.  
125 = *speciosa*.  
odorata, Sweet, Brit. Flow. Gard. Ser. I. t. 224.—Am.  
bor.  
Oldryana, Walp. Rep. vi. 526, sphalm. = *Coldryana*.  
omniflora, Hort. ex W. Baxt. in Loud. Hort. Brit.  
Suppl. ii. 656.  
ovata, Linn. Sp. Pl. 152.—Am. bor.  
paniculata, Linn. l. c. 151.—Am. bor.  
penduliflora, Sweet, Hort. Brit. ed. II. 368; Brit.  
Flow. Gard. Ser. II. t. 46 = *maculata*.  
philadelphica, Hort. ex Steud. Nom. ed. II. ii. 323  
(Quid ?).—Am. bor.  
pilosa, Linn. Sp. Pl. 152.—Am. bor.  
pilosa, Walt. Fl. Carol. 96 = *amoena*.  
pinnata, Cav. Ic. vi. 17 = *Collomia Cavanillesiana*.  
procumbens, A. Gray, Man. Bot. N. U. St. ed. V. 372  
= *amoena*.  
procumbens, Lehm. Sem. Hort. Hamb. (1828) 17.  
prostrata, Ait. ex Sweet, Hort. Brit. ed. I. 285 =  
*reptans*.  
pulchella, Hort. ex W. Baxt. in Loud. Hort. Brit.  
Suppl. ii. 656.  
pyramidalis, Sm. Exot. Bot. ii. 55. t. 87 = *maculata*.  
reflexa, Hort. ex Sweet, Brit. Flow. Gard. Ser. I. t. 232  
= *maculata*.  
reptans, Michx. Fl. Bor. Am. i. 145.—Am. bor.  
revoluta, Aikin, ex A. Gray, Syn. Fl. N. Am. ii. i. 130  
= *glaberrima*.  
Richardsoni, Hook. Fl. Bor. Am. ii. 73. t. 160.—Am.  
arct.  
rigida, Benth. in DC. Prod. ix. 306 = *caespitosa*.  
Roemeriana, Scheele, in Linnaea, xxi. (1848) 752.—  
Texas.  
rosea, Forbes, Hort. Woburn. 38 (Quid ?).—Am. bor.  
Sabini, Dougl. in Hook. Fl. Bor. Am. ii. 72 =  
*speciosa*.  
scabra, Sweet, Brit. Flow. Gard. Ser. I. t. 248 = *pani-*  
*culata*.  
setacea, Linn. Sp. Pl. 153 = *subulata*.  
Shepherdii, Penny, ex Sweet, Hort. Brit. ed. II. 368.  
sibirica, Linn. Sp. Pl. 153.—As. or.; Am. bor. arct.  
Sickmanni, Lehm. Ind. Sem. Hort. Hamb. (1826) 17  
= *paniculata*.  
Siebmanni, Benth. in DC. Prod. ix. 303, sphalm. =  
*præc.*  
speciosa, Lindl. in Bot. Reg. t. 1351 = *linearifolia*.  
speciosa, Pursh, Fl. Am. Sept. i. 149.—Am. bor.  
occ.  
Stellaria, A. Gray, in Proc. Am. Acad. viii. (1870) 252.  
—Am. bor.  
stolonifera, Sims, Bot. Mag. t. 563 = *reptans*.  
suaveolens, Ait. Hort. Kew. ed. I. i. 205 = *maculata*.  
subulata, Linn. Sp. Pl. 152.—Am. bor.  
suffruticosa, Vent. Jard. Malm. ii. 107.—Am. bor.  
suffruticosa, Willd. Enum. Hort. Berol. 200 = *glaber-*  
*rima*.  
tardiflora, Penny, ex Loud. Hort. Brit. Suppl. i. 596 =  
*maculata*.  
Thomsoni, Court. ex Steud. Nom. ed. II. ii. 323  
(Quid ?).—Am. bor.  
tigrina, Wender. ex Steud. l. c. (Quid ?).—Hab. ?  
triflora, Michx. Fl. Bor. Am. i. 143 = *glaberrima* ?  
triflora, Sweet, Brit. Flow. Gard. Ser. I. t. 29 =  
*ovata*.  
trivulata, Thurb. ex Torr. in Bot. Mex. Bound. 145 =  
*nana*.  
undulata, Ait. Hort. Kew. ed. I. i. 265; Moench,  
Meth. 454 = *paniculata*.  
unidentata, Bert. ex Colla, in Mem. Acc. Torin.  
xxxviii. (1835) 126. t. 39 = *Collomia coccinea*.  
uniflora, Rafin. Fl. Ludov. 47 (Quid ?).—Am. bor.  
verna, Forbes, Hort. Woburn. 38.  
vernalis, Salisb. Prod. 123 = *divaricata*.  
Vernoniana, Hort. ex W. Baxt. in Loud. Hort. Brit.  
Suppl. ii. 656.  
virginica, Lodd. ex Sweet, Hort. Brit. ed. I. 285, nomen.  
—Am. bor.  
Walteri, Chapm. Fl. S. U. St. 339 = *amoena*.  
Wheeleriana, Sweet, Hort. Brit. ed. II. 368.

PHLOXUS, St. Lag. in Ann. Soc. Bot. Lyon, vii. (1880)  
109 = *præc.*

PHLYARODOXA, S. Moore, in Journ. Bot. xiii. (1875)  
229 = *Ligustrum*, Tourn. (Oleac.).  
leucantha, S. Moore, l. c. = *L. molliculum*.



**PHOBEROS**, Lour. Fl. Cochinch. 317 (1790) = **Sceloporia**, Schreb. (Bixin).  
*acuminatus*, Gardn. ex Thw. Enum. Pl. Zeyl. 17, 400 = *S. crenata*.  
*Arnotiana*, Thw. l. c. 16 = *S. crenata*.  
*Brownii*, F. Muell. Fragm. iii. 11 = *S. Brownii*.  
*chinensis*, Lour. Fl. Cochinch. 318 = *S. crenata*.  
*chinensis*, Turcz. in Bull. Soc. Nat. Mosc. xxvii. (1854) ii. 334.—China.  
*cochinchinensis*, Lour. Fl. Cochinch. 318 = *S. cochinchinensis*.  
*crenatus*, Wight & Arn. Prod. 29 = *S. crenata*.  
*Dasyanthera*, Benn. Pl. Jav. Rar. 192 = *S. Dasyanthera*.  
*Eckloni*, Presl, Bot. Bemerk. 70; Harv. & Sond. Fl. Cap. i. 67.—Afr. austr.  
*Gaertneri*, Thw. Enum. Pl. Zeyl. 17 = *S. Gaertneri*.  
*Hookerianus*, Wight, ex Thw. l. c. = *S. crenata*.  
*lanceolatus*, Wight & Arn. Prod. 30 = *S. crenata*.  
*macrophyllus*, Wight & Arn. l. c. = *S. Rhinanthera*.  
*maritima*, Miq. Fl. Ind. Bat. Suppl. 388.—Sumatra.  
*Mundii*, Presl, Bot. Bemerk. 70 = seq.  
*Mundtii*, Harv. & Sond. Fl. Cap. i. 67.—Afr. austr.  
*Rhinanthera*, Benn. Pl. Jav. Rar. 187 = *S. Rhinanthera*.  
*Roxburghii*, Benn. l. c. 192 = *S. Roxburghii*.  
*saevus*, Hance, in Walp. Ann. iii. 825 = *S. crenata*.  
*Wightianus*, Wight & Arn. Prod. 30 = *S. crenata*.  
*Zeyheri*, Presl, Bot. Bemerk. 70; Harv. & Sond. Fl. Cap. i. 67.—Afr. austr.

**PHOCEA**, Seem. in Journ. Bot. viii. (1870) 68. **CELASTRINEAE**.  
*Andersonii*, Seem. l. c.—N. Caled.

**PHOEBE**, Nees, Syst. Laurin. 98 (1836). **LAURINEAE** [Benth. & Hook. f. iii. 157].  
*angustifolia*, Meissn. in DC. Prod. xv. i. 34.—Reg. Himal.  
*antillana*, Meissn. l. c. 31.—Ind. occ.  
*attenuata*, Nees, Syst. Laurin. 104.—Reg. Himal.  
*attenuata*, Miq. ex Meissn. in DC. Prod. xv. i. 36 = *opaca*.  
*barbusana*, Webb & Berth. Phyt. Canar. iii. 223.—Ins. Canar.  
*canescens*, Miq. Fl. Ind. Bat. i. i. 912.—Sumatra.  
*chartacea*, Miq. l. c.—Java.  
*cinnamomifolia*, Nees, in Linnaea, xxi. (1848) 488.—Am. trop.  
*cinnamomifolia*, Rich. ex Griseb. Cat. Pl. Cub. 111 = *triplinervis*.  
*cubensis*, Nees, Syst. Laurin. 120.—Cuba.  
*cuneata*, Blume, Mus. Bot. Lugd. Bat. i. 326.—Java.  
*cuspidata*, Blume, l. c. 328.—Java.  
*declinata*, Nees, Syst. Laurin. 114.—Malaya.  
*densiflora*, Blume, Mus. Bot. Lugd. Bat. i. 327.—Java.  
*effusa*, Meissn. in DC. Prod. xv. i. 33.—Mexic.  
*elliptica*, Blume, Mus. Bot. Lugd. Bat. i. 326 = *macrophylla*.  
*elongata*, Nees, Syst. Laurin. 116.—Am. trop.  
*elongata*, Nees, l. c., partim = *montana*.  
*excelsa*, Nees, l. c. 102.—Java.  
*falcata*, Miq. Fl. Ind. Bat. i. i. 912.—Sumatra.  
*glaucescens*, Nees, Syst. Laurin. 100; Meissn. in DC. Prod. xv. i. 36 = *pallida*.  
*granatensis*, Meissn. in DC. l. c. 32 = *cinnamomifolia*.  
*grandifolia*, Miq. Fl. Ind. Bat. i. i. 913.—Malaya.  
*Hartwegii*, Meissn. in DC. Prod. xv. i. 30.—Mexic.  
*holoserica*, Blume, Mus. Bot. Lugd. Bat. i. 327.—Sumatra.  
*hypoleuca*, A. Rich. Fl. Cub. Fanerog. ii. 185 = *Persea cubensis*.  
*impressa*, Meissn. in DC. Prod. xv. i. 33.—Guian.  
*incerta*, Blume, Mus. Bot. Lugd. Bat. i. 327.—Java.  
*insularis*, Meissn. in DC. Prod. xv. i. 33.—Ins. Cocos.  
*javanica*, Meissn. l. c. 37.—Java.  
*lamponga*, Miq. Fl. Ind. Bat. Suppl. 359.—Sumatra.  
*lanceolata*, Nees, Syst. Laurin. 109.—Ind. or.; Burma.  
*latifolia*, Champ. in Hook. Kew Journ. v. (1853) 197 = *Cinnamomum Parthenoxylon*.  
*leiophylla*, Miq. Fl. Ind. Bat. i. i. 911.—Ins. Celebes; Borneo.  
*ligustrina*, Nees, Syst. Laurin. 113, partim = *declinata*.  
*Lingue*, Steud. Nom. ed. II. ii. 16, in syn., sphalm. = *Persea Lingue*.  
*lucida*, Blume, Mus. Bot. Lugd. Bat. i. 327.—Malaya.  
*macrophylla*, Blume, l. c. 326.—Java.  
*malaccensis*, Meissn. in DC. Prod. xv. i. 37 = *opaca*.  
*maynensis*, Nees, Syst. Laurin. 118 = *peruviana*.

**PHOEBE** :—

*membranacea*, Macfad. ex Griseb. Fl. Brit. W. Ind. 283 = *Ocotea Leucoxylon*.  
*membranacea*, Nees, Syst. Laurin. 118 = *cubensis*.  
*mexicana*, Meissn. in DC. Prod. xv. i. 31.—Mexic.  
*montana*, Griseb. in Mem. Acad. N. S. viii. (1861) 187.—Ind. occ.  
*multiflora*, Blume, Mus. Bot. Lugd. Bat. i. 326.—Java.  
*nitida*, Blume, l. c. 328.—Sumatra.  
*obtusata*, Blume, ex Meissn. in DC. Prod. xv. i. 35.—Java.  
*opaca*, Blume, Mus. Bot. Lugd. Bat. i. 327.—Malaya.  
*opaca*, Zoll. Syst. Verz. Ind. Arch. ii. 113 = *javanica*.  
*pallida*, Nees, Syst. Laurin. 112.—Ind. or.  
*paniculata*, Nees, l. c. 105.—Ind. or.  
*parviflora*, Blume, Mus. Bot. Lugd. Bat. i. 327.—Java.  
*parviflora*, Nees, Syst. Laurin. 120, in nota = *triplinervis*.  
*patens*, Nees, l. c. 117.—Jamaic.  
*pedunculosa*, Meissn. in DC. Prod. xv. i. 47.—Bras.  
*peruviana*, Meissn. l. c. 32.—Peruv.  
*Poeppigii*, Meissn. l. c. 33.—Peruv.  
*Poiretiana*, Nees, Syst. Laurin. 119 = *montana*.  
*pubescens*, Nees, l. c. 107 = *paniculata*.  
*rigida*, Miq. Fl. Ind. Bat. i. i. 910.—Sumatra.  
*Ruiziana*, Nees, in Linnaea, xxi. (1848) 489.—Peruv.  
*salicifolia*, Nees, l. c. 488.—Mexic.  
*Sellowii*, Meissn. in DC. Prod. xv. i. 30.—Bras.  
*sericea*, Nees, Syst. Laurin. 99 = *Machilus sericea*.  
*spathulata*, Miq. Fl. Ind. Bat. i. i. 911.—Java.  
*stereophylla*, Meissn. in DC. Prod. xv. i. 29.—Bras.  
*sumatrana*, Miq. Pl. Jung. 175.—Guian.  
*superba*, Miq. Fl. Ind. Bat. i. i. 912.—Malaya.  
*tomentosa*, Meissn. in DC. Prod. xv. i. 30.—Bras.  
*triplinervis*, Griseb. in Mem. Am. Acad. N. S. viii. (1861) 187.—Cuba.  
*umbelliflora*, Nees, Syst. Laurin. 115.—Malaya.  
*Valenzuelana*, A. Rich. Fl. Cub. Fanerog. ii. 185 = *elongata*.  
*villosa*, Wight, Ic. t. 1822 (*Machili* sp.).—Reg. Himal.  
*Wightii*, Meissn. in DC. Prod. xv. i. 38 = *paniculata*.

**PHOENICANTHEMUM**, Blume, in Schult. f. Syst. vii. 1729 (1830) = **Loranthus**, Linn.  
*Bennettianum*, Miq. Fl. Ind. Bat. i. i. 826 = *L. coccineus*.  
*coccineum*, Blume, in Schult. f. Syst. vii. 1729 = *L. coccineus*.  
*cylindricum*, Miq. Fl. Ind. Bat. i. i. 825 = *L. cylindricum*.  
*longissimum*, Miq. Fl. Ind. Bat. Suppl. 345 = *I. setigerus*?  
*Lyndenianum*, Miq. Fl. Ind. Bat. i. i. 824 = *L. Lyndenianum*.  
*Macklottianum*, Miq. l. c. = *L. Macklottianum*.  
*pentapetalum*, Blume, in Schult. f. Syst. vii. 1729 = *L. pentapetalum*.  
*setigerum*, Miq. Fl. Ind. Bat. i. i. 826 = *L. setigerus*.  
*trianthum*, Miq. l. c. = *L. trianthus*.  
*triste*, Miq. l. c. = *L. tristis*.  
*Wallichianum*, Blume, in Schult. f. Syst. vii. 1729 = *L. Wallichianum*.  
*xestophyllum*, Miq. Fl. Ind. Bat. i. i. 823 = *L. macrostachys*, Korth.

**PHOENICAULIS**, Nutt. ex Torr. & Gray, Fl. N. Am. i. 89 (1838) = **Cheiranthus**, Linn. (Crucif.).  
*cheiranthoides*, Nutt. l. c. = *C. Menziesii*.  
*Menziesii*, Steud. Nom. ed. II. ii. 323 = *C. Menziesii*.

**PHOENICOCISSUS**, Mart. ex Meissn. Gen. Comm. 209 (1840) = **Lundia**, DC. (Bignon.).

**PHOENICOPHORUM**, H. Wendl. in Illustr. Hort. xii. (1865) Misc. 5. t. 433 = **Stevensonia**, Dunc. (Palm.).  
*Sechellarum*, H. Wendl. l. c. = *S. grandifolia*.  
*viridifolium*, Hort. ex H. Wendl. in Kerch. Palm. 252 = *Roscheria melanochaetes*.

**PHOENICOPUS**, Spach, Hist. Vég. Phan. x. 6 (1841) = **PHAENOPUS**, DC. = **Lactuca**, Tourn. (Compos.).  
*intricatus*, Pomel, Nouv. Mat. Fl. Atl. 264 = *L. intricata*.

**PHOENICOSPERMUM**, Miq. Ann. Mus. Bot. Lugd. Bat. ii. 68. t. 3 (1865-66). **TILIACEAE**, Benth. & Hook. f. i. 987.  
*javanicum*, Miq. l. c.—Java.

**PHOENIX**, Linn. Syst. ed. I (1735). **PALMAE**, Benth. & Hook. f. iii. 921.  
*DACHEB*, Adans. Fam. ii. 25 (1763).  
*ELATE*, Linn. Mus. Cliff. 12 (1737).  
*FULCHIRONIA*, Lesch. ex Desf. Cat. Hort. Par. ed. III. 29 (1829).  
*PHAENIX*, Hill, Hort. Kew. 449 (1768).  
*PHONIPHORA*, Neck. Elem. iii. 302 (1790).  
*ZELONOPS*, Rafn. Fl. Tellur. ii. 102 (1836).  
*acaulis*, Buch.-Ham. ex Roxb. Hort. Beng. 73; Fl. Ind. iii. 783.—Ind. or.; Burma.  
*aequinoctialis*, Hort.—Cf. Rev. Hort. (1879) 340 (Quid?).—Hab.?  
*Ammonis*, Ehrenb. ex Steud. Nom. ed. II. ii. 323.—Hab.?  
*canariensis*, Hort. ex Chabaud, in La Provence Agric. n. 19. (Oct. 1882) 293, ff. 66-68.—Ins. Canar.  
*cycadifolia*, Hort. Athen. ex Regel, Gartenfl. xxviii. (1879) 131. t. 974 = *dactylifera*.  
*dactylifera*, Linn. Sp. Pl. 1188.—Afr. bor.; Arab.  
*equinoxialis*, Boj. Hort. Maurit. 306 = *reclinata*.  
*excelsa*, Steud. Nom. ed. II. ii. 323, sphalm. = seq.  
*excelsior*, Cav. Ic. ii. 13. t. 125 = *dactylifera*.  
*farinifera*, Buch.-Ham. in Trans. Linn. Soc. xv. (1826) 87, partim = *humilis*.  
*farinifera*, Roxb. Pl. Corom. i. 55. t. 74.—Ind. or.  
*ferruginea*, Hort. ex H. Wendl. Ind. Palm. 31 (Quid?).—Hab.?  
*Hanceana*, Hort. ex Wendl. in Kerch. Palm. 252 = *humilis*.  
*humilis*, Cav. Ic. ii. 12. t. 115 = *Chamaerops humilis*.  
*humilis*, Royle, Illustr. Bot. Himal. 394.—Ind. or.; Burma; China.  
*hybrida*, Hort. Bog. ex Teijsm. & Binn. Cat. Hort. Bog. 72 (Quid?).—Hab.?  
*Jubae*, Webb, ex Christ, in Engl. Bot. Jahrb. vi. (1885) 469 = *canariensis*.  
*leonensis*, Lodd. ex Kunth, Enum. Pl. iii. 257 = *reclinata*.  
*Loureiri*, Kunth, l. c. = *humilis*.  
*Ouseleyana*, Griff. in Calc. Journ. Nat. Hist. v. (1845) 347 = *humilis*.  
*paludosa*, Roxb. Hort. Beng. 73; Fl. Ind. iii. 789.—Ind. or.; Siam.  
*pedunculata*, Griff. Palms Brit. Ind. 139 = *humilis*.  
*pumila*, Hort.—Cf. Regel, Gartenfl. xx. (1871) 153 (Quid?).—Hab.?  
*pusilla*, Gaertn. Fruct. i. 24. t. 9.—Ind. or.  
*pusilla*, Lour. Fl. Cochinch. 614 = *humilis*.  
*pygmaea*, Hort. ex Link, Enum. Hort. Berol. ii. 421 (an seq.?).—Hab.?  
*pygmaea*, Raeusch. Nom. ed. III. 375 = *farinifera*.  
*reclinata*, Jacq. Fragm. i. 27. t. 24.—Afr. trop. et austr.  
*rupicola*, T. Anders. in Journ. Linn. Soc. xi. (1871) 13.—Reg. Himal.  
*senegalensis*, Van Houtte, ex Salomon, in Regel, Gartenfl. (1882) 305 = *reclinata*.  
*siamensis*, Miq. in Verh. Kon. Akad. Wetensch. xi. (1868) n. 5. p. 14 = *paludosa*.  
*spadicea*, Wight, ex Mart. Hist. Nat. Palm. iii. 274, in obs. = *farinifera*.  
*spinosa*, Schum. & Thonn. Beskr. Guin. Pl. 437 = *reclinata*.  
*sylvestris*, Roxb. Hort. Beng. 73; Fl. Ind. iii. 787.—Ind. or.  
*sylvestris*, Thw. Enum. Pl. Zeyl. 329 = *pusilla*.  
*tenuis*, Versch. Cat. (1869) 13, cum ic. = *canariensis*.  
*Vigieri*, Hort. ex Naud. in Rev. Hort. (1885) 541, in nota = *canariensis*.  
*zeylanica*, Trimen, in Journ. Bot. xxiii. (1885) 267 = *pusilla*.

**PHOENIXOPUS**, Reichb. Consp. 98 (1828) = **Lactuca**, Tourn. (Compos.).

**PHOENOCOMA**, G. Don. in Loud. Hort. Brit. 342 (1830) = **Phaenocoma**, D. Don (Compos.).

**PHOENOPUS**, Nym. Consp. 435 (1879) = **PHAENOPUS**, DC. = **Lactuca**, Tourn. (Compos.).



**PHOLACILIA**, Griseb. Fl. Brit. W. Ind. 129 (1859) = *Trichilia*, P. Br. (Meliac.).  
*diversifolia*, Griseb. l. c. 130 = *T. simplicifolia*.  
*pteleaeifolia*, Griseb. l. c., in obs. = *T. pteleaeifolia*.  
*trinitensis*, Griseb. l. c. = *T. trinitensis*.

**PHOLIDANDRA**, Neck. Elem. i. 348 (1790) = *Raputia*, Aubl. (Rutac.).

**PHOLIDIA**, R. Br. Prod. 517 (1810). *MYOPORINEAE*, Benth. & Hook. f. ii. 1124.

*DUTTONIA*, F. Muell. in Hook. Kew Journ. viii. (1856) 73. t. 1.

*PHOLIDIOPSIS*, F. Muell. in Linnaea, xxv. (1852) 429.

*PSEUDOPHOLIDIA*, A. DC. in DC. Prod. xi. 704 (1847).

*SENTIS*, F. Muell. Fragm. iv. 47 (1863).

*adenotricha*, F. Muell. ex Benth. Fl. Austral. v. 14.—Austral.

*Behriana*, F. Muell. in Linnaea, xxv. (1852) 430.—Austral.

*brevifolia*, Benth. Fl. Austral. v. 12.—Austral.

*crassifolia*, F. Muell. in Linnaea, xxv. (1852) 430.—Austral.

*Dalyana*, F. Muell. ex Benth. Fl. Austral. v. 10.—Austral.

*Delisserii*, F. Muell. l. c. 11.—Austral.

*densifolia*, F. Muell. l. c. 13.—Austral.

*divaricata*, F. Muell. in Trans. Phil. Soc. Vict. i. (1855) 47.—Austral.

*gibbifolia*, F. Muell. ex Benth. Fl. Austral. v. 13.—Austral.

*imbricata*, Benth. l. c.—Austral.

*microtheca*, F. Muell. ex Benth. l. c. 14.—Austral.

*polyclada*, F. Muell. in Trans. Phil. Soc. Vict. i. (1855) 47 = *Eremophila polyclada*.

*resinosa*, Endl. in Ann. Mus. Wien, ii. (1838) 203.—Austral.

*santalina*, F. Muell. ex Benth. Fl. Austral. v. 15.—Austral.

*scoparia*, R. Br. Prod. 517.—Austral.

*Woolisiana*, F. Muell. ex Benth. Fl. Austral. v. 12.—Austral.

**PHOLIDIOPSIS**, F. Muell. in Linnaea, xxv. (1852) 429 = *Pholidia*, R. Br. (Myopor.).

*santalina*, F. Muell. l. c. = *Pholidia santalina*.

**PHOLIDOCARPUS**, Blume, in Schult. f. Syst. vii. 1308 (1830). *PALMAE*? Benth. & Hook. f. iii. 883.

*Ihur*, Blume, Rumphia, iii. 90.—Malaya.

*Ihur*, Miq. Fl. Ind. Bat. iii. 47 = *Majadum*.

*Majadum*, Becc. Malesia, i. (1877) 80.—Malaya.

*tunicatus*, H. Wendl. in Kerch. Palm. 235.—Cochinch.

**PHOLIDOPHYLLUM**, Vis. Sem. Hort. Patav. (1847) 4; et in Otto & Dietr. Allg. Gartenz. xvi. (1851) 30 = *Cryptanthus*, Otto & Dietr. (Bromel.).

*zonatum*, Vis. ll. cc. = *C. zonatus*.

**PHOLIDOSTACHYS**, H. Wendl. ex Benth. & Hook. f. Gen. iii. 915, in nota (1883). *PALMAE*, Benth. & Hook. f. l. c.

*pulchra*, H. Wendl. l. c.—Costa Rica.

**PHOLIDOTA**, Lindl. in Hook. Exot. Fl. ii. t. 138 (1825). *ORCHIDEAE*, Benth. & Hook. f. iii. 520.

*ACANTHOGLOSSUM*, Blume, Bijdr. 381 (1825).

*CRINONIA*, Blume, l. c. 338 (1825).

*PTILOCNEMA*, D. Don, Prod. Fl. Nep. 33 (1825).

*aculeata*, Bot. Reg. ex Steud. Nom. ed. II. ii. 324 (Quid?).—Ind. or.

*advena*, Reichb. f. Otia Hamb. i. 47, in syn. = *Coelogyne advena*.

*articulata*, Lindl. in Wall. Cat. n. 1992.—Reg. Himal.

*calcata*, Reichb. f. in Bonplandia, iv. (1856) 329.—Reg. Himal.

*camelostalix*, Reichb. f. Xenia Orch. i. 217. t. 89.—Java.

*carnea*, Lindl. Gen. et Sp. Orch. 37.—Java.

*chinensis*, Lindl. in Journ. Hort. Soc. ii. (1847) 308.—China.

*clypeata*, Lindl. l. c. v. (1850) 37.—Borneo.

*conchoidea*, Lindl. Bot. Reg. (1840) Misc. 84.—Ins. Philipp.

*crotalina*, Reichb. f. in Otto & Dietr. Allg. Gartenz. xxiv. (1856) 218.—Java.

*gibbosa*, Lindl. ex De Vriese, Illustr. Orch. [13]. t. 10.—Malaya?

**PHOLIDOTA** :—

*globosa*, Lindl. Gen. et Sp. Orch. 37.—Java.

*imbricata*, Lindl. in Hook. Exot. Fl. ii. t. 138.—Ind. or. *khasiyana*, Reichb. f. in Bonplandia, iv. (1856) 329 = *articulata*.

*loricata*, Reichb. f. l. c. v. (1857) 43.—Java.

*membranacea*, Teijsm. & Binn. in Tijdschr. Nederl. Ind. v. (1853) 488.—Java.

*nervosa*, Reichb. f. in Bonplandia, v. (1857) 43.—Java.

*pallida*, Lindl. Bot. Reg. sub t. 1777 = *imbricata*.

*Pholas*, Reichb. f. in Walp. Ann. vi. 237.—Ins. Hongkong.

*recurva*, Lindl. Gen. et Sp. Orch. 37.—Reg. Himal.

*rhombophora*, Reichb. f. in Linnaea, xli. (1877) 117, in nota.—Ins. Philipp.

*rubra*, Lindl. Gen. et Sp. Orch. 37.—Reg. Himal.

*suaveolens*, Lindl. in Gard. Chron. (1856) 372 (*Coelogyne* sp.).—Ind. or.

*tritos*, Reichb. f. in Walp. Ann. vi. 238 = *Coelogyne tritos*.

*tristis*, Lindl. ex Baxt. in Loud. Hort. Brit. Suppl. iii. 607, nomen.—Ind. or.

*undulata*, Wall. ex Lindl. Bot. Reg. sub t. 1213 = *rubra*.

*ventricosa*, Reichb. f. in Bonplandia, v. (1857) 43.—Java.

**PHOLISMA**, Nutt. ex Hook. Ic. Pl. t. 626 (1844). *LENNOACEAE*, Benth. & Hook. f. ii. 622.

*arenarium*, Nutt. l. c.—Am. bor.

*depressum*, Greene, in Bull. Calif. Acad. i. iv. (1885) 198.—Calif.

**PHOLISTOMA**, Lilja, in Bot. Notiser (1839), 40 = *Nemophila*, Nutt. (Hydroph.).

*aurita*, Lilja, l. c. = *N. aurita*.

**PHOLIURUS**, Trin. Fund. Agrost. 131 (1820) = *Lep-turus*, R. Br. (Gramin.).

*pannonicus*, Trin. l. c. = *L. pannonicus*.

**PHOLIURUS**, Trin. in Spreng. Neue Entdeck. ii. 67 (1821) = *Rottboellia*, Linn. f. (Gramin.).

*graeus*, Trin. l. c. = *R. digitata*.

**PHOLOMPHIS**, Rafin. Sylva Tellur. 97 (1838) = *Miconia*, Ruiz & Pav. (Melastom.).

*fragilis*, Rafin. l. c. = *M. Acinodendron*.

**PHONIPHORA**, Neck. Elem. iii. 302 (1790) = *Phoenix*, Linn. (Palm.).

**PHONUS**, Hill, Veg. Syst. iv. 5 (1762) = *Carthamus*, Tourn. (Compos.).

*lanatus*, Hill, Hort. Kew. 56 = *C. lanatus*.

**PHORADENDRON**, Nutt. in Journ. Acad. Philad. N. S. i. (1847) 185. *LORANTHACEAE*, Benth. & Hook. f. iii. 214.

*ALLOBIUM*, Miers, in Ann. & Mag. Nat. Hist. Ser. II. viii. (1851) 178.

*CASTREA*, A. St. Hil. Morphol. 451 (1840).

*SPICIVISCUM*, Engelm. in A. Gray, in Mem. Am. Acad. N. S. iv. (1849) 58.

*acinacifolium*, Mart. ex Eichl. in Mart. Fl. Bras. v. II. 117.—Am. trop.

*affine*, Nutt. in Journ. Acad. Philad. N. S. i. (1847) 185 = *rubrum*.

*amplexicaule*, Eichl. l. c. 110.—Am. trop.

*angustifolium*, Nutt. in Journ. Acad. Philad. N. S. i. (1847) 185.—Am. trop.

*annulatum*, Oliver, in Kjoeb. Vidensk. Meddel. (1864) 176.—Costa Rica.

*bathoryctum*, Eichl. in Mart. Fl. Bras. v. II. 123.—Am. trop.

*Berberianum*, Griseb. Fl. Brit. W. Ind. 313 = *Grisebachianum*.

*Berberianum*, Nutt. in Journ. Acad. Philad. N. S. i. (1847) 185.—Cuba; Ins. S. Doming.

*Bolleum*, Eichl. in Mart. Fl. Bras. v. II. 134 m.—Mexic.

*brachystachyum*, Nutt. in Journ. Acad. Philad. N. S. i. (1847) 185.—Am. trop.

*brevifolium*, Oliver, in Kjoeb. Vidensk. Meddel. (1846) 176.—Am. trop.

*buxifolium*, Nutt. in Journ. Acad. Philad. N. S. i. (1847) 185 = *Dendrophthora buxifolia*.

*californicum*, Nutt. l. c.—Calif.

*caripense*, Eichl. in Mart. Fl. Bras. v. II. 111.—Am. trop.

*cayennense*, Eichl. l. c. 129, in obs.—Guian.; Venezuela.

**PHORADENDRON** :—

*cearense*, Eichl. in Mart. Fl. Bras. v. II. 118.—Am. trop.

*chrysocladon*, A. Gray, Bot. U. St. Expl. Exped. i. 743.—Bras.

*chrysostachyum*, Eichl. in Mart. Fl. Bras. v. II. 107, in nota.—Peruv.

*clavatum*, Eichl. l. c.—Am. trop.

*constrictum*, Griseb. in Mem. Am. Acad. N. S. viii. (1861) 192 = *Dendrophthora constricta*.

*cordifolium*, Eichl. in Mart. Fl. Bras. v. II. 134, nomen.—Am. centr.

*coriaceum*, Mart. ex Eichl. l. c. 121.—Am. trop.

*corynarthron*, Eichl. l. c. 115, in obs.—Am. trop.

*craspedophyllum*, Eichl. l. c. 124.—Am. trop.

*crassifolium*, Nutt. in Journ. Acad. Philad. N. S. i. (1847) 185.—Bras.

*crassuloides*, Eichl. in Mart. Fl. Bras. v. II. 107, in nota.—Am. trop.

*dimidiatum*, Eichl. l. c. 134 m.—Guian.; Venezuela.

*dipterum*, Eichl. l. c. 109.—Am. trop.

*ellipticum*, Eichl. l. c. 119.—Am. trop.

*emarginatum*, Mart. ex Eichl. l. c. 118.—Am. trop.

*ensifolium*, Nutt. in Journ. Acad. Philad. N. S. i. (1847) 185.—Am. trop.

*falcatum*, Eichl. in Mart. Fl. Bras. v. II. 107, in nota.—Am. trop.

*falcifrons*, Eichl. l. c. 134 m.—Uruguay.

*Fendlerianum*, Eichl. l. c. 129, in obs.—Am. trop.

*flavens*, Griseb. Fl. Brit. W. Ind. 313 = *chrysocladon*.

*flavescens*, Nutt. in Journ. Acad. Philad. N. S. i. (1847) 185.—Texas.

*flavum*, Eichl. in Mart. Fl. Bras. v. II. 106 = *chrysocladon*.

*glandulosum*, Eichl. l. c. 134 m.—Venezuela.

*globuliflorum*, Eichl. l. c.—N. Granat.

*Grisebachianum*, Eichl. l. c.—Ind. occ.

*habrostachyum*, Eichl. l. c. 111.—Am. trop.

*hexastichon*, Griseb. in Mem. Am. Acad. N. S. viii. (1861) 191.—Am. trop.

*holoxanthum*, Eichl. in Mart. Fl. Bras. v. II. 116.—Am. trop.

*interruptum*, Nutt. in Journ. Acad. Philad. N. S. i. (1847) 185.—Am. trop.

*juniperinum*, Engelm. ex A. Gray, in Mem. Am. Acad. N. S. iv. (1849) 59.—N. Mexic.; Ind. occ.

*lanceolato-ellipticum*, Eichl. in Mart. Fl. Bras. v. II. 114 = *interruptum*.

*lanceolatum*, Engelm. ex A. Gray, in Mem. Am. Acad. N. S. iv. (1849) 59.—Texas.

*latifolium*, Griseb. l. c. viii. (1861) 191 = *Schottii*.

*laurifolium*, Eichl. in Mart. Fl. Bras. v. II. 107, in nota.—Am. trop.

*leptostachya*, Nutt. in Journ. Acad. Philad. N. S. i. (1847) 185 = *Dendrophthora leptostachya*.

*Liga*, Eichl. l. c. 134 m.—Chili.

*ligustrinum*, Eichl. l. c.—Am. centr.

*linearifolium*, Eichl. l. c. 115.—Bras.

*linifolium*, Eichl. l. c. 134 m.—Am. trop.

*longifolium*, Zucc. ex Eichl. l. c. 107, in nota.—Am. trop.

*macrarthrum*, Eichl. l. c. 124.—Am. trop.

*macrostachyum*, Nutt. in Journ. Acad. Philad. N. S. i. (1847) 185 = *Dendrophthora leptostachya*.

*Mandonii*, Eichl. in Mart. Fl. Bras. v. II. 124, in obs.—Am. trop.

*martinicense*, Griseb. Fl. Brit. W. Ind. 314 = *Berberianum*.

*martinicense*, Griseb. in Mem. Am. Acad. N. S. viii. (1861) 191 = *hexastichon*?

*mesembryanthemifolium*, Griseb. in Lechl. Berb. Am. Austr. 59.—N. Granat.

*multifoveolatum*, Eichl. in Mart. Fl. Bras. v. II. 110.—Am. trop.

*myrtilloides*, Griseb. in Mem. Am. Acad. N. S. viii. (1861) 191 = *Dendrophthora myrtilloides*.

*nervosum*, Oliver, in Kjoeb. Vidensk. Meddel. (1864) 175.—Mexic.

*nitidum*, Eichl. in Mart. Fl. Bras. v. II. 113.—Am. trop.

*obliquum*, Eichl. l. c. 134 m.—Am. centr.

*oblongifolium*, Eichl. l. c.—Ind. occ.

*obtusissimum*, Eichl. l. c.—Venezuela.

*orbiculatum*, Engelm. ex A. Gray, in Mem. Am. Acad. N. S. iv. (1849) 59.—Texas.

*Ottonis*, Eichl. in Mart. Fl. Bras. v. II. 119, in obs.—Am. trop.

*pachyarthron*, Eichl. l. c. 122, in obs.—Am. trop.

*pauciflorum*, Torr. in Pacif. Rail. Rep. iv. 134.—Mexic.

*pellucidulum*, Eichl. in Mart. Fl. Bras. v. II. 112.—Am. trop.

*pennivenium*, Eichl. l. c. 128.—Am. trop.



**PHORADENDRON** :—

- pepericarpum, A. Gray, *Bot. U. St. Expl. Exped.* i. 742.—Bras.  
 Perrottetii, Nutt. in *Journ. Acad. Philad. N. S. i.* (1847) 185.—Bras.  
 peruvianum, Eichl. in *Mart. Fl. Bras. v. II.* 123, in obs.—Am. trop.  
 piperoides, Nutt. in *Journ. Acad. Philad. N. S. i.* (1847) 185 = Schottii.  
 platycaulon, Eichl. l. c. 108.—Bras.  
 polygynum, Eichl. l. c. 124, in obs.—Am. trop.  
 pteroneuron, Eichl. l. c. 127.—Bras.  
 Reichenbachianum, Oliver, in *Kjoeb. Vidensk. Meddel.* (1864) 175.—Am. trop.  
 robustissimum, Eichl. in *Mart. Fl. Bras. v. II.* 122.—Am. trop.  
 rubrum, Griseb. ex Eichl. l. c. 115, in obs. = corynarthron.  
 rubrum, Nutt. in *Journ. Acad. Philad. N. S. i.* (1847) 185.—Am. trop.  
 salicifolium, Eichl. in *Mart. Fl. Bras. v. II.* 110, in obs.—Am. trop.  
 saururoides, Nutt. in *Journ. Acad. Philad. N. S. i.* (1847) 185 = Schottii.  
 Schottii, Nutt. l. c.; A. Gray, *Bot. U. St. Expl. Exped.* i. 742.—Bras.  
 Selloi, Eichl. in *Mart. Fl. Bras. v. II.* 116.—Am. trop.  
 serpyllifolium, Griseb. in *Mem. Am. Acad. N. S. viii.* (1861) 192 = Dendrophthora cupressoides.  
 sessilifolium, Griseb. l. c. 191.—Ind. occ.  
 squamigerum, Oliver, in *Kjoeb. Vidensk. Meddel.* (1864) 176.—Costa Rica.  
 strongylocados, Eichl. in *Mart. Fl. Bras. v. II.* 109.—Am. trop.  
 tereticaule, Nutt. in *Journ. Acad. Philad. N. S. i.* (1847) 185 = Schottii.  
 testifolium, Wright, ex Griseb. *Cat. Pl. Cub.* 120 = Dendrophthora constricta.  
 tetrastachyum, Griseb. in *Mem. Am. Acad. N. S. viii.* (1861) 191.—Cuba.  
 tomentosum, Engelm. ex A. Gray, in *Mem. Am. Acad. N. S. iv.* (1849) 59.—N. Mexic.  
 tomentosum, Oliver, in *Kjoeb. Vidensk. Meddel.* (1864) 176.—Mexic.  
 torulosum, Eichl. in *Mart. Fl. Bras. v. II.* 134 m.—Am. trop.  
 Trianae, Eichl. l. c. 117, obs. ii.—Am. trop.  
 trinervium, Nutt. in *Journ. Acad. Philad. N. S. i.* (1847) 185.—Ind. occ.  
 tunaeforme, Eichl. in *Mart. Fl. Bras. v. II.* 108.—Bras.  
 ulophyllum, Eichl. l. c. 123.—Am. trop.  
 undulatum, Eichl. l. c. 122.—Bras.  
 velutinum, Nutt. in *Journ. Acad. Philad. N. S. i.* (1847) 185.—Am. trop.  
 illosum, Nutt. l. c.; Engelm. ex A. Gray, in *Bost. Journ. Nat. Hist.* vi. (1850) 212 = flavesces.  
 Warmingii, Eichl. in *Kjoeb. Vidensk. Meddel.* (1870) 209.—Bras.

**PHORMIUM**, Forst. *Char. Gen.* 47. t. 24 (1776).

- LILIACEAE, Benth. & Hook. f. iii. 773.  
 CHLAMYDIA, Banks, ex Gaertn. *Fruct.* i. 71. t. 18 (1788).  
 aloides, Linn. f. *Suppl.* 205 = Lachenalia tricolor.  
 bulbiferum, Cyrill. *Pl. Rar. Neap. Fasc.* i. 35 = Lachenalia pendula.  
 Colensoi, Hook. f. in Raoul, Choix, 41 = Cookianum.  
 Cookianum, Le Folis, in Hook. *Lond. Journ. Bot.* vii. (1848) 536.—N. Zel.  
 Forsterianum, Hook. l. c. iii. (1844) 8 = Cookianum.  
 hirtum, Thunb. *Nov. Gen.* 96 = Lachenalia hirta.  
 hyacinthoides, Linn. f. *Suppl.* 204 = Lachenalia orchoides.  
 orchoides, Thunb. *Nov. Gen.* 95 = Lachenalia orchoides.  
 ramosum, Billb. in Linneska *Samfund.* i. 1832 (1833) 22 = tenax.  
 tenax, Forst. *Char. Gen.* 48.—N. Zel.  
 viride, Thunb. *Nov. Gen.* 127, in syn. = Dipcadi filamentosum.

**PHORNOTHAMNUS**, Baker, in *Journ. Linn. Soc.*

- xxi. (1884) 342. MELASTOMACEAE.  
 thymoides, Baker, l. c.—Madag.

**PHOSANTHUS**, Rafin. in *Ann. Gén. Sc. Phys.* vi. (1820)

- 82 = Isertia, Schreb. (Rubiaceae).  
 coccinea, Rafin. l. c. = I. coccinea.

**PHOTINIA**, Lindl. in *Trans. Linn. Soc.* xiii. (1821)

103. t. 10. ROSACEAE, Benth. & Hook. f. i. 627.  
 HETEROMELES, M. Roem. *Syn. Rosifl.* 105 (1847).  
 arbutifolia, Lindl. in *Trans. Linn. Soc.* xiii. (1821) 103. t. 10.—Calif.  
 arguta, Wall. *Cat. n.* 672 = Pourthiaea arguta.  
 bengalensis, Wall. ex G. Don, *Gen. Syst.* ii. 602 = Eriobotrya bengalensis.  
 Benthiana, Hance, in *Ann. Sc. Nat. Sér. V.* v. (1866) 213.—China.  
 Blumei, Decne. in *Nouv. Arch. Mus. Par. Sér. I.* xi. (1874) 142 = Notoniana.  
 crenato-serrata, Hance, in *Journ. Bot.* xviii. (1880) 261.—China.  
 dasythyrsa, Miq. *Fl. Ind. Bat.* i. i. 387.—Sumatra.  
 dubia, Lindl. in *Trans. Linn. Soc.* xiii. (1821) 104. t. 10 = Eriobotrya bengalensis.  
 eugeniaefolia, Lindl. *Bot. Reg.* t. 1956 = Notoniana.  
 foliolosa, Nutt. ex M. Roem. *Syn. Rosifl.* 105 = arbutifolia.  
 Fortuneana, Maxim. in *Bull. Acad. Pétersb.* xix. (1874) 179.—China.  
 glabra, Decne. in *Nouv. Arch. Mus. Par. Sér. I.* x. (1874) 140.—Japon.  
 Griffithii, Decne. l. c. 142.—Reg. Himal.  
 integrifolia, Lindl. in *Trans. Linn. Soc.* xiii. (1821) 103. t. 10.—Reg. Himal.  
 laevis, DC. *Prod.* ii. 631.—Japon.  
 Lindleyana, Wight & Arn. *Prod.* 302.—Ind. or.  
 longifolia, Decne. in *Nouv. Arch. Mus. Par. Sér. I.* x. (1874) 142 = Eriobotrya longifolia.  
 Maximowiczii, Decne. l. c. 143.—As. or.  
 melanostigma, Hance, in *Journ. Bot.* xx. (1882) 5.—China.  
 mexicana, Hemsl. *Biol. Centr. Am. Bot.* i. 380.—Mexic.  
 micrantha, Decne. in *Nouv. Arch. Mus. Par. Sér. I.* x. (1874) 143 = Notoniana.  
 mollis, Hook. f. *Fl. Brit. Ind.* ii. 381.—Reg. Himal.  
 Notoniana, Wall. *Cat. n.* 671 = Lindleyana.  
 Notoniana, Wight & Arn. *Prod.* 302.—Ind. or.; Burma; Malaya.  
 nudiflora, Nutt. ex M. Roem. *Syn. Rosifl.* 105 = arbutifolia.  
 polyneura, King, ex Hook. f. *Fl. Brit. Ind.* ii. 377 = Pyrus rhamnoides.  
 prunifolia, Lindl. *Bot. Reg.* t. 1956.—China.  
 pustulata, Lindl. *Bot. Reg.* sub t. 1956.—China.  
 pustulata, S. Moore, in *Journ. Bot.* xvi. (1878) 138 = serrulata.  
 salicifolia, Presl, *Epim. Bot.* 204 = arbutifolia.  
 serrulata, Lindl. in *Trans. Linn. Soc.* xiii. (1821) 103. t. 10.—Japon; China.  
 serrulata, Sieb. & Zucc. in *Abh. Akad. Muench.* iv. II. (1843) 121 = glabra.  
 Sieboldi, G. Don, *Gen. Syst.* ii. 602 = Raphiolepis japonica.  
 subsessilis, King, ex Hook. f. *Fl. Brit. Ind.* ii. 371 = Eriobotrya Hookeriana.  
 tenuis, Carr. in *Rev. Hort.* (1869) 370 (Quid ?).—Japon.  
 villosa, DC. *Prod.* ii. 631.—Japon.

**PHOXANTHUS**, Benth. in *Trans. Linn. Soc.* xxii.

- (1857) 127. t. 23, 24. SABIACEAE, Benth. & Hook. f. i. 414.  
 heterophyllus, Benth. l. c.—Bras.

**PHRAGMITES**, Adans. *Fam.* ii. 34 (1763) = Saccharum, Linn. (Gramin.).**PHRAGMITES**, Trin. *Fund. Agrost.* 134 (1820),

- partim. GRAMINEAE, Benth. & Hook. f. iii. 1179.  
 ARUNDO, Beauv. *Agrost.* 60. t. 13. f. 2 (1812).  
 CZERNYA, Presl, *Cyp. et Gram. Sicul.* 22 (1826).  
 OXYANTHE, Steud. *Syn. Pl. Gram.* 197 (1855).  
 TRICHOON, Steud. in Roem. *Arch.* i. III. (1798) 37.  
 altissimus, Mabilie, *Rech. Pl. Corse, fasc.* ii. 39 = communis.  
 arundinacea, Allam. ex Munro, in *Journ. Linn. Soc.* vi. (1862) 49 = communis.  
 australis, Trin. ex Steud. *Nom. ed.* II. ii. 324 = communis.  
 Berlandieri, Feurn. in *Bull. Soc. Bot. Fr.* xxiv. (1877) 178 = communis.  
 breviglumis, Pomel, *Nouv. Mat. Fl. Atl.* 386.—Alger.  
 capensis, Nees, *Fl. Afr. Austr.* 356 = communis.

**PHRAGMITES** :—

- capensis, Trin. ex Steud. *Nom. ed.* II. ii. 34 = P. xenochloa.  
 caudatus, Nees, in *Meyen, Reise*, i. 407, nomen.—Chili.  
 chilensis, Steud. *Nom. ed.* II. ii. 324 = communis.  
 chrysanthus, Mabilie, *Rech. Pl. Corse, fasc.* ii. 37 = communis.  
 communis, Trin. *Fund. Agrost.* 134.—Amphigaea.  
 congesta, Lowe, in *Trans. Camb. Phil. Soc.* vi. III. (1838) 529 = communis.  
 disticha, Buese, in *Miq. Fl. Jungh.* 344.—Sumatra.  
 egmontianus, Trin. ex Steud. *Nom. ed.* II. ii. 324 (Quid ?).—Ins. Falkland.  
 Emodi, Arn. & Nees, ex Nees, in *Nov. Act. Nat. Cur.* xix. *Suppl.* i. (1843) 174.—Reg. Himal.  
 explanatus, Trin. ex Steud. *Nom. ed.* II. ii. 324 = communis.  
 filiformis, Steud. *Syn. Pl. Gram.* 196; et in *Zoll. Syst. Verz. Ind. Archip.* 55.—Java.  
 fissifolia, Steud. l. c. 195.—Chili.  
 flavesces, Hegetschw. *Fl. Schw.* 68; Peterm. in *Flora*, xxvii. (1844) 227 = communis.  
 flexuosa, Trin. ex Steud. *Nom. ed.* II. ii. 324 (sp. dub.).—Ins. Molucc.  
 gigantea, J. Gay, ex F. Schultz, *Arch. Fl. Fr. et Allem.* 200 = communis.  
 graeca, Steud. *Nom. ed.* II. ii. 324 = communis.  
 hispanica, Nees, in *Nov. Act. Nat. Cur.* xix. *Suppl.* i. (1843) 152 = communis.  
 humilis, De Not. in *Cat. Hort. Genue.* (1846) 27.—Cf. *Ann. Sc. Nat. Sér. III.* ix. (1848) 325 = communis.  
 isiaca, Reichb. *Fl. Germ. Excurs.* 140<sup>b</sup>; Kunth, *Rév. Gram.* i. 80 = communis.  
 japonica, Steud. *Syn. Pl. Gram.* 196 = communis.  
 Karka, Trin. ex Steud. *Nom. ed.* II. ii. 324 = communis.  
 laxiflora, Steud. *Syn. Pl. Gram.* 196 = communis?  
 longivalvis, Steud. l. c.—Japon.  
 macer, Muuro, in *Journ. Bot.* xv. (1877) 350 = communis?  
 maritimus, Mabilie, *Rech. Pl. Corse, fasc.* ii. 42 = communis.  
 martinicensis, Trin. ex Steud. *Nom. ed.* II. ii. 324 = communis.  
 mauritanica, Kunth, *Rév. Gram.* i. 80 = communis.  
 Naya, Trin. ex Steud. *Nom. ed.* II. ii. 324 = communis.  
 nepalensis, Nees, ex Steud. *Syn. Pl. Gram.* 196 = communis.  
 nigricans, Mabilie, *Rech. Pl. Corse, fasc.* ii. 44 = communis.  
 nudus, Nees, *Fl. Afr. Austr.* 356 = communis.  
 occidentalis, Trin. ex Steud. *Nom. ed.* II. ii. 324 = communis.  
 pumila, Willk. *Iber. Halb.* 157 = communis.  
 Roxburghii, Steud. *Nom. ed.* II. ii. 324 = communis.  
 ruscinonensis, Mabilie, *Rech. Pl. Corse, fasc.* ii. 41 = communis.  
 splendens, Mabilie, l. c. 42 = communis.  
 vulgaris, Trin. *Fund. Agrost.* 134 = communis.  
 Willkommianus, Mabilie, *Rech. Pl. Corse, fasc.* ii. 58, in obs. (Willkomianus) = communis.  
 xenochloa, Trin. ex Steud. *Nom. ed.* II. ii. 324; *Syn. Pl. Gram.* 196 (Quid ?).—Afr. austr.  
 Zollingeri, Steud. *Syn. Pl. Gram.* 196 (Quid ?).—Java.

**PHREATIA**, Lindl. *Gen. et Sp. Orch.* 63 (1830).

- ORCHIDEAE, Benth. & Hook. f. iii. 510.  
 OCTARRHENA, Thw. *Enum. Pl. Zeyl.* 305 (1861).  
 PLEAURE, Endl. *Prod. Fl. Norf.* 30 (1833).  
 carinata, Miq. *Fl. Ind. Bat.* iii. 655 = Thelasis carinata.  
 cauligera, Reichb. f. *Otia Bot. Hamb.* 55.—Ins. Ovalu.  
 contracta, Miq. *Fl. Ind. Bat.* iii. 655 = Thelasis contracta.  
 coriacea, Lindl. *Gen. et Sp. Orch.* 64 = Eria coriacea.  
 densiflora, Lindl. l. c.—Java.  
 elegans, Lindl. l. c. 63.—Reg. Himal.; Zeylan.  
 laxiflora, Lindl. l. c. 64.—Java.  
 limenophylax, Benth. *Fl. Austral.* vi. 290.—Austral.  
 Lindleyi, Benth. & Hook. f. *Gen.* iii. 511.—Hab. !  
 Matthewsii, Reichb. f. *Otia Bot. Hamb.* 55.—Ins. Societ.  
 microtidis, Lindl. in *Journ. Linn. Soc.* iii. (1859) 62.—Java.  
 minutiflora, Lindl. l. c.—Malaya.  
 Myosurus, Lindl. l. c. 61.—Malaya.



**PHREATIA** :—

- oreophylax, *Reichb. f. Otia Bot. Hamb.* 55.—Ins. Fiji.  
 paleata, *Reichb. f. in Linnaea*, xli. (1877) 87.—N. Caled.  
 prorepens, *Reichb. f. Otia Bot. Hamb.* 54.—Ins. Philipp.  
 pusilla, *Lindl. Gen. et Sp. Orch.* 64.—Java.  
 retusa, *Lindl. l. c.* = *Eria retusa*.  
 secunda, *Lindl. l. c.* = *Eria secunda*.  
 tahitensis, *Lindl. in Journ. Linn. Soc.* iii. (1859) 62.—Ins. Tahiti.  
 uniflora, *Wight, Ic. t.* 1734 = *Eria pusilla*, *Lindl.*

**PHRENANTHES**, [Weber, ex] *Wigg. Prim. Fl. Holst.* 56 (1780) = **Prenanthes**, *Linn.* (Compos.).

**PHRISOCARPUS**, *Miers, Apocyn. S. Am.* 71 (1878). **APOCYNACEAE**.  
 rigidus, *Miers, l. c.* 72.—Am. austr.

**PHRODUS**, *Miers, in Ann. & Mag. Nat. Hist. Ser. II.* iv. (1849) 33. **SOLANACEAE**, *Benth. & Hook. f.* ii. 896.

- Rhopalostigma*, *Phil. Fl. Atac.* 42. t. 6 (1860).  
*Bridgesii*, *Miers, in Ann. & Mag. Nat. Hist. Ser. II.* iv. (1849) 34.—Chili.  
*microphyllus*, *Miers, l. c.* 33.—Chili.  
*nodosus*, *Miers, l. c.* 35.—Chili.

**PHRYGANOCYDIA**, *Mart. ex DC. Prod.* ix. 198, in obs. (1845) = **Macfadyena**, *A. DC. etc.* (Bignon.).  
*antisiphilitica*, *Mart. l. c.* 199 = *Cydistax antisiphilitica*.  
*Candolleana*, *Mart. l. c.* 207 = *Spathodea Candolleana*.  
*dipleuropus*, *Mart. l. c.* 204 = *Spathodea Coito*.  
*japurensis*, *Mart. l. c.* 214 = *M. japurensis*.  
*longa*, *Mart. l. c.* 181 = *Lundia longa*.  
*Pisoniana*, *Mart. l. c.* 209 = *Spathodea Pisoniana*.  
*xanthophylla*, *Mart. l. c.* 214 = *Tabebuia xanthophylla*.

**PHRYGANTHUS**, *Baker, in Journ. Linn. Soc.* xvii. (1879) 495 = **PHYGANTHUS**, *Poepp. & Endl.* = **Tecophilaea**, *Bert. (Haemod.)*.

**PHRYGIA**, *S. F. Gray, Nat. Arr. Brit. Pl.* ii. 441 (1821) = **Centaurea**, *Linn.* (Compos.).  
*major*, *S. F. Gray, l. c.* = *C. Scabiosa*.  
*nigra*, *S. F. Gray, l. c.* 442 = *C. nigra*.  
*pratensis*, *S. F. Gray, l. c.* = *C. nigrescens*.

**PHRYGILANTHUS**, *Eichl. in Mart. Fl. Bras.* v. II. 45 (1868) = **Loranthus**, *Linn.*

- acutifolius*, *Eichl. l. c.* 49 = *L. acutifolius*.  
*aphyllus*, *Eichl. l. c.* 47 = *L. aphyllus*.  
*Berteroi*, *Eichl. l. c.* = *L. Berteroi*.  
*Bidwillii*, *Eichl. l. c.* 48 = *L. Bidwillii*.  
*celastroides*, *Eichl. l. c.* = *L. celastroides*.  
*corymbosus*, *Eichl. l. c.* 46 = *L. corymbosus*.  
*cuneifolius*, *Eichl. l. c.* 49 = *L. cuneifolius*.  
*Destructor*, *Eichl. l. c.* 48 = *L. Destructor*.  
*ellipticus*, *Eichl. l. c.* = *L. ellipticus*.  
*eugenioides*, *Eichl. l. c.* 50 = *L. eugenioides*.  
*flagellaris*, *Eichl. l. c.* 51 = *L. flagellaris*.  
*grandiflorus*, *Eichl. l. c.* 46 = *L. grandiflorus*.  
*heterophyllus*, *Eichl. l. c.* 47 = *L. heterophyllus*.  
*lanceolatus*, *Eichl. l. c.* 48 = *L. lancifolius*.  
*ligustrinus*, *Eichl. l. c.* = *L. ligustrifolius*.  
*mutabilis*, *Eichl. l. c.* 47 = *L. mutabilis*.  
*myrtifolius*, *Eichl. l. c.* 48 = *L. myrtifolius*.  
*punctatus*, *Eichl. l. c.* = *L. punctatus*.  
*puracensis*, *Eichl. l. c.* = *L. puracensis*.  
*secundus*, *Eichl. l. c.* 46 = *L. secundus*.  
*suaveolens*, *Eichl. l. c.* 48 = *L. suaveolens*.  
*Tagua*, *Eichl. l. c.* = *L. Tagua*.  
*tetrandrus*, *Eichl. l. c.* 47 = *L. tetrandrus*.  
*verticillatus*, *Eichl. l. c.* = *L. verticillatus*.

**PHRYMA**, *Forsk. Fl. Aegypt. Arab.* p. cxv (1775), fide *Vahl* = **Priva**, *Adans. (Verben.)*.

**PHRYMA**, *Linn. Diss. Chen.* 33 (1751); *Amoen. Acad.* iii. 19 (1787). **VERBENACEAE**, *Benth. & Hook. f.* ii. 1137.

*Denisiaea*, *Neck. Elem.* i. 306 (1790).  
**LEPTOSTACHYA**, *Mitch. in Act. Phys. Med. Soc. Nat. Cur.* viii. (1748) App. 212 (nomen prius).

**PHRYMA** :—

- carolinensis*, *Walt. Fl. Carol.* 166 = *leptostachya*.  
*dehiscens*, *Linn. f. Suppl.* 277 = *Bouchea cuneifolia*.  
*leptostachya*, *Linn. Sp. Pl.* 601.—As. bor.; Reg. Himal.; Am. bor.  
*media*, *Rafin. New Fl. Am.* ii. 37 = *leptostachya*.  
*parvifolia*, *Rafin. l. c.* 38 = *leptostachya*.  
*pubescens*, *Rafin. l. c.* = *leptostachya*.

**PHRYNIUM**, *Loeff. It. Hisp.* 178 (1758); *Willd. Sp. Pl.* i. 17 (1797). **SCITAMINEAE**, *Benth. & Hook. f.* iii. 652.

*Ilythuria*, *Rafin. Fl. Tellur.* iv. 51 (1836).  
*Phylloides*, *Lour. Fl. Cochinch.* 13 (1790).

*Achira*, *Poepp. & Endl. Nov. Gen. et Sp.* ii. 21 = *Calathea capitata*.

*albo-vaginatatum*, *C. Koch & Linden, in C. Koch & Fint. Wochenschr.* viii. (1865) 369.—Bras.

*Allouya*, *Rosc. Mon. Pl. Scit. t.* 38 = *Calathea Allouya*.

*altissimum*, *Poepp. & Endl. Nov. Gen. et Sp.* ii. 20 = *Calathea altissima*.

*angustifolium*, *Lodd. Cat. ex Sweet, Hort. Brit.* ed. III. 658.—Ind. or.

*bicolor*, *C. Koch, in Berl. Allg. Gartenz.* xxv. (1857) 147 = *Calathea zebrina*.

*blandum*, *C. Koch, l. c.* = *Calathea blanda*.

*brachystachyum*, *Koern. in Bull. Soc. Nat. Mosc.* xxxv. (1862) i. 108.—Afr. trop.

*canniforme*, *Koern. in Regel, Gartenfl.* (1858) 85 = *Clinogyne dichotoma*.

*capitatum*, *Willd. Sp. Pl.* i. 17.—Ind. or.; Malaya.

*Casupo*, *Rosc. Mon. Pl. Scit. t.* 43 = *Calathea discolor*.

*chrysantha*, *Brongn. ex Horan. Prod. Scitam.* 12 = *Calathea chrysantha*.

*chrysocoleum*, *Poepp. & Endl. Nov. Gen. et Sp.* ii. 19 = *Calathea chrysocolea*.

*clavatum*, *C. Koch, in Berl. Allg. Gartenz.* xxv. (1857) 147 = *Calathea grandifolia*.

*coloratum*, *Hook. Bot. Mag. t.* 3010 = *Calathea colorata*.

*comosum*, *Rosc. Mon. Pl. Scit. t.* 35 = *Calathea comosa*.

*compositum*, *Link, ex Koern. in Bull. Soc. Nat. Mosc.* xxxv. (1862) i. 59 = *Maranta Riedeliana*.

*compressum*, *C. Koch, in Berl. Allg. Gartenz.* xxv. (1857) 147 = *Ctenanthe Luschnathiana*.

*cylindricum*, *Rosc. Mon. Pl. Scit. t.* 40 = *Calathea grandifolia*.

*Daniellii*, *Benn. in Pharm. Journ.* xiv. (1855) 161 = *Thaumatococcus Daniellii*.

*densiflorum*, *Blume, Enum. Pl. Fav.* 38.—Java.

*densiflorum*, *Mor. ex Koern. in Bull. Soc. Nat. Mosc.* xxxv. (1862) i. 101 = *capitatum*.

*densiflorum*, *Mor. l. c.* 102 = *parviflorum*.

*densum*, *C. Koch & Linden, in Belg. Hort.* xv. (1865) 100.—Bras.

*dicephalum*, *Poepp. & Endl. Nov. Gen. et Sp.* ii. 20 = *Calathea dicephala*.

*dichotomum*, *Roxb. in As. Res.* xi. (1810) 324 = *Clinogyne dichotoma*.

*discolor*, *Hort. ex C. Koch & Mathieu, in Ind. Sem. Hort. Berol.* (1855) App. 12 = *Calathea varians*.

*elegans*, *C. Koch, Wochenschr.* vi. (1863) 359 = *Calathea vittata*.

*ellipticum*, *Rosc. Mon. Pl. Scit. t.* 44 = *Ischnosiphon spicatus*.

*eximium*, *C. Koch & Bouché, in Ind. Sem. Hort. Berol.* = *Calathea propinqua*.

*exscapum*, *Poepp. & Endl. Nov. Gen. et Sp.* ii. 18. t. 125 (1855) App. 11 = *Calathea eximia*.

*fasciculatum*, *Horan. Prod. Scit.* 11.—Ins. Philipp.

*filipes*, *Benth. in Hook. Niger Fl.* 532 = *Clinogyne filipes*.

*flavescens*, *Sweet, Hort. Brit.* ed. II. 494 = *Calathea flavescens*.

*flexuosum*, *Benth. in Hook. Niger Fl.* 531.—Afr. trop.

*floribundum*, *Lem. Jard. Fleur.* ii. (1852) Misc. 96. t. 189 = *Calathea violacea*.

*giganteum*, *Scheff. in Ann. Jard. Buitenz.* i. (1876) 58.—N. Guin.

*giganteum*, *Teijsm. & Binn. Cat. Hort. Bog.* 60.—Ins. Amboin.

*grandiflorum*, *Rosc. Mon. Pl. Scit. t.* 33 = *Calathea flavescens*.

*grandifolium*, *Sweet, Hort. Brit.* ed. II. 494 = *Calathea grandifolia*.

**PHRYNIUM** :—

*hirsutum*, *Hort. ex Koern. in Bull. Soc. Nat. Mosc.* xxxv. (1862) i. 65 = *Maranta setosa*.

*Houtteanum*, *C. Koch, Wochenschr.* vi. (1863) 259.—Java.

*imbricatum*, *Roxb. Hort. Beng.* [1]; *Fl. Ind.* i. 6.—Ind. or.

*jagoranum*, *C. Koch, in Wochenschr.* vi. (1863) 358.—Malacc.

*laterale*, *Poepp. & Endl. Nov. Gen. et Sp.* i. 21 = *Calathea lateralis*.

*latifolium*, *Blume, Enum. Pl. Fav.* 37.—Java.

*leptostachyum*, *Hort. Petrop. ex C. Koch, in Berl. Allg. Gartenz.* (1857) 147 = *Maranta leptostachya*.

*littorale*, *Ledeb. ex Sweet, Hort. Brit.* ed. III. 658 = *Calathea littoralis*.

*longibracteatum*, *Sweet, l. c.* ed. II. 494 = *Calathea longibracteata*.

*longifolium*, *C. Koch, in Berl. Allg. Gartenz.* (1857) 146 = *Calathea grandifolia*.

*Luschnathiana*, *Hort. ex C. Koch, l. c.* 147 = *Ctenanthe Luschnathiana*.

*luteum*, *Sweet, Hort. Brit.* ed. II. 494 = *Calathea lutea*.

*macilentum*, *Sweet, l. c.* ed. III. 658 = *Calathea macilentum*.

*macrostachyum*, *Wall. Cat. n.* 6612 A, B.—Burma.

*marantinum*, *Koern. ex Otto & Dietr. Allg. Gartenz.* xxiii. (1855) 193 = *Calathea Cassupito*.

*maximum*, *Blume, Enum. Pl. Fav.* 37.—Java.

*metallicum*, *C. Koch, in Allg. Gartenz.* xxv. (1857) 147, nomen; et in *Wochenschr.* vi. (1863) 358 = *Calathea metallica*.

*micans*, *Klotzsch, in Otto & Dietr. Allg. Gartenz.* xxii. (1854) 249 = *Calathea micans*.

*microcephalum*, *Poepp. & Endl. Nov. Gen. et Sp.* ii. 20. t. 128 = *Calathea microcephala*.

*mischantha*, *C. Koch, in Berl. Allg. Gartenz.* xxv. (1857) 147 = *Maranta mischantha*.

*monophyllum*, *C. Koch, l. c.* = *Calathea monophylla*.

*monostachyum*, *Steud. Nom. ed.* II. ii. 325 = *macrostachyum*.

*Myrosma*, *Rosc. Mon. Pl. Scit. t.* 39 = *Myrosma cannaefolia*.

*nicobaricum*, *Didr. in Kjoeb. Vidensk. Meddel.* (1854) 183.—Ins. Nicob.

*nobile*, *C. Koch, in Berl. Allg. Gartenz.* xxv. (1857) 147 = *Calathea nobilis*.

*obliquum*, *Lodd. Cat. ex Sweet, Hort. Brit.* ed. III. 658.—Ind. or.

*oblongum*, *Mart. in Flora*, xxiv. (1841) II. Beibl. 59 = *Calathea oblonga*.

*obscurum*, *Teijsm. & Binn. in Tijdschr. Nederl. Ind.* xxiv. (1862) 329.—Sumatra.

*orbiculatum*, *Sweet, Hort. Brit.* ed. III. 658 = *Calathea orbiculata*.

*ornatum*, *C. Koch, in Allg. Gartenz.* xxv. (1857) 147 = *Calathea ornata*.

*ovatum*, *Nees & Mart. in Nov. Act. Nat. Cur.* xi. (1823) i. 27 = *Calathea ovata*.

*pachystachyum*, *Poepp. & Endl. Nov. Gen. et Sp.* ii. 19. t. 127 = *Calathea pachystachya*.

*Parkeri*, *Rosc. Mon. Pl. Scit. t.* 42 = *Ischnosiphon Parkeri*.

*parviflorum*, *Roxb. Hort. Beng.* [1]; *Fl. Ind.* i. 7.—Ind. or.

*proliferum*, *C. Koch, in Berl. Allg. Gartenz.* xxv. (1857) 147 = *Maranta prolifera*.

*propinquum*, *Poepp. & Endl. Nov. Gen. et Sp.* ii. 18. t. 125 = *Calathea propinqua*.

*pubigerum*, *Blume, Enum. Pl. Fav.* 37.—Java.

*pubinerve*, *Blume, l. c.* 38.—Java.

*pulchellum*, *Linden, ex C. Koch, in Berl. Allg. Gartenz.* xxv. (1857) 149 = *Calathea zebrina*.

*pumilum*, *Hort. ex C. Koch, l. c.* = *Calathea vittata*.

*pumilum*, *Klotzsch, in Schomb. Faun. & Fl. Brit. Gui.* 918 = *Calathea micans*.

*pumilum*, *C. Koch, in Berl. Allg. Gartenz.* xxv. (1857) 149 = *Calathea pumila*.

*pusillum*, *C. Koch, in Wochenschr.* i. (1863) 359.—Am. trop.

*ramosissimum*, *Benth. in Hook. Niger Fl.* 532.—Afr. trop.

*repens*, *Koern. in Bull. Soc. Nat. Mosc.* xxxv. (1862) i. 103.—Java.

*Riedelianum*, *Hort. Hafn. ex Horan. Prod. Scitam.* 12; *Didr. in Kjoeb. Vidensk. Meddel.* (1854) 185 = *Calathea Koernickiana*.

*Riedelii*, *F. Didr. Ind. Sem. Hort. Hafn.* (1853) = *praec.*



**PHRYNIUM:—**

- Rossii*, Sweet, Hort. Brit. ed. III. 658 = *Calathea Rossii*.  
*rotundifolium*, C. Koch, in Berl. Allg. Gartenz. xxv. (1857) 147 = *Ischnosiphon rotundifolius*.  
*sanguineum*, Hook. Bot. Mag. t. 4646 = *Stromantha sanguinea*.  
*setosum*, Rosc. Mon. Pl. Scit. t. 41 = *Myrosma setosum*.  
*sinicum*, Miq. in Journ. Bot. Néerl. i. (1861) 94.—China.  
*spicatum*, Griff. Notul. iii. 408 (an seq.?).—Malacca.  
*spicatum*, Roxb. Hort. Beng. 1; Fl. Ind. i. 5.—Ind. or; Burma.  
*strobiliferum*, C. Koch, in Berl. Allg. Gartenz. xxv. (1857) 147 = *Calathea strobilifera*.  
*strobilaceum*, Koern. in Bull. Soc. Nat. Mosc. xxxv. (1862) i. 111, sphalm. = *præc.*  
*sumatranum*, Miq. Fl. Ind. Bat. Suppl. 616.—Java.  
*trifasciatum*, C. Koch, in Berl. Allg. Gartenz. xxv. (1857) 147, 162 = *Calathea trifasciata*.  
*trifasciatum*, Poit. in Rev. Hort. Sér. II. iv. (1845–46) 409.—Mexico.  
*tuberosum*, C. Koch, in Berl. Allg. Gartenz. xxv. (1857) 147 = *Calathea tuberosa*.  
*unilaterale*, Baker, in Saund. Refug. Bot. t. 312 = *Myrosma madagascariensis*.  
Van-den-Hecke, Lem. Illustr. Hort. x. (1863) t. 380 = *Calathea Vandenheckei*.  
*varians*, C. Koch & Mathieu, in Ind. Sem. Hort. Berol. (1855) App. 12 = *Calathea varians*.  
*variegatum*, C. Koch, in Berl. Allg. Gartenz. xxv. (1857) 147 = *Calathea variegata*.  
*velutinum*, Poepp. & Endl. Nov. Gen. et Sp. ii. 19. t. 126 = *Calathea velutina*.  
*villosulum*, Miq. Fl. Ind. Bat. Suppl. 616.—Sumatra.  
*villosum*, Sweet, Hort. Brit. ed. III. 658 = *Calathea villosa*.  
*violaceum*, Rosc. Mon. Pl. Scit. t. 37 = *Calathea violacea*.  
*virgatum*, Roxb. in As. Res. xi. (1810) 324 = *Clinogyne virgata*.  
*vittatum*, Hort. ex C. Koch, in Berl. Allg. Gartenz. xxv. (1857) 147 = *Calathea vittata*.  
*Warszewiczii*, Klotzsch, in Otto & Dietr. Allg. Gartenz. xxiii. (1855) 89 = *Calathea Warszewiczii*.  
*zebrinum*, Rosc. Mon. Pl. Scit. t. 36 = *Calathea zebrina*.  
*zeylanicum*, Benth. & Hook. f. Gen. iii. 653.—Zeylan.

- PHTHEIROSPIRUM**, Bunge, in Fisch. & Mey. Ind. Sem. Hort. Petrop. i. 35 (1835). *SCROPHULARINEAE*, Benth. & Hook. f. ii. 976.  
*EMMENOSPERMUM*, C. B. Clarke, ex Hook. f. Fl. Brit. Ind. iv. 249, 304 (1883).  
*chinense*, Bunge, in Fisch. & Mey. Ind. Sem. Hort. Petrop. i. 35.—China.  
*glandulosum*, Benth. & Hook. f. Gen. ii. 976.—Reg. Himal.  
*Parishii*, Hook. f. Fl. Brit. Ind. iv. 304.—Burma.

- PHTHEIROTHERA**, Maxim. ex Regel, in Bull. Phys.-Math. Acad. Pétersb. xv. (1857) 223 = *Caulophyllum*, Michx. (Berberid.).  
*cyanosperma*, Maxim. ex Regel, l. c. = *C. robustum*.

- PHTHIRUSA**, Mart. in Flora, xiii. (1830) i. 110 = *Loranthus*, Linn.  
*adenostemon*, Eichl. in Mart. Fl. Bras. v. II. 58.—Bras.  
*alternifolia*, Eichl. l. c. 66.—Bras.  
*caucana*, Eichl. l. c. 60, in nota.—N. Granat.  
*clandestina*, Mart. in Flora, xiii. (1830) i. 110 = *L. clandestinus*.  
*cubensis*, Eichl. in Mart. Fl. Bras. v. II. 55, in nota = *L. cubensis*.  
*domingensis*, Eichl. l. c. = *L. domingensis*.  
*emarginata*, Eichl. l. c. = *L. emarginatus*.  
*erythrocarpus*, Eichl. l. c. 58 = *L. erythrocarpus*.  
*guadalupensis*, Eichl. l. c. 55 = *L. guadalupensis*.  
*guyanensis*, Eichl. l. c. 64.—Guian.  
*inconspicua*, Eichl. l. c. 67, in nota = *L. inconspicuus*.  
*janeirensis*, Eichl. l. c. 65.—Bras.  
*laxiflora*, Eichl. l. c. 55, in nota = *L. laxiflorus*.  
*lepidobotrys*, Eichl. l. c. 334 = *L. lepidobotrys*.  
*lucarquensis*, G. Don, Gen. Syst. iii. 421 = *L. lucarquensis*.  
*Magdalenae*, Eichl. in Mart. Fl. Bras. v. II. 55 = *L. Magdalenae*.  
*micrantha*, Eichl. l. c. 65.—Bras.  
*microphylla*, Blume, in Schult. f. Syst. vii. 1730 = *L. microphyllus*.

VOL. II.

**PHTHIRUSA:—**

- Myrsinites*, Eichl. in Mart. Fl. Bras. v. II. 66.—Bras.  
*nitens*, Eichl. l. c. 59 = *Loranthus nitens*.  
*orinocensis*, Eichl. l. c. 60 = *L. orinocensis*.  
*ovata*, Eichl. l. c. 60 = *L. ovatus*.  
*parvifolia*, Eichl. l. c. 55, in nota = *L. parvifolius*.  
*pauciflora*, Eichl. l. c. = *L. pauciflorus*, Sw.  
*phaeocladus*, Eichl. l. c. 65.—Bras.  
*polystachya*, Eichl. l. c. 57.—Bras.  
*portoricensis*, Eichl. l. c. 55, in nota = *L. portoricensis*.  
*psilobotrys*, Eichl. l. c. = *L. psilobotrys*.  
*pycnostachya*, Eichl. l. c. 62.—Guian.  
*pyrifolia*, Eichl. l. c. 63 = *L. pyrifolius*.  
*rufa*, Eichl. l. c. 61 = *L. rufus*.  
*salicifolia*, G. Don, Gen. Syst. iii. 421 = *L. salicifolius*.  
*santaremensis*, Eichl. in Mart. Fl. Bras. v. II. 64.—Bras.  
*squamulosa*, Eichl. l. c. 62.—Guian.  
*stenophylla*, Eichl. l. c. 60.—Am. trop.  
*theloneura*, Eichl. l. c. 59.—Bras.  
*Theobromae*, Eichl. l. c. 56 = *L. Theobromae*.  
*uniflora*, Eichl. l. c. 55, in nota = *L. uniflorus*.  
*virgata*, Eichl. l. c. 55 = *L. virgatus*.

- PHTHIRIUM**, Rafin. Princ. Somiol. 29 (1814) = *Delphinium*, Tourn. (Ranunc.).

- PHU**, Rupp. Fl. Jen. ed. Hall. 214 (1745) = *Valeriana*, Linn.

- PHUCAGROSTIS**, Willd. Sp. Pl. iv. 649 (1805) = *Cymodocea*, Kon. (Naiad.).  
*ciliata*, Ehrenb. & Hempr. Symb. Phys. Bot. t. 6; ex Boiss. Fl. Orient. v. 23 = *C. ciliata*.  
*major*, Cavolini, Phucagr. 13. t. 1 = *C. aequorea*.  
*minor*, Cavolini, l. c. 14. t. 2 = *Zostera nana*.  
*rotundata*, Ehrenb. & Hempr. Symb. Phys. Bot. t. 11; ex Boiss. Fl. Orient. v. 21 = *C. rotundata*.  
*tridentata*, Ehrenb. & Hempr. ex Boiss. l. c. 24 = *Halodule australis*.

- PHUOPSIS**, Benth. & Hook. f. Gen. ii. 151 (1873). *RUBIACEAE*, Benth. & Hook. f. l. c.  
*NEMOSTYLIS*, Verz. Stev. Taur. Halbinsel, 187, in obs. (1857), nomen prius.  
*stylosa*, Benth. & Hook. f. Gen. ii. 151.—Reg. Caucas.

- PHUSICARPOS**, Poir. Encyc. Suppl. iv. 399 (1816) = *Hovea*, R. Br. (Legumin.).  
*linearis*, Poir. l. c. 400 = *H. linearis*.  
*longifolia*, Poir. l. c. = *H. longifolia*.

- PHYCELLA**, Lindl. Bot. Reg. sub t. 928 (1825) = *Hippeastrum*, Herb. (Amaryll.).  
*angustifolia*, Phil. in Anal. Univ. Chil. (1873) 543 = *H. bicolor*.  
*attenuata*, Herb. Amaryll. 153 = *H. bicolor*.  
*bicolor*, Herb. l. c. 154 = *H. bicolor*.  
*biflora*, Lindl. Bot. Reg. (1838) Misc. 48 = *H. bicolor*.  
*brevituba*, Herb. Amaryll. 154 = *H. bicolor*.  
*chloracra*, Herb. l. c. 155 = *Phaedranassa chloracra*.  
*corusca*, Lindl. in Trans. Hort. Soc. vii. (1830) 74 = *H. bicolor*.  
*cyrtanthoides*, Lindl. in Bot. Reg. sub t. 928 = *H. bicolor*.  
*glauca*, Lodd. Bot. Cab. t. 1746 = *H. bicolor*?  
*graciliflora*, Herb. Amaryll. 152. t. 25. f. 4 = *H. bicolor*.  
*Herbertiana*, Lindl. Bot. Reg. t. 1341 = *H. Herbertianum*.  
*ignea*, Lindl. l. c. sub t. 928 = *H. bicolor*.  
*Macleanica*, Baker, in Saund. Refug. Bot. t. 332 = *H. advena*.  
*Macraeana*, Pritz. Ic. Ind. i. 838 = *H. bicolor*.  
*magnifica*, Herb. Amaryll. 152 = *H. bicolor*.  
*obtus*, Lindl. Bot. Reg. (1844) Misc. 91 = *Phaedranassa chloracra*.  
*obtusifolia*, Pritz. Ic. Ind. i. 838 = *H. bicolor*.

- PHYGANTHUS**, Poepp. & Endl. Nov. Gen. et Sp. ii. 71. t. 200 (1838) = *Tecophilaea*, Bert. (Haemod.).  
*vernus*, Poepp. & Endl. l. c. = *T. violaeiflora*.

- PHYGELIUS**, E. Mey. ex Benth. in Hook. Comp. Bot. Mag. ii. (1836) 53. *SCROPHULARINEAE*, Benth. & Hook. f. ii. 936.  
*capensis*, E. Mey. ex Benth. l. c.—Afr. austr.

- PHYLA**, Lour. Fl. Cochinch. 66 (1790) = *Lippia*, Linn. (Verben.).  
*chinensis*, Lour. l. c. = *L. nodiflora*.

- PHYLACANTHUS**, Benth. Scroph. Ind. 1 (1835) = *Angelonia*, H. B. & K. (Scrophul.).

- PHYLACIUM**, Benn. Pl. Jav. Rar. 159. t. 33 (1838?). *LEGUMINOSAE*, Benth. & Hook. f. i. 523.

- HELEIOTIS**, Hassk. Cat. Hort. Bog. Alt. 272, in syn. (1844).

- bracteosum*, Benn. Pl. Jav. Rar. 159.—Java.  
*scandens*, Hassk. in Horv. & Vriese, Tijdschr. x. i. (1843) 147.—Java.

- PHYLANTHERA**, Noronha, in Verh. Batav. Gen. v. (1790) ed. I. Art. iv. 3 = *Petunga*, DC. (Rubiace.).

- PHYLAX**, Noronha, in Verh. Batav. Gen. v. (1790) ed. I. Art. iv. 3 = *Polygala*, Tourn.

- PHYLYCA**, Linn. Sp. Pl. ed. I. 195 (1753). *RHAMNEAE*, Benth. & Hook. f. i. 380.

- ALATERNOIDES*, Adans. Fam. ii. 304 (1763).  
*CALOPHYLLICA*, Presl, Bot. Bemerck. 39 (1844).  
*PETALOGOGON*, Reiss. in Endl. Nov. Stirp. Dec. 82 (1839).

- PHILYCA*, Linn. Gen. ed. I. 58 (1737).  
*SOULANGIA*, Brongn. in Ann. Sc. Nat. Sér. I. x. (1827) 377. t. 10. f. 3.

- TRICHOCEPHALUS*, Brongn. l. c. 374. t. 17. f. 1 (1827).  
*TYLANTHUS*, Reiss. ex Endl. Gen. 1101 (1840).

- WALPERSIA*, Reiss. l. c. 1100 (1840).  
*abietina*, Eckl. & Zeyh. Enum. 132.—Afr. austr.  
*abietina*, E. Mey. in Drege, Zwei Pfl. Docum. 210 = *Spatalla sericea*.

- acerosa*, Sieber, ex Presl, Bot. Bemerck. 39 = *parviflora*.  
*acerosa*, Willd. Enum. Hort. Berol. 252 = *ericoides*.  
*acmaephylla*, Eckl. & Zeyh. Enum. 133.—Afr. austr.  
*acuminata*, Nois. ex Steud. Nom. ed. I. 614, nomen.—Afr. austr.

- affinis*, Sond. in Harv. & Sond. Fl. Cap. i. 489.—Afr. austr.

- albida*, Presl, Bot. Bemerck. 38.—Afr. austr.

- alpina*, Eckl. & Zeyh. Enum. 133.—Afr. austr.

- ambigua*, Sond. in Harv. & Sond. Fl. Cap. i. 486.—Afr. austr.

- angustifolia*, Hort. ex Steud. Nom. ed. I. 614 = *paniculata*.

- apiculata*, Sond. in Harv. & Sond. Fl. Cap. i. 497.—Afr. austr.

- arborea*, Thon. Fl. Tristan d'Acugn. 45 = *nitida*.

- arborescens*, Link, ex Steud. Nom. ed. II. ii. 325 = *nitida*.

- arborescens*, Steud. l. c. = *paniculata*.

- asperulata*, Wender. ex Steud. l. c., nomen (Quid?).—Hab.?

- atrata*, Bernh. ex Krauss, in Flora, xxvii. (1844) 347 = *callosa*.

- atrata*, Licht. ex Roem. & Schult. Syst. v. 490.—Afr. austr.

- australis*, Link, Enum. Hort. Berol. i. 230.—Austral.?

- axillaris*, Lam. Illustr. ii. 78.—Afr. austr.

- bicolor*, Linn. Mant. ii. 208; Murr. Syst. ed. XIII. 196.—Afr. austr.

- brachycephala*, Sond. in Harv. & Sond. Fl. Cap. i. 500.—Afr. austr.

- brevifolia*, Eckl. & Zeyh. Enum. 133.—Afr. austr.

- brunioides*, Lam. Illustr. ii. 78 = *criophora*.

- buxifolia*, Linn. Sp. Pl. 195.—Afr. austr.

- callosa*, Linn. f. Suppl. 153.—Afr. austr.

- capitata*, E. Mey. ex Sond. in Harv. & Sond. Fl. Cap. i. 490 = *rigida*.

- capitata*, Thunb. Prod. Pl. Cap. 45.—Afr. austr.

- cephalantha*, Sond. in Harv. & Sond. Fl. Cap. i. 501.—Afr. austr.

- Commelini*, Spreng. in Ges. Naturf. Fr. Berl. Mag. viii. (1814) 104. t. 8 = *plumosa*.

- comosa*, Steud. Nom. ed. II. ii. 325.—Afr. austr.

- cordata*, Herb. ex Sond. in Harv. & Sond. Fl. Cap. i. 489 = *reflexa*.

- cordata*, Linn. Sp. Pl. ed. II. 293 = *buxifolia*.

- cordifolia*, Lam. ex Steud. Nom. ed. I. 614 = *seq.*?

- cordifolia*, Salisb. Prod. 140 = *buxifolia*.  
*corifolia*, Salisb. l. c. = *eriophora*.



**PHYLICA** :—

*cotinifolia*, Portenschl. ex Reiss. in Endl. Nov. Stirp. Dec. 79 = *Nesiota elliptica*.  
*cryptandroides*, *Sond. in Harv. & Sond. Fl. Cap.* i. 484.—Afr. austr.  
*cuspidata*, *Eckl. & Zeyh. Enum.* 134.—Afr. austr.  
*cylindrica*, *Eckl. & Zeyh. l. c.* 134 = *excelsa*.  
*cylindrica*, *Wendl. Coll. Pl.* i. 29. t. 7.—Afr. austr.  
*debilis*, *Eckl. & Zeyh. Enum.* 132.—Afr. austr.  
*dioica*, *Linn. Syst. ed. X.* 938.—Afr. austr.  
*diosmoides*, *Sond. in Harv. & Sond. Fl. Cap.* i. 496.—Afr. austr.  
*disticha*, *Eckl. & Zeyh. Enum.* 133.—Afr. austr.  
*divaricata*, *Vent. Jard. Malm. sub t. 57.*—Hab. ?  
*elliptica*, *Roxb. in Beats. Tracts St. Helena, App.* 316 = *Nesiota elliptica*.  
*elongata*, *Salisb. Prod.* 140 = *spicata*.  
*elongata*, *Willd. ex Roem. & Schult. Syst. v.* 491 = *Staavia globosa*.  
*empetroides*, *Eckl. & Zeyh. Enum.* 133 = *disticha*, *rubra*.  
*ericaefolia*, *Salisb. Prod.* 140 = *seq.*  
*ericoides*, *Linn. Sp. Pl.* 195.—Afr. austr.  
*ericoides*, *E. Mey. in Drège, Zwei Pfl. Docum.* 210 = *villosa*.  
*eriphora*, *Berg. Desc. Pl. Cap.* 52.—Afr. austr.  
*eriphoros*, *Thunb. Prod. Pl. Cap.* 44 = *praec.*  
*excelsa*, *Wendl. Coll. Pl.* iii. 3. t. 74.—Afr. austr.  
*fulva*, *Eckl. & Zeyh. Enum.* 134.—Afr. austr.  
*glabrata*, *Thunb. Diss. Phyl.* 3 = *ericoides*.  
*globosa*, *Thunb. l. c.* 8 = *Staavia globosa*.  
*gnidioides*, *Eckl. & Zeyh. Enum.* 135.—Afr. austr.  
*gracilis*, *D. Dietr. Syn. Pl.* i. 875.—Afr. austr.  
*hirsuta*, *Thunb. Diss. Phyl.* 6 = *axillaris*.  
*horizontalis*, *Vent. Jard. Malm. sub t. 57* = *plumosa*.  
*humilis*, *Sond. in Harv. & Sond. Fl. Cap.* i. 495.—Afr. austr.  
*imberbis*, *Berg. Desc. Pl. Cap.* 51.—Afr. austr.  
*imberbis*, *Drège, ex Presl, Bot. Bemerk.* 37 = *excelsa*.  
*imberbis*, *Eckl. & Zeyh. Enum.* 133 = *ericoides*.  
*imberbis*, *Thunb. ex Sond. in Harv. & Sond. Fl. Cap.* i. 493 = *cuspidata*.  
*imbricata*, *Thunb. Prod. Pl. Cap.* 45 = *Brunia racemosa*.  
*juniperifolia*, *Eckl. & Zeyh. Enum.* 135 = *gnidioides*.  
*laevis*, *Steud. Nom. ed. II.* ii. 326 = *atrata*.  
*lanceolata*, *Eckl. & Zeyh. Enum.* 132 = *lasiocarpa*.  
*lanceolata*, *Thunb. Prod. Pl. Cap.* 44 = *eriphora*.  
*lancifolia*, *Steud. Nom. ed. II.* ii. 326.—Afr. austr.  
*lasiocarpa*, *Sond. in Harv. & Sond. Fl. Cap.* i. 483.—Afr. austr.  
*ledifolia*, *Desf. Tabl. ed. I.* 203, nomen.—Afr. austr.  
*linearis*, *Desf. l. c. ed. II.* 232, nomen.—Afr. austr.  
*litoralis*, *D. Dietr. Syn. Pl.* i. 875 = *atrata*.  
*longirostrata*, *Hort. ex Steud. Nom. ed. I.* 614 = *paniculata*.  
*lutescens*, *D. Dietr. Syn. Pl.* i. 876.—Afr. austr.  
*mauritiana*, *Boj. Hort. Maurit.* 70, nomen; et ex Baker, *Fl. Maurit.* 53 = *nitida*.  
*Meyer*, *Sond. in Harv. & Sond. Fl. Cap.* i. 488.—Afr. austr.  
*microcephala*, *Eckl. & Zeyh. Enum.* 133 = *disticha*.  
*microcephala*, *Roem. & Schult. Syst. v.* 491 = *ericoides*.  
*microphylla*, *D. Dietr. Syn. Pl.* i. 876.—Afr. austr.  
*montana*, *Sond. in Harv. & Sond. Fl. Cap.* i. 492.—Afr. austr.  
*mucronata*, *E. Mey. in Drège, Zwei Pfl. Docum.* 211, nomen.—Afr. austr.  
*myrtifolia*, *Poir. Encyc. v.* 293 = *paniculata*.  
*nigrita*, *Sond. in Harv. & Sond. Fl. Cap.* i. 498.—Afr. austr.  
*nitida*, *Lam. Illustr. ii.* 77.—Afr. austr.  
*nitida*, *E. Mey. ex Sond. in Harv. & Sond. Fl. Cap.* i. 483 = *lasiocarpa*.  
*nuda*, *Burm. f. Fl. Cap. Prod.* 6 = *Staavia radiata* ?  
*oblongifolia*, *Dum.-Cours. Bot. Cult. ed. I.* 613 = *ledifolia*.  
*oblongifolia*, *Hort. ex Steud. Nom. ed. I.* 614 = *paniculata*.  
*oleaefolia*, *Vent. Jard. Malm. sub t. 57.*—Afr. austr.  
*oleoides*, *DC. Prod. ii.* 36 = *oleaefolia*.  
*orientalis*, *Willd. Enum. Hort. Berol. Suppl.* 12, nomen; *Loisel. Herb. Amat. t.* 233.—Hab. ?  
*ovata*, *Hort. ex Steud. Nom. ed. II.* ii. 326, nomen.—Afr. austr.  
*paniculata*, *Willd. Sp. Pl.* i. 1112.—Afr. austr.  
*papillosa*, *Wendl. Coll. Pl.* iii. 5. t. 75 = *excelsa*.  
*parviflora*, *Berg. Desc. Pl. Cap.* 48.—Afr. austr.

**PHYLICA** :—

*parviflora*, *E. Mey. ex Sond. in Harv. & Sond. Fl. Cap.* i. 483 = *lasiocarpa*.  
*parviflora*, *E. Mey. in Drège, Zwei Pfl. Docum.* 211 = *rosmarinifolia*.  
*pedicellata*, *DC. Prod. ii.* 36 = *villosa*.  
*pinca*, *Thunb. Diss. Phyl.* 6 = *villosa*, *axillaris*.  
*pinifolia*, *Linn. f. Suppl.* 153 = *Brunia pinifolia*.  
*plumosa*, *Linn. Sp. Pl.* 195.—Afr. austr.  
*plumosa*, *E. Mey. ex Sond. in Harv. & Sond. Fl. Cap.* i. 486 = *ambigua*.  
*propinqua*, *Sond. in Harv. & Sond. Fl. Cap.* i. 496.—Afr. austr.  
*pubescens*, *Ait. Hort. Kew. ed. I.* i. 268 = *capitata*.  
*pubescens*, *Lam. Illustr. ii.* 78 = *cylindrica*.  
*pubescens*, *Willd. Enum. Hort. Berol.* 252 = *plumosa*.  
*pumila*, *Wendl. ex Willd. Enum. Hort. Berol.* 252 = *plumosa*.  
*purpurea*, *Sond. in Harv. & Sond. Fl. Cap.* i. 485.—Afr. austr.  
*racemosa*, *Linn. Mant. ii.* 209 = *Brunia racemosa*.  
*radiata*, *Linn. Cent. Pl.* i. 8 = *Staavia radiata*.  
*ramosissima*, *DC. Prod. ii.* 34.—Ins. S. Helena.  
*reclinata*, *Bernh. ex Hochst. in Flora*, xxvii. (1844) 347.—Afr. austr.  
*reclinata*, *Wendl. Coll. Pl.* ii. 49. t. 56.—Afr. austr.  
*recurvifolia*, *Eckl. & Zeyh. Enum.* 135.—Afr. austr.  
*reflexa*, *Lam. Illustr. ii.* 78.—Afr. austr.  
*retroscia*, *E. Mey. in Drège, Zwei Pfl. Docum.* 211, nomen; et *ex Sond. in Harv. & Sond. Fl. Cap.* i. 492.—Afr. austr.  
*rhizophora*, *D. Dietr. Syn. Pl.* i. 875 = *stipularis*.  
*rigida*, *Eckl. & Zeyh. Enum.* 133.—Afr. austr.  
*rigidifolia*, *Sond. in Harv. & Sond. Fl. Cap.* i. 484.—Afr. austr.  
*rosmarinifolia*, *Lam. Illustr. ii.* 78 = *eriphora*.  
*rosmarinifolia*, *E. Mey. in Drège, Zwei Pfl. Docum.* 211 = *cryptandroides*.  
*rosmarinifolia*, *Roxb. in Beats. Tracts St. Helena, App.* 316 = *ramosissima*.  
*rosmarinifolia*, *Thunb. Diss. Phyl.* 8.—Afr. austr.  
*rubra*, *Willd. ex Roem. & Schult. Syst. v.* 491.—Afr. austr.  
*secunda*, *Thunb. Prod. Pl. Cap.* 44 = *eriphora*.  
*selaginoides*, *Sond. in Harv. & Sond. Fl. Cap.* i. 499.—Afr. austr.  
*sessiliflora*, *Hort. ex Steud. Nom. ed. I.* 615 = *paniculata*.  
*spicata*, *Linn. f. Suppl.* 153.—Afr. austr.  
*spicata*, *Lodd. Bot. Cab.* 323 = *oleaefolia*.  
*squamosa*, *Willd. ex Roem. & Schult. Syst. v.* 491 = *Raspalia phyllicoides*.  
*squarrosa*, *E. Mey. ex Sond. in Harv. & Sond. Fl. Cap.* i. 489 = *Meyeri*.  
*squarrosa*, *Vent. Jard. Malm. sub t. 57* = *plumosa*.  
*stipularis*, *Linn. Mant. ii.* 208.—Afr. austr.  
*strigosa*, *Berg. Desc. Pl. Cap.* 50 = *cuspidata*, *bicolor*.  
*strigulosa*, *Sond. in Harv. & Sond. Fl. Cap.* i. 498.—Afr. austr.  
*tenuis*, *Spreng. ex Sond. l. c.* 501 = *eriphora*.  
*Thunbergiana*, *E. Mey. in Drège, Zwei Pfl. Docum.* 211, nomen; et *ex Sond. l. c.* 493.—Afr. austr.  
*thymifolia*, *Vent. Jard. Malm. 57. t. 57.*—Ins. Pacif.  
*thyrsophora*, *Steud. Nom. ed. II.* ii. 326 = *Brunia pinifolia*.  
*tortuosa*, *E. Mey. in Drège, Zwei Pfl. Docum.* 211, nomen; et *ex Sond. in Harv. & Sond. Fl. Cap.* i. 489.—Afr. austr.  
*trachyphylla*, *D. Dietr. Syn. Pl.* i. 875.—Afr. austr.  
*trichotoma*, *Thunb. Prod. Pl. Cap.* 187 = *Staavia globosa*.  
*velutina*, *Sond. in Harv. & Sond. Fl. Cap.* i. 487.—Afr. austr.  
*verticillata*, *D. Dietr. Syn. Pl.* i. 875.—Afr. austr.  
*villosa*, *Thunb. Prod. Pl. Cap.* 44.—Afr. austr.  
*virgata*, *D. Dietr. Syn. Pl.* i. 875.—Afr. austr.  
*Willdenowiana*, *Eckl. & Zeyh. Enum.* 135.—Afr. austr.

**PHYLIDRUM**, *Willd. Sp. Pl.* i. 17 (1797) = **Phylidrum**, Banks.

**PHYLLACANTHA**, *Hook. f. in Benth. & Hook. f. Gen. ii.* 78 (1873). **RUBIACEAE**, *Benth. & Hook. f. l. c.*  
*Grisebachianus*, *Hook. f. l. c.*; et *Ic. Pl.* t. 1095.—Cuba.

**PHYLLACHNE**, Forst. Char. Gen. 115. t. 58

(1776). **STYLIDIEAE**, *Benth. & Hook. f. ii.* 535.  
**HELOPHYLLUM**, *Hook. f. Handb. N. Zeal. Fl.* 167 (1864).  
*bellidifolia*, *F. Muell. Fragm. viii.* 39.—Austral.  
*clavigera*, *F. Muell. l. c.* 40.—N. Zel.  
*Colensoi*, *Berggr. in Minneskr. Fisiog. Sällsk. Lund* (1877), n. 8. p. 11.—N. Zel.  
*Haastii*, *Berggr. in Journ. Bot.* xviii. (1880) 104.—N. Zel.  
*sedifolia*, *F. Muell. Fragm. viii.* 40.—N. Zel.  
*uliginosa*, *Forst. Char. Gen.* 116.—Reg. Magell.

**PHYLLACTINIA**, *Benth. in Benth. & Hook. f. Gen. ii.* 488 (1873). **COMPOSITAE**, *Benth. & Hook. f. l. c.*  
*Grantii*, *Benth. ex Oliver, in Trans. Linn. Soc.* xxix. (1873) 102.—Afr. trop.

**PHYLLACTIS**, Pers. Syn. i. 39 (1805). **VALE-RIANEAE**, *Benth. & Hook. f. ii.* 153.

**AMBLYORRHINUM**, *Turcz. in Bull. Soc. Nat. Mosc.* xxv. (1852) ii. 168.  
**PORTERIA**, *Hook. Ic. Pl.* t. 864 (1852).  
*aretioides*, *Wedd. Chlor. And. ii.* 30.—Ecuador.  
*bracteata*, *Wedd. l. c.*—N. Granat.  
*cordifolia*, *Wedd. l. c.* 32.—Venezuela.  
*corymbulosa*, *Wedd. l. c.* 34.—Bolivia.  
*crassipes*, *Wedd. l. c.* 29.—Bolivia.  
*densa*, *Wedd. l. c.* 31.—Bolivia.  
*dinorrhiza*, *Griseb. in Goett. Abh.* xix. (1874) 161.—Reg. Argent.  
*ferax*, *Griseb. l. c.* xxiv. (1879) 159.—Reg. Argent.  
*Gilliesii*, *Wedd. Chlor. And. ii.* 33.—Chili.  
*hispida*, *Wedd. l. c.* 29.—Bolivia.  
*inconspicua*, *Wedd. l. c.* 31.—Bolivia.  
*macrorrhiza*, *Wedd. l. c.* 33.—Chili.  
*Mandoniana*, *Wedd. l. c.* 34.—Bolivia.  
*mexicana*, *Benth. & Hook. f. Gen. ii.* 154.—Mexic.  
*Mutisiana*, *Wedd. Chlor. And. ii.* 32.—N. Granat.  
*obovata*, *Nutt. Gen. i.* 21 = *Valeriana edulis*.  
*pinnatifida*, *Wedd. Chlor. And. ii.* 33.—N. Granat.  
*polybotrya*, *Griseb. in Goett. Abh.* xix. (1874) 162.—Reg. Argent.  
*polystachya*, *Benth. & Hook. f. Gen. ii.* 154 = *Valeriana nopsis polystachya*.  
*pratensis*, *Benth. & Hook. f. l. c.*—Mexic.  
*rigida*, *Pers. Syn. i.* 39.—Am. austr.  
*sedifolia*, *Wedd. Chlor. And. ii.* 31, in textu.—Reg. Magell.  
*spathulata*, *Pers. Syn. i.* 39.—Peruv.  
*tenuifolia*, *Pers. l. c.*—Peruv.

**PHYLLACTIS**, *Steud. Nom. ed. II.* i. 326 (1841) = **Philactis**, *Schrad. (Compos.)*.

**PHYLLAGATHIS**, *Blume, in Flora*, xiv. (1831) 507. **MELASTOMACEAE**, *Benth. & Hook. f. i.* 754.  
*gymnantha*, *Korth. Verh. Nat. Gesch. Bot.* 252.—Borneo.  
*rotundifolia*, *Blume, in Flora*, xiv. (1831) 507.—Sumatra.

**PHYLLAMPHORA**, *Lour. Fl. Cochinch.* 606 (1790) = **Nepenthes**, *Linn.*  
*mirabilis*, *Lour. l. c.* = *N. Phyllamphora*.

**PHYLLANTHERA**, *Blume, Bijdr.* 1048 (1826). **ASCLEPIADEAE**, *Benth. & Hook. f. ii.* 739.  
*bifida*, *Blume, l. c.*—Java.

**PHYLLANTHERUM**, *Rafin. in Journ. Phys.* xci. (1820) 72 = **Trillium**, *Linn. (Liliac.)*.

**PHYLLANTHIDEA**, *Didr. in Kjoeb. Vidensk. Meddel.* (1857) 150 = **Andrachne**, *Linn. (Euphorb.)*.  
*microphylla*, *Didr. l. c.* 151 = *A. microphylla*.

**PHYLLANTHOS**, *St. Lag. in Ann. Soc. Bot. Lyon*, vii. (1880) 131 = **Phyllanthus**, *Linn. (Euphorb.)*.  
*peltandrum*, *St. Lag. l. c.* = *Phyllanthus peltandra*.

**PHYLLANTHUS**, *Linn. Gen. ed. I.* 282 (1737). **EUPHORBIACEAE**, *Benth. & Hook. f. iii.* 272.  
**ANISONEMA**, *A. Juss. Euph. Tent.* 19. t. 4 (1824).  
**ASTERANDRA**, *Klotzsch, in Wieg. Archiv.* vii. (1841) 200.  
**CALOCOCCUS**, *Kurz, ex Teijsm. & Binn. in Tijdschr. Nederl. Ind.* xxvi. (1864) 48.



**PHYLLANTHUS:—**

CATHETUS, Lour. Fl. Cochinch. 607 (1790).  
 CERAMANTHUS, Hassk. Cat. Hort. Bogor. Alt. 240 (1844).  
 CICCIA, Linn. Mant. i. 124 (1767).  
 CONAMI, Aubl. Pl. Gui. ii. 926. t. 354 (1775).  
 DIASPERUS, Linn. Syst. ed. I (1735).  
 DICHELACTINA, Hance, in Walp. Ann. iii. 375 (1852-53).  
 EMBLICA, Gaertn. Fruct. ii. 122. t. 108 (1791).  
 EPISTEIRA, Rafin. Sylva Tellur. 20 (1838).  
 EPISTYLUM, Sw. Fl. Ind. Occ. ii. 1095. t. 22 (1800).  
 ERIOCOCCUS, Hassk. in Hoev. & De Vriese, Tijdschr. x. (1843) 143.  
 FRANKIA, Bert. ex Steud. Nom. ed. II. i. 646 (1840).  
 GEMINARIA, Rafin. Cat. 14 (1824).  
 GENESIPHYLLA, L'Hérit. Sert. Angl. 29 (1788).  
 HEMICICCA, Baill. Etud. Gén. Euph. 645 (1858).  
 HEXADENA, Rafin. Sylva Tellur. 92 (1838).  
 KIRGANELIA, Juss. Gen. 387 (1789).  
 LOBOCARPUS, Wight & Arn. Prod. 7 (1834).  
 LOMANTHES, Rafin. Sylva Tellur. 92 (1838).  
 MACRAEA, Wight, Ic. v. II. 27 (1852).  
 MARGARITARIA, Linn. f. Suppl. 66 (1781), partim.  
 MEBOREA, Aubl. Pl. Gui. ii. 825. t. 323 (1775).  
 MENARDA, Comm. ex A. Juss. Euph. Tent. 23. t. 6 (1824).  
 MOERORIS, Rafin. Sylva Tellur. 91 (1838).  
 NELICA, Rafin. l. c. 92 (1838).  
 NIRURIS, Rafin. l. c. 91 (1838).  
 NYMPHANTHUS, Lour. Fl. Cochinch. 543 (1790).  
 ORBICULARIA, Baill. Etud. Gén. Euph. 616 (1858).  
 OXALISTYLIS, Baill. l. c. 628 (1858).  
 PELTANDRA, Wight, Ic. v. II. 24 (1852).  
 PROSORUS, Dalz. in Hook. Kew Journ. iv. (1852) 345.  
 REIDIA, Wight, Ic. v. II. 27. t. 1903, 1904 (1852).  
 RHODIUM, Schreb. Gen. 608 (1791).  
 SCEPASPMA, Blume, Bijdr. 582 (1825).  
 STAUROTHYRAX, Griff. Notul. iv. 476 (1854).  
 SYNEXEMIA, Rafin. Neogeny. 2 (1825).  
 SYNOSTEMON, F. Muell. Fragm. i. 32 (1858).  
 TEHRANTHUS, Neck. Elem. ii. 235 (1790).  
 TRICARIUM, Lour. Fl. Cochinch. 557 (1790).  
 TRICARYUM, Spreng. Syst. iii. 848 (1826).  
 URINARIA, Medic. Malv. 80 (1787).  
 WILLIAMIA, Baill. Etud. Gén. Euph. 559. t. 27 (1858).  
 WURTZIA, Baill. Adansonia, i. (1860-61) 186. t. 7.  
 XYLOPHYLLA, Linn. Mant. ii. 147 (1771); Schreb. Gen. 200 (1789).  
 ZYGOSPERMUM, Thw. ex Baill. Etud. Gén. Euph. 620. t. 27 (1858).  
 abnormis, Baill. Adansonia, i. (1860-61) 42.—Texas.  
 acidissimus, Muell. Arg. in Linnaea, xxxii. (1863) 50.—Ins. Philipp.  
 acidissimus, Noronha, in Verh. Batav. Gen. v. (1790) ed. I. Art. iv. 22 = Sauropus albicans.  
 acuminatus, Vahl, Symb. Bot. ii. 95.—Am. trop.  
 acutifolius, Poir. ex Spreng. Syst. iii. 21.—Bras.  
 acutissimus, Miq. Fl. Ind. Bat. i. II. 369.—Java.  
 acutus, Wall. Cat. n. 7931; Muell. Arg. in Linnaea, xxxiv. (1865-66) 75.—Penang?  
 Adami, Muell. Arg. in DC. Prod. xv. II. 327.—Austral.  
 adenodiscus, Muell. Arg. in Linnaea, xxxii. (1863) 23.—Mexic.  
 adenophyllus, Muell. Arg. l. c. 24.—Bras.  
 adianthoides, Klotzsch, in Hook. Lond. Journ. Bot. ii. (1843) 51.—Guian.  
 aeneus, Baill. Adansonia, ii. (1861-62) 231.—N. Caled.  
 affinis, Muell. Arg. in Linnaea, xxxii. (1863) 48.—Zeylan.  
 alaternoides, Reichb. ex Baill. Adansonia, i. (1860-61) 83 = reticulatus.  
 alatus, Blume, Bijdr. 594 = P. Urinaria.  
 albicans, Wall. Cat. n. 7937 = Flugea Leucopyrus.  
 albiflorus, Muell. Arg. in Linnaea, xxxiv. (1865-66) 70.—Austral.  
 albus, Muell. Arg. in Flora, xlviii. (1865) 387.—Ins. Philipp.  
 albus, Noronha, in Verh. Batav. Gen. v. (1790) ed. I. Art. iv. 22 (Quid?).—Malaya.  
 almadensis, Muell. Arg. in Mart. Fl. Bras. xi. II. 38.—Bras.  
 amarus, Schum. & Thonn. Beskr. Guin. Pl. 421 = P. Niruri.

**PHYLLANTHUS:—**

amentuliger, Muell. Arg. in Flora, xlviii. (1865) 390.—Ins. Fiji.  
 amoenus, Muell. Arg. in Mart. Fl. Bras. xi. II. 66.—Bras.  
 anabaptizatus, Muell. Arg. in DC. Prod. xv. II. 421.—Zeylan.  
 anceps, Vahl, Symb. Bot. ii. 95 = simplex.  
 anceps, Wall. Cat. n. 7896 C = Agyneia bacciformis.  
 anceps, Wall. l. c. n. 7906 F = maderaspatensis.  
 andamanicus, Kurz, Rep. Veg. Andam. 47 = Helferi.  
 Andersonii, Muell. Arg. in Flora, lv. (1872) 3 = assamicus.  
 Anderssoni, Muell. Arg. in DC. Prod. xv. II. 395.—Venezuela.  
 andrachnoides, Willd. Sp. Pl. iv. 575 = maderaspatensis.  
 angolensis, Muell. Arg. in Journ. Bot. ii. (1864) 329.—Afr. trop.  
 angulatus, Schum. & Thonn. Beskr. Guin. Pl. 415 = Flugea microcarpa.  
 angustifolius, Sw. Fl. Ind. Occ. ii. 1111.—Ind. occ.  
 angustissimus, Muell. Arg. in Linnaea, xxxii. (1863) 55.—Bras.  
 anisolobus, Muell. Arg. in DC. Prod. xv. II. 382.—Peruv.  
 anomalus, Muell. Arg. in Linnaea, xxxii. (1863) 52 = indicus.  
 antillanus, Muell. Arg. l. c. 51 = nobilis, virens.  
 aoraensis, Nadeaud, Enum. Pl. Tahiti, 73.—Ins. Tahiti.  
 aquaticus, Wright, in Sauv. Fl. Cub. 124.—Cuba.  
 arabicus, Hochst. ex Steud. Nom. ed. II. ii. 326 = maderaspatensis.  
 arborescens, Muell. Arg. in Flora, xlviii. (1865) 370.—Java.  
 arboreus, Muell. Arg. l. c. 385 = Glochidion arbo-reum.  
 arboreus, Sesse & Moç. ex Baill. Adansonia, i. (1860-61) 35 = Moçinianus.  
 Arbuscula, J. F. Gmel. Syst. 204 = speciosus.  
 arenicola, Casar. Nov. Stirp. Bras. Dec. 88.—Bras.  
 argentatus, Noronha, in Verh. Batav. Gen. v. (1790) ed. I. Art. iv. 22 = distichus.  
 aridus, Benth. Fl. Austral. vi. 110.—Austral.  
 Armstrongii, Benth. l. c. 112.—Austral.  
 Arnottianus, Muell. Arg. in Flora, xlviii. (1865) 370 = Glochidion Arnottianum.  
 arvensis, Muell. Arg. in Journ. Bot. ii. (1864) 332.—Afr. trop.  
 asperus, Muell. Arg. in Flora, xlviii. (1865) 377.—Ind. or.  
 assamicus, Muell. Arg. l. c. 378.—Ind. or.  
 atropurpureus, Boj. Hort. Maurit. 280, nomen.—Ins. Comoro.  
 atroviridis, Muell. Arg. in Linnaea, xxxii. (1863) 8 = Bojerianus.  
 attenuatus, Miq. in Linnaea, xxi. (1848) 479.—Guiana.  
 attenuatus, Willd. ex Steud. Nom. ed. II. ii. 326 = acuminatus.  
 Augustini, Baill. in Adansonia, v. (1864-65) 354.—Bras.  
 australis, Hook. f. in Hook. Lond. Journ. Bot. vi. (1847) 284.—Tasman.  
 averrhoefolius, Hort. ex Muell. Arg. in DC. Prod. xv. II. 329 = grandifolius.  
 averrhoefolius, Hort. ex Steud. Nom. ed. II. ii. 326 = acuminatus.  
 avicularis, Muell. Arg. in Linnaea, xxxii. (1863) 32.—Bras.  
 axillaris, Muell. Arg. in DC. Prod. xv. II. 412.—Jamaic.  
 baccatus, Gaertn. Fruct. ii. 123, in syn. = bacciformis, Linn.  
 baccatus, F. Muell. ex Benth. Fl. Austral. vi. 102.—Austral.  
 bacciformis, Buch.-Ham. ex Wall. Cat. n. 7909.—Reg. Himal.  
 bacciformis, Herb. Madr. ex Wall. Cat. n. 7896 B = rotundifolius.  
 bacciformis, Linn. Mant. ii. 294 = Agyneia bacci-formis.  
 baeobotryoides, Wall. Cat. n. 7942.—Reg. Himal.; Burma.  
 babilensis, Muell. Arg. in Linnaea, xxxii. (1863) 20.—Bras.  
 Baillonianus, Muell. Arg. l. c. 47.—Zeylan.

**PHYLLANTHUS:—**

baladensis, Baill. Adansonia, ii. (1861-62) 233.—N. Caled.  
 Banksii, A. Cunn. ex Benth. Fl. Austral. vi. 117 = Neoroepera Banksii.  
 Beckleri, Muell. Arg. in Linnaea, xxxiv. (1865-66) 74 = simplex.  
 benguelensis, Muell. Arg. in Journ. Bot. ii. (1864) 331.—Afr. trop.  
 Benthamianus, Muell. Arg. in Flora, xlviii. (1865) 371 = Glochidion macrophyllum, Benth.  
 Benthamianus, Muell. Arg. in Linnaea, xxxii. (1863) 29 = graveolens.  
 Bernerianus, Baill. Adansonia, ii. (1861-62) 52, nomen; Muell. Arg. in DC. Prod. xv. II. 361.—Madag.  
 Berteroanus, Muell. Arg. in Linnaea, xxxii. (1863) 44.—Ins. S. Doming.  
 bicolor, Muell. Arg. in Flora, xlviii. (1865) 389 = Glochidion acuminatum.  
 bicolor, Vis. in Att. Ist. Venez. Sc. Ser. III. iv. (1858-59) 139.—Hab.?  
 Billardieri, Muell. Arg. in Flora, xlviii. (1865) 375 = Glochidion Billardieri.  
 birmanicus, Muell. Arg. in Linnaea, xxxii. (1863) 47.—Burma.  
 Blanchetianus, Muell. Arg. l. c. 38.—Bras.  
 Blancoanus, Muell. Arg. l. c. 49.—Ins. Philipp.  
 Blumei, Steud. Nom. ed. II. ii. 326 = Breynia rubra.  
 Bojerianus, Baill. Adansonia, ii. (1861-62) 53 = fusco-luridus.  
 Bojerianus, Muell. Arg. in DC. Prod. xv. II. 343.—Madag.  
 bornensis, Muell. Arg. in Flora, xlviii. (1865) 377.—Borneo.  
 bossiaoides, A. Cunn. ex Benth. Fl. Austral. vi. 98 = Adami.  
 botryanthus, Muell. Arg. in DC. Prod. xv. II. 323.—Venezuela.  
 Bourgeoisii, Baill. Adansonia, ii. (1861-62) 235.—N. Caled.  
 brachycladus, Muell. Arg. in Linnaea, xxxii. (1863) 35 = rupestris.  
 brachylobus, Muell. Arg. in Flora, xlviii. (1865) 373 = Glochidion brachylobum.  
 brachypodus, F. Muell. ex Benth. Fl. Austral. vi. 103 = maderaspatensis.  
 brasiliensis, Muell. Arg. in DC. Prod. xv. II. 383 = P. Conami.  
 brasiliensis, Poir. Encyc. v. 296 = graveolens.  
 bupleuroides, Baill. Adansonia, ii. (1861-62) 233.—N. Caled.  
 Burchelli, Muell. Arg. in Linnaea, xxxii. (1863) 7.—Afr. austr.  
 buxifolius, Reinw. in Blume. Cat. Gew. Buitens. 106, nomen; Muell. Arg. l. c. 50.—Malaya.  
 cacuminum, Muell. Arg. in Flora, xlviii. (1865) 371.—Java.  
 caledonicus, Muell. Arg. l. c. 376 = Glochidion caledonicum.  
 callitrichoides, Griseb. in Goett. Nachr. (1865) 166 = carnosulus.  
 calycinus, Labill. Nov. Holl. Pl. ii. 75. t. 225.—Austral.  
 calycinus, Wall. Cat. n. 7939 B (Breynia sp.)—Ind. or.  
 canaranus, Muell. Arg. in Flora, xlviii. (1865) 371 = Glochidion zeylanicum.  
 cantoniensis, Hornem. Enum. Pl. Hort. Hafn. (1807) 29 = P. Urinaria.  
 cantoniensis, Schweigg. Enum. Pl. Hort. Regiom. (1812) 54.—China.  
 cantoniensis, Zipp. ex Span. in Linnaea, xv. (1841) 347 = Zippelianus.  
 capensis, Spreng. ex Baill. Adansonia, iii. (1862-63) 163 = Andrachne ovalis.  
 capensis, Spreng. ex Sond. in Linnaea, xxxii. (1863) 135 = heterophyllus.  
 capillaris, Schum. & Thonn. Beskr. Guin. Pl. 417.—Afr. trop.  
 carnosulus, Muell. Arg. in Linnaea, xxxii. (1863) 30.—Cuba.  
 carolinensis, Walt. Fl. Carol. 228.—Am. bor.  
 carolinianus, Blanco, Fl. Filip. ed. I. 691 = P. Niruri.  
 Carpentariae, Muell. Arg. in Linnaea, xxxiv. (1865-66) 72.—Austral.  
 Casticum, Soyer-Willem. in Usteri, Ann. Bot. xviii. (1796) 55.—Ins. Mascar.



## PHYLLANTHUS:—

cataractarum, Muell. Arg. in DC. Prod. xv. II. 320.—N. Caled.  
 caudatus, Muell. Arg. l. c. 321.—N. Caled.  
 cauliflorus, Griseb. Fl. Brit. W. Ind. 33 = cladanthus.  
 cauliflorus, Muell. Arg. in Linnaea, xxxii. (1863) 46.—Jamaic.  
 celastroides, Muell. Arg. in Flora, xlviii. (1865) 390.—Java.  
 ceramica, Pers. Syn. ii. 591 = Exocarpus ceramicus.  
 cernuus, Poir. Encyc. v. 298 = Breynia cernua.  
 cernuus, Wall. Cat. n. 7911 (Breynia sp.).—Ind. or. Chamaecerasus, Baill. Adansonia, ii. (1861–62) 235.—N. Caled.  
 Chamissonis, Klotzsch, in Nov. Act. Nat. Cur. xix. Suppl. I. (1843) 420 = reticulatus.  
 Chantrieri, André, in Rev. Hort. (1883) 537. f. 106, 107.—Cochinch.  
 Chapelieri, Baill. Adansonia, ii. (1861–62) 52, nomen = madagascariensis.  
 Cheramela, Roxb. Hort. Beng. 104 = distichus.  
 Cheremila, Muell. Arg. in DC. Prod. xv. II. 414, in syn. = praec.  
 chlorophaeus, Baill. Adansonia, i. (1860–61) 27.—Mexico.  
 choretroides, Muell. Arg. in Linnaea, xxxii. (1863) 52.—Bras.  
 chrysanthus, Baill. Adansonia, ii. (1861–62) 238.—N. Caled.  
 Cicca, Griseb. in Goett. Nachr. (1865) 166 = P. Pseudo-cicca.  
 Cicca, Muell. Arg. in Linnaea, xxxii. (1863) 50 = distichus.  
 ciccoides, Muell. l. c. 13.—Ins. Pacif.  
 ciliaris, Baill. Adansonia, xi. (1876) 373.—N. Caled.  
 cinerascens, Hook. & Arn. Bot. Beech. Voy. 211 = fasciculatus.  
 cinerascens, Muell. Arg. in Flora, xlviii. (1865) 390 = Glochidion cinerascens.  
 cinerascens, Wall. Cat. n. 7915 = Breynia rhamnoides.  
 cinereus, Muell. Arg. in Linnaea, xxxii. (1863) 48.—Zeylan.  
 cladanthus, Muell. Arg. l. c. 46.—Jamaic.  
 cladotrichus, Muell. Arg. l. c. 25.—Bras.  
 Claussenii, Muell. Arg. l. c. 40.—Bras.  
 coccineus, Muell. Arg. in Flora, xlviii. (1865) 370 = Glochidion coccineum.  
 coccineus, Noronha, in Verh. Batav. Gen. v. (1790) ed. I. Art. iv. 22 (Quid?).—Java.  
 cochinchinensis, Muell. Arg. in DC. Prod. xv. II. 417.—China.  
 cochinchinensis, Spreng. Syst. iii. 21 = fasciculatus.  
 cognatus, Spreng. l. c. 23 = linearis.  
 columnaris, Muell. Arg. in Linnaea, xxxii. (1863) 15.—Burma.  
 colutaeoides, Baill. Adansonia, ii. (1861–62) 53, nomen; et Muell. Arg. in DC. Prod. xv. II. 335.—Madag.  
 Commersonii, Baill. Adansonia, ii. (1861–62) 53, nomen = phyllyreaefolius.  
 compressicaulis, Muell. Arg. in Flora, xlviii. (1865) 376 = Glochidion compressicaule.  
 compressus, H. B. & K. Nov. Gen. et Sp. ii. 109.—Mexic.  
 Conami, Sw. Prod. Veg. Ind. Occ. 28.—Am. trop.  
 concolor, Muell. Arg. in Flora, xlviii. (1865) 374 = Glochidion concolor.  
 congestus, Benth. ex Muell. Arg. in Linnaea, xxxii. (1863) 25 = Securinea congesta.  
 consanguineus, Muell. Arg. in DC. Prod. xv. II. 378.—Madag.  
 conterminus, Muell. Arg. in Linnaea, xxxii. (1863) 32 = simplex.  
 corcovadensis, Muell. Arg. in Mart. Fl. Bras. xi. II. 30.—Bras.  
 cordatus, Muell. Arg. in Flora, xlviii. (1865) 376 = Glochidion cordatum.  
 cordifolius, Wall. Cat. n. 7913 = Andrachne cordifolia.  
 coriaceus, Muell. Arg. in Flora, xlviii. (1865) 386 = Glochidion coriaceum.  
 coriaceus, Wall. Cat. n. 7946.—Singapore.  
 cornifolius, H. B. & K. Nov. Gen. et Sp. ii. 115 = grandifolius.  
 cornutus, Baill. Adansonia, ii. (1861–62) 236.—N. Caled.  
 crassifolius, Muell. Arg. in Flora, xlvii. (1864) 513.—Austral.

## PHYLLANTHUS:—

crotalaroides, Zipp. ex Span. in Linnaea, xv. (1841) 347, nomen.—Ins. Timor.  
 cryptophilus, Muell. Arg. in Linnaea, xxxii. (1863) 8.—Madag.  
 cumanensis, Willd. ex Steud. Nom. ed. II. ii. 327 = acuminatus.  
 Cumingii, Muell. Arg. in Flora, xlviii. (1865) 371 = Glochidion Cumingii.  
 cuneatus, Willd. Enum. Hort. Berol. Suppl. 65 = maderaspatensis.  
 cuspidatus, Muell. Arg. in Flora, xlviii. (1865) 377.—Ins. Samoa.  
 cyanospermus, Muell. Arg. in Linnaea, xxxii. (1863) 51.—Zeylan.  
 cyclanthera, Baill. Adansonia, i. (1860–61) 31.—Cuba.  
 cygnorum, Endl. in Enum. Pl. Hueg. 19 = calycinus.  
 cyrtophylloides, Muell. Arg. in DC. Prod. xv. II. 1270.—Java.  
 cyrtophyllus, Muell. Arg. in Flora, xlviii. (1865) 390 = Glochidion cyrtophyllum.  
 cyrtostylus, Muell. Arg. l. c. 387 = Glochidion cyrtostylus.  
 dalbergioides, Wall. Cat. n. 7934 = reticulatus.  
 Dallachyanus, Benth. Fl. Austral. vi. 104.—Austral.  
 Daltonis, Muell. Arg. in Flora, xlviii. (1865) 388 = Glochidion Daltoni.  
 dasyanthus, Muell. Arg. l. c. 390 = Glochidion dasyanthum.  
 debilis, Herb. Ham. ex Wall. Cat. sub n. 7892.—Ind. or.; Afr. trop.  
 debilis, Herb. Wight, ex Wall. Cat. n. 7899 B = simplex.  
 debilis, Willd. Sp. Pl. iv. 582 = P. Niruri.  
 decipiens, Muell. Arg. in DC. Prod. xv. II. 347.—Madag.  
 deflexus, Klotzsch, in Peters, Reise Mossamb. Bot. 104 = Thwaitesianus.  
 Deplanchei, Muell. Arg. in Linnaea, xxxii. (1863) 13.—N. Caled.  
 depressus, Buch.-Ham. ex Dillw. Rev. Ref. Hort. Malab. 51 = pedunculatus.  
 depressus, Wall. Cat. n. 7898 = simplex.  
 dictyospermus, Muell. Arg. in DC. Prod. xv. II. 394.—Bras.  
 diffusus, Klotzsch, in Seem. Bot. Voy. Herald, 105.—Am. trop.  
 dilatatus, Klotzsch, in Peters, Reise Mossamb. Bot. 106 = pentandrus.  
 dioicus, Schum. & Thonn. Beskr. Guin. Pl. 416 = Fluggea microcarpa.  
 discoides, Muell. Arg. in Linnaea, xxxii. (1863) 51.—Afr. trop.  
 discolor, Spreng. Syst. iii. 21.—Cuba.  
 distichus, Hook. & Arn. Bot. Beech. Voy. 95 = sandwicensis.  
 distichus, Muell. Arg. in DC. Prod. xv. II. 413.—Ind. or.; As. trop.; Madag.  
 ditassoides, Muell. Arg. in Flora, xlvii. (1864) 487.—Austral.  
 diversifolius, Miq. Fl. Ind. Bat. Suppl. 448.—Sumatra.  
 dracunculoides, Baill. Adansonia, ii. (1861–62) 239 = Glochidion salicifolium.  
 Dregeanus, Scheele, in Linnaea, xxv. (1852) 585 = Andrachne ovalis.  
 dumetosus, Poir. Encyc. v. 303.—Madag.  
 echinatus, Wall. Cat. n. 7893 B = P. Urinaria.  
 echinospermus, Wright, in Sauv. Fl. Cub. 122.—Cuba.  
 elachophyllus, F. Muell. ex Benth. Fl. Austral. vi. 101.—Austral.  
 elegans, Wall. Cat. n. 7926.—Burma.  
 ellipticus, Baill. Adansonia, v. (1865) 354 = Augustini.  
 ellipticus, Buckl. in Proc. Acad. Sc. Philad. 1862 (1863) 7.—Texas.  
 ellipticus, Desf. ex Lam. Encyc. Suppl. iv. 404.—Hab.?  
 ellipticus, H. B. & K. Nov. Gen. et Sp. ii. 114 = Securinea elliptica.  
 elongatus, Steud. Nom. ed. I. 615 = angustifolius.  
 Emblica, Linn. Sp. Pl. 982.—As. trop.  
 emblicoides, Muell. Arg. in Linnaea, xxxii. (1863) 15 = polyphyllus.  
 emirrensis, Muell. Arg. l. c. 14 = Bojerianus.

## PHYLLANTHUS:—

empetrifolius, Baill. Adansonia, v. (1864–65) 352 = ramillosus.  
 epiphyllanthus, Linn. Sp. Pl. ed. II. 1392.—Cuba.  
 epiphyllanthus, Noronha, in Verh. Batav. Gen. v. (1790) ed. I. Art. iv. 22 (Quid?).—Java.  
 epistylum, Griseb. Fl. Brit. Ind. 33 = axillaris.  
 ericoides, Torr. Bot. Mex. Bound. 193.—Mexic.  
 eriocarpus, Muell. Arg. in Flora, xlviii. (1865) 387 = Glochidion eriocarpum, Champ.  
 erythrinus, Muell. Arg. in DC. Proc. xv. II. 332.—Cuba.  
 erythroxyloides, Muell. Arg. l. c. 418.—Madag.  
 essequiboënsis, Klotzsch, in Schomb. Faun. & Fl. Brit. Gui. 1187, nomen.—Guian.  
 fagifolius, Griseb. Fl. Brit. Ind. 33 = axillaris.  
 fagifolius, Muell. Arg. in Flora, xlviii. (1865) 373 = Glochidion sphaerogynum.  
 Faguetti, Boiv. ex Baill. Adansonia, ii. (1861–62) 237 = Glochidion Faguetti.  
 falcatus, Sw. Fl. Ind. Occ. ii. 1115 = epiphyllanthus.  
 fallax, Muell. Arg. in Linnaea, xxxiv. (1865–66) 73.—Bras.  
 fasciculatus, Muell. Arg. in DC. Prod. xv. II. 350.—Cochinch.  
 fasciculatus, Poir. Encyc. v. 304 = P. Casticum.  
 fastigiatus, Mart. ex Muell. Arg. in Linnaea, xxxii. (1863) 45.—Bras.  
 Ferdinandii, Muell. Arg. in Flora, xlviii. (1865) 379.—Austral.  
 filicaulis, Benth. Fl. Austral. vi. 111.—Austral.  
 filiformis, Pav. ex Baill. Adansonia, (1860–61) 29 = lathyroides.  
 filipes, Balf. f. in Proc. Roy. Soc. Edinb. xii. (1884) 94.—Ins. Socotra.  
 fimbriatus, Muell. Arg. in Linnaea, xxxii. (1863) 47.—Ind. or.  
 Finlaysonianus, Wall. Cat. n. 7907.—Siam?  
 flaccidus, Thw. Enum. Pl. Zeyl. 283 = Rheedii.  
 flagellaris, Benth. Fl. Austral. vi. 106.—Austral.  
 flagelliformis, Muell. Arg. in Linnaea, xxxii. (1863) 54.—Bras.  
 flavidus, Muell. Arg. in Flora, xlviii. (1865) 390 = Glochidion flavidum.  
 flexuosus, Muell. Arg. in DC. Prod. xv. II. 324 = japonicus.  
 floribundus, H. B. & K. Nov. Gen. et Sp. ii. 116 = salviaefolius.  
 floribundus, Muell. Arg. in Linnaea, xxxii. (1863) 14.—Afr. trop.  
 flueggeiformis, Muell. Arg. in DC. Prod. xv. II. 349 = glaucus, Wall.  
 fluggeoides, Muell. Arg. in Linnaea, xxxii. (1863) 16 = Securinea fluggeoides.  
 fluitans, Benth. ex Muell. Arg. l. c. 36.—Bras.  
 foetidus, Pav. ex Baill. Adansonia, i. (1860–61) 34 = acuminatus.  
 Forskählii, Lepr. ex Baill. l. c. 59 = Euphorbia granulata, aegyptiaca.  
 Francavillanus, Muell. Arg. in Linnaea, xxxii. (1863) 20.—Am. austr.  
 fraxinifolius, Lodd. Bot. Cab. t. 839 = Glochidion lanceolarium?  
 frondosus, Wall. Cat. n. 7932.—Malaya.  
 fruticosus, Baill. Adansonia, v. (1864–65) 356, sphalm. = P. Conami.  
 fruticosus, Heyne, ex Wall. Cat. n. 7899 A = simplex.  
 Fuernrohrii, F. Muell. in Trans. Phil. Soc. Vict. i. (1855) 15.—Austral.  
 fulvirameus, Muell. Arg. in Flora, xlviii. (1865) 385 = Glochidion fulvirameum.  
 fusco-luridus, Muell. Arg. in DC. Prod. xv. II. 346.—Madag.  
 fuscus, Muell. Arg. in Flora, xlviii. (1865) 380.—Sumatra.  
 Galeottianus, Baill. Adansonia, i. (1860–61) 32.—Mexic.  
 Gardneri, Thw. Enum. Pl. Zeyh. 282 = simplex.  
 Gardnerianus, Baill. ex Muell. Arg. in Linnaea, xxxii. (1863) 33 = simplex.  
 garipensis, E. Mey. ex Muell. Arg. l. c. 7 = tenellus.  
 Gasstroemi, Muell. Arg. in DC. Prod. xv. II. 358.—Austral.  
 Gaudichaudi, Muell. Arg. in Flora, xlviii. (1865) 379 = Glochidion marianum.  
 genistoides, Sond. in Linnaea, xxiii. (1850) 134.—Afr. austr.  
 glabrescens, Muell. Arg. l. c. xxxii. (1863) 48.—Malaya.



## PHYLLANTHUS:—

- gladiatus*, Muell. Arg. in *Linnaea*, xxxii. (1863) 52.—Bras.  
*glaucescens*, H. B. & K. Nov. Gen. et Sp. ii. 115.—Mexic.  
*glaucens*, Schlecht. & Cham. in *Linnaea*, vi. (1831) 364 = *adeniscus*.  
*glaucifolius*, Wall. Cat. n. 7923 = *Glochidion glaucifolium*.  
*glaucinus*, Muell. Arg. in *Linnaea*, xxxii. (1863) 13.—Sumatra.  
*glaucogynus*, Muell. Arg. in *Flora*, xlviii. (1865) 389 = *Glochidion Moonii*.  
*glaucophyllus*, Sond. in *Linnaea*, xxiii. (1850) 133.—Afr. austr.  
*glaucus*, Muell. Arg. in *Flora*, xlviii. (1865) 386 = *Glochidion glaucum*, Muell. Arg.  
*glaucus*, Wall. Cat. n. 7927 A.—Reg. Himal.; China.  
*glaucus*, Wall. l. c. n. 7927 B = *Fluggea microcarpa*, *Andrachne cordifolia*.  
*Glaziovii*, Muell. Arg. in *Mart. Fl. Bras.* xi. ii. 41.—Bras.  
*glomeratus*, Wall. Cat. n. 7903 = *P. Emblica*.  
*glomerulatus*, Muell. Arg. in *Flora*, xlviii. (1865) 375.—Sumatra.  
*Goudotianus*, Muell. Arg. in *Linnaea*, xxxii. (1863) 8.—Madag.  
*gracilentus*, Muell. Arg. in *Flora*, xlviii. (1865) 380.—Java.  
*gracilipes*, Muell. Arg. in *Linnaea*, xxxii. (1863) 47.—Java.  
*gracilis*, Baill. Etud. Gén. Euph. 630. t. 25.—Java.  
*gracilis*, Roxb. Hort. Beng. 69; Fl. Ind. iii. 654 = *maderaspatensis*.  
*gracilissimus*, Baill. *Adansonia*, ii. (1861-62) 14.—Cuba.  
*gracillimus*, Muell. Arg. in *DC. Prod.* xv. ii. 408, in syn. = *cyclanthera*.  
*grandiflorus*, Crantz. Inst. i. 144 = *grandifolius*.  
*grandiflorus*, Spreng. Syst. iii. 22 = *multiflorus*.  
*grandifolius*, Linn. Sp. Pl. 981.—Am. austr.  
*grandifolius*, Spreng. Syst. iii. 22 = *ovatus*.  
*grandisepalus*, Muell. Arg. in *Linnaea*, xxxiv. (1865-66) 72.—Austral.  
*graveolens*, H. B. & K. Nov. Gen. et Sp. ii. 112.—Am. austr.  
*Grayanus*, Muell. Arg. in *Flora*, xlviii. (1865) 380.—Ins. Tahiti.  
*Griffithii*, Muell. Arg. in *Linnaea*, xxxii. (1863) 27.—Reg. Himal.  
*Grisebachianus*, Muell. Arg. l. c. 26.—Cuba.  
*griseus*, Wall. Cat. n. 7918 = *reticulatus*, *glaucus*, Wall., *Fluggea microcarpa*.  
*Gueinzii*, Muell. Arg. in *Linnaea*, xxxii. (1863) 18.—Afr. austr.  
*guianensis*, Klotzsch, in Hook. Lond. Journ. Bot. ii. (1843) 51 = *Schomburgkianus*.  
*Gunnii*, Hook. f. in Hook. l. c. vi. (1847) 284.—Tasmania.  
*guyanensis*, Muell. Arg. in *DC. Prod.* xv. ii. 376 = *attenuatus*.  
*gymnanthus*, Baill. *Adansonia*, ii. (1861-62) 240 = *Bischofia javanica*.  
*hakgalensis*, Thw. ex Trimen, Syst. Cat. Pl. Ceyl. 80.—Zeylan.  
*Hamiltonianus*, Muell. Arg. in *Linnaea*, xxxiv. (1865-66) 75.—Reg. Himal.  
*Hamrur*, Forsk. Fl. Aegypt. Arab. 159.—Arab.  
*Hasskarlianus*, Muell. Arg. in *Linnaea*, xxxii. (1863) 16.—Java.  
*hebecarpus*, Benth. Fl. Austral. vi. 108.—Austral.  
*Helferi*, Muell. Arg. in *Flora*, xlviii. (1865) 372.—Burma.  
*heliotropus*, Wright, ex Griseb. in Goett. Nachr. (1865) 167.—Cuba.  
*heteradenius*, Muell. Arg. in *Mart. Fl. Bras.* xi. ii. 63.—Bras.  
*heterodoxus*, Muell. Arg. in *DC. Prod.* xv. ii. 321.—Ins. Fiji.  
*heterophyllus*, E. Mey. ex Muell. Arg. in *Linnaea*, xxxii. (1863) 43.—Afr. austr.  
*Heyneanus*, Muell. Arg. l. c. 49 = *longiflorus*.  
*Heyneanus*, Muell. Arg. in *Flora*, xlviii. (1865) 389 = *Glochidion Heyneanum*.  
*hirsutus*, Muell. Arg. l. c. 371 = *Glochidion hirsutum*.  
*hirtellus*, Muell. Arg. in *DC. Prod.* xv. ii. 326.—Austral.

## PHYLLANTHUS:—

- hirtellus*, F. Muell. ex Muell. Arg. in *Linnaea*, xxxii. (1863) 22 = *thymoides*.  
*Hoffmannseggii*, Muell. Arg. l. c. 45 = *diffusus*.  
*Hoffmeisteri*, Klotzsch, in Bot. Ergeb. Waldem. Reise, 117 = *Andrachne cordifolia*.  
*Hohenackeri*, Muell. Arg. in *Flora*, xlviii. (1865) 373 = *Glochidion Hohenackeri*.  
*hongkongensis*, Muell. Arg. l. c. 371 = *Glochidion hongkongense*.  
*Hookeri*, Muell. Arg. in *Linnaea*, xxxii. (1863) 19 = *P. Urinaria*.  
*humilis*, Salisb. Prod. 391 = *P. Niruri*.  
*hypoleucus*, Muell. Arg. in *Flora*, xlviii. (1865) 374.—Sumatra.  
*hypoleucus*, Muell. Arg. in *Linnaea*, xxxii. (1863) 40 = *lacteus*.  
*hyssopifolioides*, H. B. & K. Nov. Gen. et Sp. ii. 108.—Am. trop.  
*hyssopifolius*, Muell. Arg. in *DC. Prod.* xv. ii. 390 = *praec.*  
*hysteranthus*, Muell. Arg. in *Linnaea*, xxxii. (1863) 52 = *indicus*.  
*incurvus*, Sond. l. c. xxiii. (1850) 135 = *heterophyllus*.  
*incurvus*, Thunb. Prod. Pl. Cap. 24.—Afr. austr.  
*indicus*, Muell. Arg. in *Linnaea*, xxxii. (1863) 52.—Ind. or.  
*indigoferoides*, Benth. Fl. Austral. vi. 110.—Austral.  
*indigoferoides*, A. Cunn. ex Benth. l. c. 104 = *Gastroemi*.  
*insignis*, Muell. Arg. in *DC. Prod.* xv. ii. 1271.—Java.  
*insulanus*, Muell. Arg. in *Flora*, xlviii. (1865) 387 = *Glochidion insulanum*.  
*introducatus*, Steud. Nom. ed. II. ii. 327 = *Andrachne fruticosa*.  
*jacobinensis*, Muell. Arg. in *Linnaea*, xxxii. (1863) 6.—Bras.  
*jamaicensis*, Griseb. Fl. Brit. W. Ind. 34 = *reticulatus*.  
*janeirensis*, Muell. Arg. in *Mart. Fl. Bras.* xi. ii. 45.—Bras.  
*japonicus*, Muell. Arg. in *Linnaea*, xxxii. (1863) 52.—Japan.  
*Jardini*, Muell. Arg. l. c. 21.—Ins. Pacif.  
*javanensis*, Poir. ex Spreng. Syst. iii. 21 = *maderaspatensis*.  
*javanicus*, Muell. Arg. in *DC. Prod.* xv. ii. 363, in syn. = *maderaspatensis*.  
*javanicus*, Muell. Arg. in *Linnaea*, xxxii. (1863) 50.—Java.  
*juglandifolius*, Willd. Enum. Hort. Berol. Suppl. 64 = *grandifolius*.  
*juncus*, Muell. Arg. in *DC. Prod.* xv. ii. 411.—Cuba.  
*juniperinoides*, Muell. Arg. in *Linnaea*, xxxii. (1863) 18 = *Lawii*.  
*juniperinus*, Wall. Cat. n. 7901 = *parvifolius*.  
*Jussieuianus*, Muell. Arg. in *Flora*, xlviii. (1865) 386 = *Glochidion rigidum*.  
*kanalensis*, Baill. *Adansonia*, ii. (1861-62) 234 = *Glochidion Lenormandi*.  
*kanalophilus*, Muell. Arg. in *Flora*, xlviii. (1865) 375 = *Glochidion kanalense*.  
*khasicus*, Muell. Arg. l. c. 389.—Ind. or.  
*Kipareh*, Muell. Arg. l. c. 373 = *Glochidion glaucum*, *Blume*.  
*Kirganelia*, Blanco, Fl. Filip. ed. II. 480 = *P. Niruri*.  
*Kirganelia*, Willd. Sp. Pl. iv. 587 = *P. Casticum*.  
*Kirkianus*, Muell. Arg. in *Flora*, xlvii. (1864) 486.—Afr. trop.  
*Klotzschianus*, Muell. Arg. in *Linnaea*, xxxii. (1863) 53.—Bras.  
*Kollmannianus*, Muell. Arg. in *Flora*, xlviii. (1865) 378.—Java.  
*Korthalsii*, Muell. Arg. l. c. 377.—Borneo.  
*Kunthiana*, Baill. Etud. Gén. Euph. 629 = *salviaefolius*.  
*Kurjianus*, Muell. Arg. in *DC. Prod.* xv. ii. 1272.—Java.  
*lacteus*, Muell. Arg. l. c. 402.—Bras.  
*lacunarius*, F. Muell. in Trans. Phil. Soc. Vict. i. (1855) 14.—Austral.  
*laevigatus*, Muell. Arg. in *Flora*, xlviii. (1865) 374.—Burma; Malaya.  
*lagoënsis*, Muell. Arg. in *Mart. Fl. Bras.* xi. ii. 65.—Bras.  
*Lambertianus*, Muell. Arg. in *Flora*, xlviii. (1865) 372. = *Glochidion Lambertianum*.  
*lamprophyllus*, Muell. Arg. in *DC. Prod.* xv. ii. 324.—Java.

## PHYLLANTHUS:—

- lanceolarius*, Muell. Arg. in *Flora*, xlviii. (1865) 371 = *Glochidion lanceolarium*.  
*lanceolatus*, Poir. Encyc. v. 299.—Ins. Mauriti.  
*lasiogynus*, Muell. Arg. in *DC. Prod.* xv. ii. 357.—Bras.  
*lathyroides*, H. B. & K. Nov. Gen. et Sp. ii. 110.—Mexic.  
*latifolius*, Sw. Fl. Ind. Occ. ii. 1109.—Jamaic.  
*laurifolius*, A. Rich. Fl. Cub. Fanerog. ii. 216 = *Savia sessiliflora*.  
*Lawii*, F. Grah. Cat. Pl. Bomb. 181.—Ind. or.  
*laxiflorus*, Benth. Pl. Hartw. 90.—Guatemala.  
*ledifolius*, A. Cunn. ex Benth. Fl. Austral. vi. 109 = *thymoides*.  
*lepidocarpus*, Sieb. & Zucc. in Abh. Acad. Muench. iv. ii. (1843) 143 = *P. Urinaria*.  
*leptocarpus*, Wight, Ic. t. 1895<sup>4</sup> = *P. Urinaria*.  
*leptocaulus*, Muell. Arg. in *Mart. Fl. Bras.* xi. ii. 47.—Bras.  
*leptoclados*, Benth. Fl. Hongk. 312.—Ins. Hongkong.  
*leptogynus*, Muell. Arg. in *Flora*, xlviii. (1865) 389 = *Glochidion Gardneri*.  
*leptophyllus*, Muell. Arg. in *DC. Prod.* xv. ii. 411.—Bras.  
*Leschenaultii*, Muell. Arg. in *Linnaea*, xxxii. (1863) 37.—Ind. or.  
*leucogynus*, Muell. Arg. in *Flora*, xlviii. (1865) 75.—Java.  
*leucophyllus*, Strach. & Winterb. ex Baill. Etud. Gén. Euph. 593 = *Fluggea microcarpa*.  
*leucopyrus*, Koen. ex Roxb. Hort. Beng. 69; Fl. Ind. iii. 658 = *Fluggea Leucopyrus*.  
*Lhotskyanus*, Hochst. ex Steud. Nom. ed. II. ii. 327 = *Micranthemum ericoides*.  
*Liebmännianus*, Muell. Arg. in *DC. Prod.* xv. ii. 366.—Mexic.  
*Lindbergii*, Muell. Arg. in *Mart. Fl. Bras.* xi. ii. 35.—Bras.  
*Lindenianus*, Baill. *Adansonia*, ii. (1861-62) 13 = *cyclanthera*.  
*linearis*, Mart. in Nov. Act. Nat. Cur. xi. (1823) 38 = *flagelliformis*.  
*linearis*, Sw. Fl. Ind. Occ. ii. 1113.—Jamaic.  
*linearis*, Wall. Cat. n. 7906 = *maderaspatensis*.  
*linifolius*, Vahl, ex Baill. *Adansonia*, i. (1860-61) 84 = *pentandrus*.  
*linoides*, Hochst. ex Baill. l. c. = *pentandrus*.  
*littoralis*, Muell. Arg. in *Flora*, xlviii. (1865) 370 = *Glochidion littorale*.  
*Llanosi*, Muell. Arg. l. c. 387 = *Glochidion Llanosi*.  
*loandensis*, Muell. Arg. in *Journ. Bot.* ii. (1864) 329.—Afr. trop.  
*lobocarpus*, Benth. Fl. Austral. vi. 97.—Austral.  
*longiflorus*, Heyne, ex Wall. Cat. n. 7905.—Ind. or.  
*longifolius*, Jacq. Hort. Schoenb. ii. 36 = *distichus*.  
*longifolius*, Lam. Illustr. iii. 348.—Ins. Mascar.  
*longifolius*, Sond. in *Linnaea*, xxiii. (1850) 135 = *maderaspatensis*.  
*longipes*, Muell. Arg. in *Linnaea*, xxxii. (1863) 11.—Ind. or.  
*Lonphali*, Herb. Madr. ex Wall. Cat. n. 7895 = *P. Niruri*.  
*loranthoides*, Baill. *Adansonia*, ii. (1861-62) 238.—N. Caled.  
*Loureirii*, Muell. Arg. in *DC. Prod.* xv. ii. 435 = *Briedelia tomentosa*.  
*Lucena*, Heyne, ex Roth, Nov. Pl. Sp. 185 = *Fluggea Leucopyrus*.  
*lucens*, Poir. Encyc. v. 206 = *Andrachne fruticosa*.  
*lucidus*, Hort. ex Steud. Nom. ed. II. ii. 327 = *Fluggea microcarpa*.  
*lucidus*, Muell. Arg. in *Flora*, xlviii. (1865) 370 = *Glochidion lucidum*.  
*lutescens*, Muell. Arg. l. c. 377 = *Glochidion lutescens*.  
*lycioides*, H. B. & K. Nov. Gen. et Sp. ii. 112 = *acuminatus*.  
*Macraei*, Muell. Arg. in *Linnaea*, xxxii. (1863) 29.—Ind. or.  
*macrocalyx*, Muell. Arg. l. c. 48.—Ind. or.  
*macrocarpus*, Muell. Arg. in *Flora*, xlviii. (1865) 370 = *Glochidion macrocarpum*.  
*macrochorion*, Baill. *Adansonia*, ii. (1861-62) 232 = *Glochidion macrochorion*.  
*macrophyllus*, Muell. Arg. in *Flora*, xlviii. (1865) 370 = *Glochidion macrophyllum*, Muell. Arg.  
*macrostachyus*, Muell. Arg. in *Linnaea*, xxxii. (1863) 16 = *Picramnia Antidesma*.



## PHYLLANTHUS:—

- madagascariensis, *Muell. Arg. in Linnaea*, xxxii. (1863) 35.—Madag.  
*maderaspatensis*, Forsk. *Fl. Aegypt. Arab.* 159 = tenellus.  
*maderaspatensis*, Linn. *Sp. Pl.* 982.—Geront. trop.  
*maderaspatensis*, Sesse & Moç. ex Baill. *Adansonia*, i. (1860–61) 25 = polygonoides.  
*maderaspatensis*, Thou. ex Baill. *Adansonia*, ii. (1861–62) 46 = nummulariaefolius.  
*malabaricus*, *Muell. Arg. in Linnaea*, xxxiv. (1865–66) 69 = Glochidion malabaricum.  
Mannianus, *Muell. Arg. in Flora*, xlvii. (1864) 514.—Afr. trop.  
Manono, *Muell. Arg. l. c.* xlviii. (1865) 377.—Ins. Tahiti.  
marginatus, Herb. Heyne, ex Wall. *Cat. n.* 7899 A = simplex.  
marianus, *Muell. Arg. in Linnaea*, xxxii. (1863) 17.—Ins. Marian.  
Martii, *Muell. Arg. in Mart. Fl. Bras.* xi. ii. 27.—Bras.  
Melleri, *Muell. Arg. in Flora*, xlvii. (1864) 514.—Madag.  
Meyerianus, *Muell. Arg. in Linnaea*, xxxii. (1863) 42.—Afr. austr.  
micrandrus, *Muell. Arg. l. c.* 27.—Venezuela.  
micranthoides, Baill. *Adansonia*, ii. (1861–62) 238.—N. Caled.  
micranthus, A. Rich. *Fl. Cub. Fanerog.* ii. 216.—Cuba.  
microcarpus, *Muell. Arg. in Linnaea*, xxxii. (1863) 51 = reticulatus.  
microcladus, *Muell. Arg. l. c.* xxxiv. (1865–66) 71.—Austral.  
microdendron, *Muell. Arg. in Journ. Bot.* ii. (1864) 330.—Afr. trop.  
microphyllinus, *Muell. Arg. l. c.* 331.—Afr. trop.  
microphyllus, H. B. & K. *Nov. Gen. et Sp.* ii. 109.—Venezuela.  
microphyllus, Klotzsch, in Hook. *Lond. Journ. Bot.* ii. (1843) 51 = diffusus.  
microphyllus, Mart. *Reise Bras.* i. 285 = lathyroides.  
mimosaeifolius, Salisb. *Prod.* 391 = P. Emblica.  
mimosoides, Lodd. *Bot. Cab. t.* 721 = lathyroides.  
mimosoides, Sw. *Prod. Veg. Ind. Occ.* 27.—Ind. occ.  
minimus, Wright, in Sauv. *Fl. Cub.* 122.—Cuba.  
minutiflorus, F. *Muell. ex Muell. Arg. in Linnaea*, xxxiv. (1865–66) 75.—Austral.  
minutulus, *Muell. Arg. in Mart. Fl. Bras.* xi. ii. 54.—Bras.  
Miquelianus, *Muell. Arg. in Linnaea*, xxxii. (1863) 33 = simplex.  
mirabilis, *Muell. Arg. in Flora*, xlvii. (1864) 513.—Siam.  
Mitchelli, Benth. *Fl. Austral.* vi. 103.—Austral.  
Mocinianus, Baill. *Adansonia*, i. (1860–61) 35.—Mexic.  
mollis, *Muell. Arg. in Flora*, xlviii. (1865) 387.—Java.  
moluccanus, *Muell. Arg. l. c.* 380 = Glochidion moluccanum.  
montanus, Sw. *Fl. Ind. Occ.* ii. 1117.—Jamaic.  
montevideensis, *Muell. Arg. in Linnaea*, xxxii. (1863) 37.—Reg. Argent.  
Moonii, *Muell. Arg. in DC. Prod.* xv. ii. 312 = Glochidion Moonii.  
mucronatus, H. B. & K. *Nov. Gen. et Sp.* ii. 112 = acuminatus.  
mucronatus, Wall. *Cat. n.* 7893 = P. Urinaria.  
multicaulis, *Muell. Arg. in Linnaea*, xxxii. (1863) 18.—Afr. austr.  
multiflorus, Poir. *Encyc. v.* 298.—Madag.  
multiflorus, Willd. *Sp. Pl.* iv. 581 = reticulatus.  
multilocularis, *Muell. Arg. in Flora*, xlviii. (1865) 370 = Glochidion multiloculare.  
muricatus, Herb. Madr. ex Wall. *Cat. n.* 7893 D = P. Urinaria.  
myrianthus, *Muell. Arg. in DC. Prod.* xv. ii. 317.—N. Caled.  
Myrsinites, H. B. & K. *Nov. Gen. et Sp.* ii. 111.—Am. austr.  
myrtaceus, Sond. in *Linnaea*, xxiii. (1850) 134.—Afr. austr.  
myrtifolius, Moon, *Cat. Pl. Ceyl.* 65.—Zeylan.  
myrtifolius, Wall. *Cat. n.* 7940 = reticulatus.  
myrtilloides, Griseb. in *Mem. Am. Acad. N. S.* viii. (1861) 158.—Cuba.

## PHYLLANTHUS:—

- Myrtillus, Wall. *Cat. n.* 7892 D = Sauropus quadrangularis.  
nanogynus, *Muell. Arg. in Flora*, xlviii. (1865) 376.—Malaya.  
Naviluri, Miq. ex *Muell. Arg. in Linnaea*, xxxii. (1863) 75 (Breyneia sp.).—Ind. or.  
neilgherrensis, *Muell. Arg. in Flora*, xlviii. (1865) 385 = Glochidion neilgherrense.  
nemoralis, *Muell. Arg. l. c.* 389 = Glochidion nemorale.  
nemorum, Russ. ex Wall. *Cat. n.* 7897 B; *Muell. Arg. in Linnaea*, xxxiv. (1865–66) 70.—Ind. or.  
neo-granatensis, *Muell. Arg. l. c.* xxxii. (1863) 10.—N. Granat.  
neopeltandrus, Griseb. in *Goett. Nachr.* (1865) 167.—Cuba.  
nepalensis, *Muell. Arg. in Flora*, xlviii. (1865) 375 = Glochidion velutinum.  
nephradenius, *Muell. Arg. in DC. Prod.* xv. ii. 423 = longiflorus.  
neurocarpus, *Muell. Arg. in Linnaea*, xxxiv. (1865–66) 69.—Mexic.  
nigrescens, *Muell. Arg. in DC. Prod.* xv. ii. 348.—Ins. Philipp.  
Niruri, Blanco, *Fl. Filip.* ed. I. 690 = Blancoanus.  
Niruri, Griseb. in *Mem. Am. Acad. N. S.* viii. (1861) 158 = pruinosis, carnosulus, tenuicaulis.  
Niruri, Linn. *Sp. Pl.* 981.—Reg. trop.  
Niruri, Schlecht. & Cham. in *Linnaea*, v. (1830) 87 = lathyroides.  
Niruri, Thunb. *Fl. Jap.* 56 = P. Urinaria.  
Niruri, Vell. *Fl. Flum.* x. t. 16 = acutifolius.  
Niruri, Wall. *Cat. n.* 7894 = maderaspatensis.  
Niruri, Wall. *l. c.* n. 7895 A = rotundifolius.  
niruroides, *Muell. Arg. in Journ. Bot.* ii. (1864) 331.—Afr. trop.  
nitidulus, *Muell. Arg. in DC. Prod.* xv. ii. 1272.—Java.  
nitidus, Herb. Reinw. ex Blume, *Mus. Bot. Lugd. Bat.* ii. 110 = Eurya japonica.  
nitidus, *Muell. Arg. in Flora*, xlviii. (1865) 371 = Glochidion zeylanicum.  
nivosus, Bull. *Cat.* (1873) 9; W. G. Sm. *Flor. Mag.* N. S. (1874) t. 120.—Ins. Pacif.  
nobilis, *Muell. Arg. in DC. Prod.* xv. ii. 414.—Guian.  
Novae-Hollandiae, Baill. *Adansonia*, vi. (1866) 343 = baccatus.  
Novae-Hollandiae, *Muell. Arg. in DC. Prod.* xv. ii. 346.—Austral.  
nummulariaefolius, Poir. *Encyc. v.* 302, partim.—Madag.  
nummulariaefolius, Poir. *l. c.*, partim = orbiculatus.  
nummularioides, *Muell. Arg. in Linnaea*, xxxii. (1863) 5.—Ins. S. Doming.  
nutans, Sw. *Prod. Veg. Ind. Occ.* 27.—Jamaic.  
obcordatus, Hort. ex Willd. *Enum. Hort. Berol. Suppl.* 65 = maderaspatensis.  
obliquus, *Muell. Arg. in Flora*, xlviii. (1865) 371 = Glochidion zeylanicum.  
obliquus, Wall. *Cat. n.* 7947 = Wightianus.  
oblongifolius, Dennst. *Schluess. Hort. Malab.* 31 = Breyneia rhamnoides.  
obovatus, Muell. *Arg. in Flora*, xlviii. (1865) 387 = Glochidion obovatum.  
obovatus, Muhl. ex Willd. *Sp. Pl.* iv. 574 = carolinensis.  
obscurus, Willd. *l. c.* 581 = Glochidion obscurum.  
obtusatus, *Muell. Arg. in DC. Prod.* xv. ii. 433.—Bras.  
obtusatus, Schrank, in Syll. *Ratisb.* ii. (1828) 65 = Fluggea microcarpa.  
ochrophyllus, Benth. *Fl. Austral.* vi. 99.—Austral.  
octomerus, *Muell. Arg. in Mart. Fl. Bras.* xi. ii. 30.—Bras.  
odontadenius, *Muell. Arg. in Journ. Bot.* ii. (1864) 331.—Afr. trop.  
oligotrichus, *Muell. Arg. in Flora*, xlviii. (1865) 379.—Java.  
oppositifolius, Baill. *Adansonia*, ii. (1861–62) 53, nomen; *Muell. Arg. in Linnaea*, xxxii. (1863) 24.—Ins. Maurit.  
orbicularis, H. B. & K. *Nov. Gen. et Sp.* ii. 111. t. 106.—Am. austr.  
orbiculatus, Rich. in *Act. Soc. Hist. Nat. Par.* i. (1792) 113.—Am. trop.  
oreophilus, *Muell. Arg. in Linnaea*, xxxii. (1863) 49.—Zeylan.

## PHYLLANTHUS:—

- ornatus, *Muell. Arg. in Flora*, xlviii. (1865) 390 = Glochidion ornatum.  
ovalifolius, Forsk. *Fl. Aegypt. Arab.* 159.—Arab.  
ovalis, E. Mey. ex Sond. in *Linnaea*, xxiii. (1850) 135 = Andrachne ovalis.  
ovatus, Desf. ex Poir. *Encyc. Suppl.* iv. 404 (Quid?).—Hab.?  
ovatus, Poir. *Encyc. v.* 297.—Ins. Martinic.  
oxycarpus, *Muell. Arg. in DC. Prod.* xv. ii. 1270.—Sumatra.  
oxycladus, *Muell. Arg. in Linnaea*, xxxii. (1863) 26 = Pavonianus.  
oxyphyllus, Miq. *Fl. Ind. Bat. Suppl.* 448 = frondosus.  
oxyphyllus, *Muell. Arg. in Linnaea*, xxxii. (1863) 40 = acutifolius.  
pachyphyllus, *Muell. Arg. in DC. Prod.* xv. ii. 353 = coriaceus.  
pacificus, *Muell. Arg. in Linnaea*, xxxii. (1863) 31.—Ins. Pacif.  
pallidifolius, *Muell. Arg. in DC. Prod.* xv. ii. 424 = pulcher.  
pallidus, *Muell. Arg. l. c.* 283 = pulcher.  
pallidus, Wright, ex Griseb. in *Goett. Nachr.* (1865) 168.—Cuba.  
Pancherianus, Baill. *Adansonia*, ii. (1861–62) 235 = Glochidion Pancherianum.  
paraguayensis, Parodi, in *Anal. Soc. Cient. Argent.* xi. (1881) 50.—Paraguay.  
parvifolius, Buch.-Ham. ex D. Don, *Prod. Fl. Nep.* 63.—Reg. Himal.  
parvifolius, Steud. *Nom. ed.* II. ii. 327 = lathyroides.  
parvulus, Sond. in *Linnaea*, xxiii. (1850) 132 = tenellus.  
patens, Miq. ex *Muell. Arg. in Linnaea*, xxxii. (1863) 34 = simplex.  
patens, Roxb. *Hort. Beng.* 69; *Fl. Ind.* iii. 667 (Breyneia sp.).—Ind. or.  
Pavonianus, Baill. *Adansonia*, i. (1860–61) 30.—Peruv.  
peduncularis, Boiv. ex Baill. *l. c.* ii. (1861–62) 46 = nummulariaefolius.  
pedunculatus, Kostel. *Allg. Med.-Pharm. Fl.* v. 1769.—Ind. or.  
Peltandrus, *Muell. Arg. in Linnaea*, xxxii. (1863) 11 = Thwaitesianus.  
penangensis, *Muell. Arg. in Flora*, xlviii. (1865) 388.—Ind. or.  
pendulus, Roxb. *Hort. Beng.* 69; *Fl. Ind.* iii. 662.—Ind. or.  
pentandrus, Roxb. ex Thw. *Enum. Pl. Zeyl.* 282 = reticulatus.  
pentandrus, Schum. & Thonn. *Beskr. Guin. Pl.* 419.—Afr. trop.  
pentaphyllus, Wright, ex Griseb. in *Goett. Nachr.* (1865) 167 = P. Niruri.  
perpusillus, Baill. *Adansonia*, v. (1864–65) 358.—Bras.  
Perrottetianus, *Muell. Arg. in Flora*, xlviii. (1865) 387 = Glochidion neilgherrense.  
persimilis, *Muell. Arg. in Linnaea*, xxxii. (1863) 34.—N. Caled.  
Pervilleanus, *Muell. Arg. l. c.* 13.—Afr. austr.  
petiolaris, Roxb. *Hort. Beng.* 104; *Fl. Ind.* iii. 664.—Ind. or.  
philippinensis, *Muell. Arg. in Flora*, xlviii. (1865) 376, 377 = Glochidion philippinense.  
phillyreaefolius, Poir. *Encyc. v.* 299.—As. trop.; Ins. Mascar.  
physocarpus, *Muell. Arg. in Flora*, xlvii. (1864) 515.—Afr. trop.  
pilosus, *Muell. Arg. in DC. Prod.* xv. ii. 432.—Cochinch.  
piluliferus, Fenzl, in *Flora*, xxvii. (1844) 312 = pentandrus.  
pimeleoides, A. DC. 9<sup>mo</sup> Not. *Pl. Rar. Jard. Genève* 15 = calycinus.  
pinifolius, Baill. *Adansonia*, v. (1864–65) 353.—Bras.  
piscatorum, H. B. & K. *Nov. Gen. et Sp.* ii. 113.—Venezuela.  
Placenta, Hassk. in Hoef. & De Vriese, *Tijdschr.* xi. (1844) 225 = seq.  
placentatus, Noronha, in Verh. *Batav. Gen.* v. (1790) ed. I. Art. iv. 22 = Sauropus rhamnoides?  
platycalyx, *Muell. Arg. in DC. Prod.* xv. ii. 318.—N. Caled.



**PHYLLANTHUS:—**

podocarpus, *Muell. Arg. in Flora*, xlviii. (1865) 388.—  
Ins. Fiji.  
*Poeppigianus*, *Muell. Arg. in DC. Prod.* xv. II. 323 =  
Glochidion *Poeppigianum*.  
*Pohlmanus*, *Muell. Arg. in Mart. Fl. Bras.* xi. II. 49.  
—Bras.  
*Poirietianus*, *Muell. Arg. in Linnaea*, xxxii. (1863) 39  
= orbiculatus.  
polycarpus, *Muell. Arg. in Flora*, xlviii. (1865) 387.—  
Hab.?  
*polygamus*, *Hochst. ex A. Rich. Tent. Fl. Abyss.* ii.  
256 = *Fluggea microcarpa*.  
polygonoides, *Spreng. Syst.* iii. 23.—Am. bor.  
*polymorphus*, *Muell. Arg. in Linnaea*, xxxii. (1863) 24  
= *phillyreaefolius*.  
*polyphyllus*, *Dalz. & Gibs. Bomb. Fl.* 234 = *Lawii*.  
*polyphyllus*, *Herb. Wight, ex Wall. Cat. n.* 7895 D =  
*P. Niruri*.  
*polyphyllus*, *Wall. Cat. n.* 7893 D = *P. Urinaria*.  
*polyphyllus*, *Willd. Sp. Pl.* iv. 586.—Ind. or.  
*polyspermus*, *Schum. & Thonn. Beskr. Guin. Pl.* 416 =  
*reticulatus*.  
*pomaceus*, *Moon, Cat. Pl. Ceyl.* 65 (*Breynia* sp.).—  
Zeylan.  
*praetervisus*, *Muell. Arg. in Linnaea*, xxxiv. (1865–66)  
73 = *parvifolius*.  
*pratensis*, *Panch. ex Baill. Adansonia*, ii. (1861–62)  
237 = *simplex*.  
*Preissianus*, *Klotzsch, in Lehm. Pl. Preiss.* i. 179 =  
*calycinus*.  
*Prieurianus*, *Muell. Arg. in Linnaea*, xxxii. (1863) 12  
= *reticulatus*.  
*procerus*, *Wright, in Sauv. Fl. Cub.* 125.—Cuba.  
*prostratus*, *Muell. Arg. in Journ. Bot.* ii. (1864) 330.  
—Afr. trop.  
*pruinosis*, *Poepp. ex A. Rich. Fl. Cub. Fanerog.* ii.  
216.—Cuba.  
*Pseudo-cicca*, *Griseb. in Goett. Nachr.* (1865) 166.—  
Cuba.  
*Pseudo-conami*, *Muell. Arg. in Mart. Fl. Bras.* xi. II.  
43.—Am. austr.  
*Pseudo-niruri*, *Muell. Arg. in Flora*, xlvii. (1864) 539.  
—Afr. trop.  
*puberulus*, *Miq. ex Baill. Etud. Gén. Euph.* 614 = *reti-*  
*culatus*.  
*puberulus*, *Muell. Arg. in Flora*, xlviii. (1865) 387 =  
Glochidion *sinicum*.  
*pubescens*, *Klotzsch, in Nov. Act. Nat. Cur. xix. Suppl.*  
i. (1843) 420 = *Glochidion Llanosi*.  
*pubescens*, *Moon, Cat. Pl. Ceyl.* 65 = *Glochidion*  
*Moonii*.  
*pubescens*, *Wall. Cat. n.* 7917 A, B = *Breynia discigera*.  
*pubigerus*, *A. Rich. Fl. Cub. Fanerog.* ii. 216 = *Savia*  
*sessiliflora*.  
*pulchellus*, *Endl. in Enum. Pl. Hueg.* 19 = *calycinus*.  
*pulcher*, *Wall. Cat. n.* 7908.—Malaya.  
*pumilus*, *Muell. Arg. in DC. Prod.* xv. II. 349.—Ins.  
Philipp.  
*purpurascens*, *H. B. & K. Nov. Gen. et Sp.* ii. 110 =  
*lathyroides*.  
*purpureus*, *Muell. Arg. in Journ. Bot.* ii. (1864) 329.  
—Afr. trop.  
*purpureus*, *Wright, ex Griseb. in Goett. Nachr.* (1865)  
168 = *erythrinus*.  
*pyncocarpus*, *Muell. Arg. in Flora*, xlviii. (1865) 386 =  
*Glochidion pyncocarpum*.  
*pyncophyllus*, *Muell. Arg. in DC. Prod.* xv. II. 322 =  
*Glochidion microphyllum*.  
*quadrangularis*, *Klein, ex Willd. Sp. Pl.* iv. 585 =  
*Sauropus quadrangularis*.  
*quercinus*, *Muell. Arg. in Flora*, xlviii. (1865) 386.—  
Java.  
*quinquefidus*, *Sesse & Moç. ex Baill. Adansonia*, i.  
(1860–61) 39 = *grandifolius*.  
*racemifer*, *Steud. Nom. ed. II.* ii. 327 = *Breynia race-*  
*mosa*.  
*racemigerus*, *Muell. Arg. in Linnaea*, xxxii. (1863) 23.  
—Bras.  
*racemosus*, *Heyne, ex Wall. Cat. n.* 7902 = *poly-*  
*phyllus*.  
*racemosus*, *Linn. f. Suppl.* 415 = *Agyneia bacci-*  
*formis*.  
*ramiflorus*, *Muell. Arg. in Flora*, xlviii. (1865) 374 =  
*Glochidion ramiflorum*.  
*ramiflorus*, *Pers. Syn.* ii. 591 = *Securinega ramiflora*.  
*ramillosus*, *Muell. Arg. in Linnaea*, xxxii. (1863) 36.  
—Bras.

**PHYLLANTHUS:—**

*ramosissimus*, *Muell. Arg. in Linnaea*, xxxiv. (1865–66)  
70.—Austral.  
*ramosus*, *Vell. Fl. Flum. x. t.* 17 = *cladotrichus*.  
*reclinatus*, *Roxb. Hort. Beng.* 69; *Fl. Ind.* iii. 669 =  
*Breynia racemosa*.  
*Regnellianus*, *Muell. Arg. in Mart. Fl. Bras.* xi. II.  
58.—Bras.  
*Reichenbachianus*, *Sieber, ex Baill. Adansonia*, i.  
(1860–61) 80 = *Fluggea microcarpa*.  
*Reinwardtii*, *Muell. Arg. in Flora*, xlviii. (1865) 379.  
—Java.  
*reticulatus*, *Lodd. Bot. Cab. t.* 116 = *nutans*.  
*reticulatus*, *Poir. Encyc.* v. 298.—Geront. trop.  
*retusus*, *Dennst. Schluess. Hort. Malab.* 31 (*Breynia*  
sp.).—Ind. or.  
*retusus*, *Roxb. Hort. Beng.* 69; *Fl. Ind.* iii. 657 =  
*Fluggea microcarpa*.  
*revolutus*, *E. Mey. ex Sond. in Linnaea*, xxiii. (1850)  
135 = *myrtaceus*.  
*rhabdocarpus*, *Muell. Arg. in DC. Prod.* xv. II. 1271.  
—Java.  
*rhamnoides*, *Boj. ex Muell. Arg. l. c.* 435 = *Breynia*  
*racemosa*.  
*rhamnoides*, *Retz. Obs. v.* 30; *Willd. Sp. Pl.* iv. 580 =  
*Breynia rhamnoides*.  
*rhamnoides*, *Roxb. Hort. Beng.* 104; *Fl. Ind.* iii. 663  
= *Sauropus quadrangularis*.  
*rhamnoides*, *Wall. Cat. n.* 7911 B (= *Melanthesopsis*  
*patens*).—Ind. or.  
*Rheedii*, *Wight, Ic. t.* 1895.—Ind. or.  
*rhomboidalis*, *Muell. Arg. in Linnaea*, xxxii. (1863)  
52.—Madag.  
*rhytidosperrum*, *Muell. Arg. l. c.* xxxiv. (1865–66) 70.  
—Austral.  
*Riedelianus*, *Muell. Arg. l. c.* xxxii. (1863) 16.—Bras.  
*rigens*, *Muell. Arg. in Flora*, xlvii. (1864) 513, in  
obs.—Austral.  
*rigidulus*, *Muell. Arg. in Linnaea*, xxxiv. (1865–  
66) 72.—Austral.  
*rigidus*, *Tate, in Trans. Roy. Soc. S. Austral.* vi.  
(1883) 101.—Austral.  
*Roemerianus*, *Scheele, in Linnaea*, xxv. (1852) 583 =  
*Andrachne Roemeriana*.  
*Roepertianus*, *Wall. Cat. n.* 7904; *Muell. Arg. in*  
*Linnaea*, xxxii. (1863) 28.—Reg. Himal.  
*rosellus*, *Muell. Arg. in Mart. Fl. Bras.* xi. II. 53.—  
Bras.  
*rosmarinifolius*, *Muell. Arg. l. c.* 60.—Bras.  
*rotundatus*, *Herb. Wight, ex Wall. Cat. n.* 7928 D =  
*Fluggea microcarpa*.  
*rotundatus*, *Poir. Encyc.* v. 297.—Ind. or.  
*rotundifolius*, *Klein, ex Willd. Sp. Pl.* iv. 584.—Ind.  
or.; Afr. trop.  
*rotundifolius*, *Wall. Cat. n.* 7892 D = *Sauropus quad-*  
*rangularis*.  
*Roxburghii*, *Muell. Arg. in Linnaea*, xxxii. (1863) 47.  
—Reg. Himal.  
*rubellus*, *Muell. Arg. in DC. Prod.* xv. II. 379.—Peruv.  
*rubens*, *Boj. ex Baker, Fl. Maurit.* 309 = *P. Urinaria*.  
*rubens*, *Noronha, in Verh. Batav. Gen. v.* (1790) ed. I.  
Art. iv. 22 = *Breynia rubra*.  
*rubens*, *Spreng. Syst.* iii. 22.—Cochinch.  
*rudidulus*, *Muell. Arg. in Linnaea*, xxxii. (1863) 29.—  
N. Caled.  
*rufo-glaucus*, *Muell. Arg. in Flora*, xlviii. (1865) 372.  
—Java.  
*rupestris*, *H. B. & K. Nov. Gen. et Sp.* ii. 110.—  
Bras.  
*ruscifolius*, *Muell. Arg. in DC. Prod.* xv. II. 358.—  
N. Granat.  
*ruscoides*, *H. B. K. Nov. Gen. et Sp.* ii. 113 =  
*acuminatus*.  
*salicifolius*, *Baill. Adansonia*, ii. (1861–62) 239 =  
*Glochidion salicifolium*.  
*salviaefolius*, *H. B. & K. Nov. Gen. et Sp.* ii. 116.—Am.  
austr.  
*samarensis*, *Muell. Arg. in Linnaea*, xxxiv. (1865–66)  
73.—Ins. Philipp.  
*sandwicensis*, *Muell. Arg. l. c.* xxxii. (1863) 31.—  
Ins. Sandvic.  
*saxosus*, *F. Muell. l. c.* xxv. (1852) 441 = *Gunnii*.  
*scaber*, *Klotzsch, in Lehm. Pl. Preiss.* i. 179.—  
Austral.  
*scabrellus*, *Webb, in Hook. Niger Fl.* 175 = *rotundi-*  
*folius*, *P. Niruri*.  
*scandens*, *Herb. Roxb. ex Thw. Enum. Pl. Zeyl.* 282 =  
*reticulatus*.

**PHYLLANTHUS:—**

*scandens*, *Muell. Arg. in DC. Prod.* xv. II. 415.—  
Cuba.  
*Schomburgkianus*, *Muell. Arg. l. c.* 387.—Guian.  
*scoparius*, *Muell. Arg. in Mart. Fl. Bras.* xi. II. 74.—  
Bras.  
*scoparius*, *Welw. Apont.* 591 = *pentandrus*.  
*Seemannianus*, *Muell. Arg. in Flora*, xlviii. (1865)  
374.—Ins. Fiji.  
*Sellowianus*, *Muell. Arg. in Linnaea*, xxxii. (1863) 37.  
—Bras.  
*semicordatus*, *Muell. Arg. in Flora*, xlviii. (1865)  
376.—Java.  
*senensis*, *Muell. Arg. in DC. Prod.* xv. II. 335.—Afr.  
trop.  
*sepialis*, *Muell. Arg. in Bremen, Abh.* vii. (1880) 25.  
—Afr. trop.  
*sepiarius*, *Roxb. ex Wall. Cat. n.* 7914 = *Breynia*  
*rhamnoides*.  
*sericeus*, *Muell. Arg. in Flora*, xlviii. (1865) 390.—  
Java.  
*serissaefolius*, *Wall. Cat. n.* 7900 = *fasciculatus*.  
*sikkimensis*, *Muell. Arg. in Linnaea*, xxxii. (1863) 48  
= *Hamiltonianus*.  
*silheticus*, *Muell. Arg. in Flora*, xlviii. (1865) 378.—  
Ind. or.  
*similis*, *Muell. Arg. in Linnaea*, xxxiv. (1865–66) 71.  
—Austral.  
*simplex*, *Retz. Obs. v.* 29.—As. trop.; Ins. Pacif.  
*simplicaulis*, *Muell. Arg. in Linnaea*, xxxii. (1863)  
58.—Bras.  
*Simsianus*, *Wall. Cat. n.* 7920 = *Andrachne fruti-*  
*cosa*.  
*sinensis*, *Muell. Arg. in Linnaea*, xxxii. (1863) 12 =  
*reticulatus*.  
*singalensis*, *Muell. Arg. l. c.* 48.—Sumatra.  
*sinicus*, *Muell. Arg. l. c.* 50 = *nobilis*.  
*smilacifolius*, *Griseb. Fl. Brit. W. Ind.* 710. nomen.—  
Ins. Trinit.  
*societatis*, *Muell. Arg. in DC. Prod.* xv. II. 364.—  
Ins. Pacif.  
*spathulifolius*, *Griseb. in Goett. Nachr.* (1865) 169.—  
Cuba.  
*speciosus*, *Jacq. Coll.* ii. 360.—Jamaic.  
*speciosus*, *Noronha, in Verh. Batav. Gen. v.* (1790)  
ed. I. Art. iv. 22.—Malaya.  
*spectabilis*, *Hueg. ex Vis. in Att. Ist. Venez. Sc. Ser.* III.  
iv. (1858–59) 139 = *bicolor*.  
*sphaerogynus*, *Muell. Arg. in Flora*, xlviii. (1865) 375  
= *Glochidion sphaerogynum*.  
*spinescens*, *Wall. Cat. n.* 7934 = *reticulatus*.  
*spinulosus*, *Herb. Heyne, ex Wall. Cat. n.* 7897 A =  
*Lawii*.  
*sponiaefolius*, *Muell. Arg. in Linnaea*, xxxii. (1863)  
25.—Peruv.  
*Spruceanus*, *Muell. Arg. l. c.* 40.—Bras.  
*squamatus*, *Wright, in Sauv. Fl. Cub.* 123.—Cuba.  
*squamifolius*, *Spreng. Syst.* iii. 21.—Cochinch.  
*stellatus*, *Retz. Obs. v.* 29 = *Glochidion rigidum*.  
*stenocladus*, *Muell. Arg. in Flora*, xlviii. (1864) 536 =  
*Adami*.  
*stenopterus*, *Muell. Arg. in Linnaea*, xxxiv. (1865–66)  
74.—N. Granat.  
*stipulaceus*, *Boj. Hort. Maurit.* 230 = *maderaspr-*  
*tensis*.  
*Stocksii*, *Muell. Arg. in Linnaea*, xxxii. (1863) 51 =  
*indicus*.  
*strictus*, *Roxb. Hort. Beng.* 69; *Fl. Ind.* iii. 670 =  
*Sauropus albicans*.  
*stylosus*, *Griff. Itin. Notes*, 33, nomen = *Griffithii*.  
*subcarnosus*, *Wright, ex Griseb. in Goett. Nachr.*  
(1865) 168; *et in Sauv. Fl. Cub.* 125.—Cuba.  
*subcordatus*, *Baill. Adansonia*, ii. (1861–62) 53 =  
*phillyreaefolius*.  
*subcrenulatus*, *F. Muell. Fragm.* i. 108.—Austral.  
*submarginatus*, *Muell. Arg. in Linnaea*, xxxii. (1863)  
39.—Bras.  
*suberosus*, *Wight, ex Wall. Cat. n.* 7910.—Ind. or.  
*subglomeratus*, *Poir. Encyc.* v. 304 = *acuminatus*.  
*sublanatus*, *Schum. & Thonn. Beskr. Guin. Pl.* 420.  
—Afr. trop.  
*subobscurus*, *Muell. Arg. in DC. Prod.* xv. II. 1271.  
—Java.  
*subscandens*, *Muell. Arg. in Flora*, xlviii. (1865) 372.  
—Java.  
*suffultus*, *Wall. Cat. n.* 7939 (*Breynia* sp.).—Ind. or.  
*sundaicus*, *Muell. Arg. in DC. Prod.* xv. II. 1272.—  
Malaya.



**PHYLLANTHUS:—**

- superbus*, Muell. Arg. in Flora, xlviii. (1865) 375 = *Glochidion superbum*.  
*Swartzii*, Kostel. *Allg. Med.-Pharm. Fl.* v. 1771.—Jamaic.  
*syriaticus*, Steud. Nom. ed. II. ii. 327 = *Breynia virgata*.  
*symphoricarpoides*, H. B. & K. *Nov. Gen. et Sp.* ii. 114.—N. Granat.  
*symplocoides*, Muell. Arg. in Flora, xlviii. (1865) 389 = *Glochidion montanum*.  
*taitensis*, Muell. Arg. l. c. 380 = *Glochidion taitense*.  
Tatei, F. Muell. in *Wing, South. Sc. Record*, ii. (1882) 55.—Austral.  
*taxifolius*, D. Don, Prod. Fl. Nep. 63 = *P. Emblica*.  
*Telfairianus*, Wall. Cat. n. 7935 = *phillyreaefolius*.  
*tenellus*, Benth. Bot. Voy. Sulph. 165 = *graveolens*.  
*tenellus*, Roxb. *Hort. Beng.* 69; *Fl. Ind.* iii. 668.—Ins. Maurit.  
*tenellus*, Wall. Cat. n. 7892 = *debilis*, *longiflorus*, *Sauropus quadrangularis*.  
*tenuicaulis*, Muell. Arg. in *Linnaea*, xxxii. (1863) 44.—Cuba.  
*tetrandrus*, Blanco, Fl. Filip. ed. II. 480 = *Blancoanus*.  
*tetrandrus*, Roxb. *Hort. Beng.* 69; *Fl. Ind.* iii. 674 = *Roxburghii*.  
*tetrandrus*, Wall. Cat. n. 7930 = *columnaris*, *distichus*.  
Teysmanni, Muell. Arg. in *DC. Prod.* xv. ii. 1270.—Java.  
*thesioides*, Benth. *Fl. Austral.* vi. 98.—Austral.  
*thesioides*, Muell. Arg. in *Linnaea*, xxxii. (1863) 36 = *dumetosus*.  
Thomsoni, Muell. Arg. in *Flora*, xlviii. (1865) 375.—Reg. Himal.  
*Thonningii*, Schum. & Thonn. *Beskr. Guin. Pl.* 418 = *maderaspatensis*.  
*Thwaitesianus*, Muell. Arg. in *Linnaea*, xxxii. (1863) 11.—Zeylan.  
*thymoides*, Sieber, ex *Sond. in Linnaea*, xxviii. (1856) 566, nomen; Muell. Arg. in *DC. Prod.* xv. ii. 372.—Austral.  
*timoriensis*, Muell. Arg. in *Linnaea*, xxxii. (1863) 13 = *P. Casticum*.  
*tinctorius*, Vahl, ex Baill. *Etud. Gén. Euph.* 633 = *Breynia rhamnoides*.  
*tomentosus*, Muell. Arg. in *Flora*, xlviii. (1865) 371 = *Glochidion tomentosum*.  
*tomentosus*, Noronha, in *Verh. Batav. Gen. v.* (1790) ed. I. Art. iv. 22 = *Glochidion molle*.  
*torrentium*, Muell. Arg. in *DC. Prod.* xv. ii. 316.—N. Caled.  
*trachygynne*, Benth. *Fl. Austral.* vi. 103.—Austral.  
*trachyspermus*, F. Muell. in *Trans. Phil. Soc. Vict.* i. (1855) 14.—Austral.  
*tremulus*, Griseb. *Fl. Brit. W. Ind.* 34.—Jamaic.  
*triandrus*, Muell. Arg. in *Flora*, xlviii. (1865) 379 = *Glochidion eleutherostylum*.  
*trichogynus*, Muell. Arg. l. c. 380 = *Glochidion trichogynum*.  
*trinervius*, Wall. Cat. n. 7922 = *Sauropus trinervius*.  
*tristis*, A. Juss. *Euph. Tent.* 108 = *Breynia rhamnoides*.  
*turbinatus*, Koen. ex Roxb. *Hort. Beng.* 104; *Fl. Ind.* iii. 666 (*Breynia* sp.).—Ind. or.  
*turbinatus*, Noronha, in *Verh. Batav. Gen. v.* (1790) ed. I. Art. iv. 22 = *Breynia virgata*.  
*turbinatus*, Sims, Bot. Mag. t. 1862 = *Andrachne fruticosa*.  
*uakgalensis*, Thw. ex Trimen, in *Journ. Bot.* xxiii. (1885) 242, sphalm. = *hakgalensis*.  
*uberiflorus*, F. Muell. ex Baill. *Adansonia*, vi. (1866) 343 = *Novae-Hollandiae*.  
*umbratus*, Muell. Arg. in *DC. Prod.* xv. ii. 356.—Bras.  
*urceolatus*, Baill. *Adansonia*, ii. (1861–62) 239.—N. Caled.  
*urceolatus*, Noronha, in *Verh. Batav. Gen. v.* (1790) ed. I. Art. iv. 22 = *Breynia rhamnoides*.  
*Urinaria*, Linn. *Sp. Pl.* 982.—Amphig. trop.  
*Urinaria*, Wall. Cat. n. 7895 B, E = *P. Niruri*.  
*Urinaria*, Willd. *Sp. Pl.* iv. 583 = *rotundifolia*.  
*ussuriensis*, Rupr. & Maxim. in *Bull. Phys.-Math. Acad. Pétersb.* xv. (1857) 210, 222 = *simplex*.  
*vacciniifolius*, Muell. Arg. in *DC. Prod.* xv. ii. 322.—Guian.  
*vaccinioides*, Klotzsch, in *Peters, Reise Mossamb. Bot.* 105.—Afr. trop.  
*vaccinioides*, Scheele, in *Linnaea*, xxv. (1852) 585 = *Cluytia heterophylla*.

**PHYLLANTHUS:—**

- varians*, Muell. Arg. in *Flora*, xlviii. (1865) 380 = *Glochidion varians*.  
*velutinus*, Muell. Arg. l. c. 387 = *Glochidion velutinum*.  
*venosus*, Hochst. ex A. Rich. *Tent. Fl. Abyss.* ii. 254 = *maderaspatensis*.  
*venulosus*, Muell. Arg. in *Flora*, xlviii. (1865) 374.—Ins. Fiji.  
*verrucosus*, Thunb. *Prod. Pl. Cap.* 24 (*Securinegae* sp.).—Afr. austr.  
*Vespertilio*, Baill. *Adansonia*, ii. (1861–62) 233 = *Glochidion Vespertilio*.  
*Vieillardii*, Baill. l. c. 236.—N. Caled.  
*villosus*, Poir. *Encyc.* v. 297.—China.  
*virens*, Muell. Arg. in *DC. Prod.* xv. ii. 415.—Cuba.  
*virens*, Wall. Cat. n. 7928 = *Fluggea microcarpa*.  
*virgatus*, Forst. f. *Prod.* 65 = *simplex*.  
*virgineus*, Pers. *Syn.* ii. 591 = *P. Casticum*.  
*virgulatus*, Muell. Arg. in *Fourn. Bot.* ii. (1864) 330.—Afr. trop.  
*virosus*, Roxb. ex Willd. *Sp. Pl.* iv. 578 = *Fluggea microcarpa*.  
*virosus*, Wall. Cat. n. 7928 = *reticulatus*.  
*virosus*, Wight, in Wall. Cat. n. 7939 C = *Breynia rhamnoides*.  
*vitensis*, Muell. Arg. in *Flora*, xlviii. (1865) 374.—Ins. Fiji.  
*Vitis-idea*, Koen. ex Roxb. *Hort. Beng.* 69; *Fl. Ind.* iii. 665 = *Breynia rhamnoides*.  
*wagapensis*, Muell. Arg. in *Flora*, xlviii. (1865) 372.—N. Caled.  
*Wallichianus*, Muell. Arg. l. c. 387 = *Glochidion Wallichianum*.  
*Welwitschianus*, Muell. Arg. in *Fourn. Bot.* ii. (1864) 330.—Afr. trop.  
*Wightianus*, Muell. Arg. in *Linnaea*, xxxii. (1863) 47.—Ind. or.  
*Wightianus*, Muell. Arg. l. c. 6 = *Fluggea microcarpa*.  
*Wightianus*, Wall. Cat. n. 7919 = *reticulatus*.  
*Wilkesianus*, Muell. Arg. in *DC. Prod.* xv. ii. 396.—Ins. Fiji.  
*williamsioides*, Griseb. in *Goett. Nachr.* (1865) 169.—Cuba.  
*Wrightii*, Muell. Arg. in *Flora*, xlviii. (1865) 378.—Ins. Hongkong.  
*zeylanicus*, Muell. Arg. in *DC. Prod.* xv. ii. 281 = *Glochidion zeylanicum*.  
*zeylanicus*, Muell. Arg. in *Linnaea*, xxxii. (1863) 49 = *anabaptizatus*.  
*Zippelianus*, Muell. Arg. in *DC. Prod.* xv. ii. 433.—Ins. Timor.  
*ziziphoides*, Baill. ex Gibert, *Enum. Pl. Montev.* 54, nomen = *Sellowianus*.  
*Zollingeri*, Muell. Arg. in *Flora*, xlviii. (1865) 371 = *Glochidion Zollingeri*.  
*Zollingeri*, Muell. Arg. in *Linnaea*, xxxii. (1863) 47 = *pulcher*.  
*zygophylloides*, Muell. Arg. in *DC. Prod.* xv. ii. 336.—Hab. ?

- PHYLLARTHON**, DC. ex Meissn. *Gen.* 301, *Comm.* 210 (1840); et *Prod.* ix. 243 (1845). **BIGNONIACEAE**, Benth. & Hook. f. ii. 1052.  
**ARTHROPHYLLUM**, Boj. *Hort. Maurit.* 221 (1837).  
*Bernierianum*, Seem. in *Bonplandia*, vii. (1859) 224.—Madag.  
*Bojeranum*, DC. *Prod.* ix. 243.—Madag.  
*comorense*, DC. l. c. 244.—Ins. Comoro.  
*Noronhianum*, DC. l. c. 243.—Madag.  
*Poivreanum*, DC. l. c.—Madag.  
*Thouarsianum*, DC. l. c. 244.—Madag.

- PHYLLARTHUS**, Neck. *Elem.* ii. 85 (1790) = *Cereus*?, Haw. (Cact.).

- PHYLLAUREA**, Lour. *Fl. Cochinch.* 575 (1790) = *Codiaeum*, Rumph. (*Euphorb.*).  
*Codiaeum*, Lour. l. c. = *C. variegatum*.

- PHYLLEPIDUM**, Rafin. in *Med. Repos. N. York*, v. (1808) 356. **AMARANTACEAE**.—Cf. Benth. & Hook. f. iii. 23.  
*scariosum*, Schult. *Syst.* vi. 293 = *squarrosum*.  
*squamosum*, Rafin. *Fl. Tellur.* iii. 41 = *squarrosum*.  
*squarrosum*, Rafin. in *Med. Repos. N. York*, v. (1808) 356.—Am. bor.

- PHYLLIMENA**, Blume, ex DC. *Prod.* v. 636, in syn. (1836) = *Enhydra*, Lour. (*Compos.*).  
*longifolia*, Blume, ex Miq. *Fl. Ind. Bat.* ii. 83 = *E. longifolia*.  
*paludosa*, Blume, ex DC. *Prod.* v. 637 = *E. paludosa*.

- PHYLLIREA**, Tourn. ex Adans. *Fam.* ii. 223 (1763) = *Phillyrea*, Linn. (*Oleac.*).

- PHYLLIS**, Linn. *Syst. ed. I* (1735). **RUBIACEAE**, Benth. & Hook. f. ii. 140.  
**NOBULA**, Adans. *Fam.* ii. 145 (1763).  
*Galopina*, Cruse, in *Linnaea*, vi. (1831) 20 = *Galopina circaeoides*.  
*indica*, Linn. *Sp. Pl.* 232 (Quid?).—Ind.  
*Nobla*, Linn. l. c.—Ins. Canar.  
*parviflora*, Steud. *Nom. ed. II.* ii. 328, sphalm. = *seq.*  
*pauciflora*, A. Rich. in *Mém. Soc. Hist. Nat. Par. v.* (1834) 141 = *P. Nobla*.  
*viridis*, Salisb. *Prod.* 61 = *P. Nobla*.

- PHYLLOBAEA**, Benth. in Benth. & Hook. f. *Gen.* ii. 1020 (1876). **GESNERACEAE**, Benth. & Hook. f. l. c. *amplexicaulis*, Benth. l. c.; et *C. B. Clarke*, in *DC. Monog. Phan.* v. 140.—Burma.

- PHYLLOBOTRYON**, Muell. Arg. in *Flora*, xlvii. (1864) 534. **EUPHORBIACEAE**, Benth. & Hook. f. iii. 325.  
*Soyauxianum*, Baill. in *Bull. Soc. Linn. Par. i.* (1881) 288.—Afr. trop.  
*spathulatum*, Muell. Arg. in *Flora*, xlvii. (1864) 534.—Afr. trop.

- PHYLLOBOTRYS**, Fourr. in *Ann. Soc. Linn. Lyon*, N. S. xvii. (1869) 195 = *Genista*, Linn. (*Legum.*).  
*anglica*, Fourr. l. c. = *G. anglica*.

- PHYLLOBOTRYUM**, Muell. Arg. in *DC. Prod.* xv. ii. 1231 (1866) = *Phyllobotryon*, Muell. Arg. (*Euphorb.*).

- PHYLLOBRYON**, Miq. *Syst. Pip.* 50 (1843) = *Peperomia*, Ruiz & Pav. (*Piperac.*).  
*Haenkeanum*, Presl, *Epim. Bot.* 222 = *Pep. Haenkeana*.  
*Pavoni*, Miq. *Syst. Pip.* 50 = *Pep. foliiflora*.

- PHYLLOCACTUS**, Link. *Handb.* ii. 10 (1831). **CACTEAE**, Benth. & Hook. f. i. 849.  
**DISISOCACTUS**, G. K[unze], in *Bot. Zeit.* iii. (1845) 533; Salm-Dyck, *Cact. Hort. Dyck.* ed. II. 57 (1850).  
**DISOCACTUS**, Lindl. *Bot. Reg.* (1845) t. 9.  
**EPIPHYLLUM**, Haw. *Syn. Pl. Succ.* 197 (1812), partim.  
**PHYLLOCEREUS**, Miq. in *Bull. Sc. Phys. et Nat. Brux.* (1839) 112.  
*Ackermannii*, Walp. *Rep.* ii. 341; et *Salm-Dyck, Cact. Hort. Dyck.* ed. II. 55.—Mexic.  
*acutifrons*, *Hort. ex Salm-Dyck, l. c.* ed. I. 37, nomen.—Hab. ?  
*angularis*, Lem. ex *Labour. Monog. Cact.* 671, nomen.—Hab. ?  
*angulifer*, G. Don, in *Loud. Encyc. Pl. Suppl.* ii. 1380 = *seq.*  
*anguliger*, Lem. *Jard. Fleur.* i. (1851) t. 92.—Mexic.  
*biformis*, *Labour. Monog. Cact.* 418.—Honduras.  
*caulorrhizus*, Lem. *Jard. Fleur.* i. (1851) *Misc.* 6.—Hab. ?  
*Cooperi* ×, Hort. ex Regel, *Gartenfl.* (1883) 218.  
*crenatus*, Walp. *Rep.* v. 820; *Foerst. Handb. Cact.* ed. I. 441.—Honduras.  
*grandis*, Lem. in *Fl. des Serres*, iii. (1847) 255, verso.—Honduras.  
*guyanensis*, Brongn. ex *Labour. Monog. Cact.* 416.—Guian.  
*Hookeri*, Walp. *Rep.* ii. 341; et *Salm-Dyck, Cact. Hort. Dyck.* ed. II. 55, 223.—Bras.; Guian.  
*ignescens*, *Hort. Dresd. ex Haage, Cact. Verz.* (1857) 10.—Hab. ?  
*Jenkinsoni*, Hort. Angl. ex Haage, l. c. = *phyllanthoides*.  
*latifrons*, Walp. *Rep.* ii. 341; *Salm-Dyck, Cact. Hort. Dyck.* ed. II. 55.—Mexic.  
*Londonii* ×, Haage, ex *Labour. Monog. Cact.* 429, nomen.  
*longipes* ×, Hort. Belg. ex *Labour. l. c.*, nomen.  
*Lothii* ×, Pfeiff. ex *Labour. l. c.*, nomen.  
*Macquiana* ×, Salm-Dyck, ex *Labour. l. c.*, nomen.



**PHYLLOCACTUS:—**

- macropterus, *Lem. Illustr. Hort.* xi. (1864) *Misc.* 73.—Bras.  
*Maelenii* ×, Salm-Dyck, ex Labour. Monog. Cact. 429, nomen  
*marginatus*, Salm-Dyck, *Cact. Hort. Dyck.* ed. I. 37, nomen.—Hab.?  
*mauriantianus* ×, Hort. Berdl. ex Labour. Monog. Cact. 429, nomen.  
*mexicanus* ×, Salm-Dyck, ex Labour. l. c. = *Cereus mexicanus*.  
*oxypetalus*, Link, ex Walp. *Rep.* ii. 341.—Mexic.; Guatemala.  
*phyllanthoides*, Link, *Handb.* ii. 11; Salm-Dyck, *Cact. Hort. Dyck.* ed. II. 55.—Mexic.  
*Phyllanthus*, Link, l. c.; Salm-Dyck, l. c. 56.—Am. trop.  
*purpureus*, Hort. ex Haage, *Verz. Cact.* 27.—Hab.?  
*Russelianus*, Salm-Dyck, *Cact. Hort. Dyck.* ed. I. 37.—Bras.  
*Selloi* ×, Hort. Sello, ex Labour. Monog. Cact. 429, nomen.  
*serratus*, Brongn. ex Labour. l. c. 417.—Mexic.  
*stenopetalus*, Salm-Dyck, *Cact. Hort. Dyck.* ed. II. 223.—Hab.?  
*strictus*, Lem. *Illustr. Hort.* i. (1854) *Misc.* 107.—Cuba.  
*triumphans*, Hort. Angl. ex Haage, *Cact. Verz.* (1857) 10, nomen.—Hab.?  
  
**PHYLLOCALYMMA**, Benth. in Enum. Pl. Hueg. 61 (1837) = **Angianthus**, Wendl. (Compos.).  
*filaginoides*, Steetz, in Lehm. Pl. Preiss. i. 437 = *A. micropoides*.  
*micropodioides*, Benth. in Enum. Pl. Hueg. 62 = *A. micropoides*.  
  
**PHYLLOCALYX**, Berg, in Linnaea, xxvii. (1854) 306 = **Eugenia**, Mich. (Myrtac.).  
*calycinus*, Berg, l. c. 307 = *E. calycina*, Cambess.  
*calystegioides*, Berg, in Mart. Fl. Bras. xiv. i. 331.—Bras.  
*cerasiflorus*, Berg, in Linnaea, xxvii. (1854) 308.—Bras.  
*cupreus*, Berg, in Mart. Fl. Bras. xiv. i. 592.—Bras.  
*edulis*, Berg, l. c. 327 = *E. Selloi*.  
*formosus*, Berg, in Linnaea, xxvii. (1854) 307 = *E. formosa*, Cambess.  
*grandifolius*, Berg, in Mart. Fl. Bras. xiv. i. 333.—Bras.  
*herbaceus*, Berg, l. c. 328.—Bras.  
*involutatus*, Berg, in Linnaea, xxvii. (1854) 307 = *E. involutata*.  
*laevigatus*, Berg, in Mart. Fl. Bras. xiv. i. 329.—Bras.  
*ligustrinus*, Berg, l. c. 592.—Bras.  
*limbatus*, Berg, l. c. 332.—Bras.  
*Luschnathianus*, Berg, l. c. 333 = *E. Luschnathiana*.  
*macrosepalus*, Berg, l. c. 332 = *E. macrocalyx*.  
*marginatus*, Berg, l. c.—Bras.  
*membranaceus*, Berg, l. c. 334.—Bras.  
*pubescens*, Berg, l. c. 592.—Bras.  
*racemosus*, Berg, l. c. 334.—Bras.  
*Regelianus*, Berg, l. c. 591.—Bras.  
*retusus*, Berg, l. c. 331.—Bras.  
*Riedelianus*, Berg, l. c. 590.—Bras.  
*speciosus*, Berg, in Linnaea, xxvii. (1854) 307 = *E. speciosa*.  
*strictus*, Berg, in Mart. Fl. Bras. xiv. i. 330.—Bras.  
*tomentosus*, Berg, in Linnaea, xxvii. (1854) 307 = *E. tomentosa*.  
  
**PHYLLOCALYX**, A. Rich. Tent. Fl. Abyss. i. 160. t. 34 (1847) = **Crotalaria**, Tourn. (Legumin.).  
*Quartinianus*, A. Rich. l. c. = *C. platycalyx*.  
  
**PHYLLOCARPA**, Nutt. ex Moq. in DC. Prod. xiii. ii. 108 (1849) = **Atriplex**, Tourn. (Chenop.).  
*spinosa*, Nutt. l. c. = *A. spinosa*.  
  
**PHYLLOCARPUS**, Ried. ex Endl. Gen. Suppl. ii. 97 (1842); Tul. in Ann. Sc. Nat. Sér. II. xx. (1843) 142. **LEGUMINOSAE**, Benth. & Hook. f. i. 564.  
*Pterocarpus*, Ried. ex Endl. Gen. Suppl. ii. 97.—Bras.  
*Riedelii*, Tul. in Ann. Sc. Nat. Sér. II. xx. (1843) 143 = *P. Pterocarpus*.  
 VOL. II.

- PHYLLOCEPHALIUM**, Miq. Fl. Ind. Bat. ii. 20 (1856) = seq.  
  
**PHYLLOCEPHALUM**, Blume, Bijdr. 888 (1826) = **Centratherum**, Cass. (Compos.).  
*frutescens*, Blume, l. c. 889 (= *Decaneurum frutescens*).—Java.  
  
**PHYLLOCEREUS**, Miq. in Bull. Sc. Phys. et Nat. Brux. (1839) 112 = **Phyllocactus**, Link (Cact.).  
  
**PHYLLOCHLAMYS**, Bur. in DC. Prod. xvii. 217 (1873). **URTICACEAE**, Benth. & Hook. f. iii. 359.  
*spinosa*, Bur. l. c. 218.—Ind. or.; Malaya.  
  
**PHYLLOCLADUS**, Rich. Conif. 129. t. 3 (1826). **CONIFERAE**, Benth. & Hook. f. iii. 432.  
*BROWNETERA*, Rich. in Ann. Mus. Par. xvi. (1810) 299, nomen prius.  
*ROBERTIA*, Rich. ex Carr. Conif. ed. I. 498 (1855).  
*THALAMIA*, Spreng. Anleit. ii. 218 (1817).  
*alpinus*, Hook. f. Fl. N. Zel. i. 235. t. 53 = trichomanoides.  
*asplenifolia*, Hook. f. in Hook. Lond. Journ. Bot. iv. (1845) 151 = rhomboidalis.  
*Billardieri*, Mirb. in Mém. Mus. Par. xiii. (1825) 76 = rhomboidalis.  
*Cunninghami*, Hort. ex Carr. Conif. ed. II. 707 = trichomanoides.  
*glaucula*, Hort. ex Carr. Conif. ed. I. 502 = trichomanoides.  
*glaucula*, T. Kirk, in Trans. N. Z. Inst. i. (1868) 149; ed. II. (1871) 94.—N. Zel.  
*hypophylla*, Hook. f. in Hook. Ic. Pl. t. 839.—Borneo.  
*hypophylla*, Hort. ex Carr. Conif. ed. II. 707 = trichomanoides.  
*rhomboidalis*, Rich. Conif. 130. t. 3. f. 2.—Tasman.  
*rhomboidalis*, A. Rich. Fl. N. Zel. 363 = trichomanoides.  
*serratifolia*, Nois. ex Gord. Pinet. Suppl. 43 = rhomboidalis.  
*trichomanoides*, D. Don, in Lamb. Pin. ed. II. App.—N. Zel.  
  
**PHYLLOCORYNE**, Hook. f. in Trans. Linn. Soc. xxii. (1856) 51. t. 11 = **Scybalium**, Schott (Balanoph.).  
*jamaicensis*, Hook. f. l. c. = *S. jamaicense*.  
  
**PHYLLOCOSMUS**, Klotzsch, in Abh. Akad. Berl. 1856 (1857) 232. t. 1. **LINEAE**, Benth. & Hook. f. i. 245.  
**PENTACOCCA**, Turcz. in Bull. Soc. Nat. Mosc. (1863) i. 600.  
*africanus*, Klotzsch, in Abh. Akad. Berl. 1856 (1857) 233.—Afr. trop.  
*sessiliflorus*, Oliver, Fl. Trop. Afr. i. 273.—Afr. trop.  
  
**PHYLLOCYCLUS**, Kurz, in Journ. Soc. Beng. xlii. (1873) ii. 235 = **Canscora**, Lam. (Gentian.).  
*Helferiana*, Kurz, l. c. 236 = *C. Helferiana*.  
*Parishii*, Kurz, l. c. = *C. Parishii*.  
  
**PHYLLOCYTISUS**, Fourn. in Ann. Soc. Linn. Lyon, N. S. xvi. (1868) 358 = **Cytisus**, Linn. (Legumin.).  
*sessilifolius*, Fourn. l. c. = *C. sessilifolius*.  
  
**PHYLLODES**, Lour. Fl. Cochinch. 13 (1790) = **Phrynium**, Willd. (Scitamn.).  
*placentaria*, Lour. l. c. = *P. capitatum*.  
  
**PHYLLODIUM**, Desv. Journ. Bot. i. (1813) 123. t. 5 = **Desmodium**, Desv. (Legumin.).  
*elegans*, Desv. in Mém. Soc. Linn. Par. iv. (1826) 324 = *D. elegans*.  
*lutescens*, Desv. Journ. Bot. i. (1813) 124 = *D. lutescens*.  
*pulchellum*, Desv. in Mém. Soc. Linn. Par. iv. (1826) 324 = seq.  
*pulchrum*, Desv. Journ. Bot. i. (1813) 124. t. 5. f. 24 = *D. pulchellum*.  
*vestitum*, Benth. in Miq. Pl. Jungh. 217 = *D. vestitum*.  
  
**PHYLLODOCE**, Link, Handb. ii. 132 (1831) = **Acacia**, Tourn. (Legumin.).  
*alata*, Link, l. c. = *A. alata*.  
*angustifolia*, Link, l. c. 133 = *A. suaveolens*.  
*armata*, Link, l. c. = *A. armata*.  
*decipiens*, Link, l. c. 132 = *A. decipiens*.  
*dodonaeifolia*, Link, l. c. 133 = *A. dodonaeifolia*.  
*floribunda*, Link, l. c. = *A. longifolia*.  
*genistaefolia*, Link, l. c. = *A. diffusa*.

**PHYLLODOCE:—**

- juniperina*, Link, Handb. ii. 133 = *Acacia juniperina*.  
*linifolia*, Link, l. c. = *A. linifolia*.  
*longifolia*, Link, l. c. = *A. longifolia*.  
*myrtifolia*, Link, l. c. = *A. myrtifolia*.  
*Sophora*, Link, l. c. = *A. longifolia*?  
*stricta*, Link, l. c. = *A. stricta*.  
*suaveolens*, Link, l. c. = *A. suaveolens*.  
*undulata*, Link, l. c. 132 = *A. armata*.  
*verticillata*, Link, l. c. 133 = *A. verticillata*.  
  
**PHYLLODOCE**, Salisb. Parad. Lond. t. 36 (1806) = **Bryanthus**, S. G. Gmel. (Ericac.).  
*caerulea*, Bab. Man. Brit. Bot. ed. I. 194 = *B. taxifolius*.  
*empetriformis*, D. Don, in Edinb. N. Phil. Journ. xvii. (1834) 160 = *B. empetriformis*.  
*Pallasiana*, D. Don, l. c. 159 = *B. aleuticus*.  
*taxifolia*, Salisb. Parad. Lond. t. 36 = *B. taxifolius*.  
  
**PHYLLODOLON**, Salisb. Gen. Pl. Fragm. 90 (1866) = **Allium**, Tourn. (Liliac.).  
*fistulosum*, Salisb. l. c. = *A. fistulosum*.  
  
**PHYLOGLOTTIS**, Salisb. Gen. Pl. Fragm. 15 (1866) = **Eriosepium**, Jacq. (Liliac.).  
*foliolifera*, Salisb. l. c. = *E. folioliferum*.  
  
**PHYLOLOBIUM**, Fisch. in Spreng. Nov. Prov. 33 (1818) = **Astragalus**, Tourn. (Legumin.).  
*chinense*, Fisch. in Spreng. l. c. = *A. complanatus*.  
*zanzibarensis*, Boj. ex Loud. Hort. Brit. 285, nomen (Quid?).—Afr. trop.  
  
**PHYLOLOMA**, Ker-Gawl. in Bot. Mag. t. 1585 (1813) = **Lomatophyllum**, Willd. (Liliac.).  
*aloiflorum*, Ker-Gawl. l. c. = *L. borbonicum*.  
*aloifolium*, Steud. Nom. ed. II. ii. 328, sphalm. = *præc.*  
*borbonicum*, Schult. f. Syst. vii. 361 = *L. borbonicum*.  
*Jacquinii*, G. Don, in Sweet, Hort. Brit. ed. III. 685 = *Aloe hexapetala*.  
*macrum*, Sweet, l. c. ed. I. 423 = *L. macrum*.  
*rufocinctum*, Sweet, l. c. = *L. rufocinctum*.  
  
**PHYLOMATIA**, Benth. in Ann. Wien. Mus. ii. (1838) 113 = **Rhynchosia**, Lour. (Legumin.).  
  
**PHYLOMELIA**, Griseb. Cat. Pl. Cub. 139 (1866). **RUBIACEAE**, Benth. & Hook. f. ii. 116.  
*coronata*, Griseb. l. c.—Cuba.  
  
**PHYLOMERIA**, Griseb. Ges. Abh. 282 (1830), sphalm. = *præc.*  
  
**PHYLLONOMA**, Willd. ex Schult. Syst. vi. p. xx (1820). **SAXIFRAGEAE**, Benth. & Hook. f. i. 648.  
*DULONGIA*, H. B. & K. Nov. Gen. et Sp. vii. 76. t. 623 (1825).  
*ruscifolia*, Willd. ex Schult. Syst. vi. 210.—Mexic.  
  
**PHYLLOPAPPUS**, Walp. in Linnaea, xiv. (1840) 507 = **Microseris**, D. Don (Compos.).  
*lanceolatus*, Walp. l. c. = *M. Forsteri*.  
  
**PHYLLPODIUM**, Benth. in Hook. Comp. Bot. Mag. i. (185) 372. **SCROPHULARINEAE**, Benth. & Hook. f. ii. 944.  
*bracteatum*, Benth. in Hook. Comp. Bot. Mag. i. (1835) 373.—Afr. austr.  
*capitatum*, Benth. l. c.—Afr. austr.  
*cuneifolium*, Benth. l. c.—Afr. austr.  
*diffusum*, Benth. l. c.—Afr. austr.  
*heterophyllum*, Benth. l. c.—Afr. austr.  
*Krebsianum*, Benth. in DC. Prod. x. 353.—Afr. austr.  
*pumilum*, Benth. in Hook. Comp. Bot. Mag. i. (1835) 373.—Afr. austr.  
  
**PHYLLOPUS**, DC. Prod. iii. 177 (1828) = **Henriettea**, DC. (Melastom.).  
*Martii*, Mart. Nov. Gen. et Sp. iii. 143. t. 275 = seq.  
*Martiusii*, DC. Prod. iii. 178 = *H. Martii*.  
  
**PHYLLORHACHIS**, Trimen, in Journ. Bot. xvii. (1879) 353. t. 205. **GRAMINEAE**, Benth. & Hook. f. iii. 1108.  
*sagittata*, Trimen, l. c. 355.—Afr. trop.



PHYLLOSCHOENUS, Fourr. in Ann. Soc. Linn. Lyon, N. S. xvii. (1869) 171 = *Juncus*, Tourn. *acutiflorus*, Fourr. l. c. 172 = *J. acutiflorus*. *alpinus*, Fourr. l. c. = *J. alpinus*. *anceps*, Fourr. l. c. = *J. anceps*. *lagenarius*, Fourr. l. c. = *J. Fontanesii*. *lampocarpus*, Fourr. l. c. = *J. lampocarpus*. *obtusiflorus*, Fourr. l. c. = *J. obtusiflorus*. *striatus*, Fourr. l. c. = *J. striatus*. *supinus*, Fourr. l. c. 171 = *J. supinus*.

PHYLLOSPADIX, Hook. Fl. Bor. Am. ii. 171. t. 186 (1838). *NALADACEAE*, Benth. & Hook. f. iii. 1017. Scouleri, Hook. Fl. Bor. Am. ii. 171. t. 186.—Am. bor. occ. serrulatus, Rupr. ex Aschers. in *Linnaea*, xxxv. (1867-68) 169.—Alaska. Torrey, S. Wats. in *Proc. Am. Acad.* xiv. (1879) 303.—Am. bor. occ.

PHYLLOSTACHYS, Sieb. & Zucc. in Abh. Akad. Muench. iii. II. (1843) 745. t. 5. *GRAMINEAE*, Benth. & Hook. f. iii. 1208. aurea, A. & C. Rivière, in Bull. Soc. Acclim. Sér. III. v. (1878) 716.—China; Japon. bambusoides, Sieb. & Zucc. in Abh. Akad. Muench. iii. II. (1843) 745. t. 5. f. 3.—Japon. edulis, A. & C. Rivière, in Bull. Soc. Acclim. Sér. III. v. (1878) 623 = *Bambusa mitis*. flexuosa, A. & C. Rivière, l. c. 758.—China. Fortunei, A. & C. Rivière, l. c. 301.—China. Kumasaca, Munro, in *Trans. Linn. Soc.* xxvi. (1868) 39.—Japon. macrantha, Sieb. & Zucc. in *Flora*, xxix. (1846) 34 = bambusoides. Mazeli, Hort. ex A. & C. Rivière, in Bull. Soc. Acclim. Sér. III. v. (1878) 697 = *P. Quiloi*. megastachya, Steud. in *Flora*, xxix. (1846) 21 = bambusoides. mitis, A. & C. Rivière, in Bull. Soc. Acclim. Sér. III. v. (1878) 689 = *Bambusa mitis*. Newinii, Hance, in *Journ. Bot.* xiv. (1876) 294.—China. nidularia, Munro, in *Gard. Chron.* (1876) II. 773, 774.—Japon. nigra, Munro, in *Trans. Linn. Soc.* xxvi. (1868) 38.—China; Japon. puberula, Munro, in *Gard. Chron.* (1876) II. 773, 774 = nigra. Quiloi, A. & C. Rivière, in Bull. Soc. Acclim. Sér. III. v. (1878) 697.—Japon. reticulata, C. Koch, *Dendrol.* ii. II. 356 = bambusoides. Stauntoni, Munro, in *Trans. Linn. Soc.* xxvi. (1868) 37.—China. sulphurea, A. & C. Rivière, in Bull. Soc. Acclim. Sér. III. v. (1878) 773.—Hab. ? violascens, A. & C. Rivière, l. c. 770.—Hab. ? viridi-glaucenscens, A. & C. Rivière, l. c. 700 = nana.

PHYLLOSTACHYS, Torr. in Ann. Lyc. N. York, iii. (1836) 404, in obs. = *Carex*, Linn. (Cyperac.).

PHYLLOSTEGIA, Benth. in Bot. Reg. sub t. 1292 (1830). *LABIATAE*, Benth. & Hook. f. ii. 1216. brevidens, A. Gray, in *Proc. Am. Acad.* v. (1861-62) 343.—Ins. Sandvic. Chamissonis, Benth. in *Linnaea*, vi. (1831) 79 = glabra. clavata, Benth. in Bot. Reg. sub t. 1292.—Ins. Sandvic. dentata, Benth. l. c. = vestita. floribunda, Benth. Lab. Gen. et Sp. 653.—Ins. Sandvic. glabra, Benth. in Bot. Reg. sub t. 1292.—Ins. Sandvic. grandiflora, Benth. l. c.—Ins. Sandvic. Haliakalae, Wawra, in *Flora*, lv. (1872) 530 = mollis. haplostachya, A. Gray, in *Proc. Am. Acad.* v. (1861-62) 345.—Ins. Sandvic. Hillebrandi, H. Mann, in *Mem. Bost. Soc. Nat. Hist.* i. (1866-69) 536.—Ins. Sandvic. hirsuta, Benth. in Bot. Reg. sub t. 1292.—Ins. Sandvic. honolulensis, Wawra, in *Flora*, lv. (1872) 531 = parviflora.

#### PHYLLOSTEGIA:—

leptostachys, Benth. in Bot. Reg. sub t. 1292 = parviflora. Macraei, Benth. in DC. Prod. xii. 554 = glabra. macrophylla, Benth. in Bot. Reg. sub t. 1292 = parviflora. microphylla, Benth. in *Linnaea*, vi. (1831) 570 (*Verbenaceae*).—Unalask. mollis, Benth. l. c. 79.—Ins. Sandvic. parviflora, Benth. in Bot. Reg. sub t. 1292.—Ins. Sandvic. racemosa, Benth. in Bot. Reg. sub t. 1292.—Ins. Sandvic. stachyoides, A. Gray, in *Proc. Am. Acad.* (1861-62) 344.—Ins. Sandvic. tahitensis, Nadeaud, *Enum. Pl. Tahiti*, 56.—Ins. Tahiti. truncata, A. Gray, in *Proc. Am. Acad.* v. (1861-62) 345.—Ins. Sandvic. vestita, Benth. in Bot. Reg. sub t. 1292.—Ins. Sandvic. Waimeae, Wawra, in *Flora*, lv. (1872) 531.—Ins. Sandvic.

PHYLLOSTEMA, Neck. Elem. ii. 301 (1790) = *Simaba*, Aubl. (Simarub.).

PHYLLOSTYLON, Capan. ex Benth. & Hook. f. Gen. iii. 352 (1880). *URTICACEAE*, Benth. & Hook. f. l. c. brasiliensis, Capan. l. c.—Bras.

PHYLLOTA, Benth. in *Enum. Pl. Hueg.* 33 (1837). *LEGUMINOSAE*, Benth. & Hook. f. i. 470. aspera, Benth. in Ann. Wien. Mus. ii. (1838) 77 = phylcoides. barbata, Benth. in *Enum. Pl. Hueg.* 33.—Austral. Baueri, Benth. in Ann. Wien. Mus. ii. (1838) 77 = phylcoides. Billardieri, Benth. l. c. = phylcoides. comosa, Benth. l. c. = phylcoides. diffusa, F. Muell. *Fragm.* i. 8 = *Pultenaea diffusa*. gracilis, Turcz. in Bull. Soc. Nat. Mosc. xxvi. (1853) I. 267.—Austral. grandiflora, Benth. in Ann. Wien. Mus. ii. (1838) 77 = phylcoides. humifusa, Benth. Fl. Austral. ii. 95.—Austral. Luehmanni, F. Muell. *Fragm.* x. 33.—Austral. phylcoides, Benth. in Ann. Wien. Mus. ii. (1838) 77.—Austral. pilosa, Benth. l. c. = phylcoides. pleurandroides, F. Muell. in *Trans. Phil. Soc. Vict.* i. (1855) 38.—Austral. squarrosa, Benth. in Ann. Wien. Mus. ii. (1838) 77 = phylcoides. Sturtii, Benth. Fl. Austral. ii. 95.—Austral. Urodon, F. Muell. in *Papers Roy. Soc. Tasm.* (1877) 120 = *Pultenaea Urodon*. villosa, Turcz. in Bull. Soc. Nat. Mosc. xxvi. (1853) I. 267 = barbata.

PHYLLOTAENIUM, André, in *Illustr. Hort.* xix. (1872) t. 88 = *Xanthosoma*, Schott (Aroid.). Lindenii, André, l. c. = *X. Lindenii*. mirabile, Hort. ex Mast. in *Gard. Chron.* (1874) II. 258 = *X. mirabile*.

PHYLLOTHECA, Nutt. ex Moq. in DC. Prod. xiii. II. 98 (1849) = *Atriplex*, Tourn. (Chenop.). parvifolia, Nutt. ex Moq. l. c. = *A. californica*.

PHYLLOXYLON, Baill. *Adansonia*, ii. (1861) 54. *LEGUMINOSAE*. NEOBARONIA, Baker, in *Journ. Linn. Soc.* xxi. (1884) 336. decipiens, Baill. *Adansonia*, ii. (1861) 54.—Ins. Maurit.

PHYLLYMENA, Blume, ex Miq. Fl. Ind. Bat. ii. 83 (1856) = *PHYLLENA*, Blume = *Enhydra*, Lour. (Compos.).

PHYLLYREA, G. Don, Gen. Syst. iv. 44 (1837), sphalm. = *Phillyrea*, Linn. (Oleac.).

PHYMASPERMUM, Less. Syn. Comp. 253 (1832). *COMPOSITAE*, Benth. & Hook. f. ii. 422. ADENACHAENA, DC. Prod. vi. 49 (1837). JACOSTA, DC. l. c. (1837). OLIGOGLOSSA, DC. l. c. (1837). aciculare, Benth. & Hook. f. Gen. ii. 423.—Afr. austr. carnosulum, Benth. & Hook. f. l. c.—Afr. austr. junceum, Less. Syn. Comp. 253.—Afr. austr. leptophyllum, Benth. & Hook. f. Gen. ii. 423.—Afr. austr. parvifolium, Benth. & Hook. f. l. c.—Afr. austr.

PHYMATANTHUS, Sweet, *Geran.* t. 43 (1820) = *Pelargonium*, L'Hérit. (*Geran.*). elatus, Sweet, l. c. t. 96 = *Pelarg. elatum*. grandiflorus, Sweet, Hort. Brit. ed. I. 75, nomen. intertinctus, G. Don, in Sweet, l. c. ed. III. 108, nomen. latifolius, Colville, ex Sweet, l. c. ed. I. 75, nomen. Serra, Hoffm. Verz. Pfl. 99 = *Pelarg. Serra*. tricolor, Sweet, *Geran.* t. 43 = *Pelarg. violareum*. villosus, Sweet, Hort. Brit. ed. I. 76, nomen.

PHYMATIDIUM, Lindl. Gen. et Sp. Orch. 209 (1833). *ORCHIDACEAE*, Benth. & Hook. f. iii. 569. delicatulum, Lindl. l. c. 210.—Bras. denticulatum, Steud. Nom. ed. II. ii. 328, sphalm. = praec. falcifolium, Lindl. Gen. et Sp. Orch. 210.—Bras. hysternanthum, Rodrig. Orch. Nov. ii. 228.—Bras. myrtophilum, Rodrig. l. c. 229.—Bras. tillandsioides, Rodrig. l. c. 228.—Bras.

PHYMATIS, E. Mey. in Drège, Zwei Pfl. Docum. 211 (1843) = *Carum*, Rupp. (Umbell.). cymnoides, E. Mey. l. c. = *C. hispidum*.

PHYMATOCARPUS, F. Muell. *Fragm.* iii. 120 (1862). *MYRTACEAE*, Benth. & Hook. f. i. 706. Maxwelli, F. Muell. l. c. ix. 45.—Austral. porphyrocephalus, F. Muell. l. c. iii. 121.—Austral.

PHYMOSIA, Desv. in Ham. Prod. Pl. Ind. Occ. 49 (1825) = *Sphaeralcea*, A. St. Hil. (Malvac.). abutiloides, Desv. l. c. 50 = *A. abutiloides*.

PHYODINA, Rafin. Fl. Tellur. ii. 16 (1836) = *Tradescantia*, Linn. (Commel.). gracilis, Rafin. l. c. = *T. gracilis*.

PHYRRHEIMA, Hassk. in *Flora*, liv. (1871) 257 = *PYRRHEIMA*, Hassk. = *Tradescantia*, Linn. (Commel.).

PHYSA, Thou. Gen. Nov. Madag. 20 (1806) = *Mollugo*, Linn. (Ficoid.). madagascariensis, DC. Prod. i. 393.—Madag.

PHYSACANTHUS, Benth. in Benth. & Hook. f. Gen. ii. 1085 (1876). *ACANTHACEAE*, Benth. & Hook. f. l. c.

PHYSALIDIUM, Fenzl, in Tchihat. Asie Min. Bot. i. 327 (1860). *CRUCIFERAE*, Benth. & Hook. f. i. 88. stylosum, Fenzl, l. c.—Persia.

PHYSALIS, Linn. Syst. ed. I (1735). *SOLANACEAE*, Benth. & Hook. f. ii. 890. ALICABON, Rafin. Sylva Tellur. 56 (1838). ALKEKENG, Tourn. ex Adans. Fam. ii. 218 (1763). EPETORHIZA, Steud. Nom. ed. II. i. 556 (1840). EPETETIORHIZA, Steud. l. c. ii. 328 (1841). EXODECONUS, Rafin. Sylva Tellur. 57 (1838). HERSCHELIA, Bowdich, Excurs. Mad. 159 (1825). MEGISTA, Fourr. in Ann. Soc. Linn. N. S. xvii. (1869) 115. PENTAPHILTRUM, Reichb. Nom. 121 (1841). QUINCULA, Rafin. Atl. Journ. 145 (1832). abyssinica, Hort. Berol. ex Nees, in *Linnaea*, vi. (1831) 448 = minima. adulterina, Fisch. ex Steud. Nom. ed. I. 516, nomen.—Hab. ? aequata, Jacq. f. ex Nees, in *Linnaea*, vi. (1831) 470.—Am. bor.; Ind. or. Alkekengi, Linn. Sp. Pl. 183.—Europ.; Japon. Alkekengi, Lour. Fl. Cochinch. 133 = minima. allogona, Ind. Sem. Hort. Lips. (1840) 3; ex Dun. in DC. Prod. xiii. i. 452.—Hab. ?



## PHYSALIS:—

- Alpini*, Jacq. Eclog. i. 39, in obs. = *Withania somnifera*.  
*angulata*, Heyne, ex Wall. Cat. n. 2634 = minima.  
*angulata*, Linn. Sp. Pl. 183. —Reg. calid.  
*angulata*, Ruiz & Pav. Fl. Per. ii. 42 = lanceifolia.  
*angulata*, Walt. Fl. Carol. 99 = obscura.  
*angustifolia*, Nutt. in Journ. Acad. Philad. vii. (1834) 113. —Florida.  
*arborescens*, Linn. Sp. Pl. ed. II. 261. —Mexic.  
*arborescens*, Thunb. Prod. Pl. Cap. 37 = *Withania somnifera*.  
*arenaria*, Hort. ex Nees, in Linnaea, vi. (1831) 471 = angulata.  
*arenaria*, Schrank, in Denkschr. Bot. Ges. Regensb. ii. (1822) 35. —Bras.  
*aristata*, Ait. Hort. Kew. ed. I. i. 244 = *Withania aristata*.  
*atriplicifolia*, Poir. Encyc. Suppl. ii. 348 = philadelphica.  
*barbadensis*, Herb. Wight, ex Wall. Cat. n. 2634 = minima.  
*barbadensis*, Jacq. Misc. ii. 359 = pubescens.  
*barbadensis*, Lam. Encyc. ii. 102 = peruviana.  
*begonifolia*, Roxb. in Beats. Tracts St. Helena, App. 317 = *Melissia begonifolia*.  
*brasiliensis*, Sendt. in Mart. Fl. Bras. x. 133 = obscura?  
*bulbosa*, Hedw. ex Steud. Nom. ed. II. ii. 329 = chenopodifolia.  
*campechiana*, Linn. Syst. ed. X. 933 = arborescens.  
*campechiensis*, Hill, Veg. Syst. ix. 27 = praec.  
*capsicifolia*, Dun. in DC. Prod. xiii. i. 449 = angulata.  
*cardiophylla*, Torr. in Bot. Mex. Bound. 153 = crassifolia.  
*Carpenterii*, Riddell, Cat. Fl. Ludov.; N. Orl. Med. & Surg. Journ. viii. (1852) 758 = (*Athenaeae* sp.) —Am. bor.  
*chenopodifolia*, Lam. Illustr. ii. 28. —Peruv.  
*chenopodifolia*, Willd. Sp. Pl. i. 1023 = philadelphica.  
*ciliata*, Sieb. & Zucc. Fl. Jap. Fam. Nat. ii. 22 = angulata.  
*cordata*, Mill. Gard. Dict. ed. VIII. n. 14. —Mexic.  
*cordifolia*, Dun. in DC. Prod. xiii. i. 441. —Hab.?  
*corymbosa*, Noronha, in Verh. Batav. Gen. v. (1790) ed. I. Art. iv. 25 = *Cardiospermum Halicacabum*.  
*Coztomatl*, Moq. & Sesse, ex Dun. in DC. Prod. xiii. ii. 450. —Mexic.  
*crassifolia*, Benth. Bot. Voy. Sulph. 40. —Calif.  
*crenata*, Noronha, in Verh. Batav. Gen. v. (1790) ed. I. Art. iv. 23 = minima.  
*curassavica*, Linn. Sp. Pl. 182. —Venezuela.  
*curassavica*, Willd. Sp. Pl. i. 1020 = viscosa.  
*daturaeifolia*, Lam. Encyc. ii. 102 = *Nicandra physaloides*.  
*decumbens*, Dun. in DC. Prod. xiii. i. 436. —Hab.?  
*dentata*, Pav. ex Dun. l. c. 441. —Mexic.  
*diffusa*, Willd. Herb. ex Nees, in Linnaea, vi. (1831) 480 = minima.  
*divaricata*, D. Don, Prod. Fl. Nep. 97 = minima.  
*dubia*, Link, Enum. Hort. Berol. i. 181 = angulata.  
*Dunali*, Montr. in Mém. Acad. Lyon, x. (1860) 245. —N. Caled.  
*edulis*, Sims, Bot. Mag. t. 1068 = peruviana.  
*Elliottii*, Kunze, in Linnaea, xx. (1847) 33 = lanceolata.  
*esculenta*, Salisb. Prod. 132 = peruviana.  
*Fendleri*, A. Gray, in Proc. Am. Acad. x. (1874) 66. —Am. bor. occ.  
*flexuosa*, Linn. Sp. Pl. 182 = *Withania somnifera*.  
*flexuosa*, Russ. ex Wall. Cat. n. 2634 = angulata.  
*foetens*, Poir. Encyc. Suppl. ii. 348. —Am. trop.  
*foetidissima*, Hort. Madr. ex Dun. in DC. Prod. xiii. i. 436 = viscosa.  
*foetidissima*, Lag. Gen. et Sp. Nov. 10 = foetens.  
*frutescens*, DC. Fl. Fr. iii. 611 = *Withania frutescens*.  
*fusco-maculata*, Dun. in DC. Prod. xiii. i. 437. —Reg. Argent.?  
*Galeottiana*, Walp. Rep. vi. 574. —Mexic.  
*geniculata*, Miers, Illustr. S. Am. Pl. ii. App. 56. —Mexic.  
*glabra*, Benth. Bot. Voy. Sulph. 39. —Calif.  
*glabra*, Mart. & Gal. in Bull. Acad. Brux. xii. i. (1845) 132 = *Galeottiana*.  
*glabruscula*, Dun. in DC. Prod. xiii. i. 436. —Bolivia.  
*glutinosa*, Schlecht. in Linnaea, xix. (1847) 310. —Mexic.  
*gracilis*, Miers, in Ann. & Mag. Nat. Hist. Ser. II. iv. (1849) 57. —Mexic.

## PHYSALIS:—

- grandiflora*, Hook. Fl. Bor. Am. ii. 90. —Am. bor.  
*Halicacabum*, Crantz, Inst. ii. 370; Scop. Fl. Carn. ed. II. i. 160 = P. Alkekengi.  
*Halicacabum*, Noronha, in Verh. Batav. Gen. v. (1790) ed. I. Art. iv. 23 = *Cardiospermum Halicacabum*.  
*hederaefolia*, A. Gray, in Proc. Am. Acad. x. (1875) 65. —Am. bor. occ.  
*Hermannii*, Dun. in DC. Prod. xiii. i. 444 = minima.  
*heterophylla*, Nees, in Linnaea, vi. (1831) 463, partim = virginiana.  
*hirsuta*, Dun. in DC. Prod. xiii. i. 445 = pubescens.  
*hirsuta*, Mart. & Gal. in Bull. Acad. Brux. xii. i. (1845) 132 = *Athenaea hirsuta*.  
*hyemalis*, Salisb. Prod. 132 = P. Alkekengi.  
*hygrophila*, Mart. in Flora, xxiv. (1841) ii. Beibl. 86. —Bras.  
*incana*, Desf. Tabl. ed. I. 68 = chenopodifolia.  
*incana*, Hort. Par. ex Dun. in DC. Prod. xiii. i. 440 = peruviana.  
*incana*, Lam. Encyc. ii. 102 = minima.  
*integrifolia*, Pav. ex Dun. in DC. Prod. xiii. i. 438 = curassavica.  
*ixocarpa*, Brot. ex DC. Cat. Hort. Monsp. 50, nomen; et ex Hornem. Hort. Hafn. Suppl. 26 = aequata.  
*ixocarpa*, Hort. Bonn. ex Nees, in Linnaea, vi. (1831) 471 = angulata.  
*Jacquinii*, Link, Enum. Hort. Berol. i. 180 = viscosa.  
*laevigata*, Mart. & Gal. in Bull. Acad. Brux. xii. i. (1845) 131. —Mexic.  
*Lagasciae*, Roem. & Schult. Syst. iv. 679 = minima.  
*lanceifolia*, Nees, in Linnaea, vi. (1831) 473. —Am. austr.  
*lanceifolia*, Rugel, ex Kunze, in Linnaea, xx. (1847) 33 = lanceolata.  
*lanceolata*, Ell. Sketch, i. 278 = viscosa.  
*lanceolata*, Michx. Fl. Bor. Am. i. 149. —Am. bor. occ.  
*latifolia*, Lam. Illustr. ii. 29 = peruviana.  
*laurifolia*, D. Dietr. Syn. Pl. i. 695 = lanceolata.  
*limensis*, Retz. Obs. v. 22 = prostrata.  
*Linkiana*, Nees, in Linnaea, vi. (1831) 471 = angulata.  
*lobata*, Torr. in Ann. Lyc. N. York, ii. (1826) 226. —Am. bor. occ.  
*longifolia*, Nutt. in Trans. Am. Phil. Soc. v. (1837) 193 = lanceolata.  
*lurida*, Salisb. Prod. 132 = *Scopola physaloides*.  
*lutea*, Medic. in Act. Acad. Theod. Palat. iv. Phys. (1780) 186. —Hab.?  
*maritima*, M. A. Curt. in Am. Journ. Sc. Ser. II. vii. (1849) 407 = viscosa.  
*maurelloides*, Schlecht. in Linnaea, xxvii. (1854) 508. —N. Granat.  
*maxima*, Mill. Gard. Dict. ed. VIII. n. 15. —Mexic.  
*megistocarpa*, Zuccagni, in Roem. Collect. 130 = philadelphica.  
*mendocina*, Phil. in Anal. Univ. Chil. (1862) ii. 402. —Chili.  
*micrantha*, Link, Enum. Hort. Berol. i. 181 = minima.  
*minima*, Linn. Sp. Pl. 183. —Geront. trop.  
*minutiflora*, Moq. & Sesse, ex Dun. in DC. Prod. xiii. i. 451. —Mexic.  
*miraflorensis*, Dun. l. c. 443. —Bolivia.  
*mollis*, Nutt. in Trans. Am. Phil. Soc. v. (1837) 194. —Texas; N. Mexic.  
*mollis*, Torrey, Bot. Mex. Bound. 153 = *Fendleri*, *hederaefolia*.  
*mucronata*, Willd. Enum. Hort. Berol. Suppl. 11, nomen. —Hab.?  
*muricata*, Greene, in Bull. Calif. Acad. i. iv. (1885) 209. —Calif.  
*Neesiana*, Sendt. in Mart. Fl. Bras. x. 131. —Bras.  
*nicandroides*, Schlecht. in Linnaea, xix. (1847) 311. —Mexic.  
*nodosa*, Lam. Illustr. ii. 29 = foetens.  
*nolanoides*, A. DC. in DC. Prod. xiii. i. 690. —Peruv.  
*nutans*, J. F. Gmel. Syst. 382 = viscosa.  
*nyctaginea*, Dun. in DC. Prod. xiii. i. 440 = virginiana.  
*obscura*, Michx. Fl. Bor. Am. i. 149. —Am. bor.  
*obscura*, Torr. & Fras. ex Dun. in DC. Prod. xiii. i. 440 = virginiana.  
*ochroleuca*, Salisb. Prod. 132 = viscosa.  
*origanifolia*, Lam. Illustr. ii. 28. —Bras.  
*orinocensis*, H. B. & K. Nov. Gen. et Sp. iii. 12 = *Withania orinocensis*.  
*Orizabae*, Dun. in DC. Prod. xiii. i. 452. —Mexic.  
*ovata*, Poir. Encyc. Suppl. ii. 347 = philadelphica.  
*Palmeri*, A. Gray, Syn. Fl. N. Am. ii. i. 235. —Calif.

## PHYSALIS:—

- parviflora*, R. Br. Prod. 447 = minima.  
*parviflora*, Hort. ex Zuccagni, in Roem. Collect. 130. —Hab.?  
*patula*, Mill. Gard. Dict. ed. VIII. n. 12. —Mexic.  
*pedunculata*, Mart. & Gal. in Bull. Acad. Brux. xii. i. (1845) 132. —Mexic.  
*pennsylvanica*, Willd. ex Nees, in Linnaea, vi. (1831) 463 = virginiana.  
*pennsylvanica*, Linn. Sp. Pl. ed. II. 1670 = viscosa.  
*peruviana*, Linn. l. c. —Reg. calid.  
*peruviana*, Mill. Gard. Dict. ed. VIII. n. 16 = *Nicandra physaloides*.  
*philadelphica*, Lam. Encyc. ii. 101. —Am. bor.  
*prostrata*, Domb. ex L'Hérit. Stirp. Nov. 43. t. 22. —Peruv.  
*pruinosa*, Ell. Sketch, i. 279 = obscura.  
*pruinosa*, Linn. Sp. Pl. 184 = pubescens.  
*Pseudo-angulata*, Blume, Bijdr. 706 = minima.  
*pubescens*, R. Br. Prod. 447 = peruviana.  
*pubescens*, Engelm. & Gray, in Bost. Journ. Nat. Hist. v. (1845) 227 = viscosa.  
*pubescens*, Hort. ex Dun. in DC. Prod. xiii. i. 439 = chenopodifolia.  
*pubescens*, Linn. Sp. Pl. 183. —Am. bor.  
*pubescens*, Willd. ex Nees, in Linnaea, vi. (1831) 479 = minima.  
*pumila*, Nutt. in Trans. Am. Phil. Soc. v. (1837) 193 = lanceolata.  
*ramosa*, Forsk. Fl. Aegypt. Arab. 204. —Arabia.  
*ramosa*, Mill. Gard. Dict. ed. VIII. n. 9 = pubescens.  
*ramosa*, Xaeres, ex Zuccagni, in Roem. Collect. 129 = *Saracha Zuccagniana*.  
*ramosissima*, Mill. ex Dun. in DC. Prod. xiii. i. 449 = angulata.  
*Rothiana*, Herb. Berol. ex Nees, in Linnaea, vi. (1831) 467 = pubescens.  
*Rothiana*, Roem. & Schult. Syst. iv. 677 = minima.  
*sabeana*, Buckl. in Proc. Acad. Sc. Philad. 1862 (1863) 6 = lobata.  
*Sagunda*, Walp. Rep. iii. 23, sphalm. = P. Sugunda.  
*Sancti-Josephi*, Dun. in DC. Prod. xiii. i. 451. —Mexic.  
*scariosa*, Webb & Berth. Phyt. Canar. iii. 120 = *Withania somnifera*.  
*Schiedeana*, Dun. in DC. Prod. xiii. i. 452. —Mexic.  
*Schraderiana*, Bernh. in Linnaea, xiii. (1839) 361 = *Saracha viscosa*.  
*Sendtneri*, Dun. in DC. Prod. xiii. i. 438. —Bosnia.  
*solanacea*, Mert. ex Roth, Catalect. ii. 26 = *Saracha procumbens*.  
*somnifera*, Linn. Sp. Pl. 182 = *Withania somnifera*.  
*spectabilis*, Salisb. Prod. 133 = *Scopola physaloides*.  
*staminea*, Muhl. ex Nees, in Linnaea, vi. (1831) 467 = pubescens.  
*stramonifolia*, Wall. in Roxb. Fl. Ind. ed. Carey, ii. 242 = *Scopola lurida*.  
*suberifera*, Dun. in DC. Prod. xiii. i. 442. —Bras.  
*suberosa*, Cav. Ic. ii. 1 = *Withania frutescens*.  
*subtriflora*, Ruiz & Pav. Fl. Per. ii. 42. t. 178 = *Withania subtriflora*.  
*Sugunda*, Buch.-Ham. ex Wall. Cat. n. 2635 = *Withania somnifera*.  
*surinamensis*, Miq. in Linnaea, xviii. (1844) 741. —Guian.  
*timorensis*, Zipp. ex Span. in Linnaea, xv. (1841) 337 = minima.  
*tomentosa*, Medic. in Act. Acad. Theod. Palat. iv. Phys. (1780) 184. t. 4 = peruviana.  
*tomentosa*, Thunb. Prod. Pl. Cap. 37 = *Withania somnifera*.  
*tomentosa*, Walt. Fl. Carol. 99 = viscosa.  
*tuberosa*, Cav. Desc. 370. —Hispan.  
*tuberosa*, Willd. Enum. Hort. Berol. 232 = chenopodifolia.  
*tuberosa*, Zuccagni, in Roem. Collect. 130 = peruviana.  
*turbinata*, Medic. in Act. Acad. Theod. Palat. iv. Phys. (1780) 189. t. 5 = pubescens.  
*urceolata*, Ruiz & Pav. ex Dun. in DC. Prod. xiii. i. 475 (= *Salpichroma urceolatum*). —Peruv.  
*villosa*, Mill. Gard. Dict. ed. VIII. n. 13. —Mexic.  
*villosa*, Moench, ex Steud. Nom. ed. II. ii. 329 = *Withania somnifera*.  
*villosa*, Roth, Nov. Pl. Sp. 122 = minima.  
*violacea*, Carr. in Rev. Hort. (1882) 216. —Hab.?  
*virginiana*, Mill. Gard. Dict. ed. VIII. n. 4. —Am. bor.  
*virginica*, A. Gray, in Proc. Am. Acad. x. (1875) 65 = praec.



**PHYSALIS**:—

- viscido-pubescentis*, Dun. in DC. Prod. xiii. i. 442 = *virginiana*.  
*viscosa*, Ell. Sketch, i. 279 = *pubescens*.  
*viscosa*, A. Gray, Man. Bot. ed. I. 354 = *virginiana*.  
*viscosa*, Linn. Sp. Pl. 183.—Am. calid.  
*Walteri*, Nutt. in Journ. Acad. Philad. vii. (1834) 112 = *viscosa*.  
*Wrightii*, A. Gray, in Proc. Am. Acad. x. (1875) 63.—Texas.  
*xalapensis*, H. B. & K. Nov. Gen. et Sp. iii. 13 = *Athenaea xalapensis*.

**PHYSALOBBIUM**, Steud. Nom. ed. II. ii. 330 (1841) = **PHYSOLOBIUM**, Benth. = **Kennedya**, Vent. (Legumin.).

**PHYSALOIDES**, Moench, Meth. 473 (1794) = **Witthania**, Pauq. (Solan.).  
*prostrata*, Moench, Meth. Suppl. 178 = *Physalis prostrata*.  
*somnifera*, Moench, Meth. 473 = *W. somnifera*.

**PHYSANTHEMUM**, Klotzsch, in Peters, Reise Mosamb. Bot. 167. t. 29 (1861) = **Courbonia**, Brongn. (Cappar.).  
*glaucum*, Klotzsch, l. c. = *C. decumbens*.

**PHYSANTHERA**, Bert. ex Steud. Nom. ed. II. ii. 330, 463 (1841) = **Rodriguezia**, Ruiz & Pav. (Orchid.).  
*callistachys*, Bert. ex Steud. l. c. = *R. stricta*.

**PHYSANTHYLLIS**, Boiss. Voy. Bot. Espagne, ii. 162. t. 162 (1840) = **Anthyllis**, Riv. (Legumin.).  
*tetraphylla*, Boiss. l. c. = *A. tetraphylla*.

**PHYSARIA**, A. Gray, Gen. Illustr. i. 162 (1848). **CRUCIFERAE**, [Benth. & Hook. f. i. 966].  
*didymocarpa*, A. Gray, l. c. = *Am. bor. occ.*  
*Geyeri*, A. Gray, l. c. = *Am. bor. occ.*  
*Newberryi*, A. Gray, in Ives, Rep. Colorado River, Bot. 6.—*Am. bor. occ.*  
*oregona*, S. Wats. in Proc. Am. Acad. xvii. (1881–82) 363.—*Am. bor. occ.*

**PHYSARUS**, Steud. Nom. ed. II. ii. 330 (1841), *sphalm.* = **Physurus**, Rich. (Orchid.).

**PHYSEDRA**, Hook. f. in Benth. & Hook. f. Gen. i. 827 (1867). **CUCURBITACEAE**, Benth. & Hook. f. l. c.  
*Barteri*, Cogn. in DC. Monog. Phan. iii. 525.—Afr. trop.  
*heterophylla*, Hook. f. in Oliver, Fl. Trop. Afr. ii. 553.—Afr. trop.  
*longipes*, Hook. f. in Oliver, l. c.—Afr. trop.

**PHYSENA**, Noronha, ex Thou. Gen. Nov. Madag. 6 (1806). **PASSIFLOREAE**, Benth. & Hook. f. i. 815.  
*madagascariensis*, Steud. Nom. ed. II. ii. 330, nomen; *Thou. ex Tul. in Ann. Sc. Nat. Sér. IV. viii. (1857) 54.*—Madag.  
*sessiliflora*, Tul. l. c. 55.—Madag.

**PHYSETOBASIS**, Hassk. in Versl. en Med. Kon. Akad. Wetensch. v. (1857) 99; et in Flora, xl. (1857) 104 = **Holarrhena**, R. Br. (Apocyn.).  
*macrocarpa*, Hassk. ll. cc. = *H. macrocarpa*.

**PHYSIANTHUS**, Mart. Nov. Gen. et Sp. i. 53. t. 32 (1824) = **Araujia**, Brot. (Asclep.).  
*albans*, Mart. l. c. 54 = *A. sericifera*.  
*angustifolius*, Hook. & Arn. in Hook. Journ. Bot. i. (1834) 292 = *A. angustifolia*.  
*auricomus*, R. Grah. in Bot. Mag. t. 3891 (= *Schubertia graveolens*).—Bras.  
*megapotamicus*, Spreng. Syst. iv. Cur. Post. 112 = *A. angustifolia*.

**PHYSICARPOS**, DC. Prod. ii. 115 (1825) = **PHUSICARPOS**, Poir. = **Hovea**, R. Br. (Legumin.).

**PHYSICHILUS**, Nees, in Hook. Comp. Bot. Mag. ii. (1836) 310 = **Hygrophila**, R. Br. (Acanth.).  
*barbatus*, Nees, in DC. Prod. xi. 82 = *H. barbata*.  
*senegalensis*, Nees, l. c. 81 = *H. senegalensis*.  
*Serpyllum*, Nees, in Hook. Comp. Bot. Mag. ii. (1836) 311 = *H. Serpyllum*.

**PHYSIDIUM**, Schrad. in Goett. Gel. Anz. i. (1821) 714 = **Angelonia**, Humb. & Bonpl. (Scrophul.).  
*procumbens*, Schrad. l. c. = *A. procumbens*.

**PHYSIGLOCHIS**, Neck. Elem. iii. 245 (1790) = **Carex**, Dill. (Cyperac.).

**PHYSINGA**, Lindl. in Bot. Reg. (1838) Misc. 32 = **Epidendrum**, Linn. (Orchid.).  
*prostrata*, Lindl. l. c.—Guian.

**PHYSIPHORA**, Soland. ex DC. Prod. i. 314 (1824) = **Alsodeia**, Thou. (Violar.).  
*laevigata*, Soland. ex DC. l. c. = *A. Physiphora*.

**PHYSKIUM**, Lour. Fl. Cochinch. 662 (1790) = **Vallisneria**, Linn. (Hydroch.).  
*natans*, Lour. l. c. 663 = *V. Physikium*.

**PHYSOCALYCIUM**, Vest. in Flora, iii. (1820) 409 = **Bryophyllum**, Salisb. (Crassul.).

**PHYSOCALYMMMA**, Pohl, in Flora, x. (1827) 152; et Pl. Bras. Ic. i. 99. t. 82, 83 (1827). **LYTHRARIACEAE**, Benth. & Hook. f. i. 781.  
*floridum*, Pohl, Pl. Bras. Ic. i. 100. t. 82, 83 = *scaberrimum*.  
*scaberrimum*, Pohl, in Flora, x. (1827) 153.—Bras.

**PHYSOCALYMNA**, DC. Prod. iii. 89 (1828) = *prae.*

**PHYSOCALYX**, Pohl, in Flora, x. (1827) 147; et Pl. Bras. Ic. i. 63. t. 53 (1827). **SCROPHULARIACEAE**, Benth. & Hook. f. ii. 966.  
*aurantiacus*, Pohl, in Flora, x. (1827) 147; et Pl. Bras. Ic. i. 65.—Bras.  
*major*, Mart. Nov. Gen. et Sp. iii. 2. t. 201.—Bras.  
*minor*, Mart. l. c. 202 = *aurantiacus*.  
*rhinanthoides*, Cham. in Linnaea, viii. (1833) 23 = *Melasma rhinanthoides*.

**PHYSOCARPA**, Rafin. New Fl. Am. iii. 73 (1836) = **Neillia**, D. Don (Rosac.).  
*amurensis*, Maxim. in Act. Hort. Petrop. vi. (1879) 221.—As. or.  
*glabra*, Rafin. New Fl. Am. iii. 73 = *N. opulifolia*.  
*opulifolia*, Rafin. l. c. = *N. opulifolia*.  
*riparia*, Rafin. l. c. = *N. opulifolia*.  
*tomentosa*, Rafin. l. c. 74 = *N. opulifolia*.  
*Torreyi*, Maxim. in Act. Hort. Petrop. vi. (1879) 221 = *N. Torreyi*.

**PHYSOCARPON**, Neck. Elem. ii. 164 (1790) = **Lychnis**, Tourn. (Caryoph.).

**PHYSOCARPUM**, Bercht. & Presl, Rostl. i. Ranunc. 14 (1823) = **Thalictrum**, Tourn. (Ranunc.).  
*clavatum*, Bercht. & Presl, l. c. = *T. clavatum*.  
*podocarpum*, Bercht. & Presl, l. c. 15 = *T. podocarpum*.

**PHYSOCARPUS**, Maxim. in Act. Hort. Petrop. vi. (1879) 219 = **PHYSOCARPA**, Rafin. = **Neillia**, D. Don (Rosac.).

**PHYSOCAULIS**, Tausch, in Flora, xvii. (1834) 342 = **Chaerophyllum**, Linn. (Umbell.).  
*nodosus*, Koch, Syn. Fl. Germ. ed. II. 348 = *C. nodosum*.

**PHYSOCHEILUS**, Nutt. ex Benth. in DC. Prod. x. 536, in syn. (1846) = **Orthocarpus**, Nutt. (Labi.).  
*variegatus*, Nutt. ex Benth. l. c. = *O. purpurascens*.

**PHYSOCHLAENA**, C. Koch, in Linnaea, xxii. (1849) 737 = *seq.*

**PHYSOCHLAINA**, G. Don, Gen. Syst. iv. 470 (1837). **SOLANACEAE**, Benth. & Hook. f. ii. 902.  
*BELENIA*, Decne. in Jacquem. Voy. Bot. 113. t. 120 (1844 ?).  
*dahurica*, Miers, in Ann. & Mag. Nat. Hist. Ser. II. v. (1850) 471.—*Dahuria*.  
*grandiflora*, Hook. Bot. Mag. t. 4600 = *praealta*.  
*orientalis*, G. Don, Gen. Syst. iv. 470.—*Oriens*.  
*physaloides*, G. Don, l. c. = *Scopola physaloides*.  
*praealta*, Miers, in Ann. & Mag. Nat. Hist. Ser. II. v. (1850) 473.—*Reg. Himal.*  
*rubraulis*, Miers, l. c. 471.—*Hab. ?*  
*Semenowi*, Regel, in Bull. Soc. Nat. Mosc. xli. (1868) i. 95.—As. centr.

**PHYSOCLAINA**, Boiss. Fl. Orient. iv. 293 (1879) = *prae.*

**PHYSOCODON**, Turcz. in Bull. Soc. Nat. Mosc. xxxi. (1858) i. 212 = **Melochia**, Linn. (Stercul.).  
*brachybotrys*, Turcz. l. c. 213.—Bras.  
*macrobotrys*, Turcz. l. c.—Ecuador.

**PHYSODEIRA**, Hanst. in Linnaea, xxvi. (1853) 207 = **Episcia**, Mart. (Gesner.).  
*bicolor*, Hanst. l. c. = *E. bicolor*.

**PHYSODIA**, Salisb. Gen. Pl. Fragm. 37 (1866) = **Urginea**, Steinh. (Liliac.).  
*physodes*, Salisb. l. c. = *U. physodes*.

**PHYSODIUM**, Presl, Rel. Haenk. ii. 150. t. 72 (1836). **STERCULIACEAE**, Benth. & Hook. f. i. 223.  
*corymbosum*, Presl, l. c.—Mexic.  
*dubium*, Hemsl. Diag. Pl. Nov. 4.—Mexic.

**PHYSOGETON**, Jaub. & Spach, Illustr. ii. 48. t. 135 (1846) = **Halanthium**, C. Koch (Chenop.).  
*acanthophyllum*, Jaub. & Spach, Illustr. ii. 48. t. 135 = *H. purpureum*.  
*purpureum*, Moq. in DC. Prod. xiii. ii. 202 = *H. purpureum*.

**PHYSOLEPIDION**, Schrenk, Enum. Pl. Nov. 97 (1841) = **Lepidium**, Linn. (Crucif.).  
*repens*, Schrenk, l. c.—Soongar.

**PHYSOLEPIDIUM**, Endl. Suppl. ii. 108 (1842) = *prae.*

**PHYSOLEUCAS**, Jaub. & Spach, Illustr. v. 48. t. 445 (1855) = **Leucas**, R. Br. (Labi.).  
*acrodonta*, Jaub. & Spach, l. c. = *L. acrodonta*.  
*arabica*, Jaub. & Spach, l. c. 49 = *L. inflata*.  
*pachystachya*, Jaub. & Spach, l. c. t. 445 = *L. inflata*.  
*Schimperii*, Jaub. & Spach, l. c. = *L. acrodonta*.

**PHYSOLOBIUM**, Benth. in Hueg. Bot. Archiv, t. 2 (1837) = **Kennedya**, Vent. (Legumin.).  
*carinatum*, Benth. in Enum. Pl. Hueg. 39 = *K. parviflora*.  
*elatum*, Benth. in Hueg. Bot. Archiv, t. 2 = *K. Stirlingii*.  
*gracile*, Hort. ex W. Baxt. in Loud. Hort. Brit. Suppl. iii. 608 = *K. parviflora*.  
*macrophyllum*, Meissn. in Lehm. Pl. Preiss. ii. 222 = *K. macrophylla*.  
*Stirlingii*, Benth. in Hueg. Bot. Archiv, sub t. 2 = *K. Stirlingii*.

**PHYSOLOPHIUM**, Turcz. in Bull. Soc. Nat. Mosc. xvii. (1844) ii. 728 = **Angelica**, Riv. (Umbellif.).  
*saxatile*, Turcz. l. c. 729 = *A. saxatilis*.

**PHYSOLYCHNIS**, Rupr. in Mém. Acad. Pétersb. Sér. VII. xiv. (1869) n. 4 (Sert. Tianschan.) 41 = **Lychnis**, Tourn. (Caryoph.).  
*altaica*, Rupr. l. c.—Sibir. altaic.  
*apetala*, Rupr. l. c. = *L. apetala*.  
*gonosperma*, Rupr. l. c.—Turkestan.  
*uralensis*, Rupr. l. c.—Ross.

**PHYSONDRA**, Rafin. Atl. Journ. 145 (1832) = **Astragalus**, Tourn. (Legumin.).  
*dispar*, Rafin. l. c. = *A. multiflorus*.  
*longifolia*, Rafin. l. c. = *A. pictus*.

**PHYSOPHORA**, Link, Enum. Hort. Berol. i. 278 (1821) = **Physospermum**, Cusson (Umbell.).  
*sylvatica*, Link, l. c. = *Physospermum commutatum*.

**PHYSOPLEXIS**, Schur, in Verh. Siebenb. Ver. Naturw. iv. (1853) 47 = **Phyteuma**, Linn. (Campan.).  
*comosa*, Schur, l. c. = *Phyt. comosum*.

**PHYSOPODIUM**, Desv. in Ann. Sc. Nat. Sér. I. ix. (1826) 403. Genus *dubium* **LYTHRARIARUM**, Benth. & Hook. f. i. 776.  
*volubile*, Desv. l. c.—Ins. Borbon.

**PHYSOPSIS**, Turcz. in Bull. Soc. Nat. Mosc. xxii. (1849) ii. 34. **VERBENACEAE**, Benth. & Hook. f. ii. 1139.  
*spicata*, Turcz. l. c. 35.—Austral.



**PHYSOPTYCHIS**, Boiss. Fl. Orient. i. 260 (1867) = *Vesicaria*, Tourn. (Crucif.).  
*gnaphalodes*, Boiss. l. c. = *V. gnaphalodes*.

**PHYSORHYNCHUS**, Hook. Ic. Pl. tt. 821, 822 (1852). *CRUCIFERAE*, Benth. & Hook. f. i. 100.  
*brahuicus*, Hook. l. c. —Ind. bor. occ.  
*Chamaerapistrum*, Boiss. Fl. Orient. i. 403 = *brahuicus*.

**PHYSORHYNCUS**, Hook. f. & T. Anders. in Hook. f. Fl. Brit. Ind. i. 165 (1872), sphalm. = *prae*.

**PHYSOSIPHON**, Lindl. Bot. Reg. sub t. 1797 (1835). *ORCHIDEAE*, Benth. & Hook. f. iii. 490.  
*carinatus*, Lindl. Bot. Reg. (1838) Misc. 72. —Mexic.  
*emarginatus*, Lindl. l. c. sub t. 1797. —Am. austr.  
*Loddigesii*, Lindl. l. c. —Mexic.  
*nicaraguensis*, Liebm. Ind. Sem. Hort. Haun. (1853) 20 = *Pleurothallis nicaraguensis*.  
*ochraceus*, A. Rich. & Gal. in Ann. Sc. Nat. Sér. III. iii. (1845) 17. —Mexic.  
*pubescens*, Rodrig. Orch. Nov. i. 27. —Bras.  
*punctulatus*, Reichb. f. in Bot. Zeit. xxiv. (1866) 385. —N. Granat.  
*serrulatus*, Rodrig. Orch. Nov. ii. 78. —Bras.  
*spiralis*, Lindl. Bot. Reg. sub t. 1797. —Bras.  
*tubatus*, Reichb. f. in Walp. Ann. vi. 188 = *Loddigesii*.

**PHYSOSPERMUM**, Cusson, in Mém. Soc. Méd. Par. (1782) 279. *UMBELLIFERAE*, Benth. & Hook. f. i. 882.  
*ALSCHINGERA*, Vis. Fl. Dalm. iii. 69 (1849).  
*DANAA*, All. Fl. Pedem. ii. 34. t. 63 (1785).  
*HAENSELERA*, Fl. Gen. et Sp. Nov. 13 (1816).  
*PHYSOPHORA*, Link, Enum. Hort. Berol. i. 278 (1821).  
*PSEUDOSPERMUM*, S. F. Gray, Nat. Arr. Brit. Pl. ii. 517 (1821).  
*actaeae-folium*, Eichw. Casp. 32 = *Eleutherospermum grandifolium*.  
*actaeae-folium*, Presl, Delic. Prag. 128. —Sicil.; Ital.  
*aegopodioides*, Boiss. Fl. Orient. ii. 923. —Macedon.  
*angelicaefolium*, Guss. Ind. Sem. Hort. Bocc. (1825); ex ej. Fl. Sic. Prod. i. 356 = *actaeae-folium*.  
*aquilegifolium*, Koch, in Nov. Act. Nat. Cur. xii. i. (1824) 134 = *commutatum*.  
*cicutarium*, Spreng. Sp. Umbellif. 23 = *Eleutherospermum grandifolium*.  
*commutatum*, Spreng. Umbellif. Prod. 19. —Europ.; As. Min.  
*cornubiense*, DC. Prod. iv. 246 = *commutatum*.  
*nudicaule*, C. A. Mey. Verz. Pf. Cauc. 132 = *commutatum*.  
*Olgae*, Regel & Schmalh. ex Regel, Pl. Nov. Fedtsch. 40. —Kokan.  
*verticillatum*, Vis. Fl. Dalm. iii. 358, in obs. = *actaeae-folium*.

**PHYSOSPERMUM**, Lag. Amen. Nat. ii. 97 (1821) = *Pleurosperrum*, Hoffm. (Umbellif.).  
*Gussoni*, Lag. l. c. = *Pleurosp. austriacum*.

**PHYSOSTEGIA**, Benth. in Bot. Reg. sub t. 1289 (1829). *LABIATAE*, Benth. & Hook. f. ii. 1204.  
*denticulata*, Benth. in Bot. Reg. sub t. 1289 = *virginiana*.  
*imbricata*, Benth. in DC. Prod. xii. 434 = *parviflora*.  
*imbricata*, Hook. Bot. Mag. t. 3386 = *virginiana*.  
*intermedia*, Engelm. & Gray, in Bost. Journ. Nat. Hist. v. (1845) 257. —Am. bor. occ.  
*parviflora*, Nutt. ex Benth. in DC. Prod. xii. 434, in syn.; et ex A. Gray, in Proc. Am. Acad. viii. (1873) 371. —Am. bor.  
*speciosa*, Sweet, Hort. Brit. ed. II. 406 = *virginiana*.  
*truncata*, Benth. Lab. Gen. et Sp. 505 = *Brazoria truncata*.  
*truncata*, Hook. Bot. Mag. t. 3494 = *Brazoria scutellarioides*.  
*variegata*, Benth. in Bot. Reg. sub t. 1289 = *virginiana*.  
*virginiana*, Benth. l. c.; Lab. Gen. et Sp. 504. —Am. bor.

**PHYSOSTELMA**, Wight, Contrib. 39 (1834). *ASCLEPIADEAE*, Benth. & Hook. f. ii. 777.  
*CYSTIDIANTHUS*, Hassk. Cat. Hort. Bog. Alt. 126 (1844).  
*campanulatum*, Deene. in DC. Prod. viii. 633 = *Wallichii*.  
*laurifolium*, Walp. Ann. iii. 63. —Sumatra.  
*Wallichii*, Wight, Contrib. 40. —Singapore.

**PHYSOSTEMON**, Mart. Nov. Gen. et Sp. i. 72. t. 45 (1824) = *Cleome*, Linn. (Cappar.).  
*ambiguum*, Bong. in Bull. Sc. Acad. Pétersb. i. (1836) 115 = *C. stenophylla* (Cf. Addend.).  
*intermedium*, Moric. Pl. Nouv. Am. 62. t. 42 = *C. guianensis*.  
*lanceolatum*, Mart. Nov. Gen. et Sp. i. 73. t. 45 = *C. stenophylla* (Cf. Addend.).  
*rotundifolium*, Mart. l. c. 74. t. 47. —Bras.  
*tenuifolium*, Mart. l. c. 73. t. 46. —Bras.

**PHYSOSTIGMA**, Balf. in Trans. Roy. Soc. Edinb. xxii. (1861) 310. t. 16. *LEGUMINOSAE*, Benth. & Hook. f. i. 538.  
*cylindrospermum*, Holmes, in Pharm. Journ. Ser. III. ix. (1879) 913. —Cf. *Trimen*, in Journ. Bot. xvii. (1879) 185, 186. —Afr. trop.  
*venenosum*, Balf. in Trans. Roy. Soc. Edinb. xxii. (1861) 310. —Afr. trop.

**PHYSOTRICHIA**, Hiern, in Journ. Bot. xi. (1873) 161. *UMBELLIFERAE*.  
*Buchananii*, Benth. ex Oliver, in Hook. Ic. Pl. t. 1358. —Afr. trop.  
*Welwitschii*, Hiern, in Journ. Bot. xi. (1873) 161. —Afr. trop.

**PHYSURUS**, Rich. in Mém. Mus. Par. iv. (1818) 55. *ORCHIDEAE*, Benth. & Hook. f. iii. 597.  
*ERYTHRODES*, Blume, Bijdr. 410. t. 72 (1825).  
*MICROCHILUS*, Presl, Rel. Haenk. i. 94 (1827).  
*ORCHIPEDUM*, Breda, Kuhl. et Hasselt, Gen. et Sp. Orch. [t. 10] (1827).  
*QUETELETIA*, Blume, Orch. Archip. Ind. 117. t. 37 (1858).

*aratanhensis*, Rodrig. Orch. Nov. ii. 290. —Bras.  
*argenteus*, Hort. ex C. Koch & Lauche, in Allg. Gartenz. (1857) 5. —Hab. ?  
*arietinus*, Reichb. f. & Warm. in Otia Bot. Hamb. 82. —Bras.

*bicolor*, Rodrig. Orch. Nov. ii. 290. —Bras.  
*bifalcis*, Lindl. Gen. et Sp. Orch. 502. —Peruv.  
*Blumei*, Lindl. in Wall. Cat. n. 7397. —Ind. or.; Malaya.

*brachyceras*, A. Rich. & Gal. in Ann. Sc. Nat. Sér. III. iii. (1845) 33 = *Goodyera striata*.  
*brachyrhynchus*, Reichb. f. Xenia Orch. ii. 184. —Venezuela.

*bracteatus*, Blume, Orch. Archip. Ind. 97. —Sumatra.  
*calophyllus*, Reichb. f. Beitr. Orch. Centr. Am. 64. —Costa Rica.

*chiriquensis*, Reichb. f. ex Linden, Illustr. Hort. xxix. (1882) 116, nomen. —N. Granat.  
*claviger*, Reichb. f. in Bonplandia, iv. (1856) 211. —Mexic.

*commelinoides*, Rodrig. Orch. Nov. i. 193. —Bras.  
*commelynifolius*, Reichb. f. in Flora, xlviii. (1865) 274. —Cuba.

*corniculatus*, Reichb. f. l. c. —Cuba.  
*debilis*, Lindl. Gen. et Sp. Orch. 503. —Bras.  
*decorus*, Reichb. f. in Gard. Chron. (1873) 177. —Sumatra.

*densiflorus*, Lindl. Gen. et Sp. Orch. 502. —Bras.  
*elator*, Reichb. f. in Bonplandia, iii. (1855) 214. —Ind. occ.

*foliosus*, Lindl. Gen. et Sp. Orch. 503. —Peruv.  
*glandulosus*, Lindl. in Journ. Linn. Soc. i. (1857) 180  
*Cystorchis glandulosus*.

*hirsutus*, Lindl. l. c. —Reg. Himal.  
*hirtellus*, Lindl. Gen. et Sp. Orch. 501. —Ind. occ.  
*humilis*, Blume, Orch. Archip. Ind. 96. —Java.

*hylibates*, Reichb. f. Otia Bot. Hamb. 83. —Bras.  
*hyphaemateus*, Reichb. f. Xenia Orch. ii. 184. —Venezuela.

*lacteolus*, Rodrig. Orch. Nov. ii. 292. —Bras.  
*lamprophyllus*, Linden & Reichb. f. in Hamb. Gartenz. xvi. (1860) 15. —Bras.

*latifolius*, Blume, Orch. Archip. Ind. 95. —Java.  
*loxoglottis*, Reichb. f. Beitr. Orch. Centr. Am. 64. —Guatemala.

## PHYSURUS:—

*maculatus*, Hook. Bot. Mag. t. 5305. —Ecuador.  
*Maurevertii*, Mig. Fl. Ind. Bat. iii. 735. —Java.  
*metallescens*, Rodrig. Orch. Nov. ii. 291. —Bras.  
*minor*, Lindl. Gen. et Sp. Orch. 503. —Peruv.  
*mystacinus*, Reichb. f. Xenia Orch. ii. 183. —Peruv.  
*nobilis*, Reichb. f. in Gard. Chron. (1873) 177. —Bras.  
*Ortgiesii*, Reichb. f. l. c. —N. Granat.  
*ovatus*, Lindl. Gen. et Sp. Orch. 502. —Peruv.  
*pauciflorus*, Lindl. l. c. 504. —Bras.  
*pictus*, Lindl. l. c. —Bras.  
*plantagineus*, Lindl. l. c. 503. —Ind. occ.  
*Preslei*, Lindl. l. c. 501. —Peruv.  
*querceticola*, Lindl. l. c. 505. —Mexic. ?  
*rariflorus*, Lindl. Orch. Linden, 28. —Venezuela.  
*repens*, Lindl. Gen. et Sp. Orch. 502. —Peruv.  
*roseus*, Lindl. l. c. 501. —Bras.  
*Sagraeanus*, A. Rich. Fl. Cub. Fanerog. ii. 253. —Cuba.  
*stigmatopterus*, Reichb. f. Xenia Orch. ii. 185. —Bras.  
*tridax*, Reichb. f. Beitr. Orch. Centr. Am. 64. —Costa Rica.  
*vaginatus*, Hook. Ic. Pl. t. 449. —Guatemala.  
*vasiflorus*, Linden, Illustr. Hort. xxix. (1882) 116, sphalm. = *rariflorus*.  
*vesicifer*, Reichb. f. Beitr. Orch. Centr. Am. 63. —Costa Rica.  
*viridiflorus*, Lindl. in Journ. Linn. Soc. i. (1857) 180. —Java.  
*xystophyllus*, Reichb. f. Xenia Orch. ii. 183. —Venezuela.

**PHYTARRHIZA**, Vis. in Mem. Ist. Venet. v. (1855) 340 = *Tillandsia*, Linn. (Bromel.).  
*anceps*, E. Morr. in Belg. Hort. xxix. (1879) 368. tt. 20, 21 = *T. anceps*.  
*crocata*, E. Morr. l. c. xxx. (1880) 87. —Bras.  
*Duratii*, Vis. in Mem. Ist. Venet. v. (1855) 340 = *T. Duratii*.  
*Hamaleana*, E. Morr. in Belg. Hort. xx. (1870) 97. —T. Hamaleana.  
*Lindenii*, E. Morr. in Gard. Chron. (1879) II. 460 = *T. Lindenii*.  
*monadelpha*, E. Morr. in Belg. Hort. xxxii. (1882) 168. t. 7. —Am. austr.

**PHYTELEPHAS**, Ruiz & Pav. Syst. Veg. 299 (1798). *PALMAE*, Benth. & Hook. f. iii. 921.  
*ELEPHANTUSIA*, Willd. Sp. Pl. iv. 1156 (1805).  
*aequatorialis*, Spruce, in Journ. Linn. Soc. xi. (1871) 179, 180. —Ecuador.

*aureo-costata*, Linden, in Illustr. Hort. xxviii. (1881) 32, nomen. —N. Granat.  
*Bonplandiana*, Gaudich. Bot. Voy. Bonite, t. 30. —Hab. ?

*Endlicheriana*, Gaudich. l. c. —Hab. ?  
*Humboldtiana*, Gaudich. l. c. —Hab. ?  
*Kunthiana*, Gaudich. l. c. —Hab. ?

*macrocarpa*, Ruiz & Pav. Syst. Veg. 301. —Am. austr.  
*microcarpa*, Ruiz & Pav. l. c. 302. —Peruv.

*Orbignyana*, Gaudich. Bot. Voy. Bonite, t. 29. —Hab. ?  
*Pavonii*, Gaudich. l. c. tt. 16, 29. —Hab. ?  
*Persooniana*, Gaudich. l. c. t. 30. —Hab. ?

*Poeppigii*, Gaudich. l. c. t. 16. —Hab. ?  
*Ruizii*, Gaudich. l. c. t. 14. —Hab. ?  
*Schottii*, H. Wendl. in Kerch. Palm. 253, nomen. —Hab. ?

*Willdenowiana*, Gaudich. Bot. Voy. Bonite, t. 30. —Hab. ?

**PHYTEUMA**, Linn. Gen. ed. I. 46 (1737). *CAM-PANULACEAE*, Benth. & Hook. f. ii. 561.  
*ASYNEUMA*, Griseb. & Schenk, in Wieg. Archiv, xviii. (1852) 1. 335.

*PETROMARULA*, Vent. ex Hedw. f. Gen. 139 (1806).  
*PHYSOPLEXIS*, Schur, in Verh. Siebenb. Ver. Naturw. iv. (1853) 47.

*PODANTHUM*, Boiss. Fl. Orient. iii. 945 (1875).  
*RAFUNCULUS*, Tourn. ex Mill. Gard. Dict. ed. VI. (1752).

*TRACANTHIELIUM*, Schur, Enum. Pl. Trans. 431 (1866).

*adulterinum* x, Wallr. Beitr. Fl. Hercyn. 188. —German.  
*ambiguum*, Schur, Enum. Pl. Trans. 945 (1866).  
*canescens*.



**PHYTEUMA** :—

*americanum*, Hill, Veg. Syst. viii. 15 = Campanula americana.  
*amplexicaule*, Willd. Sp. Pl. i. 925.—As. Min.  
*angustatum*, Wender. ex Steud. Nom. ed. II. ii. 330, nomen (Quid ?).—Hab. ?  
*angustifolium*, Ledeb. Fl. Ross. ii. 874.—Rossia.  
*anthericoides*, Nym. Consp. 484.—Serbia.  
*argutum*, Regel, in Bull. Soc. Nat. Mosc. xl. (1867) II. 183.—Turkestan.  
*armeriaefolium*, Tausch, ex Reichb. Fl. Germ. Excurs. 857 = humile.  
*asperum*, Boiss. Diagn. Ser. I. xi. 72.—Kurdistan.  
*atropurpureum*, Hoppe, Taschenb. (1802) 27; et in Flora, ii. (1819) 68 = spicatum.  
*attenuatum*, Franch. in Ann. Sc. Nat. Sér. VI. xviii. (1884) 207.—Turkestan.  
*Aucherii*, A. DC. in DC. Prod. vii. 456 = amplexicaule.  
*austriacum*, G. Beck, in Verh. Zool. Bot. Ges. Wien, xxxii. (1883) 179 = orbiculare.  
*Balbisi*, A. DC. Monog. Camp. 200.—Europ.  
*begonifolium*, Roxb. Hort. Beng. 85; Fl. Ind. i. 505 = Pentaphragma begoniaefolium.  
*betonicaefolium*, Losc. Pard. Ser. Inc. 66 = orbiculare.  
*betonicaefolium*, Vill. Hist. Pl. Dauph. ii. 518. t. 12 = Michellii.  
*betonicifolium*, St. Lag. in Ann. Soc. Bot. Lyon, viii. (1881) 190 = praec.  
*Bovelinii*, Hegetschw. Fl. Schw. 224.—Europ.  
*brevifolium*, Schleich. Cat. Pl. Helvet. (1821) 25 = orbiculare.  
*campanuloides*, Bieb. Fl. Taur. Cauc. i. 156.—Reg. Caucas.  
*canescens*, Waldst. & Kit. Pl. Rar. Hung. i. 12. t. 14.—Hungar.; Reg. Caucas.  
*capensis*, Burm. f. Fl. Cap. Prod. 5.—Afr. austr.  
*capituliforme*, Rochel, Pl. Banat. Rar. 6 = orbiculare.  
*cappadocicum*, Boiss. Diagn. Ser. I. xi. 73.—Cappadoc.  
*Carestiae*, Biroli, in Brugn. Giorn. Fis. II. i. (1818) 37 = humile.  
*Carestiae*, Loisèl, Fl. Gall. ed. II. i. 145 = serratum.  
*Charmelii*, Sieber, ex Spreng. Pugill. i. 15 = Sieberi.  
*Charmelii*, Vill. Hist. Pl. Dauph. ii. 516 = Scheuchzeri.  
*charmelioides*, Biroli, in Mem. Ac. Torin. xxiv. (1820) 577 = Scheuchzeri.  
*cichoriforme*, Boiss. Diagn. Ser. I. iv. 37.—As. Min.  
*collinum*, Guss. Pl. Rar. 97. t. 19 = limoniifolium.  
*Columnae*, Thomas, Cat. Pl. Suiss. (1818) 22; et ex Gaud. Fl. Helv. ii. 178 = Scheuchzeri.  
*comosum*, Gouan, Fl. Monsp. 27 = orbiculare.  
*comosum*, Linn. Sp. Pl. 171.—Europ. austr.  
*confusum*, Kern. in Zeitschr. Ferdinand. Tirol. III. xv. (1870) 247 = orbiculare.  
*cordatum*, Balb. Misc. ii. 10 = Balbisi.  
*cordatum*, Reichb. Fl. Germ. Excurs. 297 = Sieberi.  
*cordatum*, Sims, Bot. Mag. t. 1466 = orbiculare.  
*cordifolium*, Lapeyr. Hist. Abr. Pl. Pyr. i. 10 = Michellii.  
*cordifolium*, Vill. Hist. Pl. Dauph. ii. 517 = orbiculare.  
*corniculatum*, [Clairv.] Man. Herb. 63 = Scheuchzeri.  
*corsicum*, Sieber, ex Rochel, Bot. Reise Banat. 69 = orbiculare.  
*crispum*, Pourr. in Mém. Acad. Toul. iii. (1788) 324 = Jasione humilis.  
*dubia*, Frivald. in Flora, xx. (1837) 234 = Trachelium rumelianum.  
*elegans*, Hegetschw. Fl. Schw. 228.—Europ.  
*ellipticifolium*, Vill. Hist. Pl. Dauph. ii. 517 = orbiculare.  
*ellipticum*, Auct. sphalm. = praec.  
*ellipticum*, Poir. Encyc. vi. 73 = lanceolatum.  
*ellipticum*, Sibth. & Sm. Fl. Graec. Prod. i. 143 = Sibthorpiatum.  
*elongatum*, Hegetschw. Fl. Schw. 227.—Europ.  
*fistulosum*, Reichb. in Flora, v. (1822) 534.—Europ. austr.  
*foliosum*, Kit. in Linnaea, xxxii. (1863) 426 = canescens.  
*giganteum*, Nym. Consp. 483.—Ins. Rhodus.  
*glaciale*, Hoppe, ex Nym. Consp. 485 = Sieberi.  
*globulariaefolium*, Sternb. & Hoppe, in Denkschr. Bot. Ges. Regensb. i. II. (1818) 100; Hegetschw. Reisen Gebirgsstock, 146 = pauciflorum.  
*gracile*, Boiss. & Heldr. Diagn. Ser. I. xi. 74 = lobelioides.  
*graminifolium*, Sieber, in Flora, v. (1822) 648 = hemisphaericum.

**PHYTEUMA** :—

*Grisebachii*, Pant. ex Nym. Consp. 484 = P. Michellii.  
*haemisphaericum*, Hill, Veg. Syst. viii. 15 = hemisphaericum.  
*Halleri*, All. Fl. Pedem. i. 116.—Europ.  
*Halleri*, Duby, Bot. Gall. ed. II. i. 312 = spicatum.  
*hemisphaericum*, Geners. Fl. Scep. Elench. n. 195; ex Wahlenb. Fl. Carpat. 63 = orbiculare.  
*hemisphaericum*, Linn. Sp. Pl. 170.—Europ.  
*Hegetschweileri* ×, Bruegg. in Jahresb. Naturf. Ges. Graub. II. xxiii–xxiv. (1880) 104.—Europ.  
*hispidum*, Hegetschw. Fl. Schw. 224 = orbiculare?  
*hispidum*, Schleich. Cat. Pl. Helvet. ed. IV. 25, nomen.—Europ.  
*humile*, Roth, Enum. Pl. Phan. Germ. i. 696 = Scheuchzeri.  
*humile*, Schleich. ex Murith, Guide Bot. Val. 84.—Europ.  
*inaequatum*, Kit. ex Schult. Oesterr. Fl. ed. II. i. 398 = orbiculare.  
*intermedium*, Hegetschw. Reisen Gebirgsstock, 147 = hemisphaericum.  
*intermedium*, Jan, ex A. DC. Monog. Camp. 186 = Sieberi.  
*Jacquini*, Sieber, Reise Kreta, i. 437; ii. 316 = Trachelium Jacquini.  
*japonicum*, Miq. Ann. Mus. Bot. Lugd. Bat. ii. 192.—Japon.  
*Kotschy*, Boiss. Diagn. Ser. I. xi. 71 = amplexicaule.  
*lanceolatum*, Desf. in Ann. Mus. Par. xi. (1808) 55 = lobelioides.  
*lanceolatum*, Vill. Hist. Pl. Dauph. ii. 517 = orbiculare.  
*lanceolatum*, Willd. Sp. Pl. i. 924.—As. Min.; Syria.  
*latifolium*, Dalla Torre, Atl. Alpenfl. 160.—Europ.  
*leianthum*, Trautv. in Act. Hort. Petrop. iii. II. (1875) 274.—As. Min.  
*limoniifolium*, Ledeb. Fl. Ross. ii. 873 = P. Otites.  
*limoniifolium*, Sibth. & Sm. Fl. Graec. Prod. i. 144.—Europ. austr.; As. Min.  
*limoniifolium*, C. A. Mey. Verz. Pfl. Cauc. 83 = pulchellum.  
*linifolium*, Boiss. & Heldr. Diagn. Ser. I. xi. 75.—As. Min.  
*lobelioides*, Willd. Phyt. 6. t. 4.—As. Min.  
*longifolium*, Hegetschw. Fl. Schw. 225.—Europ.  
*lycium*, Boiss. Diagn. Ser. I. xi. 76.—Lycia.  
*Michellii*, All. Fl. Pedem. i. 115.—Europ.  
*Michellii*, Hegetschw. Reisen Gebirgsstock, 148; Fl. Schw. 228 = orbiculare.  
*Michellii*, Lapeyr. Hist. Abr. Pl. Pyr. 109 = hemisphaericum.  
*Michellii*, F. W. Schmidt, Fl. Boëm. ii. 85 = Scheuchzeri.  
*minutum*, Roem. & Schult. Syst. v. 86 = Jasione foliosa.  
*multicaule*, Franch. in Ann. Sc. Nat. Sér. VI. xviii. (1884) 208.—Turkestan.  
*nanum*, Schur, in Verh. Siebenb. Ver. Naturw. iii. (1852) 88 = pauciflorum.  
*nigrum*, F. W. Schmidt, Fl. Boëm. ii. 87.—Europ.  
*orbiculare*, Jacq. Fl. Austr. t. 437 = Scheuchzeri.  
*orbiculare*, Linn. Sp. Pl. 170.—Europ.  
*Otites*, Trautv. in Act. Hort. Petrop. vi. (1879) 49.—As. Min.  
*ovale*, Hoppe, Taschenb. (1794) 82 = nigrum.  
*ovatum*, Hoffm. Deutschl. Fl. ed. II. i. 105 = nigrum.  
*ovatum*, Lam. Illustr. ii. 68 = Scheuchzeri.  
*ovatum*, F. W. Schmidt, Fl. Boëm. ii. 87 = Halleri.  
*paniculatum*, Janka, ex Nym. Consp. 483 = canescens.  
*parviflorum*, Mutel, Fl. Fr. t. 35. f. 269, sphalm. = pauciflorum.  
*pauciflorum*, Johann. ex Roem. & Schult. Syst. v. 78 = sibiricum.  
*pauciflorum*, Linn. Sp. Pl. 170.—Europ.  
*persicaefolium*, Hoppe, ex A. DC. Monog. Camp. 196 = Michellii.  
*Pestalozzae*, Boiss. Diagn. Ser. I. xi. 74 = lobelioides.  
*pilosum*, Hegetschw. Reisen Gebirgsstock, 149 = orbiculare.  
*pinnatum*, Linn. Sp. Pl. 171.—Ins. Creta.  
*Pseudoorbiculare*, Pant. in Verh. Ver. Naturw. Heilk. Presb. ii. (1871–72) 53 = orbiculare.  
*pulchellum*, Fisch. & Mey. Ind. Sem. Hort. Petrop. i. 35.—As. Min.; Persia.  
*Rapunculus*, Pers. in Linn. Syst. ed. XV. (1797) 220, in obs. = nigrum.

**PHYTEUMA** :—

*Regelii*, Trautv. in Act. Hort. Petrop. vi. (1879) 53.—As. centr.  
*reniforme*, Dulac, Fl. Hautes-Pyr. 456 = Scheuchzeri.  
*repandum*, Sibth. & Sm. Fl. Graec. Prod. i. 143 = limoniifolium.  
*rigidifolium*, Dufour, ex Roem. & Schult. Syst. v. 87 = Jasione foliosa.  
*rigidum*, Willd. Sp. Pl. i. 925.—As. Min.; Syria.  
*rumelicum*, Griseb. Spicil. Fl. Rumel. ii. 291 = Trachelium rumelianum.  
*salicifolium*, Kit. ex Schult. Oesterr. Fl. ed. II. i. 400, in obs.; A. DC. Monog. Camp. 205 = canescens.  
*salignum*, Waldst. & Kit. ex Bess. Prim. Fl. Galic. i. 368 = canescens.  
*Scheuchzeri*, Alt. Fl. Pedem. i. 116. t. 39.—Europ. austr.  
*Scheuchzeri*, F. W. Schmidt, Fl. Boëm. ii. 86 = orbiculare.  
*scorzonerifolium*, Vill. Hist. Pl. Dauph. ii. 519. t. 12 = Michellii.  
*serratum*, Viv. App. Fl. Cors. Prod. 1.—Ins. Corsica.  
*Sewerzowi*, Regel, in Bull. Soc. Nat. Mosc. xl. (1867) II. 184.—Turkestan.  
*sibiricum*, Vest, ex Roem. & Schult. Syst. v. 77.—Sibir.  
*Sibthorpiatum*, Roem. & Schult. l. c. 84.—Graecia.  
*Sieberi*, Schur, Enum. Pl. Transs. 429 = humile.  
*Sieberi*, Spreng. Pugill. i. 15.—Europ.  
*spicatum*, Lap. Hist. Abr. Pl. Pyr. 110 = Halleri.  
*spicatum*, Linn. Sp. Pl. 171.—Europ.  
*spiciforme*, Rochel, Bot. Reise Banat. 69 = spicatum.  
*Sinai*, A. DC. in DC. Prod. vii. 455 = lanceolatum.  
*strictum*, Sims, Bot. Mag. t. 2145 = limoniifolium.  
*stylidioides*, Boiss. Diagn. Ser. I. xi. 73 = lobelioides.  
*stylosum*, Hort. Par. ex Schrank, Pl. Rar. Hort. Monac. t. 49 = limoniifolium.  
*sublyratum*, Panč. ex Nym. Consp. 484 = Halleri.  
*supinum*, G. Don, Gen. Syst. iii. 749 = Jasione supina.  
*tenuifolium*, A. DC. Monog. Camp. 201.—Byzant.  
*tetramericum*, Schur, in Verh. Siebenb. Ver. Naturw. x. (1859) 105 = seq.  
*tetramericum*, Schur, l. c. iv. (1853) 47 = spicatum.  
*Thomsoni*, C. B. Clarke, in Hook. f. Fl. Brit. Ind. iii. 488.—Reg. Himal.  
*transsilvanicum*, Schur, in Verh. Siebenb. Ver. Naturw. iv. (1853) 47 = hemisphaericum.  
*tricolor*, Molina, Sagg. Chile, ed. II. 133.—Chile.  
*urticaefolium*, [Clairv.] Man. Herb. 63 = Halleri.  
*veronicaefolium*, Schrad. ex A. DC. Monog. Camp. 196 = Michellii.  
*virgatum*, Jensch. ex Trautv. in Act. Hort. Petrop. vi. (1879) 49 = P. Otites.  
*virgatum*, Kotschy, ex A. DC. in DC. Prod. vii. 455 = Sibthorpiatum.  
*virgatum*, Lodd. Bot. Cab. t. 667 = limoniifolium.  
*virgatum*, Willd. Sp. Pl. i. 914 = Campanula Rapunculus.

**PHYTEUMA**, Lour. Fl. Coch. 138 (1790) = **Sam-bucus**, Tourn. (Caprifol.).  
*bipinnata*, Lour. l. c. = S. ebulooides.  
*cochinchinensis*, Lour. l. c. 139.—Cochinchin.

**PHYTEUMOIDES**, Smeath. ex DC. Prod. iv. 414 (1830) = **Virecta**, Sm. (Rubiaceae).  
*hirsutus*, Smeath. ex DC. l. c. = V. multiflora.

**PHYTEUMOPSIS**, Juss. ex Poir. Encyc. Suppl. iv. 405 (1816) = **Marshallia**, Schreb. (Compos.).  
*angustifolia*, Poir. l. c. 406 = M. angustifolia.  
*lanceolata*, Poir. l. c. 405 = M. lanceolata.  
*latifolia*, Poir. l. c. 406 = M. latifolia.

**PHYTHOLACCA**, Brot. Fl. Lusit. ii. 224 (1804) sphalm. = **Phytolacca**, Tourn.

**PHYTOCRENE**, Wall. in Phil. Mag. iii. (1823) 223; et Pl. As. Rar. iii. 11. t. 216 (1832). **OLACINEAE**, Benth. & Hook. f. i. 354.  
**GYNOCEPHALUM**, Blume, Bijdr. 483 (1825).  
*borneensis*, Becc. Malesia, i. (1877) 128.—Borneo.  
*bracteata*, Wall. Pl. As. Rar. iii. 12.—Malaya.  
*calicarpa*, Griff. Notul. iv. 327 = gigantea.  
*crinipes*, Baill. ex Bur. Mon. Bignon. 146, in obs. = hirsuta.  
*dasycarpa*, Miq. Ann. Mus. Bot. Lugd. Bat. iii. 248.—Ins. Celebes.  
*gigantea*, Blume, l. c. i. 41 = macrophylla.



**PHYTOCRENE** :—

*gigantea*, Wall. Pl. As. Rar. iii. 11. t. 216.—Burma.  
*hirsuta*, Blume, Rumphia, iv. 37.—Ins. Celebes.  
*hirsuta*, Teysm. & Binn. Cat. Hort. Bog. 207 = dasy-  
 carpa.  
*luzoniensis*, Baill. Adansonia, x. (1872) 281.—ns.  
 Philipp.  
*macrocarpa*, Griff. Notul. iv. 322 = bracteata.  
*macrophylla*, Blume, Rumphia, iv. 36.—Java.  
*oblonga*, Wall. Pl. As. Rar. iii. 12.—Malaya.  
*palmata*, Wall. l. c.—Malaya.  
*stylocarpa*, Griff. Notul. iv. 320 = palmata.

**PHYTOLACA**, Hill, Hort. Kew. 215 (1768) sphalm. = seq.

**PHYTOLACCA**, Tourn. ex Linn. Syst. ed. I (1735).

**PHYTOLACCACEAE**, Benth. & Hook. f. iii. 84.  
**PIRCUNIA**, Bert. Merc. Chil. (1829) ; ex Am. Journ. Sc. Ser. I. xxiii. (1833) 264.  
**SARCOCA**, Rafin. Fl. Tellur. iii. 55 (1836).  
*abyssinica*, Hoffm. in Comm. Gotting. xii. (1796) 27.—Afr. trop. et austr.  
*abyssinica*, Hook. & Arn. Bot. Beech. Voy. 94 = brachystachys.  
*acinosa*, Roxb. Hort. Beng. 35 ; Fl. Ind. ii. 458.—Reg. Himal. ; China.  
*acuminata*, Hort. ex Moq. in DC. Prod. xiii. II. 33 = icosandra.  
*americana*, Linn. Sp. Pl. 441 = decandra.  
*arbores*, Hort. ex Moq. in DC. Prod. xiii. II. 31 = dioica.  
*asiatica*, Linn. Sp. Pl. 441.—Ind. or.  
*australis*, Phil. in Anal. Univ. Chil. (1873) 536.—Chili.  
*bogotensis*, H. B. & K. Nov. Gen. et Sp. ii. 183.—N. Granat.  
*bogotensis*, H. Mann, in Proc. Am. Acad. vii. (1867) 198 = brachystachys.  
*bogotensis*, Miq. Ser. Exot. 6. t. 3 = icosandra.  
*brachystachys*, Moq. in DC. Prod. xiii. II. 31.—Ins. Sandvic.  
*chilensis*, Bridges, ex Moq. l. c. 25 = Anisomeria littoralis.  
*chilensis*, Miers, Trav. ii. 532, nomen.—Chili.  
*decandra*, Descourt. Fl. Antill. v. t. 312 = octandra.  
*decandra*, Linn. Sp. Pl. ed. II. 631.—Am. bor.  
*dioica*, Linn. l. c. 632.—Am. austr.  
*dodecandra*, L'Hérit. Stirp. Nov. 143 = abyssinica.  
*drastica*, Poepp. & Endl. Nov. Gen. et Sp. i. 26. tt. 43, 44 = Anisomeria drastica.  
*elongata*, Salisb. Prod. 345 = abyssinica.  
*esculenta*, Van Houtte, in Fl. des Serres, iv. (1848) 398 B = acinosa.  
*gigantea*, Mart. Hort. Reg. Monac. (1829) 57, nomen. (Quid ?).—Hab. ?  
*gracilis*, Herb. ex Moq. in DC. Prod. xiii. II. 34, 236 = Deeringia celosoides.  
*heptandra*, Retz. Obs. v. 29 = stricta.  
*icosandra*, Linn. Syst. ed. X. 1040.—Ind. or.  
*icosandra*, Sims. Bot. Mag. t. 2633 = mexicana.  
*Kaempferi*, A. Gray, in Mem. Am. Acad. N. S. vi. (1858—59) 404 = acinosa.  
*Latbénia*, Maxim. Ind. Sem. Hort. Petrop. (1869) 24 = Rivina laevis.  
*littoralis*, Poepp. & Endl. Nov. Gen. et Sp. i. 27. t. 45.—Chili.  
*longesica*, Moq. in DC. Prod. xiii. II. 33 = octandra.  
*lutea*, Marsigl. ex Steud. Nom. ed. I. 618 = abyssinica.  
*macrostachya*, Willd. ex J. A. Schmidt, in Mart. Fl. Bras. xiv. II. 344 = icosandra.  
*malabarica*, Crantz, Inst. ii. 484 = icosandra.  
*mexicana*, Crantz, l. c. = octandra.  
*mexicana*, Gaertn. Fruct. i. 377 = icosandra.  
*mexicana*, Sweet, Hort. Brit. ed. I. 337.—Mexic.  
*octandra*, Linn. Sp. Pl. ed. II. 631.—Japan.  
*oleracea*, Rottb. in Act. Lit. Univ. Hafn. i. (1778) 292.—Guiana.  
*pekinensis*, Hance, in Journ. Bot. vii. (1869) 199.—China.  
*polystigma*, Benth. ex J. A. Schmidt, in Mart. Fl. Bras. xiv. II. 344 = icosandra.  
*polystyla*, Schomb. ex Moq. in DC. Prod. xiii. II. 460, nomen.—Hab. ?  
*populifolia*, Salisb. Prod. 345 = dioica.  
*pruinosa*, Fenzl, Del. Sem. Hort. Vindob. (1855) 6.—As. Min.  
*purpurascens*, A. Br. & Bouché, Ind. Sem. Hort. Berol. (1851) ; App. 13.—Cf. Linnæa, xxv. (1852) 297 = icosandra.

**PHYTOLACCA** :—

*resedifolia*, Hort. Berol. ex Moq. in DC. Prod. xiii. II. 30 = stricta.  
*resediformis*, Hort. Berol. ex Moq. l. c. = stricta.  
*rivinioides*, Kunth & Bouché, Ind. Sem. Hort. Berol. (1848) 15.—Venezuela.  
*rugosa*, A. Br. & Bouché, l. c. (1851) App. 13.—Cf. Linnæa, xxv. (1852) 297 = octandra.  
*scandens*, Hilsenb. & Boj. ex Moq. in DC. Prod. xiii. II. 30 = abyssinica.  
*sessiliflora*, Kunth & Bouché, Ind. Sem. Hort. Berol. (1848) 15.—Mexic.  
*stricta*, Hoffm. in Comm. Gotting. xii. (1796) 27.—Afr. austr.  
*thyrsiflora*, Fenzl, ex J. A. Schmidt, in Mart. Fl. Bras. II. 343.—Bras.  
*triquetra*, Moench, Meth. Suppl. 107 = icosandra.  
*vulgaris*, Crantz, Inst. ii. 484 = decandra.

**PHYTOXIS**, Molina, Sagg. Chile, ed. II. 145, 290 (1810) = **Sphacele**, Benth. (Labiata).

*acidissima*, Bert. ex Benth. in DC. Prod. xii. 258 = Cuminia fernandezia.  
*acidissima*, Molina, Sagg. Chile, ed. II. 291 = S. campanulata.  
*sideritifolia*, Molina, l. c. 145 = S. campanulata.

**PHYTOXYS**, Spreng. Syst. ii. 676 (1825) = praec.

**PIARADENA**, Rafin. Fl. Tellur. iii. 91 (1836) = **Salvia**, Tourn. (Labiata).  
*fulgens*, Rafin. l. c. = S. fulgens.

**PIARANTHUS**, R. Br. in Mem. Wern. Soc. i. (1809) 23. **ASCLEPIADEAE**, Benth. & Hook. f. ii. 782.

**OBESIA**, Haw. Syn. Pl. Succ. 42 (1812).  
*aridus*, G. Don, Gen. Syst. iv. 114.—Afr. austr.  
*decorus*, N. E. Br. in Journ. Linn. Soc. xvii. (1878) 163.—Afr. austr.  
*fasciculatus*, Schult. Syst. vi. 10 = Stapelia fasciculata.  
*geminatus*, N. E. Br. in Journ. Linn. Soc. xvii. (1878) 163.—Afr. austr.  
*Gussoneanus*, G. Don, Gen. Syst. iv. 113 = Stapelia europaea.  
*incarnatus*, G. Don, l. c. 114 = Boucerosia incarnata.  
*mammillaris*, G. Don, l. c. = Boucerosia mammillaris.  
*parviflorus*, Spreng. Syst. i. 841 (Carallumatis sp.).—Afr. austr.  
*piliferus*, Sweet, Hort. Brit. ed. II. 359 = Trichocaulon piliferum.  
*pullus*, R. Br. in Mem. Wern. Soc. i. (1809) 23 = Boucerosia mammillaris.  
*punctatus*, R. Br. l. c.—Afr. austr.  
*ramosus*, Sweet, Hort. Brit. ed. II. 359 = Stapelia ramosa.  
*serulatus*, N. E. Br. in Journ. Linn. Soc. xvii. (1878) 163.—Afr. austr.

**PIARIMULA**, Rafin. Fl. Tellur. ii. 102 (1836) = **Lippia**, Linn. (Verben).  
*chinensis*, Rafin. l. c. = L. nodiflora.

**PIAROPHYLLA**, Rafin. Fl. Tellur. ii. 68 (1836) = **Saxifraga**, Tourn.  
*cordifolia*, Rafin. l. c. = S. crassifolia.  
*elliptica*, Rafin. l. c. = S. crassifolia.  
*sibirica*, Rafin. l. c. = S. sibirica.

**PIAROPUS**, Rafin. Fl. Tellur. ii. 81 (1836) = **Eichhornia**, Kunth (Ponted.).  
*azureus*, Rafin. l. c. 82 = E. azurea.  
*crassipes*, Rafin. l. c. 81 = E. speciosa.  
*mesomelas*, Rafin. l. c.—Hab. ?  
*tricolor*, Rafin. l. c. = E. azurea.  
*undulatus*, Rafin. l. c. iv. 121 = E. azurea.

**PICARDENIA**, Steud. Nom. ed. II. ii. 332 (1841), sphalm. = **PICRADENIA**, Hook. = **Actinella**, Nutt. (Compos.).

**PICCIA**, Neck. Elem. ii. 436 (1790) = **Moronobea**, Aubl. (Guttif.).

**PICCONIA**, DC. Prod. viii. 288 (1844) = **Notelaea**, Vent. (Oleac.).  
*excelsa*, DC. l. c. = N. excelsa.

**PICEA**, Link. in Abh. Akad. Berl. (1827) 179. **CONIFERAE**, Benth. & Hook. f. iii. 439.

**ABIES**, D. Don, in Loud. Arb. Brit. iv. 2329 (1838).  
**VEITCHIA**, Lindl. in Gard. Chron. (1861) 265.  
*ajanensis*, Fisch. ex Trautv. & C. A. Mey. in Middend. Reise (Fl. Ochot. 87).—Reg. Amur. ; Japon.  
*alba*, Link, Handb. ii. 478 ; et in Linnæa, xv. (1841) 519.—Am. bor.  
*Alcockiana*, Carr. Conif. ed. II. 343.—Japon.  
*amabilis*, Gord. Pinet. 154 = Abies subalpina.  
*amabilis*, Hort. ex Carr. Conif. ed. II. 269 = Abies nobilis.  
*amabilis*, Loud. Arb. Brit. iv. 2342 = Abies amabilis.  
*Apollinis*, Rauch. ex Gord. Pinet. Suppl. 44 = Abies cephalonica.  
*aromatica*, Carr. Conif. ed. II. 310 = Abies balsamea.  
*balsamea*, Loud. Arb. Brit. vi. 2339 = Abies balsamea.  
*bifolia*, A. Murr. in Gard. Chron. (1875) i. f. 97 = Abies lasiocarpa.  
*brachyphylla*, Gord. Pinet. ed. II. 201 = Abies brachyphylla.  
*brachyphylla*, Hort. ex Mast. in Journ. Linn. Soc. xviii. (1881) 518 = Abies homolepis.  
*bracteata*, Loud. Arb. Brit. iv. 2348 = Abies bracteata.  
*Breweriana*, S. Wats. in Proc. Am. Acad. xx. (1885) 378.—Calif.  
*Brunoniana*, Spach, ex Gord. Pinet. Suppl. 9 = Tsuga Brunoniana.  
*californica*, Carr. Conif. ed. I. 261 = Tsuga Pattoniana.  
*canadensis*, Link. in Linnæa, xv. (1841) 524 = Tsuga canadensis.  
*cephalonica*, Loud. Encyc. Trees, 1039. f. 1940-1946 = Abies cephalonica.  
*cilicica*, Rauch. ex Gord. Pinet. Suppl. 50 = Abies cilicica.  
*cinerea*, Baumann, ex Gord. Pinet. 153 = Abies pectinata.  
*coerulea*, Link. in Linnæa, xv. (1841) 522 = alba.  
*concolor*, Gord. Pinet. 155 ; A. Murr. in Gard. Chron. (1875) ii. 135 = Abies concolor.  
*Davidiana*, Bertr. in Ann. Sc. Nat. Sér. V. xx. (1874) 86.—Tibet.  
*Douglassii*, Link. in Linnæa, xv. (1841) 524 = Pseudotsuga Douglasii.  
*Engelmanni*, Engelm. in Trans. Acad. Sc. St. Louis, ii. (1863) 212.—Am. bor. occ.  
*excelsa*, Link. in Linnæa, xv. (1841) 517.—Europ.  
*falcata*, Carr. Conif. ed. II. 314 = Abies falcata.  
*firma*, Hort. ex Mast. in Journ. Linn. Soc. xviii. (1861) 518 = Abies homolepis.  
*firma*, Sieber, ex Gord. Pinet. 147 = Abies firma.  
*Fortunei*, A. Murr. in Proc. Hort. Soc. (1862) 421 = Keteleeria Fortunei.  
*Fraseri*, Emerson, Trees Shrubs Massach. ed. I. 88 ; ed. II. i. 104 = Abies balsamea.  
*Fraseri*, Loud. Arb. Brit. iv. 2340 = Abies Fraseri.  
*glaucescens*, Gord. Pinet. 149 = Abies religiosa.  
*Glehnii*, Mast. in Gard. Chron. (1880) i. 300.—Ins. Sachalin.  
*grandis*, Gord. Pinet. 155 = Abies falcata.  
*grandis*, Loud. Arb. Brit. iv. 2341. f. 2245-2246 = Abies grandis.  
*grandis*, Newberry, in Pacif. Rail. Rep. vi. 46. t. 6, partim = Abies concolor.  
*Herbertiana*, Madden, ex Carr. Conif. ed. I. 222 = Abies Webbiana.  
*hirtella*, Loud. Arb. Brit. iv. 2349 = Abies religiosa.  
*holophylla*, Gord. Pinet. ed. II. 206 = Abies holophylla.  
*homolepis*, Carr. Conif. ed. II. 290 = Abies homolepis.  
*Hudsonia*, Hort. ex Gord. Pinet. 148 = Abies Fraseri.  
*japonica*, Regel, Ind. Sem. Hort. Petrop. (1865) 33.—Japon.  
*jezoensis*, Carr. Conif. ed. I. 255 = Menziesii.  
*jezoensis*, Maxim. in Bull. Acad. Phys.-Math. Pétersb. xv. (1857) 235, nomen = ajanensis.  
*Khutrov*, Carr. Conif. ed. I. 258 = P. Morinda.  
*kukunaria*, Wender. Pflanz. Bot. Gaerten, (1832) 11 = Abies pectinata.  
*lasiocarpa*, Hort. ex Gord. Pinet. Suppl. 53 = Abies grandis.  
*Lowi*, Hort. ex Gord. l. c. ed. II. 218 = Abies Lowiana.  
*Lowiana*, Gord. l. c. Suppl. = Abies grandis.  
*magnifica*, Hort. ex Carr. Conif. ed. II. 269 = Abies magnifica.



**PICEA** :—

- Maximowiczii, *Regel, Ind. Sem. Hort. Petrop.* (1865) 33, nomen; *Mast. in Gard. Chron.* (1880) i. 363.—Japon.
- Menziesii*, Carr. Conif. ed. I. 237 = *sitchensis*.
- Menziesii*, Engelm. in *Trans. Acad. Sc. St. Louis*, ii. (1863) 214 = *pungens*.
- Mertensiana*, Hort. ex Gord. Pinet. 18 = *Tsuga Mertensiana*.
- metensis*, Hort. ex Gord. l. c. 152 = *Abies pectinata*.
- microphylla*, Carr. Conif. ed. II. 311 = *Abies microphylla*.
- microsperma*, Carr. l. c. 339 = *ajanensis*.
- montana*, Schur, in *Verh. Siebenb. Ver. Naturw.* ii. (1851) 169 = *excelsa*.
- Morinda, *Link, in Linnaea*, xv. (1841) 522.—Reg. Himal.
- mucronata*, Carr. Conif. ed. II. 312 = *Pseudotsuga Douglasii*.
- Naphta*, Knight, in *Loud. Encyc. Trees*, 1053 = *Abies Webbiana*.
- nigra*, *Link, Handb.* ii. 478; *et in Linnaea*, xv. (1841) 520.—Am. bor.
- nobilis*, *Loud. Arb. Brit.* iv. 2342 = *Abies nobilis*.
- Nordmanniana*, *Loud. Encyc. Trees*, 1042. f. 1950 = *Abies Nordmanniana*.
- numidica*, R. Smith, ex Gord. Pinet. ed. II. 220 = *Abies numidica*.
- obovata*, *Ledeb. Fl. Alt.* iv. 201.—Europ. or.; Sibir.
- Omorika, *Mast. in Gard. Chron.* (1884) i. 308, 309. f. 58.—Serbia.
- orientalis*, Carr. Conif. ed. I. 244.—As. Min.
- panachaica*, Helder. ex Carr. l. c. ed. II. 283; *et P. Laws. Pinet. Brit.* ii. 175, 176 = *Abies cephalonica*.
- Parryana*, Hort. ex Parry, in *Gard. Chron.* (1883) ii. 725 = *pungens*.
- Parsonsii*, Fowler, l. c. (1872) 394 = *Abies Lowiana*.
- Parsonsii*, Hort. ex Gord. Pinet. Suppl. 52 = *Abies grandis*.
- pectinata*, *Loud. Arb. Brit.* iv. 2329 = *Abies pectinata*.
- Pichta*, *Loud.* l. c. 2338 = *Abies sibirica*.
- Pindrow*, *Loud.* l. c. 2346 = *Abies Webbiana*.
- pinnosa*, Hort. ex Mast. in *Journ. Linn. Soc.* xviii. (1881) 515 = *Abies brachyphylla*.
- Pinsapo*, *Loud. Encyc. Trees*, 1041. f. 1947 = *Abies Pinsapo*.
- polita*, Carr. Conif. ed. I. 256.—Japon.
- pungens*, Engelm. in *Gard. Chron.* (1879) i. 334; (1882) i. 145; (1883) ii. 725. f. 130.—Am. bor. occ.
- pyramidalis*, Hort. ex Gord. Pinet. Suppl. 49 = *Abies pectinata*.
- religiosa*, *Loud. Arb. Brit.* iv. 2349 = *Abies religiosa*.
- Rinsi*, Hort. ex Gord. Pinet. 152 = *Abies pectinata*.
- rubra*, A. Dietr. *Fl. Berl.* ii. 795; *Link, Handb.* ii. 478; *et in Linnaea*, xv. (1841) 521 = *nigra*.
- Schrenkiana*, Fisch. & Mey. in *Bull. Sc. Acad. Pétersb.* x. (1842) 253 = *obovata*.
- sibirica*, Hort. ex Gord. Pinet. 156 = *Abies sibirica*.
- sitchensis*, *Trautv. & Mey. in Middend. Reise (Fl. Ochot.)* 87.—Am. bor. occ.
- Smithiana*, Boiss. *Fl. Orient.* v. 700 = *P. Morinda*.
- subarctica*, Schur, *Sertum.* (1853) 69. n. 2630 = *excelsa*.
- tianschanica*, *Rupr. Sert. Tiansch.* 72.—Turkestan.
- Tschonofskiana*, Hort. ex Mast. in *Journ. Linn. Soc.* xviii. (1881) 518 = *Abies homolepis*.
- Tschugatskoyae*, Hort. ex Carr. Conif. ed. II. 319 = *alba*.
- Veitchii*, Hort. ex Gord. Pinet. Suppl. 56 = *Abies Veitchii*.
- Veitchii*, Hort. ex Mast. in *Journ. Linn. Soc.* xviii. (1881) 515, 518 = *Abies brachyphylla*, *homolepis*.
- vulgaris*, *Link, in Abh. Berl. Acad.* (1827) 180 (nomen prius) = *excelsa*.
- Webbiana*, Gord. Pinet. 160 = *Abies firma*.
- Webbiana*, *Loud. Arb. Brit.* iv. 2344 = *Abies Webbiana*.
- Withmanniana*, Carr. Conif. ed. I. 260 = *orientalis*.
- Wittmanniana*, Fisch. ex Gord. Pinet. ed. II. 15 = *orientalis*.

**PICKERINGIA**, Nutt. ex Torr. & Gray, *Fl. N. Am.* i. 389 (1840). *LEGUMINOSAE*, Benth. & Hook. f. i. 466.

*montana*, Nutt. ex Torr. & Gray, l. c.—Calif.

**PICKERINGIA**, Nutt. in *Journ. Acad. Philad.* vii. (1834) 95 = *Ardisia*, Sw. (Myrsin.).

*paniculata*, Nutt. l. c. = *A. Pickeringia*.

**PICNOCOMON**, Wallr. ex DC. *Prod.* iv. 647 (1830) = *Cephalaria*, Schrad. (Dipsac.).

*montanum*, Pomel, *Nouv. Mat. Fl. Atl.* 64.—Algeria.

**PICNOMON**, Adans. *Fam.* ii. 116 (1763) = **Cnicus**, Linn. (Compos.).

*Acarna*, Cass. in *Dict. Sc. Nat.* xl. 188 = *C. Acarna*.

*spinosum*, St. Lag. in *Ann. Soc. Bot. Lyon*, vii. (1880) 132 = *C. Acarna*.

**PICOTIA**, Roem. & Schult. *Syst.* iv. p. x (1819) = **Omphalodes**, Moench (Borag.).

*brassicaefolia*, Roem. & Schult. l. c. 85 = *O. amplexicaulis*.

*cappadocica*, Roem. & Schult. l. c. = *O. cornifolia*.

*Fortisii*, Roem. & Schult. l. c. 87 = *O. Fortisii*.

*linifolia*, Roem. & Schult. l. c. 86 = *O. linifolia*.

*lithospermifolia*, Roem. & Schult. l. c. = *Paracaryum rugulosum*.

*littoralis*, Roem. & Schult. l. c. = *O. littoralis*.

*nitida*, Roem. & Schult. l. c. 84 = *O. nitida*.

*scorpioides*, Roem. & Schult. l. c. 87 = *O. scorpioides*.

*verna*, Roem. & Schult. l. c. 85 = *O. verna*.

**PICRADENIA**, Hook. *Fl. Bor. Am.* i. 317. t. 108 (1833) = **Actinella**, Nutt. (Compos.).

*Richardsonii*, Hook. l. c. = *A. Richardsonii* (cf. Addend.).

**PICRAENA**, Lindl. *Fl. Med.* 208 (1838). *SIMARUBEAE*, Benth. & Hook. f. i. 311.

*Aeschryon*, Vell. *Fl. Flum.* i. t. 152 (1827).

*Muenteria*, Walp. *Rep.* v. 398 (1846).

*excelsa*, Lindl. *Fl. Med.* 208.—Ind. occ.

*Vellozii*, Engl. in *Mart. Fl. Bras.* xii. ii. 227.—Bras.

**PICRAENA**, Stev. in *Bull. Soc. Nat. Mosc.* iv. (1832) 263 = **Astragalus**, Tourn. (Legumin.).

*amarus*, Stev. l. c. = *A. amarus*.

**PICRAMNIA**, Sw. *Prod. Veg. Ind. Occ.* 27 (1788). *SIMARUBEAE*, Benth. & Hook. f. i. 315.

*Tariri*, Aubl. *Pl. Gui. Suppl.* 37 (1775) nomen prius. *andicola*, Tul. in *Ann. Sc. Nat. Sér.* III. vii. (1847) 265.—Mexic.

*Antidesma*, Sieber, ex Steud. *Nom. ed.* II. ii. 332 = *pentandra*.

*Antidesma*, Sw. *Prod. Veg. Ind. Occ.* 27.—Am. trop. *antidesmoides*, Griseb. *Fl. Brit. W. Ind.* 140.—Ins. Trinit.

*apetala*, Tul. in *Ann. Sc. Nat. Sér.* III. vii. (1847) 264.—N. Granat.

*bahiensis*, Turcz. in *Bull. Soc. Nat. Mosc.* xxxi. (1858) i. 446.—Bras.

*Bonplandiana*, Tul. in *Ann. Sc. Nat. Sér.* III. vii. (1847) 266.—Mexic.

*Camboita*, Engl. in *Mart. Fl. Bras.* xii. ii. 239.—Bras.

*caracasana*, Engl. l. c. 236.—Venezuela.

*Carpinterae*, Polak. in *Linnaea*, xli. (1877) 553.—Costa Rica.

*ciliata*, Mart. in *Flora*, xxii. (1839) i. Beibl. 20.—Bras.

*connaroides*, Tul. in *Ann. Sc. Nat. Sér.* III. vii. (1847) 261.—N. Granat.

*Corallo dendron*, Tul. l. c. 259 = *sphaerocarpa*.

*cubensis*, Turcz. in *Bull. Soc. Nat. Mosc.* xxxi. (1858) i. 445.—Cuba.

*Fessonia*, DC. *Prod.* ii. 66.—Mexic.

*filipetala*, Turcz. in *Bull. Soc. Nat. Mosc.* xxxi. (1858) i. 446 = *Alvaradoa amorphoides*.

*Gardneri*, Planch. in *Hook. Lond. Journ. Bot.* v. (1846) 578.—Bras.

*Glazioviana*, Engl. in *Mart. Fl. Bras.* xii. ii. 242.—Bras.

*gracilis*, Tul. in *Ann. Sc. Nat. Sér.* III. vii. (1847) 260.—N. Granat.

*grandifolia*, Engl. in *Mart. Fl. Bras.* xii. ii. 235.—Bras.

*Kunthii*, Tul. in *Ann. Sc. Nat. Sér.* III. vii. (1847) 267 = *sphaerocarpa*?

*latifolia*, Tul. l. c. 258.—N. Granat.

*Lindeniana*, Tul. l. c. 266.—Mexic.

*longissima*, Tul. l. c. 257.—N. Granat.

*macrostachys*, Engl. in *Mart. Fl. Bras.* xii. ii. 238.—Guian.

*Martiana*, Engl. l. c. 237.—Bras.

*micrantha*, Tul. in *Ann. Sc. Nat. Sér.* III. vii. (1847) 262 = *pentandra*.

**PICRAMNIA** :—

*nitida*, Engl. in *Mart. Fl. Bras.* xii. ii. 234.—Bras.

*oblongifolia*, Turcz. in *Bull. Soc. Nat. Mosc.* xxxi. (1858) i. 445.—Cuba.

*parvifolia*, Engl. in *Mart. Fl. Bras.* xii. ii. 242.—Bras.

*pendula*, Tul. in *Ann. Sc. Nat. Sér.* III. vii. (1847) 262 = *Sellowii*.

*pentandra*, Sw. *Fl. Ind. Occ.* i. 220.—Ind. occ.

*polyantha*, Planch. in *Hook. Lond. Journ. Bot.* v. (1846) 577.—Mexic.

*ramiflora*, Planch. l. c. 578.—Bras.

*Regnelli*, Engl. in *Mart. Fl. Bras.* xii. ii. 241.—Bras.

*reticulata*, Griseb. *Cat. Pl. Cub.* 50.—Cuba.

*Riedelii*, Regel & Rach, *Ind. Sem. Hort. Petrop.* (1858) 50; *et in Gartenfl.* (1859) 2.—Bras.

*Sellowii*, Planch. in *Hook. Lond. Journ. Bot.* v. (1846) 578.—Bras.

*sphaerocarpa*, Planch. l. c.—N. Granat.

*Spruceana*, Engl. in *Mart. Fl. Bras.* xii. ii. 238.—Bras.

*Tariri*, DC. *Prod.* ii. 66.—Guian.

*teapensis*, Tul. in *Ann. Sc. Nat. Sér.* III. vii. (1847) 265.—Mexic.

*tetramera*, Turcz. in *Bull. Soc. Nat. Mosc.* xxxvi. (1863) i. 598.—Mexic.

*triandra*, Stokes, *Bot. Mat. Med.* iv. 535 = *P. Antidesma*.

*umbrosa*, Seem. *Bot. Voy. Herald*, 97. t. 24 = *latifolia*.

*xalapensis*, Planch. in *Hook. Lond. Journ. Bot.* v. (1846) 577.—Mexic.

*Warmingiana*, Engl. in *Mart. Fl. Bras.* xii. ii. 234.—Bras.

**PICRANENA**, Endl. *Ench.* 607 (1841) sphalm. = **Picraena**, Lindl. (Simarub.).

**PICRASMA**, Blume, *Bijdr.* 247 (1825). *SIMARUBEAE*, Benth. & Hook. f. i. 311.

*NIMA*, Buch.-Ham. ex A. Juss. in *Mém. Mus. Par.* xii. (1825) 516.

*ailanthoides*, Planch. in *Hook. Lond. Journ. Bot.* v. (1846) 573 = *quassioides*.

*andamanica*, Kurz, *Rep. Andam. Veg. App.* 33; *et ex A. W. Benn. in Hook. f. Fl. Brit. Ind.* i. 520.—Ins. Andaman.

*Denhamii*, Seem. *Fl. Vit.* 33.—Ins. N. Hebrid.

*excelsa*, Planch. in *Hook. Lond. Journ. Bot.* v. (1846) 574 = *Picraena excelsa*.

*japonica*, A. Gray, in *Mem. Am. Acad. N. S.* vi. (1858–59) 383 = *quassioides*.

*javanica*, Blume, *Bijdr.* 248.—Java.

*napalensis*, Benn. *Pl. Fav. Rar.* 201.—Reg. Himal.

*quassioides*, Benn. l. c. 198.—Reg. Himal.; China.

*Vellozii*, Planch. in *Hook. Lond. Journ. Bot.* v. (1846) 574 = *Picraena Vellozii*.

**PICRELLA**, Baill. *Adansonia*, x. (1871) 150. *SIMARUBEAE*.

*trifoliata*, Baill. l. c.—Mexic.

**PICREUS**, Juss. in *Dict. Sc. Nat.* xl. 194 (1826) = **Pycurus**, Beauv. (Cyperac.).

**PICRIA**, Benth. & Hook. f. *Gen.* ii. 812 (1876) = **PI-CRIUM**, Schreb. = **Coutoubea**, Aubl. (Gentian.).

**PICRIA**, Lour. *Fl. Cochinch.* 392 (1790) = **Curanga**, Juss. (Scrophul.).

*Fel-terrae*, Lour. l. c. 393 = *C. amara*?

*surinamensis*, Spreng. *Syst.* ii. 843.—Guian.

**PICRICARYA**, Dennst. *Schluess. Hort. Malab.* 30 (1818) = **Olea**, Tourn.

*oppositifolia*, Dennst. l. c. = *O. dioica*.

**PICRIDIDIUM**, Desf. *Fl. Atlant.* ii. 220 (1799). *COM-POSITAE*, Benth. & Hook. f. ii. 527.

*REICHARDIA*, Roth, *Bot. Abh.* 35 (1787).

*albidum*, DC. *Fl. Fr.* iv. 16 = *Crepis albidula*.

*alpinum*, Philippe, *Fl. Pyrén.* i. 576 = *Lactuca alpina*.

*arabicum*, Hochst. & Steud. ex DC. *Prod.* vii. 182 = *tingitanum*.

*cernuum*, Duf. ex DC. l. c. 183 (= *Zollikoferia pumila*).

—Hispan.; Arab.?

*crassifolium*, Willk. in *Bot. Zeit.* v. (1847) 862 = *vulgare*.



**PICRIDIIUM** :—

- crystallinum, *Sch. Bip. in Webb & Berth. Phyt. Canar.* ii. 452.—Ins. Canar.  
 Derbesii, *Castagne, Suppl. Cat. Pl. Marseille*, 25.—Gall. austr.  
 dichotomum, *Fisch. & Mey. ex DC. Prod.* vii. 183.—Reg. Caucas.; As. Min.; Persia.  
 discolor, *Pomel, Nouv. Mat. Fl. Atl.* 6.—Alger.  
 gaditanum, *Willk. in Willk. & Lange, Prod. Fl. Hisp.* ii. 232.—Hispan.  
 hispanicum, *Poir. Encyc. Suppl.* iv. 410 = tingitanum.  
 intermedium, *Sch. Bip. in Webb & Berth. Phyt. Canar.* ii. 451.—Reg. Mediterr.  
 ligulatum, *Kunze, in Flora*, xxix. (1846) 701 = intermedium.  
 ligulatum, *Vent. Jard. Malm.* 68. t. 68 = tingitanum.  
 lingulatum, *Boiss. Voy. Bot. Espagne*, ii. 390 = vulgare.  
 macrogaramum, *Panc. ex Nym. Consp.* 461 = vulgare.  
 macrophyllum, *Vis. & Panč. in Mem. Ist. Venet.* xv. (1870) 3 = vulgare.  
 maritimum, *Reichb. f. Ic. Fl. Germ.* xix. 26. t. 56 = vulgare.  
 orientale, *DC. Fl. Fr.* iv. 16 = tingitanum.  
 pinnatifidum, *Lag. Gen. et Sp. Nov.* 24 = tingitanum.  
 prenanthoides, *Rouy, in Bull. Soc. Bot. Fr.* xxxi. (1884) 274, nomen.—Hispan.  
 rupestre, *Pomel, Nouv. Mat. Fl. Atl.* 261.—Alger.  
 Saharæ, *Pomel, l. c.* 262.—Alger.  
 Schimperii, *Presl, Bot. Bemerk.* 107.—Arab.  
 tingitanum, *Desf. Fl. Atlant.* ii. 220.—Reg. Mediterr.; Oriens.  
 vulgare, *Desf. l. c.* 221.—Europ.; Reg. Mediterr.

PICRINA, *Reichb. ex Steud. Nom. ed. II.* ii. 332 (1841) = seq.

**PICRIS**, *Linn. Syst. ed. I* (1735). *COMPOSITAE*, *Benth. & Hook. f.* ii. 511.

- CHOEROSERIS, *Link. Handb.* i. 798 (1829).  
 DECKERA, *Sch. Bip. in Flora*, xvii. (1834) 479.  
 HAGOSERIS, *Boiss. Diagn. Ser. I.* xi. 35 (1849).  
 HELMINTHIA, *Juss. Gen.* 170 (1789).  
 MEDICUSIA, *Moench, Meth.* 536 (1794).  
 MICRODERIS, *DC. Prod.* vii. 127 (1838).  
 PILOSIA, *Tausch, in Flora*, xi. (1828) i. Erg. 78, in nota.  
 SPITZELIA, *Sch. Bip. in Flora*, xvi. (1833) 725.  
 VIGINEIXIA, *Pomel, Nouv. Mat. Fl. Atl.* 12 (1874).  
 abyssinica, *Sch. Bip. in Flora*, xxii. (1839) 20.—Abyssin.  
 acaulis, *Bernh. Syst. Verz. Erf.* 141 = Leontodon hispidus.  
 aculeata, *Vahl, Symb. Bot.* ii. 89.—Sicil.; Afr. bor.  
 albida, *Ball, in Journ. Bot.* xi. (1873) 370.—Marocc.  
 alpina, *Lam. Fl. Fr.* ii. 109 = Crepis alpina.  
 altissima, *Delile, Fl. Egypte*, 260. t. 141.—Egypt.  
 altissima, *Desf. Cat. Hort. Par. ed. III.* 149 = hieracioides.  
 altissima, *Ledeb. ex Reichb. Fl. Germ. Excurs.* 254 = Sprengeriana.  
 angustifolia, *DC. Prod.* vii. 130 = hieracioides.  
 arvalis, *Jord. ex Bor. Fl. Centr. Fr. ed. III.* ii. 371 = hieracioides.  
 aspera, *Gilib. Fl. Lituan.* i. 227 = hieracioides.  
 aspera, *Poir. Encyc. Suppl.* v. 310 = Sprengeriana.  
 asperima, *Lindl. in Bot. Reg.* (1838) Misc. 58 = hieracioides.  
 asplenoides, *Linn. Sp. Pl.* 793; *Desf. Fl. Atlant.* ii. 222.—Afr. bor.  
 atlantica, *Ball, in Journ. Linn. Soc.* xvi. (1878) 537.—Marocc.  
 attenuata, *A. Cunn. in Ann. Nat. Hist. Ser. I.* ii. (1839) 125 = hieracioides.  
 auriculata, *Sch. Bip. Cich. Suppl.* 24; ex *Nym. Consp.* 467 = hieracioides.  
 autumnalis, *All. Fl. Pedem.* i. 211 = Leontodon autumnalis.  
 Balansæ, *Benth. & Hook. f. Gen.* ii. 513.—Oriens.  
 barbarorum, *Lindl. Bot. Reg.* (1838) Misc. 58 = hieracioides.  
 Blancheana, *Boiss. Fl. Orient.* iii. 741.—Syria.  
 campylocarpa, *Boiss. & Heldr. Diagn. Ser. I.* xi. 37.—Pamphylia.  
 camtschatica, *Steud. Nom. ed. II.* ii. 333, vide *kamtschatica*.  
 Chaixii, *Poir. Encyc. Suppl.* iv. 410 = pauciflora.  
 comosa, *Benth. & Hook. f. Gen.* ii. 513.—Europ.

VOL. II.

**PICRIS** :—

- coronopifolia, *DC. Prod.* vii. 131 = radicata.  
 corymbosa, *Gren. et Godr. Fl. Fr.* ii. 304 = spinulosa.  
 crepoides, *Saut. in Flora*, xiii. (1830) 409 = hieracioides.  
 crinita, *Reut. in Compt. Rend. Soc. Hallér.* (1854–56) 111 = hieracioides.  
 cupuligera, *Walp. Ann.* i. 461 = pilosa.  
 cyanocarpa, *Boiss. Diagn. Ser. I.* xi. 37.—Arab.  
 dahurica, *DC. Prod.* vii. 129 = hieracioides.  
 damascena, *Boiss. & Gaill. ex Boiss. Fl. Orient.* iii. 740.—Syria.  
 danubialis, *All. Fl. Pedem.* i. 211 = Leontodon hastilis.  
 daurica, *Link. Enum. Hort. Berol.* ii. 284 = seq.  
 davurica, *Fisch. ex Hornem. Hort. Hafn. Suppl.* 155 = hieracioides.  
 echinoides, *Linn. Sp. Pl.* 792.—Europ.; Afr. bor.  
 filii, *Benth. & Hook. f. Gen.* ii. 512.—Ins. Azor.  
 flagellaris, *Timb. in Bull. Soc. Hist. Nat. Toul.* iii. (1869) 120.—Gallia.  
 flexuosa, *Thunb. in Trans. Linn. Soc.* ii. (1794) 340.—Japon.  
 foetida, *Lam. Fl. Fr.* ii. 108 = Crepis foetida.  
 glaucescens, *DC. Prod.* vii. 130 = strigosa.  
 globulifera, *Desf. Tabl. ed. I.* 89, nomen; ed. II. 104 = Crepis Dioscoridis.  
 glomerata, *C. Koch, in Linnaea*, xxiii. (1850) 666.—Armenia.  
 gonocaula, *Boiss. Fl. Orient.* iii. 736.—Persia.  
 gracilis, *Jord. Pugill. Pl. Nov.* 113 = hieracioides.  
 grandiflora, *Tenore, Ind. Sem. Hort. Neap.* (1830) 13; *Syll. Fl. Neap.* 397 = hieracioides.  
 hamulosa, *Wall. Cat. n.* 3255 = hieracioides.  
 hieracioides, *Boiss. Voy. Bot. Espagne*, ii. 384 = longifolia, *Boiss. & Reut.*  
 hieracioides, *Linn. Sp. Pl.* 792.—Europ.; As. temp.; Austral.; N. Zel.  
 hieracioides, *Sibth. & Sm. Fl. Graec. Prod.* ii. 132 = spinulosa.  
 Hieracium, *With. Bot. Arr. Brit. Pl. ed. I.* ii. 482 = hieracioides.  
 hirta, *All. Fl. Pedem.* i. 210 = Leontodon hirtus.  
 hispida, *All. l. c.* = Leontodon hispidus.  
 hispidissima, *Koch, Syn. Fl. Germ. ed. I.* 421 = laciniata.  
 hispidissima, *Lecoq & Lamotte, ex Boiss. Fl. Orient.* iii. 735 = spinulosa.  
 humifusa, *Willd. in Ges. Naturf. Fr. Berl. Mag.* i. (1807) 137 = echinoides.  
 humilis, *DC. Prod.* vii. 130.—Afr. trop.  
 integrifolia, *Desf. Tabl. ed. I.* 89, nomen = Sprengeriana.  
 japonica, *Thunb. Fl. Jap.* 299 = hieracioides.  
 kamtschatica, *Ledeb. in Mém. Acad. Pétersb.* v. (1812) 557 = hieracioides.  
 Kotschy, *Boiss. Fl. Orient.* iii. 738.—Syria.  
 lacera, *Baill. Hist. Pl.* viii. 294 = Crepis lacera.  
 laciniata, *Vis. in Flora*, xii. (1829) i. Erg. 24.—Dalmat.  
 laevis, *C. A. Mey. Verz. Pfl. Cauc.* 59.—Reg. Caucas.  
 lappacea, *Reichb. in Flora*, vii. (1824) 104 = hieracioides.  
 laxa, *DC. Prod.* vii. 129 = Sprengeriana.  
 longifolia, *Andrz. ex Trautv. in Act. Hort. Petrop.* viii. (1883) 520, nomen.—Rossia.  
 longifolia, *Boiss. & Reut. Pugill. Pl. Nov.* 69.—Hispan.  
 longirostris, *Sch. Bip. in Mus. Senckenb.* iii. (1839) 60.—Abyss.  
 lyrata, *Delile, Fl. Egypte*, 259. t. 40. f. 3 = radicata.  
 macloviana, *Urv. ex DC. Prod.* vii. 59 = Leuceria gossypina.  
 macrantha, *Timb. in Bull. Soc. Hist. Nat. Toul.* iii. (1869) 120.—Gallia.  
 macrorhiza, *Feanb. & Timb. in Bull. Soc. Sc. Phys. & Nat. Toul.* vi. (1883–84) 178.—Gallia.  
 monticola, *Lamotte, Prod. Fl. Centr. Fr.* ii. 453 = hieracioides.  
 nepalensis, *Baxt. in Loud. Hort. Brit. Suppl.* ii. 656 = hieracioides.  
 nigricans, *Grogn. in Mém. Hist. Nat. Soc. Eduenne.* i. (1865) 169.—Gallia.  
 nilotica, *Sieber, ex Steud. Nom. ed. I.* 619; et *Reichb. in Flora*, vii. (1824) 106 = sulphurea.  
 oligocephala, *Schur, Enum. Pl. Transs.* 361 = hieracioides.  
 olympica, *Boiss. Diagn. Ser. I.* iv. 26.—Bithynia.  
 orophila, *Timb. in Bull. Soc. Sc. Phys. & Nat. Toul.* i. (1872–73) 93 = hieracioides.

**PICRIS** :—

- paleacea, *Vest. in Syll. Ratisb.* i. (1824) 78 = hieracioides.  
 pauciflora, *Guss. ex Tenore, Ind. Sem. Hort. Neap.* (1830) 13 = hieracioides.  
 pauciflora, *Willd. Sp. Pl.* iii. 1557.—Europ. austr.; Oriens.  
 pilosa, *Delile, Fl. Egypte*, 260. t. 41.—Afr. bor.  
 pinnatifida, *Jord. Pugill. Pl. Nov.* 112 = stricta.  
 prenanthoides, *Schur, Enum. Pl. Transs.* 360 = hieracioides.  
 pygmaea, *Hill, Veg. Syst.* iii. 167 (Quid ?)—Europ.  
 pyrenaica, *Gaertn. Fruct.* ii. 366. t. 159. f. 2 = pauciflora.  
 pyrenaica, *Linn. Sp. Pl.* 792 = Crepis blattarioides.  
 pyrenaica, *Vill. Hist. Pl. Dauph.* iii. 148 = hieracioides.  
 radicata, *Less. Syn. Comp.* 134.—Afr. bor.; Arab.  
 repens, *Lour. Fl. Cochinch.* 478 (= *Barkhausia repens.*)—China.  
 rhagadioloides, *Willk. ex Willk. & Lange, Prod. Fl. Hisp.* ii. 218 = Sprengeriana.  
 Rhagadiolus, *Pers. Syn.* ii. 370 = Sprengeriana.  
 rigens, *Benth. & Hook. f. Gen.* ii. 512.—Ins. Azor.  
 rigida, *Ledeb. in Spreng. Syst.* iii. 663 = hieracioides.  
 rubra, *Lam. Fl. Fr.* ii. 109 = Crepis rubra.  
 ruderalis, *Salisb. Prod.* 179 = echinoides.  
 ruderalis, *F. W. Schmidt, ex Willd. Sp. Pl.* iii. 1558 = hieracioides.  
 sancta, *F. W. Schmidt, Samml. Phys. Aufs.* i. (1795) 273.—Europ.  
 saxatilis, *All. Fl. Pedem.* i. 211 = Leontodon pyrenaicus.  
 scaberrima, *Guss. ex Tenore, Syll. Fl. Neap.* 396 = laciniata.  
 scabra, *Forsk. Fl. Aegypt. Arab.* 143.—Arabia.  
 sonchoides, *Vest. in Flora*, iii. (1820) 5 = hieracioides.  
 spinosa, *Poir. Encyc. Suppl.* iv. 408 = echinoides.  
 spinosissima, *Geners. in Schult. Cat. Hort. Bot. Crac.* 58.—Hab. ?  
 spinulosa, *Bertol. ex Guss. Fl. Sic. Syn.* ii. 400.—Europ. austr.; As. Min.  
 Sprengeriana, *Chaix, ex Lapeyr. Hist. Abr. Pl. Pyr.* 468 = pauciflora.  
 Sprengeriana, *Poir. Encyc.* v. 310.—Europ. austr.; As. Min.; Aegypt.  
 squarrosa, *Steetz, in Lehm. Pl. Preiss.* i. 488 = hieracioides.  
 striata, *Spreng. Syst.* iii. 664 = Hieracium capense.  
 stricta, *Jord. Cat. Jard. Dijon* (1848), 29 = spinulosa.  
 strigosa, *Bieb. Fl. Taur. Cauc.* ii. 250.—Oriens.  
 strigosa, *Hort. ex Reichb. Fl. Germ. Excurs.* 254 = pauciflora.  
 strigosa, *Wall. Cat. n.* 3256 = hieracioides.  
 sulphurea, *Delile, Fl. Egypte*, 258. t. 40.—Aegypt.; Arab.  
 Taraxaci, *All. Fl. Pedem.* i. 211 = Leontodon Taraxaci.  
 taraxaciflora, *DC. Prod.* vii. 131.—Afr. bor.  
 transsilvanica, *Schur, Enum. Pl. Transs.* 360 = hieracioides.  
 tuberosa, *All. Fl. Pedem.* i. 210 = Leontodon tuberosus.  
 tuberosa, *Lapeyr. ex Monn. Ess. Hierac.* 49 = Hieracium pulmonarioides.  
 umbellata, *Nees, ex Bluff & Fingerh. Comp. Fl. Germ.* ii. 273 = hieracioides.  
 undulata, *Dulac, Fl. Hautes-Pyr.* 496 = hieracioides.  
 Villarsii, *Jord. Cat. Jard. Dijon* (1848), 29 = hieracioides.  
 virens, *Desf. Cat. Hort. Par. ed. III.* 399 = hieracioides.  
 Willkommii, *Nym. Syll.* 53.—Hispan.

PICRIUM, *Schreb. Gen.* 791 (1791) = Coutoubæa. *Aubl. (Gentian.)*.  
 spicatum, *Schreb. ex Progel, in Mart. Fl. Bras.* vi. 1210 = C. spicata.

PICROCOCCLUS, *Nutt. in Trans. Am. Phil. Soc. N. S.* viii. (1813) 262 = Vaccinium, *Linn.*  
 elevatus, floridanus et stamineus, *Nutt. l. c.* = V. stamineum.

PICRODENDRON, *Planch. in Hook. Lond. Journ. Bot.* v. (1846) 579. *SIMARUBEÆ*, *Benth. & Hook. f.* i. 315.  
 arboreum, *Planch, l. c.* 580.—Jamaic.  
 Calunga, *Mart. ex Engl. in Mart. Fl. Bras.* xii. 11214 = Simaba ferruginea.  
 Juglans, *Griseb. Fl. Brit. W. Ind.* 177 = arboreum.

3 X



**PICROLEMMA**, Hook. f. in Benth. & Hook. f. Gen. i. 312 (1862). *SIMARUBEAE*, Benth. & Hook. f. l. c.  
Sprucei, Hook. f. l. c.—Am. trop.

**PICROPHLAEUS**, Blume, Bijdr. 1019 (1826) = *Fagraea*, Thunb. (Logan).  
*javanensis*, Blume, l. c. 1020.—Malaya.

**PICROPHYTA**, F. Muell. in Linnaea, xxv. (1852) 421 = *Goodenia*, Sm.  
*albiflora*, F. Muell. l. c. = *G. albiflora*.  
*calcarata*, F. Muell. l. c. 423 = *G. calcarata*.

**PICRORHIZA**, Royle, ex Benth. Scroph. Ind. 47 (1835). *SCROPHULARINEAE*, Benth. & Hook. f. ii. 962.  
Kurroa, Royle, ex Benth. l. c.—Reg. Himal.  
Kurroa, Royle, Illustr. Bot. Himal. 291 = praec.  
*Lindleyana*, Steud. Nom. ed. II. ii. 333 = *P. Kurroa*.

**PICROSIA**, D. Don, in Trans. Linn. Soc. xvi. (1833) 183. *COMPOSITAE*, Benth. & Hook. f. ii. 530.  
Ptilopogon, Phil. in Linnaea, xxxiii. (1864-65) 126.  
*australis*, Orbign. Voy. Am. Mérid. vii. i. t. 10 = longifolia.  
*longifolia*, D. Don, in Trans. Linn. Soc. xvi. (1833) 183.—Peruv.  
*runcinata*, Gill, ex Hook. & Arn. in Hook. Comp. Bot. Mag. i. (1835) 32 = longifolia.

**PICROTHAMNUS**, Nutt. in Trans. Am. Phil. Soc. N. S. vii. (1841) 417 = *Artemisia*, Linn. (Compos.).  
*desertorum*, Nutt. l. c. = *A. spinescens*.

**PICTETIA**, DC. in Bibl. Univ. Genève. xxix. (1825) 40; et in Ann. Sc. Nat. Sér. I. ix. (1825) 93. *LEGUMINOSAE*, Benth. & Hook. f. i. 514.  
*angustifolia*, Griseb. Cat. Pl. Cub. 73.—Cuba.  
*aristata*, DC. in Ann. Sc. Nat. Sér. I. iv. (1825) 94; et *Mém. Lég.* vii. 303. t. 47. f. 5.—Ind. occ.  
Desvauxii, DC. ll. cc. 94; 304. t. 47. f. 4.—Ins. S. Doming.  
Jussiaei, DC. ll. cc. 94; 304.—Hab. ?  
*microphylla*, Benth. in Hemsl. Diagn. Pl. Nov. 8.—Mexic.  
*obcordata*, DC. in Ann. Sc. Nat. Sér. I. iv. (1825) 94; et *Mém. Lég.* vii. 303. t. 47. f. 1.—Ins. S. Doming.  
*pubescens*, Hochst. in Flora, xxix. (1846) 599 = *Ormocarpum bibracteatum*.  
*squamata*, DC. in Ann. Sc. Nat. Sér. I. iv. (1825) 94 = *Ormocarpum sennoides*.  
*ternata*, DC. l. c.; et *Mém. Lég.* vii. 304. t. 47. f. 2.—Ins. S. Doming.

**PIDDINGTONIA**, A. DC. in DC. Prod. vii. 341 (1839) = *Pratia*, Gaudich. (Campan.).  
*cyanocarpa*, Hassk. in Bonplandia, vii. (1859) 179.—Java.  
*montana*, Miq. Fl. Ind. Bat. ii. 573 = *Pratia montana nummularia*, DC. Prod. vii. 341 = *Pratia begonifolia*.  
*Palliardii*, Lehm. in Hamb. Gartenz. vii. (1851) 337.—Hab. ?  
*patens*, Miq. Fl. Ind. Bat. ii. 573 = *Pratia montana*.

**PIERARDIA**, Rafin. Fl. Tellur. iv. 41 (1836) = *Dendrobium*, Sw. (Orchid.).  
*bicolor*, Rafin. l. c. = *D. Pierardi*.

**PIERARDIA**, Roxb. Hort. Beng. 28 (1814); Fl. Ind. ii. 254 (1832) = *Baccaurea*, Lour. (Euphorb.).  
*Barteri*, Baill. Adansonia, iv. (1863-64) 137 = *B. Barteri*.  
*costulata*, Muell. Arg. in Flora, xlvii. (1864) 469 = *B. costulata*.  
*courtallensis*, Wight, Ic. t. 1912 = *B. courtallensis*.  
*dasytachya*, Miq. Fl. Ind. Bat. i. ii. 358 = *B. dasytachya*.  
*dulcis*, Jack, in Trans. Linn. Soc. xiv. (1823) 120 = *B. dulcis*.  
*dulcis*, Wall. Cat. n. 8075 = *B. bracteata*.  
*flaccida*, Wall. l. c. n. 8074 = *B. flaccida*.  
*Griffoniana*, Baill. Adansonia, iv. (1863-64) 136 = *B. Griffoniana*.  
*macrocarpa*, Miq. Fl. Ind. Bat. Suppl. 441 = *B. macrocarpa*.  
*macrophylla*, Muell. Arg. in Flora, xlvii. (1864) 516 = *B. macrophylla*.

**PIERARDIA** :—  
*macrostachya*, Wight & Arn. in Wight, Ic. tt. 1912-1913 = *Baccaurea sapida*.  
*Motleyana*, Muell. Arg. in Flora, xlvii. (1864) 516 = *B. Motleyana*.  
*parviflora*, Muell. Arg. in Linnaea, xxxii. (1863) 82 = *B. parviflora*.  
*pubera*, Miq. Fl. Ind. Bat. Suppl. 442 = *B. pubera*.  
*pyrrhodasya*, Miq. l. c. = *B. pyrrhodasya*.  
*racemosa*, Blume, Bijdr. 579 = *B. racemosa*.  
*rhakodiscus*, Hassk. in Bull. Soc. Bot. Fr. vi. (1859) 713 = *Cyclostemon rhakodiscus*.  
*sapida*, Roxb. Hort. Beng. [28]; Fl. Ind. ii. 254 = *B. sapida*.  
*Seemannii*, Muell. Arg. in Flora, xlvii. (1864) 469 = *B. Seemannii*.

**PIERCEA**, Mill. Gard. Dict. ed. VII. (1759) = *Rivina*, Plum. (Phytolacc.).  
*acuminata*, Rafin. New Fl. Am. iv. 13 = *R. humilis*.  
*glabra*, Mill. Gard. Dict. ed. VIII. n. 1 = *R. humilis*.  
*obliquata*, Rafin. New Fl. Am. iv. 13 = *R. humilis*.  
*tomentosa*, Mill. Gard. Dict. ed. VIII. n. 2 = *R. humilis*.

**PIERIS**, D. Don, in Edinb. N. Phil. Journ. xvii. (1834) 159. *ERICACEAE*, Benth. & Hook. f. ii. 588.  
*AEGIALEA*, Klotzsch, in Linnaea, xxv. (1851) 17; et in Walp. Ann. ii. 1113 (1852).  
*PORTUNA*, Nutt. in Trans. Am. Phil. Soc. N. S. viii. (1843) 268.  
*floribunda*, Benth. & Hook. f. Gen. ii. 588.—Am. bor. formosa, D. Don, in Edinb. N. Phil. Journ. xvii. (1834) 159.—Ind. or.; China.  
*Griffithiana*, Hook. f. ex C. B. Clarke, in Hook. f. Fl. Brit. Ind. iii. 460 = *Leucothoe Griffithiana*.  
*japonica*, D. Don, ex G. Don, Gen. Syst. iii. 832 = ovalifolia.  
*lanceolata*, D. Don, in Edinb. N. Phil. Journ. xvii. (1834) 159 = ovalifolia.  
*mariana*, Benth. & Hook. f. Gen. ii. 588.—Am. bor. nitida, Benth. & Hook. f. l. c.—Am. bor.  
*ovalifolia*, D. Don, in Edinb. N. Phil. Journ. xvii. (1834) 159.—Reg. Himal.; Japon.  
*phillyreaefolia*, DC. Prod. vii. 599.—Am. bor.  
*sinensis*, Sweet, Hort. Brit. ed. III. 439 = *Vaccinium bracteatum*.  
*villosa*, Hook. f. ex C. B. Clarke, in Hook. f. Fl. Brit. Ind. iii. 461.—Reg. Himal.

**PIEROTIA**, Blume, Mus. Bot. Lugd. Bat. i. 179 (1850) = *Ixonanthes*, Jack (Lineae).  
*lucida*, Blume, l. c. 180 = *I. icosandra*.  
*reticulata*, Blume, l. c. = *I. petiolaris*.

**PIERREA**, Hance, in Journ. Bot. xv. (1877) 339. *SAMYDACEAE*.  
*dictyoneura*, Hance, l. c.—Cochinch.

**PIGAFETTA**, Adans. Fam. ii. 223 (1763) = *Eranthemum*, Linn. (Acanth.).

**PIGAFETTA**, Benth. & Hook. f. Gen. iii. 933 (1883), sphalm. = seq.

**PIGAFETTIA**, Becc. Malesia, i. (1877) 89. *PALMAE*, Benth. & Hook. f. iii. 933.  
*elata*, H. Wendl. in Kerch. Palm. 253.—Ins. Celebes.  
*filaris*, Becc. Malesia, i. (1877) 90, in obs.—Ins. Ceram.  
*papuana*, Becc. l. c. 89.—N. Guin.

**PIGEA**, DC. Prod. i. 307 (1824) = *Ionidium*, Vent. (Violar.).  
*Banksiana*, Ging. ex DC. l. c. = *I. heterophyllum*.  
*calycina*, DC. l. c. = *I. calycinum*.  
*filiformis*, DC. l. c. = *I. filiforme*.  
*floribunda*, Lindl. in Mitch. Three Exped. ii. 165 = *I. floribundum*.  
*glauca*, Endl. in Enum. Pl. Hueg. 5 = *I. calycinum*.  
*monopetala*, Ging. ex DC. Prod. i. 307 = *I. filiforme*.

**PIKRIA**, G. Don, Gen. Syst. iv. 617 (1837) = *PICRIA*, Lour. = *Curanga*, Juss. (Scrophul.).

**PILANTHUS**, Poit. ex Endl. Gen. 1289 (1841) = *Centrosema*, DC. (Legumin.).

**PILASIA**, Rafin. Fl. Tellur. ii. 53 (1836) = *Urginea*, Steinh. (Liliac.).  
*filifolia*, Rafin. l. c. = *U. filifolia*.

**PILDERIA**, Klotzsch, in Monatsb. Akad. Berl. (Maerz, 1854) 127; et in Abh. Akad. Berl. (1855) 66. t. 7 A = *Begonia*, Linn.  
*hirsuta*, Klotzsch, in Monatsb. Akad. Berl. (Maerz, 1854) 127 = *B. cordifolia*.  
*urticaefolia*, Klotzsch, l. c. = *B. Pilderia*.

**PILEA**, Lindl. Coll. Bot. t. 4 (1821). *URTICACEAE*, Benth. & Hook. f. iii. 384.  
*ADENIA*, Torr. Fl. N. York, ii. t. 122 (1843).  
*ADIKE*, Rafin. New Fl. Am. i. 63 (1836).  
*DUBREUILIA*, Decne. in Nouv. Ann. Mus. Par. iii. (1834) 489.  
*DUBREUILIA*, Gaudich. in Freyc. Voy. Bot. 495 (1826).

*acuminata*, Liebm. in Vidensk. Selsk. Skr. V. ii. (1851) 302.—Mexic.  
*alsinaefolia*, Hort. Berol. ex Kunth, Ind. Sem. Hort. Berol. (1846) 12 = serpyllifolia.  
*alsinifolia*, Wedd. in Ann. Sc. Nat. Sér. III. xviii. (1852) 211.—N. Granat.  
*angulata*, Blume, Mus. Bot. Lugd. Bat. ii. 55 = stipulosa.  
*anisophylla*, Wedd. in Arch. Mus. Par. viii. (1855-56) 193.—Reg. Himal.  
*anomala*, Wedd. in Ann. Sc. Nat. Sér. III. xviii. (1852) 21.—Bolivia.  
*approximata*, C. B. Clarke, in Journ. Linn. Soc. xv. (1876) 123.—Reg. Himal.  
*arguta*, Wedd. in Ann. Sc. Nat. Sér. III. xviii. (1852) 218.—Ecuador.  
*articulata*, Wedd. in Arch. Mus. Par. viii. (1855-56) 180.—Ins. Maurit.  
*astrogramma*, Miq. in Mart. Fl. Bras. iv. i. 201.—Bras.  
*atroviridis*, Baker, Fl. Maurit. 275.—Ins. Mascar.  
*auriculata*, Liebm. in Vidensk. Selsk. Skr. V. ii. (1851) 299.—Costa Rica.  
*Balfourii*, Baker, Fl. Maurit. 276.—Ins. Mascar.  
*betulaefolia*, Wedd. in Ann. Sc. Nat. Sér. III. xviii. (1852) 227 = hederacea.  
*boehmerioides*, Wedd. in Arch. Mus. Par. viii. (1855-56) 232.—Ins. Mascar.  
*Boiviniana*, Wedd. l. c. 227.—Ins. Mascar.  
*bracteosa*, Wedd. l. c. 245.—Reg. Himal.  
*callitrichoides*, Blume, Mus. Bot. Lugd. Bat. ii. 44.—Venezuela.  
*callitrichoides*, Kunth, Ind. Sem. Hort. Berol. (1846) 12 = serpyllifolia.  
*callitrichoides*, Schlecht. in Linnaea, xxvii. (1854) 495 = muscosa.  
*capitata*, Baker, in Journ. Linn. Soc. xxi. (1885) 446.—Madag.  
*capitellata*, Wedd. in Arch. Mus. Par. viii. (1855-56) 220.—Bolivia.  
*carnosula*, Wedd. l. c. 208.—N. Granat.  
*celebica*, Miq. in Zoll. Syst. Verz. Ind. Archip. 102, 105.—Ins. Celebes.  
*centradenioides*, Seem. Bot. Voy. Herald, 194.—N. Granat.  
*cephalantha*, Wedd. in Ann. Sc. Nat. Sér. III. xviii. (1852) 209.—Ins. S. Doming.  
*ceratocalyx*, Wedd. in DC. Prod. xvi. i. 148.—Peruv.  
*ceratomera*, Wedd. l. c. 132.—Afr. trop.  
*Chamaedrys*, Wedd. in Ann. Sc. Nat. Sér. III. xviii. (1852) 229.—Ins. Porto Rico.  
*chilensis*, Wedd. l. c. 221 = elliptica.  
*chrysosplenoides*, Wedd. l. c. 231.—N. Granat.  
*ciliaris*, Griseb. Cat. Pl. Cub. 60 = *Lindeniana*.  
*ciliaris*, Wedd. in Ann. Sc. Nat. Sér. III. xviii. (1852) 209.—Java.  
*ciliata*, Blume, Mus. Bot. Lugd. Bat. ii. 46 = Swartzii.  
*citriodora*, Wedd. in Ann. Sc. Nat. Sér. III. xviii. (1852) 216.—Am. trop.  
*clandestina*, Wedd. in DC. Prod. xvi. i. 120.—Jamaic.  
*Commersoniana*, Wedd. in Ann. Sc. Nat. Sér. IV. i. (1854) 186.—Ins. Borbon.  
*consanguinea*, Wedd. in DC. Prod. xvi. i. 112.—Ins. S. Doming.  
*corymbosa*, Blume, Mus. Bot. Lugd. Bat. ii. 50.—Ind. occ.  
*crassifolia*, Blume, l. c. 52 = densiflora.  
*crassifolia*, Hance, in Journ. Bot. xx. (1882) 294.—China.  
*Cruegeriana*, Wedd. in DC. Prod. xvi. i. 122.—Venezuela.  
*cruzensis*, Wedd. in Ann. Sc. Nat. Sér. III. xviii. (1852) 228 = acuminata.



**PILEA :—**

- cubensis*, Wedd. in Ann. Sc. Nat. Sér. III. xviii. (1852) 214 = serrulata.  
*cuneifolia*, Wedd. l. c. 212.—Jamaic.  
*cuneiformis*, Wedd. l. c. Sér. IV. i. (1854) 186.—Ins. Maurit.  
*dauciodora*, Wedd. l. c. Sér. III. xviii. (1852) 223.—Peruv.  
*decora*, Wedd. l. c. Sér. IV. i. (1854) 284 = elegans.  
*deltoidea*, Liebm. in Vidensk. Selsk. Skr. V. ii. (1851) 298.—Costa Rica.  
*dendrophila*, Miq. in Mart. Fl. Bras. iv. i. 202.—Bras.  
*densiflora*, Kunth, Ind. Sem. Hort. Berol. (1846) 12.—Peruv.  
*depressa*, Blume, Mus. Bot. Lugd. Bat. ii. 46.—Ind. occ.  
*diffusa*, Griseb. in Goett. Abh. vii. (1857) 193 = pubescens.  
*diffusa*, Wedd. in Ann. Sc. Nat. Sér. III. xviii. (1852) 222.—Ind. occ.  
*diversifolia*, Wedd. l. c. 212.—Peruv.  
*Dombeyana*, Wedd. l. c. 221.—Peruv.  
*elegans*, C. Gay, Fl. Chil. v. 364 = elliptica.  
*elegans*, Wedd. in Ann. Sc. Nat. Sér. III. xviii. (1852) 215.—Ind. occ.  
*elliptica*, Hook. f. Fl. Antarct. 344.—Chili.  
*elongata*, Blume, Mus. Bot. Lugd. Bat. ii. 55 = elegans.  
*elongata*, Miq. in Zoll. Syst. Verz. Ind. Archip. 102 = trinervia.  
*falcata*, Liebm. in Vidensk. Selsk. Skr. V. ii. (1851) 304.—Mexic.  
*fallax*, Wedd. in DC. Prod. xvi. i. 120.—Am. trop.  
*fasciata*, Wedd. l. c. 149.—Am. trop.  
*flexuosa*, Wedd. in Ann. Sc. Nat. Sér. III. xviii. (1852) 218.—Am. austr.  
*Forsythiana*, Wedd. in DC. Prod. xvi. i. 111.—Ind. occ.  
*Franquevilleana*, Wedd. l. c. 108.—Ind. occ.  
*fusca*, Liebm. in Vidensk. Selsk. Skr. V. ii. (1851) 300 = pubescens.  
*Gaudichaudiana*, Wedd. in Ann. Sc. Nat. Sér. III. xviii. (1852) 226 = pubescens.  
*glaberrima*, Blume, Mus. Bot. Lugd. Bat. ii. 54 = smilacifolia.  
*globosa*, Wedd. in Ann. Sc. Nat. Sér. III. xviii. (1852) 208.—N. Granat.  
*glomerata*, Griseb. Cat. Pl. Cub. 69.—Cuba.  
*gnidioides*, Griseb. in Mem. Am. Acad. N. S. viii. (1861) 173.—Ind. occ.  
*Goglado*, Blume, Mus. Bot. Lugd. Bat. ii. 53 = smilacifolia.  
*Goglado*, Wedd. in Ann. Sc. Nat. Sér. IV. i. (1854) 186 = scripta.  
*Goudotiana*, Wedd. l. c. Sér. III. xviii. (1852) 216.—N. Granat.  
*grandifolia*, Blume, Mus. Bot. Lugd. Bat. ii. 52 = grandis.  
*grandis*, Wedd. in Ann. Sc. Nat. Sér. III. xviii. (1852) 216.—Jamaic.  
*Griffithii*, Blume, Mus. Bot. Lugd. Bat. ii. 55.—Malacca.  
*grossecrenata*, Miq. in Mart. Fl. Bras. iv. i. 199 = pubescens.  
*guadalupensis*, Wedd. in Ann. Sc. Nat. Sér. III. xviii. (1852) 223.—Ins. Guadeloup.  
*guyanensis*, Wedd. l. c. 221 = pubescens.  
*haitensis*, Wedd. l. c. 219 = rugosa.  
*hederacea*, Wedd. l. c. 222.—Ind. occ.  
*herniarifolia*, Blume, Mus. Bot. Lugd. Bat. ii. 44 = muscosa.  
*herniarioides*, Lindl. Coll. Bot. sub t. 4 ; Wedd. in Ann. Sc. Nat. Sér. III. xviii. (1852) 207 = muscosa.  
*heteronema*, Griseb. in Mem. Am. Acad. N. S. viii. (1861) 173.—Ind. occ.  
*Hilariana*, Wedd. in Arch. Mus. Par. viii. (1855-56) 210.—Bras.  
*hirsuta*, Wedd. in Ann. Sc. Nat. Sér. III. xviii. (1852) 220.—N. Granat.  
*hirtella*, Miq. in Mart. Fl. Bras. iv. i. 202.—Bras.  
*Hookeriana*, Wedd. in Arch. Mus. Par. viii. (1855-56) 226.—Reg. Himal.  
*Huegelii*, Blume, Mus. Bot. Lugd. Bat. ii. 53 = P. Wightii.  
*hyalina*, Fenzl, in Denkschr. Acad. Wien (Math.-Nat.), i. (1850) 250.—Bras.

**PILEA :—**

- hygrophila*, Blume, Mus. Bot. Lugd. Bat. ii. 56.—Ind. or.  
*hypnophila*, Baker, in Journ. Bot. xx. (1882) 267.—Madag.  
*imparifolia*, Wedd. in Ann. Sc. Nat. Sér. III. xviii. (1852) 212.—Guian.  
*inaequalis*, Wedd. l. c. 229.—Ind. occ.  
*insignis*, Blume, Mus. Bot. Lugd. Bat. ii. 56.—Ins. Borbon.  
*insolens*, Wedd. in DC. Prod. xvi. i. 118.—Reg. Himal.  
*integrifolia*, Liebm. in Vidensk. Selsk. Skr. V. ii. (1851) 298.—Mexic.  
*Jamesoniana*, Wedd. in Ann. Sc. Nat. Sér. III. xviii. (1852) 224 = dauciodora.  
*javanica*, Wedd. l. c. Sér. IV. i. (1854) 187 = Pellionia javanica.  
*Kakurang*, Blume, Mus. Bot. Lugd. Bat. ii. 57.—Ins. Banda.  
*laevicaulis*, Wedd. in Ann. Sc. Nat. Sér. IV. i. (1854) 186.—Ins. Borbon.  
*lamioides*, Wedd. l. c. Sér. III. xviii. (1852) 213.—Peruv.  
*lanceolata*, Wedd. l. c. 208.—Ind. occ.  
*latifolia*, Wedd. in Arch. Mus. Par. viii. (1855-56) 249.—Am. austr.  
*lana*, Wedd. in Ann. Sc. Nat. Sér. III. xviii. (1852) 230.—Jamaic.  
*leucophaea*, Blume, Mus. Bot. Lugd. Bat. ii. 53.—Java.  
*Lindeniana*, Wedd. in Ann. Sc. Nat. Sér. III. xviii. (1852) 210.—N. Granat.  
*Lindenii*, Blume, Mus. Bot. Lugd. Bat. ii. 49 = praec.  
*longifolia*, Baker, in Journ. Linn. Soc. xx. (1883) 266.—Madag.  
*longipes*, Baker, l. c. xxi. (1885) 446.—Madag.  
*longipes*, Liebm. in Vidensk. Selsk. Skr. V. ii. (1851) 301.—Mexic.  
*lucens*, Wedd. in Ann. Sc. Nat. Sér. IV. i. (1854) 186.—Afr. trop.  
*lucida*, Blume, Mus. Bot. Lugd. Bat. ii. 48.—Ind. occ.  
*Lundii*, Liebm. in Vidensk. Selsk. Skr. V. ii. (1851) 299.—Mexic.  
*lurida*, Wright, in Sauv. Fl. Cub. 148.—Ind. occ.  
*macrodonata*, Baker, in Journ. Linn. Soc. xx. (1883) 266.—Madag.  
*Manniana*, Wedd. in DC. Prod. xvi. i. 117.—Afr. trop.  
*marginata*, Wedd. in Arch. Mus. Par. viii. (1855-56) 238.—Peruv.  
*Maximiliani*, Miq. in Mart. Fl. Bras. iv. i. 200.—Bras.  
*melastomoides*, Wedd. in Ann. Sc. Nat. Sér. IV. i. (1854) 186 = trinervia.  
*mexicana*, Wedd. l. c. Sér. III. xviii. (1852) 214.—Mexic.  
*miconiaefolia*, Miq. in Zoll. Syst. Verz. Ind. Archip. 102, 106 = smilacifolia.  
*microphylla*, Griseb. Cat. Pl. Cub. 59 = trianthemoides.  
*microphylla*, Liebm. in Vidensk. Selsk. Skr. V. ii. (1851) 302 = muscosa.  
*modesta*, Baker, in Journ. Linn. Soc. xx. (1883) 265.—Madag.  
*mollis*, Wedd. in Arch. Mus. Par. viii. (1855-56) 251.—Am. austr.  
*mongolica*, Wedd. in DC. Prod. xvi. i. 135.—Mongol.  
*montana*, Wedd. in Ann. Sc. Nat. Sér. III. xviii. (1852) 228 = pubescens.  
*Multiflora*, Wedd. l. c. 218.—Am. trop.  
*muscosa*, Hort. ex Wedd. in DC. Prod. xvi. i. 107 = serpyllifolia.  
*muscosa*, Lindl. Coll. Bot. t. 4.—Am. trop.  
*Mutisiana*, Wedd. in Ann. Sc. Nat. Sér. III. xviii. (1852) 218.—N. Granat.  
*nana*, Liebm. in Vidensk. Selsk. Skr. V. ii. (1851) 299.—Mexic.  
*nepalensis*, Wedd. in Ann. Sc. Nat. Sér. IV. i. (1854) 187.—Nepal.  
*nitida*, Wedd. l. c. Sér. III. xviii. (1852) 211.—Peruv.  
*nudicaulis*, Wedd. l. c. 208.—Ind. occ.  
*nummulariaefolia*, Wedd. l. c. 225.—Ind. occ.  
*nummularifolia*, Griseb. in Goett. Abh. vii. (1857) 193 = repens.  
*nutans*, Wedd. in Arch. Mus. Par. viii. (1855-56) 196. t. 7. f. 11-13.—Am. trop.  
*obesa*, Wedd. in Ann. Sc. Nat. Sér. IV. i. (1854) 186.—Nepal.

**PILEA :—**

- obtusata*, Liebm. in Vidensk. Selsk. Skr. V. ii. (1851) 300.—Ins. Monserrat.  
*oreophila*, Blume, Mus. Bot. Lugd. Bat. ii. 54 = trinervia.  
*ovalis*, Griseb. Fl. Brit. W. Ind. 158.—Ind. occ.  
*oxyodon*, Wedd. in Arch. Mus. Par. viii. (1855-56) 221 = bracteosa.  
*pachycarpa*, Wedd. l. c. 225.—Reg. Himal.  
*Parietaria*, Blume, Mus. Bot. Lugd. Bat. ii. 48.—Ind. occ.  
*Parietaria*, Griseb. in Mem. Am. Acad. N. S. viii. (1860) 173 = glomerata.  
*Pavonii*, Wedd. in Ann. Sc. Nat. Sér. III. xviii. (1852) 219.—Peruv.  
*pedunculata*, Blume, Mus. Bot. Lugd. Bat. ii. 46 = elliptica.  
*pellucida*, Blume, l. c. 54 = trinervia.  
*peltata*, Hance, in Ann. Sc. Nat. Sér. V. v. (1866) 242.—China.  
*pendula*, Blume, Mus. Bot. Lugd. Bat. ii. 47 = rupi-pendia.  
*pendula*, Griseb. Cat. Pl. Cub. 59.—Ind. occ.  
*peperomifolia*, Liebm. in Vidensk. Selsk. Skr. V. ii. (1851) 297 = muscosa.  
*peplidifolia*, Schlecht. in Linnaea, xxvii. (1854) 496 = serpyllifolia.  
*peplodes*, Hook. & Arn. Bot. Beech. Voy. 96.—As. trop.; Ins. Pacif.  
*petiolaris*, Wedd. in Ann. Sc. Nat. Sér. IV. i. (1854) 187 = stipulosa.  
*Poeppigiana*, Wedd. l. c. Sér. III. xviii. (1852) 225.—Peruv.  
*portoricensis*, Wedd. in DC. Prod. xvi. i. 151.—Ins. Portorico.  
*Portula*, Liebm. in Vidensk. Selsk. Skr. V. ii. (1851) 297 = muscosa.  
*portulacina*, Blume, Mus. Bot. Lugd. Bat. ii. 45 = muscosa.  
*producta*, Blume, l. c. 56 = umbrosa.  
*propinqua*, Wedd. in Arch. Mus. Par. viii. (1855-56) 190.—Ind. occ.  
*pteropodon*, Wedd. in DC. Prod. xvi. i. 144.—N. Granat.  
*pubescens*, Liebm. in Vidensk. Selsk. Skr. V. ii. (1851) 302.—Bras.  
*pulegifolia*, Wedd. in Ann. Sc. Nat. Sér. III. xviii. (1852) 213.—Peruv.  
*pumila*, A. Gray, Man. Bot. N. U. St. ed. I. 437.—Am. bor.  
*pumila*, Liebm. in Vidensk. Selsk. Skr. V. ii. (1851) 305.—Mexic.  
*punctata*, Wedd. in Ann. Sc. Nat. Sér. III. xviii. (1852) 222.—Peruv.  
*puncticaulis*, Wedd. in Arch. Mus. Par. viii. (1855-56) 181 = ciliaris.  
*pygmaea*, Miq. in Zoll. Syst. Verz. Ind. Archip. 102, 106 = peploides.  
*pyrrhotricha*, Miq. Fl. Ind. Bat. Suppl. 413.—Sumatra.  
*quadrifolia*, A. Rich. Tent. Fl. Abyss. ii. 263.—Abyss.  
*radicans*, Wedd. in Ann. Sc. Nat. Sér. III. xviii. (1852) 223.—Jamaic.  
*radicans*, Wight, Ic. t. 1974 = Wightii.  
*repanda*, Wedd. in Ann. Sc. Nat. Sér. IV. i. (1854) 186.—Ins. Maurit.  
*repens*, Liebm. in Vidensk. Selsk. Skr. V. ii. (1851) 304.—Mexic.  
*reticulata*, Wedd. in Ann. Sc. Nat. Sér. III. xviii. (1852) 215.—Jamaic.  
*rhexioides*, Liebm. in Vidensk. Selsk. Skr. V. ii. (1851) 304.—Mexic.  
*rhizobola*, Miq. in Mart. Fl. Bras. iv. i. 202.—Bras.  
*rhombea*, Liebm. in Vidensk. Selsk. Skr. V. ii. (1851) 305.—N. Granat.  
*Riedlei*, Blume, Mus. Bot. Lugd. Bat. ii. 55 = lucens.  
*Rivoriae*, Wedd. in Ann. Sc. Nat. Sér. III. xviii. (1852) 210 = ciliaris.  
*rivularis*, Wedd. in Arch. Mus. Par. viii. 1855-56 266.—Ins. Mascar.  
*robusta*, Liebm. Ind. Sem. Hort. Haun. (1852) 20.—Cf. Ann. Sc. Nat. Sér. III. xix. (1853) 366.—Mexic.  
*rotundata*, Griseb. Fl. Brit. W. Ind. 157.—Ind. occ.  
*rubiaefolia*, Blume, Mus. Bot. Lugd. Bat. ii. 49.—Guatemala.  
*rufa*, Wedd. in Ann. Sc. Nat. Sér. III. xviii. 1852 220.—Jamaic.



**PILEA:—**

- rugosa*, Wedd. in *Ann. Sc. Nat. Sér. III.* xviii. (1852) 219.—Ind. occ.  
*rupicola*, Wedd. l. c. 224 = *pubescens*.  
*rupipendia*, Wedd. l. c. Sér. IV. i. (1854) 186.—Afr. trop.  
*salicifolia*, Wedd. l. c. Sér. III. xviii. (1852) 209 = *nudicaulis*.  
*Sanctae-crucis*, Liebm. in *Vidensk. Selsk. Skr. V.* ii. (1851) 302.—Ins. S. Crux.  
*sarcophylla*, Wedd. in *DC. Prod.* xvi. i. 109.—Ind. occ.  
*scripta*, Wedd. in *Ann. Sc. Nat. Sér. IV.* i. (1854) 187.—Reg. Himal.  
*scrobiculata*, Liebm. in *Vidensk. Selsk. Skr. V.* ii. (1851) 300.—Mexic.  
*semidentata*, Wedd. in *Ann. Sc. Nat. Sér. III.* xviii. (1852) 215.—Ind. occ.  
*serpyllacea*, Liebm. in *Vidensk. Selsk. Skr. V.* ii. (1851) 296 = *serpyllifolia*.  
*serpyllifolia*, Wedd. in *DC. Prod.* xvi. i. 107.—Am. trop.  
*serratifolia*, Wedd. in *Arch. Mus. Par.* viii. (1855–56) 235.—Peruv.  
*serrulata*, Wedd. in *Ann. Sc. Nat. Sér. III.* xviii. (1852) 213.—Ind. occ.  
*sessiliflora*, Wedd. in *Arch. Mus. Par.* viii. (1855–56) 242.—Ind. occ.  
*sessiliifolia*, Wedd. l. c. 204.—Ins. Mascar.  
*smilacifolia*, Wedd. in *Ann. Sc. Nat. Sér. IV.* i. (1854) 186.—Ind. or.; Java.  
*spatulata*, Griseb. *Cat. Pl. Cub.* 59.—Ind. or.  
*Spruceana*, Wedd. in *DC. Prod.* xvi. i. 161.—Peruv.  
*Stae-crucis*, Auct. = *P. Sanctae-crucis*.  
*stelluligera*, Griseb. *Cat. Pl. Cub.* 59 = *Wrightiana*.  
*stelluligera*, Wedd. in *Arch. Mus. Par.* viii. (1855–56) 184.—Ind. occ.  
*stipulosa*, Miq. in *Zoll. Syst. Verz. Ind. Archip.* 102.—Zeylan.  
*stolonifera*, Wedd. in *Ann. Sc. Nat. Sér. III.* xviii. (1852) 226.—Ind. occ.  
*strangulata*, Franch. & Sav. *Enum. Pl. Jap.* i. 438.—Japon.  
*strigosa*, Wedd. in *Ann. Sc. Nat. Sér. III.* xviii. (1852) 225 = *repens*.  
*subcrenata*, Blume, *Mus. Bot. Lugd. Bat.* ii. 54 = *lucens*.  
*subcrenata*, Wedd. in *DC. Prod.* xvi. i. 148.—Am. trop.  
*sublucens*, Wedd. l. c. 130.—Afr. trop.  
*submissa*, Wedd. l. c. 151.—Peruv.  
*subpubera*, Miq. in *Zoll. Syst. Verz. Ind. Archip.* 102, 105 = *Achudemia javanica*.  
*subserrata*, Wedd. in *Arch. Mus. Par.* viii. (1855–56) 207.—N. Granat.  
*succulenta*, Hook. f. in *Trans. Linn. Soc. xx.* (1847) 182 = *microphylla*.  
*succulenta*, Wedd. in *Arch. Mus. Par.* viii. (1855–56) 256.—Venezuela.  
*Swartzii*, Wedd. in *Ann. Sc. Nat. Sér. III.* xviii. (1852) 228.—Ind. occ.  
*Symmeria*, Wedd. in *Arch. Mus. Par.* viii. (1855–56) 246.—Reg. Himal.  
*tenerrima*, Miq. in *Linnaea*, xxvi. (1853) 219 = *muscosa*.  
*tenuifolia*, Wedd. in *Arch. Mus. Par.* viii. (1855–56) 202.—Reg. Himal.  
*tetraphylla*, Blume, *Mus. Bot. Lugd. Bat.* ii. 50.—Afr. trop.  
*Thouarsiana*, Wedd. in *Ann. Sc. Nat. Sér. IV.* i. (1854) 186.—Ins. Mascar.  
*thymifolia*, Blume, *Mus. Bot. Lugd. Bat.* ii. 44 = *globosa*.  
*Trianaeana*, Wedd. in *DC. Prod.* xvi. i. 121.—N. Granat.  
*trianthemoides*, Lindl. *Coll. Bot.* sub t. 4 = *muscosa*.  
*tribolata*, Blume, *Mus. Bot. Lugd. Bat.* ii. 48, sphalm. = *trilobata*.  
*trichosanthes*, Wedd. in *DC. Prod.* xvi. i. 120.—Am. trop.  
*trichotoma*, Liebm. in *Vidensk. Selsk. Skr. V.* ii. (1851) 303.—Mexic.  
*trilobata*, Wedd. in *Ann. Sc. Nat. Sér. IV.* i. (1854) 186.—Ins. Maurit.  
*trinervia*, Wight, *l. c.* t. 1973.—Ind. or.  
*triplinervia*, Blume, *Mus. Bot. Lugd. Bat.* ii. 53 = *lucens*.  
*uliginosa*, Phil. in *Linnaea*, xxx. (1859–60) 199.—Chili.

**PILEA:—**

- umbellata*, Wedd. in *DC. Prod.* xvi. i. 126 = *insignis*.  
*umbrosa*, Wedd. in *Ann. Sc. Nat. Sér. IV.* i. (1854) 187.—Reg. Himal.  
*uncidens*, Wedd. l. c. Sér. III. xviii. (1852) 224 = *dauciodora*.  
*uninervis*, Griseb. *Cat. Pl. Cub.* 59 = *serrulata*.  
*urticaefolia*, Blume, *Mus. Bot. Lugd. Bat.* ii. 47 = *rupipendia*.  
*Urticella*, Wedd. in *DC. Prod.* xvi. i. 157.—Venezuela.  
*variegata*, Seem. *Bot. Voy. Herald*, 194.—N. Granat.  
*venulosa*, Blume, *Mus. Bot. Lugd. Bat.* ii. 57.—Ins. Celebes.  
*verbascifolia*, Wedd. in *Ann. Sc. Nat. Sér. IV.* i. (1854) 186.—Ins. Maurit.  
*virgata*, Wedd. in *DC. Prod.* xvi. i. 112.—Jamaica.  
*vulcanica*, Liebm. in *Vidensk. Selsk. Skr. V.* ii. (1851) 303.—Mexic.  
*Wallichii*, Wedd. in *Ann. Sc. Nat. Sér. IV.* i. (1854) 186 = *umbrosa*.  
*Wattersii*, Hance, in *Journ. Bot.* xxiii. (1885) 327.—China.  
*Wightii*, Wedd. in *Ann. Sc. Nat. Sér. IV.* i. (1854) 186.—Ind. or.; Malaya.  
*Wrightiana*, Wedd. in *DC. Prod.* xvi. i. 113.—Cuba.  
*Wydlervii*, Blume, *Mus. Bot. Lugd. Bat.* ii. 49 = *ciliaris*.  
*xalapensis*, Wedd. in *Ann. Sc. Nat. Sér. III.* xviii. (1853) 227 = *pubescens*.

- PILEANTHUS**, Labill. *Nov. Holl. Pl.* ii. 11. t. 149 (1806). *MYRTACEAE*, Benth. & Hook. f. i. 698.  
*filifolius*, Meissn. in *Journ. Linn. Soc.* i. (1857) 45.—Austral.  
*Limacis*, Labill. *Nov. Holl. Pl.* ii. 11. t. 149.—Austral.  
*peduncularis*, Endl. in *Ann. Wien. Mus.* ii. (1838) 196.—Austral.  
*vernicosus*, F. Muell. *Fragm.* i. 255 = *peduncularis*.

- PILEOCALYX**, Gasparr. in *Rendic. Acc. Sc. Nap.* vi. (1847) 409 = *Cucurbita*, Tourn.  
*elegans*, Gasparr. l. c. = *C. maxima*.

- PILEOSTEGIA**, Hook. f. & Thoms. in *Journ. Linn. Soc.* ii. (1858) 57. *SAXIFRAGEAE*, Benth. & Hook. f. i. 641.  
*viburnoides*, Hook. f. & Thoms. l. c. 76.—Reg. Himal.

- PILEOSTEGIA**, Turcz. in *Bull. Soc. Nat. Mosc.* xxxii. (1859) i. 276 = *Ilex*, Tourn.  
*mexicana*, Turcz. l. c. = *I. mexicana*, Black.

- PILEOSTIGMA**, Hochst. in *Flora*, xxix. (1846) 598 = *Bauhinia*, Linn. (Legumin.).  
*acidum*, Benth. in *Miq. Pl. Jungh.* 261 = *B. malabarica*.  
*malabaricum*, Benth. l. c. 261 = *B. malabarica*.  
*pyrrhocarpum*, Hochst. in *Flora*, xxix. (1846) 598 = *B. reticulata*.  
*racemosum*, Benth. in *Miq. Pl. Jungh.* 262 = *B. racemosa*.  
*reticulatum*, Hochst. ex Benth. l. c. 261 = *B. reticulata*.  
*rufescens*, Benth. l. c. 262 = *B. rufescens*.

- PILEOCARPUS**, Hassk. in *Flora*, xlix. (1866) 212 = *Aneilema*, R. Br. (Commel.).  
*protensus*, Hassk. l. c.; et *Commel. Ind.* 15 = *A. protensum*.  
*vitiensis*, Hassk. ll. cc. 212; 18 = *A. vitiense*.

- PILINOPHYTUM**, Klotzsch, in *Wieg. Archiv*, vii. (1841) 255 = *Croton*, Linn. (Euphorb.).  
*capitatum*, Klotzsch, l. c. = *C. capitatus*.  
*Lindheimeri*, Engelm. & Gray, in *Bost. Journ. Nat. Hist.* v. (1845) 232 = *C. capitatus*.

- PILIOCALYX**, Brongn. & Gris, in *Bull. Soc. Bot. Fr.* xii. (1865) 185; et in *Ann. Sc. Nat. Sér. V.* iii. (1865) 225. *MYRTACEAE*, Benth. & Hook. f. Gen. i. 1006.  
*Boudonini*, Brongn. & Gris, ll. cc. 186; 226.—N. Caled.  
*bullatus*, Brongn. & Gris, ll. cc. xiii. (1866) 470; vi. (1866) 263.—N. Caled.  
*laurifolius*, Brongn. & Gris, ll. cc. xii. (1865) 186; iii. (1865) 226.—N. Caled.  
*micranthus*, Brongn. & Gris, ll. cc.—N. Caled.

**PILIOCALYX:—**

- robustus*, Brongn. & Gris, in *Bull. Soc. Bot. Fr.* xii. (1865) 185; et in *Ann. Sc. Nat. Sér. V.* iii. (1865) 224.—N. Caled.  
*wagapensis*, Brongn. & Gris, ll. cc. xiii. (1866) 471; vi. (1866) 263.—N. Caled.

- PILIOSANTHES**, Hassk. in *Hoef. & De Vriese, Tijdschr.* x. (1843) 121, sphalm. = *Peliosanthes*, Andr. (Haemod.).

- PILIOSTIGMA**, Walp. *Ann.* i. 258 (1848–49), sphalm. = **PILEOSTIGMA**, Hochst. = *Bauhinia*, Linn. (Legumin.).

- PILITIS**, Lindl. *Introd. Nat. Syst.* ed. II. 443 (1836) = *Richea*, R. Br. (Epacrid.).  
*acerosa*, Lindl. l. c. = *R. acerosa*.  
*Milligani*, Hook. f. *Fl. Tasm.* i. 266. t. 83 = *R. Milligani*.

- PILLERA**, Endl. *Prod. Fl. Norf.* 91 (1833) = *Mucuna*, Adans. (Legumin.).  
*macrocarpa*, Endl. l. c. = *M. macrocarpa*.

- PILOBLEPHIS**, Rafin. *New Fl. Am.* iii. 52 (1836) = *Satureia*, Tourn. (Labiata).  
*ericoides*, Rafin. l. c. 53 = *S. rigida*.  
*rigida*, Rafin. l. c. = *S. rigida*.

- PILOCARPUS**, Vahl, *Eclog.* i. 29. t. 10 (1796).  
*RUTACEAE*, Benth. & Hook. f. i. 299.  
*amarus*, Blanco, *Fl. Filip.* ed. II. 540 = *Lunasia amara*.  
*atropurpureus*, C. Koch, in *C. Koch & Fint. Wochenschr.* ii. (1859) 152, 419 = *pennatifolius*.  
*fluminensis*, Casar. ex Engl. in *Mart. Fl. Bras.* xii. II. 134 = *pauciflorus*.  
*giganteus*, Engl. l. c. 136.—Bras.  
*Goudotianus*, Tul. in *Ann. Sc. Nat. Sér. III.* vii. (1847) 284.—N. Granat.  
*grandiflorus*, Engl. in *Mart. Fl. Bras.* xii. II. 137.—Bras.  
*guyanensis*, Van Hall, in *Fl. Jard. Pays-Bas*, iii. (1860) 116.—Guian.  
*heterophyllus*, Griseb. in *Mem. Am. Acad. N. S.* viii. (1860) 170.—Cuba.  
*Humboldtii*, Spreng. *Syst. iv. Cur. Post.* 126.—Mexic.  
*latifolius*, A. St. Hil. & Tul. in *Ann. Sc. Nat. Sér. III.* vii. (1867) 285.—Guian.  
*longeracemosus*, Engl. in *Mart. Fl. Bras.* xii. II. 135.—Bras.  
*macrocarpus*, Engl. l. c. 138.—Bras.  
*officinalis*, Poehl, *Unters. Blaett. Piloc. Off.* (1880) 18, sine diagn.—Am. austr.  
*parviflorus*, Mart. in *Nov. Act. Nat. Cur.* xi. (1823) 177 = *spicatus*.  
*pauciflorus*, A. St. Hil. in *Bull. Soc. Philom.* (1823) 131.—Bras.  
*pennatifolius*, Lem. in *Jard. Fleur.* iii. (1852–53) t. 263.—Bras.  
*pinnatifidus*, Carr. in *Rev. Hort.* (1868) 60, sphalm. = *praec.*  
*pinnatifolius*, Engl. in *Mart. Fl. Bras.* xii. II. 138, sphalm. = *praec.*  
*pinnatus*, Mart. ex Engl. l. c. = *praec.*  
*racemosus*, Vahl, *Eclog.* i. 29. t. 10.—Ind. occ.  
*Riedelianus*, Engl. in *Mart. Fl. Bras.* xii. II. 135.—Bras.  
*Selloanus*, Engl. l. c. 136.—Bras.  
*simplex*, Baill. *Adansonia*, xi. (1875) 276 = *pennatifolius*.  
*spicatus*, A. St. Hil. in *Bull. Soc. Philom.* (1823) 131. t. 10.—Bras.  
*subcoriaceus*, Engl. in *Mart. Fl. Bras.* xii. II. 134.—Bras.  
*trijugatus*, Lem. in *Jard. Fleur.* iii. (1852–53) sub t. 263 = *pennatifolius*.

- PILOCEREUS**, Lem. *Cact. Gen. Nov. et Sp.* 6 (1839) = *Cereus*, Mill. (Cact.).  
*Andryanus*, Cels, ex Lem. in *Rev. Hort.* (1862) 427 = *C. caeruleus*.  
*angulosus*, Foerst. l. c. 428.—Hab.?  
*Arrabidae*, Lem. l. c. 429 = *C. Arrabidae*.  
*Celsianus*, Cels, ex Salm-Dyck, *Cact. Hort. Dyck.* ed. II. 40, 185; Lem. in *Rev. Hort.* (1862) 428.—Reg. Andin.  
*chrysomallus*, Lem. in *Fl. des Serres*, iii. (1847) sub t. 242 = *C. chrysomallus*.



## PILOCEREUS:—

- coerulescens*, Lem. in Rev. Hort. (1862) 427 = *Cereus caeruleus*.  
*Columna*, Lem. Cact. Gen. et Sp. Nov. 9 = *C. Columna-Trajani*.  
*Cometes*, Mittl. ex Foerst. Handb. Cact. ed. I. 357 = *C. Cometes*.  
*Consolei*, Lem. in Rev. Hort. (1862) 427. —Hab.?  
*Curtisii*, Salm-Dyck, Cact. Hort. Dyck. ed. I. 24 = *C. Curtisii*.  
*Dantwitzii*, Hort. Haage. —Cf. Gard. Chron. (1873) 7. f. 1. —Peruv.  
*divaricatus*, Lem. in Rev. Hort. (1862) 427 = *C. divaricatus*.  
*Engelmanni*, Lem. Illustr. Hort. ix. (1862) Misc. 98 = *C. Engelmanni*.  
*fimbriatus*, Lem. in Rev. Hort. (1862) 427 = *C. grandispinus*.  
*floccosus*, Lem. Illustr. Hort. (1866) sub t. 470 = *C. floccosus*.  
*Forsterii*, Sencke, ex Lem. in Rev. Hort. (1862) 428 = *Houlletii*.  
*fossulatus*, Croucher, in Gard. Chron. (1873) 983. f. 197 (= seq. ?) —Hab.?  
*fossulatus*, Labour. in Rev. Hort. Sér. IV. iv. (1855) 25. —Bolivia.  
*foveolatus*, Labour. ex Lem. l. c. (1862) 428 = *Celsianus*.  
*glaucescens*, Labour. Cact. 279 = *C. glaucescens*.  
*grandispinus*, Lem. in Rev. Hort. (1862) 427 = *C. grandispinus*.  
*Haworthii*, Console, l. c. 428 = *C. Haworthii*.  
*Hermenianus*, Lem. Cact. 63, nomen = *C. Hermenianus*.  
*Houlletianum*, Lem. in Rev. Hort. (1862) 428, in syn. = *C. virens*.  
*Houlletii*, Lem. l. c. —Mexic.  
*jubatus*, Salm-Dyck, Cact. Hort. Dyck. ed. I. 24; Lem. l. c. 427 = *C. Cometes*.  
*leucocephalus*, Poselg. in Otto & Dietr. Allg. Gartenz. xxi. (1853) 126. —Mexic.  
*militaris*, Hort. ex Salm-Dyck, Cact. Hort. Dyck. ed. II. 40 = *C. chrysomallus*.  
*Moritzianus*, Lem. Cact. 63, nomen = *C. Moritzianus*.  
*niger*, Poit. in Rev. Hort. Sér. II. iv. (1845-46) 289 = *C. niger*.  
*nigricans*, Sencke, ex Lem. in Illustr. Hort. (1866) Misc. 20 = *C. nigricans*.  
*oligogonus*, Foerst. ex Lem. in Rev. Hort. (1862) 428 = *C. virens*.  
*Plumieri*, Lem. l. c. 427 = *C. polygonus*.  
*polyedrophorus*, Lem. l. c. 428. —Bras.  
*polygonus*, Salm-Dyck, Cact. Hort. Dyck. 24, in obs. = *C. polygonus*.  
*polylophus*, Salm-Dyck, l. c. 24; ed. II. 184 = *C. polylophus*.  
*Robini*, Lem. Illustr. Hort. xi. (1864) Misc. 74. —Cuba.  
*Schottii*, Lem. l. c. 428 = *C. Schottii*.  
*scoparius*, Poselg. in Otto & Dietr. Allg. Gartenz. xxi. (1853) 126. —N. Mexic.  
*senilis*, Lem. Cact. Gen. et Sp. Nov. 6 = *C. senilis*.  
*sublanatus*, Foerst. ex Haage, Verz. Cact. 22 = *C. sublanatus*.  
*tilophorus*, Lem. in Rev. Hort. (1862) 428 = *C. virens*.  
*Vellozii*, Lem. l. c. 427 = *C. fluminensis*.  
*virens*, Lem. Illustr. Hort. (1866) Misc. 20, in obs. = *C. virens*.  
*Williamsii*, Lem. in Rev. Hort. (1862) 428 (an seq. ?). —Hab.?  
*Williamsii*, Schelh. Cat. (1845); ex Foerst. Handb. Cact. ed. I. 354 = *C. senilis*.

## PILOGYNE, Schrad. Ind. Sem. Hort. Gotting. (1835).—

- Cf. Linnaea, xx. (1837) Litt. 89 = *Melothria*, Linn. (Cucurb.).  
*affinis*, Schrad. in Eckl. & Zeyh. Enum. 278 = *M. punctata*.  
*cuspidata*, Schrad. l. c. = *M. punctata*.  
*dilatata*, Schrad. l. c. = *M. cordata*.  
*Ecklonii*, Schrad. l. c. = *M. punctata*.  
*Garcini*, Harv. Thes. Cap. i. t. 96 = *Trochomeria Hookeri*.  
*Garcini*, Wight, in Ann. & Mag. Nat. Hist. Ser. I. viii. (1843) 268 = *Blastania Garcini*.  
*lucida*, Naud. in Ann. Sc. Nat. Sér. V. v. (1866) 36. t. 6 = *M. lucida*.  
*membranacea*, Schrad. in Eckl. & Zeyh. Enum. 278 = *M. punctata*.

## PILOGYNE:—

- Peneyana*, Naud. in Ann. Sc. Nat. Sér. V. v. (1866) 38 = *Melothria Peneyana*.  
*setosa*, Regel, Cat. Pl. Hort. Aksakov. 111. —Hab.?  
*suavis*, Schrad. Ind. Sem. Hort. Gotting. (1835). —Cf. Linnaea, xi. (1837) Litt. 89 = *M. punctata*.  
*tenuifolia*, Schrad. in Linnaea, xii. (1838) 412 = *M. punctata*.  
*velutina*, Schrad. in Eckl. & Zeyh. Enum. 278; et in Linnaea, xii. (1838) 412 = *M. velutina*.  
*Zehneria*, Steud. Nom. ed. II. ii. 334 = *M. Baueriana*.

PILOISA, Rafin. Sylva Tellur. 43 (1838) = *Cordia*, Linn. (Borag.).

- curassavica*, Rafin. l. c. = *C. curassavica*.  
*globosa*, Rafin. l. c. = *C. globosa*.

PILOPHORA, Jacq. Fragm. 32. t. 35 (1800) = *Manicaria*, Gaertn. (Palm.).

- saccifera*, H. Wendl. in Kerch. Palm. 253 = *M. saccifera*.  
*testicularis*, Jacq. Fragm. 32 = *M. saccifera*.

PILOPUS, Rafin. Fl. Tellur. ii. 102 (1836) = *Grisebachia*, Klotzsch [1838] (Ericac.).

- nodiflora*, Rafin. l. c. = *G. plumosa*.

PILOREA, Rafin. Fl. Tellur. ii. 80 (1836) = *Wahlenbergia*, Schrad. (Campan.).

- graminifolia*, Rafin. l. c. = *W. graminifolia*.

PILOSANTHUS, Steud. Nom. ed. II. ii. 331 (1841) sphalm. = *PSILOANTHUS*, Neck. = *Liatris*, Schreb. (Compos.).PILOSELLA, Kostel. Hort. Prag. 104 (1844) = *Sisymbrium*, Tourn. (Crucif.).

- Thaliana*, Kostel. l. c. = *S. Thalianum*.

PILOSELLA, [Rupp.] Sch. Bip. fratt. in Flora, xlv. (1862) 417 = *Hieracium*, Tourn. (Compos.) (spp. Am. exceptis).

- absissa*, Sch. Bip. fratt. in Flora, xlv. (1862) 436 = *H. absissum*.  
*adenocephala*, Sch. Bip. in Linnaea, xxxiii. (1864-65) 759. —Bolivia.  
*albiflora*, Sch. Bip. fratt. in Flora, xlv. (1862) 438 = *H. albiflorum*.  
*albicinerea*, Arv. in Bull. Soc. Dauph. (1880) 281. —Gallia.  
*alpicola*, Sch. Bip. fratt. in Flora, xlv. (1862) 426 = *H. alpicolum*.  
*anchusoides*, Arv. in Bull. Soc. Dauph. (1880) 281. —Gallia.  
*anthura*, Sch. Bip. fratt. in Flora, xlv. (1862) 440 = *H. anthurum*.  
*arguta*, Sch. Bip. fratt. l. c. 438 = *H. argutum*.  
*argyrocera*, Sch. Bip. fratt. l. c. 422 = *H. Pilosella*.  
*aurantiaca*, Sch. Bip. fratt. l. c. 426 = *H. aurantiacum*.  
*Auricula*, Sch. Bip. fratt. l. c. 425 = *H. Auricula*.  
*auriculiformis*, Sch. Bip. fratt. l. c. 424 = *H. bifurcum* ×, Bieb.  
*Avilae*, Sch. Bip. fratt. l. c. 437 = *H. Avilae*.  
*Bauhini*, Arv. in Bull. Soc. Dauph. (1880) 280 = *H. Bauhini*.  
*biflora*, Arv. l. c. 279. —Gallia.  
*bifurca*, Sch. Bip. fratt. in Flora, xlv. (1862) 423 = *H. bifurcum* ×, Bieb.  
*bihariensis*, Arv. in Bull. Soc. Dauph. (1880) 280 = *H. bihariense*.  
*Blyttiana*, Sch. Bip. fratt. in Flora, xlv. (1862) 425 = *H. Blyttianum*.  
*boliviensis*, Sch. Bip. fratt. l. c. 436 = *Crepis boliviensis*.  
*brachiata*, Sch. Bip. fratt. l. c. 424 = *H. brachiatum*.  
*brachyphylla*, Sch. Bip. fratt. l. c. 426 = *H. floribundum*.  
*carcina*, Arv. in Bull. Soc. Dauph. (1880) 282. —Gallia.  
*caroliniana*, Sch. Bip. fratt. in Flora, xlv. (1862) 437 = *H. marianum*.  
*castellana*, Sch. Bip. fratt. l. c. 425 = *H. bifurcum*, Bieb.  
*cernua*, Sch. Bip. fratt. l. c. 423 = *H. cernuum*.  
*chilensis*, Sch. Bip. fratt. l. c. 436 = *H. chilense*.  
*comata*, Sch. Bip. fratt. l. c. 438 = *H. comatum*.  
*cymigera*, Arv. in Bull. Soc. Dauph. (1880) 280 = *H. cymosum*.  
*cymosa*, Sch. Bip. fratt. in Flora, xlv. (1862) 429 = *Hieracium cymosum*.  
*debilis*, Sch. Bip. fratt. l. c. 438 = *H. debile*.  
*decolorans*, Sch. Bip. fratt. 426 = *H. decolorans*.  
*dubia*, Sch. Bip. fratt. l. c. 429 = *H. dubium*.  
*echioides*, Sch. Bip. fratt. l. c. 431 = *H. echioides*.  
*fallax*, Arv. in Bull. Soc. Dauph. (1880) 282 = *H. praealtum*.  
*Fauvei*, Arv. l. c. 279 = *H. lycopsifolium*.  
*flaccida*, Sch. Bip. fratt. in Flora, xlv. (1862) 437 = *H. flaccidum*.  
*florentina*, Sch. Bip. fratt. l. c. 427 = *H. piloselloides*.  
*floribunda*, Arv. in Bull. Soc. Dauph. (1880) 280 = *H. floribundum*.  
*Friesii*, Sch. Bip. fratt. in Flora, xlv. (1862) 436 = *H. Schultzei*.  
*frigida*, Sch. Bip. fratt. l. c. 438 = *H. frigidum*.  
*fulvipes*, Sch. Bip. fratt. l. c. 436 = *H. fulvipes*.  
*fusca*, Arv. in Bull. Soc. Dauph. (1880) 280 = *H. aurantiacum*?  
*Fussiana*, Sch. Bip. fratt. in Flora, xlv. (1862) 427 = *H. piloselloides*.  
*glacialis*, Sch. Bip. fratt. l. c. 426 = *H. glaciale*.  
*glaucofolia*, Sch. Bip. fratt. l. c. 436 = *H. glaucifolium*.  
*glomerata*, Arv. in Bull. Soc. Dauph. (1880) 281 = *H. glomeratum*.  
*gracilis*, Sch. Bip. fratt. in Flora, xlv. (1862) 439 = *H. gracile*.  
*Hoppeana*, Sch. Bip. fratt. l. c. 422 = *H. Pilosella*.  
*horrida*, Sch. Bip. fratt. l. c. 439 = *H. horridum*.  
*hybrida*, Sch. Bip. fratt. 424 = *H. hybridum*.  
*hyperborea*, Sch. Bip. fratt. l. c. 429 = *H. hyperboreum*.  
*incana*, Sch. Bip. fratt. l. c. 431 = *H. incanum*.  
*jubata*, Sch. Bip. fratt. l. c. 438 = *H. jubatum*.  
*junceae*, Sch. Bip. fratt. l. c. 436 = *H. junceum*.  
*junciformis* ×, Arv. in Bull. Soc. Bot. Fr. xxvi. (1879) Bibl. 39. —Gallia.  
*Laggeri*, Sch. Bip. fratt. in Flora, xlv. (1862) 426 = *H. tomentosum*.  
*Lagopus*, Sch. Bip. fratt. l. c. 436 = *H. Lagopus*.  
*leptocephala*, Sch. Bip. fratt. l. c. 437 = *H. leptocephalum*.  
*leucotricha*, Sch. Bip. fratt. l. c. = *H. leucotrichum*.  
*longipes*, Sch. Bip. fratt. l. c. 423 = *H. praealtum*.  
*longipila*, Sch. Bip. fratt. l. c. 439 = *H. longipilum*.  
*macrantha*, Sch. Bip. fratt. l. 422 = *H. Pilosella*.  
*macrotrichia*, Sch. Bip. fratt. l. c. 426 = *H. macrotrichum*.  
*magellanica*, Sch. Bip. fratt. l. c. 438 = *H. magellanicum*.  
*Mandonii*, Sch. Bip. in Linnaea, xxxiii. (1864-65) 760. —Bolivia.  
*mariana*, Sch. Bip. fratt. in Flora, xlv. (1862) 438 = *H. marianum*.  
*mexicana*, Sch. Bip. fratt. l. c. 436 = *H. mexicanum*.  
*micromegas*, Sch. Bip. fratt. l. c. 426 = *H. petraeum*.  
*multiflora*, Sch. Bip. fratt. l. c. 430 = *H. sabinum*.  
*mysotidifolia*, Sch. Bip. fratt. l. c. 438 = *H. mysotidifolium*.  
*myriadenia*, Sch. Bip. fratt. l. c. 425 = *H. myriadenum*.  
*Nestleri*, Sch. Bip. fratt. l. c. 430 = *H. cymosum*.  
*niveopappa*, Sch. Bip. fratt. l. c. 435 = *H. niveopappum*.  
*norvegica*, Arv. in Bull. Soc. Dauph. (1880) 281 = *H. norvegicum*.  
*officinatum*, Sch. Bip. fratt. in Flora, xlv. (1862) 421, 422 = *H. Pilosella*.  
*orthotricha*, Sch. Bip. fratt. l. c. 436 = *H. orthotrichum*.  
*paniculata*, Sch. Bip. fratt. l. c. 440 = *H. paniculatum*.  
*patagonica*, Sch. Bip. fratt. l. c. 438 = *H. patagonicum*.  
*Peleteriana*, Sch. Bip. fratt. l. c. 421 = *H. Pilosella*.  
*pennsylvanica*, Sch. Bip. fratt. l. c. 439 = *H. Groenovii*.  
*persica*, Sch. Bip. fratt. l. c. 431 = *H. sabinum*.  
*petraea*, Sch. Bip. fratt. l. c. 426 = *H. petraeum*.  
*poliotricha*, Arv. in Bull. Soc. Dauph. (1880) 281 = *H. cymosum*.  
*praealta*, Sch. Bip. fratt. in Flora, xlv. (1862) 429, 431 = *H. praealtum*.  
*praemorsiformis*, Sch. Bip. fratt. l. c. 435 = *H. praemorsiforme*.



## PILOSELLA:—

- pratensis*, Sch. Bip. fratt. in Flora, xlv. (1862) 426 = Hieracium pratense.  
*primulaeformis*, Arv. in Bull. Soc. Dauph. (1880) 280. —Gallia.  
*procerus*, Sch. Bip. fratt. in Flora, xlv. (1862) 431 = H. procerum.  
*Pseudo-Pelleteriana*, Magnier.—Cf. Bull. Soc. Bot. Fr. xxvii. (1880) Bibl. 170 = H. Pilosella.  
*pumila*, Sch. Bip. fratt. in Flora, xlv. (1862) 426 = H. glaciale.  
*Radula*, Sch. Bip. fratt. l. c. 431 = H. Balansae.  
*relicina*, Sch. Bip. fratt. l. c. 439 = H. relicinum.  
*rhodantha*, Sch. Bip. fratt. l. c. 425 = H. rhodanthum.  
*rosea*, Sch. Bip. fratt. l. c. 437 = H. roseum.  
*Rothiana*, Sch. Bip. fratt. l. c. 431 = H. setigerum.  
*sabina*, Sch. Bip. fratt. l. c. 430 = H. sabinum.  
*scabra*, Sch. Bip. fratt. l. c. 439 = H. scabrum.  
*Schultesii*, Sch. Bip. fratt. l. c. 425 = H. *bifurcum* ×, Bieb.  
*Scouleri*, Sch. Bip. fratt. l. c. 439 = H. Scouleri.  
*semiglabrata*, Sch. Bip. fratt. l. c. 436 = H. Commer-sonii.  
*serpyllifolia*, Sch. Bip. fratt. l. c. 425 = H. serpyllifolium.  
*setigera*, Arv. in Bull. Soc. Dauph. (1880) 281 = H. setigerum.  
*sparsa*, Sch. Bip. fratt. in Flora, xlv. (1862) 428 = H. sparsum.  
*sparsipila*, Magnier.—Cf. Bull. Soc. Bot. Fr. xxvii. (1880) Bibl. 170 (Quid?). —Gallia.  
*spathulata*, Sch. Bip. fratt. in Flora, xlv. (1862) 439 = H. compositum.  
*sphaerocephala*, Sch. Bip. fratt. l. c. 423 = H. cernuum.  
*stolonifera*, Sch. Bip. fratt. l. c. = H. stoloniflorum.  
*stoloniflora*, Sch. & Sch. Bip. fratt. l. c. = H. stoloniflorum.  
*strigosa*, Sch. Bip. fratt. l. c. 436 = H. strigosum.  
*stuposa*, Sch. Bip. fratt. l. c. 435 = H. stuposum.  
*suecica*, Sch. Bip. fratt. l. c. 425 = H. suecicum.  
*sulphurea*, Sch. Bip. fratt. l. c. 425 = H. sulphureum.  
*Tenoreana*, Sch. Bip. fratt. l. c. 422 = H. Pilosella.  
*thyrsoides*, Sch. Bip. fratt. l. c. 436 = H. thyrsoides.  
*tovarense*, Sch. Bip. fratt. l. c. 437 = H. tovarense.  
*trichodonta*, Sch. Bip. in Linnaea, xxxiii. (1864-65) 760.—Bolivia.  
*tristis*, Sch. Bip. fratt. in Flora, xlv. (1862) 439 = H. triste.  
*Urvillei*, Sch. Bip. fratt. l. c. 437 = H. Urvillei.  
*Vahlia*, Sch. Bip. fratt. l. c. 426 = H. Vahlia.  
*velutina*, Sch. Bip. fratt. l. c. 422 = H. Pilosella.  
*venosa*, Sch. Bip. fratt. l. c. 436 = H. venosum.  
*versicolor*, Arv. in Bull. Soc. Dauph. (1880) 279 = H. floribundum?  
*Villarsii*, Sch. Bip. fratt. in Flora, xlv. (1862) 424 = H. stoloniflorum?  
*Visianii*, Sch. Bip. fratt. l. c. 424 = H. cernuum.  
*vulgaris*, Arv. in Bull. Soc. Dauph. (1880) 278 = H. dubium.  
*Wolfgangiana*, Arv. l. c. 281 = H. pratense.  
*Ziziana*, Sch. Bip. fratt. in Flora, xlv. (1862) 430 = H. praealtum.

**PILOSPERMA**, Planch. & Triana, in Ann. Sc. Nat. Sér. IV. xiv. (1860) 243. *GUTTIFERAE*, Benth. & Hook. f. i. 171.  
*caudatum*, Planch. & Triana, l. c. 244.—N. Granat.

**PILOSTACHYS**, Rafin. New Fl. Am. iv. 89 (1836) = **Polygala**, Tourn.  
*hyemalis*, Rafin. l. c. = Polyg. hyemalis.  
*nana*, Rafin. l. c. = Polyg. nana.

**PILOSTYLES**, Guill. in Ann. Sc. Nat. Sér. II. ii. (1834) 21. t. 1 = **Apodanthes**, Poit. (Cytin.).  
*aethiopica*, Welw. in Trans. Linn. Soc. xxvii. (1869) 67.—Afr. trop.  
*Berterii*, Guill. in Ann. Sc. Nat. Sér. II. ii. (1834) 21. t. 1 = A. Berterii.  
*Blanchetii*, R. Br. in Trans. Linn. Soc. xix. (1845) 247 = A. Blanchetii.  
*Calliandrae*, R. Br. l. c. = A. Calliandrae.  
*Caulotreti*, Hook. f. in DC. Prod. xvii. 116.—Venezuela.  
*Hausknechtii*, Boiss. in Bibl. Univ. Genève. xxv. (1866) 259.—Persia.  
*Ingae*, Hook. f. in DC. Prod. xvii. 116.—N. Granat.  
*Thurberi*, A. Gray, in Mem. Am. Acad. N. S. v. (1855) 326.—N. Mexic.

**PILOTHECA**, Mitch. Journ. Trop. Austral. 347 (1848), sphalm. = **Philotheca**, Rudge (Rutac.).

**PILOTRICHUM**, Hook. f. & T. Anders. in Hook. f. Fl. Brit. Ind. i. 141 (1872), sphalm. = **PTILOTRICHUM**, C. A. Mey. = **Alyssum**, Tourn. (Crucif.).

**PILUMNA**, Lindl. Bot. Reg. (1844) Misc. 73 = **Trichopilia**, Lindl. (Orchid.).  
*fragrans*, Lindl. l. c. 74 = T. fragrans.  
*laxa*, Lindl. l. c. 73 = T. laxa.  
*nobilis*, Reichb. f. in Linnaea, xxii. (1849) 843 = T. nobilis.  
*Wagneri*, Reichb. f. in Bonplandia, ii. (1854) 15 = T. Wagneri.

**PIMECARIA**, Rafin. Alsog. Am. 64 (1838) = **Myrica**, Linn.  
*odorata*, Rafin. l. c. = M. cerifera.

**PIMELA**, Lour. Fl. Cochinch. 407 (1790) = **Canarium**, Linn. (Burser.).

*acutifolia*, Blume, Mus. Bot. Lugd. Bat. i. 221 = C. rostratum.  
*alba*, Lour. Fl. Cochinch. 408 = C. album.  
*altissima*, Blume, Mus. Bot. Lugd. Bat. i. 225 = C. altissimum.  
*angustifolia*, Blume, l. c. 226 = C. angustifolium.  
*caryophyllacea*, Blume, l. c. 222.—China.  
*decumana*, Blume, l. c. 223 = C. decumanum.  
*denticulata*, Blume, l. c. 226 = C. denticulatum.  
*dichotoma*, Blume, l. c. 222 = C. dichotomum.  
*glabra*, Blume, l. c. = C. balsamiferum.  
*hirsuta*, Blume, l. c. 223 = C. hirsutum.  
*hispidula*, Blume, l. c. 224 = C. hispidum.  
*Kipella*, Blume, l. c. 220 = C. Kipella.  
*Kitengo*, Blume, l. c. 221 = C. Kitenga.  
*laxiflora*, Blume, l. c. 221 = C. longiflorum.  
*legitima*, Blume, l. c. 222 = C. legitimum.  
*luzonica*, Blume, l. c. 220 = C. luzonicum.  
*nigra*, Lour. Fl. Cochinch. 407 = C. Pimela.  
*oleosa*, Lour. l. c. = C. microcarpum.  
*paucijuga*, Blume, Mus. Bot. Lugd. Bat. i. 226 = C. balsamiferum.  
*rigida*, Blume, l. c. 222 = C. rigidum.  
*stricta*, Blume, l. c. 226 = C. strictum.  
*villosa*, Blume, l. c. 223 = C. Cumingii.

**PIMELANDRA**, A. DC. in Ann. Sc. Nat. Sér. II. xvi. (1841) 88. *MYRSINEAE*, Benth. & Hook. f. ii. 646.

*disticha*, Benth. & Hook. Gen. ii. 647.—Ins. Philipp.  
*erecta*, C. B. Clarke, in Hook. f. Fl. Brit. Ind. iii. 531.—Reg. Himal.  
*eugeniaefolia*, Benth. & Hook. f. Gen. ii. 647.—Reg. Himal.  
*fuliginosa*, Benth. & Hook. f. l. c.—Java.  
*Griffithii*, C. B. Clarke, in Hook. f. Fl. Brit. Ind. iii. 531.—Reg. Himal.  
*semidentata*, Benth. & Hook. f. Gen. ii. 647.—Java.  
*Teysmanniana*, Benth. & Hook. f. l. c. = Wallichii.  
*Wallichii*, A. DC. in Ann. Sc. Nat. Sér. II. xvi. (1841) 88; et in DC. Prod. viii. 106.—Malaya.

**PIMELEA**, Banks & Soland. ex Gaertn. Fruct. i. 186. t. 39 (1788). *THYMELAEACEAE*, Benth. & Hook. f. iii. 189.

*Banksia*, Forst. Char. Gen. 7. t. 4 (1776) (nomen prius).  
*CALYPTROSTEGIA*, C. A. Mey. in Bull. Phys.-Math. Acad. Petersb. iv. (1845) 72.  
*COOKIA*, J. F. Gmel. Syst. ii. 24 (1791).  
*GYMNOCOCCA*, Fisch. & Mey. in Ind. Sem. Hort. Petrop. x. 46 (1845).  
*HETEROLAENA*, Fisch. & Mey. l. c. 47 (1845).  
*MACROSTEGIA*, Turcz. in Bull. Soc. Nat. Mosc. xxv. (1852) ii. 177.  
*THECANTHES*, Wikstr. in Vet. Akad. Handl. Stockh. (1818) 271.  
*aeruginosa*, F. Muell. Fragm. vii. 2 = sylvestris.  
*affinis*, Loud. Hort. Brit. Suppl. iii. 609 = rosea.  
*alpina*, F. Muell. ex Meissn. in DC. Prod. xiv. 511.—Austral.  
*altior*, F. Muell. Fragm. i. 84.—Austral.  
*ammocharis*, F. Muell. in Hook. Kew Journ. ix (1857) 24.—Austral.  
*angustifolia*, R. Br. Prod. 360.—Austral.  
*angustifolia*, F. Muell. ex Meissn. in DC. Prod. xiv. 501 = stricta.

## PIMELEA:—

- arenaria*, A. Cunn. in Bot. Mag. t. 3270.—N. Zel.  
*argentea*, R. Br. Prod. 362.—Austral.  
*axilliflora*, F. Muell. First Gen. Rep. (1853) 17.—Austral.  
*axillaris*, Banks & Soland. ex Wikstr. in Vet. Akad. Handl. Stockh. (1818) 280 = virgata.  
*Baxteri*, A. Cunn. ex Meissn. in DC. Prod. xiv. 507 = imbricata.  
*Behrii*, Schlecht. in Linnaea, xx. (1853-55) 583 = octophylla.  
*Bowmanni*, F. Muell. ex Benth. Fl. Austral. vi. 30.—Austral.  
*brachyphylla*, Benth. l. c. 11.—Austral.  
*brevifolia*, R. Br. Prod. 359.—Austral.  
*brevifolia*, Meissn. in DC. Prod. xiv. 497 = brachyphylla.  
*brevituba*, Fawc. in H. O. Forbes, Nat. Wand. East. Archip. 516.—Ins. Timor.  
*buxifolia*, Hook. f. Handb. N. Zeal. Fl. 243.—N. Zel.  
*campicola*, A. Cunn. ex Benth. Fl. Austral. vi. 16 = glauca.  
*cernua*, R. Br. Prod. 359 = spathulata.  
*cinerea*, R. Br. l. c. 361.—Austral.  
*clavata*, Labill. Nov. Holl. Pl. i. 11.—Austral.  
*cluytioides*, Meissn. in Lehm. Pl. Preiss. ii. 271 = serpyllifolia.  
*collina*, R. Br. Prod. 359.—Austral.  
*collina*, A. Cunn. ex Benth. Fl. Austral. vi. 18 = linifolia.  
*colorans*, A. Cunn. ex Meissn. in DC. Prod. xiv. 499.—Austral.  
*colorans*, Lindl. in Mitch. Journ. Trop. Austral. 362 = collina.  
*concreta*, F. Muell. Fragm. v. 73.—Austral.  
*congesta*, A. Cunn. ex Benth. Fl. Austral. vi. 31 = curviflora.  
*congesta*, R. Cunn. l. c. 32 = hirsuta.  
*congesta*, F. Muell. Fragm. viii. 9 = longifolia.  
*Cornucopiae*, Vahl, Enum. i. 305.—Austral.  
*crinita*, Lindl. in Bot. Reg. (1838) Misc. 59 = imbricata.  
*Cunninghamii*, Meissn. in DC. Prod. xiv. 498 = collina.  
*curviflora*, R. Br. Prod. 362.—Austral.  
*decussata*, R. Br. l. c. 360 = ferruginea.  
*denticulata*, A. Cunn. ex Meissn. in DC. Prod. xiv. 498 = collina.  
*dichotoma*, Schlecht. in Linnaea, xx. (1847) 581 = flava.  
*diosmaefolia*, Lodd. Bot. Cab. t. 1708 = ferruginea.  
*diosmifolia*, A. Cunn. ex Benth. Fl. Austral. vi. 29 = flava.  
*distinctissima*, F. Muell. First Gen. Rep. (1853) 17 = microcephala.  
*drupacea*, Labill. Nov. Holl. Pl. i. 10. t. 7.—Austral.  
*elachantha*, F. Muell. First Gen. Rep. (1853) 17.—Austral.  
*elata*, F. Muell. l. c. 17 = ligustrina.  
*elegans*, F. Moore, in Illustr. Hort. viii. (1861) t. 295 = ligustrina.  
*Eyreii*, F. Muell. Fragm. v. 109.—Austral.  
*ferruginea*, Labill. Nov. Holl. Pl. i. 10. t. 5.—Austral.  
*filamentosa*, Rudge, in Trans. Linn. Soc. x. (1815) 287. t. 14 = linifolia.  
*filiformis*, Hook. f. in Hook. Lond. Journ. vi. (1847) 280.—Tasman.  
*flava*, R. Br. Prod. 361.—Austral.  
*flava*, Meissn. in Lehm. Pl. Preiss. i. 605 = sulphurea.  
*floribunda*, Meissn. in DC. Prod. xiv. 505.—Austral.  
*Forrestiana*, F. Muell. Fragm. xi. 46.—Austral.  
*glauca*, R. Br. Prod. 360.—Austral.  
*Gnidia*, Willd. Sp. Pl. i. 50.—N. Zel.  
*graciliflora*, Hook. Bot. Mag. t. 3288 = sylvestris.  
*gracilis*, R. Br. Prod. 362 = curviflora.  
*grandiflora*, Donn, Hort. Cantab. ed. VI. 5.—Austral.  
*Gunnii*, Hook. f. Fl. Tasm. i. 332 = cinerea.  
*Haastii*, T. Kirk, in Trans. N. Z. Inst. xii. (1880) 396.—N. Zel.  
*haematostachya*, F. Muell. Fragm. i. 84.—Austral.  
*Hendersonii*, R. Grah. in Edinb. N. Phil. Journ. xxvi. (1838) 197 = rosea.  
*heterophylla*, F. Muell. Fragm. i. 187.—Austral.  
*Hewardiana*, Meissn. in Linnaea, xxvi. (1853-55) 346 = elachantha.  
*hirsuta*, Meissn. in DC. Prod. xiv. 513.—Austral.  
*hispidula*, R. Br. Prod. 360.—Austral.



**PIMELEA** :—

- hispidia*, A. Cunn. ex Meissn. in DC. Prod. xiv. 503 = rosea.  
*Holroydi*, F. Muell. *Fragm.* vi. 159. t. 59.—Austral.  
*humilis*, R. Br. *Prod.* 361.—Austral.  
*humilis*, Lindl. Bot. Reg. t. 1268 = glauca.  
*hypericina*, A. Cunn. ex Hook. Bot. Mag. t. 3330 = ligustrina.  
*imbricata*, R. Br. *Prod.* 361.—Austral.  
*incana*, R. Br. l. c. = nivea.  
*intermedia*, Hort. ex K. Grah. in Edinb. N. Phil. Journ. xxvi. (1839) 421 = sylvestris.  
*intermedia*, Lindl. Bot. Reg. t. 1439 = glauca.  
*involuta*, Banks & Soland. ex Wikstr. in Vet. Akad. Handl. Stockh. (1818) 274 = linifolia.  
*laevigata*, Gaertn. *Fruct.* i. 186. t. 39. f. 1.—N. Zel.  
*lanata*, R. Br. *Prod.* 360 = hispidia.  
*lanata*, Hensl. in Maund, Botanist, ii. t. 61 = sericea.  
*lanceolata*, Hort. Nois. ex Meissn. in DC. Prod. xiv. 515 = pauciflora.  
*latifolia*, R. Br. *Prod.* 362.—Austral.  
*Lehmanniana*, Meissn. in *Lehm. Pl. Preiss.* i. 603.—Austral.  
*leptospermoides*, F. Muell. *Fragm.* vii. 2.—Austral.  
*leptostachya*, Benth. *Fl. Austral.* vi. 24.—Austral.  
*ligustrina*, Labill. *Nov. Holl. Pl.* i. 9. t. 3.—Austral.  
*ligustrina*, Sieber, ex Meissn. in DC. Prod. xiv. 498 = linifolia.  
*linariifolia*, A. Cunn. ex Meissn. in DC. l. c. 515 = microcephala.  
*Lindleyana*, Meissn. l. c. 499 = spatulata.  
*linifolia*, A. Cunn. ex Meissn. l. c. 497 = spatulata.  
*linifolia*, Sm. *Bot. Nov. Holl.* 31. t. 11.—Austral.  
*linoides*, A. Cunn. in Field, N. S. Wales, 326 = linifolia.  
*longifolia*, R. Br. *Prod.* 361.—Austral.  
*longifolia*, Banks & Soland. ex Wikstr. in Vet. Akad. Handl. Stockh. (1818) 280.—N. Zel.  
*Lyallii*, Hook. f. *Fl. N. Zel.* i. 222.—N. Zel.  
*macrocephala*, Hook. Bot. Mag. t. 4543 = suaveolens.  
*marginata*, Meissn. in DC. Prod. xiv. 497 = collina.  
*Maxwellii*, F. Muell. ex Benth. *Fl. Austral.* vi. 12.—Austral.  
*Menkeana*, Lehm. *Pl. Preiss.* i. 604 = suaveolens.  
*micrantha*, F. Muell. ex Meissn. in Linnaea, xxvi. (1853-55) 351 = curviflora.  
*microcephala*, R. Br. *Prod.* 361.—Austral.  
*microcephala*, Meissn. in Lehm. *Pl. Preiss.* i. 606 = imbricata.  
*Milligani*, Meissn. in DC. *Prod.* xiv. 509.—Tasman.  
*Mitchellii*, Meissn. l. c. 506 = collina.  
*modesta*, Meissn. in Lehm. *Pl. Preiss.* ii. 268 = brevifolia.  
*Muelleri*, Meissn. in Linnaea, xxvi. (1853-55) 351 = curviflora.  
*myriantha*, Meissn. in Lehm. *Pl. Preiss.* i. 607 = argentea.  
*myrtifolia*, Schlecht. in Linnaea, xx. (1847) 582 = glauca.  
*nana*, R. Grah. in Edinb. N. Phil. Journ. xxix. (1840) 174 = imbricata.  
*nervosa*, Meissn. in Lehm. *Pl. Preiss.* ii. 269.—Austral.  
*Neybergiana*, Hort. ex Decne. in Rev. Hort. Sér. IV. i. (1852) 80 = Preissii.  
*Nieppergiana*, [Carr.] l. c. (1881) 440 = praec.  
*nivea*, Labill. *Nov. Holl. Pl.* i. 10. t. 6.—Tasman.  
*Novae-Zeylandiae*, Hort. ex W. Baxt. in Loud. Hort. Brit. Suppl. iii. 609 = laevigata.  
*nutans*, Meissn. in Linnaea, xxvi. (1853-55) 348 = spatulata.  
*octophylla*, R. Br. *Prod.* 361.—Austral.  
*ovalifolia*, Meissn. in DC. *Prod.* xiv. 502 = hirsuta.  
*paludosa*, R. Br. *Prod.* 360 = linifolia.  
*parviflora*, Lodd. ex Meissn. in DC. *Prod.* xiv. 515 = pauciflora.  
*parviflora*, Meissn. in Linnaea, xxvi. (1853-55) 345 = flava.  
*pauciflora*, R. Br. *Prod.* 360.—Austral.  
*Paxtoni*, Hort. ex Regel, in Gartenfl. (1852) 104 = nivea?  
*penicillaris*, F. Muell. in *Melb. Chemist* (Octob. 1883).—Austral.  
*petraea*, Meissn. in Linnaea, xxvi. (1853-55) 347.—Austral.  
*petrophila*, F. Muell. l. c. xxv. (1852) 442.—Austral.  
*phylicoides*, Meissn. in Lehm. *Pl. Preiss.* ii. 271.—Austral.

**PIMELEA** :—

- physodes*, Hook.  *Ic. Pl.* t. 865.—Austral.  
*pilibunda*, A. Cunn. ex Benth. *Fl. Austral.* vi. 21 = imbricata.  
*pilosus*, Willd. *Sp. Pl.* i. 50 = virgata.  
*Preissii*, Meissn. in *Lehm. Pl. Preiss.* i. 601.—Austral.  
*Preissii*, Schlecht. in Linnaea, xx. (1847) 581 = glauca.  
*prinifolia*, Nois. ex Steud. *Nom. ed.* II. ii. 334 = glauca.  
*propinqua*, A. Cunn. ex Meissn. in DC. *Prod.* xiv. 512 = curviflora.  
*prostrata*, Willd. *Sp. Pl.* i. 51 = laevigata.  
*punicea*, R. Br. *Prod.* 359.—Austral.  
*pygmaea*, F. Muell. in Linnaea, xxvi. (1853-55) 346.—Austral.  
*quadrifaria*, Banks & Soland. ex Meissn. in DC. *Prod.* xiv. 517 = laevigata.  
*ramulosa*, A. Cunn. ex Meissn. l. c. 515 = pauciflora.  
*rigida*, Meissn. l. c. 502 = linifolia.  
*rosea*, R. Br. *Prod.* 360.—Austral.  
*sanguinea*, F. Muell. *Fragm.* i. 84.—Austral.  
*Schlechtendaliana*, Meissn. in Bot. Zeit. vi. (1848) 394 = glauca.  
*sericea*, R. Br. *Prod.* 361.—Austral.  
*sericea*, Meissn. in DC. *Prod.* xiv. 517 = arenaria.  
*sericeo-villosa*, Hook. f. *Handb. N. Zeal. Fl.* 245.—N. Zel.  
*sericostachya*, F. Muell. *Fragm.* iv. 162.—Austral.  
*serpyllifolia*, R. Br. *Prod.* 360.—Austral.  
*Shepherdii*, Hort. ex W. Baxt. in Loud. Hort. Brit. Suppl. iii. 609.—Austral.?  
*Shuttleworthiana*, Meissn. in DC. *Prod.* xiv. 513 = argentea.  
*silvestris*, F. Muell. *Fragm.* vii. 5, vide sylvestris.  
*simplex*, F. Muell. in Linnaea, xxv. (1852) 443.—Austral.  
*spatulata*, Labill. *Nov. Holl. Pl.* i. 9. t. 4.—Austral.  
*speciosa*, Regel, Cat. Pl. Hort. Aksakov. 111 (Quid?).—Hab.?  
*spectabilis*, Lindl. *Swan River App.* 41.—Austral.  
*spicata*, R. Br. *Prod.* 362.—Austral.  
*spiculigera*, F. Muell. ex Benth. *Fl. Austral.* vi. 23 = spicata.  
*stricta*, Meissn. in Linnaea, xxvi. (1853-55) 348.—Austral.  
*suaveolens*, Meissn. in Lehm. *Pl. Preiss.* i. 603.—Austral.  
*sulphurea*, Meissn. in Bot. Zeit. vi. (1848) 396.—Austral.  
*sylvestris*, R. Br. *Prod.* 361.—Austral.  
*thymifolia*, Presl, Bot. Bemerk. 107 = curviflora.  
*tinctoria*, Meissn. in Lehm. *Pl. Preiss.* i. 603 = suaveolens.  
*Traversii*, Hook. f. *Handb. N. Zeal. Fl.* 243.—N. Zel.  
*trichostachya*, Lindl. in *Mitch. Journ. Trop. Austral.* 355.—Austral.  
*trichostachya*, F. Muell. *Fragm.* vii. 7 = simplex.  
*umbratica*, A. Cunn. ex Meissn. in DC. *Prod.* xiv. 510 = drupacea.  
*uniflora*, Regel, Cat. Pl. Hort. Aksakov. 111 (Quid?).—Hab.?  
*Urvilleana*, A. Rich. *Fl. N. Zel.* 175.—N. Zel.  
*Verschaffeltii*, C. Morr. in Ann. Soc. Bot. Gand, iii. (1847) 451. t. 166 = spectabilis.  
*vestita*, Meissn. in DC. *Prod.* xiv. 513 = argentea.  
*villifera*, A. Cunn. ex Benth. *Fl. Austral.* vi. 32 = hirsuta.  
*villifera*, Meissn. in Lehm. *Pl. Preiss.* ii. 271.—Austral.  
*villosa*, Banks & Soland. ex Meissn. in DC. *Prod.* xiv. 517 = arenaria.  
*villosa*, Banks & Soland. ex Wikstr. in Vet. Akad. Handl. Stockh. (1818) 282 = sericea.  
*villosa*, Meissn. in DC. *Prod.* xiv. 508 = longiflora.  
*viminea*, Schlecht. in Linnaea, xx. (1847) 583 = octophylla.  
*virgata*, Vahl, *Enum.* i. 306.—N. Zel.  
*viridula*, Lindb. in Finsk. Vet. Soc. Forhandl. ix. (1867) 61, cum ic. = clavata.  
*Weippugiana*, Faxt. Mag. Bot. xv. (1849) 191, sphalm. = Neybergiana.

**PIMELEODENDRON**, Muell. Arg. in DC. *Prod.* xv. 11. 1143 (1866) = seq.

**PIMELODENDRON**, Hassk. in Versl. en Med. Kon. Akad. Wetensch. iv. (1855) 140. **EUPHORBIA-CEAE**, Benth. & Hook. f. iii. 331.  
**STOMATOCALYX**, Muell. Arg. in DC. *Prod.* xv. 11. 1142 (1866).  
*amboinicum*, Hassk. in Versl. en Med. Kon. Akad. Wetensch. iv. (1855) 140.—Ins. Molucc.

**PIMENTA**, Lindl. Coll. Bot. sub t. 19 (1821-25). **MYRTACEAE**, Benth. & Hook. f. i. 717.  
*AMOMIS*, Berg, in Linnaea, xxvii. (1856) 416.  
**MYRCIA**, Soland. ex Lindl. Coll. Bot. sub t. 19 (1821-25).  
*acris*, Kostel. *Allg. Med. Pharm. Fl.* iv. 1526; *Wight, Illustr.* ii. 12.—Ind. or.  
*acuminata*, Bello, in *Anal. Soc. Esp. Hist. Nat.* x. (1881) 270.—Porto Rico.  
*aromatica*, Kostel. *Allg. Med. Pharm. Fl.* iv. 1525 = officinalis.  
*citrifolia*, Kostel. l. c. = acris.  
*communis*, Benth. & Hook. f. Gen. i. 717 = officinalis.  
*fulvescens*, Blume, Mus. Bot. Lugd. Bat. i. 80 = *Eugenia fulvescens*.  
*officinalis*, Lindl. Coll. Bot. sub t. 19.—Ind. occ.  
*Pimento*, *Grisch. Fl. Brit. W. Ind.* 241.—Ind. occ.  
*Pseudo-caryophyllus*, Blume, Mus. Bot. Lugd. Bat. i. 80 = *Eugenia Pseudocaryophyllus*.  
*vulgaris*, Bello, in *Anal. Soc. Esp. Hist. Nat.* x. (1881) 270 (= seq.?).—Porto Rico.  
*vulgaris*, Lindl. in Loud. *Encyc. Pl.* 418; *Wright, Illustr.* ii. 12 = officinalis.

**PIMENTELIA**, Wedd. *Monog. Cinch.* 94. t. 27 B (1849). **RUBIACEAE**, Benth. & Hook. f. ii. 33.  
*glomerata*, Wedd. *Monog. Cinch.* 94.—Peruv.

**PIMENTELLA**, Walp. *Ann.* ii. 789 (1851-52) = praec.

**PIMENTUS**, Rafin. *Sylva Tellur.* 105 (1838) = **Pimenta**, Lindl. etc. (Myrtac.).  
*aromatica*, Rafin. l. c. 158 = *Eugenia Greggii*.  
*cotinifolia*, Rafin. l. c. 105 = *Pimenta acris*.  
*geminata*, Rafin. l. c. (Quid?).—Hab.?  
*Gregia*, Rafin. l. c. = *Eugenia Greggii*.  
*laurinus*, Rafin. l. c. = *Symplocos spicata*.  
*saligna*, Rafin. l. c. = *Melaleuca Leucadendron*.  
*triflora*, Rafin. l. c. = *Eugenia triflora*.  
*vera*, Rafin. l. c. = *Pimenta officinalis*.

**PIMIA**, Seem. in Bonplandia, x. (1862) 366. **STER-CULIACEAE**, Benth. & Hook. f. i. 984.  
*rhannoides*, Seem. l. c.—Ins. Fiji.

**PIMPINELE**, St. Lag. in Ann. Soc. Bot. Lyon, vii. (1880) 131 = **Pimpinella**, Riv. (Umbell.).  
*anisa*, St. Lag. l. c. = *Pimpinella Anisum*.

**PIMPINELLA**, Tourn. ex Rupp. *Fl. Jen. ed. Hall.* 285 (1745); *Adans. Fam.* ii. 293 (1763) = **Poterium**, Linn. (Rosac.).  
*agrimonoides*, Gaertn. *Fruct.* ii. 162 = Pot. hybridum.  
*minor*, Lam. *Fl. Fr.* ii. 343 = Pot. Sanguisorba.  
*officinalis*, Lam. l. c.; Gaertn. *Fruct.* ii. 161 = Pot. officinale.  
*Sanguisorba*, Gaertn. l. c. 162 = Pot. Sanguisorba.  
*spinosa*, Gaertn. l. c. = Pot. spinosum.

**PIMPINELLA**, [Riv.] Linn. *Syst. ed. I* (1735). **UMBELLIFERAE**, Benth. & Hook. f. i. 893.  
**ACRONEMA**, Edgew. in Trans. Linn. Soc. xx. (1846) 51.  
**ANISOMETROS**, Hassk. in Flora, xxx. (1847) 602.  
**ANISUM**, Riv. ex Linn. Gen. ed. I. 83 (1737).  
**BUNUM**, Koch, Syn. Fl. Germ. ed. II. 315 (1843).  
**CHESNEYA**, Bertol. in Nov. Comm. Bonon. v. (1842) 427 (Misc. Bot. i. 17. t. 2).  
**GAYTANIA**, Muenst. in Bot. Zeit. i. (1843) 730.  
**GYMNOSCIADIUM**, Hochst. in Flora, xxvii. (1844) 20.  
**HETERACHAENA**, Zoll. in Nat. en Geneesk. Arch. Neerl. Indie, ii. (1846) 577.  
**LEDEBURIA**, Link, Enum. Hort. Berol. i. 286 (1821).  
**LERESCHIA**, Boiss. in Ann. Sc. Nat. Ser. III. i. (1844) 127.  
**MURRITHIA**, Zoll. in Nat. en Geneesk. Arch. Neerl. Indie, ii. (1845) 576.  
**PANCICIA**, Vis. Sem. Hort. Patav. (1857) 9.—(Linn. xxix. (1857-58) 732).  
**PETROSCIADIUM**, Edgew. in Trans. Linn. Soc. xx (1846) 51.



**PIMPINELLA:—**

- PLATYRHAPHE, Miq. Ann. Mus. Bot. Lugd. Bat. iii. 56 (1867).  
 REUTERA, Boiss. Elench. 46 (1838).  
 SISARUM, [Tourn.] Adans. Fam. ii. 97 (1763).  
 TRAGIOPSIS, Pomel. Nouv. Mat. Fl. Atl. 139 (1874).  
 TRAGIUM, Spreng. Pl. Umb. Prod. 26 (1813).  
 TRAGOSELINUM, Tourn. ex Hall. Enum. Stirp. Helv. ii. 428 (1742).  
*acaulis*, Krock. Fl. Siles. Suppl. i. 341 = *P. Saxifraga*?  
*achilleifolia*, C. B. Clarke, in Hook. f. Fl. Brit. Ind. ii. 684.—Reg. Himal.  
*acronemaeifolia*, C. B. Clarke, l. c. 686.—Reg. Himal.  
*acuminata*, C. B. Clarke, l. c.—Reg. Himal.  
*adscendens*, Dalz. in Hook. Kew Journ. ii. (1850) 261.—Ind. or.  
*affinis*, Ledeb. Fl. Ross. ii. 257.—Reg. Caucas.  
*alba*, Gueldenst. Reisen, ii. 192, &c.—Cf. Ledeb. Fl. Ross. ii. 257 (Quid?).—Russia.  
*albescens*, Franch. Pl. Davidian. i. 139.—Mongol.  
*alpestris*, Schult. Syst. vi. 837 (Index) = seq.  
*alpina*, Vest, ex Schult. l. c. 387, in obs.; Host, Fl. Austr. i. 399 = *P. Saxifraga*.  
*anagodendron*, C. Bolle, Ind. Sem. Hort. Berol. (1861) App. 9.—Ins. Teneriff.  
*anethifolia*, D. Don, Prod. Fl. Nep. 184 = *Carum anethifolium*.  
*angelicaefolia*, Lam. Encyc. i. 451 = *Aegopodium Podagraria*.  
*angustifolia*, Gilib. Fl. Lituan. ii. 42 = *P. Saxifraga*.  
*angustilobum*, Benth. & Hook. f. Gen. i. 894.—Chili.  
*anisetum*, Boiss. & Bal. Diagn. Ser. II. vi. 78.—Cappadoc.  
*anisoides*, Brign. in Mem. Acc. Sc. Nap. i. Fis. (1819) 8. t. 1.—Ital.  
*anisoides*, Guss. Cat. Hort. Boccad. (1821) 50 = *Gussonii*.  
*anisoides*, Tenore, Viagg. in Calabria, 119 = *Gussonii*.  
*Anisum*, Georgi, Besch. Russ. Reich. iv. 860 = *aromatica*.  
*Anisum*, S. G. Gmel. Iter, iv. 13 (Quid?).—Sibir.  
*Anisum*, Linn. Sp. Pl. 264.—Graec.; Aegypt.  
*anthriscoides*, Boiss. Fl. Orient. ii. 874.—Syria; Persia.  
*apiifolia*, Boiss. Diagn. Ser. I. x. 25 = *Kotschyana*.  
*apiodora*, A. Gray, in Proc. Am. Acad. vii. (1868) 345.—Calif.  
*apula*, Bernh. Sel. Sem. Hort. Erfurt. (1834).—Cf. in Linnaea, x. (1835) Litt. 79 = *P. Tragium*?  
*arabica*, Boiss. in Ann. Sc. Nat. Sér. III. i. (1844) 130 = *cretica*.  
*aromatica*, Bieb. Fl. Taur. Cauc. i. 241.—Reg. Caucas.  
*Asopii*, Orph. ex Boiss. Fl. Orient. ii. 873 = *P. Saxifraga*.  
*aurea*, DC. Prod. iv. 120.—Persia.  
*austriaca*, Mill. Gard. Dict. ed. VIII. n. 5 = *magna*.  
*barbata*, Boiss. in Ann. Sc. Nat. Sér. III. i. (1844) 129.—Persia.  
*bella*, C. B. Clarke, in Hook. f. Fl. Brit. Ind. ii. 686.—Reg. Himal.  
*betonicaefolia*, Willd. ex Ledeb. Fl. Ross. ii. 254 = *rotundifolia*.  
*betulaefolia*, Adams, ex Ledeb. l. c. = *rotundifolia*.  
*bipinnata*, Boeber, ex Georgi, Besch. Russ. Reich. iv. 860 = *magna*.  
*bisecta*, Baker, in Journ. Linn. Soc. xx. (1883) 152.—Madag.  
*bubonoides*, Brot. Fl. Lusit. i. 463 = *villosa*.  
*bubonoides*, DC. Prod. iv. 121 = *Gussonii*.  
*Buchii*, Webb & Berth. Phyt. Canar. ii. 151.—Ins. Canar.  
*caespitosa*, Benth. ex Hook. f. Fl. Brit. Ind. ii. 689.—Reg. Himal.  
*caffra*, D. Dietr. Syn. Pl. ii. 947.—Afr. austr.  
*calicina*, Maxim. in Bull. Acad. Pétersb. xix. (1874) 182.—Japan.  
*Calverti*, Boiss. Diagn. Ser. II. ii. 73 = *P. Saxifraga*.  
*Candolleana*, Wight & Arn. Prod. 369.—Ind. or.  
*canescens*, Loisel. in Desv. Journ. Bot. ii. (1809) 271. t. 10 = *P. Tragium*.  
*capensis*, Thunb. Prod. Pl. Cap. 51.—Afr. austr.  
*capillacea*, Poit. ex Urban, in Mart. Fl. Bras. xi. f. 342 = *Apium Ammi*.  
*capillifolia*, Regel & Schmalh. ex Regel, Pl. Nov. Fedsch. 29.—Turkestan.  
*cappadocica*, Boiss. & Bal. Diagn. Ser. II. vi. 79.—Cappadoc.  
*carvifolia*, Benth. & Hook. f. Gen. i. 894 = *Carum flexuosum*.

**PIMPINELLA:—**

- chiliosciadia*, Boiss. & Heldr. Diagn. Ser. II. ii. 86 = *Athamanta chiliosciadia*.  
*chrysantha*, Orph. ex Boiss. Diagn. Ser. II. ii. 77.—Oriens.  
*cordata*, E. Mey. in Drège, Zwei Pfl. Docum. 154, 155 = *caffra*.  
*corymbosa*, Boiss. in Ann. Sc. Nat. Sér. III. i. (1844) 131.—As. Min.; Syria.  
*cretica*, Poir. Encyc. Suppl. i. 684.—Graec.; As. Min.; Arab.  
*cretica*, Vis. Sem. Hort. Patav. (1844); Hampe, ex Boiss. Fl. Orient. ii. 875 (= *Bunium creticum*, Urv.).—Europ. austr.  
*crinita*, Boiss. in Ann. Sc. Nat. Sér. III. i. (1844) 131 = *Psammogeton biternatum*.  
*crispa*, Hornem. Hort. Hafn. i. 289 = *P. Saxifraga*.  
*Cumbræ*, Link, in Buch, Besch. Ins. Canar. 152.—Ins. Canar.  
*dahurica*, Turcz. ex Bess. in Flora, xvii. (1834) l. Beibl. 13.—Sibir.; Dahur.  
*Danaa*, Bieb. Casp. 163 = *Physospermum commutatum*.  
*Dendroselinum*, Webb & Berth. Phyt. Canar. ii. 152.—Ins. Canar.  
*Dendrotragonium*, Webb & Berth. l. c. t. 72 = *praec.*  
*depressa*, DC. Prod. iv. 120 = *P. Tragium*.  
*deverroides*, Boiss. Fl. Orient. ii. 873.—Persia.  
*dichotoma*, Hort. ex Steud. Nom. ed. II. ii. 335 = *Apium Ammi*.  
*dichotoma*, Linn. Mant. i. 58 = *Carum dichotomum*.  
*dichotoma*, Spreng. Syst. i. 883 = *Trinia Kitaibelii*.  
*dioica*, Bess. Enum. Pl. Volh. 13 = *Trinia Henningii*.  
*dioica*, Bieb. Fl. Taur. Cauc. i. 242 = *Trinia Hoffmannii*.  
*dioica*, Hort. ex Link, Enum. Hort. Berol. i. 285 = *Apium Ammi*.  
*dioica*, Huds. Fl. Angl. ed. II. i. 128 = *Trinia vulgaris*.  
*dioica*, Lapeyr. Hist. Abr. Pl. Pyr. i. 165 = *Seseli nanum*.  
*dioica*, Linn. Mant. ii. 357 = *Trinia glauca*.  
*dioica-rossica*, Fisch. Cat. Hort. Gorenk. ed. II. (1812) 44 = *Trinia Hoffmannii*.  
*dissecta*, Pollini, Fl. Veron. i. 396 = *P. Saxifraga*.  
*dissecta*, Retz. Obs. iii. 30 = *magna*.  
*diversifolia*, DC. Prod. iv. 122.—Reg. Himal.; China.  
*domingensis*, Willd. ex Schult. Syst. vi. 411 = *Apium Ammi*.  
*dumetorum*, Boenn. ex Reichb. Fl. Germ. Excurs. 478 = *magna*.  
*ebracteata*, Baker, in Journ. Linn. Soc. xx. (1883) 152.—Madag.  
*eriocarpus*, [Soland. in] Russ. Aleppo, ed. II. ii. 249.—Syria; Assyria.  
*etbaica*, Schweinf. in Verh. Zool.-Bot. Ver. Wien, xviii. (1868) 667.—Afr. trop.  
*ferulifolia*, Stokes, Bot. Mat. Med. ii. 147 = *Carum ferulaefolium*.  
*flava*, C. A. Mey. Verz. Pfl. Cauc. 122 = *aurea*.  
*flexuosa*, Stokes, Bot. Mat. Med. ii. 145 = *Conopodium denudatum*.  
*genevensis*, Vill. Hist. Pl. Dauph. ii. 604 = *P. Saxifraga*.  
*germanica*, Vill. ex Spreng. in Schult. Syst. vi. 391 (Quid?).—Europ.  
*glabra*, Rostk. & Schmidt, Fl. Sedin. 133 = *magna*.  
*glauca*, Georgi, Besch. Russ. Reich. iv. 860 = *Trinia Henningii*.  
*glauca*, Hoffm. Gen. Umbell. ed. I. 92 = *Trinia Kitaibelii*.  
*glauca*, Linn. Sp. Pl. 264 = *Trinia vulgaris*.  
*glauca*, Presl, Fl. Sicil. p. xxv = *P. Tragium*.  
*glaucescens*, Boiss. in Ann. Sc. Nat. Sér. III. i. (1844) 130 = *barbata*.  
*Gouani*, Benth. & Hook. f. Gen. i. 894.—Europ.  
*gracilis*, Bisch. Del. Sem. Hort. Heidelb. (1848) 4.—Cf. Linnaea, xxiv. (1851) 189 = *affinis*.  
*Griffithiana*, Boiss. Diagn. Ser. II. ii. 74.—Afghan.  
*Gussonii*, Bertol. Fl. Ital. iii. 270.—Ital.  
*Gymnoscladium*, Hiern, in Oliver, Fl. Trop. Afr. iii. 14.—Afr. trop.  
*hastata*, C. B. Clarke, in Hook. f. Fl. Brit. Ind. ii. 687.—Reg. Himal.  
*Henningii*, Tenore, Syll. Fl. Neap. 153, in syn. = *Carum dichotomum*.  
*Heyneana*, Wall. Cat. n. 566.—Ind. or.  
*hircina*, Mill. Gard. Dict. ed. VIII. n. 3; Leers, Fl. Herborn. 79; Moench, Hass. Pl. Indig. 144 = *P. Saxifraga*.

**PIMPINELLA:—**

- hirtella*, A. Rich. Tent. Fl. Abyss. i. 323 = *peregrina*.  
*hispida*, Loisel. in Desv. Journ. Bot. ii. (1809) 272 = *peregrina*.  
*Hookeri*, C. B. Clarke, in Hook. f. Fl. Brit. Ind. ii. 686.—Reg. Himal.  
*humilis*, Willd. ex Ledeb. Fl. Ross. ii. 281 = *Trinia Hoffmannii*.  
*hircina*, Krock. Fl. Siles. i. 480 = *hircina*.  
*integerrima*, Benth. & Hook. f. Gen. i. 894.—Am. bor.  
*integrifolia*, Wood, Am. Bot. & Flor. 139 = *praec.*  
*intermedia*, Nees, in Flora, ii. (1819) 293 (Quid?).—Europ.  
*involuta*, Jan, ex DC. Prod. iv. 123 = *Carum Carvi*.  
*involuta*, Miq. ex C. B. Clarke, in Hook. f. Fl. Brit. Ind. ii. 697 = *Schultzia Benthami*.  
*involuta*, Wight & Arn. Prod. 369 = *Carum Roxburghianum*.  
*javana*, DC. Prod. iv. 122.—Java.  
*Kotschyana*, Boiss. in Ann. Sc. Nat. Sér. III. i. (1844) 133.—Persia.  
*Kraussiana*, Meissn. ex Krauss, in Flora, xxvii. (1844) 431 = *caffra*.  
*laciniata*, Gilib. Fl. Lituan. ii. 43 = *P. Saxifraga*.  
*laciniata*, Thore, Chlor. Landes, 108 = *magna*.  
*lateriflora*, Dalz. & Gibs. Bomb. Fl. 106.—Ind. or.  
*lateriflora*, Link, Enum. Hort. Berol. i. 285 = *Apium Ammi*.  
*latifolia*, Gilib. Fl. Lituan. ii. 42 = *P. Saxifraga*.  
*laxiflora*, Baker, in Journ. Linn. Soc. xxi. (1884) 349.—Madag.  
*leptophylla*, Pers. Syn. i. 324 = *Apium leptophyllum*.  
*Leschenaultii*, DC. Prod. iv. 122.—Ind. or.  
*leucocarpa*, St. Lag. in Ann. Soc. Bot. Lyon, vii. (1880) 131 = *P. Tragium*.  
*longiradiata*, Boiss. & Heldr. in Boiss. Diagn. Ser. II. ii. 75 = *P. Tragium*.  
*lucida*, Schur, Enum. Pl. Transs. 250 = *P. Saxifraga*.  
*lutea*, Desf. Atlant. i. 255, t. 76.—Alger.  
*macedonica*, Boiss. & Orph. ex Orph. in Bull. Congr. Bot. Pétersb. 1869 (1870) 135.—Macedon.  
*magna*, Habl. Phys. Besch. Taur. 239; et ex Bieb. Fl. Taur. Cauc. i. 240 = *P. Saxifraga*.  
*magna*, Linn. Mant. ii. 217.—Europ.; Reg. Caucas.  
*major*, Huds. Fl. Angl. ed. I. 110.—Europ.  
*major*, Mill. Gard. Dict. ed. VIII. n. 1; Gouan, Illustr. 21 = *magna*.  
*major*, Wallr. ex Steud. Nom. ed. II. ii. 335 = *P. Saxifraga*.  
*media*, Geners. Elench. n. 273; ex Spreng. in Schult. Syst. vi. 387 = *P. Saxifraga*.  
*media*, [Weber, in] Wigg. Prim. Fl. Holsat. 26 = *magna*.  
*minor*, Ehrh. ex Spreng. in Schult. Syst. vi. 386 = *P. Saxifraga*.  
*monoica*, Dalz. in Hook. Kew Journ. iii. (1851) 212.—Ind. or.  
*multicaulis*, Poir. Encyc. Suppl. i. 684 = *Trinia Henningii*.  
*napiiformis*, Vis.—Cf. Linnaea, xxiv. (1851) 180 (= *Bunium creticum*, Urv.).—Europ. austr.  
*nemorosa*, Benth. & Hook. f. Gen. i. 912.—Chili.  
*nervosa*, C. B. Clarke, in Hook. f. Fl. Brit. Ind. ii. 684.—Reg. Himal.  
*nigra*, Mill. Gard. Dict. ed. VIII. n. 4; Willd. Prod. Fl. Berl. 110 = *P. Saxifraga*.  
*nodiflora*, Stokes, Bot. Mat. Med. ii. 149 = *Apium nodiflorum*.  
*nodosa*, Urv. in Mém. Soc. Linn. Par. i. (1822) 289 = *cretica*.  
*nudicaulis*, Trautv. in Act. Hort. Petrop. ii. (1873) 473.—Armenia.  
*olenea*, Boiss. & Heldr. ex Boiss. Diagn. Ser. II. ii. 75 = *P. Tragium*.  
*oliverioides*, Boiss. & Haussk. ex Boiss. Fl. Orient. ii. 871.—Persia.  
*Olivieri*, Boiss. in Ann. Sc. Nat. Sér. III. i. (1844) 132.—Mesopot.  
*oreophila*, Hook. f. in Journ. Linn. Soc. vii. (1864) 195.—Afr. trop.  
*orientalis*, Gouan, Illustr. 21 = *magna*.  
*ovata*, Spreng. in Schult. Syst. vi. 837 (Index) = *P. Saxifraga*.  
*palmatorium*, Steud. Nom. ed. II. ii. 335.—Arab.  
*Panatan*, Mirb. ex Rosenth. Pl. Diaph. 533 = *P. Fruatan*.  
*Pansil*, Benth. & Hook. f. Gen. i. 912.—Chili.



**PIMPINELLA:—**

- Parishiana, *Kurz, in Journ. As. Soc. Beng.* xli. (1872) ii. 309.—Burma.  
*parnassica*, Boiss. & Heldr. ex Boiss. *Diagn. Ser. II.* ii. 75 = *P. Tragium*.  
*peregrina*, Kotschy, ex Boiss. *Diagn. Ser. I.* x. 26 = *affinis*.  
*peregrina*, Lej. *Fl. Spa.* i. 145 = *magna*.  
*peregrina*, Linn. *Mant.* ii. 357.—Europ. austr.; As. Min.  
*petraea*, Willd. ex Spreng. *Sp. Umbell.* 134 = *P. Tragium*.  
*peucedanifolia*, Fisch. ex Ledeb. *Fl. Ross.* ii. 256.—Reg. Cauc.  
*podagrarioides*, Boiss. & Bal. ex Boiss. *Fl. Orient.* ii. 876.—As. Min.  
*polyclada*, Boiss. & Heldr. *Diagn. Ser. II.* ii. 75 = *P. Tragium*.  
*polygama*, Pourr. ex Nym. *Consp.* 308 = *Trinia vulgaris*.  
*poterifolia*, Schur, *Enum. Pl. Transs.* 249 = *P. Saxifraga*.  
*pratensis*, Thuill. *Fl. Par. ed. II.* 154 = *P. Saxifraga*.  
*pretenderis*, Orph. ex Boiss. *Fl. Orient.* ii. 872 = *P. Tragium*.  
*prolifera*, Krock. *Fl. Siles. Suppl.* i. 342 (Quid?).—Europ.  
*Pruatjan*, Molkenb. in *Miq. Pl. Fungh.* 97.—Java.  
*Pseudo-tragium*, DC. *Prod.* iv. 122 = *P. Tragium*.  
*puberula*, Boiss. in *Ann. Sc. Nat. Sér. III.* i. (1844) 129.—Syria; Persia.  
*pubescens*, Wall. *Cat. n.* 567 = *diversifolia*.  
*pumila*, Jacq. *Enum. Stirp. Vindob.* 52 = *Trinia vulgaris*.  
*ramosissima*, DC. *Prod.* iv. 122 = *aurea*.  
*ramosissima*, Fisch. ex Trevir. *Ind. Sem. Hort. Vratisl.* (1819) 3 = *Trinia Kitaibelii*.  
*ramosissima*, Hort. ex Link, *Enum. Hort. Berol.* i. 285 = *Apium Ammi*.  
*ranunculifolia*, Boiss. *Fl. Orient.* ii. 865.—Beluchist.  
*Reuteriana*, Boiss. *Diagn. Ser. I.* x. 26 = *affinis*.  
*rhodantha*, Boiss. in *Tchihat. Asie Min. Bot.* i. 414.—Armenia.  
*rosea*, Lindem. in *Bull. Soc. Nat. Mosc.* xxiii. (1850) ii. 488 = *rubra*?  
*rotunda*, Dulac, *Fl. Hautes-Pyr.* 349 = *P. Saxifraga*.  
*rotundifolia*, Bieb. *Fl. Taur. Cauc.* i. 242.—Reg. Cauc.; Persia.  
*rotundifolia*, Scop. *Fl. Carn. ed. II.* i. 208 = *P. Saxifraga*.  
*rubra*, Hoppe & Schleich. ex Spreng. in *Schult. Syst.* vi. 384 = *magna*.  
*rugosa*, Kunze, in *Flora*, xxix. (1846) 654 = *magna*.  
*rugulosa*, Schnizl. *Obs. Hort. Erlang.* (1851).—Hab.?  
*rupestris*, Bory, in *Ann. Gén. Sc. Phys.* iii. (1820) 12.—Hispan.  
*Sartorii*, Heldr. in Boiss. *Diagn. Ser. II.* ii. 75 = *P. Tragium*.  
*Saxifraga*, Linn. *Sp. Pl.* 163.—Europ.; As. bor.  
*Saxifraga*, Scop. *Fl. Carn. ed. II.* i. 209 = *magna*.  
*Saxifraga*, Ucria, *Hort. Panorm.* 139 = *P. Tragium*.  
*Schweinfurthii*, Aschers. in *Verh. Bot. Ver. Brand.* xxi. (1880) 67.—Aegypt.  
*segetum*, Spreng. *Prod. Pl. Umb.* 35 = *Carum segetum*.  
*Serra*, Franch. & Sav. *Enum. Pl. Jap.* ii. 372.—Japon.  
*siifolia*, Leresche, in *Journ. Bot.* xvii. (1879) 198.—Hispan.  
*sikkimensis*, C. B. Clarke, in *Hook. f. Fl. Brit. Ind.* ii. 685.—Reg. Himal.  
*simensis*, Benth. & Hook. *f. Gen.* i. 895.—Afr. trop.  
*sinica*, Hance, in *Journ. Bot.* vi. (1868) 113 = *diversifolia*.  
*stadensis*, D. Dietr. *Syn. Pl.* ii. 947.—Afr. austr.  
*Stocksii*, Boiss. *Fl. Orient.* ii. 865.—Beluchist.  
*Stracheyi*, C. B. Clarke, in *Hook. f. Fl. Brit. Ind.* ii. 688.—Reg. Himal.  
*taurica*, Hort. ex Steud. *Nom. ed. II.* ii. 336 = *peregrina*.  
*tenera*, Benth. ex *Hook. f. Fl. Brit. Ind.* ii. 686.—Reg. Himal.  
*tenuicaulis*, Baker, in *Journ. Linn. Soc.* xx. (1883) 153.—Madag.  
*tenuifolia*, DC. *Prod.* iv. 123.—Persia.  
*tenuifolia*, Schwaegr. & Koerte, ex Steud. *Nom. ed. II.* ii. 335 = *magna*.  
*tenuifolia*, Spreng. in *Schult. Syst.* vi. 393 = *P. Tragium*.

VOL. II.

**PIMPINELLA:—**

- tenuis*, Sieber, ex Spreng. in *Schult. Syst.* vi. 394 = *cretica*.  
*Thomasi*, Benth. & Hook. *f. Gen.* i. 894, 896.—Calabr.  
*tomentosa*, Dalg. ex C. B. Clarke, in *Hook. f. Fl. Brit. Ind.* ii. 689.—Ind. or.  
*trachycarpum*, Benth. & Hook. *f. Gen.* i. 895 = *Aphanopleura trachysperma*.  
*Tragium*, Vill. *Prosp.* 24.—Europ. austr.; Oriens; Ind. or.  
*trifoliata*, Wall. *Cat. n.* 565 = *diversifolia*.  
*triloba*, Hegetschw. *Fl. Schw.* 264.—Helvet.  
*tripartita*, Aitch. & Hemsl. in *Journ. Linn. Soc.* xix. (1882) 164.—Afghan.  
*tripartita*, Kalenicz. in *Bull. Soc. Nat. Mosc.* xviii. (1845) i. 231 = *rotundifolia*.  
*triradiata*, Boiss. *Diagn. Ser. I.* x. 27 = *P. Tragium*.  
*variifolia*, Salisb. *Prod.* 168 = *P. Saxifraga*.  
*villosa*, Schousb. *Vextr. Marokk.* 139.—Reg. Mediterr. occ.  
*Wallichii*, C. B. Clarke, in *Hook. f. Fl. Brit. Ind.* ii. 685.—Reg. Himal.  
*zagrosica*, Boiss. & Haussk. ex Boiss. *Fl. Orient.* ii. 872.—Persia.

**PINALIA**, Buch.-Ham. ex D. Don, *Prod. Fl. Nep.* 31, in syn. (1825); Lindl. *Orch. Scel.* 21 (1826) = **Eria**, Lindl. (*Orchid.*).  
*alba*, Buch.-Ham. l. c. = *E. convallarioides*.

**PINANGA**, Blume, *Rumphia*, ii. 76. t. 87 (1836).

- PALMAE*, Benth. & Hook. *f. iii.* 884.  
*CLADOSPHERA*, Griff. *Notul.* iii. 165 (1851).  
*OPHIRIA*, Becc. in *Ann. Jard. Buitenz.* ii. (1885) 128.  
*bifida*, Blume, *Rumphia*, ii. 92 = *disticha*.  
*borneensis*, Scheff. in *Ann. Jard. Buitenz.* i. (1876) 151.—Borneo.  
*caesia*, Blume, *Rumphia*, ii. 84, in obs.—Ins. Celebes.  
*calapparia*, H. Wendl. in *Kerch. Palm.* 253 = *Actinorhytis calapparia*.  
*celebica*, Scheff. in *Tijdschr. Nederl. Ind.* xxxii. (1871) 175.—Ins. Celebes.  
*cochinchinensis*, Blume, *Rumphia*, ii. 77, in obs.—Cochinch.  
*coronata*, Blume, l. c. 83.—Ins. Celebes.  
*costata*, Blume, l. c. 80 = *Kuhlii*.  
*Dicksonii*, Blume, l. c. 77, in obs.—Ind. or.  
*disticha*, Blume, l. c.—Malaya.  
*furfuracea*, Blume, l. c. 88.—Ins. Celebes.  
*globulifera*, Blume, in *Bull. Néerl.* (1839) 65.—Malaya.  
*gracilis*, Blume, *Rumphia*, ii. 77, in obs.—Reg. Himal.; Burma.  
*hexasticha*, Kurz, *For. Fl. Brit. Burma*, ii. 539.—Burma.  
*inaequalis*, Blume, *Rumphia*, ii. 91.—Ins. Celebes.  
*javana*, Blume, l. c. 85.—Java.  
*Jungluhnii*, Miq. *Pl. Fungh.* 157.—Sumatra.  
*Kuhlii*, Blume, *Rumphia*, ii. 82. t. 111.—Malaya.  
*latisecta*, Blume, l. c. 79.—Sumatra.  
*maculata*, Porte, ex Lem. in *Illustr. Hortic.* x. (1863) t. 361.—Ins. Philipp.  
*malaiana*, Scheff. in *Tijdschr. Nederl. Ind.* xxxii. (1871) 175.—Malaya.  
*minor*, Blume, *Rumphia*, ii. 86.—Ins. Celebes.  
*Nenga*, Blume, l. c. 77 = *Nenga Wendlandiana*.  
*noxa*, Blume, l. c. 81.—Java.  
*paradoxa*, Scheff. in *Tijdschr. Nederl. Ind.* xxxii. (1871) 179.—Malaya.  
*patula*, Blume, *Rumphia*, ii. 87 (sp. dub.).—Sumatra.  
*pisiformis*, Teijsm. ex Becc. in *Ann. Jard. Buitenz.* ii. (1885) 136 = *Gulubia costata*.  
*pumila*, Blume, *Rumphia*, ii. 77, in obs. = *Nenga Wendlandiana*?  
*purpurea*, Hort. Bog. ex Miq. *Fl. Ind. Bat. Suppl.* 590 = *Cyrtostachys Renda*.  
*salicifolia*, Blume, *Rumphia*, ii. 93.—Borneo.  
*Sanderiana*, Bull. *Cat.* (1885) 15.—Malaya.  
*Smithii*, Hort. Melb. ex Scheff. in *Ann. Jard. Buitenz.* i. (1876) 154 = *Ptychosperma elegans*.  
*tenella*, Scheff. in *Tijdschr. Nederl. Ind.* xxxii. (1871) 179.—Borneo.  
*ternatensis*, Scheff. in *Ann. Jard. Buitenz.* i. (1876) 149.—Ins. Ternate.

**PINANGA:—**

- Veitchi*, H. Wendl.—Cf. *Regel, Gartenfl.* (1880) 261.—Borneo.  
*vestiaria*, Blume, *Rumphia*, ii. 77, in obs. = *Areca vestiaria*.

**PINARDA**, Vell. *Fl. Flum.* 23 (1825); i. t. 52 (1827) = **Micranthemum**, Michx. (*Scrophul.*).  
*repens*, Vell. *ll. cc.* = *M. orbiculatum*.

**PINARDIA**, Cass. in *Dict. Sc. Nat.* xli. 38 (1826) = **Chrysanthemum**, Tourn. (*Compos.*).  
*anisocephala*, Cass. l. c. = *C. viscosum*.  
*carinata*, Vis. *Fl. Dalm.* ii. 90, in obs. = *C. carinatum*.  
*coronaria*, Less. *Syn. Comp.* 255 = *C. coronarium*.  
*frutescens*, Less. in *Linnaea*, vi. (1831) 168 = *Phymaspermum carnosulum*.  
*nodosa*, Less. l. c. 169 = *C. nodosum*.  
*Roxburghii*, Fisch. & Mey. *Ind. Sem. Hort. Petrop.* iii. 44 = *C. coronarium*.  
*viscosa*, Vis. *Fl. Dalm.* ii. 90, in obs. = *C. viscosum*.

**PINARDIA**, Neck. *Elem.* i. 5 (1790) = **Aster**, Tourn. (*Compos.*).

**PINAROPAPPUS**, Less. *Syn. Comp.* 143 (1832).  
*COMPOSITAE*, Benth. & Hook. *f. ii.* 529.  
*roseus*, Less. l. c.—Mexic.  
*scapiger*, Walp. in *Linnaea*, xiv. (1840) 508.—Mexic.

**PINCECNITIA** et **PINCENECTIA**, Lem. *Illustr. Hortic.* viii. (1861) *Misc.* 57 = seq.

**PINCENECTITIA**, Hort. ex Lem. *Illustr. Hortic.* viii. (1861) *Misc.* 48, 59 = **Nolina**, Michx. (*Liliac.*).  
*glauca*, Hort. ex Lem. l. c. 61 = *N. recurvata*.  
*gracilis*, Hort. ex Lem. l. c. = *N. Hartwegiana*.  
*tuberculata*, Hort. ex Lem. l. c. 48, 59, 61 = *N. recurvata*.

**PINCENICTITIA**, Baker, in *Journ. Linn. Soc.* xviii. (1880) 234 = *prae.*

**PINCINECTIA**, Hort. ex Lem. *Illustr. Hortic.* viii. (1861) *Misc.* 57 = *prae.*

**PINCKNEYA**, Michx. *Fl. Bor. Am.* i. 103, t. 13 (1803). **RUBIACEAE**, Benth. & Hook. *f. ii.* 47.  
*PINKNEA*, Pers. *Syn.* i. 197 (1805).  
*PINKNEYA*, Rafin. in *Ann. Gén. Sc. Phys.* vi. (1820) 81.  
*ionantha*, Planch. & Linden.—Cf. *Bot. Zeit.* xii. (1854) 365.—N. Granat.  
*pubens*, Michx. *Fl. Bor. Am.* i. 103, t. 13.—Am. bor.

**PINEDA**, Ruiz & Pav. *Prod.* 76. t. 14 (1794) = **Banara**, Aubl. (*Samyd.*).  
*incana*, Ruiz & Pav. *Syst. Veg.* 133 = *B. incana*.

**PINELIA**, Lindl. *Fol. Orchid.* (1853). **ORCHIDEAE**, Benth. & Hook. *f. iii.* 528.  
*hypolepta*, Lindl. l. c.—Bras.

**PINELLIA**, Tenore, 'Sem. Hort. Nap. (1830)'; et in *Att. Acc. Sc. Nap.* iv. (1839) 57. **AROIDEAE**, Benth. & Hook. *f. iii.* 964.  
*ATHERURUS*, Blume, *Rumphia* i. 136 (1835).  
*HEMICARPURUS*, Nees, *Del. Sem. Hort. Vratisl.* (1839) 4.  
*angustata*, Schott, in *Miq. Ann. Mus. Lugd. Bat.* i. 123 = *tuberifera*.  
*fornicata*, Pritz. *Ice. Ind.* i. 846 = *tubifera*.  
*pedatisecta*, Schott, in *Oestr. Bot. Wochenbl.* vii. (1857) 341.—China.  
*tripartita*, Schott, *Syn. Aroid.* i. 5.—Japon.  
*tuberifera*, Tenore, in *Att. Acc. Sc. Nap.* iv. (1839) 57.—Japon.  
*Wawrae*, Engl. in *DC. Monog. Phan.* ii. 567.—China.

**PINGRAEA**, Cass. in *Dict. Sc. Nat.* xli. 57 (1826) = **Baccharis**, Linn. (*Compos.*).  
*angustifolia*, Cass. l. c. 58 = *B. Pingraea*.

**PINGUICOLA**, Zumag. *Fl. Pedem.* i. 17 1847 = seq.

**PINGUICULA**, Tourn. ex Linn. *Syst. ed. I.* 1733.  
**LENTIBULARIEAE**, Benth. & Hook. *f. ii.* 988.  
*BRANDONIA*, Reichb. *Consp.* 127 1828.  
*ISOLOBA*, Rafin. *Fl. Tellur.* iv. 53 1836.

3 V



## PINGUICULA:—

*acuminata*, Benth. *Pl. Hartw.* 71.—Mexic.  
*acutifolia*, Michx. *Fl. Bor. Am.* i. 11 = villosa.  
*alba*, Kuehl, ex Hoppe, *Taschenb.* (1800) 225 = alpina.  
*albana*, Griseb. *Spicil. Fl. Rumel.* ii. 9 = hirtiflora.  
*albida*, Wright, ex Griseb. *Cat. Pl. Cub.* 162.—Cuba.  
*alpestris*, Pers. *Syn.* i. 18 = alpina.  
*alpina*, Berger. *Fl. Bass. Pyr.* i. 17; ex DC. *Fl. Fr.* Suppl. 405 = lusitanica.  
*alpina*, Linn. *Sp. Pl.* 17.—Europ.  
*alpina*, G. H. Weber, *Spicil. Fl. Gotting.* 1 = vulgaris.  
*antarctica*, Vahl, *Enum.* i. 192.—Reg. Magellan.  
*australis*, Chapm. *Fl. S. U. St.* 284 = elatior.  
*australis*, Nutt. in *Journ. Acad. Philad.* vii. (1834) 103 = pumila.  
*Bakeriana*, Hort. Sander.—Cf. *Gard. Chron.* (1881) i. 541. f. 102 = caudata.  
*borealis*, Salisb. *Prod.* 90 = vulgaris.  
*brachyloba*, Schult. *Mant.* i. 167 = alpina.  
*calyptata*, H. B. & K. *Nov. Gen. et Sp.* ii. 226.—N. Granat.  
*campanulata*, Lam. in *Journ. Hist. Nat. Par.* i. (1792) 336. f. 1 = lutea.  
*camtschatica*, Willd. ex Link, *Jahrb.* i. III. (1820) 54 = vulgaris.  
*caudata*, Schlecht. in *Linnaea*, vii. (1832) 393.—Mexic.  
*chilensis*, Clos, in C. Gay, *Fl. Chil.* iv. 365.—Chili.  
*coerulea*, Walt. *Fl. Carol.* 63 = elatior, pumila.  
*corsica*, Bernard & Gren. ex Gren. & Godr. *Fl. Fr.* ii. 443 = leptoceras.  
*crenatiloba*, DC. *Prod.* viii. 30.—Mexic.  
*crystallina*, Sibth. & Sm. *Fl. Graec.* i. 11.—Ins. Cyprus.  
*daurica*, Pall. ex Link, *Jahrb.* i. III. (1820) 54 = vulgaris.  
*daurica*, Schult. *Mant.* i. 373 = praec.  
*dentula*, Hook. *Exot. Fl.* t. 16 = lutea.  
*elatior*, Michx. *Fl. Bor. Am.* i. 11.—Am. bor.  
*elongata*, Benj. in *Linnaea*, xx. (1847) 318.—N. Granat.  
*filifolia*, Wright, ex Griseb. *Cat. Pl. Cub.* 162.—Cuba.  
*flavescens*, Floerke, ex Hoppe, *Taschenb.* (1800) 14 = alpina.  
*floridensis*, Chapm. *Fl. S. U. St. Suppl.* 635 = pumila.  
*Flos-mulionis*, E. Morr. Belg. *Hortic.* xxii. (1872) 371. t. 27 = caudata.  
*gelida*, Schur, *Enum. Pl. Transs.* 548 = alpina.  
*glandulosa*, Trautv. & Mey. in *Middend. Reise (Fl. Ochot.)* 65.—Sibir.  
*grandiflora*, Koch, *Syn. Fl. Germ.* ed. I. 579 = leptoceras.  
*grandiflora*, Lam. *Encyc.* iii. 22.—Europ. occid.  
*grandiflora*, Pollini, *Fl. Veron.* i. 24 = vulgaris.  
*Gypsophila*, Wallr. in *Linnaea*, xiv. (1840) 533 = vulgaris.  
*heterophylla*, Benth. *Pl. Hartw.* 70.—Mexic.  
*hirtiflora*, Tenore, *Fl. Neap. Prod.* p. vi; *Fl. Nap.* iii. 18. t. 201.—Europ. austr.  
*involuta*, A. DC. in DC. *Prod.* viii. 30, sphalm. = involuta, Schrank.  
*involuta*, Ruiz & Pav. *Fl. Per.* i. 20. t. 31. f. c.—Peruv.  
*involuta*, Schrank, in *Denkschr. Bot. Ges. Regensb.* ii. (1818) 3 = villosa.  
*kamtschatica*, Willd. ex Ledeb. *Fl. Ross.* iii. 3 = vulgaris.  
*laeta*, Pantoč. in *Oestr. Bot. Zeitschr.* xxiii. (1873) 80 = hirtiflora.  
*leptoceras*, Reichb. *Pl. Crit.* i. 69.—Europ.  
*leptoceras*, St. Lag. in *Ann. Soc. Bot. Lyon*, vii. (1880) 131 = praec.  
*lilacina*, Schlecht. & Cham. in *Linnaea*, v. (1830) 94.—Mexic.  
*lilacina*, Seem. *Bot. Voy. Herald*, 324 = crenatiloba.  
*longifolia*, Gaud. *Fl. Helv.* i. 45 = leptoceras?  
*longifolia*, Ram. ex DC. *Fl. Fr.* iii. 728 = grandiflora.  
*lusitanica*, Linn. *Sp. Pl.* 17.—Europ. occ.  
*lutea*, Walt. *Fl. Carol.* 63.—Am. bor.  
*macroceras*, Pall. ex Link, *Jahrb.* i. III. (1820) 54 = vulgaris.  
*macrophylla*, H. B. & K. *Nov. Gen. et Sp.* ii. 226 = caudata.  
*macrostylis*, Benj. in *Linnaea*, xx. (1847) 317.—Peruv.

## PINGUICULA:—

*megaspilaea*, Boiss. & Heldr. ex Boiss. *Fl. Orient.* iv. 2 = hirtiflora.  
*microceras*, Cham. in *Linnaea*, vi. (1831) 568 = vulgaris.  
*moranensis*, H. B. & K. *Nov. Gen. et Sp.* ii. 226 = caudata.  
*nana*, Mart. & Gal. ex Hemsl. *Biol. Centr. Am. Bot.* ii. 471 = crenatiloba.  
*oblongiloba*, A. DC. in DC. *Prod.* viii. 27 = caudata.  
*obtusiloba*, A. DC. l. c. 30 = lilacina.  
*orchidioides*, A. DC. l. c. 27 = caudata.  
*ovata*, Stokes, *Bot. Mat. Med.* i. 37 = vulgaris.  
*oxyptera*, Reichb. ex Benj. in *Linnaea*, xx. (1847) 318 (occyptera) = vulgaris?  
*pallida*, Turcz. in *Bull. Soc. Nat. Mosc.* xxii. (1849) II. 288 = alpina.  
*pumila*, Michx. *Fl. Bor. Am.* i. 11.—Am. bor.  
*purpurea*, Willd. in *Ges. Naturf. Fr. Neue Schr.* ii. (1799) 112. t. 5. f. 1 = alpina.  
*sibirica*, Vest, ex A. DC. in DC. *Prod.* viii. 32.—Sibir.  
*sodium*, F. Muell. ex Fourn. in *Bull. Soc. Bot. Fr.* xx. (1873) p. lxvii.—Mexic.  
*spathulata*, Ledeb. in *Mém. Acad. Pétersb.* v. (1812) 515.—Sibir.  
*subaequalis*, Stokes, *Bot. Comment.* i. 123 = lusitanica.  
*vallisneriaefolia*, Webb, *Otia Hisp.* 48. t. 44.—Hispan.  
*variegata*, Turcz. in *Bull. Soc. Nat. Mosc.* (1840) 77.—Sibir.  
*villosa*, Gunn. *Fl. Norveg.* ii. 71 = vulgaris.  
*villosa*, Huds. *Fl. Angl.* 8 = lusitanica.  
*villosa*, Linn. *Sp. Pl.* 17.—Reg. arct.  
*vulgaris*, Linn. l. c.; ed. II. 25.—Europ.; Sibir.; Am. bor.  
*vulgaris*, Petagn. *Inst. Bot.* ii. 38 = hirtiflora.

PINGUIN, [Dill.] Adans. *Fam.* ii. 67 (1763) = *Bromelia*, Linn.

PINILLOSIA, Ossa, in DC. *Prod.* v. 528 (1836). *COMPOSITAE*, Benth. & Hook. f. ii. 342.

TETRACANTHUS, Wright, ex Griseb. *Cat. Pl. Cub.* 153 (1866).  
*bellioides*, Griseb. *Cat. Pl. Cub.* 153.—Cuba.  
*tetranthoides*, DC. *Prod.* v. 528.—Ind. occ.

PINKNEA, Pers. *Syn.* i. 197 (1805) = *Pinckneya*, Michx. (Rubiaceae).  
*pubescens*, Pers. l. c. = *Pinckneya pubens*.

PINKNEYA, Rafin. in *Ann. Gén. Sc. Phys.* vi. (1820) 81 = *Pinckneya*, Michx. (Rubiaceae).

PINTOA, C. Gay, *Fl. Chil.* i. 479, t. 16 (1846). *ZYGOPHYLLEAE*, Benth. & Hook. f. i. 269.  
*chilensis*, C. Gay, l. c. 480.—Chili.

PINUS, [Tourn.] Linn. *Syst. ed. I* (1735). *CONIFERAE*, Benth. & Hook. f. iii. 438.  
*APINUS*, Neck. *Elem.* iii. 369 (1790).  
*CEMBRA*, Opiz, *Seznam*, 27 (1852).  
*STROBUS*, Opiz, in *Lotos*, iv. (1854) 94.

*abacica*, Hort. ex Carr. *Conif.* ed. I. 352 = halepensis.  
*abchatica*, Hort. l. c. = halepensis.  
*Abies*, Duroi, Obs. *Bot.* 39 = *Abies pectinata*.  
*Abies*, Linn. *Sp. Pl.* 1002 = *Picea excelsa*.  
*Abies*, Lour. *Fl. Cochinch.* 579 = *Cunninghamia sinensis*.  
*Abies*, Pall. *Fl. Ross.* i. 6 = *Picea obovata*.  
*Abies*, Siev. in Pall. *N. Nord. Beitr.* vii. 349 = *Picea orientalis*.  
*Abies*, Thunb. *Fl. Jap.* 275 = *Picea polita*.  
*acapulcensis*, G. Don, in Sweet, *Hort. Brit.* ed. III. 769 = *apulcensis*.  
*aculcensis*, Roezl, *Cat. Sem. Conif. Mexic.* (1857) 30 = Hartwegii.  
*adunca*, Bosc, ex Desf. *Tabl. ed. II.* 247; et ex Poir. *Encyc. Suppl.* iv. 418 = insignis.  
*africana*, Hort. ex C. Koch, *Dendrol.* ii. II. 271 = *P. Pinea*.  
*alba*, Ait. *Hort. Kew.* ed. I. iii. 371 = *Picea alba*.  
*albicaulis*, Engelm. in *Trans. Acad. St. Louis*, ii. (1863) 209.—Am. bor.  
*Alcoquiana*, Parl. in DC. *Prod.* xvi. II. 417 = *Picea Alcockiana*.  
*alepensis*, Poir. *Encyc.* v. 338 = *halepensis*.  
*alopecuroides*, Hort. ex Gord. *Pinet.* 209 = *serotina*.

## PINUS:—

*altissima*, Hort. ex Carr. *Conif.* ed. I. 385 = *P. Laricio*.  
*altissima*, Ledeb. ex Gord. *Pinet.* 186 = *sylvestris*.  
*amabilis*, Dougl. in Hook. *Comp. Bot. Mag.* ii. (1836) 93 = *Abies amabilis*.  
*amabilis*, Parl. in DC. *Prod.* xvi. 426 = *Abies lasiocarpa*, magnifica.  
*amecaensis*, Roezl, *Cat. Sem. Conif. Mexic.* (1857) 30 = Hartwegii.  
*americana*, Duroi, Obs. *Bot.* 39 = *Tsuga canadensis*.  
*americana*, Gaertn. *Fruct.* ii. 60. t. 91 = *Picea nigra*.  
*americana*, Steud. *Nom.* ed. I. 621 = *Larix americana*.  
*angulata*, Roezl, *Cat. Sem. Conif. Mexic.* (1857) 27 = *Montezumae*.  
*Antoineana*, Roezl, l. c. 14 = *P. Pseudostrobus*.  
*Apollinis*, Antoine, *Conif.* 73 = *Abies cephalonica*.  
*apulcensis*, Lindl. *Bot. Reg.* (1839) *Misc.* 63.—Mexic.  
*arabica*, Sieber, ex Spreng. *Syst.* iii. 886 = *halepensis*.  
*aracanensis*, Knight, ex Gord. *Pinet.* 179 = *P. Pinea*.  
*Araragi*, Endl. *Syn. Conif.* 83 = *Tsuga Sieboldii*.  
*araucaana*, Molina, *Sagg. Chile*, ed. I. 182 = *Araucaria imbricata*.  
*arctica*, Hort. ex Carr. *Conif.* ed. II. 456 = *P. Pinea*.  
*aristata*, Engelm. in *Am. Journ. Sc. Ser.* II. xxxiv. (1862) 331; et in *Trans. Acad. Sc. St. Louis*, ii. (1863) 205 = *Balfouriana*, S. Wats.  
*arizonica*, Engelm. ex Roth. in *Wheeler, Bot. Rep. U. St. Geogr. Surv.* vi. 260.—Arizona.  
*Armandi*, Franch. *Pl. Davidian.* i. (1884) 285.—Mongol.  
*armena*, C. Koch, in *Linnaea*, xxii. (1849) 297 = *sylvestris*.  
*astecaensis*, Roezl, ex Gord. *Pinet.* ed. II. 290 = *apulcensis*.  
*atlantica*, Endl. *Syn. Conif.* 137 = *Cedrus Libani*.  
*atrovirens*, Roezl, ex Gord. *Pinet.* Suppl. 71 = Hartwegii.  
*Aucklandii*, Lodd. ex Gord. *Pinet.* 195 = *Gerardiana*.  
*australis*, Dum.-Cours. *Bot. Cult.* ed. II. vi. 460 (Quid?).—Austral.  
*australis*, Hort. Berol. ex Steud. *Nom.* ed. II. ii. 237 = *halepensis*.  
*australis*, Michx. f. *Hist. Arbr. Am.* i. 64. t. 6 = *palustris*.  
*austrica*, Link, in *Flora*, xi. (1828) 32; Hoess. *Anleit.* 6 = *P. Laricio*.  
*Ayacahuite*, Ehrenb. ex Schlecht. in *Linnaea*, xii. (1838) 492.—Mexic.; Guatemal.  
*astecaensis*, Roezl, *Cat. Sem. Conif. Mexic.* (1857) 26 = *Montezumae*.  
*baborensis*, W. R. M'Nab, in *Proc. Roy. Irish Acad. Ser. II.* ii. (1876) 697 = *Abies numidica*.  
*Backhousiana*, Roezl, ex Gord. *Pinet.* Suppl. 72 = *Montezumae*.  
*bahamensis*, Griseb. *Fl. Brit. W. Ind.* 503.—Ins. Baham.  
*baldensis*, Zuccagni, in Roem. *Collect.* 158 = *Abies pectinata*.  
*Balfouriana*, [Jeffrey,] ex A. Murr. in *Bot. Exped. Oregon.* 1, cum tab.—Calif.  
*Balfouriana*, S. Wats. in *Bot. King's Exped.* v. 331.—Am. bor.  
*balsamea*, Linn. *Sp. Pl.* 1002 = *Abies balsamea*.  
*Banksiana*, Lamb. *Gen. Pin.* 21. ed. I. 7.—Am. bor. et arct.  
*Banksiana*, Lindl. & Gord. in *Journ. Hort. Soc. v.* (1850) 218, partim = *contorta*.  
*Beardsleyi*, A. Murr. in *Edinb. N. Phil. Journ.* N. S. i. (Jan.-Apr. 1855) 286 = *ponderosa*.  
*Benthiana*, Hartw. in *Journ. Hort. Soc.* ii. (1847) 189 = *ponderosa*.  
*Bessereriana*, Roezl, *Cat. Sem. Conif. Mexic.* (1857) 20 = *P. Teocote*.  
*bicolor*, Maxim. ex Parl. in DC. *Prod.* xvi. II. 418 = *Picea Alcockiana*.  
*bifida*, Antoine, *Conif.* 79. t. 31. f. 2 = *Abies firma*.  
*binato-folio*, Gilib. *Exercit.* ii. 414 = *sylvestris*.  
*Bolanderi*, Parl. in DC. *Prod.* xvi. II. 379 = *contorta*.  
*Bonapartei*, Roezl, in *Gard. Chron.* (1858) 358 = *P. Ayacahuite*.  
*Boothiana*, Roezl, ex Gord. *Pinet.* Suppl. 72 = *Montezumae*.  
*borealis*, Salisb. *Prod.* 398 = *sylvestris*.  
*Bothiana*, Roezl, *Cat. Conif. Mexic.* (1857) 12 = *Boothiana*.  
*Boucheiana*, Roezl, l. c. = *Montezumae*.  
*Bourcierii*, Carr. in *Rev. Hort. Sér. IV.* iii. (1854) 225 = *seq.*



## PINUS:—

*Boursieri*, Carr. Conif. ed. I. 398 = *contorta*.  
*brachyphylla*, Parl. in DC. Prod. xvi. II. 424 = *Abies brachyphylla*.  
*brachyptera*, Engelm. in Wislitz. Tour N. Mexico, 89 = *ponderosa*.  
*bracteata*, D. Don, in Trans. Linn. Soc. xvii. (1836) 443 = *Abies bracteata*.  
*Brunoniana*, Wall. Pl. As. Rar. iii. 24. t. 247 = *Tsuga Brunoniana*.  
*bruttia*, Tenore, Prod. Fl. Nap. p. lix = *pyrenaica*.  
*bullata*, Roezl, Cat. Sem. Conif. Mexic. (1857) 16 = *Montezumae*.  
*Bungeana*, Zucc. in Endl. Syn. Conif. 166. — China.  
*Buonaparteae*, Roezl, ex Gord. Pinet. 218 = *P. Aya-cahuite*.  
*cairica*, D. Don, ex Gord. l. c. 166 = *halepensis*.  
*calabrica*, Hort. ex Gord. l. c. 168 = *P. Laricio*.  
*californica*, Loisel. in Duham. Arb. ed. Nov. v. 243; Hartw. in Journ. Hort. Soc. ii. (1847) 189 = *in-signis*.  
*Calocote*, Roezl, ex Gord. Pinet. Suppl. 73 = *P. Teocote*.  
*canadensis*, Bong. in Mém. Acad. Pétersb. Sér. VI. ii. (1833) 163 = *Tsuga Mertensiana*.  
*canadensis*, Duroi, Obs. Bot. 38 = *Picea alba*.  
*canadensis*, Linn. Sp. Pl. ed. II. 1421 = *Tsuga canadensis*.  
*canaliculata*, Miq. in Journ. Bot. Néerl. i. (1861) 86. — China.  
*canariensis*, C. Sm. in Buch. Besch. Canar. Ins. 159. — Ins. Canar.  
*caramanica*, Bosc, ex Loud. Encyc. Trees, 957 = *P. Laricio*.  
*caramaniensis*, Bon Jardin. ed. (1837) 974; ex Loud. l. c. = *præc.*  
*carica*, D. Don, in Fellows, Discov. Lycia, 294 = *pyrenaica*.  
*carpathica*, Ungarisches Magaz. iii. 38; ex Carr. Conif. ed. II. 476 = *P. Pumilio*.  
*carpathica*, Hort. ex Gord. Pinet. 180 = *Picea excelsa*.  
*Carrierei*, Roezl, Cat. Sem. Conif. Mexic. (1857) 18 = *Montezumae*.  
*caucasica*, Fisch. ex Gord. Pinet. 186 = *sylvestris*.  
*Cavendishiana*, Hort. ex Carr. Conif. ed. II. 429 = *sinensis*.  
*Cavendishiana*, Hort. ex Parl. in DC. Prod. xvi. II. 390 = *P. Khasya*.  
*cebenensis*, Hort. ex Gord. Pinet. 168 = *P. Laricio*.  
*Cedrus*, Linn. Sp. Pl. 1001 = *Cedrus Libani*.  
*Cedrus*, Roezl, Cat. Sem. Conif. Mexic. (1857) 23 = *leiophylla*.  
*Cedrus*, Uspensk. in Bull. Soc. Nat. Mosc. (1834) 389 = *P. Cembra*.  
*Cembra*, Linn. Sp. Pl. 1000. — Europ. austr.; As. bor.  
*Cembra*, Thunb. Fl. Jap. 274 = *parviflora*.  
*cembroides*, Gord. in Journ. Hort. Soc. i. (1846) 236 = *edulis*.  
*cembroides*, Newberry, in Pacif. Rail. Rep. vi. 44, 90 = *albicaulis*.  
*cembroides*, Zucc. in Abh. Akad. Muench. i. (1832) 392. — Arizona; Mexic.  
*cephalonica*, Endl. Cat. Hort. Vindob. i. 218 = *Abies cephalonica*.  
*chamaensis*, Roezl, ex Gord. Pinet. Suppl. 73 = *Montezumae*.  
*Chihuahuaana*, Engelm. in Wislitz. Tour N. Mexico, 103. — Am. bor. occ.  
*Chilghosa*, Elph. ex Knight, Syn. Conif. 30 = *Gerardiana*.  
*chinensis*, Knight, ex Gord. Pinet. 176 = *P. Pinaster*.  
*Chylla*, Lodd. Cat. (1836) 50 = *excelsa*.  
*cilicica*, Antoine & Kotschy, in Oestr. Bot. Wochenbl. iii. (1853) 409 = *Abies cilicica*.  
*cinerea*, Roehl. Deutschl. Fl. 376; ex Carr. Conif. ed. I. 246 = *Picea excelsa*.  
*clamaensis*, Carr. l. c. ed. II. 585 = *Hartwegii*.  
*Clanbrasiliana*, Forbes, Hort. Woburn. 210 = *Picea excelsa*.  
*clausa*, Vasey, Cat. For. Trees, 80; et Sargent, Rep. For. N. Am. (U. St. 10th Census, ix.) 199. — Florida.  
*coarctata*, Roezl, Cat. Sem. Conif. Mexic. (1857) 16 = *Montezumae*.  
*coerulea*, Lodd. ex Loud. Hort. Brit. 387 = *Picea alba*.  
*colchica*, Booth, ex Gord. Pinet. 166 = *halepensis*.  
*Colorado*, Parl. in DC. Prod. xvi. II. 407 = *P. Aya-cahuite*.

## PINUS:—

*commutata*, Parl. in DC. Prod. xvi. II. 417 = *Picea Engelmanni*.  
*Comonfortii*, Roezl, Cat. Sem. Conif. Mexic. (1857) 22 = *leiophylla*.  
*concolor*, Engelm. ex Gord. Pinet. 155 = *Abies concolor*.  
*conglomerata*, Graefer, ex Tenore, Syll. Fl. Neap. 477 = *pyrenaica*?  
*contorta*, Boland. in Proc. Calif. Acad. iii. (1866) 227 = *muricata*.  
*contorta*, Dougl. in Loud. Encyc. Trees, 975. f. 915. — Am. bor. occ.  
*cornea*, Roezl, ex Gord. Pinet. Suppl. 74 = *Montezumae*.  
*corrugata*, Roezl, ex Gord. l. c. = *Hartwegii*.  
*corsicana*, Loud. Arboret. Brit. iv. 2001 = *P. Laricio*.  
*Coulteri*, D. Don, in Trans. Linn. Soc. xvii. (1837) 440. — Calif.  
*Craigiana*, A. Murr. in Edinb. N. Phil. Journ. N. S. i. (Jan.-Apr. 1855) 288 = *ponderosa*.  
*cretacea*, Kalenicz. in Bull. Soc. Nat. Mosc. (1849) I. 295 (Quid?). — Russia.  
*cubensis*, Griseb. in Mem. Am. Acad. N. S. viii. (1863) 530. — Am. bor.; Ind. occ.  
*cubensis*, Hort. ex Gord. Pinet. 234 = *occidentalis*.  
*cupressoides*, Molini, Sagg. Chile, 168 = *Araucaria imbricata*?  
*dahurica*, Fisch. ex Turcz. in Bull. Soc. Nat. Mosc. (1838) I. 101; et ex Endl. Syn. Conif. 128 = *Larix dahurica*.  
*dalmatica*, Vis. Fl. Dalm. i. 199, in obs. = *P. Laricio*.  
*Damarra*, Steud. Nom. ed. I. 622 = *seq.*  
*Dammara*, Lamb. Pin. ed. I. i. 61. t. 38 = *Agathis loranthifolia*.  
*Davidiana*, W. R. M'Nab, in Prod. Roy. Irish Acad. Ser. II. ii. (1877) 702 = *Abies Davidiana*.  
*davurica*, Ledeb. Fl. Ross. iii. 673 = *dahurica*.  
*Decaisneana*, Roezl, Cat. Sem. Conif. Mexic. (1857) 19 = *Montezumae*.  
*Decandolleana*, Roezl, l. c. 22 = *leiophylla*.  
*decidua*, Wall. ex Carr. Conif. ed. I. 188 = *Tsuga Brunoniana*.  
*deflexa*, Torr. Bot. Mex. Bound. 209 = *Jeffreyi*.  
*densiflora*, Sieb. & Zucc. Fl. Jap. ii. 22. t. 112. — Japon.  
*denticulata*, Steud. Nom. ed. II. ii. 337 = *Picea nigra*.  
*Deodora*, Roxb. Hort. Beng. 69; Fl. Ind. iii. 651 = *Cedrus Libani*.  
*depauperata*, Roezl, ex Gord. Pinet. Suppl. 74; Carr. Conif. ed. II. 573 = *Montezumae*.  
*dependens*, Roezl, Cat. Sem. Conif. Mexic. (1857) 23 = *leiophylla*.  
*detritis*, Hort. Angl. ex Carr. Conif. ed. II. 467 = *P. Pinaster*.  
*devonianae*, Lindl. Bot. Reg. (1839) Misc. 62 = *Montezumae*.  
*Dicksonii*, Hort. ex Carr. Conif. ed. I. 300 = *excelsa*.  
*dioica*, Vell. Fl. Flum. x. tt. 55, 56 = *Araucaria brasiliana*.  
*divaricata*, Hort. ex Gord. Pinet. 163 = *Banksiana*.  
*Doelleriana*, Roezl, Cat. Sem. Conif. Mexic. (1857) 14 = *Montezumae*.  
*Don-Pedrii*, Roezl, l. c. 31 = *P. Ayacahuite*.  
*Douglasii*, Lamb. Gen. Pin. ed. II. iii. t. 90 = *Pseudo-tsuga Douglasii*.  
*dumosa*, D. Don, Prod. Fl. Nep. 55 = *Tsuga Bruno-niana*.  
*Durangensis*, Roezl, ex Gord. Pinet. 218 = *P. Aya-cahuite*.  
*echinata*, Hort. ex Carr. Conif. ed. I. 370 = *P. Pumilio*.  
*echinata*, Mill. Gard. Dict. ed. VIII. n. 12. — Am. bor.  
*Edgariana*, Hartw. in Journ. Hort. Soc. iii. (1848) 217 = *muricata*.  
*edulis*, Engelm. in Wislitz. Tour N. Mexico, 88. — N. Mexic.  
*effusa*, Salisb. Prod. 399 = *Cedrus Libani*.  
*Ehrenbergii*, Endl. Syn. Conif. 151 = *Hartwegii*.  
*Ehrenbergii*, Roezl, Cat. Sem. Conif. Mexic. (1857) 21 = *leiophylla*.  
*elegans*, Roezl, l. c. 12 = *Montezumae*.  
*Elliotii*, Engelm. in Sargent, Cat. For. Trees, 74; et in Trans. Acad. Sc. St. Louis, iv. (1880) 186 = *cubensis*.  
*Endlicheriana*, Roezl, Cat. Sem. Conif. Mexic. (1857) 19 = *Hartwegii*.  
*Engelmanni*, Carr. in Rev. Hortic. (1854) 227; et Conif. ed. I. 356. — Mexic.  
*Engelmanni*, Torr. in Pacif. Rail. Rep. iv. 141 = *pon-derosa*.

## PINUS:—

*ericetorum*, Thore, Promen. Gascogne, 32 (Quid?). — Gallia.  
*erzeroomica*, Calvert, ex Gord. Pinet. 186 = *sylvestris*.  
*escandoniana*, Roezl, Cat. Sem. Hort. Conif. Mexic. (1857) 24 = *P. Pseudo-strobus*.  
*Escarena*, Risso, Hist. Nat. Eur. ii. 340, 459 = *P. Pinaster*.  
*excelsa*, Lam. Fl. Fr. ii. 202 = *Picea excelsa*.  
*excelsa*, Wall. ex Lamb. Pin. ed. II. i. 40. t. 26; Wall. Pl. As. Rar. iii. 1. t. 201. — Reg. Himal.  
*excorticata*, Hort. ex Lindl. & Gord. in Journ. Hort. Soc. v. (1850) 217 = *Bungeana*.  
*exserta*, Roezl, Cat. Sem. Conif. Mexic. (1857) 27 = *P. Pseudo-strobus*.  
*falciformis*, Parl. in DC. Prod. xvi. II. 685. — Borneo.  
*fastuosa*, Salisb. Prod. 398 = *P. Pineae*.  
*Fenzleyi*, Antoine & Kotschy, ex Carr. in Rev. Hortic. (1864) 259 = *seq.*  
*Fenzlii*, Antoine & Kotschy, ex Carr. Conif. ed. II. 496 = *P. Laricio*.  
*fertilis*, Roezl, ex Gord. Pinet. Suppl. 76 = *cembroides*.  
*filifolia*, Lindl. Bot. Reg. (1840) Misc. 61. — Guate-mala.  
*Finhonnoskiana*, Parl. in DC. Prod. xvi. II. 431 = *Abies homolepis*.  
*Finlaysonianae*, Wall. Cat. n. 6062 = *Merkusii*.  
*firma*, Antoine, Conif. 70. t. 27/28 = *Abies firma*.  
*firma*, W. R. M'Nab, in Proc. Roy. Irish Acad. 28 (1876) 686 = *Abies brachyphylla*.  
*Fischeri*, Booth, ex Lodd. Cat. ed. (1836); P. Laws. Man. Conif. 333 = *P. Pumilio*.  
*flexilis*, James, in Long's Exped. ii. 27, 35. — Am. bor. occ.  
*flexilis*, A. Murr. Bot. Exped. Oregon, 1 = *albicaulis*.  
*Fortunei*, Parl. in DC. Prod. xvi. II. 430 = *Keteleeria Fortunei*.  
*fragilis*, Hort. ex Carr. Conif. ed. II. 457 = *P. Pineae*.  
*Fraseri*, Lodd. Cat. (1836) 50 = *rigida*.  
*Fraseri*, Pursh, Fl. Am. Sept. ii. 639 = *Abies Fraseri*.  
*Fremontiana*, Endl. Syn. Conif. 183 = *monophylla*.  
*Fremontiana*, Gord. in Journ. Hort. Soc. iv. (1849) 293 = *edulis*.  
*Frieseana*, Wichura, in Flora, xlii. (1859) 409 = *sylvestris*.  
*frondosa*, Roezl, ex Gord. Pinet. Suppl. 76 = *Hartwegii*.  
*futilis*, Sargent, Rep. For. N. Am. (U. St. 10th Census, ix.) 190, sphalm. = *fertilis*.  
*Galocote*, Roezl, ex Gord. Pinet. Suppl. 76 = *P. Teocote*.  
*Geitneri*, Roezl, l. c. = *Hartwegii*.  
*genevensis*, Hort. ex Carr. Conif. ed. I. 372 = *sylvestris*.  
*genuensis*, Cook, Sketch. Spain, ii. 236 = *halepensis*.  
*georgica*, Hort. ex Gord. Pinet. 187 = *palustris*.  
*Gerardi*, Forbes, Hort. Woburn. 210 = *seq.*  
*Gerardiana*, Wall. ex Lamb. Gen. Pin. ed. II. iii. 151. — Reg. Himal.  
*Ghiesbreghtii*, Hort. ex Carr. Conif. ed. II. 423. — Hab.?  
*glabra*, Walt. Fl. Carol. 237. — Am. bor.  
*glauca*, Moench, Verz. 73 = *Picea alba*.  
*glomerata*, Salisb. Prod. 398 = *P. Pinaster*.  
*Gordoniana*, Hartw. ex Gord. in Journ. Hort. Soc. ii. (1847) 79 = *Montezumae*.  
*gracilis*, Roezl, Cat. Sem. Hort. Conif. Mexic. (1857) 21 = *leiophylla*.  
*grandis*, Dougl. in Hook. Comp. Bot. Mag. ii. (1836) 147 = *Abies grandis*.  
*grandis*, Roezl, Cat. Sem. Conif. Mexic. (1857) 11 = *Montezumae*.  
*Greggii*, Engelm. ex Parl. in DC. Prod. xvi. II. 396. — Mexic.  
*Grenvilleae*, Gord. in Journ. Hort. Soc. ii. (1847) 77 = *Montezumae*.  
*Griffithii*, M'Clell. in Griff. Notul. iv. 17; Ic. Pl. As. iii. t. 365 (excl. anal.) = *excelsa*.  
*Griffithii*, Parl. in DC. Prod. xvi. II. 411 = *Larix Griffithii*.  
*Groselieri*, Carr. in Rev. Hortic. (1869) 126 = *monti-cola*.  
*Haageana*, Roezl, Cat. Sem. Conif. Mexic. (1857) 15 = *Montezumae*.  
*hagenaviensis*, Hort. ex C. Koch, Dendrol. ii. II. 274 = *sylvestris*.  
*haguenviensis*, Hort. ex Parl. in DC. Prod. xvi. II. 385 = *sylvestris*.  
*halepensis*, Bieb. Fl. Taur. Cauc. ii. 408 = *P. Laricio*.  
*halepensis*, Mill. Gard. Dict. ed. VIII. n. 8. — Reg. Mediterr.



## PINUS:—

- hamata*, Roetzl, Cat. Sem. Conif. Mexic. (1857) 32 = P. Ayacahuite.  
*Hamiltonii*, Tenore, Cat. Ort. Nap. (1845) 90 = P. Pinaster.  
*Harryana*, W. R. M'Nab, in Proc. Roy. Irish Acad. Ser. II. ii. (1876) 689 = *Abies homolepis*.  
*Hartwegii*, Lindl. Bot. Reg. (1839) Misc. 62. — Mexic.  
*Heldreichii*, Christ, in Verh. Naturf. Ges. Basel, N. S. iii. (1863) 549 = P. Laricio.  
*helenica*, Hort. ex C. Koch, Dendrol. ii. ii. 292 = P. Pinaster.  
*Hendersonii*, Roetzl, Cat. Sem. Conif. Mexic. (1857) 15 = *Montezumae*.  
*heteromorpha*, Roetzl, l. c. 28 = P. Pseudo-strobus.  
*heterophylla*, C. Koch, in *Linnaea*, xxii. (1849) 295. — Oriens.  
*heterophylla*, Presl, Epim. Bot. 236 = *parviflora*.  
*hierosolimitana*, Duham. Arbr. ii. 126 = *halepensis*.  
*hirtella*, H. B. & K. Nov. Gen. et Sp. ii. 5 = *Abies religiosa*.  
*hispanica*, Cook, Sketch. Spain, ii. 337 = *pyrenaica*.  
*holophylla*, Parl. in DC. Prod. xvi. ii. 424 = *Abies firma*.  
*homolepis*, Antoine, Conif. 78. t. 31. f. 1 = *Abies homolepis*.  
*Hookeriana*, W. R. M'Nab, in Proc. Irish Acad. Ser. II. ii. (1876) 212 = *Tsuga Hookeriana*.  
*horizontalis*, Roetzl, Cat. Sem. Conif. Mexic. (1857) 17 = *Montezumae*.  
*Hoseriana*, Roetzl, l. c. 24 = P. Pseudo-strobus.  
*hudsonica*, Poir. Encyc. v. 339 = *Banksiana*.  
*Hugeli*, Roetzl, ex Gord. Pinet. Suppl. 77 = P. Teocote.  
*huisquilucensis*, Roetzl, Cat. Sem. Conif. Mexic. (1857) 22 = *leiophylla*.  
*humilis*, Link, in Abh. Berl. Akad. 1827 (1830) 170 = *sylvestris*.  
*humistrata*, Carr. Conif. ed. II. 388 = P. Cembra.  
*inflexus*, Roetzl, Cat. Sem. Conif. Mexic. (1857) 19 = *Montezumae*.  
*inops*, Bong, in Mém. Acad. Pétersb. Sér. VI. ii. (1833) 163 = *contorta*.  
*inops*, [Soland. in] Ait. Hort. Kew. ed. I. iii. 367. — Am. bor.  
*insignis*, Dougl. ex Loud. Arboret. iv. 2243. f. 2132-2137. — Calif.  
*insularis*, Endl. Syn. Conif. 157. — Ins. Philipp.  
*intermedia*, Lodd. Cat. (1836); ex Parl. in DC. Prod. xvi. ii. 411 = *Larix leptolepis*.  
*intermedia*, Wangh. Beitr. Holz. Forst. Nord. Holz. 42. t. 16; Duroi, Baumz. ed. Pott, ii. 115 (err. typ. 114) = *Larix americana*.  
*interposita*, Roetzl, ex Gord. Pinet. Suppl. 78 = P. Teocote.  
*Iztacihuatlii*, Roetzl, Cat. Sem. Conif. Mexic. (1857) 30 = *Hartwegii*.  
*japonica*, Forbes, Pinet. Woburn. 33 = *densiflora*.  
*japonica*, Hort. ex Carr. Conif. ed. I. 365 = P. Pinaster.  
*japonica*, Hort. ex Carr. l. c. ed. II. 457 = P. Pinea.  
*japonica*, Parl. in DC. Prod. xvi. ii. 431 = *Picea japonica*.  
*japonica*, Thunb. Fl. Jap. 275 = *Larix japonica*.  
*Jeffreyana*, Loud. Encyc. Pl. ii. 1544 = seq.  
*Jeffreyi*, A. Murr. Bot. Exped. Oreg. 2, cum tab.; et ex A. Murr. in Edinb. N. Phil. Journ. xi. (1860) 224. — Calif.  
*jezoensis*, Antoine, Conif. 97. t. 37. f. 1 = *Picea sitchensis*.  
*Jostii*, Roetzl, Cat. Sem. Conif. Mexic. (1857) 15 = *filifolia*.  
*Kaempferi*, Lamb. Gen. Pin. ed. III. 7 = *Pseudolarix Kaempferi*.  
*kamtschatica*, Endl. Syn. Conif. 135 = *Pseudolarix Kaempferi*.  
*karamana*, Mast. in Gard. Chron. (1884) i. 480 = P. Laricio.  
*Kegelii*, Roetzl, ex Gord. Pinet. Suppl. 78 = P. Teocote.  
*Kasya*, Parl. in DC. Prod. xvi. ii. 390 = P. Khasya.  
*Keteleerii*, Roetzl, Cat. Sem. Conif. Mexic. (1857) 13 = *Montezumae*.  
*khasia*, Engelm. in Trans. Acad. Sc. St. Louis, iv. (1880) 179 = P. Khasya.  
*Khasya*, Royle, ex Gord. in Loud. Gard. Mag. xvi. (1840) 8 (Kesuja). — Reg. Himal.; Burma.  
*khasyana*, Griff. Notul. iv. 18 = P. Khasya.  
*Khutrow*, Royle, Illustr. Bot. Himal. 350, 353. t. 84. f. 1 = *Picea Morinda*.

## PINUS:—

- Kochiana*, Klotzsch, ex C. Koch, in *Linnaea*, xxii. (1849) 296 = *sylvestris*.  
*koraensis*, Sieb. & Zucc. Fl. Jap. ii. 28. t. 116. — Korea; Kamtschat.  
*Krelagii*, Roetzl, ex Gord. Pinet. Suppl. 78 = *Hartwegii*.  
*laeta*, Salisb. Prod. 399 = *Larix europaea*.  
*Lambertiana*, Dougl. in Trans. Linn. Soc. xv. (1827) 500. — Calif.  
*lanceolata*, Lamb. Gen. Pin. ed. I. i. 52 = *Cunninghamia sinensis*.  
*laricina*, Duroi, Obs. Bot. 49 = *Larix americana*.  
*Laricio*, Poir. Encyc. v. 339. — Europ. austr.  
*Laricio*, Santi, Viagg. Terz. 60. t. 1; Savi, Fl. Pisan. ii. 353 = P. Pinaster.  
*Larix*, Dougl. in Hook. Comp. Bot. Mag. ii. (1836) 109 = *Larix occidentalis*.  
*Larix*, Linn. Sp. Pl. 1001 = *Larix europaea*.  
*Larix*, Siev. in Pall. N. Nord. Beitr. vii. 229 = *Larix davurica*.  
*Larix*, Thunb. Fl. Jap. 275 = *Larix leptolepis*.  
*lasiocarpa*, [Balf.] in A. Murr. Bot. Exped. Oregon, 1 = *Abies concolor*.  
*lasiocarpa*, Hook. Fl. Bor. Am. ii. 163 = *Abies subalpina*.  
*latisquama*, Engelm. in Gard. Chron. (1882) ii. 712. — Mexic.  
*Latteri*, Mason, in Journ. As. Soc. Beng. (1849) i. 74 = *Merkusii*.  
*Lawsoni*, Roetzl, ex Gord. Pinet. Suppl. 64. — Mexic.  
*laxa*, Ehrh. Beitr. iii. 24 = *Picea alba*.  
*Ledebourii*, Endl. Syn. Conif. 131 = *Larix leptolepis*.  
*leioclada*, Stev. in Bull. Soc. Nat. Mosc. (1838) i. 44 = *Abies pectinata*.  
*leiophylla*, Schlecht. & Cham. in *Linnaea*, vi. (1832) 354. — Mexic.  
*Lemoniana*, Benth. in Trans. Hort. Soc. Ser. II. i. (1835) 512 = P. Pinaster.  
*leptolepis*, Endl. Syn. Conif. 130 = *Larix leptolepis*.  
*Lerdoi*, Roetzl, Cat. Sem. Conif. Mexic. (1857) 23 = *leiophylla*.  
*Leroyi*, Roetzl, ex Gord. Pinet. Suppl. 79 = *Montezumae*.  
*leucodermis*, Antoine, in Oestr. Bot. Zeitschr. xiv. (1864) 366 = P. Laricio.  
*leucosperma*, Maxim. in Bull. Acad. Pétersb. xxvii (1881) 558. — China.  
*Lindleyana*, Loud. ex Gord. in Journ. Hort. Soc. v. (1850) 215 = *Montezumae*.  
*Lindleyi*, Carr. Man. Pl. iv. 349 = *praec.*  
*Llaveana*, Schiede, in *Linnaea*, xii. (1838) 488 = *cembroides*.  
*Llaveana*, Torr. Bot. Mex. Bound. 208. t. 55 = *Parryana*.  
*Loddigesii*, Loud. Arboret. Brit. iv. 2269 = *rigida*.  
*Loiseleuriana*, Carr. Conif. ed. I. 382 = *pyrenaica*.  
*longifolia*, Roetzl, ex Hemsl. Biol. Centr. Am. Bot. iii. 187 = *Hartwegii*.  
*longifolia*, Roxb. Hort. Beng. 68; Fl. Ind. iii. 651. — Reg. Himal.  
*longifolia*, Salisb. Prod. 398 = *palustris*.  
*lophosperma*, Lindl. in Gard. Chron. (1860) 46 = *Torreyana*.  
*Loudoniana*, Gord. Pinet. 230 = P. Ayacahuite.  
*Lowiana*, W. R. M'Nab, in Proc. Roy. Irish Acad. Ser. II. ii. (1876) 680. t. 46. f. 5 = *Abies concolor*.  
*Lowii*, Roetzl, Cat. Sem. Conif. Mexic. (1857) 18 = *Hartwegii*.  
*lucida*, Salisb. Prod. 399 = *Abies pectinata*.  
*lutea*, Lodd. ex Gord. Pinet. 170 = *echinata*.  
*lutea*, Walt. Fl. Carol. 237 = *palustris*.  
*Lyallii*, Parl. in DC. Prod. xvi. ii. 412 = *Larix Lyallii*.  
*Mac-Intoshiana*, Hort. ex P. Laws. Cat. (1855) 15 = *contorta*.  
*macrocarpa*, Lindl. Bot. Reg. (1840) Misc. 61 = *Coulteri*.  
*macrophylla*, Engelm. in Wisliz. Tour N. Mexico, 103 = *Engelmanni*.  
*macrophylla*, Lindl. Bot. Reg. (1839) Misc. 63 = *Montezumae*.  
*macrophylla*, Torr. in Sitgreave's Rep. 173 = *ponderosa*.  
*maderiensis*, Tenore, Ind. Sem. Hort. Neap. (1854). — Cf. in Ann. Sc. Nat. Sér. IV. ii. (1854) 379 = P. Pinea.  
*magellensis*, Schouw, in Ann. Sc. Nat. Sér. III. iii. (1845) 233 = P. Pumilio.

## PINUS:—

- magnifica*, W. R. M'Nab, in Proc. Roy. Irish Acad. Ser. II. ii. (1876) 700 = *Abies magnifica*.  
*magnifica*, Roetzl, Cat. Sem. Conif. Mexic. (1857) 28 = *Montezumae*.  
*mandshurica*, Rupr. in Bull. Phys.-Math. Acad. Pétersb. xv. (1857) 382 = P. Cembra.  
*mariana*, Duroi, Obs. Bot. 38 = *Picea nigra*.  
*maritima*, R. Br. in Ait. Hort. Kew. ed. II. v. 315 = P. Laricio.  
*maritima*, Lam. Fl. Fr. ii. 201 = P. Pinaster.  
*maritima*, Mill. Gard. Dict. ed. VIII. n. 7 = *halepensis*.  
*marylandica*, Hort. ex Antoine, Conif. 88 = *Picea nigra*.  
*Massoniana*, D. Don, in Lamb. Pin. ed. II. ii. 16. t. 8. — China.  
*Massoniana*, Gord. Pinet. 176 = P. Pinaster.  
*Massoniana*, Hort. ex Mast. in Journ. Linn. Soc. xviii. (1881) 503 = *densiflora*.  
*Massoniana*, Sieb. & Zucc. Fl. Jap. ii. 24. t. 113, 114 = *Thunbergii*.  
*Maximowiczii*, Parl. in DC. Prod. xvi. ii. 431 = *Picea Maximowiczii*.  
*Menziesii*, Dougl. ex Lamb. Gen. Pin. ed. II. iii. 161. t. 71 = *Picea sitchensis*.  
*Merkiana*, Gord. Pinet. ed. II. 448 (Index) = *Merkusii*.  
*Merkusii*, Fungh. & De Vriese, Pl. Nov. Ind. Bat. Or. 5. t. 2. — Sumatra.  
*Mertensiana*, Bong. in Mém. Acad. Pétersb. Sér. VI. ii. (1833) 163 = *Tsuga Mertensiana*.  
*michoacensis*, Roetzl, Cat. Sem. Conif. Mexic. (1857) 26 = *Montezumae*.  
*microcarpa*, Lamb. Gen. Pin. ed. II. ii. 56. t. 37; ed. III. 87. t. 53 = *Larix americana*.  
*microcarpa*, Roetzl, Cat. Sem. Conif. Mexic. (1857) 21 = P. Teocote.  
*minor*, Hort. ex Loud. Hort. Brit. Suppl. ii. 657 = *halepensis*.  
*minor*, Loud. Encyc. Pl. 963. f. 1784 = P. Pinaster.  
*mitis*, Michx. Fl. Bor. Am. ii. 204 = *echinata*.  
*monophylla*, Hort. ex Parl. in DC. Prod. xvi. ii. 385 = *sylvestris*.  
*monophylla*, Torr. & Frém. Rep. 319. t. 4. — Am. bor. occ.  
*monspeliensis*, Salzm. ex Dun. in Mém. Acad. Montp. (Sect. Sc.) ii. (1851) 82 = P. Pinaster.  
*monstrosa*, Roetzl, Cat. Sem. Conif. Mexic. (1857) 11 = *Montezumae*.  
*montana*, Hoffm. Deutschl. Fl. ed. I. 340 = *sylvestris*.  
*montana*, Lam. Fl. Fr. iii. 651 = P. Cembra.  
*montana*, Mill. Gard. Dict. ed. VIII. n. 5 = P. Pumilio.  
*montana*, Schur, Enum. Pl. Transs. 946 (Index) = *Picea excelsa*.  
*monteragensis*, Godefr. ex Carr. Conif. ed. I. 353, sphalm. = seq.  
*montereyensis*, Rauch, ex Gord. Pinet. 197 = *insignis*.  
*Montezumae*, Gord. l. c. 232 = *Hartwegii*.  
*Montezumae*, Lamb. Gen. Pin. ed. I. iii. 149. t. 64. — Mexic.  
*Monti-Allegrii*, Roetzl, Cat. Sem. Conif. Mexic. (1857) 22 = *leiophylla*.  
*monticola*, Dougl. ex Lamb. l. c. t. 87. — Am. bor. occ.  
*Morinda*, Hort. ex Gord. Pinet. 12 = *Picea Morinda*.  
*Mugho*, Poir. Encyc. v. 336 = P. Pumilio.  
*Mughus*, Jacq. Ic. Pl. Rar. t. 193 = *sylvestris*.  
*Mughus*, Scop. Fl. Carn. ed. II. ii. 247 = P. Pumilio.  
*Mugo*, Turra, Fl. Ital. Prod. 67 = *sylvestris*.  
*Mulleriana*, Roetzl, Cat. Sem. Conif. Mexic. (1857) 21 = P. Teocote.  
*muricata*, Boland. in Proc. Calif. Acad. iii. (1866) 227 = *contorta*.  
*muricata*, D. Don, in Trans. Linn. Soc. xvii. (1837) 441. — Calif.  
*Murrayana*, [Balf.] Bot. Exped. Oreg. 2, cum ic.; A. Murr. in Trans. Bot. Soc. Edinb. vi. (1860) 351 = *contorta*.  
*Naphta*, Hort. ex Antoine, Conif. 80 = *Abies Pindrow*.  
*neglecta*, Low, ex Gord. Pinet. 176 = P. Pinaster.  
*Neilreichiana*, Reichardt, in Verh. Zool.-Bot. Ges. Wien (1876), 461. — Europ.  
*Neosa*, Govan, ex W. Baxt. in Loud. Hort. Brit. Suppl. ii. 658 = *Gerardiana*.  
*nepalensis*, Chambr. Trait. Arbr. Résin. Conif. 342 = *excelsa*.  
*nepalensis*, Royle, ex Lindl. & Gord. in Journ. Hort. Soc. v. (1850) 217 = P. Pinaster.



## PINUS:—

- Ne-plus-ultra*, Roetzl, ex Gord. Pinet. Suppl. 80 = Montezumae.  
*Nesselrodiana*, Roetzl, Cat. Sem. Conif. Mexic. (1857) 16 = Montezumae.  
*nigra*, Ait. Hort. Kew. ed. I. iii. 370 = *Picea nigra*.  
*nigra*, Link, in Abh. Berl. Akad. 1827 (1830) 173 = P. Laricio.  
*nigrescens*, Tenore, Fl. Nap. v. 366 = seq.  
*nigricans*, Host, Fl. Austr. ii. 628 = P. Laricio.  
*nitida*, Roetzl, Cat. Sem. Conif. Mexic. (1857) 29 = Montezumae.  
*nivea*, Booth, ex Carr. Conif. ed. I. 305 = P. Strobis.  
*nivea*, Hort. ex Carr. I. c. ed. II. 401 = *monticola*.  
*nobilis*, Dougl. ex Loud. Encyc. Pl. Suppl. i. 1276 = *Abies nobilis*.  
*nootkatensis*, Manetti, ex Gord. Pinet. Suppl. 67 = *ponderosa*.  
*Nordmanniana*, Stev. in Bull. Soc. Nat. Mosc. (1838) I. 45. t. 2 = *Abies Nordmanniana*.  
*Northumberlandiana*, Roetzl, Cat. Sem. Conif. Mexic. (1857) 13 = Montezumae.  
*nova-hollandica*, Lodd. ex Gord. Pinet. 176 = P. Pinaster.  
*nova-zelandica*, Lodd. ex G. Don, in Loud. Hort. Brit. 387 = P. Pinaster.  
*Novae-Hollandiae*, Lodd. ex Carr. Conif. ed. II. 466 = praec.  
*nummularia*, Gord. Pinet. 128 = *Larix leptolepis*.  
*Nuttallii*, Parl. in DC. Prod. xvi. ii. 412 = *Larix occidentalis*.  
*obliqua*, Saut. in Reichb. Fl. Germ. Excurs. 159 = P. Pumilio.  
*obovata*, Antoine, Conif. 96. t. 37. f. 2 = *Picea obovata*.  
*obovata*, Turcz. in Bull. Soc. Nat. Mosc. (1838) I. 101; xxvii. (1854) I. 412 = *Picea orientalis*.  
*Ocampii*, Roetzl, Cat. Sem. Conif. Mexic. (1857) 28 = Montezumae.  
*occidentalis*, H. B. & K. Nov. Gen. et Sp. ii. 4 = Montezumae.  
*occidentalis*, Sw. Prod. Veg. Ind. Occ. 103.—Ind. occ.  
*Ocote*, Roetzl, ex Gord. Pinet. Suppl. 81 = Montezumae.  
*Ocotechino*, Roetzl, ex Parl. in DC. Prod. xvi. ii. 401 = *leiophylla*.  
*Omorika*, Panč. Eine Oestl. Alp. (1876) 4; et in Gard. Chron. (1877) I. 620, 470 = *Picea Omorika*.  
*oocarpa*, Schiede, in Linnaea, xii. (1838) 491.—Mexic.; Guatem.  
*oocarpoides*, Lindl. ex Loud. Encyc. Trees, 1118 = praec.  
*orientalis*, Falk, Topog. Beitr. ii. 260 = *Haloxylon Ammodendron*.  
*orientalis*, Frivald. ex Carr. Conif. ed. I. 210 = *Picea excelsa*.  
*orientalis*, Linn. Sp. Pl. ed. II. 1421 = *Picea orientalis*.  
*Orisabae*, Gord. in Journ. Hort. Soc. i. (1846) 237 = P. Pseudo-strobis.  
*Origiesiana*, Roetzl, Cat. Sem. Conif. Mexic. (1857) 25 = Montezumae.  
*osteosperma*, Engelm. in Wislitz. Tour N. Mexico, 89 = *cembroides*.  
*Otteana*, Roetzl, ex Vilm. Cat. Conif. Mexiq. 18 = P. Teocote.  
*Padusia*, Ledeb. ex Gord. Pinet. 186 = *sylvestris*.  
*Pallasiana*, Lamb. Gen. Pin. ed. II. ii. t. 5 = P. Laricio.  
*Pallasii*, Parol. Hort. Bot. Parol. (1841) 3 = *pyrenaica*.  
*palmiensis*, Hort. ex Gord. Pinet. Suppl. 63 = seq.  
*Palmieri*, Manetti, ex Gord. I. c. = *palustris*.  
*palustris*, Mill. Gard. Dict. ed. VIII. n. 14.—Am. bor.  
*Papeleui*, Roetzl, Cat. Sem. Conif. Mexic. (1857) 31 = Hartwegii.  
*Paroliniana*, Webb, ex Carr. Conif. ed. I. 391 = P. Laricio.  
*Parolinii*, Vis. in Mem. Ist. Venet. vi. (1856) 243 = P. Laricio.  
*Parryana*, Engelm. in Am. Journ. Sc. Ser. II. xxxiv. (1862) 332, in nota.—Calif.  
*Parryana*, Gord. Pinet. 202 = *ponderosa*.  
*parviflora*, Sieb. & Zucc. Fl. Jap. ii. 27. t. 115.—Japon.  
*parvifolia*, Hort. ex Carr. Conif. ed. II. 385 = *parviflora*.  
*Pattoniana*, W. R. M'Nab, in Proc. Roy. Irish Acad. Ser. II. ii. (1876) 211, 212. t. 23. f. 2 = *Tsuga Mertensiana*.  
*Pattoniana*, Parl. in DC. Prod. xvi. ii. 429 = *Tsuga Pattoniana*.

## PINUS:—

- patula*, Schiede & Deppe, ex Schlecht. in Linnaea, xii. (1838) 488.—Mexic.  
*Pawlikowskiana*, Roetzl, ex Gord. Pinet. Suppl. 81 = Montezumae.  
*Paxtoni*, Roetzl, Cat. Sem. Conif. Mexic. (1857) 14 = Montezumae.  
*pectinata*, Lam. Fl. Fr. ii. 202 = *Abies pectinata*.  
*pendula*, Griff. in Journ. Trav. i. 287 = *Picea Morinda*.  
*pendula*, Salisb. Prod. 399 = *Larix americana*.  
*pendula*, [Soland. in] Ait. Hort. Kew. ed. I. iii. 369 = *Larix americana*.  
*Penicillus*, Lapeyr. Hist. Pl. Pyr. 63 = *pyrenaica*.  
*pentaphylla*, Carr. Conif. ed. II. 384 = *parviflora*.  
*persica*, Strangw. in Loud. Gard. Mag. xv. (1839) 130 = *halepensis*.  
*Pescatorei*, Roetzl, ex Vilm. Cat. Conif. Mexiq. 18 (Quid ?)—Mexic.  
*Peuce*, Griseb. Spicil. Fl. Rumel. ii. 349.—Macedon.  
*Picea*, Durol. Obs. Bot. 37 = *Picea excelsa*.  
*Picea*, Habl. Taur. 97 = P. Laricio.  
*Picea*, Linn. Sp. Pl. 1001 = *Abies pectinata*.  
*Picea*, Pall. Fl. Ross. i. I. 7 = *Abies sibirica*.  
*Pichta*, Fisch. ex Lodd. Cat. (1836) 50 = *Abies sibirica*.  
*Pinaster*, Bess. Fl. Galic. ii. 294 = P. Laricio.  
*Pinaster*, Loud. Arboret. 2218 = *Thunbergii*.  
*Pinaster*, [Soland. in] Ait. Hort. Kew. ed. I. iii. 367.—Reg. Mediterr.  
*Pinceana*, Gord. Pinet. 204.—Mexic.  
*Pindrow*, Royle, Illustr. Bot. Himal. 354. t. 86 = *Abies Webbiana*.  
*Pinea*, Gord. Pinet. ed. I. 179, partim = *densiflora*.  
*Pinea*, Habl. Taur. 97; ex Bieb. Fl. Taur. Cauc. ii. 408 = P. Laricio.  
*Pinea*, Linn. Sp. Pl. 1000.—Reg. Mediterr.  
*Pinsapo*, Boiss. Voy. Bot. Espagne, ii. 584 = *Abies Pinsapo*.  
*Pithyusa*, Strangw. ex Gord. in Loud. Gard. Mag. xvi. (1840) 638 = seq.  
*Pityusa*, Stev. in Bull. Soc. Nat. Mosc. (1838) I. 49 = *halepensis*.  
*Planchonii*, Roetzl, Cat. Sem. Conif. Mexic. (1857) 18 = Montezumae.  
*Poirretiana*, Hort. ex Gord. Pinet. 168 = P. Laricio.  
*polita*, Antoine, Conif. 95. t. 36. f. 1 = *Picea polita*.  
*ponderosa*, Dougl. in Loud. Arboret. iv. 2243. f. 2132—2137.—Am. bor. occ.  
*pontica*, C. Koch, in Linnaea, xxii. (1849) 297 = *sylvestris*.  
*Popocatepetlii*, Roetzl, Cat. Sem. Conif. Mexic. (1857) 33 = P. Ayacahuite.  
*porphyrocarpa*, [A. Murr.] in P. Laws. Pinet. Brit. i. 83 = *monticola*.  
*prasina*, Roetzl, Cat. Sem. Conif. Mexic. (1857) 24 = P. Pseudo-strobis.  
*protuberans*, Roetzl, I. c. 27 = P. Pseudo-strobis.  
*Pseudo-halepensis*, Denhardt, ex Carr. Conif. ed. I. 400 = *pyrenaica*.  
*Pseudo-larix*, Steud. Nom. ed. II. ii. 338 = *Larix leptolepis*.  
*Pseudo-strobis*, Gord. Pinet. 237 = Montezumae.  
*Pseudo-strobis*, Lindl. Bot. Reg. (1839) Misc. 63.—Mexic.  
*Pseudo-taeda*, Tenore, Ind. Sem. Hort. Neap. (1857); ex Parl. in DC. Prod. xvi. ii. 398.—Hab.?  
*pumila*, Hort. ex C. Koch, Dendrol. ii. II. 275 = *sylvestris*.  
*pumila*, Regel, Ind. Sem. Hort. Petrop. (1858) 23; in Bull. Soc. Nat. Mosc. xxxii. (1859) I. 211 = P. Cembra.  
*Pumilio*, Haenke, in Firasek, Beob. Riesengeb. (1791) 68.—Europ. austr.  
*pungens*, Lamb. ex Michx. Hist. Arb. Am. i. 61. t. 5.—Am. bor.  
*pygmaea*, Fisch. ex Endl. Syn. Conif. 142 = P. Cembra.  
*pygmaea*, Hort. ex C. Koch, Dendrol. ii. II. 275 = *sylvestris*.  
*pyramidalis*, Hort. ex Gord. Pinet. 168 = P. Laricio.  
*pyramidalis*, Reum. ex Antoine, Conif. 13 = P. Pumilio.  
*pyramidalis*, Salisb. Prod. 399 = *Picea excelsa*.  
*pyrenaica*, Lapeyr. Hist. Abr. Pl. Pyr. 146.—Europ. austr.; Pyren.  
*quadrifolia*, Parry, ex Parl. in DC. Prod. xvi. ii. 402 = *Parryana*.  
*radiata*, D. Don, in Trans. Linn. Soc. xvii. (1837) 442 = *insignis*.

## PINUS:—

- reflexa*, Engelm. in Coult. Bot. Gaz. vii. (1882) 4.—Am. bor. occ.  
*Regeliana*, Roetzl, Cat. Sem. Conif. Mexic. (1857) 29 = P. Pseudo-strobis.  
*Reginae-Ameliae*, C. Koch, Dendrol. ii. II. 391 (Index) = *Abies Apollinis*.  
*religiosa*, H. B. & K. Nov. Gen. et Sp. ii. 5 = *Abies religiosa*.  
*resinosa*, Loisel. Duham. Arb. ed. Nov. v. 237. f. 5 = *pyrenaica*.  
*resinosa*, Roetzl, Cat. Sem. Conif. Mexic. (1857) 30 = Hartwegii.  
*resinosa*, Savi, Fl. Pis. ii. 354 = *sylvestris*.  
*resinosa*, [Soland. in] Ait. Hort. Kew. ed. I. iii. 367.—Am. bor.  
*resinosa*, Torr. in Ann. Lyc. N. York, ii. (1828) 249 = *ponderosa*.  
*retracta*, Roetzl, ex Gord. Pinet. Suppl. 82 = Montezumae.  
*rhaetica* x, Bruegg. in Jahrb. Ber. Nat. Ges. Graub. II. xxiii-xxiv. (1880) 121.—Europ.  
*Richardiana*, Roetzl, Cat. Sem. Conif. Mexic. (1857) 18 = Montezumae.  
*rigensis*, Loud. Hort. Brit. 387, nomen = *sylvestris*.  
*rigida*, Hook. & Arn. Bot. Beech. Voy. 160 = *insignis*.  
*rigida*, Mill. Gard. Dict. ed. VIII. n. 10.—Am. bor.  
*rigida*, Porcher, Resources S. St. 584 = *echinata*.  
*Rinzii*, Roetzl, Cat. Sem. Conif. Mexic. (1857) 25 = Montezumae.  
*robusta*, Roetzl, I. c. 19 = Hartwegii.  
*Roetzlii*, Carr. Conif. ed. II. 575 = Hartwegii.  
*Rohanii*, Roetzl, Cat. Sem. Conif. Mexic. (1857) 25.  
*romana*, Hort. ex Loud. Arboret. iv. 2201 = seq.  
*romania*, Hort. ex Steud. Nom. ed. II. ii. 338 = seq.  
*romeniaca*, Cels, Cat. Arb. Pl. (1817) 28, nomen = P. Laricio.  
*rostrata*, Hort. ex C. Koch, Dendrol. ii. II. 280 = P. Pumilio.  
*rotundata*, Link, in Abh. Berl. Akad. 1827 (1830), 168 = P. Pumilio.  
*Royleana*, Jamieson, ex Lindl. in Journ. Hort. Soc. ix. (1855) 52 = *echinata*.  
*Roylei*, Lindl. ex Gord. Pinet. 170 = *echinata*.  
*rubescens*, Roetzl, Cat. Sem. Conif. Mexic. (1857) 17 = Montezumae.  
*rubra*, Lamb. Pin. ed. II. ii. 43. t. 28 = *Picea nigra*.  
*rubra*, Michx. f. Arb. Am. Sept. i. 45. t. 1 = *resinosa*.  
*rubra*, Mill. Gard. Dict. ed. VIII. n. 3 = *sylvestris*.  
*rubra*, Miq. Ann. Mus. Bot. Lugd. Bat. iii. 166 = *Massoniana*.  
*rubra*, Sieber, ex Gord. Pinet. Suppl. 58 = *densiflora*.  
*rubraeflora*, Loud. ex Gord. Pinet. 172 = P. Pumilio.  
*rudis*, Endl. Syn. Conif. 151 = Hartwegii.  
*rudis*, Roetzl, ex Gord. Pinet. Suppl. 70 = P. Pseudo-strobis.  
*Rumeliana*, Roetzl, Cat. Sem. Conif. Mexic. (1857) 12 = Montezumae.  
*rupestris*, Michx. f. Arbr. Am. Sept. i. 49. t. 2 = *Bankiana*.  
*Russelliana*, Lindl. Bot. Reg. (1839) Misc. 63 = Montezumae.  
*ruthenica*, Hort. ex Carr. Conif. ed. II. 471 = *inops*.  
*Sabiniana*, Dougl. in Trans. Linn. Soc. xvi. (1833) 749.—Calif.  
*Salsmanni*, Dun. in Mém. Acad. Montp. (Sect. Sc.) ii. (1851) 82 = P. Laricio.  
*Sancta-helenica*, Loud. ex Carr. Conif. ed. II. 466 = P. Pinaster.  
*sanguinea*, Lapeyr. Hist. Abr. Pl. Pyr. 557 = P. Pumilio.  
*san-rafaeliana*, Roetzl, Cat. Conif. Mexic. (1857) 13 = Montezumae.  
*saskatchewanensis*, Hook. ex Parl. in DC. Prod. xvi. ii. 381 = *contorta*.  
*sativa*, Lam. Fl. Fr. ii. 200 = *Picea excelsa*.  
*scarina*, Hort. Cels, ex Steud. Nom. ed. II. ii. 338 = P. Pinaster.  
*scariosa*, Lodd. Cat. (1836) 56; ex Loud. Encyc. Trees, 953 = *sylvestris*.  
*Schrenkiana*, Antoine, Conif. 97 = *Picea orientalis*.  
*scoparia*, Roetzl, Cat. Sem. Conif. Mexic. (1857) 30 = Hartwegii.  
*scopifera*, Miq. in Zoll. Syst. Verz. Ind. Archip. 82 = *densiflora*.  
*scotica*, Willd. ex Endl. Syn. Conif. 172 = *sylvestris*.  
*selenolepis*, Parl. in DC. Prod. xvi. ii. 427 = *Abies Veitchii*.



**PINUS** :—

- serenagensis*, Madden, ex Gord. Pinet. 200 = *longifolia*.  
*serotina*, Hort. — Cf. Bon Jard. (1837) 976; ex Antoine, Confif. 23 = *palustris*.  
*serotina*, Michx. Fl. Bor. Am. ii. 205. — Am. bor.  
*Shasta*, Carr. Confif. ed. II. 390 = *albicaulis*.  
*sibirica*, Lodd. Cat. ex Carr. I. c. 352 = *Larix dahurica*.  
*sibirica*, Turcz. in Bull. Soc. Nat. Mosq. (1838) I. 101; xxvii. (1854) I. 412 = *Abies sibirica*.  
*Sieboldii*, W. R. M'Nab, in Proc. Roy. Irish Acad. Ser. II. ii. (1876) 213 = *Tsuga Sieboldii*.  
*Sinclairiana*, Carr. Confif. ed. I. 355 = *ponderosa*.  
*Sinclairii*, Hook. & Arn. Bot. Beech. Voy. 392 = *insignis*, *ponderosa*.  
*sinensis*, Endl. Syn. Confif. 158, partim = *P. Khasya*.  
*sinensis*, Lamb. Gen. Pin. iii. t. 2. — China.  
*sitchensis*, Bong. in Mém. Acad. Pétersb. Sér. VI. ii. (1833) 164 = *Picea sitchensis*.  
*Skinneri*, Hort. ex Carr. Confif. ed. I. 313 = *oocarpa*.  
*Skinnerii*, Forbes, ex Gord. Pinet. 223 = *filifolia*.  
*Smithiana*, D. Don, ex Lamb. Gen. Pin. iii. t. 88 = *Picea Morinda*.  
*Smithiana*, Wall. Cat. n. 6063 = *Picea Morinda*.  
*Soulangeana*, Roehl, Cat. Sem. Confif. Mexic. (1857) 11 = *Montezumae*.  
*spectabilis*, Lamb. Gen. Pin. ed. II. ii. 3; D. Don, Prod. Fl. Nep. 55 = *Abies Webbiana*.  
*spinosa*, Roehl, Cat. Sem. Confif. Mexic. (1857) 12 = *Montezumae*.  
*spinulosa*, Griff. Notul. iv. 17 = *Picea Morinda*.  
*squamosa*, Bosc, in Nouv. Cours Agric. ed. XI. 479; et Loud. Arboret. iv. 2292 = *P. Pumilio*.  
*squarrosa*, Kalenicz. in Bull. Soc. Nat. Mosc. xxii. (1849) I. 295 (Quid ?). — Russia.  
*squarrosa*, Walt. Fl. Carol. 237 (Quid ?). — Carolin.  
*Stendishii*, Roehl, Cat. Sem. Confif. Mexic. (1857) 30 = *Hartwegii*.  
*striata*, Buch.-Ham. ex Gord. Pinet. 160 = *Abies Webbiana*.  
*strobiformis*, Engelm. in Wislitz. Tour N. Mexico, 102 = *P. Ayacahuite*.  
*Strobis*, Buch.-Ham. Acc. Nepal. 83 = *excelsa*.  
*Strobis*, Linn. Sp. Pl. 1001. — Am. bor.  
*Strobis*, Thunb. Fl. Jap. 275 = *koraensis*.  
*subarctica*, Schur, Enum. Pl. Transs. 946 (Index) = *P. Pumilio*.  
*subpatula*, Roehl, ex Gord. Pinet. Suppl. 84 = *patula*.  
*sudeticus*, Ungarisches Magaz. iii. 38; ex Carr. Confif. ed. II. 476 = *P. Pumilio*.  
*suffruticosa*, Roehl, ex Gord. Pinet. Suppl. 84 = *Hartwegii*.  
*sumatrana*, Hort. ex Mirb. in Mém. Mus. Par. xiii. (1825) 69 = *Merkusii*.  
*sylvestris*, Baumg. Enum. Stirp. Transs. ii. 304 = *P. Laricio*.  
*sylvestris*, Gouan, Fl. Monsp. 418 = *halepensis*.  
*sylvestris*, Herb. Finlays. ex Lour. Fl. Cochinch. ed. Willd. 709 = *Merkusii*.  
*sylvestris*, Linn. Sp. Pl. 1001. — Europ.; As. bor.  
*sylvestris*, Lour. Fl. Cochinch. 579 = *Massoniana*.  
*sylvestris*, Mill. Gard. Dict. ed. VIII. n. 1 = *P. Pinaster*.  
*sylvestris*, Thunb. Fl. Jap. 274 = *Thunbergii*.  
*syrtica*, Thore, Promen. Gascogne, 161 = *P. Pinaster*.  
*tabulaeformis*, Hort. ex Carr. Confif. ed. II. 510 = *Thunbergii*.  
*tabulaeformis*, Hort. ex C. Koch, Dendrol. ii. II. 320 = *P. Strobis*.  
*Taeda*, Blanco, Fl. Filip. ed. I. 767 = *insularis*.  
*Taeda*, Linn. Sp. Pl. 1000. — Am. bor.  
*Tamrac*, A. Murr. in Gard. Chron. (1869) 191 = *contorta*.  
*tatarica*, Hort. ex Carr. Confif. ed. I. 389 = *P. Laricio*.  
*tatarica*, Hort. ex C. Koch, Dendrol. ii. II. 289 = *halepensis*.  
*tatarica*, Mill. Gard. Dict. ed. VIII. n. 4 = *sylvestris*.  
*taurica*, Lodd. Cat. (1836); ex Loud. Arboret. iv. 2202 = *P. Laricio*.  
*taurina*, Steud. Nom. ed. II. ii. 339, sphalm. = *praec.*  
*taxifolia*, Lamb. Gen. Pin. ed. I. 27. t. 33 = *Pseudotsuga Douglasii*.  
*taxifolia*, Salisb. Prod. 399 = *Abies balsamea*.  
*Tchugatskoi*, Fisch. ex Henk. & Hochst. Syn. Nadelh. 157 = *Abies cilicica*.  
*tenangaensis*, Roehl, Cat. Sem. Confif. Mexic. (1857) 10 = *Montezumae*.

**PINUS** :—

- tenuifolia*, Benth. Pl. Hartw. 92. — Guatemala.  
*tenuifolia*, Salisb. Prod. 399 = *P. Strobis*.  
*Teocote*, Cham. & Schlecht. in Linnaea, v. (1830) 76. — Mexic.  
*tetragona*, Moench, Meth. 364 = *Picea alba*.  
*Thibaudiana*, Roehl, Cat. Sem. Confif. Mexic. (1857) 15 = *Montezumae*.  
*Thilemannii*, Roehl, I. c. 16 = *Montezumae*.  
*Thunbergii*, Parl. in DC. Prod. xvi. II. 388. — Japon.  
*timoriensis*, Loud. Arboret. Brit. iv. 2269 = *insularis*.  
*tinctoria*, Wall. ex D. Don, Prod. Fl. Nep. 55 = *Abies Webbiana*.  
*tlamacaensis*, Roehl, ex Gord. Pinet. Suppl. 85 = *Hartwegii*.  
*tomacacaensis*, Roehl, I. c. = *Montezumae*.  
*Torreyana*, Parry, ex Torr. in Bot. Mex. Bound. 210. t. 58. — Calif.  
*tortuosa*, Steud. Nom. ed. II. ii. 339 = *sylvestris*.  
*Troubeskoiiana*, Roehl, Cat. Sem. Confif. Mexic. (1857) 11 = *Montezumae*.  
*Tschonoskiana*, Parl. in DC. Prod. xvi. II. 431 = *Abies homolepis*.  
*Tschugatskoi*, Hort. ex C. Koch, Dendrol. ii. II. 221 = *Tchugatskoi*.  
*Tsuga*, Antoine, Confif. 83. t. 32. f. 2 = *Tsuga Sieboldii*.  
*tuberculata*, D. Don, in Trans. Linn. Soc. xvii. (1836) 442 = *insignis*.  
*tuberculata*, Gord. in Journ. Hort. Soc. iv. (1849) 218, cum tab.; et Pinet. 211. — Calif.  
*tumida*, Roehl, ex Gord. Pinet. Suppl. 85 = *P. Teocote*.  
*turbinata*, Bosc, ex Loud. Encyc. Trees, 975 = *inops*.  
*tzompoliana*, Roehl, Cat. Sem. Confif. Mexic. (1857) 24 = *P. Pseudo-strobis*.  
*uliginosa*, Neum. ex Wimm. in Uebers. Arb. Schles. Ges. 1837 (1838) 96 = *P. Pumilio*.  
*umbacatiferia*, Hort. ex C. Koch, Dendrol. ii. II. 320 = *P. Strobis*.  
*uncinata*, Ram. ex DC. Fl. Fr. iii. 726 = *P. Pumilio*.  
*uncinata*, Steud. Nom. ed. II. ii. 339 = *sylvestris*.  
*valida*, Roehl, Cat. Sem. Confif. Mexic. (1857) 16 = *Montezumae*.  
*Van-Geertii*, Roehl, I. c. 13 = *Montezumae*.  
*Van-Houttei*, Roehl, I. c. 14 = *Montezumae*.  
*variabilis*, Lamb. Gen. Pin. ed. II. i. 25. t. 16 = *inops*.  
*variabilis*, Pursh, Fl. Am. Sept. ii. 643 = *echinata*.  
*variegata*, Hort. ex C. Koch, Dendrol. ii. II. 290 = (Quid ?). — Hab. ?  
*Veitchii*, W. R. M'Nab, in Proc. Roy. Irish Acad. (1876) 686 = *Abies Veitchii*.  
*Veitchii*, Roehl, Cat. Sem. Confif. Mexic. (1857) 32 = *P. Ayacahuite*.  
*venusta*, Dougl. in Hook. Comp. Bot. Mag. ii. (1836) 152 = *Abies bracteata*.  
*verrucosa*, Roehl, Cat. Sem. Confif. Mexic. (1857) 22 = *leiophylla*.  
*Verschaffeltii*, Roehl, I. c. 29 = *Montezumae*.  
*verticillata*, Siebold, in Verh. Batav. Gen. xii. (1830) 12 = *Sciadopitys verticillata*.  
*Vilmoriniana*, Roehl, Cat. Sem. Confif. Mexic. (1857) 20 = *P. Teocote*.  
*viminalis*, Alstroem. in Vet. Acad. Handl. Stockh. (1777) 310 = *Picea excelsa*.  
*virescens*, Neill. Nachtr. 68 = *Picea alba*.  
*virginiana*, Mill. Gard. Dict. ed. VIII. n. 9 = *inops*.  
*Webbiana*, Wall. ex Lamb. Gen. Pin. ed. II. i. 77. t. 44 = *Abies Webbiana*.  
*Wilsonii*, Roehl, Cat. Sem. Confif. Mexic. (1857) 19 = *Montezumae*.  
*Winchesteriana*, Gord. in Journ. Hort. Soc. ii. (1847) 158 = *Montezumae*.  
*Wrightii*, Engelm. in Trans. Acad. Sc. St. Louis, iv. (1880) 185. — Am. bor.  
*Zacatlanae*, Roehl, Cat. Sem. Confif. Mexic. (1857) 26 = *Montezumae*.  
*zamoraensis*, Roehl, ex Gord. Pinet. Suppl. 86 = *filifolia*.  
*Zitacuaria*, Gord. Pinet. 267 = *seq.*  
*Zitacuarii*, Roehl, Cat. Sem. Confif. Mexic. (1857) 29 = *Montezumae*.
- PINZONA**, Mart. & Zucc. in Abh. Akad. Muench. i. (1832) 371 = *Curatella*, Linn. (Dillen.).  
*calineoides*, Eichl. in Mart. Fl. Bras. xiii. I. 71. — Ins. Guadeloup.  
*coriacea*, Mart. & Zucc. in Abh. Akad. Muench. i. (1837) 371 = *C. americana*.

**PIOCTONON**, Rafin. Sylva Tellur. 88 (1838) = **Heliotropium**, Tourn. (Borag.).  
*antillanum*, Rafin. I. c. — Ind. occ.  
*persicum*, Rafin. I. c. = *H. persicum*.  
*ternatum*, Rafin. I. c. = *H. fruticosum*.

- PIONANDRA**, Miers, in Hook. Lond. Journ. Bot. iv. (1845) 353 = **Cyphomandra**, Mart. (Solan.).  
*allophylla*, Miers, in Seem. Bot. Voy. Herald, 174 = *C. allophylla*.  
*betacea*, Miers, in Hook. Lond. Journ. Bot. iv. (1845) 358 = *C. betacea*.  
*cajanumensis*, Miers, I. c. 363 = *C. cajanumensis*.  
*capsicoides*, Miers, I. c. 360 = *C. capsicoides*.  
*ciliata*, Miers, ex Sendt. in Mart. Fl. Bras. x. 123 = *C. ciliata*.  
*coriacea*, Miers, in Hook. Lond. Journ. Bot. iv. (1845) 363 = *C. coriacea*.  
*cornigera*, Miers, Illustr. South Am. Pl. ii. 140 = *C. cornigera*.  
*crotonifolia*, Miers, in Hook. Lond. Journ. Bot. iv. (1845) 364 = *Solanum crotonifolium*.  
*cylindrica*, Miers, Illustr. South Am. Pl. ii. 140 = *C. cylindrica*.  
*diploconos*, Miers, in Hook. Lond. Journ. Bot. iv. (1845) 357 = *C. diploconos*.  
*divaricata*, Miers, I. c. 361 = *C. divaricata*.  
*elliptica*, Miers, Illustr. South Am. Pl. ii. 140 = *C. elliptica*.  
*flagrans*, Miers, in Hook. Lond. Journ. Bot. iv. (1845) 364 = *Solanum inaequale*.  
*floribunda*, Miers, I. c. 354 = *C. diploconos*.  
*fragrans*, Miers, I. c. 357 = *C. fragrans*.  
*Fraxinella*, Miers, Illustr. South Am. Pl. ii. 140 = *C. Fraxinella*.  
*Gardneri*, Miers, in Hook. Lond. Journ. Bot. iv. (1845) 358 = *C. calycina*.  
*Hartwegii*, Miers, I. c. 363 = *C. Hartwegii*.  
*laxiflora*, Miers, Illustr. South Am. Pl. ii. 140 = *C. laxiflora*.  
*narensis*, Miers, in Hook. Lond. Journ. Bot. iv. (1845) 364 = *Solanum narensis*.  
*obliqua*, Miers, I. c. 359 = *C. obliqua*.  
*oxyphylla*, Miers, Illustr. South Am. Pl. ii. 140 = *C. oxyphylla*.  
*pendula*, Miers, in Hook. Lond. Journ. Bot. iv. (1845) 359 = *C. pendula*.  
*pinnata*, Miers, in Ann. & Mag. Nat. Hist. Sér. II. xv. (1855) 199. — Bras.  
*premaefolia*, Miers, in Hook. Lond. Journ. Bot. iv. (1845) 360 = *C. Velloziana*.  
*pubescens*, Miers, I. c. 356 = *C. sciadostylis*.  
*Tegore*, Miers, I. c. 362 = *C. Tegore*.  
*trachyphyllum*, Miers, I. c. 364 = *Solanum trachyphyllum*.  
*velutina*, Miers, Illustr. South Am. Pl. ii. 140 = *C. velutina*.  
*viridiflora*, Miers, in Hook. Lond. Journ. Bot. iv. (1845) 359 = *C. viridiflora*.

**PIPALIA**, Stokes, Bot. Mat. Med. iv. 456 (1812) = **Litsea**, Lam. (Laurin.).  
*solitaria*, Stokes, I. c. = *L. Sebifera*.

**PIPARIA**, Aubl. Pl. Gui. ii. App. 30. t. 386 (1775) = **Casearia**, Jacq. (Samyd.).  
*dentata*, Aubl. I. c. 31. t. 386 = *C. dentata*.  
*multiflora*, Gaertn. f. Fruct. iii. 231. t. 224. f. 1 = *C. javitensis*.

**PIPER**, Linn. Gen. ed. I. 333 (1737). **PIPERACEAE**, Benth. & Hook. f. iii. 129.

- AMALAGO**, Rafin. Sylva Tellur. 84 (1838).  
**ARTANTHE**, Miq. Comm. Phyt. 40. t. 7, 8 (1840).  
**BETELA**, Rafin. Sylva Tellur. 85 (1838).  
**CALLIANIRA**, Miq. Syst. Pip. 344 (1843).  
**CARPUNYA**, Presl, Epim. Bot. 228 (1850).  
**CARPUPICA**, Rafin. Sylva Tellur. 85 (1838).  
**CAULOBRYON**, Klotzsch, ex C. DC. in DC. Prod. xvi. I. 240 (1869).  
**CHAVICA**, Miq. Syst. Pip. 222 (1843).  
**CHURUMAYA**, Rafin. Sylva Tellur. 85 (1838).  
**COCCOBRYON**, Klotzsch, in Miq. Syst. Pip. 343 (1843).  
**CUBEBA**, Rafin. Sylva Tellur. 84 (1838).  
**ENCKEA**, Kunth, in Linnaea, xiii. (1839) 590.  
**GONISTUM**, Rafin. Sylva Tellur. 85 (1838).  
**HECKERIA**, Kunth, in Linnaea, xiii. (1839) 564.  
**LEPIANTHES**, Rafin. Sylva Tellur. 84 (1838).



## PIPER:—

- MACROPIPER, Miq. Comm. Phyt. 35 (1840).  
 METHYSTICUM, Rafin. Sylva Tellur. 85 (1838).  
 MULDERA, Miq. Comm. Phyt. 34 (1840).  
 NEMATANTHERA, Miq. in Linnaea, xviii. (1844) 606.  
 t. 11.  
 OTTONIA, Spreng. Neue Entdeck. i. 255 (1820).  
 OXODIUM, Rafin. Sylva Tellur. 85 (1838).  
 PELTOBYRON, Klotzsch, in Miq. Syst. Pip. 369  
 (1843).  
 PEPPERIDIA, Kostel. Allg. Med. Pharm. Fl. ii. 455  
 (1831).  
 PIPERIPHORUM, Neck. Elem. iii. 294 (1790).  
 POTHOMORPHE, Miq. Comm. Phyt. 36 (1840).  
 QUEBITEA, Aubl. Pl. Gui. ii. 838 t. 327 (1775).  
 RHYNCHOLEPIS, Miq. Syst. Pip. 282 (1843).  
 SCHILLERIA, Kunth, in Linnaea, xiii. (1839) 609,  
 726.  
 SCHIZONEPHOS, Griff. Notul. iv. 383 (1854).  
 SERRONIA, Gaudich. in Deless. Ic. Sel. iii. 54. t. 90  
 (1837).  
 SPHAEROSTACHYS, Miq. Syst. Pip. 375 (1843).  
 STEFFENSIA, Kunth, in Linnaea, xiii. (1839) 609,  
 726.  
 SUENSONIA, Gaudich. ex Miq. Syst. Pip. 535  
 (1843).  
 abbreviatum, Opiz, in Presl, Rel. Haenk. i. 157 =  
 P. Chaba, Blume.  
 abutilifolium, C. DC. in DC. Prod. xvi. i. 372.—  
 Bras.  
 abutiloides, Kunth, in Linnaea, xiii. (1839) 721.—  
 Bras.  
 acarouanyanum, C. DC. in DC. Prod. xvi. i. 311.—  
 Guian.  
 accrescens, Heurck & Muell. Arg. in Heurck, Obs. Bot.  
 118.—Ind. or.  
 acre, Blume, in Verh. Batav. Gen. xi. (1826) 185. f. 13.  
 —Java.  
 aculeatum, C. DC. in Journ. Bot. iv. (1866) 216.—  
 Bras.  
 acuminatum, Forst. f. Prod. 5 = Peperomia rhom-  
 boidea.  
 acuminatum, Linn. Sp. Pl. 30 = Peperomia obliqua.  
 acuminatum, Pers. Syn. i. 35 = Peperomia acuminata.  
 acutifolium, Hort. Berol. ex Steud. Nom. ed. II. ii. 339  
 = tuberculatum.  
 acutifolium, Poepp. ex Kunth, in Linnaea, xiii. (1839)  
 614 = mollicomum.  
 acutifolium, Ruiz & Pav. Fl. Per. 38. t. 64. f. a.—  
 Peruv.  
 adenandrum, C. DC. in DC. Prod. xvi. i. 273.—  
 Guian.  
 adenophorum, C. DC. l. c. 274.—Guian.  
 adscendens, Endl. Prod. Fl. Norf. 36 = Peperomia  
 Baueriana.  
 aduncum, Linn. Sp. Pl. 29.—Am. trop.  
 aduncum, Vell. Fl. Flum. 26; i. t. 60 = hirsutum.  
 aemulum, Endl. Prod. Fl. Norf. 36 = Peperomia reflexa.  
 aequale, Vahl, Eclog. i. 4. t. 3.—Am. trop.  
 affine, C. DC. in DC. Prod. xvi. i. 286.—Guian.  
 affine, Mart. & Gal. in Bull. Acad. Brux. x. (1843) 129  
 = Peperomia quadrifolia.  
 Afzelianum, Schult. Mant. i. 235 = subpeltatum.  
 aggregatum, Berg, in Act. Helv. vii. (1777) 181. t. 10  
 = Lacistema myricoides.  
 alare, Ham. Prod. Pl. Ind. Occ. 3.—Guian.  
 alatum, Vahl, Enum. i. 342 = Peperomia alata.  
 albido-punctatum, Blume, in Verh. Batav. Gen. xi.  
 (1826) 190. f. 16.—Java.  
 albidum, H. B. & K. Nov. Gen. et Sp. i. 55.—N.  
 Granat.  
 albo-maculatum, D. Dietr. Syn. Pl. i. 117 = variegatum.  
 album, Vahl, Enum. i. 334.—Java.  
 alnoides, Kunth, in Linnaea, xiii. (1839) 643.—Bras.  
 alpinum, C. DC. in DC. Prod. xvi. i. 328.—Ecuador.  
 alpinum, Sw. Prod. Veg. Ind. Occ. 15 = Peperomia  
 alpina.  
 alsinoides, Lam. Illustr. i. 82 = Peperomia alsinoides.  
 alveolatum, Opiz, in Presl, Rel. Haenk. i. 155.—  
 Peruv.  
 Amalago, Linn. Sp. Pl. 29.—Ind. occ.  
 amazonicum, C. DC. in DC. Prod. xvi. i. 272.—Bras.  
 ambiguum, Salisb. Prod. 11 = medium.  
 amboinense, C. DC. in DC. Prod. xvi. i. 347.—  
 Malaya.  
 amplexens, C. DC. l. c. 293.—Bras.  
 amplexicaule, Sw. Prod. Veg. Ind. Occ. 16 = Peperomia  
 amplexicaulis.

## PIPER:—

- amplexifolium, Link, Enum. Hort. Berol. i. 38 =  
 Peperomia amplexifolia.  
 amplifolium, C. DC. in DC. Prod. xvi. i. 262.—Bras.  
 amplum, Kunth, in Linnaea, xiii. (1839) 618.—Bras.  
 andicola, H. B. & K. Nov. Gen. et Sp. i. 55.—Peruv.  
 androgynum, C. DC. in Journ. Bot. iv. (1866) 165.—  
 N. Granat.  
 angulatum, Poir. Encyc. Suppl. iv. 468 = Peperomia  
 angulata.  
 angustatum, Poir. l. c. 469 = Peperomia angustata.  
 angustifolium, Lam. Illustr. i. 81 = consanguineum.  
 angustifolium, Pav. ex C. DC. in DC. Prod. xvi. i.  
 324 = Schlechtendalia.  
 angustifolium, Roxb. Hort. Beng. 80; Fl. Ind. i. 161  
 = Peperomia Roxburghiana.  
 angustifolium, Ruiz & Pav. Fl. Per. i. 38.—Peruv.  
 angustum, Spreng. Syst. i. 108, sphalm. = angustum.  
 anisatum, H. B. & K. Nov. Gen. et Sp. i. 58.—Vene-  
 zuela.  
 anisodorum, Blanco, Fl. Filip. ed. II. 16 = margi-  
 natum.  
 anisodorum, Naves, ex Villar, in Blanco, l. c. ed. III.  
 Nov. App. 175 = P. Betle.  
 anisumolens, Blanco, l. c. ed. I. 23 = marginatum.  
 anonaefolium, Kunth, in Linnaea, xiii. (1839) 619.—  
 Guian.  
 apiculatum, C. DC. in DC. Prod. xvi. i. 273.—Bras.  
 appendiculatum, C. DC. l. c. 369.—Ecuador.  
 arborescens, Miq. in Hook. Lond. Journ. Bot. iv.  
 (1845) 438 = bantamense.  
 arborescens, Miq. Syst. Pip. 320; Wight, Ic. t. 1900,  
 partim.—Ind. or.  
 arborescens, Roxb. Hort. Beng. 80; Fl. Ind. i. 159 =  
 Thottea dependens.  
 arborescens, Thw. Enum. Pl. Zeyl. 293 = caninum.  
 arborescens, Wall. Cat. n. 6648 A = miniatum.  
 arboreum, Aubl. Pl. Gui. i. 23 = macrophyllum, verru-  
 cosum.  
 arcuatum, Blume, in Verh. Batav. Gen. xi. (1826) 180.  
 f. 11.—Java.  
 arcuatum, Opiz, in Presl, Rel. Haenk. i. 151 = Opizi-  
 anum.  
 arcuatum, Thw. Enum. Pl. Zeyl. 293 = caninum,  
 zeylanicum.  
 areolatum, C. DC. in DC. Prod. xvi. i. 303.—Peruv.  
 argyrophyllum, Miq. Syst. Pip. 330.—Zeylan.  
 arifolium, Hort. ex Miq. in Mart. Fl. Bras. iv. i. 9 =  
 Peperomia arifolia.  
 aristolochioides, Lam. Illustr. i. 80 = pyrifolium.  
 Arnottianum, C. DC. in DC. Prod. xvi. i. 352 =  
 P. Chaba, Hunter.  
 aromaticum, Lam. Illustr. i. 79 = nigrum.  
 aromaticum, Willd. Enum. Hort. Berol. Suppl. 3 =  
 Peperomia inaequalifolia.  
 Artanthe, C. DC. in DC. Prod. xvi. i. 271.—N.  
 Granat.  
 artanthopse, C. DC. in Mém. Soc. Phys. Genève. xviii.  
 (1866) 245.—Costa Rica.  
 arthanopse, C. DC. in Journ. Bot. iv. (1866) 161 =  
 praec.  
 articulatum, A. Rich. Fl. Cub. Fanerog. ii. 227.—  
 Cuba.  
 articulosum, Parodi, in Anal. Soc. Cient. Argent. vi.  
 (1878) 91; Contrib. 101.—Reg. Argent.  
 asarifolium, D. Dietr. Syn. Pl. i. 111 = Peperomia  
 asarifolia.  
 asperifolium, Rich. in Act. Soc. Hist. Nat. Par. i.  
 (1792) 105.—Guian.  
 asperifolium, Ruiz & Pav. Fl. Per. i. 37. t. 56. f. b.—  
 Peruv.  
 asperisculum, H. B. & K. Nov. Gen. et Sp. i. 51 =  
 hirsutum.  
 asperum, Pers. Syn. i. 33 = scabrum.  
 atrosanguineum, C. DC. in Linnaea, xxxvii. (1871-73)  
 338.—Bras.  
 attenuatum, Buch.-Ham. ex Wall. Cat. n. 6642 B.—  
 Ind. or.; Malaya.  
 attenuatum, Herb. ex Link, Jahrb. i. III. (1820) 63 =  
 laevigatum.  
 augustum, Rudge, Ic. Pl. Gui. 10. t. 7.—Guian.  
 aurantiacum, Wall. Cat. n. 6658 A.—Reg. HIMAL.  
 aurantiacum, Wall. l. c. 6658 B (sp. diversa).—Reg.  
 HIMAL.  
 auriculatum, Blume, in Verh. Batav. Gen. xi. (1826)  
 171. t. 8 = miniatum.  
 auriculatum, C. DC. in DC. Prod. xvi. i. 372.—  
 Bras.

## PIPER:—

- auritum, H. B. & K. Nov. Gen. et Sp. i. 54.—Mexic.  
 auritum, Sieber, ex Kunth, in Linnaea, xiii. (1839)  
 698 = dilatatum.  
 australasicum, C. DC. in DC. Prod. xvi. i. 353 =  
 hederaceum.  
 australe, A. Cunn. ex Miq. in Hook. Lond. Journ. Bot.  
 iv. (1845) 423 = Peperomia leptostachya.  
 austro-caledonicum, C. DC. in DC. Prod. xvi. i. 346.—  
 N. Caled.  
 avanum, Wall. Cat. n. 6661.—Burma.  
 avellanum, C. DC. in DC. Prod. xvi. i. 302.—Guian.  
 avene, Hassk. Cat. Hort. Bog. Alt. 71 = Peperomia  
 Reinwardtiana.  
 baccans, C. DC. in DC. Prod. xvi. i. 279.—Bras.  
 baccatum, Blume, in Verh. Batav. Gen. xi. (1826)  
 172. t. 3. f. 9.—Java.  
 baccatum, C. DC. in DC. Prod. xvi. i. 242 = nigrum.  
 bahiense, C. DC. l. c. 371.—Bras.  
 Banksii, Miq. in Versl. en Med. Kon. Akad. Wetensch.  
 II. ii. (1868) 61.—Austral.  
 bantamense, Blume, in Verh. Batav. Gen. xi. (1826)  
 164. t. 3. f. 5 = caninum.  
 Baptisium, C. DC. in DC. Prod. xvi. i. 253.—Bras.  
 barbatum, H. B. & K. Nov. Gen. et Sp. i. 55.—  
 Ecuador.  
 Barclayanum, C. DC. in DC. Prod. xvi. i. 336.—Ins.  
 Tobia.  
 Bartlingianum, C. DC. l. c. 257.—Guian.  
 Baryanum, C. DC. l. c. 272.—Bras.  
 basellaefolium, Poir. Encyc. Suppl. iv. 468 = Pepe-  
 romia basellaefolia.  
 basellaefolium, Wall. Cat. n. 6665 = Peperomia Wal-  
 lichii.  
 begoniaefolium, Hook. & Arn. Bot. Beech. Voy. 310.  
 —Mexic.  
 Bennettianum, C. DC. in DC. Prod. xvi. i. 287.—Bras.  
 Benthianum, C. DC. l. c. 264.—Venezuela.  
 Berlandieri, C. DC. l. c. 295.—Mexic.  
 Berteroanum, C. DC. l. c. 249.—Mexic.  
 Betel, Blanco, Fl. Filip. ed. I. 22 = seq.  
 Betle, Linn. Sp. Pl. 28.—Ind. or.; Malaya.  
 bidentatum, Stokes, Bot. Mat. Med. i. 79 = P. Betle.  
 bilineatum, Blume, in Verh. Batav. Gen. xi. (1826)  
 231; Enum. Pl. Jav. fasc. i. 75 = Peperomia bili-  
 neata.  
 birmanicum, C. DC. in Journ. Bot. iv. (1866) 163 =  
 Peperomia rostrata.  
 biunciale, Poir. Encyc. Suppl. iv. 467 = Peperomia  
 biuncialis.  
 Blanchetii, C. DC. in DC. Prod. xvi. i. 318.—Bras.  
 blandum, Jacq. Coll. iii. 210 = Peperomia blanda.  
 blattarum, Spreng. Neue Entdeck. ii. 100.—Portorico.  
 boehmeriaefolium, Wall. Cat. n. 6654 A.—Reg.  
 HIMAL.; Burma.  
 bogotense, C. DC. in Journ. Bot. iv. (1866) 214.—N.  
 Granat.  
 Boissierianum, C. DC. in DC. Prod. xvi. i. 305.—  
 N. Granat.  
 Boivinii, C. DC. in Journ. Bot. iv. (1866) 164.—Ins.  
 Mascar.  
 bolivianum, C. DC. in DC. Prod. xvi. i. 280.—Bolivia.  
 bombycatum, Noronha, in Verh. Batav. Gen. v. (1790)  
 ed. I. Art. iv. 23 = P. Lowong.  
 Bontianum, C. DC. in DC. Prod. xvi. i. 314.—Bras.  
 borbonense, C. DC. l. c. 339 = pyrifolium.  
 borneense, N. E. Br. in Gard. Chron. (1882) i. 108.—  
 Borneo.  
 botrytes, Vahl, Enum. i. 321.—Am. austr.  
 Boucheanum, C. DC. in DC. Prod. xvi. i. 254.—  
 Bras.  
 Bourgeau, C. DC. in Linnaea, xxxvii. (1871-73) 358.  
 —Mexic.  
 brachyphyllum, Willd. Enum. Hort. Berol. Suppl. 3 =  
 Peperomia trinervis.  
 brachypodon, C. DC. in DC. Prod. xvi. i. 327.—Ins.  
 Gorgona.  
 brachystachyum, C. DC. l. c. 296.—Ecuador.  
 brachystachyum, Vahl, Enum. i. 354 = Peperomia  
 brachystachya.  
 brachystachyum, Wall. Cat. n. 6656, partim = peepu-  
 loides.  
 brachystachyum, Wall. l. c. partim.—Reg. HIMAL.  
 bracteatum, Thomps. in Trans. Linn. Soc. ix. (1808)  
 203. t. 21. f. 2 = Peperomia scandens.  
 brasiliense, C. DC. in DC. Prod. xvi. i. 259.—Bras.  
 Bredemeyeri, Jacq. Eclog. 125. f. 84.—Am. austr.  
 brevicaulis, Poir. Encyc. Suppl. iv. 458.—Ind. occ.



## PIPER:—

brevispicatum, *Opiz, in Presl, Rel. Haenk.* i. 151. t. 28. f. 1.—Hab. ?  
 brevistipatum, *C. DC. in Linnaea*, xxxvii. (1871-73) 338.—Bras.  
 Brongniartii, *C. DC. in DC. Prod.* xvi. i. 327.—Peruv.  
*bullatum*, Vahl, Enum. i. 313 = rugosum.  
*bullosum*, *C. DC. in Journ. Bot.* iv. (1866) 165.—N. Granat.  
 Burenii, *C. DC. in Linnaea*, xxxvii. (1871-73) 347.—Bras.  
*burmanum*, *C. DC. in DC. Prod.* xvi. i. 356, sphalm. = seq.  
*buruanum*, *Miq. Ann. Mus. Bot. Lngd. Bat.* i. 141.—Ins. Sunda.  
 cabellense, *C. DC. in DC. Prod.* xvi. i. 305.—Venezuela.  
 cabralanum, *C. DC. l. c.* 282.—Bras.  
 caladiifolium, *C. DC. l. c.* 330.—Mexic.  
 calceolarium, *C. DC. in Journ. Bot.* iv. (1866) 217.—N. Granat.  
*calceolatum*, *C. DC. in DC. Prod.* xvi. i. 307 = calceolarium.  
 caldense, *C. DC. in Linnaea*, xxxvii. (1871-73) 343.—Bras.  
 californicum, *Presl, Rel. Haenk.* i. 160.—Calif.  
*callosum*, *Opiz, in Presl, l. c.* i. 152 = P. Chaba, *Hunter*.  
*callosum*, *Ruiz & Pav. Fl. Per.* i. 34. t. 53. f. a.—Peruv.  
 calocoma, *C. DC. in DC. Prod.* xvi. i. 264.—N. Granat.  
 Cambessedesii, *C. DC. l. c.* 271.—Bras.  
*canaliculatum*, Klotzsch, ex *Miq. Fl. Ind. Bat.* i. ii. 440 = miniatum.  
*canaliculatum*, *Opiz, in Presl, Rel. Haenk.* i. 156.—Ins. Philipp.  
*candelarianum*, *C. DC. in Linnaea*, xxxvii. (1871-73) 357.—Costa Rica.  
*candidum*, *Blume, Cat. Gew. Buitenz.* 33 = *Peperomia candida*.  
 caninum, *Blume, in Verh. Batav. Gen.* xi. (1826) 214. f. 26.—Ind. or.; Malaya.  
 capense, *Linn. f. Suppl.* 90.—Afr. austr.  
 caraboboense, *C. DC. in DC. Prod.* xvi. i. 259.—Venezuela.  
 caracasana, *Bredem. ex Link, Jahrb.* i. iii. (1820) 61.—Venezuela.  
*caracasana*, *Opiz, ex Presl, Rel. Haenk.* i. 155 = controversum.  
 cardiophyllum, *C. DC. Prod.* xvi. i. 374.—Mexic.  
 caripense, *H. B. & K. Nov. Gen. et Sp.* i. 48.—Venezuela.  
 carpinifolium, *C. DC. in DC. Prod.* xvi. i. 255.—Bras.  
 Carponya, *Ruiz & Pav. Fl. Per.* i. 37. t. 63. f. b.—Peruv.  
*Carpupija*, *Pers. Syn.* i. 31 = praec.  
 cartagoanum, *C. DC. in Linnaea*, xxxvii. (1871-73) 350.—Costa Rica.  
 casapiense, *C. DC. in DC. Prod.* xvi. i. 367.—Peruv.  
 Casimirianum, *Hemsl. Biol. Centr. Am. Bot.* iii. 46.—Nicaragua.  
 cassinoides, *D. Dietr. Syn. Pl.* i. 111 = *Peperomia alsinoides*.  
 cassinoides, *Opiz, in Presl, Rel. Haenk.* i. 153.—Peruv.  
*catalpaefolium*, *H. B. K. Nov. Gen. et Sp.* i. 58 = marginatum.  
*caudatum*, *Vahl, Eclog. Am.* i. 3 = marginatum.  
 ceanothifolium, *H. B. & K. Nov. Gen. et Sp.* i. 56.—Venezuela.  
 celebicum, *Blume, in Verh. Batav. Gen.* xi. (1826) 157.—Ins. Celebes.  
*celtidifolium*, *Desf. Cat. Hort. Par. ed.* III. 414 = unguiculatum.  
*celtidifolium*, *Ham. Prod. Pl. Ind. Occ.* 3.—Ind. occ.  
*celtidifolium*, *H. B. & K. Nov. Gen. et Sp.* i. 50 = aduncum.  
*celtidiforme*, *Opiz, in Presl, Rel. Haenk.* i. 152.—Ins. Philipp.  
 ceramicum, *C. DC. in DC. Prod.* xvi. i. 350.—Malaya.  
 cernuum, *Opiz, ex DC. l. c.* 385 = dimidiatum.  
 cernuum, *Vell. Fl. Flum.* 25; i. t. 58.—Bras.  
 ceylanicum, *C. DC. in DC. Prod.* xvi. i. 242 = trineuron.  
 Chaba, *Blume, in Verh. Batav. Gen.* xi. (1826) 168.—Borneo.

## PIPER:—

Chaba, *Hunter, in As. Res.* ix. (1809) 391.—Ind. or.; Malaya.  
 Chamissonis, *Steud. Nom. ed.* II. ii. 340.—Mexic.  
 chavicoideus, *C. DC. in DC. Prod.* xvi. i. 307.—Bras.  
 Chawya, *Buch.-Ham. in Wall. Cat. n.* 6650 C = P. Betle.  
*chelseanum*, *Roem. & Schult. Syst.* i. 337 = tomentosum.  
 chilense, *C. DC. in DC. Prod.* xvi. i. 367.—Chili.  
 chimonanthifolium, *Kunth, in Linnaea*, xiii. (1839) 628.—Bras.  
 chinantlense, *Mart. & Gal. in Bull. Acad. Brux.* x. (1843) 131.—Mexic.  
 chinense, *Miq. in Hook. Lond. Journ. Bot.* iv. (1845) 430.—China.  
 Churumayu, *Ruiz & Pav. Fl. Per.* i. 35. t. 58. f. b.—Peruv.  
 Chuyya, *Miq. Syst. Pip.* 267 = P. Betle.  
 Chuyya, *Roxb. Hort. Beng.* 4, nomen; *Hunter, ex C. DC. in DC. Prod.* xvi. i. 353 (sp. dub.)—Siam.  
 ciliatum, *C. DC. in Linnaea*, xxxvii. (1871-73) 347.—Bras.  
*ciliatum*, *Poir. Encyc. Suppl.* iv. 469 = *Peperomia ciliata*.  
*ciliatum*, *Vent. ex Wawra, Bot. Ergeb.* Maxim. Bras. 132 = *Peperomia trinervis*.  
 cinereum, *C. DC. in Journ. Bot.* iv. (1866) 214.—N. Granat.  
*circinnatum*, *Schult. Mant.* i. 245 = *Peperomia circinnata*.  
 circulare, *Desf. ex C. DC. in DC. Prod.* xvi. i. 444 = *Peperomia circinnata*.  
 citrifolium, *Lam. Illustr.* i. 80.—Guian.  
*citrifolium*, *Link, Jahrb.* i. iii. (1820) 63 = Hoffmans-eggianum.  
*citrifolium*, *Schott, ex Miq. in Mart. Fl. Bras.* iv. i. 56 = colubrinum.  
 Claussenianum, *C. DC. in DC. Prod.* xvi. i. 275.—Bras.  
*clusiaefolium*, *Jacq. Coll.* iii. 209 = *Peperomia obtusifolia*.  
 Clusii, *C. DC. in DC. Prod.* xvi. i. 340.—Afr. trop.  
*clypeatum*, *Wall. Cat. n.* 6665 A et B (Fici sp.)—Ind. or.  
 cuernavacanum, *C. DC. in Linnaea*, xxxvii. (1871-72) 363, sphalm. = cuernavacanum.  
 coccoloboides, *Kunth, l. c.* xiii. (1839) 666.—Bras.  
 colipanum, *C. DC. l. c.* xxxvii. (1871-73) 349.—Mexic.  
 colonum, *Presl, Bot. Bemerk.* 112 = nigrum.  
*coloratum*, *Poir. Encyc. Suppl.* iv. 467 = *Peperomia colorata*.  
*colubrinum*, *Link, Jahrb.* i. iii. (1820) 61.—Bras.  
*commutatum*, *Steud. Nom. ed.* II. ii. 340 = plantagineum.  
*concaum*, *Vahl, Enum.* i. 350 = *Peperomia concava*.  
 concinnum, *C. DC. in DC. Prod.* xvi. i. 328.—Bras.  
 concinnum, *Haw. Rev. Pl. Succ.* 198 = *Peperomia concinna*.  
 confusum, *C. DC. in Journ. Bot.* iv. (1866) 211.—Cuba.  
*congestum*, *Poir. Encyc. Suppl.* iv. 469 = *Peperomia congesta*.  
*conjugatum*, *Poir. l. c.* 466 = *Peperomia conjugata*.  
 consanguineum, *Kunth, in Linnaea*, xiii. (1839) 623.—Guian.  
 controversum, *Steud. Nom. ed.* II. ii. 340.—Mexic.  
*convexum*, *Blume, in Verh. Batav. Gen.* xi. (1826) 236 = *Peperomia convexa*.  
 corallifalense, *C. DC. in DC. Prod.* xvi. i. 266.—Bras.  
 corcovadense, *C. DC. l. c.* 255.—Bras.  
 cordatum, *C. DC. in Journ. Bot.* iv. (1866) 213.—Peruv.  
*cordifolium*, *Sw. Prod. Veg. Ind. Occ.* 15 = *Peperomia cordifolia*.  
*cordillerianum*, *C. DC. in DC. Prod.* xvi. i. 332 = umbellatum.  
 cordovanum, *C. DC. in Linnaea*, xxxvii. (1871-73) 352.—Mexic.  
 cordulatum, *C. DC. in Journ. Bot.* iv. (1866) 217.—Panama.  
 coriaceum, *Vahl, Enum.* i. 314 = *Peperomia coriacea*.  
 cornifolium, *H. B. & K. Nov. Gen. et Sp.* i. 52.—N. Granat.  
 coruscans, *H. B. & K. l. c.* 53.—N. Granat.  
*corylifolium*, *Kunth, in Linnaea*, xiii. (1839) 699 = dilatatum.

## PIPER:—

corylistachyon, *C. DC. in DC. Prod.* xvi. i. 346.—Ins. Philipp.  
 cosmianum, *C. DC. l. c.* 257.—Bras.  
 costaricense, *C. DC. l. c.* 323.—Costa Rica.  
 crassifolium, *C. DC. l. c.* 301.—Bras.  
 crassinervium, *H. B. & K. Nov. Gen. et Sp.* i. 48.—N. Granat.  
 crassipes, *Korth. ex C. DC. in DC. Prod.* xvi. i. 344.—Malaya.  
 crassispicatum, *Opiz, in Presl, Rel. Haenk.* i. 152.—Panama.  
 crassum, *Blume, in Verh. Batav. Gen.* xi. (1826) 189. f. 15.—Java.  
*crassum*, *Vell. Fl. Flum.* 25; i. t. 59 = densespicatum.  
*crebrinerve*, *Willd. ex Link, Jahrb.* i. iii. (1820) 63 = tumidum.  
*crebrinode*, *Kunth, in Linnaea*, xiii. (1839) 655 = tumidum.  
 crocatum, *Ruiz & Pav. Fl. Per.* i. 35. t. 55. f. a.—Peruv.  
*crystallinum*, *Vahl, Enum.* i. 341 = *Peperomia crystallina*.  
 Cubeba, *Boj. Hort. Maurit.* 355 = pyrifolium.  
 Cubeba, *Linn. f. Suppl.* 90.—Malaya.  
 Cubeba, *Vahl, Enum.* i. 332 = caninum.  
 cubense, *C. DC. in Journ. Bot.* iv. (1866) 163.—Cuba.  
 cuernavacanum, *C. DC. in Linnaea*, xxxvii. (1871-73) 363 (cuernavacanum).—Mexic.  
 cujabanum, *Manso, ex Miq. in Mart. Fl. Bras.* iv. i. 54.—Bras.  
 cumanense, *H. B. & K. Nov. Gen. et Sp.* i. 47.—Venezuela.  
 cumaralense, *C. DC. in DC. Prod.* xvi. i. 262.—N. Granat.  
 cumbotianum, *C. DC. l. c.* 268.—Venezuela.  
 Cumingianum, *Miq. Syst. Pip.* 329.—Malaya.  
 cuneatum, *Hook. ex Miq. in Hook. Lond. Journ. Bot.* iv. (1845) 429.—Ins. S. Vincent.  
*cuneifolium*, *D. Dietr. Syn. Pl.* i. 119 = prunifolium.  
*cuneifolium*, *Jacq. Coll.* iv. 127 = *Peperomia obtusifolia*.  
 Curumaya, *D. Dietr. Syn. Pl.* i. 117 = P. Churumayu.  
 curvatum, *Ruiz & Pav. Fl. Per.* i. 36. t. 54. f. a.—Peruv.  
 cuspidatum, *Ham. Prod. Pl. Ind. Occ.* 3.—Ins. S. Doming.  
 cyrtopodon, *C. DC. in DC. Prod.* xvi. i. 337.—Bras.  
 darienense, *C. DC. l. c.* 374.—Panama.  
 dasyoura, *C. DC. l. c.* 269.—Peruv.  
 dasypodium, *C. DC. l. c.* 304.—Peruv.  
 decipiens, *C. DC. l. c.* 273.—Mexic.  
 decrescens, *C. DC. l. c.* 251.—Mexic.  
 decumanum, *Aubl. Pl. Gui.* i. 21; *Vahl, Enum.* i. 331 = marginatum.  
 decumanum, *Linn. Diss. Herb. Amb. in Amoen. Acad.* v. 128.—Ind. occ.  
 decumanum, *Mill. Gard. Dict. ed.* VIII. n. 9 = Millii.  
 decurrens, *C. DC. in Journ. Bot.* iv. (1866) 215.—Costa Rica.  
 demeraranum, *C. DC. in DC. Prod.* xvi. i. 298.—Guian.  
 dendrophilum, *D. Dietr. Syn. Pl.* i. 108.—Mexic.  
 densespicatum, *Steud. Nom. ed.* II. ii. 340.—Bras.  
 densum, *Blume, in Verh. Batav. Gen.* xi. (1826) 193. f. 18.—Java.  
 denudans, *C. DC. in DC. Prod.* xvi. i. 324.—Bras.  
 denudatum, *Opiz, ex Presl, Rel. Haenk.* i. 158.—Ins. Philipp.  
 dependens, *Vahl, Enum.* i. 338 = *Peperomia dependens*.  
 Deppeanum, *D. Dietr. Syn. Pl.* i. 112 = *Peperomia Deppeana*.  
 Descourtilsianum, *C. DC. in DC. Prod.* xvi. i. 281.—Mexic.  
 diandrum, *C. DC. in Linnaea*, xxxvii. (1871-73) 364.—Mexic.  
 dichotomum, *Hort. Par. ex Kunth, l. c.* xiii. (1839) 594 = unguiculatum.  
 dichotomum, *Poepp. ex Kunth, l. c.* 647 = P. Pseudomollicoma.  
 dichotomum, *Pohl, ex Miq. in Mart. Fl. Bras.* iv. i. 70 = Pohlianum.  
 dichotomum, *Ruiz & Pav. Fl. Per.* i. 35. t. 60.—Peruv.  
 diffusum, *Blume, ex Miq. in Linnaea*, xx. (1847) 130 = sarmentosum.  
 diffusum, *Vahl, Enum.* i. 333 = attenuatum.



## PIPER:—

- dilatatum, Pohl, ex Miq. in Mart. Fl. Bras. iv. i. 57.—Bras.  
*dilatatum*, Reichb. ex Kunth, in Linnaea, xiii. (1839) 698 = *ulmifolium*.  
*dilatatum*, Rich. in Act. Soc. Hist. Nat. Par. i. (1792) 105.—Am. austr.  
*dimidiatum*, C. DC. in DC. Prod. xvi. i. 371.—Bras.  
*diospyrifolium*, Kunth, in Linnaea, xiii. (1839) 627.—Bras.  
*discolor*, Balb. ex Kunth, l. c. 592 = *unguiculatum*.  
*discolor*, Schlecht. l. c. v. (1830) 74 = *Schlechtendalii*.  
*discolor*, Sw. Prod. Veg. Ind. Occ. 15 = *Peperomia discolor*, Loud.  
*discolorum*, Desf. Cat. Hort. Par. ed. III. 414.—Hab. ?  
*disjunctum*, C. DC. in Linnaea, xxxvii. (1871-73) 334.—Mexic.  
*dissimile*, Poir. Encyc. Suppl. iv. 468 = *Peperomia blanda*.  
*distachyon*, Hill, Syst. Veg. xxvi. 20. t. 20. f. 1.—Am. austr.  
*distachyon*, Linn. Sp. Pl. 30 = *Peperomia distachya*.  
*divaricatum*, G. F. W. Mey. Prim. Fl. Esseq. 15.—Guian.  
*divergens*, C. DC. in DC. Prod. xvi. i. 371.—Bras.  
*diversifolium*, Poir. Encyc. Suppl. iv. 467 = *Peperomia diversifolia*.  
*dolabrilforme*, Poir. l. c. 464 = *Peperomia dolabrilformis*.  
*Dombeyanum*, C. DC. in DC. Prod. xvi. i. 332 = *umbellatum*.  
*dubium*, A. Dietr. Sp. Pl. i. 694 = *celtidifolium*.  
*dubium*, Miq. Syst. Pip. 339 = *Perrottetii*.  
*Duchassaingii*, C. DC. in DC. Prod. xvi. i. 251.—Ins. Guadeloup.  
*dumosum*, Rudge, Pl. Gui. 13. t. 14.—Guian.  
*Dupasquieri*, C. DC. in Linnaea, xxxvii. (1871-72) 361.—Bras.  
*egense*, C. DC. in DC. Prod. xvi. i. 264.—Bras.  
*ellipticum*, Hook. & Arn. Bot. Beech. Voy. 443.—Nicaragua.  
*ellipticum*, Lam. Illustr. i. 83 = *Peperomia elliptica*.  
*ellipticum*, Roem. & Schult. Syst. i. 328 = *celebicum*.  
*elongatum*, C. DC. in DC. Prod. xvi. i. 243.—Bras.  
*elongatum*, Poir. Encyc. Suppl. iv. 466 = *Peperomia elongata*.  
*elongatum*, Vahl, Enum. i. 312 = *angustifolium*.  
*emarginatum*, Vahl, l. c. 339 = *Peperomia emarginata*.  
*emarginellum*, Sw. ex Wikstr. in Vet. Akad. Handl. Stockh. (1827) 56; Adnot. Bot. 2 = *Peperomia emarginella*.  
*Enckea*, C. DC. in DC. Prod. xvi. i. 244.—Bras.  
*epigynum*, C. DC. in Linnaea, xxxvii. (1871-73) 346.—Costa Rica.  
*epunctatum*, C. DC. in DC. Prod. xvi. i. 338.—Bras.  
*eriopodum*, C. DC. l. c. 284.—N. Granat.  
*estrellense*, C. DC. l. c. 272.—Bras.  
*eucalyptifolium*, Rudge, Ic. Pl. Gui. 10. t. 6.—Guian.  
*eucalyptiphyllum*, C. DC. in DC. Prod. xvi. i. (err.) 492.—Bras.  
*eucalyptophyllum*, C. DC. l. c. 252 = *praec.*  
*evonymifolium*, Kunth, in Linnaea, xiii. (1839) 624 = *lanceolatum*.  
*exasperatum*, Vahl, Enum. i. 332.—Ind. or.  
*excavatum*, Ruiz & Pav. Fl. Per. i. 34. t. 54. f. b.—Peruv.  
*excelsum*, Forst. f. Prod. 5.—Austral.; N. Zel.; Ins. Pacif.  
*exiguum*, Blume, in Verh. Batav. Gen. xi. (1826) 232 = *Peperomia exigua*.  
*eximium*, Kunth, in Linnaea, xiii. (1839) 665 = *obliquum*.  
*exsectum*, Mart. in Flora, xx. (1837) II. Beibl. 93.—Bras.  
*exserens*, C. DC. in DC. Prod. xvi. i. 261.—Bras.  
*extensum*, Roem. & Schult. Syst. i. 325 = *Peperomia elongata*.  
*Fadyenii*, C. DC. in DC. Prod. xvi. i. 284.—Ind. occ.  
*falcatum*, A. Dietr. Sp. Pl. i. 639 = *Opizianum*.  
*fallax*, Vahl, Enum. i. 335 = *nigrum*.  
*fasciculare*, Rudge, Ic. Pl. Gui. t. 4 = *Lacistema myricoides*.  
*fasciculatum*, Ruiz & Pav. Syst. Veg. 362 = *umbellatum*.  
*Fendlerianum*, C. DC. in Journ. Bot. iv. (1866) 213.—Venezuela.

VOL. II.

## PIPER:—

- fernandezianum*, Bert. ex Steud. Nom. ed. II. ii. 340 = *Peperomia fernandeziana* ?  
*filiforme*, Pers. Syn. i. 34 = *Peperomia filiformis*.  
*filiforme*, Sw. Prod. Veg. Ind. Occ. 16 = *Peperomia obtusifolia*.  
*Finlaysonianum*, Wall. Cat. n. 6657.—Siam.  
*firmum*, C. DC. in DC. Prod. xvi. i. 242.—Malaya.  
*Fischerianum*, C. DC. l. c. 277.—Mexic.  
*fistulosum*, C. DC. in Journ. Bot. iv. (1866) 212.—N. Granat.  
*flagellare*, H. B. & K. Nov. Gen. et Sp. i. 54 = *obliquum*.  
*flavicans*, C. DC. in DC. Prod. xvi. i. 293.—Bras.  
*flexicaule*, C. DC. l. c. 308.—Guian.  
*flexuosum*, Jacq. Eclog. Am. 139. t. 98.—Venezuela.  
*flexuosum*, Rudge, Pl. Gui. t. 14 = *flexicaule*.  
*fluminense*, C. DC. in DC. Prod. xvi. i. 308.—Bras.  
*foetidum*, Noronha, in Verh. Batav. Gen. v. (1790) ed. I. Art. iv. 25 (Quid ?)—Java.  
*foliiflorum*, Vahl, Enum. i. 356 = *Peperomia foliiflora*.  
*foliosum*, Poir. Encyc. Suppl. iv. 466 = *Peperomia foliosa*.  
*Fontanesianum*, Heynh. Nom. ii. 530 = *discolorum*.  
*fontinale*, Roem. & Schult. Syst. i. 335 = *Peperomia fontinalis*.  
*formosum*, C. DC. in DC. Prod. xvi. i. 286.—Peruv.  
*Forstenii*, C. DC. l. c. 348.—Ins. Amboin.  
*foveolatum*, C. DC. l. c. 329 = *Poiteanum*.  
*fragile*, Benth. in Hook. Lond. Journ. Bot. ii. (1843) 234.—N. Guin.  
*Francovilleum*, C. DC. in Journ. Bot. iv. (1866) 719.—Bras.  
*Fraseri*, C. DC. in DC. Prod. xvi. i. 269.—Ecuador.  
*freirifolium*, Hochst. ex A. Rich. Tent. Fl. Abyss. ii. 274 = *Peperomia exigua*.  
*Friedrichsthalii*, C. DC. in DC. Prod. xvi. i. 327.—Guatemala.  
*frutescens*, C. DC. in Linnaea, xxxvii. (1871-73) 337.—Bras.  
*fruticosum*, Steud. Nom. ed. II. ii. 341 = *asperifolium*, Ruiz & Pav.  
*fuliginum*, Kunth, in Linnaea, xiii. (1839) 655.—Bras.  
*Funcii*, C. DC. in DC. Prod. xvi. i. 310.—Venezuela.  
*furcatum*, D. Dietr. Syn. Pl. i. 110 = *Peperomia furcata*.  
*fuscescens*, C. DC. in DC. Prod. xvi. i. 291.—N. Granat.  
*fuscum*, C. DC. l. c. 319.—Bras.  
*Futokadsura*, Sieb. Fl. Jap. Fam. Nat. ii. 107.—Japon.  
*Gabrielianum*, C. DC. in DC. Prod. xvi. i. 268.—Guian.  
*galeatum*, C. DC. l. c. 242.—Ind. or.  
*Galeottianum*, Mart. & Gal. in Bull. Acad. Brux. x. (1843) 128 = *Peperomia dendrophila*.  
*galioides*, Poir. Encyc. Suppl. iv. 470 = *Peperomia galioides*.  
*Gardneri*, C. DC. in DC. Prod. xvi. i. 254.—Bras.  
*Gaudichaudianum*, Kunth, in Linnaea, xiii. (1839) 639.—Bras.  
*gemellum*, Willd. ex Link, Jahrb. i. III. (1820) 62 = *subpeltatum*.  
*geniculatum*, Hort. ex Link, l. c. = *unguiculatum*.  
*geniculatum*, Sw. Prod. Veg. Ind. Occ. 15.—Ind. occ.  
*gigantifolium*, C. DC. in DC. Prod. xvi. i. 306.—Bras.  
*glabellum*, C. DC. l. c. 312.—Guian.  
*glabellum*, Sw. Prod. Veg. Ind. Occ. 16 = *Peperomia glabella*.  
*glabratum*, Kunth, in Linnaea, xiii. (1839) 633.—Bras.  
*glabrescens*, C. DC. in DC. Prod. xvi. i. 271.—Guian.  
*glabrum*, Mill. Gard. Dict. ed. VIII. n. 12.—Honduras.  
*glanduligerum*, C. DC. in Journ. Bot. iv. (1866) 215.—Venezuela.  
*glandulosum*, Opiz, in Presl, Rel. Haenk. i. 158 = *miniatum*.  
*glaucescens*, Jacq. Eclog. Am. t. 76 = *unguiculatum*.  
*globosum*, C. DC. in DC. Prod. xvi. i. 340.—Costa Rica.  
*globosum*, Poir. Encyc. v. 475 = *Peperomia umbilicata*.  
*glyphicum*, Hoffmgg. ex Kunth, in Linnaea, xiii. (1839) 573 = *nigrum*.  
*Godeitii*, C. DC. in Linnaea, xxxvii. (1871-72) 361.—Bras.  
*gracile*, Ruiz & Pav. Fl. Per. i. 35. t. 59. f. b.—Peruv.

## PIPER:—

- granatense*, D. Dietr. Syn. Pl. i. 117.—N. Granat.  
*grande*, Vahl, Eclog. Am. ii. 3. t. 11.—N. Granat.  
*grandifolium*, Afzel. Remed. Guineen. vi. 39 = *subpeltatum*.  
*grandifolium*, H. B. & K. Nov. Gen. et Sp. i. 46.—N. Granat.  
*granulosum*, Ruiz & Pav. Fl. Per. i. 38. t. 64. f. b = *angustifolium*.  
*Griffithii*, C. DC. in Journ. Bot. iv. (1866) 163.—Reg. Himal.  
*griseum*, C. DC. in DC. Prod. xvi. i. 281.—Peruv.  
*guahamense*, C. DC. l. c. 336.—Ins. Marian.  
*guanacostense*, C. DC. in Linnaea, xxxvii. (1871-73) 356.—Nicaragua.  
*guianense*, C. DC. in DC. Prod. xvi. i. 301.—Guian.  
*Guigual*, Buch.-Ham. ex D. Don, Prod. Fl. Nep. 20 = *brachystachyum*.  
*Guildingianum*, Spreng. Syst. iv. Cur. Post. 20 = *Peperomia scandens*.  
*guineense*, Schum. & Thonn. Beskr. Guin. Pl. 19.—Afr. trop.  
*Haenkeanum*, D. Dietr. Syn. Pl. i. 114 = *Peperomia Haenkeana*.  
*Haenkeanum*, Opiz, in Presl, Rel. Haenk. i. 159.—Ins. Philipp.  
*Hahnii*, C. DC. in Linnaea, xxxvii. (1871-72) 354.—Ins. Martinic.  
*halesiaefolium*, Kunth, ex C. DC. in DC. Prod. xvi. i. 309.—Bras.  
*Hamiltonii*, C. DC. l. c. 360.—Reg. Himal.  
*Happium*, Buch.-Ham. in Wall. Cat. n. 6650 D.—Ind. or.  
*Hartwegianum*, C. DC. in DC. Prod. xvi. i. 369.—N. Granat.  
*Haworthianum*, Schult. Mant. i. 245 = *Peperomia Haworthiana*.  
*Hayneanum*, C. DC. in DC. Prod. xvi. i. 253.—Ins. Martinic.  
*hederaceum*, A. Cunn. ex Miq. in Hook. Lond. Journ. Bot. iv. (1845) 435.—Austral.  
*hemionitidifolium*, D. Dietr. Syn. Pl. i. 114 = *Peperomia hemionitidifolia*.  
*Henshenii*, C. DC. in Linnaea, xxxvii. (1871-73) 336.—Bras.  
*heptandrum*, C. DC. in DC. Prod. xvi. i. 244.—Peruv.  
*herbaceum*, Miq. Syst. Pip. 96 = *Peperomia obliqua*.  
*hernandiaefolium*, Vahl, Enum. i. 344 = *Peperomia hernandiaefolia*.  
*heteromallum*, Pers. Syn. i. 33 = *Peperomia secunda*.  
*heterophyllum*, Ruiz & Pav. Fl. Per. i. 34. t. 56. f. a.—Peruv.  
*heterostachyum*, D. Dietr. Syn. Pl. i. 111 = *Peperomia heterostachya*.  
*Hilarianum*, Steud. Nom. ed. II. ii. 341.—Bras.  
*Hillianum*, C. DC. in DC. Prod. xvi. i. 290.—Bras.  
*hirsutissimum*, D. Dietr. Syn. Pl. i. 122 = *Haenkeanum*.  
*hirsutum*, Sw. Fl. Ind. Occ. i. 60.—Am. trop.  
*hirtellum*, C. DC. in Journ. Bot. iv. (1866) 218.—Bras.  
*hirtulum*, C. DC. in DC. Prod. xvi. i. 371.—Bras.  
*hispidulum*, Sw. Prod. Veg. Ind. Occ. 15 = *Peperomia hispidula*.  
*hispidum*, H. B. & K. Nov. Gen. et Sp. i. 50.—N. Granat.  
*hispidum*, Mart. & Gal. in Bull. Acad. Brux. x. (1843) 131 = *mexicanum*.  
*hispidum*, Sw. Prod. Veg. Ind. Occ. 15 = *hirsutum*.  
*Hoffmannseggianum*, Schult. Mant. i. 242.—Bras.  
*Hohenackeri*, C. DC. in DC. Prod. xvi. i. 243.—Guian.  
*Holtonii*, C. DC. l. c. 300.—N. Granat.  
*hongkongense*, C. DC. l. c. 347.—Ins. Hongkong.  
*Hookeri*, Miq. in Hook. Lond. Journ. Bot. iv. (1845) 437.—Ind. or.  
*Hookerianum*, C. DC. in DC. Prod. xvi. i. 292.—Peruv.  
*Hostmannianum*, C. DC. l. c. 287.—Am. trop.  
*Huegelianum*, Miq. in Versl. ex Med. Kon. Akad. Wetensch. II. ii. (1868) 58.—Austral.  
*humile*, Mill. Gard. Dict. ed. VIII. n. 4 = *Milleri*.  
*humile*, Vahl, Enum. i. 349 = *Peperomia humilis*.  
*hyalinum*, Wall. Cat. n. 6662 = *Peperomia exigua*.  
*hydrangeifolium*, Kunth, in Linnaea, xiii. (1839) 659 = *crassinervium*.  
*hydrocotylefolium*, Mart. & Gal. in Bull. Acad. Brux. x. (1843) 129 = *Peperomia umbilicata*.

82



## PIPER:—

- hymenophyllum, *Miq. in Wight, Ic. t.* 1942.—Ind. or. hypoglaucum, *Miq. in Ann. Bot. Mus. Lugd. Bat. i.* 139.—Sumatra.  
 imperiale, *C. DC. in DC. Prod. xvi. i.* 339.—Darren.  
*impunctatum*, Link, *Jahrb. i.* iii. (1820) 61 = colubrinum.  
 inaequale, *C. DC. in Journ. Bot. iv.* (1866) 215.—Guian.  
*inaequalifolium*, Vahl, *Enum. i.* 355 = *Peperomia inaequalifolia*.  
*incanum*, Haw. *Suppl. Pl. Succ. 2*; Link & Otto, *Ic. Pl. Sel. Rar. 17. t. 7* = *Peperomia incana*.  
*incisum*, Rich. ex C. DC. in *DC. Prod. xvi. i.* 455 = *Peperomia quadrifolia*.  
*incurvum*, Sieber, ex C. DC. *l. c.* 294.—Ins. Martinic.  
*indecorum*, Kunth, in *Linnaea*, xiii. (1839) 722.—Peruv.  
*indicum*, C. DC. in *DC. Prod. xvi. i.* 362 = *leptostachyum*, Wall.  
*insectifugum*, C. DC. ex Seem. *Fl. Vit.* 262.—Ins. Fiji.  
*insigne*, Kunth, in *Linnaea*, xiii. (1839) 667.—Guian.  
*insulare*, C. DC. in *DC. Prod. xvi. i.* 362 = *trineuron*.  
*interruptum*, Opiz, in *Presl, Rel. Haenk. i.* 157.—Ins. Philipp.  
*inversum*, C. DC. in *Linnaea*, xxxvii. (1871–73) 359.—Bras.  
*irazanum*, C. DC. *l. c.* 340.—Costa Rica.  
*Jaborandi*, Vell. *Fl. Flum. 24*; i. t. 55.—Bras.  
*Jacquemontianum*, Kunth, in *Linnaea*, xiii. (1839) 631 = *citrifolium*.  
*Jacquinii*, C. DC. in *DC. Prod. xvi. i.* 280.—Venezuela?  
*Jacquinianum*, Schult. *Mant. i.* 234.—Venezuela?  
*jalapense*, C. DC. in *DC. Prod. xvi. i.* 277.—Mexic.  
*jalapense*, Mart. & Gal. in *Bull. Acad. Brux. x.* (1843) 131 = *lapathifolium*.  
*janeiroense*, C. DC. in *Linnaea*, xxxvii. (1871–73) 339.—Bras.  
*japurense*, C. DC. in *DC. Prod. xvi. i.* 263.—Bras.  
*javanicum*, C. DC. *l. c.* 343 = *caninum*.  
*javitense*, H. B. & K. *Nov. Gen. et Sp. i.* 54.—Venezuela.  
*Jayeri*, C. DC. in *DC. Prod. xvi. i.* 358.—Ins. Philipp.  
*juliflorum*, Nees & Mart. in *Nov. Act. Nat. Cur. xi.* (1823) 9.—Bras.  
*Jussiaeanum*, Kunth, in *Linnaea*, xiii. (1839) 680.—Bras.  
*Kappleri*, C. DC. in *Journ. Bot. iv.* (1866) 213.—Guian.  
*Karok*, Blume, *Cat. Gew. Buitenz. 33* = *attenuatum*.  
*Karwinskianum*, Kunth, in *Linnaea*, xiii. (1839) 700.—Mexic.  
*Kegelianum*, C. DC. in *DC. Prod. xvi. i.* 372.—Bras.  
*Kegeli*, C. DC. *l. c.* 323.—Guian.  
*kewense*, C. DC. *l. c.* 327.—Hab.?  
*khasianum*, C. DC. *l. c.* 349.—Reg. Himal.  
*Klotzschianum*, C. DC. *l. c.* 257.—Bras.  
*Korthalsii*, *Miq. Ann. Bot. Mus. Lugd. Bat. i.* 139.—Malaya.  
*Kunthianum*, *Steud. Nom. ed. II. ii.* 341.—Bras.  
*Kunthii*, C. DC. in *DC. Prod. xvi. i.* 250.—Mexic.  
*Labillardieri*, C. DC. *l. c.* 361.—Ins. Amboin.  
*lacunosum*, H. B. & K. *Nov. Gen. et Sp. i.* 51.—Am. austr.  
*laetum*, C. DC. in *DC. Prod. xvi. i.* 256.—Bras.  
*laeve*, Vahl, *Enum. i.* 332.—Ind. or.  
*laevifolium*, Blume, *Cat. Gew. Buitenz. 33* = *Peperomia laevifolia*.  
*laevigatum*, H. B. & K. *Nov. Gen. et Sp. i.* 56.—N. Granat.  
*lagoaense*, C. DC. in *Linnaea*, xxxvii. (1871–73) 346.—Bras.  
*lanatum*, Roxb. *Hort. Beng. 80*; *Fl. Ind. i.* 159 = *caninum*.  
*lanatum*, *Wight, ex Miq. in Hook. Lond. Journ. Bot. v.* (1846) 553.—Ind. or.  
*lanceae-folium*, Schott, ex C. DC. in *DC. Prod. xvi. i.* 324 = *denudans*.  
*lanceae-folium*, H. B. & K. *Nov. Gen. et Sp. i.* 49.—Bras.  
*lanceatum*, A. Dietr. *Sp. Pl. i.* 636 = *lancifolium*.  
*lanceolatum*, Roxb. *Hort. Beng. 80*; *Fl. Ind. i.* 159 = *miniaturum*.  
*lanceolatum*, Ruiz & Pav. *Fl. Per. i.* 36.—Peruv.  
*lanceolatum*, Salzm. ex *Miq. in Mart. Fl. Bras. iv. i.* 47 = *hirsutum*.

## PIPER:—

- lancifolium*, *Ham. Prod. Pl. Ind. Occ. 3*.—Jamaic.  
*Langsdorffianum*, C. DC. in *DC. Prod. xvi. i.* 290.—Bras.  
*Langsdorffii*, Schrank, in *Flora*, vii. (1824) ii. Beibl. 10.—Bras.  
*lapathifolium*, *Steud. Nom. ed. II. ii.* 341.—Mexic.  
*latifolium*, *Forst. f. Prod. 5*.—Ins. Pacif.  
*latifolium*, Hunter, in *As. Res. ix.* (1809) 390 = *sarmentosum*.  
*latifolium*, Lam. *Illustr. i.* 81 = *subpeltatum*.  
*latum*, H. B. & K. *Nov. Gen. et Sp. i.* 57.—N. Granat.  
*laurifolium*, H. B. & K. *l. c.* 47 = *laurinum*.  
*laurifolium*, Mill. *Gard. Dict. ed. VIII. n.* 6.—Mexic.  
*laurinum*, Roem. & Schult. *Syst. i.* 291.—Peruv.  
*laxiflorum*, Poir. *Encyc. Suppl. iv.* 466 = *Peperomia laxiflora*.  
*laxum*, Vahl, *Enum. i.* 326.—Ins. Philipp.  
*Lechlerianum*, C. DC. in *DC. Prod. xvi. i.* 269.—Peruv.  
*Ledebourii*, C. DC. *l. c.* 281.—Bras.  
*Lehmannianum*, C. DC. *l. c.* 368.—Peruv.  
*leiophyllum*, C. DC. *l. c.* 297.—Bras.  
*Lenormandianum*, C. DC. *l. c.* 299.—Guian.  
*lentinoides*, Kunth, in *Linnaea*, xiii. (1839) 683.—Bras.  
*lenticellosum*, C. DC. in *Journ. Bot. iv.* (1866) 167.—N. Granat.  
*leonense*, C. DC. *l. c.* 163.—Afr. trop.  
*lepidotum*, Parodi, in *Anal. Soc. Cient. Argent. vi.* (1878) 45; *Contrib. 97*.—Reg. Argent.  
*leptophyllum*, C. DC. in *DC. Prod. xvi. i.* 279.—Venezuela.  
*leptostachyon*, Nutt. in *Am. Journ. Sc. Ser. I. v.* (1822) 287.—Florida.  
*leptostachyum*, Wall. *Cat. n.* 6649.—Burma.  
*leptostachyum*, Willd. ex Kunth, in *Linnaea*, xiii. (1839) 604; A. Rich. *Fl. Cub. Fanerog. ii.* 228 = *tenuue*.  
*lepturum*, Kunth, *l. c.* 679.—Bras.  
*Lessertianum*, C. DC. in *Journ. Bot. iv.* (1866) 164.—Ins. Philipp.  
*leucophyllum*, C. DC. in *DC. Prod. xvi. i.* 278 = *verbascifolium*.  
*Lhotzkyanum*, Kunth, in *Linnaea*, xiii. (1839) 657.—Bras.  
*Liebmannii*, C. DC. *l. c.* xxxvii. (1871–73) 344.—Mexic.  
*Lindbergii*, C. DC. in *DC. Prod. xvi. i.* 297.—Bras.  
*Lindenianum*, C. DC. in *Journ. Bot. iv.* (1866) 218.—Cuba.  
*Lindenii*, C. DC. in *DC. Prod. xvi. i.* 248.—Mexic.  
*linearifolium*, C. DC. in *Linnaea*, xxxvii. (1871–73) 355.—Costa Rica.  
*lineatum*, Ruiz & Pav. *Fl. Per. i.* 35. t. 60. f. a.—Peruv.  
*linguae-folium*, *Ham. Prod. Pl. Ind. Occ. 3*.—Jamaic.  
*Linkii*, A. Dietr. *Sp. Pl. i.* 653.—Am. austr.  
*Linkii*, *Miq. Syst. Pip. 317*.—Java.  
*Lonchites*, Schult. *Mant. i.* 241.—Malaya.  
*Lonchites*, Wall. *Cat. n.* 6644 A, B. = *caninum*, *miniaturum*.  
*longepedunculatum*, D. Dietr. *Syn. Pl. i.* 110 = *Peperomia longepedunculata*.  
*longispue*, Willd. ex Kunth, in *Linnaea*, xiii. (1839) 629 = *citrifolium*.  
*longiflorum*, Willd. ex D. Dietr. *Syn. Pl. i.* 112 = *Peperomia longiflora*.  
*longifolium*, Ruiz & Pav. *Fl. Per. i.* 37. t. 61. f. a.—Peruv.  
*longum*, Blume, in *Verh. Batav. Gen. xi.* (1826) 197 = P. Chaba, Hunter.  
*longum*, Linn. *Sp. Pl. 29*.—As. trop.  
*Lowong*, Blume, in *Verh. Batav. Gen. xi.* (1826) 161.—Java.  
*loxense*, Poir. *Encyc. Suppl. iv.* 470 = *Peperomia loxensis*.  
*Lucaeanum*, Kunth, in *Linnaea*, xiii. (1839) 678.—Bras.  
*lunare*, D. Dietr. *Syn. Pl. i.* 111 = *Peperomia lunaria*.  
*Lundii*, C. DC. in *Linnaea*, xxxvii. (1871–73) 339.—Bras.  
*Luschnathianum*, Kunth, *l. c.* xiii. (1839) 617.—Bras.  
*luzonense*, C. DC. in *DC. Prod. xvi. i.* 350.—Ins. Philipp.  
*Macgillivrayi*, C. DC. ex Seem. *Fl. Vit.* 262. t. 75.—Ins. Fiji.  
*machadoense*, C. DC. in *DC. Prod. xvi. i.* 254.—Bras.  
*macrophyllum*, H. B. & K. *Nov. Gen. et Sp. i.* 46.—Mexic.

## PIPER:—

- macrophyllum*, Loud. *Encyc. Pl.* 28 = *Rohrii*.  
*macrophyllum*, Schlecht. & Cham. in *Linnaea*, v. (1830) 73 = *lapathifolium*.  
*macrophyllum*, Sw. *Prod. Veg. Ind. Occ. 15* = *geniculatum*.  
*macrorrhizum*, Poir. *Encyc. Suppl. iv.* 471 = *Peperomia macrorrhiza*.  
*macrorrhynchon*, C. DC. in *DC. Prod. xvi. i.* 263.—Bras.  
*macrostachyon*, Vahl, *Enum. i.* 341 = *Peperomia macrostachya*.  
*macrostachyum*, C. DC. in *DC. Prod. xvi. i.* 371.—Bras.  
*macrourum*, H. B. & K. *Nov. Gen. et Sp. i.* 54 = *tuberculatum*.  
*maculatum*, Blume, in *Verh. Batav. Gen. xi.* (1826) 199. f. 20.—Java.  
*maculosum*, Hill, *Veg. Syst. xxvi.* 19. t. 19. f. 3.—Am. austr.  
*maculosum*, Linn. *Sp. Pl. 30* = *Peperomia maculosa*.  
*madagascariense*, C. DC. in *DC. Prod. xvi. i.* 379.—Madag.  
*magicum*, Reinw. ex *Miq. in Linnaea*, xxi. (1848) 484 = *majusculum*.  
*magnoliaefolium*, Haw. *Syn. Pl. Succ. 6*; *Miq. in Mart. Fl. Bras. iv. i.* 24 = *Peperomia obtusifolia*.  
*magnoliaefolium*, Jacq. *Coll. iii.* 210 = *Peperomia magnoliaefolia*.  
*majusculum*, Blume, in *Verh. Batav. Gen. xi.* (1826) 210.—Malaya.  
*malabarensis*, C. DC. in *DC. Prod. xvi. i.* 242 = *nigrum*.  
*malacophyllum*, C. DC. *l. c.* 337.—Bras.  
*Malamiri*, Blume, in *Verh. Batav. Gen. xi.* (1826) 203. f. 22 (sp. dub.).—Java.  
*Malamiris*, Linn. *Sp. Pl. 29* (farrago spp.).  
*Malamiris*, Roxb. *Hort. Beng. 80*; *Fl. Ind. i.* 160 = *attenuatum*.  
*Malmoris*, Wall. *Cat. n.* 6642 A = *sylvaticum*, *hymenophyllum*, *argyrophyllum*.  
*mananthum*, Wright, in *Sawv. Fl. Cub. 144*.—Cuba.  
*Mandoni*, C. DC. in *DC. Prod. xvi. i.* 275.—Peruv.  
*manillanum*, *Miq. Syst. Pip. 339* = *clypeatum* (Fici sp.).  
*marequitense*, C. DC. in *DC. Prod. xvi. i.* 290.—N. Granat.  
*margaritifera*, Bert. ex *Steud. Nom. ed. II. ii.* 342 = *Peperomia margaritifera*.  
*marginatum*, Haw. *Suppl. Pl. Succ. 3* = *Peperomia obtusifolia*.  
*marginatum*, Jacq. *Ic. Pl. Rar. ii.* 2. t. 215.—Ind. occ.  
*marianum*, Opiz, in *Presl, Rel. Haenk. i.* 159 = P. Betle.  
*maritimum*, Blume ex C. DC. in *DC. Prod. xvi. i.* 356 = P. Chaba, Hunter.  
*marowinianum*, C. DC. *l. c.* 337.—Bras.  
*marowynense*, C. DC. *l. c.* 268.—Guian.  
*Martensianum*, C. DC. *l. c.* 251.—Mexic.  
*Martianum*, Kunth, in *Linnaea*, xiii. (1839) 691.—Bras.  
*mascarensis*, D. Dietr. *Syn. Pl. i.* 120 = *pyrifolium*.  
*Mastersianum*, C. DC. in *DC. Prod. xvi. i.* 282.—Bras.  
*Matthewsii*, C. DC. *l. c.* 261.—Peruv.  
*mauritanum*, Schult. *Mant. i.* 245 = *Peperomia elliptica*.  
*maynasianum*, C. DC. in *DC. Prod. xvi. i.* 262.—Peruv.  
*maypurensis*, Poir. *Encyc. Suppl. iv.* 468 = *Peperomia maypurensis*.  
*medium*, Jacq. *Ic. Pl. Rar. i.* 2. t. 8.—Mexic.  
*megalophyllum*, C. DC. in *Linnaea*, xxxvii. (1871–73) 357.—Mexic.  
*Melamiris*, C. DC. in *DC. Prod. xvi. i.* 359, *sphalm.* = P. *Malamiris*.  
*melanostictum*, C. DC. *l. c.* 274.—Mexic.  
*melastomoides*, Schlecht. & Cham. in *Linnaea*, v. (1830) 74.—Mexic.  
*membranaceum*, C. DC. in *DC. Prod. xvi. i.* 366.—Mexic.  
*methysticum*, *Forst. f. Pl. Escul. 76*.—Ins. Pacif.  
*methysticum*, Linn. f. *Suppl. 91* = *latifolium*.  
*methysticum*, Roxb. *Hort. Beng. 80*; *Fl. Ind. i.* 159 = *majusculum*.  
*mexicanum*, C. DC. in *DC. Prod. xvi. i.* 276.—Mexic.  
*miconiaefolium*, C. DC. *l. c.* 375.—Ecuador.  
*micranthera*, C. DC. in *Linnaea*, xxxvii. (1871–73) 354.—Nicaragua.  
*microphyllum*, Poir. *Encyc. Suppl. iv.* 469 = *Peperomia microphylla*.



## PIPER:—

- microstachyon, Vahl, *Eclog. Am.* ii. 3.—Guian.  
microstigma, C. DC. in *DC. Prod.* xvi. i. 351.—Malaya.  
Miersinum, C. DC. l. c. 278.—Ecuador.  
Mikanianum, Steud. *Nom.* ed. II. ii. 342.—Bras.  
Milleri, Roem. & Schult. *Syst.* i. 337.—Ind. occ.  
Millii, C. DC. in *DC. Prod.* xvi. i. 380.—Hab.?  
Minarum, C. DC. l. c. 304.—Bras.  
miniaturum, Blume, in *Verh. Batav. Gen.* xi. (1826) 166.—Malaya.  
Miquelianum, C. DC. in *DC. Prod.* xvi. i. 254.—Bras.  
miradorensis, C. DC. l. c. 380.—Mexic.  
misantlense, C. DC. l. c. 286.—Mexic.  
mite, Ruiz & Pav. *Fl. Per.* i. 37. t. 58. f. a.—Peruv.  
modestum, C. DC. in *DC. Prod.* xvi. i. 275.—Guian.  
molle, Poir. *Encyc. Suppl.* iv. 467 = *Peperomia mollis*.  
mollicomum, Kunth, in *Linnaea*, xiii. (1839) 648.—Bras.  
mollipilosum, C. DC. in *DC. Prod.* xvi. i. 262.—Bras.  
mollissimum, Blume, in *Verh. Batav. Gen.* xi. (1826) 223. f. 30.—Java.  
moluccanum, Spreng. *Syst.* i. 112 = *miniaturum*.  
monostachion, Vell. *Fl. Flum.* 26; i. t. 63 = *Peperomia hederacea*.  
monostachyos, Poir. *Encyc. Suppl.* iv. 465 = *Peperomia pyrifolia*.  
monostachyum, Vahl, *Enum.* i. 343 = *Peperomia monostachya*.  
montanum, C. DC. in *Journ. Bot.* iv. (1866) 214.—N. Granat.  
Morisonianum, DC. in *DC. Prod.* xvi. i. 311.—Bras.  
Moritzianum, C. DC. l. c. 288.—N. Granat.  
mucronatum, Rich. ex C. DC. l. c. 409 = *Peperomia melanostigma*.  
mucronulatum, Blume, in *Verh. Batav. Gen.* xi. (1826) 218. f. 27.—Java.  
Muelleri, C. DC. in *DC. Prod.* xvi. i. 243.—Mexic.  
Mullesia, Buch.-Ham. in D. Don, *Prod. Fl. Nep.* 20 = *brachystachyum*.  
multinervium, Mart. & Gal. in *Bull. Acad. Brux.* x. (1843) 130.—Mexic.  
multiplinerium, C. DC. in *Journ. Bot.* iv. (1866) 214.—N. Granat.  
munchanum, C. DC. in *DC. Prod.* xvi. i. 258.—Peruv.  
muricatum, Blume, *Cat. Gew. Buitens.* 33.—Java.  
murinum, Roem. & Schult. *Syst.* i. 325 = *Peperomia pyrifolia*.  
Murrayanum, C. DC. in *DC. Prod.* xvi. i. 280.—Jamaic.  
muscosum, Schult. *Mant.* i. 245 = *Peperomia muscosa*.  
myosuroides, Rudge, *Pl. Rar. Gui.* 4. t. 5 = *Peperomia myosuroides*.  
Myosuros, Willd. ex D. Dietr. *Syn. Pl.* i. 110 = *Peperomia scandens*.  
myrtifolium, Vahl, *Enum.* i. 341 = *Peperomia myrtifolia*.  
Nagelii, C. DC. in *DC. Prod.* xvi. i. 365.—Java.  
naranjoanum, C. DC. in *Linnaea*, xxxvii. (1871-73) 368.—Costa Rica.  
Neesianum, C. DC. in *DC. Prod.* xvi. i. 256.—Mexic.  
negroense, C. DC. l. c. 297.—Bras.  
Nematanthra, C. DC. l. c. 367.—Guian.  
nematostachyum, Schult. *Mant.* i. 248 = *Peperomia nematostachya*.  
nemorosum, Vahl, *Enum.* i. 341 = *Peperomia acuminata*.  
nemostachyum, A. Dietr. *Sp. Pl.* i. 156, sphalm. = *Peperomia nematostachya*.  
nepalense, Miq. *Syst. Pip.* 318.—Reg. Himal.  
nervoso-venosum, Blume, in *Verh. Batav. Gen.* xi. (1826) 228 = *Peperomia nervoso-venosa*.  
nervosum, C. DC. in *DC. Prod.* xvi. i. 374.—Mexic.  
nervulosum, C. DC. in *DC. Prod.* xvi. i. 268.—Bras.  
Nhandi, Rich. in *Act. Soc. Hist. Nat. Par.* i. (1792) 105 = *marginatum*.  
nigrescens, Blume, in *Verh. Batav. Gen.* xi. (1826) 161. f. 3.—Java.  
nigrescens, Miq. *Ann. Mus. Bot. Lugd. Bat.* i. 137 = *sulcatum*.  
nigricans, Willd. ex Link, *Jahrb.* i. III. (1820) 60.—Ins. Maurit.  
nigrum, Beyr. ex Kunth, in *Linnaea*, xiii. (1839) 618 = *amplum*.  
nigrum, Lam. ex Link, *Jahrb.* i. III. (1820) 60 = *nigricans*.  
nigrum, Linn. *Sp. Pl.* 28.—Ind. or.; Malaya.

## PIPER:—

- nigrum, Wall. *Cat. n.* 4429 = *Wightii*.  
nigrum, Wall. l. c. n. 6643, E. F = *porphyrophyllum*.  
nilghirianum, C. DC. in *DC. Prod.* xvi. i. 364 = *hymenophyllum*.  
nitens, Desf. *Tabl.* ed. I. 211 = *Peperomia trinervis?*  
nitidulum, Opiz, in *Presl, Rel. Haenk.* i. 154.—Mexic.  
nitidum, Sw. *Prod. Veg. Ind. Occ.* 15 = *geniculatum*.  
nitidum, Vahl, *Enum.* i. 314.—Am. trop.  
nobile, C. DC. in *DC. Prod.* xvi. i. 289.—Venezuela.  
nodulosum, Link, *Enum. Hort. Berol.* i. 36 = *unguiculatum*.  
Novae-Hispaniae, C. DC. in *DC. Prod.* xvi. i. 301.—Mexic.  
Novae-Hollandiae, Miq. in *Versl. en Med. Kon. Akad. Wetensch.* II. ii. (1868) 60.—Austral.  
novo-granatense, C. DC. in *DC. Prod.* xvi. i. 313.—N. Granat.  
nubigenum, Kunth, in *Linnaea*, xiii. (1839) 654 = *crocotum*.  
nudum, C. DC. in *DC. Prod.* xvi. i. 325.—Mexic.  
nummulariaefolium, Sw. *Prod. Veg. Ind. Occ.* 16 = *Peperomia nummularifolia*.  
nummularifolium, Lam. & Willd. ex C. DC. in *DC. Prod.* xvi. 382 = *Filix sterilis* (Crypt.).  
nummularifolium, Pohl, ex Miq. in *Mart. Fl. Bras.* iv. 1. 21 = *Peperomia circinnata*.  
nummularium, Lam. *Illustr.* i. 82 = *Peperomia serpyllifolia*.  
nutans, Opiz, in *Presl, Rel. Haenk.* i. 156. t. 28. f. 2 = *tuberculatum*.  
oaxacanum, C. DC. in *DC. Prod.* xvi. i. 274.—Mexic.  
obcordatum, Stokes, *Bot. Comment.* i. 176 = *Peperomia cordifolia*.  
obesum, Vahl, *Enum.* i. 321 = *scabrum*.  
obliquum, Balb. ex Kunth, in *Linnaea*, xiii. (1839) 614 = *tuberculatum*.  
obliquum, Pers. *Syn.* i. 35 = *Peperomia acuminata*.  
obliquum, Ruiz & Pav. *Fl. Per.* i. 37. t. 63. f. a.—Peruv.  
oblongatum, Opiz, in *Presl, Rel. Haenk.* i. 153.—Peruv.  
oblongifolium, C. DC. in *DC. Prod.* xvi. i. 273.—Bras.  
oblongum, H. B. & K. *Nov. Gen. et Sp.* i. 52.—Venezuela.  
oblongum, Schlecht. & Cham. in *Linnaea*, v. (1830) 73 = *Chamissonis*.  
oblongum, Wall. *Cat. n.* 6663 C = *Peperomia Heyneana*.  
obovatum, Ruiz & Pav. *Fl. Per.* i. 36. t. 53. f. b.—Peruv.  
obovatum, Vahl, *Eclog. Am.* i. 5 = *Peperomia obversa*.  
obscurum, C. DC. in *Linnaea*, xxxvii. (1871-73) 348.—Bras.  
obtusifolium, Hill, *Syst. Veg.* xxvi. 19. t. 19. f. 1.—Am. austr.  
obtusifolium, Jacq. *Coll.* i. 141 = *Peperomia polystachya*.  
obtusifolium, Linn. *Sp. Pl.* 30 = *Peperomia obtusifolia*.  
obtusissimum, Miq. *Syst. Pip.* 337 = *clypeatum* (Fici sp.).  
obtusum, C. DC. in *DC. Prod.* xvi. i. 328.—Cuba.  
obumbratum, C. DC. l. c. 265.—Bras.  
obversum, Vahl, *Enum.* i. 354 = *Peperomia obversa*.  
Oerstedii, C. DC. in *Linnaea*, xxxvii. (1871-73) 359.—Costa Rica.  
officinarium, C. DC. in *DC. Prod.* xiv. i. 356 = *P. Chaba, Hunter*.  
Olfersianum, Kunth, in *Linnaea*, xiii. (1839) 646 = *hirsutum*.  
olivaceum, C. DC. in *Linnaea*, xxxvii. (1871-73) 344.—Bras.  
Opisianum, D. Dietr. *Syn. Pl.* i. 110 = *Peperomia dependens*.  
Opizianum, [Fuernr.] in *Flora*, xii. (1829) 228.—Peruv.  
Opizii, Steud. *Nom.* ed. II. ii. 342 = *asperifolium*.  
orbiculatum, Poir. *Encyc.* v. 476 = *Peperomia orbiculata*.  
orbiculatum, Spreng. *Syst.* i. 121 = *Peperomia fimbriata*.  
ornatum, N. E. Br. in *Gard. Chron.* (1884) II. 424.—Ins. Celebes.  
orthostachyum, Kunth, in *Linnaea*, xiii. (1839) 602.—Bras.

## PIPER:—

- ottoniaefolium, C. DC. in *Journ. Bot.* iv. (1866) 213.—N. Granat.  
Ottonis, C. DC. in *DC. Prod.* xvi. i. 332 = *peltatum*.  
ovale, C. DC. in *Journ. Bot.* iv. (1866) 166.—Venezuela.  
ovalifolium, C. DC. in *DC. Prod.* xvi. i. 305.—Bras.  
ovalifolium, D. Dietr. *Syn. Pl.* i. 112 = *Peperomia ovalifolia*.  
ovalifolium, Heyne, in Wall. *Cat. n.* 6663 B = *Peperomia dindigulensis*.  
ovatum, Vahl, *Eclog. Am.* i. 3. t. 1.—Ins. Trinit.  
pachyphyllum, Baker, in *Journ. Linn. Soc.* xxi. (1885) 436.—Madag.  
pachystachyon, C. DC. in *Journ. Bot.* iv. (1866) 216.—N. Granat.  
padifolium, C. DC. in *DC. Prod.* xvi. i. 253.—Bras.  
pallens, Poir. *Encyc. Suppl.* iv. 469 = *Peperomia pallens*.  
pallens, C. DC. in *Linnaea*, xxxvii. (1871-72) 362.—Bras.  
pallidum, Forst. f. *Prod.* 5 = *Peperomia pallida*.  
pallidum, Heurck & Muell. *Arg. in Heurck, Obs. Bot.* 120.—Ind. or.  
pallidum, Salisb. *Prod.* 11 = *Peperomia polystachya*.  
paludosum, C. DC. in *DC. Prod.* xvi. i. 283.—Bras.  
palustre, C. DC. l. c. 293.—Bras.  
panamense, C. DC. in *Journ. Bot.* iv. (1866) 216.—Panama.  
panduratum, C. DC. in *DC. Prod.* xvi. i. 250.—Jamaic.  
pangoense, C. DC. l. c. 368.—Peruv.  
paniculatum, Willd. ex C. DC. l. c. 401 = *Peperomia secunda*.  
papantlense, C. DC. l. c. 338.—Mexic.  
paraense, C. DC. l. c. 290.—Bras.  
paraguayense, Parodi, in *Anal. Soc. Cient. Argent.* vi. (1878) 45; *Contrib.* 97 ('n. 2').—Paraguay.  
paraguayense, Parodi, l. c. 90; *Contrib.* 99 ('n. 8' (sp. div.)).—Paraguay.  
paramaribense, C. DC. in *DC. Prod.* xvi. i. 297.—Guian.  
paramattense, C. DC. l. c. 353 = *Novae-Hollandiae*.  
Parkerianum, C. DC. l. c. 373.—Guian.  
Parthenium, Mart. *Syst. Mat. Med. Bras.* 100.—Bras.  
parvifolium, Blanco, *Fl. Philip.* ed. I. 23.—Ins. Philipp.  
parvulum, Mart. & Gal. in *Bull. Acad. Brux.* x. (1843) 130 = *Peperomia mexicana*.  
patens, Hook. & Arn. *Bot. Beech. Voy.* 310 = *nervosum*.  
patens, Opiz, in *Presl, Rel. Haenk.* i. 154.—Peruv.  
patulum, Bertol. *Fl. Guatim.* 7. t. 1.—Guatemala.  
patulum, Mart. & Gal. in *Bull. Acad. Brux.* x. (1843) 128 = *miradorensis*.  
paulianum, C. DC. in *DC. Prod.* xvi. i. 294.—Bras.  
Pavoni, C. DC. l. c. 294.—Peruv.  
pedicellare, C. DC. in *Journ. Bot.* iv. (1866) 211.—N. Granat.  
pedicellatum, C. DC. l. c. 164 = *boehmeriaefolium*.  
pedicellosum, Wall. *Cat. n.* 6646 A.—Singapore.  
pedicellosum, Wall. l. c. B = *sumatranum*.  
pedunculare, C. DC. in *DC. Prod.* xvi. i. 291.—Guian.  
pedunculatum, C. DC. in *Journ. Bot.* iv. (1866) 162.—N. Granat.  
pedunculatum, Reinw. ex Miq. in *Linnaea*, xxi. (1848) 484 = *caninum*.  
peepuloides, Roxb. *Hort. Beng.* 4; *Fl. Ind.* i. 157.—Reg. Himal.  
peepuloides, Wall. *Cat. n.* 6650 = *nepalense*. P. Chaba, Hunter, P. Betle.  
pellucidum, Linn. *Sp. Pl.* 30 = *Peperomia pellucida*.  
peltatum, Linn. l. c. —Am. trop.  
peltatum, Ruiz & Pav. *Fl. Per.* i. 38. t. 59. f. a = *umbellatum*.  
Peltobryon, C. DC. in *DC. Prod.* xvi. i. 259.—Am. trop.  
peltoideum, Poir. *Encyc. Suppl.* iv. 465 = *Peperomia peltoides*.  
penangense, C. DC. in *DC. Prod.* xvi. i. 353.—Ins. Penang.  
pendulum, Willd. ex Schult. *Mant.* i. 248 = *Peperomia pendula*.  
peploides, Poir. *Encyc. Suppl.* iv. 469 = *Peperomia peploides*.



## PIPER:—

*pepuloides*, D. Dietr. Syn. Pl. i. 108, sphalm. = *peepuloides*.  
*pereskiaefolium*, Jacq. Coll. iv. 126 = *Peperomia pereskiaefolia*.  
*perforatum*, D. Dietr. Syn. Pl. i. 108 = *Peperomia perforata*.  
*Perrottetii*, C. DC. in DC. Prod. xvi. i. 379.—Ins. Borbon.  
*persicariaefolium*, Kunth, in *Linnaea*, xiii. (1839) 684.—Bras.  
*peruvianum*, C. DC. in DC. Prod. xvi. i. 283.—Peruv.  
*petiolare*, C. DC. in *Fourn. Bot.* iv. (1866) 212.—N. Granat.  
*petiolatum*, C. DC. l. c. 161.—Reg. Himal.  
*philippinense*, C. DC. in DC. Prod. xvi. i. 353.—Ins. Philipp.  
*philippinum*, Miq. Syst. Pip. 322.—Ins. Philipp.  
*phthinostrichon*, C. DC. in DC. Prod. xvi. i. 298.—Peruv.  
*Phyllanthus*, Willd. ex A. Dietr. Sp. Pl. i. 183 = *Peperomia foliiflora*.  
*phyllostictum*, C. DC. in DC. Prod. xvi. i. 340.—Java.  
*phytolaccaefolium*, Opiz, in Presl, Rel. Haenk. i. 151.—Ecuador.  
*pilosiusculum*, Opiz, l. c. 154. t. 29.—Panama.  
*pilosum*, C. DC. in *Linnaea*, xxxvii. (1871-73) 351.—Bras.  
*pilosum*, Vahl, Enum. i. 338 = *Peperomia pilosa*.  
*piluliferum*, H. B. & K. Nov. Gen. et Sp. i. 53.—Ecuador.  
*pinnatum*, Lour. Fl. Cochinch. 31.—China.  
*pipuloides*, Schult. Mant. i. 240, sphalm. = *peepuloides*.  
*pisoense*, C. DC. in DC. Prod. xvi. i. 278.—Bras.  
*planifolium*, Poir. Encyc. v. 473 = *Peperomia acuminata*.  
*plantagineum*, Buch.-Ham. ex Wall. Cat. n. 6659 = *Hamiltonii*.  
*plantagineum*, Lam. Illustr. i. 80 = *P. Amalago*.  
*plantagineum*, Schlecht. in *Linnaea*, vi. (1831) 353.—Mexic.  
*plantaginifolium*, D. Dietr. Syn. Pl. i. 110 = *chilense*.  
*platyphyllum*, C. DC. in DC. Prod. xvi. i. 375.—Mexic.  
*plicatum*, D. Dietr. Syn. Pl. i. 112 = *Peperomia plicata*.  
*Plukenetianum*, C. DC. in DC. Prod. xvi. i. 315.—Bras.  
*Poeppigii*, C. DC. l. c. 260.—Bras.  
*Poeppigii*, Steud. Nom. ed. II. ii. 342.—Peruv.  
*Pohlmanum*, C. DC. in DC. Prod. xvi. i. 256.—Bras.  
*Poiretianum*, C. DC. l. c. 325.—Bras.  
*Poitaeum*, Kunth, in *Linnaea*, xiii. (1839) 607.—Guian.  
*polybotrya*, Poir. Encyc. Suppl. iv. 465 = *Peperomia polybotrya*.  
*polystachyon*, Ait. Hort. Kew. ed. I. i. 49 = *Peperomia polystachya*.  
*populifolium*, Kunth, in *Linnaea*, xiii. (1839) 710.—Bras.  
*populifolium*, Opiz, in Presl, Rel. Haenk. i. 160 = *cardiophyllum*.  
*porphyrophyllum*, N. E. Br. in Gard. Chron. (1884) ii. 435.—Malaya.  
*portulacaeefolium*, Poir. Encyc. Suppl. iv. 470 = *Peperomia portulacaeefolia*.  
*portulacoides*, Lam. Illustr. i. 82 = *Peperomia portulacoides*.  
*potamogetonifolium*, Opiz, in Presl, Rel. Haenk. i. 156.—Ins. Marian.  
*pothifolium*, Kunth, in *Linnaea*, xiii. (1839) 671.—Bras.  
*pothiforme*, Wall. ex C. DC. in DC. Prod. xvi. i. 351.—Burma.  
*pothoides*, Wall. Cat. n. 6639 A.—Burma.  
*pothomorphe*, C. DC. in DC. Prod. xvi. i. 308, 492.—Mexic.  
*praegnans*, Rich. ex C. DC. l. c. 287 = *Hostmanianum*.  
*praemorsum*, Vahl, Eclog. Am. i. 4 = *geniculatum*.  
*Preslii*, C. DC. in DC. Prod. xvi. i. 257.—N. Granat. ?  
*prianamense*, C. DC. l. c. 376.—Sumatra.  
*prismaticum*, C. DC. in *Linnaea*, xxxvii. (1871-73) 342.—Costa Rica.  
*propinquum*, C. DC. in *Fourn. Bot.* iv. (1866) 167.—Peruv.  
*pruinatum*, H. B. & K. Nov. Gen. et Sp. i. 59 = *peltatum*.

## PIPER:—

*prunifolium*, Jacq. Eclog. Am. i. 140. t. 94.—Venezuela.  
*Pseudo-amalago*, C. DC. in *Linnaea*, xxxvii. (1871-73) 353.—Bras.  
*Pseudo-asperifolium*, C. DC. in DC. Prod. xvi. i. 318.—Mexic.  
*Pseudo-blattarium*, C. DC. in *Linnaea*, xxxvii. (1871-73) 362.—Bras. ?  
*Pseudo-chavica*, C. DC. in DC. Prod. xv. i. 351.—Malaya.  
*Pseudo-churumayu*, Poepp. ex Steud. Nom. ed. II. ii. 342; C. DC. l. c. 288.—Bras.  
*Pseudo-cubeba*, Korth. ex Miq. Comm. Phyt. 22 = *sumatranum*.  
*Pseudo-fuligineum*, C. DC. in *Linnaea*, xxxvii. (1871-73) 355.—Costa Rica.  
*Pseudo-Lindenii*, C. DC. l. c. 335.—Nicaragua.  
*Pseudo-mollicomum*, C. DC. in DC. Prod. xvi. i. 278.—Peruv.  
*Pseudo-peruvianum*, C. DC. l. c. 282.—Bras.  
*Pseudo-pothifolium*, C. DC. l. c. 289.—Bras.  
*Pseudo-propinquum*, C. DC. in *Linnaea*, xxxvii. (1871-73) 341.—Costa Rica.  
*Pseudo-velutinum*, C. DC. in DC. Prod. xvi. i. 282.—Bras.  
*psilostachyum*, H. B. & K. Nov. Gen. et Sp. i. 50.—N. Granat.  
*psittacorum*, Endl. Prod. Fl. Norf. 37.—Ins. Norfolk.  
*pteropodon*, C. DC. in DC. Prod. xvi. i. 255.—Bras.  
*pubescens*, Haw. Syn. Pl. Succ. 7 = *Peperomia Haworthiana*.  
*pubescens*, Pers. Syn. i. 34 = *Peperomia pubescens*.  
*pubescens*, Soland. ex C. DC. in DC. Prod. xvi. i. 342 = *mollissimum*.  
*pubescens*, Vahl, Enum. i. 348 = *Peperomia Vahl.*  
*pulchellum*, Ait. Hort. Kew. ed. I. 50 = *Peperomia pulchella*.  
*pulchrum*, C. DC. in DC. Prod. xvi. i. 305.—N. Granat.  
*pulicare*, D. Dietr. Syn. Pl. i. 110 = *Peperomia scandens* ?  
*pumilum*, D. Dietr. l. c. = *Peperomia pumila*.  
*punctatissimum*, C. DC. in DC. Prod. xvi. i. 255.—Bras.  
*punctatum*, Poepp. ex Kunth, in *Linnaea*, xiii. (1839) 689 = *heterophyllum*.  
*punctatum*, Ruiz & Pav. Fl. Per. i. 36. t. 62. f. a.—Peruv.  
*pupuloides*, Spreng. Syst. i. 117, sphalm. = *peepuloides*.  
*Purdiei*, C. DC. in DC. Prod. xvi. i. 299.—N. Granat.  
*purpurascens*, Desf. Cat. Hort. Par. ed. III. 414.—Hab. ?  
*purpurascens*, D. Dietr. Syn. Pl. i. 119 = *angustifolium*.  
*purpureum*, Vahl, Enum. i. 343 = *Peperomia purpurea*.  
*pusillum*, Blume, in Verh. Batav. Gen. xi. (1826) 232, 382 = *Peperomia reflexa*.  
*pyrifolium*, Opiz, in Presl, Rel. Haenk. i. 158 = *unguiculatum*.  
*pyrifolium*, Vahl, Enum. i. 327.—Ins. Mascar.  
*quadrangulare*, Thomps. in Trans. Linn. Soc. ix. (1808) 202 = *Peperomia quadrangularis*.  
*quadrangulum*, Willd. ex Miq. in Mart. Fl. Bras. iv. i. 21 = *Peperomia angulata*.  
*quadrifolium*, Linn. Sp. Pl. ed. II. 43 = *Peperomia quadrifolia*.  
*quadrifolium*, Vell. Fl. Flum. 26; i. t. 62 = *Peperomia reflexa*.  
*quinqueangulatum*, Miq. in Zoll. Syst. Verz. Ind. Archip. 85.—Malaya.  
*quitense*, C. DC. in *Fourn. Bot.* iv. (1866) 163.—Ecuador.  
*racemosum*, Mill. Gard. Dict. ed. VIII. n. 13.—Mexic.  
*racemosum*, Vahl, Enum. i. 337 = *Peperomia secunda*.  
*radicans*, Vahl, l. c. 333.—Ins. Mauriti.  
*Radula*, H. B. & K. Nov. Gen. et Sp. i. 48 = *Bredemeyeri*.  
*Rafflesii*, C. DC. in DC. Prod. xvi. i. 349.—Sumatra.  
*rarum*, C. DC. l. c. 284.—Bras.  
*realgoanum*, C. DC. in *Linnaea*, xxxvii. (1871-73) 335.—Nicaragua.  
*recurvatum*, Blume, in Verh. Batav. Gen. xi. (1826) 233. f. 38 = *Peperomia recurvata*.  
*recurvum*, Blume, l. c. 176. t. 4.—Java.  
*recurvum*, Rich. ex C. DC. in DC. Prod. xvi. i. 301 = *inaequale*.

## PIPER:—

*reflexum*, Linn. f. Suppl. 91 = *Peperomia reflexa*.  
*Regelii*, C. DC. in DC. Prod. xvi. i. 309.—Bras.  
*Regnellii*, C. DC. l. c. 307.—Bras.  
*Reinwardtianum*, C. DC. l. c. 354.—Malaya.  
*reniforme*, Poir. Encyc. v. 465.—Hab. ?  
*reniforme*, Willd. ex Link. Jahrb. i. iii. (1820) 64 = *Verhuelia elegans*.  
*repens*, Poir. Encyc. Suppl. iv. 467 = *Peperomia scandens*.  
*reticulatum*, Hoffm. Verz. Pfl. 100 = *plantagineum*.  
*reticulatum*, Linn. Sp. Pl. 29.—Ind. occ.  
*reticulatum*, Vell. Fl. Flum. 261; i. t. 61 = *ceanothifolium*.  
*reticulosum*, Opiz, in Presl, Rel. Haenk. i. 155.—Am. trop.  
*retrofractum*, Vahl, Enum. i. 314.—Ind. or.  
*retusum*, Linn. f. Suppl. 91 = *Peperomia retusa*.  
*revolutum*, Rich. ex H. B. & K. Nov. Gen. et Sp. i. t. 3.—Hab. ?  
*rhododendrifolium*, Kunth, in *Linnaea*, xiii. (1839) 621.—Bras.  
*rhombeum*, Vahl, Enum. i. 353 = *Peperomia rhombea*.  
*rhomboidale*, Dum. Cours. Bot. Cult. ed. II. vi. 379; et ex Desf. Cat. Hort. Par. ed. III. 414.—Hab. ?  
*rhombophyllum*, C. DC. in DC. Prod. xvi. i. 352.—Malaya.  
*Rhyncholepis*, C. DC. l. c. 344.—Malaya.  
*rhynchostachyum*, C. DC. l. c. 326.—Guian.  
*ribesoides*, Wall. Cat. n. 6637.—Burma; Malaya.  
*richardiaefolium*, Kunth, in *Linnaea*, xiii. (1839) 669.—Bras.  
*Richardianum*, C. DC. in DC. Prod. xvi. i. 249.—Ind. occ.  
*Riedelii*, C. DC. l. c. 325.—Bras.  
*rigidum*, C. DC. l. c. 264.—Cuba.  
*riparium*, H. B. & K. Nov. Gen. et Sp. i. 48 = *grandifolium*.  
*rivinoide*, Kunth, in *Linnaea*, xiii. (1839) 682.—Bras.  
*rivulare*, C. DC. in *Linnaea*, xxxvii. (1871-72) 360.—Bras.  
*Rohrii*, C. DC. in DC. Prod. xvi. i. 296.—Bras.  
*Rollingo*, Schult. Mant. i. 247 = *Peperomia Rollingo*.  
*rostratum*, Roxb. Hort. Beng. 80; Fl. Ind. i. 160 = *Peperomia rostrata*.  
*rotundatum*, Poir. Encyc. Suppl. iv. 468 = *Peperomia rotundata*.  
*rotundifolium*, Hill, Veg. Syst. xxvi. 19. t. 19. f. 2.—Jamaic.  
*rotundifolium*, Linn. Sp. Pl. 30 = *Peperomia cyclophylla*.  
*rotundifolium*, Sw. Obs. Bot. 20 = *Peperomia circinata*.  
*rotundum*, Noronha, in Verh. Batav. Gen. v. (1790) ed. I. Art. iv. 23 = *nigrum*.  
*Roxburghianum*, Schult. Mant. i. 242 = *Peperomia Roxburghiana*.  
*rubellum*, Haw. ex Spreng. Syst. iv. Cur. Post. 20 = *Peperomia rubella*.  
*rubescens*, C. DC. in DC. Prod. xvi. i. 300.—Guian.  
*rubroides*, Poir. Encyc. Suppl. iv. 470 = *Peperomia rubroides*.  
*rubricaulis*, Link, Enum. Hort. Berol. i. 39 = *Peperomia pereskiaefolia*.  
*rubricaulis*, Nees, in Hort. Phys. Berol. 48. t. 8 = *Peperomia rubricaulis*.  
*rubrum*, Reinw. ex Miq. Fl. Ind. Bat. i. ii. 440 = *miniatum*.  
*rude*, H. B. & K. Nov. Gen. et Sp. i. 49.—N. Granat.  
*Rudgeanum*, C. DC. in DC. Prod. xvi. i. 373.—Guian.  
*rufigula*, Parodi, in Anal. Soc. Cient. Argent. vi. (1878) 92; Contrib. 102.—Reg. Argent.  
*rufinerve*, Opiz, in Presl, Rel. Haenk. i. 159.—Ins. Philipp.  
*rugosum*, Bredem. ex Willd. Enum. Hort. Berol. Suppl. 3 = *Bredemeyeri*.  
*rugosum*, Lam. Illustr. i. 81.—Ins. S. Doming.  
*rugosum*, Opiz, in Presl, Rel. Haenk. i. 152 = *crocatum*.  
*rugosum*, Vahl, Eclog. Am. i. 4 = *citrifolium*.  
*rugulosum*, C. DC. in *Fourn. Bot.* iv. (1866) 211.—N. Granat.  
*Ruizianum*, C. DC. in DC. Prod. xvi. i. 308.—Mexic.  
*Ruizianum*, D. Dietr. Syn. Pl. i. 118 = *obliquum*.  
*rumicifolium*, C. DC. in DC. Prod. xvi. i. 297.—Bras.  
*Rumphii*, C. DC. l. c. 354.—Ins. Ternate.  
*rupestre*, Poir. Encyc. Suppl. iv. 465 = *Peperomia rupestris*.



## PIPER:—

- ruscifolium*, Poir. Encyc. Suppl. iv. 466 = *Peperomia ruscifolia*.  
*Sagoti*, C. DC. in *Journ. Bot.* iv. (1866) 162.—Guian.  
*Sagranum*, C. DC. in *DC. Prod.* xvi. i. 292.—Cuba.  
*salicariaefolium*, Kunth, in *Linnaea*, xiii. (1839) 636.—Bras.  
*salicifolium*, Vahl, Enum. i. 312.—Guian.  
*salicinum*, Opiz, in *Presl, Rel. Haenk.* i. 150.—Panama.  
*salignum*, Poir. Encyc. Suppl. iv. 466 = *Peperomia saligna*.  
*saliuncum*, A. Dietr., Sp. Pl. i. 635, sphalm. = *salicinum*.  
*salviaefolium*, C. DC. in *DC. Prod.* xvi. i. 270.—Peruv.  
*Salzmanni*, C. DC. l. c. 387, nomen.—Bras.  
*sancarlosianum*, C. DC. l. c. 337.—Bras.  
*sanctum*, Schlecht. ex Miq. in *Linnaea*, xviii. (1844) 714.—Mexic.  
*san-joseanum*, C. DC. in *Linnaea*, xxxvii. (1871-73) 351.—Costa Rica.  
*santaremense*, C. DC. in *DC. Prod.* xvi. i. 275.—Bras.  
*sarmentosum*, Roxb. Hort. Beng. 4; Fl. Ind. i. 160.—Ind. or.; Malaya.  
*sarmentosum*, Wall. Cat. n. 6641 = longum.  
*saururoides*, Ham. Prod. Pl. Ind. Occ. 3.—Ind. occ.  
*Saururus*, Burm. Ind. Fl. Malab. 3 = P. Betle.  
*saxatilis*, Wall. in Roxb. Fl. Ind. ed. Carey, i. 163 = *Peperomia reflexa*.  
*saxicolum*, Vahl, Enum. 345 = *Peperomia pubescens*.  
*scabridum*, Haenke, in *Flora*, xii. (1829) 228, nomen = *scabriusculum*.  
*scabrifolium*, Hook. & Arn. Bot. Beech. Voy. 310.—Mexic.  
*scabriusculum*, A. Dietr. Sp. Pl. i. 647.—Peruv.  
*scabrum*, Lam. Illustr. i. 80 = *aduncum*.  
*scabrum*, Opiz, in *Presl, Rel. Haenk.* i. 151 = *scabriusculum*.  
*scabrum*, Poepp. ex Kunth, in *Linnaea*, xiii. (1839) 647 = *Poeppigii*, Steud.  
*scabrum*, Ruiz & Pav. Fl. Per. i. 34. t. 55.—Peruv.  
*scabrum*, Sw. Fl. Ind. Occ. i. 59 = *hirsutum*.  
*scabrum*, Willd. ex Kunth, in *Linnaea*, xiii. (1839) 614 = *tuberculatum*.  
*scandens*, Poepp. ex Miq. in *Mart. Fl. Bras.* iv. i. 10 = *Peperomia pellucida*.  
*scandens*, Sw. Prod. Veg. Ind. Occ. 15 = *Peperomia glabella*.  
*scandens*, Vahl, Enum. i. 346 = *Peperomia scandens*.  
*Schachii*, C. DC. in *DC. Prod.* xvi. i. 288.—Ind. occ.  
*Schiedeanum*, Steud. Nom. ed. II. ii. 343.—Mexic.  
*schizonephos*, C. DC. in *DC. Prod.* xvi. i. 241.—Malacca.  
*Schlechtendalianum*, C. DC. l. c. 324.—Mexic.  
*Schlechtendalii*, Steud. Nom. ed. II. ii. 343.—Mexic.  
*Schlimii*, C. DC. in *DC. Prod.* xvi. i. 274.—Venezuela.  
*Schottii*, C. DC. l. c. 315.—Bras.  
*scopulorum*, Kunth, in *Linnaea*, xiii. (1839) 669.—Bras.  
*scutatum*, Willd. ex A. Dietr. Sp. Pl. i. 143 = *peltatum*.  
*scutellaefolium*, Vahl, Enum. i. 356 = *Peperomia scutellaefolia*.  
*scutellatum*, Pers. Syn. i. 34 = *Peperomia scutellaefolia*.  
*scutelliferum*, C. DC. in *Linnaea*, xxxvii. (1871-73) 349.—Bras.  
*scutiphyllum*, Ham. Prod. Pl. Ind. Occ. 3.—Ins. S. Doming.  
*sebastianopolitense*, C. DC. in *DC. Prod.* xvi. i. 252.—Bras.  
*secundum*, Poepp. ex Kunth, in *Linnaea*, xiii. (1839) 612 = *geniculatum*.  
*secundum*, Poir. Encyc. iv. 474 = *Peperomia secunda*.  
*secundum*, Ruiz & Pav. Fl. Per. i. 36.—Peruv.  
*secundum*, Willd. ex Cham. & Schlecht. in *Linnaea*, v. (1830) 73 = *variegatum*.  
*Seemannianum*, C. DC. in *Journ. Bot.* iv. (1866) 164.—N. Hibern.  
*Selloi*, C. DC. in *DC. Prod.* xvi. i. 252.—Bras.  
*Sellowianum*, Kunth, in *Linnaea*, xiii. (1839) 658.—Bras.  
*septemnerve*, Vahl, Enum. i. 349 = *Peperomia septemnervis*.  
*septuplinervium*, C. DC. in *DC. Prod.* xvi. i. 313.—Panama.

## PIPER:—

- serpens*, Sw. Prod. Veg. Ind. Occ. 16 = *Verhuelia serpens*.  
*serpentarioides*, Nees, ex Miq. in *Mart. Fl. Bras.* iv. i. 9 = *Peperomia serpentarioides*.  
*serpyllifolium*, Vahl, Enum. i. 351 = *Peperomia serpyllifera*.  
*sessilifolium*, Willd. ex Schult. Mant. i. 248 = *Peperomia sessilifolia*.  
*sidaefolium*, Link & Otto, Ic. Pl. Sel. Rar. 15. t. 6 = *subpeltatum*.  
*Sieberi*, C. DC. in *DC. Prod.* xvi. i. 248.—Ind. occ.  
*silvestre*, Vell. Fl. Flum. 25; i. t. 56 = *amplum*.  
*simplex*, D. Dietr. Syn. Pl. i. 109 = *Peperomia simplex*.  
*simplex*, Endl. Prod. Fl. Ins. Norf. 37.—Ins. Norfolk.  
*sinense*, C. DC. in *DC. Prod.* xvi. i. 361.—China.  
*singulare*, C. DC. in *Journ. Bot.* iv. (1866) 161.—N. Granat.  
*Siriboa*, Forst. f. Prod. 4 = *austro-caledonicum*.  
*Siriboa*, Heyne, in *Wall. Cat. n.* 6651 B = P. Hapnium.  
*Siriboa*, Linn. Sp. Pl. 29 = P. Betle.  
*Sirium*, C. DC. in *DC. Prod.* xvi. i. 361.—Malaya.  
*smilacifolium*, H. B. & K. Nov. Gen. et Sp. i. 56.—Venezuela.  
*smilacifolium*, Willd. ex Kunth, in *Linnaea*, xiii. (1839) 603 = *laevigatum*.  
*Solmsianum*, C. DC. in *DC. Prod.* xvi. i. 291.—Bras.  
*sororum*, C. DC. l. c. 295.—Peruv.  
*spathulatum*, D. Dietr. Syn. Pl. i. 109 = *Peperomia spathulata*.  
*speciosum*, H. B. & K. Nov. Gen. et Sp. i. 59 = *peltatum*.  
*sphaerostachyum*, C. DC. in *DC. Prod.* xvi. i. 326.—Cuba.  
*Sprengelianum*, C. DC. l. c. 283.—Bras.  
*Spruceanum*, C. DC. in *Journ. Bot.* iv. (1866) 216.—Peruv.  
*spurium*, Link, Enum. Hort. Berol. i. 37 = *nigrum*.  
*Staphyle*, Roem. & Schult. Syst. i. 337 = *racemosum*.  
*stellatum*, Sw. Prod. Veg. Ind. Occ. 16 = *Peperomia stellata*.  
*stellatum*, Vell. Fl. Flum. 26; i. t. 64 = *Peperomia pereskiaefolia*.  
*stellipilum*, C. DC. in *DC. Prod.* xvi. i. 262.—Bras.  
*stipulaceum*, Opiz, in *Presl, Rel. Haenk.* i. 160.—Mexic.  
*stoloniferum*, Poir. Encyc. Suppl. iv. 470 = *Peperomia stolonifera*.  
*striatum*, C. DC. in *Linnaea*, xxxvii. (1871-73) 345.—Costa Rica.  
*striatum*, Vahl, Enum. i. 343 = *Peperomia striata*.  
*stuposum*, A. Dietr. Sp. Pl. i. 645 = *crocatum*.  
*stylosum*, Miq. Ann. Bot. Mus. Lugd. Bat. i. 139 = *Peperomia rostratum*.  
*suaveolens*, Desf. Cat. Hort. Par. ed. III. 414 = *Peperomia suaveolens*.  
*subaequale*, C. DC. in *DC. Prod.* xvi. i. 371.—Bras.  
*subandinum*, C. DC. l. c. 275.—Peruv.  
*subauriculatum*, C. DC. l. c. 323.—Bras.  
*subcordatum*, C. DC. l. c. 353.—Malaya.  
*subflavum*, C. DC. in *Journ. Bot.* iv. (1866) 210.—N. Granat.  
*subfuscum*, C. DC. l. c. 217.—Costa Rica.  
*subglaucum*, C. DC. in *Linnaea*, xxxvii. (1871-73) 337.—Bras.  
*subpedicellatum*, Heurck & Muell. Arg. in *Heurck, Obs. Bot.* 122.—Ind. or.  
*subpeltatum*, Willd. Sp. Pl. i. 166.—Afr. trop.; Ind. or.; Malaya.  
*subrotundum*, Blume, in *Verh. Batav. Gen.* xi. (1826) 235. f. 39 = *Peperomia Reinwardtiana*.  
*subrotundum*, Haw. Suppl. Pl. Succ. 2 = *Peperomia magnoliaefolia*.  
*subscutatum*, C. DC. in *DC. Prod.* xvi. i. 321.—Peruv.  
*subseptemnervium*, C. DC. l. c. 377.—Ins. Penang.  
*subulatum*, C. DC. in *Journ. Bot.* iv. (1866) 165.—N. Granat.  
*Suipigua*, Buch.-Ham. ex D. Don, Prod. Fl. Nep. 20.—Nepal.  
*sulcatum*, Blume, Cat. Gew. Buitens. 34.—Java.  
*sulcatum*, Buch.-Ham. ex D. Don, Prod. Fl. Nep. 20 = *Peperomia reflexa*.  
*sumatranum*, C. DC. in *DC. Prod.* xvi. i. 343.—Burma; Malaya.

## PIPER:—

- sundaicum*, Blume, in *Verh. Batav. Gen.* xi. (1826) 187 f. 14.—Java.  
*surinamense*, C. DC. in *DC. Prod.* xvi. i. 296.—Am. trop.  
*Swartzianum*, C. DC. l. c. 265.—Ind. occ.  
*sylvaticum*, Roxb. Hort. Beng. 4; Fl. Ind. i. 156.—Ind. or.; Burma.  
*sylvestre*, Lam. Illustr. i. 79.—Ins. Mascar.  
*sylvestre*, Lour. Fl. Cochinch. 30 = *caninum*?  
*syringaeefolium*, Balb. ex Kunth, in *Linnaea*, xiii. (1839) 599 = P. Amalago.  
*syringaeefolium*, Vahl, Enum. i. 328.—Ind. or.  
*talinifolium*, Poir. Encyc. Suppl. iv. 465 = *Peperomia talinifolia*.  
*tarapotianum*, C. DC. in *DC. Prod.* xvi. i. 246.—Peruv.  
*teapense*, C. DC. l. c. 260.—Mexic.  
*tectoniaefolium*, Kunth, in *Linnaea*, xiii. (1839) 661.—Bras.  
*tejucense*, C. DC. in *DC. Prod.* xvi. i. 287.—Bras.  
*tenellum*, Sw. Prod. Veg. Ind. Occ. 16 = *Peperomia tenella*.  
*tenue*, H. B. & K. Nov. Gen. et Sp. i. 56.—N. Granat.  
*tenuicuspis*, C. DC. in *DC. Prod.* xvi. i. 304.—Peruv.  
*tenuiflorum*, D. Dietr. Syn. Pl. i. 111 = *Peperomia tenuiflora*, Opiz.  
*tenuiflorum*, Vahl, in *West, Bidr. Ste-Croix*, 268.—Ind. occ.  
*tenuifolium*, C. DC. in *DC. Prod.* xvi. i. 321.—Mexic.  
*tenuinerve*, C. DC. l. c. 313.—Bras.  
*tenuispicatum*, Steud. Nom. ed. II. ii. 343 = *leptostachyum*.  
*tenuistylum*, C. DC. in *DC. Prod.* xvi. i. 260.—Peruv.  
*tequendense*, C. DC. in *Journ. Bot.* iv. (1866) 215.—N. Granat.  
*terminale*, D. Dietr. Syn. Pl. i. 120 = *thermale*.  
*terminale*, H. B. & K. Nov. Gen. et Sp. i. 57 = *unguiculatum*.  
*tetragonum*, Vahl, Enum. i. 349 = *Peperomia tetragona*.  
*tetraphyllum*, Forst. f. Prod. 5 = *Peperomia reflexa*.  
*tetraphyllum*, Vell. Fl. Flum. 26; i. t. 65.—Bras.  
*Teymanii*, C. DC. in *DC. Prod.* xvi. i. 345.—Ins. Celebes.  
*thermale*, Vahl, Enum. i. 329.—Ind. or.  
*Thwaitesii*, C. DC. in *DC. Prod.* xvi. i. 357 = *caninum*.  
*tigerianum*, C. DC. in *Journ. Bot.* iv. (1866) 300.—Honduras.  
*tiguanum*, C. DC. l. c. 218 = *praec.*  
*tiliaefolium*, Desv. ex Ham. Prod. Pl. Ind. Occ. 4 = *Bagassa Sagotiana*.  
*tiliaefolium*, Schlecht. & Cham. in *Linnaea*, vi. (1831) 352.—Mexic.  
*tithymaloides*, Vahl, Enum. i. 340 = *Peperomia tithymaloides*.  
*tocacheanum*, C. DC. in *DC. Prod.* xvi. i. 264.—Darren.  
*tomentosum*, C. DC. l. c. 372.—Bras.  
*tomentosum*, Mill. Gard. Dict. ed. VIII. n. 7.—Mexic.  
*tomentosum*, Vahl, Enum. i. 351 = *Peperomia tomentosa*.  
*Trianae*, C. DC. in *Journ. Bot.* iv. (1866) 162.—N. Granat.  
*triandrum*, F. Muell. Fragm. v. 197.—Austral.  
*tricarinarum*, Haw. Suppl. Pl. Succ. 102 = *Peperomia tricarinata*.  
*trichocarpa*, C. DC. in *Linnaea*, xxxvii. (1871-73) 350.—Bras.  
*trichoneuron*, C. DC. in *DC. Prod.* xvi. i. 281.—Guian.  
*trichostachyon*, C. DC. l. c. 242.—Ind. or.  
*tricuspe*, C. DC. l. c. 263.—Panama.  
*trifolium*, Linn. Sp. Pl. 30 = *Peperomia trifolia*.  
*trifolium*, Willd. ex C. DC. in *DC. Prod.* xvi. i. 443 = *Peperomia portulacoides*.  
*trigonioideum*, C. DC. l. c. 318.—Bras.  
*trigonum*, C. DC. in *Journ. Bot.* iv. (1866) 212.—N. Granat.  
*trinerve*, C. DC. in *DC. Prod.* xvi. i. 292.—Panama.  
*trinerve*, Vahl, Enum. i. 342 = *Peperomia trinervis*.  
*trineuron*, Miq. in *Hook. Lond. Journ. Bot.* v. (1846) 555.—Zeylan.  
*trioicum*, Roxb. Hort. Beng. 4; Fl. Ind. i. 151 = *nigrum*.  
*triquetrum*, Opiz, in *Presl, Rel. Haenk.* i. 160.—Mexic.  
*tristachyon*, C. DC. in *DC. Prod.* xvi. i. 335.—Ins. Sandvic.



**PIPER :—**

- tristachyum*, Poir. Encyc. Suppl. iv. 465 = *Peperomia tristachya*.  
*tristemum*, C. DC. in DC. Prod. xvi. i. 328.—Venezuela.  
*truncatum*, Vell. Fl. Flum. 25 ; i. t. 57.—Bras.  
*tuberculatum*, Jacq. Ic. Pl. Rar. ii. 2. t. 210.—Am. austr.  
*tuberosum*, D. Dietr. Syn. Pl. i. 114 = *Peperomia tuberosa*.  
*tumidum*, H. B. & K. Nov. Gen. et Sp. i. 51.—Ecuador.  
*turbinatum*, Noronha, in Verh. Batav. Gen. v. (1790) ed. I. Art. iv. 25 = longum.  
*turrialvanum*, C. DC. in Linnaea, xxxvii. (1871-73) 342.—Costa Rica.  
*Uhdei*, C. DC. in DC. Prod. xvi. i. 248.—Mexic.  
*ulmifolium*, Steud. Nom. ed. II. ii. 344.—Ind. occ.  
*umbellatum*, Jacq. Coll. ii. 335 = subpeltatum.  
*umbellatum*, Linn. Sp. Pl. 30.—Amphig. trop.  
*umbellatum*, Sieber, ex Kunth, in Linnaea, xiii. (1839) 566 = peltatum.  
*umbellatum*, Vahl, Enum. i. 337 = *Dombeyanum*.  
*umbilicatum*, Vahl, l. c. i. 356 = *Peperomia umbilicata*.  
*umbrosum*, Blume, in Verh. Batav. Gen. xi. (1826) 201 = *Peperomia nervoso-venosa*.  
*umbrosum*, H. B. & K. Nov. Gen. et Sp. i. 51.—N. Granat.  
*undeninervium*, C. DC. in DC. Prod. xvi. i. 295.—Bras.  
*ungarumense*, C. DC. l. c. 243.—Malaya.  
*unguiculatum*, Poepp. ex Kunth, in Linnaea, xiii. (1839) 603 = laevigatum.  
*unguiculatum*, Ruiz & Pav. Fl. Per. i. 34. t. 37. f. B.—Peruv.  
*urostachyum*, Hemsl. Biol. Centr. Am. Bot. iii. 57.—Nicaragua.  
*vaginans*, C. DC. in Linnaea, xxxvii. (1871-73) 353.—Bras.  
*Vahlit*, D. Dietr. Syn. Pl. i. 111 = *Peperomia Vahlit*.  
*variegatum*, H. B. & K. Nov. Gen. et Sp. i. 47.—N. Granat.  
*variegatum*, Pers. Syn. i. 35 = *Peperomia maculosa*.  
*variifolium*, C. DC. in DC. Prod. xvi. i. 308.—Mexic.  
*vasculosum*, Wall. Cat. n. 6666 (Pothos sp.).—Singapore.  
*velutinum*, H. B. & K. Nov. Gen. et Sp. i. 52.—Peruv.  
*velutinum*, Opiz, in Presl, Rel. Haenk. 157 = acutifolium.  
*venezuelense*, C. DC. in Journ. Bot. iv. (1866) 216.—Venezuela.  
*venosum*, C. DC. in DC. Prod. xvi. i. 340.—Java.  
*venustum*, Wall. Cat. n. 6666 (Pothos sp.).—Singapore.  
*veraguense*, C. DC. in DC. Prod. xvi. i. 294.—Costa Rica.  
*verbascifolium*, C. DC. l. c. 258.—Am. trop.  
*verrucosum*, Sieber, ex Steud. Nom. ed. II. ii. 344 = *tuberculatum*.  
*verrucosum*, Sw. Prod. Veg. Ind. Occ. 15.—Jamaic.  
*verrucosum*, Willd. Sp. Pl. i. 163 = dilatatum.  
*verruculosum*, C. DC. in Journ. Bot. iv. (1866) 215.—Costa Rica.  
*verticillatum*, Linn. Syst. ed. X. 856 = *Peperomia pulchella*.  
*vestitum*, C. DC. in Journ. Bot. iv. (1866) 166.—Borneo.  
*Victorianum*, C. DC. l. c. 218.—Venezuela.  
*villosulum*, C. DC. in Linnaea, xxxvii. (1871-73) 352.—Bras.  
*villosum*, Blume, ex Miq. Fl. Ind. Bat. i. ii. 454 = muricatum.  
*villosum*, C. DC. in Journ. Bot. iv. (1866) 212.—N. Granat.  
*villosum*, Rich. ex C. DC. in DC. Prod. xvi. i. 442 = *Peperomia rotundata*.  
*viminale*, Opiz, in Presl, Rel. Haenk. i. 150. t. 26. f. 1.—Ins. Philipp.  
*Visiani*, Hort. ex Buek, Ind. ad DC. Prod. iv. 296 = sphalm.—sylvestre.  
*Voigtii*, C. DC. in Linnaea, xxxvii. (1871-72) 365.—Ind. or.  
*Wagneri*, C. DC. in DC. Prod. xvi. i. 302.—Panama.  
*Walkeri*, Miq. in Hook. Lond. Journ. Bot. iv. (1845) 438 = argyrophyllum.  
*Warakaboura*, C. DC. in DC. Prod. xvi. i. 257.—Am. trop.  
*Weddellii*, C. DC. l. c. 326.—Bras.  
*Wightii*, Miq. in Hook. Lond. Journ. Bot. v. (1846) 552 = hymenophyllum.

**PIPER :—**

- Willdenowii*, Kunth, ex Miq. in Mart. Fl. Bras. iv. i. 56.—Bras.  
*Wulfschlaegelii*, C. DC. in DC. Prod. xvi. i. 249.—Jamaic.  
*Wyderianum*, C. DC. l. c. 280.—Porto Rico.  
*xylopioides*, Kunth, in Linnaea, xiii. (1839) 610.—Bras.  
*xylosteoides*, Steud. Nom. ed. II. ii. 344.—Bras.  
*Yaguarundi*, Parodi, in Anal. Soc. Cient. Argent. vi. (1878) 44; Contrib. 96.—Reg. Argent.  
*yucatanense*, C. DC. in Linnaea, xxxvii. (1871-73) 334.—Mexic.  
*zacuapanum*, C. DC. in DC. Prod. xvi. i. 330 = *tiliaefolium*.  
*zeylanicum*, Miq. in Hook. Lond. Journ. Bot. iv. (1845) 436.—Zeylan.  
*Zippelia*, C. DC. in DC. Prod. xvi. i. 256.—Java.  
*Zollingeri*, C. DC. l. c. 364.—Malaya.  
*Zollingerianum*, C. DC. l. c. 351.—Java.  
*Zuccarinii*, C. DC. l. c. 365 (Pothos sp.?).—Ind. or.  
**PIPERELLA**, Presl, Fl. Sic. p. xxxvii (1826) = **Micromeria**, Benth. (Labiata).  
*filiformis*, Presl, l. c. = M. filiformis.  
**PIPERI**, St. Lag. in Ann. Soc. Bot. Lyon, vii. (1880) 132 = **Piper**, Linn.  
*betlum*, St. Lag. l. c. = *Piper Betle*.  
*lonchitum*, St. Lag. l. c. = *Piper Lonchites*.  
*mulleuanum*, St. Lag. l. c. = *Piper brachystachyum*.  
*nematantherum*, St. Lag. l. c. = *Piper Nematanthera*.  
*schizonephum*, St. Lag. l. c. = *Piper Schizonephos*.  
*scopulosum*, St. Lag. = *Piper scopulosum*.  
**PIPERIPHORUM**, Neck. Elem. iii. 294 (1790) = **Piper**, Linn.  
**PIPERODENDRUM**, Heist. Syst. 12 (1748) (Quid?).  
**PIPEROMIA**, Pritz. Ic. Ind. i. 217 (1855) sphalm. = seq.  
**PIPERONIA**, Pritz. Ic. Ind. ii. 853 (1865) sphalm. = **Peperomia**, Ruiz & Pav. (Piper).  
**PIPTADENIA**, Benth. in Hook. Journ. Bot. iv. (1842) 334. **LEGUMINOSAE**, Benth. & Hook. f. i. 589.  
**STACHYCHRYSUM**, Boj. Hort. Maurit. 114 (1837).  
*africana*, Hook. f. in Hook. Niger Fl. 320.—Afr. trop.  
*biuncifera*, Benth. in Hook. Journ. Bot. iv. (1842) 337.—Bras.  
*Blancheti*, Benth. in Trans. Linn. Soc. xxx. (1875) 371.—Bras.  
*Boiviniana*, Baill. in Bull. Soc. Linn. Par. i. (1882) 347.—Madag.  
*boliviana*, Benth. in Trans. Linn. Soc. xxx. (1875) 370.—Bolivia.  
*Cebil*, Griseb. in Goett. Abh. xxiv. (1879) 121.—Reg. Argent.  
*chrysostachys*, Benth. in Trans. Linn. Soc. xxx. (1875) 368.—Madag.  
*colubrina*, Benth. in Hook. Journ. Bot. iv. (1842) 340.—Bras.  
*communis*, Benth. l. c. 337.—Bras.  
*contorta*, Benth. in Trans. Linn. Soc. xxx. (1875) 368.—Am. trop.  
*falcata*, Benth. in Hook. Journ. Bot. iv. (1842) 341.—Bras.  
*filicoma*, Benth. l. c. 336 = *contorta*.  
*flabellata*, Baill. in Bull. Soc. Linn. Par. i. (1883) 353.—Madag.  
*flava*, Benth. in Trans. Linn. Soc. xxx. (1875) 371.—Am. trop.  
*foetida*, Benth. l. c. 366.—Mexic.  
*foliolosa*, Benth. in Hook. Journ. Bot. iv. (1842) 336.—Bras.  
*Grandidieri*, Baill. in Bull. Soc. Linn. Par. i. (1882) 347.—Madag.  
*Greveana*, Baill. l. c. (1883) 353.—Madag.  
*guianensis*, Benth. in Hook. Journ. Bot. iv. (1842) 335 = *Stryphnodendron guianense*.  
*Hildebrandtii*, Vatke, in Oestr. Bot. Zeitschr. xxx. (1880) 273.—Afr. trop.  
*inaequalis*, Benth. in Hook. Journ. Bot. iv. (1842) 339.—Bras.  
*latifolia*, Benth. l. c. 335.—Bras.

**PIPTADENIA :—**

- laxa*, Benth. in Hook. Journ. Bot. iv. (1842) 335.—Bras.  
*leptostachya*, Benth. l. c. 339.—Bras.  
*macradenia*, Benth. l. c. 335.—Bras.  
*macrocarpa*, Benth. l. c. 341.—Bras.  
*Mannii*, Oliver, Fl. Trop. Afr. ii. 329.—Afr. trop.  
*micracantha*, Benth. in Trans. Linn. Soc. xxx. (1875) 369.—Bras.  
*microphylla*, Benth. in Hook. Journ. Bot. iv. (1842) 341 = *macrocarpa*.  
*moniliformis*, Benth. l. c. 339.—Bras.  
*nitida*, Benth. l. c. 336.—Bras.  
*oudhensis*, Brand. Forest Fl. 168.—Ind. or.  
*paniculata*, Benth. in Hook. Journ. Bot. iv. (1842) 338.—Bras.  
*patens*, Benth. Bot. Voy. Sulph. 89.—Nicarag.  
*peregrina*, Benth. in Hook. Journ. Bot. iv. (1842) 340.—Bras.  
*Pervillei*, Vatke, in Linnaea, xliii. (1880-82) 109.—Madag.  
*Poeppigii*, Klotzsch, ex Benth. in Trans. Linn. Soc. xxx. (1875) 367.—Bras.  
*polyptera*, Benth. l. c. 370.—Bras.  
*polystachya*, Miq. in Linnaea, xviii. (1844) 590.—Guian.  
*psilostachya*, Benth. in Hook. Journ. Bot. iv. (1842) 336.—Guian.  
*pteroclada*, Benth. in Trans. Linn. Soc. xxx. (1875) 370.—Peruv.  
*pterosperma*, Benth. in Hook. Journ. Bot. iv. (1842) 338.—Bras.  
*ramosissima*, Benth. l. c. 336.—Bras.  
*rigida*, Benth. l. c. 338.—Bras.  
*stenadenia*, Griseb. Cat. Pl. Cub. 81 = *Dichrostachys nutans*.  
*suaveolens*, Griseb. Fl. Brit. W. Ind. 710 = *flava*.  
*suaveolens*, Miq. in Linnaea, xviii. (1844) 589.—Ind. occ.  
*subtilifolia*, Benth. in Hook. Journ. Bot. iv. (1842) 337.—N. Granat.  
*trisperma*, Benth. l. c. 337.—Bras.  
*uaupensis*, Spruce, ex Benth. in Trans. Linn. Soc. xxx. (1875) 366.—Bras.  
*viridiflora*, Benth. in Hook. Journ. Bot. iv. (1842) 337 = *flava*.  
**PIPTANDRA**, Turcz. in Bull. Soc. Nat. Mosc. (1862) II. 323 = **Scholtzia**, Schau. (Myrtac.).  
*spathulata*, Turcz. l. c. 324 = *S. spathulata*.  
**PIPTANTHUS**, Sweet, Brit. Flow. Gard. t. 264 (1828). **LEGUMINOSAE**, Benth. & Hook. f. i. 465.  
*nepalensis*, Sweet, l. c.—Reg. Himal.  
**PIPTATHERUM**, Beauv. Agrost. 17. t. 5. f. 10, 11 (1812) = **Oryzopsis**, Michx. (Gramin.).  
*acuminatum*, J. & C. Presl, Rel. Haenk. i. 221 = *Eriochloa polystachya*.  
*aequilume*, Munro, ex Duthie, in Atkins. Gaz. N. W. Ind. 626.—Ind. or.  
*angustifolium*, Munro, ex Aitch. in Journ. Linn. Soc. xviii. (1880) 106.—Afghanist.  
*annulatum*, Raddi, Agrost. Bras. 30 = *Eriochloa polystachya*.  
*Blancheanum*, E. Desv. in Boiss. Diagn. Ser. II. iv. 127.—Oriens.  
*coerulescens*, Beauv. Agrost. 18. t. 5 = *O. coerulescens*.  
*comosum*, Roem. & Schult. Syst. ii. 330 (= *Urachne parviflora*).—Europ. austr.; Sibir.  
*confine*, Schult. Mant. ii. 184 = *Eriochloa polystachya*.  
*elegans*, Beauv. Agrost. 173, nomen.—Hab.?  
*flavescens*, Sieber, ex Nees, Agrost. Bras. 16 = *Eriochloa polystachya*.  
*frutescens*, Schult. Mant. ii. 183 (= *Urachne parviflora*).—Europ. austr.; Sibir.  
*holciforme*, Roem. & Schult. Syst. ii. 328 = *O. holciformis*.  
*laeve*, [Nees, in] Meyen, Reise, i. 466, 484, nomen (= *Helopus Meyeni*).—Peruv.  
*laterale*, Munro, ex Aitch. in Journ. Linn. Soc. xviii. (1880) 106 = *molinioides*.  
*Lindleyanum*, Nees, in Nov. Act. Nat. Cur. xix. Suppl. i. (1843) 149.—Chili.  
*longearistatum*, Boiss. & Haussk. ex Boiss. Fl. Orient. v. 509.—Persia.



## PIPTATHERUM:—

*macrathrum*, Nees, ex Steud. Syn. Pl. Gram. 123 (= *Urachne parviflora*).—Europ.  
*miliaceum*, Coss. Notes Crit. 129 = *multiflorum*.  
*miliaceum*, Fourn. in Bull. Soc. Bot. Fr. xiii. (1866) 119 (an praec. ?).—Reg. Mediterr.  
*molinioides*, Boiss. Diagn. Ser. I. vii. 121.—Persia; Afghanistan.  
*multiflorum*, Beauv. Agrost. 18 (= *Urachne parviflora*).—Europ.; Sibir.  
*nigrum*, Torr. Fl. U. St. i. 79 = *Oryzopsis melanocarpa obtusum*, [Nees, in] Meyen, Reise, ii. 32 (= *Helopus obtusum*).—Peruv.  
*paradoxum*, Beauv. Agrost. 18 = *O. paradoxa*.  
*punctatum*, Beauv. l. c. = *Eriochloa polystachya ramosum*, Nees, in Nov. Act. Nat. Cur. xix. Suppl. i. (1843) 148 = *laeve*.  
*setosum*, A. Rich. Fl. Cub. Fanerog. ii. 311.—Cuba.  
*soongaricum*, Duthie, in Atkins. Gaz. N. W. Ind. 626.—Ind. or.  
*sphacelatum*, Boiss. Fl. Orient. v. 508.—Persia.  
*Thomasi*, Kunth, Enum. Pl. i. 177 (= *Urachne parviflora*).—Europ.; Sibir.  
*virescens*, Boiss. Fl. Orient. v. 507.—Europ. or.; As. Min.

**PIPTOCALYX**, Oliver, ex Benth. Fl. Austral. v. 292 (1870). *MONIMIACEAE*, Benth. & Hook. f. iii. 143.  
 Moorei, Oliver, l. c.—Austral.

**PIPTOCALYX**, Torr. Bot. U. St. Expl. Exped. ii. 413. t. 12 (1874) = **Krynitzkia**, Fisch. & Mey. (Borag.). *circumscissa*, Torr. l. c. 414. t. 12 = *K. circumscissa*.

**PIPTOCARPHA**, R. Br. in Trans. Linn. Soc. xii. (1816) 121. *COMPOSITAE*, Benth. & Hook. f. ii. 231.

*CARPHOBOLUS*, Schott, in Spreng. Syst. iv. Cur. Post. 409 (1827).  
*MONANTHEMUM*, Griseb. Fl. Brit. W. Ind. 354 (1861).  
*VANILLOMA*, Spach, Hist. Vég. Phan. x. 39 (1841); xiv. 424 (1848).  
*asterotricha*, Baker, in Mart. Fl. Bras. vi. II. 126, in obs.—Peruv.  
*axillaris*, Baker, l. c. 122.—Bras.  
*brasiliensis*, Cass. in Dict. Sc. Nat. xli. 109.—Bras.  
*Brownii*, DC. Prod. vii. 261 = *brasiliensis*.  
*chontalensis*, Baker, in Mart. Fl. Bras. vi. II. 132.—Nicaragua.  
*cinerea*, Baker, l. c. 129.—Bras.  
*Cruegeri*, Baker, l. c. 132.—Ins. Trinit.  
*elaeagnoides*, Baker, l. c. 126.—N. Granat.  
*Lechleri*, Baker, l. c. 127, in obs.—Peruv.  
*leprosa*, Baker, l. c. 128.—Bras.  
*lucida*, Benn. ex Baker, l. c. 121.—Bras.  
*Lundiana*, Baker, l. c. 130.—Bras.  
*macropoda*, Baker, l. c. 123.—Bras.  
*notata*, Baker, l. c. 121.—Bras.  
*oblonga*, Baker, l. c. 129.—Bras.  
*opaca*, Baker, l. c. 124.—Bras.  
*oxyphylla*, Baker, l. c. 120.—Bras.  
*pannosa*, Baker, in Journ. Bot. xiii. (1875) 203.—Bras.  
*pellucida*, Baker, in Mart. Fl. Bras. vi. II. 127.—Bras.  
*Poeppigiana*, Baker, l. c. 131.—Peruv.  
*polycephala*, Baker, l. c. 125.—Guian.  
*pyrifolia*, Baker, l. c. 120.—Bras.  
*quadrangularis*, Baker, l. c. 128.—Bras.  
*ramiflora*, Baker, l. c. 127.—Bras.  
*Riedelii*, Baker, l. c. 124.—Bras.  
*rotundifolia*, Baker, l. c. 125.—Bras.  
*Sellowii*, Baker, l. c. 130.—Bras.  
*senescens*, Baker, l. c.—Bras.  
*Sprucei*, Baker, l. c. 129, in obs.—Peruv.  
*tereticaulis*, Baker, l. c. 132.—N. Granat.  
*tomentosa*, Baker, in Journ. Bot. xiii. (1875) 203.—Bras.  
*triflora*, Benn. ex Baker, in Mart. Fl. Bras. vi. II. 132.—Guian.  
*umbellulata*, Baker, l. c. 126.—Bras.  
*Vauthieriana*, Baker, l. c.—Bras.  
*venulosa*, Baker, l. c. 131.—Bras.

**PIPTOCARPHA**, Hook. & Arn. in Hook. Comp. Bot. Mag. i. (1835) 110 = **Chuquiraga**, Juss. (Compos.).  
*diacanthoides*, Hook. & Arn. l. c. = *C. leucoxydon*.  
*excelsa*, Hook. & Arn. l. c. = *C. excelsa*.

**PIPTOCELUS**, Presl, Bot. Bemerk. 36 (1844); in Abh. Boehm. Ges. V. iii. (1845) 466. Gen. dub.  
*CELASTRINEARUM*.—Cf. Benth. & Hook. f. Gen. i. 360.  
*Haenkeanus*, Presl, ll. cc. 36; 466.—Ecuador.  
*myrianthus*, Turcz. in Bull. Soc. Nat. Mosc. xxxi. (1858) i. 449 = *Schinus pendens*.

**PIPTOCEPHALUM**, Sch. Bip. in Bonplandia, viii. (1860) 369 = **Catananche**, Linn. (Compos.).  
*carpholepis*, Sch. Bip. l. c. 369, 370 = *C. lutea*.  
*luteum*, Sch. Bip. l. c. = *C. lutea*.  
*phaiolepis*, Ball, in Journ. Linn. Soc. xvi. (1878) 534 = *C. lutea*.

**PIPTOCERAS**, Cass. in Dict. Sc. Nat. l. 469 (1828) = **Centaurea**, Linn. (Compos.).  
*babylonicum*, Cass. l. c. liv. 489 = *C. babylonica*.  
*Behen*, Cass. l. c. 487 = *C. Behen*.

**PIPTOCHAETIUM**, J. & C. Presl, Rel. Haenk. i. 222. t. 37 (1830) = **Oryzopsis**, Michx. (Gramin.).  
*bicolor*, E. Desv. in C. Gay, Fl. Chil. vi. 273.—Chili.  
*chaetaphorum*, Griseb. in Goett. Abh. xxiv. (1879) 298.—Reg. Argent.  
*erianthum*, Bal. in Bull. Soc. Bot. Fr. xxxii. (1885) 244.—Reg. Argent.  
*hirtum*, Phil. in Anal. Univ. Chil. (1873) 559.—Chili.  
*laevissimum*, Phil. in Linnaea, xxxiii. (1864-65) 280.—Chili.

*lasianthum*, Griseb. in Goett. Abh. xxiv. (1879) 297.—Reg. Argent.  
*mucronatum*, Griseb. l. c. 296.—Reg. Argent.  
*ovatum*, E. Desv. in C. Gay, Fl. Chil. vi. 273.—Chili.  
*pallidum*, Phil. ex Griseb. in Goett. Abh. xxiv. (1879) 297 = *laevissimum*.  
*panicoides*, E. Desv. in C. Gay, Fl. Chil. vi. 270.—Chili.  
*purpuratum*, Phil. in Linnaea, xxix. (1857-58) 86.—Chili.  
*setifolium*, J. & C. Presl, Rel. Haenk. i. 222 (= *Urachne panicoides*).—Chili; Bras.  
*trichotomum*, Griseb. in Goett. Abh. xxiv. (1879) 297 (= *Urachne trichotomum*).—Reg. Argent.  
*tuberculatum*, E. Desv. in C. Gay, Fl. Chil. vi. 272.—Chili.  
*uruguense*, Griseb. in Goett. Abh. xxiv. (1879) 297.—Reg. Argent.  
*verrucosum*, Phil. in Linnaea, xxxiii. (1864-65) 280.—Chili.

**PIPTOCHLAMYS**, C. A. Mey. in Bull. Phys.-Math. Acad. Pétersb. i. (1843) 358 = **Thymelaea**, Endl.  
*hirsuta*, C. A. Mey. l. c. = *T. hirsuta*.

**PIPTOCLAINA**, G. Don, Gen. Syst. iv. 364 (1837) = **Heliotropium**, Tourn. (Borag.).  
*malabarica*, G. Don, l. c. = *H. supinum*.  
*supina*, G. Don, l. c. = *H. supinum*.

**PIPTOCOMA**, Cass. in Bull. Soc. Philom. (1817) 10; et in Dict. Sc. Nat. xli. 111 (1826). *COMPOSITAE*, Benth. & Hook. f. ii. 233.  
*rufescens*, Cass. l. c. 10; (1818) 58; et in Dict. Sc. Nat. xli. 111.—Ins. S. Doming.

**PIPTOCOMA**, Less. in Linnaea, iv. (1829) 315 = **Lychnophora**, Mart. (Compos.).  
*lychnophorioides*, Less. l. c. = *L. trichocarpa*.

**PIPTOLAENA**, Harv. in Hook. Lond. Journ. Bot. i. (1842) 25 = **Voacanga**, Thou. (Apocyn.).  
*Dregei*, A. DC. in DC. Prod. viii. 358 = *V. Dregei*.

**PIPTOLEPIS**, Benth. Pl. Hartw. 29 (1840) = **Foestiera**, Poir. (Oleac.).  
*phillyreoides*, Benth. l. c. = *F. phillyreoides*.

**PIPTOLEPIS**, Sch. Bip. in Pollichia, xx-xxi. (1863) 380. *COMPOSITAE*, Benth. & Hook. f. ii. 233.  
*buxoides*, Sch. Bip. l. c. 383.—Bras.  
*ericoides*, Sch. Bip. l. c.—Bras.  
*Gardneri*, Baker, in Mart. Fl. Bras. vi. II. 144.—Bras.

**PIPTOLEPIS**:—

*imbricata*, Sch. Bip. in Pollichia, xx-xxi. (1863) 383.—Bras.  
*leptospermoides*, Sch. Bip. l. c. 382.—Bras.  
*Martiana*, Sch. Bip. l. c. 385.—Bras.  
*Oleaster*, Sch. Bip. l. c. 384.—Bras.  
*Pseudo-myrtus*, Sch. Bip. l. c.—Bras.

**PIPTOMERIS**, Turcz. in Bull. Soc. Nat. Mosc. xxvi. i. (1853) 257 = **Jacksonia**, R. Br. (Legumin.).  
*aphylla*, Turcz. l. c. 258 = *J. Piptomeris*.

**PIPTOPOGON**, Cass. in Dict. Sc. Nat. xlviii. 434, 507 (1827) = **Hypochoeris**, Linn. (Compos.).  
*decipiens*, Cass. l. c. = *H. Achyrophorus*.  
*glaucum*, Sch. Bip. in Nov. Act. Nat. Cur. xxi. i. (1845) 161 = *H. Achyrophorus*.  
*laevigatum*, Sch. Bip. l. c. 165 = *H. Achyrophorus*.  
*macrosperrum*, C. A. Mey. ex Turcz. in Bull. Soc. Nat. Mosc. (1838) 95 = *Scorzonera macrosperrma*.

**PIPTOPTERA**, Bunge, in Act. Hort. Petrop. v. (1877) 644. *CHENOPODIACEAE*, Benth. & Hook. f. iii. 75.  
*turkestana*, Bunge, l. c. 645; vi. (1879) 449.—Turkestan.

**PIPTOSACCOS**, Turcz. in Bull. Soc. Nat. Mosc. xxxi. (1858) i. 415. *INC. SEDIS*.  
*hypophyllantha*, Turcz. l. c.—Malaya.

**PIPTOSPETHA**, N. E. Br. in Gard. Chron. (1879) i. 138. f. 20. *AROIDEAE*, Benth. & Hook. f. iii. 985.  
*insignis*, N. E. Br. l. c.—Borneo.

**PIPTOSTEGIA**, Reichb. Nom. 113 (1841) = **Ipomoea**, Linn. (Convolv.).  
*Gomesii*, Mart. Syst. Mat. Med. Bras. 78.—Bras.  
*operculata*, Reichb. Nom. 113 = *I. operculata*.  
*Pisonis*, Mart. Syst. Mat. Med. Bras. 78.—Bras.

**PIPTOSTEMMA**, Spach, Hist. Vég. Phan. x. 34 (1841) = **Nassauvia**, Comm. (Compos.).

**PIPTOSTEMMA**, Turcz. in Bull. Soc. Nat. Mosc. xxiv. (1851) i. 191 = **Angianthus**, Wendl. (Compos.).  
*carpesioides*, Turcz. l. c. 192 = *A. phyllocephalus*.

**PIPTOSTEMMUM**, Steud. Nom. ed. II. ii. 344 (1841) = **PIPTOSTEMMA**, Spach = **Nassauvia**, Comm. (Compos.).

**PIPTOSTIGMA**, Oliver, in Journ. Linn. Soc. viii. (1865) 158. t. 2. *ANONACEAE*, Benth. & Hook. f. i. 957.  
*glabrescens*, Oliver, l. c. 159.—Afr. trop.  
*pilosum*, Oliver, l. c.—Afr. trop.

**PIPTOSTYLIS**, Dalz. in Hook. Kew Journ. iii. (1851) 33. t. 2 = **Clausena**, Burm. f. (Rutac.).  
*indica*, Dalz. l. c. = *C. indica*.

**PIPTURUS**, Wedd. in Ann. Sc. Nat. Sér. IV. i. (1854) 196. *URTICACEAE*, Benth. & Hook. f. iii. 390.

*NOTHOCNIDE*, Blume, Mus. Bot. Lugd. Bat. ii. 137, in nota, t. 14 [1856].

*PRAETORIA*, Baill. Etud. Gén. Euph. 470. t. 11 (1858).

*acuminatus*, Miq. Ann. Mus. Bot. Lugd. Bat. iv. 304.—Malaya.

*albidus*, A. Gray, ex H. Mann, in Proc. Am. Acad. vii. (1867) 201 = *Gaudichaudianus*.

*argenteus*, Wedd. in DC. Prod. xvi. i. 235<sup>18</sup>.—Java.  
*asper*, Wedd. in Ann. Sc. Nat. Sér. IV. i. (1854) 197.—Ins. Philipp.

*Candolleanus*, Wedd. l. c. 196 = *argenteus*.  
*ceramicus*, Miq. Ann. Mus. Bot. Lugd. Bat. iv. 304.—Ins. Ceram.

*ellipticus*, Wedd. in Ann. Sc. Nat. Sér. IV. i. (1854) 197.—Ins. Philipp.

*Gaudichaudianus*, Wedd. l. c.—Ins. Sandvic.

*gracilipes*, A. Gray, ex Wedd. in DC. Prod. xvi. i. 235<sup>20</sup>.—Ins. Sandvic.

*incanus*, Wedd. in DC. l. c. 235<sup>18</sup> = *velutinus*.



**PIPTURUS** :—

*integrifolia*, Baker, in *Journ. Bot.* xx. (1882) 267.—Madag.  
*mollissimus*, Wedd. in *Arch. Mus. Par.* viii. (1855–56) 449.—Malaya.  
*platyphyllus*, Wedd. in *DC. Prod.* xvi. i. 235<sup>19</sup>.—Ins. Pacif.  
*propinquus*, Wedd. in *Arch. Mus. Par.* viii. (1855–56) 447. t. 15 D = *argenteus*.  
*repandus*, Wedd. l. c. 448.—Java.  
*rotundifolius*, Wedd. in *Ann. Sc. Nat. Sér. IV.* i. (1854) 197.—Ins. Mauriti.  
*taitensis*, Wedd. l. c. = *Gaudichaudianus*.  
*velutinus*, Wedd. l. c. 196.—Ins. Malay. Mascar. Pacif.

**PIQUERIA**, Cav. Ic. iii. 18. t. 235 (1794). *COMPOSITAE*, Benth. & Hook. f. ii. 238.

*PHALACRAEA*, DC. *Prod.* v. 105 (1836).  
*ageratoides*, Gardn. in Hook. Lond. Journ. Bot. vi. (1847) 430 = *Alomia ageratoides*.  
*angustata*, Gardn. l. c. 432 = *Alomia angustata*.  
*artemisioides*, H. B. & K. *Nov. Gen. et Sp.* iv. 153.—Ecuador.  
*attenuata*, Gardn. in Hook. Lond. Journ. Bot. vi. (1847) 430 = *Gymnocoronis spilanthoides*.  
*cinerea*, Gardn. l. c. 432 = *Alomia cinerea*.  
*densiflora*, Benth. *Bot. Voy. Sulph.* 110.—Ecuador.  
*eupatorioides*, Gardn. in Hook. Lond. Journ. Bot. vi. (1847) 431 = *Trichogonia salviaefolia*.  
*Eupatorium*, Gardn. l. c. 432 = *Clibadium rotundifolium*.  
*floribunda*, DC. *Prod.* v. 105.—Peruv.; Chili.  
*fastigiata*, Gardn. in Hook. Lond. Journ. Bot. vi. (1847) 431 = *Alomia fastigiata*.  
*foliosa*, Gardn. l. c. 432 = *Alomia foliosa*.  
*galioides*, DC. *Prod.* v. 105.—Peruv.  
*latifolia*, Gardn. in Hook. Lond. Journ. Bot. vi. (1847) 430 = *Ageratum conyzoides*.  
*longipetiolata*, Sch. Bip. ex Baker, in Mart. Fl. Bras. vi. ii. 183 = *Gymnocoronis spilanthoides*.  
*myriadenia*, Sch. Bip. ex Baker, l. c. 192 = *Alomia myriadenia*.  
*ovata*, G. Don, ex Loud. Hort. Brit. 337 = *trinervia*.  
*pilosa*, H. B. & K. *Nov. Gen. et Sp.* iv. 153.—Mexic.  
*polyphylla*, Sch. Bip. ex Baker, in Mart. Fl. Bras. vi. ii. 192 = *Alomia polyphylla*.  
*pubescens*, Sm. in Rees, *Cycl.* xxvii. n. 2.—Peruv.  
*quinqueflora*, Cass. in *Dict. Sc. Nat.* xli. 116.—Peruv.  
*serrata*, A. Gray, in *Proc. Am. Acad.* xv. (1880) 25.—Mexic.  
*subcordata*, Gardn. in Hook. Lond. Journ. Bot. vi. (1847) 430 = *Gymnocoronis spilanthoides*.  
*triflora*, Hemsl. *Biol. Centr. Am. Bot.* ii. 77.—Mexic.  
*trinervia*, Cav. Ic. iii. 19. t. 235.—Mexic.

**PIRANHEA**, Baill. *Adansonia*, vi. (1866) 235. t. 6. *EUPHORBIACEAE*, Benth. & Hook. f. iii. 281.

*trifoliata*, Baill. l. c. 236. t. 6.—Bras.

**PIRARDA**, Adans. *Fam.* ii. 499 (1763) = **Ethulia**, Linn. (Compos.).**PIRATINERA**, Aubl. Pl. Gui. ii. 888. t. 340 (1775) = **Brosimum**, Sw. (Urtic.).

*guianensis*, Aubl. l. c. = *B. Aubletii*.

**PIRCUNIA**, Bert. in Merc. Chil. (1829); ex Am. Journ. Sc. Ser. I. xxiii. (1833) 264 = **Phytolacca**, Linn.

*abyssinica*, Moq. in DC. *Prod.* xiii. ii. 30 = *Phyt. abyssinica*.  
*chilensis*, Moq. l. c. 29 = *Phyt. chilensis*.  
*dioica*, Moq. l. c. 30 = *Phyt. dioica*.  
*drastica*, Bert. in 'Merc. Chil. (1829)'; ex Am. Journ. Sc. Ser. I. xxiii. (1833) 264 = *Anisomeria drastica*.  
*esculenta*, Moq. in Fl. des Serres, ix. (1853–54) 236 = *Phyt. acinosa*.  
*Latbenia*, Moq. in DC. *Prod.* xiii. ii. 29 = *P. acinosa*.  
*stricta*, Moq. l. c. 30 = *Phyt. stricta*.

**PIRENIA**, C. Koch, *Dendrol.* i. 188 (1867) = **PYRENIA**, Clairv. = **Pyrus**, Tourn. (Rosac.).**PIRIGARA**, Aubl. Pl. Gui. i. 487 (1775) = **Gustavia**, Linn. (Myrtac.).

*alata*, Span. in Linnaea, xv. (1841) 204 = *G. alata*.  
*globosa*, Span. l. c. = *G. globosa*.

**PIRIGARA** :—

*hexapetala*, Aubl. Pl. Gui. i. 490 = *Gustavia fastuosa*.  
*insignis*, Kunth, ex Hemsl. *Biol. Centr. Am. Bot.* i. 413 = *G. superba*.  
*speciosa*, H. B. & K. *Nov. Gen. et Sp.* vii. 262 = *G. latifolia*.  
*superba*, H. B. & K. l. c. 261 = *G. superba*.  
*tetrapetala*, Aubl. Pl. Gui. i. 487 = *Grias Aubletiana*.  
*valida*, Blume, *Bijdr.* 1096 = *Planchonia valida*.

**PIRIGARDA**, C. B. Clarke, in Hook. f. Fl. Brit. Ind. ii. 511 (1879), sphalm. = *praeac*.**PIRINGA**, Juss. in Mém. Mus. Par. vi. (1820) 399 = **Gardenia**, Ellis (Rubiace.).**PIRIPEA**, Aubl. Pl. Gui. ii. 627. t. 253 (1775) = **Buchnera**, Linn. (Scrophul.).

*palustris*, Aubl. l. c. 628. t. 253 = *B. palustris*.

**PIRIQUETA**, Aubl. Pl. Gui. i. 298. t. 117 (1775). *TURNERACEAE* [Benth. & Hook. f. i. 807].

*BURCARDIA*, Schreb. *Gen.* i. 530 (1789).  
*BURGHARTIA*, Scop. *Introd.* 229 (1777).  
*ERBLICHA*, Seem. *Bot. Voy. Herald*, 130 (1853).  
*assurensis*, Urban, in *Eichl. Jahrb.* ii. (1883) 60.—Bras.  
*aurea*, Urban, l. c. 69.—Bras.  
*Berneriana*, Urban, l. c. 78.—Madag.  
*capensis*, Urban, l. c.—Afr. austr.  
*caroliniana*, Urban, l. c. 71 = *fulva*.  
*cistoides*, G. F. W. Mey. ex Steud. *Nom. ed. II.* ii. 344 = *villosa*.  
*Duarteana*, Urban, in *Eichl. Jahrb. Berl.* ii. (1883) 66.—Bras.

*foliosa*, Garcke, in Linnaea, xxii. (1849) 63 = *villosa*.  
*fulva*, Chapm. Fl. S. U. St. 146.—Am. bor.  
*glabra*, Chapm. l. c. 147 = *fulva*.  
*ionidioides*, A. Rich. *Ess. Fl. Cub.* 605 = *villosa*.  
*lanceolata*, Benth. in Hook. Journ. Bot. iv. (1842) 117 = *villosa*.

*longifolia*, Bello, in Anal. Soc. Esp. Hist. Nat. x. (1880) 275 = *villosa*.  
*madagascariensis*, Urban, in *Eichl. Jahrb. Berl.* ii. (1883) 79.—Madag.

*nitida*, Urban, l. c. 70.—Bras.  
*odorata*, Urban, l. c. 80.—Am. centr.  
*ovata*, Urban, l. c. 76.—Ins. S. Doming.  
*plicata*, Urban, l. c. 65.—Bras.  
*racemosa*, Sweet, *Hort. Brit.* ed. I. 154.—Bras.  
*rosea*, Urban, in *Eichl. Jahrb. Berl.* ii. (1883) 64.—Bras.

*Selloi*, Urban, l. c. 63.—Bras.  
*sidifolia*, Urban, l. c. 61.—Bras.  
*stenophylla*, Klotzsch, in Schomb. Faun. & Fl. Brit. Gui. 1167, nomen = *villosa*.

*sulfurea*, Urban & Rolfe, ex Urban, in *Eichl. Jahrb. Berl.* ii. (1883) 62.—Bras.

*Tamberlikii*, Urban, l. c. 67.—Bras.

*tomentosa*, Chapm. Fl. S. U. St. 147 = *fulva*.  
*tomentosa*, H. B. & K. *Nov. Gen. et Sp.* vi. 128 = *villosa*.

*villosa*, Aubl. Pl. Gui. i. 298. t. 117.—Guian.  
*viscosa*, Griseb. *Cat. Pl. Cub.* 114.—Cuba; Bras.

**PIRITANERA**, R. H. Schomb. in Proc. Linn. Soc. ii. (1851) 161 = **PIRATINERA**, Aubl. = **Brosimum**, Sw. (Urtic.).**PIROLA**, Neck. in Act. Acad. Theod. Palat. ii. (1770) 488 = **Pyrola**, Tourn. (Ericac.).**PIRONNEAVA**, Gaudich. Bot. Voy. Bonite, tt. 63, 64 (1844–52) = **Aechmea**, Ruiz & Pav. (Bromel.).

*glomerata*, Gaudich. l. c. t. 63 = *A. augusta*.  
*Lueddemanniana*, C. Koch, *Wochenschr.* ix. (1866) 182 = *A. caerulea*.  
*Morreniana*, Regel, *Gartenfl.* (1874) 257 = *A. glomerata*.

*platynema*, Gaudich. Bot. Voy. Bonite, t. 64 = *A. platynema*.

*ramosa*, Wawra, in Oestr. Bot. Zeitschr. xxx. (1880) 148 = *A. ramosa*.

*roseo-coerulea*, C. Koch, *Wochenschr.* iv. (1861) 189 = *A. glomerata*.

*spectabilis*, C. Koch, l. c. iii. (1860) 338 = *A. spectabilis*.

**PIROPHORUM**, Neck. Elem. ii. 72 (1790) = **Pyrus**, Tourn. (Rosac.).**PIRRONEANA**, Benth. & Hook. f. Gen. iii. 663 (1883), sphalm. = **PIRONNEAVA**, Gaudich. = **Aechmea**, Ruiz & Pav. (Bromel.).**PIRUS**, Hall, Enum. Stirp. Helv. i. 351 (1742) = **Pyrus**, Tourn. (Rosac.).**PISAURA**, Bonato, Monog. (1793); ex Endl. Gen. 1194 (1841) = **Lopezia**, Cav. (Onagr.).

*automorpha*, Bonato, l. c. = *L. racemosa*.

**PISCIDIA**, Linn. Syst. ed. X. 1155 (1759). *LEGUMINOSAE*, Benth. & Hook. f. i. 550.

*acutata*, Mart. ex Benth. in Ann. Wien. Mus. ii. (1838) 106 = *Pterocarpus ancylocalyx*.

*carthagenensis*, Jacq. Enum. Pl. Carib. 27 = *P. Erythrina*.

*Corallodendrum*, Steud. Nom. ed. II. ii. 344 = *Erythrina Corallodendron*?

*Erythrina*, Linn. Syst. ed. X. 1155.—Am. trop.

*florida*, Mart. ex Benth. in Ann. Wien. Mus. ii. (1838) 106 = *Pterocarpus Rohrii*.

*inebrians*, Medic. in Vorles. Churpf. Phys. Ges. ii. (1787) 394 = *P. Erythrina*.

*longifolia*, Willd. Sp. Pl. iii. 920.—Mexic.

*punicea*, Cav. Ic. iv. 8 = *Sesbania punicea*.

*toxicaria*, Salisb. Prod. 336 = *P. Erythrina*.

**PISONIA**, Plum. ex Linn. Gen. ed. I. 42 (1737). *NYCTAGINEAE*, Benth. & Hook. f. iii. 9.

*BESSERA*, Vell. Fl. Flum. 147 (1825); iv. t. 12 (1827).

*CALPIDIA*, Thou. Hist. Vég. Isles Afr. Austr. (1804) 37. t. 10.

*CEODES*, Forst. Char. Gen. 141. t. 71 (1776).

*COLUMELLA*, Vell. Fl. Flum. 155 (1827); iv. t. 17 (1827).

*PALLAVIA*, Vell. l. c. 151 (1825); iv. t. 12 (1827).

*TORRUBIA*, Vell. l. c. 139 (1825); iii. t. 150 (1827).

*TRAGULARIA*, Koen. ex Roxb. Fl. Ind. ii. 217 (1832).

*aculeata*, Linn. Sp. Pl. 1026.—Cosmop. trop.

*acuminata*, Mart. ex F. A. Schmidt, in Mart. Fl. Bras. xiv. ii. 357.—Bras.

*alba*, Span. in Linnaea, xv. (1841) 342.—Ind. or.; Malaya.

*anisophylla*, Hassk. Hort. Bog. Desc. 85.—Malaya.

*Brunoniana*, A. Cunn. ex Choisy, in DC. Prod. xiii. ii. 441 = *excelsa*.

*Brunoniana*, Endl. Prod. Fl. Norf. 43.—Austral.; N. Zel.; Ins. Norf.

*buxifolia*, Rottb. in Nye Samml. Danske Vidensk. Selsk. Skr. ii. (1783) 536. t. 4. f. 2 = *Maba buxifolia*.

*Cafferana*, Casar. Nov. Stirp. Bras. Dec. 68.—Bras.

*Calpidia*, Steud. Nom. ed. II. ii. 345.—Ins. Mauriti.

*campestris*, Netto, in Ann. Sc. Nat. Sér. V. v. (1866) 83.—Bras.

*Capparosa*, Netto, l. c. 82 = *Neea theifera*.

*cauliflora*, Scheff. in Tijdschr. Nederl. Ind. xxxii. (1871) 417.—Malaya.

*coccinea*, Sw. Prod. Veg. Ind. occ. 60 = *inermis*.

*combretiflora*, Mart. ex F. A. Schmidt, in Mart. Fl. Bras. xiv. ii. 360.—Bras.

*comosa*, Choisy, in DC. Prod. xiii. ii. 444.—Bras.

*cordifolia*, Mart. ex F. A. Schmidt, in Mart. Fl. Bras. xiv. ii. 359.—Bras.

*costata*, Choisy, in DC. Prod. xiii. ii. 446.—Ins. Mauriti.

*crenulata*, F. A. Schmidt, in Mart. Fl. Bras. xiv. ii. 356.—Bras.

*cuneifolia*, Schlecht. in Linnaea, xxiii. (1850) 571 = *obtusata*.

*Darwinii*, Hemsl. Bot. Voy. Challenger, i. ii. 20.—Ins. Fernand-Noronh.

*discolor*, Spreng. Syst. ii. 168.—Jamaic.

*elliptica*, F. A. Schmidt, in Mart. Fl. Bras. xiv. ii. 361.—Bras.

*eucalyptifolia*, H. B. & K. Nov. Gen. et Sp. vii. 197 = *inermis*.

*excelsa*, Blume, *Bijdr.* 735.—Malaya.

*ferruginea*, Klotzsch, ex Choisy, in DC. Prod. xiii. ii. 445.—N. Granat.

*floribunda*, Hook. f. in Trans. Linn. Soc. xx. (1847) 193.—Ins. Galap.

*florida*, Choisy, in DC. Prod. xiii. ii. 443.—Bras.

*Forsteriana*, Endl. ex Walp. in Nov. Act. Nat. Cur. xix. Suppl. i. (1843) 403 = *grandis*.



**PISONIA:—**

- fragrans*, Desf. Cat. Hort. Par. ed. III. 390 = obtusata?
- fragrans*, Dum.-Cours. Bot. Cult. ed. II. vii. 114.—Hab.?
- fragrans*, Link, Enum. Hort. Berol. i. 353.—Hab.?
- Georgina*, Wall. Cat. n. 6768 = aculeata.
- glaucescens*, Mart. ex J. A. Schmidt, in Mart. Fl. Bras. xiv. II. 360 = campestris.
- graciliflora*, Mart. ex J. A. Schmidt, l. c. 358.—Bras.
- grandis*, R. Br. Prod. 422.—Austral.; Ins. Pacif.
- grandis*, A. Cunn. ex Hook. f. Fl. N. Zel. i. 209 = Brunoniana.
- guianensis*, Klotzsch, in Schomb. Faun. & Fl. Brit. Gui. 1131, nomen.—Guian.
- heterophylla*, Choisy, in DC. Prod. xiii. II. 444.—Bras.
- hirsuta*, Choisy, l. c. 445.—Bras.
- hirtella*, H. B. & K. Nov. Gen. et Sp. ii. 217.—Mexic.
- inermis*, Forst. f. Prod. 75 = grandis.
- inermis*, Jacq. Select. Am. 275.—Am. trop.
- lanceolata*, Choisy, in DC. Prod. xiii. II. 442 = P. Calpidia.
- latifolia*, Desf. Cat. Hort. Par. ed. III. 391.—Hab.?
- laurifolia*, J. A. Schmidt, in Mart. Fl. Bras. xiv. II. 364.—Bras.
- laxa*, Netto, in Ann. Sc. Nat. Sér. V. v. (1866) 84.—Bras.
- laxiflora*, Choisy, in DC. Prod. xiii. II. 444.—Bras.
- limonella*, Blume, Bijdr. 735 = aculeata.
- longirostris*, Teijsm. & Binn. in Tijdschr. Nederl. Ind. xxv. (1863) 40.—Malaya.
- loranthoides*, H. B. & K. Nov. Gen. et Sp. vii. 197 = aculeata.
- macrocarpa*, Presl, Symb. Bot. ii. 8. t. 56 = excelsa.
- macrophylla*, Choisy, in DC. Prod. xiii. II. 446.—Ins. Mascar.
- macrophylla*, Link, Enum. Hort. Berol. i. 354.—Hab.?
- major*, Baill. Adansonia, x. (1872) 185.—Ins. Rawak.
- malabarica*, Choisy, in DC. Prod. xiii. II. 447 = alba?
- mexicana*, Willd. Enum. Hort. Berol. Suppl. 20 = hirtella.
- minor*, Choisy, in DC. Prod. xiii. II. 443.—Bras.
- mitis*, Herb. Banks, ex Griseb. Fl. Brit. W. Ind. 71 = inermis.
- mitis*, Linn. Sp. Pl. 1026.—Ind. or.
- mollis*, Perr. in Mém. Soc. Linn. Par. iii. (1825) 136.—Guian.
- monotaxadenia*, Wright, in Sauv. Fl. Cub. 137.—Cuba.
- Mooriana*, F. Muell. Fragm. i. 20 = Brunoniana.
- morindifolia*, R. Br. in Wall. Cat. n. 7130 = alba.
- myrtifrons*, Mart. ex J. A. Schmidt, in Mart. Fl. Bras. xiv. II. 360 = campestris.
- nigricans*, Choisy, in DC. Prod. xiii. II. 442 = inermis.
- nigricans*, Sw. Prod. Veg. Ind. Occ. 60.—Am. trop.
- nitida*, Desf. Cat. Hort. Par. ed. III. 390.—Hab.?
- nitida*, Mart. ex J. A. Schmidt, in Mart. Fl. Bras. xiv. II. 356.—Bras.
- nitida*, Willd. Enum. Hort. Berol. Suppl. 20, nomen.—Madag.
- noxia*, Netto, in Ann. Sc. Nat. Sér. V. v. (1866) 80 = tomentosa.
- obovata*, Klotzsch, in Schomb. Faun. & Fl. Brit. Gui. 1075, nomen.—Guian.
- obovata*, Link, Enum. Hort. Berol. i. 354.—Hab.?
- obtusata*, Jacq. Hort. Schoenb. iii. 35.—Ind. occ.
- Olfersiana*, Link, Klotzsch & Otto, l. c. Pl. Rar. 37. t. 15.—Bras.
- olitoria*, Zoll. in Tijdschr. Nederl. Ind. xiv. (1857) 154.—Malaya.
- ovalifolia*, Choisy, in DC. Prod. xiii. II. 441 = P. Calpidia.
- Pacurero*, H. B. & K. Nov. Gen. et Sp. ii. 218 = inermis.
- palicureoides*, Casar. Nov. Stirp. Bras. Dec. 68 = Olfersiana.
- Pallavia*, Steud. Nom. ed. II. ii. 345 = aculeata.
- pedicellaris*, Griseb. ex Sauv. Fl. Cub. 137 = aculeata.
- pernambucensis*, Casar. Nov. Stirp. Bras. Dec. 69 = subcordata.
- procera*, Bert. ex Guill. in Ann. Sc. Nat. Sér. II. vii. (1837) 191 = Brunoniana.
- psammophila*, Mart. ex J. A. Schmidt, in Mart. Fl. Bras. xiv. II. 362.—Bras.
- pubescens*, H. B. & K. Nov. Gen. et Sp. ii. 218.—Venezuela.

VOL. II.

**PISONIA:—**

- racemosa*, Wall. Cat. n. 7296 = Petunga longifolia.
- rosea*, Linden, Cat. n. 17 (1862) 17; Teijsm. & Binn. Cat. Hort. Bog. 92.—Hab.?
- rotundata*, Griseb. Cat. Pl. Cub. 283.—Cuba.
- Sinclairii*, Hook. f. Fl. N. Zel. i. 209. t. 50 = Brunoniana.
- subcordata*, Sw. Prod. Veg. Ind. Occ. 60.—Ind. occ.
- subferruginosa*, Mart. ex J. A. Schmidt, in Mart. Fl. Bras. xiv. II. 358, 411 = graciliflora.
- subovata*, Poir. Encyc. v. 347 = subcordata.
- sylvestris*, Teijsm. & Binn. in Tijdschr. Nederl. Ind. ix. (1855) 349, 355; et ex Hassk. Retzia, 6.—Java.
- tomentosa*, Casar. Nov. Stirp. Bras. Dec. 69.—Bras.
- tomentosa*, Walp. Ann. i. 561, sphalm. = Plumbago tomentosa.
- umbellifera*, Seem. ex Nadeaud, Enum. Pl. Tahiti, 46 = excelsa.
- uniseriata*, Wright, ex Sauv. Fl. Cub. 138 = monotaxadenia.
- venosa*, Choisy, in DC. Prod. xiii. II. 444.—Bras.
- villosa*, Poir. Encyc. v. 347 = aculeata.
- viscosa*, Balf. f. in Journ. Linn. Soc. xvi. (1877) 19; et in Baker, Fl. Mauriti. 263.—Ins. Rodriguez.
- viscosa*, Seem. in Bonplandia, ix. (1861) 258.—Ins. Fiji.
- Yagua-pinda*, Parodi, in Anal. Soc. Cient. Argent. v. (1878) 211; Contrib. 61.—Paraguay.
- Zapallo*, Griseb. in Goett. Abh. xxiv. (1879) 39.—Reg. Argent.

**PISOSPERMA**, Sond. in Harv. & Sond. Fl. Cap. ii. 498 (1861–62). *CUCURBITACEAE*, Benth. & Hook. f. i. 831.

*capense*, Sond. l. c.—Afr. austr.

**PISTACHIA**, Salisb. Prod. 171 (1796) = seq.

- PISTACIA**, Linn. Hort. Cliff. 456 (1737). *ANACARDIACEAE*, Benth. & Hook. f. i. 419.
- LENTISCUS**, [Tourn.] Linn. Syst. ed. I (1735).
- TEREBINTHUS**, P. Br. Hist. Jamaica. 345 (1735).
- acuminata*, Boiss. & Buhse, in Nouv. Mém. Soc. Nat. Mosc. xii. (1860) 53 = P. Khinjuk.
- americana*, Mill. Gard. Dict. ed. VIII. n. 7 = Simaruba glauca?
- atlantica*, DC. Prod. ii. 64 = mutica.
- atlantica*, Desf. Fl. Atlant. ii. 364.—Reg. Mediterr.
- cabulica*, Stocks, in Hook. Kew Journ. iv. (1852) 143 = mutica.
- cappadocica* ×, Planch. in Bull. Soc. Bot. Fr. xi. (1864) p. xlvii.—Europ.
- chia*, Desf. Tabl. ed. I. 199 = mutica.
- chinesis*, Bunge, in Mém. Sav. Etr. Plétersb. ii. (1835) 89.—China.
- crassifolia*, Salisb. Prod. 172 = P. Terebinthus.
- fagaroides*, Willd. Enum. Hort. Berol. Suppl. 66.—Hab.?
- gummifera*, Salisb. Prod. 172 = P. Lentiscus.
- hybrida* ×, Gasparr. ex Parl. Fl. Ital. v. 383.—Europ.
- integerrima*, Stew. ex Brand. For. Fl. Ind. 122 = P. Khinjuk.
- Khinjuk*, Stocks, in Hook. Kew Journ. iv. (1852) 143.—Aegypt.; Persia; Reg. Himal.
- Lentiscus*, Linn. Sp. Pl. 1026.—Reg. Mediterr.
- macrophylla*, Pers. Syn. ii. 615 = vera.
- massiliensis*, Mill. Gard. Dict. ed. VIII. n. 6 = P. Lentiscus.
- mexicana*, H. B. & K. Nov. Gen. et Sp. vii. 22. t. 608.—Mexic.
- mutica*, Fisch. & Mey. in Bull. Soc. Nat. Mosc. (1838) 338.—Reg. Mediterr. or.; Persia; Afghan.
- mutica*, Raul. ex Boiss. Fl. Orient. ii. 6 = P. Terebinthus.
- narbonnensis* ×, Linn. Sp. Pl. 1025.—Gall. austr.
- nemausensis*, Req. ex Planch. in Bull. Soc. Bot. Fr. xi. (1864) p. xlvii. = praec.
- nigricans*, Crantz, Inst. i. 184 = vera.
- occidentalis*, Baill. Adansonia, xi. (1874) 181 = Dacryodes hexandra.
- officinatum*, Ait. Hort. Kew. ed. I. iii. 398 = vera.
- oleosa*, Lour. Fl. Cochinch. 615.—Cochinch.
- palaestina*, Boiss. Diagn. Ser. I. ix. 1 = P. Terebinthus.
- reticulata*, Willd. Sp. Pl. iv. 751 = vera.
- Simaruba*, Linn. Sp. Pl. 1026 = Bursera gummifera.
- terebinthina*, St. Lag. in Ann. Soc. Bot. Lyon, vii. (1880) 132 = P. Terebinthus.

**PISTACIA:—**

- Terebinthus*, Bieb. Fl. Taur. Cauc. ii. 418 = mutica.
- Terebinthus*, Linn. Sp. Pl. 1025.—Europ. austr.; Reg. Mediterr.
- Terebinthus*, Mill. Gard. Dict. ed. VIII. n. 1 = vera.
- Terebinthus*, Scop. Fl. Carn. ed. II. ii. 262 = P. Terebinthus.
- trifolia*, Linn. Sp. Pl. 1025 = vera.
- variifolia*, Salisb. Prod. 171 = vera.
- vera*, Linn. Sp. Pl. 1025.—Reg. Mediterr.; Oriens.
- vera*, Mill. Gard. Dict. ed. VIII. n. 4 = P. Terebinthus.
- Vitex*, Steud. Nom. ed. I. 627 = Vitex pubescens.

- PISTIA**, Linn. Gen. ed. I. 275 (1737). *AROIDEAE*, Benth. & Hook. f. iii. 964.
- APIOSPERMUM**, Klotzsch, in Abh. Akad. Berl. (1853) 351.
- KODDA-PAIL**, Adans. Fam. ii. 75 (1763).
- LIMNONESIS**, Klotzsch, in Abh. Akad. Berl. (1853) 352.
- ZALA**, Lour. Fl. Cochinch. 405 (1790).
- aegyptiaca*, Schleid. in Otto & Dietr. Allg. Gartenz. vi. (1838) 19 = P. Stratiotes.
- aethiopica*, Fenzl, ex Klotzsch, in Abh. Akad. Berl. (1853) 354 = P. Stratiotes.
- africana*, Presl, Epim. Bot. 240 = P. Stratiotes.
- amazonica*, Presl, l. c. = P. Stratiotes.
- brasiliensis*, Klotzsch, in Abh. Akad. Berl. (1853) 356 = P. Stratiotes.
- commutata*, Schleid. in Otto & Dietr. Allg. Gartenz. vi. (1838) 20 = P. Stratiotes.
- crispata*, Blume, Rumphia, i. 78 = P. Stratiotes.
- Cumingii*, Klotzsch, in Abh. Akad. Berl. (1853) 354 = P. Stratiotes.
- Gardneri*, Klotzsch, l. c. 356 = P. Stratiotes.
- Horkeliana*, Miq. in Linnaea, xviii. (1844) 81 = P. Stratiotes.
- Leprieuri*, Blume, Rumphia, i. 79 = P. Stratiotes.
- linguaeformis*, Blume, l. c. 79 = P. Stratiotes.
- minor*, Blume, l. c. 78 = P. Stratiotes.
- natalensis*, Klotzsch, in Abh. Akad. Berl. (1853) 354 = P. Stratiotes.
- obcordata*, Schleid. in Otto & Dietr. Allg. Gartenz. vi. (1838) 20 = P. Stratiotes.
- occidentalis*, Blume, Rumphia, i. 79 = P. Stratiotes.
- Schleideniana*, Klotzsch, in Abh. Akad. Berl. (1853) 356 = P. Stratiotes.
- spathulata*, Michx. Fl. Bor. Am. ii. 162 = P. Stratiotes.
- Stratiotes*, Linn. Sp. Pl. 963.—Reg. trop.
- tensis*, Klotzsch, in Abh. Akad. Berl. (1853) 356 = P. Stratiotes.
- Turpini*, C. Koch, in Bot. Zeit. x. (1852) 577 = P. Stratiotes.
- Weigeltiana*, Presl, Epim. Bot. 240 = P. Stratiotes.

**PISTOLOCHIA**, Bernh. Syst. Verz. Erf. 57 (1800) = **Corydalis**, Vent. (Papav.).

*cava*, Bernh. l. c. 74 = C. tuberosa.

*intermedia*, Bernh. l. c. = C. fabacea.

*solida*, Bernh. l. c. = C. bulbosa.

**PISTOLOCHIA**, Rafn. Fl. Tellur. iv. 98 (1836) = **Aristolochia**, Linn.

*angustifolia*, Rafn. l. c. = A. angustifolia, Cham.

*latifolia*, Rafn. l. c. = A. Pistolochia.

*Serpentaria*, Rafn. l. c. = A. Serpentaria.

**PISTORINIA**, DC. Prod. iii. 399 (1828) = **Cotyledon**, Tourn. (Crassul.).

*brachyantha*, Coss. in Bull. Soc. Bot. Fr. xxii. (1875) 59 = C. Cossoniana.

*breviflora*, Coss. & Bal. l. c. xx. (1878) 247 = C. Cossoniana.

*breviflora*, Boiss. Elench. 42 = C. hispanica.

*hispanica*, DC. Prod. iii. 399 = C. hispanica.

*intermedia*, Boiss. & Reut. Diagn. Ser. II. ii. 60 = C. hispanica.

*Salsmanni*, Boiss. Voy. Bot. Espagne, ii. 221 = C. hispanica.

**PISUM**, [Tourn.] Linn. Syst. ed. I (1735). *LEGUMINOSAE*, Benth. & Hook. f. i. 527.

*abyssinicum*, A. Br. in Flora, xxiv. 1841 = Pisum sativum.

*americanum*, Mill. Gard. Dict. ed. VIII. n. 5 = Lathyrus magellanicus.

*Aphaca*, Brot. Fl. Lusit. ii. 145 = Lathyrus Aphaca.

*arvense*, Linn. Sp. Pl. 727.—Europ.; As. bor.

*arvense*, Moris, Fl. Sard. i. 576 = elatius.



**PISUM** :—

- Aucheri*, Jaub. & Spach, Illustr. i. 91. t. 46 = *formosum*.  
*bachium*, Hort. ex Steud. Nom. ed. II. ii. 345 (*badium*?) = *sativum*.  
*biflorum*, Rafin. Caratteri, 71 = *elatus*.  
*biflorum*, Stokes, Bot. Mat. Med. iv. 30 = *sativum*.  
*borussicum*, Hort. ex Steud. Nom. ed. II. ii. 345 = *sativum*.  
*chlorospermum*, Hort. i. c. = *sativum*.  
*coccineum*, Medic. in Vorles. Churpf. Phys. Ges. ii. (1787) 356 = *sativum*.  
*coerulescens*, Hort. ex Steud. Nom. ed. II. ii. 345 = *sativum*.  
*commune*, Clav. in Act. Linn. Soc. Bord. xxxviii. (1884) 572 = *arvense*, *sativum*.  
*dasignum*, Rafin. in Am. Monthly Mag. (1819) 194 (Quid?).—Am. bor.  
*decurrens*, Stokes, Bot. Mat. Med. iv. 30 = *Lathyrus Ochrus*.  
*elatus*, Bieb. Fl. Taur. Cauc. ii. 151.—Reg. Mediterr.; Oriens.  
*elatum*, Ser. in DC. Prod. ii. 368 = *praece*.  
*excorticatum*, Hort. ex Steud. Nom. ed. II. ii. 345 = *sativum*.  
*fertile*, Hort. ex Steud. i. c. = *sativum*.  
*formosum*, Alef. in Bonplandia, ix. (1861) 237; et Boiss. Fl. Orient. ii. 624.—Reg. Caucas.; Persia.  
*frigidum*, Alef. in Bot. Zeit. xviii. (1860) 204 = *formosum*.  
*fulvum*, Sibth. & Sm. Fl. Graec. vii. 79. t. 688.—As. Min.; Syria.  
*granulatum*, Lloyd, Fl. Loire-Inf. 75 = *elatus*.  
*humile*, Boiss. & Noé, Diagn. Sér. II. ii. 45.—Syria.  
*humile*, Mill. Gard. Dict. ed. VIII. n. 2 = *sativum*.  
*Jomardi*, Schrank, in Flora, iv. (1821) 309.—Aegypt.  
*leptolobum*, Reichb. Fl. Germ. Excurs. 533 = *arvense*.  
*macrocarpum*, Ser. ex Schur, Enum. Pl. Transs. 172 = *sativum*.  
*macrospermum*, Hort. ex Steud. Nom. ed. II. ii. 345 = *sativum*.  
*maritimum*, Linn. Sp. Pl. 727 = *Lathyrus maritimus*.  
*multiflorum*, Stokes, Bot. Mat. Med. iv. 33 = *Lathyrus maritimus*.  
*Ochrus*, Linn. Sp. Pl. 727 = *Lathyrus Ochrus*.  
*parviflorum*, Rafin. in Med. Repos. N. York, v. (1808) 354, nomen (Quid?).—Am. bor.  
*praecox*, Hort. ex Steud. Nom. ed. II. ii. 345 = *sativum*.  
*prolificum*, Hort. ex Steud. i. c. = *sativum*.  
*quadratum*, Hort. ex Steud. i. c. = *sativum*.  
*quadratum*, Reichb. Fl. Germ. Excurs. 533 = *arvense*.  
*ramulare*, Reichb. i. c. = *sativum*.  
*roseum*, Hort. ex Steud. Nom. ed. II. ii. 345 = *sativum*.  
*rugosum*, Hort. ex Steud. i. c. = *sativum*.  
*saccharatum*, Hort. ex Reichb. Fl. Germ. Excurs. 533 = *sativum*.  
*sativum*, Linn. Sp. Pl. 727.—Europ.; As. bor.  
*sibiricum*, Hort. ex Steud. Nom. ed. II. ii. 345 = *sativum*.  
*smyrnense*, Hort. ex Steud. i. c. = *sativum*.  
*tetragonum*, Hort. ex Pasq. Cat. Orto Bot. Nap. 81 = *sativum*.  
*thebaicum*, Willd. Enum. Hort. Berol. Suppl. 51 = *sativum*.  
*Tuffetii*, Lesson, Fl. Rochefortine, 170 = *elatus*.  
*umbellatum*, Mill. Gard. Dict. ed. VIII. n. 3 = *sativum*.  
*uniflorum*, Hort. ex Steud. Nom. ed. II. ii. 345 = *sativum*.  
*uniflorum*, Moench, Meth. 160 = *arvense*.  
*variegatum*, Presl, Fl. Sic. p. xxiii = *elatus*.  
*viride*, Hort. ex Steud. Nom. ed. II. ii. 345 = *sativum*.  
*vulgare*, Jundz. Opis Rosl. w Litw. Rosn. 305 = *sativum*.  
*zeylanicum*, Hort. ex Steud. Nom. ed. II. ii. 345 = *sativum*.

**PITAVIA**, Molina, Sagg. Chili, ed. II. 287 (1810).  
**RUTACEAE**, Benth. & Hook. f. i. 297.

- GALVEZIA*, Ruiz & Pav. Prod. i. 56. t. 35 (1794).  
*punctata*, Molina, Sagg. Chile, ed. II. 287.—Chili.  
*spicata*, Steud. Nom. ed. II. ii. 345 = *Ercilla volubilis*.

**PITAVIA**, Nutt. ex Torr. & Gray, Fl. N. Am. i. 215 (1838) = *Cneoridium*, Hook. f. (Simarub.).  
*dumosa*, Nutt. i. c. = *C. dumosum*.**PITCAIRNIA**, Regel, in Act. Hort. Petrop. ii. (1873) 435, sphalm. = seq.**PITCAIRNIA**, L'Hérit. Sert. Angl. 7. t. 11 (1788).

- BROMELIACEAE**, Benth. & Hook. f. iii. 665.  
*COCHLIOPETALUM*, Beer, Bromel. 68 (1857).  
*CODONANTHES*, Rafin. Fl. Tellur. iv. 24 (1836).  
*HEPETIS*, Sw. Prod. Veg. Ind. Occ. 56 (1788).  
*LAMPROCONUS*, Lem. Jard. Fleur. ii. (1852) sub t. 127.  
*MELINONIA*, Brongn. in E. Morr. Cat. Brom. Jard. Liège (1873), 10.  
*NEUMANNIA*, Brongn. in Ann. Sc. Nat. Sér. II. xv. (1841) 369.  
*ORTHOPETALUM*, Beer, Bromel. 70 (1857).  
*ORTHOPHYTUM*, Beer, in Flora, xxxvii. (1854) 347.  
*PEPINIA*, A. Brongn. ex André, Illustr. Hort. xvii. (1870) 32. t. 5.  
*PHLOMOSTACHYS*, Beer, Bromel. 45 (1857).  
*SPIRASTIGMA*, L'Hérit. ex Schult. f. Syst. vii. p. lxx (1830).  
*affinis*, C. Koch, Ind. Sem. Hort. Berol. (1857) App. 5 = *albucaefolia*.  
*albiflora*, Spreng. Syst. iv. Cur. Post. 131 = seq.  
*albiflos*, Herb. in Bot. Mag. t. 2642.—Bras.  
*albucaefolia*, Schrad. Blumenb. 24. t. 3.—Ind. occ.  
*alta*, Hassk. in Verh. Nat. Ver. Nederl. Ind. i. (1856) 5.—Ind. occ.  
*Altensteinii*, Lem. in Fl. des Serres, ii. (1846) 162.—Venezuela.  
*Andreana*, Linden, in Illustr. Hort. xx. (1873) 146. t. 139.—Venez.; N. Granat.  
*angustifolia*, [Soland. in] Ait. Hort. Kew. ed. I. i. 401.—Ins. S. Cruce.  
*aphelandraeflora*, Lem. Illustr. Hort. xvi. (1869) Misc. 90.—Bras.  
*araneosa*, Baker, in Journ. Bot. xix. (1881) 231.—N. Granat.  
*asterotricha*, Poepp. & Endl. Nov. Gen. et Sp. ii. 42. t. 158 = *feruginea*.  
*atro rubens*, Baker, in Journ. Bot. xix. (1881) 307.—Panama.  
*aurantiaca*, Tenore, in Ann. Sc. Nat. Sér. IV. ii. (1854) 378 = *densiflora*.  
*australis*, Hort. Par. ex C. Koch, Ind. Sem. Hort. Berol. (1856) App. 4.—Bras.  
*Beycalema*, Beer, Bromel. 63 = *muscosa*.  
*brachiata*, Cham. ex Link, Jahrb. i. ii. (1820) 192.—Ins. Philipp.  
*bracteata*, [Dryand. in] Ait. Hort. Kew. ed. II. ii. 202.—Ind. occ.  
*Brochinia*, D. Dietr. Syn. Pl. ii. 1062 = *Brocchinia paniculata*.  
*bromeliaefolia*, L'Hérit. Sert. Angl. 7.—Ind. occ.  
*caerulea*, Benth. & Hook. f. Gen. iii. 666.—Chili.  
*caricifolia*, Mart. in Schult. f. Syst. vii. ii. 1242.—Bras.  
*carnea*, Beer, in Oestr. Bot. Zeitschr. viii. (1858) 182.—Panama.  
*cernua*, Kunth & Bouché, Ind. Sem. Hort. Berol. (1848) 12 = *heterophylla*.  
*chilensis*, Lodd. Cat. ex Loud. Hort. Brit. 118, nomen = *Puya chilensis*.  
*chrysanthia*, Phil. Fl. Atac. 50.—Chili.  
*cinnabarina*, A. Dietr. in Otto & Dietr. Allg. Gartenz. xviii. (1850) 202.—Bras.  
*coarctata*, Pers. Syn. i. 344 = *Puya chilensis*.  
*commutata*, Regel, Gartenfl. (1868) 8 = *bracteata*.  
*concolor*, Baker, in Journ. Bot. xix. (1881) 269.—Peruv.  
*consimilis*, Baker, l. c. 266.—Bolivia.  
*corallina*, Linden.—Cf. Belg. Hort. xxiii. (1873) 112; et ex Carr. in Rev. Hort. (1875) 251.—N. Granat.  
*corcovadensis*, Wawra, in Oestr. Bot. Zeitschr. xii. (1862) 384.—Bras.  
*crystallina*, Pers. Syn. i. 344 = *Puya lanuginosa*.  
*Decaisnei*, C. Koch, Ind. Sem. Hort. Berol. (1857) App. 5 = *fulgens*.  
*decora*, A. Dietr. in Allg. Gartenz. xv. (1847) 353 = *integrifolia*.  
*densiflora*, Brongn. in Hort. Univ. vi. 228; ex Walp. Ann. vi. 79.—Mexic.  
*discolor*, Loisel. Herb. Amat. v. t. 345 = *Billbergia speciosa*.  
*distacata*, Beer, Bromel. 58 = *Billbergia speciosa*?  
*echinata*, Hook. Bot. Mag. t. 4709.—N. Granat.  
*elata*, Liebm. Ind. Sem. Hort. Haun. (1849) 14.—Mexic.

**PITCAIRNIA** :—

- elegans*, Regel, Cat. Pl. Hort. Aksakov. 112, nomen.—Hab.?  
*excelsa*, E. Morr. Belg. Hort. xxv. (1875) 381 = *pulverulenta*.  
*exscapa*, Liebm. Ind. Sem. Hort. Haun. (1848) 12; Hook. Bot. Mag. t. 4591 = *heterophylla*.  
*fastuosa*, C. Morr. in Ann. Soc. Bot. Gand, iii. (1847) 411. t. 16 = *Billbergia thyrsoides*.  
*feruginea*, Ruiz & Pav. Fl. Per. iii. 36.—Peruv.; Mexic.  
*firma*, Baker, in Journ. Bot. xix. (1881) 268.—Hab.?  
*flammea*, Lindl. in Bot. Reg. t. 1092.—Bras.  
*flavescens*, Baker, in Bot. Mag. t. 6318 = *xanthocalyx*.  
*floccosa*, Regel, in Act. Hort. Petrop. iii. (1875) 124.—Hab.?  
*fulgens*, Decne. in Cat. Linden. (1850) 18; et ex A. Dietr. in Otto & Dietr. Allg. Gartenz. xix. (1851) 137.—Guatemala.  
*fulgens*, F. G. Dietr. Vollst. Lexik. Gaertn. ii. Nachr. vii. 44 = *splendens*, Hort.  
*Funkiana*, A. Dietr. in Otto & Dietr. Allg. Gartenz. xix. (1851) 337; Regel, Gartenfl. (1855) 45.—Venezuela.  
*furfuracea*, Jacq. Eclog. Am. i. 117. t. 79; Sims, Bot. Mag. t. 2657 = *latifolia*.  
*furfuracea*, Willd. Enum. Hort. Berol. 346 = *Puya Bonplandiana*.  
*Gireoudiana*, A. Dietr. in Otto & Dietr. Allg. Gartenz. xxi. (1853) 105 = *bracteata*.  
*Glymiana*, C. Koch, Wochenschr. xi. (1868) 89.—Hab.?  
*graminifolia*, Hort. ex Schrad. Blumenb. 27 = *integrifolia*.  
*heterophylla*, Beer, Bromel. 68.—Mexic.  
*humilis*, Lodd. ex Sweet, Hort. Brit. ed. I. 425, nomen.—Am. austr.  
*humilis*, Tenore, Ind. Sem. Hort. Neap. (1855); ex C. Muell. in Walp. Ann. vi. 83 = *Jacksoni*?  
*imbricata*, Regel, Gartenfl. (1868) 135. t. 579; Baker, in Journ. Bot. xix. (1881) 307.—Mexic.  
*inermis*, D. Dietr. Syn. Pl. ii. 1061.—Peruv.  
*integrifolia*, Ker-Gawl. in Bot. Mag. t. 1462.—Ind. occ.  
*intermedia*, Hort. ex Schult. f. Syst. vii. ii. 1248 = *latifolia*.  
*iridiflora*, Hort. ex Beer, Bromel. 51.—Hab.?  
*Jacksoni*, Hook. Bot. Mag. t. 4540.—Guatemala.  
*Kalbreyeri*, Baker, in Journ. Bot. xix. (1881) 273.—N. Granat.  
*Karwinskyana*, Schult. f. Syst. vii. ii. 1239.—Mexic.  
*Kegeliana*, C. Koch, ex Baker, in Journ. Bot. xix. (1881) 230.—Guian.  
*Kegeliana*, Schlecht. in Linnaea, xxiv. (1851) 664.—Hab.?  
*laevis*, Beer, Bromel. 60 = *suaveolens*.  
*laevis*, Willd. ex Schult. f. Syst. vii. ii. 1249 = *pungens*.  
*lanata*, F. G. Dietr. Vollst. Lexik. Gaertn. Nachtr. vi. 203 = *Puya lanata*.  
*lanuginosa*, Ruiz & Pav. Fl. Per. iii. 35. t. 258.—Peruv.  
*latifolia*, Andr. Bot. Rep. t. 322 = *bromeliaefolia*.  
*latifolia*, [DC. in] Red. Lil. ii. t. 73-74 = *bracteata*.  
*latifolia*, [Soland. in] Ait. Hort. Kew. ed. I. i. 401.—Ind. occ.  
*Lechleri*, Baker, in Journ. Bot. xix. (1881) 269.—Peruv.  
*Lehmanni*, Baker, l. c. 273.—N. Granat.  
*lepidota*, Regel, in Act. Hort. Petrop. ii. (1873) 435 = *Andreana*.  
*Liebmanni*, C. Koch, Ind. Sem. Hort. Berol. (1857) App. 7 = *heterophylla*.  
*longifolia*, Beer, Bromel. 67 = *heterophylla*.  
*longifolia*, Hook. Bot. Mag. t. 4775 = *pulverulenta*.  
*macrocalyx*, Hook. l. c. t. 4705 = *Funkiana*.  
*maidifolia*, Decne. ex Planch. in Fl. des Serres, ix. (1853-54) 151.—Guatemala.  
*Maroni* x, André, in Rev. Hort. (1885) 108.  
*media*, Lodd. ex Sweet, Hort. Brit. ed. I. 425, nomen.—Am. austr.  
*megasepala*, Baker, in Journ. Bot. xix. (1881) 229.—N. Granat.  
*micrantha*, Lindl. Bot. Reg. (1843) Misc. 44 = *suaveolens*.  
*microcalyx*, Baker, in Journ. Bot. xix. (1881) 228.—Venezuela.



## PITCAIRNIA:—

- monstrosa, Beer, *Bromel.* 68.—Hab.?  
 montalbensis, Linden, ex A. Dietr. in *Otto & Dietr. Allg. Gartenz.* xix. (1851) 138.—Mexic.  
 Moreliana, Hort. ex C. Koch, Ind. Sem. Hort. Berol. (1857) App. 8 = australis.  
 Moritziana, C. Koch & Bouché, l. c. (1856) App. 4.—Guatemala.  
 Morrenii, Lem. in *Jard. Fleur.* iii. (1853) t. 291 = heterophylla.  
 muscosa, Mart. ex Schult. f. *Syst.* vii. II. 1240.—Bras.  
 nubigena, Planch. in *Fl. des Serres*, viii. (1852–53) 265, t. 847.—Venezuela.  
 nuda, Baker, in *Journ. Bot.* xix. (1881) 269.—Guian.  
 ochroleuca, Baker, l. c. 306.—Guatemala.  
 odorata, Hort. ex Regel, *Gartenfl.* iv. (1855) 46 = albiflos.  
 Olfersi, Link, in *Verhandl. Ver. Gartenb.* vii. (1831) 363, t. 3 = flammula.  
 orgyalis, Baker, in *Journ. Bot.* xix. (1881) 273 = Lehmanni.  
 paniculata, Ruiz & Pav. *Fl. Per.* iii. 36, t. 260 = pulverulenta.  
 pauciflora, Baker, in *Journ. Bot.* xix. (1881) 230.—Guian.  
 penduliflora, A. Rich. *Fl. Cub. Fanerog.* ii. 262.—Cuba.  
 petiolata, Baker, in *Journ. Bot.* xix. (1881) 307.—Guatemala.  
 platyphylla, Schrad. *Blumenb.* 26 = bromeliaefolia.  
 polyanthoides, Brongn. in *Rev. Hort.* Sér. IV. iv. (1855) 244 = recurvata.  
 pruinosa, H. B. & K. *Nov. Gen. et Sp.* i. 295.—Venezuela.  
 pulverulenta, Ruiz & Pav. *Fl. Per.* iii. 36, t. 259.—Peruv.; Bolivia.  
 pungens, H. B. & K. *Nov. Gen. et Sp.* i. 294.—Am. austr.  
 punicea, Lindl. ex Hassk. in *Verh. Nat. Ver. Nederl. Ind.* i. (1856) 12; Beer, *Bromel.* 56.—Mexic.  
 punicea, Scheidw. in *Bull. Acad. Brux.* ix. I. (1842) 25.—Mexic.  
 pyramidata, Link, *Enum. Hort. Berol.* i. 308 = Puya Bonplandiana.  
 pyramidata, Pers. *Syn.* i. 344 = Puya pyramidata.  
 racemosa, Woodf. ex Schult. f. *Syst.* vii. II. 1245 = bracteata.  
 ramosa, Jacq. *Eclog.* i. 154, in obs. = latifolia.  
 recurvata, C. Koch, Ind. Sem. Hort. Berol. (1857) App. 4.—Bras.  
 Redouteana, Beer, *Bromel.* 57 = bromeliaefolia.  
 Redouteana, Schult. f. *Syst.* vii. II. 1243 = angustifolia.  
 rhodostachys, Hassk. in *Verh. Nat. Ver. Nederl. Ind.* i. (1856) 8.—Hab.?  
 ringens, Link, Klotzsch & Otto, l. c. Pl. Rar. 63; Regel, *Gartenfl.* (1853) 162, t. 53 = Karwinskyana.  
 Roelzi, E. Morr. in *Belg. Hort.* xxxv. (1885) 285, t. 18–19.—Peruv.  
 rubicunda, C. Koch & Bouché, Ind. Sem. Hort. Berol. (1856) App. 3 = australis.  
 secunda, F. G. Dietr. *Vollst. Lexik. Gaertn. Nachtr.* vi. 301 = Tillandsia secunda.  
 spathacea, Griseb. in *Goett. Abh.* xxiv. (1879) 329.—Reg. Argent.  
 speciosa, Hort. ex Schult. f. *Syst.* vii. II. 1250, nomen. (Quid?).—Hab.?  
 splendens, Hort.—Cf. *Rev. Hort.* Sér. I. iii. (1836) 157 = cinnabarina?  
 splendens, Warsz. in *Otto & Dietr. Allg. Gartenz.* xix. (1851) 176.—Am. centr.  
 Sprucei, Baker, in *Journ. Bot.* xix. (1881) 303.—Bras.  
 staminea, Lodd. *Bot. Cab.* t. 722.—Bras.  
 suaveolens, Lindl. *Bot. Reg.* t. 1069.—Bras.  
 subpetiolata, Baker, in *Journ. Bot.* xix. (1881) 267.—Bras.  
 sulphurea, Andr. *Bot. Rep.* t. 249 = bracteata.  
 tabulaeformis, Linden, *Cat.* n. 17 (1862) 5; et E. Morr. in *Belg. Hort.* xii. (1862) 257.—Mexic.  
 tomentosa, Hort. ex F. G. Dietr. *Vollst. Lexik. Gaertn. Nachtr.* vi. 305 = angustifolia.  
 undulata, Hort. ex Beer, *Bromel.* 65 = seq.?  
 undulata, Schiedw. in *Otto & Dietr. Allg. Gartenz.* x. (1842) 275.—Bras.  
 undulatifolia, Hook. *Bot. Mag.* t. 4241 = Altensteinii.

## PITCAIRNIA:—

- vallisoletana, Lex. in *La Llave et Lex. Nov. Veg. Desc. fasc.* i. 19.—Mexic.  
 violacea, Brongn. in *Ann. Fl. Pom.* i. (1847) 116.—Cf. *Otto & Dietr. Allg. Gartenz.* xv. (1847) 299.—Mexic.?  
 virescens, C. Koch, Ind. Sem. Hort. Berol. (1857) App. 4 (Caraguatae sp.).—Peruv.  
 viridiflora, Regel, Ind. Sem. Hort. Petrop. (1866) 81.—Hab.?  
 Warszewicziana, Klotzsch, ex Beer, *Bromel.* 66 (Warszewicziana).—Peruv.  
 Wendlandi, Baker, in *Journ. Bot.* xix. (1881) 306.—Hab.?  
 xanthocalyx, Mart. Ind. Sem. Hort. Monac. (1848) Adn. 4.—Cf. *Linnaea*, xxiv. (1851) 195.—Bras.  
 zeifolia, C. Koch, Ind. Sem. Hort. Berol. (1854) App. 11; (1857) App. 4 = maidifolia.

PITCHERIA, Nutt. in *Journ. Acad. Philad.* vii. (1834) 93 = RHYNCHOSIA, Lour. (Legumin.).  
*galactoides*, Nutt. l. c. 94 = R. galactoides.

PITHECELLOBIUM, Mart. Hort. Monac. 188 (1829) = Pithecolobium, Mart. (1837) (Legumin.).  
*cyclocarpum*, Mart. l. c. = Enterolobium cyclocarpum.  
*inundatum*, Mart. l. c. (Quid?).—Hab.?  
*Unguis-cati*, Mart. l. c. (nomen) = Pithecol. Unguis-cati.

PITHECOCTENIUM, Mart. ex DC. in Meissn. *Gen.* 300; *Comm.* 208 (1840); et *Prod.* ix. 193 (1845).  
 BIGNONIACEAE, Benth. & Hook. f. ii. 1038.  
 Aubletii, Splitg. in *Hoef. & De Vriese, Tijdschr.* ix. (1842) 12.—Am. trop.  
 botryoides, DC. *Prod.* ix. 195.—Bras.  
 buccinatorium, DC. l. c. = Bignonia buccinatoria.  
 Catharinae, DC. l. c. 196.—Bras.  
 cinereum, DC. l. c. 195.—Mexic.  
 clematideum, Griseb. in *Goett. Abh.* xxiv. (1879) 257.—Reg. Argent.  
 cordifolium, Mart. in *Flora*, xxiv. (1841) II. Beibl. 48.—Bras.  
 cuneifolium, DC. *Prod.* ix. 196.—Bras.  
 cynanchoides, DC. l. c. 195.—Bras.  
 frutescens, DC. l. c. 196.—Bras.  
 granulosum, Klotzsch, in *Schomb. Faun. & Fl. Brit. Gui.* 1158, nomen.—Guian.  
 hexagonum, DC. *Prod.* ix. 195.—Mexic.  
 laxiflorum, DC. l. c.—Mexic.  
 Lundii, DC. l. c. 196.—Bras.  
 muricatum, Moq. ex DC. l. c. 194.—Mexic.  
 obovatum, Mart. ex DC. l. c. 196.—Guian.  
 panamense, Benth. *Bot. Voy. Sulph.* 129 = Anemopaegma orbiculatum.  
 parviflorum, Mart. ex DC. *Prod.* ix. 197.—Bras.  
 reticulare, DC. l. c.—Bras.  
 rufescens, DC. l. c. 174.—Hab.?  
 scabriusculum, Mart. ex DC. l. c. 197.—Bras.  
 Squalus, DC. l. c. 194.—Bras.  
 stipulare, Mart. ex DC. l. c.—Bras.  
 tenuiflorum, Mart. ex DC. l. c. 197.—Bras.  
 Vitalbae, DC. l. c. 196.—Bras.

PITHECOLOBIUM, Mart. in *Flora*, xx. (1837) II. Beibl. 114; (Herb. Fl. Bras. 114) (Pithecollobium).  
 LEGUMINOSAE, Benth. & Hook. f. i. 597.  
 CATHORMION, Hassk. Retzia, i. 231 (1855).  
 SPIROLOBA, Rafin. *Sylva Tellur.* 119 (1838).  
 ZYGIA, P. Br. *Hist. Jamaic.* t. 22, f. 3 (1756).  
 acatlense, Benth. in *Trans. Linn. Soc.* xxx. (1875) 593.—Mexic.  
 acutangulum, Miq. *Fl. Ind. Bat. Suppl.* 282 = angulatum.  
 adianthifolium, Benth. in *Hook. Lond. Journ. Bot.* iii. (1844) 218.—Guian.  
 affine, Baker, ex Benth. in *Trans. Linn. Soc.* xxx. (1875) 577.—Malacca.  
 albicans, Benth. l. c. 592.—Mexic.  
 altissimum, Oliver, *Fl. Trop. Afr.* ii. 364.—Afr. trop.  
 amplum, Spruce, ex Benth. in *Trans. Linn. Soc.* xxx. (1875) 596; *Mart. Fl. Bras.* xv. II. 451.—Bras.  
 anamallayanum, Bedd. *Fl. Sylv.* i. t. 189 = subcoriaceum.  
 angulatum, Benth. in *Hook. Lond. Journ. Bot.* iii. (1844) 208.—As. trop.  
 asplenifolium, Griseb. *Cat. Pl. Cub.* 83.—Cuba.  
 Auaremotemo, Mart. in *Flora*, xx. (1837) II. Beibl. 115.—Bras.

## PITHECOLOBIUM:—

- auriculatum, Benth. in *Hook. Lond. Journ. Bot.* iii. (1844) 217.—Bras.  
 Benthamianum, Miq. in *Linnaea*, xviii. (1844) 592.—Guian.  
 Berterianum, Benth. in *Hook. Lond. Journ. Bot.* iii. (1844) 220 = fragrans.  
 Bertolonii, Benth. in *Trans. Linn. Soc.* xxx. (1875) 588.—Guatemala.  
 bicolor, Benth. in *Mart. Fl. Bras.* xv. II. 451.—Bras.  
 bigeminum, Hassk. Retzia, i. 223 = Albizzia lucida.  
 bigeminum, Mart. in *Flora*, xx. (1837) II. Beibl. 115, in obs.—Ind. or.; Malaya.  
 Blancheti, Benth. in *Trans. Linn. Soc.* xxx. (1875) 587.—Bras.  
 borneense, Benth. l. c. 579.—Malaya.  
 brevifolium, Benth. in A. Gray, *Pl. Wright.* i. 67.—Am. bor. occ.  
 Brongniartii, Duchass. & Walp. in *Flora*, xxxvi. (1853) 232 = micradenium.  
 bubalinum, Benth. in *Trans. Linn. Soc.* xxx. (1875) 576.—Malaya.  
 calliandriflorum, Wright, ex Griseb. *Cat. Pl. Cub.* 83 = P. Hystrix.  
 calliandrifolium, Benth. in *Trans. Linn. Soc.* xxx. (1875) 573, sphalm. = praec.  
 campestre, Spruce, ex Benth. l. c. 583; et in *Mart. Fl. Bras.* xv. II. 436.—Bras.  
 candidum, Benth. in *Hook. Lond. Journ. Bot.* iii. (1844) 201 = excelsum.  
 cataractae, Benth. l. c. 213 = glomeratum.  
 cauliflorum, Mart. in *Flora*, xx. (1837) II. Beibl. 116.—Bras.  
 cinereum, Benth. in *Hook. Lond. Journ. Bot.* iii. (1844) 216 = P. Saman.  
 cinereum, Mart. ex Benth. in *Trans. Linn. Soc.* xxx. (1875) 413 = Mimosa sericantha.  
 circinale, Benth. in *Hook. Lond. Journ. Bot.* iii. (1844) 201.—Ind. occ.  
 claviflorum, Spruce, ex Benth. in *Trans. Linn. Soc.* xxx. (1875) 596; et in *Mart. Fl. Bras.* xv. II. 452.—Bras.  
 Clypearia, Benth. in *Hook. Lond. Journ. Bot.* iii. (1844) 209.—As. trop.  
 coccineum, Benth. in *Trans. Linn. Soc.* xxx. (1875) 594.—Peruv.  
 cochleatum, Mart. in *Flora*, xx. (1837) II. Beibl. 115, in obs.—Bras.  
 cognatum, Benth. in *Hook. Lond. Journ. Bot.* v. (1846) 107.—Am. centr.  
 comosum, Benth. l. c. iii. (1844) 221 = Calliandra comosa.  
 confertum, Benth. in *Trans. Linn. Soc.* xxx. (1875) 577.—Malacca.  
 contortum, Mart. in *Flora*, xx. (1837) II. Beibl. 115, in obs.—Malaya.  
 corymbosum, Benth. in *Hook. Lond. Journ. Bot.* iii. (1844) 221.—Guian.  
 cyclocarpum, Mart. in *Flora*, xx. (1837) II. Beibl. 115, in obs. = Enterolobium cyclocarpum.  
 daulense, Spruce, ex Benth. in *Trans. Linn. Soc.* xxx. (1875) 586.—Ecuador.  
 divaricatum, Benth. in *Hook. Lond. Journ. Bot.* iii. (1844) 213.—Bras.  
 diversifolium, Benth. l. c. 201.—Bras.  
 dulce, Benth. l. c. 199.—Am. trop.  
 dumosum, Benth. l. c. 223.—Bras.  
 elachistophyllum, A. Gray, ex S. Wats. in *Proc. Am. Acad.* xvii. (1881–82) 352.—Mexic.  
 ellipticum, Hassk. Retzia, i. 225 = Inga elliptica.  
 excelsum, Mart. in *Flora*, xx. (1837) II. Beibl. 115, in obs.—Ecuador.  
 fagifolium, Blume, ex Miq. *Fl. Bat.* i. 1. 35.—Java.  
 falcifolium, Hassk. *Pl. Jav. Rar.* 418 = montanum.  
 fasciculatum, Benth. in *Hook. Lond. Journ. Bot.* iii. (1844) 208.—Malaya.  
 ferrugineum, Benth. l. c. 216.—Guian.  
 filamentosum, Benth. l. c. v. (1846) 106.—Am. trop.  
 filicifolium, Benth. l. c. iii. (1844) 205.—Mexic.; Jamaic.  
 filipes, Benth. in *Trans. Linn. Soc.* xxx. (1875) 588.—Am. trop.  
 floribundum, Spruce, ex Benth. l. c. 584; et in *Mart. Fl. Bras.* xv. II. 437.—Bras.  
 foliolosum, Benth. in *Hook. Lond. Journ. Bot.* iii. (1844) 223.—Bras.  
 Forfex, Benth. l. c. 199 = P. Unguis-cati.



## PITHECOLOBIUM:—

- Fournieri, Benth. in Trans. Linn. Soc. xxx. (1875) 574.—N. Caled.  
 fragrans, Benth. in Hook. Lond. Journ. Bot. iii. (1844) 220.—Am. trop.  
 furcatum, Benth. l. c. v. (1846) 106.—Mexic.  
 geminatum, Benth. l. c. iii. (1844) 202.—Ind. or.  
 glabratum, Mart. in Flora, xx. (1837) II. Beibl. 116 = cauliflorum.  
 Glaziovii, Benth. in Trans. Linn. Soc. xxx. (1875) 597; et in Mart. Fl. Bras. xv. II. 454.—Bras.  
 glomeratum, Benth. in Hook. Lond. Journ. Bot. iii. (1844) 213.—Guian.  
 glomeriflorum, Kurz, For. Fl. Brit. Burma, i. 430.—Burma.  
 gracile, Bedd. in Madr. Journ. Sc. Ser. III. i. (1864) 44.—Ind. or.  
 grandiflorum, Benth. Fl. Austral. ii. 424.—Austral.  
 guadalupense, Chapm. Fl. S. U. St. 116 = P. Unguis-cati.  
 gummiferum, Mart. in Flora, xx. (1837) II. Beibl. 116 = Enterolobium ellipticum.  
 Hendersonii, F. Muell. Fragm. v. 191.—Austral.  
 hymenaeefolium, Benth. in Hook. Lond. Journ. Bot. iii. (1844) 198.—Am. trop.  
 Hystris, Benth. in Hook. Ic. Pl. t. 1168.—Cuba.  
 inaequale, Benth. in Trans. Linn. Soc. xxx. (1875) 596.—Am. trop.  
 incuriale, Benth. in Hook. Lond. Journ. Bot. iii. (1844) 218.—Bras.  
 Junghuhnianum, Benth. in Miq. Pl. Fungh. 269.—Java.  
 Kegelii, Meissn. in Linnaea, xxi. (1848) 249.—Guian.  
 laetum, Benth. in Hook. Lond. Journ. Bot. iii. (1844) 203.—Bras.  
 lanceolatum, Benth. l. c. v. (1846) 105 = lignastrinum.  
 Langsdorffii, Benth. l. c. iii. (1844) 205.—Bras.  
 lasiogynum, Mart. ex Benth. in Trans. Linn. Soc. xxx. (1875) 413 = Mimosa pithecolobioides.  
 lasiopus, Benth. in Hook. Journ. Bot. ii. (1840) 141 = cauliflorum.  
 lateriflorum, Blume, ex Miq. Fl. Ind. Bat. i. i. 34 = lobatum?  
 latifolium, Benth. in Hook. Lond. Journ. Bot. iii. (1844) 214.—Am. trop.  
 laxiflorum, Benth. l. c. 212.—Ins. Timor.  
 lentiscifolium, Wright, in Sauv. Fl. Cub. 36 = tortum.  
 leucophyllum, Spruce, ex Benth. in Trans. Linn. Soc. xxx. (1875) 581; et in Mart. Fl. Bras. xv. II. 433.—Bras.  
 ligustrinum, Benth. in Hook. Lond. Journ. Bot. iii. (1844) 213 = Vahliaum.  
 ligustrinum, Klotzsch, ex Benth. in Trans. Linn. Soc. xxx. (1875) 571.—Am. trop.  
 lindseaeefolium, Spruce, ex Benth. l. c. 590; et in Mart. Fl. Bras. xv. II. 443.—Bras.  
 lobatum, Benth. in Hook. Lond. Journ. Bot. iii. (1844) 208.—Burma; Malaya.  
 longiflorum, Benth. l. c. v. (1846) 107.—Bras.  
 lucidum, Benth. l. c. iii. (1844) 207.—China.  
 Lucyi, F. Muell. Fragm. vi. 201 = Archidendron Lucyi.  
 lusorium, Benth. in Hook. Lond. Journ. Bot. iii. (1844) 204.—Bras.  
 macrophyllum, Spruce, ex Benth. in Trans. Linn. Soc. xxx. (1875) 593.—Peruv.  
 macrostachyum, Benth. in Hook. Lond. Journ. Bot. v. (1846) 105.—Am. trop.  
 macrostachyum, Benth. l. c. iii. (1844) 198 = ligustrinum.  
 marginatum, Spruce, ex Benth. in Trans. Linn. Soc. xxx. (1875) 586; et in Mart. Fl. Bras. xv. II. 439.—Bras.  
 Martianum, Benth. in Hook. Lond. Journ. Bot. iii. (1844) 218 = incuriale.  
 Mathewsi, Benth. l. c. 222.—Peruv.  
 micradenium, Benth. l. c. 217.—Ind. occ.  
 micranthum, Benth. in Trans. Linn. Soc. xxx. (1875) 589.—Ins. S. Doming.  
 microcalyx, Spruce, ex Benth. l. c. 582; et in Mart. Fl. Bras. xv. II. 434.—Bras.  
 microcarpum, Benth. l. c. 576.—Malaya.  
 microphyllum, Benth. in Hook. Lond. Journ. Bot. iii. (1844) 200 = P. Unguis-cati.  
 Minahassae, Teijsm. & Binn. Cat. Hort. Bog. 273, nomen.—Malaya.  
 Miquelianum, Meissn. in Linnaea, xxi. (1848) 250 = adiantifolium?

## PITHECOLOBIUM:—

- moniliferum, Benth. in Hook. Lond. Journ. Bot. iii. (1844) 211.—Malaya; Austral.  
 montanum, Benth. l. c. 209.—Reg. Himal.; Malaya.  
 Mottleyanum, Benth. in Trans. Linn. Soc. xxx. (1875) 575.—Borneo.  
 multiflorum, Benth. in Hook. Lond. Journ. Bot. iii. (1844) 220.—Am. trop.  
 niopoides, Spruce, ex Benth. in Trans. Linn. Soc. xxx. (1875) 591; et in Mart. Fl. Bras. xv. II. 447.—Bras.  
 nitidum, Benth. in Hook. Lond. Journ. Bot. iii. (1844) 202 = umbellatum.  
 oblongum, Benth. l. c. 198.—Am. trop.  
 obovale, Wright, in Sauv. Fl. Cub. 36; Benth. in Trans. Linn. Soc. xxx. (1875) 582.—Cuba.  
 oppositum, Miq. Fl. Ind. Bat. Suppl. 283.—Sumatra.  
 Palmeri, Hemsl. Diagn. Pl. Nov. 50.—Mexic.  
 panamense, Walp. & Duchass. in Linnaea, xxiii. (1850) 746 = hymenaeefolium.  
 panurensis, Spruce, ex Benth. in Trans. Linn. Soc. xxx. (1875) 586; et in Mart. Fl. Bras. xv. II. 440.—Bras.  
 papuanum, Scheff. in Ann. Jard. Buitenz. i. (1876) 22.—N. Guin.  
 paraguense, Benth. in Trans. Linn. Soc. xxx. (1875) 574.—Paraguay.  
 parvifolium, Benth. in Hook. Lond. Journ. Bot. iii. (1844) 223.—Am. trop.  
 pauciflorum, Benth. l. c. 212 = lobatum.  
 pedicellare, Benth. in Hook. Lond. Journ. Bot. iii. (1844) 219.—Bras.  
 Pervilleanum, Benth. in Trans. Linn. Soc. xxx. (1875) 586.—Madag.  
 polycarpum, Poepp. & Endl. Nov. Gen. et Sp. iii. 81 = laetum.  
 polycephalum, Benth. in Hook. Lond. Journ. Bot. iii. (1844) 219.—Am. trop.  
 prehensile, Benth. in Trans. Linn. Soc. xxx. (1875) 593.—Cuba.  
 pruinoseum, Benth. in Hook. Lond. Journ. Bot. iii. (1844) 211.—Austral.  
 pubescens, Benth. in Hook. Journ. Bot. ii. (1840) 141.—Guian.  
 Quaremotemo, Walp. Rep. i. 932, sphalm. = P. Auaremotemo.  
 ramiflorum, Benth. in Hook. Lond. Journ. Bot. iii. (1844) 215.—Bras.  
 rhombeum, Benth. l. c. 217.—Bras.  
 roseum, Spruce, ex Benth. in Trans. Linn. Soc. xxx. (1875) 595 = latifolium.  
 rostratum, Miq. Fl. Ind. Bat. Suppl. 282.—Java.  
 salutare, Benth. in Hook. Lond. Journ. Bot. iii. (1844) 216.—N. Granat.  
 Saman, Benth. l. c.—Am. trop.  
 sanguineum, Benth. in Trans. Linn. Soc. xxx. (1875) 594; et in Mart. Fl. Bras. xv. II. 447.—Bras.  
 scalare, Griseb. in Goett. Abh. xxiv. (1879) 123.—Reg. Argent.  
 Schaffneri, S. Wats. in Proc. Am. Acad. xvii. (1881-82) 352.—Mexic.  
 Schomburgkii, Benth. in Hook. Lond. Journ. Bot. iii. (1844) 219 = Enterolobium Schomburgkii.  
 scutiferum, Benth. l. c. 211 = lobatum.  
 Selloi, Benth. l. c. 214.—Bras.  
 sericiflorum, Benth. l. c. v. (1846) 105.—Venezuela.  
 sessile, Scheff. in Ann. Jard. Buitenz. i. (1876) 22.—N. Guin.  
 simabaeefolium, Spruce, ex Benth. in Mart. Fl. Bras. xv. II. 443.—Am. trop.  
 simabifolium, Spruce, ex Benth. in Trans. Linn. Soc. xxx. (1875) 589 = praec.  
 sophorocarpum, Benth. in Benth. & Hook. f. Gen. i. 598.—Am. trop.  
 spinifolium, Benth. in Hook. Lond. Journ. Bot. iii. (1844) 200 = circinale.  
 Splitgerberianum, Miq. Stirp. Surin. Sel. 5 = Albizzia Lebbeke.  
 Spruceanum, Benth. in Trans. Linn. Soc. xxx. (1875) 590; et in Mart. Fl. Bras. xv. II. 443.—Bras.  
 stipellatum, Benth. ex Benth. l. c. 590 = Kegelii.  
 stipulare, Benth. l. c. 596.—Bras.  
 subacutum, Benth. in Hook. Lond. Journ. Bot. iii. (1844) 210.—Ins. Philipp.  
 subcoriaceum, Thw. Enum. Pl. Zeyl. 100.—Ind. or.  
 tenuiflorum, Benth. in Hook. Lond. Journ. Bot. iii. (1844) 222 = tortum.

## PITHECOLOBIUM:—

- tortum, Mart. in Flora, xx. (1837) II. Beibl. 114.—Bras.  
 Toserii, F. Muell. Fragm. v. 10 = grandiflorum.  
 trapezifolium, Benth. in Hook. Journ. Bot. ii. (1840) 142.—Am. trop.  
 triflorum, Benth. in Trans. Linn. Soc. xxx. (1875) 591.—Ecuador.  
 turbinatum, Benth. in Hook. Lond. Journ. Bot. v. (1846) 106 = filamentosum.  
 umbellatum, Benth. l. c. iii. (1844) 202.—Ind. or.; Malaya.  
 umbellatum, Miq. Fl. Ind. Bat. i. i. 37 = moniliferum.  
 Unguis-cati, Benth. in Hook. Lond. Journ. Bot. iii. (1844) 200.—Am. trop.  
 unifoliolatum, Benth. l. c. 212.—Bras.  
 Vahliaum, Benth. in Trans. Linn. Soc. xxx. (1875) 594.—Am. trop.  
 Vaillantii, F. Muell. Fragm. v. 9 = Archidendron Vaillantii.  
 variegatum, Blume, ex Miq. Fl. Ind. Bat. i. i. 37 = montanum.  
 Vincentis, Benth. in Hook. Lond. Journ. Bot. iii. (1844) 222 = tortum.  
 zanzibaricum, S. Moore, in Journ. Bot. xv. (1877) 292.—Afr. trop.

PITHECOSERIS, Mart. ex DC. Prod. v. 84 (1836).  
 COMPOSITAE, Benth. & Hook. f. ii. 236.  
 pacourinoides, Mart. ex DC. l. c.—Bras.

PITHECURUS, Willd. ex Kunth, Rév. Gram. ii. 571 (1829); Enum. Pl. i. 490 (1833) = **Andropogon**, Linn. (Gramin.).  
 canescens, Willd. ex Steud. Nom. ed. II. ii. 346 = Trachypogon polymorphus.  
 gracilis, Willd. ex Kunth, Rév. Gram. ii. 571 = A. Myosurus.

PITHOCARPA, Lindl. Swan River App. 23 (1839).  
 COMPOSITAE, Benth. & Hook. f. ii. 318.  
 corymbulosa, Lindl. l. c.—Austral.  
 major, Steetz, in Lehm. Pl. Preiss. i. 446 = corymbulosa.  
 pulchella, Lindl. Swan River App. 23 = corymbulosa.

PITHOSILLUM, Cass. in Dict. Sc. Nat. xli. 164 (1826) = **Senecio**, Tourn. (Compos.).  
 lyratum, Cass. l. c. 165 = S. Pithosillum.

PITHURANTHOS, DC. Prod. iv. 144 (1830) = **Pituranthos**, Viv. (Umbellif.).

PITRAEA, Turcz. in Bull. Soc. Nat. Mosc. xxxv. (1862) II. 328 = **Priva**, Adans. (Verben.).  
 chilensis, Turcz. l. c. 329 = Priva laevis.

PITTONIA, Plum. ex Adans. Fam. ii. 177 (1763) = **Tournefortia**, Linn. (Borag.).  
 foetidissima, Pritz. Ic. Ind. i. 855, sphalm. = Passiflora foetida.  
 hirsuta, Pritz. l. c. = T. hirsutissima.

PITTONIOTIS, Griseb. in Bonplandia, vi. (1858) 8 = **Antirrhoea**, Comm. (Rubiace.).  
 protracta, Griseb. l. c. = A. protracta.  
 trichantha, Griseb. l. c. = A. trichantha.

PITTOSPOROIDES, Soland. ex Gaertn. Fruct. i. 286 (1788) = **Pittosporum**, Banks.  
 umbellatum, Soland. ex Gaertn. l. c. = Pittosporum umbellatum.

PITTOSPORUM, Banks, ex Gaertn. Fruct. i. 286, t. 59 (1788). **PITTOSPOREAE**, Benth. & Hook. f. i. 131.  
 CYLBANIDA, Noronha, ex Tul. in Ann. Sc. Nat. Sér. IV. viii. (1857) 135.  
 GLYASPERMUM, Zoll. & Morr. in Nat. en Geneesk. Arch. Neêrl. Indie, ii. (1845) 11.  
 PITTOSPOROIDES, Soland. ex Gaertn. Fruct. i. 286 (1788).  
 PSEUDITEA, Hassk. in Flora, xxv. (1842) II. Beibl. 30; et Cat. Hort. Bog. Alt. 160 (1844).  
 QUINSONIA, Montr. in Mém. Acad. Lyon, x. (1860) 178.  
 SENACIA, Comm. ex DC. Prod. i. 347 (1824).



## PITTOSPORUM:—

- abyssinicum, *Delile*, in *Ann. Sc. Nat. Sér. II.* xx. (1843) 89; *Hochst. ex A. Rich. Tent. Fl. Abyss. i.* 41.—Abyss.  
*acacioides*, A. Cunn. in *Ann. Nat. Hist. Ser. I.* iv. (1840) 109 = *phillyraeoides*.  
*acuminatum*, H. Mann, in *Proc. Am. Acad.* vii. (1867) 152.—Ins. Sandvic.  
*Andersonii*, Fisch. ex G. Don, *Gen. Syst.* i. 374.—Hab.?  
*angustifolium*, Lodd. *Bot. Cab.* t. 1859 = *phillyraeoides*.  
*arborescens*, Rich. ex A. Gray, *Bot. U. St. Expl. Exped.* i. 223.—Ins. Fiji.  
*arbutifolium*, Hort. ex DC. *Prod. i.* 346 = *viridiflorum*.  
*Baudouinii*, Brongn. & Gris, in *Bull. Soc. Bot. Fr.* xi. (1864) 189.—N. Caled.  
*bicolor*, Hook. *Journ. Bot. i.* (1834) 249.—Austral.  
*brachyandrum*, Tul. in *Ann. Sc. Nat. Sér. IV.* viii. (1857) 141.—Madag.  
*brachysepalum*, Turcz. in *Bull. Soc. Nat. Mosc.* xxvii. (1854) II. 366.—Ins. Philipp.  
*Brackenridgei*, A. Gray, *Bot. U. St. Expl. Exped.* i. 225.—Ins. Fiji.  
*bracteolatum*, Endl. *Prod. Fl. Norf.* 78.—Ins. Norf.  
*Buchanani*, Hook. f. *Handb. N. Zeal. Fl.* 725.—N. Zel.  
*Campbelli*, F. Muell. *Phyt. New Hebr.* 5.—N. Hebrid.  
*capense*, Hort. ex DC. *Prod. i.* 346 = *viridiflorum*.  
*capitatum*, Brongn. & Gris, in *Bull. Soc. Bot. Fr.* xi. (1864) 188.—N. Caled.  
*cauliflorum*, H. Mann, in *Proc. Am. Acad.* vii. (1867) 151.—Ins. Sandvic.  
*ceylanicum*, Wight, *Illustr. i.* 173.—Zeylan.  
*chelidoseperum*, Blume, *Mus. Bot. Lugd. Bat. i.* 161. N. Guin.  
*chinense*, Donn, Hort. Cantabr. ed. IV. 48 = P. Tobira.  
*Colensoi*, Hook. f. *Fl. N. Zel. i.* 22.—N. Zel.  
*Colensoi*, T. Kirk, in *Trans. N. Z. Inst.* iv. (1872) 262 = *tenuifolium*.  
*commutatum*, Putterl. *Syn. Pittosp.* 10 = *viridiflorum*.  
*confertiflorum*, A. Gray, *Bot. U. St. Expl. Exped.* i. 232.—Ins. Sandvic.  
*coriaceum*, [Dryand. in] *Ait. Hort. Kew.* ed. I. iii. 448.—Ins. Madera.  
*cornifolium*, A. Cunn. in *Bot. Mag.* t. 3161.—N. Zel.  
*crassifolium*, Soland. ex Putterl. *Syn. Pittosp.* 12.—N. Zel.  
*crenulatum*, Putterl. l. c. 15 = *pimeleoides*.  
*crispum*, Desf. *Cat. Hort. Par.* ed. III. 410.—Hab.?  
*dasycaulon*, Miq. *Anal. Bot. Ind.* iii. 5.—Ind. or.  
*densiflorum*, Putterl. in *Endl. Nov. Stirp.* Dec. 44; et *Syn. Pittosp.* 9 = *floribundum*?  
*Deplanchei*, Brongn. & Gris, in *Bull. Soc. Bot. Fr.* xi. (1864) 187.—N. Caled.  
*discolor*, Hort. Berol. ex Regel, *Gartenfl.* (1852) 103, 133 = *bicolor*.  
*echinatum*, Brongn. & Gris, in *Bull. Soc. Bot. Fr.* xi. (1864) 189.—N. Caled.  
*elegans*, Raoul, in *Ann. Sc. Nat. Sér. III.* ii. (1844) 121 = *eugenioides*.  
*ellipticum*, T. Kirk, in *Trans. N. Z. Inst.* i. ed. II. (1871) 84, 86.—N. Zel.  
*Enderi*, Regel, *Gartenfl.* (1868) 226. t. 587; et *Ind. Sem. Hort. Petrop.* (1868) 90.—Austral.  
*enkianthoides*, R. Cunn. & Hueg. ex Putterl. *Syn. Pittosp.* 7 = *eugenioides*.  
*eriocarpum*, Royle, *Illustr. Bot. Himal.* 77.—Reg. Himal.  
*erioloma*, C. Moore & F. Muell. in *Fragm.* vii. 139.—Ins. Dom. Howe.  
*eugenioides*, A. Cunn. in *Ann. Nat. Hist. Ser. I.* iv. (1840) 106 (eugenioides).—N. Zel.  
*expense*, Nois. ex Steud. *Nom.* ed. I. 628, nomen (Quid?).—Hab.?  
*fasciculatum*, Hook. f. *Fl. N. Zel. i.* 24.—N. Zel.  
*fasciculatum*, T. Kirk, in *Trans. N. Z. Inst.* iv. (1872) 262 = *tenuifolium*.  
*Fernandesii*, Vidal, ex F. Villar, in *Blanco*, Fl. Philipp. ed. III. Nov. App. 13 = *brachysepalum*.  
*ferrugineum*, [Dryand. in] *Ait. Hort. Kew.* ed. II. ii. 27.—Malaya; Austral.  
*fissicalyx*, Miq. *Illustr. Fl. Arch. Ind.* 81.—Ins. Buru.  
*flavum*, Hook. *Bot. Mag.* t. 4799 = *Hymenosporum flavum*.  
*floribundum*, Wight & Arn. *Prod.* 154.—Ind. or.

## PITTOSPORUM:—

- Fortunei*, Turcz. in *Bull. Soc. Nat. Mosc.* xxxvi. (1863) i. 562 = *glabratum*.  
*fulvum*, Rudge, in *Trans. Linn. Soc.* x. (1811) 298. t. 20 = *revolutum*.  
*Gilliesianum*, T. Kirk, in *Trans. N. Z. Inst.* i. (1868) 143; ed. II. (1871) 87.—N. Zel.  
*glabratum*, Lindl. in *Journ. Hort. Soc.* i. (1846) 230.—Reg. Himal.; China.  
*glabrum*, Hook. & Arn. *Bot. Beech. Voy.* 110.—Ins. Sandvic.  
*gracile*, Panch. Brongn. & Gris, in *Bull. Soc. Bot. Fr.* xi. (1864) 187.—N. Caled.  
*hirsutum*, Link, *Enum. Hort. Berol.* i. 233 = *revolutum*.  
*hirtum*, Hort. ex Tenore, in *Atti 3<sup>a</sup> Riun. Sc. Ital.* (1841) 502 = *Syncarpia laurifolia*.  
*hirtum*, Willd. *Enum. Hort. Berol.* 261 = *revolutum*.  
*Huegelianum*, Putterl. in *Endl. Stirp. Nov. Dec.* 43 = *bicolor*.  
*Humboldtianum*, Baill. in *Bull. Soc. Linn. Par.* i. (1885) 471.—Madag.  
*humile*, Hook. f. & Thoms. in *Hook. f. Fl. Brit. Ind.* i. 198.—Reg. Himal.  
*Huttonianum*, T. Kirk, in *Trans. N. Z. Inst.* i. ed. II. (1871) 90.—N. Zel.  
*intermedium*, T. Kirk, l. c. 84.—N. Zel.  
*ioides*, Tul. in *Ann. Sc. Nat. Sér. IV.* viii. (1857) 139.—Madag.  
*japonicum*, Hort. ex Presl, *Symb. Bot.* i. 40 = *Sloanea monosperma*.  
*javanicum*, Blume, *Mus. Bot. Lugd. Bat. i.* 159.—Java.  
*Kirkii*, Hook. f. ex T. Kirk, in *Trans. N. Z. Inst.* i. ed. II. (1871) 91.—N. Zel.  
*lanceolatum*, A. Cunn. in *Mitch. Journ. Trop. Austral.* 272 = *phillyraeoides*.  
*lanceolatum*, Putterl. *Syn. Pittosp.* 17 = *Celastrus lanceolatus*.  
*laurifolium*, Brouss. ex Roem. & Schult. *Syst.* v. 432.—Ins. Teneriff.  
*ledifolium*, A. Cunn. in *Ann. Nat. Hist. Ser. I.* iv. (1840) 109 = *bicolor*.  
*ligustrifolium*, A. Cunn. ex Loud. *Hort. Brit. Suppl.* i. 597, nomen; et ex Putterl. *Syn. Pittosp.* 16 = *phillyraeoides*.  
*linifolium*, A. Cunn. in *Ann. Nat. Hist. Ser. I.* iv. (1840) 109 err. typ. = *tinifolium*.  
*longifolium*, Putterl. *Syn. Pittosp.* 15 = *phillyraeoides*.  
*loniceroides*, Brongn. & Gris, in *Bull. Soc. Bot. Fr.* xi. (1864) 186.—N. Caled.  
*Mannii*, Hook. f. in *Journ. Linn. Soc.* vi. (1862) 5.—Afr. trop.  
*mauritianum*, Lodd. *Cat.* (1825); ex G. Don, *Gen. Syst.* i. 374 = P. Senacia.  
*Mayi*, Hort. ex Regel, *Cat. Pl. Hort. Aksakov.* 112, nomen.—Hab.?  
*melanospermum*, F. Muell. *Fragm.* i. 70.—Austral.  
*microcarpum*, Putterl. *Syn. Pittosp.* 7 = *eugenioides*.  
*moluccanum*, Miq. *Illustr. Fl. Arch. Ind.* 76 = *ferrugineum*.  
*monticolum*, Miq. l. c. 83.—Java.  
*nanum*, Hook. *Comp. Bot. Mag.* i. (1835) 275 = *Marianthus procumbens*.  
*neelgherrense*, Wight & Arn. *Prod.* 154.—Ind. or.  
*novoguineense*, Miq. *Illustr. Fl. Arch. Ind.* 79.—N. Guin.  
*obcordatum*, Raoul, in *Ann. Sc. Nat. Sér. III.* ii. (1844) 121.—N. Zel.  
*ochrosiaefolium*, Boj. in *Bouton*, 12<sup>me</sup> *Rapp. Ann. Maur.* (1842) 15.—Madag.  
*oleaeifolium*, A. Cunn. ex Putterl. *Syn. Pittosp.* 17 = *phillyraeoides*.  
*ovatifolium*, F. Muell. *Fragm.* ii. 78 = *ferrugineum*.  
*ovatum*, T. Kirk, in *Trans. N. Z. Inst.* iv. (1872) 267 = *ellipticum*.  
*pachylobum*, Tul. in *Ann. Sc. Nat. Sér. IV.* viii. (1857) 140.—Madag.  
*Pancheri*, Brongn. & Gris, in *Bull. Soc. Bot. Fr.* xi. (1864) 188.—N. Caled.  
*paniculatum*, Brongn. & Gris, l. c.—N. Caled.  
*parviflorum*, Putterl. in *Lehm. Pl. Preiss.* i. 189.—Austral.  
*patulum*, Hook. f. *Handb. N. Zeal. Fl.* 19, 725.—N. Zel.  
*pauciflorum*, Hook. & Arn. *Bot. Beech. Voy.* 168. t. 32.—China.  
*Fervillei*, Blume, *Mus. Bot. Lugd. Bat. i.* 159.—Madag.

## PITTOSPORUM:—

- phillyraeoides*, DC. *Prod.* i. 347 (phylliraeoides).—Austral.  
*Pickeringii*, A. Gray, *Bot. U. St. Expl. Exped.* i. 227.—Ins. Fiji.  
*pimeleoides*, A. Cunn. ex Putterl. *Syn. Pittosp.* 15.—N. Zel.  
*polyspermum*, Tul. in *Ann. Sc. Nat. Sér. IV.* viii. (1857) 138.—Madag.  
*procumbens*, Hook. *Comp. Bot. Mag.* i. (1835) 275 = *Marianthus procumbens*.  
*radicans*, R. Cunn. ex A. Cunn. in *Ann. Nat. Hist. Ser. I.* iv. (1840) 108 = *reflexum*.  
*Ralphii*, T. Kirk, in *Trans. N. Z. Inst.* iii. (1871) 1161.—N. Zel.  
*reflexum*, R. Cunn. ex A. Cunn. in *Ann. Nat. Hist. Ser. I.* iv. (1840) 108.—N. Zel.  
*reticulatum*, Tul. in *Ann. Sc. Nat. Sér. IV.* viii. (1857) 138.—Ins. Borbon.  
*revolutum*, [Dryand. in] *Ait. Hort. Kew.* ed. II. ii. 27.—Austral.  
*rhombifolium*, A. Cunn. ex Hook. *l. c.* 621.—Austral.  
*rhytidocarpum*, A. Gray, *Bot. U. St. Expl. Exped.* i. 228. t. 18.—Ins. Fiji.  
*Richii*, A. Gray, l. c. 224.—Ins. Fiji.  
*rigidum*, Hook. f. *Fl. N. Zel. i.* 22. t. 10.—N. Zel.  
*Roëanum*, Putterl. *Syn. Pittosp.* 16 = *phillyraeoides*.  
*rubiginosum*, A. Cunn. in *Ann. Nat. Hist. Ser. I.* iv. (1840) 108.—Austral.  
*rufescens*, Turcz. in *Bull. Soc. Nat. Mosc.* xxvii. (1854) II. 367.—Java.  
*Rumphii*, Putterl. *Syn. Pittosp.* 7 = *ferrugineum*.  
*salicinum*, Lindl. in *Mitch. Journ. Trop. Austral.* 97 = *phillyraeoides*.  
*Senacia*, Putterl. *Syn. Pittosp.* 7.—Ins. Mascar.  
*serrulatum*, Jack, ex Griff. in *Calc. Journ. Nat. Hist.* iv. (1844) 195 = *Celastrus pauciflorus*.  
*Simsoni*, Montr. in *Mém. Acad. Lyon*, x. (1860) 178.—N. Caled.  
*sinense*, Desf. *Tabl.* ed. II. 231 = *viridiflorum*.  
*sinuatum*, Blume, *Mus. Bot. Lugd. Bat. i.* 161.—N. Guin.  
*spathulatum*, H. Mann, in *Proc. Am. Acad.* vii. (1867) 151.—Ins. Sandvic.  
*stenopetalum*, Baker, in *Journ. Linn. Soc.* xxi. (1884) 320.—Madag.  
*taitense*, Putterl. *Syn. Pittosp.* 6.—Ins. Tahiti.  
*tenuifolium*, Gaertn. *Fruct.* i. 286. t. 59. f. 7.—N. Zel.  
*terminalioides*, Planch. ex A. Gray, *Bot. U. St. Expl. Exped.* i. 231.—Ins. Sandvic.  
*tetraspermum*, Wight & Arn. *Prod.* 154.—Ind. or.  
*timorensis*, Blume, *Mus. Bot. Lugd. Bat. i.* 160.—Ins. Timor.  
*tinifolium*, A. Cunn. in *Ann. Nat. Hist. Sér. I.* iv. (1840) 109 = *ferrugineum*.  
*Tobira*, [Dryand. in] *Ait. Hort. Kew.* ed. II. ii. 27.—Japan; China.  
*tobiroides*, A. Gray, *Bot. U. St. Expl. Exped.* i. 226. t. 17.—Ins. Fiji.  
*tomentosum*, Bonpl. *Desc. Pl. Rar. Malm.* 56 = *revolutum*.  
*translucens*, Hook. ex Putterl. *Syn. Pittosp.* 13 = *tenuifolium*.  
*tuberculatum*, Zeyh. ex Steud. *Nom.* ed. I. 628, nomen.—Hab.?  
*turbinatum*, Brongn. & Gris, in *Bull. Soc. Bot. Fr.* xi. (1864) 187.—N. Caled.  
*umbellatum*, A. Cunn. ex Putterl. *Syn. Pittosp.* 7 = *eugenioides*.  
*umbellatum*, Gaertn. *Fruct.* i. 286.—N. Zel.  
*undulatum*, Guill. in *Ann. Sc. Nat. Sér. II.* vii. 1837. 368 = *taitense*.  
*undulatum*, Vent. *Jard. Cels.* t. 76.—Austral.  
*uniflorum*, Putterl. *Syn. Pittosp.* 12.—Hab.?  
*venulosum*, F. Muell. *Fragm.* vi. 186.—Austral.  
*verticillatum*, Boj. in *Bouton*, 12<sup>me</sup> *Rapp. Ann. Maur.* (1842) 16.—Madag.  
*verticillatum*, Montr. in *Mém. Acad. Lyon*, x. (1860) 178.—N. Caled.  
*Vicillardii*, Brongn. & Gris, in *Bull. Soc. Bot. Fr.* xi. (1864) 188.—N. Caled.  
*virgatum*, T. Kirk, in *Trans. N. Z. Inst.* i. ed. II. (1871) 86, 90.—N. Zel.  
*viridiflorum*, Sims, *Bot. Mag.* t. 1684.—Afr. austr.  
*Wallichii*, Putterl. *Syn. Pittosp.* 17 = *Celastrus pauciflorus*.  
*zeylanicum*, Walp. *Rep.* i. 252 = *ceylanicum*.



PITTUNIA, Miers, Trav. Chile, ii. 531 (1826), sphalm. = *Petunia*, Juss. (Solan.).

PITUMBA, Aubl. Pl. Gui. ii. App. 29. t. 385 = *Casearia*, Jacq. (Samyd.).  
*edulis*, Rich. ex Eichl. in Mart. Fl. Bras. xiii. i. 470 = *C. macrophylla*.  
*guyannensis*, Aubl. Pl. Gui. t. 385 = *C. macrophylla*.

PITURANTHOS, Viv. Fl. Lib. Spec. 15. t. 7 (1824).  
*UMBELLIFERAE*, Benth. & Hook. f. i. 890.

DEVERRA, DC. Mém. Omb. 45 (1829); Prod. iv. 143 (1830).

DEVERRARIA, DC. ex Steud. Nom. ed. II. i. 497 (1840).

ERIOCYCLA, Lindl. in Royle, Illustr. Bot. Himal. 232. t. 51 (1835).

HYMENOPHORA, Viv. ex Coss. in Bull. Soc. Bot. Fr. xii. (1865) 281.

PITHURANTHOS, DC. Prod. iv. 144 (1830).  
*denudatus*, Viv. Fl. Lib. Spec. 15. t. 7. f. 1-2. — Afr. bor.

*nudus*, Benth. ex C. B. Clarke, in Hook. f. Fl. Brit. Ind. ii. 680. — Reg. Himal.

Thomsoni, C. B. Clarke, l. c. — Reg. Himal.

PITYOPSIS, Nutt. in Trans. Am. Phil. Soc. N. S. vii. (1841) 317 = *Chrysopsis*, Ell. (Compos.).

*argentea*, Nutt. l. c. = *C. graminifolia*.

*falcata*, Nutt. l. c. = *C. villosa*.

*graminifolia*, Nutt. l. c. = *C. graminifolia*.

*pinifolia*, Nutt. l. c. 317, 318 = *C. pinifolia*.

PITYRANTHE, Thw. Enum. Pl. Zeyl. 29 (1858).  
*TILLACEAE*, Benth. & Hook. f. i. 232.

*verrucosa*, Thw. l. c. — Zeylan.

PITYRANTHUS, Mart. in Denkschr. Akad. Muench. v. (1817) 179 = *Alternanthera*, Forsk. (Amarant.).

*crassifolius*, Mart. l. c. = *A. Achyrantha*.

PITYRODIA, R. Br. Prod. 513 (1810). *VERBENACEAE*, Benth. & Hook. f. ii. 1140.

*DASYMALLA*, Endl. Nov. Stirp. Dec. 11 (1839).

QUOYA, Gaudich. in Freyc. Voy. Bot. 453. t. 66 (1826).

*atriplicina*, F. Muell. ex Benth. Fl. Austral. v. 52. — Austral.

*Bartlingii*, Benth. l. c. 49. — Austral.

*cuneata*, Benth. l. c. 51. — Austral.

*dilatata*, F. Muell. ex Benth. l. c. — Austral.

*Drummondii*, Turcs. in Bull. Soc. Nat. Mosc. xxxvi. (1863) II. 213. — Austral.

*exsuccosa*, F. Muell. Fragm. i. 60 = *Dicrasytis ochrotricha*.

*hemigenioides*, F. Muell. ex Benth. Fl. Austral. v. 48. — Austral.

*Lewellini*, F. Muell. Fragm. viii. 50 = *Chloanthes Lewellini*.

*loricata*, F. Muell. l. c. x. 14 = *Chloanthes loricata*.

*myriantha*, F. Muell. l. c. i. 236 = *Dicrasytis fulva*.

*Oldfieldii*, F. Muell. ex Benth. Fl. Austral. v. 52. — Austral.

*paniculata*, F. Muell. ex Benth. l. c. 53. — Austral.

*racemosa*, Benth. l. c. 50. — Austral.

*salvifolia*, R. Br. Prod. 513. — Austral.

*uncinata*, Benth. Fl. Austral. v. 48. — Austral.

*verbascina*, F. Muell. ex Benth. l. c. 50. — Austral.

PITYROPHYLLUM, Beer, Bromel. 79 (1857) = *Tillandsia*, Linn. (Bromel.).

*erubescens*, Beer, l. c. = *T. ionantha*.

*gracile*, Beer, l. c. = *T. ionantha*.

PITYROSPERMA, Sieb. & Zucc. in Abh. Akad. Muench. iii. iv. (1843) 734 = *Cimicifuga*, Linn. (Ranunc.).

*acerinum*, Sieb. & Zucc. l. c. 735 = *C. japonica*.

*bitermatum*, Sieb. & Zucc. l. c. 736 = *C. bitermata*.

*obtusilobum*, Sieb. & Zucc. l. c. 735 = *C. obtusiloba*.

PIVONNEAVA, Hook. f. Bot. Mag. t. 5668 (1867) sphalm. = *PIRONNEAVA*, Gaudich. = *Aechmea*, Ruiz & Pav. (Bromel.).

PLACEA, Miers, Trav. Chile, ii. 529 (1826), nomen; et in Bot. Reg. (1841) t. 50. *AMARYLLIDEAE*, Benth. & Hook. f. iii. 725.

Arzae, Phil. in Anal. Univ. Chil. (1873) 541. — Chili.

## PLACEA:—

Germaini, Phil. in Linnaea, xxix. (1857-58) 67. — Chili.

*grandiflora*, Lem. Illustr. Hort. xv. (1868) t. 574. — Chili.

*lutea*, Phil. in Linnaea, xxxiii. (1864-65) 259. — Chili.

*ornata*, Miers, Trav. Chile, ii. 529, nomen; et in Bot. Reg. (1841) t. 50. — Chili.

*pratensis*, Poepp. Fragm. Syn. Pl. Chile, 5; ex Phil. f. Cat. Pl. Vasc. Chil. 291 = *Hippeastrum pratense*.

PLACOCARPA, Hook. f. in Benth. & Hook. f. Gen. ii. 107 (1873). *RUBIACEAE*, Benth. & Hook. f. l. c.

*mexicana*, Hook. f. l. c. 108. — Mexic.

PLACODISCUS, Radlk. in Sitzb. Math.-Phys. Akad. Muench. viii. (1878) 332. *SAPINDACEAE*.

*leptostachys*, Radlk. l. c. ix. (1879) 606. — Afr. trop.

*turbatus*, Radlk. l. c. viii. (1878) 332. — Afr. trop.

PLACODIUM, Benth. & Hook. f. Gen. ii. 136 (1873), sphalm. = *Plocama*, Ait. (Rubiace.).

PLACOLOBIUM, Miq. Fl. Ind. Bat. i. i. 1082 (1857). Gen. dub. *LEGUMINOSARUM*. — Cf. Benth. & Hook. f. i. 465.

*sumatranum*, Miq. l. c. — Sumatra.

PLACOMA, J. F. Gmel. Syst. ii. 296, 390 (1791) = *Plocama*, Ait. (Rubiace.).

PLACOPODA, Balf. f. in Proc. Roy. Soc. Edinb. xi. (1882) 835. *RUBIACEAE*.

*virgata*, Balf. f. l. c. 836. — Ins. Socotr.

PLACOSTIGMA, Blume, Fl. Jav. Praef. 6 (1828) = *Podocheilus*, Blume (Orchid.).

PLACUS, Lour. Fl. Cochinch. 496 (1790) = *Blumea*, DC. (Compos.).

*aromaticus*, Baill. Hist. Pl. viii. 303 = *B. aromatica*.

*balsamifera*, Baill. l. c. = *B. balsamifera*.

*chinensis*, Baill. l. c. = *B. chinensis*.

*foetidus*, Baill. l. c. = *Pluchea camphorata*.

*grandis*, Baill. l. c. = *B. densiflora*.

*indicus*, Baill. l. c. = *Pluchea indica*.

*laevis*, Lour. Fl. Cochinch. 497 = *Baccharis laevis*.

*suaveolens*, Baill. Hist. Pl. viii. 303 = *Pluchea Quitoc*.

*tomentosus*, Lour. Fl. Cochinch. 497 = *Baccharis cochinchinensis*.

PLADAROXYLON, Hook. f. in Hook. Ic. Pl. t. 1055 (1870) = *Senecio*, Tourn. (Compos.).

*Leucadendron*, Hook. f. l. c. = *S. Leucadendron*.

PLADERA, Soland. ex Roxb. Hort. Beng. [10] (1814); Fl. Ind. i. 400 (1832) = *Canscora*, Lam. (Gentian.).

*alata*, Buch.-Ham. ex Wall. Cat. n. 4364 B = *C. perfoliata*.

*decussata*, Roxb. Hort. Beng. [10]; Fl. Ind. i. 402 = *C. decussata*.

*decussata*, Wall. Cat. n. 4364, partim = *Exacum pedunculatum*.

*fastigiata*, C. B. Clarke, in Journ. Linn. Soc. xiv. (1875) 429 = *Hoppea fastigiata*.

*perfoliata*, Roxb. Hort. Beng. 83; Fl. Ind. i. 402 = *C. perfoliata*.

*pulchella*, Wall. Cat. n. 4368 = *C. Schultesii*.

*pusilla*, Roxb. Hort. Beng. [10]; Fl. Ind. i. 403 = *Hoppea dichotoma*.

*pusilla*, Thw. Enum. Pl. Zeyl. 204 = *Hoppea fastigiata*.

*sessiliflora*, Roxb. Hort. Beng. 83; Fl. Ind. i. 400 = *C. sessiliflora*.

*virgata*, Griff. Notul. iv. 92 = *C. andrographioides*.

*virgata*, Roxb. Hort. Beng. [10]; Fl. Ind. i. 401 = *C. diffusa*.

PLAEA, Pers. Syn. i. 451 (1805) = *Plelea*, Michx. (Liliac.).

PLAESIANTHA, Hook. f. in Benth. & Hook. f. Gen. i. 681 (1865). *RHIZOPHOREAE*, Benth. & Hook. f. l. c.

*Lobbii*, Hook. f. l. c. — Borneo.

PLAGIACANTHUS, Nees, in DC. Prod. xi. 335 (1847) = *Dianthera*, Linn. (Acanth.).

*racemosus*, Nees, l. c. = *D. racemosa*.

PLAGIANTHERA, Reichb. & Zoll. in Verh. Naturk. Ver. Nederl. Ind. i. (1856) 19; et in Linnaea, xxviii. (1856) 321 = *Mallotus*, Lour. (Euphorb.).

*affinis*, Baill. Etud. Gén. Euph. 424 = *M. claoxyloides*.

*oppositifolia*, Reichb. & Zoll. in Verh. Naturk. Ver. Nederl. Ind. i. (1856) 20; et in Linnaea, xxviii. (1856) 321 = *M. Blumeanus*.

PLAGIANTHUS, Forst. Char. Gen. 85. t. 43 (1776). *MALVACEAE*, Benth. & Hook. f. i. 202.

*ASTEROTRICHION*, Klotzsch, in Link, Klotzsch & Otto, Ic. Pl. 19. t. 8 (1840).

*BLEPHARANTHEMUM*, Klotzsch, l. c. (1840).

*GYNATRIX*, Alef. in Oestr. Bot. Zeitschr. xii. (1862) 34.

*HALOTHAMNUS*, F. Muell. Pl. Vict. i. 158 (1862).

*LAWRENCIA*, Hook. Ic. Pl. tt. 261, 417 (1840).

*PHILIPPODENDRUM*, Poit. in Ann. Sc. Nat. Sér. II. viii. (1837) 183. t. 3.

*WRENCIALA*, A. Gray, Bot. U. St. Expl. Exped. i. 180, in obs. (1854).

Berthae, F. Muell. Fragm. v. 103. — Austral.

*betulinus*, A. Cunn. in Ann. Nat. Hist. Ser. I. iv. (1840) 25. — N. Zel.

*Dampieri*, Hort. — Cf. Gard. Chron. (1884) i. 670; II. 200 = *sidoides*.

*diffusus*, Benth. Fl. Austral. i. 190. — Austral.

*discolor*, Aschers. in Ind. Sem. Hort. Berol. (1861) App. 10 = *sidoides*.

*divaricatus*, Forst. Char. Gen. 86. — N. Zel.

*glomeratus*, Benth. in Journ. Linn. Soc. vi. (1862) 103. — Austral.

*humilis*, Blanco, Fl. Filip. ed. I. 526 = *Turraea pumila*.

*Lampenii*, Booth, ex Lindl. in Bot. Reg. (1838) Misc. 22 = *sidoides*.

*linariifolia*, F. Buch. in Trans. N. Z. Inst. xvi. (1884) 394. — N. Zel.

*Lyallii*, Hook. f. ex Benth. in Journ. Linn. Soc. vi. (1862) 103 (Gayae sp.). — N. Zel.

*microphyllus*, F. Muell. Fragm. i. 29. — Austral.

*petiolaris*, Backh. ex Benth. in Journ. Linn. Soc. vi. (1862) 102, nomen = *sidoides*.

*pulchellus*, A. Gray, Bot. U. S. Expl. Exped. i. 181. — Austral.

*sidoides*, Hook. Bot. Mag. t. 3396. — Tasmania.

*spicatus*, Benth. in Journ. Linn. Soc. vi. (1862) 103. — Austral.

*squamatus*, Benth. l. c. = *microphyllus*.

*tasmanicus*, A. Gray, Bot. U. St. Expl. Exped. i. 181; Benth. in Journ. Linn. Soc. vi. (1862) 103 = *pulchellus*.

*urticinus*, A. Cunn. in Ann. Nat. Hist. Ser. I. iv. (1840) 25 = *betulinus*.

PLAGIDIA, Rafn. New Fl. Am. iv. 42 (1836) = *Anychia*? Rich. (Illecebr.).

*rufa*, Rafn. l. c. (Quid?). — Am. bor.

PLAGIOBASIS, Schrenk, in Bull. Phys.-Math. Acad. Pétersb. iii. (1845) 108. *COMPOSITAE*, Benth. & Hook. ii. 1236.

*centauroides*, Schrenk, l. c. 109. — Soongar.

*sogdiana*, Bunge, in Mém. Sav. Etr. Pétersb. vii. (1851) 361. — Turkestan.

PLAGIOBOTHRYDS, Fisch. & Mey. Ind. Sem. Hort. Petrop. ii. 46 (1835). *BORAGINEAE* [Benth. & Hook. f. ii. 851].

*arizonicus*, Greene, ex A. Gray, in Proc. Am. Acad. xx. (1885) 284. — Am. bor. occ.

*canescens*, Benth. Pl. Hartw. 326. — Calif.

*Cooperi*, A. Gray, in Proc. Am. Acad. xx. (1885) 285. — Calif.

*glomeratus*, A. Gray, l. c. 286. — Am. bor. occ.

*hispidus*, A. Gray, l. c. — Calif.

*Kingii*, A. Gray, l. c. 281. — Am. bor. occ.

*nothofulvus*, A. Gray, l. c. 285. — Am. bor. occ.

*procumbens*, A. Gray, l. c. 283. — Chili.

*rufescens*, Fisch. & Mey. Ind. Sem. Hort. Petrop. ii. 46. — Am. bor. occ.; Chili.



**PLAGIOBOTHRYS** :—

shastensis, *Greene*, ex *A. Gray*, in *Proc. Am. Acad.* xx. (1885) 284.—Calif.  
 tenellus, *A. Gray*, l. c. 283.—Am. bor. occ.  
 tinctorius, *A. Gray*, l. c.—Chili.  
 Torreyi, *A. Gray*, l. c. 284.—Calif.  
 ursinus, *A. Gray*, l. c. 285.—Calif.

**PLAGIOCARPUS**, Benth. in Hook. Ic. Pl. t. 1162 (1873). **LEGUMINOSAE**.  
 axillaris, Benth. l. c.—Austral.

**PLAGIOCARYUM**, Willd. ex Steud. Nom. ed. I. 628 (1821). (Quid ?).  
 scabrum, Willd. ex Steud. l. c.—Bras.

**PLAGIOCHEILUS**, Arn. ex DC. Prod. vi. 142 (1837). **COMPOSITAE**, Benth. & Hook. f. ii. 430.  
 HIPPIA, Linn. f. Suppl. 389 (1781) partim; H. B. & K. Nov. Gen. et Sp. iv. 301 (1820).  
 POLYGNE, Phil. in Linnaea, xxxiii. (1864–65) 170.  
 bogotensis, *Wedd. Chlor. And.* i. 62.—N. Granat.  
 ciliaris, *Wedd. l. c.* 227.—Bolivia.  
 frigidus, *Poepp. & Endl. Nov. Gen. et Sp.* iii. 48. t. 248.—Peruv.  
 peduncularis, *Wedd. Chlor. And.* i. 61.—Ecuador.  
 prostratus, Benth. Pl. Hartw. 136.—Peruv.  
 solivaeformis, DC. Prod. vi. 142.—Bolivia.  
 tanacetoides, *Haenke*, ex DC. l. c.—Am. austr.

**PLAGIOCHILUS**, Lindl. Veg. Kingd. 712 (1847) sphalm. = praec.

**PLAGIOLIRION**, Baker, in Gard. Chron. (1883) II. 38. **AMARYLLIDAE**.  
 Horsmanni, Baker, l. c.—N. Granat.

**PLAGIOLOBA**, Reichb. Nom. 182 (1841) = **Hesperis**, Linn. (Crucif.).

**PLAGIOLOBIUM**, Sweet, Fl. Austral. t. 2 (1827) = **Hovea**, R. Br. (Legumin.).  
 chorizemaeifolium, Sweet, l. c. = H. chorizemaeifolia.  
 ilicifolium, Sweet, l. c. sub t. 2 = H. chorizemaeifolia.  
 macrocalyx, Walp. Rep. v. 434, sphalm. = *Platylobium obtusangulum*.

**PLAGIOLYTRUM**, Nees, in Proc. Linn. Soc. i. (1841) 95 = **Tripogon**, Roth (Gramin.).  
 calycinum, Nees, l. c. = T. bromoides.  
 filiforme, Nees, l. c. = T. unidentatum.  
 unidentatum, Nees, l. c. = T. unidentatum.

**PLAGION**, St. Lag. in Ann. Soc. Bot. Lyon, viii. (1881) 159 = **PLAGIUS**, L'Hérit. = **Chrysanthemum**, Tourn. (Compos.).

**PLAGIOPHYLLUM**, Schlecht. in Linnaea, xiii. (1839) 428 = **Centradenia**, G. Don (Melastom.).  
 grandifolium, Schlecht. l. c. 429 = C. grandifolia.  
 parviflorum, Triana, in Trans. Linn. Soc. xxviii. (1871) 32, sphalm. = seq.  
 parvifolium, Schlecht. in Linnaea, xiii. (1839) 428 = C. inaequilateralis.

**PLAGIOPODA**, Spach, Hist. Vég. Phan. x. 402 (1841) = **Grevillea**, R. Br. (Proteac.).

**PLAGIOPTERON**, Griff. in Calc. Journ. Nat. Hist. iv. (1843) 244. t. 13. **TILIACEAE**, Benth. & Hook. f. i. 238.  
 fragrans, Griff. l. c. t. 13 = suaveolens.  
 suaveolens, Griff. l. c. 244.—Burma.

**PLAGIORHEGMA**, Maxim. Prim. Pl. Amur. 34. t. 1 (1859) = **Jeffersonia**, Barton (Berberid.).  
 dubium, Maxim. l. c. = J. dubia.

**PLAGIOSCYPHUS**, Radlk. in Sitzb. Math.-Phys. Akad. Muench. viii. (1878) 335. **SAPINDACEAE**.  
 cauliflorus, Radlk. l. c. 336.—Madag.

**PLAGIOSETUM**, Benth. in Hook. Ic. Pl. xiii. 33 (1877); et Fl. Austral. vii. 494 (1878). **GRAMINEAE**, Benth. & Hook. f. iii. 1107.  
 refractum, Benth. ll. cc.—Austral.

**PLAGIOSTEMON**, Klotzsch, in Linnaea, xii. (1838) 232 = **Simoecheilus**, Klotzsch (Ericac.).  
 bicolor, Klotzsch, l. c. = S. bicolor.  
 puberulus, Klotzsch, l. c. = S. Klotzschianus.  
 pubescens, Benth. in DC. Prod. vii. 703, sphalm. = praec.

**PLAGIOSTIGMA**, Presl, Bot. Bemerk. 127 (1844); in Abh. Boehm. Ges. Wiss. V. iii. (1845) 557 = **Aspalathus**, Linn. (Legumin.).  
 pineum, Presl, ll. cc. = A. pinea.

**PLAGIOSTIGMA**, Zucc. in Abh. Akad. Muench. iv. III. (1846) 154; (Fl. Jap. Fam. Nat. ii. 98) = **Ficus**, Tourn. (Urtic.).  
 pumila, Zucc. ll. cc. = F. pumila.  
 stipulata, Zucc. ll. cc. = F. pumila.

**PLAGIOTAXIS**, Wall. Cat. n. 1269, 1270 (1831) = **Chickrassia**, A. Juss. (Meliac.).  
 Chickrassia, Wall. Cat. n. 1269 = C. tabularis.  
 grandiflora, Wall. l. c. n. 1271 = *Chisocheton grandiflorus*.  
 velutina, Wall. l. c. n. 1270 = *Chickrassia tabularis*.

**PLAGISTRA**, Rafin. Fl. Tellur. iv. 98 (1836) = **Aristolochia**, Tourn.  
 cretica, Rafin. l. c. = A. cretica.

**PLAGIUS**, L'Hérit. ex DC. Prod. vi. 135 (1837) = **Chrysanthemum**, Tourn. (Compos.).  
 aegeratifolius, L'Hérit. ex DC. l. c. = C. flosculosum.  
 Allionii, L'Hérit. ex DC. l. c. = C. flosculosum.  
 grandiflorus, L'Hérit. ex DC. l. c.—Afr. bor.  
 virgatus, DC. l. c. = C. flosculosum.

**PLANARIUM**, Desv. in Ann. Sc. Nat. Sér. I. ix. (1826) 416 = **Chaetocalyx**, DC. (Legumin.).  
 latisiliquum, Desv. l. c. 417 = C. latisiliqua.

**PLANCHONIA**, Blume, in Fl. des Serres, vii. (1851–52) 24. **MYRTACEAE**, Benth. & Hook. f. i. 721.  
 alata, Blume, l. c. 25 = timorensis.  
 crenata, Miers, in Trans. Linn. Soc. Ser. II. i. (1875) 91.—Austral.  
 elliptica, Miers, l. c. 93.—Borneo.  
 littoralis, Blume, in Fl. des Serres, vii. (1851–52) 25 = valida.  
 nitida, Miers, in Trans. Linn. Soc. Ser. II. i. (1875) 93, sphalm. = valida.  
 sumatrana, Blume, in Fl. des Serres, vii. (1851–52) 25 = valida.  
 sundaica, Miq. Fl. Ind. Bat. i. i. 493 = valida.  
 tetraptera, Miers, in Trans. Linn. Soc. Ser. II. i. (1875) 93 = timorensis.  
 timorensis, Blume, in Fl. des Serres, vii. (1851–52) 25.—Ins. Timor; Java.  
 undulata, *Teijsm. & Binn. in Tijdschr. Nederl. Ind.* xxix. (1867) 256.—Java.  
 valida, Blume, in Fl. des Serres, vii. (1851–52) 24.—Malaya.

**PLANCHONIA**, Dun. in DC. Prod. xiii. I. 471 (1852) = **Salpichroa**, Miers (Solanac.).  
 arbutifolia, Dun. l. c. 475 = S. rhomboidea.

**PLANCHONIA**, J. Gay, ex Benth. & Hook. f. Gen. i. 154 (1862) = **Polycarpaea**, Lam. (Caryoph.).

**PLANCIA**, Neck. Elem. i. 49 (1790) = **Leontodon**, Linn. (Compos.).

**PLANERA**, Giseke, Prael. Linn. 205 (1792) = **Costus**, Linn. (Scitam.).  
 speciosa, Giseke, l. c. 244 = C. speciosus.

**PLANERA**, J. F. Gmel. Syst. 150 (1791). **URTICACEAE**, Benth. & Hook. f. iii. 353.  
 Abelicea, Schult. Syst. vi. 304 = *Zelkova cretica*.  
 acuminata, Lindl. in Gard. Chron. (1861) 428 = *Zelkova acuminata*.  
 americana, Hort. ex Steud. Nom. ed. II. ii. 347 = aquatica.  
 aquatica, J. F. Gmel. Syst. 150.—Am. bor.  
 carpinifolia, Wats. Dendrol. t. 106 = *Zelkova crenata*.  
 crenata, Desf. Tabl. ed. II. 242 = *Zelkova crenata*.  
 Davidii, Hance, in Journ. Bot. vi. (1868) 333 (= *Hemiptelea Davidii*).—China.

**PLANERA** :—

Gmelini, Michx. Fl. Bor. Am. ii. 248 = aquatica.  
 japonica, Miq. Ann. Mus. Bot. Lugd. Bat. iii. 66 = *Zelkova acuminata*.  
 Kaki, Hort. ex Planch. in DC. Prod. xvii. 167 = *Zelkova acuminata*.  
 Kiaki, Hort. ex Planch. l. c. = *Zelkova acuminata*.  
 parvifolia, Sweet, Hort. Brit. ed. II. 464 = *Ulmus parvifolia*.  
 Richardi, Michx. Fl. Bor. Am. ii. 248 = *Zelkova crenata*.  
 Richardi, Spreng. Syst. i. 493, partim = aquatica.  
 ulmifolia, Michx. f. Hist. Arb. Am. iii. 283 = aquatica.

**PLANOTIA**, Munro, in Trans. Linn. Soc. xxvi. (1868) 70. **GRAMINEAE**, Benth. & Hook. f. iii. 1209.  
 PLATONIA, Kunth, Rév. Gram. i. 139. 327. t. 76 (1830).  
 acuminatissima, Munro, in Trans. Linn. Soc. xxvi. (1868) 72.—N. Granat.  
 aperta, Munro, l. c. 73.—N. Granat.  
 elata, Munro, l. c. 71.—Ecuador.  
 nobilis, Munro, l. c. 72.—N. Granat.  
 virgata, Munro, l. c. 71.—Ins. Trinit.

**PLANTAGINASTRUM**, Heist. Syst. 7 (1748) (Quid ?).

**PLANTAGINELLA**, Dill. ex Moench, Meth. 427 (1794) = **Limosella**, Linn. (Scrophul.).  
 aquatica, Moench, l. c. = L. aquatica.

**PLANTAGINELLA**, Fourr. in Ann. Soc. Linn. Lyon, N. S. xvii. (1869) 140 = **Plantago**, Tourn.  
 alpina, Fourr. l. c. = *Plantago alpina*.  
 carinata, Fourr. l. c. = *Plantago carinata*.  
 crassifolia, Fourr. l. c. = *Plantago crassifolia*.  
 graminea, Fourr. l. c. = *Plantago maritima*.  
 maritima, Fourr. l. c. = *Plantago maritima*.  
 subulata, Fourr. l. c. = *Plantago subulata*.

**PLANTAGO**, [Tourn.] Linn. Syst. ed. I (1735). **PLANTAGINEAE**, Benth. & Hook. f. ii. 1224.  
 ARNOGLOSSUM, S. F. Gray, Nat. Arr. Brit. Pl. ii. 292 (1821).  
 ASTEROGEUM, S. F. Gray, l. c. 294 (1821).  
 CORONOPUS, Fourr. in Ann. Soc. Linn. Lyon, N. S. xvii. (1869) 140.  
 LAGOPUS, Fourr. l. c. (1869).  
 PLANTAGINELLA, Fourr. l. c. (1869).  
 PSYLLIUM, Tourn. ex Juss. Gen. 90 (1789).  
 abyssinica, Hochst. ex A. Br. in Flora, xxiv. (1841) I. 279; et ex Steud. in Flora, xxxii. (1849) 413.—Abyss.  
 acanthophylla, Decne. in DC. Prod. xiii. I. 730.—Europ. austr.  
 accedens, Rafin. Fl. Ludov. 33 = virginica.  
 adriatica, Campana, Cat. Hort. Ferrar. 22 = major.  
 adspersa, Bernh. Sel. Sem. Hort. Erf. (1836).—Cf. Linnaea, xii. (1838) Litt. 75 = P. Cynops.  
 aegyptica, Jacq. Coll. i. 45 = squarrosa.  
 affinis, Decne. in DC. Prod. xiii. I. 725.—Reg. Andin.  
 afra, Linn. Sp. Pl. ed. II. 168 = P. Psyllium.  
 agrestis, Salz. ex Steud. Nom. ed. II. ii. 347 = P. Psyllium.  
 agrostophylla, Decne. in DC. Prod. xiii. I. 708.—N. Granat.  
 akkensis, Coss. in Bull. Soc. Bot. Fr. xxii. (1875) 66, nomen.—Marocc.  
 albicans, Hort. ex Roem. & Schult. Syst. iii. 127 = ovata.  
 albicans, Linn. Sp. Pl. 114.—Reg. Mediterr.  
 albicans, Pall. Reise, ii. 329 = minuta.  
 albicans, Schousb. ex Spreng. Syst. i. 439 = velutina.  
 albiflora, Rafin. New Fl. Am. iv. 11.—Am. bor.  
 aliena, Schrad. ex Roem. & Schult. Syst. iii. 119, in obs. = P. Lagopus.  
 alopecura, St. Lag. in Ann. Soc. Bot. Lyon, vii. (1880) 132 = P. Alopecurus.  
 alopecuroides, Lam. Illustr. i. 342.—Afr. bor.  
 Alopecurus, Decne. in DC. Prod. xiii. I. 709.—Am. trop.  
 alpina, Linn. Sp. Pl. 114.—Europ. med.  
 alpina, Sieber, in Roehl. Deutschl. Fl. ed. III. i. 809 = maritima.  
 alpina, Vill. Hist. Pl. Dauph. ii. 302 = montana.  
 altissima, Linn. Sp. Pl. ed. II. 164 = lanceolata.  
 altissima, Loisel. Fl. Gall. ed. I. 88 = major.  
 ambigua, Guss. Fl. Sic. Prod. i. 185 = lanceolata.



**PLANTAGO :—**

*ambloides*, Rafin. New Fl. Am. iv. 12 (Quid?).—Am. bor.  
*amplexicaulis*, Cav. Ic. ii. 22. t. 125.—Reg. Mediterr.; Oriens.; Ind. bor. occ.  
*andicola*, Decne. ex Barn. Monog. Plantag. 17 = barbata.  
*angustata*, Schur, Enum. Pl. Transs. 559 = major.  
*antarctica*, Decne. in DC. Prod. xiii. i. 703.—Austral.  
*aquatica*, Gueldenst. Reisen, ii. 58 = *Alisma* Plantago.  
*aquatilis*, Griseb. in Goett. Abh. xxiv. (1879) 221.—Reg. Argent.  
*arabica*, Boiss. Diagn. Ser. I. xii. 94.—Arabia.  
*arachnoides*, Schrenk, Enum. Pl. Nov. (1841) 16.—As. austr.  
*arborescens*, Poir. Encyc. v. 389.—Ins. Canar.  
*Archeri*, Hook. f. Fl. Tasman. i. 303 = *tasmanica*?  
*arctica*, Decne. in DC. Prod. xiii. i. 700.—Kamtschat.  
*arctica*, Trev. Ind. Sem. (1829); ex Decne. l. c. 694 = major.  
*arenaria*, Decne. in DC. Prod. xiii. i. 735 = *P. Psyllium*.  
*arenaria*, Waldst. & Kit. Pl. Rar. Hung. i. 51. t. 51.—Europ.; As. Min.  
*argentea*, Brot. Fl. Lusit. i. 156 = lanceolata.  
*argentea*, Chaix, in Vill. Hist. Pl. Dauph. i. 376; ii. 302.—Europ.  
*argentea*, Desf. Fl. Atlant. i. 136 = ovata.  
*argentea*, Lam. Illustr. i. 340 = monosperma.  
*argentea*, Sieber, ex Rapin, in Mém. Soc. Linn. Par. vi. (1827) 464 = cylindrica.  
*argentea*, Tenore, Fl. Nap. Suppl. i. 59 = albicans.  
*argentea*, Webb, Iter Hisp. 17 = nivalis.  
*argyrophylla*, Decne. in DC. Prod. xiii. i. 711.—N. Granat.  
*aristata*, Michx. Fl. Bor. Am. i. 95 = patagonica.  
*arvensis*, Presl, Delic. Prag. 69 = *P. Lagopus*.  
*asiatica*, Ledeb. Fl. Alt. i. 143 = sibirica.  
*asiatica*, Linn. Sp. Pl. 113 = major.  
*asiatica*, Turcz. in Bull. Soc. Nat. Mosc. (1838) i. 99 = paludosa.  
*aspera*, Gaud. Fl. Helv. i. 403 = maritima.  
*atrata*, Hoppe, Cent. ii. Taschenb. (1799) 85; Hoffm. Deutschl. Fl. ed. II. i. 76, in obs. = montana.  
*atrata*, Tenore, Fl. Nap. Prod. App. iv. 10 = lanceolata.  
*atrofusca*, Rafin. Atl. Journ. 150.—Hab.?  
*attenuata*, James, in Long, Exped. i. 445; ex Torr. in Ann. Lyc. N. York, ii. (1828) 237 = eriopoda.  
*attenuata*, Wall. in Roxb. Fl. Ind. ed. Carey, i. 422 = lanceolata.  
*aucklandica*, Hook. f. Fl. Antarct. i. 64.—Ins. Auckland.  
*australis*, Lam. Illustr. i. 339.—Reg. Argent.  
*azorica*, Hochst. ex Seub. Fl. Azor. 30 = lanceolata.  
*barbata*, Forst. in Comm. Gotting. ix. (1789) 25. t. 4.—Reg. Magellan.  
*Barneoudii*, Decne. in DC. Prod. xiii. i. 710.—N. Granat.  
*baufoloides*, Pomel, Nouv. Mat. Fl. Atl. 311.—Algeria.  
*Bauphula*, Edgew. in Hook. Journ. Bot. ii. (1840) 285 = amplexicaulis.  
*Bellardi*, All. Fl. Pedem. i. 82. t. 85. f. 3.—Reg. Mediterr.; Oriens.  
*Bellardi*, Drège, ex Decne. in DC. Prod. xiii. i. 719 = cafra.  
*bellidifolia*, Viv. Pl. Aegypt. Dec. iv. 23 = ciliata.  
*bellidioides*, Decne. in DC. Prod. xiii. i. 701 = varia?  
*Bernoulliana*, Vathe, in Verh. Bot. Ver. Brandenb. (1874) 48.—Guatemala.  
*Berteroi*, Steinh. ex Decne. in DC. Prod. xiii. i. 726.—Chili.  
*Berteroniana*, Steud. in Flora, xxxii. (1849) 407.—Chili.  
*Bertolonii*, Godr. in Gren. & Godr. Fl. Fr. ii. 721 = media.  
*bicallosa*, Decne. in DC. Prod. xiii. i. 725.—Bras.  
*bicarinata*, G. F. W. Mey. Prim. Fl. Esseq. 88.—Guian.  
*bidentata*, Murith, Bot. Val. 85 = alpina.  
*Bigelovii*, A. Gray, in Pacif. Rail. Rep. iv. 117.—Am. bor. occ.  
*Bigelovii*, S. Wats. in Bot. King's Exped. 212 = pusilla.  
*Bismarckii*, Nederl. in Monatschr. Bef. Gartenb. (1881) 16. t. 1.—Patagon.  
*bonariensis*, Steud. in Flora, xxxii. (1849) 408.—Reg. Argent.

**PLANTAGO :—**

*borealis*, Lange, in Fl. Dan. t. 2707 = maritima.  
*brachyantha*, Phil. Fl. Atac. 47.—Chili.  
*brachypetala*, Wallr. ex Walp. in Nov. Act. Nat. Cur. xix. Suppl. i. (1843) 402 = brachystachys.  
*brachyphylla*, Edgew. ex Decne. in DC. Prod. xiii. i. 696.—Reg. Himal.  
*brachyphylla*, Roem. & Schult. Syst. iii. 136 = subulata.  
*brachystachys*, Kunze, ex Walp. in Nov. Act. Nat. Cur. xix. Suppl. i. (1843) 402.—Chili.  
*bracteata*, Moench, Meth. 459 = major.  
*bracteosa*, Phil. in Anal. Univ. Chil. (1873) 534.—Chili.  
*brasiliensis*, Sims, Bot. Mag. t. 2616 = coriacea.  
*Bridgesii*, Decne. in DC. Prod. xiii. i. 725.—Chili.  
*Brongniartii*, Barn. Monog. Plantag. 35.—Ins. Sandvic.  
*Browniana*, Schult. Mant. iii. 86 = seq.  
*Brownii*, Rafin. in Mém. Soc. Linn. Par. vi. (1827) 485.—Austral.; N. Zel.  
*brutia*, Tenore, Prod. Fl. Nap. 59.—Ital.  
*bulbosa*, Crantz, Inst. ii. 330 = *P. Serraria*.  
*bullata*, Donn, Hort. Cantab. ed. I. 15 = crispa.  
*Bungei*, Steud. Nom. ed. II. ii. 348.—Sibir. altaic.  
*Burchelli*, Decne. in DC. Prod. xiii. i. 720.—Afr. austr.  
*byzantina*, C. Koch, in Linnaea, xxi. (1848) 712 = lanceolata.  
*caespitosa*, Phil. in Linnaea, xxix. (1857–58) 37.—Chili.  
*cafra*, Decne. in DC. Prod. xiii. i. 719.—Afr. austr.  
*calabrica*, Gaud. ex Rapin, in Mém. Soc. Linn. Par. vi. (1827) 452 = media.  
*californica*, Greene, in Bull. Calif. Acad. i. III. (1885) 123 = heterophylla.  
*callosa*, Colla, in Mem. Acc. Torin. xxxix. (1836) 6 = tumida.  
*camptchatica*, Hook. & Arn. Bot. Beech. Voy. 156 = hirtella?  
*camtschatica*, Link, Enum. Hort. Berol. i. 120 = major.  
*camtschatica*, Ruge, ex Decne. in DC. Prod. xiii. i. 700 = Rugei.  
*canadensis*, Hort. Par. ex Pursh, Fl. Am. Sept. i. 98 = cordata.  
*canaliculata*, Hoffmgg. Verz. Pfl. Nachtr. iii. 51.—Hab.?  
*canaliculata*, Pourr. Obs. 15; ex Decne. in DC. Prod. xiii. i. 728 = maritima.  
*candicans*, Auct. ex Decne. l. c. 713 = patagonica.  
*candicans*, Schrad. ex Barn. Monog. Plantag. 43 = nivea.  
*Candollei*, Rafin. in Mém. Soc. Linn. Par. vi. (1827) 453.—Chili.  
*canescens*, Adams, in Mém. Soc. Nat. Mosc. ix. (1834) 233. t. 13. f. 1.—Sibir. or.  
*canescens*, Schrad. Ind. Sem. Hort. Gotting.; ex Decne. in DC. Prod. xiii. i. 713 = patagonica.  
*capensis*, Boj. Hort. Maurit. 263 = lanceolata.  
*capensis*, Thunb. Prod. Pl. Cap. 29 = remota.  
*capillaris*, E. Mey. ex Decne. in DC. Prod. xiii. i. 719.—Afr. austr.  
*capitata*, Hoppe, ex Reichb. Fl. Germ. Excurs. 395 = argentea.  
*capitata*, Tenore, Prod. Fl. Nap. 59 = lanceolata.  
*capitella*, Ram. ex DC. Fl. Fr. iii. 414 = carinata.  
*capitellata*, DC. l. c. = carinata.  
*capitellata*, Soleir. ex Willk. & Lange, Prod. Fl. Hisp. ii. 357 = subulata.  
*caricina*, Decne. in DC. Prod. xiii. i. 708.—N. Granat.  
*carinata*, Lange, in Kjoeb. Vidensk. Meddel. 1861 (1862) 57 = acanthophylla.  
*carinata*, Moench, Meth. 460 = Loefflingii.  
*carinata*, Schrad. ex Mert. & Koch, Deutschl. Fl. i. 810.—Europ. austr.; As. Min.  
*carnosa*, R. Br. Prod. 425 = Brownii.  
*carnosa*, Lam. Illustr. i. 342.—Afr. austr.  
*caroliniana*, Pursh, Fl. Am. Sept. i. 98 = sparsiflora, heterophylla?  
*caroliniana*, Walt. Fl. Carol. 85 = virginica.  
*caspica*, Steud. Nom. ed. II. ii. 348 = Loefflingii.  
*Catananche*, Clarke, Trav. iii. 336 = cretica.  
*catharinae*, Decne. in DC. Prod. xiii. i. 726.—Bras.  
*caulescens*, S. Wats. in Proc. Am. Acad. xviii. (1882–83) 141.—Mexic.  
*ceratophylla*, Hoffmgg. & Link, Fl. Port. i. 431 = macrorhiza.  
*Chamissoi*, Wallr. ex Walp. in Nov. Act. Nat. Cur. xix. Suppl. i. (1843) 402 = *P. Princeps*.

**PLANTAGO :—**

*chilensis*, Desf. Cat. Hort. Par. ed. III. 390 = Candollei.  
*chilensis*, Rapin, in Mém. Soc. Linn. Par. vi. (1827) 475.—Am. austr.  
*chottica*, Pomel, Nouv. Mat. Fl. Atl. 124.—Alger.  
*ciliata*, Boiss. Voy. Bot. Espagne, ii. 535 = albicans.  
*ciliata*, Desf. Fl. Atlant. i. 137. t. 39.—Afr. bor.; Oriens.; Ind. bor. occ.  
*cinerascens*, Ser. ex Barn. Monog. Plantag. 25 = alpina.  
*cinerea*, Domb. ex Decne. in DC. Prod. xiii. i. 712 = tumida.  
*clausa*, Steud. in Flora, xxxii. (1849) 407.—Chili.  
*Columnae*, Gouan, Illustr. 6 = *P. Coronopus*.  
*Commersonianana*, Decne. ex Barn. Monog. Plantag. 37.—Reg. Argent.  
*commutata*, Guss. Suppl. Fl. Sic. Prod. i. 46 = *P. Coronopus*.  
*compressa*, Rafin. in Am. Month. Mag. (1811) 356, nomen (Quid?).—Am. bor.  
*concinna*, Salisb. Prod. 46 = media.  
*congesta*, Ruiz & Pav. Fl. Per. i. 51. t. 79.—Peruv.  
*convivens*, Moench, Meth. Suppl. 174 = virginica.  
*consanguinea*, Decne. in DC. Prod. xiii. i. 703 = varia.  
*contorta*, Guss. Fl. Sic. Prod. i. 186 = lanceolata.  
*cordata*, Lam. Illustr. i. 138.—Am. bor.  
*coriacea*, Cham. & Schlecht. in Linnaea, i. (1826) 171.—Bras.  
*Cornuti*, Gouan, Illustr. 6 = major.  
*Cornuti*, Guehb. ex Decne. in DC. Prod. xiii. i. 698 = sibirica.  
*Cornuti*, Jacq. Misc. ii. 351 = *P. Coronopus*.  
*coronopifolia*, Brot. Fl. Lusit. i. 157 = macrorhiza.  
*coronopifolia*, Murr. Syst. ed. XIII. 132 = *P. Coronopus*.  
*coronopoda*, St. Lag. in Ann. Soc. Bot. Lyon, vii. (1880) 132 = *P. Coronopus*.  
*Coronopus*, Bertol. Amoen. Ital. 129 = macrorhiza.  
*Coronopus*, Linn. Sp. Pl. 115.—Europ.; As. bor.; Austral.  
*Coronopus*, Sauss. Voy. Alp. 66 = maritima.  
*crassa*, Willd. Phyt. 3 = crispa.  
*crassifolia*, Forsk. Fl. Aegypt. Arab. 31.—Europ.  
*crassifolia*, Roth, in Usteri, Ann. Bot. xiv. (1795) 24 = crispa.  
*crassinervis*, Hornem. Hort. Hafn. Suppl. 18.—Hab.?  
*crassipes*, Borb. in Oestr. Bot. Zeitschr. xxviii. (1878) 392.—Europ.  
*crenata*, Blanco, Fl. Filip. ed. I. 56 = major.  
*cretica*, Chaub. ex Decne. in DC. Prod. xiii. i. 706 = Bellardi.  
*cretica*, Linn. Sp. Pl. 114.—Reg. Mediterr. or.  
*crispa*, Jacq. Coll. Suppl. 34. t. 16.—Hab.?  
*crispa*, Savi, ex Decne. in DC. Prod. xiii. i. 734 = *P. Cynops*.  
*crithmoides*, Desf. Fl. Atlant. i. 140 = macrorhiza.  
*cryptoides*, Boiss. Fl. Orient. iv. 888.—Aegypt.  
*cucullata*, Lam. Illustr. i. 339 = maxima.  
*cucullata*, Pursh, Fl. Am. Sept. i. 98 = eriopoda.  
*Cumingiana*, Fisch. & Mey. Ind. Sem. Hort. Petrop. iii. 44.—Chili.  
*Cunninghamii*, Decne. in DC. Prod. xiii. i. 702 = debilis?  
*Cupani*, Guss. Fl. Sic. Prod. i. 190 = *P. Coronopus*.  
*curta*, Engelm. ex Decne. in DC. Prod. xiii. i. 713 = patagonica.  
*cylindrica*, Forsk. Fl. Aegypt. Arab. 31.—Aegypt.; Arab.  
*Cynops*, Linn. Sp. Pl. 116.—Europ.; Sibir.  
*Cynops*, Sibth. & Sm. Fl. Graec. Prod. i. 103 = arenaria.  
*cynopsidea*, Schult. Obs. Bot. 25 = *P. Psyllium*.  
*cynopsis*, St. Lag. in Ann. Soc. Bot. Lyon, vii. (1880) 132 = *P. Cynops*.  
*dalmatica*, Schott, ex Steud. Nom. ed. II. ii. 348 = lanceolata.  
*Daltoni*, Decne. in DC. Prod. xiii. i. 703 = *tasmanica*.  
*dasyurus*, Rafin. Cat. 15 = *P. Lagopus*.  
*debilis*, R. Br. Prod. 425.—Austral.  
*debilis*, Nees, in Lehm. Pl. Preiss. i. 491 = varia.  
*Decaisnei*, Barn. Monog. Plantag. 45.—Chili.  
*decipiens*, Barn. l. c. 16.—Am. bor.  
*declinata*, Hort. ex Roem. & Schult. Syst. iii. 127 = ovata.  
*decumbens*, Bernh. ex Reichb. Fl. Germ. Excurs. 396 = lanceolata.



## PLANTAGO:—

*decumbens*, Forsk. Fl. Aegypt. Arab. 30 = ovata.  
*decumbens*, C. Gay, ex Barn. Monog. Plantag. 44 = tumida.  
*dentata*, Fl. Corc. in Ionios Anthol. iv. 946 = major.  
*dentata*, Roth, Tent. Fl. Germ. i. 61 = maritima.  
*denticulata*, Gaud. Fl. Helvet. i. 403 = maritima.  
*denticulata*, Link, ex Schrank, Pl. Rar. Ic. 25; ex Decne, in DC. Prod. xiii. i. 716, cum cit. falsa = lusitanica.  
*Deppeana*, *Vatke*, in *Verh. Bot. Ver. Brandenb.* xvi. (1874) 53.—Calif.  
*depressa*, Willd. Enum. Hort. Berol. Suppl. 8.—Sibir.  
*deserticola*, Phil. Fl. Atac. 46.—Chili.  
*diffusa*, Presl, ex Steud. Nom. ed. II. ii. 348, nomen.—Hab.?  
*divaricata*, Zuccagni, in Roem. Collect. 126 = P. Psyllium.  
*Dregeana*, Presl, Bot. Bemerk. 105; Decne, in DC. Prod. xiii. i. 695.—Afr. austr.  
*Drummondii*, Decne. l. c. 701 = varia.  
*dubia*, Linn. Fl. Suec. ed. II. p. xvi (cf. 46) = lanceolata.  
*Durandoi*, *Pomel*, *Nouv. Mat. Fl. Atl.* 125.—Alger.  
*Durvillei*, Delile, ex Steud. Nom. ed. II. ii. 348 = hirtella?  
*echioides*, Decne, in DC. Prod. xiii. i. 722.—Texas.  
*elata*, Schur, in Verh. Siebenb. Ver. Naturw. iv. (1853) 62 = lanceolata.  
*elata*, Steud. in *Flora*, xxxii. (1849) 413.—Abyss.  
*elongata*, Pursh, Fl. Am. Sept. ii. 729 = pusilla.  
*eriantha*, Decne, in DC. Prod. xiii. i. 707 = ciliata.  
*eriocarpa*, Viv. ex Coss. in Bull. Soc. Bot. Fr. xii. (1865) 279 = P. Psyllium.  
*eriphora*, Hoffm. & Link, Fl. Port. i. 423 = lanceolata.  
*eripoda*, Torr. in Ann. Lyc. N. York, ii. (1828) 237.—Am. bor.  
*eriorrhiza*, Willd. ex Spreng. Syst. i. 437 = linearis.  
*eristachya*, Tenore, Prod. Fl. Nap. 13 = P. Lagopus.  
*erosa*, Wall. in Roxb. Fl. Ind. ed. Carey, i. 423 = major.  
*Eschscholtziana*, Fisch. & Mey. Ind. Sem. Hort. Petrop. iii. 45.—Chili.  
*euphratica*, Decne, ex Barn. Monog. Plantag. 51.—Cappadoc.  
*evacina*, Boiss. Fl. Orient. iv. 887.—Afghan.  
*exaltata*, Hornem. Hort. Hafn. 140 = major.  
*exigua*, Murr. in Comm. Gotting. (1778) 94. t. 5 = pumila.  
*exilis*, Decne, in DC. Prod. xiii. i. 702 = varia.  
*falcifolia*, Salisb. Prod. 47 = carnosa.  
*fernandezia*, Bert. ex Decne, in DC. Prod. xiii. i. 704.—Ins. J. Fernand.  
*filiformis*, Buch.-Ham. ex D. Don, Prod. Fl. Nep. 77 = major.  
*filiformis*, Decne, in DC. Prod. xiii. i. 714 = patagonica.  
*filiformis*, C. Koch, in Linnaea, xxi. (1848) 709 = P. Coronopus.  
*firma*, Kunze, ex Walp. in Nov. Act. Nat. Cur. xix. Suppl. i. (1843) 402.—Chili.  
*flexuosa*, Gaud. ex Rapin, in Mém. Soc. Linn. Par. vi. (1827) 456 = lanceolata.  
*floccosa*, Decne, in DC. Prod. xiii. i. 723.—Mexic.  
*fornicata*, C. Koch, in Linnaea, xxi. (1848) 712 = P. Lagopus.  
*Frankii*, Steud. in *Flora*, xxxii. (1849) 409.—Am. bor.  
*frigida*, Kunze, ex Walp. in Nov. Act. Nat. Cur. xix. Suppl. i. (1843) 402 = macrantha.  
*frigida*, Willd. ex Schult. Mant. iii. 76 = nubigena.  
*fruticosa*, Hort. Matrit. ex Roem. & Schult. Syst. iii. 119, in obs. = P. Lagopus.  
*fruticosa*, Hort. Par. ex Roem. & Schult. l. c. 121 = lusitanica.  
*fuscenscens*, Jord. Obs. Pl. Crit. iii. (1846) 231.—Gallia.  
*Galeottiana*, Decne, in DC. Prod. xiii. i. 726.—Mexic.  
*garganica*, Hort. ex Decne. l. c. 735 = P. Psyllium.  
*garganica*, Tenore, ex Baxt. in Loud. Hort. Brit. Suppl. ii. 659, nomen = prae.?  
*Gaudichaudii*, Barn. Monog. Plantag. 15 = varia.  
*Gayana*, Decne, in DC. Prod. xiii. i. 709.—Chili.  
*genevensis*, Poir. Encyc. v. 390 = P. Cynops.  
*gentianoides*, Decne, in DC. Prod. xiii. i. 721 = brachyphylla.

VOL. II.

## PLANTAGO:—

*gentianoides*, Sm. in Rees, Cycl. xxvii. [n. 12]—As. Min.  
*Gerardi*, Pourr. in Mém. Acad. Toul. iii. (1788) 324 = lanceolata.  
*Gerardi*, Schult. Oestr. Fl. ed. II. i. 298 = subulata.  
*gibbosa*, Rafin. in Am. Monthly Mag. (1818) 344 = maritima.  
*gigantea*, Decne, in DC. Prod. xiii. i. 724.—Bras.  
*glabra*, Nutt. Gen. Am. i. 100 = eriopoda?  
*glabrata*, Hook. f. in Hook. Lond. Journ. Bot. vi. (1847) 276 = tasmanica.  
*glareosa*, Kern. ex Meynh. Kalocsa Vidék. Növényt. 150.—Hungar.  
*glauca*, C. A. Mey. Verz. Pfl. Cauc. 115 = P. Lagopus.  
*globosa*, Rafin. New Fl. Am. iv. 11.—Am. bor.  
*glomerata*, Poir. Encyc. v. 385.—Ins. Teneriff.  
*gnaphaloides*, Nutt. Gen. Am. i. 100 = patagonica.  
*gonophylla*, Rafin. Atl. Journ. 149 (Quid?).—Am. bor.  
*Gouani*, J. F. Gmel. Syst. 251 = major.  
*Goudotiana*, Decne, in DC. Prod. xiii. i. 699.—N. Granat.  
*gracilis*, Hort. ex Schult. Mant. iii. 70 = major.  
*gracilis*, Poir. Voy. Barb. ii. 115 = maritima.  
*graminea*, Lam. Illustr. i. 343 = maritima.  
*graminea*, Willd. ex Schult. Mant. iii. 79 = xorulensis.  
*graminiformis*, Lam. Fl. Fr. ii. 311 = maritima.  
*grandiflora*, Meyen, Reise, i. 348 = macrantha.  
*Griffithii*, Decne, in DC. Prod. xiii. i. 700.—Afghan.  
*Grisebachii*, Hieron. in Bol. Acad. Nac. Córdoba, iv. (1881) 52.—Reg. Argent.  
*Guilleminiana*, Decne. l. c. 722.—Bras.  
*Gunnii*, Hook. f. in Hook. Lond. Journ. Bot. v. (1846) 446.—Tasman.  
*Halleri*, Rapin, ex Decne, in DC. Prod. xiii. i. 729 = maritima.  
*Halleri*, Schleich. Cat. Pl. Helv. ed. IV. 26.—Europ.  
*Hamiltoni*, T. Kirk, in Trans. N. Z. Inst. xi. (1879) 465.—N. Zel.  
*Hartwegii*, Decne, in DC. Prod. xiii. i. 724 = hirtella.  
*Hasskarlii*, Decne. l. c. 700.—Java.  
*Haussknechtii*, *Vatke*, in Verh. Bot. Ver. Brandenb. xvi. (1874) 53.—Syria; Peruv.  
*heterophylla*, Nutt. in Trans. Am. Phil. Soc. N. S. v. (1837) 177.—Am. bor.  
*hirsuta*, Fl. Corc. in Ionios Anthol. iv. 947 = lanceolata, P. Coronopus.  
*hirsuta*, Gilib. Fl. Lituan. i. 17 = maritima.  
*hirsuta*, Gill. ex Decne, in DC. Prod. xiii. i. 725 = affinis.  
*hirsuta*, Kit. ex Steud. Nom. ed. II. ii. 349 = P. Psyllium.  
*hirsuta*, Pourr. Chlor. Narb. ex Barn. Monog. Plantag. 24 = subulata.  
*hirsuta*, Ruiz & Pav. Fl. Per. i. 51 = limensis.  
*hirsuta*, Thunb. Prod. Pl. Cap. 29 = carnosa.  
*hirtella*, Barn. Monog. Plantag. 9 = Berteroii.  
*hirtella*, H. B. & K. Nov. Gen. et Sp. ii. 229. t. 127.—Am. bor. et austr.  
*hispidula*, R. Br. Prod. 425 = varia.  
*hispidula*, Bert. ex Steud. in *Flora*, xxxii. (1849) 405 = macrosperma.  
*hispidula*, Ruiz & Pav. Fl. Per. i. 51. t. 78.—Chili.  
*holosericea*, Gaud. ex Roem. & Schult. Syst. iii. 126 = argentea.  
*Holostea*, Lam. Illustr. i. 340 = Bellardi.  
*Holosteum*, Scop. Fl. Carn. ed. II. i. 108 = subulata.  
*Hookeriana*, Fisch. & Mey. Ind. Sem. Hort. Petrop. v. 39 = patagonica.  
*humifusa*, Bernh. ex Reichb. Fl. Germ. Excurs. 863 = major.  
*humilis*, Decne, in DC. Prod. xiii. i. 724.—Peruv.  
*humilis*, Jan, ex Decne. l. c. 730 = subulata.  
*hungarica*, Waldst. & Kit. Pl. Rar. Hung. iii. 225 = lanceolata.  
*hybrida*, Bart. Fl. N. Am. iii. 77; Comp. Fl. Philad. ii. 214 = pusilla.  
*hygrophila*, Steud. in *Flora*, xxxii. (1849) 403.—Chili.  
*imberbis*, Hook. f. Fl. Antaret. 66 = barbata.  
*incana*, Ram. ex DC. Fl. Fr. iii. 414 = alpina.  
*incana*, Roem. & Schult. Syst. iii. 134 = subulata.  
*incana*, Stokes, Bot. Mat. Med. i. 212 = media.  
*incisa*, Hassk. in *Flora*, xxv. (1842) 11. Beibl. 23.—Java.  
*incompta*, Willd. ex Ledeb. Fl. Ross. iii. 476 = tenuiflora.

## PLANTAGO:—

*incurvata*, Murr. in Comm. Gotting. iii. 1780 (1781) 19. t. 6 = subulata.  
*indica*, Linn. Syst. ed. X. 896 = pumila?  
*integralis*, Gaud. Fl. Helvet. i. 403 = maritima.  
*intermedia*, Gilib. Pl. Europ. i. 125 = major.  
*intermedia*, C. Koch, in Linnaea, xxi. (1848) 711 = lanceolata.  
*intermedia*, Lapeyr. Hist. Abr. Pl. Pyr. 69 = P. Lagopus.  
*intermedia*, Steud. in *Flora*, xxxii. (1849) 414.—Austral.  
*interrupta*, Poir. Encyc. v. 375 = sparsiflora.  
*irrigua*, Fisch. ex Reichb. Fl. Germ. Excurs. 396 = lanceolata.  
*Ispaghula*, Roxb. ex Flem. in As. Res. xi. (1810) 174 = ovata.  
*italica*, S. G. Gmel. ex Steud. Nom. ed. I. 630 = arenaria.  
*Jacquini*, Roem. & Schult. Syst. iii. 140 = P. Coronopus.  
*japonica*, Franch. & Sav. Enum. Pl. Jap. ii. 469.—Japon.  
*juncoides*, Decne, in DC. Prod. xiii. i. 731, partim = decipiens.  
*juncoides*, Lam. Illustr. i. 342 = maritima.  
*kamtschatica*, vide *camtschatica*.  
*kamtschatika*, Hook. Comp. Bot. Mag. ii. (1836) 60 = Regelii.  
*karakabanica*, Boiss. & Huet, ex Boiss. Fl. Orient. iv. 881 = saxatilis.  
*kentukensis*, Michx. Fl. Bor. Am. i. 94 = cordata.  
*Kerstenii*, Aschers. in Sitzb. Ges. Naturf. Fr. Berl. (1868) 23 = palmata.  
*kurdica*, *Vatke*, in Verh. Bot. Ver. Brandenb. xvi. (1874) 52 = lanceolata.  
*lachnantha*, Bunge, in Mém. Sav. Etr. Pétersb. vii. (1851) 446.—Turkestan.  
*laciniata*, Willk. in Bot. Zeit. vi. (1848) 413 = P. Serraria.  
*Lagascæ*, Duf. ex Barn. Monog. Plantag. 24 = subulata.  
*lagocephala*, Bunge, in Mém. Sav. Etr. Pétersb. vii. (1851) 445.—Turkestan.  
*lagopoda*, St. Lag. in Ann. Soc. Bot. Lyon, vii. (1850) 132 = P. Lagopus.  
*lagopodioides* ×, Schrank, in Denkschr. Akad. Muench. 1813 (1814) 71 = lusitanica.  
*lagopoides*, Desf. Fl. Atlant. i. 135 = amplexicaulis.  
*lagopoides*, Viv. Fl. Lib. Spec. 7 = P. Lagopus.  
*Lagopus*, Linn. Sp. Pl. 114.—Reg. Mediterr.; Oriens.  
*Lagopus*, Pursh, Fl. Am. Sept. i. 99 = patagonica.  
*Lagurus*, Roth, Nov. Pl. Sp. 87 = lusitanica.  
*Lamarkii*, Jord. Obs. Pl. Nouv. iii. 228 = monosperma.  
*lanata*, Hort. Monsp. ex Barn. Monog. Plantag. 43 = nivea.  
*lanata*, Host, Fl. Austr. i. 210 = lanceolata.  
*lanata*, Lag. & Rodr. in Anal. Cienc. Nat. v. (1802) 269 = nivalis.  
*lanata*, Poir. Voy. Barb. ii. 115 = pilosa.  
*lanata*, Raddi, Osserv. Isola Madera (1821), 11; ex Schult. Mant. iii. 78 = Raddiana.  
*lanata*, Willd. ex Spreng. Syst. i. 439; Wight, in Wall. Cat. n. 6414 = ovata.  
*lanceaefolia*, Salisb. Prod. 47 = lanceolata.  
*lanceolata*, Hook. Fl. Bor. Am. ii. 123, partim = eriopoda.  
*lanceolata*, Linn. Sp. Pl. 113.—Europ.; As. bor.  
*lanigera*, Hook. f. Handb. N. Zeal. Fl. 227.—N. Zel.  
*lanuginosa*, DC. Fl. Fr. Suppl. 377, in syn. = lanceolata.  
*lasiothrix*, Kunze, ex Decne, in DC. Prod. xiii. i. 709.—Chili.  
*latibracteata*, Trautv. Pl. Imag. 20. t. 14.—Sibir.  
*latifolia*, Fisch. Livl. Zust. 107; ex Ledeb. Fl. Ross. iii. 481 = media.  
*latifolia*, Salisb. Prod. 46 = major.  
*laxiflora*, Decne, in DC. Prod. xiii. i. 699.—Afr. austr.  
*leiocephala*, Wallr. ex C. Koch, in Linnaea, xxi. (1848) 713.—Reg. Caucas.  
*leioptala*, Lowe, in Trans. Camb. Phil. Soc. iv. (1838) 17.—Ins. Canar.  
*leonensis*, Steud. in *Flora*, xxxii. (1849) 404.—Chili.  
*leptophylla*, Decne, in DC. Prod. xiii. i. 723.—Bras.

4 B



## PLANTAGO:—

- leptostachys*, Hook. f. in Hook. Lond. Journ. Bot. vi. (1847) 277 = tasmanica.  
*leptostachys*, Ledeb. Fl. Ross. iii. 479.—Sibir. altaic.  
*leptostachys*, E. Mey. ex Decne. in DC. Prod. xiii. i. 720.—Afr. austr.  
*Lessingii*, Fisch. & Mey. Ind. Sem. Hort. Petrop. ii. 47.—Soongar.  
*leucophylla*, Decne. in DC. Prod. xiii. i. 708.—Venezuela.  
*limensis*, Pers. Syn. i. 139.—Peruv.  
*limosa*, Kit. ex Roem. & Schult. Syst. iii. 111 = major.  
*Lindeniana*, Decne. ex Wedd. Chlor. And. ii. 164 = sericea.  
*linearifolia*, Muhl. Cat. 15; ex Torr. Fl. U. St. 185 = pusilla.  
*linearis*, H. B. & K. Nov. Gen. et Sp. ii. 229.—Ecuador.  
*linearis*, Rafin. New Fl. Am. iv. 11 (Quid?).—Am. bor.  
*Linkii*, Roem. & Schult. Syst. iii. 117, in obs. = lanceolata.  
*litorea*, Phil. Fl. Atac. 46.—Chili.  
*littoralis*, Roxb. Hort. Beng. [10], nomen.—Afr. austr.  
*Loeflingii*, Bieb. Besch. Casp. App. 208 = tenuiflora.  
*Loeflingii*, Huds. Fl. Angl. ed. I. 52 = maritima.  
*Loeflingii*, Linn. Sp. Pl. 115.—Reg. Mediterr.; Oriens.  
*Loeflingii*, Thunb. Prod. Fl. Cap. 29 = cafra.  
*longestyla*, Presl, Bot. Bemer. 105.—Aegypt.  
*longifolia*, Decne. in DC. Prod. xiii. i. 717 = macrocarpa.  
*longiscapa*, Fl. Corc. in Ionios Anthol. iv. 947 = lanceolata.  
*longiscapa*, Jacquem. ex Decne. in DC. Prod. xiii. i. 696 = major.  
*longissima*, Decne. l. c. 720.—Afr. austr.  
*longistipes*, Royle, ex Barn. Monog. Plantag. 28 = lanceolata.  
*Loscosii*, Willk. in Willk. & Lange, Prod. Fl. Hisp. ii. 358.—Hispan.  
*Loureiri*, Roem. & Schult. Syst. iii. 112.—China; Japon.  
*ludoviciana*, Rafin. Fl. Ludov. 33 = virginica.  
*lusitanica*, Linn. Sp. Pl. ed. II. 1667.—Lusitan.  
*lusitanica*, Willd. Sp. Pl. i. 644 = P. Lagopus.  
*lutulenta*, Lamotte, Prod. Fl. Centr. Fr. ii. 618 = major.  
*luzuloidea*, Decne. in DC. Prod. xiii. i. 710.—N. Granat.  
*macrantha*, Decne. ex Barn. Monog. Plantag. 45.—Chili.  
*macrocarpa*, Cham. & Schlecht. in Linnaea, i. (1826) 166.—Am. bor. occ.  
*macrothiza*, Poir. Voy. Barb. ii. 114 (machroriza).—Reg. Mediterr.  
*macrosperma*, Steud. in Flora, xxxii. (1849) 405.—Chili.  
*macrostachys*, Decne. in DC. Prod. xiii. i. 724.—Reg. Argent.  
*maderensis*, Decne. l. c. 733.—Ins. Madera.  
*madritensis*, Lag. ex Rapin, in Mém. Soc. Linn. Par. vi. (1827) 459 = P. Lagopus.  
*major*, Bert. ex Barn. Monog. Plantag. 9 = Berteroi.  
*major*, Ell. Sketch, i. 201 = Rugelii.  
*major*, Linn. Sp. Pl. 112.—Europ.; As. et Am. bor.  
*major*, Lour. Fl. Cochinch. 71 = Loureiri.  
*marginata*, Steud. in Flora, xxxii. (1849) 407.—Chili.  
*marina*, Woodw. in With. Bot. Arr. Brit. Pl. ed. II. i. 147 = maritima.  
*maritima*, Auct. Plur. Am. = decipiens.  
*maritima*, Barton, Fl. Philad. Prod. 26 = pusilla.  
*maritima*, Linn. Sp. Pl. 114.—Europ.; Am. bor. et arct.  
*maritima*, Willk. in Flora, xxxv. (1852) 291 = crassifolia.  
*matritensis*, Lag. ex Decne. in DC. Prod. xiii. i. 716 = lusitanica.  
*mauritanica*, Boiss. & Reut. Pugill. Pl. Nov. (1852) 105.—Afr. bor. occ.  
*maxima*, Jacq. Coll. i. 82.—Sibir.  
*maxima*, Ruching. Fl. Venet. 45 = major.  
*media*, Blanco, Fl. Filip. ed. II. 38 = major.  
*media*, Hook. & Arn. Bot. Beech. Voy. 43 = Candollii.  
*media*, Linn. Sp. Pl. 113.—Europ.; As. bor.  
*mexicana*, Link. Enum. Hort. Berol. i. 121.—Mexic.  
*micrantha*, Ledeb. ex Steud. Nom. ed. II. ii. 349, nomen.—Sibir.  
*microcephala*, Hort. ex Decne. in DC. Prod. xiii. i. 719 = Loeflingii.

## PLANTAGO:—

- microcephala*, Poir. Encyc. v. 378 = ovata.  
*microcephala*, Royle, ex Barn. Monog. Plantag. 29 = lanceolata.  
*minima*, DC. Fl. Fr. iii. 408 = major.  
*minima*, Less. ex Barn. Monog. Plantag. 41 = Lessingii.  
*minor*, Fries, Mant. ii. 12 = tenuiflora.  
*minor*, Gilib. Fl. Lituan. i. 15 = major.  
*minuta*, Link. in Schrad. Journ. Bot. (1800) i. 59 = Bellardi.  
*minuta*, C. A. Mey. Verz. Pfl. Cauc. 115 = Loeflingii.  
*minuta*, Pall. Reise, iii. 716.—Reg. Caucas.  
*missouriensis*, Steud. in Flora, xxxii. (1849) 409.—Am. bor.  
*Mitchellii*, Decne. in DC. Prod. xiii. i. 701 = varia.  
*Mohnikei*, Miq. Ann. Mus. Bot. Lugd. Bat. iii. 119.—Japon.  
*mollis*, Barn. Monog. Plantag. 45; Decne. in DC. Prod. xiii. i. 713.—Chili.  
*mollis*, Hook. & Arn. Bot. Beech. Voy. 43 = patagonica.  
*monanthos*, Urv. in Mém. Soc. Linn. Par. iv. (1826) 606.—Reg. Magellan.  
*mongolica*, Decne. in DC. Prod. xiii. i. 707.—Mongolia.  
*monosperma*, Pourr. in Mém. Acad. Toul. iii. (1788) 325.—Mont. Pyren.  
*monspeliensis*, Willd. Enum. Hort. Berol. 160 = ovata.  
*montana*, Griseb. Spicil. Fl. Rumel. ii. 303 = saxatilis.  
*montana*, Huds. Fl. Angl. ed. I. 53; Lam. Illustr. i. 341.—Europ. med.  
*monticola*, Decne. in DC. Prod. xiii. i. 711.—Peruv.  
*multiceps*, H. B. & K. Nov. Gen. et Sp. ii. 228.—Mexic.  
*multinervis*, Rafin. New Fl. Am. iv. 10 (Quid?).—Am. bor.  
*multiplinervia*, Steud. in Flora, xxxii. (1849) 410.—Am. bor.  
*Myosurus*, Lam. Illustr. i. 342.—Reg. Argent.  
*nana*, Bertol. Misc. Bot. i. 12 = Loeflingii.  
*nana*, Tratt. Archiv. t. 42 = major.  
*neglecta*, Guss. Fl. Sic. Prod. i. 191 = P. Coronopus.  
*nigricans*, Herb. ex Roem. & Schult. Syst. iii. 117 = montana.  
*nigricans*, Link. ex Reichb. Fl. Germ. Excurs. 396 = lanceolata.  
*nitida*, Hort. ex Roem. & Schult. Syst. iii. 149.—Hab.?  
*nivalis*, Boiss. Voy. Bot. Espagne, ii. 533.—Hispan.  
*nivalis*, Jord. Obs. Pl. Nouv. iii. 232 = monosperma.  
*nivea*, H. B. & K. Nov. Gen. et Sp. ii. 228.—Mexic.  
*notata*, Lag. Gen. et Sp. Nov. 7.—Reg. Mediterr. et Caucas.  
*nubigena*, H. B. & K. Nov. Gen. et Sp. ii. 227.—Ecuador.  
*nuda*, Luce, Topog. Nachr. Oesel, 37 (Quid?).—Ins. Balt.  
*numidica*, Poir. ex Decne. in DC. Prod. xiii. i. 729 = maritima.  
*nutans*, Poir. Encyc. v. 381 = lanceolata.  
*Nuttallii*, Rapin, in Mém. Soc. Linn. Par. vi. (1827) 470 = patagonica.  
*oblongifolia*, Decne. in DC. Prod. xiii. i. 700.—Am. bor.  
*oblongifolia*, Schur, in Oestr. Bot. Zeitschr. x. (1860) 249 = media.  
*obscura*, Steud. in Flora, xxxii. (1849) 407.—Chili.  
*obtusata*, Decne. in DC. Prod. xiii. i. 711.—Chili.  
*occidentalis*, Decne. l. c. 722 = virginica.  
*officinarum*, Crantz, Inst. ii. 329 = major.  
*oliganthos*, Roem. & Schult. Syst. iii. 122 = maritima.  
*Olivieri*, Decne. ex Barn. Monog. Plantag. 37 = notata.  
*Orbignyana*, Desf. ex Barn. l. c. 10, in obs. = seq.?  
*Orbignyana*, Steinh. ex Decne. in DC. Prod. xiii. i. 704.—Peruv.  
*Oreades*, Decne. l. c. 699.—N. Granat.  
*orientalis*, Stapf, in Denkschr. Acad. Wien, l. (1885) 33.—Persia.  
*ovata*, Forsk. Fl. Aegypt. Arab. 31.—Reg. Mediterr.; Oriens.  
*ovatifolia*, Steud. in Flora, xxxii. (1849) 412.—Arabia.  
*ovina*, Vill. Prosp. 19 = alpina.  
*pachyneura*, Steud. in Flora, xxxii. (1849) 406.—Chili.

## PLANTAGO:—

- pachyphylla*, A. Gray, in Proc. Am. Acad. vi. (1861) 54.—Ins. Sandvic.  
*pallida*, Salisb. Prod. 47 = albicans.  
*palmata*, Hook. f. in Journ. Linn. Soc. vi. (1862) 19.—Afr. trop.  
*paludosa*, Turcz. ex Ledeb. Fl. Ross. iii. 478.—Sibir. baical.  
*paradoxa*, Hook. f. in Hook. Lond. Journ. Bot. vi. (1847) 277 = Brownii.  
*Paralias*, Decne. in DC. Prod. xiii. i. 725.—Reg. Argent.  
*parviflora*, Desf. Fl. Atlant. i. 141 = P. Psyllium.  
*parviflora*, Hort. ex Roem. & Schult. Syst. iii. 147 = stricta.  
*parvula*, Roem. & Schult. l. c. 125 = albicans.  
*parvula*, Wedd. ex Reichb. Fl. Germ. Excurs. 396 = Weldenii.  
*patagonica*, Bert. ex Steud. in Flora, xxxii. (1849) 405 = P. Rancaguae.  
*patagonica*, Jacq. Ic. Pl. Rar. ii. 9. t. 306; Coll. Suppl. 35.—Am. bor. et austr.  
*pauciflora*, Gilib. Fl. Lituan. i. 16 = major.  
*pauciflora*, Lam. Illustr. i. 342 = barbata.  
*pauciflora*, Pursh, Fl. Am. Sept. i. 99 = maritima, decipiens.  
*penicillata*, Endl. & Fenzl, Sert. Cabul. I = ciliata.  
*pentasperma*, Hemsl. Bot. Voy. Challenger, i. II. 265.—Ins. Amsterd.  
*perpusilla*, Decne. in DC. Prod. xiii. i. 697 = heterophylla.  
*Perreymondii*, Barn. Monog. Plantag. 46.—Venezuela.  
*phaeopis*, Paine, in Proc. Palest. Exp. Soc. App. iii. 120 = Haussknechtii.  
*phaeostoma*, Boiss. & Heldr. Diagn. Ser. II. iv. 71.—Aegypt.; Arab.  
*Philippiana*, Hatke, in Verh. Bot. Verh. Brandenb. xvi. (1874) 49.—Chili.  
*philippica*, Cav. Ic. iv. 35. t. 359.—Ins. Philipp.  
*pilosa*, Kit. ex Spreng. Syst. i. 435 = argentea.  
*pilosa*, Pourr. in Mém. Acad. Toul. iii. (1788) 324 = Bellardi.  
*platyphala*, Wallr. ex Walp. in Nov. Act. Nat. Cur. xix. Suppl. i. (1843) 402 = macrantha.  
*plicata*, Schott, Nym. & Kotschy, Analect. Bot. 4 = brutia.  
*polymorpha*, Banks & Soland. ex Hook. f. Fl. Antarct. 339 = barbata.  
*polysperma*, Kar. & Kir. in Bull. Soc. Nat. Mosc. xv. (1842) 431.—Sibir. altaic.  
*polystachia*, Fl. Corc. in Ionios Anthol. iv. 946 = major.  
*polystachia*, Viv. Fl. Aegypt. Dec. 22.—Aegypt.  
*praecox*, C. A. Mey. Verz. Pl. Cauc. 115 = notata.  
*Preslii*, Tenore, Prod. Fl. Nap. Suppl. v. p. vii = lanceolata.  
*Princeps*, Cham. & Schlecht. in Linnaea, i. (1826) 167.—Ins. Sandvic.  
*prionota*, Pomel, Nouv. Mat. Fl. Atl. 310.—Alger.  
*procera*, Salisb. Prod. 46 = maxima.  
*prolifera*, Webb, ex Barn. Monog. Plantag. 50 = Webbii.  
*Pseudo-lusitanica*, Roem. & Schult. Syst. iii. 121 = P. Lagopus.  
*Pseudo-patagonica*, Vatke, in Verh. Bot. Ver. Bradenb. xvi. (1874) 50.—Chili.  
*Pseudo-psyllium*, Desf. Cat. Hort. Par. ed. III. 77 = P. Psyllium.  
*psyllia*, St. Lag. in Ann. Soc. Bot. Lyon, vii. (1880) 132 = P. Psyllium.  
*Psyllium*, Decne. in Ann. Sc. Nat. Sér. II. ii. (1834) 245 = arabica.  
*Psyllium*, DC. Fl. Fr. iii. 416, in syn. = arenaria.  
*Psyllium*, Herb. Aegypt. ex Presl, Bot. Bemer. 105 = longestyla.  
*Psyllium*, Linn. Sp. Pl. 115.—Reg. Mediterr.; Oriens; Ind. bor. occ.  
*pubescens*, Lapeyr. Hist. Abr. Pl. Pyr. 71 = serpentina.  
*pulla*, Fl. Corc. in Ionios Anthol. iv. 950 (Quid?).—Ins. Coreya.  
*pumila*, Linn. f. Suppl. 125.—Reg. Mediter.; Oriens; Ind. bor. occ.  
*pumila*, Weld. ex Reichb. Fl. Germ. Excurs. 396 = Weldenii.  
*pungens*, Lapeyr. Hist. Abr. Pl. Pyr. 71 = subulata.  
*purpurascens*, Nutt. ex Rapin, in Mém. Soc. Linn. Par. vi. (1827) 454; et in Trans. Am. Phil. Soc. v. (1837) 177 = virginica.  
*purpurascens*, Willk. in Oestr. Bot. Zeitschr. xxv. (1875) 110.—Ins. Balear.



**PLANTAGO:—**

*Purshii*, Roem. & Schult. Syst. iii. 120 = patagonica.  
*pusilla*, Bunge, Verz. Suppl. Fl. Alt. 13 = Bungei.  
*pusilla*, Nutt. Gen. Am. i. 100.—Am. bor.  
*pygmaea*, Lam. Illustr. i. 341 = Bellardi.  
*Queleniana*, Gaudich. in Freyc. Voy. Bot. 445 = Princeps.  
*Quillotae*, Vathe, in Verh. Bot. Ver. Brandenb. xvi. (1874) 50.—Chili.  
*quinquenervia*, Schleich. Cat. 38; ex Roem. & Schult. Syst. iii. 117 = montana.  
*quinquenervis*, Noronha, in Verh. Batav. Gen. v. (1790) ed. I. Art. iv. 25 = major.  
*Raddiana*, Schult. Mant. iii. 78.—Ins. Madera.  
*radicata*, Hoffm. & Link, Fl. Port. i. 428 = subulata.  
*ramosa*, Aschers. Fl. Brandenb. 547 = arenaria.  
*Rancaguae*, Steud. in Flora, xxii. (1849) 405.—Chili.  
*Raoulii*, Decne. in DC. Prod. xiii. i. 703.—N. Zel.  
*rectirostris*, Wallr. ex Walp. in Nov. Act. Nat. Cur. xix. Suppl. i. (1843) 401 = tomentosa.  
*recurvata*, Linn. Mant. ii. 198 = subulata.  
*recurvata*, Willd. ex Spreng. Syst. i. 437 = serpentina.  
*remota*, Bieb. ex Spreng. l. c. in syn. = tenuiflora.  
*remota*, Lam. Illustr. i. 341.—Afr. austr.  
*remotiflora*, Stocks, in Hook. Kew Journ. iv. (1852) 179 = Stocksii.  
*rhodosperma*, Decne. in DC. Prod. xiii. i. 722.—Texas.  
*Richardsoni*, Decne. l. c. 698 = eriopoda.  
*rigens*, Schult. Mant. iii. 83 = rigida.  
*rigida*, Hort. ex Roem. & Schult. Syst. iii. 144 = P. Psyllium.  
*rigida*, H. B. & K. Nov. Gen. et Sp. ii. 227.—Ecuador.  
*rigidiuscula*, D. Dietr. Syn. Pl. i. 435 = rigida.  
*robusta*, Roxb. in Beats. Tracts St. Helen. App. 317.—Ins. S. Helena.  
*Rocae*, Lorentz, in Roca, Exped. Rio-Negro, ii. 250.—Patagon.  
*rosea*, Hort. ex Reichb. Fl. Germ. Excurs. 394 = major.  
*rosetana*, Poir. Encyc. Suppl. iv. 433 = pumila.  
*rubens*, Hassk. Cat. Hort. Bogor. Alt. 95 = Hasskarlii.  
*rubens*, Host, Fl. Austr. i. 211 = argentea.  
*Rugelii*, Decne. in DC. Prod. xiii. i. 700.—Am. bor.  
*rugosa*, Hochst. in Flora, xxiv. (1841) i. Intell. 22, nomen; et ex Steud. l. c. xxxii. (1849) 413 = stricta.  
*runcinata*, Decne. in DC. Prod. xiii. i. 702 = varia.  
*ruthenica*, Adams, ex Decne. l. c. 735 = arenaria.  
*salicifolia*, Decne. l. c. 729, in syn., sphalm., vide *falcifolia*.  
*salina*, Decne. l. c. 720 = amplexicaulis.  
*salsa*, Pall. Reise, i. 486 = maritima.  
*sarcophylla*, Boiss. Fl. Orient. iv. 893 = squarrosa.  
*sarda*, Presl, Bot. Bemerck. 105.—Sardinia.  
*saxatilis*, Bieb. Fl. Taur. Cauc. i. 109.—Europ. or.; Persia.  
*scabra*, Moench, Meth. 461 = pumila?  
*Schiedeana*, Decne. in DC. Prod. xiii. i. 723.—Mexic.  
*Schottii*, Roem. & Schult. Syst. iii. 118 = lanceolata.  
*Schrenkii*, C. Koch, in Linnaea, xxi. (1848) 710.—Ins. Waigatsch.  
*Schwarzenbergiana*, Schur, in Verh. Siebenb. Ver. Naturw. vi. (1855) 3; et in Oestr. Bot. Wochenbl. vi. (1856) 282.—Europ.  
*scirpoides*, Lam. Illustr. i. 342 = saxatilis.  
*scorsoneraefolia*, Lam. l. c. = maritima.  
*Seetzenii*, Hort. ex Decne. in DC. Prod. xiii. i. 733 = Webbii.  
*Selloi*, J. A. Schmidt, in Mart. Fl. Bras. vi. iv. 171.—Bras.  
*sempervirens*, Crantz, Inst. ii. 331 (Quid?).—Europ.  
*sericea*, Benth. Cat. Pl. Pyr. 112 = monosperma.  
*sericea*, Ruiz & Pav. Fl. Per. i. 51.—Peruv.  
*sericea*, Waldst. & Kit. Pl. Rar. Hung. ii. 163 = argentea.  
*sericophylla*, Decne. in DC. Prod. xiii. i. 702 = varia.  
*serpentina*, Koch, Syn. Fl. Germ. ed. I. 599 = carinata.  
*serpentina*, Lam. Illustr. i. 343 = subulata.  
*serpentina*, Vill. Prosp. 19; All. Fl. Pedem. i. 82 = maritima.  
*Serraria*, Linn. Syst. ed. X. 896.—Reg. Mediterr.  
*serrata*, Hall. f. ex Gaud. Fl. Helv. i. 403 = subulata.

**PLANTAGO:—**

*sessiliflora*, Lapeyr. Hist. Abr. Pl. Pyr. 72 = subulata.  
*setosa*, Bertol. Misc. Bot. i. 11 = cylindrica vel ciliata?  
*setosa*, Clarke, Trav. ii. 643 = cylindrica.  
*sibirica*, Fisch. ex Barn. Monog. Plantag. 13 = depressa.  
*sibirica*, Georgi, Besch. Russ. Reich. III. iv. 736 = media.  
*sibirica*, Hort. ex Poir. Encyc. Suppl. iv. 433.—Sibir.  
*sicula*, Presl, Delic. Prag. 70 = P. Psyllium.  
*sinaica*, Decne. in DC. Prod. xiii. i. 733 = arabica.  
*sinuata*, Lam. Illustr. i. 338 = major.  
*Sorokinii*, Bunge, in Act. Hort. Petrop. vi. (1879) 393.—Turkestan.  
*sparsiflora*, Michx. Fl. Bor. Am. i. 94.—Am. bor.  
*spathulata*, Hook. f. Fl. N. Zel. i. 208.—N. Zel.  
*sphaerocephala*, Poir. Encyc. v. 381 = montana.  
*sphaerostachys*, Hegetschw. Fl. Schw. 116.—Europ.  
*spinulosa*, Decne. in DC. Prod. xiii. i. 713 = patagonica.  
*squalida*, Salisb. Prod. 47 = P. Psyllium.  
*squamata*, O. F. Muell. in Fl. Dan. t. 691 = maritima.  
*squamosa*, Decne. in DC. Prod. xiii. i. 714, sphalm., vide *squarrosa*, Bové.  
*squarrosa*, Bové, ex Decne. l. c. 733 = arabica.  
*squarrosa*, Murr. in Comm. Gotting. (1781) 38. t. 3.—Syria; Aegypt.  
*squarrosa*, Nutt. in Trans. Am. Phil. Soc. N. S. v. (1837) 178 = patagonica.  
*Stauntoni*, Reichardt, in Verh. Zool.-Bot. Ges. Wien, xxi. (1871) 33.—Ins. Amsterdam.  
*Steinheilii*, Barn. Monog. Plantag. 38 = hispidula.  
*stellaris*, F. Muell. Fragm. ii. 23 = Brownii.  
*stellaris*, Salisb. Prod. 47 = P. Coronopus.  
*Stocksii*, Boiss. ex Decne. in DC. Prod. xiii. i. 720.—Persia; Afghan.  
*stricta*, Boutelou, ex Willk. & Lange, Prod. Fl. Hisp. ii. 351 = P. Psyllium.  
*stricta*, Schousb. Vextr. Marokko, 69.—Reg. Mediterr.; Persia.  
*stricta*, Sieber, ex Decne. in DC. Prod. xiii. i. 736 = pumila.  
*struthionis*, A. Cunn. ex Decne. l. c. 702 = varia.  
*strutia*, Walp. Rep. iv. 180, in syn., sphalm. = brutia.  
*stylosa*, Bess. ex Decne. in DC. Prod. xiii. i. 699 = major.  
*subsinnuata*, Hornem. Hort. Hafn. i. 139 = major.  
*subirineris*, Phil. in Linnaea, xxxiii. (1864-65) 221.—Chili.  
*subulata*, Linn. Sp. Pl. 115.—Europ. austr.  
*subulata*, Roth, Tent. Fl. Germ. i. 62 = maritima.  
*subulata*, Wulf. in Jacq. Coll. i. 204, t. 10 = carinata.  
*suffruticosa*, Lam. Fl. Fr. ii. 313 = P. Cynops.  
*sylvatica*, H. Mart. Fl. Mosq. 29 = lanceolata.  
*syrtica*, Viv. Fl. Lib. Spec. 7. t. 3 = notata.  
*Tabernaemontani*, Baumg. Enum. Stirp. Transs. i. 89 = major.  
*tasmanica*, Hook. f. in Hook. Lond. Journ. Bot. vi. (1847) 276.—Austral.  
*tatarica*, Decne. in DC. Prod. xiii. i. 696.—Reg. Himal.  
*tenuiflora*, Waldst. & Kit. Pl. Rar. Hung. i. 37. t. 39.—Europ. or.; As. bor.  
*tenuis*, Hoffm. & Link, Fl. Port. i. 426 = Bellardi.  
*teretifolia*, Sieber, ex Rapin, in Mém. Soc. Linn. Par. vi. (1827) 473 = maritima.  
*texensis*, Rafin. New. Fl. Am. iv. 11 (Quid?).—Texas.  
*Thunbergii*, Poir. Encyc. Suppl. iv. 431 = carnosa.  
*tibetica*, Hook. f. & Thoms. ex Hook. f. Fl. Brit. Ind. iv. 706.—Reg. Himal.  
*Timbali*, Jard. Pugill. Pl. Nov. 138 = lanceolata.  
*tomentosa*, Cham. & Schlecht. in Linnaea, i. (1826) 169 = Cumingiana, Eschscholtziana.  
*tomentosa*, Gilib. Fl. Lituan. i. 17 = lanceolata.  
*tomentosa*, Isabelle, ex Decne. in DC. Prod. xiii. i. 725 = P. Paralias.  
*tomentosa*, Lam. Illustr. i. 340.—Reg. Argent.  
*tomentosa*, Schiede, ex Decne. in DC. Prod. xiii. i. 723 = Schiedeana.  
*transsilvanica*, Schur, in Oestr. Bot. Zeitschr. x. (1860) 249 = media.  
*triandra*, Berggr. in Minneskr. Fisiog. Sällks. Lund, (1877) n. 8. p. 16.—N. Zel.  
*triantha*, Spreng. Syst. i. 439 = Brownii.  
*trinervis*, Fl. Corc. in Ionios Anthol. iv. 947 = lanceolata.

**PLANTAGO:—**

*triquetra*, Pers. Syn. i. 139 = subulata.  
*truncata*, Barn. Monog. Plantag. 14 = brachystachys.  
*truncata*, Cham. & Schlecht. in Linnaea, i. (1826) 170.—Chili.  
*tubulosa*, Decne. in DC. Prod. xiii. i. 728.—Peruv.  
*tumida*, Link, Enum. Hort. Berol. i. 121.—Chili.  
*uliginosa*, Baumg. Enum. Stirp. Transs. i. 89 = gentianaoides.  
*uliginosa*, F. W. Schmidt, in Mayer, Samml. Phys. Aufs. i. (1791) 199 = major.  
*uncialis*, Decne. ex Barn. Monog. Plantag. 42.—Chili.  
*uniflora*, Hook. f. Fl. N. Zel. i. 207.—N. Zel.  
*uniflora*, Linn. Sp. Pl. 115 = Littorella juncea.  
*uniglumis*, Wallr. ex Walp. in Nov. Act. Nat. Cur. xix. Suppl. i. (1843) 402.—Chili.  
*Urvillei*, Decne. in DC. Prod. xiii. i. 723 = hirtella.  
*vaginata*, Vent. Jard. Cels. 29. t. 29 = P. Lagopus.  
*valparadiasiaca*, Decne. in DC. Prod. xiii. i. 725.—Chili.  
*varia*, R. Br. Prod. 424.—Austral.  
*varia*, A. Cunn. ex Hook. f. Fl. N. Zel. i. 208 = Raoulii.  
*variabilis*, Link, ex Barn. Monog. Plantag. 29 = lanceolata.  
*velutina*, Poir. Encyc. v. 379.—Italia.  
*velutina*, Tenore, Prod. Fl. Nap. 13 = albicans.  
*veratrifolia*, Decne. in DC. Prod. xiii. i. 721.—Mexic.  
*vestita*, Roem. & Schult. Syst. iii. 149 = congesta.  
*Victorialis*, Kotschy, ex Decne. in DC. Prod. xiii. i. 705 = cylindrica.  
*Victorialis*, Poir. Encyc. v. 377 = argentea.  
*villifera*, Franch. in Bull. Soc. Bot. Fr. xxvi. (1879) 87.—Japon.  
*villosa*, Lam. Illustr. i. 341 = Bellardi.  
*villosa*, Moench, Meth. 459 = ovata.  
*virescens*, Barn. Monog. Plantag. 33 = eriopoda.  
*virginica*, Giseck. ex Roem. & Schult. Syst. iii. 122 = depressa.  
*virginica*, Linn. Sp. Pl. 113.—Am. bor. et austr.  
*virginica*, Riehl, ex Steud. in Flora, xxxii. (1849) 410 = missouriensis.  
*virginica*, Walt. Fl. Carol. 85 = sparsiflora?  
*Webbii*, Barn. Monog. Plantag. 50.—Ins. Canar.  
*Weddelliana*, Decne. in DC. Prod. xiii. i. 712.—Bolivia.  
*Weldenii*, Reichb. Fl. Germ. Excurs. 396.—Dalmatia.  
*Wrightiana*, Decne. in DC. Prod. xiii. i. 712 = patagonica.  
*Wulfenii*, Bernh. ex Willd. Enum. Hort. Berol. i. 161 = maritima.  
*Wulfenii*, Spreng. Fl. Hal. 54 = carinata.  
*Wulfenii*, Sturm, Deutschl. Fl. Heft 24 = subulata.  
*xorulensis*, Barn. Monog. Plantag. 44 = linearis.  
*xorulensis*, H. B. & K. Nov. Gen. et Sp. ii. 228.—Mexic.

**PLANTIA**, Herb. in Lindl. Bot. Reg. (1844) Misc. 89 = **Hexaglottis**, Vent. (Irid.).  
*flava*, Herb. l. c. = H. longifolia.

**PLANTINIA**, Bubani, in Nuov. Giorn. Bot. Ital. v. (1873) 317 = **Phleum**, Linn. (Gramin.).  
*aspera*, Bubani, l. c. = Phleum asperum.

**PLAPPERTIA**, Reichb. Consp. 146 (1828) = **Chailletia**, DC.

**PLASO**, Adans. Fam. ii. 325 (1763) = **Butea**, Roxb. (Legumin.).

**PLATANARIA**, S. F. Gray, Nat. Arr. Brit. Pl. ii. 39 (1821) = **Sparganium**, Linn. (Typhac.).  
*natans*, S. F. Gray, l. c. 40 = S. natans.

**PLATANOCARPUM**, Korth. Obs. Nauc. Ind. 18 (1839) = **Sarcocephalus**, Afzel. (Rubiace.).  
*africanum*, Hook. f. in Hook. Ic. Pl. t. 787 = Mitragyna africana.  
*cordatum*, Korth. Obs. Nauc. Ind. 19. S. cordatus.  
*subditum*, Korth. l. c. = S. subditus.

**PLATANOCARPUS**, Korth, Verh. Nat. Gesch. Bot. 152 t. 32 (1840 ?) = praec.

**PLATANOCEPHALUS**, Vaill. ex Crantz, Inst. i. 349 (1766) = **Anthocephalus**, A. Rich. (1834) (Rubiace.).  
*orientalis*, Crantz, l. c. = A. morindaefolius.



PLATANOS, St. Lag. in Ann. Soc. Bot. Lyon, vii. (1880) 133 = *Platanus*, Tourn.

PLATANANTHERA, Rich. in Mém. Mus. Par. iv. 48 (1818) = *Habenaria*, Willd. (Orchid.).  
*acutifera*, Lindl. in Wall. Cat. n. 7045 = *H. acutifera*.  
*acuminata*, Lindl. l. c. n. 7040; Gen. et Sp. Orch. 289. —Ind. or.

*affinis*, Wight, Ic. t. 1693 = *H. Galeandra*.  
*albida*, Lindl. Syn. Brit. Fl. ed. I. 261 = *H. albida*.  
*angustata*, Lindl. Gen. et Sp. Orch. 290. —Java.  
*angustifolia*, Reichb. f. Ota Bot. Hamb. 39 = *Hermidium angustifolium*.

*aphylla*, Lindl. Gen. et Sp. Orch. = *H. aphylla*, R. Br. *arcuata*, Lindl. l. c. 289. —Ind. or.  
*bifolia*, Rich. in Mém. Mus. Par. iv. (1818) 57 = *H. bifolia*.

*Bigelovii*, Wood, Class-Book (1861), 685 = *H. fissa*?  
*Blephariglottis*, Lindl. Gen. et Sp. Orch. 291 = *H. Blephariglottis*.

*Blumii*, Lindl. l. c. 290. —Java.  
*borealis*, Reichb. f. Ic. Fl. Germ. xiii-xiv. 125 = *H. dilatata*.

*brachyglossa*, Reichb. Ic. Pl. Crit. ix. (1831) 19 = *H. bifolia*.

*brachyphylla*, Lindl. Gen. et Sp. Orch. 293 = *H. crassifolia*.

*bracteata*, Torr. Fl. N. York, ii. 279 = *H. viridis*.  
*canariensis*, Lindl. ex Reichb. f. in Flora, xli. (1877) 100 [Pl. Hohen. n. 142] = *H. crassifolia*.

*candida*, Lindl. Gen. et Sp. Orch. 295 = *H. triflora*.  
*Carducciana*, Goiran, in Nuov. Giorn. Bot. Ital. xv. (1883) 332. —Ital.

*Championi*, Lindl. in Hook. Kew Journ. vii. (1855) 37 = *H. Galeandra*.

*chloanthia*, Cust. ex Reichb. in Moessl. Handb. ed. II. ii. 1565 = *H. bifolia*.

*Chorisiana*, Reichb. f. Ic. Fl. Germ. xiii-xiv. 128 = *H. Chorisiana*.

*ciliaris*, Lindl. Gen. et Sp. Orch. 292 = *H. ciliaris*.  
*clavigera*, Lindl. l. c. 289 = *H. densa*.

*commelinifolia*, Lindl. in Wall. Cat. n. 7037 = *H. commelinifolia*.

*constricta*, Lindl. l. c. n. 7043. —Ind. or. \*  
*convallariaefolia*, Lindl. Gen. et Sp. Orch. 287. —Kamtschat.

*cordifolia*, Lindl. in Wall. Cat. n. 7049 = *Hemipilia cordifolia*.

*crispata*, Lindl. Gen. et Sp. Orch. 294. —Am. bor.  
*crispata*, Lindl. l. c. 291 = *H. cristata*.

*cubitalis*, Lindl. l. c. 292 = *H. cubitalis*.  
*decipiens*, Lindl. l. c. 290. —Kamtschat.; Sibir.

*densa*, Lindl. in Wall. Cat. n. 7046 = *H. densa*.  
*dentata*, Lindl. Gen. et Sp. Orch. 296. —China.

*dilatata*, Lindl. ex Beck, Bot. N. & M. St. 347 = *H. dilatata*.

*diphylla*, Reichb. f. Ic. Fl. Germ. xiii-xiv. 128 = *H. cordata*.

*dolichorrhiza*, Reichb. f. l. c. 127 = *H. hyperborea*.  
*elegans*, Lindl. Gen. et Sp. Orch. 285 = *H. elegans*.

*Erdingeri* x, Kern. in Verh. Zool.-Bot. Ges. Wien, xv. (1865) 229. —Europ.

*fimbriata*, Lindl. Gen. et Sp. Orch. 293 = *H. fissa*?  
*fissa*, Lindl. l. c. 294 = *H. peramoena*.

*flava*, Lindl. l. c. 293 = *H. herbiola*.  
*florentia*, Franch. & Sav. Enum. Pl. Jap. ii. 514. —Japan.

*foetida*, Geyer, ex Hook. Kew Journ. vii. (1855) 376 = *Hermidium congestum*.

*foliosa*, Brongn. in Duperr. Voy. Coq. Bot. 194. t. 38 = *H. maxillaris*.

*Galeandra*, Reichb. f. in Linnaea, xxv. (1852) 226 = *H. Galeandra*.

*geniculata*, Lindl. in Wall. Cat. n. 7042 = *H. geniculata*.

*Ghiesbreghtiana*, A. Rich. & Gal. in Ann. Sc. Nat. Sér. III. iii. (1845) 30 = *H. Ghiesbreghtiana*.

*gigantea*, Lindl. in Wall. Cat. n. 7052 = *H. Susannae*.  
*gracilis*, Lindl. Gen. et Sp. Orch. 288 = *H. gracilis*.

*graminea*, Lindl. l. c. 289 = *Lindleyi*.  
*graminea*, Lindl. l. c. 292 = *H. graminea*, Spreng.

*grandiflora*, Lindl. l. c. 294 = *H. grandiflora*, Torr.  
*gratissima*, La Pilaye, in Mém. Soc. Linn. Par. iv. (1826) 423. —Terra Nova.

*herbiola*, Lindl. Gen. et Sp. Orch. 287 = *H. herbiola*.  
*Heyneana*, Lindl. in Wall. Cat. n. 7044 = *H. Heyneana*.

*hologlottis*, Maxim. Prim. Fl. Amur. 268. —Dahuria.

#### PLATANANTHERA :—

*holopetala*, Lindl. Gen. et Sp. Orch. 291 = *Habenaria Blephariglottis*.

*Hookeri*, Lindl. l. c. 286 = *H. Hookeriana*.  
*huroniensis*, Lindl. l. c. 288 = *H. hyperborea*.

*hybrida* x, Bruegg. in Jahrb. Naturf. Ges. Graub. II. xxiii-xxiv. (1880) 118. —Europ.

*hyperborea*, Lindl. Gen. et Sp. Orch. 287 = *H. hyperborea*.

*iantha*, Wight, Ic. t. 1692. —Ind. or.  
*incisa*, Lindl. Gen. et Sp. Orch. 293 = *H. incisa*.

*japonica*, Lindl. l. c. 290 = *H. japonica*.  
*Keiskei*, Franch. & Sav. Enum. Pl. Jap. ii. 31 = *H. Keiskei*.

*Koenigii*, Lindl. Gen. et Sp. Orch. 286 = *H. hyperborea*.

*lacera*, G. Don, in Sweet, Hort. Brit. ed. III. 650 = *H. lacera*.

*latilabris*, Lindl. Gen. et Sp. Orch. 289. —Ind. or.  
*leucophaea*, Lindl. l. c. 294 = *H. leucophaea*.

*leucostachys*, Lindl. l. c. 288 = *H. leucostachys*.  
*limosa*, Lindl. in Ann. Nat. Hist. Ser. I. iv. (1840) 381 = *H. limosa*.

*Lindleyi*, Steud. Nom. ed. II. ii. 351. —Am. bor.  
*linifolia*, Lindl. in Wall. Cat. n. 7041 = *H. graminea*, Lindl.

*longebracteata*, Lindl. l. c. n. 7048. —Ind. or.  
*lucida*, Lindl. l. c. 7047 = *H. lucida*.

*lutea*, Wight, Ic. t. 919 = *H. Perrottetiana*.  
*Mandarinorum*, Reichb. f. in Linnaea, xxv. (1852) 226. —China.

*marginata*, Lindl. in Wall. Cat. n. 7038 = *H. marginata*.

*Menziesii*, Lindl. Gen. et Sp. Orch. 286. —Am. bor.  
*Michauxii*, Wood, Class Book (1861), 685 = *H. Michauxii*.

*minor*, Reichb. f. in Bot. Zeitschr. xxxvi. (1878) 75. —Japan.

*montana*, Reichb. f. Ic. Fl. Germ. xiii-xiv. 123 = *H. nigra*.

*neuropetala*, Franch. & Sav. Enum. Pl. Jap. ii. 33 = *H. neuropetala*.

*obcordata*, Lindl. in Wall. Cat. n. 7050 = *H. Galeandra*.

*obtusata*, Lindl. Gen. et Sp. Orch. 284 = *H. obtusata*.  
*obtusata*, Schur, in Verh. Siebenb. Ver. Naturw. xix. (1868) 206 = *H. bifolia*.

*oligantha*, Turcz. in Bull. Soc. Nat. Mosc. xxvii. (1854) ii. 86. —Dahuria.

*ophrydioides*, F. Schmidt, Reisen Amurl. 182. —Ins. Sachalin.

*orbiculata*, Lindl. Gen. et Sp. Orch. 286 = *H. orbiculata*.

*Orchidis*, Lindl. in Wall. Cat. n. 7039. —Ind. or.  
*oreades*, Franch. & Sav. Enum. Pl. Jap. ii. 514 = *H. Keiskei*.

*peramoena*, A. Gray, Man. Bot. N. U. St. ed. I. 473 = *H. peramoena*.

*pervia*, Peterm. Pflanzenschl. 591 = *H. bifolia*.  
*psychodes*, Lindl. Gen. et Sp. Orch. 294 = *H. lacera*.

*psycodes*, A. Gray, Man. Bot. U. St. ed. I. 472 = *H. fissa*?

*quercicola*, Wood, Class-Book (1861), 685. —Am. bor.  
*radiata*, Lindl. Gen. et Sp. Orch. 296 = *H. radiata*.

*Reinii*, Franch. & Sav. Enum. Pl. Jap. ii. 513. —Japan.

*repens*, Wood, Class-Book (1861), 685 = *H. repens*.  
*rhynchocarpa*, Thw. Enum. Pl. Zeyl. 310 = *H. rhynchocarpa*.

*robusta*, Lindl. in Wall. Cat. n. 7036 = *H. Susannae*.  
*rostrata*, Lindl. l. c. n. 7051 = *H. rostrata*.

*rotundifolia*, Lindl. Gen. et Sp. Orch. 292 = *H. rotundifolia*.

*Rumphii*, Brongn. in Duperr. Voy. Coq. Bot. 194. t. 38 a = *H. Rumphii*.

*sachalinensis*, F. Schmidt, Reisen Amurl. 181. —Ins. Sachalin.

*satyrioides*, Reichb. f. Ic. Fl. Germ. xiii-xiv. 131. —Europ.

*Schischmareffiana*, Lindl. Gen. et Sp. Orch. 286 = *Hermidium congestum*.

*Schuriana*, Fuss, in Verh. Siebenb. Ver. Naturw. xix. (1868) 206 = *H. bifolia*.

*solstitialis*, Boenn. ex Reichb. Fl. Germ. Excurs. 120 = *H. bifolia*.

*stenostachya*, Lindl. in Hook. Kew Journ. vii. (1855) 37 = *H. stenostachya*.

*stricta*, Lindl. Gen. et Sp. Orch. 288. —Am. bor.

#### PLATANANTHERA :—

*Susannae*, Lindl. Gen. et Sp. Orch. 295 = *Habenaria Susannae*.

*tipuloides*, Lindl. l. c. 285 = *Tipularia camtschatica*.  
*tricuris*, A. Rich. in Ann. Sc. Nat. Sér. II. xiv. (1840) 265. —Abyss.

*uniflora*, Lindl. Gen. et Sp. Orch. 295 = *H. triflora*?  
*virescens*, C. Koch, in Linnaea, xxii. (1849) 288 = *H. bifolia*.

*viridis*, Lindl. Syn. Brit. Fl. ed. I. 261 = *H. viridis*.  
*vulcanica*, Lindl. in Ann. Nat. Hist. Ser. I. iv. (1840) 381 = *H. vulcanica*.

*Wankelii*, Reichb. f. in Reichb. Fl. Saxon. 89 = *H. bifolia*.

**PLATANUS**, [Tourn.] Linn. Hort. Cliff. 447 (1737).  
**PLATANACEAE**, Benth. & Hook. f. iii. 396.

*acerifolia*, Willd. Sp. Pl. iv. 474 = *orientalis*.  
*algeriensis*, Hort. ex C. Koch, Dendrol. ii. i. 468 = *orientalis*.

*californica*, Benth. Bot. Voy. Sulph. 54 = *racemosa*.  
*cuneata*, Willd. Sp. Pl. iv. 473 = *orientalis*.

*digitata*, Hort. ex Steud. Nom. ed. II. ii. 352 = *orientalis*.

*elongata*, Steud. l. c. ed. I. 632 = *orientalis*.  
*excelsa*, Salisb. Prod. 393 = *occidentalis*.

*hispanica*, Tenore, Cat. Ort. Nap. (1845) 91 = *orientalis*.

*hybridus*, Brot. Fl. Lusit. ii. 487 = *occidentalis*.  
*integrifolia*, Hort. ex C. Koch, Dendrol. ii. i. 469 = *occidentalis*.

*laciniata*, Hort. ex C. Koch, l. c. 468 = *orientalis*.  
*Lindeniana*, Mart. & Gal. in Bull. Brux. x. (1843) ii. 342. —Mexic.

*lobata*, Moench, Meth. 358 = *occidentalis*.  
*macrophylla*, Cree, ex W. Baxt. in Loud. Hort. Brit. Suppl. ii. 659 = *orientalis*.

*mexicana*, Moric. Pl. Nouv. Am. 39. t. 26 = *racemosa*.  
*mexicana*, Torr. in Emory, Notes Mil. Reconnois. 151 = *Wrightii*.

*nana*, Hort. ex C. Koch, Dendrol. ii. i. 470 = *orientalis*.

*nepalensis*, Hort. ex W. Baxt. in Loud. Hort. Brit. Suppl. iii. 612 = *orientalis*.

*occidentalis*, Hook. & Arn. Bot. Beech. Voy. 160 = *racemosa*.

*occidentalis*, Linn. Sp. Pl. 999. —Am. bor.  
*orientalis*, Linn. l. c. —Europ. austr.; Oriens.

*palmata*, Moench, Meth. 358 = *orientalis*.  
*racemosa*, Nutt. ex Audubon, Birds Am. iv. t. 362; et N. Am. Sylva, Suppl. i. 47. t. 15. —Am. bor. occ.

*Reuteri*, Hort. ex C. Koch, Dendrol. ii. i. 468 = *orientalis*.

*umbraculifera*, Hort. ex C. Koch, l. c. = *orientalis*.  
*umbrosa*, Salisb. Prod. 393 = *orientalis*.

*undulata*, Steud. Nom. ed. I. 632 = *orientalis*.  
*vulgaris*, Spach, in Ann. Sc. Nat. Sér. II. xv. (1841) 291 = *orientalis*.

Wrightii, S. Wats. in Proc. Am. Acad. x. (1875) 349. —Arizona; Mexic.

**PLATEA**, Blume, Bijdr. 646 (1825). **OLACINEAE**, Benth. & Hook. f. i. 353.

*axillaris*, Thw. Enum. Pl. Zeyl. 44 = *Gomphandra axillaris*.

*coriacea*, Thw. l. c. = *Gomphandra polymorpha*.  
*corniculata*, Becc. Malesia, i. (1877) 117. —Malaya.

*excelsa*, Blume, Bijdr. 646. —Java.  
*Griffithiana*, Miers, in Ann. & Mag. Nat. Hist. Ser. II. x. (1852) 110 = *Phlebocalymna Griffithiana*.

*latifolia*, Blume, Bijdr. 646. —Java.  
*laxiflora*, Miers, in Ann. & Mag. Nat. Hist. Ser. II. x. (1852) 111 = *Gomphandra laxiflora*.

*Lobbiana*, Miers, l. c. = *Phlebocalymna Lobbiana*.  
*papuana*, Becc. Malesia, i. (1883) 257. —N. Guin.

*Riedeliana*, Becc. l. c. (1877) 116. —Ins. Celebes.  
*sumatrana*, Blume, Mus. Bot. Lugd. Bat. i. 249. —Sumatra.

*Wightiana*, Miers, in Ann. & Mag. Nat. Hist. Ser. II. x. (1852) 111 = *Gomphandra polymorpha*.

**PLATEANA**, Salisb. Gen. Pl. Fragm. 100 (1866) = **Narcissus**, Tourn. (Amaryll.).

**PLATENIA**, Karst. in Linnaea, xxviii. (1856) 250 = **Cocos**, Linn. (Palm.).

*Chiragua*, Karst. l. c. (= *Syagrus Chiragua*). —N. Granat.



**PLATHYMENIA**, Benth. in Hook. Journ. Bot. iv. (1842) 333. *LEGUMINOSAE*, Benth. & Hook. f. i. 589.

*CHRYSOXYLON*, Casar. Nov. Stirp. Bras. Dec. 59 (1843).

*foliolosa*, Benth. in Hook. Journ. Bot. iv. (1842) 334.—Bras.  
*reticulata*, Benth. l. c.—Bras.

**PLATOLARIA**, Rafin. Sylva Tellur. 78 (1838) = **Tecoma**, Juss. (Bignon.).  
*flavescens*, Rafin. l. c. = *T. flavescens*.

**PLATONIA**, Kunth, Rév. Gram. i. 139, 327. t. 76 (1830) = **Planotia**, Munro (Gramin.).  
*elata*, Kunth, l. c. = *Planotia elata*.  
*virgata*, Griseb. Fl. Brit. W. Ind. 530 = *Planotia virgata*.

**PLATONIA**, Mart. Nov. Gen. et Sp. iii. 168. t. 289 (1829). *GUTTIFERAE*, Benth. & Hook. f. i. 174.  
*grandiflora*, Planch. & Triana, in Ann. Sc. Nat. Sér. IV. xiv. (1860) 299.—Bras.  
*insignis*, Mart. Nov. Gen. et Sp. iii. 169.—Bras.

**PLATONIA**, Rafin. in Med. Repos. N. York, v. (1808) 352 = **Lippia**, Linn. (Verben.).  
*nudiflora*, Rafin. l. c. = *L. nudiflora*.

**PLATOSTOMA**, Beauv. Fl. Owar. ii. 61. t. 95 (1805). *LABIATAE* [Benth. & Hook. f. ii. 1172].  
**PLATYSTOMA**, Benth. & Hook. f. l. c., sphalm. (1876).  
*africanum*, Beauv. Fl. Owar. ii. 61. t. 95.—Afr. trop.  
*flaccidum*, Benth. & Hook. f. Gen. ii. 1173.—Ind. or.; Afr. trop.

**PLATUNUM**, A. Juss. in Ann. Mus. Par. vii. (1806) 76 = **Holmskioldia**, Retz. (Verben.).  
*rubrum*, A. Juss. l. c. = *H. sanguinea*.

**PLATYCAPNOS**, Bernh. in Linnaea, viii. (1833) 471 = **Fumaria**, Linn. (Papav.).  
*saxicola*, Willk. in Bot. Zeit. vi. (1848) 367 = *F. saxicola*.  
*spicatus*, Bernh. in Linnaea, viii. (1833) 471 = *F. spicata*.  
*tenuilobus*, Pomel, Nouv. Mat. Fl. Atl. 240.—Alger.

**PLATYCARPHA**, Less. in Linnaea, vi. (1831) 688. *COMPOSITAE*, Benth. & Hook. f. ii. 462.  
*carlinoides*, Oliver & Hiern, in Oliver, Fl. Trop. Afr. iii. 430.—Afr. trop.  
*glomerata*, Less. in Linnaea, vi. (1831) 688; DC. Prod. v. 71.—Afr. austr.

**PLATYCARPIDIUM**, F. Muell. in Hook. Kew Journ. ix. (1857) 309 = **Platysace**, Bunge (Umbell.).  
*validum*, F. Muell. l. c. 310 = *Platysace valida*.

**PLATYCARPUM**, Humb. & Bonpl. Pl. Aequin. ii. 81. t. 104 (1809). *RUBIACEAE*, Benth. & Hook. f. ii. 44.  
*orinocense*, Humb. & Bonpl. l. c.—Venezuela.

**PLATYCARYA**, Sieb. & Zucc. in Abh. Akad. Muench. iii. II. (1843) 741. t. 5. *FUGLANDEAE*, Benth. & Hook. f. iii. 400.  
*FORTUNAEA*, Lindl. in Journ. Hort. Soc. i. (1846) 150.  
*FORTUNEA*, Poit. in Rev. Hort. Sér. II. v. (1846) 282.  
*strobilacea*, Sieb. & Zucc. in Abh. Akad. Muench. iii. II. (1843) 743. t. 5.—Japan.

**PLATYCENTRUM**, Klotzsch, in Abh. Akad. Berl. 1854 (1855) 123. t. 11 B = **Begonia**, Linn.  
*annulatum*, C. Koch, in Berl. Gartenz. (1857); ex A. DC. in DC. Prod. xv. i. 350 = *B. Griffithii*.  
*Cathcartii*, Klotzsch, in Abh. Akad. Berl. (1855) 125 = *B. Cathcartii*.  
*discolor*, Miq. Fl. Ind. Bat. i. i. 694 = *B. Evansiana*.  
*erosum*, Miq. l. c. = *B. erosa*.  
*Hamiltonianum*, Miq. l. c. 695 = *B. acuminata*.  
*multangulum*, Miq. l. c. = *B. multangula*.  
*Rex*, Seem. in Harting. Parad. t. 81. 82 = *B. Rex*.  
*robustum*, Miq. Fl. Ind. Bat. i. i. 694 = *B. robusta*.  
*rubro-venium*, Klotzsch, in Abh. Akad. Berl. (1855) 124 = *B. rubro-venia*.

**PLATYCENTRUM** :—

*rupicolum*, Miq. Fl. Ind. Bat. i. i. 693 = *Begonia rupicola*.

*tenuifolium*, Miq. l. c. = *B. tenuifolia*.  
*Teysmannianum*, Miq. l. c. 1092 = *B. Teysmanniana* (in Addend.).

*xanthinum*, Klotzsch, in Abh. Akad. Berl. (1855) 123 = *B. xanthina*.  
*Zollingerianum*, Klotzsch, l. c. 125 = *B. Zollingeriana*.

**PLATYCENTRUM**, Naud. in Ann. Sc. Nat. Sér. III. xviii. (1852) 114. t. 5. *MELASTOMACEAE*, Benth. & Hook. f. i. 760.  
*clidemoides*, Naud. l. c.—Guian.

**PLATYCHAETA**, Boiss. Diagn. Sér. I. xi. 5 (1849) = **Pulicaria**, Gaertn. (Compos.).  
*Aucheri*, Boiss. l. c. = *Pul. Aucheri*.  
*carnosa*, Boiss. l. c. Ser. II. iii. 10.—Afghan.  
*glaucescens*, Boiss. l. c. Ser. I. xi. 5 = *Pul. glaucescens*.  
*glutinosa*, Boiss. l. c. = *Pul. glutinosa*.  
*mucronifolia*, Boiss. l. c.—Persia.  
*velutina*, Boiss. & Haussk. ex Boiss. Fl. Orient. iii. 208.—Persia.  
*villosa*, Boiss. Diagn. Ser. II. iii. 11 = *Beluchist*; Sind.

**PLATYCHEILUS**, Cass. in Dict. Sc. Nat. xxiv. 206, 212 (1825) = **Trixis**, P. Br. (Compos.).  
*ochroleucus*, Hook. & Arn. in Hook. Comp. Bot. Mag. i. (1835) 33, in syn. = *T. ochroleuca*.

**PLATYCHILUM**, Delaun. Herb. Amat. t. 187 (1815) = **Hovea**, R. Br. (Legumin.).  
*Celsianum*, Delaun. l. c. = *H. Celsi*.

**PLATYCLADUS**, Spach, Hist. Vég. Phan. xi. 333 (1842) = **Thuya**, Linn. (Conif.).  
*dolabrata*, Spach, l. c. 337 = *T. dolabrata*.  
*stricta*, Spach, l. c. 335 = *T. orientalis*.

**PLATYCLINIS**, Benth. in Journ. Linn. Soc. xviii. (1881) 295. *ORCHIDEAE*, Benth. & Hook. f. iii. 496.  
*abbreviata*, Benth. ex Hemsl. in Gard. Chron. (1881) II. 656.—Java.  
*brachyota*, Hemsl. l. c.—Java.  
*Cobbiana*, Hemsl. l. c.—Ins. Philipp.  
*commelynifolia*, Benth. in Journ. Linn. Soc. xviii. (1881) 295 = *Microstylis commelynifolia*.  
*cornuta*, Benth. ex Hemsl. in Gard. Chron. (1881) II. 656.—Java.  
*edentula*, Benth. ex Hemsl. l. c.—Java.  
*filiformis*, Benth. ex Hemsl. l. c.—Ins. Philipp.  
*glumacea*, Benth. ex Hemsl. l. c.—Ins. Philipp.  
*latifolia*, Hemsl. l. c.—Ins. Philipp.  
*longifolia*, Hemsl. l. c.—Hab. ?

**PLATYCLINIUM**, T. Moore, in Moore & Ayres, Gard. Mag. Bot. ii. (1850) 153 = **Begonia**, Linn.  
*cinnabarina*, T. Moore, l. c. = *B. cinnabarina*.

**PLATYCODON**, A. DC. Monog. Camp. 125 (1830). *CAMPANULACEAE*, Benth. & Hook. f. ii. 556.  
*autumnale*, Decne. in Rev. Hort. Sér. III. ii. (1848) 361 = *grandiflorum*.  
*chinense*, Lindl. & Paxt. Flow. Gard. ii. (1851–52) 121 = *grandiflorum*.  
*grandiflorum*, A. DC. Monog. Camp. 125.—As. bor.; China; Japon.  
*homallanthium*, A. DC. l. c. 126 = *Wahlenbergia homallanthina*.  
*sinensis*, Lem. Jard. Fl. sub t. 250 = *grandiflorum*.

**PLATYCODON**, Reichb. Nom. 236 (1841) = **Daucus**, Tourn. (Umbell.).

**PLATYCORYNE**, Reichb. f. in Bonplandia, iii. (1855) 212. *ORCHIDEAE*, Benth. & Hook. f. iii. 632.  
*Pervillei*, Reichb. f. l. c.—Madag.

**PLATYCRATER**, Sieb. & Zucc. Fl. Jap. 62. t. 27 (1835). *SAXIFRAGEAE*, Benth. & Hook. f. i. 642.  
*arguta*, Sieb. & Zucc. l. c. 64.—Japon.

**PLATYCYAMUS**, Benth. in Mart. Fl. Bras. xv. i. 323 (1862). *LEGUMINOSAE*, Benth. & Hook. f. i. 531.  
*Regnellii*, Benth. in Mart. Fl. Bras. xv. i. 323.—Bras.

**PLATYDAUCON**, Reichb. Nom. 205 (1841) = **Daucus**, Tourn. (Umbell.).

**PLATYDESMA**, H. Mann, in Proc. Bost. Soc. Nat. Hist. x. (1866) 317. *RUTACEAE*, Benth. & Hook. f. i. 991.  
*campanulata*, H. Mann, l. c.—Ins. Sandvic.

**PLATYESTES**, Salisb. Gen. Pl. Fragm. 21 (1866) = **Lachenalia**, Jacq. (Liliac.).  
*nervosa*, Salisb. l. c. = *L. nervosa*.  
*purpureo-coerulea*, Salisb. l. c. = *L. purpureo-coerulea*.  
*racemosa*, Salisb. l. c. = *L. racemosa*.

**PLATYGONIA**, Naud. in Ann. Sc. Nat. Sér. V. v. (1866) 33. t. 5 = **Trichosanthes**, Linn. (Cucurb.).  
*himalensis*, Naud. ex C. B. Clarke, in Hook. f. Fl. Brit. Ind. ii. 608 = *T. himalensis*.  
*Kaempferi*, Naud. in Ann. Sc. Nat. Sér. V. v. (1866) 33. t. 5 = *T. cucumeroides*.

**PLATYGYNA**, Mercier, in Ser. Bull. Bot. (1830) 168. *EUPHORBIACEAE*, Benth. & Hook. f. iii. 328.  
*ACANTHOCAULON*, Klotzsch, in Endl. Gen. Suppl. iv. III. 88 (1850).  
*hexandra*, Muell. Arg. in DC. Prod. xv. II. 914 = *urens*.  
*pruriens*, Baill. Hist. Pl. v. 215 = *urens*.  
*urens*, Mercier, in Ser. Bull. Bot. i. (1830) 168.—Cuba.

**PLATYHYMENIA**, Walp. Rep. i. 858 (1842), sphalm. = **Plathymenia**, Benth. (Legumin.).

**PLATYLEPIS**, Kunth, Enum. Pl. ii. 269 (1837) = **Ascolepis**, Nees (Cyperac.).  
*brasiliensis*, Kunth, l. c.—Bras. et Afr. trop.  
*capensis*, Kunth, l. c. = *A. capensis*.  
*dioica*, Steud. Syn. Pl. Cyp. 131.—Afr. austr.  
*guianensis*, Nees, in Mart. Fl. Bras. ii. i. 63.—Am. trop.  
*leucocephala*, Nees, l. c.—Bras.  
*xanthocephala*, Nees, l. c. 62.—Bras.

**PLATYLEPIS**, A. Rich. in Mém. Soc. Hist. Nat. Par. iv. (1828) 34; Orch. Iles Fr. et Bourb. 39. t. 6. *ORCHIDEAE*, Benth. & Hook. f. iii. 604.  
*DIPLOGASTRA*, Reichb. f. in Flora, lxviii. (1865) 183.  
*NOTIOPHRYS*, Lindl. in Journ. Linn. Soc. i. (1857) 189; vi. (1862) 188.  
*Commelynae*, Reichb. f. in Linnaea, xli. (1877) 63.—Ins. Tahiti.  
*glandulosa*, Reichb. f. l. c. 62.—Afr. austr.  
*goodyeroides*, A. Rich. in Mém. Soc. Hist. Nat. Par. iv. (1828) 34.—Ins. Mauriti.  
*heteromorpha*, Reichb. f. Otia Bot. Hamb. 52.—Ins. Samoa.  
*occulta*, Reichb. f. in Linnaea, xli. (1877) 62 = *goodyeroides*.  
*polyadenia*, Reichb. f. in Flora, lxviii. (1865) 537.—Ins. Comoro.  
*sechellarum*, S. Moore, in Baker, Fl. Mauriti. 340.—Ins. Seychelles.

**PLATYLOBIUM**, Sm. Spec. Bot. N. Holl. 17 (1793); et in Trans. Linn. Soc. ii. (1794) 350. *LEGUMINOSAE*, Benth. & Hook. f. i. 473.  
*CHEILOCOCCA*, Salisb. ex Sm. Spec. Bot. N. Holl. 17 (1793), cum cit. falsa.  
*alternifolium*, F. Muell. in Wing, South. Sc. Record, iii. (1883) 99.—Austral.  
*aphyllum*, Hook. ex Steud. Nom. ed. II. ii. 352. nomen.—Austral.  
*formosum*, Sm. Spec. Bot. N. Holl. 17. t. 6; et in Trans. Linn. Soc. ii. (1794) 350.—Austral.  
*gracile*, Hort. ex Steud. Nom. ed. II. ii. 352. nomen.—Austral.  
*lanceolatum*, Andr. Bot. Rep. t. 205 = *Bossiaea heterophylla*.  
*macrocalyx*, Meissn. in Lehm. Pl. Preiss. i. 80 = *obtusangulum*.  
*microphyllum*, Sims, Bot. Mag. t. 863 = *Bossiaea microphylla*.  
*Murrayanum*, Hook. l. c. t. 3259 = *triangulare*.  
*obcordatum*, DC. Prod. ii. 116 = seq. ?  
*obcordatum*, Vent. Jard. Malm. sub t. 31 = *Bossiaea microphylla*.  
*obtusangulum*, Hook. Bot. Mag. t. 3258.—Austral.



**PLATYLOBIUM**—

- ovatum*, Andr. Bot. Rep. t. 266 = *Bossiaea heterophylla*.  
*ovatum*, Sieber, ex DC. Prod. ii. 116 = *formosum*.  
*parviflorum*, Sm. Spec. Bot. N. Holl. 18 = *formosum*.  
*reticulatum*, Sieber, ex Benth. in Ann. Wien. Mus. ii. (1838) 84 = *Mirbelia grandiflora*.  
*scolopendrium*, Andr. Bot. Rep. t. 191; Vent. Jard. Malm. t. 55 = *Bossiaea scolopendria*.  
*spinosum*, Turcz. in Bull. Soc. Nat. Mosc. xxvi. (1853) 1. 284 = *Bossiaea calycina*.  
*triangulare*, R. Br. in Ait. Hort. Kew. ed. II. iv. 266. —Austral.  
*triangulare*, Sims, Bot. Mag. t. 1508 = *obtusangulum*.

- PLATYLOPHUS**, Cass. in Dict. Sc. Nat. xlv. 36 (1826) = **Centaurea**, Linn. (Compos.).  
*memoralis*, Fourr. in Ann. Soc. Linn. Lyon, N. S. xvii. (1869) 96 = *C. nigra*.  
*obscurus*, Fourr. l. c. = *C. nigra*.

- PLATYLOPHUS**, D. Don, in Edinb. N. Phil. Journ. (Apr.–June, 1830) 92. **SAXIFRAGEAE**, Benth. & Hook. f. i. 652.  
*TRIMERISMA*, Presl, Bot. Bemerck. 73 (1844).  
*trifolius*, D. Don, in Edinb. N. Phil. Journ. (Apr.–June, 1830) 92. —Afr. austr.

- PLATYMERIUM**, Bartl. ex DC. Prod. iv. 619 (1834). Gen. dub. **RUBIACEARUM**. —Cf. Benth. & Hook. f. Gen. ii. 29.  
*glomeratum*, Bartl. ex DC. l. c. —Ins. Philipp.

- PLATYMETRA**, Noronha, ex Salisb. Gen. Pl. Fragm. 9 (1866) = **Tupistra**, Ker-Gawl. (Liliac.).

- PLATYMISCIUM**, Vog. in Linnaea, xi. (1837) 198. **LEGUMINOSAE**, Benth. & Hook. f. i. 548.  
**HYMENOLOBIUM**, Benth. in Flora, xx. (1837) 11. Beibl. 122.  
*Blancheti*, Benth. in Journ. Linn. Soc. iv. Suppl. (1860) 83; et in Mart. Fl. Bras. xv. 1. 272. —Bras.  
*dichotomum*, Benth. in Ann. Wien. Mus. ii. (1838) 104 = *floribundum*.  
*filipes*, Benth. in Journ. Linn. Soc. iv. Suppl. (1860) 83. —Guian.  
*floribundum*, Vog. in Linnaea, xi. (1837) 199. —Bras.  
*gracile*, Benth. in Journ. Linn. Soc. iv. Suppl. (1860) 82. —Peruv.  
*hebestachyum*, Benth. l. c. 81. —N. Granat.  
*latifolium*, Benth. in Ann. Wien. Mus. ii. (1838) 104 = *floribundum*.  
*luteum*, Benth. l. c. = *nitens*.  
*nitens*, Vog. in Linnaea, xi. (1837) 417. —Bras.  
*parviflorum*, Benth. in Journ. Linn. Soc. iv. Suppl. (1860) 81. —Am. centr.  
*platystachyum*, Griseb. Fl. Brit. W. Ind. 200, sphalm. = seq.  
*polystachyum*, Benth. in Seem. Bot. Voy. Herald, 111. t. 21. —Am. trop.  
*praecox*, Mart. ex Benth. in Ann. Wien. Mus. ii. (1838) 104. —Bras.  
*pubescens*, Micheli, in Kjoeb. Vidensk. Meddel. (1875) 101. —Bras.  
*speciosum*, Vog. in Linnaea, xi. (1837) 200. —Bras.  
*stipulare*, Benth. in Journ. Linn. Soc. iv. Suppl. (1860) 82. —Peruv.  
*trifoliolatum*, Benth. l. c. —Mexic.  
*Trinitatis*, Benth. l. c. —Ins. Trinitat.

- PLATYNEMA**, Schrad. Ind. Sem. Hort. Gotting. (1835). —Cf. Linnaea, xi. (1837) Litt. 89 = **Mertensia**, Roth (Borag.).  
*paniculata*, Schrad. l. c. = *M. paniculata*.

- PLATYNEMA**, Wight & Arn. in Edinb. N. Phil. Journ. (July, 1833) 179 = **Tristellateia**, Thou. (Malpig.).  
*laurifolium*, Wight & Arn. l. c. = *T. australasica*.  
*parvifolium*, D. Dietr. Syn. Pl. ii. 1590 = *Hiptage parvifolia*.

- PLATYPETALUM**, R. Br. in Parry, 1st Voy. Suppl. 266 (1824) = **Braya**, Sternb. & Hoppe (Crucif.).  
*capitatum*, Turcz. ex Ledeb. Fl. Ross. i. 195 = *B. rosea*.  
*dubium*, R. Br. in Parry, 1st Voy. Suppl. 266 = *B. rosea*.

**PLATYPETALUM**—

- involutratum*, Bunge, Verz. Suppl. Fl. Alt. 77 = *Braya involucrata*.  
*nanum*, Turcz. ex Bunge, Ind. Sem. Hort. Dorpat. (1841) 8 = *B. nana*.  
*purpurascens*, R. Br. in Parry, 1st Voy. Suppl. 267 = *B. alpina*.

- PLATYPODIUM**, Vog. in Linnaea, xi. (1837) 420. **LEGUMINOSAE**, Benth. & Hook. f. i. 546.  
*CALLISEMAEA*, Benth. in Ann. Wien. Mus. ii. (1838) 105.  
*elegans*, Vog. in Linnaea, xi. (1837) 420. —Bras.  
*grandiflorum*, Benth. in Journ. Linn. Soc. iv. Suppl. (1860) 73. —Bras.  
*viride*, Vog. in Linnaea, xi. (1837) 422 = *elegans*.

- PLATYPTELEA**, J. Drumm. ex Harv. in Hook. Kew Journ. vii. (1855) 55 = **Aphanopetalum**, Endl. (Saxifrag.).  
*clematidea*, J. Drumm. ex Harv. l. c. = *A. occidentale*.

- PLATYPTERIS**, H. B. & K. Nov. Gen. et Sp. iv. (1820) 200 = **Verbesina**, Linn. (Compos.).  
*crocata*, H. B. & K. l. c. 201 = *V. crocata*.

- PLATYRAPHIUM**, Cass. in Dict. Sc. Nat. xxxv. 173 (1825) = **Cnicus**, Linn. (Compos.).  
*Billardieri*, Cass. l. c. xli. 307 = *C. Diacantha*.  
*Jacquinii*, Cass. l. c. 306 = *C. Diacantha*.

- PLATYRHAPHE**, Miq. Ann. Mus. Bot. Lugd. Bat. iii. 56 (1867) = **Pimpinella**, Riv. (Umbell.).  
*japonica*, Miq. l. c. = *Pimp. diversifolia*.

- PLATYRHIZA**, Rodrig. Orch. Nov. ii. 230 (1881). **ORCHIDEAE**.  
*quadricolor*, Rodrig. l. c. 231. —Bras.

- PLATYSACE**, Bunge, in Lehm. Pl. Preiss. i. 285 (1845). **UMBELLIFERAE** [Benth. & Hook. f. i. 874].  
*CATEPHA*, Lechen. ex Reichb. Handb. 221 (1837).  
*FISCHERA*, Spreng. Pl. Umb. Prod. 27 (1813).  
*PLATYCARPIDIUM*, F. Muell. in Hook. Kew Journ. ix. (1857) 309.  
*SIEBERA*, Reichb. Consp. 145 (1828).  
*TRACHYMENE*, DC. Prod. iv. 72 (1830).  
*cirrosa*, Bunge, in Lehm. Pl. Preiss. i. 285. —Austral.  
*flexuosa*, Turcz. in Bull. Soc. Nat. Mosc. xxii. (1849) 11. 29. —Austral.  
*trachymenoides*, F. Muell. Fragm. i. 232. —Austral.  
*valida*, F. Muell. l. c. —Austral.

- PLATYSEMA**, Benth. in Ann. Wien. Mus. ii. (1838) 122 = **Centrosema**, DC. (Legumin.).  
*triquetrum*, Benth. l. c. = *C. triquetrum* (in Addend.).

- PLATYSEPALUM**, Welw. ex Baker, in Oliver, Fl. Trop. Afr. ii. 131 (1871). **LEGUMINOSAE**.  
*violaceum*, Welw. ex Baker, l. c. —Afr. trop.

- PLATYSMA**, Blume, Bijdr. 295. t. 43 (1825) = **Podochilus**, Blume (Orchid.).  
*gracilis*, Blume, l. c. = *Pod. gracilis*.

- PLATYSPERMUM**, Hoffm. Gen. Umbell. 64 (1814) = **Daucus**, Tourn. (Umbell.).  
*alatum*, Schult. Syst. vi. 837 (Index) = *D. alatus*.  
*aureum*, Pomel, Nouv. Mat. Fl. Atl. 148 = *D. aureus*.  
*grandiflorum*, Pomel, l. c. = *D. grandiflorus*, Desf.  
*littorale*, Koch, in Nov. Act. Nat. Cur. xii. 1. (1824) 78 = *D. bessarabicus*.  
*muricatum*, Hoffm. Gen. Umbell. 64 = *D. muricatus*.  
*orientale*, Eichw. Pl. Casp. Cauc. 5 = *D. pulcherrimus*.  
*pubescens*, Pomel, Nouv. Mat. Fl. Atl. 148 = *D. littoralis*.  
*pulcherrimum*, Koch, in Nov. Act. Nat. Cur. xii. 1. (1824) 78 = *D. pulcherrimus*.

- PLATYSPERMUM**, Hook. Fl. Bor. Am. i. 68, t. 18 B (1829). **CRUCIFERAE**, Benth. & Hook. f. i. 72.  
*scapigerum*, Hook. l. c. —Am. bor.

- PLATYSTACHYS**, C. Koch, Ind. Sem. Hort. Berol. (1854) App. 11; Beer, Bromel. 80 (1857) = **Tillandsia**, Linn. (Bromel.).  
*anceps*, Beer, Bromel. 80 = *T. anceps*.  
*azurea*, Beer, l. c. 90 = *T. azurea*.  
*bulbosa*, Beer, l. c. 83 = *T. bulbosa*.  
*cinerascens*, Beer, l. c. 263 = *T. disticha*.  
*complanata*, E. Morr. in Belg. Hort. (1872) 300 = *T. complanata*.  
*cyanea*, C. Koch & Sello, Ind. Sem. Hort. Berol. (1854) App. 11 = *T. cyanea*.  
*digitata*, Beer, Bromel. 84 = *T. polystachya*.  
*disticha*, Beer, l. c. 264 = *T. heliconioides*.  
*Ehrenbergiana*, C. Koch, ex Hemsl. Biol. Centr. Am. Bot. iii. 320 = *T. Ehrenbergiana*.  
*Ehrenbergii*, Beer, Bromel. 264 = *T. Ehrenbergii*.  
*Ehrenbergii*, C. Koch, Ind. Sem. Hort. Berol. (1873) App. iv. 5 = *T. utriculata*.  
*erythraea*, Beer, Bromel. 83 = *T. bulbosa*.  
*filifolia*, Beer, l. c. 264 = *T. filifolia*.  
*floribunda*, Beer, l. c. = *T. floribunda*.  
*geniculata*, Wawra, in Oestr. Bot. Zeitschr. xii. (1862) 345. —Bras.  
*glaucophylla*, Beer, Bromel. 82 (= *Vriesia glaucophylla*). —N. Granat.  
*gracilis*, Beer, l. c. 254 = *Aechmea tillandsioides*.  
*havanensis*, Beer, l. c. 85 = *T. fasciculata*.  
*heptantha*, Beer, l. c. 80 = *T. heptantha*.  
*inanis*, Beer, l. c. 82 = *T. bulbosa*.  
*incarnata*, Beer, l. c. 264 = *T. incarnata*.  
*juncea*, Beer, l. c. 86 = *T. tenuifolia*.  
*Kunthiana*, Beer, l. c. 90 = *T. Kunthiana*.  
*latifolia*, C. Koch, Ind. Sem. Hort. Berol. (1873) App. iv. 5 = *T. latifolia*.  
*Moritziana*, Beer, Bromel. 265 = *T. Moritziana*.  
*parviflora*, Beer, l. c. 88 = *T. parviflora*.  
*patens*, C. Koch, Ind. Sem. Hort. Berol. (1873) App. iv. 5 = *T. flexuosa*.  
*Plumierii*, Beer, Bromel. 91 = *T. serrata*.  
*polystachia*, Beer, l. c. 87 = *T. polystachya*.  
*pruinosa*, Beer, l. c. 265 = *T. pruinosa*.  
*purpurea*, Beer, l. c. 89 = *T. purpurea*.  
*scoparia*, Beer, l. c. 265 = *T. straminea*.  
*setacea*, Beer, l. c. 80 = *T. compressa*.  
*tortilis*, Beer, l. c. 266 = *T. pruinosa*.  
*utriculata*, Beer, l. c. = *T. utriculata*.  
*violacea*, Beer, l. c. 264. —Mexic.  
*viridiflora*, Beer, l. c. 81. —Mexic.

- PLATYSTEMMA**, Wall. Pl. As. Rar. ii. 41. t. 151 (1831). **GESNERACEAE**, Benth. & Hook. f. ii. 1020.  
*majus*, Wall. l. c. 42 = *violoides*.  
*violoides*, Wall. l. c. 42. t. 151. —Reg. Himal.

- PLATYSTEMON**, Benth. in Trans. Hort. Soc. Ser. II. i. (1834) 405. **PAPAVERACEAE**, Benth. & Hook. f. i. 51.  
*BOOTHIA*, Dougl. ex Benth. in Trans. Hort. Soc. Ser. II. i. (1834) 405.  
*californicus*, Benth. l. c. —Am. bor. occ.  
*leiocarpus*, Fisch. & Mey. Ind. Sem. Hort. Petrop. ii. 47 = *californicus*.

- PLATYSTEPHIUM**, Gardn. in Hook. Lond. Journ. Bot. vii. (1848) 80 = **Egletes**, Cass. (Compos.).  
*graveolens*, Gardn. l. c. 81 = *E. viscosa*.

- PLATYSTIGMA**, Benth. in Trans. Hort. Soc. Ser. II. i. (1834) 406. **PAPAVERACEAE**, Benth. & Hook. f. i. 51.  
*MECONELLA*, Nutt. ex Torr. & Gray, Fl. N. Am. i. 64 (1838).  
*californicum*, Benth. & Hook. f. Gen. i. 51. —Am. bor. occ.  
*lineare*, Benth. in Trans. Hort. Soc. Ser. II. i. (1834) 407. —Am. bor. occ.  
*oreganum*, Benth. & Hook. f. ex S. Wats. Bibliog. Ind. N. Am. Bot. 43. —Am. bor. occ.

- PLATYSTIGMA**, R. Br. in Wall. Cat. n. 7523 (1832). **EUPHORBIACEAE** [Benth. & Hook. f. iii. 283].  
*myristiceum*, R. Br. l. c. —Ind. or.

- PLATYSTOMA**, Benth. & Hook. f. Gen. iii. 1172 (1876) sphalm. = **Platostoma**, Beauv. (Labiata.).



**PLATYSTYLIS**, Lindl. Gen. et Sp. Orch. 18 (1830) = **Liparis**, Rich. (Orchid.).  
*atropurpurea*, Lindl. l. c. = Java.  
*decurrens*, Lindl. l. c. = Java.

**PLATYSTYLIS**, Sweet, Brit. Flow. Gard. Ser. I. t. 239 (1828) = **Lathyrus**, Tourn. (Legumin.).  
*cyanea*, Sweet, l. c. = *L. cyaneus*.  
*sessilifolia*, Sweet, l. c. sub t. 239 = *L. sessilifolius*.  
*stipulacea*, G. Don, Gen. Syst. ii. 341 = *L. venosus*.

**PLATYTHECA**, Steetz, in Lehm. Pl. Preiss. i. 220 (1845). **TREMANDREAE**, Benth. & Hook. f. i. 134.  
*crassifolia*, Steetz, l. c. 222 = *galioides*.  
*Crucianella*, Steetz, l. c. 221 = *galioides*.  
*galioides*, Steetz, l. c. 220 = Austral.  
*verticillata*, Baill. Hist. Pl. v. 67 = *galioides*.

**PLATYZAMIA**, Zucc. in Abh. Akad. Muench. iv. (1845) 23. t. 4 = **Dioon**, Lindl. (Cycad.).  
*rigida*, Zucc. l. c. = *D. edule*.

**PLATZCHAETA**, Sch. Bip. in F. Schultz, Arch. Fl. 131 (1855) = **PLATYCHAETA**, Boiss. = **Pulicaria**, Gaertn. (Compos.).  
*uniflora*, Sch. Bip. l. c. = *Pul. glutinosa*.

**PLAZERIA**, Steud. Nom. ed. II. ii. 353 (1841) = seq.

**PLAZERIUM**, Willd. ex Kunth, Enum. Pl. i. 474 (1833) = **Saccharum**, Linn. (Gramin.).  
*rufum*, Willd. ex Kunth, l. c. = *S. cayennense*.

**PLAZIA**, Ruiz & Pav. Prod. 104 (1794). **COMPOSITAE**, Benth. & Hook. f. ii. 486.  
**AGLAODENDRON**, Remy, in Ann. Sc. Nat. Sér. III. xii. (1849) 175.  
*brasiliensis*, Spreng. Neue Entdeck. ii. 137 = *Stiftia chrysantha*.  
*cheiranthifolia*, Wedd. Chlor. And. i. 12. = Chili.  
*conferta*, Ruiz & Pav. Syst. Veg. 187. = Peruv.  
*daphnoides*, Wedd. Chlor. And. i. 13. t. 2. = Peruv.  
*parviflora*, Spreng. Syst. iv. Cur. Post. 301 = *Stiftia parviflora*.

**PLECOSPERMUM**, Tréc. in Ann. Sc. Nat. Sér. III. viii. (1847) 124. t. 4. **URTICACEAE**, Benth. & Hook. f. iii. 361.  
**CARDIOGYNE**, Bur. in DC. Prod. xvii. 232 (1873).  
*cuneifolium*, Thw. in Hook. Kew Journ. vi. (1854) 303 = *Cudrania javanensis*.  
*spinosa*, Tréc. in Ann. Sc. Nat. Sér. III. viii. (1847) 124. = Ind. or.

**PLECOSTIGMA**, Turcz. in Trautv. Pl. Imag. 8 t. 2 (1844) = **Gagea**, Salisb. (Liliac.).  
*pauciflorum*, Turcz. l. c. = *G. pauciflora*.

**PLECTANEIA**, Thou. Gen. Nov. Madag. 11 (1806). **APOCYNACEAE**, Benth. & Hook. f. ii. 708.  
*Thouarsii*, Roem. & Schult. Syst. iv. 420. = Madag.

**PLECTANTHERA**, Mart. Nov. Gen. et Sp. i. 39. t. 36 (1824) = **Luxemburgia**, A. St. Hil. (Ochnac.).  
*ciliata*, Mart. l. c. 40 = *L. polyandra*.  
*floribunda*, Mart. l. c. = *L. speciosa*.

**PLECTOCEPHALUS**, D. Don, in Sweet, Brit. Flow. Gard. Ser. II. t. 51 (1830) = **Centaurea**, Linn. (Compos.).  
*abyssinicus*, Boiss. Diagn. Ser. II. iii. 62 = *C. abyssinica*.  
*americanus*, D. Don, in Sweet, Brit. Flow. Gard. Ser. II. t. 51 = *C. americana*.  
*chilensis*, G. Don, ex Loud. Encyc. Pl. Suppl. ii. 1446 = *C. chilensis*.  
*cyanoides*, Boiss. Diagn. Ser. II. iii. 62 = *C. varians*.

**PLECTOCOMIA**, Mart. & Blume, in Schult. f. Syst. vii. ii. 1333 (1830). **PALMAE**, Benth. & Hook. f. iii. 934.  
*assamica*, Griff. in Calc. Journ. Nat. Hist. v. (1845) 97. = Assam.  
*elongata*, Mart. & Blume, in Schult. f. Syst. vii. 1333. = Java.  
*geminiflora*, H. Wendl. in Kerch. Palm. 254. = Malaya.

# PLECTOCOMIA:—

*himalayana*, Griff. in Calc. Journ. Nat. Hist. v. (1845) 100. = Reg. Himal.  
*Hystrix*, Linden, in Illustr. Hort. xxviii. (1881) 32. = Borneo.  
*ichthyospinus*, Hort. = Cf. Gard. Chron. v. (1876) 735. = Hab. ?  
*khasyana*, Griff. in Calc. Journ. Nat. Hist. v. (1845) 98. = Reg. Himal.  
*macrostachya*, Kurz, in Journ. As. Soc. Beng. xliii. (1874) ii. 207. = Burma.  
*montana*, Griff. ex T. Anders. in Journ. Linn. Soc. xi. (1871) 12 = *himalayana*.  
*Mulleri*, Blume, Rumphia, iii. 71. = Borneo.  
*rigida*, H. Wendl. in Bot. Zeit. xvii. (1859) 165 = Mulleri.  
*spectabilis*, Hort. ex H. Wendl. in Kerch. Palm. 254. nomen. = Hab. ?  
*sumatrana*, Miq. Fl. Ind. Bat. Suppl. 592 = *elongata* ?

**PLECTOGYNE**, Link, in Otto & Dietr. Allg. Gartenz. ii. (1834) 265 = **Aspidistra**, Ker-Gawl. (Liliac.).  
*variegata*, Link, l. c. = *A. elatior*.

**PLECTOMA**, Rafn. Fl. Tellur. iv. 110 (1836) = **Utricularia**, Linn. (Lentib.).  
*inflata*, Rafn. l. c. = *U. inflata*.  
*stellata*, Rafn. l. c. = *U. stellaris*.

**PLECTOPOMA**, Hanst. in Linnaea, xxvi. (1853) 201 = **Gloxinia**, L'Hérit. (Gesner.).  
*eucodonoides* ×, Van Houtte, Fl. des Serres, xviii. (1869-70). t. 1858.  
*fimbriatum*, Hanst. in Linnaea, xxvi. (1853) 201 = *G. glabrata*.  
*glabratum*, Hanst. l. c. xxxiv. (1865-66) 434 = *G. glabrata*.  
*gloxiniiflorum*, Hanst. l. c. xxvii. (1854) 714 = *G. glabrata*.  
*myristigma* ×, Van Houtte, in Fl. des Serres, xix. (1873) t. 1969-70.  
*naegelioides* ×, Van Houtte, l. c. xvii. (1867-68) 67.

**PLECTRANTHERA**, Benth. & Hook. f. Gen. i. 319 (1862), sphalm. = **PLECTANTHERA**, Mart. = **Luxemburgia**, A. St. Hil. (Ochnac.).

**PLECTRANTHUS**, L'Hérit. Stirp. Nov. 84, verso, t. 41, 42 (1785). **LABIATAE**, Benth. & Hook. f. ii. 1175.  
**GERMANEA**, Lam. Encyc. ii. 690 (1786).  
**ISODON**, Schrad. ex Benth. Lab. Gen. et Sp. 40 (1832).  
**RABDOSIA**, Hassk. in Flora, xxv. (1842) ii. Beibl. 25.

*amboinensis*, Spreng. Syst. ii. 690 = *Coleus aromaticus*.  
*amethystoides*, Benth. Lab. Gen. et Sp. 45. = China.  
*amoenus*, Wall. ex Hook. f. Fl. Brit. Ind. iv. 615 = *Orthosiphon rubicundus*.  
*aromaticus*, Roxb. Hort. Beng. 45; Fl. Ind. iii. 22 = *Coleus aromaticus*.  
*asper*, Spreng. Syst. ii. 690 = *Coleus barbatus*.  
*australis*, R. Br. Prod. 506 = *parviflorus*.  
*barbatus*, Andr. Bot. Rep. t. 594 = *Coleus barbatus*.  
*Barrelieri*, Spreng. Syst. ii. 691 = *Ocimum Basilicum*.  
*Benthamianus*, Miq. Fl. Ind. Bat. ii. 946. = Java.  
*bicolor*, Blume, Bijdr. 837 = *Coleus bicolor*.  
*Buckia*, Buch. Ham. ex D. Don, Prod. Fl. Nep. 117 = *ternifolius*.  
*Buergeri*, Miq. Ann. Mus. Bot. Lugd. Bat. ii. 101 = *glaucocalyx*.  
*bullatus*, Benth. in DC. Prod. xii. 56 = *nilgherriensis*.  
*calycinus*, Benth. in E. Mey. Comm. Pl. Afr. Austr. 230. = Afr. austr.  
*canescens*, Benth. Lab. Gen. et Sp. 33. = Madag.  
*caninus*, Roth. Nov. Pl. Sp. 279 = *Coleus spicatus*.  
*capillipes*, Benth. in DC. Prod. xii. 57. = Zeylan.  
*carnosus*, Sm. in Rees, Cycl. xxvii. n. 7 = *Anisochilus carnosus*.  
*ciliatus*, E. Mey. Comm. Pl. Afr. Austr. 227. = Afr. austr.  
*Coetsa*, Benth. in DC. Prod. xii. 58, partim = *glaucocalyx*.  
*Coetsa*, Buch.-Ham. ex D. Don, Prod. Fl. Nep. 117. = Reg. Himal.; Burma.  
*Coetsa*, Thw. Enum. Pl. Zeyl. 237 = *menthoides*.  
*coleoides*, Benth. in DC. Prod. xii. 64. = Ind. or.

# PLECTRANTHUS:—

*coloratus*, D. Don, Prod. Fl. Nep. 116 = *Geniosporum strobiliferum*.  
*coloratus*, E. Mey. Comm. Pl. Afr. Austr. 238. = Afr. austr.  
*comosus*, Sims, Bot. Mag. t. 2318 = *Coleus barbatus*.  
*Concan*, err. typ. in Hook. f. Fl. Brit. Ind. v. 768 = *Stocksii*.  
*concolor*, Benth. in DC. Prod. xii. 75, in syn. = *Coleus macrophyllus*.  
*congestus*, R. Br. Prod. 506. = Austral.  
*cordifolius*, D. Don, Prod. Fl. Nep. 116 = *incanus*.  
*crassifolius*, Hort. ex Benth. Lab. Gen. et Sp. 51, 60 = *Coleus aromaticus*, *Anisochilus carnosus*.  
*crassifolius*, Vahl, Symb. Bot. i. 44 = *Coleus spicatus* ?  
*crenulatus*, Hook. f. Fl. Brit. Ind. iv. 623. = Burma.  
*cylindraceus*, Hochst. ex Benth. in DC. Prod. xii. 60. = Abyss.  
*cymosus*, Baker, in Journ. Linn. Soc. xxi. (1885) 434. = Madag.  
*decumbens*, Hook. f. l. c. vii. (1864) 210. = Afr. trop.  
*defoliatus*, Hochst. ex Benth. in DC. Prod. xii. 60. = Abyss.  
*divaricatus*, Weinm. in Syll. Ratisb. i. (1824) 68 = *incanus*.  
*dubius*, Spreng. Syst. ii. 691 = *Anisochilus carnosus*.  
*dubius*, Vahl, ex Benth. Lab. Gen. et Sp. 711. = Japon.  
*Eckloni*, Benth. in DC. Prod. xii. 64. = Afr. austr.  
*excisus*, Maxim. Prim. Fl. Amur. 213. = Manchur.  
*foetidus*, Benth. Lab. Gen. et Sp. 35. = Austral.  
*Forsklaei*, Vahl, Symb. Bot. i. 44 = *madagascariensis*.  
*Forsklaei*, Willd. Sp. Pl. iii. 169 = *Coleus barbatus*.  
*Forsteri*, Benth. Lab. Gen. et Sp. 38. = Ins. N. Hebrid.  
*fruticosus*, L'Hérit. Stirp. Nov. 85. t. 41. = Afr. austr.  
*fruticosus*, Wight, ex Hook. f. Fl. Brit. Ind. iv. 623. = Ind. or.  
*furcatus*, Hort. ex Steud. Nom. ed. II. ii. 353 = *Craniotome versicolor*.  
*galeatus*, Vahl, Symb. Bot. i. 43 = *Coleus galeatus*.  
*Gardneri*, Thw. Enum. Pl. Zeyl. 237 = *subincisus*.  
*Gerardianus*, Benth. in Wall. Pl. As. Rar. ii. 17. = Reg. Himal.  
*glandulosus*, Hook. f. in Journ. Linn. Soc. vi. (1862) 17. = Afr. trop.  
*glaucocalyx*, Maxim. Prim. Fl. Amur. 212. = Amur.  
*graciliflorus*, Benth. in DC. Prod. xii. 56 = *Gerardianus*.  
*graveolens*, R. Br. Prod. 506 = *parviflorus*.  
*Griffithii*, Hook. f. Fl. Brit. Ind. iv. 623. = Reg. Himal.  
*Helferi*, Hook. f. l. c. = Burma.  
*hexaphyllus*, Baker, in Journ. Linn. Soc. xx. (1883) 231. = Madag.  
*hians*, Benth. in DC. Prod. xii. 57 = *nigrescens*.  
*hirtus*, Benth. Lab. Gen. et Sp. 38. = Afr. austr.  
*hispidus*, Benth. in Wall. Pl. As. Rar. ii. 17. = Reg. Himal.  
*Hookeri*, C. B. Clarke, ex Hook. f. Fl. Brit. Ind. iv. 620 = *P. Coetsa*.  
*incanus*, Link, Enum. Hort. Berol. ii. 120. = Ind. or.  
*inconspicuus*, Miq. Ann. Mus. Bot. Lugd. Bat. ii. 101 = *inflexus*.  
*indicus*, Spreng. Syst. ii. 691 = *Ocimum adscendens*.  
*inflexus*, Vahl, ex Benth. Lab. Gen. et Sp. 711. = Japon.  
*ingratus*, Benth. in DC. Prod. xii. 74, in syn. = *Coleus atropurpureus*.  
*ingratus*, Blume, Bijdr. 836 = *Coleus ingratus*.  
*insignis*, Hook. f. in Journ. Linn. Soc. vii. (1864) 210. = Afr. trop.  
*intermedius*, Benth. in DC. Prod. xii. 56. = Zeylan.  
*intermedius*, Zoll. & Mor. Syst. Vert. Zoll. 55. = Java.  
*javanicus*, Benth. Lab. Gen. et Sp. 45. = Java.  
*laciniatus*, Blume, Bijdr. 838 = *Coleus laciniatus*.  
*lanceolatus*, Boj. ex Benth. Lab. Gen. et Sp. 40. = Madag.  
*lavanduloides*, Baker, in Journ. Linn. Soc. xx. (1883) 230. = Madag.  
*laxiflorus*, Benth. in E. Mey. Comm. Pl. Afr. Austr. 228. = Afr. austr.  
*Leschenaultii*, Benth. Lab. Gen. et Sp. 34. = Java.  
*longicornis*, F. Muell. Fragm. v. 51. = Austral.  
*longiflorus*, Benth. Lab. Gen. et Sp. 33. = Madag.  
*longitubus*, Miq. Ann. Mus. Bot. Lugd. Bat. ii. 102. = Japon.  
*lucidus*, Burch. ex Benth. in DC. Prod. xii. 65 = *strigosus*.



**PLECTRANTHUS:**—

- lycopifolius, *A. Rich. Tent. Fl. Abyss.* ii. 181.—Abyss.
- Macraei, Benth. Lab. Gen. et Sp. 42 = menthoides.
- macranthus, Hook. f. *Fl. Brit. Ind.* iv. 616.—Reg. Himal.; Burma.
- macrophyllus, Blume, *Bijdr.* 835 = Coleus macrophyllus.
- maculatus, Boj. ex Benth. Lab. Gen. et Sp. 52 = Coleus Bojeri.
- maculosus, Salisb. *Prod.* 88 = punctatus.
- madagascariensis, Benth. Lab. Gen. et Sp. 37.—Madag.; Afr. austr.
- Maddeni, Benth. ex Hook. f. *Fl. Brit. Ind.* iv. 620.—Reg. Himal.
- malabaricus, Herb. Madr. ex Wall. Cat. n. 2735 = Coleus malabaricus.
- marmoritis, Hance, in *Journ. Bot.* xii. (1874) 53.—China.
- marrubioides, Hochst. ex Benth. in *DC. Prod.* xii. 60.—Abyss.
- mauritanus, Boj. Hort. Maurit. 254 = madagascariensis.
- Maximowiczii, Miq. Ann. Mus. Bot. Lugd. Bat. ii. 101 = glaucocalyx.
- maypurensis, Spreng. Syst. ii. 691 = incanus.
- melissoides, Benth. Lab. Gen. et Sp. 39.—Reg. Himal.
- Melleri, Baker, in *Journ. Bot.* xx. (1882) 243.—Madag.
- menthoides, Benth. in Wall. Pl. As. Rar. ii. 17.—Ind. or.
- menthoides, Mor. Syst. Verz. Zoll. 55 = rufescens.
- menthoides, Willd. in Ges. Naturf. Fr. Neue Schr. iv. (1803) 181 = Ocimum adscendens, Orthosiphon tomentosus.
- micranthus, Spreng. Syst. ii. 691 = Moschosma polystachyum.
- mollis, Spreng. l. c. 690 = incanus.
- mollissimus, Wall. ex Benth. Lab. Gen. et Sp. 26 = Orthosiphon rubicundus.
- monachorum, Spreng. Syst. ii. 690 = Ocimum sanctum.
- monadelphus, Buch.-Ham. ex Wall. Cat. n. 2729 = Coleus spicatus.
- monadelphus, Roxb. Hort. Beng. 45; Fl. Ind. iii. 22 = Coleus barbatus.
- montanus, Benth. in Wall. Pl. As. Rar. ii. 17.—Ind. or.
- montanus, Wight, ex Hook. f. *Fl. Brit. Ind.* iv. 617 = nigrescens.
- moschatus, R. Br. Prod. 506 = Moschosma australe.
- multiflorus, Hochst. ex Benth. in *DC. Prod.* xii. 49 = Moschosma multiflora.
- mysurensis, Heyne, ex Wall. Cat. n. 2728 = Coleus barbatus.
- nankinensis, Spreng. Syst. ii. 691.—China.
- nepetaefolius, Benth. in *DC. Prod.* xii. 57.—Ind. or.
- nigrescens, Benth. Lab. Gen. et Sp. 710.—Zeylan.
- nilgherrius, Benth. in *DC. Prod.* xii. 57.—Ind. or.
- nudiflorus, Willd. Sp. Pl. iii. 168 = Coleus scutellarioides.
- oblongifolius, Wall. Pl. As. Rar. ii. 16 = Gerardianus.
- ocymoides, Herb. Madr. ex Wall. Cat. n. 2732 = Coleus scutellarioides.
- ovatifolius, Oliver, in *Trans. Linn. Soc.* xxix. (1875) 136.—Afr. trop.
- ovatus, Benth. Lab. Gen. et Sp. 709.—Arab.
- Palisoti, Benth. l. c. 39 = Solenostemon ocymoides.
- paniculatus, Jacq. *Fragm.* 62 = parviflorus.
- Parishii, Hook. f. *Fl. Brit. Ind.* iv. 622.—Burma.
- parviflorus, R. Br. Prod. 506 = Moschosma polystachyum.
- parviflorus, Willd. Hort. Berol. t. 65.—Austral.; Ins. Pacif.
- Patchouli, C. B. Clarke, ex Hook. f. *Fl. Brit. Ind.* iv. 624.—Reg. Himal.
- paucicrenatus, Franch. in *Révoil, Comali*, 56.—Afr. trop.
- pekinensis, Maxim. Prim. Fl. Amur. 213, in nota = amethystoides.
- petiolaris, E. Mey. Comm. Pl. Afr. Austr. 228.—Afr. austr.
- pubescens, Willd. ex Benth. in *Linnaea*, xi. (1837) 344 = madagascariensis.
- pulneyensis, Hook. f. *Fl. Brit. Ind.* iv. 617.—Ind. or.
- punctatus, L'Hérit. *Stirp. Nov.* 87 t. 42.—Abyss.
- purpuratus, Harv. *Thes. Cap.* i. 53. t. 83.—Afr. austr.
- ramosissimus, Hook. f. in *Journ. Linn. Soc.* vi. (1862) 17.—Afr. trop.

**PLECTRANTHUS:**—

- raviflorus, Hochst. in *Flora*, xxviii. (1845) 67 = Ocimum obtusifolium.
- repens, Wall. Pl. As. Rar. ii. 17.—Reg. Himal.
- riparius, Hochst. in *Flora*, xxviii. (1845) 67 = Moschosma riparium.
- rivularis, Wight, ex Hook. f. *Fl. Brit. Ind.* iv. 617.—Ind. or.
- rotundifolius, Spreng. Syst. ii. 690.—Ins. Mascar.
- rubicundus, D. Don, *Prod. Fl. Nep.* 116 = Orthosiphon rubicundus.
- rufescens, Benth. in *DC. Prod.* xii. 59.—Java.
- rugosus, Wall. Pl. As. Rar. ii. 17.—Reg. Himal.
- Rutenbergianus, Vatke, in *Bremen, Abh.* ix. (1885) 135.—Madag.
- saccatus, Benth. in E. Mey. Comm. Pl. Afr. Austr. 227.—Afr. austr.
- salvioides, Benth. Lab. Gen. et Sp. 45.—Ind. or.
- scabrellus, Benth. in *DC. Prod.* xii. 58 = nigrescens.
- Schimper, Vatke, in *Linnaea*, xxxvii. (1871-73) 317.—Abyss.
- scrophularioides, Wall. Pl. As. Rar. ii. 16.—Reg. Himal.
- scutellarioides, Blume, *Bijdr.* 837 = Coleus Blumei.
- scutellarioides, R. Br. Prod. 506 = Coleus scutellarioides.
- secundus, Roxb. Hort. Beng. 45; Fl. Ind. iii. 20 = incanus.
- Serra, Maxim. in *Bull. Acad. Pétersb.* xx. (1875) 454.—Manchuria.
- Sieberi, Benth. Lab. Gen. et Sp. 710 = parviflorus.
- sinensis, Miq. in *Journ. Bot. Néerl.* i. (1861) 115.—China.
- spicatus, E. Mey. Comm. Pl. Afr. Austr. 230.—Afr. austr.
- spicatus, Wight, ex Wall. Cat. n. 2729 = Coleus scutellarioides.
- stachyoides, Oliver, in *Trans. Linn. Soc.* xxix. (1875) 136.—Afr. trop.
- Stocksii, Hook. f. *Fl. Brit. Ind.* iv. 618.—Ind. or.
- Stracheyi, Benth. ex Hook. l. c.—Reg. Himal.
- striatus, Benth. in Wall. Pl. As. Rar. ii. 17.—Reg. Himal.
- striatus, Hook. f. & Thoms. ex Hook. f. *Fl. Brit. Ind.* iv. 618 = Stocksii.
- striatus, Wight, ex Hook. f. l. c. 617 = pulneyensis.
- strigosus, Benth. ex E. Mey. Comm. Pl. Afr. Austr. 229.—Afr. austr.
- strobiliferus, Roxb. Hort. Beng. 45; Fl. Ind. iii. 23 = Anisochilus carnosus.
- subincisus, Benth. in Wall. Pl. As. Rar. ii. 16.—Ind. or.
- subspicatus, Hochst. in *Flora*, xxviii. (1845) 67 = spicatus.
- ternatus, Sims, Bot. Mag. t. 2460.—Madag.
- ternifolius, D. Don, *Prod. Fl. Nep.* 117.—Reg. Himal.; China.
- Teysmanni, Miq. Fl. Ind. Bat. ii. 944.—Java.
- Thunbergii, Benth. Lab. Gen. et Sp. 37.—Afr. austr.
- thymiflorus, Spreng. Syst. ii. 690 = Orthosiphon tomentosus.
- tomentosus, Benth. ex E. Mey. Comm. Pl. Afr. Austr. 229.—Afr. austr.
- tristis, Spreng. Syst. ii. 690 = Orthosiphon tomentosus.
- tuberosus, Blume, *Bijdr.* 838 = Coleus parviflorus.
- tuberosus, Roxb. ex Benth. Lab. Gen. et Sp. 26 = Orthosiphon rubicundus.
- urticaefolius, Salisb. *Prod.* 88 = fruticosus, L'Hérit.
- urticifolius, Hook. f. *Fl. Brit. Ind.* iv. 622.—Ind. or.
- veronicifolius, Hance, in *Journ. Bot.* xxiii. (1885) 327.—China.
- vestitus, Benth. Lab. Gen. et Sp. 32.—Madag.
- villosus, Sieber, ex Benth. Lab. Gen. et Sp. 38 = madagascariensis.
- virgatus, D. Don, *Prod. Fl. Nep.* 116 = Orthosiphon rubicundus.
- viscosus, Spreng. Syst. ii. 691 = Ocimum viscosum.
- Walker, Arn. in *Nov. Act. Nat. Cur.* xviii. (1836) 354.—Ind. or.
- Wightii, Benth. Lab. Gen. et Sp. 41.—Ind. or.
- Wightii, J. Grah. Cat. Pl. Bomb. 148 = Stocksii.
- zeylanicus, Benth. Lab. Gen. et Sp. 36.—Zeylan.

PLECTRECA, Rafin. Fl. Tellur. iv. 119 (1836) = **Vernonia**, Schreb. (Compos.).

corymbosa, Rafin. l. c. 120 = V. corymbosa.

PLECTRELMINTHUS, Rafin. Fl. Tellur. iv. 42 (1836) = **Angraecum**, Bory (Orchid.).

bicolor, Rafin. l. c. = A. caudatum.

- PLECTRITES, DC. Mém. Valér. 13; Prod. iv. 651 (1830) = **Valerianella**, Tourn.
- brachystemon, Fisch. & Mey. Ind. Sem. Hort. Petrop. ii. 47 = V. congesta.
- capitata, Nutt. ex Torr. & Gray, Fl. N. Am. ii. 50 = V. aphanoptera.
- congesta, DC. Prod. iv. 631 = V. congesta.
- longiflora, Nutt. ex Torr. & Gray, Fl. N. Am. ii. 51 = V. longiflora, Walp.
- macrocera, Torr. & Gray, Fl. N. Am. ii. 50 = V. macrocera.
- major, Hoeck, in Engl. Bot. Jahrb. iii. (1882) 37 = V. samolifolia.
- samolifolia, Hoeck, l. c. = V. samolifolia.
- spathulata, Nutt. ex Torr. & Gray, Fl. N. Am. ii. 51 = V. Nuttallii.

PLECTROCARPA, Gill. in Hook. Bot. Misc. iii. (1833) 166. **ZYGOPHYLLEAE**, Benth. & Hook. f. i. 268.

tetracantha, Gill. l. c.—Chili.

PLECTRONEMA, Rafin. Fl. Tellur. iv. 10 (1836) = **Zephyranthes**, Herb. (Amaryll.).

candida, Rafin. l. c. = Z. candida.

PLECTRONIA, Buching. ex Krauss, in *Flora*, xxvii. (1844) 348 = **Olinia**, Thunb. (Lythrar.).

floribunda, Buching. l. c. = O. cymosa.

- PLECTRONIA, Linn. Mant. i. 16 (1767). **RUBIA-CEAE**, Benth. & Hook. f. ii. 110.
- CANTHIUM, Lam. Encyc. i. 602 (1783).
- CLUSIOPHYLLEA, Baill. Adansonia, xii. (1878) 197.
- DONDISIA, DC. Prod. iv. 469 (1830).
- LYCIOSEKISSA, Roem. & Schult. Syst. iv. p. xxiv. 353 (1819).
- MITRISTIGMA, Harv. in Hook. Lond. Journ. i. (1842) 20.
- PHALLARIA, Schum. & Thonn. Beskr. Guin. Pl. 112 (1827).
- PSILOSTOMA, Klotzsch, in Eckl. & Zeyh. Enum. 361 (1837).
- PSYDRAX, Gaertn. Fruct. i. 125. t. 26 (1788).
- WEBERA, Cramer, Disp. Syst. 38 (1803).
- acuminata, Baker, Fl. Maurit. 147.—Ins. Seychell.
- angustifolia, Benth. & Hook. f. ex Kurz, in *Journ. As. Soc. Beng.* xlvii. (1877) ii. 154.—Ind. or.
- bibracteata, Baker, Fl. Maurit. 146.—Ins. Mascar.
- Boiviniana, Baker, in *Journ. Linn. Soc.* xxi. (1885) 411.—Madag.
- buxifolia, Baker, l. c.—Madag.
- campanulata, Bedd. Forest Man. Bot. 134/6.—Zeylan.
- carinata, Baker, Fl. Maurit. 147.—Ins. Seychell.
- celastroides, Baker, l. c. 146.—Ins. Seychell.
- ciliata, D. Dietr. Syn. Pl. i. 856.—Afr. austr.
- citrifolia, Eckl. & Zeyh. Enum. 363.—Afr. austr.
- corymbosa, Burm. f. Fl. Cap. Prod. 6 = ventosa, Celastrus acuminatus.
- densiflora, Baker, in *Journ. Linn. Soc.* xx. (1883) 167.—Madag.
- didyma, Bedd. Forest Man. Bot. 134/5.—Ind. or.
- didyma, Brand. For. Fl. 276 = umbellata.
- didyma, Kurz, For. Fl. Brit. Burma, ii. 35 = parvifolia, Benth. & Hook. f.
- glabra, Benth. & Hook. f. ex Kurz, in *Journ. As. Soc. Beng.* xlvii. (1877) ii. 153.—Burma.
- gracilipes, Kurz, For. Fl. Brit. Burma, ii. 36.—Ins. Andaman.
- hirsuta, DC. Prod. iv. 476.—Afr. trop.
- horrida, Benth. & Hook. f. ex Kurz, in *Journ. As. Soc. Beng.* xlvii. (1877) ii. 153.—Burma; Malaya.
- Leschenaultii, Bedd. Forest. Man. Bot. 134/6 = angustifolia?
- Macconneli, Horne, ex Baker, in *Journ. Linn. Soc.* xx. (1883) 363 = Pisonia grandis.
- Macgregori, Horne, l. c.—Ins. Fiji.
- macrocarpa, Bedd. Forest. Man. Bot. 134/6.—Ind. or.
- madagascariensis, A. Rich. in Mém. Soc. Hist. Nat. Par. v. (1834) 189.—Madag.
- monstrosa, A. Rich. l. c.—Ins. Philipp.
- Mundtiana, Sond. in Harv. & Sond. Fl. Cap. iii. 17 = seq.
- Mundtii, Poepp. Sylva Cap. ed. I. 19.—Afr. austr.
- neilgherrensis, Bedd. Forest. Man. Bot. 134/6.—Ind. or.



**PLECTRONIA** :—

parviflora, *Bedd. Forest. Man. Bot.* 134/5.—Ind. or. parviflora, Harv. & Sond. Fl. Cap. iii. 17 = pauciflora. parvifolia, *Benth. & Hook. f. ex Kurz, in Journ. As. Soc. Beng.* xlvii. (1877) II. 153.—Burma; Malaya. pauciflora, *Klotzsch, ex Eckl. & Zeyh. Enum.* 363.—Afr. austr.  
Rheedi, *Bedd. Forest. Man. Bot.* 134/5.—Ind. or. Schimper, *Hochst. ex Hiern, in Oliver, Fl. Trop. Afr.* iii. 136.—Abyss.  
*Schimperia*, *Vatke, in Linnaea*, xl. (1876) 195 = praec.  
spinosa, *Klotzsch, ex Eckl. & Zeyh. Enum.* 362.—Afr. austr.  
travancorica, *Bedd. Ic. Pl. Ind. Or.* i. 58.—Ind. or. trilocularis, *Baker, Fl. Maurit.* 147.—Ins. Rodriguez. umbellata, *Baker, in Journ. Linn. Soc.* xx. (1883) 168.—Madag.  
umbellata, *Benth. & Hook. f. Gen.* ii. 115.—Ins. Philipp.  
venosa, *Oliver, in Trans. Linn. Soc.* xxix. (1873) 85.—Afr. trop.  
ventosa, *Linn. Mant.* i. 52.—Afr. austr.  
viburnoides, *Baker, Fl. Maurit.* 146.—Ins. Maurit. zanzibarica, *Vatke, in Oestr. Bot. Zeitschr.* xxv. (1875) 231.—Afr. trop.

**PLECTRONIA**, *Lour. Fl. Cochinch.* 162 (1790) = *Acanthopanax*, *Decne. & Planch. (Araliac.)*. chinensis, *Lour. l. c.* = *A. aculeatum*.

**PLECTROPHORA**, *H. C. Focke, in Tijdschr. Nat. Wetensch. i.* (1848) 212 = *Comparettia*, *Poepp. & Endl. (Orchid.)*. iridifolia, *H. C. Focke, l. c.*—Guian.

**PLECTROTROPIS**, *Schum. & Thonn. Beskr. Guin. Pl.* 338 (1827) = *Vigna*, *Savi (Legumin.)*. angustifolia, *Schum. & Thonn. l. c.* = *V. capensis*. hirsuta, *Schum. & Thonn. l. c.* 339 = *V. capensis*. striata, *Steud. Nom. ed. II. ii.* 354 = *V. capensis*.

**PLECTRURUS**, *Rafin. Neogenyt.* 4 (1825) = *Tipularia*, *Nutt. (Orchid.)*. discolor, *Rafin. l. c.* = *T. discolor*.

**PLEEA**, *Michx. Fl. Bor. Am. i.* 247. t. 25 (1803). *LILIACEAE*, *Benth. & Hook. f. iii.* 829. Sieber, *Reichb. ex Benth. Fl. Austral. vii.* 30 = *Anguillaria dioica*. tenuifolia, *Michx. Fl. Bor. Am. i.* 248.—Am. bor.

**PLEGERINA**, *Arruda, ex Koster, Trav. Bras.* 499 (1816). *INC. SED.*  
PLERAGINA, *Steud. Nom. ed. I.* 632 (1821). odorata, *Arruda, l. c.* 499, 500.—Bras.  
rufa, *Arruda, l. c.* 499.—Bras.  
umbrosissima, *Arruda, l. c.* 499, 500.—Bras.

**PLEGORHIZA**, *Molina, Sagg. Chile, ed. I.* 164, 351 (1782) = *Statice*, *Linn. (Plumbag.)*. adstringens, *Willd. Sp. Pl. ii.* 487 = *S. chilensis*. Guaicuru, *Molina, Sagg. Chile, ed. I.* 164, 351 = *S. chilensis*. Quicura, *Steud. Nom. ed. II. ii.* 354 = praec.

**PLEGORRHIZA**, *Spreng. Anleit. ii. II.* 884 (1817) = praec.

**PLEIARINA**, *Rafin. Alsog. Am.* 15 (1838) = *Salix*, *Tourn.*  
*Humboldtiana*, *Rafin. l. c.* = *S. Humboldtiana*.

**PLEIENTA**, *Rafin. Fl. Tellur. iii.* 30 (1836) = *Sabbatia*, *Adans. (Gentian.)*. capitata, *Rafin. l. c.* = *Erythraea Centaurium?* dodecandra, *Rafin. l. c.* = *S. chloroides*. fasciculata, *Rafin. l. c.*—Hab.?  
flexuosa, *Rafin. l. c.*—Hab.?  
leucantha, *Rafin. l. c.*; et *New Fl. Am. iv.* 92 = *S. chloroides*.  
quinquenervia, *Rafin. New Fl. Am. iv.* 91.—Am. bor. rigida, *Rafin. Fl. Tellur. iii.* 30.—Hab.?

**PLEIMERIS**, *Rafin. Sylva Tellur.* 21 (1838) = *Thunbergia*, *Retz. (Acanth.)*. capensis, *Rafin. l. c.* = *T. capensis*.

VOL. II.

**PLEIOCARPA**, *Benth. in Benth. & Hook. f. Gen. ii.* 699 (1876). *APOCYNACEAE*, *Benth. & Hook. f. l. c.*  
mutica, *Benth. in Hook. Ic. Pl. t.* 1181.—Afr. trop. rostrata, *Benth. l. c. t.* 1182.—Afr. trop.

**PLEIOCHITON**, *Naud. ex A. Gray, Bot. U. St. Expl. Exped. i.* 583. t. 73 (1854). *MELASTOMACEAE*, *Benth. & Hook. f. i.* 764.  
crassifolium, *Naud. ex A. Gray, l. c.* 583. t. 73.—Am. austr.  
ebracteatum, *Triana, in Trans. Linn. Soc.* xxviii. (1871) 96.—Bras.

**PLEIOCOCCA**, *F. Muell. Fragm. ix.* 117 (1875). *RUTACEAE*.  
Wilcoxiana, *F. Muell. l. c.*—Austral.

**PLEIOGYNE**, *C. Koch, in Bot. Zeit. i.* (1843) 40 = *Cotula*, *Tourn. (Compos.)*.  
anthemoides, *C. Koch. l. c.* = *C. anthemoides*. australis, *C. Koch. l. c.* = *C. australis*.  
cardiospermum, *Edgew. in Trans. Linn. Soc.* xx. (1846) 71 = *C. anthemoides*.  
microcephala, *C. Koch, in Bot. Zeit. i.* (1843) 40 = *C. microcephala*.  
multifida, *Sond. in Linnaea*, xxv. (1852) 484 = *C. reptans*.  
nudicaulis, *C. Koch, in Bot. Zeit. i.* (1843) 40 = *C. nudicaulis*.  
reptans, *C. Koch. l. c.* = *C. reptans*.  
villosa, *C. Koch. l. c.* = *C. villosa*.

**PLEIOGYNIUM**, *Engl. in DC. Monog. Phan. iv.* 255 (1883). *ANACARDIACEAE*.  
Solandri, *Engl. l. c.*—Austral.

**PLEIOMERIS**, *A. DC. in Ann. Sc. Nat. Sér. II.* xvi. (1841) 87 = *Myrsine*, *Linn.*  
canariensis, *A. DC. l. c.* 88 = *M. canariensis*.

**PLEIONE**, *D. Don, Prod. Fl. Nep. 36* (1825) = *Coelogyne*, *Lindl. (Orchid.)*.  
diphylla, *Lindl. & Paxt. Flow. Gard. ii.* (1851–52) 66 = *C. maculata?*  
humilis, *D. Don, Prod. Fl. Nep. 37* = *C. humilis*.  
Lagenaria, *Lindl. & Paxt. Flow. Gard. ii.* (1851–52) 5 = *C. Lagenaria*.  
maculata, *Lindl. & Paxt. l. c.* = *C. maculata*.  
praecox, *D. Don, Prod. Fl. Nep. 37* = *C. praecox*.  
Wallichiana, *Lindl. & Paxt. Flow. Gard. ii.* (1851–52) 66 = *C. praecox*.

**PLEIOSMILAX**, *Seem. Journ. Bot. vi.* (1868) 193. t. 81 = *Smilax*, *Linn. (Liliac.)*.  
Mensiesii, *Seem. l. c.* 194. t. 81 = *S. melastomifolia*.  
sandwicensis, *Seem. l. c.* 193 = *S. sandwicensis*.  
vitiensis, *Seem. l. c.* = *S. vitiensis*.

**PLEIOSPORA**, *Harv. Thes. Cap. i.* 51. t. 81 (1859). *LEGUMINOSAE*, *Benth. & Hook. f. i.* 475.  
cajanifolia, *Harv. l. c.* 51, 52.—Afr. austr.

**PLEIOSTEMON**, *Sond. in Linnaea*, xxiii. (1850) 135 = *Securinega*, *Juss. (Euphorb.)*.  
verrucosum, *Sond. l. c.* 136 (= *Phyllanthus verrucosus*).—Afr. austr.

**PLEIOTAXIS**, *Steetz, in Peters, Reise Mossamb. Bot.* 499. t. 51 (1863). *COMPOSITAE*, *Benth. & Hook. f. ii.* 487.  
pulcherrima, *Steetz, l. c.* 500.—Afr. trop.

**PLEISOLIRION**, *Rafin. Fl. Tellur. ii.* 28 (1836) = *Paradisea*, *Mazz. (Liliac.)*.  
*Liliastrium*, *Rafin. l. c.* = *Paradisea Liliastrium*.

**PLENCKIA**, *Moç. & Sesse, ex DC. Prod. i.* 724 (1824) = *Choisya*, *H. B. & K. (Rutac.)*.

**PLENCKIA**, *Rafin. Specch. i.* 194 (1814) = *Mollugo*, *Linn. (Ficoid.)*.  
setiflora, *Rafin. l. c.* = *M. hirta*.

**PLENCKIA**, *Reiss. in Mart. Fl. Bras. xi.* 1. 80 (1861). *CELASTRINEAE*, *Benth. & Hook. f. i.* 368.  
populnea, *Reiss. l. c.* 31.—Bras.

**PLEOCARPUS**, *D. Don, in Trans. Linn. Soc. xvi.* (1830) 228 = *Jungia*, *Linn. f. (Compos.)*.  
dentatus, *Phil. in Anal. Univ. Chil. (1861)* 51; et in *Linnaea*, xxxiii. (1864–65) 120.—Chili.  
revolutus, *D. Don, in Trans. Linn. Soc. xvi.* (1830) 228.—Chili.

**PLEOCARPUS**, *Walp. Ann. i.* 997 (1848–49) = praec.

**PLEOGYNE**, *Miers, in Ann. & Mag. Nat. Hist. Ser. II. vii.* (1851) 43. *MENISPERMACEAE*, *Benth. & Hook. f. i.* 963.

*MICROCLISIA*, *Benth. in Benth. & Hook. f. Gen. i. Pars Ima, Add.* 435 (1862).  
australis, *Benth. Fl. Austral. i.* 59.—Austral.  
Cunninghami, *Miers, in Ann. & Mag. Nat. Hist. Ser. III. xix.* (1867) 324 = australis.

**PLEOMELE**, *Salisb. Prod.* 245 (1796) = *Dracaena*, *Vand. (Liliac.)*.  
aloifolia, *Salisb. l. c.* = *Sansevieria guineensis*.  
fragrans, *Salisb. l. c.* = *D. fragrans*.

**PLEONANTHUS**, *Ehrh. Beitr. iv.* 148 (1789) = *Dianthus*, *Linn. (Caryoph.)*.

**PLEONOTOMA**, *Miers, in Proc. Roy. Hort. Soc. iii.* (1863) 184 = *Bignonia*, *Linn.*  
chondrogona, *Miers, l. c.* = *B. chondrogona*.  
Clematis, *Miers, l. c.* = *B. Clematis*.  
decomposita, *Miers, l. c.* = *B. decomposita*.  
flava, *Miers, l. c.* 185 = *B. flava*.  
flavida, *Miers, l. c.* = *B. flavida*.  
glaberrima, *Miers, l. c.* 184 = *B. glaberrima*.  
inaequalis, *Miers, l. c.* = *B. inaequalis*.  
jasminifolia, *Miers, l. c.* = *B. jasminifolia*.  
lanceolata, *Miers, l. c.* = *Tabebuia lanceolata*.  
moringaefolia, *Miers, l. c.* = *B. moringaefolia*.  
peregrina, *Miers, l. c.* 183.—Bras.  
tetragonocaulis, *Miers, l. c.* 184 = *B. tetragonocaulis*.  
triphylla, *Miers, l. c.* 185 = *B. triternata*.  
triternata, *Miers, l. c.*—Bras.  
variabilis, *Miers, l. c.* 184 = *B. variabilis*.

**PLEOPOGON**, *Nutt. in Journ. Acad. Philad. N. S. i.* (1847) 189 = *Lycurus*, *H. B. & K. (Gramin.)*.  
setosum, *Nutt. l. c.*—Calif.

**PLEOROTHYRIUM**, *Endl. Ench.* 197 (1841) = *Pleurothyrium*, *Nees (Laurin.)*.

**PLEOTHECA**, *Wall. Cat. nn.* 6215, 6216 (1830) = *Spiradielis*, *Blume (Rubiace.)*.  
bifida, *Wall. Cat. n.* 6216 = *S. bifida*.  
cylindrica, *Wall. l. c.* n. 6215 = *S. cylindrica*.

**PLERAGINA**, *Steud. Nom. ed. I.* 632 (1821) = *Plegerina*, *Arruda (Inc. sed.)*.

**PLERANDRA**, *A. Gray, Bot. U. St. Expl. Exped. i.* 729. t. 95 (1854). *ARALIACEAE*, *Benth. & Hook. f. i.* 946.

*BAKERIA*, *Seem. Journ. Bot. ii.* (1864) 248.  
*NESOPANAX*, *Seem. l. c.* 249 (1864).  
Grayi, *Seem. Miss. Viti*, 437, nomen; *Journ. Bot. ii.* (1864) 242.—Ins. Fiji.

*jatrophiifolia*, *Hance, in Journ. Bot. xix.* (1881) 275.—Hab.?

*paucidentata*, *Baill. Adansonia*, xii. (1878) 137 = *Tetraplasandra paucidentata*.  
*Pickeringii*, *A. Gray, Bot. U. St. Expl. Exped. i.* 729. t. 95.—Ins. Fiji.

*Vicillardii*, *Baill. Adansonia*, xii. (1878) 136.—N. Caled.  
*vitiensis*, *Baill. Hist. Pl. vii.* 169.—Ins. Fiji.

**PLEROMA**, *D. Don, in Mem. Wern. Soc. iv.* (1823) 293 = *Tibouchina*, *Aubl. (Melastom.)*.

*adenostemon*, *A. Gray, Bot. U. St. Expl. Exped. i.* 603 = *T. adenostemon*.

*adenostemon*, *Triana, in Trans. Linn. Soc. xxviii.* (1871) 43 = *T. multiflora*.

*aegopogon*, *Triana, l. c.* 45 = *T. aegopogon*.  
*acmulum*, *Triana, l. c.* 41 = *T. acmulum*.

*albiflorum*, *Gardn. in Hook. Lond. Journ. Bot. ii.* (1843) 347 = *T. hospita*.

40



## PLEROMA:—

- angustifolium*, Triana, in Trans. Linn. Soc. xxviii. (1871) 47 = *Tibouchina angustifolia*.  
*arborescens*, Gardn. in Hook. Lond. Journ. Bot. ii. (1843) 351 = *T. arborea*.  
*argenteum*, Gardn. l. c. i. (1842) 172 = *T. holosericea*.  
*asperior*, Triana, in Trans. Linn. Soc. xxviii. (1871) 44 = *T. asperior*.  
*australe*, Triana, l. c. 47 = *T. australis*.  
*barbigerum*, Triana, l. c. 45. t. 3 = *T. barbigerum*.  
*Benthamianum*, Gardn. in Hook. Bot. Mag. t. 4007 = *T. Benthamiana*.  
*bicolor*, Triana, in Trans. Linn. Soc. xxviii. (1871) 47. —Bolivia.  
*bipenicillatum*, Triana, l. c. 45 = *T. bipenicillata*.  
*Candolleianum*, Triana, l. c. 44. t. 3 = *T. Candolleana*.  
*capitatum*, Triana, l. c. 46. —Bolivia.  
*cardinale*, Triana, l. c. 44 = *T. cardinalis*.  
*Chamaecistum*, Triana, l. c. 47. —Ins. Martinic.  
*chironioides*, Triana, l. c. —Ins. Dominic.  
*ciliare*, Triana, l. c. 46. —N. Granat.  
*cistoides*, Triana, l. c. 47. —Ins. S. Vincent.  
*citrinum*, Triana, l. c. 46. —Bolivia.  
*Claussenii*, Triana, 41 = *T. Claussenii*.  
*clidemioides*, Berg, ex Triana, l. c. 43 = *T. clidemioides*.  
*clinopodifolium*, Triana, l. c. 46 = *T. clinopodifolia*.  
*collinum*, Triana, l. c. 42 = *T. collina*.  
*confertiflorum*, Triana, l. c. 46. —Bolivia.  
*coronatum*, Triana, l. c. 41 = *T. coronata*.  
*corymbosa*, Benth. Pl. Hartw. 181 = *T. Lindeniana*.  
*cubensis*, Wright, in Sauv. Fl. Cub. 52 = *Chaetolepis saturaeioides*, *cubensis*.  
*debile*, Triana, in Trans. Linn. Soc. xxviii. (1871) 45 = *T. debilis*.  
*dendroides*, Triana, l. c. 44 = *T. dendroides*.  
*diffusum*, DC. Prod. iii. 152. —Porto Rico.  
*Diplostegium*, Triana, in Trans. Linn. Soc. xxviii. (1871) 40 = *T. canescens*.  
*echinatum*, Gardn. in Hook. Lond. Journ. Bot. ii. (1843) 350 = *T. Gardneriana*.  
*echinatum*, Triana, in Trans. Linn. Soc. xxviii. (1871) 47. —Peruv.  
*elegans*, Gardn. in Hook. Lond. Journ. Bot. ii. (1843) 350 = *T. elegans*.  
*erigeron*, Spruce, ex Triana, in Trans. Linn. Soc. xxviii. (1871) 45 = *Pterolepis striphnocalyx*.  
*eriocladum*, Triana, l. c. 47. —N. Granat.  
*exappendiculatum*, Triana, l. c. = *T. mollis*.  
*fissinervium*, Gardn. in Hook. Lond. Journ. Bot. ii. (1843) 352 = *T. fissinervia*.  
*Fontanesiana*, Gardn. l. c. i. (1842) 171 = *T. granulosa*.  
*Fothergillii*, Triana, in Trans. Linn. Soc. xxviii. (1871) 42 = *T. Fothergillae*.  
*foveolatum*, Triana, l. c. 41 = *T. foveolata*.  
*frigidulum*, Triana, l. c. 42 = *T. Martusiana*.  
*Galeottianum*, Triana, l. c. 46. —Mexic.  
*Gardnerianum*, Triana, l. c. 42 = *T. Gardneriana*.  
*Gaudichaudianum*, A. Gray, Bot. U. St. Expl. Exped. i. 603 = *T. Gaudichaudiana*.  
*Gayianum*, Triana, in Trans. Linn. Soc. xxviii. (1871) 46. —Peruv.  
*glandulosum*, Triana, l. c. 48. —Guian.  
*glomeratum*, G. Don, ex Loud. Hort. Brit. 174. —Ind. occ.  
*gracile*, A. Gray, Bot. U. St. Expl. Exped. i. 604 = *T. gracilis*.  
*granulosum*, D. Don, in Mem. Wern. Soc. iv. (1823) 295 = *T. granulosa*.  
*heteromallum*, D. Don, l. c. = *T. heteromalla*.  
*hieracioides*, Triana, in Trans. Linn. Soc. xxviii. (1871) 45 = *T. hieracioides*.  
*hispidum*, Triana, l. c. 46 = *T. longifolia*.  
*holosericeum*, D. Don, in Mem. Wern. Soc. iv. (1823) 295 = *T. holosericea*.  
*hospitum*, Triana, in Trans. Linn. Soc. xxviii. (1871) 42 = *T. dubia*.  
*Kunthianum*, Gardn. in Hook. Lond. Journ. Bot. ii. (1843) 351 = *T. Moricandiana*.  
*Kunthianum*, Hook. f. in Bot. Mag. t. 4412 = *T. semidecandra*.  
*Kunthianum*, Paxt. Mag. Bot. xii. (1846) 125 = *T. Benthamianum*.  
*lanceolatum*, Griseb. in Goett. Abh. xxiv. (1879) 128 = *T. longifolia*.  
*Langsdorffianum*, Triana, in Trans. Linn. Soc. xxviii. (1871) 43 = *T. Gardneri*, *Langsdorffianum*.  
*latifolium*, Triana, l. c. 47. —Bolivia.

## PLEROMA:—

- laxum*, DC. Prod. iii. 151. —Peruv.  
*ledifolium*, DC. l. c. = *Brachyotum ledifolium*.  
*lepidotum*, Triana, in Trans. Linn. Soc. xxviii. (1871) 44. t. 3 = *Tibouchina lepidota*.  
*Lhotskianum*, Triana, l. c. 43 = *T. Lhotskiana*.  
*longifolium*, Triana, l. c. 45 = *T. longifolia*.  
*macranthum*, Hook. f. Bot. Mag. t. 5721 = *T. semidecandra*.  
*macrochiton*, Triana, in Trans. Linn. Soc. xxviii. (1871) 42 = *T. macrochiton*.  
*martiale*, Triana, l. c. 44 = *T. martialis*.  
*maurocarpum*, Triana, l. c. 47. —Peruv.  
*Maximilianum*, Triana, l. c. 43 = *T. Maximiliana*.  
*melastomoides*, Triana, l. c. 45 = *T. melastomoides*, *exasperata*.  
*mexicanum*, DC. Prod. iii. 152. —Mexic.  
*micranthella*, Wright, in Sauv. Fl. Cub. 51 = *T. longifolia*.  
*molle*, Triana, in Trans. Linn. Soc. xxviii. (1871) 43 = *T. Chamissoana*.  
*Moricandianum*, Triana, l. c. 42. t. 2 = *T. Moricandiana*.  
*multiflorum*, Gardn. in Hook. Lond. Journ. Bot. ii. (1843) 351 = *T. multiflora*.  
*mutabile*, Triana, in Trans. Linn. Soc. xxviii. (1871) 40 = *T. mutabilis*.  
*Naudinianum*, Triana, l. c. 46. —Mexic.  
*obscurum*, Triana, l. c. 44 = *T. corymbosa*.  
*ochypetalum*, D. Don, in Mem. Wern. Soc. iv. (1823) 295 = *T. ochypetala*.  
*Orbignyianum*, Triana, in Trans. Linn. Soc. xxviii. (1871) 46. —Bolivia.  
*ornatum*, Triana, l. c. 162. t. 3. f. 31 p. = *T. ornata*.  
*paniculare*, Triana, l. c. —Bolivia.  
*papyrifera*, Triana, l. c. 45 = *T. papyrifera*.  
*parasticum*, Berg, ex Triana, l. c. 46 = *T. tuberosa*.  
*paratropicum*, Griseb. in Goett. Abh. xix. (1874) 140. —Reg. Argent.  
*petiolata*, Paxt. Mag. Bot. xi. (1844) 267 = *T. Gaudichaudiana*.  
*pogonantherum*, Triana, in Trans. Linn. Soc. xxviii. (1871) 45 = *T. pogonanthera*.  
*Pohlianum*, Berg, ex Triana, l. c. 46 = *T. canescens*.  
*Preslianum*, Triana, l. c. 43 = *T. estrellensis*.  
*pulchellum*, Griseb. in Goett. Abh. xxiv. (1879) 128 = *T. gracilis*.  
*pulchrum*, Cogn. in Mart. Fl. Bras. xiv. III. 387, sphalm. = *praec.*  
*pulchrum*, Triana, in Trans. Linn. Soc. xxviii. (1871) 41 = *T. pulchra*, *Saldanhaei*.  
*Raddianum*, Gardn. in Hook. Lond. Journ. Bot. ii. (1843) 351 = *T. Saldanhaei*.  
*Raddianum*, Triana, in Trans. Linn. Soc. xxviii. (1871) 41 = *T. Raddiana*, *Sellowiana*.  
*redivivum*, Berg, ex Triana, l. c. 43 = *T. rediviva*.  
*Regnellii*, Triana, l. c. 44 = *T. martialis*.  
*rufipile*, Triana, l. c. 46. —Mexic.  
*salviaefolium*, Triana, l. c. 44 = *T. salviaefolia*.  
*sarmentosum*, Hook. f. Bot. Mag. t. 5629 = *laxum*.  
*scaberrimum*, Triana, in Trans. Linn. Soc. xxviii. (1871) 47 = *T. scaberrima*.  
*scabriusculum*, Triana, l. c. 46. —Mexic.  
*Schiedianum*, Triana, l. c. 45. —Mexic.  
*semidecandrum*, Triana, l. c. 41 = *T. semidecandra*.  
*sericans*, Triana, l. c. 44 = *T. stenocarpa*.  
*setulosum*, Triana, l. c. = *T. setulosa*.  
*spoliatum*, A. Gray, Bot. U. St. Expl. Exped. i. 603 = *T. Gaudichaudiana*.  
*squamatum*, Wright, in Sauv. Fl. Cub. 51 = *Chaetolepis saturaeioides*.  
*stenocarpum*, Triana, in Trans. Linn. Soc. xxviii. (1871) 44 = *T. stenocarpa*.  
*stenopetalum*, Triana, l. c. 46. —Peruv.  
*Studelii*, Triana, l. c. 48 = *T. Lhotskiana*.  
*strigosum*, Triana, l. c. 47 = *T. ornata*.  
*striphnocalyx*, Triana, l. c. 45 = *Pterolepis striphnocalyx*.  
*sulcatum*, Triana, l. c. 44 = *T. sulcata*.  
*Thereminianum*, Triana, l. c. 41 = *T. Thereminiana*.  
*Tibouchinum*, Triana, l. c. 45. t. 3 = *T. aspera*.  
*trichopodum*, DC. Prod. iii. 151 = *T. trichopoda*.  
*trichopodum*, Triana, in Trans. Linn. Soc. xxviii. (1871) 41 = *T. multiceps*.  
*trifolium*, Triana, l. c. 42 = *T. frigidula*.  
*tuberosum*, Gardn. ex Triana, l. c. 46 = *T. tuberosa*.  
*urceolare*, Triana, l. c. 42 = *T. urceolaris*.  
*ursinum*, Triana, l. c. 43 = *T. ursina*.

## PLEROMA:—

- velutinum*, Triana, in Trans. Linn. Soc. xxviii. (1871) 42 = *Tibouchina velutina*, *Blanchetiana*.  
*villosissimum*, Triana, l. c. 43 = *T. villosissima*.  
*villosum*, DC. Prod. iii. 152 = *Melastoma villosa*.  
*vimineum*, D. Don, in Mem. Soc. Wern. iv. (1823) 296 = *T. viminea*.  
*vimineum*, Triana, in Trans. Linn. Soc. xxviii. (1871) 42 = *T. Urvilleana*.  
*virgatum*, Gardn. in Hook. Lond. Journ. Bot. ii. (1843) 350 = *T. virgata*.  
*Weddelli*, Triana, in Trans. Linn. Soc. xxviii. (1871) 42 = *T. Weddellii*.

PLESIAGOPUS, Rafin. Fl. Tellur. iv. 78 (1836) = *Ipomoea*, Linn. (Convolv.).  
*brasiliensis*, Rafin. l. c. = *I. biloba*.  
*cuneifolia*, Rafin. l. c. = *I. cuneifolia*, Mart.?  
*maritima*, Rafin. l. c. = *I. teretistigma*.  
*rotundifolia*, Rafin. l. c. = *I. biloba*.  
*sovana*, Rafin. l. c. = *I. biloba*.

PLESILIA, Rafin. New Fl. Am. iv. 55 (1836); Fl. Tellur. iv. 83 (1836) = *Evolvulus*, Linn. (Convolv.).  
*cuneifolia*, Rafin. Fl. Tellur. iv. 83 = *E. cuneifolius*.

PLESISA, Rafin. Fl. Tellur. iv. 110 (1836) = *Utricularia*, Linn. (Lentib.).  
*bipartita*, Rafin. l. c. = *U. bipartita*.

PLESMONIUM, Schott, Syn. Aroid. 34 (1856).  
*AROIDEAE*, Benth. & Hook. f. iii. 973.  
*dubium*, Schott, Prod. Aroid. 125 = *margaritifera*.  
*margaritifera*, Schott, Syn. Aroid. 34. —Ind. or.  
*nobile*, Schott, in Miq. Ann. Mus. Lugd. Bat. i. 279 (sp. dub.). —Ins. Ceram.

PLETHIANDRA, Hook. f. in Benth. & Hook. f. Gen. i. 772 (1867). *MELASTOMACEAE*, Benth. & Hook. f. l. c.  
*Motleyi*, Hook. f. l. c. —Borneo.

PLETHIOSPHACE, Opiz, Seznam, 75 (1852) = *Salvia*, Tourn. (Labiata).  
*Leistneriana*, Opiz, l. c. = *S. pratensis*.  
*pratensis*, Opiz, l. c. = *S. pratensis*.  
*stenantha*, Opiz, l. c. = *S. pratensis*?  
*sylvestris*, Opiz, l. c. = *S. sylvestris*.

PLETHOSTEPHIA, Miers, in Trans. Linn. Soc. Ser. II. i. (1875) 32 = *Cordia*, Linn. (Borag.).  
*angiocarpa*, Miers, l. c. = *C. angiocarpa*.

PLEUDIA, Rafin. Fl. Tellur. iii. 94 (1836) = *Salvia*, Tourn. (Labiata).  
*egyptiaca*, Rafin. l. c. = *S. aegyptiaca*.

PLEURACHNE, Schrad. in Comm. Gotting. vii. (1832) 147. t. 4. f. 3; Anal. Fl. Cap. 47. t. 4 (1832) = *Ficinia*, Schrad. (Cyper.).  
*secunda*, Schrad. II. cc. 147; 47 = *F. secunda*.  
*Sieberi*, Schrad. II. cc. 148; 48 = *F. secunda*.

PLEURADENIA, Rafin. Atl. Journ. 182 (1833) = *Euphorbia*, Linn.  
*coccinea*, Rafin. l. c. = *E. pulcherrima*.

PLEURADENIA, Rafin. Neogenyt. 2 (1825) = *Collinsonia*, Linn. (Labiata).  
*precox*, Rafin. l. c. = *C. scabriuscula*.  
*scabra*, Rafin. l. c. = *C. scabriuscula*.

PLEURANDRA, Labill. Nov. Holl. Pl. ii. 5. t. 143 (1806) = *Hibbertia*, Andr. (Dilleniace.).  
*acerosa*, R. Br. ex DC. Syst. i. 422 = *H. acerosa*.  
*acicularis*, Labill. Nov. Holl. Pl. ii. 6. t. 144 = *H. acicularis*.  
*astrotricha*, Sieber, ex Spreng. Syst. iv. Cur. Post. 191 = *H. Billardieri*.  
*bracteata*, R. Br. ex DC. Syst. i. 415 = *H. bracteata*, Benth.  
*calycina*, DC. Syst. i. 422 = *H. stricta*.  
*camforosma*, Sieber, ex Spreng. Syst. iv. Cur. Post. 191 = *H. fasciculata*.  
*candicans*, St. Lag. in Ann. Soc. Bot. Lyon, vii. (1880) 132 = *nitida*.  
*cinerea*, R. Br. ex DC. Syst. i. 417 = *H. sericea*.



## PLEURANDRA:—

- cinerea*, Sieber, ex Benth. Fl. Austral. i. 28 = *Hibbertia* Billardieri.  
*cistiflora*, Reichb. Ic. Bot. Exot. i. 57.—Austral.  
*cistiflora*, Sieber, ex Spreng. Syst. iv. Cur. Post. 191 = *H. stricta*.  
*cistoidea*, Hook. in Mitch. Journ. Trop. Austral. 363 = *H. stricta*.  
*Cneorum*, DC. Syst. i. 416 = *H. nitida*.  
*cognata*, Steud. in Lehm. Pl. Preiss. i. 265 = *H. acerosa*.  
*crassifolia*, Turcz. in Bull. Soc. Nat. Mosc. xxii. (1849) ii. 5 = *H. crassifolia*.  
*densiflora*, Hook. Journ. Bot. i. (1834) 245 = *H. sericea*.  
*diamesogenos*, Steud. in Lehm. Pl. Preiss. i. 265 = *H. lineata*.  
*empetrifolia*, DC. Syst. i. 420 = *H. Billardieri*.  
*enervia*, DC. l. c. 421.—Austral.  
*ericifolia*, DC. l. c. 420 = *H. stricta*.  
*fumana*, Sieber, ex Benth. Fl. Austral. i. 27 = *H. stricta*.  
*furfuracea*, R. Br. ex DC. Syst. i. 417 = *H. furfuracea*.  
*glaucophylla*, Steud. in Lehm. Pl. Preiss. i. 264 = *H. aurea*?  
*hemignosta*, Steud. l. c. 265 = *Candollea teretifolia*.  
*hibbertioides*, Steud. l. c. = *Candollea teretifolia*.  
*hirsuta*, Hook. Comp. Bot. Mag. i. (1835) 273 = *H. hirsuta*.  
*hypericoides*, DC. Syst. i. 421 = *H. hypericoides*.  
*incana*, Lindl. in Mitch. Three Exped. ii. 156 = *H. stricta*.  
*intermedia*, DC. Syst. i. 420 = *H. pedunculata*.  
*juniiperina*, Turcz. in Bull. Soc. Nat. Mosc. xxii. (1849) ii. 6 = *H. acerosa*.  
*microphylla*, Sieber, ex Spreng. Syst. iv. Cur. Post. 191 = *H. stricta*.  
*mucronata*, Turcz. in Bull. Soc. Nat. Mosc. xxv. (1852) ii. 139 = *H. mucronata*.  
*nitida*, R. Br. ex DC. Syst. i. 416 = *nitida*.  
*obovata*, R. Br. ex Benth. Fl. Austral. i. 28 = *H. Billardieri*.  
*ovata*, Labill. Nov. Holl. Pl. ii. 5. t. 143 = *H. Billardieri*.  
*parviflora*, R. Br. ex DC. Syst. i. 418 = *H. Billardieri*.  
*pedunculata*, R. Br. l. c. 419 = *H. gracilipes*.  
*recurvifolia*, Steud. in Lehm. Pl. Preiss. i. 264 = *H. recurvifolia*.  
*reticulata*, Hook. Journ. Bot. i. (1834) 245 (*Pultenaeae* sp.?).—Tasmania.  
*riparia*, R. Br. ex DC. Syst. i. 419 = *H. stricta*.  
*scabra*, R. Br. l. c. 418 = *H. Billardieri*.  
*sericea*, R. Br. l. c. 416 = *H. sericea*.  
*striata*, G. Don, Gen. Syst. i. 74, sphalm. = *stricta*, Sieber.  
*stricta*, DC. Syst. i. 422 = *H. stricta*.  
*stricta*, Sieber, ex Spreng. Syst. iv. Cur. Post. 191 = *prae.*?  
*triandra*, Turcz. in Bull. Soc. Nat. Mosc. xxvii. (1854) ii. 280 = *H. acicularis*?  
*verrucosa*, Turcz. l. c. xxv. (1852) ii. 139 = *H. verrucosa*.

PLEURANDRA, Rafin. Fl. Ludov. 95 (1817) = *Pleurostemon*, Rafin. (gen. dub.).—Cf. Benth. & Hook. f. i. 787.  
*alba*, Rafin. l. c. 95 = *Pleurostemon album*.

PLEURANDROPSIS, Baill. Adansonia, x. (1872) 305 = *Asterolasia*, F. Muell. (Rutac.).  
*phebaloides*, Baill. l. c. 306 = *A. pleurandroides*.

PLEURANDROS, St. Lag. in Ann. Soc. Bot. Lyon, vii. (1880) 132 = *prae.*

PLEURANTHE, Salisb. in Knight, Prot. 49 (1809) = *Protea*, Linn.  
*amplexicaulis*, Knight, l. c. 51 = *Prot. amplexicaulis*.  
*bupleurifolia*, Knight, l. c. = *Afr. austr.*  
*cordifolia*, Knight, l. c. = *Prot. cordata*.  
*ericifolia*, Knight, l. c. 50.—*Afr. austr.*  
*glastifolia*, Knight, l. c. = *Prot. humilis*.  
*subulaefolia*, Knight, l. c. = *Afr. austr.*

PLEURANTHIUM, Benth. in Journ. Linn. Soc. xviii. (1881) 312; Benth. & Hook. f. Gen. iii. 526 (1883). *ORCHIDEAE*, Benth. & Hook. f. l. c.  
*adendrobium*, Benth. & Hook. f. l. c. = *Cuba*.

PLEURANTHUS, Rich. ex Pers. Syn. i. 65 (1805) = *Dulichium*, Pers. (Cyper.).

PLEURAPHIS, Torr. in Ann. Lyc. N. York, i. (1824) 148. t. 10 = *Hilaria*, H. B. & K. (Gramin.).  
*Jamesii*, Torr. l. c. = *H. Jamesii*.  
*mutica*, Buckl. in Proc. Acad. Sc. Philad. 1862 (1863) 95 = *H. mutica*.  
*rigida*, Thurber, in S. Wats. Bot. Calif. ii. 293 = *H. rigida*.  
*sericea*, Nutt. ex Benth. in Journ. Linn. Soc. xix. (1881) 62 = *H. sericea*.

PLEURASTIS, Rafin. Fl. Tellur. iv. 12 (1836) = *Lycoris*, Herb. (Amaryll.).

PLEUREIA, Rafin. Sylva Tellur. 147 (1838) = *Psychotria*, Linn. (Rubiace.).  
*compressa*, Rafin. l. c. = *Ps. calycina*.

PLEUREMIDIS, Rafin. Fl. Tellur. iv. 67 (1836) = *Thunbergia*, Retz. (Acanth.).  
*grandiflora*, Rafin. l. c. = *T. grandiflora*.

PLEURENDOTRIA, Rafin. Fl. Tellur. ii. 73 (1836) = *Tellima*, R. Br. (Saxifr.).  
*parviflora*, Rafin. l. c. = *T. parviflora*.  
*reniformis*, Rafin. l. c. 74 = *T. parviflora*.

PLEURENODON, Rafin. Fl. Tellur. iii. 80 (1836) = *Hypericum*, Tourn.

PLEURICOSPORA, A. Gray, in Proc. Am. Acad. vii. (1868) 389. *MONOTROPEAE*, Benth. & Hook. f. ii. 608.  
*fimbriolata*, A. Gray, l. c. = *Calif.*

PLEURIMARIA, Rafin. Fl. Tellur. iii. 31 (1836) = *Chlora*, Adans. (Gentian.).  
*masariensis*, Rafin. l. c. = *C. perfoliata*.  
*perfoliata*, Rafin. l. c. = *C. perfoliata*.  
*quadrifolia*, Rafin. l. c. = *C. quadrifolia*.

PLEURISANTHES, Baill. Adansonia, xi. (1874) 201. *OLACINEAE*.  
*Artocarpus*, Baill. l. c. = *Guian.*

PLEUROBLEPHARON, Kunze, ex Reichb. Consp. 212<sup>a</sup> (1828). (Orchid.—Quid?).

PLEUROBOTRYUM, Rodrig. Orch. Nov. i. 20 (1877). *ORCHIDEAE*.  
*atropurpureum*, Rodrig. l. c. = *Bras.*

PLEUROCALYPTUS, Brongn. & Gris, in Bull. Soc. Bot. Fr. xiv. (1867) 264. *MYRTACEAE*.  
*Deplanchei*, Brongn. & Gris, l. c. = *N. Caled.*

PLEUROCARPAEA, Benth. Fl. Austral. iii. 460 (1866). *COMPOSITAE*, Benth. & Hook. f. ii. 227.  
*denticulata*, Benth. l. c. = *Austral.*

PLEUROCARPUS, Klotzsch, in Bonplandia, vii. (1859) 4 = *Rhysocarpus*, Endl. (Rubiace.).  
*decemfidus*, Klotzsch, l. c. = *Hab.*?

PLEUROCHAENIA, Griseb. in Goett. Abh. ix. (1861) 55 = *Miconia*, Ruiz & Pav. (Melastom.).  
*cubensis*, Griseb. Cat. Pl. Cub. 101 = *M. quadrangularis*.  
*quadrangularis*, Griseb. in Goett. Abh. ix. (1861) 55 = *M. quadrangularis*.  
*rigida*, Griseb. l. c. = *M. rigida*.

PLEUROCOFFEA, Baill. in Bull. Soc. Linn. Par. i. (1880) 270. *RUBIACEAE*.  
*Boiviniana*, Baill. l. c. = *Madag.*

PLEURODESMIA, Arn. in Edinb. N. Phil. Journ. xvi. (1834) 316 = *Schumacheria*, Vahl (Dilleniace.).  
*Grahamii*, Arn. l. c. = *S. castaneaefolia*.

PLEUROGYNA, Eschsch. ex Cham. & Schlecht. in Linnaca, i. (1826) 187, 188. *GENTIANACEAE*.  
*Benth. & Hook. f. ii. 816*.  
*LOMATOGONIUM*, A. Br. in Flora, xiii. (1830) 221.  
*NARKETIS*, Rafin. Fl. Tellur. iii. 26 (1836).

## PLEUROGYNA:—

- brachyanthera*, C. B. Clarke, in Hook. f. Fl. Brit. Ind. iv. 120.—Reg. Himal.  
*carinata*, Edgew. in Trans. Linn. Soc. xx. (1846) 85 = *carinthiaca*.  
*carinthiaca*, G. Don, Gen. Syst. iv. 188.—Europ.; As. bor.  
*himalayensis*, Klotzsch, in Bot. Ergeb. Waldem. Reise, 91 = *carinthiaca*.  
*Lubahniana*, Vatke, in Bremen, Abh. ix. (1885) 127.—*Madag.*  
*minor*, Benth. & Hook. f. Gen. ii. 816.—Ind. or.  
*Purshii*, Steud. Nom. ed. II. ii. 355 = *carinthiaca*.  
*rotata*, G. Don, Gen. Syst. iv. 188 = *carinthiaca*.  
*rotata*, Franch. & Sav. Enum. Pl. Jap. ii. 450 = *Swertia diluta*.  
*rotata*, Griseb. Gen. et Sp. Gent. 309.—Am. arct.  
*spathulata*, Kern, in Ber. Naturw. Ver. Innsbruck, i. (1870) 104; Nov. Pl. Sp. Dec. ii. 8.—Reg. Himal.  
*Stelleriana*, G. Don, Gen. Syst. iv. 188 = *carinthiaca*.  
*sulcata*, G. Don. l. c. = *rotata*.  
*Thomsoni*, C. B. Clarke, in Hook. f. Fl. Brit. Ind. iv. 120.—Reg. Himal.

PLEUROGYNE, Griseb. Gen. et Sp. Gent. 309 (1839) = *prae.*

PLEUROLOBUS, Jaume St. Hil. in Nouv. Bull. Soc. Philom. iii. (1812) 192 = *Desmodium*, Desv. (Legumin.).  
*brevifolia*, Jaume St. Hil. in Desv. Journ. Bot. i. (1813) 61 = *Aeschynomene brevifolia*.  
*gangeticus*, Jaume St. Hil. in Nouv. Bull. Soc. Philom. iii. (1812) 192 = *E. gangeticum*.  
*heterocarpus*, Jaume St. Hil. in Desv. Journ. Bot. i. (1813) 61 = *D. polycarpum*.  
*hirtus*, Jaume St. Hil. in Nouv. Bull. Soc. Philom. iii. (1812) 192 = *Aeschynomene hirta*.  
*maculatus*, Jaume St. Hil. l. c. = *D. gangeticum*.  
*pubescens*, Jaume St. Hil. in Desv. Journ. Bot. i. (1813) 61 = *Aeschynomene pubescens*.  
*remotus*, Jaume St. Hil. in Nouv. Bull. Soc. Philom. iii. (1812) 192 = *D. Scalpe*.  
*spicatus*, Jaume St. Hil. l. c. = *D. incanum*.  
*triflorus*, Jaume St. Hil. l. c. = *D. triflorum*.

PLEUROMENES, Rafin. Sylva Tellur. 144 (1838) = *Prosopis*, Linn. (Legumin.).  
*heterocarpa*, Rafin. l. c. 145 = *Pros. Stephaniana*.

PLEUROPAPPUS, F. Muell. in Trans. Vict. Inst. i. (1855) 37 = *Angianthus*, Wendl. (Compos.).  
*phyllocalymmeus*, F. Muell. l. c. = *A. Pleuropappus*.

PLEUROPETALON, Blume, Mus. Bot. Lugd. Bat. i. 248 (1850) = *Villaresia*, Ruiz & Pav. (Olin.).  
*samoense*, A. Gray, Bot. U. St. Expl. Exped. i. 299.—*Ins. Pacif.*  
*suaveolens*, Blume, Mus. Bot. Lugd. Bat. i. 248.—*Java*.

PLEUROPETALUM, Benth. & Hook. f. Gen. i. 354 (1862) = *prae.*

PLEUROPETALUM, Hook. f. in Proc. Linn. Soc. i. (1845) 278; et in Trans. Linn. Soc. xx. (1847) 221. *PORTULACAEAE*, Benth. & Hook. f. i. 157.  
*ALLOCHLAMYS*, Moq. in DC. Prod. xiii. ii. 463 (1849).  
*MELANOCARPUM*, Hook. f. in Benth. & Hook. f. Gen. iii. 24 (1880).  
*costaricense*, Hort. Kew. ex Hemsl. Biol. Centr. Am. Bot. iii. 12.—*Am. trop.*  
*Darwinii*, Hook. f. in Hook. Lond. Journ. Bot. v. (1846) 109. t. 2.—*Ins. Galapag.*

PLEUROPHORA, D. Don, in Edinb. N. Phil. Journ. (Oct.-Dec. 1831) 112. *LYTHRARIACEAE*.  
*Benth. & Hook. f. i. 779*.  
*anomala*, Koehne, in Mart. Fl. Bras. xiii. ii. 307.—*Bras.*  
*pilosiuscula*, C. Gay, Fl. Chil. ii. 373 = *polyandra*.  
*polyandra*, Hook. & Arn. in Hook. Bot. Misc. iii. (1833) 315.—*Chili*.  
*pungens*, D. Don, in Edinb. N. Phil. Journ. (Oct.-Dec. 1831) 112.—*Chili*.  
*pusilla*, Hook. & Arn. in Hook. Bot. Misc. iii. (1833) 315.—*Chili*.  
*saccocarpa*, Koehne, in Engl. Bot. Jahrb. ii. (1882) 426.—*Paraguay*.  
*squarrosa*, Walp. Rep. iv. 644 = *polyandra*.



**PLEUROPHYLLUM**, Hook. f. *Fl. Antarct.* i. 30. t. 22, 24 (1844). *COMPOSITAE*, Benth. & Hook. f. ii. 278.

*ALBINEA*, Homb. & Jacquinot, ex Decne. *Bot. Voy. Astrol. & Zél.* 37 (1853).

*PACHYTHRIX*, Hook. f. *Fl. Antarct.* i. 32, in syn. (1844).

*criniferum*, Hook. f. *Fl. Antarct.* i. 32. t. 24, 25.—Ins. Auckland.

*Hombonii*, Decne. in *Bot. Voy. Astrol. & Zél.* 36.—Ins. Auckland.

*Hookeri*, f. Buch. in *Trans. N. Z. Inst.* xvi. (1884) 395.—N. Zel.

*oresigenesum*, Decne. *Bot. Voy. Astrol. & Zél.* 37 = *criniferum*.

*speciosum*, Hook. f. *Fl. Antarct.* i. 31. tt. 22, 23.—Ins. Auckland.

**PLEUROPLITIS**, Trin. *Fund. Agrost.* 174 (1820) = *Arthraxon*, Beauv. (Gramin.).

*caucasica*, Rupr. ex Regel, in *Bull. Acad. Pétersb.* x. (1866) 373 = *A. ciliaris*.

*centrasiatica*, Griseb. in *Ledeb. Fl. Ross.* iv. 477 = *A. ciliaris*.

*ciliata*, J. A. Schmidt, Beitr. *Fl. Cap. Verd.* Ins. 152 = *A. ciliaris*.

*Junghuhnii*, Nees, ex Steud. *Syn. Pl. Gram.* 414 = *A. Junghuhnii*.

*lancifolia*, Regel, in *Bull. Acad. Pétersb.* x. (1866) 375 = *A. microphyllus*.

*Langsdorffii*, Trin. *Fund. Agrost.* 175. t. 16 = *A. ciliaris*.

*major*, Arn. ex Miq. *Fl. Ind. Bat.* iii. 481 = *A. Junghuhnii*.

*major*, Regel, in *Bull. Acad. Pétersb.* x. (1866) 370 = *A. cuspidatus*.

*microphylla*, Regel, l. c. = *A. microphyllus*.

*plumbea*, Nees, ex Steud. *Syn. Pl. Gram.* 414 = *A. ciliaris*.

*producta*, Griseb. in *Ledeb. Fl. Ross.* iv. 478 = *Pollinia tenuis*.

*Quartiniiana*, Regel, in *Bull. Acad. Pétersb.* x. (1866) 376 = *A. ciliaris*.

*Schimperii*, Regel, l. c. 369 = *A. microphyllus*.

*violacea*, Nees, ex Steud. *Syn. Pl. Gram.* 414 = *A. ciliaris*.

**PLEUROPOGON**, R. Br. in Parry, 1st *Voy. Suppl.* 289 (err. typ. 189) (1824). *GRAMINEAE*, Benth. & Hook. f. iii. 1192.

*LOPHOCHLAENA*, Nees, in *Ann. Nat. Hist. Ser. I.* i. (1838) 283.

*californicum*, Benth. ex Vasey, *Grass. U. St.* 40.—Calif.

*Douglasii*, Trin. ex Steud. *Nom. ed. II.* ii. 355.—Am. bor.

*refractum*, Benth. ex Vasey, *Grass. U. St.* 40.—Calif.

*Sabinii*, R. Br. in Parry, 1st *Voy. Suppl.* 289 (err. typ. 189).—Reg. arct.

**PLEUROPTERANTHA**, Franch. in Revoil, *Comali*, 59. t. 5 (1882). *CHENOPODIACEAE*, Benth. & Hook. f. iii. 1218.

Revoil, *Franch. l. c.* 60. t. 5.—Afr. trop.

**PLEUROPTERUS**, Turcz. in *Bull. Soc. Nat. Mosc.* xxi. (1848) i. 587 = *Polygonum*, Tourn.

*cordatus*, Turcz. l. c. = *Polyg. multiflorum*, Thunb.

**PLEUROSPOA**, Rafin. *Fl. Tellur.* iv. 8 (1836) = *Anthurium*, Schott (Aroid.).

*cordifolia*, Rafin. l. c. 9 = *A. cordifolia*.

*reticulata*, Rafin. l. c. 8.—Hab. ?

**PLEUROSPERMUM**, Hoffm. *Gen. Umbell. Praemonend.* p. viii (1814). *UMBELLIFERAE*, Benth. & Hook. f. i. 915.

*AULACOSPERMUM*, Ledeb. *Fl. Alt.* iv. 334 (1833).

*ENYMONOSPERMUM*, Spreng. ex DC. *Prod.* iv. 244, in syn. (1830).

*GRAFIA*, Reichb. *Handb.* 219 (1837).

*HLADNICKIA*, Koch, in *Flora*, xix. (1836) 166; et *Syn. Fl. Germ.* ed. I. 320 (1836).

*HYMENIDIUM*, Lindl. in Royle, *Illustr. Bot. Himal.* 233 (1833).

*HYMENOLAENA*, DC. *Prod.* iv. 244 (1830).

*MALABAILA*, Tausch, in *Flora*, xvii. (1834) 356.

*PHYSOSPERMUM*, Cusson, in *Mém. Soc. Méd. Par.* (1782) 279.

**PLEUROSPERMUM** :—

*PTEROCYCLUS*, Klotzsch, in *Bot. Ergeb. Waldem. Reise*, t. 47 (1862).

*angelicoides*, Benth. ex C. B. Clarke, in *Hook. f. Fl. Brit. Ind.* ii. 703.—Reg. Himal.

*apiolens*, C. B. Clarke, l. c. 705.—Reg. Himal.

*Archangelica*, Ledeb. *Fl. Alt.* i. 369.—Sibir. altaic.

*austriacum*, Hoffm. *Gen. Umbell. Praemonend.* p. x.—Europ. or.

*Benthami*, C. B. Clarke, in *Hook. f. Fl. Brit. Ind.* ii. 703.—Reg. Himal.

*Brunonis*, Benth. ex C. B. Clarke, l. c. 706.—Reg. Himal.

*camtschaticum*, Hoffm. *Gen. Umbell. Praemonend.* p. x.—Kamtschat.

*Candollii*, Benth. ex C. B. Clarke, in *Hook. f. Fl. Brit. Ind.* ii. 703.—Reg. Himal.

*cicutarium*, D. Dietr. *Syn. Pl.* ii. 988 = *Molopospermum cicutarium*.

*cicutarium*, Lindl. in Royle, *Illustr. Bot. Himal.* 233 = *Selinum tenuifolium*.

*corydalifolium*, Aitch. & Hemsl. in *Journ. Linn. Soc.* xviii. (1880) 62.—Afghan.

*densiflorum*, Benth. ex C. B. Clarke, in *Hook. f. Fl. Brit. Ind.* ii. 706.—Reg. Himal.

*dentatum*, Benth. ex C. B. Clarke, l. c. 704.—Reg. Himal.

*Gmelini*, Bong. *Vég. Ins. Sitcha*, 141 = *P. Archangelica*.

*Gmelini*, Steud. *Nom.* ed. II. ii. 355.—Sibir.

*Golaka*, Reichb. *Fl. Germ. Excurs.* 441.—Europ.

*Govanianum*, Benth. ex C. B. Clarke, in *Hook. f. Fl. Brit. Ind.* ii. 702.—Reg. Himal.

*Hookeri*, C. B. Clarke, l. c. 705.—Reg. Himal.

*kamtschaticum*, Auct. = *camtschaticum*.

*lithuanicum*, Downar, in *Bull. Soc. Nat. Mosc.* xxxiv. (1861) i. 180.—Europ.

*pulchrum*, Aitch. & Hemsl. in *Journ. Linn. Soc.* xviii. (1880) 63.—Afghan.

*pumilum*, Benth. ex C. B. Clarke, in *Hook. f. Fl. Brit. Ind.* ii. 704.—Reg. Himal.

*rotundatum*, Benth. ex C. B. Clarke, l. c. 703.—Reg. Himal.

*sikkimense*, C. B. Clarke, l. c. 702.—Reg. Himal.

*stellatum*, Benth. ex C. B. Clarke, l. c. 704.—Reg. Himal.

*stylosum*, C. B. Clarke, l. c.—Reg. Himal.

*toluccense*, D. Dietr. *Syn. Pl.* ii. 988 = *Arracacia toluensis*.

*turkestanicum*, Franch. in *Ann. Sc. Nat. Sér. VI.* xvi. (1883) 295.—Turkestan.

*uralense*, Hoffm. *Gen. Umbell. Praemonend.* p. ix.—Sibir. ural.

*uralense*, Turcz. in *Bull. Soc. Nat. Mosc.* (1838) i. 93; xvii. (1844) 753 = *austriacum*.

**PLEUROSSTACHYS**, Brongn. in Duperr. *Voy. Coq. Bot.* 172. t. 31 (1829). *CYPERACEAE*.

*NEMOCHLOA*, Nees, in Meyen, *Reise*, i. 108 (1834).

*NOMOCHLOA*, Nees, in *Linnaea*, ix. (1834) 299; et in *Nov. Act. Nat. Cur.* xix. *Suppl.* i. (1843) 110.

*Beyrichii*, Steud. *Syn. Pl. Cyp.* 139.—Bras.

*elegans*, Kunth, *Enum. Pl.* ii. 285.—Bras.

*extenuata*, Steud. *Syn. Pl. Cyp.* 139.—Bras.

*floribunda*, Kunth, *Enum. Pl.* ii. 285 = *tenuiflora*.

*foliosa*, Kunth, l. c. 284.—Bras.

*Gaudichaudii*, Brongn. in Duperr. *Voy. Coq. Bot.* 174.—Bras.

*graminifolia*, Brongn. l. c. 175.—Bras.

*grandifolia*, Boeck. in Kjoeb. *Vidensk. Meddel.* (1879–80) 25 = *millegrana*.

*macrantha*, Kunth, *Enum. Pl.* ii. 286.—Bras.

*Martiana*, Steud. *Syn. Pl. Cyp.* 139.—Bras.

*millegrana*, Steud. l. c.—Bras.

*Orbigniana*, Brongn. in Duperr. *Voy. Coq. Bot.* 175.—Bras.

*puberula*, Boeck. in *Flora*, lxiii. (1880) 453.—Am. austr.

*Sellowii*, Kunth, *Enum. Pl.* ii. 285.—Bras.

*sparsiflora*, Kunth, l. c. 286.—Bras.

*stricta*, Kunth, l. c.—Bras.

*tenuiflora*, Brongn. in Duperr. *Voy. Coq. Bot.* 175.—Bras.

Urvillii, Brongn. l. c. 173. t. 31.—Bras.

**PLEUROSSTEMON**, Rafin. in *Journ. Phys.* lxxxix. (1819) 258. Genus dubium.—Cf. Benth. & Hook. f. i. 789.

*PLEURANDRA*, Rafin. *Fl. Ludov.* 95 (1817).

*album*, Rafin. *Adn.* (1820) ex DC. *Prod.* iii. 64.—Am. bor.

**PLEUROSSTENA**, Rafin. *Fl. Tellur.* iii. 12 (1836) = *Polygonum*, Tourn.

*serotina*, Rafin. l. c.; et *New Fl. Am.* iii. 41 = *Polyg. serotinum*.

**PLEUROSSTIGMA**, Hochst. in *Flora*, xxiv. (1841) i. *Intell.* 42 = *Bouchea*, Cham. (Verben.).

*subrotundum*, Hochst. l. c. = *B. marrubiifolia*.

*sulphureum*, Hochst. l. c. = *B. pterygocarpa*.

**PLEUROSSTIMA**, Rafin. *Fl. Tellur.* ii. 97 (1836) = *Barbacenia*, Vand. (Amaryll.).

*purpurea*, Rafin. l. c. 98 = *B. purpurea*.

**PLEUROSSTYLIA**, Wight & Arn. *Prod.* 157 (1834). *CELASTRINEAE*, Benth. & Hook. f. i. 363.

*BOOTTIA*, Ayres, ex Baker, *Fl. Maur.* 49 (1877).

*Heynei*, Wight & Arn. *Prod.* 157 = *Wightii*.

*leucocarpa*, Baker, *Fl. Maur.* 49.—Ins. Maur.

*pachyphloea*, Tul. in *Ann. Sc. Nat. Sér. IV.* viii. (1857) 104.—Madag.

*Wightiana*, Tul. l. c. 105, sphalm. = seq.

*Wightii*, Wight & Arn. *Prod.* 157.—Ind. or.

**PLEUROSSTYLIS**, Walp. *Rep.* i. 536 (1842) = *praec.*

**PLEUROSSTYLIS**, Hohen. ex Benth. & Hook. f. *Gen.* i. 920 (1865) = *Peucedanum*, Tourn. (Umbell.).

**PLEUROTHALLIS**, R. Br. in Ait. *Hort. Kew.* ed. II. v. 211 (1813). *ORCHIDEAE*, Benth. & Hook. f. iii. 488.

*ACIANTHERA*, Scheidw. in Otto & Dietr. *Allg. Gartenz.* x. (1842) 292.

*ACRONIA*, Presl, *Rel. Haenk.* i. 104 (1827).

*ANATHALLIS*, Barb. Rodrig. *Orch. Nov.* 72 (1877).

*CENTRANTHERA*, Scheidw. in Otto & Dietr. *Allg. Gartenz.* x. (1842) 293.

*CHAETOCEPHALA*, Barb. Rodrig. *Orch. Nov.* 37 (1877).

*CROCODEILANTHE*, Reichb. f. *Xenia Orch.* i. 10. t. 6 (1854).

*CRYPTOPHORANTHUS*, Barb. Rodrig. *Orch. Nov.* 79 (1877).

*DUBOISIA*, Karst. in Otto & Dietr. *Allg. Gartenz.* xv. (1847) 394.

*DUBOIS-REYMONDIA*, Karst. in *Bot. Zeit.* vi. (1848) 397.

*HUMBOLDTIA*, Ruiz & Pav. *Prod.* 121. t. 27 (1794).

*MYOXANTHUS*, Poepp. & Endl. *Nov. Gen. et Sp.* i. 50. t. 88 (1835).

*RHYNCHOPERA*, Klotzsch, in Link, Klotzsch & Otto, *l. c.* Pl. Rar. 103. t. 41 (1841).

*SPECKLINIA*, Lindl. *Gen. et Sp. Orch.* 8 (1830).

*TALPINARIA*, Karst. *Fl. Columb.* i. 153. t. 76 (1858–61).

*Acianthera*, Lindl. *Fol. Orch. Pleuroth.* 23.—Bras.

*acuminata*, H. C. Focke, in *Tijdschr. Nat. Wetensch.* ii. (1849) 195 = *semperflorens*.

*acuminata*, Lindl. *Bot. Reg.* (1842) *Misc.* 70.—Guian.

*acutissima*, Lindl. *Fol. Orch. Pleuroth.* 43.—Bras.

*affinis*, Lindl. in *Hook. Comp. Bot. Mag.* ii. (1836) 354.—Peruv.

*agathophylla*, Reichb. f. *Xenia, Orch.* iii. 25.—Bolivia.

*alata*, A. Rich. & Gal. in *Ann. Sc. Nat. Sér. III.* iii. (1845) 17 = *corniculata*.

*albida*, Lindl. in *Ann. & Mag. Nat. Hist. Ser. III.* i. (1858) 327 = *obovata*.

*alligatorifera*, Reichb. f. in *Hamb. Gartenz.* xxi. (1865) 299.—Bras.

*alpestris*, Lindl. *Gen. et Sp. Orch.* 7.—Jamaic.

*amoena*, A. Rich. & Gal. in *Ann. Sc. Nat. Sér. III.* iii. (1845) 16.—Mexic.

*angustifolia*, Lindl. *Bot. Reg.* sub t. 1797.—Mexic.

*antennifera*, Lindl. *Fol. Orch. Pleuroth.* 30.—Peruv.

*anthoctenium*, Reichb. f. in *Linnaea*, xli. (1877) 94.—Ins. S. Doming.

*anthoxantha*, Reichb. f. in *Wawra, Bot. Ergeb. Maxim. Bras.* 149.—Bras.

*aphthosa*, Lindl. *Bot. Reg.* (1838) *Misc.* 42.—Mexic.

*apiculata*, Lindl. *Fol. Orch. Pleuroth.* 17.—Venezuela.

*arachnantha*, Reichb. f. *Otia Bot. Hamb.* 18.—Ecuador.

*Arbuscula*, Lindl. *Bot. Reg.* (1842) *Misc.* 72.—Peruv.

*Archidonae*, Lindl. *Fol. Orch. Pleuroth.* 15.—Peruv.

*arcuata*, Lindl. l. c. 34.—Bras.



## PLEUROTHALLIS:—

- aristata, Hook. in *Ann. Nat. Hist. Ser. I. ii.* (1839) 329. t. 15.—Guian.  
 aristulata, Lindl. *Fol. Orch. Pleuroth.* 41.—Bras.  
 articulata, Lindl. *Bot. Reg.* (1842) *Misc.* 83.—Bras.  
 aspicensis, Reichb. f. in *Bonplandia*, iii. (1855) 73.—Venezuela.  
 asperilinguis, Reichb. f. & Warsz. l. c. ii. (1854) 114.—Peruv.  
 atropurpurea, Lindl. *Bot. Reg.* (1842) *Misc.* 81.—Jamaic.  
 aurantiaca, Rodrig. *Orch. Nov.* i. 10.—Bras.  
 aurea, Lindl. in *Ann. & Mag. Nat. Hist. Ser. I. xii.* (1843) 397.—Venezuela.  
 aurea, A. Rich. & Gal. in *Ann. Sc. Nat. Sér. III.* iii. (1845) 16 = *chrysantha*.  
 auriculata, Lindl. in *Hook. Comp. Bot. Mag.* ii. (1836) 356.—Bras.  
 auriculigera, Reichb. f. in *Gard. Chron.* (1871) 1579 = *Masdevallia auriculigera*.  
 aviceps, Reichb. f. l. c. = *Masdevallia aviceps*.  
 barbacensis, Rodrig. *Orch. Nov.* ii. 11.—Bras.  
 barbata, H. C. Focke, in *Bot. Zeit.* xi. (1853) 227 = *barbulata*.  
 barbata, Westcott, in *Phytologist*, i. (1841) 54.—Bras.  
 Barberiana, Reichb. f. in *Gard. Chron.* (1881) ii. 6.—Am. trop.  
 barbulata, Lindl. *Fol. Orch. Pleuroth.* 40.—Guian.  
 Beyrichii, Reichb. f. in *Linnaea*, xxii. (1849) 829.—Bras.  
 bicarinata, Lindl. *Bot. Reg.* (1839) *Misc.* 14.—Bras.  
 bicolor, Lindl. l. c. (1842) *Misc.* 76 = *strupifolia*.  
 bicornis, Lindl. *Fol. Orch. Pleuroth.* 7.—Peruv.  
 bicuris, Lindl. l. c. 8.—Peruv.  
 bidentata, Lindl. *Bot. Reg.* sub t. 1797.—Bras.  
 bidentula, Rodrig. *Orch. Nov.* ii. 20.—Bras.  
 biflora, H. C. Focke, in *Tijdschr. Nat. Wetensch.* ii. (1849) 197 = *orbicularis*.  
 bilamellata, Reichb. f. in *Linnaea*, xxii. (1849) 830.—Mexic.  
 Binoti, Regel, in *Act. Hort. Petrop.* vii. (1880) 388.—Bras.  
 biserrula, Reichb. f. in *Bonplandia*, iii. (1855) 71.—Venezuela.  
 bistuberculata, Rodrig. *Orch. Nov.* ii. 35.—Bras.  
 bivalvis, Lindl. *Orch. Linden.* 2.—Venezuela.  
 blepharophylla, Griseb. *Cat. Pl. Cub.* 260.—Cuba.  
 bogotensis, Lindl. *Orch. Linden.* 1 = *Mathewsii*.  
 boliviana, Reichb. f. in *Bonplandia*, iii. (1855) 224.—Bolivia.  
 Bowmanni, Reichb. f. in *Gard. Chron.* (1869) 989.—Bras.  
 brachyglottis, Reichb. f. in *Flora*, xlviii. (1865) 275.—Ind. occ.  
 brachypetala, Griseb. *Cat. Pl. Cub.* 257.—Cuba.  
 breviflora, Lindl. *Bot. Reg.* (1841) *Misc.* 59.—Mexic.  
 brevipes, H. C. Focke, in *Tijdschr. Nat. Wetensch.* ii. (1849) 198.—Guian.  
 Bufonis, Klotzsch, in *Otto & Dietr. Allg. Gartenz.* xxii. (1854) 225.—Venezuela.  
 cabellensis, Reichb. f. in *Linnaea*, xxii. (1849) 832.—Mexic.  
 caespitosa, Rodrig. *Orch. Nov.* i. 14.—Bras.  
 calceolaris, Reichb. f. in *Linnaea*, xli. (1877) 15.—N. Granat.  
 campestris, Rodrig. *Orch. Nov.* i. 8.—Bras.  
 canaligera, Reichb. f. in *Linnaea*, xli. (1877) 15.—N. Granat.  
 Capanemae, Rodrig. *Orch. Nov.* ii. 16.—Bras.  
 capensis, Lindl. *Fol. Orch. Pleuroth.* 44, sphalm. = *Polystachya capensis*.  
 capillaris, Lindl. *Bot. Reg.* sub t. 1797.—Bras.  
 cardiantha, Reichb. f. in *Linnaea*, xli. (1877) 15.—N. Granat.  
 cardiostola, Reichb. f. in *Bonplandia*, ii. (1854) 26.—Venezuela.  
 cardiothallis, Reichb. f. in *Bot. Zeit.* xv. (1857) 158.—Nicaragua.  
 Cardium, Reichb. f. in *Bonplandia*, ii. (1854) 26.—Venezuela.  
 casapensis, Lindl. *Bot. Reg.* (1842) *Misc.* 76.—Peruv.  
 Cassidis, Lindl. in *Ann. & Mag. Nat. Hist. Ser. I. xv.* (1845) 384.—N. Granat.  
 caulescens, Lindl. in *Hook. Journ. Bot.* i. (1834) 9.—Peruv.  
 cauliflora, Lindl. in *Hook. Comp. Bot. Mag.* ii. (1836) 355; *Hook. Ic. Pl.* t. 50.—Peruv.  
 Centranthera, Lindl. *Fol. Orch. Pleuroth.* 37.—Bras.

## PLEUROTHALLIS:—

- ceratathallis, Reichb. f. in *Bonplandia*, ii. (1854) 25.—Venezuela.  
 chamaelepanthes, Reichb. f. l. c. iii. (1855) 240.—Peruv.  
 chamaestelis, Reichb. f. in *Linnaea*, xxii. (1849) 825 = *Stelis floreana*.  
 chamensis, Lindl. *Orch. Linden.* 2.—Venezuela.  
 chitonoides, Lindl. ex W. Baxt. in *Loud. Hort. Brit. Suppl.* iii. 613, nomen.—Ins. Trinit.  
 chloidophylla, Reichb. f. in *Linnaea*, xxii. (1849) 830.—Bras.  
 chloroleuca, Lindl. *Orch. Linden.* 2.—N. Granat.  
 chrysantha, Lindl. *Fol. Orch. Pleuroth.* 14.—Mexic.  
 ciliata, Knowl. & Westc. *Flor. Cab.* i. (1837) 39.—Guian.  
 circumplexa, Lindl. *Bot. Reg.* (1838) *Misc.* 24.—Mexic.  
 clandestina, Lindl. *Fol. Orch. Pleuroth.* 43.—Venezuela.  
 clausa, De Puydt, *Les Orchidées* (1880), 32–33. f. 44–53.—Hab. ?  
 coccinea, Hook. *Exot. Fl.* ii. t. 129 = *Rodriguezia secunda*.  
 cochlearis, Reichb. f. in *Bot. Zeit.* x. (1852) 764.—Mexic.  
 compressiflora, Rodrig. *Orch. Nov.* ii. 13.—Bras.  
 conanthera, Reichb. f. *Xenia Orch.* iii. 41. t. 217.—Mexic.  
 congesta, A. Rich. & Gal. in *Ann. Sc. Nat. Sér. III.* iii. (1845) 17 = *octomerioides*.  
 convexifolia, Rodrig. *Orch. Nov.* i. 17.—Bras.  
 convoluta, Lindl. in *Ann. & Mag. Nat. Hist. Ser. I.* xv. (1845) 107.—N. Granat.  
 cordata, Lindl. *Gen. et Sp. Orch.* 5.—Peruv.  
 cordata, Lindl. *Fol. Orch. Pleuroth.* 10 = *coriacardia*.  
 cordifolia, Reichb. f. in *Bonplandia*, ii. (1854) 26.—Venezuela.  
 coriacardia, Reichb. f. l. c.—Venezuela.  
 coriacea, Bello, in *Anal. Soc. Esp. Hist. Nat.* xii. (1883) 116.—Porto Rico.  
 corniculata, Lindl. in *Bot. Reg.* (1842) *Misc.* 83.—Mexic.  
 crassa, Lindl. ex W. Baxt. in *Loud. Hort. Brit. Suppl.* iii. 613, nomen.—Mexic.  
 crassifolia, H. C. Focke, in *Tijdschr. Nat. Wetensch.* ii. (1849) 196.—Guian.  
 crassifolia, Reichb. f. in *Linnaea*, xxii. (1849) 832 = *minutalis*.  
 crassipes, Lindl. *Fol. Orch. Pleuroth.* 29.—Venezuela.  
 crenata, Lindl. in *Gard. Chron.* (1846) 207; *Fol. Orch. Pleuroth.* 38.—Mexic.  
 crepidophylla, Reichb. f. *Otia Bot. Hamb.* 18.—Ecuador.  
 crinita, Rodrig. *Orch. Nov.* i. 16 = *Lepanthes crinita*.  
 crocea, Rodrig. l. c. ii. 23.—Bras.  
 Crocodilanthae, Lindl. *Fol. Orch. Pleuroth.* 4.—Peruv.  
 crocodiliceps, Reichb. f. in *Bonplandia*, iii. (1855) 72.—Venezuela.  
 cryptantha, Rodrig. *Orch. Nov.* i. 13.—Bras.  
 cubensis, Lindl. in *Ann. & Mag. Nat. Hist. Ser. III.* i. (1858) 328.—Cuba.  
 cultellifolia, Rodrig. *Orch. Nov.* i. 19.—Bras.  
 cyclochila, Lindl. *Fol. Orch. Pleuroth.* 8.—N. Granat.  
 declivis, Lindl. l. c. 36.—Peruv.  
 decurrens, Poepp. & Endl. *Nov. Gen. et Sp.* i. 48.—Peruv.  
 decurva, Lindl. *Fol. Orch. Pleuroth.* 8.—Peruv.  
 delicatula, Lindl. l. c. 38.—Jamaic.  
 dendrophila, Reichb. f. in *Linnaea*, xxii. (1849) 827.—Venezuela.  
 dichroa, Reichb. f. in *Hamb. Gartenz.* xxi. (1865) 356.—Bras.  
 diffusa, Poepp. & Endl. *Nov. Gen. et Sp.* i. 49. t. 86.—Peruv.  
 Dinotherii, Reichb. f. & Warsz. in *Bonplandia*, ii. (1854) 114.—Peruv.  
 diptera, Lindl. *Fol. Orch. Pleuroth.* 44.—Peruv.  
 discoidea, Lindl. in *Bot. Reg.* sub t. 1797.—Ins. Trinit.  
 disticha, A. Rich. in *Mém. Soc. Hist. Nat. Par.* iv. (1828) 49 = *Oberonia brevifolia*.  
 disticha, A. Rich. & Gal. in *Ann. Sc. Nat. Sér. III.* iii. (1845) 16.—Mexic.  
 dubia, A. Rich. & Gal. l. c.—Mexic.  
 dura, Lindl. *Fol. Orch. Pleuroth.* 32.—Peruv.  
 ecallosa, Rodrig. *Orch. Nov.* ii. 24.—Bras.  
 echinantha, Rodrig. l. c. 22.—Bras.

## PLEUROTHALLIS:—

- elachopus, Reichb. f. in *Gard. Chron.* (1884) i. 109.—Venezuela.  
 elegans, Lindl. *Bot. Reg.* (1842) *Misc.* 70.—N. Granat.  
 elongata, Hort. Hamb. ex Klotzsch, in *Ind. Sem. Hort. Berol.* (1853) *App.* 1.—Hab. ?  
 emarginata, Lindl. *Fol. Orch. Pleuroth.* 25.—Jamaic.  
 emarginata, Lindl. *Gen. et Sp. Orch.* 6 = *Physosiphon emarginatus*.  
 endotrachys, Reichb. f. in *Linnaea*, xli. (1877) 95.—Costa Rica.  
 ephamera, Lindl. in *Hook. Comp. Bot. Mag.* ii. (1836) 356.—Bras.  
 erinacea, Reichb. f. in *Bonplandia*, iii. (1855) 72.—N. Granat.  
 exarticulata, Rodrig. *Orch. Nov.* ii. 27.—Bras.  
 exasperata, Lindl. *Fol. Orch. Pleuroth.* 15.—Venezuela.  
 expansa, Lindl. l. c. 4.—Peruv.  
 fallax, Reichb. f. in *Bonplandia*, iii. (1855) 224 = *tribuloides*.  
 Felis-lingua, Rodrig. *Orch. Nov.* ii. 18.—Bras.  
 fenestrata, Rodrig. l. c. 12.—Bras.  
 filifera, Lindl. *Fol. Orch. Pleuroth.* 20.—Peruv.  
 fimbriata, Lindl. l. c. 17.—Bras.  
 flava, Lindl. l. c. 44, 45; et *Stelis*, 19.—Guian.  
 flexuosa, Lindl. *Bot. Reg.* (1842) *Misc.* 69.—Peruv.  
 floribunda, Lindl. l. c. 73.—Ins. Martinic.  
 floribunda, Poepp. & Endl. *Nov. Gen. et Sp.* i. 48. t. 84.—Peruv.  
 floripecten, Reichb. f. in *Bonplandia*, ii. (1854) 25.—N. Granat.  
 floripicta, Lindl. in *Mem. Am. Acad.* viii. (1861) 219, nomen.—Cuba.  
 florulenta, Linden & Reichb. f. in *Bonplandia*, iii. (1855) 223.—N. Granat.  
 Fockei, Lindl. *Fol. Orch. Pleuroth.* 23.—Guian.  
 foetens, Lindl. *Bot. Reg.* (1843) *Misc.* 5.—Bras.  
 foliata, Griseb. *Fl. Brit. W. Ind.* 610.—Jamaic.  
 foliosa, Hook. *Bot. Mag.* t. 2746 = *Gomesa foliosa*.  
 Fons-florum, Lindl. *Fol. Orch. Pleuroth.* 5.—Peruv.  
 foveata, Lindl. l. c. 31.—Peruv.  
 fragilis, Lindl. *Bot. Reg.* (1841) *Misc.* 91.—Bras.  
 fraterna, Lindl. *Fol. Orch. Pleuroth.* 3.—Bolivia.  
 Fritillaria, Reichb. f. in *Bonplandia*, iii. (1855) 240.—N. Granat.  
 Fuegi, Reichb. f. *Beitr. Orch. Centr. Am.* 97. t. 10.—Guatemala.  
 fulgens, Reichb. f. in *Gard. Chron.* (1875) ii. 516.—Costa Rica.  
 fusca, Lindl. in *Hook. Comp. Bot. Mag.* ii. (1836) 354.—Bras.  
 galeata, Lindl. in *Ann. & Mag. Nat. Hist. Ser. I. xv.* (1845) 107.—N. Granat.  
 Gardneri, Lindl. *Bot. Reg.* (1842) *Misc.* 83 = *Restrepia Gardneri*.  
 gelida, Lindl. l. c. (1841) *Misc.* 91.—Jamaic.  
 geniculata, Lindl. *Fol. Orch. Pleuroth.* 15.—Peruv.  
 Ghiesbreghtiana, A. Rich. & Gal. in *Ann. Sc. Nat. Sér. III.* iii. (1845) 16 = *quadrifida*.  
 gigantea, Lindl. *Fol. Orch. Pleuroth.* 28.—Peruv.  
 glanduligera, Lindl. in *Hook. Comp. Bot. Mag.* ii. (1836) 355.—Bras.  
 glossopogon, Reichb. f. in *Bonplandia*, iii. (1855) 71.—Venezuela.  
 glumacea, Lindl. in *Hook. Comp. Bot. Mag.* ii. (1836) 355.—Bras.  
 gracilis, Rodrig. *Orch. Nov.* i. 6.—Bras.  
 gracillima, Lindl. *Fol. Orch. Pleuroth.* 35.—Peruv.  
 grandiflora, Lindl. *Bot. Reg.* sub t. 1797.—Peruv.  
 grata, Reichb. f. in *Bonplandia*, ii. (1854) 25.—Venezuela.  
 Grobyi, Lindl. *Bot. Reg.* t. 1797.—Guiana.  
 hamosa, Rodrig. *Orch. Nov.* ii. 31.—Bras.  
 harpophylla, Reichb. f. in *Bonplandia*, iii. (1855) 72.—N. Granat.  
 Hartwegii, Lindl. *Bot. Reg.* (1842) *Misc.* 80 = *geniculata*.  
 Hartwegii, Lindl. in *Ann. & Mag. Nat. Hist. Ser. I.* xv. (1845) 106.—N. Granat.  
 hastulata, Reichb. f. & Warm. in *Otia Bot. Hamb.* 92.—Bras.  
 hemirhoda, Lindl. & Paxt. *Flow. Gard.* iii. (1852–53) 138.—N. Granat.  
 hians, Lindl. *Bot. Reg.* sub t. 1797.—Bras.  
 Hoffmannseggiana, Reichb. f. in *Linnaea*, xxii. (1849) 827.—Bras.



## PLEUROTHALLIS:—

- Hookeri*, Regel, in Act. Hort. Petrop. vii. (1880) 545 = strupifolia.  
*hygrophila*, *Rodrig. Orch. Nov. i. 7.*—Bras.  
*hymenantha*, *Lindl. Bot. Reg. sub t. 1797.*—Bras.; Cuba.  
*hypnicola*, *Lindl. l. c. (1842) Misc. 75.*—Bras.  
*Hystrix*, *Reichb. f. in Bonplandia, ii. (1854) 26.*—Venezuela.  
*imbricata*, *Rodrig. Orch. Nov. i. 15* = *Lepanthes imbricata*.  
*immersa*, *Linden & Reichb. f. in Bonplandia, iii. (1855) 224.*—N. Granat.  
*Imrayi*, *Lindl. Fol. Orch. Pleuroth. 9 (Imraei).*—Ins. Dominic.  
*inaequalis*, *Lindl. Bot. Reg. (1842) Misc. 76.*—Bras.  
*incompta*, *Reichb. f. in Bonplandia, ii. (1854) 24.*—Venezuela.  
*incurva*, *Lindl. Fol. Orch. Pleuroth. 30.*—Peruv.  
*intricata*, *Lindl. Orchid. Linden. 1.*—N. Granat.  
*ionantha*, *Reichb. f. in Linnaea, xxii. (1849) 830.*—Venezuela.  
*jacarepaguensis*, *Rodrig. Orch. Nov. ii. 29.*—Bras.  
*Jamiesoni*, *Lindl. Bot. Reg. sub t. 1797.*—N. Granat.  
*janeirensis*, *Rodrig. Orch. Nov. ii. 29.*—Bras.  
*johannensis*, *Rodrig. l. c. 23.*—Bras.  
*Kefersteiniana*, *Reichb. f. in Bot. Zeit. x. (1852) 673.*—Venezuela.  
*Kegelii*, *Reichb. f. in Linnaea, xli. (1877) 132.*—Guian.  
*Klotzscheana*, *Reichb. f. l. c. xxii. (1849) 828.*—Bras.  
*Krameriana*, *Reichb. f. in Hamb. Gartenz. xxi. (1865) 294.*—Am. centr.  
*laciniata*, *Rodrig. Orch. Nov. i. 14* = *Lepanthes laciniata*.  
*laevigata*, *Lindl. in Ann. & Mag. Nat. Hist. Ser. I. xv. (1845) 106.*—N. Granat.  
*lamellaris*, *Lindl. Fol. Orch. Pleuroth. 8.*—Bolivia.  
*Lanceana*, *Lodd. Bot. Cab. t. 1767.*—Guian.  
*Lanceola*, *Spreng. Syst. iii. 731.*—Jamaic.  
*lanceolata*, *Lindl. Gen. et Sp. Orch. 5.*—Peruv.  
*Lansbergii*, *Regel, Ind. Sem. Hort. Petrop. (1856) 17;* in Ann. Sc. Nat. Sér. IV. vi. (1856) 373 = *P. Cardium*.  
*lateritia*, *Reichb. f. in Gard. Chron. (1872) 731.*—Costa Rica.  
*laurifolia*, *H. B. & K. Nov. Gen. et Sp. i. 364.*—N. Granat.  
*laurifolia*, *Reichb. f. in Bonplandia, ii. (1854) 23* = *Roezlii*.  
*laxa*, *Lindl. Gen. et Sp. Orch. 7.*—Jamaic.  
*leontoglossa*, *Reichb. f. in Linnaea, xxii. (1849) 831.*—Bras.  
*lepanthiformis*, *Reichb. f. l. c. xviii. (1844) 398* = *villosa*.  
*leptotifolia*, *Rodrig. Orch. Nov. i. 15.*—Bras.  
*leucopyramis*, *Reichb. f. in Linnaea, xli. (1877) 47.*—Costa Rica?  
*lichenicola*, *Griseb. Cat. Pl. Cub. 259.*—Cuba.  
*ligulata*, *Lindl. Fol. Orch. Pleuroth. 29.*—Peruv.  
*lilacina*, *Rodrig. Orch. Nov. i. 18.*—Bras.  
*Lindenii*, *Lindl. in Ann. & Mag. Nat. Hist. Ser. I. xii. (1843) 397.*—Venezuela.  
*linearis*, *Lindl. Bot. Reg. (1842) Misc. 82.*—Mexic.  
*Lingua*, *Lindl. l. c. 80.*—Bras.  
*linguifera*, *Lindl. Fol. Orch. Pleuroth. 10.*—Bolivia.  
*liparanges*, *Reichb. f. in Gard. Chron. (1885) i. 532.*—Bras.  
*listrostachys*, *Reichb. f. in Bonplandia, iii. (1855) 71* = *stenopetala*.  
*longicaulis*, *Lindl. Bot. Reg. (1842) Misc. 72.*—Bras.  
*longilabris*, *Lindl. in Ann. & Mag. Nat. Hist. Ser. III. i. (1858) 328.*—Cuba.  
*longipes*, *Koern. in Otto & Dietr. Allg. Gartenz. xxiii. (1855) 281.*—Venezuela.  
*longirostris*, *H. C. Focke, in Bot. Zeit. xi. (1853) 340.*—Guian.  
*longissima*, *Lindl. Fol. Orch. Pleuroth. 31* = *racemiflora*.  
*loranthophylla*, *Reichb. f. in Bot. Zeit. x. (1852) 674.*—Am. austr.  
*luctuosa*, *Reichb. f. in Linnaea, xli. (1877) 48.*—Costa Rica.  
*luteola*, *Lindl. Bot. Reg. (1841) Misc. 1* = *fragilis*.  
*macra*, *Lindl. Fol. Orch. Pleuroth. 10.*—Peruv.  
*macroblepharis*, *Reichb. f. in Gard. Chron. (1874) ii. 772.*—Peruv.?  
*macrocardia*, *Reichb. f. in Bonplandia, iii. (1855) 72.*—N. Granat.

## PLEUROTHALLIS:—

- macrophylla*, *H. B. & K. Nov. Gen. et Sp. i. 365.*—N. Granat.  
*macrophyta*, *Rodrig. Orch. Nov. i. 19.*—Bras.  
*macropoda*, *Rodrig. l. c. ii. 25.*—Bras.  
*macrorhiza*, *Lindl. in Hook. Journ. Bot. i. (1834) 9.*—Peruv.  
*macuconensis*, *Rodrig. Orch. Nov. ii. 17.*—Bras.  
*Magdaleneae*, *Reichb. f. in Bonplandia, iii. (1855) 72.*—N. Granat.  
*malachantha*, *Reichb. f. l. c. 223.*—Bras.  
*Mandonii*, *Reichb. f. Xenia Orch. iii. 24.*—Bolivia.  
*mantiguayana*, *Rodrig. Orch. Nov. ii. 14.*—Bras.  
*marginalis*, *Reichb. f. in Bonplandia, iii. (1855) 224.*—Bras.  
*marginata*, *Lindl. Bot. Reg. (1838) Misc. 42.*—Guatemal.  
*Mathewsii*, *Lindl. in Hook. Comp. Bot. Mag. ii. (1836) 355.*—Peruv.; N. Granat.  
*melachantha*, *Rodrig. Orch. Nov. ii. 19.*—Bras.  
*melanantha*, *Reichb. f. in Flora, xlviii. (1865) 275.*—Cuba.  
*Memor*, *Reichb. f. in Bonplandia, iv. (1856) 330.*—Hab.?  
*meridana*, *Reichb. f. in Linnaea, xxii. (1849) 826.*—Venezuela.  
*mesophylla*, *A. Rich. & Gal. in Ann. Sc. Nat. Sér. III. iii. (1845) 16* = *circumplexa*.  
*micrantha*, *Rodrig. Orch. Nov. ii. 21.*—Bras.  
*microcardia*, *Reichb. f. in Bonplandia, iii. (1855) 72.*—N. Granat.  
*microlepanthes*, *Griseb. Fl. Brit. W. Ind. 610.*—Jamaic.  
*microphylla*, *A. Rich. & Gal. in Ann. Sc. Nat. Sér. III. iii. (1845) 17.*—Mexic.  
*Miersii*, *Lindl. Bot. Reg. (1842) Misc. 84* = *Restrepia Miersii*.  
*minax*, *Reichb. f. in Bonplandia, ii. (1854) 24* = *plumosa*.  
*minutalis*, *Lindl. Fol. Orch. Pleuroth. 40.*—Mexic.  
*Miqueliana*, *Lindl. l. c. 17.*—Guian.  
*misera*, *Lindl. l. c. 36.*—Peruv.  
*modestissima*, *Reichb. f. & Warm. in Otia Bot. Hamb. 93.*—Bras.  
*monocardia*, *Reichb. f. in Bonplandia, iii. (1855) 72.*—N. Granat.  
*montana*, *Rodrig. Orch. Nov. i. 5.*—Bras.  
*Moritzii*, *Reichb. f. in Linnaea, xxii. (1849) 824.*—Venezuela.  
*moschata*, *Reichb. f. Xenia Orch. iii. 42. t. 217.*—Costa Rica.  
*Moseni*, *Reichb. f. Otia Bot. Hamb. 93.*—Bras.  
*mucronata*, *Lindl. in Mem. Am. Acad. N. S. viii. (1861) 219, nomen.*—Cuba.  
*multicaulis*, *Poepp. & Endl. Nov. Gen. et Sp. i. 47. t. 82* = *ruscifolia*.  
*multicuspidata*, *Reichb. f. in Linnaea, xli. (1877) 117.*—N. Granat.  
*multirostris*, *Reichb. f. l. c. 49.*—Jamaic.  
*Murex*, *Reichb. f. in Flora, xlviii. (1865) 276.*—Ind. occ.  
*musciola*, *Rodrig. Orch. Nov. i. 9* = *Lepanthes musciola*.  
*muscifera*, *Lindl. Bot. Reg. (1842) Misc. 79* = *Restrepia muscifera*.  
*muscoidea*, *Lindl. l. c. (1838) Misc. 89.*—Bras.  
*muscosa*, *Rodrig. Orch. Nov. i. 7* = *Lepanthes muscosa*.  
*myrticola*, *Rodrig. l. c. 9.*—Bras.  
*naranensis*, *Reichb. f. Beitr. Orch. Centr. Am. 96.*—Costa Rica.  
*navicularis*, *Lindl. Fol. Orch. Pleuroth. 6.*—N. Granat.  
*navilinguis*, *Reichb. f. in Bonplandia, iii. (1855) 72.*—N. Granat.  
*nemorosa*, *Rodrig. Orch. Nov. i. 11.*—Bras.  
*nicaraguensis*, *Reichb. f. in Walp. Ann. vi. 171.*—Nicaragua.  
*nittiorhyncha*, *Lindl. Fol. Orch. Pleuroth. 20.*—N. Granat.  
*nubigena*, *Lindl. in Ann. & Mag. Nat. Hist. Ser. III. i. (1858) 326 (rubigena)* = *corniculata*.  
*nuda*, *Reichb. f. in Walp. Ann. vi. 184* = *hemirhoda*.  
*nummularia*, *Reichb. f. in Flora, xlviii. (1865) 276.*—Ind. occ.  
*oblongifolia*, *Lindl. in Hook. Comp. Bot. Mag. ii. (1836) 355.*—Cuba.  
*obovata*, *Lindl. Bot. Reg. (1842) Misc. 75.*—Peruv.  
*obscura*, *A. Rich. & Gal. in Ann. Sc. Nat. Sér. III. iii. (1845) 17* = *bilamellata*.

## PLEUROTHALLIS:—

- occulta*, *Knowles & Westc. ex G. Don, in Sweet, Hort. Brit. ed. III. 636, nomen.*—Bras.  
*ochreatea*, *Lindl. Bot. Reg. sub t. 1797.*—Bras.  
*octomeriaeformis*, *Reichb. f. in Bonplandia, ii. (1854) 25* = *obovata*.  
*octomerioides*, *Lindl. in Hook. Comp. Bot. Mag. ii. (1836) 354.*—Mexic.  
*octophrys*, *Reichb. f. in Linnaea, xli. (1877) 95.*—Bras.  
*odontotepala*, *Reichb. f. in Flora, xlviii. (1865) 275.*—Cuba.  
*oligantha*, *Rodrig. Orch. Nov. ii. 33.*—Bras.  
*ophicephala*, *Rodrig. l. c. 294.*—Bras.  
*ophiocephala*, *Lindl. Bot. Reg. (1838) Misc. 34* = *Restrepia ophiocephala*.  
*orbicularis*, *Lindl. l. c. (1842) Misc. 79.*—Guian.  
*ovalifolia*, *Reichb. f. in Walp. Ann. vi. 188.*—Guian.  
*pachyglyssa*, *Lindl. Bot. Reg. (1840) Misc. 68.*—Mexic.  
*pachyphylla*, *Reichb. f. in Linnaea, xxii. (1849) 824.*—Bras.  
*pachyrachis*, *A. Rich. Fl. Cub. Fanerog. ii. 234* = *Bulbophyllum pachyrrhachis*.  
*pachyrhyncha*, *A. Rich. ex Penth. in Journ. Linn. Soc. xviii. (1881) 299* = *Bulbophyllum bracteolatum*.  
*palmiformis*, *Lindl. Fol. Orch. Pleuroth. 3.*—Peruv.  
*pandurifera*, *Lindl. Bot. Reg. (1842) Misc. 70.*—Bras.  
*panduripetala*, *Rodrig. Orch. Nov. ii. 12.*—Bras.  
*Pantasmii*, *Reichb. f. in Bonplandia, iii. (1855) 224.*—Nicaragua.  
*papillosa*, *Lindl. Bot. Reg. sub t. 1797.*—Bras.  
*pardipes*, *Reichb. f. in Saund. Refug. Bot. t. 119.*—Bras.  
*parvifolia*, *Lindl. in Hook. Comp. Bot. Mag. ii. (1836) 355.*—Bras.  
*pavimentata*, *Reichb. f. in Linnaea, xli. (1877) 48.*—Bras.  
*pectinata*, *Lindl. Bot. Reg. (1839) Misc. 1.*—Bras.  
*peduncularis*, *Hook. Journ. Bot. iii. (1841) 308* = *aphthosa*.  
*peduncularis*, *Lindl. Bot. Reg. (1843) Misc. 47.*—Bras.  
*pedunculata*, *Reichb. f. in Linnaea, xxii. (1849) 822.*—Venezuela.  
*pelioxantha*, *Rodrig. Orch. Nov. i. 17.*—Bras.  
*perplexa*, *Reichb. f. in Hamb. Gartenz. xvi. (1860) 15.*—Hab.?  
*perpusilla*, *Reichb. f. in Seem. Bot. Voy. Herald, 215.*—Panama.  
*phalangifera*, *Reichb. f. in Walp. Ann. vi. 163* = *Mathewsii*.  
*phyllocardia*, *Reichb. f. Beitr. Orch. Centr. Am. 97.*—Costa Rica.  
*Pichinchae*, *Reichb. f. in Linnaea, xli. (1877) 47.*—Ecuador.  
*picta*, *Hook. Bot. Mag. t. 3897* = *strupifolia*.  
*picta*, *Lindl. Bot. Reg. sub t. 1797.*—Guian.  
*pilifera*, *Lindl. Fol. Orch. Pleuroth. 9.*—Peruv.  
*pisifera*, *Lindl. l. c. 36.*—Peruv.  
*plantaginea*, *Lindl. Bot. Reg. (1842) Misc. 82.*—Peruv.  
*plumosa*, *Lindl. l. c. 72.*—Costa Rica.  
*Poeppigii*, *Lindl. in Hook. Comp. Bot. Mag. ii. (1836) 354.*—Peruv.  
*polygonoides*, *Griseb. Fl. Brit. W. Ind. 609.*—Ind. occ.  
*polyliria*, *Endres & Reichb. f. in Gard. Chron. (1871) 1483.*—Costa Rica.  
*polystachya*, *A. Rich. & Gal. in Ann. Sc. Nat. Sér. III. iii. (1845) 16.*—Mexic.  
*pristeoglossa*, *Reichb. f. & Warm. Otia Bot. Hamb. 92.*—Bras.  
*procumbens*, *Lindl. Fol. Orch. Pleuroth. 35.*—Venezuela.  
*prolifera*, *Herb. ex Lindl. Bot. Reg. t. 1298.*—Bras.  
*prostrata*, *Lindl. in Ann. & Mag. Nat. Hist. Ser. III. i. (1858) 327.*—Cuba.  
*pruinosa*, *Lindl. Bot. Reg. (1842) Misc. 75.*—Guian.  
*puberula*, *Klotzsch, in Otto & Dietr. Allg. Gartenz. xxii. (1854) 393* = *Restrepia ophiocephala*.  
*pubescens*, *Lindl. in Hook. Comp. Bot. Mag. ii. (1836) 355.*—Mexic.  
*pulchella*, *Lindl. in Hook. Exot. Fl. ii. sub t. 123.*—Ecuador.  
*punctata*, *Ker-Gawl. in Bot. Reg. t. 759* = *Notylia punctata*.  
*punctata*, *Lindl. l. c. sub t. 1797.*—Bras.



## PLEUROTHALLIS:—

- punctata*, Rodrig. Orch. Nov. i. 11 = *serpentula*.  
*purpurea*, D. Don, Prod. Fl. Nep. 33 = *Bulbophyllum* *Careyanum*.  
*pusilla*, Lindl. Bot. Reg. (1842) Misc. 82.—Peruv.  
*pyrsodes*, Reichb. f. in Gard. Chron. (1876) II. 386.—Am. centr.  
*quadrifida*, Lindl. Bot. Reg. (1842) Misc. 70.—Mexic.  
*quitensis*, Reichb. f. in Bonplandia, iii. (1855) 240.—Ecuador.  
*racemiflora*, Lindl. Fol. Orch. Pleuroth. 34 = *oblongifolia*.  
*racemiflora*, Lindl. in Hook. Exot. Fl. ii. t. 123.—Am. centr.; Jamaic.  
*ramosa*, Rodrig. Orch. Nov. ii. 17.—Bras.  
*ramulosa*, Lindl. Fol. Orch. Pleuroth. 33.—Peruv.  
*Raymondi*, Reichb. f. in Bonplandia, ii. (1854) 26.—Venezuela.  
*recurva*, Lindl. Bot. Reg. (1841) Misc. 1.—Bras.  
*restrepoides*, Lindl. in Hook. Comp. Bot. Mag. ii. (1836) 356.—Peruv.  
*retusa*, Lindl. Bot. Reg. (1842) Misc. 81.—Mexic.  
*Reymondi*, Reichb. f. in Walp. Ann. iii. 520 = *Raymondi*.  
*rhodotantha*, Reichb. f. in Linnaea, xxii. (1849) 825.—N. Granat.  
*rhomboglossa*, Reichb. f. in Flora, xlviii. (1865) 276.—Ind. occ.  
*riectoria*, Reichb. f. in Linnaea, xli. (1877) 14.—N. Granat.  
*rigidifolia*, Reichb. f. in Bonplandia, iii. (1855) 224.—Peruv.  
*rio-grandensis*, Rodrig. Orch. Nov. ii. 28.—Bras.  
*Roezlii*, Reichb. f. in Linnaea, xli. (1877) 13.—N. Granat.  
*roseo-punctata*, Lindl. Orch. Linden. 2.—Venezuela.  
*rostellata*, Rodrig. Orch. Nov. i. 12.—Bras.  
*rostriflora*, Reichb. f. in Linnaea, xxii. (1849) 827.—Bras.  
*rubens*, Lindl. Bot. Reg. sub t. 1797.—Bras.  
*ruberima*, Lindl. Orch. Linden. 1.—Venezuela.  
*rubigena*, Lindl. in Ann. & Mag. Nat. Hist. Ser. III. i. (1858) 326, sphalm. = *nubigena*.  
*rubroviridis*, Lindl. l. c. 327.—Cuba.  
*rufobrunnea*, Lindl. Fol. Orch. Pleuroth. 36.—Mexic.  
*rupestris*, Lindl. Bot. Reg. sub t. 1797.—Bras.  
*ruscifolia*, R. Br. in Ait. Hort. Kew. ed. II. v. 211.—Am. trop.  
*sagittata*, Reichb. f. in Wawra, Bot. Ergeb. Maxim. Reise, 150.—Bras.  
*sagittifera*, H. B. & K. Nov. Gen. et Sp. i. 365. t. 91 = *Notylia multiflora*, Lindl.  
*saltatoria*, Lindl. Fol. Orch. Pleuroth. 30.—Bolivia.  
*sarcophylla*, Reichb. f. in Bonplandia, iii. (1855) 224.—Venezuela.  
*saurocephala*, Lodd. Bot. Cab. t. 1571.—Bras.  
*scabrata*, Lindl. Fol. Orch. Pleuroth. 30.—Bolivia.  
*scabrilanguis*, Lindl. in Hook. Comp. Bot. Mag. ii. (1836) 354.—Peruv.  
*scabripes*, Lindl. Bot. Reg. (1839) Misc. 94.—Bras.  
*scalaris*, Griseb. Cat. Pl. Cub. 259 = *nummularia*.  
*Scapha*, Reichb. f. in Gard. Chron. (1874) II. 162.—Hab.?  
*scariosa*, Lindl. Bot. Reg. (1842) Misc. 71.—Mexic.  
*Schiedei*, Reichb. f. in Linnaea, xxii. (1849) 826.—Mexic.  
*Sclarea*, Reichb. f. l. c. xli. (1877) 49.—N. Granat.  
*sclerophylla*, Lindl. Bot. Reg. sub t. 1797.—Bras.  
*secunda*, Poepp. & Endl. Nov. Gen. et Sp. i. 49.—Peruv.  
*segoviensis*, Reichb. f. in Bonplandia, iii. (1855) 223.—Nicaragua.  
*semipellucida*, Reichb. f. in Linnaea, xxii. (1849) 823.—Venezuela.  
*semiscabra*, Lindl. Orch. Linden. 2.—Venezuela.  
*sempervirens*, Lindl. Fol. Orch. Pleuroth. 40.—Guian.  
*seriata*, Lindl. Bot. Reg. (1840) Misc. 75.—Bras.  
*serpentula*, Rodrig. Orch. Nov. ii. 20.—Bras.  
*serriifera*, Lindl. Fol. Orch. Pleuroth. 34.—Bras.  
*serrulatipetala*, Rodrig. Orch. Nov. ii. 33.—Bras.  
*sertularioides*, Spreng. Syst. iii. 731.—Jamaic.  
*setigera*, Lindl. Fol. Orch. Pleuroth. 38.—Peruv.  
*sicaria*, Lindl. Bot. Reg. (1841) Misc. 91.—Am. trop.  
*Sirene*, Reichb. f. in Bonplandia, iii. (1855) 71.—Venezuela.  
*Smithiana*, Lindl. Bot. Reg. (1843) Misc. 57.—Bras.  
*Sonderana*, Reichb. f. in Linnaea, xxii. (1849) 830.—Bras.

## PLEUROTHALLIS:—

- sorata*, Reichb. f. Xenia Orch. iii. 25.—Bolivia.  
*spathulata*, A. Rich. & Gal. in Ann. Sc. Nat. Sér. III. iii. (1845) 17 = *tribuloides*.  
*spectrilinguis*, Reichb. f. in Gard. Chron. (1882) II. 457.—Hab.?  
*sphenochila*, Lindl. Fol. Orch. Pleuroth. 22.—N. Granat.  
*spiculifera*, Lindl. l. c. 43.—Bras.  
*spilantha*, Rodrig. Orch. Nov. ii. 32.—Bras.  
*spiralis*, Lindl. Gen. et Sp. Orch. 7.—Peruv.  
*Sprucei*, Lindl. Fol. Orch. Pleuroth. 35.—Bras.  
*stenopetala*, Lodd. ex Lindl. Bot. Reg. (1838) Misc. 95.—Am. trop.  
*stenostachya*, Reichb. f. in Linnaea, xviii. (1844) 399.—Mexic.  
*stigmatoglossa*, Reichb. f. ex Lindl. Fol. Orch. Pleuroth. 18 = *Restrepia ophioccephala*.  
*striata*, H. C. Focke, in Tijdschr. Nat. Wetensch. iv. (1851) 63.—Guian.  
*strupifolia*, Lindl. Bot. Reg. (1839) Misc. 2.—Bras.  
*subpellucida*, Klotzsch, Ind. Sem. Hort. Berol. (1852) App. 1; et in Ann. Sc. Nat. Sér. III. xix. (1853) 375 = *loranthophylla*.  
*subsinnata*, Lindl. Fol. Orch. Pleuroth. 37.—Hab.?  
*succosa*, Lindl. Gen. et Sp. Orch. 5 = *ruscifolia*.  
*sulphurea*, Rodrig. Orch. Nov. ii. 15.—Bras.  
*supravacanea*, Reichb. f. in Hamb. Gartenz. xvi. (1860) 180.—Hab.?  
*surinamensis*, H. C. Focke, in Tijdschr. Nat. Wetensch. ii. (1849) 194 = *picta*.  
*tentaculata*, Lindl. in Hook. Comp. Bot. Mag. ii. (1836) 354.—Peruv.  
*tenuissima*, Reichb. f. in Linnaea, xviii. (1844) 399.—Mexic.  
*teres*, Lindl. Bot. Reg. sub t. 1797.—Bras.  
*testaeifolia*, Lindl. in Ann. & Mag. Nat. Hist. Ser. III. i. (1858) 328.—Ind. occ.; Venezuela.  
*translucida*, Rodrig. Orch. Nov. ii. 19.—Bras.  
*triangularis*, Klotzsch & Karst. in Otto & Dietr. Allg. Gartenz. xv. (1847) 329 = *chamensis*.  
*tribuloides*, Lindl. Gen. et Sp. Orch. 6.—Ind. occ.  
*tricarinata*, H. C. Focke, in Bot. Zeit. xi. (1853) 339 = *Fockei*.  
*tricarinata*, Poepp. & Endl. Nov. Gen. et Sp. i. 49. t. 87.—Peruv.  
*trichophora*, Lindl. in Ann. & Mag. Nat. Hist. Ser. III. i. (1858) 326.—Cuba.  
*trichopoda*, Reichb. f. in Bonplandia, iv. (1856) 330 = *subsinnata*.  
*trichopoda*, A. Rich. & Gal. in Ann. Sc. Nat. Sér. III. iii. (1845) 17.—Mexic.  
*trichyphus*, Reichb. f. in Flora, xlviii. (1865) 276.—Ind. occ.  
*tridentata*, Klotzsch, in Otto & Dietr. Allg. Gartenz. viii. (1840) 289.—Venezuela.  
*trifida*, Lindl. Bot. Reg. (1842) Misc. 82.—Bras.  
*trigonopoda*, Klotzsch, in Otto & Dietr. Allg. Gartenz. xxi. (1853) 361 = *sicaria*.  
*trilineata*, Lindl. Fol. Orch. Pleuroth. 29.—Peruv.  
*trilineata*, Rodrig. Orch. Nov. i. 6 = *Lepanthes trilineata*.  
*tripeterantha*, Reichb. f. in Bonplandia, ii. (1854) 24.—Venezuela.  
*tripteris*, Reichb. f. in Linnaea, xxii. (1849) 829 = *sicaria*.  
*tripterygia*, Reichb. f. in Bonplandia, ii. (1854) 24.—Venezuela.  
*triquetra*, Klotzsch, ex Lindl. Fol. Orch. Pleuroth. 13 = *chamensis*.  
*tristis*, Rodrig. Orch. Nov. ii. 293.—Bras.  
*Trulla*, Reichb. & Warss. in Bonplandia, ii. (1854) 114.—Peruv.  
*truncata*, Lindl. in Hook. Comp. Bot. Mag. ii. (1836) 355.—Ecuador.  
*truncicola*, Reichb. f. in Wawra, Bot. Ergeb. Maxim. Reise, 149.—Bras.  
*truxillensis*, Reichb. f. in Bonplandia, ii. (1854) 25.—Venezuela.  
*tubata*, Lodd. ex Steud. Nom. ed. II. ii. 356 = *Physosiphon Loddigesii*.  
*tuberculata*, Wright, in Sauv. Fl. Cub. 228 = *Epiden-drum Leocilus*.  
*tubulosa*, Lindl. Fol. Orch. Pleuroth. 19.—Peruv.  
*ujarensis*, Lindl. l. c. = *Restrepia ujarensis*.  
*undulata*, Poepp. & Endl. Nov. Gen. et Sp. i. 48.—Peruv.  
*uniflora*, Lindl. in Hook. Comp. Bot. Mag. ii. (1836) 355.—Bras.

## PLEUROTHALLIS:—

- univaginata*, Lindl. in Ann. & Mag. Nat. Hist. Ser. III. i. (1858) 326.—Ind. occ.  
*Urbaniana*, Reichb. f. in Ber. Deutsch. Bot. Ges. iii. (1885) 279.—Porto Rico.  
*Valenzuelana*, A. Rich. Fl. Cub. Fanerog. ii. 234.—Cuba.  
*variegata*, Rodrig. Orch. Nov. i. 10 = *Lepanthes varie-gata*.  
*veluticaulis*, Reichb. f. in Linnaea, xxii. (1849) 824.—Venezuela.  
*velatipes*, Reichb. f. l. c. 828.—Venezuela.  
*ventricosa*, Lindl. Fol. Orch. Pleuroth. 16.—Peruv.  
*verrucosa*, Reichb. f. in Bonplandia, ii. (1854) 24.—Venezuela.  
*villipensa*, Reichb. f. in Hamb. Gartenz. xiii. (1857) 3.—Am. centr.  
*villosa*, Knowles & Westc. Flor. Cab. ii. (1838) 78.—Mexic.  
*violacea*, A. Rich. & Gal. in Ann. Sc. Nat. Sér. III. iii. (1845) 16.—Mexic.  
*viridula*, Lindl. Fol. Orch. Pleuroth. 19.—Venezuela.  
*vittata*, Lindl. Bot. Reg. (1838) Misc. 73.—Mexic.; Venezuela.  
*Wagneriana*, Klotzsch, in Otto & Dietr. Allg. Gar-tenz. xx. (1852) 274 = *vittata*.  
*Warmingii*, Reichb. f. Otia Bot. Hamb. 93.—Bras.  
*Wawraeana*, Rodrig. Orch. Nov. ii. 14.—Bras.  
*Weddelliana*, Reichb. f. Xenia Orch. iii. 24.—Bolivia.  
*Wilsoni*, Lindl. in Ann. & Mag. Nat. Hist. Ser. III. i. (1858) 326.—Ind. occ.  
*Wrightii*, Reichb. f. in Flora, xlviii. (1865) 276.—Ind. occ.  
*xanthochlora*, Reichb. f. in Linnaea, xxii. (1849) 823.—N. Granat.  
*xiphizusa*, Reichb. f. in Walp. Ann. vi. 172 = *P. Cro-codilanthae*.  
*xiphochila*, Reichb. f. in Linnaea, xxii. (1849) 831.—Venezuela.  
*zephyrina*, Reichb. f. in Bonplandia, iii. (1855) 71.—Venezuela.
- PLEUROTHYRIUM**, Nees, Syst. Laurin. 349 (1836). LAURINEAE, Benth. & Hook. f. iii. 159.  
*bifidum*, Nees, l. c. 351.—Peruv.  
*chrysophyllum*, Nees, l. c.—Peruv.  
*Chrysothyrsus*, Meissn. in DC. Prod. xv. i. 169 = *Nectandra Arnottiana*.  
*cuneifolium*, Nees, Syst. Laurin. 352.—Bras.; Peruv.  
*ferrugineum*, Meissn. in DC. Prod. xv. i. 169 (= *Persea ferruginea*, Benth. & Hook. f.).—Peruv.  
*macranthum*, Nees, in Linnaea, xxi. (1848) 512 = *cuneifolium*.  
*Poeppigii*, Nees, Syst. Laurin. 349.—Peruv.  
*velutinum*, Meissn. in DC. Prod. xv. i. 170 (= *Persea velutina*).—N. Granat.
- PLEUTERON**, Rafin. Sylva Tellur. 109 (1838) = **Cap-paris**, Tourn.  
*Baduca*, Rafin. l. c. = *C. zeylanica*.  
*Breynia*, Rafin. l. c. = *C. Breynia*.  
*comosa*, Rafin. l. c. = *C. comosa*.  
*frondosa*, Rafin. l. c. = *C. frondosa*.  
*hastata*, Rafin. l. c. = *C. Cynophallophora*.  
*linearis*, Rafin. l. c. = *C. linearis*.  
*siliquosa*, Rafin. l. c. = *C. Breynia*.  
*tenuis*, Rafin. l. c. = *C. tenuisiliqua*.  
*torulosa*, Rafin. l. c. = *C. jamaicensis*.
- PLEXAURE**, Endl. Prod. Fl. Norf. 30 (1833) = **Phreatia**, Lindl. (Orchid.).  
*cladophylax*, Reichb. f. in Linnaea, xix. (1847) 370.—Ins. Carolin.  
*Dendrophylax*, Reichb. f. l. c. 371.—Ins. Carolin.  
*limenophylax*, Endl. Prod. Fl. Norf. 30 = *Phreatia limenophylax*.
- PLENINIUM**, Rafin. Fl. Tellur. ii. 32 (1836) = **Andro-cymbium**, Willd. (Liliac.).  
*punctatum*, Rafin. l. c. = *A. leucanthum*.
- PLEXIPUS**, Rafin. Fl. Tellur. ii. 104 (1836) = **Bouchea**, Cham. (Verben.).  
*cuneifolius*, Rafin. l. c. = *B. cuneifolia*.
- PLEXISTENA**, Rafin. Fl. Tellur. ii. 20 (1836) = **Allium**, Tourn. (Liliac.).  
*margaritica*, Rafin. l. c. = *A. margaritaceum*.



PLICULA, Rafin. Sylva Tellur. 55 (1838) = **Aenistus**, Schott (Solan.).  
*umbellata*, Rafin. l. c. = *A. umbellatus*.

PLINIA, Blanco, Fl. Filip. ed. I. 423 (1837) = **Kayea**, Wall. (Guttif.).  
*paniculata*, Blanco, l. c. = *K. racemosa*.

PLINIA, Plum. ex Linn. Syst. ed. I (1735) = **Eugenia**, Mich. (Myrtac.).  
*crocea*, Linn. Mant. ii. 244, in obs.—Ind. occ.; Bras.  
*pedunculata*, Linn. f. Suppl. 253 = *E. uniflora*, Linn.  
*pennata*, Linn. Sp. Pl. 516 = *crocea*.  
*pentapetala*, Linn. Mant. ii. 402 = *crocea*.  
*petiolata*, Linn. Amoen. Acad. viii. 257 = *E. uniflora*, Linn.  
*rubra*, Linn. Mant. ii. 243 = *E. uniflora*, Linn.  
*tetrapetala*, Linn. l. c. 402 = *E. uniflora*, Linn.?

PLINTHANTHESIS, Steud. Syn. Pl. Gram. 14 (1855) = **Danthonia**, DC. ? (Gramin.).  
*tenuior*, Steud. l. c. 14.—Austral.  
*Urvillei*, Steud. l. c.—Austral.

PLINTHINE, Reichb. Handb. 298 (1837) = **Arenaria**, Linn. (Caryoph.).  
*aggregata*, Reichb. Ic. Fl. Germ. v. 33. t. 219 = *A. tetraquetra*.  
*tetraquetra*, Reichb. l. c. = *A. tetraquetra*.

PLINTHOCROMA, Dulac, Fl. Hautes-Pyr. 419 (1867) = **Rhododendron**, Linn. (Ericac.).  
*ferrugineum*, Dulac, l. c. = *R. ferrugineum*.

PLINTHUS, Fenzl, in Endl. Nov. Stirp. Dec. 51 (1839). **FICOIDEAE**, Benth. & Hook. f. i. 855.  
*cryptocarpus*, Fenzl, l. c. 52.—Afr. austr.

PLOCAGLOTTIS, Steud. Nom. ed. II. ii. 356 (1841) = **Plocoglottis**, Blume (Orchid.).

PLOCAMA, Ait. Hort. Kew. ed. I. i. 292 (1789); iii. 508. **RUBIACEAE**, Benth. & Hook. f. ii. 136.  
*BARTLINGIA*, Reichb. in DC. Prod. ix. 43 = *C. palustris*.  
*PLACODIUM*, Benth. & Hook. f. Gen. ii. 136 (1873), sphalm.  
*PLACOMA*, J. F. Gmel. Syst. 296, 390 (1791).  
*pendula*, Ait. Hort. Kew. ed. I. i. 392.—Ins. Canar.

PLOCANDRA, E. Mey. Comm. Pl. Afr. Austr. 181 (1837) = **Chironia**, Linn. (Gentian.).  
*albena*, E. Mey. l. c. 182.—Afr. austr.  
*palustris*, Griseb. in DC. Prod. ix. 43 = *C. palustris*.  
*purpurascens*, E. Mey. Comm. Pl. Afr. Austr. 182 = *C. purpurascens* (in Addend.).

PLOCOGLOTTIS, Blume, Bijdr. 380 (1825). **ORCHIDEAE**, Benth. & Hook. f. iii. 541.  
*acuminata*, Blume, Mus. Bot. Lugd. Bat. i. 46.—Malaya.  
*dilatata*, Blume, l. c. 47.—Borneo.  
*fimbriata*, Teijsm. & Binn. in Tijdschr. Nederl. Ind. v. (1853) 493.—Java.  
*javanica*, Blume, Bijdr. 381.—Java.  
*latifolia*, Blume, Mus. Bot. Lugd. Bat. i. 47.—Java.  
*Lowii*, Reichb. f. in Gard. Chron. (1865) 434.—Borneo.  
*moluccana*, Blume, Mus. Bot. Lugd. Bat. i. 47.—Ins. Amboin.

PLOCOSPERMA, Benth. in Benth. & Hook. f. Gen. ii. 789 (1876). **LOGANIACEAE**, Benth. & Hook. f. l. c.  
*buxifolium*, Benth. in Hook. Ic. Pl. t. 1195.—Guatemala.

PLOCOSTEMMA, Blume, Rumphia, iv. 30 (1848); et Mus. Bot. Lugd. Bat. i. 59. t. 14 (1849) = **Hoya**, R. Br. (Asclep.).  
*lasianthum*, Blume, Rumphia, iv. 30 = *H. lasiantha*.  
*pallidum*, Blume, Mus. Bot. Lugd. Bat. i. 60.—Sumatra.

PLOCOSTIGMA, Benth. err. typ. in Journ. Linn. Soc. xviii. (1881) 338, loco PLACOSTIGMA, Blume = **Podochilus**, Blume (Orchid.).

PLOESSLIA, Endl. Nov. Stirp. Dec. 39 (1839) = **Boswellia**, Roxb. (Burser.).  
*floribunda*, Endl. l. c. 40 = *B. papyrifera*.

PLOIARUM, Korth. Verh. Nat. Gesch. Bot. 135. t. 25 (1842) = **Archytaea**, Mart. (Ternstr.).  
*elegans*, Korth. l. c. = *A. Vahlil.*  
*oblongifolium*, Miq. Fl. Ind. Bat. Suppl. 483.—Sumatra.

PLOKIOSTIGMA, Schuch. in Linnaea, xxvi. (1853) 39 = **Stackhousia**, Sm.  
*Lehmanni*, Schuch. l. c. 40 = *S. pubescens*?

PLOSTAXIS, Rafin. New Fl. Am. iv. 87 (1836) = **Polygala**, Tourn.  
*lutea*, Rafin. l. c. = *Polyg. lutea*.

PLOTEA, J. F. Gmel. Syst. 404 (1791) = seq.

PLOTIA, Adans. Fam. ii. 226 (1763) = **Myrsine**, Linn.  
*Adansonii*, J. F. Gmel. Syst. 404.—Hab.?

PLOTIA, Neck. Elem. ii. 55 (1790) = **Embelia**, Burm. f. (Myrsin.).

PLOTIA, Schreb. ex Steud. Nom. ed. II. ii. 356 (1841) = **Poa**, Linn. (Gramin.).  
*brizoides*, Schreb. ex Steud. l. c. = *Poa obtusa*.

PLOTTZIA, Arn. in Lindl. Introd. Nat. Syst. ed. II. 441 (1836) = **Paronychia**, Juss.  
*dichotoma*, Arn. l. c. = *Paron. dichotoma*.

PLUCHEA, Cass. in Bull. Soc. Philom. (1817) 81; et in Dict. Sc. Nat. xlii. 1. (1826) **COMPOSITAE**, Benth. & Hook. f. ii. 290.

*BERTHELOTIA*, DC. Prod. v. 375 (1836).  
*EYREA*, F. Muell. in Linnaea, xxv. (1852) 403.  
*GYMNOSTYLIS*, Rafin. in Am. Monthly Mag. (1818) 268.  
*GYNEMA*, Rafin. Fl. Ludov. 63 (1817).  
*KARELINIA*, Less. in Linnaea, ix. (1834) 187; et in DC. Prod. v. 375 (1836).  
*LEPTOGYNE*, Ell. Sketch, ii. 322 (1824).  
*PLUCHEA*, Zoll. & Mor. in Nat. en Geneesk. Arch. Neerl. Indie, ii. (1845) 248.  
*SPIROPODIUM*, F. Muell. Fragm. i. 33 (1858).  
*STYLMINUS*, Rafin. in Journ. Phys. lxxxix. (1819) 100.

*TECMARSIS*, DC. Prod. v. 93 (1836).  
*alopecuroides*, Less. Syn. Comp. 207 = *Pterocaulon virgatum*.  
*amabilis*, Kunth, Ind. Sem. Hort. Berol. (1845) 12.—Venezuela.  
*appendiculata*, Zoll. & Mor. in Nat. en Geneesk. Arch. Neerl. Indie, ii. (1845) 249.—Malaya.  
*arguta*, Boiss. Diagn. Ser. II. iii. 5.—Ind. bor. occ.  
*aromatica*, Balf. f. in Proc. Roy. Soc. Edinb. xi. (1882) 838.—Ins. Socotra.  
*auriculata*, Hemsl. Diagn. Pl. Nov. 32.—Mexic.  
*baccharoides*, F. Muell. ex Benth. Fl. Austral. iii. 528.—Austral.  
*balsamifera*, Less. in Linnaea, vi. (1831) 150 = *Blumea balsamifera*.

*basiflora*, F. Muell. Rep. Babb. Exped. 12 = *Thespidium basiflorum*.  
*bifrons*, DC. Prod. v. 451.—Am. bor.; Ind. occ.  
*bipinnata*, Baill. Hist. Pl. viii. 300 = *Garuleum bipinnatum*.

*Boivini*, Klatt, in Ann. Sc. Nat. Sér. V. xviii. (1873) 369.—Ins. Borbon.  
*borealis*, A. Gray, in Proc. Am. Acad. xvii. (1881–82) 212.—Am. bor. occ.

*Bravae*, C. Bolle, in Bonplandia, viii. (1860) 130.—Ins. Canar.  
*camphorata*, DC. Prod. v. 452.—Am. bor.; Ind. occ.  
*carolinensis*, G. Don, in Sweet, Hort. Brit. ed. III. 350 = *odorata*.

*Chingoyo*, DC. Prod. v. 452.—Peruv.  
*Cortesi*, DC. l. c.—Mexic.  
*crassifolia*, Sch. Bip. ex A. Rich. Tent. Fl. Abyss. i. 394.—Abyss.

*crinita*, Hook. & Arn. ex Baker, in Mart. Fl. Bras. vi. 111. 105 = *Stenachaenium megapotaemicum*.  
*dentex*, R. Br. ex Benth. Fl. Austral. iii. 529.—Austral.

## PLUCHEA:—

*Dioscorides*, DC. Prod. v. 450.—Afr. trop.  
*domingensis*, Klatt, in Abh. Naturf. Ges. Halle, xv. (1882) 327.—Ins. S. Doming.

*Doniana*, Kurz, in Journ. As. Soc. Beng. xvi. (1877) ii. 191.—Burma.

*eupatorioides*, Kurz, For. Fl. Brit. Burma, ii. 575.—Siam.

*Eyrea*, F. Muell. Rep. Babb. Exp. 11.—Austral.  
*fastigiata*, Griseb. in Goett. Abh. xxiv. (1879) 184.—Reg. Argent.

*filifolia*, F. Muell. in Trans. Phil. Inst. Vict. iii. (1859) 56 = *Pterigeron filifolius*.

*floribunda*, Hemsl. Diagn. Pl. Nov. 32 = *Baccharis mucronata*.

*foetida*, DC. Prod. v. 452 = *camphorata*.  
*foliolosa*, DC. l. c. 451 = *indica*.

*frutescens*, Benth. in Hook. Ic. Pl. t. 1157 = *arguta*.  
*glabra*, Griseb. in Goett. Abh. xxiv. (1879) 183.—Reg. Argent.

*glabrata*, DC. Prod. v. 452 = *camphorata*?

*glutinosa*, Balf. f. in Proc. Roy. Soc. Edinb. xi. (1882) 838.—Ins. Socotra.

*heterophylla*, Vatke, in Oestr. Bot. Zeitschr. xxv. (1875) 325.—Afr. trop.

*hirsuta*, Less. in Linnaea, vi. (1831) 150.—China.  
*indica*, Less. l. c.—As. et Austral. trop.

*Kotschy*, Sch. Bip. in Flora, xxv. (1842) i. 134, nomen; et ex A. Rich. Tent. Fl. Abyss. i. 393 = *Laggera aurita*.  
*Kraussii*, Sch. Bip. ex Steetz, in Peters, Reise Mossamb. Bot. 442 = *P. Dioscoridis*.

*lanceolata*, Oliver & Hiern, in Oliver, Fl. Trop. Afr. iii. 329.—Ind. bor. occ.; Afr. bor.

*lanuginosa*, Hook. f. Fl. Brit. Ind. iii. 266 = *Blumea Malcolmii*.

*laxiflora*, Hook. & Arn. ex Baker, in Mart. Fl. Bras. vi. 111. 107.—Bras.

*ligulata*, F. Muell. Rep. Babb. Exped. 12 = *Pterigeron liatroides*.

*linearifolia*, C. B. Clarke, Comp. Ind. 95.—Reg. Himal.

*longepedunculata*, Kunth & Bouché, Ind. Sem. Hort. Berol. (1845) 12.—Venezuela.

*macrocephala*, DC. Prod. v. 450 = *Stenachaenium megapotaemicum*.

*macrocephala*, F. Muell. Rep. Babb. Exped. 12 = *Pterigeron macrocephalus*.

*macrophylla*, Sch. Bip. ex Baker, in Mart. Fl. Bras. vi. 111. 107 = *laxiflora*.

*marylandica*, Cass. in Dict. Sc. Nat. xlii. 2 = *camphorata*.

*montana*, Griseb. in Goett. Abh. xxiv. (1879) 184.—Reg. Argent.

*oblongifolia*, DC. Prod. v. 451.—Bras.

*obovata*, Balf. f. in Proc. Roy. Soc. Edinb. xi. (1882) 838.—Ins. Socotra.

*odora*, F. Muell. Rep. Babb. Exped. 12 = *Pterigeron odoratus*.

*odorata*, Cass. in Dict. Sc. Nat. xlii. 3.—Am. austr.

*organensis*, Gardn. in Hook. Lond. Journ. Bot. iv. (1845) 125 = *oblongifolia*.

*ovalis*, DC. Prod. v. 450.—Ind. bor. occ.; Afr. trop.

*petiolata*, Cass. in Dict. Sc. Nat. xlii. 2 = *camphorata*.  
*phagnaloides*, Sch. Bip. ex A. Rich. Tent. Fl. Abyss. i. 393 = *Phagnalon scoparium*.

*pinnatifida*, Hook. f. in Hook. Ic. Pl. t. 1156.—Afr. trop.

*purpurascens*, DC. Prod. v. 452.—Jamaic.



**PLUCHEA:—**

*subdecurrens*, Benth. Pl. Hartw. 17 = auriculata.  
*subdecurrens*, Cass. in Dict. Sc. Nat. xlii. 4.—Mexic.  
*subumbellata*, Klatt, in Ann. Sc. Nat. Sér. V. xviii.  
 (1873) 369 = Conyza Heudelotii.  
*tetranthera*, F. Muell. Rep. Babb. Exped. 12.—Austral.  
*tomentosa*, DC. in Wight, Contrib. 16.—Ind. or.  
*Tweediei*, Hook. & Arn. ex Baker, in Mart. Fl. Bras.  
 vi. iii. 106 = P. Quitoc.  
*verrucosa*, Klatt, in Decken, Reise Ost-Afr. iii. 76.  
 —Afr. trop.  
*virgata*, Less. in Linnaea, vi. (1831) 726 = Pterocaulon  
 virgatum.  
*Wallichiana*, DC. Prod. v. 451.—Ind. bor. occ.

**PLUCHIA**, Vell. Fl. Flum. 157 (1825); iv. t. 20 (1827)  
 = **Diclidanthera**, Mart. (Styrac.).  
*curiosa*, Vell. ll. cc.—Bras.

**PLUCHEA**, Zoll. & Mor. in Nat. en Geneesk. Arch.  
 Neêrl. Indie, ii. (1845) 248 = **Pluchea**, Cass.  
 (Compos.).

**PLUKNETIA**, Linn. Sp. Pl. ed. I. 1192 (1753).

**EUPHORBIACEAE**, Benth. & Hook. f. iii. 327.  
*ACCIA*, A. St. Hil. Morphol. 499 (1840).  
*ANABAENA*, A. Juss. Euph. Tent. 46. t. 15 (1824).  
*BOTRYANTHE*, Klotzsch, in Wieg. Archiv, vii. (1841)  
 190. t. 9.  
*CERATOCOCCUS*, Meissn. Gen. Comm. 369 (1843).  
*FRAGARIOPSIS*, A. St. Hil. Morphol. 426, 499  
 (1840).  
*HEDRASTYLUS*, Hassk. Cat. Hort. Bog. Alt. 234  
 (1844).  
**PLUKNETIA**, Linn. Gen. ed. I. 373 (1737).  
*PTEROCOCCUS*, Hassk. in Flora, xxv. (1842) II.  
 Beibl. 41.  
*SAJORIUM*, Endl. Gen. Suppl. iii. 98 (1843).  
*VIGIA*, Vell. Fl. Flum. Ic. ix. t. 128 (1827).  
*africana*, Sond. in Linnaea, xxiii. (1850) 110.—Afr.  
 austr.  
*brachybotrya*, Muell. Arg. l. c. xxxiv. (1865–66) 158.  
 —Peruv.  
*conophora*, Muell. Arg. in Flora, xlvii. (1864) 530.—  
 Afr. trop.  
*corniculata*, Sm. in Nov. Act. Soc. Sc. Upsal. vi.  
 (1799) 4.—Ind. or.; Malaya.  
*hastata*, Muell. Arg. in Flora, xlvii. (1864) 469.—Afr.  
 austr.  
*integrifolia*, Vahl, Eclog. Am. iii. 43.—Guian.  
*occidentalis*, Leand. ex Baill. Etud. Gén. Euph. 484 =  
 tamnoides.  
*penninervia*, Muell. Arg. in Linnaea, xxxiv. (1865–66)  
 158.—Venezuela.  
*peruviana*, Muell. Arg. l. c. 157.—Peruv.  
*polyadenia*, Muell. Arg. in Mart. Fl. Bras. xi. II. 335.  
 —Bras.  
*tamnoides*, Muell. Arg. in Linnaea, xxxiv. (1865–66)  
 158.—Bras.  
*verrucosa*, Sm. in Nov. Act. Soc. Sc. Upsal. vi. (1799)  
 4.—Guian.  
*volubilis*, Linn. Sp. Pl. 1192.—Ind. occ.  
*volubilis*, Linn. f. Suppl. 421 = verrucosa.

**PLUKNETIA**, Linn. Gen. ed. I. 373 (1737) = praec.

**PLUMARIA**, Opiz, Seznam, 75 (1852) = **Dianthus**,  
 Linn. (Caryophyll.).  
*revoluta*, Opiz, l. c. = D. superbus.  
*superba*, Opiz, l. c. = D. superbus.  
*vulgaris*, Opiz, l. c. = D. superbus.

**PLUMBAGELLA**, Spach, Hist. Vég. Phan. x. 333 (1841)  
 = **Plumbago**, Tourn.

*micrantha*, Spach, l. c., in nota = **Plumbago micrantha**.

**PLUMBAGIDIUM**, Spach, Hist. Vég. Phan. x. 333  
 (1841) = **Plumbago**, Tourn.

*auriculatum*, Spach, l. c. 339 = **Plumbago capensis**.  
*roseum*, Spach, l. c. = **Plumbago rosea**.  
*scandens*, Spach, l. c. = **Plumbago scandens**.

**PLUMBAGINELLA**, Ledeb. Fl. Ross. iii. 471, in syn.  
 (1846–51) = seq.

**PLUMBAGO**, Tourn. ex Linn. Syst. ed. I (1735).

**PLUMBAGINEAE**, Benth. & Hook. f. ii. 627.  
*MOLUBDA*, Rafin. Sylva Tellur. 123 (1838).  
**PLUMBAGELLA**, Spach, Hist. Vég. Phan. x. 333  
 (1841).

VOL. II.

**PLUMBAGO:—**

**PLUMBAGIDIUM**, Spach, Hist. Vég. Phan. x. 333  
 (1841).  
**PLUMBAGINELLA**, Ledeb. Fl. Ross. iii. 471, in syn.  
 (1846–51).  
**THELA**, Lour. Fl. Cochinch. 119 (1790).  
*alba*, Hort. ex Pasq. Cat. Orto Bot. Nap. 82 =  
 capensis.  
*amplexicaulis*, Oliver, in Journ. Linn. Soc. xv. (1876)  
 96.—Afr. trop.  
*angustifolia*, Spach, Hist. Vég. Phan. x. 337 =  
 europaea.  
*aphylla*, Boj. ex Boiss. in DC. Prod. xii. 694.—  
 Madag.  
*auriculata*, Blume, Bijdr. 736 = zeylanica.  
*auriculata*, Lam. Encyc. ii. 270 = capensis.  
*caerulea*, H. B. & K. Nov. Gen. et Sp. ii. 220.—  
 Peruv.  
*capensis*, Thunb. Prod. Pl. Cap. 33.—Afr. austr.  
*capensis*, Willd. ex Boiss. in DC. Prod. xii. 694 =  
 tristis.  
*coccinea*, Salisb. Prod. 122; Boiss. l. c. = rosea.  
*coerulea*, Auct. = caerulea.  
*eglandulosa*, R. Br. in Salt, Abyss. App. 64, nomen =  
 Ceratostigma abyssinicum.  
*europaea*, Linn. Sp. Pl. 151.—Europ. austr.; Caucas.  
*flaccida*, Moench, Meth. 429 = zeylanica.  
*floridana*, Nutt. in Am. Journ. Sc. Sér. I. v. (1822)  
 290 = scandens.  
*glandulosa*, Roem. & Schult. Syst. iv. 5 = Ceratostigma  
 abyssinicum.  
*glandulosa*, Willd. ex Roem. & Schult. l. c. 711 =  
 caerulea.  
*grandiflora*, Tenore, Cat. Orto Nap. (1845) 91 =  
 capensis.  
*Humboldtiana*, Roem. & Schult. Syst. iv. 711 =  
 caerulea.  
*juncea*, Boj. Hort. Maurit. 263.—Madag.  
*lactea*, Salisb. Prod. 122 = zeylanica.  
*lapathifolia*, Willd. Sp. Pl. i. 837 = europaea.  
*Larpentiae*, Lindl. in Gard. Chron. (1847) 732.—  
 China.  
*mexicana*, H. B. & K. Nov. Gen. et Sp. ii. 221 =  
 scandens.  
*micrantha*, Ledeb. Fl. Alt. i. 171.—Sibir. altaic.  
*occidentalis*, Sweet, Hort. Brit. ed. I. 333 = scandens.  
*pulchella*, Boiss. in DC. Prod. xii. 692.—Mexic.  
*purpurea*, Salisb. Prod. 122 = europaea.  
*rhombifolia*, Steud. Nom. ed. II. ii. 357, sphalm. =  
 seq.  
*rhomboidea*, Hook. Bot. Mag. t. 2917 = caerulea.  
*rhomboidea*, Lodd. Bot. Cab. t. 1536 = pulchella.  
*rosea*, Linn. Sp. Pl. ed. II. 215.—Ind. or.  
*sarmentosa*, Lam. Illustr. i. 470 = scandens, zeylanica.  
*scandens*, Linn. Sp. Pl. ed. II. 215.—Am. trop.  
*tomentosa*, Hook. f. in Trans. Linn. Soc. xx. (1847) 194,  
 err. typ. = Plantago tomentosa.  
*toxicaria*, Bertol. in Mem. Acc. Sc. Bolog. ii. (1850)  
 564.—Afr. trop.  
*tristis*, Ait. Hort. Kew. ed. II. i. 324.—Afr. austr.  
*undulata*, Moench, Meth. Suppl. 153 = europaea.  
*virginica*, Hook. f. in Trans. Linn. Soc. xx. (1847) 194,  
 err. typ. = Plantago zeylanica.  
*viscosa*, Blanco, Fl. Filip. ed. I. 78 = zeylanica.  
*vogeliaefolia*, Eckl. & Zeyh. ex Boiss. in DC. Prod. xii.  
 694 = tristis.  
*zeylanica*, Linn. Sp. Pl. 151.—Geront. trop.

**PLUMEA**, Lunan, Hort. Jamaica. ii. 77 (1814) = **Guarea**,  
 Linn. (Meliac.).

**PLUMERIA**, Tourn. ex Linn. Syst. ed. I (1735).

**APOCYNACEAE**, Benth. & Hook. f. ii. 704.  
**CONOPHARYNGIA**, G. Don, Gen. Syst. iv. 94 (1837).  
**HIMANTHUS**, Willd. in Roem. & Schult. Syst. v.  
 p. xiii (1819).  
**PLUMIERA**, Linn. Phil. Bot. 31 (1751).  
*acuminata*, Ait. Hort. Kew. ed. II. ii. 70 = acuti-  
 folia.  
*acutifolia*, Poir. Encyc. Suppl. ii. 667.—Mexic.  
*africana*, Mill. Gard. Dict. ed. VIII. n. 5.—Afr. trop.  
*alba*, Aubl. Pl. Gui. i. 259 = cuneata.  
*alba*, Hort. ex A. DC. in DC. Prod. viii. 392 = acuti-  
 folia.  
*alba*, H. B. & K. Nov. Gen. et Sp. iii. 230 = bicolor.  
*alba*, Linn. Sp. Pl. 210.—Ind. occ.  
*ambigua*, Muell. Arg. in Mart. Fl. Bras. vi. I. 37.—  
 Bras.

**PLUMERIA:—**

*angustiflora*, Spruce, ex Muell. Arg. in Mart. Fl. Bras.  
 vi. I. 42 = attenuata.  
*angustifolia*, A. DC. in DC. Prod. viii. 394.—Guian.  
*arborea*, Noronha, in Verh. Batav. Gen. v. (1790) ed. I.  
 Art. iv. 23 = acutifolia.  
*arborescens*, G. Don, Gen. Syst. iv. 93.—Jamaic.  
*articulata*, Vahl, Eclog. Am. ii. 20.—Am. austr.  
*attenuata*, Benth. in Hook. Journ. Bot. iii. (1841) 245.  
 —Bras.  
*aurantia*, Endl. in Harting. Parad. Vindob. t. 50 =  
 rubra.  
*aurantia*, Lodd. Cat. 15; ex G. Don, Gen. Syst. iv. 94  
 = lutea.  
*aurantiaca*, Steud. Nom. ed. II. ii. 357 = praec.  
*Berteri*, A. DC. in DC. Prod. viii. 393.—Cuba.  
*bicolor*, Ruiz & Pav. Fl. Per. ii. 21. t. 141.—Am.  
 austr.  
*bicolor*, Seem. Bot. Voy. Herald, 168 = Tenorii.  
*Blandfordiana*, Lodd. Cat. 15; ex G. Don, Gen. Syst.  
 iv. 94 (Quid ?)—Am. austr.  
*bracteata*, A. DC. in DC. Prod. viii. 394.—Bras.  
*carinata*, Ruiz & Pav. Fl. Per. ii. 21. t. 140.—  
 Peruv.  
*clusioides*, Griseb. Cat. Pl. Cub. 171.—Cuba.  
*conspicua*, Hort. ex G. Don, in Loud. Hort. Brit. 68.  
 —Am. austr.  
*cuneata*, Sm. in Rees, Cycl. xxvii. n. 6.—Guian.  
*drastica*, Mart. Reise Bras. i. 547.—Bras.  
*dupliciflora*, Noronha, in Verh. Batav. Gen. v. (1790)  
 ed. I. Art. iv. 23 (Tabernaemontae sp.).—Java.  
*emarginata*, Griseb. Cat. Pl. Cub. 171.—Cuba.  
*fallax*, Muell. Arg. in Mart. Fl. Bras. vi. I. 38.—  
 Bras.  
*filifolia*, Griseb. in Mem. Am. Acad. N. S. viii. (1863)  
 519.—Ind. occ.  
*floribunda*, Muell. Arg. in Mart. Fl. Bras. vi. I. 40.—  
 Bras.  
*Gouani*, D. Don, ex G. Don, Gen. Syst. iv. 94 = Lam-  
 bertiana.  
*Hilariana*, Muell. Arg. in Mart. Fl. Bras. vi. I. 39.—  
 Bras.  
*hypoleuca*, Gasparr. in Ann. Civ. i. (1833) 122 = alba.  
*incarnata*, Mill. Gard. Dict. ed. VIII. n. 2; Ruiz &  
 Pav. Fl. Per. ii. 20. t. 138.—Peruv.  
*inodora*, Jacq. Enum. Pl. Carib. 13.—N. Granat.  
*Jaegeri*, Muell. Arg. in Linnaea, xxx. (1859–60) 397.  
 —Am. trop.  
*jamaicensis*, Lodd. Cat. 15; ex G. Don, Gen. Syst. iv.  
 94 (Quid ?)—Jamaic.  
*Jamesoni*, Hook. Bot. Mag. t. 4751.—Ecuador.  
*Kerrii*, G. Don, Gen. Syst. iv. 93 = tricolor.  
*Kunthiana*, Kostel. Allg. Med.-Pharm. Flora, iii.  
 1067 = bicolor.  
*Lambertiana*, Lindl. Bot. Reg. t. 1878.—Mexic.  
*lancifolia*, Muell. Arg. in Mart. Fl. Bras. vi. I. 41.—  
 Bras.  
*laurifolia*, Noronha, in Verh. Batav. Gen. v. (1790)  
 ed. I. Art. iv. 23 (Quid ?)—Java.  
*leucantha*, Lodd. Cat. 15; ex G. Don, Gen. Syst. iv.  
 94 (Quid ?)—Am. austr.  
*longifolia*, Boj. Hort. Maurit. 210 (an seq.?).—  
 Madag.  
*longifolia*, Lam. Encyc. ii. 542.—Madag.  
*loranthifolia*, Muell. Arg. in Mart. Fl. Bras. vi. I. 42.  
 —Bras.  
*lutea*, Ruiz & Pav. Fl. Per. ii. 21. t. 142.—Peruv.  
*macrophylla*, Lodd. Cat. 15; ex G. Don, Gen. Syst. iv.  
 94 (Quid ?)—Am. austr.  
*Malongo*, Spruce, ex Muell. Arg. in Mart. Fl. Bras. vi.  
 I. 42 = attenuata.  
*Martii*, Muell. Arg. l. c. 37.—Bras.  
*megaphylla*, A. DC. in DC. Prod. viii. 391.—Mexic.  
*mexicana*, Lodd. Bot. Cab. t. 1024 = Lambertiana.  
*Milleri*, G. Don, Gen. Syst. iv. 93 = incarnata.  
*mollis*, H. B. & K. Nov. Gen. et Sp. iii. 230.—Am.  
 austr.  
*Mulongo*, Benth. in Journ. Linn. Soc. v. (1861) 6 =  
 attenuata.  
*nivea*, Lodd. ex Sweet, Hort. Brit. ed. I. 573. nomen.  
 —Am. austr.  
*nivea*, Mill. Gard. Dict. ed. VIII. n. 4 = obtusa.  
*Northiana*, Lodd. Cat. 16; ex G. Don, Gen. Syst. iv.  
 94 (Quid ?)—Am. austr.  
*obovata*, Muell. Arg. in Mart. Fl. Bras. vi. I. 40.—  
 Bras.  
*obtusa*, Bert. ex A. DC. in DC. Prod. viii. 393 =  
 Berteri.



**PLUMERIA:—**

obtusa, Linn. *Sp. Pl.* 210.—Ind. occ.; Am. austr.  
*obtusa*, Lour. *Fl. Cochinch.* 117 = *acutifolia*.  
*obtusifolia*, Steud. *Nom. ed. I.* 633 = *acutifolia*.  
 papuana, Scheff. in *Ann. Jard. Buitenz.* i. (1876) 36.  
 —N. Guin.  
 parvifolia, Donn. *Hort. Cantab.* ed. VI. 64; *Haw. Suppl. Pl. Succ.* 7.—Ind. occ.  
*phagedaenica*, Benth. ex Muell. Arg. in *Mart. Fl. Bras.* vi. i. 38 = *fallax*.  
*phagedaenica*, Mart. *Reise Bras.* iii. 1128.—Bras.  
 puberula, Muell. Arg. in *Mart. Fl. Bras.* vi. i. 39.—Bras.  
 pudica, Jacq. *Enum. Pl. Carib.* 13.—Ind. occ.  
 purpurea, Ruiz & Pav. *Fl. Per.* ii. 20. t. 187.—Peruv.  
*retusa*, Bout. ex A. DC. in DC. *Prod.* viii. 392 = *acutifolia*.  
*retusa*, Lam. *Encyc.* ii. 542.—Madag.  
*revolutifolia*, Stokes, Bot. Mat. Med. i. 501 = *alba*.  
 rubra, Linn. *Sp. Pl.* 209.—Am. trop.  
 sericifolia, Wright, ex Griseb. *Cat. Pl. Cub.* 171.—Cuba.  
 speciosa, Muell. Arg. in *Mart. Fl. Bras.* vi. i. 36.—Bras.  
 subsessilis, A. DC. in DC. *Prod.* viii. 393.—Ind. occ.  
*Sucuba*, Spruce, ex Muell. Arg. in *Mart. Fl. Bras.* vi. i. 40.—Bras.  
 Tenorii, Gasparr. in *Ann. Civ.* i. (1833) 123.—Jamaic.  
*tenuifolia*, Lodd. *Cat.* 16; ex G. Don, *Gen. Syst.* iv. 94 (Quid?).—Am. austr.  
 tricolor, Ruiz & Pav. *Fl. Per.* ii. 20. t. 139.—Peruv.  
 tuberculata, Lodd. *Bot. Cab.* t. 681.—Ins. S. Doming.  
 velutina, Muell. Arg. in *Mart. Fl. Bras.* vi. i. 38.—Bras.  
 versicolor, Dehnh. *Cat. Pl. Hort. Camald.* ed. II. 23.—Cuba?  
 Warmingii, Muell. Arg. in *Kjoeb. Vidensk. Meddel.* (1869) 99.—Bras.  
 xanthostoma, Schlecht. in *Linnaea*, viii. (1833) 523.—Mexic.

PLUMIERIA, Linn. *Phil. Bot.* 31 (1751) = *præc.*

PLUMIERIA, Scop. *Introd.* 155 (1777) = *præc.*

**PLUMMERA**, A. Gray, in *Proc. Am. Acad.* xvii. (1881–82) 215. **COMPOSITAE.**  
*floribunda*, A. Gray, l. c.—Arizona.

PLURIDENS, Neck. *Elem.* i. 86 (1790) = *Bidens*, Linn. (*Compos.*).

PLUTEA, Noronha, in *Verh. Batav. Gen. v.* (1790) ed. I. Art. iv. 3 = *Lansium*, Rumph. (*Meliac.*).

PLUTONIA, Noronha, in *Verh. Batav. Gen. v.* (1790) ed. I. Art. iv. 3 = *Phaleria*, Jack (Thymel.).

PNEUMARIA, Hill, *Veg. Syst.* vii. 40 (1764) = *Mertensia*, Roth (1797) (*Borag.*).  
*maritima*, Hill, l. c. = *M. maritima*.  
*sibirica*, Hill, l. c. = *M. sibirica*.  
*virginica*, Hill, l. c. = *M. pulmonarioides*.

PNEUMONANTHE, Gleditsch, in *Mém. Acad. Berl.* v. 1749 (1751) 130 = *Gentiana*, Tourn.  
*acaulis*, F. W. Schmidt, in *Roem. Arch.* i. i. (1796) 10 = *G. acaulis*.  
*adscendens*, F. W. Schmidt, l. c. = *G. decumbens*.  
*algida*, F. W. Schmidt, l. c. = *G. frigida*.  
*angustifolia*, Gilib. *Fl. Lituan.* i. 34 = *G. Pneumonanthe*.  
*angustifolia*, F. W. Schmidt, in *Roem. Arch.* i. i. (1796) 10, 14 = *G. acaulis*.  
*asclepiadea*, F. W. Schmidt, l. c. = *G. asclepiadea*.  
*bicuspidata*, G. Don, *Gen. Syst.* iv. 194 = *G. adsurgens*.  
*campanulata*, F. W. Schmidt, in *Roem. Arch.* i. i. (1796) 9 = *G. punctata*.  
*campestris*, F. W. Schmidt, ex Steud. *Nom. ed. II.* ii. 357 = *G. punctata*.  
*Catesbaei*, F. W. Schmidt, in *Roem. Arch.* i. i. (1796) 10 = *G. Saponaria*.  
*depressa*, G. Don, in *Phil. Mag.* (1836) 76; et in *Trans. Linn. Soc.* xvii. (1837) 510 = *G. depressa*.  
*exaltata*, F. W. Schmidt, in *Roem. Arch.* i. i. (1796) 10 = *Eustoma silenifolium*.  
*frigida*, F. W. Schmidt, l. c. = *G. frigida*.

**PNEUMONANTHE:—**

*gelida*, G. Don, *Gen. Syst.* iv. 194 = *Gentiana gelida*.  
*glauca*, F. W. Schmidt, in *Roem. Arch.* i. i. (1796) 10 = *G. glauca*.  
*gracilis*, Rafin. *Fl. Tellur.* iii. 28 = *G. gracilis*.  
*grandiflora*, S. F. Gray, *Nat. Arr. Brit. Pl.* ii. 335 = *G. acaulis*.  
*incarnata*, G. Don, *Gen. Syst.* iv. 195 = *G. ochroleuca*.  
*intermedia*, G. Don, l. c. = *G. ochroleuca*.  
 Kurroo, G. Don, in *Phil. Mag.* (1836) 75; Royle, *Illustr. Bot. Himal.* 278 = *G. Kurroo*.  
*media*, Rafin. *Fl. Tellur.* iii. 19, 28 = *G. Pneumonanthe*.  
*Michauxii*, G. Don, *Gen. Syst.* iv. 194 = *G. Saponaria*.  
*minor*, Rafin. *Fl. Tellur.* iii. 28 = *G. Pneumonanthe*?  
*montana*, F. W. Schmidt, in *Roem. Arch.* i. i. (1796) 10 = *G. montana*.  
*ochroleuca*, G. Don, *Gen. Syst.* iv. 195 = *G. ochroleuca*.  
*ornata*, G. Don, l. c. 194 = *G. ornata*.  
*pannonica*, F. W. Schmidt, in *Roem. Arch.* i. i. (1796) 9 = *G. pannonica*.  
*plicata*, F. W. Schmidt, l. c. 10, 13 = *G. asclepiadea*.  
*Pseudopneumonanthe*, G. Don, in *Sweet, Hort. Brit.* ed. III. 471 = *G. linearis*.  
*punctata*, F. W. Schmidt, in *Roem. Arch.* i. i. (1796) 9 = *G. punctata*.  
*purpurea*, F. W. Schmidt, l. c. = *G. purpurea*.  
*rigida*, Rafin. *Fl. Tellur.* iii. 28 = *G. rigida*.  
*Saponaria*, F. W. Schmidt, in *Roem. Arch.* i. i. (1796) 10 = *G. Saponaria*.  
*saxosa*, F. W. Schmidt, l. c. = *G. montana*.  
*septemfida*, F. W. Schmidt, l. c. 9 = *G. septemfida*.  
*Torreyana*, Rafin. *Fl. Tellur.* iii. 28 = *G. Torreyana*.  
*triflora*, F. W. Schmidt, in *Roem. Arch.* i. i. (1796) 10 = *G. triflora*.  
*villosa*, F. W. Schmidt, l. c. = *G. ochroleuca*.  
*viscosa*, F. W. Schmidt, l. c. = *Ixanthus viscosus*.  
*vulgaris*, F. W. Schmidt, l. c. = *G. Pneumonanthe*.

PNEUMONANTHOPSIS, Miq. *Stirp. Surin. Sel.* 150 (1850) = *Voyria*, Aubl. (*Gentian.*).  
*clavata*, Miq. l. c. = *V. clavata*.  
*leucantha*, Miq. l. c. = *V. leucantha*.

**POA**, Linn. *Gen. ed. I.* 20 (1737). **GRAMINEAE**, Benth. & Hook. f. iii. 1196.

ALLAGOSTACHYUM, Nees, ex Steud. *Nom. ed. II.* i. 50 (1840).

ARCTOPHILA, Rupr. in *Beitr. Pfl. Russ. Reich.* ii. 62 (1845).

POIDIUM, Nees, in *Lindl. Introd. Nat. Syst.* ed. II. 450 (1836).

PLOTIA, Schreb. ex Steud. *Nom. ed. II.* ii. 356 (1841).

*abbreviata*, Blytt, ex Ledeb. *Fl. Ross.* iv. 373 = *cenisia*.

*abbreviata*, R. Br. in *Parry, 1st Voy. Suppl.* 287 (err. typ. 187).—Am. arct.

*abietina*, Schur, *Enum. Pl. Trans.* 771 = *Leersia oryzoides*.

*abortiva*, R. Rr. *Prod.* 181 = *Heterachne Brownii*.

*abyssinica*, Jacq. *Misc.* ii. 364.—Abyss.

*acicularifolia*, J. Buch. *Indig. Grasses N. Zeal.* t. 49.—N. Zel.

*acicularis*, Kunth, *Enum. Pl.* i. 342 = *Eragrostis acicularis*.

*acinaciphylla*, E. Desv. in C. Gay, *Fl. Chil.* vi. 412.—Chili.

*acroleuca*, Steud. *Syn. Pl. Gram.* 256.—Japan.

*acutiflora*, H. B. & K. *Nov. Gen. et Sp.* i. 161 = *Eragrostis acutiflora*.

*adspersa*, Drejer, *Fl. Excurs. Hafn.* 35 = *serotina*?

*adusta*, J. & C. Presl, *Rel. Haenk.* 271.—Peruv.

*aegyptiaca*, Willd. *Enum. Hort. Berol.* 107 = *Eragrostis aegyptiaca*.

*aestivalis*, J. & C. Presl, *Rel. Haenk.* i. 272.—Peruv.

*aetnensis*, Guss. *Fl. Sic. Prod.* i. 90.—Sicil.

*affinis*, R. Br. *Prod.* 179 = *caespitosa*.

*affinis*, Salzm. ex Steud. *Nom. ed. II.* ii. 357 = *Eragrostis Vahl.*

*agrostidea*, DC. *Syn. Gall.* 132 = *Aiopsis agrostidea*.

*aioides*, Koehl. *Desc. Gram.* 194 = *Catabrosa aquatica*.

*aioides*, Kunth, *Enum. Pl.* i. 360 = *Eragrostis aioides*.

*aioides*, Nutt. *Gen. Am.* i. 68 = *Glyceria distans*.

*Aitchisoni*, Boiss. *Fl. Orient.* v. 602.—Afghan.

*alata*, Desv. *Opusc.* 102.—Carol.

**POA:—**

*alba*, Kunth, *Enum. Pl.* i. 343 = *Eragrostis alba*.  
 Alberti, Regel, in *Act. Hort. Petrop.* vii. (1880) 611.—Turkestan.

*albida*, Turcz. ex Trin. in *Mém. Acad. Pétersb. Sér. VI.* i. (1831) 387 = *Festuca sibirica*.

*algida*, Rupr. *Fl. Samoied. Cisural.* 61. n. 311 = *Phippsia algida*.

*algida*, Trin. in *Linnaea*, x. (1836) 306.—Peruv.

*Alopecurus*, Kunth, *Rév. Gram.* i. 116 = *Festuca Alopecuros*.

*alpina*, Guss. *Fl. Sic. Prod.* i. 92 = *insularis*.

*alpina*, Linn. *Sp. Pl.* 67.—Reg. bor. et arct.

*alpina*, Pall. ex Roem. & Schult. *Syst.* ii. 536 = *bulbosa*.

*alpina*, S. Wats. in *Bot. King's Exp.* 386 = *montana*, Vasey.

*alsodes*, A. Gray, *Man. Bot. N. U. St.* ed. II. 562.—Am. bor.

*altaica*, C. A. Mey. *Verz. Pfl. Cauc.* 19 = *cenisia*.

*altaica*, Trin. in *Ledeb. Fl. Alt.* i. 97.—Reg. Caucas.; Sibir.

*alternans*, Steud. *Nom. ed. II.* ii. 358.—Afr. austr.

*altissima*, Gilib. *Exercit.* ii. 529; Moench, *Meth.* 185 = *Glyceria aquatica*.

*amabilis*, [Forsk.] *Hort. ex Roem. & Schult. Syst.* ii. 566 = *Eragrostis aegyptiaca*.

*amabilis*, Linn. *Sp. Pl.* 68 = *Eragrostis amabilis*.

*amabilis*, Walt. *Fl. Carol.* 79 = *Eragrostis spectabilis*.

*ambigua*, Ell. *Sketch.* i. 165 = *Triodia ambigua*.

*amboinensis*, Murr. *Syst. ed. XIII.* 98 = *Eragrostis amboinensis*.

*amboinicia*, Linn. *Mant.* ii. 557 = *præc.*

*amoena*, Kunth, *Enum. Pl.* i. 342 = *Eragrostis amoena*.

*anceps*, Forst. f. *Prod.* 8.—N. Zel.

*anceps*, Hegetschw. *Fl. Schw.* 81 = *pratensis*.

*anceps*, Presl, Cyp. & Gram. *Sic.* 43 = *compressa*.

*anceps*, Rehm. in *Spraw. Kom. Fis. Krakow.* vii. (1873) 5 = *caesia*.

*andina*, Nutt. ex S. Wats. in *Bot. King's Exp.* 388 (= *Atropis californica*).—Am. bor. occ.

*andina*, Trin. in *Linnaea*, x. (1835–36) 306.—Peruv.

*angusta*, J. & C. Presl, *Rel. Haenk.* i. 271.—Peruv.

*angustata*, R. Br. in *Parry's 1st Voy. Suppl.* 287 (err. typ. 187) = *Glyceria angustata*.

*angustata*, J. Vahl, in *Bot. Notiser* (1840) 155, nomen = *Glyceria Vahl.*

*angustifolia*, Bast. *Fl. Maine-et-Loire*, 39 = *nemoralis*.

*angustifolia*, Linn. *Sp. Pl.* 67 = *pratensis*.

*angustifolia*, Reichb. *Fl. Germ. Excurs.* 47 = *serotina*.

*angustifolia*, Ucria, *Hort. Reg. Panorm.* 58 = *trivialis*.

*angustifolia*, Wahlenb. *Fl. Suec.* 58 = *Leersia oryzoides*.

*annua*, Cham. & Schlecht. in *Linnaea*, vi. (1831) 38 = *infrima*.

*annua*, Linn. *Sp. Pl.* 68.—Cosmop.

*annua*, Steud. *Syn. Pl. Gram.* 256 = *puberula*.

*anomala*, Kunth, *Enum. Pl.* i. 365 = *Eragrostis Uniola*.

*antennata*, Delile, ex Poir. *Encyc. Suppl.* iv. 330 = *Eragrostis aegyptiaca*.

*appennina*, Jan. *Elench.* 2. n. 33; ex Bertol. *Fl. Ital.* i. 527 = *alpina*.

*aquatica*, Linn. *Sp. Pl.* 67 = *Glyceria aquatica*.

*arachnifera*, Torr. in *Marcy, Exp. Red Riv. Louis. Bot.* (1853) 301.—Am. bor.

*araratica*, Trautv. in *Act. Hort. Petrop.* ii. (1873) 486 = *sterilis*.

*artica*, R. Br. in *Parry's 1st Voy. Suppl.* 288 (err. typ. 188) = *cenisia*.

*artica*, C. Koch, in *Linnaea*, xxi. (1848) 403 = *caucasica*.

*arenaria*, Retz. *Fl. Scand.* ed. I. 16 = *Glyceria maritima*.

*arenaria*, Willd. ex Spreng. *Syst.* ii. 342 = *Distichlis prostrata*.

*ariguensis*, Steud. *Syn. Pl. Gram.* 259.—Chili.

*aristata*, Beauv. *Agrost.* 174 = *Koeleria cristata*.

*aristata*, Phil. in *Anal. Univ. Chil.* (1873) 574.—Chili.

*articulata*, Schrank, in *Syll. Ratisb.* i. (1824) 194 = *Eragrostis articulata*.

*arundinacea*, Bieb. *Fl. Taur. Cauc.* i. 60 = *Glyceria remota*.

*arundinacea*, Link. *Hort. Berol.* i. 176 = *tatarica*.

*arundinacea*, Moench, *Meth.* 186 = *Glyceria maritima*.

*arundinacea*, Poir. *Encyc. Suppl.* iv. 329 = *Triodia cuprea*.



## POA. —

- arvensis, Gromow, ex Trautv. in Act. Hort. Petrop. ix. (1884) 329, nomen.—Rossia.  
 aspera, Gaud. in Alpina, iii. (1808) 38 = caesia.  
 aspera, Jacq. Hort. Vindob. iii. 32 = Eragrostis aspera.  
 aspera, Schur, Enum. Pl. Transs. 771 = sterilis.  
 asperula, Steud. Syn. Pl. Gram. 252.—Groenl.  
 athenes, Roem. & Schult. Syst. ii. 574 = Leptochloa capillacea.  
 atrata, Beauv. Agrost. 174 = Festuca sylvatica.  
 atrovirens, Desf. Fl. Atlant. i. 73. t. 17 = Eragrostis atrovirens.  
 atrovirens, Willd. ex Spreng. Syst. i. 340 = Eragrostis nigricans.  
 attenuata, 'Cetz. Erd. Mus. vi. (1872) 18' = alpina.  
 attenuata, Trin. in Bunge, Verz. Suppl. Fl. Alt. 9 = sterilis.  
 attica, Boiss. & Heldr. Diagn. Ser. I. xiii. 57 = pratensis.  
 aturensis, H. B. & K. Nov. Gen. et Sp. i. 161 = Eragrostis aturensis.  
 aulacosperma, Fresen. in Mus. Senckenb. ii. (1837) 144 = Eragrostis papposa.  
 aurata, Beauv. ex Steud. Nom. ed. II. i. 628 in syn. = Festuca spadiacea.  
 aurea, Walp. Ann. i. 940 = Eragrostis plumosa.  
 auriculata, Hornem. ex Steud. Nom. ed. II. i. 563, in syn. = Eragrostis Neesii.  
 australis, R. Br. Prod. 179 = caespitosa.  
 australis, [Nees] Sieber, ex Trin. in Mém. Acad. Pétersb. Sér. VI. i. (1831) 388 = caespitosa.  
 autumnalis, Muhl. in Ell. Sketch, i. 159 = flexuosa.  
 badensis, Haenke, ex Willd. Sp. Pl. i. 392 = alpina.  
 bahiensis, Schrad. in Schult. Mant. ii. 318 = Eragrostis bahiensis.  
 Balbisii, Parl. Fl. Ital. i. 360.—Sardin.  
 Balfourii, Parn. in Ann. & Mag. Nat. Hist. Ser. I. x. (1842) 122. t. 5 = caesia.  
 banatica, Kit. in Linnaea, xxxii. (1863) 311 = seq. ?  
 bannatica, Willd. ex Steud. Nom. ed. II. ii. 358 = Festuca montana.  
 barbarea, Spreng. ex Steud. l. c. = Festuca divaricata.  
 barbata, Thunb. Fl. Jap. 50. t. 10 = Eragrostis barbata.  
 Barrelieri, Bivona, Piant. Ined. 5 = Glyceria fluitans.  
 Bergiana, Kunth, Rév. Gram. ii. 549 = Eragrostis Bergiana.  
 Bergii, Hieron. in Bol. Acad. Nac. Córdoba, iii. (1879) 374.—Reg. Argent.  
 Berteroniana, Kunth, Rév. Gram. i. 112 = Eragrostis Berteroniana.  
 bifaria, Vahl, Symb. Bot. ii. 19 = Eragrostis coromandelina.  
 biflora, Ferat, ex Nym. Consp. 834 = nemoralis.  
 biflora, Retz. Obs. v. 19 = Eragrostis minutiflora.  
 biformis, Kunth, Rév. Gram. ii. 471. t. 149 = Eragrostis biformis.  
 Bigelovii, Vasey & Scribn. ex Vasey, Cat. Grass. U. St. 81.—Am. bor. occ.  
 Billardieri, Steud. Syn. Pl. Gram. 262.—Austral.  
 binata, Nees, Fl. Afr. Austr. 379.—Afr. austr.  
 binervata, Beauv. Agrost. 174 = Chaixii.  
 binervata, Ehrh. ex Beauv. Agrost. 174 = Festuca sylvatica.  
 bipollicaris, Hochst. in Flora, xxxviii. (1855) 321.—Abyss.  
 Bivonae, Parl. in Guss. Fl. Sic. Syn. i. 99 = insularis.  
 blepharachne, Steud. Syn. Pl. Gram. 252.—Groenl.  
 blepharophora, Trin. ex Steud. Nom. ed. II. ii. 358.—Hab. ?  
 bohemica, Honck. Syn. Pl. Germ. i. 542; Mayer, ex Mert. & Koch, Deutschl. Fl. i. 621 (Quid ?).—Europ.  
 Bolanderi, Vasey, in Coult. Bot. Gaz. vii. (1882) 32.—Calif.  
 bonariensis, Kunth, Rév. Gram. i. 115 = pallens.  
 borbonica, Kunth, l. c. ii. t. 151 (non seq.).—Ins. Borbon.  
 borbonica, Poir. Encyc. Suppl. iv. 331.—Ins. Borbon.  
 borealis, Kunth, Enum. Pl. i. 326.—Am. bor. occ.  
 Borveri, Hook. & Arn. Brit. Fl. ed. VIII. 549 = Glyceria Borveri.  
 Boryana, Willd. Enum. Hort. Berol. 109 = Eragrostis ciliaris, Link.  
 botryoides, Trin. ex Bess. in Flora, xvii. (1834) 1. Beibl. 28, 30 = Leersia oryzoides.  
 Bourgaci, Fourn. ex Hemsl. Biol. Centr. Am. Bot. iii. 580.—Mexic.

## POA. —

- brachiata, Desv. Opusc. 100 = Panicum debile.  
 brachyphylla, Schult. Mant. ii. 304 = brevifolia.  
 brasiliensis, Raddi, Agrost. Bras. 51 = Eragrostis bahiensis.  
 brasiliensis, Spreng. Syst. i. 342 = Eragrostis elegans.  
 brevifolia, Gaud. in Alpina, iii. (1808) 34 = alpina.  
 brevifolia, Kunth, Rév. Gram. i. 111 = Aeluropus pubescens.  
 brevifolia, Muhl. Desc. Gram. 138.—Am. bor.  
 breviglumis, Hook. f. Fl. Antarct. 101.—N. Zel.  
 brizochloa, F. Muell. in Trans. Vict. Inst. i. (1855) 45 = nodosa.  
 brizoides, Linn. f. Suppl. 110 = Eragrostis brizoides, Nees.  
 brizoides, Wohlleb. Suppl. Fl. Halens. 5 = alpina.  
 bromoides, Vahl, Symb. Bot. iii. 10.—Peruv.  
 Brownei, Kunth, Rév. Gram. i. 112 = Eragrostis Brownei.  
 bryophila, Trin. in Bull. Sc. Acad. Pétersb. i. (1836) 69.—Sibir.  
 bulbosa, Linn. Sp. Pl. 70.—Europ.; As. or.; Afr. bor.  
 bulbosa, Steud. Syn. Pl. Gram. 256 = sinaica ?  
 cachectica, Schum. in Schum. & Thonn. Beskr. Guin. Pl. 66. (Eragrostidis sp. ?).—Afr. trop.  
 caduca, Kit. ex Rochel, Pl. Banat. Rar. 26, nomen; et in Linnaea, xxxii. (1863) 311.—Banat.  
 caerulea, Bernh. Syst. Verz. Erf. 43 = Molinia caerulea.  
 caerulea, Knapp, Gram. Brit. t. 118 = pratensis.  
 caerulescens, Michx. ex Kunth, Enum. Pl. i. 319 = Triodia cuprea.  
 caesia, Sm. Fl. Brit. i. 103.—Reg. bor. temp.  
 caespitosa, Forst. f. Prod. 89.—Austral.; N. Zel.  
 caespitosa, Poir. Encyc. v. 73 = nemoralis.  
 californica, Scribn. in Bull. Torrey Bot. Club, x. (1883) 31.—Calif.  
 californica, Steud. Syn. Pl. Gram. 261 = Dissanthelium californicum.  
 Calotheca, Kunth, Enum. Pl. i. 340 = Briza Lamarckiana.  
 calycina, Kunth, l. c. 326.—Hab. ?  
 Cambessediana, Kunth, Rév. Gram. ii. 469. t. 148 = Eragrostis Cambessediana.  
 Campyle, Schult. Mant. ii. 304 = flexuosa.  
 canadensis, Beauv. Agrost. 155 = Briza canadensis.  
 canariensis, Willd. ex Spreng. Syst. i. 345 = Eragrostis minor.  
 canina, Hort. Gotting. ex Trin. in Mém. Acad. Sc. Pétersb. Sér. VI. i. (1831) 382, in obs. = cenisia.  
 capensis, Steud. in Flora, xii. (1829) 488 = Eragrostis Thunbergiana.  
 capillaris, Falk, Beitr. ii. 107 = Eragrostis pilosa.  
 capillaris, Link, Enum. Hort. Berol. i. 88 = Eragrostis mexicana.  
 capillaris, Linn. Sp. Pl. 68 = Eragrostis capillaris.  
 capillaris, Michx. Fl. Bor. Am. i. 67 = Eragrostis tenuis.  
 capillaris, Salzm. ex Steud. Nom. ed. II. ii. 358 = Eragrostis polytricha.  
 capillata, Méral, Fl. Par. ii. 27 = Festuca ovina.  
 capitata, Nutt. in Trans. Am. Phil. Soc. N. S. v. (1837) 146 = Eragrostis reptans.  
 carinata, Poir. Encyc. v. 86 = Eragrostis reptans.  
 carniolica, Hladn. in Reichb. Ic. Fl. Germ. xi. 34 = concinna.  
 caroliniana, Spreng. Fl. Hal. Mant. 33 = Eragrostis Purshii.  
 catabrosodes, C. Koch, in Linnaea, xxi. (1848) 406 = Catabrosa Balansae.  
 Catharinae, Presl, Bot. Bemerk. 120 = sinaica.  
 caucasica, Trin. in Mém. Acad. Sc. Pétersb. Sér. VI. i. (1831) 378.—Reg. Caucas.  
 cenisia, All. Auct. Fl. Pedem. 40.—Europ.; As. bor.  
 cenisia, Schrad. Fl. Germ. i. 422 = alpina.  
 cerealis, Salisb. Prod. 20 = abyssinica.  
 cernua, Schleich. Cat. Pl. Helv. ed. IV. 26 = caesia.  
 cernua, Willd. in Ges. Naturf. Fr. Berl. Neue Schr. iv. (1803) 182.—Ind. or.  
 Chaixii, Vill. Fl. Delph. 7.—Europ.; As. Min.  
 chalcantha, Kunth, Enum. Pl. i. 339 = Eragrostis chalcantha.  
 Chapelieri, Kunth, Rév. Gram. ii. 543. t. 186 = Eragrostis elongata.  
 charis, Schult. Mant. ii. 314 = Eragrostis Brownei.  
 chilensis, Hort. Par. ex Steud. Nom. ed. II. ii. 359 = Eragrostis gracilis.  
 chilensis, Moris, in Ann. Stor. Nat. Bologn. iv. (1830) 60; et in Mem. Acc. Torin. xxxvi. (1833) 196 = Eragrostis virescens.

## POA. —

- chilensis, Trin. in Bull. Sc. Acad. Pétersb. i. (1836) 69.—Chili.  
 chiloensis, Phil. in Linnaea, xxx. (1859-60) 206.—Chili.  
 chinensis, Burm. f. Fl. Ind. 27. t. 11; Koen. in Roth, Nov. Pl. Sp. 65 = Leptochloa capillacea.  
 chinensis, Hort. ex Presl, Repert. Bot. 252 = Eragrostis gracilis.  
 chinensis, Link, ex Trin. in Mém. Acad. Pétersb. Sér. VI. i. (1831) 408 = Eragrostis pilosa.  
 chinensis, Linn. Sp. Pl. 69.—Ind. or.  
 chonotica, Phil. in Linnaea, xxix. (1857-58) 97.—Chili.  
 chorizanthae, E. Desv. in C. Gay, Fl. Chil. vi. 407.—Chili.  
 cilianensis, All. Fl. Pedem. ii. 246 = trivialis, Eragrostis cinnaeformis.  
 cilianensis, Bivona, ex Steud. Syn. Pl. Gram. 252 = insularis.  
 ciliaris, Linn. Syst. ed. X. 875 = Eragrostis ciliaris, Link.  
 ciliaris, Schum. in Schum. & Thonn. Beskr. Guin. Pl. 67.—Afr. trop.  
 ciliata, Roxb. Hort. Beng. 82; Fl. Ind. i. 334 = Eragrostis ciliata.  
 cilicensis, Hance, in Ann. Sc. Nat. Sér. IV. xviii. (1862) 234.—As. Min.  
 cinerea, Vill. Hist. Pl. Dauph. ii. 126 = pratensis.  
 cinnaeformis, Hornem. ex Schrad. in Linnaea, xii. (1838) 452 = Eragrostis cinnaeformis.  
 cinnoides, Hort. Hafn. ex Steud. Nom. ed. II. ii. 359 = praec.  
 clareosa, D. Dietr. Syn. Pl. i. 354, sphalm. = glareosa.  
 coarctata, Hall. f. ex Gaud. in Alpina, iii. (1808) 35 = nemoralis.  
 coarctata, Kit. ex Steud. Nom. ed. II. ii. 359 = laxa.  
 coerulea, Auct. vide caerulea.  
 cognata, Steud. Syn. Pl. Gram. 262 = nodosa.  
 Colensoi, Hook. f. Handb. N. Zeal. Fl. 340.—N. Zel.  
 collina, Host, Grain. Austr. ii. t. 66 = alpina.  
 collina, C. Koch, ex Boiss. Fl. Orient. v. 610 = tatarica.  
 colorata, Steud. Syn. Pl. Gram. 252 = cenisia ?  
 colpodea, T. Fries, in Ofver. Vetens. Akad. xxvi. (1869) 138 = stricta, Lindeb.  
 columbiensis, Steud. Syn. Pl. Gram. 261.—Am. bor.  
 commutata, Roem. & Schult. Syst. ii. 555.—Hispan.  
 compacta, Salzm. ex Steud. Nom. ed. II. ii. 359.—Bras.  
 complanata, Presl, ex Steud. l. c. (Quid ?).—Hab. ?  
 complanata, Schur, Enum. Pl. Transs. 770 = compressa.  
 compressa, Linn. Sp. Pl. 69.—Reg. bor. temp.  
 compressa, Schrenk, ex Ledeb. Fl. Ross. iv. 371 = sterilis.  
 compressa, Urv. in Mém. Soc. Linn. Par. iv. (1826) 600 = alpina.  
 compta, Kunth, Rév. Gram. i. 113 = Eragrostis compta.  
 Conceptionis, Steud. Syn. Pl. Gram. 259.—Chili.  
 concinna, R. Br. Prod. 180 = Eragrostis concinna.  
 concinna, Gaud. Agrost. Helv. 196.—Europ.  
 condensata, Kunth, Enum. Pl. i. 344 = Distichlis condensata.  
 conferta, Blytt, Norges Fl. i. 123 = caesia.  
 conferta, Ell. Sketch, i. 158 = Eragrostis conferta.  
 conglomerata, Rupr. ex Galeotti, in Bull. Acad. Brux. ix. II. (1842) 235.—Mexic.  
 contracta, Retz. Obs. iii. 11 = Leptochloa capillacea, Eragrostis Thunbergiana.  
 contracta, Willd. ex Steud. Nom. ed. II. ii. 359 = Eragrostis pastoensis.  
 controversa, Bal. in Bull. Soc. Bot. Fr. xxi. (1874) 16 = longifolia, Trin.  
 controversa, Steud. Syn. Pl. Gram. 260.—Ins. Falkl.  
 convoluta, Hartm. ex Reichb. Fl. Germ. Excurs. 45 = seq. ?  
 convoluta, Hornem. Hort. Hafn. ii. 953, add. = Glyceria distans.  
 Cookii, Hook. f. in Phil. Trans. clxviii. (1879) 14.—Ins. Kerguel.  
 coromandelina, Koen. ex Rottb. in Ges. Naturf. Fr. Berl. Neue Schr. iv. (1803) 191; Roth, Nov. Pl. Sp. 70 = Eragrostis coromandelina.  
 coronensis, Schur, Enum. Pl. Transs. 773 = alpina.  
 costata, Schum. Enum. Pl. Saell. i. 28 = alpina.  
 crispa, Link, Hort. Berol. i. 184 = laxa.  
 crispa, Thuill. Fl. Par. ed. II. 45 = bulbosa.



## POA:—

*cristata*, Georgi, Besch. Russ. Reich. iii. 693; Schreb. Spicil. Fl. Lips. 54 = *Koeleria cristata*.  
*cristata*, Linn. Syst. ed. XII. 94 = *Koeleria phleoides*.  
*cristata*, Savi, Bot. Etrusc. ii. 51 = *Koeleria glauca*.  
*cristata*, Walt. Fl. Carol. 80.—Cf. Ell. Sketch, i. 164 = *Festuca rigida*.  
*crocata*, Michx. Fl. Bor. Am. i. 68 = *nemoralis*.  
*Cunninghamii*, Trin. in Bull. Sc. Acad. Pétersb. i. (1836) 69.—Chili.  
*curva*, Nees, ex Steud. Syn. Pl. Gram. 259.—Chili.  
*curvata*, Koel. Desc. Gram. 207 = *Festuca elatior*.  
*curvula*, Schrad. in Goett. Gel. Anz. (1821) iii. 2073 = *Eragrostis Thunbergiana*.  
*cuspidata*, Baxt. ex Steud. Nom. ed. II. ii. 359 = *flexuosa*.  
*cuspidata*, Nutt. in Barton, Comp. Fl. Philad. i. 61 = *brevifolia*.  
*cuspidata*, Roth, Nov. Pl. Sp. 72 = *Eragrostis Vahl.*  
*cylindracea*, Trin. ex Steud. Nom. ed. II. ii. 359.—Hab.?  
*cylindrica*, Roxb. Hort. Beng. 8; Fl. Ind. i. 334 = *Eragrostis ciliata*.  
*cynosuroides*, Retz. Obs. iv. 20 = *Eragrostis cynosuroides*.  
*cyperoides*, Pourr. ex Steud. Nom. ed. II. ii. 359 = *Ammochloa subacaulis*.  
*cyperoides*, Thunb. Prod. Pl. Cap. 22 = *Eragrostis cyperoides*.  
*dacica*, Porc. in Magyar Novényt. Lapok, ix. (1885) 132 = *pumila*.  
*dactyliformis*, Steud. Syn. Pl. Gram. 426 = *scaberula*.  
*dactyloides*, Aubl. Pl. Gui. i. 51.—Guian.  
*dactyloides*, H. B. & K. Nov. Gen. et Sp. i. 163.—Ecuador.  
*dahurica*, Hochst. & Steud. ex Boiss. Fl. Orient. v. 606 = *sinaica*.  
*dahurica*, Trin. in Bull. Sc. Acad. Pétersb. i. (1836) 69.—Dahuria.  
*danthonioides*, Steud. Syn. Pl. Gram. 258.—Chili.  
*debilis*, Thuill. Fl. Par. ed. II. 43 = *nemoralis*.  
*debilis*, Torr. Fl. N. York, ii. 459.—Am. bor.  
*decipiens*, R. Br. Prod. 181 = *Leptochloa capillacea*.  
*decumbens*, Scop. Fl. Carn. ed. II. i. 69 = *Triodia decumbens*.  
*decussata*, Pourr. ex Willk. & Lange, Prod. Fl. Hisp. i. 79 = *Glyceria procumbens*.  
*deflexa*, Rupr. Beitr. Pf. Russ. Reich. ii. 62 = *Laestadii*.  
*delawarica*, Balb. ex Spreng. f. Tent. Suppl. Syst. 6 = seq.?  
*delawarica*, Link, Hort. Berol. i. 174 = *Glyceria maritima*.  
*delicator*, Steud. Syn. Pl. Gram. 256.—Java.  
*delicatula*, [Fisch.] Hort. Petrop. ex Schrad. in Linnaea, xii. (1838) 448 = *Eragrostis delicatula*.  
*delicatula*, Wilh. ex Steud. Syn. Pl. Gram. 250 = *bulbosa*.  
*densiflora*, Buckl. in Proc. Acad. Sc. Philad. 1862 (1863) 96 = *arachnifera*.  
*dentata*, Torr. Fl. N. York, ii. t. 155 = *Glyceria pallida*.  
*denudata*, Steud. Syn. Pl. Gram. 259.—Japon.  
*depauperata*, G. Don pat. ex D. Don, in Mem. Wern. Soc. iii. (1821) 300 = *leptostachya*.  
*depauperata*, H. B. & K. Nov. Gen. et Sp. i. 162.—Ecuador.  
*depauperata*, Kit. ex Spreng. Pugill. i. 7 = *nemoralis*.  
*dependens*, Hornem. Hort. Hafn. i. 92 = *Eragrostis elongata*.  
*depressa*, J. & C. Presl, Fl. Čech. 20 = *pratensis*.  
*desertorum*, Trin. in Bull. Sc. Acad. Pétersb. i. (1836) 69.—Desert. Kirgis.  
*despiciens*, Link, Enum. Hort. Berol. i. 88 = *Eragrostis plumosa*.  
*diandra*, R. Br. Prod. 180 = *Eragrostis diandra*.  
*diandra*, Hort. ex Schrad. in Linnaea, xii. (1838) 451 = *Eragrostis Purshii*.  
*diandra*, F. Muell. Rep. Babb. Exped. 21 = *Eragrostis chaetophylla*.  
*diandra*, Roxb. Hort. Beng. 8; Fl. Ind. i. 336 = *diarrhena*.  
*diandra*, Wall. ex Presl, Repert. Bot. 252 = *Eragrostis interrupta*, Beauv.  
*diantha*, Steud. Syn. Pl. Gram. 256 = *spondylodes*.  
*diaphana*, Boiss. Fl. Orient. v. 611 = *soongarica*.  
*diaphora*, Trin. in Bull. Sc. Acad. Pétersb. i. (1836) 69 = *soongarica*.

## POA:—

*diarrhena*, Schult. Mant. ii. 616.—Ind. or.  
*digitata*, R. Br. Prod. 182 = *Leptochloa subdigitata*.  
*dinantha*, Wood, Class Book (1861), 797 (Quid?).—Am. bor.  
*dioeca*, Vent. ex Kunth, Enum. Pl. i. 336 = *Eragrostis reptans*.  
*dioica*, Michx. ex Poir. Encyc. v. 87 = *praec.*  
*diomedarum*, Kunth, Enum. Pl. i. 340 = *Eragrostis diomedearum*.  
*discolor*, Hoppe, ex Trin. in Mém. Acad. Pétersb. Sér. VI. i. (1831) 375 = *alpina*.  
*dissitiflora*, Roem. & Schult. Syst. ii. 558.—Groenl.  
*distans*, Desf. Cat. Hort. Par. ed. III. 21 = *Eragrostis peruviana*.  
*distans*, Linn. Mant. i. 32 = *Glyceria distans*.  
*distans*, Schultz, Prod. Fl. Starg. Suppl. i. 6 = *serotina*.  
*disticha*, Wulf. in Jacq. Misc. ii. 74 = *Oreochloa disticha*.  
*distichophylla*, R. Br. Prod. 182 = *Distichlis maritima*.  
*distichophylla*, Gaud. in Alpina, iii. (1808) 39 = *cenisia*.  
*divaricata*, Gouan, Illustr. 4 = *Sphenopus Gouani*.  
*divaricata*, Vill. Hist. Pl. Dauph. ii. 127 = *alpina*.  
*diversifolia*, Hack. ex Boiss. Fl. Orient. v. 600.—As. Min.; Syria.  
*dives*, F. Muell. Census, 134 = *Glyceria dives*.  
*dolor*, Boiss. & Heldr. Diagn. Ser. II. iv. 136 = *cenisia*.  
*dolosa*, Janka, in Oestr. Bot. Zeitschr. xiv. (1864) 384 = *laxa*.  
*domingensis*, Pers. Syn. i. 88 = *Eragrostis gigantea*, *Leptochloa domingensis*.  
*Douglasii*, Nees, in Ann. Nat. Hist. Ser. I. i. (1838) 284.—Calif.  
*Drummondiana*, Nees, in Hook. Lond. Journ. Bot. ii. (1843) 418 = *nodosa*.  
*dubia*, [Honck.] Verz. Aller Gew. Teutschl. 235 = *pratensis*.  
*dubia*, Leers, Fl. Herborn. 28 = *trivialis*.  
*dubia*, Suter, Fl. Helv. i. 49 = *nemoralis*.  
*dulcis*, Salisb. Prod. 20 = *Catabrosa aquatica*.  
*dura*, [Clairv.] Man. Herb. 21 = *Glyceria procumbens*.  
*dura*, Scop. Fl. Carn. ed. II. i. 70 = *Sclerochloa dura*.  
*duriuscula*, Willd. ex Spreng. Syst. i. 339 = *annua*.  
*Eatonii*, S. Wats. Bot. King's Exped. 386.—Am. bor. occ.  
*effusa*, Kit. in Schult. Oestr. Fl. ed. II. i. 227 = *Leersia oryzoides*.  
*effusa*, Steud. Syn. Pl. Gram. 262 = *caespitosa*.  
*Ehrhartiana*, E. Mey. Chlor. Hanov. i. 632 = *Leersia oryzoides*.  
*elatior*, Moench, Enum. Pl. Hass. 37; Bernh. Syst. Verz. Erf. 44 = *Festuca elatior*.  
*elegans*, R. Br. Prod. 181 = *Eragrostis Brownei*.  
*elegans*, DC. Fl. Fr. iii. 62 = *laxa*.  
*elegans*, Hall. f. ex Steud. Nom. ed. II. ii. 359 = *serotina*.  
*elegans*, Poir. Encyc. v. 87 = *Eragrostis ciliaris*, Link.  
*elegans*, Roxb. Hort. Beng. 82; Fl. Ind. i. 338 = *Eragrostis elegantula*.  
*elegans*, Willd. ex Spreng. Syst. i. 343 = *Eragrostis elegans*.  
*elegantula*, Kunth, Rév. Gram. i. 114 = *Eragrostis elegantula*.  
*Elliotii*, Spreng. Syst. i. 338 = *flexuosa*.  
*elliptica*, Willd. ex Steud. Nom. ed. II. ii. 359 = *Eragrostis ciliaris*, Link.  
*elongata*, Torr. ex Spreng. Neue Entdeck. ii. 104 = *Glyceria elongata*.  
*elongata*, Willd. Enum. Hort. Berol. i. 108 = *Eragrostis elongata*.  
*eminens*, J. & C. Presl, Rel. Haenk. i. 272 = *glumaris*.  
*Enysii*, T. Kirk, in Trans. N. Z. Inst. ix. (1877) 500 = *pusilla*.  
*equitans*, Kunth, Enum. Pl. i. 340 = *Eragrostis equitans*.  
*eragrostiformis*, Schur, in Verh. Siebenb. Ver. Naturw. iv. (1853) 88 = *pratensis*.  
*Eragrostis*, Cav. Ic. i. 63 = *Eragrostis major*.  
*Eragrostis*, Linn. Sp. Pl. 68 = *Eragrostis minor*.  
*Eragrostis*, Vill. Hist. Pl. Dauph. ii. 135 = *Eragrostis pilosa*.  
*eremophila*, Phil. Fl. Atac. 56.—Chili.  
*eriphora*, Steud. Syn. Pl. Gram. 258.—Chili.  
*exigua*, Dum. Obs. Gram. Belg. 113 = *palustris*.  
*exigua*, Hook. f. Handb. N. Zeal. Fl. 338.—N. Zel.  
*expansa*, J. F. Gmel. Syst. 181 = *Sphenopus Gouani*.

## POA:—

*expansa*, Kunth, Rév. Gram. i. 113 = *Eragrostis expansa*.  
*falcata*, Gaudich. in Freyc. Voy. Bot. 408. t. 25 = *Eragrostis falcata*.  
*familiaris*, Steud. Syn. Pl. Gram. 426.—Japon.  
*fascicularis*, Kunth, Rév. Enum. Pl. i. 339 = *Eragrostis fascicularis*.  
*fasciculata*, Torr. Fl. N. Am. 107 = *Glyceria distans*.  
*Fenas*, Steud. Syn. Pl. Gram. 252 = *Festuca elatior*.  
*Feratiana*, Boiss. & Reut. Pugill. Pl. Nov. 128 = *nemoralis*.  
*ferruginea*, Thunb. Fl. Jap. 50 = *Eragrostis ferruginea*.  
*fertilis*, Host, Gram. Austr. iii. 10. t. 14 = *Leersia oryzoides*.  
*fertilis*, Ledeb. Fl. Alt. i. 98 = *sterilis*.  
*fertilis*, Reichb. Ic. Fl. Germ. xi. 37. t. 87 = *serotina*.  
*festucaeformis*, Host, Gram. Austr. iii. 12. t. 17 = *Glyceria distans*.  
*festucoides*, Lam. Illustr. i. 182 = *spicata*.  
*filifolia*, Schur, Enum. Pl. Transs. 768 = *pratensis*.  
*filiformis*, Link, ex Schrad. in Linnaea, xii. (1838) 451 = *Eragrostis pilosa*.  
*filiformis*, Thunb. Prod. Pl. Cap. 21 = *Eragrostis Thunbergiana*.  
*filipes*, Lange, in Fl. Dan. t. 2166.—Groenl.  
*firma*, Wormsk. ex Roem. & Schult. ii. 546 = *nemoralis*.  
*firmula*, S. F. Gray, Nat. Arr. Brit. Pl. ii. 103 = *nemoralis*.  
*flabellata*, Hook. f. in Phil. Trans. clxviii. (1877) 22, in nota.—Reg. Magell.  
*flaccida*, Moench, ex Steud. Nom. ed. II. i. 561, in syn. = *abyssinica*.  
*flaccidula*, Boiss. & Reut. Pugill. Pl. Nov. 128.—Hispan.  
*flava*, Linn. Sp. Pl. 68 = *subverticillata*, *Triodia cuprea*.  
*flava*, Willd. ex Steud. Nom. ed. II. i. 563, in syn. = *Eragrostis major*.  
*flavescens*, Kunth, Enum. Pl. i. 343 = *Eragrostis minor*.  
*flavescens*, Thom. Cat. Pl. Suiss. (1818) 23, nomen; ex Hegetschw. Fl. Schw. 86 = *alpina*.  
*flavicans*, Ledeb. Fl. Ross. iv. 373.—Ins. Unalaschk.  
*flexuosa*, Muhl. Desc. Gram. 148.—Am. bor.  
*flexuosa*, Roxb. Hort. Beng. 82; Fl. Ind. i. 339 = *Roxburghiana*.  
*flexuosa*, Schleich, ex Gaud. in Alpina, iii. (1808) 40; Host, Gram. Austr. iv. 15. t. 26 = *cenisia*.  
*flexuosa*, Sm. Eng. Bot. t. 1123 = *laxa*.  
*floccosa*, Lehm. Pugill. iii. 39 = *Eragrostis Bergiana*.  
*floribunda*, Schrad. ex Schult. Mant. ii. 319 = *Eragrostis Vahl.*  
*floribunda*, Willd. ex Spreng. Syst. i. 345 = *Eragrostis minor*.  
*fluitans*, Scop. Fl. Carn. ed. II. i. 73 = *Glyceria fluitans*.  
*foliosa*, Hook. f. Handb. N. Zeal. Fl. 338.—N. Zel.  
*Fonhi*, Phil. in Linnaea, xxxiii. (1864-65) 294.—Chili.  
*Fordeana*, F. Muell. Fragm. viii. 130 = *Glyceria Fordeana*.  
*formosissima*, Willd. ex Steud. Nom. ed. II. ii. 360.—Am. austr.  
*Forsteri*, Phil. in Anal. Univ. Chil. (1873) 573.—Chili.  
*Forsteri*, Steud. Syn. Pl. Gram. 260.—Reg. Magell.  
*Frankii*, Fisch. Mey. & Avé-Lall. Ind. Sem. Hort. Petrop. ix. 35, in obs. = *Eragrostis Frankii*.  
*Freartitis*, Orph. ex Boiss. Fl. Orient. v. 607 = *caesia*.  
*frigida*, Gaud. in Alpina, iii. (1808) 32; Schleich. Cat. Pl. Nov. 20 = *alpina*.  
*fulva*, Trin. in Mém. Acad. Pétersb. Sér. VI. i. (1831) 378.—Am. arct.  
*fulvescens*, Trin. in Linnaea, x. (1836) 306.—Peruv.  
*fusca*, Desf. Cat. Hort. Par. ed. III. 387 = *Eragrostis senegalensis*.  
*gangetica*, Roxb. Hort. Beng. 8; Fl. Ind. i. 340 = *Eragrostis minor*.  
*Gaudini*, Roem. & Schult. Syst. ii. 548 = *caesia*.  
*Gayana*, E. Desv. in C. Gay, Fl. Chil. vi. 416.—Chili.  
*Gebleri*, Trin. ex Steud. Nom. ed. II. ii. 360.—Hab.?  
*gelida*, Roem. & Schult. Syst. ii. 540.—Groenl.  
*gelida*, Schur, Enum. Pl. Transs. 775 = *alpina*.  
*geniculata*, Dur. Expl. Algér. t. 40. f. 4.—Alger.  
*Gerardi*, All. Fl. Pedem. ii. 245 = *Festuca spadicea*.  
*glabra*, Ehrh. Beitr. vi. 82 = *pratensis*.



## POA:—

- glabrata*, Kunth, Enum. Pl. i. 344 = *Eragrostis glabrata*.  
*glareosa*, Kunth, l. c. 339 = *Eragrostis articulata*.  
*glauca*, Fellm. in Bull. Soc. Nat. Mosc. iii. (1831) 303 = caesia.  
*glauca*, Poir. Encyc. v. 73 = *gracilis*.  
*glauca*, Schk. Cat. Hort. Wittenberg. (1799) 49 = *Koeleria glauca*.  
*glauca*, With. Bot. Arr. Brit. Pl. ed. III. ii. 148 = *memoralis*.  
*glaucanthos*, Schleich. ex Gaud. in Alpina, iii. (1808) 36 = *memoralis*.  
*glaucescens*, Roth, Catalect. fasc. iii. 15 = *memoralis*.  
*glomerata*, Desf. Tabl. ed. I. 218 = *Eragrostis elongata*, interrupta, Beauv.  
*glomerata*, Thunb. Prod. Pl. Cap. 22.—Afr. austr.  
*glomerata*, Walt. Fl. Carol. 80 = *Eragrostis conferta*.  
*glumaris*, Trin. in Mém. Acad. Pétersb. Sér. VI. i. (1831) 379.—Am. bor. occ.  
*glutinosa*, Sw. Prod. Veg. Ind. Occ. 26 = *Eragrostis glutinosa*.  
*glycerioides*, Rupr. ex Galeotti, in Bull. Acad. Brux. ix. ii. (1842) 235, nomen.—Mexic.  
*Gmelini*, [Honck.] Verz. Aller Gew. Teutschl. 242 (Quid ?).—Europ.  
*Gmelini*, Koel. Desc. Gram. 161 = *memoralis*.  
*gracilescens*, Schrad. Hort. Gotting. fasc. 1; ex Roem. & Schult. Syst. ii. 547 = *memoralis*.  
*gracilis*, Bert. Misc. i. 420. t. 40. f. 1, 2 = *sinaica*.  
*gracilis*, Desf. Tabl. ed. I. 17.—Hab.?  
*gracilis*, Hort. in Hafn. ex Trin. in Mém. Acad. Pétersb. Sér. VI. i. (1831) 390, in obs. = *Glyceria maritima*?  
*grandiflora*, [Clairv.] Man. Herb. 21 = *Festuca elatior*?  
*gregalis*, Suter, Fl. Helv. i. 48 = *pratensis*.  
*groenlandica*, Steud. Syn. Pl. Gram. 252.—Groenl.  
*Haenkei*, Kunth, Enum. Pl. i. 343 = *Eragrostis amoena*.  
*Halleri*, [Honck.] Verz. Aller Gew. Teutschl. 228 = *laxa*, *memoralis*, *Festuca elatior*.  
*Halleri*, Suter, Fl. Helv. i. 45 = *cenisia*.  
*Halleridis*, Roem. & Schult. Syst. ii. 539 = *cenisia*.  
*halophila*, Schiede, ex Steud. Nom. ed. II. ii. 360 = *Glyceria distans*.  
*hansiana*, Nees, in Royle, Illustr. Bot. Himal. 46.—Ind. or.  
*havanensis*, Willd. ex Steud. l. c.—Cuba.  
*hemipoa*, Loret & Barr. Fl. Monsp. 749 = *Festuca hemipoa*.  
*heptantha*, Steud. Syn. Pl. Gram. 255 = *persica*.  
*heteroclita*, Desv. Opusc. 100 = *tatarica*.  
*heterophylla*, Scheele, in Flora, xxvii. (1844) 58 = *pratensis*.  
*hexantha*, Wood, Class-Book (1861), 797 (Quid ?).—Am. bor.  
*himalayana*, Nees, ex Steud. Syn. Pl. Gram. 256.—Reg. Himal.  
*Hippuris*, Schum. in Schum. & Thonn. Beskr. Guin. Pl. 69 (*Eragrostis* sp.).—Afr. trop.  
*hirsuta*, Auct. Am. ex A. Gray, Man. Bot. N. U. St. ed. V. 632 = *Eragrostis pectinacea*.  
*hirsuta*, Michx. Fl. Bor. Am. i. 68 = *Eragrostis capillaris*, Nees.  
*hirsutissima*, Link, Diss. Bot. Suerin (1795), 44.—Hab.?  
*hirta*, Thunb. Fl. Jap. 49.—Japon.  
*Hoffmanniana*, Opiz, Seznam, 76 = *Leersia oryzoides*.  
*Hohenackeri*, Trin. in Bull. Sc. Acad. Pétersb. i. (1836) 69 = *trivialis*.  
*holciformis*, J. & C. Presl, Rel. Haenk. i. 272.—Chili.  
*homomalla*, Nees, in Lehm. Pl. Preiss. ii. 104.—Austral.  
*Hookeriana*, F. Muell. Fragm. viii. 131 = *Festuca Hookeriana*.  
*Hosteana*, Schur, Enum. Pl. Transs. 775 = *alpina*.  
*Howellii*, Vasey & Scribn. ex Vasey, Cat. Grass. U. St. 82.—Am. bor. occ.  
*humilis*, Ehrh. Beitr. vi. 84 = *pratensis*.  
*humilis*, C. Koch, in Linnaea, xxi. (1848) 406 = *Catabrosa humilis*.  
*humilis*, Lej. Fl. Spa, i. 49 = *annua*.  
*hybernica*, Willd. ex Steud. Nom. ed. II. ii. 360 = *Glyceria distans*.  
*hybrida*, Gaud. in Alpina, iii. (1808) 46.—Europ.; Reg. Cauc.  
*hybrida*, Mert. & Koch, Deutschl. Fl. i. 610, in obs. = *Chaixii*.  
*hydrophila*, Pers. Syn. i. 89 = *Leersia oryzoides*.

## POA:—

- hydrophyla*, Thuill. ex Steud. Nom. ed. I. 636, 638 = *serotina*.  
*hypnoides*, Lam. Illustr. i. 185 = *Eragrostis reptans*.  
*hypopsila*, Steud. Syn. Pl. Gram. 263 = *Eragrostis imbecilla*.  
*iberica*, Fisch. Mey. & Avé-Lall. Ind. Sem. Hort. Petrop. ix. Suppl. 15 = *longifolia*.  
*imbecilla*, R. Br. Prod. 181 = *Leptochloa capillacea*.  
*imbecilla*, Forst. f. Prod. 89; Spreng. Fl. Hal. Mant. i. 33 = *Eragrostis imbecilla*.  
*implexa*, Trin. in Mém. Acad. Pétersb. Sér. VI. i. (1831) 388 = *caespitosa*.  
*indica*, Bory, ex Steud. Nom. ed. II. i. 564, in syn. = *Eragrostis plumosa*.  
*indica*, Koen. ex Rottb. in Ges. Naturf. Fr. Berl. Neue Schr. iv. (1803) 194.—Ind. or.  
*infirmia*, H. B. & K. Nov. Gen. et Sp. i. 158.—Mexic.  
*insularis*, Parl. Fl. Ital. i. 541.—Sicilia.  
*intercepta*, Spreng. Syst. i. 347 = *Eragrostis interrupta*, Beauv.  
*intermedia*, J. Buch. Ind. Grass. N. Zeal. t. 48.—N. Zel.  
*intermedia*, Koel. Desc. Gram. 303 = *Festuca elatior*.  
*intermedia*, Steud. Syn. Pl. Gram. 252.—Groenl.  
*interrupta*, Lam. Illustr. i. 185 = *Eragrostis interrupta*, Beauv.  
*interrupta*, Nutt. in Trans. Am. Phil. Soc. v. (1837) 146 = *Eragrostis oxylepis*.  
*interrupta*, Sieber, ex Benth. Fl. Austral. vii. 646 = *Eragrostis diandra*.  
*japonica*, Thunb. Fl. Jap. 31 = *Eragrostis plumosa*.  
*jubata*, Kern. in Oestr. Bot. Zeitschr. xxiii. (1873) 6 = *minor*.  
*julduisicola*, Regel, in Act. Hort. Petrop. vii. (1880) 612.—As. centr.  
*Julieti*, Phil. in Anal. Univ. Chil. (1873) 575.—Chili.  
*juncea*, Suter, Fl. Helv. i. 46 = *memoralis*.  
*juncoides*, Gaud. in Alpina, iii. (1808) 37 = *memoralis*.  
*karatavica*, Bunge, in Mém. Sav. Etr. Pétersb. vii. (1851) 525.—Turkest.  
*kerguelensis*, Steud. Syn. Pl. Gram. 257 = *Festuca scoparia*.  
*Kingii*, S. Wats. in Bot. King's Exp. 387 = *glumaris*.  
*Kirkii*, J. Buch. Indig. Gras. N. Zeal. t. 51.—N. Zel.  
*Kitaibelii*, Kunth, Rév. Gram. i. 117 = *memoralis*.  
*Kitaibelii*, Schult. Oesterr. Fl. ed. II. i. 225 = *trivialis*.  
*Koeleri*, DC. Syn. Fl. Gall. 131 = *alpina*.  
*koelerioides*, Trin. in Bull. Sc. Acad. Pétersb. i. (1836) 69.—Chili.  
*Koenigii*, Kunth, Rév. Gram. i. 114 = *Eragrostis interrupta*, Beauv.  
*Labillardieri*, Steud. Syn. Pl. Gram. 262.—Austral.  
*labradorica*, Steud. l. c. 252.—Am. bor.  
*Laestadii*, Rupr. in Beitr. Pfl. Russ. Reich. ii. 62.—Scandin.  
*laevis*, Bory. in Oestr. Bot. Zeitschr. xxvii. (1877) 425.—Hungar.  
*laevis*, R. Br. Prod. 179 = *caespitosa*.  
*lagopodioides*, Kunth, Rév. Gram. i. 111 = *Aeluropus pubescens*.  
*lagopodes*, Steud. Nom. ed. II. ii. 360 = *Spartina cynosuroides*.  
*Lamarckii*, Kunth, Enum. Pl. i. 362.—Am. bor.  
*Langeana*, Reichb. Fl. Germ. Excurs. 140<sup>t</sup> = *compressa*.  
*lanigera*, Nees, Agrost. Bras. 491.—Bras.  
*lanuginosa*, Poir. Encyc. v. 91.—Am. austr.  
*latiflora*, Rupr. Beitr. Pfl. Russ. Reich. ii. 62. t. 4 = *fulva*.  
*latifolia*, Forst. f. Prod. 8 = *Centotheca lappacea*.  
*latifolia*, Phil. in Linnaea, xxix. (1857–58) 97.—Chili.  
*latifolia*, Pohl, Tent. Fl. Bohem. i. 94 = *Chaixii*.  
*latispica*, F. Muell. Census, 134 = *Glyceria latispica*.  
*laxa*, Haenke, in Yirasek, Beob. Riesengeb. (1791) 118.—Europ.; Am. bor.  
*laxa*, Lam. Illustr. i. 183 = *subverticillata*.  
*laxa*, Trin. in Mém. Acad. Pétersb. Sér. VI. i. (1831) 374 = *minor*.  
*laxa*, Wahlenb. Fl. Lapp. 40; R. Br. in Ross, Voy. ed. II. ii. 192 = *cenisia*.  
*laxiflora*, Buckl. in Proc. Acad. Sc. Philad. 1862 (1863) 96 = *leptocoma*.  
*laxiuscula*, Lange, in Fl. Dan. t. 2946 = *caesia*.  
*leersioides*, Guss. Fl. Sic. Prod. i. 98 = *Eragrostis leersioides*.  
*leersioides*, Kunth, Rév. Gram. i. 116.—Sicilia.  
*Lejeunii*, Dum. Obs. Gram. Belg. 112 = *pratensis*.

## POA:—

- Lemmoni*, Vasey, in Coult. Bot. Gaz. iii. (1878) 13.—Calif.  
*lepida*, F. Muell. Fragm. viii. 130.—Austral.  
*lepida*, Nees, ex Steud. Syn. Pl. Gram. 257.—Chili.  
*lepida*, A. Rich. Tent. Fl. Abyss. ii. 424.—Abyss.  
*leptantha*, Kunth, Enum. Pl. i. 339 = *Eragrostis leptantha*.  
*leptoclada*, Hochst. ex A. Rich. Tent. Fl. Abyss. ii. 422.—Abyss.  
*leptocoma*, Bong. Vég. Ins. Sitcha, 54 = *stenantha*.  
*leptocoma*, Trin. in Mém. Acad. Pétersb. Sér. VI. i. (1831) 374.—Kamtschat.  
*leptostachya*, R. Br. Prod. 180 = *Eragrostis leptostachya*.  
*leptostachya*, D. Don, in Mem. Wern. Soc. iii. (1821) 299 (Quid ?).—Scotia.  
*ligularis*, Nees, ex Steud. Syn. Pl. Gram. 257.—Bras.  
*ligulata*, Boiss. Voy. Bot. Espagne, ii. 659. t. 178 a.—Hispan.  
*Lima*, Trin. in Mém. Acad. Pétersb. Sér. VI. i. (1831) 392 = *Wangenheimia disticha*.  
*limbata*, Link, Hort. Berol. i. 179.—Nepal.  
*Lindsayi*, Hook. f. Handb. N. Zeal. Fl. 340.—N. Zel.  
*linearis*, Schum. in Schum. & Thonn. Beskr. Guin. Pl. 67 = *Eragrostis linearis*, Benth.  
*linearis*, Trin. ex Bunge, in Mém. Sav. Etr. Pétersb. ii. (1835) 145.—China.  
*lineata*, Pers. Syn. ii. 89 = *Glyceria nervata*.  
*Linkii*, Kunth, Rév. Gram. i. 113 = *Eragrostis pilosa*.  
*lithuanica*, Gorski, in Eichw. Skizze, 117 = *Glyceria remota*.  
*littoralis*, Gouan, Fl. Monsp. 470 = *Aeluropus laevis*.  
*littoralis*, Hook. f. Handb. Fl. N. Zeal. 341, sphalm. = *Festuca littoralis*.  
*lobata*, Kunth, Enum. Pl. i. 346 = *Eragrostis geniculata*?  
*loliacea*, Huds. Fl. Angl. ed. I. 35 = *Festuca loliacea*.  
*longifolia*, A. Rich. Tent. Fl. Abyss. ii. 425.—Abyss.  
*longifolia*, Trin. in Bull. Sc. Acad. Pétersb. i. (1836) 69.—Reg. Caucas.  
*lugens*, Kunth, Enum. Pl. i. 331 = *Eragrostis lugens*.  
*lurida*, Kunth, l. c. 342 = *Eragrostis lurida*.  
*macilenta*, A. Rich. Tent. Fl. Abyss. ii. 428.—Abyss.  
*Mackayi*, J. Buch. Indig. Grass. N. Zeal. t. 51.—N. Zel.  
*macrocalyx*, Trautv. & Mey. in Middend. Reise (Fl. Ochot. 103).—Sibir. or.; Turkestan.  
*madagascariensis*, Lam. Illustr. i. 185.—Madag.  
*malabarica*, Klein, ex Steud. Nom. ed. II. ii. 30, 360 = *Leptochloa capillacea*.  
*malabarica*, Linn. Sp. Pl. 69 = *Centotheca lappacea*.  
*malabarica*, Retz. Obs. v. 19; ex Roem. & Schult. Syst. ii. 557 = *chinensis*.  
*malmundariensis*, Lej. Fl. Spa, i. 50 = *pratensis*.  
*marginata*, Willd. Enum. Hort. Berol. Suppl. 6 = *memoralis*.  
*maritima*, Cav. Ic. ii. t. 126 = *Aeluropus laevis*.  
*maritima*, Hornem. in Fl. Dan. t. 1626 = *Catabrosa aquatica*.  
*maritima*, Huds. Fl. Angl. ed. I. 35 = *Glyceria maritima*.  
*maritima*, Oed. in Fl. Dan. t. 251 = *Glyceria distans*.  
*massauensis*, Fresen. in Mus. Senckenb. ii. (1837) 143 = *Aeluropus laevis*.  
*maxima*, Cav. Desc. 314; et in Anal. Cienc. Nat. vi. (1803) 149 = *Briza maxima*.  
*Maxwellii*, Benth. Fl. Austral. vii. 653.—Austral.  
*maypurensis*, H. B. & K. Nov. Gen. et Sp. i. 161 = *Eragrostis maypurensis*.  
*media*, Schur, in Verh. Siebenb. Ver. Naturw. iv. (1853) 87 = *alpina*.  
*mediterranea*, Nem. ex Chaub. in Act. Linn. Soc. Bord. xix. (1853) 45 = *Glyceria distans*.  
*megapotamica*, Spreng. Syst. iv. Cur. Post. 35 = *Eragrostis purpurascens*.  
*megastachya*, Koel. Desc. Gram. 181 = *Eragrostis major*.  
*melicoidea*, Link, Hort. Berol. i. 186.—Hab.?  
*melicoidea*, Fisch. ex Regel, in Act. Hort. Petrop. vii. (1880) 618 = *stenantha*.  
*melicoidea*, Nutt. Gen. Am. i. 68 = *Graphephorum melicoideum*.  
*Meratiana*, Kunth, Rév. Gram. ii. 539. t. 184.—Bras.  
*mexicana*, Lag. Gen. et Sp. Nov. 3 = *Eragrostis mexicana*.  
*mexicana*, Link, Enum. Hort. Berol. i. 88 = *Eragrostis pilosa*.  
*Meyenii*, Nees, in Meyen, Reise i. 484.—Peruv.  
*Michauxii*, Kunth, Rév. Gram. i. 111 = *Distichlis maritima*.  
*micrantha*, Schult. Mant. ii. 305 = *Eragrostis capillaris*.



## POA:—

- micrantha*, Spreng. Syst. i. 344 = *Eragrostis pilosa*.  
*microstachya*, Desv. Opusc. 100 (Quid?).—Afr.  
*microstachya*, Link, Hort. Berol. i. 185 = *Eragrostis* arioides.  
*miliacea*, Kit. in Schult. Oesterr. Fl. ed. II. i. 227 = Schultesii.  
*miliacea*, Link, Hort. Berol. 174.—Gallia; Ital.  
*minima*, Stokes, in With. Bot. Arr. Brit. Pl. ed. II. i. 91 = *Mibora verna*.  
*minor*, Gaud. in *Alpina*, iii. (1808) 44.—Europ.  
*minor*, Salzmann, ex Trin. in Mém. Acad. Pétersb. Sér. VI. i. (1831) 382 = *cenisia*.  
*minuta*, Beauv. Agrost. 174 = *Aira minuta*.  
*minuta*, Poir. Encyc. Suppl. iv. 327 = *Festuca parvula*.  
*modesta*, Phil. in *Linnaea*, xxx. (1859–60) 205.—Chili.  
*modesta*, Tuckerm. in Am. Journ. Sc. Ser. I. xlv. (1843) 45 = *Sporobolus serotinus*.  
*Molinerii*, Balb. Elench. 85; Ser. Cat. 2; ex Gaud. Agrost. Helv. i. 191 = *alpina*.  
*Molinerii*, Schleich. ex Gaud. Fl. Helv. i. 248 = *concinna*.  
*molinioides*, Trin. ex Trautv. in Act. Hort. Petrop. ix. (1884) 331.—Rossia.  
*montana*, All. Fl. Pedem. ii. 245 = *nemoralis*.  
*montana*, Balansa, in Bull. Soc. Bot. Fr. xxi. (1874) 17.—As. Min.  
*montana*, Delarb. Fl. Auv. ii. 699 = *Festuca spadicea*.  
*montana*, [Honck.] Verz. Aller Gew. Teutschl. 233 = *pratensis*.  
*montana*, Parn. Grass. Scotl. 86 = *caesia*.  
*montana*, Vasey, in Monthly Rep. U. St. Dep. Agric. (1874) 155.—Am. bor.  
*monticola*, Gaudich. in Freyc. Voy. Bot. 408.—Ins. Sandvic.  
*monticola*, Phil. in Anal. Univ. Chil. (1873) 576.—Chili.  
*Montufari*, H. B. & K. Nov. Gen. et Sp. i. 159 = *Eragrostis Montufari*.  
*mucronata*, Poir. Encyc. v. 91 = *Eragrostis beninensis*.  
*mucronata*, Roth, Nov. Pl. Sp. 64 = *Eragrostis mucronata*.  
*mucronulata*, Kunth, Rév. Gram. i. 114 = *Eragrostis mucronata*.  
*mulalensis*, H. B. & K. Nov. Gen. et Sp. i. 162.—Ecuador.  
*multiflora*, Forsk. Fl. Aegypt. Arab. 21 = *Eragrostis major*.  
*multiflora*, Roxb. Hort. Beng. 8; Fl. Ind. i. 338 = *Eragrostis multiflora*.  
*multiradiata*, Regel, in Act. Hort. Petrop. vii. (1880) 620.—Armenia.  
*muralis*, [Honck.] Verz. Aller Gew. Teutschl. 226 = *nemoralis*.  
*muralis*, Wibel, Prim. Fl. Werth. 114 = *compressa*.  
*nana*, Savi, in Usteri, Ann. Bot. xxiv. (1800) 49 = *Eragrostis peruviana*.  
*naravatica*, Anderss. in Walp. Ann. vi. 1013, sphalm. = *karavatica*.  
*naravetica*, Anderss. l. c. 1258, sphalm. = *praec.*  
*nardoides*, Kunth, Enum. Pl. i. 340 = *Eragrostis coromandelina*.  
*narifolia*, Schur, Enum. Pl. Transs. 767 = *pratensis*.  
*Neesii*, Kunth, l. c. 339 = *Eragrostis Neesii*.  
*neglecta*, Steud. Syn. Pl. Gram. 253.—Dahuria.  
*nemoralis*, Heyne, ex Wall. Cat. n. 3826 = *Centotheca lappacea*.  
*nemoralis*, Linn. Sp. Pl. 69.—Europ.; As. bor.  
*nemoralis*, Pursh, Fl. Am. Sept. i. 79 = *serotina*.  
*nemoralis*, Torr. Fl. N. Am. i. 111 = *alsodes*.  
*nervata*, Willd. Sp. Pl. i. 389 = *Glyceria nervata*.  
*nevadensis*, Vasey, in Bull. Torrey Bot. Club, x. (1883) 66.—Am. bor. occ.  
*nigra*, Clem. ex Willk. & Lange, Prod. Fl. Hisp. i. 83 = *Eragrostis papposa*.  
*nigrans*, H. B. & K. Nov. Gen. et Sp. i. 159 = *Eragrostis nigrans*.  
*nitens*, Kunth, Rév. Gram. i. 113 = *Eragrostis nitida*, Link.  
*nitens*, [Weber] in Wigg. Prim. Fl. Holsat. Suppl. n. 6 = *Hierochloë borealis*.  
*nitida*, Ell. Sketch, i. 162 = *Eragrostis campestris*.  
*nitida*, Lam. Illustr. i. 182 = *Koeleria cristata*.  
*nitida*, Savi, Bot. Etrusc. ii. 51 = *Koeleria glauca*.  
*nivalis*, Schur, Enum. Pl. Transs. 776 = *alpina*.  
*nodosa*, Nees, in Lehm. Pl. Preiss. ii. 105.—Austral.  
*Novarae*, Reichardt, in Verh. Zool.-Bot. Ges. Wien, xxi. (1871) 31.—Ins. St. Paul (Mar. austr.).

## POA:—

- nutans*, [Clairv.] Man. Herb. 21 = *Melica nutans*.  
*nutans*, Gilib. Exercit. ii. 532 = *nemoralis*.  
*nutans*, Klein, ex Steud. Nom. ed. II. ii. 359, 361 = *cernua*.  
*nutans*, Link, Enum. Hort. Berol. i. 86 = *Festuca nutans*.  
*nutans*, Retz. Obs. iv. 19 = *Eragrostis Brownei*.  
*nutkaensis*, J. & C. Presl, Rel. Haenk. i. 272 = *Glyceria distans*.  
*Nuttalliana*, Schult. Mant. ii. 303 = *Glyceria distans*.  
*Nuttallii*, Kunth, Rév. Gram. i. 116 = *Eragrostis Nuttalliana*.  
*Nuttallii*, Spreng. Syst. i. 344 = *obtusata*.  
*Nymanni*, Tineo, in Guss. Fl. Sic. Syn. ii. 783 = *pratensis*.  
*oblonga*, Baumg. Enum. Stirp. Transs. 238 = *Eragrostis major*.  
*obtusata*, Beauv. Agrost. 175 = *Eatonia obtusata*.  
*obvallata*, Steud. Syn. Pl. Gram. 258.—Chili.  
*ochotensis*, Trin. in Mém. Acad. Pétersb. Sér. VI. i. (1831) 377.—Sibir.  
*oligantha*, Hochst. in Flora, xxxviii. (1855) 322.—Abyss.  
*oligeria*, Steud. Syn. Pl. Gram. 426.—Reg. Magellan.  
*Olmedi*, H. B. & K. Nov. Gen. et Sp. i. 159 = *Eragrostis Olmedi*.  
*olympica*, Schott, Nym. & Kotschy, Analect. Bot. 2.—As. Min.  
*oreophila*, Boiss. & Heldr. Diagn. Ser. II. iv. 137, in obs. = *cenisia*.  
*oreophila*, Schur, Enum. Pl. Transs. 773 = *alpina*.  
*ovalis*, Tineo, Pl. Rar. Sicil. 21 = *annua*.  
*ovina*, A. Rich. Tent. Fl. Abyss. ii. 428.—Abyss.  
*oxylepis*, Torr. in Marcy, Expl. Red River Louis. Bot. (1853) 301 = *Eragrostis oxylepis*.  
*pachypogon*, Nees, ex Steud. Syn. Pl. Gram. 258.—Chili.  
*pallens*, Hall. f. ex Gaud. in Alpina, iii. (1808) 41 = *cenisia*.  
*pallens*, Poir. Encyc. v. 91.—Reg. Argent.  
*pallenscens*, Koch, Syn. Fl. Germ. ed. I, Index 69 = *praec.*  
*pallida*, Hort. ex Schrad. in Linnaea, xii. (1838) 450 = *Eragrostis aegyptiaca*.  
*pallida*, Lag. Gen. et Sp. Nov. 3 = *Eragrostis pilosa*.  
*paludosa*, [Honck.] Verz. Aller Gew. Teutschl. 226 = *Leersia oryzoides*?  
*palustris*, Linn. Syst. ed. X. 874 = *Leersia oryzoides*.  
*palustris*, H. Mart. Prod. Fl. Mosq. 19 = *serotina*.  
*palustris*, O. F. Muell. in Fl. Dan. t. 750; DC. Fl. Fr. Suppl. 272 = *nemoralis*.  
*palustris*, Wohlleb. Suppl. Fl. Halens. 5 = *trivialis*.  
*pamphylica*, Boiss. Diagn. Ser. I. xiii. 58 = *persica*.  
*panicea*, Retz. Obs. iii. 11 = *Leptochloa capillacea*.  
*panicea*, Willd. ex Spreng. Syst. i. 338 = *stolonifera*.  
*paniciformis*, A. Br. in Flora, xxiv. (1842) 274 = *Eragrostis paniciformis*.  
*panicoides*, Kunth, Enum. Pl. i. 343.—Mexie.  
*paniculata*, Roxb. Hort. Beng. 82; Fl. Ind. i. 340 = *Eragrostis aspera*.  
*pannonica*, Kern. in Oestr. Bot. Zeitschr. xiv. (1864) 84.—Europ.  
*papillosa*, Schrad. in Goett. Gel. Anz. (1821) III. 2074 = *Eragrostis Uniola*.  
*paposana*, Phil. Fl. Atac. 55.—Chili.  
*papposa*, Dufour, ex Roem. & Schult. Syst. ii. 585 = *Eragrostis papposa*.  
*paradoxa*, Kar. & Kir. in Bull. Soc. Nat. Mosc. (1841) 864 = *soongarica*.  
*paradoxa*, Roem. & Schult. Syst. ii. 569 = *Distichlis maritima*.  
*parnassica*, Boiss. & Heldr. in Boiss. Diagn. Ser. II. iv. 137, in obs. = *pumila*.  
*Parnellii*, Bab. Man. Brit. Bot. ed. I. 368 = *nemoralis*.  
*parviflora*, R. Br. Prod. 180 = *Eragrostis pilosa*.  
*parviflora*, Pursh, Fl. Am. Sept. i. 80 = *Glyceria nervata*.  
*parvula*, Roem. & Schult. Syst. ii. 571 = *Festuca parvula*.  
*parvula*, Steud. Syn. Pl. Gram. 255 = *persica*.  
*paryadrica*, Boiss. in Tchihat. Asie Min. Bot. ii. 603.—As. Min.  
*Pasqualii*, Heldr. ex Parl. Fl. Ital. i. 343 = *bulbosa*.  
*pastoensis*, H. B. & K. Nov. Gen. et Sp. i. 160 = *Eragrostis pastoensis*.

## POA:—

- patula*, H. B. & K. Nov. Gen. et Sp. i. 158 = *Eragrostis patula*.  
*pauciflora*, Benth. ex Vasey, Grass. U. St. 42.—Calif.  
*pauciflora*, Roem. & Schult. Syst. ii. 549 = *depau-perata*.  
*pectinacea*, Geyer, ex Steud. Syn. Pl. Gram. 272 = *Eragrostis Geyeri*.  
*pectinacea*, Kunth, Enum. Pl. i. 382 = *Koeleria setacea*.  
*pectinacea*, Michx. Fl. Bor. Am. i. 69 = *Eragrostis pectinacea*.  
*pectinata*, Lam. Illustr. i. 182 = *Koeleria setacea*.  
*pelligera*, Rupr. Beitr. Pfl. Russl. ii. 64 = *Graphephorum psilosanthum*.  
*pellucida*, R. Br. Prod. 181 = *Eragrostis pilosa*.  
*pendulina*, J. Vahl, in Fl. Dan. t. 2343 = *Laestadii*.  
*Perouini*, Boiss. Fl. Orient. v. 604.—Cilicia.  
*persica*, Trin. in Mém. Acad. Sc. Pétersb. Sér. VI. i. (1831) 373.—Persia; Reg. Caucas.  
*peruviana*, Jacq. Coll. i. 107 = *Eragrostis peruviana*.  
*phalaroides*, Nees, ex Steud. Syn. Pl. Gram. 258.—Chili.  
*Philippii*, Steud. l. c. 426.—Chili.  
*phleoides*, Lam. Illustr. i. 182 = *Koeleria phleoides*.  
*phoenicoides*, Koel. Desc. Gram. 201 = *Brachypodium pinnatum*.  
*Phoenix*, Scop. Fl. Carn. ed. II. i. 74 = *Graphephorum arundinaceum*.  
*Phragmites*, Phil. in Anal. Univ. Chil. (1873) 576.—Chili.  
*phryganoides*, Trin. in Mém. Acad. Sc. Pétersb. Sér. VI. i. (1831) 389.—Kamtchat.  
*picta*, Trin. ex Steud. Nom. ed. II. ii. 361.—Hab. ?  
*pilifera*, Scheele, in Linnaea, xxii. (1849) 344.—Texas.  
*pilosa*, Linn. Sp. Pl. 68 = *Eragrostis pilosa*.  
*pilosissima*, Kunth, Rév. Gram. i. 112 = *Eragrostis articulata*.  
*planicularis*, Weber, in Usteri, Ann. Bot. i. (1791) 92 = *compressa*.  
*planiculmis*, Weber, Suppl. Fl. Holsat. 3; ex Roem. & Schult. Syst. ii. 558 = *praec.*  
*plebeia*, R. Br. Prod. 179 = *caespitosa*.  
*plumosa*, Hort. Par. ex Schrad. in Linnaea, xii. (1838) 451 = *Eragrostis gracilis*.  
*plumosa*, Retz. Obs. iv. 20 = *Eragrostis amabilis*.  
*poecila*, Phil. in Anal. Univ. Chil. (1873) 573.—Chili.  
*poecilantha*, Rupr. Beitr. Pfl. Russ. Reich. ii. 63. t. 5 = *fulva*.  
*Poidium*, Doell, in Mart. Fl. Bras. ii. III. 119.—Bras.  
*Poiretii*, Roem. & Schult. Syst. ii. 553 = *Eragrostis pilosa*.  
*Poiretii*, Steud. Syn. Pl. Gram. 257.—Ins. Borbon.  
*polygama*, Steud. l. c. 255.—Oriens.  
*polymorpha*, Balb. ex Kunth, Enum. Pl. i. 332 = *Eragrostis Berteroniana*.  
*polymorpha*, R. Br. Prod. 180 = *Eragrostis Brownei*.  
*polymorpha*, Hort. Vindob. ex Schrad. in Linnaea, xii. (1838) 450 = *Eragrostis Jacquinii*.  
*polymorpha*, Koen. ex Rottb. in Ges. Naturf. Fr. Berl. Neue Schr. iv. (1803) 194 = *Eragrostis bahiensis*.  
*polymorpha*, Sieber, ex Kunth, Enum. Pl. i. 330 = *Eragrostis tephrosanthos*.  
*polymorpha*, Wibel, Prim. Fl. Werth. 113 = *nemoralis*.  
*polynoda*, Parn. Grass. Scotl. 84 = *compressa*.  
*polytricha*, Kunth, Enum. Pl. i. 331 = *Eragrostis polytricha*.  
*porphyroclados*, Nees, in Lehm. Pl. Preiss. ii. 105 = *caespitosa*.  
*porrantha*, Steud. Syn. Pl. Gram. 262 = *caespitosa*.  
*praecox*, Borb. in Oestr. Bot. Zeitschr. xxviii. (1878) 135 = *bulbosa*.  
*pratensis*, Linn. Sp. Pl. 67.—Reg. bor. temp.  
*pratensis*, Pollich, Hist. Pl. Palat. i. 87 = *trivialis*.  
*Preslii*, Kunth, Enum. Pl. i. 326 = *Distichlis thalassica*.  
*Pringlii*, Scribn. in Bull. Torrey Bot. Club, x. (1883) 31.—Am. bor. occ.  
*procera*, Roxb. Hort. Beng. 82; Fl. Ind. i. 332.—Ind. or.  
*procumbens*, Curt. Fl. Lond. fasc. vi. t. 11 = *Glyceria procumbens*.  
*prolifera*, F. W. Schmidt, in Mayer, Samml. Phys. Aufs. i. (1791) 188 = *bulbosa*.



## POA:—

*prolifera*, Sw. *Prod. Veg. Ind. Occ.* 27.—Ind. occ.  
*prostrata*, H. B. & K. *Nov. Gen. et Sp.* i. 157 = Distichlis prostrata.  
*protuberata*, Schur, *Enum. Pl. Transs.* 773 = bulbosa.  
*psammoides*, Kunth, *Enum. Pl.* i. 328 = Eragrostis psammodes.  
*psammophila*, Schur, *Enum. Pl. Transs.* 773 = bulbosa.  
*Pseudo-caesia*, Schur, l. c. 772 = nemoralis.  
*Pseudo-concinna*, Schur, l. c. 773 = bulbosa.  
*Pseudo-hybrida*, Schur, l. c. 769 = trivialis.  
*Pseudo-laxa*, Schur, l. c. 777 = laxa.  
*Pseudo-nemoralis*, Schur, l. c. 771 = Leersia oryzoides.  
*psilocaulis*, Steud. *Syn. Pl. Gram.* 256.—Japon.  
*psilophylla*, Hochst. in *Flora*, xxxviii. (1855) 321.—Abyss.  
*psilosantha*, Rupr. *Beitr. Pfl. Russ. Reich.* ii. 64 = Graphophorum psilosanthum.  
*psychrophila*, Boiss. & Heldr. *Diagn. Ser. I.* xiii. 57 = cenisia.  
*puberula*, Steud. *Syn. Pl. Gram.* 256.—Arab.  
*pubescens*, R. Br. *Prod.* 181 = Eragrostis Brownei.  
*pubescens*, Lej. *Fl. Spa.* i. 51 = pratensis.  
*pubiflora*, Benth. *Pl. Hartw.* 261.—N. Granat.  
*pulchella*, [Clairv.] Man. *Herb.* 20 = nemoralis?  
*pulchella*, Parl. in *Atti Soc. Riun. Sc. Ital.* 586.—Ins. Cape Virid.  
*pulchella*, Salisb. *Prod.* 21.—Ind. or.  
*pulchella*, Stev. ex Bieb. *Fl. Taur. Cauc.* i. 417 = Festuca rigida.  
*pulchella*, Vasey, in *Coult. Bot. Gaz.* vii. (1882) 32.—Am. bor.  
*pumila*, Host, *Fl. Austr.* i. 146.—Europ. or.  
*pumila*, C. Koch, in *Linnaea*, xxi. (1848) 403 = Catabrosa humilis.  
*Pumilio*, Hochst. in *Flora*, xxxviii. (1855) 321.—Abyss.  
*punctata*, Link, *Enum. Hort. Berol.* i. 87 = Eragrostis filiformis.  
*punctata*, Linn. f. *Suppl.* 109 = Eragrostis pilosa.  
*pungens*, Bieb. *Fl. Taur. Cauc.* i. 65 = Aeluropus pubescens.  
*pungens*, Georgi, *Beschr. Russ. Reich.* iv. 693 = Aeluropus laevis.  
*pungens*, Nutt. *Gen. Am.* i. 66 = brevifolia.  
*pungens*, Torr. *Fl. N. Am.* 109 = flexuosa.  
*purpurascens*, Spreng. *Nov. Prov.* 33 = Eragrostis purpurascens.  
*purpurascens*, Vasey, in *Coult. Bot. Gaz.* vi. (1881) 297.—Am. bor.  
*purpurea*, T. Kirk, in *Trans. N. Z. Inst.* ix. (1877) 500 = Kirkii.  
*Purshii*, Hort. *Erf. Sem. Coll.* (1826);—Cf. Fisch. Mey. & Avé-Lall. *Ind. Sem. Hort. Petrop.* ix. 84 = Eragrostis Purshii.  
*pusilla*, Bergg. in *Minneskr. Fisiog. Sällks. Lund*, (1877) 31. n. 8.—N. Zel.  
*pygmaea*, J. Buch. *Indig. Grasses N. Zeal.* t. 50.—N. Zel.  
*pyramidalis*, [Clairv.] Man. *Herb.* 19 = nemoralis?  
*pyramidalata*, Lam. *Illustr.* i. 183 = Koeleria cristata.  
*pyrenaica*, Lange, ex Willk. & Lange, *Prod. Fl. Hisp.* i. 80 = minor.  
*quadriflora*, Moench, ex Steud. *Nom. ed. II.* ii. 362 = Festuca sylvatica.  
*quadripedalis*, Ehrenb. ex Koel. *Desc. Gram.* 160 = Chaixii.  
*quinquefida*, Pursh, *Fl. Am. Sept.* i. 81 = Triodia cuprea.  
*racemosa*, Thunb. *Prod. Pl. Cap.* 21.—Afr. austr.  
*racemosa*, Vahl, *Eclog. Am.* i. 7 = Eragrostis Vahlia.  
*radicans*, Moench, *Meth.* 186 = Eragrostis papposa.  
*Radula*, Franch. & Sav. *Enum. Pl. Jap.* ii. 602.—Japon.  
*ramigera*, F. Muell. in *Trans. Vict. Inst.* i. (1854) 45 = Glyceria ramigera.  
*ramosa*, Savi, in *Mem. Soc. Ital. Mod.* ix. (1802) t. 10 = Aeluropus villosus.  
*ramosissima*, Hook. f. *Fl. Antarct.* 101.—Ins. Dom. Auckland.  
*rariflora*, Desf. *Tabl. ed. II.* 20 = nemoralis.  
*rariflora*, Roem. & Schult. *Syst.* ii. 570 = Orthoclada rariflora.  
*rariflora*, Steud. *Nom. ed. I.* 633 = Orthoclada laxa.  
*recta*, Willd. ex Steud. l. c. ed. II. ii. 362 = nemoralis.  
*reflexa*, Vasey & Scribn. ex Vasey, *Cat. Grass. U. St.* 83.—Am. bor. occ.

## POA:—

*refracta*, Muhl. *Desc. Gram.* 146 = Eragrostis pectinacea.  
*remota*, Forselles, in *Act. Inst. Linn. Upsal.* i. (1807) t. 1; (Tvenne Nya Vaext.) = Glyceria remota.  
*remota*, Fries, ex Nym. *Consp.* 832 = Festuca sylvatica.  
*remota*, Hartm. *Handb. Skand. Fl. ed. II.* 28 = Chaixii.  
*remota*, H. B. & K. *Nov. Gen. et Sp.* i. 163.—Ecuador.  
*remotiflora*, Rupr. *Beitr. Pfl. Russ. Reich.* ii. 63. t. 5 = Laestadii.  
*repens*, Bieb. *Fl. Taur. Cauc.* iii. 69 = Aeluropus villosus.  
*repens*, Willd. ex Steud. *Nom. ed. II.* ii. 362 = Distichlis prostrata.  
*reptans*, Michx. *Fl. Bor. Am.* i. 69. t. 11 = Eragrostis reptans.  
*reptatrix*, Cabr. ex Willk. & Lange, *Prod. Fl. Hisp.* i. 86 = Sphenopus Gouani.  
*resinulosa*, Nees, ex Steud. *Syn. Pl. Gram.* 259.—Reg. Argent.  
*retroflexa*, Curt. *Fl. Lond. fasc. vi.* t. 10 = Glyceria distans.  
*retrofracta*, Stokes, in *With. Bot. Arr. Brit. Pl.* ed. II. i. 91 = praec.  
*Reuteriana*, Boiss. & Buhse, in *Mem. Soc. Nat. Mosc.* xii. (1860) 227.—Persia.  
*rhenana*, Koel. *Desc. Gram.* 196 (Quid?).—Europ.  
*rhenana*, Lej. *Fl. Spa.* i. 52 = nemoralis.  
*rigens*, Hartm. *Handb. Skand. Fl. ed. I.* 448 = pratensis.  
*rigens*, Trin. ex Ledeb. *Fl. Ross.* iv. 393 = Glyceria glumaris.  
*rigida*, Huds. *Fl. Angl. ed. I.* 35 = Festuca rigida.  
*rigida*, Linn. *Cent. Pl. Rar. i.* 5; *Amoen. Acad.* iv. 265 = praec.  
*rigidifolia*, Steud. *Syn. Pl. Gram.* 260.—Ins. Falkl.  
*riparia*, Willd. in *Ges. Naturf. Fr. Berl. Neue Schr.* iv. (1803) 185 = Eragrostis ciliaris, Link.  
*riparia*, Wolff, in *Hoffm. Deutschl. Fl. ed. II.* i. 42 = Leersia oryzoides.  
*rivularis*, Bernh. *Syst. Verz. Erf.* 41 = Catabrosa aquatica.  
*robusta*, Phil. in *Anal. Univ. Chil.* (1873) 574.—Chili.  
*robusta*, Steud. *Syn. Pl. Gram.* 426.—Reg. Magellan.  
*Rothii*, Kunth, *Rév. Gram.* i. 114 = Eragrostis interrupta, Beauv.  
*rotundata*, Trin. in *Mém. Acad. Sc. Pétersb. Sér. VI.* i. (1831) 378.—Ins. Unalashk.  
*Roxburghiana*, Schult. *Mant.* ii. 315.—Ind. or.  
*Royleana*, Nees, ex Steud. *Syn. Pl. Gram.* 256.—Ind. or.  
*rubens*, Lam. *Illustr.* i. 184 = Eragrostis amabilis.  
*rubens*, Moench, *Meth.* 187 = Chaixii?  
*rubiginosa*, Kunth, *Enum. Pl.* i. 339 = Eragrostis rubiginosa.  
*rubra*, Lepech. *Reise*, i. 41.—Ross. med.  
*rubra*, Willd. ex Spreng. *Syst.* i. 340 = Eragrostis capillaris.  
*rufescens*, Schrad. ex Schult. *Mant.* ii. 319 = Eragrostis Vahlia.  
*rupestris*, Bieb. ex C. A. Mey. *Verz. Pfl. Cauc.* 20 = sterilis.  
*rupestris*, Roth, *Nov. Pl. Sp.* 71 = Eragrostis ciliata.  
*rupestris*, With. *Bot. Arr. Brit. Pl. ed. III.* ii. 146. t. 24 = Glyceria procumbens.  
*Ruprechtii*, Peyr. in *Linnaea*, xxx. (1859–60) 6.—Mexic.  
*sabauda*, All. *Fl. Pedem.* ii. 245 = Festuca elatior.  
*sabauda*, Suter, *Fl. Helv.* ii. 403 = Festuca sylvatica.  
*sabulosa*, Turcz. ex Regel, in *Act. Hort. Petrop.* vii. (1880) 616 = caucasica.  
*salebrosa*, Panz. ex Steud. *Nom. ed. II.* ii. 362 = nemoralis.  
*salina*, Leyss. *Fl. Hal.* 21; et in *Abh. Naturf. Ges. Halle*, i. (1783) 366 = seq.  
*salina*, Pollich, *Hist. Pl. Palat.* i. 92 = Glyceria distans.  
*sarmentosa*, Thunb. *Prod. Pl. Cap.* 21 = Eragrostis sarmentosa.  
*saxicola*, R. Br. *Prod.* i. 180.—Tasmania.  
*scaberula*, Hook. f. *Fl. Antarct.* 378.—Reg. Magellan.  
*scabra*, Ehrh. *Beitr.* vi. 83 = trivialis.  
*scabra*, Kit. ex Steud. *Nom. ed. II.* ii. 362; et in *Linnaea*, xxxii. (1863) 311 = sterilis.  
*scabrella*, Benth. ex Vasey, *Grass. U. St.* 42.—Calif.

## POA:—

*scaligera*, Salz. ex Steud. *Nom. ed. II.* ii. 362.—Bras.  
*scariosa*, Lag. *Gen. et Sp. Nov.* 3 = Festuca grana-tensis.  
*Scheuchzeri*, Pourr. ex Steud. *Nom. ed. II.* ii. 362 = alpina.  
*Scheuchzeri*, Suter, *Fl. Helv.* i. 50 = nemoralis.  
*Schiedeana*, Trin. ex Steud. *Nom. ed. II.* ii. 362.—Mexic.  
*Schimperiana*, Hochst. ex A. Rich. *Tent. Fl. Abyss.* ii. 423.—Abyss.  
*Schultesii*, Kunth, *Rév. Gram.* i. 117.—Hungar.  
*scleroclada*, Rupr. *Beitr. Pfl. Russ. Reich.* ii. 63. t. 6 = fulva.  
*sclerophylla*, Bergg. in *Minneskr. Fisiog. Sällks. Lund*, (1877) 30. n. 8.—N. Zel.  
*sclerophylla*, Kunth, *Enum. Pl.* i. 340 = Eragrostis sclerophylla.  
*sclerophylla*, Spreng. ex Presl, *Repert. Bot.* 238 = Chaixii.  
*scoparia*, Kunth, *Rév. Gram.* ii. 535. t. 182.—Reg. Argent.  
*secunda*, J. & C. Presl, *Rel. Haenk.* i. 271.—Chili.  
*secunda*, Zea, ex Roem. & Schult. *Syst.* ii. 697 = Glyceria procumbens.  
*secundiflora*, Kunth, *Enum. Pl.* i. 342 = Eragrostis secundiflora.  
*Sellovi*, Nees, *Agrost. Bras.* 491.—Reg. Argent.  
*semineutra*, Trin. *Fund. Agrost.* 406.—Hungar.  
*seminuda*, Kunth, *Enum. Pl.* i. 340 = Eragrostis seminuda.  
*semiverticillata*, Lag. ex Steud. *Nom. ed. II.* ii. 362.—Hab.?  
*senegalensis*, Desv. *Opusc.* 100.—Afr. trop.  
*senegalensis*, Hort. Par. ex Desf. *Cat. Hort. Par.* ed. III. 21 = Eragrostis senegalensis.  
*serotina*, Ehrh. *Beitr.* iv. 83.—Reg. bor. temp.  
*serotina*, Gaud. *Agrost. Helv.* i. 208 = Leersia oryzoides.  
*serotina*, Moerck, ex Bab. in *Journ. Linn. Soc.* xi. (1871) 343 = caesia.  
*serotina*, Schrad. *Fl. Germ.* i. 292 = nemoralis.  
*serpentinum*, Nees, in *Lehm. Pl. Preiss.* ii. 106 = caespitosa.  
*seslerioides*, All. *Fl. Pedem.* ii. 246 = Oreochloa pedemontana.  
*seslerioides*, Michx. *Fl. Bor. Am.* i. 68 = Triodia cuprea.  
*sessiliflora*, Kunth, *Rév. Gram.* i. 111 = Uniola sessiliflora.  
*sessilis*, Lam. *Illustr.* i. 185 = Leptochloa capillacea.  
*sesslerioides*, Loisel. *Fl. Gall. ed. II.* i. 82 = Oreochloa disticha.  
*setacea*, Hoffm. *Deutschl. Fl. ed. II.* i. 44 = pratensis.  
*setacea*, Huds. *Fl. Angl. ed. I.* 34 = trivialis.  
*setacea*, Koel. *Desc. Gram.* 162 = Festuca ovina.  
*setifolia*, Benth. *Pl. Hartw.* 262.—Peruv.  
*setifolia*, Zett. *Pl. Vasc. Pyr.* 290 = violacea.  
*sicula*, Jacq. *Coll.* ii. 304 = Demazeria sicula.  
*Sieberiana*, Kunth, *Enum. Pl.* i. 357.—Austral.  
*Sieberiana*, Spreng. *Syst.* iv. *Cur. Post.* 35 = caespitosa.  
*simensis*, Hochst. ex A. Rich. *Tent. Fl. Abyss.* ii. 422.—Abyss.  
*similis*, Rupr. *Beitr. Pfl. Russ. Reich.* ii. 63. t. 6 = Laestadii.  
*simplex*, Schur, in *Verh. Siebenb. Ver. Naturw.* iv. (1853) 86 = annua.  
*simplex*, Wall. *Fl. Carol.* 79 = Eragrostis hirsuta.  
*simpliciflora*, Kunth, *Enum. Pl.* i. 343.—Mexic.  
*sinaica*, Steud. *Syn. Pl. Gram.* 256.—Arab.; Persia.  
*sinensis*, J. F. Gmel. *Syst.* 181 = chinensis.  
*Smithii*, Kunth, *Rév. Gram.* i. 111 = Aeluropus Smithii.  
*solida*, Kunth, l. c. ii. 541 = Eragrostis Vahlia.  
*soongarica*, Boiss. *Fl. Orient.* v. 611.—As. bor.  
*spadicea*, Koel. *Desc. Gram.* 202 = Festuca spadicea.  
*speciosa*, Roem. & Schult. *Syst.* ii. 573 = Eragrostis Brownei.  
*speciosa*, Willd. ex Spreng. *Syst.* i. 344 = Eragrostis amabilis.  
*spectabilis*, Pursh, *Fl. Am. Sept.* i. 81 = Eragrostis pectinacea.  
*sphondylodes*, Trin. ex Bunge, in *Mém. Soc. Etr. Pétersb.* ii. (1835) 145.—China.  
*spicata*, Bivona, *Piante Ined.* 2; ex Guss. *Fl. Sic. Syn.* ii. 784 = Glyceria fluitans.  
*spicata*, Linn. *Mant.* l. 32.—Lusit.; Hispan.  
*spicata*, Rainv. ex Reichb. *Fl. Germ. Excurs.* 140 = Glyceria maritima.



## POA:—

- spicata*, Willd. ex Steud. Nom. ed. II. ii. 362 = Eleusine indica.  
*spinosa*, Thunb. Prod. Pl. Cap. 22 = Eragrostis spinosa.  
*spondyloides*, Steud. Syn. Pl. Gram. 256 = sphondylodes.  
*sporoboloides*, A. Rich. Tent. Fl. Abyss. ii. 426 = Eragrostis interrupta, Beauv.  
*Sprengelii*, Kunth, Rév. Gram. i. 116 = Eragrostis imbecilla.  
*squamata*, Lam. Illustr. i. 185 (Eragrostidis sp.).—Afr. trop.  
*squamosa*, Beauv. Agrost. 176 = praece.  
*squarrosa*, Licht. ex Roem. & Schult. Syst. ii. 553.—Afr. austr.  
*squarrosa*, Salzm. ex Steud. Syn. Pl. Gram. 274 = Eragrostis reptans.  
*stelligera*, Desv. Opusc. 101.—Ind. occ.  
*stenantha*, Janka, in Oestr. Bot. Zeitschr. xiv. (1864) 383 = alpina.  
*stenantha*, Trin. in Mém. Acad. Sc. Pétersb. Sér. VI. i. (1831) 376.—As. bor. or.; Am. bor. occ.  
*stenantha*, Turcz. ex Steud. Syn. Pl. Gram. 253 = neglecta.  
*stenoclada*, Kunth, Enum. Pl. i. 343.—Peruv.  
*stenostachya*, R. Br. Prod. 181 = Eragrostis stenostachya.  
*sterilis*, Bieb. Fl. Taur. Cauc. i. 62.—As. Min.; Tauria.  
*stolonifera*, Bell. in Mém. Acad. Turin, v. 1790–91 (1793) 215 = alpina.  
*stolonifera*, Muhl. Desc. Gram. i. 39.—Am. bor.  
*straminea*, Steud. in Lechl. Berb. Am. Austr. 52.—Chili.  
*striata*, Lam. Illustr. i. 183 = Lamarckii.  
*striata*, Michx. Fl. Bor. Am. i. 389 = Glyceria nervata.  
*striata*, Thunb. Prod. Pl. Cap. 22 = Eragrostis Bergiana.  
*stricta*, D. Don, in Mem. Wern. Soc. iii. (1821) 298 (Quid?).—Scotia.  
*stricta*, Hegetschw. & Heer, Fl. Schw. 85 = alpina.  
*stricta*, Lindeb. in Bot. Notiser, 1855 (1856), 10.—Scandinav.  
*stricta*, Roth, Nov. Pl. Sp. 96 = Eragrostis Brownei.  
*stricta*, Willd. ex Spreng. Syst. i. 343 = Eragrostis acutiflora.  
*strictula*, Steud. Syn. Pl. Gram. 426 = sphondylodes.  
*strigosa*, Hoffm. Deutschl. Fl. ed. II. i. 44 = pratense.  
*subalpina*, Schur, in Verh. Siebenb. Ver. Naturw. iv. (1853) 87 = alpina.  
*subcaerulea*, Sm. Engl. Bot. t. 1004 = pratensis.  
*subcompressa*, Parn. Grass. Brit. 84 = compressa.  
*subfastigiata*, Trin. ex Ledeb. Fl. Alt. i. 96 = Glyceria subfastigiata.  
*subnuda*, J. F. Gmel. Syst. 179 = Festuca sylvatica.  
*subsecunda*, Lam. Illustr. i. 184 = Eragrostis reptans.  
*subspicata*, Kunth, Enum. Pl. i. 326.—Peruv.  
*subtilis*, Kar. & Kir. in Bull. Soc. Nat. Mosc. xv. (1842) 532 = soongarica.  
*subtilis*, Schur, in Verh. Siebenb. Ver. Naturw. iv. (1853) 86 = alpina.  
*subulata*, Bosc, ex Kunth, Enum. Pl. i. 325 = Distichlis maritima.  
*subulata*, Desv. Opusc. 102.—Afr. trop.  
*subumbellata*, Roem. & Schult. Syst. ii. 570 = Orthoclada rariflora.  
*subuniflora*, Kunth, Rév. Gram. i. 115.—Mexic.  
*subuniflora*, Schur, Enum. Pl. Transs. 948 (Index), sphalm. = nemoralis.  
*subverticillata*, Pers. Syn. i. 92.—Am. bor.  
*sudetica*, Haenke, in Jirasek, Beob. Riesengeb. (1791) 120 = Chaixii.  
*sudetica*, C. A. Mey. Verz. Pf. Cauc. 19, partim = longifolia.  
*sudetica*, Schleich. Cat. Nov. 20; Gaud. Agrost. Helv. i. 215 = pratensis.  
*sulcata*, Lag. Gen. et Sp. Nov. 3 = commutata.  
*sulcata*, Schult. Mant. ii. 305 = Lamarckii.  
*supina*, Baumg. Mant. 79 (1846) = laxa.  
*supina*, Panz. in Sturm, Deutschl. Fl. Heft 34 = minor.  
*supina*, Schrad. Fl. Germ. i. 289 = annua.  
*suzumeokatabica*, Herb. Lugd. Batav. ex Steud. Syn. Pl. Gram. 287 = Glyceria airoides.  
*sylvatica*, Chaix, in Vill. Hist. Pl. Dauph. ii. 128 = Chaixii.  
*sylvatica*, Pollich, Hist. Pl. Palat. i. 83 = Festuca sylvatica.  
*sylvestris*, A. Gray, Man. Bot. N. U. St. ed. I. 596.—Am. bor.  
*sylvicola*, Guss. Enum. Pl. Inar. 371 = pratensis.

## POA:—

- syrtica*, F. Muell. in Trans. Vict. Inst. i. (1854) 45 = Glyceria stricta.  
*tatarica*, Fisch. in Bess. Cat. Krzem. Suppl. ii. 13.—Rossia; Persia.  
*tenax*, H. B. & K. Nov. Gen. et Sp. i. 160 = Eragrostis tenax.  
*tenax*, Link, Enum. Hort. Berol. i. 87 = Festuca elatior.  
*tenella*, R. Br. Prod. 181; Link, Enum. Hort. Berol. i. 87 = Eragrostis plumosa.  
*tenella*, Hoppe, ex Trin. in Mém. Acad. Pétersb. Sér. VI. i. (1831) 374 = minor.  
*tenella*, Linn. Sp. Pl. 69 = Eragrostis plumosa?  
*tenella*, Nutt. Gen. Am. i. 67 = Eragrostis Nuttalliana.  
*tenella*, Pall. Reise, iii. 537 = Eragrostis pilosa.  
*tenella*, Pursh, Fl. Am. Sept. i. 80 = Eragrostis Purshii.  
*tenella*, Unio It. ex Fisch. Mey. & Avé-Lall. Ind. Sem. Hort. Petrop. ix. 84 = Eragrostis Frankii.  
*tenella*, Vahl, ex Hornem. Hort. Hafn. i. 93.—Ind. or.  
*tenellula*, Kunth, Rév. Gram. i. 113 = Eragrostis plumosa.  
*tenera*, F. Muell. ex Hook. f. Fl. Tasm. ii. 124. t. 164 = caespitosa.  
*tenuiculmis*, Steud. Syn. Pl. Gram. 259.—Chili.  
*tenuiflora*, Licht. ex Roem. & Schult. Syst. ii. 567.—Afr. austr.  
*tenuiflora*, Rafin. in Med. Repos. N. York, v. (1808) 353, nomen (Quid?).—Am. bor.  
*tenuifolia*, Buckl. in Proc. Acad. Sc. Philad. 1862 (1863) 96 (= *Atropis californica*).—Am. bor. occ.  
*tenuifolia*, Nutt. ex S. Wats. in Bot. King's Exp. 387 (Glyceriae sp.).—Am. bor. occ.  
*tenuifolia*, A. Rich. Tent. Fl. Abyss. ii. 425.—Abyss.  
*tenuis*, [Clairv.] Man. Herb. 18 = nemoralis.  
*tenuis*, Ell. Sketch, i. 156 = Eragrostis tenuis.  
*tenuissima*, Schrad. in Linnaea, xii. (1838) 447 = Eragrostis plumosa.  
*tephrosanthos*, Spreng. in Schult. Mant. ii. 316 = Eragrostis tephrosanthos.  
*ternitana*, Spreng. ex Link, Handb. i. 62, nomen = Aeluropus laevis.  
*thalassica*, H. B. & K. Nov. Gen. et Sp. i. 157; Kunth, Enum. Pl. i. 326 = Distichlis thalassica.  
*thermalis*, Pers. Syn. i. 90 = alpina.  
*thessala*, Boiss. & Orph. Diagn. Ser. II. iv. 135 = pumila.  
*Thouarsiana*, Kunth, Rév. Gram. ii. 477. t. 152.—Madag.  
*thyphoides*, Pourr. ex Willk. & Lange, Prod. Fl. Hisp. i. 75 = Koeleria phleoides.  
*Timoleonis*, Heldr. ex Boiss. Fl. Orient. v. 607.—Graecia.  
*Torreyana*, Spreng. Neue Entdeck. ii. 104 = Glyceria elongata.  
*tortuosa*, Spreng. Syst. i. 345 = Roxburghiana.  
*transsilvanica*, Schur, Enum. Pl. Transs. 776 = alpina.  
*tremula*, Lam. Illustr. i. 185 = Eragrostis tremula.  
*tremula*, Schur, in Verh. Siebenb. Ver. Naturw. iv. (1853) 86 = minor.  
*triangularis*, Gilib. Exercit. ii. 531 = annua.  
*trichoclada*, Rupr. Beitr. Pf. Russ. Reich. ii. 62. t. 4 = Laestadii.  
*trichodes*, Nutt. in Trans. Am. Phil. Soc. v. (1837) 146 = Eragrostis tenuis.  
*trichoides*, Hornem. ex Steud. Nom. ed. II. ii. 363.—Hab.?  
*trichophylla*, Boiss. Fl. Orient. v. 604.—Graecia.  
*trichopoda*, Heldr. & Sart. in Boiss. Diagn. Ser. II. iv. 136, err. typ. = praece.  
*tricolor*, Nees, ex Steud. Syn. Pl. Gram. 259.—Chili.  
*triflora*, Gilib. Exercit. 531 = serotina.  
*triflora*, Moench, Meth. 187 = Festuca spadicea.  
*trinervata*, DC. Fl. Fr. iii. 58 = Chaixii.  
*trinervata*, Ehrh. Beitr. vi. 81, 131; Schrad. Spicil. Fl. Germ. 3 = Festuca sylvatica.  
*tristigmatica*, E. Desv. in C. Gay, Fl. Chil. vi. 419.—Chili.  
*tristis*, Trin. in Bunge, Verz. Suppl. Fl. Alt. 10 = laxa.  
*tristriata*, Stev. in Mém. Soc. Nat. Mosc. iii. (1812) 252 = Catambrosa humilis.  
*triticea*, Kunth, Rév. Gram. i. 116 = Eragrostis triticea.

## POA:—

- triticoideus*, Decne. in Ann. Sc. Nat. Sér. II. iv. (1835) 84.—Arab.  
*trivialis*, Guss. Fl. Sic. Prod. i. 89 = pratensis.  
*trivialis*, Leers, Fl. Herborn. t. 6. f. 2 = nemoralis.  
*trivialis*, Linn. Sp. Pl. 67.—Reg. bor. temp.  
*trivialis*, Pollich, Hist. Pl. Palat. i. 84; Koel. Desc. Gram. 57 = alpina.  
*tumidula*, Steud. Syn. Pl. Gram. 258.—Chili.  
*tunetana*, Spreng. Pugill. ii. 20 = Aeluropus villosus.  
*turgida*, Schum. in Schum. & Thonn. Beskr. Guin. Pl. 66 = Eragrostis rubiginosa?  
*typhoides*, Willk. & Lange, Prod. Fl. Hisp. iii. 1078 = Koeleria phleoides.  
*udensis*, Trautv. & Mey. in Middend. Reise (Fl. Ochot. 103).—Sibir. or.  
*uliginosa*, Willd. ex Spreng. Syst. i. 342 = remota.  
*umbrosa*, Trin. in Mém. Acad. Pétersb. Sér. VI. i. (1831) 386.—Bras.  
*uniflora*, Muhl. Desc. Gram. 151 = Sporobolus serotinus.  
*uninervia*, Kunth, Enum. Pl. i. 344.—Mexic.  
*Uniolae*, Schrad. in Goett. Gel. Anz. (1821) III. 2074; Schult. Mant. ii. 312 = Eragrostis Uniolae.  
*unioloides*, Retz. Obs. v. 19 = Eragrostis unioloides.  
*unioloides*, Willd. ex Spreng. Syst. i. 344 = Eragrostis amabilis.  
*urssulensis*, Trin. in Bunge, Verz. Suppl. Fl. Alt. 10.—Mont. Altai.  
*Urvillei*, Steud. Syn. Pl. Gram. 262.—Reg. Magell.?  
*vaginaefolia*, Steud. in Lechl. Berb. Am. Austr. 52 = seq. *vaginaeformis*, Steud. ex Phil. f. Cat. Pl. Vasc. Chil. 332, sphalm. = vaginiflora.  
*vaginalis*, Benth. Pl. Hartw. 261.—N. Granat.  
*vaginiflora*, Steud. Syn. Pl. Gram. 259.—Chili.  
*Vahlia*, Liebm. in Fl. Dan. t. 2401 = Glyceria Vahlia.  
*Vahlia*, Roem. & Schult. Syst. ii. 563 = Eragrostis Vahlia.  
*valdiviana*, Phil. in Linnaea, xxix. (1857–58) 97.—Chili.  
*vallesiana*, [Honck.] Verz. Aller Gew. Deutschl. 222 (Quid?).—Helvet.  
*variabilis*, Gaudich. in Freyc. Voy. Bot. 408 = Eragrostis wahowensis.  
*viragata*, Hall. f. in Schleich. Pl. Helv. 38 = annua.  
*viragata*, Host, ex Kunth, Enum. Pl. i. 354 = nemoralis.  
*viragata*, Lam. Illustr. i. 181 = alpina.  
*venusta*, Roem. & Schult. Syst. ii. 573 = concinna.  
*versicolor*, Bess. Enum. Pl. Volh. 41; Trin. in Mém. Acad. Pétersb. Sér. VI. iv. II. (1838) 62 = sterilis.  
*verticillata*, Cav. Ic. i. 63. t. 93 = Eragrostis pilosa.  
*vestita*, Bosc, ex Steud. Nom. ed. II. ii. 363.—Am. bor.  
*Villarsii*, J. F. Gmel. Syst. 182 = pratensis.  
*villosa*, Beyr. ex Schrad. in Linnaea, xii. (1838) 451 = Eragrostis velutina.  
*violacea*, Bell. in Mém. Acad. Turin, v. (1792) 214.—Europ. austr.  
*violascens*, Phil. in Linnaea, xxix. (1857–58) 100.—Chili.  
*virens*, Jacq. ex Kunth, Enum. Pl. i. 353 = viridis.  
*virescens*, Kunth, l. c. 329 = Eragrostis virescens.  
*virgata*, Poir. Encyc. v. 78.—Ins. S. Doming.  
*virgata*, Roth, Nov. Pl. Sp. 66 = Leptochloa filiformis.  
*virginica*, Zuccagni, in Roem. Collect. 124.—Am. bor.  
*viridiflora*, Hochst. in Flora, xxxviii. (1855) 323.—Abyss.  
*viridis*, Gilib. Exercit. ii. 530 = pratensis.  
*viridis*, Schreb. ex Pursh, Fl. Am. Sept. i. 79.—Am. bor.  
*viscosa*, Retz. Obs. iv. 20 = Eragrostis amabilis.  
*vivipara*, Fl. Corc. in Ionios Anthol. iii. (1834) 686 = bulbosa.  
*vivipara*, Willd. Enum. Hort. Berol. 103 = alpina.  
*wahowensis*, Kunth, Enum. Pl. i. 328 = Eragrostis wahowensis.  
*Walkeri*, T. Kirk, in Trans. N. Z. Inst. xvii. (1885) 224.—N. Zel.  
*Walteri*, Kunth, Rév. Gram. i. 116 = Eragrostis conferta.  
*Weigeltiana*, Reichb. ex Linn. in Mém. Acad. Sc. Pétersb. Sér. VI. i. (1831) 410 = Eragrostis reptans.



**POA :—**

- Wheeleri, Vasey, in *Rothr. Rep. Bot. U. St. Surv.* vi. 291.—Am. bor. occ.  
*Willemetiana*, Godfr. in Willem. Fl. Lorrain. i. 86 = Chaixii.  
 Zeae, Roem. & Schult. Syst. ii. 558.—N. Granat.

POARCHON, Allem. Tract. Rio Jan. (1849) = **Trimezia**, Salisb. (Irid.).  
*fluminensis*, Allem. l. c. = *T. lurida*.

POARCHON, Mart. ex Seub. in Mart. Fl. Bras. iii. i. 223 (1855) = **Abolboda**, Humb. & Bonpl. (Xyrid.).  
*coeruleus*, Mart. l. c. = *A. Poarchon*.

POARION, Reichb. Consp. 51 (1828) = **Koeleria**, Pers. (Gramin.).

POARIUM, Desv. in Ham. Prod. Pl. Ind. Occ. 46 (1825) = **Stemodia**, Linn. (Scrophul.).  
*veronicoides*, Desv. l. c. = *S. parviflora*?

POCILLA, Fourr. in Ann. Soc. Linn. Lyon, N. S. xvii. (1869) 129 = **Veronica**, Tourn. (Scroph.).  
*agrestis*, Fourr. l. c. = *V. agrestis*.  
*Cymbalaria*, Fourr. l. c. = *V. Cymbalaria*.  
*hederaefolia*, Fourr. l. c. = *V. hederaefolia*.  
*persica*, Fourr. l. c. = *V. Tournefortii*.  
*polita*, Fourr. l. c. = *V. agrestis*.

POCOCKIA, Ser. in DC. Prod. ii. 185 (1825) = **Trigonella**, Linn. (Legumin.).  
*arabica*, Boiss. Diagn. Ser. I. ix. 13 = *T. arabica*.  
*Aucherii*, Boiss. l. c. 12 = *T. brachycarpa*.  
*biflora*, Walp. Ann. ii. 347 = *T. lunata*.  
*cachemirica*, Boiss. Diagn. Ser. I. ix. 12 = *T. Emodi*.  
*cilicica*, Boiss. & Bal. l. c. Ser. II. v. 76 = *T. brachycarpa*.  
*cretica*, Ser. in DC. Prod. ii. 185 = *T. cretica*.  
*elliptica*, Boiss. Diagn. Ser. I. ix. 12 = *T. elliptica*.  
*glomerata*, Boiss. l. c. = *T. brachycarpa*.  
*graeca*, Boiss. & Sprun. l. c. ii. 16 = *T. graeca*.  
*Kotschyi*, Boiss. l. c. ix. 12 = *T. rtyidocarpa*.  
*lineata*, Boiss. & Buhse, in Nouv. Mém. Soc. Nat. Mosc. xii. (1860) 54 = *T. elliptica*.  
*lunata*, Boiss. Diagn. Ser. I. ix. 12 = *T. lunata*.  
*ovalis*, Boiss. l. c. = *Medicago ovalis*.  
*platycarpus*, Boiss. l. c. = *Medicago platycarpa*.  
*plicata*, Boiss. & Bal. l. c. Ser. II. v. 76 = *T. plicata*.  
*radiata*, Trautv. in Bull. Sc. Acad. Pétersb. viii. (1841) 271 = *T. radiata*.  
*rostrata*, Boiss. & Bal. Diagn. Ser. II. vi. 43 = *T. rostrata*.  
*ruthenica*, Boiss. l. c. Ser. I. ix. 12 = *Medicago ruthenica*.

POCOPHORUM, Neck. Elem. ii. 226 (1790) = **Rhus**, Linn. (Anacard.).

PODACHAENIUM, Benth. ex Oerst. in Kjoeb. Vidensk. Meddel. (1852) 98. **COMPOSITAE**, Benth. & Hook. f. ii. 380.

COSMOPHYLLUM, C. Koch, Ind. Sem. Hort. Berol. (1854) 12.  
 DICALYMMA, Lem. Illustr. Hort. ii. (1854) Misc. 37.

*alatum*, Walp. Ann. v. 230, sphalm. = *paniculatum*.  
*eminens*, Baill. Hist. Pl. viii. 206 = *paniculatum*.  
*paniculatum*, Benth. ex Oerst. in Kjoeb. Vidensk. Meddel. (1852) 99.—Mexic.

PODADENIA, Thw. Enum. Pl. Zeyl. 273 (1861). **EUPHORBIACEAE**, Benth. & Hook. f. iii. 318.  
*sapida*, Thw. l. c. 274.—Zeylan.  
*Thwaitesii*, Muell. Arg. in DC. Prod. xv. ii. 791 = *sapida*.

PODAGRARIA, Hall. Enum. Stirp. Helv. ii. 427 (1742) = **Aegopodium**, Linn. (Umbell.).  
*Aegopodium*, Moench, Meth. 90 = *A. Podagraria*.

PODALETRA, Rafin. Fl. Tellur. iv. 79 (1836) = **Convolvulus**, Tourn.  
*farinosa*, Rafin. l. c. = *C. farinosus*.

PODALIRIA, Willd. Enum. Hort. Berol. 437 (1809) = seq.

VOL. II.

PODALYRIA, Lam. Illustr. ii. 454. t. 327. f. 3, 4 (1793). **LEGUMINOSAE**, Benth. & Hook. f. i. 466.

*alba*, Sims, Bot. Mag. t. 1177 = *Baptisia leucantha*.  
*alba*, Willd. Sp. Pl. ii. 503 = *Baptisia alba*.  
*albens*, E. Mey. in Linnaea, vii. (1832) 146 = *cuneifolia*.

*alpina*, Willd. Enum. Hort. Berol. Suppl. 22 = *Thermopsis corgonensis*.

*amoena*, Eckl. & Zeyh. Enum. 155 = *canescens*.  
*angustifolia*, Eckl. & Zeyh. l. c. 158 = *argentea*.

*anomala*, Lehm. ex Harv. & Sond. Fl. Cap. ii. 14 = *sericea*.

*argentea*, Eckl. & Zeyh. Enum. 157 = *biflora*.  
*argentea*, Salisb. Parad. Lond. t. 7.—Afr. austr.

*argentea*, Willd. Sp. Pl. ii. 502 = *Ammodendron Sieversii*.

*aurea*, Willd. l. c. = *Calpurnia lasiogyne*.  
*australis*, Willd. l. c. 503; Vent. Jard. Cels, t. 56 = *Baptisia australis*.

*biflora*, Lam. Illustr. ii. 471.—Afr. austr.  
*biflora*, Sims, Bot. Mag. t. 753 = *argentea*.

*bracteata*, Muhl. Cat. ed. II. 42 = *Baptisia leucophaea*.  
*bracteata*, Roxb. Hort. Beng. [31]; Fl. Ind. ii. 317 = *Dalhouisia bracteata*.

*Burchellii*, DC. Prod. ii. 101.—Afr. austr.  
*buxifolia*, Eckl. & Zeyh. Enum. 157 = *myrtillifolia*.

*buxifolia*, Lam. Illustr. ii. 471, t. 327. f. 4 = *glaucia*.  
*buxifolia*, Willd. Sp. Pl. ii. 505.—Afr. austr.

*calytrata*, Willd. l. c. 504.—Afr. austr.  
*cana*, Willd. ex Walp. in Linnaea, xiii. (1839) 456 = *Burchellii*.

*canescens*, Eckl. & Zeyh. Enum. 158 = *sericea*.  
*canescens*, E. Mey. Comm. Pl. Afr. Austr. 9.—Afr. austr.

*capensis*, Andr. Bot. Rep. t. 347 = *Virgilia capensis*.  
*coerulea*, Michx. Fl. Bor. Am. i. 264 = *Baptisia australis*.

*cordata*, R. Br. in Ait. Hort. Kew. ed. II. iii. 8.—Afr. austr.

*coruscans*, Reichb. ex Spreng. Syst. iv. Cur. Post. 171.—Afr. austr.

*cuneifolia*, Eckl. & Zeyh. Enum. 156, partim = *argentea*.

*cuneifolia*, Vent. Hort. Cels, t. 99.—Afr. austr.  
*genistoides*, Willd. Sp. Pl. ii. 502 = *Cyclopia galioides*.

*glaucia*, DC. Prod. ii. 102.—Afr. austr.  
*glaucia*, Eckl. & Zeyh. Enum. 157 = *myrtillifolia*.

*Haematoxylon*, Thonn. in Schum. & Beskr. Guin. Pl. 202 = *Baphia nitida*.

*hamata*, E. Mey. in Linnaea, vii. (1832) 146 = *cuneifolia*.

*hirsuta*, Willd. Sp. Pl. ii. 505 = *cordata*.  
*intermedia*, Eckl. & Zeyh. Enum. 155 = *canescens*.

*Kunthii*, Walp. in Linnaea, xiii. (1839) 460.—Afr. austr.

*laevigata*, Willd. ex Walp. l. c. 453 = *Cyclopia latifolia*.

*lanceolata*, Benth. in Ann. Wien. Mus. ii. (1838) 68.—Afr. austr.

*lanceolata*, Poir. Encyc. x. 445 = *Baptisia lanceolata*.  
*lancifolia*, Eckl. & Zeyh. Enum. 156 = *Burchellii*.

*liparioides*, DC. Prod. ii. 102 = *biflora*.  
*liparioides*, Eckl. & Zeyh. Enum. 158 = *argentea*.

*lupinoides*, Willd. ex Cham. in Linnaea, vi. (1831) 545 = *Thermopsis corgonensis*.

*lupinoides*, Willd. Sp. Pl. ii. 504 = *Thermopsis lanceolata*.

*Meyeriana*, Eckl. & Zeyh. Enum. 155 = *canescens*.  
*microphylla*, E. Mey. in Linnaea, vii. (1832) 147.—Afr. austr.

*mollis*, Michx. Fl. Bor. Am. i. 264 = *Thermopsis mollis*.

*monosperma*, Poir. Encyc. v. 440 = *Ormosia dasy-carpa*.

*Mundiana*, Eckl. & Zeyh. Enum. 156 = *glaucia*.  
*mutabilis*, Jacq. ex Steud. Nom. ed. I. 639; ed. II. ii. 364.—Hab. ?

*myrtillifolia*, D. Dietr. Syn. Pl. ii. 1498 = *myrtillifolia*.  
*myrtillifolia*, Eckl. & Zeyh. Enum. 156 = *calytrata*.

*myrtillifolia*, Willd. Sp. Pl. ii. 505.—Afr. austr.  
*obcordata*, Poir. Encyc. v. 445 = *Tephrosia obcordata*.

*oleaeifolia*, Salisb. Parad. Lond. t. 114.—Afr. austr.  
*orbicularis*, E. Mey. Comm. Pl. Afr. Austr. 8; Eckl. & Zeyh. Enum. 156.—Afr. austr.

*pallens*, Eckl. & Zeyh. l. c. 158 = *cuneifolia*.  
*parvifolia*, DC. Prod. ii. 102; Benth. in Ann. Wien Mus. ii. (1838) 68 = *myrtillifolia*.

**PODALYRIA :—**

*patens*, Eckl. & Zeyh. Enum. 159 = *cuneifolia*.  
*pedunculata*, Eckl. & Zeyh. l. c. 158 = *biflora*.

*perfoliata*, Michx. Fl. Bor. Am. i. 263 = *Baptisia perfoliata*.

*racemiflora*, Harv. in Harv. & Sond. Fl. Cap. ii. 618 = *glaucia*.

*racemulosa*, DC. Prod. ii. 102.—Afr. austr.  
*racemulosa*, Eckl. & Zeyh. Enum. 157 = *glaucia*.

*reticulata*, Harv. in Harv. & Sond. Fl. Cap. ii. 11.—Afr. austr.

*sericea*, R. Br. in Ait. Hort. Kew. ed. II. iii. 6.—Afr. austr.

*sparsiflora*, Eckl. & Zeyh. Enum. 157 = *glaucia*.  
*speciosa*, Eckl. & Zeyh. l. c.—Afr. austr.

*splendens*, Eckl. & Zeyh. l. c. 159 = *cuneifolia*.  
*styracifolia*, Sims, Bot. Mag. t. 1580 = *calytrata*.

*subbiflora*, Benth. in Hook. Lond. Journ. Bot. ii. (1843) 439 = *argentea*.

*subbiflora*, DC. Prod. ii. 102 = *biflora*.  
*ternata*, Willd. Sp. Pl. ii. 503 = *Aspalathus ferruginea*.

*tetraptera*, Hort. ex Steud. Nom. ed. I. 640 = *Sophora tetraptera*.

*Thunbergiana*, Eckl. & Zeyh. Enum. 155 = *canescens*.  
*tinctoria*, Lam. Illustr. ii. 471 = *Baptisia tinctoria*.

*trifoliata*, Willd. Sp. Pl. ii. 504 = *Argyrobolium sericeum*.

*uniflora*, Michx. Fl. Bor. Am. i. 263 = *Baptisia lanceolata*.

*velutina*, Burch. ex Benth. in Hook. Lond. Journ. Bot. ii. (1843) 437.—Afr. austr.

*villosa*, Michx. Fl. Bor. Am. i. 264 = *Baptisia villosa*.  
*virgata*, Willd. ex Walp. in Linnaea, xiii. (1839) 457 = *myrtillifolia*.

PODANTHERA, Wight, Ic. v. 22. t. 1759 (1851) = **Epipogum**, S. G. Gmel. (Orchid.).

*pallida*, Wight, l. c. = *E. nutans*.

PODANTHES, Haw. Syn. Pl. Succ. 32 (1812) = **Stapelia**, Linn. (Asclep.).

*ciliata*, Haw. l. c. 34 = *Diplocyatha ciliata*.  
*incarnata*, Sweet, Hort. Brit. ed. II. 358 = *Boucerosia incarnata*.

*irrorata*, Haw. Syn. Pl. Succ. 33 = *S. irrorata*.  
*lepida*, Haw. l. c. 34 = *S. lepida*.

*pulchella*, Haw. l. c. 33 = *S. pulchella*.  
*pulchra*, Haw. l. c. 32 = *S. roriflua*.

*roriflua*, G. Don, Gen. Syst. iv. 118 = *S. roriflua*.  
*verrucosa*, Haw. Syn. Pl. Succ. 33 = *S. verrucosa*.

PODANTHUM, Boiss. Fl. Orient. iii. 945 (1875) = **Phyteuma**, Linn. (Campan.).

*amplexicaule*, Boiss. l. c. 948 = *Phyt. amplexicaule*.  
*anthericoides*, Janka, in Termész. Füzetek, ii. (1878) 30 = *Phyt. lobelioides*?

*asperum*, Boiss. Fl. Orient. iii. 955 = *Phyt. asperum*.  
*brachylobum*, Boiss. l. c. 947 = *Campanula sessiliflora*.

*campanuloides*, Boiss. l. c. 949 = *Phyt. campanuloides*.  
*canescens*, Boiss. l. c. 950 = *Phyt. canescens*.

*cappadocicum*, Boiss. l. c. 946 = *Phyt. cappadocicum*.  
*cichoriforme*, Boiss. l. c. 947 = *Phyt. cichoriforme*.

*controversum*, Boiss. l. c. 949 = *Phyt. rigidum*.  
*giganteum*, Boiss. l. c. 946 = *Phyt. giganteum*.

*lanceolatum*, Boiss. l. c. 951 = *Phyt. lanceolatum*.  
*limonifolium*, Boiss. l. c. = *Phyt. limonifolium*.

*linifolium*, Boiss. l. c. 954 = *Phyt. linifolium*.  
*lobelioides*, Boiss. l. c. 953 = *Phyt. lobelioides*.

*Lycium*, Boiss. l. c. 954 = *Phyt. Lycium*.  
*macrodon*, Boiss. & Haussk. ex Boiss. l. c. 956.—Persia.

*Otites*, Boiss. l. c. 952 = *Phyt. Otites*.  
*persicum*, Boiss. l. c. 956.—Persia.

*psilostachyum*, Boiss. l. c. 948 = *Campanula psilostachya*.

*pulchellum*, Boiss. l. c. 947 = *Phyt. pulchellum*.  
*scoparium*, Boiss. & Haussk. ex Boiss. l. c. 953.—Cataonia.

*Sibthorpium*, Boiss. l. c. 950 = *Phyt. Sibthorpium*.  
*strigillosum*, Boiss. l. c. 957 = *Campanula strigillosum*.

*tenuifolium*, Boiss. l. c. 952 = *Phyt. tenuifolium*.  
*trichocalycinum*, Boiss. l. c. 955 = *Phyt. trichocalycinum*.

*trichostegium*, Boiss. l. c. 954.—Cappadocia.  
*virgatum*, Boiss. l. c. 946 = *Campanula virgatum*.

PODANTHUS, Lag. Gen. et Sp. Nov. 24 (1816). **COMPOSITAE**, Benth. & Hook. f. ii. 336.

*Euxenia*, Cham. in Nees, Hor. Phys. Berol. 75. t. 16 (1820).



**PODANTHUS:—**

- gratus*, D. Don, ex Sweet, Hort. Brit. ed. III. 353 = *ovatifolius*.  
*Mitiqui*, Lindl. in Loud. Hort. Brit. 488.—Chili.  
*ovatifolius*, Lag. Gen. et Sp. Nov. 24.—Bras.; Chili.

PODASAEUM, Reichb. Consp. 50 (1828) = **PODOSEMUM**, Desv. = **Muehlenbergia**, Schreb. (Gramin.).

PODIA, Neck. Elem. i. 72 (1790) = **Centaurea**, Linn. (Compos.).

PODIANTHUS, Schnitzl. in Bot. Zeit. i. (1843) 739 = **Trichopus**, Gaertn. (Dioscor.).  
*arifolius*, Schnitzl. l. c. = *T. zeylanicus*.

PODIONAPUS, Dulac, Fl. Hautes-Pyr. 82 (1867) = **Deschampsia**, Beauv. (Gramin.).  
*caespitosus*, Dulac, l. c. 82 = *D. caespitosa*.  
*flexuosus*, Dulac, l. c. 83 = *D. flexuosa*.

PODIOPTALUM, Hochst. in Flora, xxiv. (1841) 657 = **Dalbergia**, Linn. (Legumin.).  
*reticulatum*, Hochst. l. c. 658 = *D. obovata*.

PODISONIA, Dum. ex Steud. Nom. ed. II. ii. 364 (1841), sphalm. = **Posidonia**, Koen. (Naiad.).

PODOCALLIS, Salisb. Gen. Pl. Fragm. 17 (1866) = **Massonia**, Thunb. (Liliac.).  
*nivea*, Salisb. l. c. 17 = *M. jasminiflora*?

PODOCALYX, Klotzsch, in Wieg. Archiv, vii. (1841) 202 = **Richeria**, Vahl (Euphorb.).  
*loranthoides*, Klotzsch, l. c. = *R. loranthoides*.

**PODOCARPUS**, [L'Hérit.] Pers. Syn. ii. 580 (1807). **CONIFERAE**, Benth. & Hook. f. iii. 435.

**NAGEIA**, Gaertn. Fruct. i. 191. t. 39 (1788), partim.

**PRUMNOPITYS**, Phil. in Linnaea, xxx. (1859-60) 731.

*acicularis*, Hort. ex Carr. Conif. ed. I. 456 = *elata*.  
*acutifolia*, T. Kirk, in Trans. N. Z. Inst. xvi. (1884) 370.—N. Zel.

*affinis*, Seem. Fl. Vit. 266.—Ins. Fiji.  
*agathifolia*, Blume, Rumphia, iii. 217 = *latifolia*.  
*alba*, J. Baum, Cat. (1846); ex Henk. & Hochst. Syn. Nadelh. 404 (Quid?).—Hab.?

*alpina*, R. Br. ex Mirb. in Mém. Mus. Par. xiii. (1825) 75.—Austral.

*amara*, Blume, Enum. Pl. Fav. 88.—Java.

*andina*, Poepp. ex Endl. Syn. Conif. 219.—Chili.

*angustifolia*, Griseb. Cat. Pl. Cub. 217.—Cuba.

*angustifolia*, Parl. in DC. Prod. xvi. ii. 512.—Bolivia.

*antarctica*, Hort. ex Carr. Conif. ed. I. 450 = *curvifolia*.

*antarctica*, Hort. ex Carr. l. c. ed. II. 647 = *Purdieana*?

*antillarum*, R. Br. ex Mirb. in Mém. Mus. Par. xiii. (1825) 75 = *coriacea*.

*appressa*, Maxim. in Bull. Acad. Pétersb. xv. (1871) 379.—Japan.

*araucarioides*, Brongn. & Gris, ex Panch. & Sebert, Not. Bois N. Caléd. 171.—N. Caled.

*argotaenia*, Hance, in Journ. Bot. xxi. (1883) 357.—China.

*aristulata*, Parl. in DC. Prod. xvi. ii. 513.—Cuba.

*aspleniifolia*, Labill. Nov. Holl. Pl. ii. 71. t. 221 = *Phyllocladus rhomboidalis*.

*Beccarii*, Parl. in DC. Prod. xvi. ii. 508.—Borneo.

*Bidwilli*, Hoibrenk, ex Endl. Conif. 213 = *P. Totara*.

*biformis*, Hook. Ic. Pl. t. 544 = *Dacrydium Colensoi*.

*Blumei*, Endl. Syn. Conif. 208.—Java.

*bracteata*, Blume, Enum. Pl. Jav. 88 = *neriifolia*.

*bracteata*, Hort. ex Carr. Conif. ed. II. 665 = *macrophylla*.

*bracteata*, Zoll. ex Parl. in DC. Prod. xvi. ii. 516 = *amara*.

*caesia*, Maxim. in Bull. Acad. Pétersb. xv. (1871) 379.—Japan.

*caespitosa*, Panch. ex Brongn. & Gris, in Bull. Soc. Bot. Fr. xiii. (1866) 425 = *alpina*.

*canaliculata*, Hort. ex Carr. Conif. ed. II. 659 = *macrophylla*.

**PODOCARPUS:—**

*chilena*, Lechler, ex Parl. in DC. Prod. xvi. ii. 510 = *oleifolia*.

*chilina*, Rich. in Ann. Mus. Par. xvi. (1810) 297, nomen; et *Conif.* 11.—Chili.

*chinensis*, Sweet, Hort. Brit. ed. I. 371; Wall. Cat. n. 6051 = *macrophylla*.

*coreana*, Hort. ex Carr. Conif. ed. II. 724 = *Torreya nucifera*.

*coriacea*, Hort. ex Carr. l. c. ed. I. 512 = *Torreya nucifera*.

*coriacea*, Rich. Conif. 14. t. 1. f. 3.—N. Granat.; Ind. occ.

*corrugata*, Gord. Pinet. Suppl. 88.—Japan.

*costalis*, Presl, Epim. Bot. 236.—Ins. Philipp.

*Cumingii*, Parl. in DC. Prod. xvi. ii. 521.—Ins. Philipp.

*cupressina*, R. Br. ex Mirb. in Mém. Mus. Par. xiii. (1825) 75.—Burma; Malaya.

*curvifolia*, Carr. Conif. ed. I. 450.—Hab.?

*cuspidata*, Endl. Syn. Conif. 207.—Japan.

*cuspidata*, Hort. ex Carr. Conif. ed. I. 465 = *amara*.

*dacrydioides*, A. Rich. Ess. Fl. N. Zél. 358. t. 39.—N. Zel.

*Dieffenbachii*, Hook. Ic. Pl. t. 547 = *Veronica tetragona*.

*discolor*, Blume, Rumphia, iii. 213.—Java.

*Drouyniana*, F. Muell. Fragm. iv. 86. t. 31.—Austral.

*drupacea*, Hort. ex Gord. Pinet. 45 = *Cephalotaxus drupacea*.

*dulcamara*, Seem. in Bonplandia, ix. (1861) 253.—Hab.?

*elata*, R. Br. ex Mirb. in Mém. Mus. Par. xiii. (1825) 75.—Austral.

*elata*, Seem. ex Parl. in DC. Prod. xvi. ii. 517 = *affinis*.

*elongata*, L'Hérit. ex Pers. Syn. ii. 580.—Afr. austr.

*elongata*, E. Mey. ex Endl. Syn. Conif. 218 = *Meyeriana*.

*Endlicheriana*, Carr. Conif. ed. I. 468 = *neriifolia*?

*ensifolia*, R. Br. ex Mirb. in Mém. Mus. Par. xiii. (1825) 75 = *elata*.

*euryhyncha*, Miq. Fl. Ind. Bat. ii. 1074.—Sumatra.

*excelsa*, Lodd. Cat. (1836) 37; ex Endl. Syn. Conif. 213 = *spinulosa*.

*falcata*, R. Br. ex Mirb. in Mém. Mus. Par. xiii. (1825) 75.—Afr. austr.

*falcata*, A. Cunn. ex Parl. in DC. Prod. xvi. ii. 517 = *elata*.

*falciformis*, Parl. l. c. 685.—Borneo.

*ferruginea*, G. Benn. ex D. Don, in Lamb. Gen. Pin. ed. II. (1832) ii. [189].—N. Zel.

*flagelliformis*, Hort. Belg. ex Carr. Conif. ed. II. 666.—Japan.

*glomerata*, D. Don, in Lamb. Gen. Pin. ed. I. (1824) ii. 21; ed. Min. (1832) 141. n. 73.—Peruv.

*gnidioides*, Carr. Conif. ed. II. 656.—N. Caled.

*grandifolia*, Endl. Syn. Conif. 208.—Japan.

*Horsfieldii*, R. Br. in Wall. Cat. n. 6049 = *cupressina*.

*Humboldtii*, Hort. ex Carr. Conif. ed. I. 451 = *curvifolia*.

*Humboldtii*, Hort. ex Gord. Pinet. 288 = *taxifolia*.

*imbricata*, Blume, Enum. Pl. Jav. 89 = *cupressina*.

*insignis*, Hemsl. in Journ. Bot. xxiii. (1885) 287 = *argotaenia*.

*jamaicaensis*, Hort. ex Gord. Pinet. 281 = *Purdieana*.

*japonica*, Hort. Bogor. ex Siebold, in Ann. Soc. Hort. Pays-Bas (1844), 35, 36.—Japan.

*Junghuhniana*, Miq. Pl. Jungh. 2 = *neglecta*.

*koraiana*, Hort. ex Mast. in Journ. Linn. Soc. xviii. (1881) 499 = *Cephalotaxus pedunculata*.

*koraiana*, C. Koch, in Berl. Allg. Gartenz. i. (1857) 228 = *macrophylla*.

*koraiana*, Siebold, in Ann. Soc. Hort. Pays-Bas (1844), 35.—Corea.

*koreana*, Hort. ex Parl. in DC. Prod. xvi. ii. 516 = *chinensis*.

*laeta*, Hoibrenk, ex Endl. Syn. Conif. 214.—Austral.

*Lamberti*, Klotzsch, ex Endl. l. c. 211.—Bras.

*lanceolata*, Hort. ex Gord. Pinet. 275 = *japonica*.

*latifolia*, Blume, Enum. Pl. Jav. 89 = *Blumei*.

*latifolia*, R. Br. in Benn. Pl. Jav. 40 = *Thunbergii*.

*latifolia*, Hort. ex Carr. Conif. ed. I. 439 = *cuspidata*.

*latifolia*, Wall. Pl. As. Rar. i. 26. t. 30.—Ind. or.; Malaya.

*Lawrencii*, Hook. f. in Hook. Lond. Journ. Bot. iv. (1845) 151 = *alpina*.

**PODOCARPUS:—**

*leptostachya*, Blume, Rumphia, iii. 214.—Borneo.

*linearis*, Van Houtte, ex Gord. Pinet. 273 = *elongata*.

*longifolia*, Hort. ex Carr. Conif. ed. II. 665 = *japonica*.

*longifolia*, Hort. ex Gord. Pinet. 278 = *macrophylla*.

*macrophylla*, D. Don, in Lamb. Gen. Pin. ed. I. (1824) ii. 22; ed. Min. (1832) 143.—Japan.

*macrophylla*, Sweet, Hort. Brit. ed. I. 371 = *Sweetii*.

*macrophylla*, Wall. Cat. n. 6052 = *neriifolia*.

*macrostachya*, Parl. in DC. Prod. xvi. ii. 510.—N. Granat.

*madagascariensis*, Baker, in Journ. Linn. Soc. xxi. (1885) 447.—Madag.

*Maki*, Sieb. & Zucc. Fl. Jap. Fam. Nat. ii. 108 = *chinensis*.

*Makoya*, Hort. ex Endl. Syn. Conif. 217 = *chinensis*.

*Makoyae*, Hort. ex Carr. Conif. ed. I. 457 = *chinensis*.

*Makoyi*, Blume, Rumphia, iii. 215.—Japan.

*Makoyi*, Hort. ex Parl. in DC. Prod. xvi. ii. 516 = *chinensis*.

*Mannii*, Hook. f. in Journ. Linn. Soc. vii. (1864) 218.—Afr. occ.

*Matai*, Lamb. ex Hook. f. Handb. N. Zeal. Fl. 741 = *spicata*.

*Meyeriana*, Endl. Syn. Conif. 218.—Afr. austr.

*minor*, Parl. in DC. Prod. xvi. ii. 509.—N. Caled.

*Miquelia*, Hort. ex Parl. l. c. 516 = *chinensis*.

*montana*, Lodd. Cat. (1836) 37; ex Endl. Conif. 219 = *taxifolia*.

*mucronata*, Hort. ex Carr. Conif. ed. I. 446 = *Purdieana*.

*mucronata*, Hort. ex Carr. l. c. ed. II. 664 = *macrophylla*.

*Nageia*, R. Br. ex Mirb. in Mém. Mus. Par. xiii. (1825) 75.—Japan.

*neglecta*, Blume, Rumphia, iii. 213.—Java.

*neriifolia*, D. Don, in Lamb. Gen. Pin. ed. I. (1824) ii. 21; ed. Min. (1832) 142.—Reg. Himal.

*nivalis*, Hook. Ic. Pl. t. 582.—N. Zel.

*nobilis*, Hort. ex Carr. Conif. ed. I. 468 = *neriifolia*.

*nobilis*, Hort. ex Endl. Syn. Conif. 218 = *Thunbergii*.

*Novae-Caledoniae*, Vieill. ex Brongn. & Gris, in Ann. Sc. Nat. Sér. V. vi. (1866) 242.—N. Caled.

*nubicola*, Makoy, ex Henk. & Hochst. Syn. Nadelh. 385 = *seq.*

*nubigena*, Lindl. in Journ. Hort. Soc. vi. (1851) 264.—Chili.

*nucifera*, Loud. Hort. Brit. 388 = *Torreya nucifera*.

*oleifolia*, D. Don, in Lamb. Gen. Pin. ed. I. (1824) ii. 20; ed. Min. (1832) 140.—Peruv.

*ovata*, Henk. & Hochst. Syn. Nadelh. 381.—Japan.

*palembanica*, Miq. Fl. Ind. Bat. Suppl. 589.—Sumatra.

*Pardii*, J. Baum, Cat. (1846); ex Henk. & Hochst. Syn. Nadelh. 404, sphalm. = *Purdieana*.

*parvifolia*, Parl. in DC. Prod. xvi. ii. 514.—Austral.

*pectinata*, Panch. ex Brongn. & Gris, in Bull. Soc. Bot. Fr. xvi. (1869) 330.—N. Caled.

*philippeana*, Benth. ex Parl. in DC. Prod. xvi. ii. 375 = *Agathis loranthifolia*.

*pinnata*, Hort. ex Gord. Pinet. 138 = *latifolia*.

*polystachya*, R. Br. in Benn. Pl. Jav. 40 = *neriifolia*.

*pruinosa*, E. Mey. in Drège, Zwei Pfl. Docum. 212 = *elongata*.

*pungens*, Caley, ex D. Don, in Lamb. Gen. Pin. ed. I. (1824) ii. 23; ed. Min. (1832) 144 = *spinulosa*.

*pungens*, Van Houtte, ex Gord. Pinet. 285 = *P. Totara*.

*Purdieana*, Hook. Ic. Pl. t. 624.—Jamaic.

*Purdieana*, Hort. ex Carr. Conif. ed. I. 445 = *salicifolia*.

*Purdieana*, Hort. ex Carr. l. c. 451 = *curvifolia*.

*rigida*, Klotzsch, in Endl. Syn. Conif. 211 = *glomerata*.

*rivularis*, Panch. ex Brongn. & Gris, in Bull. Soc. Bot. Fr. xiii. (1866) 425 = *Novae-Caledoniae*.

*Rumphii*, Blume, Rumphia, iii. 214.—Ins. Molucc.

*salicifolia*, Klotzsch & Karst. ex Endl. Syn. Conif. 209.—N. Granat.

*saligna*, D. Don, in Lamb. Gen. Pin. ed. I. (1824) ii. 20; ed. Min. (1832) 139 = *chilina*.

*Sellowii*, Klotzsch, ex Endl. Conif. 209.—Bras.

*sinensis*, Teijsm. & Binn. Cat. Hort. Bog. 14 = *chinensis*.

*spicata*, R. Br. in Benn. Pl. Jav. 40.—N. Zel.

*spicata*, Poepp. & Endl. Nov. Gen. et Sp. iii. 18 = *andina*.



**PODOCARPUS**—

- spinulosa, *R. Br. ex Mirb. in Mém. Mus. Par.* xiii. (1825) 75.—Austral.  
 spinulosa, Hort. ex Carr. Conif. ed. I. 463 = macrophylla.  
 spinulosa, Hort. ex Carr. I. c. ed. II. 652 = P. Totara.  
 Sprengelii, Blume, in *Flora*, vii. (1824) 292 = Rumphii.  
 Sprucei, *Parl. in DC. Prod.* xvi. ii. 510.—Ecuador.  
 Sweetii, *Presl, Bot. Bemerk.* 110.—Afr. austr.  
 taxifolia, *H. B. & K. Nov. Gen. et Sp.* ii. 2. t. 97.—Reg. Andin.  
 taxodioides, Carr. Conif. ed. II. 657 = Dacrydium taxoides.  
 tenuifolia, *Parl. in DC. Prod.* xvi. ii. 521.—N. Caled.  
 Teysmannii, *Miq. Fl. Ind. Bat.* ii. 1072.—Sumatra.  
 thevetiaefolia, *Zipp. in Flora*, xii. (1829) 287, nomen;  
 Blume, *Rumphia*, iii. 213.—N. Guin.  
 thuroides, *R. Br. in Benn. Pl. Jav. Rar.* 41 = dacrydioides.  
 Thunbergii, *Hook. in Lond. Journ. Bot.* i. (1842) 657. t. 22.—Afr. austr.  
 Thunbergii, Siebold, in *Verh. Batav. Gen.* xii. (1830) 384 = macrophylla.  
 Totara, *G. Benn. ex D. Don, in Lamb. Gen. Pin.* ed. II. (1832) [189].—N. Zel.  
 usta, *Brongn. & Gris, in Ann. Sc. Nat. Sér. V.* vi. (1866) 243.—N. Caled.  
 valdiviana, [Nelson] Senilis, Pinaceae, 160 = andina.  
 variegata, Hort.—Cf. *Gard. Chron.* (1861) 735 = P. Totara.  
 verticillata, Hort. ex G. Don, in *Loud. Hort. Brit.* 388 = macrophylla.  
 verticillata, Wall. ex Steud. *Nom. ed.* II. ii. 365 = Sciadopitys verticillata.  
 Vieillardii, *Parl. in DC. Prod.* xvi. ii. 521.—N. Caled.  
 vitiensis, *Seem. in Bonplandia*, x. (1862) 366.—Ins. Fiji.  
 Vriesiana, Hort. ex Parl. in *DC. Prod.* xvi. ii. 516 = macrophylla.  
 Wallichiana, *Presl, Bot. Bemerk.* 110 = latifolia.  
 Yacca, G. Don, in *Loud. Hort. Brit.* 388 = coriacea.  
 Yacca, G. Don, in *Sweet, Hort. Brit. ed.* III. 622 = taxifolia.  
 zamiaefolia, Hort. ex Carr. Conif. ed. I. 441 = latifolia.  
 zamiaefolia, A. Rich. *Ess. Fl. N. Zél.* 360 = Dammara australis.  
 PODOCENTRUM, Burch. ex Meissn. in *Linnaea*, xiv. (1840) 489 = Emex, Neck. (Polygon.).  
 PODOCHILUS, Blume, *Bijdr.* 295. t. 12 (1825).  
 ORCHIDEAE, Benth. & Hook. f. iii. 588.  
 APISTA, Blume, *Bijdr.* 296 (1825).  
 CRYPTOGLOTTIS, Blume, I. c. 296. t. 42 (1825).  
 HEXAMERIA, *R. Br. in Benn. Pl. Jav. Rar.* 26. t. 7 (1838).  
 PLACOSTIGMA, Blume, *Fl. Jav. Praef.* p. vi (1828).  
 PLATYSMA, Blume, *Bijdr.* 295. t. 43 (1825).  
 bicolor, *Miq. Choix Pl. Buitenz.* t. 22. f. 3 = Dendrobium subulatum.  
 cultratus, *Lindl. in Wall. Cat. n.* 7336.—Reg. Himal.; Burma.  
 densiflorus, *Blume, Rumphia*, iv. 44.—N. Guin.  
 falcatus, *Lindl. Gen. et Sp. Orch.* 234.—Zeylan.  
 gracilis, *Lindl. I. c.* 235.—Java.  
 lucescens, *Blume, Bijdr.* 295. t. 12.—Burma; Malaya.  
 malabaricus, *Wight, Ic. v. t.* 1748. f. 2.—Ind. or.  
 microphyllus, *Lindl. in Wall. Cat. n.* 7335.—Burma; Malaya.  
 muricatus, *Teijsm. & Binn. Cat. Hort. Bog.* 379 = scapelliformis.  
 saxatilis, *Lindl. Gen. et Sp. Orch.* 235.—Zeylan.  
 scapelliformis, *Blume, Rumphia*, iv. 45.—Ins. Molucc.; N. Guin.  
 sciuroides, *Reichb. f. in Bonplandia*, v. (1857) 41.—Java.  
 similis, *Blume, Rumphia*, iv. 44.—Borneo.  
 tenuis, *Lindl. Gen. et Sp. Orch.* 235.—Java.  
 Zollingeri, *Miq. Choix Pl. Buitenz.* t. 25. f. 2 (an seq.?).—Java.  
 Zollingeri, *Reichb. f. in Bonplandia*, v. (1857) 42.—Java.  
 PODOCHREA, *Fourn. in Ann. Soc. Linn. Lyon*, N. S. xvi. (1868) 364 = Astragalus, Tourn. (Legumin.).  
 incana, *Fourn. I. c.* = A. incanus.  
 monspessulana, *Fourn. I. c.* = A. monspessulanus.

**PODOCOCCLUS**, Mann & H. Wendl. in *Trans. Linn. Soc.* xxiv. (1864) 426. PALMAE, Benth. & Hook. f. iii. 915.  
 Barteri, Mann & H. Wendl. I. c.—Afr. trop.

**PODOCOMA**, Cass. in *Bull. Soc. Philom.* (1817) 187; et in *Dict. Sc. Nat.* xlii. 60 (1826). COMPOSITAE, Benth. & Hook. f. ii. 278.  
 ASTEROPSIS, Less. *Syn. Comp.* 188 (1832).  
 IXIOCHLAMYS, F. Muell. & Sond. in *Linnaea*, xxv. (1852) 466.  
 MORITZIA, Sch. Bip. ex Benth. & Hook. f. *Gen.* ii. 279 (1873).  
 PODOPAPPUS, Hook. & Arn. in *Hook. Comp. Bot. Mag.* ii. (1836) 50.  
 bellidifolia, *Baker, in Mart. Fl. Bras.* vi. III. 16.—Bras.  
 Blanchetiana, *Baker, I. c.* 15.—Bras.  
 cuneifolia, *R. Br. in Sturt, Exped. Cent. Austral.* ii. App. 81.—Austral.  
 erigerifolia, *Steud. Nom. ed.* II. i. 584, in syn. sphalm. = primulaefolia.  
 glandulosa, *Baker, in Mart. Fl. Bras.* vi. III. 14, in nota.—N. Granat.  
 hieracifolia, *Cass. in Dict. Sc. Nat.* xlii. 60.—Am. austr.  
 hirsuta, *Baker, in Mart. Fl. Bras.* vi. III. 15.—Bras.  
 primulaefolia, *Cass. in Dict. Sc. Nat.* xlii. 61.—Am. austr.  
 Regnellii, *Baker, in Mart. Fl. Bras.* vi. III. 16.—Bras.

**PODOCYTISUS**, Boiss. & Heldr. *Diagn. Ser. I.* ix. 7 (1849) = Laburnum, Linn. (Legumin.).  
 caramanicus, Boiss. I. c. = L. caramanicum.

**PODOGYNE**, Hoffmigg. *Verz. Pfl.* 101, 185 (1824) = Gynandropsis, DC. (Capparid.).  
 pentaphylla, Hoffmigg. I. c. 185 = D. pentaphylla.

**PODOLASIA**, N. E. Br. in *Gard. Chron.* (1882) II. 70. AROIDEAE, Benth. & Hook. f. iii. 996.  
 stipitata, *N. E. Br. I. c.*—Borneo.

**PODOLEPIS**, Labill. *Nov. Holl. Pl.* ii. 56. t. 208 (1806). COMPOSITAE, Benth. & Hook. f. ii. 328.  
 PANAETIA, Cass. in *Ann. Sc. Nat. Sér. I.* xvii. (1829) 417; et in *Dict. Sc. Nat.* lx. 593 (1830).  
 RUTIDOCHLAMYS, Sond. in *Linnaea*, xxv. (1852) 497.  
 SCALIA, Sims, *Bot. Mag.* t. 956 (1806).  
 SCALOPSIS, Walp. in *Linnaea*, xiv. (1840) 318.  
 SIEMSENIA, Steetz, in *Lehm. Pl. Preiss.* i. 467 (1845).  
 STYLOLEPIS, *Lehm. Sem. Hort. Hamb.* (1828) 17.—Cf. *Flora*, xii. (1829) I. Erg. 55.  
 acuminata, *R. Br. in Ait. Hort. Kew.* ed. II. v. 82.—Austral.  
 affinis, *Sond. in Linnaea*, xxv. (1852) 507 = canescens.  
 aristata, *Benth. in Enum. Pl. Huerg.* 64.—Austral.  
 auriculata, *DC. Prod.* vi. 162.—Austral.  
 canescens, *A. Cunn. ex DC. I. c.* 163.—Austral.  
 chrysantha, *Endl. in Bot. Zeit.* i. (1843) 458 = aristata.  
 contorta, *Lindl. in Bot. Reg.* (1838) Misc. 64.—Tasmania.  
 divaricata, *A. Cunn. ex DC. Prod.* vi. 151 = Gnephosis tenuissima.  
 ferruginea, *DC. I. c.* 163 = Helipterum citrinum.  
 filiformis, *Steetz, in Lehm. Pl. Preiss.* i. 465 = gracilis.  
 Gilberti, *Turcz. in Bull. Soc. Nat. Mosc.* xxiv. (1851) I. 195 = Lessoni.  
 gracilis, *R. Grah. in Edinb. N. Phil. Journ.* (Jul.—Sept. 1828) 379.—Austral.  
 hieracioides, *F. Muell. Fragm.* i. 112 = longipedata.  
 inundata, *A. Cunn. in DC. Prod.* vi. 163 = canescens.  
 Kendallii, *F. Muell. in Wing, South. Sc. Record*, iii. (March 1883) 68.—Austral.  
 Lessoni, *Benth. Fl. Austral.* iii. 606.—Austral.  
 longipedata, *A. Cunn. ex DC. Prod.* vi. 163.—Austral.  
 Lucaeana, *Walp. Rep.* vi. 235 = longipedata.  
 microcephala, *Benth. Fl. Austral.* iii. 607.—Austral.  
 Mitchellii, *Sond. in Linnaea*, xxv. (1852) 508 = longipedata.  
 nutans, *Steetz, in Lehm. Pl. Preiss.* i. 464.—Austral.  
 pallida, *Turcz. in Bull. Soc. Nat. Mosc.* xxiv. (1851) II. 78.—Austral.

**PODOLEPIS**—

Rhytidochlamys, *F. Muell. Fragm.* iv. 79.—Austral.  
 rosca, *Steetz, in Lehm. Pl. Preiss.* i. 463.—Austral.  
 rosmarinifolia, *DC. Prod.* vi. 163 = Helichrysum diosmaefolium.  
 rugata, *Labill. Nov. Holl. Pl.* ii. 57. t. 28.—Austral.  
 Rutidochlamys, *Benth. Fl. Austral.* iii. 608 = P. Rhytidochlamys.  
 Siemsenia, *F. Muell. ex Benth. Fl. Austral.* iii. 607.—Austral.  
 subulata, *Steetz, in Lehm. Pl. Preiss.* i. 465 = aristata.  
 tetrachaeta, *Walp. Ann.* i. 422 = Leptorhynchus pulchellus.

**PODOLOBIUM**, *R. Br. in Ait. Hort. Kew.* ed. II. iii. 9 (1811) = Oxylobium, Andr. (Legumin.).  
 aciculare, *DC. in Ann. Sc. Nat. Sér. I.* iv. (1825) 98 = Chorizema Henchmanni.  
 aciculiferum, *F. Muell. Fragm.* i. 75 = O. aciculiferum.  
 Aquifolium, *Lodd. ex G. Don, in Loud. Hort. Brit.* 163 = O. trilobatum.  
 berberifolium, *A. Cunn. ex Lindl. in Bot. Reg.* (1841) Misc. 44.—Austral.  
 coriaceum, *DC. Prod.* ii. 103 = O. retusum.  
 heterophyllum, *A. Cunn. ex Steud. Nom. ed.* II. ii. 365 = O. heterophyllum.  
 humifusum, *G. Don, Gen. Syst.* ii. 116 = O. scandens.  
 obovatum, *A. Gray, Bot. U. St. Expl. Exped.* i. 379 = O. cuneatum.  
 procumbens, *F. Muell. First Gen. Rep.* 12 = O. procumbens.  
 scandens, *DC. Prod.* ii. 103 = O. scandens.  
 sericeum, *DC. I. c.* = Brachysema undulatum.  
 staurophyllum, *Sieber, ex DC. I. c.* = O. staurophyllum.  
 trilobatum, *R. Br. in Ait. Hort. Kew.* ed. II. iii. 9 = O. trilobatum.

**PODOLOBUS**, *Rafin. in Am. Monthly Mag.* (1819) 194 = Stanleia, Nutt. (Crucif.).

**PODOLOPUS**, *Steud. Nom. ed.* II. ii. 365 (1841) = praec.

**PODOLOTUS**, *Benth. in Royle, Illustr. Bot. Himal.* 198 (1835) = Astragalus, Tourn. (Legumin.).  
 hosackioides, *Benth. I. c.* = A. hosackioides.

**PODONEPHELIUM**, *Baill. Adansonia*, xi. (1874) 245. SAPINDACEAE.  
 concolor, *Radlk. in Act. Congr. Bot. Amst.* 1877 (1879) 120.—N. Caled.  
 Deplanchei, *Baill. Adansonia*, xi. (1874) 245.—N. Caled.  
 Homei, *Radlk. in Act. Congr. Bot. Amst.* 1877 '1879' 120; et in *Sitzb. Math.-Phys. Akad. Muench.* ix. (1879) 540 = Deplanchei.  
 stipitatum, *Baill. Hist. Pl.* v. 396 = Deplanchei.

**PODONIX**, *Rafin. Fl. Tellur.* iv. 28 (1836) = Tulipa, Linn. (Liliac.).  
 albiflora, *Rafin. I. c.* = T. biflora.

**PODONOSMA**, *Boiss. Diagn. Ser. I.* xi. 113 (1849) = Onosma, Linn. (Borag.).  
 galatense, *Schweinf. ex Boiss. Fl. Orient.* iv. 1199.—Aegypt.; Arab.  
 syriacum, *Boiss. Diagn. Ser. I.* xi. 114 = O. syriacum.

**PODOPAPPUS**, *Hook. & Arn. in Hook. Comp. Bot. Mag.* ii. (1836) 50 = Podocoma, Cass. (Compos.).  
 hirsuta, *Hook. & Arn. I. c.* = Podocoma hirsuta.  
 pubescens, *Hook. & Arn. I. c.* = Podocoma hieracifolia.  
 tomentosus, *Hook. & Arn. I. c.* (= Asteropsis microcephala).—Bras.

**PODOPETALUM**, *Gaud. Fl. Helv.* ii. 401 (1828) = Trochiscanthus, Koch (Umbell).  
 nodiflorum, *Gaud. I. c.*, in nota = T. nodiflorum.

**PODOPETALUM**, *F. Muell. in Melb. Ch.* (June 1882); ex ej. *Census*, 42. LEGUMINOSAE.  
 Ormondi, *F. Muell. Census*, 42, nomen.—Austral.



**PODOPHANIA**, Baill. in Bull. Soc. Linn. Par. i. (1880) 268. *COMPOSITAE*. Ghiesbreghtiana, Baill. l. c.—Mexic.

**PODOPHORUS**, Phil. in Bot. Zeit. xiv. (1856) 648. *GRAMINEAE*, Benth. & Hook. f. iii. 1200. bromoides, Phil. l. c. 649.—Ins. J. Fernand.

**PODOPHYLLUM**, Linn. Syst. ed. I (1735); Gen. ed. I. 151 (1737). *BERBERIDEAE*, Benth. & Hook. f. i. 45. *callicarpum*, Rafin. Fl. Ludov. 14 = *peltatum*. *diphyllum*, Linn. Sp. Pl. 505 = *Jeffersonia binata*. Emodi, Wall. Cat. n. 814.—Reg. Himal. *hexandrum*, Royle, Illustr. Bot. Himal. 64 = *Emodi*. *montanum*, Rafin. Med. Fl. ii. 59 = *peltatum*. *peltatum*, Linn. Sp. Pl. 505.—Am. bor. *pleianthum*, Hance, in Journ. Bot. xxi. (1883) 175, 362.—China. *versipelle*, Hance, l. c. 362.—China.

**PODOPOGON**, Ehrenb. ex Lindl. Veg. Kingd. 116 (1847), nomen (an seq.?).—Cf. Benth. & Hook. f. iii. 1096.

**PODOPOGON**, Rafin. Neogenyt. 4 (1825) = *Stipa*, Linn. (Gramin.). *avenaceus*, Rafin. l. c. = *S. avenacea*. *barbatus*, Rafin. l. c. = *S. avenacea*. *medius*, Rupr. ex Steud. Syn. Pl. Gram. 118 = *Beckera nubica*.

**PODOPTERUS**, Humb. & Bonpl. Pl. Aequin. ii. 89. t. 107 (1809). *POLYGONACEAE*, Benth. & Hook. f. iii. 104. *mexicanus*, Humb. & Bonpl. l. c.—Mexic.

**PODORIA**, Pers. Syn. ii. 5 (1807) = *Boscia*, Lam. (Cappar.). *angustifolia*, Steud. Nom. ed. II. ii. 365; D. Dietr. Syn. Pl. iii. 232 = *B. angustifolia*. *senegalensis*, Pers. Syn. ii. 5 = *B. senegalensis*.

**PODOSAEEMON**, Spreng. Gen. i. 58 (1830) = **PODOSEMUM**, Desv. = *Muehlenbergia*, Schreb. (Gramin.).

**PODOSAEEMUM**, Kunth, in Mém. Mus. Par. ii. (1815) 72 = *præc.*

**PODOSCIADIUM**, A. Gray, in Proc. Am. Acad. vii. (1868) 345. *UMBELLIFERAE*. Bolanderi, A. Gray, l. c. 346.—Calif. *californicum*, A. Gray, l. c.—Calif.

**PODOSEMUM**, Desv. in Nouv. Bull. Soc. Philom. ii. (1810) 188 = *Muehlenbergia*, Schreb. (Gramin.). *agrostideum*, Beauv. Agrost. 176 = *M. capillaris*. *alpestre*, H. B. & K. Nov. Gen. et Sp. i. 131 = *M. alpestris*. *angustatum*, J. & C. Presl, Rel. Haenk. i. 229 = *M. angustata*. *angustifolium*, Steud. Syn. Pl. Gram. 170 = *Agrostis* Neesii. *angustum*, Nees, Fl. Afr. Austr. 147 = *Agrostis* Neesii. *brachyphyllum*, Nees, in Linnaea, xix. (1847) 690 = *Polypogon brachyphyllus*. *capillare*, Desv. in Nouv. Bull. Soc. Philom. ii. (1810) 188 = *M. capillaris*. *ciliatum*, H. B. & K. Nov. Gen. et Sp. i. 128 = *M. ciliata*. *debile*, H. B. & K. l. c. = *M. debilis*. *distichophyllum*, J. & C. Presl, Rel. Haenk. i. 231 = *M. distichophylla*. *elegans*, H. B. & K. Nov. Gen. et Sp. i. 130 = *M. elegans*. *foliosum*, Link, Hort. Berol. i. 83 = *M. mexicana*. *glabratum*, H. B. & K. Nov. Gen. et Sp. i. 130 = *M. glabrata*. *glaucum*, Nees, in Linnaea, xix. (1847) 689 = *Agrostis* glauca. *glomeratum*, Link, Hort. Berol. i. 84 = *M. glomerata*. *gracile*, H. B. & K. Nov. Gen. et Sp. i. 131 = *M. gracilis*. *gymnostylum*, Nees, Ind. Sem. Hort. Vratisl. (1850) 347; et in Linnaea, xxiv. (1851) 236 = *M. gymnostyla*.

**PODOSEMUM** :—

*implicatum*, H. B. & K. Nov. Gen. et Sp. i. 127 = *Muehlenbergia implicata*. *lachnanthum*, Nees, Fl. Afr. Austr. 148 = *Agrostis lachnantha*. *mexicanum*, Link, Hort. Berol. i. 84 = *M. mexicana*. *mucronatum*, H. B. & K. Nov. Gen. et Sp. i. 129 = *M. mucronata*. *pungens*, Link, Hort. Berol. i. 84 = *Sporobolus pungens*. *purpureum*, Beauv. Agrost. 176 = *Cinna arundinacea*. *quadridentatum*, H. B. & K. Nov. Gen. et Sp. i. 130 = *M. quadridentata*. *rigidum*, H. B. & K. l. c. 129 = *M. rigida*. *setosum*, H. B. & K. l. c. = *M. debilis*. *soboliferum*, Link, Hort. Berol. i. 83 = *M. sobolifera*. *stipoides*, Cham. & Schlecht. in Linnaea, vi. (1831) 36 = *Aristida Schiedeana*. *stipoides*, H. B. & K. Nov. Gen. et Sp. i. 131 = *M. stipoides*. *strictum*, J. & C. Presl, Rel. Haenk. i. 230 = *M. capillaris*. *tenellum*, H. B. & K. Nov. Gen. et Sp. i. 128 = *M. tenella*. *tenuiflorum*, Link, Hort. Berol. i. 82 = *M. Willdenowii*. *tenuifolium*, Nees, in Linnaea, xix. (1847) 690 = *M. tenuifolia*. *tenuissimum*, J. & C. Presl, Rel. Haenk. i. 230 = *M. tenuissima*. *virens*, Balb. ex Kunth, Enum. Pl. i. 202 = *M. Berteroniana*. *virescens*, H. B. & K. Nov. Gen. et Sp. i. 132 = *M. virescens*. *virginicum*, Link, Hort. Berol. i. 85 = *Sporobolus virginicus*.

**PODOSPADIX**, Rafin. Fl. Tellur. iv. 14 (1836) = *Pothos*, Linn. (Aroid.). *angustifolia*, Rafin. l. c. 124 = *Pothos angustifolius*. *Harrisii*, Rafin. l. c. = *Anthurium Harrisii*. *Humboldtii*, Rafin. l. c. = *Caladium Humboldtii*? *microphylla*, Rafin. l. c. = *Anthurium microphyllum*. *reticulata*, Rafin. l. c. 14 = *Anthurium acaule*.

**PODOSPERMA**, Labill. Nov. Holl. Pl. ii. 35. t. 177 (1806) = *Podotheca*, Cass. (1822) (Compos.). *angustifolium*, Labill. l. c. = *Podotheca angustifolia*. *chrysanthum*, F. Muell. Fragm. xii. 22 = *Podotheca chrysanthum*. *gnaphaloides*, F. Muell. l. c. = *Podotheca gnaphaloides*. *pedunculare*, Reichb. ex DC. Prod. vi. 152 = *Craspedia Richea*. *Polakii*, F. Muell. Census, 140 = seq. *Pollackii*, F. Muell. Fragm. xii. 21 = *Podotheca Pollackii*.

**PODOSPERMUM**, DC. Fl. Fr. iv. 61 (1805) = *Scorzonera*, Linn. (Compos.). *angustifolium*, Ledeb. ex Loud. Hort. Brit. Suppl. iii. 614 = *S. angustifolia*. *angustissimum*, Schur, in Verh. Siebenb. Ver. Naturw. iv. (1853) 43 = *S. laciniata*. *alpinum*, C. Koch, in Linnaea, xxiii. (1850) 658 = *S. Jacquiniana*. *armenaicum*, Boiss. & Huet, Diagn. Ser. II. iii. 92 = *S. armeniaca*. *aspermum*, Sweet, Hort. Brit. ed. I. 206 = *Leontodon aspermum*. *asperum*, Sweet, l. c. 207 = *Hymenonema Tournefortii*. *Buxbaumii*, C. Koch, in Linnaea, xvii. (1843) 274 = *S. laciniata*. *calcitrapaeifolium*, Boiss. Voy. Bot. Espagne, ii. 381 = *S. intermedia*? *calcitrapifolium*, DC. Fl. Fr. Suppl. 455 = *S. calcitrapifolia*. *calcitrapifolium*, C. A. Mey. Verz. Pfl. Cauc. 62 = *S. intermedia*. *callosum*, DC. Prod. vii. 111 = *S. villosa*. *canum*, C. A. Mey. Verz. Pfl. Cauc. 62 = *S. Jacquiniana*. *cariense*, Boiss. Diagn. Ser. I. iv. 24 = *S. floccosa*. *cernuum*, Unio It. ex Steud. Nom. ed. II. ii. 365 = *S. Jacquiniana*. *cespitosum*, Boiss. & Kotschy, ex Boiss. Fl. Orient. iii. 758 = *S. Jacquiniana*. *Columnae*, DC. Prod. vii. 111 = *S. villosa*.

**PODOSPERMUM** :—

*coronipifolium*, Sch. Bip. ex Webb & Berth. Phyt. Canar. ii. 471 = *Scorzonera laciniata*? *decumbens*, Gren. & Godr. Fl. Fr. ii. 310 = *S. calcitrapifolia*. *diversifolium*, Schur, ex Nym. Consp. 465 = *S. Jacquiniana*. *eriospermum*, Boiss. Diagn. Ser. I. vii. 5 = *S. persepolitana*. *heterophyllum*, C. Koch, in Linnaea, xvii. (1843) 275 = *S. laciniata*. *heterophyllum*, Schur, Bot. Rundsch. (1853) 7; et in Verh. Siebenb. Ver. Naturw. x. (1859) 61 = *S. Jacquiniana*. *integrifolium*, Schur, Enum. Pl. Transs. 949 (Index) 364 = *S. Jacquiniana*. *intermedium*, DC. Prod. vii. 110 = *S. intermedia*. *Jacquinianum*, Koch, Syn. Fl. Germ. ed. I. 425 = *S. Jacquiniana*. *juncum*, Steud. Nom. ed. II. ii. 366 = *S. juncea*. *laciniatum*, DC. Fl. Fr. iv. 62 = *S. laciniata*. *loreum*, Griseb. Spicil. Fl. Rumel. ii. 263 = *S. Jacquiniana*. *messeniaceum*, Steud. Nom. ed. II. ii. 366 = *S. calcitrapifolia*, *Jacquiniana*. *Meyeri*, C. Koch, in Linnaea, xxiii. (1850) 659 = *S. Jacquiniana*. *molle*, Fisch. Mey. & Avé-Lall. Ind. Sem. Hort. Petrop. vi. 63 = *S. mollis*. *muricatum*, DC. Syn. Fl. Gall. 265 = *S. laciniata*. *octangulare*, Roth, ex Steud. Nom. ed. I. 755, in syn.; Link, Enum. Hort. Berol. ii. 279 = *S. Jacquiniana*. *pedunculare*, Sieber, ex Benth. Fl. Austral. iii. 579 = *Craspedia Richea*. *phaeopappum*, Boiss. Diagn. Ser. I. vii. 5 = *S. multi-scapa*. *pinifolium*, Hoffm. & Link, Fl. Port. ii. 127. t. 90<sup>a</sup>.—Lusit. *ponticum*, Stev. in Bull. Soc. Nat. Mosc. xxix. (1856) 11. 404, in textu.—As. Min. *pumilum*, Sweet, Hort. Brit. ed. I. 206 (= *Zollikoferia pumila*).—Hispan.; Arab. *purpureum*, Koch, ex Steud. Nom. ed. I. 755, in syn. = *S. purpurea*. *resedaefolium*, Sch. Bip. in Webb & Berth. Phyt. Canar. ii. 470 = *S. laciniata*? *resedifolium*, DC. Fl. Fr. iv. 61 = *S. laciniata*. *salinum*, Schur, Enum. Pl. Transs. 364 = *S. laciniata*. *scorzoneroides*, Turcz. ex DC. Prod. vii. 120 = *S. humilis*. *subulatum*, DC. Fl. Fr. iv. 61 = *S. laciniata*. *taraxacifolium*, Sweet, Hort. Brit. ed. I. 207 = *Hypochoeris glabra*. *Tenorii*, DC. Prod. vii. 110 = *S. laciniata*. *tenuifolium*, Hoffm. & Link, Fl. Port. ii. 129.—Hispan. *verrucosum*, Boiss. & Bal. Diagn. Ser. II. v. 115 = *S. verrucosa*. *villosum*, Stev. in DC. Prod. vii. 111 = *S. mollis*. *Willkommii*, Sch. Bip. ex Willk. in Linnaea, xxv. (1852) 42 = *S. intermedia*.

**PODOSTACHYS**, Klotzsch, in Wieg. Archiv, vii. (1841) 193 = *Croton*, Linn. (Euphorb.). *hirta*, Klotzsch, l. c. 194 = *C. glandulosus*? *incana*, Klotzsch, l. c. = *C. incanus*? *Lundianus*, Didr. in Kjoeb. Vidensk. Meddel. (1857) 137 = *C. Lundianus*. *sclerocalyx*, Didr. l. c. 134 = *C. sclerocalyx*. *Sellowiana*, Klotzsch, in Wieg. Archiv, vii. (1841) 194 = *C. Lundianus*. *serrata*, Klotzsch, l. c. = *C. serratus*. *subfloccosa*, Didr. in Kjoeb. Vidensk. Meddel. (1857) 135 = *C. Lundianus*.

**PODOSTAURUS**, Jungh. in Nat. en Geneesk. Arch. Neêrl. Indie, ii. (1845) 45 = *Boenninghausenia*, Reichb. (Rutac.). *thalictroides*, Jungh. l. c. 46 = *B. albiflora*.

**PODOSTEMON**, Michx. Fl. Bor. Am. ii. 164. t. 44 (1803). *PODOSTEMACEAE*, Benth. & Hook. f. iii. 112. *DICRAEIA*, Thou. Gen. Nov. Madag. 2 (1816). *POLYPLEVRUM*, Tayl. ex Tul. in Arch. Mus. Par. vi. (1852) 118. *abrotanoides*, Nutt. in Journ. Acad. Philad. vii. (1834) 105.—Am. bor.



**PODOSTEMON** :—

- acuminatus, *Wedd. in DC. Prod.* xvii. 75.—Reg. Himal. algaeformis, *Benth. & Hook. f. Gen.* iii. 112.—Ind. or. Ceratophyllum, *Michx. Fl. Bor. Am.* ii. 165. t. 44.—Am. bor.
- Chamissonis, *Tul. in Ann. Sc. Nat. Sér.* III. xi. (1849) 103.—Bras.
- dendroides, *Thw. Enum. Pl. Zeyl.* 222 = subulatus.
- dichotomus, *Gardn. in Calc. Journ. Nat. Hist.* vii. (1847) 185.—Ind. or.
- distichus, *Wedd. in DC. Prod.* xvii. 73.—Bras.
- Dregeanus, *Presl, Bot. Bemerk.* 149 = Tristicha Dregeana.
- ecostatus, *Griff. ex Tul. in Ann. Sc. Nat. Sér.* II. xi. (1849) 105 = Hookerianus.
- elongatus, *Gardn. in Calc. Journ. Nat. Hist.* vii. (1847) 188.—Zeylan.
- fruticulosus, *Wedd. in DC. Prod.* xvii. 74.—Bras.
- Gardneri, *Harv. ex Thw. Enum. Pl. Zeyl.* 223.—Zeylan.
- Griffithii, *Wall. ex Gardn. in Flora*, xxxiii. (1850) 40 = Hydrobryum Griffithii.
- griseum, *Gardn. in Calc. Journ. Nat. Hist.* vii. (1847) 182 = olivaceus.
- Hookerianus, *Wedd. in DC. Prod.* xvii. 74.—Ind. or. Johnsonis, *Wedd. l. c.* 75.—Ind. or.
- microcarpus, *Wedd. l. c.* 76.—Burma.
- minor, *Benth. & Hook. f. Gen.* iii. 112.—Reg. Himal. minutiflorus, *Benth. & Hook. f. l. c.*—Madag.
- olivaceus, *Gardn. in Calc. Journ. Nat. Hist.* vii. (1847) 181.—Ind. or.
- pterophyllus, *Benth. & Hook. f. Gen.* iii. 112.—Reg. Himal.; Burma.
- repens, *Rafin. in Am. Monthly Mag.* (1811) 356, nomen (Quid ?)—Am. bor.
- rigidus, *Gardn. in Calc. Journ. Nat. Hist.* vii. (1847) 187 = dichotomus.
- ruppioides, *H. B. & K. Nov. Gen. et Sp.* i. 246 = Apinagia ruppioides.
- stylosus, *Benth. & Hook. f. Gen.* iii. 112.—Ind. or.
- subulatus, *Gardn. in Calc. Journ. Nat. Hist.* vii. (1847) 184.—Zeylan.
- Wallichiana, *Griff. Notul.* iv. 379 = seq.
- Wallichii, *R. Br. in Wall. Cat. n.* 5225.—*Cf. Flora*, xxxiii. (1850) 40.—Reg. Himal.; Burma.
- Wightii, *Gardn. in Calc. Journ. Nat. Hist.* vii. (1847) 186 = dichotomus.

**PODOSTIGMA**, *Ell. Sketch*, i. 326 (1817). *ASCLEPIADEAE*, *Benth. & Hook. f. ii.* 755.

STYLANDRA, *Nutt. Gen. Am.* i. 170 (1818).

pubescens, *Ell. Sketch*, i. 326.—Am. bor.

viridis, *Ell. l. c.* 327 = Asclepiodora viridis.

**PODOTHECA**, *Cass. in Dict. Sc. Nat.* xxiii. 561 (1822). *COMPOSITAE*, *Benth. & Hook. f. ii.* 315.

LOPHOCLINIUM, *Endl. in Bot. Zeit.* i. (1843) 457

PHAENOPODA, *Cass. in Dict. Sc. Nat.* xlii. 84 (1826).

PODOSPERMA, *Labill. Nov. Holl. Pl. ii.* 35. t. 177 (1806), nomen prius.

angustifolia, *Less. Syn. Comp.* 273.—Austral.

chrysantha, *Benth. Fl. Austral.* iii. 602.—Austral.

fuscescens, *Benth. l. c.*—Austral.

gnaphalioides, *R. Grah. in Bot. Mag.* t. 3920.—Austral.

Pollackii, *F. Muell. Fragm.* xii. 21.—Austral.

pygmaea, *A. Gray, in Hook. Kew Journ.* iv. (1852) 227.—Austral.

POECHIA, *Endl. Gen. Suppl.* iv. 43 (1847) = *Psilostachys*, *Hochst. (Amarant.)*.

POECILANDRA, *Tul. in Ann. Sc. Nat. Sér.* III. viii. (1847) 342. *OCHNACEAE*, *Benth. & Hook. f. i.* 320.

retusa, *Tul. l. c.*—Guian.

POECILANTHE, *Benth. in Journ. Linn. Soc. iv. Suppl.* (1860) 80. *LEGUMINOSAE*, *Benth. & Hook. f. i.* 547.

grandiflora, *Benth. in Journ. Linn. Soc. iv. Suppl.* (1860) 80.—Bras.

parviflora, *Benth. l. c.*—Bras.

subcordata, *Benth. l. c.*—Bras.

POECILOCHROMA, *Miers, in Hook. Lond. Journ. Bot.* vii. (1848) 354. *SOLANACEAE*, *Benth. & Hook. f. ii.* 896.

**POECILOCHROMA** :—

- Boissieri*, *Dun. & A. DC. in DC. Prod.* xiii. i. 687 (= *Lycioplesium Boissieri*).—Venezuela.
- frondosum, *Miers, in Hook. Lond. Journ. Bot.* vii. (1848) 355.—Peruv.
- Funckianum, *Dun. & A. DC. in DC. Prod.* xiii. i. 687.—Venezuela.
- guttatum, *Miers, in Hook. Lond. Journ. Bot.* vii. (1848) 356.—Peruv.
- Lindenianum, *Miers, l. c.* 368.—N. Granat.
- Lobbianum, *Miers, l. c.* 367.—N. Granat.
- maculatum, *Miers, l. c.*—N. Granat.
- punctatum, *Miers, l. c.* 354.—Peruv.
- quitensis, *Miers, l. c.* (Acnistis sp. ?)—Ecuador.

POECILOCNEMIS, *Mart. ex Nees, in DC. Prod.* xi. 286, 295 (1847) = *Geissomeria*, *Lindl. etc. (Acanth.)*.

cincinnata, *Mart. l. c.* 287 = *G. cincinnata*.

macrostachya, *Mart. l. c.* 296 = *Aphelandra macrostachya*.

Minarum, *Mart. l. c.* 71 = *Ebermaiera Minarum*.

multiflora, *Mart. l. c.* 287 = *G. cincinnata*.

POECILODERMIS, *Schott, Melet.* 33 (1832) = *Sterculia*, *Linn.*

populnea, *Schott, l. c.* = *S. diversifolia*, *G. Don.*

POECILONEURON, *Bedd. in Journ. Linn. Soc.* viii. (1865) 267. t. 17. *TERNSTROEMACEAE*, *Benth. & Hook. f. i.* 981.

indicum, *Bedd. l. c.*—Ind. or.

pauciflorum, *Bedd. Fl. Sylv. i. t.* 93.—Ind. or.

POECILOSTACHYS, *Hack. in Sitzb. Acad. Wien*, lxxxix. (1884) 131. *GRAMINEAE*.

geminata, *Hack. l. c.* 133 = *Lophatherum geminatum*.

Hildebrandtii, *Hack. l. c.* 132.—Madag.

POECILOSTEMON, *Triana & Planch. in Ann. Sc. Nat. Sér. IV.* xiv. (1860) 256 = *Chrysochlamys*, *Poepp. & Endl. (Guttif.)*.

POECILOTRICHE, *Dulac, Fl. Hautes-Pyr.* 528 (1867) = *Saussurea*, *DC. (Compos.)*.

macrophylla, *Dulac, l. c.* = *S. alpina*.

POECKIA, *Benth. & Hook. f. Gen.* iii. 32 (1880), err. typ. = *POECHIA*, *Endl. — Psilostachys*, *Hochst. (Amarant.)*.

POEDERIA, *Reuss, Rep. Comm.* ii. 55 (1802), sphalm. = *Paederia*, *Linn. (Rubiaceae)*.

POEONIA, *Crantz, Stirp. Austr. ed. I. fasc. ii.* 126 (1762); ed. II. 136 (1769) = *Paeonia*, *Tourn. (Ranunc.)*.

POEPPIGIA, *Bert. ex Férussac, Bull. Sc. Nat.* xxiii. (1830) 109 = *Rhaphithamnus*, *Miers (Verben.)*.

cyanocarpa, *Bert. ex Hook. & Arn. Bot. Beech. Voy.* 58 = *R. cyanocarpus*.

POEPPIGIA, *Kunze, ex Reichb. Consp.* 212\* (1828) = *Tecophilaea*, *Bert. (Haemod.)*.

chilensis, *Kunze, ex Steud. Nom. ed. II. ii.* 366 = *T. violaeiflora*.

POEPPIGIA, *Presl, Symb. Bot. i.* 15. t. 8 (1830). *LEGUMINOSAE*, *Benth. & Hook. f. i.* 562.

KAMIREZIA, *A. Rich. Ess. Fl. Cub. t.* 39 (1855).

densiflora, *Tul. in Arch. Mus. Par. iv.* (1844) 122 = procera.

excelsa, *A. Rich. Ess. Fl. Cub.* 484.—Cuba.

ferruginea, *Tul. in Arch. Mus. Par. iv.* (1844) 120 = procera.

procera, *Presl, Symb. Bot. i.* 16.—Am. centr.

POEVREA, *Tul. in Ann. Sc. Nat. Sér. IV. vi.* (1856) 76 = *PEVRAEA*, *Comm. = Combretum*, *Linn.*

POGADELPHA, *Rafin. Fl. Tellur. iv.* 29 (1836) = *Sisyrinchium*, *Linn. (Irid.)*.

graminifolia, *Rafin. l. c.* 30 = *S. graminifolia*.

maculata, *Rafin. l. c.* 29 = *S. graminifolia*.

POGALIS, *Rafin. Fl. Tellur. iii.* 15 (1836) = *Polygonum*, *Tourn.*

barbata, *Rafin. l. c.* = *Polyg. barbatum*.

tinctoria, *Rafin. l. c.* = *Polyg. tinctorium*.

tomentosa, *Rafin. l. c.* = *Polyg. tomentosum*.

POGENDA, *Rafin. Sylva Tellur. 10* (1838) = *Olea*, *Tourn.*

cernua, *Rafin. l. c.* = *O. obtusifolia*.

POGGENDORFFIA, *Karst. in Linnaea*, xxviii. (1856) 438; et *Fl. Columb. i.* 29. t. 15 (1858) = *Tacsonia*, *Juss. (Passifl.)*.

rosea, *Karst. ll. cc.* 439; 29 = *T. pinnatistipula*.

POGOBLEPHIS, *Rafin. Fl. Tellur. iii.* 26 (1836) = *Gentiana*, *Tourn.*

missurica, *Rafin. l. c.* = *G. Amarella*.

POGOCHILUS, *Falc. in Hook. Journ. Bot. iv.* (1842) 73 = *Galeola*, *Lour. (Orchid.)*.

POGOGYNE, *Benth. Lab. Gen. et Sp.* 414 (1834). *LABIATAE*, *Benth. & Hook. f. ii.* 1190.

Douglasii, *Benth. Lab. Gen. et Sp.* 414.—Calif.

multiflora, *Benth. l. c.* = *Douglasii*.

nudiuscula, *A. Gray, in Bot. Calif. i.* 597.—Calif.

parviflora, *Benth. Lab. Gen. et Sp.* 414.—Calif.

serpyllodes, *A. Gray, in Proc. Am. Acad.* vii. (1868) 386.—Calif.

tenuiflora, *A. Gray, l. c.* xi. (1876) 100.—Calif.

zizyphoroides, *Benth. Pl. Hartw.* 330.—Calif.

POGOMESIA, *Rafin. Fl. Tellur. iii.* 67 (1836) = *Tinantia*, *Scheidw. (Commel.)*.

undata, *Rafin. l. c.* = *T. fugax*.

POGONANTHERA, *Blume, in Flora*, xiv. (1831) 520. *MELASTOMACEAE*, *Benth. & Hook. f. i.* 760.

corymbosa, *Zipp. ex Blume, Mus. Bot. Lugd. Bat. i.* 240 = *Geniostoma Lasiosytemon*.

pulverulenta, *Blume, in Flora*, xiv. (1831) 521.—Sumatra.

pulverulenta, *Korth. Verh. Nat. Gesch. Bot.* 247. t. 65 = reflexa.

reflexa, *Blume, in Flora*, xiv. (1831) 521.—Java; Amboina.

squamulata, *Korth. ex Blume, Mus. Bot. Lugd. Bat. i.* 24 = reflexa.

POGONANTHERA, *Spach, Hist. Vég. Phan. ix.* 583 (1840) = *Scaevola*, *Linn. (Gooden.)*.

POGONANTHUS, *Montr. in Mém. Acad. Lyon*, x. (1860) 225. *INC. SED.*—*Cf. Benth. & Hook. f. ii.* 29.

Candollei, *Montr. l. c.*—N. Caled.

POGONATHERUM, *Beauv. Agrost.* 56. t. 11. f. 7 (1812). *GRAMINEAE*, *Benth. & Hook. f. iii.* 1127.

HOMOPLITIS, *Trin. Fund. Agrost.* 166 (1820).

POGONOPSIS, *J. & C. Presl, Rel. Haenk. i.* 333. t. 46 (1830).

contortum, *Brongn. in Duperr. Voy. Coq. Bot.* 90. t. 17 = *Pollinia articulata*.

crinitum, *Kunth, Enum. Pl. i.* 478 = *saccharoideum*.

majus, *Griseb. in Goett. Nachr.* (1868) 92 = *rufobarbatum*.

polystachyum, *Roem. & Schult. Syst. ii.* 497 = *saccharoideum*.

refractum, *Nees, ex Hook. & Arn. Bot. Beech. Voy.* 239, in nota = *saccharoideum*.

rufobarbatum, *Griff. Notul. iii.* 81.—Ind. or.

saccharoideum, *Beauv. Agrost.* 176. t. 11. f. 7. As. trop.

tenuis, *Edgew. in Journ. As. Soc. Beng. xxi.* 1833. 181 = *Arthraxon microphyllum*!

POGONATUM, *Steud. Nom. ed. II. ii.* 261, in syn. (1841) sphalm. = *praece*.

POGONELLA, *Salisb. Gen. Pl. Fragm.* 70 (1806) = *Simethis*, *Kunth (Liliac.)*.

planifolium, *Salisb. l. c.* = *S. bicolor*.



POGONEMA, Rafin. Fl. Tellur. iv. 10 (1836) = **Zephyranthes**, Herb. (Amaryll.).  
*carinata*, Rafin. l. c. = *Z. carinata*.

POGONETES, Lindl. Introd. Nat. Syst. ed. II. 443 (1836) = **Scaevola**, Linn. (Gooden.).  
*spinescens*, Lindl. l. c. = *S. spinescens*.

POGONIA, Andr. Bot. Rep. t. 212 (1801) = **Myoporum**, Banks & Soland.  
*aspera*, Hort. ex A. DC. in DC. Prod. xi. 710 = *M. parvifolium*.  
*debilis*, Andr. Bot. Rep. t. 212 = *M. debile*.  
*glabra*, Andr. l. c. t. 283 = *M. acuminatum*.  
*integerrima*, Lag. Gen. et Sp. Nov. 10 = *M. acuminatum*.  
*scabra*, Hort. ex A. DC. l. c. 710 = *M. parvifolium*.  
*tetrandra*, Labill. Nov. Holl. Pl. i. 59. t. 83 = *M. serratum*.  
*tuberculata*, Hort. ex A. DC. in DC. Prod. xi. 710 = *M. parvifolium*.  
*verrucosa*, Desv. Journ. Bot. iv. (1814) 141 = *M. verrucosum*.

POGONIA, Juss. Gen. 65 (1789). **ORCHIDEAE**, Benth. & Hook. f. iii. 615.

APLOSTELLIS, Thou. Orch. Iles Austr. Afr. t. 24 (1822).  
CLEISTES, Rich. in Mém. Mus. Par. iv. (1818) 31.  
CODONORCHIS, Lindl. Gen. et Sp. Orch. 410 (1840).  
CORDYLA, Blume, Bijdr. 416 (1825).  
HAPLOSTELLIS, Endl. Gen. 219 (1837).  
ISOTRIA, Rafin. in Desv. Journ. Bot. i. (1808) 220.  
NERVILIA, Comm. ex Gaudich. in Freyc. Voy. Bot. 422. t. 35 (1826).  
ODONECTIS, Rafin. in Med. Repos. N. York, v. (1808) 357.

ROPHOSTEMON, Endl. Gen. 216 (1837).  
ROPTROSTEMON, Blume, Fl. Jav. Rar. Praef. p. vi (1828).

TRIPHORA, Nutt. Gen. Am. ii. 192 (1818).  
affinis, C. F. Austin, in A. Gray, Man. Bot. N. U. St. ed. V. 507.—Am. bor.

aphylla, Rodrig. Orch. Nov. ii. 269.—Bras.  
babianifolia, Voigt, Hort. Suburb. Calc. 632.—Reg. Himal.

bandana, Blume, Orch. Archip. Ind. 155.—Ins. Banda.

Barklyana, Reichb. f. in Flora, lxviii. (1885) 378; et in Gard. Chron. (1885) 1. 726.—Ins. Mascar.  
bella, Reichb. f. & Warm. Otia Bot. Hamb. 82.—Bras.

bicarinata, Blume, Orch. Archip. Ind. 152.—Ins. Mascar.

biflora, Wight, Ic. v. t. 1758.—Ind. or.  
Bollei, Reichb. f. Xenia Orch. ii. 88.—As. or.  
brasiliensis, Rodrig. Orch. Nov. i. 167.—Bras.  
caloptera, Reichb. f. & Warm. Otia Bot. Hamb. 82.—Bras.

carinata, Lindl. Gen. et Sp. Orch. 414.—Ind. or.  
carnosula, Reichb. f. in Nederl. Kruidk. Arch. iv. (1859) 323.—Bras.

Commerstonii, Blume, Orch. Archip. Ind. 152.—Madag.  
concolor, Blume, Mus. Bot. Lugd. Bat. i. 32.—Java.  
crispata, Blume, l. c.—Java.

cubensis, Reichb. f. in Nederl. Kruidk. Arch. iv. (1859) 322 (rubensis).—Cuba.

Dallachyana, F. Muell. ex Benth. Fl. Austral. vi. 310.—Austral.

dilatata, Blume, Orch. Archip. Ind. t. 10 = punctata? discolor, Blume, Mus. Bot. Lugd. Bat. i. 32.—Java.  
divaricata, R. Br. in Ait. Hort. Kew. ed. II. v. 203.—Am. bor.

flabelliformis, Lindl. in Wall. Cat. n. 7400.—Ind. or.; Malaya.

Fordii, Hance, in Journ. Bot. xxiii. (1885) 247.—China.

Gammieana, Hook. f. Bot. Mag. t. 6671.—Reg. Himal.  
gentianoides, Spreng. Syst. iii. 706.—Jamaic.  
gracilis, Rodrig. in Rev. Engenh. 74; ex ej. Orch. Nov. ii. 267.—Bras.

graminifolia, Voigt, Hort. Suburb. Calc. 632 = Spathoglottis pubescens.

grandiflora, Reichb. f. Xenia Orch. ii. 91.—Guian.

hirsuta, Blume, Orch. Archip. Ind. 152.—Madag.  
holochila, F. Muell. Fragm. v. 200.—Austral.

japonica, Reichb. f. in Linnaea, xxv. (1852) 228 = similis.

### POGONIA:—

Juliana, Wall. Cat. n. 7399.—Ind. or.  
latipetala, Rodrig. Orch. Nov. ii. 265.—Bras.  
lepida, Reichb. f. Xenia Orch. ii. 90.—Bras.  
Lessonii, Reichb. f. l. c. 92 = tetrphylla.

Libonii, Reichb. f. l. c. 91.—Bras.  
Liliastrium, Reichb. f. l. c. 89.—Bras.

macrantha, Rodrig. in Rev. Engenh. iii. 144; ex ej. Orch. Nov. ii. 265.—Bras.

macrophylla, Lindl. in Ann. & Mag. Nat. Hist. Ser. III. i. (1858) 335.—Cuba.

maculata, Par. & Reichb. f. in Trans. Linn. Soc. xxx. (1874) 143.—Burma.

Mantiqueirae, Reichb. f. & Warm. Otia Bot. Hamb. 81.—Bras.

metallina, Rodrig. in Rev. Engenh. 74; ex ej. Orch. Nov. ii. 267.—Bras.

Miersii, Reichb. f. Xenia Orch. ii. 89.—Bras.  
monantha, Rodrig. Orch. Nov. i. 167.—Bras.

montana, Reichb. f. Xenia Orch. ii. 91.—Bras.  
Moritzii, Reichb. f. l. c. 89 = rosea.

Nervilia, Blume, Mus. Bot. Lugd. Bat. i. 32 = flabelliformis.

ophioglossoides, [Ker-Gawl.] in Bot. Reg. t. 148; Nutt. Gen. Am. ii. 192.—Am. bor.

ovata, Lindl. Gen. et Sp. Orch. 415.—Ins. Marian.  
pachystomoides, F. Muell. Fragm. viii. 174.—Austral.

paludosa, Reichb. f. Xenia Orch. ii. 92.—Bras.  
paranaensis, Rodrig. Orch. Nov. ii. 268.—Bras.

parviflora, Reichb. f. Xenia Orch. ii. 90.—Guian.  
pendula, Lindl. in Bot. Reg. t. 908.—Am. bor.

physurifolia, Reichb. f. in Nederl. Kruidk. Arch. iv. (1859) 324 = macrophylla.

plicata, Lindl. Gen. et Sp. Orch. 415.—Ind. or.  
pluriflora, Rodrig. Orch. Nov. ii. 264.—Bras.

pulchella, Hook. f. Bot. Mag. t. 6851 = Fordii.  
punctata, Blume, Mus. Bot. Lugd. Bat. i. 32.—Java.

purpurata, Reichb. f. in Flora, xlvi. (1865) 184.—Afr. austr.

pusilla, Reichb. f. & Warm. Otia Bot. Hamb. 82.—Bras.

quadriculosa, Rodrig. Orch. Nov. ii. 263.—Bras.  
Renschiana, Reichb. f. Otia Bot. Hamb. 73; et in Bot. Zeit. xxxix. (1881) 449.—Madag.

revoluta, Rodrig. in Rev. Engenh. 144; ex ej. Orch. Nov. ii. 266.—Bras.

Rodeiensis, Rodrig. Orch. Nov. ii. 269.—Bras.  
rosea, Hemsl. Biol. Centr. Am. Bot. iii. 304.—Panama.

rubensis, Reichb. f. in Nederl. Kruidk. Arch. iv. (1859) 322, sphalm. = cubensis.

Scottii, Reichb. f. in Flora, lv. (1872) 276.—Reg. Himal.

similis, Blume, Orch. Archip. Ind. 148.—Japon.  
simplex, Reichb. f. Xenia Orch. ii. 92 = Thouarsii.

speciosa, Reichb. f. l. c. 90.—Bras.  
surinamensis, Lindl. ex Benth. in Hook. Lond. Journ. Bot. ii. (1843) 674.—Guian.

tenuis, Reichb. f. Xenia Orch. ii. 91.—Ind. occ.  
tetrphylla, Poepp. & Endl. Nov. Gen. et Sp. ii. 16. t. 122.—Chili.

Thouarsii, Blume, Orch. Archip. Ind. 152.—Ins. Mauriti.

trinervia, Voigt, Hort. Suburb. Calc. 632.—Ins. Molucc.

umbrosa, Reichb. f. in Flora, l. (1867) 102.—Afr. trop.

unguiculata, Reichb. f. Xenia Orch. ii. 91.—Bras.  
uniflora, F. Muell. Fragm. v. 201.—Austral.

velutina, Par. & Reichb. f. in Trans. Linn. Soc. xxx. (1874) 142.—Burma.

verticillata, Nutt. Gen. Am. ii. 192.—Am. bor.  
vinosa, Rodrig. Orch. Nov. ii. 263.—Bras.

viridiflora, Reichb. f. in Flora, lxv. (1882) 532.—Java.  
viridiflora, Wall. ex Voigt, Hort. Suburb. Calc. 632, nomen (Quid ?)—Ind. or.?

POGONIOPSIS, Reichb. f. Otia Bot. Hamb. 82 (1881). **ORCHIDEAE**, Benth. & Hook. f. iii. 616.

Nidus-avis, Reichb. f. l. c.—Bras.

POGONITIS, Reichb. Handb. 226 (1837) = **Anthyllis**, Riv. (Legumin.).

montana, Fourn. in Ann. Soc. Linn. Lyon, N. S. xvii. (1869) 196 = *A. montana*.

POGONOLEPIS, Steetz, in Lehm. Pl. Preiss. i. 440 (1845) = **Angianthus**, Wendl. (Compos.).

stricta, Steetz, l. c. = *A. strictus*.

POGONOLOBUS, F. Muell. Fragm. i. 55 (1858) = **Coelospermum**, Blume (Rubiace.).  
*reticulatus*, F. Muell. l. c. 56 = *C. reticulatum*.

POGONOPHORA, Miers, ex Benth. in Hook. Kew Journ. vi. (1854) 372. **EUPHORBACEAE**, Benth. & Hook. f. iii. 288.

Cunuri, Baill. Adansonia, iv. (1863–64) 288 = *Cunuria Spruceana*.

Schomburgkiana, Miers, ex Benth. in Hook. Kew Journ. vi. (1854) 273.—Bras.

Trianae, Muell. Arg. in Flora, xlvii. (1864) 434.—N. Granat.

POGONOPHYLLUM, Didr. in Kjoeb. Vidensk. Meddel. (1857) 144 = **Micrandra**, Benth. (Euphorb.).  
*elatum*, Didr. l. c. 145 = *M. elata*.

POGONOPSIS, J. & C. Presl, Rel. Haenk. i. 133. t. 46 (1830) = **Pogonatherum**, Beauv. (Gramin.).  
*tenera*, J. & C. Presl, l. c. = *Pogonath. saccharoideum*.

POGONOPUS, Klotzsch, in Monatsb. Akad. Berl. (1853) 500. **RUBIACEAE**, Benth. & Hook. f. ii. 47.

CHRYSOXYLON, Wedd. Hist. Nat. Quinquin. 100 (1849).

HOWARDIA, Wedd. in Ann. Sc. Nat. Ser. IV. i. (1854) 66. t. 10.

exsertus, Oerst. Am. Centr. 17. t. 13.—Costa Rica.  
Ottonis, Klotzsch, in Monatsb. Akad. Berl. (1853) 500.—Venezuela.

POGONOPHYLLUM, Didr. in Kjoeb. Vidensk. Meddel. (1857) 144 = **Micrandra**, Benth. (Euphorb.).  
*elatum*, Didr. l. c. 145 = *M. elata*.

POGONOPHYLLUM, Didr. in Kjoeb. Vidensk. Meddel. (1857) 144 = **Micrandra**, Benth. (Euphorb.).  
*elatum*, Didr. l. c. 145 = *M. elata*.

POGONOPHYLLUM, Didr. in Kjoeb. Vidensk. Meddel. (1857) 144 = **Micrandra**, Benth. (Euphorb.).  
*elatum*, Didr. l. c. 145 = *M. elata*.

POGONOPHYLLUM, Didr. in Kjoeb. Vidensk. Meddel. (1857) 144 = **Micrandra**, Benth. (Euphorb.).  
*elatum*, Didr. l. c. 145 = *M. elata*.

POGONOPHYLLUM, Didr. in Kjoeb. Vidensk. Meddel. (1857) 144 = **Micrandra**, Benth. (Euphorb.).  
*elatum*, Didr. l. c. 145 = *M. elata*.

POGONOPHYLLUM, Didr. in Kjoeb. Vidensk. Meddel. (1857) 144 = **Micrandra**, Benth. (Euphorb.).  
*elatum*, Didr. l. c. 145 = *M. elata*.

POGONOPHYLLUM, Didr. in Kjoeb. Vidensk. Meddel. (1857) 144 = **Micrandra**, Benth. (Euphorb.).  
*elatum*, Didr. l. c. 145 = *M. elata*.

POGONOPHYLLUM, Didr. in Kjoeb. Vidensk. Meddel. (1857) 144 = **Micrandra**, Benth. (Euphorb.).  
*elatum*, Didr. l. c. 145 = *M. elata*.

POGONOPHYLLUM, Didr. in Kjoeb. Vidensk. Meddel. (1857) 144 = **Micrandra**, Benth. (Euphorb.).  
*elatum*, Didr. l. c. 145 = *M. elata*.

POGONOPHYLLUM, Didr. in Kjoeb. Vidensk. Meddel. (1857) 144 = **Micrandra**, Benth. (Euphorb.).  
*elatum*, Didr. l. c. 145 = *M. elata*.

POGONOPHYLLUM, Didr. in Kjoeb. Vidensk. Meddel. (1857) 144 = **Micrandra**, Benth. (Euphorb.).  
*elatum*, Didr. l. c. 145 = *M. elata*.

POGONOPHYLLUM, Didr. in Kjoeb. Vidensk. Meddel. (1857) 144 = **Micrandra**, Benth. (Euphorb.).  
*elatum*, Didr. l. c. 145 = *M. elata*.

POGONOPHYLLUM, Didr. in Kjoeb. Vidensk. Meddel. (1857) 144 = **Micrandra**, Benth. (Euphorb.).  
*elatum*, Didr. l. c. 145 = *M. elata*.

POGONOPHYLLUM, Didr. in Kjoeb. Vidensk. Meddel. (1857) 144 = **Micrandra**, Benth. (Euphorb.).  
*elatum*, Didr. l. c. 145 = *M. elata*.

POGONOPHYLLUM, Didr. in Kjoeb. Vidensk. Meddel. (1857) 144 = **Micrandra**, Benth. (Euphorb.).  
*elatum*, Didr. l. c. 145 = *M. elata*.

POGONOPHYLLUM, Didr. in Kjoeb. Vidensk. Meddel. (1857) 144 = **Micrandra**, Benth. (Euphorb.).  
*elatum*, Didr. l. c. 145 = *M. elata*.

POGONOPHYLLUM, Didr. in Kjoeb. Vidensk. Meddel. (1857) 144 = **Micrandra**, Benth. (Euphorb.).  
*elatum*, Didr. l. c. 145 = *M. elata*.

POGONOPHYLLUM, Didr. in Kjoeb. Vidensk. Meddel. (1857) 144 = **Micrandra**, Benth. (Euphorb.).  
*elatum*, Didr. l. c. 145 = *M. elata*.

POGONOPHYLLUM, Didr. in Kjoeb. Vidensk. Meddel. (1857) 144 = **Micrandra**, Benth. (Euphorb.).  
*elatum*, Didr. l. c. 145 = *M. elata*.

POGONOPHYLLUM, Didr. in Kjoeb. Vidensk. Meddel. (1857) 144 = **Micrandra**, Benth. (Euphorb.).  
*elatum*, Didr. l. c. 145 = *M. elata*.

POGONOPHYLLUM, Didr. in Kjoeb. Vidensk. Meddel. (1857) 144 = **Micrandra**, Benth. (Euphorb.).  
*elatum*, Didr. l. c. 145 = *M. elata*.

POGONOPHYLLUM, Didr. in Kjoeb. Vidensk. Meddel. (1857) 144 = **Micrandra**, Benth. (Euphorb.).  
*elatum*, Didr. l. c. 145 = *M. elata*.

POGONOPHYLLUM, Didr. in Kjoeb. Vidensk. Meddel. (1857) 144 = **Micrandra**, Benth. (Euphorb.).  
*elatum*, Didr. l. c. 145 = *M. elata*.

POGONOPHYLLUM, Didr. in Kjoeb. Vidensk. Meddel. (1857) 144 = **Micrandra**, Benth. (Euphorb.).  
*elatum*, Didr. l. c. 145 = *M. elata*.

POGONOPHYLLUM, Didr. in Kjoeb. Vidensk. Meddel. (1857) 144 = **Micrandra**, Benth. (Euphorb.).  
*elatum*, Didr. l. c. 145 = *M. elata*.

POGONOPHYLLUM, Didr. in Kjoeb. Vidensk. Meddel. (1857) 144 = **Micrandra**, Benth. (Euphorb.).  
*elatum*, Didr. l. c. 145 = *M. elata*.

POGONOPHYLLUM, Didr. in Kjoeb. Vidensk. Meddel. (1857) 144 = **Micrandra**, Benth. (Euphorb.).  
*elatum*, Didr. l. c. 145 = *M. elata*.

POGONOPHYLLUM, Didr. in Kjoeb. Vidensk. Meddel. (1857) 144 = **Micrandra**, Benth. (Euphorb.).  
*elatum*, Didr. l. c. 145 = *M. elata*.

POGONOPHYLLUM, Didr. in Kjoeb. Vidensk. Meddel. (1857) 144 = **Micrandra**, Benth. (Euphorb.).  
*elatum*, Didr. l. c. 145 = *M. elata*.

POGONOPHYLLUM, Didr. in Kjoeb. Vidensk. Meddel. (1857) 144 = **Micrandra**, Benth. (Euphorb.).  
*elatum*, Didr. l. c. 145 = *M. elata*.

POGONOPHYLLUM, Didr. in Kjoeb. Vidensk. Meddel. (1857) 144 = **Micrandra**, Benth. (Euphorb.).  
*elatum*, Didr. l. c. 145 = *M. elata*.

POGONOPHYLLUM, Didr. in Kjoeb. Vidensk. Meddel. (1857) 144 = **Micrandra**, Benth. (Euphorb.).  
*elatum*, Didr. l. c. 145 = *M. elata*.

POGONOPHYLLUM, Didr. in Kjoeb. Vidensk. Meddel. (1857) 144 = **Micrandra**, Benth. (Euphorb.).  
*elatum*, Didr. l. c. 145 = *M. elata*.

POGONOPHYLLUM, Didr. in Kjoeb. Vidensk. Meddel. (1857) 144 = **Micrandra**, Benth. (Euphorb.).  
*elatum*, Didr. l. c. 145 = *M. elata*.

POGONOPHYLLUM, Didr. in Kjoeb. Vidensk. Meddel. (1857) 144 = **Micrandra**, Benth. (Euphorb.).  
*elatum*, Didr. l. c. 145 = *M. elata*.



## POGONOTROPHE:—

- ribesoides*, Miq. in Hook. Lond. Journ. Bot. vii. (1848) 78 = *Ficus recurva*.  
*rigida*, Miq. l. c. 74 = *F. ramentacea*.  
*sumatrana*, Miq. Fl. Ind. Bat. Suppl. 436 = *F. glandulifera*.  
*vagans*, Miq. in Hook. Lond. Journ. Bot. vii. (1848) 73 = *F. laevis*.  
*verrucosa*, Miq. l. c. 77 = *F. foveolata*.  
*Wightiana*, Miq. l. c. 74 = *F. glabella*.  
*zeylanica*, Walp. Ann. i. 701 = *F. laevis*.

POGONURA, DC. ex Lindl. Introd. Nat. Syst. ed. II. 263 (1836) = *Perezia*, Lag. (Compos.).

POGOPETALUM, Benth. in Proc. Linn. Soc. i. (1840) 87; et in Trans. Linn. Soc. xviii. (1841) 684. t. 42 = *Emmotum*, Desv. (Olac.).

- acuminatum*, Benth. l. c. 88; 685 = *E. acuminatum*.  
*acutum*, Benth. in Hook. Lond. Journ. Bot. ii. (1843) 377 = *E. fagifolium*.  
*affine*, Planch. ex Miers, in Ann. & Mag. Nat. Hist. Ser. II. x. (1852) 180 = *E. acuminatum*.  
*nitens*, Benth. in Hook. Lond. Journ. Bot. ii. (1843) 377 = *E. nitens*.  
*orbiculatum*, Benth. in Proc. Linn. Soc. i. (1840) 88; et in Trans. Linn. Soc. xviii. (1841) 685. t. 42 = *E. orbiculatum*.

POGOSPERMUM, Brongn. in Ann. Sc. Nat. Sér. V. i. (1864) 327 = *Catopsis*, Griseb. (Bromel.).

- Berteronianum*, Brongn. l. c. 328 = *C. nitida*.  
*flavum*, Brongn. l. c. —N. Granat.  
*floribundum*, Brongn. l. c. 329 = *C. nitida*.  
*inconspicuum*, Brongn. l. c. —Guian.  
*nitidum*, Brongn. l. c. 328 = *C. nitida*.  
*nutans*, Brongn. l. c. = *C. nutans*.  
*parviflorum*, Brongn. l. c. 329 = *Tillandsia parviflora*.  
*Patchouly*, Pritz. Ic. Ind. ii. 221, sphalm. = *Pogostemon Patchouly*.  
*sessiliflorum*, Brongn. in Ann. Sc. Nat. Sér. V. i. (1864) 328 = *C. nutans*.

POGOSTEMON, Desf. in Mém. Mus. Par. ii. (1815) 154. t. 6. *LABIATAE*, Benth. & Hook. f. ii. 1179.

- WENSEA, Wendl. Coll. Pl. iii. 24. t. 84 (1819).  
*amaranthoides*, Benth. in DC. Prod. xii. 153 (amarantoides).—Reg. Himal.  
*atropurpureus*, Benth. l. c. 154.—Ind. or.  
*Auricularia*, Hassk. in Hoev. & De Vriese, Tijdschr. x. (1843) 127 = *Dysophylla auricularia*.  
*barbinervis*, Benth. & Hook. f. Gen. ii. 1180 = *Comanthosphaea barbinervis*.  
*brachystachyus*, Benth. in DC. Prod. xii. 156.—Reg. Himal.  
*Cablin*, Benth. l. c. 156.—Ins. Philipp.  
*comosus*, Miq. Fl. Ind. Bat. ii. 963.—Java.  
*cristatus*, Hassk. in Hoev. & De Vriese, Tijdschr. x. (1843) 127.—Java.  
*elsholtzioides*, Benth. in DC. Prod. xii. 153.—Reg. Himal.  
*fraternus*, Miq. Fl. Ind. Bat. ii. 963.—Reg. Himal.; Java.  
*frutescens*, J. Grah. Cat. Bomb. Pl. 149 = *parviflorus*.  
*Gardneri*, Hook. f. Fl. Brit. Ind. iv. 632.—Ind. or.  
*glaber*, Benth. in Wall. Pl. As. Rar. i. 31.—Reg. Himal.  
*gracilis*, Hassk. in Hoev. & De Vriese, Tijdschr. x. (1843) 126.—Java.  
*Heyneanus*, Benth. in Wall. Pl. As. Rar. i. 31.—Ind. or.; Burma.  
*hirsutus*, Benth. Lab. Gen. et Sp. 155.—Zeylan.  
*hirsutus*, Wight, Ic. t. 1442 = *Wightii*.  
*imberbe*, Wight, ex Hook. f. Fl. Brit. Ind. iv. 637 = *atropurpureus*.  
*intermedius*, Benth. in Wall. Cat. n. 2327 = *parviflorus*.  
*japonicus*, Benth. & Hook. f. Gen. ii. 1180 = *Comanthosphaea japonica*.  
*longifolius*, F. Muell. Fragm. v. 200.—Austral.  
*menthoides*, Blume, Bijdr. 825.—Java.  
*mollis*, Benth. Lab. Gen. et Sp. 155.—Ind. or.  
*mollis*, Hassk. in Hoev. & De Vriese, Tijdschr. x. (1843) 126 = *tomentosus*.  
*paludosus*, Benth. in DC. Prod. xii. 154.—Ind. or.  
*paniculatus*, Benth. in Wall. Pl. As. Rar. i. 30.—Ind. or.  
*parviflorus*, Benth. l. c. 31.—Ind. or.; China.  
*Patchouly*, Pellet. in Mém. Soc. Sc. Orléans, v. (1845) 277. t. 7 = *Heyneanus*.

## POGOSTEMON:—

- petiolaris*, Benth. in DC. Prod. xii. 154 = *Wightii*.  
*plectranthoides*, Desf. in Ann. Mus. Par. ii. (1803) 155. t. 6.—Ind. or.  
*pubescens*, Benth. in DC. Prod. xii. 152 = *parviflorus*.  
*purpurascens*, Dalz. in Hook. Kew Journ. ii. (1850) 337.—Ind. or.  
*purpuricaulis*, Dalz. l. c. 336 = *parviflorus*.  
*quadrifolius*, F. Muell. Fragm. v. 200, in obs. = *Dysophylla quadrifolia*.  
*reflexus*, Benth. in DC. Prod. xii. 155.—Zeylan.  
*rotundatus*, Benth. in Wall. Pl. As. Rar. i. 31.—Ind. or.  
*rotundatus*, Wight, Ic. t. 1441 = *mollis*.  
*rupestris*, Benth. Lab. Gen. et Sp. 156.—Zeylan.  
*speciosus*, Benth. in Wall. Pl. As. Rar. i. 31.—Ind. or.  
*stellipila*, Benth. & Hook. f. Gen. ii. 1180 = *Comanthosphaea stellipila*.  
*strigosus*, Benth. in DC. Prod. xii. 155.—Reg. Himal.  
*suavis*, Tenore, in Pari. Giorn. Bot. ii. (1847) 56 = *Heyneanus*.  
*sublanceolatus*, Benth. & Hook. f. Gen. ii. 1180 = *Comanthosphaea sublanceolata*.  
*tomentosus*, Hassk. Cat. Hort. Bog. Alt. 131.—Java.  
*travancoricus*, Bedd. Ic. Pl. Ind. Or. i. 34.—Ind. or.  
*tuberculosus*, Benth. in Wall. Pl. As. Rar. i. 31.—Reg. Himal.  
*velatus*, Benth. in DC. Prod. xii. 155.—Ins. Philipp.  
*verticillatus*, Miq. Fl. Ind. Bat. ii. 965 = *Dysophylla verticillata*.  
*vestitus*, Benth. in Wall. Pl. As. Rar. i. 31.—Ind. or.  
*villosus*, Benth. Lab. Gen. et Sp. 153.—Reg. Himal.  
*Wightii*, Benth. l. c. 156.—Ind. or.

POGOSTOMA, Schrad. Ind. Sem. Hort. Gotting. (1831).—Cf. Linnaea, viii. (1833) Litt. 34 = *Capraria*, Tourn. (Scrophul.).

*saxifragaefolia*, Schrad. l. c. = *C. saxifragaefolia*.

POHLANA, Leand. Sacram. in Denkschr. Akad. Muench. (1819) 229 = *Zanthoxylum*, Linn. (Rutac.).

- instrumentaria*, Mart. Reise, ex Steud. Nom. ed. II. ii. 366, 796 = *Z. rhoifolium*.  
*Langsdorffii*, Nees & Mart. in Nov. Act. Nat. Cur. xii. i. (1824) 17 = *Z. rhoifolium*.

POICILLA, Griseb. Cat. Pl. Cub. 176 (1866). *AS-CLEPIADEAE*, Benth. & Hook. f. ii. 768.

- ovatifolia*, Griseb. l. c. = *Cuba*.  
*tamnifolia*, Griseb. l. c. 177.—*Cuba*.

POIDIUM, Nees, in Lindl. Introd. Nat. Syst. ed. II. 450 (1836) = *Poa*, Linn. (Gramin.).

*brasiliense*, Nees, l. c. = *Bras*.

POIKILOSPERMUM, Zipp. ex Miq. Ann. Mus. Bot. Lugd. Bat. i. 203 (1863-64). *URTICACEAE*, Benth. & Hook. f. iii. 389.

*amboinense*, Zipp. & Miq. l. c. = *Ins. Amboin*.

POINCETTIA, Klotzsch & Garcke, in Monatsb. Akad. Berl. (1859) 252 = *POINSETTIA*, R. Grah. = *Euphorbia*, Linn.

POINCIA, Neck. Elem. ii. 449 (1790) = *seq.*

POINCIANA, Tourn. ex Linn. Syst. ed. I (1735).

- LEGUMINOSAE*, Benth. & Hook. f. i. 569.  
*DELONIX*, Rafin. Fl. Tellur. ii. 92 (1836).  
*POINCIA*, Neck. Elem. ii. 449 (1790).  
*alata*, Burm. f. Fl. Ind. 333 = *Caesalpinia pulcherrima*.  
*bijuga*, Burm. f. l. c. = *Caesalpinia pulcherrima*.  
*bijuga*, Linn. Sp. Pl. ed. II. 709 = *Caesalpinia bijuga*.  
*bijugata*, Jacq. Enum. Pl. Carib. 20 = *praec*.  
*Boiviniana*, Baill. in Bull. Soc. Linn. Par. i. (1883) 372.—Madag.  
*cassiodora*, Poir. Encyc. Suppl. iv. 448 = *Caesalpinia cassiodora*.  
*compressa*, Sesse & Moc. ex G. Don, Gen. Syst. ii. 433.—Mexic.; Peruv.  
*coriaria*, Jacq. Select. Am. 123. t. 175. f. 36 = *Caesalpinia coriaria*.  
*elata*, Linn. Cent. Pl. ii. 16; *Amoen. Acad.* iv. 313.—Afr. trop.

## POINCIANA:—

- Gilliesii*, Hook. Bot. Misc. i. (1830) 129 = *Caesalpinia Gilliesii*.  
*hispida*, G. Don, Gen. Syst. ii. 433 = *Caesalpinia hispida*?  
*insignis*, Kunth, Mim. t. 44 = *Caesalpinia insignis*.  
*lutea*, Regel, Cat. Pl. Hort. Aksakov. 114.—Hab.? *mucronata*, Poir. Encyc. Suppl. iv. 448 = *Caesalpinia mucronata*.  
*Playfairii*, T. Anders. in Gard. Chron. (1863) 388.—Arab.  
*pulcherrima*, Linn. Sp. Pl. 380 = *Caesalpinia pulcherrima*.  
*pulchra*, Salisb. Prod. 326 = *praec*.  
*punctata*, Poir. Encyc. Suppl. iv. 449 = *Caesalpinia punctata*.  
*regia*, Boj. ex Hook. Bot. Mag. t. 2884.—Madag.  
*Roxburghii*, G. Don, Gen. Syst. ii. 433 = *Feltophorum ferrugineum*.  
*spinosa*, Molina, Sagg. Chile, 158 = *Caesalpinia tinctoria*.  
*Tara*, Ruiz & Pav. ex DC. Prod. ii. 481 = *Caesalpinia tinctoria*.

POINSETTIA, R. Grah. in Fdinb. N. Phil. Journ. xx. (Jan. 1836) 412 = *Euphorbia*, Linn.

- cyathophora*, Klotzsch & Garcke, in Monatsb. Akad. Berl. (1859) 253 = *E. heterophylla*.  
*dentata*, Klotzsch & Garcke, l. c. = *E. dentata*.  
*Edwardsii*, Klotzsch & Garcke, l. c. = *E. heterophylla*.  
*frangulaefolia*, Klotzsch & Garcke, l. c. = *E. geniculata*.  
*geniculata*, Klotzsch & Garcke, l. c. = *E. geniculata*.  
*heterophylla*, Klotzsch & Garcke, l. c. = *E. heterophylla*.  
*insulana*, Klotzsch & Garcke, l. c., nomen = *E. insulana*.  
*lancifolia*, Klotzsch & Garcke, l. c. = *E. lancifolia*.  
*Morisoniana*, Klotzsch & Garcke, l. c. = *E. heterophylla*, *barbellata*.  
*Oerstediana*, Klotzsch & Garcke, l. c., nomen = *E. Oerstediana*.  
*pedunculata*, Klotzsch & Garcke, in Seem. Bot. Voy. Herald, 277 = *E. strigosa*.  
*prunifolia*, Klotzsch & Garcke, in Monatsb. Akad. Berl. (1859) 253 = *E. geniculata*.  
*pulcherrima*, R. Grah. in Fdinb. N. Phil. Journ. xx. (Jan. 1836) 412 = *E. pulcherrima*.  
*punicea*, Klotzsch & Garcke, in Monatsb. Akad. Berl. (1859) 253 = *E. punicea*.  
*radians*, Klotzsch & Garcke, l. c. = *E. radians*.  
*Ruiziana*, Klotzsch & Garcke, l. c., nomen = *E. geniculata*.  
*Schiedeana*, Klotzsch & Garcke, l. c. = *E. dentata*.  
*xalapensis*, Klotzsch & Garcke, l. c. = *E. xalapensis*.

POIRETIA, Cav. Ic. iv. 24 (1797) = *Sprengelia*, Sm. (Epacrid.).

*cucullata*, Cav. l. c. 25 = *S. incarnata*.

POIRETIA, J. F. Gmel. Syst. 263 (1791) = *Houstonia*, Gronov. (Rubiace.).

- erecta*, J. F. Gmel. l. c. = *H. caerulea*.  
*procumbens*, J. F. Gmel. l. c. = *Anotis rotundifolia*.

POIRETIA, Sm. in Trans. Linn. Soc. ix. (1808) 304 = *Hovea*, R. Br. (Legumin.).

- elliptica*, Sm. l. c. 305 = *H. Celsi*.  
*linearis*, Sm. l. c. 304 = *H. linearis*.

POIRETIA, Vent. Choix, t. 42 (1803). *LEGUMINOSAE*, Benth. & Hook. f. i. 513.

- TURPINIA*, Pers. Syn. ii. 314 (1807).  
*angustifolia*, Vog. in Linnaea, xii. (1838) 53 = *punctata*.  
*aristata*, Desv. in Journ. Bot. i. (1813) 122 = *Pictetia aristata*.  
*coriifolia*, Vog. in Linnaea, xii. (1838) 55.—Bras.  
*densiflora*, Mart. in Flora, xx. (1837) 11. Beibl. 124.—Bras.  
*latifolia*, Vog. in Linnaea, xii. (1838) 54.—Bras.  
*latisiliquosa*, Desv. in Journ. Bot. i. (1813) 122 = *Chaetocalyx latisiliqua*.  
*multiflora*, Mart. & Gal. in Bull. Acad. Brux. x. 11. (1843) 179 = *scandens*.  
*psoraloides*, DC. Prod. ii. 315.—Reg. Argent.  
*pubescens*, Vog. in Linnaea, xii. (1838) 52.—Bras.  
*punctata*, Desv. in Journ. Bot. i. (1813) 122; et in Ann. Sc. Nat. Sér. I. ix. 1826 411.—Bras.  
*refracta*, Griseb. Cat. Pl. Cub. 72.—Cuba.  
*scandens*, Vent. Choix, 42. t. 42.—Mexic.



POISSONIA, Baill. Adansonia, ix. (1870) 295 = **Coursetia**, DC. (Legumin.).  
*solanacea*, Baill. l. c. 296 = *C. orbicularis*.

POITAEA, DC. Prod. ii. 263 (1825) = seq.

POITEA, Vent. Choix, 36. t. 36 (1800). **LEGUMINOSAE**, Benth. & Hook. f. i. 500.  
*Campanilla*, DC. Prod. ii. 263. —Ins. S. Doming.  
*galegiformis*, Spreng. Syst. iii. 272 = seq.  
*galegoides*, Vent. Choix, 36. t. 36. —Ins. S. Doming.  
*viciaefolia*, DC. in Ann. Sc. Nat. Sér. I. iv. (1825) 99. —Ins. S. Doming.

POIVRAEA, A. Rich. Ess. Fl. Cub. 528 (1845) = seq.

POIVREA, Comm. ex Thou. Obs. Pl. Afr. Austr. 28 (1806) = **Combretum**, Linn.  
*aculeata*, DC. Prod. iii. 18 = *C. aculeatum*.  
*aequinoctialis*, Regel, Cat. Pl. Hort. Aksakov. 114. —Hab.?  
*alba*, Rich. ex Tul. in Ann. Sc. Nat. Sér. IV. vi. (1856) 80 = *albiflora*.  
*albiflora*, Tul. l. c. —Madag.  
*alternifolia*, DC. Prod. iii. 17 = *C. alternifolium*.  
*barbata*, Walp. Rep. ii. 64 = *C. barbatum*.  
*Berneiana*, Tul. in Ann. Sc. Nat. Sér. IV. vi. (1856) 82. —Madag.  
*bracteosa*, Hochst. in Flora, xxvii. (1844) 424. —Afr. austr.  
*coccinea*, DC. Prod. iii. 18 = *C. coccineum*.  
*comosa*, Sweet, Hort. Brit. ed. II. 196 = *C. comosum*.  
*conferta*, Benth. in Hook. Niger Fl. 338 = *C. confertum*.  
*constricta*, Benth. l. c. 337 = *C. constrictum*.  
*eripetala*, DC. Prod. iii. 18 = *C. eripetalum*.  
*glutinosa*, Klotzsch, in Peters, Reise Mossamb. Bot. 79 = *C. Klotzschii*.  
*grandiflora*, Walp. Rep. ii. 64 = *C. grandiflorum*.  
*Hartmanniana*, Schweinf. Pl. Nilot. 8. t. 2 = *C. Hartmannianum*.  
*intermedia*, Walp. Rep. ii. 64 = *C. comosum*.  
*macrocalyx*, Tul. in Ann. Sc. Nat. Sér. IV. vi. (1856) 81. —Madag.  
*mossambicensis*, Klotzsch, in Peters, Reise Mossamb. Bot. 78. t. 13 = *C. constrictum*.  
*nudiflora*, Reichb. ex Walp. Rep. ii. 64 = *C. aculeatum*.  
*ovalis*, Walp. l. c. = *C. aculeatum*.  
*Pavonii*, Walp. l. c. = *C. Pavonii*.  
*pilosa*, Wight & Arn. Prod. 317 = *C. pilosum*.  
*Roxburghii*, DC. Prod. iii. 18 = *C. decandrum*.  
*rufipes*, Tul. in Ann. Sc. Nat. Sér. IV. vi. (1856) 82. —Madag.  
*senensis*, Klotzsch, in Peters, Reise Mossamb. Bot. 79. —Afr. trop.  
*sericea*, Walp. Rep. ii. 64 = *C. sericeum*.  
*squamosa*, Walp. l. c. = *C. squamosum*.  
*villosa*, Tul. in Ann. Sc. Nat. Sér. IV. vi. (1856) 80 = *C. villosum*.  
*violacea*, Tul. l. c. 79 = *C. violaceum*.

POKORNYA, Montr. in Mém. Acad. Lyon, x. (1860) 201 = **Lumnitzera**, Willd. (Combret.).  
*Ettingshausenii*, Montr. l. c. —N. Caled.

POLAKIA, Stapf, in Denkschr. Acad. Wien, l. (1885) 43. **LABIATAE**.  
*paradoxa*, Stapf, l. c. —Persia.

POLAMEIA, Reichb. Consp. 87 (1828) sphalm. = **Potameia**, Thou. (Laurin.).

POLANISIA, Rafin. in Am. Monthly Mag. (1818) 267; et in Journ. Phys. lxxxix. (1819) 98 = **Cleome**, Linn. (Capparid.).  
*angulata*, DC. Prod. i. 242 = *C. angulata*.  
*brachiata*, Boj. in Ann. Sc. Nat. Sér. II. xx. (1843) 56. —Madag.  
*burtporensis*, Munro, in Wight, Ic. t. 1072 = *C. simplicifolia*.  
*Chelidonii*, DC. Prod. i. 242 = *C. Chelidonii*.  
*dianthera*, DC. l. c. = *C. Chelidonii*.  
*dodecandra*, DC. l. c. = *C. Burmanni*.  
*dumosa*, Boj. ex Baker, in Journ. Bot. xx. (1882) 18 = *C. dumosa* (cf. Addend.).  
*felina*, DC. Prod. i. 242 = *C. felina*.  
*graveolens*, Rafin. in Am. Journ. Sc. Ser. I. i. (1819) 378 = *C. graveolens*.

POLANISIA:—

*heterophylla*, Wall. Cat. n. 6970 = *Cleome Chelidonii*.  
*icosandra*, Wight & Arn. Prod. 22 = *C. viscosa*.  
*Leschenaultii*, DC. Prod. i. 242 = *C. Chelidonii*.  
*lutea*, Sond. in Harv. & Sond. Fl. Cap. i. 57 = *C. lutea*, E. Mey.  
*maculata*, Sond. in Linnaea, xxiii. (1850) 6. —Afr. austr.  
*Maximiliani*, Wawra, in Sitzb. Acad. Wien, Math. Nat. xxxviii. (1860) 566 = *C. foliosa*.  
*micrantha*, Boj. in Ann. Sc. Nat. Sér. II. xx. (1843) 57 = *C. micrantha*, Baker (cf. Addend.).  
*microphylla*, Eichl. in Mart. Fl. Bras. xiii. i. 263. —Bras.  
*orthocarpa*, Hochst. in Flora, xxiv. (1841) i. Intell. 43, nomen; et Fenzl, ex Webb, Fragm. Fl. Aethiop. 23 = *C. viscosa*.  
*oxyphylla*, DC. Prod. i. 242 = *C. oxyphylla*.  
*Schvaderi*, DC. l. c. = *C. Chelidonii*.  
*simplicifolia*, Cambess. in Jacquem. Voy. Bot. 20. t. 20 = *C. simplicifolia*.  
*strigosa*, Boj. in Ann. Sc. Nat. Sér. II. xx. (1843) 56 = *C. strigosa*.  
*tenuifolia*, Torr. & Gray, Fl. N. Am. i. 123 = *C. tenuifolia*.  
*trachysperma*, Torr. & Gray, l. c. 669. —Texas.  
*uniglandulosa*, DC. Prod. i. 242 = *C. uniglandulosa*.  
*viscosa*, Blume, Bijdr. 52. —Java.  
*viscosa*, DC. Prod. i. 242 = *C. graveolens*.

POLANYISIA, Rafin. in Am. Monthly Mag. (1819) 194 = praec.

POLATHERUS, Rafin. in Am. Monthly Mag. (1818) 268 = **Gaillardia**, Foug. (Compos.).  
*scaber*, Rafin. l. c. = *G. aristata*.

POLEMANNIA, Berg. ex Schlecht. in Linnaea, i. (1826) 250 = **Dipcadi**, Medic. (Liliac.).  
*hyacinthoides*, Berg. l. c. = *D. hyacinthoides*.

POLEMANNIA, Eckl. & Zeyh. Enum. 347 (1837).  
**UMBELLIFERAE**, Benth. & Hook. f. i. 909.  
*grossulariaefolia*, Eckl. & Zeyh. Enum. 348. —Afr. austr.  
*verticillata*, Sond. in Harv. & Sond. Fl. Cap. ii. 551. —Afr. austr.

POLEMBRIUM, Steud. Nom. ed. II. ii. 367 (1841) = seq.

POLEMBRYON, Benth. & Hook. f. Gen. i. 299 (1862) = seq.

POLEMBRYUM, A. Juss. in Mém. Mus. Par. xii. (1825) 519. t. 28; Mem. Rut. 136. t. 49 = **Esenbeckia**, Kunth (Rutac.).  
*castaneaeacarpum*, A. Juss. ll. cc. t. 28. f. 49 = *E. pilocarpoides*.  
*Jussieu*, Schott, Rutac. t. 6 = *E. grandiflora*.

POLEMONIUM, [Tourn.] Linn. Syst. ed. I (1735); Gen. ed. I. 46 (1737). **POLEMONIACEAE**, Benth. & Hook. f. ii. 823.

*achilleaeefolium*, Willd. ex Roem. & Schult. Syst. iv. 793 = *Phacelia pimpinelloides*.  
*acutiflorum*, Willd. l. c. 792 = *caeruleum*.  
*album*, Fisch. Livl. Zust. 109 = *caeruleum*.  
*antarcticum*, Griseb. in Goett. Abh. vi. (1854) 131 = *micranthum*.  
*arcticum*, Nyl. & Saell. Herb. Mus. Fenn. 107 = *humile*.  
*boreale*, Adams, in Mém. Soc. Nat. Mosc. v. (1817) 92. —Sibir.  
*bursifolium*, Willd. ex Roem. & Schult. Syst. iv. 793 (= *Eutoca bursifolia*). —Mexic.  
*caeruleum*, Linn. Sp. Pl. 162. —Reg. bor. temp.  
*campanulatum*, Fries, in Notis. ur Sällsk. Faun. Fl. Fenn. Förh. Haef. xiii. (1871-74) 258, 262 = *caeruleum*.  
*campanuloides*, Thunb. Prod. Pl. Cap. 35 = *Retzia campanuloides*.  
*capitatum*, Benth. in DC. Prod. ix. 317 = *humile*, *caeruleum*.  
*capitatum*, Eschsch. in Mém. Acad. Pétersb. x. (1826) 282 = *Gilia multicaulis*.  
*carneum*, A. Gray, Syn. Fl. N. Am. ii. i. 151. —Am. bor. occ.

POLEMONIUM:—

*ciliatum*, Willd. ex Roem. & Schult. Syst. iv. 792 = *Phacelia fimbriata*.  
*confertum*, A. Gray, in Proc. Acad. Sc. Philad. 1863 (1864) 73. —Am. bor. occ.  
*dissectum*, Reichb. Ic. Fl. Germ. iv. 38 = *lacteum*.  
*dubium*, Linn. Sp. Pl. 163 = *Phacelia parviflora*.  
*elatum*, Salisb. Prod. 125 = *caeruleum*.  
*flavum*, Greene, in Coult. Bot. Gaz. vi. (1881) 217. —N. Mexic.  
*foliosissimum*, A. Gray, Syn. Fl. N. Am. ii. i. 151 = *mexicanum*?  
*Frolovianum*, Fisch. ex Herd. in Act. Hort. Petrop. i. (1874) 484 = *caeruleum*.  
*gracile*, Fisch. Hort. Gorenk. ed. II. (1812) 28 = seq.?  
*gracile*, Willd. Enum. Hort. Berol. Suppl. 10. —Dahuria.  
*grandiflorum*, Benth. in DC. Prod. ix. 317. —Mexic.  
*humile*, Salisb. Prod. 125 = *reptans*.  
*humile*, Turcz. ex Ledeb. Fl. Ross. iii. 84 = *caeruleum*.  
*humile*, Willd. ex Roem. & Schult. Syst. iv. 792. —Reg. arct. et Am. bor. occ.  
*lacteum*, Lehm. Sem. Hort. Hamb. (1825) 17; *Pugill.* i. 27. —Sibir.  
*lanatum*, Fisch. ex Hook. & Arn. Bot. Beech. Voy. 116 = *humile*.  
*lanatum*, Pall. Reise, iii. 33 = *caeruleum*.  
*mexicanum*, Cerv. ex Lag. Gen. et Sp. Nov. 10. —Mexic.  
*micranthum*, Benth. in DC. Prod. ix. 318. —Am. bor. occ.; Chili.  
*moschatum*, Wormsk. ex R. Grah. in Edinb. N. Phil. Journ. (Apr.–June 1829) 186 = *humile*.  
*muricatum*, Lag. ex Schrank, in Syll. Ratisb. i. (1824) 199 (an *Hydrophyllaceae*?). —Mexic.  
*Nyctelea*, Linn. Sp. Pl. ed. II. 231 = *Ellisia Nyctelea*.  
*obscurum*, Blanco, Fl. Filip. ed. I. 103 = *Lepistemon flavescens*.  
*pectinatum*, Greene, in Bull. Calif. Acad. i. (1884) 10. —Calif.  
*pimpinelloides*, Willd. ex Roem. & Schult. Syst. iv. 793 = *Phacelia pimpinelloides*.  
*prostratum*, Rudolph, ex Georgi, Besch. Russ. Reich. III. iv. 772 = *humile*.  
*pulchellum*, Bunge, in Ledeb. Fl. Alt. i. 233 = *humile*.  
*pulcherrimum*, Hook. Bot. Mag. t. 2979 = *humile*.  
*quadriflorum*, Rafin. Atl. Journ. 177 (Quid?). —Am. bor.  
*reptans*, Linn. Syst. ed. X. 925. —Am. bor.  
*Richardsonii*, R. Grah. in Edinb. N. Phil. Journ. (Oct.–Dec. 1827) 175 = *humile*.  
*roëlloides*, Thunb. Prod. Pl. Cap. 35 = *Retzia roëlloides*.  
*rubrum*, Linn. Sp. Pl. 163 = *Gilia coronopifolia*.  
*sibiricum*, D. Don, in Edinb. Phil. Journ. (Oct. 1822) 287 = *caeruleum*.  
*speciosum*, Fisch. ex Steud. Nom. ed. II. ii. 367 = *humile*.  
*valerianaefolia*, Gilib. Fl. Lituan. i. 45 = *caeruleum*.  
*villosum*, Rudolph, ex Georgi, Besch. Russ. Reich. III. iv. 771 = *caeruleum*.  
*viscosum*, Nutt. in Journ. Acad. Philad. N. S. i. (1847) 154. —Am. bor. occ.  
*vulgare*, S. F. Gray, Nat. Arr. Brit. Pl. ii. 341 = *caeruleum*.

POLIA, Lour. Fl. Cochinch. 164 (1790) = **Polycarpaea**, Lam. (Caryoph.).  
*arenaria*, Lour. l. c. = *Polycarpaea corymbosa*.

POLIA, Tenore, Cat. Orto Bot. Nap. (1845) 92 = **Cypella**, Herb. (Irid.).  
*bonariensis*, Tenore, l. c. = *C. Herberti*.  
*gracilis*, Klatt, in Linnaea, xxxi. (1861-62) 545 = *C. gracilis*.  
*pusilla*, Klatt, l. c. = *C. pusilla*.  
*ramosa*, Klatt, l. c. 544 = *C. Herberti*.

POLIANTHES, Linn. Gen. ed. I. 97 (1737).  
**AMARYLLIDAE**, Benth. & Hook. f. iii. 737.  
**POLYANTHUS**, Linn. Hort. Cliff. 126 (1737).  
**POTHOS**, Adans. Fam. ii. 57 (1763).  
**TUBEROSA**, Heist. Syst. 5 (1748).  
*ensifolia*, Hort. ex Steud. Nom. ed. II. ii. 368 = *Massonia ensifolia*.  
*gracilis*, Link, Enum. Hort. Berol. i. 330 = *tuberosa*.



**POLIANTHES:—**

- maculata, *Mart. Ausw. Merkw. Pfl.* 19. t. 13.—Mexic.  
 mexicana, Zucc. in *Abh. Akad. Muench.* ii. (1837) 319  
 = tuberosa.  
 pygmaea, Jacq.  *Ic. Pl. Rar.* t. 380 = *Massonia*  
 ensifolia.  
 tuberosa, *Linn. Sp. Pl.* 316.—Mexic.

POLICARPEA, Lam. in *Journ. Nat. Hist. Par.* ii.  
 (1792) 1 = **Polycarpaea**, Lam. (Caryoph.).

POLIGALA, Neck. Delic. Gallo-Belg. ii. 300 (1768) =  
**Polygala**, Tourn.

POLIGONUM, Neck. Delic. Gallo-Belg. i. 183 (1768)  
 = **Polygonum**, Linn.

POLIODENDRON, Webb & Berth. *Phyt. Canar.* iii. 106.  
 t. 173 (1836-50) = **Teucrium**, Tourn. (Labi.).  
*heterophyllum*, Webb & Berth. l. c. 107 = *T. hetero-*  
*phyllum*.

POLIOMINTHA, A. Gray, in *Proc. Am. Acad.* viii.  
 (1873) 295, 365. **LABIATAE**, Benth. & Hook. f.  
 ii. 1189.  
*glabrescens*, A. Gray, ex *Hemsl. Biol. Centr. Am. Bot.*  
 ii. 549.—Texas; Mexic.  
*incana*, A. Gray, in *Proc. Am. Acad.* viii. (1870) 296.  
 —Am. bor. occ.  
*longiflora*, A. Gray, l. c.—Mexic.  
*marifolia*, A. Gray, l. c. (1872) 365.—Mexic.  
*mollis*, A. Gray, l. c.—Texas.

POLIUM, Tourn. ex *Linn. Syst. ed. I* (1735) = **Teu-**  
**erium**, Tourn. (Labi.).  
*album*, Mill. *Gard. Dict. ed. VIII.* n. 4 = *T. Polium*.  
*angustifolium*, Mill. l. c. n. 3 = *T. Polium*.  
*aransicum*, Jord. & Fourr. in *Ann. Soc. Linn. Lyon*,  
 N. S. xvii. (1869) 139, nomen = *T. Polium*.  
*aureum*, Moench, *Meth.* 385 = *T. Polium*.  
*brevicaule*, Jord. & Fourr. in *Ann. Soc. Linn. Lyon*,  
 N. S. xvii. (1869) 139, nomen = *T. Polium*.  
*canescens*, Jord. & Fourr. l. c., nomen = *T. Polium*.  
*capitatum*, Mill. *Gard. Dict. ed. VIII.* n. 5 = *T.*  
*Polium*.  
*chamaedryoides*, Pourr. ex Willk. & Lange, *Prod. Fl.*  
*Hisp.* ii. 475 = *T. buxifolium*.  
*collinum*, Jord. & Fourr. in *Ann. Soc. Linn. Lyon*,  
 N. S. xvii. (1869) 139, nomen = *T. Polium*.  
*debile*, Jord. & Fourr. l. c., nomen = *T. Polium*.  
*diffusum*, Mill. *Gard. Dict. ed. VIII.* n. 13 = *T.*  
*Polium*.  
*druentinum*, Jord. & Fourr. in *Ann. Soc. Linn. Lyon*,  
 N. S. xvii. (1869) 139, nomen = *T. Polium*.  
*drumense*, Jord. & Fourr. l. c., nomen = *T. Polium*.  
*erectum*, Mill. *Gard. Dict. ed. VIII.* n. 8 = *T.*  
*Polium*.  
*flexuosum*, Jord. & Fourr. in *Ann. Soc. Linn. Lyon*,  
 N. S. xvii. (1869) 139, nomen = *T. Polium*.  
*fruticosum*, Mill. *Gard. Dict. ed. VIII.* n. 11 = *T.*  
*Polium*.  
*graniticum*, Jord. & Fourr. in *Ann. Soc. Linn. Lyon*,  
 N. S. xvii. (1869) 139, nomen = *T. Polium*.  
*integerrimum*, Mill. *Gard. Dict. ed. VIII.* n. 14 =  
*T. Polium*.  
*lagopinum*, Jord. & Fourr. in *Ann. Soc. Linn. Lyon*,  
 N. S. xvii. (1869) 139, nomen = *T. Polium*.  
*latifolium*, Mill. *Gard. Dict. ed. VIII.* n. 7 =  
*T. Polium*.  
*leptocladon*, Jord. & Fourr. in *Ann. Soc. Linn. Lyon*,  
 N. S. xvii. (1869) 139, nomen = *T. Polium*.  
*luteum*, Mill. *Gard. Dict. ed. VIII.* n. 2 = *T. Polium*.  
*massiliense*, Jord. & Fourr. in *Ann. Soc. Linn. Lyon*,  
 N. S. xvii. (1869) 139 = *T. aureum*.  
*microphyllum*, Jord. & Fourr. l. c. 138, nomen =  
*T. Polium*.  
*montanum*, Jord. & Fourr. ex *Nym. Consp.* 566 =  
*T. Polium*.  
*montanum*, Mill. *Gard. Dict. ed. VIII.* n. 1 = *T. mon-*  
*tanum*.  
*perenne*, Gueldenst. *Reisen*, ii. 178 = *T. Polium*.  
*pratense*, Gueldenst. l. c. 163 = *T. Polium*.  
*pyrenaicum*, Mill. *Gard. Dict. ed. VIII.* n. 6 =  
*T. pyrenaicum*.  
*ramosum*, Mill. l. c. n. 9 = *T. Polium*.  
*rhodanicum*, Jord. & Fourr. in *Ann. Soc. Linn. Lyon*,  
 N. S. xvii. (1869) 139, nomen = *T. Polium*.  
*saxicolum*, Jord. & Fourr. l. c. = *T. aureum*.

**POLIUM:—**

- serratum*, Mill. *Gard. Dict. ed. VIII.* n. 12 = *Teucrium*  
*Polium*.  
*smyrnaeum*, Mill. l. c. n. 15 = *T. Polium*.  
*spicatum*, Mill. l. c. n. 10 = *T. Polium*.  
*supinum*, Schur, *Enum. Pl. Trans.* 547 = *T. montanum*.  
*supravirens*, Jord. & Fourr. in *Ann. Soc. Linn. Lyon*,  
 N. S. xvii. (1869) 139, nomen = *T. Polium*.  
*tomentosum*, Moench, *Meth. Suppl.* 133 = *T. mon-*  
*tanum*.  
*vestitum*, Jord. & Fourr. in *Ann. Soc. Linn. Lyon*,  
 N. S. xvii. (1869) 139, nomen = *T. Polium*.  
*vivariense*, Jord. & Fourr. l. c., nomen = *T. Polium*.

POLLALESTA, H. B. & K. *Nov. Gen. et Sp.* iv. 46.  
 t. 321 (1820) = **Oliganthes**, Cass. (Compos.).  
*vernonioides*, H. B. & K. l. c. = *O. triflora*.

POLLIA, Thunb. *Gen. Nov.* i. 11 (1781). **COMME-**  
**LINACEAE**, Benth. & Hook. f. iii. 846.  
*ACLISIA*, E. Mey. in *Presl, Rel. Haenk.* i. 137. t. 25  
 (1827).

LAMPROCARPUS, Blume, ex *Schult. f. Syst.* vii. 1615,  
 1726 (1830).  
*Aclisia*, Hassk. *Commel. Ind.* 55.—Reg. Himal.;  
 Malaya.  
*condensata*, C. B. Clarke, in *DC. Monog. Phan.* iii.  
 125.—Afr. trop.  
*crispata*, Benth. *Fl. Austral.* vii. 90.—Austral.  
*cyanococca*, F. Muell. *Fragm.* v. 40 = *macrophylla*,  
*crispata*.  
*didyma*, C. B. Clarke, in *Journ. Linn. Soc. xi.* (1871)  
 451 = *sorzogonensis*.  
*elegans*, Hassk. in *Miq. Pl. Jungh.* 149.—Java.  
*glaucescens*, Teijsm. & Binn. in *Tijdschr. Nederl. Ind.*  
 xxiv. (1862) 305 = *thyrsiflora*.  
*gracilis*, C. B. Clarke, in *DC. Monog. Phan.* iii. 124.—  
 Ins. Johanna.  
*Horsfieldii*, C. B. Clarke, l. c. 123.—Java.  
*indica*, Thw. *Enum. Pl. Zeyl.* 323 = *sorzogonensis*.  
*japonica*, Hance, in *Journ. Bot.* xvi. (1878) 233 =  
*sorzogonensis*.  
*japonica*, Thunb. *Nov. Gen.* i. 12; *Fl. Jap.* 138.—  
 Japon.  
*macrophylla*, Benth. *Fl. Austral.* vii. 90.—Austral.  
*Mannii*, C. B. Clarke, in *DC. Monog. Phan.* iii. 124.—  
 Afr. trop.  
*pentasperma*, C. B. Clarke, l. c. 129.—Reg. Himal.  
*purpurea*, Hort. ex C. B. Clarke, l. c. 237 = *Forrestia*  
*marginata*.  
*sorzogonensis*, Miq. *Fl. Ind. Bat.* iii. 541, partim =  
*P. Aclisia*.  
*sorzogonensis*, Steud. *Nom. ed. II.* ii. 368.—Reg.  
 Himal.; As. trop.; N. Caled.  
*subumbellata*, C. B. Clarke, in *Journ. Linn. Soc. xi.*  
 (1871) 451.—Reg. Himal.  
*sumatrana*, Hassk. *Commel. Ind.* 56.—Ins. Philipp.?  
*thyrsiflora*, Endl. ex Hassk. in *Miq. Pl. Jungh.* 150.  
 —Ins. Andam.; Malaya.  
*Zollingeri*, C. B. Clarke, in *DC. Monog. Phan.* iii. 127.  
 —Java.

POLLICHIA, Medic. Bot. Beobacht. (1783) 247 =  
**Trichodesma**, R. Br. (Borag.).  
*africana*, Medic. l. c. 248 = *T. africanum*.  
*indica*, Medic. l. c. 247 = *T. indicum*.  
*latispalea*, F. Muell. *Census*, 100 = *T. latispaleum*.  
*seylanica*, F. Muell. l. c. = *T. zeylanicum*.

POLLICHIA, Schrank, in *Act. Erford.* iii. (1782) 85 =  
**Lamium**, Tourn. (Labi.).  
*amplexicaulis*, Willd. *Prod. Fl. Berol.* 198 = *L. amplexi-*  
*caule*.  
*Galeobdolon*, Schrank, in *Act. Erford.* iii. (1782) 85 =  
*L. Galeobdolon*.  
*longicaulis*, Krock. *Fl. Siles. Suppl.* ii. 150 = *L. Galeob-*  
*dolon*?  
*montana*, Pers. in *Usteri, Ann. Bot.* xiv. (1795) 89 =  
*L. Galeobdolon*.  
*vulgaris*, Pers. l. c. = *L. Galeobdolon*.

POLLICHIA, [Soland. in] *Ait. Hort. Kew. ed. I.* i. 5  
 (1789). **ILLECEBRACEAE**, Benth. & Hook. f. iii.  
 14.  
 MEERBURGIA, Moench, *Meth. Suppl.* 116 (1794).  
 NECKERIA, J. F. Gmel. *Syst.* 16 (1791).  
*campestris*, [Soland. in] *Ait. Hort. Kew. ed. I.* i. 5; iii.  
 505.—Afr. austr.

POLLINIA, Spreng. *Pugill.* ii. 10 (1815), farrago =  
 seq. &c.

POLLINIA, Trin. in *Mém. Acad. Pétersb. Sér. VI.* ii.  
 (1833) 304. **GRAMINEAE**, Benth. & Hook. f. iii.  
 1127.

*DACTYLUS*, Burm. f. *Fl. Cap. Prod.* 3 (1768).  
*EULALIA*, Kunth, *Rév. Gram.* i. 160. t. 93 (1829).  
*LEPTATHERUM*, Nees, in *Proc. Linn. Soc. i.* (1841)  
 92.  
*MICROSTEGIUM*, Nees, in *Lindl. Introd. Nat. Syst.*  
 ed. II. 447 (1836).  
*NEMASTACHYS*, Steud. *Syn. Pl. Gram.* 357 (1855).  
*argentea*, Trin. in *Bull. Sc. Acad. Pétersb. i.* (1836)  
 71.—Ind. or.; Austral.  
*articulata*, Trin. l. c.—As. trop.; Austral.  
*aurea*, Benth. in *Journ. Linn. Soc. xix.* (1881) 67.—  
 Ins. Mascar.  
*brevifolia*, Spreng. *Syst. i.* 288 = *Andropogon brevi-*  
*folius*.  
*ciliaris*, Spreng. l. c. 289 = *Arthraxon ciliaris*.  
*ciliata*, Nees, in *Nov. Act. Nat. Cur. xix. Suppl. i.*  
 (1843) 186.—Ind. or.; China.  
*ciliata*, Trin. in *Mém. Acad. Pétersb. Sér. VI.* ii. (1833)  
 306.—Ind. or.  
*Cumingii*, Nees, in *Hook. Kew Journ.* ii. (1850) 98.—  
 As. trop.; Austral.  
*depauperata*, Spreng. *Pugill.* ii. 11 = *Andropogon de-*  
*pauperatus*.  
*dispar*, Nees, ex *Steud. Syn. Pl. Gram.* 410.—Java.  
*distachya*, Spreng. *Pugill.* ii. 12 = *Andropogon*  
*distachya*.  
*dura*, Trin. in *Bull. Sc. Acad. Pétersb. i.* (1836) 71 =  
*Erianthus strictus*.  
*eripoda*, Hance, in *Journ. Bot.* iv. (1866) 173 =  
*Spodiopogon angustifolius*.  
*eucnemis*, Nees, ex *Steud. Syn. Pl. Gram.* 409.—  
 Burma; Celebes.  
*fastigiata*, Spreng. *Pugill.* ii. 13 = *Andropogon fasti-*  
*giatus*.  
*filifolius*, Benth. in *Journ. Linn. Soc. xix.* (1881) 67 =  
*Erianthus filifolius*.  
*filiformis*, Spreng. *Syst. i.* 288 = *Leptochloa cyno-*  
*suroides*.  
*fragilis*, Spreng. l. c. 289 = *Andropogon brevifolius*.  
*fulta*, Desv. *Opusc.* 69 = *Andropogon Pseudograya*.  
*fulva*, Benth. *Fl. Austral.* vii. 526 = *Cumingii*.  
*fulva*, Spreng. *Neue Entdeck.* ii. 93 = *Chrysopogon*  
*montanus*.  
*glabrata*, Trin. in *Bull. Sc. Acad. Pétersb. i.* (1836)  
 70.—Ins. Societ.; N. Caled.  
*Gryllus*, Spreng. *Pugill.* ii. 18 = *Chrysopogon Gryllus*.  
*imberbis*, Nees, ex *Steud. Syn. Pl. Gram.* 410.—  
 Ind. or.; Japon.  
*irritans*, Benth. *Fl. Austral.* vii. 525.—Austral.  
*japonica*, Franch. & Sav. *Enum. Pl. Jap.* ii. 608 =  
*imberbis*.  
*japonica*, Miq. *Ann. Mus. Bot. Lugd. Bat.* ii. 290 =  
*nuda*.  
*lancea*, Nees, ex *Steud. Syn. Pl. Gram.* 410 = *ciliata*.  
*Trin.*  
*laxa*, Nees, ex *Steud. l. c.* = *ciliata*, Trin.  
*Lehmanni*, Arn. & Nees, ex *Nees, in Nov. Act. Nat.*  
*Cur. xix. Suppl. i.* (1843) 186.—Reg. Himal.  
*longisetosus*, Benth. in *Journ. Linn. Soc. xix.* (1881) 67  
 = *Erianthus longisetosus*.  
*Mackinlayi*, F. Muell. ex *Benth. Fl. Austral.* vii. 527.  
 —Austral.  
*microstachya*, Desv. *Opusc.* 70 = *Andropogon micro-*  
*stachyus*.  
*monandra*, Spreng. *Syst. i.* 288 = *Pogonatherum*  
*saccharoideum*.  
*monantha*, Nees, ex *Steud. Syn. Pl. Gram.* 410.—  
 Ind. or.  
*montana*, Nees, ex *Steud. l. c.* 409 = *ciliata*, Trin.  
*nuda*, Trin. in *Mém. Acad. Pétersb. Sér. VI.* ii. 1833  
 307.—Ind. or.; Japon.; Afr. austr.  
*pallida*, Roem. & Schult. *Syst. ii.* 829 = *Chrysopogon*  
*Gryllus*.  
*polystachys*, Spreng. *Syst. i.* 288 = *Pogonatherum*  
*saccharoideum*.  
*praemorsa*, Nees, ex *Steud. Syn. Pl. Gram.* 409.—  
 Java.  
*scoparia*, Spreng. *Pugill.* ii. 13 = *Andropogon scoparius*.  
*setifolia*, Nees, in *Hook. Kew Journ.* ii. (1850) 101 =  
*articulata*.  
*spectabilis*, Trin. in *Mém. Acad. Pétersb. Sér. VI.* ii.  
 1833 305.—Ins. Carolin.



**POLLINIA** :—

- striata*, Spreng. Pugill. ii. 12 = *Ischaemum laxum*.  
*tenuis*, Trin. in *Mém. Acad. Pétersb.* Sér. VI. ii. (1833) 306.—Ins. Philipp.  
*tristachya*, Thw. Enum. Pl. Zeyl. 368 = *argentea*.  
*undata*, Spreng. Pugill. ii. 12 = *Oplismenus compositus*.  
*vagans*, Nees, ex Steud. Syn. Pl. Gram. 410.—Reg. Himal.  
*vaginata*, Spreng. Pugill. ii. 11 = *Andropogon brevifolius*.  
*versicolor*, Benth. in Journ. Linn. Soc. xix. (1881) 67 = *Erianthus versicolor*.  
*villosa*, Munro, ex Benth. Fl. Hongk. 420.—Reg. Himal.; China.  
*villosa*, Spreng. Syst. i. 288.—Afr. austr.; Madag.  
*Wallichiana*, Nees, ex Steud. Syn. Pl. Gram. 410 = *ciliata*, Trin.  
*Willdenowiana*, Benth. in Journ. Linn. Soc. xix. (1881) 67 = *imberbis*.

**POLLINIRHIZA**, Dulac, Fl. Hautes-Pyr. 120 (1867) = **Listera**, Linn. (Orchid.).  
*cordata*, Dulac, l. c. = *L. cordata*.  
*ovata*, Dulac, l. c. = *L. ovata*.

**POLOA**, DC. in Guill. Arch. Bot. ii. (1833) 514 = **Pulicaria**, Gaertn. (Compos.).  
*Dalsellii*, Hook. f. & Thoms. ex C. B. Clarke, Comp. Ind. 129 = *Pul. angustifolia*.  
*Wightiana*, DC. in Guill. Arch. Bot. ii. (1833) 515; et in Wight, Contrib. 10 = *Pul. Wightiana*.

**POLPODA**, Presl, Polpoda, Nov. Pl. Gen. (1829); et Symb. Bot. i. t. 1 (1830). **FICOIDEAE**, Benth. & Hook. f. i. 858.

*BLEPHAROLEPIS*, Nees, in Lindl. Introd. Nat. Syst. ed. II. 442 (1836).  
*capensis*, Presl, Polpoda, Nov. Pl. Gen. (1829); et Symb. Bot. i. t. 1.—Afr. austr.

**POLTOLOBIUM**, Presl, Bot. Bemerk. 63 (1844); in Abh. Boehm. Ges. V. iii. (1845) 493 = **Andira**, Lam. (Legumin.).  
*hypoleucum*, Presl, ll. cc. 63; 493.—Mexic.

**POLYACANTHA**, S. F. Gray, Nat. Arr. Brit. Pl. ii. 443 (1821) = **Centaurea**, Linn. (Compos.).  
*procumbens*, S. F. Gray, l. c. = *C. aspera*.

**POLYACANTHA**, Hill, Herb. Brit. i. 69 (1769) = **Carduus**, Tourn. (Compos.).  
*acanthoides*, Hill, l. c. = *C. acanthoides*.  
*acaulis*, Hill, l. c. 71 = *Cnicus acaulis*.  
*crispus*, Hill, l. c. = *C. crispus*.  
*palustris*, Hill, l. c. 70 = *Cnicus palustris*.

**POLYACANTHUS**, Presl, Bot. Bemerk. 33 (1844); in Abh. Boehm. Ges. V. iii. (1845) 463 = **Gymnosporia**, Benth. & Hook. f. (Celastrin.).  
*angustifolius*, Presl, ll. cc. 34; 464.—Afr. austr.  
*stenophyllus*, Presl, ll. cc. 33; 463.—Afr. austr.

**POLYACHYRUS**, Lag. Amen. Nat. i. 37 (1811). **COMPOSITAE**, Benth. & Hook. f. ii. 499.  
**BRIDGESIA**, Hook. Bot. Misc. ii. (1831) 222. t. 92.

**DIAPHORANTHUS**, Meyen, Reise, i. 406 (1834).  
*auritus*, D. Don, in Phil. Mag. (1832) 390; et in Guill. Arch. Bot. ii. (1833) 466 = *Poeppigii*.  
*Bridgesii*, Endl. ex Steud. Nom. ed. II. ii. 368 = *sphaerocephalus*.  
*carduoides*, Phil. Fl. Atac. 28.—Chili.  
*decurrens*, Lag. ex DC. Prod. vii. 53 = *Poeppigii*.  
*echinopsoides*, DC. l. c. = *sphaerocephalus*.  
*fuscus*, Walp. in Nov. Act. Nat. Cur. xix. Suppl. i. (1843) 288.—Chili.  
*Gayi*, Remy, in C. Gay, Fl. Chil. iii. 372.—Chili.  
*glandulosus*, Nutt. in Trans. Am. Phil. Soc. N. S. vii. (1841) 423.—Peruv.  
*latifolius*, Phil. in Anal. Univ. Chil. (1865) II. 348.—Chili.  
*litoralis*, Phil. in Linnaea, xxviii. (1856) 714.—Chili.  
*macrotis*, Phil. l. c. 713.—Chili.

**POLYACHYRUS** :—

- multifidus*, D. Don, in Phil. Mag. (1832) 390; et in Trans. Linn. Soc. xvi. (1833) 225 = *niveus*.  
*niveus*, Lag. ex DC. Prod. vii. 53.—Chili; Peruv.  
*Poeppigii*, Kunze, ex Less. in Linnaea, v. (1830) 5.—Chili.  
*roseus*, Phil. Fl. Atac. 28.—Chili.  
*sphaerocephalus*, D. Don, in Trans. Linn. Soc. xvi. (1833) 330.—Peruv.  
*uniflorus*, Sch. Bip. in Pollichia, xviii-xix. (1861) 186.—Peruv.?  
*villosus*, Wedd. Chlor. And. i. 56. t. 13.—Peruv.

**POLYACTIDIUM**, DC. Prod. v. 281 (1836) = **Erigeron**, Linn. etc. (Compos.).  
*delphinifolium*, DC. l. c. 282 = *E. delphinifolius*.  
*Seemannii*, Sch. Bip. in Seem. Bot. Voy. Herald, 301 = *Achaetogeron Seemannii*.  
*Sprengelii*, DC. Prod. vii. 274 = *Hysterionica montevidensis*.

**POLYACTIS**, Less. Syn. Comp. 188 (1832) = **Erigeron**, Linn. (Compos.).  
*delphinifolia*, Less. l. c. = *E. delphinifolius*.  
*Sprengelii*, Schlecht. ex DC. Prod. vii. 274 = *Hysterionica montevidensis*.

**POLYACTIUM**, Eckl. & Zeyh. Enum. 65 (1835) = **Pelargonium**, L'Hérit. (Geran.).  
*aconitophyllum*, Eckl. & Zeyh. l. c. 67 = *Pel. aconitophyllum*.  
*amatymbicum*, Eckl. & Zeyh. l. c. 68 = *Pel. amatymbicum*.  
*anethifolium*, Eckl. & Zeyh. l. c. 67 = *Pel. anethifolium*.  
*arenarium*, Eckl. & Zeyh. l. c. 66 = *Pel. arenarium*.  
*caffrum*, Eckl. & Zeyh. l. c. 68 = *Pel. caffrum*.  
*coniophyllum*, Eckl. & Zeyh. l. c. 67 = *Pel. flavum*.  
*daucifolium*, Eckl. & Zeyh. l. c. 68 = *Pel. triste*.  
*filipendulifolium*, Eckl. & Zeyh. l. c. 66 = *Pel. triste*.  
*flavum*, Eckl. & Zeyh. l. c. 67 = *Pel. flavum*.  
*fulgidum*, Eckl. & Zeyh. l. c. = *Pel. fulgidum*.  
*gibbosum*, Eckl. & Zeyh. l. c. = *Pel. gibbosum*.  
*hibridaeofolium*, Eckl. & Zeyh. l. c. 66 = *Pel. heracleifolium*.  
*lobatum*, Eckl. & Zeyh. l. c. 65 = *Pel. lobatum*.  
*multiradiatum*, Eckl. & Zeyh. l. c. 66 = *Pel. radiculatum*.  
*papaverifolium*, Eckl. & Zeyh. l. c. = *Pel. triste*.  
*peucedanifolium*, Eckl. & Zeyh. l. c. 67 = *Pel. anethifolium*.  
*primulaeforme*, Eckl. & Zeyh. l. c. 65 = *Pel. pulverulentum*.  
*radulaefolium*, Eckl. & Zeyh. l. c. 66 = *Pel. radulaefolium*.  
*sphondyliifolium*, Eckl. & Zeyh. l. c. = *Pel. lobatum*.  
*Sprengelii*, Baker, in Mart. Fl. Bras. vi. III. 14, sphalm. = *Hysterionica montevidensis*.  
*triste*, Eckl. & Zeyh. Enum. 67 = *Pel. triste*.  
*uitenhagense*, Eckl. & Zeyh. l. c. 68 = *Pel. schizopetalum*.

**POLYADENIA**, Nees, Laurin. Expos. 18 (1833) = **Lindera**, Thunb. (Laurin.).  
*cuspidata*, Miq. Fl. Ind. Bat. i. I. 961.—Ins. Celebes.  
*gemmiflora*, Nees, Syst. Laurin. 576 (= *Daphnidium gemmiflorum*).—Java.  
*grandifolia*, Miq. Fl. Ind. Bat. i. I. 964.—Java.  
*grandis*, Hassk. Cat. Hort. Bog. Alt. 90 = *Litsea tomentosa*, Blume.  
*grandis*, Nees, in Wall. Pl. As. Rar. ii. 62 (= *Tetranthera grandis*).—Ind. or.  
*insignis*, Miq. Fl. Ind. Bat. i. I. 962.—Sumatra.  
*lanceolata*, Miq. l. c. 963.—Java.  
*lucida*, Nees, Syst. Laurin. 575.—Java.  
*macrophylla*, Miq. Fl. Ind. Bat. i. I. 962.—Java.  
*Mandang*, Nees, Syst. Laurin. 578.—Java.  
*pauciflora*, Nees, l. c. 577.—Java.  
*piperica*, Miq. Fl. Ind. Bat. i. I. 962.—Sumatra.  
*polyantha*, Nees, Syst. Laurin. 577.—Java.  
*puberula*, Miq. Fl. Ind. Bat. i. I. 963.—Java.  
*reticulata*, Nees, in Wall. Pl. As. Rar. ii. 62 = *L. reticulata*.  
*salicifolia*, Miq. Fl. Ind. Bat. i. I. 963.—Java.  
*subumbellifera*, Steud. Nom. ed. II. ii. 369, in syn. = *seq.*  
*subumbelliflora*, Nees, Syst. Laurin. 577.—Java.  
*umbellifera*, D. Dietr. Syn. Pl. ii. 1362 = *praecc.*

**POLYALTHIA**, Blume, Fl. Jav. Anonac. 68 (1829). **ANONACEAE**, Benth. & Hook. f. i. 25.  
**MONOON**, Miq. Ann. Mus. Bot. Lugd. Bat. ii. 15 (1865).  
**TRIVALVARIA**, Miq. l. c. 19 (1865).  
*aberrans*, Maing. ex Hook. f. & Thoms. in Hook. f. Fl. Brit. Ind. i. 67.—Malacca.  
*acuminata*, Oliver, Fl. Trop. Afr. i. 26.—Afr. trop.  
*acuminata*, Thw. Enum. Pl. Zeyl. 399.—Zeylan.  
*affinis*, Teijsm. & Binn. in Tijdschr. Nederl. Ind. xxvii. (1864) 37.—Java.  
*andamanica*, Kurz, Andam. Rep. ed. II. 29.—Ins. Andam.  
*anomala*, Becc. in Nuov. Giorn. Bot. Ital. iii. (1871) 188.—Borneo.  
*argentea*, Hook. f. & Thoms. in Hook. f. Fl. Brit. Ind. i. 67.—Reg. Himal.  
*bifaria*, Benth. & Hook. f. ex Hook. f. l. c. 62.—Burma.  
*biglandulosa*, Benth. & Hook. f. l. c. 65.—Malaya.  
*cardiopetalus*, Dalz. in Hook. Kew Journ. ii. (1850) 39 = *Goniothalamus cardiopetalus*.  
*cauliflora*, Hook. f. & Thoms. Fl. Ind. i. 138.—Singapore.  
*celebica*, Miq. Ann. Mus. Bot. Lugd. Bat. ii. 14.—Ins. Celebes.  
*cerasoides*, Benth. & Hook. f. ex Hook. f. Fl. Brit. Ind. i. 63.—Ind. or.  
*Chapelieri*, Baill. Adansonia, viii. (1867-68) 349.—Ind. or.  
*cinnamomea*, Hook. f. & Thoms. Fl. Ind. i. 138.—Penang; Singapore.  
*coffeoides*, Benth. & Hook. f. ex Hook. f. Fl. Brit. Ind. i. 62.—Ind. or.  
*costata*, Hook. f. & Thoms. in Hook. f. l. c. 67.—Burma.  
*cuneiformis*, Blume, Fl. Jav. Anonac. 75.—Java.  
*dubia*, Kurz, Andam. Rep. ed. II. 29; et in Journ. As. Soc. Beng. xliii. (1874) II. 53.—Ins. Andam.  
*elliptica*, Blume, Fl. Jav. Anonac. 73.—Java.  
*fragrans*, Benth. & Hook. f. ex Hook. f. Fl. Brit. Ind. i. 63.—Ind. or.  
*fruticans*, A. DC. in Mém. Soc. Phys. Génèv. v. (1832) 216 = *Uvaria micrantha*.  
*Holtzeana*, F. Muell. in Wing, South. Sc. Record, ii. (1882) 230.—Austral.  
*hypoleuca*, Hook. f. & Thoms. in Hook. f. Fl. Brit. Ind. i. 63.—Singapore.  
*Jenkinsii*, Benth. & Hook. f. ex Hook. f. l. c. 64.—Reg. Himal.; Burma.  
*Jenkinsii*, Benth. & Hook. f. l. c., partim = *andamanica*.  
*Kenthii*, Blume, Fl. Jav. Anonac. 77.—Java.  
*Korinti*, Benth. & Hook. f. ex Hook. f. Fl. Brit. Ind. i. 64.—Ind. or.  
*lanceolata*, Vidal, Phan. Cuming. Philipp. 170.—Ins. Philipp.  
*lateriflora*, Kurz, in Journ. As. Soc. Beng. xliii. (1874) II. 52.—Burma.  
*longifolia*, Benth. & Hook. f. ex Hook. f. Fl. Brit. Ind. i. 62.—Ind. or.  
*lucens*, Baker, in Journ. Linn. Soc. xxi. (1884) 318.—Madag.  
*macrophylla*, Blume, Fl. Jav. Anonac. 79. t. 39 = *Goniothalamus macrophyllus*.  
*macrophylla*, Hook. f. & Thoms. in Hook. f. Fl. Brit. Ind. i. 66.—Burma; Malaya.  
*macrorhyncha*, Miq. Ann. Mus. Bot. Lugd. Bat. ii. 14.—Sumatra.  
*magnoliaeflora*, Maing. ex Hook. f. Fl. Brit. Ind. i. 64.—Malacca.  
*maritima*, Baill. Adansonia, viii. (1867-68) 348.—Madag.  
*microtus*, Miq. Ann. Mus. Bot. Lugd. Bat. ii. 13.—Borneo.  
*miniata*, Teijsm. & Binn. in Tijdschr. Nederl. Ind. xxvii. (1864) 38.—Java.  
*Moonii*, Thw. Enum. Pl. Zeyl. 9.—Zeylan.  
*nitida*, Benth. & Hook. f. ex Hook. f. Fl. Brit. Ind. i. 64.—Singapore.  
*nitidissima*, Benth. Fl. Austral. i. 51.—Austral.  
*obliqua*, Hook. f. & Thoms. Fl. Ind. i. 138.—Malacca.  
*papuana*, Scheff. in Ann. Jard. Buitenz. ii. (1885) 10.—N. Guin.  
*persicaefolia*, Benth. & Hook. f. ex Hook. f. Fl. Brit. Ind. i. 66.—Zeylan.  
*Richardiana*, Baill. Adansonia, viii. (1867-68) 350.—Madag.  
*rufescens*, Hook. f. & Thoms. in Hook. f. Fl. Brit. Ind. i. 66.—Malabar.  
*sakumbangensis*, Miq. Mus. Bot. Lugd. Bat. ii. 13.—Borneo.



**POLYALTHIA:—**

- sclerophylla, *Hook. f. & Thoms. in Hook. f. Fl. Brit. Ind.* i. 65.—Malacca.  
 simiarum, *Benth. & Hook. f. ex Hook. f. l. c.* 63.—Reg. Himal.; Burma.  
 subcordata, *Blume, Fl. Jav. Anonac.* 71.—Java.  
 suberosa, *Benth. & Hook. f. ex Hook. f. Fl. Brit. Ind.* i. 65.—Ind. or.; Burma.  
 sumatrana, *Kurz, in Journ. As. Soc. Beng.* xliii. (1874) ii. 53.—Burma; Malaya.  
 vitiensis, *Seem. in Bonplandia*, ix. (1861) 254, nomen; *Fl. Vit.* 4. t. 3.—Ins. Fiji.

**POLYANTHEMUM**, Medic. in Staatsw. Vorles. Churpf. Phys.-Oek. Ges. i. (1791) 228 = **Armeria**, Willd. (Plumbag.).

**POLYANTHERIX**, Nees, in Ann. Nat. Hist. Ser. I. i. (1838) 284 = **Elymus**, Linn. (Gramin.).  
*Hystrix*, Nees, l. c. = E. Sitanion.

**POLYANTHES**, Jacq. Ic. Pl. Rar. t. 380 (1793); Coll. Suppl. 56 (1796) = **Polyxena**, Kunth (Liliac.).  
*pygmaea*, Jacq. ll. cc.—Afr. austr.

**POLYANTHES**, Linn. Hort. Cliff. 126 (1737) = **Polyanthus**, Linn. (Amaryll.).

**POLYANTHUS**, Auct. ex Benth. & Hook. f. Gen. iii. 737 (1883) = praec.

**POLYARRHENA**, Cass. in Dict. Sc. Nat. lvi. 172 (1826) = **Felicia**, Cass. (Compos.).  
*reflexa*, Cass. l. c. 173 = F. reflexa.

**POLYASTER**, Hook. f. in Benth. & Hook. f. Gen. i. 299 (1862). **RUTACEAE**, Benth. & Hook. f. l. c. boronioides, *Hook. f. l. c.*—Mexico.

**POLYBAEA**, Klotzsch, ex Benth. & Hook. f. Gen. ii. 570 (1876) = **POLYBOEA**, Klotzsch = **Cavendishia**, Lindl. (Vaccin.).

**POLYBOEA**, Klotzsch, in Endl. Gen. Suppl. iv. iii. 88 (1850) = **Bernardia**, Hout. (Euphorb.).  
*corensis*, Klotzsch, l. c. = B. corensis.  
*Lorenzii*, Griseb. in Goett. Abh. xix. (1874) 97 = B. Lorenzii.

**POLYBOEA**, Klotzsch, in Linnaea, xxiv. (1851) 30 = **Cavendishia**, Lindl. (Vaccin.).  
*crassifolia*, Klotzsch, l. c. 31 = C. crassifolia.  
*laurifolia*, Klotzsch, l. c. = C. laurifolia.  
*polyantha*, Griseb. in Lechl. Berb. Am. Austr. 58 = Eurygania polyantha.  
*Quereme*, Klotzsch, in Linnaea, xxiv. (1851) 31 = C. Querema.  
*velutina*, Griseb. in Lechl. Berb. Am. Austr. 58.—Peruv.

**POLYCALYMMMA**, F. Muell. & Sond. in Linnaea, xxv. (1852) 494 = **Myriocephalus**, Benth. (Compos.).  
*Stuartii*, F. Muell. & Sond. l. c. = M. Stuartii.

**POLYCARDIA**, Steud. Nom. ed. II. ii. 369 (1841), sphalm. = **Polycardia**, Juss. (Celastr.).

**POLYCANTHA**, Hill, Veg. Syst. iv. 12 (1762) = **Cnicus**, Tourn. etc. (Compos.).  
*acanthoides*, Hill, Hort. Kew. 59 = Carduus acanthoides.  
*acaulis*, Hill, Herb. Brit. i. 71 = C. acaulis.  
*crispus*, Hill, Hort. Kew. 59 = Carduus crispus.  
*palustris*, Hill, l. c. = C. palustris.

**POLYCARDIA**, Juss. Gen. 377 (1789). **CELASTRINEAE**, Benth. & Hook. f. i. 365.  
**COMMERSONIA**, Comm. ex Juss. Gen. 377 (1789).  
**FLORINDA**, Noronha, ex Endl. Gen. 1086, in syn. (1841).  
*Aquifolium*, Tul. in Ann. Sc. Nat. Sér. IV. viii. (1857) 103.—Madag.  
*epiphylla*, Sm. in Rees, Cycl. xxviii. n. 1 = phyllanthoides.  
*Hildebrandtii*, Baill. in Bull. Soc. Linn. Par. i. (1881) 276.—Madag.  
*lateralis*, O. Hoffm. Sert. Madag. 12.—Madag.  
*libera*, O. Hoffm. l. c.—Madag.  
*madagascariensis*, J. F. Gmel. Syst. 407 = phyllanthoides.  
*phyllanthoides*, Lam. Illustr. ii. 100. t. 132.—Madag.

**POLYCARENA**, Benth. in Hook. Comp. Bot. Mag. i. (1835) 371. **SCROPHULARINEAE**, Benth. & Hook. f. ii. 944.

*aurea*, Benth. l. c. 372.—Afr. austr.  
*capensis*, Benth. l. c. 371.—Afr. austr.  
*capillaris*, Benth. l. c. 372.—Afr. austr.  
*foliosa*, Benth. in DC. Prod. x. 351.—Afr. austr.  
*gilioides*, Benth. in Hook. Comp. Bot. Mag. i. (1835) 372.—Afr. austr.  
*intertexta*, Benth. l. c.—Afr. austr.  
*plantaginea*, Benth. l. c.—Afr. austr.  
*Plantaginis*, Walp. Rep. iii. 309 = praec.  
*pubescens*, Benth. in Hook. Comp. Bot. Mag. i. (1835) 372.—Afr. austr.  
*rariflora*, Benth. l. c.—Afr. austr.  
*silenoides*, Harv. ex Benth. in DC. Prod. x. 351.—Afr. austr.

**POLYCARPA**, Linden, ex Carr. in Rev. Hort. (1868) 330 = **Idesia**, Maxim. (Bixin.).  
*Maximowiczii*, Linden, ex Carr. l. c. = I. polycarpa.

**POLYCARPAEA**, Lam. in Journ. Hist. Nat. Par. ii. (1792) 8. t. 25. **CARYOPHYLLEAE**, Benth. & Hook. f. i. 154.

**ANTHYLLIS**, Adans. Fam. ii. 271 (1763), partim.  
**AYLMERIA**, Mart. in Nov. Act. Nat. Cur. xiii. (1826) 276.

**HAGAEA**, Vent. Tabl. iii. 240 (1799).  
**HYALA**, L'Hérit. ex DC. Prod. iii. 373 (1828).  
**LAHAYA**, Roem. & Schult. Syst. v. p. xxx (1819).  
**MOLLIA**, Willd. Hort. Berol. II. t. 11. (1806).  
**PLANCHONIA**, J. Gay, ex Benth. & Hook. f. Gen. i. 154 (1862).  
**POLIA**, Lour. Fl. Cochinch. 164 (1790).  
**POLICARPEA**, Lam. in Journ. Nat. Hist. Par. ii. (1792) 1.

**ROBBAIREA**, Boiss. Fl. Orient. i. 735 (1867).  
*aristata*, C. Sm. ex DC. Prod. iii. 373.—Ins. Canar.  
*atherophora*, Steud. in Flora, xxvi. (1843) 763.—Am. trop.

*aurea*, Wight & Arn. in Ann. Nat. Hist. Ser. I. iii. (1839) 91.—Ind. or.  
*Benthamii*, Wall. Cat. n. 1514 = Polycarpon Loefflingiae.  
*brasiliensis*, Cambess. in A. St. Hil. Fl. Bras. Mer. ii. 183.—Bras.  
*breviflora*, F. Muell. in Rep. Babb. Exped. 8.—Austral.  
*Burtoni*, F. M. Bailey, in Proc. Roy. Soc. Queensl. i. (1884) 85.—Austral.  
*caespitosa*, Balf. f. in Proc. Roy. Soc. Edinb. xi. (1882) 502.—Ins. Socotra.

*candida*, Webb & Berth. Phyt. Canar. i. 158. t. 21 = microphylla.  
*candidissima*, Brunn. ex Bertol. Misc. Bot. iii. 9 = microphylla.  
*carnosa*, C. Sm. in Buch, Besch. Canar. Ins. 142.—Ins. Canar.  
*corymbosa*, Lam. Illustr. ii. 129.—Amphig. trop.  
*cuspidata*, Schlecht. in Linnaea, xiii. (1839) 408.—Mexic.

*densiflora*, Wall. Cat. n. 1513 = corymbosa.  
*depressa*, DC. Prod. iii. 375 = Polycarpon Loefflingiae.  
*diffusa*, Wight, ex Arn. in Ann. Nat. Hist. Ser. I. iii. (1839) 91.—Ind. or.  
*divaricata*, Balf. f. in Proc. Roy. Soc. Edinb. xi. (1882) 502.—Ins. Socotra.  
*divaricata*, Poir. ex Steud. Nom. ed. II. ii. 369 = Teneriffae.  
*eriantha*, Hochst. ex A. Rich. Tent. Fl. Abyss. i. 303 = corymbosa.

*fallax*, J. Gay, ex Oliver, Fl. Trop. Afr. i. 145 = corymbosa.  
*fragilis*, Delile, Fl. Egypte, 209. t. 24. f. 1.—Aegypt.  
*frankenoides*, Presl, Rel. Haenk. ii. 6.—Ins. Philipp.  
*Gayi*, Webb, in Hook. Niger. Fl. 104.—Ins. Cap. Virid.  
*glabrifolia*, DC. Prod. iii. 374.—Afr. trop.  
*glaucula*, C. Sm. in Tuckey, Congo, 250 = microphylla.  
*gnaphalodes*, Poir. Encyc. Suppl. iv. 473 = microphylla.  
*humifusa*, J. Gay, ex Oliver, Fl. Trop. Afr. i. 145 = corymbosa.  
*indica*, Lam. in Journ. Hist. Nat. Par. ii. (1792) 8 = corymbosa.

**POLYCARPAEA:—**

*involucrata*, F. Muell. in Rep. Babb. Exped. 9.—Austral.  
*lanuginosa*, Wall. Cat. n. 1515 = Polycarpon Loefflingiae.  
*latifolia*, Poir. Encyc. Suppl. iv. 473.—Ins. Canar.  
*linearifolia*, DC. Prod. iii. 374.—Afr. trop.  
*longiflora*, F. Muell. in Rep. Babb. Exped. 8.—Austral.  
*marginata*, Presl, Bot. Bemerk. 141.—Ind. or.  
*memphitica*, Delile, Fl. Egypte, 211. t. 24. f. 2 = Polycarpon Loefflingiae.  
*microphylla*, Cav. in Anal. Cienc. Nat. iii. (1801) 25.—Ins. Canar.  
*minuartioides*, DC. Prod. iii. 375.—Hispan.  
*mozambica*, Kunth & Bouché, Ind. Sem. Hort. Berol. (1848) 15.—Afr. trop.  
*nivea*, Webb, in Hook. Niger. Fl. 104 = microphylla.  
*prostrata*, Decne. in Ann. Sc. Nat. Sér. II. iii. (1885) 263.—Afr. bor.; Syria; Arab.  
*rupicola*, Pomel, Nouv. Mat. Fl. Atl. 202.—Alger.  
*serpyllifolia*, Steud. Nom. ed. II. i. 803, in syn. = Paronychia capitata.  
*Smithii*, Link, in Buch, Besch. Canar. Ins. 142.—Ins. Canar.  
*spadicea*, Lam. Illustr. ii. 129 = corymbosa.  
*spicata*, Wight, ex Arn. in Ann. Nat. Hist. Ser. I. iii. (1839) 91.—Ind. or.; Afr. & Austral. trop.  
*spirostylis*, F. Muell. in Rep. Babb. Exped. 9.—Austral.  
*staminodina*, F. Muell. l. c. 8.—Austral.  
*staticaeformis*, Hochst. & Steud. ex Fenzl, in Endl. Gen. 961 = spicata.  
*stellata*, DC. Prod. iii. 374.—Afr. trop.  
*subulata*, Wight & Arn. Prod. 358, sphalm. = corymbosa.  
*synandra*, F. Muell. in Rep. Babb. Exped. 9.—Austral.  
*Teneriffae*, Lam. in Journ. Nat. Hist. Par. ii. (1792) 8. t. 25.—Ins. Teneriff.  
*tenuifolia*, DC. Prod. iii. 374.—Afr. trop.  
*violacea*, Benth. Fl. Austral. i. 165.—Austral.  
*Wiestiana*, Presl, Bot. Bemerk. 141.—Aegypt.

**POLYCARPEA**, Pomel, Nouv. Mat. Fl. Atl. 202 (1874) = praec.

**POLYCARPIA**, Webb & Berth. Phyt. Canar. i. 156 (1836) = praec.

**POLYCARPOEA**, Lam. in Journ. Hist. Nat. Par. ii. (1792) t. 25 = praec.

**POLYCARPON**, Loeffl. It. 7 (1758); Linn. Syst. ed. X. 881 (1759). **CARYOPHYLLEAE**, Benth. & Hook. f. i. 152.

**ANTHYLLIS**, Adans. Fam. ii. 271 (1763), partim.  
**ARVERSA**, Cambess. in A. St. Hil. Fl. Bras. Mer. ii. 184. t. 112 (1829).  
**HAPALOSIA**, Wight & Arn. Prod. 358 (1834).  
**TRICHLIS**, Hall. Hort. Gotting. 26 (1743).  
*alsinefolium*, DC. Prod. iii. 376.—Reg. Mediterr.; Afr. austr.; Austral.  
*alsinefolium*, Webb & Berth. Phyt. Canar. ii. 155 = peplodes.  
*apurense*, H. B. & K. Nov. Gen. et Sp. vi. 40.—Am. austr.  
*arabicum*, Boiss. Diagn. Ser. I. x. 13.—Aegypt.; Arab.  
*Benthamii*, Hook. f. & Edgew. in Fl. Brit. Ind. i. 245, sphalm. = Loefflingiae.  
*Bivonae*, J. Gay, in Duch. Rev. Bot. ii. (1847) 572 = peplodes.  
*Cupani*, Bubani, Dodecanthea, 14 = peplodes.  
*depressum*, Edgew. & Hook. f. in Fl. Brit. Ind. i. 245, sphalm. = Loefflingiae.  
*depressum*, Nutt. ex Torr. & Gray, Fl. N. Am. i. 174.—Calif.  
*depressum*, Rohrb. in Mart. Fl. Bras. xiv. ii. 257 apurense.  
*diphyllum*, Cav. Ic. ii. 40. t. 151. f. 1 = tetraphyllum.  
*floribundum*, Willk. in Bot. Zeit. v. (1847) 430 tetraphyllum.  
*Gmelini*, Griseb. Spicil. Fl. Rumel. i. 214 = alsinefolium.  
*gnaphalodes*, Steud. Nom. ed. II. i. 718, in syn. sphalm. = Polycarpaea microphylla.



**POLYCARPON** :—

*herniarioides*, Ball, in Journ. Bot. xi. (1873) 301 = peploides.  
*lanuginosum*, Edgew. & Hook. f. in Fl. Brit. Ind. i. 245 = Loefflingiae.  
*latifolium*, Bertol. in Nuov. Ann. Sc. Nat. Ser. II. ix. (1848) 138 = peploides.  
 Loefflingiae, Benth. & Hook. f. Gen. i. 153 (Loefflingii); Edgew. & Hook. f. in Fl. Brit. Ind. i. 245.—Geront. trop.  
*magellanicum*, Linn. f. Suppl. 115 = Donatia fascicularis.  
 peploides, DC. Prod. iii. 376.—Reg. Mediterr.  
 polyphyllum, Blanco, Fl. Filip. ed. I. 53.—Ins. Philipp.  
*pusillum*, Roxb. ex Wight & Arn. Prod. 358 = Loefflingiae.  
*stipulifidum*, Pers. Syn. i. 111 = Stipulicida setacea.  
 succulentum, J. Gay, in Duch. Rev. Bot. ii. (1847) 372.—Aegypt.; Arab.  
*succulentum*, Webb & Berth. Phyt. Canar. i. 155 = tetraphyllum.  
 suffruticosum, Griseb. in Goett. Abh. xix. (1874) 77.—Reg. Argent.  
*Teneriffae*, Steud. Nom. ed. II. i. 718, in syn., sphalm. = Polycarpaea Teneriffae.  
 tetraphyllum, Linn. Syst. ed. X. 881.—Amphig.  
 uniflorum, Walt. Fl. Carol. 83.—Am. bor.

**POLYCENIA**, Choisy, in Mém. Soc. Phys. Genève. ii. II. (1823) 91 (Selag. 21. t. 2.) = **Hebenstretia**, Linn. (Selag.).  
*cordata*, E. Mey. Comm. Pl. Afr. Austr. 245 = H. cordata.  
*dentata*, Schimp. ex Choisy, in DC. Prod. xii. 4 = H. dentata.  
*fenestra*, Steud. Nom. ed. II. ii. 370, sphalm. = seq.  
*fenestrata*, E. Mey. Comm. Pl. Afr. Austr. 246.—Afr. austr.  
*fruticosa*, E. Mey. l. c. 245 = H. fruticosa.  
*hebenstretiioides*, Choisy, in Mém. Soc. Phys. Genève. ii. II. (1823) 91 = H. repens.  
*lanceolata*, E. Mey. Comm. Pl. Afr. Austr. 245.—Afr. austr.  
*tenera*, Walp. Rep. iv. 143 = H. tenera.

**POLYCEPHALOS**, Forsk. Fl. Aegypt. Arab. 154 (1775) = **Sphaeranthus**, Vaill. (Compos.).  
*suaveolens*, Forsk. l. c. = S. indicus.

**POLYCHAETIA**, Less. Syn. Comp. 371 (1832) = **Nestlera**, Spreng. (Compos.).  
*acerosa*, DC. Prod. vi. 285 = N. acerosa.  
*brevifolia*, DC. l. c. = Geigeria brevifolia.  
*Garnotii*, Less. Syn. Comp. 372 = N. tenuifolia.  
*oppositifolia*, DC. Prod. vi. 285 = N. prostrata.  
*passerinoides*, DC. l. c. = Geigeria passerinoides.  
*pectidea*, DC. l. c. = Geigeria pectidea.  
*relhanioides*, Less. Syn. Comp. 371 = N. humilis.  
*tricephala*, DC. Prod. vi. 285 = N. tricephala.

**POLYCHAETIA**, Tausch, ex Less. Syn. Comp. 129 (1832) = **Tolpis**, Adans. (Compos.).  
*coronopifolia*, Sch. Bip. in Webb & Berth. Phyt. Canar. ii. 404 = T. coronopifolia.

**POLYCHILOS**, Breda, Kuhl & Hasselt, Orch. ic. sine num. (1827) = **Phalaenopsis**, Blume (Orchid.).  
*Cornu-cervi*, Breda, l. c. = Ph. Cornu-cervi.

**POLYCHISMA**, C. Muell. in Walp. Ann. vii. 489 (1868–71), sphalm. = **POLYSCHISMA**, Turcz. = **Pelargonium**, L'Hérit. (Geran.).

**POLYCHLAENA**, G. Don, Gen. Syst. i. 488 (1831) = **Melochia**, Linn. (Stercul.).  
*ramosa*, G. Don, l. c. = M. corchorifolia.  
*simplex*, G. Don, l. c. = M. corchorifolia.

**POLYCHLAENA**, Garcke, in Schweinf. Beitr. Fl. Aethiop. 56 (1867) = **Hibiscus**, Linn. (Malvac.).  
*adoënsis*, Garcke, l. c. = H. adoënsis.

**POLYCHNEMUM**, Zumag. Fl. Pedem. i. 19, 401 (1849), sphalm. = **Polynemum**, Linn. (Chenop.).

**POLYCHROA**, Lour. Fl. Cochinch. 559 (1790) = **Pellionia**, Gaudich. (Urtic.).  
*repens*, Lour. l. c. = Pell. brevifolia?

**POLYCLADOS**, Phil. Fl. Atac. 34. t. 4. f. B (1860) = **Lepidophyllum**, Cass. (Compos.).  
*abietinus*, Phil. in Anal. Univ. Chil. (1873) 492.—Chili.  
*cupressinus*, Phil. Fl. Atac. 34. t. 4. f. B = L. cupressiforme?

**POLYCLATHRA**, Bertol. in Nov. Comm. Acad. Bonon. iv. (1840) 438. t. 46 (Fl. Guatim. 38. t. 12).  
 Gen. dub. **CUCURBITACEARUM**.  
**PENTACLATHRA**, Endl. Gen. Suppl. ii. 108 (1842).  
*cucumerina*, Bertol. ll. cc.—Am. centr.

**POLYCNEMON**, F. Muell. Census, 29 (1882) = seq.

**POLYCNEMUM**, Linn. Gen. ed. II. 21 (1742).  
**CHENOPODIACEAE**, Benth. & Hook. f. iii. 58.  
 SELAGO, Adans. Fam. ii. 268 (1763), partim.  
*acutum*, Schrank, in Hoppe, Bot. Taschenb. (1798) 201 = Kochia arenaria.  
*alternifolium*, Pall. ex Georgi, Besch. Russ. Reich. III. iv. 665 = Petrosimonia crassifolia.  
*americanum*, Nutt. Gen. Am. i. 30.—Am. bor.  
*arvense*, Linn. Sp. Pl. 35.—Europ.; austr.  
*arvense*, Sibth. & Sm. Fl. Graec. Prod. i. 23 = majus.  
*bonariense*, Willd. ex Link, Jahrb. i. III. (1820) 67.—Reg. Argent.  
*brachiatum*, Pall. Illustr. 62. t. 52; Bieb. in Mém. Soc. Nat. Mosc. i. (1806) 153 = Petrosimonia brachiata.

*Camphorosma*, Schrank, in Hoppe, Bot. Taschenb. (1798) 200 = Kochia arenaria.  
*camphorosmoides*, Moq. in DC. Prod. xiii. ii. 336 = Kochia arenaria.  
*conjugatum*, Bieb. ex Ledeb. Fl. Ross. iii. 843 = Petrosimonia brachiata.  
*crassifolium*, Pall. Illustr. 64. t. 55 = Petrosimonia crassifolia.  
*diandrum*, F. Muell. Native Pl. Vict. i. 163.—Austral.  
*dichotomum*, Pall. Reise Suedl. Statth. Russ. Reich. i. 287, 289, 511 (Quid?).—Rossia.  
*Echinus*, Moq. in DC. Prod. xiii. ii. 335 = Fontanesii.  
*erinaceum*, Pall. Illustr. t. 48 = Nanophyton caspicum.  
*Fontanesii*, Dur. & Moq. in DC. Prod. xiii. ii. 335.—Afr. bor.  
*glaucum*, Pall. Illustr. 63. tt. 53, 54 = Petrosimonia crassifolia.  
*Heuffelii*, Láng, in Syll. Ratisb. ii. (1828) 219 = verrucosum.

*hybridum*, Andr. ex Trautv. in Act. Hort. Petrop. ix. (1884) 140 = Chenopodium hybridum?  
*inundatum*, Schrank, in Hoppe, Bot. Taschenb. (1798) 201 = arvense.

*juniperinum*, Bieb. in Mém. Soc. Nat. Mosc. i. (1806) 154 = Nanophyton caspicum.  
*majus*, A. Br. in Koch, Syn. Fl. Germ. ed. II. 695.—Europ. austr.  
*malacophyllum*, Bieb. in Mém. Soc. Nat. Mosc. i. (1806) 152 = Halimocnemis malacophylla.  
*mesembryanthema*, F. Muell. Fragm. viii. 38 = Hemichroa mesembryanthema.  
*minus*, Jord. ex Lloyd, Fl. L'Ouest Fr. ed. III. 261 = arvense.

*monandrum*, Pall. Reise, i. 483 = Petrosimonia monandra.  
*nuciferum*, Pall. l. c. 635 = Halimocnemis sclerosperma.  
*oppositifolium*, Pall. l. c. 484 = Petrosimonia crassifolia.  
*oppositifolium*, Roem. & Schult. Syst. i. 525 = Petrosimonia brachiata.  
*pentandrum*, F. Muell. Native Pl. Vict. i. 162.—Austral.  
*pumilum*, Hoppe, ex Mert. & Koch, Deutschl. Fl. i. 404 = arvense.

*recurvum*, Loisel. Not. Fl. Fr. 151 = arvense.  
*salsum*, Willd. Sp. Pl. i. 192 = Petrosimonia Volvox.  
*scleranthoides*, Willd. ex Moq. in DC. Prod. xiii. ii. 336 = bonariense.

*sclerospermum*, Pall. Reise, iii. 725 = Halimocnemis sclerosperma.  
*sedifolium*, Pall. Reise Suedl. Statth. Russ. Reich. i. 258, 280 (Quid?).—Rossia.

*sibiricum*, Pall. Illustr. 61. t. 51 = Petrosimonia sibirica.  
*triandrum*, Pall. Reise, i. 483 = Petrosimonia crassifolia, P. Volvox.

*verrucosum*, Láng, in Syll. Ratisb. i. (1824) 179.—Reg. Danub.; As. Min.

*viaticum*, Pall. Illustr. 57 = arvense.  
*Volvox*, Pall. l. c. 60. t. 50 = Petrosimonia Volvox.  
*vulgare*, Pall. Reise Suedl. Statth. Russ. Reich. i. 142, 143 = arvense?

**POLYCIDIUM**, Rafin. in Am. Monthly Mag. (1818) 266 = **Vaccinium**, Linn.

**POLYCOELIUM**, A. DC. in DC. Prod. xi. 705 (1847) = **Myoporum**, Banks & Soland.  
*bontioides*, A. DC. l. c. = M. bontioides.  
*chinense*, A. DC. l. c. 706 = M. chinense.  
*sandwicense*, A. DC. l. c. = M. sandwicense.

**POLYCYCNIS**, Reichb. f. in Bonplandia, iii. (1855) 218. **ORCHIDEAE**, Benth. & Hook. f. iii. 553.  
*barbata*, Reichb. f. l. c.; iv. (1856) 323.—N. Granat.  
*gratiosa*, Endres & Reichb. f. in Gard. Chron. (1871) 1451.—Costa Rica.  
*lepida*, Linden & Reichb. f. in Illustr. Hort. xvii. (1870) t. 19.—N. Granat.  
*muscifera*, Reichb. f. in Bonplandia, iii. (1855) 218.—N. Granat.  
*vittata*, Reichb. f. in Walp. Ann. vi. 618.—Guian.

**POLYCYEMA**, Voigt, Hort. Suburb. Calc. 141 (1845) = **Clausena**, Burm. f. (Rutac.).  
*pentaphyllum*, Voigt, l. c. = C. pentaphylla.

**POLYCYRTUS**, Schlecht. in Linnaea, xvii. (1843) 126 = **Ferula**, Tourn. (Umbell.).  
*cachroides*, Schlecht. l. c. = F. Schlechtendalii.

**POLYDICLIS**, Miers, in Ann. & Mag. Nat. Hist. Ser. II. iv. 361 (1849) = **Nicotiana**, Linn. (Solan.).  
*multivalvis*, Miers, l. c. 362 = N. quadrivalvis?  
*quadrivalvis*, Miers, l. c. = N. quadrivalvis.

**POLYDONTIA**, Blume, Bijdr. 1104 (1826) = **Pygeum**, Gaertn. (Rosac.).  
*arborea*, Blume, l. c. 1105 = Pyg. parviflorum.  
*ceylanica*, Wight, Illustr. i. 203 = Pyg. Wightianum.  
*Walkerii*, Wight, l. c. = Pyg. ceylanicum.

**POLYDORA**, Fenzl, in Flora, xxvii. (1844) 312 = **Veronia**, Schreb. (Compos.).  
*stoechadifolia*, Fenzl, l. c. = V. Perrottetii.

**POLYECHMA**, Hochst. in Flora, xxiv. (1841) 376 = **Hygrophila**, R. Br. (Acanth.).  
*abyssinicum*, Hochst. ex Nees, in DC. Prod. xi. 83 = H. abyssinica.  
*coeruleum*, Hochst. in Flora, xxiv. (1841) 377 = H. caerulea.  
*micranthum*, Nees, in DC. Prod. xi. 83 = H. micrantha.  
*odorum*, Nees, l. c. = H. odora.  
*radicans*, Nees, l. c. = H. angustifolia.

**POLYEMBRIUM**, Schott, ex Steud. Nom. ed. II. ii. 367, in syn. (1841) = seq.

**POLYEMBRYUM**, Schott, ex Steud. Nom. ed. II. ii. 370 (1841) = **POLEMBRYUM**, A. Juss. = **Esenbeckia**, Kunth (Rutac.).

**POLYGALA**, [Tourn.] Linn. Syst. ed. I (1735).  
**POLYGALEAE**, Benth. & Hook. f. i. 136.

**ANTHALOGEA**, Rafin. New Fl. Am. iv. 88 (1836).  
**ASEMEIA**, Rafin. l. c. (1836).

**BADIERA**, Hassk. Cat. Hort. Bog. Alt. 227 (1844).  
**BRACHYTROPIS**, Reichb. Consp. 120 (1828).

**CHAMAEBUXUS**, [Tourn.] Spach, Hist. Vég. Phan. vii. 125 (1839).

**CORYMBULA**, Rafin. New Fl. Am. iv. 88 (1836).  
**ISOLOPHUS**, Spach, Hist. Vég. Phan. vii. 112 (1839).

**MICROLOPHIUM**, Fourr. in Ann. Soc. Linn. Lyon, N. S. xvii. (1869) 195.

**PHYLAX**, Noronha, in Verh. Batav. Gen. v. (1790), ed. I. Art. IV. 3.

**PILOSTACHYS**, Rafin. New Fl. Am. iv. 89 (1836).  
**PLOSTAXIS**, Rafin. l. c. 87 (1836).

**POLYGALOIDES**, Tourn. ex Hall. Enum. Stirp. Helvet. ii. 607 (1742).

**PSYCHANTHUS**, Spach, Hist. Vég. Phan. vii. 130 (1839).

**SEMEIOCARDIUM**, Zoll. in Tijdschr. Nederl. Ind. xvii. (1858) 245.

**SENEGA**, Spach, Hist. Vég. Phan. vii. 128 (1839).  
**SEXILIA**, Rafin. New Fl. Am. iv. 87 (1836).

**TRICHOLOPHUS**, Spach, Hist. Vég. Phan. vii. 114 (1839).



## POLYGALA:—

- TRICLISPERMA, Rafin. Specch. i. 117 (1814).  
 ZOROXUS, Rafin. New Fl. Am. iv. 88 (1836).  
 abyssinica, R. Br. in Salt, Abyss. App. p. lxxv, nomen;  
 Fresen. in Mus. Senckenb. ii. (1837) 273.—Ind. or.;  
 Afr. trop.  
 acanthoclada, A. Gray, in Proc. Am. Acad. xi. (1876)  
 73.—Am. bor. occ.  
 acerosa, E. Mey. in Drège, Zwei Pfl. Docum. 212 =  
 ericaefolia.  
 acicularis, Oliver, Fl. Trop. Afr. i. 132.—Afr. trop.  
 aculeata, Vell. Fl. Flum. 291; vii. t. 62.—Bras.  
 acuminata, E. Mey. in Drège, Zwei Pfl. Docum. 212  
 = amatymbica.  
 acuminata, Willd. Sp. Pl. iii. 887 = Badiera acu-  
 minata.  
 acutifolia, Linn. Syst. ed. X. 1154 (Quid?).—Europ.?  
 acutifolia, Steud. Nom. ed. II. ii. 370 = lancifolia.  
 acutifolia, Torr. & Gray, Fl. N. Am. i. 128 = cymosa.  
 adenophora, DC. Prod. i. 327.—Guian.  
 adenophylla, A. W. Benn. in Mart. Fl. Bras. xiii.  
 III. 29 (non al.).—Bras.  
 adenophylla, A. St. Hil. Fl. Bras. Mer. ii. 20.—Bras.  
 adenophylla, Steud. Nom. ed. II. ii. 370 = Monnina  
 resedoides.  
 adoensis, Hochst. ex A. Rich. Tent. Fl. Abyss. i. 37 =  
 abyssinica.  
 adpressa, Steud. ex Stahl, Estud. Fl. Puerto-rico Foll.  
 ii. 52 = longicaulis.  
 adscendens, Clarke, Trav. iii. 337 = venulosa.  
 aestuans, Linn. f. Suppl. 315 = Monnina aestuans.  
 affinis, DC. Prod. i. 322.—Afr. austr.  
 alba, Nutt. Gen. Am. ii. 87.—Am. bor.  
 albida, Steud. Nom. ed. I. 642 = P. Senega.  
 alopecuroides, Linn. Mant. ii. 260 = Muraltia alopecu-  
 roides.  
 alpestris, C. A. Mey. Verz. Pfl. Cauc. 103 = amara.  
 alpestris, Reichb. Pl. Crit. i. 25 = microcarpa.  
 Alphonsii, Wall. Cat. n. 4179.—Burma.  
 alpicola, Rupr. Fl. Cauc. 166, in textu.—Reg. Caucas.  
 alpina, Steud. Nom. ed. I. 642 = amara.  
 amara, Linn. Syst. ed. X. 1154.—Europ.  
 amarella, Coss. & Germ. Fl. Par. 56. t. 7 = calcarea.  
 amarella, Crantz, Stirp. Austr. ed. II. fasc. v. 438 =  
 amara.  
 amatymbica, Eckl. & Zeyh. Enum. 24.—Afr. austr.  
 ambigua, Nutt. Gen. Am. ii. 89 = verticillata.  
 ambigua, Torr. & Gray, Fl. N. Am. i. 130 = Nuttallii.  
 amblyptera, Reichb. Pl. Crit. i. 91 = nicaeensis.  
 amblyptera, F. Schultz, in Flora, xx. (1837) 752 =  
 calcarea.  
 americana, Mill. Gard. Dict. ed. VIII. n. 7.—Mexic.  
 americana, Seem. Bot. Voy. Herald, 270 = puberula,  
 A. Gray, ovalifolia.  
 amoena, Thunb. Prod. Pl. Cap. 120 = myrtifolia.  
 anatholica, Boiss. & Heldr. Diagn. Ser. II. i. 57 = major.  
 andrachnoides, Willd. Sp. Pl. iii. 875 = supina.  
 Angelisia, Tenore, Fl. Nap. v. 92 = microcarpa.  
 angulata, DC. Prod. i. 328.—Bras.  
 angustata, Schur, Enum. Pl. Transs. 89 = vulgaris.  
 angustifolia, A. W. Benn. in Mart. Fl. Bras. xiii. III.  
 14, partim = mollis.  
 angustifolia, Buch.-Ham. ex Wall. Cat. n. 4170 D  
 = telephioides.  
 angustifolia, Gilib. Fl. Lituan. ii. 113 = vulgaris.  
 angustifolia, Heyne, ex Wight & Arn. Prod. 37 = chi-  
 nensis.  
 angustifolia, H. B. & K. Nov. Gen. et Sp. v. 405.  
 t. 511.—N. Mexic.  
 aparinoides, Hook. & Arn. Bot. Beech. Voy. 277 =  
 verticillata.  
 aphylla, A. W. Benn. in Mart. Fl. Bras. xiii. III. 21.  
 Bras.  
 appendiculata, Vell. Fl. Flum. 292; vii. t. 66 =  
 paniculata.  
 appressa, Benth. in Hook. Journ. Bot. iv. (1842) 100.  
 —Guian.  
 aquitanica, Clavaud, in Ann. Soc. Linn. Bord. xxxv.  
 (1881) 362. t. 15. f. 5 = vulgaris.  
 arabica, Boiss. Diagn. Ser. I. i. 9 = irregularis.  
 arabica, Edgew. in Journ. As. Soc. Beng. xvi. (1847)  
 II. 1213 = erioptera.  
 ardisioides, Wall. Cat. n. 4178 = crotalarioides.  
 areguensis, A. W. Benn. in Journ. Bot. xvii. (1879)  
 201.—Am. austr.  
 arenaria, Oliver, Fl. Trop. Afr. i. 128 = persicariae-  
 folia.  
 arenaria, Willd. Sp. Pl. iii. 880.—Afr. trop.

## POLYGALA:—

- arillata, Buch.-Ham. ex D. Don, Prod. Fl. Nep. 199.  
 —Ind. or.; Malaya.  
 Arnottiana, Hassk. in Miq. Ann. Mus. Bot. Lugd.  
 Bat. i. 159 = Salomonina oblongifolia.  
 Arnottiana, Steud. Nom. ed. II. ii. 370 = rosmarinifolia.  
 arvensis, Roxb. Hort. Beng. 53; Fl. Ind. iii. 218 =  
 Salomonina ciliata.  
 arvensis, Wall. Cat. n. 4172 = telephioides.  
 arvensis, Willd. Sp. Pl. iii. 876 = chinensis.  
 arvicola, Boj. in Bouton, 12me Rapp. Ann. Maur.  
 (1842) 13.—Madag.  
 asbestina, Burch. Trav. i. 543.—Afr. austr.  
 ascendens, Auct. = adscendens.  
 aspalata, A. St. Hil. Fl. Bras. Mer. ii. 14, partim =  
 sabulosa.  
 aspalatha, Linn. Mant. i. 99.—Bras.  
 asperuloides, DC. Prod. i. 329 = crucianelloides.  
 asperuloides, H. B. & K. Nov. Gen. et Sp. v. 403 =  
 verticillata.  
 atropurpurea, A. St. Hil. Fl. Bras. Mer. ii. 10.—Bras.  
 attenuata, Hook. Journ. Bot. i. (1834) 195 = Hookeri.  
 attenuata, Lodd. Bot. Cab. t. 1000 = oppositifolia.  
 attenuata, Nutt. Gen. Am. ii. 90 = cymosa.  
 australis, A. W. Benn. in Journ. Bot. xvii. (1879)  
 203.—Uruguay.  
 austriaca, Crantz, Stirp. Austr. ed. II. fasc. v. 439 = amara.  
 axillaris, Poir. Encyc. v. 489 = Floscopa axillaris.  
 badensis, Schimp. in Spenn. Fl. Frib. iii. 867 = ser-  
 pyllacea.  
 baetica, Willk. & Lange, Prod. Fl. Hisp.  
 iii. 559.—Hispan.  
 Balansae, Coss. in Bull. Soc. Bot. Fr. xx. (1873) 240.  
 —Marocce.  
 Baldwini, Nutt. Gen. Am. ii. 90.—Am. bor.  
 Ballii, Nym. Consp. 83 = vulgaris.  
 Banksii, Jacq. ex Steetz, in Lehm. Pl. Preiss. ii. 297 =  
 Comesperma ericinum.  
 Barthiana, Fuss, in Verh. Siebenb. Ver. Naturw. xix.  
 (1868) 210 = sibirica.  
 basaltica, Lamotte, Prod. Fl. Centr. Fr. i. 125 = vul-  
 garis.  
 Beiliana, Eckl. & Zeyh. Enum. 23 = Muraltia Beiliana.  
 Berteriana, DC. Prod. i. 328 = hygrophila.  
 Beyrichii, Torr. & Gray, Fl. N. Am. i. 130 = alba.  
 bicolor, Hook. Journ. Bot. i. (1834) 194 = Boykini.  
 bicolor, H. B. & K. Nov. Gen. et Sp. v. 394 t. 507 =  
 alba.  
 bicolor, Vell. Fl. Flum. 290; vii. t. 59 = Acanthocladas  
 albicans.  
 Boissieri, Coss. Notes Crit. 100.—Hispan.  
 boliviensis, A. W. Benn. in Journ. Bot. xvii. (1879)  
 171.—Bolivia.  
 Bonavisio, Vell. Fl. Flum. 292; vii. t. 64 = angulata.  
 borboniaefolia, Burch. ex DC. Prod. i. 322 = oppositi-  
 folia.  
 Bowkeriae, Harv. in Harv. & Sond. Fl. Cap. i. 92.—  
 Afr. austr.  
 Boykini, Nutt. in Journ. Acad. Philad. vii. (1834)  
 86.—Am. bor.  
 brachiata, Reichb. ex A. W. Benn. in Mart. Fl. Bras.  
 xiii. III. 39 = appressa.  
 brachistachyos, Poir. Encyc. Suppl. iv. 477 = chinensis.  
 brachypetala, Wallr. Beitr. Fl. Hercyn. 246 (Quid?).—  
 Europ.  
 brachypoda, Tod. Nuov. Gen. e Sp. 54.—Hab.?  
 brachyptera, Griseb. Cat. Pl. Cub. 12.—Cuba.  
 brachystachya, DC. Prod. i. 326; Blume, Bijdr. 59 =  
 chinensis.  
 bracteata, A. W. Benn. in Mart. Fl. Bras. xiii. III. 32.  
 —Bras.  
 bracteata, Thunb. Prod. Pl. Cap. 120 = bracteolata,  
 Linn.  
 bracteolata, Burm. ex DC. Prod. i. 236 = Brachy-  
 carpaea varians.  
 bracteolata, Forsk. Fl. Aegypt. Arab. 213.—Arab.  
 bracteolata, Linn. Sp. Pl. 702.—Afr. austr.  
 brasiliensis, Linn. Mant. i. 99.—Bras.  
 brasiliensis, Mart. in Flora, xx. (1837) II. Beibl. 93 =  
 paniculata.  
 brevifolia, Harv. in Harv. & Sond. Fl. Cap. i. 90.—  
 Afr. austr.  
 brevifolia, Nutt. Gen. Am. ii. 89.—Am. bor.  
 brisoides, A. St. Hil. Fl. Bras. Mer. ii. 44. t. 88 =  
 angustifolia.  
 bryoides, A. St. Hil. l. c. 89.—Bras.  
 Buchanani, D. Don, Prod. Fl. Nep. 199 = persicariae-  
 folia.

## POLYGALA:—

- Buchenavii, O. Hoffm. in Bremen, Abh. vii. (1882)  
 240 (sp. dub.).—Madag.  
 Burmanni, DC. Prod. i. 322.—Afr. austr.  
 Burmanni, Eckl. & Zeyh. Enum. 21 = bracteolata, Linn.  
 buxifolia, Ball, ex Nym. Consp. 83 = vulgaris.  
 buxifolia, H. B. & K. Nov. Gen. et Sp. v. 407.—Mexic.  
 buxifolia, Reichb. Pl. Crit. i. 26 = calcarea.  
 buxifolia, St. Lag. in Ann. Soc. Bot. Lyon, vi. (1880)  
 132 = P. Chamaebuxus.  
 buxiformis, Hassk. in Miq. Ann. Mus. Bot. Lugd. Bat.  
 i. 161 = telephioides.  
 calcarea, Schultz, in Flora, xx. (1837) 752.—Europ.  
 calcarea, Zett. ex Willk. & Lange, Prod. Fl. Hisp. iii.  
 557 = microcarpa.  
 californica, Nutt. ex Torr. & Gray, Fl. N. Am. i.  
 671.—Am. bor.  
 calvipes, Schlecht. in Linnaea, xiv. (1840) 160 =  
 americana.  
 calycina, Presl, Bot. Bemerk. 15 = bracteolata, Linn.  
 campestris, Dalz. in Hook. Kew Journ. ii. (1850) 40 =  
 elongata.  
 campestris, Gardn. in Hook. Lond. Journ. Bot. ii.  
 (1843) 332.—Bras.  
 camporum, Benth. in Hook. l. c. iv. (1842) 100 =  
 angustifolia.  
 canarana, A. W. Benn. in Hook. f. Fl. Brit. Ind. i.  
 207 = Salomonina oblongifolia.  
 capillaris, E. Mey. in Drège, Zwei Pfl. Docum. 212.—  
 Afr. trop. et austr.  
 capillifolia, Desf. ex DC. Prod. i. 327.—Hab.?  
 capitata, Buch.-Ham. ex D. Don, Prod. Fl. Nep. 199  
 = crotalarioides.  
 caracasana, H. B. & K. Nov. Gen. et Sp. v. 407.—  
 Venezuela.  
 cardiocarpa, Kurz, in Journ. As. Soc. Beng. xli. (1872)  
 II. 293.—Burma.  
 caripensis, Turcs. in Bull. Soc. Nat. Mosc. xxvii.  
 (1854) II. 350.—Venezuela.  
 Carmichaelii, Harv. in Harv. & Sond. Fl. Cap. i. 19\*.  
 —Afr. austr.  
 carniolica, A. Kern. Sched. Fl. Exsicc. iii. 64.—  
 Carniol.  
 caucasica, Rupr. Fl. Cauc. 165.—Reg. Caucas.  
 celosioides, Mart. ex A. W. Benn. in Mart. Fl. Bras.  
 xiii. III. 35.—Bras.  
 cernua, Eckl. & Zeyh. Enum. 22 = abyssinica.  
 cernua, Thunb. Prod. Pl. Cap. 120 = virgata.  
 cestrifolia, A. St. Hil. Fl. Bras. Mer. ii. 51 =  
 P. Laureola.  
 ceylanica, Heyne, ex Wall. Cat. n. 4183 = javana.  
 Chamaebuxus, Linn. Sp. Pl. 704.—Europ.  
 Chapmanii, Torr. & Gray, Fl. N. Am. i. 131.—Am. bor.  
 chatamensis, Anderss. in Vet. Akad. Handl. Stockh.  
 1853 (1855) 232.—Ins. Galap.  
 chinensis, Linn. Sp. Pl. 704.—China; Ind. or.  
 chloroneura, Griseb. in Goett. Abh. xix. (1874) 75.—  
 Reg. Argent.  
 ciliata, Lebel, ex Gren. & Godr. Fl. Fr. i. 195 =  
 vulgaris.  
 ciliata, Linn. Sp. Pl. 705 = Salomonina ciliata.  
 ciliata, Wight, ex A. W. Benn. in Hook. f. Fl. Brit.  
 Ind. i. 204 = chinensis.  
 ciliatifolia, Turcs. in Bull. Soc. Nat. Mosc. xxvii.  
 (1854) II. 347.—Afr. austr.  
 ciliolata, Harv. in Harv. & Sond. Fl. Cap. i. 87 =  
 ciliatifolia.  
 cineraria, Willd. Sp. Pl. iii. 880 (cineraria) = violacea,  
 Vahl.  
 cinerea, DC. Prod. i. 330 = violacea, Vahl.  
 clavipes, Walp. Rep. iv. 648 = americana.  
 cluytioides, Burch. ex DC. Prod. i. 322 = myrtifolia.  
 Cneorum, A. St. Hil. Fl. Bras. Mer. ii. 38.—Bras.  
 coerulea, Miègev. ex Reichb. Pl. Crit. i. 25 = vulgaris.  
 comata, Mart. ex A. W. Benn. in Mart. Fl. Bras. xiii.  
 III. 42.—Bras.  
 comata, Mart. ex A. W. Benn. l. c., partim = P.  
 Timoutou.  
 commutata, Sweet, Hort. Brit. ed. II. 47.—  
 comosa, Schk. Handb. ii. 324. t. 194 = vulgaris.  
 conferta, A. W. Benn. in Hems. Diagn. Pl. Nov. 2.  
 —Mexic.  
 confusa, Hassk. in Miq. Ann. Mus. Bot. Lugd. Bat. i.  
 165 = glaucoides.  
 conicarpa, Hance, in Walp. Ann. ii. 80 (sp. dub.).—  
 China.  
 conosperma, Boj. in Ann. Sc. Nat. Sér. II. iv. (1885)  
 266.—Afr. trop.



**POLYGALA:—**

*cordifolia*, Presl, *Rel. Haenk.* v. 99.—Peruv.  
*cordifolia*, Thunb. Prod. Pl. Cap. 120 = oppositifolia.  
*coriacea*, A. St. Hil. Fl. Bras. Mer. ii. 19.—Am. austr.  
*corifolia*, Triana & Planch. in *Ann. Sc. Nat. Sér. IV.*  
 xvii. (1862) 129.—N. Granat.  
*corisoides*, A. St. Hil. Fl. Bras. Mer. ii. 17. t. 83 =  
 P. Cyparissias.  
*cornuta*, Kellogg, in Proc. Calif. Acad. ed. II. i. (1873)  
 63 = californica.  
*corsica*, Gremli, Neue Beitr. Fl. Schweiz, iii. 4 =  
 vulgaris.  
*corsica*, Sieber, ex Steud. Nom. ed. II. ii. 371 =  
 nicaeensis.  
*coryfolia*, C. Muell. in Walp. Ann. vii. 248 = corifolia?  
*corymbosa*, Michx. Fl. Bor. Am. ii. 54, partim =  
 cymosa.  
*corymbosa*, Nutt. Gen. Am. ii. 89 = ramosa.  
*Coursiverea*, Pomel, Nouv. Mat. Fl. Atl. 211 =  
 nicaeensis.  
*crotalarioides*, Buch.-Ham. ex DC. Prod. i. 327.—Reg.  
 Himal.  
*crotalarioides*, Roxb. ex Steud. Nom. ed. II. ii. 371 =  
 chinensis.  
*crotalloides*, Roxb. ex Wight & Arn. Prod. 36, sphalm.  
 — chinensis.  
*crucianelloides*, DC. Prod. i. 329.—Ins. S. Doming.  
*cruciata*, Linn. Sp. Pl. 706.—Am. bor.  
*cruciata*, Torr. & Gray, Fl. N. Am. i. 127, partim =  
 = brevisfolia, Nutt.  
*cucullata*, Benth. Pl. Hartw. 299.—Calif.  
*cucullata*, Newberry, in Pacif. Rail. Rep. vi. 70 =  
 californica.  
*Curtissii*, A. Gray, Man. Bot. N. U. St. ed. V. 121.—  
 Am. bor.  
*cuspidata*, DC. Prod. i. 328 = P. Timoutou.  
*cuspidata*, Hook. & Arn. in Hook. Journ. Bot. i.  
 (1834) 194 = cruciata.  
*cyanolopha*, Hance, in Journ. Bot. iv. (1866) 117 =  
 telephioides.  
*cyanophila*, C. Muell. in Walp. Ann. vii. 245, sphalm.  
 = seq.  
*cymosa*, Poir. Encyc. v. 500 = ramosa.  
*cymosa*, Walt. Fl. Carol. 179.—Am. bor.  
*Cyparissias*, A. St. Hil. Fl. Bras. Mer. ii. 15.—Am.  
 austr.  
*Darwiniana*, A. W. Benn. in Journ. Bot. xvii. (1879)  
 203.—Patagon.  
*Decaisnei*, Steud. Nom. ed. II. ii. 371 = spinescens.  
*decipiens*, Bess. Enum. Pl. Volh. 73 = amara.  
*declinata*, E. Mey. in Drège, Zwei Pfl. Docum. 212 =  
 hispida.  
*decora*, Sond. in Linnaea, xxiii. (1850) 14 = virgata.  
*decumbens*, A. W. Benn. in Mart. Fl. Bras. xiii. III.  
 15.—Bras.  
*densiflora*, Blume, Bijdr. 59 = glomerata.  
*densifolia*, A. St. Hil. Fl. Bras. Mer. ii. 41.—Bras.  
*depauperata*, Wall. Cat. n. 4180 = glomerata.  
*depressa*, Wender. in Schrift. Arb. ii. (1831) 239; et  
 in Berl. Jahrb. Pharm. xxxii. (1831) 109 = serpyll-  
 lacea.  
*dichroma*, Steud. Nom. ed. II. ii. 371 = Acantho-  
 cladus albicans.  
*dictyoptera*, Boiss. Diagn. Ser. II. i. 59 = irregularis.  
*Dietrichiana*, D. Dietr. Syn. Pl. iv. 905.—Afr. austr.  
*diffusa*, A. Dietr. in Otto & Dietr. Allg. Gartenz. ii.  
 (1834) 114.—Afr. austr.  
*discolor*, Buch.-Ham. ex D. Don, Prod. Fl. Nep. 199  
 = leptalea.  
*disperma*, Vell. Fl. Flum. 290; vii. t. 58.—Bras.  
*distans*, A. St. Hil. Fl. Bras. Mer. ii. 24. t. 84.—Am.  
 austr.  
*diversifolia*, Linn. Sp. Pl. 703 = Badiera diversifolia.  
*diversifolia*, Miq. in Linnaea, xix. (1847) 128 = longi-  
 caulis.  
*diversifolia*, Pohl, ex A. W. Benn. in Mart. Fl. Bras.  
 xiii. III. 7 = P. Laureola.  
*domingensis*, Bert. ex Spreng. Syst. iii. 172 = Badiera  
 Berteriana.  
*domingensis*, Jacq. Select. Am. ed. Min. 252.—Ins. S.  
 Doming.  
*Donii*, Hook. f. in Hook. Niger Fl. 222 = tenui-  
 caulis?  
*Dregeana*, Presl, Bot. Bemerk. 14.—Afr. austr.  
*Duarteana*, A. St. Hil. Fl. Bras. Mer. ii. 34.—Am.  
 austr.  
*dubia*, Dum. in Bull. Soc. Bot. Belg. vii. (1868) 344 =  
 vulgaris.

**POLYGALA:—**

*dumosa*, Poir. Encyc. v. 495 = Muraltia dumosa.  
*Dunaliana*, A. St. Hil. Fl. Bras. Mer. ii. 32. t. 85 =  
 brasiliensis.  
*dunensis*, Dum. in Bull. Soc. Bot. Belg. vii. (1868)  
 344 = vulgaris.  
*dura*, Wight, ex Wall. Cat. n. 4171 = glaucoides.  
*Eckloniana*, Lehm. Del. Sem. Hort. Hamb. (1830) 8.  
 — Cf. Linnaea, vi. (1831) Litt. 11 = ericaefolia.  
*Eckloniana*, Presl, Bot. Bemerk. 15 = teretifolia.  
*elegans*, Wall. Cat. n. 4186 = sibirica.  
*elongata*, Klein, ex Willd. Sp. Pl. iii. 879.—Ind. or.  
*elongata*, Presl, Fl. Sic. p. xvi, 136 = rosea.  
*emimensis*, Baker, in Journ. Linn. Soc. xx. (1883) 89.  
 — Madag.  
*empetrifolia*, Houtt. Handleid. v. 433. t. 28. f. 1 =  
 teretifolia.  
*ephedroides*, Burch. Trav. i. 465 = virgata.  
*equisetoides*, A. St. Hil. Fl. Bras. Mer. ii. 7.—Bras.  
*ericaefolia*, DC. Prod. i. 323.—Afr. austr.  
*ericaefolia*, Harv. in Harv. & Sond. Fl. Cap. i. 87,  
 partim = macra.  
*ericoides*, Burm. f. Fl. Cap. Prod. 19 = Muraltia  
 Burmanni.  
*ericoides*, Poir. Encyc. v. 497 = Muraltia Poirerii.  
*eriocephala*, F. Muell. ex Benth. Fl. Austral. i. 139.—  
 Austral.  
*erioptera*, DC. Prod. i. 326.—As. et Afr. trop.  
*erubescens*, E. Mey. in Drège, Zwei Pfl. Docum. 212 =  
 hispida.  
*eumekes*, Hassk. in Miq. Ann. Mus. Bot. Lugd. Bat. i.  
 172 = elongata.  
*eutaxioides*, Turcz. in Bull. Soc. Nat. Mosc. xxvii.  
 (1854) ii. 348.—Chili.  
*exigua*, A. W. Benn. in Mart. Fl. Bras. xiii. III. 17.—  
 Bras.  
*exigua*, Hassk. in Miq. Ann. Mus. Bot. Lugd. Bat.  
 i. 173 = chinensis.  
*exilis*, DC. Cat. Hort. Monsp. 133.—Europ.  
*fasciculata*, Poir. Encyc. v. 502 = Muraltia fasciculata.  
*fastigiata*, Nutt. Gen. Am. ii. 89.—Am. bor.  
*fatua*, Wallr. in Linnaea, xiv. (1840) 613; et Beitr.  
 Fl. Hercyn. 243 (Quid?).—Europ.  
*Figariana*, Webb, Fragm. Fl. Aethiop. 31.—Afr. trop.  
*filiformis*, A. St. Hil. Fl. Bras. Mer. ii. 7.—Bras.  
*filiformis*, Thunb. Prod. Pl. Cap. 121 = Muraltia fili-  
 formis.  
*fimbriata*, A. W. Benn. in Mart. Fl. Bras. xiii. III. 13.  
 — Bras.  
*Fimutia*, J. F. Gmel. Syst. 1606 = P. Timoutou.  
*Fishiae*, Parry, in Proc. Davenport Acad. Nat. Hist. iv.  
 (1884) 39 (sp. dub.).—Am. bor.  
*flabellata*, Shuttlew. ex A. Gray, Pl. Wright. i. 41 =  
 grandiflora.  
*flavescens*, DC. Cat. Hort. Monsp. 134.—Europ. austr.  
*floribunda*, Benth. Pl. Hartw. 58.—Am. austr.  
*floribunda*, Boiss. & Huet, in Boiss. Diagn. Ser. II. v.  
 50 = major.  
*forojulensis*, Kern. in Oestr. Bot. Zeitschr. xxiv. (1874)  
 102.—Europ.  
*fragilis*, Kunze, ex Walp. in Nov. Act. Nat. Cur. xix.  
 Suppl. i. (1843) 301 = gnidioides.  
*frutescens*, Burm. f. ex DC. Prod. i. 308 = Ionidium  
 heterophyllum.  
*fruticosa*, Berg. Desc. Pl. Cap. 183 = oppositifolia.  
*furcata*, Royle, Illustr. Bot. Himal. 76. t. 19 B =  
 triphylla.  
*galapageia*, Hook. f. in Trans. Linn. Soc. xx. (1847)  
 233.—Ins. Galap.  
*galioides*, Poir. Encyc. v. 503 = verticillata.  
*Garcini*, DC. Prod. i. 323.—Afr. austr.  
*Gardneriana*, A. W. Benn. in Mart. Fl. Bras. xiii. III.  
 19.—Bras.  
*Gariodiana*, Jord. & Fourr. ex Verl. in Bull. Soc. Stat.  
 Isère, xiv. (1872) 392 = nicaeensis.  
*Gayii*, A. W. Benn. in Journ. Bot. xvii. (1879) 168.—  
 Am. austr.  
*genistoides*, Poir. Encyc. v. 492 = virgata.  
*Gerardiana*, Wall. Cat. n. 4187 = abyssinica.  
*glabra*, A. W. Benn. in Mart. Fl. Bras. xiii. III. 15.—  
 Bras.  
*glabra*, Heyne, ex A. W. Benn. in Hook. f. Fl. Brit.  
 Ind. i. 204 = chinensis.  
*glacialis*, Bruegg. in Zeitschr. Ferdinand. Tirol. III. ix.  
 (1860) 73 = alpina.  
*glandulosa*, H. B. & K. Nov. Gen. et Sp. v. 404.—Mexic.  
*glandulosa*, Vell. Fl. Flum. 293; vii. t. 70 = Monnina  
 resedoides.

**POLYGALA:—**

*glaucal*, E. Mey. in Drège, Zwei Pfl. Docum. 212,  
 nomen = oppositifolia, myrtifolia.  
*glaucescens*, Wall. Cat. n. 4182 = triphylla.  
*glaucoides*, Linn. Sp. Pl. 705.—Zeylan.  
*glaucoides*, Wight, in Wall. Cat. n. 4171 = chinensis.  
*globosa*, Pohl, ex A. W. Benn. in Mart. Fl. Bras. xiii.  
 III. 6 = violoides.  
*glochidiata*, H. B. & K. Nov. Gen. et Sp. v. 400.—  
 Venezuela.  
*glomerata*, Lour. Fl. Cochinch. 426.—As. trop.  
*glomerata*, Thw. Enum. Pl. Zeyl. 400 = sibirica.  
*glumacea*, Sibth. & Sm. Fl. Graec. Prod. ii. 52 =  
 monspeliaca.  
*gnidioides*, Willd. Sp. Pl. iii. 878.—Chili; Peruv.  
*Gomesiana*, Welw. ex Oliver, Fl. Trop. Afr. i. 126.—  
 Afr. trop.  
*gracilipes*, Harv. in Harv. & Sond. Fl. Cap. i. 90.—  
 Afr. austr.  
*gracilis*, H. B. & K. Nov. Gen. et Sp. v. 401.—  
 Venezuela.  
*gracillima*, Spruce, ex A. W. Benn. in Mart. Fl. Bras.  
 xiii. III. 39 = appressa.  
*graminifolia*, Poir. Encyc. v. 500 = cymosa.  
*grandiflora*, Lodd. Bot. Cab. t. 1227 = myrtifolia.  
*grandiflora*, Walt. Fl. Carol. 179.—Am. bor.  
*grandiflora*, Wight, in Wall. Cat. n. 4175 = chi-  
 nensis.  
*grandiflora*, Willd. ex A. W. Benn. in Mart. Fl. Bras.  
 xiii. III. 9 = seq.  
*grandifolia*, A. St. Hil. Fl. Bras. Mer. ii. 52.—Bras.  
*grandis*, Pall. Reise Suedl. Statth. Russ. Reich. ii. 190  
 = major?  
*granulata*, Hochst. in Flora, xxiv. (1841) i. Intell. 30  
 = persicariaefolia.  
*Greggii*, S. Wats. in Proc. Am. Acad. xvii. (1881-82)  
 325 = glandulosa.  
*guineensis*, Willd. Sp. Pl. iii. 882.—Afr. trop.  
*Gundelshheimeri*, C. Koch, in Linnaea, xix. (1847) 59  
 = supina.  
*gypsophiloides*, Presl, ex Willk. & Lange, Prod. Fl.  
 Hissp. iii. 558 = rosea.  
*hebantha*, Benth. Bot. Voy. Sulph. 67.—Am. austr.  
*hebecarpa*, DC. Prod. i. 330.—Ins. S. Doming.  
*hebecarpa*, A. W. Benn. in Mart. Fl. Bras. xiii. III.  
 10.—Bras.  
*hebecarpa*, DC. Prod. i. 331.—Bras.  
*Heisteria*, Linn. Sp. Pl. 704 = Muraltia Heisteria.  
*hemipterocarpa*, A. Gray, Pl. Wright. ii. 31.—N.  
 Mexic.  
*herbiola*, A. St. Hil. Fl. Bras. Mer. ii. 12.—Bras.  
*heterophylla*, Scheele, in Linnaea, xvii. (1843) 336.—  
 Bras.  
*heterophylla*, F. Schultz, Fl. Pfalz (1846), 72, in syn. =  
 calcarea.  
*heterotricha*, Zipp. ex Span. in Linnaea, xv. (1841) 167  
 = humilis.  
*Heyneana*, Wall. Cat. n. 4184 = sibirica.  
*Hilariana*, Endl. in Linnaea, vii. (1832) 357 = grandif-  
 folia.  
*hirsuta*, A. St. Hil. Fl. Bras. Mer. ii. 45.—Bras.  
*hirsutula*, Arn. in Nov. Act. Nat. Cur. xviii. (1836)  
 322 = glaucoides.  
*hispida*, Burch. ex DC. Prod. i. 323.—Afr. austr.  
*hispida*, E. Mey. in Drège, Zwei Pfl. Docum. 212 =  
 affinis.  
*hispidula*, Presl, Bot. Bemerk. 15 = peduncularis.  
*Hohenackeriana*, Fisch. & Mey. Ind. Sem. Hort.  
 Petrop. iv. 42.—Oriens.  
*Hookeri*, Torr. & Gray, Fl. N. Am. i. 671.—Am. bor.  
 occ.  
*hospita*, Heuff. in Flora, xxxvi. (1853) 620 = supina.  
*Hostmanni*, Miq. Stirp. Surin. Sel. 33 = trichosperma.  
*hottentotta*, Presl, Bot. Bemerk. 15.—Afr. austr.  
*huillensis*, Welw. ex Oliver, Fl. Trop. Afr. i. 133.—  
 Afr. trop.  
*humilis*, Lodd. Bot. Cab. t. 420 = Muraltia humilis.  
*humilis*, Span. in Linnaea, xv. (1841) 167.—Ins.  
 Timor.  
*humilis*, Vell. Fl. Flum. 293; vii. t. 67 = paniculata.  
*hyalina*, Wall. Cat. n. 4181 = triphylla.  
*hybrida* ×, Bruegg. in Jahresb. Naturf. Ges. Graub. II.  
 xxv. (1882) 73.—Europ.  
*hybrida*, DC. Prod. i. 325 = vulgaris.  
*hyemalis*, Rafin. New Fl. Am. iv. 89 (Quid?).—Am.  
 bor.  
*hygrophila*, H. B. & K. Nov. Gen. et Sp. v. 395.—  
 Venezuela.



## POLYGALA:—

- hypericoides*, Webb, *Fragm. Fl. Aethiop.* 31 = persicariaefolia.
- hypoglauca*, Hassk. in *Miq. Ann. Mus. Bot. Lugd. Bat.* i. 169 = glaucoides.
- hyssopifolia*, *Boj. in Bouton, 12<sup>me</sup> Rapp. Ann. Maur.* (1842) 13; et in *Ann. Sc. Nat. Sér. II. xx.* (1843) 95.—Madag.
- hyssopifolia*, A. St. Hil. *Consp. Polyg. Bras. Mer.* 12; *Fl. Bras. Mer.* ii. 43 = hebeclada, DC.
- ilheotica*, Wawra, *Bot. Ergeb. Maxim. Bras.* 41. t. 54.—Bras.
- illepida*, E. Mey. ex *Harv. & Sond. Fl. Cap.* i. 92.—Afr. austr.
- inaequiloba*, Turcz. in *Bull. Soc. Nat. Mosc.* xxvii. (1854) ii. 349.—Mexic.
- incarnata*, Aubl. *Pl. Gui.* ii. 739 = adenophora.
- incarnata*, Linn. *Sp. Pl.* 701.—Am. bor.
- insignis*, Klotzsch, ex A. W. Benn. in *Mart. Fl. Bras.* xiii. III. 8.—Bras.
- insipida*, Reichb. *Fl. Germ. Excurs.* 350 = amara.
- insularis*, A. W. Benn. in *Journ. Bot.* xvii. (1879) 204.—Ins. Galapag.
- intermedia*, DC. *Prod.* i. 322 = peduncularis.
- intermedia*, Eckl. & Zeyh. *Enum.* 21 = bracteolata, Linn.
- intermedia*, Eichw. *Skizze*, 174 = vulgaris.
- involutiflora*, Lamotte, *Prod. Centr. Fr.* i. 126 = vulgaris.
- irregularis*, Boiss. *Diagn. Ser. I.* i. 8.—Oriens; Afr. trop.
- Itatiaiae*, Wawra, in *Oestr. Bot. Zeitschr.* xxxii. (1882) 38.—Bras.
- Jablotskiana*, Fisch. & Mey. ex Boiss. *Fl. Orient.* i. 472 = Hohenackeriana.
- Jamesi*, Rafin. *Atl. Journ.* 146 (Quid ?).—Am. bor.
- japonica*, Houtt. *Handleid.* x. 89. t. 62. f. 1 = sibirica.
- javana*, DC. *Prod.* i. 327.—Ind. or.; Malaya.
- javanica*, Steud. *Nom. ed. II.* ii. 371 = praec.
- juncea*, A. St. Hil. *Fl. Bras. Mer.* ii. 13.—Bras.
- juniperifolia*, Poir. *Encyc.* v. 496 = Muraltia juniperifolia.
- juniperina*, Cav. in *Anal. Cienc. Nat.* iv. (1801) 53 = microphylla.
- karensium*, Kurz, in *Journ. As. Soc. Beng.* xli. (1872) ii. 392.—Burma.
- khasiana*, Hassk. in *Miq. Ann. Mus. Bot. Lugd. Bat.* i. 176 = sibirica.
- Kleinii*, Hassk. l. c. 158 = chinensis.
- krumanina*, Burch. ex Ficalho & Hiern, in *Trans. Linn. Soc. Ser. II.* ii. (1881) 16.—Afr. austr.
- laevigata*, E. Mey. in Drège, *Zwei Pfl. Docum.* 212 = serpentaria.
- lagoana*, A. W. Benn. in *Mart. Fl. Bras.* xiii. III. 22.—Bras.
- lanata*, E. Mey. ex Meissn. in *Hook. Lond. Journ. Bot.* i. (1842) 469 = hispida.
- lanceolata*, Poir. *Encyc.* v. 498 = Monnina lanceolata.
- lanceolata*, Vell. *Fl. Flum.* 291; vii. t. 63.—Bras.
- lancifolia*, A. St. Hil. *Fl. Bras. Mer.* ii. 42.—Bras.
- lasiopoda*, Presl, *Bot. Bemerk.* 15 = bracteolata, Linn.
- latifolia*, Ker-Gawl. in *Bot. Reg.* t. 645 = oppositifolia.
- Laurcola*, A. St. Hil. *Fl. Bras. Mer.* ii. 50. t. 89.—Bras.
- laxa*, Mart. ex Spreng. *Syst.* iii. 170.—Bras.
- laxa*, Thunb. *Prod. Pl. Cap.* 121 = Muraltia laxa.
- Lehmanniana*, Eckl. & Zeyh. *Enum.* 23.—Afr. austr.
- Lejeunii*, Bor. *Fl. Centr. Fr. ed. II.* 71 = vulgaris.
- Lensei*, Bor. in *Mém. Soc. Acad. Maine-et-Loire*, xiv. (1863) 42 = vulgaris.
- leptalea*, DC. *Prod.* i. 325.—As. or.; Austral.
- leptandroides*, Turcz. in *Bull. Soc. Nat. Mosc.* xxvii. (1854) ii. 349.—Mexic.
- leptocaulis*, Torr. & Gray, *Fl. N. Am.* i. 130 = paludosa.
- leptocladia*, Boj. in *Bouton, 12<sup>me</sup> Rapp. Ann. Maur.* (1842) 14.—Madag.
- leptophylla*, Burch. *Trav.* i. 400.—Afr. austr.
- leptorhiza*, DC. *Prod.* i. 326 = erioptera.
- leptostachys*, Shuttlew. ex A. Gray, in *Pl. Wright.* i. 41.—Am. bor.
- leucantha*, A. W. Benn. in *Journ. Bot.* xvii. (1879) 172.—Am. austr.
- ligularis*, Ker-Gawl. in *Bot. Reg.* t. 637 = myrtifolia.
- ligularis*, Spreng. ex Eckl. & Zeyh. *Enum.* 19 = virgata.
- ligustroides*, A. St. Hil. *Fl. Bras. Mer.* ii. 49.—Bras.

## POLYGALA:—

- linariaefolia*, Poir. *Encyc.* v. 495 = chinensis.
- linarifolia*, Buch.-Ham. ex Wall. *Cat. n.* 4170 E. = telephioides.
- linarifolia*, Heyne, ex Hassk. in *Miq. Ann. Mus. Bot. Lugd. Bat.* i. 175 = rosmarinifolia.
- linarifolia*, Willd. *Sp. Pl.* iii. 877 = chinensis.
- Lindheimeri*, A. Gray, in *Bost. Journ. Nat. Hist.* vi. (1850) 150.—Am. bor. occ.
- linearis*, R. Br. in Salt, *Abyss. App.* 65 = erioptera.
- linearis*, Heyne, ex Wight & Arn. *Prod.* 38 = chinensis.
- linearis*, Hook. f. ex A. W. Benn. in *Mart. Fl. Bras.* xiii. III. 37 = Duarteana.
- linearis*, Lag. *Gen. et Sp. Nov.* 22 = exilis.
- linearis*, E. Mey. in Drège, *Zwei Pfl. Docum.* 212 = rarifolia.
- linifolia*, Hook. f. ex A. W. Benn. in *Mart. Fl. Bras.* xiii. III. 37 = Duarteana.
- linifolia*, Scheele, in *Linnaea*, xvii. (1843) 335 = Nuttallii?
- Linkiana*, Sweet, *Hort. Brit. ed. II.* 46 = myrtifolia.
- linoides*, Poir. *Encyc.* v. 449.—Bras.
- Liorani*, Jord. ex Lamotte, *Prod. Fl. Cent. Fr.* i. 127 = serpyllacea.
- longicaulis*, H. B. & K. *Nov. Gen. et Sp.* v. 396.—Am. trop.
- longifolia*, A. Dietr. in Otto & Dietr. *Allg. Gartenz.* ii. (1834) 117 = macrophylla.
- longifolia*, Gilib. ex Steud. *Nom. ed. II.* ii. 372 = vulgaris.
- longifolia*, Poir. *Encyc.* v. 501.—Java.
- longifolia*, Presl, *Bot. Bemerk.* 15 = virgata.
- Louyerii*, Gardn. & Champ. in *Hook. Kew Journ.* i. (1849) 242 = sibirica.
- lucida*, A. W. Benn. in *Mart. Fl. Bras.* xiii. III. 43 = P. Roubinianna.
- Ludwigiana*, Eckl. & Zeyh. *Enum.* 23.—Afr. austr.
- lupulina*, Willd. *Sp. Pl.* iii. 880 = P. Timoutou.
- lutea*, Linn. *Sp. Pl.* 705.—Am. bor.
- macra*, DC. *Prod.* i. 323.—Afr. austr.
- macra*, Eckl. & Zeyh. *Enum.* 22 = ciliatifolia.
- macra*, Harv. in *Harv. & Sond. Fl. Cap.* i. 89, partim = refracta.
- macra*, E. Mey. in Drège, *Zwei Pfl. Docum.* 212 = virgata.
- macradenia*, A. Gray, *Pl. Wright.* i. 39.—Am. bor. occ.
- macrantha*, Turcz. in *Bull. Soc. Nat. Mosc.* xxvii. (1854) ii. 345 = oppositifolia.
- macrolophos*, Hassk. in *Miq. Ann. Mus. Bot. Lugd. Bat.* i. 167 = sibirica.
- macropetala*, Hassk. l. c. 168 = sibirica?
- macrophylla*, D. Dietr. *Syn. Pl.* iv. 905.—Afr. austr.
- macrophylla*, Mart. ex A. W. Benn. in *Mart. Fl. Bras.* xiii. III. 9 = grandifolia.
- macroptera*, DC. *Prod.* i. 332.—Madag.
- macrostachya*, Hassk. in *Miq. Ann. Mus. Bot. Lugd. Bat.* i. 171 = elongata.
- madagascariensis*, O. Hoffm. in *Bremen, Abh.* vii. (1882) 240.—Madag.
- magna*, Georgi, *Beschr. Russ. Reich.* III. iv. 1159 = major.
- major*, Jacq. *Fl. Austr.* v. 6.—Europ. austr.; Oriens.
- major*, Webb, *Iter Hispan.* 66 = Boissieri.
- Mannii*, Oliver, *Fl. Trop. Afr.* i. 130.—Afr. trop.
- mariana*, Mill. *Gard. Dict. ed. VIII.* n. 6 = incarnata.
- maritima*, Vell. *Fl. Flum.* 293; vii. t. 68.—Bras.
- Marta*, Steud. *Nom. ed. II.* ii. 372, sphalm. = Martii.
- Martiana*, A. W. Benn. in *Mart. Fl. Bras.* xiii. III. 13 = violacea.
- Martii*, DC. *Prod.* i. 332.—Bras.
- mascatisensis*, Boiss. *Fl. Orient.* i. 470.—Arab.
- mendocina*, Phil. *Sert. Mend. Alt.* 4.—Chili.
- mexicana*, Moq. ex Cav. in *Anal. Cienc. Nat.* vii. (1804) 48 = scoparia.
- Meyeriana*, Presl, *Bot. Bemerk.* 14 = oppositifolia.
- Michaleti*, Gren. in *Mém. Soc. Emul. Doubs, Sér. IV.* ix. (1875) 395 = vulgaris.
- micrantha*, Andr. *Bot. Rep. t.* 424 = Muraltia filiformis.
- micrantha*, Guill. & Perr. *Fl. Seneg. Tent.* i. 37.—Afr. trop.
- micrantha*, Thunb. *Prod. Pl. Cap.* 121 = Muraltia micrantha, filiformis.
- micrantha*, Willd. ex DC. *Prod.* i. 336 = Muraltia stipulacea.
- microcarpa*, Gaud. *Fl. Helv.* iv. 445.—Europ.; Reg. Caucas.

## POLYGALA:—

- microlopha*, Burch. ex DC. *Prod.* i. 322.—Afr. austr.
- microlopha*, Eckl. & Zeyh. *Enum.* 22 = ericaefolia.
- microphylla*, Linn. *Sp. Pl.* ed. II. 989.—Lusitan.
- microphylla*, Thunb. *Prod. Pl. Cap.* 121 = Thunbergii.
- microptera*, A. W. Benn. in *Hemsl. Diagn. Pl. Nov.* 2 = incarnata.
- minima*, Pohl, ex A. W. Benn. in *Mart. Fl. Bras.* xiii. III. 30.—Bras.
- minutiflora*, Presl, *Rel. Haenk.* ii. 100 = scoparia.
- missurica*, Rafin. *New Fl. Am.* iv. 89 (Quid ?).—Am. bor.
- mixta*, Andr. *Bot. Rep. t.* 445 = Muraltia mixta.
- mixta*, Linn. f. *Suppl.* 316; Thunb. *Prod. Pl. Cap.* 121 = Muraltia Burmanni.
- modesta*, Miq. in *Linnaea*, xviii. (1844) 747 = tenuis.
- mollis*, H. B. & K. *Nov. Gen. et Sp.* v. 406.—Am. austr.
- molluginifolia*, A. St. Hil. *Fl. Bras. Mer.* ii. 25 = verticillata.
- monninoides*, H. B. & K. *Nov. Gen. et Sp.* v. 408 = angustifolia.
- monopetala*, Cambess. in *Jacquem. Voy. Bot.* 25. t. 27 = sibirica.
- monosperma*, A. W. Benn. in *Mart. Fl. Bras.* xiii. III. 19.—Bras.
- monspeliaca*, All. *Fl. Pedem.* ii. 301; Vill. *Hist. Pl. Dauph.* iii. 388 = vulgaris.
- monspeliaca*, Asso, *Syn. Pl. Arag.* 92 = rupestris.
- monspeliaca*, Blanco, *Fl. Filip.* ed. I. 557 = telephioides.
- monspeliaca*, Linn. *Sp. Pl.* 702.—Reg. Mediterr.
- monspeliaca*, Reichb. *Fl. Germ. Excurs.* 351 = exilis.
- montana*, Opiz, in *Flora*, v. (1822) 270 = vulgaris.
- monticola*, H. B. & K. *Nov. Gen. et Sp.* v. 405 = angustifolia.
- Moquiniana*, A. St. Hil. *Fl. Bras. Mer.* ii. 36. t. 86.—Bras.
- Mori*, Opiz, *Natural.* xi. (1826) 307, sphalm. = seq.
- Moriana*, Britting. in *Flora*, ix. (1826) 729 = vulgaris.
- Morisiana*, Reichb. f. *lc. Fl. Germ.* xviii. 91 = nicaeensis.
- mucronata*, Baker, in *Journ. Linn. Soc.* xx. (1883) 89.—Madag.
- mucronata*, A. W. Benn. in *Mart. Fl. Bras.* xiii. III. 8 = insignis.
- mucronata*, Willd. *Sp. Pl.* iii. 888.—Am. austr.
- Muhlenbergii*, G. Don, *Gen. Syst.* i. 358 = grandiflora.
- multibracteata*, Wall. *Cat. n.* 4174 = erioptera.
- multicaulis*, Tausch, in *Flora* (1821), 563 = vulgaris.
- multicaulis*, Vell. *Fl. Flum.* 294; vii. t. 71.—Bras.
- multiceps*, Borb. ex Just, *Jahresb.* x. 1882 (1885), 539.—Europ. austr.
- multiceps*, Mart. ex A. W. Benn. in *Mart. Fl. Bras.* xiii. III. 43.—Bras.
- multiflora*, Poir. *Encyc.* v. 497.—Afr. trop.
- Munbyana*, Boiss. & Reut. *Diagn. Ser. II.* v. 50.—Alger.
- Mundiana*, Eckl. & Zeyh. *Enum.* 22 = ericaefolia.
- muraltioides*, Eckl. & Zeyh. l. c. 24 = Muraltia Beiliana.
- mutabilis*, Dum. *Fl. Belg. Prod.* 31 = serpyllacea.
- Myrsinites*, Royle, *Illustr. Bot. Himal.* 76. t. 19 A = sibirica.
- myrtifolia*, Fries, *Nov. Fl. Suec.* ii. 227 = amara.
- myrtifolia*, Linn. *Sp. Pl.* 703.—Afr. austr.
- myrtillifolia*, Nees, 'Samml. t. 48'; ex *Prits. lc. Ind.* ii. 222 (Quid ?).—Hab.?
- myrtilloides*, Willd. *Sp. Pl.* iii. 889.—Am. austr.
- myrtillopsis*, Welw. ex Oliver, *Fl. Trop. Afr.* i. 130.—Afr. trop.
- nana*, DC. *Prod.* i. 328.—Am. bor.
- Neaei*, DC. l. c. 329 = aspalatha.
- neglecta*, Kern. in *Oestr. Bot. Zeitschr.* xviii. (1868) 37 = major.
- nemoralis*, A. W. Benn. in *Journ. Bot.* xvii. (1879) 172.—Am. austr.
- ncmorivaga*, Pomel, *Nouv. Mat. Fl. Atl.* 337.—Alger.
- nemorosa*, Willd. ex Steud. *Nom. ed. II.* ii. 372 = americana.
- nicæensis*, Risso, ex Koch, *Syn. Fl. Germ.* ed. I. 92.—Europ.; Reg. Mediterr.
- nicæensis*, Schur, *Enum. Pl. Trans.* 89 = major.
- nicæensis*, Willk. ex Willk. & Lange, *Prod. Fl. Hisp.* iii. 559 = baetica.



**POLYGALA :—**

*nivea*, Miége, in Bull. Soc. Bot. Fr. xii. (1865) 341 = amara.  
*noucherensis*, Cambess. in Jacquem. Voy. Bot. 24 = erioptera.  
*nova*, Boissieu, Fl. Europ. i. t. 174. f. 1 = exilis.  
*nubica*, Hochst. ex Oliver, Fl. Trop. Afr. i. 129 = erioptera.  
*nudicaulis*, A. W. Benn. in Mart. Fl. Bras. xiii. III. 20.—Bras.  
*numidica*, Pomel, Nouv. Mat. Fl. Atl. 211 = nicaeensis.  
*nummularia*, Burch. ex DC. Prod. i. 322 = oppositifolia.  
*nutans*, Hook. f. in Hook. Niger Fl. 222 = arenaria.  
*nutkana*, [Moç. & Sesse,] ex DC. Prod. i. 330 = ovalifolia.  
*nutkana*, Torr. Bot. Mex. Bound. 49. t. 12 = cucullata.  
*Nuttallii*, Torr. & Gray, Fl. N. Am. i. 670.—Am. bor. obovata, Hook. f. in Trans. Linn. Soc. xx. (1847) 233.—Ins. Galap.  
*obovata*, A. St. Hil. Fl. Bras. Mer. ii. 37.—Am. austr. obscura, Benth. Pl. Hartw. 58.—Mexic.  
*obtusata*, DC. Prod. i. 326 = erioptera.  
*obtusissima*, Hochst. ex Oliver, Fl. Trop. Afr. i. 130 = senensis.  
*Ohlendoriana*, Eckl. & Zeyh. Enum. 22.—Afr. austr. oleaefolia, A. St. Hil. Fl. Bras. Mer. ii. 49.—Bras.  
*oligantha*, A. Rich. Tent. Fl. Abyss. i. 38 = erioptera.  
*oligophylla*, DC. Prod. i. 325 = leptalea.  
*oppositifolia*, Linn. Mant. ii. 259.—Afr. austr.  
*orbicularis*, Benth. Fl. Austral. i. 140.—Austral.  
*ovalifolia*, DC. Prod. i. 331.—Mexic.  
*ovalis*, E. Mey. in Drège, Zwei Pfl. Docum. 212 = Ohlendoriana.  
*ovata*, Poir. Encyc. v. 498 = hebecarpa.  
*ovatifolia*, A. Gray, Pl. Wright. i. 39, sphalm. = ovalifolia.  
*oxycoccoides*, Desf. Fl. Atlant. ii. 127 = rupestris.  
*oxyphylla*, A. W. Benn. in Mart. Fl. Bras. xiii. III. 8.—Bras.  
*oxyphylla*, DC. Prod. i. 331 = P. Laureola.  
*oxyptera*, Reichb. Pl. Crit. i. 25 = vulgaris.  
*pachyrrhiza*, Casar. Nov. Stirp. Bras. Dec. 20 = violoides.  
*pallida*, E. Mey. in Drège, Zwei Pfl. Docum. 212.—Afr. austr.  
*Palmeri*, S. Wats. in Proc. Am. Acad. xvii. (1881-82) 325.—Am. bor. occ.  
*paludosa*, Boenn. ex Reichb. Fl. Germ. Excurs. 351 = serpyllacea.  
*paludosa*, A. St. Hil. Fl. Bras. Mer. ii. 8.—Bras.  
*paniculata*, Forsk. Fl. Aegypt. Arab. p. cxvii = exilis.  
*paniculata*, Le Conte, ex Torr. & Gray, Fl. N. Am. i. 129 = incarnata.  
*paniculata*, Linn. Syst. ed. X. 1154.—Ind. occ.; Afr. trop.  
*papilionacea*, Boiss. Diagn. Ser. I. i. 8.—Armen.  
*Pappeana*, Eckl. & Zeyh. Enum. 23 = macra.  
*paraguayensis*, A. W. Benn. in Journ. Bot. xvii. (1879) 173 = adenophylla.  
*Parryi*, A. W. Benn. in Hems. Diagn. Pl. Nov. 21.—Mexic.  
*parviflora*, Loisel. in Desv. Journ. Bot. ii. (1809) 360 = exilis.  
*parviflora*, Poir. Encyc. v. 504 = Muraltia parviflora.  
*parviflora*, Reichb. f. ex Nym. Consp. 83 = vulgaris.  
*pauciflora*, Muhl. ex Willd. Sp. Pl. iii. 880 = paucifolia.  
*pauciflora*, Thunb. Prod. Pl. Cap. 121 = Muraltia pauciflora.  
*paucifolia*, Willd. Sp. Pl. iii. 880.—Am. bor.  
*Pearcei*, A. W. Benn. in Journ. Bot. xvii. (1879) 201.—Bolivia.  
*pedemontana*, Perrier, ex B. Verlot, in Rév. Hort. (1863) 433 = vulgaris.  
*pedicellaris*, A. St. Hil. Fl. Bras. Mer. ii. 47 = violoides.  
*peduncularis*, Burch. ex DC. Prod. i. 323.—Afr. austr.  
*peduncularis*, Eckl. & Zeyh. Enum. 20 = virgata.  
*peduncularis*, A. Rich. Ess. Fl. Cub. 106 = violacea.  
*pedunculata*, Harv. in Harv. & Sond. Fl. Cap. i. 86, in syn. = abyssinica.  
*pedunculosa*, Thw. Enum. Pl. Zeyl. 400 = sibirica.  
*Penaea*, Linn. Sp. Pl. 703 = Badiera Penaea.  
*perophylla*, Pohl, ex A. W. Benn. in Mart. Fl. Bras. xiii. III. 18 = tenuis.  
*persicariaefolia*, DC. Prod. i. 326.—As. Afr. et Austral. trop.

**POLYGALA :—**

*persistens*, A. W. Benn. in Journ. Bot. xvii. (1879) 170.—Chili.  
*peruviana*, A. W. Benn. l. c. 173.—Peruv.  
*petalanthia*, Mart. ex A. W. Benn. in Mart. Fl. Bras. xiii. III. 5 = violoides.  
*Petitiana*, A. Rich. Tent. Fl. Abyss. i. 37.—Abyss.  
*phrygia*, Boiss. & Bal. ex Boiss. Fl. Orient. i. 473 = pruinosa.  
*phylicoides*, Thunb. Prod. Pl. Cap. 121 = Muraltia phylicoides.  
*pilosa*, Baker, in Journ. Linn. Soc. xxi. (1884) 321.—Madag.  
*pilosa*, Poir. Encyc. v. 497 = Muraltia pilosa.  
*pinifolia*, Lam. Illustr. iii. 159.—Afr. austr.  
*pinnata*, Burm. f. Fl. Cap. Prod. 19 (Leguminosae sp.).—Afr. austr.  
*pisaurensis*, Caldesi, in Nuov. Giorn. Bot. Ital. xi. (1879) 189.—Italia.  
*platycarpa*, Benth. Pl. Hartw. 113.—Am. austr.  
*Poaya*, Mart. Mat. Med. Bras. fasc. i. 13; Reise Bras. i. 285 = angulata.  
*podolica*, DC. Prod. i. 325 = vulgaris.  
*Pohlana*, A. St. Hil. Fl. Bras. Mer. ii. 45 = hirsuta.  
*polifolia*, Presl, Rel. Haenk. ii. 101.—Bras.  
*polycephala*, A. St. Hil. Fl. Bras. Mer. ii. 16 = aspalatha.  
*polygama*, DC. Prod. i. 330 = grandiflora.  
*polygama*, Walt. Fl. Carol. 179.—Am. bor.  
*polymorpha*, Schimp. & Spenn. in Spenn. Fl. Frib. iii. 865 = vulgaris, serpyllacea.  
*polyphylla*, DC. Prod. i. 324.—Afr. austr.  
*polyphylla*, Eckl. & Zeyh. Enum. 24 = Muraltia crassifolia.  
*pratensis*, A. W. Benn. in Journ. Bot. xvii. (1879) 169.—Chili.  
*pratensis*, Phil. in Linnaea, xxxiii. (1864) 18.—Chili.  
*Preslii*, D. Dietr. Syn. Pl. iv. 904.—Peruv.  
*Preslii*, Spreng. Syst. v. 551 = rosea.  
*procumbens*, Roth, Nov. Pl. Sp. 329 = chinensis.  
*prostrata*, F. Schultz, Fl. Pfalz (1846) 72, in syn. = serpyllacea.  
*prostrata*, Willd. Sp. Pl. iii. 896 = chinensis.  
*pruinosa*, Boiss. Diagn. Ser. I. i. 8.—Oriens.  
*pruinosa*, Boiss. l. c., partim = nicaeensis.  
*Pseudo-erica*, A. St. Hil. Fl. Bras. Mer. ii. 40. t. 87.—Bras.  
*Pseudo-senega*, Bertol. Misc. Bot. xv. 21 = lutea.  
*puberula*, Anders. in Vet. Akad. Handl. Stockh. 1853 (1855) 232.—Ins. Galapag.  
*puberula*, A. Gray, Pl. Wright. i. 40.—Texas.  
*puberula*, Mart. ex A. W. Benn. in Mart. Fl. Bras. xiii. III. 13 = violacea.  
*pubescens*, Mart. in Denkschr. Bot. Ges. Regensb. i. (1815) 185 = violacea.  
*pubescens*, Muhl. Cat. 66 = grandiflora.  
*pubescens*, Rhode, ex Mutel, Fl. Fr. i. 129 = vulgaris.  
*pubescens*, Schlecht. in Linnaea, xiv. (1840) 160 = puberula, A. Gray.  
*pubiflora*, Burch. ex DC. Prod. i. 322.—Afr. austr.  
*pubiflora*, Eckl. & Zeyh. Enum. 20 = bracteolata, Linn.  
*pulchella*, Cham. & Schlecht. in Linnaea, v. (1830) 230.—Mexic.  
*pulchella*, A. St. Hil. Fl. Bras. Mer. ii. 30.—Bras.  
*pulchella*, Scheele, in Linnaea, xvii. (1843) 335 = glochidiata.  
*pulchra*, Hassk. in Flora, xxv. (1842) II. Beibl. 32.—Java.  
*punctata*, A. W. Benn. in Journ. Bot. xvii. (1879) 172.—Am. austr.  
*punctulata*, Hochst. in Flora, xxix. (1841) I. Intell. 30, in obs. = persicariaefolia.  
*punctulata*, Vell. Fl. Flum. 291; vii. t. 61.—Bras.  
*pungens*, Burch. Trav. i. 304.—Afr. austr.  
*pungens*, Drège, Zwei Pfl. Docum. 212 = ciliatifolia.  
*purpurea*, Ait. Hort. Kew. ed. II. iv. 244 = paucifolia.  
*purpurea*, Nutt. Gen. Am. ii. 88 = sanguinea.  
*pygmaea*, Steud. Nom. ed. II. ii. 373 = crotalarioides.  
*pyxophylla*, Reichb. Fl. Germ. Excurs. 350 = serpyllacea.  
*quadrangula*, Presl, Rel. Haenk. ii. 100 = alba?  
*Quartiniiana*, Dillon, ex A. Rich. in Ann. Sc. Nat. Sér. II. xiv. (1840) 263 = persicariaefolia.  
*quinqueangularis*, Vell. Fl. Flum. 292; vii. t. 65 = angulata.

**POLYGALA :—**

*quinqueflora*, Buch.-Ham. ex Wall. Cat. n. 4170 C = telephioides.  
*quitensis*, Turcz. in Bull. Soc. Nat. Mosc. xxvii. (1854) II. 350.—Ecuador.  
*Raddiana*, A. St. Hil. Fl. Bras. Mer. ii. 26 = exigua, glochidiata.  
*ramosa*, Ell. Sketch, ii. 186.—Am. bor.  
*ramosa*, Wight, in Wall. Cat. n. 4177 = chinensis.  
*ramosissima*, Cav. in Anal. Cienc. Nat. iv. (1801) 53.—Ins. Teneriff.  
*ramulosa*, Boiss. & Bal. Diagn. Ser. II. vi. 24.—As. Min.  
*raviflora*, Steud. Nom. ed. II. ii. 372, sphalm. = seq. rarifolia, DC. Prod. i. 332.—Afr. trop.  
*recta*, Presl, Bot. Bemerk. 16 = leptophylla.  
*recurvata*, Celak. in Oestr. Bot. Zeitschr. xxii. (1872) 109 = supina.  
*refracta*, Burch. ex DC. Prod. i. 323.—Afr. austr.  
*refracta*, Eckl. & Zeyh. Enum. 23 = illepidia.  
*Reinii*, Franch. & Sav. Enum. Pl. Jap. ii. 292.—Japon.  
*remota*, A. W. Benn. in Mart. Fl. Bras. xiii. III. 21.—Bras.  
*repens*, Mérat, ex DC. Prod. i. 325 = amara.  
*reptans*, Cheval. Fl. Par. iii. 850 = praec.?  
*resedoides*, A. St. Hil. Fl. Bras. Mer. ii. 31.—Bras.  
*restiacea*, E. Mey. in Drège, Zwei Pfl. Docum. 212 = macra.  
*reticulata*, Presl, Delic. Prag. 228 = vulgaris.  
*retusa*, Hochst. ex Oliver, Fl. Trop. Afr. i. 129 = erioptera.  
*revoluta*, Gardn. in Hook. Lond. Journ. Bot. iv. (1845) 99.—Bras.  
*Reynoldsae*, Chapm. Fl. S. U. St. Suppl. 613 = Rugelii.  
*rhinanthoides*, Soland. ex Benth. Fl. Austral. i. 140.—Austral.  
*rhodoptera*, Mart. ex A. W. Benn. in Mart. Fl. Bras. xiii. III. 11 = hebeclada.  
*rhombifolia*, Eckl. & Zeyh. Enum. 18 = oppositifolia.  
*rigens*, Burch. Trav. i. 465 = asbestina.  
*rigens*, Eckl. & Zeyh. Enum. 22 = rarifolia.  
*rigens*, E. Mey. in Drège, Zwei Docum. 212 = leptophylla.  
*rigida*, A. St. Hil. Fl. Bras. Mer. ii. 18.—Bras.  
*rivinaefolia*, H. B. & K. Nov. Gen. et Sp. v. 409 = americana.  
*Rogeri*, Oertx. ex Tenore, Syll. Fl. Neap. 340 = flavescentes.  
*rosea*, Boiss. Voy. Bot. Espagne, ii. 81 = Boissieri.  
*rosea*, Desf. Fl. Atlant. ii. 128. t. 176.—Reg. Mediterr.  
*rosea*, Gren. & Godr. Fl. Fr. i. 194 = nicaeensis.  
*rosea*, Steud. Nom. ed. I. 643 = P. Senega.  
*rosmarinifolia*, Eckl. & Zeyh. Enum. 20 = peduncularis.  
*rosmarinifolia*, Wight & Arn. Prod. 37.—Ind. or.  
*Rothiana*, Wight & Arn. l. c. = chinensis.  
*Rottleriana*, Steud. Nom. ed. II. ii. 373 = violacea.  
*rotundifolia*, Gilib. Fl. Lituan. ii. 113 = amara.  
*Roubienna*, A. St. Hil. Fl. Bras. Mer. ii. 35.—Bras.  
*rubella*, Willd. Sp. Pl. iii. 875 = polygama.  
*rufa*, Span. in Linnaea, xv. (1841) 167.—Ins. Timor.  
*Rugelii*, Shuttlew. ex A. Gray, Pl. Wright. i. 41.—Am. bor.  
*rugosa*, Rafin. New Fl. Am. iv. 89 (Quid?).—Am. bor.  
*rupestris*, Pourr. in Mém. Acad. Toul. iii. (1788) 325.—Reg. Mediterr. occ.  
*rupicola*, Hochst. & Steud. in Flora, xxiv. (1841) I. Intell. 30.—Abyssin.  
*rupicola*, Pomel, Nouv. Mat. Fl. Atl. 213 = rupestris.  
*Rusbyi*, Greene, in Bull. Torrey Bot. Club, x. (1883) 125.—Am. bor.  
*Rutenbergii*, O. Hoffm. in Bremen, Abh. vii. (1882) 239.—Madag.  
*sabulosa*, A. W. Benn. in Mart. Fl. Bras. xiii. III. 27.—Bras.  
*saginoides*, Griseb. Cat. Pl. Cub. 13.—Cuba.  
*salasiana*, C. Gay, Fl. Chil. i. 237.—Chili.  
*salicifolia*, Poir. Encyc. v. 498 = Monnina longifolia.  
*Salviniana*, A. W. Benn. in Journ. Bot. xvii. (1879) 203.—Am. centr.  
*sanguinea*, Linn. Sp. Pl. 705.—Am. bor.  
*sanguinea*, Nutt. Gen. Am. ii. 88 = Nuttallii.  
*sanguinea*, Torr. & Gray, Fl. N. Am. i. 126 = fastigiata.



## POLYGALA:—

*saxatilis*, Desf. Fl. Atlant. ii. 128. t. 175 = *rupestris*.  
*saxatilis*, Portenschl. ex Willk. & Lange, Prod. Fl. Hisp. iii. 558 = *rosea*.  
*scabra*, Edgew. in Trans. Linn. Soc. xx. (1846) 33 = *abyssinica*.  
*scabra*, Linn. Sp. Pl. 703 = *bracteolata*, Linn.  
*scandens*, Vell. Fl. Flum. 291; vii. t. 60. — Bras.  
*Schimperi*, Hassk. in Miq. Ann. Mus. Bot. Lugd. Bat. i. 178 = *erioptera*.  
*Schimperi*, Presl, Bot. Bemerk. 14 = *rosea*?  
*Schoenlankii*, O. Hoffm. & Hildebr. ex O. Hoffm. Sert. Madag. 6. — Ins. Mascar.  
*Schreberi*, Pall. ex Georgi, Besch. Russ. Reich. Nachtr. 294 = *supina*.  
*sciophila*, Mart. ex A. W. Benn. in Mart. Fl. Bras. xiii. iii. 12 = *ilheotica*.  
*scoparia*, Benth. Pl. Hartw. 8 = *alba*.  
*scoparia*, H. B. & K. Nov. Gen. et Sp. v. 399. — Mexic.  
*sedoides*, A. W. Benn. in Mart. Fl. Bras. xiii. iii. 27. — Guian.  
*selaginoides*, A. W. Benn. l. c. 38. — Bras.  
*semialata*, S. Wats. in Proc. Am. Acad. xvii. (1881–82) 326. — Mexic.  
*seminuda*, Harv. in Harv. & Sond. Fl. Cap. i. 86 = *hottentotta*.  
*senduaria*, Buch.-Ham. ex Wall. Cat. n. 4170 B = *telephioides*.  
*Senega*, Linn. Sp. Pl. 704. — Am. bor.  
*Seneka*, Hill, Veg. Syst. xxii. 52 = *præc.*  
*senensis*, Klotzsch, in Peters, Reise Mossamb. Bot. 113. — Afr. trop.  
*sericea*, A. W. Benn. in Mart. Fl. Bras. xiii. iii. 38. — Bras.  
*serpentaria*, Eckl. & Zeyh. Enum. 24. — Afr. austr.  
*serpyllifolia*, Poir. Encyc. v. 499 = *erioptera*, *telephioides*.  
*serpyllacea*, Weihe, in Flora, ix. (1826) 745. — Europ.  
*serpyllifolia*, Fischer-Oost. l. c. xxxvii. (1854) 98 = *serpyllacea*, *amara*.  
*serpyllifolia*, Hose, in Usteri, Ann. Bot. xxi. (1797) 39 = *serpyllacea*?  
*serpyllifolia*, Wight, in Wall. Cat. n. 4173 = *erioptera*.  
*setacea*, Michx. Fl. Bor. Am. ii. 52. — Am. bor.  
*sherardioides*, Pohl, ex A. W. Benn. in Mart. Fl. Bras. xiii. iii. 29 = *distans*.  
*sibirica*, Linn. Sp. Pl. 702. — As. temp. et trop.  
*Sieboldiana*, Miq. in Versl. en Med. Kon. Akad. Wetensch. II. ii. (1868) 85 = *sibirica*.  
*Simassan*, Miq. Fl. Ind. Bat. Suppl. 392. — Sumatra.  
*simplex*, Burch. ex DC. Prod. i. 322 = *virgata*.  
*sinensis*, J. F. Gmel. Syst. 1082 = *chinensis*.  
*Solierii*, C. Gay, Fl. Chil. i. 238. — Chili.  
*sororia*, Miq. Stirp. Surin. Sel. 32. t. 8 = *variabilis*.  
*sparsiflora*, Oliver, Fl. Trop. Afr. i. 127. — Afr. trop.  
*spartioides*, Burch. ex Eckl. & Zeyh. Enum. 20 = *virgata*.  
*spathulata*, Griseb. Cat. Pl. Cub. 13. — Cuba.  
*spathulata*, Rafin. in Med. Repos. N. York, v. (1808) 352, nomen (Quid?). — Am. bor.  
*speciosa*, Sims, Bot. Mag. t. 1780 = *virgata*.  
*spectabilis*, DC. Prod. i. 331. — Am. austr.  
*spergulaefolia*, A. St. Hil. Fl. Bras. Mer. ii. 28 = *glochidiata*.  
*sphenocarpa*, Fresen. in Mus. Senckenb. ii. (1837) 274 = *persicariaefolia*.  
*spilophylla*, Steud. Nom. ed. II. ii. 373 = *persicariaefolia*.  
*spinescens*, DC. in Ann. Sc. Nat. Sér. II. iii. (1835) 275. — Arab.  
*spinescens*, Gill. in Hook. Bot. Misc. iii. (1833) 146 = *scoparia*.  
*spinosa*, Linn. Sp. Pl. 704 = *Mundtia spinosa*.  
*Sprengeliana*, Eckl. & Zeyh. Enum. 19 = *virgata*.  
*Spruceana*, A. W. Benn. in Journ. Bot. xvii. (1879) 203. — Am. austr.  
*spuria*, Stev. ex Ledeb. Fl. Ross. i. 271 = *vulgaris*.  
*squamifolia*, Wright, ex Griseb. Cat. Pl. Cub. 12. — Cuba.  
*squarrosa*, Linn. f. Suppl. 315 = *Muraltia squarrosa*.  
*squarrosa*, Solm. ex Penth. Fl. Austral. i. 141 = *chinensis*.  
*Stellera*, DC. Prod. i. 327 = *longicaulis*.  
*stenoclada*, Benth. Fl. Austral. i. 141. — Austral.  
*stenopetala*, Klotzsch, in Peters, Reise Mossamb. Bot. 114 = *rarifolia*.  
*stenophylla*, A. Gray, Bot. U. St. Expl. Exped. i. 108. — Patagon.

## VOL. II.

## POLYGALA:—

*stenophylla*, Klotzsch, in Peters, Reise Mossamb. Bot. t. 23 = *rarifolia*.  
*Studeliana*, Eckl. & Zeyh. Enum. 23 = *refracta*.  
*stipulacea*, Burch. Trav. i. 19, 29 = *Muraltia stipulacea*.  
*stipulacea*, Burm. f. Fl. Cap. Prod. 19 = *Muraltia Heisteria*.  
*stipulacea*, Linn. Mant. ii. 260 = *Muraltia stipulacea*?  
*Stocksiana*, Boiss. Diagn. Ser. II. i. 59 = *Hohenacke-rana*.  
*straminea*, Presl, Fl. Sicul. 136 = *monspeliaca*.  
*striata*, Thunb. Prod. Pl. Cap. 121 = *Muraltia striata*.  
*stricta*, A. W. Benn. in Mart. Fl. Bras. xiii. iii. 13, partim = *bryoides*.  
*stricta*, Endl. ex A. W. Benn. l. c. = *violacea*.  
*stricta*, C. Gay, Fl. Chil. i. 236 = *Gayii*.  
*stricta*, A. St. Hil. Fl. Bras. Mer. ii. 18. — Bras.  
*strigulosa*, Schlecht. in Linnaea, xiv. (1840) 150. — Mexic.  
*subandina*, Phil. l. c. xxxiii. (1864–65) 17. — Chili.  
*subspinosa*, S. Wats. in Am. Natural. vii. (1873) 299. — Am. bor. occ.  
*subtilis*, H. B. & K. Nov. Gen. et Sp. v. 393. — Am. austr.  
*subulata*, E. Mey. in Drège, Zwei Pfl. Docum. 212 = *bracteolata*, Linn.  
*subuniflora*, Boiss. & Heldr. Diagn. Ser. II. i. 59. — Graec.  
*sulcata*, Willd. Sp. Pl. iii. 878 = *variabilis*.  
*sulphurea*, A. W. Benn. in Mart. Fl. Bras. xiii. iii. 17 = *tenuis*.  
*sumatrana*, Miq. Fl. Ind. Bat. Suppl. 392. — Sumatra.  
*supina*, Schreb. Ic. Desc. Pl. Dec. 19. t. 10. — Oriens.  
*Szovitsiana*, Stev. ex Rupr. Fl. Cauc. 295. — Reg. Caucas.  
*tamariscea*, Mart. ex A. W. Benn. in Mart. Fl. Bras. xiii. iii. 37. — Bras.  
*Tatarinowii*, Regel, in Bull. Soc. Nat. Mosc. xxxiv. (1861) ii. 523 = *triphylla*.  
*telephioides*, Boiss. & Bal. Diagn. Ser. II. v. 49 = *supina*.  
*telephioides*, Willd. Sp. Pl. iii. 876. — Ind. or.; Malaya.  
*tenella*, Willd. l. c. 878 = *paniculata*.  
*tenuicaulis*, Hook. f. in Journ. Linn. Soc. vii. (1864) 182. — Afr. trop.  
*tenuifolia*, Link, Enum. Hort. Berol. ii. 220 = *rarifolia*.  
*tenuifolia*, Poir. Encyc. v. 497 = *Muraltia tenuifolia*.  
*tenuifolia*, Willd. Sp. Pl. iii. 879 = *sibirica*.  
*tenuis*, DC. Prod. i. 329. — Bras.  
*tenuis*, A. Dietr. in Otto & Dietr. Allg. Gartenz. ii. (1834) 119 = *rarifolia*.  
*tenuis*, Torr. ex A. Gray, Pl. Wright. i. 41 = *lepto-stachys*.  
*teretifolia*, Linn. f. Suppl. 316. — Afr. austr.  
*tetragona*, Burch. ex DC. Prod. i. 322 = *oppositifolia*.  
*tetrapetala*, Hochst. ex A. Rich. Tent. Fl. Abyss. i. 37 = *Petitiana*.  
*Thea*, Burm. f. Fl. Ind. 154 = *seq.*?  
*theezans*, Linn. Mant. ii. 260. — Java; Japon.  
*thesioides*, Willd. Sp. Pl. iii. 877. — Chili.; Peruv.  
*Thunbergii*, DC. Prod. i. 333. — Afr. austr.  
*thuringiaca*, Spreng. Syst. iii. 166 = *nicaeensis*.  
*Thwaitesii*, Hassk. in Miq. Ann. Mus. Bot. Lugd. Bat. i. 169. — Zeylan.  
*thymifolia*, Thunb. Prod. Pl. Cap. 121 = *Muraltia thymifolia*.  
*Timbali*, Le Grand, in Bull. Soc. Bot. Fr. xxviii. (1881) 54 = *calcareæ*.  
*Timoutou*, Aubl. Pl. Gui. ii. 737. t. 295. — Am. austr.  
*Timutiu*, Poir. Encyc. v. 491 = *præc.*  
*tinctoria*, Vahl, Symb. Bot. i. 50 = *javana*.  
*tomentosa*, Rottl. ex Mart. in Denkschr. Bot. Ges. Regensb. i. (1815) 185 = *violacea*.  
*tomentosa*, Thunb. Prod. Pl. Cap. 120. — Afr. austr.  
*tomentosa*, Vahl, ex DC. Prod. i. 326 = *erioptera*.  
*Torreyi*, G. Don, Gen. Syst. i. 360 = *alba*.  
*toxoptera*, Turcz. in Bull. Soc. Nat. Mosc. xxvii. (1854) ii. 348. — Malaya.  
*tranquebarica*, Mart. in Denkschr. Bot. Ges. Regensb. i. (1815) 186 = *chinensis*.  
*tranquebarica*, Wight, in Wall. Cat. n. 4169 = *rosmarinifolia*.  
*transsilvanica*, Schur, Enum. Pl. Trans. 90 = *vulgaris*.  
*trichisperma*, Jacq. Obs. Bot. iii. 16, sphalm. = *seq.*  
*trichosperma*, Linn. Syst. ed. XII. iii. 232. — Bras.  
*triflora*, Hassk. in Miq. Ann. Mus. Lugd. Bat. i. 175 = *rosmarinifolia*.

## POLYGALA:—

*triflora*, Linn. Sp. Pl. 705 = *chinensis*.  
*triflora*, Oliver, Fl. Trop. Afr. i. 128 = *erioptera*.  
*trinervata*, Buch.-Ham. ex Wall. Cat. n. 4192 B = *Salomonina cantoniensis*.  
*trinervia*, Thunb. Prod. Pl. Cap. 121 = *Muraltia trinervia*.  
*triphylla*, Buch.-Ham. ex D. Don, Prod. Fl. Nep. 200. — Ind. or.; Burma.  
*triphylla*, Burm. f. Fl. Cap. Prod. 19 (Legumin. sp.) — Afr. austr.  
*triquetra*, Presl, Bot. Bemerk. 15. — Afr. austr.  
*tutea*, Crantz, Inst. ii. 71, err. typ. = *lutea*.  
*uliginosa*, Pers. Syn. ii. 272 = *P. Timoutou*.  
*uliginosa*, Weinm. Fl. Petrop. 70 = *amara*.  
*umbellata*, Thunb. Prod. Pl. Cap. 120 = *bracteolata*, Linn.  
*umbrosa*, Mart. in Denkschr. Bot. Ges. Regensb. i. (1815) 183. — Ind. or.  
*uncinata*, Hochst. ex Harv. & Sond. Fl. Cap. i. 86 = *abyssinica*.  
*uncinata*, E. Mey. ex Meissn. in Hook. Lond. Journ. Bot. i. (1842) 468 = *rarifolia*.  
*undulata*, Roxb. Hort. Beng. [98]; Fl. Ind. iii. 219. — Ins. Penang.  
*unguiculata*, Poir. Encyc. v. 494 = *angustifolia*.  
*uniflora*, Michx. Fl. Bor. Am. ii. 53 = *paucifolia*.  
*Vahlia*, DC. Prod. i. 328 = *erioptera*.  
*Vaillantii*, Bess. Enum. Pl. Volh. 73 = *vulgaris*.  
*variabilis*, H. B. & K. Nov. Gen. et Sp. v. 397. — Am. austr.  
*varians*, Mart. in Denkschr. Bot. Ges. Regensb. i. (1815) 184 = *chinensis*.  
*Vayredae*, Costa, Suplem. Fl. Catal. 10, 91. — Hispan.  
*velutina*, Presl, Rel. Haenk. ii. 100. — Mexic.  
*venenosa*, Juss. ex Poir. Encyc. v. 493. — Java.  
*venosa*, Heyne, ex Wall. Cat. n. 4184 = *sibirica*.  
*venulosa*, A. Dietr. in Otto & Dietr. Allg. Gartenz. ii. (1834) 116 = *Dietrichiana*.  
*venulosa*, Sibth. & Sm. Fl. Graec. Prod. ii. 52. — Graecia.  
*veronica*, F. Muell. in Trans. Vict. Inst. i. (1855) 117 = *japonica*.  
*versicolor*, Pomel, Nouv. Mat. Fl. Atl. 336. — Alger.  
*versicolor*, Willd. ex Steud. Nom. ed. II. ii. 373 = *grandiflora*.  
*verticillata*, Linn. Sp. Pl. 706. — Am. bor.  
*verviana*, Lej. Fl. Spa. ii. 92 = *vulgaris*.  
*viminea*, Houtt. ex DC. Prod. i. 338 = *Mundtia spinosa*.  
*violacea*, Aubl. Pl. Gui. ii. 735. — Guian.  
*violacea*, Vahl, Symb. Bot. ii. 79 (= *præc.*?). — Guian.  
*violoides*, A. St. Hil. Fl. Bras. Mer. ii. 48. — Bras.  
*virgata*, Thunb. Prod. Pl. Cap. 120. — Afr. austr.  
*virgata*, Vell. Fl. Flum. 203; vii. t. 69 = *lancifolia*.  
*viridescens*, Linn. Sp. Pl. 705 = *sanguinea*.  
*viridescens*, Walt. Fl. Carol. 178 = *nana*.  
*viridis*, S. Wats. in Proc. Am. Acad. xvii. (1881–82) 325. — Am. bor. occ.  
*volubilis*, Boj. in Bouton, 12<sup>mo</sup> Rapp. Ann. Maur. (1842) 14 = *macroptera*.  
*vulgaris*, Asso, Syn. Stirp. Arag. 92 = *calcareæ*.  
*vulgaris*, Desf. Fl. Atlant. ii. 127 = *rosea*.  
*vulgaris*, Linn. Sp. Pl. 702. — Europ.; As. Min.  
*vulgaris*, Thunb. Fl. Jap. 277 = *sibirica*.  
*Wallichiana*, Wight, Illustr. i. 49. t. 22 = *persicariaefolia*.  
*Warmingiana*, A. W. Benn. in Mart. Fl. Bras. xiii. iii. 6. — Bras.  
*Wattersii*, Hance, in Journ. Bot. xix. (1881) 209. — China.  
*Webbiana*, Coss. in Bull. Soc. Bot. Fr. xx. (1873) 240. — Maroc.  
*Wightiana*, Wall. Cat. n. 4190 = *elongata*.  
*Wolfgangiana*, Bess. ex Ledeb. Fl. Ross. i. 271 = *vulgaris*.  
*Wrightii*, Hemsl. Biol. Centr. Am. Bot. i. 62 = *Monnina Wrightii*.  
*Xanti*, A. Gray, in Proc. Am. Acad. v. (1841) 113 = *Calif.*  
*Zablotskiana*, Fisch. & Mey. ex Turcz. in Bull. Soc. Nat. Mosc. xxvii. 1854 ii. 347. — Persia  
*Zeyheri*, Spreng. ex Eckl. & Zeyh. Enum. 18 = *oppositifolia*.

POLYGALOIDES, Tourn. ex Hall. Enum. Stirp. Helv. ii. 607, 1742 = *præc.*



POLYGLOCHIN, Ehrh. Beitr. iv. 146 (1789) = *Carex*, Dill. (Cyperac.).

POLYGONARIA, Heist. Syst. 6 (1748) = *Corrigiola*, Linn. (Illecebr.).

POLYGONASTRUM, Moench, Meth. 637 (1794) = *Smilacina*, Desf. (Liliac.).  
*compressum*, Moench, Meth. Suppl. 268 = *Ophiopogon japonicus*.  
*racemosum*, Moench, Meth. 637 = *S. racemosa*.

POLYGONATUM, [Tourn.] Adans. Fam. ii. 54 (1763). *LILIACEAE*, Benth. & Hook. f. iii. 768.  
AXILLARIA, Rafin. in Journ. Phys. lxxxix. (1819) 261.

CAMPYDORUM, Salisb. Gen. Pl. Fragm. 64 (1866).  
EVALLARIA, Neck. Elem. iii. 189 (1790).  
PERIBALLANTHUS, Franch. & Sav. Enum. Pl. Jap. ii. 524 (1879).

SIPHYALIS, Rafin. Fl. Tellur. iv. 17 (1836).  
*ambiguum*, Link, ex Schult. f. Syst. vii. 299 = officinale.

*anceps*, Moench, Meth. 637 = officinale.  
*angustifolium*, Pursh, Fl. Am. Sept. i. 234 = biflorum.  
biflorum, *Ell. Sketch*, i. 393.—Am. bor.

*bracteatum*, G. Don, in Loud. Hort. Brit. 131; A. Dietr. in Otto & Dietr. Allg. Gartenz. iii. (1835) 223 = multiflorum.

*brevistylum*, Baker, in Journ. Linn. Soc. xiv. (1875) 556.—Reg. Himal.

*canaliculatum*, Miq. Ann. Mus. Bot. Lugd. Bat. iii. 148 = latifolium.

*canaliculatum*, Pursh, Fl. Am. Sept. i. 234 = giganteum.

*Cathcartii*, Baker, in Journ. Linn. Soc. xiv. (1875) 559.—Reg. Himal.

*chinense*, Kunth, Enum. Pl. v. 146 = sibiricum.  
*ciliatum*, Royle, Illustr. Bot. Himal. 380 = geminiflorum?

*cilicium*, Schott, ex Kotschy, in Oestr. Bot. Wochenbl. vii. (1857) 205 = polyanthemum.

*cirrhiifolium*, Royle, Illustr. Bot. Himal. 380 = sibiricum.

*commutatum*, A. Dietr. in Otto & Dietr. Allg. Gartenz. iii. (1835) 223 = giganteum.

*falcatum*, A. Gray, in Mem. Am. Acad. N. S. vi. (1858-59) 414.—Japon.

*geminiflorum*, Decne. in Jacquem. Voy. Bot. 170. t. 170.—Reg. Himal.

*giganteum*, A. Dietr. in Otto & Dietr. Allg. Gartenz. iii. (1835) 222.—Am. bor.

*glaberrimum*, C. Koch, in Linnaea, xxii. (1849) 267 = officinale.

*Govanianum*, Royle, Illustr. Bot. Himal. 380 (sphalm. Govianum) = multiflorum.

*graminifolium*, Hook. Ic. Pl. t. 833.—Reg. Himal.

*Griffithii*, Baker, in Journ. Linn. Soc. xiv. (1875) 558.—Reg. Himal.

*Gussonii*, Parl. Fl. Ital. iii. 44 = multiflorum.

*hirtum*, Pursh, Fl. Am. Sept. i. 234 = latifolium.

*Hookeri*, Baker, in Journ. Linn. Soc. xiv. (1875) 558.—Reg. Himal.

*humile*, Fisch. ex Maxim. Prim. Fl. Amur. 275 = officinale.

*Inglesii*, Royle, Illustr. Himal. Bot. 380, nomen.—Reg. Himal.

*intermedium*, Dum. Fl. Belg. Prod. 138; Bor. Fl. Cent. Fr. ed. III. ii. 615 = multiflorum.

*involveratum*, Maxim. in Bull. Acad. Pétersb. xxix. (1883) 205.—Japon.

*Jacquemontianum*, Kunth, Enum. Pl. v. 143 = verticillatum.

*japonicum*, C. Morr. & Decne. in Ann. Sc. Nat. Sér. II. ii. (1834) 311.—Japon.

*lasianthum*, Maxim. in Bull. Acad. Pétersb. xxix. (1883) 209.—Japon.

*latifolium*, Desf. in Ann. Mus. Par. ix. (1807) 50.—Europ. austr.; As. et Am. bor.

*latifolium*, Pursh, Fl. Am. Sept. i. 235 = giganteum.

*leptophyllum*, Royle, Illustr. Bot. Himal. 380 = verticillatum.

*macrophyllum*, Sweet, Hort. Brit. ed. I. 415 = verticillatum.

*macropodium*, Turcz. in Bull. Soc. Nat. Mosc. v. (1832) 205; (1837) n. vii. 158.—China.

*majale*, All. Fl. Pedem. i. 130 = *Convallaria majalis*.

#### POLYGONATUM :—

Maximowiczii, F. Schmidt, Reisen Amurl. 185.—Ins. Sachalin.

multiflorum, All. Fl. Pedem. i. 131.—Europ.; As. bor.; Afghan.

multiflorum, Kunth, Enum. Pl. v. 138 = biflorum.

nervulosum, Baker, in Journ. Linn. Soc. xiv. (1875) 557.—Reg. Himal.

obtusifolium, Weinm. Elench. Hort. Pawlowsk. (1824) 175 = officinale.

officinale, All. Fl. Pedem. i. 131.—Europ.; Sibir.

oppositifolium, Royle, Illustr. Bot. Himal. 380.—Reg. Himal.

orientale, Desf. in Ann. Mus. Par. ix. (1807) 50. t. 7 = polyanthemum.

parviflorum, A. Dietr. in Otto & Dietr. Allg. Gartenz. (1835) 222 = biflorum.

polyanthemum, Link, Handb. i. 185; A. Dietr. l. c. 223.—Europ.; Reg. Cauc.; Syria; Persia.

*Polygonatum*, Jirasek, ex Schult. f. Syst. vii. 299 = officinale.

pruinatum, Boiss. Fl. Orient. v. 332.—Persia.

pubescens, Pursh, Fl. Am. Sept. i. 234 = biflorum.

punctatum, Royle, Illustr. Bot. Himal. 380.—Reg. Himal.

roseum, Hook. Bot. Mag. t. 5049 = verticillatum.

roseum, Kunth, Enum. Pl. v. 144.—Sibir.

Sewerzowi, Regel, in Bull. Soc. Nat. Mosc. xli. (1868) 1. 436.—Turkestan.

sibiricum, [Delar. in] Red. Lil. vi. t. 315.—Reg. Himal.; As. bor.

stenophyllum, Maxim. Prim. Fl. Amur. 274 = verticillatum.

Thunbergii, C. Morr. & Decne. in Ann. Sc. Nat. Sér. II. ii. (1834) 312 = latifolium.

umbellatum, Baker, in Journ. Linn. Soc. xiv. (1875) 553.—China.

uniflorum, Gilib. Exercit. ii. 463; Jaume St. Hil. Pl. Fr. t. 346 = officinale.

verticillatum, All. Fl. Pedem. i. 131.—Europ.; As. bor.

vulgare, Desf. in Ann. Mus. Par. ix. (1807) 49 = officinale.

POLYGONELLA, Michx. Fl. Bor. Am. ii. 240 (1803). *POLYGONACEAE*, Benth. & Hook. f. iii. 97.

GONOPYRUM, Fisch. & Mey. ex C. A. Mey. in Mém. Acad. Pétersb. Sér. VI. vi. (1840) 144.

LYONIA, Rafin. in Med. Repos. N. York, v. (1808) 352.

STOPINACA, Rafin. Fl. Tellur. iii. 11 (1836).

articulata, Meissn. Gen. Comm. 228 = Polygonum articulatum.

brevifolia, Meissn. in DC. Prod. xiv. 78 = *Atraphaxis buxifolia*.

brachystachya, Meissn. l. c. 80.—Florida.

buxifolia, Meissn. Gen. Comm. 228 = *Atraphaxis buxifolia*.

ciliata, Meissn. in DC. Prod. xiv. 81.—Florida.

Croomii, Chapm. Fl. S. U. St. 387.—Am. bor.

ericoides, Engelm. & Gray, in Bost. Journ. Nat. Hist. v. (1845) 231.—Texas.

gracilis, Meissn. in DC. Prod. xiv. 80.—Am. bor.

laetevirens, Meissn. Gen. Comm. 228 = *Atraphaxis laetevirens*.

lanceolata, Meissn. l. c. = *Atraphaxis laxmanni*.

Meissneriana, Shuttll. ex Meissn. in DC. Prod. xiv. 81.—Am. bor.

parviflora, Steud. Nom. ed. I. 643, sphalm. = seq.

parvifolia, Michx. Fl. Bor. Am. ii. 241.—Am. bor.

polygama, Engelm. & Gray, in Bost. Journ. Nat. Hist. v. (1845) 231 = parvifolia.

pungens, Meissn. Gen. Comm. 228 = *Atraphaxis pungens*.

POLYGONIFOLIA, Adans. Fam. ii. 272 (1763) = *Corrigiola*, Linn. (Illecebr.).

POLYGONON, St. Lag. in Ann. Soc. Bot. Lyon, vii. (1880) 113, 132 = *Polygonum*, Tourn.

bistortum, St. Lag. l. c. = *Polygonum bistorta*.

persicarium, St. Lag. l. c. 132 = *Polygonum persicaria*.

POLYGONUM, [Tourn.] Linn. Syst. ed. I. (1735); Gen. ed. I. 116 (1737). *POLYGONACEAE*, Benth. & Hook. f. iii. 97.

AMPENYONUM, Lindl. Bot. Reg. (1838) App. 63.

AMTELORON, Rafin. Fl. Ludov. 28 (1817).

#### POLYGONUM :—

ASICARIA, Neck. Elem. ii. 211 (1790).

BERGERIA, Koen. ex Steud. Nom. ed. II. i. 849, in syn. (1840).

BILDERDYKIA, Dum. Fl. Belg. 18 (1827).

BISTORTA, Tourn. ex Linn. Gen. ed. I. 115 (1737).

CHULSIUM, Rafin. Ann. Nat. 12 (1820).

CHYLOCALYX, Hassk. in Flora, xxv. (1842) II. Beibl. 20.

CNOPOS, DIOCTIS, DISCOLENTA, GONONCUS, HEP-TARINA, MITESIA, PLEUROSTENA, POGALIS, SPER-MAULAXEN, SUNANIA, TASOBA, TRACAULON, Rafin. Fl. Tellur. iii. 12-16, 94, 95 (1836).

ECHINOCAULON, Spach, Hist. Vég. Phan. x. 521 (1841).

GONIATICUM, Stokes, Bot. Mat. Med. ii. 338 (1812).

HELIXINE, Linn. Syst. ed. I. (1735).

HEPTARINIA, Rafin. New Fl. Am. iv. 48 (1836).

KOENIGIA, Linn. Mant. i. 3 (1767).

LAGUNEA, Lour. Fl. Cochinch. 220 (1790).

LYONELLA, Rafin. in Am. Monthly Mag. (1818) 266.

PERSICARIA, [Tourn.] Linn. Syst. ed. I. (1735).

PEUTALIS, Rafin. New Fl. Am. iv. 47 (1836); Fl. Tellur. iii. 14 (1836).

PLEUROPTERUS, Turcz. in Bull. Soc. Nat. Mosc. xxi. (1848) 1. 587.

TEPHIS, Adans. Fam. ii. 276 (1763).

THYSANELLA, A. Gray, in Bost. Journ. Nat. Hist. v. (1847) 232.

TINIARIA, Reichb. Handb. 236 (1837).

TOVARA, Adans. Fam. ii. 276 (1763).

TRACHOPYRON, Ger. ex Rafin. Fl. Tellur. iii. 10 (1836).

abyssinicum, A. Rich. Tent. Fl. Abyss. ii. 225.—Abyss.

acaule, Boiss. Fl. Orient. iv. 1043.—Persia.

acerosum, Ledeb. ex Meissn. in DC. Prod. xiv. 92.—Soongaria.

acetosaeifolium, Vent. Jard. Cels. 88. t. 88 = *Muehlenbeckia sagittifolia*.

acetosum, Bieb. Fl. Taur. Cauc. i. 304.—Reg. Casp.

acetosum, Eichw. Pl. Casp. Cauc. 23 = cognatum.

acidulum, Willd. Enum. Hort. Berol. 429 = divaricatum.

acidum, Pall. Reise, ii. 25 = alpinum.

acidum, Willd. ex Meissn. in DC. Prod. xiv. 96 = acetosum.

acre, H. B. & K. Nov. Gen. et Sp. ii. 179.—Am. calid.

acre, Lam. Fl. Fr. iii. 234 = *P. Hydropiper*.

acre, Meissn. in Wall. Pl. As. Rar. iii. 57 = serrulatum.

acre, Sieber, ex Meissn. Monog. 79 = glabrum.

acuminatum, H. B. & K. Nov. Gen. et Sp. ii. 178.—Am. trop.

acuminatum, Mart. & Gal. in Bull. Acad. Brux. x. (1843) n. IV. 12 = segetum.

acuminatum, Meissn. Monog. 78, partim. = glabrum.

acutatum, Lehm. Ind. Sem. Hort. Hamb. (1821) 6; Pugill. i. 28 = *Fagopyrum cymosum*.

acutifolium, Schur, Enum. Pl. Trans. 587 = aviculare.

adenophorum, Spreng. Syst. ii. 258 = lapathifolium.

adenophyllum, Cham. & Schlecht. in Linnaea, iii. (1828) 48.—Afr. austr.

adenotrichum, Griff. Rep. Bot. Gard. Calc. (1843) 39 = chinense.

adpressum, R. Br. Prod. 420, partim = *Muehlenbeckia gracillima*.

adpressum, Labill. Nov. Holl. Pl. i. 99. t. 127 = *Muehlenbeckia adpressa*.

affine, D. Don, Prod. Fl. Nep. 70.—Reg. Himal.

affine, Steph. ex Spreng. Syst. ii. 256 = cognatum.

affine, Wall. Cat. n. 1683/3 = viviparum.

afghanicum, Meissn. in DC. Prod. xiv. 90.—Afghan.

agrestinum, Jord. ex Bor. Fl. Cent. Fr. ed. III. ii. 559 = aviculare.

alatum, Buch.-Ham. ex D. Don, Prod. Fl. Nep. 72.—As. et Afr. trop. et sub-trop.

alatum, Dulac, Fl. Hautes-Pyr. 169 = dumetorum.

aleppicum, Boiss. & Haussk. ex Boiss. Fl. Orient. iv. 1037.—Syria.

alopecuroides, Turcz. ex Steud. Nom. ed. II. ii. 374.—Sibir. baical.

alpestre, Heldr. ex Meissn. in DC. Prod. xiv. 694 = plebejum.

alpestre, C. A. Mey. Verz. Pf. Cauc. 157 = cognatum.

alpestre, Schur, in Oestr. Bot. Zeitschr. i. (1861) 290 = *P. bistorta*.



**POLYGONUM:—**

- alpestre*, Wall. Cat. n. 1725 = filicaule.  
*alpinum*, *All. Fl. Pedem.* ii. 206. t. 68. f. 1.—Europ. austr.; As. bor.  
*alpinum*, Schur, in Verh. Siebenb. Ver. Naturw. ii. (1851) 170 = mite.  
*altissimum*, Moench, Meth. 630 = orientale.  
*ambiguum*, Meissn. in Wall. Pl. As. Rar. iii. 54 = amplexicaule.  
*ammannoides*, Jaub. & Spach, Illustr. ii. 28. t. 119 = cognatum.  
*amoenum*, Blume, Bijdr. 532 = orientale.  
*amoenum*, Salisb. Prod. 258 = P. Bistorta.  
*amphibium*, Linn. *Sp. Pl.* 361.—Reg. bor. temp.  
*amplexicaule*, *D. Don, Prod. Fl. Nep.* 70.—Reg. Himal.  
*angustifolium*, *D. Don*, l. c. = viviparum.  
*angustifolium*, Hort. ex Poir. Encyc. vi. 139 = Laxmanni.  
*angustifolium*, Pall. Reise, iii. 230, 320 = alpinum.  
*angustifolium*, Rafin. Fl. Tellur. iii. 16 (Quid?).—Hab.?  
*angustifolium*, Roth, Tent. Fl. Germ. ii. 453 = minus.  
*angustissimum*, F. Muell. Fragm. v. 92 = Muehlenbeckia polygonoides.  
*anomalum*, *De Bruyn, in Miq. Pl. Fungh.* 311.—Java.  
*antihaemorrhoidale*, Mart. Reise Bras. i. 550 = acre.  
*aphyllum*, Krock. Fl. Siles. Suppl. ii. 75 = aviculare?  
*appressum*, Steud. Nom. ed. II. ii. 374 = Muehlenbeckia adpressa.  
*aquaticum*, A. Gray, ex Meissn. in DC. Prod. xiv. 116 = amphibium.  
*arachnoideum*, Klotzsch, ex Meissn. l. c. 117 = lanigerum.  
*arborescens*, Vell. Fl. Flum. 162; iv. t. 43 = Coccoloba nitida.  
*arcticum*, Pall. ex Spreng. Syst. ii. 258 = sibiricum.  
*arenarium*, Loisel. Nouv. Not. 18; Fl. Gall. ed. II. i. 284 = Bellardi.  
*arenarium*, Rafin. ex Meissn. in DC. Prod. xiv. 98 = aviculare.  
*arenarium*, *Waldst. & Kit. Pl. Rar. Hung.* i. 69. t. 67.—Europ. austr.  
*arenastrum*, Bor. Fl. Cent. Fr. ed. III. ii. 559 = aviculare.  
*argenteum*, Ehrenb. ex Meissn. in DC. Prod. xiv. 88 = maritimum.  
*argyrocoleon*, *Steud. ex Kunze, in Linnaea*, xx. (1847) 17.—Persia.  
*aridum*, Boiss. & Haussk. ex Boiss. Fl. Orient. iv. 1042.—Persia.  
*arifolium*, Linn. *Sp. Pl.* 364.—Reg. Himal.; Am. bor.  
*arifolium*, Spreng. Syst. ii. 258 = strigosum.  
*arifolium*, Thunb. Fl. Jap. 168 = Thunbergii.  
*articulatum*, R. Br. Prod. 420 = australe.  
*articulatum*, Linn. *Sp. Pl.* 363.—Am. bor.  
*articulatum*, Perr. ex Meissn. Monog. 54 = senegalense.  
*ascendens*, Pritz. Ic. Ind. ii. 222, sphalm. = Polypogon littoralis.  
*asperulum*, Wall. Cat. n. 1724 = muricatum.  
*assamicum*, Meissn. in DC. Prod. xiv. 111.—Ind. or.; Burma.  
*Atraphaxis*, Thunb. Fl. Cap. ed. Schult. 385 = seq.  
*atraphaxoides*, Thunb. Prod. Pl. Cap. 77.—Afr. austr.  
*atriplicifolium*, Wall. Cat. n. 1719 (= *Ceratogonum atriplicifolium*).—Ind. or.  
*attenuatum*, R. Br. Prod. 420.—Austral.  
*auriculatum*, Meissn. Monog. 59. t. 6 = chinense.  
*Austiniae*, *Greene, in Bull. Calif. Acad.* i. iv. (1885) 212.—Calif.  
*australe*, A. Rich. Ess. Fl. N. Zél. 178 = Muehlenbeckia australis.  
*australe*, *Spreng. Syst.* ii. 258.—Austral.  
*australe*, Thieb. ex Pers. Syn. i. 440 = hydropiperoides.  
*aviculare*, Bert. ex Meissn. in DC. Prod. xiv. 88 = chilense.  
*aviculare*, Kar. & Kir. in Bull. Soc. Nat. Mosc. xv. (1843) 407 = acetosum.  
*aviculare*, Linn. *Sp. Pl.* 362.—Reg. bor. temp.  
*aviculare*, Lour. Fl. Cochinch. 241 = plebejum.  
*aviculare*, Walp. in Nov. Act. Nat. Cur. xix. Suppl. i. (1843) 407 = Meyenii.  
*axillare*, Hook. f. in Hook. Lond. Journ. Bot. vi. (1847) 278 = Muehlenbeckia axillaris.

**POLYGONUM:—**

- azoricum*, H. C. Wats. ex Meissn. in DC. Prod. xiv. 111 = serrulatum.  
*Babingtonii*, Endl. Gen. Suppl. iv. ii. 47 = flaccidum.  
*Babingtonii*, Hance, in Ann. Sc. Nat. Sér. V. v. (1866) 239 = senticosum.  
*baccatum*, Soland. ex Meissn. in DC. Prod. xiv. 146 = Muehlenbeckia australis.  
*bacciferum*, Boj. Hort. Maurit. 271 = praec.?  
*Balansae*, Boiss. *Diagn. Ser. II.* iv. 78.—Algeria.  
*baldschuanicum*, Regel, in Act. Hort. Petrop. viii. (1884) 684. t. 10.—Bokhara.  
*Banka*, Buch.-Ham. ex Wall. Cat. n. 1722 = minus.  
*barbatum*, Comm. ex Meissn. in DC. Prod. xiv. 115 = imberbe.  
*barbatum*, Linn. *Sp. Pl.* 362.—Geront. trop.  
*barbatum*, G. F. W. Mey. Prim. Fl. Esseq. 158 = acuminatum.  
*barbatum*, Roxb. Hort. Beng. 29; Fl. Ind. ii. 289 = flaccidum.  
*barbatum*, Thunb. Prod. Pl. Cap. 77 = lapathifolium.  
*barbatum*, Wall. Cat. n. 1708 F = stagninum.  
*Baumgartenianum*, Schur, Enum. DC. Prod. xiv. 584 = lapathifolium.  
*Bellardi*, *All. Fl. Pedem.* ii. 205. t. 90. f. 2.—Reg. Mediterr. et Cauc.  
*Bellardi*, Blanco, Fl. Filip. ed. I. 314 = P. Persicaria.  
*Berteroi*, Phil. in *Linnaea*, xxix. (1857–58) 38.—Chili.  
*Bertolonii*, *Goiran & Lonivi, ex Goiran & Del Fabbro, Spec. Morph. Veg.—Cf. Nuov. Giorn. Bot. Ital.* ix. (1877) 170.—Hab.?  
*Beyrichianum*, Cham. & Schlecht. in *Linnaea*, iii. (1828) 42.—Bras.  
*biaristatum*, Aitch. & Hemsl. in *Journ. Linn. Soc.* xviii. (1880) 90.—Afghan.  
*bicolor* ×, Borb. in Oestr. Bot. Zeitschr. xxviii. (1878) 392.—Europ.  
*bicornis*, Rafin. Fl. Ludov. 29 = pensylvanicum.  
*Bidwelliae*, S. Wats. in *Proc. Am. Acad.* xiv. (1879) 294.—Calif.  
*biforme*, Wahlenb. Fl. Suec. i. 242 = P. Persicaria.  
*biscaticium*, Buch.-Ham. ex Meissn. in DC. Prod. xiv. 106 = flaccidum.  
*biscaticium*, Wall. Cat. p. 215. sub n. 1723 = praec.  
*Bishirae*, Buch.-Ham. ex Meissn. l. c. 102 = stagninum.  
*Bistorta*, Garcke, in Bot. Waldem. Reis. 135 = viviparum.  
*Bistorta*, Linn. *Sp. Pl.* 360.—Reg. bor.  
*Bistorta*, Walt. Fl. Carol. 131 = amphibium.  
*bistortoides*, Puri, Fl. Am. Sept. i. 271; Boiss. *Diagn. Ser. I.* v. 46 = P. Bistorta.  
*bistortum*, Dulac, Fl. Hautes-Pyr. 168 = P. Bistorta.  
*Blumei*, Meissn. in *Miq. Ann. Mus. Bot. Lugd. Bat.* ii. 57.—Java.  
*boconii*, DC. ex Meissn. in DC. Prod. xiv. 86 = scoparium.  
*Bolanderi*, *Brew. ex A. Gray, in Proc. Am. Acad.* viii. (1873) 400.—Calif.  
*bonaerense*, *Speg. in Anal. Soc. Cient. Argent.* xv. (1883) 104.—Reg. Argent.  
*borneense*, Meissn. in *Miq. Ann. Mus. Bot. Lugd. Bat.* ii. 58.—Borneo.  
*Bowenkampi*, Phil. in *Linnaea*, xxxiii. (1864–65) 225.—Chili.  
*brachiatum*, Poir. Encyc. iv. 15 = chinense.  
*brachypodium*, Baker, in *Journ. Linn. Soc.* xx. (1883) 239 = Meissnerianum.  
*bracteatum*, Spreng. Syst. iv. Cur. Post. 154 = viviparum.  
*bracteosum*, Phil. *Sert. Mend. Alt.* 42.—Chili.  
*brasiliense*, Koch, in *Linnaea*, xxii. (1849) 206.—Bras.  
*Braunii*, Bluff & Fingerh. Comp. Fl. Germ. i. 509 = mite.  
*brevisetum*, Meissn. in *Miq. Ann. Mus. Bot. Lugd. Bat.* ii. 61.—Guian.  
*Brittingeri*, Opiz, Natural. viii. (1824) 74 = lapathifolium.  
*Brunonis*, Wall. Cat. n. 1692 = affine.  
*bulbiferum*, Royle, ex Bab. in *Trans. Linn. Soc.* xviii. (1841) 94 = viviparum.  
*Bungeanum*, *Turcz. in Bull. Soc. Nat. Mosc.* (1840) 77.—China.  
*buxifolium*, Bieb. Fl. Taur. Cauc. i. 300 Atraphaxis buxifolia.  
*buxifolium*, Nutt. ex Bong. Vég. Isle Sitcha, 43 = aviculare.

**POLYGONUM:—**

- caespitosum*, Blume, Bijdr. 532 = P. Posumbu.  
*californicum*, Meissn. in DC. Prod. xiv. 100.—Am. bor. occ.  
*camporum*, Meissn. in Mart. Fl. Bras. v. i. 21.—Bras.  
*Camptianum*, Hort. ex Meissn. in DC. Prod. xiv. 147 = Muehlenbeckia complexa.  
*canescens*, Link, ex Dethard. *Consp. Pl. Megalop.* 33 (Quid?).—Europ.  
*capitatum*, Buch.-Ham. ex D. Don, Prod. Fl. Nep. 73.—Reg. Himal.  
*capitatum*, Korth, ex Meissn. in DC. Prod. xiv. 128 = alatum.  
*cappadocicum*, Boiss. & Bal. *Diagn. Ser. II.* iv. 78.—Cappadoc.  
*Careyi*, Olney, Rhode Isl. Pl. 29; et ex A. Gray, Man. Bot. N. U. St. ed. I. 386.—Am. bor.  
*carneum*, C. Koch, in *Linnaea*, xxii. (1849) 197 = paleacum.  
*caucasicum*, Hoffm. in Comm. Soc. Phys. Med. Mosq. i. i. (1806) 10 = Atraphaxis buxifolia.  
*cedrorum*, Boiss. & Kotschy, *Diagn. Ser. II.* iv. 77 = Libani.  
*centinodium*, Lam. Fl. Fr. iii. 237 = aviculare, Bellardi.  
*cereale*, Salisb. Prod. 259 = Fagopyrum esculentum.  
*Chamissoanum*, Wedd. in Ann. Sc. Nat. Sér. III. xiii. (1849) 254 = seq.  
*Chamissonianum*, Steud. Nom. ed. II. ii. 375 = Meissnerianum.  
*chilense*, C. Koch, in *Linnaea*, xxii. (1849) 206.—Chili.  
*chinense*, Houtt. Handleid. viii. 479 = multiflorum.  
*chinense*, Linn. *Sp. Pl.* 363.—As. or.; Malaya.  
*chlorocoleum*, Steud. ex Boiss. Fl. Orient. iv. 1034 = Bellardi.  
*ciliatum*, Buch.-Ham. in D. Don, Prod. Fl. Nep. 73 = microcephalum.  
*ciliatum*, Ehrenb. ex Meissn. in DC. Prod. xiv. 111 = serrulatum.  
*ciliatum*, Kunze, ex Meissn. l. c. 142 = Paronychia chilensis.  
*ciliatum*, Lour. Fl. Cochinch. 243.—China.  
*ciliatum*, Ruiz, ex Meissn. in DC. Prod. xiv. 114 = acuminatum.  
*ciliatum*, Willd. ex Spreng. Syst. ii. 255 = alpinum.  
*cilinode*, Michx. Fl. Bor. Am. i. 241.—Am. bor.  
*ciliolum*, Meissn. in DC. Prod. xiv. 95 = plebejum.  
*cirrhum*, Moq. & Sesse, ex Meissn. l. c. 184 = Antigonon leptopus.  
*claviculatum*, Hort. Par. ex Meissn. l. c. 185 = Brunnichia cirrhosa.  
*cliffortioides*, Meissn. in Wall. Pl. As. Rar. iii. 62 = plebejum.  
*coarctatum*, Dougl. ex Meissn. in DC. Prod. xiv. 101.—Am. bor. occ.  
*coarctatum*, Willd. ex Spreng. Syst. ii. 255 = sibiricum.  
*coccineum*, Muhl. ex Willd. Enum. Hort. Berol. 428 = amphibium.  
*Coccoloba*, Steud. Nom. ed. II. ii. 375 = Muehlenbeckia australis.  
*cochinchinense*, Meissn. Monog. 55 = orientale.  
*cognatum*, Meissn. l. c. 91.—Reg. Himal.  
*collare*, Mart. ex Meissn. in DC. Prod. xiv. 119 = attenuatum.  
*compactum*, Hook. f. Bot. Mag. t. 6476.—Japan.  
*complexum*, A. Cunn. in Ann. Nat. Hist. Ser. I. i. (1838) 455 = Muehlenbeckia complexa.  
*Comptonianum*, Hort. ex Meissn. in DC. Prod. xiv. 147 = Muehlenbeckia complexa.  
*condensatum*, Schultz, ex Nym. *Consp.* 628 = mite.  
*confertiflorum*, Dougl. ex Meissn. in DC. Prod. xiv. 89 = P. Paronychia.  
*confertum*, Royle, ex Bab. in *Trans. Linn. Soc.* xviii (1841) 116 = cognatum.  
*confusum*, Meissn. in Wall. Pl. As. Rar. iii. 53 = paleaceum.  
*conspersum*, Meissn. l. c. 56 = stagninum.  
*controversum*, Guss. Fl. Sic. Prod. i. 472 = equisetifolium.  
*convolvulaceum*, Lam. Fl. Fr. iii. 239 = P. Convolvulus.  
*convolvuliforme*, St. Lag. in Ann. Soc. Bot. Lyon, vii. 1840) 132 = seq.  
*Convolvulus*, Linn. *Sp. Pl.* 364.—Reg. bor. temp.  
*cordatum*, Hort. Berol. ex Meissn. in DC. Prod. xiv. 146 = Muehlenbeckia varians.



## POLYGONUM :—

*coronulatum*, Steud. Nom. ed. II. ii. 375 = plebejum.  
*corrigioloides*, *Faub. & Spach, Illustr.* ii. 33. t. 124.—Persia.  
*corsicanum*, *Link, Handb.* i. 300.—Ins. Corsic.  
*corymbosum*, Willd. Sp. Pl. ii. 452 = chinense.  
*crassicaule*, *Rafin. Fl. Tellur.* iii. 15 (Quid?).—Hab.?  
*crassifolium*, *Murr. Syst. Veg.* ed. XIV. 378 = sibiricum.  
*crassinerve*, *Cesati, Stirp. Ital. fasc. 2, cum ic.* = Roberti.  
*crenatum*, *Ehrenb. ex Meissn. in DC. Prod.* xiv. 86 = equisetiforme.  
*criopolitanum*, *Hance, in Ann. Sc. Nat. Sér. V. v.* (1866) 238.—China.  
*crispatum*, *C. B. Clarke, in Journ. Linn. Soc.* xv. (1876) 138.—Ind. or.  
*crispulum*, *Sims, Bot. Mag.* t. 1065 = *Atraphaxis buxifolia*.  
*crisum*, *Hornem. Hort. Hafn. Add.* 962 = *divaricatum*.  
*cristatum*, *Engelm. & A. Gray, in Bost. Journ. Nat. Hist.* v. (1845) 259.—Texas.  
*Cunninghamii*, *Meissn. in DC. Prod.* xiv. 85 = *Muehlenbeckia Cunninghamii*.  
*cuspidatum*, *Sieb. & Zucc. Fl. Jap. Fam. Nat.* ii. 84.—Japon.  
*cuspidatum*, *Willd. ex Spreng. Syst.* ii. 256 = *acuminatum*.  
*cymosum*, *Roxb. Hort. Beng.* [88]; *Fl. Ind.* ii. 289 = chinense.  
*cymosum*, *Trevir. Del. Sem. Hort. Vrat.* (1824); et in *Nov. Act. Nat. Cur.* xiii. (1826) i. 177 = *Fagopyrum cymosum*.  
*danubiale*, *Kern. in Oestr. Bot. Zeitschr.* xxv. (1875) 255.—Europ.  
*daphnophyllum*, *Andrz. ex Meissn. in DC. Prod.* xiv. 111 = minus.  
*Davisiae*, *Brewer, ex A. Gray, in Proc. Am. Acad.* viii. (1873) 399.—Calif.  
*davuricum*, *Willd. ex Spreng. Syst.* ii. 256 = *Laxmannii*.  
*Debeauxii*, *Legrand, in Bull. Soc. Bot. Fr.* xxx. (1883) 71 = *aviculare*.  
*debile*, *Meissn. in Miq. Ann. Mus. Bot. Lugd. Bat.* ii. 63.—Ind. or.  
*debile*, *Steud. ex Meissn. in DC. Prod.* xiv. 129 = *alatum*.  
*deciduum*, *Boiss. & Noé, in Bot. Zeit.* xi. (1853) 734 = *argyroleon*.  
*decipiens*, *R. Br. Prod.* 420 = minus.  
*declinatum*, *Vell. Fl. Flum.* 162; *iv. t. 41* = *Coccoloba declinata*.  
*decumbens*, *De Bruyn, in Miq. Pl. Jungh.* 307 = *P. Posumbu*.  
*decumbens*, *Schur, in Verh. Siebenb. Ver. Naturw.* iv. (1853) 64 = *laphathifolium*.  
*delicatulum*, *Meissn. in DC. Prod.* xiv. 127.—Reg. Himal.  
*densiflorum*, *Blume, Bijdr.* 533 = chinense.  
*densiflorum*, *Meissn. in Mart. Fl. Bras.* v. ii. 13 = *glabrum*.  
*dentato-alatum*, *F. Schmidt, in Maxim. Prim. Fl. Amur.* 232 = *dumetorum*, *Anredera spicata*.  
*denudatum*, *Bor. Fl. Centr. Fr. ed. III.* ii. 559 = *aviculare*.  
*depressum*, *A. Cunn. ex Meissn. in DC. Prod.* xiv. 147 = *Muehlenbeckia axillaris*.  
*dibotrys*, *D. Don, Prod. Fl. Nep.* 73 = *Fagopyrum cymosum*.  
*dichotomum*, *Blume, Bijdr.* 529 = *pedunculare*.  
*dichotomum*, *Rafin. in Med. Repos. N. York, v.* (1808) 354, nomen (Quid?).—Am. bor.  
*diclinum*, *F. Muell. in Trans. Phil. Soc. Vict.* i. (1855) 23 = *Muehlenbeckia polygonoides*.  
*diffusum*, *Pall. ex Spreng. Syst.* ii. 255.—Sibir.  
*dioicum*, *Buch.-Ham. ex Meissn. in DC. Prod.* xiv. 143 = *Fagopyrum esculentum*.  
*diospyrifolium*, *Cham. & Schlecht. in Linnaea*, iii. (1828) 47.—Bras.  
*dissitiflorum*, *Guss. ex Nym. Consp.* 639 = *Bellardi*.  
*distachyum*, *Mart. ex Meissn. in DC. Prod.* xiv. 108 = *acre*.  
*divaricatum*, *Less. in Linnaea*, ix. (1834) 204 = *juncum*.  
*divaricatum*, *Linn. Sp. Pl.* 363.—Sibir.  
*divaricatum*, *Poir. Encyc.* vi. 148 = *scabrum*.

## POLYGONUM :—

*divaricatum*, *Vill. Hist. Pl. Dauph.* iii. 322 = *alpinum*.  
*Donianum*, *Spreng. Syst.* iv. Cur. Post. 154 = *affine*.  
*Donii*, *Hort. ex Meissn. in DC. Prod.* xiv. 119 = *laphathifolium*.  
*Donii*, *Meissn. Monog.* 72 = *serrulatum*.  
*Donii*, *Wall. Cat. n.* 1723 B = *P. Posumbu*.  
*Donii*, *Wight, Ic. t.* 1801 = *flaccidum*.  
*Douglasii*, *Greene, in Bull. Calif. Acad.* i. n. III. (1885) 125.—Am. bor. occ.  
*dracunculifolium*, *Boiss. Fl. Orient.* iv. 1039 = *luzuloides*.  
*Dregeanum*, *Meissn. in Linnaea*, xiv. (1840) 487 = *aviculare*.  
*Dregei*, *Meissn. in DC. Prod.* xiv. 98.—Afr. austr.  
*Dryandri*, *Spreng. Syst.* ii. 255 = *plebejum*.  
*dubium*, *Stein, ex A. Br. in Flora*, vii. (1824) 357 = *mite*.  
*dumetorum*, *Linn. Sp. Pl.* ed. II. 521.—Reg. bor. temp.  
*dumosum*, *Boiss. Diagn. Ser. I.* vii. 83.—Persia.  
*effusum*, *Meissn. in DC. Prod.* xiv. 93 = *plebejum*.  
*Ehrenbergii*, *Meissn. l. c.* 86 = *equisetiforme*.  
*elatum*, *R. Br. Prod.* 419 = *laphathifolium*.  
*elegans*, [*Dryand. in*] *Ait. Hort. Kew.* ed. II. ii. 419; *Roxb. Hort. Beng.* 29; *Fl. Ind.* ii. 291 = *plebejum*.  
*elegans*, *Hort. ex Meissn. in DC. Prod.* xiv. 143 = *Fagopyrum esculentum*.  
*elegans*, *Tenore, Fl. Nap. Prod. Suppl.* ii. p. lxvii; *Fl. Nap.* i. 207 = *arenarium*.  
*ellipticum*, *Willd. ex Spreng. Syst.* ii. 253 = *P. Bis-torta*.  
*emarginatum*, *Roth, Catalect. Bot.* i. 48 = *Fagopyrum esculentum*.  
*emarginatum*, *Wall. Cat. n.* 1688 = *Fagopyrum cymosum*.  
*Emodi*, *Meissn. in Wall. Pl. As. Rar.* iii. 51, 54. t. 287.—Reg. Himal.  
*Engelmannii*, *Greene, in Bull. Calif. Acad.* i. n. III. (1885) 126.—Am. bor.  
*ephedroides*, *Hook. f. Fl. N. Zel.* i. 211.—N. Zel.  
*epilobioides*, *Wedd. in Ann. Sc. Nat. Sér. III.* xiii. (1849) 254.—Bras.  
*equisetiforme*, *Gren. & Godr. Fl. Fr.* iii. 52 = *scoparium*.  
*equisetiforme*, *Mayer, ex Tenore, Syll. Fl. Neap.* 195 = *arenarium*.  
*equisetiforme*, *Sibth. & Sm. Fl. Graec. Prod.* i. 266; *Fl. Graec. t.* 364.—Reg. Mediterr.; Oriens.  
*erectum*, *Linn. Sp. Pl.* 363 = *aviculare*.  
*erectum*, *Vell. Fl. Flum.* 162; *iv. t. 42*.—Bras.  
*erythrodes*, *Miq. Fl. Ind. Bat. Suppl.* 365.—Sumatra.  
*exiguum*, *Meissn. Monog.* 90.—Afr. trop.  
*Fagopyrum*, *Buch.-Ham. ex D. Don, Prod. Fl. Nep.* 73 = *Fagopyrum cymosum*.  
*Fagopyrum*, *Linn. Sp. Pl.* 364 = *Fagopyrum esculentum*.  
*fastigiatum*, *Rafin. Fl. Tellur.* iii. 15 (Quid?).—Hab.?  
*ferrugineum*, *Wedd. in Ann. Sc. Nat. Sér. III.* xiii. (1849) 252.—Bras.  
*filiacale*, *Wall. Cat. n.* 1694.—Reg. Himal.  
*filiforme*, *Barton, Comp. Fl. Philad.* i. 186 = *tenuis*.  
*filiforme*, *Thunb. Fl. Jap.* 163 = *virginianum*.  
*fimbriatum*, *Ell. Sketch, i.* 588.—Am. bor.  
*fissum*, *Blume, Bijdr.* 532 = *barbatum*.  
*flaccidum*, *Meissn. in DC. Prod.* xiv. 107, partim.—Ind. or.; Malaya.  
*flaccidum*, *Roxb. Hort. Beng.* 29; *Fl. Ind.* ii. 291 = *serrulatum*.  
*flagellare*, *Bertol. in Sebast. & Mauri, Prod. Fl. Rom.* 142; *Fl. Ital.* iv. 382 = *romanum*.  
*flagellare*, *Spreng. Syst.* ii. 255, *iv. Cur. Post.* 155 = *Bellardi*.  
*flagelliforme*, *Loisel. in Mém. Soc. Linn. Par.* vi. (1827) 409 = *Bellardi*.  
*flagelliforme*, *Wedd. in Ann. Sc. Nat. Sér. III.* xiii. (1849) 80.—Bras.  
*flavescens*, *Jord. ex Nym. Consp.* 639 = *Bellardi*.  
*flexuosum*, *Benth. Pl. Hartw.* 80 = *Muehlenbeckia tamnifolia*.  
*flexuosum*, *Heward, ex Meissn. in DC. Prod.* xiv. 148 = *Muehlenbeckia adpressa*.  
*flexuosum*, *Pall. ex Ledeb. Fl. Ross.* iii. 526 = *divaricatum*.  
*floribundum*, *Schlecht. ex Spreng. Syst.* ii. 257.—Sibir.  
*floribundum*, *Wedd. in Ann. Sc. Nat. Sér. III.* xiii. (1849) 252 = *acuminatum*.

## POLYGONUM :—

*fluviatile*, *Buch.-Ham. ex Endl. Gen. Suppl.* iv. II. 47 = *barbatum*.  
*Forbesii*, *Hance, in Journ. Bot.* xxi. (1883) 100.—China.  
*Forsterii*, *Hook. f. Handb. N. Zeal. Fl.* 739, sphalm. = *Muehlenbeckia adpressa*?  
*frondosum*, *Meissn. in DC. Prod.* xiv. 137.—Reg. Himal.  
*frutescens*, *Gueldenst. Reisen, i.* 224 = *Atraphaxis buxifolia*.  
*frutescens*, *Hort. Par. ex Jaub. & Spach, Illustr.* ii. 14 = *Atraphaxis Laxmannii*.  
*frutescens*, *Linn. Sp. Pl.* 359 = *Atraphaxis lanceolata*.  
*frutescens*, *Vell. Fl. Flum.* iv. t. 44 = *Coccoloba Gardneri*.  
*fruticosum*, *S. G. Gmel. ex Meissn. in DC. Prod.* xiv. 78 = *Atraphaxis lanceolata*.  
*fruticulosum*, *Walp. in Nov. Act. Nat. Cur.* xix. Suppl. i. (1843) 407.—Bolivia.  
*geniculatum*, *Poir. Encyc.* vi. 147 = *aviculare*.  
*geniculatum*, *Riddell, ex Meissn. in DC. Prod.* xiv. 132 = *Meissnerianum*.  
*glabratum*, *Meissn. in Wall. Cat. n.* 6285 = *pedunculare*.  
*glabrum*, *Hort. ex Reichb. Pl. Crit.* v. 59 = *laphathifolium*.  
*glabrum*, *Roxb. ex D. Don, Prod. Fl. Nep.* 71 = *hydro-piperoides*.  
*glabrum*, *Roxb. Hort. Beng.* 29; *Fl. Ind.* ii. 287 = *serrulatum*.  
*glabrum*, *Willd. Sp. Pl.* ii. 447.—Reg. trop.  
*glandulosum*, *R. Br. Prod.* 419 = *laphathifolium*.  
*glandulosum*, *Poir. Encyc.* vi. 149 = *P. Hydropiper*.  
*glaucum*, *Nutt. Gen. Am.* i. 254 = *maritimum*.  
*glutinosum*, *Wall. Cat. n.* 1717 = *lanigerum*.  
*Gmelini*, *Hort. Par. ex Meissn. in DC. Prod.* xiv. 99 = *Bellardi*.  
*Gmelini*, *Steud. Nom.* ed. II. ii. 375.—Sibir.  
*Goyalparae*, *Buch.-Ham. ex Endl. Gen. Suppl.* iv. II. 47 = *stagninum*.  
*gracile*, *Guss. Enum. Pl. Inar.* 285 = *Bellardi*.  
*gracile*, *Hort. ex Meissn. l. c.* 143 = *Fagopyrum esculentum*.  
*gracile*, *Nutt. Gen. Am.* i. 255 = *Polygonella gracilis*.  
*gracile*, *Reinw. ex Miq. Ann. Mus. Bot. Lugd. Bat.* ii. 57 = *P. Posumbu*.  
*gracile*, *Salisb. Prod.* 259; *R. Br. Prod.* 419 = *P. Hydropiper*.  
*gracilescens*, *Mart. ex Meissn. in DC. Prod.* xiv. 108 = *acre*.  
*gracillimum*, *Spreng. Syst.* iv. Cur. Post. 154 = *macrophyllum*.  
*gramineum*, *Meissn. in Miq. Ann. Mus. Bot. Lugd. Bat.* ii. 59.—Japon.  
*gramineum*, *Noronha, in Verh. Batav. Gen.* v. (1790) ed. I. Art. iv. 25 = *barbatum*.  
*graminifolium*, *Hoffm. ex Meissn. in DC. Prod.* xiv. 114 = *acuminatum*.  
*graminifolium*, *Wierzb. ex Meissn. l. c.* xiv. 95.—Europ. austr.  
*grandiflorum*, *Bertol. Fl. Guatim.* 12 = *Antigonon guatemalense*.  
*grandiflorum*, *Willd. Sp. Pl.* ii. 440 = *Atraphaxis grandiflora*.  
*Greenei*, *S. Wats. in Proc. Am. Acad.* xiv. (1879) 295.—Calif.  
*gummifera*, *Wedd. in Ann. Sc. Nat. Sér. III.* xiii. (1849) 252.—Bras.  
*Gunnii*, *Hook. f. in Hook. Lond. Journ. Bot.* vi. (1847) 278 = *Muehlenbeckia adpressa*.  
*Gussonii*, *Todaro, ex Cesati, Pass. & Gibell. Comp. Fl. Ital.* 262.—Europ. austr.  
*guttuliferum*, *Miq. ex Meissn. in DC. Prod.* xiv. 129 = *alatum*.  
*gymnopus*, *Franch. & Sav. Enum. Pl. Jap.* ii. 472.—Japon.  
*Hagei*, *Royle, ex Bab. in Trans. Linn. Soc.* xviii. (1838) 110 = *polystachyum*?  
*Hamiltonii*, *Meissn. in DC. Prod.* xiv. i. 104 = *stagninum*.  
*Hamiltonii*, *Spreng. Syst.* iv. Cur. Post. 155 = *flaccidum*.  
*Hartwrightii*, *A. Gray, in Proc. Am. Acad.* viii. (1870) 234.—Am. bor. occ.  
*hastato-trilobum*, *Meissn. in Miq. Ann. Mus. Bot. Lugd. Bat.* ii. 62 = *Thunbergii*.  
*hastatum*, *Boj. & Hilsenb. ex Baker, in Journ. Linn. Soc.* xx. (1883) 239 = *Meissnerianum*.



**POLYGONUM:—**

- hastatum*, Murr. in Nov. Comm. Gotting. v. (1774) 37. t. 6 = sibiricum.  
*hastatum*, Zoll. & Mor. Verz. Ind. Archip. ii. 110 (sp. dub.).—Japan.  
*Hayii*, Strach. & Winterb. ex Meissn. in DC. Prod. xiv. 137 = frondosum.  
*hecasanthum*, Schur, Enum. Pl. Trans. 585 = P. Hydropiper.  
*Hermonis*, Kotschy, ex Boiss. Fl. Orient. iv. 1040 = Libani.  
*herniarioides*, Delile, Fl. Aegypt. Illustr. 61 = plebeium.  
*heterophyllum*, Soland. ex Meissn. in DC. Prod. xiv. 147 = Muehlenbeckia complexa.  
*Hydropiper*, Neck. Delic. Gallo Belg. i. 185 = P. Hydropiper.  
*hippopotami*, Ehrenb. ex Meissn. in DC. Prod. xiv. 121.—Afr. trop.  
*hirsutum*, Buch.-Ham. ex Meissn. in DC. Prod. xiv. 103 = viscosum.  
*hirsutum*, Walt. Fl. Carol. 132.—Am. bor.  
*hirtum*, Willd. ex Spreng. Syst. ii. 259 = orientale.  
*hispidulum*, Blume, Bijdr. 535 = strigosum.  
*hispidum*, Bab. in Trans. Linn. Soc. xviii. (1841) 100 = stagninum.  
*hispidum*, Buch.-Ham. ex D. Don, Prod. Fl. Nep. 71 = flaccidum.  
*hispidum*, H. B. & K. Nov. Gen. et Sp. ii. 178 = orientale.  
*Hookeri*, Meissn. in Ann. Sc. Nat. Sér. V. vi. (1866) 352.—Reg. Himal.  
*Hornemannii*, Meissn. in DC. Prod. xiv. 107 = stagninum.  
*horridum*, Buch.-Ham. ex Roxb. Hort. Beng. 29; Fl. Ind. ii. 291 = strigosum.  
*humifusum*, Jord. ex Bor. Fl. Cent. Fr. ed. III. ii. 560 = aviculare.  
*humifusum*, Merk. ex Pall. N. Nord. Beitr. vii. 289.—Sibir. altaic.  
*humile*, Meissn. in Wall. Pl. As. Rar. iii. 59.—Reg. Himal.  
*hybridum*, Chaub. ex St. Amans, Fl. Agen. 163 = mite.  
*Hydropiper*, Linn. Sp. Pl. 361.—Reg. temp. bor. et austr.  
*Hydropiper*, Lour. Fl. Cochinch. 240 = serrulatum.  
*Hydropiper*, Michx. Fl. Bor. Am. i. 238 = acre.  
*hydropiperoides*, Michx. l. c. 239.—Am. bor.  
*hydropiperoides*, Pursh, Fl. Am. Sept. i. 270 = acre.  
*hypostictum*, Miq. ex Meissn. in DC. Prod. xiv. 111 = minus.  
*hyssofolium*, Boj. Hort. Maurit. 271 = plebeium.  
*illecebroides*, Meissn. in DC. Prod. xiv. 94 = plebeium.  
*imberbe*, Soland. ex Forst. f. Prod. 90.—Ins. Tahiti.  
*imbricatum*, Nutt. ex S. Wats. in Am. Natural. vii. (1873) 665.—Am. bor. occ.  
*imbricatum*, Rafin. Fl. Tellur. iii. 16 (Quid?).—Hab. ?  
*incanum*, F. W. Schmidt, Fl. Boëm. iv. 90 = lapathifolium.  
*incarnatum*, Ell. Sketch, i. 456.—Am. bor.  
*indicum*, Heyne, in Roth, Nov. Pl. Sp. 208 = plebeium.  
*infestum*, Salisb. Prod. 259 = P. Convolvulus.  
*injucundum*, Lindl. Bot. Reg. t. 1250 = Muehlenbeckia chilensis.  
*intermedium*, Ehrh. Beitr. v. 178, nomen; et vi. 143 = minus.  
*intermedium*, Kit. ex Rochel, Bot. Reise Banat. 71; in Linnaea, xxxii. (1863) 363 = praec. ?  
*intermedium*, Nutt. ex S. Wats. in Proc. Am. Acad. xvii. (1881-82) 378.—Am. bor.  
*intermedium*, Rob. ex Loisel. Fl. Gall. ed. II. i. 52 = Roberti.  
*interruptum*, Bunge, Enum. Pl. Chin. Bor. 58.—China.  
*inundatum*, Mart. ex Meissn. in DC. Prod. xiv. 123 = orientale.  
*inundatum*, Rafin. in Med. Repos. N. York, v. (1808) 359 (Quid?).—Am. bor.  
*japonicum*, Meissn. in DC. Prod. xiv. 112.—Japan.  
*javanicum*, De Bruyn, in Miq. Pl. Jungh. 303.—Java.  
*jucundum*, Meissn. Monog. 71.—China.  
*junceum*, Ledeb. Fl. Ross. iii. 529.—Sibir. ural.  
*junceum*, Mitch. Journ. Trop. Austral. 85 = Muehlenbeckia Cunninghamii.  
*Kitaibelianum*, Sadler, Fl. Pesth. i. i. 287 = Bellardi.

**POLYGONUM:—**

- Kotschyianum*, Boiss. Diagn. Ser. I. vii. 84 = thymifolium.  
*lacerum*, H. B. & K. Nov. Gen. et Sp. ii. 179.—Am. trop.  
*lanatum*, Roxb. Hort. Beng. 29; Fl. Ind. ii. 285 = lanigerum.  
*lanigerum*, R. Br. Prod. 419.—Geront. trop.  
*lapathifolium*, Linn. Sp. Pl. 360.—Reg. bor. et austr.  
*lapathifolium*, Willd. Sp. Pl. ii. 446 = P. Persicaria.  
*latifolium*, Giesseck. ex Lange, Consp. Fl. Groenl. i. 105 = aviculare.  
*latifolium*, Kotschy, ex Boiss. Fl. Orient. iv. 1032 = alpinum.  
*laxiflorum*, Pall. ex Meissn. in DC. Prod. xiv. 99 = Bellardi.  
*laxiflorum*, Weihe, in Flora, ix. (1826) 746 = mite.  
*Laxmanni*, Lepech. in Nov. Act. Acad. Petrop. x. (1797) 414.—Sibir.  
*laxum*, Reichb. Pl. Crit. v. 56 = lapathifolium.  
*Lemanianum*, Meissn. in DC. Prod. xiv. 91 (Lemanianum).—Afghan.  
*leptostachyum*, De Bruyn, in Miq. Pl. Jungh. 307.—Java.  
*Libani*, Boiss. Diagn. Ser. I. xii. 99.—Syria.  
*libanoticum*, Ehrenb. ex Meissn. in DC. Prod. xiv. 96 = cognatum.  
*limbatum*, Meissn. l. c. 123.—As. et Afr. trop.  
*linifolium*, Heyne, in Roth, Nov. Pl. Sp. 207 = plebeium.  
*linifolium*, Muhl. in Trans. Am. Phil. Soc. iii. (1793) 168; et Cat. 40 = tenue.  
*linifolium*, Perr. ex Meissn. Monog. 90 = exiguum.  
*littorale*, Gren. & Godr. Fl. Fr. iii. 51 = Roberti.  
*littorale*, Link, Enum. Hort. Berol. i. 385 = aviculare.  
*longisetum*, De Bruyn, in Miq. Pl. Jungh. 307 = Blumei.  
*Lorinseri*, Opiz, Seznam, 73, in syn. (Quid?).—Europ.  
*Loureiirii*, Poir. Encyc. Suppl. iv. 667 = ciliatum.  
*ludovicianum*, Meissn. in DC. Prod. xiv. 116.—Am. bor.  
*luzuloides*, Faub. & Spach, Illustr. ii. 37. t. 126.—Persia.  
*Maackianum*, Regel, Tent. Fl. Ussur. 127 = Thunbergii.  
*macranthum*, Meissn. in DC. Prod. xiv. 107.—Reg. Himal.  
*macrochaeton*, Fresen. in Flora, xxi. (1838) 601 = senegalense.  
*macrochaetum*, Miq. in Linnaea, xviii. (1844) 242 = serrulatum.  
*macrothyrium*, Boiss. Fl. Orient. iv. 1041.—Persia.  
*macrophyllum*, D. Don, Prod. Fl. Nep. 70.—Reg. Himal.  
*macropterum*, Hort. ex Meissn. in DC. Prod. xiv. 142 = Fagopyrum esculentum.  
*maculatum*, Krock, Fl. Siles. Suppl. ii. 72 = lapathifolium.  
*maculatum*, Rafin. Fl. Ludov. 29 = P. Persicaria.  
*madagascariense*, Meissn. in DC. Prod. xiv. 113.—Madag.  
*Manoraene*, Buch.-Ham. ex Endl. Gen. Suppl. iv. II. 47 = barbatum.  
*marioticum*, Ehrenb. ex Meissn. in DC. Prod. xiv. 86 = equisetiforme.  
*maritimum*, Cham. & Schlecht. in Linnaea, iii. (1828) 51 = chilense.  
*maritimum*, Eichw. Pl. Casp. Cauc. 23 = cognatum.  
*maritimum*, Linn. Sp. Pl. 361.—Reg. bor. temp.  
*maritimum*, Remy, in C. Gay, Fl. Chil. 269 = striatum.  
*maritimum*, Vell. Fl. Flum. 161; iv. t. 39 = acre.  
*Maximowiczii*, Regel, Ind. Sem. Hort. Petrop. (1864) 14.—Japan.  
*Meissneri*, Wall. Cat. n. 1693 = Emodi.  
*Meissnerianum*, Cham. & Schlecht. in Linnaea, iii. (1828) 40.—Bras.  
*melastomaca*, Delile, Fl. Aegypt. Illustr. 60 (sp. dub.).—Aegypt.  
*Metzianum*, Miq. in Flora, xxxii. (1849) 557 = alatum.  
*Meyenii*, C. Koch, in Linnaea, xxii. (1849) 205.—China.  
*Meyeri*, Steud. Nom. ed. II. ii. 376 = paronychioides.  
*micranthum*, Boiss. ex Meissn. in DC. Prod. xiv. 694 = corrigioloides.  
*micranthum*, Meissn. in Miq. Ann. Mus. Bot. Lugd. Bat. ii. 59.—Sumatra.

**POLYGONUM:—**

- micranthum*, A. Rich. Fl. Cub. Fanerog. ii. 183.—Cuba.  
*microcephalum*, D. Don, Prod. Fl. Nep. 72.—Reg. Himal.  
*microcephalum*, Hassk. in Flora, xiv. (1831) 561 = alatum.  
*microphyllum*, Klotzsch, ex Meissn. in DC. Prod. xiv. 128 = filicaule.  
*microphyllum*, F. Muell. l. c. 147 = Muehlenbeckia axillaris.  
*microphyllum*, Ruiz, l. c. 98 = aviculare.  
*microspermum*, Jord. ex Bor. Fl. Centr. Fr. ed. III. ii. 560 = aviculare.  
*minimum*, S. Wats. in Bot. King's Exped. 315.—Am. bor. occ.  
*minus*, Ait. ex Meissn. in DC. Prod. xiv. 103 = hydropiperoides.  
*minus*, Huds. Fl. Angl. ed. I. 148.—Reg. temp.  
*minus*, Lag. ex Meissn. in DC. Prod. xiv. 118 = P. Persicaria.  
*minus*, Reichb. Pl. Crit. v. t. 493 = mite.  
*minus*, Tenore, Syll. Fl. Neap. 196 = serrulatum.  
*Miquelianum*, Meissn. in DC. Prod. xiv. 92 = plebeium.  
*miserum*, Willd. ex Spreng. Syst. ii. 256 = lacerum.  
*mite*, Pers. Syn. i. 440 = hydropiperoides.  
*mite*, Schrank, Bair. Fl. i. 668.—Europ.  
*mite*, Wall. Cat. n. 1721. partim = P. Hydropiper, flaccidum.  
*mixtum*, Goiran & Lonivi, ex Goiran & Del Fabbro, Spec. Morph. Veg.—Cf. Nuov. Giorn. Bot. Ital. ix. (1877) 170.—Hab. ?  
*molle*, D. Don, Prod. Fl. Nep. 72.—Reg. Himal.  
*molle*, Wight, Ic. t. 1807 = polystachyum.  
*molliaeforme*, Boiss. Diagn. Ser. I. vii. 84.—Persia; Tibet. occ.  
*monspeliense*, Guss. Fl. Sic. Prod. i. 470 = Bellardi.  
*monspeliense*, Thieb. ex Pers. Syn. i. 439 = aviculare.  
*monticolum*, Steud. Nom. ed. II. ii. 376 = cognatum.  
*mucronatum*, Royle, ex Bab. in Trans. Linn. Soc. xviii. (1841) 115 = paronychioides.  
*Muhlenbergii*, S. Wats. in Proc. Am. Acad. xiv. (1879) 295.—Am. bor.  
*multangulare*, Hook. & Arn. in Hook. Comp. Bot. Mag. ii. (1836) 62 = Meissnerianum.  
*multiflorum*, Gueldenst. Reisen, i. 421 (Quid?).—Reg. Caucas.  
*multiflorum*, Thunb. Fl. Jap. i. 169.—China; Japon.  
*multisetum*, Delile, Fl. Aegypt. Illustr. 60.—Aegypt.  
*muricatum*, Meissn. Monog. 74.—Reg. Himal.  
*muricatum*, Wall. Cat. n. 1697 = strigosum.  
*muticum*, Moench, Meth. Suppl. 266 = virginianum.  
*myrianthum*, Boiss. Fl. Orient. iv. 1034 = corrigioloides.  
*nanum*, Bory, in Ann. Gén. Sc. Phys. iii. (1820) 12 = aviculare.  
*natans*, Gueldenst. Reisen, ii. 32 = amphibium.  
*neglectum*, Bess. Enum. Pl. Volh. 45 = arenarium, aviculare.  
*nepalense*, Hort. Elden. ex Fenzl, in Linnaea, xxiv. (1851) 318 = Fagopyrum esculentum.  
*nepalense*, Meissn. Monog. 84; Wall. Cat. n. 1701 = alatum.  
*nervosum*, Wallr. in Linnaea, xiv. (1840) 568; Beitr. Fl. Hercyn. 198 = aviculare.  
*niloticum*, Lehm. ex Steud. Nom. ed. II. ii. 374 (Quid?).—Aegypt.  
*niloticum*, Meissn. in DC. Prod. xiv. 119 = P. Persicaria.  
*nodosum*, Pers. Syn. i. 440 = lapathifolium.  
*Noëanum*, Boiss. in Bot. Zeit. xi. (1853) 734 = argyrocoleon.  
*nudiflorum*, Rafin. New Fl. Am. iv. 51 (Quid?).—Am. bor.  
*nudum*, Dulac, Fl. Hautes-Pyr. 169 = Bellardi.  
*nummularifolium*, Meissn. in DC. Prod. xiv. 127.—Reg. Himal.  
*nutans*, Roxb. Hort. Beng. 29; Fl. Ind. ii. 285 = lapathifolium.  
*obliquum*, Kit. in Linnaea, xxxii. (1863) 364 (Quid?).—Hungar.  
*obtusatum*, Steud. ex Meissn. in DC. Prod. xiv. 118 = lapathifolium.  
*obtusifolium*, Schur, in Verh. Siebenb. Ver. Naturw. iv. (1853) 64 = P. Hydropiper.  
*occidentale*, Herb. Berol. ex Meissn. in DC. Prod. xiv. 144 = Fagopyrum tataricum.



**POLYGONUM:—**

- ochreatum*, S. G. Gmel. ex Meissn. in DC. Prod. xiv. 144 = divaricatum.  
*ochreatum*, Houtt. Handleid. viii. 467. t. 49. f. 1 = tomentosum.  
*ochreatum*, Willd. ex Meissn. in DC. Prod. xiv. 140 = alpinum.  
*ocreatum*, Linn. Sp. Pl. 361.—Sibir.  
*odoratum*, Lour. Fl. Cochinch. 243.—Cochinch.  
*oleraceum*, Schur, Enum. Pl. Transs. 585 = P. Hydro-piper.  
*oligophyllum*, Boiss. Fl. Orient. iv. 1042 = salicornioides.  
*Olivieri*, Jaub. & Spach, Illustr. ii. 31. t. 121 = polycnemoides.  
*Olivieri*, Meissn. in DC. Prod. xiv. 92 = tubulosum.  
*orientale*, Hort. ex Meissn. l. c. 119 = lapathifolium.  
*orientale*, Linn. Sp. Pl. 362.—Geront. trop.  
*orientale*, Wall. Cat. n. 1710 = tomentosum.  
*oryzetorum*, Blume, Bijdr. 532 (oryzetum); Meissn. in DC. Prod. xiv. 106.—Java.  
*ovatum*, Heyne, in Roth, Nov. Pl. Sp. 206 = chinense.  
*Owenii*, Boj. in Ann. Sc. Nat. Sér. II. iv. (1835) 267. t. 9 (= *Ceratogonum atriplicifolium*).—Afr. trop.  
*oxyphyllum*, Wall. Cat. n. 1715 = amplexicaule.  
*oxyspermum*, C. A. Mey. & Bunge, in Ledeb. Cat. Hort. Dorpat. (1824) 5 = aviculare.  
*pachyrhizum*, Trautv. in Act. Hort. Petrop. ii. (1873) 483 = luzuloides.  
*pachystachyum*, Rafin. Fl. Ludov. 29; et Meissn. Monog. 80.—Am. bor.  
*paleaceum*, Wall. Cat. n. 1684.—Reg. Himal.  
*pallens*, Pers. Syn. i. 439 = lapathifolium.  
*pallidum*, With. Bot. Arr. Brit. Pl. ed. III. ii. 381 = lapathifolium.  
*paludosum*, Griff. Rep. Bot. Gard. Calc. 39.—Hab. ?  
*paludosum*, Schur, Enum. Pl. Transs. 585 = mite.  
*palustre*, Parodi, in Anal. Soc. Cient. Argent. v. (1878) 158; Contrib. 51.—Reg. Argent.  
*panduraeforme*, Buch.-Ham. ex Endl. Gen. Suppl. iv. ii. 48 = chinense, microcephalum.  
*paniculatum*, Andr. ex Meissn. in DC. Prod. xiv. 118 = lapathifolium.  
*paniculatum*, Blume, Bijdr. 533.—Reg. Himal.; Java.  
*pannonicum*, Simk. in Termész. Füzetek, ii. (1878) 147.—Hungaria.  
*paraguayense*, Wedd. in Ann. Sc. Nat. Sér. III. xiii. (1849) 253.—Paraguay.  
*Paronychia*, Cham. & Schlecht. in Linnaea, iii. (1828) 51.—Am. bor. occ.  
*Paronychia*, C. A. Mey. Verz. Pfl. Cauc. 153 = paronychioides.  
*paronychioides*, C. A. Mey. in Bull. Soc. Nat. Mosc. (1838) 356.—Reg. Cauc. et Himal.  
*Pauryi*, Greene, in Bull. Torrey Bot. Club, viii. (1881) 99.—Am. bor. occ.  
*parviflorum*, Schott, in Oken, Isis, (1818) 822 = aviculare vel maritimum ?  
*parvifolium*, Nutt. Gen. Am. i. 256 = Polygonella parvifolia.  
*patens*, D. Don, Prod. Fl. Nep. 73 = chinense.  
*patulum*, Bieb. Fl. Taur. Cauc. i. 304 = Bellardi.  
*patulum*, Hort. ex Meissn. in DC. Prod. xiv. 119 = lapathifolium.  
*patulum*, Karel. ex Meissn. l. c. 100 = arenarium.  
*pauciflorum*, Endl. Gen. Suppl. iv. ii. 49 = paronychioides.  
*pauciflorum*, Maxim. in Ind. Sem. Hort. Petrop. (1866) 3.—Japon.  
*Pawlowskianum*, Glehn, in Act. Hort. Petrop. iv. (1876) 77.—As. centr.  
*pedunculare*, Wall. Cat. n. 1718.—As. et Austral. trop.  
*pensylvanicum*, Bunge, Enum. Pl. Chin. Bor. 57 = Bungeanum.  
*pensylvanicum*, Curt. Fl. Lond. fasc. t. 73 = lapathifolium.  
*pensylvanicum*, Linn. Sp. Pl. 362.—Am. bor.  
*perfoliatum*, Linn. Syst. ed. X. 1005.—Ind. or.; Malaya.  
*perforatum*, Aitch. in Journ. Linn. Soc. xviii. (1880) 90 (non seq.).—Afghan.  
*perforatum*, Meissn. Monog. 83 = alatum.  
*perforatum*, Wall. Cat. n. 1700 = humile.  
*perpusillum*, Hook. f. in Hook. Ic. Pl. t. 1490 A.—Reg. Himal.  
*Perrottetii*, Meissn. in DC. Prod. xiv. 94 = exiguum.  
*Persicaria*, Hook. & Arn. Bot. Beech. Voy. 68 = imberbe.

**POLYGONUM:—**

- Persicaria*, Linn. Sp. Pl. 361.—Reg. bor. temp.  
*Persicaria*, Wahlenb. ex Nym. Consp. 637 = lapathifolium.  
*Persicaria*, Wall. Cat. n. 1720 = glabrum.  
*persicarioides*, H. B. & K. Nov. Gen. et Sp. ii. 179.—Mexic.  
*Persoonii*, Engelm. ex Meissn. in DC. Prod. xiv. 103.—Texas.  
*peruvianum*, Meissn. l. c. 122.—Peruv.  
*petiolatum*, D. Don, Prod. Fl. Nep. 70 = amplexicaule.  
*pilosum*, Roxb. Hort. Beng. 29; Fl. Ind. ii. 286 = orientale.  
*platycladum*, F. Muell. in Trans. Phil. Inst. Vict. ii. (1858) 73 (patycladium).—N. Caled.  
*plebeium*, R. Br. Prod. 420.—Geront. trop. et temp.  
*pluriflorum*, C. Koch, in Linnaea, xxii. (1849) 202 = cognatum.  
*podocephalum*, Klotzsch, in Bot. Ergeb. Waldem. Reise, 136; et ex Meissn. in DC. Prod. xiv. 129 = sphaerocephalum.  
*Poiretii*, Meissn. Monog. 79 = glabrum.  
*polyanthos*, De Bruyn, in Miq. Pl. Jungh. 304.—Java.  
*polybotryum*, F. Muell. Fragm. iv. 130 = Muehlenbeckia polybotrya.  
*polycephalum*, Wall. Cat. n. 1707 = chinense.  
*polycnemoides*, Jaub. & Spach, Illustr. ii. 30. t. 120.—As. Min.; Persia.  
*polygaloides*, Meissn. in DC. Prod. xiv. 101.—Am. bor. occ.  
*polygamum*, Vent. Jard. Cels. 65 = Polygonella parvifolia.  
*polymorphum*, Ledeb. Fl. Ross. iii. 524 = alpinum.  
*polyneuron*, Franch. & Sav. Enum. Pl. Jap. ii. 471.—Japon.  
*polystachyum*, Wall. Cat. n. 1686.—Reg. Himal.  
*portoricense*, Bert. ex Endl. Gen. Suppl. iv. ii. 47 = glabrum.  
*Posumbu*, Buch.-Ham. ex D. Don, Prod. Fl. Nep. 71.—As. or.  
*Posumbu*, Thw. Enum. Pl. Zeyl. 245 = flaccidum.  
*Posumbu*, Wall. Cat. n. 1722 = minus.  
*procumbens*, De Bruyn, in Miq. Pl. Jungh. 307 = P. Posumbu.  
*procumbens*, Gilib. Exercit. ii. 434 = aviculare.  
*propinquum*, Ledeb. Fl. Ross. iii. 532.—Japon.  
*prostratum*, R. Br. Prod. 419.—Austral.; N. Zel.  
*prostratum*, Roxb. ex D. Don, Prod. Fl. Nep. 72 = plebeium.  
*provinciale*, C. Koch, in Linnaea, xxii. (1849) 204 = aviculare.  
*Pseudo-hydropiper*, Salzm. ex Ball, in Journ. Linn. Soc. xvi. (1878) 653 = serrulatum.  
*Pseudo-lapathum*, Schur, Enum. Pl. Transs. 584 = lapathifolium.  
*pterocarpum*, Wall. Cat. n. 1690.—Reg. Himal.  
*Pteropus*, Hance, in Journ. Bot. vii. (1869) 167 = Thunbergii.  
*pubescens*, Blume, Bijdr. 532.—Java.  
*pulchellum*, Loisel. in Mém. Soc. Linn. Par. vi. (1827) 411 = Bellardi.  
*pulchrum*, Blume, Bijdr. 530 = tomentosum.  
*punctatum*, Buch.-Ham. ex D. Don, Prod. Fl. Nep. 72 = alatum.  
*punctatum*, Ell. Sketch, i. 455 = acre.  
*punctatum*, Krock. Fl. Siles. Suppl. ii. 57 = lapathifolium ?  
*punctatum*, Rafin. Ann. Nat. (1820) 12 (Quid ?).—Am. bor.  
*punctatum*, Schwein. ex Meissn. in DC. Prod. xiv. 103 = hydropiperoides.  
*purpureum*, Gilib. Exercit. ii. 433 = amphibium.  
*pusillum*, Guss. ex Nym. Consp. 639 = aviculare.  
*pusillum*, Krock. Fl. Siles. Suppl. ii. 64 = seq. ?  
*pusillum*, Lam. Fl. Fr. iii. 235 = minus.  
*pyramidatum*, Loisel. in Mém. Soc. Linn. Par. vi. (1827) 411 = Fagopyrum esculentum.  
*quadrangulatum*, Mart. & Gal. in Bull. Acad. Brux. x. (1843) 353 = Muehlenbeckia tamnifolia.  
*quadrifidum*, Buch.-Ham. ex Meissn. in DC. Prod. xiv. 122 = glabrum.  
*quadrifidum*, Meissn. in Linnaea, xiv. (1840) 485 = lapathifolium.  
*radicosum*, Boiss. Diagn. Ser. I. vii. 84.—Persia.  
*Raii*, Bab. in Trans. Linn. Soc. xvii. (1836) 453 = Roberti.

**POLYGONUM:—**

- ramiflorum*, Janka, in Linnaea, xxx. (1859–60) 599 = Bellardi.  
*ramosissimum*, Michx. Fl. Bor. Am. i. 237.—Am. bor.  
*ramoso-spicaum*, Klotzsch, in Bot. Ergeb. Waldem. Reise, t. 87 = rumicifolium.  
*ramosum*, Fisch. ex Hornem. Hort. Hafn. Suppl. 45 = Laxmanni.  
*Raptae*, Herb. Buch.-Ham. ex Endl. Gen. Suppl. iv. ii. 47 = barbatum.  
*Rayi*, Bab. Man. Brit. Bot. ed. II. 275 = Raii.  
*recumbens*, Royle, ex Bab. in Trans. Linn. Soc. xviii. (1838) 116.—Reg. Himal.  
*refractum*, Mart. ex Meissn. in DC. Prod. xiv. 132 = Meissnerianum.  
*repens*, Meissn. in Wall. Cat. n. 1699 = capitatum.  
*restionoides*, Boiss. & Haussk. ex Boiss. Fl. Orient. iv. 1039 = setosum.  
*reticulatum*, De Bruyn, in Miq. Pl. Jungh. 309 = runcinatum.  
*reticulatum*, C. Koch, in Linnaea, xxii. (1849) 200 = Bellardi.  
*rhaeticum* ×, Bruegg. in Jahresb. Naturf. Ges. Graub. II. xxiii–xxiv. (1880) 115.—Europ.  
*rhisocaulon*, De Bruyn, in Miq. Pl. Jungh. 306 = P. Posumbu.  
*riparium*, Georgi, Bemerk. Reise Russ. Reich. i. 209 = Laxmanni.  
*riparium*, Mart. ex Meissn. in DC. Prod. xiv. 108 = acre.  
*rivulare*, Helfer, ex Meissn. l. c. 107 = flaccidum.  
*rivulare*, Koen. ex Roxb. Hort. Beng. 29; Fl. Ind. ii. 290 = barbatum.  
*rivulare*, Phil. in Linnaea, xxx. (1859–60) 199.—Chili.  
*rivulare*, Roth, Nov. Pl. Sp. 206 = barbatum.  
*Roberti*, Loisel. in Mém. Soc. Linn. Par. vi. (1827) 409.—Europ.  
*robustum*, Meissn. in Miq. Ann. Mus. Bot. Lugd. Bat. ii. 60.—Java.  
*Roettleri*, Roth, Nov. Pl. Sp. 205 = flaccidum.  
*romanum*, Jacq. Obs. iii. 8. t. 58.—Europ. austr.  
*rotboelliioides*, Jaub. & Spach, Illustr. ii. 32. t. 122 = tubulosum.  
*Rottleri*, Auct. = Roettleri.  
*Roxburghii*, Meissn. in DC. Prod. xiv. 93 = plebeium.  
*Roylii*, Bab. in Trans. Linn. Soc. xviii. (1841) 115.—Reg. Himal.  
*rubicundum*, Soland. ex Meissn. in DC. Prod. xiv. 111 = serrulatum.  
*rubricaulum*, Cham. in Linnaea, viii. (1833) 130.—Bras.  
*rubricaulum*, Rafin. New Fl. Am. iv. 51 (Quid ?).—Am. bor.  
*rubriflorum*, Frivald. ex Meissn. in DC. Prod. xiv. 99 = Bellardi.  
*rude*, Meissn. l. c. 137.—Reg. Himal.  
*ruderalis*, Salisb. Prod. 259 = P. Persicaria.  
*rugosum*, Buch.-Ham. ex Endl. Gen. Suppl. iv. ii. 49 = Fagopyrum cymosum.  
*Ruizianum*, C. Koch, in Linnaea, xxii. (1849) 207.—Hispan. ?  
*rumicifolium*, Pall. ex Spreng. Syst. ii. 255 = sibiricum.  
*rumicifolium*, Royle, ex Bab. in Trans. Linn. Soc. xviii. (1841) 112.—Reg. Himal.  
*runcinatum*, Buch.-Ham. ex D. Don, Prod. Fl. Nep. 73.—Reg. Himal.; Java.  
*rupestre*, Kar. & Kir. in Bull. Soc. Nat. Mosc. (1841) 710 = cognatum.  
*rurivagum*, Jord. ex Bor. Fl. Cent. Fr. ed. III. ii. 560 = aviculare.  
*sachalinense*, F. Schmidt, ex Maxim. Prim. Fl. Amur. 233.—Ins. Sachalin.  
*sagittatum*, Boj. & Hilsenb. ex Baker, in Journ. Linn. Soc. xx. (1883) 239 = Meissnerianum.  
*sagittatum*, D. Don, Prod. Fl. Nep. 73 = strigosum.  
*sagittatum*, Linn. Sp. Pl. 363.—As. et Am. bor.  
*salicifolium*, Brouss. ex Willd. Enum. Hort. Berol. 428; Delile, Fl. Aegypt. 12 = serrulatum.  
*salicifolium*, Schur, Enum. Pl. Transs. 583 = amphibium.  
*salicornioides*, Jaub. & Spach, Illustr. ii. 32. t. 123.—Persia; Sind.  
*salignum*, Willd. Enum. Hort. Berol. 430.—Sibir.  
*salsugineum*, Bieb. Besch. Casp. 169; Fl. Taur. Cauc. i. 304.—Reg. Caucas.  
*salsuginosum*, Wallr. in Linnaea, xiv. (1840) 568; Beitr. Fl. Hercyn. 198 = Roberti.  
*Sanguinaria*, Remy, in C. Gay, Fl. Chil. v. 270.—Chili.



**POLYGONUM:—**

*scabridum*, Willd. ex Meissn. in DC. Prod. xiv. 117 = persicarioides.  
*scabrinervium*, Royle, ex Bab. in Trans. Linn. Soc. xviii. (1841) 101 = glabrum.  
*scabrum*, Moench, Meth. 629 = lapathifolium.  
*scabrum*, Moench, Meth. Suppl. 267 = pensylvanicum.  
*scabrum*, Poir. Encyc. vi. 148.—Afr. bor.  
*scandens*, Linn. Sp. Pl. 364 = dumetorum, Anredera spicata.  
*scandens*, Vell. Fl. Flum. 161; iv. t. 40.—Bras.  
*Schurii*, Fuss, Fl. Transs. 560 = mite, P. Bistorta.  
*Schychowskii*, Andr. ex Trautv. in Act. Hort. Petrop. ix. (1884) 150, nomen.—Rossia.  
*scoparium*, Req. ex Loisel. in Mém. Soc. Linn. Par. vi. (1827) 410.—Corsica.  
*segetum*, H. B. & K. Nov. Gen. et Sp. ii. 177.—N. Granat.  
*senegalense*, Meissn. Monog. 54.—Afr. bor. et trop.  
*senticosum*, Franch. & Sav. Enum. Pl. Jap. i. 401.—Japan.  
*sericeum*, Georgi, Bemerk. Reise Russ. Reich. i. 209 = seq.?  
*sericeum*, Pall. Reise, iii. 286, 320.—Sibir.  
*serotinum*, Rafin. Ann. Nat. 12 (Quid?).—Am. bor.  
*serotinum*, Tenore, Syll. Fl. Neap. App. 566 = P. Persicaria.  
*serpyllaceum*, Jaub. & Spach, Illustr. ii. 24. t. 117 = radicosum.  
*serratum*, Linn. Sp. Pl. 360.—Afr. bor.  
*serratum*, Poir. Encyc. vi. 144 = Poiretii.  
*serrulatum*, Guss. ex Tenore, Fl. Nap. Prod. App. v. 12 = minus.  
*serrulatum*, Hohen. ex Boiss. Fl. Orient. iv. 1029 = minus.  
*serrulatum*, Lag. Gen. et Sp. Nov. 14.—Geront. temp. et trop.  
*serrulatum*, Spreng. Syst. ii. 256 = glabrum.  
*setaceum*, Baldw. in Ell. Sketch, i. 455.—Georgia.  
*setaceum*, Nutt. ex Meissn. in DC. Prod. xiv. 80 = Polygonella gracilis.  
*setigerum*, Wedd. in Ann. Sc. Nat. Sér. III. xiii. (1849) 253 = acuminatum.  
*setosulum*, A. Rich. Tent. Fl. Abyss. ii. 227.—Abyss.  
*setosum*, Jacq. Obs. iii. 8. t. 57.—As. Min.  
*setosum*, Rafin. in Med. Repos. N. York, v. (1808) 354, nomen (Quid?).—Am. bor.  
*shastense*, Brewer, ex A. Gray, in Proc. Am. Acad. viii. (1873) 400.—Calif.  
*sibiricum*, Laxm. in Nov. Act. Petrop. xviii. (1773) 531. t. 7. f. 2.—Reg. Himal.; Sibir.  
*sibiricum*, Linn. f. Suppl. 228 = alpinum.  
*Sieboldii*, Hort. ex Meissn. in DC. Prod. xiv. 136 = cuspidatum.  
*Sieboldii*, Meissn. l. c. 133 = sagittatum.  
*simlense*, Royle, ex Bab. in Trans. Linn. Soc. xviii. (1841) 102 = lapathifolium.  
*sinarum*, Desv. ex Meissn. Monog. 62 = Fagopyrum tataricum.  
*sinense*, J. F. Gmel. Syst. 639 = chinense.  
*sinuatum*, R. Br. in Salt, Abyss. App. 64, nomen.—Abyss.  
*sinuatum*, Royle, ex Bab. in Trans. Linn. Soc. xviii. (1841) 108.—Reg. Himal.  
*somphocarpum*, De Bruyn, in Nederl. Kruidk. Arch. i. (1848) 506 = lapathifolium.  
*songaricum*, Schrenk, Enum. Pl. Nov. i. 8 = alpinum.  
*speciosum*, Salisb. Prod. 259 = orientale.  
*speciosum*, Wall. Cat. n. 1716; Meissn. Monog. 66 = amplexicaule.  
*spectabile*, Lehm. Ind. Sem. Hort. Hamb. (1820) et (1825); ex Linnaea, iii. (1828) 50 = Bellardi.  
*spectabile*, Mart. ex Meissn. in DC. Prod. xiv. 119 = attenuatum.  
*sphaerocephalum*, Wall. Cat. n. 1703.—Ind. or.  
*sphaerostachyum*, Meissn. Monog. 53 = macrophyllum.  
*spinulosum*, Boj. ex Meissn. in DC. Prod. xiv. 113.—Ins. Maurit.  
*spirale*, Noronha, in Verh. Batav. Gen. v. (1790) ed. I. Art. iv. 25 = oryzetorum.  
*splendens*, Klotzsch, in Bot. Ergeb. Waldem. Reise, 136 = macrophyllum.  
*squamosum*, Rafin. Atl. Journ. (1832) 16 (Quid?).—Am. bor.  
*stagninum*, Buch.-Ham. ex Meissn. in Wall. Pl. As. Rar. iii. 56.—Ind. or.  
*staticiflorum*, Wall. Cat. n. 1704 = microcephalum.  
*stelligerum*, Cham. in Linnaea, viii. (1833) 131.—Bras.

**POLYGONUM:—**

*stenophyllum*, Meissn. Monog. 52 = macrophyllum.  
*stoloniferum*, Blanco, Fl. Filip. ed. I. 314 = barbatum.  
*stoloniferum*, F. Schmidt, Reisen Amurl. 168 = Thunbergii.  
*striatum*, Dulac, Fl. Hautes-Pyr. 169 = P. Convolvulus.  
*striatum*, C. Koch, in Linnaea, xxii. (1849) 206.—Chili.  
*strictum*, All. Fl. Pedem. ii. 207. t. 68. f. 2 = minus.  
*strictum*, Ledeb. Fl. Alt. ii. 86 = Bellardi.  
*strictum*, Meissn. in Linnaea, xiv. (1840) 485 = serrulatum.  
*strigillosum*, Zipp. ex Miq. Ann. Mus. Bot. Lugd. Bat. ii. 57 = barbatum.  
*strigosum*, R. Br. Prod. 420.—As. et Austral. trop.  
*strigosum*, Buch.-Ham. ex Meissn. in DC. Prod. xiv. 129 = viscosum.  
*stylium*, De Bruyn, in Miq. Pl. Fungh. 311.—Java.  
*stypticum*, Cham. & Schlecht. in Linnaea, iii. (1828) 53.—Bras.  
*subcordatum*, Miq. in Journ. Bot. Néerl. i. (1861) 95 = orientale?  
*subcanum*, Mart. Hort. Erlang. (1814) 95 (Quid?).—Hab.?  
*subsessile*, R. Br. Prod. 419.—Austral.; N. Caled.  
*subspathaceum*, D. Dietr. Syn. Pl. ii. 1320, sphalm. = Polypogon maritimus.  
*suffruticosum*, Salzm. ex Ball, in Journ. Linn. Soc. xvi. (1878) 652 = equisetiforme.  
*suffultum*, Maxim. in Bull. Acad. Pétersb. xxii. (1877) 233.—Japan.  
*sumatranum*, De Bruyn, in Miq. Pl. Fungh. 308.—Sumatra.  
*tamniifolium*, H. B. & K. Nov. Gen. et Sp. ii. 180 = Muehlenbeckia tamnifolia.  
*tarmense*, Ruiz, ex Meissn. in DC. Prod. xiv. 117 = persicarioides.  
*tataricum*, Linn. Sp. Pl. 364 = Fagopyrum tataricum.  
*tataricum*, Wall. ex D. Don, Prod. Fl. Nep. 72 = tortuosum.  
*tenellum*, Blume, Bijdr. 530; et ex Miq. Ann. Mus. Bot. Lugd. Bat. ii. 57 = minus.  
*tenellum*, Roxb. Hort. Beng. 29; Fl. Ind. ii. 289 = flaccidum.  
*tenerum*, Spreng. Syst. ii. 254.—Georgia.  
*tenue*, D. Don, Prod. Fl. Nep. 70 = macrophyllum.  
*tenue*, Michx. Fl. Bor. Am. i. 238.—Am. bor.  
*tenuicaule*, Biss. & S. Moore, in Journ. Bot. xvi. (1878) 135.—Japan.  
*tenuiflorum*, Presl, Delic. Prag. 67 = lapathifolium.  
*tenuiflorum*, Steph. ex Ledeb. Fl. Ross. iii. 531 = salsugineum.  
*tephoides*, Parodi, in Anal. Soc. Cient. Argent. v. (1878) 158; Contrib. 52.—Reg. Argent.  
*terrestre*, Hegetschw. Fl. Schw. 366 = amphibium.  
*tetragonum*, Blume, Bijdr. 535 = pedunculare.  
*Thevenaei*, Lespin. in Bull. Soc. Bot. Fr. vi. (1859) 657.—Gallia.  
*Thunbergii*, Sieb. & Zucc. Fl. Jap. Fam. Nat. ii. 84.—Japan.  
*thymifolium*, Jaub. & Spach, Illustr. ii. 22. t. 116.—Persia.  
*tinctorum*, Ait. Hort. Kew. ed. II. 31.—China.  
*tomentosum*, Eckl. & Zeyh. ex Meissn. in DC. Prod. xiv. 113 = adenophyllum.  
*tomentosum*, Schrank, Baier. Fl. i. 669 = lapathifolium.  
*tomentosum*, Wall. Cat. n. 1709/4 = stagninum.  
*tomentosum*, Willd. Sp. Pl. ii. 447.—Geront. trop.  
*torquatum*, De Bruyn, in Miq. Pl. Jungh. 303 = orientale.  
*Torreyi*, S. Wats. in Am. Natural. vii. (1873) 664 = minimum.  
*tortuosum*, D. Don, Prod. Fl. Nep. 71.—Reg. Himal.  
*triandrum*, Roland. ex Rottb. in Lit. Univ. Hafn. i. (1778) 274 = Triplaris americana.  
*triangulare*, Wall. Cat. n. 1689 = Fagopyrum cymosum.  
*tripterocarpum*, A. Gray, ex Rothr. in Ann. Rep. Smithsonian. Inst. 1867 (1868) 453.—Am. arct.  
*tristachyum*, Baker, in Journ. Bot. xx. (1882) 244.—Madag.  
*tropicum*, C. Koch, in Linnaea, xxii. (1849) 205.—Afr. trop.  
*truncatum*, A. Rich. Fl. Cub. Fanerog. ii. 182.—Cuba.

**POLYGONUM:—**

*truncatum*, Zoll. & Mor. in Nat. en Geneesk. Arch. Néerl. Indie, ii. (1845) 214 = runcinatum.  
*tubulosum*, Boiss. Diagn. Ser. I. vii. 83.—Reg. Himal.  
*tumidum*, Auch. ex Meissn. in DC. Prod. xiv. 86 = equisetiforme.  
*tumidum*, Delile, Fl. Aegypt. Illustr. 60.—Aegypt.  
*turgidum*, Thuill. Fl. Par. ed. II. i. 199 = lapathifolium.  
*typhoniifolium*, Hance, in Ann. Sc. Nat. Sér. V. v. (1866) 239 = senticosum.  
*undulatum*, Berg. Desc. Pl. Cap. 135 = atraphaxoides.  
*undulatum*, Murr. in Comm. Gotting. v. 1774 (1775) 34. t. 5 = alpinum.  
*utriculatum*, Remy, in C. Gay, Fl. Chil. iv. 267.—Chili.  
*uviferum*, Linn. Sp. Pl. 365 = Coccoloba uvifera.  
*vaccinifolium*, Wall. Cat. n. 1695.—Reg. Himal.  
*Venantianum*, Clem. in Mem. Acc. Sc. Torin. Ser. II. xvi. (1857) 319; Ser. 83. t. 3 = arenarium.  
*vernum*, Rafin. Fl. Ludov. 30 = lapathifolium.  
*virgatum*, Cham. & Schlecht. in Linnaea, iii. (1828) 45 = hydropiperoides.  
*virgatum*, Loisel. in Mém. Soc. Linn. Par. vi. (1827) 410 = Bellardi.  
*virgatum*, Schur, in Oestr. Bot. Zeitschr. x. (1860) 353 = arenarium.  
*virginianum*, Linn. Sp. Pl. 360.—Reg. Himal.; Am. bor.  
*viridiflorum*, Poir. Encyc. vi. 140 = Cannabis sativa.  
*viscosum*, Bast. ex Meissn. in DC. Prod. xiv. 119 = lapathifolium.  
*viscosum*, Buch.-Ham. ex D. Don, Prod. Fl. Nep. 71.—Reg. Himal.  
*viviparum*, Linn. Sp. Pl. 360.—Reg. bor. et arct.  
*viviparum*, Wall. ex D. Don, Prod. Fl. Nep. 70 = affine.  
*volcanicum*, Benth. Pl. Hartw. 81 = Muehlenbeckia vulcanica.  
*volubile*, Gilib. Exercit. ii. 435 = P. Convolvulus.  
*volubile*, Turcz. in Bull. Soc. Nat. Mosc. (1840) 77 = Fagopyrum cymosum.  
*vulgare*, Gueldenst. Reisen, ii. 44 = minus?  
*Wallichii*, Meissn. Monog. 83. t. 7.—Reg. Himal.  
*Wallichii*, Wight, Ic. t. 1805 = sphaerocephalum.  
*Weyrichii*, F. Schmidt, in Maxim. Prim. Fl. Amur. 234.—Ins. Sachalin.  
*Zippelii*, Meissn. in Miq. Ann. Mus. Bot. Lugd. Bat. ii. 64.—N. Guin.  
*zonulatum*, Noronha, in Verh. Batav. Gen. v. (1790) ed. I. Art. iv. 23 = chinense.

**POLYGYNE**, Phil. in Linnaea, xxxiii. (1864-65) 170 = **Plagiocheilus**, Arn. (Compos.).  
*inconspicua*, Phil. l. c. 171.—Chili.

**POLYLEPIS**, Ruiz & Pav. Prod. 80. t. 15 (1794).

**ROSACEAE**, Benth. & Hook. f. i. 623.  
**QUINASIS**, Rafin. Sylva Tellur. 150 (1838).  
*hypoleuca*, Wedd. Chlor. And. ii. t. 78 = racemosa.  
*incana*, H. B. & K. Nov. Gen. et Sp. vi. 227.—Peruv.  
*lanuginosa*, H. B. & K. l. c. 228.—Ecuador.  
*racemosa*, Ruiz & Pav. Syst. Veg. i. 139.—Peruv.  
*sericea*, Wedd. Chlor. And. ii. 238.—N. Granat.; Venezuela.  
*tomentella*, Wedd. l. c. 237. t. 78.—Peruv.; Bolivia.  
*villosa*, H. B. & K. Nov. Gen. et Sp. vi. 228.—Peruv.

**POLYLOBIUM**, Eckl. & Zeyh. Enum. 180 (1836) = **Lotononis**, DC. (Legumin.).

*angustifolium*, Eckl. & Zeyh. l. c. 182 = L. involu-crata.  
*brachylobum*, D. Dietr. Syn. Pl. iv. 962 = L. brachyloba.  
*calycinum*, D. Dietr. l. c. = L. calycina.  
*carinatum*, Benth. in Ann. Wien. Mus. ii. (1838) 142 = L. carinata.  
*corymbosum*, Benth. l. c. = L. corymbosa.  
*debile*, Eckl. & Zeyh. Enum. 181 = L. debilis.  
*erubescens*, D. Dietr. Syn. Pl. iv. 962 = L. pumila.  
*falcatum*, D. Dietr. l. c. = L. falcata.  
*fastigiatum*, Eckl. & Zeyh. Enum. 183 = L. angustifolia.  
*filiforme*, Eckl. & Zeyh. l. c. 181 = L. umbellata.  
*humifusum*, D. Dietr. Syn. Pl. iv. 962 = L. humifusa.



**POLYLOBIUM** :—

- intermedium*, Eckl. & Zeyh. Enum. 181 = *Lotononis trichopoda*.  
*involutum*, Eckl. & Zeyh. l. c. 182 = *L. involucreta*.  
*micranthum*, Presl, Bot. Bemerk. 123 = *L. micrantha*.  
*molle*, D. Dietr. Syn. Pl. iv. 962 = *L. mollis*.  
*Mundianum*, Eckl. & Zeyh. Enum. 183 = *L. angustifolia*.  
*oxypterum*, Presl, Bot. Bemerk. 123 = *L. oxyptera*.  
*pallens*, Eckl. & Zeyh. Enum. 182 = *L. pallens*.  
*pedunculare*, Benth. in Ann. Wien. Mus. ii. (1838) 142 = *L. peduncularis*.  
*polyccephalum*, D. Dietr. Syn. Pl. iv. 962 = *L. polyccephala*.  
*quinatum*, Presl, Bot. Bemerk. 123 = *L. quinata*.  
*radulum*, D. Dietr. Syn. Pl. iv. 962 = *L. humifusa*.  
*sparsiflorum*, Eckl. & Zeyh. Enum. 181 = *L. oxyptera*.  
*tenellum*, D. Dietr. Syn. Pl. iv. 962 = *L. tenella*.  
*tenuifolium*, Eckl. & Zeyh. Enum. 182 = *L. involucreta*.  
*trichopodium*, Presl, Bot. Bemerk. 123 = *L. trichopoda*.  
*truncatum*, Eckl. & Zeyh. Enum. 181 = *L. umbellata*.  
*typicum*, Eckl. & Zeyh. l. c. 180 = *L. trichopoda*.  
*umbellatum*, Benth. in Ann. Wien. Mus. ii. (1838) 142 = *L. umbellata*.  
*varium*, Presl, Bot. Bemerk. 135 = *L. varia*.

**POLYLOPHIUM**, Boiss. in Ann. Sc. Nat. Sér. III. ii. (1844) 47. **UMBELLIFERAE**, Benth. & Hook. f. i. 929.

- ACANTHOPLEURA**, C. Koch, in Bot. Zeit. vii. (1849) 408.  
**GALBANON**, Adans. Fam. ii. 499 (1763) nomen prius.  
**GALBANUM**, D. Don, in Phil. Mag. ix. (1833) 46; et in Trans. Linn. Soc. xvi. (1833) 603.  
*involutum*, Boiss. Fl. Orient. ii. 1066 = orientale.  
 orientale, Boiss. in Ann. Sc. Nat. Sér. III. i. (1844) 48.—Persia.  
*petrophilum*, Boiss. Fl. Orient. ii. 1066 = thalictroides.  
 thalictroides, Fenzl, in Tchihat. Asie Min. Bot. i. 443.—As. Min.

**POLYMERIA**, R. Br. Prod. 488 (1810). **CONVOLVULACEAE**, Benth. & Hook. f. ii. 875.

- ambigua*, R. Br. l. c. = Austral.  
*angusta*, F. Muell. Fragm. vi. 100.—Austral.  
*calycina*, R. Br. Prod. 488.—Austral.  
*distigma*, Benth. Fl. Austral. iv. 433.—Austral.  
*lanata*, R. Br. Prod. 488 = *ambigua*.  
*longifolia*, Lindl. in Mitch. Journ. Trop. Austral. 398.—Austral.  
*marginata*, Benth. Fl. Austral. iv. 432.—Austral.  
*occidentalis*, F. Muell. Census, 95, nomen.—Austral.  
*pusilla*, R. Br. Prod. 488.—Austral.  
*quadrialvis*, R. Br. l. c. = *ambigua*.

**POLYMNIA**, Linn. Diss. Chen. 22 (1751); Amoen. Acad. iii. 15 (1756). **COMPOSITAE**, Benth. & Hook. f. ii. 346.

- ALYMNIA**, Neck. Elem. i. 31 (1790).  
**POLYMNIASTRUM**, Lam. Illustr. t. 712 (1798); iii. 287 (1823).  
*abyssinica*, Linn. f. Suppl. 383 = *Guizotia abyssinica*.  
*africana*, Poir. Encyc. Suppl. iv. 483 = *Wedelia africana*.  
*aspera*, Mart. ex DC. Prod. v. 515.—Mexic.  
*australis*, Spreng. ex DC. Prod. v. 542 = *Wedelia latifolia*.  
*benghalensis*, Poir. ex Steud. Nom. ed. II. ii. 377 = *Wedelia calendulacea*.  
*calendulacea*, Poir. Encyc. Suppl. iv. 482 = *Wedelia calendulacea*.  
*calicina*, Poir. l. c. = *Wedelia affinis*, *acapulcensis*.  
*canadensis*, Linn. Sp. Pl. 926.—Am. bor.  
*carnosa*, Linn. f. Suppl. 384 = *Didelta carnosa*.  
*caroliniana*, Poir. Encyc. v. 505 = *Berlandiera tomentosa*.  
*crenata*, Poir. Encyc. Suppl. iv. 482 = *Wedelia carnosa*.  
*cruciana*, Poir. l. c. = *Wedelia cruciana*.  
*dentata*, Moench, Meth. Suppl. 242.—Hab.?  
*edulis*, Wedd. in Ann. Sc. Nat. Sér. IV. vii. (1857) 114.—Am. austr.  
*frondosa*, Bruce, Travels, vii. t. 52 = *Guizotia abyssinica*.  
*fruticosa*, Benth. Pl. Hartw. 209.—N. Granat.  
*glabrata*, DC. Prod. v. 515.—Chili.  
*gracilis*, Poir. Encyc. Suppl. iv. 483 = *Wedelia gracilis*.  
*grandis*, Hort. Berol. ex Kunth, Ind. Sem. Hort. Berol. (1847) 13 = *Montañona bipinnatifida*.

**POLYMNIA** :—

- graveolens*, Rottb. in Act. Lit. Univ. Hafn. i. (1778) 299.—Guian.  
*macrophylla*, Rafin. Fl. Ludov. 70 (Quid?).—Am. bor.  
*macroscypha*, Baker, in Mart. Fl. Bras. vi. iii. 158.—Bras.  
*maculata*, Cav. Ic. iii. 14. t. 227.—Mexic.  
*mollis*, Poir. Encyc. Suppl. iv. 482 = *Wedelia mollis*.  
*parviflora*, Poir. l. c. = *Wedelia parviflora*.  
*perfoliata*, Poir. Encyc. v. 506 = *Melampodium perfoliatum*.  
*pyramidalis*, Triana, in Ann. Sc. Nat. Sér. IV. ix. (1858) 40.—N. Granat.  
*revoluta*, Auct. ex Steud. Nom. ed. II. ii. 377 = *Melanopodium perfoliatum*.  
*riparia*, H. B. & K. Nov. Gen. et Sp. iv. 282.—N. Granat.  
*scabra*, Zucc. in Abh. Akad. Muench. i. (1832) 313 = *aspera*.  
*serrata*, Poir. Encyc. Suppl. iv. 482 = *Wedelia serrata*.  
*Siegesbeckia*, DC. Prod. v. 516.—Bras.  
*silphioidea*, DC. l. c.—Bras.  
*sonchifolia*, Griseb. in Goett. Abh. xxiv. (1879) 188 = *silphioidea*.  
*sonchifolia*, Poepp. & Endl. Nov. Gen. et Sp. iii. 47. t. 254.—Peruv.  
*spinosa*, Linn. f. Suppl. 384 = *Didelta spinosa*.  
*Tetragonotheca*, Linn. Syst. ed. XII. 576 = *Tetragonotheca helianthoides*.  
*Uvedalia*, Linn. Sp. Pl. ed. II. 1303.—Am. bor.  
*variabilis*, Poir. Encyc. v. 505.—Hab.?  
*Wedelia*, Linn. Mant. i. 118 = *Wedelia frutescens*.  
*Wedelia*, Mill. Gard. Dict. ed. VIII. n. 1 = *P. Uvedalia*.

**POLYMNIASTRUM**, Lam. Illustr. t. 712 (1798); iii. 287 (1823) = **POLYMNIA**, Linn. (Compos.).

- urticaefolium*, Cass. in Dict. Sc. Nat. lix. 246 = *Polymnia variabilis*.  
*variabile*, Lam. Illustr. iii. 287 = *Polymnia variabilis*.

**POLYNOME**, Salisb. Gen. Pl. Fragm. 12 (1866) = **Dioscorea**, Plum.

- alata*, Salisb. l. c. = *D. alata*.  
*bulbifera*, Salisb. l. c. = *D. bulbifera*.

**POLYODON**, H. B. & K. Nov. Gen. et Sp. i. 174. t. 55 (1815) = **Bouteloua**, Lag. (Gramin.).

- distichus*, H. B. & K. l. c. 175 = *B. disticha*.

**POLYODONTIA**, Meissn. Gen. 102 (1837) = **POLYDONTIA**, Blume = **Pygeum**, Gaertn. (Rosac.)**POLYOSMA**, Blume, Bijdr. 658 (1825). **SAXIFRAGEAE**, Benth. & Hook. f. i. 647.

- alangiacea*, F. Muell. Fragm. viii. 8.—Austral.  
*chinensis*, Walp. Rep. ii. 937.—China.  
*Cunninghamii*, Benn. Pl. Jav. Rar. 196.—Austral.  
*discolor*, Baill. Adansonia, x. (1871-72) 343.—N. Caled.  
*fragrans*, Benn. Pl. Jav. Rar. 196.—Malaya.  
*fragrans*, Wall. Cat. n. 8472, partim = *integrifolia*.  
*helicoides*, F. Muell. Papuan Pl. ii. 8.—N. Guin.  
*ilicifolia*, Blume, Bijdr. 658.—Java.  
*integrifolia*, Blume, l. c. 659.—Ind. or.; Malaya.  
*laete-virens*, Griff. ex C. B. Clarke, in Hook. f. Fl. Brit. Ind. ii. 409 = *mutabilis*.  
*mutabilis*, Blume, Mus. Bot. Lugd. Bat. i. 261.—Malaya.  
*Pancheri*, Baill. Adansonia, x. (1871-72) 342.—N. Caled.  
*serrulata*, Blume, Bijdr. 659.—Java.  
*spicata*, Baill. Adansonia, x. (1871-72) 343.—N. Caled.  
*velutina*, Blume, Mus. Bot. Lugd. Bat. i. 261.—Java.  
*Wallichii*, Benn. Pl. Jav. Rar. 196 = *integrifolia*.

**POLYOSUS**, Lour. Fl. Cochinch. 75 (1790).—Cf. **Polyozus**, Lour.

- POLYOTUS**, Nutt. in Trans. Am. Phil. Soc. N. S. v. (1837) 199 = **Gomphocarpus**, R. Br. (Asclep.).  
*angustifolius*, Nutt. l. c. 201 = *Asclepias stenophylla*.  
*heterophyllus*, Nutt. l. c. 199 = *G. viridiflorus*.  
*lanuginosus*, Nutt. l. c. 200 (= *Acerates lanuginosa*).—Am. bor.  
*longifolius*, Nutt. l. c. = *Asclepias longifolia*.  
*obovatus*, Nutt. l. c. 201 = *Asclepias obovata*?

**POLYOZUS**, Blume, Bijdr. 947 (1826) = **Psychotria**, Linn. (Rubiace.).

- acuminata*, Blume, l. c. 948 = *Ps. rostrata*.  
*barbata*, DC. Prod. iv. 495.—Ins. Hominoia.  
*latifolia*, Blume, Bijdr. 948 = *Ps. rostrata*.  
*maderaspatana*, DC. Prod. iv. 495 = *Webera corymbosa*.  
**POLYOZUS**, Lour. Fl. Cochinch. 74 (1790), partim. Gen. dub. **RUBIACEARUM**.—Cf. Benth. & Hook. f. ii. 29.  
**POLYOSUS**, Lour. l. c. 75 (1790).  
*bipinnata*, Blanco, Fl. Filip. ed. II. 43 = *Arthrophyllum bipinnatum*.  
*bipinnata*, Lour. Fl. Cochinch. 74.—Cochinch.  
*lanceolata*, Lour. l. c. 75.—China.

**POLYPAPPUS**, Less. in Linnaea, iv. (1829) 314 = **Baccharis**, Linn. (Compos.).

- discolor*, DC. Prod. vii. 281 = *Vanillosmopsis discolor*.  
*parviflorus*, DC. l. c. v. 398 = *B. parviflora*.  
*triplinervis*, Less. Syn. Comp. 204 = *B. triplinervis*.

**POLYPAPPUS**, Nutt. in Journ. Acad. Philad. N. S. i. (1847) 178 = **Tessaria**, Ruiz & Pav. (Compos.).

- sericeus*, Nutt. l. c. = *T. borealis*.  
**POLYPARA**, Lour. Fl. Cochinch. 61 (1790) = **Houttuynia**, Thunb. (Piper.).  
*cochinchinensis*, Lour. l. c. = *H. cordata*.  
*cordata*, Buek, Index ad DC. Prod. iv. 310 = *praec.*

**POLYPHEMA**, Lour. Fl. Cochinch. 546 (1790) = **Artocarpus**, Forst. (Urtic.).

- Champeden*, Lour. l. c. 547 = *A. Polyphema*.  
*Jaca*, Lour. l. c. 546 = *A. integrifolia*.

**POLYPHRAGMON**, Desf. in Mém. Mus. Par. vi. (1820) 5. t. 2 = **Timonius**, Rumph. (Rubiace.).

- amboinicum*, Miq. Ann. Mus. Bot. Lugd. Bat. iv. 242.—Ins. Amboin.  
*anodon*, Miq. l. c.—Ins. Amboin.  
*compressicaule*, Miq. Fl. Ind. Bat. ii. 235.—Sumatra.  
*flavescens*, Kurz, in Journ. As. Soc. Beng. xlv. (1876) ii. 134 = *T. jambosella*.

**hydrangeaefolium**, Miq. Fl. Ind. Bat. ii. 235.—Sumatra.

- minus*, A. Rich. Diss. ex DC. Prod. iv. 445; et in Mém. Soc. Hist. Nat. Par. v. (1834) 231.—Hab.?  
*mutabile*, Miq. Ann. Mus. Bot. Lugd. Bat. iv. 240 = *T. mutabilis*.

**ovale**, Korth. in Nederl. Kruidk. Arch. ii. II. (1851) 216.—Borneo.

- Pseudo-capitatum*, Scheff. in Ann. Jard. Buitenz. i. (1876) 29.—Malaya.  
*rigidum*, Miq. Ann. Mus. Bot. Lugd. Bat. iv. 243.—Hab.?

**rufescens**, Miq. l. c. 241.—Ins. Ternate.

- sericanthum*, Miq. l. c. 242 = *Bobea sericantha*, *inaequiseptala*.  
*sericeum*, Desf. in Mém. Mus. Par. vi. (1820) 6. t. 2 = *T. Rumphii*.  
*sessile*, Scheff. in Ann. Jard. Buitenz. i. (1876) 67, nomen.—Malaya.

**spiciflorum**, Zipp. ex Span. in Linnaea, xv. (1841) 317 = **sericeum**.

- splendens*, Miq. Ann. Mus. Bot. Lugd. Bat. iv. 241.—Sumatra.  
*stipulosum*, Scheff. in Ann. Jard. Buitenz. i. (1876) 67, nomen.—Malaya.  
*trichocaulon*, Miq. Ann. Mus. Bot. Lugd. Bat. iv. 241.—Malaya.

**POLYPLEVRUM**, Tayl. ex Tul. in Arch. Mus. Par. vi. (1852) 118 = **Podostemon**, Michx.

- orientale*, Tayl. ex Tul. l. c. = *Podost. Wallichii*.  
**POLYPODIOPSIS**, Carr. Conif. ed. II. 710 (1867). Gen. dub. **CONIFERARUM**.  
*Muellerii*, Carr. l. c.—N. Caled.

**POLYPODIUM spinulosum**, Burm. f. Fl. Ind. 223. t. 67. f. 1 = *Synaphea petiolaris*, R. Br. (Proteac.), fide Meissn. in DC. Prod. xiv. 315.

- POLYPOGON**, Desf. Fl. Atlant. i. 66 (1798). **GRAMINEAE**, Benth. & Hook. f. iii. 1150.  
*Nowdowskya*, J. & C. Presl, Rel. Haenk. i. 238. t. 40, 351 (1830).  
*Raspailia*, J. & C. Presl, l. c. (1830).  
*Santia*, Savi, in Mem. Soc. Ital. Mod. viii. II. (1798) 479.



**POLYPOGON** :—

*adscendens*, Guss. in Bertol. Fl. Ital. ii. 777 = littoralis.  
*Adscensionis*, Trin. Agrost. ii. 11.—Ins. Adscens.  
*affinis*, Brongn. in Duperr. Voy. Coq. Bot. 19 = elongatus.  
*affinis*, Nees, in Nov. Act. Nat. Cur. xix. Suppl. i. (1843) 141 = interruptus.  
*alopecuroides*, Buckl. in Proc. Acad. Sc. Philad. 1862 (1863) 88 = Agrostis exarata.  
*alpestris*, Spreng. Syst. i. 243 = Muehlenbergia alpestris.  
*ascendens*, Boiss. Fl. Orient. v. 521 = *adscendens*.  
*australis*, Brongn. in Duperr. Voy. Coq. Bot. 21 = crinitus.  
*australis*, Nees, in Nov. Act. Nat. Cur. xix. Suppl. i. (1843) 141 = interruptus.  
*brachyphyllus*, Fourn. ex Hemsl. Biol. Centr. Am. Bot. iii. 552.—Mexic.  
*cachinalensis*, Phil. Fl. Atac. 54.—Chili.  
*capensis*, Hornem. ex Trin. in Mém. Acad. Sc. Pétersb. Sér. VI. i. (1831) 71 = *Danthonia micrantha*.  
*Chaetotropis*, Trin. l. c. iv. II. (1845) 262 = *Chaetotropis chilensis*.  
*chontoticus*, Hook. f. Fl. Antarct. 374.—Chili.  
*ciliatus*, Spreng. Syst. i. 243 = Muehlenbergia ciliata.  
*crinitus*, Nutt. Gen. Am. i. 50 = monspeliensis.  
*crinitus*, Trin. Gram. Unifl. 171.—Chili.  
*cubensis*, A. Rich. Fl. Cub. Fanerog. ii. 313.—Cuba.  
*demissus*, Steud. Syn. Pl. Gram. 422.—Japon.  
*Drummondii*, Steud. l. c. 184 = tenellus.  
*elongatus*, H. B. & K. Nov. Gen. et Sp. i. 134.—Am. austr.  
*elongatus*, Lag. Gen. et Sp. Nov. 3 = littoralis.  
*fasciculatus*, Pers. Syn. i. 80 = *Chaeturus fasciculatus*.  
*filiformis*, Spreng. ex Kunth, Enum. Pl. i. 39 = *Reynaudia filiformis*.  
*flavescens*, J. & C. Presl, Rel. Haenk. i. 235.—Peruv. fugax, Nees, in Steud. Syn. Pl. Gram. 184.—Austral.  
*glomeratus*, Willd. Enum. Hort. Berol. 87 = Muehlenbergia glomerata.  
*gracilis*, Spreng. Syst. v. 558 (Index) = Muehlenbergia tenella.  
*Higegaweri*, Steud. Syn. Pl. Gram. 422.—Japon.  
*inaequalis*, Trin. ex Steud. Nom. ed. II. ii. 378 = elongatus.  
*intermedius*, Carmich. in Trans. Linn. Soc. xii. (1819) 504.—Ins. Trist. d'Acugn.  
*intermedius*, Guss. ex Nym. Consp. 803 = monspeliensis.  
*interruptus*, H. B. & K. Nov. Gen. et Sp. i. 134. t. 44.—Am. austr.  
*Lagascæ*, Roem. & Schult. Syst. ii. 326 = littoralis.  
*linearis*, Trin. in Linnaea, x. (1836) 301.—Chili.  
*littoralis*, Aitch. in Journ. Linn. Soc. xix. (1882) 193 = Agrostis verticillata.  
*littoralis*, Sm. Comp. Fl. Brit. ed. II. 13.—Europ.  
*longiflorus*, Nees, ex Steud. Nom. ed. II. ii. 378; et ex Trin. in Mém. Acad. Pétersb. Sér. VI. iv. II. (1845) 263.—Chili.  
*maritimus*, Kunze, in Flora, xxix. (1846) 748 = monspeliensis.  
*maritimus*, Willd. in Ges. Naturf. Fr. Neue Schr. iii. (1801) 442.—Europ. austr.  
*mexicanus*, Schlecht. Hort. Hal. (1842); ex Steud. Syn. Pl. Gram. 185.—Mexic.  
*mexicanus*, Spreng. ex Steud. Nom. ed. II. i. 198, in syn. = *Chaetium bromoides*.  
*microstachys*, Phil. Fl. Atac. 54.—Chili.  
*monspeliensis*, Desf. Fl. Atlant. i. 66.—Amphig. trop. et temp.  
*nepalensis*, Nees, ex Steud. Nom. ed. II. ii. 378; et ex Trin. in Mém. Acad. Pétersb. Sér. VI. iv. II. (1845) 255.—Nepal.  
*panicus*, Lag. Gen. et Sp. Nov. 3 = monspeliensis.  
*pauciflorus*, Spreng. Syst. i. 243 = Agrostis pauciflora.  
*polysetus*, Steud. in Flora, xii. (1829) 467 = monspeliensis.  
*pumilus*, [Soland. in] Clarke, Trav. iii. 41 = *maritimus*.  
*racemosus*, Nutt. Gen. Am. i. 51 = Muehlenbergia glomerata.  
*radicans*, Steud. Syn. Pl. Gram. 184.—Chili.  
*sericeus*, Spreng. Syst. i. 243 = Muehlenbergia capillaris.  
*setosus*, Spreng. Fl. Hal. Mant. 31 = Muehlenbergia glomerata.  
*simplex*, Spreng. Syst. iv. Cur. Post. 30 = Muehlenbergia maritima?  
*spathaceus*, Steud. Nom. ed. II. ii. 378 = *maritimus*.  
**VOL. II.**

**POLYPOGON** :—

*spicatus*, Spreng. Syst. i. 243 = Muehlenbergia spicata.  
*strictus*, Nees, in Linnaea, vii. (1832) 297.—Afr. austr.  
*subspathaceus*, Req. in Ann. Sc. Nat. Sér. I. iv. (1825) 386 = *maritimus*.  
*subspicatus*, Willd. in Ges. Naturf. Fr. Neue Schr. iii. (1801) 443 = *Chaeturus fasciculatus*.  
*tataricus*, Fisch. Cat. Hort. Gorenk. ed. II. (1812) 3 = *maritimus*.  
*tenellus*, R. Br. Prod. 173.—Austral.  
*tenellus*, Spreng. Syst. i. 243 = Muehlenbergia tenella.  
*tenuis*, Brongn. in Duperr. Voy. Coq. Bot. 22 = *strictus*.  
*vaginatus*, Willd. in Ges. Naturf. Fr. Neue Schr. iii. (1801) 44 = *Alopecurus vaginatus*.  
*zeylanicus*, Nees, ex Steud. Syn. Pl. Gram. 183.—Zeylan.

**POLYPOMPHOLYX**, Lehm. Nov. Stirp. Pugill. viii. 48 (1844). **LENTIBULARIEAE**, Benth. & Hook. f. ii. 988.  
**COSMIZA**, Rafin. Fl. Tellur. iv. 110 (1836).  
**TETRALOBUS**, A. DC. in DC. Prod. viii. 667 (1844).  
*bicolor*, Klotzsch, in Schomb. Faun. & Fl. Brit. Gui. 160, nomen.—Guian.  
*Endlicheri*, Lehm. Nov. Stirp. Pugill. viii. 48 = multifida.  
*exigua*, F. Muell. in Trans. Phil. Soc. Vict. i. (1855) 50 = *tenella*.  
*laciniata*, Benj. in Linnaea, xx. (1847) 496.—Bras.  
*latiloba*, Lehm. Nov. Stirp. Pugill. viii. 49 = multifida.  
*multifida*, F. Muell. Fragm. vi. 162.—Austral.  
*tenella*, Lehm. Nov. Stirp. Pugill. viii. 50.—Austral.

**POLYPORANDRA**, Becc. Malesia, i. (1877) 125. **ICACINEAE**.  
*scandens*, Becc. l. c.—Malaya.

**POLYPREMUM**, Adans. Fam. ii. 152 (1763) = **Valerianella**, Moench (Valer.).

**POLYPREMUM**, Linn. Syst. ed. I (1735). **LOGANIACEAE**, Benth. & Hook. f. ii. 791.  
**CLEYERA**, Adans. Fam. ii. 224 (1763).  
**SYMPHORANTHUS**, Mitch. in Act. Phys. Med. Acad. Nat. Cur. viii. (1748) App. 219.  
*Linnaei*, Michx. Fl. Bor. Am. i. 83 = procumbens.  
*procumbens*, Linn. Sp. Pl. 111.—Am. bor.  
*Schlechtendahlia*, Walp. in Nov. Act. Nat. Cur. xix. Suppl. i. (1843) 350 = procumbens.

**POLYPTERIS**, Less. in Linnaea, vi. (1831) 518 = **Gaillardia**, Foug. (Compos.).  
*brasiliensis*, Less. l. c. = G. megapota mica.  
*integrifolia*, DC. Prod. v. 659 = G. lanceolata.

**POLYPTERIS**, Nutt. Gen. Am. ii. 139 (1818). **COMPOSITAE** [Benth. & Hook. f. ii. 405].  
*callosa*, A. Gray, in Proc. Am. Acad. xix. (1884) 30.—Am. bor. occ.  
*Hookeriana*, A. Gray, l. c.—Texas; Mexic.  
*integrifolia*, Nutt. Gen. Am. ii. 139.—Am. bor.  
*texana*, A. Gray, in Proc. Am. Acad. xix. (1884) 30.—Texas; Mexic.

**POLYRHAPHIS**, Lindl. Veg. Kingd. 115 (1847) = **Pappophorum**, Schreb. (Gramin.).

**POLYSCALIS**, Wall. Cat. n. 6939 (1832) = **Cyathula**, Lour. (Amarant.).  
*capitata*, Wall. l. c. n. 6940 = C. capitata.  
*sequax*, Wall. l. c. n. 6939 = C. tomentosa.

**POLYSCELIS**, Hook. f. Fl. Brit. Ind. iv. 722, 723 (1885) = *praec.*

**POLYSCHEMONE**, Schott, Nym. & Kotschy, Analect. Bot. 55 (1854) = **Lychnis**, Tourn. (Caryoph.).  
*nivalis*, Schott, Nym. & Kotschy, l. c. 56 = L. nivalis.

**POLYSCHISMA**, Turcz. in Bull. Soc. Nat. Mosc. xxxii. (1859) 1. 269 = **Pelargonium**, L'Hérit. (Geran.).  
*anatymbicum*, Turcz. l. c. 270 = Pel. amatymbicum.

**POLYSCHISTIS**, J. & C. Presl, Rel. Haenk. i. 294. t. 41. f. 12-18 (1830). Gen. dub. **GRAMINEARUM**.  
—Cf. Benth. & Hook. f. iii. 1096.  
*pauperula*, J. & C. Presl, l. c.—Ins. Luzon.

**POLYSCIAS**, Forst. Char. Gen. 63. t. 32 (1775). **ARALIACEAE**, Benth. & Hook. f. i. 941.  
*BOTRYOPANAX*, Miq. Ann. Mus. Bot. Lugd. Bat. i. 5 (1863).  
*EUPTERON*, Miq. Fl. Ind. Bat. i. 1. 762 (1855).  
*GASTONIA*, Roep. in Bot. Zeit. vi. (1848) t. 1.  
*GROTEFENDIA*, Seem. Journ. Bot. ii. (1864) 247.  
*acuminata*, Seem. Journ. Bot. iii. (1865) 181.—Ind. or.  
*australiana*, F. Muell. Fragm. iv. 120 = *Hedera australiana*.  
*Ayresii*, Baker, Fl. Maurit. 127.—Ins. Maurit.  
*Cumingiana*, F. Villar, in Blanco, Fl. Phillip. ed. III. Nov. App. 102 = *Panax Cumingianum*.  
*cupularis*, Baker, Fl. Maurit. 127.—Ins. Maurit.  
*cutispongia*, Baker, l. c.—Ins. Mascar.  
*dichroostachya*, Baker, l. c.—Ins. Maurit.  
*digitata*, Blanco, Fl. Filip. ed. I. 224 = *Heptapleurum rigidum*.  
*disperma*, Blanco, l. c. 226 = *Arthrophyllum diversifolium*.  
*nodosa*, Seem. Journ. Bot. iii. (1865) 181.—Malaya.  
*paniculata*, Baker, Fl. Maurit. 126.—Ins. Maurit.  
*papuana*, Seem. Journ. Bot. iii. (1865) 181.—N. Guin.  
*pinnata*, Forst. Char. Gen. 63. t. 32.—Ins. Pacif.  
*pinnata*, Vitm. Summa Pl. ii. 448 = *umbellata*.  
*repanda*, Baker, Fl. Maurit. 128.—Ins. Maurit. et Rodrig.  
*Rheedii*, Reinw. ex De Vriese, Pl. Ind. Bat. Reinw. 87 = *Heptapleurum tomentosum*.  
*sechellarum*, Baker, Fl. Maurit. 128.—Ins. Seychelles.  
*umbellata*, Spreng. ex Steud. Nom. ed. I. 646.—Ins. Pacif.

**POLYSOLENIA**, Hook. f. in Benth. & Hook. f. Gen. ii. 68 (1873). **RUBIACEAE**, Benth. & Hook. f. l. c.  
*Wallichii*, Hook. f. l. c.—Reg. Himal.

**POLYSPATHA**, Benth. in Hook. Niger Fl. 543 (1849). **COMMELINACEAE**, Benth. & Hook. f. iii. 849.  
*Eckloniana*, Hassk. ex C. B. Clarke, in DC. Monog. Phan. iii. 174 = *Commelina Eckloniana*.  
*paniculata*, Benth. in Hook. Niger Fl. 543.—Afr. trop.

**POLYSPHAERIA**, Hook. f. in Benth. & Hook. f. Gen. ii. 108 (1873). **RUBIACEAE**, Benth. & Hook. f. l. c.  
*lanceolata*, Hiern, in Oliver, Fl. Trop. Afr. iii. 128.—Afr. trop.  
*ligustriflora*, Vatke, in Linnaea, xl. (1876) 193 = *Olinia cymosa*.  
*multiflora*, Hiern, in Oliver, Fl. Trop. Afr. iii. 127.—Afr. trop.  
*parvifolia*, Hiern, l. c. 128.—Afr. trop.  
*Schweinfurthii*, Hiern, l. c.—Afr. trop.

**POLYSPORA**, Sweet, Hort. Brit. ed. I. 61 (1826) = **Gordonia**, Ellis (Ternstr.).  
*axillaris*, Choisy, in Mém. Soc. Phys. Genève. xiv. (1855) 143, 181 (Mém. Ternstr. 91) = *Adinandra acuminata*.  
*axillaris*, Sweet, Hort. Brit. ed. I. 61; D. Don, in Hook. Bot. Mag. t. 4019 = G. anomala.  
*Lessertii*, Choisy, in Mém. Soc. Phys. Genève. xiv. (1855) 143 = G. anomala.

**POLYSTACHYA**, Hook. Exot. Fl. t. 103 (1825). **ORCHIDEAE**, Benth. & Hook. f. iii. 540.  
**ENCYCLIA**, Poepp. & Endl. Nov. Gen. et Sp. ii. 10 (1838).  
**EPIPHORA**, Lindl. in Hook. Comp. Bot. Mag. ii. (1836) 201.  
*abbreviata*, Reichb. f. in Gard. Chron. (1874) ii. 291.—Bras.  
*Adansoniae*, Reichb. f. in Flora, xlviii. (1865) 185.—Afr. trop.  
*affinis*, Lindl. Gen. et Sp. Orch. 73.—Afr. trop.  
*alpina*, Lindl. in Journ. Linn. Soc. vi. (1862) 131.—Afr. trop.  
*anceps*, Ridl. l. c. xxi. (1885) 473.—Madag.  
*angularis*, Reichb. f. in Flora, l. (1867) 114.—Afr. trop.  
*Bennettiana*, Reichb. f. (Mia. Hist. Hanc. 113.—Abyss.



**POLYSTACHYA** :—

- bifida, *Lindl. in Journ. Linn. Soc.* vi. (1862) 129.—Afr. trop.  
 bracteosa, *Lindl. Bot. Reg.* (1840) *Misc.* 48.—Afr. trop.  
 caduca, *Reichb. f. Otia Bot. Hamb.* 110.—Afr. trop.  
 caespitosa, *Rodrig. Orch. Nov.* ii. 168.—Bras.  
 caloglossa, *Reichb. f. Otia Bot. Hamb.* 111.—Afr. trop.  
 capensis, *Sond. ex Harv. Thes. Cap.* ii. 51 = Ottoniana.  
 caracasana, *Reichb. f. in Bonplandia*, ii. (1854) 15.—Venezuela.  
 carnea, *A. Br. in Fl. des Serres*, xv. (1862-63) 45.—Afr. trop.  
 cerea, *Lindl. Bot. Reg.* (1840) *Misc.* 86.—Mexic.  
 clavata, *Lindl. l. c.* (1842) *Misc.* 61.—Honduras.  
 coriscensis, *Reichb. f. Otia Bot. Hamb.* 112.—Afr. trop.  
 cultrata, *Lindl. Bot. Reg.* sub t. 851.—Ins. Maurit.  
 cultriformis, *Lindl. ex Spreng. Syst.* ii. 742.—Ins. Mascar.  
 dendrobiiflora, *Reichb. f. Otia Bot. Hamb.* 76.—Afr. trop.  
 dixantha, *Reichb. f. in Gard. Chron.* (1882) i. 294.—Afr. trop.  
 elastica, *Lindl. in Journ. Linn. Soc.* vi. (1862) 131.—Afr. trop.  
 elegans, *Reichb. f. Otia Bot. Hamb.* 113.—Afr. trop.  
 ensifolia, *Lindl. in Journ. Linn. Soc.* vi. (1862) 129.—Afr. trop.  
 estrellensis, *Reichb. f. in Linnaea*, xxv. (1852) 231.—Bras.  
 extinctoria, *Reichb. f. in Walp. Ann.* vi. 638.—Jamaic.  
 foliosa, *Reichb. f. l. c.* 640.—Ind. occ.  
 fusiformis, *Lindl. in Bot. Reg.* sub t. 851.—Ins. Mascar.  
 galeata, *Reichb. f. in Walp. Ann.* vi. 637 = grandiflora.  
 galericulata, *Reichb. f. Otia Bot. Hamb.* 111.—Afr. trop.  
 geraensis, *Rodrig. Orch. Nov.* ii. 168.—Bras.  
 Gerrardi, *Harv. Thes. Cap.* ii. 49.—Afr. austr.  
 golungensis, *Reichb. f. in Flora*, xlviii. (1865) 185.—Afr. trop.  
 grandiflora, *Lindl. in Bot. Mag.* t. 3707.—Afr. trop.  
 hypocrita, *Reichb. f. in Gard. Chron.* (1881) ii. 685.—Afr. trop.  
 Jussieuana, *Reichb. f. in Walp. Ann.* vi. 641.—Madag.  
 laxiflora, *Lindl. in Journ. Linn. Soc.* vi. (1862) 129.—Afr. trop.  
 leonensis, *Reichb. f. Otia Bot. Hamb.* 112.—Afr. trop.  
 Lindleyana, *Harv. Thes. Cap.* ii. 50 = pubescens.  
 lineata, *Reichb. f. in Saund. Refug. Bot.* ii. tt. 80, 81.—Guatemala.  
 luteola, *Hook. Exot. Fl.* t. 103.—Am. trop.  
 luteola, *Wight, Ic.* t. 1678 = Wightii.  
 masasayensis, *Reichb. f. in Bonplandia*, iii. (1855) 217.—Nicaragua.  
 mauritiana, *Spreng. Syst.* iii. 742.—Ins. Maurit.  
 membranacea, *A. Rich. Fl. Cub. Fanerog.* ii. 248 (= *Chloidia vernalis*).—Ind. occ.  
 minutiflora, *Ridl. in Journ. Linn. Soc.* xx. (1883) 330 = fusiformis.  
 modesta, *Reichb. f. in Flora*, l. (1867) 114.—Afr. trop.  
 multiflora, *Ridl. in Journ. Linn. Soc.* xxi. (1885) 475 err. typ. = *minutiflora*.  
 nana, *Klotzsch, Ind. Sem. Hort. Berol.* (1853) 12 = caracasana.  
 nana, *Reichb. f. in Walp. Ann.* vi. 638.—Peruv.  
 nitidula, *Reichb. f. in Flora*, l. (1867) 114.—Afr. trop.  
 odorata, *Lindl. in Journ. Linn. Soc.* vi. (1862) 130.—Afr. trop.  
 Ottoniana, *Reichb. f. in Hamb. Gartenz.* xi. (1855) 249.—Afr. austr.  
 pachyglossa, *Reichb. f. in Linnaea*, xli. (1877) 73.—Afr. trop.  
 paulensis, *Reichb. f. in Walp. Ann.* vi. 642.—Bras.  
 pinicola, *Rodrig. Orch. Nov.* ii. 169.—Bras.  
 puberula, *Lindl. in Bot. Reg.* sub t. 851.—Afr. trop.  
 pubescens, *Reichb. f. in Walp. Ann.* vi. 643.—Afr. austr.  
 purpurea, *Wight, Ic.* t. 1679.—Ind. or.  
 pyramidalis, *Lindl. in Journ. Linn. Soc.* vi. (1862) 130.—Afr. trop.  
 ramosa, *Gardn. ex Thw. Enum. Pl. Zeyl.* 307 = *Josephia lanceolata*.

**POLYSTACHYA** :—

- ramulosa, *Lindl. Bot. Reg.* (1838) *Misc.* 76.—Afr. trop.  
 reflexa, *Lindl. l. c.* (1841) *Misc.* 18.—Afr. trop.  
 rhodoptera, *Reichb. f. in Hamb. Gartenz.* xiv. (1858) 214.—Afr. trop.  
 rigidula, *Reichb. f. in Flora*, l. (1867) 117.—Afr. austr.  
 rosea, *Ridl. in Journ. Linn. Soc.* xxi. (1885) 474.—Madag.  
 rosellata, *Ridl. l. c.* xx. (1883) 330.—Madag.  
 rufinula, *Reichb. f. in Gard. Chron.* (1879) i. 41.—Afr. trop.  
 Sandersoni, *Harv. Thes. Cap.* ii. 49.—Afr. austr.  
 setifera, *Lindl. in Journ. Linn. Soc.* vi. (1862) 130.—Afr. trop.  
 shirensis, *Reichb. f. Otia Bot. Hamb.* 112.—Afr. trop.  
 similis, *Reichb. f. l. c.*—Afr. austr.  
 Steudneri, *Reichb. f. l. c.* 113.—Afr. trop.  
 sulfurea, *A. Br. in Fl. des Serres*, xv. (1862-63) 45.—Afr. trop.  
 superposita, *Reichb. f. Otia Bot. Hamb.* 111.—Afr. trop.  
 tessellata, *Lindl. in Journ. Linn. Soc.* vi. (1862) 130.—Afr. austr.  
 tricuris, *Reichb. f. in Flora*, l. (1867) 118.—Afr. austr.  
 virescens, *Ridl. in Journ. Linn. Soc.* xxi. (1885) 474.—Madag.  
 Weigelti, *Reichb. f. in Linnaea*, xxv. (1852) 230 = foliosa.  
 Wightii, *Reichb. f. in Walp. Ann.* vi. 640.—Ind. or.  
 zeylanica, *Lindl. Bot. Reg.* (1838) *Misc.* 78.—Ins. Mascar. et Zeylan.  
 Zollingeri, *Reichb. f. in Bonplandia*, v. (1857) 39.—Java.
- POLYSTEMMA**, Decne. in *DC. Prod.* viii. 602 (1844). *ASCLEPIADEAE*, Benth. & Hook. f. ii. 768.  
 viridiflora, *Decne. l. c.*—Mexic.
- POLYSTEMON**, D. Don, in *Edinb. N. Phil. Journ.* (Apr.-June, 1830) 95 = *Belangeria*, Cambess. (Saxifr.).  
 pentaphyllus, D. Don, l. c. = *B. speciosa*?  
 triphyllus, D. Don, l. c. = *B. tomentosa*.
- POLYSTIGMA**, Meissn. *Gen.* 252; *Comm.* 161 (1839) = *Byronia*, Endl. (Ilicin).  
 Hookeri, Meissn. l. c. *Comm.* 161 = *B. sandwicensis*.
- POLYSTORTHIA**, Blume, *Fl. Jav. Praef.* p. viii (1828) = *Pygeum*, Gaertn. (Rosac.).
- POLYSTYLUS**, Hasselt, ex Hassk. *Retzia*, 3 (1855) = *Phalaenopsis*, Blume (Orchid.).  
 Cornu-cervi, Hasselt, ex Hassk. l. c. = *Ph. Cornu-cervi*.
- POLYTAENIA**, DC. *Coll. Mém.* v. 53. t. 13 (1829); et *Prod.* iv. 196 (1830). *UMBELLIFERAE*, Benth. & Hook. f. i. 922.  
 PACHILOMA, Rafin. *New Fl. Am.* iv. 33 (1836).  
 PHAIOSPERMA, Rafin. l. c. 32 (1836).  
 Nuttallii, *DC. Coll. Mém.* v. 53. t. 13; et *Prod.* iv. 196.—Am. bor.
- POLYTAXIS**, Bunge, *Del. Sem. Hort. Dorpat.* (1843) 8.—Cf. *Linnaea*, xviii. (1844) 156 = *Jurinea*, Cass. (Compos.).  
 Lehmanni, Bunge, *ll. cc.*—As. centr.
- POLYTENIA**, Rafin. *New Fl. Am.* iv. 33 (1836) = *Polytaenia*, DC. (Umbell.).
- POLYTHECANDRA**, Planch. & Triana, in *Ann. Sc. Nat. Sér. IV.* xiii. (1860) 314 = *Clusia*, Linn. (Guttif.).  
 Schomburgkiana, Planch. & Triana, l. c. xiv. (1860) 229.—Guian.  
 Spruceana, Planch. & Triana, l. c.—Bras.
- POLYTHRIX**, Nees, in *DC. Prod.* xi. 285 (1847) = *Crossandra*, Salisb. (Acanth.).  
 stenandrium, Nees, l. c. 286 = *C. madagascariensis*.
- POLYTHYSANIA**, Hanst. in *Linnaea*, xxiv. (1853) 209 = *Alloplectus*, Mart. (Gesner.).  
 parviflora, Hanst. l. c. = *A. parviflorus*.

- POLYTOCA**, R. Br. in *Benn. Pl. Jav. Rar.* 20. t. 5 (1838). *GRAMINEAE*, Benth. & Hook. f. iii. 1112.  
 CYATHORHACHIS, Nees, ex Steud. *Syn. Pl. Gram.* 403 (1855).  
 bracteata, *R. Br. in Benn. Pl. Jav. Rar.* 20. t. 5.—Java.  
 macrophylla, *Benth. in Journ. Linn. Soc.* xix. (1881) 52.—Archip. Louisiade.  
 semiteres, *Benth. in Benth. & Hook. f. Gen.* iii. 1113.—Ind. or.  
 Wallichiana, *Benth. in Journ. Linn. Soc.* xix. (1881) 52.—Ind. or.

- POLYTROPIS**, Presl, *Symb. Bot.* 21. t. 13 (1830) = *Rhynchosia*, Lour. (Legumin.).  
 ferulaefolia, Presl, l. c. 22 = *R. ferulaefolia*.  
 pinnata, Eckl. & Zeyh. *Enum.* 246 = *R. pinnata*.  
 umbellata, Eckl. & Zeyh. l. c. = *R. ferulaefolia*.

- POLYURA**, Hook. f. in *Hook. Ic. Pl.* t. 1049 (1868).  
*RUBIACEAE*, Benth. & Hook. f. ii. 62.  
 geminata, *Hook. f. in Hook. Ic. Pl.* t. 1049.—Reg. Himal.

- POLYXENA**, Kunth, *Enum. Pl.* iv. 294 (1843).  
*LILIACEAE*, Benth. & Hook. f. iii. 807.  
 MANLILIA, Salisb. *Gen. Pl. Fragm.* 17 (1866).  
 POLYANTHES, Jacq. *Ic. Pl. Rar.* t. 380 (1793); *Coll. Suppl.* 56 (1796).  
 pygmaea, *Kunth, l. c.*—Afr. austr.

- POLYZONE**, Endl. in *Ann. Wien. Mus.* ii. (1839) 191 = *Darwinia*, Rudge (Myrtac.).  
 purpurea, Endl. l. c. = *D. purpurea*.

- POLYZYGUS**, Dalz. in *Hook. Kew Journ.* ii. (1850) 260. *UMBELLIFERAE*, Benth. & Hook. f. i. 910.  
 tuberosus, *Walp. Ann.* ii. 715.—Ind. or.

- POMADERRIS**, Labill. *Nov. Holl. Pl.* i. 61. tt. 86, 87 (1804). *RHAMNEAE*, Benth. & Hook. f. i. 381.  
 LEDELIA, Rafin. *Sylva Tellur.* 154 (1838).  
 POMATIDERRIS, Roem. & Schult. *Syst.* v. 622 (1819); H. B. & K. *Nov. Gen. et Sp.* vii. 60 (1825).  
 POMATODERRIS, Roem. & Schult. l. c. p. xxxii. 414 (1819).  
 acuminata, Link, *Enum. Hort. Berol.* i. 235 = elliptica.  
 aemula, Steud. in *Lehm. Pl. Preiss.* i. 182 = *Spyridium globulosum*.  
 albicans, Steud. l. c. 184 = *Trymalium albicans*.  
 andromedaefolia, A. Cunn. in *Field, N. S. Wales*, 351 = *phylliracoides*.  
 androsaemifolia, Heynh. *Nom.* i. 646, sphalm. = praec.?  
 apetalata, Labill. *Nov. Holl. Pl.* i. 52. t. 87.—Austral.  
 aspera, Sieber, ex *DC. Prod.* ii. 33 = apetalata.  
 betulina, A. Cunn. in *Bot. Mag.* t. 3212.—Austral.  
 baurita, F. Muell. *Fragm.* iii. 73 = obcordata.  
 Calvertiana, F. Muell. *Fragm.* ix. 138.—Austral.  
 capsularis, G. Don, ex Loud. *Hort. Brit.* 84 = *Colubrina asiatica*.  
 capsularis, *Montr. in Mém. Acad. Lyon*, x. (1860) 193.—N. Caled.  
 cinerea, Benth. *Fl. Austral.* i. 420.—Austral.  
 coactilifolia, F. Muell. ex Reiss. in *Linnaea*, xxix. (1857-58) 291 = *Spyridium coactilifolium*.  
 commixta, Steud. in *Lehm. Pl. Preiss.* i. 184 = *Spyridium spadicum*.  
 discolor, DC. *Prod.* ii. 33 = elliptica.  
 Edgerleyi, Hook. f. *Handb. N. Zeal. Fl.* 43.—N. Zel.  
 elachophylla, F. Muell. *Fragm.* ii. 131.—Austral.  
 elliptica, Labill. *Nov. Holl. Pl.* i. 61. t. 86.—Austral.; N. Zel.  
 ericifolia, Hook. *Journ. Bot.* i. (1834) 257 = *phylicae-folia*.  
 ferruginea, Sieber, ex *DC. Prod.* ii. 33.—Austral.  
 Forrestiana, F. Muell. *Fragm.* ix. 139.—Austral.  
 globulosa, G. Don, ex Loud. *Hort. Brit.* 84 = *Spyridium globulosum*.  
 grandis, F. Muell. *Fragm.* iii. 68.—Austral.  
 hirsuta, Steud. in *Lehm. Pl. Preiss.* i. 184 = *Spyridium spadicum*.  
 hirta, Reiss. in *Endl. Nov. Stirp. Dec.* 31 = ferruginea.  
 intangenda, F. Muell. *Fragm.* x. 52.—Austral.  
 intermedia, Sieber, ex *DC. Prod.* ii. 33 = elliptica.  
 Kumeraho, A. Cunn. ex Fenzl. in *Enum. Pl. Hueg.* 21; et in *Ann. Nat. Hist. Ser. I.* iii. (1839) 248 = elliptica.  
 lanigera, Sims, *Bot. Mag.* t. 1823.—Austral.



**POMADERRIS**—

- ledifolia, *A. Cunn. in Field, N. S. Wales*, 351.—Austral.  
*ligustrina*, F. Muell. ex Reiss. in *Linnaea*, xxix. (1857–58) 271 = ledifolia.  
*ligustrina*, Sieber, ex DC. *Prod.* ii. 34.—Austral.  
*malifolia*, Sieber, ex Benth. *Fl. Austral.* i. 418 = elliptica.  
*multiflora*, Sieber, ex DC. *Prod.* ii. 33 = elliptica.  
*myrtillodes*, Fenzl, in *Enum. Pl. Hueg.* 22.—Austral.  
*obcordata*, Fenzl, l. c. 23.—Austral.  
*obovata*, Hook. *Comp. Bot. Mag.* i. (1835) 277 = *Spyridium obovatum*.  
*obscura*, Sieber, ex Fenzl, *Enum. Pl. Hueg.* 21 = lanigera.  
*ovaria*, F. Muell. ex Reiss. in *Linnaea*, xxix. (1857–58) 263 = racemosa.  
*ovata*, Nois. ex Steud. *Nom. ed. I.* 646 = *Ceanothus ovatus*.  
*paniculosa*, F. Muell. & Reiss. in *Linnaea*, xxix. (1857–58) 269 = racemosa.  
*parvifolia*, Hook. *Journ. Bot.* i. (1834) 257 = *Spyridium parvifolium*.  
*phillyraefolia*, F. Muell. ex Reiss. in *Linnaea*, xxix. (1857–58) 266 = vacciniifolia.  
*phillyraefolia*, Steud. in *Lehm. Pl. Preiss.* i. 183 = *Spyridium globulosum*.  
*phillyraefolia*, Fenzl, in *Enum. Pl. Hueg.* 22 = phylliraeoides.  
*phylicaeifolia*, Lodd. *Bot. Cab.* t. 120.—Austral.; N. Zel.  
*phylliraeoides*, Sieber, ex DC. *Prod.* ii. 33.—Austral.  
*polifolia*, Reiss. & F. Muell. in *Linnaea*, xxix. (1857–58) 269 = phylicaeifolia.  
*polyantha*, Steud. in *Lehm. Pl. Preiss.* i. 182 = *Spyridium globulosum*.  
*prostrata*, F. Muell. ex Reiss. in *Linnaea*, xxix. (1857–58) 284 = *Spyridium eriocephalum*.  
*prunifolia*, *A. Cunn. ex Fenzl, in Enum. Pl. Hueg.* 22.—Austral.  
*pyrrhophylla*, Steud. in *Lehm. Pl. Preiss.* i. 183 = *Spyridium globulosum*.  
*racemosa*, Hook. *Journ. Bot.* i. (1834) 256.—Austral.  
*rosmarinifolia*, Steud. in *Lehm. Pl. Preiss.* i. 184 = *Trymalium ledifolium*.  
*scabra*, Hort. ex Steud. *Nom. ed. II.* ii. 379 = apetala.  
*Simsii*, Sweet, Hort. Brit. ed. II. 114 = lanigera.  
*spatulata*, G. Don, in *Loud. Hort. Brit.* 84 = *Trymalium Billardieri*.  
*stenopetala*, F. Muell. *Fragm.* iii. 69 = myrtillodes.  
*subochreatea*, F. Muell. ex Reiss. in *Linnaea*, xxix. (1857–58) 287 = *Spyridium subochreateum*.  
*subrepanda*, F. Muell. ex Reiss. l. c. 267.—Austral.  
*subretusa*, Steud. in *Lehm. Pl. Preiss.* i. 183 = *Spyridium spadicum*.  
*Tainui*, *Hector, in Trans. N. Z. Inst.* xi. (1879) 429.—N. Zel.  
*vacciniifolia*, Reiss. in *Linnaea*, xxix. (1857–58) 266.—Austral.  
*viridirufa*, Sieber, ex Fenzl, *Enum. Pl. Hueg.* 21 = ferruginea.  
*Wendlandiana*, G. Don, in *Loud. Hort. Brit.* 84 = ferruginea.  
*westringiaefolia*, Steud. in *Lehm. Pl. Preiss.* i. 185 = *Spyridium westringiaefolium*.  
*ziggyphoides*, Hook. & Arn. *Bot. Beech. Voy.* 61 = *Alphitonia excelsa*.

**POMANGIUM**, Reinw. in *Syll. Ratisb.* ii. (1828) 10 = **Argostemma**, Wall. (Rubiaceae).  
*montanum*, Blume, ex DC. *Prod.* iv. 418 = *A. montanum*.

**POMARIA**, Cav.  *Ic. v. 1. t. 402* (1799) = **Caesalpinia**, Linn. (Legumin.).  
*glandulosa*, Cav. l. c. 2. t. 402 = *C. bijuga*.  
*glauca*, Cav. *Desc.* 468.—Mexic.?  
*humilis*, Mart. & Gal. in *Bull. Acad. Brux.* x. ii. (1843) 303 = *Hoffmanseggia humilis*.  
*Jamesii*, Walp. *Rep.* i. 811 = *C. bijuga*.  
*melanosticta*, Schau. in *Linnaea*, xx. (1847) 748 = *Hoffmanseggia melanosticta*.

**POMASTERION**, Miq. *Ann. Mus. Bot. Lugd. Bat.* ii. 80 (1865–66) = **Actinostemma**, Griff. (Cucurbit.).  
*japonicum*, Miq. l. c. = *A. racemosum*.

**POMATIDERRIS**, Roem. & Schult. *Syst.* v. 622 (1819); H. B. & K. *Nov. Gen. et Sp.* vii. 60 (1825) = **Pomaderris**, Labill. (Rhamn.).

**POMATIUM**, Gaertn. *f. Fruct.* iii. 252. t. 225 (1805) = **Bertiera**, Aubl. (Rubiaceae).  
*dubium*, G. Don, *Gen. Syst.* iii. 505.—Afr. trop.  
*spicatum*, Gaertn. *f. Fruct.* iii. 252 = *B. Pomatium*.

**POMATIUM**, Nees, ex Meissn. in *Mart. Fl. Bras.* v. ii. 252 (1866) = **Nectandra**, Roland. (Laurin.).  
*canescens*, Nees, l. c. = *N. canescens*.

**POMATOCALPA**, Breda, Kuhl & Hass. *Orch. t.* [15] (1827) = **Cleisostoma**, Blume (Orchid.).  
*spicatum*, Breda, l. c. = *C. callosum*.

**POMATODERRIS**, Roem. & Schult. *Syst.* v. p. xxxii. 414 (1819) = **Pomaderris**, Labill. (Rhamn.).

**POMATOSACE**, Maxim. in *Bull. Acad. Pétersb.* xxvii. (1881) 499. **PRIMULACEAE**.  
*Filicula*, Maxim. l. c. 500.—China.

**POMATOTHECA**, F. Muell. *Fragm.* x. 72 (1876). **FICOIDEAE**.  
*humillima*, F. Muell. l. c.—Austral.

**POMAX**, Soland. ex Gaertn. *Fruct.* i. 112. t. 24 (1788). **RUBIACEAE**, Benth. & Hook. f. ii. 141.  
*glabra*, DC. *Prod.* iv. 615 = umbellata.  
*hirta*, DC. l. c. = umbellata.  
*rupestris*, F. Muell. in *Linnaea*, xxv. (1852) 395 = umbellata.  
*umbellata*, Soland. ex Gaertn. *Fruct.* i. 112.—Austral.

**POMBALIA**, Vand. *Fasc. Pl.* 7 (1771) = **Ionidium**, Vent. (Violar.).  
*Ipecacuanha*, Vand. l. c. = *I. Ipecacuanha*.  
*Itouba*, Ging. ex DC. *Prod.* i. 307 = *I. Ipecacuanha*.

**POMBEA**, Mutis, ex Caldas, in *Seman. Nuev. Gran.* ii. 27 (1810), nomen.

**POMELIA**, Durando, ex Pomel, *Mat. Fl. Atl.* 7 (1860) = **Daucus**, Tourn. (Umbell.).  
*setifolia*, Durando, ex Pomel, l. c. 8 = *D. setifolius*.

**POMEREULA**, Domb. ex DC. *Prod.* iii. 190 (1828) = **Miconia**, Ruiz & Pav. (Melastom.).  
*tomentosa*, Domb. ex DC. l. c. = *M. pulverulenta*.

**POMETIA**, Forst. *Char. Gen.* 109. t. 55 (1776), partim; Forst. *f. Prod.* 74 (1786), partim. **SAPINDACEAE**, Benth. & Hook. f. i. 407.

**CNESMOCARPUS**, Zipp. ex Blume, *Rumphia*, iii. 115 (1847).

**DIPLOCARDIA**, Zipp. ex Blume, l. c. (1847).  
**ECCREMANTHUS**, Thw. in *Hook. Kew Journ.* vii. (1856) 272. t. 9.

**IRINA**, Blume, *Bijdr.* 230 (1825).

**PROSTEA**, Cambess. in *Mém. Mus. Par.* xviii. (1829) 25. t. 1 C.

*eximia*, *Bedd. Fl. Sylvat.* t. 157.—Ind. or.; Malaya.  
*macrocarpa*, Kurz, in *Journ. As. Soc. Beng.* xlv. ii. (1875) 205.—Malacca.

*pinnata*, *Forst. Char. Gen.* 110; *Forst. f. Prod.* 74.—Ins. Pacif.

*ternata*, *Forst. f. Prod.* 74 = *Allophylus Cobbe*.  
*ternata*, Willd. *Sp. Pl.* iii. 398 = *Schmidelia Cobbe*.  
*tomentosa*, Kurz, *Andam. Rep.* ii. 34 = *eximia*.

**POMETIA**, Vell. *Fl. Flum.* 80 (1825); ii. t. 87 (1827) = **Lucuma**, Molina (Sapot.).  
*lutescens*, Vell. l. c. 81; ii. t. 87 = *L. glycyphloea*.  
*lutescens*, Steud. *Nom. ed. II.* ii. 379, sphalm. = praec.

**POMMEREULLA**, Linn. *f. Nov. Gram.* 31 (1779). **GRAMINEAE**, Benth. & Hook. f. iii. 1174.

**GRACILEA**, Koen. ex Rottl. in *Ges. Naturf. Fr. Neue Schr.* iv. (1803) 218.

**ROYLEA**, Nees, ex Steud. *Nom. ed. II.* ii. 475 (1841).

*Cornucopiae*, Linn. *f. Nov. Gram.* 31.—Ind. or.  
*elongata*, Wight & Arn. ex Steud. *Nom. ed. II.* ii. 379 = *P. Cornucopiae*?

*monoea*, Rottl. in *Ges. Naturf. Fr. Neue Schr.* iv. (1803) 218 = *Melanocenchris Rothiana*.

*Royleana*, Steud. *Nom. ed. II.* ii. 379 = *Melanocenchris Royleana*.

**POMPADOURA**, Buchoz, ex DC. *Prod.* iii. 2 (1828) = **Calycanthus**, Linn.

**POMPHIDEA**, Miers, *Apocyn. S. Am.* 18 (1878). **APOCYNACEAE**.  
*Swartziana*, Miers, l. c. 19.—Ind. occ.

**POMPILA**, Noronha, in *Verh. Batav. Gen.* v. (1790) ed. I. Art. iv. 3 = **Sterculia**, Linn.

**PONAEA**, Schreb. *Gen.* i. 266 (1789) = **Toulicia**, Aubl. (Sapind.).  
*guianensis*, J. F. Gmel. *Syst.* 640 = *T. guianensis*.  
*saponarioides*, Willd. *Sp. Pl.* ii. 470 = *T. guianensis*.

**PONARIA**, Rafin. *Med. Fl.* ii. 109 (1830) = **Veronica**, Tourn. (Scrophul.).  
*laciniata*, Rafin. l. c. = *V. spuria vel austriaca*.  
*latifolia*, Rafin. l. c. = *V. latifolia*.  
*Pona*, Rafin. l. c. = *V. Pona*.

**PONCELETIA**, R. Br. *Prod.* 554 (1810) = **Sprengelia**, Sm. (Epacrid.).  
*monticola*, A. Cunn. ex DC. *Prod.* vii. 768 = *S. ponceletiioides*.  
*sprengelioides*, R. Br. *Prod.* 554 = *S. Ponceletia*.

**PONCELETIA**, Thou. *Fl. Trist. Acugn.* 36 (1811) = **Spartina**, Schreb. (Gramin.).  
*arundinacea*, Thou. l. c. = *S. arundinacea*.

**PONCIRUS**, Rafin. *Sylva Tellur.* 143 (1838) = **Citrus**, Tourn. (Rutac.).  
*trifoliatus*, Rafin. l. c. = *C. trifoliata*.

**PONERA**, Lindl. *Gen. et Sp. Orch.* 113 (1831). **ORCHIDEAE**, Benth. & Hook. f. iii. 527.

**NEMACONIA**, Knowles & Westc. *Flor. Cab.* ii. (1838) 127.

**TETRAGAMESTUS**, Reichb. f. in *Bonplandia*, ii. (1854) 21.

*Adendrobium*, Reichb. f. in *Flora*, xlviii. (1865) 278 = *Pleuranthium Adendrobium*.

*albida*, Reichb. f. *Beitr. Orch. Centr. Am.* 103.—Costa Rica.

*amethystina*, Reichb. f. in *Saund. Refug. Bot.* ii. t. 93.—Guatemala.

*Behrii*, Reichb. f. in *Bonplandia*, iii. (1855) 229 = *Scaphyglottis Behrii*.

*bilineata*, Reichb. f. *Beitr. Orch. Centr. Am.* 88.—Costa Rica.

*conferta*, Reichb. f. in *Bonplandia*, ii. (1854) 22 = *Scaphyglottis conferta*.

*dubia*, Reichb. f. l. c. iv. (1856) 327 = *Scaphyglottis dubia*.

*esuriens*, Reichb. f. in *Otto & Dietr. Allg. Gartens.* xxiv. (1856) 98.—N. Granat.

*Felskyi*, Reichb. f. in *Linnaea*, xli. (1877) 85.—Guian.

*graminifolia*, Lindl. *Bot. Reg.* (1839) *Misc.* 17.—Mexic.

*inconspicua*, Lodd. ex W. Baxt. in *Loud. Hort. Brit. Suppl.* iii. 616 (Quid?).—Guatemala.

*juncifolia*, Lindl. *Gen. et Sp. Orch.* 114.—Mexic.

*Kienastii*, Reichb. f. in *Gard. Chron.* (1877) i. 810 = *Scaphyglottis Kienastii*.

*leucantha*, Reichb. f. in *Bonplandia*, ii. (1854) 22 = *Scaphyglottis leucantha*.

*macroglossa*, Reichb. f. in *Bot. Zeit.* x. (1852) 639.—Guatemala.

*mesocopsis*, Endres & Reichb. f. *Xenia Orch.* ii. 222. t. 200 = *Scaphyglottis mesocopsis*.

*modesta*, Reichb. f. in *Linnaea*, xli. (1877) 85, in obs.—Am. trop.

*pellita*, Reichb. f. in *Gard. Chron.* (1880) ii. 8.—Hab.?

*pleurostachys*, Linden & Reichb. f. in *Bonplandia*, ii. (1854) 282.—N. Granat.

*prolifera*, Reichb. f. l. c. 22.—Ind. occ.

*punctulata*, Reichb. f. l. c. iii. (1855) 220.—Venezuela.

*rosea*, Reichb. f. l. c. ii. (1854) 22 = *Scaphyglottis violacea*.

*stellata*, Reichb. f. in *Walp. Ann.* vi. 454 = *Scaphyglottis stellata*.

*striata*, Lindl. *Bot. Reg.* (1842) *Mex.* 18.—Guatemala.

*striolata*, Reichb. f. in *Linnaea*, xli. (1877) 89, in obs.—Mexic.

*violacea*, Reichb. f. in *Bonplandia*, ii. (1854) 22.—Hab.?



PONERORCHIS, Reichb. f. in Linnaea, xxv. (1852) 227 = *Habenaria*, Willd. (Orchid.).  
*graminifolia*, Reichb. f. l. c. 228.—Japan.

PONGAM, Adans. Fam. ii. 322 (1763) = seq.

**PONGAMIA**, Vent. Jard. Malm. 28. t. 28 (1803).  
**LEGUMINOSAE**, Benth. & Hook. f. i. 549.  
*GALEDUPA*, Lam. Encyc. ii. 594 (1786).  
*acuminata*, R. Grah. in Wall. Cat. n. 5901 = *Derris acuminata*.  
*amoena*, Wall. l. c. n. 5912 = *Derris amoena*.  
*angustifolia*, Buch.-Ham. ex Wall. l. c. n. 5917.—Nepal.  
*atropurpurea*, Wall. l. c. n. 5910 = *Millettia atropurpurea*.  
*caerulea*, R. Grah. in Wall. l. c. n. 5894 = *Millettia caerulea*.  
*cana*, R. Grah. l. c. n. 5903 = *Millettia cana*.  
*canarensis*, Dalz. in Hook. Kew Journ. ii. (1850) 37 = *Derris canarensis*.  
*cassiodora*, Wall. Cat. n. 5918 = *Millettia pulchra*.  
*caudata*, R. Grah. in Wall. l. c. n. 5895 = *Millettia caudata*.  
*chinensis*, DC. Prod. ii. 416.—China.  
*cinerea*, R. Grah. in Wall. Cat. n. 5888 = *Millettia cinerea*.  
*Corcor*, R. Grah. l. c. n. 5891 = *Millettia racemosa*.  
*coriacea*, R. Grah. l. c. n. 5905 = *Derris scandens*.  
*Corollaria*, Miq. Fl. Ind. Bat. i. 1. 149.—Ins. Amboin.  
*crassifolia*, R. Grah. in Wall. Cat. n. 5913 = *Spatholobus crassifolius*.  
*cuneifolia*, R. Grah. l. c. n. 5887 = *Derris cuneifolia*.  
*dubia*, R. Grah. l. c. n. 5899 = *Derris elliptica*.  
*elegans*, R. Grah. l. c. n. 5883 = *Derris elegans*.  
*elliptica*, Sweet, Hort. Brit. ed. I. 131 = *Derris elliptica*.  
*elongata*, R. Grah. in Wall. Cat. n. 5886 = *Derris acuminata*, oblonga.  
*emarginata*, Wall. l. c. n. 5909 = *Derris marginata*.  
*extensa*, Wall. l. c. n. 5900 = *Millettia extensa*.  
*ferruginea*, R. Grah. in Wall. l. c. n. 5885 = *Derris ferruginea*.  
*floribunda*, R. Grah. l. c. n. 5884 = *Derris elegans*.  
*fruticosa*, R. Grah. l. c. n. 909 = *Millettia fruticosa*.  
*Galedupa*, Herb. Madr. ex Wall. l. c. n. 5878 = glabra.  
*glabra*, Vent. Jard. Malm. 28. t. 28.—As. trop.; Austral.; Ins. Pacif.  
*glandulosa*, Griff. Notul. iv. 443 (an *Derris*?).—Ind. or.  
*grandiflora*, Vent. Jard. Malm. sub t. 28.—Ind. or.  
*grandifolia*, R. Grah. in Wall. Cat. n. 5882 = *Derris sinuata*.  
*grandifolia*, Zoll. & Mor. Syst. Verz. Zoll. 2 = glabra.  
*heterocarpa*, Wall. ex Voigt, Hort. Suburb. Calc. 240, nomen; Baker, in Hook. f. Fl. Brit. Ind. ii. 106 = *Millettia cinerea*.  
*Heyneana*, R. Grah. in Wall. Cat. n. 5916 = *Derris Heyneana*.  
*Horsfieldii*, Miq. Fl. Ind. Bat. i. 1. 149 = *Derris elliptica*.  
*hypoleuca*, Miq. l. c. 148 = *Derris elliptica*.  
*lucida*, R. Grah. in Wall. Cat. n. 5880 (Quid?).—Ind. or.  
*macrophylla*, R. Grah. l. c. n. 5892 = *Millettia auriculata*.  
*madagascariensis*, Boj. ex Oliver, Fl. Trop. Afr. ii. 246 = *Derris uliginosa*.  
*marginata*, R. Grah. in Wall. Cat. n. 5896 = *Derris cuneifolia*.  
*maritima*, Wight, ex Wall. l. c. n. 5879 = *Derris uliginosa*.  
*mitis*, Kurz, in Journ. As. Soc. Beng. xlv. (1876) 11. 128.—Ins. Nicobar.  
*monadelphica*, R. Grah. in Wall. Cat. n. 5906 = *Derris cuneifolia*.  
*oblonga*, R. Grah. l. c. n. 5893 = *Millettia cinerea*.  
*obovata*, R. Grah. l. c. n. 5897 = *Derris cuneifolia*.  
*ovalifolia*, Wight & Arn. Prod. 262 = *Derris oblonga*.  
*palustris*, R. Grah. in Wall. Cat. n. 5889 = *Millettia cinerea*.  
*paniculata*, R. Grah. l. c. n. 5904 = *Millettia cinerea*.  
*paniculata*, Wight, ex Benth. in Journ. Linn. Soc. iv. Suppl. (1860) 110 = *Derris Heyneana*.  
*pendula*, R. Grah. in Wall. Cat. n. 5902 = *Millettia pendula*.

# **PONGAMIA** :—

*piscatoria*, Seem. in Bonplandia, ix. (1861) 255 = *Derris uliginosa*.  
*Piscidia*, Steud. Nom. ed. II. ii. 380.—Ind. or.  
*racemosa*, R. Grah. in Wall. Cat. n. 5914 = *Millettia racemosa*.  
*reflexa*, R. Grah. l. c. n. 5898 = *Derris marginata*.  
*religiosa*, Wight, in Hook. Bot. Misc. iii. (1833) 301 = *Derris uliginosa*.  
*rigida*, R. Grah. in Wall. Cat. n. 5908 = *Spatholobus acuminatus*.  
*rosea*, R. Grah. l. c. n. 5907 = *Spatholobus acuminatus*.  
*rostrata*, Zoll. & Mor. in Nat. en Geneesk. Arch. Néerl. Ind. iii. (1846) 65, nomen.—Java.  
*secunda*, R. Grah. in Wall. Cat. n. 5890 = *Derris secunda*.  
*sericea*, Vent. Jard. Malm. sub t. 28 = *Millettia sericea*.  
*sinuata*, Wall. Cat. n. 5911 = *Derris sinuata*.  
*tetraptera*, Hort. Calc. ex Baker, in Hook. f. Fl. Brit. Ind. ii. 106 = *Millettia tetraptera*.  
*triphylla*, Wight, in Hook. Bot. Misc. iii. (1833) t. 41 = *Derris uliginosa*.  
*uliginosa*, DC. Prod. ii. 416 = *Derris uliginosa*.  
*volubilis*, Zoll. & Mor. Syst. Verz. Zoll. 3 = *Derris elliptica*.

**PONGATUM**, Juss. Gen. 423 (1789) = **Sphenoclea**, Gaertn. (Campan.).  
*indicum*, Lam. Illustr. ii. 44 = *S. zeylanica*.  
*spongiosum*, Blanco, Fl. Filip. ed. I. 86 = *S. zeylanica*.

**PONGELIA**, Rafin. Sylva Tellur. 78 (1838) = **Bignonia**, Linn.  
*longiflora*, Rafin. l. c. 79 = *B. longiflora*.

**PONGELION**, Adans. Fam. ii. 319 (1763) = **Adenanthra**, Linn. (Legumin.).

**PONISTA**, Rafin. Fl. Tellur. ii. 65 (1836) = **Saxifraga**, Tourn.  
*oregonensis*, Rafin. l. c. 66 = *S. petraea*.  
*petrea*, Rafin. l. c. = *S. petraea*.

**PONTALETSE**, Adans. Fam. ii. 159 (1763) = **Lawsonia**, Linn. (Lythrar.).

**PONTEDERAS**, Hoffmgg. Verz. Pfl. 137 (1824) = seq.

**PONTEDERIA**, Linn. Syst. ed. I (1735). **PONTEDERACEAE**, Benth. & Hook. f. iii. 837.  
*CARIGOLA*, Rafin. Fl. Tellur. ii. 10 (1836).  
*KADAKIA*, Rafin. l. c. 9 (1836).  
*NARUKILA*, Adans. Fam. ii. 54 (1763).  
*UMSEMA*, Rafin. in Med. Repos. N. York, v. (1808) 352.  
*alba*, Buch.-Ham. ex Wall. Cat. n. 5095 D = *Monochoria vaginalis*.  
*angustifolia*, Pursh, Fl. Am. Sept. i. 224 = cordata.  
*aquatica*, Vell. Fl. Flum. 144; iii. t. 164 = *Eichhornia azurea*.  
*azurea*, Herb. Cub. ex Schult. f. Syst. vii. 1148 = *Heteranthera reniformis*?  
*azurea*, Hook. Bot. Mag. t. 2932 = *Eichhornia speciosa*.  
*azurea*, Poepp. ex Kunth, Enum. Pl. iv. 122 = *Heteranthera spicata*.  
*azurea*, Sw. Prod. Veg. Ind. Occ. 57 = *Eichhornia azurea*.  
*brasiliensis*, Willd. ex Schult. f. Syst. vii. 1145.—Bras.  
*coerulea*, Maund, ex Steud. Nom. ed. II. ii. 380 (Quid?).—Am. bor.  
*cordata*, Linn. Sp. Pl. 288.—Am. calid.  
*cordata*, Lour. Fl. Cochinch. 245 = *Monochoria vaginalis*.  
*cordifolia*, Mart. in Schult. f. Syst. vii. 1142 = *rotundifolia*.  
*crassicaulis*, Schlecht. in Abh. Nat. Ges. Halle, vi. (1862) 177, sphalm. = seq.  
*crassipes*, Mart. Nov. Gen. et Sp. i. 9. t. 4 = *Eichhornia speciosa*.  
*dilatata*, [Buch.-Ham. in] Symes, Embassy. ed. II. iii. 309 = *Monochoria hastaeifolia*.  
*dubia*, Blume, Enum. Pl. Jav. i. 33 = *Monochoria vaginalis*.  
*elongata*, Balf. in Proc. Bot. Soc. Edinb. (1855) 50 = *Eichhornia speciosa*.

# **PONTEDERIA** :—

*eriantha*, Miq. in Linnaea, xvii. (1843) 60 = *rotundifolia*.  
*falciloba*, Solms, in DC. Monog. Phan. iv. 534 = *rotundifolia*.  
*hastata*, Linn. Sp. Pl. 288 = *Monochoria hastaeifolia*.  
*lagoensis*, Warm. in Kjoeb. Vidensk. Meddel. (1871) 323 = *Reussia subovata*.  
*lanceolata*, Nutt. Gen. Am. i. 216 = cordata.  
*lanceolata*, Wall. ex Kunth, Enum. Pl. iv. 135 = *Monochoria vaginalis*.  
*lancifolia*, Muhl. ex Ell. Sketch, i. 382 = cordata.  
*limosa*, Sw. Prod. Veg. Ind. Occ. 57 = *Heteranthera limosa*.  
*linearis*, Hassk. in Flora, xxv. (1842) 11. Beibl. 4 = *Monochoria vaginalis*.  
*Loureiriana*, Schult. f. Syst. vii. 1145 = *Monochoria vaginalis*.  
*maculata*, Donn, Hort. Cantab. ed. VI. 81 (Quid?).—Am. bor.  
*Martiana*, Seub. in Mart. Fl. Bras. iii. 1. 92, sphalm. = seq.  
*Martiusiana*, Schult. f. Syst. vii. 1143 = *Eichhornia Martiana*.  
*mucronata*, Rafin. ex Torr. Fl. U. St. i. 343 = cordata.  
*natans*, Beauv. Fl. Owar. ii. 18. t. 68. f. 2 = *Eichhornia natans*.  
*nymphaefolia*, Kunth, Enum. Pl. iv. 126.—Bras.  
*obtusifolia*, A. DC. Monog. Phan. iv. 567 (Index) = cordata.  
*ovalis*, Mart. ex Schult. f. Syst. vii. 1140.—Bras.  
*ovata*, Hook. & Arn. Bot. Beech. Voy. 218.—China.  
*ovata*, Linn. Sp. Pl. 288 = *Phrynium capitatum*.  
*paniculata*, Spreng. Neue Entdeck. iii. 18 = *Eichhornia martiana*.  
*paradoxa*, Mart. in Schult. f. Syst. vii. 1144 = *Eichhornia Schultesiana*.  
*pauciflora*, Blume, Enum. Pl. Jav. i. 32 = *Monochoria vaginalis*.  
*plantaginea*, Roxb. Hort. Beng. [23]; Fl. Ind. ii. 123 = *Monochoria vaginalis*.  
*racemosa*, Buch.-Ham. ex Wall. Cat. n. 5095 C = *Monochoria vaginalis*.  
*rotundifolia*, Linn. f. Suppl. 192.—Guian.  
*sagittata*, Presl, Rel. Haenk. ii. 116 = cordata.  
*sagittata*, Roxb. Hort. Beng. [23]; Fl. Ind. ii. 124 = *Monochoria hastaeifolia*.  
*sagittifolia*, Heyne, ex Wall. Cat. n. 5093 = *Monochoria hastaeifolia*.  
*Schomburgkiana*, Klotzsch, in Schomb. Faun. & Fl. Brit. Gui. 1118 = *Reussia subovata*.  
*stricta*, Burm. f. Fl. Cap. Prod. 9 (an *Aponogetonis* sp.?).—Afr. austr.  
*triandra*, Banks, ex Schult. f. Syst. vii. 1148, in obs. = *Heteranthera limosa*.  
*tricolor*, Mart. ex Seub. in Mart. Fl. Bras. iii. 1. 92 = *Eichhornia Martiana*.  
*tumida*, Willd. ex Kunth, Enum. Pl. iv. 129 = *Eichhornia azurea*.  
*vaginalis*, Blanco, Fl. Filip. ed. I. 255 = *Monochoria hastaeifolia*.  
*vaginalis*, Burm. f. Fl. Ind. 80 = *Monochoria vaginalis*.  
**PONTESIA**, Vell. Fl. Flum. viii. t. 147 (1827) = **Riencourtia**, Cass. (Compos.).  
*errata*, Steud. Nom. ed. II. ii. 380, sphalm. = seq.  
*serrata*, Vell. Fl. Flum. viii. t. 147 = *R. latifolia*?  
**PONTHEIEVA**, R. Br. in Ait. Hort. Kew. ed. II. v. 199 (1813). **ORCHIDEAE**, Benth. & Hook. f. iii. 593.  
*NERISSA*, Rafin. Fl. Tellur. ii. 89 (1836).  
*SCHOENLEINIA*, Klotzsch, ex Lindl. Veg. Kingd. 182 (1847).  
*andicola*, Reichb. f. in Linnaea, xli. (1877) 52.—Ecuador.  
*cornuta*, Reichb. f. l. c. 18.—Bolivia.  
*diptera*, Linden & Reichb. f. in Bonplandia, ii. (1854) 278.—N. Granat.  
*Ephippium*, Reichb. f. in Linnaea, xxviii. (1856) 382.—Mexic.  
*glandulosa*, R. Br. in Ait. Hort. Kew. ed. II. v. 200.—Ind. occ.  
*guatemalensis*, Reichb. f. Beitr. Orch. Centr. Am. 63.—Guatemala.  
*inaudita*, Reichb. f. in Linnaea, xli. (1877) 18.—Peruv.



**PONTHIEVA:—**

*lancifolia*, A. Rich. *Fl. Cub. Fanerog.* ii. 251.—Cuba. *maculata*, Lindl. in *Ann. & Mag. Nat. Hist.* Ser. I. xv. (1845) 385.—N. Granat.  
*Mandonii*, Reichb. f. *Xenia Orch.* iii. 18.—Bolivia. *montana*, Lindl. in *Benth. Pl. Hartw.* 155.—Peruv. *multiflora*, Poepp. & Endl. *Nov. Gen. et Sp.* ii. 16. t. 123.—Chili; Peruv.  
*oblongifolia*, A. Rich. & Gal. in *Ann. Sc. Nat. Sér.* III. iii. (1845) 30.—Mexic.  
*petiolata*, Lindl. *Bot. Reg.* t. 760.—Ind. occ.  
*rostrata*, Lindl. in *Ann. & Mag. Nat. Hist.* Ser. I. xv. (1845) 385.—Mexic.  
*sylicola*, Reichb. f. in *Linnaea*, xli. (1877) 52.—Ecuador.  
*villosa*, Lindl. in *Benth. Pl. Hartw.* 155.—N. Granat.  
*Wallisii*, Reichb. f. in *Linnaea*, xli. (1877) 101.—N. Granat.

**PONTIA**, Bubani, in *Nuov. Giorn. Bot. Ital.* v. (1873) 318 = **Chrysanthemum**, Tourn. (Compos.).  
*Bauhini*, Bubani, l. c. = *C. coronopifolium*, Vill.

**PONTINIA**, Fries, in *Lindbl. Bot. Notiser* (1843), 141 = **Lychnis**, Tourn. (Caryoph.).  
*Coeli-rosa*, Fries, l. c. = *L. Coeli-rosa*.

**PONTOPIDANA**, Scop. *Introd.* 195 (1777) = **Couroupita**, Aubl. (Myrtac.).

**PONTOPIDANA**, Steud. *Nom. ed. II.* ii. 381 (1841) = *praec.*

**POOTIA**, Dennst. *Schluess. Hort. Malab.* 37 (1818) = **Canscora**, Lam. (Gentian.).  
*triflora*, Dennst. l. c. = *C. perfoliata*.

**POOTIA**, Miq. in *Versl. en Med. Kon. Akad. Wetensch.* vi. (1857) 192; *Fl. Ind. Bat.* ii. 417 ('1856') = **Voacanga**, Thou. (Apocyn.).  
*cereopsifolia*, Miq. ex Benth. in *Journ. Linn. Soc.* iii. (1858) 74 = *Carallia integerrima*.  
*exauriculata*, Teijsm. & Binn. in *Tijdschr. Nederl. Ind.* xxv. (1863) 404.—Ins. Molucc.  
*grandifolia*, Miq. in *Versl. en Med. Kon. Akad. Wetensch.* vi. (1857) 193 = *V. grandifolia*.

**POPONAX**, Rafin. *Sylva Tellur.* 118 (1838) = **Acacia**, Willd. (Legumin.).  
*Farnesiana*, Rafin. l. c. = *A. Farnesiana*.  
*tortuosa*, Rafin. l. c. = *A. tortuosa*.

**POPOWIA**, Endl. *Gen.* 831 (1839). **ANONACEAE**, Benth. & Hook. f. i. 25.  
*affinis*, Miq. *Ann. Mus. Bot. Lugd. Bat.* ii. 20 = *ramosissima*.  
*australis*, Benth. *Fl. Austral.* i. 52.—Austral.  
*bancana*, Scheff. in *Ann. Jard. Buitenz.* ii. (1885) 17.—N. Guin.  
*Barteri*, Baill. *Adansonia*, viii. (1867–68) 324.—Afr. trop.  
*Beccarii*, Scheff. in *Ann. Jard. Buitenz.* ii. (1885) 16.—N. Guin.  
*Beddomeana*, Hook. f. & Thoms. in *Fl. Brit. Ind.* i. 68. Ind. or.  
*Boivini*, Baill. *Adansonia*, viii. (1867–68) 317.—Madag.  
*caffra*, Hook. f. & Thoms. ex Benth. in *Trans. Linn. Soc.* xxiii. (1862) 470.—Afr. austr.  
*cuspidata*, Miq. *Ann. Mus. Bot. Lugd. Bat.* ii. 21.—Java.  
*foetida*, Maing. ex Hook. f. & Thoms. in *Fl. Brit. Ind.* i. 69.—Malacca.  
*fornicata*, Baill. *Adansonia*, viii. (1867–68) 318.—Afr. trop.  
*glauocarpa*, Baill. l. c. 319.—Madag.  
*Helleri*, Hook. f. & Thoms. in *Fl. Brit. Ind.* i. 69.—Burma.  
*Heudeloti*, Baill. l. c. 320.—Afr. trop.  
*hirta*, Miq. *Ann. Mus. Bot. Lugd. Bat.* ii. 21.—Sumatra.  
*Kirkii*, Benth. in *Trans. Linn. Soc.* xxiii. (1862) 470 = *Cleistochlamys Kirkii*.  
*macrocarpa*, Baill. *Adansonia*, viii. (1867–68) 316.—Madag.  
*Mannii*, Baill. l. c. 320.—Afr. trop.  
*nervifolia*, Maing. ex Hook. f. & Thoms. in *Fl. Brit. Ind.* i. 69.—Malacca.

**POPOWIA:—**

*novo-guineensis*, Miq. *Ann. Mus. Bot. Lugd. Bat.* ii. 21.—N. Guin.  
*papuana*, Scheff. in *Ann. Jard. Buitenz.* ii. (1885) 15.—N. Guin.  
*parvifolia*, Kurz, in *Journ. Bot.* xiii. (1875) 324.—Ins. Nicobar.  
*parvifolia*, Scheff. in *Ann. Jard. Buitenz.* ii. (1885) 16.—N. Guin.  
*pauciflora*, Maing. ex Hook. f. & Thoms. in *Fl. Brit. Ind.* i. 69.—Malacca.  
*Pervillei*, Baill. *Adansonia*, viii. (1867–68) 317.—Madag.  
*pilosa*, Baill. l. c. 322.—Madag.  
*pisocarpa*, Endl. in *Walp. Rep.* i. 74.—Java.  
*ramosissima*, Bedd. *l. c.* Pl. Ind. Or. t. 75 = *Beddomeana*.  
*ramosissima*, Hook. f. & Thoms. *Fl. Ind.* i. 105.—Ind. or.  
*rufula*, Miq. *Ann. Mus. Bot. Lugd. Bat.* ii. 20 = *ramosissima*.  
*tomentosa*, Maing. ex Hook. f. & Thoms. *Fl. Brit. Ind.* i. 70.—Malacca.  
*Vogelii*, Baill. *Adansonia*, viii. (1867–68) 324; *Hist. Pl.* i. 221.—Afr. trop.

**POPPIA**, Hort. ex Carr. in *Vilm. Fl. Pl. Terre*, ed. III. 649 (1870) = **POPPYA**, Neck. = **Luffa**, Tourn. (Cucurb.).

**POPPIGIA**, Hook. & Arn. *Bot. Beech. Voy.* 58 (1832) = **POEPIPIGIA**, Bert. = **Rhaphithamnus**, Miers (Verben.).

**POPPYA**, Neck. *Elem.* i. 241 (1790) = **Luffa**, Tourn. (Cucurb.).  
*Fabiana*, C. Koch, in *Allg. Gartenz.* (1857) 60 = *L. aegyptiaca*.  
*operculata*, M. Roem. *Syn. Pepon.* 59 = *L. purgans*.

**POPULAGO**, Tourn. ex Hall. *Enum. Stirp. Helv.* i. 319 (1742) = **Caltha**, Linn. (Ranunc.).  
*palustris*, Scop. *Fl. Carn. ed. II.* i. 404 = *C. palustris*.

**POPULUS**, Linn. *Syst. ed. I* (1735); *Gen. ed. I.* 307 (1737). **SALICINEAE**, Benth. & Hook. f. iii. 412.

**AIGIROS**, Rafin. *Alsog. Am.* 42 (1838).  
**LEUCE**, Opiz, *Seznam*, 59 (1852).  
**MONILISTUS**, Rafin. *Alsog. Am.* 42 (1838).  
**OCTIMA**, Rafin. l. c. (1838).  
**TACAMAHACA**, Mill. *Gard. Dict. ed. VI.* 175. App. (1752).  
**TREMULA**, Dum. in Hall, *Bijdr. Nat. Wet. i.* (1826) 46.  
*acerifolia*, Lodd. ex Loud. *Arboret.* iii. 1640 = *alba*.  
*Acladesca*, Hort. ex C. Koch, *Wochenschr.* viii. (1865) 238 = *balsamifera*.  
*Acladesca*, Lindl. in *Loud. Encyc. Pl.* 840 = *monilifera*.  
*adenopoda*, Maxim. in *Bull. Soc. Nat. Mosc.* liv. (1879) i. 50.—China.  
*aegyptiaca*, Hort. ex W. Baxt. in *Loud. Hort. Brit. Suppl.* ii. 660 = *alba*.  
*alba*, Linn. *Sp. Pl.* 1034.—Europ.; As. bor.  
*angulata*, Ait. *Hort. Kew. ed. I.* iii. 407 = *monilifera*.  
*angulosa*, Michx. *Fl. Bor. Am.* ii. 243 = *praec.*  
*angustifolia*, James, in *Long, Exped.* i. 497; ex *Torr. in Ann. Lyc. N. York*, ii. (1828) 249.—Am. bor.  
*angustifolia*, Newberry, in *Pacif. Rail. Rep.* vi. Bot. 89 = *trichocarpa*.  
*angustifolia*, Weinm. *Elench. Hort. Pawlowsk.* 451, nomen; et ex *Ledeb. Fl. Ross.* iii. 629 = *balsamifera*.  
*aremburgica*, Lodd. ex Loud. *Arboret.* iii. 1640 = *alba*.  
*argentea*, Foug. in *Mém. Agric. Par.* (Print. 1786) 102.—Hab. ?  
*argentea*, Michx. f. *Hist. Arb. Am.* iii. 290. t. 9 = *heterophylla*.  
*Athensay*, Hort. ex Foug. in *Mém. Agric. Par.* (Print. 1786) 96 = *seq.*  
*Athemse*, Hort. ex Foug. l. c. = *heterophylla*.  
*atheniensis*, Lodd. ex C. F. Ludwig, *Neue. Wilde Baumz.* (1783) 35 = *tremuloides*.

**POPULUS:—**

*australis*, Tenore, *Ind. Sem. Hort. Neap.* (1830) 15; *Fl. Nap. iv. Syll.* 138 = *tremula*.  
*Bachofenii*, Wierzb. ex Reichb. *l. c.* *Fl. Germ.* xi. 29. t. 616 = *alba*.  
*balsamifera*, Linn. *Sp. Pl.* 1034.—As. et Am. temp.  
*balsamifera*, Lyall, in *Journ. Linn. Soc.* vii. (1864) 134 = *trichocarpa*.  
*balsamifera*, Mill. *Gard. Dict. ed. VIII.* n. 5 = *monilifera*, *heterophylla*.  
*belgica*, Lodd. ex Loud. *Arboret.* iii. 1640 = *alba*.  
*benzoifera*, Tausch, in *Flora*, xxi. (1838) 753 = *tremuloides*.  
*berolinensis* ×, C. Koch, *Wochenschr.* viii. (1865) 239.  
*betulifolia*, Pursh, *Fl. Am. Sept.* ii. 619 = *nigra*.  
*bicolor*, Rafin. *Alsog. Am.* 42 (Quid ?).—Am. bor.  
*biformis*, Rafin. l. c. 43 (Quid ?).—Am. bor.  
*Bolleana*, Mast. in *Gard. Chron.* (1882) ii. f. 96 = *alba*.  
*canadensis*, Foug. in *Mém. Agric. Par.* (Print. 1786) 94 = *nigra*.  
*canadensis*, Michx. f. *Hist. Arb. Am.* iii. 302. f. 12 = *monilifera*.  
*canadensis*, Moench, *Verz.* 81 = *balsamifera*.  
*candicans*, Ait. *Hort. Kew. ed. I.* iii. 406 = *balsamifera*.  
*candicans*, Lodd. ex Loud. *Arboret.* iii. 1640 = *alba*.  
*canescens*, Sm. *Fl. Brit.* iii. 1060 = *alba*.  
*carolinensis*, Foug. in *Mém. Agric. Par.* (Print. 1786) 90 = *heterophylla*.  
*carolinensis*, Moench, *Verz.* 81 = *monilifera*.  
*caudina*, Tenore, *Fl. Nap. v.* 280 = *nigra*.  
*ciliata*, Schur, *Enum. Pl. Transs.* 625 = *monilifera*.  
*ciliata*, Wall. *Cat. n.* 2796.—Reg. Himal.  
*cilicica*, Kotschy, ex Wesmael, in *DC. Prod.* xvii. ii. 325 = *tremula*.  
*ciliolata*, Rafin. *Alsog. Am.* 43 (Quid ?).—Am. bor.  
*cinerea*, Rafin. l. c. 42 (Quid ?).—Am. bor.  
*cordata*, Hort. ex Poir. *Encyc. v.* 236 = *tremuloides*.  
*cordifolia*, Burgsdorf, *Anleit. Erzieh. Holzart.* ed. I. 177 = *heterophylla*.  
*croatica*, Waldst. & Kit. ex Bess. in *Flora*, xv. (1832), ii. Beibl. i. 14 = *nigra*.  
*deglubata*, Reinw. ex Blume, *Mus. Bot. Lugd. Bat.* i. 83 = *Eucalyptus deglupta*.  
*deltoides*, Marsh. *Arbust.* 106 = *monilifera*.  
*deltoides*, Marsh. l. c. 194 = *grandidentata*.  
*dilatata*, Ait. *Hort. Kew. ed. I.* iii. 406 = *pyramidalis*.  
*diversifolia*, Schrenk, *Enum. Pl. Nov.* 15 = *euphratica*.  
*Eugenei*, Hort. ex C. Koch, *Dendrol.* ii. i. 493 = *monilifera*.  
*euphratensis*, [Lindl. ?] in *Gard. Chron.* (1849) 606 = *seq.*  
*euphratica*, Oliv. *Voy. Atlas*, iii. 449. f. 45–46.—Oriens; As. centr.  
*excelsa*, Salisb. *Prod.* 395 = *alba*.  
*fastigiata*, Foug. in *Mém. Agric. Par.* (Print. 1786) 82; Desf. *Tabl. ed. I.* 213 = *nigra*.  
*fastigiata*, Poir. *Encyc. v.* 235 = *pyramidalis*.  
*flexibilis*, Rozier, *Cours Compl. Agric.* vii. 618; Poir. *Encyc. v.* 234 = *nigra*.  
*flexilis*, C. Koch, *Dendrol.* ii. i. 491 = *praec.*  
*Fremonti*, S. Wats. in *Proc. Am. Acad.* x. (1875) 350.—Am. bor. occ.  
*glandulosa*, Moench, *Meth.* 339 = *monilifera*.  
*glandulosa*, Willd. ex Steud. *Nom. ed. II.* ii. 381 = *tremuloides*.  
*graeca*, Ait. *Hort. Kew. ed. I.* iii. 407 = *tremuloides*.  
*grandidentata*, Michx. *Fl. Bor. Am.* ii. 243.—Am. bor.  
*grisea*, Lodd. ex Loud. *Arboret.* iii. 1640 = *alba*.  
*heterophylla*, Foug. in *Mém. Agric. Par.* (Print. 1786) 96 = *heterophylla*.  
*heterophylla*, Duroi, *Harbk.* ii. 150 = *monilifera*.  
*heterophylla*, Hort. ex C. Koch, *Wochenschr.* viii. (1865) 238 = *balsamifera*.  
*heterophylla*, Linn. *Sp. Pl.* 1034.—Am. bor.  
*hudsoniana*, Desf. *Tabl. ed. II.* 243 = *seq.*  
*hudsonica*, Michx. f. *Hist. Arb. Am.* ii. 619 = *nigra*.  
*hybrida*, Bieb. *Fl. Taur. Cauc.* ii. 423.—Europ.; Reg. Caucas.  
*hybrida*, Reichb. *l. c.* *Fl. Germ.* xxi. 29 = *alba*.  
*intermedia*, Mert. ex Loud. *Arboret.* iii. 1640 = *alba*.  
*italica*, Duroi, *Harbk.* ii. 141 = *pyramidalis*.  
*laevigata*, Ait. *Hort. Kew. ed. I.* iii. 406 = *monilifera*.  
*latifolia*, Moench, *Meth.* 338 = *balsamifera*.



**POPULUS:—**

*laurifolia*, Ledeb. Fl. Alt. iv. 297 = balsamifera.  
*leucophylla*, Schur, Enum. Pl. Transs. 623 = hybrida.  
*Lindleyana*, Booth, ex Loud. Arboret. iv. 2651 = balsamifera.  
*Lindleyana*, Hort. ex Steud. Nom. ed. II. ii. 381 = monilifera.  
*lombardica*, Hort. ex Link, Handb. ii. 456 = nigra.  
*longifolia*, Fisch. ex Loud. Arboret. iii. 1673 = balsamifera.  
*macrocarpa*, Schrenk, Enum. Pl. Nov. ii. 16 = balsamifera.  
*macrophylla*, Lindl. in Loud. Encyc. Pl. 840 = balsamifera.  
*macrophylla*, Lodd. ex Loud. Arboret. iii. 1671 = monilifera.  
*major*, Mill. Gard. Dict. ed. VIII. n. 4 = alba.  
*marylandica*, Bosc, Nouv. Dict. xi. 409 = monilifera.  
*Medusae*, Booth, in Loud. Arboret. iv. 2651 = monilifera.  
*mexicana*, Wesmael, in DC. Prod. xvi. ii. 328. — Mexic.  
*monilifera*, Ait. Hort. Kew. ed. I. iii. 406. — Am. bor.  
*monilifera*, Newberry, in Pacif. Rail. Rep. vi. Bot. 89 = Fremonti.  
*monticola*, Mert. ex Loud. Arboret. iii. 1645 = tremula.  
*moscoviensis* ×, Schroeder, in Gard. Chron. (1882) II. 108.  
*nana*, Royle, Illustr. Bot. Himal. 345 = Betula nana.  
*neapolitana*, Tenore, Fl. Nap. v. 279 = nigra.  
*neglecta*, Hort. ex Wesmael, in DC. Prod. xvi. ii. 329 = monilifera.  
*nigra*, Linn. Sp. Pl. 1034. — Europ.  
*nigra*, Mill. Gard. Dict. ed. VIII. n. 3 = alba.  
*nivea*, Willd. Berl. Baumz. 227 = alba.  
*nova*, Aud. ex W. Baxt. in Loud. Hort. Brit. Suppl. ii. 660 = monilifera.  
*odorata* ×, Schroeder, in Gard. Chron. (1882) II. 108.  
*ontariensis*, Lodd. ex Loud. Arboret. iii. 1676 = balsamifera.  
*oxyodonta*, Mert. ex Loud. l. c. 1645 = tremula.  
*palmata*, Hort. ex Loud. l. c. 1640 = alba.  
*pannonica*, Kit. ex Bess. Enum. Pl. Volh. 38 = nigra.  
*pendula*, Hort. ex Steud. Nom. ed. II. ii. 381 = alba.  
*pendula*, Hort. ex Tausch, in Flora, xxi. (1838) 754 = tremuloides.  
*pendula*, Lodd. ex Loud. Arboret. iii. 1646 = tremula.  
*polonica*, Hort. ex Loud. Encyc. Trees, 824 = nigra.  
*pruinosa*, Schrenk, in Bull. Phys.-Math. Acad. Pétersb. iii. (1845) 210. — Sibir.  
*Przewalskii*, Maxim. in Bull. Acad. Pétersb. xxvii. (1851) 540. — Mongol.  
*Pseudo-balsamifera*, Turcz. in Bull. Soc. Nat. Mosc. (1838) I. 101; xxvii. (1854) I. 399 = balsamifera.  
*Pseudo-tremula*, Schur, Enum. Pl. Transs. 624 = tremula.  
*pyramidalis*, Salisb. Prod. 395; Rozier, ex Lam. Encyc. v. 235. — Hispan.  
*pyramidata*, Moench, Meth. 339 = nigra.  
*pyriformis*, Royle, Illustr. Bot. Himal. 344 = ciliata.  
*quercifolia*, Hort. ex Loud. Arboret. iii. 1640 = alba.  
*repanda*, Baumg. Enum. Stirp. Transs. i. 349 = tremula.  
*reticulata*, Rafin. Alsog. Am. 43 (Quid?). — Am. bor.  
*rotundifolia*, Griff. Notul. iv. 382 = ciliata.  
*rubra*, Hort. ex Poir. Encyc. v. 239 = nigra.  
*salicifolia*, Hort. ex Loud. Arboret. iii. 1673 = balsamifera.  
*salicifolia*, Lodd. ex Loud. l. c. 1652 = nigra.  
*salicifolia*, Rafin. Alsog. Am. 43 (= praec.?). — Am. bor.  
*sibirica*, Hort. ex Tausch, in Flora, xxi. (1838) 754 = tremuloides.  
*Sieboldi*, Miq. Ann. Mus. Bot. Lugd. Bat. iii. 29. — Japon.  
*Simonii*, Carr. in Rev. Hort. (1867) 360 = balsamifera.  
*stricta*, Mert. ex Loud. Arboret. iii. 1645 = tremula.  
*suaveolens*, Fisch. ex Loud. l. c. 1674; et ex Ledeb. Fl. Ross. iii. 629 = balsamifera.  
*supina*, Lodd. ex G. Don, in Loud. Hort. Brit. 401 = tremula.  
*Tacamahacca*, Mill. Gard. Dict. ed. VIII. n. 6 = balsamifera.  
*tomentosa*, Hort. ex Loud. Arboret. iii. 1640; Carr. in Rev. Hort. (1867) 340 = alba.  
*tremula*, Linn. Sp. Pl. 1034. — Europ.  
*tremuliformis*, Emerson, Rep. Trees Shrubs Massach. ed. I. 243; ed. II. 279 = seq.

**POPULUS:—**

*tremuloides*, Michx. Fl. Bor. Am. ii. 243. — Am. bor.  
*trepida*, Willd. Sp. Pl. iv. 803 = tremuloides.  
*trichocarpa*, Torr. & Gray, ex Hook. Ic. Pl. t. 878. — Calif.  
*versicolor*, Salisb. Prod. 395 = nigra.  
*villosa*, Läng, ex Reichb. Fl. Germ. Excurs. 173 = tremula.  
*viminalis*, Hort. Par. ex Poir. Encyc. v. 238 = alba.  
*viminalis*, Lodd. ex Loud. Arboret. iii. 1673 = balsamifera.  
*viminea*, Bon Jardin. (1845) 565; ex Wesmael, in DC. Prod. xvi. ii. 330 = balsamifera.  
*viminea*, Dum.-Cours. Bot. Cult. ed. II. vi. 401 = nigra.  
*virginiana*, Dum.-Cours. l. c. 400 = monilifera.  
*virginiana*, Foug. in Mém. Agric. Par. (Print. 1786) 87. — Am. bor.  
*viridis*, Lodd. ex Loud. Arboret. iii. 1652 = nigra.  
*vistulensis*, Hort. ex Loud. Encyc. Trees, 824 = nigra.  
**PORANA**, Burm. f. Fl. Ind. 51. t. 21. f. 1 (1768).  
**CONVULVULACEAE**, Benth. & Hook. f. ii. 876.  
**DINETUS**, Buch.-Ham. ex D. Don, in Sweet, Brit. Flow. Gard. t. 127 (1825).  
**DUPERREYA**, Gaudich. in Freyc. Voy. Bot. 452. t. 63 (1826).  
*acuminata*, Beauv. Fl. Owar. i. 65. t. 49 = Neuropeltis acuminata.  
*cordifolia*, Ledeb. Ind. Hort. Dorpat. (1824) Suppl. 6 = racemosa.  
*dichotoma*, Buch.-Ham. ex D. Don, Fl. Nep. 99 = racemosa.  
*elegans*, Zoll. & Mor. in Nat. en Geneesk. Arch. Neêrl. Indie, ii. (1845) 571. — Java.  
*grandiflora*, Wall. in Roxb. Fl. Ind. ed. Carey, ii. 43; Cat. n. 1324. — Reg. Himal.  
*malabarica*, C. B. Clarke, in Hook. f. Fl. Brit. Ind. iv. 223. — Ind. or.  
*obtusa*, Balf. f. in Proc. Roy. Soc. Edinb. xii. (1883) 83. — Ins. Socotra.  
*paniculata*, Roxb. Hort. Beng. [13]; Pl. Corom. iii. 31. t. 235; Fl. Ind. i. 464. — Ind. or.; Malaya.  
*racemosa*, Dalz. & Gibbs. Bomb. Fl. 162 = malabarica.  
*racemosa*, Roxb. Hort. Beng. [13]; Fl. Ind. i. 466. — Ind. or.; Burma.  
*sericea*, F. Muell. Fragm. vi. 100. — Austral.  
*speciosa*, Benth. & Hook. f. Gen. ii. 876, sphalm. = seq. spectabilis, Kurz, in Journ. Bot. xi. (1873) 136. — Burma.  
*stenoloba*, Kurz, l. c. = grandiflora.  
*tomentosa*, Leschen. ex Choisy, in DC. Prod. ix. 436 = paniculata.  
*truncata*, Kurz, in Journ. Bot. xi. (1873) 136. — Reg. Himal.  
*volubilis*, Burm. f. Fl. Ind. 51. t. 21. f. 1; Linn. Mant. ii. 560. — Burma; Malaya.  
**PORANTHERA**, Rafin. in Ser. Bull. Bot. i. (1830) 221 = **Chrysopogon**, Trin. (Gramin.).  
*ciliata*, Rafin. l. c. = C. avenaceus.  
*nutans*, Rafin. l. c. = C. nutans.  
**PORANTHERA**, Rudge, in Trans. Linn. Soc. x. (1811) 302. t. 22. **EUPHORBIACEAE**, Benth. & Hook. f. iii. 262.  
*alpina*, Cheesem. ex Hook. Ic. Pl. t. 1366. — N. Zel.  
*Arbuscula*, Sieber, ex Benth. Fl. Austral. vi. 56 = corymbosa.  
*Arbuscula*, Sond. in Linnaea, xxviii. (1856) 567 = ericoides.  
*cicatricosa*, F. Muell. ex Benth. Fl. Austral. vi. 55 = ericoides.  
*corymbosa*, A. Brongn. in Duperr. Voy. Coq. Bot. 219. t. 50. f. A. — Austral.  
*Drummondii*, Klotzsch, in Lehm. Pl. Preiss. ii. 231 = microphylla.  
*ericifolia*, Hueg. Bot. Archiv, t. 8 = corymbosa.  
*ericifolia*, Rudge, in Trans. Linn. Soc. x. (1811) 302. t. 22. — Austral.  
*ericoides*, Klotzsch, in Lehm. Pl. Preiss. ii. 232. — Austral.  
*glauca*, Klotzsch, l. c. 231 = ericoides.  
*Huegelii*, Klotzsch, l. c. — Austral.  
*linarioides*, Sieber, ex Benth. Fl. Austral. vi. 56 = corymbosa.  
*microphylla*, Brongn. in Duperr. Voy. Coq. Bot. 218. t. 50 B. — Austral.  
*piceoides*, Klotzsch, in Lehm. Pl. Preiss. ii. 232 = ericoides.

**PORAQUEIBA**, Aubl. Pl. Gui. 123. t. 47 (1775).  
**OLACINEAE**, Benth. & Hook. f. i. 352.  
**BARRERIA**, Willd. Sp. Pl. i. 1145 (1798).  
**MEISTERIA**, Scop. Intro. 124 (1777).  
*acuminata*, Miers, in Ann. & Mag. Nat. Hist. Ser. III. iv. (1859) 365 = sericea.  
*cubensis*, Wright, ex Griseb. Cat. Pl. Cub. 119. — Cuba.  
*guianensis*, Aubl. Pl. Gui. i. 123. t. 47. — Am. trop.  
*sericea*, Tul. in Ann. Sc. Nat. Sér. III. xi. (1849) 172. — Bras.  
*surinamensis*, Miers, in Ann. & Mag. Nat. Hist. Ser. II. ix. (1852) 483 = guianensis.

**PORCELIA**, Ruiz & Pav. Prod. 84. t. 16 (1794).  
**ANONACEAE**, Benth. & Hook. f. i. 23.  
**SAPRANTHUS**, Seem. Journ. Bot. iv. (1866) 369. t. 54.  
*cinnamomea*, Ruiz & Pav. ex G. Don, Gen. Syst. i. 92. — Hab. ?  
*grandiflora*, Pers. Syn. ii. 95 = Asimina grandiflora.  
*nitidifolia*, Ruiz & Pav. Syst. i. 144. — Peruv.  
*parviflora*, Pers. Syn. ii. 95 = Asimina parviflora.  
*pygmaea*, Pers. l. c. = Asimina pygmaea.  
*triloba*, Pers. l. c. = Asimina triloba.

**PORCELLITES**, Cass. in Dict. Sc. Nat. xxv. 64 (1822); xliii. 42 (1826), partim = **Hypochoeris**, Linn. (Compos.).  
*apargioides*, Less. in Linnaea, vi. (1831) 102 = H. apargioides.  
*brasiliensis*, Less. l. c. 103 = H. brasiliensis.  
*cretensis*, Cass. in Dict. Sc. Nat. xliii. 45 = H. cretensis.  
*helveticus*, Cass. l. c. 43 = H. uniflora.  
*maculata*, Cass. l. c. = H. maculata.  
*radicata*, Cass. l. c. = H. radicata.

**PORLIERA**, Pers. Syn. i. 445 (1805) = seq.

**PORLIERIA**, Ruiz & Pav. Prod. 55. t. 9 (1794).  
**ZYGOPHYLLEAE**, Benth. & Hook. f. i. 268.  
*angustifolia*, A. Gray, Pl. Wright. i. 28. — N. Mexic.  
*hygrometra*, Ruiz & Pav. Fl. Per. iv. t. 343; Syst. Veg. 94. — Peruv.; Chili.  
*hygrometrica*, Pav. ex A. Gray, Pl. Wright. i. 28, in obs. = hygrometra.

**POROCARPUS**, Gaertn. Fruct. ii. 473. t. 178 (1791) = **Timonius**, Rumph. (Rubiaceae).  
*Helminthotheca*, Gaertn. l. c. — Zeylan.

**POROCYSTIS**, Radlk. in Sitzb. Math.-Phys. Akad. Muench. viii. (1878) 353. **SAPINDACEAE**.  
*toulcioides*, Radlk. l. c. 354. — Bras.

**POROPHYLLUM**, Vaill. ex Linn. Coroll. Gen. 14. (1737). **COMPOSITAE**, Benth. & Hook. f. ii. 408.  
**HUNTERIA**, Moq. & Sesse, ex DC. Prod. v. 649 (1836).  
**KLEINIA**, Jacq. Select. Stirp. Am. 215. t. 127 (1763).  
*amplexicaule*, Engelm. ex A. Gray, Pl. Wright. i. 120. — Mexic.  
*angustissimum*, Gardn. in Hook. Lond. Journ. Bot. vii. (1848) 410. — Bras.  
*arenosum*, Sch. Bip. ex Baker, in Mart. Fl. Bras. vi. iii. 285 = angustissimum.  
*calalioides*, DC. Prod. v. 650. — Ins. Philipp.  
*caesium*, Casar. Nov. Stirp. Bras. Dec. 86. — Bras.  
*coloratum*, DC. Prod. v. 650. — Mexic.  
*Cusimbua*, DC. l. c. = Gynura angulosa.  
*decumbens*, DC. l. c. — Mexic.  
*ellipticum*, Cass. in Dict. Sc. Nat. xliii. 56 = rudérale.  
*Ervendbergii*, A. Gray, in Proc. Am. Acad. xix. (1883) 35. — Mexic.  
*exsertum*, Baker, in Mart. Fl. Bras. vi. iii. 284. — Reg. Argent.  
*filifolium*, DC. Prod. v. 651 = suffruticosum.  
*filifolium*, A. Gray, ex S. Wats. in Proc. Am. Acad. xviii. (1882-83) 107, nomen. — Mexic.  
*gracile*, Benth. Bot. Voy. Sulph. 29. — Am. bor. occ.  
*Greggii*, A. Gray, Pl. Wright. i. 120 = gracile, scoparium.  
*Haenkei*, DC. Prod. v. 649. — Chili.  
*hieracioides*, DC. l. c. 650 = Gynura auriculata.  
*japonicum*, DC. l. c. = Gynura pinnatifida.  
*jurullense*, Cass. in Dict. Sc. Nat. xliii. 57. — Mexic.  
*lanceolatum*, DC. Prod. v. 649. — Bras.



**POROPHYLLUM** :—

- latifolium, *Benth. in Hook. Journ. Bot.* ii. (1840) 44.—Guian.  
*Linaria*, DC. *Prod.* v. 649.—Mexic.  
*linariaefolium*, St. Lag. in *Ann. Soc. Bot. Lyon*, vii. (1880) 132 = *praeac.*  
*linarifolium*, St. Lag. l. c. viii. (1861) 203 = *praeac.*  
*Lindenii*, Sch. Bip. in *Seem. Bot. Voy. Herald*, 308.—Mexic.  
*lineare*, DC. *Prod.* v. 649.—Chili.  
*lineare*, Sch. Bip. ex Baker, in *Mart. Fl. Bras.* vi. iii. 284 = *Riedelii*.  
*linifolium*, DC. *Prod.* v. 649 = *suffruticosum*.  
*macrocephalum*, DC. l. c. 648.—Mexic.  
*Martii*, Baker, in *Mart. Fl. Bras.* vi. iii. 284.—Bras.  
*nummularium*, DC. *Prod.* v. 649.—Mexic.  
*obscure*, DC. l. c. 651 = *lineare*.  
*obtusifolium*, DC. l. c. 650.—Mexic.  
*oppositifolium*, DC. l. c. 651.—Reg. Argent.  
*preanthoides*, DC. l. c. 649.—Bras.  
*Riedelii*, Baker, in *Mart. Fl. Bras.* vi. iii. 284.—Bras.  
*rudérale*, Cass. in *Dict. Sc. Nat.* xliii. 56.—Am. trop.  
*scoparium*, A. Gray, *Pl. Wright.* i. 119.—Texas; Mexic.  
*Seemannii*, Sch. Bip. in *Seem. Bot. Voy. Herald*, 308.—Mexic.  
*Selloi*, DC. *Prod.* v. 651.—Reg. Argent.  
*suffruticosum*, Cass. in *Dict. Sc. Nat.* xliii. 57.—Am. austr.  
*tagetoides*, DC. *Prod.* v. 650.—Mexic.  
*tridentatum*, *Benth. Bot. Voy. Sulph.* 30.—Calif.  
*viridiflorum*, DC. *Prod.* v. 648.—Mexic.

**POROSPERMUM**, F. Muell. *Fragm.* vii. 94 (1870). **ARALIACEAE**.

*Michelianum*, F. Muell. l. c. 95.—Austral.

**POROSTEMA**, Schreb. *Gen.* 517 (1791) partim = **Nectandra**, Roland. (Laurin.).**POROTHRINAX**, H. Wendl. ex Griseb. *Cat. Pl. Cub.* 221 (1866) = **Thrinax**, Linn. (Palm.).  
*Pumilio*, H. Wendl. ex Griseb. l. c. = T. *Pumilio*.**PORPA**, Blume, *Bijdr.* 117 (1825) = **Triumfetta**, Linn. (Tiliac.).  
*repens*, Blume, l. c.—Java.**PORPAX**, Lindl. *Bot. Reg.* (1845) Misc. 62 = **Eria**, Lindl. (Orchid.).  
*reticulata*, Lindl. l. c. = E. *reticulata*.**PORPAX**, Salisb. *Gen. Pl. Fragn.* 9 (1866) = **Aspidistra**, Ker-Gawl. (Liliac.).**PORPHYRA**, Lour. *Fl. Cochinch.* 69 (1790) = **Calli-carpa**, Linn. (Verben.).  
*dichotoma*, Lour. l. c. 70 = C. *purpurea*.**PORPHYROCODON**, Hook. f. in *Benth. & Hook. f. Gen.* i. 79 (1862). **CRUCIFERAE**, *Benth. & Hook. f. l. c.*  
*pictum*, Hook. f. l. c.—N. Granat.**PORPHYROCOMA**, Scheidw. in *Journ. Hort. Prat.* iii. 72.—Cf. *Rev. Hort. Sér. II.* iv. (1849) 104; Hook. *Bot. Mag.* t. 4176 (1845) = **Dianthera**, Linn. (Acanth.).  
*lanceolata*, Scheidw. ll. cc. (= *Orthotactus Pohlmanus*).—Bras.**PORPHYROSCIAS**, Miq. *Ann. Mus. Bot. Lugd. Bat.* iii. 62 (1867) = **Peucedanum**, Tourn. (Umbell.).  
*decursiva*, Miq. l. c.—Japan.**PORPHYROSPATHA**, Engl. in DC. *Monog.* Phan. ii. 289 (1879). **AROIDEAE**, *Benth. & Hook. f. iii.* 980.  
*Hoffmannii*, Engl. l. c. 291.—Costa Rica.  
*Schottiana*, Engl. l. c. 290.—Costa Rica.**PORPHYROSTACHYS**, Reichb. f. *Xenia Orch.* i. 18 (1858) = **Stenoptera**, Presl (Orchid.).  
*pilifera*, Reichb. l. c.—Ecuador.**PORPHYROSTEMMA**, *Benth. ex Oliver*, in *Trans. Linn. Soc.* xxix. (1878) 96. **COMPOSITAE**, *Benth. & Hook. f. ii.* 336.  
*Grantii*, *Benth. ex Oliver*, l. c.—Afr. trop.**PORROTERANTHE**, Steud. *Syn. Pl. Gram.* 287 (1855) = **Glyceria**, R. Br. (Gramin.).  
*Drummondii*, Steud. l. c. = G. *fluitans*.**PORRUM**, [Tourn.] Linn. *Syst. ed. I* (1735); Moench, *Meth. Suppl.* 263 (1794) = **Allium**, Tourn. (Liliac.).  
*amethystinum*, Reichb. *Fl. Germ. Excurs.* 140<sup>16</sup> = A. *Ampeloprasum*.  
*Ampeloprasum*, Mill. *Gard. Dict. ed. VIII.* n. 2 = A. *Ampeloprasum*.  
*arenarium*, Reichb. *Fl. Germ. Excurs.* 110 = A. *vineale*.  
*ascalonicum*, Reichb. l. c. = A. *ascalonicum*.  
*capitatum*, Renault, *Fl. Dép. Orne*, 33 = A. *vineale*?  
*Cepa*, Reichb. *Fl. Germ. Excurs.* 110 = A. *Cepa*.  
*commune*, Reichb. l. c. 111 = A. *Ampeloprasum*.  
*crinitum*, Reichb. l. c. 140<sup>16</sup> = A. *sphaerocephalum*.  
*descendens*, Reichb. l. c. 110 = A. *sphaerocephalum*.  
*fistulosum*, Schur, in *Verh. Siebenb. Ver. Naturw.* iv. (1853) 76 = A. *fistulosum*.  
*lineare*, Rafin. *Fl. Tellur.* ii. 20 = A. *lineare*.  
*nutans*, Rafin. l. c. = A. *nutans*.  
*oleraceum*, Moench, *Meth. Suppl.* 264 = A. *oleraceum*.  
*Ophioscorodon*, Reichb. *Fl. Germ. Excurs.* 110 = A. *sativum*.  
*paniculatum*, Moench, *Meth. Suppl.* 264 = A. *paniculatum*.  
*polyanthum*, Fourr. in *Ann. Soc. Linn. Lyon*, N. S. xvii. (1869) 159 = A. *rotundum*.  
*rotundum*, Reichb. *Fl. Germ. Excurs.* 111 = A. *rotundum*.  
*sativum*, Mill. *Gard. Dict. ed. VIII.* n. 1 = A. *Porrum*.  
*sativum*, Reichb. *Fl. Germ. Excurs.* 110 = A. *sativum*.  
*Schoenoprasum*, Schur, *Enum. Pl. Transs.* 670 = A. *Schoenoprasum*.  
*Scorodoprasum*, Reichb. *Fl. Germ. Excurs.* 110 = A. *Scorodoprasum*.  
*sectile*, Schult. f. *Syst. vii.* 1009, in *syn. sphalm.* = A. *Porrum*.  
*sibiricum*, Schur, *Enum. Pl. Transs.* 670 = A. *sibiricum*.  
*sphaerocephalum*, Reichb. *Fl. Germ. Excurs.* 110 = A. *sphaerocephalum*.  
*strictum*, Reichb. l. c. 111 = A. *strictum*.  
*vineale*, Schur, in *Verh. Siebenb. Ver. Naturw.* iv. (1853) 76 = A. *vineale*.**PORTAEA**, Tenore, in *Atti 7<sup>ma</sup> Adun. Sc. Ital.* 902 (1846) = **Juanulloa**, Ruiz & Pav. (Solan.).  
*aurantiaca*, Tenore, l. c. 903 = J. *parasitica*.**PORTALESIA**, Meyen, *Reise*, i. 316 (1834) = **Nassauvia**, Juss. (Compos.).  
*procumbens*, Meyen, l. c. = N. *Lagascæ*?**PORTEA**, C. Koch, *Ind. Sem. Hort. Berol.* (1856) 7. **BROMELIACEAE**, *Benth. & Hook. f. iii.* 662.  
*kermesina*, C. Koch, l. c.; et in *Ann. Sc. Nat. Sér. IV.* vi. (1856) 368.—Am. trop.**PORTENSCHLAGIA**, Tratt. *Arch.* (1812) t. 250 = **Elaeodendron**, Jacq. (Tiliac.).  
*australis*, Tratt. l. c. = E. *australe*.  
*integrifolia*, Tratt. l. c. t. 284 = E. *australe*.  
*trifoliata*, Pohl, ex Engl. in *Mart. Fl. Bras.* xii. ii. 100 = Galipea *bracteata*.**PORTENSCHLAGIA**, Vis. *Fl. Dalm.* iii. 45 (1849). **UMBELLIFERAE**, *Benth. & Hook. f. i.* 901.  
*ramosissima*, Vis. l. c.—Dalmat.**PORTERELLA**, Torr. in *Hayd. Rep. Geol. Surv. Montana*, 488 (1872) = **Laurentia**, Neck. (Campan.).  
*carnosula*, Torr. l. c. = L. *carnosula*.**PORTERIA**, Hook. *IC. Pl.* t. 864 (1852) = **Phyllactis**, Pers. (Rubiace.).  
*bractescens*, Hook. *IC. Pl.* 864 = Phyll. *bracteata*.  
*ebriatensis*, Pritz. *IC. Ind.* i. 882, sphalm. = *praeac.*  
*oblongifolia*, Karst. *Fl. Columb.* ii. 99 = Phyll. *Mutisiana*.  
*parviflora*, Trev. in *Bot. Zeit.* xi. (1853) 354.—Venezuela.  
*pubescens*, Karst. *Fl. Columb.* ii. 99.—Venezuela.  
*rotundifolia*, Karst. l. c. = Phyll. *cordifolia*.**PORTESIA**, Cav. *Diss.* vii. 369. t. 215, 216 (1789) = **Trichilia**, P. Br. (Meliac.).  
*diversifolia*, M. Roem. *Syn. Hesper.* 116 = T. *simplicifolia*.**PORTESIA** :—

- echinocarpa*, De Vriese, in *Nederl. Kruidk. Arch.* i. (1848) 251 = T. *echinocarpa*.  
*glabra*, Griseb. *Fl. Brit. W. Ind.* 130 = T. *glabra*.  
*montana*, M. Roem. *Syn. Hesper.* 115 = T. *montana*.  
*mucronata*, Cav. *Diss.* vii. 370 = T. *heterophylla*.  
*ovata*, Cav. l. c. 369. t. 215 = T. *pallida*.  
*rimosa*, Blanco, *Fl. Filip.* ed. II. 250 = *Amoora canarana*.  
*simplicifolia*, M. Roem. *Syn. Hesper.* 115 = T. *simplicifolia*.  
*trinitensis*, M. Roem. l. c. 116 = T. *trinitensis*.

**PORTLANDIA**, P. Br. *Hist. Jamaic.* 164. t. 11 (1756). **RUBIACEAE**, *Benth. & Hook. f. ii.* 45.  
*acuminata*, Willd. ex Roem. & Schult. *Syst.* v. 23.—Venezuela.

- coccinea*, Sw. *Fl. Ind. Occ.* i. 384.—Jamaic.  
*coriacea*, Spreng. *Syst.* i. 708 = *coccinea*.  
*corymbosa*, Ruiz & Pav. *Fl. Per.* ii. 49 = *Erostemma corymbosum*.  
*daphnoides*, R. Grah. in *Edinb. N. Phil. Journ.* (1840-41) 206.—Cuba.  
*Ghiesbreghtiana*, Baill. *Adansonia*, xii. (1879) 300; *Hist. Pl.* vii. 332.—Mexic.  
*grandiflora*, Linn. *Syst. ed. X.* 928; *Jacq. Enum. Pl. Carib.* 16.—Ind. occ.  
*grandiflora*, Zuccagni, in Roem. *Collect.* 129 = *Solandra grandiflora*.  
*gypsophila*, Macfad. ex Griseb. *Fl. Brit. W. Ind.* 324.—Ind. occ.  
*hexandra*, Jacq. *Enum. Pl. Carib.* 16 = *Coutarea speciosa*.  
*hexandra*, Vell. ex Steud. *Nom. ed. II.* i. 429; ii. 383 = *Coutarea pubescens*.  
*longiflora*, Meissn. ex Griseb. *Cat. Pl. Cub.* 126.—Cuba.  
*mexicana*, Hemsl. *Diagn. Pl. Nov.* 31.—Mexic.  
*pendula*, Wright, ex Griseb. *Cat. Pl. Cub.* 126.—Cuba.  
*platantha*, Hook. *Bot. Mag.* t. 4534.—Am. trop.  
*speciosa*, Baill. *Hist. Pl.* vii. 381 = *Coutarea speciosa*.  
*tetrandra*, Forst. f. *Prod.* 15 = *Bikkia grandiflora*.

**PORTULA**, Dill. ex Moench, *Meth.* 661 (1794) = **Peplis**, Linn. (Lythrac.).  
*diffusa*, Moench, l. c. = *Peplis Portula*.  
*nummulariaefolia*, Fourr. in *Ann. Soc. Linn. Lyon*, N. S. xvi. (1868) 381 = *Peplis erecta*.  
*palustris*, S. F. Gray, *Nat. Arr. Brit. Pl.* ii. 553 = *Peplis Portula*.  
*Timeroyi*, Fourr. in *Ann. Soc. Linn. Lyon*, N. S. xvi. (1868) 381 = *Peplis erecta*.**PORTULACA**, Linn. *Syst. ed. I.* (1735). **PORTULACEAE**, *Benth. & Hook. f. i.* 157.  
*LEMIA*, Vand. *Fl. Lusit.* 35. t. 2. f. 15 (1788); et in Roem. *Script.* 116. t. 7. f. 15 (1796).  
*MERIDA*, Neck. *Elem.* ii. 382 (1790).  
*MERIDIANA*, Linn. f. *Suppl.* 248 (1781).  
*adenostemon*, Vest, in *Flora*, xii. (1829) i. *Erg.* 63.—Hab.?  
*Anacampseros*, Linn. *Sp. Pl.* 445 = *Anacampseros Telephiastrum*.  
*anceps*, A. Rich. *Tent. Fl. Abyss.* i. 301 = *quadrifida*.  
*arabica*, DC. *Prod.* iii. 355 (Quid?).—Arab.  
*arachnoides*, Haw. *Misc.* 142 = *Anacampseros arachnoides*.  
*Armitii*, F. Muell. *Fragm.* x. 97.—Austral.  
*aurea*, Hort. ex DC. *Prod.* iii. 353 = *oleracea*.  
*australis*, Endl. *Atakta*, 7. t. 6.—Austral.  
*axilliflora*, Blanco, *Fl. Filip.* ed. II. 285.—Ins. Philipp.  
*axilliflora*, Pers. *Syn.* ii. 6.—Hab.?  
*Bareschta*, Forsk. *Fl. Aegypt. Arab.* p. cxii (Quid?).—Arab.  
*bicolor*, F. Muell. *Fragm.* i. 171.—Austral.  
*brasiliensis*, Vahl, in *West. Bidr. Ste-Croix*, 287. nomen.—Am. trop.  
*cafra*, Thunb. *Prod. Pl. Cap.* 85.—Afr. austr.  
*carnosa*, Domb. ex DC. *Prod.* iii. 358 = *Calandrinia paniculata*.  
*caryophylloides*, Hort. ex Vilm. *Fl. Pl. Terre.* ed. II. 722 = *grandiflora*.  
*cincta*, Fenzl, in *Tijdschr. Nederl. Ind.* xiv. (1857) 162.—Malaya.  
*consanguinea*, Schlecht. in *Linnæa*, xxiv. (1851) 693 = *oleracea*!  
*crassicaulis*, Jacq. *Hort. Vindob.* iii. 29 = *Talinum triangulare*.



**PORTULACA** :—

*crassifolia*, Jacq. Hort. Vindob. iii. t. 52 = *Talinum triangulare*.  
*cristata*, Buch.-Ham. in Wall. Cat. n. 6844 = *tuberosa*.  
*cuneifolia*, Vahl, Symb. Bot. i. 33 = *Talinum cuneifolium*.  
*decumbens*, Vahl, l. c. = *Orygia decumbens*.  
*dichotoma*, Gueldenst. Reisen, i. 192 = *oleracea*.  
*digyna*, F. Muell. *Fragm.* i. 170.—Austral.  
*diptera*, Zipp. ex Span. in Linnaea, xv. (1841) 207 = *quadrifida*.  
*elator*, Mart. ex Rohrb. in Mart. Fl. Bras. xiv. ii. 302.—Bras.  
*eriphora*, Casar. Nov. Stirp. Bras. Dec. ii. 23 = *pilosa*.  
*filamentosa*, Haw. Misc. 142 = *Anacampseros filamentosa*.  
*filifolia*, F. Muell. *Fragm.* i. 169.—Austral.  
*flava*, DC. Prod. iii. 355, sphalm. = *lutea*.  
*foliosa*, DC. Calq. Dess. Fl. Mex. 389 = *pilosa*.  
*foliosa*, Ker-Gawl. in Bot. Reg. t. 793.—Afr. trop.  
*fruticosa*, Linn. Syst. ed. X. 1045 = *Talinum triangulare*.  
*fruticosa*, Thunb. Prod. Pl. Cap. 85 = *Portulacaria afra*.  
*fulgens*, Griseb. in Goett. Abh. xxiv. (1879) 30.—Reg. Argent.  
*geniculata*, Royle, Illustr. Bot. Himal. 221 = *quadrifida*.  
*Gilliesii*, Hook. Bot. Mag. t. 3064.—Chili.  
*grandiflora*, Hook. l. c. t. 2885; *Cambess. in A. St. Hil. Fl. Bras. Mer.* ii. 192.—Bras.  
*guianensis*, Steud. Nom. ed. II. ii. 382, sphalm. = *seq. guineensis*, Lindl. ex DC. Prod. iii. 353.—Afr. trop.  
*halimoides*, Linn. Sp. Pl. ed. II. 639.—Ind. occ.  
*helianthemoides*, Zipp. ex Span. in Linnaea, xv. (1841) 207, nomen.—Ins. Timor.  
*Hilaireana*, G. Don, Gen. Syst. iii. 74.—Bras.  
*hirsutissima*, Cambess. in A. St. Hil. Fl. Bras. Mer. ii. 191.—Bras.  
*hortensis*, Rupr. Fl. Ingr. 388 = *oleracea*.  
*imbricata*, Forsk. Fl. Aegypt. Arab. 92.—Arab.  
*involuta*, Haw. Rev. Pl. Succ. 59 = *suffruticosa*.  
*Karwinskii*, Fisch. Mey. & Avé-Lall. Ind. Sem. Hort. Petrop. xi. Suppl. 63.—Mexic.  
*laevis*, Buch.-Ham. in Wall. Cat. n. 6841 = *oleracea*.  
*lanata*, Rich. in Act. Soc. Hist. Nat. Par. i. (1792) 109 = *pilosa*.  
*lanceolata*, Engelm. in A. Gray, in Bost. Journ. Nat. Hist. vi. (1850) 154.—Texas.  
*lanceolata*, Haw. Misc. 142 = *Anacampseros lanceolata*.  
*lanuginosa*, Crantz, Inst. ii. 428; H. B. & K. Nov. Gen. et Sp. vi. 74 = *pilosa*.  
*Larrotteana*, Cambess. in A. St. Hil. Fl. Bras. Mer. ii. 190 = *mucronata*.  
*latifolia*, Hornem. Hort. Hafn. ii. 491 = *oleracea*.  
*linearis*, Domb. ex DC. Prod. iii. 358 = *Calandrinia lingulata*.  
*linifolia*, Forsk. Fl. Aegypt. Arab. 92 = *quadrifida*.  
*linifolia*, Roxb. Hort. Beng. [36] nomen.—Ind. or.  
*lutea*, Soland. ex Forst. f. Pl. Escul. 72; *Seem. Fl. Vit.* 9.—Ins. Societ.  
*macrorhiza*, Zipp. ex Span. in Linnaea, xv. (1841) 207, nomen.—Ins. Timor.  
*marginata*, H. B. & K. Nov. Gen. et Sp. vi. 72.—Venezuela.  
*maritima*, S. G. Gmel. Reise, iv. 40 = *oleracea*.  
*megalantha*, Steud. Nom. ed. II. ii. 383 = *grandiflora*.  
*mendociniensis*, Gill. ex Rohrb. in Mart. Fl. Bras. xiv. ii. 303 = *grandiflora*.  
*meridiana*, Linn. f. Suppl. 248 = *quadrifida*.  
*microphylla*, A. Rich. Ess. Fl. Cub. 620.—Cuba.  
*mucronata*, Hort. Vindob. ex Link, Enum. Hort. Berol. ii. 2.—Bras.  
*napiformis*, F. Muell. ex Benth. Fl. Austral. i. 169.—Austral.  
*officinarium*, Crantz, Inst. ii. 428 = *oleracea*.  
*oleracea*, Linn. Sp. Pl. 445.—Reg. calid.  
*oligosperma*, F. Muell. *Fragm.* i. 170.—Austral.  
*olitoria*, Pall. Reise, iii. 594 = *oleracea*.  
*paniculata*, Jacq. Enum. Pl. Carib. 22 = *Talinum patens*.  
*paniculata*, Linn. Sp. Pl. ed. II. 640 = *Talinum triangulare*.  
*parviflora*, Griseb. Fl. Brit. W. Ind. 57, sphalm. = *seq.*  
*parvifolia*, Haw. Syn. Pl. Succ. 122 = *oleracea*.  
*patens*, Jacq. Hort. Vindob. ii. 71 = *Talinum patens*.  
*patens*, Linn. Mant. ii. 242 (an praec. ?) —Am. trop.

**PORTULACA** :—

*pilosa*, Herb. Madr. ex Wall. Cat. n. 6844 = *tuberosa*.  
*pilosa*, Linn. Sp. Pl. 445.—Am. bor. et austr.  
*pilosissima*, Hook. Bot. Misc. ii. (1831) 220.—Peruv.  
*Portulacastrum*, Linn. Sp. Pl. 446 = *Sesuvium Portulacastrum*.  
*prolifera*, Schum. & Thonn. Beskr. Guin. Pl. 239.—Afr. trop.  
*prostrata*, Domb. ex Lem. in Fl. des Serres, ii. (Avril, 1846) sub t. 5 = *Calandrinia umbellata*.  
*psammotropha*, Hance, in Walp. Ann. ii. 660.—China.  
*pusilla*, H. B. & K. Nov. Gen. et Sp. vi. 72.—Venezuela.  
*quadrifida*, Linn. Mant. i. 73.—Geront. trop.  
*racemosa*, Linn. Sp. Pl. ed. II. 640 = *Talinum triangulare*.  
*rediviva*, Wawra, in Sitzb. Acad. Wien, Math. Nat. xxxviii. (1860) 564.—Afr. trop.  
*reflexa*, Haw. Misc. 141 = *Talinum patens*.  
*repens*, Noronha, in Verh. Batav. Gen. v. (1790) ed. I. Art. iv. 25 = *oleracea*.  
*repens*, Roxb. ex Wight & Arn. Prod. 356 = *quadrifida*.  
*retusa*, Engelm. in Bost. Journ. Nat. Hist. vi. (1850) 154.—Am. bor. occ.  
*rostellata*, Brign. in Linnaea, xviii. (1844) 509; Aless. in Nuov. Ann. Sc. Nat. Bologna, Ser. II. ii. (1844) 207 = *marginata*.  
*rubens*, Haw. Misc. 142 = *Anacampseros arachnoides*.  
*rubricaulis*, H. B. & K. Nov. Gen. et Sp. vi. 73.—Am. austr.  
*sativa*, Haw. Misc. 36 = *oleracea*.  
*saxea*, Vell. Fl. Flum. 202; v. t. 13.—Bras.  
*saxifragoides*, Welw. in Oliver, Fl. Trop. Afr. i. 149.—Afr. trop.  
*sclerocarpa*, A. Gray, Bot. U. St. Expl. Exped. i. 141.—Ins. Sandvic.  
*sedoides*, Spruce, ex Rohrb. in Mart. Fl. Bras. xiv. ii. 304 = *pilosa*.  
*sedoides*, Welw. in Oliver, Fl. trop. Afr. i. 149.—Afr. trop.  
*setacea*, Haw. Misc. 139 = *pilosa*.  
*simpliciuscula*, Mart. ex Rohrb. in Mart. Fl. Bras. xiv. ii. 301.—Bras.  
*splendens*, Lindl. Bot. Reg. (1843) t. 34 = *Thellusonii* ?  
*stelliformis*, [Moq. & Sesse.] ex DC. Prod. iii. 353 = *foliosa*.  
*stipularis*, Dryand. ex DC. l. c. 356 = *Anacampseros filamentosa*.  
*suffrutescens*, Engelm. in Coult. Bot. Gaz. vi. (1881) 236.—Arizona.  
*suffruticosa*, Thw. Enum. Pl. Zeyl. 24 = *oleracea*.  
*suffruticosa*, Wight, ex Wall. Cat. n. 6842.—Ind. or.  
*teretifolia*, H. B. & K. Nov. Gen. et Sp. vi. 72 = *pilosa* ?  
*Thellusonii*, Lindl. Bot. Reg. (1840) t. 31.—Hab. ?  
*Toston*, Blanco, Fl. Filip. ed. I. 408 = *Trianthema monogyna*.  
*triangularis*, Jacq. Enum. Pl. Carib. 22 = *Talinum triangulare*.  
*trigona*, Thunb. Prod. Pl. Cap. 85.—Afr. austr.  
*tuberosa*, Roxb. Hort. Beng. [91]; Fl. Ind. ii. 464.—Ind. or.  
*umbraticola*, H. B. & K. Nov. Gen. et Sp. vi. 72.—N. Granat.  
*villosa*, Cham. in Linnaea, vi. (1831) 565.—Ins. Sandvic.  
*viridis*, Hort. ex DC. Prod. iii. 353 = *oleracea*.  
*Wightiana*, Wall. Cat. n. 6845.—Ind. or.

**PORTULACARIA**, Jacq. Coll. i. 160. t. 22 (1786).

**PORTULACEAE**, Benth. & Hook. f. i. 157.  
*afra*, Jacq. Coll. i. 160. t. 22.—Afr. austr.  
*namaquensis*, Sond. in Harv. & Sond. Fl. Cap. ii. 386.—Afr. austr.

**PORTULACASTRUM**, Juss. ex Medic. Phil. Bot. i. 99 (1789) = **Trianthema**, Sauv. (Ficoid.).

*monogynum*, Medic. l. c. = *T. monogyna*.

**PORTULACCA**, Haw. Syn. Pl. Succ. 121 (1812) = **Portulaca**, Linn.**PORTUNA**, Nutt. in Trans. Am. Phil. Soc. viii. (1843) 268 = **Pieris**, D. Don (Ericac.).

*floribunda*, Nutt. l. c. = *Pieris floribunda*.

**POSIDONIA**, Kon. in Kon. & Sims, Ann. Bot. ii. (1805) 95. t. 6. **NAIADACEAE**, Benth. & Hook. f. iii. 1015.

*AEGLE*, Dulac, Fl. Hautes-Pyr. 43 (1867).  
*CAULINIA*, DC. Fl. Fr. iii. 156 (1805).  
*KERNERA*, Willd. Sp. Pl. iv. 947 (1805).  
*TAENIDIUM*, Targ. Tozz. Cat. Veg. Mar. 80. t. 1 (1826).  
*antarctica*, Spreng. Syst. i. 181 = *Cymodocea antarctica*.  
*australis*, Hook. f. Fl. Tasman. ii. 43.—Austral.  
*Caulini*, Kon. in Kon. & Sims, Ann. Bot. ii. (1805) 96.—Reg. Mediterr.  
*oceanica*, Delile, Fl. Aegypt. 30 = *Caulini*.  
*serrulata*, Spreng. Syst. i. 181 = *Cymodocea serrulata*.

**POSIDONION**, St. Lag. in Ann. Soc. Bot. Lyon, viii. (1881) 159 = *praec.***POSKEA**, Vatke, in Linnaea, xliii. (1880–82) 321. **BORAGINEAE**.

*africana*, Vatke, l. c.—Afr. trop.

**POSOQUERIA**, Aubl. Pl. Gui. i. 133. t. 51 (1775).

**RUBIACEAE**, Benth. & Hook. f. ii. 83.  
*CYRTANTHUS*, Schreb. Gen. 122 (1789).  
*PASORIA*, Rafin. in Ann. Gén. Sc. Phys. vi. (1820) 80.  
*RAMSPEKIA*, Scop. Introd. 145 (1777).  
*SOLENA*, Willd. Sp. Pl. i. 961 (1797).  
*STANNIA*, Karst. Ausw. Neue Gew. 27. t. 9 (1848).  
*acuminata*, Mart. in Flora, xxiv. (1841) ii. Beibl. 79 = *longiflora*.  
*acutifolia*, Mart. l. c. 77.—Bras.  
*coriacea*, Mart. & Gal. in Bull. Acad. Brux. xi. (1844) 240.—Mexic.  
*decora*, DC. Prod. iv. 375 = *latifolia*.  
*drupacea*, Gaertn. f. Fruct. iii. 77. t. 195. f. 1 = *Randia drupacea*.  
*dumetorum*, Roxb. Fl. Ind. ed. Carey, ii. 564 = *Randia dumetorum*.  
*fasciculata*, Roxb. l. c. 568 = *Randia fasciculata*.  
*floribunda*, Roxb. l. c. 569 = *Randia dumetorum*.  
*formosa*, Planch. in Fl. des Serres, vi. (1850–51) 169.—Venezuela.  
*fragrans*, Roxb. Fl. Ind. ed. Carey, ii. 567 = *Randia malabarica*.  
*fragrantissima*, Linden & André, Illustr. Hort. xvii. (1870) t. 27.—Bras.  
*gracilis*, Roem. & Schult. Syst. v. 227.—Guian.  
*havanensis*, DC. Prod. iv. 375.—Cuba.  
*insignis*, Nees, in Flora, iv. (1821) 301 = *latifolia*.  
*intermedia*, Miq. in Linnaea, xix. (1847) 135 = *latifolia*.  
*latifolia*, Roem. & Schult. Syst. v. 227.—Am. trop.  
*laurifolia*, Mart. in Flora, xxiv. (1841) ii. Beibl. 78.—Bras.  
*longiflora*, Aubl. Pl. Gui. i. 134. t. 51.—Guian.  
*longiflora*, Roxb. Fl. Ind. ed. Carey, ii. 569 = *Randia longiflora*.  
*longispina*, Roxb. l. c. 566 = *Randia dumetorum*.  
*lucida*, Mart. in Flora, xxiv. (1841) ii. Beibl. 77 = *latifolia*.  
*macrophylla*, Hemsl. Biol. Centr. Am. Bot. ii. 39 = *latifolia*.  
*macropus*, Mart. in Flora, xxiv. (1841) ii. Beibl. 79.—Bras.  
*montana*, Mart. l. c. 80 = *Hillia parasitica*.  
*multiflora*, Blume, Bijdr. 980 = *Randia longiflora*.  
*multiflora*, Lem. Illustr. Hort. xvi. (1869) t. 597.—Bras.  
*nutans*, Roxb. Fl. Ind. ed. Carey, ii. 565 = *Randia dumetorum*.  
*palustris*, Mart. in Flora, xxiv. (1841) ii. Beibl. 78.—Bras.  
*panamensis*, Walp. Ann. ii. 797 = *latifolia*.  
*revoluta*, Schrad. in Goett. Gel. Anz. i. (1821) 714 = *latifolia*.  
*rigida*, Wall. in Roxb. Fl. Ind. ed. Carey, ii. 570 = *Randia fasciculata*.  
*Trinitatis*, DC. Prod. iv. 375.—Ins. Trinit.  
*uliginosa*, Roxb. Fl. Ind. ed. Carey, ii. 563 = *Randia uliginosa*.  
*versicolor*, Lindl. Bot. Reg. (1841) t. 26.—Cuba.

**POSORIA**, Rafin. in Ann. Gén. Sc. Phys. vi. (1820) 80 = **Posoqueria**, Aubl. (Rubiace.).



POSSIRA, Aubl. Pl. Gui. ii. 934. t. 355 (1775) = *Swarztzia*, Schreb. (Legumin.).  
*arborescens*, Aubl. l. c. = *S. triphylla*.  
*dodecandra*, Poir. Encyc. v. 577 = *S. dodecandra*.  
*grandiflora*, Poir. Encyc. Suppl. iv. 532 = *S. grandiflora*.  
*pinnata*, Poir. l. c. 533 = *S. pinnata*.  
*simplex*, Sw. Prod. Veg. Ind. Occ. 82; Poir. Encyc. v. 577 = *S. grandiflora*.  
*triphylla*, Sw. l. c. = *S. triphylla*.

POSSIRIA, Steud. Nom. ed. II. ii. 653, in syn. (1841), sphalm. = praec.

POSSURA, Aubl. ex Steud. Nom. ed. II. ii. 383 (1841) = praec.  
*guianensis*, Aubl. ex Steud. l. c. = *S. triphylla*.

POSTIA, Boiss. & Blanche, in Boiss. Fl. Orient. iii. 182 (1875). *COMPOSITAE*, Benth. & Hook. f. ii. 1233.  
*bombycina*, Boiss. & Haussk. in Boiss. l. c. 183.—Persia.  
*lanuginosa*, Boiss. l. c. 182.—Syria.  
*microcephala*, Boiss. l. c. 183.—Persia.  
*puberula*, Boiss. & Haussk. l. c.—Persia.

POSTUERA, Rafin. Sylva Tellur. 10 (1838) = *Notelaea*, Vent. (Oleac.).  
*longifolia*, Rafin. l. c. = *N. longifolia*.

POTALIA, Aubl. Pl. Gui. i. 394. t. 151 (1775).  
*LOGANIACEAE*, Benth. & Hook. f. ii. 795.  
*NICANDRA*, Schreb. Gen. 283 (1789).  
*amara*, Aubl. Pl. Gui. i. 394. t. 151.—Guian.  
*amara*, Desf. Cat. Hort. Par. ed. III. 127 = *Clavija lancifolia*.  
*resinifera*, Mart. Nov. Gen. et Sp. ii. 89 = *amara*.

POTAMEIA, Thou. Gen. Nov. Madag. 5 (1806).  
*LAURINEAE*, Benth. & Hook. f. iii. 154.  
*Chapelierii*, Baill. in Bull. Soc. Linn. Par. i. (1885) 446.—Madag.  
*Thouarsii*, Roem. & Schult. Syst. iii. 476.—Madag.

POTAMICA, Poir. in Dict. Sc. Nat. xliii. 94 (1826) = praec.

POTAMOBRYON, Liebm. in Forh. Skand. Naturf. Kjoeb. (1847) 513. *PODOSTEMACEAE*, Benth. & Hook. f. iii. 1219.  
*concinnum*, Liebm. l. c.—Mexic.  
*laxum*, Liebm. l. c. 514.—Mexic.  
*patulum*, Liebm. l. c. 515.—Mexic.

POTAMOCHARIS, Rottb. in Act. Lit. Univ. Hafn. i. (1778) 296 = *Mammea*, Linn. (Guttifer.).  
*Mamei*, Rottb. l. c. = *M. americana*.

POTAMOCHLOA, Griff. in Journ. As. Soc. Beng. v. (1836) 571 = *Hygoryza*, Nees (Gramin.).  
*Retzii*, Griff. l. c. 571. t. 24 = *H. aristata*.

POTAMOGETON, [Tourn.] Linn. Syst. ed. I (1735); Gen. ed. I. 33 (1737). *NAIADACEAE*, Benth. & Hook. f. iii. 1014.

*BUCCAFEREA*, Bubani, in Nuov. Giorn. Bot. Ital. v. (1873) 316.

*GROELANDIA*, Fourr. in Ann. Soc. Linn. Lyon, N. S. xvii. (1869) 169.

*GROENLANDIA*, J. Gay, in Comp. Rend. Acad. Sc. xxxviii. (1854) 703.

*PELTOPSIS*, Rafin. in Journ. Phys. lxxxix. (1819) 101.  
*SPIRRILLUS*, J. Gay, in Comp. Rend. Acad. Sc. xxxviii. (1854) 703.

*acuminatus*, Schum. Enum. Pl. Saell. i. 49 = *lucens*.  
*acuminatus*, Trevir. ex Roem. & Schult. Syst. iii. 509, in obs. = *lucens*?

*acuminatus*, Wahlenb. Fl. Upsal. 58 = *praelongus*.  
*acutifolius*, Hornem. in Fl. Dan. t. 2046 = *compressus*.  
*acutifolius*, Link. in Roem. & Schult. Syst. iii. 513.—Europ.; Reg. Caucas.; Austral.

*acutifolius*, J. & C. Presl, Fl. Čech. 37 = *Friesii*.  
*affinis*, Boenn. ex Cham. & Schlecht. in Linnaea, ii. (1827) 216 = *natans*.

*alpino-natans*, F. Schults, in Pollichia, xx-xxi. (1863) 228.—Europ. centr.

*alpinus*, Balb. Misc. 13 = *rufescens*.  
*amblyophyllus*, C. A. Mey. Beitr. Pfl. Russ. Reich. vi. 10 = *pectinatus*.

VOL. II.

# POTAMOGETON:—

*americanus*, Cham. & Schlecht. in Linnaea, ii. (1827) 226 = *lucens*?

*americanus*, Roem. & Schult. Syst. iii. 509 = *lucens*.  
*amplexicaulis*, Kar. in Bull. Soc. Nat. Mosc. (1839) 173.—Turkestan.

*amplifolius*, Tuckerm. in Am. Journ. Sc. Ser. I. xlv. (1843) 38; II. vi. (1848) 225.—Am. bor.  
*angustatus*, Wallm. Fl. Ostrog. ed. I. (1812) (ex Ar. Benn. MS.) = *acutifolius*.

*angustifolius*, Bercht. & Presl, ex Opiz, Boehm. Gew. 23 = *lucens*?

*angustifolius*, Bercht. & Presl, Rostl. i. Alismac. 19 = *pectinatus*.  
*angustissimus*, H. B. & K. Nov. Gen. et Sp. i. 370.—Mexic.

*annulatus*, Bell. in Mém. Acad. Turin, x, xi. (1802-3) 447 = *rufescens*.  
*Augustani*, Bell. l. c. 448, in nota = seq.?

*angustatus*, Balb. Misc. 14. t. 3 = *gramineus*.  
*Berchtoldi*, Fieb. in Berch. & Fieb. Potamog. 40. t. 4 = *pusillus*.

*Berteroanus*, Phil. in Linnaea, xxx. (1859-60) 200.—Chili.  
*Besseri*, Steud. Nom. ed. II. ii. 384 = *natans*.

*bifolius*, Lapeyr. Hist. Abr. Pl. Pyren. Suppl. 27 = *Vicia Faba* (fide Benth. Cat. Pl. Pyr. 113).  
*Billotii*, F. Schultz, Arch. Fl. Fr. et Allem. 61 = *fluitans*.

*borealis*, Rafin. in Med. Repos. N. York, v. (1808) 354 = *marinus*.  
*caespitosus*, Humnicki, Cat. Pl. Luxeuil, 60; Suppl. 90.—Europ.

*caespitosus*, Nolte, in Fl. Dan. t. 2889 = *rutilus*.  
*canariensis*, Link. in Buch, Besch. Canar. Ins. 138 = *fluitans*.

*capillaceus*, Poir. Encyc. Suppl. iv. 535 = *hybridus*.  
*caricifolius*, Willd. ex Schult. Mant. iii. 367 = *tenuifolius*.

*Casparii*, Weyl, in Oestr. Bot. Zeitschr. xx. (1870) 321 = *rufescens*.  
*Casparyi*, Kohts, l. c. 291 = *praec.*

*caudatus*, Seidl, ex Opiz, Boehm. Gew. 23 = *lucens*.  
*cespitosus*, Reichb. f. Skizze von Nolte, 21 = *rutilus*.  
*Cheesemanii*, Ar. Benn. in Journ. Bot. xxi. (1883) 66.—N. Zel.

*Claytonii*, Tuckerm. in Am. Journ. Sc. Ser. I. xlv. (1843) 38.—Am. bor.

*coloratus*, Hornem. in Fl. Dan. t. 1449.—Europ.  
*complanatus*, Willd. in Ges. Naturf. Fr. Berl. Mag. iii. (1809) 297 = *compressus*.

*compressus*, All. Fl. Pedem. i. 240 = *acutifolius*.  
*compressus*, Linn. Sp. Pl. 127.—Reg. bor. temp.  
*compressus*, Reichb. Fl. Germ. Excurs. 8 = *Friesii*.  
*compressus*, Sm. Fl. Brit. i. 856; Mert. & Koch, Deutschl. Fl. i. 856 = *pusillus*.

*compressus*, Wahlenb. Fl. Suec. 110 = *obtusifolius*.  
*condylocarpus*, Tausch, in Flora, xix. (1836) 423 = *densus*.

*conferovoides*, Reichb. Ic. Fl. Germ. vii. 13 = *Tuckermanni*.  
*contortus*, Desf. Fl. Atlant. i. 150 = *Zannichellia contorta*.

*corniculatus*, Schur, Enum. Pl. Transs. 632 = *lucens*.  
*cornutus*, J. & C. Presl, Fl. Čech. 37 = *lucens*.  
*crassipes*, Kit. ex Cham. & Schlecht. in Linnaea, ii. (1827) 204 = *gramineus*.

*crenulatus*, D. Don, Prod. Fl. Nep. 22 = *crispus*.  
*crispatus*, Wallm. ex Reichb. Fl. Germ. Excurs. 8 = *crispus*.

*crispus*, Darl. Fl. Cestr. 23 = *perfoliatus*.  
*crispus*, Laterr. Fl. Bordcl. (1811) 71, partim = *heterophyllus*.

*crispus*, Linn. Sp. Pl. 126.—Reg. temp. bor. et austr.  
*cristatus*, Regel & Maack, in Regel, Tent. Fl. Ussur. 139.—Reg. Amur.

*curvifolius*, Hartm. Fl. Scand. ed. I. 78 = *nitens*.  
*cuspidatus*, Schrad. ex Mert. & Koch, Deutschl. Fl. i. 854 = *acutifolius*.

*cuspidatus*, Schrad. in Sm. Engl. Fl. i. 234 = *compressus*.  
*decipiens*, Nolte, ex Koch, Syn. Fl. Germ. ed. II. 779.—Europ.

*delicatulus*, Bertol. Misc. Bot. xv. 17 = *hybridus*.  
*densus*, Linn. Sp. Pl. 126.—Reg. bor. temp.

*densus*, Schwein. ex Beck, Bot. U. St. 368 = *Elodea canadensis*.

# POTAMOGETON:—

*denticulatus*, Link. in Buch, Besch. Canar. Ins. 138 = *pusillus*.

*denticulatus*, Mohl & Schlecht. in Bot. Zeit. xiv. (1856) 783, sphalm. = *delicatulus*.

*digynus*, Wall. Cat. n. 5177.—Ind. or.  
*dimorphus*, Rafin. in Am. Monthly Mag. (1817) 358 = *P. Spirillus*.

*distachyus*, Bell. in Mém. Acad. Turin, x, xi. (1802-3) 447, in nota = *gramineus*.

*divaricatus*, Wolfg. ex Schult. Mant. iii. 355.—Hab.?  
*diversifolius*, Barton, Fl. Philad. Prod. 27 = *P. Spirillus*.  
*diversifolius*, Rafin. in Med. Repos. N. York, v. (1808) 354 = *hybridus*.

*Drummondii*, Benth. Fl. Austral. vii. 171.—Austral.  
*drupaceus*, Láng, in Flora, xxix. (1846) 472 = *pectinatus*.

*elegans*, Wall. Cat. n. 5178 = *polygonifolius*.  
*epiphydium*, Rafin. in Med. Repos. N. York, v. (1808) 354 = *natans*?

*exstipulatus*, Muhl. Cat. 18 = *pauciflorus*.  
*exstipulatus*, Willd. ex Schult. Mant. iii. 365 = *angustissimus*, *pauciflorus*.

*fasciculatus*, Wolfg. in Schult. l. c. = *marinus*.  
*filicaulis*, Schur, Enum. Pl. Transs. 633 = *pectinatus*.  
*filifolius*, Phil. Fl. Atac. 50 = *Ruppia maritima*.

*filiformis*, Nolte, Nov. Fl. Holsat. 20 = *marinus*.  
*filiformis*, Pers. Syn. i. 152 = *pectinatus*.  
*filiformis*, Pursh, ex Tuckerm. in Am. Journ. Sc. Ser. II. vi. (1848) 230 = *hybridus*.

*filiformis*, Rafin. in Med. Repos. N. York, Ser. III. ii. (1811) 409.—Am. bor.

*flabellatus*, Bab. Man. Brit. Bot. ed. III. 343 = *pectinatus*.

*flexicaulis*, Dethard. [in Strelitz. Anzeig. (1809) n. 50] ex Koch, Syn. Fl. Germ. ed. I. 576 = *praelongus*.  
*flexuosus*, Schlecht. Cat. Pl. Helv. ed. III. 23; iv. 27 = *praelongus*.

*fluitans*, Liljebl. Fl. Suec. ed. II. 71 = *sparganifolius*.  
*fluitans*, Pursh, Fl. Am. Sept. i. 120 = *Claytonii*.  
*fluitans*, Roth, Tent. Fl. Germ. i. 72; ii. 202.—Reg. temp. et trop.

*fluitans*, Sm. Fl. Brit. iii. 1391 = *rufescens*.  
*fluviatilis*, Roem. & Schult. Syst. iii. 570 (Index) = *lucens*.

*foliorum*, Rafin. in Med. Repos. N. York, Ser. III. ii. (1811) 409 = *gramineus*?

*foliosus*, Rafin. l. c. Ser. II. v. (1808) 354 = *pauciflorus*.  
*Friesii*, Rupr. Beitr. Pfl. Russl. iv. 43.—Europ.

*Gaudichaudii*, Cham. & Schlecht. in Linnaea, ii. 1827 197 = *mucronatus*?

*gemmaiparus*, Robbins, ex Morong, in Coult. Bot. Gaz. v. (1880) 51 = *pusillus*?

*glaucus*, Gueldenst. Reisen, i. 49 (Quid?).—Ross. med.  
*gracilis*, Fries, Nov. Fl. Suec. ed. II. 50.—Suecia.

*gracilis*, Wolfg. in Schult. Mant. iii. 355.—Sibir.  
*gramineus*, R. Br. Prod. 343 = *ochreatus*.  
*gramineus*, Linn. Sp. Pl. 127.—Europ.

*gramineus*, Michx. Fl. Bor. Am. i. 102 = *pauciflorus*.  
*gramineus*, Savi, Fl. Pis. i. 194 = *pusillus*.  
*gramineus*, Sm. Fl. Brit. i. 196 = *obtusifolius*.

*gramineus*, Wahlenb. Fl. Upsal. 57 = *nitens*.  
*graminifolius*, Benkö, Transs. i. 123 = *gramineus*.  
*Griffithii*, Ar. Benn. in Journ. Bot. xxi. (1883) 65.—Cambria.

*Grisebachii*, Heuff. in Verh. Zool. Bot. Ges. Wien, viii. (1858) 200 = *rutilus*.

*helodes*, Dum. Fl. Belg. 163 = *coloratus*.  
*heterophyllus*, Auct. ex Fries, Nov. Fl. Suec. ed. II. 35; Sm. ex Nym. Consp. 682 = *nitens*.

*heterophyllus*, Birol. Fl. Acon. i. 53 = *polygonifolius*!  
*heterophyllus*, Buch.-Ham. ex Wall. Cat. n. 5181 = *javanicus*.

*heterophyllus*, Ell. Sketch, i. 222 = *P. Spirillus*!  
*heterophyllus*, Schreb. Spicil. Fl. Lips. 21 = *gramineus*.  
*heterophyllus*, Torr. Comp. Fl. N. St. 88 = *hybridus*.  
*Hillii*, Morong, in Coult. Bot. Gaz. vi. (1881) 290.—Am. bor.

*Hornemannii*, E. Mey. Chlor. Hanov. 521 = *coloratus*.  
*hybridus*, Michx. Fl. Bor. Am. i. 101.—Am. bor.

*hybridus*, Petagna, Inst. Bot. ii. 289; Thuill. Fl. Par. ed. II. 86 = *gramineus*.  
*illinoensis*, Morong, in Coult. Bot. Gaz. v. 1880 5.—Am. bor.

*indicus*, Roth, ex Roem. & Schult. Syst. iii. 516 = *Aponogeton monostachyon*.  
*indicus*, Roxb. Hort. Beng. 12; Fl. Ind. i. 452. Ind. or.



## POTAMOGETON:—

intermedius, *Cham. & Schlecht. in Linnaea*, ii. (1827) 221.—Europ.  
*interruptus*, Kit. in Schult. Oestr. Fl. ed. II. i. 328 = pectinatus.  
*japonicus*, Franch. & Sav. Enum. Pl. Jap. ii. 15, nomen = mucronatus.  
*javanicus*, Hassk. in *Verh. Natuurk. Ver. Nederl. Ind.* i. (1856) 26.—As. trop.  
*Kirkii*, Syme, in Engl. Bot. ed. III. ix. 31 = natans.  
*Kochii*, F. Schultz, in Arch. Fl. Fr. et Allem. 72 = spathulatus.  
*lanceolatus*, Eichw. Skizze, 126 = lucens.  
*lanceolatus*, Fl. Corc. in Ionios Anthol. iv. 954 (err. typ. 854) = pectinatus.  
*lanceolatus*, Poir. Encyc. Suppl. iv. 536 = lanciformis.  
*lanceolatus*, Reichb. Ic. ex Nym. Consp. 681 = salicifolius.  
*lanceolatus*, Sm. Engl. Bot. t. 1985.—Anglia.  
*lancifolius*, Roth, ex Steud. Nom. ed. II. ii. 384 = densus.  
*lanciformis*, Roem. & Schult. Syst. iii. 512.—Carinthia.  
*lateralis*, Morong, in Coult. Bot. Gaz. v. (1880) 51.—Am. bor.  
*laticaulis*, Wahlenb. Fl. Suec. 111 = acutifolius.  
*latifolius*, Cham. & Schlecht. in Linnaea, ii. (1827) 731 (Index) = praec?  
*Leschenaultii*, Cham. & Schlecht. l. c. 222. t. 6. f. 23 = fluitans.  
*Liebmanni*, Buchen. in Bremen, Abh. iii. (1872) 349 = Heteranthera graminea.  
*lithuanicus*, Gorski, ex Reichb. Ic. Fl. Germ. vii. 19 = salicifolius.  
*Loeselii*, [Honck.] Verz. Aller Gew. Teutschl. 487; Roem. & Schult. Syst. iii. 508 = perfoliatus.  
*lonchites*, Tuckerm. in Am. Journ. Sc. Ser. II. vi. (1848) 226 = lucens.  
*longepedunculatus*, Mérat, Rev. Fl. Par. 494 = gramineus.  
*longifolius*, Bab. in Engl. Bot. Suppl. t. 2847; et Man. Brit. Bot. ed. I. 323 = decipiens.  
*longifolius*, J. Gay, ex Poir. Encyc. Suppl. iv. 535 = lucens.  
*lucens*, Geners. Fl. Scep. (1798) 146 = gramineus.  
*lucens*, Linn. Sp. Pl. 126.—Geront. trop.  
*lucens*, [Weber] Wigg. Prim. Fl. Holsat. 15 = praeculungus.  
*lucidus*, Gueldenst. Reisen, i. 76; Salisb. Prod. 68 = lucens.  
*macrophyllus*, Wolfg. ex Schult. Mant. iii. 358 = lucens.  
*malaianus*, Miq. Illustr. Fl. Arch. Ind. 46 = mucronatus.  
*marianensis*, Cham. & Schlecht. in Linnaea, ii. (1827) 228.—Ins. Marian.  
*marinus*, Huds. Fl. Angl. ed. II. 77; Desf. Fl. Atlant. i. 150 = pectinatus.  
*marinus*, Linn. Sp. Pl. 127.—Europ.  
*marinus*, Pall. Reise, ii. 393 = pusillus.  
*maritimus*, Pohl, Tent. Fl. Bohem. i. 159, in syn. = marinus.  
*mascarensis*, Cham. & Schlecht. in Linnaea, ii. (1827) 228.—Ins. Mascar.  
*maximus*, Roehl. ex Steud. Nom. ed. I. 648, 649 = densus.  
*microcarpus*, Boiss. & Reut. Diagn. Pl. Nov. Hisp. 24 = polygonifolius.  
*microstachys*, Wolfg. ex Schult. Mant. iii. 360 = rufescens.  
*monogynus*, J. Gay, ex Webb & Berth. Phyt. Canar. iii. 300 = trichoides.  
*monogynus*, J. Gay, in Coss. & Germ. Suppl. Fl. Par. 89; Fl. Par. 572.—Europ.  
*montanus*, Presl, Rel. Haenk. ii. 85.—Am. austr.  
*mucronatus*, Nym. Syll. 387 = pusillus.  
*mucronatus*, Presl, Epim. Bot. 245.—Ins. Philipp.  
*mucronatus*, Schrad. ex Roem. & Schult. Syst. iii. 517 = Friesii vel lucens.  
*mysticus*, Morong, in Coult. Bot. Gaz. v. (1880) 50.—Am. bor.  
*natans*, Linn. Sp. Pl. 126.—Reg. temp. et subtrop.  
*natans*, Sturm, Deutschl. Fl. Heft 9 = polygonifolius.  
*natans*, Thunb. Prod. Pl. Cap. 32 = Thunbergii.  
*nerviger*, Wolfg. ex Schult. Mant. iii. 359 = rufescens.  
*nervigerus*, Eichw. Skizze, 125 = praec.  
*niagarensis*, Tuckerm. in Am. Journ. Sc. Ser. II. vii. (1849) 354.—Am. bor.  
*nigrescens*, Fries, Mant. iii. 17 = rufescens.  
*nitens*, Weber, Fl. Holsat. Suppl. n. 11.—Europ.

## POTAMOGETON:—

*nitens*, Willd. ex Cham. & Schlecht. in Linnaea, ii. (1827) 202 = lucens.  
*nodosus*, Poir. Encyc. Suppl. iv. 535 = fluitans.  
*Nuttallii*, Cham. & Schlecht. in Linnaea, ii. (1827) 226 = Claytonii?  
*Oakesianus*, Robbins, ex A. Gray, Man. Bot. U. St. ed. V. 485.—Am. bor.  
*oblongifolius*, Hook. f. Handb. N. Zeal. Fl. 742 = gramineus.  
*oblongo-rufescens*, Schultz, in Flora, xii. (1829) 230 = spathulatus.  
*oblongus*, E. Mey. Chlor. Hanov. 519 = fluitans.  
*oblongus*, Viv. Fragm. Fl. Ital. i. 1. t. 2 = polygonifolius.  
*obtusifolius*, Wood, Class-Book (1845), 178; (1861) 675 = rufescens.  
*obscurus*, DC. Fl. Fr. Suppl. 311 = rufescens.  
*obtusifolius*, Mert. & Koch, Deutschl. Fl. i. 855.—Reg. temp. bor. et austr.  
*obtusifolius*, Ducros, ex Gaud. Fl. Helv. i. 546 = rufescens.  
*occidentalis*, Sieber, ex Cham. & Schlecht. in Linnaea, ii. (1827) 224.—Ins. Martinic.  
*ochreatus*, Raoul, in Ann. Sc. Nat. Sér. III. ii. (1844) 117.—N. Zel.  
*octandrus*, Poir. Encyc. Suppl. iv. 534.  
*Oederi*, G. F. W. Mey. Fl. Hanov. Excurs. 536 = Friesii.  
*oppositifolius*, DC. Bot. Gall. iii. 186 = densus.  
*owaihiensis*, Cham. & Schlecht. in Linnaea, ii. (1827) 228.—Ins. Sandvic.  
*oxyphyllus*, Miq. Ann. Mus. Bot. Lugd. Bat. iii. 161.—Japan.  
*paludosus*, Bory, ex Cham. & Schlecht. in Linnaea, ii. (1827) 216 = natans.  
*palustris*, Teesd. in Trans. Linn. Soc. v. (1800) 43 = gramineus.  
*panormitanus*, Bivona, in Bivona f. Ined. 6; ex Guss. Fl. Sic. Syn. i. 207 = pusillus.  
*parnassifolius*, Schrad. ex Mert. & Koch, Deutschl. Fl. i. 839 = natans.  
*parvifolius*, Buchen. in Bremen, Abh. vii. (1880) 32 = javanicus.  
*pauciflorus*, Lam. Fl. Fr. iii. 209 = densus.  
*pauciflorus*, Pursh, Fl. Am. Sept. i. 121.—Am. bor.  
*pauciflorus*, Opiz, in Flora, v. (1822) 266 = gramineus.  
*pectinatus*, Linn. Sp. Pl. 127.—Reg. temp. bor. et austr.  
*pensylvanicus*, Willd. ex Cham. & Schlecht. in Linnaea, ii. (1827) 227 = Claytonii.  
*perfoliatus*, Linn. Sp. Pl. 126.—Reg. temp. bor. et austr.  
*petiolaris*, Pursh, Fl. Am. Sept. i. 121.—Am. bor.  
*petiolaris*, Rafin. in Med. Repos. N. York, Ser. III. ii. (1811) 409 (Quid?).—Am. bor.  
*petiolaris*, Presl, Delic. Prag. 151 = natans.  
*petiolaris*, Rafin. in Med. Repos. N. York, Ser. III. ii. (1811) 409 (Quid?).—Am. bor.  
*petiolaris*, Presl, Delic. Prag. 151 = natans.  
*plantagineus*, Du Croz, ex Roem. & Schult. Syst. iii. 504 = coloratus.  
*Plantago*, Batard, Fl. Maine-et-Loire, 64 = natans.  
*polygonifolius*, Pourr. in Mém. Acad. Toul. iii. (1788) 325.—Europ.  
*polygonus*, Cham. in Linnaea, ii. (1827) 184. t. 4. f. 11.—Bras.  
*porcatus*, Muhl. Cat. 18 = P. Spirillus.  
*praelongus*, Bréb. Fl. Normand. ed. II. 250 = nitens.  
*praelongus*, F. Muell. Fragm. viii. 217 = perfoliatus?  
*praelongus*, Wulf. in Roem. Arch. iii. III. (1805) 331.—Europ.  
*Proteus*, Cham. & Schlecht. in Linnaea, ii. (1827) 196. t. 5. f. 16, a, b = lucens.  
*pulcher*, Tuckerm. in Am. Journ. Sc. Ser. I. xlv. (1843) 38.—Am. bor.  
*pumilus*, Wolfg. ex Schult. Mant. iii. 354 = Claytonii.  
*purpurascens*, Seidl, ex J. & C. Presl, Fl. Čech. 37 = rufescens.  
*Purshii*, Tuckerm. in Am. Journ. Sc. Ser. II. vi. (1848) 228 = Claytonii?  
*pusillus*, Linn. Sp. Pl. 127.—Reg. temp. bor. et austr.  
*reptans*, Humnicki, Cat. Pl. Luxeuil (1876), 61.—Europ.  
*rigidus*, Wolfg. in Schult. Mant. iii. 359.—Europ.  
*Robbinsii*, Oakes, in Hovey, Mag. Hort. vii. (1841) 180.—Am. bor.  
*rotundifolius*, Schultz, Prod. Fl. Starg. Suppl. i. 9 = lucens.  
*Roxburghianus*, Schult. Mant. iii. 367 = indicus.  
*rufescens*, Schrad. in Cham. Adn. ad Fl. Berol. (1815) 4.—Reg. bor. temp.  
*rutulus*, Wolfg. in Schult. Mant. iii. 362.—Lithuan.  
*salicifolius*, Wolfg. l. c. 355.—Lithuan.  
*semipellucidus*, Koch & Ziz, Cat. Pl. Palat. 5, 18 = rufescens.

## POTAMOGETON:—

*serotinus*, Schrad. ex Schult. Mant. iii. 351 = natans.  
*serratus*, Huds. Fl. Angl. ed. I. 61 = crispus.  
*serratus*, Linn. Sp. Pl. 126 = densus.  
*serratus*, Roth, Tent. Fl. Germ. i. 73 = rufescens.  
*serratus*, Scop. Fl. Carn. ed. II. i. 117 = praelongus.  
*serratus*, [Weber,] Wigg. Prim. Fl. Holsat. 16 = lucens.  
*serrulatus*, Opiz, in Flora, v. (1822) 267 = crispus.  
*serrulatus*, Regel & Maack, in Regel, Tent. Fl. Ussur. 139.—Reg. Amur.  
*setaceus*, Gilib. ex Schult. Mant. iii. 355 = divaricatus.  
*setaceus*, Linn. Sp. Pl. 127 = densus.  
*setaceus*, Pursh, Fl. Am. Sept. i. 120 = hybridus.  
*setaceus*, Schum. Enum. Fl. Saell. i. 51 = pectinatus.  
*setaceus*, Tausch, in Flora, xix. (1836) 423 = densus.  
*siculus*, Bercht. & Presl, Rostl. i. Alismac. 21 (Quid?).—Sicilia.  
*siculus*, Tineo, ex Guss. Syn. Fl. Sic. ii. 790 = coloratus.  
*sparganiifolius*, Bab. Man. Brit. Bot. ed. VI. 363 = natans.  
*sparganiifolius*, Laestad. ex Fries, Nov. Fl. Suec. Mant. i. 9 = lucens.  
*spathaeformis*, Tuckerm. ex A. Gray, Man. Bot. U. St. ed. V. 487 = gramineus?  
*spathulatus*, Auct. ex Nym. Consp. 681 = fluitans.  
*spathulatus*, Schrad. ex Koch & Ziz, Cat. Pl. Palat. 5, 18.—German.  
*Spirillus*, Tuckerm. in Am. Journ. Sc. Ser. II. vi. (1848) 228.—Am. bor.  
*striatus*, Ruiz & Pav. Fl. Per. i. 70. t. 136. f. b.—Peruv.  
*strictus*, Phil. Fl. Atac. 50 = pectinatus.  
*Sturrockii*, Ar. Benn. in Scott. Natural. N. S. i. (1883) 27 = pusillus.  
*subflavus*, Loret & Barr. Fl. Montp. 671.—Gallia.  
*subtrichoides*, Schur, Enum. Pl. Transs. 633 = pusillus.  
*sumatranus*, Miq. Fl. Ind. Bat. Suppl. 597.—Sumatra.  
*syriacus*, Cham. & Schlecht. in Linnaea, ii. (1827) 227.—Syria.  
*tataricus*, Less. l. c. ix. (1834) 206 = obtusifolius.  
*tenuicaulis*, F. Muell. Fragm. i. 90, 244 = javanicus.  
*tenuifolius*, H. B. & K. Nov. Gen. et Sp. i. 296.—N. Granat.  
*tenuifolius*, Rafin. in Med. Repos. N. York, Ser. III. ii. (1811) 409 (Quid?).—Am. bor.  
*tenuissimus*, Hook. f. in Trans. Linn. Soc. xxiii. (1861) 342 = pusillus.  
*Thunbergii*, Cham. & Schlecht. in Linnaea, ii. (1827) 221.—Afr. austr.  
*trichoides*, Benth. Pl. Hartw. 341; Schur, in Oestr. Bot. Zeitschr. xx. (1870) 281 = pusillus.  
*trichoides*, Cham. & Schlecht. in Linnaea, ii. (1827) 175.—Europ.  
*trichoides*, Tuckerm. in Am. Journ. Sc. Ser. II. vii. (1849) 358 = Tuckermani.  
*tuberculatus*, Tenore & Guss. Fl. Neap. Syll. App. v. 4 = trichoides.  
*tuberosus*, Roxb. Hort. Beng. 12; Fl. Ind. i. 452 = crispus.  
*Tuckermani*, Robbins, ex A. Gray, Fl. U. St. ed. II. 434.—Am. bor.  
*uliginosus*, Boenn. ex Cham. & Schlecht. in Linnaea, ii. (1827) 216 = natans.  
*undulatus*, Wolfg. in Schult. Mant. iii. 360.—Lithuan.  
*upsaliensis*, Tiselius, in Bot. Notiser (1884), 15.—Europ.  
*vaginalis*, J. Fisch. Verz. Gefaesspfl. Neu-Vorpom. (1861) 40 = seq.  
*vaginatus*, Turcz. in Bull. Soc. Nat. Mosc. (1838) i. 102; xxviii. (1854) ii. 66 = pectinatus.  
*Vaillantii*, Roem. & Schult. Syst. iii. 514 = pectinatus.  
*variifolius*, Thore, Chlor. Land. 47 = natans.  
*Vaseyi*, Robbins, ex A. Gray, Fl. N. U. St. ed. V. 485.—Am. bor.  
*volhynicus*, Bess. ex Roem. & Schult. Syst. iii. 509, in obs. = lucens?  
*Zetterstedtii*, Wallm. in Bot. Zeit. i. (1843) 256.—Am. bor.  
*Zizii*, Koch, ex Roth, Enum. Pl. Germ. i. 531 = lucens.  
*zosteraceus*, Bab. Man. Brit. Bot. ed. I. 325 = pectinatus.  
*zosteraceus*, Fries, Nov. Fl. Suec. ed. II. 51.—Europ. bor.  
*zosterifolius*, Schum. Enum. Pl. Saell. i. 50.—Reg. bor. temp.  
*zosterophyllus*, Dum. Fl. Belg. 164 = praec.



POTAMOGETON, Walt. Fl. Carol. 90 (1788) = *Myriophyllum*, Ponted. (Halor.).  
*pinnatum*, Walt. l. c. = *M. scabratum*.  
*verticillatum*, Walt. l. c. = *M. heterophyllum*.

POTAMOGETUM, [Clairv.] Man. Herb. 34, 44 (1811) = *Potamogeton*, Tourn. (Naiad.).

POTAMOGITON, Rafin. in Med. Repos. N. York, v. (1808) 354 = *Potamogeton*, Tourn. (Naiad.).

POTAMOPHILA, R. Br. Prod. 211 (1810). *GRAMINEAE*, Benth. & Hook. f. iii. 1116.

*MALTEBRUNIA*, Kunth, Rév. Gram. i. 183. t. 3 (1830).

*leersoides*, Benth. in Journ. Linn. Soc. xix. (1881) 55.—Madag.

*parviflora*, R. Br. Prod. 211.—Austral.

*prehensilis*, Benth. in Journ. Linn. Soc. xix. (1881) 55.—Madag.

POTAMOPHILA, Schrank, Pl. Rar. Hort. Monac. ii. t. 63 (1819) = *Microtea*, Sw. (Phytolacc.).  
*parviflora*, Schrank, l. c. = *M. maypurensis*.

POTAMOPITYS, Buxb. ex Adans. Fam. ii. 256 (1763) = *Elatine*, Linn.

*Alsinastrum*, Fourr. in Ann. Soc. Linn. Lyon, N. S. xvi. (1868) 349 = *E. Alsinastrum*.

POTAMOXYLON, Rafin. Sylva Tellur. 78 (1838) = *Tabebuia*, Gomez (Bignon.).  
*alba*, Rafin. l. c. = *T. fluvialis*.

POTANINIA, Maxim. in Bull. Acad. Pétersb. xxvii. (1881) 465. *ROSACEAE*.  
*mongolica*, Maxim. l. c. 466.—As. or.

POTANISIA, Wawra in Sitzb. Akad. Wien, Math.-Nat. xxxviii. (1860) 566 (err. typ.) = *POLANISIA*, Rafin. = *Cleome*, Linn. (Cappar.).

POTENTILLA, Linn. Syst. ed. I (1735); Gen. ed. I. 147 (1737). *ROSACEAE*, Benth. & Hook. f. i. 620.

*BOOTIA*, Bigel. Fl. Bost. ed. II. 351 (1824).

*CHAMAEPHYTON*, Fourr. in Ann. Soc. Linn. Lyon, N. S. xvi. (1868) 371.

*COELAS*, Dulac, Fl. Hautes-Pyr. 303 (1867).

*COMARUM*, Linn. Gen. ed. I. 148 (1737).

*DACTYLOPHYLLUM*, Spenn. Fl. Friib. iii. 1034 (1829).

*DRYADANTHE*, Endl. Gen. 1242 (1840).

*DRYMOCALLIS*, Fourr. in Ann. Soc. Linn. Lyon, N. S. xvi. (1868) 371.

*DYNAMIDIUM*, Fourr. l. c. (1868).

*FRAGA*, Lapeyr. Hist. Abr. Pl. Pyr. 287 (1813).

*FRAGARIASTRUM*, Schur, Enum. Pl. Transs. 187 (1866).

*HORKELIA*, Cham. & Schlecht. in Linnaea, ii. (1827) 26.

*HYPARGYRIUM*, Fourr. in Ann. Soc. Linn. Lyon, N. S. xvi. (1868) 371.

*IVESIA*, Torr. & Gray, ex Torr. in Pacif. Rail. Rep. vi. 72 (1857).

*JUSSIEA*, Linn. Laches. Lapp. i. 284 (1811).

*LEHMANNIA*, Tratt. Ros. Monog. iv. 144 (1824).

*PANCOVIA*, Heist. ex Adans. Fam. ii. 294 (1763).

*PENTAPHYLLUM*, Gaertn. Fruct. i. 349. t. 73 (1788).

*POTENTILLOPSIS*, Opiz, in Lotos, vii. (1857) 30.

*QUINQUEFOLIUM*, Tourn. ex Adans. Fam. ii. 295 (1763).

*SIBBALDIA*, Linn. Sp. Pl. ed. I. 284 (1753).

*TORMENTILLA*, Linn. Gen. ed. I. 147 (1737).

*TRICHOHALAMUS*, Lehm. in Nov. Act. Nat. Cur. x. (1821) 585. t. 49.

*TRIDOPHYLLUM*, Neck. Elem. ii. 93 (1790).

*abbreviata*, Zimm. Gatt. Potentill. 19.—Europ.

*abnormis*, Lehm. Del. Sem. Hort. Hamb. (1849) 11; et in Pugill. ix. 19.—Oriens.

*absinthifolia*, Dougl. ex Hook. Fl. Bor. Am. i. 188 = pensylvanica.

*abyssinica*, A. Rich. Tent. Fl. Abyss. i. 257 = reptans.

*acaulis*, Linn. Sp. Pl. 500 = subcaulis.

*acutifolia*, Gilib. Fl. Lituan. ii. 253 = recta.

## POTENTILLA:—

*adenophylla*, Boiss. & Hohen. Diagn. Ser. I. iii. 5.—Armenia.

*adnata*, Wall. ex Lehm. Del. Sem. Hort. Hamb. (1849) 7; et in Pugill. ix. 9 = *Geum elatum*.

*adpressa*, Opiz, Seznam, 79 = collina.

*adscendens*, Baumg. Enum. Stirp. Transs. ii. 62 = heptaphylla.

*adscendens*, Lapeyr. Hist. Abr. Pl. Pyr. 289 = aurea.

*adscendens*, Waldst. & Kit. ex Willd. Enum. Hort. Berol. 554 = inclinata.

*adscendens*, Wolf, ex Reichb. Fl. Germ. Excurs. 593 = chrysantha.

*adscendens*, Zimm. Gatt. Potentill. 6 = *ascendens*.

*affinis*, Host, Fl. Austr. ii. 41 = aurea.

*africarum*, Jord. ex Verlot, Cat. Pl. Jard. Grenoble (1856), 28 (Quid?).—Hab.?

*agrimonoides*, Bieb. Fl. Taur. Cauc. i. 403 = sericea.

*agriaga*, Timb. in Bull. Soc. Hist. Nat. Toul. iv. (1870) 46 = verna.

*alba*, Cav. & Pourr. ex Willk. & Lange, Prod. Fl. Hisp. iii. 228 = caulescens.

*alba*, Linn. Sp. Pl. 498.—Europ.; Reg. Caucas.

*albescens*, Opiz, Seznam, 79; et ex Zimm. Gatt. Potentill. 19 = collina.

*albifolia*, Wall. Cat. n. 1018 = micropetala.

*albo-villosa*, Schur, Enum. Pl. Transs. 191 = argentea.

*alchemilloides*, Lapeyr. in Mém. Acad. Toul. i. (1782) 210. t. 17.—Mont. Pyren.

*alchemilloides*, Willd. ex Schlecht. in Ges. Naturf. Fr. Berl. Mag. vii. (1813) 291 = heptaphylla.

*alpestris*, Boiss. & Buhse, in Nouv. Mém. Soc. Nat. Mosc. xii. (1860) 83; Boiss. Fl. Orient. ii. 719 = Bungei.

*alpestris*, Hall. f. in Ser. Mus. Helvet. i. (1818) 53 = aurea.

*alpestris*, Hook. f. & Thoms. ex Hook. f. Fl. Brit. Ind. ii. 357 = gelida.

*alpicola*, La Soie, in Bull. Soc. Murith. v. (1875) 18 = aurea?

*alpigena*, Jord. ex Verlot, Cat. Pl. Jard. Grenoble (1856), 28 = aurea.

*alpina*, Dalla Torre, Atl. Alpenfl. 91 = aurea?

*altaica*, Bunge, in Ledeb. Fl. Atl. ii. 252 = multifida.

*alterniflora*, Rich. ex Nestl. Monog. Pot. 41 = recta.

*alternifolia*, Steud. Nom. ed. II. ii. 386, sphalm. = praec.

*Amansiana*, F. Schultz, Arch. Fl. 219, 228, 377 = verna.

*ambigua*, Cambess. in Jacquem. Voy. Bot. 51. t. 62.—Reg. Himal.

*ambigua*, Gaud. Fl. Helv. iii. 391 = aurea.

*ambibola*, Schur, Enum. Pl. Transs. 198 = heptaphylla.

*amurensis*, Maxim. Prim. Fl. Amur. 98 = supina.

*ancistrifolia*, Bunge, in Ledeb. Fl. Alt. ii. 99.—China.

*ancistrifolia*, Galeotti, ex Lehm. Del. Sem. Hort. Hamb. (1849) 6; et in Pugill. ix. 1 = Richardii.

*andicola*, Benth. Pl. Hartw. 172.—N. Granat.

*anemonefolia*, Lehm. Ind. Sem. Hort. Hamb. (1853) 9; et in Hamb. Gartenz. ix. (1853) 505.—Japon.

*angustifolia*, DC. Fl. Fr. Suppl. 540 = hirta.

*angustifolia*, Rafin. Fl. Tellur. ii. 56 = palustris.

*angustifolia*, Willd. ex Schlecht. in Ges. Naturf. Fr. Berl. Mag. vii. (1813) 296 = nivea.

*anomala*, Ledeb. Fl. Ross. ii. 53 = reptans.

*Anserina*, Linn. Sp. Pl. 495.—Reg. temp. bor. et austr.

*anserinoides*, Raoul, in Ann. Sc. Nat. Sér. III. ii. (1844) 123 = praec.

*apennina*, Tenore, Cat. Hort. Neap. (1815) 50; et Fl. Nap. i. 291. t. 46.—Mont. Apennin.

*approximata*, Bunge, in Ledeb. Fl. Alt. ii. 241.—Reg. Caucas.; Sibir.

*arachnoidea*, Dougl. ex Steud. Nom. ed. II. ii. 386 = pensylvanica.

*Arbuscula*, D. Don, Prod. Fl. Nep. 256 = fruticosa.

*arctica*, Hort. ex Lehm. in Nov. Act. Nat. Cur. xxiii. Suppl. (1856) 50 = arguta.

*arenaria*, Borck. ex Gaertn. Mey. & Scherb. Fl. Wett. ii. 248 = subcaulis.

*argaea*, Boiss. Diagn. Ser. II. vi. 70.—As. Min.

*argata*, Jord. ex Verlot, Cat. Pl. Jard. Grenoble (1856), 28 = seq.

*argentea*, Linn. Sp. Pl. 497.—Reg. bor. temp.

*argentea*, Willd. ex Ledeb. Fl. Ross. ii. 48 = dealbata.

*argenteaformis*, Kauffm. ex Trautv. in Act. Hort. Petrop. viii. (1883) 313.—Ross. med.

## POTENTILLA:—

*argentina*, Huds. Fl. Angl. ed. I. 195 = *P. Anserina*.

*arguta*, Lehm. Pugill. iii. 25 = pensylvanica, glandulosa.

*arguta*, Nutt. in Journ. Acad. Philad. vii. (1834) 21 = glandulosa.

*arguta*, Pursh, Fl. Am. Sept. ii. 636.—Am. bor.

*argyroloma*, Boiss. & Hohen. Diagn. Ser. I. x. 6.—Persia.

*argyrophylla*, Wall. Cat. n. 1020.—Reg. Himal.

*ascendens* x, Gremli, Beitr. Fl. Schweiz, 68.—Europ.

*aspririma*, Turcz. in Bull. Soc. Nat. Mosc. xvi. (1843) 609.—Sibir. altaica.

*assurgens*, Vill. Fl. Delph. 51 = inclinata.

*astracanica*, Jacq. Misc. ii. 349 = recta.

*astragalifolia*, Bunge, in Ledeb. Fl. Alt. ii. 246 = bifurca.

*Atropos*, Hoffmeister. Briefe aus Indien, App. ii. 364, nomen (sp. dub.).—Reg. Himal.

*atropurpurea*, De Vriese, Tuinb. Fl. i. (1855) 268, sphalm. = seq.

*atrosanguinea*, Lodd. Bot. Cab. t. 786 = argyrophylla.

*aurea*, Linn. Cent. Pl. ii. 18; Amoen. Acad. iv. 316.—Europ.

*aurigena*, Kern. ex Zimm. Gatt. Potentill. 22 = verna.

*aurulenta*, Gremli, Fl. Schweiz, ed. I. p. xii.—Helvet.

*australis*, Jord. ex Verlot, Cat. Pl. Jard. Grenoble (1856), 28 = hirta.

*australis*, Timb. in Bull. Soc. Hist. Nat. Toul. iv. (1870) 47 = verna.

*autaretica*, Jord. ex Verlot, Cat. Pl. Jard. Grenoble (1856), 28 = heptaphylla.

*autumnalis*, Opiz, ex Zimm. Gatt. Potentill. 19 (Quid?).—Europ.

*axilliflora*, Hook. f. Fl. Brit. Ind. ii. 346.—Reg. Himal.

*baldensis*, Kern. in Oestr. Bot. Zeitschr. xx. (1870) 220, nomen = aurea.

*bannehalensis*, Cambess. in Jacquem. Voy. Bot. 52 = Leschenaultiana.

*barbata*, Wall. Cat. n. 1030 = Mooniana.

*Bauhini*, Hort. ex Schlecht. in Linnaea, ii. (1827) 26 = heptaphylla.

*Baumgarteniana*, Schur, Enum. Pl. Transs. 191 = inclinata.

*bellunensis*, Huter & Porta, ex Zimm. Gatt. Potentill. 23 = aurea.

*Beniczkyi*, Frivald. in Flora, xix. (1836) 437 = rupestris.

*Benyctzkyi*, Steud. Nom. ed. II. ii. 386 = praec.

*betonicaefolia*, Poir. Encyc. v. 601 = nivea.

*bicolor*, Lindl. Bot. Reg. (1845) t. 62 = nepalensis.

*bidens*, Bertol. Misc. Bot. xxiv. 16 = bifurca.

*Biebersteiniana*, Tratt. Ros. Monog. iv. n. 24 = pensylvanica.

*bifida*, Pall. Reise, i. 215; ii. 523 = bifurca.

*biflora*, Willd. ex Schlecht. in Ges. Naturf. Fr. Berl. Mag. vii. (1813) 297.—Reg. bor. temp. et arct.

*bifolia*, Walp. Ann. ii. 470, sphalm. = praec.

*bifurca*, Linn. Sp. Pl. 497.—Reg. Caucas.; As. bor.

*bifurcata*, Poir. Encyc. v. 587 = praec.

*bifurcata*, Wall. ex Hook. f. Fl. Brit. Ind. ii. 355 = nepalensis.

*Bigeloviana*, Wender. in Linnaea, xvi. (1842) Litt. 112 = arguta.

*Billotii*, Boulay, in Billotia, i. (1869) 111 = verna.

*bipinnatifida*, Dougl. ex Hook. Fl. Bor. Am. i. 188 = pensylvanica.

*biserrata*, Schur, Enum. Pl. Transs. 198 = heptaphylla.

*bithynica*, Hornem. Hort. Hafn. Suppl. 55 = aurea.

*Blaschkeana*, Turcz. ex Lehm. Ind. Sem. Hort. Hamb. (1853) 9; et in Hamb. Gartenz. ix. (1853) 506 = gracilis.

*Bocconi*, Nestl. Monog. Pot. 73. t. 10. f. 2 = apennina.

*Bogenhardiana*, F. Schultz, in Flora, xlv. (1862) 461 = *P. Fragariastrum*.

*bolanensis*, Zimm. Gatt. Potentill. 21 = verna.

*Bouquojana*, Nym. Consp. 225 (*Buquoyana*) = heptaphylla.

*brachyloba*, Borb. ex Zimm. Gatt. Potentill. 11 = collina.

*brachypetala*, Fisch. & Mey. ex Lehm. Del. Sem. Hort. Hamb. (1849) 9.—Reg. Caucas.

*Brauniana*, Hoppe, Bot. Taschenb. (1800) 137 = minima.

*Breisnii*, Hort. ex Lehm. in Nov. Act. Nat. Cur. xxiii. Suppl. (1856) 49 = glandulosa.



**POTENTILLA:—**

*brevifolia*, Nutt. ex Torr. & Gray, *Fl. N. Am.* i. 442.—Am. bor.  
*breviscapa*, Vest. in *Flora*, iv. (1821) 158 = *micrantha*.  
*brevissica*, Bertol. *Misc. Bot.* xxiv. 17 = *multifida*.  
 Breweri, S. Wats. in *Proc. Am. Acad.* viii. (1873) 555.—Calif.  
*brutia*, Tenore, ex Nym. *Consp.* 224 = *argentea*.  
*Buccoana*, Clem. in *Mem. Acc. Sc. Torin*, Ser. II. xvi. (1857) 275.—Bithynia.  
*Buguoayana*, Knaf, in *Flora*, xxx. (1847) 181 = *heptaphylla*.  
 Bungei, Boiss. *Fl. Orient.* ii. 718.—Persia.  
*caespitosa*, Lehm. *Del. Sem. Hort. Hamb.* (1849) 10; et in *Pugill.* ix. 17 = *nivea*.  
*calabra*, Tenore, *Prod. Fl. Nap. Suppl.* ii. 47 = *argentea*.  
*calycina*, Boiss. & Bal. *Diagn.* Ser. II. v. 94.—Kurdist.  
*calycina*, Ehrenb. ex Boiss. *Fl. Orient.* ii. 704 = *libanotica*.  
*camonia*, Rota, *Prosp. Fl. Bergamo*, 99 (Quid?).—Europ. austr.  
*campestris*, Nutt. ex Torr. & Gray, *Fl. N. Am.* i. 439 = *dissecta*.  
*campicola*, Jord. ex Verlot, *Cat. Pl. Jard. Grenoble*, (1856) 28 = *aurea*.  
*cana*, Jord. l. c. = *argentea*.  
*cana*, Wall. ex Hook. f. *Fl. Brit. Ind.* ii. 359 = *supina*.  
*canadensis*, Linn. *Sp. Pl.* 498.—Am. bor.  
*candicans*, Fisch. ex Lehm. in *Nov. Act. Nat. Cur.* xxiii. *Suppl.* (1856) 60 = *pennsylvanica*.  
*candicans*, H. B. & K. *Nov. Gen. et Sp.* vi. 216.—Am. austr.  
*candicans*, Schlecht. in *Ges. Naturf. Fr. Berl. Mag.* vii. (1813) 285 = *P. Anserina*?  
*Candolleana*, Royle, *Illustr. Bot. Himal.* 203 = *argyrophylla*.  
 Candollei, Jeanb. & Timb. in *Bull. Soc. Sc. Phys. et Nat. Toul.* iii. (1875-76) 563.—Hab.?  
*canescens*, Bess. *Fl. Galic.* i. 330 = *inclinata*.  
*canescens*, Hartm. *Scand. Fl. ed. I.* 200 = *collina*.  
*canescens*, Spreng. *Syst.* ii. 537, ex parte = *humifusa*.  
*cappadocica*, Boiss. *Diagn.* Ser. I. iii. 6.—As. Min.  
*cardiopetala*, Bess. ex DC. *Prod.* ii. 579 = *recta*.  
*carniolica*, Kern. in *Oestr. Bot. Zeitschr.* xx. (1870) 44.—Austria.  
*caroliniana*, Poir. *Encyc.* v. 595 = *canadensis*.  
*cataclines*, Lehm. *Pugill.* iii. 37 = *argyrophylla*.  
*caulescens*, Linn. *Cent. Pl.* ii. 19; *Amoen. Acad.* iv. 317.—Europ. austr.  
*caulescens*, Scop. *Fl. Carn. ed. II.* i. 361 = *Clusiana*.  
*Cautleyana*, Royle, *Illustr. Bot. Himal.* 207 = *argyrophylla*.  
*centigrana*, Maxim. in *Bull. Acad. Pétersb.* xviii. (1874) 163.—Japan.  
*Charpentieri* ×, Bruegg. in *Jahresb. Naturf. Ges. Graub.* II. xxiii-xxiv. (1880) 60.—Europ.  
*Chaubardiana*, Timb. in *Mém. Acad. Toul. Sér. IV.* vi. (1856) 141 = *verna*.  
*chinensis*, Ser. in *DC. Prod.* ii. 581.—China.  
*chrysantha*, Griseb. *Spicil. Fl. Rumel.* i. 98 = *hirta*.  
*chrysantha*, Lehm. in *Nov. Act. Nat. Cur.* xxiii. *Suppl.* (1856) 78 = *gracilis*?  
*chrysantha*, Reichb. *Fl. Germ. Excurs.* 593 = *heptaphylla*.  
*chrysantha*, Trevir. *Ind. Sem. Hort. Vratisl.* (1818) 5; *Reichb. Pl. Crit.* vi. 21. f. 808.—Europ.  
*chrysocraspeda*, Lehm. *Del. Sem. Hort. Hamb.* (1849) 10; *Pugill.* ix. 15 = *aurea*.  
*chrysopetala*, Bess. ex DC. *Prod.* ii. 578 = *hirta*.  
*cicutariaefolia*, Willd. *Sp. Pl.* ii. 1098 = *supina*.  
*cilicia*, Boiss. *Diagn.* Ser. I. iii. 7 = *Kotschyana*.  
*cinerascens*, Bertol. in *Mem. Acad. Sc. Bolog. Ser. II.* iii. (1863) 421 = *sericea*.  
*cinerea*, Chaix, ex Vill. *Prosp.* 46; *Hist. Pl. Dauph.* iii. 567 = *subacaulis*.  
*cinerea*, Willd. ex Schlecht. in *Ges. Naturf. Fr. Berl. Mag.* vii. (1813) 296; Rafin. ex DC. *Prod.* ii. 577 = *argentea*.  
 Clarkei, Hook. f. *Fl. Brit. Ind.* ii. 351.—Reg. Himal.  
*Clarkiana*, Kellogg, in *Proc. Calif. Acad.* vii. (1877) 94 = *Grayi*?  
*Clementi*, Jord. *Pugill.* 70 = *subacaulis*.  
*clivicola*, Jord. *Cat. Jard. Grenoble* (1856) = *aurea*.  
*Clusiana*, Geners. *Elench. Scepus.* n. 277; ex Wahlenb. *Fl. Carpat.* 157 = *alba*.  
*Clusiana*, Jacq. *Fl. Austr.* ii. 10. t. 116.—Austria.

**POTENTILLA:—**

*coccinea*, Hoffmeister. *Briefe aus Indien*, App. ii. 364, nomen = *nepalensis*.  
 Collettiana, Aitch. & Hemsl. in *Journ. Linn. Soc.* xviii. (1880) 53.—Afghan.  
*collina*, Gren. & Godr. *Fl. Fr.* i. 533 = *argentea*.  
*collina*, Wibel, *Prim. Fl. Werth.* ii. 267.—Europ.; As. Min.  
*colorata*, Lehm. *Sem. Hort. Hamb.* (1821) 8 = *nepalensis*.  
*comariformis*, St. Lag. in *Ann. Soc. Bot. Lyon*, vii. (1880) 132 = *palustris*.  
*comaroides*, Humb. & Bonpl. ex Nestl. *Monog. Pot.* 62. t. 4. f. 3.—Mexic.  
*comaroides*, Steph. ex Ledeb. *Fl. Ross.* ii. 50 = *stipularis*.  
*Comarum*, Nestl. *Monog. Pot.* 36 = *palustris*.  
*commutata*, Lehm. *Pugill.* iii. 16 = *microphylla*.  
*concinna*, A. Gray, in *Am. Journ. Sc. Ser. II.* xxxiii. (1862) 411 = *gracilis*.  
*concinna*, Richards. in *Frankl. Journ. ed. II.* App. 20 = *humifusa*.  
*conferta*, Bunge, in *Ledeb. Fl. Alt.* ii. 240 = *pennsylvanica*.  
*confertiflora*, Torr. *Fl. U. St.* i. 499 = *arguta*.  
*confinis*, Jord. *Pugill.* 68 = *argentea*.  
*congesta*, Baill. *Hist. Pl.* i. 369.—Calif.  
*cordata*, Schrank, *Prim. Fl. Salisb.* 130 = *alba*.  
*coriandriifolia*, D. Don, *Prod. Fl. Nep.* 232.—Reg. Himal.  
*corsica*, Sieber, ex Lehm. *Del. Sem. Hort. Hamb.* (1849) 9 = *crassinervia*.  
*corsica*, Soleir. ex Lehm. l. c. 7; et *Pugill.* ix. 8.—Corsica.  
*corymbosa*, Moench, *Meth. Suppl.* 279 = *recta*.  
*corymbosa*, Pourr. in *Mém. Acad. Toul.* iii. (1788) 325 = *caulescens*.  
*coryphea*, Jord. ex Verlot, *Cat. Pl. Jard. Grenoble* (1856), 28 = *aurea*.  
*crassa*, Tausch, ex Opiz, *Boehm. Gew.* 63, nomen = *recta*.  
*crassa*, Uechtr. ex Zimm. *Gatt. Potentill.* 9 = *incrassata*.  
*crassinervia*, Vis. *App. Fl. Cors. Prod.* 2.—Corsic.; Sardin.  
*crinita*, A. Gray, in *Mem. Am. Acad. N. S.* iv. (1849) 41.—Am. bor. occ.  
*crocea*, Hall. f. in *Schleich. Cat.* (1807) 20 = *aurea*.  
*cryptantha*, Klotzsch, in *Bot. Ergeb. Waldem. Reise*, 156 = *monanthes*.  
*Cryptotanae*, Maxim. in *Bull. Acad. Pétersb.* xviii. (1874) 162.—Japan.  
*cuneata*, Baill. *Hist. Pl.* i. 369 = *multijuga*.  
*cuneata*, Wall. *Cat. n.* 1015 = *ambigua*.  
*cuneifolia*, Bertol. *Misc. Bot.* xxiv. 15 = *ambigua*.  
*curvidens*, Schur, *Enum. Pl. Transs.* 190 = *inclinata*.  
*curviseta*, Hook. f. *Fl. Brit. Ind.* ii. 358.—Reg. Himal.  
*dacica*, Borb. ex Zimm. *Gatt. Potentill.* 5 = *P. Tormentilla*.  
*dahurica*, G. Don, *Gen. Syst.* ii. 561 = *davurica*.  
*dasyantha*, Hort. *Genev.* (1848); ex Lehm. *Del. Sem. Hort. Hamb.* (1849) 12 = *aurea*.  
*dasyphylla*, Bunge, in *Ledeb. Fl. Alt.* ii. 243 = *sericea*.  
*davurica*, Nestl. *Monog. Pot.* 31. t. 1 [bis] = *fruticosa*.  
*dealbata*, Bunge, in *Ledeb. Fl. Alt.* ii. 250.—Sibir.  
*dealbata*, Dougl. ex Hook. *Fl. Bor. Am.* i. 188 = *Hippiana*.  
*debilis*, Schlecht. *Cat. Pl. Helv. ed. III.* 23 = *aurea*.  
*decipiens*, Jord. ex Verlot, *Cat. Pl. Jard. Grenoble* (1856), 28 = *argentea*.  
*declinata*, Hornem. *Hort. Hafn. Suppl.* 56.—Hab.?  
*decumbens*, Jord. *Cat. Jard. Grenoble* (1849), 22 = *argentea*.  
*delphinensis*, Gren. & Godr. *Fl. Fr.* i. 530.—Gallia.  
*demissa*, Jord. *Cat. Jard. Grenoble* (1849), 22 = *argentea*.  
*dentata*, Forsk. *Fl. Aegypt. Arab.* 98 = *viscosa*.  
*denticulata*, Wall. *Cat. n.* 1029 = *supina*.  
*denticulosa*, Ser. in *DC. Prod.* ii. 573 = *Fragaria indica*.  
*deorum*, Boiss. & Heldr. *Diagn.* Ser. II. ii. 51.—Thessal.  
*depauperata*, Engelm. ex A. Gray, in *Proc. Am. Acad.* vii. (1868) 399.—Am. bor.  
*depressa*, Willd. ex Schlecht. in *Ges. Naturf. Fr. Berl. Mag.* vii. (1813) 289 = *aurea*.  
*desertorum*, Bunge, in *Ledeb. Fl. Alt.* ii. 257.—Reg. Himal.; Soongar.

**POTENTILLA:—**

*Dethomasii*, Reichb. *Fl. Germ. Excurs.* 595 = *Detommasii*.  
*Detommasii*, Schur, *Enum. Pl. Transs.* 191 = *argentea*.  
*Detommasii*, Tenore, *Prod. Fl. Nap. Suppl.* i. 61.—Europ. austr.  
*dichotoma*, Galeotti, ex Lehm. in *Nov. Act. Nat. Cur.* xxiii. *Suppl.* (1856) 204 (sp. dub.).—Mexic.  
*dichotoma*, Moench, *Meth.* 659 = *norvegica*.  
 Dickinsoni, Franch. & Sav. *Enum. Pl. Jap.* ii. 337.—Japan.  
*diffusa*, A. Gray, in *Mem. Am. Acad. N. S.* iv. (1849) 41 = *Hippiana*.  
*diffusa*, Willd. *Enum. Hort. Berol.* 555 = *norvegica*.  
*digitata*, Rafin. *Fl. Tellur.* ii. 55 = *palustris*.  
*digitato-flabellata*, A. Br. & Bouché, *Ind. Sem. Hort. Berol.* (1851) 14 = *gracilis*.  
*digitato-flabellata*, Heidenr. in *Oestr. Bot. Zeitschr.* xxi. (1871) 169 = *norvegica*.  
*discolor*, Bunge, in *Ledeb. Fl. Alt.* ii. 99.—China.  
*discolor*, Cambess. in *Jacquem. Voy. Bot.* 53 = *Salesoviana*.  
*dissecta*, Pursh, *Fl. Am. Sept.* i. 355.—Am. bor.  
*divaricata*, DC. *Fl. Fr. Suppl.* 541 = *recta*.  
*divergens*, Nym. *Consp.* 227 = *P. Tormentilla*.  
*diversifolia*, Lehm. *Pugill.* ii. 9 = *dissecta*.  
 Dombeyi, Nestl. *Monog. Pot.* 38. t. 5. f. 2.—Chili.  
 Doubjounceana, Cambess. in *Jacquem. Voy. Bot.* 50.—Reg. Himal.  
*Drummondii*, Lehm. *Pugill.* ii. 9 = *dissecta*.  
*Drusiana*, De Vriese, *Tuinb. Fl.* i. (1855) 268. t. 12 = *argyrophylla*.  
*dryophylla*, Pall. ex Ledeb. *Fl. Ross.* ii. 58 = *nivea*.  
*dubia*, Moench, *Enum. Pl. Hass.* 263; Suter, *Fl. Helv.* i. 308 = *aurea*.  
*Durandii*, Torr. & Gray, *Fl. N. Am.* i. 444 = *Fragaria indica*.  
*effusa*, Dougl. ex Lehm. *Pugill.* ii. 8.—Am. bor. occ.  
*Egedii*, Wormsk. in *Fl. Dan.* t. 1578 = *P. Anserina*.  
*Ehrenbergiana*, Schlecht. in *Linnaea*, xiii. (1839) 261.—Mexic.  
*elata*, Salisb. *Prod.* 362 = *fruticosa*.  
*elator*, Willd. ex Schlecht. in *Ges. Naturf. Fr. Berl. Mag.* vii. (1813) 295.—As. Min.; Reg. Caucas.  
*elegans*, Schlecht. in *Linnaea*, ii. (1827) 22.—Kamtschat.  
*ellavindensis*, Boiss. *Diagn.* Ser. I. vi. 51 = *elven-densis*.  
*elongata*, Bess. ex Spreng. *Syst.* iv. *Cur. Post.* 199 = *virgata*.  
*elongata*, Goldb. ex DC. *Prod.* ii. 577 = *intermedia*.  
*elvendensis*, Boiss. *Fl. Orient.* ii. 709.—Persia.  
*emarginata*, Desf. *Tabl. ed. I.* 177 = *P. Fagariastrum*.  
*emarginata*, Pursh, *Fl. Am. Sept.* i. 353.—Am. bor. et arct.  
*engadinensis* ×, Bruegg. in *Cat. Bot. Gart. Zuerich* (1868), 4.—Europ.  
*erecta*, Malmberg, Förteckn. *Karelska näs Kärlev.* 314 = *seq.*?  
*erecta*, Uspenski, ex Ledeb. *Fl. Ross.* ii. 45 = *recta*.  
*eriocarpa*, Wall. *Cat. n.* 1012.—Reg. Himal.  
*erodora*, Jord. ex Verlot, *Cat. Pl. Jard. Grenoble* (1856), 28 = *aurea*.  
*erythrocaulon*, Jord. ex Verlot, *Cat. Pl. Jard. Grenoble* (1856), 28 (Quid?).—Hab.?  
 Ewersmanniana, Fisch. ex Claus, *Ind. Goebel, Reise*, ii. 272.—Ross.  
*exaltata*, Bunge, *Enum. Pl. Chin. Bor.* 24 = *chinensis*.  
*explanata*, Zimm. *Gatt. Potentill.* 20 = *aurea*.  
*fagineicola*, Lamotte, *Prod. Fl. Centr. Fr.* i. 241 = *aurea*.  
*fallax*, Rochel, *Bot. Reise Banat.* 71 = *chrysantha*.  
*fallax*, Mor. ex Zimm. *Gatt. Potentill.* 5 = *P. Tormentilla*.  
*fastigiata*, Nutt. ex Torr. & Gray, *Fl. N. Am.* i. 440 = *gracilis*.  
*Fenzlii*, Lehm. *Del. Sem. Hort. Hamb.* (1849) 8; et in *Pugill.* ix. 12 = *Meyeri*.  
*ferruginea*, Dougl. ex Hook. *Fl. Bor. Am.* i. 186; *Paxt. Mag. Bot.* v. (1838) t. 223 = *arguta*.  
*filiformis*, Vill. *Hist. Pl. Dauph.* iii. 564 = *aurea*.  
*filipendula*, Turcz. in *Bull. Soc. Nat. Mosc.* xvi. (1843) 616 = *tanacetifolia*.  
*filipendula*, Willd. ex Schlecht. in *Ges. Naturf. Fr. Berl. Mag.* vii. (1813) 286.—Dahur.  
*Fintelmanni* ×, E. Otto, *Hamb. Gartenzeit.* v. (1849) 52.  
*fissa*, Nutt. in *Torr. & Gray, Fl. N. Am.* i. 446 = *glandulosa*.



## POTENTILLA:—

- fissidens*, Borb. ex Zimm. *Gatt. Potentill.* 9.—Europ.  
*flabellata*, Regel & Schmalh. ex Regel, *Pl. Nov. Fedsch.* 24.—Turkestan.  
*flabellifolia*, Hook. ex Torr. & Gray, *Fl. N. Am.* i. 442 = *gelida*.  
*flabelliformis*, Lehm. *Pugill.* ii. 12 = *gracilis*.  
*flagellaris*, Willd. ex Schlecht. in *Ges. Naturf. Fr. Berl. Mag.* vii. (1813) 291.—Sibir.  
*floribunda*, Pursh, *Fl. Am. Sept.* i. 355 = *fruticosa*.  
*Fontolii*, Colla, *Herb. Pedem.* ii. 326 = *grammopetala*.  
*formosa*, D. Don, *Prod. Fl. Nep.* 232 = *nepalensis*.  
*formosana*, Hance, in *Ann. Sc. Nat. Sér. V.* v. (1866) 212 = *discolor*.  
*Fragaria*, Läng, ex Tenore, *Syll. Fl. Neap.* 249; *Hohen. Enum. Elisabethpol.* 236 = *micrantha*.  
*Fragaria*, Poir. *Encyc. v.* 599 = *P. Fragariastrum*.  
*fragariaefolia*, C. C. Gmel. *Fl. Bad. ii.* 452 = *P. Fragariastrum*.  
*fragariaefolia*, Hoppe, ex Lehm. in *Nov. Act. Nat. Cur.* xxiii. Suppl. (1856) 196 = *norvegica*.  
*fragariaefolia*, Klotzsch, ex Lehm. l. c. 176 = *Fragaria indica*.  
*fragariaefolia*, Less. ex Ledeb. *Fl. Ross.* ii. 57 = *nivea*.  
*Fragariastrum*, Ehrh. ex Hall. *f. in Ser. Mus. Helv.* i. (1818) 49.—Europ.  
*fragarifolia*, St. Lag. in *Ann. Soc. Bot. Lyon*, viii. (1881) 203 = *fragariaefolia*.  
*fragariformis*, A. Gray, in *Perry, Narr. Exp. Jap.* ii. 310.—Japon.  
*fragarioides*, Habl. *Desc. Phys. Taur.* 146 = *geoides*.  
*fragarioides*, Linn. *Sp. Pl.* 496.—As. bor.; Reg. Himal.  
*fragarioides*, Poir. *Encyc. v.* 586 = *rupestris*.  
*fragarioides*, Schlecht. & Cham. in *Linnaea*, ii. (1827) 25 = *japonica*.  
*fragarioides*, Vill. *Hist. Pl. Dauph.* iii. 561 = *P. Fragariastrum*.  
*fragarioides*, Willd. ex Schlecht. in *Ges. Naturf. Fr. Berl. Mag.* vii. (1813) 285 = *Spengeliana*.  
*fragiformis*, Willd. ex Schlecht. l. c. 294 = *gelida*.  
*fraterna*, Wallr. in *Linnaea*, xiv. (1840) 578 = *P. Fragariastrum*.  
*Friesiana*, Lange, in *Fl. Dan.* t. 2965.—Groenl.  
*frigida*, Grev. in *Mem. Wern. Soc.* iii. (1821) 430 = *emarginata*.  
*frigida*, Schiede, ex Steud. *Nom. ed. II.* ii. 387 = *leptopetala*.  
*frigida*, Vill. *Hist. Pl. Dauph.* iii. 563.—Europ.; Am. bor.  
*fruticosa*, S. F. Gray, *Nat. Arr. Brit. Pl.* ii. 580 = *fruticosa*.  
*frutescens*, Radde, *Ber. Reis. Sued-ost. Sibir.* 94.—Sibir.  
*fruticosa*, Linn. *Sp. Pl.* 495.—Reg. bor. temp.  
*fulgens*, Wall. ex Hook. *Bot. Mag.* t. 2700.—Reg. Himal.  
*fusca*, Schlecht. in *Linnaea*, xiii. (1839) 262 = *haematocrus*.  
*galliciana*, Bess. *Prim. Fl. Gall.* i. 333 = *aurea*.  
*garipensis*, E. Mey. in *Drège, Zwei Pfl. Docum.* 213; et ex Boiss. *Fl. Orient.* ii. 726 = *supina*.  
*Gaudini*, Gremli, *Excurs. Schw.* (1874) 171 = *subcaulis*.  
*gelida*, Fries, ex Nym. *Consp.* 225 = *aurea*.  
*gelida*, C. A. Mey. *Vers. Pfl. Cauc.* 167.—Europ. et As. bor.  
*geminiflora*, Schrank, in *Syll. Ratisb.* i. (1824) 216 = *norvegica*.  
*gentilis*, Jord. *Pugill. Pl. Nov.* 69 = *heptaphylla*.  
*geoides*, Bieb. *Fl. Taur. Cauc.* i. 404.—Tauria.  
*geranioides*, Willd. *Sp. Pl.* ii. 1101.—Armen.; Syria.  
*geranioides*, Schlecht. *Cat. Helv.* (1807) 20 = *aurea*.  
*Gerardiana*, Lindl. in *Wall. Cat. n.* 1023 = *fragarioides*.  
*glabra*, Lodd. *Bot. Cab.* t. 914 = *fruticosa*.  
*glabrata*, Willd. ex Schlecht. in *Ges. Naturf. Fr. Berl. Mag.* vii. (1813) 285 = *fruticosa*.  
*glacialis*, Hall. *f. in Ser. Mus. Helv.* i. (1818) 51, 69 = *frigida*.  
*glacialis*, Pourr. ex Lehm. in *Nov. Act. Nat. Cur.* xxiii. Suppl. (1856) 187 = *nivalis*.  
*glandulifera*, Kras. ex Nym. *Consp.* 226 = *aurea*.  
*glandulosa*, Boulay, in *Billotia*, i. (1864) 12 = *verna*.  
*glandulosa*, Kras. in *Oestr. Bot. Zeitschr.* xvii. (1867) 303 = *aurea*.  
*glandulosa*, Lindl. *Bot. Reg.* t. 1583.—Am. bor. occ.

## POTENTILLA:—

- glauca*, Cambess. in *Jacquem. Voy. Bot.* 54 = *bifurca*.  
*glauca*, Moris, *Stirp. Sard. Elench.* 18 = *crassinervia*.  
*glaucescens*, Willd. ex Schlecht. *Ges. Naturf. Fr. Berl. Mag.* vii. (1813) 289 = *subcaulis*.  
*glaucophylla*, Lehm. *Del. Sem. Hort. Hamb.* (1836) 7; Cf. *Linnaea*, xii. (1838) Litt. 83 = *dissecta*.  
*glutinosa*, Nutt. ex Torr. & Gray, *Fl. N. Am.* i. 446 = *glandulosa*.  
*glutinosa*, Pursh, ex Lehm. in *Nov. Act. Nat. Cur.* xxiii. Suppl. (1856) 50 = *arguta*.  
*Goldbachii*, Rupr. *Fl. Ingr.* 319.—Reg. Caucas.  
*Gordonii*, Baill. *Hist. Pl.* i. 369.—Am. bor.  
*gossypina*, Nutt. ex Hook. *Lond. Journ. Bot.* vi. (1847) 219 = *effusa*.  
*gracilis*, Dougl. in *Hook. Bot. Mag.* t. 2984.—Am. bor. occ.  
*gracilis*, Wall. ex Hook. *f. Fl. Brit. Ind.* ii. 359 = *Kleiniana*.  
*Grahamiana*, Wight & Arn. *Prod.* 301 = *Leschenaultiana*.  
*grammopetala*, Moretti, in *Brugnat. Giorn. Fis.* ii. IX. (1826) 67.—Italia.  
*grandiflora*, Bieb. *Fl. Taur. Cauc.* i. 409 = *gelida*.  
*grandiflora*, Linn. *Sp. Pl.* 499.—Europ.; As. bor.  
*grandiflora*, Scop. *Fl. Carn. ed. II.* i. 363 = *aurea*.  
*grandiflora*, Thunb. *Fl. Jap.* 219 = *japonica*.  
*Grayi*, S. Wats. in *Proc. Am. Acad.* viii. (1873) 557.—Calif.  
*Gremlii*, Zimm. *Gat. Potentill.* 6 = *ascendens*.  
*Grenieri*, F. Schultz, ex Nym. *Consp.* 224 = *argentea*.  
*Grenieriana*, Jord. ex Verlot, *Cat. Pl. Jard. Grenoble* (1856), 28 = *heptaphylla*.  
*Griffithii*, Hook. *f. Fl. Brit. Ind.* ii. 351.—Reg. Himal.  
*groenlandica*, R. Br. in *Ross's Voy. ed. II.* ii. 193 = *emarginata*.  
*grossa*, Dougl. ex Hook. *Fl. Bor. Am.* i. 193 = *norvegica*.  
*Guentheri*, Pohl, *Tent. Fl. Bohem.* ii. 185 = *collina*.  
*Gulielmi-Waldemarii*, Klotzsch, *Bot. Ergeb. Waldem. Reise*, t. 13 = *nepalensis*.  
*Gunneri*, *Hortm. Skand. Fl.* ed. I. 201.—Norveg.  
*haematocrus*, Lehm. *Ind. Sem. Hort. Hamb.* (1836).—Cf. *Linnaea*, xii. (1838) Litt. 83.—Mexic.  
*Halleri*, Ser. in *Mus. Helv.* i. (1818) 75 = *aurea*.  
*Halleriana*, Tratt. *Ros. Monog.* iv. n. 86, in obs. = *heptaphylla*.  
*Haynaldiana*, Janka, in *Oestr. Bot. Zeitschr.* xxii. (1872) 176.—Macedon.  
*Heerii* ×, Bruegg. in *Jahresb. Naturf. Ges. Graub.* II. xxiii.—xxiv. (1880) 61.—Europ.  
*Hegetschweileri* ×, Bruegg. l. c. 59.—Europ.  
*Heidenreichii*, Zimm. *Gat. Potentill.* 10 = *norvegica*.  
*helvetica*, Jord. ex Verlot, *Cat. Pl. Jard. Grenoble* (1856), 28 = *heptaphylla*.  
*helvetica*, Schlecht. *Cat. Helv.* (1797) 20 = *frigida*.  
*heptaphylla*, Linn. *Cent. Pl.* ii. 13 = *aurea*.  
*heptaphylla*, Mill. *Gard. Dict.* ed. VIII. n. 9.—Europ.; Oriens.  
*heterophylla*, Lapeyr. *Hist. Abr. Pl. Pyr.* 289 = *aurea*.  
*Heuffeliana*, Steud. *Nom. ed. II.* ii. 387 = *heptaphylla*.  
*Heynii*, Roth, *Nov. Pl. Sp.* 235 = *supina*.  
*hiemalis*, Cham. & Schlecht. in *Linnaea*, v. (1830) 572 = *leptopetala*.  
*Hippiana*, Lehm. *Pugill.* ii. 7.—Am. bor. occ.  
*hirsuta*, Michx. *Fl. Bor. Am.* i. 303 = *norvegica*.  
*hirsuta*, Vahl, ex Hornem. in *Fl. Dan.* t. 1390 = *nivea*.  
*hirta*, All. *Fl. Pedem.* iii. t. 71 = *recta*.  
*hirta*, Haenke, in *Abh. Boehm. Ges. Wiss.* (1787) 112 = *inclinata*.  
*hirta*, Linn. *Sp. Pl.* 497.—Europ. austr.; Oriens.  
*hirta*, Schur, *Enum. Pl. Transs.* 192 = *patula*.  
*hispanica*, Zimm. *Gat. Potentill.* 7.—Hispan.  
*hispida*, Nestl. *Monog. Pot.* 36 = *viscosa*.  
*hispida*, Willd. *Enum. Hort. Berol.* 553 = *pensylvanica*.  
*hololeuca*, Boiss. ex Lehm. *Del. Sem. Hort. Hamb.* (1849) 8; *Pugill.* ix. 9 = *multifida*, *sericea*.  
*holopetala*, Walp. *Ann.* ii. 485 = *olopetala*.  
*holosericea*, Griseb. *Spicil. Fl. Rumel.* i. 99.—Macedon.  
*holosericea*, Nutt. ex Torr. & Gray, *Fl. N. Am.* i. 438 = *sericea*.  
*Hookeriana*, Lehm. *Del. Sem. Hort. Hamb.* (1849) 10; *Pugill.* ix. 18.—Am. bor.  
*Hopwoodiana* ×, Sweet, *Flow. Gard. Ser. II.* t. 61.  
*Humboldtiana*, Tratt. *Ros. Monog.* iv. 41 = *candicans*.

## POTENTILLA:—

- humifusa*, Nutt. *Gen. Am.* i. 310.—Am. bor. occ.  
*humifusa*, Willd. ex Schlecht. in *Ges. Naturf. Fr. Berl. Mag.* vii. (1813) 289 = *aurea*.  
*hungarica*, Schlecht. l. c. = *inclinata*.  
*hybrida*, Wallr. *Sched. Crit.* 247 = *P. Fragariastrum*.  
*hypoleuca*, Turcz. in *Bull. Soc. Nat. Mosc.* xvi. (1843) 619.—Mongolia.  
*ignescens*, Hort. ex Steud. *Nom. ed. V.* ii. 388 = *argyrophylla*.  
*imbricata*, Kar. & Kir. in *Bull. Soc. Nat. Mosc.* xiv. (1841) 416 = *bifurca*.  
*impolita*, Wahlenb. *Fl. Carpat.* 155 = *argentea*.  
*inaperta*, Jord. *Cat. Jard. Grenoble* (1849), 23 = *collina*.  
*incana*, Gaertn. *Mey. & Scherb. Fl. Wett.* ii. 248 = *subcaulis*.  
*incanescens*, Bess. ex Lindem. in *Bull. Soc. Nat. Mosc.* lv. (1880) i. 298 = *inclinata*.  
*incanescens*, Opiz, *Natural.* ix. (1825) 136 = *argentea*.  
*incerta*, Vill. *Prosp.* 46 (Quid?).—Gallia.  
*incisa*, Desf. *Tabl. ed. I.* 177; *Nestl. Monog. Pot.* 51 = *aurea*.  
*incisa*, Lag. *Gen. et Sp. Nov.* 16 = *Lagascana*.  
*incisa*, Lindl. ex Loud. *Hort. Brit. Suppl.* ii. 660 = *glandulosa*.  
*inclinata*, Lapeyr. *Hist. Abr. Pl. Pyr. Suppl.* 69 = *aurea*.  
*inclinata*, J. & C. Presl, *Fl. Čech.* 106 = *collina*.  
*inclinata*, Vill. *Hist. Pl. Delph.* iii. 567. t. 45.—Europ.; As. bor.  
*incrassata*, Zimm. *Gat. Potentill.* 9.—Europ.  
*Inglisii*, Royle, *Illustr. Bot. Himal.* 207. t. 41. f. 3 = *fruticosa*.  
*inquinans*, Turcz. in *Bull. Soc. Nat. Mosc.* xvi. (1843) 624 = *rupestris*.  
*insignis*, Bunge, in *Mém. Sav. Etr. Pétersb.* vii. (1851) 285 = *mollissima*.  
*insignis*, Royle, ex Lindl. *Bot. Reg.* (1841) t. 37 = *argyrophylla*.  
*integrifolia*, Lapeyr. *Hist. Abr. Pl. Pyr.* 291 = *nivalis*.  
*intermedia*, Linn. *Mant.* i. 76.—Europ.  
*intermedia*, Nestl. *Monog. Pot.* 50 = *heptaphylla*.  
*intermedia*, Poir. *Encyc. v.* 170 = *aurea*.  
*intermedia*, Roth, *Tent. Fl. Germ.* i. 223 = *recta*.  
*intermedia* ×, Tratt. *Ros. Monog.* iv. n. 58.  
*intermedia*, Wahlenb. *Fl. Carpat.* i. 154 = *inclinata*.  
*italica*, Lehm. *Del. Sem. Hort. Hamb.* (1849) 11; *Pugill.* ix. 20 = *procumbens*.  
*Jacquemontiana*, Cambess. in *Jacquem. Voy. Bot.* 51 = *argyrophylla*.  
*Jamesoniana*, Grev. in *Mem. Wern. Soc.* iii. (1821) 416 = *nivea*.  
*Jankeana*, Pantoč. in *Oestr. Bot. Zeitschr.* xxiii. (1873) 5.—Montenegr.  
*japonica*, Blume, *Bijdr.* 1105.—Japon.  
*Johanniniana*, Goiran, *Morph. Veg. Veron.* 45. t. 3 = *argentea*.  
*jurana*, Reut. in *Comp.-Rend. Soc. Hallér.* (1854-56) 108 = *aurea*.  
*juratensis*, Ser. ex Nestl. *Monog. Pot.* 52 = *aurea*.  
*kashmirica*, Hook. *f. Fl. Brit. Ind.* ii. 355.—Reg. Himal.  
*Keilhavii*, Somnerf. in *Mag. Naturvid.* II. i. (1832) 244 = *pulchella*.  
*Kernerii* ×, Borb. in *Oestr. Bot. Zeitschr.* xxviii. (1878) 391.—Europ.  
*Kleiniana*, Wight & Arn. *Prod.* 300.—Ind. or.  
*Kotschyana*, Fensl, *Pugill. Pl. Nov. Syr.* 6.—As. Min.  
*Kristofiana*, Zimm. *Gat. Potentill.* 29.—Austria.  
*kurdica*, Boiss. & Hohen. *Diagn. Ser. I.* iii. 4. Kurdist.  
*labradorica*, Lehm. *Del. Sem. Hort. Hamb.* (1849) 12; *Pugill.* ix. 21 = *norvegica*.  
*laciniosa*, Waldst. & Kit. ex Nestl. *Monog. Pot.* 45 = *recta*.  
*laeta*, Reichb. *Fl. Germ. Excurs.* 595 = *hirta*.  
*laeta*, Salisb. *Prod.* 362 = *P. Tormentilla*.  
*laevigata*, Jord. ex Verlot, *Cat. Pl. Jard. Grenoble* (1856), 28 = *aurea*.  
*Lagascana*, Ser. in *DC. Prod.* ii. 586.—Hab. i.  
*lanata*, Lam. *Fl. Fr.* iii. 646 = *nivalis*.  
*lanuginosa*, Boulay, in *Billotia*, i. (1864) 12 = *verna*.  
*lanuginosa*, Fisch. & Sweet, ex Steud. *Nom. ed. II.* 388.—Reg. Caucas.



**POTENTILLA:—**

- laxa*, Willd. ex Schlecht. in Ges. Naturf. Fr. Berl. Mag. vii. (1813) 289 = aurea.  
*lazica*, Boiss. & Bal. ex Boiss. Fl. Orient. ii. 716. — As. Min.  
*Lehmanniana*, Rupr. Sert. Tiansch. 45. — Turkestan.  
*lejocarpa*, Vis. & Panč. in Mem. Ist. Venet. x. (1861) 431. t. 2. — Serbia.  
*lepida*, Jord. ex Verlot, Cat. Pl. Jard. Grenoble (1856), 28 = aurea.  
*leptopetala*, Lehm. Del. Sem. Hort. Hamb. (1830) 8; *Pugill.* iii. 32. — Mexic.  
*Leschenaultiana*, Ser. in DC. Prod. ii. 584. — Ind. or.  
*leucantha*, Gueldenst. Reisen, i. 192 = rupestris.  
*leucochroa*, Lindl. in Wall. Cat. n. 1019 = argyrophylla.  
*leuconota*, D. Don, Prod. Fl. Nep. 230. — Reg. Himal.  
*leuconota*, Wall. Cat. n. 1021, partim = peduncularis.  
*leucophylla*, Pall. Reise, ii. 194 = nivea.  
*leucophylla*, Torr. in Ann. Lyc. N. York, ii. (1828) 197 = Hippiana.  
*leucopolitana*, P. J. Muell. ex F. Schultz, Arch. Fl. 272 = collina.  
*libanotica*, Boiss. & Sprun. Diagn. Ser. I. iii. 4. — Syria.  
*lignosa*, Willd. ex Schlecht. in Ges. Naturf. Fr. Berl. Mag. vii. (1813) 293. — Persia.  
*limosa*, Boenn. ex Schur, Enum. Pl. Transs. 189 = supina.  
*Lindackeri*, Tausch, in Flora, ii. (1819) 466 = collina.  
*Lindenbergii*, Lehm. in Hamb. Gartenz. vii. (1851) 339 = fruticosa.  
*lineariloba*, [Moç. & Sesse,] ex Ser. in DC. Prod. ii. 582 = candicans.  
*lineata*, Trevir. in Spreng. Syst. ii. 534 = fulgens.  
*Loddigesii*, Spreng. Syst. iv. Cur. Post. 199 = inclinata.  
*longifolia*, Willd. ex Schlecht. in Ges. Naturf. Fr. Berl. Mag. vii. (1813) 287 = viscosa.  
*longipes*, Ledeb. Fl. Ross. ii. 50. — Russia.  
*Loureironis*, Tratt. Ros. Monog. iv. n. 4 = fruticosa.  
*lucida*, Willd. ex Schlecht. in Ges. Naturf. Fr. Berl. Mag. vii. (1813) 296 = gelida.  
*lupinoides*, Willd. Sp. Pl. ii. 1107 = nivalis.  
*lycopodioides*, Baill. ex S. Wats. in Bibl. Ind. N. Am. Bot. 288 = Gordoni.  
*Mackayana* ×, Sweet, Brit. Flow. Gard. Ser. II. t. 43.  
*Macnabiana* ×, Lem. in Fl. des Serres, ii. (1846) t. 149.  
*macrantha*, Ledeb. in Mém. Acad. Pétersb. v. (1812) 541 = nivea.  
*macrocalyx*, Huet, in Ann. Sc. Nat. Sér. III. xix. (1853) 252 = rupestris.  
*macrophylla*, Schur, Enum. Pl. Transs. 190 = recta.  
*macrorrhiza*, Juss. ex Lehm. Monog. Pot. 168 = speciosa.  
*macrorrhiza*, Willd. ex Schlecht. in Ges. Naturf. Fr. Berl. Mag. vii. (1813) 292 = ranunculoides.  
*maculata*, Fries, ex Lange, Consp. Fl. Groenl. i. 9 = Frieseana.  
*maculata*, Gilib. Fl. Lituan. ii. 252 = verna.  
*maculata*, Pourr. in Mém. Acad. Toul. iii. (1788) 326 = aurea.  
*magna*, Jeanb. & Timb. in Bull. Soc. Phys. et Nat. Toul. iii. (1875-76) 564 = verna.  
*Mathoneti*, Jord. Cat. Jard. Grenoble (1849), 23 = heptaphylla.  
*Mayana*, Hort. ex Schlecht. in Linnaea, xviii. (1844) 508 = nepalensis.  
*medioxenia*, Jord. ex Verlot, Cat. Pl. Jard. Grenoble (1856), 28 = heptaphylla.  
*megalontodon*, Lehm. Del. Sem. Hort. Hamb. (1839) 8 = inclinata.  
*meifolia*, Wall. Cat. n. 1011 = coriandrifolia.  
*Menziesii* ×, Paxt. Mag. Bot. xv. (1849) 247.  
*Meyeri*, Boiss. Diagn. Ser. I. iii. 7. — As. Min.; Persia.  
*micrantha*, Ledeb. ex Hook. Fl. Bor. Am. i. 195 = nivea.  
*micrantha*, Ram. ex DC. Fl. Fr. iv. 468. — Europ. austr.; Oriens.  
*microdon*, Schur, Enum. Pl. Transs. 192 = collina.  
*micropetala*, D. Don, Prod. Fl. Nep. 231. — Reg. Himal.  
*micropetala*, Reichb. Fl. Germ. Excurs. 593 = heptaphylla.  
*microphylla*, D. Don, Prod. Fl. Nep. 231. — Reg. Himal.

**POTENTILLA:—**

- microphylla*, Zimm. Gatt. Potentill. 6 = reptans.  
*millegrana*, Dougl. ex Hook. Fl. Bor. Am. i. 193 = norvegica.  
*millegrana*, Engelm. ex Lehm. Del. Sem. Hort. Hamb. (1849) 11; *Pugill.* ix. 22 = rivalis.  
*minima*, Hall. f. in Schlecht. Cat. (1815) 23; et in Ser. Mus. Helv. i. (1818) 51, 67. — Europ.  
*minima*, Lodd. Bot. Cab. t. 480; A. Gray, Man. Bot. N. U. St. ed. I. 122 = frigida.  
*minima*, Neilr. ex Nym. Consp. 225 = aurea.  
*minor*, Gilib. Fl. Lituan. ii. 251 = verna.  
*missurica*, Schrad. Ind. Sem. Hort. Gotting. — Cf. Linnaea, viii. (1833) 26 = pensylvanica.  
*mixta*, Nolte, ex Koch, Syn. Pl. Germ. ed. II. 239 = reptans.  
*mixta*, Rochel, Bot. Reise Banat. 71 = hirta.  
*mollis*, Panč. ex Nym. Consp. 223. — Serbia.  
*mollissima*, Lehm. Ind. Sem. Hort. Hamb. (1831) 6; *Pugill.* ix. 11. — Turkestan.  
*monanthes*, Lindl. in Wall. Cat. n. 1025. — Reg. Himal.  
*monspeliensis*, Linn. Sp. Pl. 499 = norvegica.  
*montana*, Brot. Fl. Lusit. ii. 350 = splendens.  
*montana*, Schur, ex Nym. Consp. 227 = Sibbaldi.  
*montenegrina*, Pantoc. in Oestr. Bot. Zeitschr. xxiii. (1873) 6. — Montenegr.  
*montivaga*, Timb. in Bull. Soc. Hist. Nat. Toul. iv. (1870) 47 (Quid ?). — Gallia.  
*Mooniana*, Wight, Ic. i. t. 233. — Reg. Himal.; Zeylan.  
*Moorcroftii*, Wall. Cat. n. 1014 = bifurca.  
*Morisoni*, DC. Cat. Hort. Monsp. 135 = norvegica.  
*Mulleri* ×, Hort. ex Lem. Illustr. Hort. iv. (1857) t. 143.  
*multicaulis*, Bunge, Enum. Pl. Chin. Bor. 25 = sericea.  
*multidentata*, Ser. ex G. Don, in Loud. Hort. Brit. 214. — Austria.  
*multifida*, Baker & S. Moore, in Journ. Linn. Soc. xvii. (1879) 381 = chinensis.  
*multifida*, Linn. Sp. Pl. 496. — Europ.; As. bor.  
*multifida*, Pall. Reise, iii. 194 = sericea?  
*multifida*, Willd. ex Ledeb. Fl. Ross. ii. 41 = approximata.  
*multijuga*, Lehm. Del. Ind. Sem. Hamb. (1849) 6; *Pugill.* ix. 2. — Calif.  
*Munroana*, Lehm. Il. cc. 7; 6 = fragarioides.  
*Murrii*, Zimm. Gatt. Potentill. 21. — Europ.  
*nana*, H. B. & K. ex Nestl. Monog. Pot. 34. t. 17 = candicans.  
*nana*, Willd. ex Schlecht. in Ges. Naturf. Fr. Berl. Mag. vii. (1813) 296. — Ins. Aleut.  
*Naspatha*, Buch.-Ham. ex D. Don, Prod. Fl. Nep. 230 = fulgens.  
*nebrodensis*, Strobl, ex Zimm. Gatt. Potentill. 29 = caulescens.  
*neglecta*, Baumg. Enum. Stirp. Transs. ii. 63 = argentea.  
*nemoralis*, Bunge, in Ledeb. Fl. Alt. ii. 256 = flagellaris.  
*nemoralis*, Gaud. Fl. Helv. iii. 383 = ascendens.  
*nemoralis*, Lehm. Monog. Pot. 147. t. 13 = reptans.  
*nemoralis*, Nestl. Monog. Pot. 65 = procumbens.  
*nepalensis*, Hook. Exot. Fl. t. 88. — Reg. Himal.  
*Nestleri*, Fries, Nov. Fl. Suec. 45. — Suecia.  
*Nestleriana*, Tratt. Ros. Monog. iv. 91 = intermedia.  
*Neumannii*, Opiz, Seznam, 79 = aurea.  
*Neumanniana*, Reichb. Fl. Germ. Excurs. 592 = aurea.  
*Neumayeriana*, Tratt. Ros. Monog. iv. 75 = P. Tormentilla.  
*nevadensis*, Boiss. Elench. 40. — Hispan.  
*Neymeyeriana*, Reichb. Fl. Germ. Excurs. 589, sphalm. = P. Tormentilla.  
*Newberryi*, A. Gray, in Proc. Am. Acad. vi. (1866) 532. — Am. bor.  
*nitida*, Linn. Cent. Pl. ii. 18; *Amoen. Acad.* iv. 316. — Europ.; Sibir.  
*nitida*, Scop. Fl. Carn. ed. II. i. 362 = alba.  
*nitida*, Tenore, Fl. Nap. ii. 291 = apennina.  
*nitida*, Thuill. Fl. Par. ed. II. 257 = splendens.  
*nivalis*, Csátó, in Oestr. Bot. Zeitschr. xxiii. (1873) 100 = Haynaldiana.  
*nivalis*, Lapeyr. in Mém. Acad. Toul. i. (1782) 210. t. 16. — Mont. Pyren.  
*nivalis*, Torr. in Ann. Lyc. N. York, i. (1824) 32. t. 3. f. 2; et ii. (1828) 195 = Geum Rossii.  
*nivea*, Gunn. Fl. Norveg. ii. 46. t. 3 = Gunneri.  
*nivea*, Linn. Sp. Pl. 499. — Reg. bor. temp. et arct.  
*Nordmanniana*, Ledeb. Fl. Ross. ii. 53 = umbrosa.

**POTENTILLA:—**

- normalis*, Bess. ex Spreng. Syst. iv. Cur. Post. 199. — Syria.  
*norvegica*, All. Fl. Pedem. ii. 58 = frigida.  
*norvegica*, Geners. ex Wahlenb. Fl. Carpat. 155 = argentea.  
*norvegica*, Linn. Sp. Pl. 499. — Reg. bor. temp. et arct.  
*norvegica*, Schur, Enum. Pl. Transs. 189 (Agrimoniae sp.). — Hungar.  
*nuda*, Boiss. Diagn. Ser. I. vi. 49. — Persia.  
*nudicaulis*, Boiss. & Bal. Diagn. Ser. II. vi. 69. — Cappadoc.  
*nudicaulis*, Willd. ex Schlecht. in Ges. Naturf. Fr. Berl. Mag. vii. (1813) 287 = viscosa.  
*nurensis*, Boiss. & Haussk. ex Boiss. Fl. Orient. ii. 720. — Persia.  
*nutans*, Gueldenst. Reisen, ii. 79 = Geum rivale?  
*Nuttallii*, Lehm. Pugill. ix. 44 = gracilis.  
*obliqua*, Dougl. ex Hook. Fl. Bor. Am. i. 186 = arguta.  
*obovata*, Bertol. in Mem. Acad. Sc. Bolog. Ser. II. iii. (1863) 422 = supina.  
*obscura*, Willd. Sp. Pl. ii. 1100 = recta.  
*ochreatea*, Lindl. in Wall. Cat. n. 1028 = fruticosa.  
*odora*, Mart. ex Lehm. in Nov. Act. Nat. Cur. xxiii. Suppl. (1856) 91 = umbrosa.  
*officinalis*, S. F. Gray, Nat. Arr. Brit. Pl. ii. 583 = P. Tormentilla.  
*olopetala*, Turcz. in Bull. Soc. Nat. Mosc. xvi. (1843) 612 = gracilis.  
*ontopoda*, Dougl. ex W. Baxt. in Loud. Hort. Brit. Suppl. iii. 617 (Quid ?). — Am. bor.  
*opaca*, Gaertn. Mey. & Scherb. Fl. Wett. ii. 247 = verna.  
*opaca*, Krock. Fl. Siles. ii. 171 = inclinata.  
*opaca*, Linn. Amoen. Acad. iv. 274 = aurea.  
*opaca*, Sm. Engl. Bot. t. 2449 = intermedia.  
*opaca*, Vill. Prosp. 47; Hist. Pl. Dauph. 566 = subacaulis.  
*opacata*, Jord. ex Verlot, Cat. Pl. Jard. Grenoble (1856), 28, nomen; et in Lamotte, Prod. Fl. Centr. Fr. i. 242 = aurea.  
*oregana*, Nutt. ex Torr. & Gray, Fl. N. Am. i. 446 = glandulosa.  
*oreites*, Jord. ex Verlot, Cat. Pl. Jard. Grenoble (1856), 28 = aurea.  
*ornithopoda*, Tausch, Hort. Canal. i. t. 10 = multifida.  
*ornithopodioides*, Sweet, Hort. Brit. ed. II. 191 = praec.?  
*oronoma*, Jord. ex Verlot, Cat. Jard. Grenoble (1856), 28 = aurea.  
*ovalis*, Lehm. Del. Sem. Hort. Hamb. (1849) 9; *Pugill.* ix. 14. — Mexic.  
*ovata*, Poir. Encyc. v. 601 = subacaulis.  
*Oweriniana*, Rupr. ex Boiss. Fl. Orient. ii. 705. — Reg. Caucas.  
*pallens*, Moench, Meth. 658 = recta.  
*pallida*, Lag. ex Bess. Enum. Pl. Volh. 69 = recta.  
*palustris*, Scop. Fl. Carn. ed. II. i. 359. — Reg. bor. et arct.  
*pannosa*, Boiss. & Haussk. ex Boiss. Fl. Orient. ii. 719. — Persia.  
*paradoxa*, Nutt. in Torr. & Gray, Fl. N. Am. i. 437 = supina.  
*paradoxa*, Schur, ex Nym. Consp. 224 = heptaphylla.  
*parnassica*, Boiss. & Orph. Diagn. Ser. II. v. 95 = hirta.  
*parva*, Frivald. ex Hampe, in Flora, xx. (1837) 231 = hirta.  
*parviflora*, Desf. Tabl. ed. I. 177; [Clairv.] Man. Herb. 166 = micrantha.  
*parviflora*, Gaud. Fl. Helvet. vi. 388 = heptaphylla.  
*parvifolia*, Fisch. in Lehm. Pugill. iii. 6. — Soongar.  
*parvula*, Schur, Enum. Pl. Transs. 194 = subacaulis.  
*patens*, Herbach, Stirp. Rar. Bucov. 41 = delphinensis.  
*patula*, Waldst. & Kit. Pl. Rar. Hung. ii. 218. t. 199. — Mont. Carpath.  
*pectinata*, Fisch. ex DC. Prod. ii. 581 = pensylvanica.  
*pedata*, Willd. Enum. Hort. Berol. Suppl. 38 = hirta.  
*pedemontana*, Boiss. & Reut. Ind. Sem. Hort. Genev. (1861) 4 = grandiflora.  
*peduncularis*, D. Don, Prod. Fl. Nep. 230. — Reg. Himal.  
*pennina* ×, Gremli, Neue Beitr. Fl. Schweiz, Heft 1. (1880) 45. — Europ.  
*pensylvanica*, Linn. Mant. i. 76. — Am. et As. bor.  
*pensylvanica*, Reichb. Fl. Germ. Excurs. 596 = sanguisorbifolia.  
*pensylvanica*, Schur, Enum. Pl. Transs. 189 = tanacetifolia.



**POTENTILLA** :—

- pensylvanica*, Willd. Enum. Hort. Berol. 553, partim = viscosa.  
*pensylvanica*, Willk. & Lange, Prod. Fl. Hisp. iii. 236 = hispanica.  
*pentandra*, Engelm. in Torr. & Gray, Fl. N. Am. i. 447 = rivalis.  
*pentaphylla*, Richter, ex Pohl, Tent. Fl. Bohem. ii. 181 = recta.  
*permiata*, Schur, Enum. Pl. Transs. 951 (Index), sphalm. = seq.  
*permixta*, Schur, l. c. 197 = heptaphylla.  
*perpusilla*, Hook. f. Fl. Brit. Ind. ii. 346.—Reg. Himal.  
*persica*, Boiss. & Haussk. ex Boiss. Fl. Orient. ii. 710.—Persia.  
*petiolulata*, Gaud. Fl. Helv. iii. 374 = caulescens.  
*petraea*, Willd. ex Schlecht. in Ges. Naturf. Fr. Berl. Mag. vii. (1813) 292.—Persia.  
*petrophila*, Boiss. Voy. Bot. Espagne, ii. 728 = caulescens.  
*Pickeringii*, S. Wats. Bibl. Ind. N. Am. Bot. 289.—Am. bor.  
*pigmaea*, Jord. Obs. Pl. Crit. vii. (1849) 25 = rupestris.  
*pilosa*, Kitt. Taschenb. ed. II. 1081 = verna.  
*pilosa*, Vill. Prosp. 47; Hist. Pl. Dauph. iii. 570 = hirta.  
*pilosa*, Willd. Sp. Pl. ii. 1100 = recta.  
*pilosissima*, Schur, Enum. Pl. Transs. 195 = aurea.  
*pimpinelloides*, Falk, Beitr. ii. 193 = bifurca.  
*pimpinelloides*, Linn. Sp. Pl. 497.—Armen.  
*pimpinelloides*, Panch. in Verh. Zool. Bot. Ges. Wien, vi. (1856) 487 = Visianii.  
*pinnatifida*, Presl, Delic. Prag. 54 = reptans.  
*plattensis*, Nutt. in Torr. & Gray, Fl. N. Am. i. 439.—Am. bor. occ.  
*poëtarum*, Boiss. & Sprun. Diagn. Ser. I. iii. 3 = speciosa.  
*polymorpha*, Schimp. & Spann. in Spann. Fl. Frib. iii. 753 = verna.  
*polydonta*, Borch. ex Zimm. Gatt. Potentill. 9 = inclinata.  
*polyphylla*, Schur, Enum. Pl. Transs. 198 = heptaphylla.  
*polyphylla*, Wall. Cat. n. 1026 = Mooniana.  
*polyschista*, Boiss. & Hohen. Diagn. Ser. I. x. 6 = sericea.  
*polytricha*, Jord. ex Verlot, Cat. Pl. Jard. Grenoble (1856), 28 = aurea.  
*pontica*, C. Koch, in Linnaea, xix. (1847) 44 = heptaphylla.  
*poterifolia*, Boiss. Diagn. Ser. I. vi. 50.—Persia.  
*poterifolia*, Vis. in Mem. Ist. Venet. x. (1861) 433 = Visianii.  
*poteriodes*, Willd. ex Schlecht. in Ges. Naturf. Fr. Berl. Mag. vii. (1813) 286 = fragarioides.  
*praecox*, F. Schultz, in Pollichia, xvi-xvii. (1859) 5 = collina.  
*praeruptorum*, F. Schultz, l. c. xviii-xix. (1861) 105; xxii-xxiv. (1866) 154 = aurea.  
*pratensis*, Herbach, in Flora, xxxviii. (1855) 641 = delphinensis.  
*pratensis*, Schur, in Verh. Siebenb. Ver. Naturw. iv. (1853) 23; x. (1859) 98 = patula.  
*procumbens*, [Clairv.] Man. Herb. 166 = Sibbaldi.  
*procumbens*, Sibth. Fl. Oxon. 162.—Europ.  
*properiflora*, Jord. ex Verlot, Cat. Pl. Grenoble (1856), 28 = aurea.  
*prostrata*, Baumg. Enum. Stirp. Transs. ii. 68 = micrantha.  
*prostrata*, Haenke, ex Pohl, Tent. Fl. Bohem. ii. 181 = supina.  
*prostrata*, Lapeyr. Hist. Abr. Pl. Pyr. Suppl. 76 = fruticosa.  
*prostrata*, Moench, Meth. 659 = P. Fragariastrum.  
*prostrata*, Rottb. in Skrift. Kiøbenh. Selsk. Vidensk. x. (1765-69) 453 = nivea.  
*Pseudo-alpestris*, Schur, ex Nym. Consp. 225 = aurea.  
*Pseudo-anserina*, Bertol. Misc. Bot. xxiv. 15. t. 3 = P. Anserina.  
*Pseudo-frigida*, Schur, Enum. Pl. Transs. 195 = aurea.  
*Pseudo-opaca*, Gremli, Excurs. Schw. ed. I. p. xii = aurulenta.  
*pteropoda*, Royle, Illustr. Bot. Himal. 207. t. 40. f. 2.—Reg. Himal.  
*puberula*, Krasan, in Oestr. Bot. Zeitschr. xvii. (1867) 304.—Europ.  
*pubescens*, Moench, Meth. 657 = viscosa.  
*pulchella*, R. Br. in Ross's Voy. ed. II. ii. 193.—Ins. Melvil.  
*pulchella*, Spreng. Syst. iv. Cur. Post. 199 = humifusa.  
*pulcherrima*, Lehm. Pugill. ii. 11 = Hippiana.

**POTENTILLA** :—

- pulchra*, Langsd. Bemerk. Reise Welt, i. 45; Voy. & Trav. (1814) ii. 51, nomen.—Unalaschk.  
*pulchra*, Salisb. Prod. 362 = P. Anserina.  
*Pulsatilla*, C. Muell. in Walp. Ann. vii. 867 (Anemones sp.).—Cf. Regel, in Bull. Soc. Nat. Mosc. (1859) i. 225.—As. bor.  
*pulvinaris*, Fenzl, Pugill. Pl. Nov. Syr. 6.—As. Min.  
*pumila*, Poir. Encyc. v. 594 = canadensis.  
*purpurea*, Hook. f. Fl. Brit. Ind. ii. 347.—Reg. Himal.  
*pusilla*, Host, Fl. Austr. ii. 39 = verna.  
*pygmaea*, C. Muell. in Walp. Ann. ii. 478 = rupestris.  
*pyrenaica*, Ram. ex DC. Fl. Fr. iv. 459 = aurea.  
*pyrenaica*, Willd. ex Schlecht. in Ges. Naturf. Fr. Berl. Mag. vii. (1813) 292 = alchemilloides.  
*radiata*, Lehm. Del. Ind. Sem. Hamb. (1849) 9; Pugill. ix. 13.—Persia.  
*radicosa*, Boiss. Diagn. Ser. I. vi. 49 = nuda.  
*ranunculoides*, Humb. & Bonpl. ex Nestl. Monog. Pot. 56.—Mexico.  
*Ranunculus*, Lange, in Fl. Dan. t. 2964.—Groenl.  
*reclinis*, Jord. ex Verlot, Cat. Pl. Jard. Grenoble (1856), 28 = argentea.  
*recta*, Jacq. Fl. Austr. iv. t. 383 = inclinata.  
*recta*, Linn. Sp. Pl. 499.—Europ.; As. bor.  
*recta*, Nutt. Gen. Am. i. 310 = gracilis.  
*reptans*, Georgi, Reise, i. 219 = flagellaris.  
*reptans*, Linn. Sp. Pl. 499.—Europ.; As. et Am. bor.  
*reptans*, Willd. ex Ledeb. Fl. Ross. ii. 52 = procumbens.  
*reticulata*, Bertol. in Mem. Acad. Sc. Bolog. Ser. II. iii. (1863) 420 = fruticosa.  
*retusa*, O. F. Muell. in Fl. Dan. t. 799 = tridentata.  
*Reuteri*, Boiss. Diagn. Ser. II. ii. 51.—Hispan.  
*rhaetica* ×, Bruegg. in Jahresb. Naturf. Ges. Graub. II. xxiii-xxiv. (1880) 58.—Europ.  
*rhenana*, P. J. Muell. ex F. Schultz, Arch. Fl. 272 = collina.  
*Richardii*, Lehm. Del. Ind. Sem. Hamb. (1849) 6; Pugill. ix. 1.—Mexico.  
*rigida*, Nutt. in Journ. Acad. Philad. vii. i. (1834) 20 = gracilis.  
*rigida*, Wall. Cat. n. 1009 = fruticosa.  
*rivalis*, Nutt. ex Torr. & Gray, Fl. N. Am. i. 437.—Am. bor. occ.  
*rivalis*, Torr. in Pacif. Rail. Rep. iv. 84 = glandulosa.  
*Robbinsiana*, Oakes, ex Torr. & Gray, Fl. N. Am. i. 441 = minima.  
*rotundifolia*, Vill. Hist. Pl. Dauph. iii. 565 = aurea.  
*rubens*, Vill. Prosp. 46; Moench, Meth. 657 = aurea.  
*rubescens*, Jord. ex Verlot, Cat. Pl. Jard. Grenoble (1856), 28 = aurea.  
*rubifolia*, Boiss. Fl. Orient. ii. 723 = seq.  
*rubiformis*, Czern. ex Lehm. in Nov. Act. Nat. Cur. xxiii. Suppl. (1856) 152 = elatior.  
*rubra*, Hall. f. in Ser. Mus. Helv. i. (1818) 56 = palustris.  
*rubra*, Willd. ex Schlecht. in Ges. Naturf. Fr. Berl. Mag. vii. (1813) 292 = comaroides.  
*rubricaulis*, Bourg. ex S. Wats. Bibl. Ind. N. Am. Bot. 298 = Hippiana.  
*rubricaulis*, Lehm. Pugill. ii. 11 = dissecta.  
*rubricaulis*, Pall. ex Lehm. in Nov. Act. Nat. Cur. xxiii. Suppl. (1856) 94 = petraea.  
*ruderalis*, Kitt. Taschenb. ed. II. 1081 = argentea.  
*rufescens*, Franch. & Sav. Enum. Pl. Jap. ii. 340.—Japan.  
*rupestris*, Falk, Beitr. ii. 193. t. 9 = recta.  
*rupestris*, Linn. Sp. Pl. 496.—Europ.; As. bor.  
*rupestris*, Pall. ex Ledeb. Fl. Ross. ii. 41 = viscosa.  
*rupestris*, Presl, Epim. Bot. 198 = glandulosa.  
*Ruprechtii*, Boiss. Fl. Orient. ii. 716.—Reg. Caucas.  
*Russelliana* ×, Hort. ex Sweet, Flow. Gard. t. 279.  
*ruthenia*, Buch.-Ham. ex Hook. f. Fl. Brit. Ind. ii. 359 = supina.  
*ruthenica*, Willd. Sp. Pl. ii. 1079 = norvegica.  
*sabauda*, DC. Fl. Fr. iv. 468 = rupestris.  
*Sadleri*, Reichb. Fl. Germ. Excurs. 594 = inclinata.  
*Sadleri*, Schloss. ex Nym. Consp. 224 = recta.  
*Sadleri*, Schur, Enum. Pl. Transs. 198 = heptaphylla.  
*Salesoviana*, Steph. in Mém. Soc. Nat. Mosc. ii. (1809) 6. t. 3.—Reg. Himal.; As. centr.  
*Salesovii*, Steph. ex Willd. Enum. Hort. Berol. 552 = praec.  
*salisburgensis*, Haenke, in Jacq. Coll. ii. 68 = aurea.  
*Salisii*, Bor. in Mém. Soc. Acad. Maine-et-Loire, xiv. (1863) 41 = Sibbaldi.  
*Sanguisorba*, Willd. ex Schlecht. in Ges. Naturf. Fr. Berl. Mag. vii. (1813) 286.—Sibir.

**POTENTILLA** :—

- sanguisorbifolia*, F. O. Wolf, in Bull. Soc. Murith. xi. (1883) 9.—Europ.  
*santolinoides*, Baill. ex S. Wats. Bibl. Ind. N. Am. Bot. 289.—Am. bor.  
*sarmentosa*, Bigel. Fl. Bost. ed. II. 204 = canadensis.  
*sarmentosa*, Willd. Enum. Hort. Berol. 554 = canadensis.  
*Saundersiana*, Royle, Illustr. Bot. Himal. 207. t. 41. f. 1 = multifida.  
*saxatilis*, Boulay, in Billotia, i. (1869) 109 = aurea.  
*Saxifraga*, Ardoin, ex De Not. Ind. Sem. Genue. (1848); ex Lehm. in Nov. Act. Nat. Cur. xxiii. Suppl. (1856) 134.—Europ.  
*scepusiensis*, Kit. in Linnaea, xxxii. (1863) 597.—Europ.  
*Schleicheri*, Zimm. Gatt. Potentill. 26 = aurea.  
*Schrenkiana*, Regel, in Ann. Sc. Nat. Sér. IV. xii. (1859) 379.—As. centr.  
*Schultzii*, P. J. Muell. ex F. Schultz, Arch. Fl. 306 = collina.  
*Schurii*, Fuss, ex Zimm. Gatt. Potentill. 17 = patula.  
*sciaphila*, Zimm. l. c. 5.—Europ.  
*Seidlitziana*, Bienert, in Seidlitz, Bot. Ergeb. 96.—Armenia.  
*semiargentea* ×, Borch. in Oestr. Bot. Zeitschr. xxxii. (1882) 170.—Europ.  
*semidentata*, Juss. ex Lehm. Monog. Pot. 175 = splendens.  
*semiloba*, Jord. ex Verlot, Cat. Pl. Jard. Grenoble (1856), 28 = argentea.  
*septemsecta*, G. F. W. Mey. Fl. Hannov. Excurs. 178.—Europ.  
*sericea*, Dulac, Fl. Hautes-Pyr. 308 = alchemilloides.  
*sericea*, Grev. in Mem. Wern. Soc. iii. (1821) 430 = pulchella.  
*sericea*, Linn. Sp. Pl. 495.—Reg. Caucas.; As. bor.  
*serotina*, Vill. Hist. Pl. Delph. iii. 564 = verna.  
*Serpentini*, Borch. ex Zimm. Gatt. Potentill. 22.—Europ.  
*sessilis*, F. W. Schmidt, in Mayer, Samml. Phys. Aufs. i. (1791) 197 = reptans.  
*Sibbaldi*, Hall. f. in Ser. Mus. Helv. i. (1818) 51.—Reg. bor. et austr.  
*Sibbaldia*, Griessl. Kl. Bot. Schrift. i. 239 = praec.  
*Sibbaldiana*, Lehm. in Nov. Act. Nat. Cur. xxiii. Suppl. (1856) 203 = praec.  
*sibirica*, Patr. ex Lehm. Monog. Pot. 88 = aurea?  
*Siemersiana*, Lehm. Sem. Hort. Hamb. (1821) 8; Pugill. i. 31 = fulgens.  
*Sieversiana*, Otto, ex Sweet, Hort. Brit. ed. II. 191.—Hab.?  
*silesiaca*, Uechtr. in Jahresb. Schles. Ges. Vaterl. Cult. (1867) 82 = collina.  
*silvestris*, Neck. Delic. Gallo-Belg. i. 222 = sylvestris.  
*similata*, Jord. ex Verlot, Cat. Pl. Jard. Grenoble (1856), 28 (Quid?).—Hab.?  
*simplex*, Michx. Fl. Bor. Am. i. 303 = canadensis.  
*sischanensis*, Bunge, ex Lehm. Pugill. ix. 3.—China.  
*Smoutii* ×, Lem. Fl. des Serres, iv. (1848) t. 373.  
*Sommerfeldii*, Lehm. Del. Ind. Sem. Hamb. (1849) 6; Pugill. ix. 4.—Ins. Spitzberg.  
*songarica*, Bunge, in Ledeb. Fl. Alt. ii. 244 = sericea.  
*sordida*, Fries, Summa Veg. Scand. 44 = collina.  
*sordida*, Klotzsch, ex Lehm. Nov. Act. Nat. Cur. xxiii. Suppl. (1856) 53 = Mooniana.  
*sororia*, Wender. Fl. Hass. 158 = caulescens.  
*speciosa*, Willd. Sp. Pl. ii. 1110.—Graec.; As. Min.  
*splendens*, Buch.-Ham. ex Trevir. Ind. Sem. Hort. Wratisl. (1823) 3 = fulgens.  
*splendens* ×, Koch, Syn. Fl. Germ. ed. II. 243.—Europ.  
*splendens*, Ram. ex DC. Fl. Fr. iv. 467.—Europ.  
*Sprengeliana*, Hassk. Cat. Hort. Bog. Alt. 266 = japonica.  
*Sprengeliana*, Lehm. Monog. Pot. 49.—Sibir.  
*spuria* ×, Kern. in Oestr. Bot. Zeitschr. xx. (1870) 45.—Europ.  
*ssawellianica*, Bienert, in Seidlitz, Bot. Ergeb. 93 = argaea.  
*stellulata*, Rochel, Pl. Banat. Rar. [9] Index; Bot. Reise Banat. 72 = subacaulis.  
*stenantha*, Lehm. Del. Ind. Sem. Hamb. (1849) 1; Pugill. ix. 7 = Agrimonia Eupatoria.  
*sterilis*, Garcke, Fl. Deutschl. ed. IV. 112 = Fragariastrum.  
*stipulaceum*, Timb. in Bull. Soc. Sc. Paris, 1875-76, t. iii. 1875-76) 566 = stipularis.  
*stipularis*, Jeanb. & Timb. l. c. = seq.!



**POTENTILLA:—**

- stipularis*, Lapeyr. in Mém. Acad. Toul. i. (1782) 212 = nivalis.  
*stipularis*, Linn. *Sp. Pl.* 498.—Sibir.  
*stolonifera*, Lehm. Ind. Sem. Hort. Hamb. (1831) = japonica.  
*stricta*, Jord. ex Verlot, Cat. Pl. Jard. Grenoble (1856), 28 (Quid?).—Hab.?  
*strictissima*, Zimm. *Gatt. Potentill.* 5.—Europ.  
*strigosa*, Pall. ex Pursh, Fl. Am. Sept. i. 356 = pensylvanica.  
*subacaulis*, Lapeyr. Hist. Abr. Pl. Pyrén. 290 = frigida, verna.  
*subacaulis*, Linn. *Syst. ed. X.* 1065.—As. bor.  
*subacaulis*, Scop. Fl. Carn. ed. II. i. 364 = nitida.  
*subalpina*, Zimm. *Gatt. Potentill.* 14 = heptaphylla.  
*subarenaria*, Zimm. l. c. 21 = verna.  
*subargentea*, Krock. Fl. Siles. iv. 513 = collina.  
*subcinerea*, Borb. ex Zimm. *Gatt. Potentill.* 21 = verna.  
*suberecta* ×, Zimm. l. c. 5.—Europ.  
*subpalmata*, Ledeb. Fl. Ross. ii. 56.—Armenia.  
*subpedata*, C. Koch, in Linnaea, xvi. (1842) 349 = reptans.  
*subpinnata*, Ledeb. Ind. Sem. Hort. Dorpat. ex Lehm. in Nov. Act. Nat. Cur. xxiii. Suppl. (1856) 35 = multifida.  
*subrecta*, Jord. Pugill. Pl. Nov. 65 = inclinata.  
*subrubens* ×, Borb. ex Zimm. *Gatt. Potentill.* 21.—Europ.  
*subsalsia*, Schur, Enum. Pl. Transs. 189 = supina.  
*subviscosa*, Greene, in Bull. Torrey Bot. Club, viii. (1881) 97.—N. Mexic.  
*suffruticosa*, Pourr. ex Lehm. Monog. Pot. 177 = frigida.  
*sulphurea*, Lam. Fl. Fr. iii. 114 = recta.  
*supina*, Linn. *Sp. Pl.* 497.—Geront. temp. et trop.  
*syenitea*, Jord. Cat. Pl. Jard. Grenoble (1856), 28 = aurea.  
*sylvestris*, Neck. Delic. Gallo-Belg. i. 222 (*silvestris*) = P. Tormentilla.  
*sylvestris*, Renault, Fl. Dép. Orne, 148 = procumbens.  
*tanacetifolia*, Schur, Enum. Pl. Transs. 189 (Quid?).—Hungar.  
*tanacetifolia*, Willd. ex Schlecht. in Ges. Naturf. Fr. Berl. Mag. vii. (1813) 286.—Sibir.  
*tanaitica*, Zinger, in Bull. Soc. Nat. Mosc. lvii. (1882) II. 69.—Rossia.  
*taurica*, Schur, Enum. Pl. Transs. 198 = heptaphylla.  
*taurica*, Willd. ex Schlecht. in Ges. Naturf. Fr. Berl. Mag. vii. (1813) 291 = hirta.  
*Tellusonii* ×, Hort. ex Lehm. in Nov. Act. Nat. Cur. xxiii. Suppl. (1856) 207.  
*tenella*, Turcz. in Bull. Soc. Nat. Mosc. xvi. (1843) 620 = multifida.  
*tenuifolia*, Willd. ex Schlecht. in Ges. Naturf. Fr. Berl. Mag. vii. (1813) 285 = fruticosa.  
*tenuiloba*, Jord. Pugill. Pl. Nov. 67 = argentea.  
*tenuirugis*, Pomel, Nouv. Mat. Fl. Atl. 158.—Alger.  
*tergloviensis*, Hacq. Pl. Alp. Carn. ii. 15. t. 4. f. 2 = nitida.  
*ternata* ×, Bruegg. in Cat. Hort. Turic. (1870) Suppl. 3.—Europ.  
*ternata*, C. Koch, in Linnaea, xix. (1847) 45 = aurea.  
*tetrandra*, Hook. f. Fl. Brit. Ind. ii. 346.—Reg. Himal. et Altaic.  
*tetrapetala*, Hall. f. in Ser. Mus. Helv. i. (1818) 51 = P. Tormentilla.  
*Thellusonii*, Hort. Ind. Sem. Hort. Basil. (1848); ex Walp. Ann. ii. 519 = *Tellusoni*.  
*Thomasii*, C. A. Mey. Verz. Pfl. Cauc. 168 = Meyeri.  
*Thomasii*, Ser. in DC. Prod. ii. 576 = Detommasii.  
*Thurberi*, A. Gray, ex Lehm. Ind. Sem. Hort. Hamb. (1854) 10; et in Mem. Am. Acad. N. S. v. (1855) 318.—N. Mexic.  
*thuringiaca*, Bernh. ex Link, Enum. Hort. Berol. ii. 64 = heptaphylla.  
*thyrsiflora*, Kern. Sched. Fl. Exsicc. ii. 21 = collina.  
*tirolensis*, Zimm. ex Kern. l. c. iii. 22 = verna.  
*Tomasii*, C. Muell. in Walp. Ann. ii. 490, sphalm. = *Thomasii*.  
*tomentosa*, Gilib. Fl. Lituan. ii. 254 = argentea.  
*tomentosa*, Tenore, ex Nym. Syll. Suppl. 49 = collina.  
*Tommasii*, Lehm. in Nov. Act. Nat. Cur. xxiii. Suppl. (1856) 95, sphalm. = *Thomasii*.  
*Tommasiniana*, F. Schultz, Arch. Fl. (1858) 264; et in Pollichia, xvi–xvii. (1859) 7 = arenaria.  
*Tonguei*, Hort. ex W. Baxt. in Loud. Hort. Brit. Suppl. II. 660 = nepalensis.

**POTENTILLA:—**

- Tormentilla*, Neck. in Act. Acad. Theod. Palat. ii. (1770) 491; Schrank, Bair. Fl. ii. 53.—Europ.; As. bor.  
*Tormentilla-elatior*, Tratt. Ros. Monog. iv. 70 = praec.  
*Tormentilla-erecta*, Scop. Fl. Carn. ed. II. i. 360 = praec.  
*Tormentilla-formosa*, Tongue, ex Loud. Hort. Brit. Suppl. ii. 660 = nepalensis.  
*tormentilloides*, Lange, ex Nym. Consp. 226 = aurea.  
*tormentilloides*, Mayer, ex Tausch, in Flora, ii. (1819) 467 = procumbens.  
*transsilvanica*, Schur, in Verh. Siebenb. Ver. Naturw. iv. (1853) 23 = aurea.  
*tridentata*, [Soland. in] Ait. Hort. Kew. ed. I. ii. 216. t. 9.—Am. bor. et arct.  
*trifida*, Lehm. in Hamb. Gartenz. vii. (1851) 263 = Fragaria indica.  
*trifida*, Pall. Reise, i. 215 = bifurca.  
*trifolia*, Gilib. Fl. Lituan. ii. 249 = norvegica.  
*trilobata*, Poir. Encyc. Suppl. iv. 536 = aurea.  
*trullifolia*, Hook. f. Fl. Brit. Ind. ii. 345.—Reg. Himal.  
*Turczaninowiana*, Stschégel. in Bull. Soc. Nat. Mosc. xxvii. (1854) I. 164.—As. centr.  
*turcinensis*, Siegf. ex Zimm. *Gatt. Potentill.* 20 = aurea.  
*tyrolensis*, Scop. Ann. II. Hist. Nat. (1769) 52 (Quid?).—Europ.  
*ucranica*, Lodd. Cat. (1818); ex Lehm. Monog. Pot. 195 = argentea.  
*Uechritzii*, Zimm. *Gatt. Potentill.* 9 = canescens.  
*umbrosa*, Steu. in Bess. Cat. Hort. Crem. (1816) 110; ex Bieb. Fl. Taur. Cauc. iii. 357.—Tauria; Reg. Cauc.  
*uniflora*, Ledeb. in Hook. Fl. Bor. Am. i. 195 = nivea.  
*uniflora*, Ledeb. in Mém. Acad. Pétersb. v. (1812) 543 = gelida.  
*Vahlia*, Lehm. Monog. Pot. 172 = nivea.  
*Vaillantii*, Nestl. Monog. Pot. 75 = splendens.  
*valdepubens*, Jord. ex Verlot, Cat. Pl. Jard. Grenoble (1856), 28 (Quid?).—Hab.?  
*Valderia*, Linn. *Syst. ed. X.* 1064.—Pedem.  
*vallesia*, Vill. Hist. Pl. Dauph. iii. 572 = nivalis.  
*vallesia*, Huet, in Compt. Rend. Soc. Hallér. (1853–54) 32.—Europ.  
*varia*, Schimp. & Spenn. in Spenn. Fl. Frib. iii. 755 = argentea.  
*variabilis*, Klotzsch, ex Lehm. in Nov. Act. Nat. Cur. xxiii. Suppl. (1856) 42 = fragarioides.  
*varians*, Moench, Meth. 658 = intermedia.  
*velutina*, Lehm. Monog. Pot. 170 = subacaulis.  
*velutina*, Wall. Cat. n. 1016 = peduncularis.  
*Verloti*, Jord. ex Verlot, Cat. Pl. Jard. Grenoble (1856), 28 = aurea.  
*verna*, Hook. in Scoresby, Greenland, 431 = emarginata.  
*verna*, Linn. *Sp. Pl.* 498.—Reg. bor. temp.  
*vernalis*, Jord. ex Verlot, Cat. Pl. Jard. Grenoble (1856), 28 = aurea.  
*verticillaris*, Steph. ex Willd. Sp. Pl. ii. 1096 = multifida, sericea.  
*vesca*, Scop. Fl. Carn. ed. II. i. 363 = Fragaria vesca.  
*vestita*, Jord. in Cat. Pl. Jard. Grenoble (1849), 23 = subacaulis.  
*vestita*, Klotzsch, in Bot. Ergeb. Waldem. Reise, 157 = argyrophylla.  
*viliifera*, Jord. ex Verlot, Cat. Pl. Jard. Grenoble (1856), 28 (Quid?).—Hab.?  
*villosa*, Dulac, Fl. Hautes-Pyr. 308 = P. Fragariastrum.  
*villosa*, Hall. f. ex Lehm. Monog. Pot. 100 = intermedia.  
*villosa*, Pall. ex Pursh, Fl. Am. Sept. i. 353 = gelida.  
*viminea*, Schrad. ex Lehm. Monog. Pot. 92 = aurea.  
*vindobonensis*, Zimm. ex Kern. Sched. Fl. Exsicc. iii. 23 = aurea.  
*vinosa*, Lodd. ex Spreng. Syst. iv. Cur. Post. 199 = inclinata.  
*virgata*, Lehm. Monog. Pot. 75.—Podolia.  
*viscosa*, Donn, Hort. Cantab. ed. II. 68.—Reg. Casp.  
*viscosa*, Steud. Nom. ed. I. 653 = hirta.  
*Visianii*, Panč. in Mem. Ist. Venet. x. (1861) 433; xii. (1864) 480.—Serbia.  
*visurgina*, Weihe, ex Reichb. Fl. Germ. Excurs. 871 = norvegica.  
*vitoluriniensis*, Siegf. ex Zimm. *Gatt. Potentill.* 19 = aurea.

**POTENTILLA:—**

- vivariensis*, Jord. Cat. Jard. Grenoble (1849), 24 = verna.  
*Vockei*, P. J. Muell. ex F. Schultz, Arch. Fl. 272 = collina.  
*vulcanica*, Boiss. & Kotschy, ex Boiss. Fl. Orient. ii. 717 = Kotschyana.  
*vulgaris*, Kitt. Taschenb. ed. II. 1081 = verna.  
*Wallichiana*, DC. ex Wall. Cat. n. 1022 = Kleiniana.  
*Wallichiana*, Govan, ex Wall. Cat. n. 1013 = argyrophylla.  
*Wallichiana*, Ser. in DC. Prod. ii. 574 = Fragaria indica.  
*Weimannii*, Lodd. Bot. Cab. t. 706 = collina.  
*Wheeleri*, S. Wats. in Proc. Am. Acad. xi. (1876) 148.—Calif.  
*Wiemanniana*, [Guenth. Grab. & Wimm.] Enum. Phan. Siles. 88 = collina.  
*Wolnyi*, Kit. ex Rochel, Bot. Reise Banat. 71 = P. Fragariastrum.  
*Wrangeliana*, Fisch. & Avé-Lall. Ind. Sem. Hort. Petrop. vii. 54 = glandulosa.  
*xerophila*, Jord. ex Verlot, Cat. Pl. Jard. Grenoble (1856), 28 = aurea.  
*xylophiza*, Boiss. & Hohen. Diagn. Ser. I. x. 5 = lignosa.  
*Zichyi*, Szont. in Verh. Zool. Bot. Ges. Wien, xiii. (1863) 1095.—Hungar.  
*Zimmereri*, Borb. in Oestr. Bot. Zeitschr. xxxii. (1882) 180 = verna.

**POTENTILLOPSIS**, Opiz, in Lotos, vii. (1857) 30 = **Potentilla**, Linn. (Rosac.).  
*Engelmanniana*, Opiz, l. c. = *Potentilla rivalis*.

**POTERANTHERA**, Bong. in Mém. Acad. Pétersb. Sér. VI. ii. (1835) Bot. 137. t. 8. **MELASTOMACEAE**, Benth. & Hook. f. i. 739.  
**ONOCOTONIA**, Naud. in Ann. Sc. Nat. Sér. III. xii. (1849) 276.  
*calcarata*, Triana, in Trans. Linn. Soc. xxviii. (1871) 33.—Bras.  
*crassipes*, Triana, l. c. 33. t. 1. f. 17 c.—Bras.  
*pauciflora*, Triana, l. c. t. 1. f. 17 b.—Bras.  
*pusilla*, Bong. in Mém. Acad. Pétersb. Sér. VI. ii. (1835) Bot. 137. t. 8. f. 1.—Bras.

**POTERIDIUM**, Spach, in Ann. Sc. Nat. Sér. III. v. (1846) 43 = **Poterium**, Linn. (Rosac.).  
*annuum*, Spach, l. c. = *Poterium annuum*.

**POTERION**, St. Lag. in Ann. Soc. Bot. Lyon, vii. (1880) 132 = **Poterium**, Linn. (Rosac.).  
*sanguisorbens*, St. Lag. l. c. = *Poterium Sanguisorba*.

**POTERIUM**, Linn. Gen. ed. I. 289 (1737). **ROSA-CEAE**, Benth. & Hook. f. i. 624.  
**PIMPINELLA**, Tourn. ex Rupp. Fl. Jen. ed. Hall. 285 (1745); Adans. Fam. ii. 293 (1763).  
**POTERIDIUM**, Spach, in Ann. Sc. Nat. Sér. III. v. (1846) 43.  
**SANGUISORBA**, Rupp. ex Linn. Syst. ed. I (1735).  
**SARCOPOTERIUM**, Spach, in Ann. Sc. Nat. Sér. III. v. (1846) 43.  
*agrimonifolium*, Cav. Elench. Hort. Madr. (1803); ex DC. Prod. ii. 595 = hybridum.  
*agrimonifolium*, Link, in Webb & Berth. Phyt. Canar. ii. 10 = verrucosum.  
*agrimonoides*, Linn. Sp. Pl. 994, in syn. = hybridum.  
*alophum*, Spach, ex Nym. Consp. 240 = Spachianum.  
*alveolatum*, Pomel, Nouv. Mat. Fl. Atl. 162 = seq.  
*alveolosum*, Spach, in Ann. Sc. Nat. Sér. III. v. (1846) 38.—Afr. bor.  
*anceps*, Ball, in Journ. Bot. xi. (1873) 332.—Marocc.  
*ancistroides*, Desf. Fl. Atlant. ii. 346. t. 251.—Reg. Mediterr. occ.  
*ancistroides*, Guir. ex Nym. Consp. 239 = rupicolum.  
*annuum*, Nutt. ex Hook. Fl. Bor. Am. i. 198.—Am. bor. occ.  
*australe*, Salisb. Prod. 360 = Acaena sericea.  
*balearicum*, Bourg. ex Nym. Consp. 240 = Spachianum.  
*boreale*, Salisb. Prod. 360 = officinale.  
*canadense*, A. Gray, Man. Bot. N. U. St. ed. V. 150.—Am. bor.; Japon.  
*caudatum*, Ait. Hort. Kew. ed. I. iii. 354.—Ins. Canar.



## POTERIUM:—

- collinum*, Salisb. Prod. 361 = *P. Sanguisorba*.  
*compactum*, Boiss. *Diagn. Ser. I. x. 7.*—Syria.  
*crispum*, Pomel. *Nouv. Mat. Fl. Atl.* 162 = *alveolosum*.  
*Delortii*, Jord. *Obs. Pl. Crit.* vii. (1849) 21 = *P. Sanguisorba*.  
*diandrum*, Hook. *f. Fl. Brit. Ind.* ii. 362.—Reg. Himal.  
*dictyocarpum*, Bourg. ex Willk. & Lange, *Prod. Fl. Hisp.* iii. 206 = *ancistroides*.  
*dictyocarpum*, Spach, in *Ann. Sc. Nat. Sér. III. v.* (1846) 34 = *P. Sanguisorba*.  
*Duriaei*, Spach, *l. c.* 33.—Alger.  
*Duriaei*, Willk. in *Bot. Zeit.* v. (1847) 430 = *verrucosum*.  
*eriocarpum*, Spach, in *Ann. Sc. Nat. Sér. III. v.* (1846) 36.—Italia.  
*filiforme*, Hook. *f. Fl. Brit. Ind.* ii. 362.—Reg. Himal.  
*Fontanesii*, Spach, in *Ann. Sc. Nat. Sér. III. v.* (1846) 41 = *verrucosum*.  
*frutescens*, Bory, *Ess. Isles Fortun.* 346 (Quid?).—Ins. Canar.  
*fruticosum*, Link, in *Buch, Besch. Canar. Ins.* 155 = *præc.*  
*Gaillardoti*, Boiss. *Diagn. Ser. II. ii. 52.*—Syria; Mesopot.  
*garganicum*, Tenore, *Syll. Fl. Neap.* 261.—Italia.  
*glaucescens*, Reichb. *Fl. Germ. Excurs.* 610 = *P. Sanguisorba*.  
*glaucum*, Noé, ex Nym. *Consp.* 239 = *villosum*.  
*guestphalicum*, Boenn. ex Bor. *Fl. Centr. Fr. ed. III.* ii. 213 = *P. Sanguisorba*.  
*humile*, Lam. ex Steud. *Nom. ed. I.* 653 = *Acaena magellanica*.  
*hybridum*, Linn. *Sp. Pl.* 994.—Europ. austr.  
*hybridum*, T. Nees, *Gen. Fl. Germ. Monoc. n. 79* = *polygamum*.  
*indicum*, Gardn. in *Calc. Journ. Nat. Hist.* viii. (1847) 10.—Zeylan.  
*Jaubertii*, Spach, in *Ann. Sc. Nat. Sér. III. v.* (1846) 33 = *villosum*.  
*lasiocarpum*, Boiss. & Haussk. ex Boiss. *Fl. Orient.* ii. 733.—Persia.  
*lateriflorum*, Coss. *Notes Crit.* 107.—Hispan.  
*longifolium*, Hook. *f. Fl. Brit. Ind.* ii. 363.—Reg. Himal.  
*lucidum*, Salisb. *Prod.* 360 = *Acaena lucida*.  
*Magnolii*, Spach, in *Ann. Sc. Nat. Sér. III. v.* (1846) 33 = *verrucosum*.  
*Magnolii*, Willk. in *Flora*, xxxiv. (1851) 633 = *P. Sanguisorba*.  
*mauritanicum*, Boiss. *Voy. Bot. Espagne*, ii. 205 = *verrucosum*.  
*megacarpum*, Lowe, in *Trans. Camb. Phil. Soc.* vi. (1838) reimpr. 22 = *verrucosum*.  
*microphyllum*, Jord. *Obs. Pl. Crit.* vii. (1849) 20 = *Spachianum*.  
*minus*, S. F. Gray, *Nat. Arr. Brit. Pl.* ii. 575 = *P. Sanguisorba*.  
*multicaule*, Boiss. & Reut. *Pugill. Pl. Nov.* (1852) 44.—Hispan.; Maroc.  
*muricatum*, Spach, in *Ann. Sc. Nat. Sér. III. v.* (1846) 36 = *polygamum*.  
*obscurum*, Jord. *Obs. Pl. Crit.* vii. (1849) 23 = *P. Sanguisorba*.  
*officinale*, A. Gray, in *Proc. Am. Acad.* vii. (1868) 340.—Europ.: As. bor.; Am. bor.  
*platylophum*, Jord. *Obs. Pl. Crit.* vii. (1849) 22 = *polygamum*.  
*polygamum*, Desf. *Cat. Hort. Par. ed. III.* 292 = *verrucosum*.  
*polygamum*, Lej. *Rev. Fl. Spa*, 199 = *P. Sanguisorba*.  
*polygamum*, Waldst. & Kit. *Pl. Rar. Hung.* ii. 217. t. 198.—Europ.; Oriens.  
*rupicolum*, Boiss. & Reut. *Pugill. Pl. Nov.* (1852) 45.—Hispan.  
*Sanguisorba*, Linn. *Sp. Pl.* 994.—Reg. bor. temp.  
*sitchense*, S. Wats. *Bibliog. Ind. N. Am. Bot.* i. 303.—Am. bor. occ.  
*Spachianum*, Coss. *Notes Crit.* 108.—Hispan.  
*spinosum*, Linn. *Sp. Pl.* 994.—Syria.  
*stenolophum*, Jord. *Obs. Pl. Crit.* vii. (1849) 22 = *polygamum*.  
*tenuifolium*, Franch. & Sav. *Enum. Pl. Jap.* i. 133.—As. or.

VOL. II.

## POTERIUM:—

- verrucosum*, Ehrenb. in *Ind. Sem. Hort. Berol.* (1829); ex Decne. in *Ann. Sc. Nat. Sér. II. iii.* (1835) 263.—Reg. Mediterr.; Arab.  
*verrucosum*, Link, ex G. Don, *Gen. Syst.* ii. 595 = *P. Sanguisorba*?  
*vestitum*, Pomel, *Nouv. Mat. Fl. Atl.* 161 = *alveolosum*.  
*villosum*, Sibth. & Sm. *Fl. Graec. Prod.* ii. 238.—As. Min.

POTHA, Burm. *Thes. Zeyl.* 197 (1737); Linn. *Fl. Zeyl.* 156 (1747) = *Pothos*, Linn. (Aroideae).

POTHODIUM, Schott, in *Oestr. Bot. Wochenbl.* vii. (1857) 70; Aroid. 26. t. 57 (1857). AROIDEAE, Benth. & Hook. *f. iii.* 999.  
*Lobbianum*, Schott, *ll. cc.*—Ins. Philipp.

POTHOMORPHE, Miq. 'in *Bull. Néerl.* (1840)'; Comm. Phyt. 36 (1840) = *Piper*, Linn.  
*Dombeyana*, Miq. *Syst. Pip.* 211 = *Piper umbellatum*.  
*hirsuta*, Bartl. *Ind. Sem. Hort. Gotting.* (1863) 6.—Venezuela.  
*Lessertiana*, Miq. *Syst. Pip.* 210 = *Piper umbellatum*.  
*mollissima*, Miq. *Comm. Phyt.* 46 = *Piper mollissimum*.  
*Ottomus*, Miq. *Syst. Pip.* 207 = *Piper peltatum*.  
*peltata*, Miq. *Comm. Phyt.* 37, 45 = *Piper peltatum*.  
*pruinosa*, Miq. *l. c.* 37 = *Piper peltatum*.  
*scutata*, Miq. *l. c.* = *Piper peltatum*.  
*sidaefolia*, Miq. *l. c.* 36 = *Piper subpeltatum*.  
*speciosa*, Miq. *l. c.* 37 = *Piper peltatum*.  
*subpeltata*, Miq. *l. c.* = *Piper subpeltatum*.  
*umbellata*, Miq. *l. c.* 36 = *Piper umbellatum*.

POTHOS, Adans. *Fam.* ii. 57 (1763) = *Polianthes*, Linn. (Amaryll.).

POTHOS, Linn. *Diss. Dass.* 26 (1747); Amoen. *Acad.* i. 410 (1749). AROIDEAE, Benth. & Hook. *f. iii.* 999.  
*GONIURUS*, Presl, *Epim. Bot.* 244 (1849).  
*PODOSPADIX*, Rafin. *Fl. Tellur.* iv. 14 (1836).  
*TAPANAVA*, Adans. *Fam.* ii. 470 (1763).  
*acaulis*, Hook. *Exot. Fl.* ii. t. 122 = *Anthurium Hookeri*.  
*acaulis*, Hort. *Berol.* ex Tausch, in *Flora*, xix. (1836) 424 = *brachypodos*.  
*acaulis*, Jacq. *Enum. Pl. Carib.* 31 = *Anthurium acaule*.  
*aduncum*, Vell. *Fl. Flum.* ix. t. 124.—Bras.  
*Albertisii*, Engl. in *Bull. Soc. Tosc.ortic.* iv. (1879) 267.—N. Guin.  
*anceps*, Spreng. ex Schult. *Mant.* iii. 301 = *Gymnostachys anceps*.  
*angustatus*, H. B. & K. *Nov. Gen. et Sp.* i. 77 = *Anthurium angustatum*.  
*angustifolius*, Presl, *Epim. Bot.* 243.—Ind. or.  
*angustifolius*, Reinw. ex Miq. in *Bot. Zeit.* xiv. (1856) 561 = *longifolius*.  
*argyreaus*, Hort. ex Engl. in *DC. Monog. Phan.* ii. 255 = *Scindapsus pictus*.  
*aureus*, Linden, ex André, in *Illustr. Hort.* xxvii. (1880) 69. t. 381.—Ins. Salomon.  
*auritus*, Willd. ex Schult. *Mant.* iii. 301 = *Syngonium Vellozianum*.  
*australasicus*, F. Muell. *Fragm.* i. 62 = *longipes*.  
*Barberianus*, Schott, *Aroid.* 24. t. 53.—Malacca; Borneo.  
*Beccarianus*, Engl. in *DC. Monog. Phan.* ii. 92.—Borneo.  
*bifarius*, Wall. *Cat. n.* 4445 (Quid?).—Singapore.  
*brachypodos*, Tausch, in *Flora*, xix. (1836) 424.—Ins. Martinic.  
*breviscapus*, Poepp. ex Kunth, *Enum. Pl.* iii. 78 = *Anthurium breviscapum*.  
*brevistylus*, Engl. in *Bull. Soc. Tosc.ortic.* iv. (1879) 267.—Borneo.  
*camtschaticus*, Spreng. *Syst.* iii. 767 = *Lysichitum camtschaticense*.  
*cannaefolius*, Dryand. in *Sims, Bot. Mag.* t. 603 = *Spathiphyllum cannaeforme*.  
*cannaefolius*, Rudge, *Pl. Gui.* t. 33 = *Philodendron Rudgeanum*.  
*cannaeformis*, H. B. & K. *Nov. Gen. et Sp.* i. 76 = *Spathiphyllum cannaeforme*.  
*cartilagineus*, Desf. *Cat. Hort. Par. ed. III.* 8, 386 = *Anthurium cartilagineum*.

## POTHOS:—

- Cathcarti*, Schott, *Aroid.* 22. t. 44.—Reg. Himal.  
*caudatus*, Roxb. *Hort. Beng.* 83; *Fl. Ind.* i. 436 = *Epipremnum mirabile*.  
*celatocaulis*, N. E. Br. in *Gard. Chron.* (1880) i. 200.—Borneo.  
*Chapelieri*, Schott, in *Oestr. Bot. Wochenbl.* v. (1855) 19.—Madag.  
*clavatus*, Engl. in *Bull. Soc. Tosc.ortic.* iv. (1879) 266.—N. Guin.  
*cognatus*, Schott, *Aroid.* 22. t. 48 = *scandens*.  
*cordatus*, Ait. *Hort. Kew. ed. I.* iii. 319 = *macrophyllus*?  
*cordatus*, Linn. *Sp. Pl. ed. II.* 1373 = *Anthurium Guildingii*.  
*cordatus*, Willd. *Enum. Hort. Berol.* 168 = *Anthurium cordifolium*.  
*coriaceus*, R. Grah. in *Edinb. Phil. Journ.* (Apr. 1826) 353 = *Anthurium coriaceum*.  
*coriaceus*, Salisb. *Prod.* 262 = *macrophyllus*?  
*crassinervius*, Hook. *Bot. Mag.* t. 2987 = *Anthurium Hookeri*.  
*crassinervius*, Jacq. *Coll. iv.* 122 = *Anthurium crassinervium*.  
*crenatus*, Linn. *Sp. Pl. ed. II.* 1373 = *Anthurium acaule*.  
*Cumingianus*, Schott, in *Oestr. Bot. Wochenbl.* v. (1855) 19 (Cumingianus).—Ins. Philipp.  
*Cuscuaria*, Aubl. *Pl. Gui.* ii. 840 = *Scindapsus Cuscuaria*.  
*cylindricus*, Presl, *Epim. Bot.* 243 = *Loureirii*.  
*decipiens*, Schott, in *Bonplandia*, vii. (1859) 165 = *scandens*.  
*decurrens*, Wall. *Cat. p.* 215. n. 4437, sphalm. = *decursivus*.  
*decursivus*, Roxb. *Hort. Beng.* 11; *Fl. Ind.* i. 436 = *Rhaphidophora decursiva*.  
*decursivus*, Wall. *Pl. As. Rar.* ii. 83 = *Epipremnum mirabile*.  
*digitatus*, Jacq. *l. c.* iii. 18; *Coll. iv.* 119 = *Anthurium digitatum*.  
*drupaceus*, Dennst. *Schluss. Hort. Malab.* 33.—Ind. or.  
*elegans*, Engl. in *Bull. Soc. Tosc.ortic.* iv. (1879) 267.—N. Guin.  
*elegans*, Wall. *Cat. n.* 4444 = *Anadendrum montanum*.  
*ellipticus*, Moon, *Cat. Pl. Ceyl.* 11, nomen; et ex Miq. *Fl. Ind. Bat.* iii. 182 = *remotiflorus*.  
*elongellus*, Hort. ex Kunth, *Enum. Pl.* iii. 69 = *Anthurium longifolium*.  
*Enderianus*, Hort.—Cf. *Gard. Chron.* (1884) i. 711.—Borneo.  
*erneaphyllus*, Vell. *Fl. Flum.* ix. t. 126 = *Anthurium variabile*.  
*erythrusus*, Tausch, in *Flora*, xix. (1836) 425.—Hab. f.  
*exiguiflorus*, Schott, *Aroid.* 21. t. 41; *Prod. Aroid.* 561 = *scandens*.  
*fallax*, Schott, *Prod. Aroid.* 560 = *scandens*.  
*flexuosus*, H. B. & K. *Nov. Gen. et Sp.* vii. 151 = *Anthurium flexuosum*.  
*foetidus*, Ait. *Hort. Kew. ed. I.* iii. 319 = *Symplocarpus foetidus*.  
*giganteus*, Roxb. *Hort. Beng.* 11; *Fl. Ind.* i. 434 = *Epipremnum giganteum*.  
*glaucus*, Link & Otto, ex Steud. *Nom. ed. II.* ii. 391, nomen.—Mexic.  
*glaucus*, Schott, ex Kunth, *Enum. Pl.* iii. 73 = *Anthurium coriaceum*.  
*glaucus*, Wall. *Pl. As. Rar.* ii. 45. t. 156 = *Rhaphidophora glauca*.  
*gracilis*, Roxb. *Hort. Beng.* 83; *Fl. Ind.* i. 433.—Ins. Amboin.  
*gracilis*, Rudge, *Pl. Gui.* i. 23. t. 32 = *Anthurium Rudgeanum*.  
*grandiflorus*, Steud. *Nom. ed. II.* ii. 391, sphalm. seq.  
*grandifolius*, Jacq. *Coll. iv.* 121 = *Anthurium grandifolium*.  
*Harrisii*, R. Grah. in *Edinb. Phil. Journ.* (Apr. 1826) 353 = *Anthurium Harrisii*.  
*hederaceus*, Aubl. *Pl. Gui.* ii. 840.—Guian.  
*hederaceus*, Zoll. & Mor. *Syst. Verr. Zoll.* 83 = *Scindapsus hederaceus*.  
*heptaphyllus*, Vell. *Fl. Flum.* ix. t. 125 = *Anthurium variabile*.  
*heterophyllum*, Roxb. *Hort. Beng.* 11; *Fl. Ind.* i. 437 = *Lasia aculeata*.

4 K



## POTHOS:—

- Hookeri, *Schott, Aroid.* 23. t. 46.—Zeylan.  
*Horsfieldii*, Miq. Fl. Ind. Bat. iii. 178 = longifolius.  
*inaequilaterus*, Engl. in DC. Monog. Phan. ii. 88 = Cumingianus.  
*insignis*, Engl. in Bull. Soc. Tosc. Ort. iv. (1879) 267.—Borneo.  
*Funghuhnianus*, Schott, Prod. Aroid. 567 = macrophyllus.  
*Funghuhnii*, De Vriese, in Miq. Pl. Jungh. 104 = macrophyllus.  
*Korthalsianus*, Schott, in Miq. Ann. Mus. Lugd. Bat. i. 284 = Cumingianus.  
*laciniatus*, Mart. & Gal. in Bull. Acad. Brux. x. i. (1843) 122 = Anthurium podophyllum.  
*lanceolatus*, Linn. Sp. Pl. ed. II. 1373 = Anthurium lanceolatum.  
*Lasia*, Roxb. Hort. Beng. 11; Fl. Ind. i. 438 = Lasia aculeata.  
*latifolius*, Linn. Syst. ed. X. 1252 (Quid?).—Ins. Amboin.  
*leptospadix*, De Vriese, in Miq. Pl. Jungh. 105 = Zollingerianus.  
*leptostachyus*, Schott, Prod. Aroid. 571.—Borneo.  
*leucocarpus*, Hort. ex Kunth, Enum. Pl. iii. 68 = Anthurium scandens.  
*leucophaeus*, Poepp. ex Engl. in Mart. Fl. Bras. iii. II. 104 = Spathiphyllum cannaeforme.  
*longifolius*, Hoffm. Verz. Pf. 102; Nachtr. iii. 53 = Anthurium longifolium.  
*longifolius*, Link & Otto, ex Steud. Nom. ed. II. ii. 391.—Mexic.  
*longifolius*, Presl, Epim. Bot. 242.—Ins. Philipp.  
*longipes*, Schott, Aroid. 23. t. 47.—Austral.  
*Loureirii*, Hook. & Arn. Bot. Beech. Voy. 220.—China; Ins. Philipp.; Austral.  
*lucidus*, Hort. ex Kunth, Enum. Pl. iii. 73 = Anthurium lucidum.  
*luzonensis*, Schott, in Oestr. Bot. Wochenbl. v. (1855) 19.—Ins. Philipp.  
*macrophyllus*, De Vriese, in Miq. Pl. Jungh. 104.—Java; Sumatra.  
*macrophyllus*, Sw. Prod. Veg. Ind. Occ. 33 = Anthurium Selloum.  
*macrophyllum*, Willd. Sp. Pl. i. 686 = Anthurium grandifolium.  
*macrostachyus*, Zoll. & Mor. Syst. Verz. Zoll. 83 (sp. dub).—Java.  
*malaianus*, Miq. Fl. Ind. Bat. Suppl. 596 = Anadendrum montanum.  
*marginatus*, Wall. Cat. n. 4443 = Anadendrum marginatum.  
*maximus*, Desf. Cat. Hort. Par. ed. III. 8, 386 = Anthurium Fontanesii.  
*membranuliferus*, De Vriese, ex Engl. in DC. Monog. Phan. ii. 196 = Anthurium podophyllum.  
*membranuliferus*, Hort. Spaarn-Bergens. 41; ex Walp. Ann. i. 762.—Hab.?  
*microphyllus*, Hook. Bot. Mag. t. 2953 = Anthurium microphyllum.  
*microphyllus*, Presl, Epim. Bot. 243.—Burma; China.  
*microstachyus*, H. B. & K. Nov. Gen. et Sp. i. 75 = Anthurium microstachyum.  
*miniatus*, Zipp. ex Schott, in Miq. Ann. Mus. Bot. Lugd. Bat. i. 129 = Epipremnum asperatum.  
*monopetalus*, Reinw. ex Miq. Fl. Ind. Bat. iii. 188 = Anadendrum affine.  
*Mottleyanus*, Schott, Aroid. 25. t. 55.—Borneo.  
*myosuroides*, H. B. & K. Nov. Gen. et Sp. i. 75 = Anthurium myosuroides.  
*nervosus*, Willd. ex Kunth, Enum. Pl. iii. 51 = Philodendron Ochrostemon.  
*nigrescens*, Zipp. ex Schott, in Miq. Ann. Mus. Bot. Lugd. Bat. i. 131 = Zippelii.  
*obliquus*, Wall. Cat. n. 4446 (Quid?).—Ind. or.  
*oblongifolius*, Tausch, in Flora, xix. (1836) 425.—Hab.?  
*obtusifolius*, Ait. Hort. Kew. ed. II. i. 269 = Anthurium obtusifolium.  
*odoratus*, Anders. ex Sims, Bot. Mag. t. 603 = Spathiphyllum cannaeforme.  
*officinalis*, Roxb. Hort. Beng. 11; Fl. Ind. i. 431 = Scindapsus officinalis.  
*ovatus*, Walt. Fl. Carol. 224 = Onontium aquaticum.  
*oxyphyllum*, Miq. Fl. Ind. Bat. iii. 181.—Java.  
*palmatus*, Linn. Sp. Pl. ed. II. 1374 = Anthurium palmatum.

## POTHOS:—

- panduraeformis*, H. B. & K. Nov. Gen. et Sp. i. 78 = Philodendron panduraeforme.  
*papuanus*, Becc. ex Engl. in Bull. Soc. Tosc. Ort. iv. (1879) 267.—N. Guin.  
*parasiticus*, Vell. Fl. Flum. ix. t. 121 = Anthurium Miquelianum.  
*pedatus*, H. B. & K. Nov. Gen. et Sp. i. 78. t. 20 = Anthurium pedatum.  
*Peepla*, Roxb. Hort. Beng. 11; Fl. Ind. i. 433 = Rhaphidophora Peepla.  
*pentandrus*, Dennst. Schluess. Hort. Malab. 33.—Ind. or.  
*pentaphyllum*, Willd. Sp. Pl. i. 687 = Anthurium pentaphyllum.  
*pertusus*, Roxb. Hort. Beng. 83; Fl. Ind. i. 434 = Rhaphidophora pertusa.  
*pinnatifidus*, Roxb. Hort. Beng. 83; Fl. Ind. i. 437 = Epipremnum mirabile.  
*pinnatus*, Linn. Sp. Pl. ed. II. 1324 = Epipremnum mirabile.  
*pinnatus*, Wall. Cat. n. 4438; Blanco, Fl. Filip. ed. I. 646 = Epipremnum medium.  
*Pipla*, Schult. Mant. iii. 295 = Rhaphidophora Peepla.  
*platyneuron*, Desf. Cat. Hort. Par. ed. III. 8, 386 = Caladium platyneuron.  
*podophyllum*, Cham. & Schlecht. in Linnaea, vi. (1831) 22 = Anthurium podophyllum.  
*Putorii*, Bartram, Fl. Virg. 60 = Symplocarpus foetidus.  
*quinquenervius*, H. B. & K. Nov. Gen. et Sp. i. 76.—Am. austr.  
*reflexus*, Hoffm. ex Kunth, Enum. Pl. iii. 73; Link & Otto, ex Steud. Nom. ed. II. ii. 391 = Anthurium coriaceum.  
*remotiflorus*, Hook. Ic. Pl. t. 133.—Zeylan.  
*reptans*, Link & Otto, ex Steud. Nom. ed. II. ii. 391 = Anthurium reptans.  
*rigidus*, Aubl. Pl. Gui. ii. 839.—Guian.  
*Roxburghii*, De Vriese, in Miq. Pl. Jungh. 103 = scandens.  
*Roxburghii*, Schott, Aroid. 22. t. 37 = Vriesianus.  
*rubescens*, Link & Otto, ex Steud. Nom. ed. II. ii. 391 = Anthurium rubescens.  
*rubricaulis*, Hort. ex Kunth, Enum. Pl. iii. 69 = Anthurium Harrisii.  
*rubrinervius*, Link, Enum. Hort. Berol. i. 109 = Anthurium rubrinervium.  
*Rumphii*, Schott, Melet. 21.—Java.  
*sagittatus*, Sims, Bot. Mag. t. 1584 = Anthurium rubrinervium.  
*sagittifolius*, Rudge, Pl. Gui. 24. t. 34 = Urospatha sagittaeifolia.  
*scandens*, D. Don, Prod. Fl. Nep. 21 = Cathcarti.  
*scandens*, Hook. Ic. Pl. t. 175 = Hookeri.  
*scandens*, Linn. Sp. Pl. 968.—Ind. or.; Malaya; China.  
*scandens*, Wall. Cat. n. 4435 = Vriesianus.  
*Schlechtendalii*, Mart. & Gal. in Bull. Acad. Brux. x. i. (1843) 122 = Anthurium Schlechtendalii.  
*scolopendrinus*, Ham. Prod. Pl. Ind. Occ. 16 = Anthurium gracile.  
*scolopendroides*, Desf. Tabl. ed. I. 8.—Hab.?  
*Scolopendrium*, Spreng. Nov. Prov. 34 = Anthurium acaule.  
*Seemanni*, Schott, in Bonplandia, v. (1857) 44.—China.  
*solitarius*, Vell. Fl. Flum. iv. t. 123 = Anthurium affine.  
*spectabilis*, Hort.—Cf. Gard. Chron. (1869) 587.—Bras.  
*spinousus*, Buch.-Ham. ex Wall. Cat. n. 4447 C = Lasia aculeata.  
*suaveolens*, Desf. Cat. Hort. Par. ed. III. 8, 386 = Anthurium rubrinervium.  
*subcaulescens*, Vell. Fl. Flum. ix. t. 122 = Anthurium coriaceum.  
*subsagittatus*, H. B. & K. Nov. Gen. et Sp. i. 77 = Anthurium subsagittatum.  
*sumatranus*, Miq. Fl. Ind. Bat. Suppl. 596.—Sumatra.  
*tener*, Schott, Aroid. 24; Prod. Aroid. 572.—Ins. Amboin.?  
*tener*, Wall. in Roxb. Fl. Ind. ed. Carey, i. 454 = gracilis.  
*terminalis*, Hance, in Ann. Sc. Nat. Sér. V. v. (1866) 247.—Loureirii.  
*Thomsonianus*, Schott, Aroid. 24. t. 51.—Ind. or.  
*triphyllum*, Willd. ex Schult. Mant. iii. 301.—Am. austr.  
*undatus*, Hort. ex Kunth, Enum. Pl. iii. 82 = Anthurium undatum.

## POTHOS:—

- undulatus*, Hort. ex Steud. Nom. ed. II. ii. 391, nomen.—Hab.?  
*venosus*, Willd. ex Schult. Mant. iii. 300.—Mexic.?  
*ventricosus*, Hoffmgg. Verz. Pf. 102 (Quid?).—Bras.  
*violaceus*, Sw. Prod. Veg. Ind. Occ. 32 = Anthurium scandens.  
*viridis*, Parment. ex Steud. Nom. ed. II. ii. 391, nomen.—Hab.?  
*Vrieseanus*, Schott, Aroid. 22. t. 36.—Sumatra.  
*Wallichii*, Steud. Nom. ed. II. ii. 391 = Rhaphidophora glauca.  
*Zippelii*, Schott, in Miq. Ann. Mus. Lugd. Bat. i. 131.—Malaya; N. Guin.  
*Zollingeri*, Engl. in DC. Monog. Phan. ii. 85, sphalm. = seq.  
*Zollingerianus*, Schott, in Oestr. Bot. Wochenbl. v. (1855) 19.—Java; Sumatra.
- POTHUAVA, Gaudich. Bot. Voy. Bonite, tt. 116, 117 (1844–52) = *Aechmea*, Ruiz & Pav. (Bromel.).  
*comata*, Gaudich. l. c. t. 116 = A. comata.  
*nudicaulis*, Regel, Gartenfl. (1882) 291. t. 1096 = A. nudicaulis.  
*Skinneri*, C. Koch, Wochenschr. iv. (1861) 190.—Guatemala.  
*spicata*, Gaudich. Bot. Voy. Bonite, t. 117 = A. nudicaulis.
- POTIMA, R. Hedw. Gen. 143 (1806) = *Faramea*, Aubl. (Rubiace.).
- POTTSIA, Hook. & Arn. Bot. Beech. Voy. 198. t. 43 (1836). *APOCYNACEAE*, Benth. & Hook. f. ii. 712.  
*EUTHODON*, Griff. Notul. iv. 84; Ic. Pl. As. t. 458 (1854).  
*PARAPOTTSIA*, Miq. Fl. Ind. Bat. ii. 1080 (1856).  
*TEYSMANNIA*, Miq. in Versl. en Med. Kon. Akad. Wetensch. vi. (1857) 193.  
*cantonensis*, Hook. & Arn. Bot. Beech. Voy. 199.—Ind. or.; Java; China.  
*Hookeriana*, Wight, Ic. t. 1306 = cantonensis.  
*ovata*, A. DC. in DC. Prod. viii. 442 = cantonensis.
- POUCHETIA, A. Rich. in Mém. Soc. Hist. Nat. Par. v. (1830) 251. *RUBIACEAE*, Benth. & Hook. f. ii. 92.  
*africana*, DC. Prod. iv. 393.—Afr. trop.  
*parviflora*, Benth. in Hook. Niger Fl. 395.—Afr. trop.  
*Saxifraga*, Hochst. ex A. Rich. Tent. Fl. Abyss. i. 355.—Abyss.
- POUPARTIA, Comm. ex Juss. Gen. 372 (1789) = *Spondias*, Linn. (Anacard.).  
*borbonica*, J. F. Gmel. Syst. 728 = S. borbonica.  
*castanea*, Engl. in DC. Monog. Phan. iv. 261 = Sclerocarya castanea.  
*dulcis*, Blume, Bijdr. 1161 = S. dulcis.  
*excelsa*, March. Rév. Anacard. 157 = Sclerocarya caffra.  
*guianensis*, J. F. Gmel. Syst. 1609, sphalm. = borbonica.  
*mangifera*, Blume, Bijdr. 1160 = Dracontomelon mangiferum.  
*minor*, March. Rév. Anacard. 157.—Madag.  
*pinnata*, Blanco, Fl. Filip. ed. I. 393 = Dracontomelon mangiferum.  
*pubescens*, March. Rév. Anacard. 157 = S. pubescens.  
*triphylla*, March. l. c. = Lanneoma velutina.
- POUROUMA, Aubl. Pl. Gui. ii. 891. t. 341 (1775). *URTICACEAE*, Benth. & Hook. f. iii. 380.  
*PURUMA*, Jaume St. Hil. Expos. ii. 313 (1805).  
*acuminata*, Mart. Syst. Mat. Med. Bras. 34, nomen; et ex Miq. in Mart. Fl. Bras. iv. i. 130.—Bras.  
*acutifolia*, Tréc. in Ann. Sc. Nat. Sér. III. viii. (1847) 105.—Bras.  
*aspera*, Tréc. l. c. 102.—Guian.  
*bicolor*, Mart. Syst. Mat. Med. Bras. 34.—Bras.  
*cecropiaefolia*, Mart. Reise Bras. iii. 1130; et ex Miq. in Mart. Fl. Bras. iv. i. 123.—Bras.  
*cinerascens*, Mart. ex Miq. in Mart. Fl. Bras. iv. i. 125.—Bras.  
*digitata*, Tréc. in Ann. Sc. Nat. Sér. III. viii. (1847) 106.—Guian.  
*edulis*, Dufresne, in Illustr. Hortic. xx. (1873) 70.—N. Granat.  
*fuliginea*, Miq. in Mart. Fl. Bras. iv. i. 129.—Bras.  
*guianensis*, Aubl. Pl. Gui. ii. 892. t. 341.—Guian.  
*heterophylla*, Mart. ex Miq. in Mart. Fl. Bras. iv. i. 125.—Bras.



**POUROUMA** :—

- Jussiaeana, *Tréc. in Ann. Sc. Nat. Sér. III. viii.* (1847) 106.—Peruv.  
 mollis, *Tréc. l. c.* 102.—Am. trop.  
 multifida, *Tréc. l. c.* 107 = cecropiaefolia.  
 ovata, *Tréc. l. c.* 101.—Bras.  
 palmata, *Poepp. & Endl. Nov. Gen. et Sp. ii.* 29. t. 141.—Peruv.  
 retusa, Benth. ex Miq. in *Mart. Fl. Bras. iv. i.* 128 = tomentosa.  
 sapida, *Karst. Fl. Columb. ii.* 19. t. 110.—N. Granat.  
 tomentosa, *Mart. ex Miq. in Mart. Fl. Bras. iv. i.* 128.—Bras.  
 triloba, *Klotzsch, in Linnaea, xx.* (1847) 526; *Tréc. in Ann. Sc. Nat. Sér. III. viii.* (1847) 104.—Peruv.; Bras.?  
 velutina, *Mart. ex Miq. in Mart. Fl. Bras. iv. i.* 130.—Bras.  
 villosa, *Tréc. in Ann. Sc. Nat. Sér. III. viii.* (1847) 103.—Guian.

**POURETIA**, Ruiz & Pav. *Prod. 46. t. 7* (1794) = **Puya**, Molina (Bromel.).

- Achupalla*, Linden, *Cat. n. viii.* (1853) 31, nomen = *Puya Bonplandiana*.  
*aëranthos*, Loisel. *Herb. Amat. v. t.* 304 = *Tillandsia dianthoidea*.  
*alpestris*, Poepp. & Endl. *Nov. Gen. et Sp. ii.* 41. t. 156 = *Pitcairnia caerulea*.  
*auruacensis*, Linden, *Cat. n. viii.* (1853) 31.—N. Granat.  
*Bonplandiana*, D. Dietr. *Syn. Pl. ii.* 1060 = *Puya Bonplandiana*.  
*caerulea*, Miers, *Trav. ii.* 531, nomen = *Pitcairnia caerulea*.  
*coarctata*, Ruiz & Pav. *Fl. Per. iii.* 34 = *Puya chilensis*.  
*ferruginea*, Spreng. *Syst. ii.* 23 = *Pitcairnia ferruginea*.  
*floccosa*, C. Koch, *Wochenschr. iii.* (1860) 251 = *Pitcairnia floccosa*.  
*floccosa*, Linden, *Cat. n. viii.* (1853) 31.—Hab.?  
*frigida*, Linden, *l. c.* = *Dyckia frigida*.  
*inermis*, E. Mey. ex Presl, *Rel. Haenk. i.* 123 = *Pitcairnia inermis*.  
*lanata*, H. B. & K. *Nov. Gen. et Sp. i.* 296 = *Puya lanata*.  
*lanuginosa*, Hort. ex Regel, in *Act. Hort. Petrop. iii.* (1875) 125 = *Pitcairnia floccosa*.  
*lanuginosa*, Ruiz & Pav. *Fl. Per. iii.* 33 = *Puya lanuginosa*.  
*lepidota*, Linden, *Cat. n. viii.* (1853) 31.—Hab.?  
*magnispatha*, Colla, *Hort. Ripul. App. ii.* 334. t. 19 = *Bilbergia speciosa*.  
*paniculata*, Ruiz & Pav. *Syst. Veg. 81* = *Pitcairnia pulverulenta*.  
*pyramidata*, H. B. & K. *Nov. Gen. et Sp. i.* 296 = *Puya Bonplandiana*.  
*pyramidata*, Ruiz & Pav. *Fl. Per. iii.* 34 = *Puya pyramidata*.  
*rubricaulis*, Miers, *Trav. ii.* 531 = *Pitcairnia caerulea*?  
*speciosa*, Linden, *Cat. n. viii.* (1853) 31.—Hab.?  
*sympagathera*, Ruiz & Pav. *Syst. Veg. 82* = *Guzmania tricolor*.  
*violacea*, Hort. Laurent. ex Regel, in *Act. Hort. Petrop. iii.* (1875) 125 = *Pitcairnia floccosa*.  
*violacea*, Linden, *Cat. n. viii.* (1853) 31.—Hab.?  
*yuccoides*, Linden, *l. c. n. lxxxvii.* (1871) 25.—Hab.?

**POURRETIA**, Willd. *Sp. Pl. iii.* 844 (1801) = **Cavanillesia**, Ruiz & Pav. (Malvac.).

- arborea*, Willd. *l. c.* = *C. umbellata*.  
*platanifolia*, Humb. & Bonpl. *Pl. Aequin. ii.* 162. t. 133 = *C. platanifolia*.  
*tuberculata*, Mart. *Reise Bras. ii.* 582 = *C. platanifolia*?
- POURTHIAEA**, Decne. in *Nouv. Arch. Mus. Par. Sér. I. x.* (1874) 146. **ROSACEAE**.  
*arguta*, Decne. *l. c.* 147.—Reg. Himal.  
*Calleryana*, Decne. *l. c.*—China.  
*coreana*, Decne. *l. c.* 148.—Japon; Corea.  
*Cotoneaster*, Decne. *l. c.* 149.—Japon.  
*Hookeri*, Decne. *l. c.* = *arguta*.  
*lucida*, Decne. *l. c.* 148.—Ins. Formosa.  
*Oldhamii*, Decne. *l. c.* 149.—Japon.  
*salicifolia*, Decne. *l. c.* 148 = *arguta*.  
*Thunbergii*, Decne. *l. c.* 149.—Japon.  
*villosa*, Decne. *l. c.* 147.—Japon.  
*Zollingeri*, Decne. *l. c.* 149.—Japon.

**POUSLOWIA**, Wight, in *Hook. Journ. Bot. iii.* (1841) 185, 192 (Quid?).

- POUTERIA**, Aubl. *Pl. Gui. i.* 85 (1775). **SAPO-TACEAE**, Benth. & Hook. *f. ii.* 633.  
 CHAETOCARPUS, Schreb. *Gen. 75* (1789).  
 PROZETIA, Neck. *Elem. i.* 225 (1790).  
*amazonica*, Radlk. in *Sitzb. Math.-Phys. Akad. Muench. xii.* (1882) 333.—Bras.  
*Caimito*, Radlk. *l. c.* 312 = *Lucuma Caimito*.  
*chrysophylloides*, Radlk. *l. c.* 333 = *Lucuma chrysophylloides*.  
*crassifolia*, Radlk. *l. c.* 334.—Bras.  
*dictyoneura*, Radlk. *l. c.* xiv. [1884] 464.—Cuba.  
*Gardneriana*, Radlk. *l. c.* xii. (1882) 333 = *Lucuma Gardneriana*.  
*glomerata*, Radlk. *l. c.* = *Lucuma glomerata*.  
*gomphiaefolia*, Radlk. *l. c.* = *Lucuma gomphiaefolia*.  
*guianensis*, Aubl. *Pl. Gui. i.* 86. t. 33 (= *Lucuma psammophila*, excl. fruct.).—Guian.  
*guianensis*, Griseb. *Fl. Brit. W. Ind.* 403 = *Sloanea Purdiaei*.  
*lactescens*, Radlk. in *Sitzb. Math.-Phys. Akad. Muench. xii.* (1882) 294 = *Lucuma glycyphloea*.  
*laevigata*, Radlk. *l. c.* xiv. [1884] 457.—Bras.  
*lasiocarpa*, Radlk. *l. c.* xii. (1882) 333 = *Lucuma lasiocarpa*.  
*lateriflora*, Radlk. *l. c.* = *Lucuma lateriflora*.  
*laurifolia*, Radlk. *l. c.* = *Lucuma laurifolia*.  
*lucens*, Radlk. *l. c.* = *Lucuma lucens*.  
*macrocarya*, D. Dietr. *Syn. Pl. i.* 431 = *Labatia macrocarpa*.  
*neriifolia*, Radlk. in *Sitzb. Math.-Phys. Akad. Muench. xii.* (1882) 333 = *Lucuma neriifolia*.  
*nitida*, Radlk. *l. c.* = *Lucuma nitida*.  
*ochrosperma*, Radlk. *l. c.* 335.—Bras.  
*parviflora*, Radlk. *l. c.* 333 = *Lucuma parviflora*.  
*psammophila*, Radlk. *l. c.* = *Lucuma psammophila*.  
*ramiflora*, Radlk. *l. c.* = *Lucuma ramiflora*.  
*rigida*, Radlk. *l. c.* = *Lucuma rigida*.  
*salicifolia*, Radlk. *l. c.* = *Lucuma Sellowii*.  
*sessiliflora*, Poir. *Encyc. Suppl. iv.* 546 (= *Labatia sessiliflora*).—Ind. occ.  
*torta*, Radlk. in *Sitzb. Math.-Phys. Akad. Muench. xii.* (1882) 333 = *Lucuma torta*.

**POUZOLZIA**, Gaudich. in *Freye. Voy. Bot. 503* (1826).

- URTICACEAE**, Benth. & Hook. *f. iii.* 387.  
 ELKANIA, Schlecht. ex Wedd. in *DC. Prod. xvi.* i. 227, in syn. (1869).  
 GONOSTEGIA, Turcz. in *Bull. Soc. Nat. Mosc.* (1846) ii. 509.  
 HYRTANANDRA, Miq. *Pl. Jungh. 25* (1851).  
 LEPTOCNIDE, Blume, *Mus. Bot. Lugd. Bat. ii.* 193. t. 57 (1856).  
 LEUCOCOCCUS, Liebm. in *Vidensk. Selsk. Skr. V.* ii. (1851) 311.  
 MARGAROCARPUS, Wedd. in *Ann. Sc. Nat. Sér. IV.* i. (1854) 203.  
 MEMORIALIS, Buch.-Ham. in *Wall. Cat. nn.* 4598–4601 (1831).  
 PENTOCNIDE, Rafin. *Fl. Tellur. iii.* 48 (1836).  
 STACHYOCNIDE, Blume, *Mus. Bot. Lugd. Bat. ii.* 227. t. 55 (1856).  
*abyssinica*, Blume, *Mus. Bot. Lugd. Bat. ii.* 236.—Abyss.  
*acalypoides*, Wedd. in *DC. Prod. xvi.* i. 234.—Venezuela.  
*acuta*, Wight, *l. c.* vi. 39 = *Wightii*.  
*alienata*, Gaudich. in *Freye. Voy. Bot. 503* = *indica*.  
*ambigua*, Wight, *l. c.* vi. 39 = *Wightii*.  
*angustifolia*, Wight, *l. c.* 43 = *indica*.  
*arachnoidea*, Wedd. in *DC. Prod. xvi.* i. 228 = *macrura*.  
*arnhemica*, F. Muell. *Fragm. iv.* 87 = *indica*.  
*aspera*, Wedd. in *DC. Prod. xvi.* i. 233.—Peruv.; Bolivia.  
*aspera*, Wight, *l. c.* vi. 40. t. 2095. f. 18 = *scabra*.  
*auriculata*, Wight, *l. c.* vi. 42.—Ind. or.  
*Bennettiana*, Wight, *l. c.* 40.—Ind. or.  
*bicuspidata*, Wight, *l. c.* 42 = *auriculata*.  
*Boiviniana*, Wedd. in *Arch. Mus. Par. viii.* (1855–56) 405.—Madag.  
*borbonica*, Wight, *l. c.* vi. 43 = *viminea*.  
*bornensis*, Blume, *Mus. Bot. Lugd. Bat. ii.* 234 = *indica*.  
*bracteata*, Benth. *Pl. Jav. Rar.* 67 = *caudata*.  
*canescens*, Gaudich. in *Freye. Voy. Bot. 503* = *laevigata*.

**POUZOLZIA** :—

- caudata*, Benth. *Pl. Jav. Rar.* 66.—Ind. or.  
*ceramica*, Blume, *Mus. Bot. Lugd. Bat. ii.* 234.—Ins. Molucc.  
*cinerascens*, Wedd. in *DC. Prod. xvi.* i. 230.—Sumatra.  
*cochinensis*, Blume, *Mus. Bot. Lugd. Bat. ii.* 245 = *indica*.  
*concinna*, Wight, *l. c.* vi. 40 = *Wightii*.  
*confinis*, Blume, *Mus. Bot. Lugd. Bat. ii.* 230.—Ind. or.  
*conglobata*, Miq. *Fl. Ind. Bat. i. ii.* 260.—Java.  
*cordata*, Benth. *Pl. Jav. Rar.* 67.—Java.  
*courtallensis*, Wight, *l. c.* vi. 38. t. 2093. f. 10 = *caudata*.  
*cymosa*, Wight, *l. c.* 42 = *auriculata*.  
*Dalsellii*, Wight, *l. c.* 41 = *pentandra*.  
*diffusa*, Wight, *l. c.* 38. t. 2099. f. 36 = *indica*.  
*discolor*, Wedd. in *Arch. Mus. Par. viii.* (1855–56) 408.—Peruv.  
*elegans*, Wedd. in *DC. Prod. xvi.* i. 230.—Ins. Formosa.  
*elliptica*, Wight, *l. c.* vi. 42 = *auriculata*.  
*flaccida*, A. Rich. *Tent. Fl. Abyss. ii.* 259 = *Australina Schimperiana*.  
*formicaria*, Wedd. in *Arch. Mus. Par. viii.* (1855–56) 407.—Peruv.  
*Forsteniana*, Blume, *Mus. Bot. Lugd. Bat. ii.* 23 = *indica*.  
*fulgens*, Wedd. in *DC. Prod. xvi.* i. 229 = *viminea*.  
*Gardneri*, Wight, *l. c.* t. 2092. f. 5 = *Bennettiana*.  
*Gardneriana*, Wight, *l. c.* vi. 39 = *Bennettiana*.  
*glabra*, Wight, *l. c.* 41 = *pentandra*.  
*glabrata*, Wedd. in *Arch. Mus. Par. viii.* (1855–56) 406 = *ovata*.  
*glochidiata*, Blume, *Mus. Bot. Lugd. Bat. ii.* 245 = *indica*.  
*glomerata*, Decne. in *Nouv. Ann. Mus. Par. iii.* (1834) 492, in obs.; Hassk. *Cat. Hort. Bog. Alt.* 80 = *indica*.  
*guatemalana*, Wedd. in *DC. Prod. xvi.* i. 233.—Guatemala.  
*guineensis*, Benth. in *Hook. Niger Fl.* 518.—Afr. trop.  
*heterocarpa*, Wight, *l. c.* vi. 40 = *Bennettiana*.  
*heterophylla*, Blume, *Mus. Bot. Lugd. Bat. ii.* 237 = *indica*.  
*heterophylla*, Wedd. in *DC. Prod. xvi.* i. 231.—Ins. Celebes.  
*hirta*, Hassk. *Cat. Hort. Bog. Alt.* 80.—As. et Austral. trop.  
*hispida*, Benth. *Pl. Jav. Rar.* 66 = *hirta*.  
*Huegeliana*, Blume, *Mus. Bot. Lugd. Bat. ii.* 241 = *Bennettiana*.  
*hypericifolia*, Blume, *l. c.* 242 = *pentandra*.  
*hypoleuca*, Wedd. in *DC. Prod. xvi.* i. 227.—Afr. trop.  
*indica*, Gaudich. in *Freye. Voy. Bot. 503*.—As. et Austral. trop.  
*integrifolia*, Dals. in *Hook. Kew Journ.* iii. (1851) 134.—Ind. or.  
*Johnsoniana*, Wight, *l. c.* vi. 44. t. 2101. t. 47 = *indica*.  
*laevigata*, Gaudich. in *Freye. Voy. Bot. 503*.—Ins. Mascari.  
*laevis*, Wedd. in *DC. Prod. xvi.* i. 233 = *virgata*.  
*latifolia*, Wedd. *l. c.* 234.—Mexic.  
*longifolia*, Wight, *l. c.* vi. 40 = *Wightii*.  
*lucida*, Hassk. *Cat. Hort. Bog. Alt.* 80.—Java.  
*lythroides*, F. Muell. *Fragm. v.* 194 = *hirta*.  
*macrura*, Wedd. in *Arch. Mus. Par. viii.* (1855–56) 395.—Ins. Philipp.  
*microceltis*, Miq. *Fl. Ind. Bat. i. ii.* 260 = *viminea*.  
*microphylla*, Wight, *l. c.* vi. 42 = *indica*.  
*minor*, Wight, *l. c.* 43 = *indica*.  
*mixta*, Solms, in *Sitzb. Ges. Naturf. Fr. Berl.* (1864) 21.—Afr. trop.  
*mollis*, Blume, *Mus. Bot. Lugd. Bat. ii.* 230 = *laevigata*.  
*montana*, Miq. *Pl. Jungh.* 23 = *viminea*.  
*muralis*, Miq. *l. c.* 24 = *indica*.  
*mysorensis*, Wight, *l. c.* vi. 39 = *Bennettiana*.  
*nana*, Blume, *Mus. Bot. Lugd. Bat. ii.* 244 = *indica*.  
*neilgherensis*, Wight, *l. c.* vi. 42 = *Wightii*.  
*obliqua*, Wedd. in *Arch. Mus. Par. viii.* (1855–56) 405.—Panama.  
*oblongifolia*, Wight, *l. c.* vi. 42 = *Wightii*.  
*obscura*, Blume, *Mus. Bot. Lugd. Bat. ii.* 241 = *Bennettiana*.



**POUZOLZIA** :—

- occidentalis, Wedd. in Arch. Mus. Par. viii. (1855-56) 410.—Nicaragua.  
 orientalis, Wedd. l. c. 413.—Ind. or.  
 ovalifolia, Wight, Ic. vi. 39 = Bennettiana.  
 ovalis, Miq. Pl. Jungh. 24 = viminea.  
 ovata, Wedd. in DC. Prod. xvi. i. 232.—N. Granat.  
 ovata, Wight, Ic. vi. 41 = Wightii.  
 parietarioides, Decne. in Nouv. Ann. Mus. Par. iii. (1834) 492 = indica.  
 parva, Blume, Mus. Bot. Lugd. Bat. ii. 234 = indica.  
 parvifolia, Wight, Ic. vi. 39. t. 2092. f. 1.—Zeylan; Java.  
 pauciflora, Benn. Pl. Jav. Rar. 67 = indica.  
 pauciflora, A. Rich. Tent. Fl. Abyss. ii. 259 = Droguetia diffusa.  
 pentandra, Benn. Pl. Jav. Rar. 64.—As. trop.  
 pilosa, Wight, Ic. vi. 43 = indica.  
 procridioides, Wedd. in Arch. Mus. Par. viii. (1855-56) 412.—Afr. austr.  
 procumbens, Wight, Ic. vi. 42 = indica.  
 propinqua, Blume, Mus. Bot. Lugd. Bat. ii. 230 = auriculata.  
 prostrata, Benn. Pl. Jav. Rar. 67 = indica.  
 pyramidata, Wight, Ic. vi. 44 = indica.  
 quadrialata, Wight, l. c. 37. t. 2094. f. 12 = Bennettiana.  
 quinquenervis, Benn. Pl. Jav. Rar. 66 = hirta.  
 ramosissima, Wight, Ic. vi. 41 = pentandra.  
 repens, Griseb. in Mem. Am. Acad. N. S. viii. (1861) 174 = Boehmeria repens.  
 revoluta, Blume, Mus. Bot. Lugd. Bat. ii. 240.—Sumatra.  
 Rheedii, Wight, Ic. vi. 43 = auriculata.  
 rostrata, Wight, l. c. 42 = auriculata.  
 Rothiana, Blume, Mus. Bot. Lugd. Bat. ii. 231.—Ind. or.  
 rotundifolia, Wight, Ic. vi. 42 = auriculata.  
 rubricaulis, Wedd. in DC. Prod. xvi. i. 229.—Java.  
 scabra, Wight, Ic. vi. 41.—Ind. or.  
 scabrida, Wight, l. c. 43 = auriculata.  
 Sonnerati, Gaudich. in Freyc. Voy. Bot. 503 = Phenax vulgaris.  
 sponiaefolia, Schlecht. ex Blume, Mus. Bot. Lugd. Bat. ii. 244 = Bennettiana.  
 Stocksii, Wight, Ic. vi. 41 = pentandra.  
 strigosa, Hassk. Cat. Hort. Bog. Alt. 80 = indica.  
 suffruticosa, Wight, Ic. vi. 43 = indica.  
 tenuis, Blume, Mus. Bot. Lugd. Bat. ii. 235 = indica.  
 ternata, Benn. Pl. Jav. Rar. 66 = Wightii.  
 tetraptera, Wight, Ic. vi. 44 = indica.  
 tomentosa, Wight, l. c. 40 = Bennettiana.  
 trialata, Wight, l. c. 42 = Wightii.  
 triandra, Blume, Mus. Bot. Lugd. Bat. ii. 241 = parvifolia.  
 trichophora, Hohen. ex Wedd. in DC. Prod. xvi. i. 222 = indica.  
 tuberosa, Wight, Ic. vi. 43.—Ind. or.  
 vesicaria, Wight, l. c.—Ind. or.  
 viminea, Wedd. in DC. Prod. xvi. i. 228.—Ind. or.  
 virgata, Wedd. in Arch. Mus. Par. viii. (1855-56) 409.—Bras.  
 Waitziana, Blume, Mus. Bot. Lugd. Bat. ii. 239.—Java.  
 Walkeriana, Wight, Ic. vi. 41. t. 2095 f. 16 = pentandra.  
 Wallichiana, Wight, l. c. 41 = Wightii.  
 Wightii, Benn. Pl. Jav. Rar. 66.—Ind. or.  
 zeylanica, Benn. l. c. 67 = indica.

- POZOA, Lag. Gen. et Sp. Nov. 13 (1816) = **Azorella**, Lam. (Umbell.).  
 coriacea, Lag. l. c.—Reg. Andin.  
 cuneifolia, F. Muell. in Trans. Phil. Soc. Vict. i. (1855) 103 = A. cuneifolia.  
 denticulata, Meyen, Reise, i. 314 = coriacea.  
 exigua, Hook. f. Handb. N. Zeal. Fl. 87.—N. Zel.  
 Fragoesa, F. Muell. in Trans. Phil. Soc. Vict. i. (1855) 102 = A. Muellieri.  
 Haastii, Hook. f. Handb. N. Zeal. Fl. 88.—N. Zel.  
 hydrocotylifolia, Bridges, ex Gardn. in Field. Sert. Pl. t. 40.—Chili.  
 hydrocotylifolia, Hook. f. Handb. N. Zeal. Fl. 88.—N. Zel.  
 incisa, Meyen, Reise, i. 314 = A. incisa.  
 pallida, T. Kirk, in Trans. N. Z. Inst. x. (1878) 419.—N. Zel.  
 Ranunculus, Hook. f. Fl. N. Zel. 85, in obs. = A. Ranunculus.

**POZOA** :—

- reniformis, Hook. f. Fl. Antarct. 15. t. 11 = Azorella reniformis.  
 Roughii, Hook. f. Handb. N. Zeal. Fl. 89.—N. Zel.  
 trifoliata, Hook. f. Fl. N. Zel. 85 = A. trifoliolata.

- POZOPSIS, Hook. Ic. Pl. t. 859 (1852) = **Huanaca**, Cav. (Umbell.).  
 cordifolia, Hook. l. c. = H. cordifolia.

- PRADOSIA, Liais, Brés. 614 (1872) = **Lucuma**, Molina (Sapot.).  
 glycyphloea, Liais, l. c. = L. glycyphloea.

- PRAEALSTONIA, Miers, in Journ. Linn. Soc. xvii. (1879) 291 = **Symplocos**, Linn. (Styrac.).  
 Arechea, Miers, l. c. = S. Arechea.  
 cernua, Miers, l. c. 292 = S. cernua.  
 coccinea, Miers, l. c. 291 = S. coccinea.  
 coriacea, Miers, l. c. 292 = S. coriacea.  
 Matthewsii, Miers, l. c. = S. Matthewsii.  
 mucronata, Miers, l. c. = S. mucronata.  
 nuda, Miers, l. c. = S. nuda.  
 octopetala, Miers, l. c. 291 = S. octopetala.  
 parvifolia, Miers, l. c. 292 = S. parvifolia.  
 reflexa, Miers, l. c. = S. reflexa.  
 rufescens, Miers, l. c. = S. rufescens.  
 serrulata, Miers, l. c. = S. serrulata.  
 theaeiformis, Miers, l. c. 291 = S. Alstonia.  
 tomentosa, Miers, l. c. 292 = S. tomentosa.

- PRAENANTHES, Hook. Bot. Misc. ii. (1831) 221, err. typ. = **Prenanthes**, Vaill. (Compos.).

- PRAESEPIUM, Spreng. ex Reichb. Consp. 212<sup>b</sup> (1828), nomen. **ROSACEAE** (Quid?).

- PRAETORIA, Baill. Etud. Gén. Euph. 470. t. 11 (1858) = **Pipturus**, Wedd. (Euphorb.).

- PRANGOS**, Lindl. in Quart. Journ. Sc. xix. (1825) 7. **UMBELLIFERAE**, Benth. & Hook. f. i. 904.  
 ANISOPLEURA, Fenzl, in Flora, xxvi. (1843) 459; et in Endl. Gen. Suppl. iii. 82 (1843).  
 COLLADONIA, DC. Prod. iv. 240 (1830).  
 HEPTAPTERA, Marg. & Reut. in Mém. Soc. Phys. Genève. viii. (1838) 302 t. 5.  
 HETEROPTERA, Steud. Nom. ed. II. i. 756 (1840).  
 MELIOCARPUS, Boiss. in Ann. Sc. Nat. Sér. III. ii. (1844) 84.  
 PERLEBIA, DC. Mém. Omb. 67 (1829).  
 PTEROMATHRUM, Koch, in DC. Prod. iv. 239 (1830).  
 angustifolia, Nym. Syll. 165.—Ital.  
 anisopetala, DC. Prod. iv. 240.—Syria.  
 Arcis-romanae, Boiss. & Huet, Diagn. Ser. II. ii. 105.—Armenia.  
 armena, Kotschy & Boiss. ex Boiss. Fl. Orient. ii. 938 = platychlaena.  
 asperula, Boiss. Diagn. Ser. I. x. 54.—Syria.  
 Aucheri, Boiss. in Ann. Sc. Nat. Sér. III. ii. (1844) 83.—Persia.  
 cheilanthifolia, Boiss. l. c. 79 = Cachrys cheilanthifolia.  
 cinerea, Boiss. l. c. 80 = Szowitsii.  
 colladonioides, Nym. Syll. 165.—Graecia.  
 corymbosa, Boiss. in Ann. Sc. Nat. Sér. III. ii. (1844) 81.—Cappadoc.  
 cylindracea, DC. Prod. iv. 239.—Calabria.  
 denticulata, Fisch. & Mey. in Ann. Sc. Nat. Sér. IV. i. (1854) 35.—Galatia.  
 ferulacea, Lindl. in Quart. Journ. Sc. xix. (1825) 7.—Europ. austr.; Oriens.  
 foeniculacea, C. A. Mey. Verz. Pfl. Cauc. 131 = ferulacea.  
 Haussknechtii, Boiss. Fl. Orient. ii. 940.—Persia.  
 Hermonis, Boiss. l. c. 943.—Syria.  
 humilis, Fisch. in Ledeb. Fl. Ross. ii. 359 = Szowitsii.  
 lophoptera, Boiss. in Ann. Sc. Nat. Sér. III. ii. (1844) 82.—As. Min.  
 macrocarpa, Boiss. l. c. 77.—Persia.  
 meliocarpoides, Boiss. l. c. 81.—As. Min.  
 microcarpa, Boiss. l. c. 83.—Persia.  
 odontoptera, Boiss. l. c. 78.—Persia.  
 ovatifolia, Boiss. l. c. 79 = odontoptera.  
 pabularia, Lindl. in Quart. Journ. Sc. xix. (1825) 7.—Reg. Himal.  
 pauciradiata, Boiss. & Hohen. Diagn. Ser. I. x. 55 = Trachydium elbrusense.

**PRANGOS** :—

- Pestalozzae, Boiss. Diagn. Ser. I. x. 55 = meliocarpoides.  
 peucedanifolia, Fenzl, in Flora, xxvi. (1843) 463.—Mesopot.  
 platychlaena, Boiss. in Tchihat. Asie Min. Bot. i. 457.—As. Min.  
 pumila, Boiss. in Ann. Sc. Nat. Sér. III. ii. (1844) 77.—As. Min.  
 stenoptera, Boiss. & Buhse, in Nouv. Mém. Soc. Nat. Mosc. xii. (1860) 104 = ferulacea.  
 Szowitsii, Boiss. in Ann. Sc. Nat. Sér. III. ii. (1844) 78.—Persia.  
 thapsioides, DC. Prod. iv. 240 = Elaeoselinum foetidum.  
 triquetra, Nym. Syll. 313.—Europ.  
 tuberculata, Boiss. & Haussk. ex Boiss. Fl. Orient. ii. 943.—Persia.  
 Uechtritzi, Boiss. & Haussk. l. c. 938.—As. Min.  
 uloptera, DC. Prod. iv. 239.—Persia.

- PRARAVINIA**, Korth. Verh. Nat. Gesch. Bot. 189. t. 41 (1842?). **RUBIACEAE**, Benth. & Hook. f. ii. 75.

- PARAVINIA, Hassk. in Flora, xxxi. (1848) 580.  
 densiflora, Korth. Verh. Nat. Gesch. Bot. 190. t. 41.—Borneo.

- PRASANTHEA, Decne. in Rev. Hort. Sér. III. ii. (1848) 467 = **Paliavana**, Vand. (Gesner.).  
 prasinata, Decne. l. c. = Paliavana sericiflora.

- PRASITELES, Salisb. Gen. Pl. Fragm. 102 (1866) = **Narcissus**, Linn. (Amaryll.).  
 viridiflorus, Salisb. l. c. = N. viridiflorus.

- PRASIUM**, Linn. Gen. ed. I. 345 (1737). **LABIATAE**, Benth. & Hook. f. ii. 1217.

- LEVINA, Adans. Fam. ii. 190 (1763).  
 coccineum, Walt. Fl. Carol. 166 = Physostegia virginiana.  
 creticum, Reichb. ex Nym. Consp. 564 = majus.  
 glabrum, Gaudich. in Freyc. Voy. Bot. 452. t. 64 = Phyllostegia glabra.  
 grandiflorum, Gaudich. l. c. 453. t. 65. f. 2 = Phyllostegia grandiflora.  
 hirsutum, Poir. Encyc. v. 611 = Stachys Swainsoni, aethiopica.  
 incarnatum, Walt. Fl. Carol. 165 = Macbridea pulchra.  
 javanicum, Blume, Bijdr. 840 = Gomphostemma javanicum.  
 laetum, Salisb. Prod. 89 = majus.  
 macrophyllum, Gaudich. in Freyc. Voy. Bot. 453. t. 65. f. 3 = Phyllostegia parviflora.  
 majus, Linn. Sp. Pl. 601.—Reg. Mediterr.  
 medium, Lowe, in Trans. Camb. Phil. Soc. vi. (1838), reimpr. 13.—Ins. Mader.  
 melissaefolium, Roxb. Hort. Beng. 45; Fl. Ind. iii. 26 = Gomphostemma melissaefolium.  
 minus, Linn. Sp. Pl. 601 = majus.  
 minus, Vahl, ex Walp. Rep. iii. 819 = Stachys Swainsoni.  
 parviflorum, Gaudich. in Freyc. Voy. Bot. 453. t. 65. f. 1 = Phyllostegia parviflorum.  
 phlomoides, Reinw. ex Blume, Bijdr. 840 = Gomphostemma phlomoides.  
 purpureum, Walt. Fl. Carol. 166 = Physostegia virginiana.

- PRASKOINON, Rafn. Fl. Tellur. iv. 29 (1836) = **Allium**, Tourn. (Liliac.).  
 longifolium, Rafn. l. c. = A. longifolium.

- PRASOPEPON, Naud. in Ann. Sc. Nat. Sér. V. v. (1866) 26 = **Cucurbitella**, Walp.  
 cucumifolius, Griseb. in Goett. Abh. xix. (1874) 146 = C. cucumifolia.  
 Duriaei, Naud. in Ann. Sc. Nat. Sér. V. v. (1866) 27. t. 2 = C. Duriaei.

- PRASOPHYLLUM**, R. Br. Prod. 317 (1810). **ORCHIDEAE**, Benth. & Hook. f. iii. 608.

- GENOPLESIMUM, R. Br. Prod. 319 (1810).  
 affine, Lindl. Gen. et Sp. Orch. 516 = fuscum.  
 alpinum, R. Br. Prod. 318 = fuscum.  
 ansatum, Fitzg. in Journ. Bot. xxiii. (1885) 135.—Austral.



**PRASOPHYLLUM** :—

- Archeri, Hook. f. *Fl. Tasman.* ii. 14. t. 113 B.—Austral.  
 attenuatum, Fitzg. in *Gard. Chron.* (1882) i. 495.—Austral.  
 australe, R. Br. *Prod.* 318.—Austral.  
 australe, Lindl. Gen. et Sp. Orch. 514 = elatum.  
 Baueri, Poir. Encyc. Suppl. iv. 547 (*Baveri*) = rufum.  
 brachystachyum, Lindl. Gen. et Sp. Orch. 513.—Tasman.  
 brevifolium, Hook. f. *Fl. Tasman.* ii. 11. t. 110 A.—Austral.  
 Brounii, Reichb. f. Beitr. Syst. Pfl. 16 = elatum?  
 calopterum, Reichb. f. in *Linnaea*, xli. (1877) 57.—N. Caled.  
 Colensoi, Hook. f. *Fl. N. Zel.* i. 241.—N. Zel.  
 cucullatum, Reichb. f. Beitr. Syst. Pfl. 59.—Austral.  
 cyphochilum, Benth. *Fl. Austral.* vi. 340.—Austral.  
 densum, Fitzg. in *Journ. Bot.* xxiii. (1885) 135.—Austral.  
 despectans, Hook. f. *Fl. Tasman.* ii. 13. t. 113 A.—Austral.  
 Drummondii, Reichb. f. Beitr. Syst. Pfl. 60 = elatum?  
 elatum, R. Br. *Prod.* 318.—Austral.  
 eriochilum, Fitzg. in *Journ. Bot.* xxiii. (1885) 135.—Austral.  
 filiforme, Fitzg. l. c. 137.—Austral.  
 Fimbria, Reichb. f. Beitr. Syst. Pfl. 60.—Austral.  
 fimbriatum, R. Br. *Prod.* 319.—Austral.  
 flavum, R. Br. l. c. 318.—Austral.  
 fuscum, R. Br. l. c.—Austral.  
 gibbosum, R. Br. l. c.—Austral.  
 giganteum, Endl. in *Lehm. Pl. Preiss.* ii. 12 = P. Fimbria.  
 giganteum, Lindl. Swan River App. 54 = elatum.  
 gracile, Lindl. l. c. = macrostachyum.  
 hians, Reichb. f. Beitr. Syst. Pfl. 61.—Austral.  
 intricatum, C. Stuart, ex Benth. *Fl. Austral.* vi. 346.—Austral.  
 laminatum, Fitzg. in *Journ. Bot.* xxiii. (1885) 136.—Austral.  
 Lindleyanum, Reichb. f. Beitr. Syst. Pfl. 58 = fuscum?  
 longisepalum, Fitzg. in *Journ. Bot.* xxiii. (1885) 136.—Austral.  
 lutescens, Lindl. Gen. et Sp. Orch. 514 = australe.  
 macrostachyum, R. Br. *Prod.* 318.—Austral.  
 macrotyis, Endl. in *Lehm. Pl. Preiss.* ii. 12 = seq.?  
 macrotyis, Lindl. Swan River App. 54 = elatum.  
 nigricans, R. Br. *Prod.* 319.—Austral.  
 nigricans, Endl. in *Lehm. Pl. Preiss.* ii. 12 = macrostachyum.  
 nudiscapum, Hook. f. *Fl. Tasman.* ii. 13 = brachystachyum.  
 nudum, Hook. f. *Fl. N. Zel.* i. 242 = rufum.  
 nudum, Hook. f. *Fl. Tasman.* ii. t. 113.—Austral.  
 ovale, Lindl. Swan River App. 54.—Austral.  
 parvifolium, Lindl. l. c.—Austral.  
 patens, R. Br. *Prod.* 318.—Austral.  
 plumaeforme, Fitzg. in *Gard. Chron.* (1882) i. 495.—Austral.  
 pumilum, Hook. f. *Fl. N. Zel.* i. 242.—N. Zel.  
 reflexum, Fitzg. in *Journ. Bot.* xxiii. (1885) 137.—Austral.  
 rostratum, Lindl. Gen. et Sp. Orch. 516 = fuscum.  
 rufum, R. Br. *Prod.* 319.—Austral.  
 striatum, R. Br. l. c. 318.—Austral.  
 Tepperi, F. Muell. in *Tepp. Pl. Ardross.* (Oct. 1880); ex *ej. Census*, 140.—Austral.  
 triangulare, Fitzg. in *Gard. Chron.* (1882) i. 495.—Austral.  
 truncatum, Lindl. Gen. et Sp. Orch. 513 = patens.  
 tunicatum, Hook. f. *Fl. N. Zel.* i. 242 = nudum.  
 viride, Fitzg. in *Journ. Bot.* xxiii. (1885) 135.—Austral.  
 Woollsi, F. Muell. *Fragm.* v. 100.—Austral.

PRASOXYLON, M. Roem. Syn. Hesper. 83, 101 (1846) = **Dysoxylum**, Blume (Meliac.).  
 alliaceum, M. Roem. l. c. 101 = D. alliaceum.

PRASUM, Linn. Syst. ed. I (1735), nomen = **Prasium**, Linn.

PRATIA, G. Don, Gen. Syst. iii. 699 (1834), partim = **Lobelia**, Plum. (Campanul.).

**PRATIA**, Gandich. in Freyc. Voy. Bot. 456. t. 79 (1826). **CAMPANULACEAE**, Benth. & Hook. f. ii. 550.  
 COLENSEA, Hook. f. *Fl. N. Zel.* i. 156 (1853).

**PRATIA** :—

- PIDDINGTONIA, A. DC. in DC. *Prod.* vii. 341 (1839).  
 SPEIREMA, Hook. f. & Thoms. in *Journ. Linn. Soc.* ii. (1858) 27.  
 angulata, Hook. f. *Fl. Antarct.* i. 43.—N. Zel.  
 arenaria, Hook. f. l. c. 41. t. 29.—Ins. Auckland.  
 atacamensis, Phil. *Fl. Atac.* 34.—Chili.  
 begoniaefolia, G. Don, Gen. Syst. iii. 699 = seq.  
 begoniaefolia, Lindl. Bot. Reg. t. 1373.—Reg. Himal.; Malaya.  
 boliviensis, A. DC. in DC. *Prod.* vii. 340.—Bolivia.  
 corymbosa, G. Don, Gen. Syst. iii. 699 = Lobelia corymbosa.  
 Cunninghamii, Hook. f. *Fl. Antarct.* i. 42 = erecta.  
 elliptica, Hook. f. l. c. 43.—Reg. Argent.  
 erecta, Gandich. in Freyc. Voy. Bot. 456. t. 79.—Austral.  
 gelida, Benth. *Fl. Austral.* iv. 132.—Austral.  
 glandulifera, Wedd. *Chlor. And.* ii. 11. t. 45.—Peruv.  
 hederacea, Cham. in *Linnaea*, viii. (1833) 212.—Bras.  
 irrigua, Benth. *Fl. Austral.* iv. 132.—Austral.  
 linnaeoides, Hook. f. *Handb. N. Zeal. Fl.* 172.—N. Zel.  
 longiflora, Hook. f. *Fl. Antarct.* ii. 325.—Chili.  
 macrodon, Hook. f. *Handb. N. Zeal. Fl.* 172.—N. Zel.  
 montana, Hassk. *Cat. Hort. Bog. Alt.* 106.—Java.  
 nummularia, Benth. ex Kurz, in *Journ. As. Soc. Beng.* xvi. (1877) ii. 210 = begoniaefolia.  
 nummularia, A. Br. & Aschers. *Ind. Sem. Hort. Berol.* (1861) App. 6.—Chili.  
 oligophylla, Wedd. *Chlor. And.* ii. 10. t. 45.—Peruv.; Bolivia.  
 pedunculata, Benth. *Fl. Austral.* iv. 133.—Austral.  
 pencana, Phil. in *Anal. Univ. Chil.* (1861) 53.—Chili.  
 perpusilla, Hook. f. *Handb. N. Zeal. Fl.* 172.—N. Zel.  
 platycalyx, Benth. *Fl. Austral.* iv. 132.—Austral.  
 puberula, Benth. l. c. 133.—Austral.  
 radicans, G. Don, Gen. Syst. iii. 700 = Lobelia radicans.  
 reniformis, Kanitz, in *Mart. Fl. Bras.* vi. iv. 136.—Bras.  
 repens, Gandich. in Freyc. Voy. Bot. 456. t. 79.—Reg. Magell.  
 repens, Wedd. *Chlor. And.* ii. 9 = Hypsela reniformis.  
 rugulosa, Don, ex Steud. Nom. ed. II. ii. 392 = angulata.  
 serpyllacea, Presl, *Prod. Monog. Lobel.* 46 = hederacea.  
 sessilis, Wedd. *Chlor. And.* ii. 10.—Bolivia.  
 Thunbergii, G. Don, Gen. Syst. iii. 700 = Lobelia radicans.  
 zeylanica, Hassk. *Cat. Hort. Bog. Alt.* 106 = begoniaefolia.

PRATICOLA, Ehrh. Beitr. iv. 146 (1789) = **Thalictrum**, Tourn. (Ranunc.).

PRAXELIS, Cass. in *Dict. Sc. Nat.* xliii. 261 (1826) = **Eupatorium**, Tourn. (Compos.).  
 capillaris, Sch. Bip. in *Pollichia*, xxii-xxiv. (1866) 254 = E. capillare.  
 grandifolium, Sch. l. c. = E. kleinioides.  
 hecatantha, Sch. Bip. ex Baker, in *Mart. Fl. Bras.* vi. ii. 343 = E. kleinioides.  
 kleinioides, Sch. Bip. in *Pollichia*, xxii-xxiv. (1866) 254 = E. kleinioides.  
 paucidentata, Sch. Bip. l. c. = E. kleinioides.  
 peduncularis, Sch. Bip. l. c. = E. kleinioides.  
 Riedelii, Sch. Bip. ex Baker, in *Mart. Fl. Bras.* vi. ii. 342 = E. capillare.  
 sideritis, Sch. Bip. in *Pollichia*, xxii-xxiv. (1866) 254 = E. kleinioides.  
 villosa, Cass. in *Dict. Sc. Nat.* xliii. 261 = E. urticaefolium.

PREAUXIA, Sch. Bip. in Webb & Berth. *Phyt. Canar.* ii. 250 (1836-46) = **Chrysanthemum**, Tourn. (Compos.).

canariensis, Sch. Bip. l. c. 252.—Ins. Canar.  
 Dugourii, C. Bolle, in *Bonplandia*, vii. (1859) 297.—Ins. Teneriff.  
 jacobaeifolia, Sch. Bip. in Webb & Berth. *Phyt. Canar.* ii. 251. t. 90.—Ins. Canar.

PREISSIA, Opiz, Seznam, 79 (1852) = **Avena**, Linn. (Gramin.).  
 strigosa, Opiz, l. c. = A. strigosa.

**PREMNA**, Linn. Mant. ii. 154 (1771). **VERBENA-CEAE**, Benth. & Hook. f. ii. 1152.

BALDINGERA, Dennst. Schlusss. Hort. Malab. 31 (1818).

GUMIRA, Rumph. ex Hassk. in *Flora*, xxv. (1842) ii. Beibl. 26.

HOLOCHILOMA, Hochst. l. c. xxiv. (1841) 371.

PHAENICANTHUS, Thw. Enum. Pl. Zeyl. 242, in syn. (1861).

SCROPHULARIOIDES, Forst. f. *Prod.* 91 (1786).  
 abbreviata, Miq. *Fl. Ind. Bat.* ii. 892.—Java.

acaulis, Wall. Cat. n. 1776 = herbacea.

acuminata, R. Br. *Prod.* 512.—Austral.

adenosticta, Schau. in DC. *Prod.* xi. 630.—Ins.

Philipp.

amplectans, Wall. Cat. n. 1762.—Ind. or.

angustata, Wall. l. c. 1763 = amplexans.

arbores, Roth, Nov. Pl. Sp. 287 = Gmelina arborea.

asperima, Wall. ex Steud. Nom. ed. II. ii. 392, nomen

(Quid ?)—Ind. or.

attenuata, R. Br. *Prod.* 512 = obtusifolia.

barbata, Wall. Cat. n. 1768.—Reg. Himal.

bengalensis, C. B. Clarke, in Hook. f. *Fl. Brit. Ind.*

iv. 577.—Ind. or.

bracteata, Wall. Cat. n. 1172.—Reg. Himal.

cana, Wall. l. c. 1782 = barbata.

cardiophylla, Schau. in DC. *Prod.* xi. 638.—Ins.

Philipp.

ceramensis, Miq. *Fl. Ind. Bat.* ii. 893.—Ins. Ceram.

cordata, Blanco, Fl. Filip. ed. I. 489 = tomentosa.

cordata, R. Br. *Prod.* 512 = acuminata.

cordifolia, Brand. For. Fl. 367 = scandens.

cordifolia, J. Grah. Cat. Pl. Bomb. 155 = corymbosa.

cordifolia, Roxb. *Hort. Beng.* [95]; *Fl. Ind.* iii. 78.—

Malaya.

cordifolia, Wight, Ic. t. 1483 = coriacea.

coriacea, C. B. Clarke, in Hook. f. *Fl. Brit. Ind.*

iv. 573.—Ind. or.

corymbosa, Rottl. & Willd. in *Ges. Naturf. Fr. Neue*

*Schrift.* iv. (1803) 187.—Ind. or.

Cumingiana, Schau. in DC. *Prod.* xi. 634.—Ins.

Philipp.

cyclophylla, Miq. *Fl. Ind. Bat.* ii. 899.—Java.

Dallachyana, Benth. *Fl. Austral.* v. 59.—Austral.

densiflora, Wall. Cat. n. 1773 = corymbosa.

divaricata, Wall. l. c. n. 1781.—Burma; Malaya.

Doncaria, Buch.-Ham. ex Wall. l. c. 2647 = cordi-

folia.

esculenta, Roxb. *Hort. Beng.* 46; *Fl. Ind.* iii. 81.—

Ind. or.

ferruginea, A. Rich. *Fl. Tent. Fl. Abyss.* ii. 172.—

Abyss.

flavescens, Buch.-Ham. ex Wall. Cat. n. 2649.—Ind.

or.; Malaya.

flavescens, Juss. in *Ann. Mus. Par.* vii. (1806) 77 =

tomentosa.

flavida, Miq. *Fl. Ind. Bat. Suppl.* 570.—Sumatra.

foetida, Reinw. ex Blume, *Bijdr.* 816.—Java.

Gaudichaudii, Schau. in DC. *Prod.* xi. 631.—Ins.

Mariann.

glaberrima, Wight, Ic. t. 1484.—Ind. or.

glycococca, F. Muell. *Fragm.* iii. 36 = obtusifolia.

Goeringii, Turcz. in *Bull. Soc. Nat. Mosc.* xxxiv.

(1863) ii. 216.—Java vel Japon.?

grossa, Wall. Cat. n. 1764.—Burma.

herbacea, Roxb. *Hort. Beng.* 46; *Fl. Ind.* iii. 80.—

Ind. or.

hispidula, Benth. in Hook. *Niger Fl.* 485.—Afr. trop.

integerrima, C. B. Clarke, in Hook. f. *Fl. Brit. Ind.*

iv. 577, sphalm. = glaberrima.

integrifolia, Linn. Mant. ii. 252.—Ind. or.; Malaya.

integrifolia, Willd. in *Ges. Naturf. Fr. Neue Schrif.*

iv. (1803) 187 = divaricata.

interrupta, Wall. Cat. n. 1778.—Reg. Himal.

japonica, Miq. *Ann. Mus. Bot. Lugd. Bat.* ii. 97.—

Japon.

khassiana, C. B. Clarke, in Hook. f. *Fl. Brit. Ind.* iv.

575.—Reg. Himal.

laevigata, Miq. *Fl. Ind. Bat.* ii. 895.—Sumatra.

lanata, Steud. Nom. ed. I. 137. in syn. = integrifolia.

latifolia, Roxb. *Hort. Beng.* 46; *Fl. Ind.* iii. 80.—

Ind. or.

latifolia, Thw. Enum. Pl. Zeyl. 242 = tomentosa.

leucostoma, Miq. *Fl. Ind. Bat.* ii. 899.—Java.



**PREMNA:—**

*leucostoma*, Naves, ex F. Villar, in Blanco, Fl. Philipp. ed. III. Nov. App. 159 = *nauseosa*.  
*limbata*, Benth. Fl. Austral. v. 59.—Austral.  
*longifolia*, Roxb. Hort. Beng. 46; Fl. Ind. iii. 79.—Ind. or.  
*longifolia*, Wall. Cat. n. 1771 = *bengalensis*.  
*lucidula*, Kurz, For. Fl. Brit. Burma. ii. 263 = *divaricata*.  
*lucidula*, Miq. Fl. Ind. Bat. ii. 898.—Java.  
*macrophylla*, Wall. Cat. n. 1765.—Burma.  
*mariannarum*, Schau. in DC. Prod. xi. 632.—Ins. Mariann.  
*media*, R. Br. Prod. 512 = *integrifolia*.  
*micrantha*, Schau. in DC. Prod. xi. 635.—Reg. Himal.  
*micrantha*, Thw. Enum. Pl. Zeyl. 242 = *Thwaitesii*.  
*microphylla*, Turcz. in Bull. Soc. Nat. Mosc. xxxvi. (1863) ii. 217.—China.  
*milleflora*, C. B. Clarke, in Hook. f. Fl. Brit. Ind. iv. 576.—Assam.  
*mollissima*, Roth, Nov. Pl. Sp. 286 = *latifolia*.  
*mucronata*, Roxb. Hort. Beng. [95]; Fl. Ind. iii. 80 = *latifolia*.  
*multiflora*, Zipp. ex Span. in Linnaea, xv. (1841) 330, nomen (Quid?).—Ins. Timor.  
*nauseosa*, Blanco, Fl. Filip. ed. I. 489.—Ins. Philipp.  
*oblongata*, Miq. Fl. Ind. Bat. ii. 893.—Java.  
*obtusifolia*, R. Br. Prod. 512.—Austral.  
*odorata*, Blanco, Fl. Filip. ed. I. 488 = *pubescens*.  
*opulifolia*, Miq. Fl. Ind. Bat. ii. 898.—Java.  
*ovalifolia*, Wall. Cat. n. 1782 = *integrifolia*.  
*ovata*, R. Br. Prod. 512 = *integrifolia*.  
*parasitica*, Blume, Bijdr. 816.—Burma; Malaya.  
*parvifolia*, Roth, Nov. Sp. Pl. 288.—Ind. or.  
*philippinensis*, Turcz. in Bull. Soc. Nat. Mosc. xxxiv. (1863) ii. 215.—Ins. Philipp.  
*pinguis*, C. B. Clarke, in Hook. f. Fl. Brit. Ind. iv. 579.—Reg. Himal.  
*populifolia*, Miq. Fl. Ind. Bat. Suppl. 570.—Sumatra.  
*procumbens*, Moon, ex Wall. Cat. n. 1780; et Cat. Pl. Ceyl. 45.—Zeylan.  
*pubescens*, Blume, Bijdr. 816.—Java.  
*punctulata*, C. B. Clarke, in Hook. f. Fl. Brit. Ind. iv. 575.—Malacca.  
*punduana*, Wall. Cat. n. 2651.—Reg. Himal.  
*purpurascens*, Thw. Enum. Pl. Zeyl. 242.—Zeylan.  
*pygmaea*, Wall. Cat. n. 1776 = *herbacea*.  
*pyramidata*, Wall. l. c. n. 1779.—Burma.  
*quadrifolia*, Schum. & Thonn. Beskr. Guin. Pl. 275.—Afr. trop.  
*racemosa*, Gamble, Darjeeling List Trees, 61 = *bracteata*.  
*racemosa*, Wall. Cat. n. 1777.—Reg. Himal.; Burma.  
*ramosa*, Wall. l. c. 1774 = *scandens*.  
*resinosa*, Schau. in DC. Prod. xi. 637.—Afr. trop.  
*reticulata*, Juss. in Ann. Mus. Par. vii. (1806) 68 = *Pettitia domingensis*.  
*Roxburghiana*, Wall. Cat. n. 2648.—Ind. or.  
*rufidula*, Miq. Fl. Ind. Bat. Suppl. 569.—Sumatra.  
*salvifolia*, Spreng. Syst. ii. 755 = *Pityrodia salvifolia*.  
*sambucina*, Wall. Cat. n. 1775 = *integrifolia*.  
*scandens*, Boj. Hort. Maurit. 257 = *serratifolia*.  
*scandens*, Dalz. & Gibbs. Bomb. Fl. 199 = *coriacea*.  
*scandens*, Roxb. Hort. Beng. [95]; Fl. Ind. iii. 82.—Ind. or.; Burma.  
*scandens*, Wall. Cat. n. 1774, partim = *micrantha*.  
*senensis*, Klotzsch, in Peters, Reise Mossamb. Bot. 263.—Afr. trop.  
*serratifolia*, Blanco, Fl. Filip. ed. II. 342 = *foetida*.  
*serratifolia*, Linn. Mant. ii. 253 = *integrifolia*.  
*spinosa*, Roxb. Hort. Beng. 46; Fl. Ind. iii. 77 = *integrifolia*.  
*subcordata*, Turcz. in Bull. Soc. Nat. Mosc. xxxvi. (1863) ii. 216 = *integrifolia*.  
*syringaeifolia*, Zipp. ex Span. in Linnaea, xv. (1841) 330, nomen (Quid?).—Ins. Timor.  
*taitensis*, Schau. in DC. Prod. xi. 638.—Ins. Tahiti.  
*thrysoflora*, Heyne, ex Wall. Cat. n. 1770 = *Wightiana*.  
*Thwaitesii*, C. B. Clarke, in Hook. f. Fl. Brit. Ind. iv. 579.—Zeylan.  
*thyrsoides*, Wight, Ic. t. 1485.—Ind. or.  
*tiliaefolia*, Zipp. ex Span. in Linnaea, xv. (1841) 330 = *timoriana*.  
*timoriana*, Decne. in Nouv. Ann. Mus. Par. iii. (1834) 402.—Ins. Timor.  
*tomentosa*, Kurz, For. Fl. Brit. Burma, ii. 260 = *pyramidata*.  
*tomentosa*, Miq. ex C. B. Clarke, in Hook. f. Fl. Brit. Ind. iv. 581 = *Gmelina arborea*.  
*tomentosa*, Willd. Sp. Pl. iii. 314.—Ind. or.

**PREMNA:—**

*Tracyana*, F. Muell. Fragm. v. 61 = *Clerodendron Tracyanum*.  
*trichostoma*, Miq. Fl. Ind. Bat. ii. 892 = *parasitica*.  
*truncata*, Turcz. in Bull. Soc. Nat. Mosc. xxxiv. (1863) ii. 215 = *corymbosa*.  
*verticillata*, Poir. Encyc. Suppl. i. 348.—Ind. or.?  
*vestita*, Schau. in DC. Prod. xi. 631.—Ins. Philipp.  
*viburnoides*, Kurz, For. Fl. Brit. Burma, ii. 261 = *latifolia*.  
*viburnoides*, A. Rich. Tent. Fl. Abyss. ii. 171.—Abyss.  
*viburnoides*, Wall. Cat. n. 2646 C = *integrifolia*.  
*villosa*, C. B. Clarke, in Hook. f. Fl. Brit. Ind. iv. 573.—Ind. or.  
*villosa*, Moon, Cat. Pl. Ceyl. 45 = *procumbens*.  
*Wightiana*, Schau. in DC. Prod. xi. 635.—Ind. or.  
*zanzibarensis*, Vatke, in Linnaea, xlviii. (1880–82) 531.—Afr. trop.

**PRENANTHES**, Vaill. ex Linn. Gen. ed. I. 235 (1737). *COMPOSITAE*, Benth. & Hook. f. ii. 527. ESOPON, Rafin. Fl. Ludov. 143 (1817).  
HARPALYCE, D. Don, in Edinb. N. Phil. Journ. (Jan.-Mar. 1829) 308.  
HYLETHALE, Link. Handb. i. 788 (1829).  
NABALUS, Cass. in Dict. Sc. Nat. xxxiv. 94 (1825).  
NARBALLA, Rafin. New Fl. Am. iv. 34 (1836).  
*acanthifolia*, Willd. Sp. Pl. iii. 1542 = *Lactuca acanthifolia*.  
*acaulis*, Roxb. Hort. Beng. 60; Fl. Ind. iii. 403 = *Crepis acaulis*.  
*affinis*, Fungh. in Nat. en Geneesk. Arch. Neêrl. Indie, ii. (1845) 42.—Java.  
*alata*, D. Dietr. Syn. Pl. iv. 1309; A. Gray, Syn. Fl. N. Am. i. ii. 435.—Am. bor.  
*alata*, Hook. f. & Thoms. ex C. B. Clarke, Comp. Ind. 274 = *Hookeri*.  
*alba*, Bigel. ex DC. Prod. vii. 242 = *altissima*.  
*alba*, Linn. Sp. Pl. 798.—Am. bor.  
*alba*, Walt. Fl. Carol. 193 = *P. Serpentaria*.  
*alliariaefolia*, DC. Prod. vii. 195 = *Brunoniana*.  
*altissima*, Linn. Sp. Pl. 797.—Am. bor.  
*altissima*, Pall. Reise, iii. 655 = *Lactuca sagittata*.  
*amabilis*, Balf. f. in Proc. Roy. Soc. Edinb. xi. (1882) 842.—Ins. Socotra.  
*amplexicaulis*, Mill. Gard. Dict. ed. VIII. n. 4 = *purpurea*.  
*aphylla*, Nutt. Gen. Am. ii. 123 = *Lygodesmia aphylla*.  
*arborea*, Brouss. Elench. Hort. Monsp. (1805) 47 = *Sonchus arboreus*.  
*aspera*, Michx. Fl. Bor. Am. ii. 83.—Am. bor.  
*aspera*, Schrad. ex Willd. Sp. Pl. iii. 1539; et ex DC. Prod. vii. 141 = *Chondrilla aspera*.  
*asplenifolia*, Willd. Sp. Pl. iii. 1540 = *Launaea asplenifolia*.  
*attica*, Spreng. Syst. iii. 654 = *Chondrilla ramosissima*.  
*autumnalis*, Walt. Fl. Carol. 193 = *virgata*.  
*Boottii*, D. Dietr. Syn. Pl. iv. 1309; A. Gray, Syn. Fl. N. Am. i. ii. 435.—Am. bor.  
*Brunoniana*, Wall. Cat. n. 3278.—Reg. Himal.  
*bulbosa*, DC. Fl. Fr. iv. 7 = *Crepis bulbosa*.  
*callosa*, Klatt, in Sitzb. Akad. Muench. (1878) 98.—Tibet.  
*Candolleana*, Wall. Cat. n. 3280 = *Ainsliaea pteropoda*, *Crepis silhetensis*.  
*cervicornis*, Boiss. Voy. Bot. Espagne, ii. 744 = *Launaea spinosa*.  
*chinensis*, Thunb. Fl. Jap. 301 = *Lactuca Fischeriana*.  
*chondrilloides*, Linn. Mant. i. 107 = *Chondrilla prenanthoides*.  
*chondrilloides*, Pall. Reise, iii. 537 = *Chondrilla graminea*.  
*cordata*, Willd. Hort. Berol. t. 25 = *altissima*.  
*crepidinea*, Ell. Sketch, ii. 259 = *P. Serpentaria*.  
*crepidinea*, Michx. Fl. Bor. Am. ii. 84.—Am. bor.  
*cymosa*, Spreng. Syst. iii. 657.—Ins. Canar.  
*debilis*, Thunb. Fl. Jap. 300 = *Lactuca debilis*.  
*decurrens*, Schur, Enum. Pl. Transs. 953 (Index) = *Lactuca viminea*.  
*deltoidea*, Bieb. Fl. Taur. Cauc. iii. 529 = *Lactuca deltoidea*.  
*deltoidea*, Ell. Sketch, ii. 257 = *altissima*.  
*dentata*, Thunb. Fl. Jap. 301 = *Lactuca Thunbergii*.  
*denticulata*, Houtt. Handleid. x. 385 = *Lactuca denticulata*.  
*dichotoma*, Wall. Cat. n. 3275 = *Launaea asplenifolia*, *nudicaulis*.

**PRENANTHES:—**

*diversifolia*, Ledeb. Ic. Pl. Fl. Ross. ii. 17 = *Crepis tenuifolia*.  
*erucaefolia*, Willd. ex Boiss. Fl. Orient. iii. 801 (= *Mulgedium prenanthoides*).—Reg. Caucas.  
*erysanifolia*, Steud. Nom. ed. II. ii. 593, sphalm. = *erysimifolia*.  
*erysimifolia*, Willd. Sp. Pl. iii. 1543 = *Lactuca muralis*.  
*exigua*, A. Gray, Pl. Wright. ii. 105 = *Lygodesmia exigua*.  
*fastigiata*, Blume, Bijdr. 836 = *Crepis japonica*.  
*Fraseri*, D. Dietr. Syn. Pl. iv. 1309 = *P. Serpentaria*.  
*fruticosa*, Willd. ex DC. Prod. vii. 69 = *Trixis frutescens*.  
*gigantea*, Rafin. ex DC. l. c. 242 = *crepidinea*.  
*glabra*, Heyne, in Wall. Cat. n. 3264 = *Crepis acaulis*.  
*glauca*, Rafin. Fl. Ludov. 57 (nomen delend.).  
*glomerata*, Decne. in Jacquem. Voy. Bot. 99. t. 107 = *Crepis glomerata*.  
*glomerata*, Reichb. ex DC. Prod. vi. 393 = *Senecio pubigerus*.  
*graciliflora*, Wall. Cat. n. 3260 = *Lactuca graciliflora*.  
*graminea*, Fisch. in Mém. Soc. Nat. Mosc. iii. (1812) 67 = *Lactuca Fischeriana*.  
*grandiflora*, D. Dietr. Syn. Pl. iv. 1309 = *Lygodesmia grandiflora*.  
*hastata*, Thunb. Fl. Jap. 301 = *Lactuca denticulata*.  
*hieracifolia*, Willd. Sp. Pl. iii. 1541 = *Phaeasium lampsanoides*.  
*hispida*, Bieb. Fl. Taur. Cauc. ii. 245 = *Lactuca microcephala*.  
*hispida*, Pall. Reise, i. 501 = *Chondrilla brevirostris*.  
*hispidula*, DC. Prod. vii. 195 = *Brunoniana*.  
*Hookeri*, C. B. Clarke, ex Hook. f. Fl. Brit. Ind. iii. 412.—Reg. Himal.; Burma.  
*Hothae*, Kurz, in Journ. As. Soc. Beng. xli. (1877) ii. 207.—Burma.  
*humilis*, Thunb. Fl. Jap. 302 (= *Youngia humilis*).—Japon.  
*illinoensis*, Pers. Syn. ii. 366 = *aspera*.  
*indica*, Klein, ex Poir. Encyc. Suppl. ii. 330 = *Lactuca Heyneana*.  
*integra*, Thunb. Fl. Jap. 300 = *Crepis integra*.  
*japonica*, Linn. Mant. i. 107 = *Crepis japonica*.  
*javanica*, Willd. Sp. Pl. iii. 1534.—Java.  
*juncea*, Pursh, Fl. Am. Sept. ii. 498 = *Lygodesmia juncea*.  
*khasiana*, C. B. Clarke, Comp. Ind. 273.—Reg. Himal.  
*Kotschyi*, Hance, in Ann. Sc. Nat. Sér. IV. xviii. (1892) 223.—China.  
*laciniata*, Houtt. Handleid. x. 381 = *Lactuca brevirostris*.  
*laevigata*, Blume, Bijdr. 836 = *Lactuca laevigata*.  
*laevigata*, Wall. Cat. n. 3259 = *Lactuca macrorrhiza*.  
*lanceolata*, Houtt. Handleid. x. 383 = *Crepis integra*.  
*linifolia*, Roxb. Hort. Beng. 60, nomen.—Ind. or.?  
*longifolia*, Fungh. in Nat. en Geneesk. Arch. Neêrl. Indie, ii. (1845) 43.—Java.  
*lutea*, Vell. Fl. Flum. 350; viii. t. 91 = *Hypochoeris brasiliensis*.  
*lyrata*, Thunb. Fl. Jap. 303 = *Crepis japonica*.  
*mainensis*, A. Gray, Syn. Fl. N. Am. i. ii. 433.—Am. bor.  
*miamiensis*, Riddell, Syn. Fl. W. St. 50 = *alba*.  
*minor*, Steud. Nom. ed. II. ii. 393 = *Stephanomeria minor*.  
*multiflora*, Thunb. Fl. Jap. 303 = *Crepis japonica*.  
*multiflosculosa*, Nees, in Bluff & Fingerh. Comp. Fl. Germ. ed. I. ii. 265 = *Lactuca muralis*.  
*muralis*, Linn. Sp. Pl. 797 = *Lactuca muralis*.  
*nana*, Torr. ex DC. Prod. vii. 241 = *P. Serpentaria*.  
*napifolia*, Wall. Cat. n. 3277 = *Crepis japonica*.  
*Negretii*, Req. ex DC. Prod. vii. 156 = *Crepis leontodontoides*.  
*nitissima*, Hill, Veg. Syst. iii. 172, sphalm. = *altissima*.  
*obtusata*, Buch.-Ham. in Wall. Cat. n. 3276 = *Launaea nudicaulis*.  
*ovata*, Riddell, Syn. Fl. W. St. 50 = *alba*.  
*paniculata*, Moench, Meth. 534 = *Phaeasium lampsanoides*.  
*Paosia*, Buch.-Ham. ex DC. Prod. vii. 193, vide *Poosia*.  
*parviflora*, Gilib. Fl. Lituan. i. 233 = *Lactuca muralis*.  
*parviflora*, Riddell, Syn. Fl. W. St. 50.—Am. bor.  
*patens*, Wall. Cat. n. 3258 = *Lactuca Heyneana*, *Launaea nudicaulis*.



## PRENANTHES:—

- pauciflora*, Torr. in Ann. Lyc. N. York, ii. (1828) 210 = *Stephanomeria runcinata*.  
*pendula*, Sch. Bip. in Webb & Berth. Phyt. Canar. ii. 421.—Ins. Canar.  
*pinnata*, Linn. f. Suppl. 347 = *Sonchus leptocephalus*.  
*polymorpha*, Ledeb. Fl. Alt. iv. 144 = *Crepis nana*.  
*Poosia*, Buch.-Ham. ex Wall. Cat. n. 3265 = *Crepis japonica*.  
*procumbens*, Roxb. Hort. Beng. 60; Fl. Ind. iii. 404 = *Launaea nudicaulis*.  
*proteophylla*, Riddell, Syn. Fl. W. St. 50 = *alba*.  
*pulchra*, DC. Fl. Fr. iv. 7 = *Phaeasium lampsanoides*.  
*pumila*, Baldw. ex Ell. Sketch, ii. 262, in textu = *Lygodesmia aphylla*.  
*purpurea*, Linn. Sp. Pl. 797.—Europ.  
*pygmaea*, Ledeb. in Mém. Acad. Petersb. v. (1812) 553 = *Crepis nana*.  
*quinqueloba*, Wall. Cat. n. 3261 = *Senecio quinquelobus*.  
*racemosa*, Michx. Fl. Bor. Am. ii. 84.—Am. bor.  
*racemosa*, Roxb. Hort. Beng. 60; Fl. Ind. iii. 405 = *Lactuca Heyneana*.  
*ramosissima*, All. Fl. Pedem. i. 226. t. 33. = *Lactuca viminea*.  
*raphanifolia*, DC. Prod. vii. 195 = *Brunoniana*.  
*repens*, Linn. Sp. Pl. ed. I., errata = *Lactuca repens*.  
*rhombifolia*, Humb. ex Willd. Sp. Pl. iii. 1535.—Venezuela.  
*rigida*, Buch.-Ham. in Wall. Cat. n. 3263 = *Crepis acaulis*.  
*rostrata*, Blume, Bijdr. 836 = *Lactuca graciliflora*.  
*ruanensis*, Chick. in Coult. Bot. Gaz. vi. (1881) 191 = *Serpentaria*.  
*rubicunda*, Willd. Sp. Pl. iii. 1537, excl. syn. = *alba*.  
*rubida*, Rafin. Atl. Journ. 17 (Quid?).—Am. bor.  
*runcinata*, James, in Long's Exped. ex Torr. & Gray, Fl. N. Am. ii. 472 = *Stephanomeria runcinata*.  
*runcinata*, Lag. Gen. et Sp. Nov. 24 = *Launaea nudicaulis*.  
*sarmentosa*, Wall. Cat. n. 3262 E = *Emilia sonchifolia*.  
*sarmentosa*, Willd. Phyt. 10 = *Launaea pinnatifida*.  
*scandens*, Hook. f. ex Benth. & Hook. f. Gen. ii. 527; C. B. Clarke, Comp. Ind. 274.—Reg. Himal.  
*Serpentaria*, Pursh, Fl. Am. Sept. ii. 499. t. 24.—Am. bor.  
*sikkimensis*, Hook. f. Fl. Brit. Ind. iii. 412.—Reg. Himal.  
*simplex*, Pursh, Fl. Am. Sept. ii. 498 = *virgata*.  
*sinensis*, J. F. Gmel. Syst. 1173 = *chinensis*.  
*sonchifolia*, Bunge, Enum. Pl. Chin. Bor. 40 = *Lactuca denticulata*.  
*sonchifolia*, Willd. Sp. Pl. iii. 1541 = *Lactuca Heyneana*.  
*sonchoides*, DC. Cat. Fl. Monsp. 53 = *Lactuca acuminata*.  
*spathulata*, Turcz. ex Herd. in Bull. Soc. Nat. Mosc. xliii. (1870) i. 192 = *Crepis stenoma*.  
*spicata*, Rafin. Atl. Journ. 150 (Quid?).—Am. bor.  
*spinosa*, Forsk. Fl. Aegypt. Arab. 144 = *Launaea spinosa*.  
*squarrosa*, Thunb. Fl. Jap. 303 = *Lactuca brevirostris*.  
*striata*, Blume, Bijdr. 885 = *Crepis japonica*.  
*suavis*, Salisb. Parad. Lond. t. 85 = *alba*.  
*subdentata*, Hook. Bot. Misc. ii. (1831) 221 = *Picrosia longifolia*.  
*taraxacoides*, Wall. Cat. n. 3279 = *Lactuca Heyneana*.  
*Tatarinowii*, Maxim. Prim. Fl. Amur. 474.—Manchuria.  
*tenuifolia*, Linn. Sp. Pl. 797 = *purpurea*.  
*tenuifolia*, Torr. in Ann. Lyc. N. York, ii. (1828) 210 = *Stephanomeria minor*.  
*transalpina*, Vell. Fl. Flum. 350; viii. t. 92 = *Hieracium Commersonii*.  
*triquetra*, Labill. Ic. Pl. Syr. Dec. iii. 4 = *Lactuca triquetra*.  
*tuberosa*, Stev. in Mém. Soc. Nat. Mosc. iv. (1813) 99 = *Lactuca microcephala*.  
*versicolor*, Fisch. ex Bunge, Enum. Pl. Chin. Bor. 40 = *Lactuca Fischeriana*.  
*viminea*, Linn. Sp. Pl. 797 = *Lactuca viminea*.  
*violacifolia*, Decne. in Jacquem. Voy. Bot. 100. t. 108.—Reg. Himal.  
*virgata*, Michx. Fl. Bor. Am. ii. 83.—Am. bor.  
*viscosa*, Baumg. Enum. Stirp. Transs. iii. 44 = *Phaeasium lampsanoides*.  
*vulgaris*, Gueldenst. Reisen, i. 113 = *Lactuca muralis*.  
*Wolfiana*, Schur, in Verh. Siebenb. Ver. Naturw. iv. (1853) 43 = *purpurea*.

PRENANTHOS, St. Lag. in Ann. Soc. Bot. Lyon, vii. (1880) 43, 56 = *praec.*

PRENANTUS, Rafin. Atl. Journ. 150 (1832) = *praec.*

PREONANTHUS, Ehrh. Beitr. iv. 149 (1789) = *Anemone*, Tourn. (Ranunc.).  
*alpinus*, Schur, in Verh. Siebenb. Ver. Naturw. iv. (1853) 11 = *A. alpina*.  
*sulfureus*, Fourn. in Ann. Soc. Linn. Lyon, N. S. xvi. (1868) 323 = *A. alpina*.

PREPTANTHE, Reichb. f. in Fl. des Serres, viii. (1852-53) 245 = *Calanthe*, R. Br. (Orchid.).  
*Sedeni* x, Reichb. f. in Gard. Chron. (1878) i. 168 = *C. Sedeni*.  
*vestita*, Reichb. f. in Fl. des Serres, viii. (1852-53) 245 = *C. vestita*.  
*villosa*, Reichb. f. in Bonplandia, v. (1857) 42 = *C. pilosa*.

PREPUSA, Mart. Nov. Gen. et Sp. ii. 120. t. 190 (1827). *GENTIANAEAE*, Benth. & Hook. f. ii. 813.  
*campanulata*, Griseb. ex Prog. in Mart. Fl. Bras. vi. i. 244 = *connata*.  
*connata*, Gardn. in Hook. Ic. Pl. iii. t. 225-6.—Bras.  
*Hookeriana*, Gardn. in Bot. Mag. t. 3909.—Bras.  
*montana*, Mart. Nov. Gen. et Sp. ii. 121. t. 190.—Bras.

PRESCOTTIA, Lindl. in Hook. Exot. Fl. t. 115 (1825) (Prescotia); Bot. Reg. t. 1915, textu, n. 1916 (1836). *ORCHIDEAE*, Benth. & Hook. f. iii. 593.  
*DECAISNEA*, Brongn. in Duperr. Voy. Coq. Bot. 192. t. 39 (1829).

GALEOGLOSSUM, A. Rich. & Gal. in Ann. Sc. Nat. Sér. III. iii. (1845) 31.  
*colorans*, Lindl. Bot. Reg. t. 1915, textu, n. 1916 = *stachyodes*.  
*corcovadensis*, Reichb. f. in Linnaea, xxii. (1849) 814.—Bras.

*densiflora*, Lindl. in Ann. & Mag. Nat. Hist. Ser. I. vi. (1841) 53.—Bras.  
*epiphyta*, Rodrig. Orch. Nov. i. 179.—Bras.  
*Galeottii*, Reichb. f. in Linnaea, xix. (1847) 377.—Mexic.

*gigantea*, Lodd. Cat. ex W. Baxt. in Loud. Hort. Brit. Suppl. iii. 618, nomen.—Bras.

*lanceaefolia*, Link & Otto, ex Steud. Nom. ed. II. ii. 393, nomen.—Bras.  
*lanceifolia*, Lindl. Gen. et Sp. Orch. 453.—Bras.  
*leptostachya*, Lindl. in Bot. Reg. sub t. 1915 (err. typ. t. 1916).—Bras.

*Lindeniana*, A. Rich. & Gal. in Ann. Sc. Nat. Sér. III. iii. (1845) 31.—Mexic.

*longipetiolata*, Rodrig. Orch. Nov. i. 177.—Bras.  
*micrantha*, Lindl. Bot. Reg. sub t. 1915 (err. typ. t. 1916).—Bras.

*microrhiza*, Rodrig. Orch. Nov. i. 179.—Bras.  
*montana*, Rodrig. l. c. 178.—Bras.

*Myosurus*, Reichb. f. ex Griseb. Fl. Brit. W. Ind. 640.—Ind. occ.

*navalis*, Rodrig. Orch. Nov. ii. 278.—Bras.  
*octopollinica*, Rodrig. l. c. 277.—Bras.

*oligantha*, Lindl. Gen. et Sp. Orch. 454.—Jamaic.  
*ophioglossoides*, Spreng. Syst. iii. 706 = *Microstylis ophioglossoides*.

*orchioides*, Lindl. in Ann. & Mag. Nat. Hist. Ser. I. xv. (1845) 386.—Mexic.

*pachyrhiza*, A. Rich. & Gal. in Ann. Sc. Nat. Sér. III. iii. (1845) 31.—Mexic.

*pellucida*, Lindl. in Ann. & Mag. Nat. Hist. Ser. III. i. (1858) 335.—Cuba.

*petiolaris*, Lindl. Bot. Reg. sub t. 1915 (err. typ. t. 1916).—Peruv.

*phleoides*, Lindl. Gen. et Sp. Orch. 453.—Bras.  
*plantaginea*, Lindl. in Hook. Exot. Fl. t. 115 = *seq.*

*plantaginifolia*, Lindl. l. c. t. 115, in textu.—Bras.  
*pubescens*, Rodrig. Orch. Nov. i. 178.—Bras.

*rodeiensis*, Rodrig. l. c. ii. 278.—Bras.  
*spiranthophylla*, Rodrig. l. c. i. 177.—Bras.  
*stachyodes*, Lindl. Bot. Reg. sub t. 1915 (err. typ. t. 1916).—Bras.

*tenuis*, Lindl. Gen. et Sp. Orch. 454.—Peruv.  
*viacola*, Rodrig. Orch. Nov. ii. 279.—Bras.

PRESLAEAE, Mart. Nov. Gen. et Sp. ii. 75. t. 164 (1827) = *Heliotropium*, Tourn. (Borag.).

*linifolia*, A. St. Hil. Voy. Distr. Diam. ii. 433.—Bras.  
*paradoxa*, Mart. Nov. Gen. et Sp. ii. 76.—Bras.

*parciflora*, Mart. in Flora, xxii. (1839) i. Beibl. 7.—Bras.  
*stenostachya*, A. St. Hil. Voy. Distr. Diam. ii. 434.—Bras.

PRESLEA, G. Don, Gen. Syst. iv. 667 (1837) = *Preslia*, Opiz (Labiata).

PRESLEA, Spreng. Syst. iv. Cur. Post. 338 (1827) = *PRESLAEAE*, Mart. = *Heliotropium*, Tourn. (Borag.).

PRESLIA, Opiz, Natural. viii. (1824) 86; et in Flora, vii. (1824) 322. *LABIATAE*, Benth. & Hook. f. ii. 1183.

*cervina*, Fresen. in Syll. Ratisb. ii. (1828) 238.—Europ. austr.

*glabriflora*, Opiz, Natural. viii. (1824) 88; et in Flora, vii. (1824) 323 = *cervina*.

*villiflora*, Opiz, ll. cc. = *cervina*.

PRESTELIA, Sch. Bip. ex Benth. & Hook. f. Gen. ii. 236 (1873) = *Eremanthus*, Linn. (Compos.).

*eripus*, Sch. Bip. ex Baker, in Mart. Fl. Bras. vi. ii. 169 = *E. eripus*.

PRESTINARIA, Sch. Bip. ex Hochst. in Flora, xxiv. (1841) i. Intell. 27; Steud. Nom. ed. II. ii. 393 (1841) = *Coreopsis*, Linn. (Compos.).

*abyssinica*, Sch. Bip. ex Hochst. l. c.; et ex Steud. l. c. = *C. abyssinica*.

*bidentoides*, Sch. Bip. ex Hochst. l. c.; et ex Steud. l. c. = *C. Prestinaria*.

*macrantha*, Sch. Bip. ex Walp. Rep. vi. 163 = *C. macrantha*.

PRESTOEAE, Hook. f. in Benth. & Hook. f. Gen. iii. 899 (1883). *PALMAE*, Benth. & Hook. f. l. c.

*pubigera*, Hook. f. l. c.—Ins. Trinit.

PRESTONIA, R. Br. in Mem. Wern. Soc. i. (1809) 69. *APOCYNACEAE*, Benth. & Hook. f. ii. 709.

*EXOTHOSTEMON*, G. Don, Gen. Syst. iv. 82 (1837).  
*GUACHAMACA*, De Gross, in Med. Bot. Criollo, i. 295; ex Ernst, in Trans. Bot. Soc. Edinb. x. (1870) 450.

*HAEMADICTYON*, Lindl. in Trans. Hort. Soc. vi. (1825) 70.

*PENTALINON*, Voigt, Hort. Suburb. Calc. 523 (1845).

*annularis*, G. Don, Gen. Syst. iv. 84.—Guian.  
*bahiensis*, Muell. Arg. in Mart. Fl. Bras. vi. i. 164.—Bras.

*calycina*, Muell. Arg. l. c. 162.—Bras.  
*cearensis*, Miers, Apocyn. S. Am. 148.—Bras.

*contorta*, Hemsl. Biol. Centr. Am. Bot. ii. 311.—Mexic.

*glabrata*, H. B. & K. Nov. Gen. et Sp. iii. 222.—Ecuador.

*hirsuta*, Muell. Arg. in Mart. Fl. Bras. vi. i. 163.—Bras.

*hirsuta*, Spreng. Syst. i. 637 = *Echites Pavonii*.  
*ipomaeifolia*, A. DC. in DC. Prod. viii. 429.—Panama.

*laeta*, Miers, Apocyn. S. Am. 149.—Bras.  
*lanata*, Muell. Arg. in Mart. Fl. Bras. vi. i. 164.—Bras.

*latifolia*, Benth. in Hook. Journ. Bot. iii. (1841) 250.—Guian.

*lutescens*, Muell. Arg. in Mart. Fl. Bras. vi. i. 164.—Bras.

*macrocarpa*, Hemsl. Biol. Centr. Am. Bot. ii. 311.—Guatemala.

*megalagrion*, Miers, Apocyn. S. Am. 149.—Bras.  
*mexicana*, A. DC. in DC. Prod. viii. 429.—Mexic.

*mollis*, H. B. & K. Nov. Gen. et Sp. iii. 221. t. 242.—Am. austr.

*parviflora*, Benth. & Hook. f. Gen. ii. 709.—N. Granat  
*peruviana*, Spreng. Syst. i. 637.—Peruv.

*quinquangularis*, Spreng. l. c.—Am. austr.  
*schizadenia*, Hemsl. Biol. Centr. Am. Bot. ii. 312.—Mexic.

*Seemanni*, Miers, Apocyn. S. Am. 146 = *ipomaei*  
*sericea*, Mart. & Gal. in Bull. Acad. Brux. xi. 1844 360.—Mexic.



**PRESTONIA** :—

surinamensis, *Muell. Arg. in Linnaea*, xxx. (1859-60) 433.—Guian.  
tomentosa, *R. Br. in Mem. Wern. Soc.* i. (1809) 70.—Bras.  
tomentosa, *Seem. Bot. Voy. Herald*, 168 = ipomaeifolia.

PRESTONIA, Scop. *Introd.* 281 (1777) = **Abutilon**, Tourn. (Malvac.).

PRESTONIOPSIS, *Muell. Arg. in Linnaea*, xxx. (1859-60) 439; et in *Bot. Zeit.* xviii. (1860) 22 = **Dipladenia**, DC. (Apocyn.).  
*Fendleri*, Miers, *Apocyn. S. Am.* 168 = *D. Fendleri*.  
*hirsuta*, Miers, l. c. 167.—Venezuela.  
*pubescens*, *Muell. Arg. in Linnaea*, xxx. (1859-60) 439; et in *Bot. Zeit.* xviii. (1860) 22.—Am. austr.  
*venosa*, Miers, *Apocyn. S. Am.* 167.—Venezuela.

PRETERA, *Steud. Nom. ed. II. ii.* 394 (1831) sphalm. = seq.

PRETREA, J. Gay, in *Ann. Sc. Nat. Sér. I.* (1824) 457. **PEDALINEAE**, Benth. & Hook. f. ii. 1059.  
**DICEROCARYUM**, Boj. in *Ann. Sc. Nat. Sér. II. iv.* (1835) 268. t. 10.  
*artemisiaefolia*, Klotzsch, in *Peters, Reise Mossamb. Bot.* 189 = zanguebarica.  
*Bojeriana*, Decne. in *Duch. Rev. Bot. i.* (1846) 517 = zanguebarica.  
*eriocarpa*, *Decne. l. c.*—Afr. austr.  
*Forbesii*, *Decne. in Ann. Sc. Nat. Sér. V. iii.* (1865) 334.—Afr. austr.  
*loasaefolia*, *Klotzsch, in Peters, Reise Mossamb. Bot.* 188.—Afr. trop.  
*senecioides*, *Klotzsch, l. c.* 189 = zanguebarica.  
zanguebarica, *J. Gay, in Ann. Sc. Nat. Sér. I. i.* (1824) 457.—Afr. trop.

PREVOITA, *Steud. Nom. ed. II. ii.* 394 (1841), sphalm. = PREVOTIA, *Adans.* = **Cerastium**, *Dill.* (Caryoph.).

PREVOSTEA, Choisy, in *Ann. Sc. Nat. Sér. I. iv.* (1825) 497 = **Breweria**, *R. Br.* (Convolv.).  
*africana*, Benth. in *Hook. Niger Fl.* 469 = *B. africana*.  
*amazonica*, Choisy, in *DC. Prod. ix.* 437 (= *Reinwardtia glabra*).—Bras.  
*ferruginea*, Choisy, in *Ann. Sc. Nat. Sér. I. iv.* (1825) 498 = *B. ferruginea*.  
*glabra*, Choisy, l. c. (= *Reinwardtia glabra*).—N. Granat.  
*heterantha*, *G. Don, Gen. Syst. iv.* 299 (= *Aniseia heterantha*).—Bras.  
*mossambicensis*, *Klotzsch, in Peters, Reise Mossamb. Bot.* 244.—Afr. trop.  
*sericea*, Choisy, in *Ann. Sc. Nat. Sér. I. iv.* (1825) 498 (= *Reinwardtia sericea*).—N. Granat.  
*spectabilis*, *Meissn. in Mart. Fl. Bras. vii.* 325.—Bras.  
*umbellata*, Choisy, in *Ann. Sc. Nat. Sér. I. iv.* (1825) 497 (= *Reinwardtia umbellata*).—Bras.  
*velutina*, *Walp. Rep. vi.* 542.—Mexic.

PREVOTIA, *Adans. Fam. ii.* 256 (1763) = **Cerastium**, *Dill.* (Caryoph.).

PRIANTHES, *Pritz. Ic. Ind. ii.* 232 (1865) = PRIONANTHES, *Schrank* = **Trixis**, *P. Br.* (Compos.).

PRIESTLEYA, DC. *Mém. Lég.* 190 (1825); et in *Ann. Sc. Nat. Sér. I. iv.* (1825) 90. **LEGUMINOSAE**, Benth. & Hook. f. i. 472.  
**ACHYRONIA**, *Wendl. Bot. Beobacht. 39. t.* 12 (1798).  
**XIPHOTHECA**, *Eckl. & Zeyh. Enum.* 166 (1836).  
*angustifolia*, *Eckl. & Zeyh. Enum.* 165.—Afr. austr.  
*axillaris*, DC. *Mém. Lég.* 197 = *Amphithalea densa*.  
*axillaris*, *E. Mey. Comm. Pl. Afr. Austr.* 20 = *Amphithalea cuneifolia*.  
*capitata*, *DC. Prod. ii.* 121.—Afr. austr.  
*Cephalotes*, *E. Mey. Comm. Pl. Afr. Austr.* 18 = *umbellifera*.  
*elliptica*, *DC. Mém. Lég.* 198.—Afr. austr.  
*elliptica*, *E. Mey. in Linnaea*, vii. (1832) 150 = *Amphithalea densa*.  
*ericaefolia*, DC. *Mém. Lég.* 195. t. 30 = *Amphithalea ericaefolia*.  
*graminifolia*, *DC. Prod. ii.* 122.—Afr. austr.

**PRIESTLEYA** :—

*hirsuta*, *DC. Mém. Lég.* 193.—Afr. austr.  
*laevigata*, DC. l. c. 195 = *teres*.  
*laevigata*, *Eckl. & Zeyh. Enum.* 165 = *angustifolia*.  
*laevigata*, *E. Mey. Comm. Pl. Afr. Austr.* 18 = *capitata*.  
*lanceolata*, *E. Mey. in Linnaea*, vii. (1832) 150 = *sericea*?  
*lancifolia*, *C. B. Presl, ex J. S. Presl, Rostl. iii.* 76 = *hirsuta*?  
*latifolia*, *Benth. in Hook. Lond. Journ. Bot. ii.* (1843) 447.—Afr. austr.  
*leiocarpa*, *Eckl. & Zeyh. Enum.* 165.—Afr. austr.  
*Meyeri*, *Meissn. in Hook. Lond. Journ. Bot. ii.* (1843) 65 = *Amphithalea densa*.  
*myrtifolia*, *DC. Mém. Lég.* 194.—Afr. austr.  
*polycarpa*, *Steud. Nom. ed. II. ii.* 394 = *tecta*.  
*rotundifolia*, *Walp. in Linnaea*, xiii. (1839) 469 = *tecta*.  
*sericea*, *DC. Prod. ii.* 122 = *Amphithalea densa*.  
*sericea*, *E. Mey. Comm. Pl. Afr. Austr.* 19.—Afr. austr.  
*Sieberi*, *Tausch, in Flora*, xxv. (1842) i. 281.—Afr. austr.  
*tecta*, *DC. Prod. ii.* 122.—Afr. austr.  
*teres*, *DC. l. c.*—Afr. austr.  
*Thunbergii*, *Benth. in Hook. Lond. Journ. Bot. ii.* (1843) 446.—Afr. austr.  
*tomentosa*, *DC. Prod. ii.* 122 = *villosa*?  
*umbellifera*, *DC. l. c.*—Afr. austr.  
*umbellifera*, *Eckl. & Zeyh. Enum.* 165 = *Thunbergii*.  
*umbellifera*, *E. Mey. Comm. Pl. Afr. Austr.* 17 = *angustifolia*.  
*vestita*, *DC. Prod. ii.* 122.—Afr. austr.  
*villosa*, *DC. l. c.*—Afr. austr.

PRIESTLEYA, [Moç. & Sesse,] *ex DC. Prod. v.* 564 (1836) = **Montañoa**, *Cerv.* (Compos.).  
*corymbosa*, [Moç. & Sesse,] *ex DC. l. c.* 565 = *M. tomentosa*.  
*longifolia*, [Moç. & Sesse,] *ex DC. l. c.* = *M. grandiflora*.  
*squarrosa*, [Moç. & Sesse,] *ex DC. l. c.* = *M. frutescens*.

PRIEUREA, DC. *Prod. iii.* 58 (1828) = **Ludwigia**, *Linn.* (Onagr.).  
*senegalensis*, *DC. l. c.*—Afr. trop.

PRIEURIA, Benth. & Hook. f. *Gen. i.* 789 (1867) = *prae.*

**PRIMULA**, *Linn. Syst. ed. I* (1735). **PRIMULACEAE**, Benth. & Hook. f. ii. 631.  
**ALEURITIA**, *Spach, Hist. Vég. Phan. ix.* 360 (1840).  
**ARETIA**, *Link, Handb. ii.* 411 (1829).  
**AUGANTHUS**, *Link, l. c.* 414 (1829).  
**CANKRIENIA**, *De Vriese, in Miq. Pl. Jungh.* 86 (1851).  
**EVOTROCHIS**, *Rafin. Fl. Tellur. ii.* 76 (1836).  
**KABLIKIA**, *Opiz, Seznam.* 55 (1852).  
**OSCARIA**, *Lilja, in Lindbl. Bot. Notiser* (1839), 39.  
**PRIMULIDIUM**, *Spach, Hist. Vég. Phan. ix.* 354 (1840).  
*acaulis*, *Hill, Veg. Syst. viii.* 25; *Jacq. Misc. i.* 158 = *vulgaris*.  
*admontensis* ×, *Gusmus, ex Church. in Gard. Chron.* (1884) ii. 808.—Europ.  
*alba*, *Hoffm. Verz. Pfl. Nachtr. ii.* 185.—Europ. med.  
*algida*, *Adam, ex Weber & Mohr, Beitr. i.* 46.—As. Min.; As. bor.  
*algida*, *Janka, ex Boiss. Fl. Orient. iv.* 30 = *frondosa*.  
*Allionii*, *Hausm. Fl. Tirol. ii.* 719 = *tyrolensis*.  
*Allionii*, *Loisel. in Desv. Journ. Bot. ii.* (1809) 262. t. 11. f. l.—Europ. austr.  
*alpestris*, *Schur, in Verh. Siebenb. Ver. Naturw. iii.* (1852) 89 = *elator*.  
*alpina*, *Loisel. Fl. Gall. ed. II. i.* 160 = *viscosa*.  
*alpina*, *Salisb. Prod. 118* = *P. Auricula*.  
*alpina*, *Schleich. ex Reichb. Pl. Crit. ix.* 11 = *pubescens*.  
*altaica*, *Lehm. Monog. Prim. 59. t.* 5 = *farinosa*.  
*altaica*, *Pall. ex Ledeb. Fl. Alt. i.* 209 = *elator*.  
*altissima*, *D. Don, Prod. Fl. Nep. 78* = *reticulata*.  
*ambigua*, *Salisb. Prod. 117* = *elator*.  
*amethystina*, *Franch. in Bull. Soc. Bot. Fr. xxxii.* (1885) 268.—China.

**PRIMULA** :—

*amoena*, *Bieb. Fl. Taur. Cauc. i.* 138.—Reg. Caucas.; Persia.  
*androsacea*, *Georgi, ex Ledeb. Fl. Ross. iii.* 18 = *Androsace Chamaejasme*.  
*angustifolia*, *Torr. in Ann. Lyc. N. York, i.* (1824) 34. t. 3. f. 3.—Am. bor. occ.  
*Arctotis* ×, *Kern. in Oestr. Bot. Zeitschr. xxv.* (1875) 124.—Europ.  
*aretoides*, *Lehm. Monog. Prim. 90. t.* 9 = *Dionysia aretioides*.  
*atroviolacea*, *Jacquem. ex Duby, in DC. Prod. viii.* 41 = *nivalis*.  
*Aucherii*, *Faub. & Spach, Illustr. i.* 97. t. 49.—Arab.  
*Auricula*, *Hill, Veg. Syst. viii.* 25 = *farinosa*.  
*Auricula*, *Linn. Sp. Pl.* 143.—Europ.  
*Auricula*, *Vill. Hist. Pl. Dauph. ii.* 469 = *marginata*.  
*auriculata*, *Lam. Illustr. ii.* 429.—As. Min.; Persia.  
*auriculata*, *Ledeb. Fl. Alt. i.* 211 = *algida*.  
*Balbisi*, *Lehm. Monog. Prim. 45* = *ciliata*.  
*Bayerni*, *Rupr. in Bull. Acad. Pétersb. vi.* (1863) 238, in *textu* = *nivalis*.  
*bella*, *Franch. in Bull. Soc. Bot. Fr. xxxii.* (1885) 268.—China.  
*bellidifolia*, *King, ex Hook. f. Fl. Brit. Ind. iii.* 486.—Reg. Himal.  
*Berninae* ×, *Kern. in Oestr. Bot. Zeitschr. xxv.* (1875) 153.—Europ.  
*bicolor*, *Rafin. Caratteri, 78* = *vulgaris*.  
*biflora* ×, *Huter, ex Kern. in Oestr. Bot. Zeitschr. xxv.* (1875) 158.—Europ.  
*Bonjeani*, *Huegen, ex Nym. Consp. 605* = *pedemontana*.  
*borealis*, *Duby, in DC. Prod. viii.* 43 = *farinosa*.  
*Boveana*, *Decne. ex Duby l. c.* 35 = *verticillata*.  
*bracteata*, *Franch. in Bull. Soc. Bot. Fr. xxxii.* (1885) 266.—China.  
*Brandisii*, *Wiesb. in Oestr. Bot. Zeitschr. xxxii.* (1882) 282 = *officinalis*.  
*breviscapa*, [Clairv.] *Man. Herb.* 58 = *vulgaris*.  
*brevistyla* ×, *DC. Fl. Fr. Suppl.* 383.—Europ.  
*bullata*, *Franch. in Bull. Soc. Bot. Fr. xxxii.* (1885) 365.—China.  
*Bungeana*, *C. A. Mey. in Beitr. Pfl. Russ. Reich. vi.* 22 = *algida*.  
*cachemiriana*, *W. M[unro], in Garden, xvi.* (1879) 535 = *denticulata*.  
*caespitosa*, *Steud. Nom. ed. I.* 655, vide *caespitosa*.  
*calliantha*, *Franch. in Bull. Soc. Bot. Fr. xxxii.* (1885) 368.—China.  
*calycantha*, *Retz. Obs. ii.* 10 = *vulgaris*.  
*calycina*, *Duby, ex Gaud. Fl. Helv. ii.* 94 = *glaucescens*.  
*calycina*, *Reichb. Pl. Crit. i.* 32. f. 70 = *spectabilis*.  
*Candolleana*, *Reichb. l. c.* vi. 18 = *integrifolia*.  
*capitata*, *Hook. Bot. Mag. t.* 4550.—Reg. Himal.  
*capitellata*, *Boiss. Diagn. Ser. I. vii.* 64.—As. Min.; Persia; Afghan.  
*carniolica*, *Jacq. Fl. Austr. v.* 28.—Austria.  
*carniolica*, *Poll. Fl. Veron. i.* 231 = *spectabilis*.  
*carpathica*, *Fuss, in Verh. Siebenb. Ver. Naturw. x.* (1859) 149 = *elator*.  
*cashmeriana*, *Carr. in Rev. Hort. (1880) 330* = *denticulata*.  
*caucasica*, *C. Koch, in Linnaea*, xxiii. (1850) 614 = *algida*.  
*cernua*, *Franch. in Bull. Soc. Bot. Fr. xxxii.* (1885) 271.—China.  
*caespitosa*, *Willd. ex Roem. & Schult. Syst. iv.* 785 = *Dionysia aretioides*.  
*chinensis*, *Auct.* = *sinensis*.  
*ciliata*, *Moretti, in Brugnati. Giorn. Fis. viii.* (1815) 127.—Alp. Europ. austr.  
*ciliata*, *Schrank, Prim. Fl. Salisb.* 64 = *hirsuta*.  
*Clarkei*, *Watt, in Journ. Linn. Soc. xx.* (1882) 4.—Reg. Himal.  
*Clusiana*, *Tausch, in Flora*, iv. (1821) 364.—Europ.  
*Clusii*, *Wiest, ex Nym. Consp. 605* = *Clusiana*.  
*Columnnae*, *Tenore, Prod. Fl. Nap. 14* = *officinalis*.  
*commutata*, *Schott, in Oestr. Bot. Wochenbl. ii.* (1852) 35 = *viscosa*.  
*concinna*, *Watt, in Journ. Linn. Soc. xx.* (1882) 5 = *farinosa*.  
*confinis*, *Schott, ex Reichb. Ic. Fl. Germ. xvii.* 40 = *hirsuta*.  
*cordifolia*, *Kit. in Linnaea*, xxxii. (1863) 451.—Hungar.  
*cordifolia*, *Rupr. in Bull. Acad. Pétersb. vi.* (1863) 225 = *elator*.



**PRIMULA:—**

*cordifolia*, Schur, Enum. Pl. Transs. 554 = officinalis.  
*coronaria*, Salisb. Prod. 117 = officinalis.  
*cortusoides*, Linn. Sp. Pl. 144.—Sibir.; Japon.  
*crassifolia*, Lehm. Monog. Prim. 91. t. 9 = nivalis.  
*crenata*, Lam. Illustr. i. 429 = marginata.  
*crenata*, Schur, Enum. Pl. Transs. 553 = elatior.  
*cuneifolia*, Duby, in DC. Prod. viii. 39 = seq.?  
*cuneifolia*, Ledeb. in Mém. Acad. Pétersb. v. (1814)  
 522.—Reg. arct.  
*Cushia*, Buch.-Ham. ex D. Don, Prod. Fl. Nep. 78 =  
 petiolaris.  
*daonensis*, Leyb. in Oestr. Bot. Wochenbl. iv. (1854)  
 10.—Europ. austr.  
*darialica*, Rupr. in Bull. Acad. Pétersb. vi. (1863) 236.  
 —Reg. Caucas.  
*davurica*, Lehm. Monog. Prim. 58 = farinosa.  
*davurica*, Spreng. Gartenz. (1804) 113, cum fig.—  
 Dahuria.  
*decipiens*, Duby, in DC. Prod. viii. 44 = farinosa.  
*decora*, Sims, Bot. Mag. t. 1922 = hirsuta.  
*Delavayi*, Franch. in Bull. Soc. Bot. Fr. xxxii. (1885)  
 272.—China.  
*dentata*, Donn, ex Roem. & Schult. Syst. iv. 133 =  
 cortusoides?  
*denticulata*, Sm. Exot. Bot. ii. 109. t. 114.—Reg.  
 Himal.  
*denticulata*, Wight, Ic. t. 2000 = elliptica.  
*dentiflora*, Andr. Bot. Rep. vi. t. 405 = cortusoides.  
*deusta*, Banks, ex Roem. & Schult. Syst. iv. 152 (Quid?).  
 —Hab.?  
*Dickiana*, Watt, in Journ. Linn. Soc. xx. (1882) 9.—  
 Reg. Himal.  
*digenea* ×, Kern. in Oestr. Bot. Zeitschr. xxv. (1875)  
 79.—Europ.  
*Dinyana* ×, Lager, in Flora, xxii. (1839) 670.—  
 Helvet.  
*discolor* ×, Leyb. in Flora, xxxviii. (1855) 344.—  
 Europ.  
*discolor*, Schur, Enum. Pl. Transs. 554 = officinalis.  
*dolomitis*, Hort. Llewelyn, ex Baker, in Gard. Chron.  
 (1884) i. 577.—Europ. austr.  
*domestica*, Hoffm. Verz. Pfl. Nachtr. ii. 185 =  
 elatior.  
*dryadifolia*, Franch. in Bull. Soc. Bot. Fr. xxxii.  
 (1885) 270.—China.  
*egaliksensis*, Wormsk. ex Hornem. in Fl. Dan. t. 1511.  
 —Am. arct.  
*egallicensis*, Lehm. Monog. Prim. 64. t. 7 = praec.  
*elata*, Buch.-Ham. ex D. Don, Prod. Fl. Nep. 79 =  
 denticulata.  
*elatior*, Hill, Veg. Syst. viii. 25; Mill. Gard. ed. VIII.  
 n. 2; Jacq. Misc. i. 158.—Europ.  
*elegans*, Duby, in DC. Prod. viii. 42 = rosea.  
*elliptica*, Royle, Illustr. Bot. Himal. 311. t. 76.—Reg.  
 Himal.  
*elongata*, Watt, in Journ. Linn. Soc. xx. (1882) 8.—  
 Reg. Himal.  
*Elwesiana*, King, ex Watt, l. c. 13.—Reg. Himal.  
*erosa*, Wall. Cat. n. 611.—Reg. Himal.  
*Escheri* ×, Bruegg. in Jahrb. Naturf. Ges. Graub. II.  
 xxiii–xxiv. (1880) 100.—Europ.  
*exaltata*, Lehm. Monog. Prim. 57 = farinosa.  
*exscapa*, Hegetschw. Fl. Schw. 195 = viscosa.  
*Fachinii* ×, Schott, Wilde Blendl. Prim. 18. t. 3.—  
 Europ.  
*farinifolia*, Rupr. in Bull. Acad. Pétersb. vi. (1863)  
 236.—Reg. Caucas.  
*farinosa*, Bieb. Fl. Taur. Cauc. i. 139 = algida.  
*farinosa*, Griseb. Spicil. Fl. Rumel. ii. 2 = frondosa.  
*farinosa*, Linn. Sp. Pl. 143.—Reg. bor.  
*farinosa*, Schangin, in Pall. N. Nord. Beitr. vi. 47 =  
 auriculata.  
*Fedschenko*, Regel, in Act. Hort. Petrop. iii. (1875)  
 133.—Turkestan.  
*filipes*, Watt, in Journ. Linn. Soc. xx. (1882) 5.—  
 Reg. Himal.  
*fimbriata*, Wall. ex Duby, in DC. Prod. viii. 45.—Reg.  
 Himal.  
*fimmarica*, Jacq. Misc. i. 160 = sibirica.  
*fimno-marchica*, Georgi, Besch. Russ. Reich. III. iv. 764  
 = praec.  
*flagellicaulis* ×, Kern. in Oestr. Bot. Zeitschr. xxv.  
 (1875) 79.—Europ.  
*flava*, Maxim. in Bull. Acad. Pétersb. xxvii. (1881)  
 497.—China.  
*Floerkeana*, Schrad. in Kruenitz, Oecon. Encyc. cxvii.  
 (1811) 393.—Alp. Europ. austr.

VOL. II.

**PRIMULA:—**

*floribunda*, Wall. Tent. Fl. Nap. 43. t. 33.—Reg.  
 Himal.  
*Flueggeana*, Lehm. Monog. Prim. 36. t. 2 = elatior.  
*Forsteri* ×, Stein, in Gartenfl. (1879) 322.—Europ.  
*Freyeri*, Hoppe, ex Reichb. Fl. Germ. Excurs. 403 =  
 carniolica.  
*frondosa*, Fanka, in Oestr. Bot. Zeitschr. xxiii. (1873)  
 204.—Thracia.  
*Gambeliana*, Watt, in Journ. Linn. Soc. xx. (1882) 3.  
 —Reg. Himal.  
*geraniifolia*, Hook. f. Fl. Brit. Ind. iii. 484.—Reg.  
 Himal.  
*gigantea*, Jacq. Misc. i. 160.—Sibir.  
*gigantea*, Lehm. Monog. Prim. 61. t. 6 = farinosa.  
*glabra*, Klatt, in Linnaea, xxxvii. (1871–73) 500.—  
 Reg. Himal.  
*glabrescens*, F. Nyl. ex W. Nyl. & Saell. Herb. Mus.  
 Fenn. 32, in nota = stricta.  
*glacialis*, Adam, ex Rupr. in Bull. Acad. Pétersb. vi.  
 (1863) 230 = auriculata.  
*glacialis*, Franch. in Bull. Soc. Bot. Fr. xxxii. (1885)  
 270.—China.  
*glacialis*, Willd. ex Roem. & Schult. Syst. iv. 785 =  
 algida.  
*glandulosa*, Schur, Enum. Pl. Transs. 552 = elatior.  
*glaucescens*, Moretti, in Brugnati. Giorn. Fis. II. v.  
 (1822) 249.—Europ. austr.  
*glaucescens*, Reichb. Fl. Germ. Excurs. 403 = spectabilis.  
*globifera*, Griff. Itin. Notes, 148, nomen = capitata.  
*glutinosa*, All. Auct. Pedem. 6 = Allionii.  
*glutinosa*, Lapeyr. Hist. Abr. Pl. Pyr. 96 = viscosa.  
*glutinosa*, Wulf. in Jacq. Fl. Austr. v. 41.—Europ.  
 austr.  
*Goebelii* ×, Kern. in Oestr. Bot. Zeitschr. xxv. (1875)  
 82.—Europ.  
*grandiflora*, Bast. Suppl. Fl. Maine-et-Loire, 26 =  
 carniolica.  
*grandiflora*, Lam. Fl. Fr. ii. 248 = vulgaris.  
*grandis*, Trautv. in Bull. Acad. Pétersb. x. (1866) 395.  
 —Reg. Caucas.  
*graveolens*, Hegetschw. Fl. Schw. 194. t. 6 = viscosa.  
*Halleri*, [Honck.] Verz. Aller Gew. Teutschl. 576 =  
 longiflora.  
*Hampeana*, Wallr. Beitr. Fl. Hercyn. 333 (Quid?).—  
 Europ.  
*Heerii* ×, Bruegg. in Jahrb. Naturf. Ges. Graub. II.  
 xxiii–xxiv. (1880) 100.—Europ.  
*helvetica*, Donn, Hort. Cantab. ed. II. 20, nomen;  
 Lodd. Bot. Cab. t. 348 = pubescens.  
*Henryi* ×, Hort.—Cf. Gard. Chron. (1881) i. 404.  
*heterochroma*, Stapf, in Denkschr. Akad. Wien, i.  
 (1885) 70.—Persia.  
*Heydei*, Watt, in Journ. Linn. Soc. xx. (1882) 5.—  
 Reg. Himal.  
*hirsuta*, All. Fl. Pedem. i. 93.—Europ.  
*hirsuta*, Reichb. ex Nym. Consp. 604 = daonensis.  
*hirsuta*, Vill. Hist. Pl. Dauph. ii. 469 = viscosa.  
*Hoffmeisteri*, Klotzsch, in Bot. Ergeb. Waldem. Reise,  
 97 = denticulata.  
*Hookeri*, Watt, in Journ. Linn. Soc. xx. (1882) 14.—  
 Reg. Himal.  
*Hornemanniana*, Lehm. Monog. Prim. 55. t. 4 =  
 farinosa.  
*Huguenini* ×, Bruegg. in Jahrb. Naturf. Ges. Graub.  
 II. xxiii–xxiv. (1880) 100.—Europ.  
*humilis*, Steud. Nom. ed. II. ii. 395 = pusilla.  
*Huteri* ×, Kern. in Oestr. Bot. Zeitschr. xxv. (1875)  
 159.—Europ.  
*hybrida* ×, Knaf, in Lotos, xiv. (1864) 84.—Europ.  
*hybrida*, Schrank, Baler. Fl. i. 449 = vulgaris.  
*hyperborea*, Spreng. Syst. i. 577 = cuneifolia.  
*imperialis*, Jungh. in Hoev. & De Vriese, Tijdschr. vii.  
 (1840) 298.—Java.  
*incisa*, Lam. Fl. Fr. ii. 250 = integrifolia.  
*inflata*, Lehm. Monog. Prim. 26. t. 2. f. 1 = officinalis.  
*inodora*, Hill, Herb. Brit. ii. 193; Gilib. Fl. Lituan. i.  
 32 = vulgaris.  
*integrifolia*, Jacq. Fl. Austr. iv. 14. t. 327 = spectabi-  
 lis.  
*integrifolia*, Linn. Sp. Pl. 144.—Europ. austr.  
*integrifolia*, Oed. in Fl. Dan. t. 188 = sibirica.  
*integrifolia*, Scop. Fl. Carn. ed. II. i. 133 = carniolica.  
*integrifolia*, Vis. Fl. Dalm. ii. 149 = Kitaibeliana.  
*intermedia* ×, Facc. in Zeitschr. Ferdinand. Tirol.  
 III. iv. (1854) 19 = brevistyla.  
*intermedia*, Ledeb. in Mém. Acad. Pétersb. v. (1814)  
 519 = sibirica.

**PRIMULA:—**

*intermedia* ×, Portenschl. in Tratt. Arch. t. 387.—  
 Europ.  
*intermedia*, Sims, Bot. Mag. t. 1219 = farinosa.  
*intricata*, Gren. & Godr. Fl. Fr. ii. 449 = elatior.  
*intrusa*, Reichb. Pl. Crit. vii. 15. t. 631. f. 852 =  
 sibirica.  
*involuta*, Sw. Cat. 562; ex Duby, in DC. Prod. viii.  
 35; Otto, ex Hook. Bot. Mag. t. 2842 = verticillata.  
*involuta*, Wall. Cat. n. 7107; Naud. in Rev. Hort.  
 Sér. II. v. (1846) 283.—Europ.; As. bor.  
*Jaescheana*, Kern. Nov. Pl. Sp. Dec. ii. 1 = nivalis.  
*japonica*, A. Gray, in Mem. Am. Acad. N. S. vi.  
 (1858–59) 400.—Japon.  
*Jellenkiana*, Freyer, ex Nym. Consp. 604 = carniolica.  
*jesoana*, Miq. Ann. Mus. Bot. Lugd. Bat. iii. 119.—  
 Japon.  
*Jiraseckiana*, Tratt. ex Reichb. Fl. Germ. Excurs. 402  
 = minima.  
*Kaufmanniana*, Regel, in Act. Hort. Petrop. iii. (1875)  
 131.—As. med.  
*Kernerii* ×, Goebel & Stein, in Oestr. Bot. Zeitschr.  
 xxviii. (1878) 188.—Europ.  
*Kingii*, Watt, in Journ. Linn. Soc. xx. (1882) 9.—  
 Reg. Himal.  
*kisoana*, Miq. Ann. Mus. Bot. Lugd. Bat. iii. 119.—  
 Japon.  
*Kitaibeliana*, Schott, in Oestr. Bot. Wochenbl. ii. (1852)  
 268.—Europ.  
*Kraetliana* ×, Bruegg. in Jahrb. Naturf. Ges. Graub.  
 II. xxv. (1882) 99.—Europ.  
*lactea*, Lam. Fl. Fr. ii. 250 = Androsace lactea.  
*laevigata*, Duby, ex Reichb. Pl. Crit. i. 33 = glaucescens.  
*lasiopetala*, Wallr. Beitr. Fl. Hercyn. 333 (Quid?).—  
 Europ.  
*lateriflora*, Goupil, in Mém. Soc. Linn. Par. iii. (1825)  
 250. t. 10 = elatior.  
*latifolia*, Koch, Syn. Fl. Germ. ed. I. 588 = hirsuta.  
*latifolia*, Lapeyr. Hist. Abr. Pl. Pyr. 97 = viscosa.  
*lepida*, Duby, in DC. Prod. viii. 44 = farinosa.  
*Listeri*, King, ex Hook. f. Fl. Brit. Ind. iii. 485.—Reg.  
 Himal.  
*longiflora*, All. Fl. Pedem. i. 92. t. 39.—Europ.  
*longiflora*, Auch. ex Duby, in DC. Prod. viii. 46 =  
 Dionysia cespitosa.  
*longifolia*, Curt. Bot. Mag. t. 392 = auriculata.  
*longiscapa*, Ledeb. in Mém. Acad. Pétersb. v. (1814)  
 520 = farinosa.  
*lutea*, Vill. Hist. Pl. Dauph. ii. 469 = P. Auricula.  
*luteola*, Rupr. in Bull. Acad. Pétersb. vi. (1863) 233.  
 —Reg. Caucas.  
*macrocalyx*, Bunge, in Ledeb. Fl. Alt. i. 209 =  
 officinalis.  
*macrocarpa*, Maxim. in Bull. Acad. Pétersb. xii. (1868)  
 68.—Japon.  
*macrophylla*, D. Don, Prod. Fl. Nep. 80 = nivalis.  
*macrophylla*, C. Koch, in Linnaea, xxiii. (1850) 615 =  
 auriculata.  
*magellanica*, Lehm. Monog. Prim. 62. t. 6.—Reg.  
 Magell.  
*Mandarinia*, Hoffm. in Otto & Dietr. Allg. Gartenz.  
 iii. (1835) 194 = sinensis.  
*marginata*, Curt. Bot. Mag. t. 191.—Europ.  
*marginata*, Georgi, Besch. Russ. Reich. III. iv. 763  
 (Quid?).—Sibir.  
*maxima*, Hort. ex Steud. Nom. ed. II. ii. 395, nomen.  
 —Hab.?  
*Maximowiczii*, Regel, in Act. Hort. Petrop. iii. (1875)  
 139.—China bor.  
*media* ×, Peterm. Fl. Lips. (1838) 77.—Europ.  
*megaseaefolia*, Boiss. Fl. Orient. iv. 26.—As. Min.  
*Meyeri*, Rupr. in Bull. Acad. Pétersb. vi. (1863) 224 =  
 amoena.  
*microcalyx*, Lehm. Monog. Prim. 46. t. 4 = marginata.  
*minima*, Habl. Taur. 117 = vulgaris.  
*minima*, Linn. Sp. Pl. 143.—Europ. med.  
*minuta*, Banks, ex Roem. & Schult. Syst. iv. 152  
 (Quid?).—Hab.?  
*minutissima*, Jacquem. ex DC. Prod. viii. 42.—Reg.  
 Himal.  
*mistassinica*, Michx. Fl. Bor. Am. i. 124 = farinosa.  
*modesta*, Bisset & S. Moore, in Journ. Bot. xvi. (1878)  
 134 = farinosa.  
*mollis*, Nutt. ex Hook. Bot. Mag. t. 4798.—Reg.  
 Himal.  
*montana*, Opiz, Natural. x. (1825) 225 = elatior.  
*montana*, Reut. ex Nym. Consp. 603 = officinalis.  
*Moorcroftiana*, Wall. Cat. n. 4988 = nivalis.

4 L



## PRIMULA:—

- moschata*, Salisb. *Prod.* 118.—Hab.?  
*multiceps*, Freyer, ex Duby, in DC. *Prod.* viii. 38 = *carniolica*.  
*Munroii*, Lindl. *Bot. Reg.* (1847) t. 15 = *involucrata*.  
*Mureti*, Charpentier, ex Koch, *Syn. Fl. Germ.* ed. II. 678 = seq.  
*Muretiana* ×, Moritz. *Pfl. Graub.* 111.—Helvet.  
*muscoidea*, Hook. f. ex Watt, in *Journ. Linn. Soc.* xx. (1882) 15; et *Fl. Brit. Ind.* iii. 494.—Reg. Himal.  
*mutabilis*, Lour. *Fl. Cochinch.* 104 = *Hydrangea Hortensia*.  
*nana*, Wall. in *Roxb. Fl. Ind. ed. Carey*, ii. 23 = *petiolaris*.  
*nivalis*, Don, ex Reichb. *Fl. Germ. Excurs.* 405 = *ciliata*.  
*nivalis*, Hort. ex Hoffm. *Verz. Pfl. Nachtr.* ii. 185 = *alba*.  
*nivalis*, Pall. *Reise*, iii. 723.—As. et Am. bor.  
*nivalis*, Turcz. ex Steud. *Nom. ed. II.* ii. 395 = *farinosa*.  
*nivea*, Hort. ex Steud. l. c. = *ciliata*, *villosa*.  
*norwegica*, Retz. *Fl. Scand. ed. II.* 55 = *sibirica*.  
*nutans*, Georgi, *Bemerk. einer Reise Russ. Reich.* i. 200 = *sibirica*.  
*obconica*, Hance, in *Journ. Bot.* xviii. (1880) 234.—China.  
*oblongifolia* ×, Schur, *Enum. Pl. Transs.* 555.—Europ.  
*obovata* ×, Huter, in *Oestr. Bot. Zeitschr.* xxiii. (1873) 125.—Europ.  
*obovata*, Wall. *Cat. n.* 610 = *floribunda*.  
*obtusifolia*, Royle, *Illustr. Bot. Himal.* 311. t. 77. f. 1.—Reg. Himal.  
*odontophylla*, Wall. *Cat. n.* 7016 = *rotundifolia*.  
*odorata*, Gilib. *Fl. Lituan.* i. 32 = *officinalis*.  
*oenensis*, Thom. ex Schott, in *Oestr. Bot. Wochenbl.* ii. (1852) 36 = *daonensis*.  
*officinalis*, Hill, *Veg. Syst.* viii. 25 = *elatiar*?  
*officinalis*, Jacq. *Misc.* i. 159.—Europ.; As. Min.  
*Olgae*, Regel, in *Act. Hort. Petrop.* iii. (1875) 151.—Turkestan.  
*oreocharis*, Hance, in *Journ. Bot.* xiii. (1875) 133 = *Maximowiczii*.  
*orientalis*, Willd. ex Roem. & Schult. *Syst.* iv. 785 = *nivalis*.  
*ornata*, Banks, ex Roem. & Schult. l. c. 152, nomen (Quid ?).—Hab.?  
*pachyscapa*, Goiran & Del Fabbro, *Spec. Morph. Veg. ex Nuov. Giorn. Bot. Ital.* ix. (1877) 170.—Hab.?  
*Palinuri*, Petagn. *Inst. Bot.* ii. 332.—Ital.  
*Pallasii*, Lehm. *Monog. Prim.* 38. t. 3 = *elatiar*.  
*pallida*, Schott, in *Oestr. Bot. Wochenbl.* ii. (1852) 35 = *hirsuta*.  
*Parryi*, A. Gray, in *Am. Journ. Sc. Ser.* II. xxxiv. (1862) 257.—Am. bor. occ.  
*parvifolia*, Duby, in DC. *Prod.* viii. 42 = *farinosa*.  
*patens*, Turcz. in *Bull. Soc. Nat. Mosc.* (1838) 99 = *cortusoides*.  
*pedemontana*, Thom. *Cat. Pl. Suiss.* (1818) 24, nomen; et ex Reichb. *Fl. Germ. Excurs.* 403.—Europ. austr.  
*Perreiniana*, Flugg. in *Ann. Mus. Par.* xii. (1808) 420. t. 27 = *elatiar*.  
*petiolaris*, Wall. in *Roxb. Fl. Ind. ed. Carey*, ii. 22.—Reg. Himal.  
*pinnatifida*, Franch. in *Bull. Soc. Bot. Fr.* xxxii. (1885) 271.—China.  
*pistiifolia*, Griseb. in *Goett. Abh.* vi. (1854) 127 = *Samolus spathulatus*.  
*pistillaris*, Hoffm. *Verz. Pfl. Nachtr.* ii. 187 = *officinalis*?  
*Plantae* ×, Bruegg. in *Jahresb. Naturf. Ges. Graub.* II. xxiii–xxiv. (1880) 100.—Europ.  
*poculiformis*, Hook. f. *Bot. Mag.* t. 6582 = *obconica*.  
*Polliniana*, Moretti, *Primul. Ital.* 12 = *spectabilis*.  
*polyantha*, Mill. *Gard. Dict. ed. VIII.* n. 4 = *elatiar*.  
*Portae* ×, Huter, ex Kern. in *Oestr. Bot. Zeitschr.* xxv. (1875) 81.—Europ.  
*praenitens*, [Ker-Gawl. in] *Bot. Reg.* t. 539 = *sinensis*.  
*prolifera*, Wall. in *As. Res.* xiii. (1820) 372.—Reg. Himal.  
*Pseudo-acaulis*, Schur, *Enum. Pl. Transs.* 552 = *vulgaris*.  
*puberula* ×, Schott, *Wilde Blendl. Prim.* 10. t. 2.—Europ.  
*pubescens* ×, Jacq. *Misc.* i. 159.—Alp. Europ. med.  
*pubescens*, Loisel. *Fl. Gall. ed. I.* 114 = *viscosa*.  
*pulchra*, Watt, in *Journ. Linn. Soc.* xx. (1882) 3.—Reg. Himal.

## PRIMULA:—

- pumila* ×, Kern. in *Oestr. Bot. Zeitschr.* xxv. (1875) 156.—Europ.  
*Pumilio*, Maxim. in *Bull. Acad. Pétersb.* xxvii. (1881) 498.—Tibet. or.  
*purpurea*, Royle, *Illustr. Bot. Himal.* 311. t. 77. f. 2 = *nivalis*.  
*pusilla*, Goldie, in *Edinb. Phil. Journ.* vi. (1822) 322 = *farinosa*.  
*pusilla*, Wall. in *Roxb. Fl. Ind. ed. Carey*, ii. 22.—Reg. Himal.  
*pyncnorhiza*, Ledeb. *Fl. Ross.* iii. 11 = *auriculata*.  
*pyrenaica*, Miègev. in *Bull. Soc. Bot. Fr.* x. (1863) 28 = *officinalis*.  
*Reinii*, Franch. & Sav. *Enum. Pl. Jap.* ii. 428.—Japon.  
*reptans*, Hook. f. ex Watt, in *Journ. Linn. Soc.* xx. (1882) 14; et *Fl. Brit. Ind.* iii. 494.—Reg. Himal.  
*reticulata*, Wall. in *Roxb. Fl. Ind. ed. Carey*, ii. 21.—Reg. Himal.  
*rhaetica*, Gaud. *Fl. Helv.* ii. 91 = *pubescens*, Jacq.  
*rosea*, Royle, *Illustr. Bot. Himal.* 311. t. 75. f. 1.—Reg. Himal.  
*rotundifolia*, Pall. *Reise*, iii. 223 = *sibirica*.  
*rotundifolia*, Wall. ex *Roxb. Fl. Ind. ed. Carey*, ii. 18.—Reg. Himal.  
*rubra*, [Honck.] *Verz. Aller Gew. Teutschl.* 575 = *viscosa*.  
*Rusbyi*, Greene, in *Bull. Torrey Bot. Club.* viii. (1881) 122.—N. Mexic.  
*salisburgensis*, Willd. ex Schott, *Wilde Blendl. Prim.* 8. t. 1 = *Floerkeana*.  
*Salisii* ×, Bruegg. in *Jahresb. Naturf. Ges. Graub.* II. xxiii–xxiv. (1880) 100.—Europ.  
*sapphirina*, Hook. f. & Thoms. ex Watt, in *Journ. Linn. Soc.* xx. (1882) 10; et ex Hook. f. *Fl. Brit. Ind.* iii. 492.—Reg. Himal.  
*Saundersiana*, Royle, ex Hook. f. *Fl. Brit. Ind.* iii. 494 = *minutissima*.  
*Sauteri*, Schult. in *Flora*, xix. (1836) 123 = *minima*.  
*saxifragifolia*, Lehm. *Monog. Prim.* 89. t. 9 = *cuneifolia*.  
*scotica*, Hook. *Fl. Lond.* t. 133 = *farinosa*.  
*secundiflora*, Franch. in *Bull. Soc. Bot. Fr.* xxxii. (1885) 267.—China.  
*sedifolia*, Salisb. *Parad. Lond.* t. 107 = *Douglasia Vitaliana*.  
*sempervirens*, Loisel. ex Steud. *Nom. ed. II.* ii. 396 = *sinensis*.  
*septemloba*, Franch. in *Bull. Soc. Bot. Fr.* xxxii. (1885) 265.—China.  
*sericea*, Krock. *Fl. Siles. Suppl.* i. 249 (Quid ?).—Europ.  
*serrata*, Georgi, *Bemerk. einer Reise Russ. Reich.* i. 201 = *sibirica*.  
*serratifolia*, Franch. in *Bull. Soc. Bot. Fr.* xxxii. (1885) 267.—China.  
*sertulosa*, Kickx f. in *Mém. Soc. Linn. Par.* iv. (1826) 31. t. 3 = *sinensis*.  
*sessilis*, Roxb. ex Steud. *Nom. ed. II.* ii. 396; Royle, ex Hook. f. *Fl. Brit. Ind.* iii. 493 = *petiolaris*.  
*sibirica*, Jacq. *Misc.* i. 160.—As. et Am. arct.  
*Sibthorpi*, Hoffm. *Verz. Pfl.* 189.—Iber.; Graec.  
*Sibthorpii*, Hort. ex Reichb. *Fl. Germ. Excurs.* 402 = *vulgaris*.  
*Sieboldi*, E. Morr. *Belg. Hort.* xxiii. (1873) 97. t. 6.—Japon.  
*sikkimensis*, Hook. *Bot. Mag.* t. 4597.—Reg. Himal.  
*simensis*, Hochst. in *Gardn. & Field. Sert. Pl.* t. 48 = *verticillata*.  
*simplicissima*, Ledeb. ex Steud. *Nom. ed. II.* ii. 396, nomen.—Hab.?  
*Simsii*, Sweet, *Hort. Brit. ed. I.* 330 = *villosa*.  
*sinensis*, Lour. *Fl. Cochinch.* 105 (sp. dub.).—China.  
*sinensis*, Sabine, ex Lindl. *Coll. Bot.* t. 7.—China.  
*soldanelloides*, Watt, in *Journ. Linn. Soc.* xx. (1882) 10; et ex Hook. f. *Fl. Brit. Ind.* iii. 493.—Reg. Himal.  
*sonchifolia*, Franch. in *Bull. Soc. Bot. Fr.* xxxii. (1885) 266.—China.  
*spathulacea*, Jacquem. ex Duby, in DC. *Prod.* viii. 44 = *elliptica*.  
*spathulata*, Royle, *Illustr. Bot. Himal.* 310, nomen = *nivalis*.  
*speciosa*, D. Don, *Prod. Fl. Nep.* 78 = *reticulata*.  
*speciosa*, Gmel. ex Steud. *Nom. ed. II.* ii. 396 = *nivalis*.

## PRIMULA:—

- spectabilis*, Koch, *Syn. Fl. Germ.* ed. I. 589, partim — *Clusiana*.  
*spectabilis*, Tratt. *Tabul.* i. 426.—Alp. Europ. austr.  
*spicata*, Franch. in *Bull. Soc. Bot. Fr.* xxxii. (1885) 269.—China.  
*Steinii* ×, Obrist, ex Stein, in *Gartenfl.* (1879) 322. t. 991.  
*Stelviana*, Vulp. in *Flora*, xli. (1858) 549 (err. typ. 249) = *daonensis*.  
*stenocalyx*, Maxim. in *Bull. Acad. Pétersb.* xxvii. (1881) 498.—China.  
*Stirtoniana*, Watt, in *Journ. Linn. Soc.* xx. (1882) 15; et ex Hook. f. *Fl. Brit. Ind.* iii. 495.—Reg. Himal.  
*Stracheyi*, Hook. f. & Thoms. ex Watt, l. c. 14, partim = *reptans*.  
*Stracheyi*, Hook. f. ex W. M[unro,] in *Garden* (1879) 535 = *minutissima*.  
*stricta*, Hornem. in *Fl. Dan.* t. 1385.—Europ. bor.; Island.  
*Stuartii*, Hook. f. *Fl. Brit. Ind.* iii. 490, partim = *nivalis*.  
*Stuartii*, Wall. in *Roxb. Fl. Ind. ed. Carey*, ii. 20.—Reg. Himal.  
*suaveolens*, Bertol. in *Desv. Journ. Bot.* ii. (1813) 76 = *officinalis*.  
*suaveolens* ×, Caruel, in *Atti Soc. Ital. Sc. Nat.* viii. (1865) 467.—Europ.  
*subarctica*, Schur, in *Verh. Siebenb. Ver. Naturw.* iv. (1853) 61 = *elatiar*.  
*suffrutescens*, A. Gray, in *Proc. Am. Acad.* vii. (1868) 371.—Calif.  
*sylvestris*, Scop. *Fl. Carn.* ed. II. i. 132 = *vulgaris*.  
*Telemachica*, Klatt, in *Journ. Bot.* vi. (1868) 121 = *denticulata*.  
*tenella*, King, ex Watt, in *Journ. Linn. Soc.* xx. (1882) 13; et Hook. f. *Fl. Brit. Ind.* iii. 492.—Reg. Himal.  
*ternovania* ×, Kern. in *Oestr. Bot. Zeitschr.* xxv. (1875) 77.—Europ.  
*Thomasinii*, Gren. & Godr. *Fl. Fr.* ii. 449 = *officinalis*.  
*tibetica*, Watt, in *Journ. Linn. Soc.* xx. (1882) 6; et ex Hook. *Fl. Brit. Ind.* iii. 488 = *P. Pumilio*.  
*Tommasinii*, Nym. *Consp.* 603 = *officinalis*.  
*Tournefortii*, Rupr. in *Bull. Acad. Pétersb.* vi. (1863) 230 = *auriculata*.  
*travnicensis* ×, Wiesb. in *Oestr. Bot. Zeitschr.* xxxii. (1882) 282.—Europ.  
*tridentata*, D. Don, *Prod. Fl. Nep.* 77 = *petiolaris*.  
*truncata*, Lehm. *Monog. Prim.* 87. t. 8 = *minima*.  
*tschuktschorum*, Kjellm. in *Nordensk. Vega-Exped.* Vetensk. Iakkt. i. 516 = *nivalis*.  
*turkestanica*, Hort.—Cf. *Gard. Chron.* (1877) II. 809 = *nivalis*.  
*tyrolensis*, H. W. Schott, *Sippen Primeln*, 13.—Europ. med.  
*undulata*, Fisch. ex Reichb. *Pl. Crit.* v. 41. t. 468. f. 660 = *farinosa*.  
*unicolor*, Lange, *Dansk. Fl. ed. III.* 181 = *officinalis*.  
*uniflora*, C. C. Gmel. *Fl. Bad.* i. 442 = *vulgaris*.  
*uniflora*, Klatt, in *Linnaea*, xxxvii. (1871–73) 500.—Reg. Himal.  
*uralensis*, Fisch. ex Reichb. *Pl. Crit.* vii. 18. t. 638 = *officinalis*.  
*urticifolia*, Maxim. in *Bull. Acad. Pétersb.* xxvii. (1881) 497.—China.  
*vaginata*, Watt, in *Journ. Linn. Soc.* xx. (1882) 4.—Reg. Himal.  
*variabilis*, Bast. *Suppl. Fl. Maine-et-Loire*, 26 = *vulgaris*.  
*variabilis* ×, Goupil, in *Mém. Soc. Linn. Par.* iii. (1825) 248.—Gallia.  
*venusta* ×, Host, *Fl. Austr.* i. 248.—Alp. austr.  
*Venoi* ×, Huter, ex Kern. in *Oestr. Bot. Zeitschr.* xxv. (1875) 155.—Europ.  
*veris*, Lehm. *Monog. Prim.* 27 = *officinalis*.  
*veris*, Linn. *Sp. Pl.* 142 = *elatiar*, *vulgaris*, *officinalis*.  
*veris*, Mill. *Gard. Dict. ed. VIII.* n. 1; Hill, *Herb. Crit.* ii. 193 = *vulgaris*.  
*vernalis*, Salisb. *Prod.* 117 = *vulgaris*.  
*verticillata*, Forsk. *Fl. Aegypt. Arab.* 42.—Arab.  
*villosa*, Curt. *Bot. Mag.* t. 14 = *pubescens*.  
*villosa*, Lam. *Fl. Fr.* ii. 250 = *Androsace villosa*.  
*villosa*, Lapeyr. *Hist. Abr. Pl. Pyr.* 96 = *viscosa*.  
*villosa*, Lehm. *Monog. Prim.* 77 = *hirsuta*.  
*villosa*, Wulf. in *Jacq. Fl. Austr.* v. 41.—Europ. med.  
*viscosa*, All. *Fl. Pedem.* i. 93.—Europ.  
*viscosa*, Gaud. *Fl. Helv.* ii. 89 = *villosa*.



**PRIMULA:—**

*viscosa*, Vill. Prosp. 21; Hist. Pl. Dauph. ii. 467 = *hirsuta*.  
*viscosa*, Waldst. & Kit. Pl. Rar. Hung. ii. p. xxviii = *Kitaibeliana*.  
*Vitaliana*, Linn. Sp. Pl. 143 = *Douglasia Vitaliana*.  
*vulgaris*, Hill, Herb. Brit. ii. 193 = *officinalis*.  
*vulgaris*, Huds. Fl. Angl. ed. I. 70.—Europ.  
*Wattii*, King, ex Watt, in Journ. Linn. Soc. xx. (1882) 10.—Reg. Himal.  
*Wulfeniana*, Schott, Wilde Blendl. Prim. 17. t. 6.—Europ.  
*yunnanensis*, Franch. in Bull. Soc. Bot. Fr. xxxii. (1885) 269.—China.

**PRIMULIDIUM**, Spach, Hist. Vég. Phan. ix. 354 (1840) = **Primula**, Linn.  
*sinense*, Spach, l. c. 355 = *Primula sinensis*.

**PRIMULINA**, Hance, in Journ. Bot. xxi. (1883) 169. **GESNERACEAE**.  
*Tabacum*, Hance, l. c.—China.

**PRINGLEA**, Anders. ex Hook. f. Fl. Antarct. ii. 238. t. 90, 91 (1845). **CRUCIFERAE**, Benth. & Hook. f. i. 76.  
**DIAPHORANTHUS**, Anders. ex Hook. f. Fl. Antarct. 238 (1845).  
*antiscorbutica*, R. Br. ex Hook. f. l. c. 239. t. 90, 91.—Reg. Antarct.

**PRINGLEOPHYTUM**, A. Gray, in Proc. Am. Acad. xx. (1885) 292. **ACANTHACEAE**.  
*lanceolatum*, A. Gray, l. c. 293.—Calif.

**PRINODIA**, Griseb. in Goett. Abh. vii. (1857) 224, in obs. = **Ilex**, Tourn.  
*bumelioides*, Griseb. l. c. = *I. bumelioides*.  
*sideroxyloides*, Griseb. l. c. = *I. sideroxyloides*.

**PRINOS**, Gronov. ex Linn. Coroll. Gen. 6 (1737) = **Ilex**, Tourn.  
*ambiguus*, Michx. Fl. Bor. Am. ii. 236 = *I. ambigua*.  
*ambiguus*, Nutt. Gen. Am. i. 213 = *Nemopanthus fascicularis*.  
*ambiguus*, Pursh, Fl. Am. Sept. i. 220 = *I. mollis*.  
*asprellus*, Hook. & Arn. Bot. Beech. Voy. 176. t. 36 = *I. asprella*.  
*atomarius*, Nutt. Gen. Am. i. 213 = *I. lucida*.  
*canadensis*, Lodd. ex Steud. Nom. ed. II. ii. 396 = *Nemopanthus fascicularis*?  
*cassinoides*, Hort. ex Steud. l. c. = *I. Cassine*?  
*confertus*, Moench, Meth. 481 = *I. verticillata*.  
*coriaceus*, Benth. Pl. Hartw. 60.—Mexic.  
*coriaceus*, Pursh, Fl. Am. Sept. i. 221 = *I. lucida*.  
*crenata*, Regel, Ind. Sem. Hort. Petrop. (1866) 103 = *I. crenata*?  
*cymosa*, Hassk. in Hoev. & De Vriese, Tijdschr. x. (1843) 140 = *I. cymosa*.  
*deciduus*, DC. Prod. ii. 16 = *I. decida*.  
*dioicus*, Vahl, Eclog. Am. ii. 25 = *I. dioica*.  
*dubius*, G. Don, Gen. Syst. ii. 20 = *I. mollis*.  
*glaber*, Linn. Sp. Pl. 330 = *I. glaber*.  
*glaber*, Wats. Dendrol. i. t. 27 = *I. lucida*.  
*Godajam*, Colebr. ex Wall. Pl. As. Rar. iii. 38 = *I. Godajam*.  
*Gronovii*, Michx. Fl. Bor. Am. ii. 236 = *I. verticillata*.  
*hypoglaucus*, Miq. Fl. Ind. Bat. Suppl. 514.—Ins. Banca.  
*integer*, Hook. & Arn. Bot. Beech. Voy. 261 = *I. integra*?  
*integerrimus*, Vell. Fl. Flum. 145; iii. t. 167 = *I. integerrima*.  
*integerrima*, Ell. Sketch, ii. 706 = *Nemopanthus fascicularis*.  
*lacunosa*, Miq. Fl. Ind. Bat. Suppl. 513.—Sumatra.  
*laevigatus*, Pursh, Fl. Am. Sept. i. 220 = *I. laevigata*.  
*lanceolatus*, Hill, Veg. Syst. xvi. 57; Pursh, l. c. = *I. lanceolata*.  
*lanceolatus*, Macfad. Fl. Jamaic. i. 206 = *I. montana*.  
*laurinus*, Thury, ex Choisy, Mém. Ternstr. 44. t. 3, in obs.—Afr. austr.  
*longifolius*, Desf. Tabl. ed. II. 272, nomen.—Am. bor.  
*longipes*, Rafin. Sylva Tellur. 50 = *Nemopanthus fascicularis*.  
*lucidus*, Ait. Hort. Kew. ed. I. i. 478 = *I. lucida*.  
*Macfadyenii*, Walp. Rep. i. 541 = *I. montana*.

**PRINOS:—**

*montanus*, Sw. Prod. Veg. Ind. Occ. 58 = *Ilex montana*.  
*myricoides*, Willd. ex D. Dietr. Syn. Pl. ii. 1050 = *I. myricoides*?  
*nitidus*, Hort. ex C. Koch, Dendrol. ii. i. 227 = *I. laevigata*.  
*nitidus*, Vahl, Eclog. Am. ii. 26 = *I. nitida*.  
*obtusatus*, Turcz. in Bull. Soc. Nat. Mosc. xxxi. (1858) i. 457 = *I. obtusata*.  
*obtusatus*, Willd. ex D. Dietr. Syn. Pl. ii. 1050.—Am. austr.  
*padifolius*, Willd. Enum. Hort. Berol. 394 = *I. verticillata*.  
*parvifolius*, Rafin. Sylva Tellur. 50.—Hab.?  
*prunifolius*, Desf. Tabl. ed. II. 272 = *I. verticillata*.  
*punctatus*, Rafin. Sylva Tellur. 50.—Hab.?  
*reticulatus*, Rafin. l. c.—Hab.?  
*rugosus*, Rafin. l. c.—Hab.?  
*serratus*, Vell. Fl. Flum. 145; iii. t. 166 = *I. acrodonta*.  
*sideroxyloides*, Sw. Prod. Veg. Ind. Occ. 58 = *I. montana*.  
*spicatus*, Miq. Fl. Ind. Bat. i. ii. 594 = *I. spicata*.  
*undulatus*, Hort. ex Steud. Nom. ed. I. 657, nomen.—Hab.?  
*verrucosus*, Rafin. Sylva Tellur. 50.—Hab.?  
*verticillatus*, Linn. Sp. Pl. 330 = *I. verticillata*.

**PRINSEPIA**, Royle, Illustr. Bot. Himal. 206. t. 38 (1834). **ROSACEAE**, Benth. & Hook. f. i. 611.  
**CYCNA**, Lindl. Veg. Kingd. 543 (1847).  
*utilis*, Royle, Illustr. Bot. Himal. 206.—Reg. Himal.

**PRINTZIA**, Cass. in Dict. Sc. Nat. xxxvii. 463 (1825); xliii. 324 (1826). **COMPOSITAE**, Benth. & Hook. f. ii. 333.  
**LLOYDIA**, Neck. Elem. i. 4 (1790).  
**LLOYDIA**, Benth. & Hook. f. Gen. ii. 333 (1873).  
*aromatica*, Less. in Linnaea, v. (1830) 275.—Afr. austr.  
*auriculata*, Harv. in Harv. & Sond. Fl. Cap. iii. 514.—Afr. austr.  
*Bergii*, Cass. in Dict. Sc. Nat. xliii. 324.—Afr. austr.  
*Huttoni*, Harv. Thes. Cap. ii. 37.—Afr. austr.  
*pyrifolia*, Less. Syn. Comp. 108.—Afr. austr.

**PRIONACHNE**, Nees, in Lindl. Introd. Nat. Syst. ed. II. 447 (1836). **GRAMINEAE**, Benth. & Hook. f. iii. 1155.  
**CHONDROLAENA**, Nees, Fl. Afr. Austr. 133 (1841).  
**KTENOSACHNE**, Steud. Syn. Pl. Gram. 150 (1855).  
*dentata*, Nees, Fl. Afr. Austr. 134, in syn. = seq.  
*Ecklonii*, Nees, in Lindl. Introd. Nat. Syst. ed. II. 448.—Afr. austr.

**PRIONANTHES**, Schrank, Pl. Rar. Hort. Monac. ii. t. 51 (1819) = **Trixis**, P. Br. (Compos.).  
*antimenorrhoea*, Schrank, l. c. = *T. divaricata*.

**PRIONANTHIUM**, Desv. Opusc. 64 (1831). **GRAMINEAE**.  
*rigidum*, Desv. l. c. 65. t. 4.—Ind. or.

**PRIONANTHUM**, Desv. Opusc. t. 4 (1831) = *prae*.

**PRIONITES**, Pritz. Ic. Ind. i. 896 (1855), sphalm. = **Prionotes**, R. Br. (Epacrid.).

**PRIONITIS**, Adans. Fam. ii. 499 (1763) = **Falcaria**, Riv. (Umbell.).  
*Falcaria*, Dum. Fl. Belg. 77 = *F. vulgaris*.  
*falcata*, Delarb. Fl. Auv. ed. II. 421 = *F. vulgaris*.

**PRIONITIS**, Linn. Hort. Cliff. 487 (1737); Oerst. in Kjoeb. Vidensk. Meddel. (1854) 137 = **Barleria**, Linn. (Acanth.).  
*Hystrix*, Miq. Fl. Ind. Bat. ii. 809 = *B. Prionitis*.  
*pubiflora*, Miq. l. c. 810 = *B. Prionitis*.

**PRIONIUM**, E. Mey. in Linnaea, vii. (1832) 130. **JUNCACEAE**, Benth. & Hook. f. iii. 869.  
*Palmita*, E. Mey. l. c. 131.—Afr. austr.  
*serrata*, Buchen. in Bremen. Abh. iv. (1875) 408 = *P. Palmita*.

**PRIONOLEPIS**, Poepp. & Endl. Nov. Gen. et Sp. iii. 55. t. 261 (1842) = **Liabum**, Adans. (Compos.).  
*silphoides*, Poepp. & Endl. l. c.—Peruv.

**PRIONOPHYLLUM**, C. Koch, Ind. Sem. Hort. Berol. App. iv. 3 (1873) = **Dyckia**, Schult. f. (Bromel.).  
*Selloum*, C. Koch, l. c. 7.—Bras.

**PRIONOPLECTUS**, Oerst. in Vidensk. Selsk. Skr. V. v. (1861) 118 = **Alloplectus**, Mart. (Gesner.).  
*Forseithii*, Oerst. l. c. 119 = *A. Forseithii*.

**PRIONOPSIS**, Nutt. in Trans. Am. Phil. Soc. N. S. vii. (1841) 329 = **Aplopappus**, Cass. (Compos.).  
*Chapmanii*, Torr. & Gray, Fl. N. Am. ii. 245 = *Aster eryngiifolius*.  
*ciliata*, Nutt. in Trans. Am. Phil. Soc. N. S. vii. (1841) 329 = *A. ciliatus*.

**PRIONOSEPALUM**, Steud. Syn. Pl. Cyp. 266 (1855) = **Chaetanthus**, R. Br. (Restiac.).  
*Gilberti*, Steud. l. c. = *C. leptocarpoides*.

**PRIONOSTACHYS**, Hassk. in Flora, xlix. (1866) 212 = **Aneilema**, R. Br. (Commel.).  
*ensifolia*, Hassk. ex C. B. Clarke, in DC. Monog. Phan. iii. 213 = *A. giganteum*.  
*herbacea*, Hassk. ex C. B. Clarke, l. c. 205 = *A. herbaceum*.  
*terminalis*, Hassk. ex C. B. Clarke, l. c. 211 = *A. nudiflorum*.

**PRIONOSTEMMA**, Miers, in Trans. Linn. Soc. xxviii. (1872) 354 = **Hippocratea**, Linn. (Celastrin.).  
*aspera*, Miers, l. c. 355 = *H. aspera*.  
*Kunthiana*, Miers, l. c. 359 = *H. decussata*.  
*malpighiaefolia*, Miers, l. c. 356 = *H. malpighiaefolia*.  
*scabridula*, Miers, l. c. 357 = *H. Vahlia*, Peyr.  
*setulifera*, Miers, l. c. 359 (Hippocratea sp.).—Guatemala.  
*velutina*, Miers, l. c. 358 = *Salacia velutina*.

**PRIONOTES**, R. Br. Prod. 552 (1810). **EPACRIDAE**, Benth. & Hook. f. ii. 616.  
*americana*, Hook. Ic. Pl. t. 30 = *Lebetanthus americanus*.  
*cerinthoides*, R. Br. Prod. 553.—Tasman.  
*secunda*, Spreng. Syst. i. 631 = *Dracophyllum secundum*.

**PRIONOTIS**, Benth. & Hook. f. Gen. ii. 616 (1876) = *prae*.

**PRIOPETALON**, Rafin. Fl. Tellur. iv. 34 (1836) = **Alstroemeria**, Linn. (Amaryll.).  
*pallidum*, Rafin. l. c. 35 = *A. Ligtu*.

**PRIORIA**, Griseb. Fl. Brit. W. Ind. 215 (1864). **LEGUMINOSAE**, Benth. & Hook. f. i. 585.  
*copaifera*, Griseb. l. c.—Jamaic.; Panama.

**PRIOTROPIS**, Wight & Arn. Prod. 180 (1834). **LEGUMINOSAE**, Benth. & Hook. f. i. 480.  
*cytisoides*, Wight & Arn. l. c.—Reg. Himal.  
*socotrana*, Balf. f. in Proc. Roy. Soc. Edinb. xi. (1882) 509.—Ins. Socotra.

**PRISCIANA**, Rafin. Sylva Tellur. 114 (1838) = **Helio-phila**, Burm. f. (Crucif.).  
*capensis*, Rafin. l. c. = *H. callosa*.

**PRISMATANTHUS**, Hook. & Arn. Bot. Beech. Voy. 203 (1836) = **Siphonostegia**, Benth. (Scrophul.).  
*bartsioides*, Hook. & Arn. l. c. = *S. chinensis*.

**PRISMATOCARPUS**, L'Herit. Sert. Angl. 1. t. 3 (1788), partim. **CAMPANULACEAE**, Benth. & Hook. f. ii. 559.  
**CODIPHUS**, Rafin. Fl. Tellur. ii. 77 (1836).  
**IREON**, Scop. Introd. 229 (1777), nomen prius.  
**ROELLOIDES**, Banks, ex A. DC. Monog. Camp. 164 (1830).  
*altiflorus*, L'Herit. Sert. Angl. 2.—Afr. austr.  
*Bergianus*, Cham. in Linnaea, viii. (1833) 199 = *subulatus*.  
*brevilobus*, A. DC. in DC. Prod. vii. 443.—Afr. austr.  
*Burchellii*, Vatte, in Linnaea, xxxviii. (1874) 701.—Afr. austr.  
*campanuloides*, Sond. in Harv. & Sond. Fl. Cap. 389 = *strictus*.



**PRISMATOCARPUS:—**

- Candolleanus, *Cham. in Linnaea*, viii. (1833) 197.—Afr. austr.
- confertus*, Moench, *Meth.* 496 = *Specularia hybrida*.
- cordatus*, Reichb. *Fl. Germ. Excurs.* 858 = *Specularia hybrida*.
- crispus*, *L'Hérit. Sert. Angl.* 2.—Afr. austr.
- diffusus*, *A. DC. Monog. Camp.* 164.—Afr. austr.
- Ecklonii*, *A. DC. l. c.* 168.—Afr. austr.
- falcatus*, Tenore, *Prod. Fl. Nap.* 16 = *Specularia falcata*.
- fastigiatus*, *Presl, ex A. DC. in DC. Prod.* vii. 442.—Afr. austr.
- fruticosus*, Eckl. *ex A. DC. Monog. Camp.* 168 = *Ecklonii*.
- fruticosus*, *L'Hérit. Sert. Angl.* 2.—Afr. austr.
- grandiflorus*, E. Mey. *ex A. DC. in DC. Prod.* vii. 443 = *paniculatus*.
- Hildebrandtii*, *Vatke, in Linnaea*, xxxviii. (1874) 701.—Afr. austr.
- hirsutus*, G. Don, in *Loud. Hort. Brit.* 77 = seq.
- hirtus*, Tenore, *Prod. Fl. Nap.* 16 = *Specularia Speculum*.
- hirtus*, Urv. *ex A. DC. Monog. Camp.* 350 = *Specularia coa*.
- Hookeri*, Sweet, *Hort. Brit. ed. II.* 328 = *nitidus*.
- hybridus*, *L'Hérit. Sert. Angl.* 3 = *Specularia hybrida*.
- interruptus*, Eckl. *ex A. DC. Monog. Camp.* 165 = *paniculatus*.
- interruptus*, *L'Hérit. Sert. Angl.* 2.—Afr. austr.
- juncus*, Buek, in *Eckl. & Zeyh. Enum.* 383 = *Light-footia juncea*.
- laricinus*, *Presl, Prod. Monog. Lobel.* 52 = *diffusus*.
- linariaefolius*, *A. DC. Monog. Camp.* 169 = *strictus*.
- lycopodioides*, *A. DC. in DC. Prod.* vii. 443 = *subulatus*.
- nitidus*, *L'Hérit. Sert. Angl.* 2. t. 3.—Afr. austr.
- paniculatus*, *L'Hérit. l. c.* 2.—Afr. austr.
- pedunculatus*, *A. DC. in DC. Prod.* vii. 443 = *paniculatus*.
- pentagonius*, *L'Hérit. Sert. Angl.* 3 = *Specularia pentagonia*.
- perfoliatus*, Sweet, *Hort. Brit. ed. I.* 251 = *Specularia perfoliata*.
- roelloides*, *Sond. in Harv. & Sond. Fl. Cap.* iii. 586 = *paniculatus*.
- scaber*, Lowe, in *Trans. Camb. Phil. Soc.* vi. (1838) reimp. 16 = *Specularia falcata*.
- sessilis*, *Eckl. ex A. DC. Monog. Camp.* 171.—Afr. austr.
- Speculum*, *L'Hérit. Sert. Angl.* 3 = *Specularia Speculum*.
- strictus*, *A. DC. Monog. Camp.* 169.—Afr. austr.
- subulatus*, *A. DC. l. c.* 166.—Afr. austr.
- tenellus*, *Oliver, in Hook. Ic. Pl.* t. 1460.—Afr. austr.
- tenerimus*, *Buek, in Eckl. & Zeyh. Enum.* 384.—Afr. austr.

**PRISMATOMERIS**, Thw. in *Hook. Kew Journ.* viii. (1856) 268. t. 7 A. **RUBIACEAE**, Benth. & Hook. f. ii. 118.

*albiflora*, *Thw. l. c.* 269.—Ind. or.; Malaya.

*Fergusonii*, *Thw. ex Bedd. Forest Man. Bot.* 134/10.—Zeylan.

**PRISTIDIA**, Thw. *Enum. Pl. Zeyl.* 149 (1859) = *Gaertnera*, Lam. (Logan).

*divaricata*, Thw. *l. c.* = *G. Koenigii*.

**PRISTIMERA**, Miers, in *Trans. Linn. Soc.* xxviii. (1872) 360 = *Hippocratea*, Linn. (Celastrin.).

*andina*, Miers, *l. c.* 364.—Peruv.

*apiculata*, Miers, *l. c.* = *H. integrifolia*, *Seem.*

*coriacea*, Miers, *l. c.* 365 = *H. coriacea*.

*granulosa*, Miers, *l. c.* 363 = *H. malpighiaefolia*.

*lepida*, Miers, *l. c.* 361.—Venezuela.

*oblongata*, Miers, *l. c.* 362 = *H. oblongata*.

*tenella*, Miers, *l. c.* 365 = *H. acapulcensis*?

*verrucosa*, Miers, *l. c.* 364 = *H. verrucosa*.

*Wrightiana*, Miers, *l. c.* 363 = *H. malpighiaefolia*.

**PRISTOCARPHA**, E. Mey. *ex DC. Prod.* vi. 86 (1837) = *Athanasia*, Linn. (Compos.).

*capitata*, E. Mey. *ex DC. l. c.* = *A. capitata*.

**PRITCHARDIA**, Seem. & H. Wendl. in *Bonplandia*, ix. (1861) 260; x. (1862) 197. **PALMAE**, Benth. & Hook. f. iii. 928.

*filifera*, *Linden, ex André, in Illustr. Hort.* xxiv. (1877) 32, 105.—Am. bor. occ.

**PRITCHARDIA:—**

- Gaudichaudii*, *H. Wendl. in Bonplandia*, x. (1862) 199.—Ins. Pacif.
- grandis*, Hort. Bull.—Cf. *Gard. Chron.* (1874) i. 415 = *Licuala grandis*.
- macrocarpa*, *Linden, ex André, in Illustr. Hort.* xxvi. (1879) 105 t. 352.—Ins. Sandvic.
- Martii*, *H. Wendl. in Bonplandia*, x. (1862) 199.—Ins. Pacif.
- pacifica*, *Seem. & H. Wendl. l. c.* ix. (1861) 260; x. (1862) 197.—Ins. Fiji.
- Vuylstekeana*, *Hort.—Cf. Gard. Chron.* (1883) i. 693. f. 114.—Ins. Paumotu.

**PRITZELIA**, Klotzsch, in *Monatsb. Berl. Akad.* (Maerz, 1854) 126; *Abh. Akad. Berl.* (1855) 107. t. 10 B = *Begonia*, Linn.

*angulata*, Klotzsch, *ex Wawra, Bot. Ergeb. Maxim. Bras.* 51 = *B. angulata*.

*coccinea*, Klotzsch, in *Monatsb. Berl. Acad.* (Maerz, 1854) 126; *Abh.* (1855) 108 = *B. coccinea*.

*deflexa*, *A. DC. in DC. Prod.* xv. i. 362, in syn. = *B. scandens*.

*Fischeri*, Klotzsch, in *Monatsb. Berl. Akad.* (Maerz, 1854) 126; *Abh.* (1855) 108 = *B. Fischeri*.

*glabra*, *A. DC. in DC. Prod.* xv. i. 362, in syn. = *B. scandens*.

*glauca*, Klotzsch, in *Monatsb. Berl. Akad.* (Maerz, 1854) 126; *Abh.* (1855) 109 = *B. glauca*.

*lucida*, *A. DC. in DC. Prod.* xv. i. 362, in syn. = *B. scandens*.

*montana*, *A. DC. l. c.* in syn. = *B. scandens*.

*Princeps*, Klotzsch, in *Monatsb. Berl. Akad.* (Maerz, 1854) 126; *Abh.* (1855) 111 = *B. Princeps*.

*ramentacea*, Klotzsch, *ll. cc.* = *B. ramentacea*.

*sanguinea*, Klotzsch, *ll. cc.* 126; 109 = *B. sanguinea*.

*zebrina*, Klotzsch, *ll. cc.* 126; 110 = *B. angularis*.

**PRITZELIA**, F. Muell. *Desc. Papuan Pl.* i. 13 (1875).

**PHILYDRACEAE**, Benth. & Hook. f. iii. 840.

**HETAERIA**, Endl. *Gen.* 133 (1837).

**PHILYDRELLA**, Caruel, in *Nuov. Giorn. Bot. Ital.* x. (1878) 91.

*pygmaea*, *F. Muell. Desc. Papuan Pl.* i. 13.—N. Guin.

**PRITZELIA**, Schau. in *Flora*, xxvi. (1843) 405, 407, nomen = *Scholtzia*, Schau. (Myrtac.).

*obovata*, Schau. *ex Walp. Rep.* ii. 922 = *S. obovata*.

**PRITZELIA**, Walp. *Rep.* ii. 428 (1843) = *Trachymene*, Rudge (Umbell.).

*didiscoides*, Walp. *l. c.* = *T. pilosa*.

**PRIVA**, Adans. *Fam.* ii. 505 (1763). **VERBENACEAE**, Benth. & Hook. f. ii. 1145.

**BLAIRIA**, *Houst. ex Linn. Gen. ed. I.* 334, in syn. (1737).

**CASTELIA**, Cav. in *Anal. Cienc. Nat.* iii. (1801) 134.

**PHLELODERMA**, Miers, in *Trans. Linn. Soc.* xxvii. (1870) 100. t. 27.

**PHRYMA**, Forsk. *Fl. Aegypt. Arab.* p. cxv (1775).

**PITRAEA**, Turcz. in *Bull. Soc. Nat. Mosc.* xxxv. (1862) ii. 328.

**STREPTIUM**, Roxb. *Pl. Corom.* ii. 25. t. 146 (1798).

**TORTULA**, Roxb. *ex Willd. Sp. Pl.* iii. 359 (1800).

*abyssinica*, Jaub. & Spach, *Illustr.* v. 58. t. 453 = *leptostachya*.

*aspera*, *H. B. & K. Nov. Gen. et Sp.* ii. 278.—Mexic.

*bahiensis*, *DC. Prod.* xi. 533.—Bras.

*crenata*, Schrad. *Ind. Sem. Hort. Gotting.* (1831).—Cf. *Linnaea*, viii. (1833) Litt. 24 = *aspera*.

*dentata*, Juss. in *Ann. Mus. Par. vii.* (1806) 70; *Pers.* Syn. ii. 139 = *leptostachya*.

*echinata*, *Juss. l. c.* 69.—Am. trop.

*Forskålîi*, Jaub. & Spach, *Illustr.* v. 59. t. 455 = *leptostachya*.

*Forskaolii*, E. Mey. *Comm. Pl. Afr. Austr.* 275 = *leptostachya*.

*glaberrima*, Bocq. *Rev. Verb.* 116. t. 18 = *Dipyrena glaberrima*.

*hispidia*, *Juss. in Ann. Mus. Par. vii.* (1806) 69.—Mexic.

*laevis*, *Juss. l. c.* 70.—Am. austr.

*lamiifolia*, Mart. & Gal. in *Bull. Acad. Brux.* xi. ii. (1844) 325 = *echinata*.

**PRIVA:—**

- lappulacea*, *Pers. Syn.* ii. 139 = *echinata*.
- leptostachya*, *Juss. in Ann. Mus. Par.* vii. (1806) 70.—Ind. or.; Afr. trop.
- mexicana*, *Pers. Syn.* ii. 139 = *hispidia*.
- mexicana*, Sieber, *ex Steud. Nom. ed. II.* ii. 397 = *echinata*.
- Meyeri*, Jaub. & Spach, *Illustr.* v. 57 = *dentata*.
- orchidioides*, Walp. *Rep.* iv. 36 = *laevis*.
- trachelioides*, Mart. & Gal. in *Bull. Acad. Brux.* xi. ii. (1844) 324 = *aspera*.
- tuberosa*, *S. Wats. in Proc. Am. Acad.* xviii. (1883) 135.—Mexic.
- virgata*, Spreng. *Syst.* ii. 753 = *Lippia urticoides*.

**PROBLASTES**, Reinw. in *Syll. Ratisb.* ii. (1828) 10 = *Lumnitzera*, Willd. (Combret.).

*cuneifolia*, Reinw. *l. c.*—Java.

**PROBOSCIDEA**, Schmid. *Anal.* 49. t. 12, 13 (1747) = *Martynia*, *Houst. (Pedalin.)*.

*althaeifolia*, Decne. in *Ann. Sc. Nat. Sér. V.* iii. (1865) 324 = *M. althaeifolia*.

*arenaria*, Decne. *l. c.* 326 = *M. althaeifolia*.

*Botterii*, Decne. *l. c.* 327 = *M. Botterii*.

*cordifolia*, Moench, *Meth.* 466 = *M. Proboscidea*.

*fallax*, Decne. in *Ann. Sc. Nat. Sér. V.* iii. (1865) 325 = *Craniolaria fallax*.

*fragrans*, Decne. *l. c.* 326 = *M. fragrans*.

*Jussieu*, *Steud. Nom. ed. II.* ii. 397 = *M. Proboscidea*.

*triloba*, Decne. in *Ann. Sc. Nat. Sér. V.* iii. (1865) 326 = *M. triloba*.

*unibracteata*, Decne. *l. c.* 325.—Bras.

*violacea*, Decne. *l. c.* = *M. fragrans*.

**PROBOSCIDIA**, Rich. *ex DC. Prod.* iii. 106 (1828) = *Rhynchanthera*, DC. (Melastom.).

**PROBOSCIPHORA**, Neck. *Elem.* i. 336 (1790) = *Rhynchocorys*, Griseb. (Scrophul.).

**PROCKIA**, P. Br. *ex Linn. Syst. ed. X.* 1074 (1759). **TILIACEAE**, Benth. & Hook. f. i. 237.

*JACQUINIA*, Mutis, *ex Linn. Mant.* ii. 247 (1771).

*KELETTIA*, Seem. *Bot. Voy. Herald*, 85, 254 (1853).

*TINEA*, Spreng. *Neue Entdeck.* ii. 165 (1821).

*TRILIX*, Linn. *Mant.* ii. 153 (1771).

*acuta*, [Moc. & Sesse,] *ex DC. Prod.* i. 260 = *P. Crucis*.

*albicans*, Blanco, *Fl. Filip.* ed. I. 430 = *Alchornea Blumeana*.

*bahiensis*, *Turcz. in Bull. Soc. Nat. Mosc.* xxvii. (1854) ii. 335.—Bras.

*completa*, Hook. *Ic. Pl.* t. 94 = *septemnervia*.

*crucifolia*, C. Muell. in *Walp. Ann.* vii. 451 = *mori-folia*.

*Crucis*, Linn. *Syst. ed. X.* 1074.—Am. trop.

*deltoides*, Lam. *Illustr.* iii. 22.—Ins. Mascar.

*flava*, Karst. *Fl. Columb.* ii. 79. t. 140.—N. Granat.

*integrifolia*, Willd. *Sp. Pl.* ii. 1214.—Ins. Mascar.

*laciniata*, Poir. *Encyc.* v. 627 = *theaeformis*.

*lobata*, Poir. *l. c.*—Hab.?

*lucida*, *Wall. Cat.* n. 7245; *Steud. Nom. ed. II.* ii. 398.—Ind. or.

*luzoniensis*, *Presl, Rel. Haenk.* ii. 94.—Ins. Philipp.

*macrostachya*, [Moc. & Sesse,] *ex DC. Prod.* i. 261.—Mexic.

*mexicana*, *Turcz. in Bull. Soc. Nat. Mosc.* xxvii. (1854) ii. 334.—Mexic.

*morifolia*, *Triana & Planch. in Ann. Sc. Nat. Sér. IV.* xvii. (1862) 357.—N. Granat.

*obovata*, Presl, *Rel. Haenk.* ii. 94 = *Xylosma nitidum*.

*odorata*, Domb. *ex Tul. in Ann. Sc. Nat. Sér. III.* vii. (1847) 288 = *Banara mollis*.

*ovata*, Lam. *Illustr.* iii. 22 = *integrifolia*.

*racemosa*, *Hort. Lecchi, ex Colla, Hort. Ripul.* 113.—Hab.?

*rotundifolia*, Eckl. & Zeyh. *Enum.* 16 = *Dovyalis celastroides*.

*septemnervia*, Spreng. *Syst.* ii. 609.—Bras.

*serrata*, Willd. *Sp. Pl.* ii. 1213 = *Thiodia serrata*.

*subcordata*, [Moc. & Sesse,] *ex DC. Prod.* i. 260 = *P. Crucis*.

*theaeformis*, Willd. *Sp. Pl.* ii. 1214.—Ins. Mascar.

*tomentosa*, A. Rich. *Ess. Fl. Cub.* 218 = *P. Crucis*.

*villosa*, *Moric. Pl. Nouv. Am.* i. 67. t. 97.—Bras.



PROCLELIA, Klotzsch, in Linnaea, xxiv. (1851) 32 = **Cavendishia**, Lindl. (Vaccin.).  
*acuminata*, Klotzsch, l. c. 34 = *C. acuminata*.  
*alata*, Klotzsch, l. c. —Peruv.  
*alnifolia*, Klotzsch, l. c. 35. —Venezuela.  
*Benthiana*, Klotzsch, l. c. 33 = *C. acuminata*.  
*bracteata*, Klotzsch, l. c. 34. —Peruv.  
*capitata*, Klotzsch, l. c. = *C. nobilis*.  
*cordata*, Klotzsch, l. c. 33. —Venezuela.  
*cordifolia*, Klotzsch, l. c. 32. —N. Granat.  
*Hartwegiana*, Klotzsch, l. c. 35. —Ecuador.  
*melastomoides*, Klotzsch, l. c. 32 = *C. melastomoides*.  
*Pseudo-pubescens*, Klotzsch, l. c. 33. —N. Granat.  
*pubescens*, Klotzsch, l. c. = *C. pubescens*.  
*scabriuscula*, Klotzsch, l. c. —Ecuador.  
*splendens*, Klotzsch, l. c. 34. —N. Granat.  
*strobilifera*, Klotzsch, l. c. 32. —N. Granat.  
*veraguensis*, Klotzsch, l. c. 35 = *C. veraguensis*.  
*Warszewiczii*, Klotzsch, l. c. = *C. Warszewiczii*.

PROCRASSULA, Griseb. Spicil. Fl. Rumel. i. 323 (1843) = **Sedum**, Tourn. (Crassul.).  
*caespitosa*, Fourn. in Ann. Soc. Linn. Lyon, N. S. xvi. (1868) 884 = *S. caespitosum*.  
*Magnolii*, Griseb. Spicil. Fl. Rumel. i. 323 = *S. caespitosum*.  
*mediterranea*, Jord. & Fourn. Brev. Pl. Nov. fasc. i. 16 = *S. caespitosum*.  
*pallidiflora*, Jord. & Fourn. l. c. = *S. rubens*.

PROCRIS, Comm. ex Juss. Gen. 403 (1789).  
**URTICACEAE**, Benth. & Hook. f. iii. 386.  
**SCIOBIA**, Reichb. Nom. 66 (1841).  
**SCIOPHILA**, Gaudich. in Freyc. Voy. Bot. 493. t. 120 (1826).  
*acuminata*, Poir. Encyc. v. 629 = *Elatostema acuminatum*.  
*aproximata*, Wall. Cat. n. 4630 = *Elatostema cuneatum*.  
*australis*, Spreng. Syst. iii. 846 = *Elatostema sessile*.  
*axillaris*, F. F. Gmel. Syst. 267 (Quid?). —Hab.?  
*cantonensis*, Spreng. Syst. iii. 846 (alius ordinis). —China.  
*caudata*, Poir. Encyc. v. 629 = *Boehmeria caudata*.  
*caulescens*, Poir. Encyc. Suppl. iv. 554, in obs. (alius ordinis). —Hab.?  
*cephalida*, Comm. ex Poir. Encyc. v. 629. —Malaya; Ins. Mascar.  
*chinensis*, Spreng. Syst. iii. 846 (alius ordinis). —China.  
*cochinchinensis*, Spreng. l. c. (alius ordinis). —Cochinch.  
*cuneata*, Blume, Bijdr. 509 = *laevigata*.  
*cyrtandraefolia*, Zoll. & Mor. Syst. Verz. Zoll. 74 = *Elatostema nigrescens*.  
*divaricata*, Steud. Nom. ed. II. ii. 398 = *Pellionia divaricata*.  
*diversifolia*, Wall. Cat. n. 4631 = *Elatostema surculosum*.  
*elatostemoides*, Steud. Nom. ed. II. ii. 398 = *Pellionia elatostemoides*.  
*elegans*, Wall. Cat. n. 4632 = *Elatostema surculosum*.  
*erecta*, Blanco, Fl. Filip. ed. I. 707 = *Conocephalus erectus*.  
*excelsa*, Steud. in Flora, xxxiii. (1850) 261 = *Boehmeria excelsa*.  
*fagifolia*, Poir. Encyc. v. 629 = *Elatostema fagifolium*.  
*ficoidea*, Wall. Cat. n. 4635 = *Elatostema ficoidea*.  
*formidata*, Span. in Linnaea, xv. (1841) 344 = *Laportea peltata*.  
*frutescens*, Blume, Bijdr. 510. —Malaya.  
*gibbosa*, Wall. Cat. n. 7273 = *Pellionia Daveauana*.  
*glabra*, Hook. & Arn. Bot. Beech. Voy. 96 = *Ureia sandwicensis*.  
*gracilis*, Blume, Bijdr. 513 = *Elatostema gracile*.  
*grandis*, Wedd. in Arch. Mus. Par. viii. (1855-56) 337. —Ins. Philipp.  
*Heyneana*, Wall. Cat. n. 7272 = *Pellionia Heyneana*.  
*hirsuta*, Blume, Bijdr. 509 = *Elatostema hirsutum*.  
*hirta*, Poir. Encyc. v. 629 = *Phenax urticaefolius*.  
*hypocrypta*, Comm. ex Poir. Encyc. v. 629 = *Elatostema fagifolium*.  
*hypoleuca*, Hochst. ex Steud. in Flora, xxxiii. (1850) 261 = *Debregeasia hypoleuca*.  
*integrifolia*, Boj. Hort. Maurit. 299 = *cephalida*.  
*integrifolia*, D. Don, Prod. Fl. Nep. 61 = *Elatostema sesquifolium*.  
*laeta*, Wall. Cat. n. 4637 = *Elatostema surculosum*.

PROCRIS:—  
*laevigata*, Blume, Bijdr. 508. —As. et Afr. trop.  
*lateriflora*, Poir. Encyc. Suppl. iv. 554 = *Boehmeria cylindrica*.  
*latifolia*, Blume, Bijdr. 509. —Java.  
*littoralis*, Poir. Encyc. v. 628 = *Boehmeria cylindrica*.  
*longifolia*, Blume, Bijdr. 508 = *cephalida*.  
*longifolia*, Poepp. ex Wedd. in DC. Prod. xvi. i. 194 = *Phenax angustifolius*.  
*longifolia*, Reinw. ex Blume, Mus. Bot. Lugd. Bat. ii. 167 = *Villebrunea scabra*.  
*lucida*, Spreng. Syst. iii. 846 = *cephalida*.  
*macrophylla*, Reinw. ex Blume, Mus. Bot. Lugd. Bat. ii. 222 = *Boehmeria rugosissima*.  
*maculata*, Poir. Encyc. v. 628 = *Elatostema maculatum*.  
*melastomoides*, Spreng. Syst. iii. 847. —Ins. S. Doming.  
*membranacea*, Blume, Bijdr. 512 = *Elatostema acuminatum*.  
*mollis*, Wall. Cat. n. 4633 = *Elatostema molle*.  
*monandra*, Buch.-Ham. ex D. Don, Prod. Fl. Nep. 61 = *Elatostema surculosum*.  
*montana*, Steud. Nom. ed. II. ii. 398. —Ins. Norfolk.  
*nivea*, Wedd. in DC. Prod. xvi. i. 206, in syn. = *Boehmeria nivea*.  
*nudiflora*, Poir. Encyc. Suppl. iv. 454 = *Boehmeria nudiflora*.  
*obtus*, Royle, Illustr. Bot. Himal. t. 83. f. 3 = *Lecanthus Wightii*.  
*obtus*, Wall. Cat. n. 4636 = *Elatostema obtusum*.  
*paludosa*, Blume, Bijdr. 510 = *Elatostema macrophyllum*.  
*parva*, Blume, l. c. 512 = *Elatostema parvum*.  
*peduncularis*, Wall. Cat. n. 4634 = *Lecanthus Wightii*, *Elatostema papillosum*.  
*pedunculata*, Wedd. in DC. Prod. xvi. i. 191 = *cephalida*.  
*piperifolia*, Wall. Cat. n. 4628 = *Elatostema sesquifolium*.  
*polycyphala*, Wall. l. c. n. 4629 = *Elatostema sessile*.  
*punctata*, Buch.-Ham. ex D. Don, Prod. Fl. Nep. 61 = *Elatostema sessile*.  
*punctata*, Reinw. ex Blume, Mus. Bot. Lugd. Bat. ii. 167 = *Villebrunea scabra*.  
*punctata*, Wall. Cat. n. 4627 = *Elatostema rupestre*, *lineolatum*.  
*quingueneria*, Spreng. Syst. iii. 846 (alius ordinis). —Ins. S. Doming.  
*racemosa*, Royle, Illustr. Bot. Himal. t. 83. f. 1 = *Pilea Wightii*.  
*radicans*, Sieb. & Zucc. in Abh. Akad. Muench. iv. III. (1846) 218 = *Pellionia radicans*.  
*ramiflora*, Poir. Encyc. v. 630 = *Boehmeria ramiflora*.  
*rostrata*, Reinw. ex Blume, Bijdr. 510 = *Pellionia elatostemoides*.  
*rugosa*, Poir. Encyc. v. 628 = *Phenax ballotaefolius*.  
*rupestris*, Buch.-Ham. ex D. Don, Prod. Fl. Nep. 60 = *Elatostema rupestre*.  
*rupicola*, Zipp. ex Span. in Linnaea, xv. (1841) 344, nomen. —Ins. Timor.  
*sesquifolia*, Reinw. ex Blume, Bijdr. 511 = *Elatostema sesquifolium*.  
*sessilis*, Hook. & Arn. Bot. Beech. Voy. 70 = *Elatostema sessile*.  
*Sieberi*, Steud. Nom. ed. II. ii. 398 = *Chlorophora tinctoria*.  
*sinuata*, Blume, Bijdr. 511 = *Elatostema sinuatum*.  
*Sonnerati*, Spreng. Syst. iii. 847 = *Phenax vulgaris*.  
*splendens*, Lindl. Veg. Kingd. ed. III. 260. f. 175 = *Boehmeria australis*.  
*strigosa*, Blume, Bijdr. 512 = *Elatostema strigosum*.  
*torresiana*, Steud. Nom. ed. II. ii. 398 = *cephalida*.  
*trinervata*, Poir. Encyc. v. 628 = *Gyrotaenia trinervata*.  
*umbellata*, Sieb. & Zucc. in Abh. Akad. Muench. iv. III. (1846) 217 = *Pellionia umbellata*.  
*urticaefolia*, Poir. Encyc. v. 628 = *Phenax urticaefolius*.  
*violacea*, Blanco, Fl. Filip. ed. I. 706 = *Conocephalus suaveolens*.  
*Wightiana*, Wall. Cat. n. 4638 = *laevigata*.

PROINEIA, Ehrh. Beit. iv. 149 (1789) = **Aira**, Linn. (Gramin.).

PROIPHYS, Herb. App. [Bot. Reg.] 42 (1821) = **Eurycles**, Salisb. (Amaryll.).  
*amboinensis*, Herb. l. c. = *E. sylvestris*.

PROLONGOA, Boiss. Voy. Bot. Espagne, ii. 320 (1840) = **Chrysanthemum**, Tourn. (Compos.).  
*pectinata*, Boiss. l. c. t. 93 = *C. pectinatum*.  
*Pseudanthemis*, Kunze, in Flora, xxix. (1846) 699. —Hispan.  
*setabensis*, Nym. Syll. 10 = *C. paludosum*.

PROMENAEA, Lindl. Bot. Reg. (1843) Misc. 13 = **Zygopetalum**, Hook. (Orchid.).  
*citrina*, [P. N. Don,] Donn, Hort. Cantab. ed. XIII. 720 = *Z. xanthinum*.  
*florida*, Reichb. f. in Hamb. Gartenz. xix. (1863) 12. —Bras.  
*graminea*, Lindl. Bot. Reg. (1843) Misc. 13 (Aganostomatis sp.). —Guian.  
*guttata*, Reichb. f. in Bonplandia, iv. (1856) 323 = *Z. guttatum*.  
*lentiginosa*, Lindl. Bot. Reg. (1843) Misc. 13 = *Z. lentiginosum*.  
*microptera*, Reichb. f. in Gard. Chron. (1881) II. 134 = *Z. microptera*.  
*Rollissonii*, Lindl. Bot. Reg. (1843) Misc. 13 = *Z. Rollissonii*.  
*stapelioides*, Lindl. l. c. = *Z. stapelioides*.  
*xanthina*, Lindl. l. c. = *Z. xanthinum*.

PRONACRON, Cass. in Dict. Sc. Nat. xliii. 370 (1826) = **Melampodium**, Linn. (Compos.).  
*ramosissima*, Cass. l. c. = *M. camphoratum*.

PRONAYA, Hueg. Bot. Archiv. t. 6 (1837). **PITTO-SPOREAE**, Benth. & Hook. f. i. 133.  
**CAMPYLANATHERA**, Hook. Ic. Pl. t. 82 (1837).  
**SPIRANTHERA**, Hook. Bot. Mag. sub t. 3523 (1836), nomen prius.  
*angustifolia*, Lehm. Del. Sem. Hort. Hamb. (1845). —Cf. Linnaea, xix. (1847) 403 = *Billardiera Lehmanniana*.  
*elegans*, Hueg. Bot. Archiv. t. 6. —Austral.  
*ericoides*, Walp. Rep. ii. 770 = *Marianthus procumbens*.  
*Huegeliana*, Putterl. in Lehm. Pl. Preiss. i. 204 = *Billardiera variifolia*.  
*lanceolata*, Turcz. in Bull. Soc. Nat. Mosc. xxvii. (1854) II. 364 = *Billardiera variifolia*?  
*latifolia*, Turcz. l. c. 363 = *Billardiera coriacea*.  
*Muelleriana*, Turcz. l. c. xxxvi. (1863) I. 561. —Austral.  
*pedunculosa*, Turcz. l. c. 560. —Austral.  
*sericea*, Turcz. l. c. xxvii. (1854) II. 363 = *Billardiera variifolia*.  
*speciosa*, Endl. in Enum. Pl. Hueg. 9 = *elegans*.

PROSARTES, D. Don, in Proc. Linn. Soc. i. (1839) 48; et Trans. Linn. Soc. xviii. (1841) 531 = **Disporum**, Salisb. (Liliac.).  
*Hookeri*, Torr. in Pacif. Rail. Rep. iv. 144 = *D. Hookeri*.  
*lanuginosa*, D. Don, in Proc. Linn. Soc. i. (1839) 48; et Trans. Linn. Soc. xviii. (1841) 532 = *D. lanuginosum*.  
*Menziesii*, D. Don, II. cc. 48; 533 = *D. Menziesii*.  
*oregana*, S. Wats. in Proc. Am. Acad. xiv. (1879) 271. —Am. bor. occ.  
*parvifolia*, S. Wats. in Bot. Calif. ii. 179. —Calif.  
*trachyandra*, Torr. in Pacif. Rail. Rep. iv. 144 = *D. lanuginosum*.  
*trachycarpa*, S. Wats. Bot. King's Exped. 344 = *D. trachycarpum*.  
*viridescens*, Regel, Tent. Fl. Ussur. 148. —Mandchuria.

PROSCOPHALEIUM, Korth. in Nederl. Kruidk. Arch. ii. II. (1851) 248. **RUBIACEAE**, Benth. & Hook. f. ii. 122.  
*javanicum*, Korth. l. c. —Java.

PROSCOPHALIUM, Benth. & Hook. f. Gen. ii. 122 (1873) = *prae*.

PROSELIA, D. Don, in Trans. Linn. Soc. xvi. (1830) 234 = **Chaetanthera**, Ruiz & Pav. (Compos.).  
*serrata*, D. Don, l. c. 235 = *C. chilensis*.

PROSELIAS, Stev. in Bull. Soc. Nat. Mosc. iv. (1832) 268 = **Astragalus**, Tourn. (Legumin.).  
*globosus*, Stev. l. c. = *A. globosus*.  
*incanus*, Stev. l. c. = *A. incanus*.  
*monspessulanus*, Stev. l. c. = *A. monspessulanus*.  
*reducens*, Stev. l. c. = *A. reducens*.  
*resupinatus*, Stev. l. c. = *A. fragrans*.  
*sanguinolentus*, Stev. l. c. = *A. sanguinolentus*.



**PROSERPINACA**, Linn. in Act. Soc. Sc. Upsal. (1741) 81. *HALORAGACEAE*, Benth. & Hook. f. i. 675. *TRIXIS*, Mitch. in Act. Phys.-Med. Acad. Nat. Cur. viii. (1748), App. 220. *palustris*, Linn. *Sp. Pl.* 88.—Am. bor. *pectinata*, Lam. *Illustr.* i. 214.—Am. bor.

**PROSOPANCHE**, De Bary, in Abh. Naturf. Ges. Halle, x. (1868) 267. tt. 1, 2. *CYTINACEAE*, Benth. & Hook. f. iii. 120. *Burmeisteri*, De Bary, l. c.—Reg. Argent.

**PROSOPIA**, Reichb. Consp. 121 (1828)=**Pedicularis**, Tourn. (Scrophul.).

**PROSOPIS**, Linn. Mant. i. 10 (1767). *LEGUMINOSAE*, Benth. & Hook. f. i. 591.

*ALGAROBIA*, Benth. Pl. Hartw. 13 (1839). *LAGONYCHUM*, Bieb. Fl. Taur. Cauc. iii. 288 (1819).

*MITOSTAX*, Rafin. Sylva Tellur. 120 (1838). *NELTUMA*, Rafin. l. c. 119 (1838). *PLEUROMENES*, Rafin. l. c. 144 (1838). *SPIROLOBUM*, Orbn. Sert. Patag. t. 13 (1839). *STROMBOCARPA*, A. Gray, in Bost. Journ. Nat. Hist. v. (1845) 243.

*abbreviata*, Benth. in Hook. Journ. Bot. iv. (1842) 352.—Am. austr.

*adsmioides*, Griseb. in Goett. Abh. xix. (1874) 132.—Reg. Argent.

*adstringens*, Steud. Nom. ed. II. ii. 398 = *astringens*. *affinis*, Spreng. Syst. ii. 326 = *juliflora*.

*alba*, Griseb. in Goett. Abh. xix. (1874) 131.—Reg. Argent.

*Algarobilla*, Griseb. l. c. (Abgarobilla).—Reg. Argent. *Alpataco*, Phil. in Anal. Univ. Chil. ii. (1862) 394; *Linnaea*, xxxiii. (1864–65) 62.—Chili.

*astringens*, Gill. ex Hook. Bot. Misc. iii. (1833) 204 = *Acacia atramentaria*.

*Bonplandiana*, Spreng. Syst. iv. Cur. Post. 165 = *Entada polystachya*.

*bracteolata*, DC. Prod. ii. 447 = *juliflora*. *campestris*, Griseb. in Goett. Abh. xix. (1874) 132.—Reg. Argent.

*cinerascens*, A. Gray, ex Benth. in Trans. Linn. Soc. xxx. (1875) 381.—Texas.

*cumanensis*, H. B. & K. Nov. Gen. et Sp. vi. 310 = *juliflora*.

*denudans*, Benth. in Hook. Journ. Bot. iv. (1842) 351.—Am. austr.

*domingensis*, DC. Prod. ii. 447 = *juliflora*. *dubia*, Guill. & Perr. Fl. Seneg. Tent. i. 242 = *Acacia Sieberiana*.

*dubia*, H. B. & K. Nov. Gen. et Sp. vi. 309 = *Entolobium cyclocarpum*?

*dulcis*, Gill. ex Hook. Bot. Misc. iii. (1833) 203 = *flexuosa*.

*dulcis*, Kunth, *Mim.* 110. t. 34 = *juliflora*. *elegans*, Spreng. Syst. iv. Cur. Post. 165 = *Piptadenia rigida vel trisperma*.

*elephantina*, E. Mey. Comm. Pl. Afr. Austr. 165 = *Elephantorrhiza Burchellii*.

*elephantorrhiza*, Spreng. Syst. iv. Cur. Post. 165 = *Elephantorrhiza Burchellii*.

*Emoryi*, Torr. in Emory, Notes Mil. Reconnois. 139 = *pubescens*.

*ephedrioides*, Gill. ex Hook. Bot. Misc. iii. (1833) 204 = *Mimosa ephedroides*.

*faeculifera*, Desv. in Ann. Sc. Nat. Sér. I. ix. (1826) 426 = *Parkia africana*.

*ferox*, Griseb. in Goett. Abh. xxiv. (1879) 118.—Reg. Argent.

*flexuosa*, DC. Prod. ii. 447 = *juliflora*. *fruticosa*, Meyen, Reise, i. 376 = *juliflora*.

*glandulosa*, Torr. in Ann. Lyc. N. York, ii. (1828) 192. t. 2 = *juliflora*.

*globosa*, Gill. ex Hook. Bot. Misc. iii. (1833) 205 = *Mimosa Gilliesii*.

*heterophylla*, Benth. in Hook. Lond. Journ. Bot. v. (1846) 82.—Mexic.

*horrida*, Kunth, *Mim.* 106. t. 33 = *juliflora*. *humilis*, Gill. ex Hook. Bot. Misc. iii. (1833) 204.—Reg. Argent.

*inermis*, Gill. ex Hook. l. c. 203 = *dulcis*. *inermis*, H. B. & K. Nov. Gen. et Sp. vi. 307 = *juliflora*.

*juliflora*, DC. Prod. ii. 447.—Am. trop. *Kirkii*, Oliver, Fl. Trop. Afr. ii. 332 = *Acacia albida*.

### PROSOPIS :—

*lanceolata*, Benth. in Hook. Journ. Bot. iv. (1842) 347 = *oblonga*.

*limensis*, Benth. l. c. 350.—Peruv. *microphylla*, H. B. & K. Nov. Gen. et Sp. vi. 308 = *Acacia tortuosa*.

*Nandubey*, Lorentz, ex Griseb. in Goett. Abh. xxiv. (1879) 117.—Reg. Argent.

*nigra*, Hieron. in Bol. Acad. Nac. Córdoba, iv. (1881) 283.—Reg. Argent.

*oblonga*, Benth. in Hook. Journ. Bot. iv. (1842) 348.—Afr. trop.

*odorata*, Torr. & Frémont, Rep. 313. t. 1 = *juliflora*, pubescens.

*pallida*, H. B. & K. Nov. Gen. et Sp. vi. 309 = *juliflora*. *Panta*, Hieron. in Bol. Acad. Nac. Córdoba, iv. (1881) 284.—Reg. Argent.

*pubescens*, Benth. in Hook. Lond. Journ. Bot. v. (1846) 82.—Texas; Mexic.; Calif.

*reptans*, Benth. in Hook. Journ. Bot. iv. (1842) 352.—Am. austr.

*ruscifolia*, Griseb. in Goett. Abh. xix. (1874) 130.—Reg. Argent.

*scandens*, Stokes, Bot. Mat. Med. ii. 468 = *Entada scandens*.

*sericantha*, Gill. ex Hook. Bot. Misc. iii. (1833) 204.—Am. austr.

*Siliquastrum*, DC. Prod. ii. 447 = *juliflora*. *siliquosa*, St. Lag. in Ann. Soc. Bot. Lyon, vii. (1880) 132 = *P. Siliquastrum*.

*spicata*, Burm. f. Fl. Ind. 102 = *spicigera*. *spicigera*, Linn. Mant. i. 68.—Persia; Ind. or.

*Stephaniana*, Kunth, ex Spreng. Syst. ii. 326.—Reg. Caucas.; Ind. bor. occ.

*striata*, Benth. in Hook. Lond. Journ. Bot. v. (1846) 83.—Patagon.

*strombulifera*, Benth. in Hook. Journ. Bot. iv. (1842) 352.—Am. austr.

*tamariscina*, Spreng. Syst. iv. Cur. Post. 165 = *Gagnebina tamariscina*.

*torquata*, DC. Prod. ii. 448.—Am. austr.

**PROSORUS**, Dalz. in Hook. Kew Journ. iv. (1852) 345 = **Phyllanthus**, Linn. (Euphorb.).

*cyanospermus*, Thw. Enum. Pl. Zeyl. 281 = *Ph. cyanospermus*.

*Gaertneri*, Thw. in Hook. Kew Journ. viii. (1856) 272 = *Ph. cyanospermus*.

*indicus*, Dalz. in Hook. l. c. iv. (1852) 346 = *Ph. indicus*.

*indicus*, Thw. in Hook. l. c. vi. (1854) 299, partim = *Ph. cyanospermus*.

**PROSPERO**, Salisb. Gen. Pl. Fragm. 28 (1866) = **Scilla**, Linn. (Liliac.).

*autumnale*, Salisb. l. c. = *S. autumnalis*. *hyacinthoides*, Salisb. l. c. = *S. hyacinthoides*.

*lingulatum*, Salisb. l. c. = *S. lingulata*. *obtusifolium*, Salisb. l. c. = *S. obtusifolia*.

*parviflorum*, Salisb. l. c. = *S. numidica*. *undulatum*, Salisb. l. c. = *Urginea undulata*.

**PROSPHYSIS**, Dulac, Fl. Hautes-Pyr. 67 (1867) = **Festuca**, Linn. (Gramin.).

*tenella*, Dulac, l. c. 68 = *F. montana*?

**PROSTANTHERA**, Labill. Nov. Holl. Pl. ii. 18. t. 157 (1806). *LABIATAE*, Benth. & Hook. f. ii. 1217.

*CHILODIA*, R. Br. Prod. 507 (1810). *CRYPHUM*, R. Br. l. c. 508 (1810).

*KLANDERIA*, F. Muell. in Linnaea, xxv. (1852) 426. *asplathoides*, A. Cunn. ex Benth. Lab. Gen. et Sp. 453.—Austral.

*atriplicifolia*, A. Cunn. l. c. 451 = *ovalifolia*. *Baxteri*, A. Cunn. l. c. 452.—Austral.

*Behriana*, Schlecht. in Linnaea, xx. (1847) 610.—Austral.

*caerulea*, R. Br. Prod. 508.—Austral. *Caley*, Benth. Lab. Gen. et Sp. 454 = *chlorantha*?

*calycina*, F. Muell. ex Benth. Fl. Austral. v. 107.—Austral.

*Campbellii*, F. Muell. in Wing, South. Sc. Record, ii. (1882) 252.—Austral.

*canaliculata*, F. Muell. Fragm. vi. 105.—Austral. *chiorantha*, F. Muell. ex Benth. Fl. Austral. v. 108.—Austral.

### PROSTANTHERA :—

*coccinea*, F. Muell. in Trans. Phil. Soc. Vict. i. (1855) 48 = *microphylla*.

*cotinifolia*, A. Cunn. ex Benth. Lab. Gen. et Sp. 452 = *rotundifolia*.

*cryptandroides*, A. Cunn. l. c. 453.—Austral. *cuneata*, Benth. in DC. Prod. xii. 560.—Austral.

*debilis*, F. Muell. Fragm. viii. 147.—Austral. *decussata*, F. Muell. l. c. i. 125.—Austral.

*denticulata*, R. Br. Prod. 509.—Austral. *Eckersleyana*, F. Muell. Fragm. x. 17.—Austral.

*empetrifolia*, Sieber, ex Spreng. Syst. iv. Cur. Post. 226.—Austral.

*euphrasioides*, Benth. in Mitch. Journ. Trop. Austral. 360.—Austral.

*eurybioides*, F. Muell. in Trans. Phil. Soc. Vict. i. (1855) 48.—Austral.

*Grylloana*, F. Muell. Fragm. x. 17.—Austral. *hirtula*, F. Muell. ex Benth. Fl. Austral. v. 97.—Austral.

*incana*, A. Cunn. ex Benth. Lab. Gen. et Sp. 455.—Austral.

*incisa*, R. Br. Prod. 509.—Austral. *incisa*, Sieber, ex Benth. Lab. Gen. et Sp. 451 = *Sieberi*.

*lasianthos*, Labill. Nov. Holl. Pl. ii. 18. t. 157.—Austral.

*Leichhardtii*, Benth. Fl. Austral. v. 106.—Austral. *linearis*, R. Br. Prod. 509.—Austral.

*linearis*, Sieber, ex Benth. Lab. Gen. et Sp. 460 = *Westringia longifolia*.

*lithospermoides*, F. Muell. Fragm. vi. 107.—Austral. *marifolia*, R. Br. Prod. 509.—Austral.

*melissifolia*, F. Muell. Fragm. i. 19.—Austral. *microphylla*, A. Cunn. ex Benth. Lab. Gen. et Sp. 454.—Austral.

*nivea*, A. Cunn. l. c. 452.—Austral. *odoratissima*, Benth. in Mitch. Journ. Trop. Austral. 291.—Austral.

*ovalifolia*, R. Br. Prod. 509.—Austral. *phylicifolia*, F. Muell. Fragm. i. 19.—Austral.

*pimeloides*, F. Muell. l. c. vi. 107 = *saxicola*. *prunelloides*, R. Br. Prod. 508.—Austral.

*retusa*, R. Br. l. c. 509 = *rotundifolia*. *retusa*, Sieber, ex Benth. Lab. Gen. et Sp. 455 = *violacea*.

*rhombea*, R. Br. Prod. 509.—Austral. *ringens*, Benth. in Mitch. Journ. Trop. Austral. 363.—Austral.

*rotundifolia*, R. Br. Prod. 509.—Austral. *rugosa*, A. Cunn. ex Benth. Lab. Gen. et Sp. 456.—Austral.

*saxicola*, R. Br. Prod. 509.—Austral. *Sieberi*, Benth. Lab. Gen. et Sp. 451.—Austral.

*spinosa*, F. Muell. in Trans. Phil. Soc. Vict. i. (1855) 48.—Austral.

*staurophylla*, F. Muell. Fragm. ix. 73.—Austral. *striatiflora*, F. Muell. in Linnaea, xxv. (1852) 425.—Austral.

*Sullivaniae*, F. Muell. ex Benth. Fl. Austral. v. 104 = *striatiflora*.

*thymifolia*, A. Cunn. ex Benth. Lab. Gen. et Sp. 455 = *violacea*.

*violacea*, R. Br. Prod. 509.—Austral. *Walteri*, F. Muell. Fragm. vii. 108.—Austral.

*Wilkieana*, F. Muell. l. c. viii. 230.—Austral.

**PROSTEA**, Cambess. in Mém. Mus. Par. xviii. (1829) 25. t. 1 C = **Pometia**, Forst. (Sapind.).

*oblongifolia*, Presl, Bot. Bemerk. 40 = *Sapindus oblongifolius*.

*pinnata*, Cambess. in Mém. Mus. Par. xviii. (1829) 25 = *Pometia pinnata*.

**PROSTHECHEA**, Knowles & Westc. Flor. Cab. ii. (1838) 111 = **Epidendrum**, Linn. (Orchid.).

*glauc*, Knowles & Westc. l. c. = *E. glaucum*.

**PROSTHESIA**, Blume, Bijdr. 866 (1826) = **Alsodeia**, Thou. (Violar.).

*javanica*, Blume, l. c. 867 = *A. javanica*.

**PROTANTHERA**, Rafin. in Med. Repos. N. York, II. iii. (1806) 422, nomen. *LILIACEAE*?

*phalangoides*, Rafin. l. c.—Am. bor. *tenue*, Rafin. l. c.—Am. bor.

**PROTEA**, Linn. Gen. ed. II. 38 (1742); ed. V. 41 (1754) = **Leucadendron**, R. Br. (Proteac.).



**PROTEA**, Linn. Syst. ed. I (1735); Gen. ed. I. 22 (1737). *PROTEACEAE*, Benth. & Hook. f. iii. 169. *CHRYSDENDRON*, Vaill. ex Meissn. in DC. Prod. xiv. 230 (1856-57). *ERODENDRUM*, Salisb. Parad. Lond. t. 67 (1807). *LEPIDOCARPUS*, Adans. Fam. ii. 284 (1763). *LEUCADENDRON*, Linn. Syst. ed. II. 18 (1740). *PLEURANTHE*, Salisb. in Knight, Prot. 49 (1810). *abietina*, Buck, ex Meissn. in DC. Prod. xiv. 246 = *acerosa*. *abietina*, Licht. ex Meissn. l. c. 248 = *Spatalla pedunculata*. *abietina*, Poir. Encyc. Suppl. iv. 559 = *Leucadendron aemulum*. *abrotanifolia*, Andr. Bot. Rep. t. 507 = *Serruria phylloides*, odorata. *abrotanifolia*, Salisb. Prod. 48 = *Serruria Burmanni*. *abyssinica*, Willd. Sp. Pl. i. 522. — Abyss. *acaulis*, Thunb. Diss. Prot. 40. — Afr. austr. *acerosa*, R. Br. in Trans. Linn. Soc. x. (1810) 95. — Afr. austr. *acicularis*, Poir. Encyc. Suppl. iv. 559 = *Petrophila acicularis*. *acrocampa*, Poir. l. c. 570 = *Serruria acrocampa*. *acutifolia*, Salisb. Parad. Lond. t. 2 = *rosacea*, Thunb. *adscendens*, Steud. Nom. ed. II. ii. 399 = *Serruria adscendens*. *aemula*, Poir. Encyc. Suppl. iv. 558, 573 = *Serruria aemula*. *Aitoni*, Poir. l. c. 570 = *Serruria Aitoni*. *alba*, Thunb. Diss. Prot. 31 = *Leucadendron cinereum*. *alopocarpoides*, Lam. Illustr. i. 240 = *Nivenia Sceptum*. *alpina*, Knight, Prot. 27. — Afr. austr. *amplexicaulis*, R. Br. in Trans. Linn. Soc. x. (1810) 95. — Afr. austr. *anemonefolia*, Salisb. Prod. 48 = *Isopogon anemonefolius*. *anethifolia*, Salisb. l. c. = *Isopogon anethifolius*. *angolensis*, Welw. Apont. 586. — Afr. trop. *angustata*, R. Br. in Trans. Linn. Soc. x. (1810) 90. — Afr. austr. *angustata*, Drège, ex Meissn. in DC. Prod. xiv. 245 = *acaulis*. *angustata*, Poir. Encyc. Suppl. iv. 556 = *Leucadendron angustatum*. *angustifolia*, Salisb. Prod. 49 = *P. Scolymus*. *apifolia*, Sm. ex Meissn. in DC. Prod. xiv. 279 = *Isopogon anemonefolius*. *arborea*, Schult. Mant. iii. 266. — Afr. austr. *arborescens*, Hort. ex Steud. Nom. ed. II. ii. 399. — Afr. austr. *arcuata*, Lam. Illustr. i. 234 = *Leucadendron plumosum*. *arenaria*, Buck, ex Meissn. in DC. Prod. xiv. 245 = *acaulis*. *arenaria*, Poir. Encyc. Suppl. iv. 571 = *Serruria arenaria*. *argentea*, Linn. Sp. Pl. 94 = *Leucadendron argenteum*. *argentiflora*, Andr. Bot. Rep. t. 447 = *Serruria triterinata*. *ascendens*, Lam. Illustr. i. 239 = *Serruria adscendens*. *asplenifolia*, Link. Enum. Hort. Berol. i. 113. — Afr. austr. *asterifolia*, Knight, Prot. 30. — Afr. austr. *attenuata*, Poir. Encyc. Suppl. iv. 566 = *Leucospermum attenuatum*. *aulacea*, Thunb. Diss. Prot. 31 = *Aulax cneorifolia*. *Aulax*, Hibbert, ex Meissn. in DC. Prod. xiv. 242 = *lorea*. *auriculata*, Tausch, in Flora, xxv. (1842) i. 285. — Afr. austr. *australis*, Poir. Encyc. Suppl. iv. 579 = *Spatalla propinqua*. *Banksii*, Klotzsch, ex Meissn. in DC. Prod. xiv. 236 = *Buekiana*. *barbata*, Lam. Illustr. i. 236 = *speciosa*. *barbigera*, Meissn. in DC. Prod. x. 233. — Afr. austr. *bracteata*, Thunb. Diss. Prot. 27 = *Aulax pinifolia*. *bracteolaris*, Poir. Encyc. Suppl. iv. 578 = *Spatalla parilis*. *brassicaefolia*, Hort. ex Steud. Nom. ed. II. ii. 399. — Afr. austr. *brevifolia*, Poir. Encyc. Suppl. iv. 579 = *Spatalla brevifolia*. *Brownii*, Poir. l. c. 570 = *Serruria diffusa*. *bruniades*, Linn. f. Suppl. 117 = *Leucadendron corymbosum*.

**PROTEA** :— *bruniades*, Knight, Prot. 32. — Afr. austr. *Buekiana*, Meissn. in DC. Prod. xiv. 236. — Afr. austr. *buxifolia*, Poir. Encyc. Suppl. iv. 566 = *Leucospermum buxifolium*. *caespitosa*, Andr. Bot. Rep. t. 526 = *turbiniflora*. *caffra*, Meissn. in DC. Prod. xiv. 237. — Afr. austr. *callosa*, Wendl. ex Steud. Nom. ed. II. ii. 34, 399 = *Leucadendron callosum*. *calocephala*, Meissn. in DC. Prod. xiv. 239. — Afr. austr. *calycina*, Schneev. Ic. Pl. Rar. t. 48. — Afr. austr. *canaliculata*, Andr. Bot. Rep. t. 437. — Afr. austr. *canaliculata*, Herb. Linn. Soc. Lond. ex Meissn. in DC. Prod. xiv. 242 = *repens*. *candicans*, Andr. Bot. Rep. t. 294 = *Leucospermum tomentosum*. *candicans*, Thunb. Prod. Pl. Cap. 186 = *Serruria albicans*. *capitata*, Poir. Encyc. Suppl. iv. 575 = *Nivenia capitata*. *capitulata*, Poir. l. c. 568 = *Mimetes capitulata*. *carinata*, Hort. ex Schult. Mant. iii. 266. — Afr. austr. *carlescens*, E. Mey. ex Meissn. in DC. Prod. xiv. 238 = *punctata*. *carnosa*, Hort. ex Roem. & Schult. Syst. iii. 356 (Quid?). — Afr. austr. *cartilaginea*, Poir. Encyc. Suppl. iv. 557 = *Leucadendron cartilagineum*. *caudata*, Thunb. Diss. Prot. 26 = *Spatalla caudata*, Thunbergii. *caulescens*, E. Mey. ex Meissn. in DC. Prod. xiv. 244. — Afr. austr. *cerifera*, Hort. ex Roem. & Schult. Syst. iii. 356 (Quid?). — Afr. austr. *chamaelea*, Lam. Illustr. i. 237 = *Leucadendron decurrens*. *ciliaris*, Hort. ex Roem. & Schult. Syst. iii. 356 = *Leucadendron marginatum*. *ciliata*, Breit. Hort. Breit. 380; Schult. Mant. iii. 266 = *Leucadendron marginatum*. *ciliata*, Desf. Tabl. ed. II. 45 = *Leucadendron grandiflorum*. *ciliata*, Poir. Encyc. Suppl. iv. 572 = *Serruria ciliata*. *cinerea*, Ait. Hort. Kew. ed. I. i. 127 = *Leucadendron cinereum*. *cinerea*, Willd. ex Meissn. in DC. Prod. xiv. 215 = *Leucadendron imbricatum*. *cinerea*, Willd. Sp. Pl. i. 521 = *Leucospermum tortum*. *cneorifolia*, Salisb. Prod. 49 = *Aulax cneorifolia*. *coarctata*, Thunb. Fl. Cap. 122 = *Serruria scariosa*. *coccinea*, R. Br. in Trans. Linn. Soc. x. (1810) 77. — Afr. austr. *comosa*, Thunb. Diss. Prot. 28 = *Leucadendron comosum*. *compacta*, R. Br. in Trans. Linn. Soc. x. (1810) 76. — Afr. austr. *compar*, Poir. Encyc. Suppl. iv. 574 = *Serruria compar*. *concaua*, Lam. Illustr. i. 234 = *Nivenia concava*. *concinna*, Poir. Encyc. Suppl. iv. 556 = *Leucadendron concinnum*. *concinna*, Salisb. Prod. 50 = *Leucadendron uliginosum*. *concolor*, Hort. ex Steud. Nom. ed. II. ii. 399. — Afr. austr. *congesta*, Poir. Encyc. Suppl. iv. 573 = *Serruria congesta*. *conica*, Lam. Illustr. i. 237 = *Leucadendron adscendens*, strictum. *conifera*, Andr. Bot. Rep. t. 541 = *Leucadendron strictum*. *conifera*, Linn. Mant. ii. 193 = *Leucadendron adscendens*, salignum. *conifera*, Thunb. Diss. Prot. 37 = *Leucadendron coniferum*. *conocarpa*, Poir. Encyc. v. 656 = *Leucospermum ellipticum*. *conocarpa*, Thunb. Diss. Prot. 22 = *Leucospermum conocarpum*, ellipticum. *cordata*, Thunb. l. c. 45. — Afr. austr. *cordifolia*, Sims, Bot. Mag. t. 649 = *cordata*. *coriacea*, Buck, ex Meissn. in DC. Prod. xiv. 238 = *punctata*. *coriacea*, Licht. ex Roem. & Schult. Syst. iii. 384 = *Mimetes coriacea*. *coriacea*, Willd. ex Meissn. in DC. Prod. xiv. 220 = *Leucadendron venosum*. *coronata*, Andr. Bot. Rep. t. 469 = *formosa*.

**PROTEA** :— *coronata*, Curt. ex Steud. Nom. ed. I. 658 = *lorea*. *coronata*, Lam. Illustr. i. 236 = *speciosa*. *corymbosa*, Thunb. Diss. Prot. 29 = *Leucadendron corymbosum*. *crassifolia*, Poir. Encyc. Suppl. iv. 557 = *Leucadendron crassifolium*. *crassulaefolia*, Knight, Prot. 28. — Afr. austr. *criniflora*, Linn. f. Suppl. 117 = *Leucospermum oleae-folium*. *crinita*, Jacq. ex Spreng. Syst. i. 465 = *Leucospermum oleae-folium*. *crinita*, Thunb. Diss. Prot. 21 = *Leucospermum crinitum*. *cristata*, Lam. Illustr. i. 235. — Afr. austr. *crithmifolia*, Poir. Encyc. Suppl. iv. 574 = *Nivenia crithmifolia*. *cucullata*, Lam. Illustr. i. 239 = *Mimetes Hartogii*. *cucullata*, Linn. Mant. ii. 189 = *Mimetes lyrigera*. *cyanoides*, Linn. l. c. 188 = *Serruria cyanoides*. *cyanoides*, Thunb. Diss. Prot. 15 = *Serruria nitida*. *cygnea*, Poir. Encyc. Suppl. iv. 569 = *Serruria cygnea*. *cynaroides*, Linn. Mant. ii. 190. — Afr. austr. *daphnoides*, Thunb. Fl. Cap. i. 490 = *Leucadendron daphnoides*. *decipiens*, Poir. Encyc. Suppl. iv. 573 = *Serruria decipiens*. *declinata*, Hort. ex Meissn. in DC. Prod. xiv. 247. — Afr. austr. *decora*, Salisb. Prod. 50 = *Leucadendron grandiflorum*. *decumbens*, Andr. Bot. Rep. t. 349 = *Serruria Niveni*. *decumbens*, Thunb. Diss. Prot. 14 = *Serruria decumbens*. *decumbens*, Willd. ex Meissn. in DC. Prod. xiv. 284 = *Serruria glaberrima*. *densa*, Willd. Enum. Hort. Berol. Suppl. 7, nomen. — Afr. austr. *dichotoma*, Cav. in Anal. Hist. Nat. i. (1799) 239 = *Petrophila pulchella*. *dichotoma*, Lam. Illustr. i. 235 = *Mimetes dichotoma*, divaricata. *divaricata*, Linn. Mant. ii. 194 = *Isopogon anethifolius*. *divaricata*, Willd. ex Meissn. in DC. Prod. xiv. 265 = *Mimetes thymelaeoides*. *diversifolia*, Poir. Encyc. Suppl. iv. 559, 577 = *Sorocephalus diversifolius*. *diversifolia*, Willd. Enum. Hort. Berol. 139 = *Leucadendron salignum*. *dodonaeifolia*, Buek, ex Meissn. in DC. Prod. xiv. 239 = *longifolia*. *echinulata*, Meissn. l. c. 242. — Afr. austr. *effusa*, E. Mey. ex Meissn. l. c. 240. — Afr. austr. *elevata*, Poir. Encyc. Suppl. iv. 570 = *Serruria elevata*. *elliptica*, Thunb. Diss. Prot. 22 = *Leucospermum ellipticum*. *elongata*, R. Br. in Trans. Linn. Soc. x. (1810) 90. — Afr. austr. *erecta*, Thunb. Fl. Cap. i. 454 = *Serruria hirsuta*. *ericaefolia*, Willd. ex Meissn. in DC. Prod. xiv. 218 = *Leucadendron corymbosum*. *ericifolia*, Poir. Encyc. Suppl. iv. 557 = *Leucadendron ericifolium*. *ericoides*, Hort. ex Schult. Mant. iii. 266. — Afr. austr. *eriocephala*, Licht. ex Roem. & Schult. Syst. ii. 379 = *Serruria phylloides*, squarrosa. *erosa*, Licht. ex Roem. & Schult. l. c. 360 = *Leucospermum grandiflorum*. *erosa*, Willd. ex Meissn. in DC. Prod. xiv. 260 = *Leucospermum crinitum*. *falcata*, A. Cunn. ex Meissn. l. c. 267 = *Petrophila linearis*. *falcifolia*, Knight, Prot. 29. — Afr. austr. *fastigiata*, Poir. Encyc. Suppl. iv. 559 = *Petrophila fastigiata*. *feniculacea*, Poir. l. c. 572 = *Serruria foeniculacea*. *filifolia*, Poir. l. c. 559 = *Petrophila acicularis*. *flagellaris*, Poir. l. c. 573 = *Serruria flagellaris*. *flavescens*, Willd. Enum. Hort. Berol. Suppl. 7 = *Leucadendron flavescens*. *florida*, Thunb. Diss. Prot. 15 = *Serruria florida*. *foeniculacea*, Auct. vide *foeniculacea*. *formosa*, Andr. Bot. Rep. t. 17 = *Leucospermum medium*. *formosa*, R. Br. in Trans. Linn. Soc. x. (1810) 7 = *Afr. austr.* *fucifolia*, Salisb. Prod. 48 = *Petrophila pulchella*. *fulva*, Tausch, in Flora, xxv. (1842) 285. — Afr. austr.



**PROTEA:—**

- furcellata*, Poir. Encyc. Suppl. iv. 571 = *Serruria furcellata*.  
*furcellata*, Sm. ex Meissn. in DC. Prod. xiv. 277 = *Isopogon anethifolius*.  
*fusca*, Linn. Sp. Pl. 95 = *Leucadendron Levisanus*.  
*fusculiflora*, Jacq. Hort. Schoenb. i. 11 = *Leucadendron fusciflorum*.  
*Gaguedi*, J. F. Gmel. Syst. 225 = *abyssinica*.  
*glaberrima*, Poir. Encyc. Suppl. iv. 569 = *Serruria glaberrima*.  
*glabra*, Thunb. Diss. Prot. 42.—Afr. austr.  
*glauca*, Brouss. ex Roem. & Schult. Syst. iii. 356.—Afr. austr.  
*glauca*, Buek, ex Meissn. in DC. Prod. xiv. 233 = *neriifolia*.  
*glauca*, Drège, ex Meissn. l. c. = *melaleuca*.  
*glaucophylla*, Salisb. Parad. Lond. t. 11 = *acaulis*.  
*globosa*, Andr. Bot. Rep. t. 307 = *Leucadendron concolor*.  
*Globularia*, Lam. Illustr. i. 236 = *Leucadendron Globularia*.  
*globulariaefolia*, Knight, Prot. 30.—Afr. austr.  
*glomerata*, Andr. Bot. Rep. t. 264 = *Serruria pedunculata*.  
*glomerata*, Linn. Mant. ii. 187 = *Serruria glomerata*.  
*glomerata*, Thib. ex Meissn. in DC. Prod. xiv. 292 = *Serruria phyllicoides*.  
*glomerata*, Thunb. Diss. Prot. 18 = *Serruria elongata*.  
*glomerata*, Willd. ex Meissn. in DC. Prod. xiv. 293 = *ciliata*.  
*glomerata*, Willd. ex Spreng. Syst. i. 468 = *Serruria adscendens*.  
*glutinosa*, Knight, Prot. 27.—Afr. austr.  
*gnidiaefolia*, Knight, l. c. 31.—Afr. austr.  
*graminea*, Hort. ex Link, Enum. Hort. Berol. i. 113.—Afr. austr.  
*grandiceps*, Tratt. Thesaur. Bot. 5, in syn. = *speciosa*.  
*grandiflora*, Thunb. Diss. Prot. 41.—Afr. austr.  
*grandis*, Hort. ex Meissn. in DC. Prod. xiv. 247, nomen.—Afr. austr.  
*Gustaviana*, Poir. Encyc. v. 668 = *Nivenia parvifolia*.  
*helvola*, Licht. ex Roem. & Schult. Syst. iii. 379 = *Serruria cygnea*.  
*helvola*, Willd. ex Meissn. in DC. Prod. xiv. 297 = *Serruria elongata*.  
*heterophylla*, Thunb. Diss. Prot. 24 = *Leucospermum diffusum*.  
*Hibbertii*, Poir. Encyc. Suppl. iv. 568 = *Mimetes splendida*.  
*hirsuta*, Poir. l. c. 572 = *Serruria hirsuta*.  
*hirtella*, Thunb. in Hoffm. Phytog. Blaetter, i. (1803) 12 = *Leucadendron hirsutum*.  
*hirtella*, Willd. Enum. Hort. Berol. 139 = *Leucadendron Levisanus*.  
*hirta*, Hort. ex Meissn. in DC. Prod. xiv. 216 = *Leucadendron tortum*.  
*hirta*, Klotzsch, ex Krauss, in Flora, xxviii. (1845) 76.—Afr. austr.  
*hirta*, Linn. Mant. ii. 188 = *Mimetes hirta*.  
*hirtella*, Hort. ex Meissn. in DC. Prod. xiv. 248.—Afr. austr.  
*humiflora*, Andr. Bot. Rep. t. 532 = seq.  
*humiflorens*, Willd. Enum. Hort. Berol. Suppl. 7 = *humilis*.  
*humifusa*, Hort. ex Meissn. in DC. Prod. xiv. 246.—Afr. austr.  
*humilis*, R. Br. in Trans. Linn. Soc. x. (1810) 95.—Afr. austr.  
*hypophylla*, Thunb. Diss. Prot. 23 = *Leucospermum Hypophyllum*.  
*Hypophyllocarpodendron*, Linn. Mant. ii. 191 = *Leucospermum Hypophyllum*.  
*imberbis*, Poir. Encyc. Suppl. iv. 576 = *Sorocephalus imberbis*.  
*imbricata*, Poir. l. c. 557 = *Leucadendron imbricatum*.  
*imbricata*, Thunb. Diss. Prot. 38 = *Sorocephalus imbricatus*.  
*imbricata*, Wendl. Hort. Herrenh. 4. t. 14 = *Leucadendron buxifolium*.  
*incana*, Hort. ex Meissn. in DC. Prod. xiv. 248.—Afr. austr.  
*incompta*, R. Br. in Trans. Linn. Soc. x. (1810) 83.—Afr. austr.  
*incorrupta*, Krauss, in Flora, xxviii. (1845) 75, sphalm. = *præc.*  
*incurva*, Andr. Bot. Rep. t. 429 = *Leucadendron aemulm*.

**PROTEA:—**

- incurva*, Thunb. Diss. Prot. 26 = *Spatalla procera*.  
*inflexa*, Willd. Enum. Hort. Berol. Suppl. 7 = *Leucadendron inflexum*.  
*intermedia*, Poir. Encyc. Suppl. iv. 575 = *Nivenia media*.  
*involutrata*, Licht. ex Spreng. Syst. i. 457 = *Leucospermum involutratum*.  
*involutrata*, Willd. ex Meissn. in DC. Prod. xiv. 222 = *Leucadendron adscendens*.  
*lacticolor*, Salisb. Parad. Lond. t. 27 = *longiflora*.  
*laevis*, R. Br. in Trans. Linn. Soc. x. (1810) 91.—Afr. austr.  
*laevis*, Thunb. Fl. Cap. ed. Schult. 133 = *Nivenia Lagopus*.  
*Lagopus*, Andr. Bot. Rep. t. 243 = *Nivenia crithmifolia*.  
*Lagopus*, Thunb. Diss. Prot. 19 = *Nivenia Lagopus*.  
*Lagopus*, Willd. Sp. Pl. i. 510 = *Nivenia spicata*.  
*lanata*, Thunb. Diss. Prot. 30 = *Sorocephalus lanatus*.  
*lanceolata*, DC. ex Meissn. in DC. Prod. xiv. 212 = *Aulax cneorifolia*.  
*lanceolata*, Hort. ex Meissn. l. c. 248, nomen = seq.?  
*lanceolata*, E. Mey. ex Meissn. l. c. 240.—Afr. austr.  
*latericolor*, Meissn. l. c. 248, sphalm. = *lacticolor*.  
*latifolia*, R. Br. in Trans. Linn. Soc. x. (1810) 75.—Afr. austr.  
*Laureola*, Lam. Illustr. i. 234 = *Leucadendron decorum*.  
*lawifolia*, Buek, ex Meissn. in DC. Prod. xiv. 236 = *grandiflora*.  
*laxa*, Poir. Encyc. Suppl. iv. 578 = *Spatalla gracilis*.  
*lenta*, Salisb. Prod. 50 = *Leucadendron ovale*?  
*Lepidocarpodendron*, Linn. Mant. ii. 190 = *cristata*, *longifolia*, *speciosa*.  
*Lepidocarpus*, R. Br. in Trans. Linn. Soc. x. (1810) 80.—Afr. austr.  
*Lepidocarpus*, Sims, Bot. Mag. t. 674 = *melaleuca*.  
*leucantha*, Hort. ex Meissn. in DC. Prod. xiv. 248.—Afr. austr.  
*Levisana*, Meissn. l. c. 214 = *Leucadendron imbricatum*.  
*Levisanus*, Linn. Mant. ii. 194 = *Leucadendron Levisanus*, *imbricatum*.  
*ligulaefolia*, Sweet, Hort. Brit. ed. I. 346 = *longifolia*.  
*linearis*, Houtt. Handleid. iv. 116. t. 19. f. 2 = *Leucadendron angustatum*.  
*linearis*, Thunb. Diss. Prot. 33 = *Leucospermum lineare*.  
*linguiformis*, Hort. ex Meissn. in DC. Prod. xiv. 248, nomen.—Afr. austr.  
*linifolia*, Jacq. Hort. Schoenb. i. 11 = *Leucodendron linifolium*.  
*longicaulis*, Knight, Prot. 29.—Afr. austr.  
*longiflora*, Lam. Illustr. i. 234.—Afr. austr.  
*longifolia*, Andr. Bot. Rep. tt. 132, 133, 144.—Afr. austr.  
*longifolia*, Salisb. Parad. Lond. t. 37 = *laevis*.  
*loranthifolia*, Knight, Prot. 28.—Afr. austr.  
*lorea*, R. Br. in Trans. Linn. Soc. x. (1810) 93.—Afr. austr.  
*lorea*, Drège, ex Meissn. in DC. Prod. xiv. 242 = *tenuifolia*.  
*macrocephala*, Thunb. in Hoffm. Phytog. Blaetter, i. (1803) 13.—Afr. austr.  
*macrophylla*, R. Br. in Trans. Linn. Soc. x. (1810) 78.—Afr. austr.  
*macrophylla*, Buek, ex Meissn. in DC. Prod. xiv. 233 = *barbigera*.  
*madiensis*, Oliver, in Trans. Linn. Soc. xxix. (1875) 143.—Afr. trop.  
*magnifica*, Andr. Bot. Rep. t. 438.—Afr. austr.  
*magnoliaefolia*, Buek, ex Meissn. in DC. Prod. xiv. 244 = *tenax*.  
*marginata*, Lam. Illustr. i. 235 = *grandiflora*.  
*marginata*, Thunb. in Hoffm. Phytog. Blaetter, i. (1803) 15 = *melaleuca*.  
*marginata*, Willd. Enum. Hort. Berol. Suppl. 7 = *Leucadendron marginatum*.  
*marginata*, Willd. ex Meissn. in DC. Prod. xiv. 218 = *Leucadendron decorum*.  
*Massonii*, Poir. Encyc. Suppl. iv. 568 = *Mimetes Massoni*.  
*media*, Poir. l. c. 566 = *Leucospermum medium*.  
*melaleuca*, R. Br. in Trans. Linn. Soc. x. (1810) 79.—Afr. austr.  
*mellifera*, Thunb. Diss. Prot. 34.—Afr. austr.

**PROTEA:—**

- micans*, Welw. Apont. 586.—Afr. trop.  
*micrantha*, Hort. ex Meissn. in DC. Prod. xiv. 248.—Afr. austr.  
*mollis*, Hort. l. c.—Afr. austr.  
*mollis*, Poir. Encyc. Suppl. iv. 567, 577 = *Leucospermum molle*.  
*mollissima*, Hort. ex Meissn. in DC. Prod. xiv. 248.—Afr. austr.  
*mollissima*, Poir. Encyc. Suppl. iv. 575 = *Nivenia mollissima*.  
*montana*, E. Mey. ex Meissn. in DC. Prod. xiv. 240.—Afr. austr.  
*mucronata*, Hort. l. c. = *mucronifolia*.  
*mucronata*, Nois. ex Schult. Mant. iii. 266, nomen = *præc.*?  
*mucronifolia*, Salisb. Parad. Lond. t. 24.—Afr. austr.  
*multifida*, Nois. ex Schult. Mant. iii. 266 (Quid?).—Afr. austr.  
*Mundi*, Klotzsch, in Otto & Dietr. Allg. Gartenz. vi. (1838) 113.—Afr. austr.  
*mutica*, Poir. Encyc. Suppl. iv. 455 = *Leucadendron spathulatum*.  
*myrtifolia*, Thunb. Diss. Prot. 41 = *Mimetes myrtifolia*.  
*nana*, Lam. Illustr. i. 233 = *acaulis*.  
*nana*, Thunb. Diss. Prot. 30 = *rosacea*.  
*nectarina*, Schrad. Sert. Hannov. 5. t. 21 = *Lambertia formosa*.  
*neriifolia*, R. Br. in Trans. Linn. Soc. x. (1810) 81.—Afr. austr.  
*nigra*, Regel, Cat. Pl. Hort. Aksakov. 116 (Quid?).—Afr. austr.  
*nigrita*, DC. ex Meissn. in DC. Prod. xiv. 233 = *melaleuca*.  
*nitens*, Thunb. Fl. Cap. i. 514 = *Mimetes nitens*.  
*nitida*, Mill. Gard. Dict. ed. VIII. n. 3 = *grandiflora*.  
*nivea*, Poir. Encyc. Suppl. iv. 578 = *Spatalla nivea*.  
*Niveni*, Poir. l. c. 572 = *Serruria Niveni*.  
*nutans*, Poir. ex Steud. Nom. ed. ii. 400 = *Leucospermum nutans*.  
*obliqua*, Hort. Bollw. ex Meissn. in DC. Prod. xiv. 235 = *longiflora*.  
*obliqua*, Lam. Encyc. v. 642 = *Leucadendron concolor*.  
*obliqua*, Linn. f. Suppl. 117 = *Leucadendron squarrosum*.  
*obliqua*, Thunb. Diss. Prot. 35 = *Leucadendron plumosum*.  
*obliqua*, Willd. ex Meissn. in DC. Prod. xiv. 222 = *Serruria adscendens*.  
*oblongifolia*, Presl, Bot. Bemerk. 40.—Afr. austr.  
*oborata*, Roem. & Schult. Syst. iii. 378, in obs., sphalm. = seq.  
*obovata*, Andr. ex Meissn. in DC. Prod. xiv. 25 = *Serruria abrotanifolia*.  
*obtusa*, Sweet, Hort. Brit. ed. I. 346 = *speciosa*.  
*obtusata*, Thunb. in Hoffm. Phytog. Blaetter, i. (1803) 15 = *Leucadendron obtusatum*.  
*obtusifolia*, Buek, ex Meissn. in DC. Prod. xiv. 235.—Afr. austr.  
*ochroleuca*, Sm. Exot. Bot. ii. 43 = *longiflora*.  
*odorata*, Thunb. Prod. Pl. Cap. 187 = *Leucadendron odoratum*.  
*odoratissima*, Mass. ex R. Br. in Trans. Linn. Soc. x. (1810) 87 = *mucronifolia*.  
*ovalis*, Buek, ex Meissn. in DC. Prod. xiv. 235 = *Mundi*.  
*ovata*, Thunb. in Mém. Acad. Pétersb. iv. (1813–14) 548. t. 17.—Afr. austr.  
*pellens*, Linn. Mant. ii. 193 = *Leucadendron adscendens*.  
*pellens*, Thunb. Diss. Prot. 36 = *Leucadendron decurrens*.  
*pellens*, Willd. ex Meissn. in DC. Prod. xiv. 222 = *Leucadendron virgatum*.  
*pallida*, Salisb. Prod. 49 = *Leucadendron decurrens*.  
*parilis*, Buek, Ind. ad DC. Prod. iv. 317 = *Serruria phyllicoides*.  
*parviflora*, Linn. Mant. ii. 195 = *Leucadendron plumosum*.  
*Passerina*, Desf. Tabl. ed. II. 45, nomen = seq.?  
*Passerina*, Hort. ex Meissn. in DC. Prod. xiv. 216, 251 = *Leucadendron tortum*.  
*patens*, R. Br. in Trans. Linn. Soc. x. (1810) 82.—Afr. austr.  
*patens*, Poir. Encyc. Suppl. iv. 567 = *Leucospermum puberum*.  
*patula*, Thunb. Diss. Prot. 16 = *Serruria glomerata*.  
*patula*, Willd. ex Meissn. in DC. Prod. xiv. 296 = *Serruria Burmanni*.  
*pauciflora*, Poir. Encyc. Suppl. iv. 568 = *Mimetes pauciflora*.



## PROTEA:—

Paulina, *Endl. Gen. Suppl.* iv. 11, 77, nomen.—Nubia.  
*pedunculata*, Lam. *Illustr.* i. 240 = *Serruria pedunculata*.  
*pedunculata*, Poir. *Encyc. Suppl.* iv. 559, 578 = *Spatalla pedunculata*.  
*pendula*, R. Br. in *Trans. Linn. Soc.* x. (1810) 87.—Afr. austr.  
*penicillata*, E. Mey. ex Meissn. in DC. *Prod.* xiv. 235 = *Mundi*.  
*petiolata*, Buek, ex Meissn. l. c. 245 = *cynaroides*.  
*phyllicoides*, Poir. *Encyc.* v. 659 = *Serruria villosa*.  
*phyllicoides*, F. W. Schmidt, ex Tausch, in *Flora*, xiii. (1830) 555 = *Serruria congesta*.  
*phyllicoides*, Thunb. *Diss. Prot.* 19 = *Serruria hirsuta*.  
*phyllicoides*, Willd. *Sp. Pl.* i. 510 = *Serruria arenaria*.  
*Pinaster*, Hort. ex Steud. *Nom. ed.* II. ii. 400 = *pinastriifolia*?  
*pinastriifolia*, Hort. *Loud. ex Dum.-Cours. Bot. Cult.* ed. II. i. 591.—Afr. austr.  
*pinifolia*, Linn. ex Meissn. in DC. *Prod.* xiv. 212 = *Aulax cneorifolia*.  
*pinifolia*, Linn. *Mant.* ii. 187 = *Aulax pinifolia*.  
*pinnata*, Andr. Bot. Rep. t. 512 = *Serruria pinnata*.  
*pinnata*, Cav. ex Meissn. in DC. *Prod.* xiv. 248 (Quid?).—Afr. austr.  
*plumigera*, Thunb. *Fl. Cap.* 121 = *Serruria simplicifolia*.  
*plumosa*, Ait. *Hort. Kew. ed.* I. i. 127 = *Leucadendron plumosum*.  
*polygaloides*, Willd. ex Meissn. in DC. *Prod.* xiv. 215 = *Leucadendron imbricatum*.  
*polygaloides*, Willd. *Hort. Berol.* ii. 100 = *canaliculata*, *Leucadendron imbricatum*.  
*polysperma*, Poir. *Encyc. Suppl.* iv. 556 = *Leucadendron platyspermum*.  
*polystachia*, Poir. l. c. 578 = *Spatalla polystachya*.  
*procumbens*, Linn. f. *Suppl.* 116 = *Serruria decumbens*.  
*prolifera*, Thunb. *Diss. Prot.* 29 = *Spatalla prolifera*.  
*prostrata*, Thunb. *Prod. Pl. Cap.* 27 = *Leucadendron prostratum*.  
*pubera*, Linn. *Mant.* ii. 192 = *Leucospermum puberum*.  
*pubescens*, Poir. *Encyc. Suppl.* iv. 559 = *Leucadendron pubescens*.  
*pulchella*, Andr. Bot. Rep. t. 270.—Afr. austr.  
*pulchella*, Schrad. *Sert. Hannov.* 15 = *Petrophila pulchella*.  
*punctata*, Meissn. in DC. *Prod.* xiv. 238.—Afr. austr.  
*purpurea*, Linn. *Mant.* ii. 195 = *Mimetes purpurea*.  
*pyramidalis*, Poir. *Encyc. Suppl.* iv. 578 = *Spatalla parilis*.  
*pyramidalis*, Thunb. in Hoffm. *Phytog. Blaetter*, i. (1803) 11 = *Leucadendron pyramidale*.  
*pyrifolia*, Buek, ex Meissn. in DC. *Prod.* xiv. 236 = *Buekiana*.  
*racemosa*, Licht. ex Spreng. *Syst.* i. 471 = *Spatalla gracilis*.  
*racemosa*, Linn. *Mant.* ii. 187 = *Spatalla bracteata*.  
*racemosa*, Thunb. *Diss. Prot.* 25 = *Spatalla ramulosa*.  
*radiata*, Andr. Bot. Rep. t. 646 = *latifolia*.  
*radiata*, Bonpl. ex Reichb. *Fl. Exot.* iv. 35, cum ic. = *longiflora*.  
*Radula*, Hort. ex Link, *Enum. Hort. Berol.* i. 113.—Afr. austr.  
*radulifolia*, Donn, *Cat. Hort. Cantab. ed.* IV. 25 = *P. Radula*.  
*rangiferina*, Hort. ex Schult. *Mant.* iii. 263 = *coccinea*.  
*rangiferina*, Lee, ex Meissn. in DC. *Prod.* xiv. 277 = *Isopogon anethifolius*.  
*recondita*, Buek, ex Meissn. l. c. 237.—Afr. austr.  
*reflexa*, Hort. ex Meissn. l. c. 248 (Quid?).—Afr. austr.  
*repens*, Andr. Bot. Rep. t. 453 = *amplexicaulis*.  
*repens*, Linn. *Mant.* ii. 189 = *bellifera*.  
*repens*, Thunb. *Diss. Prot.* 34.—Afr. austr.  
*reticulata*, Thunb. in Hoffm. *Phytog. Blaetter*, i. (1803) 13 = *Leucadendron reticulatum*.  
*retroflexa*, F. G. Dietr. *Vollst. Lexik. Gaertn.* vii. 556.—Afr. austr.  
*retusa*, Poir. *Encyc. Suppl.* iv. 555 = *Leucadendron retusum*.  
*revoluta*, R. Br. in *Trans. Linn. Soc.* x. (1810) 90.—Afr. austr.  
*revoluta*, Buek, ex Meissn. in DC. *Prod.* xiv. 242 = *tenuifolia*.  
*rigida*, Poir. *Encyc. Suppl.* iv. 559 = *Petrophila rigida*.  
*rosacea*, Linn. *Mant.* ii. 189.—Afr. austr.

VOL. II.

## PROTEA:—

*Rouppelliae*, Meissn. in DC. *Prod.* xiv. 237.—Afr. austr.  
*Roxburghii*, Poir. *Encyc. Suppl.* iv. 574 = *Serruria Roxburghii*.  
*rugosa*, Thunb. in Hoffm. *Phytog. Blaetter*, i. (1803) 11 = *Leucadendron rugosum*.  
*rupicola*, Mund. ex Meissn. in DC. *Prod.* xiv. 236.—Afr. austr.  
*saligna*, Andr. Bot. Rep. t. 572 = *Leucadendron floridum*.  
*saligna*, Linn. *Mant.* ii. 194 = *Leucadendron adscendens*, *salignum*.  
*saligna*, Thunb. *Diss. Prot.* 39 = *Leucadendron uliginosum*.  
*salsoloides*, Poir. *Encyc. Suppl.* iv. 576 = *Sorocephalus salsoloides*.  
*salsoloides*, Thunb. ex Meissn. in DC. *Prod.* xiv. 266 = *Mimetes purpurea*.  
*scabra*, R. Br. in *Trans. Linn. Soc.* x. (1810) 91.—Afr. austr.  
*scabra*, Poir. *Encyc. Suppl.* iv. 559 = *Leucadendron scabrum*.  
*scabrata*, Thunb. in Hoffm. *Phytog. Blaetter*, i. (1803) 14.—Afr. austr.  
*Sceptrum*, Lam. *Illustr.* i. 241 = *Nivenia parvifolia*.  
*Sceptrum*, Thunb. *Diss. Prot.* 21 = *Nivenia Sceptrum*.  
*Sceptrum-Gustavianum*, Sparm. in *Vet. Akad. Handl. Stockh.* (1777) 55. t. 1 = *Nivenia Sceptrum*.  
*scolopendrina*, St. Lag. in *Ann. Soc. Bot. Lyon*, vii. (1880) 132 = seq.  
*Soolopendrium*, R. Br. in *Trans. Linn. Soc.* x. (1810) 94.—Afr. austr.  
*scolymocephala*, Reichard, *Syst. Pl.* i. 271 = *P. Scolymus*.  
*Scolymus*, Thunb. *Diss. Prot.* 33.—Afr. austr.  
*scoparia*, Poir. *Encyc. Suppl.* iv. 571 = *Serruria scoparia*.  
*sericea*, Linn. f. *Suppl.* 118 = *Leucadendron sericeum*.  
*sericea*, Thunb. *Diss. Prot.* 39 = *Leucadendron salignum*.  
*sericifolia*, Poir. *Encyc. Suppl.* iv. 578 = *Spatalla sericea*.  
*serraria*, Thunb. *Diss. Prot.* 17 = *Serruria Burmanni*.  
*serrarioides*, Soland. ex Meissn. in DC. *Prod.* xiv. 291 = *Serruria hirsuta*.  
*Serruria*, Linn. *Mant.* ii. 188 = *Serruria Burmanni*.  
*sessile*, Poir. *Encyc. Suppl.* iv. 557 = *Leucadendron sessile*.  
*setacea*, Hort. ex Meissn. in DC. *Prod.* xiv. 248.—Afr. austr.  
*setacea*, Poir. *Encyc. Suppl.* iv. 576 = *Sorocephalus setaceus*.  
*simplicifolia*, Poir. l. c. 570 = *Serruria simplicifolia*.  
*spatalloides*, Poir. l. c. 577 = *Sorocephalus spatalloides*.  
*spathulata*, Poir. l. c. 567 = *Leucospermum spathulatum*.  
*spathulata*, Thunb. *Diss. Prot.* 44 = *Nivenia spathulata*.  
*spathulata*, Willd. ex Spreng. *Syst.* i. 469 = *Nivenia parvifolia*.  
*spatulaefolia*, Knight, *Prot.* 31.—Afr. austr.  
*spiciosa*, Linn. *Mant.* ii. 191; Sims, *Bot. Mag.* t. 1183.—Afr. austr.  
*spiciosa*, Thunb. *Diss. Prot.* 42 = *cristata*.  
*spicabilis*, Licht. ex Spreng. *Syst.* i. 461 = *latifolia*.  
*spectabilis*, Willd. ex Meissn. in DC. *Prod.* xiv. 238 = *compacta*.  
*spherocephala*, Houtt. *Handleid.* iv. 99. t. 19. f. 1 = *Serruria hirsuta*, *pedunculata*, *scariosa*.  
*spherocephala*, Linn. *Mant.* ii. 188 = *Serruria phyllicoides*.  
*spherocephala*, Thib. ex Meissn. in DC. *Prod.* xiv. 293 = *Serruria ciliata*.  
*spherocephala*, Thunb. *Diss. Prot.* 16 = *Serruria rubricaulis*.  
*spherocephala*, Willd. ex Spreng. *Syst.* i. 467 = *Serruria arenaria*.  
*spicata*, Andr. Bot. Rep. t. 234 = *Nivenia media*.  
*spicata*, Linn. *Mant.* ii. 187 = *Nivenia spicata*.  
*spicata*, Willd. ex Meissn. in DC. *Prod.* xiv. 302 = *Nivenia Lagopus*.  
*spiralis*, Hort. ex Meissn. l. c. 248.—Afr. austr.  
*squamata*, Poir. *Encyc. Suppl.* iv. 560 = *Petrophila squamata*.  
*squarrosa*, Knight, *Prot.* 127 = *Leucodendron fusciflorum*?  
*squarrosa*, Poir. *Encyc. Suppl.* iv. 573 = *Serruria squarrosa*.  
*staticifolia*, Hort. ex Meissn. in DC. *Prod.* xiv. 248.—Afr. austr.

## PROTEA:—

*stellaris*, Sims, *Bot. Mag.* t. 881 = *Leucadendron fusciflorum*.  
*Stilbe*, Poir. *Encyc. Suppl.* iv. 571 = *Serruria Stilbe*.  
*stricta*, Don, ex Steud. *Nom. ed.* II. ii. 401 = *Leucadendron adscendens*.  
*strobilina*, Don, ex Steud. l. c. = *Leucadendron concolor*.  
*strobilina*, Linn. *Mant.* ii. 192 = *Leucadendron squarrosulum*.  
*strobilina*, Thunb. *Diss. Prot.* 38 = *Leucadendron ovale*.  
*Strobilus*, Meissn. in DC. *Prod.* xiv. 242 = *repens*.  
*subacaulis*, Hort. ex Meissn. l. c. 248.—Afr. austr.  
*tenax*, R. Br. in *Trans. Linn. Soc.* x. (1810) 88.—Afr. austr.  
*tenella*, Hort. ex Meissn. in DC. *Prod.* xiv. 248.—Afr. austr.  
*tenera*, Hort. ex Steud. *Nom. ed.* II. ii. 401 (Quid?).—Afr. austr.  
*tenuifolia*, R. Br. in *Trans. Linn. Soc.* x. (1810) 90.—Afr. austr.  
*tenuifolia*, Poir. *Encyc. Suppl.* iv. 577 = *Sorocephalus tenuifolius*.  
*tenuifolia*, Salisb. *Prod.* 49 = *Leucadendron Levisanus*.  
*tenuifolia*, Soland. ex Meissn. in DC. *Prod.* xiv. 296 = *Serruria Burmanni*.  
*tenuifolia*, Thunb. in Hoffm. *Phytog. Blaetter*, i. (1803) 9 = *Thunbergii*.  
*teretifolia*, Andr. Bot. Rep. t. 161 = *Leucadendron abietinum*.  
*teretifolia*, Poir. *Encyc. Suppl.* iv. 559 = *Petrophila teretifolia*.  
*thesiifolia*, Knight, *Prot.* 28.—Afr. austr.  
*Thunbergii*, Steud. *Nom. ed.* II. ii. 401.—Afr. austr.  
*thymelaoides*, Poir. *Encyc. Suppl.* iv. 568 = *Mimetes thymelaoides*.  
*thymifolia*, Knight, *Prot.* 31.—Afr. austr.  
*thyoides*, Sm. ex Meissn. in DC. *Prod.* xiv. 225 = *Leucadendron scabrum*.  
*thyrsoides*, Lam. *Illustr.* i. 240 = *Serruria elongata*.  
*tomentosa*, Thunb. *Diss. Prot.* 24 = *Leucospermum tomentosum*.  
*tomentosa*, Willd. ex Meissn. in DC. *Prod.* xiv. 258 = *Leucospermum spathulatum*.  
*torta*, Thunb. *Diss. Prot.* 31 = *Leucadendron tortum*.  
*tortuosa*, Salisb. *Prod.* 48 = *Leucospermum conocarpum*.  
*totta*, Linn. *Mant.* ii. 191 = *Leucospermum tottum*.  
*tridactylites*, Cav. in *Anal. Hist. Nat.* i. (1799) 236 = *Isopogon anemonefolius*.  
*tridentata*, Hort. ex Meissn. in DC. *Prod.* xiv. 248.—Afr. austr.  
*trifida*, Poir. *Encyc. Suppl.* iv. 560 = *Petrophila trifida*.  
*tritermata*, Andr. Bot. Rep. t. 337 = *Serruria triplicato-ternata*.  
*tritermata*, Thib. ex Meissn. in DC. *Prod.* xiv. 295 = *Serruria Roxburghii*.  
*tritermata*, Thunb. *Diss. Prot.* 18 = *Serruria tritermata*.  
*truncata*, Thunb. *Fl. Cap.* i. 493.—Afr. austr.  
*turbinata*, Steud. *Nom. ed.* I. 661 = *longifolia*.  
*turbiniflora*, R. Br. in *Trans. Linn. Soc.* x. (1810) 93.—Afr. austr.  
*uliginosa*, Hort. ex Meissn. in DC. *Prod.* xiv. 248.—Afr. austr.  
*umbellata*, Thunb. *Diss. Prot.* 32 = *Aulax cneorifolia*.  
*umbonalis*, Sweet, *Hort. Brit. ed.* I. 346 = *longifolia venosa*, Lam. *Illustr.* i. 234.—Afr. austr.  
*venosa*, Thunb. in Hoffm. *Phytog. Blaetter*, i. (1803) 10 = *venulosa*.  
*venulosa*, Steud. *Nom. ed.* II. ii. 401.—Afr. austr.  
*verticillata*, Thunb. in Hoffm. *Phytog. Blaetter*, i. (1803) 12 = *Sorocephalus verticillatus*.  
*vestita*, Lam. *Illustr.* i. 239 = *Leucospermum ellipticum*.  
*vidua*, [Ker-Gawl.] Andr. Bot. Rep. Rec. Pl. 39 = *longifolia*.  
*villifera*, Lindl. in *Bot. Reg.* t. 1023.—Afr. austr.  
*villosa*, Hort. Bollw. ex Meissn. in DC. *Prod.* xiv. 28 = *metastachya*.  
*villosa*, Jacq. ex Meissn. in DC. l. c. 265 = *Mimetes thymelaoides*.  
*villosa*, Lam. *Illustr.* i. 240 = *Serruria villosa*.  
*villosa*, Poir. *Encyc. Suppl.* iv. 566 = *Leucospermum grandiflorum*.  
*villosa*, Thunb. *Prod. Pl. Cap.* 187 = *Serruria villosa*.

4 M



**PROTEA:**—

*villosa*, Willd. ex Spreng. Syst. i. 464 = *Leucospermum buxifolium*.  
*villosiuscula*, Banks, ex Poir. Encyc. Suppl. iv. 566 = *Leucospermum grandiflorum*.  
*virgata*, Andr. Bot. Rep. t. 577 = *acerosa*.  
*virgata*, Poir. Encyc. Suppl. iv. 556 = *Leucadendron virgatum*.  
*virgata*, Thunb. in Hoffm. Phytog. Blaetter, i. (1803) 10 = *Leucadendron acutum*.  
*viscosa*, Hort. ex Meissn. in DC. Prod. xiv. 248.—Afr. austr.  
*Wendlandi*, Poir. Encyc. Suppl. iv. 556 = *Leucadendron buxifolium*.  
*Woodwardii*, Endl. Gen. Suppl. iv. II. 77.—Afr. austr.

**PROTEINIA**, Reichb. Nom. 205 (1841) = **Saponaria**, Linn. (Carophyll.).

**PROTEINOPHALLUS**, Hook. f. Bot. Mag. t. 6195 (1875) = **Amorphophallus**, Blume (Aroid.).  
*Rivieri*, Hook. f. l. c. = A. Rivieri.

**PROTEOPSIS**, Mart. & Zucc. ex DC. Prod. v. 16 (1836); Sch. Bip. in Pollichia, xx-xxi. (1863) 378, 433. **COMPOSITAE**, Benth. & Hook. f. ii. 234.  
*argentea*, Mart. & Zucc. ex DC. Prod. v. 16.—Bras.  
*glauca*, Mart. ex Baker, in Mart. Fl. Bras. vi. II. 20 = *Vernonia pedunculata*.  
*scapigera*, Mart. l. c. 55 = *Vernonia scapigera*.  
*Sellovii*, Sch. Bip. in Pollichia, xx-xxi. (1863) 434.—Bras.

**PROTERPIA**, Rafin. Sylva Tellur. 80 (1838) (Bignoniaceae).  
*obtusifolia*, Rafin. l. c. = 'Spathodea obtusifolia seu Tabebuia uliginosa,' sec. A. DC.

**PROTIONOPSIS**, Blume, Mus. Bot. Lugd. Bat. i. 229 (1850) = **Commiphora**, Jacq. (Burser.).  
*caudata*, Blume, l. c. = C. caudata.  
*pubescens*, Blume, l. c. = C. pubescens.  
*Roxburghiana*, Blume, l. c. = C. caudata.

**PROTIUM**, Burm. f. Fl. Ind. 88 (1768). **BURSERACEAE** [Benth. & Hook. f. i. 325].  
*DAMARA*, Gaertn. Fruct. ii. 100 (1791).  
*ICICA*, Aubl. Pl. Gui. i. 337 (1775).  
*ICICOPSIS*, Engl. in Mart. Fl. Bras. xii. II. 255 (1874).

*MARIGNIA*, Comm. ex Kunth, in Ann. Sc. Nat. Sér. I. ii. (1824) 351.

*Almecago*, March. in Baill. Adansonia, viii. (1867-68) 43.—Bras.

*altissimum*, March. l. c. 51.—Am. trop.

*Aracouchili*, March. l. c.—Bras.

*aromaticum*, Engl. in Mart. Fl. Bras. xii. II. 273 = heptaphyllum.

*Beandon*, March. ex Engl. in DC. Monog. Phan. iv. 92.—Madag.

*Blanchetii*, Engl. l. c. 79.—Bras.

*brasiliense*, Engl. in Mart. Fl. Bras. xii. II. 268.—Bras.

*Carana*, March. in Baill. Adansonia, viii. (1867-68) 51.—Bras.

*Copal*, Engl. in DC. Monog. Phan. iv. 83.—Mexic.

*coriaceum*, Engl. in Mart. Fl. Bras. xii. II. 281.—Am. trop.

*crassifolium*, Engl. l. c. 270.—Am. trop.

*decandrum*, March. in Baill. Adansonia, viii. (1867-68) 51.—Guian.

*divaricatum*, Engl. in Mart. Fl. Bras. xii. II. 279. t. 55.—Bras.

*elegans*, Engl. l. c. 273.—Bras.

*ferrugineum*, Engl. in DC. Monog. Phan. iv. 79.—Bras.

*giganteum*, Engl. in Mart. Fl. Bras. xii. II. 277.—Bras.

*grandifolium*, Engl. l. c. 269.—Am. trop.

*guianense*, March. in Baill. Adansonia, viii. (1867-68) 52.—Am. trop.

*heptaphyllum*, March. in Kjoeb. Vidensk. Meddel. (1873) 55.—Am. trop.

*Hostmanni*, Engl. in Mart. Fl. Bras. xii. II. 266.—Am. trop.

*Icicariba*, March. in Baill. Adansonia, viii. (1867-68) 52.—Bras.

**PROTIUM:**—

*insigne*, Engl. in DC. Monog. Phan. iv. 77.—N. Granat.

*javanicum*, Burm. f. Fl. Ind. 88.—Java.

*laxiflorum*, Engl. in Mart. Fl. Bras. xii. II. 275.—Bras.

*macrophyllum*, Engl. l. c. 277.—Am. trop.

*madagascariense*, Engl. in DC. Monog. Phan. iv. 91.—Madag.

*Martianum*, Engl. in Mart. Fl. Bras. xii. II. 266.—Bras.

*Melinonis*, Engl. in DC. Monog. Phan. iv. 68.—Guian.

*multiflorum*, Engl. in Mart. Fl. Bras. xii. II. 273.—Bras.

*nitidum*, Engl. l. c. 271.—Bras.

*obtusifolium*, March. in Baill. Adansonia, viii. (1867-68) 62.—Ins. Maurit.

*ovatum*, Engl. in Mart. Fl. Bras. xii. II. 264.—Bras.

*paniculatum*, Engl. l. c. 270.—Am. trop.

*pilosissimum*, Engl. in DC. Monog. Phan. iv. 80.—Bras.

*polybotryum*, Engl. in Mart. Fl. Bras. xii. II. 278.—Guian.

*pubescens*, Engl. l. c. 265.—Bras.

*reticulatum*, Endl. in DC. Monog. Phan. iv. 79.—Bras.

*Riedelianum*, Engl. in Mart. Fl. Bras. xii. II. 279. t. 56.—Bras.

*Sagotianum*, March. in Adansonia, viii. (1867-68) 69. f. 1.—Guian.

*Schomburgkianum*, Engl. in Mart. Fl. Bras. xii. II. 276 = decandrum.

*serratum*, Engl. in DC. Monog. Phan. iv. 88.—Ind. or. Spruceanum, Engl. in Mart. Fl. Bras. xii. II. 276.—Am. trop.

*subserratum*, Engl. in DC. Monog. Phan. iv. 89.—Bras.

*Tacamahaca*, March. in Baill. Adansonia, viii. (1867-68) 52 = heptaphyllum.

*tenuifolium*, Engl. in DC. Monog. Phan. iv. 76.—Peruv.

*trifoliolatum*, Engl. in Mart. Fl. Bras. xii. II. 266.—Am. trop.

*unifoliolatum*, Engl. l. c. 262.—Am. trop.

*venosum*, Engl. l. c. 264.—Am. trop.

*Warmingianum*, March. in Kjoeb. Vidensk. Meddel. (1873) 55.—Bras.

*Widgrenii*, Engl. in Mart. Fl. Bras. xii. II. 272.—Bras.

*Zollingeri*, Engl. in DC. Monog. Phan. iv. 71.—Java.

**PROTIUM**, Wight & Arn. Prod. 176 (1834) = **Commiphora**, Jacq. (Burser.).

*africanum*, Harv. in Harv. & Sond. Fl. Cap. ii. 592 = C. Harveyi.

*caudatum*, Wight & Arn. Prod. 176 = C. caudata.

*gileadense*, Wight & Arn. l. c. 177 = C. Berryi.

*mossambicense*, Oliver, Fl. Trop. Afr. i. 329 = C. mossambicense.

*pubescens*, Wight & Arn. Prod. 176 = C. pubescens.

*Roxburghiana*, Wight & Arn. l. c. = C. caudatum.

**PROTOHOPEA**, Miers, in Journ. Linn. Soc. xvii. (1879) 289 = **Symplocos**, Linn. (Styrac.).

*cernua*, Miers, l. c. = S. Hartwegi.

*tinctoria*, Miers, l. c. = S. tinctoria.

**PROTOLEPIS**, Steud. Nom. ed. II. ii. 401 (1841), sphalm. = **Proteopsis**, Mart. & Zucc. (Compos.).

**PROTORHUS**, Engl. in Engl. Bot. Jahrb. i. (1881) 420. **ANACARDIACEAE**.

*fulva*, Engl. l. c. 421.—Madag.

*Grandidieri*, Engl. l. c. 422.—Madag.

*latifolia*, Engl. l. c. 421.—Madag.

*longifolia*, Engl. l. c. 422.—Afr. austr.

*nitida*, Engl. l. c. 421.—Madag.

*oblongifolia*, Engl. l. c.—Madag.

*sericea*, Engl. l. c.—Madag.

*Thouarsii*, Engl. l. c. 422.—Madag.

**PROUSTIA**, Lag. Amen. Nat. i. 33 (1811). **COMPOSITAE**, Benth. & Hook. f. ii. 500.

*HARMODIA*, D. Don, ex Steud. Nom. ed. II. i. 722 (1840).

*angustifolia*, Wedd. Chlor. And. i. 24.—Bolivia.

**PROUSTIA:**—

*baccharoides*, D. Don, ex Hook. & Arn. in Hook. Comp. Bot. Mag. i. (1835) 106.—Chili.

*cinerea*, Phil. in Linnaea, xxix. (1857-58) 109.—Chili.

*cuneifolia*, D. Don, in Trans. Linn. Soc. xvi. (1830) 202 = pungens.

*domingensis*, Spreng. ex DC. Prod. v. 30 = *Vernonia buxifolia*.

*glandulosa*, DC. Prod. vii. 27.—Chili.

*ilicifolia*, Hook. & Arn. Bot. Beech. Voy. 28 = pungens.

*mendocina*, Phil. Sert. Mend. Alt. 18.—Chili.

*mexicana*, Lag. ex D. Don, in Trans. Linn. Soc. xvi. (1830) 201 = *Perezia Humboldtii*.

*oblongifolia*, D. Don, l. c. 199.—Peruv.

*pungens*, Poepp. ex Less. Syn. Comp. 110.—Chili.

*pyrifolia*, Lag. Amen. Nat. i. 33; DC. in Ann. Mus. Par. xix. (1812) 67. t. 4.—Chili.

*reticulata*, Lag. ex D. Don, in Trans. Linn. Soc. xvi. (1830) 200 = *Perezia reticulata*.

*reticulata*, Phil. in Anal. Univ. Chil. (1861) 50.—Chili.

*Tipia*, Phil. Fl. Atac. 28.—Chili.

*Vanillosma*, Wright, in Saww. Fl. Cub. 83.—Cuba.

**PROVENZALIA**, Adans. Fam. ii. 469 (1763) = **Calla**, Linn. (Aroid.).

*bispatha*, Rafin. New Fl. Am. ii. 90; Fl. Tellur. iii. 67 = C. palustris.

*brevis*, Rafin. New Fl. Am. ii. 90 = C. palustris.

*heterophylla*, Rafin. l. c. = C. palustris.

*palustris*, Rafin. l. c. = C. palustris.

**PROZETIA**, Neck. Elem. i. 225 (1790) = **Pouteria**, Aubl. (Sapot.).

**PROZOPSIS**, C. Muell. in Walp. Ann. v. 62 (1858), err. typ. = **POZOPSIS**, Hook. = **Huanaca**, Cav. (Umbell.).

**PRUMNOPITYS**, Phil. in Linnaea, xxx. (1859-60) 731. **Podocarpus**, L'Hérit. (Conif.).

*elegans*, Phil. l. c. 732 = P. affinis. ✕

**PRUNELLA**, Linn. Sp. Pl. ed. I. 600 (1753). **LABIATAE** [Benth. & Hook. f. i. 1203].

**BRUNELLA**, Tourn. ex Linn. Syst. ed. I (1735).

*aequinoctialis*, H. B. & K. Nov. Gen. et Sp. ii. 323 = vulgaris.

*alba*, Pall. ex Bieb. Fl. Taur. Cauc. ii. 67 = laciniata.

*algeriensis*, Noé, in Bull. Soc. Bot. Fr. ii. (1855) 582 = vulgaris.

*alpina*, Schur, in Verh. Siebenb. Ver. Naturw. iv. (1853) 59 = vulgaris.

*alpina*, Timb. in Bull. Soc. Bot. Fr. xiii. (1866), Sess. extr. p. cliii = grandiflora.

*angustifolia*, Wender. Schrift. Marb. ii. (1831) 258 = vulgaris.

*australasica*, Moric. ex Buch-Ham. in Ser. Bull. Bot. i. (1830) 162 = vulgaris.

*australis*, Sweet, Hort. Brit. ed. II. 410 = vulgaris.

*bicolor* x, Beck, in Verh. Zool.-Bot. Ges. Wien, xxxii. (1883) 185.—Europ.

*bicolor*, Noronha, in Verh. Batav. Gen. v. (1790) ed. I. Art. iv. 8 (Quid?).—Java.

*Browniana*, Penny, ex G. Don, in Loud. Hort. Brit. Suppl. i. 597 = vulgaris.

*caerulea*, Gueldenst. ex Ledeb. Fl. Ross. iii. 393 = vulgaris.

*canadensis*, Mill. Gard. Dict. ed. VIII. n. 4 = vulgaris.

*caroliniana*, Mill. l. c. n. 6 = vulgaris.

*cinerea*, Rafin. New Fl. Am. ii. 30 = vulgaris.

*cordata*, Rafin. l. c. 31 = vulgaris.

*dissecta*, Wender. in Schrift. Marb. ii. (1831) 257 = vulgaris.

*elongata*, Dougl. ex Benth. Lab. Gen. et Sp. 417 = vulgaris.

*Fischeriana*, Buch.-Ham. in Ser. Bull. Bot. i. (1830) 164 = vulgaris.

*grandiflora*, Jacq. Fl. Austr. iv. 40. t. 377.—Europ.

*hastaeifolia*, Brot. Fl. Lusit. i. 181 = grandiflora.

*hastata*, Spreng. Syst. ii. 692 = grandiflora.

*heterophylla*, Rafin. New Fl. Am. ii. 31 = vulgaris.

*hirsuta*, Wender. in Schrift. Marb. ii. (1831) 257 = vulgaris.

*hirta*, Bernh. ex Steud. Nom. ed. I. 661 = vulgaris.



**PRUNELLA:—**

- hispida*, Benth. in Wall. Pl. As. Rar. i. 66 = vulgaris.  
*hybrida*, 'Kn.' ex Nym. Consp. 574 = laciniata.  
*hyssopifolia*, Linn. Sp. Pl. 600.—Europ.  
*incisa*, Link, Enum. Hort. Berol. ii. 121 = vulgaris.  
*indica*, Burm. f. Fl. Ind. 130 = *Acrocephalus capitatus*.  
*intermedia*, Brot. Fl. Lusit. i. 180 = laciniata.  
*intermedia*, Link, Handb. i. 490 = vulgaris.  
*intermedia*, Reichb. Pl. Crit. iii. 4 = *Cleonia lusitanica*.  
*laciniata*, Leyss. Fl. Halens. 148 = grandiflora.  
*laciniata*, Linn. Sp. Pl. ed. II. 837.—Europ.; Afr. bor.; Oriens.  
*laciniata*, Walt. Fl. Carol. 163 = vulgaris.  
*latifolia*, Donn, Hort. Cantab. ed. II. 80 = vulgaris.  
*longifolia*, Pers. Syn. ii. 137 = vulgaris.  
*lusitanica*, Linn. Sp. Pl. 601 = *Cleonia lusitanica*.  
*macrophylla*, Steud. Nom. ed. II. ii. 402 = vulgaris.  
*mariquitensis*, Willd. ex Benth. in Linnaea, xi. (1837) 345 = vulgaris.  
*microphylla*, Rafin. New Fl. Am. ii. 29 = vulgaris.  
*Novae-Angliae*, Mill. Gard. Dict. ed. VIII. n. 7 = vulgaris.  
*obtusifolia*, Rafin. New Fl. Am. ii. 32 = vulgaris.  
*odorata*, Lam. Fl. Fr. ii. 367 = *Cleonia lusitanica*.  
*officinalis*, Crantz, Stirp. Austr. ed. II. fasc. iv. 279 = vulgaris.  
*ovata*, Pers. Syn. ii. 137 = vulgaris.  
*parviflora*, Gilib. Fl. Lituan. i. 88; Poir. Voy. Barb. ii. 188 = vulgaris.  
*pennsylvanica*, Willd. Hort. Berol. i. 9 = vulgaris.  
*petiolaris*, Rafin. New Fl. Am. ii. 30 = vulgaris.  
*pinnatifida*, Pers. Syn. ii. 137 = vulgaris.  
*pratensis*, Schur, Enum. Pl. Transs. 543 = vulgaris.  
*purpurea*, Gueldenst. ex Ledeb. Fl. Ross. iii. 393 = vulgaris.  
*pyrenaica*, Philippe, Fl. Pyrén. ii. 173 = grandiflora.  
*reptans*, Dum. Fl. Belg. 44 = vulgaris.  
*reticulata*, Rafin. New Fl. Am. ii. 31 = vulgaris.  
*rosea*, Rafin. l. c. = vulgaris.  
*sessilifolia*, Rafin. l. c. 30 = vulgaris.  
*speciosa*, Wender. in Schrift. Marb. ii. (1831) 257 = grandiflora.  
*sulphurea*, Mill. Gard. Dict. ed. VIII. n. 5 = laciniata.  
*surrecta*, Dum. Fl. Belg. 44 = vulgaris.  
*Tournefortii*, Timb. in Bull. Soc. Bot. Fr. xiii. (1866), Sess. extr. p. cliv = grandiflora.  
*transsilvanica*, Schur, Enum. Pl. Transs. 953 (Index) = grandiflora.  
*variabilis* x, Beck, in Verh. Zool.-Bot. Ges. Wien, xxxii. (1883) 186.—Europ.  
*violacea*, Noronha, in Verh. Batav. Gen. v. (1790) ed. I. Art. iv. 8 (Quid?).—Java.  
*violacea*, Nym. Consp. 574 = laciniata.  
*vulgaris*, Linn. Sp. Pl. 600.—Reg. temp.

**PRUNOPHORA**, Neck. Elem. ii. 71 (1790) = **Prunus**, Tourn. (Rosac.).

**PRUNOPSIS**, André, in Rev. Hortic. (1883) 967 = **Prunus**, Tourn. (Rosac.).  
*Lindleyi*, André, l. c. 67 = *Prunus triloba*, Lindl.

**PRUNUS**, [Tourn.] Linn. Syst. ed. I (1735). *ROSA-CEAE*, Benth. & Hook. f. i. 609.  
*AMYGDALOPSIS*, Carr. in Rev. Hortic. (1862) 91.  
*AMYGDALUS*, [Tourn.] Linn. Syst. ed. I (1735).  
*ARMENIACA*, Tourn. ex Mill. Gard. Dict. ed. VI. (1752).  
*CERASEIDOS*, Sieb. & Zucc. in Abh. Akad. Muench. iii. (1843) 743. t. 5.  
*CERASOPHORA*, Neck. Elem. ii. 71 (1790).  
*CERASUS*, [Tourn.] Linn. Syst. ed. I (1735); Gen. ed. I. 141 (1737).  
*CHIMANTHUS*, Rafin. Fl. Ludov. 26 (1817).  
*DRUPARIA*, [Clairv.] Man. Herb. 159 (1811).  
*HAGIDRYAS*, Griseb. Reise Rumel. i. 311 (1841).  
*LAUROCERASUS*, [Tourn.] M. Roem. Fam. Rosifl. 5, 89 (1847).  
*PADUS*, Linn. Syst. ed. I (1735); Gen. ed. I. 142 (1737).  
*PERSICA*, [Tourn.] Mill. Gard. Dict. ed. VI. (1752).  
*PRUNOPHORA*, Neck. Elem. ii. 71 (1790).  
*PRUNOPSIS*, André, in Rev. Hortic. (1883) 367.

**PRUNUS:—**

- TRICHOCARPUS*, Neck. Elem. ii. 70 (1790).  
*TUBOPADUS*, Pomel, Mat. Fl. Atl. 8 (1860).  
*Acacia*, Crantz, ex Poir. Encyc. v. 679 = seq.  
*Acacia-germanica*, Crantz, Stirp. Austr. ed. I. fasc. ii. 58; ed. II. 93 = spinosa.  
*acida*, Ehrh. Beitr. v. 162 = *P. Cerasus*.  
*acinaria*, Desf. Tabl. ed. I. 179 = americana.  
*acinaria*, Poir. Encyc. v. 677 = domestica.  
*acuminata*, Clav. in Act. Linn. Soc. Bord. xxxviii. (1884) 599 = *pubescens*, Clav.  
*acuminata*, Hook. f. Fl. Brit. Ind. ii. 317.—Reg. Himal.  
*acuminata*, Hort. ex C. Koch, Dendrol. i. 101 = americana.  
*acuminata*, Michx. Fl. Bor. Am. 284 = maritima.  
*adenophylla*, Wall. Cat. sub n. 718 = undulata.  
*aestiva*, Salisb. Prod. 356 = *P. Cerasus*.  
*agrestis*, Jord. & Fourr. Brev. Pl. Nov. ii. 37; Ic. Fl. Europ. i. 56. t. 155 = insititia.  
*alleganiensis*, Porter, in Coult. Bot. Gaz. ii. (1877) 85.—Am. bor.  
*Aloocha*, Royle, Illustr. Bot. Himal. 205, nomen = insititia?  
*Amarella*, Reichb. Fl. Germ. Excurs. 646.—Europ. austr.  
*ambigua*, Salisb. Prod. 356 = insititia.  
*amelanchieriflora*, Paill. in Mém. Soc. Emul. Doubs, Sér. IV. x. (1876) 490 = insititia?  
*americana*, Marsh. Arbust. 111.—Am. bor.  
*amygdalina*, Poir. Encyc. v. 677 = domestica.  
*amygdalina*, Webb, Iter Hisp. 47 = Ramburei.  
*Amygdalus*, Stokes, Bot. Mat. Med. iii. 101.—Afr. bor.; Oriens.  
*Andersoni*, A. Gray, in Proc. Am. Acad. vii. (1868) 337.—Am. bor. occ.  
*angustifolia*, Marsh. Arbust. 111 = *P. Chicasa*.  
*arbuscensis*, Timb. in Bull. Soc. Sc. Phys. et Nat. Toul. ii. (1874) 451 = spinosa vel insititia.  
*arguta*, Bigel. ex M. Roem. Syn. Rosifl. 86 = virginiana.  
*Armeniaca*, Blanco, Fl. Filip. ed. II. 296 = triflora.  
*Armeniaca*, Linn. Sp. Pl. i. 474.—Reg. Caucas.  
*Armeniaca*, Thunb. Fl. Jap. 200 = *P. Mume*.  
*armenioides*, Lieg. Syst. Pflaum. ii. 162; ex M. Roem. Syn. Rosifl. 52 = domestica.  
*aspera*, Thunb. Fl. Jap. 201.—Japon.  
*Aubertiana*, Ser. ex Steud. Nom. ed. II. ii. 402 = domestica.  
*aucubaefolia*, Hort. ex C. Koch, Dendrol. i. 120 = *P. Padus*.  
*augustifolia*, Poir. Encyc. v. 677 = domestica.  
*aureliana*, Poir. l. c. 678 = domestica.  
*austera*, Ehrh. Beitr. v. 160; vii. 50 = *P. Cerasus*.  
*austriaca*, Lieg. Syst. Pflaum. ii. 10; ex M. Roem. Syn. Rosifl. 37 = domestica.  
*autumnalis*, Lieg. l. c. 23; ex M. Roem. l. c. 44 = domestica.  
*avium*, Linn. Fl. Suec. ed. II. 474.—Europ.  
*caccata*, Linn. Amoen. Acad. vii. 456 (Quid?).—Rossia.  
*Ballota*, Lamotte, Prod. Fl. Centr. Fr. i. 232 = domestica.  
*biferum*, Carr. in Rev. Hortic. (1875) 416 (Quid?).—Hab.?  
*Blumii*, D. Dietr. Syn. Pl. iii. 45.—China.  
*bkhariensis*, Royle, Illustr. Bot. Himal. 205, nomen = insititia.  
*brealis*, Poir. Encyc. v. 674 = pensylvanica.  
*brealis*, Salisb. Prod. 356 = *P. Padus*.  
*bachybotrya*, Zucc. in Abh. Akad. Muench. ii. (1831-36) 348.—Mexic.  
*bachypetala*, Walp. Ann. i. 272.—Persia.  
*bacteata*, Franch. & Sav. Enum. Pl. Jap. ii. 329.—Japon.  
*brasilensis*, Schott, ex Spreng. Syst. iv. 406 = sphaerocarpa.  
*brantiaca*, Vill. Fl. Delphin. 49; Hist. Pl. Dauph. i. 380.—Gallia.  
*brantiana*, Nym. Consp. 213 = pracc.  
*brignola*, Poir. Encyc. v. 478 = domestica.  
*brignola*, Reichb. Fl. Germ. Excurs. 645 = insititia.  
*brignoniensis*, Ehrh. Beitr. vii. 50, nomen.—Europ.  
*Burgeriana*, Miq. Ann. Mus. Bot. Lugd. Bat. ii. 92.—Japon.  
*Bungei*, Walp. Rep. ii. 9 = humilis.  
*campanulata*, Maxim. in Bull. Acad. Pétersb. xxix. (1883) 103.—China.

**PRUNUS:—**

- canadensis*, Linn. Sp. Pl. ed. II. 678 = americana?  
*canadensis*, Marsh. Arbust. 113 = virginiana.  
*canadensis*, [Moq. & Sesse.] ex DC. Prod. ii. 539 = *P. Capollin*.  
*candicans*, Bess. Enum. Pl. Volh. 58 = spinosa.  
*candicans*, Willd. Enum. Hort. Berol. Suppl. 32; Balb. Cat. Taur. (1813) 62 = insititia?  
*Capollin*, Zucc. in Abh. Akad. Muench. ii. (1831-36) 355. t. 8.—Mexic.  
*capricida*, Wall. in DC. Prod. ii. 540 = undulata.  
*Caproniana*, Hort. ex Reichb. Fl. Germ. Excurs. 644 in syn. = *P. Cerasus*.  
*Capuli*, Cav. ex Spreng. Syst. ii. 477 = *P. Capollin*.  
*carolina*, Duroi, Harbk. Baumz. i. 198 = seq.  
*caroliniana*, Ait. Hort. Kew. ed. I. ii. 163.—Am. bor.  
*cartilaginea*, Lehm. Ind. Sem. Hort. Hamb. (1833).—Cf. Linnaea, x. (1836) Lit. 76 = serotina.  
*catharinea*, Steud. Nom. ed. II. ii. 402 = domestica.  
*caucasica*, Gueldenst. ex Pall. Fl. Ross. i. 17.—Reg. Caucas.  
*cerasa*, Crantz, Stirp. Austr. ed. I. fasc. ii. 58; ed. II. 94 = pumila.  
*Cerasedos*, Maxim. in Bull. Acad. Pétersb. xxix. (1883) 103.—Japon.  
*cerasifera*, Ehrh. Beitr. iv. 17 = divaricata.  
*cerasiflora*, Paill. in Bull. Soc. Bot. Fr. xvi. (1869) p. xvi = insititia.  
*cerasifolia*, S. Wats. Bibliog. Ind. N. Am. Bot. 306 = pensylvanica.  
*cerasoides*, D. Don, Prod. Fl. Nep. 239 = *P. Puddum*.  
*Cerasus*, Linn. Sp. Pl. 474.—Europ.; Oriens.  
*Cerasus*, Scop. Fl. Cam. ed. II. i. 343 = avium.  
*cerea*, Ehrh. Beitr. vii. 50 = domestica.  
*cereola*, Poir. Encyc. v. 677 = domestica.  
*ceylanica*, Miq. Fl. Ind. Bat. i. 366 = *Pygeum Wightianum*.  
*Chamaecerasus*, Jacq. Coll. i. 133.—Europ. austr.; As. bor.  
*Chapronii*, Carr. in Rev. Hortic. (1881) 467.—Roumania.  
*Chicasa*, Michx. Fl. Bor. Am. i. 284.—Am. bor.  
*chinensis*, Blume, Bijdr. 1104 = japonica.  
*cinerascens*, Lamotte, Prod. Fl. Centr. Fr. i. 231 = insititia.  
*claudiana*, Poir. Encyc. v. 677 = domestica.  
*coccinea*, Rafin. Fl. Ludov. 135 = americana.  
*Coccomilia*, Tenore, Fl. Nap. Prod. p. lxviii.—Italia.  
*colchica*, Hort. ex C. Koch, Dendrol. i. 125 = *P. Lauro-cerasus*.  
*communis*, Huds. Fl. Angl. ed. II. i. 212 = spinosa, insititia.  
*compressa*, Lieg. Syst. Pflaum. ii. 148; ex M. Roem. Syn. Rosifl. 44 = domestica.  
*congestiflora*, Clav. in Act. Linn. Soc. Bord. xxxviii. (1884) 604 = spinosa?  
*cornuta*, Wall. Cat. n. 716 = *P. Padus*.  
*coronata*, Clav. in Act. Linn. Soc. Bord. xxxviii. (1884) 597 (Quid?).—Gallia.  
*cuneata*, Rafin. Ann. Nat. 11 = pumila.  
*cuneifolia*, Kit. in Linnaea, xxxii. (1863) 603.—Europ. austr.  
*Cupaniana*, Guss. ex Nym. Consp. 213 = *P. Mahaleb*.  
*damascena*, Ehrh. Beitr. vii. 51 = domestica.  
*Damsonia*, M. Roem. Syn. Rosifl. 54 = domestica.  
*dasycarpa*, Ehrh. Beitr. vi. 90.—Oriens?  
*Davidiana*, Franch. Pl. Davidian. i. 103 = *P. Persica*.  
*declinata*, Marsh. Arbust. 112 = maritima.  
*demissa*, D. Dietr. Syn. Pl. iii. 43 = virginiana.  
*densa*, Martr. Pl. Crit. Tarn, 22 = spinosa.  
*densiflora*, Jord. & Fourr. Brev. Pl. Nov. ii. 24 = insititia.  
*densiflora*, Steud. Nom. ed. II. ii. 403 = virginiana.  
*depressa*, Clav. in Act. Linn. Soc. Bord. xxxviii. (1884) 600 (Quid?).—Gallia.  
*depressa*, Lieg. Syst. Pflaum. ii. 198; ex M. Roem. Syn. Rosifl. 50 = domestica.  
*depressa*, Pursh, Fl. Am. Sept. i. 332 = pumila.  
*Desvauxii*, Bor. Fl. Centr. Fr. ed. III. ii. 182 = insititia.  
*diapraea*, Poir. Encyc. v. 678 = domestica.  
*divaricata*, Ledeb. Ind. Hort. Dorp. Suppl. (1824) 6.—Oriens.  
*domestica*, Linn. Sp. Pl. 475.—Europ.; Reg. Cauc.  
*domestica*, Thunb. Fl. Jap. 203 = japonica.  
*donarium*, Siebold, in Verh. Batav. Gen. xii. 1830 68 = paniculata.



## PRUNUS:—

- Duerinckii*, Walp. Rep. ii. 10 = virginiana.  
*dulcis*, Mill. ex Reichb. Fl. Germ. Excurs. 644 = avium.  
*dumetorum*, Jord. & Fourr. Brev. Pl. Nov. ii. 26; Lamotte, Prod. Fl. Centr. Fr. i. 231 = insititia.  
*dumosa*, Salisb. Prod. 356 = virginiana.  
*duracina*, Sweet, Hort. Brit. ed. I. 134.—Europ. austr.  
*eburnea*, Aitch. in Journ. Linn. Soc. xviii. (1880) 50.—Persia; Afghan.  
*elegans*, Clav. in Act. Linn. Soc. Bord. xxxviii. (1884) 601 (Quid ?).—Gallia.  
*elliptica*, Thunb. Fl. Jap. 199.—Japon.  
*emarginata*, Walp. Rep. ii. 9.—Am. bor. occ.  
*enucleata*, Poir. Encyc. v. 678 = domestica.  
*erecta*, Walp. Ann. iii. 854 = emarginata.  
*erubescens*, Paill. in Bull. Soc. Bot. Fr. xvi. (1869) p. xv = insititia.  
*erythrocalyx*, Clav. in Act. Linn. Soc. Bord. xxxviii. (1884) 596 (Quid ?).—Gallia.  
*exigua*, Bechst. Forstb. ed. V. 426 = insititia.  
*fallax*, Genev. in Mém. Soc. Acad. Maine-et-Loire, xx. (1866) 29, nomen.—Europ.  
*fasciculata*, A. Gray, in Proc. Am. Acad. x. (1874) 70.—Am. bor. occ.  
*fastigiata*, Paill. in Mém. Soc. Emul. Doubs, Sér. IV. x. (1876) 489 = spinosa.  
*ferruginea*, Steud. Nom. ed. II. ii. 400.—Mexic.  
*ferruginea*, Wall. Cat. sub n. 721 = rufa.  
*fimbriata*, Steud. Nom. ed. II. ii. 403 = virginiana.  
*flava*, Kit. in Linnaea, xxxii. (1863) 603 = cuneifolia.  
*floribunda*, Hort. ex C. Koch, Dendrol. i. 119 = pumila.  
*floribunda*, Weihe, in Flora, ix. (1826) 747 = vinaria.  
*foecundissima*, Clav. in Act. Linn. Soc. Bord. xxxviii. (1884) 595 = spinosa.  
*Fremonti*, S. Wats. in Bot. Calif. ii. 442.—Calif.  
*fruticans*, Weihe, in Flora, ix. (1826) 748 = spinosa.  
*fruticosa*, Pall. Fl. Ross. i. 19 = P. Chamaecerasus.  
*galatensis*, Poir. Encyc. v. 677 = domestica.  
*gallica*, Ehrh. Beitr. vii. 51.—Europ.  
*glandulifolia*, Rupr. ex Maxim. in Bull. Phys.-Math. Acad. Pétersb. xv. (1856) 130.—Manchur.  
*glandulosa*, Thunb. Fl. Jap. 202 = japonica.  
*glandulosa*, Torr. & Gray, Fl. N. Am. i. 408.—Am. bor. occ.  
*glaucofolia*, Wall. Cat. n. 1008 = nepaulensis.  
*gracilis*, Engelm. & Gray, in Bost. Journ. Nat. Hist. v. (1845) 243.—Texas.  
*graeca*, Desf. ex Steud. Nom. ed. II. ii. 403.—Graecia.  
*grandifolia*, Salisb. Prod. 356 = P. Laurocerasus.  
*grandissima*, Lieg. Syst. Pflaum. ii. 62; ex M. Roem. Syn. Rosifl. 42 = domestica.  
*Grayana*, Maxim. in Bull. Acad. Pétersb. xxix. (1883) 107.—Japon.  
*gymnoclada*, Clav. in Actes Linn. Soc. Bord. xxxviii. (1884) 602 (Quid ?).—Gallia.  
*Hausmanni*, Nym. Consp. 214 = spinosa.  
*hirsuta*, Ell. Sketch, i. 541 = virginiana?  
*Hixa*, Brouss. ex Willd. Enum. Hort. Berol. 517 = lusitanica.  
*hortensis*, Pers. Syn. ii. 34 = P. Cerasus.  
*humilis*, Bunge, in Mém. Sav. Etr. Pétersb. ii. (1835) 97.—China.  
*humilis*, Colla, Herb. Pedem. ii. 293 = prostrata.  
*hungarica*, Poir. Encyc. v. 676 = domestica.  
*Husmanni*, Boeckl. in Bot. Zeit. xi. (1853) 827 = spinosa.  
*hyemalis*, Michx. Fl. Bor. Am. i. 284 = americana.  
*ilicifolia*, Walp. Rep. ii. 10.—Am. bor. occ.  
*imperialis*, Poir. Encyc. v. 676 = domestica.  
*incana*, Decne. in Rev. Hort. Sér. IV. ii. (1853) 281. t. 15.—Reg. Caucas.  
*incana*, Schwein. in Long, Exped. Winnep. ii. 387 = pumila.  
*incana*, Stev. in Mém. Soc. Nat. Mosc. iii. (1812) 263 = prostrata.  
*incisa*, Thunb. Fl. Jap. 202.—Japon.  
*inermis*, Gilib. Fl. Lituan. ii. 227 = domestica.  
*insignis*, Carr. in Rev. Hort. (1871) 534 = spinosa.  
*insititia*, Fries, ex M. Roem. Syn. Rosifl. 35 = spinosa.  
*insititia*, Linn. Cent. Pl. i. 12; Amoem. Acad. iv. 273.—Europ.; As. Min.; Reg. Himal.  
*insititia*, Poir. Encyc. v. 678 = domestica.  
*insititia*, Walt. Fl. Carol. 146 = P. Chicusa.  
*integerrima*, Steud. Nom. ed. II. ii. 403 = acuminata.  
*integrifolia*, Walp. Ann. iii. 854.—Peruv.  
*intermedia*, Clav. in Act. Linn. Soc. Bord. xxxviii. (1884) 603 = spinosa?

## PRUNUS:—

- intermedia*, Poir. Encyc. v. 674 = P. Chamaecerasus.  
*italica*, Borck. Forstb. ii. 1409 = insititia.  
*italica*, Lieg. Syst. Pflaum. ii. 75; ex M. Roem. Syn. Rosifl. 40 = domestica.  
*Itosakura*, Siebold, in Verh. Batav. Gen. xii. (1830) 68 = incisa.  
*Jacquemontii*, Hook. f. Fl. Brit. Ind. ii. 314.—Reg. Himal.  
*Jamasakura*, Siebold, in Verh. Batav. Gen. xii. (1830) 68 = paniculata.  
*japonica*, Carr. Rev. Hort. (1873) 457 = humilis.  
*japonica*, Thunb. Fl. Jap. 201.—Japon.; China.  
*javanica*, Miq. Fl. Ind. Bat. i. 1. 365; Blume, Mélang. Bot. (1855).—Cf. Flora, xli. (1858) 255.—Java.  
*Jenkinsii*, Hook. f. Fl. Brit. Ind. ii. 317.—Assam.  
*Juliana*, Poir. Encyc. v. 676 = domestica.  
*Juliana*, Reichb. Fl. Germ. Excurs. 643 = P. Cerasus.  
*Junghuhnia*, Miq. Fl. Ind. Bat. i. 1. 366.—Java.  
*Kerii*, Steud. Nom. ed. II. ii. 403.—Japon.  
*Kolomikta*, Maxim. in Bull. Phys.-Math. Pétersb. xv. (1856) 129 = Actinidia callosa.  
*lanceolata*, Willd. Berl. Baumz. ed. I. 240 = pensylvanica.  
*lancifolia*, Clav. in Act. Linn. Soc. Bord. xxxviii. (1884) 600 = maritima.  
*latiflora*, Clav. l. c. = insititia.  
*latifolia*, Jord. & Fourr. Brev. Pl. Nov. ii. 27 = insititia.  
*latifolia*, Moench, Verz. Ausl. Baeume, 85.—Am. bor.  
*laurifolia*, Decne. in Nouv. Ann. Mus. Par. iii. (1834) 458.—Ins. Timor.  
*laurifolia*, Schlecht. in Linnaea, xiii. (1839) 404 = Schiedeana.  
*Laurocerasus*, Linn. Sp. Pl. 474.—Oriens.  
*laxiflora*, Kit. in Linnaea, xxxii. (1863) 602 = P. Cerasus?  
*leucocarpa*, M. Roem. Syn. Rosifl. 47 = domestica.  
*ligerina*, Lloyd, Fl. L'ouest Fr. ed. III. 102 = spinosa.  
*littoralis*, Bigel. Fl. Bost. ed. II. 193 = maritima.  
*lucida*, Clav. in Act. Linn. Soc. Bord. xxxviii. (1884) 597 = erythrocalyx.  
*lusitanica*, Gueldenst. ex Ledeb. Fl. Ross. ii. 9 = P. Laurocerasus.  
*lusitanica*, Linn. Sp. Pl. 473.—Europ. austr.  
*lusitanica*, Walt. Fl. Carol. 146 = caroliniana.  
*lutea*, Bechst. Forstb. ed. V. 425 = insititia.  
*Maackii*, Rupr. in Bull. Phys.-Math. Acad. Pétersb. xv. (1857) 361.—Manchuria.  
*macrophylla*, Poir. Encyc. Suppl. iv. 584 = duracina.  
*macrophylla*, Sieb. & Zucc. in Abh. Akad. Muench. iv. ii. (1843) 122.—Japon.  
*Mahaleb*, Linn. Sp. Pl. 474.—Europ. austr.; Oriens.  
*maliformis*, Poir. Encyc. v. 677 = domestica.  
*Marasca*, Reichb. Fl. Germ. Excurs. 644 = P. Cerasus.  
*maritima*, Wangenh. Am. 103.—Am. bor.  
*martabanica*, Kurz, For. Fl. Brit. Burma, i. 434.—Burma; Ins. Andam.  
*martabanica*, Steud. Nom. ed. II. ii. 403 (gen. dub.).—Ind. or.  
*Martrini*, Genev. in Mém. Soc. Acad. Maine-et-Loire, xx. (1866) 29, nomen; et in Bull. Soc. Bot. Fr. xiv. (1867) Bibl. 43 = spinosa.  
*Maximowiczii*, Rupr. in Bull. Phys.-Math. Acad. Pétersb. xv. (1856) 131.—Manchuria.  
*mexicana*, S. Wats. in Proc. Am. Acad. xvii. (1881-82) 353.—Mexic.  
*Meyeri*, Boeckl. in Bot. Zeit. xi. (1853) 827 = spinosa.  
*micrantha*, Steud. Nom. ed. II. ii. 403 = virginiana.  
*microcarpa*, C. A. Mey. Verz. Pfl. Cauc. 166.—Reg. Cauc.; Persia.  
*micropetala*, C. Koch, Dendrol. i. 118.—Calif.  
*microphylla*, Hemsl. Biol. Centr. Am. Bot. i. 363.—Mexic.  
*microstigma*, Paill. in Mém. Soc. Emul. Doubs, Sér. IV. x. (1876) 490 = spinosa.  
*minutiflora*, Engelm. in Bost. Journ. Nat. Hist. vi. (1850) 185.—Am. bor. occ.  
*minutiflora*, S. Wats. in Bot. King's Exp. 420 = fasciculata.  
*Miqueliana*, Maxim. in Bull. Acad. Pétersb. xxix. (1883) 98.—Japon.  
*mirobolana*, DC. Prod. ii. 533 = domestica.  
*Mississippi*, Marsh. Arbust. 112 = americana.  
*mollis*, Torr. Fl. N. & M. U. St. 470 = americana.  
*mollis*, Walp. Rep. ii. 9 = emarginata.  
*mongolica*, Maxim. in Bull. Soc. Nat. Mosc. liv. (1879) i. 16.—Mongolia.  
*montana*, Hort. ex C. Koch, Dendrol. i. 122 = virginiana.

## PRUNUS:—

- montana*, Marsh. Arbust. 113 = pensylvanica?  
*montana*, Schur, Enum. Pl. Transs. 179 = spinosa.  
*monticola*, C. Koch, in Ind. Sem. Hort. Berol. (1854) App. 15.—As. Min.  
*multiglandulosa*, Cav. in Anal. Cienc. Nat. iii. (1801) 59 = lusitanica.  
*Mume*, Sieb. & Zucc. Fl. Jap. i. 29.—Japon.  
*myrobolana*, Loisel. in Duham. Arb. ed. Nov. v. 184 = divaricata.  
*myrtellina*, Poir. Encyc. v. 678 = domestica.  
*nana*, Duroi, Obs. Bot. 12 = virginiana.  
*nana*, Stokes, Bot. Mat. Med. iii. 103.—Europ.; Reg. Cauc.; Sibir.  
*nepaulensis*, C. Koch, Dendrol. i. 89 = seq.  
*nepalensis*, Hort. ex C. Koch, l. c. = P. Armeniaca.  
*nepaulensis*, Steud. Nom. ed. II. ii. 403.—Reg. Himal.  
*nicotianaefolia*, Loisel. ex Steud. l. c. = duracina.  
*nigra*, Ait. Hort. Kew. ed. I. ii. 165 = americana.  
*nigra*, Ehrh. Beitr. v. 161.—Europ.  
*nigra*, Reichb. Fl. Germ. Excurs. 645 = insititia.  
*nigricans*, Ehrh. Beitr. vii. 126 = avium.  
*nitida*, Salisb. Prod. 356 = caroliniana.  
*nitidissima*, Hassk. Retzia, i. 175 = spinulosa.  
*obovata*, Bigel. Fl. Bost. ed. II. 192 = virginiana.  
*occidentalis*, Sw. Prod. Veg. Ind. Occ. 80.—Ind. occ.  
*odorata*, Lam. Fl. Fr. iii. 103 = P. Mahaleb.  
*oconomica*, Borck. Forstb. ii. 1401 = domestica.  
*opaca*, Walp. Rep. v. 648.—N. Granat.  
*orientalis*, Walp. l. c. ii. 911 = microcarpa.  
*ovalifolia*, Salisb. Prod. 356 = domestica.  
*oviformis*, Jord. & Fourr. Brev. Pl. Nov. ii. 25 = spinosa.  
*oxycarpa*, Bechst. Forstb. ed. V. 424 = P. Cerasus.  
*oxycarpa*, Maxim. in Bull. Acad. Pétersb. xxix. (1883) 111 = macrophylla.  
*oxyphyrena*, Clav. in Act. Linn. Soc. Bord. xxxviii. (1884) 586, 595 = P. Padus.  
*Padus*, Linn. Sp. Pl. 473.—Europ.; As. bor.  
*paniculata*, Thunb. Fl. Jap. 200.—Japon.  
*parviflora*, Paill. in Bull. Soc. Bot. Fr. (1869) p. xvi = spinosa.  
*pauciflora*, Bunge, in Mém. Sav. Etr. Pétersb. ii. (1835) 97.—China bor.  
*pectinata*, Walp. Rep. ii. 911 = P. Puddum.  
*peduncularis*, Jord. & Fourr. Brev. Pl. Nov. ii. 25 = spinosa.  
*pedunculata*, Maxim. in Bull. Acad. Pétersb. xxix. (1883) 78.—Sibir. baical.  
*pendula*, Desf. Tabl. ed. II. 272, nomen.—Hab.?  
*Perdigona*, Poir. Encyc. v. 676 = domestica.  
*pensylvanica*, Linn. f. Suppl. 252.—Am. bor.  
*Persica*, Stokes, Bot. Mat. Med. iii. 100.—As. temp.  
*persicifolia*, Desf. Hist. Arbr. ii. 205 = pensylvanica.  
*Pertigona*, Hort. ex Steud. Nom. ed. II. ii. 404, sphalm. = domestica.  
*petraea*, Tausch, in Flora, xxi. (1838) 719 = P. Padus.  
*Petzoldi*, C. Koch, Dendrol. i. 92 = triloba.  
*phaeosticta*, Maxim. in Bull. Acad. Pétersb. xxix. (1883) 110 = punctata.  
*Pissardi*, Carr. in Rev. Hort. (1881) 190 = divaricata.  
*plena*, Poir. Encyc. v. 671 = P. Cerasus.  
*pleuradenia*, Griseb. Fl. Brit. W. Ind. 231 = sphaerocarpa.  
*podolica*, Andr. ex Trautv. in Act. Hort. Petrop. viii. (1883) 301 (Quid ?).—Rossia.  
*pogonostyla*, Maxim. in Bull. Soc. Nat. Mosc. liv. (1879) i. 11.—China.  
*Poiretiana*, Heynh. Nom. ii. 564 = maritima.  
*polymorpha*, Spenn. Fl. Friburg. iii. 732 = spinosa, insititia, domestica.  
*porcorum*, Clav. in Act. Linn. Soc. Bord. xxxviii. (1884) 605 (Quid ?).—Gallia.  
*praecox*, Poir. Encyc. v. 677 = domestica.  
*praecox*, Salisb. Prod. 356 = spinosa.  
*prostrata*, Labill. Dec. Pl. Syr. i. t. 6.—Reg. Mediterr.; Oriens.  
*Pruna*, Crantz, Stirp. Austr. ed. I. fasc. ii. 59 = divaricata.  
*Pruneauliana*, Steud. Nom. ed. II. ii. 404 = domestica.  
*Pseudo-armeniaca*, Heldr. & Sart. in Boiss. Diagn. Ser. II. v. 96.—Graecia.  
*Pseudo-cerasus*, Lindl. in Trans. Hort. Soc. vi. (1826) 91 = paniculata.  
*pubescens*, Clav. in Act. Linn. Soc. Bord. xxxviii. (1884) 599 (Quid ?).—Gallia.  
*pubescens*, Pursh, Fl. Am. Sept. i. 331 = maritima.  
*pubigera*, Steud. Nom. ed. II. ii. 404 = maritima.



## PRUNUS:—

- Puddum*, Hort. ex Hook. Exot. Fl. ii. sub t. 148 = *Sarcococca pruniformis*.  
*Puddum*, *Roxb. ex Wall. Pl. As. Rar.* ii. 37.—Reg. Himal.  
*pumila*, Linn. *Mant.* i. 75 (excl. syn.).—Am. bor.  
*pumila*, Lumn. Fl. Poson. 201; Georgi, Besch. Russ. Reich. III. iv. 1004 = *P. Chamaecerasus*.  
*pumila*, Walt. Fl. Carol. 146 = *umbellata*.  
*punctata*, Hook. f. *Fl. Brit. Ind.* ii. 317.—Reg. Himal.  
*pyracidicalyx*, Clav. in Act. Linn. Soc. Bord. xxxviii. (1884) 596 = *erythrocalyx*.  
*pygmaea*, Willd. Berl. Baumz. ed. I. 248 = *maritima*.  
*pyramidalis*, DC. Fl. Fr. iv. 485 = *domestica*.  
*racemosa*, Lam. Fl. Fr. iii. 107 = *P. Padus*.  
*Ramburei*, Boiss. *Elench.* 39.—Hispan.  
*reclinata*, Bosc, ex Spach, Hist. Vég. Phan. i. 398 = *maritima*.  
*reflexa*, Walp. *Rep.* ii. 910.—Bras.  
*regia*, Poir. Encyc. v. 678 = *domestica*.  
*rivularis*, Scheele, in *Linnaea*, xxi. (1848) 594.—Texas.  
*rosea*, Poir. Encyc. v. 671 = *P. Cerasus*.  
*rosiflora*, Paill. in Bull. Soc. Bot. Fr. xvi. (1869) p. xvi = *insititia*.  
*rotundifolia*, Rafin. Atl. Journ. 78 (Quid?).—Am. bor.  
*rubella*, Bechst. Forstb. ed. V. 428 = *insititia*.  
*rubella*, Clav. in Act. Linn. Soc. Bord. xxxviii. (1884) 597 = *erythrocalyx*.  
*rubella*, Ehrh. *Beitr.* v. 162.—Germania.  
*rubescens*, Lamotte, Prod. Fl. Centr. Fr. i. 234 = *domestica*.  
*rubicunda*, Bechst. Forstb. ed. V. 226, 492 = *avium*.  
*rubra*, Ait. Hort. Kew. ed. I. ii. 163 = *virginiana*.  
*rubra*, Willd. Berl. Baumz. ed. I. 238 = *P. Padus*.  
*rufa*, Steud. *Nom.* ed. II. ii. 402.—Reg. Himal.  
*rustica*, Lamotte, Prod. Fl. Centr. Fr. i. 233 = *domestica*.  
*rusticana*, Jord. & Fourr. Brev. Pl. Nov. ii. 24; Clav. in Act. Linn. Soc. Bord. xxxviii. (1884) 594 = *spinosa*.  
*salicifolia*, H. B. & K. Nov. Gen. et Sp. iv. 241. t. 563 = *serotina*.  
*salicina*, Lindl. in *Trans. Hort. Soc.* vii. (1830) 239.—China.  
*saligna*, Royle, Illustr. Bot. Himal. 204, nomen = *P. Persica*.  
*samydoides*, Schlecht. in *Linnaea*, xliii. (1839) 92, 404.—Mexic.  
*Sanctae-Catharinae*, Lamotte, Prod. Fl. Centr. Fr. i. 235 = *domestica*.  
*saxicola*, Bor. Fl. Centr. Fr. ed. III. ii. 183 = *domestica*.  
*Schiedeana*, Steud. *Nom.* ed. II. ii. 404.—Mexic.  
*semperflorens*, Ehrh. *Beitr.* vii. 132 = *P. Cerasus*.  
*sempervirens*, Salisb. Prod. 356 = *lusitanica*.  
*sempervirens*, Willd. Enum. Hort. Berol. Suppl. 33 = *caroliniana*.  
*sepiavaga*, Jord. & Fourr. Brev. Pl. Nov. ii. 26 = *insititia*.  
*serotina*, Ehrh. *Beitr.* iii. 20.—Am. bor.  
*serotina*, Poir. Encyc. v. 665 = *virginiana*.  
*serotina*, Roth, Catalect. fasc. i. 58 = *P. Cerasus*.  
*serotina*, Schur, Enum. Pl. Transs. 178 = *spinosa*.  
*serratifolia*, Marsh. Arbust. 114 = *caroliniana*.  
*serrulata*, Lindl. in *Trans. Hort. Soc.* vii. (1830) 238 = *paniculata*.  
*sibirica*, Linn. *Sp. Pl.* 474.—Sibir.  
*silvatica*, Roxb. Fl. Ind. ii. 501 = *P. Puddum*.  
*Simonii*, Carr. in *Rev. Hortic.* (1872) 111.—China.  
*sinensis*, Hort. ex Carr. l. c. (1869) 300 = seq.?  
*sinensis*, Pers. Syn. ii. 36 = *japonica*.  
*sphaerica*, Willd. Berl. Baumz. ed. II. 315 = *maritima*.  
*sphaerocarpa*, Michx. Fl. Bor. Am. i. 274 = *maritima*.  
*sphaerocarpa*, Sw. *Prod. Vég. Ind. Occ.* 80.—Am. trop.  
*spinosa*, Linn. *Sp. Pl.* 475.—Europ.; Afr. bor.; Oriens.  
*spinosa*, Walt. Fl. Carol. 146 = *americana*.  
*spinosissima*, Franch. in *Ann. Sc. Nat. Sér. VI.* xvi. (1883) 281.—Turkestan.  
*spinulosa*, Sieb. & Zucc. in *Abh. Akad. Muench.* iv. II. (1843) 122.—Japan.

## PRUNUS:—

- Ssiori, *F. Schmidt, Reisen Amurl.* 124.—Ins. Sachalin.  
*stenopetala*, Manceau, Pl. Phan. Maine, 7 = *spinosa*.  
*stenophyllus*, Rafin. Fl. Ludov. 98 (Quid?).—Am. bor.  
*stipulacea*, Maxim. in *Bull. Acad. Pétersb.* xxix. (1883) 97.—China.  
*suaveolens*, Kit. in *Linnaea*, xxxii. (1863) 602 = *insititia*.  
*subcordata*, Benth. *Pl. Hartw.* 308.—Calif.  
*subhirtella*, Miq. *Ann. Mus. Bot. Lugd. Bat.* ii. 91.—Japan.  
*subinermis*, Clav. in Act. Linn. Soc. Bord. xxxviii. (1884) 598 (Quid?).—Gallia.  
*subrotunda*, Bechst. Forstb. ed. V. 426 = *insititia*.  
*sundaica*, Miq. Fl. Ind. Bat. i. 1. 365 = *spinulosa*.  
*Susquehanae*, Willd. Enum. Hort. Berol. 519 = *pumila*.  
*sylvatica*, Hook. f. Fl. Brit. Ind. ii. 314 = *P. Puddum*.  
*sylvestris*, Habl. Taur. 108 = *insititia*.  
*sylvestris*, Mill. ex Steud. *Nom.* ed. I. 663 = *spinosa*.  
*sylvestris*, Pers. Syn. ii. 35 = *avium*.  
*syriaca*, Borkh. Forstb. ii. 1406 = *divaricata*.  
*Tawakonia*, Lindh. ex A. Gray, in *Bost. Journ. Nat. Hist.* vi. (1850) 186 = *rivularis*.  
*tenerima*, Carr. in *Rev. Hortic.* (1870–71) 473.—Hab.?  
*texana*, D. Dietr. Syn. Pl. iii. 45 = *glandulosa*.  
*texana*, Scheele, in *Linnaea*, xxi. (1848) 593 = *rivularis*.  
*tiliaefolia*, Salisb. Prod. 356 = *P. Armeniaca*.  
*tinctoria*, Noronha, in *Verh. Batav. Gen. v.* (1790) ed. I. Art. iv. 23 = *Symplocos fasciculata*.  
*tomentosa*, Thunb. *Fl. Jap.* 203.—Japan.  
*trichocarpa*, Bunge, in *Mém. Sav. Etr. Pétersb.* ii. (1835) 96 = *tomentosa*.  
*triflora*, Rafin. *Ann. Nat.* 11 (Quid?).—Am. bor.  
*triflora*, Roxb. *Hort. Beng.* 38.—Burma; China.  
*trifolia*, Roxb. Fl. Ind. ii. 501, lapsu = *praec.*  
*triloba*, Lindl. in *Gard. Chron.* (1857) 268.—China.  
*turonensis*, Steud. *Nom.* ed. II. ii. 404 = *domestica*.  
*ulmifolia*, Franch. in *Ann. Sc. Nat. Sér. VI.* xvi. (1883) 281.—Turkestan.  
*umbellata*, Ell. *Sketch.* i. 541.—Am. bor.  
*undulata*, Buch.-Ham. in *D. Don, Prod. Fl. Nep.* 239.—Reg. Himal.  
*ursina*, Kotschy, ex Boiss. *Fl. Orient.* ii. 652.—Syria.  
*vapincensis*, Jord. & Fourr. Brev. Pl. Nov. ii. 26 = *insititia*.  
*varactensis*, Bor. Fl. Centr. Fr. ed. III. ii. 183 = *domestica*.  
*varia*, Ehrh. *Beitr.* vii. 127 = *avium*.  
*verrucosa*, Franch. in *Ann. Sc. Nat. Sér. VI.* xvi. (1883) 280.—Turkestan.  
*vinaria*, Bechst. Forstb. ed. V. 427 (Quid?).—Europ.  
*violacea*, M. Roem. Syn. Rosifl. 52 = *domestica*.  
*virescens*, Paill. in Bull. Soc. Bot. Fr. xvi. (1869) p. xvi = *insititia*.  
*virgata*, Matr. Pl. Crit. Tarn, 21 = *spinosa*.  
*virginalis*, Wender. in *Schrift. Marb.* ii. (1830) 253 = *virginiana*.  
*virginica*, M. Roem. Syn. Rosifl. 50 = *domestica*.  
*virginiana*, Duroi, Obs. Bot. 12 = *serotina*.  
*virginiana*, Linn. *Sp. Pl.* 473.—Am. bor.  
*virginiana*, Steud. *Nom.* ed. II. ii. 246, in syn. sphalm. = *praec.*  
*vulgaris*, Schur, Enum. Pl. Transs. 954 (Index) = *P. Cerasus*.  
*vulgatior*, Clav. in Act. Linn. Soc. Bord. xxxviii. (1884) 594 = *spinosa*.  
*Wallichii*, Steud. *Nom.* ed. II. ii. 404 = *acuminata*.  
*xanthocarpus*, Hort. ex C. Koch, *Dendrol.* i. 89 = *P. Armeniaca*.  
*Zippeliana*, Miq. *Fl. Ind. Bat.* i. 1. 367.—Java.

PRYONA, Miq. Fl. Ind. Bat. i. 1. 1081 (1855) = *Crudia*, Schreb. (Legumin.).  
*bantamensis*, Miq. l. c.—Java.

PRZEWALSKIA, Maxim. in *Bull. Acad. Pétersb.* xxvii. (1881) 507. *SOLANACEAE*.  
*tangutica*, Maxim. l. c. 508.—Tibet.

PSACALIMUM, Cass. in *Dict. Sc. Nat.* xliii. 461 (1826) = *Senecio*, Tourn. (Compos.).  
*arborescens*, DC. *Prod.* vi. 335.—Am. austr.  
*glabratum*, DC. l. c.—Am. austr.

## PSACALIMUM:—

- kleinioides*, DC. *Prod.* vi. 335.—N. Granat.  
*laxiflorum*, Benth. Pl. Hartw. 41 = *S. Moreliae*.  
*pellatum*, Cass. in *Dict. Sc. Nat.* xliii. 461 = *S. peltiferus*.  
*thyrsoides*, DC. *Prod.* vi. 335 = *S. insignis*.  
*vaccinioides*, DC. l. c.—N. Granat.

PSALINA, Rafin. Fl. Tellur. iii. 25 (1836) = *Gentiana*, Tourn.

- exacoides*, Rafin. l. c. = *Belmontia cordata*.  
*utriculosa*, Rafin. l. c. = *G. utriculosa*.

PSAMMA, Beauv. *Agrost.* 143. t. 6. f. 1 (1812) = *Ammophila*, Host (Gramin.).  
*arenaria*, Roem. & Schult. *Syst.* ii. 845 = *A. arundinacea*.  
*australis*, Mabilie, Rech. Pl. Corse, fasc. i. 33 = *A. arundinacea*.  
*baltica*, Roem. & Schult. *Syst.* ii. 845 = *A. baltica*.  
*littoralis*, Beauv. *Agrost.* 143. t. 6. f. 1 = *A. arundinacea*.  
*pallida*, Presl, Cyp. et Gram. Sic. 24 = *A. arundinacea*.

PSAMMANTHE, Hance, in Walp. *Ann.* ii. 659 (1852) = *Sesuvium*, Linn. (Ficoid.).  
*marina*, Hance, l. c. 660 = *S. Portulacastrum*.

PSAMMANTHE, Reichb. *Nom.* 205 (1841) (Caryophyll.).

PSAMMISIA, Klotzsch, in *Linnaea*, xxiv. (1851) 42. *VACCINIACEAE*, Benth. & Hook. f. ii. 566.  
*alpicola*, Klotzsch, l. c. 45.—N. Granat.  
*bicolor*, Klotzsch, l. c. 44.—Peruv.  
*breviflora*, Klotzsch, l. c.—Peruv.  
*costaricensis*, Klotzsch, l. c. 47.—Am. centr.  
*cyathifera*, Klotzsch, l. c. 43.—N. Granat.  
*falcata*, Klotzsch, l. c. 44.—N. Granat.  
*formosa*, Klotzsch, l. c. 46.—Guian.  
*glabra*, Klotzsch, l. c.—Am. centr.  
*guianensis*, Klotzsch, l. c. 43.—Guian.  
*Hookeriana*, Klotzsch, l. c. 46.—N. Granat.  
*leucostoma*, Benth. ex Meissn. in *Mart. Fl. Bras.* vii. 127.—Bras.  
*longicolla*, Hook. *Bot. Mag.* t. 5526.—Am. austr.  
*longifolia*, Klotzsch, in *Linnaea*, xxiv. (1851) 43.—Peruv.  
*macrophylla*, Klotzsch, l. c. 45.—N. Granat.  
*nitida*, Klotzsch, l. c.—N. Granat.  
*oblongifolia*, Regel, *Ind. Sem. Hort. Petrop.* (1866) Suppl.; (1867) 33.—Hab.?  
*pauciflora*, Griseb. in *Lechl. Berb. Am. Austr.* 58 = *Macleanea pauciflora*.  
*penduliflora*, Klotzsch, in *Linnaea*, xxiv. (1851) 43.—N. Granat.  
*Planchoniana*, Decne. in *Rev. Hortic. Sér. IV.* iii. (1854) 182.—N. Granat.  
*ramiflora*, Klotzsch, in *Linnaea*, xxiv. (1851) 44.—Am. centr.  
*rupestris*, Klotzsch, l. c. 45.—N. Granat.  
*sarcantha*, Decne. in *Rev. Hortic. Sér. IV.* iii. (1854) 181.—N. Granat.  
*sclerophylla*, Planch. & Linden, *Fl. des Serres.* viii. (1852–53) 205. t. 825.—N. Granat.  
*tovarensis*, Klotzsch, in *Linnaea*, xxiv. (1851) 44.—N. Granat.

PSAMMOGETON, Edgew. in *Proc. Linn. Soc. i.* (1845) 253; et in *Trans. Linn. Soc. xx.* 1846 17.  
*UMBELLIFERAE*, Benth. & Hook. f. i. 929.  
*bitermatum*, Edgew. in *Trans. Linn. Soc. xx.* (1846) 57.—Persia; Ind. bor. occ.  
*brevisetum*, Boiss. *Fl. Orient.* ii. 1079.—Persia.  
*crinitum*, Boiss. l. c. 1078 = *bitermatum*.  
*setifolium*, Boiss. l. c. 1079.—Persia; Afghan.  
*tritermatum*, Benth. & Hook. f. Gen. i. 929, sphalm. = *bitermatum*.

PSAMMOPHILA, Fourr. in *Ann. Soc. Linn. Lyon. N. S.* xvi. (1868) 345 = *Gypsophila*, Linn. (Caryophyll.).  
*muralis*, Fourr. l. c. = *G. muralis*.

PSAMMOSERIS, Boiss. & Reut. *Diagn. Ser. I.* xi. 52 (1849) = *Crepis*, Vaill. (Compos.).  
*arabica*, Boiss. & Reut. l. c. = *C. arabica*.  
*senecioides*, Boiss. & Reut. l. c. = *C. senecioides*.



PSAMMOSTACHYS, Presl (Bot. Bemerk. 91 (1844)), in Abh. Boehm. Ges. V. iii. (1845) 521 = **Striga**, Lour. (Scrophul.).  
*varia*, Presl, ll. cc. = *Harveya varia*.

PSAMMOTROPHA, Eckl. & Zeyh. Enum. 286 (1836). *FICOIDEAE*, Benth. & Hook. f. i. 858.  
 MALLOGONUM, Reichb. Handb. 236 (1837).  
*androsacea*, Fenzl, in Ann. Wien. Mus. ii. (1838) 265. —Afr. austr.  
*mucronata*, Fenzl, l. c. 267. —Afr. austr.  
*myriantha*, Sond. in Harv. & Sond. Fl. Cap. i. 147. —Afr. trop.  
*parvifolia*, Eckl. & Zeyh. Enum. 287. —Afr. austr.  
*quadrangularis*, Fenzl, in Ann. Wien. Mus. ii. (1838) 264. —Afr. austr.  
*rigida*, Fenzl, l. c. 266. —Afr. austr.

PSAMMOTROPHE, Benth. & Hook. f. Gen. ii. 1023 (Index) (1867) = *præc.*

PSANACETUM, Neck. Elem. i. 89 (1790) = **Tanacetum**, Tourn. (Compos.).  
*annuum*, Fourr. in Ann. Soc. Linn. Lyon, N. S. xvii. (1869) 89 = *T. annum*.

PSANCHUM, Neck. Elem. i. 254 (1790) = **Cynanchum**, Linn. (Asclep.).

PSATHERIPS, Rafin. Alsog. Am. 15 (1838) = **Salix**, Tourn.  
*fragilis*, Rafin. l. c. = *S. fragilis*.

PSATHURA, Comm. ex Juss. Gen. 206 (1789). *RUBIACEAE*, Benth. & Hook. f. ii. 132.  
*CHICOINAEAE*, Comm. ex DC. Prod. iv. 462 (1830).  
*borbonica*, J. F. Gmel. Syst. 577. —Ins. Borbon.  
*corymbosa*, Gaertn. f. Fruct. iii. 82. t. 194. f. 4 = *borbonica*.  
*myrtifolia*, A. Rich. in Mém. Soc. Hist. Nat. Par. v. (1834) 214. —Ins. Maurit.  
*obovata*, Tussac, Fl. Antill. ii. 78. t. 18. —Ins. S. Doming.  
*sechellarum*, Baker, Fl. Maurit. 157. —Ins. Seychelles.  
*terniflora*, A. Rich. in Mém. Soc. Hist. Nat. Par. v. (1834) 214. —Ins. Maurit.

PSATHUROCHAETA, DC. Prod. v. 609 (1836) = **Melanthera**, Rohr (Compos.).  
*Dregei*, DC. l. c. —Afr. austr.

PSATHYRA, Spreng. Anleit. ii. 11. 614 (1818) = **Psathura**, Comm. (Rubiace.).

PSATHYROTES, A. Gray, Pl. Wright. ii. 100. t. 13; in Smithson. Contrib. v. (1853). *COMPOSITAE*, Benth. & Hook. f. ii. 415.  
*annua*, A. Gray, Pl. Wright. ii. 100. t. 13. —Mexic.  
*incisa*, A. Gray, in Mem. Am. Acad. N. S. v. (1855) 322. —Calif.  
*pilifera*, A. Gray, in Proc. Am. Acad. xix. (1883) 50. —Utah.  
*ramosissima*, A. Gray, l. c. vii. (1868) 363. —Calif.  
*scaposa*, A. Gray, Pl. Wright. ii. 100. —Mexic.  
*Schottii*, A. Gray, in Proc. Am. Acad. ix. (1874) 206 = *Peucephyllum Schottii*.

PSATURA, Poir. Encyc. vi. 582 (1804) = **Psathura**, Comm. (Rubiace.).

PSEDERA, Neck. Elem. i. 158 (1790) = **Hedera**, Tourn. (Araliac.).

PSEDOMELIA, Neck. Elem. iii. 150 (1790) = **Bromelia**, Linn.

PSELIMUM, Lour. Fl. Cochinch. 622 (1790), partim = **Pericampylus**, Miers (Menisp.).  
*ambiguum*, Miers, in Ann. & Mag. Nat. Hist. Ser. III. xiv. (1864) 372. —Cochinch.  
*heterophyllum*, Lour. Fl. Cochinch. 621. —Cochinch.

PSEPHELLUS, Cass. in Dict. Sc. Nat. xliii. 488 (1826) = **Centaurea**, Linn. (Compos.).  
*Aucherianus*, Boiss. Fl. Orient. iii. 611 = *C. Aucheriana*.  
*calocephalus*, Cass. in Dict. Sc. Nat. xliii. 488 = *C. dealbata*.  
*carthamoides*, Fisch. & Mey. ex Boiss. Diagn. Ser. I. vi. 125 = *C. carthamoides*.

PSEPHELLUS:—

*dealbatus*, C. Koch, in Linnaea, xxiv. (1851) 438 = *Centaurea dealbata*.  
*declinatus*, C. Koch, l. c. = *C. leucophylla*.  
*decumbens*, C. Koch, l. c. = *C. leucophylla*.  
*heterophyllus*, Boiss. & Haussk. Diagn. Ser. II. iii. 65 = *C. Sprunerii*?  
*hypoleucus*, Boiss. Fl. Orient. iii. 610 = *C. hypoleuca*.  
*incanescens*, Boiss. l. c. = *C. integrifolia*.  
*integrifolius*, C. Koch, in Linnaea, xxiv. (1851) 438 = *C. integrifolia*.  
*kacheticus*, Rehm. ex Boiss. Fl. Orient. iii. 608. —Reg. Caucas.  
*laxicus*, Boiss. l. c. = *C. dealbata*.  
*leptophyllus*, Boiss. l. c. 611 = *C. leptophylla*.  
*leucophyllus*, C. A. Mey. Verz. Pfl. Cauc. 66 = *C. leucophylla*.  
*Marschallianus*, C. Koch, in Linnaea, xxiv. (1851) 438 = *C. Marschalliana*.  
*paucilobus*, Boiss. Fl. Orient. iii. 609 = *C. pauciloba*.  
*phaeopappus*, Fisch. & Mey. ex DC. Prod. vi. 560 = *C. leuzeoides*.  
*salviaefolius*, Boiss. Fl. Orient. iii. 609. —Reg. Caucas.  
*spectabilis*, Fisch. & Mey. Ind. Sem. Hort. Petrop. iv. 43 (= *Amberboa spectabilis*) = *C. Balsamita*?  
*ustulatus*, Fisch. & Mey. ex DC. Prod. vi. 576 = *C. ustulata*.  
*xanthocephalus*, Fisch. & Mey. ex Boiss. Fl. Orient. iii. 610 = *C. xanthocephala*.

PSEUDACACIA, Moench, Meth. 145 (1794) = PSEUDO-ACACIA, Tourn. = **Robinia**, Linn. (Legumin.).

PSEUDAEGLE, Miq. Ann. Mus. Lugd. Bat. ii. 83 (1865–66) = **Citrus**, Linn. (Rutac.).  
*sepiaria*, Miq. l. c. = *C. trifoliata*.

PSEUDAIS, Decne. in Ann. Sc. Nat. Sér. II. xix. (1843) 40. *THYMELAEACEAE*, Benth. & Hook. f. iii. 200.  
*coccinea*, Decne. l. c. —Ins. Molucc.

PSEUDALANGIUM, F. Muell. Fragm. ii. 84 (1860) = **Marlea**, Roxb. (Cornac.).  
*polysmoides*, F. Muell. l. c. = *M. vitiensis*.

PSEUDALEIA, Thou. Gen. Nov. Madag. 15 (1806) = **Ola**, Linn.  
*madagascariensis*, DC. Prod. i. 533 = *O. Pseudaleia*.  
*Thouarsii*, Steud. Nom. ed. II. ii. 208, in syn. = *O. Pseudaleioides*.

PSEUDALEIODES, Thou. Gen. Nov. Madag. 15 (1806) = **Ola**, Linn.  
*Thouarsii*, DC. Prod. i. 533 = *O. Pseudaleioides*.

PSEUDALOMIA, Zoll. & Mor. in Nat. en Geneesk. Arch. Neêrl. Indie, i. (1844) 484, nomen (Compos.).

PSEUDANTHUS, Sieber, ex Spreng. Syst. iv. Cur. Post. 25 (1827). *EUPHORBACEAE*, Benth. & Hook. f. iii. 262.  
*CHORIZOTHECA*, Muell. Arg. in Linnaea, xxxii. (1863) 76.  
*CHRYSOSTEMON*, Klotzsch, in Lehm. Pl. Preiss. ii. 232 (1847).

*brachyphyllus*, F. Muell. in Trans. Roy. Soc. N. S. Wales (1881), 11. —Austral.  
*chrysus*, Muell. Arg. in Flora, xlvii. (1864) 486 = *Stachystemon polyandrus*.

*divaricatissimus*, Benth. Fl. Austral. vi. 60. —Austral.  
*micranthus*, Benth. l. c. 59. —Austral.  
*nematophorus*, F. Muell. Fragm. ii. 14. —Austral.  
*nitidus*, Muell. Arg. in DC. Prod. xv. ii. 197 = *virgatus*.

*occidentalis*, F. Muell. Fragm. i. 107 = *virgatus*.  
*orientalis*, F. Muell. l. c. ii. 14. —Austral.  
*ovalifolius*, F. Muell. in Trans. Phil. Inst. Vict. ii. (1858) 66. —Austral.

*pimeleoides*, Sieber, ex Spreng. Syst. iv. Cur. Post. 25. —Austral.

*polyandrus*, F. Muell. Fragm. ii. 153 = *Stachystemon polyandrus*.  
*vermicularis*, F. Muell. in Trans. Roy. Soc. N. S. Wales (1881), 11. —Austral.  
*virgatus*, Muell. Arg. in Linnaea, xxxiv. (1865–66) 56. —Austral.

PSEUDANTHUS, Wight, Ic. v. 3; vi. t. 1776 bis (1852) = **Nothosaerva**, Wight (Amarant.).  
*brachiatus*, Wight, l. c. = *N. brachiata*.

PSEUDARTHRIA, Wight & Arn. Prod. 209 (1834). *LEGUMINOSAE*, Benth. & Hook. f. i. 521.

ANARTHROSYNE, E. Mey. Comm. Pl. Afr. Austr. 124 (1835).

*capitata*, Hassk. Cat. Hort. Bog. Alt. 281; Pl. Jav. Rar. 390 = *Desmodium capitatum*.

*confertiflora*, Baker, in Oliver, Fl. Trop. Afr. ii. 167. —Afr. trop.

*cordata*, Klotzsch, in Peters, Reise Mossamb. Bot. 39. t. 7. —Afr. trop.

*densiflora*, Klotzsch, l. c. 41. —Afr. trop.

*fagifolia*, Baker, in Oliver, Fl. Trop. Afr. ii. 167. —Afr. trop.

*gracilis*, Klotzsch, in Peters, Reise Mossamb. Bot. 41. —Afr. trop.

*gyrans*, Hassk. in Hoev. & De Vriese, Tijdschr. xi. (1844) 104 = *Desmodium gyrans*.

*gyroides*, Zoll. & Mor. in Nat. en Geneesk. Arch. Neêrl. Indie, iii. (1846) 63, nomen. —Java.

*Hookeri*, Wight & Arn. Prod. 209. —Ins. Maurit.

*macrophylla*, Welw. ex Baker, in Oliver, Fl. Trop. Afr. ii. 168. —Afr. trop.

*pilosa*, Wight & Arn. Prod. 209 = *Rhynchosia pilosa*, Wall.

*polycarpa*, Hassk. Cat. Hort. Bog. Alt. 282; Pl. Jav. Rar. 393 = *Desmodium gyroides*.

*timoriensis*, Zoll. & Mor. in Nat. en Geneesk. Arch. Neêrl. Indie, iii. (1846) 63, nomen. —Java.

*viscida*, Wight & Arn. Prod. 209. —Ind. or.; Java.

PSEUDATALAYA, Baill. Hist. Pl. v. 419 (1874) = **Atalaya**, Blume (Sapindac.).

*multiflora*, Baill. l. c. = *A. multiflora*.

PSEUDEHRETIA, Turcz. in Bull. Soc. Nat. Mosc. xxxvi. (1863) 1. 607 = **Ilex**, Tourn.

*paniculata*, Turcz. l. c. —Java.

*umbellata*, Turcz. l. c. = *I. Godajam*.

PSEUDELEPHANTOPUS, Rohr, in Skrift. Nat. Selsk. Kiøbenh. ii. (1792) 214 = **Elephantopus**, Linn. (Compos.).

*spicatus*, Rohr, l. c. 216 = *E. spicatus*.

PSEUDEPIDENDRUM, Reichb. f. in Bot. Zeit. x. (1852) 733 = **Epidendrum**, Linn. (Orchid.).

*spectabile*, Reichb. f. l. c. = *E. Pseudepidendrum*.

PSEUDERIOPSIS, Reichb. f. in Linnaea, xxii. (1849) 852 = **Eriopsis**, Lindl. (Orchid.).

*Schomburgkii*, Reichb. f. l. c. 853 = *E. Schomburgkii*.

PSEUDEVAX, DC. ex Steud. Nom. ed. II. i. 620, in syn. (1840); ii. 405 (1841) = **Evax**, Gaertn. (Compos.).

PSEUDIMA, Radlk. in Sitzb. Math.-Phys. Akad. Muench. viii. (1878) 300, 309; ix. (1879) 495, 515 = **Sapindus**, Tourn.

*frutescens*, Radlk. ll. cc. = *S. frutescens*.

PSEUDIOSMA, A. Juss. in Mém. Mus. Par. xii. (1825) 519 = **Zanthoxylum**, Linn. vel **Evodia**, Forst. (Rutac.).

*asiatica*, G. Don, Gen. Syst. i. 807. —Cochinch.

PSEUDITEA, Hassk. in Flora, xxv. (1842) 11. Beibl. 30; et Cat. Hort. Bog. Alt. 160 (1844) = **Pittosporum**, Banks.

*javanica*, Hassk. ll. cc. = *Pittosporum floribundum*?

PSEUDIXORA, Miq. Fl. Ind. Bat. ii. 209 (1856) = **Randia**, Houst. (Rubiace.).

*auriculata*, Miq. l. c. 210 = *Anomanthodia auriculata*.

*javanica*, Miq. l. c. = *R. longiflora*.

*sumatrana*, Miq. l. c. 209 = *R. sumatrana*.

*truncata*, Miq. l. c. 210 = *Triscadia truncata*.

*Zollingeriana*, Miq. l. c. = *R. longiflora*.



- PSEUDO-ACACIA**, [Tourn.] Medic. in Vorles. Chpf. Phys. Ges. ii. (1787) 364 = **Robinia**, Linn. ægumin.).  
*Halodendron*, Moench, Meth. 145 = *Halimodendron argenteum*.  
*hispida*, Moench, l. c. = *R. hispida*.  
*odorata*, Moench, l. c. = *R. Pseud-acacia*.  
*vulgaris*, Medic. in Vorles. Churpf. Phys. Ges. ii. (1787) 364 = *R. Pseud-acacia*.
- PSEUDOBARTERIA**, T. Anders. in Journ. Linn. Soc. vii. (1864) 26 = **Petalidium**, Nees (Acanth.).  
*hirsuta*, T. Anders. l. c. = *Pet. Currori* (in Addend).
- PSEUDOBARTERIA**, Oerst. in Kjoeb. Vidensk. Medel. (1854) 135 = **Barleria**, Linn. (Acanth.).  
*coerulea*, Oerst. l. c. = *B. strigosa*.  
*hirsuta*, Oerst. l. c. = *B. polytricha*.  
*polystachya*, Oerst. l. c. = *B. strigosa*.  
*polytricha*, Oerst. l. c. = *B. polytricha*.  
*Richardiana*, Oerst. l. c. = *B. Richardiana*.
- PSEUDOBASILICUM**, Steud. Nom. ed. II. ii. 95 (1841) = **PSEUDOBRASILUM**, Plum.
- PSEUDOBESLERIA**, Oerst. in Vidensk. Selsk. Skr. V. v. (1861) 128 (Gesn. Centr. Am. 54) = **Besleria**, L. (Acanth.).  
*umbrosa*, Oerst. l. c. = *B. umbrosa*.
- PSEUDOBRASILUM**, Plum. ex Adans. Fam. ii. 41 (1768).—Cf. **PSEUDOBASILICUM**, Steud. Nn. ed. II. ii. 405 (1841) (Quid?).  
*glabrum*, Lam. in Mém. Acad. Sc. Par. (1784) 341.—Hab.?  
*hirsutum*, Lam. l. c. 349.—Hab.?
- PSEUDOCALYX**, Radlk. in Bremen, Abh. ii. (1888) 416. **ACANTHACEAE**.  
*saccatus*, Radlk. l. c.—Afr. trop.
- PSEUDOCAPSICUM**, Medic. Phil. Bot. i. 122 (1789) = **Solanum**, Tourn.  
*diphyllum*, Medic. l. c. = *S. diphyllum*.  
*lancifolium*, Moench, Meth. Suppl. 180 = *S. lancifolium*.  
*torulosum*, Moench, Meth. 477 = *S. aethiopicum*.  
*undulatum*, Moench, l. c. = *S. Pseudocapsicum*.
- PSEUDOCARAPA**, Hemsl. in Hook. Ic. Pl. t. 148 (1884). **MELIACEAE**.  
*Championii*, Hemsl. l. c.—Zeylan.
- PSEUDOCAREX**, Miq. Ann. Mus. Bot. Lugd. Bat. ii. 146 (1865-66) = **Carex**, Dill. (Cyperac.).  
*plantaginea*, Miq. l. c.—Japon.
- PSEUDOCARYOPHYLLUS**, Berg, in Linnaea, xxvi. (1854) 415 = **Myrtus**, Tourn.  
*coccolobaefolius*, Berg, l. c. 416 = *Myrcia coccolobaefolia*.  
*costatus*, Berg, in Mart. Fl. Bras. xiv. i. 607 = *Myrcia costata*.  
*fulvescens*, Berg, in Linnaea, xxvii. (1854) 416 = *Eugenia fulvescens*.  
*heteroclita*, Berg, l. c. = *Eugenia heteroclita*.  
*Seemannii*, Triana, ex Hemsl. Biol. Centr. Am. Bot. 407 = *Myrtus Arayan*.  
*sericeus*, Berg, in Linnaea, xxvii. (1854) 415 = *Eugenia Pseudocaryophyllus*.  
*velutinum*, Berg, in Mart. Fl. Bras. xiv. i. 607.—Bras.
- PSEUDOCENTRUM**, Lindl. in Journ. Linn. Soc. iii. (1859) 63, 64. **ORCHIDEAE**, Benth. & Hook. iii. 594.  
*bursarium*, Reichb. f. in Linnaea, xli. (1877) 53.—Peruv. Hoffmanni, Reichb. f. l. c.—Costa Rica.  
*macrostachyum*, Lindl. in Journ. Linn. Soc. ii. (1859) 64.—Peruv.  
*minus*, Benth. in Hook. Ic. Pl. t. 1382.—Jamaic.
- PSEUDO-CHAENOMELES**, Carr. in Rev. Horti. (1882) 238 = **Pyrus**, Tourn. (Rosac.).  
*Maulei*, Carr. l. c. = *Pyrus japonica*.
- PSEUDOCHROSIA**, Blume, Mus. Bot. Lugd. Bat. i. 158 (1850). **APOCYNACEAE**, Benth. & Hook. f. ii. 700.  
*glomerata*, Blume, l. c.—N. Guin.
- PSEUDOCROTON**, Muell. Arg. in Flora, lv. (1872) 24. **EUPHORBIACEAE**, Benth. & Hook. f. iii. 304. *tinctorius*, Muell. Arg. l. c.—Guatemala.
- PSEUDOCYPERUS**, Steud. in Flora, xxxiii. (1850) 229, nomen; Syn. Pl. Cyp. 108 (1855) = **Fimbristylis**, Vahl (Cyperac.).  
*scirpinus*, Steud. l. c. = *F. bahiensis*.
- PSEUDODICTAMNUS**, Tourn. ex Adans. Fam. ii. 191 (1768) = **Ballota**, Linn. (Labiata).  
*acutus*, Moench, Meth. 400 = *B. hirsuta*.  
*emarginatus*, Moench, Meth. Suppl. 139 = *B. africana*.
- PSEUDODRACONTIUM**, N. E. Br. in Journ. Bot. xx. (1881) 193. t. 231. f. 2. **AROIDEAE**, Benth. & Hook. f. iii. 971.  
*anomalum*, N. E. Br. l. c.—Cochinch.  
*Lacourii*, N. E. Br. l. c. 194.—Cochinch.
- PSEUDOELEPHANTOPUS**, Steud. Nom. ed. II. ii. 405 = **PSEUDELEPHANTOPUS**, Rohr = **Elephantopus**, Linn. (Compos.).
- PSEUDOEUGENIA**, Scortech. in Journ. Bot. xxiii. (1885) 153. **MYRTACEAE**.  
*perakiana*, Scortech. l. c.—Penins. Malay.
- PSEUDOFUMARIA**, Medic. Phil. Bot. i. 110 (1789) = **Corydalis**, Vent. (Papaver.).  
*capnoides*, Borck. in Roem. Arch. i. ii. (1797) 45 = *C. lutea*.  
*intermedia*, Borck. l. c. = *C. fabacea*.  
*lutea*, Medic. Phil. Bot. i. 110 = *C. lutea*.  
*major*, Borck. in Roem. Arch. i. ii. (1797) 45 = *C. bulbosa*.  
*minor*, Borck. l. c. = *C. bulbosa*.  
*Schangini*, Borck. l. c. = *C. longiflora*.  
*sibirica*, Borck. l. c. = *C. sibirica*.
- PSEUDO-GUNNERA**, Oerst. in Kjoeb. Vidensk. Meddel. (1857) 193 = **Gunnera**, Linn. (Halor.).  
*macrophylla*, Oerst. l. c. = *G. macrophylla*.
- PSEUDO-IRIS**, Medic. in Act. Acad. Theod. Palat. vi. Phys. (1790) 417 = **Iris**, Tourn.  
*palustris*, Medic. l. c. = *I. Pseudacorus*.
- PSEUDOLARIX**, Gord. Pinet. 292 (1858). **CONIFERAE** [Benth. & Hook. f. iii. 442].  
*Kaempferi*, Gord. l. c.—China.
- PSEUDOLMEDIA**, Karst. Fl. Columb. ii. 21. t. 111 (1862) = **Olmedia**, Ruiz & Pav. (Urtic.).  
*coriacea*, Karst. l. c.—N. Granat.
- PSEUDOLMEDIA**, Tréc. in Ann. Sc. Nat. Sér. III. viii. (1847) 129. t. 5. **URTICACEAE**, Benth. & Hook. f. iii. 372.  
*OLMEDIOPSIS*, Karst. Fl. Columb. ii. 17. t. 109 (1862) =  
*bucidaefolia*, Bello, in Anal. Soc. Esp. Hist. Nat. xii. (1883) 109.—Porto Rico.  
*ferruginea*, Tréc. in Ann. Sc. Nat. Sér. III. viii. (1847) 131.—Peruv.  
*havanensis*, Tréc. l. c. 130.—Cuba.  
*hirsuta*, Baill. Adansonia, xi. (1873-76) 295.—Borneo.  
*laevigata*, Tréc. in Ann. Sc. Nat. Sér. III. viii. (1847) 131.—Peruv.  
*macrophylla*, Tréc. l. c. 132.—Peruv.  
*spuria*, Griseb. Fl. Brit. W. Ind. 152 = *havanensis*.
- PSEUDOLYSIMACHION**, Opiz, Seznam, 80 (1852) = **Veronica**, Tourn. (Scrophul.).  
*commutatum*, Opiz, l. c. = *V. commutata*.  
*cristatum*, Opiz, in Lotos, iv. (1854) 45 = *V. orchidea*.  
*Kosteleckii*, Opiz, Seznam, 80 = *V. longifolia*.  
*longifolium*, Opiz, l. c. = *V. longifolia*.  
*Nenningii*, Opiz, l. c. = *V. longifolia*.  
*Pettersii*, Opiz, l. c. = *V. longifolia*.  
*riparium*, Opiz, l. c. = *V. longifolia*.  
*spicatum*, Opiz, l. c. = *V. spicata*.
- PSEUDOMORUS**, Bur. in Ann. Sc. Nat. Sér. V. xi. (1869) 371. **URTICACEAE**, Benth. & Hook. f. iii. 364.  
*Brunoniana*, Bur. l. c. 372.—N. Caled.
- PSEUDONEPHELIUM**, Radlk. Sapind. Holland-Ind. Nachtr. 71 (1879) = **Nepheium**, Linn. (Sapind.).  
*fumatum*, Radlk. l. c. = *N. fumatum*.
- PSEUDOPANAX**, C. Koch, in C. Koch & Fint. Wochenschr. ii. (1859) 366, partim. **ARALIACEAE**, Benth. & Hook. f. i. 941.  
*anomalum*, C. Koch, l. c. = *Panax anomalum*.  
*arborescens*, C. Koch, l. c. = *Panax arborescens*.  
*Colensoi*, C. Koch, l. c. = *Panax Colensoi*.  
*crassifolium*, C. Koch, l. c. = *N. Zel.*  
*Edgerleyi*, C. Koch, l. c. = *Panax Edgerleyi*.  
*Gaudichaudii*, C. Koch, l. c. = *Panax Gaudichaudii*.  
*Gunnii*, C. Koch, l. c. = *Panax Gunnii*.  
*Lessonii*, C. Koch, l. c. = *N. Zel.*  
*lineare*, C. Koch, l. c. = *Panax lineare*.  
*ovatum*, C. Koch, l. c. = *Panax Gaudichaudii*.  
*platyphyllum*, C. Koch, l. c. = *Panax platyphyllum*.  
*simplex*, C. Koch, l. c. = *Panax simplex*.
- PSEUDOPETALON**, Rafin. Fl. Ludov. 107 (1817) = **Zanthoxylum**, Linn. (Rutac.).  
*glandulosum*, Rafin. l. c. 108 = *Z. Clava-Herculis*.  
*tricarpum*, Rafin. Med. Fl. ii. 114 = *Z. Clava-Herculis*.
- PSEUDOPHOLIDIA**, A. DC. in DC. Prod. xi. 704 (1847) = **Pholidia**, R. Br. (Myopor.).  
*brevifolia*, A. DC. l. c. = *Phol. brevifolia*.
- PSEUDOPTERIS**, Baill. Adansonia, xi. (1874) 243. **SAPINDACEAE**.  
*decipiens*, Baill. l. c.—Madag.
- PSEUDOPYXIS**, Miq. Ann. Mus. Bot. Lugd. Bat. iii. 189 (1867). **RUBIACEAE**, Benth. & Hook. f. ii. 135. *depressa*, Miq. l. c.—Japon.  
*heterophylla*, Maxim. in Bull. Acad. Pétersb. xxix. (1883) 175.—Japon.  
*longituba*, Franch. & Sav. Enum. Pl. Jap. ii. 391.—Japon.
- PSEUDORAPHIS**, Griff. Notul. iii. 29 (1851) = **Setaria**, Beauv. (Gramin.).  
*Brunoniana*, Griff. l. c. = *S. glauca*.
- PSEUDORCHIS**, S. F. Gray, Nat. Arr. Brit. Pl. ii. 213 (1821) = **Liparis**, Rich. (Orchid.).  
*Loeselii*, S. F. Gray, l. c. = *L. Loeselii*.
- PSEUDORYZA**, Griff. Ic. Pl. As. Rar. t. 144 (1847) = **Leersia**, Sw. (Gramin.).  
*ciliata*, Griff. l. c.; et Notul. iii. 1 = *L. hexandra*.
- PSEUDORHACHICALLIS**, Benth. & Hook. f. Gen. ii. 60 (1873) = **PSEUDRACHICALLIS**, Karst. = **Mallostoma**, Karst. (Rubiace.).
- PSEUDOSANTALUM**, Mill. Gard. Dict. ed. VIII. in syn. (1768) = **Caesalpinia**, Linn. (Legumin.).
- PSEUDOSCIADIUM**, Baill. Adansonia, xii. 1578) 130. **ARALIACEAE**.  
*Balansae*, Baill. l. c.—N. Caled.
- PSEUDOSCORDERM**, Herb. Amaryll. 11 (1837) = **Nothoscorderm**, Kunth (Liliac.).
- PSEUDOSERIS**, Baill. in Bull. Soc. Linn. Par. i. (1881) 282. **COMPOSITAE**.  
*Grandidieri*, Baill. l. c.—Madag.  
*Rutenbergi*, Baill. l. c.—Madag.
- PSEUDOSMODINGIUM**, Engl. Bot. Jahrb. i. (1881) 419. **ANACARDIACEAE**.  
*Andrieuxii*, Engl. l. c. 420.—Mexic.  
*perniciosum*, Engl. l. c.—Mexic.  
*Viretlii*, Engl. l. c.—Mexic.
- PSEUDOSOPHORA**, Sweet, Hort. Brit. ed. II. 122 (1830) = **Sophora**, Linn. (Legumin.).  
*alopecuroides*, Sweet, l. c. = *S. alopecuroides*.  
*sericea*, Sweet, l. c. = *S. sericea*.
- PSEUDOSOROCEA**, Baill. Adansonia, xi. (1875) 296 = **Sorocea**, A. St. Hil. (Urtic.).  
*Bonplandi*, Baill. l. c.—Guian.



**PSEUDOSOROCEA** :—

- muriculata*, Benth. & Hook. f. Gen. iii. 378 = *Sorocea muriculata*.  
*Poeppigii*, Baill. l. c. 297.—Bras.  
*Sprucei*, Baill. l. c. 296.—Peruv.  
*uaupensis*, Baill. l. c. 297.—Bras.

**PSEUDOSPERMUM**, S. F. Gray, Nat. Arr. Brit. Pl. ii. 517 (1821) = *Physospermum*, Cuss. (Umbell.).  
*commutatum*, S. F. Gray, l. c. = *Phys. commutatum*.

**PSEUDOSPONDIAS**, Engl. in DC. Monog. Phan. iv. (1883) 258. *ANACARDIACEAE*.  
*microcarpa*, Engl. l. c. 259.—Afr. trop.

**PSEUDOSTACHYUM**, Munro, in Trans. Linn. Soc. xxvi. (1868) 141. t. 4. *GRAMINEAE*, Benth. & Hook. f. iii. 1212.  
*compactiflorum*, Kurz, in Journ. As. Soc. Beng. xlii. (1873) ii. 252 = *Melocalamus compactiflorus*.  
*Helferi*, Kurz, l. c. 253.—Burma.  
*polymorphum*, Munro, in Trans. Linn. Soc. xxvi. (1868) 142.—Ind. or.

**PSEUDOSTREBLUS**, Bur. in DC. Prod. xvii. 219 (1873). *URTICACEAE*, Benth. & Hook. f. iii. 357.  
*indica*, Bur. l. c. 220.—Ind. or.

**PSEUDOTREWIA**, Miq. Fl. Ind. Bat. i. ii. 414 (1859) = *Alchornea*, Sw. (Euphorb.).  
*cuneifolia*, Miq. l. c. Suppl. 462 = *A. cuneifolia*.  
*macrophylla*, Miq. l. c. i. ii. 414 = *Trewia macrophylla*.

**PSEUDOTSUGA**, Carr. Conif. ed. II. 256 (1867). *CONIFERAE*, Benth. & Hook. f. iii. 441.  
*Davidiana*, Carr. in Rev. Hort. (1873) 38 = *Abies Davidiana*.  
*Douglasii*, Carr. Conif. ed. II. 256.—Am. bor. occ.  
*Fortunei*, W. R. McNab, in Proc. Roy. Irish Acad. Ser. II. ii. (1877) sub t. 49 = *Keteleeria Fortunei*.  
*glaucescens*, Carr. Conif. ed. II. 274 = *Abies religiosa*.  
*jezoensis*, W. R. McNab, in Proc. Roy. Irish Acad. Ser. II. ii. (1877) sub t. 49 = *Keteleeria Fortunei*.  
*Lindleyana*, Carr. in Rev. Hort. (1868) 152 = *Douglasii*.  
*magnifica*, W. R. McNab, in Proc. Roy. Irish Acad. Ser. II. ii. (1877) sub t. 49 = *Abies magnifica*.  
*nobilis*, W. R. McNab, l. c. = *Abies nobilis*.

**PSEUDRACHICALLIS**, Karst. Fl. Columb. ii. 10 (1862) = *Mallostoma*, Karst. (Rubiace.).  
*floribunda*, Karst. l. c. = *M. caracasana*?

**PSEUDUVARIA**, Miq. Fl. Ind. Bat. i. ii. 32 (1859) = *Mitrephora*, Blume (Anonac.).  
*Diepenhorstii*, Teijsm. & Binn. in Tijdschr. Nederl. Ind. xxvii. (1864) 38 = *M. Diepenhorstii*.  
*reticulata*, Miq. Fl. Ind. Bat. i. ii. 32 = *M. reticulata*.

**PSEVA**, Rafin. in Journ. Phys. lxxxix. (1819) 261 = *Chimaphila*, Pursh (Ericac.).

**PSIADIA**, Jacq. Hort. Schoenb. ii. 13. t. 152 (1797). *COMPOSITAE*, Benth. & Hook. f. ii. 284.  
*ALIX*, Comm. ex DC. Prod. v. 318 (1836).  
*ELPHEGEA*, Cass. in Bull. Soc. Philom. (1818) 31; et in Dict. Sc. Nat. xiv. 361 (1819).  
*FRAPPIERIA*, Cordem. in Adansonia, x. (1871) 24.  
*GLUTINARIA*, Comm. ex DC. Prod. v. 318 (1836).  
*SARCANTHEMUM*, Cass. in Bull. Soc. Philom. (1818) 74.  
*THOUARSIA*, Vent. ex DC. Prod. v. 318 (1836).  
*altissima*, Benth. & Hook. f. Gen. ii. 285.—Madag.  
*arabica*, Faub. & Spach, Illustr. iv. 85. tt. 352, 353.—Arab.; Afr. trop.  
*arguta*, Voigt, Hort. Suburb. Calc. 408 = *trinervia*.  
*auriculata*, Baker, in Journ. Bot. xx. (1882) 169.—Madag.  
*balsamica*, DC. in Wight, Contrib. 10 = *trinervia*.  
*Coronopus*, Hook. f. & Benth. ex Balf. f. in Phil. Trans. clxviii. (1879) 350.—Ins. Rodrig.  
*dentata*, DC. Prod. v. 319 = *trinervia*.  
*dodoneaefolia*, Steetz, in Peters, Reise Mossamb. Bot. 385.—Afr. trop.  
*Francavillea*, Klatt, in Ann. Sc. Nat. Sér. V. xviii. (1873) 365.—Ins. Borbon.  
*glauca*, Ayres, ex Baker, Fl. Maurit. 171 = *trinervia*.  
*glutinosa*, Jacq. Hort. Schoenb. ii. t. 152.—Ins. Maurit.

**PSIADIA** :—

- grandidentata*, Steetz, in Peters, Reise Mossamb. Bot. 387.—Afr. trop.  
*hispida*, Benth. & Hook. f. Gen. ii. 285.—Madag.  
*incana*, Oliver & Hiern, in Oliver, Fl. Trop. Afr. iii. 320.—Afr. trop.  
*integerrima*, DC. in Wight, Contrib. 10.—Ins. Maurit.  
*integrifolia*, Steud. Nom. ed. II. i. 179 = *praec.*  
*linearifolia*, DC. Prod. v. 319 = *trinervia*.  
*madagascariensis*, DC. l. c. 320.—Madag.  
*minor*, Steetz, in Peters, Reise Mossamb. Bot. 391.—Afr. trop.  
*penninervia*, DC. Prod. v. 319.—Ins. Maurit.  
*punctulata*, Vatke, in Oestr. Bot. Zeitschr. xxvii. (1877) 196 = *arabica*.  
*quinquennervia*, Steetz, in Peters, Reise Mossamb. Bot. 392 = *trinervia*.  
*resiniflora*, Sch. Bip. ex Schweinf. Beitr. Fl. Aethiop. 286 = *arabica*.  
*retusa*, DC. Prod. v. 319.—Ins. Borbon.  
*rodriguesiana*, Balf. f. in Journ. Linn. Soc. xvi. (1877) 15; et in Phil. Trans. clxviii. (1879) 350.—Ins. Rodrig.  
*rotundifolia*, Hook. f. in Melliss, S. Helena, 228, 286. t. 41.—Ins. S. Helena.  
*salviaefolia*, Baker, in Journ. Linn. Soc. xx. (1883) 181.—Madag.  
*Schweinfurthii*, Balf. f. in Proc. Roy. Soc. Edinb. xi. (1882) 837.—Ins. Socotra.  
*trinervia*, Willd. in Ges. Naturf. Fr. Berl. Mag. i. (1807) 139.—Afr. trop.; Ins. Mascar.  
*urticaefolia*, Baker, in Journ. Linn. Soc. xx. (1883) 181.—Madag.  
*vernica*, Steetz, in Peters, Reise Mossamb. Bot. 390.—Afr. trop.  
*volubilis*, Baill. Hist. Pl. viii. 300 = *Microglossa volubilis*.

**PSIDIASTRUM**, Bello, in Anal. Soc. Esp. Hist. Nat. x. (1881) 272. *MYRTACEAE*.  
*dubium*, Bello, l. c.—Porto Rico.

**PSIDIOPSIS**, Berg, in Linnaea, xxvii. (1854) 350. *MYRTACEAE*, Benth. & Hook. f. i. 713.  
*Moritzianum*, Berg, l. c. 351.—Venezuela.

**PSIDIUM**, Linn. Gen. ed. I (1737) 140. *MYRTACEAE*, Benth. & Hook. f. i. 713.  
*ACCA*, Berg, in Linnaea, xxvii. (1853–55) 138.  
*CALYTROPIDIUM*, Berg, l. c. (1853–55) 349.  
*GUAIABA*, Tourn. ex Adans. Fam. ii. 88 (1763).  
*GUAYABA*, Noronha, in Verh. Batav. Gen. v. (1790) ed. I. Art. iv. 16.  
*acidum*, Mart. ex Berg, in Linnaea, xxvii. (1854) 436 = *acutangulum*.  
*acre*, Tenore, Ind. Sem. Hort. Neap. (1829) 17.—Hab.?  
*acutangulum*, DC. Prod. iii. 233.—Bras.  
*adamantium*, Cambess. in A. St. Hil. Fl. Bras. Mer. ii. 292 = *Campomanesia adamantium*.  
*aerugineum*, Berg, in Mart. Fl. Bras. xiv. i. 391.—Am. trop.  
*alatum*, Berg, l. c. 604.—Bras.  
*albidum*, Cambess. in A. St. Hil. Fl. Bras. Mer. ii. 283.—Bras.  
*albidum*, Miq. in Linnaea, xxii. (1849) 532 = *grandifolium*.  
*amplexicaule*, Pers. Syn. ii. 27 = *montanum*.  
*amygdalinum*, Hook. & Arn. in Hook. Bot. Misc. iii. (1833) 317.—Reg. Argent.  
*anceps*, Berg, in Mart. Fl. Bras. xiv. i. 395.—Bras.  
*angustifolium*, Lam. Encyc. iii. 16 = *P. Guajava*.  
*anthomega*, Vell. Fl. Flum. 212; v. t. 51.—Bras.  
*apricum*, Vell. ll. cc. 213; v. t. 58 = *Campomanesia aprica*.  
*Apysa*, Parodi, in Anal. Soc. Cient. Argent. vii. (1879) 66; Contrib. 116.—Reg. Argent.  
*aquaticum*, Benth. in Hook. Journ. Bot. ii. (1840) 318.—Guian.  
*Araça*, Raddi, in Opusc. Sc. iv. (1823) 252.—Bras.  
*Arasa-hu*, Parodi, in Anal. Soc. Cient. Argent. vii. (1879) 65; Contrib. 115.—Reg. Argent.  
*Arasa-pe*, Parodi, ll. cc.—Reg. Argent.  
*Arasope-mi*, Parodi, ll. cc.—Reg. Argent.  
*arborescens*, Vell. Fl. Flum. 211; v. t. 50.—Bras.  
*argentum*, Berg, in Mart. Fl. Bras. xiv. i. 388.—Bras.  
*aromaticum*, Aubl. Pl. Gui. i. 485. t. 191 = *Campomanesia aromatica*.

**PSIDIUM** :—

- aromaticum*, Blanco, Fl. Filip. ed. I. 417 = *P. Guajava*.  
*aromaticum*, Descourt. Fl. Med. Antill. v. 229. t. 364 = *montanum*.  
*aromaticum*, D. Don, ex Berg, in Mart. Fl. Bras. xiv. i. 522 = *Donianum*.  
*australe*, Cambess. in A. St. Hil. Fl. Bras. Mer. ii. 283.—Bras.  
*basanthum*, Berg, in Mart. Fl. Bras. xiv. i. 601.—Bras.  
*Benthianum*, Berg, in Linnaea, xxvii. (1854) 362.—Guian.  
*Berterianum*, Berg, l. c. 374.—Porto Rico.  
*Brownianum*, Mart. ex DC. Prod. iii. 236.—Bras.  
*buxifolium*, Nutt. N. Am. Sylva, i. 115. t. 25.—Am. bor.  
*calycopoloides*, Griseb. in Mem. Am. Acad. N. S. viii. (1861) 183.—Cuba.  
*campestre*, Cambess. in A. St. Hil. Fl. Bras. Mer. ii. 289 = *Campomanesia Cambessedana*.  
*campomanisioides*, Berg, in Mart. Fl. Bras. xiv. i. 520.—Bras.  
*caninum*, Lour. Fl. Cochinch. 310 (sp. dub.).—China.  
*caninum*, Mart. ex DC. Prod. iii. 235 = *Campomanesia Guaviroba*.  
*Cattleianum*, [Sabine], in Trans. Hort. Soc. iv. (1822) 317. t. 11.—Bras.  
*Cattleianum*, Weinw. in Syll. Ratisb. ii. (1828) 166 = *humile*.  
*cerasoides*, Cambess. in A. St. Hil. Fl. Bras. Mer. ii. 290.—Bras.  
*chinense*, Lodd. ex Loud. Hort. Brit. 197, nomen (Quid?).—China.  
*chrysophyllum*, F. Muell. Sel. Pl. Indust. Cult. 188.—Bras.  
*clitium*, Benth. in Hook. Journ. Bot. ii. (1840) 318.—Guian.  
*cinereum*, Mart. ex DC. Prod. iii. 234.—Bras.  
*cordatum*, Sims, Bot. Mag. t. 1779 = *montanum*.  
*coriaceum*, Mart. ex DC. Prod. iii. 236 = *humile*.  
*corymbosum*, Cambess. in A. St. Hil. Fl. Bras. Mer. ii. 286 = *Campomanesia corymbosa*.  
*costa-ricense*, Berg, in Linnaea, xxvii. (1854) 368.—Costa Rica.  
*crenatum*, Berg, l. c. 373.—Am. austr.  
*Guajavillus*, Burm. f. Fl. Ind. 114 = *P. Guajava*.  
*Guajava*, Linn. Syst. ed. X. 1055 = *P. Guajava*.  
*lanceatum*, Cambess. in A. St. Hil. Fl. Bras. Mer. ii. 285.—Bras.  
*lanceifolium*, Tenore, Ind. Sem. Hort. Neap. (1833) 14.—Hab.?  
*lupreum*, Berg, in Mart. Fl. Bras. xiv. i. 393.—Bras.  
*decaspermum*, Linn. f. Suppl. 252 = *Timonius Jambosella*.  
*decussatum*, DC. Prod. iii. 235.—Bras.  
*densicolum*, Mart. ex DC. l. c.—Bras.  
*desertorum*, Mart. ex DC. l. c. 236 = *Campomanesia repanda*.  
*dichotomum*, Weinm. in Syll. Ratisb. ii. (1828) 166 = *P. Araça*.  
*Donianum*, Berg, in Mart. Fl. Bras. xiv. i. 521.—Bras.  
*dubium*, H. B. & K. Nov. Gen. et Sp. vi. 152.—Venezuela.  
*dulce*, Vell. Fl. Flum. 213; v. t. 56.—Bras.  
*elegans*, Mart. ex DC. Prod. iii. 240 = *Myrtus elegans*.  
*elegans*, Miq. Fl. Ind. Bat. i. i. 470.—Ins. Molucc.  
*emarginatum*, Ruiz & Pav. Fl. Per. iv. t. 419.—Peruv.  
*erianthum*, Cambess. in A. St. Hil. Fl. Bras. Mer. ii. 279.—Bras.  
*erosum*, Miq. in Linnaea, xxii. (1849) 532 = *Campomanesia fusca*.  
*eugenioides*, Cambess. in A. St. Hil. Fl. Bras. Mer. ii. 290.—Bras.  
*eugenioides*, Miq. in Linnaea, xxii. (1849) 533 = *Campomanesia xanthocarpa*.  
*ferrugineum*, Presl, in Oken, Isis, xxi. (1828) 274.—Ins. Maurit.  
*firmum*, Berg, in Mart. Fl. Bras. xiv. i. 390.—Bras.  
*fluviatile*, Rich. ex DC. Prod. iii. 235.—Guian.  
*fragrans*, Macfad. Fl. Jamaica. ii. 108 = *P. Guajava*.  
*fruticosum*, Vell. Fl. Flum. 213; v. t. 57.—Bras.  
*galapagacum*, Hook. f. in Trans. Linn. Soc. xx. (1847) 224.—Ins. Galapag.



## PSIDIUM:—

- Gardnerianum, *Berg, in Mart. Fl. Bras.* xiv. i. 389.—Bras.  
 glaucescens, *Berg, l. c.* 600.—Bras.  
 grandiflorum, *Aubl. Pl. Gui.* i. 483 = *Campomanesia aromatica*.  
 grandiflorum, *Ruiz & Pav. Fl. Per.* iv. t. 421.—Peruv.  
 grandifolium, *Mart. ex DC. Prod.* iii. 234.—Bras.  
 Guajava, *Linn. Sp. Pl.* 470.—Am. trop.  
 Guaviroba, *DC. Prod.* iii. 235 = *Campomanesia Guaviroba*.  
 Guayabita, *A. Rich. Ess. Fl. Cub.* 581.—Cuba.  
 guazumaefolium, *Cambess. in A. St. Hil. Fl. Bras.* Mer. ii. 280 = *Campomanesia guazumaefolia*.  
 guianense, *Pers. Syn.* ii. 27 = fluviale.  
 Guildingianum, *Griseb. Fl. Brit. W. Ind.* 242.—Ind. occ.  
 guineense, *Sw. Prod. Veg. Ind. Occ.* 77 = *P. Araça*.  
 herbaceum, *Berg, in Mart. Fl. Bras.* xiv. i. 410.—Bras.  
 hians, *Mart. ex DC. Prod.* iii. 234.—Bras.  
 hians, *Miq. in Linnaea*, xxii. (1849) 533 = *Campomanesia fusca*.  
 humile, *Vell. Fl. Flum.* 211; v. t. 49.—Bras.  
 inaequilaterum, *Berg, in Mart. Fl. Bras.* xiv. i. 399.—Bras.  
 incanescens, *Mart. ex DC. Prod.* iii. 234.—Bras.  
 indicum, *Boj. Hort. Maurit.* 139 = *Cattleianum*.  
 indicum, *Raddi, Mem.* (1821) 6; *ex DC. Prod.* iii. 237 (err. typ. 337).—Bras.  
 intermedium, *Zipp. ex Blume, Mus. Bot. Lugd. Bat.* i. 72 = *P. Guajava*.  
 itanareense, *Berg, in Mart. Fl. Bras.* xiv. i. 402.—Bras.  
 Itatiaiae, *Wawra, Itin. Princ. Coburgi*, i. 20.—Bras.  
 lacteum, *Berg, in Mart. Fl. Bras.* xiv. i. 403.—Bras.  
 lanceolatum, *Berg, in Linnaea*, xxx. (1859–60) 704.—Bras.  
 Langsdorffii, *Berg, in Mart. Fl. Bras.* xiv. i. 599.—Bras.  
 lanuginosum, *Ruiz & Pav. Fl. Per.* iv. t. 421.—Peruv.  
 Laruotteanum, *Cambess. in A. St. Hil. Fl. Bras. Mer.* ii. 282.—Bras.  
 latifolium, *Link, Enum. Hort. Berol.* ii. 27.—Am. austr.  
 laurifolium, *Berg, in Linnaea*, xxvii. (1854) 364.—Nicaragua.  
 leptocladum, *Berg, in Mart. Fl. Bras.* xiv. i. 409.—Bras.  
 lineatifolium, *Pers. Syn.* ii. 27 = *Campomanesia lineatifolia*.  
 littorale, *Raddi, in Opusc. Sc.* iv. (1823) 254. t. 7. f. 2.—Bras.  
 longifolium, *Schum. in Schum. & Thonn. Beskr. Guin. Pl.* 229.—Afr. trop.  
 macahense, *Berg, in Mart. Fl. Bras.* xiv. i. 605.—Bras.  
 macrospermum, *Berg, in Mart. Fl. Bras.* xiv. i. 392.—Bras.  
 macrostemon, *Ruiz & Pav. Fl. Per.* iv. 420.—Peruv.  
 malifolium, *F. Muell. Sel. Pl. Indust. Cult.* 189 = *Campomanesia malifolia*.  
 maranhense, *Berg, in Mart. Fl. Bras.* xiv. i. 386.—Bras.  
 maribense, *Mart. ex DC. Prod.* iii. 233.—Bras.  
 mediterraneum, *Vell. Fl. Flum.* 212; v. t. 52.—Bras.  
 mengahiense, *Cambess. in A. St. Hil. Fl. Bras. Mer.* ii. 286.—Bras.  
 microcarpum, *Cambess. l. c.* 284.—Bras.  
 minus, *Mart. ex DC. Prod.* iii. 235 = *P. Araça*.  
 molle, *Bertol. Fl. Guatim.* 22. t. 9.—Guatemala.  
 montanum, *Sw. Prod. Veg. Ind. Occ.* 77.—Ind. occ.  
 monticulum, *Berg, in Kjoeb. Vidensk. Meddel.* (1855) 11 = molle.  
 Moritzianum, *Berg, in Linnaea*, xxvii. (1854) 359.—N. Granat.  
 multiflorum, *Cambess. in A. St. Hil. Fl. Bras.* ii. 281, 287 = *Campomanesia multiflora*.  
 Myrsinites, *DC. Prod.* iii. 236.—Bras.  
 myrsinoides, *Berg, in Mart. Fl. Bras.* xiv. i. 384.—Bras.  
 myrtifolium, *Lodd. ex Loud. Hort. Brit.* 197, nomen.—Hab.?  
 myrtoidea, *Berg, in Mart. Fl. Bras.* xiv. i. 384.—Bras.

VOL. II.

## PSIDIUM:—

- nigrum, *Lour. Fl. Cochinch.* 311.—Cochinch.  
 nitidum, *Wright, in Sauv. Fl. Cub.* 44.—Cuba.  
 nummularia, *Wright, l. c.*—Cuba.  
 nutans, *Berg, in Mart. Fl. Bras.* xiv. i. 394.—Bras.  
 oblongatum, *Berg, l. c.* 392.—Bras.  
 oblongifolium, *Berg, l. c.* 602.—Bras.  
 obovatum, *Mart. ex DC. Prod.* iii. 236 = *Cattleianum*.  
 obversum, *Miq. in Linnaea*, xxii. (1849) 532 = *Campomanesia obversa*.  
 Oerstedianum, *Berg, l. c.* xxvii. (1854) 360.—Guatemala.  
 oligospermum, *Link, Enum. Hort. Berol.* ii. 27 (= seq. ?).—Hab.?  
 oligospermum, *Mart. ex DC. Prod.* iii. 236.—Bras.  
 ooideum, *Berg, in Mart. Fl. Bras.* xiv. i. 398.—Bras.  
 ovatifolium, *Berg, l. c.* 385.—Bras.  
 paraense, *Berg, l. c.* 386.—Bras.  
 paraibicum, *Wawra, Itin. Princ. Coburgi*, i. 19. t. 1. f. B.—Bras.  
 paranense, *Berg, in Mart. Fl. Bras.* xiv. i. 604.—Bras.  
 parviflorum, *Benth. in Hook. Journ. Bot.* ii. (1840) 318.—Guian.  
 parvifolium, *Griseb. Cat. Pl. Cub.* 91.—Cuba.  
 persicifolium, *Berg, in Mart. Fl. Bras.* xiv. i. 407.—Bras.  
 pigmeum, *Arruda, in Koster, Trav. Braz.* 492.—Bras.  
 pilosum, *Vell. Fl. Flum.* 212; v. t. 54 = rufum.  
 Pohlana, *Berg, in Mart. Fl. Bras.* xiv. i. 390.—Bras.  
 polycarpon, *Lamb. in Trans. Linn. Soc.* xi. (1813) 231.—Am. trop.  
 pomiferum, *Linn. Sp. Pl. ed. II.* 672 = *P. Guajava*.  
 pratense, *Poepp. ex Berg, in Linnaea*, xxvii. (1854) 365 = *rypdocarpum*.  
 prostratum, *Berg, l. c.* 364 = *P. Guajava*.  
 pubescens, *Mart. ex DC. Prod.* iii. 234.—Bras.  
 pumilum, *Vahl, Symb. Bot.* ii. 56 = *P. Guajava*.  
 punctulatum, *DC. Prod.* iii. 233.—Bras.  
 punctulatum, *Miq. in Linnaea*, xxii. (1849) 513 = *Campomanesia xanthocarpa*.  
 pygmaeum, *Vell. ex Steud. Nom. ed. II.* ii. 406 = *pygmaeum*.  
 pyrifolium, *Linn. Sp. Pl. ed. II.* 672 = *P. Guajava*.  
 pyriforme, *Griseb. Fl. Brit. W. Ind.* 241, sphalm. = praec.  
 racemosum, *Vell. Fl. Flum.* 212; v. t. 55.—Bras.  
 radicans, *Berg, in Mart. Fl. Bras.* xiv. i. 402.—Bras.  
 refractum, *Berg, l. c.* 394.—Bras.  
 rhombeum, *Berg, in Mart. Fl. Bras.* xiv. i. 383.—Bras.  
 Richardianum, *Berg, in Linnaea*, xxx. (1859–60) 705.—Ind. occ.  
 Riedelianum, *Berg, in Mart. Fl. Bras.* xiv. i. 603.—Bras.  
 riparium, *Mart. ex DC. Prod.* iii. 235.—Bras.  
 rivulare, *Mart. ex DC. l. c.* 233 = *Campomanesia lineatifolia*.  
 robustum, *Berg, in Mart. Fl. Bras.* xiv. i. 400.—Bras.  
 roseum, *Mart. ex DC. Prod.* iii. 264 = *Eugenia rosea*.  
 rotundatum, *Griseb. Cat. Pl. Cub.* 92.—Cuba.  
 rubescens, *Berg, in Mart. Fl. Bras.* xiv. i. 395.—Bras.  
 rubrum, *Lour. Fl. Cochinch.* 311.—Cochinch.  
 rufum, *Mart. ex DC. Prod.* iii. 234.—Bras.  
 Ruizianum, *Berg, in Linnaea*, xxvii. (1854) 365.—Peruv.  
 rutidocarpum, *G. Don, Gen. Syst.* ii. 833, lapsu = seq.  
 rypdocarpum, *Ruiz & Pav. Fl. Per.* iv. t. 420.—Peruv.  
 salutare, *Berg, in Linnaea*, xxvii. (1854) 356.—N. Granat.  
 sapidissimum, *Jacq. Hort. Schoenb.* iii. 62 = *P. Guajava*.  
 Schiedeanum, *Berg, in Linnaea*, xxvii. (1854) 368.—Mexic.  
 Sellowianum, *Berg, in Mart. Fl. Bras.* xiv. i. 400 = *arborum*.  
 sericeum, *Berg, l. c.* 389.—Bras.  
 sericiflorum, *Benth. Pl. Hartw.* 176.—N. Granat.  
 Sieberianum, *Berg, in Mart. Fl. Bras.* xiv. i. 387.—Bras.  
 sorocabense, *Berg, l. c.* 398.—Bras.

## PSIDIUM:—

- Sprucei, *Berg, in Mart. Fl. Bras.* xiv. i. 396.—Bras.  
 striatulum, *DC. Prod.* iii. 233.—Bras.  
 suaveolens, *Cambess. in A. St. Hil. Fl. Bras. Mer.* ii. 291 = *Campomanesia suaveolens*.  
 suffruticosum, *Berg, in Mart. Fl. Bras.* xiv. i. 387.—Bras.  
 tenuifolium, *Mart. ex DC. Prod.* iii. 236 = *Campomanesia tenuifolia*.  
 terminale, *Vell. Fl. Flum.* 212; v. t. 53.—Bras.  
 ternatifolium, *Cambess. in A. St. Hil. Fl. Bras. Mer.* ii. 278 = *grandifolium*.  
 Thea, *Griseb. in Goett. Abh.* xix. (1874) 139.—Reg. Argent.  
 tomentosum, *Parodi, in Anal. Soc. Cient. Argent.* vii. (1879) 64; *Contrib.* 114.—Reg. Argent.  
 transalpinum, *Vell. Fl. Flum.* 213; v. t. 59 = *Campomanesia transalpina*.  
 turbiniflorum, *Mart. ex DC. Prod.* iii. 234.—Bras.  
 umbrosum, *Berg, in Mart. Fl. Bras.* xiv. i. 599.—Bras.  
 variabile, *Berg, l. c.* 400 = *Cattleianum*.  
 velutinum, *Cambess. in A. St. Hil. Fl. Bras. Mer.* ii. 288 = *Campomanesia velutina*.  
 vulgare, *Rich. in Act. Soc. Hist. Nat. Par.* i. (1792) 110 = *P. Guajava*.  
 Widgrenianum, *Berg, in Mart. Fl. Bras.* xiv. i. 392.—Bras.  
 Willemetianum, *DC. Prod.* iii. 237 (err. typ. 337).—Ins. Maurit.  
 xidocarpum, *Ruiz, ex Berg, in Linnaea*, xxvii. (1854) 365 = *rypdocarpum*.  
 ypanemense, *Berg, in Mart. Fl. Bras.* xiv. i. 395.—Bras.
- PSIGURIA, *Neck. Elem.* i. 137 (1790) = *Anguria*, *Tourn. (Cucurb.)*.
- PSILACHENIA, *Benth. in Journ. Linn. Soc.* xiii. (1873) 475, sphalm. = *PSILOCHENIA*, *Nutt. = Crepis*, *Vaill. (Compos.)*.
- PSILACTIS, *A. Gray, in Mem. Am. Acad. N. S.* iv. (1849) (Pl. Fendl.) 71. *COMPOSITAE*, *Benth. & Hook. f.* ii. 269.  
 asteroides, *A. Gray, l. c.*—N. Mexic.  
 brevilingulata, *Sch. Bip. ex Hemsl. Diagn. Pl. Nov.* 34.—Mexic.  
 Coulteri, *A. Gray, in Mem. Am. Acad. N. S.* iv. (1849) 71.—Mexic.
- PSILAEA, *Miq. Fl. Ind. Bat. Suppl.* 355 (1860) = *Lino-stoma*, *Wall. (Thymel.)*.  
 dalbergioides, *Miq. l. c.* = *L. pauciflorum*.
- PSILANTHUS, *Hook. f. in Hook. Ic. Pl.* t. 1129 (1873). *RUBIACEAE*, *Benth. & Hook. f.* ii. 115.  
 ebracteolatus, *Hiern, in Oliver, Fl. Trop. Afr.* iii. 186.—Afr. trop.  
 Mannii, *Hook. f. in Hook. Ic. Pl.* t. 1129.—Afr. trop.  
 tetramerus, *Hiern, in Oliver, Fl. Trop. Afr.* iii. 187.—Afr. trop.
- PSILANTHUS, *Juss. in Ann. Mus. Par.* vi. (1805) 396 = *Passiflora*, *Linn.*.  
 trinervia, *Juss. l. c.* = *Pass. trinervia*.  
 viridiflora, *M. Roem. Syn. Pepon.* 198 = *Pass. viridiflora*.
- PSILARABIS, *Fourn. in Ann. Soc. Linn. Lyon, N. S.* xvi. (1868) 332 = *Arabis*, *Linn. (Crucif.)*.  
 glabra, *Fourn. l. c.* = *A. pterfoliata*.
- PSILATHERA, *Link, Hort. Berol.* i. 121 (1827) = *Sesleria*, *Scop. (Gramin.)*.  
 tenella, *Link, l. c.* 122 = *S. tenella*.
- PSILOBIUM, *Jack, in Malay. Misc.* ii. (1822) n. vii. 84. *RUBIACEAE*, *Benth. & Hook. f.* ii. 75.  
 capillare, *Kurz, in Journ. As. Soc. Beng.* xli. (1872) ii. 313 = *Morindopsis capillaris*.  
 nutans, *Jack, in Malay. Misc.* ii. (1822) n. vii. 85.—Sumatra.  
 tomentosum, *Jack, l. c.* p. iii.—Malaya.
- PSILOCARPHUS, *Nutt. in Trans. Am. Phil. Soc.* N. S. vii. (1841) 340. *COMPOSITAE*, *Benth. & Hook. f.* ii. 297.  
 BENZANILLA, *Remy, in C. Gay, Fl. Chil.* iv. 109. t. 46. (1849).

4 N



**PSILOCARPHUS** :—

- brevissimus, *Nutt. in Trans. Am. Phil. Soc. N. S.* vii. (1841) 340.—Am. bor. occ.  
 caulescens, *Benth. Pl. Hartw.* 319.—Calif.  
 globiferus, *Nutt. in Trans. Am. Phil. Soc. N. S.* vii. (1841) 340.—Calif.  
 oreganus, *A. Gray, in Proc. Am. Acad.* viii. (1873) 390 (non seq.).—Am. bor. occ.  
 oregonus, *Nutt. in Trans. Am. Phil. Soc. N. S.* vii. (1841) 341.—Am. bor. occ.  
 tenellus, *Nutt. l. c.*—Calif.

**PSILOCARPUS**, Pritz. Ic. Ind. ii. 233 (1865) = **Psophocarpus**, Neck. (Legumin.).

- PSILOCARYA**, Torr. in *Ann. Lyc. N. York*, iii. (1836) 359 = **Rynchospora**, Vahl (Cyperac.).  
 candida, *Nees, in Mart. Fl. Bras.* ii. i. 117 = *R. candida*.  
 conferta, *Nees, l. c.* 116 = *R. velutina*.  
 corymbifera, *Benth, in Hook. Ic. Pl.* xv. 25. t. 1431 = seq.  
 corymbiformis, *Benth. & Hook. f. Gen.* iii. 1048.—Cuba.  
 divergens, *Nees, in Mart. Fl. Bras.* ii. i. 116 = *R. velutina*.  
 mexicana, *Liebm. in Vidensk. Selsk. Skr.* V. ii. (1851) 248 = *R. rufa*.  
 nitens, *Wood, Am. Bot. & Flor.* 364 = *R. nitens*.  
 Pohlii, *Nees, in Mart. Fl. Bras.* ii. i. 115 = *R. velutina*.  
 rhynchosporoides, *Torr. in Ann. Lyc. N. York*, iii. (1836) 361 = *R. nitens*.  
 robusta, *Nees, in Mart. Fl. Bras.* ii. i. 116 = *R. robusta*.  
 rufa, *Nees, l. c.* 117 = *R. rufa*.  
 Schiedeana, *Liebm. in Vidensk. Selsk. Skr.* V. ii. (1851) 248 = *R. eximia*.  
 scirpoides, *Torr. in Ann. Lyc. N. York*, iii. (1836) 360 = *R. scirpoides*.  
 Sellowiana, *Nees, in Mart. Fl. Bras.* ii. i. 117 = *R. velutina*.  
 Teneriffae, *Torr. in Ann. Lyc. N. York*, iii. (1836) 362, in adn. = *R. micrantha*.  
 texensis, *Torr. l. c.* 361 = *R. nitens*.  
 velutina, *Nees, in Mart. Fl. Bras.* ii. i. 115. t. 7 = *R. velutina*.

**PSILOCHLAENA**, Walp. Rep. ii. 697 (1843) = seq.

**PSILOCHENIA**, *Nutt. in Trans. Am. Phil. Soc. N. S.* vii. (1841) 437 = **Crepis**, *Vaill. (Compos.)*.  
 occidentalis, *Nutt. l. c.* = *C. occidentalis*.

**PSILOCHILUS**, *Rodrig. Orch. Nov.* ii. 272. **ORCHIDEAE**.  
 modestus, *Rodrig. l. c.* 273.—Bras.

**PSILOGYNE**, *DC. in Bibl. Univ. Genève.* xvii. (1838) 132 (Rev. Bign. 16) = **Vitex**, *Linn. (Verben.)*.  
 viticifolia, *DC. l. c.* = *V. multinervis*.

**PSILOLEPUS**, *Presl, Bot. Bemerk.* 128 (1844) = **Aspalathus**, *Linn. (Legumin.)*.  
 bracteatus, *Presl, l. c.* 129 = *A. bracteata*.  
 lanatus, *Presl, l. c.* = *A. lanata*.  
 pedunculatus, *Presl, l. c.* = *A. pedunculata*.

**PSILONEMA**, *C. A. Mey. in Ledeb. Fl. Alt.* iii. 50 (1831) = **Alyssum**, *Linn. (Crucif.)*.  
 calycinum, *C. A. Mey. in Bull. Sc. Acad. Pétersb.* vii. (1840) 132 = *A. calycinum*.  
 campestre, *Schur, Enum. Pl. Transs.* 62 = *A. campestre*.  
 dasycarpum, *C. A. Mey. in Ledeb. Fl. Alt.* iii. 51 = *A. dasycarpum*.  
 hirsutum, *Schur, Enum. Pl. Transs.* 62 = *A. hirsutum*.  
 homalocarpum, *Fisch. & Mey. Ind. Sem. Hort. Petrop.* vi. 63 = *A. homalocarpum*.  
 minimum, *Schur, Enum. Pl. Transs.* 62 = *A. minimum*.  
 rudemale, *Fourr. in Ann. Soc. Linn. Lyon, N. S.* xvi. (1868) 334 = *A. calycinum*.  
 sabulosum, *Fourr. l. c.* = *A. calycinum*.  
 vagum, *Fourr. l. c.* = *A. calycinum*.

**PSILOPOGON**, *Hochst. in Flora*, xxiv. (1841) i. Intell. 20 = **Arthraxon**, *Beauv. (Gramin.)*.  
 capensis, *Hochst. l. c.* xxix. (1846) 117 = *Pollinia nuda*.

**PSILOPOGON** :—

- Figarei*, *De Not. Ind. Sem. Hort. Genuens.* (1852) 25; et in *Ann. Sc. Nat. Sér. III.* xix. (1853) 370 = *Arthraxon microphyllum*.  
 Schimper, *Hochst. in Flora*, xxix. (1846) 117, in nota = *A. microphyllum*.

**PSILOPOGON**, *Phil. in Linnæa*, xxxiii. (1864–65) 126 = **Picrosia**, *D. Don (Compos.)*.  
 albiflorus, *Phil. l. c.* = *Picr. longifolia*.

**PSILOPSIS**, *Neck. Elem.* i. 319 (1790) = **Lamium**, *Tourn. (Labiata)*.

**PSILOSANTHUS**, *Neck. Elem.* i. 69 (1790) = **Liatris**, *Schreb. (Compos.)*.

**PSILOSIPHON**, *Welw. ex Baker, in Trans. Linn. Soc. Ser. II.* i. (1878) 272 = **Lapeyrouisia**, *Pourr. (Irid.)*.  
 cyanescens, *Welw. l. c.* = *L. cyanescens*.  
 fragrans, *Welw. l. c.* = *L. fragrans*.  
 odoratissimus, *Welw. l. c.* 273 = *L. odoratissima*.

**PSILOSOLENA**, *Presl, Bot. Bemerk.* 102 (1844) = **Peddiea**, *Harv. (Thymel.)*.  
 umbellata, *Presl, l. c.* = *Peddiea Dregei*.

**PSILOSTACHYS**, *Hochst. in Flora*, xxvii. (1844) i. Beil. 6. t. 4. **AMARANTACEAE**, *Benth. & Hook. f.* iii. 32.  
 POECHIA, *Endl. Gen. Suppl.* iv. 43 (1847).  
 POECKIA, *Benth. & Hook. f. Gen.* iii. 32 (1880), err. typ.  
 gnaphalobrya, *Hochst. in Flora*, xxvii. (1844) i. Beil. 6.—Afr. bor.  
 sericea, *Hook. f. in Benth. & Hook. f. Gen.* iii. 32.—Ind. or.

**PSILOSTACHYS**, *Steud. Syn. Pl. Gram.* 413 (1855) = **Dimeria**, *R. Br. (Gramin.)*.  
 Hohenackeri, *Steud. l. c.* = *D. Hohenackeri*.

**PSILOSTACHYS**, *Turcz. in Bull. Soc. Nat. Mosc.* xvi. (1843) 58 = **Cleidion**, *Blume (Euphorb.)*.  
 axillaris, *Turcz. l. c.* = *C. triccum*.

**PSILOSTEMON**, *DC. Prod. x.* 35 (1846) = **Trachystemon**, *D. Don (Borag.)*.  
 creticum, *DC. l. c.* 36 = *T. creticum*.  
 orientale, *DC. l. c.* = *T. orientale*.

**PSILOSTOMA**, *Klotzsch, in Eckl. & Zeyh. Enum.* 361 (1837) = **Plectronia**, *Linn. (Rubiaceae)*.  
 ciliata, *Klotzsch, l. c.* 362 = *Plec. ciliata*.

**PSILOSTROPHE**, *DC. Prod.* vii. 261 (1838) = **Riddellia**, *Nutt. (Compos.)*.  
 gnaphalodes, *DC. l. c.* = *R. arachnoidea*.

**PSILOTHAMNUS**, *DC. Prod.* vi. 41 (1837) = **Gamolepis**, *Less. (Compos.)*.  
 adpressifolius, *DC. l. c.* = *G. ericoides*.  
 ericaefolius, *DC. l. c.* = *G. ericoides*.

**PSILOTHONNA**, *E. Mey. ex DC. Prod.* vi. 40 (1837) = **Gamolepis**, *Less. (Compos.)*.  
 Tagetes, *E. Mey. ex DC. l. c.* = *G. annua*.

**PSILOTRICHUM**, *Blume, Bijdr.* 544 (1825). **AMARANTACEAE**, *Benth. & Hook. f.* iii. 32.  
 LEIOSPERMUM, *Wall. Cat. n.* 6923 (1831).  
 calceolatum, *Moq. in DC. Prod.* xiii. ii. 280.—Ind. or.  
 capitatum, *F. Muell. Fragm.* i. 238.—Austral.  
 cordatum, *Moq. in DC. Prod.* xiii. ii. 280 = *Psilostachys gnaphalobrya*.  
 ferrugineum, *Moq. l. c.* 279.—Ind. or.  
 helichrysoides, *F. Muell. Fragm.* i. 237 = *Trichinium helichrysoides*.  
 nudum, *Moq. in DC. Prod.* xiii. ii. 280.—Ind. or.  
 nudum, *Wight, Ic. t.* 1775 = *calceolatum*.  
 ovatum, *Moq. in DC. Prod.* xiii. ii. 281 = *calceolatum*.  
 sandwicense, *Seem. Fl. Vit.* 198.—Ins. Sandvic.  
 scleranthum, *Thw. Enum. Pl. Zeyl.* 248.—Zeylan.  
 sericeum, *Dalz. in Dalz. & Gibs. Bomb. Fl.* 216 = *Psilostachys sericea*.  
 trichotomum, *Blume, Bijdr.* 545.—Ind. or.; Malaya.

**PSILOXYLON**, *Thou. ex Tul. in Ann. Sc. Nat. Sér. IV.* vi. (1856) 138 = **Fropiera**, *Bouton (Myrtac.)*.  
 mauritanum, *Baill. Adansonia*, x. (1871) 41 = *F. mauritiana*.  
 mauritanum, *Thou. ex Benth. in DC. Prod.* x. 434 = *Nuxia verticillata*.

**PSILURUS**, *Trin. Fund. Agrost.* 93 (1820). **GRAMINEAE**, *Benth. & Hook. f.* iii. 1205.  
 ASPRELLA, *Host, Gram. Austr.* iv. 17. t. 29 (1809).  
 MONERMA, *Beauv. Agrost.* 116 (1812), pro parte.  
 OPHIURINELLA, *Desv. Opusc.* 75. t. 5. f. 4 (1831).  
 aristatus, *Duval-Jouve, in Bull. Soc. Bot. Fr.* xiii. (1866) 132 = *nardoides*.  
 nardoides, *Trin. Fund. Agrost.* 93.—Europ. austr.  
 rottboellioides, *Griff. Notul.* iii. 95.—Afghan.

**PSISTINA**, *Rafin. Sylva Tellur.* 133 (1838) = **Helianthemum**, *Tourn. (Cistin.)*.

**PSISTUS**, *Neck. Elem.* ii. 273 (1790) = **Helianthemum**, *Tourn. (Cistin.)*.

**PSITHYRISMA**, *Herb. in Lindl. Bot. Reg.* (1843) Misc. 85 = **Symphystemon**, *Miers, etc. (Irid.)*.  
 flexuosum, *Herb. l. c.*, nomen = *Sisyrinchium cuspidatum*.  
 narcissoides, *Herb. l. c.*, nomen = *Symphystemon narcissoides*.  
 odoratissimum, *Herb. l. c.*, nomen = *Solenomelus biflorus*.

**PSITTACANTHUS**, *Mart. in Flora*, xiii. (1830) 106 = **Loranthus**, *Linn.*  
 acinarius, *Mart. l. c.* 108 = *L. acinarius*.  
 acutifolius, *G. Don, Gen. Syst.* iii. 417 = *L. acutifolius*.  
 americanus, *Mart. in Flora*, xiii. (1830) 108 = *L. americanus*, *Linn.*  
 auriculatus, *Eichl. in Mart. Fl. Bras.* v. ii. 25 = *L. auriculatus*.  
 Berteroi, *G. Don, Gen. Syst.* iii. 418 = *L. Berteroi*.  
 bicalyculatus, *Mart. in Flora*, xiii. (1830) 108 = *L. bicalyculatus*.  
 biternatus, *Blume, in Schult. f. Syst.* vii. 1730 = *L. biternatus*.  
 brachynema, *Eichl. in Mart. Fl. Bras.* v. ii. 29.—Am. trop.  
 brasiliensis, *Blume, in Schult. f. Syst.* vii. 1730 = *L. brasiliensis*.  
 calyculatus, *G. Don, Gen. Syst.* iii. 415 = *L. calyculatus*.  
 cardiphylus, *Eichl. in Mart. Fl. Bras.* v. ii. 27 = *L. cardiphylus*.  
 chanduyensis, *Eichl. l. c.*—Ecuador.  
 cinctus, *Mart. in Flora*, xiii. (1830) 108 = *L. cinctus*.  
 claviceps, *Eichl. in Mart. Fl. Bras.* v. ii. 26 = *L. claviceps*.  
 clusiaefolius, *Eichl. l. c.* 30 = *L. dichotomus*.  
 Collum-cygni, *Eichl. l. c.* 35.—Am. trop.  
 cordatus, *Blume, in Schult. f. Syst.* vii. 1730 = *L. cordatus*.  
 corymbosus, *Blume, l. c.* = *L. corymbosus*.  
 corynocephalus, *Eichl. in Mart. Fl. Bras.* v. ii. 36.—Bras.  
 crassifolius, *Mart. in Flora*, xiii. (1830) 108 = *L. crassifolius*.  
 cucullaris, *Blume, in Schult. f. Syst.* vii. 1730 = *L. cucullaris*.  
 cuneifolius, *Blume, l. c.* = *L. cuneifolius*.  
 cupulifer, *Blume, l. c.* = *L. cupulifer*.  
 cupulifer, *Klotzsch, in Schomb. Fauna & Fl. Brit. Gui.* 1162 = *L. cucullaris*.  
 decipiens, *Eichl. in Mart. Fl. Bras.* v. ii. 35.—Bras.  
 Destructor, *G. Don, Gen. Syst.* iii. 416 = *L. Destructor*.  
 dichotomus, *Blume, in Schult. f. Syst.* vii. 1730 = *L. dichotomus*.  
 dichroos, *Mart. in Flora*, xiii. (1830) 108 = *L. dichroos*.  
 divaricatus, *Blume, in Schult. f. Syst.* vii. 1730 = *L. divaricatus*.  
 drepanophyllus, *Eichl. in Mart. Fl. Bras.* v. ii. 40.—Bras.  
 Eschscholzanus, *G. Don, Gen. Syst.* iii. 417 = *L. Eschscholzanus*.  
 eucalyptifolius, *Blume, in Schult. Syst.* vii. 1730 = *L. eucalyptifolius*.  
 falcifrons, *Mart. in Flora*, xiii. (1830) 107 = *L. falcifrons*.  
 flagellaris, *Mart. l. c.* 108 = *L. flagellaris*.



## PSITTACANTHUS:—

- flavo-viridis*, Eichl. in Mart. Fl. Bras. v. II. 41.—Bras.  
*formosus*, G. Don, Gen. Syst. iii. 416 = *Loranthus robustus*.  
*furcatus*, Mart. in Flora, xiii. (1830) 108 = *L. furcatus*.  
*glaucomoma*, Eichl. in Mart. Fl. Bras. v. II. 32.—Bras.  
*grandiflorus*, Blume, in Schult. f. Syst. vii. 1730 = *L. grandiflorus*, Ruiz & Pav.  
*grandiflorus*, G. Don, Gen. Syst. iii. 415 = *L. grandifolius*.  
*grandifolius*, Mart. in Flora, xiii. (1830) 108 = *L. grandifolius*.  
*guianensis*, Klotzsch, in Schomb. Fauna & Fl. Brit. Gui. 1161 = *L. cordatus*.  
*Hoffmannseggianus*, Blume, in Schult. f. Syst. vii. 1730 = *L. Hoffmannseggianus*.  
*Holtoni*, Eichl. in Mart. Fl. Bras. v. II. 24.—N. Granat.  
*Jacquinii*, G. Don, Gen. Syst. iii. 415 = *L. americanus*, Linn.  
*Karwinskyanus*, Eichl. in Mart. Fl. Bras. v. II. 26 = *L. Karwinskyanus*.  
*lamprophyllus*, Eichl. l. c. 28.—Bras.  
*longibracteatus*, Blume, in Schult. f. Syst. vii. 1730 = *L. longibracteatus*.  
*macrantherus*, Eichl. in Mart. Fl. Bras. v. II. 26 = *L. macrantherus*.  
*martinicensis*, Eichl. l. c. = *L. martinicensis*.  
*mexicanus*, Blume, in Schult. f. Syst. vii. 1730 = *L. mexicanus*.  
*Mutisii*, Blume, l. c. = *L. Mutisii*.  
*nodosus*, Blume, l. c. = *L. nodosus*.  
*obmunitus*, Blume, l. c. = *L. obmunitus*.  
*obovatus*, Eichl. in Mart. Fl. Bras. v. II. 27 = *L. obovatus*, Benth.  
*peronopetalus*, Eichl. l. c. 31.—Bras.  
*pinguis*, Eichl. l. c. 37.—Bras.  
*plagiophyllus*, Eichl. l. c.—Bras.  
*Plumieri*, G. Don, Gen. Syst. iii. 417 = *L. Plumieri*.  
*ramiflorus*, G. Don, l. c. 415 = *L. ramiflorus*.  
*robustus*, Mart. in Flora, xiii. (1830) 108 = *L. robustus*.  
*scalpratus*, Vahl, ex Eichl. in Mart. Fl. Bras. v. II. 25.—Ind. occ.  
*Schiedeanus*, Blume, in Schult. f. Syst. vii. 1730 = *L. Schiedeanus*.  
*Siphon*, Eichl. in Mart. Fl. Bras. v. II. 28.—Bras.  
*Smithii*, Klotzsch, in Schomb. Fauna & Fl. Brit. Gui. 1162 = *L. cucullaris*.  
*speciosus*, G. Don, Gen. Syst. iii. 415 = *L. speciosus*.  
*Sternbergianus*, Blume, in Schult. f. Syst. vii. 1730 = *L. Sternbergianus*.  
*thyrsiflorus*, G. Don, Gen. Syst. iii. 417 = *L. thyrsiflorus*.  
*Vellozianus*, Mart. in Flora, xxiv. (1841) II. Beibl. 33 = *L. dichrous*.  
*Warmingii*, Eichl. in Mart. Fl. Bras. v. II. 36.—Bras.

PSITTACOGLOSSUM, La Llave & Lex. Nov. Veg. Desc. fasc. ii. (Orch. Opusc.) 29 (1825) = **Maxillaria**, Ruiz & Pav. (Orchid.).  
*atratum*, La Llave & Lex. l. c. 30 = *M. atrata*.

PSITTACOSCHOENUS, Nees, in Lehm. Pl. Preiss. ii. 87 (1846), in nota = **Gahnia**, Forst. (Cyperac.).  
*erythrocarpus*, F. Muell. ex Boeck. in Linnaea, xxxviii. (1874) 341 = *G. psittacorum*.

PSOLANUM, Neck. Elem. ii. 60 (1790) = **Solanum**, Tourn.

PSOPHIZA, Rafn. Fl. Tellur. iv. 99 (1836) = **Aristolochia**, Tourn.  
*undulata*, Rafn. l. c. = *A. sempervirens*?

PSOPHOCARPUS, Neck. Elem. iii. 45 (1790).  
**LEGUMINOSAE**, Benth. & Hook. f. i. 540.  
**BOTOR**, Adans. Fam. ii. 326 (1763).  
**DIESINGIA**, Endl. in Flora, xv. (1832) 113.  
**PSILOCARPUS**, Pritz. Ic. Ind. ii. 233 (1865).  
*comorensis*, Baill. in Bull. Soc. Linn. Par. i. (1883) 380.—Ins. Mascari.  
*longepedunculatus*, Hassk. in Flora, xxv. (1842) II. Beibl. 75 = *palustris*.

## PSOPHOCARPUS:—

- Mabala, Welw. Apont. 589.—Afr. trop.  
*palmettorum*, Guill. & Perr. Fl. Seneg. Tent. i. 222 = *palustris*.  
*palustris*, Desv. in Ann. Sc. Nat. Sér. I. ix. (1826) 420.—Afr. trop.  
*tetragonolobus*, DC. Prod. ii. 403.—Ins. Maurit.; As. trop. (cult.).

PSORA, Hill, Veg. Syst. iv. 30 (1762) = **Centaurea**, Linn. (Compos.).  
*orientalis*, Hill, Hort. Kew. 65 = *C. orientalis*.

PSORALEA, Linn. Gen. ed. II. 358 (1742). **LEGUMINOSAE**, Benth. & Hook. f. i. 491.

- ASPHALTHIUM**, Medic. in Vorles. Churpf. Phys. Ges. ii. (1787) 380.  
**CULLEN**, Medic. l. c. 381 (1787).  
**MELADENIA**, Turcz. in Bull. Soc. Nat. Mosc. xxi. (1848) I. 576.  
**ORBEXILUM**, Rafn. Atl. Journ. 145 (1832).  
**RHYNCHODIUM**, Presl, in Abh. Boehm. Ges. V. iii. (1845) 484; Bot. Bemerk. 54 (1844).  
**RUTERIA**, Medic. in Vorles. Churpf. Phys. Ges. ii. (1787) 380.  
*acanthocarpa*, F. Muell. Fragm. iii. 45 = *Glycyrrhiza psoraleoides*.  
*acaulis*, Stev. ex Bieb. Fl. Taur. Cauc. ii. 206.—Reg. Cauc.  
*aculeata*, Linn. Sp. Pl. 763.—Afr. austr.  
*aculeata*, Thunb. ex Harv. & Sond. Fl. Cap. ii. 154 = *bracteata*.  
*acuminata*, Eckl. & Zeyh. Enum. 229 = *bracteata*.  
*acuminata*, Lam. Illustr. iii. 178 = *aculeata*.  
*adscendens*, F. Muell. in Trans. Phil. Soc. Vict. i. (1855) 40.—Austral.  
*affinis*, Eckl. & Zeyh. Enum. 224 = *pinnata*.  
*albicans*, Eckl. & Zeyh. l. c. 231 = *striata*.  
*algoensis*, Eckl. & Zeyh. l. c. 229 = *bracteata*.  
*alnifolia*, Bertol. Misc. Bot. ix. 10 = *Rhynchosia tomentosa*.  
*alopecurina*, Bertol. l. c. 11 = *Rhynchosia tomentosa*.  
*alopecuroides*, Poir. Encyc. v. 695 = *Dalea alopecuroides*.  
*altissima*, Bertol. in Nov. Comm. Bonon. iii. (1839) 16. t. 2. f. 1.—Afr. austr.  
*americana*, Linn. Sp. Pl. 763 = *dentata*.  
*andongensis*, Welw. ex Baker, in Oliver, Fl. Trop. Afr. ii. 65.—Afr. trop.  
*angustifolia*, L'Hérit. ex Ait. Hort. Kew. ed. I. iii. 79.—Afr. austr.  
*angustifolia*, Willd. in Roem. & Usteri, Mag. Bot. iv. 11<sup>tes</sup> St. (1790) 33 = *bituminosa*.  
*aphylla*, Jacq. Hort. Schoenb. ii. 51. t. 223 = *hirta*.  
*aphylla*, Linn. Pl. Afr. Rar. 15; Amoen. Acad. vi. 93.—Afr. austr.  
*arabica*, Hochst. & Steud. ex Boiss. Fl. Orient. ii. 193 = *Tephrosia Pogonostigma*.  
*arbores*, Sims, Bot. Mag. t. 2090 = *pinnata*.  
*Archeri*, F. Muell. Fragm. iv. 21.—Austral.  
*arenaria*, Nutt. Gen. Am. ii. 103 = *lanceolata*.  
*argentea*, Thunb. Prod. Pl. Cap. 136.—Afr. austr.  
*argophylla*, Pursh, Fl. Am. Sept. ii. 475.—Am. bor.  
*ascendens*, C. Muell. in Walp. Ann. vii. 707 = *adscendens*.  
*astragalifolia*, Poir. Encyc. Suppl. iv. 587 = *capitata*.  
*aurea*, Poir. l. c. 590 = *Dalea aurea*.  
*australasica*, Schlecht. in Linnaea, xx. (1847) 668 = *patens*.  
*axillaris*, Linn. f. Suppl. 338.—Afr. austr.  
*axillaris*, Poir. Encyc. v. 687 = *angustifolia*.  
*azurea*, Phil. Fl. Atac. 14.—Chili.  
*badocana*, Blanco, Fl. Filip. ed. II. 416; Benth. Fl. Austral. ii. 190.—Ins. Philipp.; Austral.  
*balsamica*, F. Muell. in Trans. Phil. Inst. Vict. iii. (1859) 55.—Austral.  
*biflora*, Harv. in Harv. & Sond. Fl. Cap. ii. 157.—Afr. austr.  
*biflora*, Rudolph, in Schrad. Journ. ii. (1799) 291.—Hab. ?  
*bipedunculata*, Jacq. Coll. iv. 146.—Hab. ?  
*bituminosa*, Linn. Sp. Pl. 763.—Reg. Mediter.; Arab.  
*Bowieana*, Harv. in Harv. & Sond. Fl. Cap. ii. 154.—Afr. austr.  
*brachiata*, Dougl. ex Hook. Fl. Bor. Am. i. 137. t. 53 = *esculenta*.  
*bracteata*, Berg. Desc. Pl. Cap. 224; Linn. Mant. ii. 264.—Afr. austr.

## PSORALEA:—

- bracteolata*, Eckl. & Zeyh. Enum. 229 = *bracteata*.  
*caffra*, Eckl. & Zeyh. l. c. 230.—Afr. austr.  
*cajanifolia*, Benth. ex Harv. Thes. Cap. i. 52 = *Pleiospora cajanifolia*.  
*californica*, S. Wats. in Proc. Am. Acad. xii. (1877) 251.—Calif.  
*campestris*, Nutt. in Torr. & Gray, Fl. N. Am. i. 301.—Am. bor.  
*candicans*, Eckl. & Zeyh. Enum. 228.—Afr. austr.  
*candida*, Poir. Encyc. v. 694 = *Petalostemon candidus*.  
*canescens*, Michx. Fl. Bor. Am. ii. 57.—Am. bor.  
*capitata*, Linn. f. Suppl. 339.—Afr. austr.  
*carnea*, E. Mey. Comm. Pl. Afr. Austr. 85.—Afr. austr.  
*carnea*, Poir. Encyc. v. 694 = *Petalostemon carneus*.  
*carthaginensis*, Jacq. Enum. Pl. Carib. 27 = *Dalea enneaphylla*.  
*castorea*, S. Wats. in Am. Natural. xii. (1878) 601; et in Proc. Am. Acad. xiv. (1879) 291.—Calif.  
*cephalantha*, F. Muell. Fragm. iv. 35 = *badocana*.  
*Cephalotes*, E. Mey. Comm. Pl. Afr. Austr. 87 = *uncinata*.  
*Cephalotes*, C. Presl, ex J. Presl, Rostl. iii. 182; Eckl. & Zeyh. Enum. 230 = *bracteata*.  
*cinerea*, Lindl. in Mitch. Three Exped. ii. 65.—Austral.  
*citriodora*, Cav. Ic. iii. 36 = *Dalea citriodora*.  
*conferta*, Bertol. in Nov. Comm. Bonon. iii. (1839) 17. t. 2. f. 2.—Afr. austr.  
*corylifolia*, Linn. Sp. Pl. 764.—Ind. or.; Arab.  
*corymbosa*, Poir. Encyc. v. 694 = *Petalostemon corymbosus*.  
*cryptocarpa*, Torr. & Gray, Fl. N. Am. i. 301 = *cuspidata*.  
*Cullen*, Poir. Encyc. v. 685 = *glandulosa*.  
*cuneifolia*, Dum.-Cours. Bot. Cult. ed. II. vi. 101 = *bracteata*.  
*cuspidata*, Pursh, Fl. Am. Sept. ii. 741.—Am. bor.  
*cyphocalyx*, A. Gray, in Bost. Journ. Nat. Hist. vi. (1850) 172.—Texas.  
*cytisoides*, Linn. Sp. Pl. ed. II. 1075 = *Indigofera cytisoides*.  
*Dalea*, Linn. l. c. ed. I. 764 = *Dalea alopecuroides*.  
*decidua*, Berg. Desc. Pl. Cap. 220 = *aphylla*.  
*decidua*, Sieber, ex Walp. in Linnaea, xiii. (1839) 512 = *pinnata*.  
*decumbens*, Ait. Hort. Kew. ed. I. iii. 80.—Afr. austr.  
*decumbens*, Willd. ex Walp. in Linnaea, xiii. (1839) 514 = *Mundiana*.  
*densa*, E. Mey. Comm. Pl. Afr. Austr. 86 = *bracteata*.  
*dentata*, DC. Prod. ii. 221.—Reg. Mediter. occ.  
*denudata*, Hoffmgg. Verz. Pf. 103 = *aphylla*.  
*diffusa*, Eckl. & Zeyh. Enum. 225 = *repens*.  
*digitata*, Nutt. ex Torr. & Gray, Fl. N. Am. i. 300.—Am. bor.  
*divaricata*, Humb. & Bonpl. ex Willd. Enum. Hort. Berol. 788.—Peruv.  
*Dregeana*, Steud. Nom. ed. II. ii. 407 = *uncinata*.  
*Drummondii*, Meissn. in Bot. Zeit. xiii. (1855) 31 = *cinerea*.  
*drupacea*, Bunge, in Arb. Naturf. Ver. Riga, i. (1847) 221.—Persia; Turkest.  
*Eckloniana*, Otto, ex Harv. & Sond. Fl. Cap. ii. 153 = *striata*.  
*Ecklonis*, Hort. Viadr. ex Walp. in Linnaea, xiii. (1839) 515 = *striata*.  
*eglandulosa*, Ell. Sketch, ii. 198 = *melilotoides*.  
*elata*, Salisb. Prod. 332 = *bituminosa*.  
*elliptica*, Pursh, Fl. Am. Sept. ii. 741 = *lanceolata*.  
*emphysodes*, Jacq. Coll. iv. 144 = *Dalea phymatodes*.  
*enneaphylla*, Bert. ex Steud. Nom. ed. II. ii. 407 = *Dalea domingensis*.  
*enneaphylla*, Linn. Sp. Pl. ed. II. 1076 = *Dalea enneaphylla*.  
*eriantha*, Benth. in Mitch. Journ. Trop. Austral. 131.—Austral.  
*esculenta*, Pursh, Fl. Am. Sept. ii. 475. t. 22.—Am. bor.  
*exigua*, Eckl. & Zeyh. Enum. 232 = *obtusifolia*.  
*fascicularis*, DC. Prod. ii. 217.—Afr. austr.  
*fasciculata*, Steud. Nom. ed. II. ii. 75, in syn., sphalm. = *praece*.  
*filifolia*, Eckl. & Zeyh. Enum. 226 = *aphylla*.  
*filiformis*, Poir. Encyc. v. 682.—Afr. austr.  
*floribunda*, Nutt. ex Torr. & Gray, Fl. N. Am. i. 300 = *tenuiflora*.



## PSORALEA :—

*floridana*, Shuttlew. ex A. Gray, Pl. Wright, i. 45 = P. Lupinellus.  
*foetida*, Presl, Delic. Prag. 52.—Sicilia.  
*foliolosa*, Ait. Hort. Kew. ed. I. iii. 82 = *Dalea citriodora*.  
*foliosa*, Oliver, in Journ. Linn. Soc. xxi. (1885) 399.—Afr. trop.  
*frutescens*, Poir. Encyc. v. 684 = *bituminosa*, pubescens.  
*fruticosa*, Kellogg, in Proc. Calif. Acad. vii. (1877) 91 = *bracteata*.  
*Gaudichaudiana*, Decne. in Nouv. Ann. Mus. Par. iii. (1834) 467.—Ins. Timor.  
*glabra*, E. Mey. Comm. Pl. Afr. Austr. 83 = *pinnata*.  
*glandulosa*, Linn. Sp. Pl. ed. II. 1075.—Chili.  
*glaucescens*, Eckl. & Zeyh. Enum. 227 = *oligophylla*.  
*glaucina*, Harv. in Harv. & Sond. Fl. Cap. ii. 147.—Afr. austr.  
*gracilis*, Chapm. ex Torr. & Gray, Fl. N. Am. i. 303 = *melilotoides*.  
*Gueinzii*, Harv. in Harv. & Sond. Fl. Cap. ii. 145.—Afr. austr.  
*Gunnii*, Hook. f. Fl. Tasm. i. 99 = *adscendens*, hamata, Harv. in Harv. & Sond. Fl. Cap. ii. 152.—Afr. austr.  
*Harveyana*, Meissn. in Hook. Lond. Journ. Bot. ii. (1843) 82.—Afr. austr.  
*herbacea*, Sieber, ex DC. Prod. ii. 168 = *Lotononis umbellata*.  
*Higuera*, Griseb. in Goett. Abh. xxiv. (1879) 99.—Reg. Argent.  
*Higuerilla*, Gill. ex Hook. Bot. Misc. iii. (1833) 181.—Reg. Argent.  
*bilaris*, Eckl. & Zeyh. Enum. 230.—Afr. austr.  
*hirta*, Linn. Pl. Afr. Rar. 15; Amoen. Acad. vi. 93.—Afr. austr.  
*hirta*, Thunb. Prod. Pl. Cap. 136 = *candicans*.  
*hirta*, Willd. ex Walp. in Linnaea, xiii. (1839) 515 = *striata*.  
*humilis*, Mill. Gard. Dict. ed. VIII. n. 7.—Mexic.  
*hypogaea*, Nutt. in Torr. & Gray, Fl. N. Am. i. 302.—Am. bor.  
*incana*, Nutt. in Fras. Cat. (1813); ex ej. Gen. Am. ii. 102 = *argophylla*.  
*intermedia*, Bess. Cat. Hort. Crem. 111 = *angustifolia*.  
*involucrata*, Thunb. Prod. Pl. Cap. 136.—Afr. austr.  
*Jacquiniiana*, Eckl. & Zeyh. Enum. 226 = *aphylla*.  
*Jacquiniiana*, Sweet, Hort. Brit. ed. II. 138 = *hirta*.  
*Jamesii*, Torr. in Ann. Lyc. N. York, ii. (1828) 175 = *Dalea Jamesii*.  
*Jaubertiana*, Fenzl, in Flora, xxvi. (1843) 392.—Syria.  
*Kraussiana*, Meissn. in Hook. Lond. Journ. Bot. ii. (1843) 81.—Afr. austr.  
*Krebsii*, Vog. ex Walp. in Linnaea, xiii. (1839) 512 = *pinnata*.  
*lachnostachys*, F. Muell. Fragm. iii. 105.—Austral.  
*laevigata*, Eckl. & Zeyh. Enum. 224 = *pinnata*.  
*laevigata*, Linn. f. Suppl. 339 = *odoratissima*?  
*Lagopus*, Cav. Ic. i. 59 = *Dalea Lagopus*.  
*lanceolata*, Pursh, Fl. Am. Sept. ii. 475.—Am. bor.  
*lasioctachys*, Vog. in Nov. Act. Nat. Cur. xix. Suppl. i. (1843) 13.—Peruv.  
*lateralis*, Salisb. Prod. 332 = *dentata*.  
*lathyrifolia*, Balb. in Mém. Acad. Turin, x. I. (1810) 360. t. 8.—Hab.?  
*latifolia*, Torr. in Ann. Lyc. N. York, ii. (1828) 176 = P. Onobrychis.  
*laxiflora*, Nutt. in Torr. & Gray, Fl. N. Am. i. 299 = *lanceolata*.  
*laxiflora*, Poir. Encyc. Suppl. iv. 590 = *Dalea laxiflora*.  
*Leichhardtii*, F. Muell. Fragm. iv. 22 = *Indigofera glandulosa*.  
*leporina*, Ait. Hort. Kew. ed. I. iii. 81 = *Dalea Lagopus*.  
*leucantha*, F. Muell. in Trans. Phil. Inst. Vict. iii. (1859) 54.—Austral.  
*linearifolia*, Torr. & Gray, Fl. N. Am. i. 300.—Am. bor.  
*linearis*, Burm. f. Fl. Cap. Prod. 22 (Quid?).—Afr. austr.  
*linearis*, Thunb. Prod. Pl. Cap. 135 = *axillaris*.  
*longifolia*, Pursh, Fl. Am. Sept. ii. 741 = *Astragalus pictus*, A. Gray.  
*Lupinellus*, Michx. Fl. Bor. Am. ii. 58.—Am. bor.  
*lutea*, Cav. Ic. iv. 12 = *Dalea lutea*.

## PSORALEA :—

*lutea*, Molina, Sagg. Chile, 163 = *glandulosa*.  
*macradenia*, Harv. in Harv. & Sond. Fl. Cap. ii. 148.—Afr. austr.  
*macrorhiza*, Fras. Cat. (1813); ex Pursh, Fl. Am. Sept. ii. 741 = *cuspidata*.  
*macrostachya*, DC. Prod. ii. 220.—Calif.  
*marginata*, Meyen, Reise, i. 436.—Peruv.  
*Martini*, F. Muell. Fragm. v. 11.—Austral.  
*melanocarpa*, Benth. ex Hemsl. Biol. Centr. Am. Bot. i. 234.—Mexic.  
*melilotoides*, Michx. Fl. Bor. Am. ii. 58.—Am. bor.  
*Melilotus*, Pers. Syn. ii. 347 = *melilotoides*.  
*mephitica*, S. Wats. in Am. Natural. xii. (1878) 601; et in Proc. Am. Acad. xiv. (1879) 291.—Calif.  
*micrantha*, A. Gray, in Pacif. Rail. Rep. iv. 77.—Am. bor. occ.  
*microcephala*, Reichb. ex Kunze, in Linnaea, xx. (1847) 62.—Hab.?  
*mucronata*, Thunb. Prod. Pl. Cap. 35 = *aculeata*.  
*multicaulis*, Jacq. Hort. Schoenb. ii. 55. t. 230 = *capitata*.  
*multifoliolata*, Clos, in C. Gay, Fl. Chil. ii. 87 = *Dalea multifoliolata*.  
*multijuga*, Ell. Sketch, ii. 198.—Am. bor.  
*Mundiana*, Eckl. & Zeyh. Enum. 228.—Afr. austr.  
*mutabilis*, Cav. Ic. iv. 65 = *Dalea mutabilis*.  
*Mutisii*, Kunth, Mim. 191. t. 54.—N. Granat.  
*nutans*, Cav. Ic. iii. 1 = *Dalea nutans*.  
*obliqua*, E. Mey. in Linnaea, vii. (1832) 164.—Afr. austr.  
*obovata*, Roxb. Hort. Beng. 99; Fl. Ind. iii. 388 = *plicata*.  
*obtusifolia*, DC. Prod. ii. 221.—Afr. austr.  
*obtusiloba*, Torr. & Gray, Fl. N. Am. i. 300 = *tenuiflora*.  
*odoratissima*, Jacq. Hort. Schoenb. ii. 54. t. 229.—Afr. austr.  
*oligophylla*, Eckl. & Zeyh. Enum. 227.—Afr. austr.  
*Onobrychis*, Nutt. Gen. Am. ii. 104.—Am. bor.  
*ononides*, Burm. f. Fl. Cap. Prod. 22.—Afr. austr.  
*ononoides*, Poir. Encyc. v. 688 = *decumbens*.  
*orbicularis*, Lindl. Bot. Reg. t. 1971.—Calif.  
*palaestina*, Gouan, Illustr. 51; Murr. Syst. ed. XIII. 570 = *bituminosa*.  
*palmata*, Buckl. in Proc. Acad. Sc. Philad. 1861 (1862) 451 = *cyphocalyx*.  
*parva*, F. Muell. in Trans. Phil. Soc. Vict. i. (1855) 40 = *adscendens*.  
*parviflora*, E. Mey. Comm. Pl. Afr. Austr. i. 86 = *bracteata*.  
*parviflora*, Poir. Encyc. Suppl. iv. 590 = *Astragalus gracilis*.  
*parviflora*, Tausch, in Flora, xix. (1836) 420 = *Tauschiana*.  
*patens*, Lindl. in Mitch. Three Exped. ii. 9.—Austral.  
*pedunculata*, [Ker.-Gawl.] in Bot. Reg. t. 223 = *tomentosa*.  
*pedunculata*, Poir. Encyc. Suppl. iv. 590 = *Dalea alopecuroides*.  
*pentaphylla*, Linn. Sp. Pl. 764.—Mexic.  
*phymatodes*, Jacq. Ic. Pl. Rar. iii. t. 563 = *Dalea phymatodes*.  
*physodes*, Hook. Fl. Bor. Am. i. 136.—Am. bor. occ.  
*pinnata*, Andr. Bot. Rep. t. 474 = *odoratissima*.  
*pinnata*, Linn. Sp. Pl. 762.—Afr. austr.  
*pinnata*, Sieber, ex Walp. in Linnaea, xiii. (1839) 512 = *filiformis*.  
*plicaeifolia*, Eckl. & Zeyh. Enum. 231 = *obtusifolia*.  
*plicata*, Delile, Fl. Egypte, 252. t. 37. f. 3.—Afr. trop.; Arab.; Ind. or.  
*plumosa*, F. Muell. Fragm. iv. 22.—Austral.  
*plumosa*, Reichb. Fl. Germ. Excurs. 869 = *bituminosa*.  
*polyphylla*, Eckl. & Zeyh. Enum. 227.—Afr. austr.  
*polystachya*, Poir. Encyc. Suppl. iv. 587 = *dentata*.  
*polysticta*, Benth. ex Harv. & Sond. Fl. Cap. ii. 150.—Afr. austr.  
*procumbens*, Mill. Gard. Dict. ed. VIII. n. 3 (Quid?).—Ind. or.  
*prostrata*, Linn. Pl. Afr. Rar. 15; Amoen. Acad. vi. 93 = *Rhynchosia ferulaefolia*.  
*pubescens*, Balb. ex Pers. Syn. ii. 347.—Mexic.?  
*pubescens*, Poir. Encyc. v. 686.—Peruv.  
*punctata*, Desv. in Ann. Sc. Nat. Sér. I. ix. (1826) 411 = *Poiretia punctata*.  
*purpurea*, Poir. Encyc. v. 694 = *Petalostemon violaceus*.

## PSORALEA :—

*pustulata*, F. Muell. in Trans. Phil. Inst. Vict. iii. (1859) 54.—Austral.  
*racemosa*, E. Mey. Comm. Pl. Afr. Austr. 87 = *hamata*.  
*racemosa*, Thunb. Prod. Pl. Cap. 135.—Afr. austr.  
*reclinata*, Cav. Ic. i. 60 = *Dalea reclinata*.  
*repens*, Berg. Desc. Pl. Cap. 223; Linn. Mant. ii. 265.—Afr. austr.  
*restioides*, Eckl. & Zeyh. Enum. 226.—Afr. austr.  
*rhombifolia*, Torr. & Gray, Fl. N. Am. i. 303.—Texas.  
*Roemeriana*, Scheele, in Linnaea, xxi. (1848) 463 = *cuspidata*.  
*rotundifolia*, Linn. f. Suppl. 338.—Afr. austr.  
*rubescens*, Lour. Fl. Cochinch. 444.—Cochinch.  
*rupicola*, Eckl. & Zeyh. Enum. 230 = *striata*.  
*scabra*, Nutt. in Torr. & Gray, Fl. N. Am. i. 300 = *lanceolata*.  
*scandens*, Mill. Gard. Dict. ed. VIII. n. 4.—Guatemala.  
*Schultzii*, F. Muell. Fragm. ix. 155.—Austral.  
*scutellata*, Lour. Fl. Cochinch. 443.—Cochinch.  
*sericea*, Poir. Encyc. v. 687 = *tomentosa*.  
*sibirica*, Poir. Encyc. Suppl. iv. 587.—Sibir.  
*simplex*, Nutt. ex Torr. & Gray, Fl. N. Am. i. 303.—Am. bor.  
*simplicifolia*, Baldw. ex Torr. & Gray, l. c. = *virgata*.  
*sinuata*, Sieber, ex Walp. in Linnaea, xiii. (1839) 512 = *filiformis*.  
*spathulata*, E. Mey. Comm. Pl. Afr. Austr. 85.—Afr. austr.  
*speciosa*, Eckl. & Zeyh. Enum. 224 = *pinnata*.  
*spicata*, Hort. ex Tausch, in Flora, xix. (1836) 421 = *Tauschiana*.  
*spicata*, Linn. Mant. ii. 264.—Afr. austr.  
*spicata*, Willd. ex Walp. in Linnaea, xiii. (1839) 514 = *bracteata*.  
*Stachydis*, Linn. f. Suppl. 338.—Afr. austr.  
*Stachydis*, Willd. ex Walp. in Linnaea, xiii. (1839) 515 = *Indigofera cytisoides*.  
*stachyera*, Eckl. & Zeyh. Enum. 230 = *bracteata*.  
*Stachyos*, Eckl. & Zeyh. l. c. 231 = *hirta*.  
*Stachyos*, Thunb. Fl. Cap. ed. Schult. 608 = P. *Stachydis*.  
*stipulacea*, Decne. in Nouv. Ann. Mus. Par. iii. (1834) 466.—Ins. Timor.  
*stipulata*, Torr. & Gray, Fl. N. Am. i. 688.—Am. bor.  
*striata*, Thunb. Prod. Pl. Cap. 136.—Afr. austr.  
*striata*, Willd. ex Walp. in Linnaea, xiii. (1839) 515 = *racemosa*.  
*strobilina*, Hook. & Arn. Bot. Beech. Voy. 332.—Calif.  
*subcaulis*, Torr. & Gray, Fl. N. Am. i. 302.—Am. bor.  
*tamborensis*, Miq. Fl. Ind. Bat. i. 1. 318.—Ins. Sunda.  
*taurica*, Ledeb. ex Nym. Consp. 188 = *bituminosa*.  
*Tauschiana*, Steud. Nom. ed. II. ii. 408.—Afr. austr.  
*tenax*, Lindl. in Mitch. Three Exped. ii. 10.—Austral.  
*tenuiflora*, Pursh, Fl. Am. Sept. ii. 475.—Am. bor.  
*tenuifolia*, Eckl. & Zeyh. Enum. 225 = *pinnata*.  
*tenuifolia*, Linn. Sp. Pl. 763.—Afr. austr.  
*tenuifolia*, Thunb. Prod. Pl. Cap. 135 = *fascicularis*.  
*tenuifolia*, Willd. ex Walp. in Linnaea, xiii. (1839) 513 = *angustifolia*.  
*tenuissima*, E. Mey. Comm. Pl. Afr. Austr. 84.—Afr. austr.  
*Testariae*, F. Muell. Fragm. v. 45.—Austral.  
*tetragonoloba*, Linn. Mant. i. 104 = *Cyamopsis psoraloides*.  
*tetraphylla*, Poir. Encyc. Suppl. iv. 589 = *Poiretia psoraloides*.  
*Thomii*, Harv. in Harv. & Sond. Fl. Cap. ii. 155.—Afr. austr.  
*Thunbergiana*, Eckl. & Zeyh. Enum. 225 = *fascicularis*.  
*tomentosa*, Cav. Ic. iii. 21 = *Dalea verbenacea*.  
*tomentosa*, Thunb. Prod. Pl. Cap. 135.—Afr. austr.  
*triantha*, E. Mey. Comm. Pl. Afr. Austr. 88.—Afr. austr.  
*triflora*, DC. Prod. ii. 217 = *axillaris*.  
*triflora*, Poir. Encyc. v. 683 = *triantha*.  
*triflora*, Thunb. Prod. Pl. Cap. 135 = *angustifolia*.  
*tuberculata*, Steud. Nom. ed. II. ii. 408, sphalm. = *Parosela tuberculata*.  
*uncinata*, Eckl. & Zeyh. Enum. 231.—Afr. austr.  
*velutina*, E. Mey. Comm. Pl. Afr. Austr. 89.—Afr. austr.



**PSORALEA** :—

venusta, *Eckl. & Zeyh. Enum.* 231.—Afr. austr.  
*verrucosa*, Willd. *Sp. Pl.* iii. 1343 = *angustifolia*.  
*violacea*, DC. *Prod.* ii. 243, in syn. = *Petalostemon violaceus*.  
*virgata*, *Nutt. Gen. Am.* ii. 104.—Am. bor.  
*Weddelliana*, *Baill. Adansonia*, ix. (1870) 292.—Bras.  
*Zeyheri*, *Harv. Thes. Cap.* i. 51. t. 80.—Afr. austr.

**PSOROPHYTUM**, Spach, in *Ann. Sc. Nat. Sér. II.* v. (1836) 360 = **Hypericum**, Linn.  
*undulatum*, Spach, l. c. = *H. balearicum*.

**PSOROSPERMUM**, Spach, in *Ann. Sc. Nat. Sér. II.* v. (1836) 157. **HYPERICINEAE**, Benth. & Hook. f. i. 167.

*Azelii*, *Turcz. in Bull. Soc. Nat. Mosc.* xxxvi. (1863) 1. 579.—Afr. trop.  
*alternifolium*, *Hook. f. in Hook. Niger Fl.* 243.—Afr. trop.  
*androsaemifolium*, *Baker, in Journ. Bot.* xx. (1882) 19.—Madag.  
*axillare*, *Benth. & Hook. f. Gen.* i. 167, in nota sub *Haronga*.—Madag.  
*brachypodium*, *Baker, in Journ. Linn. Soc.* xx. (1883) 93.—Madag.  
*cerasifolium*, *Baker, l. c.* xxi. (1884) 324.—Madag.  
*chionanthifolium*, *Spach, in Ann. Sc. Nat. Sér. II.* v. (1836) 161.—Madag.  
*citrifolium*, *Spach, l. c.* 159.—Madag.  
*cordiaefolium*, *Spach, l. c.* 162.—Madag.  
*cornifolium*, *Spach, l. c.* 161.—Madag.  
*cuspidatum*, *Spach, l. c.* 162.—Madag.  
*discolor*, *Baker, in Journ. Linn. Soc.* xxi. (1884) 323.—Madag.  
*discolor*, *Spach, in Ann. Sc. Nat. Sér. II.* v. (1836) 160.—Madag.  
*Fanerana*, *Baker, in Journ. Bot.* xx. (1882) 19.—Madag.  
*febrifugum*, *Spach, in Ann. Sc. Nat. Sér. II.* v. (1836) 163.—Afr. trop.  
*ferrovestitum*, *Baker, in Journ. Linn. Soc.* xx. (1883) 93.—Madag.  
*ferrugineum*, *Hook. f. in Hook. Niger Fl.* 241 = *febrifugum*.  
*Forbesii*, *Baker, in Journ. Linn. Soc.* xx. (1883) 94.—Madag.  
*lebnense*, *Turcz. in Bull. Soc. Nat. Mosc.* xxxvi. (1863) 1. 578 = *Haronga madagascariensis*.  
*leptophyllum*, *Baker, in Journ. Linn. Soc.* xxi. (1884) 323.—Madag.  
*microcarpum*, *Baker, l. c.* xx. (1883) 95.—Madag.  
*niloticum*, *Kotschy, in Schweinf. Beitr. Fl. Aethiop.* 285.—Afr. trop.  
*pauciflorum*, *Baker, in Journ. Linn. Soc.* xx. (1883) 94.—Madag.  
*senegalense*, *Spach, in Ann. Sc. Nat. Sér. II.* v. (1836) 164.—Afr. trop.  
*tenuifolium*, *Hook. f. in Hook. Ic. Pl.* t. 771.—Afr. trop.  
*tenuifolium*, *Kotschy, in Oestr. Bot. Zeitschr.* xiv. (1864) 338 = *niloticum*.  
*trichophyllum*, *Baker, in Journ. Linn. Soc.* xxi. (1884) 323.—Madag.  
*venulosum*, *Baker, l. c.* xx. (1883) 93.—Madag.

**PSYCHANTHUS**, Spach, *Hist. Vég. Phan.* vii. 130 (1839) = **Polygala**, Tourn.

*bracteolatus*, *Spach, l. c.* 140 = *Polyg. bracteolata*, Linn.  
*grandiflorus*, *Spach, l. c.* 135 = *Polyg. myrtifolia*.  
*myrtifolius*, *Spach, l. c.* 137 = *Polyg. myrtifolia*.  
*oppositifolius*, *Spach, l. c.* 133 = *Polyg. oppositifolia*.  
*speciosus*, *Spach, l. c.* 138 = *Polyg. virgata*.

**PSYCHECHILUS**, Breda, *Orch. Kuhl. et Hass.* (1827) [t. 9] = **Zeuxine**, Lindl. (Orchid.).

*gracilis*, Breda, l. c. = *Z. gracilis*.  
*purpurascens*, Blume, *Orch. Arch. Ind.* 105. t. 9. f. 3 = *Hetaeria purpurascens*.  
*violaceus*, *Hass. ex Blume, l. c.* 105 = *Hetaeria purpurascens*.

**PSYCHILIS**, Rafin. *Fl. Tellur.* iv. 40 (1836) = **Epidendrum**, Linn. (Orchid.).  
*amena*, Rafin. l. c. = *E. bifidum*, Aubl.

**PSYCHINE**, Desf. *Fl. Atlant.* ii. 68. t. 148 (1800).

*CRUCIFERAE*, Benth. & Hook. f. i. 89.  
*arabica*, Spreng. *Syst.* ii. 880 = *Schouwia arabica*.  
*numidica*, Spreng. l. c. = *stylosa*.  
*stylosa*, Desf. *Fl. Atlant.* ii. 69. t. 148.—Afr. bor.

**PSYCHOPSIS**, Rafin. *Fl. Tellur.* iv. 40 (1836) = **Oncidium**, Sw. (Orchid.).  
*picta*, Rafin. l. c. = *O. Papilio*.

**PSYCHOSPERMA**, Dum. *Anal. Fam.* 56 (1829) = **Ptychosperma**, Labill. (Palm.).

**PSYCHOTHRIA**, Linn. *Amoen. Acad.* v. 395 (1760) = seq.

**PSYCHOTRIA**, Linn. *Syst. ed. X.* 929 (1759). **RUBIACEAE**, Benth. & Hook. f. ii. 123.

*GALVANIA*, Vand. *Fl. Lusit.* 15. t. 1. f. 7 (1788).  
*GRUMILEA*, Gaertn. *Fruct.* i. 138. t. 28. f. 2 (1788).  
*GRUNDLEA*, Steud. *Nom. ed. II.* i. 708 (1840).  
*HYLACIUM*, Beauv. *Fl. Owar.* ii. 83. t. 113 (1807).  
*IPECACUANHA*, Arruda. *Diss.* 44 (1810).  
*MAPOURIA*, Aubl. *Pl. Gui.* i. 175. t. 67 (1775).  
*MYRSTIPHYLLUM*, P. Br. *Hist. Jamaic.* 152 (1756).  
*PATABEA*, Aubl. *Pl. Gui.* i. 110. t. 43 (1775).  
*PLEUREIA*, Rafin. *Sylva Tellur.* 147 (1838).  
*POLYOZUS*, Blume, *Bijdr.* 947 (1826).  
*PSYCHOTROPHUM*, P. Br. *Hist. Jamaic.* 160. t. 13. f. 1, 2 (1756).  
*RONABEA*, Aubl. *Pl. Gui.* i. 154. t. 59 (1775).  
*SIMIRA*, Aubl. l. c. 170. t. 65 (1775).  
*STREBLOSA*, Korth. in *Nederl. Kruidk. Arch.* ii. II. (1851) 245.  
*STREMPERIA*, A. Rich. in *Mém. Soc. Hist. Nat. Par.* v. (1830) 180. t. 18. f. 3.  
*SULCANUX*, Rafin. *Sylva Tellur.* 148 (1838).  
*VISCOIDES*, Jacq. *Select. Am.* 73. t. 51 (1763).  
*ZWAARDEKRONIA*, Korth. in *Nederl. Kruidk. Arch.* ii. II. (1851) 252.  
*abrupta*, *Hiern, in Oliver, Fl. Trop. Afr.* iii. 205.—Afr. trop.  
*acuminata*, *Benth. Bot. Voy. Sulph.* 107.—N. Granat.  
*acutiflora*, *DC. Prod.* iv. 506.—Am. austr.  
*adenophylla*, *Wall. in Roxb. Fl. Ind. ed. Carey*, ii. 166.—Ind. or.; Burma.  
*aeneofusca*, *Muell. Arg. in Mart. Fl. Bras.* vi. v. 253.—Bras.  
*affinis*, *Baker, Fl. Maurit.* 155.—Ins. Seychelles.  
*Azelii*, *Hiern, in Oliver, Fl. Trop. Afr.* iii. 205.—Afr. trop.  
*agnata*, *DC. Prod.* iv. 505.—Ins. S. Doming.  
*alba*, *Ruiz & Pav. Fl. Per.* ii. 58. t. 205. f. a.—Am. austr.  
*alpina*, *Poir. Encyc.* v. 702 = *Palicourea eriantha*.  
*alpina*, Sw. *Prod. Veg. Ind. Occ.* 44 = *Palicourea alpina*.  
*amazonica*, *Muell. Arg. in Mart. Fl. Bras.* vi. v. 225.—Bras.  
*ambigua*, *Wight & Arn. Prod.* 433 = *Chasalia curviflora*.  
*amethystina*, *Ruiz & Pav. Fl. Per.* ii. 57 = *Palicourea amethystina*.  
*ampla*, *Muell. Arg. in Mart. Fl. Bras.* vi. v. 462.—Bras.  
*ampla*, *Wall. Cat. n.* 8333 (= *Pavettia* sp.).—Ind. or.  
*amplectens*, *Benth. in Hook. Journ. Bot.* iii. (1841) 230.—Bras.  
*amplifolia*, *Hort. ex Steud. Nom. ed. I.* 664 = *Geophila violacea*.  
*anacardifolia*, *Humb. & Bonpl. ex Roem. & Schult. Syst.* v. 190 = *Palicourea macrocarpa*.  
*anamallayana*, *Bedd. Ic. Pl. Ind. Or.* 57. t. 235.—Ind. or.  
*anceps*, *H. B. & K. Nov. Gen. et Sp.* iii. 360.—N. Granat.  
*andamanica*, *Kurs, in Journ. Bot.* xiii. (1875) 323.—Ins. Andaman. et Nicob.  
*androsaemifolia*, *Griseb. Fl. Brit. W. Ind.* 341.—Ind. occ.  
*anetoclada*, *Hiern, in Oliver, Fl. Trop. Afr.* iii. 206.—Afr. trop.  
*angulata*, *Korth. in Nederl. Kruidk. Arch.* ii. II. (1851) 243.—Burma; Malaya.  
*angustata*, *Anderss. in Vet. Akad. Handl. Stockh.* 1853 (1855) 193.—Ins. Galapag.  
*angustifolia*, *G. Don, Gen. Syst.* iii. 595 (sp. dub).—Afr. trop.

**PSYCHOTRIA** :—

*angustifolia*, *Poir. Encyc.* v. 703.—Ins. S. Doming.  
*anisocephala*, *Muell. Arg. in Mart. Fl. Bras.* vi. v. 332.—Bras.  
*anisoloba*, *Muell. Arg. l. c.* 237.—Bras.  
*Ansellii*, *Hiern, in Oliver, Fl. Trop. Afr.* iii. 214.—Afr. trop.  
*Antherura*, *Roem. & Schult. Syst.* v. 188 = *Antherura rubra*.  
*apiculata*, *Muell. Arg. in Flora*, lix. (1876) 549.—Bras.  
*apocynifolia*, *A. Gray, in Proc. Am. Acad.* iv. (1860) 47.—Bras.  
*apodantha*, *A. Gray, l. c.* 46.—Ins. Samoa.  
*appendiculata*, *Muell. Arg. in Mart. Fl. Bras.* vi. v. 350.—Bras.  
*arabica*, *Klotzsch, in Sitzb. Acad. Wien, Math. Nat.* iii. Abth. I. (1866) 257.—Arabia.  
*arborescens*, *Hiern, in Oliver, Fl. Trop. Afr.* iii. 202.—Afr. trop.  
*arcuata*, *Benth. in Hook. Journ. Bot.* iii. (1841) 229 = *inundata*.  
*ardisiaefolia*, *H. B. & K. Nov. Gen. et Sp.* iii. 359 = *alba*.  
*arenosa*, *Muell. Arg. in Mart. Fl. Bras.* vi. v. 309.—Bras.  
*argentata*, *Korth. in Nederl. Kruidk. Arch.* ii. II. (1851) 243.—Java.  
*aristata*, *Humb. & Bonpl. ex Roem. & Schult. Syst.* v. 191.—Am. austr.  
*Arnottiana*, *Steud. Nom. ed. II.* ii. 408 = *connata*.  
*Arrabidaea*, *Muell. Arg. in Mart. Fl. Bras.* vi. v. 381.—Bras.  
*asiatica*, *Linn. Syst. ed. X.* 929; *Lam. Illustr.* ii. 243. = *Brownei*.  
*asiatica*, *Poir. Encyc.* v. 696 = *glabrata*.  
*asiatica*, *Wall. in Roxb. Fl. Ind. ed. Carey*, ii. 160 = *calocarpa*.  
*attenuata*, *Humb. & Bonpl. ex Roem. & Schult. Syst.* v. 192.—Am. austr.  
*aurantiaca*, *Muell. Arg. in Mart. Fl. Bras.* vi. v. 244, in obs. = *Palicourea crocea*.  
*aurantiaca*, *Wall. in Roxb. Fl. Ind. ed. Carey*, ii. 165 = *malayana*.  
*Aureola*, *Bartl. ex DC. Prod.* iv. 513.—Mexic.  
*auriculata*, *Wright, ex Griseb. Cat. Pl. Cub.* 136.—Cuba.  
*axillaris*, *Vell. Fl. Flum.* 67; ii. t. 32.—Bras.  
*axillaris*, *Willd. Sp. Pl.* i. 962.—Guian.  
*bahiensis*, *DC. Prod.* iv. 509 = *cuspidata*.  
*bahiensis*, *Muell. Arg. in Mart. Fl. Bras.* vi. v. 338.—Bras.  
*Balbisiiana*, *DC. Prod.* iv. 517.—Jamaic.  
*bantamensis*, *Miq. Fl. Ind. Bat.* ii. 288.—Java.  
*barbata*, *Poir. Encyc.* v. 704.—Ins. Martinic.  
*barbata*, *Span. in Linnaea*, xv. (1841) 319.—Ins. Timor.  
*barbiflora*, *DC. Prod.* iv. 509.—Bras.  
*barcellana*, *Muell. Arg. in Mart. Fl. Bras.* vi. v. 369.—Bras.  
*barraensis*, *Muell. Arg. l. c.* 254.—Bras.  
*Benthamiana*, *Hiern, in Oliver, Fl. Trop. Afr.* iii. 204.—Afr. trop.  
*Berteriana*, *DC. Prod.* iv. 515.—Ind. occ.  
*Beskeana*, *Muell. Arg. in Mart. Fl. Bras.* vi. v. 360.—Bras.  
*Beyrichiana*, *Muell. Arg. in Flora*, lix. (1876) 542, 545.—Bras.  
*bialata*, *Wright, ex Griseb. Cat. Pl. Cub.* 138.—Cuba.  
*biaristata*, *Bartl. ex DC. Prod.* iv. 513.—Mexic.  
*biattenuata*, *Muell. Arg. in Mart. Fl. Bras.* vi. v. 465.—Bras.  
*bicolor*, *Bredem. ex Roem. & Schult. Syst.* v. 191 = *Palicourea crocea*.  
*bicornis*, *Wall. ex Voigt, Hort. Suburb. Calc.* 393. nomen.—Reg. Himal.  
*bidentata*, *Hiern, in Oliver, Fl. Trop. Afr.* iii. 209.—Afr. trop.  
*bifaria*, *Hiern, l. c.* 198.—Afr. trop.  
*bisulcata*, *Wight & Arn. Prod.* 434.—Ind. or.  
*bitermata*, *Muell. Arg. in Mart. Fl. Bras.* vi. v. 366.—Bras.  
*Blanchetiana*, *Muell. Arg. l. c.* 238.—Bras.  
*borjensis*, *H. B. & K. Nov. Gen. et Sp.* iii. 357.—Venezuela.  
*brachiata*, *D. Dietr. Syn. Pl.* i. 770, in syn., *sphalm.*  
*bracteata*, *F. G. Dietr.*



**PSYCHOTRIA:—**

- brachyloba*, Spreng. ex DC. Prod. iv. 516 = *Rudgea caribaea*.  
*brachiata*, Sw. Prod. Veg. Ind. Occ. 45.—Ind. occ.  
*brachyandra*, Muell. Arg. in Mart. Fl. Bras. vi. v. 241.—Bras.  
*brachyantha*, Hiern, in Oliver, Fl. Trop. Afr. iii. 196.—Afr. trop.  
*brachybotrya*, Muell. Arg. in Mart. Fl. Bras. vi. v. 327.—Bras.  
*brachyceras*, Muell. Arg. in Flora, lix. (1876) 544, 546.—Bras.  
*brachygyne*, Muell. Arg. in Mart. Fl. Bras. vi. v. 287.—Bras.  
*brachyloba*, Muell. Arg. l. c. 243.—Bras.  
*brachypodium*, St. Lag. in Ann. Soc. Bot. Lyon, vii. (1880) 132 = *brevipes*.  
*Brackenridgii*, A. Gray, in Proc. Am. Acad. iv. (1860) 44.—Ins. Fiji.  
*bracteata*, DC. Prod. iv. 510.—Guian.  
*bracteata*, D. Dietr. Syn. Pl. i. 765 = *Rudgea caribaea*.  
*bracteata*, F. G. Dietr. Vollst. Lexik. Gaertn. vii. 617 = *Palicourea laxa*.  
*bracteata*, Wight & Arn. Prod. 434 = *valzellii*.  
*bracteocardia*, Muell. Arg. in Mart. Fl. Bras. vi. v. 362.—Bras.  
*bracteolata*, Mart. & Gal. in Bull. Acad. Brux. xi. i. (1844) 228.—Mexic.  
*bracteosa*, Hiern, in Oliver, Fl. Trop. Afr. iii. 207.—Afr. trop.  
*brasiliensis*, Vell. Fl. Flum. 66; ii. t. 29.—Bras.  
*Brassii*, Hiern, in Oliver, Fl. Trop. Afr. iii. 204.—Afr. trop.  
*brevicollis*, Muell. Arg. in Flora, lix. (1876) 548, 552.—Bras.  
*breviflora*, Muell. Arg. in Mart. Fl. Bras. vi. v. 263.—Bras.  
*brevipedunculata*, Muell. Arg. l. c. 258.—Bras.  
*brevipes*, DC. Prod. iv. 511.—Guian.  
*Browerii*, Seem. Fl. Vit. 135.—Ins. Fiji.  
*Brownei*, Spreng. Syst. i. 742.—Ind. occ.  
*brunnea*, Schweinf. ex Hiern, in Oliver, Fl. Trop. Afr. iii. 201.—Afr. trop.  
*bullata*, Seem. Fl. Vit. 137.—Ins. Fiji.  
*Burchelliana*, Muell. Arg. in Mart. Fl. Bras. vi. v. 364.—Bras.  
*byrsophylla*, Spreng. Syst. i. 747 = *rigida*.  
*caerulea*, Ruiz & Pav. Fl. Per. ii. 62 = *Palicourea coerulea*.  
*cajannensis*, Desv. ex Ham. Prod. Fl. Ind. Occ. 29 = *Palicourea pedunculosa*.  
*calocarpa*, Kurz, in Journ. As. Soc. Beng. xli. (1872) ii. 315.—Reg. Himal.; Burma.  
*caloneura*, Muell. Arg. in Mart. Fl. Bras. vi. v. 359.—Bras.  
*calva*, Hiern, in Oliver, Fl. Trop. Afr. iii. 199.—Afr. trop.  
*calycina*, H. B. & K. Nov. Gen. et Sp. iii. 356.—N. Granat.  
*calycosa*, A. Gray, in Proc. Am. Acad. iv. (1860) 45.—Ins. Fiji.  
*campyloneura*, Muell. Arg. in Mart. Fl. Bras. vi. v. 302.—Bras.  
*capensis*, Vathe, in Oestr. Bot. Zeitschr. xxv. (1875) 230.—Afr. austr.  
*capitata*, Ruiz & Pav. Fl. Per. ii. 59. t. 206. f. a.—Peruv.  
*capitata*, Sieber, ex DC. Prod. iv. 531 = *Chasalia capitata*.  
*capitellata*, DC. l. c. 514 = *brachiata*?  
*Carronis*, C. Moore & F. Muell. Fragm. vii. 49.—Austral.  
*carthagenensis*, Jacq. Enum. Pl. Carib. 16.—Am. austr.  
*casiquiaria*, Muell. Arg. in Mart. Fl. Bras. vi. v. 324.—Bras.  
*castellana*, Muell. Arg. l. c. 261.—Bras.  
*catartarum*, Muell. Arg. l. c. 226.—Bras.  
*celastroides*, Griseb. Fl. Brit. W. Ind. 341.—Ind. occ.  
*celebrica*, Miq. Ann. Mus. Bot. Lugd. Bat. iv. 210.—Ins. Celebes.  
*cernua*, Nadeaud, Enum. Pl. Tahiti, 51.—Ins. Tahiti.  
*cernua*, Steud. Nom. ed. II. ii. 408 = *barbiflora*.  
*chaenotricha*, DC. Prod. iv. 509.—Bras.  
*chimarrhoides*, DC. l. c. 514 = *lanceolata*, Nutt.  
*chlorantha*, Benth. in Hook. Journ. Bot. iii. (1841) 225.—Guian.  
*chlorantha*, Buch.-Ham. ex Wall. Cat. n. 8336 B = *denticulata*.

**PSYCHOTRIA:—**

- chlorophylla*, Muell. Arg. in Flora, lix. (1876) 543.—Bras.  
*chlorotica*, Muell. Arg. l. c. 542, 545.—Bras.  
*chontalensis*, Seem. in Bull. Cat. (1870) 5.—Cf. Journ. Bot. xix. (1881) 188 = *pilosa*.  
*chrysorhiza*, Thonn. in Schum. & Thonn. Beskr. Guin. Pl. 111 = *Morinda citrifolia*.  
*ciliolata*, Schlecht. in Linnaea, xxviii. (1856) 519.—Bras.  
*circinata*, Humb. & Bonpl. ex Roem. & Schult. Syst. v. 190 = *Palicourea elliptica*.  
*citrifolia*, Sw. Prod. Veg. Ind. occ. 43 = *Rudgea caribaea*.  
*clavipes*, Muell. Arg. in Mart. Fl. Bras. vi. v. 464.—Bras.  
*closterocarpa*, A. Gray, in Proc. Am. Acad. iv. (1860) 44.—Ins. Samoa.  
*coccinea*, Poit. ex DC. Prod. iv. 529 = *Palicourea coccinea*.  
*coerulea*, Steud. Nom. ed. II. ii. 409 = *caerulea*.  
*collina*, Labill. Sert. Austro-Caled. 47. t. 47 = *Brownei*.  
*colorata*, Muell. Arg. in Mart. Fl. Bras. vi. v. 372.—Bras.  
*comitis*, Muell. Arg. l. c. 247.—Bras.  
*commutata*, DC. Prod. iv. 518.—Am. austr.  
*concolor*, Benth. & Oerst. in Kjoeb. Vidensk. Meddel. (1852) 31.—Nicaragua.  
*conferta*, Benth. Bot. Voy. Sulph. 107.—N. Granat.  
*confertiflora*, Miq. Fl. Ind. Bat. ii. 285 = *Korthalsiana*.  
*congesta*, Hook. f. Fl. Brit. Ind. iii. 162.—Ind. or.  
*congesta*, Spreng. ex DC. Prod. iv. 515.—Jamaic.  
*conjungens*, Muell. Arg. in Mart. Fl. Bras. vi. v. 264.—Bras.  
*connata*, Kurz, For. Fl. Brit. Burm. ii. 10 = *adenophylla*.  
*connata*, Wall. in Roxb. Fl. Ind. ed. Carey, ii. 163.—Ind. or.  
*consanguinea*, Muell. Arg. in Mart. Fl. Bras. vi. v. 252.—Bras.  
*constricta*, Muell. Arg. in Flora, lix. (1876) 544, 546.—Bras.  
*contracta*, Muell. Arg. in Mart. Fl. Bras. vi. v. 330.—Bras.  
*cordata*, A. Gray, in Proc. Am. Acad. iv. (1860) 46.—Ins. Fiji.  
*cordifolia*, F. G. Dietr. Vollst. Lexik. Gaertn. vii. 618 = *Geophila macropoda*.  
*cordifolia*, H. B. & K. Nov. Gen. et Sp. iii. 365.—Bras.  
*coriacea*, Korth. in Nederl. Kruidk. Arch. ii. II. (1851) 242.—Borneo.  
*coriacea*, Poir. Encyc. v. 703.—Am. austr.  
*cornifolia*, H. B. & K. Nov. Gen. et Sp. iii. 362.—Venezuela.  
*cornifolia*, Humb. & Bonpl. ex Roem. & Schult. Syst. v. 191 = *orinocensis*.  
*cornigera*, Benth. in Hook. Journ. Bot. iii. (1841) 227.—Ins. Trinit.; Guian.  
*cornuta*, Hiern, in Oliver, Fl. Trop. Afr. iii. 198.—Afr. trop.  
*coronata*, Griseb. in Mem. Am. Acad. N. S. viii. (1863) 508.—Ind. occ.  
*coronata*, Vell. Fl. Flum. 65; ii. t. 25 = *Rudgea coronata*.  
*corymbifera*, Muell. Arg. in Mart. Fl. Bras. vi. v. 247.—Bras.  
*corymbosa*, Sieber, ex DC. Prod. iv. 523 (non *Rubiacea*).—Hab.?  
*corymbosa*, Sw. Prod. Veg. Ind. Occ. 44.—Ind. occ.  
*costaricensis*, Polak. in Linnaea, xli. (1877) 571.—Costa Rica.  
*costato-venosa*, Schlecht. l. c. xxviii. (1856) 497.—Peruv.  
*costivenia*, Griseb. in Mem. Am. Acad. N. S. viii. (1863) 508.—Cuba.  
*crassa*, Benth. in Hook. Journ. Bot. iii. (1841) 227.—Guian.  
*crassifolia*, Miq. Ann. Mus. Bot. Lugd. Bat. iv. 205.—Borneo.  
*crispa*, Hiern, in Oliver, Fl. Trop. Afr. iii. 212.—Afr. trop.  
*cristata*, Hiern, l. c. 205.—Afr. trop.  
*crocea*, Sw. Prod. Veg. Ind. Occ. 44 = *Palicourea crocea*.  
*croceoides*, Desv. ex Ham. Prod. Pl. Ind. Occ. 29 = *Palicourea croceoides*.  
*cujabensis*, Schlecht. in Linnaea, xxviii. (1856) 507.—Bras.

**PSYCHOTRIA:—**

- cumanensis*, Humb. & Bonpl. ex Roem. & Schult. Syst. v. 191.—Venezuela.  
*cuneifolia*, DC. Prod. iv. 507.—Peruv.  
*curviflora*, Wall. in Roxb. Fl. Ind. ed. Carey, ii. 167 = *Chasalia curviflora*.  
*cuspidata*, Bredem. ex Roem. & Schult. Syst. v. 192.—Venezuela.  
*cuspidella*, Miq. Ann. Mus. Bot. Lugd. Bat. iv. 209.—Sumatra; Borneo.  
*cyanea*, Vell. Fl. Flum. 68; ii. t. 36 = *Faramea salicifolia*.  
*cyanocarpa*, [Seem.].—Cf. Gard. Chron. (1869) 1236.—Nicaragua.  
*cyanococca*, [Seem. in] Floral Mag. (1870) t. 479 = *prae*.  
*cymosa*, Ruiz & Pav. Fl. Per. ii. 59. t. 206. f. b.—Peruv.  
*Dallachiana*, Benth. Fl. Austral. iii. 427.—Austral.  
*Dalzellii*, Hook. f. Fl. Brit. Ind. iii. 163.—Ind. or.  
*daphnoides*, A. Cunn. ex Hook. Bot. Mag. t. 3228.—Austral.  
*dasyophthalma*, Griseb. Fl. Brit. W. Ind. 341.—Jamaic.  
*debilis*, Muell. Arg. in Mart. Fl. Bras. vi. v. 346.—Bras.  
*decidua*, Vell. Fl. Flum. 67; ii. t. 34 = *alba*.  
*decipiens*, Muell. Arg. in Mart. Fl. Bras. vi. v. 241.—Bras.  
*deflexa*, DC. Prod. iv. 510.—Guian.  
*densecostata*, Muell. Arg. in Flora, lix. (1876) 544, 546.—Bras.  
*densevenosa*, Muell. Arg. in Mart. Fl. Bras. vi. v. 283.—Bras.  
*densiflora*, Humb. & Bonpl. ex Roem. & Schult. Syst. v. 189 = *alba*.  
*denticulata*, Wall. in Roxb. Fl. Ind. ed. Carey, ii. 166.—Reg. Himal.; Burma.  
*dichotoma*, Humb. & Bonpl. ex Roem. & Schult. Syst. v. 190.—Am. austr.  
*diervilloides*, H. B. & K. Nov. Gen. et Sp. iii. 358.—Am. austr.  
*diplosphaerica*, Muell. Arg. in Mart. Fl. Bras. vi. v. 465.—Bras.  
*divaricata*, Blume, Cat. Gew. Buitenz. 53 = *divergens*, Blume.  
*divaricata*, H. B. & K. Nov. Gen. et Sp. iii. 362.—Ecuador.  
*divaricata*, Humb. & Bonpl. ex Roem. & Schult. Syst. v. 191 = *glaucescens*.  
*divergens*, Blume, Bijdr. 959.—Java.  
*divergens*, Kurz, For. Fl. Brit. Burm. ii. 13 (= *sulcata*?)—Burma.  
*diversicolor*, Muell. Arg. in Mart. Fl. Bras. vi. v. 252.—Bras.  
*Dodda-Forrane*, Schlecht. ex Hook. f. Fl. Brit. Ind. iii. 171 = *bisulcata*.  
*domingensis*, Jacq. Enum. Pl. Carib. 16 = *Palicourea domingensis*.  
*Doniana*, Benth. in Hook. Niger Fl. 419.—Afr. trop.  
*dura*, Sw. ex. Griseb. Fl. Brit. W. Ind. 340.—Jamaic.  
*Eckloniana*, F. Muell. Extra-trop. Pl. Ind. ed. [III.] (1880) 264.—Afr. austr.  
*egensis*, Muell. Arg. in Flora, lix. (1876) 542, 545.—Bras.  
*elliptica*, Humb. & Bonpl. ex Roem. & Schult. Syst. v. 189 = *commutata*.  
*elliptica*, Ker-Gawl. in Bot. Reg. t. 607.—Bras.  
*elongata*, Bedd. Fl. Sylv. Anal. Gen. t. 17 = *congesta*, Hook. f.  
*elongata*, Benth. ex Oerst. in Kjoeb. Vidensk. Meddel. (1852) 32.—Nicaragua.  
*elongata*, Hook. f. Fl. Brit. Ind. iii. 163.—Ind. or.  
*emetica*, Linn. f. Suppl. 144.—N. Granat.  
*emetica*, Vell. Fl. Flum. 64; ii. t. 22 = *P. Ipecacuanha*.  
*erratica*, Hook. f. Fl. Brit. Ind. iii. 168.—Reg. Himal.  
*erythrocarpa*, Schlecht. in Linnaea, ix. (1834) 595.—Mexic.  
*erythrophylla*, Muell. Arg. in Flora, lix. (1876) 542, 546.—Bras.  
*estrellana*, Muell. Arg. in Mart. Fl. Bras. vi. v. 382.—Bras.  
*euneura*, Miq. Fl. Ind. Bat. ii. 284.—Java.  
*evenia*, Wright, ex Griseb. Cat. Pl. Cub. 136.—Cuba.  
*exannulata*, Muell. Arg. in Mart. Fl. Bras. vi. v. 257.—Bras.  
*excelsa*, H. B. & K. Nov. Gen. et Sp. iii. 355.—Mexic.



## PSYCHOTRIA:—

- expansa*, Blume, *Bijdr.* 963 = *malayana*.  
*exserta*, DC. *Prod.* iv. 517.—Ins. S. Doming.  
*extensa*, *Miq. Fl. Ind. Bat.* ii. 288.—Java.  
*extratropica*, *Muell. Arg. in Flora*, lix. (1876) 544.—  
 Bras.  
*fastigiata*, Spreng. *Syst.* i. 742 = *Palicourea fastigiata*.  
*febrifuga*, *Poepp. & Endl. Nov. Gen. et Sp.* iii. 32. t. 238.—Bras.  
*ferruginea*, *Baker, Fl. Mauriti.* 156.—Ins. Seychelles.  
*fetens*, DC. *Prod.* iv. 516, sphalm. = *foetens*.  
*ficigemma*, DC. l. c. 510.—Guian.  
*filipes*, *A. Gray, in Proc. Am. Acad.* iv. (1860) 46.—  
 Ins. Fiji.  
*filipes*, *Hook. f. Fl. Brit. Ind.* iii. 170.—Zeylan.  
*fimbriata*, Benth. in *Hook. Journ. Bot.* iii. (1841) 226  
 = *Rudgea micrantha*.  
*fissistipula*, *Muell. Arg. in Flora*, lix. (1876) 547, 551.  
 —Bras.  
*Fitzalani*, Benth. *Fl. Austral.* iii. 428.—Austral.  
*flavescens*, Spreng. *Syst.* i. 744 = *Palicourea flavescens*.  
*flavicans*, *Muell. Arg. in Mart. Fl. Bras.* vi. v. 339.  
 —Bras.  
*flexuosa*, *Willd. Sp. Pl.* i. 966.—Guian.; Bras.  
*floribunda*, *H. B. & K. Nov. Gen. et Sp.* iii. 359.—  
 Am. austr.  
*fluminensis*, *Vell. Fl. Flum.* 66; ii. t. 30.—Bras.  
*Fockeana*, *Miq. in Linnaea*, xviii. (1844) 296.—  
 Guian.  
*foetens*, Sw. *Prod. Veg. Ind. Occ.* 43 = *Brownei*,  
*foetida*.  
*foetida*, *Griseb. Fl. Brit. W. Ind.* 342.—Ind. occ.  
*foliosa*, *Hiern, in Oliver, Fl. Trop. Afr.* iii. 197.—  
 Afr. trop.  
*formosa*, *Cham. & Schlecht. in Linnaea*, iv. (1829) 24.  
 —Bras.  
*Forsteriana*, *A. Gray, in Proc. Am. Acad.* iv. (1860)  
 44.—Ins. Pacif.  
*forsterioides*, *Muell. Arg. in Flora*, lix. (1876) 550,  
 553.—Bras.  
*foveolata*, *Ruiz & Pav. Fl. Per.* ii. 59. t. 207. f. b.—  
 Peruv.  
*foveolata*, Spreng. *Syst.* i. 746 = *Coffea foveolata*.  
*Franquevilleana*, *Muell. Arg. in Mart. Fl. Bras.* vi. v.  
 325.—Bras.  
*fraterna*, *Muell. Arg. l. c.* 251.—Bras.  
*fulgens*, *Muell. Arg. l. c.* 257.—Bras.  
*fulva*, *Buch-Ham. ex Wall. Cat. n.* 8336.—Reg.  
 Himal.  
*fulva*, *Wall. l. c. n.* 8336. C = *silhetensis*.  
*furcata*, DC. *Prod.* iv. 512.—Panama.  
*furcellata*, *Vatke, in Bremen, Abh.* ix. (1885) 118.—  
 Madag.  
*gabonica*, *Hiern, in Oliver, Fl. Trop. Afr.* iii. 201.—  
 Afr. trop.  
*gabrielis*, *Muell. Arg. in Mart. Fl. Bras.* vi. v. 335.—  
 Bras.  
*gandarussaefolia*, DC. *Prod.* iv. 521, sphalm. = *genda-*  
*russaefolia*.  
*Gardneri*, *Hook. f. Fl. Brit. Ind.* iii. 161.—Zeylan.  
*Gardneriana*, *Muell. Arg. in Mart. Fl. Bras.* vi. v.  
 379.—Bras.  
*gendarussaefolia*, *Blume, Bijdr.* 960.—Java.  
*glabrata*, *Bartl. ex DC. Prod.* iv. 507 = *cuneifolia*.  
*glabrata*, *Sieber, ex DC. l. c.* 514 = *tenuifolia*.  
*glabrata*, Sw. *Prod. Veg. Ind. Occ.* 43.—Jamaic.  
*glabrescens*, *Muell. Arg. in Mart. Fl. Bras.* vi. v. 363.  
 —Bras.  
*glandulifera*, *Thw. ex Hook. f. Fl. Brit. Ind.* iii. 161.  
 —Zeylan.  
*glaucia*, *Polak. in Linnaea*, xli. (1877) 569.—Costa  
 Rica.  
*glaucescens*, *H. B. & K. Nov. Gen. et Sp.* iii. 358.—  
 Venezuela.  
*Glaziovii*, *Muell. Arg. in Mart. Fl. Bras.* vi. v. 267.—  
 Bras.  
*globosa*, *Hiern, in Oliver, Fl. Trop. Afr.* iii. 208.—  
 Afr. trop.  
*glomerata*, *H. B. & K. Nov. Gen. et Sp.* iii. 362.—  
 Am. austr.  
*goyazensis*, *Muell. Arg. in Flora*, lix. (1876) 548, 551.  
 —Bras.  
*gracilentia*, *Muell. Arg. l. c.* 542, 545.—Bras.  
*graciliflora*, Benth. *ex Oerst. in Kjoeb. Vidensk.*  
*Meddel.* (1852) 36.—Costa Rica.  
*gracilis*, *A. Gray, in Proc. Am. Acad.* iv. (1860) 45.—  
 Ins. Fiji.  
*gracilis*, *Ruiz & Pav. Fl. Per.* ii. 63 = *Geophila gracilis*.

## PSYCHOTRIA:—

- granadensis*, Benth. *ex Oerst. in Kjoeb. Vidensk.*  
*Meddel.* (1852) 34.—Nicaragua.  
*grandiflora*, *H. Mann, in Proc. Am. Acad.* vii. (1867)  
 170.—Ins. Sandvic.  
*grandifolia*, *Hoffm. ex Roem. & Schult. Syst.* v. 190.  
 —Bras.  
*grandifolia*, *Sieber, ex DC. Prod.* iv. 532 = *Chasalia*  
*grandifolia*.  
*grandis*, Sw. *Prod. Veg. Ind. Occ.* 43.—Am. trop.  
*Griffithii*, *Hook. f. Fl. Brit. Ind.* iii. 171.—  
 Malacca.  
*guianensis*, *Racusch. Nom. ed.* III. 56 = *Palicourea*  
*guianensis*.  
*Haenkeana*, DC. *Prod.* iv. 507.—Am. austr.  
*hancorniaefolia*, Benth. in *Linnaea*, xxiii. (1850) 463.  
 —Bras.  
*hastisepala*, *Muell. Arg. in Mart. Fl. Bras.* vi. v. 350.  
 —Bras.  
*hebeclada*, DC. *Prod.* iv. 513.—Mexic.  
*hebecladoides*, *Griseb. in Mem. Am. Acad. N. S.* viii.  
 (1863) 509.—Cuba.  
*hederacea*, *Humb. & Bonpl. ex Roem. & Schult. Syst.*  
 v. 191 = *Geophila violaeifolia*.  
*Helferiana*, *Kurz, in Journ. As. Soc. Beng.* xli. (1872)  
 ii. 314.—Burma; Malaya.  
*herbacea*, *Jacq. Enum. Pl. Carib.* 16; *Linn. Sp. Pl. ed.*  
 II. 245 = *Geophila reniformis*.  
*herbacea*, *Vell. Fl. Flum.* 64; ii. t. 21.—Bras.  
*heterocephala*, *Muell. Arg. in Mart. Fl. Bras.* vi. v.  
 333.—Bras.  
*heteromorpha*, *Korth. in Nederl. Kruidk. Arch.* ii. II.  
 (1851) 244.—Sumatra.  
*hexandra*, *H. Mann, in Proc. Am. Acad.* vii. (1867)  
 170.—Ins. Sandvic.  
*Heyneana*, *Wall. Cat. n.* 8327 = *Thwaitesii*, *truncata*,  
*hirsuta*, Sw. *Prod. Veg. Ind. Occ.* 42.—Jamaic.  
*hirta*, *H. B. & K. Nov. Gen. et Sp.* iii. 364 =  
*rufescens*.  
*hirta*, *Humb. & Bonpl. ex Roem. & Schult. Syst.* v.  
 191.—N. Granat.  
*hirtinervia*, *Wawra, in Oestr. Bot. Zeitschr.* xxix.  
 (1879) 216.—Bras.  
*hirtipes*, *Muell. Arg. in Mart. Fl. Bras.* vi. v. 379.—  
 Bras.  
*Hoffmannseggiana*, *Muell. Arg. l. c.* 336.—Bras.  
*homalosperma*, *A. Gray, in Mem. Am. Acad. N. S.*  
 vi. (1858-59) 393.—Ins. Bonin.  
*Hookeri*, *G. Don, Gen. Syst.* iii. 585 = *Coprosma*  
*triflora*.  
*Hookeriana*, *Stend. Nom. ed.* II. ii. 409 = *praec.*  
*horizontalis*, Spreng. *ex DC. Prod.* iv. 514 = *oligo-*  
*tricha*.  
*horizontalis*, Sw. *Prod. Veg. Ind. Occ.* 44.—Ind.  
 occ.  
*horridula*, *Muell. Arg. in Mart. Fl. Bras.* vi. v. 344.  
 —Bras.  
*Horsfieldiana*, *Miq. Fl. Ind. Bat.* ii. 285.—Java.  
*Humboldtiana*, *Muell. Arg. in Mart. Fl. Bras.* vi. v.  
 333.—Bras.  
*humilis*, *Hiern, in Oliver, Fl. Trop. Afr.* iii. 198.—  
 Afr. trop.  
*hundredsia*, *Humb. & Bonpl. ex Roem. & Schult. Syst.*  
 v. 189 = *alba*.  
*hyacinthiflora*, *Ruiz & Pav. Fl. Per.* ii. 62 = *Palicourea*  
*hyacinthiflora*.  
*hyacinthoides*, *Pers. Syn.* i. 208 = *praec.*  
*hygrophiloides*, Benth. in *Linnaea*, xxiii. (1850) 465.  
 —Bras.  
*hypargyrea*, *A. Gray, in Proc. Am. Acad.* iv. (1860)  
 46.—Ins. Fiji.  
*hypoides*, Benth. in *Hook. Journ. Bot.* iii. (1841) 231.  
 —Guian.  
*igneia*, *Muell. Arg. in Mart. Fl. Bras.* vi. v. 244.—  
 Bras.  
*inaequifolia*, *Muell. Arg. in Flora*, lix. (1876) 550,  
 553.—Bras.  
*infundibularis*, *Hiern, in Oliver, Fl. Trop. Afr.* iii. 209.  
 —Afr. trop.  
*insidens*, *Hiern, l. c.* 208.—Afr. trop.  
*insularum*, *A. Gray, in Proc. Am. Acad.* iv. (1860) 45.  
 —Ins. Pacif.  
*interjecta*, *Muell. Arg. in Mart. Fl. Bras.* vi. v. 357.—  
 Bras.  
*intermedia*, *Gardn. in Hook. Lond. Journ. Bot.* i.  
 (1842) 175.—Bras.  
*intrudens*, *Miq. Ann. Mus. Bot. Lugd. Bat.* iv. 206.—  
 Java.

## PSYCHOTRIA:—

- inundata*, Benth. in *Hook. Journ. Bot.* iii. (1841) 229.  
 —Bras.; Guian.  
*involutellaris*, *Muell. Arg. in Mart. Fl. Bras.* vi. v.  
 380.—Bras.  
*involutrans*, *Muell. Arg. l. c.* 365.—Bras.  
*involutrata*, *A. Rich. Fl. Cub. Fanerog.* ii. 27.—  
 Cuba.  
*involutrata*, Sw. *Prod. Veg. Ind. Occ.* 45 = *offici-*  
*nalis*.  
*involutrata*, Willd. *ex DC. Prod.* iv. 508 = *flexuosa*.  
*iodotricha*, *Muell. Arg. in Mart. Fl. Bras.* vi. v. 375.  
 —Bras.  
*Ipecacuanha*, *Stokes, Bot. Mat. Med.* i. 365.—Bras.  
*ixoroides*, *Bartl. ex DC. Prod.* iv. 522.—Ins. Philipp.  
*Jackii*, *Hook. f. Fl. Brit. Ind.* iii. 167.—Malaya.  
*jambosoides*, *Schlecht. in Linnaea*, xxviii. (1856) 518.  
 —Bras.  
*janeirensis*, *Muell. Arg. in Mart. Fl. Bras.* vi. v. 357.  
 —Bras.  
*japurensis*, *Muell. Arg. l. c.* 328.—Bras.  
*japurensis*, *Muell. Arg. l. c.* 344.—Reg. Amazon.  
*jasminiflora*, *Muhl. in Gard. Chron.* (1879) II. 200;  
*Hook. f. B. Mag.* t. 6454.—Bras.  
*Johnsoni*, *Hook. f. Fl. Brit. Ind.* iii. 175.—Ind. or.  
*justicoides*, *Schlecht. in Linnaea*, ix. (1834) 596.—  
 Mexic.  
*Kirkii*, *Hiern, in Oliver, Fl. Trop. Afr.* iii. 206.—Afr.  
 trop.  
*Kolly, Schum. & Thonn. Beskr. Guin. Pl.* 110.—Afr.  
 trop.  
*konguensis*, *Hiern, in Oliver, Fl. Trop. Afr.* iii. 200.—  
 Afr. trop.  
*Korthalsiana*, *Miq. Fl. Ind. Bat.* ii. 293.—Java;  
 Sumatra.  
*laciniata*, *Vell. Fl. Flum.* 66; ii. t. 28.—Bras.  
*laevigata*, *Humb. & Bonpl. ex Roem. & Schult. Syst.*  
 v. 190 = *Palicourea laevigata*.  
*laevigata*, *Wight & Arn. Prod.* 433 = *connata*.  
*laevis*, DC. *Prod.* iv. 505.—Porto Rico.  
*lagoensis*, *Muell. Arg. in Mart. Fl. Bras.* vi. v. 278.—  
 Bras.  
*lamprophylla*, Spreng. *Syst.* i. 747.—Am. austr.  
*lanata*, *Muell. Arg. in Mart. Fl. Bras.* vi. v. 249.—  
 Bras.  
*lanceolata*, *Balf. f. in Journ. Linn. Soc.* xvi. (1877)  
 15; *et in Baker, Fl. Mauriti.* 156.—Ins. Rodrig-  
 gues.  
*lanceolata*, *Nutt. in Am. Journ. Sc. Ser. I.* v. (1822)  
 290.—Florida.  
*lanceolata*, *Vell. Fl. Flum.* 65; ii. t. 27 = *Coussarea*  
*lanceolata*.  
*Langsdorffiana*, *Muell. Arg. in Flora*, lix. (1876) 541,  
 545.—Bras.  
*lasiophthalma*, *Griseb. in Mem. Am. Acad. N. S.* viii.  
 (1863) 508.—Cuba.  
*lasiopus*, *Muell. Arg. in Mart. Fl. Bras.* vi. v. 297.—  
 Bras.  
*lasiostylis*, *Muell. Arg. in Flora*, lix. (1876) 548, 551.  
 —Bras.  
*latifolia*, *Blume, Cat. Gew. Buitenz.* 54 = *robusta*.  
*latifolia*, *Humb. & Bonpl. ex Roem. & Schult. Syst.* v.  
 189.—Am. austr.  
*latistipula*, Benth. in *Hook. Niger Fl.* 419.—Afr.  
 trop.  
*laurifolia*, Bert. *ex DC. Prod.* iv. 514 = *tennifolia*.  
*laurifolia*, Spreng. *ex DC. l. c.* 516 = *polyantha*.  
*laurifolia*, Sw. *Prod. Veg. Ind. Occ.* 43 = *glabrata*.  
*laxa*, *Ruiz & Pav. Fl. Per.* ii. 61 = *Palicourea laxa*.  
*laxa*, Sw. *Fl. Ind. Occ.* i. 407.—Jamaic.  
*laxiflora*, *Blume, Bijdr.* 964.—Java.  
*leiocarpa*, *Cham. & Schlecht. in Linnaea*, iv. (1829)  
 22.—Bras.  
*leiocarpa*, Mart. in *Flora*, xxi. (1838) II. Beibl. 61 =  
*Rudgea leiocarpoides*.  
*lepidocarpa*, *Korth. in Nederl. Kruidk. Arch.* ii. II.  
 (1851) 242.—Sumatra.  
*leptophylla*, *Hiern, in Oliver, Fl. Trop. Afr.* iii. 200.—  
 Afr. trop.  
*leptothyrsa*, *Miq. Ann. Mus. Bot. Lugd. Bat.* iv. 208.  
 —Ins. Ceram.  
*leucocarpa*, *Blume, Bijdr.* 964.—Java.  
*leucocephala*, *Brongn. in Lem. Hort. Univ.* vi. (1845)  
 257 = *Rudgea macrophylla*.  
*leucophaca*, *Poepp. & Endl. Nov. Gen. et Sp.* iii. 33.—  
 Bras.  
*Lhotskyana*, *Schlecht. in Linnaea*, xxviii. (1856) 505 =  
*flexuosa*.



## PSYCHOTRIA :—

- ligustrina*, Humb. & Bonpl. ex Roem. & Schult. Syst. v. 188 = *borjensis*.  
*Lindleyana*, Muell. Arg. in Mart. Fl. Bras. vi. v. 265.—Bras.  
*linearis*, Bartl. ex DC. Prod. iv. 522.—Ins. Philipp.  
*lineata*, Humb. & Bonpl. ex Roem. & Schult. Syst. v. 191 = *Palicourea apicata*.  
*lineata*, Spreng. Syst. i. 746 = *oligantha*, DC.  
*longepedunculata*, Muell. Arg. in Mart. Fl. Bras. vi. v. 237.—Bras.  
*longevaginalis*, Schweinf. ex Hiern, in Oliver, Fl. Trop. Afr. iii. 201.—Afr. trop.  
*longicollis*, Benth. ex Oerst. in Kjoeb. Vidensk. Meddel. (1852) 33 = Costa Rica.  
*longicuspidis*, Muell. Arg. in Flora, lix. (1876) 549, 552.—Bras.  
*longiflora*, Poir. Encyc. v. 104 = *Palicourea longiflora*.  
*longiflora*, Willd. Sp. Pl. i. 971.—Guian.  
*longifolia*, Dalz. in Hook. Kew Journ. ii. (1850) 133 = *Chasalia curviflora*.  
*longifolia*, Hoffmgg. ex Roem. & Schult. Syst. v. 190.—Bras.  
*longifolia*, Spreng. Syst. i. 745 = *Palicourea longifolia*.  
*longipes*, Muell. Arg. in Mart. Fl. Bras. vi. v. 354.—Bras.  
*longipetiolata*, Thw. Enum. Pl. Zeyl. 149.—Zeylan.  
*longistipula*, Benth. in Hook. Journ. Bot. iii. (1841) 227.—Bras.  
*longistipulata*, Muell. Arg. in Mart. Fl. Bras. vi. v. 248.—Bras.  
*longistylis*, Hiern, in Oliver, Fl. Trop. Afr. iii. 209.—Afr. trop.  
*loniceroides*, Sieber, ex DC. Prod. iv. 523.—Austral.  
*lophoclada*, Hiern, in Oliver, Fl. Trop. Afr. iii. 197.—Afr. trop.  
*lucens*, Hiern, l. c. iii. 211.—Afr. trop.  
*lucida*, H. B. & K. Nov. Gen. et Sp. iii. 361. t. 288.—Am. austr.  
*lucida*, Spreng. ex DC. Prod. iv. 517 = *Balbisiana*.  
*lucida*, Willd. ex Spreng. Syst. i. 740 = *splendens*.  
*lucidula*, Baker, in Journ. Linn. Soc. xxi. (1885) 413.—Madag.  
*lupulina*, Benth. in Hook. Journ. Bot. iii. (1841) 230.—Bras.; Guian.  
*lurida*, Blume, Bijdr. 959 = *Chasalia curviflora*.  
*Luschathiana*, Schlecht. in Linnaea, xxviii. (1856) 512 = seq.  
*Luschathii*, Klotzsch, ex Mart. in Flora, xxiv. (1841) ii. Beibl. 71.—Bras.  
*lutea*, Sieber, ex DC. Prod. iv. 524, 622 (Apocynaceae).  
*lutea*, Spreng. ex DC. l. c. 530 = *Palicourea barbinervia*.  
*lutea*, Willd. Sp. Pl. i. 971 (= *Nonatelia lutea*).—Guian.  
*luteo-virescens*, Pers. Syn. i. 208 = *Palicourea laxa*.  
*luzoniensis*, F. Villar, in Blanco, Fl. Philipp. ed. III. Nov. App. 112.—Ins. Philipp.  
*macrantha*, Muell. Arg. in Mart. Fl. Bras. vi. v. 377.—Bras.  
*macrobotrys*, Ruiz & Pav. Fl. Per. ii. 57 = *Palicourea macrobotrys*.  
*macrocalyx*, A. Gray, in Proc. Am. Acad. iv. (1860) 46.—Ins. Fiji.  
*macrocarpa*, Hook. f. Fl. Brit. Ind. iii. 162.—Ind. or.  
*macrophylla*, Ruiz & Pav. Fl. Per. ii. 56. t. 202. f. a.—Peruv.  
*macrophylla*, Vent. ex DC. Prod. iv. 517 = *platyphylla*.  
*macropoda*, Ruiz & Pav. Fl. Per. ii. 63 = *Geophila macropoda*.  
*macrothyrsa*, Muell. Arg. in Mart. Fl. Bras. vi. v. 225.—Bras.  
*madraspatana*, Hook. f. Fl. Brit. Ind. iii. 167.—Ind. or.  
*magnoliaefolia*, H. B. & K. Nov. Gen. et Sp. iii. 360.—Ecuador.  
*magnoliaefolia*, Humb. & Bonpl. ex Roem. & Schult. Syst. v. 190 = *Willdenowii*.  
*Maingayi*, Hook. f. Fl. Brit. Ind. iii. 166.—Singapore.  
*malaneoides*, Muell. Arg. in Flora, lix. (1876) 550, 553.—Bras.  
*malayana*, Jack, in Malay. Misc. i. (1820) 1. 3.—Malaya.  
*malayana*, F. Villar, ex Vidal, Sinops. t. 57. f. F = *P. Tacpo*.  
*mamillaris*, Muell. Arg. in Mart. Fl. Bras. vi. v. 299.—Bras.  
*mandiocana*, Muell. Arg. in Flora, lix. (1876) 545, 546.—Bras.  
*manillensis*, Bartl. ex DC. Prod. iv. 522.—Ins. Philipp.  
*Mannii*, Hiern, in Oliver, Fl. Trop. Afr. iii. 197.—Afr. trop.

## PSYCHOTRIA :—

- Mansoana*, Muell. Arg. in Mart. Fl. Bras. vi. v. 243.—Bras.  
*mapourioides*, DC. Prod. iv. 509.—Guian.  
*Mapuria*, Roem. & Schult. Syst. v. 187 = *nitida*.  
*maranhana*, Muell. Arg. in Mart. Fl. Bras. vi. v. 361.—Bras.  
*Marcgravi*, Spreng. Syst. iv. Cur. Post. 79.—Bras.  
*marginata*, Schlecht. in Linnaea, xxviii. (1856) 505 = *Rudgea leiocarpoides*.  
*marginata*, Sw. Prod. Veg. Ind. Occ. 43.—Am. trop.  
*mariana*, Bartl. ex DC. Prod. iv. 522.—Ins. Marian.  
*Martiana*, Muell. Arg. in Mart. Fl. Bras. vi. v. 339.—Bras.  
*Martiusii*, Muell. Arg. l. c. 240.—Bras.  
*maypurensis*, Humb. & Bonpl. ex Roem. & Schult. Syst. v. 190.—Venezuela.  
*medica*, Muell. Arg. in Mart. Fl. Bras. vi. v. 232.—Bras.  
*Medusula*, Muell. Arg. in Flora, lix. (1876) 541, 545.—Bras.  
*megacoma*, Miq. Fl. Ind. Bat. ii. 284.—Java.  
*megalocalyx*, Muell. Arg. in Mart. Fl. Bras. vi. v. 268.—Bras.  
*megalophylla*, Muell. Arg. l. c. 224.—Bras.  
*megalosperma*, Vahl, Eclog. Am. iii. 3 = *Chione glabra*.  
*megapontica*, Muell. Arg. in Mart. Fl. Bras. vi. v. 361.—Bras.  
*melanotricha*, Muell. Arg. l. c. 345.—Bras.  
*membranacea*, Humb. & Bonpl. ex Roem. & Schult. Syst. v. 189.—Am. austr.  
*membranifolia*, Bartl. ex DC. Prod. iv. 522.—Ins. Philipp.  
*mesentericarpa*, Baker, in Journ. Linn. Soc. xxi. (1885) 412.—Madag.  
*mesomorpha*, Muell. Arg. in Mart. Fl. Bras. vi. v. 308.—Bras.  
*mesotropa*, Muell. Arg. in Flora, lix. (1876) 550, 554.—Bras.  
*mexicana*, Humb. & Bonpl. ex Roem. & Schult. Syst. v. 192.—Mexic.  
*micrantha*, H. B. & K. Nov. Gen. et Sp. iii. 363. t. 284.—Am. austr.  
*microcarpa*, Muell. Arg. in Mart. Fl. Bras. vi. v. 282.—Bras.  
*microcarpa*, Wall. Cat. n. 8344 = *tortilis*.  
*microcephala*, Miq. Fl. Ind. Bat. ii. 293.—Java?  
*microcephala*, Miq. Stirp. Surin. Sel. 180 = *Hoffmannseggiana*.  
*microcephala*, Muell. Arg. in Mart. Fl. Bras. vi. v. 351.—Bras.  
*microdesma*, Oerst. in Kjoeb. Vidensk. Meddel. (1852) 36.—Costa Rica.  
*minutiflora*, Muell. Arg. in Flora, lix. (1876) 548, 552.—Bras.  
*miradorensis*, Hemsl. Biol. Centr. Am. Bot. ii. 50.—Mexic.  
*mitis*, Ruiz & Pav. Fl. Per. ii. 60 = *Palicourea mitis*.  
*mollis*, Poir. Encyc. v. 701.—Mexic.  
*monocephala*, Muell. Arg. in Flora, lix. (1876) 550, 553.—Bras.  
*montana*, Blume, Bijdr. 961.—Java.  
*monticola*, Hiern, in Oliver, Fl. Trop. Afr. iii. 199.—Afr. trop.  
*monticola*, Kurz, in Journ. As. Soc. Beng. xli. (1872) ii. 315 = *fulva*.  
*Moonii*, Hook. f. Fl. Brit. Ind. iii. 170.—Zeylan.  
*Morae*, Polak. in Linnaea, xli. (1877) 570.—Costa Rica.  
*morindaeflora*, Wall. Cat. n. 8438 A, B, C, partim.—Malaya.  
*mucronata*, Hiern, in Oliver, Fl. Trop. Afr. iii. 211.—Afr. trop.  
*Muelleriana*, Wawra, Itin. Princ. Coburgi, i. 124.—Bras.  
*multicolor*, Muell. Arg. in Mart. Fl. Bras. vi. v. 378.—Bras.  
*multiflora*, Thonn. in Schum. & Thonn. Beskr. Guin. Pl. 109.—Afr. trop.  
*multiplex*, Muell. Arg. in Mart. Fl. Bras. vi. v. 319.—Bras.  
*myriantha*, Muell. Arg. in Flora, lix. (1876) 549, 552.—Bras.  
*myrtifolium*, St. Lag. in Ann. Soc. Bot. Lyon, vii. (1880) 132 = seq.  
*Myrtiphyllum*, Sw. Prod. Veg. Ind. Occ. 44.—Jamaic.

## PSYCHOTRIA :—

- nematopoda*, F. Muell. Fragm. vii. 48.—Austral.  
*memorosa*, Gardn. in Hook. Lond. Journ. Bot. iv. (1845) 109.—Bras.  
*nervosa*, Benth. in Hook. Journ. Bot. iii. (1841) 229.—Guian.  
*nervosa*, D. Don, Prod. Fl. Nep. 137 = *denticulata*?  
*nervosa*, Sw. Prod. Veg. Ind. Occ. 43 = *undata*.  
*nesophila*, F. Muell. Fragm. ii. 135.—Austral.  
*neurothrix*, Muell. Arg. in Mart. Fl. Bras. vi. v. 241.—Bras.  
*neurotricha*, DC. Prod. iv. 505.—Porto Rico.  
*neurotricha*, Schlecht. in Linnaea, xxviii. (1856) 520 = *neurothrix*.  
*nicaraguensis*, Benth. ex Oerst. in Kjoeb. Vidensk. Meddel. (1852) 34.—Nicaragua.  
*nicobarica*, Kurz, in Journ. Bot. xiii. (1875) 328.—Ins. Nicobar.  
*nicotianaefolia*, Mart. & Gal. in Bull. Acad. Brux. xi. (1844) 229.—Mexic.  
*nigropunctata*, Hiern, in Oliver, Fl. Trop. Afr. iii. 207.—Afr. trop.  
*nitida*, Willd. Sp. Pl. i. 963.—Guian.  
*nitidella*, Muell. Arg. in Mart. Fl. Bras. vi. v. 250.—Bras.  
*nitidula*, Cham. & Schlecht. in Linnaea, iv. (1829) 25.—Bras.  
*nivosa*, Linden, ex Berkeley, in Journ. Hort. Soc. N. S. i. (1866) 156 = *Rudgea nivosa*.  
*nonatelioides*, Cham. & Schlecht. in Linnaea, iv. (1829) 26 = *flexuosa*.  
*noxia*, A. St. Hil. Pl. Rem. Brés. 234. t. 21. f. A.—Bras.  
*nubica*, Delile, Cent. Pl. Meroé, 66.—Nubia.  
*nuda*, Wawra, Itin. Princ. Coburgi, i. 128 = *Gardneriana*.  
*nudiflora*, Wight & Arn. Prod. 434.—Ind. or.  
*nutans*, Sieber, ex Presl, in Oken, Isis, xxi. (1828) 272 = *Ocotea guianensis*.  
*nutans*, Sw. Prod. Veg. Ind. Occ. 43.—Ind. occ.  
*obconica*, Muell. Arg. in Flora, lix. (1876) 550, 553.—Bras.  
*obesa*, Wall. Cat. n. 8328 = *Gaertnera obesa*.  
*obfusca*, Muell. Arg. in Mart. Fl. Bras. vi. v. 377.—Bras.  
*obliquinervia*, Muell. Arg. in Flora, lix. (1876) 549, 552.—Bras.  
*oblongifolia*, E. Mey. in Drège, Zwei Pfl. Docum. 214 = *Kraussia floribunda*.  
*obovalis*, A. Rich. Fl. Cub. Fanerog. ii. 27.—Cuba.  
*obovata*, Hemsl. Biol. Centr. Am. Bot. ii. 50.—Mexic.  
*obovata*, Ruiz & Pav. Fl. Per. ii. 58 = *Palicourea obovata*.  
*obovata*, Wall. Cat. n. 8380 A = *polycarpa*, *sarmentosa*.  
*obscura*, Benth. in Hook. Niger Fl. 419.—Afr. trop.  
*obscura*, Zoll. & Mor. Syst. Verz. Zoll. 65.—Java.  
*obscurata*, Muell. Arg. in Mart. Fl. Bras. vi. v. 253.—Bras.  
*obtegens*, Muell. Arg. l. c. 277.—Bras.  
*obtusifolia*, Lam. Illustr. ii. 243; Poir. Encyc. v. 697.—Madag.  
*obtusifolia*, E. Mey. in Drège, Zwei Pfl. Docum. 214 (= *Canthium obovatum*).—Afr. austr.  
*obtusifolia*, Sieber, ex DC. Prod. iv. 524 = *Gaertnera edentata*.  
*obvallata*, Schum. & Thonn. Beskr. Guin. Pl. 111 = *Geophila obvallata*.  
*octocuspis*, Muell. Arg. in Flora, lix. (1876) 548, 551.—Bras.  
*odorata*, Blume, ex Miq. Fl. Ind. Bat. ii. 296 = *malayana*.  
*odorata*, Wright, ex Griseb. Cat. Pl. Cub. 138.—Cuba.  
*officinalis*, Raesch. Nom. ed. III. 55.—Guian.  
*oligantha*, DC. Prod. iv. 514.—Ins. S. Doming.  
*oligantha*, Miq. Fl. Ind. Bat. ii. 288.—Java.  
*oligotricha*, DC. Prod. iv. 514.—Am. austr.  
*opaca*, Muell. Arg. in Mart. Fl. Bras. vi. v. 263.—Bras.  
*ophioxylodes*, Wall. in Roxb. Fl. Ind. ed. Carey, ii. 168 = *Chasalia curviflora*.  
*orinocensis*, DC. Prod. iv. 512.—Venezuela.  
*ornata*, Spruce, ex Benth. & Hook. f. Gen. ii. 128 = *Cephaelis ornata*.  
*ovoidea*, Wall. Cat. n. 8383.—Malaya.  
*owariensis*, Hiern, in Oliver, Fl. Trop. Afr. iii. 204.—Afr. trop.



## PSYCHOTRIA :—

- oxyphylla*, Wall. Cat. n. 8374 = Gaertnera Koenigii.  
*pachyneura*, Muell. Arg. in Mart. Fl. Bras. vi. v. 359.—Bras.  
*pacimonica*, Muell. Arg. l. c. 337.—Bras.  
*padifolia*, Humb. & Bonpl. ex Roem. & Schult. Syst. v. 189.—Mexic.  
*Palicourea*, Sw. Fl. Ind. Occ. i. 433 = *Palicourea guianensis*.  
*palicoureoides*, Muell. Arg. in Mart. Fl. Bras. vi. v. 305.—Bras.  
*Palicourea*, Willd. ex Steud. Nom. ed. II. ii. 410 = *Palicourea petiolaris*.  
*Palicourea*, Willd. Sp. Pl. i. 971 = *Palicourea guianensis*.  
*palicoureoides*, Mart. in Flora, xxiv. (1841) II. Beibl. 64 = *Rudgea palicoureoides*.  
*pallens*, Gardn. in Hook. Lond. Journ. Bot. iv. (1845) 108.—Bras.  
*pallida*, Willd. ex Steud. Nom. ed. II. ii. 410 = *Palicourea crocea*.  
*paludosa*, Muell. Arg. in Mart. Fl. Bras. vi. v. 367.—Bras.  
*paniculata*, Willd. Sp. Pl. i. 970.—Am. trop.  
*papantensis*, Hemsl. Biol. Centr. Am. Bot. ii. 50.—Mexic.  
*paradoxa*, Muell. Arg. in Mart. Fl. Bras. vi. v. 313.—Bras.  
*paraensis*, Muell. Arg. l. c. 245.—Bras.  
*parasitica*, Sw. Prod. Veg. Ind. Occ. 44.—Ind. occ.  
*pardina*, Muell. Arg. in Mart. Fl. Bras. vi. v. 371.—Bras.  
*parviflora*, Span. in Linnaea, xv. (1841) 319.—Ins. Timor.  
*parviflora*, Willd. Sp. Pl. i. 962.—Guian.  
*parvifolia*, Benth. ex Oerst. in Kjoeb. Vidensk. Meddel. (1852) 35.—Nicaragua.  
*parvula*, A. Gray, in Proc. Am. Acad. iv. (1860) 45.—Ins. Fiji.  
*patens*, D. Dietr. Syn. Pl. i. 765 = *Brownei*, foetida.  
*patens*, Sw. Prod. Veg. Ind. Occ. 45.—Ind. occ.  
*patentinervia*, Muell. Arg. in Flora, lix. (1876) 543, 546.—Bras.  
*patentivenia*, Miq. Ann. Mus. Bot. Lugd. Bat. iv. 208.—Ins. Celebes.  
*Patrisii*, DC. Prod. iv. 510.—Guian.  
*patula*, Willd. ex Roem. & Schult. Syst. v. 189 = *alba*.  
*pauciflora*, Bartl. ex DC. Prod. iv. 522.—Ins. Philipp.  
*paucifolia*, Willd. ex Spreng. Syst. i. 751 = *longiflora*.  
*paucidantha*, Hiern, in Oliver, Fl. Trop. Afr. iii. 196.—Afr. trop.  
*Pavetta*, Sw. Prod. Veg. Ind. Occ. 45 = *Palicourea Pavetta*.  
*Peckoltiana*, Muell. Arg. in Mart. Fl. Bras. vi. v. 366.—Bras.  
*pedunculata*, Bartl. ex DC. Prod. iv. 507 = *Haenkeana*.  
*pedunculata*, Sw. Prod. Veg. Ind. Occ. 44.—Jamaic.  
*pedunculosa*, Rich. in Act. Soc. Hist. Nat. Par. i. (1792) 107 = *Palicourea pedunculosa*.  
*pelagica*, Seem. Fl. Vit. 136.—Ins. Fiji.  
*penangensis*, Hook. f. Fl. Brit. Ind. iii. 175.—Ins. Penang.  
*pendula*, Hook. f. l. c. 164.—Ins. Andaman.  
*pentaphthosa*, Muell. Arg. in Mart. Fl. Bras. vi. v. 284.—Bras.  
*pergamena*, Korth. in Nederl. Kruidk. Arch. ii. II. (1851) 241.—Sumatra.  
*persimilis*, Muell. Arg. in Flora, lix. (1876) 541, 545.—Bras.  
*Pervillei*, Baker, Fl. Maurit. 155.—Ins. Seychelles.  
*petiolaris*, Spreng. Syst. i. 745 = *Palicourea petiolaris*.  
*philippensis*, Cham. & Schlecht. in Linnaea, iv. (1829) 21.—Ins. Philipp.  
*phyllocalymma*, Muell. Arg. in Mart. Fl. Bras. vi. v. 373.—Bras.  
*phyllocalymmoides*, Muell. Arg. l. c. 374.—Bras.  
*Phytolacca*, Spreng. ex DC. Prod. iv. 505 = *laevis*.  
*phytolacca*, Poir. Encyc. v. 704.—Am. austr.  
*Pickeringii*, A. Gray, in Proc. Am. Acad. iv. (1860) 47.—Ins. Fiji.  
*picta*, Wall. Cat. n. 8353 = *calocarpa*.  
*pilosa*, Ruiz & Pav. Fl. Per. ii. 60. t. 208. f. a.—Peruv.  
*pilosiuscula*, Griseb. in Lechl. Berb. Am. Austr. 58, nomen.—Peruv.  
*platycocca*, A. Gray, in Proc. Am. Acad. iv. (1860) 47.—Ins. Fiji.

VOL. II.

## PSYCHOTRIA :—

- platyneura*, Kurz, in Journ. Bot. xiii. (1875) 327.—Ins. Andaman.  
*platyphylla*, DC. Prod. iv. 517.—Porto Rico.  
*platypoda*, DC. l. c. 510.—Guian.  
*platypodina*, Muell. Arg. in Mart. Fl. Bras. vi. v. 463.—Bras.  
*pleiocephala*, Muell. Arg. in Flora, lix. (1876) 549, 552.—Bras.  
*plurivenia*, Thw. Enum. Pl. Zeyl. 149.—Zeylan.  
*Poeppigiana*, Muell. Arg. in Mart. Fl. Bras. vi. v. 370.—Bras.  
*poliostemma*, Benth. Fl. Austral. iii. 428.—Austral.  
*polyantha*, DC. Prod. iv. 516.—Ins. S. Doming.  
*polycarpa*, Hook. f. Fl. Brit. Ind. iii. 165.—Malaya.  
*polycephala*, Benth. in Hook. Journ. Bot. iii. (1841) 231.—Guian.  
*polyneura*, DC. Prod. iv. 520 = *denticulata*.  
*polyneura*, Kurz, in Journ. Bot. xiii. (1875) 327.—Ins. Andaman.  
*polyodonta*, Muell. Arg. in Mart. Fl. Bras. vi. v. 236.—Bras.  
*polytricha*, Miq. Fl. Ind. Bat. ii. 287.—Sumatra.  
*porophylla*, Vell. Fl. Flum. 68; ii. t. 38 = *Faramaea porophylla*.  
*portoricensis*, DC. Prod. iv. 515 = *rufescens*.  
*Pritchardii*, Seem. Fl. Vit. 135.—Ins. Fiji.  
*procumbens*, Vell. Fl. Flum. 64; ii. t. 23 = *Coussarea procumbens*.  
*psathuroides*, DC. Prod. iv. 518.—Ins. Maurit.  
*Pseudo-pavetta*, Bello, in Anal. Soc. Esp. Hist. Nat. x. (1881) 281.—Porto Rico.  
*psilogyne*, Muell. Arg. in Mart. Fl. Bras. vi. v. 279.—Bras.  
*puberula*, Wright, ex Griseb. Cat. Pl. Cub. 135.—Cuba.  
*pubescens*, Bartl. ex DC. Prod. iv. 513 = *hebeclada*.  
*pubescens*, Sw. Prod. Veg. Ind. Occ. 44.—Am. trop.  
*pubigera*, Schlecht. in Linnaea, xxviii. (1856) 514.—Bras.  
*pumila*, Hiern, in Oliver, Fl. Trop. Afr. iii. 207.—Afr. trop.  
*punctata*, Vatke, in Oestr. Bot. Zeitschr. xxv. (1875) 230.—Afr. trop.  
*punica*, Ruiz & Pav. Fl. Per. ii. 62 = *Palicourea punicea*.  
*purpurascens*, Muell. Arg. in Mart. Fl. Bras. vi. v. 354.—Bras.  
*pyramidalis*, Griseb. in Mem. Am. Acad. N. S. viii. (1863) 509.—Cuba.  
*pyrifolia*, Hook. & Arn. in Hook. Bot. Misc. iii. (1833) 360.—Ins. J. Fernand.  
*quadrifolia*, Rudge, Pl. Gui. 27. t. 42 = *Palicourea quadrifolia*.  
*quinquecuspiis*, Muell. Arg. in Flora, lix. (1876) 549, 552.—Bras.  
*quinqueradiata*, Polak. in Linnaea, xli. (1877) 570.—Costa Rica.  
*Rabeniana*, Muell. Arg. in Mart. Fl. Bras. vi. v. 264.—Bras.  
*racemosa*, Rich. in Act. Soc. Hist. Nat. Par. i. (1792) 107.—Guian.  
*racemosa*, Willd. Sp. Pl. i. 966.—Bras.; Guian.  
*radians*, Muell. Arg. in Mart. Fl. Bras. vi. v. 242.—Bras.  
*recurva*, Hiern, in Oliver, Fl. Trop. Afr. iii. 206.—Afr. trop.  
*Reevesii*, Wall. in Roxb. Fl. Ind. ed. Carey, ii. 104 = *elliptica*.  
*refracta*, Muell. Arg. in Mart. Fl. Bras. vi. v. 262.—Bras.  
*Regina*, Muell. Arg. l. c. 318.—Bras.  
*Regnellii*, Muell. Arg. in Flora, lix. (1876) 548, 552.—Bras.  
*remota*, Benth. in Hook. Journ. Bot. iii. (1841) 225.—Guian.  
*repanda*, Ruiz & Pav. Fl. Per. ii. 61.—Peruv.  
*reptans*, Benth. in Hook. Niger Fl. 418.—Afr. trop.  
*reticulata*, Ruiz & Pav. Fl. Per. ii. 56. t. 212. f. b.—Peruv.  
*revoluta*, DC. Prod. iv. 517.—Ins. S. Doming.  
*Rhinocerotis*, Reinw. ex Blume, Bijdr. 961.—Java.  
*rhodocarpa*, Teijsm. & Binn. in Tijdschr. Nederl. Ind. xxvii. (1864) 30.—Sumatra.  
*rhodoleuca*, Muell. Arg. in Flora, lix. (1876) 541, 545.—Bras.  
*rhytidocarpa*, Muell. Arg. in Mart. Fl. Bras. vi. v. 289.—Bras.

## PSYCHOTRIA :—

- Riedeliana*, Muell. Arg. in Flora, lix. (1876) 548, 551.—Bras.  
*rigida*, Bredem. ex Roem. & Schult. Syst. v. 192.—Bras.  
*robusta*, Blume, Bijdr. 962.—Java.  
*rosea*, Muell. Arg. in Mart. Fl. Bras. vi. v. 360.—Bras.  
*rostrata*, Blume, Bijdr. 961 = *Chasalia rostrata*.  
*Roxburghii*, DC. Prod. iv. 519.—Ins. Molucc.  
*rubra*, Muell. Arg. in Mart. Fl. Bras. vi. v. 336.—Bras.  
*rubra*, Poir. Encyc. Suppl. iv. 597 = *Antherura rubra*.  
*rudgeoides*, Muell. Arg. in Mart. Fl. Bras. vi. v. 463.—Bras.  
*ruelliaefolia*, Muell. Arg. l. c. 364.—Bras.  
*rufescens*, H. B. & K. Nov. Gen. et Sp. iii. 364.—Am. trop.  
*rufescens*, Humb. & Bonpl. ex Roem. & Schult. Syst. v. 192 = *micrantha*.  
*rufipes*, Hook. f. in Trans. Linn. Soc. xx. (1847) 220.—Ins. Galap.  
*rufovaginata*, Griseb. Cat. Pl. Cub. 136.—Cuba.  
*rugulosa*, H. B. & K. Nov. Gen. et Sp. iii. 356.—Peruv.  
*rupestris*, Muell. Arg. in Flora, lix. (1876) 542, 546.—Bras.  
*salicifolia*, Hemsl. Biol. Centr. Am. Bot. ii. 51.—Mexic.  
*salicifolia*, H. B. & K. Nov. Gen. et Sp. iii. 356.—N. Granat.  
*salicifolia*, Humb. & Bonpl. ex Roem. & Schult. Syst. v. 190 = *lamprophylla*.  
*saligna*, E. Mey. in Drège, Zwei Pfl. Docum. 214 = *Kraussia lanceolata*.  
*Salzmänniana*, Muell. Arg. in Mart. Fl. Bras. vi. v. 362.—Bras.  
*sambucina*, Link, ex Roem. & Schult. Syst. v. 188.—Bras.  
*santaremica*, Muell. Arg. in Mart. Fl. Bras. vi. v. 328.—Bras.  
*sarmentosa*, Blume, Bijdr. 964.—Ind. or.; Malaya.  
*scabruscula*, Bartl. ex DC. Prod. iv. 513.—Am. austr.  
*scandens*, Hook. f. & Arn. Bot. Beech. Voy. 193 = *serpens*.  
*scandens*, Moon, Cat. Pl. Ceyl. 14 = *sarmentosa*.  
*scandens*, Reinw. ex Miq. Fl. Ind. Bat. ii. 287 = *laxiflora*.  
*Schlechtendalia*, Muell. Arg. in Mart. Fl. Bras. vi. v. 259.—Bras.  
*Schomburgkii*, Benth. in Hook. Journ. Bot. iii. (1841) 231.—Guian.  
*Schottiana*, Muell. Arg. in Flora, lix. (1876) 547, 551.—Bras.  
*Schuechiana*, Muell. Arg. in Mart. Fl. Bras. vi. v. 348.—Bras.  
*Schweinfurthii*, Hiern, in Oliver, Fl. Trop. Afr. iii. 210.—Afr. trop.  
*sciadephora*, Hiern, l. c. 202.—Afr. trop.  
*sclerophylla*, Muell. Arg. in Mart. Fl. Bras. vi. v. 239.—Bras.  
*scrobiculata*, Spreng. Syst. v. 572 (Index) = *Coffea foveolata*.  
*segregata*, Muell. Arg. in Flora, lix. (1876) 549, 552.—Bras.  
*Sellowiana*, Muell. Arg. in Mart. Fl. Bras. vi. v. 239.—Bras.  
*semifissa*, Muell. Arg. l. c. 340.—Bras.  
*serpens*, Linn. Mant. ii. 204.—China.  
*sessiliflora*, Humb. & Bonpl. ex Roem. & Schult. Syst. v. 191.—Venezuela.  
*sessilifolia*, Mart. & Gal. in Bull. Acad. Brux. xi. i. (1844) 228.—Mexic.  
*sessilis*, Muell. Arg. in Mart. Fl. Bras. vi. v. 358  
*axillaris*.  
*sessilis*, Vell. Fl. Flum. 65; ii. t. 26 = *Rudgea sessilis*.  
*setacea*, Hiern, in Oliver, Fl. Trop. Afr. iii. 197.—Afr. trop.  
*setifera*, Benth. in Hook. Journ. Bot. iii. (1841) 228.—Guian.  
*silhetensis*, Hook. f. Fl. Brit. Ind. iii. 174.—Reg. Himal.  
*silvicola*, Muell. Arg. in Mart. Fl. Bras. vi. v. 262.—Bras.  
*Simira*, Roem. & Schult. Syst. v. 187 = *parviflora*, Willd.

40



## PSYCHOTRIA :—

- simulans, *Muell. Arg. in Mart. Fl. Bras.* vi. v. 363.—Bras.  
singalensis, *Miq. Fl. Ind. Bat.* ii. 294.—Sumatra.  
sonans, *Muell. Arg. in Mart. Fl. Bras.* vi. v. 231, sphalm.=rigida.  
sordida, *Thw. Enum. Pl. Zeyl.* 149.—Zeylan.  
sororia, *DC. Prod.* iv. 510.—Guian.  
sororiella, *Muell. Arg. in Mart. Fl. Bras.* vi. v. 375.—Bras.  
soteropolitana, *Muell. Arg. l. c.* 260.—Bras.  
Soyauxii, *Hiern, in Oliver, Fl. Trop. Afr.* iii. 213.—Afr. trop.  
spathicalyx, *Muell. Arg. in Mart. Fl. Bras.* vi. v. 319.—Bras.  
speciosa, *Forst. f. Prod.* 16 = *Ixora vitiensis*.  
speciosa, *Spreng. Syst.* i. 746 = *Palicourea speciosa*.  
sphaerocarpa, *Wall. in Roxb. Fl. Ind. ed. Carey.* ii. 161.—Reg. Himal.  
sphaerocephala, *Muell. Arg. in Flora.* lix. (1876) 550, 553.—Bras.  
spicata, *Benth. in Hook. Journ. Bot.* iii. (1841) 231.—Guian.  
spicata, *Muell. Arg. in Flora.* lix. (1876) 550, 553.—Bras.  
splendens, *Spreng. Syst.* i. 740.—Am. austr.  
Sprucei, *Muell. Arg. in Mart. Fl. Bras.* vi. v. 226.—Bras.  
squarrosa, *Muell. Arg. l. c.* 231.—Bras.  
stachyoides, *Benth. in Linnaea.* xxiii. (1850) 464.—Bras.  
stellaris, *Muell. Arg. in Flora.* lix. (1876) 547, 551.—Bras.  
stenocalyx, *Muell. Arg. in Mart. Fl. Bras.* vi. v. 268.—Bras.  
stenoclada, *Muell. Arg. l. c.* 254.—Bras.  
stenophylla, *Hook. f. Fl. Brit. Ind.* iii. 161.—Zeylan.  
stenophylla, *Schott, in Spreng. Syst.* iv. App. 404 = noxia.  
stenophylla, *Spreng. Syst.* i. 744 = *Palicourea angustifolia*.  
stictophylla, *Hiern, in Oliver, Fl. Trop. Afr.* iii. 212.—Afr. trop.  
stipulacea, *Sw. ex DC. Prod.* iv. 514 = *nervosa*.  
stipulacea, *Wall. in Roxb. Fl. Ind. ed. Carey.* ii. 164.—Ins. Penang.  
stipularis, *Reinw. ex Miq. Fl. Ind. Bat.* ii. 280 = robusta.  
stipulata, *Hemsl. Biol. Centr. Am. Bot.* ii. 51.—Mexic.  
stipulata, *Vell. Fl. Flum.* 66; ii. t. 31 = *Ixora stipulata*.  
stipulosa, *Muell. Arg. in Mart. Fl. Bras.* vi. v. 334.—Bras.  
Storckii, *Seem. Fl. Vit.* 135.—Ins. Fiji.  
strepens, *DC. Prod.* iv. 531, in syn. = *Palicourea rigida*.  
strigosa, *Muell. Arg. in Mart. Fl. Bras.* vi. v. 373.—Bras.  
subaeneo-fusca, *Muell. Arg. l. c.* 464.—Bras.  
subalata, *Wright, ex Griseb. Cat. Pl. Cub.* 137.—Cuba.  
subacuminalis, *Muell. Arg. l. c.* 277.—Bras.  
subcrocea, *Muell. Arg. l. c.* 244.—Bras.  
subcuspidata, *Muell. Arg. l. c.* 261.—Bras.  
subfusca, *Muell. Arg. l. c.* 297.—Bras.  
subherbacea, *Hiern, in Oliver, Fl. Trop. Afr.* iii. 208.—Afr. trop.  
subintegra, *Hook. f. Fl. Brit. Ind.* iii. 162.—Ind. or.  
subnuda, *Hiern, in Oliver, Fl. Trop. Afr.* iii. 209.—Afr. trop.  
subobliqua, *Hiern, l. c.* 206.—Afr. trop.  
subobovata, *Miq. Fl. Ind. Bat.* ii. 287.—Java?  
subpunctata, *Hiern, in Oliver, Fl. Trop. Afr.* iii. 201.—Afr. trop.  
subremota, *Muell. Arg. in Mart. Fl. Bras.* vi. v. 315.—Bras.  
subrufa, *Miq. Fl. Ind. Bat.* ii. 292 = *P. Rhinocerotis*.  
subscandens, *Muell. Arg. in Mart. Fl. Bras.* vi. v. 246.—Bras.  
subsessilis, *Benth. ex Oerst. in Kjoeb. Vidensk. Meddel.* (1852) 32.—Costa Rica.  
subspathacea, *Muell. Arg. in Mart. Fl. Bras.* vi. v. 266.—Bras.  
subtomentosa, *Ruiz & Pav. Fl. Per.* ii. 61. t. 210. f. a.—Peruv.  
subtriflora, *Muell. Arg. in Flora.* lix. (1876) 550, 553.—Bras.

## PSYCHOTRIA :—

- subundulata, *Benth. in Hook. Journ. Bot.* iii. (1841) 227.—Guian.  
succulenta, *Schweinf. ex Hiern, in Oliver, Fl. Trop. Afr.* iii. 216.—Afr. trop.  
suffruticosa, *Muell. Arg. in Mart. Fl. Bras.* vi. v. 249.—Bras.  
sulcata, *Wall. Cat. n.* 8370.—Burma.  
sulphurea, *Ruiz & Pav. Fl. Per.* ii. 58 = *Palicourea sulphurea*.  
sulphurea, *Schweinf. ex Hiern, in Oliver, Fl. Trop. Afr.* iii. 218.—Afr. trop.  
sulphurea, *Seem. Fl. Vit.* 134.—Ins. Fiji.  
sumbavana, *Miq. Fl. Ind. Bat.* ii. 285.—Malaya.  
suterella, *Muell. Arg. in Mart. Fl. Bras.* vi. v. 380.—Bras.  
sylvana, *Pers. Syn.* i. 207 = *Geophila reniformis*.  
sylvatica, *Blume, Bijdr.* 963.—Java.  
symplocifolia, *Kurz, For. Fl. Brit. Burma.* ii. 11.—Reg. Himal.; Burma.  
syringaeiflora, *Schlecht. in Linnaea.* xxviii. (1856) 516 = *Ixora syringaeiflora*.  
tabacifolia, *Muell. Arg. in Mart. Fl. Bras.* vi. v. 236.—Bras.  
tabacifolia, *Wall. Cat. n.* 8334 = *montana*.  
tabernaefolia, *Poir. Encyc.* v. 704 = *Palicourea tabernaefolia*.  
Tacpo, *Rolfe, in Journ. Linn. Soc.* xxi. (1884) 312.—Ins. Philipp.  
tenella, *Muell. Arg. in Flora.* lix. (1876) 544, 546.—Bras.  
tenerior, *Muell. Arg. in Mart. Fl. Bras.* vi. v. 331.—Bras.  
tenuifolia, *Sw. Prod. Veg. Ind. Occ.* 43.—Ins. S. Doming.  
tenuinervis, *Muell. Arg. in Mart. Fl. Bras.* vi. v. 282.—Bras.  
tenuiramea, *Muell. Arg. in Flora.* lix. (1876) 542 = *Hoffmannseggiana*.  
tephrosantha, *A. Gray, in Proc. Am. Acad.* iv. (1860) 45.—Ins. Fiji.  
terminalis, *Vell. Fl. Flum.* 65; ii. t. 24.—Bras.  
ternifolia, *Baker, in Journ. Linn. Soc.* xx. (1883) 169.—Madag.  
tetragona, *Seem. Fl. Vit.* 137.—Ins. Fiji.  
tetrandra, *Blume, Bijdr.* 961 = *Chasalia curviflora*.  
tetrphylla, *Muell. Arg. in Mart. Fl. Bras.* vi. v. 234.—Bras.  
Thomsoni, *Hook. f. Fl. Brit. Ind.* iii. 173.—Reg. Himal.  
Thwaitesii, *Hook. f. l. c.* 162.—Ind. or.  
thyrsiflora, *Ruiz & Pav. Fl. Per.* ii. 57 = *Palicourea thyrsiflora*.  
tinctoria, *Ruiz & Pav. l. c.* 62 = *Palicourea tinctoria*.  
tinifolia, *Humb. & Bonpl. ex Roem. & Schult. Syst.* v. 190 = *Palicourea tinifolia*.  
tomentosa, *Hemsl. Biol. Centr. Am. Bot.* ii. 51.—Mexic.  
tomentosa, *Muell. Arg. in Mart. Fl. Bras.* vi. v. 370.—Bras.  
tortilis, *Blume, Bijdr.* 958.—Malaya.  
trachystyla, *Hiern, in Oliver, Fl. Trop. Afr.* iii. 213.—Afr. trop.  
triantha, *Muell. Arg. in Flora.* lix. (1876) 550, 553.—Bras.  
tribracteata, *Wright, ex Griseb. Cat. Pl. Cub.* 137.—Cuba.  
trichantha, *Baker, in Journ. Linn. Soc.* xx. (1883) 169.—Madag.  
trichoccephala, *Poepp. & Endl. Nov. Gen. et Sp.* iii. 32. t. 238.—Peruv.  
trichoclada, *Muell. Arg. in Mart. Fl. Bras.* vi. v. 368.—Bras.  
tricholoba, *Muell. Arg. l. c.* 343.—Bras.  
trichoneura, *Muell. Arg. l. c.* 367.—Bras.  
trichophora, *Muell. Arg. in Flora.* lix. (1876) 541, 545.—Bras.  
trichophoroides, *Muell. Arg. l. c.*—Bras.  
trichostyla, *Muell. Arg. in Mart. Fl. Bras.* vi. v. 289.—Bras.  
trichotoma, *Mart. & Gal. in Bull. Acad. Brux.* xi. I. (1844) 227.—Mexic.  
trichotoma, *Tenore, in Parl. Giorn. Bot. Ital.* ii. (1847) vii—viii. 202.—Hab.?  
trifida, *Ruiz & Pav. Fl. Per.* ii. 60. t. 209. f. b.—Peruv.  
triflora, *Hook. & Arn. in Hook. Bot. Misc.* iii. (1833) 359 = *Coprosma triflora*.

## PSYCHOTRIA :—

- triflora, *Thonn. in Schum. & Thonn. Beskr. Guin. Pl.* 108 = *Cremaspora africana*.  
trifolia, *Sieber, ex DC. Prod.* iv. 622 = *Rauwolfia Lamarkii*.  
triphylla, *Muell. Arg. in Mart. Fl. Bras.* vi. v. 233.—Bras.  
trispicata, *Griseb. in Mem. Am. Acad. N. S.* viii. (1863) 509—Ind. occ.  
truncata, *Wall. in Roxb. Fl. Ind. ed. Carey.* ii. 162.—Ind. or.  
tubulosa, *A. Rich. Fl. Cub. Fanerog.* ii. 27.—Cuba.  
tubulosa, *Vell. Fl. Flum.* 68; ii. t. 37 = *Rudgea eriantha*.  
turbinata, *A. Gray, in Proc. Am. Acad.* iv. (1860) 45.—Ins. Fiji.  
turbineata, *Muell. Arg. in Mart. Fl. Bras.* vi. v. 374.—Bras.  
tyliphora, *Kurz, in Journ. Bot.* xiii. (1875) 328.—Ins. Nicobar.  
uberabana, *Muell. Arg. in Mart. Fl. Bras.* vi. v. 371.—Bras.  
uliginosa, *Sw. Prod. Veg. Ind. Occ.* 43.—Jamaic.  
umbellata, *Thonn. in Schum. & Thonn. Beskr. Guin. Pl.* 109.—Afr. trop.  
umbellata, *Vell. Fl. Flum.* 67; ii. t. 35 = *Arrabidaea*.  
umbraticola, *Hiern, in Oliver, Fl. Trop. Afr.* iii. 214.—Afr. trop.  
undata, *Jacq. Hort. Schoenb.* iii. 5. t. 260.—Ins. Baham.; Jamaic.  
undulata, *Miq. Fl. Ind. Bat.* ii. 294.—Borneo.  
undulata, *Poir. Encyc. Suppl.* iv. 591 = *undata*.  
uniflora, *Reinw. ex Miq. Fl. Ind. Bat.* ii. 304 = *Amara-carpus pubescens*.  
urophylla, *Schlecht. in Linnaea.* xxviii. (1856) 522.—Bras.  
vaginalis, *G. Don, Gen. Syst.* iii. 596 = seq.  
vaginans, *DC. Prod.* iv. 520 = *Gaertnera Koenigii*.  
vaginans, *Hook. f. Fl. Brit. Ind.* iii. 176 = *truncata*?  
Vauthieri, *Muell. Arg. in Mart. Fl. Bras.* vi. v. 295.—Bras.  
vellerea, *Muell. Arg. l. c.* 305.—Bras.  
Velloziana, *Benth. in Linnaea.* xxiii. (1850) 464 = *axillaris*.  
velutipes, *Muell. Arg. in Mart. Fl. Bras.* vi. v. 356.—Bras.  
venulosa, *Muell. Arg. l. c.* 294.—Bras.  
verrucosa, *Muell. Arg. l. c.* 246.—Bras.  
verticillata, *Muell. Arg. l. c.* 233.—Bras.  
vestita, *Presl, Bot. Bemerk.* 77.—Bras.  
viburnoides, *H. B. & K. Nov. Gen. et Sp.* iii. 361.—Venezuela.  
viburnoides, *Humb. & Bonpl. ex Roem. & Schult. Syst.* v. 189 = *lucida*.  
villosa, *Ruiz & Pav. Fl. Per.* ii. 59. t. 207. f. a.—Peruv.  
villosa, *Vell. Fl. Flum.* 67; ii. t. 33 = *barbiflora*.  
viminea, *Wall. Cat. n.* 8354 = *Gaertnera viminea*.  
violacea, *Aubl. Pl. Gui.* i. 145. t. 55 = *Geophila violacea*.  
violacea, *Willd. Sp. Pl.* i. 966 = *Palicourea violacea*.  
virens, *Hiern, in Oliver, Fl. Trop. Afr.* iii. 213.—Afr. trop.  
virens, *Poepp. & Endl. Nov. Gen. et Sp.* iii. 33.—Bras.  
virgata, *Ruiz & Pav. Fl. Per.* ii. 60. t. 209. f. a.—Peruv.  
viridiflora, *Reinw. ex Blume, Bijdr.* 963.—Java.  
viridiflora, *Reinw. ex Kurz, For. Fl. Brit. Burm.* ii. 12 = *calocarpa*.  
viridiflora, *Zoll. ex Miq. Fl. Ind. Bat.* ii. 298 = *sylvatica*.  
viridis, *Ruiz & Pav. Fl. Per.* ii. 61. t. 210. f. b.—Peruv.  
viridissima, *Kurz, in Journ. As. Soc. Beng.* xli. (1872) ii. 315 = *montana*.  
viticina, *Steud. Nom. ed. II.* ii. 410 = *connata*.  
vitiensis, *Seem. in Bonplandia.* ix. (1861) 257; x. (1862) 36 = *calycosa*.  
vittoriensis, *Muell. Arg. in Flora.* lix. (1876) 548, 551.—Bras.  
Vogeliana, *Benth. in Hook. Niger Fl.* 420.—Afr. trop.  
volubilis, *Roxb. ex Wight & Arn. Prod.* 424 = *Paederia foetida*.  
Wallichiana, *Spreng. Syst.* iv. Cur. Post. 79 = *denticulata*?  
Wallisiana, *Muell. Arg. in Mart. Fl. Bras.* vi. v. 224.—Bras.



## PSYCHOTRIA:—

- Warmingii, *Muell. Arg. in Flora*, lix. (1876) 544, 546.—Bras.  
 Wawrana, *Muell. Arg. in Mart. Fl. Bras.* vi. v. 263.—Bras.  
 Weddelliana, *Muell. Arg. l. c.* 234.—Bras.  
 Westii, *DC. Prod.* iv. 516.—Porto Rico.  
 Wightiana, *Hook. f. Fl. Brit. Ind.* iii. 167.—Ind. or.  
 Willdenowii, *DC. Prod.* iv. 505.—Am. austr.  
 Wrightii, *Baker, Fl. Mauriti.* 156.—Ins. Seychelles.  
 xanthocephala, *Muell. Arg. in Mart. Fl. Bras.* vi. v. 351.—Bras.  
 xantholoba, *Muell. Arg. in Flora*, lix. (1876) 542, 546.—Bras.  
 xanthophylla, *Muell. Arg. in Mart. Fl. Bras.* vi. v. 255.—Bras.  
 zambesiana, *Hiern, in Oliver, Fl. Trop. Afr.* iii. 203.—Afr. trop.  
 zanguebarica, *Hiern, l. c.* 214.—Afr. trop.

PSYCHOTRION, *St. Lag. in Ann. Soc. Bot. Lyon*, vii. (1880) 132 = *praece*.

PSYCHOTROPHUM, *P. Br. Hist. Jamaic.* 160. t. 13. f. 1, 2 (1756) = *Psychotria*, *Linn. (Rubiaceae)*.  
*asiaticum*, *Crantz, Inst.* ii. 259 = *Psychotria asiatica*.  
*herbaceum*, *Crantz, l. c.* = *Geophila reniformis*.

PSYCHRIDIDIUM, *Stev. in Bull. Soc. Nat. Mosc.* iv. (1832) 263 = *Astragalus*, *Tourn. (Legumin.)*.  
*brachytropis*, *Stev. l. c.* = *A. brachytropis*.  
*oroboides*, *Stev. l. c.* = *A. oroboides*.

PSYCHROGETON, *Boiss. Fl. Orient.* iii. 156 (1875) = *Aster*, *Tourn. (Compos.)*.  
*cabulicum*, *Boiss. l. c.*—Afghan.

PSYCHROPHILA, *Bercht. & Presl, Rostl. i. Ranunc.* 80 (1823) = *Caltha*, *Rupp. (Ranunc.)*.  
*andicola*, *C. Gay, Fl. Chil.* i. 49 = *C. andicola*.  
*appendiculata*, *Bercht. & Presl, Rostl. i. Ranunc.* 80 = *C. appendiculata*.  
*dioneaeifolia*, *C. Gay, Fl. Chil.* i. 51 = *C. dioneaeifolia*.  
*sagittata*, *Bercht. & Presl, Rostl. i. Ranunc.* 80 = *C. sagittata*.

PSYCOTHRIA, *Linn. Pl. Afr. Rar.* 9 (1759), sphalm. = *Psychotria*, *Linn. (Rubiaceae)*.

PSYCROPHILA, *Rafin. Atl. Journ.* 144 (1832) = *Caltha*, *Rupp. (Ranunc.)*.  
*auriculata*, *Rafin. l. c.* = *C. sagittata*.  
*sagittata*, *Rafin. l. c.* = *C. sagittata*.

PSYDARANTA, *Neck. Elem.* iii. 145 (1790) = *Calathea*, *G. F. W. Mey. (Scitum.)*.  
*comosa*, *Rafin. Fl. Tellur.* iv. 53 = *C. comosa*.

PSYDARANTHA, *Steud. Nom. ed. II. ii.* 411 (1841) = *praece*.

PSYDAX, *Steud. Nom. ed. II. ii.* 411 (1841), sphalm. = *seq.*

PSYDRAX, *Gaertn. Fruct.* i. 125. t. 26 (1788) = *Electronia*, *Linn. (Rubiaceae)*.  
*angustifolia*, *A. Rich. in Mém. Soc. Hist. Nat. Par. v.* (1834) 191.—Madag.  
*dicoccos*, *Gaertn. Fruct.* i. 125. t. 26. f. 2 = *Plect. didyma*.  
*major*, *A. Rich. in Mém. Soc. Hist. Nat. Par. v.* (1834) 191.—Madag.  
*media*, *A. Rich. l. c.*—Madag.  
*minor*, *Steud. Nom. ed. II. ii.* 411, sphalm. = *praece*.

PSYLLIUM, *Tourn. ex Juss. Gen.* 90 (1789) = *Plantago*, *Tourn.*  
*aegyptiacum*, *Mirb. Hist. Pl. ed. II. xiv.* [1800] 333 = *Plant. squarrosa*.  
*afrum*, *Mirb. l. c.* 334 = *Plant. Psyllium*.  
*annuum*, *Mirb. l. c.* 332, 333 = *Plant. Psyllium*.  
*annuum*, *Thuill. Fl. Par. ed. II.* 81 = *Plant. arenaria*.  
*arborescens*, *Mirb. Hist. Pl. ed. II. xiv.* [1800] 334 = *Plant. arborescens*.  
*arenarium*, *Mirb. l. c.* 333 = *Plant. arenaria*.  
*Cynops*, *Mirb. l. c.* 332, 334 = *Plant. Cynops*.

## PSYLLIUM:—

- erectum*, *Jaume St. Hil. Expos. i. II.* 209 = *Plantago Psyllium*.  
*genevense*, *Mirb. Hist. Pl. ed. II. xiv.* [1800] 332, 334 = *Plant. Cynops*.  
*indicum*, *Dum.-Cours. Bot. Cult. ed. II. ii.* 492 = *seq. ?*  
*indicum*, *Mirb. Hist. Pl. ed. II. xiv.* [1800] 334 = *Plant. pumila*.  
*parviflorum*, *Mirb. l. c.* = *Plant. Psyllium*.  
*pumilum*, *Mirb. l. c.* = *Plant. pumila*.  
*ramosum*, *Gilib. Fl. Lituan. i.* 17 = *Plant. arenaria*.  
*squarrosus*, *Dum.-Cours. Bot. Cult. ed. II. ii.* 492 = *Plant. squarrosa*.  
*strictum*, *Mirb. Hist. Pl. ed. II. xiv.* [1800] 333 = *Plant. stricta*.  
*suffruticosum*, *Jaume St. Hil. Expos. i. II.* 209 = *Plant. Cynops*.

PSYLLLOCARPUS, *Mart. Nov. Gen. et Sp. i.* 44. t. 28 (1824). *RUBIACEAE*, *Benth. & Hook. f.* ii. 146.

*DIODOS*, *Pohl, in Flora*, viii. (1825) 183, nomen.  
*asparagoides*, *Mart. Nov. Gen. et Sp. i.* 46.—Bras.  
*ericoides*, *Mart. l. c.* 45. t. 28. f. 1.—Bras.  
*laricinus*, *Spreng. Syst. iv. Cur. Post.* 39 = *seq.*  
*laricoides*, *Mart. Nov. Gen. et Sp. i.* 45. t. 28. f. 2.—Bras.  
*thymbroides*, *Mart. l. c.* 46.—Bras.

PSYLLLOCARPUS, *Pohl, ex DC. Prod. iv.* 479 (1830) = *Declieuxia*, *H. B. & K. (Rubiaceae)*.  
*cordifolius*, *Pohl, l. c.* 480 = *D. cordigera*.  
*divergentiflorus*, *Pohl, l. c.* = *D. divergentiflora*.  
*foliosus*, *Pohl, l. c.* = *D. foliosa*.  
*galioides*, *Pohl, l. c.* 479 = *D. galioides*.  
*glaber*, *Pohl, l. c.* 481 = *D. chiococcoides*.  
*imbricatus*, *Pohl, l. c.* 480 = *D. daphnoides*.  
*pruinosis*, *Pohl, l. c.* 481 = *D. glauca*.  
*trichotomus*, *Pohl, l. c.* = *D. mucronulata*.

PSYLLOPHORA, *Ehrh. Beitr.* iv. 146 (1789) = *Carex*, *Dill. (Cyperaceae)*.  
*capitata*, *Schur, Enum. Pl. Transs.* 697 = *C. capitata*.  
*Davalliana*, *Schur, in Verh. Siebenb. Ver. Naturw.* iv. (1853) 78 = *C. Davalliana*.  
*dioica*, *Schur, l. c.* = *C. dioica*.  
*obtusata*, *Schur, l. c.* = *C. obtusata*.  
*pauciflora*, *Schur, l. c.* x. (1859) 201 = *C. pauciflora*.  
*pulicaris*, *Schur, l. c.* iv. (1853) 78 = *C. pulicaris*.  
*pyrenaica*, *Schur, l. c.* = *C. pyrenaica*.  
*Sieberiana*, *Opiz, Seznam*, 80 = *C. Davalliana*.  
*vulgaris*, *Heuff. in Flora*, xxvii. (1844) 528 = *C. pulicaris*.

PSYLLOTHAMNUS, *Oliver, in Hook. Ic. Pl. t.* 1499 (1885). *ILLECEBRACEAE*.  
*Beevori*, *Oliver, l. c.*—Arab.

PSYLOXYLON, *Thou. ex Gaudich. in Freyc. Voy. Bot.* 30 (1826) nomen. Genus dubium *LYTHRARIUM*.

PSYTHIRHISMA, *Herb. ex Lindl. Veg. Kingd.* 161 (1847) = *PSITHYRISMA*, *Herb. = Symphyostemon*, *Miers (Irid.)*.

PTACOSEIA, *Ehrh. Beitr.* iv. 147 (1789) = *Carex*, *Dill. (Cyperaceae)*.

PTAEROXYLON, *Eckl. & Zeyh. Enum.* 54 (1835). *SAPINDACEAE*, *Benth. & Hook. f. i.* 411.  
*utile*, *Eckl. & Zeyh. l. c.*—Afr. austr.

PTARMICA, [*Tourn.*] *Neck. Elem.* i. 14 (1790) = *Achillea*, *Linn. (Compos.)*.  
*abrotanoides*, *Vis. Fl. Dalm. ii.* 81. t. 10 = *A. abrotanoides*.  
*acuminata*, *Ledeb. Fl. Ross. ii.* 529 = *A. Ptarmica*.  
*ageratifolia*, *Nym. Consp.* 364 = *A. ageratifolia*.  
*Aisoon*, *Griseb. Reise Rumel. ii.* 304 = *A. ageratifolia*.  
*alpina*, *DC. Prod. vi.* 22 = *A. commutata*, *impatiens*.  
*ambrosiaca*, *Boiss. & Heldr. Diagn. Ser. II. iii.* 19 = *A. ambrosiaca*.  
*atrata*, *DC. Prod. vi.* 20 = *A. atrata*.  
*Barrelierii*, *DC. l. c.* 19 = *A. Barrelierii*.  
*biserrata*, *DC. l. c.* 23 = *A. biserrata*.

## PTARMICA:—

- Bocconi*, *Steud. Nom. ed. II. ii.* 411 = *Achillea alpina*.  
*borealis*, *DC. Prod. vi.* 21 = *A. sibirica*.  
*cartilaginea*, *Ledeb. Fl. Ross. ii.* 530 = *A. Ptarmica*.  
*cartilaginea*, *Miq. ex Heimerl, in Denkschr. Akad. Wien*, xlviii. (1884) 188 = *A. sibirica*.  
*Clavennae*, *DC. Prod. vi.* 21 = *A. Clavennae*.  
*Clusiana*, *Steud. Nom. ed. II. ii.* 411 = *A. atrata*.  
*cristata*, *DC. Prod. vi.* 22 = *A. falcata*?  
*Fraasii*, *Nym. Consp.* 365 = *A. Fraasii*.  
*grandiflora*, *DC. Prod. vi.* 23 = *A. Ptarmica*.  
*Hausknechtiana*, *Nym. Consp.* 364 = *A. Hausknechtii*.  
*Herba-rotata*, *DC. Prod. vi.* 22 = *A. Herba-rotata*.  
*hybrida*, *Nym. Consp.* 365 = *A. hybrida*.  
*impatiens*, *DC. Prod. vi.* 22 = *A. impatiens*.  
*impunctata*, *Nym. Consp.* 365 = *A. Kraettiliana*.  
*integrifolia*, *Gilib. Fl. Lituan. i.* 216 = *A. Ptarmica*.  
*ircutiana*, *DC. Prod. vi.* 22 = *A. Ptarmica*.  
*Jaborneggi*, *Halacsy, ex Heimerl, in Denkschr. Akad. Wien*, xlviii. (1884) 155 = *A. Jaborneggi*.  
*Laggeri*, *Nym. Consp.* 365 = *A. Laggeri*.  
*lenensis*, *Heimerl, in Denkschr. Akad. Wien*, xlviii. (1884) 175 = *A. Ptarmica*.  
*Lereschii*, *Nym. Consp.* 366 = *A. obscura*.  
*lingulata*, *DC. Prod. vi.* 24 = *A. lingulata*.  
*macrophylla*, *DC. l. c.* 21 = *A. macrophylla*.  
*mongolica*, *DC. l. c.* 22 = *A. sibirica*.  
*Morisiana*, *Nym. Consp.* 364 = *A. Herba-rotata*.  
*moschata*, *DC. Prod. vi.* 20 = *A. moschata*.  
*mucronulata*, *DC. l. c.* = *A. Barrelierii*.  
*multifida*, *DC. Prod. vii.* 295 = *A. atrata*.  
*multiflora*, *Hook. f. in Trans. Linn. Soc. xxiii.* (1861) 331 = *A. alpina*.  
*nana*, *DC. Prod. vi.* 21 = *A. nana*.  
*oxyloba*, *DC. l. c.* 20 = *A. oxyloba*.  
*pectinata*, *Schur, Enum. Pl. Transs.* 326 = *A. pectinata*.  
*Pseudo-atrata*, *Schur, l. c.* 327 = *A. oxyloba*.  
*pyrenaica*, *Nym. Consp.* 364 = *A. Ptarmica*.  
*scardica*, *Griseb. Reise Rumel. ii.* 304 = *A. atrata*.  
*Schouwii*, *Nym. Consp.* 364 = *A. Barrelierii*.  
*serbica*, *Nym. l. c.* = *A. ageratifolia*.  
*serrata*, *DC. Prod. vi.* 22 = *A. serrata*.  
*sibirica*, *Ledeb. Fl. Ross. ii.* 528 = *A. sibirica*.  
*speciosa*, *DC. Prod. vi.* 23 = *A. Ptarmica*.  
*spinosa*, *Schur, Enum. Pl. Transs.* 325 = *A. impatiens*.  
*tenuifolia*, *Schur, l. c.* 327 = *A. oxyloba*.  
*Thomasiana*, *DC. Prod. vi.* 21 = *A. montana*.  
*umbellata*, *DC. l. c.* 22 = *A. umbellata*.  
*valesiaca*, *DC. l. c.* 21 = *A. valesiaca*.  
*vulgaris*, *DC. l. c.* 23 = *A. Ptarmica*.

PTELAEA, *Moench, Meth.* 55 (1794) = *seq.*

PTELEA, *Linn. Syst. ed. I* (1735). *RUTACEAE*, *Benth. & Hook. f. i.* 301.  
*BELLUCIA*, *Adans. Fam.* ii. 344 (1763).  
*angustifolia*, *Benth. Pl. Hartw.* 9.—Am. bor. occ.  
*aptera*, *Parry, in Proc. Davenport Acad.* iv. (1884) 39.—Calif.  
*arborea*, *Blanco, Fl. Filip. ed. I.* 63 = *Harpullia cupanioides*.  
*Baldwinii*, *Torr. & Gray, Fl. N. Am. i.* 215.—Am. bor.  
*Baldwinii*, *Young, Fl. Texas*, 196 = *angustifolia*.  
*caroliniana*, *Hort. ex Steud. Nom. ed. II. ii.* 412 = *trifoliata*.  
*microphylla*, *D. Dietr. Syn. Pl. i.* 497 = *trifoliata*.  
*mollis*, *M. A. Curt. in Am. Journ. Sc. Ser. II. vii.* (1849) 406 = *trifoliata*.  
*monophylla*, *Lam. Illustr. i.* 336 = *trifoliata*.  
*ovata*, *Lour. Fl. Cochinch.* 82 = *Ptelidium ovatum*?  
*parvifolia*, *A. Gray, ex Hems. Biol. Centr. Am. Bot.* i. 170.—Mexic.  
*pentandra*, [*Moq. & Sesse*] *ex DC. Prod. ii.* 83.—Mexic.  
*pentaphylla*, *Munchh. Hausv. v.* 242 = *trifoliata*.  
*pinnata*, *Linn. f. Suppl.* 126 = *Zanthoxylum Blackburnia*.  
*podocarpa*, *DC. Prod. ii.* 83.—Mexic.  
*tomentosa*, *Rafin. Fl. Ludov.* 108 = *trifoliata*.  
*trifoliata*, *Boland. Cat.* 7 = *angustifolia*.  
*trifoliata*, *Linn. Sp. Pl.* 118.—Am. bor.  
*trifoliolata*, [*Moq. & Sesse*] *ex DC. Prod. ii.* 83 = *podocarpa*.  
*viscosa*, *Linn. Sp. Pl.* 118 = *Dodonaea viscosa*.  
*viticifolia*, *Salisb. Prod.* 68 = *trifoliata*.



**PTELEOCARPA**, Oliver, in Trans. Linn. Soc. xxviii. (1873) 515. *OLACINEAE*.  
longistyla, *Becc. Malesia*, i. (1877) 130.—Borneo.  
malaccensis, *Oliver, in Trans. Linn. Soc. xxviii.* (1873) 515.—Malacca.

**PTOLIDIDIUM**, Thou. Vég. Iles Afr. i. 11, 29 (1805);  
Gen. Nov. Madag. 24 (1806). *CELASTRINEAE*,  
Benth. & Hook. f. i. 363.  
SERINGIA, Spreng. Anleit. ii. 694 (1818); Syst. i.  
441 (1825).  
ovatum, *Poir. Encyc. Suppl.* iv. 597.—Madag.

**PTERACHNE**, Schrad. ex Nees, in Mart. Fl. Bras. ii. 1.  
62, in nota (1842) = *Ascolepis*, Nees (Cyperac.).

**PTERANDRA**, A. Juss. in A. St. Hil. Fl. Bras. MÉR.  
iii. 72. t. 179 A (1833). *MALPIGHIACEAE*, Benth.  
& Hook. f. i. 253.  
latifolia, A. Juss. in Deless. Ic. Sel. iii. 19. t. 30 =  
Acmanthera latifolia.  
psidiaefolia, A. Juss. in A. St. Hil. Fl. Bras. MÉR. iii.  
73. t. 179 B = pyroidea.  
pyroidea, A. Juss. l. c. 74.—Bras.

**PTERANTHERA**, Blume, Mus. Bot. Lugd. Bat. ii. 30.  
1852 [1856] = *Vatica*, Linn. (Dipteroc.).  
Mangachapoi, Blume, l. c. = Shorea Mangachapoi.  
sinensis, Blume, l. c. = V. chinensis.

**PTERANTHUS**, Forsk. Fl. Aegypt. Arab. 36 (1775).  
*ILLECEBRACEAE*, Benth. & Hook. f. iii. 18.  
LOUICHEA, L'Hérit. Stirp. Nov. i. 135. t. 65 (1785).  
echinatus, *Desf. Fl. Atlant.* i. 144.—Afr. bor.; Arab.  
Forskählet, Mirb. in Hist. Nat. Pl. ed. II. x. 130  
(Forskählii) = echinatus.

**PTERICHIS**, Lindl. Gen. et Sp. Orch. 444 (1840).  
*ORCHIDEAE*, Benth. & Hook. f. iii. 592.  
ACRAEA, Lindl. in Benth. Pl. Hartw. 155 (1845).  
Diuris, *Reichb. f. in Bonplandia*, ii. (1854) 10.—  
Venezuela.  
galeata, *Lindl. Gen. et Sp. Orch.* 445.—Peruv.

**PTERIDOPHYLLUM**, Sieb. & Zucc. in Abh. Akad.  
Muench. iii. 11. (1843) 719. t. 5. *PAPAVERACEAE*,  
Benth. & Hook. f. i. 54.  
racemosum, *Sieb. & Zucc. l. c.* 720.—Japon.

**PTERIDOPHYLLUM**, Thw. in Hook. Kew Journ. vi.  
(1854) 65. t. 1 = *Filicium*, Thw. (Bursac.).  
decipiens, Thw. l. c. 66 = F. decipiens.

**PTERIGERON**, A. Gray, Pl. Wright. i. 90, in nota  
(1852). *COMPOSITAE*, Benth. & Hook. f. ii. 292.  
OLIGANTHEMUM, F. Muell. in Trans. Phil. Inst.  
Vict. iii. (1859) 56.  
STREPTOGLOSSA, Steetz, ex F. Muell. in Trans. Bot.  
Soc. Edinb. vii. (1863) 491.  
adscendens, *Benth. Fl. Austral.* iii. 533.—Austral.  
decurrens, *Benth. l. c.* 531.—Austral.  
dentatifolius, F. Muell. *Fragm.* ix. 119.—Austral.  
filifolius, *Benth. Fl. Austral.* iii. 533.—Austral.  
liatroides, *Benth. l. c.* 532.—Austral.  
macrocephalus, *Benth. l. c.*—Austral.  
microglossus, *Benth. l. c.*—Austral.  
odorus, *Benth. l. c.*—Austral.

**PTERIGIUM**, Correa, in Ann. Mus. Par. viii. (1806) 397  
= *Dipterocarpus*, Gaertn.  
costatum, Correa, l. c. = D. alatus.  
teres, Correa, l. c. x. (1807) 159 = Dryobalanops  
aromatica.

**PTERIGOSTACHYUM**, Nees, ex Steud. Nom.  
ed. II. ii. 412 (1841), nomen. *GRAMINEAE*.  
Lehmanni, Nees, ex Steud. l. c.—Hab. ?

**PTERILEMA**, Reinw. in Syll. Ratisb. ii. (1828) 13 =  
*Engelhardtia*, Leschen. (Jugland.).  
aceriflorum, Reinw. l. c. = E. aceriflora.  
acerifolia, Steud. Nom. ed. II. i. 412 = praec.

**PTERIPHIS**, Rafin. Fl. Tellur. iv. 99 (1836) = *Aristo-  
lochia*, Tourn.  
tripteris, Rafin. l. c. = A. tripteris.

**PTERISANTHES**, Blume, Bijdr. 192 (1825). *AM-  
PELIDEAE*, Benth. & Hook. f. i. 387.  
EMBAMMA, Griff. Notul. iv. 694 (1854).  
cissioidea, *Blume, Bijdr.* 193.—Malaya.  
coriacea, Korth. ex Miq. Ann. Mus. Bot. Lugd. Bat. i.  
95 = polita.  
heterantha, *M. Laws. in Hook. f. Fl. Brit. Ind.* i. 664.  
—Malacca.  
involuta, G. Don, Gen. Syst. i. 694, sphalm. =  
cissioidea.  
ovata, Korth. ex Miq. Ann. Mus. Bot. Lugd. Bat. i.  
95 = Vitis eriopoda.  
pedata, *M. Laws. in Hook. f. Fl. Brit. Ind.* i. 664.—  
Malacca.  
polita, *M. Laws. l. c.* 663.—Burma; Malaya.

**PTERIUM**, Desv. in Journ. Bot. i. (1813) 75 = *Lamarkia*,  
Moench (Gramin.).  
elegans, Desv. l. c. 76 = L. aurea.

**PTERNANDRA**, Jack, in Malay. Misc. ii. (1822)  
vii. 60. *MELASTOMACEAE*, Benth. & Hook. f. i.  
771.  
APTEUXIS, Griff. Notul. iv. 672 (1854).  
EWYCKIA, Blume, in Flora, xiv. (1831) 524.  
appendiculata, Walp. Rep. ii. 148, in syn., sphalm. =  
capitellata.  
caerulescens, *Jack, in Malay. Misc.* ii. (1822) vii.  
61.—Ind. or.  
capitellata, *Jack, l. c.* p. iii.—Ind. or.  
cordata, Baill. Hist. Pl. vii. 23 = Kibessia cordata.  
cyanea, Triana, in Trans. Linn. Soc. xxviii. (1871) 153  
= caerulescens.  
echinata, Jack, in Malay. Misc. ii. (1822) vii. p. iii =  
Kibessia simplex.  
echinata, Wall. Cat. n. 4078 A = Kibessia pubescens.  
Korthalsiana, Triana, in Trans. Linn. Soc. xxviii.  
(1871) 153 = capitellata.  
latifolia, Triana, l. c. = paniculata.  
paniculata, *Benth. in Wall. Cat. n.* 4080; *Triana, l. c.*  
—Malaya.  
parasitica, Finlays. & Wall. l. c. n. 4086 B = Pogon-  
anthera reflexa.  
simplex, Baill. Hist. Pl. vii. 24 = Kibessia pubescens ?

**PTERNIX**, Hill, Veg. Syst. iv. 16 (1762) = *Carduus*,  
Tourn. (Compos.).  
deflorata, Hill, Hort. Kew. 60 = C. defloratus.

**PTEROCALYMA**, Turcz. in Bull. Soc. Nat. Mosc. xix.  
(1846) 11. 508 = *Lagerstroemia*, Linn. (Lythrar.).  
calycina, Koehne, in Engl. Bot. Jahrb. iv. (1883) 25,  
sphalm. = seq.  
paniculata, Turcz. in Bull. Soc. Nat. Mosc. xix. (1846)  
11. 508 = L. calycina.

**PTEROCALYMNA**, Benth. & Hook. f. Gen. i. 783  
(1867), err. typ. = praec.

**PTEROCALYX**, Schrenk, in Bull. Phys.-Math. Acad.  
Petersb. i. (1843) 361 = *Alexandra*, Bunge  
(Chenop.).  
strictissimus, Schrenk, l. c. = A. Lehmanni.

**PTEROCARPOS**, St. Lag. in Ann. Soc. Bot. Lyon, vii.  
(1880) 132 = *Pterocarpus*, Linn. (Legumin.).  
amphimenius, St. Lag. l. c. = Pteroc. Amphi-  
menium.  
ateleius, St. Lag. l. c. = Ateleia pterocarpa.  
marsupius, St. Lag. l. c. = Pteroc. Marsupium.  
peltarius, St. Lag. l. c. = Pteroc. Peltaria.

**PTEROCARPUS**, Berg. in Vet. Akad. Handl. Stockh.  
(1769) 116 = *Ecastaphyllum*, P. Br. (Legumin.).  
*Ecastaphyllum*, Berg. l. c. = E. Brownei.

**PTEROCARPUS**, Linn. Fl. Zeyl. 196 (1747).  
*LEGUMINOSAE*, Benth. & Hook. f. i. 547.  
AMPHYMENIUM, H. B. & K. Nov. Gen. et Sp. vi.  
380 (1823).  
ANCYLOCALYX, Tul. in Ann. Sc. Nat. Sér. II. xx.  
(1843) 136. t. 2.  
ECHINODISCUS, Benth. in Ann. Wien. Mus. ii. (1838) 94.  
GRISLINIA, Scop. Introd. 302 (1777).  
LINGUO, Adans. Fam. ii. 319 (1763).  
MOUTOUCHI, Aubl. Pl. Gui. ii. 748. t. 299 (1775).  
NEPHRAEA, Noronha, ex Hassk. Cat. Hort. Bog.  
Alt. 283 (1844).

## PTEROCARPUS:—

PHELLOCARPUS, Benth. in Ann. Wien. Mus. ii.  
(1838) 106.  
VATAIREA, Aubl. Pl. Gui. ii. 755. t. 302 (1775).  
WEINREICHIA, Reichb. Consp. 152 (1828).  
abyssinicus, Hochst. ex A. Rich. Tent. Fl. Abyss. i.  
233 = lucens.  
Adansonii, *DC. Prod.* ii. 419.—Afr. trop.  
advena, *Baill. in Bull. Soc. Linn. Par. i.* (1884) 439.  
—Madag.  
africanus, Hook. in W. Gray, Trav. West. Afr. 395.  
t. D = erinaceus.  
Amerimnon, Poir. Encyc. v. 729 = Dalbergia Ame-  
rimnum.  
Amphymenium, *DC. Prod.* ii. 418.—Mexic.  
ancylocalyx, *Benth. in Journ. Linn. Soc. iv. Suppl.*  
(1860) 79.—Bras.  
angolensis, *DC. Prod.* ii. 419.—Afr. trop.  
anterus, J. F. Gmel. Syst. 1087 = Drepanocarpus  
lunatus.  
Apalatoa, Rich. in Act. Soc. Hist. Nat. Par. i. (1792)  
111 (Apataloa) = Crudia Schreberi.  
apterus, Gaertn. Fruct. ii. 351. t. 156 = Drepanocarpus  
lunatus.  
Ateleia, *DC. Prod.* ii. 419 = Ateleia pterocarpa.  
australis, *Endl. Prod. Fl. Norf.* 152.—Ins. Norfolk.  
Berterii, Spreng. ex *DC. Prod.* ii. 421 = Ecastaphyllum  
Monetaria.  
bilobus, Roxb. ex G. Don, Gen. Syst. ii. 376 = P.  
Marsupium.  
buxifolius, Murr. Syst. ed. XIV. 642 = Brya Ebenus.  
caucasicus, Jensch. ex Trautv. in Act. Hort. Petrop.  
viii. (1883) 192, sphalm. = Pterocarya caucasica.  
corylifolia, Royle, Illustr. Bot. Himal. 461 (Index),  
sphalm. = Psoralea corylifolia.  
crispatus, [Moq. & Sesse,] ex *DC. Prod.* ii. 418 = P. Draco.  
cultratus, Vell. Fl. Flum. 301; vii. t. 95 = violaceus.  
cyathiformis, [Moq. & Sesse,] ex *DC. Prod.* ii. 420 =  
Drepanocarpus cyathiformis.  
dalbergioides, Roxb. Hort. Beng. 53; Fl. Ind. iii. 236  
= indicus.  
diadelphus, Blanco, Fl. Filip. ed. I. 563 = Derris thyrsi-  
flora.  
Draco, Lam. Tabl. Encyc. iii. 161 = indicus.  
Draco, *Linn. Sp. Pl.* ed. II. 1662.—Am. austr.  
dubius, Spreng. Syst. iv. Cur. Post. 268 = Ecasta-  
phyllum dubium.  
Ebenus, Pers. Syn. ii. 277 = Brya Ebenus.  
echinatus, Pers. l. c.—Afr. trop. ?  
erinaceus, *Lam. Encyc.* v. 728.—Afr. trop.  
erinaceus, F. Villar, in Blanco, Fl. Philip. ed. III. Nov.  
App. 68 = Vidalianus.  
esculentus, *Schum. & Thonn. Beskr. Guin. Pl.* 330.—  
Afr. trop.  
falcatus, Vell. Fl. Flum. 301; vii. t. 93 = Poecilanthus  
grandiflora.  
flavus, Lour. Fl. Cochinch. 431 = indicus ?  
floribundus, Wall. Cat. n. 5846.—Ind. or.  
frutescens, Blanco, Fl. Filip. ed. I. 562 = Derris  
uliginosa.  
frutescens, Vell. Fl. Flum. 302; vii. t. 96 = Dalbergia  
variabilis.  
glaber, Reich. ex *DC. Prod.* ii. 421 = Brya Ebenus.  
gummifer, *Bert. ex DC. l. c.* 419.—Ins. S. Doming.  
Hayesii, *Hemsl. Diagn. Pl. Nov.* 8.—Panama.  
hemipterus, Gaertn. Fruct. ii. 351. t. 156. f. 2 =  
P. Draco.  
hypostictus, *Miq. Fl. Ind. Bat. Suppl.* 296.—Sumatra.  
indicus, *Herb. Madr. ex Wall. Cat. n.* 5915 = Derris  
oblonga.  
indicus, *Willd. Sp. Pl.* iii. 904.—As. trop.  
latifolius, Poir. Encyc. Suppl. iv. 610 = Lonchocarpus  
latifolius.  
lucens, *Lepr. ex Guill. & Perr. Fl. Seneg. Tent.* i. 228.  
—Afr. trop.  
lunatus, Linn. f. Suppl. 317 = Drepanocarpus lunatus.  
lunulatus, Sieber, ex Steud. Nom. ed. II. ii. 412 =  
Machaerium robiniaefolium.  
luteus, Poir. Encyc. Suppl. iv. 610 = indicus ?  
luteus, Vell. Fl. Flum. 301; vii. t. 92 = Platymiscium  
floribundum.  
macrocarpus, *Kurz, in Journ. As. Soc. Beng.* xliii.  
(1874) 11. 187.—Burma.  
Marsupium, *Roxb. Pl. Corom.* ii. 9. t. 116.—Ind. or.  
melliferus, *Welw. ex Baker, in Oliver, Fl. Trop. Afr.*  
ii. 239.—Afr. trop.  
microcarpus, Pers. Syn. ii. 277.—Am. austr.  
Moutouchi, *Lam. Illustr.* iii. 161 (Moutouchi) = P. Draco.



**PTEROCARPUS:**—

- niger*, Vell. Fl. Flum. 300; vii. t. 91 = *Dalbergia nigra*.  
*obtusatus*, *Miq. Fl. Ind. Bat. i. 1.* 136.—Ins. Sunda.  
*officinalis*, Jacq. Select. Am. 283. t. 183. f. 92 = *P. Draco*.  
*orbiculatus*, [*Moq. & Sesse*,] ex DC. Prod. ii. 418.—Mexic.  
*ovalis*, Linn. Amoen. Acad. viii. 260 = *Ecastaphyllum Monetaria*.  
*pallidus*, Blanco, Fl. Filip. ed. I. 560 = *indicus*.  
*paniculatus*, *Spreng. Syst. iii.* 192.—Bras.  
*Peltaria*, DC. Prod. ii. 419 = *Wiborgia fusca*.  
*Plumieri*, Poir. Encyc. Suppl. iv. 610 = *Ecastaphyllum Monetaria*.  
*polyspermus*, Vell. Fl. Flum. 301; vii. t. 94 = *Moldenhawera floribunda*.  
*pubescens*, Poir. Encyc. v. 730 = *Lonchocarpus pubescens*.  
*pubescens*, *Spreng. Syst. iv. Cur. Post.* 268.—Mexic.  
*quercinus*, Vell. Fl. Flum. 299; vii. t. 90 = *Ecastaphyllum Monetaria*.  
*Richardi*, Poir. Encyc. Suppl. iv. 611 = *Ecastaphyllum Monetaria*.  
*Rohrii*, *Vahl, Symb. Bot. ii.* 79.—Bras.  
*Roxburghii*, *G. Don, Gen. Syst. ii.* 377.—Ind. or.  
*rufescens*, *Benth. in Journ. Linn. Soc. iv. Suppl.* (1860) 79.—Peruv.  
*Sanguis-draconis*, *Crantz, Inst. ii.* 77 = *P. Draco*.  
*santalinioides*, L'Hérit. ex DC. Prod. ii. 419 = *esculentus*.  
*santalinus*, Blanco, Fl. Filip. ed. I. 561 = *indicus*.  
*santalinus*, Buch.-Ham. ex Wall. Cat. n. 5842 = *P. Marsupium*.  
*santalinus*, *Linn. f. Suppl.* 318.—Ind. or.  
*sapindoides*, DC. Prod. ii. 419 = *Andira sapindoides*.  
*scandens*, *Poir. Encyc. v.* 730.—Venezuela.  
*senegalensis*, *Vahl, ex DC. Prod. ii.* 419 = *erineaceus*.  
*sericeus*, *Benth. in Journ. Linn. Soc. iv. Suppl.* (1860) 75.—Afr. austr.  
*simplicifolius*, *Baker, in Oliver, Fl. Trop. Afr. ii.* 238.—Afr. trop.  
*Sissoo*, *Roxb. ex Wight & Arn. Prod.* 264 = *Dalbergia Sissoo*.  
*suberosus*, *Pers. Syn. ii.* 277 = *P. Draco*.  
*ternatus*, *Poir. Encyc. v.* 727 = *Ecastaphyllum Monetaria*?  
*tinctorius*, *Welw. Apont.* 584; et ex *Baker, in Oliver, Fl. Trop. Afr. ii.* 239.—Afr. trop.  
*uliginosus*, *Roxb. ex G. Don, Gen. Syst. ii.* 377 = *Derris uliginosa*.  
*Vidalianus*, *Rolfe, in Journ. Linn. Soc. xxi.* (1884) 309.—Ins. Philipp.  
*villosus*, *Mart. ex Benth. in Journ. Linn. Soc. iv. Suppl.* (1860) 79.—Bras.  
*violaceus*, *Vog. in Linnaea*, xi. (1837) 416.—Bras.  
*Wallichii*, *Wight & Arn. Prod.* 267 = *indicus*.  
*Zollingeri*, *Miq. Fl. Ind. Bat. i. 1.* 136 = *indicus*.

- PTEROCARYA**, Kunth, in Ann. Sc. Nat. Sér. I. ii. (1824) 345. *JUGLANDEAE*, Benth. & Hook. f. iii. 399.  
*caucasica*, *C. A. Mey. Verz. Pfl. Cauc.* 134.—Oriens.  
*chinensis*, Hort. ex Lavall. Arbor. Segrez. 65 = *stenoptera*.  
*fraxinifolia*, Spach, Hist. Vég. Phan. ii. 180 = *caucasica*.  
*laevigata*, Hort. ex Lavall. Arbor. Segrez. 65 = *stenoptera*.  
*rhoifolia*, *Sieb. & Zucc. Fl. Jap. Fam. Nat. i.* 33.—Japon.  
*sorbifolia*, *Sieb. & Zucc. l. c.*—Japon.  
*Spachiana*, Lavall. Arbor. Segrez. 69 = *caucasica*.  
*stenoptera*, *C. DC. in Ann. Sc. Nat. Sér. IV.* xviii. (1862) 34.—China.

- PTEROCARYA**, Nutt. ex Moq. in DC. Prod. xiii. II. 106 (1849) = *Atriplex*, Tourn. (Chenop.).  
*spinosa*, Nutt. ex Moq. l. c. 113 = *A. canescens*.

- PTEROCAULON**, Ell. Sketch, ii. 323 (1824). *COMPOSITAE*, Benth. & Hook. f. ii. 294.  
*CHLAENOBOLUS*, Cass. in Dict. Sc. Nat. xlix. 337 (1827).  
*MONENTELES*, Labill. Sert. Austro-Caled. 42. t. 43, 44 (1825).  
*SPHAERANTHOIDES*, A. Cunn. ex DC. Prod. v. 456 (1836).

**PTEROCAULON:**—

- alopecuroideum*, DC. Prod. v. 454 = *virgatum*.  
*angustifolium*, DC. l. c. = *virgatum*.  
*Billardieri*, F. Muell. Papuan Pl. 43 = *cylindrostachyum*.  
*Bojeri*, *Baker, Fl. Maurit.* 164.—Madag.  
*cylindrostachyum*, *C. B. Clarke, Comp. Ind.* 98.—Burma; Malaya; Austral.  
*glandulosus*, *F. Muell. Census*, 79.—Austral.  
*interruptum*, DC. Prod. v. 454 = *virgatum*.  
*polystachyum*, *DC. l. c.*—Bras.  
*pycnostachyum*, *Ell. Sketch*, ii. 324.—Am. bor.  
*sphacelatum*, *Benth. & Hook. f. Gen. ii.* 295.—Austral.  
*sphaeranthoides*, *F. Muell. Census*, 79.—Austral.  
*spicatum*, DC. Prod. v. 454 = *virgatum*.  
*verbascifolium*, *F. Muell. Census*, 79.—Austral.  
*virgatum*, *DC. Prod. v.* 454.—Am. trop.

- PTEROCELASTRUS**, Meissn. Gen. 68 (1837).  
*CELASTRINEAE*, Benth. & Hook. f. i. 365.  
**ASTEROCARPUS**, Eckl. & Zeyh. Enum. 122 (1835), nomen prius.  
*arbores*, Walp. Rep. i. 535 = *variabilis*.  
*Burmanni*, Walp. l. c. = *tricuspidatus*.  
*Dregeanus*, *Sond. in Harv. & Sond. Fl. Cap. i.* 462.—Afr. austr.  
*litoralis*, *Walp. Rep. i.* 535.—Afr. austr.  
*marginatus*, *Baill. Adansonia*, xi. (1874) 286.—N. Caled.  
*neruosus*, Walp. Rep. i. 535 = *variabilis*.  
*rostratus*, *Walp. l. c.*—Afr. austr.  
*stenopterus*, *Walp. l. c.*—Afr. austr.  
*tetrapterus*, *Walp. l. c.* = *variabilis*.  
*tricuspidatus*, *Walp. l. c.*—Afr. austr.  
*typicus*, Walp. l. c. = *tricuspidatus*.  
*variabilis*, *Sond. in Harv. & Sond. Fl. Cap. i.* 462.—Afr. austr.

- PTEROCELTIS**, Maxim. in Bull. Acad. Pétersb. xviii. (1873) 292. *URTICACEAE*, Benth. & Hook. f. iii. 354.  
*Tatarinowii*, *Maxim. l. c.* 293.—Mongolia.

- PTEROCEPHALUS**, Vaill. ex Adans. Fam. ii. 152 (1763) = *Scabiosa*, Tourn. (Dipsac.).  
*arabicus*, Boiss. Diagn. Ser. I. x. 78.—Arab.  
*bellidifolius*, Boiss. l. c. ii. 109 = *S. pterocephala*.  
*brachiatus*, *Spreng. Syst. i.* 384 = *S. brachiata*.  
*brevis*, *Coult. Mém. Dipsac.* 32. t. 1. f. 16 = *S. papposa*.  
*Broussonetii*, *Coult. ex DC. Prod. iv.* 653 = *S. Broussonetii*.  
*canus*, *Coult. ex DC. l. c.* = *S. cana*.  
*caramanicus*, Boiss. & Heldr. Diagn. Ser. I. x. 77.—As. Min.  
*Coulteri*, Boiss. Diagn. l. c. = *S. papposa*.  
*cyprinus*, Boiss. l. c. ii. 110 = *multiflorus*.  
*depressus*, *Coss. & Bal. in Bull. Soc. Bot. Fr.* xx. (1873) 250.—Marocc.  
*diandrus*, *Lag. Gen. et Sp. Nov.* 9 = *S. papposa*.  
*dumetorum*, *Coult. Mém. Dipsac.* 32 = *S. dumetorum*.  
*frutescens*, *Hochst. in Flora*, xxiv. (1841) i. Intell. 27, nomen; et ex *A. Rich. Tent. Fl. Abyss. i.* 369 = *S. frutescens*.  
*incanus*, *Rafin. Fl. Tellur. iv.* 94 (Quid?)—Hab.?  
*involutus*, *Spreng. Syst. i.* 384 = *S. papposa*.  
*kurdicus*, *Vatke, in Linnaea*, xxxviii. (1874) 734.—Kurdistan.  
*lasiospermus*, *Link, in Buch, Besch. Canar. Ins.* 150 = *S. fruticulosa*.  
*lusitanicus*, DC. Prod. iv. 653 = *S. lusitanica*.  
*marcescens*, *Moench, Meth.* 491 = *S. plumosa*.  
*multiflorus*, *Poech, Enum. Pl. Ins. Cyp.* 16.—Ins. Cyprus.  
*niveus*, *Coult. Mém. Dipsac.* 32 = *S. nivea*.  
*palaestinus*, *Coult. l. c.* 31. t. 1. f. 14 = *S. brachiata*.  
*papposus*, *Coult. l. c.* 32. t. 1. f. 17 = *S. papposa*.  
*Parnassi*, *Spreng. Syst. i.* 384 = *S. pterocephala*.  
*parviflorus*, *Fisch. & Mey. in Tchihat. Asie Min. Bot.* ii. 223 = *S. brachiata*.  
*perennis*, DC. Prod. iv. 653 = *S. pterocephala*.  
*persicus*, Boiss. Diagn. Ser. I. vi. 72.—Persia.  
*Pinardi*, Boiss. l. c. v. 88.—As. Min.  
*plumosus*, *Coult. Mém. Dipsac.* 31. t. 1. f. 15 = *S. plumosa*.  
*plumosus*, *Heldr. ex Boiss. Diagn. Ser. I. x.* 77 = *caramanicus*.

**PTEROCEPHALUS:**—

- pulverulentus*, Boiss. & Bal. ex Boiss. Fl. Orient. iii. 152.—Syria.  
*Putkianus*, Boiss. & Kotschy, ex Boiss. l. c. 150.—Persia.  
*pyrethrifolius*, Boiss. & Hohen. Diagn. Ser. I. ii. 109.—Persia.  
*Quartinianus*, *A. Rich. Tent. Fl. Abyss. i.* 369 = *Scabiosa frutescens*.  
*sanctus*, *Decne. in Ann. Sc. Nat. Sér. II. ii.* (1834) 266.—Arab.  
*Sibthorpianus*, *Steud. Nom. ed. II. ii.* 413 = *S. brachiata*.  
*spathulatus*, *Coult. Mém. Dipsac.* 32 = *S. spathulata*, *D. Dietr.*  
*strictus*, Boiss. & Hohen. Diagn. Ser. I. ii. 110.—Persia.  
*Szovitsii*, Boiss. Fl. Orient. iii. 150.—Persia.  
*tomentosus*, *Coult. ex DC. Prod. iv.* 653 = *S. sphaciotica*.  
*Vaillanti*, *Lag. Gen. et Sp. Nov.* 9 = *S. papposa*.  
*virens*, *Webb & Berth. Phyt. Canar. ii.* 202. t. 81.—Ins. Canar.

- PTEROCERAS**, Hasselt, ex Hassk. in Flora, xxv. (1842) II. Beibl. 6 = *Sarcochilus*, R. Br. (Orchid.).  
*radicans*, Hassk. l. c.; et in *Hoev. & De Vriese, Tijdschr. ix.* (1842) 142 = *S. teres*.

- PTEROCHAETA**, Steetz, in Lehm. Pl. Preiss. i. 455 (1845) = *Waitzia*, Wendl. (Compos.).  
*paniculata*, Steetz, l. c. 456 = *W. paniculata*.

- PTEROCHAETE**, Arn. ex Boeck. in Linnaea, xxxvii. (1871-73) 600 = *Rynchospora*, Vahl (Cyperac.).  
*Drummondii*, Arn. ex Boeck. l. c. = *R. rariflora*.

- PTEROCHAETE**, Boiss. Diagn. Ser. I. vi. 76 (1845) = *Pulicaria*, Gaertn. (Compos.).  
*Aucherii*, Boiss. l. c. 77 = *Pulic. Aucheri*.  
*glaucescens*, Boiss. l. c. 78 = *Pulic. glaucescens*.  
*glutinosa*, Boiss. l. c. 77 = *Pulic. glutinosa*.  
*mucronifolia*, Boiss. l. c. 78.—Persia.

- PTEROCHILUS**, Hook. & Arn. Bot. Beech. Voy. t. 17 (1832) = *Microstylis*, Lindl. (Orchid.).  
*plantaginea*, Hook. & Arn. l. c. = *M. Rheedii*.

- PTEROCHITON**, Torr. in Frém. Rep. 318 (1845) = *Atriplex*, Tourn. (Chenop.).  
*canescens*, *Nutt. in Journ. Acad. Philad. N. S. i.* (1847) 184 = *A. canescens*.  
*occidentale*, Torr. in Frém. Rep. 318 = *A. canescens*.

- PTEROCHLAMYS**, Fisch. ex Endl. Gen. 294 (1837) = *Pandera*, Fisch. & Mey. (Chenop.).  
*pilosa*, Fisch. & Mey. ex Ledeb. Fl. Ross. iii. 741 = *Pand. pilosa*.

- PTEROCLADIS**, Lamb. ex G. Don, in Sweet, Hort. Brit. ed. III. 349 (1839) = *Baccharis*, Linn. (Compos.).  
*genistelloides*, Lamb. ex G. Don, l. c. = *B. genistelloides*.

- PTEROCLADON**, Hook. f. in Benth. & Hook. f. Gen. i. 763 (1867). *MELASTOMACEAE*, Benth. & Hook. f. l. c.  
*Sprucei*, *Hook. f. l. c.*—Peruv.

- PTEROCLADUM**, Triana, in Trans. Linn. Soc. xxviii. (1871) 97 = *praeac*.

- PTEROCOCCUS**, Hassk. in Flora, xxv. (1842) II. Beibl. 41 = *Plukenetia*, Linn. (Euphorb.).  
*glaberrimus*, Hassk. l. c. = *Pluk. corniculata*.

- PTEROCOCCUS**, Pall. Reise, App. 738. t. 5 (1776): Reise Russ. Reich. ii. App. 43 (1777) = *Calligonum*, Linn. (Polygon.).  
*aphyllus*, Kar. & Kir. in Bull. Soc. Nat. Mosc. xv. (1842) 443 = *C. leucocladum*.  
*aphyllus*, Pall. Reise, App. ii. 738 = *C. Pallasia*.  
*crispus*, *C. A. Mey. in Bull. Sc. Acad. Petersb.* viii. (1841) 340 = *C. crispum*.  
*leucocladus*, *Schrenk. in Bull. Phys.-Math. Acad. Petersb.* iii. (1845) 211 = *C. leucocladum*.



**PTEROCOCCUS**—

*persicus*, Boiss. & Buhse, in Nouv. Mém. Soc. Nat. Mosc. xii. (1860) 191 = *Calligonum persicum*.  
*songaricus*, C. A. Mey. in Bull. Sc. Acad. Pétersb. viii. (1841) 340 = *C. songaricum*.  
*tetrapterus*, Meissn. in DC. Prod. xiv. 29 = *C. tetrapterum*.

**PTEROCOELION**, Turcz. in Bull. Soc. Nat. Mosc. xxxvi. (1863) ii. 572. Gen. dub. *TILIACEARUM*.  
 —Cf. Benth. & Hook. f. i. 985.  
*javanicum*, Turcz. l. c. —Java.

**PTEROCYCLUS**, Klotzsch, in Bot. Ergeb. Waldem. Reise, 150. t. 47 (1862) = *Pleurospermum*, Hoffm. (Umbell.).  
*angelicoides*, Klotzsch, ll. cc. = *Pleurosp. angelicoides*.

**PTEROCYMBIUM**, R. Br. in Benn. Pl. Jav. Rar. 219. t. 45 (1844) = *Sterculia*, Linn.  
*javanicum*, R. Br. l. c. = *S. campanulata*.  
*nicobaricum*, Didr. in Kjoeb. Vidensk. Meddel. (1854) 199. —Ins. Nicobar.

**PTEROCYPERUS**, Opiz, Seznam, 80 (1852) = *Cyperus* Mich.  
*esculentus*, Opiz, l. c. = *C. esculentus*.

**PTERODISCUS**, Hook. Bot. Mag. t. 4117 (1844).  
*PEDALINEAE*, Benth. & Hook. f. ii. 1057.  
*aurantiacus*, Welw. in Trans. Linn. Soc. xxvii. (1869) 53. —Afr. trop.  
*Gayi*, Decne. in Ann. Sc. Nat. Sér. V. iii. (1865) 336. —Afr. trop.  
*luridus*, Hook. f. Bot. Mag. t. 5784. —Afr. austr.  
*speciosus*, Hook. l. c. t. 4117. —Afr. austr.

**PTERODON**, Vog. in Linnaea, xi. (1837) 384.  
*LEGUMINOSAE*, Benth. & Hook. f. i. 551.  
*COMMULOBIUM*, Benth. in Ann. Wien. Mus. ii. (1838) 110.  
*abruptus*, Benth. in Hook. Kew Journ. ii. (1850) 236. —Bras.  
*emarginatus*, Vog. in Linnaea, xi. (1837) 384. —Bras.  
*macrophyllus*, Klotzsch, in Schomb. Faun. & Fl. Brit. Gui. 1103, nomen. —Guian.  
*polygalaeiflorus*, Benth. in Hook. Kew Journ. ii. (1850) 236. —Bras.  
*pubescens*, Benth. in Journ. Linn. Soc. iv. Suppl. (1860) 127; et in Mart. Fl. Bras. xv. i. 306. —Bras.

**PTEROGASTRA**, Naud. in Ann. Sc. Nat. Sér. III. xiii. (1849) 32. *MELASTOMACEAE*, Benth. & Hook. f. i. 742.  
*cupheoides*, Seem. Bot. Voy. Herald, 122. —Am. centr.  
*divaricata*, Naud. in Ann. Sc. Nat. Sér. III. xiii. (1849) 33. —Am. trop.  
*major*, Triana, in Trans. Linn. Soc. xxviii. (1871) 40. t. 2. f. 30 b. —Am. trop.  
*minor*, Naud. in Ann. Sc. Nat. Sér. III. xiii. (1849) 33. —Venezuela.

**PTEROGLOSSASPIS**, Reichb. f. Otia Bot. Hamb. 67 (1878). *ORCHIDEAE*, Benth. & Hook. f. iii. 542.  
*eustachya*, Reichb. f. l. c. —Abyss.

**PTEROGLOSSIS**, Miers, in Ann. & Mag. Nat. Hist. Ser. II. v. (1850) 32 = *Reyesia*, Clos (Solan.).  
*laxa*, Miers, l. c. 33 = *R. chilensis*.

**PTEROGYNE**, Schrad. ex Nees, in Mart. Fl. Bras. ii. i. 62, in nota (1842) = *Ascolepis*, Nees (Cyperac.).

**PTEROGYNE**, Tul. in Ann. Sc. Nat. Sér. II. xx. (1843) 140. *LEGUMINOSAE*, Benth. & Hook. f. i. 586.  
*nitens*, Tul. l. c. —Bras.

**PTEROLEPIS**, Endl. Gen. 1214 (1840) = *Osbeckia*, Linn. (Melastom.).

**PTEROLEPIS**, Miq. Comm. Phyt. 72 (1840). *MELASTOMACEAE*, Benth. & Hook. f. i. 742.  
*ARTHROSTEMMA*, Naud. in Ann. Sc. Nat. Sér. III. xiii. (1849) 355.  
*BRACHYANDRA*, Naud. l. c. ii. (1844) 143.

**PTEROLEPIS**—

*alpestris*, Triana, in Trans. Linn. Soc. xxviii. (1871) 39. —Bras.  
*Arstedii*, Cogn. in Mart. Fl. Bras. xiv. iii. 297, sphalm. = *Oerstedii*.

*Balansaci*, Cogn. l. c. 267. —Bras.  
*Buracavi*, Cogn. l. c. 268. —Bras.  
*capitata*, Miq. Comm. Phyt. 79 = *glomerata*.  
*cataphracta*, Triana, in Trans. Linn. Soc. xxviii. (1871) 38. —Bras.

*cerastifolia*, Triana, l. c. 40 = *Tibouchina cerastifolia*.  
*clidemioides*, Triana, l. c. —Bras.  
*exigua*, Triana, l. c. 39. —Mexic.  
*filiformis*, Triana, l. c. 39. —Bras.  
*glomerata*, Miq. Comm. Phyt. 78. —Am. trop.; Ind. occ.  
*glomerata*, Triana, in Trans. Linn. Soc. xxviii. (1871) 39 = *Salzmännii*, maritima.

*Goudotiana*, Triana, l. c. = *pusilla*.  
*herbacea*, Triana, l. c. = *Tibouchina herbacea*.  
*Herinacquiiana*, Cogn. in Mart. Fl. Bras. xiv. iii. 268. —Paraguay.

*heterostemon*, Triana, in Trans. Linn. Soc. xxviii. (1871) 39. t. 2 = *filiformis*.

*hirsutissima*, Triana, l. c. = *pauciflora*.  
*Hostmanni*, Steud. in Flora, xxvii. (1844) 720 = *glomerata*.

*ladanoides*, Triana, in Trans. Linn. Soc. xxviii. (1871) 39 = *pumila*.

*lanceolata*, Cogn. in Mart. Fl. Bras. xiv. iii. 263. —Bras.

*lasiophylla*, Triana, in Trans. Linn. Soc. xxviii. (1871) 40 = *Tibouchina lasiophylla*.

*longistyla*, Cogn. in Mart. Fl. Bras. xiv. iii. 283. —Bras.

*macranthera*, Triana, in Trans. Linn. Soc. xxviii. (1871) 40 = *Tibouchina sebastianopolitana*.

*maritima*, Cogn. in Mart. Fl. Bras. xiv. iii. 273. —Bras.

*Martiana*, Triana, in Trans. Linn. Soc. xxviii. (1871) 39 = *Tibouchina sebastianopolitana*.

*nitida*, Triana, l. c. = *Tibouchina nitida*.

*Oerstedii*, Triana, l. c. 40 = *Tibouchina Oerstedii*.  
*paludosa*, Cogn. in Mart. Fl. Bras. xiv. iii. 272. —Bras.

*parnassiaefolia*, Triana, in Trans. Linn. Soc. xxviii. (1871) 38. —Bras.

*pauciflora*, Triana, l. c. 40. —Bras.

*perpusilla*, Cogn. in Mart. Fl. Bras. xiv. iii. 280. —Bras.

*Pohlana*, Cogn. l. c. 279. —Bras.

*polygonoides*, Triana, in Trans. Linn. Soc. xxviii. (1871) 39. —Bras.

*pumila*, Cogn. in Mart. Fl. Bras. xiv. iii. 263 = *pusilla*.  
*pumila*, Crueg. in Linnaea, xx. (1847) 102. —Am. trop.

*pusilla*, Miq. l. c. xviii. (1844) 619. —Am. trop.

*repanda*, Triana, in Trans. Linn. Soc. xxviii. (1871) 39. —Bras.

*Riedeliana*, Cogn. in Mart. Fl. Bras. xiv. iii. 265. —Bras.

*Salzmännii*, Cogn. l. c. 271. —Bras.

*saturejaeformis*, Cogn. l. c. 277. —Bras.

*simplicicaulis*, Triana, in Trans. Linn. Soc. xxviii. (1871) 40 = *Tibouchina simplicicaulis*.

*sipanioides*, Cogn. in Mart. Fl. Bras. xiv. iii. 270. —Bras.

*sipanioides*, Triana, in Trans. Linn. Soc. xxviii. (1871) 39 = *Trianaei*.

*striphnocalyx*, Cogn. in Mart. Fl. Bras. xiv. iii. 286. —Bras.

*Trianaei*, Cogn. l. c. 269. —Bras.

*trichotoma*, Cogn. l. c. 261 = *pumila*.

*versicolor*, Triana, in Trans. Linn. Soc. xxviii. (1871) 40 = *Tibouchina versicolor*.

*Weddelliana*, Triana, l. c. 39. —Bolivia.

**PTEROLEPIS**, Schrad. in Goett. Gel. Anz. (1821) iii. 2071 = *Scirpus*, Tourn. (Cyperac.).

*scirpoides*, Schrad. l. c. = *S. littoralis*.

**PTEROLOBIUM**, Andr. ex DC. Syst. ii. 374 (1821) = *Thlaspi*, Tourn. (Crucif.).

*Biebersteinii*, Andr. l. c. = *T. latifolia*.

*macrophyllum*, Rupr. Fl. Cauc. 125 = *T. latifolia*.

**PTEROLOBIUM**, R. Br. in Salt, Abyss. App. 64 (1814). *LEGUMINOSAE*, Benth. & Hook. f. i. 567.

*CANTUFFA*, J. F. Gmel. Syst. 677 (1791).

**PTEROLOBIUM**—

*KANTUFFA*, Bruce, Trav. t. 14 (1790).  
*QUARTINIA*, A. Rich. in Ann. Sc. Nat. Sér. II. xiv. (1840) 259.

*REICHARDIA*, Roth, Nov. Pl. Sp. 210 (1821).  
*abyssinicum*, A. Rich. Tent. Fl. Abyss. i. 246 = *lacerans*.

*Brucei*, Benth. & Hook. f. Gen. i. 588 = *lacerans*.  
*indicum*, Hance, in Journ. Bot. xxi. (1883) 297 = *subvestitum*?

*indicum*, A. Rich. Tent. Fl. Abyss. i. 247, in obs. —Ind. or.

*insigne*, Blume, ex Miq. Fl. Ind. Bat. i. i. 106 = *indicum*.

*Kantuffa*, Wight & Arn. ex Steud. Nom. ed. II. ii. 413 = *lacerans*.

*lacerans*, R. Br. in Salt, Abyss. App. 64. —Abyssin.  
*lacerans*, Wall. Cat. n. 5841 = *indicum*, *Caesalpinia digyna*.

*macrophyllum*, Kurz, in Journ. As. Soc. Beng. xlii. (1873) ii. 71 = *indicum*.

*microphyllum*, Miq. Fl. Ind. Bat. i. i. 106 = *indicum*.

*nitens*, F. Muell. ex Benth. Fl. Austral. ii. 279. —Austral.

*subvestitum*, Hance, in Journ. Bot. xxii. (1884) 365. —China.

**PTEROLOMA**, DC. Prod. ii. 326, in textu (1825); Benth. in Miq. Pl. Jungh. 219 (1852) = *Desmodium*, Desv. (Legumin.).

*auriculatum*, DC. l. c. = *D. triquetrum*.

*triquetrum*, Benth. in Miq. Pl. Jungh. 217, 220 = *D. triquetrum*.

**PTEROLOMA**, Hochst. & Steud. in Flora, xxiv. (1841) i. Intell. 42; et ex Steud. Nom. ed. II. ii. 413 (1841) = *Dipterygium*, Decne. (Crucif.).

*arabicum*, Hochst. & Steud. ll. cc. = *D. glaucum*.

**PTEROLOPHUS**, Cass. in Dict. Sc. Nat. xlv. 34 (1826) = *Centaurea*, Linn. (Compos.).

*lanceolatus*, Cass. l. c. i. 249 = *C. pterolopha*.

*pinnatifidus*, Cass. l. c. 250 = *C. alba*.

**PTEROMARATHRUM**, Koch, ex DC. Prod. iv. 239 (1830) = *Prangos*, Lindl. (Umbell.).

**PTERONEURON**, Meissn. Gen. 10 (1837) = seq.

**PTERONEURUM**, DC. Syst. ii. 269 (1821) = *Cardamine*, Tourn. (Crucif.).

*bipinnatum*, Reichb. Fl. Germ. Excurs. 676 = *C. thalictroides*.

*carnosum*, DC. Syst. ii. 270 = *C. carnosum*.

*corsicum*, Jord. Diagn. i. 131 = *C. graeca*.

*creticum*, Jord. l. c. 133 = *C. graeca*.

*Cupanii*, Jord. l. c. = *C. graeca*.

*dalmaticum*, Vis. in Flora, xii. (1829) i. Erg. 17 = *C. maritima*.

*decurrens*, Blume, Bijdr. 51 = *C. decurrens*.

*gracum*, DC. Syst. ii. 270 = *C. graeca*.

*javanicum*, Blume, Bijdr. 51 = *C. javanica*.

*maritimum*, Reichb. Fl. Germ. Excurs. 676 = *C. maritima*.

*microphyllum*, J. & C. Presl, Delic. Prag. 237 = *C. maritima*.

*Rochelianum*, Reichb. ex Nym. Consp. 38 = *C. graeca*.

*trichocarpum*, Jord. Diagn. i. 132 = *C. graeca*.

**PTERONIA**, Linn. Sp. Pl. ed. II. 1176 (1763). *COMPOSITAE*, Benth. & Hook. f. ii. 259.

*HENANTHUS*, Less. Syn. Comp. 196 (1832).

*PACHYDERIS*, Cass. in Dict. Sc. Nat. lvi. 170. (1828).

*PETRONIA*, Jungh. in Nat. en Geneesk. Arch. Neêrl. Indie, ii. (1845) 52.

*PTEROPHORA*, Neck. Elem. i. 78 (1790).

*PTEROPHORUS*, Vaill. ex Adans. Fam. ii. 118 (1763).

*SCEPINIA*, Neck. Elem. i. 78 (1790).

*acerosa*, DC. Prod. v. 357 = *bacharoides*.

*acuminata*, DC. l. c. 361. —Afr. austr.

*adenocarpa*, Harv. in Harv. & Sond. Fl. Cap. iii. 109. —Afr. austr.

*aromatica*, Salisb. Prod. 188 = *camphorata*.

*aspalatha*, DC. Prod. v. 356. —Afr. austr.

*aspera*, Thunb. Prod. Pl. Cap. 143 = *camphorata*.

*bacharoides*, Less. Syn. Comp. 196. —Afr. austr.



**PTERONIA** :—

beckeoides, *DC. Prod.* v. 359.—Afr. austr.  
 callosa, *DC. l. c.* 362.—Afr. austr.  
 calvescens, Drège, ex Harv. & Sond. *Fl. Cap.* iii. 101 = gymnocline.  
 camphorata, *Linn. Sp. Pl.* ed. II. 1176.—Afr. austr.  
 Candollei, Harv. in Harv. & Sond. *Fl. Cap.* iii. 105 = glauca.  
 canescens, *DC. Prod.* v. 358 = cinerea.  
 caroliniana, Walt. *Fl. Carol.* 202 = *Liatris squarrosa*.  
 centauroides, *DC. Prod.* v. 362.—Afr. austr.  
 Cephalotes, *Linn. f. Suppl.* 358 = hirsuta.  
 Chamaepeuce, Spreng. *Syst.* iii. 440 = *Cnicus Chamaepeuce*.  
 Chamaepeuce, Tenore, *Syll. Fl. Neap.* 417 = *Cnicus gnaphalodes*.  
 chrysocomifolia, *Poir. Encyc.* v. 732.—Afr. austr.  
 ciliata, *Thunb. Prod. Pl. Cap.* 144; *DC. Prod.* v. 359.—Afr. austr.  
 cinerea, *Linn. f. Suppl.* 356.—Afr. austr.  
 connata, *DC. Prod.* v. 360 = flexicaulis.  
 crassifolia, *Poir. Encyc.* v. 731.—Afr. austr.  
 cylindracea, *DC. Prod.* v. 363.—Afr. austr.  
 dentata, Spreng. ex *DC. l. c.* 482 = *Iphiona baccharidifolia*.  
 divaricata, *Less. Syn. Comp.* 196.—Afr. austr.  
 echinata, *Thunb. Prod. Pl. Cap.* 143 = *Felicia echinata*.  
 elegans, *Sch. Bip. ex Walp. Rep.* ii. 970.—Afr. austr.  
 elongata, *Thunb. Fl. Cap. ed. Schult.* 631.—Afr. austr.  
 empetrifolia, *DC. Prod.* v. 363.—Afr. austr.  
 erythrochaeta, *DC. l. c.* 358.—Afr. austr.  
 fasciculata, *Linn. f. Suppl.* 357.—Afr. austr.  
 fasciculata, Willd. ex *Less. Syn. Comp.* 262 = *Athanasia fasciculata*.  
 fastigiata, *Thunb. Prod. Pl. Cap.* 143 = paniculata.  
 flexicaulis, *DC. Prod.* v. 360 = paniculata.  
 flexicaulis, *Linn. f. Suppl.* 355.—Afr. austr.  
 glabrata, *DC. Prod.* v. 362 = glauca.  
 glabrata, *Linn. f. Suppl.* 358.—Afr. austr.  
 glauca, *Thunb. Prod. Pl. Cap.* 144.—Afr. austr.  
 glaucescens, *DC. Prod.* v. 357.—Afr. austr.  
 glomerata, *Linn. f. Suppl.* 356.—Afr. austr.  
 gymnocline, *DC. Prod.* v. 359.—Afr. austr.  
 heterocarpa, *DC. l. c.* 364.—Afr. austr.  
 hirsuta, *Linn. f. Suppl.* 356.—Afr. austr.  
 incana, *DC. Prod.* v. 358.—Afr. austr.  
 inflexa, *Linn. f. Suppl.* 356.—Afr. austr.  
 laricina, *Houtt. ex DC. Prod.* v. 364 = camphorata.  
 latisquama, *DC. l. c.* 363 = glauca.  
 leptolepis, *DC. l. c.*—Afr. austr.  
 leptospermoides, *DC. l. c.*—Afr. austr.  
 leucoclada, *Turcz. in Bull. Soc. Nat. Mosc.* xxiv. (1851) ii. 65.—Afr. austr.  
 leucoloma, *DC. Prod.* v. 362.—Afr. austr.  
 lucilioides, *DC. l. c.* 358.—Afr. austr.  
 lupulina, *DC. l. c.* 357 = inflexa.  
 marginata, *Herb. Buitenz. ex C. B. Clarke, Comp. Ind.* 124 = *Inula Cappa*.  
 marginata, *Jungb. in Nat. en Geneesk. Arch. Neêrl. Indie*, ii. (1845) 52 = praec.?  
 membranacea, *Linn. f. Suppl.* 357.—Afr. austr.  
 microphylla, *DC. Prod.* v. 359 = glomerata.  
 minuta, *Linn. f. Suppl.* 357 = *Nestlera humilis*.  
 mucronata, *DC. Prod.* v. 362.—Afr. austr.  
 onobromoides, *DC. l. c.* 364.—Afr. austr.  
 oppositifolia, *Linn. Syst. ed. XII.* 538.—Afr. austr.  
 oppositifolia, *E. Mey. ex DC. Prod.* v. 363 = leptolepis.  
 ovalifolia, *DC. l. c.* 361.—Afr. austr.  
 pallens, *Linn. f. Suppl.* 357.—Afr. austr.  
 paniculata, *Thunb. Prod. Pl. Cap.* 143.—Afr. austr.  
 pauciflora, *Sims, Bot. Mag.* t. 1697 = *Helipterum virgatum*.  
 Porophyllum, *Cav. Ic.* iii. 13. t. 225 = *Adenophyllum Porophyllum*.  
 quinqueflora, *DC. Prod.* v. 363.—Afr. austr.  
 retorta, *Linn. f. Suppl.* 356 = hirsuta.  
 rigida, *Berg. Desc. Pl. Cap.* 231 = incana.  
 scabra, *Harv. in Harv. & Sond. Fl. Cap.* iii. 109.—Afr. austr.  
 scariosa, *Linn. f. Suppl.* 356.—Afr. austr.  
 sesuvifolia, *DC. Prod.* v. 360 = glabrata.  
 spinosa, *Linn. f. Suppl.* 357 = *Hoplophyllum spinosum*.  
 stoechelinoides, *DC. Prod.* v. 364.—Afr. austr.  
 stricta, *Ait. Hort. Kew. ed. I.* iii. 162 = camphorata.  
 succulenta, *Thunb. Prod. Pl. Cap.* 143.—Afr. austr.

**PTERONIA** :—

tenuifolia, *DC. Prod.* v. 363.—Afr. austr.  
 tomentosa, *Lour. Fl. Cochinch.* 489 (Quid?).—China.  
 tricephala, *DC. Prod.* v. 359.—Afr. austr.  
 turbinata, *DC. l. c.* 362.—Afr. austr.  
 uncinata, *DC. l. c.* 357.—Afr. austr.  
 undulata, *DC. l. c.* 361.—Afr. austr.  
 uniflora, *Poir. Encyc.* v. 733 = hirsuta?  
 verticillata, *DC. Prod.* v. 357 = uncinata?  
 villosa, *Linn. f. Suppl.* 356.—Afr. austr.  
 viscosa, *DC. Prod.* v. 364 = adenocarpa.  
 viscosa, *Thunb. Prod. Pl. Cap.* 144.—Afr. austr.  
 xantholepis, *DC. Prod.* v. 358 = incana.  
 PTEROPAPPUS, *Pritz. Ic. Ind.* ii. 235 (1865), sphalm. = *Pterygopappus*, *Hook. f. (Compos.)*.  
 PTEROPHORA, *Harv. Gen. S. Afr. Pl.* 223 (1838) = *Dregea*, *E. Mey. (Asclep.)*.  
*Dregea*, *Harv. l. c.* = *D. floribunda*.  
 PTEROPHORA, *Neck. Elem.* i. 78 (1790) = *Pteronia*, *Linn. (Compos.)*.  
 PTEROPHORUS, *Vaill. ex Adans. Fam.* ii. 118 (1763) = *Pteronia*, *Linn. (Compos.)*.  
*asper*, *Less. Syn. Comp.* 195 = *Pteronia camphorata*.  
*camphoratus*, *Cass. in Dict. Sc. Nat.* xxxvii. 474 = *Pteronia camphorata*.  
*strictus*, *Less. Syn. Comp.* 195 = *Pteronia camphorata*.  
 PTEROPHYLLA, *D. Don, in Edinb. N. Phil. Journ.* (Apr.–June, 1830) 93 = *Weinmannia*, *Linn. (Saxifr.)*.  
*fraxinea*, *D. Don, l. c.* = *W. fraxinea*.  
*sessilis*, *Salm-Dyck, Hort. Dyck.* 220, nomen (Quid?).—Hab.?  
 PTEROPHYLLUS, [Nelson] *Senilis*, *Pinaceae*, 163 (1866) = *Ginkgo*, *Linn. (Conif.)*.  
*Ginkgo*, *C. Koch, Dendrol.* ii. ii. 107, sphalm. = seq.  
*salisburyensis*, [Nelson] *Senilis*, *Pinaceae*, 163 = *G. biloba*.  
 PTEROPHYTON, *Cass. in Bull. Soc. Philom.* (1818) 76 = *Actinomeris*, *Nutt. (Compos.)*.  
*alatum*, *Cass. in Dict. Sc. Nat.* xlv. 49 = *A. tetraptera*.  
*alternifolium*, *Cass. l. c.* = *A. squarrosa*.  
*ovatum*, *Cass. l. c.* = *A. ovata*.  
*procerum*, *Cass. l. c.* 50 = *A. squarrosa*.  
 PTEROPODIUM, *DC. in Meissn. Gen.* 300; *Comm.* 209 (1840) = *Jacaranda*, *Juss. (Bignon.)*.  
*glabrum*, *DC. Prod.* ix. 239.—Bolivia.  
*hirsutum*, *DC. l. c.*—Bolivia.  
 PTEROPODIUM, *Willd. ex Steud. Nom. ed. II.* ii. 414 (1841) = *Calamagrostis*, *Adans., etc. (Gramin.)*.  
*arundinaceum*, *Willd. ex Steud. l. c.* = *Deyeuxia triflora*.  
*effusum*, *Willd. ex Steud. l. c.* = *Deyeuxia effusa*.  
*heterophyllum*, *Willd. ex Steud. l. c.* = *Deyeuxia eriantha*.  
*juncum*, *Willd. ex Steud. l. c.* = *Deyeuxia effusa*.  
*planifolium*, *Willd. ex Steud. l. c.* = *Deyeuxia planifolia*.  
*rigidum*, *Willd. ex Steud. l. c.* = *Deyeuxia rigida*.  
*strictum*, *Willd. ex Steud. l. c.* = *C. Humboldtiana*.  
 PTEROPOGON, *DC. Prod.* vi. 245 (1837) = *Helipterum*, *DC. (Compos.)*.  
*ateralis*, *Nees, in Linnaea*, xvi. (1842) 223 = *H. pygmaeum*.  
*Cassinianus*, *F. Muell. in Linnaea*, xxv. (1852) 415 = *Schoenia Cassiniana*.  
*corymbosus*, *A. Gray, in Hook. Kew Journ.* iv. (1852) 268 = *H. corymbosum*.  
*demissus*, *A. Gray, l. c.* 269 = *H. exiguum*.  
*Drummondii*, *A. Gray, l. c.* 267 = *H. pygmaeum*.  
*gracilis*, *A. Gray, l. c.* 269 = *H. gracile*.  
*Humboldtianus*, *F. Muell. in Linnaea*, xxv. (1852) 415 = *H. Humboldtianum*.  
*intermedius*, *F. Muell. l. c.* 411.—Austral.  
*laevis*, *A. Gray, in Hook. Kew Journ.* iv. (1852) 269 = *H. laeve*.

**PTEROPOGON** :—

*oppositifolius*, *F. Muell. in Linnaea*, xxv. (1852) 415 = *Schoenia Cassiniana*.  
*platyphyllus*, *F. Muell. l. c.* 413 = *Helipterum strictum*.  
*polycephalus*, *A. Gray, in Hook. Kew Journ.* iv. (1852) 268 = *H. polycephalum*.  
*pygmaeus*, *DC. Prod.* vi. 245 = *H. pygmaeum*.  
*ramosissimus*, *F. Muell. in Linnaea*, xxv. (1852) 412 = *Helichrysum semifertile*.  
*ramosus*, *A. Gray, in Hook. Kew Journ.* iv. (1852) 270 = *H. tenellum*.  
*ruthenicus*, *C. A. Mey. in Goebel, Reise*, ii. 284 = *Tragopogon floccosus*.  
*spicatus*, *Steetz, in Lehm. Pl. Preiss.* i. 479 = *H. spicatum*.  
 PTEROPOGON, *Fenzl, in Flora*, xxii. (1839) ii. 727 = *Facelis*, *Cass. (Compos.)*.  
*andicola*, *Nees, in Ind. Sem. Hort. Vratisl.* (1841); ex *ead.* in *Linnaea*, xvi. (1842) 223 = seq.  
*chilensis*, *Fisch. & Mey. Ind. Sem. Hort. Petrop.* vi. 64 = *F. apiculata*.  
 PTEROPOGON, *Neck. Elem.* i. 109 (1840) = *Scabiosa*, *Tourn. (Dipsac.)*.  
 PTEROPYRUM, *Jaub. & Spach, Illustr.* ii. 7. tt. 107–109 (1846). *POLYGONACEAE*, *Benth. & Hook. f.* iii. 85.  
*Aucherii*, *Jaub. & Spach, l. c.* ii. 8. t. 107.—Persia.  
*ericoides*, *Boiss. Fl. Orient.* iv. 1002.—Beluch.; Persia.  
*gracile*, *Boiss. Diagn. Ser. I.* xii. 102 = *Olivierii*.  
*Griffithii*, *Meissn. in DC. Prod.* xiv. 31 = *Olivierii*.  
*Noëanum*, *Boiss. in Bot. Zeit.* xi. (1853) 734, nomen; et ex *Meissn. in DC. Prod.* xiv. 31.—Assyria.  
*Olivierii*, *Jaub. & Spach, Illustr.* ii. 9. t. 108, (*Olivieri*).—Persia; Afghan.  
*scoparium*, *Jaub. & Spach, l. c.* 10. t. 109.—Arabia.  
 PTEROSCLERIA, *Nees, in Mart. Fl. Bras.* ii. i. 196 (1842). *CYPERACEAE*, *Benth. & Hook. f.* iii. 1068.  
*guianensis*, *Nees, l. c.*—Guian.  
*longifolia*, *Griseb. Fl. Brit. W. Ind.* 579.—Ins. Trinit.; Guian.  
 PTEROSELINUM, *Reichb. Fl. Germ. Excurs.* 453 (1832) = *Peucedanum*, *Tourn. (Umbell.)*.  
*alsaticum*, *Reichb. l. c.* 454 = *Peuced. alsaticum*.  
*austriacum*, *Reichb. l. c.* = *Peuced. austriacum*.  
*Chabraei*, *Reichb. l. c.* 453 = *Peuced. carvifolium*.  
*glaucum*, *Reichb. l. c.* = *Peuced. Schottii*.  
*intermedium*, *Schur, Enum. Pl. Transs.* 265 = *Peuced. austriacum*.  
*montanum*, *Reichb. Fl. Germ. Excurs.* 454 = *Peuced. austriacum*.  
*peucedanoides*, *Reichb. l. c.* = *Peuced. involucreatum*.  
*rablense*, *Reichb. l. c.* = *Peuced. rablense*.  
*sibiricum*, *Reichb. l. c.* = *Peuced. baicalense*.  
*transsilvanicum*, *Schur, Enum. Pl. Transs.* 265 = *Peuced. transsilvanicum*.  
 PTEROSENECIO, *Sch. Bip. ex Baker, in Mart. Fl. Bras.* vi. iii. 300 (1884) = *Senecio*, *Tourn. (Compos.)*.  
*grandis*, *Sch. Bip. ex Baker, l. c.* 304 = *S. grandis*.  
 PTEROSIPHON, *Turcz. in Bull. Soc. Nat. Mosc.* xxxvi. (1863) i. 589 = *Cedrela*, *Linn. (Meliac.)*.  
*multivenius*, *Turcz. l. c.* 590 = *C. angustifolia*?  
 PTEROSPARTUM, *Willk. in Willk. & Lange, Prod. Fl. Hisp.* iii. 440 (1880) = *Genista*, *Linn. (Legum.)*.  
*cantabricum*, *Willk. l. c.* 441 = *G. tridentata*.  
*lasianthum*, *Willk. l. c.* 440 = *G. tridentata*.  
*sagittale*, *Willk. l. c.* = *G. sagittalis*.  
*Scolopendrinum*, *Willk. l. c.* 469 = *G. tridentata*.  
*stenopterum*, *Willk. l. c.* 441 = *G. tridentata*.  
*tridentatum*, *Willk. l. c.* = *G. tridentata*.  
 PTEROSPERMUM, *Schreb. Gen.* 461 (1791). *STERCULIACEAE*, *Benth. & Hook. f.* i. 220.  
*SCZEGLEWIA*, *Turcz. in Bull. Soc. Nat. Mosc.* xxxi. (1858) i. 233.  
*VELAGA*, *Adans. Fam.* ii. 398 (1763); *Gaertn. Fruct.* ii. 245. t. 133 (1791).



**PTEROSPERMUM** :—

- acerifolium*, Benth. Fl. Hongk. 39 = heterophyllum.  
*acerifolium*, Willd. Sp. Pl. iii. 729.—Ind. or.; Java.  
*acerifolium*, Zoll. & Mor. Syst. Verz. Zoll. 27 = diversifolium.  
*acervoides*, Wall. Cat. n. 1171 = *acerifolium*.  
*Blumeianum*, Korth. in Nederl. Kruidk. Arch. i. (1848) 311.—Sumatra; Java.  
*canescens*, Roxb. Hort. Beng. 50; Fl. Ind. iii. 162 = suberifolium.  
*celebicum*, Miq. Illustr. Fl. Arch. Ind. 87.—Ins. Celebes.  
*cinnamomeum*, Kurz, in Journ. As. Soc. Beng. xliii. (1874) II. 120, nomen; et For. Fl. Brit. Burma, i. 147.—Burma.  
*diversifolium*, Blume, Bijdr. 88.—Ind. or.; Malaya.  
*Donianum*, Walp. Rep. i. 350.—Ind. or.  
*elongatum*, Korth. in Nederl. Kruidk. Arch. i. (1848) 312.—Borneo.  
*fuscum*, Korth. l. c.—Borneo.  
*glabrescens*, Wight & Arn. Prod. 69.—Ind. or.  
*hastatum*, Blanco, Fl. Filip. ed. I. 528 = diversifolium.  
*heterophyllum*, Hance, in Journ. Bot. vi. (1868) 112.—China.  
*Heyneanum*, G. Don, Gen. Syst. i. 538 = *Donianum*.  
*Heyneanum*, Wall. Cat. n. 1169.—Ind. or.  
*Jackianum*, Wall. l. c. n. 1164.—Ins. Penang.  
*javanicum*, Jungh. in Hoef. & De Vriese, Tijdschr. vii. (1840) 306.—Java.  
*lanceaefolium*, Blume, Bijdr. 87 = *Blumeianum*.  
*lanceaefolium*, Roxb. Hort. Beng. 50; Fl. Ind. iii. 163.—Ind. or.  
*Lavianum*, Nimmo, in J. Grah. Cat. Pl. Bomb. 246 = *Heyneanum*.  
*obliquum*, Blanco, Fl. Filip. ed. I. 529.—Ins. Philipp.  
*oblongum*, Wall. Cat. n. 1165 = suberifolium.  
*obtusifolium*, Wight, ex Mast. in Hook. f. Fl. Brit. Ind. i. 369.—Ind. or.  
*paniculatum*, Roxb. Fl. Ind. ii. 642 = *Brownlowia elata*.  
*parvifolium*, Miq. Fl. Ind. Bat. Suppl. 403.—Sumatra.  
*Pierrei*, Hance, in Journ. Bot. xv. (1877) 329.—Cambodia.  
*plantanifolium*, Lodd. ex G. Don, in Loud. Hort. Brit. 285, nomen.—Ind. or.  
*reticulatum*, Wight & Arn. Prod. 69.—Ind. or.  
*rubiginosum*, Heyne, in Wall. Cat. n. 1168.—Ind. or.  
*rubiginosum*, F. Villar, in Blanco, Fl. Philipp. ed. III. Nov. App. 28 = obliquum.  
*Szegleewia*, Turcz. in Bull. Soc. Nat. Mosc. xxxvi. (1863) I. 573 = obliquum.  
*semisagittatum*, Blanco, Fl. Filip. ed. II. 368 = obliquum.  
*semisagittatum*, Buch.-Ham. ex Roxb. Hort. Beng. 50; Fl. Ind. iii. 160.—Ind. or.  
*suberifolium*, Lam. Illustr. iii. 136.—Ind. or.  
*suberifolium*, Willd. Sp. Pl. iii. 728 = *Heyneanum*.  
*subinaequale*, Miq. Fl. Ind. Bat. Suppl. 404.—Sumatra.  
*subsessile*, Miq. l. c. 403.—Sumatra.  
*sumatranum*, Miq. Illustr. Fl. Arch. Ind. 87.—Sumatra.

**PTEROSPORA**, Nutt. Gen. Am. i. 269 (1818).  
**MONOTROPEAE**, Benth. & Hook. f. ii. 605.  
*andromedeae*, Nutt. l. c.—Am. bor.

**PTEROSPOROPSIS**, Kellogg, fide A. Gray, ex Benth. & Hook. f. Gen. ii. 606 (1876) = **Sarcodes**, Torr. (Monotr.).  
*sonoraensis*, Kellogg, ex Curran, in Bull. Calif. Acad. i. n. III. (1885) 141 = *S. sanguinea*.

**PTEROSTEGIA**, Fisch. & Mey. Ind. Sem. Hort. Petrop. ii. 48 (1835). **POLYGONACEAE**, Benth. & Hook. f. iii. 94.  
*diphylla*, Nutt. in Journ. Acad. Philad. N. S. i. (1847) 168.—Calif.  
*drymarioides*, Fisch. & Mey. Ind. Sem. Hort. Petrop. ii. 48.—Calif.  
*fruticosa*, Greene, in Bull. Calif. Acad. i. iv. (1885) 212.—Calif.  
*galioides*, Greene, l. c. 213.—Calif.  
*macroptera*, Benth. Bot. Voy. Sulph. 44.—Calif.  
*microphylla*, Nutt. in Journ. Acad. Philad. N. S. i. (1847) 168 = *drymarioides*.

**PTEROSTELMA**, Wight, Contrib. 39 (1834) = **Hoya**, R. Br. (Asclep.).  
*acuminatum*, Wight, l. c. = *H. acuminata*.  
*albiflora*, Blume, Rumphia, iv. 33 = *H. albiflora*.

**PTEROSTEMON**, Schau. in Linnaea, xx. (1847) 736. **ROSACEAE**, Benth. & Hook. f. i. 615.  
*mexicanus*, Schau. l. c.—Mexic.

**PTEROSTEPHANUS**, Kellogg, in Proc. Calif. Acad. iii. (1863) 20. f. 4 = **Anisocoma**, Torr. (Compos.).  
*runcinatus*, Kellogg, l. c. 21 = *A. acaulis*.

**PTEROSTIGMA**, Benth. Scroph. Ind. 20 (1835) = **Adenosma**, R. Br. (Scrophul.).  
*capitatum*, Benth. l. c. 21 = *A. capitatum*.  
*grandiflorum*, Benth. l. c. = *A. grandiflorum*.  
*hirsutum*, Miq. Fl. Ind. Bat. Suppl. 562.—Sumatra.  
*macrophyllum*, Benth. Scroph. Ind. 21 = *A. macrophyllum*.  
*ovatum*, Benth. in DC. Prod. x. 380 = *A. ovatum*.  
*rubiginosum*, Walp. in Nov. Act. Nat. Cur. xix. Suppl. i. (1843) 393 = *A. grandiflorum*.  
*spicatum*, Benth. Scroph. Ind. 21 = *A. capitatum*.  
*stricta*, Griff. Notul. iv. 96 = *A. caeruleum*.  
*subrepens*, Thw. Enum. Pl. Zeyl. 426 = *A. subrepens*.  
*villosum*, Benth. Scroph. Ind. 21 = *A. caeruleum*.  
*villosum*, Thw. Enum. Pl. Zeyl. 218 = *A. camphoratum*.

**PTEROSTYLIS**, R. Br. Prod. 326 (1810). **ORCHIDEAE**, Benth. & Hook. f. iii. 610.  
**DIPLODIUM**, Sw. in Ges. Naturf. Fr. Berl. Mag. iv. (1810) 84.  
*acuminata*, R. Br. Prod. 326.—Austral.  
*acuminata*, Sieber, ex Lindl. Gen. et Sp. Orch. 391 = *concinna*.  
*alata*, Reichb. f. Beitr. Syst. Pfl. 70 = *praecox*.  
*aphylla*, Lindl. Gen. et Sp. Orch. 392.—Austral.  
*australis*, Hook. f. Fl. N. Zel. i. 248.—N. Zel.  
*Banksii*, R. Br. ex A. Cunn. in Bot. Mag. t. 3172.—N. Zel.  
*Baptisti*, Fitzg. Austral. Orch. i. t. 2.—Austral.  
*barbata*, Endl. in Lehm. Pl. Preiss. ii. 5 = *pyramidalis*.  
*barbata*, Lindl. Swan River App. 53.—Austral.  
*clavigera*, Fitzg. in Journ. Bot. xxiii. (1885) 138.—Austral.  
*coccinea*, Fitzg. Austral. Orch. i. t. 3.—Austral.  
*concinna*, R. Br. Prod. 326.—Austral.  
*cucullata*, R. Br. l. c. 327.—Austral.  
*curta*, R. Br. l. c. 326.—Austral.  
*cynoccephala*, Fitzg. Austral. Orch. i. t. 7.—Austral.  
*Daintreana*, F. Muell. ex Benth. Fl. Austral. vi. 360.—Austral.  
*dubia*, R. Br. Prod. 328 = *cucullata*.  
*dubia*, Hook. f. Fl. Tasman. ii. 20. t. 115 = *furcata*.  
*emarginata*, Colenso, in Trans. N. Z. Inst. xv. (1883) 328.—N. Zel.  
*foliata*, Hook. f. Fl. N. Zel. i. 249.—N. Zel.  
*furcata*, Lindl. Gen. et Sp. Orch. 390.—Austral.  
*gibbosa*, R. Br. Prod. 328 = *rufa*.  
*graminea*, Hook. f. Fl. N. Zel. i. 248.—N. Zel.  
*grandiflora*, R. Br. Prod. 327.—Austral.  
*hirsuta*, Ait. ex Steud. Nom. ed. I. 667, nomen = *obtusata*?  
*hispidula*, Fitzg. Austral. Orch. i. t. 5.—Austral.  
*longifolia*, R. Br. Prod. 327.—Austral.  
*micromega*, Hook. f. Fl. N. Zel. i. 248.—N. Zel.  
*Mitchelli*, Lindl. in Mitch. Journ. Trop. Austral. 365 = *rufa*?  
*mutica*, R. Br. Prod. 328.—Austral.  
*nana*, R. Br. l. c. 327.—Austral.  
*nutans*, R. Br. l. c.—Austral.  
*obtusata*, R. Br. l. c.—Austral.  
*ophioglossa*, R. Br. l. c. 326.—Austral.  
*parviflora*, R. Br. l. c. 327.—Austral.  
*pedoglossa*, Fitzg. Austral. Orch. i. t. 5.—Austral.  
*pendunculata*, R. Br. Prod. 327.—Austral.; Tasman.  
*praecoccissima*, F. Muell. ex Benth. Fl. Austral. vi. 365 = *vittata*.  
*praecox*, Lindl. Gen. et Sp. Orch. 388.—Austral.  
*puberula*, Hook. f. Fl. N. Zel. i. 249.—N. Zel.  
*pyramidalis*, Endl. in Lehm. Pl. Preiss. ii. 5 = *reflexa*.  
*pyramidalis*, Lindl. Swan River App. 53.—Austral.  
*recurva*, Benth. Fl. Austral. vi. 360.—Austral.  
*reflexa*, R. Br. Prod. 327.—Austral.  
*revoluta*, R. Br. l. c. = *reflexa*.

**PTEROSTYLIS** :—

- rufa*, R. Br. Prod. 327.—Austral.  
*rupestris*, Drumm. in Hook. Journ. Bot. ii. (1840) 367.—Austral.  
*scabra*, Lindl. Swan River App. 53 = *reflexa*.  
*scabrida*, Lindl. Gen. et Sp. Orch. 389 = *cucullata*.  
*squamata*, R. Br. Prod. 327 = *rufa*.  
*squamata*, Lindl. Gen. et Sp. Orch. 388 = *barbata*.  
*striata*, Fitzg. Austral. Orch. i. t. 5.—Austral.  
*trullifolia*, Hook. f. Fl. N. Zel. i. 249.—N. Zel.  
*truncata*, Fitzg. Austral. Orch. i. t. 3.—Austral.  
*turfosa*, Endl. in Lehm. Pl. Preiss. ii. 5.—Austral.  
*vittata*, Lindl. Swan River App. 53.—Austral.  
*Woollsii*, Fitzg. Austral. Orch. i. t. 8.—Austral.

**PTEROSTYRAX**, Sieb. & Zucc. Fl. Jap. i. 94, t. 47 (1835) = **Halesia**, Linn. (Styrac.).  
*corymbosum*, Sieb. & Zucc. l. c. 96 = *H. corymbosa*.  
*hispidum*, Sieb. & Zucc. in Abh. Akad. Muench. iv. III. (1846) 132 = *H. hispida*.  
*micranthum*, Sieb. & Zucc. l. c.—Japon.

**PTEROTA**, P. Br. Hist. Jamaic. 146. t. 5 (1756) = **Zanthoxylum**, Linn. (Rutac.).  
*Fagara*, Crantz, Inst. ii. 417 = *Z. Pterota*.  
*piperita*, Crantz, l. c. 418 = *Z. pimpinelloides*.  
*tragodes*, Crantz, l. c. 417 = *Z. tragodes*.

**PTEROTHECA**, Cass. in Bull. Soc. Philom. (1816) 200. **COMPOSITAE**, Benth. & Hook. f. ii. 516.  
**CREPINIA**, Reichb. in Moessl. Handb. ii. 1415 (1828).  
**MYOSERIS**, Link, Enum. Hort. Berol. ii. 291 (1822).  
**TRICHOCEPIS**, Vis. Stirp. Dalm. 19, t. 7 (1826).  
**TRICHOSEIS**, Sch. Bip. in Flora, xxii. (1839) 19.  
*aralensis*, Bunge, in Mém. Sav. Etr. Pétersb. vii. (1851) 383.—Turkestan.  
*aspera*, Reichb. f. Ic. Fl. Germ. xix. 37 = *Crepis aspera*.  
*bifida*, C. B. Clarke, Comp. Ind. 256 = *Falconeri*.  
*bifida*, Fisch. & Mey. Ind. Sem. Hort. Petrop. iv. 43.—Oriens.  
*Dioscoridis*, Reichb. f. Ic. Fl. Germ. xix. 37 = *Crepis Dioscoridis*.  
*Falconeri*, Hook. f. Fl. Brit. Ind. iii. 399.—Ind. or.  
*glareosa*, Trautv. in Act. Hort. Petrop. iv. (1876) 386, in textu.—As. Min.  
*griselia*, Serres, in Bull. Soc. Bot. Fr. iii. (1856) 275 = *nemausensis*.  
*macrantha*, Bunge, in Mém. Sav. Etr. Pétersb. vii. (1851) 384, in obs.—As. centr.  
*nemausensis*, Cass. in Bull. Soc. Philom. (1816) 200.—Europ. austr.  
*nemausensis*, Reichb. Fl. Germ. Excurs. 269 = *bifida*.  
*nudicaulis*, Dulac, Fl. Hautes-Pyr. 493 = *nemausensis*.  
*obovata*, Boiss. Diagn. Ser. II. iii. 98 (= *Lagoseris orientalis*).—As. occ. et bor.  
*purpurea*, C. B. Clarke, Comp. Ind. 256; Trautv. in Act. Hort. Petrop. iv. (1876) 386, in textu = *bifida*.  
*runcinata*, Trautv. l. c. 385.—Armenia.  
*Ruppellii*, Steud. Nom. ed. II. ii. 415 = *bifida*.  
*sancta*, C. Koch, in Linnaea, xxiii. (1850) 692 = *nemausensis*.

**PTEROTHECA**, Presl, Symb. Bot. i. 55. t. 35 (1831) = **Rynchospora**, Vahl (Cyperac.).  
*Vahlüi*, Presl, l. c. = *R. pterocarpa*.

**PTEROTHRIX**, DC. Prod. vi. 279 (1837). **COMPOSITAE**, Benth. & Hook. f. ii. 324.  
*cymbaefolia*, Harv. in Harv. & Sond. Fl. Cap. iii. 275.—Afr. austr.  
*perotrichoides*, Harv. l. c.—Afr. austr.  
*spinescens*, DC. Prod. vi. 280.—Afr. austr.  
*tomentosa*, DC. l. c. = *Amphiglossa tomentosa*.

**PTEROTRICHIS**, Reichb. Nom. 129 (1841) = **PHOTRICHIS**, Decne. = **Lachnostoma**, H. B. & K. (Asclep.).

**PTEROTROPIS**, Fourr. in Ann. Soc. Linn. Lyon, N. S. xvi. (1868) 337 = **Thlaspi**, Tourn. (Crucif.).  
*beugesiacae*, Fourr. l. c. = *T. alpestre*.  
*erratica*, Fourr. l. c. = *T. perfoliatum*.  
*Gaudiniana*, Fourr. l. c. = *T. alpestre*.  
*impropera*, Fourr. l. c. = *T. perfoliatum*.  
*Lereschii*, Fourr. l. c. = *T. virgatum*.  
*marialis*, Jord. ex Fourr. l. c. = *T. perfoliatum*.  
*sylvestris*, Fourr. l. c. = *T. alpestre*.  
*virens*, Fourr. l. c. = *T. alpestre*.























